

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND GEOCHEMICAL SAMPLING

at the

RUSTY PROPERTY

Rusty 1-288	YD33241-YD33528
289-302	YD72039-YD72052
303-312	YD70561-YD70570
313-344	YD72053-YD72084

NTS 106C/04 and 106C/05
Latitude 63°13'N; Longitude 133°44'W

in

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

M. Kammerer, Geol.Tech.
and
W. D. Eaton, B.Sc. Geology

March 2011

CONTENTS

	<u>Page</u>
INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY	5
REGIONAL GEOLOGY	6
PROPERTY GEOLOGY	7
MINERALIZATION	9
SOIL AND STREAM SEDIMENT GEOCHEMISTRY	19
REFERENCES	26

APPENDICES

I	STATEMENTS OF QUALIFICATIONS
II	SAMPLING AND ANALYTICAL PROCEDURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Historical Claim Locations	2
4	Tectonic Setting	6
5	Regional Geology	6
6	Property Geology	7
7	Rock Geochemistry	in pocket
8	Detail: NE Ridge Zone	11
9	Detail: Azure Vein	14
10	Soil Sample Locations	in pocket
11	Silver Soil Geochemistry	19
12	Lead Soil Geochemistry	19
13	Zinc Soil Geochemistry	19
14	Arsenic Soil Geochemistry	19
15	Antimony Soil Geochemistry	19
16	Copper Soil Geochemistry	19
17	Detail: NE Ridge Zone – Silver Soil Geochemistry	22
18	Detail: NE Ridge Zone – Lead Soil Geochemistry	22
19	Detail: NE Ridge Zone – Zinc Soil Geochemistry	22
20	Detail: NE Ridge Zone – Arsenic Soil Geochemistry	22
21	Detail: NE Ridge Zone – Antimony Soil Geochemistry	22

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Exploration History of Rusty Property	4
II	Lithological Units	7
III	Geochemical Data for Rock Samples	9
IV	Geochemical Data for Soil Samples	19
V	Soil Anomalies	20

INTRODUCTION

The Rusty property hosts silver-lead-zinc +/- gold prospects located in central Yukon Territory within a district of precious metal rich vein and replacement style occurrences. Important deposits within this district include: the mines of the Keno Hill camp, which are now owned by Alexco Resources Ltd.; Tiger and Osiris deposits of ATAC Resources Ltd.; Crag deposits of Xstrata; and, the Vera deposit owned by Shaun Ryan. The Rusty property is owned by Strategic Metals Ltd (Strategic).

This report describes a field program conducted between June 11 and September 9, 2010 by Archer, Cathro & Associates (1981) Limited (Archer Cathro) on behalf of Strategic. The program consisted of geological mapping, prospecting and geochemical sampling performed by a two person crew working under the direction of the authors. Appendix I contains the authors' Statements of Qualifications.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Rusty property lies about 132 km northeast of the community of Mayo and is centred at latitude 64°18' north and longitude 133°44' west on NTS map sheets 106C/04 and 106C/05 (Figure 1).

The property comprises 344 claims that cover an area of approximately 7,000 ha (70 sq. km.). The Rusty 1-288 claims were staked prior to the 2010 exploration program, while the remainder of the claims were staked in fall, after positive results were obtained from work done on the property and elsewhere in the district. All of the claims are registered in the name of Archer Cathro, which holds them in trust for Strategic. Details concerning the claims are listed below, while their locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Rusty 1-288	YD33241-YD33528	March 15, 2016
289-302	YD72039-YD72052	March 15, 2016
303-312	YD70561-YD70570	March 15, 2016
313-344	YD72053-YD72084	March 15, 2016

*Expiry dates include 2010 work which has been filed for assessment credit but not yet accepted.

In 2010 access to and from the property was provided by Hughes 500D and Bell 206B Jet Ranger III helicopters operated by Fireweed Helicopters from a temporary staging area at McQuesten Lakes.

The McQuesten Lakes staging area is located 70 km northeast of the village of Mayo, on a privately owned farm accessed by an 18 km gravel road that runs northeast from the Silver Trails Highway.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION


RUSTY PROPERTY

0 75 150 300 km

FILE: ...2010/RUSTY/Figures/Property Location

MARCH 2011





HISTORY AND PREVIOUS WORK

The current Rusty claims cover a large part of an area historically occupied by four different claim groups that included Vera, Val, Rusty, and KLA claims. Previous explorers discovered a number of showings on the historical claim blocks. Many of those showings fall within the current Rusty property but others are located on adjacent claims, as shown on Figure 3. Previous work on historical claim blocks and their respective showings are described in the following sub-sections.

The Vera Claims

The Vera claims were operated by Prism Joint Venture between 1978 and 1988. Work included prospecting, geological mapping, soil and rock geochemical sampling, hand trenching, bulldozer trenching, geophysical surveying, surface diamond drilling, underground drifting and cross-cutting, and underground drilling. That work resulted in the recognition and advancement of several silver-lead-zinc showings.



The GD Zone, Jorge Showing, Vera Scarp Zone, Rusty Mtn. Peak, Gunsight Zone, and the Vera Main Zone all fall within the current Vera claim group owned by Shawn Ryan. The Vera Main Zone received the most attention with 169 surface diamond drill holes, 11 underground holes and 582 m of drifting and cross-cutting. The zone is comprised of a complex vein-fault system hosted within dolostone. Prism Joint Venture reported possible resources in the Vera Main Zone of between 500,000 and 600,000 metric tonnes, with estimated average silver grades between 7.96 and 8.55 oz/ton (273 g/t and 293 g/t) (Sivertz, 1985).

The Camp View Zone, South Rusty Mountain Zone, Stromatolite Zone, and North Creek Grid all fall within the current Rusty claims owned by Strategic. Diamond drilling was carried out at two of these locations: four holes drilled in the Camp View Vein encountered only minor mineralization; while twelve holes drilled in the South Rusty Mountain Zone encountered thin, discontinuous lenses of mineralization (Waugh, 1989). Soil geochemical sampling, which was carried out at North Creek Grid to test a float occurrence of galena rich cobbles in a low elevation forested area, returned background levels for silver, lead and zinc. The Stromatolite Zone is a bedrock occurrence containing argentiferous galena and tetrahedrite within thin quartz veins and dolostone cackle breccias. Rock sampling was carried out at this location, but no other work was done (Eaton, 1999).

The Val Claims

The Val claims were also operated by Prism Joint Venture between 1978 and 1988. Activities included geological mapping, prospecting, geochemical surveying, geophysical surveying, hand trenching, and diamond drilling.

Exploration work was carried out at eleven different showings on the Val property. Six of these showings (Big Red Zone, Tetrahedrite Zone, Archives Vein, South Hill Zone, Quartzite Showing and Paka Zone) are located on ground currently owned by ATAC Resources Ltd. (ATAC). The bulk of the historical work on the Val claims was carried out on the South Hill Zone, with 28



STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HISTORICAL CLAIM LOCATIONS

RUSTY PROPERTY

0 1 2 3 4 km

NTS Mapsheet : 106 C/5, C/4

DRAWN BY: M.Kammerer

PROJECT: RUSTY

FILE:P:\2010\RUSTY

DATE: MARCH 2011

holes drilled between 1978 and 1980. This showing is composed of an argentiferous galena vein hosted within Precambrian dolostone. Drilling identified two distinct mineralized shoots: one with an average grade of 321 g/t silver over an average of 4.9 m thickness, with approximate dimensions of 50 by 200 m; and the other grading 127 g/t silver over an average of 3.7 m thickness, with approximate dimensions of 100 by 100 m (Sivertz, 1981).

The Little Red Zone, Siltstone Zone, North Kill Zone, and A Zone are located on the current Rusty claims owned by Strategic. The West Ridge Zone lies on unclaimed land west of Strategic's claims.

The Little Red Zone lies 750 m northwest of the South Hill Zone, and is composed of numerous argentiferous galena and sphalerite veins hosted within Precambrian dolostone. In 1979, five holes were drilled and bulldozer trenching was carried out on the lower slope. Three of the holes successfully outlined a lens of mineralization (Sivertz, 1980).

The Siltstone Zone is a complex vein hosted within, sericitic shales, which was traced by bulldozer trenching over a strike length of 200 m. A total of sixteen holes were drilled in 1981, four of which outlined a lens of "relatively high grade material" over a strike length of 50 m (Sivertz, 1981).

In 1978 and 1979, bulldozer trenching and two drill holes were completed at the North Kill Zone to test a small exposure of galena-sphalerite mineralization. Results indicated the mineralization was a small, isolated lens (Sivertz, 1980).

KLA and Rusty Claims

The KLA and Rusty claims were staked by Manson Creek Resources in 1997 around those parts of the Vera and Val claims that had not yet lapsed. Work was performed by Manson Creek over all four claim groups between 1997 and 2002. That work included prospecting, geological mapping, geochemical sampling, geophysical surveying, and a small amount of diamond drilling.

The KLA claims covered an area south of Strategic's claims, which contains the Paka and Quartzite showings. That area is currently owned by ATAC.

Manson Creek's Rusty claims covered roughly the same region as the previous extent of the Vera claims, plus additional areas to the northwest and northeast.

Manson Creek carried out induced polarization (IP) surveys in Val and Vera areas, identifying several anomalous zones. In 1999, seven holes were drilled to test IP anomalies, three of which were collared within the boundaries of current Rusty claims. Two of those holes encountered black graphitic shale that is believed to have been the cause of the IP anomalies. A third encountered black argillaceous dolostone with seams of pyrite (Eaton & Evans, 2000).

In 2001 Manson Creek flew a regional airborne geophysical survey that covered all of the Val-Vera-KLA-Rusty claims; and the following year, it drilled a single diamond drill hole at the NE

Ridge Zone to test a conductor identified by that survey. No mineralization was encountered in that hole (Jutras, 2003).

The Marco, NE Ridge, and NW Ridge showings are float occurrences identified by Manson Creek's prospecting crews. None of these showings was subjected to systematic testing by drilling or trenching.

A stream sediment sampling program, carried out by Manson Creek in 1998, identified anomalous concentrations of silver, lead and zinc in creeks to the south and west of Rusty Mountain. The anomaly to the west of Rusty Mountain was explained by the Marco Showing, but numerous anomalous values in two drainages to the south of Rusty Mountain were not explained (Eaton, 1999).

Table I presents a detailed summary of historical work on the Vera, Val, Rusty and KLA claims.

Table I – Exploration History of Rusty Property

Year of Work (Report #)	Owner/ Operator	Claim Group	Work performed on current Strategic claims Work performed on property currently owned by others
1978 (?)	Prism Joint Venture	VAL 1-318	-prospecting -geological mapping -bull dozer trenching -Val soil geochemical grid -10 diamond drill holes: 1 hole North Kill Zone 9 holes South Hill Zone
1979 (090615)	Prism Joint Venture	VAL 1-318	-prospecting -geological mapping -bull dozer trenching -Val soil geochemical grid extension -39 diamond drill holes (3158 m): 5 holes Little Red Zone 1 holes North Kill Zone 14 holes South Hill Zone 14 holes Big Red Zone 5 holes Tetrahedrite Zone
1979 (090511)	Prism Joint Venture	VAL 21-30	-4 diamond drill holes (357 m) in South Hill Zone
1979 (090583)	Prism Joint Venture	VERA 38 & 40	-prospecting -geological mapping -bull dozer trenching -soil geochemical sampling -CEM geophysical survey -27 diamond drill holes (1682 m): 22 holes Gunsight Zone 5 holes Scarp Zone
1980 (090718)	Prism Joint Venture	VAL 319-376	-prospecting -geological mapping -bull dozer trenching -Paka soil geochemical grid

1980 (090722)	Prism Joint Venture	VERA 1 -164	-42 diamond drill holes (4041 m) in Vera Main Zone and Vera West Shoot
1981 (090721)	Prism Joint Venture	VAL 1-318	-9 diamond drill holes (1304 m) in South Hill Zone
1981 (090923)	Prism Joint Venture	VAL 37	-16 diamond drill holes (1630 m) in Siltstone Vein
1981 (062146)	Prism Joint Venture	VERA 1 -164	-prospecting and rock sampling at South Rusty Mountain Zone -10 surface diamond drill holes (1152 m) in Vera Main Zone -719 m of adit -11 underground diamond drill holes (545 m) in Vera Main Zone
1982 (062185)	Prism Joint Venture	VERA 1-164 VAL 1-376	-trenching & mapping South Rusty Mountain Zone -summary analysis of all previous work -metallurgical studies
1984 (062208)	Prism Joint Venture	VERA 1-164 VAL 1-376	-16 diamond drill holes: 3 holes South Rusty Mountain Zone 13 holes Vera Main Zone -metallurgical studies
1988 (092725)	International Prism Exploration Ltd.	VERA 1-164 VAL 1-376	-bull dozer trenching in Camp View Vein -bull dozer trenching in West Ridge Zone -12 diamond drill holes (1479 m): 3 holes South Rusty Mountain Zone 3 holes Little Red Zone 4 holes Camp View Vein 2 holes Paka Zone
1998 (093968)	Manson Creek Resources Ltd.	RUSTY 1-131 KLA 1-148 VAL VERA	-property wide stream sediment survey -North Creek soil geochemical grid -property wide prospecting and rock sampling -property wide airborne geophysical surveys (radiometrics, magnetics, EM) 2001
1999 (094073)	Manson Creek Resources Ltd.	RUSTY 1-131 KLA 1-148 VAL VERA	-rock and soil sampling NE Ridge Zone -rock sampling Southwest Rusty Mountain and Northwest Rusty Mountain -IP surveys on Val and Vera claims -7 diamond drill holes (986 m) testing IP anomalies: 2 holes Little Red Zone 2 holes Tetrahedrite Zone 1 hole Val grid area northeast 2 holes Vera claims near Jorge Showing
2002 (094361)	Manson Creek Resources Ltd	RUSTY 1-131 KLA 1-148 VAL VERA	-geological mapping on Rusty claims -1 diamond drill hole (112 m) to test airborne geophysical anomaly near NE Ridge Zone

GEOMORPHOLOGY

The Rusty property is situated within the Selwyn Mountains of the Canadian Cordillera. The claim area is topographically subdued in relation to the surrounding region, with lower, more

rounded mountains and hills in the south half of the property, and a few higher peaks in the northern half.

Elevations range from approximately 850 m asl (meters above sea level) along the Rackla River in the northwestern corner of the property to 1860 m asl at the peak of Rusty Mountain. Tree line is at about 1400 m asl. The lower slopes are thickly treed with spruce, fir and shrub willow, while upper slopes and plateau areas exhibit tundra-like vegetation comprising grasses, moss, lichens and a mix of dwarf alder and willow brush.

There is abundant evidence of past glaciation, including drumlins and U-shaped valleys. Glacial till is prevalent on mid to lower slopes. Soil development is generally poor and at higher elevations talus slopes and outcrops are common.

The property is drained by multiple tributary creeks that flow north, east, south and west, into the East Rackla or North Rackla rivers. The North Rackla merges with the East Rackla before joining the Beaver River, which drains into the Stewart River and ultimately the Yukon River.

The climate in the Rusty area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY



The Geological Survey of Canada performed geological mapping in the vicinity of the Rusty property at 1:250,000 scale in the early 1970s (Blusson, 1974). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology and updated lithological unit names in the Rusty area.

The property lies on the southern edge of the Mackenzie Platform, a predominantly shallow water carbonate and clastic sequence that formed on the western margin of the North American craton during Lower Proterozoic through Paleozoic times (Figures 4).

The property straddles an east-west trending fault that separates Upper Proterozoic to Lower Devonian rocks of the Hyland Group and Bouvette Formation from Lower to Middle Proterozoic rocks of the Pinguicula, Hart River and Gillespie Lake groups (Figure 5).

On the south side of the fault, the Hyland Group dominantly consists of coarse turbiditic clastics, carbonates and fine clastics typified by maroon and green shale. Upper Cambrian to Lower Devonian rocks of the Bouvette Formation unconformably overlie Hyland Group, and are composed of grey- and buff-weathering dolomite, limestone and rare black shale.

On the north side of the fault, the Pinguicula Group comprises laminated fine clastics, thin bedded laminated limestone and laminated dolostone. These rocks were deposited with angular unconformity on dolostone, silty dolostone, and lesser black siltstone of the Gillespie Group (Eisbacher, 1978, 1981). The Hart River Group is an intrusive unit consisting of resistant, dark



ANCESTRAL NORTH AMERICA

- MP Mackenzie Platform
- SB Selwyn Basin
- RT Richardson Trough

TERRANES

DISPLACED CONTINENTAL MARGIN

- AA Arctic Alaska
- CA Cassiar
- PC Porcupine

PERICRATONIC TERRANES

- YT Yukon-Tanana / Slide Mountain


ACCRETED TERRANES

- ST Stikinia / Cache Creek
- AX Alexander
- WR Wrangellia
- CG Chugach

STRATEGIC METALS LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING RUSTY PROPERTY




DRAWN BY: M.Kammerer

FILE:P:2010RUSTY

PROJECT: RUSTY

DATE: MARCH 2011



LOWER PROTEROZOIC

- IPG: Gillespie Lake
- IPQ: Quartet

MIDDLE PROTEROZOIC

- mPPF1: Pinguicula/Fifteen Mile (Lower)
- mPH2: Hart River

UPPER PROTEROZOIC TO LOWER CAMBRIAN

- PCH: Hyland

UPPER CAMBRIAN TO LOWER DEVONIAN

- CDB1: Bouvette, unit CDb

DEVONIAN AND MISSISSIPPIAN

- DME: Earn

— Fault

STRATEGIC METALS LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY RUSTY PROPERTY

0 5 km

UTM ZONE 8, NAD 83, 106 C/04 and 106 C/05

*After Gordey and Makepeace, 1999.

FILE: ...2010/RUSTY/Mapinfo

DATE: MARCH 2011

weathering diorite and gabbro, which occurs as isolated pods within the Penguicula and Gillespie groups.

The regional units in the Rusty area are described in Table II.


Table II – Lithological Units (after Gordey and Makepeace, 2003)

Unit Name	Age	Map Name	Description
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey- and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate and black shale; massive bluish-grey weathering dolostone.
Unconformity			
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics, carbonates and fine clastics typified by maroon and green shale; may include younger units; includes scattered mafic volcanic rocks.
Unconformity			
Hart River	Middle Proterozoic	mPH2	Resistant dark weathering diorite and gabbro sills and dikes.
Pinguicula Group	Middle Proterozoic	mPPF11	Basal siliclastic red laminates; thin bedded laminated and flasered limestone; laminated dolosiltite; massive white dolostone with wavy cryptalgal lamination, cross bedding, tepee structures, extensive dolomite veinlets and chert.
Angular Unconformity			
Gillespie Lake	Lower Proterozoic	IPG	Dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karst infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; local dolomite boulder conglomerate.

PROPERTY GEOLOGY

Property-scale mapping has been completed by Prism Joint Venture (Penner, 1980; Sivertz, 1981 and 1983) and by International Prism Exploration Limited (Waugh, 1989). The following geological descriptions are largely based on the aforementioned work, and observations made by Strategic.

In general the observed rocks that crop out within the Rusty claim boundary are atypical of the regional units assigned to this area, or the regional units need revision. The southern half of the property comprises a succession of dolostone, quartzite and shale, which is separated from shale, slate and dioritic intrusive rocks to the north by a northwest trending fault (Figure 6).



STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
RUSTY PROPERTY

0 1.0 2.0 3.0 Km

NTS Mapsheet : 106 C/5, C/4

DRAWN BY: M.Kammerer

PROJECT: RUSTY

FILE:P:2010RUSTY

DATE: MARCH 2011

Rusty South

The southern part of the Rusty property is regionally correlated with Upper Proterozoic Hyland Group and Upper Cambrian to Lower Devonian Bouvette Formation. Collectively, this succession comprises mostly dolostone, quartzite and shale. The following description is summarized from Prism's work in 1979 and 1980 (Sivertz, 1981).

Several distinct units of dolostone occur on the property. A unit referred to as the Val dolostone hosts many of the known showings on the historical Val claims. This unit is characterized by a zebra texture which features alternating light and dark layers. It commonly contains white, sparry dolomite veins and veinlets.

Overlying the Val dolostone is a distinct, orange weathering dolostone, which is considered to be a marker horizon that is readily traceable in areas of good outcrop exposure.

The quartzite units are generally white to greyish-white, and form prominent ridges and coarse blocky talus slopes. Shales are greyish brown to black.

North of an east-west trending fault is a highly cleaved, pale green siltstone unit that is the host for the Siltstone Vein.

The units in the southern part of the property trend northwesterly, and dip to the northeast at roughly 40°-60°. A number of northeasterly trending faults are present in the area, with displacements of up to 500 m.

Rusty North

The northern part of the Rusty property is regionally correlated with rocks of the Pengucula, Gillespie Lake and Hart River groups, which are Lower to Middle Proterozoic in age. The following description is largely summarized from Prism International (Waugh, 1989) and observations made by Strategic.

The area is underlain by a thick succession of dark shale, slate, and lesser phyllite, which are intruded by a number of diorite bodies. A block of orange-weathering ankeritic dolostone is also present, making up part of the lower, north-western flank of Rusty Mountain. This unit lies partly within the current Vera claims owned by Shawn Ryan, and hosts the Vera Main Showing.

Mineralization is frequently found at or near contacts between shale and diorite intrusions, often in north striking vein/fault structures within either unit. Mineralization has also been found at two locations within shale where no nearby intrusion is known.

Shale and slate units strike generally east-northeast, and dip gently to the south. Structural continuity is disrupted by numerous vertical faults with large horizontal and vertical displacements, as well as low angle faults and thrust faults.

MINERALIZATION

Since 1978, prospecting and rock sampling surveys have been conducted within the Rusty property boundary by several operators. Diamond drilling has been carried out in three main areas. A total of sixteen mineralized zones have been identified on the property, the majority of which were discovered by previous operators. A few new showings were discovered by Strategic during the 2010 field season.

The following descriptions of the showings are based on previously published data and observations made by Strategic in 2010. Showings are divided into two groups: the Rusty North showings, which are located north of the major northwest-southeast striking fault and are hosted within the Hart River, Penguicula or Gillespie Lake groups; and the Rusty South showings which lie fall to south of the major fault and occur within Hyland Group.

Rusty North Showings

NW Ridge Zone
V-Zone
Camp View Vein
NE Ridge Zone
Rusty Mtn. East
Marco Zone
Polo Zone
Canyon Area
Azure Zone
Lakes Area
Siltstone Zone
North Kill Zone


Rusty South Showings

Stromatolite Zone
Little Red Zone
P-Zone
A-Zone

Sampling and Analytical Procedures are explained in Appendix II while Rock Sample Descriptions are in Appendix III. Certificates of Analysis are in Appendix IV and sample locations are shown in Figure 7. Anomalous thresholds and peak values for rock samples are listed in Table III.

Table III – Geochemical Data for Rock Samples

Element	Anomalous Thresholds	Peak Values	
		Historical	2010
Silver (Ag)	≥ 50 g/t	8,070 g/t	16,945 g/t
Lead (Pb)	≥ 2.0 %	81.58 %	75.98 %
Zinc (Pb)	≥ 2.0 %	47.22 %	53.78 %



STRATEGIC METALS LTD.

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ROCK GEOCHEMISTRY
RUSTY PROPERTY

01.02.00

1.0

2.0 Km

NTS Mapsheet: 108 C/5, C/4

DRAWN BY: M.Kammerer

PROJECT: RUSTY

FILE:P12010RUSTY

DATE: MARCH 2011

Rusty North Showing

NW Ridge Zone

The NW Ridge Zone is located on a north facing slope, 2.5 km north-northwest of the Vera adit. The showing consists of mineralized quartz veins occurring near a contact between diorite and shale. It was first identified by Manson Creek Resources in 1998.

Strategic visited the showing in 2010 and collected two samples. At one location, cobble sized fragments of quartz vein material containing galena, sphalerite, and zinc weathering products were found within diorite talus (G0557011). About 150 m to the northeast, an outcrop of black shale contains a 10 cm thick quartz vein with bands of fine black sphalerite (G0557012). Both samples returned low silver values.

Approximately 150 m down slope from sample G0557012, a soil sampler found a rusty quartz vein exposed in bedrock. A soil sample collected immediately downhill of that vein returned highly anomalous values for lead and copper (see Geochemistry section).

V-Zone

The V-Zone is located about 1000 m north-northeast of the Vera adit and comprises a 220 m long, north-south trending quartz-siderite-limonite vein/fault hosted in diorite. The showing is located in close proximity to a shale/diorite contact. This area does not appear to have been identified by previous operators, who focussed their attention in the saddle below.

In 2010 Strategic collected numerous grab samples of subcropping vein and altered host rock. Galena bearing material was found in a few locations in low to moderate abundance, the best sample of which assayed 151 g/t silver, 57.08% lead, and 7.82% zinc (G0557004). Fragments were typically 2 to 7 cm in thickness.

Strongly limonitic diorite wall-rock was relatively abundant along and adjacent to the trace of a fault. This material commonly exhibited a moderate zinc zap response, and a grab sample assayed 4.11% zinc (G0557002).

Camp View Vein

The Camp View Vein is a set of thick quartz-carbonate veins, which outcrop sporadically across the north end of the property over a strike length of approximately 3 km. The veins strike roughly 110° to 125°. They are generally a few metres thick but can locally swell up to 15 m in thickness. Although the bulk of the vein material is barren, lenses or pods of sulphide material are found locally.

Four holes were drilled in the Camp View Vein by Prism in 1988, all of which failed to intersect economic grades of mineralization (Waugh, 1989). Eighteen grab and chip samples, which assayed between 18.5 and 500.6 g/t silver, were taken from various parts of the Camp View Vein by Manson Creek in 1998 (Eaton, 1999).

Strategic's field activities did not specifically target the Camp View Vein in 2010, but two samples were collected. One sample containing chalcopyrite assayed 62.4 g/t silver and 2.32 % copper (G0557006). The other sample was sphalerite-rich material taken from a structure running roughly perpendicular to the Camp View Vein, which assayed 13.55 % zinc but did not contain significant silver concentrations (G286186).

NE Ridge Zone

The NE Ridge Zone is located in the northeast corner of the property on a low, glacially rounded ridge comprised predominantly of diorite and shale. The showing is made up of mineralized float and outcrop that occur as series of parallel to sub-parallel linear breaks within the diorite (Figure 8). The breaks strike roughly 160°, are commonly 5 to 10 m wide and 200 to 350 m long. Highly oxidized quartz-siderite vein rubble (which commonly hosts sulphide minerals) and altered diorite outcrops occur sporadically within the linear breaks.




The zone was first identified by Manson Creek in 1998 during a silt sampling and prospecting program. A grab sample containing arsenopyrite assayed 183.1 g/t silver, 56425 ppm arsenic, and 2828 ppm antimony. A second sample with high galena assayed 510.5 g/t silver and 35.7% lead (Eaton, 1999). The following year an additional four rock samples were taken, all of which had returned low values for silver, lead and zinc (Eaton & Evans, 2000).

A property-wide airborne geophysical survey was flown by Manson Creek in 2001. The survey showed a 1500 by 1500 m zone of high conductivity with a coincident magnetic high, located on the north slope of the NE Ridge Zone. Manson Creek interpreted the anomaly as a potential Marg Style VMS occurrence. In 2002, it drilled a single hole targeting the buried conductor, however no significant mineralization was encountered. The geophysical anomaly was attributed to a brecciated, graphitic layer at the contact between a sill-like igneous body and underlying fine grained sediments (Jutras, 2003).

Strategic's work in the NE Ridge area in 2010 included prospecting, digging three hand trenches, collecting 19 grab and chip samples, and detailed soil sampling. Observations and rock sampling results are presented on Figure 8.

The linear breaks are often deeply incised and trench-like, with walls up to several meters high. Outcrop is limited within these breaks due to in-filling by locally derived colluvium and glacial material. Where rocks crop out, they tend to be strongly gossanous and frequently contain galena and sphalerite.

Three hand trenches were dug within one of the linear breaks, which lie approximately 50 m east of the diorite/shale contact. Two of these trenches exposed veins in bedrock, which contain galena, sphalerite and abundant oxide minerals. Chip samples from one of the trenches returned a weighted average of 278.34 g/t silver, 7.43% lead, and 5.02% zinc over 1.34 m (G0557018 & 19). A chip sample from the other trench assayed 71.9 g/t silver, 2.78 %lead, and 6.54% zinc over 0.49 m (G0557023). The third trench encountered weakly mineralized quartz veins and altered wallrock, but samples yielded low silver, lead and zinc values.



STRATEGIC METALS LTD.

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
DETAIL: NE RIDGE ZONE
RUSTY PROPERTY

0 m 50 100 150 m

NTS Mapsheet : 106 C/5, C/4

DRAWN BY: M.Kammerer	PROJECT: RUSTY
FILE:P:12010RUSTY	DATE: MARCH 2011

A gossanous talus slope about 250 m to the east of the shale/diorite contact comprises rusty, altered rock fragments that contained oxidized zinc, and a few galena-bearing quartz fragments. A composite grab sample of the galena-bearing fragments assayed 185 g/t silver, 11% lead, and 20.2% zinc (G286195). Two other samples from the area returned high zinc concentrations, but were not anomalous in lead or silver.

Two isolated occurrences of massive galena were found within the shale unit, near the diorite/shale contact. At one location crushed rock within a fault zone contained galena fragments 2-4 cm thick. A sample from this zone assayed 1025 g/t silver with 60.16 % lead (G286185). At the other location a short, bedding-discordant lens of massive galena with light malachite staining is exposed in competent, unaltered bedrock. The lens was 16 cm in width by 1.4 m in length, pinching out completely on either end. A chip sample from this location assayed 1780 g/t silver with 69.70 % lead (G286191).

Rusty Mtn. East Area

Rusty Mtn. East was identified by Strategic as an area of potential interest due to the presence of gossanous rock, a diorite intrusion that cuts the shale, and evidence for faulting. One zone of brecciated rock containing abundant sphalerite was sampled, but it returned low silver values (G0557014 &15).

Marco Zone

The Marco Zone consists of a float train within a talus slope, which contains highly weathered massive galena fragments. The float train is about 3 to 5 m wide and 90 m long.

The showing was first identified by Manson Creek in 1998 during stream sediment sampling of a creek draining the west slopes of Rusty Mountain. Three grab samples were taken from the Marco Zone in 1998, the best of which assayed 8070 g/t silver, and 75.04% lead (Eaton, 1999).

In 2010, Strategic revisited the showing and dug a series of shallow trenches parallel to the float train. Near the top of the float train several clusters of massive galena fragments were found, but these fragments become less abundant and more widely spaced downhill. Four trenches were dug to search for the source of the mineralized float, but in all cases the galena disappeared abruptly within a metre below surface. Either the source of the galena-bearing float has been completely eroded or it is deeply buried below the talus further uphill.

Strategic collected two grab samples from the Marco Zone. One sample featured extremely strong malachite staining due to weathering of tetrahedrite and assayed 16,945 g/t silver, 69.06% lead and 1.61% copper (G286150). The other sample had weaker malachite staining and assayed 8,200 g/t silver, 78.48% lead, and 0.61% copper (G286151). The largest galena fragment measured 28 by 16 by 12 cm.

Polo Zone

The Polo Zone is a broad area of interest that includes the historical South Rusty Mountain Showing as well as scattered occurrences along the south facing slopes of Rusty Mountain.

The South Rusty Mountain Showing was discovered by Prism Joint Venture in 1982, and was described as “trains of quartz-ankerite boulders lying intermittently along a south-westerly trending depression” over a total length of 600 m (Sinclair, 1982). Three holes were drilled in 1984, and an additional 12 were completed in 1988. The holes failed to intersect economic grades of mineralization. Waugh (1989) described this showing as a fault vein system carrying low silver, copper, lead, and zinc values, except for occasional spotty high silver values located at surface in quartz-siderite veining.

In fall 2010 Strategic prospected the south slope of Rusty Mountain to follow up anomalous results from contour soil sampling done earlier in the summer. Three areas of interest were identified:

- 1) Rare occurrences of limonite and quartz fragments containing galena and/or chalcopyrite were found about 1000 m northeast of the South Rusty Mountain Showing within a broad shale talus slope. A small outcrop comprising quartz stockwork veins with abundant white zinc oxide and isolated pods of bleached galena was chip sampled, and assayed 201 g/t silver, 8.1% lead and 20.4% zinc over 12 cm (G285941). A selective sample of massive galena assayed 611 g/t silver and 62.81% lead (G285942).
- 2) A 200 m wide zone of altered fine talus was found about 1200 m east-northeast of the South Rusty Mountain Showing within a south trending depression that separates shale to the east from diorite to the west. A grab sample from an 8 by 4 m area of pervasively limonitic, malachite stained talus assayed 1595 g/t silver, 1.19% copper and 0.462 g/t gold (G285922). Three other samples from elsewhere within this zone did not return anomalous values.
- 3) Numerous large rock fragments containing coarsely crystalline red and green sphalerite were found near the trend of the historical South Rusty Mountain Showing. Fragments were commonly 6 to 12 cm thick grab samples taken from three rocks assayed 36-53% zinc with low silver and lead values (G285925-27).

Canyon Area

The Canyon Area is located directly south of Rusty Mountain in a deeply incised creek that drains to the west. It was identified as an area of interest by Strategic in 2010 because numerous, north-south striking joints and prominent quartz veins up to several metres thick, crop out on the north wall of a canyon. The north wall of this canyon is mainly diorite while the south wall is predominantly composed of shale, with only two small diorite exposures. Several chutes of highly gossanous talus are visible on the south side of the canyon. Historical geological mapping describes a fault running down the middle of the creek, separating the diorite and shale units.

In 2010 Strategic prospected the canyon walls in detail and identified numerous small occurrences of mineralization. Two of these locations had been sampled previously, but no records of the results could be found in historical reports. Several consecutive strongly anomalous silt samples (1998) from the within and below the canyon were not explained by previous operators.

At the top of the creek, near a small waterfall, a zone of intense fracturing and alteration likely marks an exposure of the fault that runs down the creek. This zone is composed of highly gossanous fault gouge a few meters wide, manganese stained siderite breccia and other highly sheared rocks. Several large fragments of intensely limonitic quartz breccia containing disseminated chalcopyrite were found within the fault zone, a sample of which assayed 254 g/t silver and 2.55 % copper (G286153).

Quartz vein material containing chalcopyrite in isolated blebs was found in a few locations farther down the canyon, on the north side of the fault. One sample taken from a vein that is about 60 cm wide, assayed 1.09% copper and 0.241 g/t gold (G286155). A second sample collected from a boulder in an adjacent drainage to the north assayed 3.91% copper and 1.445 g/t gold (G286164). The exact source of the boulder was not ascertained, but there are several quartz veins exposed on the ridge above this drainage, which contain isolated occurrences of chalcopyrite.


Small occurrences of galena and sphalerite were found in four locations along the creek, the most interesting of which was found on the south wall of the canyon within a diorite body. At this site, strongly gossanous soil and rock talus are dispersed beneath a cliff, over an area 50 by 15 m. The gossanous talus contains moderately abundant fragments of quartz vein material up to 10 cm in diameter, which contain abundant galena, black sphalerite and decomposed sphalerite cavities. One sample of this material assayed 355 g/t silver, 11.6% lead and 19.05% zinc (G286156), while another yielded 197 g/t silver, 7.43% lead and 5.48% zinc (G286157). A small hand trench was dug at the top of the slope, which exposed an intensely fractured zone containing highly oxidized, irregular veins. A chip sample from this exposure returned 106 g/t silver, 4.23% lead and 7.24% zinc over 0.25 m (G285919).

The numerous small mineral showings observed in this Canyon Area could be developed on secondary structures splaying off a large zone developed within the main fault, which is only exposed in the one small area at the head of the creek.

Azure Zone

The Azure Zone is a composite vein comprising quartz-siderite-galena-tetrahedrite-oxide minerals. The vein is hosted in shale and is relatively well exposed within a steep, north facing chute over a strike length of 110 m (Figure 9). Vein thicknesses are typically 15 to 30 cm, but swelled to 45 cm in places. The vein strikes roughly 020° and dips 52 to 62° to the east.


This zone was discovered by Strategic in 2010 after a large, malachite-stained siderite boulder was found in a talus fan a few hundred metres below the vein exposure. Seven rock samples



STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAIL: AZURE VEIN
RUSTY PROPERTY



NTS Mapsheet : 106 C/5, C/4

DRAWN BY: M.Kammerer

PROJECT: RUSTY

FILE:P:\2010\RUSTY

DATE: MARCH 2011

were collected from the vein, including five chip samples and two grab samples. Silver values ranged from 1130 g/t to 7360 g/t. See Figure 9 for details.

Vein composition is variable but mainly comprises massive galena and siderite breccia. A chip sample taken from a 12 m long section of massive, coarsely crystalline galena assayed 1410 g/t silver, 66.04% lead, and 8.22% zinc over 0.30 m (G286171). A chip sample taken from a section of manganese stained siderite breccia with up 40% tetrahedrite in the matrix assayed 1510 g/t silver and 5.17% copper over 0.22 m (G0557016). The best overall chip sample was taken from a hand trench that exposed vein material of mixed composition, which included massive galena, a limonite and malachite band, and quartz containing abundant tetrahedrite. Two consecutive samples from this trench had a weighted average grade of 1914 g/t silver, 48.87% lead, 12.62% zinc, and 0.88% copper over 0.42 m (G286170 & 173).

The vein is open to the north, where bedrock is buried beneath a deep talus but it appears to terminate to the south, where bedrock is well exposed. A number of large rock fragments of oxide were found in an adjacent chute to the east (G286169), indicating the presence of an offshoot vein or parallel structure.

Hand trenching was difficult in this area, due to the extremely steep, actively eroding slopes. The wallrock of the vein was not exposed in any of the trenches, and as a result samples were not taken from this material and mineralization intervals could be wider.

Lakes Area

Like Rusty Mtn. East, the Lakes Area was identified as a broad area of potential interest. A few small sections of diorite float were found at two locations within predominantly shale talus. Outcrop is not common in the area. Samples of breccia and quartz veined material with abundant sphalerite returned low silver and lead values, but a small fragment of quartz vein containing chalcopryrite and galena assayed 397 g/t silver and 24.49% lead (G285939). An outcrop of strongly silica-altered rock with traces of pyrite, chalcopryrite, sphalerite and zinc weathering products found nearby also returned low values (G285934 & 35).

The three mineralized sites in the Lake Area form a straight line running roughly east-west, which may indicate that they are part of a single linear structure.

Siltstone Zone

The Siltstone Zone is located 1.5 km northeast of the Little Red Zone, in a saddle between two low peaks. The showing consists of a complex vein hosted by south dipping, olive to light green sericitic shale. It has been intermittently exposed by trenching over a strike length of 200 m, and ranges from 0.2 to 2 m thick. Vein material consists of fine to coarse grained galena, dark brown sphalerite, tetrahedrite, chalcopryrite and pyrite in a quartz-dolomite gangue. An alteration halo of light green to white sericite-rich shale extends up to five metres into the wallrocks. The vein strikes at about 40°, which is nearly parallel to the strike of the shale. The vein dips sub-vertically and crosscuts bedding at a moderate angle (Sivertz, 1981).

The Siltstone Zone was discovered by Prism in 1980, and a program of trenching and diamond drilling was carried out in 1981. A total of 1630 m of drilling was done in sixteen holes. Four of these holes outlined a lens of relatively high grade material over a strike length of about 50 m. The most notable intersections averaged 1133.8 g/t silver over 3.86 m, and 292.4 g/t silver over 10.46 m. Three holes tested the depth extension of this lens but did not encounter significant mineralization. Three other holes confirmed the continuity of the vein along strike, but with thinner intersections and lower grades (Sivertz, 1981).

In 2010 Strategic visited the showing and collected a single sample of typical high grade material found near the northeast end of the vein. That sample was composed of massive galena with tetrahedrite and strong malachite stains, and assayed 4460 g/t silver, 75.98% lead, and 2.19% copper. The area north of the trenches was prospected in hopes of extending the vein. No evidence of vein material was found, but the nature of the colluvium in this area makes prospecting and hand trenching ineffective.

North Kill Zone

The North Kill Zone is located about 700 m due east from the Siltstone Zone. It consists of two small outcrops of mineralized siltstone and shale. It was discovered by Prism in 1978, and subsequently two holes were drilled in 1978 and 1979. Neither hole encountered mineralization. Bulldozer trenching done in 1979 exposed a weakly mineralized bedrock, but it did not add significantly to the showing (Sivertz, 1980).

Strategic did not perform any work at the North Kill Zone during 2010.

Rusty South Area

Stromatolite Zone

The Stromatolite Zone is located 2.5 km west-northwest of the Siltstone Zone along the southwest side of a northwest flowing creek. It consists of veins and minor sparry dolomite, barite, tetrahedrite, galena and sphalerite in breccias hosted by orange weathering stromatolitic dolostone. The dolostone outcrops as a block or wedge within an extensive unit of fissile dark grey shale. (Eaton, 1999)

The Stromatolite Zone was discovered in 1981 by Prism, which collected two grab samples from mineralized boulders. One sample returned 495 g/t silver, 43.8% lead, and 5.8% zinc, and the other yielded 77.5 g/t silver, 6.5% lead and 2.8% zinc (Sinclair, 1982). In 1998, Manson Creek took a chip sample that assayed 1164.4 g/t silver 4.48% lead, 0.42% zinc and 2.04% copper over 0.30 m. Two other samples taken by Manson Creek contained lower base metals, but one of them returned 393 g/t silver (Eaton, 1999).

Strategic collected four samples from the showing in 2010, three of which returned encouraging results. A grab sample from a quartz-carbonate vein containing scattered blebs of galena and tetrahedrite assayed 527 g/t silver, 2.99% lead and 1% copper (G0557026). Two consecutive chip samples taken across a weakly mineralized face with scattered seams of galena and zinc

oxide produced a weighted average of 55.95 g/t silver, 3.05% lead and 1.23% zinc over 2.12 m (G0557028 & 29).

The creek that bisects this zone marks a sharp division between a dolostone/shale package on the southwest side and an extensive unit of quartzite on the northeast side. Outcrop is rare in the area outside of the creek cut, because the creek is in a broad, valley that is mostly covered with glacial till.

Little Red Zone

The Little Red Zone is one of a group of five closely spaced showings located at the top of a west flowing drainage on the east side of the Rusty claims. The showings were discovered by Prism in 1978 and formed the nucleus of its Val Claims exploration program. The other four showings, the Big Red Zone, Tetrahedrite Zone, Archie's Vein, and the South Hill Zone, are located directly southeast of the Little Red Zone on claims currently owned by ATAC.

The Little Red Zone is hosted in dolostone and consists of sparry dolomite veins and highly oxidized breccia zones with galena, sphalerite and tetrahedrite. Its surface expression is a large, gossanous kill zone on a southwest facing talus slope, which contains a few well mineralized float trains.

The zone was initially explored by Prism in 1979 by bulldozer trenching, hydraulic stripping, and five diamond drill holes. The surface work exposed a lens of mineralized, sparry white dolomite. Three of the diamond drill holes successfully intersected the lens. Two consecutive samples from hole 9-8 averaged 126 g/t silver, 2.2% lead and 14.5% zinc over 6.1 m. A second hole intersected "eleven meters of banded sphalerite with minor galena in a white, sparry dolomite matrix", which graded 32 g/t silver, 0.5% lead and 13.7% zinc. A third hole, which was drilled to test downdip extension of the lens, intersected a much thinner mineralized width of 0.45 m (Sivertz, 1980).

Three more holes were drilled in 1988 by Prism to test possible eastward extension of the zone, but none of them intersected mineralization (Waugh, 1989).

In 1999, Manson Creek drilled two more holes in the Little Red Zone to test IP anomalies. The holes did not intersect mineralization. The results of the property-wide program, which included five other holes, indicated that the IP method responded to non-economic "carbonaceous, locally pyritic and graphitic shales". Recommendations that followed that program suggested a focus on geological mapping rather than geophysics (Evans, 2000).

In 2010, Strategic dug three hand trenches and collected chip and grab samples from the Little Red Zone. The two most prominent mineralized float trains are sourcing from the top of the kill zone in an area of relatively shallow overburden. Strategic's hand trenches focussed on exposing the source(s) of these float trains; whereas historical trenching was confined to the lower part of the talus slope, where bulldozer access was possible.

The west-most float train consists of abundant, closely spaced massive galena fragments with strong malachite staining and bands of oxide. The first trench successfully exposed a massive galena vein in bedrock, which assayed 3430 g/t silver, 64.34% lead, and 7.38% zinc over 18 cm (G2986109). The second trench was dug 20 m uphill and was targeted to expose the projected extension of that vein. Only unmineralized bedrock was encountered in this trench. The third trench was dug about 20 m east of the first, at the top of a float train comprised of mineralized breccia and oxide fragments. That trench exposed highly fractured dolostone with abundant galena, sphalerite and limonite as fracture fillings. Chip samples across a 3.4 m section yielded a weighted average of 296 g/t silver, 8.27% lead, and 19.64% zinc (G286117-119).

P-Zone

The P-Zone is located one kilometre south-southeast of the Little Red Zone on a flat-topped ridge. The ridge is blanketed with thin, alpine vegetation, except for a linear exposure of bedrock and talus along the north side of the ridge crest.

The P-Zone was identified by Strategic in 2010 as a broad area of potential interest. A contour soil sampling program carried out early in the summer returned scattered anomalous values along the ridge top. Follow-up prospecting discovered multiple areas with mineralized float and one small occurrence of mineralized bedrock. Mineralization consists of fragments of dolostone with galena filling fracture and breccia matrices. Sphalerite was conspicuously absent in nearly all of the samples.

The most interesting area features weakly mineralized float within a five metre wide, north-south trending, linear zone that separates quartzite to the east from dolostone to the west. A small brecciated quartz vein with stringy, banded galena and strong malachite and azurite staining was found in an outcrop of dolostone on the edge of the linear zone. It assayed 137.8 g/t silver and 6.56 % lead over 10 cm. Another fragment of breccia found 3 m away assayed 338 g/t silver and 16% lead. The zone is generally recessive and is mostly covered with soil and vegetation on the ridge top. It was traced for a few hundred metres south but is obscured by talus to the north.

Several other float samples from the P-Zone were anomalous for silver and lead. The most notable was found below a small, treed peak about 450 m southwest of the linear zone described in the previous paragraph. Several galena-rich fragments of breccia were found scattered across a slope covered by mixed talus and vegetation. A sample of the material returned 1050 g/t silver and 50.75% lead (G0557039). The source of the mineralized float was not located.

About 1000 m south of these occurrences, a boulder was found within a steep, west facing alpine bowl. A sample containing abundant highly oxidized, zinc rich material with small seams of galena assayed 668 g/t silver, 12.15% lead, and 38.32% zinc.

A-Zone

The A-Zone is a small showing on the west bank of the main creek that drains to the south. It was discovered by Prism in 1979 or 1980. It comprises dolostone-hosted quartz veins that are weakly mineralized with galena and oxide.

Strategic visited the showing in 2010. Historical bulldozer trenches were examined, but sloughing had covered up any vein exposures. A small hand trench dug by Strategic successfully exposed a highly oxidized quartz vein. A chip sample of this assayed 128 g/t silver, 3.82% lead, and 3.10% zinc over 0.21 m (G0557046).

SOIL AND STREAM SEDIMENT GEOCHEMISTRY

Soil geochemical surveys were conducted within the area now covered by the Rusty property in 1978, 1979, 1998, 1999 and 2010. Locations for 2010 samples and compiled results for silver, lead, zinc, arsenic, antimony, and copper are plotted on Figures 10 to 16. Sampling and Analytical Procedures are provided in Appendix III and Certificates of Analysis for 2010 samples are given in Appendix IV. Anomalous thresholds and peak values for soil samples are listed in Table IV.

Table IV – Geochemical Data for Soil Samples

Element	Anomalous Thresholds				Peak Values
	Weak	Moderate	Strong	Very Strong	2010
Silver (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	44.6
Lead (ppm)	$\geq 100 < 200$	$\geq 200 < 5000$	$\geq 500 < 1000$	≥ 1000	16,100
Zinc (ppm)	$\geq 500 < 1000$	$\geq 1000 < 2000$	$\geq 2000 < 5000$	≥ 5000	140,500
Arsenic (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	3,770
Antimony (ppm)	$\geq 5 < 10$	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	581
Copper (ppm)	$\geq 100 < 200$	$\geq 200 < 500$	$\geq 500 < 1000$	≥ 1000	1,315


Historical Soil and Silt Sampling


Historical soil sampling included a large grid in the Val area, silt sampling of most of the creeks on the property, and a few scattered soil samples in the NE Ridge zone. Other soil sampling programs are mentioned in historical reports, but the data has not been preserved.


2010 Soil and Silt Sampling Program


A large part of the Rusty property, particularly low elevation areas, are blanketed with thick glacial till deposits, which can mask the underlying geology and make geochemical sampling results unreliable. The 2010 Rusty soil sampling program focussed on higher elevation areas where shallow, residual soils predominate over glacial till. As a result, sample coverage is concentrated in some areas and sparse or absent in others.

Contour soil samples were collected across the entire property on slopes above the till-line. Between one and three contour lines were sampled on each slope, with vertical separations varying between 200 and 500 m in elevation. Spacing between samples along contour lines was typically 100 m, with additional samples collected in areas of rusty soil or in erosional chutes where the soil can be representative of large, up-slope areas.









STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY


RUSTY PROPERTY


0 2 km


UTM ZONE 8, NAD 83, 106 C/05 and 106 C/04

FILE: ...2010/RUSTY/Mapinfo

DATE: MARCH 2011







Grid sampling was carried out in three areas. Normally samples were taken at 50 m intervals on lines spaced 100 m apart, but in selected areas in-fill lines tightened spacing so that samples were taken at 50 m centres.

Near the NE Ridge Zone, samples were taken at 20 to 30 m spacings along a series of subparallel recessive linears, that were suspected to host buried veins. Numerous isolated, prospecting samples were also taken in various areas of geological interest or unusual soil occurrences.

Several soil lines were carried out at lower elevations in areas where glacial till was believed to be shallow. These survey lines followed subdued heights-of-land, which are observable on contour maps but which can be difficult to make out on the ground due to forest cover and very broad, gentle topography. In most cases these areas proved to be glacially-scoured, with patches of shallow soil and outcrop scattered within mature forest. In one case, the landform was likely a moraine, because the till was consistently deep. Overall, this method proved to be an effective way of obtaining meaningful samples from sub till-line areas, and could be used in other areas on and around the property.

Silt sampling was carried out in four separate drainages to augment historical data. Sample spacing averaged approximately 200 m along these drainages.

Soil and Silt Geochemical Interpretation

The current and historical soil sampling results outline numerous polymetallic anomalies on the property. Many of these anomalies occur within three broad belts, which have high background levels punctuated by localized peak values. The three belt are as follows:

- 1) **The Camp View Belt** is located north of the current Vera claims. It roughly follows a trend directly south of and parallel to the Camp View Vein system. This belt is 400 to 500 m wide, 2000 m long and runs east-west. It is open at both ends and is poorly defined by only four contour lines.
- 2) **The SR Belt** covers the south slope of Rusty Mountain. It is well defined where it crosses a soil grid area, but is poorly outlined to the north, east and west. This belt may terminate to the south along a creek that is thought to mark a major fault.
- 3) **The Val Belt** is located on the southeast side of the property. It is well defined by a historical soil grid, but projections of the anomalous trend are poorly defined to the west and south on the Rusty property and to the east on the claims owned by ATAC.

Fourteen specific anomalous zones have been identified on the property. These anomalies are summarized in Table V and are discussed in detail in subsequent paragraphs. Their locations are shown on Figure 11 through 16.

Table V – Soil Anomalies

Anomaly	Size	Shape	Peak Values - ppm			Associated Anomalous Belt	Associated Mineralized Zone
			Ag	Pb	Zn		
A	150 m wide	undefined	2.5	1,690	2,360	isolated	NW Ridge Zone
B	300 m wide	undefined	22.9	5,990	140,500	Camp View	V-Zone
C	100 m wide	undefined	5.3	1,280	5,770	Camp View	Camp View Vein
D	350 X 350 m	4 + parallel NS linear zones	44.6	16,100	52,800	isolated	NE Ridge Zone
E	250 X 1200 m	elongated	40.5	9,660	13,450	SR anomaly	Canyon area
F	200 X 100 m	tight cluster	4.5	4,750	23,000	SR anomaly	South Rusty Mountain Showing
G	1 sample	undefined	3.1	4,240	15,900	SR anomaly	unknown
H	500 m wide	undefined	12.1	2,300	1,630	SR anomaly	SR area east
I	150 m	NS linear	7	1,590	865	isolated	Azure Vein
J	100 m	NE/SW linear	14.9	1,175	6,200	isolated	Siltstone Vein
K	250 m	NE/SW linear	22.6	4,820	18,800	Val anomaly	Little Red Zone
L	400 X 300 m	poorly defined	4.9	1,010	974	Val anomaly	P-Zone
M	200 X 200 m	undefined	2.3	718	773	isolated	unknown

Anomaly A is located approximately 300 m northwest of the NW Ridge Zone. It consists of four consecutive contour samples with anomalous values for multiple elements. The samples are strongly anomalous for zinc, arsenic and antimony, and very strongly anomalous for lead and copper. Two of the samples are weakly anomalous for silver.

This anomaly is downhill and across slope from the known mineralization, so it unlikely to be solely the result of downslope dispersion. The sample with peak lead and copper values was collected near a location where the soil sampler observed a rusty quartz vein in bedrock.

This soil data in combination with the known mineralization suggests a trend roughly following the shale/diorite contact. This area has not been prospected in detail.

Anomaly B is located on a small peak within the Camp View Belt. It consists of three scattered anomalous samples collected from rusty soil within the area of the V-Zone. Two of the anomalous samples were taken from within rusty fault zones where mineralized rock samples were found. However, the highest values were from a sample collected about 200 m to the east, within an 8 by 3 m patch of rusty soil found on a slope that is mostly covered by coarse, blocky diorite talus. This sample is very strongly anomalous for silver, lead, arsenic and antimony, and has the highest zinc value on the property (140,500 ppm).

Anomaly C is located 1.2 km to the east of Anomaly B and also falls within the Camp View Belt. It consists of two consecutive contour samples taken from a gossanous soil zone down-slope from an area where scattered, sphalerite rich talus was found (rock sample G286188). Lead, zinc and arsenic are very strongly anomalous in these samples, antimony is strongly anomalous, and silver and copper are moderately anomalous.

Anomaly D coincides with the NE Ridge Zone. A program of deep soil sampling was carried out within several sub-parallel, linear recessive zones, to determine the potential continuity of mineralization that was observed at a few isolated locations. Over most of the area of interest, in situ soils were buried beneath either glacial till or talus that had toppled in from steep side walls. A two man crew excavated small pits and used soil augers to achieve a maximum depth of penetration. This procedure was repeated at a sample spacing of 20 to 30 m along five recessive zones. Figures 17 to 21 show the NE Ridge Zone soil sampling results for silver, lead, zinc, arsenic and antimony respectively.





Obtaining samples of in-situ soils was most successful within the two western-most recessive zones. In almost every case, in-situ soil was found to be very rusty. Within the three eastern zones, till and glaciolacustrine clay became thicker and difficult to penetrate, and fewer samples of non-transported soil were obtained.





In the western-most recessive zone, every sample but one was anomalous for lead and zinc over a total length of 240 m. Six samples were very strongly anomalous for lead, with four of those were also very strongly anomalous for silver. Peak lead and silver values for the property were obtained from one of these samples, (16,100 ppm lead and 44.6 ppm silver). Six samples were very strongly anomalous for zinc, with a peak value of 52,800 ppm. Antimony and arsenic were also very strongly anomalous.





Values from the second westerly line were somewhat weaker but were still elevated for lead, zinc and arsenic in almost every sample.





The third line stands out because three samples thought to be till and one sample of glaciolacustrine clay were moderately anomalous for lead.





The fourth line included one sample of in-situ material, which was very strongly anomalous for lead and zinc, strongly anomalous for arsenic and antimony, and weakly anomalous silver. This sample was collected from an area of gossanous soil and rock, which contained scattered zinc and lead mineralization (rock samples G286195-97). The next two soil samples are elevated in lead and zinc, while the last two till samples show only background values.











The fifth line produced weakly anomalous lead values from two out of three till samples.

A string of five contour samples taken directly northwest of the main sampling area yielded weakly to moderately elevated lead values. Air photography shows linear features in this area, which are similar to those in the main sampling area (see Figures 17 to 21).

Anomaly E overlays the Canyon Zone and is part of the SR Belt. It comprises spotty polymetallic highs from within a grid area plus more consistently elevated values from silt samples taken from the creek that crosses the grid. Peak values for silver, lead and zinc are from a sample taken within an area of gossanous soil downhill of a known galena-sphalerite showing. This anomaly is open to the east and west, terminates sharply to the south, and blends into the rest of the SR Belt to the north.

Anomaly F covers the South Rusty Mountain showing and is part of the SR Belt. It consists of a tight cluster of samples that are very strongly anomalous for lead and zinc, but only weakly to moderately anomalous for silver.

Anomaly G comprises a single sample that is very strongly anomalous for lead and zinc, but only weakly anomalous for silver. It was taken just east of centre in a large soil grid and is a part of the SR Belt. This sample was taken from rusty soil downhill from a zone of sphalerite rich fragments (rock sample G285922).

Anomaly H is located directly northwest of a soil grid and is part of the SR Belt. It is a zone of spotty polymetallic highs within a line of contour samples crossing the southeast slope of Rusty Mountain. Peak lead and silver values are very strongly anomalous while zinc, antimony and copper are strongly anomalous and arsenic values are weakly anomalous.

The area of Anomaly H was briefly visited in fall 2010 after viewing soil sampling results from early summer. Sparse mineralization was identified across a broad talus slope.

Anomaly I is located directly downslope from the Azure Zone and comprises three samples with elevated silver, lead, zinc and antimony values. The samples were collected on a large, conical talus fan that includes material eroding from the Azure Zone.

Anomaly J coincides with the Siltstone Zone. It comprises two samples that yielded very strongly anomalous lead, moderate to strong silver, and strong zinc values. Anomaly J is explained by the Siltstone Zone.

Anomaly K is a cluster of lead, zinc and silver highs from samples taken in and around the Little Red Zone. It lies at the north end of the Val Belt. Peak values for silver, lead, zinc and antimony are very strongly anomalous. Most of the elevated samples is explained by the Little Red Zone, but one sample about 200 m to the northwest is unexplained.

Anomaly L is located within the P-Zone and consists of scattered high values for lead, silver, zinc and antimony. It is poorly defined by two contour lines on a ridge about 1 km to the west of

the South Hill Zone. Peak lead values are strongly to very strongly anomalous, while zinc and silver are weakly anomalous.

The P-Zone was first identified in late summer after viewing the soil sampling results from earlier in the year. Scattered galena mineralization is found on the north slope where bedrock is exposed, but most of the ridge is covered with soil and vegetation. Thus, most of the anomalous values are unexplained.

Anomaly M lies approximately 2.5 km southwest of Anomaly L. It consists of a few samples that are weakly to strongly anomalous for lead, and weakly anomalous for silver and zinc. These samples were taken in a forested area below the till-line, in an area where there is no known mineralization.

DISCUSSIONS AND CONCLUSION

The 2010 exploration program confirmed and significantly augmented historical data for the Rusty property. Despite a long exploration history, several new showings and new areas of interest were identified by grassroots prospecting and geochemical rock sampling. The current program has shown that large parts of the Rusty property which have received little attention in the past have potential for economically significant discoveries.

A broad system of mineralization is present in the area with a total of 32 known showings, 18 of which are on the Rusty property. There are three general types of mineralization within two different geological regions.

The north half of the property is mainly comprised of shale and diorite. The most common type of mineralization in this area (the “North Rusty type”) is fault/fracture hosted quartz-siderite-ankerite veins containing galena, blackjack sphalerite, tetrahedrite, +/-chalcopryrite. This mineralization is associated with weathering products such as hydrozincite, malachite, azurite and limonite. These showings commonly occur within a few hundred meters of diorite/shale contacts in either rock types. Where exposed, the veins trend roughly north-south, and there is little or no wallrock alteration associated with them. Showings in this category are the Northwest Ridge Zone, V-Zone, Northeast Ridge Zone, Marco Zone, Polo Zone, and the Canyon Area. The Azure Vein is unique in that it occurs within shale with no diorite intrusions on the surface nearby.

North Rusty type mineralization has good potential to occur in economic concentrations on the property. High silver grades are common, in particular the Marco Zone, Polo Zone, Northeast Ridge Zone and the Azure Zones. The Azure Zone is remarkable in that the silver grades are consistently high (1130 – 7360 ppm) within a single vein that crops out over 110 m. The fact that one of the better showings on the property was overlooked by previous operators shows that there is a high potential for additional significant discoveries. Air photographs could be used to map out the locations of favourable diorite/shale contacts and this may prove to be useful to direct future investigations.

The second category of mineralization occurring in the north half of the property is termed “Camp View type”. These showings are fault/fracture hosted quartz veins with scattered chalcopyrite and traces of galena and sphalerite. The quartz veins tend to be thick and are comprised of mostly bull quartz with occasional small mineralized sections. In this category are the Camp View Vein and some parts of the Canyon Area. These veins also occur in close proximity to diorite/shale contacts. Historical drill results for the Camp View Vein encountered only non-economic grades of mineralization but this type of mineralization has not been systematically tested.

The final style of mineralization is “South Rusty type”. It is found in the south half of the property within a succession of dolostone, quartzite and shale. South Rusty type mineralization occurs within dolostone horizons as fracture-filling and veins, containing galena, +/-red sphalerite, +/-tetrahedrite and associated weathering products. These veins and veinlets commonly have quartz or sparry dolomite gangue and are sometimes flanked by wide brecciated alteration zones. Showings in this category on the Rusty include the West Ridge Zone, Stromatolite Zone, Little Red Zone, P-Zone Area, and A-Zone. The Big Red Zone, Tetrahedrite Zone, Archies Vein, and South Hill, which are located on adjacent claims owned by ATAC, are also in this category. South Rusty type of mineralization has good economic potential. Float occurrences with high silver grades found in the P-Zone area are particularly encouraging.

Many of the showings on the property occur within one of the three broad geochemically anomalous belts. These belts generally follow large fault zones. In most cases, specific soil geochemical anomalies are poorly defined. Additional closely spaced grid sampling, detailed prospecting and hand trenching are recommended as the next phase of exploration.

Respectfully submitted,

M. Kammerer, Geol.Tech.

W. D. Eaton, B.Sc. Geology

REFERENCES

- Blusson, S.,
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Eaton, J.,
1999 Geochemical, Geological and Geophysical Assessment Report for the Val, Vera, Rusty, KLA, Nad and Craig Claims, Manson Creek Resources Ltd., February 1999; Assessment Report No. 093968
- Eaton, J., and Evans, B., T.,
2000 Geophysical, Geochemical and Diamond Drilling Assessment Report for the Val, Vera, and Rusty Claims, Manson Creek Resources Ltd., February 2000; Assessment Report No. 094073.
- Eisbacher, G.H.,
1978 Two major Proterozoic unconformities, northern Cordillera. Geological Survey of Canada Current Research Paper 78-1A, p 53-58.
- 1981 Sedimentary tectonics and glacial record in the Windemere Supergroup, Mackenzie Mountains, northwestern Canada. Geological Survey of Canada 80-27, 40p.
- Gordey, S.P. and Makepeace, A.J.
2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Jutras, J.P.,
2003 2002 Drilling Program, Rusty Claims, Manson Creek Resources Ltd., January 2003; Assessment Report No. 094361
- Penner, D.F.,
1981 Assessment Report, VERA 1-164, Prism Resources Limited, February 1981; Assessment Report No. 090722.
- Sinclair, A.J.,
1982 Report on the Vera, South Rusty Mountain, and Siltstone Mineral Occurrences, Prism Resources Limited, February 1982; Assessment Report No. 062146.

Sivertz, G.,

1980 Assessment Report, VAL 1-318, Prism Resources Limited, April 1980; Assessment Report No. 090615.

1981 Assessment Report, Diamond Drilling, VAL 37 Claim, Prism Resources Limited, December 1981; Assessment Report No. 090923.

1983 Summary Report on the VAL-VERA property, Prism Resources Limited, December 1983; Assessment Report No. 062185.

1985 Summary Report on the VAL-VERA property, Prism Resources Limited, August 1985; Assessment Report No. 062208.

Waugh, D.H.,

1989 A Preliminary Diamond Drilling and Trenching Report on the VAL-VERA Quartz Claims, International Prism Exploration Ltd., January 1989; Assessment Report No. 092725.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Mike Kammerer, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the Sir Sandford Fleming College in 1996 with a Geological Technician Diploma, and in 1998 with a Geotechnical Engineering Technologist Diploma.
2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory and Northwest Territories.
3. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Mike Kammerer, Geol. Tech.

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, Geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby declare that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological sciences.
2. From 1971 to present, I have been actively engaged in mineral exploration in Yukon Territory, Northwest Territories and British Columbia and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the fieldwork reported herein and have interpreted all data resulting from this work.

W. Douglas Eaton, B.Sc. Geology

APPENDIX II

SAMPLING AND ANALYTICAL PROCEDURES

2010 Rock and Soil Geochemical Sampling

Rock Samples

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit.

Multi-element analyses for rock samples were carried out at ALS Chemex in North Vancouver, B.C. Each sample was dried, fine crushed to better than 70% passing -2mm and then a 250 g split was pulverized to better than 85% passing 75 micron. The fine fraction was then analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis and for 35 other elements using an aqua regia digestion and inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21 and ME-ICP41).

Soil Samples

All 2010 soil sample locations were recorded using hand-held GPS units. Sample sites are marked with blue flagging and marked with the sample number. Soil samples were collected from 5 to 30 cm deep holes dug by a hand-held auger. They were placed into individually pre-numbered Kraft paper bags.

The soil samples were sent to ALS Chemex, where they were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). Selected samples were further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample DescriptionsProject: RustyProperty: RustyPage 1 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	float	Dimension:
G0557001	UTM:	560147	E	UTM:	7134218	N	Abundance: few
	Elevation:	m			Sample Width:	n/a	

Comments: Gossanous, manganese stained diorite with leached sphalerite cavities, strong zinc zap response.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:
G0557002	UTM:	560158	E	UTM:	7134197	N	Abundance: locally abundant
	Elevation:	m			Sample Width:		

Comments: Intensely iron altered diorite, moderate zinc zap response. Locally abundant material: makes up most of the gossan.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension: 2 - 4 cm
G0557003	UTM:	560215	E	UTM:	7134114	N	Abundance: low
	Elevation:	m			Sample Width:		

Comments: Rusty, leached sphalerite cavities with galena blebs.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension: 2 - 7 cm thick
G0557004	UTM:	560213	E	UTM:	7134097	N	Abundance: locally moderate
	Elevation:	m			Sample Width:		

Comments: Banded fine-grained galena and limonite float pieces common within 3 X 6 m area of gossanous zone.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension: fine talus chips
G0557005	UTM:	560245	E	UTM:	7134024	N	Abundance: locally moderate
	Elevation:	m			Sample Width:		

Comments: Gossanous diorite talus veg kill zone 2 X 3 m.

Sample Number:	Grid East:	E	Grid North:	N	Type:	in situ float	Dimension: 35 - 40 cm
G0557006	UTM:	562439	E	UTM:	7133814	N	Abundance: rare
	Elevation:	m			Sample Width:		

Comments: Near source quartz talus with rare, local blebs of chalcopyrite with strong malachite & azurite staining. Selective sample of chalcopyrite containing material. Assumed to be eastern extension of Camp View Vein (150/80)

Rock Sample DescriptionsProject: RustyProperty: RustyPage 2 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: fist
G0557007	UTM:	560015 E	UTM:	7134534 N	Sample Width: n/a	Abundance: 2
	Elevation:	m				

Comments: Rusty quartz float with trace pyrite. Two fist sized pieces found near source on top of thin vegetation.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G0557008	UTM:	560033 E	UTM:	7134495 N	Sample Width:	Abundance: 2 X 2 m area
	Elevation:	m				

Comments: Pile of intensely iron altered rock about 2 X 2 m. Strong zinc zap response.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: fist
G0557009	UTM:	560196 E	UTM:	7134042 N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: Calcite vein float with abundant hydrozincite, some limonite, trace sphalerite and galena. Found within 3 X 4 m patch of gossanous fine talus.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G0557010	UTM:	562082 E	UTM:	7132481 N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Manganese stained limonite and ferricrete, mild zinc zap response.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: roughly pineapple sized
G0557011	UTM:	559780 E	UTM:	7135948 N	Sample Width:	Abundance: 5 pieces
	Elevation:	m				

Comments: Several small boulders of pervasively hydrozincite stained diorite, traces of galena, quartz breccia, patchy limonite staining. Found at contact between diorite (S) and black shale (N).

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension: 12 X 36 X 75 cm, chip sampled across 12cm
G0557012	UTM:	559657 E	UTM:	7136009 N	Sample Width:	Abundance: 4 + pieces
	Elevation:	m				

Comments: Several large quartz-carbonate vein boulders with abundant fine grained red sphalerite in irregular bands. Black shale host, steep talus and sub-crop, near source. Vein thickness 10-15 cm, tabular boulders up to 75 cm long. Hydrozincite staining common in surrounding talus.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 3 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: fist sized and smaller
G0557013	UTM:	560192	UTM:	7134128	N Sample Width: n/a	Abundance: 9 pieces
	Elevation:	m				

Comments: Limonite with leached sphalerite cavities, trace to some galena. Found within veg kill zone 8 X 3 m wide with abundant limonitic rock and rusty soil.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: cobbles to small boulders
G0557014	UTM:	560734	UTM:	7133846	N Sample Width:	Abundance: 8 X 2 m gossan
	Elevation:	m				

Comments: Fault breccia: angular shale clasts with limonite, and sphalerite in matrix. Strong manganese staining.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: cobbles to small boulders
G0557015	UTM:	560734	UTM:	7133846	N Sample Width:	Abundance: 8 X 2 m gossan
	Elevation:	m				

Comments: Fault breccia: angular shale clasts with limonite, leached sphalerite in matrix. Strong manganese staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension: 18 - 22 cm thick
G0557016	UTM:	563040	UTM:	7131017	N Sample Width:	Abundance: Azure vein exposed for ~2m at this location
	Elevation:	m				

Comments: Siderite & quartz breccia vein with strong manganese staining, abundant tetrahedrite in matrix, pervasive malachite and azurite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557018	UTM:	562742	UTM:	7134341	N Sample Width: 80 cm	Abundance:
	Elevation:	m				

Comments: Siderite, quartz veinlets, limonite, intensely iron altered dioriet wal rock, trace galena flecks in small fractures.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557019	UTM:	562742	UTM:	7134341	N Sample Width: 54 cm	Abundance:
	Elevation:	m				

Comments: Quartz - siderite vein with abundant galena, some leached sphalerite cavities, abundant hydrozincite staining.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 4 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557020	UTM:	562742	UTM:	7134341	N Sample Width: 30 cm	Abundance:
	Elevation:	m				

Comments: Intensely iron altered diorite wall rock.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557021	UTM:	562765	UTM:	7134244	N Sample Width: 14 cm	Abundance:
	Elevation:	m				

Comments: White, altered wall rock with trace black-jack sphalerite in thin fractures.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557022	UTM:	562765	UTM:	7134244	N Sample Width: 30 cm	Abundance:
	Elevation:	m				

Comments: Intensely iron altered diorite wall rock.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557023	UTM:	562765	UTM:	7134244	N Sample Width: 49 cm	Abundance:
	Elevation:	m				

Comments: Quartz-siderite vein breccia with sphalerite blebs, leached sphalerite cavities and <10% galena blebs (18cm), altered diorite wall rock with trace galena (22 cm), altered diorite wall rock (9cm).

Sample Number:	Grid East:	E	Grid North:	N	Type: in situ grab	Dimension: fist sized
G0557024	UTM:	558252	UTM:	7129235	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Mid-grey fine sucrosic dolomite with <15% tetrahedrite in small blebs, strong malachite and azurite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 3 X 5 m area
G0557025	UTM:	557559	UTM:	7129592	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Pervasively rusty shale talus, 3 X 5 m area.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 5 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: <5 cm thickness
G0557026	UTM:	559309	UTM:	7128972	N Sample Width: n/a	Abundance: low
	Elevation:	m				

Comments: Quartz-carbonate vein with <10 % tetrahedrite, with strong malachite and azurite staining. Dolomite host.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: boulder sized
G0557027	UTM:	559309	UTM:	7128972	N Sample Width:	Abundance: locally abundant
	Elevation:	m				

Comments: Dolostone with trace sphalerite and galena as fracture filling, strong hydrozincite staining. Abundant boulders in 3 X 3 m area at base of scarp.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557028	UTM:	559309	UTM:	7128972	N Sample Width: 0.77 cm	Abundance:
	Elevation:	m				

Comments: Dolostone with trace sphalerite and galena as fracture filling.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557029	UTM:	559309	UTM:	7128972	N Sample Width: 1.35 m	Abundance:
	Elevation:	m				

Comments: Dolostone with trace sphalerite and galena as fracture filling.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: 22 X 15 X 12 cm max boulder size
G0557030	UTM:	561776	UTM:	7128075	N Sample Width:	Abundance: approximately 2 wheelbarrows worth in pile.
	Elevation:	m				

Comments: Massive galena with abundant tetrahedrite, strong malachite staining. Sampled from man-made boulder pile in trench near Siltstone Vein.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: 69 X 33 X 15 cm
G0557039	UTM:	561858	UTM:	7125513	N Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Oxidized dolostone breccia with abundant galena. From angular near-source boulder in very shallow bedrock and subcrop.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 6 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Float grab	Dimension: fist sized
G0557040	UTM:	562189 E	UTM:	7125843 N	Sample Width: n/a	Abundance: 1 only
	Elevation:	m				

Comments: Altered dolostone float with very strong malachite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: in situ grab	Dimension:
G0557041	UTM:	562189 E	UTM:	7125843 N	Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Dolostone with malachite and azurite staining, taken from directly adjacent to mineralized vein.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557042	UTM:	562189 E	UTM:	7125843 N	Sample Width: 3 cm	Abundance:
	Elevation:	m				

Comments: Quartz vein with banded galena and strong malachite and azurite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float grab	Dimension: fist sized
G0557043	UTM:	562189 E	UTM:	7125843 N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: Dolostone breccia with galena and strong malachite and azurite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 27 X 13 X 5 cm
G0557044	UTM:	562268 E	UTM:	7125873 N	Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Dolostone crackle breccia with ~10 % galena matrix, very strong hydrozincite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Float grab	Dimension: boulder
G0557045	UTM:	562278 E	UTM:	7125851 N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: Dolostone breccia with abundant galena. Found on mixed talus + vegetation slope.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 7 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G0557046	UTM:	560052 E	UTM:	7124633 N	Sample Width: 21 cm	Abundance:
	Elevation:	m				

Comments: Quartz-siderite vein/breccia in dolstone host. String rust, trace galena, very strong zinc zap reaction.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 50 X 38 X 22 cm
G0557047	UTM:	562795 E	UTM:	7124609 N	Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Large boulder of leached, cavity filled grey material with very strong zinc zap response, abundant banded and blebby galena, trace malachite.

Sample Number:	Grid East:	E	Grid North:	N	Type: in situ grab	Dimension:
G0557048	UTM:	560095 E	UTM:	7125003 N	Sample Width:	Abundance: very abundant
	Elevation:	m				

Comments: Rusty precipitate from spring.

Sample Number:	Grid East:	E	Grid North:	N	Type: in situ grab	Dimension:
G0557049	UTM:	560095 E	UTM:	7125003 N	Sample Width:	Abundance: very abundant
	Elevation:	m				

Comments: White precipitate from spring.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: pineapple sized
G286106	UTM:	562805 E	UTM:	7126977 N	Sample Width:	Abundance: few
	Elevation:	m				

Comments: Leached, cavity filled float boulder with sphalerite and strong zinc zap response.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension:
G286107	UTM:	562805 E	UTM:	7126977 N	Sample Width:	Abundance: few
	Elevation:	m				

Comments: Limonitic float with trace galena.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 8 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286108	UTM:	562770	UTM:	7126975	N Sample Width: 40 cm	Abundance:
	Elevation:	m				

Comments: Vein/breccia zone in dolostone host with limonite bands, ~ 20 % red sphalerite, trace galena, abundant hydrozincite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286109	UTM:	562834	UTM:	7127014	N Sample Width: 18 cm	Abundance:
	Elevation:	m				

Comments: Massive galena vein with strong malachite staining and thin partings of soft limonite.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286110	UTM:	562834	UTM:	7127014	N Sample Width: 100 cm	Abundance:
	Elevation:	m				

Comments: Pervasively iron altered dolostone, with some crackle breccia zones containing traces of red sphalerite and galena.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286111	UTM:	562834	UTM:	7127014	N Sample Width: 100 cm	Abundance:
	Elevation:	m				

Comments: Grey dolostone with very mild iron alteration.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 80 X 40 X 40 cm
G286112	UTM:	562834	UTM:	7127014	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Limonitic boulder with sphalerite leach cavities from float train of same material.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 20 X 12 cm
G286113	UTM:	562860	UTM:	7127201	N Sample Width:	Abundance: 2 pieces
	Elevation:	m				

Comments: Pervasively iron altered dolostone, with leached sphalerite cavities, trace red sphalerite, and thick hydrozincite crusts. From mixed material exposed by road cut near camp.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 9 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286117	UTM:	562848	UTM:	7127009	N Sample Width: 1.45 m	Abundance:
	Elevation:	m				

Comments: Dolostone with patches of breccia and vein material containing limonite, red sphalerite, leached sphalerite, and galena.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286118	UTM:	562848	UTM:	7127009	N Sample Width: 1.30 m	Abundance:
	Elevation:	m				

Comments: Dolostone with patches of breccia and vein material containing limonite, red sphalerite, leached sphalerite, and galena.

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G286119	UTM:	562848	UTM:	7127009	N Sample Width: 0.65 m	Abundance:
	Elevation:	m				

Comments: Dolostone with patches of breccia and vein material containing limonite, red sphalerite, leached sphalerite, and galena.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: 2 ft X 2 ft rusty zone
G286129	UTM:	563004	UTM:	7127179	N Sample Width:	Abundance: very low
	Elevation:	m				

Comments: Dark limonite or geothite found with old trench.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: rusty zone ~6 m along road
G286130	UTM:	562871	UTM:	7127246	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Rusty zone in grey dolostone in floor of road.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: fist sized
G286131	UTM:	564848	UTM:	7127426	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Limonitic material with leached sphalerite and strong hydrozincite crusts. Few pieces found in road cut.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 10 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G286141	UTM:	561987	UTM:	7131041	N Sample Width:	Abundance: locally abundant
	Elevation:	m				

Comments: Fine, gravelly gossanous gouge.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: small boulder
G286142	UTM:	561987	UTM:	7131041	N Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Dark, pervasively rusty siderite vein material with trace chalcopyrite and strong malachite/azurite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G286143	UTM:	561987	UTM:	7131041	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Strongly limonitic talus from fault zone.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G286144	UTM:	561971	UTM:	7131042	N Sample Width:	Abundance: 3 X 5 m outcrop
	Elevation:	m				

Comments: Sheared black shale with graphitic laminations, seams of limonite, trace galena.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G286145	UTM:	561963	UTM:	7131029	N Sample Width:	Abundance: outcrop 4 X 1.5 m
	Elevation:	m				

Comments: Diorite with pervasive iron alteration and fine fractures containing galena, sphalerite and hydrozincite.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: 40 cm thick
G286146	UTM:	561584	UTM:	7130810	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Intensely limonitic black shale seam 40 cm thick, parallel to beds.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 11 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: 20 cm thick
G286147	UTM:	561468	UTM:	7130749	N Sample Width: n/a	Abundance:
	Elevation:	m				

Comments: White, coarsely crystalline sill 20 cm thick, with margins containing abundant soft limonite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension:
G286148	UTM:	561108	UTM:	7130825	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Quartz vein, 6 cm width, 5 - 10 % galena blebs

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: 15 X 3 m
G286149	UTM:	561435	UTM:	7130882	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty chips and soil from linear fault zone within diorite sub-crop.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: 28 X 12 X 16 cm
G286150	UTM:	560518	UTM:	7131821	N Sample Width:	Abundance: 15 - 20 pieces
	Elevation:	m				

Comments: Massive galena, very strong malachite staining. A-typical material from Marco Zone.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G286151	UTM:	560518	UTM:	7131821	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Massive galena, moderate to strong malachite staining, strong manganese staining. Typical material from Marco Zone.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 30 cm diameter
G286152	UTM:	561987	UTM:	7131041	N Sample Width:	Abundance: 1 boulder + ~75 smaller pieces
	Elevation:	m				

Comments: Quartz boulder with fine, scattered chalcopyrite, very strong malachite and azurite staining, and common limonite pockets.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 12 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 40 X 30 X 30 cm
G286153	UTM:	561987	UTM:	7131041	N Sample Width: n/a	Abundance: 1 boulder + numerous smaller pieces
	Elevation:	m				

Comments: Intensely limonitic breccia with quartz clasts, disseminated chalcopyrite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: 1 - 7 cm thick
G286154	UTM:	561127	UTM:	7130694	N Sample Width:	Abundance: 1
	Elevation:	m				

Comments: Quartz/ siderite vein with bands of galena and sphalerite, thick smithsonite crusts, traces of chalcopyrite.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension: 60 cm thick
G286155	UTM:	561127	UTM:	7130694	N Sample Width: 60 cm	Abundance:
	Elevation:	m				

Comments: Quartz vein, mostly bull quartz, but with isolated spots of strong malachite staining and thick, botryoidal and laminated smithsonite.

Sample Number:	Grid East:	E	Grid North:	N	Type: float, near source	Dimension: 3 cm true width
G286156	UTM:	561169	UTM:	7130584	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Intensely rusty vein material with abundant galena, spalerite, decayed sphalerite, strong manganese staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: float, near source	Dimension: fist sized
G286157	UTM:	561169	UTM:	7130584	N Sample Width:	Abundance: few
	Elevation:	m				

Comments: Quartz vein boulder with abundant galena, lesser sphalerite, trace chalcopyrite, strong hydrozincite, rust and manganese staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension: 50 X 15 m zone including downward dispersion
G286158	UTM:	561169	UTM:	7130584	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty, gougey soil and gravel.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 13 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 80 X 120 cm boulder
G286159	UTM:	561212	UTM:	7130596	Sample Width: n/a	Abundance: 1
	Elevation:	m				

Comments: Quartz-siderite vein with blebby and disseminated pyrite and chalcopyrite, strong rust, strong manganese staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: 2 - 8 cm thick
G286160	UTM:	561239	UTM:	7130607	Sample Width:	Abundance:
	Elevation:	m				

Comments: Thick limonite joint/fault infilling - laminated quartz, limonite, hematite, within black shale host

Sample Number:	Grid East:	E	Grid North:	N	Type: float, near source	Dimension: fist sized
G286161	UTM:	561326	UTM:	7130653	Sample Width:	Abundance: numerous
	Elevation:	m				

Comments: Quartz vein with abundant fine, pale pyrite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ, BR	Dimension:
G286162	UTM:	561326	UTM:	7130653	Sample Width:	Abundance:
	Elevation:	m				

Comments: Shale with strong dark green staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ, BR	Dimension:
G286163	UTM:	561326	UTM:	7130653	Sample Width:	Abundance:
	Elevation:	m				

Comments: Shale with strong dark green staining, common quartz veinlets, moderately abundant pale pyrite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 19 X 15 X 10 cm
G286164	UTM:	560963	UTM:	7130854	Sample Width:	Abundance: 1
	Elevation:	m				

Comments: Quartz vein boulder with abundant chalcopyrite, pyrite, and limonite, strong malachite and azurite staining.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 14 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension: 25 - 30 cm true width
G286165	UTM:	562948	UTM:	7129934	N Sample Width: 25 - 30 cm	Abundance:
	Elevation:	m				

Comments: Siderite breccia vein with green shale clasts, trace galena flecks, manganese and limonite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G286166	UTM:	562959	UTM:	7129948	N Sample Width: 3-9 cm	Abundance:
	Elevation:	m				

Comments: 2 parallel quartz veins 3-9 cm thick, trace galena, trace pyrite, trace sphalerite, locally rusty. Host: green altered shale.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension:
G286167	UTM:	563037	UTM:	7130787	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty shale talus from 200 m west of Aure Vein.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension: 10 m width across slope
G286168	UTM:	563175	UTM:	7130813	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Rusty fine shale from talus slope east of Azure Vein. 10 m wide across slope.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 15 cm
G286169	UTM:	563084	UTM:	7130976	N Sample Width:	Abundance: 7
	Elevation:	m				

Comments: White, pumicey, decayed sphalerite cavities with laminations and blebs of galena. From chute directly east of Azure Vein. Maximum thickness of 15 cm.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension: 4 cm
G286170	UTM:	563073	UTM:	7130933	N Sample Width: 4 cm	Abundance:
	Elevation:	m				

Comments: Quartz vein with abundant tetrahedrite-tennantite, strong malachite and azurite staining.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 15 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G286171	UTM:	563073	UTM:	7130933	N Sample Width: 37 cm	Abundance:
	Elevation:	m				

Comments: Vein: 22 cm massive galena, 15 cm limonite.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G286172	UTM:	563073	UTM:	7130933	N Sample Width: 38 cm	Abundance:
	Elevation:	m				

Comments: Vein: Massive galena, pumicy limonite and smithsonite, galena laminations with malachite crusts.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G286173	UTM:	563073	UTM:	7130933	N Sample Width: 30 cm	Abundance:
	Elevation:	m				

Comments: Vein: 18cm Massive galena, moderate malachite and azurite staining, some pumicey hydrozincite; 12 cm soft limonite boxwork.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G286174	UTM:	561601	UTM:	7131541	N Sample Width:	Abundance: high
	Elevation:	m				

Comments: Quartz siderite vein with strong limonite alteration

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G286175	UTM:	561601	UTM:	7131541	N Sample Width:	Abundance: high
	Elevation:	m				

Comments: Intensely manganese altered rock

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G286176	UTM:	561601	UTM:	7131541	N Sample Width:	Abundance: high
	Elevation:	m				

Comments: Altered wall rock: strongly rusty shale

Rock Sample DescriptionsProject: RustyProperty: RustyPage 16 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	grab, in situ	Dimension:
G286177	UTM:	561653	UTM:	7131460	N	Sample Width: n/a	Abundance: ~2 dump trucks full
	Elevation:	m					

Comments: Limonite / goethite. Gravel and cobbles of pure iron, no soil or fines.

Sample Number:	Grid East:	E	Grid North:	N	Type:	grab, in situ	Dimension:
G286178	UTM:	561481	UTM:	7130756	N	Sample Width:	30 X 15 cm
	Elevation:	m					Abundance: low

Comments: Quartz seam, trace pyrite, very rusty shale host.

Sample Number:	Grid East:	E	Grid North:	N	Type:	grab	Dimension:
G286179	UTM:	561135	UTM:	7130836	N	Sample Width:	Abundance: 3 - 4 small boulders
	Elevation:	m					

Comments: Pervasively rusty quartz breccia with large grey sphalerite blebs, trace galena, very strong zinc zap response. Diorite host.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:
G286180	UTM:	561108	UTM:	7130825	N	Sample Width:	5 X 10 m gossanous talus area
	Elevation:	m					Abundance:

Comments: Pervasively rusty fine crackle breccia with trace galena, strong zinc zap response, trace malachite staining. Diorite host.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:
G286181	UTM:	562013	UTM:	7131058	N	Sample Width:	Abundance:
	Elevation:	m					

Comments:

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:
G286182	UTM:	561169	UTM:	7130584	N	Sample Width:	Abundance:
	Elevation:	m					

Comments:

Rock Sample DescriptionsProject: RustyProperty: RustyPage 17 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: ~ 30 cm diameter
G286183	UTM:	563074	UTM:	7130936	N Sample Width: n/a	Abundance: 1
	Elevation:	m				

Comments: Quartz vein with abundant tetrahedrite-tennantite, strong malachite and azurite staining. Near source boulder.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 5 cm tru width
G286184	UTM:	563074	UTM:	7130936	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Malachite, azurite, limonite crust, trace galena

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, selective	Dimension: 2 to 4 cm thick
G286185	UTM:	562624	UTM:	7134288	N Sample Width:	Abundance: 4 m diameter gossanous zone
	Elevation:	m				

Comments: Limonite with abundant galena from within gossonous zone within shale talus.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G286186	UTM:	562798	UTM:	7134392	N Sample Width:	Abundance: 7 X 4 m gossanous zone
	Elevation:	m				

Comments: Siderite - limonite gravel and boulders within gossanous zone including abundant rusty soil.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: boulder sized
G286187	UTM:	562737	UTM:	7134335	N Sample Width:	Abundance: few
	Elevation:	m				

Comments: Pervasively Fe altered diorite boulders, moderate zinc zap response.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: fist sized
G286188	UTM:	561534	UTM:	7133959	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Quartz vein with abundant black-jack sphalerite.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 18 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	grab, near source	Dimension:	20 X 7 X 10 cm	
G286189	UTM:	562718	UTM:	7134380	N	Sample Width:	n/a	Abundance:	several
	Elevation:	m							

Comments: Quartz vein with arsenopyrite, mild scorodite staining.

Sample Number:	Grid East:	E	Grid North:	N	Type:		Dimension:		
G286190	UTM:	562735	UTM:	7134287	N	Sample Width:		Abundance:	abundant gravel pieces
	Elevation:	m							

Comments: Abundant rusty vein material from frost boil. Quartz vein with leached oxide, scattered galena, strong zinc zap response, pervasive FE alteration, strong manganese stains.

Sample Number:	Grid East:	E	Grid North:	N	Type:	chip	Dimension:		
G286191	UTM:	562597	UTM:	7134259	N	Sample Width:	16 cm	Abundance:	
	Elevation:	m							

Comments: Massive galena seam in finely bedded shale host. 16 - 20 cm thickness, 1.4 m length, terminates in shale bedrock on either side.

Sample Number:	Grid East:	E	Grid North:	N	Type:	chip	Dimension:		
G286192	UTM:	562718	UTM:	7134380	N	Sample Width:	0.36 m	Abundance:	
	Elevation:	m							

Comments: Quartz-siderite-limonite vein, and pervasively Fe altered diorite host

Sample Number:	Grid East:	E	Grid North:	N	Type:	chip	Dimension:		
G286193	UTM:	562718	UTM:	7134380	N	Sample Width:	1.8 m	Abundance:	
	Elevation:	m							

Comments: Pervasively Fe altered diorite with micro fractures containing siderite.

Sample Number:	Grid East:	E	Grid North:	N	Type:	grab, float	Dimension:		
G286194	UTM:	563087	UTM:	7134413	N	Sample Width:		Abundance:	moderate
	Elevation:	m							

Comments: Rusty shale from within gossanous talus zone.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 19 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension:
G286195	UTM:	563006	UTM:	7134360	N Sample Width: n/a	Abundance: 8 fist sized pieces within 4 m2 area
	Elevation:	m				

Comments: Rusty quartz vein with intensely rusty leach cavities and 5 - 10 % galena, very strong zinc zap reaction.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension:
G286196	UTM:	562974	UTM:	7134352	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Intensely Fe altered diorite with thick hydrozincite coatings, within gossanous talus zone between rock outcrops.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: 4 - 17 cm thick
G286197	UTM:	563002	UTM:	7134346	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Sphalerite and leached oxide from vein in bedrock.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G286198	UTM:	562765	UTM:	7134244	N Sample Width: 0.07 m	Abundance:
	Elevation:	m				

Comments: Quartz vein with up to 50 % black-jack sphalerite.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G286199	UTM:	562765	UTM:	7134244	N Sample Width: 0.75 m	Abundance:
	Elevation:	m				

Comments: Altered diorite wall rock.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: <fist sized
G286200	UTM:	562770	UTM:	7134212	N Sample Width:	Abundance: 1
	Elevation:	m				

Comments: Quartz vein with chalcopyrite bleb from within recessive zone.

Rock Sample DescriptionsProject: Rusty Property: RustyPage 20 of 26

Sample Number: Grid East: E Grid North: N Type: **grab** Dimension:
G285906 UTM: 562547 E UTM: 7131926 N Sample Width: n/a Abundance:

Elevation: m

Comments: Pervasively rusty quartz vein.

Sample Number: Grid East: E Grid North: N Type: **grab, in situ** Dimension: 3 X 14 X 7 cm
G285907 UTM: 562455 E UTM: 7131863 N Sample Width: Abundance: 1 only on talus slope

Elevation: m

Comments: Quartz vein with rusted chalcopyrite and pyrite, malachite and azurite stains.

Sample Number: Grid East: E Grid North: N Type: **grab, in situ** Dimension: 3 cm
G285908 UTM: 562451 E UTM: 7131867 N Sample Width: Abundance: very low

Elevation: m

Comments: Unknown crusty white mineral in thin vein.

Sample Number: Grid East: E Grid North: N Type: **grab, near source** Dimension:
G285909 UTM: 562441 E UTM: 7131860 N Sample Width: Abundance:

Elevation: m

Comments: Quartz ankerite vein float with < 10 % chalcopyrite from within moderately gossanous shale talus and sub-crop.

Sample Number: Grid East: E Grid North: N Type: **grab, near source** Dimension:
G285910 UTM: 562368 E UTM: 7131790 N Sample Width: Abundance: 6 fist sized pieces

Elevation: m

Comments: Limonite with abundant sphalerite and hydrozincite.

Sample Number: Grid East: E Grid North: N Type: Dimension:
G285911 UTM: 562061 E UTM: 7131784 N Sample Width: Abundance: small outcrop with 3 x 3 m talus zone

Elevation: m

Comments: Pervasively rusty diorite outcrop near contact with meta-shale

Rock Sample DescriptionsProject: RustyProperty: RustyPage 21 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension:
G285912	UTM:	562057	UTM:	7131757	N Sample Width: n/a	Abundance: 8 X 4 m area
	Elevation:	m				

Comments: Pervasively rusty diorite talus with abundant limonite, trace malachite

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G285913	UTM:	562047	UTM:	7131704	N Sample Width: 8.2 m	Abundance:
	Elevation:	m				

Comments: Pervasively altered pale green meta-igneous rock.

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285914	UTM:	562018	UTM:	7131634	N Sample Width:	Abundance: 3 x 4 m gossanous zone
	Elevation:	m				

Comments: Moderately rusty, finely shattered, pale green igneous rock from 3 X 4 gossanous veg kill zone

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285915	UTM:	561210	UTM:	7131106	N Sample Width:	Abundance: 15 x 4 m gossanous zone
	Elevation:	m				

Comments: Pervasively Fe altered diorite talus with abundant rusty soil.

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285916	UTM:	561187	UTM:	7131216	N Sample Width:	Abundance: 4 X 3 m area
	Elevation:	m				

Comments: Finely shattered, pervasively Fe altered diorite. 4 X 3 m area with predominantly blocky diorite zone.

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285917	UTM:	561267	UTM:	7131302	N Sample Width:	Abundance: 8 x 2 m area
	Elevation:	m				

Comments: Shattered Fe altered diorite with abundant limonite, 8X 2 m area

Rock Sample DescriptionsProject: RustyProperty: RustyPage 22 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G285918	UTM:	561169 E	UTM:	7130581 N	Sample Width: 1.32 m	Abundance:
	Elevation:	m				

Comments: Chip 1.32 m: diorite with strong Fe and manganese alteration

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G285919	UTM:	561169 E	UTM:	7130581 N	Sample Width: 0.25 m	Abundance:
	Elevation:	m				

Comments: Chip 0.25 m: diorite with galena and sphalerite seams ~10%, trace pyrite

Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
G285920	UTM:	561169 E	UTM:	7130581 N	Sample Width: 1.44 m	Abundance:
	Elevation:	m				

Comments: Chip 1.44 m: diorite with strong Fe and manganese alteration.

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285921	UTM:	561620 E	UTM:	7131217 N	Sample Width:	Abundance: ~12 m long gossanuos talus zone
	Elevation:	m				

Comments: Pervasively Fe altered diorite, with strong manganese staining and some quartz siderite veining.

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285922	UTM:	561620 E	UTM:	7131217 N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: Limonite and quartz with trace sphalerite, pyrite and hydrozincite

Sample Number:	Grid East:	E	Grid North:	N	Type: Grab	Dimension:
G285923	UTM:	561063 E	UTM:	7130499 N	Sample Width:	Abundance: Low
	Elevation:	m				

Comments: Limonite talus with trace galena

Rock Sample DescriptionsProject: RustyProperty: RustyPage 23 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G285924	UTM:	561063	UTM:	7130499	Sample Width: n/a	Abundance: low
	Elevation:	m				

Comments: Quartz vein talus, 5% black jack sphalerite

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 44 X 20 X 6 cm
G285925	UTM:	561615	UTM:	7131418	Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Coarsely crystalline red and green sphalerite. Several large pieces

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension:
G285926	UTM:	561615	UTM:	7131418	Sample Width:	Abundance: several fist sized pieces
	Elevation:	m				

Comments: Vein material, 95% black-jack sphalerite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G285927	UTM:	561615	UTM:	7131418	Sample Width:	Abundance:
	Elevation:	m				

Comments: Oxidized zinc, some sphalerite and limonite

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: small
G285928	UTM:	561301	UTM:	7131299	Sample Width:	Abundance: unknown
	Elevation:	m				

Comments: Rusty talus chips coming up with soil auger within vegetated area

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, near source	Dimension: 24 X 14 X 12 cm
G285929	UTM:	563340	UTM:	7128490	Sample Width:	Abundance: few pieces
	Elevation:	m				

Comments: Intensely rusty shale breccia with abundant fine black sphalerite (~80%)

Rock Sample DescriptionsProject: RustyProperty: RustyPage 24 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
G285930	UTM:	563340	UTM:	7128490	N Sample Width: n/a	Abundance: ~ 1 bucket full with 3 m area
	Elevation:	m				

Comments: Intensely rusty shale breccia with ~30 to 40 % fine black sphalerite

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G285931	UTM:	562110	UTM:	7130120	N Sample Width:	Abundance: unknown
	Elevation:	m				

Comments: shale/ siderite breccia and crackle breccia with strong iron and manganese staining from area of fine talus with 80% thin alpine vegetation

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
G285932	UTM:	562350	UTM:	7130098	N Sample Width:	Abundance:
	Elevation:	m				

Comments: Mildly gossanous shale talus with few grey, fine grained quartz pieces with chalcopyrite and pyrite 5 - 8 %

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G285933	UTM:	563023	UTM:	7128515	N Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Shale crackle breccia with strong hydrozincite and limonite coatings. From bedrock outcrop 3 X 3 m

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G285934	UTM:	563023	UTM:	7128515	N Sample Width:	Abundance: common
	Elevation:	m				

Comments: Shale crackle breccia with dolomite matrix and strong silica alteration, 5 - 10 % black sphalerite, strong hydrozincite coatings. Found adjacent to 3 x 3m outcrop within vegetated area

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G285935	UTM:	563023	UTM:	7128515	N Sample Width:	Abundance: low
	Elevation:	m				

Comments: Fine grained quartz vein with black sphalerite ~ 10 %, chalcopyrite 35 %, strong hydrozincite and iron coatings

Rock Sample DescriptionsProject: RustyProperty: RustyPage 25 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension:
G285936	UTM:	563005	UTM:	7128520	Sample Width: n/a	Abundance: unknown
	Elevation:	m				

Comments: Pervasively Fe altered chips coming up with soil auger

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: < fist
G285937	UTM:	562868	UTM:	7128573	Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Rusty shale crackle breccia, silica alteration, trace pyrite, float piece found in forested area

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: 35 X 18 X 16 cm
G285938	UTM:	562915	UTM:	7128542	Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Quartz-siderite-dolomite vein boulder with limonite, 5-8% black sphalerite, trace galena, trace chalcopyrite

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: golf ball sized
G285939	UTM:	562915	UTM:	7128542	Sample Width:	Abundance: 1 only
	Elevation:	m				

Comments: Rusty quartz with abundant chalcopyrite and galena

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: fist sized
G285940	UTM:	562360	UTM:	7131795	Sample Width:	Abundance: 2 pieces
	Elevation:	m				

Comments: Limonite with abundant sphalerite and zinc oxide, trace galena

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
G285941	UTM:	562462	UTM:	7131885	Sample Width: 12 cm	Abundance:
	Elevation:	m				

Comments: Stockwork quartz veining in bedrock with common hydrozincite infilling in cavities, isolated massive galena.

Rock Sample DescriptionsProject: RustyProperty: RustyPage 26 of 26

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension: fist sized
G285942	UTM:	562462 E	UTM:	7131885 N	Sample Width: n/a	Abundance:
	Elevation:	m				

Comments: Stockwork quartz veining in bedrock: selective sample of massive galena

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, in situ	Dimension:
G285943	UTM:	562462 E	UTM:	7131885 N	Sample Width:	Abundance: moderate
	Elevation:	m				

Comments: Stockwork quartz veining in bedrock: grab sample of common material

Sample Number:	Grid East:	E	Grid North:	N	Type: grab, float	Dimension: 5 cm true width
G285944	UTM:	562436 E	UTM:	7131910 N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: Quartz vein talus with trace chalcopyrite, very rusty

APPENDIX IV
CERTIFICATES OF ANALYSIS

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 1

Date : 12-Aug-2003

Account: FFP

CERTIFICATE VA03028640

Project : Rusty

P.O. No:

This report is for 18 SOIL samples submitted to our lab in North Vancouver, BC, Canada on 31-Jul-2003.

The following have access to data associated with this certificate:

AL ARCHER
JOAN MARIACHER

ROB CARNE
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	47 element four acid ICP-MS

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 2 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Aug-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03028640

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
BB09806		0.24	0.29	6.60	19.0	1500	2.23	0.30	2.85	0.42	41.2	32.3	108	12.50	60.1	5.27
BB09808		0.32	0.17	7.35	11.4	3020	2.79	0.34	3.33	0.28	56.0	30.2	114	10.60	70.6	5.43
BB09809		0.24	0.13	6.94	8.7	570	1.48	0.22	5.28	0.14	23.0	48.3	378	8.81	86.3	6.82
BB09810		0.18	0.13	6.84	4.4	740	1.99	0.23	5.23	0.24	28.0	51.5	300	12.25	97.0	6.55
BB09811		0.28	0.13	6.70	6.5	5280	1.90	0.38	1.12	0.27	92.0	18.0	88	10.65	84.7	4.62
BB09812		0.26	0.38	7.43	3.5	3600	2.40	0.33	1.82	0.63	75.2	24.8	108	11.90	99.0	5.53
BB09813		0.18	0.38	8.12	10.6	1720	2.78	4.37	3.12	1.24	160.0	42.1	190	20.2	105.5	6.16
BB09862		0.18	0.25	7.96	4.7	3990	3.01	0.39	1.53	0.65	81.8	22.8	91	13.55	82.4	4.90
BB09863		0.24	0.09	7.99	1.5	1020	1.55	0.16	3.34	0.15	38.9	26.0	71	4.97	162.0	5.34
BB09864		0.22	0.28	6.22	3.7	1290	2.42	0.41	3.03	0.34	96.3	32.9	124	20.5	109.0	5.77
BB09865		0.12	0.28	6.47	4.6	1700	3.50	0.62	1.60	0.27	66.1	20.1	74	15.25	121.5	4.58
BB09866		0.16	0.50	8.16	8.6	2350	3.72	0.43	2.71	0.59	72.1	32.9	150	21.5	108.0	5.85
BB09878		0.24	0.28	7.23	5.4	2650	3.12	0.57	2.09	0.86	84.7	20.0	91	17.90	42.9	4.84
BB09879		0.26	0.18	8.35	13.2	2350	2.28	0.24	2.27	0.76	121.5	38.3	179	23.2	54.6	6.88
BB09880		0.26	0.25	7.35	3.1	1880	2.34	0.45	1.69	0.21	56.7	11.3	29	14.30	36.2	2.95
BB27364		0.38	0.20	7.02	2.5	1340	1.76	0.22	1.94	0.27	43.6	10.4	29	5.21	26.8	2.67
BB33955		0.28	0.38	6.38	4.8	1420	1.88	0.23	3.39	1.76	50.0	19.0	72	5.81	43.3	4.08
BB33956		0.32	0.24	6.30	7.8	3010	3.10	0.34	1.68	1.51	86.3	19.8	65	11.80	82.1	4.99

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 2 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Aug-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03028640

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
BB09806		16.85	0.21	0.8	0.055	1.03	25.6	61.8	2.59	1395	2.07	1.22	5.3	89.8	790	13.2
BB09808		20.1	0.21	1.0	0.066	1.52	27.6	65.3	2.78	1640	1.18	1.45	4.6	93.8	800	20.6
BB09809		16.85	0.15	0.6	0.055	0.58	11.0	42.6	6.57	1385	0.54	1.16	3.7	372	520	6.7
BB09810		18.65	0.17	0.6	0.059	0.74	12.6	53.5	5.72	1510	0.56	1.24	4.4	282	540	7.1
BB09811		20.6	0.19	0.1	0.071	1.76	38.3	50.5	1.72	1105	2.19	0.81	9.4	74.0	1440	36.6
BB09812		19.50	0.26	1.3	0.091	1.90	47.5	63.6	2.46	1570	2.04	0.69	17.7	82.5	1400	26.1
BB09813		25.0	0.40	1.4	0.076	2.22	69.0	65.2	3.92	1560	2.68	1.28	11.9	232	880	35.1
BB09862		24.0	0.25	1.6	0.075	2.30	48.1	72.3	2.33	1380	2.09	0.89	18.8	74.9	1160	32.1
BB09863		20.8	0.20	0.4	0.065	0.67	18.9	31.7	2.38	1115	1.12	2.30	2.6	66.1	640	9.0
BB09864		20.4	0.29	0.7	0.057	1.50	57.2	57.6	2.40	1260	2.16	0.79	23.2	89.8	1540	19.4
BB09865		17.70	0.30	0.1	0.051	0.93	55.3	64.7	1.38	1665	3.20	0.60	5.5	74.7	3390	19.9
BB09866		24.0	0.31	2.0	0.079	1.92	61.8	85.2	3.14	1480	3.09	1.12	10.9	146.5	730	61.9
BB09878		24.1	0.25	0.6	0.075	2.21	45.1	51.9	2.15	1050	3.15	1.06	13.1	75.6	720	85.9
BB09879		24.0	0.35	1.0	0.087	1.72	66.9	86.3	2.98	2250	1.38	1.06	48.0	118.5	2630	27.6
BB09880		21.9	0.18	0.1	0.034	2.05	35.9	44.4	0.85	1035	2.59	1.96	7.0	26.3	1200	20.3
BB27364		19.85	0.16	0.2	0.026	1.92	24.6	27.0	1.06	542	2.01	2.11	7.5	31.8	570	18.3
BB33955		17.35	0.25	0.4	0.055	1.39	37.2	44.4	1.80	1135	1.52	1.38	8.2	57.3	900	35.8
BB33956		18.35	0.28	0.2	0.077	2.56	46.7	57.0	1.72	1480	4.21	0.71	17.4	76.9	930	106.5

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 2 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Aug-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03028640

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.01	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
BB09806		45.1	<0.002	0.11	0.60	2	2.5	167.5	0.11	<0.05	6.2	0.63	0.32	3.2	209	2.3
BB09808		68.3	<0.002	0.01	0.28	2	3.4	220	0.10	<0.05	8.1	0.69	0.41	2.2	218	1.3
BB09809		19.6	<0.002	0.02	0.18	1	2.0	152.5	0.25	<0.05	2.4	0.53	0.15	0.9	247	0.9
BB09810		32.6	<0.002	0.01	0.16	2	2.3	167.5	0.24	<0.05	2.5	0.54	0.22	1.1	246	1.1
BB09811		90.8	<0.002	0.09	0.54	2	2.4	186.5	0.10	0.06	13.0	0.49	0.42	3.5	189	1.5
BB09812		98.7	0.004	0.16	0.14	2	2.4	148.5	0.82	0.07	12.2	0.60	0.57	3.8	213	1.6
BB09813		84.0	<0.002	0.06	0.16	3	3.6	338	0.47	0.19	12.6	0.51	0.59	5.0	198	1.7
BB09862		115.0	<0.002	0.05	0.25	2	3.4	169.0	0.65	<0.05	13.8	0.56	0.73	3.8	205	1.6
BB09863		30.9	<0.002	0.07	<0.05	2	2.1	228	0.08	<0.05	4.8	0.50	0.13	1.3	193	0.1
BB09864		93.6	<0.002	0.12	0.24	3	2.8	135.5	0.59	0.05	14.9	0.66	0.50	3.2	216	1.4
BB09865		48.2	<0.002	0.20	0.35	4	2.6	122.5	0.08	0.07	13.6	0.35	0.46	8.6	164	3.3
BB09866		90.7	<0.002	0.05	0.29	3	3.7	214	0.37	0.05	13.0	0.51	0.63	6.8	204	1.7
BB09878		89.6	<0.002	0.09	0.17	2	4.4	192.0	0.27	<0.05	17.8	0.51	0.56	3.6	185	1.5
BB09879		99.4	<0.002	0.05	0.28	2	2.6	210	1.64	<0.05	13.4	0.98	0.68	2.7	266	0.9
BB09880		75.8	<0.002	0.06	0.55	1	2.2	387	0.11	<0.05	9.8	0.36	0.39	3.8	107	1.7
BB27364		55.9	<0.002	0.04	0.38	1	1.6	441	0.08	<0.05	8.5	0.33	0.29	2.8	89	1.0
BB33955		45.1	<0.002	0.08	0.26	4	2.0	388	0.14	<0.05	6.6	0.52	0.26	10.7	162	2.2
BB33956		90.4	<0.002	0.14	0.20	4	4.4	123.5	0.23	0.07	14.5	0.41	0.67	5.0	152	1.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 2 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Aug-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03028640

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61
		Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
BB09806		21.3	114	23.2
BB09808		26.1	122	28.6
BB09809		19.5	109	17.4
BB09810		22.5	109	17.6
BB09811		19.0	158	5.9
BB09812		26.4	212	40.3
BB09813		43.2	319	40.9
BB09862		25.9	196	53.7
BB09863		20.0	99	10.8
BB09864		31.5	126	22.1
BB09865		41.0	156	4.4
BB09866		38.7	327	63.4
BB09878		26.8	220	24.6
BB09879		31.9	159	32.3
BB09880		14.6	82	8.6
BB27364		12.0	65	14.4
BB33955		29.1	238	15.2
BB33956		34.2	495	9.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 1

Date : 12-Sep-2003

Account: FFP

CERTIFICATE VA03034435

Project : Rusty

P.O. No:

This report is for 93 SOIL samples submitted to our lab in North Vancouver, BC, Canada on 5-Sep-2003.

The following have access to data associated with this certificate:

AL ARCHER
JOAN MARIACHER

ROB CARNE
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	47 element four acid ICP-MS

To: FFP

ATTN: DOUG EATON

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

BOX 4127, 2054 SECOND AVE

WHITEHORSE YT Y1A 3S9 CANADA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page #: 2 - A

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03034435

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
T39785		0.20	0.54	6.77	9.6	>10000	2.56	0.38	0.42	0.78	136.0	26.7	69	11.60	291	5.78
T39786		0.20	0.69	8.04	22.4	5950	4.43	0.56	0.42	1.02	165.5	35.5	71	24.2	356	7.49
T39787		0.18	0.40	9.07	155.5	6430	7.38	0.29	0.81	4.16	321	63.7	200	44.1	158.0	5.42
T39788		0.26	0.47	8.10	23.4	5400	4.87	0.40	0.57	1.88	191.5	35.1	89	19.05	209	5.87
T39789		0.22	0.51	7.65	13.3	2930	3.65	0.41	0.65	1.27	155.0	40.8	172	22.5	270	6.85
T39790		0.28	0.61	7.61	28.4	1740	4.21	0.53	0.70	1.80	168.0	23.8	80	23.6	161.5	7.34
T39791		0.20	0.64	7.80	13.1	1840	4.42	0.55	0.79	1.58	153.5	20.0	70	13.35	114.5	6.54
T39792		0.20	0.98	7.45	12.8	1380	3.66	0.59	1.47	2.67	127.0	48.4	132	26.1	237	7.92
T39793		0.24	0.68	9.32	12.0	4790	5.59	0.61	1.10	2.03	178.5	35.0	115	19.65	107.5	6.33
T39794		0.22	0.68	8.86	12.1	4760	5.44	0.70	1.23	1.90	147.0	43.5	112	22.0	147.5	6.34
T39795		0.24	0.48	8.48	11.5	4550	5.43	0.47	1.26	1.85	177.0	41.6	123	22.8	136.0	6.03
T39796		0.24	0.49	9.15	44.0	4820	2.61	0.24	2.67	1.74	80.0	82.9	206	36.8	198.5	7.66
T39797		0.24	0.54	8.73	9.7	3390	4.35	1.71	1.23	2.63	164.0	23.4	68	15.70	83.0	5.51
T39798		0.20	0.59	8.55	7.3	3870	5.08	0.61	0.97	2.68	136.0	31.0	89	20.4	96.7	6.10
T39799		0.18	0.60	8.83	8.8	3070	3.96	0.51	1.46	1.85	111.5	24.7	118	23.5	95.2	5.93
T39800		0.24	0.72	7.52	37.2	1870	5.23	0.44	0.90	5.66	124.0	22.9	165	18.75	80.4	5.55
T39801		0.14	0.94	8.74	6.5	1880	4.99	0.57	1.50	3.48	141.5	25.4	98	25.5	110.0	6.54
T39802		0.16	0.59	8.31	5.9	3200	4.21	0.60	1.30	1.60	134.5	27.3	131	22.2	88.4	6.20
T39803		0.20	0.43	8.23	8.6	3010	4.42	0.54	1.03	1.11	142.0	24.5	95	19.20	68.4	5.51
T39804		0.24	0.75	9.04	15.6	3520	4.40	1.27	2.01	1.24	114.0	37.0	140	31.6	126.0	6.46
T39805		0.16	0.94	8.65	17.4	3990	3.58	0.77	1.64	1.50	93.5	56.1	184	35.8	227	8.96
T39806		0.22	0.69	8.41	18.6	4580	4.26	0.60	1.43	2.92	120.5	42.2	154	23.2	146.5	7.36
T39807		0.22	0.58	8.35	5.3	4140	3.21	0.40	1.83	1.46	91.8	44.0	120	19.25	151.0	7.86
T39808		0.22	0.77	8.20	17.6	2920	4.24	0.56	1.38	1.25	122.0	31.9	118	21.0	172.5	7.97
T39809		0.26	0.56	7.15	15.5	820	3.35	0.43	0.84	1.22	114.5	33.6	102	21.0	192.5	6.81
T39810		0.20	0.24	8.65	2.1	1680	3.13	0.48	3.29	0.40	50.3	31.0	134	24.3	111.0	5.90
T39811		0.20	0.28	8.30	4.0	1920	2.47	0.25	4.00	0.62	74.7	37.6	174	15.05	81.2	6.44
T39812		0.18	0.21	6.30	4.4	2180	2.35	0.39	1.86	0.39	85.6	30.3	231	14.25	50.3	4.60
T39813		0.16	0.22	6.96	2.8	2020	2.07	0.32	3.33	0.43	78.2	37.5	232	17.75	81.2	5.89
T39814		0.16	0.12	7.47	2.3	2570	1.70	0.38	3.64	0.33	49.3	36.5	204	10.95	65.7	6.22
T39815		0.24	0.20	8.04	3.5	2310	3.84	0.25	2.41	0.31	74.6	29.0	117	20.2	136.5	5.88
T39816		0.22	0.32	6.27	5.5	1330	2.07	0.37	3.58	0.36	51.1	39.5	308	21.5	68.6	5.64
T39817		0.18	0.30	8.34	5.0	2020	3.34	0.34	2.47	0.51	88.5	36.9	204	29.4	90.6	6.39
T39818		0.12	0.42	7.15	18.2	1680	2.39	0.37	2.97	0.47	66.8	29.3	168	20.8	185.5	5.76
T39819		0.20	0.12	8.48	3.8	1520	2.33	0.24	3.82	0.31	79.7	33.7	186	15.70	73.0	6.10
T39820		0.24	0.24	7.86	4.1	2800	3.07	0.32	1.75	0.42	107.0	18.4	75	12.15	59.4	4.61
T39821		0.18	0.14	7.68	4.2	2160	2.46	0.29	2.47	0.44	111.0	21.6	92	9.11	51.8	4.87
T39822		0.18	0.19	8.48	6.1	1870	3.70	0.30	2.28	0.25	112.0	27.3	154	24.7	57.7	5.34
T39823		0.16	0.33	7.45	18.0	1780	2.80	0.42	2.24	0.45	54.4	29.7	170	26.4	123.5	5.78
T39824		0.18	0.43	8.58	11.2	1980	3.75	0.47	2.31	0.47	94.0	37.2	229	34.5	105.0	6.33

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03034435

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
T39825		0.18	0.18	9.30	7.5	2030	3.91	0.32	2.44	0.33	49.0	42.1	164	39.2	106.0	6.85
T39826		0.24	0.27	9.37	17.2	1660	6.33	0.36	1.74	0.39	50.5	44.5	190	35.6	107.5	7.16
T39827		0.26	0.09	11.15	1.3	1870	1.19	0.03	3.28	0.13	13.00	46.3	124	68.4	81.6	6.82
T39828		0.20	0.09	8.55	1.4	1700	1.48	0.22	4.67	0.19	40.9	37.1	134	10.15	82.2	6.58
T39829		0.18	0.13	7.50	3.0	2380	2.09	0.30	2.29	0.33	60.6	27.0	156	17.95	57.8	5.56
T39830		0.20	0.09	6.98	4.0	2080	2.04	0.30	1.84	0.45	60.5	20.8	81	9.03	33.5	4.46
T39831		0.20	0.07	8.07	1.9	790	1.22	0.22	5.32	0.20	28.8	44.6	230	10.10	53.4	6.38
T39839		0.36	0.36	7.37	7.4	2520	3.44	0.67	3.42	1.70	98.5	36.1	236	19.45	96.1	5.87
T39840		0.32	0.54	8.93	9.9	2040	3.19	8.25	2.66	0.92	143.5	42.4	149	28.7	200	6.58
T39841		0.34	0.11	8.34	2.5	1660	1.76	0.19	4.02	0.36	49.5	32.2	138	7.76	61.5	5.68
T39842		0.36	0.10	8.16	2.6	1540	1.72	0.16	4.31	0.30	57.1	32.0	130	5.57	47.1	5.62
T39843		0.32	0.09	8.19	3.0	1530	1.97	0.28	4.02	0.39	48.2	30.0	128	6.97	35.2	6.08
T39844		0.42	0.18	9.21	7.0	920	2.36	0.40	3.70	0.18	30.7	42.2	174	37.8	85.6	6.66
T39845		0.36	0.14	8.69	3.3	880	3.36	0.13	3.90	0.19	38.5	66.1	204	26.0	211	8.56
T39846		0.32	0.16	9.08	12.4	1040	3.66	0.27	3.28	0.16	25.2	44.1	223	23.9	80.1	7.10
T39847		0.32	0.21	9.25	9.7	1960	3.36	0.30	2.86	0.30	41.5	40.1	176	37.3	115.0	6.89
T39848		0.34	0.12	8.33	3.7	2310	2.20	0.27	3.71	0.23	47.0	36.3	159	18.75	78.2	6.25
T39849		0.34	0.12	8.73	5.2	1860	2.33	0.22	4.28	0.28	51.7	37.9	141	15.25	93.7	7.16
T39850		0.36	0.12	9.73	1.9	>10000	2.61	0.23	2.26	0.19	82.9	27.3	115	21.5	174.5	6.53
T39851		0.34	0.18	9.24	1.5	1860	2.95	0.27	3.50	0.43	89.4	32.6	135	17.55	82.1	6.15
T39852		0.44	0.26	8.72	4.8	3160	3.23	0.28	2.19	0.54	120.5	28.1	97	16.30	70.3	5.56
T39853		0.40	0.14	8.57	5.6	1710	2.99	0.26	3.48	0.33	96.0	30.4	198	17.40	47.9	5.63
T39854		0.36	0.30	9.94	12.2	2390	5.30	0.47	1.27	0.65	159.5	20.4	79	24.2	53.8	5.69
T39855		0.36	0.19	8.13	4.0	2610	3.43	0.46	1.82	0.40	124.0	22.6	99	16.65	53.8	5.07
T39856		0.42	0.39	9.24	8.8	2410	4.26	0.56	1.95	0.42	107.0	36.3	142	27.3	79.2	6.80
T39857		0.30	0.46	7.91	1.7	1350	1.33	0.18	5.21	0.21	32.8	53.2	172	17.25	116.5	7.21
T39858		0.36	0.25	8.47	2.5	2510	3.99	0.49	3.05	0.40	114.0	36.4	140	23.7	72.9	7.31
T39859		0.30	0.21	7.06	2.0	1380	1.76	0.20	4.10	0.41	68.9	48.6	219	13.10	138.0	6.91
T39860		0.40	0.34	6.39	4.1	2820	2.59	0.28	1.71	1.17	94.9	18.1	83	12.55	67.7	4.26
T39861		0.30	0.27	7.81	8.2	2620	3.03	0.42	1.98	1.64	108.5	33.8	120	16.20	102.0	6.19
T39862		0.38	0.46	8.51	24.0	5810	4.78	0.58	1.14	2.04	154.5	41.6	136	25.0	198.0	7.14
T39863		0.32	0.41	7.56	16.3	4800	3.31	0.67	1.82	1.36	114.5	50.1	160	32.0	216	6.98
T39864		0.36	0.36	7.22	10.0	4450	3.04	1.26	2.13	1.12	107.0	60.3	138	34.6	202	7.11
T39865		0.32	0.44	7.29	16.8	6170	4.41	0.61	1.03	2.40	157.0	51.1	101	27.7	210	6.44
T39866		0.32	0.45	8.23	14.4	6620	4.88	1.30	0.97	2.03	181.0	54.8	109	40.2	181.0	6.53
T39867		0.34	0.32	8.96	9.2	>10000	5.69	0.54	0.71	1.69	184.5	28.1	58	25.5	155.0	5.73
T39868		0.36	0.33	7.74	6.2	>10000	4.45	0.33	0.82	1.24	156.5	25.4	64	21.0	119.5	5.55
T39869		0.32	0.29	8.46	17.8	8010	5.10	0.41	0.80	1.92	208	51.3	96	33.7	173.0	6.54
T39870		0.40	0.48	8.13	12.7	5200	3.86	0.64	1.58	1.46	121.0	51.2	136	32.2	208	7.52
T39871		0.30	0.37	8.01	6.4	3770	2.76	1.22	2.36	1.24	109.0	47.5	142	34.3	152.5	7.43

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03034435

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
T39872		0.28	0.22	6.75	4.1	2000	1.88	0.45	4.65	0.85	64.0	57.8	306	27.0	103.5	7.51
T39873		0.30	0.10	5.75	3.5	1200	1.20	0.25	4.82	0.68	31.4	59.9	466	28.3	59.6	6.35
T39874		0.30	0.11	6.48	5.8	650	1.06	2.13	5.83	0.46	28.9	58.5	326	21.8	76.2	6.76
T39875		0.28	0.50	7.64	8.5	3680	3.06	0.48	1.83	1.32	102.0	39.5	128	19.20	137.5	7.22
T39876		0.28	0.36	7.70	4.5	3120	2.74	0.71	2.32	1.10	90.8	39.9	122	17.70	145.5	6.99
T39877		0.36	0.33	7.20	9.5	3460	3.10	0.57	2.11	1.81	110.0	36.5	110	17.40	136.0	6.38
T39878		0.34	0.39	7.61	9.2	3230	3.18	0.62	2.31	0.93	78.1	41.6	150	24.8	136.0	6.89
T39879		0.32	0.34	7.97	12.0	3330	4.28	0.61	1.59	2.22	122.5	34.4	106	25.8	129.0	6.68
T39880		0.26	0.35	8.09	7.3	2850	3.17	0.56	2.01	1.04	109.0	31.7	99	19.45	91.8	6.34
T39881		0.28	0.50	7.68	5.6	3790	3.49	0.54	1.31	1.20	112.0	26.3	102	18.20	95.7	6.39
T39882		0.34	0.52	7.75	5.3	2860	3.57	0.40	1.55	2.77	101.0	33.8	113	20.8	124.0	7.47
T39883		0.34	0.40	7.70	7.6	3540	2.77	0.60	2.25	1.38	93.9	41.6	128	21.6	136.5	7.13
T39884		0.24	0.18	8.97	10.0	940	3.37	0.38	2.34	0.19	35.2	41.7	122	38.1	108.0	6.98

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 2 - B

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1	Ni ppm 0.2	P ppm 10	Pb ppm 0.5
T39785		19.50	0.25	0.2	0.102	2.15	69.3	61.6	0.72	2880	2.04	0.47	4.7	200	810	42.8
T39786		25.5	0.27	2.1	0.126	2.74	76.6	235	0.62	2580	2.73	0.37	9.1	236	670	42.8
T39787		27.9	0.42	0.6	0.118	3.75	153.0	94.0	3.19	3460	8.01	0.21	25.8	360	910	47.4
T39788		26.3	0.27	0.3	0.118	3.18	83.9	72.0	1.58	2510	4.92	0.30	16.8	177.5	800	45.8
T39789		23.7	0.26	1.6	0.114	2.73	72.8	65.2	2.12	3310	2.56	0.33	13.0	218	1160	54.0
T39790		25.2	0.28	0.2	0.106	3.14	81.1	66.9	1.58	3380	4.34	0.37	16.0	106.5	1180	112.0
T39791		23.4	0.28	0.3	0.102	3.08	83.8	56.7	1.31	2150	5.62	0.48	14.5	77.6	1300	419
T39792		23.7	0.29	2.0	0.104	2.86	78.9	66.2	2.19	3170	4.62	0.58	18.9	153.5	1480	164.0
T39793		31.9	0.32	2.9	0.124	4.69	90.5	74.4	2.07	2520	4.39	0.56	24.5	108.0	1180	89.3
T39794		30.5	0.31	2.7	0.113	4.50	73.2	77.0	2.11	2130	5.12	0.61	26.1	137.0	1480	88.2
T39795		25.8	0.26	0.4	0.104	3.11	76.8	71.7	1.95	2260	4.33	0.80	20.4	125.0	1440	107.5
T39796		23.2	0.25	1.1	0.078	3.09	37.3	95.1	4.48	2480	2.63	0.68	11.8	176.0	1230	36.7
T39797		27.1	0.29	0.3	0.114	3.46	83.3	69.3	1.91	1330	4.21	0.68	27.6	68.3	1400	108.5
T39798		27.8	0.29	1.9	0.111	3.55	82.7	78.5	1.93	1725	4.11	0.45	23.9	90.6	1160	131.5
T39799		26.4	0.23	1.8	0.096	2.81	68.1	102.5	2.16	1410	3.35	0.57	20.5	81.8	1170	115.0
T39800		23.3	0.24	0.8	0.090	2.85	71.2	76.2	2.16	1325	5.41	0.34	18.4	111.0	890	215
T39801		28.0	0.30	1.7	0.122	3.00	91.5	88.6	1.92	1540	5.56	0.46	27.1	86.6	1300	151.0
T39802		26.0	0.24	1.9	0.106	3.37	61.8	75.4	2.30	1545	3.81	0.60	26.0	100.5	1020	77.4
T39803		24.8	0.25	0.8	0.100	3.08	56.7	71.7	2.01	1385	3.49	0.55	19.9	77.3	980	107.0
T39804		27.8	0.26	1.9	0.093	3.06	73.6	68.1	2.61	1855	3.47	0.61	21.9	112.5	1160	54.1
T39805		25.6	0.27	1.5	0.112	2.83	53.3	75.1	3.15	3220	3.87	0.60	18.4	183.5	1100	73.6
T39806		26.8	0.29	0.7	0.114	3.42	65.0	71.7	2.69	2780	3.85	0.52	21.0	143.0	1280	137.5
T39807		25.1	0.26	0.9	0.104	2.93	48.4	60.9	2.97	2200	3.42	0.74	16.6	127.5	1400	86.0
T39808		26.4	0.30	0.9	0.116	2.82	74.0	66.9	2.11	2230	3.86	0.48	12.1	113.5	1180	364
T39809		22.5	0.26	1.9	0.098	2.68	61.0	59.1	1.64	2900	3.19	0.37	13.4	146.5	1170	86.0
T39810		23.2	0.17	1.0	0.080	1.32	27.6	87.4	2.98	1345	1.14	1.32	7.7	97.1	1420	14.1
T39811		21.0	0.19	1.1	0.079	1.52	32.9	54.2	3.96	1425	0.94	1.48	2.4	162.5	800	20.3
T39812		17.95	0.16	0.3	0.065	1.50	34.3	55.7	4.08	1050	1.55	0.75	14.8	276	1160	24.7
T39813		19.00	0.18	1.1	0.074	1.38	33.8	49.3	4.61	1295	1.44	1.16	14.2	275	980	17.6
T39814		18.75	0.16	1.0	0.081	1.10	21.0	49.6	3.73	1370	0.86	1.38	3.9	166.5	680	13.9
T39815		20.5	0.20	1.0	0.080	1.45	33.6	43.4	2.48	1220	0.39	1.14	0.6	135.0	750	15.1
T39816		15.75	0.21	0.8	0.067	1.18	37.6	43.1	5.22	1335	1.18	0.78	10.0	406	840	13.0
T39817		21.2	0.26	1.2	0.082	1.81	53.3	57.6	3.70	1435	1.80	0.74	11.0	222	870	29.5
T39818		17.40	0.20	0.9	0.087	1.39	44.7	44.0	2.92	1240	1.50	0.77	16.4	153.0	1280	14.9
T39819		20.6	0.20	1.0	0.082	1.49	36.5	42.9	3.58	1365	0.90	1.27	2.3	162.0	960	14.2
T39820		20.3	0.20	0.3	0.074	2.19	54.8	47.9	1.99	1145	1.98	0.99	20.9	64.8	1380	26.7
T39821		18.70	0.20	0.4	0.071	1.84	41.7	39.2	2.19	1195	1.60	1.32	16.9	68.5	1160	22.3
T39822		25.3	0.23	1.5	0.097	1.99	64.3	51.2	2.79	1180	1.54	0.83	4.4	130.0	910	18.4
T39823		20.0	0.20	0.8	0.082	1.56	38.1	47.1	2.88	1155	1.77	0.59	15.6	151.0	1240	19.1
T39824		23.2	0.23	1.3	0.087	1.95	56.5	56.2	3.50	1465	2.22	0.54	9.4	241	890	25.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 3 - B

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
T39825		23.3	0.21	0.5	0.092	1.51	26.6	98.6	2.65	1500	0.23	0.70	0.3	152.5	580	9.8
T39826		26.1	0.21	0.7	0.081	1.70	28.9	287	1.87	1555	0.89	0.66	3.6	152.5	650	14.2
T39827		19.45	0.19	0.4	0.056	2.12	6.4	74.8	3.25	1395	0.10	1.72	2.4	76.9	570	2.2
T39828		20.1	0.15	0.8	0.074	1.10	19.1	39.9	3.72	1315	0.53	1.60	0.9	107.5	670	11.2
T39829		20.7	0.16	1.2	0.072	1.59	31.1	46.2	3.03	1235	1.54	1.10	4.1	137.5	840	19.2
T39830		19.70	0.15	0.8	0.061	1.82	29.4	42.9	1.76	1065	1.80	1.24	7.7	55.8	750	27.5
T39831		17.55	0.17	0.6	0.059	0.68	13.3	34.9	5.08	1255	0.47	1.76	3.0	219	490	7.8
T39839		21.9	0.24	0.5	0.085	2.41	52.3	66.4	4.70	1430	3.14	0.78	15.8	339	940	88.2
T39840		26.6	0.30	1.3	0.075	2.16	101.5	64.8	3.04	991	4.83	1.15	13.5	214	1460	37.2
T39841		18.65	0.16	0.9	0.063	1.33	22.2	38.5	3.39	1275	0.56	1.70	1.5	129.5	800	16.2
T39842		19.10	0.16	1.0	0.067	1.28	26.0	32.8	3.33	1230	0.77	1.67	5.7	94.3	770	14.2
T39843		20.0	0.16	0.9	0.070	1.31	23.2	39.9	3.05	1225	0.49	1.66	0.5	99.6	550	16.0
T39844		20.6	0.15	0.6	0.070	1.00	16.1	60.4	3.35	1475	0.35	1.12	0.6	143.5	600	10.7
T39845		19.25	0.16	0.5	0.085	0.92	15.8	64.6	3.24	1795	0.38	0.82	2.4	151.0	1170	4.6
T39846		20.4	0.17	0.5	0.064	1.21	14.5	301	3.42	1410	0.44	0.90	2.1	186.5	550	6.5
T39847		22.4	0.18	0.6	0.096	1.36	25.4	83.7	2.99	1300	0.58	0.75	2.4	152.5	720	9.0
T39848		19.80	0.17	0.8	0.076	1.26	25.2	48.7	3.38	1245	0.76	1.07	5.1	132.5	660	11.3
T39849		21.5	0.18	0.6	0.088	1.32	29.4	59.1	3.37	1500	0.52	1.34	0.9	106.5	860	12.8
T39850		25.7	0.20	0.7	0.114	2.27	36.1	60.6	2.52	963	0.60	0.76	5.1	94.5	580	12.4
T39851		23.4	0.21	1.3	0.084	1.83	48.6	44.6	3.14	1335	1.12	1.30	2.7	99.5	980	22.5
T39852		23.9	0.22	1.8	0.087	2.41	65.5	55.8	2.49	1585	1.93	0.91	25.6	77.6	1980	26.2
T39853		22.3	0.21	1.4	0.085	1.82	52.2	47.5	4.13	1505	1.34	1.02	12.7	235	920	16.6
T39854		29.8	0.24	2.5	0.118	3.23	75.3	56.1	1.78	1485	2.94	0.54	33.3	58.4	970	35.2
T39855		21.8	0.20	1.6	0.077	2.27	49.3	53.0	2.19	1180	1.46	0.94	9.1	77.7	930	31.7
T39856		23.1	0.22	1.4	0.084	2.33	56.5	67.5	2.98	1745	1.81	0.87	8.4	113.5	1290	25.8
T39857		14.35	0.19	0.6	0.054	1.29	16.7	69.0	7.45	1460	0.34	0.81	4.4	204	480	17.7
T39858		26.4	0.24	1.3	0.102	2.11	38.6	67.9	3.28	1790	0.94	1.01	0.6	126.5	660	26.4
T39859		19.90	0.21	1.1	0.081	1.22	30.6	52.6	4.36	1395	0.99	1.27	3.7	203	880	15.1
T39860		18.20	0.26	0.2	0.066	1.69	57.8	57.5	1.83	1270	1.92	0.74	14.6	82.6	2030	29.4
T39861		23.7	0.26	1.8	0.091	2.48	53.2	70.6	2.86	1650	2.45	0.75	28.9	113.5	1590	42.0
T39862		28.4	0.36	2.5	0.114	2.98	77.5	74.3	2.48	3220	2.97	0.52	20.8	186.5	1070	60.5
T39863		24.5	0.31	2.1	0.102	2.61	53.7	70.7	2.82	2360	2.59	0.73	16.3	178.5	990	36.0
T39864		21.7	0.28	1.7	0.094	2.60	46.2	65.9	2.93	2030	2.59	0.83	16.0	174.5	1110	29.5
T39865		24.6	0.33	1.1	0.110	2.94	64.8	73.2	2.07	2690	5.24	0.41	17.0	188.0	870	82.5
T39866		26.8	0.32	2.8	0.100	3.35	68.7	87.7	2.29	3010	4.25	0.49	23.0	208	1280	51.4
T39867		30.7	0.34	4.2	0.118	3.54	81.3	70.2	1.45	2250	4.94	0.52	28.7	129.5	810	55.7
T39868		27.3	0.32	0.4	0.110	2.89	76.9	64.9	1.70	1960	3.15	0.48	17.8	104.0	810	37.0
T39869		28.7	0.39	3.0	0.116	3.73	89.3	87.1	2.26	3010	5.15	0.40	26.9	197.5	1070	36.3
T39870		26.2	0.32	2.5	0.106	2.94	60.3	72.9	2.84	2570	3.74	0.63	19.4	173.0	1040	39.8
T39871		24.2	0.29	1.7	0.088	2.60	49.8	73.0	3.25	2110	2.40	0.94	12.4	144.5	1210	32.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 4 - B

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
T39872		20.6	0.24	1.0	0.084	1.53	31.1	54.4	6.34	2000	1.30	0.87	12.6	381	950
T39873		19.45	0.19	0.7	0.061	1.94	14.2	54.8	8.55	1750	0.63	0.50	6.4	645	450
T39874		17.10	0.17	0.4	0.065	0.83	12.6	39.8	6.69	1630	0.60	0.98	4.1	381	530
T39875		24.1	0.30	1.9	0.096	2.82	56.0	56.2	2.79	2130	3.13	0.63	18.6	131.5	1220
T39876		23.6	0.26	1.6	0.088	2.56	46.0	51.7	3.01	1850	2.44	0.87	14.2	118.5	1240
T39877		21.6	0.29	0.4	0.086	2.69	52.5	49.9	2.53	1970	2.89	0.84	16.4	119.0	1510
T39878		22.3	0.24	1.8	0.084	2.71	37.0	61.0	3.18	1895	2.26	0.80	16.4	134.5	1520
T39879		26.2	0.29	2.1	0.108	2.87	56.8	89.7	2.48	1945	4.47	0.59	23.9	135.5	1050
T39880		24.3	0.29	1.8	0.096	2.70	56.6	66.7	2.54	1590	2.53	0.83	14.0	100.0	850
T39881		23.9	0.30	0.9	0.097	2.85	67.3	63.5	2.18	1590	3.44	0.62	20.0	91.3	1140
T39882		24.2	0.31	1.7	0.097	2.50	60.2	69.4	2.46	1855	4.12	0.57	28.2	113.0	1340
T39883		23.2	0.26	2.2	0.090	2.68	47.5	55.0	2.89	2110	3.00	0.82	18.2	129.0	1230
T39884		21.9	0.19	0.4	0.078	1.19	15.4	64.5	2.28	1875	0.21	0.72	0.5	102.0	840

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 2 - C

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.01	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
T39785		121.0	0.004	0.04	0.80	3	2.4	191.5	0.05	0.12	15.2	0.27	0.99	3.3	226	2.7
T39786		174.5	0.002	0.04	2.20	4	3.3	152.5	2.27	0.14	17.8	0.28	2.00	4.2	255	3.7
T39787		190.0	0.003	0.17	0.43	5	7.6	109.5	0.36	<0.05	25.1	0.38	1.76	16.2	139	16.2
T39788		158.0	0.002	0.04	0.93	3	6.5	139.5	0.20	0.09	20.9	0.33	1.38	4.9	190	3.6
T39789		150.5	<0.002	0.04	0.66	3	4.1	125.5	0.49	0.11	17.8	0.38	1.62	4.0	231	3.2
T39790		197.0	<0.002	0.16	0.34	3	5.6	101.5	0.30	0.15	21.9	0.33	1.85	5.1	174	2.7
T39791		151.5	<0.002	0.21	0.56	3	5.0	110.0	0.21	0.17	19.6	0.38	1.44	5.7	208	8.4
T39792		149.5	<0.002	0.25	0.29	4	4.5	142.0	0.93	0.24	16.5	0.46	1.32	6.8	198	3.5
T39793		216	<0.002	0.12	0.21	3	7.8	119.5	0.99	0.09	25.9	0.52	1.43	7.5	166	3.7
T39794		206	0.002	0.14	0.22	3	7.6	150.0	1.30	0.16	23.7	0.51	1.34	6.8	164	5.4
T39795		159.0	0.002	0.15	0.23	3	6.0	123.5	0.37	0.09	20.7	0.54	1.38	5.7	188	2.8
T39796		136.0	0.002	0.07	0.12	2	2.6	139.0	0.88	0.10	9.7	0.58	0.96	2.2	247	2.5
T39797		167.0	<0.002	0.16	0.15	3	6.5	151.0	0.34	0.27	21.9	0.53	1.02	4.7	148	2.3
T39798		198.5	0.002	0.12	0.40	2	6.3	117.0	0.90	0.16	22.5	0.45	1.20	5.6	164	4.7
T39799		167.5	<0.002	0.14	0.38	2	5.2	122.5	0.64	0.09	19.0	0.54	1.02	5.0	205	2.7
T39800		143.0	<0.002	0.22	0.51	3	5.8	84.9	0.44	0.13	20.5	0.42	1.14	5.8	158	2.6
T39801		166.5	<0.002	0.29	0.34	3	6.4	110.0	1.17	0.14	26.0	0.49	1.15	6.4	204	4.4
T39802		167.5	<0.002	0.17	0.24	2	5.7	114.0	1.12	0.15	21.7	0.52	1.07	4.7	188	2.4
T39803		173.5	0.002	0.12	0.38	2	5.5	114.0	0.41	0.11	20.2	0.48	1.00	4.5	152	2.2
T39804		170.5	<0.002	0.08	0.16	3	6.5	146.5	0.71	0.16	17.3	0.60	1.00	4.7	227	1.9
T39805		177.0	<0.002	0.15	0.16	3	4.0	164.5	0.86	0.26	12.8	0.59	1.26	4.3	280	2.6
T39806		178.0	0.002	0.15	0.29	3	5.8	119.0	0.81	0.14	18.1	0.54	1.38	6.3	215	3.0
T39807		156.5	<0.002	0.16	0.16	2	4.3	161.0	0.62	0.14	13.0	0.61	1.17	3.9	258	3.0
T39808		159.0	<0.002	0.25	0.47	3	4.8	111.5	0.36	0.20	17.4	0.45	1.24	4.6	255	5.7
T39809		166.0	<0.002	0.12	0.46	3	3.9	117.0	0.70	0.14	16.5	0.35	1.74	4.4	225	2.9
T39810		77.4	<0.002	0.04	0.26	1	3.8	164.5	0.30	<0.05	8.1	0.57	0.53	3.5	233	1.8
T39811		74.5	<0.002	0.04	0.24	1	2.6	194.0	0.07	<0.05	8.8	0.60	0.52	2.5	225	0.2
T39812		75.3	<0.002	0.07	0.39	1	2.7	130.5	0.28	0.07	10.8	0.46	0.46	2.3	146	1.4
T39813		65.5	<0.002	0.06	0.59	1	3.0	139.5	0.51	0.05	9.4	0.56	0.40	1.9	198	1.2
T39814		51.3	<0.002	0.03	8.91	<1	2.0	166.5	0.09	<0.05	6.7	0.61	0.31	1.3	227	0.3
T39815		72.2	<0.002	0.02	0.19	<1	2.5	158.5	0.05	<0.05	9.5	0.45	0.51	2.1	227	0.3
T39816		57.5	<0.002	0.07	7.26	1	2.9	97.1	0.30	<0.05	8.3	0.44	0.39	1.6	170	1.3
T39817		99.5	<0.002	0.05	0.57	1	4.0	96.0	0.30	<0.05	11.0	0.63	0.64	2.5	216	1.7
T39818		76.3	<0.002	0.12	2.07	1	3.2	121.5	0.55	0.05	10.0	0.55	0.45	1.8	188	1.5
T39819		76.0	<0.002	0.04	0.22	<1	3.1	140.5	0.09	<0.05	10.2	0.59	0.44	1.9	202	0.3
T39820		94.4	<0.002	0.06	0.37	1	4.2	161.5	0.31	0.07	14.9	0.55	0.58	3.1	160	1.7
T39821		76.6	<0.002	0.05	0.46	1	3.5	175.5	0.19	0.05	12.3	0.62	0.46	2.5	173	1.6
T39822		121.5	<0.002	0.04	0.32	1	4.7	109.0	0.14	<0.05	15.6	0.53	0.64	2.7	172	0.5
T39823		94.8	<0.002	0.11	1.65	1	4.0	102.5	0.51	0.06	12.2	0.51	0.52	2.0	198	2.2
T39824		120.5	<0.002	0.09	0.74	1	4.6	89.8	0.19	0.05	13.3	0.52	0.73	2.8	214	1.5

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 3 - C

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.01	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
T39825		99.8	<0.002	0.03	0.39	1	1.6	90.9	<0.05	<0.05	6.3	0.46	0.57	1.3	216	0.2
T39826		126.5	<0.002	0.03	0.62	1	3.3	94.3	0.13	<0.05	6.6	0.49	0.73	1.6	275	1.3
T39827		184.5	<0.002	<0.01	<0.05	<1	0.8	218	0.10	<0.05	0.9	0.57	0.74	0.2	264	0.3
T39828		45.7	<0.002	0.03	0.20	<1	2.1	174.5	0.05	<0.05	6.0	0.58	0.27	1.2	242	0.1
T39829		68.7	<0.002	0.04	0.21	<1	3.0	138.5	0.10	<0.05	8.6	0.56	0.43	1.9	224	0.3
T39830		150.5	<0.002	0.05	0.37	1	2.9	175.0	0.11	<0.05	8.4	0.58	0.50	2.1	166	0.7
T39831		27.8	<0.002	0.02	0.15	<1	1.7	177.5	0.08	<0.05	3.4	0.59	0.21	0.8	241	0.3
T39839		112.5	<0.002	0.13	0.26	2	5.2	116.5	0.26	0.11	14.5	0.44	0.87	3.4	178	6.5
T39840		87.0	<0.002	0.10	0.47	4	4.3	344	0.57	0.32	14.8	0.50	0.63	5.3	181	1.6
T39841		56.2	<0.002	0.02	0.20	<1	2.0	197.5	0.06	<0.05	6.6	0.56	0.35	1.5	198	0.1
T39842		51.3	<0.002	0.02	0.28	<1	2.3	195.0	0.09	<0.05	7.1	0.60	0.32	1.7	207	0.3
T39843		61.5	<0.002	0.03	0.17	<1	2.1	206	0.05	<0.05	7.0	0.58	0.34	1.5	205	0.2
T39844		72.4	<0.002	0.02	0.62	<1	1.8	124.5	<0.05	<0.05	3.9	0.58	0.46	0.9	245	0.2
T39845		54.6	<0.002	0.01	0.10	1	2.9	116.0	0.05	<0.05	3.3	0.84	0.43	0.7	305	0.7
T39846		80.5	<0.002	0.03	0.61	<1	2.4	104.5	0.07	<0.05	3.2	0.55	0.53	0.8	257	4.1
T39847		94.9	<0.002	0.04	0.37	<1	2.4	100.5	0.09	<0.05	5.9	0.54	0.50	1.2	264	1.0
T39848		65.3	<0.002	0.02	0.15	1	2.4	122.5	0.10	<0.05	6.6	0.64	0.38	1.3	233	0.8
T39849		63.8	<0.002	0.03	0.13	1	2.4	146.5	0.05	<0.05	7.2	0.72	0.36	1.6	244	0.3
T39850		80.1	0.003	0.02	0.10	<1	2.6	108.5	0.09	0.05	11.4	0.51	0.37	1.9	276	0.4
T39851		89.1	<0.002	0.04	0.19	<1	3.6	148.0	0.09	<0.05	12.9	0.59	0.48	2.3	209	0.2
T39852		122.0	<0.002	0.06	0.26	1	4.5	192.5	0.74	0.05	16.2	0.69	0.68	4.0	183	1.9
T39853		89.0	<0.002	0.02	0.32	1	4.6	118.5	0.23	<0.05	13.1	0.52	0.52	2.2	174	0.8
T39854		174.0	<0.002	0.04	0.71	1	8.6	94.9	0.74	0.05	21.8	0.58	0.81	3.5	148	2.8
T39855		121.0	<0.002	0.05	0.27	1	4.4	157.0	0.14	<0.05	15.0	0.55	0.64	2.9	160	0.5
T39856		132.5	<0.002	0.05	0.71	1	5.4	139.0	0.19	0.05	12.8	0.64	0.79	2.5	220	1.3
T39857		50.7	<0.002	0.01	0.24	<1	1.3	180.5	0.15	<0.05	3.7	0.73	0.36	0.7	222	0.4
T39858		113.5	0.002	0.03	0.16	3	4.9	141.5	<0.05	<0.05	13.4	0.51	0.74	2.7	179	0.3
T39859		60.9	0.002	0.06	0.27	2	2.2	146.5	0.09	<0.05	7.7	0.62	0.40	1.8	234	2.3
T39860		89.7	0.003	0.13	0.31	3	2.9	149.0	0.08	0.07	13.8	0.44	0.55	3.6	147	1.3
T39861		141.0	<0.002	0.12	0.14	3	4.5	160.5	1.22	0.17	15.0	0.67	0.94	4.5	180	1.9
T39862		180.0	0.004	0.13	0.71	5	6.1	126.0	0.75	0.12	20.4	0.47	1.46	6.1	211	2.7
T39863		146.0	0.003	0.13	0.42	4	5.5	156.0	0.58	0.11	14.1	0.51	1.29	3.9	212	2.1
T39864		133.5	<0.002	0.15	0.37	4	7.1	173.5	0.65	0.16	11.9	0.57	1.10	3.4	199	2.4
T39865		147.0	0.003	0.14	0.54	5	7.3	133.0	0.24	0.12	18.2	0.41	1.37	6.1	183	2.7
T39866		179.5	0.003	0.10	0.61	4	7.7	132.5	1.26	0.17	22.9	0.42	1.40	6.1	151	3.3
T39867		172.0	0.004	0.04	0.37	4	8.7	167.5	1.15	0.10	25.7	0.34	1.40	6.4	153	3.5
T39868		164.0	0.006	0.09	0.29	5	7.1	141.0	0.13	0.08	20.6	0.37	1.27	5.0	131	2.3
T39869		193.0	0.005	0.11	0.53	6	7.7	126.0	1.04	0.10	24.0	0.45	1.46	7.6	165	2.9
T39870		156.5	0.003	0.11	0.44	4	7.9	154.5	0.64	0.11	15.7	0.54	1.24	4.5	214	2.6
T39871		160.0	0.003	0.14	0.16	4	5.2	212	0.34	0.11	11.6	0.62	1.14	4.0	207	3.9

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 4 - C

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.01	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
T39872		82.4	0.002	0.07	0.16	3	3.8	161.5	0.63	0.07	7.3	0.56	0.67	2.3	216	1.2
T39873		76.0	0.002	0.03	0.10	1	2.2	100.0	0.27	<0.05	3.3	0.37	0.71	1.3	187	0.5
T39874		41.1	0.002	0.02	0.13	2	1.6	150.0	0.22	0.14	2.2	0.51	0.29	0.9	227	0.9
T39875		146.5	0.002	0.16	0.20	4	4.2	151.5	0.76	0.16	14.5	0.52	1.08	4.5	223	2.7
T39876		132.5	0.002	0.12	0.12	3	3.8	164.5	0.48	0.10	11.8	0.57	0.98	3.7	227	1.7
T39877		126.5	<0.002	0.11	0.14	4	4.7	156.5	0.21	0.11	14.1	0.55	0.92	4.4	185	2.1
T39878		141.0	0.003	0.07	0.09	3	4.0	182.5	0.76	0.11	9.8	0.61	0.99	3.2	218	2.2
T39879		153.5	0.002	0.20	0.30	4	6.0	123.5	0.83	0.13	17.6	0.47	1.26	5.3	197	2.3
T39880		155.0	0.002	0.13	0.18	3	4.6	162.0	0.38	0.08	16.4	0.56	0.98	4.5	184	1.1
T39881		154.5	0.002	0.15	0.21	4	4.9	129.0	0.46	0.14	18.4	0.49	1.02	6.3	183	13.8
T39882		136.5	0.003	0.28	0.30	6	4.7	132.0	0.92	0.17	16.4	0.56	0.99	4.8	214	4.8
T39883		137.5	0.003	0.14	0.16	4	4.6	162.5	0.85	0.14	13.6	0.53	0.99	4.3	213	15.9
T39884		95.4	<0.002	0.04	0.22	2	2.3	91.7	<0.05	<0.05	3.3	0.61	0.70	0.8	246	0.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
T39785		37.6	347	5.0
T39786		33.0	653	78.4
T39787		140.0	1520	23.9
T39788		53.1	559	11.9
T39789		41.3	871	63.8
T39790		45.2	700	9.4
T39791		48.6	857	10.6
T39792		71.3	725	70.0
T39793		77.3	627	115.5
T39794		62.8	509	109.5
T39795		51.0	563	11.0
T39796		37.1	237	41.5
T39797		52.1	616	11.4
T39798		49.9	723	77.0
T39799		40.0	461	69.5
T39800		42.6	1410	30.1
T39801		54.4	1025	69.4
T39802		36.8	420	69.0
T39803		38.9	627	33.6
T39804		65.7	276	73.8
T39805		57.5	336	56.9
T39806		54.4	770	34.0
T39807		41.2	429	35.8
T39808		41.1	675	36.2
T39809		36.6	623	70.1
T39810		27.2	136	29.9
T39811		31.8	163	32.8
T39812		23.0	130	11.0
T39813		28.5	127	36.7
T39814		22.4	110	30.3
T39815		28.3	128	30.5
T39816		29.6	119	27.3
T39817		37.7	176	45.3
T39818		34.7	151	34.1
T39819		27.3	131	34.0
T39820		33.3	145	9.1
T39821		29.1	124	11.2
T39822		37.4	127	56.8
T39823		29.8	179	32.7
T39824		38.9	171	49.6

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
T39825		30.8	134	12.2
T39826		30.9	169	19.1
T39827		22.5	70	4.7
T39828		24.7	96	21.0
T39829		21.7	115	39.8
T39830		21.4	143	34.2
T39831		22.4	88	15.1
T39839		36.6	448	24.8
T39840		42.1	287	50.2
T39841		24.5	118	27.7
T39842		27.9	99	31.6
T39843		23.9	100	26.7
T39844		25.1	80	15.4
T39845		29.4	103	9.7
T39846		24.7	89	11.6
T39847		27.4	140	16.1
T39848		26.7	99	23.3
T39849		33.2	123	16.1
T39850		18.0	134	22.3
T39851		37.8	151	50.2
T39852		40.9	146	60.7
T39853		35.5	119	53.2
T39854		44.4	237	93.4
T39855		31.8	150	62.7
T39856		43.9	160	45.5
T39857		27.2	89	14.6
T39858		40.1	174	33.2
T39859		28.0	142	24.2
T39860		37.0	197	2.5
T39861		36.0	320	47.1
T39862		48.2	552	73.2
T39863		41.2	327	54.1
T39864		38.1	254	43.5
T39865		47.9	499	33.8
T39866		52.9	601	75.8
T39867		51.0	429	113.0
T39868		50.2	303	7.9
T39869		66.4	712	82.1
T39870		47.5	360	67.9
T39871		41.4	265	42.5

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED Total # of pages : 4 (A - D)

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Date : 12-Sep-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS VA03034435

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
T39872		32.9	182	25.2
T39873		21.1	184	14.8
T39874		24.9	124	7.6
T39875		40.9	380	49.5
T39876		37.4	316	42.1
T39877		44.0	409	7.0
T39878		38.9	215	48.5
T39879		44.8	628	57.4
T39880		41.6	375	47.5
T39881		42.7	334	26.7
T39882		41.7	819	46.1
T39883		38.5	338	56.5
T39884		30.9	93	5.3

Comments: REE's may not be totally soluble in MS61 method.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page # : 1

Date : 27-Nov-2003

Account: FFP

CERTIFICATE VA03048947

Project : Rusty

P.O. No:

This report is for 93 PULP samples submitted to our lab in Vancouver, BC, Canada on 20-Nov-2003.

The following have access to data associated with this certificate:

AL ARCHER
JOAN MARIACHER

ROB CARNE
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **FFP**
C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: FFP

C/O ARCHER CATHRO & ASSOCIATES (1981) LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page #: 2 - A

Total # of pages : 2 (A)

Date : 27-Nov-2003

Account: FFP

Project : Rusty

CERTIFICATE OF ANALYSIS

VA03048947

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
T39785		0.016
T39786		0.015
T39787		0.003
T39789		0.014
T39790		0.020
T39791		0.002
T39792		0.004
T39796		<0.001
T39800		<0.001
T39801		0.001
T39808		0.003
T39814		<0.001
T39816		0.002
T39840		0.007
T39862		0.012
T39875		0.002



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE VA10083880

Project: RUSTY

P.O. No.:

This report is for 66 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-JUN-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86001		0.24	0.4	1.08	13	<10	160	1.0	<2	1.28	<0.5	12	16	24	3.69	<10
CC86002		0.24	0.3	1.04	14	<10	100	1.0	<2	0.75	0.5	12	15	27	3.41	<10
CC86003		0.22	0.3	1.19	13	<10	140	1.0	<2	0.98	1.5	12	16	26	3.68	<10
CC86004		0.20	0.3	1.06	7	<10	150	0.9	3	1.20	<0.5	10	14	19	3.34	<10
CC86005		0.18	0.3	1.09	12	<10	150	0.9	<2	1.70	<0.5	12	15	24	3.42	<10
CC86006		0.24	0.5	1.07	16	<10	230	0.9	<2	1.22	0.6	13	16	30	3.89	<10
CC86007		0.28	0.3	1.18	13	<10	180	0.9	<2	0.52	<0.5	13	20	22	3.59	<10
CC86008		0.36	0.3	0.97	15	<10	130	0.9	<2	2.15	<0.5	13	15	39	3.50	<10
CC86009		0.32	0.7	1.11	25	<10	140	1.0	3	1.21	0.6	15	15	26	4.61	<10
CC86010		0.16	0.4	1.39	15	<10	220	0.9	<2	1.24	2.1	11	19	26	4.07	10
CC86011		0.28	0.4	1.24	11	<10	150	0.7	2	0.94	<0.5	10	20	26	3.27	10
CC86012		0.30	0.6	1.00	16	<10	120	0.8	<2	6.12	0.9	12	14	39	3.59	<10
CC86013		0.18	1.0	0.60	21	<10	80	0.5	3	10.9	0.6	6	7	16	2.69	<10
CC86014		0.24	0.3	1.56	13	<10	100	1.3	<2	0.29	1.2	20	22	41	4.05	10
CC86015		0.16	1.1	2.01	7	<10	120	1.2	<2	0.16	1.0	14	24	38	4.41	10
CC86016		0.24	0.6	0.93	13	<10	100	0.7	2	8.6	0.6	8	12	22	2.65	<10
CC86017		0.10	0.3	1.14	9	<10	230	0.8	2	2.40	1.6	10	14	31	2.77	<10
CC86018		0.20	0.4	1.50	19	<10	160	1.1	<2	1.34	1.8	13	18	30	4.37	10
CC86019		0.18	1.1	1.24	18	<10	100	0.9	<2	3.50	1.8	9	17	29	3.87	<10
CC86032		0.10	1.3	1.31	30	<10	130	1.1	<2	3.27	2.9	11	16	27	4.02	<10
CC86033		0.10	22.6	0.85	260	<10	80	0.6	<2	6.6	85.5	7	9	54	5.26	<10
CC86034		0.22	1.0	1.13	25	<10	90	1.1	2	1.95	1.7	13	14	34	4.51	10
CC86043		0.22	1.7	0.82	38	<10	90	0.7	2	8.8	2.0	8	10	19	2.63	<10
CC86044		0.20	1.5	0.75	41	<10	90	0.7	<2	8.9	1.4	8	10	21	2.85	<10
CC86045		0.30	2.5	0.41	42	<10	50	1.0	<2	10.8	4.3	7	6	30	2.69	<10
CC86046		0.24	1.0	0.50	28	<10	50	0.5	3	13.1	0.7	6	8	16	1.99	<10
CC86047		0.26	1.4	0.67	23	<10	70	0.7	<2	11.4	1.2	7	10	16	2.48	<10
CC86048		0.32	1.3	0.57	19	<10	60	0.5	<2	11.3	1.3	6	8	17	2.18	<10
CC86049		0.18	0.6	0.51	10	<10	60	<0.5	<2	11.9	0.9	5	9	11	1.66	<10
CC86050		0.14	1.0	1.28	19	<10	130	0.9	3	4.80	1.5	9	16	18	3.46	10
CC86051		0.20	0.5	0.39	12	<10	40	<0.5	<2	15.3	0.6	4	5	8	1.46	<10
CC86052		0.10	1.2	1.06	28	<10	100	0.9	2	4.55	1.3	10	15	22	3.67	<10
CC86053		0.08	2.1	1.07	21	<10	140	1.0	<2	1.62	2.4	10	16	25	3.71	<10
CC86054		0.20	0.6	0.76	23	<10	80	1.2	2	4.06	0.6	11	12	31	3.90	<10
CC86055		0.16	1.0	0.77	26	<10	100	1.2	2	3.77	0.9	11	12	33	3.82	<10
CC86056		0.06	0.4	1.19	9	<10	200	0.8	<2	1.34	<0.5	9	17	21	2.97	<10
CC86057		0.12	0.6	0.84	14	<10	120	1.0	<2	1.73	0.6	10	11	24	2.93	<10
CC86058		0.16	0.7	0.55	11	<10	90	0.6	<2	9.1	0.8	8	7	17	2.64	<10
CC86059		0.16	0.4	1.42	13	<10	190	0.8	<2	0.46	<0.5	5	19	14	2.99	10
CC86060		0.14	0.7	1.24	17	<10	130	1.4	<2	0.98	1.1	11	17	22	4.42	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC86001		<1	0.06	10	0.52	978	1	0.01	20	810	28	0.06	<2	3	24
CC86002		<1	0.07	10	0.37	749	<1	0.01	23	690	27	0.05	<2	3	18
CC86003		<1	0.11	10	0.44	877	<1	0.01	22	670	28	0.05	<2	4	21
CC86004		<1	0.07	10	0.37	733	<1	0.01	16	800	25	0.08	<2	3	24
CC86005		<1	0.10	10	0.75	1085	1	0.01	21	740	26	0.08	<2	3	28
CC86006		<1	0.08	10	0.73	1005	1	0.01	25	590	27	0.03	<2	4	20
CC86007		<1	0.05	10	0.45	862	1	<0.01	24	510	26	0.01	<2	4	19
CC86008		<1	0.06	10	1.35	780	<1	0.01	24	700	29	<0.01	<2	5	25
CC86009		<1	0.07	10	0.81	913	1	<0.01	29	370	68	0.01	<2	5	11
CC86010		<1	0.06	10	0.46	1740	1	0.01	21	1180	68	0.07	<2	3	19
CC86011		<1	0.05	10	0.51	681	1	<0.01	26	600	31	0.04	<2	3	17
CC86012		<1	0.08	10	3.56	1435	1	0.01	25	550	52	0.03	<2	4	41
CC86013		<1	0.06	<10	6.85	2090	<1	0.01	12	780	40	0.05	3	1	29
CC86014		<1	0.07	10	0.47	1385	1	<0.01	17	510	81	0.01	<2	4	12
CC86015		<1	0.12	10	0.46	1955	<1	<0.01	19	540	122	0.01	<2	3	9
CC86016		<1	0.05	10	5.32	1295	<1	0.01	13	840	40	0.04	<2	2	27
CC86017		1	0.05	10	0.47	1190	1	0.01	18	1120	28	0.09	<2	2	24
CC86018		<1	0.07	10	0.73	1515	1	<0.01	22	570	56	0.03	2	5	17
CC86019		<1	0.07	10	2.14	932	1	0.01	20	590	114	0.04	<2	4	19
CC86032		<1	0.09	10	1.56	2230	<1	0.01	21	1180	111	0.07	2	3	17
CC86033		1	0.04	<10	3.86	11250	1	0.01	11	1010	4820	0.09	76	2	22
CC86034		1	0.08	10	1.31	1040	1	<0.01	22	370	135	0.01	<2	6	12
CC86043		<1	0.06	10	5.75	1910	<1	0.01	16	430	264	0.02	11	3	17
CC86044		<1	0.07	10	5.72	1025	1	0.01	16	550	136	0.03	5	3	20
CC86045		<1	0.05	10	6.81	1220	1	0.02	16	380	359	0.06	14	3	38
CC86046		1	0.05	<10	8.51	680	<1	0.02	9	700	95	0.03	5	2	23
CC86047		<1	0.06	<10	7.37	927	<1	0.02	13	660	143	0.03	4	3	26
CC86048		<1	0.06	<10	7.38	970	<1	0.02	12	650	188	0.01	9	2	27
CC86049		<1	0.04	10	7.80	757	<1	0.02	9	540	112	0.01	3	2	27
CC86050		1	0.08	10	2.99	1150	1	0.01	18	570	120	0.05	2	3	13
CC86051		<1	0.03	<10	10.10	906	<1	0.02	5	720	65	0.03	3	1	21
CC86052		<1	0.06	10	2.67	1305	1	0.01	20	960	174	0.06	5	2	14
CC86053		<1	0.06	10	0.54	1775	1	0.01	20	1060	414	0.11	11	2	14
CC86054		<1	0.07	10	2.15	462	1	<0.01	22	860	70	0.03	4	4	17
CC86055		<1	0.07	10	1.92	603	1	0.01	23	940	145	0.05	10	4	17
CC86056		<1	0.07	10	0.52	547	<1	0.01	15	1010	50	0.09	<2	3	24
CC86057		<1	0.07	10	0.34	791	1	0.01	16	970	74	0.11	<2	2	22
CC86058		<1	0.05	<10	5.66	1390	<1	0.01	11	520	72	0.03	<2	2	18
CC86059		<1	0.06	10	0.35	322	<1	0.01	15	490	50	0.01	<2	4	12
CC86060		<1	0.08	10	0.44	1065	1	0.01	19	650	118	0.04	4	5	11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
CC86001		0.01	<10	<10	29	<10	116	
CC86002		0.01	<10	<10	26	<10	154	
CC86003		0.01	<10	<10	25	<10	770	
CC86004		0.01	<10	<10	23	<10	205	
CC86005		0.01	<10	<10	23	<10	195	
CC86006		0.01	<10	<10	27	<10	189	
CC86007		0.02	<10	<10	35	<10	90	
CC86008		0.02	<10	<10	26	<10	116	
CC86009		0.01	<10	<10	28	<10	223	
CC86010		0.01	<10	<10	36	<10	533	
CC86011		0.02	<10	<10	36	<10	126	
CC86012		0.01	<10	<10	25	<10	201	
CC86013		0.01	<10	<10	14	<10	152	
CC86014		0.01	<10	<10	36	<10	579	
CC86015		0.01	<10	<10	43	<10	292	
CC86016		0.01	<10	<10	22	<10	159	
CC86017		0.01	<10	<10	27	<10	168	
CC86018		0.01	<10	<10	36	<10	416	
CC86019		0.01	<10	<10	29	<10	1025	
CC86032		0.01	<10	<10	29	<10	831	
CC86033		0.01	<10	<10	19	<10	>10000	1.880
CC86034		<0.01	<10	<10	24	<10	470	
CC86043		0.01	<10	<10	19	<10	533	
CC86044		0.01	<10	<10	22	<10	407	
CC86045		0.01	<10	<10	14	<10	1170	
CC86046		0.01	<10	<10	16	<10	232	
CC86047		0.01	<10	<10	21	<10	381	
CC86048		0.01	<10	<10	18	<10	331	
CC86049		0.02	<10	<10	20	<10	213	
CC86050		0.01	<10	<10	34	<10	364	
CC86051		0.01	<10	<10	11	<10	238	
CC86052		0.01	<10	<10	31	<10	437	
CC86053		0.01	<10	<10	31	<10	743	
CC86054		0.01	<10	<10	24	<10	197	
CC86055		0.01	<10	<10	25	<10	347	
CC86056		0.01	<10	<10	30	<10	177	
CC86057		0.01	<10	<10	21	<10	161	
CC86058		0.01	<10	<10	14	<10	183	
CC86059		0.01	<10	<10	40	<10	132	
CC86060		0.01	<10	<10	37	<10	222	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC86061		0.20	0.3	1.24	11	<10	200	0.8	<2	0.80	1.0	10	18	18	3.47	10
CC86062		0.12	0.6	1.51	15	<10	210	0.8	<2	2.23	0.7	9	24	14	3.36	<10
CC86063		0.14	0.8	1.11	24	<10	110	0.9	<2	5.08	0.7	8	17	21	3.19	<10
CC86064		0.14	1.3	1.17	25	<10	110	1.0	<2	3.59	1.3	8	17	21	3.22	<10
CC86065		0.12	1.0	1.21	22	<10	110	1.1	<2	4.25	1.3	10	16	26	3.53	10
CC86066		0.10	0.7	1.03	17	<10	110	1.0	<2	8.2	1.4	8	12	18	2.67	<10
CC86067		0.10	0.6	1.03	16	<10	100	0.7	4	7.6	0.8	8	14	17	2.35	<10
CC86068		0.16	0.4	1.81	23	<10	140	0.9	3	1.87	0.9	8	25	13	3.72	<10
CC86069		0.16	0.7	0.83	23	<10	90	0.6	4	8.5	0.8	7	12	14	2.58	<10
CC86070		0.10	0.5	1.01	17	<10	100	0.5	2	8.9	0.7	7	14	13	2.71	<10
CC86071		0.10	0.8	1.32	21	<10	220	0.8	<2	2.39	1.1	9	19	20	3.13	10
CC86072		0.08	0.4	0.71	14	<10	120	<0.5	3	12.2	1.9	6	7	10	2.41	<10
CC86078		0.10	0.3	0.64	12	<10	120	1.0	<2	1.67	<0.5	10	8	27	2.90	<10
CC86079		0.08	0.9	0.61	20	<10	90	1.3	<2	1.44	<0.5	14	8	33	3.05	<10
CC86080		0.12	0.5	1.15	10	<10	240	1.0	<2	0.79	0.6	11	17	23	3.35	<10
CC86081		0.08	0.7	1.13	15	<10	310	1.2	4	0.53	<0.5	11	16	21	3.43	<10
CC86105		0.08	0.5	2.35	21	<10	270	1.1	<2	1.60	9.7	11	28	15	4.93	<10
CC86444		0.16	0.3	1.17	17	<10	80	0.9	<2	5.92	1.7	12	13	21	3.94	<10
CC86445		0.22	0.8	0.79	25	<10	70	0.8	<2	5.95	2.7	10	10	22	3.81	<10
CC86446		0.10	0.3	1.41	17	<10	180	1.2	<2	1.17	0.5	12	17	33	4.01	<10
CC86447		0.32	0.2	1.10	18	<10	120	0.9	<2	5.15	0.5	14	14	36	3.36	<10
CC86448		0.18	0.5	1.34	17	<10	160	1.1	3	2.11	1.0	12	16	34	3.98	<10
CC86449		0.26	0.3	0.80	25	<10	90	0.7	<2	10.2	1.9	8	9	21	3.18	<10
CC86450		0.30	0.8	1.18	19	<10	120	1.0	2	9.5	1.2	14	12	50	3.24	<10
CC86451		0.22	0.6	1.57	24	<10	140	1.3	<2	1.95	0.5	16	17	41	4.63	<10
CC86452		0.32	0.7	1.21	17	<10	100	1.1	2	2.77	0.9	16	14	39	3.98	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC86061		<1	0.06	10	0.37	966	1	<0.01	17	500	96	0.02	<2	3	10
CC86062		<1	0.06	10	1.46	1035	<1	0.01	20	670	79	0.03	<2	3	14
CC86063		<1	0.07	10	3.14	804	1	0.01	18	710	77	0.02	5	3	18
CC86064		<1	0.09	10	2.06	554	<1	0.01	18	880	168	0.06	4	3	15
CC86065		1	0.08	10	2.35	861	1	0.01	18	1010	89	0.06	6	3	16
CC86066		<1	0.11	<10	5.07	1065	1	0.01	15	1140	94	0.10	<2	2	18
CC86067		<1	0.06	10	4.85	911	1	0.01	19	890	78	0.05	3	2	20
CC86068		<1	0.05	10	1.25	945	1	<0.01	18	540	72	0.03	4	4	13
CC86069		1	0.05	10	5.42	1100	<1	0.01	13	760	105	0.03	9	3	25
CC86070		<1	0.04	10	5.79	1630	<1	0.02	11	590	94	0.06	15	2	26
CC86071		<1	0.05	10	0.81	1255	1	0.01	17	1180	81	0.11	8	2	18
CC86072		<1	0.03	<10	7.73	1955	<1	0.02	8	980	107	0.07	8	1	25
CC86078		<1	0.06	10	0.35	650	1	<0.01	16	830	21	0.10	<2	3	27
CC86079		<1	0.07	<10	0.31	594	1	0.01	27	710	54	0.11	4	4	34
CC86080		<1	0.07	10	0.35	847	1	0.01	18	830	36	0.08	<2	4	20
CC86081		<1	0.08	10	0.30	734	1	<0.01	17	750	41	0.05	<2	5	20
CC86105		<1	0.06	10	1.00	3070	1	0.01	19	470	119	0.04	3	5	11
CC86444		<1	0.05	10	3.76	1670	1	0.01	16	330	56	0.02	3	4	14
CC86445		1	0.05	10	3.59	2230	1	0.01	16	570	76	0.06	2	4	25
CC86446		<1	0.11	10	0.45	955	1	0.01	23	580	39	0.05	3	4	27
CC86447		1	0.12	10	2.51	954	1	0.01	25	540	29	0.02	<2	5	57
CC86448		1	0.09	10	0.95	1500	1	0.01	22	710	47	0.06	<2	4	22
CC86449		1	0.07	<10	6.50	2270	1	0.01	15	620	63	0.04	3	3	31
CC86450		<1	0.17	10	2.29	1040	1	0.01	25	420	67	0.02	6	5	162
CC86451		<1	0.19	10	1.14	1225	1	<0.01	30	310	51	0.02	<2	7	32
CC86452		<1	0.11	10	1.73	1130	1	0.01	29	440	104	0.02	<2	5	24



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083880

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Ti	Ti	U	V	W	Zn	Zn
		%	ppm	ppm	ppm	ppm	ppm	%
		0.01	10	10	1	10	2	0.001
CC86061		0.01	<10	<10	40	<10	173	
CC86062		0.02	<10	<10	44	<10	190	
CC86063		0.02	<10	<10	32	<10	195	
CC86064		0.01	<10	<10	33	<10	275	
CC86065		0.01	<10	<10	33	<10	268	
CC86066		0.01	<10	<10	24	<10	297	
CC86067		0.02	<10	<10	26	<10	168	
CC86068		0.02	<10	<10	49	<10	176	
CC86069		0.01	<10	<10	24	<10	197	
CC86070		0.02	<10	<10	27	<10	197	
CC86071		0.02	<10	<10	34	<10	229	
CC86072		0.01	<10	<10	19	<10	339	
CC86078		0.01	<10	<10	16	<10	118	
CC86079		<0.01	<10	<10	16	<10	131	
CC86080		0.01	<10	<10	30	<10	146	
CC86081		0.01	<10	<10	29	<10	145	
CC86105		0.03	<10	<10	63	<10	1285	
CC86444		0.01	<10	<10	27	<10	388	
CC86445		0.01	<10	<10	20	<10	1065	
CC86446		0.01	<10	<10	28	<10	153	
CC86447		0.01	<10	<10	24	<10	143	
CC86448		0.01	<10	<10	28	<10	183	
CC86449		<0.01	<10	<10	17	<10	377	
CC86450		<0.01	<10	<10	20	<10	368	
CC86451		<0.01	<10	<10	29	<10	171	
CC86452		<0.01	<10	<10	24	<10	258	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE VA10083881

Project: RUSTY

P.O. No.:

This report is for 8 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-JUN-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Pb-VOL70	Pb by Titration	
Zn-VOL50	Zn by titration	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083881

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
G286106		0.60	0.005	48.7	0.11	176	<10	60	<0.5	<2	5.82	>1000	2	1	283
G286107		0.76	0.015	89.6	0.12	3150	<10	30	<0.5	2	0.71	>1000	<1	1	529
G286108		1.82	0.014	40.7	0.10	879	<10	20	<0.5	2	6.29	>1000	<1	<1	278
G286109		1.58	0.023	>100	0.04	352	<10	10	<0.5	<2	0.11	897	<1	<1	>10000
G286110		1.38	0.002	26.5	0.04	262	<10	10	<0.5	<2	15.1	271	1	<1	91
G286111		1.36	<0.001	1.5	0.04	49	<10	<10	<0.5	<2	17.9	7.7	1	<1	8
G286112		0.88	0.009	75.2	0.08	144	<10	10	<0.5	2	3.00	>1000	2	<1	253
G286113		0.64	0.004	5.1	0.04	146	<10	10	<0.5	2	15.2	223	2	<1	40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083881

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
G286106		<10	29	0.03	<10	2.63	13350	<1	0.03	<1	680	5790	0.80	163	<1	11
G286107		<10	28	0.04	<10	0.38	11550	<1	0.03	<1	420	7950	0.38	373	<1	4
G286108		<10	22	0.02	<10	3.02	24300	<1	0.03	<1	350	3410	2.46	415	<1	15
G286109		<10	21	0.01	<10	0.07	796	<1	0.01	<1	20	>10000	8.7	>10000	<1	12
G286110		<10	7	0.01	<10	8.14	10100	<1	0.03	<1	250	8100	0.9	141	<1	26
G286111		<10	<1	0.01	<10	12.15	888	<1	0.03	<1	230	214	<0.01	43	<1	27
G286112		<10	86	0.02	<10	1.71	5820	<1	0.02	1	220	1275	0.48	185	<1	6
G286113		<10	10	<0.01	<10	8.37	7690	<1	0.03	<1	260	73	3.51	27	<1	30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10083881

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46	Ag-GRA21	Pb-VOL70	Zn-VOL50
		Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn	Ag	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.001	5	0.01	0.01
G286106		<20	<0.01	<10	<10	5	10	>10000				27.7			
G286107		<20	<0.01	<10	<10	4	10	>10000				29.1			
G286108		<20	<0.01	<10	10	4	30	>10000				20.1			
G286109		<20	<0.01	<10	10	1	20	>10000	>1500	1.325	>20.0	7.38	3430	64.34	
G286110		<20	<0.01	<10	<10	5	<10	>10000				7.10			
G286111		<20	<0.01	<10	<10	3	<10	1880							
G286112		<20	<0.01	<10	<10	3	10	>10000				>30.0			39.59
G286113		<20	<0.01	<10	<10	1	10	>10000				5.05			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE VA10087267

Project: RUSTY

P.O. No.:

This report is for 35 Soil samples submitted to our lab in Vancouver, BC, Canada on 29-JUN-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



Project: RUSTY

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg 0.02	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01	ppm 10
CC86102		0.24	0.3	1.33	22	<10	100	0.6	<2	9.2	0.9	6	17	8	3.19	<10
CC86129		0.20	<0.2	0.66	18	<10	110	1.4	<2	0.53	<0.5	15	11	35	4.32	<10
CC86130		0.22	0.3	1.21	14	<10	180	0.9	<2	2.16	0.5	9	17	31	3.20	<10
CC86131		0.32	0.5	1.06	19	<10	130	0.9	<2	2.54	<0.5	10	15	34	3.32	<10
CC86132		0.18	0.6	1.09	14	<10	130	0.9	<2	2.62	<0.5	7	13	14	3.23	<10
CC86133		0.22	0.5	1.02	16	<10	150	0.9	<2	0.89	0.5	9	15	18	3.36	<10
CC86134		0.34	1.1	0.72	22	<10	90	0.9	<2	8.5	0.6	6	10	20	2.80	<10
CC86135		0.12	0.7	1.08	19	<10	140	1.0	<2	2.08	1.0	10	14	19	3.91	<10
CC86136		0.12	2.2	0.90	25	<10	130	0.8	<2	5.96	2.1	8	14	27	3.00	<10
CC86137		0.22	2.2	0.72	17	<10	80	0.6	<2	10.4	1.5	5	11	16	2.55	<10
CC86138		0.22	4.9	0.72	39	<10	70	0.8	<2	9.3	2.4	6	10	21	3.28	<10
CC86139		0.14	1.0	1.15	17	<10	180	1.1	<2	1.80	1.0	9	17	19	3.92	<10
CC86140		0.14	0.6	1.34	18	<10	180	0.9	<2	1.67	0.6	7	17	15	3.04	<10
CC86141		0.20	2.0	1.20	19	<10	140	0.7	<2	5.47	1.0	6	20	15	2.88	<10
CC86142		0.26	0.3	1.75	14	<10	200	0.7	<2	0.59	<0.5	7	22	11	3.17	<10
CC86143		0.24	1.3	0.96	34	<10	110	0.8	<2	6.7	1.7	6	12	12	5.25	<10
CC86144		0.22	0.3	1.52	13	<10	330	0.9	<2	0.57	<0.5	7	21	15	3.07	<10
CC86145		0.28	0.5	1.52	19	<10	170	0.9	<2	0.79	0.6	9	23	17	3.58	<10
CC86146		0.20	0.3	1.06	20	<10	120	0.9	<2	1.52	<0.5	11	16	29	3.65	<10
CC86147		0.20	0.3	1.09	21	<10	130	1.1	<2	2.01	1.0	13	15	37	4.19	<10
CC86148		0.26	0.3	0.86	27	<10	110	1.5	<2	0.61	0.7	16	12	25	4.62	<10
CC86149		0.14	0.3	0.99	23	<10	100	0.9	<2	2.37	0.7	13	14	25	6.20	<10
CC86150		0.22	0.2	0.86	16	<10	140	0.9	<2	6.13	1.4	10	11	18	4.50	<10
CC86151		0.18	0.3	1.45	26	<10	150	1.4	<2	1.49	0.9	13	18	23	5.21	<10
CC86152		0.18	0.6	0.81	30	<10	90	1.2	<2	4.37	0.7	11	17	28	3.85	<10
CC86153		0.22	0.5	1.09	24	<10	140	1.1	<2	2.20	0.7	12	15	25	3.81	<10
CC86154		0.14	0.4	1.01	17	<10	80	0.9	<2	3.33	0.7	10	15	27	3.59	<10
CC86155		0.20	0.3	1.27	18	<10	140	1.1	<2	0.64	<0.5	11	19	23	4.17	<10
CC86156		0.18	0.4	1.18	20	<10	140	0.8	<2	5.76	1.2	8	15	18	4.29	<10
CC86157		0.30	0.7	1.05	27	<10	140	1.1	<2	4.52	0.6	11	14	28	3.89	<10
CC86158		0.26	0.2	1.65	17	<10	270	0.8	<2	0.53	<0.5	11	28	22	3.46	<10
CC86159		0.20	0.2	1.65	13	<10	200	0.7	<2	0.57	<0.5	7	25	12	3.27	<10
CC86160		0.22	0.3	2.07	23	<10	130	1.0	<2	3.12	1.0	8	25	12	4.35	<10
CC86161		0.22	0.2	0.43	8	<10	50	<0.5	<2	15.6	<0.5	3	5	7	1.70	<10
CC86162		0.20	0.3	0.53	12	<10	50	0.9	<2	10.2	<0.5	12	8	31	2.66	<10

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10087267

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC86102		<1	0.03	10	5.54	2390	1	0.02	13	680	38	0.06	3	2	20	<20
CC86129		<1	0.08	10	0.23	946	2	0.01	25	600	39	0.04	2	5	18	<20
CC86130		1	0.06	10	0.62	818	1	0.02	19	1360	26	0.15	2	2	32	<20
CC86131		<1	0.09	10	1.51	648	1	0.02	23	720	48	0.05	4	4	19	<20
CC86132		<1	0.05	10	1.60	955	1	0.01	14	510	85	0.03	3	4	12	<20
CC86133		1	0.07	10	0.51	874	1	0.01	17	620	79	0.05	4	3	11	<20
CC86134		<1	0.08	10	5.04	1035	1	0.02	17	1030	77	0.06	6	3	18	<20
CC86135		<1	0.07	10	1.04	1685	1	0.01	18	730	144	0.07	9	4	11	<20
CC86136		<1	0.08	10	3.59	1090	2	0.02	23	1110	372	0.06	15	3	24	<20
CC86137		1	0.05	10	6.23	1370	1	0.02	14	750	579	0.06	13	2	28	<20
CC86138		1	0.05	10	5.37	1430	2	0.02	18	1030	1010	0.11	34	2	26	<20
CC86139		<1	0.08	10	1.01	1265	1	0.02	19	950	207	0.07	7	4	15	<20
CC86140		1	0.05	10	1.01	861	1	0.02	17	770	88	0.05	7	3	14	<20
CC86141		1	0.05	10	3.48	1530	1	0.02	16	770	477	0.05	16	3	17	<20
CC86142		<1	0.04	10	0.52	747	1	0.01	15	470	98	0.02	5	3	10	<20
CC86143		<1	0.05	10	4.05	1765	2	0.02	17	330	215	0.03	5	4	11	<20
CC86144		<1	0.05	10	0.41	729	1	0.01	16	1070	43	0.05	2	3	13	<20
CC86145		<1	0.06	10	0.65	830	1	0.01	21	620	80	0.03	3	4	11	<20
CC86146		<1	0.06	10	0.97	894	1	0.02	22	620	56	0.04	3	5	15	<20
CC86147		1	0.09	10	1.05	1105	2	0.01	25	930	60	0.08	3	5	19	<20
CC86148		<1	0.08	10	0.23	1285	1	0.01	21	630	70	0.05	5	5	7	<20
CC86149		<1	0.08	10	0.92	1585	1	0.02	23	1210	70	0.12	7	3	9	<20
CC86150		1	0.05	10	3.58	1675	1	0.02	16	440	115	0.04	3	4	19	<20
CC86151		<1	0.09	10	0.74	2240	2	0.01	25	940	73	0.09	4	5	9	<20
CC86152		<1	0.12	10	2.49	1470	2	0.02	26	850	72	0.09	6	5	12	<20
CC86153		<1	0.07	10	1.07	1275	1	0.01	22	910	50	0.07	4	4	12	<20
CC86154		<1	0.08	10	1.77	782	1	0.02	21	900	42	0.12	4	4	20	<20
CC86155		<1	0.07	10	0.41	1105	2	0.01	21	570	46	0.05	4	5	10	<20
CC86156		1	0.06	10	3.57	2060	1	0.02	16	1340	48	0.12	4	2	15	<20
CC86157		<1	0.09	10	2.94	1235	1	0.02	21	490	78	0.04	16	5	17	<20
CC86158		<1	0.07	20	0.70	861	1	0.02	29	360	27	0.02	2	5	14	<20
CC86159		<1	0.06	10	0.48	682	1	0.01	18	1400	25	0.08	2	2	11	<20
CC86160		<1	0.05	20	2.08	1095	1	0.02	20	420	35	0.04	3	5	11	<20
CC86161		<1	0.02	<10	9.39	1205	1	0.03	6	440	17	0.04	2	1	25	<20
CC86162		<1	0.08	<10	6.26	605	2	0.01	20	380	41	0.03	6	4	33	<20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 7-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10087267

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC86102		0.02	<10	<10	38	<10	470
CC86129		0.01	<10	<10	20	<10	190
CC86130		0.01	<10	<10	29	<10	136
CC86131		0.01	<10	<10	28	<10	149
CC86132		0.01	<10	<10	28	<10	135
CC86133		0.01	<10	<10	30	<10	166
CC86134		0.01	<10	<10	22	<10	225
CC86135		0.01	<10	<10	29	<10	250
CC86136		0.02	<10	<10	29	<10	801
CC86137		0.01	<10	<10	21	<10	507
CC86138		0.01	<10	<10	23	<10	974
CC86139		0.01	<10	<10	33	<10	302
CC86140		0.01	<10	<10	36	<10	196
CC86141		0.02	<10	<10	34	<10	394
CC86142		0.02	<10	<10	49	<10	168
CC86143		0.01	<10	<10	27	<10	802
CC86144		0.01	<10	<10	40	<10	112
CC86145		0.02	<10	<10	43	<10	207
CC86146		0.01	<10	<10	28	<10	140
CC86147		0.01	<10	<10	27	<10	470
CC86148		0.01	<10	<10	26	<10	216
CC86149		0.01	<10	<10	28	<10	293
CC86150		0.01	<10	<10	24	<10	423
CC86151		0.01	<10	<10	39	<10	303
CC86152		0.01	<10	<10	26	<10	255
CC86153		0.01	<10	<10	29	<10	198
CC86154		0.01	<10	<10	26	<10	243
CC86155		0.01	<10	<10	32	<10	163
CC86156		0.01	<10	<10	31	<10	347
CC86157		0.01	<10	<10	29	<10	179
CC86158		0.03	<10	<10	48	<10	106
CC86159		0.02	<10	<10	48	<10	105
CC86160		0.02	<10	<10	48	<10	150
CC86161		0.01	<10	<10	14	<10	86
CC86162		<0.01	<10	<10	16	<10	113



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 8-JUL-2010

Account: MTT

CERTIFICATE VA10087268

Project: RUSTY

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 29-JUN-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 8-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10087268

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
G286117		1.74	0.008	>100	0.05	168	<10	20	<0.5	2	10.5	940	1	2	570
G286118		2.82	0.012	>100	0.05	206	<10	10	<0.5	6	4.66	>1000	<1	<1	1855
G286119		2.62	0.009	>100	0.03	155	<10	10	<0.5	3	12.4	424	1	<1	755
G286129		0.46	0.010	12.0	0.03	522	<10	10	<0.5	6	16.1	65.2	3	<1	46
G286130		0.54	0.001	6.6	0.02	50	<10	10	<0.5	7	19.1	29.1	2	1	17
G286131		0.42	0.007	28.0	0.04	23	<10	30	<0.5	4	16.4	358	1	<1	164



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 8-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10087268

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
G286117		<10	19	0.01	<10	5.10	12200	1	0.01	3	90	>10000	0.94	537	<1	14
G286118		<10	45	0.01	<10	2.48	6960	1	<0.01	3	130	>10000	1.89	1580	<1	8
G286119		<10	14	<0.01	<10	6.66	6370	1	0.01	<1	70	>10000	3.70	1520	<1	17
G286129		<10	3	0.01	<10	10.10	2980	1	0.02	8	440	2170	0.29	53	<1	44
G286130		<10	2	<0.01	<10	12.15	2070	<1	0.02	<1	110	2330	<0.01	31	<1	41
G286131		<10	20	<0.01	<10	8.69	8850	<1	0.01	<1	160	354	1.60	107	<1	26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 8-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10087268

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
		Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
G286117		<20	<0.01	<10	<10	1	10	>10000	139	2.56	18.35
G286118		<20	<0.01	<10	<10	1	40	>10000	461	10.45	27.1
G286119		<20	<0.01	<10	<10	1	10	>10000	316	16.65	7.60
G286129		<20	<0.01	<10	<10	2	20	>10000			1.580
G286130		<20	<0.01	<10	<10	1	10	6880			
G286131		<20	<0.01	<10	<10	2	<10	>10000			7.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE VA10093073

Project: RUSTY

P.O. No.:

This report is for 153 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-JUL-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86234		0.20	0.7	2.03	15	<10	90	1.7	<2	0.13	<0.5	19	29	41	4.14	10
CC86235		0.36	1.0	1.83	14	<10	80	1.7	<2	0.21	<0.5	17	25	85	4.22	10
CC86236		0.22	1.0	1.99	18	<10	60	1.7	<2	0.38	<0.5	25	27	76	4.86	10
CC86237		0.28	1.3	1.53	14	<10	60	1.8	<2	0.16	0.7	26	19	73	5.18	10
CC86238		0.28	2.2	1.94	21	<10	120	3.7	<2	0.21	1.5	29	21	174	6.05	10
CC86239		0.24	3.5	1.71	26	<10	100	1.9	<2	0.16	1.8	27	21	156	6.51	10
CC86240		0.14	0.4	1.47	21	<10	90	1.1	<2	0.09	<0.5	16	22	48	4.01	10
CC86241		0.34	0.8	1.59	23	<10	150	1.5	<2	0.45	0.7	25	19	99	4.76	<10
CC86242		0.36	0.5	1.75	28	<10	110	1.2	<2	0.08	<0.5	26	23	192	4.18	<10
CC86243		0.34	6.8	1.05	19	<10	110	0.8	<2	6.05	5.8	14	13	75	3.07	<10
CC86244		0.22	1.4	1.46	23	<10	160	1.2	<2	0.71	0.9	14	19	60	4.21	<10
CC86245		0.30	0.5	1.31	22	<10	140	1.1	<2	0.59	<0.5	14	17	55	4.10	<10
CC86246		0.28	0.8	1.63	23	<10	190	1.3	<2	0.43	0.6	15	23	59	4.26	<10
CC86247		0.26	1.2	1.74	22	<10	110	1.5	<2	0.17	0.6	23	25	106	3.81	<10
CC86248		0.22	0.5	1.42	24	<10	150	1.2	<2	0.65	0.5	15	18	69	4.09	<10
CC86249		0.20	1.3	1.93	23	<10	200	1.2	2	0.27	0.6	30	27	213	4.06	10
CC86250		0.24	0.8	1.34	36	<10	110	1.5	<2	0.35	0.6	25	16	71	4.48	<10
CC86251		0.24	0.4	1.40	21	<10	110	1.3	<2	0.49	0.5	21	17	63	3.94	<10
CC86252		0.30	0.7	1.65	19	<10	120	1.7	<2	0.19	<0.5	19	21	78	4.45	<10
CC86253		0.28	0.5	2.03	23	<10	120	2.0	<2	0.09	<0.5	26	29	86	3.77	10
CC86254		0.20	0.7	1.96	18	<10	170	1.6	<2	0.48	0.5	16	21	41	4.53	<10
CC86255		0.16	<0.2	1.49	8	<10	70	<0.5	<2	0.05	<0.5	8	23	15	4.85	10
CC86256		0.38	0.6	1.67	16	<10	70	1.5	<2	0.21	<0.5	13	20	63	4.27	<10
CC86257		0.20	0.3	1.22	19	<10	110	1.0	<2	0.91	<0.5	12	17	35	3.82	<10
CC86258		0.40	0.3	0.92	18	<10	90	0.7	<2	8.6	0.5	11	10	38	2.77	<10
CC86259		0.30	0.4	1.48	22	<10	190	1.1	<2	1.33	<0.5	15	18	42	3.83	<10
CC86260		0.26	<0.2	1.88	14	<10	180	0.9	<2	0.35	<0.5	10	29	20	3.06	<10
CC86261		0.18	<0.2	2.54	15	<10	100	0.7	<2	0.11	<0.5	12	33	22	2.97	<10
CC86262		0.24	0.3	1.48	14	<10	150	0.9	<2	0.10	1.2	23	26	32	4.52	10
CC86263		0.20	0.4	1.61	16	<10	200	1.3	<2	0.12	3.7	41	27	35	5.92	10
CC86264		0.26	0.8	1.65	13	<10	150	1.5	<2	0.26	1.1	29	22	41	4.57	<10
CC86265		0.32	<0.2	1.60	20	<10	110	1.4	<2	0.05	<0.5	19	20	40	4.29	<10
CC86266		0.38	<0.2	1.72	18	<10	100	1.4	<2	0.12	<0.5	17	23	48	4.42	<10
CC86267		0.24	0.3	1.59	19	<10	120	1.3	<2	0.06	0.5	16	20	41	4.08	<10
CC86268		0.34	0.4	1.51	17	<10	190	1.0	<2	0.43	<0.5	12	23	26	3.48	<10
CC86269		0.28	<0.2	1.87	21	<10	130	1.3	<2	0.19	<0.5	15	28	33	3.44	10
CC86270		0.24	0.4	1.34	18	<10	110	0.8	<2	0.11	0.6	16	21	26	3.86	<10
CC86271		0.26	0.3	1.79	22	<10	110	1.4	<2	0.30	<0.5	18	25	47	4.46	<10
CC86272		0.16	0.4	1.52	16	<10	730	1.3	<2	0.24	0.5	13	19	52	3.68	<10
CC86273		0.12	0.2	1.57	16	<10	100	1.0	<2	0.07	0.5	18	21	31	4.40	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC86234		<1	0.08	10	0.56	2960	<1	0.01	24	750	74	0.06	<2	3	12
CC86235		<1	0.08	20	0.70	2590	<1	0.01	26	900	61	0.05	<2	5	14
CC86236		<1	0.10	20	0.87	5630	<1	0.01	27	1100	92	0.06	<2	5	18
CC86237		<1	0.09	20	0.69	4610	<1	<0.01	29	770	67	0.03	<2	5	11
CC86238		<1	0.11	30	0.71	8890	<1	0.01	29	1250	99	0.04	2	9	14
CC86239		<1	0.09	20	0.44	5440	<1	0.01	29	1390	120	0.06	5	6	10
CC86240		<1	0.07	10	0.33	1840	<1	0.01	17	830	36	0.07	<2	2	8
CC86241		<1	0.11	10	0.58	2220	<1	0.01	28	910	64	0.06	<2	5	12
CC86242		1	0.07	10	0.55	1710	1	0.02	29	680	42	0.04	9	4	6
CC86243		1	0.11	10	3.10	1855	<1	0.03	23	590	348	0.02	24	4	51
CC86244		<1	0.09	10	0.58	1530	1	0.02	26	880	72	0.07	<2	4	13
CC86245		<1	0.06	10	0.47	1720	1	0.02	24	790	52	0.06	<2	3	11
CC86246		1	0.07	10	0.52	1520	1	0.02	26	740	63	0.04	<2	4	12
CC86247		1	0.06	10	0.40	2330	1	0.02	21	780	102	0.05	<2	3	9
CC86248		<1	0.08	10	0.47	1710	1	0.02	25	920	40	0.07	<2	4	15
CC86249		<1	0.05	20	0.48	5450	1	0.02	29	790	36	0.05	<2	5	13
CC86250		1	0.09	10	0.39	3480	1	0.02	27	880	42	0.06	<2	5	11
CC86251		<1	0.08	10	0.46	2080	1	0.02	21	860	31	0.06	<2	4	12
CC86252		<1	0.07	10	0.43	2860	1	0.02	24	790	38	0.05	<2	5	9
CC86253		<1	0.05	10	0.45	2820	1	0.02	20	820	26	0.07	<2	2	9
CC86254		1	0.07	10	0.41	1950	1	0.02	29	750	37	0.05	<2	4	19
CC86255		1	0.05	10	0.14	1120	2	0.02	9	570	11	0.04	<2	1	5
CC86256		<1	0.07	10	0.56	1725	1	0.01	24	630	34	0.04	<2	5	9
CC86257		<1	0.06	10	0.64	1470	1	0.02	25	630	42	0.05	<2	4	13
CC86258		1	0.10	10	3.64	1230	1	0.03	21	490	36	0.03	<2	4	81
CC86259		1	0.09	10	0.76	1440	1	0.02	27	650	39	0.05	<2	4	22
CC86260		1	0.05	20	0.51	485	1	0.02	20	620	19	0.03	<2	4	13
CC86261		1	0.06	10	0.45	504	1	0.02	27	470	17	0.02	<2	4	9
CC86262		1	0.08	10	0.32	4630	1	0.02	22	930	95	0.08	<2	1	9
CC86263		<1	0.09	10	0.22	9830	1	0.02	22	1610	120	0.12	<2	1	10
CC86264		1	0.08	10	0.29	4480	1	0.02	21	1480	148	0.11	<2	1	13
CC86265		<1	0.08	10	0.36	1855	1	0.01	27	590	104	0.03	<2	3	6
CC86266		1	0.08	10	0.45	1710	1	0.02	31	470	88	0.03	<2	4	7
CC86267		<1	0.09	10	0.34	1580	2	0.01	27	620	95	0.04	<2	3	6
CC86268		<1	0.06	10	0.44	1185	1	0.02	24	730	56	0.05	<2	3	14
CC86269		1	0.06	10	0.49	1190	1	0.02	20	680	27	0.04	<2	2	11
CC86270		1	0.08	10	0.31	2290	1	0.02	15	690	33	0.06	<2	2	7
CC86271		<1	0.08	10	0.49	2060	1	0.02	22	1040	52	0.05	<2	2	12
CC86272		<1	0.07	10	0.41	2100	1	0.04	19	1020	189	0.08	<2	3	12
CC86273		1	0.08	10	0.45	2300	1	0.02	22	590	48	0.04	<2	2	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC86234		0.03	<10	<10	47	<10	149
CC86235		0.02	<10	<10	33	<10	176
CC86236		0.01	<10	<10	28	<10	167
CC86237		0.01	<10	<10	21	<10	236
CC86238		0.01	<10	<10	24	<10	387
CC86239		0.01	<10	<10	33	<10	457
CC86240		0.03	<10	<10	42	<10	255
CC86241		0.01	<10	<10	31	<10	230
CC86242		0.01	<10	<10	34	<10	151
CC86243		0.01	<10	<10	20	<10	822
CC86244		0.01	<10	<10	31	<10	277
CC86245		0.01	<10	<10	29	<10	212
CC86246		0.01	<10	<10	37	<10	214
CC86247		0.02	<10	<10	43	<10	234
CC86248		0.01	<10	<10	30	<10	230
CC86249		0.03	<10	<10	47	<10	106
CC86250		0.01	<10	<10	25	<10	155
CC86251		0.01	<10	<10	27	<10	139
CC86252		0.01	<10	<10	35	<10	135
CC86253		0.03	<10	<10	53	<10	79
CC86254		0.01	<10	<10	36	<10	157
CC86255		0.04	<10	<10	71	<10	80
CC86256		0.01	<10	<10	29	<10	187
CC86257		0.01	<10	<10	31	<10	196
CC86258		0.01	<10	<10	18	<10	170
CC86259		0.01	<10	<10	32	<10	165
CC86260		0.03	<10	<10	51	<10	77
CC86261		0.04	<10	<10	46	<10	123
CC86262		0.03	<10	<10	46	<10	276
CC86263		0.02	<10	<10	44	<10	350
CC86264		0.02	<10	<10	36	<10	173
CC86265		0.01	<10	<10	32	<10	210
CC86266		0.01	<10	<10	34	<10	199
CC86267		0.01	<10	<10	36	<10	184
CC86268		0.01	<10	<10	39	<10	150
CC86269		0.02	<10	<10	51	<10	346
CC86270		0.02	<10	<10	42	<10	229
CC86271		0.02	<10	<10	42	<10	225
CC86272		0.01	<10	<10	31	<10	162
CC86273		0.02	<10	<10	35	<10	163



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86274		0.10	0.4	1.81	12	<10	130	1.4	<2	0.13	1.0	20	21	44	4.05	10
CC86275		0.18	0.2	1.59	11	<10	120	1.1	<2	0.22	<0.5	10	23	35	3.14	<10
CC86276		0.34	0.5	1.66	17	<10	120	1.2	<2	0.31	<0.5	14	23	45	3.95	<10
CC86277		0.32	1.0	1.39	41	<10	120	1.6	<2	0.28	0.8	45	18	77	5.37	<10
CC86278		0.18	0.8	1.91	36	<10	140	1.4	<2	0.18	0.9	31	28	69	4.14	<10
CC86279		0.18	0.4	1.76	26	<10	80	1.3	<2	0.15	<0.5	26	26	66	4.10	<10
CC86280		0.18	2.5	1.78	38	<10	170	1.8	<2	0.14	1.1	33	25	67	4.78	<10
CC86281		0.24	2.6	1.82	18	<10	190	1.5	<2	0.17	0.6	23	26	64	3.97	<10
CC86282		0.24	0.6	1.95	20	<10	150	1.6	<2	0.16	<0.5	25	26	80	3.98	<10
CC86283		0.26	1.3	2.24	20	<10	230	2.3	<2	0.48	0.8	27	26	197	4.39	<10
CC86284		0.16	0.2	1.85	19	<10	170	1.1	<2	0.27	1.2	23	25	75	4.54	10
CC86285		0.26	0.7	1.90	20	<10	150	1.2	<2	0.35	0.5	21	25	77	4.23	<10
CC86286		0.14	1.0	1.95	22	<10	210	1.3	<2	0.34	0.6	23	33	93	4.46	<10
CC86287		0.18	1.1	1.86	24	<10	180	1.5	<2	0.37	0.8	34	22	126	4.73	<10
CC86288		0.20	0.8	1.60	24	<10	250	1.2	<2	0.37	2.8	30	21	100	3.81	<10
CC86289		0.26	0.6	1.42	22	<10	120	1.1	<2	0.27	<0.5	19	18	46	4.44	<10
CC86290		0.38	2.1	1.90	25	<10	110	0.9	<2	0.05	<0.5	34	24	78	5.20	<10
CC86291		0.42	0.4	1.48	18	<10	100	1.0	<2	0.35	0.5	17	20	43	4.11	<10
CC86292		0.38	0.9	1.24	17	<10	110	1.0	<2	2.28	0.5	16	15	55	3.87	<10
CC86293		0.12	1.1	1.83	20	<10	100	2.0	<2	0.25	1.1	25	23	105	4.97	<10
CC86294		0.28	2.4	2.26	14	<10	170	1.9	2	0.18	2.4	39	23	276	6.10	<10
CC86295		0.34	1.8	2.06	18	<10	110	2.2	<2	0.22	0.8	32	22	144	5.72	<10
CC86296		0.30	1.0	2.27	34	<10	100	2.0	<2	0.21	2.1	50	23	185	5.87	<10
CC86297		0.12	0.3	2.35	15	<10	130	2.6	<2	0.14	1.6	39	26	94	4.61	<10
CC86298		0.36	0.6	2.10	23	<10	130	2.9	<2	0.23	0.5	49	25	148	5.17	<10
CC86299		0.30	0.8	1.72	25	<10	250	2.0	<2	0.31	1.2	57	17	200	6.28	<10
CC86300		0.36	0.4	2.04	17	<10	140	2.8	<2	0.11	0.7	25	26	138	4.41	<10
CC86301		0.36	1.3	1.89	22	<10	230	2.8	<2	0.34	1.4	30	25	169	4.88	<10
CC86302		0.30	1.8	1.99	22	<10	200	3.1	<2	0.18	1.9	35	26	291	4.52	<10
CC86303		0.32	2.9	1.95	29	<10	260	3.9	<2	0.42	1.6	42	25	198	6.35	<10
CC86304		0.38	7.0	1.20	48	<10	120	1.9	2	0.09	4.3	36	17	166	6.92	<10
CC86305		0.42	8.9	1.61	28	<10	220	2.2	<2	0.28	7.1	37	22	265	6.53	<10
CC86306		0.36	1.2	2.16	25	<10	170	3.6	<2	0.10	<0.5	47	27	163	5.35	<10
CC86307		0.36	0.6	2.05	14	<10	140	2.5	<2	0.08	0.6	27	25	113	5.34	<10
CC86308		0.34	<0.2	1.83	11	<10	110	0.7	<2	0.06	<0.5	10	28	19	3.78	10
CC86309		0.30	0.3	1.57	12	<10	160	1.2	<2	0.17	0.8	12	22	32	4.09	<10
CC86310		0.38	0.4	1.77	17	<10	250	1.1	<2	0.33	<0.5	14	26	33	3.96	10
CC86311		0.34	0.3	1.81	15	<10	190	1.5	<2	0.18	0.5	13	22	27	4.51	<10
CC86312		0.34	0.2	1.81	18	<10	190	1.6	<2	0.17	<0.5	17	28	70	4.32	<10
CC86313		0.28	0.3	1.38	14	<10	140	1.0	<2	0.10	0.9	16	21	29	4.08	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC86274		1	0.07	10	0.43	4240	1	0.02	19	1140	39	0.08	<2	1	9	<20
CC86275		1	0.07	10	0.42	1290	1	0.02	17	850	25	0.06	<2	2	10	<20
CC86276		1	0.08	10	0.46	2030	1	0.02	24	650	110	0.04	<2	4	11	<20
CC86277		<1	0.09	20	0.55	5190	1	0.02	38	790	149	0.04	2	5	14	<20
CC86278		<1	0.11	20	0.75	3340	2	0.01	37	630	43	0.02	<2	6	17	<20
CC86279		<1	0.09	10	0.67	2570	2	0.01	25	440	46	0.02	<2	3	10	<20
CC86280		<1	0.09	20	0.59	4820	2	0.01	32	730	262	0.04	4	4	13	<20
CC86281		<1	0.08	20	0.69	3400	1	0.01	28	530	90	0.02	2	4	12	<20
CC86282		<1	0.08	10	0.61	3160	2	0.01	25	740	125	0.04	<2	3	11	<20
CC86283		<1	0.09	20	0.62	7710	2	0.01	27	1520	55	0.09	<2	5	18	<20
CC86284		1	0.13	10	0.44	2980	2	0.01	23	860	46	0.06	<2	3	14	<20
CC86285		<1	0.13	10	0.57	2510	2	0.01	26	770	44	0.04	<2	4	13	<20
CC86286		<1	0.44	10	0.59	3930	1	0.02	27	1030	52	0.05	<2	5	15	<20
CC86287		1	0.15	10	0.48	4350	2	0.01	27	1250	54	0.07	<2	3	15	<20
CC86288		<1	0.12	10	0.39	5100	1	0.01	28	1190	37	0.07	<2	2	14	<20
CC86289		<1	0.07	10	0.57	1950	1	0.01	25	630	53	0.03	<2	4	10	<20
CC86290		<1	0.09	10	0.43	1750	2	0.01	33	670	46	0.03	<2	3	7	<20
CC86291		<1	0.07	10	0.62	1650	1	0.01	24	570	58	0.03	<2	4	12	<20
CC86292		1	0.08	10	1.63	2050	1	0.01	23	730	68	0.03	<2	4	19	<20
CC86293		<1	0.10	20	0.68	6540	1	0.01	26	1290	281	0.08	<2	5	17	<20
CC86294		<1	0.09	20	1.23	18250	1	0.01	30	760	285	0.03	3	7	44	<20
CC86295		<1	0.10	20	0.98	12600	1	0.01	30	990	135	0.04	<2	7	27	<20
CC86296		<1	0.10	20	1.22	14700	2	0.01	36	800	126	0.02	<2	7	32	<20
CC86297		<1	0.10	20	0.84	9080	2	0.01	25	1440	40	0.10	<2	4	14	<20
CC86298		<1	0.09	20	0.77	8010	2	0.01	26	1280	23	0.06	<2	6	16	<20
CC86299		<1	0.11	20	0.86	16050	4	0.01	28	710	23	0.05	<2	9	34	<20
CC86300		<1	0.08	20	0.70	4700	2	0.01	26	970	45	0.05	<2	4	11	<20
CC86301		<1	0.10	20	0.66	7710	2	0.01	28	1280	56	0.07	<2	6	17	<20
CC86302		<1	0.09	20	0.68	9990	2	0.01	30	1080	54	0.05	<2	7	15	<20
CC86303		<1	0.10	20	0.65	12200	2	0.01	32	1700	96	0.08	2	10	19	<20
CC86304		<1	0.09	20	0.46	8310	1	0.01	37	880	1590	0.02	40	7	11	<20
CC86305		<1	0.07	20	0.63	9800	2	0.01	31	840	1360	0.03	53	7	13	<20
CC86306		<1	0.09	20	0.70	6860	3	0.01	25	1320	41	0.06	<2	6	11	<20
CC86307		<1	0.10	20	0.84	7110	2	0.01	27	1250	39	0.04	<2	6	13	<20
CC86308		<1	0.06	10	0.33	1040	2	0.01	17	450	21	0.02	<2	3	9	<20
CC86309		<1	0.09	10	0.36	2510	1	0.01	19	960	50	0.05	<2	3	11	<20
CC86310		<1	0.08	10	0.50	1900	1	0.01	23	970	31	0.04	<2	4	14	<20
CC86311		<1	0.10	10	0.37	2090	2	0.01	22	920	44	0.05	<2	4	11	<20
CC86312		<1	0.08	20	0.60	3830	2	0.01	26	900	26	0.03	<2	5	16	<20
CC86313		<1	0.08	10	0.32	3220	2	0.01	16	940	27	0.08	<2	1	10	<20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC86274		0.02	<10	<10	35	<10	163
CC86275		0.02	<10	<10	40	<10	122
CC86276		0.02	<10	<10	37	<10	133
CC86277		0.01	<10	<10	26	<10	415
CC86278		0.03	<10	<10	41	<10	657
CC86279		0.02	<10	<10	40	<10	174
CC86280		0.02	<10	<10	38	<10	339
CC86281		0.02	<10	<10	37	<10	311
CC86282		0.02	<10	<10	40	<10	206
CC86283		0.02	<10	<10	40	<10	123
CC86284		0.02	<10	<10	48	<10	192
CC86285		0.02	<10	<10	40	<10	156
CC86286		0.08	<10	<10	54	<10	147
CC86287		0.02	<10	<10	36	<10	159
CC86288		0.02	<10	<10	38	<10	411
CC86289		0.01	<10	<10	27	<10	213
CC86290		0.02	<10	<10	40	<10	146
CC86291		0.01	<10	<10	29	<10	215
CC86292		0.01	<10	<10	24	<10	205
CC86293		0.01	<10	<10	30	<10	345
CC86294		0.01	<10	<10	25	<10	326
CC86295		0.01	<10	<10	25	<10	187
CC86296		0.01	<10	<10	26	<10	522
CC86297		0.01	<10	<10	37	<10	505
CC86298		0.01	<10	<10	35	<10	168
CC86299		0.01	<10	<10	22	<10	268
CC86300		0.02	<10	<10	41	<10	189
CC86301		0.02	<10	<10	36	<10	276
CC86302		0.02	<10	<10	39	<10	314
CC86303		0.02	<10	<10	34	<10	280
CC86304		0.02	<10	<10	27	<10	865
CC86305		0.02	<10	<10	34	<10	658
CC86306		0.02	<10	<10	39	<10	122
CC86307		0.02	<10	<10	37	<10	189
CC86308		0.04	<10	<10	55	<10	130
CC86309		0.02	<10	<10	43	<10	220
CC86310		0.02	<10	<10	47	<10	177
CC86311		0.01	<10	<10	42	<10	203
CC86312		0.02	<10	<10	45	<10	214
CC86313		0.02	<10	<10	44	<10	238



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86314		0.36	0.6	1.63	27	<10	140	1.3	<2	0.42	0.6	19	26	54	3.94	<10
CC86315		0.26	0.5	1.47	19	<10	190	1.2	<2	0.61	<0.5	11	21	29	3.95	<10
CC86316		0.32	0.5	1.74	21	<10	210	1.1	<2	0.31	<0.5	17	27	41	4.21	<10
CC86317		0.26	<0.2	1.81	19	<10	110	0.9	<2	0.08	<0.5	13	27	24	3.95	<10
CC86318		0.34	<0.2	1.73	14	<10	200	0.9	<2	0.17	<0.5	12	24	22	3.59	<10
CC86319		0.30	<0.2	1.79	18	<10	210	1.2	<2	0.21	<0.5	13	24	25	4.08	<10
CC86320		0.32	<0.2	1.72	20	<10	210	1.4	<2	0.15	<0.5	17	22	31	4.49	<10
CC86321		0.34	0.3	1.32	12	<10	150	1.0	<2	0.16	1.0	15	21	29	4.63	<10
CC86322		0.18	0.2	1.75	11	<10	110	2.0	<2	0.27	0.7	15	23	41	4.30	<10
CC86323		0.18	0.7	1.31	18	<10	220	1.1	<2	0.56	2.3	24	21	43	3.60	<10
CC86324		0.28	0.3	1.43	18	<10	140	1.1	<2	0.12	0.5	22	22	30	4.74	<10
CC86325		0.28	0.3	1.68	17	<10	130	1.0	<2	0.04	1.2	18	25	33	4.71	<10
CC86326		0.28	0.3	1.57	12	<10	140	0.9	<2	0.06	<0.5	13	26	24	3.91	10
CC86327		0.28	0.6	1.81	12	<10	130	1.5	<2	0.11	0.8	15	26	39	4.41	<10
CC86328		0.26	0.7	1.97	21	<10	140	1.4	<2	0.16	1.6	28	27	48	4.64	<10
CC86329		0.28	0.4	2.02	17	<10	160	1.0	<2	0.07	<0.5	16	27	26	3.98	10
CC86330		0.34	0.4	1.77	15	<10	110	1.2	<2	0.12	0.9	16	26	28	4.24	<10
CC86331		0.26	0.3	1.62	20	<10	80	0.6	<2	0.05	<0.5	12	25	20	3.35	<10
CC86332		0.30	0.4	1.95	42	<10	130	1.1	<2	0.04	1.1	48	25	44	4.72	<10
CC86333		0.26	<0.2	1.80	37	<10	90	1.3	<2	0.05	0.6	25	22	42	4.53	<10
CC86334		0.18	<0.2	1.91	30	<10	100	1.2	<2	0.07	0.8	24	23	44	4.75	<10
CC86335		0.16	0.4	1.77	30	<10	120	1.5	<2	0.14	1.0	34	21	59	4.63	<10
CC86336		0.36	0.4	2.20	33	<10	130	1.7	<2	0.03	0.9	32	25	68	4.67	<10
CC86337		0.26	0.6	1.96	28	<10	110	1.7	<2	0.11	0.7	37	25	62	4.42	<10
CC86338		0.42	0.6	1.98	24	<10	140	1.6	<2	0.13	1.1	34	24	61	4.40	<10
CC86339		0.28	1.8	1.54	50	<10	90	1.5	<2	0.08	1.1	21	23	43	4.40	<10
CC86340		0.24	0.6	2.08	23	<10	170	2.0	<2	0.16	<0.5	29	27	236	4.95	<10
CC86341		0.28	0.8	1.63	18	<10	120	1.1	<2	0.15	<0.5	27	23	91	4.33	<10
CC86342		0.24	1.3	1.98	21	<10	370	2.1	<2	0.97	1.5	55	22	172	5.50	<10
CC86343		0.26	0.3	1.70	19	<10	160	1.4	<2	0.25	0.6	18	24	43	4.46	<10
CC86344		0.14	0.9	1.83	2	<10	80	0.9	<2	1.29	0.7	9	24	40	2.86	<10
CC86345		0.28	0.8	1.51	14	<10	130	1.1	<2	0.78	0.7	14	19	53	4.06	<10
CC86346		0.18	0.9	1.30	12	<10	90	0.8	<2	1.50	0.8	13	20	59	2.89	10
CC86347		0.24	0.9	1.32	32	<10	110	0.7	<2	1.66	1.1	14	19	47	3.26	<10
CC86348		0.18	0.5	1.21	82	<10	100	0.8	<2	1.46	0.8	13	17	46	3.17	<10
CC86349		0.22	0.7	1.17	87	<10	90	0.8	<2	2.01	0.9	14	15	70	3.14	<10
CC86350		0.24	0.6	1.27	52	<10	90	0.8	<2	2.12	2.2	18	15	85	3.48	<10
CC86351		0.22	0.6	1.44	53	<10	90	0.8	<2	1.07	0.6	16	17	64	3.54	<10
CC86352		0.22	0.7	1.29	48	<10	100	0.7	<2	2.88	0.6	18	15	54	3.53	<10
CC86353		0.24	2.0	1.30	43	<10	100	0.8	<2	2.21	<0.5	16	15	57	3.53	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 4 - B

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	20
CC86314		1	0.08	10	0.54	2050	2	0.01	26	1010	39	0.05	<2	5	19
CC86315		<1	0.08	10	0.46	1230	1	0.01	23	1060	60	0.06	<2	4	17
CC86316		<1	0.09	10	0.56	1880	2	0.01	32	730	52	0.02	<2	5	16
CC86317		1	0.08	10	0.41	1280	2	0.01	19	850	95	0.05	<2	2	10
CC86318		<1	0.07	10	0.44	930	2	0.01	29	790	37	0.03	<2	3	12
CC86319		<1	0.08	10	0.44	1190	2	0.01	28	700	39	0.03	<2	3	11
CC86320		<1	0.09	10	0.42	1500	1	0.01	27	580	68	0.02	<2	4	10
CC86321		<1	0.11	10	0.32	2480	1	0.01	19	940	75	0.06	<2	1	11
CC86322		<1	0.10	10	0.43	2410	1	0.01	22	1400	135	0.07	<2	3	12
CC86323		<1	0.10	10	0.34	6600	2	0.01	22	1640	167	0.12	<2	1	19
CC86324		<1	0.09	10	0.33	3780	2	0.01	18	1120	69	0.08	<2	1	9
CC86325		<1	0.09	10	0.26	2730	4	0.01	21	960	117	0.07	<2	1	7
CC86326		<1	0.07	10	0.29	2830	2	0.01	18	690	35	0.06	<2	2	8
CC86327		<1	0.10	10	0.48	2150	1	0.01	24	990	81	0.06	<2	1	10
CC86328		<1	0.09	10	0.60	4750	2	0.01	23	1260	32	0.10	<2	1	13
CC86329		<1	0.08	10	0.42	1510	2	0.01	23	370	62	0.01	<2	4	9
CC86330		<1	0.09	10	0.45	2380	2	0.01	26	640	108	0.04	<2	2	11
CC86331		<1	0.07	10	0.33	1980	2	0.01	15	810	80	0.06	<2	1	9
CC86332		1	0.09	10	0.46	6050	2	0.01	23	1300	66	0.06	<2	1	8
CC86333		<1	0.08	10	0.61	3160	1	0.01	26	790	47	0.04	<2	3	8
CC86334		<1	0.10	10	0.63	2620	2	0.01	24	1090	36	0.04	<2	2	9
CC86335		<1	0.13	10	0.56	4330	1	0.01	26	1360	36	0.03	<2	4	11
CC86336		<1	0.11	10	0.63	4430	1	0.01	28	830	50	0.04	2	4	9
CC86337		1	0.08	10	0.65	7810	1	0.01	27	980	79	0.05	<2	3	17
CC86338		<1	0.09	10	0.61	6110	1	0.01	29	1160	59	0.06	<2	4	15
CC86339		<1	0.11	10	0.44	2540	2	0.01	29	1070	122	0.05	2	2	11
CC86340		1	0.10	10	0.47	6830	2	0.01	22	1110	31	0.06	<2	4	13
CC86341		<1	0.08	10	0.56	4410	1	0.01	28	880	50	0.04	<2	3	12
CC86342		<1	0.16	10	0.53	11950	1	0.01	42	2010	44	0.12	<2	5	27
CC86343		<1	0.09	10	0.51	2520	1	0.01	23	890	44	0.04	<2	4	12
CC86344		1	0.07	10	0.83	502	1	0.02	20	1780	12	0.28	<2	2	35
CC86345		<1	0.08	10	0.77	1910	1	0.01	24	590	48	0.05	<2	4	17
CC86346		<1	0.08	10	0.65	1190	1	0.02	23	1300	30	0.18	<2	3	30
CC86347		1	0.08	10	0.97	1470	1	0.01	24	970	31	0.14	<2	3	25
CC86348		<1	0.08	10	0.66	1100	1	0.01	21	940	36	0.12	<2	3	29
CC86349		<1	0.09	10	0.83	1170	1	0.01	22	880	38	0.12	<2	3	30
CC86350		1	0.09	10	1.15	1335	1	0.02	25	700	51	0.08	2	3	23
CC86351		1	0.09	10	0.76	495	<1	0.01	26	650	39	0.08	<2	4	19
CC86352		<1	0.08	10	1.31	1405	1	0.02	24	600	44	0.06	<2	3	24
CC86353		1	0.09	10	1.21	1325	1	0.02	26	700	42	0.08	<2	3	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 4 - C

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC86314		0.02	<10	<10	42	<10	505
CC86315		0.01	<10	<10	36	<10	173
CC86316		0.02	<10	<10	47	<10	194
CC86317		0.02	<10	<10	49	<10	177
CC86318		0.02	<10	<10	45	<10	98
CC86319		0.01	<10	<10	43	<10	134
CC86320		0.01	<10	<10	38	<10	173
CC86321		0.02	<10	<10	44	<10	264
CC86322		0.02	<10	<10	35	<10	326
CC86323		0.01	<10	<10	37	<10	327
CC86324		0.01	<10	<10	39	<10	167
CC86325		0.02	<10	<10	44	<10	194
CC86326		0.04	<10	<10	55	<10	121
CC86327		0.02	<10	<10	42	<10	379
CC86328		0.02	<10	<10	40	<10	340
CC86329		0.02	<10	<10	51	<10	148
CC86330		0.03	<10	<10	47	<10	564
CC86331		0.03	<10	<10	50	<10	121
CC86332		0.02	<10	<10	42	<10	369
CC86333		0.01	<10	<10	33	<10	353
CC86334		0.01	<10	<10	36	<10	411
CC86335		0.01	<10	<10	34	<10	452
CC86336		0.01	<10	<10	38	<10	417
CC86337		0.02	<10	<10	37	<10	368
CC86338		0.01	<10	<10	37	<10	295
CC86339		0.01	<10	<10	34	<10	296
CC86340		0.02	<10	<10	45	<10	126
CC86341		0.02	<10	<10	35	<10	134
CC86342		0.02	<10	<10	32	<10	162
CC86343		0.02	<10	<10	37	<10	189
CC86344		0.01	<10	<10	24	<10	158
CC86345		0.01	<10	<10	25	<10	252
CC86346		0.01	<10	<10	24	<10	382
CC86347		0.01	<10	<10	25	<10	350
CC86348		0.01	<10	<10	26	<10	234
CC86349		0.01	<10	<10	24	<10	238
CC86350		0.01	<10	<10	22	<10	924
CC86351		0.01	<10	<10	27	<10	269
CC86352		0.01	<10	<10	23	<10	232
CC86353		0.01	<10	<10	23	<10	278



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 5 - A

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC86354		0.32	0.3	1.22	21	<10	80	0.9	<2	4.56	0.5	14	14	51	3.32
CC86355		0.38	0.4	1.34	21	<10	120	0.9	<2	4.27	0.6	16	15	51	3.64
CC86356		0.42	0.6	1.32	31	<10	100	0.8	<2	1.55	1.2	22	20	64	4.11
CC86357		0.30	0.5	1.21	26	<10	90	0.7	<2	1.88	1.5	19	18	64	3.76
CC86358		0.40	0.7	1.12	30	<10	70	0.5	<2	0.28	0.7	22	18	53	3.80
CC86359		0.26	0.9	1.43	31	<10	80	0.6	<2	0.66	0.5	21	20	51	4.96
CC86360		0.24	0.3	1.54	30	<10	140	0.6	<2	0.37	<0.5	14	23	32	3.71
CC86361		0.22	0.4	1.14	42	<10	110	<0.5	<2	0.47	<0.5	18	18	33	3.59
CC86362		0.20	1.1	1.00	31	<10	80	0.5	<2	0.79	<0.5	15	16	45	3.03
CC86363		0.18	0.6	0.81	21	<10	90	<0.5	<2	0.85	<0.5	10	16	34	2.57
CC86364		0.20	0.7	1.38	33	<10	150	0.6	<2	0.27	0.6	13	22	42	3.78
CC86365		0.22	0.6	1.61	40	<10	80	0.5	<2	0.21	1.8	16	28	109	4.55
CC86366		0.28	0.2	2.06	34	<10	70	0.5	<2	0.06	1.0	13	33	89	4.42
CC86367		0.20	0.5	2.23	43	<10	100	0.7	<2	0.09	1.5	20	35	198	4.96
CC86368		0.28	0.6	2.07	24	<10	130	0.6	<2	0.20	2.6	19	34	174	4.00
CC86369		0.22	0.3	1.85	37	<10	60	0.7	<2	0.07	1.1	21	33	96	4.98
CC86370		0.30	0.7	1.51	40	<10	80	0.5	<2	0.13	4.2	12	25	121	3.62
CC86371		0.28	1.0	1.77	58	<10	70	0.8	<2	0.09	2.6	23	29	151	4.87
CC86372		0.18	3.7	2.39	29	<10	80	0.9	2	0.15	6.6	60	35	150	5.49
CC86373		0.38	0.9	1.66	35	<10	80	0.9	<2	0.07	2.5	20	24	124	3.93
CC86374		0.36	0.2	2.06	16	<10	110	0.6	<2	0.19	1.3	16	27	179	3.85
CC86375		0.36	0.5	2.67	32	<10	130	0.7	2	0.20	2.1	28	47	131	5.60
CC86390		0.26	4.9	2.04	94	<10	110	1.5	2	1.06	10.9	56	133	162	9.02
CC86391		0.24	1.5	2.15	107	<10	30	0.7	<2	0.04	<0.5	34	55	203	10.00
CC86392		0.36	2.1	2.03	453	<10	70	1.3	<2	0.56	2.8	46	12	301	10.50
CC86393		0.20	0.6	1.71	24	<10	80	0.6	<2	0.34	3.6	22	28	84	4.57
CC86394		0.28	0.3	1.53	24	<10	70	0.6	<2	0.16	1.0	13	25	35	4.90
CC86395		0.24	0.5	1.25	10	<10	180	1.7	2	1.32	1.9	48	152	154	7.63
CC86396		0.24	0.9	2.79	42	<10	60	1.1	<2	0.79	5.2	66	297	201	6.82
CC86397		0.24	0.9	1.57	10	<10	910	1.3	<2	2.36	5.5	34	152	47	6.81
CC86398		0.16	0.4	2.95	17	<10	30	1.8	<2	0.69	0.6	49	268	70	6.77
CC86463		0.18	1.4	1.37	21	<10	100	1.8	<2	0.86	6.8	44	156	81	7.50
CC86464		0.26	1.0	2.01	25	<10	120	1.4	<2	2.62	5.3	47	229	184	5.49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 5 - B

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC86354		1	0.12	10	2.79	672	1	0.02	25	580	49	0.04	<2	5	28
CC86355		1	0.12	10	2.54	1615	1	0.02	28	540	51	0.02	<2	4	29
CC86356		1	0.08	10	1.16	2030	1	0.01	38	590	84	0.04	<2	4	17
CC86357		1	0.08	10	1.24	1615	1	0.01	36	620	73	0.05	2	4	18
CC86358		<1	0.08	20	0.62	1055	1	0.01	34	770	95	0.02	<2	4	8
CC86359		1	0.08	10	0.64	2130	1	0.02	29	1170	111	0.10	<2	4	14
CC86360		1	0.08	10	0.52	785	1	0.01	25	1070	68	0.04	<2	2	10
CC86361		<1	0.07	10	0.48	864	1	0.01	23	770	108	0.05	2	2	9
CC86362		<1	0.10	10	0.65	542	1	0.02	27	880	78	0.05	2	3	14
CC86363		<1	0.07	10	0.51	458	1	0.02	24	800	40	0.08	2	2	11
CC86364		1	0.10	10	0.49	1020	2	0.02	26	800	82	0.05	2	3	11
CC86365		<1	0.08	10	0.72	872	11	0.01	64	1550	116	0.15	2	2	13
CC86366		<1	0.06	10	0.76	590	8	0.01	44	1010	108	0.06	2	2	6
CC86367		1	0.09	10	0.92	913	12	0.01	58	890	168	0.06	2	5	7
CC86368		1	0.06	10	0.71	703	3	0.01	34	910	138	0.06	<2	4	10
CC86369		1	0.08	20	0.88	1040	7	0.01	54	530	121	0.03	5	5	5
CC86370		1	0.08	20	0.55	619	9	0.01	33	690	170	0.04	3	4	6
CC86371		<1	0.07	10	0.81	1070	10	0.01	61	980	173	0.06	6	3	6
CC86372		<1	0.08	10	0.87	1825	7	0.01	60	1050	351	0.07	4	7	8
CC86373		<1	0.06	20	0.61	859	9	0.01	55	860	83	0.03	5	3	8
CC86374		<1	0.06	10	0.55	672	2	0.01	24	790	120	0.05	2	3	11
CC86375		<1	0.07	10	1.28	1255	6	0.01	56	950	130	0.05	3	5	9
CC86390		<1	0.09	10	1.94	6000	2	0.01	119	490	911	0.05	5	40	11
CC86391		<1	0.05	10	0.54	1195	12	0.01	73	1330	90	0.17	11	7	4
CC86392		1	0.08	10	0.82	3140	1	0.01	20	660	133	0.03	3	29	11
CC86393		<1	0.08	10	0.63	1400	4	0.01	27	460	381	0.02	2	6	9
CC86394		<1	0.07	20	0.54	707	15	0.01	27	440	61	0.02	2	4	7
CC86395		<1	0.15	<10	0.80	2940	<1	0.01	106	370	119	0.03	5	35	10
CC86396		<1	0.06	<10	2.34	3150	<1	0.01	163	440	379	0.02	2	24	6
CC86397		<1	0.10	<10	1.40	2390	<1	0.01	103	250	303	0.03	4	24	13
CC86398		<1	0.05	10	1.97	1730	<1	0.01	137	270	387	0.02	<2	53	6
CC86463		<1	0.12	<10	0.85	5580	<1	0.01	112	450	876	0.05	<2	34	9
CC86464		1	0.11	<10	2.31	2410	<1	0.01	105	350	664	0.04	<2	27	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 5 - C

Total # Pages: 5 (A - C)

Finalized Date: 18-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093073

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC86354		0.01	<10	<10	22	<10	191
CC86355		0.01	<10	<10	23	<10	193
CC86356		0.01	<10	<10	28	<10	334
CC86357		0.01	<10	<10	27	<10	385
CC86358		0.02	<10	<10	28	<10	291
CC86359		0.02	<10	<10	31	<10	218
CC86360		0.02	<10	<10	43	<10	220
CC86361		0.01	<10	<10	33	<10	287
CC86362		0.02	<10	<10	24	<10	259
CC86363		0.02	<10	<10	23	<10	174
CC86364		0.02	<10	<10	42	<10	302
CC86365		0.02	<10	<10	82	<10	448
CC86366		0.02	<10	<10	85	<10	470
CC86367		0.02	<10	<10	94	<10	597
CC86368		0.03	<10	<10	84	<10	350
CC86369		0.02	<10	<10	83	<10	518
CC86370		0.02	<10	<10	89	<10	493
CC86371		0.02	<10	<10	78	<10	703
CC86372		0.02	<10	<10	101	<10	767
CC86373		0.02	<10	<10	53	<10	459
CC86374		0.03	<10	<10	77	<10	267
CC86375		0.02	<10	<10	117	<10	631
CC86390		<0.01	<10	<10	91	<10	2780
CC86391		0.01	<10	<10	98	<10	257
CC86392		0.01	<10	<10	178	<10	725
CC86393		0.02	<10	<10	78	<10	572
CC86394		0.02	<10	<10	72	<10	449
CC86395		<0.01	<10	<10	105	<10	610
CC86396		0.01	<10	<10	102	<10	1065
CC86397		<0.01	<10	<10	105	<10	1730
CC86398		0.01	<10	<10	170	<10	259
CC86463		<0.01	<10	<10	93	<10	1410
CC86464		0.01	<10	<10	99	<10	1325



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE VA10093079

Project: RUSTY

P.O. No.:

This report is for 44 Rock samples submitted to our lab in Vancouver, BC, Canada on 12-JUL-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Ag-CON01	Ag Concentrate	
Pb-VOL70	Pb by Titration	
Zn-VOL50	Zn by titration	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G286141		0.74	0.018	5.3	0.34	95	<10	20	1.1	5	0.03	1.7	39	7	341	5.33
G286142		0.44	0.003	1.8	0.49	12	<10	30	0.5	<2	1.02	1.2	19	10	4180	4.00
G286143		0.78	0.004	2.9	0.11	34	<10	20	<0.5	5	0.06	9.8	3	<1	97	40.7
G286144		0.40	0.005	3.3	0.25	103	<10	10	0.5	2	0.15	7.1	5	3	23	13.6
G286145		0.78	0.004	6.3	0.51	180	10	<10	1.0	<2	0.32	2.3	47	1	83	12.15
G286146		0.68	0.028	0.3	0.34	72	<10	10	<0.5	2	0.11	<0.5	16	6	30	6.10
G186147		0.58	0.162	1.1	1.53	34	<10	20	0.9	<2	5.48	<0.5	57	6	342	29.3
G286148		0.42	0.002	1.3	0.24	3	<10	<10	<0.5	<2	12.3	77.4	23	18	50	5.86
G286149		0.56	0.002	0.5	1.27	55	<10	10	1.0	<2	4.42	2.0	42	151	163	8.52
G286150		0.46	0.293	>100	0.04	494	<10	<10	<0.5	34	0.04	138.0	1	1	>10000	1.65
G286151		1.22	0.008	>100	0.01	279	<10	<10	<0.5	60	0.03	66.8	1	<1	6130	1.88
G286152		1.08	0.024	38.3	0.07	28	<10	<10	<0.5	<2	0.35	<0.5	21	9	>10000	5.67
G286153		0.44	0.039	>100	0.09	20	<10	<10	<0.5	<2	0.03	2.3	20	6	>10000	7.80
G286154		0.82	0.006	>100	0.30	48	<10	<10	<0.5	5	2.43	181.5	4	16	1330	14.75
G286155		0.40	0.241	28.3	0.53	28	<10	<10	<0.5	10	10.8	61.1	76	24	>10000	3.11
G286156		0.44	0.019	>100	0.13	97	<10	10	<0.5	3	0.54	705	10	15	796	14.9
G286157		0.58	0.004	>100	0.21	82	<10	<10	<0.5	2	0.23	171.5	13	27	481	9.71
G286158		0.46	0.004	11.8	0.60	155	<10	90	1.1	2	0.52	37.4	37	79	240	11.40
G286159		0.98	0.020	8.6	0.03	95	<10	<10	<0.5	15	0.23	4.0	129	1	1460	31.4
G286160		0.60	0.013	2.2	0.35	187	<10	<10	0.9	5	0.16	0.6	15	5	59	17.5
G286161		0.36	0.008	1.3	0.04	4	<10	<10	<0.5	2	0.31	1.3	11	8	218	2.52
G286162		0.46	0.013	1.8	0.82	31	<10	<10	<0.5	3	0.13	0.6	14	16	58	4.20
G286163		0.44	0.013	1.9	0.18	15	<10	<10	<0.5	2	0.08	<0.5	18	14	13	1.50
G286164		0.72	1.445	39.4	2.35	10	<10	20	<0.5	<2	10.7	84.1	59	15	>10000	6.73
G286165		0.76	0.003	9.0	0.20	67	<10	<10	<0.5	2	0.25	1.0	8	2	151	20.0
G286166		0.74	0.002	39.6	0.14	52	<10	<10	<0.5	3	0.17	46.1	7	12	481	4.85
G286167		0.76	0.004	0.5	1.38	17	<10	50	1.2	<2	0.07	0.9	18	18	141	5.31
G286168		0.60	0.002	2.9	1.10	29	<10	30	1.4	2	0.06	1.2	24	14	49	5.17
G286169		0.74	0.007	86.8	0.19	26	<10	20	<0.5	<2	0.02	491	4	7	666	5.37
G286170		0.86	0.098	>100	0.31	2960	<10	<10	<0.5	801	0.05	>1000	6	2	>10000	0.77
G286171		1.42	0.059	>100	0.06	167	<10	<10	<0.5	17	0.02	899	2	1	4220	0.28
G286172		2.04	0.047	>100	0.11	167	<10	<10	<0.5	118	0.08	>1000	9	1	4650	0.53
G286173		1.62	0.065	>100	0.07	357	<10	10	<0.5	21	0.06	>1000	5	1	7960	0.34
G286174		0.80	0.004	17.6	0.11	24	<10	<10	<0.5	2	3.84	20.8	9	6	136	4.82
G286175		0.76	0.003	61.5	0.03	18	<10	<10	<0.5	3	0.14	12.7	11	1	243	21.4
G286176		0.68	0.002	21.4	5.35	10	<10	<10	<0.5	<2	0.16	19.9	41	108	123	9.88
G286177		0.36	0.004	83.4	0.09	26	<10	90	<0.5	30	0.06	248	9	5	1270	44.0
G286178		0.46	0.004	5.2	0.08	21	<10	<10	<0.5	<2	0.22	4.2	4	14	46	3.31
G286179		0.28	0.012	18.4	0.22	16	<10	<10	<0.5	2	9.8	600	27	16	172	6.90
G286180		0.30	0.001	13.4	0.98	32	<10	<10	1.2	<2	6.25	91.7	69	254	638	6.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
G286141		<10	<1	0.24	20	0.03	940	9	0.01	30	370	115	0.04	7	3
G286142		<10	<1	0.25	10	0.09	2660	1	0.01	32	2370	44	0.09	4	5
G286143		<10	<1	0.08	<10	0.64	20800	2	0.02	26	90	21	1.01	15	9
G286144		<10	<1	0.17	<10	0.07	15200	11	0.01	38	700	3100	0.18	7	3
G286145		<10	<1	0.35	<10	1.71	7930	1	0.01	77	460	257	0.26	15	19
G286146		<10	<1	0.19	10	0.07	1145	28	0.01	131	980	25	0.04	10	2
G186147		<10	<1	0.03	<10	2.03	9790	7	0.02	442	880	25	0.71	7	2
G286148		<10	2	0.12	<10	4.82	6290	1	0.02	63	60	3870	0.75	<2	9
G286149		<10	<1	0.13	<10	1.83	3190	1	0.02	117	240	202	0.02	3	38
G286150		<10	2	0.01	<10	0.01	69	1	0.01	7	20	>10000	>10.0	>10000	1
G286151		<10	1	<0.01	<10	0.01	28	1	0.01	2	10	>10000	>10.0	9610	<1
G286152		<10	<1	0.04	<10	0.10	1305	1	0.01	31	80	1280	3.05	79	5
G286153		<10	<1	0.06	<10	0.01	240	1	0.01	22	120	>10000	3.63	265	8
G286154		<10	2	0.05	<10	2.81	21900	<1	0.02	19	30	>10000	2.03	157	10
G286155		<10	3	0.02	<10	0.48	935	1	0.02	63	20	3440	1.53	3	3
G286156		<10	2	0.08	<10	0.86	16400	<1	0.02	25	40	>10000	7.3	332	21
G286157		<10	1	0.16	<10	1.73	11400	<1	0.01	33	100	>10000	3.33	186	22
G286158		<10	<1	0.23	<10	0.34	8190	2	0.02	116	240	5530	0.15	13	29
G286159		<10	<1	0.02	<10	2.06	8360	1	0.02	150	10	873	7.9	102	14
G286160		<10	<1	0.08	<10	0.26	3060	25	0.01	76	2220	274	0.15	12	7
G286161		<10	<1	0.01	<10	0.02	129	2	0.04	27	40	117	2.07	<2	1
G286162		<10	<1	0.04	<10	0.84	209	8	0.07	33	280	194	1.15	2	2
G286163		<10	<1	0.04	<10	0.07	81	10	0.08	20	260	202	0.99	<2	<1
G286164		10	5	0.09	<10	2.29	1365	1	0.02	88	70	1210	3.29	2	2
G286165		<10	<1	0.15	<10	2.78	23800	1	0.02	18	100	8100	0.15	19	3
G286166		<10	1	0.08	<10	0.50	5290	1	0.01	10	130	3870	0.51	176	3
G286167		<10	<1	0.27	30	0.67	2060	1	0.01	32	300	47	0.01	<2	5
G286168		<10	<1	0.28	30	0.47	2190	1	0.01	37	330	147	0.01	8	4
G286169		<10	7	0.11	<10	0.13	5490	<1	0.01	5	20	>10000	1.49	285	2
G286170		10	15	0.01	<10	0.03	173	1	0.01	6	30	>10000	0.79	>10000	<1
G286171		10	18	0.03	<10	0.02	230	1	0.01	3	10	>10000	8.8	4520	<1
G286172		10	18	0.05	<10	0.08	728	<1	0.01	8	30	>10000	4.92	3170	1
G286173		10	19	<0.01	<10	0.05	220	1	0.01	5	30	>10000	7.4	7600	<1
G286174		<10	<1	0.06	<10	0.96	3180	4	0.02	16	130	5170	0.18	79	14
G286175		<10	<1	0.02	50	1.18	19400	1	0.01	22	80	3090	0.35	195	35
G286176		10	1	0.09	<10	4.54	1335	<1	0.01	73	380	4830	0.13	82	28
G286177		<10	1	0.02	<10	0.29	37300	1	0.01	62	30	658	0.14	335	21
G286178		<10	<1	0.03	<10	0.15	1015	2	0.02	20	140	660	0.86	16	2
G286179		<10	7	0.11	<10	4.38	6560	<1	0.02	70	40	1880	2.97	71	13
G286180		<10	1	0.11	<10	2.47	2660	1	0.02	126	240	9310	0.22	20	27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46	Ag-GRA21	Ag-CON01	Pb-VOL70	Zn-VOL50
		Th	Ti	Ti	U	V	W	Zn	Ag	Cu	Pb	Zn	Ag	Ag	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.001	5	0.7	0.01	0.01
G286141		<20	<0.01	<10	<10	11	<10	354								
G286142		<20	<0.01	<10	<10	19	<10	227								
G286143		<20	<0.01	<10	<10	23	<10	3610								
G286144		<20	<0.01	<10	<10	20	<10	1825								
G286145		<20	<0.01	<10	<10	69	<10	537								
G286146		<20	<0.01	<10	<10	34	<10	112								
G186147		<20	<0.01	<10	<10	15	<10	181								
G286148		<20	<0.01	<10	<10	38	10	>10000				1.625				
G286149		<20	<0.01	<10	<10	122	<10	489								
G286150		<20	<0.01	<10	10	1	<10	1735	>1500	1.605	>20.0		>10000	16945.0	69.06	
G286151		<20	<0.01	<10	10	1	<10	527	>1500		>20.0		8200		78.48	
G286152		<20	<0.01	<10	<10	5	<10	40		2.44						
G286153		<20	<0.01	<10	<10	6	<10	42	254	2.55	0.997					
G286154		<20	<0.01	<10	<10	21	20	>10000	150		1.175	6.04				
G286155		<20	<0.01	<10	<10	18	10	>10000		1.085		1.210				
G286156		<20	<0.01	<10	<10	21	30	>10000	355		11.60	19.05				
G286157		<20	<0.01	<10	<10	22	20	>10000	197		7.43	5.48				
G286158		<20	<0.01	<10	<10	46	<10	>10000				1.155				
G286159		<20	<0.01	<10	<10	8	<10	1170								
G286160		<20	<0.01	<10	10	35	<10	202								
G286161		<20	<0.01	<10	<10	5	<10	308								
G286162		<20	<0.01	<10	<10	89	<10	190								
G286163		<20	<0.01	<10	<10	13	<10	116								
G286164		<20	<0.01	<10	<10	64	10	>10000		3.91		2.05				
G286165		<20	<0.01	<10	<10	8	<10	564								
G286166		<20	<0.01	<10	<10	5	<10	>10000				1.095				
G286167		<20	<0.01	<10	<10	17	<10	215								
G286168		<20	<0.01	<10	<10	18	<10	180								
G286169		<20	<0.01	<10	<10	5	10	>10000			4.16	8.24				
G286170		<20	<0.01	<10	<10	1	40	>10000	>1500	1.670	5.58	6.59	4050			
G286171		<20	<0.01	<10	<10	1	30	>10000	1410		>20.0	8.22			66.04	
G286172		<20	<0.01	<10	<10	1	30	>10000	1130		>20.0	19.50			39.98	
G286173		<20	<0.01	<10	<10	1	30	>10000	>1500		>20.0	13.25	1690		53.43	
G286174		<20	<0.01	<10	<10	11	<10	2040								
G286175		<20	<0.01	<10	<10	8	<10	1775								
G286176		<20	0.01	<10	<10	285	<10	1130								
G286177		<20	<0.01	<10	<10	44	40	>10000				4.59				
G286178		<20	<0.01	<10	<10	8	<10	471								
G286179		<20	<0.01	<10	<10	29	10	>10000				7.57				
G286180		<20	<0.01	<10	<10	124	10	>10000				1.220				



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
G286181		0.42	0.004	1.3	0.40	46	<10	20	0.5	3	0.43	9.3	49	4	8
G286182		0.62	0.007	56.8	0.10	257	<10	10	<0.5	3	0.13	>1000	9	7	1070
G286183		0.90	0.079	>100	0.18	1840	<10	<10	<0.5	24	0.07	795	6	8	>10000
G286184		0.28	0.115	>100	0.09	>10000	<10	<10	<0.5	2630	0.03	>1000	6	1	>10000



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
G286181		<10	<1	0.31	<10	1.29	13050	8	0.01	19	1180	702	0.30	2	16
G286182		10	6	0.05	<10	0.39	3700	<1	0.01	10	20	5900	9.0	57	9
G286183		<10	10	0.05	<10	0.03	689	1	0.01	5	20	>10000	2.22	>10000	1
G286184		<10	11	0.07	<10	0.03	6720	1	0.01	9	80	>10000	2.31	>10000	3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 23-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10093079

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46	Ag-GRA21	Ag-CON01	Pb-VOL70	Zn-VOL50
		Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn	Ag	Ag	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.001	5	0.7	0.01	0.01
G286181		<20	<0.01	<10	<10	59	<10	2530								
G286182		<20	<0.01	<10	<10	5	10	>10000				>30.0				40.03
G286183		<20	<0.01	<10	<10	3	40	>10000	>1500	3.68	3.74	1.905	7360			
G286184		<20	<0.01	<10	<10	5	50	>10000	>1500	8.38	11.80	6.81	3890			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 10- AUG- 2010

Account: MTT

CERTIFICATE VA10102651

Project: RUSTY

P.O. No.:

This report is for 25 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUL- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
Pb- VOL70	Pb by Titration	
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 10- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102651

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G286185		1.06	0.003	>100	0.13	99	<10	10	<0.5	<2	0.04	52.1	8	6	3480	8.23
G286186		0.80	0.001	4.5	0.72	36	<10	50	1.3	<2	17.1	5.1	37	40	295	12.40
G286187		0.88	0.005	41.6	0.43	77	<10	100	<0.5	<2	0.12	264	11	12	284	9.71
G286188		1.22	0.007	9.5	0.05	50	<10	<10	<0.5	3	11.7	475	7	5	285	5.93
G286189		0.90	0.237	>100	0.07	>10000	<10	20	<0.5	21	0.15	78.6	45	25	1340	15.6
G286190		0.86	0.005	>100	0.16	572	<10	50	<0.5	4	0.10	815	18	3	1580	13.20
G286191		1.10	0.016	>100	0.01	250	<10	10	<0.5	<2	0.01	330	4	<1	>10000	3.36
G286192		2.18	0.028	27.1	0.67	9980	<10	120	1.0	6	0.54	19.3	45	70	335	10.55
G286193		1.48	<0.001	9.7	0.60	395	10	60	1.1	<2	5.43	14.7	41	46	110	6.25
G286194		1.12	0.005	41.7	1.26	64	<10	30	<0.5	<2	0.16	7.5	2	18	256	2.45
G286195		0.80	0.003	>100	0.18	561	<10	20	<0.5	3	1.67	952	20	15	686	2.94
G286196		0.82	<0.001	3.5	0.14	636	<10	20	<0.5	<2	12.7	511	25	8	103	5.05
G286197		0.68	0.036	10.4	0.71	13	<10	10	<0.5	2	2.26	598	32	17	60	2.53
G286198		0.78	0.005	43.1	0.18	71	<10	40	<0.5	<2	4.62	654	15	9	334	9.61
G286199		2.14	<0.001	0.7	1.58	51	<10	60	1.6	<2	9.3	22.5	45	38	98	6.93
G286200		0.16	0.018	11.9	0.12	20	<10	10	<0.5	2	6.06	3.5	7	4	>10000	2.17
G0557001		0.26	0.150	19.6	0.07	>10000	<10	20	<0.5	7	0.25	>1000	5	4	310	28.3
G0557002		0.52	0.003	1.6	0.24	1610	<10	10	<0.5	<2	10.2	199.5	16	2	23	6.59
G0557003		0.34	0.014	38.7	0.09	9200	<10	10	<0.5	<2	0.23	>1000	17	10	1345	9.66
G0557004		0.74	0.011	>100	0.06	2060	<10	<10	<0.5	23	0.03	393	82	6	797	6.77
G0557005		0.58	0.003	28.5	0.92	3280	<10	40	0.6	<2	0.10	63.2	40	31	275	13.50
G0557006		0.88	0.034	62.4	0.05	2770	<10	20	<0.5	22	1.65	16.6	90	5	>10000	7.34
G0557007		0.38	0.007	11.0	0.03	2790	<10	20	<0.5	2	16.4	35.1	4	3	328	8.86
G0557008		0.24	0.002	14.2	0.36	1500	<10	30	<0.5	4	1.63	99.3	10	2	796	2.90
G0557009		0.26	0.001	49.9	0.09	36	<10	20	<0.5	3	10.3	842	14	1	569	7.96



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED**

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Total # Pages: 2 (A - C)

Finalized Date: 10- AUG- 2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10102651

[illegible]



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 10- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102651

Sample Description	Method Analyte Units LOR	ME- ICP41 Th ppm 20	ME- ICP41 Ti % 0.01	ME- ICP41 Ti ppm 10	ME- ICP41 U ppm 10	ME- ICP41 V ppm 1	ME- ICP41 W ppm 10	ME- ICP41 Zn ppm 2	Ag- OG46 Ag ppm 1	Cu- OG46 Cu % 0.001	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	Ag- GRA21 Ag ppm 5	Pb- VOL70 Pb % 0.01
G286185		<20	<0.01	<10	10	28	<10	>10000	1025		>20.0	0.922		60.16
G286186		<20	<0.01	<10	<10	86	<10	2750						
G286187		<20	<0.01	<10	<10	31	10	>10000				6.87		
G286188		<20	<0.01	<10	<10	12	10	>10000				13.55		
G286189		<20	<0.01	<10	<10	8	60	>10000	155		1.505	1.365		
G286190		<20	<0.01	<10	<10	25	20	>10000	235		9.07	18.35		
G286191		<20	<0.01	<10	10	7	20	>10000	>1500	0.986	>20.0	3.77	1780	69.70
G286192		<20	<0.01	<10	<10	45	<10	4150						
G286193		<20	<0.01	<10	<10	52	<10	2860						
G286194		<20	0.01	<10	<10	44	<10	965			1.335			
G286195		<20	<0.01	<10	<10	7	10	>10000	185		11.10	20.2		
G286196		<20	<0.01	<10	<10	10	<10	>10000				13.55		
G286197		<20	<0.01	<10	<10	30	<10	>10000				24.3		
G286198		<20	<0.01	<10	<10	33	10	>10000				18.05		
G286199		<20	<0.01	<10	<10	167	<10	4540						
G286200		<20	<0.01	<10	<10	6	<10	967		1.815				
G0557001		<20	<0.01	<10	<10	49	20	>10000				9.02		
G0557002		<20	<0.01	<10	<10	23	10	>10000				4.11		
G0557003		<20	<0.01	<10	<10	17	10	>10000			2.41	26.7		
G0557004		<20	<0.01	<10	<10	7	20	>10000	151		>20.0	7.82		57.08
G0557005		<20	<0.01	<10	<10	76	10	>10000			5.82	1.700		
G0557006		<20	<0.01	<10	<10	3	<10	2020		2.32				
G0557007		<20	<0.01	<10	<10	61	<10	5670						
G0557008		<20	<0.01	<10	<10	44	<10	9960						
G0557009		<20	<0.01	<10	<10	12	10	>10000				11.25		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11- AUG- 2010
Account: MTT

CERTIFICATE VA10102652

Project: RUSTY

P.O. No.:

This report is for 160 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-JUL- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 11- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86376		0.30	0.7	1.13	36	<10	70	0.5	<2	0.07	0.8	10	19	62	3.69	10
CC86377		0.34	0.8	2.42	29	<10	130	0.6	<2	0.22	1.8	23	35	152	5.20	10
CC86378		0.28	0.5	1.50	44	<10	80	0.6	2	0.05	1.4	15	28	85	4.32	10
CC86379		0.32	0.4	1.51	42	<10	70	0.8	<2	0.08	2.3	16	22	94	3.89	<10
CC86380		0.18	0.7	1.30	25	<10	90	<0.5	<2	0.10	1.1	7	22	74	3.17	10
CC86381		0.24	0.2	1.55	28	<10	80	<0.5	2	0.08	<0.5	7	24	29	3.26	10
CC86382		0.34	<0.2	1.48	14	<10	90	0.5	4	0.06	<0.5	15	20	43	4.09	<10
CC86383		0.26	<0.2	1.47	15	<10	90	0.6	2	0.06	<0.5	11	20	36	3.54	10
CC86384		0.26	0.6	1.40	15	<10	110	0.6	<2	0.09	0.5	13	17	48	3.91	10
CC86385		0.40	<0.2	1.91	15	<10	120	0.6	<2	0.08	<0.5	10	25	35	3.30	10
CC86386		0.36	0.2	1.50	11	<10	130	0.7	2	0.11	<0.5	12	17	47	3.94	<10
CC86387		0.12	0.3	1.01	12	<10	130	<0.5	<2	0.10	1.5	15	16	40	3.37	<10
CC86388		0.44	<0.2	1.75	14	<10	90	0.8	3	0.07	<0.5	17	21	98	4.48	<10
CC86389		0.40	<0.2	1.65	17	<10	210	0.8	2	0.51	1.8	17	28	95	6.07	<10
CC86399		0.32	0.9	0.87	89	<10	270	2.3	3	0.44	1.7	47	116	21	8.80	<10
CC86400		0.30	1.8	3.08	60	<10	180	1.1	2	1.08	11.4	53	144	431	6.04	<10
CC86465		0.42	<0.2	2.30	17	<10	130	1.2	<2	0.30	0.7	34	35	127	5.96	<10
CC86466		0.24	<0.2	1.90	12	<10	130	0.5	2	0.29	0.9	20	38	163	3.82	10
CC86467		0.30	0.4	1.65	34	<10	130	0.6	2	0.17	1.7	24	37	231	4.90	<10
CC86468		0.28	0.3	2.47	25	<10	200	0.8	<2	0.17	0.6	19	45	129	4.74	<10
CC86469		0.26	0.6	1.36	26	<10	160	0.5	2	0.64	2.1	11	24	40	3.91	<10
CC86470		0.32	0.5	3.38	22	<10	110	1.0	3	0.36	1.6	35	77	158	7.63	10
CC86471		0.20	0.3	1.91	23	<10	130	0.7	<2	0.20	0.5	19	34	79	4.35	<10
CC86472		0.46	1.2	1.66	39	<10	100	0.7	<2	0.41	1.7	26	34	138	5.22	<10
CC86473		0.28	1.4	1.42	37	<10	120	0.7	2	0.29	1.6	28	28	116	5.71	<10
CC86474		0.10	0.9	1.74	25	<10	100	0.6	3	0.28	0.9	17	26	65	4.59	<10
CC86475		0.14	1.0	1.38	30	<10	90	0.6	2	0.74	1.3	26	20	78	5.02	<10
CC86476		0.30	1.4	1.65	35	<10	110	0.7	3	0.24	1.2	21	30	89	5.04	<10
CC86477		0.20	<0.2	1.50	15	<10	150	0.5	2	0.47	0.5	12	24	15	3.42	10
CC86478		0.22	0.3	1.55	13	<10	110	0.7	<2	0.57	<0.5	12	23	21	3.15	<10
CC86479		0.20	<0.2	1.43	14	<10	130	<0.5	<2	0.23	<0.5	8	20	10	2.78	<10
CC86480		0.30	<0.2	1.74	27	<10	140	0.8	2	0.10	0.5	19	24	31	4.28	10
CC86481		0.26	0.6	1.52	44	<10	90	0.8	<2	0.36	1.0	34	23	67	5.73	<10
CC86482		0.28	2.9	1.00	38	<10	80	0.7	4	0.47	1.7	22	22	76	5.02	<10
CC86483		0.24	0.7	1.65	23	<10	180	1.0	2	0.54	0.7	17	24	45	4.88	<10
CC86484		0.24	0.4	1.50	16	<10	190	0.9	<2	0.89	0.8	13	22	29	3.73	<10
CC86485		0.18	<0.2	1.64	24	<10	220	1.1	2	0.60	0.8	18	27	35	4.56	<10
CC86486		0.32	0.2	1.66	16	<10	170	0.8	2	0.59	0.9	27	22	54	4.52	<10
CC86487		0.32	0.2	1.60	18	<10	130	0.6	2	0.24	1.0	13	27	48	4.01	10
CC86488		0.34	<0.2	1.83	26	<10	140	0.9	<2	0.26	<0.5	18	29	39	4.78	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86376		<1	0.09	10	0.28	722	7	0.02	31	990	81	0.07	2	1	5	<20
CC86377		1	0.07	10	1.20	1080	3	0.03	44	1020	178	0.04	<2	7	9	<20
CC86378		1	0.08	20	0.51	1115	8	0.02	38	1490	72	0.06	2	1	5	<20
CC86379		1	0.08	20	0.51	1105	6	0.02	47	1010	71	0.02	2	2	6	<20
CC86380		<1	0.08	10	0.20	473	7	<0.01	27	1290	67	0.10	<2	<1	11	<20
CC86381		<1	0.06	10	0.33	404	5	<0.01	20	980	33	0.04	<2	1	10	<20
CC86382		<1	0.06	10	0.39	1115	2	<0.01	20	680	64	0.06	<2	1	4	<20
CC86383		<1	0.06	10	0.42	701	1	<0.01	21	720	153	0.05	<2	1	6	<20
CC86384		<1	0.07	10	0.58	643	2	<0.01	25	590	208	0.04	2	2	4	<20
CC86385		<1	0.06	10	0.50	539	1	<0.01	24	580	24	0.03	<2	2	7	<20
CC86386		<1	0.07	10	0.37	836	1	<0.01	19	860	170	0.06	<2	1	5	<20
CC86387		<1	0.07	10	0.24	2510	1	0.01	15	920	21	0.09	<2	1	6	<20
CC86388		<1	0.07	10	0.56	1205	1	<0.01	28	660	27	0.03	3	3	5	<20
CC86389		<1	0.07	10	0.68	1745	3	0.01	39	760	57	0.04	3	10	10	<20
CC86399		<1	0.13	<10	0.25	8270	<1	<0.01	105	200	359	0.01	<2	50	7	<20
CC86400		<1	0.07	<10	2.71	4410	<1	0.01	90	460	1430	0.05	2	24	12	<20
CC86465		<1	0.05	10	1.17	1265	<1	<0.01	59	550	48	0.02	3	19	11	<20
CC86466		<1	0.05	10	0.90	724	1	0.01	43	850	80	0.03	<2	6	16	<20
CC86467		<1	0.06	10	0.66	1500	5	<0.01	57	930	59	0.04	<2	5	12	<20
CC86468		<1	0.07	10	0.94	932	2	<0.01	43	810	77	0.04	<2	5	12	<20
CC86469		<1	0.07	10	0.55	2240	4	0.01	29	1450	70	0.10	2	1	9	<20
CC86470		<1	0.05	10	2.19	1765	2	<0.01	77	720	120	0.03	<2	20	7	<20
CC86471		<1	0.07	10	0.70	1080	2	<0.01	30	1020	77	0.05	<2	5	11	<20
CC86472		<1	0.08	10	0.98	1520	5	0.01	57	930	162	0.06	3	7	15	<20
CC86473		1	0.07	10	0.67	2040	5	<0.01	51	1020	302	0.06	5	7	13	<20
CC86474		<1	0.07	10	0.62	1065	2	0.01	30	1050	278	0.09	2	5	14	<20
CC86475		<1	0.10	10	0.84	2070	2	0.02	34	1080	161	0.11	2	6	17	<20
CC86476		<1	0.08	20	0.88	1275	5	<0.01	47	750	354	0.04	3	7	10	<20
CC86477		<1	0.07	10	0.53	888	1	0.01	19	680	30	0.04	<2	3	14	<20
CC86478		<1	0.05	10	0.55	748	1	0.01	23	1080	27	0.07	<2	3	15	<20
CC86479		<1	0.06	10	0.36	653	1	<0.01	12	1200	26	0.08	<2	1	8	<20
CC86480		<1	0.08	20	0.56	1090	2	<0.01	28	310	62	0.01	<2	4	6	<20
CC86481		<1	0.08	10	0.56	2040	2	0.01	36	980	88	0.05	<2	5	10	<20
CC86482		<1	0.08	10	0.62	2330	3	<0.01	44	790	501	0.05	12	6	10	<20
CC86483		<1	0.10	20	0.58	2140	2	0.01	31	830	87	0.06	2	5	13	<20
CC86484		<1	0.08	10	0.49	1445	1	0.01	20	1340	72	0.10	<2	3	16	<20
CC86485		<1	0.10	10	0.56	2120	2	<0.01	29	990	115	0.07	<2	4	11	<20
CC86486		<1	0.10	10	0.56	2470	1	0.01	29	1430	63	0.09	3	4	15	<20
CC86487		<1	0.07	10	0.52	836	3	<0.01	28	690	71	0.04	<2	4	9	<20
CC86488		<1	0.08	10	0.60	1245	3	<0.01	31	920	87	0.04	4	4	9	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86376		0.01	<10	<10	58	<10	358	
CC86377		0.03	<10	<10	117	<10	520	
CC86378		0.02	<10	<10	74	<10	375	
CC86379		0.02	<10	<10	46	<10	397	
CC86380		0.01	<10	<10	60	<10	166	
CC86381		0.02	<10	<10	62	<10	100	
CC86382		0.02	<10	<10	54	<10	148	
CC86383		0.02	<10	<10	44	<10	112	
CC86384		0.01	<10	<10	41	<10	195	
CC86385		0.03	<10	<10	55	<10	84	
CC86386		0.01	<10	<10	45	<10	112	
CC86387		0.02	<10	<10	47	<10	103	
CC86388		0.02	<10	<10	51	<10	109	
CC86389		0.02	<10	<10	78	<10	384	
CC86399		<0.01	<10	<10	94	<10	597	
CC86400		0.02	<10	<10	126	<10	2320	
CC86465		0.01	<10	<10	108	<10	278	
CC86466		0.05	<10	<10	76	<10	250	
CC86467		0.03	<10	<10	62	<10	483	
CC86468		0.03	<10	<10	86	<10	314	
CC86469		0.01	<10	<10	59	<10	402	
CC86470		0.01	<10	<10	155	<10	807	
CC86471		0.03	<10	<10	73	<10	299	
CC86472		0.03	<10	<10	66	<10	558	
CC86473		0.03	<10	<10	56	<10	558	
CC86474		0.03	<10	<10	51	<10	328	
CC86475		0.03	<10	<10	34	<10	363	
CC86476		0.03	<10	<10	61	<10	502	
CC86477		0.03	<10	<10	48	<10	178	
CC86478		0.02	<10	<10	42	<10	125	
CC86479		0.02	<10	<10	44	<10	105	
CC86480		0.02	<10	<10	42	<10	319	
CC86481		0.02	<10	<10	41	<10	376	
CC86482		0.01	<10	<10	37	<10	566	
CC86483		0.01	<10	<10	40	<10	317	
CC86484		0.02	<10	<10	39	<10	229	
CC86485		0.01	<10	<10	39	<10	250	
CC86486		0.03	<10	<10	43	<10	255	
CC86487		0.02	<10	<10	66	<10	281	
CC86488		0.02	<10	<10	50	<10	263	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86489		0.30	<0.2	1.95	15	<10	180	0.9	<2	0.25	<0.5	11	31	74	3.50	<10
CC86490		0.22	<0.2	1.89	14	<10	170	0.7	4	0.18	0.7	12	28	18	3.36	<10
CC86491		0.28	<0.2	1.88	16	<10	140	0.6	<2	0.12	<0.5	9	26	16	3.36	10
CC86492		0.22	<0.2	0.84	6	<10	90	<0.5	<2	0.14	<0.5	4	12	7	1.82	<10
CC86493		0.18	<0.2	1.27	22	<10	140	<0.5	2	0.15	0.5	10	23	30	3.65	<10
CC86494		0.28	<0.2	1.61	27	<10	80	0.5	2	0.06	<0.5	11	25	44	4.13	10
CC86495		0.18	0.8	0.89	24	<10	100	0.7	<2	0.37	2.2	15	11	72	5.37	<10
CC86496		0.30	<0.2	2.16	17	<10	110	0.5	<2	0.09	<0.5	7	28	18	3.37	<10
CC86497		0.24	<0.2	1.67	16	<10	100	0.5	2	0.07	<0.5	13	26	34	3.81	<10
CC86498		0.34	<0.2	2.00	17	<10	110	0.7	<2	0.06	<0.5	22	25	80	4.87	<10
CC86499		0.24	<0.2	1.76	13	<10	220	0.6	2	0.35	<0.5	9	25	19	3.17	<10
CC86500		0.20	<0.2	1.28	26	<10	120	0.7	<2	0.48	1.1	15	15	128	3.33	<10
CC86751		0.26	<0.2	1.78	15	<10	130	0.5	<2	0.10	<0.5	9	24	30	3.32	<10
CC86752		0.16	<0.2	1.62	21	<10	250	0.5	<2	0.27	<0.5	11	22	22	3.20	10
CC86753		0.30	<0.2	1.73	11	<10	110	<0.5	2	0.08	<0.5	6	23	17	2.69	10
CC86754		0.18	0.3	0.88	8	<10	320	0.6	<2	0.22	3.3	30	12	39	2.68	<10
CC86755		0.36	0.3	1.49	20	<10	130	0.7	4	0.09	1.2	19	22	57	4.32	<10
CC86756		0.22	27.0	1.38	19	<10	100	0.7	2	0.08	0.5	19	21	55	4.33	<10
CC86757		0.24	0.4	1.69	22	<10	110	1.2	3	0.25	<0.5	16	20	112	5.17	<10
CC86758		0.22	7.3	1.28	44	<10	170	2.0	6	0.11	14.2	70	16	199	10.30	<10
CC86759		0.30	0.3	1.65	18	<10	180	1.3	4	0.33	2.3	37	22	84	5.61	<10
CC86760		0.18	0.6	1.32	17	<10	200	0.8	<2	0.07	2.9	48	31	795	7.18	<10
CC86761		0.16	0.5	1.36	15	<10	290	0.7	3	0.19	4.9	54	19	51	6.53	<10
CC86762		0.36	3.8	0.85	78	<10	60	0.6	3	0.10	1.8	20	10	102	5.02	<10
CC86763		0.32	0.9	1.56	53	<10	150	0.9	2	0.16	3.5	34	15	137	6.57	<10
CC86764		0.36	0.2	2.15	43	<10	70	0.6	2	0.09	<0.5	32	46	34	5.04	10
CC86765		0.32	<0.2	1.73	11	<10	90	<0.5	<2	0.09	0.6	10	28	45	4.01	10
CC86766		0.34	1.0	2.36	20	<10	60	0.7	2	0.33	1.3	20	81	68	6.38	<10
CC86767		0.28	0.4	1.31	16	<10	110	<0.5	2	0.15	0.7	16	22	44	3.32	<10
CC86768		0.34	0.5	1.55	9	<10	100	<0.5	<2	0.10	0.5	10	23	23	3.53	10
CC86769		0.40	4.5	1.44	10	<10	150	1.8	4	0.37	140.0	51	29	221	8.77	<10
CC86770		0.32	3.8	1.43	30	<10	120	1.5	5	0.22	66.4	36	22	171	8.25	<10
CC86771		0.26	<0.2	1.42	20	<10	90	0.6	<2	0.10	1.7	17	19	77	3.84	<10
CC86772		0.30	2.0	1.81	96	<10	110	0.9	<2	1.29	2.7	18	27	611	4.11	<10
CC86773		0.28	1.1	1.51	100	<10	140	1.0	2	0.69	2.5	37	22	91	6.79	<10
CC86774		0.36	0.5	2.01	17	<10	170	0.7	3	0.20	2.1	19	37	109	4.23	10
CC86775		0.30	0.4	1.81	61	<10	110	0.5	<2	0.31	3.1	22	36	272	4.21	10
CC86776		0.28	0.3	2.03	9	<10	140	<0.5	2	0.55	12.5	18	29	36	4.56	10
CC86777		0.30	0.8	2.09	14	<10	130	0.5	<2	0.14	2.1	13	55	65	3.76	10
CC86778		0.32	0.3	1.76	19	<10	90	0.5	<2	0.07	1.0	11	29	56	3.66	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86489		<1	0.07	20	0.59	757	1	0.01	33	910	44	0.05	<2	4	12	<20
CC86490		<1	0.06	10	0.49	595	1	<0.01	28	630	34	0.04	<2	3	10	<20
CC86491		<1	0.06	10	0.40	499	2	<0.01	19	510	39	0.03	<2	3	9	<20
CC86492		1	0.05	10	0.12	329	2	<0.01	5	300	20	0.02	<2	1	8	<20
CC86493		<1	0.09	10	0.37	659	5	<0.01	23	530	50	0.03	<2	3	7	<20
CC86494		<1	0.07	10	0.38	528	4	<0.01	29	730	71	0.05	<2	3	7	<20
CC86495		<1	0.07	20	0.23	1470	10	<0.01	97	1230	95	0.05	4	4	9	<20
CC86496		<1	0.05	20	0.42	252	5	<0.01	19	490	30	0.02	<2	3	9	<20
CC86497		<1	0.06	10	0.45	860	2	<0.01	21	690	36	0.04	<2	2	7	<20
CC86498		<1	0.06	10	0.67	1205	1	<0.01	30	640	54	0.03	<2	4	5	<20
CC86499		<1	0.06	10	0.48	576	1	<0.01	16	1090	22	0.06	<2	2	12	<20
CC86500		<1	0.08	10	0.46	1095	1	<0.01	19	760	52	0.07	<2	3	8	<20
CC86751		<1	0.05	10	0.51	519	<1	<0.01	17	660	25	0.04	<2	2	7	<20
CC86752		<1	0.09	10	0.46	834	1	<0.01	15	900	38	0.05	<2	1	10	<20
CC86753		1	0.05	10	0.29	527	1	<0.01	9	540	17	0.03	<2	1	8	<20
CC86754		<1	0.09	10	0.12	6130	1	0.01	11	1570	30	0.14	<2	<1	11	<20
CC86755		<1	0.07	10	0.30	2000	1	<0.01	20	790	108	0.05	<2	1	7	<20
CC86756		<1	0.06	10	0.35	1510	1	<0.01	24	560	46	0.03	<2	3	5	<20
CC86757		<1	0.07	10	0.46	1455	1	<0.01	28	1060	80	0.05	2	7	7	<20
CC86758		<1	0.08	10	0.27	9390	5	0.01	59	2120	2230	0.06	9	10	7	<20
CC86759		<1	0.08	10	0.39	2920	3	<0.01	26	1120	76	0.05	2	5	10	<20
CC86760		<1	0.06	10	0.18	7240	2	<0.01	29	1660	230	0.08	<2	5	8	<20
CC86761		<1	0.08	10	0.18	7550	1	0.01	25	1690	221	0.11	2	2	9	<20
CC86762		<1	0.09	10	0.23	2540	13	<0.01	50	2040	286	0.09	11	1	6	<20
CC86763		<1	0.09	20	0.58	2910	7	<0.01	56	840	140	0.04	5	15	6	<20
CC86764		<1	0.07	20	1.14	921	5	<0.01	53	1100	31	0.03	<2	7	4	<20
CC86765		<1	0.05	10	0.35	429	2	<0.01	17	540	54	0.04	<2	3	8	<20
CC86766		<1	0.09	10	1.48	742	2	<0.01	48	590	50	0.03	2	16	4	<20
CC86767		<1	0.06	10	0.32	1160	2	<0.01	15	430	115	0.03	2	4	6	<20
CC86768		<1	0.07	10	0.32	756	1	<0.01	12	350	843	0.03	<2	3	7	<20
CC86769		<1	0.11	20	0.53	11800	<1	0.01	70	680	4750	0.09	18	30	8	<20
CC86770		<1	0.11	10	0.37	9350	<1	<0.01	51	710	743	0.03	19	22	7	<20
CC86771		1	0.07	20	0.56	1095	3	<0.01	28	520	108	0.03	2	3	5	<20
CC86772		<1	0.11	10	0.73	931	3	0.01	43	1120	89	0.11	<2	11	12	<20
CC86773		<1	0.09	20	0.93	4590	8	<0.01	76	1060	150	0.04	2	28	8	<20
CC86774		<1	0.08	10	0.66	1170	3	<0.01	30	650	421	0.04	<2	5	10	<20
CC86775		1	0.06	10	0.77	727	2	<0.01	37	330	407	0.02	<2	4	10	<20
CC86776		1	0.06	10	0.87	986	2	<0.01	25	700	165	0.03	<2	3	16	<20
CC86777		1	0.05	10	0.47	580	2	<0.01	27	550	253	0.04	<2	2	9	<20
CC86778		<1	0.06	20	0.46	618	7	<0.01	29	580	110	0.03	<2	2	8	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 11- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86489		0.03	<10	<10	51	<10	145	
CC86490		0.03	<10	<10	50	<10	164	
CC86491		0.03	<10	<10	60	<10	122	
CC86492		0.03	<10	<10	49	<10	84	
CC86493		0.02	<10	<10	61	<10	198	
CC86494		0.02	<10	<10	68	<10	226	
CC86495		0.01	<10	<10	29	<10	464	
CC86496		0.05	<10	<10	64	<10	108	
CC86497		0.03	<10	<10	66	<10	122	
CC86498		0.02	<10	<10	81	<10	148	
CC86499		0.02	<10	<10	54	<10	83	
CC86500		0.02	<10	<10	44	<10	157	
CC86751		0.02	<10	<10	52	<10	93	
CC86752		0.02	<10	<10	57	<10	111	
CC86753		0.03	<10	<10	68	<10	56	
CC86754		0.01	<10	<10	48	<10	129	
CC86755		0.03	<10	<10	51	<10	166	
CC86756		0.03	<10	<10	43	<10	98	
CC86757		0.02	<10	<10	34	<10	142	
CC86758		0.02	<10	<10	37	<10	2210	
CC86759		0.04	<10	<10	49	<10	479	
CC86760		0.04	<10	<10	53	<10	310	
CC86761		0.03	<10	<10	54	<10	576	
CC86762		0.01	<10	<10	36	<10	509	
CC86763		0.01	<10	<10	97	<10	828	
CC86764		0.02	<10	<10	147	<10	158	
CC86765		0.05	<10	<10	95	<10	127	
CC86766		0.01	<10	<10	104	<10	548	
CC86767		0.01	<10	<10	56	<10	232	
CC86768		0.03	<10	<10	68	<10	213	
CC86769		0.01	<10	<10	87	<10	>10000	2.30
CC86770		<0.01	<10	<10	68	<10	>10000	1.265
CC86771		0.02	<10	<10	49	<10	717	
CC86772		0.01	<10	<10	53	<10	665	
CC86773		0.01	<10	<10	89	<10	713	
CC86774		0.03	<10	<10	80	<10	552	
CC86775		0.04	<10	<10	91	<10	1315	
CC86776		0.02	<10	<10	114	<10	740	
CC86777		0.05	<10	<10	80	<10	634	
CC86778		0.03	<10	<10	66	<10	411	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86779		0.22	0.6	1.05	15	<10	130	0.5	<2	0.31	4.3	12	19	113	3.32	10
CC86780		0.30	1.5	1.10	32	<10	80	0.7	<2	0.54	2.0	21	21	103	4.44	<10
CC86781		0.32	0.5	1.43	27	<10	100	0.6	<2	0.33	0.5	15	25	37	3.84	<10
CC86782		0.16	1.0	0.51	6	<10	140	<0.5	2	2.17	2.2	6	10	28	1.06	<10
CC86783		0.26	0.4	0.85	21	<10	120	<0.5	<2	0.27	0.7	8	16	22	2.74	<10
CC86784		0.28	0.3	1.37	22	<10	140	0.5	<2	0.26	<0.5	12	21	22	3.38	<10
CC86785		0.24	0.2	1.48	19	<10	160	<0.5	<2	0.52	<0.5	12	24	22	3.39	<10
CC86786		0.22	2.3	1.30	21	<10	210	0.5	<2	0.85	0.6	10	18	59	3.09	<10
CC86787		0.26	1.2	1.56	32	<10	170	0.7	2	0.78	1.2	15	26	58	3.94	<10
CC86788		0.42	1.9	1.16	45	<10	110	0.7	<2	0.60	1.4	14	21	59	4.42	<10
CC86789		0.22	0.5	2.09	332	<10	80	1.6	22	1.62	1.4	15	32	82	3.75	10
CC86790		0.22	0.6	1.83	15	<10	40	0.6	2	1.76	1.8	8	31	50	2.30	<10
CC86791		0.32	0.6	2.02	22	<10	130	0.7	<2	0.12	1.0	9	30	38	3.58	10
CC86792		0.30	0.4	2.16	24	<10	110	0.5	<2	0.10	0.7	35	26	135	5.48	10
CC86793		0.38	0.5	2.05	30	<10	130	0.7	<2	0.20	0.5	19	27	280	3.80	10
CC86794		0.28	1.1	2.09	20	<10	340	1.0	<2	0.89	<0.5	15	29	208	2.99	10
CC86795		0.32	0.4	1.82	30	<10	80	0.6	<2	0.07	1.3	14	28	66	4.65	10
CC86796		0.24	1.2	1.66	27	<10	180	0.7	2	0.27	3.5	18	23	86	4.21	<10
CC86797		0.38	0.3	1.41	19	<10	90	<0.5	<2	0.10	1.0	9	22	28	4.13	10
CC86798		0.26	0.6	1.52	17	<10	470	0.6	<2	1.42	8.1	15	18	24	5.24	<10
CC86799		0.38	0.3	2.13	20	<10	190	0.8	<2	0.18	<0.5	14	33	53	3.90	10
CC86800		0.38	0.2	1.87	18	<10	130	0.5	<2	0.23	<0.5	10	29	106	3.60	10
CC86801		0.30	0.6	1.52	30	<10	150	0.5	2	0.55	1.6	15	26	64	4.45	<10
CC86802		0.32	0.3	1.98	31	<10	140	0.6	<2	0.55	0.8	25	28	119	3.70	10
CC86803		0.38	0.4	2.36	31	<10	130	0.8	<2	0.28	1.0	21	33	115	4.11	10
CC86804		0.28	0.2	1.77	26	<10	140	0.5	<2	0.49	0.8	11	27	54	3.60	10
CC86805		0.26	<0.2	2.12	23	<10	120	0.5	<2	0.21	1.9	33	39	136	4.60	10
CC86806		0.28	0.5	1.94	26	<10	100	0.7	<2	0.78	<0.5	16	36	62	3.95	10
CC86807		0.28	<0.2	2.08	15	<10	120	0.6	<2	0.37	<0.5	12	30	28	3.52	10
CC86808		0.20	0.2	1.65	10	<10	120	0.6	<2	0.34	0.6	15	23	37	3.15	<10
CC86809		0.12	0.5	0.52	4	<10	50	<0.5	2	4.10	0.5	6	7	30	0.91	<10
CC86810		0.28	0.7	0.68	7	<10	40	<0.5	<2	2.65	0.5	8	9	50	1.68	<10
CC86811		0.42	0.2	2.38	12	<10	50	0.6	<2	2.33	<0.5	13	21	43	3.73	10
CC86812		0.38	0.3	2.18	20	<10	100	0.8	<2	0.54	0.5	15	27	39	3.68	10
CC86813		0.20	0.5	1.73	32	<10	180	0.6	<2	0.43	1.3	28	31	60	3.89	10
CC86814		0.22	0.4	1.37	27	<10	140	0.5	<2	0.55	0.5	15	18	59	2.78	10
CC86815		0.30	0.2	1.80	25	<10	90	0.6	<2	0.14	<0.5	18	24	38	4.33	<10
CC86816		0.26	0.9	1.65	28	<10	100	0.6	<2	0.92	1.3	11	26	43	3.58	<10
CC86817		0.26	0.5	2.05	26	<10	130	0.7	<2	0.41	1.6	21	44	57	4.05	10
CC86818		0.30	0.7	1.77	88	<10	110	0.6	<2	0.49	3.6	40	28	114	5.00	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86779		<1	0.07	10	0.24	1510	5	<0.01	18	880	110	0.06	<2	1	9	<20
CC86780		<1	0.07	10	0.73	1580	6	<0.01	51	750	106	0.05	5	6	10	<20
CC86781		<1	0.08	10	0.68	915	2	<0.01	27	710	61	0.03	<2	4	10	<20
CC86782		<1	0.06	10	0.29	998	1	<0.01	14	1450	21	0.21	<2	1	24	<20
CC86783		1	0.07	10	0.29	672	2	<0.01	17	690	55	0.06	<2	1	9	<20
CC86784		<1	0.08	20	0.58	654	2	<0.01	22	600	64	0.02	<2	3	8	<20
CC86785		1	0.07	10	0.57	811	2	<0.01	21	820	57	0.05	<2	2	12	<20
CC86786		<1	0.10	10	0.49	874	1	<0.01	15	1190	53	0.09	59	2	14	<20
CC86787		<1	0.12	10	0.64	1090	2	<0.01	31	1610	104	0.10	2	4	15	<20
CC86788		<1	0.09	20	0.56	1650	2	<0.01	29	830	140	0.06	3	5	11	<20
CC86789		<1	0.05	20	1.82	339	2	<0.01	36	740	74	0.09	<2	5	46	<20
CC86790		<1	0.09	20	2.15	192	2	<0.01	33	610	11	0.09	<2	2	38	<20
CC86791		<1	0.06	20	0.52	286	3	<0.01	22	250	102	0.01	<2	3	8	<20
CC86792		1	0.05	10	0.45	648	1	<0.01	21	440	105	0.03	<2	4	7	<20
CC86793		1	0.07	10	0.74	686	2	<0.01	26	530	102	0.05	<2	3	9	<20
CC86794		<1	0.04	20	0.49	731	1	<0.01	26	1250	50	0.08	<2	4	19	<20
CC86795		<1	0.09	20	0.74	680	6	<0.01	37	550	80	0.03	<2	4	7	<20
CC86796		1	0.09	20	0.63	2070	5	<0.01	39	900	107	0.08	2	2	10	<20
CC86797		<1	0.06	20	0.33	556	4	<0.01	19	430	53	0.02	<2	3	7	<20
CC86798		1	0.05	10	0.62	8120	3	0.01	22	1020	75	0.08	<2	3	13	<20
CC86799		1	0.08	20	0.76	534	2	<0.01	33	510	63	0.02	<2	5	12	<20
CC86800		1	0.07	10	0.68	637	2	<0.01	20	500	46	0.04	<2	3	9	<20
CC86801		<1	0.08	10	0.58	1655	6	<0.01	36	970	113	0.06	2	3	11	<20
CC86802		<1	0.06	10	0.57	930	1	<0.01	23	580	66	0.04	<2	5	12	<20
CC86803		<1	0.06	10	1.02	1125	1	<0.01	31	390	134	0.03	<2	7	9	<20
CC86804		1	0.05	10	0.50	648	1	<0.01	17	650	87	0.05	<2	3	12	<20
CC86805		1	0.06	10	0.79	1755	1	<0.01	33	570	139	0.04	<2	6	9	<20
CC86806		<1	0.08	10	1.03	804	1	<0.01	30	700	87	0.06	<2	4	12	<20
CC86807		<1	0.07	10	1.06	606	1	<0.01	19	380	36	0.02	<2	3	10	<20
CC86808		<1	0.07	10	0.67	1425	1	<0.01	22	480	33	0.03	<2	3	9	<20
CC86809		1	0.03	10	0.43	1105	1	0.01	9	980	9	0.19	<2	1	30	<20
CC86810		<1	0.04	10	0.66	538	1	<0.01	15	920	33	0.22	<2	1	24	<20
CC86811		<1	0.10	10	2.58	1890	<1	0.01	23	380	36	0.03	<2	3	17	<20
CC86812		<1	0.13	20	1.21	1685	1	0.01	25	610	86	0.04	<2	4	10	<20
CC86813		<1	0.09	10	0.62	3070	4	0.01	26	800	98	0.05	<2	4	11	<20
CC86814		<1	0.07	10	0.33	1610	3	0.01	19	740	50	0.05	<2	2	11	<20
CC86815		<1	0.08	10	0.58	715	2	0.01	28	500	53	0.03	<2	2	6	<20
CC86816		<1	0.07	10	0.61	767	2	0.01	24	960	157	0.09	<2	4	13	<20
CC86817		1	0.07	10	1.42	1125	2	0.01	45	480	84	0.03	<2	7	8	<20
CC86818		<1	0.07	10	1.27	1935	1	0.01	46	480	114	0.03	<2	13	8	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86779		0.02	<10	<10	67	<10	278	
CC86780		0.02	<10	<10	49	<10	524	
CC86781		0.02	<10	<10	47	<10	211	
CC86782		0.01	<10	<10	12	<10	141	
CC86783		0.02	<10	<10	39	<10	212	
CC86784		0.01	<10	<10	42	<10	198	
CC86785		0.02	<10	<10	51	<10	176	
CC86786		0.02	<10	<10	44	<10	172	
CC86787		0.01	<10	<10	45	<10	400	
CC86788		0.02	<10	<10	34	<10	409	
CC86789		0.03	<10	<10	111	<10	185	
CC86790		0.01	<10	<10	85	<10	161	
CC86791		0.04	<10	<10	69	<10	532	
CC86792		0.08	<10	<10	129	<10	482	
CC86793		0.06	<10	<10	106	<10	299	
CC86794		0.03	<10	<10	61	<10	114	
CC86795		0.03	<10	<10	78	<10	338	
CC86796		0.02	<10	<10	64	<10	447	
CC86797		0.03	<10	<10	82	<10	289	
CC86798		0.02	<10	<10	61	<10	332	
CC86799		0.02	<10	<10	61	<10	221	
CC86800		0.04	<10	<10	81	<10	210	
CC86801		0.03	<10	<10	75	<10	381	
CC86802		0.04	<10	<10	77	<10	189	
CC86803		0.05	<10	<10	94	<10	350	
CC86804		0.03	<10	<10	72	<10	316	
CC86805		0.05	<10	<10	105	<10	444	
CC86806		0.02	<10	<10	62	<10	227	
CC86807		0.02	<10	<10	53	<10	141	
CC86808		0.02	<10	<10	41	<10	113	
CC86809		0.01	<10	<10	9	<10	54	
CC86810		0.01	<10	<10	12	<10	117	
CC86811		0.01	<10	<10	20	<10	126	
CC86812		0.02	<10	<10	38	<10	225	
CC86813		0.02	<10	<10	52	<10	287	
CC86814		0.02	<10	<10	44	<10	139	
CC86815		0.02	<10	<10	52	<10	159	
CC86816		0.02	<10	<10	39	<10	375	
CC86817		0.02	<10	<10	66	<10	576	
CC86818		0.02	<10	<10	83	<10	890	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86819		0.32	0.8	1.80	24	<10	90	0.8	<2	0.59	6.7	17	40	133	4.10	10
CC86820		0.26	0.6	1.98	29	<10	100	0.6	<2	0.57	4.8	24	28	207	3.99	10
CC86821		0.22	0.5	2.43	472	<10	80	1.3	<2	0.13	1.9	20	40	55	3.95	10
CC86822		0.18	1.0	2.28	102	<10	120	1.1	2	0.20	1.8	25	39	160	5.57	10
CC86823		0.24	0.9	1.61	27	<10	100	1.0	<2	0.88	0.8	13	25	233	3.13	<10
CC86824		0.20	0.2	1.57	21	<10	40	0.8	<2	0.29	1.4	12	23	41	3.28	<10
CC86825		0.12	0.4	0.96	45	<10	70	0.9	<2	0.69	1.9	13	19	57	3.48	<10
CC86826		0.14	0.3	1.10	24	<10	40	0.7	<2	0.72	1.2	11	19	41	3.00	<10
CC86827		0.20	0.4	1.52	20	<10	60	0.7	<2	0.91	2.2	13	23	52	3.32	<10
CC86828		0.38	0.4	3.12	16	<10	130	1.2	<2	0.69	0.9	32	132	144	5.63	10
CC86829		0.36	3.5	2.31	122	<10	140	1.0	<2	0.21	10.1	39	30	264	8.16	10
CC86830		0.30	0.6	1.63	17	<10	190	0.7	<2	0.34	3.4	16	28	43	4.38	10
CC86831		0.24	0.5	1.58	50	<10	140	0.5	<2	0.81	3.1	21	32	136	2.82	10
CC86832		0.24	0.4	1.99	60	<10	120	0.7	<2	0.59	1.5	19	41	114	3.99	10
CC86833		0.30	0.2	1.80	14	<10	110	<0.5	<2	0.30	0.6	9	31	26	3.45	10
CC86834		0.38	0.2	2.57	16	<10	80	0.6	<2	0.08	<0.5	15	54	36	4.12	10
CC86835		0.28	0.5	1.91	54	<10	80	0.6	<2	0.54	1.5	22	67	141	4.29	10
CC86836		0.44	0.4	2.31	29	<10	100	0.8	<2	0.45	1.5	22	62	123	3.87	10
CC86837		0.38	0.3	2.45	19	<10	110	0.6	2	0.24	1.2	26	79	46	4.42	10
CC86838		0.24	0.9	2.11	38	<10	120	0.8	<2	1.00	3.0	25	27	242	4.65	10
CC86839		0.36	1.6	3.98	18	<10	50	0.7	<2	0.18	0.5	30	80	97	5.13	10
CC86840		0.22	1.2	2.15	69	<10	130	1.1	<2	0.97	5.1	17	31	171	3.46	10
CC86841		0.40	0.5	2.41	19	<10	140	0.7	2	0.14	1.2	20	34	55	4.29	10
CC86842		0.28	0.6	1.20	17	<10	90	<0.5	<2	0.06	0.5	14	21	46	4.09	10
CC86843		0.34	0.2	0.91	10	<10	90	<0.5	<2	0.12	<0.5	6	16	19	2.85	10
CC86844		0.38	0.2	1.98	14	<10	120	0.6	<2	0.09	<0.5	11	29	31	3.49	10
CC86845		0.46	0.4	2.64	18	<10	140	0.9	<2	0.08	<0.5	18	34	41	3.83	<10
CC86846		0.30	0.4	1.96	15	<10	150	0.7	<2	0.22	<0.5	17	30	61	3.84	10
CC86847		0.38	0.3	1.85	13	<10	170	0.5	<2	0.21	<0.5	10	28	37	3.46	10
CC86848		0.36	0.3	1.86	16	<10	120	0.8	<2	0.08	<0.5	18	25	54	4.44	<10
CC86849		0.46	1.3	1.64	28	<10	70	0.8	<2	0.05	<0.5	35	23	66	5.59	10
CC86850		0.52	1.3	1.62	53	<10	110	1.3	<2	0.20	2.0	34	22	245	5.50	<10
CC86851		0.40	0.6	2.24	51	<10	160	0.9	<2	0.44	3.1	22	32	140	4.17	10
CC86852		0.34	0.5	1.46	209	<10	160	0.7	2	0.76	3.3	42	58	148	7.65	<10
CC86853		0.30	2.5	1.87	117	<10	140	1.2	<2	0.45	7.7	32	71	184	5.24	10
CC86854		0.38	5.3	1.43	506	<10	110	1.2	7	1.40	19.5	65	78	308	8.64	<10
CC86855		0.32	1.2	1.09	142	<10	170	0.9	<2	3.94	2.7	14	15	315	10.15	<10
CC86856		0.36	1.4	2.64	22	<10	100	2.2	<2	0.35	1.3	15	33	62	4.23	10
CC86859		0.34	3.6	3.42	206	<10	40	1.7	2	0.53	4.7	73	306	214	8.78	10
CC86860		0.32	22.9	0.75	1630	<10	40	0.6	<2	0.36	662	52	32	424	4.55	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86819		<1	0.08	10	1.12	1225	1	0.01	36	910	182	0.07	<2	7	9	<20
CC86820		<1	0.06	10	0.99	1345	<1	0.01	29	690	131	0.05	<2	9	11	<20
CC86821		<1	0.07	10	0.87	813	1	0.01	39	300	222	0.02	<2	4	8	<20
CC86822		<1	0.08	20	1.10	1520	3	0.01	40	540	81	0.02	2	8	7	<20
CC86823		<1	0.09	20	1.05	791	3	0.01	38	1040	51	0.07	<2	4	14	<20
CC86824		<1	0.13	30	1.49	501	9	0.01	64	530	37	0.02	<2	4	6	<20
CC86825		<1	0.09	20	0.40	772	6	0.01	46	690	64	0.05	2	4	14	<20
CC86826		<1	0.12	20	1.15	358	6	0.01	56	570	19	0.04	<2	3	13	<20
CC86827		<1	0.10	20	1.41	283	5	0.01	57	550	30	0.05	<2	4	21	<20
CC86828		<1	0.10	10	2.06	3380	<1	0.01	60	460	107	0.04	<2	18	14	<20
CC86829		<1	0.12	10	0.57	1610	18	0.01	75	1100	804	0.10	9	6	16	<20
CC86830		<1	0.11	10	0.49	1010	2	0.01	20	640	175	0.05	2	3	11	<20
CC86831		<1	0.05	10	0.47	965	1	0.02	22	710	361	0.08	<2	4	14	<20
CC86832		<1	0.08	10	0.93	1120	1	0.02	34	790	247	0.05	<2	6	13	<20
CC86833		<1	0.05	10	0.34	372	2	0.01	13	390	92	0.04	<2	2	9	<20
CC86834		<1	0.05	10	0.69	447	1	0.01	30	250	105	0.02	<2	4	6	<20
CC86835		<1	0.05	10	1.20	1015	1	0.02	44	460	186	0.03	<2	11	10	<20
CC86836		<1	0.06	10	0.98	1230	2	0.06	43	520	244	0.06	<2	7	13	<20
CC86837		<1	0.05	10	0.96	969	1	0.01	40	270	240	0.01	<2	5	9	<20
CC86838		<1	0.05	10	0.78	1500	1	0.02	31	940	227	0.07	<2	11	13	<20
CC86839		<1	0.04	10	1.76	792	<1	0.01	58	350	593	0.02	<2	10	6	<20
CC86840		<1	0.08	30	0.65	814	3	0.02	29	1080	349	0.10	2	6	16	<20
CC86841		<1	0.05	20	0.80	846	1	0.01	27	280	119	0.01	<2	6	8	<20
CC86842		<1	0.06	10	0.30	918	3	0.01	18	600	69	0.03	<2	3	5	<20
CC86843		<1	0.05	10	0.12	837	2	0.01	10	370	16	0.02	<2	2	7	<20
CC86844		<1	0.06	10	0.47	527	1	0.01	23	470	50	0.02	<2	3	8	<20
CC86845		<1	0.10	10	0.70	673	1	0.01	34	480	54	0.02	<2	3	7	<20
CC86846		<1	0.09	10	0.79	963	1	0.01	26	650	81	0.03	<2	3	9	<20
CC86847		<1	0.06	10	0.56	529	4	0.01	25	490	31	0.02	<2	3	12	<20
CC86848		<1	0.08	10	0.42	1070	2	0.01	24	500	34	0.02	<2	3	6	<20
CC86849		<1	0.06	10	0.27	1320	3	0.01	30	920	51	0.04	3	2	5	<20
CC86850		<1	0.09	20	0.57	3080	2	0.01	39	840	213	0.03	5	6	8	<20
CC86851		<1	0.10	10	0.56	1655	1	0.02	27	720	448	0.05	<2	5	11	<20
CC86852		<1	0.12	10	0.55	5090	1	0.01	107	810	150	0.06	6	32	12	<20
CC86853		<1	0.15	10	0.60	3060	1	0.02	53	780	1230	0.04	22	15	9	<20
CC86854		<1	0.14	<10	1.00	5490	<1	0.02	110	490	1280	0.07	30	33	9	<20
CC86855		<1	0.06	20	2.18	6030	5	0.02	80	720	155	0.08	11	6	22	<20
CC86856		<1	0.12	30	2.76	1335	2	0.01	28	790	606	0.04	<2	6	7	<20
CC86859		<1	0.05	10	3.16	2480	<1	0.01	206	400	250	0.04	34	66	3	<20
CC86860		2	0.10	<10	0.47	3670	<1	0.01	113	430	5990	0.04	81	11	3	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 11- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10102652

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86819		0.01	<10	<10	67	<10	2200	
CC86820		0.03	<10	<10	86	<10	1135	
CC86821		0.03	<10	<10	65	<10	989	
CC86822		0.02	<10	<10	93	<10	666	
CC86823		0.02	<10	<10	52	<10	213	
CC86824		0.01	<10	<10	57	<10	201	
CC86825		0.01	<10	<10	37	<10	360	
CC86826		<0.01	<10	<10	44	<10	167	
CC86827		0.01	<10	<10	47	<10	265	
CC86828		0.01	<10	<10	116	<10	283	
CC86829		0.03	<10	<10	75	<10	2490	
CC86830		0.04	<10	<10	73	<10	356	
CC86831		0.03	<10	<10	53	<10	546	
CC86832		0.02	<10	<10	69	<10	769	
CC86833		0.04	<10	<10	81	<10	197	
CC86834		0.05	<10	<10	82	<10	240	
CC86835		0.03	<10	<10	77	<10	617	
CC86836		0.05	<10	<10	68	<10	544	
CC86837		0.04	<10	<10	88	<10	505	
CC86838		0.02	<10	<10	97	<10	602	
CC86839		0.05	<10	<10	111	<10	349	
CC86840		0.02	<10	<10	54	<10	1110	
CC86841		0.02	<10	<10	90	<10	511	
CC86842		0.02	<10	<10	59	<10	263	
CC86843		0.06	<10	<10	64	<10	50	
CC86844		0.04	<10	<10	57	<10	136	
CC86845		0.03	<10	<10	53	<10	138	
CC86846		0.02	<10	<10	54	<10	151	
CC86847		0.04	<10	<10	61	<10	88	
CC86848		0.02	<10	<10	54	<10	93	
CC86849		0.02	<10	<10	45	<10	87	
CC86850		0.02	<10	<10	31	<10	685	
CC86851		0.02	<10	<10	59	<10	775	
CC86852		0.01	<10	<10	49	<10	653	
CC86853		0.02	<10	<10	67	<10	1825	
CC86854		0.01	<10	<10	76	10	5770	
CC86855		0.01	<10	<10	41	<10	574	
CC86856		0.03	<10	<10	100	<10	691	
CC86859		<0.01	<10	<10	151	<10	1390	
CC86860		<0.01	<10	<10	49	<10	>10000	14.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10- AUG- 2010
Account: MTT

CERTIFICATE VA10106640

Project: Rusty

P.O. No.:

This report is for 110 Soil samples submitted to our lab in Vancouver, BC, Canada on 3- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86861		0.26	0.4	4.15	3	<10	80	1.6	<2	0.59	4.2	58	111	168	10.55	10
CC86862		0.26	2.8	2.76	24	<10	300	1.4	2	0.43	31.6	90	53	231	10.20	10
CC86863		0.22	0.8	2.50	144	<10	170	0.8	3	0.22	2.5	103	42	412	7.57	10
CC86864		0.20	0.7	1.65	23	<10	100	0.9	<2	0.30	<0.5	16	29	61	4.40	<10
CC86865		0.34	<0.2	1.56	3	<10	30	1.5	<2	0.23	<0.5	62	28	5	11.05	<10
CC86882		0.32	0.4	2.36	26	<10	30	0.9	3	1.46	<0.5	11	34	65	2.80	10
CC86883		0.22	0.2	1.80	16	<10	80	0.9	<2	0.43	2.3	14	30	37	3.46	10
CC86884		0.18	1.0	1.20	17	<10	90	0.7	<2	2.26	3.6	14	19	155	2.54	10
CC86885		0.24	0.3	1.25	13	<10	120	<0.5	2	0.18	0.6	5	18	95	2.70	10
CC86886		0.24	0.4	2.10	18	<10	130	0.5	<2	0.11	0.9	8	30	58	3.65	10
CC86887		0.32	0.8	2.30	33	<10	130	0.9	<2	0.89	1.9	18	30	297	3.55	10
CC86888		0.24	0.3	2.41	35	<10	110	0.7	2	0.29	0.8	28	53	195	3.92	10
CC86889		0.14	0.6	1.77	89	<10	100	0.8	3	1.18	1.2	19	29	201	3.38	10
CC86890		0.24	0.3	1.97	42	<10	90	0.8	2	0.48	1.4	19	34	122	3.85	10
CC86891		0.20	1.9	1.94	52	<10	80	0.8	2	1.17	6.5	19	40	191	4.17	10
CC86892		0.40	0.8	2.66	81	<10	90	1.0	2	0.11	1.2	29	47	99	5.50	10
CC86893		0.22	0.6	2.01	38	<10	100	0.7	2	0.96	1.1	24	47	110	3.77	10
CC86894		0.28	0.3	1.91	28	<10	90	0.7	2	0.67	1.0	14	32	54	3.74	10
CC86895		0.32	0.4	1.65	21	<10	40	0.6	2	0.50	0.5	13	26	74	3.52	<10
CC86896		0.18	0.4	1.72	14	<10	60	0.6	<2	1.20	<0.5	12	24	47	3.13	<10
CC86897		0.16	0.8	1.39	17	<10	120	0.7	3	2.05	0.9	13	20	72	3.28	<10
CC86898		0.28	0.2	1.80	19	<10	70	0.6	2	0.44	0.5	12	25	28	3.52	<10
CC86899		0.34	0.2	1.83	17	<10	70	0.6	<2	0.45	0.5	13	24	40	3.52	<10
CC86900		0.26	0.3	1.92	19	<10	110	0.8	2	0.53	0.9	14	25	40	3.56	10
CC86901		0.18	0.3	1.38	16	<10	110	0.6	2	0.98	0.5	13	18	39	2.83	<10
CC86902		0.36	0.4	1.36	24	<10	120	0.6	2	0.55	0.7	15	18	37	3.38	<10
CC86903		0.36	3.8	1.50	50	<10	130	0.8	3	0.55	1.7	13	22	33	4.39	<10
CC86904		0.18	8.4	1.26	61	<10	160	0.9	2	0.97	2.3	17	20	59	4.92	<10
CC86905		0.18	7.6	1.09	51	<10	100	0.7	3	1.32	1.5	12	16	44	3.87	<10
CC86906		0.22	1.7	1.46	31	<10	160	1.0	3	0.96	2.3	14	22	42	4.38	<10
CC86907		0.16	1.0	1.23	22	<10	130	0.7	2	1.45	0.9	12	19	54	3.20	<10
CC86908		0.38	0.8	1.86	21	<10	160	0.7	3	0.37	0.8	14	27	37	3.80	10
CC86909		0.20	1.2	2.02	19	<10	120	0.8	2	0.56	1.1	12	25	51	3.65	10
CC86910		0.22	0.6	1.86	20	<10	200	0.6	2	0.37	1.2	16	27	32	3.82	10
CC86911		0.16	2.6	1.78	33	<10	180	0.7	2	0.47	0.9	15	27	61	4.06	10
CC86912		0.44	0.6	1.50	26	<10	110	0.7	<2	0.69	0.9	23	21	47	3.95	<10
CC86913		0.46	0.8	1.28	50	<10	100	0.7	<2	0.94	0.9	25	20	74	4.48	<10
CC86914		0.34	1.0	1.16	21	<10	80	0.5	<2	0.71	0.6	18	21	64	3.64	<10
CC86915		0.34	1.8	1.63	32	<10	120	0.6	<2	0.84	1.4	14	28	97	3.78	<10
CC86916		0.36	3.8	1.43	610	<10	100	0.8	2	0.41	0.9	22	24	97	5.30	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86861		<1	0.03	<10	2.96	2120	1	0.02	102	420	74	<0.01	5	29	4	<20
CC86862		<1	0.06	10	1.78	7650	5	0.02	152	840	305	0.02	12	31	8	<20
CC86863		<1	0.07	20	1.15	3390	2	0.02	87	950	98	0.06	2	21	9	<20
CC86864		<1	0.07	20	0.69	975	1	0.02	31	620	70	0.03	2	7	10	<20
CC86865		<1	0.03	<10	1.15	3560	<1	0.01	102	430	7	<0.01	2	44	1	<20
CC86882		<1	0.12	20	3.52	219	4	0.01	49	720	19	0.02	<2	4	21	<20
CC86883		<1	0.08	10	1.03	419	3	0.01	22	580	131	0.07	<2	3	16	<20
CC86884		<1	0.06	10	0.69	688	3	0.02	28	860	62	0.11	3	2	37	<20
CC86885		<1	0.04	10	0.26	163	1	0.01	12	450	38	0.04	<2	2	7	<20
CC86886		<1	0.05	10	0.47	312	2	0.02	20	380	97	0.03	<2	3	8	<20
CC86887		<1	0.05	10	0.62	625	2	0.02	35	580	105	0.06	3	4	18	<20
CC86888		<1	0.07	10	1.15	829	1	0.01	41	340	131	0.02	2	5	7	<20
CC86889		<1	0.06	10	0.79	770	2	0.02	29	930	102	0.07	2	6	15	<20
CC86890		<1	0.07	10	1.22	1080	1	0.01	33	560	119	0.03	<2	8	8	<20
CC86891		<1	0.06	10	1.00	1040	2	0.02	36	860	254	0.10	4	9	16	<20
CC86892		<1	0.09	20	1.39	1160	2	0.01	51	330	275	0.01	6	7	6	<20
CC86893		<1	0.08	10	1.44	1215	2	0.02	37	720	111	0.06	2	6	14	<20
CC86894		<1	0.10	10	1.40	993	1	0.01	29	550	96	0.03	<2	5	10	<20
CC86895		1	0.09	20	1.53	558	1	0.01	31	420	57	0.02	<2	5	7	<20
CC86896		<1	0.09	10	1.35	622	1	0.01	24	410	40	0.05	2	3	13	<20
CC86897		<1	0.07	10	0.77	954	1	0.02	24	860	48	0.09	<2	3	24	<20
CC86898		<1	0.09	10	1.36	729	1	0.02	24	390	38	0.02	<2	4	8	<20
CC86899		<1	0.11	20	1.59	902	1	0.01	26	450	56	0.03	<2	4	7	<20
CC86900		<1	0.13	10	0.93	1465	1	0.02	23	480	59	0.03	<2	4	11	<20
CC86901		<1	0.09	10	0.84	1195	1	0.02	22	720	38	0.07	<2	3	16	<20
CC86902		<1	0.16	10	0.87	1575	2	0.01	30	410	49	0.03	<2	4	9	<20
CC86903		<1	0.08	10	0.49	1175	1	0.01	24	520	398	0.04	5	4	10	<20
CC86904		<1	0.10	20	0.79	2360	1	0.02	36	710	331	0.04	10	6	9	<20
CC86905		<1	0.10	10	0.66	1390	1	0.02	23	700	266	0.07	8	3	12	<20
CC86906		<1	0.10	10	0.53	1595	1	0.02	23	860	212	0.06	5	5	12	<20
CC86907		1	0.08	10	0.56	1080	1	0.02	24	1170	66	0.12	2	3	17	<20
CC86908		<1	0.09	20	0.65	795	2	0.02	25	510	80	0.03	<2	5	13	<20
CC86909		<1	0.07	10	0.50	785	1	0.01	21	630	69	0.05	2	4	13	<20
CC86910		1	0.09	10	0.59	1045	2	0.02	22	510	65	0.03	2	4	12	<20
CC86911		<1	0.09	20	0.58	681	2	0.02	27	560	117	0.04	3	5	15	<20
CC86912		<1	0.08	10	0.59	1805	2	0.01	26	760	99	0.05	2	4	12	<20
CC86913		2	0.09	10	0.90	1270	3	0.01	45	850	130	0.06	3	5	14	<20
CC86914		1	0.07	10	0.78	610	2	0.01	35	790	75	0.04	2	5	13	<20
CC86915		<1	0.08	10	1.03	581	5	0.01	46	870	92	0.06	<2	6	10	<20
CC86916		1	0.10	10	0.84	1430	4	0.01	54	570	119	0.02	9	7	7	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Pb- OG46	Zn- OG46
		Ti	Ti	U	V	W	Zn	Pb	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001
CC86861		0.01	<10	<10	217	<10	844		
CC86862		0.01	<10	<10	187	<10	3070		
CC86863		0.02	<10	<10	103	<10	495		
CC86864		0.01	<10	<10	33	<10	195		
CC86865		<0.01	<10	<10	248	<10	154		
CC86882		0.01	<10	<10	103	<10	85		
CC86883		0.05	<10	<10	88	<10	503		
CC86884		0.01	<10	<10	37	<10	490		
CC86885		0.03	<10	<10	92	<10	114		
CC86886		0.04	<10	<10	94	<10	453		
CC86887		0.04	<10	<10	81	<10	461		
CC86888		0.03	<10	<10	90	<10	437		
CC86889		0.02	<10	<10	56	<10	276		
CC86890		0.02	<10	<10	79	<10	421		
CC86891		0.02	<10	<10	72	<10	1490		
CC86892		0.03	<10	<10	108	<10	791		
CC86893		0.02	<10	<10	54	<10	332		
CC86894		0.01	<10	<10	43	<10	336		
CC86895		0.01	<10	<10	33	<10	210		
CC86896		0.01	<10	<10	30	<10	152		
CC86897		0.01	<10	<10	28	<10	196		
CC86898		0.02	<10	<10	31	<10	160		
CC86899		0.02	<10	<10	26	<10	191		
CC86900		0.02	<10	<10	38	<10	202		
CC86901		0.02	<10	<10	22	<10	145		
CC86902		0.01	<10	<10	24	<10	203		
CC86903		0.02	<10	<10	41	<10	690		
CC86904		0.02	<10	<10	32	<10	689		
CC86905		0.01	<10	<10	27	<10	580		
CC86906		0.01	<10	<10	38	<10	484		
CC86907		0.01	<10	<10	32	<10	273		
CC86908		0.02	<10	<10	52	<10	347		
CC86909		0.02	<10	<10	57	<10	200		
CC86910		0.03	<10	<10	62	<10	298		
CC86911		0.02	<10	<10	52	<10	262		
CC86912		0.02	<10	<10	43	<10	264		
CC86913		0.02	<10	<10	34	<10	410		
CC86914		0.03	<10	<10	38	<10	362		
CC86915		0.02	<10	<10	63	<10	447		
CC86916		0.02	<10	<10	49	<10	500		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86917		0.18	0.8	1.51	24	<10	130	0.6	<2	0.57	0.8	15	26	54	3.67	<10
CC86918		0.12	1.7	1.08	9	<10	140	0.5	<2	2.43	1.4	11	16	83	2.37	<10
CC86919		0.30	2.0	1.95	24	<10	170	1.0	<2	0.80	1.5	22	31	140	4.66	<10
CC86920		0.52	0.7	1.75	23	<10	130	0.7	<2	0.17	0.8	14	25	66	3.94	<10
CC86921		0.48	0.5	2.01	108	<10	180	1.2	<2	0.77	4.5	49	26	195	9.77	<10
CC86922		0.48	0.7	2.39	88	<10	150	1.0	<2	1.13	4.7	39	61	154	8.49	<10
CC86923		0.50	2.6	1.73	97	<10	180	1.3	<2	0.74	3.6	51	78	148	8.27	<10
CC86924		0.30	0.9	1.86	26	<10	170	0.7	<2	0.69	3.7	19	65	149	3.97	<10
CC86925		0.28	0.9	2.34	33	<10	100	1.6	<2	0.55	2.0	53	174	155	8.70	10
CC86926		0.26	2.2	1.61	179	<10	200	2.0	<2	1.30	3.5	64	42	181	11.10	<10
CC86927		0.22	2.4	1.01	77	<10	200	2.0	<2	1.17	6.5	37	32	168	12.05	<10
CC86928		0.48	25.9	1.28	3770	<10	720	1.5	<2	0.46	37.1	135	38	615	10.85	<10
CC86929		0.30	2.6	1.76	60	<10	100	0.8	<2	0.53	10.9	21	53	97	4.73	<10
CC86930		0.28	44.6	1.34	999	<10	220	2.3	<2	0.14	91.1	82	38	934	14.4	<10
CC86931		0.34	1.3	2.23	36	<10	200	1.6	<2	0.22	2.8	26	68	110	6.57	<10
CC86932		0.30	0.8	2.98	80	<10	130	1.6	<2	0.50	1.2	50	36	351	6.82	10
CC86933		0.42	4.3	2.22	91	<10	200	1.2	<2	0.56	8.7	61	37	230	8.63	<10
CC86934		0.48	31.9	2.12	86	<10	140	1.2	<2	0.64	38.4	56	36	379	7.78	10
CC86935		0.40	36.9	1.45	190	<10	170	1.2	<2	0.44	226	70	24	483	8.48	<10
CC86936		0.40	13.0	2.00	87	<10	160	1.2	<2	0.59	36.0	59	34	302	9.02	10
CC86937		0.30	0.8	1.92	72	<10	110	0.9	<2	1.02	5.0	26	96	174	5.39	10
CC86938		0.22	0.4	1.89	22	<10	80	1.3	<2	0.61	2.3	50	180	93	7.45	<10
CC86939		0.20	1.4	1.34	124	<10	120	1.6	<2	0.41	2.0	31	119	94	6.02	<10
CC86940		0.24	1.8	1.99	53	<10	130	1.4	<2	0.65	7.8	48	232	190	9.62	10
CC86941		0.20	0.4	3.90	7	<10	90	1.6	<2	1.01	1.4	57	353	134	6.01	<10
CC86942		0.34	1.5	1.42	159	<10	220	2.2	<2	0.41	5.8	43	115	73	7.95	<10
CC86943		0.22	2.0	1.85	96	<10	240	1.4	<2	0.77	5.6	68	133	266	11.20	<10
CC86944		0.52	1.8	1.95	78	<10	140	1.4	<2	0.78	6.0	51	160	174	7.80	<10
CC86945		0.20	1.2	2.12	24	<10	190	0.9	2	0.55	1.2	10	49	149	3.52	<10
CC86946		0.22	0.9	2.00	42	<10	200	1.0	<2	0.52	1.6	14	51	272	3.47	<10
CC86947		0.20	0.2	2.08	17	<10	110	0.8	<2	0.28	0.5	23	79	57	4.22	<10
CC86948		0.26	0.4	2.03	14	<10	150	1.1	<2	0.13	0.6	16	40	38	4.02	<10
CC86949		0.36	0.4	2.35	18	<10	140	1.1	<2	0.36	<0.5	23	95	60	4.76	<10
CC86950		0.22	0.4	1.74	52	<10	40	1.1	<2	1.13	2.6	57	250	113	6.92	<10
CC86951		0.20	0.6	1.95	10	<10	230	0.6	<2	0.31	<0.5	9	35	33	2.81	10
CC86952		0.22	<0.2	2.48	16	<10	160	0.6	<2	0.18	<0.5	17	44	26	4.25	10
CC86953		0.28	0.8	3.08	18	<10	90	1.0	<2	0.84	2.9	39	218	157	5.85	10
CC86954		0.18	0.8	2.43	15	<10	110	0.6	<2	0.49	6.5	42	107	252	5.06	10
CC86955		0.24	5.0	2.07	395	<10	30	2.0	<2	1.08	73.2	52	113	302	5.63	10
CC86956		0.24	0.4	1.92	18	<10	130	0.8	<2	0.55	<0.5	15	54	107	3.37	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86917		1	0.09	10	0.70	956	4	0.01	31	730	91	0.04	<2	4	11	<20
CC86918		<1	0.07	<10	0.55	694	3	0.01	27	1210	57	0.16	2	2	21	<20
CC86919		1	0.10	10	0.88	1660	6	0.01	55	940	135	0.06	3	6	11	<20
CC86920		1	0.09	20	0.75	767	6	<0.01	40	520	99	0.02	5	5	5	<20
CC86921		<1	0.08	10	1.61	5300	<1	0.01	82	430	186	0.02	2	39	6	<20
CC86922		2	0.05	<10	1.72	4720	2	0.01	77	740	304	0.06	<2	23	11	<20
CC86923		<1	0.09	<10	1.17	4560	<1	0.01	87	340	326	0.02	6	35	8	<20
CC86924		1	0.05	10	0.93	1400	<1	0.01	40	730	544	0.05	<2	6	13	<20
CC86925		1	0.07	<10	1.84	4830	1	<0.01	118	380	300	0.01	<2	41	6	<20
CC86926		1	0.08	<10	1.04	10350	1	<0.01	113	340	148	0.01	13	37	12	<20
CC86927		1	0.13	<10	0.56	9720	1	0.01	86	530	347	0.04	4	51	11	<20
CC86928		2	0.10	10	0.53	14000	3	0.01	134	520	4740	0.02	452	24	35	<20
CC86929		<1	0.08	10	0.87	1900	1	0.01	53	630	680	0.03	5	11	11	<20
CC86930		1	0.08	<10	0.39	15750	4	0.01	90	630	>10000	0.03	581	20	6	<20
CC86931		1	0.05	10	0.72	2630	1	0.01	57	800	231	0.03	3	21	7	<20
CC86932		<1	0.05	10	2.44	3520	<1	<0.01	102	380	89	<0.01	3	73	5	<20
CC86933		<1	0.06	10	1.40	6000	2	0.01	86	570	1080	0.03	30	33	13	<20
CC86934		2	0.08	10	1.56	6400	1	0.01	79	640	5310	0.03	127	28	13	<20
CC86935		3	0.09	<10	0.97	10250	2	0.01	86	560	6410	0.05	229	27	9	<20
CC86936		<1	0.08	10	1.50	5740	<1	0.01	86	590	2140	0.03	63	31	13	<20
CC86937		<1	0.06	10	1.05	1180	1	0.01	62	790	391	0.06	2	16	12	<20
CC86938		<1	0.06	<10	1.16	2830	<1	0.01	106	380	251	0.02	2	24	4	<20
CC86939		2	0.09	<10	0.39	2290	<1	0.01	99	520	156	0.03	7	26	5	<20
CC86940		3	0.06	<10	1.42	5640	<1	0.01	126	520	1100	0.02	2	29	7	<20
CC86941		<1	0.04	<10	3.18	2410	<1	<0.01	140	400	147	<0.01	<2	18	9	<20
CC86942		1	0.11	10	0.79	3670	1	0.01	107	290	549	0.01	<2	42	11	<20
CC86943		<1	0.08	<10	1.43	6610	<1	0.01	137	320	329	0.02	6	39	8	<20
CC86944		<1	0.08	<10	1.39	4410	<1	0.01	112	450	348	0.03	4	32	7	<20
CC86945		1	0.07	20	0.79	496	<1	0.02	33	1090	92	0.03	2	8	18	<20
CC86946		1	0.06	20	0.75	1080	1	0.01	34	1140	207	0.04	2	9	15	<20
CC86947		<1	0.05	10	1.40	1380	<1	0.01	47	640	260	0.01	<2	5	10	<20
CC86948		1	0.05	10	0.58	1400	<1	0.01	29	590	146	0.02	<2	4	5	<20
CC86949		1	0.07	10	1.16	1570	<1	0.01	50	470	212	0.03	2	12	9	<20
CC86950		1	0.06	<10	1.32	3630	<1	0.01	141	360	399	0.01	6	25	8	<20
CC86951		<1	0.04	10	0.39	475	1	0.01	20	420	69	0.03	2	3	13	<20
CC86952		1	0.07	10	0.68	1250	1	0.01	29	480	51	0.03	2	4	13	<20
CC86953		1	0.04	10	2.14	2520	<1	0.01	87	490	674	0.04	3	18	10	<20
CC86954		1	0.08	10	1.13	2510	<1	0.01	47	760	1080	0.07	2	7	16	<20
CC86955		2	0.07	10	1.76	3510	<1	0.01	92	590	3020	0.05	20	20	10	<20
CC86956		<1	0.05	10	0.91	901	<1	0.01	33	770	83	0.05	2	5	14	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 10- AUG- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Pb- OG46 Pb %	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001	0.001
CC86917		0.02	<10	<10	69	<10	296		
CC86918		0.01	<10	<10	34	<10	250		
CC86919		0.01	<10	<10	68	<10	526		
CC86920		0.01	<10	<10	65	<10	428		
CC86921		0.01	<10	<10	130	<10	662		
CC86922		0.02	<10	<10	116	<10	684		
CC86923		0.01	<10	<10	90	<10	729		
CC86924		0.03	<10	<10	60	<10	629		
CC86925		0.01	<10	<10	137	<10	574		
CC86926		0.01	<10	<10	108	<10	864		
CC86927		0.01	<10	<10	111	10	1070		
CC86928		0.02	<10	<10	67	20	7120		
CC86929		0.03	<10	<10	53	10	5080		
CC86930		0.02	<10	10	78	10	>10000	1.610	2.26
CC86931		0.01	<10	<10	116	<10	1570		
CC86932		0.01	<10	<10	148	<10	420		
CC86933		0.02	<10	<10	125	<10	2170		
CC86934		0.02	<10	<10	120	<10	>10000		1.065
CC86935		0.02	<10	<10	90	<10	>10000		5.28
CC86936		0.02	<10	<10	115	10	8450		
CC86937		0.02	<10	<10	84	<10	835		
CC86938		0.01	<10	<10	117	<10	477		
CC86939		0.01	<10	<10	74	<10	500		
CC86940		0.01	<10	<10	132	<10	1345		
CC86941		0.02	<10	<10	107	<10	346		
CC86942		0.01	<10	<10	82	<10	1835		
CC86943		0.01	<10	<10	115	<10	1645		
CC86944		0.01	<10	<10	105	<10	1230		
CC86945		0.03	<10	<10	63	<10	439		
CC86946		0.03	<10	<10	66	<10	477		
CC86947		0.03	<10	<10	61	<10	349		
CC86948		0.02	<10	<10	48	<10	211		
CC86949		0.01	<10	<10	63	<10	378		
CC86950		<0.01	<10	<10	111	<10	1030		
CC86951		0.02	<10	<10	57	<10	128		
CC86952		0.04	<10	<10	68	<10	156		
CC86953		0.01	<10	<10	101	<10	724		
CC86954		0.04	<10	<10	100	<10	1340		
CC86955		0.01	<10	<10	98	<10	>10000		2.98
CC86956		0.03	<10	<10	58	<10	802		



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS	VA10106640

Total # Pages: 4 (A - C)

Account: MTT

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86957		0.30	0.3	2.49	12	<10	140	0.9	<2	0.71	1.1	24	56	59	5.17	10
CC86958		0.20	0.3	2.17	12	<10	170	0.6	<2	0.23	<0.5	10	35	29	3.59	10
CC86971		0.36	<0.2	1.32	16	<10	30	0.7	<2	4.00	<0.5	15	17	40	3.32	<10
CC86972		0.18	0.2	1.41	12	<10	30	0.7	<2	2.05	<0.5	15	17	51	3.47	<10
CC86973		0.12	0.2	0.84	6	<10	50	0.8	<2	2.55	<0.5	10	10	35	1.86	<10
CC86974		0.28	0.2	1.38	10	<10	60	0.8	<2	1.61	<0.5	12	19	35	2.45	<10
CC86975		0.38	<0.2	1.42	14	<10	20	0.7	<2	1.43	<0.5	9	21	44	2.56	<10
CC86976		0.26	0.3	1.30	113	<10	30	0.7	<2	1.68	0.7	11	20	69	2.79	<10
CC86977		0.24	0.3	1.31	18	<10	40	0.7	<2	1.42	0.8	13	19	64	3.12	<10
CC86978		0.30	0.2	1.63	27	<10	50	0.9	<2	0.70	0.5	19	26	76	3.73	<10
CC86979		0.18	0.5	1.57	12	<10	30	0.8	<2	1.18	1.4	13	25	80	2.90	10
CC86980		0.30	0.4	1.56	15	<10	40	0.7	<2	0.94	0.6	10	24	42	2.76	<10
CC86981		0.32	0.3	1.52	17	<10	40	0.8	<2	1.60	0.8	11	21	46	2.94	<10
CC86982		0.30	0.2	1.83	11	<10	120	1.0	<2	1.01	1.5	10	22	20	2.90	10
CC86983		0.20	0.2	1.18	9	<10	50	0.6	<2	1.52	0.9	10	16	38	2.28	<10
CC86984		0.38	0.3	2.38	12	<10	20	1.3	<2	1.30	<0.5	11	31	57	2.90	10
CC86985		0.34	3.6	3.29	255	<10	130	5.1	6	0.56	8.0	160	50	997	18.2	<10
CC86986		0.44	1.0	2.90	280	<10	60	1.5	<2	0.54	18.8	146	55	624	13.60	10
CC86987		0.38	2.5	3.25	80	<10	30	1.1	2	0.37	18.9	163	72	433	9.22	10
CC86988		0.34	1.1	1.63	69	<10	20	<0.5	<2	0.87	17.6	171	37	1315	20.9	<10
CC86989		0.48	0.2	1.79	18	<10	60	0.8	<2	0.58	1.3	15	32	144	3.44	10
CC86990		0.24	<0.2	2.11	12	<10	70	0.7	<2	0.36	1.2	14	33	131	3.38	<10
CC86991		0.30	<0.2	1.96	10	<10	70	0.6	<2	0.17	<0.5	12	31	56	3.37	10
CC86992		0.24	0.3	2.12	15	<10	150	0.6	<2	0.65	0.8	18	33	129	3.82	10
CC86993		0.38	<0.2	2.22	13	<10	100	0.8	<2	0.22	<0.5	19	34	67	4.25	10
CC86994		0.42	0.2	2.01	9	<10	90	<0.5	<2	0.30	<0.5	14	46	71	3.66	10
CC86995		0.36	<0.2	2.47	16	<10	120	0.6	<2	0.23	<0.5	19	41	92	3.92	<10
CC86996		0.26	0.2	2.57	16	<10	100	0.7	<2	0.51	0.6	27	64	182	4.14	<10
CC86997		0.18	0.3	2.57	17	<10	110	0.6	<2	0.29	0.6	24	77	170	4.21	<10
CC86998		0.46	0.4	1.78	34	<10	90	0.7	<2	1.68	1.8	25	40	153	3.56	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 10- AUG- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86957		1	0.07	20	1.92	1850	<1	0.01	38	1420	181	0.05	2	7	21	<20
CC86958		<1	0.05	10	0.54	461	1	0.01	24	340	157	0.03	2	3	13	<20
CC86971		1	0.13	20	3.26	326	2	0.01	35	530	27	0.09	2	3	55	<20
CC86972		1	0.10	20	1.98	414	2	0.01	38	740	24	0.14	2	3	38	<20
CC86973		<1	0.06	10	0.90	732	1	0.01	22	1050	19	0.21	<2	1	57	<20
CC86974		1	0.05	10	1.17	571	1	0.01	22	1010	29	0.13	<2	2	43	<20
CC86975		1	0.12	30	1.90	285	1	0.01	31	550	32	0.04	<2	4	39	<20
CC86976		<1	0.12	20	1.76	444	1	0.01	34	700	52	0.05	2	4	40	<20
CC86977		1	0.10	20	1.43	317	2	0.01	44	640	34	0.07	2	4	29	<20
CC86978		1	0.09	20	1.38	572	2	0.01	46	580	48	0.06	3	5	23	<20
CC86979		2	0.08	20	1.53	292	1	0.01	44	740	23	0.09	3	4	30	<20
CC86980		1	0.09	10	1.31	270	3	0.01	47	680	33	0.08	2	4	23	<20
CC86981		1	0.11	30	1.94	604	2	0.01	39	750	66	0.06	4	4	37	<20
CC86982		<1	0.08	20	0.95	557	1	0.01	25	550	33	0.06	<2	4	40	<20
CC86983		1	0.08	10	1.03	359	2	0.01	29	730	22	0.10	2	3	42	<20
CC86984		<1	0.05	20	3.36	464	1	0.01	30	760	35	0.10	2	5	28	<20
CC86985		1	0.09	50	1.25	2720	28	0.01	128	750	291	0.38	23	29	13	20
CC86986		1	0.10	50	3.23	1770	19	0.01	83	720	239	0.46	12	11	11	20
CC86987		1	0.04	10	2.55	1250	<1	0.01	89	640	1690	0.15	36	15	7	<20
CC86988		1	0.02	<10	1.02	659	<1	0.02	116	600	191	1.86	3	6	15	<20
CC86989		1	0.06	10	1.40	666	1	0.01	29	950	85	0.08	2	4	11	<20
CC86990		<1	0.06	10	1.33	517	1	0.01	25	650	73	0.07	2	3	9	<20
CC86991		1	0.06	10	1.06	442	1	0.01	25	420	63	0.04	2	3	8	<20
CC86992		1	0.09	10	1.06	832	1	0.01	34	970	75	0.07	2	6	17	<20
CC86993		1	0.08	10	0.84	1050	<1	0.01	32	460	64	0.04	2	4	9	<20
CC86994		1	0.08	10	0.69	567	1	0.01	30	660	40	0.08	<2	3	11	<20
CC86995		1	0.07	10	0.69	421	<1	0.01	56	300	45	0.03	2	4	10	<20
CC86996		1	0.08	10	1.52	1020	<1	0.01	69	630	79	0.04	2	8	16	<20
CC86997		<1	0.08	10	1.18	749	1	0.01	63	480	59	0.03	<2	4	10	<20
CC86998		<1	0.07	20	0.83	765	<1	0.01	64	700	150	0.07	<2	4	22	<20



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106640

	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Pb- OG46	Zn- OG46
Method Analyte Units LOR	Ti % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Pb % 0.001	Zn % 0.001
Sample Description								
CC86957	0.08	<10	<10	96	<10	468		
CC86958	0.04	<10	<10	66	<10	181		
CC86971	0.01	<10	<10	20	<10	89		
CC86972	0.01	<10	<10	23	<10	70		
CC86973	0.01	<10	<10	15	<10	91		
CC86974	0.01	<10	<10	35	<10	134		
CC86975	0.01	<10	<10	42	<10	143		
CC86976	0.01	<10	<10	42	<10	362		
CC86977	0.01	<10	<10	39	<10	195		
CC86978	0.01	<10	<10	52	<10	194		
CC86979	0.01	<10	<10	50	<10	175		
CC86980	0.01	<10	<10	52	<10	160		
CC86981	0.01	<10	<10	51	<10	299		
CC86982	0.01	<10	<10	66	<10	170		
CC86983	0.01	<10	<10	36	<10	152		
CC86984	0.01	<10	<10	76	<10	161		
CC86985	0.01	<10	<10	88	10	2080		
CC86986	0.04	<10	<10	138	<10	1820		
CC86987	0.02	<10	<10	111	<10	2360		
CC86988	0.03	<10	<10	105	<10	1260		
CC86989	0.02	<10	<10	66	<10	327		
CC86990	0.03	<10	<10	83	<10	335		
CC86991	0.03	<10	<10	69	<10	190		
CC86992	0.02	<10	<10	77	<10	290		
CC86993	0.02	<10	<10	71	<10	225		
CC86994	0.03	<10	<10	80	<10	134		
CC86995	0.03	<10	<10	77	<10	116		
CC86996	0.03	<10	<10	87	<10	221		
CC86997	0.05	<10	<10	103	<10	233		
CC86998	0.03	<10	<10	69	<10	581		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16- AUG- 2010
Account: MTT

CERTIFICATE VA10106641

Project: Rusty

P.O. No.:

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 3- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 16- AUG- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106641

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G0557010		0.76	0.008	4.2	0.60	49	<10	190	2.6	<2	5.72	109.0	112	6	479	17.9
G0557011		0.64	0.023	24.4	0.78	<2	<10	10	<0.5	<2	4.24	332	67	32	153	4.03
G0557012		0.68	0.011	7.1	0.03	7	<10	<10	<0.5	<2	>25.0	402	55	1	20	0.97
G0557013		0.46	0.006	>100	0.13	1800	<10	20	<0.5	<2	1.72	>1000	14	8	706	4.77
G0557014		0.78	0.003	6.9	0.24	49	<10	100	<0.5	<2	0.53	827	4	3	246	12.55
G0557015		0.46	0.002	4.9	0.17	14	<10	80	<0.5	<2	0.08	>1000	7	2	247	11.25
G0557016		1.32	0.054	>100	0.07	9120	<10	20	<0.5	159	0.29	75.7	76	1	>10000	29.9
G0557017		0.26	0.002	32.5	0.94	3030	<10	60	1.0	<2	1.36	281	32	82	1520	6.04
G0557018		2.48	0.006	67.3	0.33	284	<10	190	0.6	<2	0.09	282	19	18	505	14.1
G0557019		2.18	0.002	>100	0.22	139	<10	40	<0.5	<2	0.04	90.1	10	9	2680	10.55
G0557020		0.54	<0.001	11.1	3.19	107	<10	40	0.9	<2	0.06	11.7	31	210	163	8.74
G0557021		0.82	<0.001	2.2	0.48	239	<10	50	1.2	<2	2.61	39.5	39	18	31	6.40
G0557022		1.12	0.001	2.9	1.00	98	<10	90	1.4	<2	4.90	44.4	31	33	43	5.44
G0557023		1.30	0.001	71.9	0.27	120	<10	90	0.6	<2	0.16	318	13	8	517	15.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 16- AUG- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106641

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
G0557010		<10	1	0.08	<10	1.47	17650	10	0.01	344	250	472	0.05	35	50	18
G0557011		20	5	0.03	<10	0.85	350	<1	0.01	24	40	>10000	2.72	31	4	13
G0557012		<10	10	<0.01	20	0.05	994	<1	0.01	2	10	9710	1.8	14	2	173
G0557013		10	5	0.06	<10	0.68	6600	<1	0.02	27	70	>10000	0.69	309	9	6
G0557014		<10	4	0.16	<10	0.84	24500	<1	0.02	19	290	680	2.15	32	2	7
G0557015		<10	5	0.12	<10	0.24	23100	<1	0.02	49	210	235	0.17	33	2	4
G0557016		<10	13	0.06	<10	2.39	17650	<1	0.02	39	30	1530	1.82	>10000	3	7
G0557017		<10	1	0.24	<10	1.05	4760	1	0.01	82	340	7890	0.10	388	37	6
G0557018		<10	3	0.18	<10	0.08	11950	1	0.01	28	130	>10000	0.17	181	19	5
G0557019		<10	2	0.12	<10	0.04	8210	2	0.01	16	90	>10000	1.30	1105	15	12
G0557020		10	1	0.19	<10	3.07	2510	1	0.01	88	240	2610	0.02	33	16	2
G0557021		<10	<1	0.36	<10	1.63	4710	<1	0.01	65	230	471	0.30	12	39	9
G0557022		<10	<1	0.31	<10	1.07	3610	<1	0.01	53	260	1680	0.18	10	48	8
G0557023		<10	3	0.18	<10	0.32	15000	1	0.01	26	100	>10000	0.95	310	29	7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 16- AUG- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10106641

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Cu- OG46	Pb- OG46	Zn- OG46	Ag- GRA21
		Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn	Ag
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1	% 0.001	% 0.001	% 0.001	ppm 5
G0557010		<20	<0.01	<10	10	89	10	>10000				1.195	
G0557011		<20	0.02	<10	<10	49	<10	>10000			3.71	4.06	
G0557012		<20	<0.01	<10	<10	2	<10	>10000				6.07	
G0557013		<20	<0.01	<10	<10	20	<10	>10000	120		7.38	28.2	
G0557014		<20	<0.01	<10	<10	8	<10	>10000				14.80	
G0557015		<20	<0.01	<10	<10	6	<10	>10000				23.7	
G0557016		<20	<0.01	<10	<10	6	30	>10000	>1500	5.17		1.005	1510
G0557017		<20	<0.01	<10	<10	70	<10	>10000				3.55	
G0557018		<20	<0.01	<10	10	43	<10	>10000			1.535	6.72	
G0557019		<20	<0.01	<10	10	26	20	>10000	591		16.15	2.50	
G0557020		<20	<0.01	<10	<10	131	<10	4930					
G0557021		<20	<0.01	<10	<10	64	<10	>10000				1.155	
G0557022		<20	0.01	<10	<10	89	<10	6460					
G0557023		<20	<0.01	<10	<10	50	<10	>10000			2.78	6.54	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22- AUG- 2010
Account: MTT

CERTIFICATE VA10111438

Project: RUSTY

P.O. No.:

This report is for 169 Soil samples submitted to our lab in Vancouver, BC, Canada on 12- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 22- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86959		0.24	0.8	1.60	304	<10	880	1.6	<2	0.54	<0.5	48	18	50	20.9	<10
CC86960		0.24	0.6	0.45	54	<10	280	0.7	<2	11.6	<0.5	26	7	124	13.30	<10
CC86961		0.24	<0.2	0.89	11	<10	230	1.0	<2	2.81	<0.5	22	9	88	17.9	<10
CC86966		0.16	2.1	0.92	36	<10	220	0.8	<2	5.75	0.7	32	12	53	4.83	<10
CC86701		0.24	0.3	0.59	12	<10	290	1.1	<2	6.39	<0.5	17	8	38	4.77	<10
CC86702		0.26	0.4	1.36	16	<10	680	1.1	<2	0.35	<0.5	20	21	35	4.59	<10
CC86703		0.22	0.2	0.62	22	<10	820	<0.5	<2	0.07	<0.5	6	12	15	2.52	<10
CC86704		0.22	0.3	1.68	17	<10	250	0.7	<2	0.14	0.5	13	22	33	3.77	<10
CC86705		0.22	2.2	1.06	41	<10	180	1.3	<2	0.65	0.5	17	19	52	4.91	<10
CC86706		0.24	0.5	1.53	15	<10	270	1.0	<2	1.02	<0.5	14	22	47	3.75	<10
CC86707		0.22	0.3	1.41	20	<10	190	0.9	<2	2.14	<0.5	12	20	34	4.12	<10
CC86708		0.22	0.7	1.62	24	<10	300	1.2	<2	0.72	<0.5	16	22	55	4.48	<10
CC86709		0.22	0.6	1.14	22	<10	190	0.8	<2	3.85	<0.5	11	16	38	3.54	<10
CC86710		0.30	0.6	1.36	21	<10	220	1.0	<2	1.82	<0.5	15	17	47	4.07	<10
CC86711		0.14	0.5	1.53	17	<10	280	1.2	<2	0.97	0.5	16	26	47	3.93	<10
CC86712		0.20	0.2	1.33	8	<10	140	<0.5	<2	0.30	<0.5	6	17	8	2.55	10
CC86713		0.32	0.3	1.01	17	<10	430	0.7	<2	0.57	0.6	11	15	24	3.70	<10
CC86714		0.30	1.0	0.90	14	<10	650	1.3	<2	1.83	0.6	13	15	45	6.81	<10
CC86715		0.38	0.3	0.98	17	<10	120	0.9	<2	7.5	<0.5	15	10	45	3.54	<10
CC86716		0.20	0.4	0.47	28	<10	60	2.1	<2	2.99	<0.5	42	9	35	3.73	<10
CC86717		0.30	0.5	1.26	27	<10	190	1.1	<2	2.61	<0.5	21	17	44	5.34	<10
CC86718		0.18	0.2	0.77	38	<10	100	1.3	<2	5.27	0.6	23	12	31	4.32	<10
CC86719		0.28	0.4	1.32	21	<10	170	1.2	<2	1.18	<0.5	16	16	48	4.15	<10
CC86720		0.22	0.7	1.47	28	<10	270	1.1	<2	3.44	<0.5	16	14	62	4.03	<10
CC86721		0.18	0.6	1.42	18	<10	230	1.0	<2	0.53	<0.5	12	21	43	4.05	<10
CC86722		0.30	0.4	1.71	21	<10	150	1.3	<2	0.43	<0.5	16	21	42	4.50	<10
CC86723		0.24	0.4	1.24	19	<10	180	1.6	<2	2.64	<0.5	18	14	51	3.77	<10
CC86724		0.20	0.5	1.21	20	<10	150	1.3	<2	0.89	<0.5	15	13	47	4.07	<10
CC86725		0.20	0.4	1.46	17	<10	180	0.9	<2	0.99	<0.5	12	21	33	4.06	<10
CC86726		0.26	0.3	0.91	17	<10	110	0.8	<2	9.8	<0.5	14	9	42	3.11	<10
CC86727		0.24	0.4	1.21	19	<10	160	0.9	<2	7.1	0.5	14	12	47	3.55	<10
CC86728		0.26	0.5	1.17	22	<10	120	0.8	<2	9.8	0.5	13	11	47	3.22	<10
CC86729		0.12	0.5	1.50	14	<10	210	1.7	<2	0.94	<0.5	13	20	42	3.76	<10
CC86730		0.24	0.4	1.72	14	<10	230	1.2	<2	0.31	<0.5	13	26	24	3.67	<10
CC86731		0.20	0.9	1.60	15	<10	240	1.0	<2	1.26	0.5	14	21	39	3.76	<10
CC86732		0.24	0.5	1.65	14	<10	230	1.0	<2	0.71	<0.5	13	21	27	4.06	<10
CC86733		0.22	0.4	1.52	23	<10	190	1.5	<2	0.25	<0.5	18	17	54	4.40	<10
CC86734		0.20	0.4	1.76	11	<10	160	1.0	<2	0.62	<0.5	10	26	30	3.61	<10
CC86735		0.26	0.6	1.13	18	<10	130	0.9	<2	5.97	0.5	14	12	46	3.54	<10
CC86736		0.30	0.3	0.64	10	<10	60	2.2	<2	0.47	<0.5	17	9	63	5.44	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86959		1	0.08	10	0.34	1715	1	<0.01	51	1110	45	0.21	15	14	8	<20
CC86960		<1	0.05	10	6.88	1275	6	0.01	34	1000	81	0.10	4	6	55	<20
CC86961		2	0.29	10	1.41	1765	<1	0.01	38	980	30	1.41	3	13	32	<20
CC86966		<1	0.08	10	3.39	4030	1	0.01	31	560	265	0.02	11	5	38	<20
CC86701		<1	0.05	10	3.57	2490	1	0.01	21	480	37	0.01	<2	4	40	<20
CC86702		<1	0.07	10	0.41	1750	1	0.01	31	290	61	<0.01	4	6	13	<20
CC86703		<1	0.05	10	0.10	316	1	<0.01	11	560	322	0.02	6	1	27	<20
CC86704		<1	0.07	10	0.33	675	1	<0.01	29	560	250	<0.01	2	3	13	<20
CC86705		<1	0.06	10	0.44	1480	2	0.01	31	480	100	0.01	5	10	15	<20
CC86706		<1	0.11	10	0.63	808	1	0.01	28	760	52	<0.01	2	5	28	<20
CC86707		1	0.09	10	1.29	756	1	0.01	21	700	39	0.01	2	5	26	<20
CC86708		<1	0.13	20	0.61	1100	2	0.01	33	630	76	<0.01	3	6	23	<20
CC86709		<1	0.08	10	2.32	1255	1	0.01	20	560	61	0.01	2	4	23	<20
CC86710		<1	0.10	10	1.01	1340	1	0.01	25	590	60	0.02	3	4	23	<20
CC86711		<1	0.09	10	0.46	1455	1	0.01	26	580	51	0.02	3	4	24	<20
CC86712		<1	0.03	10	0.21	266	1	<0.01	9	210	57	<0.01	3	2	13	<20
CC86713		<1	0.05	10	0.24	1390	2	<0.01	17	570	94	0.01	3	3	25	<20
CC86714		<1	0.05	10	0.71	3620	<1	0.01	19	680	187	0.03	8	6	23	<20
CC86715		<1	0.11	10	2.40	1335	1	0.01	22	450	51	<0.01	2	5	108	<20
CC86716		<1	0.07	10	1.14	2510	1	0.01	26	430	79	0.02	6	5	33	<20
CC86717		<1	0.08	10	1.70	3000	1	0.01	30	400	54	<0.01	3	6	21	<20
CC86718		<1	0.07	10	1.81	1800	2	0.01	32	560	36	<0.01	10	10	67	<20
CC86719		<1	0.12	10	0.73	1265	1	0.01	26	430	61	0.01	2	5	20	<20
CC86720		<1	0.15	10	2.24	1860	1	0.01	26	460	62	<0.01	3	6	23	<20
CC86721		<1	0.10	10	0.44	820	1	0.01	25	610	70	<0.01	2	5	19	<20
CC86722		<1	0.10	20	0.48	1310	1	<0.01	29	260	61	<0.01	4	7	15	<20
CC86723		<1	0.14	10	1.58	1160	1	0.01	29	520	54	<0.01	4	5	31	<20
CC86724		<1	0.12	10	0.58	1050	1	<0.01	25	310	54	<0.01	2	5	19	<20
CC86725		<1	0.09	10	0.65	850	1	0.01	23	430	44	0.01	3	5	22	<20
CC86726		1	0.11	10	3.21	1300	1	0.01	20	470	45	<0.01	4	4	130	<20
CC86727		1	0.14	10	2.65	1375	1	0.01	24	580	51	<0.01	5	5	93	<20
CC86728		<1	0.16	10	2.94	1300	1	0.01	23	480	50	<0.01	4	5	139	<20
CC86729		<1	0.12	10	0.48	888	1	0.01	26	550	35	0.01	3	5	27	<20
CC86730		<1	0.08	20	0.49	752	1	0.01	25	280	41	<0.01	2	5	13	<20
CC86731		<1	0.06	10	0.73	574	1	0.01	25	590	43	0.03	2	5	22	<20
CC86732		<1	0.06	10	0.43	1275	1	<0.01	22	560	36	0.01	2	5	20	<20
CC86733		<1	0.13	20	0.40	1570	1	<0.01	32	220	60	<0.01	4	8	10	<20
CC86734		<1	0.06	20	0.53	589	<1	<0.01	22	470	32	<0.01	<2	5	19	<20
CC86735		<1	0.12	10	2.10	1345	1	0.01	24	560	55	0.01	2	4	84	<20
CC86736		1	0.08	10	0.20	284	2	<0.01	18	320	39	0.02	<2	5	39	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 22- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86959		<0.01	<10	<10	69	<10	71	
CC86960		<0.01	<10	<10	28	<10	63	
CC86961		0.01	<10	<10	28	<10	54	
CC86966		0.01	<10	<10	21	<10	247	
CC86701		0.01	<10	<10	17	<10	80	
CC86702		0.02	<10	<10	34	<10	175	
CC86703		0.01	<10	<10	29	<10	158	
CC86704		0.02	<10	<10	41	<10	151	
CC86705		0.01	<10	<10	31	<10	199	
CC86706		0.02	<10	<10	37	<10	160	
CC86707		0.02	<10	<10	36	<10	138	
CC86708		0.02	<10	<10	40	<10	187	
CC86709		0.02	<10	<10	27	<10	131	
CC86710		0.01	<10	<10	30	<10	163	
CC86711		0.01	<10	<10	34	<10	141	
CC86712		0.02	<10	<10	48	<10	81	
CC86713		0.01	<10	<10	31	<10	114	
CC86714		0.01	<10	<10	27	<10	159	
CC86715		<0.01	<10	<10	19	<10	132	
CC86716		<0.01	<10	<10	11	<10	69	
CC86717		0.01	<10	<10	32	<10	174	
CC86718		0.01	<10	<10	37	<10	216	
CC86719		0.01	<10	<10	27	<10	169	
CC86720		<0.01	<10	<10	23	<10	166	
CC86721		0.02	<10	<10	35	<10	157	
CC86722		0.01	<10	<10	35	<10	140	
CC86723		0.01	<10	<10	24	<10	136	
CC86724		0.01	<10	<10	23	<10	137	
CC86725		0.02	<10	<10	36	<10	150	
CC86726		0.01	<10	<10	17	<10	147	
CC86727		0.01	<10	<10	23	<10	172	
CC86728		<0.01	<10	<10	20	<10	158	
CC86729		0.01	<10	<10	34	<10	118	
CC86730		0.02	<10	<10	43	<10	93	
CC86731		0.01	<10	<10	36	<10	101	
CC86732		0.01	<10	<10	37	<10	90	
CC86733		<0.01	<10	<10	27	<10	162	
CC86734		0.02	<10	<10	43	<10	77	
CC86735		0.01	<10	<10	22	<10	161	
CC86736		<0.01	<10	<10	16	<10	39	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86737		0.22	0.4	1.06	17	<10	120	0.9	<2	6.59	0.5	18	11	54	3.62	<10
CC86738		0.24	0.5	1.44	17	<10	160	0.9	<2	2.56	<0.5	14	17	47	3.86	<10
CC86739		0.22	0.4	1.43	20	<10	170	1.1	<2	0.39	<0.5	17	17	42	4.09	<10
CC86740		0.26	0.3	1.62	13	<10	170	1.1	<2	1.74	<0.5	14	19	45	3.54	<10
CC86501		0.24	0.9	1.20	18	<10	450	1.4	<2	0.94	<0.5	17	16	73	3.63	<10
CC86502		0.12	1.0	1.21	15	<10	450	1.8	<2	0.81	<0.5	14	15	54	3.26	<10
CC86503		0.36	0.3	0.91	20	<10	230	1.5	3	0.34	<0.5	12	13	30	3.20	<10
CC86504		0.24	0.4	1.13	19	<10	380	2.5	2	0.44	<0.5	13	15	39	2.87	<10
CC86505		0.30	0.4	0.62	20	<10	260	1.8	2	0.28	<0.5	10	8	22	1.96	<10
CC86506		0.32	0.4	0.35	14	<10	150	1.0	2	0.12	<0.5	13	5	9	1.62	<10
CC86507		0.20	0.4	1.27	13	<10	520	1.7	2	0.66	<0.5	13	16	28	2.54	<10
CC86508		0.20	0.4	1.04	13	<10	290	1.6	2	0.60	<0.5	13	14	23	2.09	<10
CC86509		0.22	0.5	0.88	18	<10	320	2.1	2	0.42	<0.5	14	13	27	2.77	<10
CC86510		0.26	0.3	1.08	18	<10	660	1.0	<2	0.78	<0.5	8	18	30	2.42	<10
CC86511		0.42	0.6	1.35	16	<10	240	1.0	2	0.63	0.6	16	23	48	3.72	<10
CC86512		0.30	0.5	1.22	19	<10	360	1.6	2	0.78	0.5	12	16	43	3.39	<10
CC86513		0.52	0.6	1.35	20	<10	250	1.0	3	1.45	<0.5	15	18	35	4.32	<10
CC86514		0.28	0.4	1.23	16	<10	400	1.0	2	0.71	0.6	13	18	35	3.72	<10
CC86515		0.26	0.5	1.40	18	<10	470	1.0	<2	1.18	0.7	14	19	39	3.77	<10
CC86516		0.28	0.8	1.04	19	<10	520	1.0	<2	1.20	<0.5	15	17	46	4.87	<10
CC86517		0.26	0.5	1.55	13	<10	400	0.8	<2	1.10	<0.5	11	23	32	3.46	<10
CC86518		0.26	0.2	2.07	12	<10	530	0.9	<2	0.31	<0.5	14	25	23	3.66	10
CC86519		0.22	0.3	1.37	15	<10	370	0.8	2	1.06	<0.5	11	21	27	3.38	<10
CC86520		0.18	<0.2	1.83	13	<10	280	0.7	3	0.30	<0.5	12	27	16	3.63	10
CC86521		0.22	0.4	1.54	20	<10	190	1.0	<2	0.51	<0.5	14	22	41	4.30	<10
CC86522		0.26	0.5	1.38	16	<10	450	0.9	3	1.40	0.5	14	20	42	4.03	<10
CC86523		0.18	0.3	1.23	10	<10	460	0.6	2	1.88	<0.5	9	19	26	3.35	<10
CC86524		0.42	0.4	0.98	15	<10	150	0.6	2	4.67	0.5	13	14	32	3.25	<10
CC86525		0.42	0.2	1.14	22	<10	180	0.7	<2	2.70	<0.5	11	18	39	3.56	<10
CC86526		0.42	0.4	1.27	14	<10	220	0.7	<2	1.45	0.5	10	20	50	4.13	<10
CC86527		0.34	0.3	1.10	16	<10	140	0.7	<2	2.34	<0.5	11	16	45	3.87	<10
CC86528		0.24	0.4	1.11	18	<10	260	0.8	<2	0.83	<0.5	12	17	50	3.75	<10
CC86529		0.26	0.5	0.99	13	<10	180	0.8	2	1.04	<0.5	10	15	38	3.50	<10
CC86530		0.24	0.4	1.08	13	<10	130	0.7	2	1.06	<0.5	10	19	27	3.50	<10
CC86531		0.32	0.3	1.66	26	<10	160	1.1	2	0.27	<0.5	18	23	34	4.86	<10
CC86532		0.34	0.2	1.67	15	<10	290	0.7	2	0.50	<0.5	11	30	30	3.16	<10
CC86533		0.34	0.5	1.66	26	<10	150	1.1	2	0.55	<0.5	20	19	66	4.78	<10
CC86534		0.20	0.7	1.17	24	<10	390	0.9	2	1.40	0.6	14	16	53	4.39	<10
CC86535		0.46	0.4	0.74	7	<10	130	0.8	2	12.5	0.8	22	10	21	2.10	<10
CC86536		0.32	0.6	1.46	18	<10	190	1.0	2	2.84	0.7	26	18	49	3.78	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86737		<1	0.11	10	1.61	1525	1	0.01	25	560	51	<0.01	3	4	93	<20
CC86738		1	0.10	10	1.60	1125	1	0.01	25	610	57	<0.01	2	6	24	<20
CC86739		<1	0.10	10	0.38	1390	1	0.01	25	270	55	<0.01	2	5	14	<20
CC86740		<1	0.11	10	1.21	798	1	0.01	28	480	46	<0.01	3	6	21	<20
CC86501		1	0.10	10	0.41	999	1	0.01	27	570	51	0.05	<2	4	19	<20
CC86502		<1	0.13	10	0.36	651	1	0.01	32	670	28	0.06	<2	4	28	<20
CC86503		1	0.12	10	0.26	658	1	<0.01	14	490	37	0.04	<2	3	16	<20
CC86504		<1	0.14	10	0.33	716	<1	<0.01	19	550	29	0.04	<2	4	21	<20
CC86505		<1	0.12	10	0.12	284	1	<0.01	10	410	23	0.03	<2	3	12	<20
CC86506		<1	0.10	<10	0.09	547	<1	<0.01	8	200	18	0.03	<2	2	9	<20
CC86507		1	0.14	10	0.32	622	<1	0.01	17	580	22	0.04	<2	4	23	<20
CC86508		<1	0.12	10	0.29	516	<1	<0.01	14	470	21	0.04	<2	4	19	<20
CC86509		<1	0.13	10	0.26	640	<1	<0.01	18	470	24	0.02	<2	5	17	<20
CC86510		<1	0.10	10	0.45	291	<1	0.01	19	480	22	0.04	<2	4	22	<20
CC86511		<1	0.15	10	0.61	1070	<1	0.01	33	790	45	0.02	<2	5	27	<20
CC86512		1	0.13	10	0.40	891	<1	0.01	23	580	39	0.05	<2	5	21	<20
CC86513		<1	0.08	10	0.89	1450	<1	0.01	24	520	63	0.03	<2	6	21	<20
CC86514		<1	0.11	10	0.49	845	<1	0.01	22	570	47	0.04	<2	5	20	<20
CC86515		1	0.13	10	0.53	1005	<1	0.01	23	650	41	0.08	<2	4	22	<20
CC86516		1	0.09	10	0.42	919	<1	0.01	21	750	40	0.06	<2	5	26	<20
CC86517		<1	0.08	10	0.55	817	<1	0.01	22	530	31	0.04	<2	5	30	<20
CC86518		<1	0.07	20	0.36	1180	<1	0.01	16	330	33	0.01	<2	5	14	<20
CC86519		<1	0.06	10	0.47	951	<1	0.01	21	730	31	0.04	<2	3	32	<20
CC86520		<1	0.06	10	0.42	978	<1	0.01	17	320	26	0.02	<2	4	15	<20
CC86521		<1	0.08	20	0.54	1125	<1	<0.01	26	360	40	0.02	<2	7	13	<20
CC86522		<1	0.09	10	0.66	1635	<1	0.01	23	680	45	0.05	<2	5	22	<20
CC86523		<1	0.07	10	0.47	859	<1	0.01	18	750	19	0.08	<2	4	35	<20
CC86524		<1	0.07	10	2.82	1385	<1	0.01	20	680	37	0.03	<2	4	30	<20
CC86525		1	0.07	10	1.68	904	1	<0.01	24	710	35	0.03	2	5	24	<20
CC86526		<1	0.11	20	1.02	832	<1	<0.01	23	740	34	0.04	3	6	26	<20
CC86527		<1	0.07	10	1.31	1215	<1	<0.01	22	570	43	0.03	3	5	27	<20
CC86528		<1	0.08	10	0.54	1015	1	<0.01	26	680	50	0.04	3	5	18	<20
CC86529		<1	0.09	10	0.39	711	<1	<0.01	18	580	39	0.06	<2	5	21	<20
CC86530		<1	0.08	10	0.56	682	<1	0.01	18	530	33	0.04	<2	5	18	<20
CC86531		1	0.06	10	0.40	1700	<1	<0.01	23	350	71	0.02	<2	5	13	<20
CC86532		<1	0.06	20	0.57	509	<1	0.01	25	450	18	0.02	<2	5	21	<20
CC86533		<1	0.11	20	0.56	1415	<1	<0.01	29	300	80	0.02	<2	7	14	<20
CC86534		<1	0.06	10	0.72	1205	<1	0.01	20	760	73	0.06	<2	5	18	<20
CC86535		<1	0.09	<10	7.83	1050	<1	0.02	19	790	59	0.03	<2	2	90	<20
CC86536		<1	0.17	10	1.86	1700	<1	0.01	26	690	69	0.04	<2	5	31	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86737		0.01	<10	<10	20	<10	135	
CC86738		0.01	<10	<10	29	<10	186	
CC86739		0.01	<10	<10	29	<10	130	
CC86740		0.01	<10	<10	31	<10	139	
CC86501		0.01	<10	<10	26	<10	135	
CC86502		0.01	<10	<10	23	<10	126	
CC86503		0.01	<10	<10	22	<10	86	
CC86504		0.01	<10	<10	22	<10	88	
CC86505		<0.01	<10	<10	12	<10	31	
CC86506		<0.01	<10	<10	8	<10	28	
CC86507		0.01	<10	<10	25	<10	78	
CC86508		0.01	<10	<10	21	<10	65	
CC86509		0.01	<10	<10	19	<10	76	
CC86510		0.02	<10	<10	30	<10	125	
CC86511		0.03	<10	<10	40	<10	171	
CC86512		0.01	<10	<10	25	<10	180	
CC86513		0.01	<10	<10	34	<10	166	
CC86514		0.02	<10	<10	33	<10	187	
CC86515		0.01	<10	<10	31	<10	216	
CC86516		0.01	<10	<10	31	<10	82	
CC86517		0.02	<10	<10	41	<10	93	
CC86518		0.01	<10	<10	49	<10	107	
CC86519		0.02	<10	<10	36	<10	107	
CC86520		0.03	<10	<10	57	<10	100	
CC86521		0.01	<10	<10	35	<10	157	
CC86522		0.02	<10	<10	34	<10	156	
CC86523		0.02	<10	<10	35	<10	65	
CC86524		0.02	<10	<10	26	<10	136	
CC86525		0.02	<10	<10	31	<10	137	
CC86526		0.02	<10	<10	33	<10	140	
CC86527		0.01	<10	<10	31	<10	139	
CC86528		0.01	<10	<10	31	<10	151	
CC86529		0.01	<10	<10	26	<10	153	
CC86530		0.02	<10	<10	33	<10	136	
CC86531		0.01	<10	<10	43	<10	164	
CC86532		0.04	<10	<10	52	<10	82	
CC86533		0.01	<10	<10	34	<10	204	
CC86534		0.01	<10	<10	31	<10	223	
CC86535		0.01	<10	<10	19	<10	296	
CC86536		0.01	<10	<10	35	<10	255	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86537		0.12	0.3	0.83	5	<10	260	0.8	2	0.97	<0.5	11	13	24	2.14	<10
CC86538		0.20	0.5	0.92	11	<10	470	0.9	3	1.29	<0.5	10	13	32	2.46	<10
CC86539		0.26	0.3	1.21	8	<10	290	0.8	2	0.70	<0.5	15	20	52	4.46	<10
CC86540		0.16	0.5	1.09	12	<10	370	0.7	2	1.82	0.5	11	16	49	3.76	<10
CC86541		0.14	0.5	1.13	11	<10	250	0.9	2	2.69	0.7	12	16	46	3.65	<10
CC86542		0.20	0.8	1.35	21	<10	190	1.1	2	1.90	0.7	15	16	53	4.14	<10
CC86543		0.32	0.3	1.80	12	<10	340	0.9	2	0.83	<0.5	11	35	34	3.87	<10
CC86544		0.20	0.3	1.53	6	<10	210	0.7	2	1.15	<0.5	11	25	46	4.35	<10
CC86545		0.12	0.3	1.15	6	<10	300	0.5	2	2.35	<0.5	9	18	34	2.52	<10
CC86546		0.24	0.7	1.22	18	<10	320	0.9	<2	2.21	0.7	14	18	40	3.48	<10
CC86547		0.32	0.4	0.97	8	<10	100	0.5	3	9.1	<0.5	7	14	9	1.68	<10
CC86548		0.28	0.3	0.85	6	<10	180	0.7	<2	4.13	<0.5	8	13	19	2.48	<10
CC86549		0.18	0.4	1.28	15	<10	460	0.7	3	1.83	0.5	14	18	34	2.76	<10
CC86550		0.26	0.2	1.57	14	<10	200	1.0	2	0.55	0.5	15	20	27	4.47	<10
CC86551		0.28	0.8	1.72	27	<10	110	0.7	2	0.56	1.3	19	26	83	4.28	10
CC86552		0.18	1.7	1.85	22	<10	120	0.7	2	0.72	1.4	16	22	165	3.26	<10
CC86553		0.22	1.5	1.56	16	<10	150	0.6	2	2.00	1.3	13	22	237	2.97	<10
CC86554		0.18	1.3	1.60	19	<10	100	0.7	<2	1.36	27.5	15	22	240	2.85	<10
CC86555		0.24	0.3	2.04	15	<10	110	0.7	2	0.10	1.1	14	28	103	3.84	10
CC86556		0.34	0.8	2.47	26	<10	110	0.9	2	0.48	5.8	32	35	344	5.65	10
CC86557		0.30	0.5	2.06	22	<10	80	0.8	<2	0.21	2.3	17	33	156	4.18	10
CC86558		0.28	2.9	0.96	342	<10	160	1.6	4	0.39	1.0	82	17	262	14.9	<10
CC86559		0.34	40.5	0.73	237	<10	210	1.4	2	0.96	58.7	46	55	169	12.25	<10
CC86560		0.40	1.2	1.81	20	<10	130	1.1	2	0.88	1.2	35	87	195	9.50	<10
CC86561		0.30	0.8	1.81	29	<10	130	1.5	2	0.31	<0.5	24	23	96	4.93	<10
CC86562		0.14	0.6	0.45	8	<10	1280	<0.5	2	6.95	10.1	17	7	47	9.86	<10
CC86563		0.16	1.0	1.48	18	<10	160	0.9	2	1.33	0.6	17	18	86	3.60	<10
CC86564		0.28	<0.2	1.04	14	<10	90	<0.5	<2	0.11	<0.5	14	13	8	4.11	<10
CC86565		0.30	0.3	2.22	44	<10	130	1.1	3	0.05	<0.5	20	34	37	4.20	10
CC86566		0.24	0.4	0.72	7	<10	100	<0.5	3	0.18	0.7	7	15	12	2.07	<10
CC86567		0.18	0.8	1.72	18	<10	210	1.1	2	0.81	<0.5	14	27	47	3.87	<10
CC86568		0.28	0.5	1.43	18	<10	140	1.1	<2	1.15	0.5	14	19	44	3.72	<10
CC86569		0.30	0.4	1.58	18	<10	160	1.0	2	0.67	<0.5	12	25	29	4.00	<10
CC86570		0.36	0.5	1.74	19	<10	190	1.1	2	0.62	<0.5	17	26	41	4.28	10
CC86571		0.38	0.4	2.02	20	<10	220	1.1	2	0.17	<0.5	16	30	30	4.48	10
CC86572		0.24	0.9	1.57	13	<10	130	1.1	2	1.62	0.7	9	27	91	3.28	<10
CC86573		0.22	<0.2	1.50	21	<10	60	0.7	2	0.12	<0.5	12	21	37	4.47	10
CC86574		0.20	0.4	1.66	14	<10	180	0.7	2	1.15	<0.5	15	19	56	4.58	<10
CC86575		0.28	0.3	1.35	20	<10	150	0.9	3	0.42	<0.5	20	26	47	4.32	<10
CC86576		0.22	0.9	1.64	13	<10	170	0.8	2	0.37	<0.5	11	24	37	3.09	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86537		1	0.12	10	0.34	693	<1	0.01	15	610	15	0.06	<2	3	24	<20
CC86538		<1	0.11	10	0.39	798	<1	0.01	15	710	31	0.09	<2	4	36	<20
CC86539		<1	0.12	10	0.53	1545	<1	0.01	23	570	30	0.03	<2	8	19	<20
CC86540		<1	0.09	10	0.60	937	<1	0.01	18	770	53	0.08	<2	5	37	<20
CC86541		<1	0.07	10	0.57	1820	<1	0.01	19	1110	42	0.12	<2	3	52	<20
CC86542		<1	0.13	10	0.82	1195	<1	0.01	28	500	73	0.05	<2	8	32	<20
CC86543		<1	0.08	10	0.71	765	<1	0.01	23	630	37	0.03	<2	7	19	<20
CC86544		<1	0.12	10	0.76	619	<1	0.01	21	800	22	0.05	<2	6	35	<20
CC86545		<1	0.06	10	0.61	842	<1	0.01	13	940	18	0.11	<2	4	58	<20
CC86546		<1	0.08	10	0.85	986	<1	0.01	20	750	81	0.08	<2	4	28	<20
CC86547		<1	0.04	10	5.38	536	<1	0.02	7	1150	36	0.07	<2	1	114	<20
CC86548		<1	0.08	<10	2.39	501	<1	0.01	11	560	20	0.05	<2	4	47	<20
CC86549		<1	0.07	10	0.64	726	<1	0.01	19	750	39	0.08	<2	4	32	<20
CC86550		<1	0.09	10	0.47	1305	<1	<0.01	21	290	75	0.02	<2	7	13	<20
CC86551		<1	0.10	10	0.81	1130	5	<0.01	42	740	124	0.04	<2	5	11	<20
CC86552		<1	0.11	10	0.49	881	6	<0.01	73	1040	70	0.07	<2	4	14	<20
CC86553		<1	0.08	10	0.60	850	3	0.01	41	970	70	0.11	<2	5	25	<20
CC86554		<1	0.06	30	0.55	772	4	0.01	92	1060	196	0.10	<2	4	18	<20
CC86555		1	0.06	10	0.52	509	4	<0.01	27	420	149	0.03	<2	4	7	<20
CC86556		<1	0.08	10	0.85	1810	1	<0.01	36	690	214	0.03	<2	13	9	<20
CC86557		<1	0.08	10	0.69	697	5	<0.01	30	680	199	0.04	<2	5	8	<20
CC86558		<1	0.12	10	0.23	3190	49	0.01	225	5580	143	0.25	26	9	19	<20
CC86559		2	0.09	10	0.43	10550	2	0.01	110	680	9660	0.21	14	33	12	<20
CC86560		1	0.10	10	0.76	6250	2	0.01	71	920	60	0.08	<2	46	17	<20
CC86561		<1	0.10	10	0.47	1745	2	<0.01	27	940	72	0.05	<2	5	10	<20
CC86562		<1	0.04	<10	2.50	7040	<1	0.03	51	1130	76	0.16	3	2	46	<20
CC86563		<1	0.09	10	0.48	1055	<1	0.01	24	1070	34	0.10	<2	3	23	<20
CC86564		<1	0.06	10	0.18	979	5	<0.01	10	310	25	0.01	<2	4	6	<20
CC86565		<1	0.08	20	0.60	1220	<1	<0.01	31	260	43	0.01	<2	4	6	<20
CC86566		<1	0.08	10	0.14	734	<1	<0.01	8	350	17	0.02	<2	1	10	<20
CC86567		<1	0.09	10	0.61	1205	1	0.01	28	720	31	0.04	<2	4	19	<20
CC86568		1	0.11	10	0.68	1175	<1	0.01	26	730	33	0.06	<2	4	20	<20
CC86569		<1	0.07	10	0.59	1235	<1	0.01	23	680	34	0.04	<2	4	16	<20
CC86570		1	0.09	10	0.61	1525	<1	0.01	27	600	45	0.04	<2	4	17	<20
CC86571		<1	0.06	20	0.51	1425	<1	<0.01	25	540	45	0.02	<2	4	12	<20
CC86572		<1	0.07	10	0.53	689	<1	0.01	25	1120	27	0.09	<2	3	34	<20
CC86573		<1	0.06	10	0.36	786	1	0.02	19	360	38	0.03	<2	2	6	<20
CC86574		<1	0.08	10	0.57	1520	<1	0.03	19	580	21	0.06	<2	7	25	<20
CC86575		<1	0.07	10	0.49	1670	1	0.02	26	580	61	0.05	<2	5	12	<20
CC86576		<1	0.07	10	0.53	638	<1	0.03	21	560	33	0.04	<2	4	13	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC86537		0.02	<10	<10	21	<10	63	
CC86538		0.01	<10	<10	22	<10	120	
CC86539		0.02	<10	<10	37	<10	96	
CC86540		0.01	<10	<10	30	<10	213	
CC86541		0.01	<10	<10	29	<10	131	
CC86542		0.01	<10	<10	29	<10	214	
CC86543		0.02	<10	<10	50	<10	110	
CC86544		0.03	<10	<10	45	<10	79	
CC86545		0.02	<10	<10	29	<10	58	
CC86546		0.01	<10	<10	32	<10	267	
CC86547		0.01	<10	<10	37	<10	99	
CC86548		0.01	<10	<10	26	<10	63	
CC86549		0.01	<10	<10	33	<10	115	
CC86550		0.01	<10	<10	43	<10	138	
CC86551		0.01	<10	<10	63	<10	428	
CC86552		0.01	<10	<10	50	<10	518	
CC86553		0.01	<10	<10	49	<10	396	
CC86554		0.02	<10	<10	41	<10	4930	
CC86555		0.02	<10	<10	65	<10	731	
CC86556		0.02	<10	<10	120	<10	799	
CC86557		0.03	<10	<10	76	<10	512	
CC86558		<0.01	<10	10	59	<10	313	
CC86559		0.01	<10	<10	60	10	>10000	1.345
CC86560		0.01	<10	<10	86	<10	277	
CC86561		0.01	<10	<10	36	<10	167	
CC86562		0.01	<10	<10	21	<10	1455	
CC86563		0.01	<10	<10	26	<10	180	
CC86564		0.01	<10	<10	43	<10	81	
CC86565		0.01	<10	<10	36	<10	123	
CC86566		0.04	<10	<10	44	<10	80	
CC86567		0.02	<10	<10	37	<10	137	
CC86568		0.01	<10	<10	26	<10	191	
CC86569		0.02	<10	<10	38	<10	179	
CC86570		0.01	<10	<10	37	<10	144	
CC86571		0.02	<10	<10	50	<10	108	
CC86572		0.02	<10	<10	35	<10	117	
CC86573		0.01	<10	<10	37	<10	110	
CC86574		0.01	<10	<10	70	<10	125	
CC86575		0.02	<10	<10	37	<10	149	
CC86576		0.02	<10	<10	36	<10	108	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC86577		0.08	0.5	1.35	16	<10	140	0.8	3	0.26	0.5	14	18	78	3.75	<10
CC86578		0.26	0.6	1.82	15	<10	130	1.2	2	0.44	0.7	21	23	131	3.91	<10
CC86579		0.26	0.6	1.11	18	<10	70	0.9	3	3.98	0.5	20	13	56	3.56	<10
CC86580		0.26	1.9	1.93	17	<10	120	0.6	2	0.10	<0.5	12	31	31	3.59	10
CC86581		0.38	0.4	1.84	13	<10	180	0.9	2	0.37	<0.5	14	28	47	3.69	10
CC86582		0.28	0.9	1.57	9	<10	100	0.6	3	0.09	<0.5	13	24	30	4.01	10
CC86583		0.24	0.4	1.97	16	<10	80	0.8	<2	0.08	<0.5	13	27	34	3.88	10
CC86584		0.24	0.6	1.40	13	<10	140	0.7	3	0.45	1.9	12	23	34	3.42	<10
CC86585		0.26	0.5	1.86	27	<10	110	0.9	2	0.13	<0.5	20	29	33	4.03	10
CC86586		0.36	0.4	1.65	18	<10	160	1.1	2	0.58	0.5	15	24	45	3.72	<10
CC86587		0.34	1.1	1.94	20	<10	150	1.3	3	0.52	<0.5	14	27	61	3.92	10
CC86588		0.40	0.5	1.89	21	<10	110	1.6	3	0.38	1.1	21	28	46	4.47	<10
CC86589		0.34	7.6	1.27	20	<10	130	1.0	2	0.45	25.6	12	18	88	3.93	<10
CC86590		0.20	1.2	0.98	8	<10	130	0.5	2	0.40	0.8	12	18	45	3.73	<10
CC86591		0.26	0.7	1.61	19	<10	130	1.4	3	0.19	<0.5	17	19	53	4.77	<10
CC86592		0.34	0.4	0.80	16	<10	90	0.8	<2	5.18	<0.5	13	10	39	3.35	<10
CC86593		0.26	0.8	1.35	17	<10	120	<0.5	7	0.18	0.5	10	23	20	2.92	10
CC86594		0.32	0.2	1.67	14	<10	170	0.7	3	0.37	<0.5	10	28	14	3.56	10
CC86595		0.36	0.3	1.24	23	<10	150	1.2	3	0.68	<0.5	14	19	37	4.64	<10
CC86596		0.32	0.2	1.79	5	<10	140	0.5	<2	0.14	0.8	9	25	19	4.60	10
CC86597		0.20	0.8	1.38	13	<10	110	<0.5	<2	0.11	0.6	8	18	14	3.69	10
CC86598		0.26	0.2	1.43	12	<10	170	0.6	2	0.37	<0.5	9	18	17	3.35	10
CC86599		0.40	0.8	1.08	19	<10	100	1.0	3	2.36	<0.5	24	13	71	4.10	<10
CC86600		0.28	0.5	1.22	17	<10	160	0.9	2	0.55	0.6	15	18	80	4.19	<10
CC86601		0.34	0.5	1.80	20	<10	150	1.0	2	0.08	0.7	18	25	36	4.32	10
CC86602		0.26	1.6	1.11	251	<10	90	1.3	6	0.16	<0.5	37	16	201	5.77	<10
CC86603		0.30	1.3	1.56	22	<10	120	1.3	3	0.42	<0.5	20	23	132	4.99	<10
CC86604		0.28	0.4	1.69	25	<10	160	0.9	3	0.30	<0.5	16	26	50	3.99	<10
CC86605		0.24	0.9	1.48	12	<10	120	0.7	2	0.36	<0.5	12	21	57	3.50	10
CC86606		0.16	0.5	1.33	9	<10	100	0.8	3	1.51	1.1	11	21	52	2.97	<10
CC86607		0.30	0.3	2.27	7	<10	130	1.2	2	0.10	<0.5	12	27	142	4.43	10
CC86608		0.32	0.3	1.33	9	<10	110	1.3	<2	0.61	<0.5	12	21	50	3.38	<10
CC86609		0.32	<0.2	1.33	18	<10	100	0.5	<2	0.35	0.5	15	23	51	3.61	10
CC86610		0.22	0.9	1.16	15	<10	110	0.8	<2	2.14	0.9	11	21	52	2.81	<10
CC86611		0.36	1.0	1.34	14	<10	110	0.8	<2	1.59	0.5	9	22	44	2.73	<10
CC86612		0.32	0.7	1.91	17	<10	110	0.5	<2	0.08	<0.5	8	26	14	3.64	10
CC86613		0.42	1.2	2.56	24	<10	120	1.1	2	0.07	1.1	25	39	61	4.96	<10
CC86614		0.24	0.4	1.95	22	<10	140	1.1	<2	0.11	<0.5	19	27	47	4.46	<10
CC86615		0.36	0.7	1.98	18	<10	140	0.9	<2	0.93	0.6	17	39	91	4.30	10
CC86616		0.40	<0.2	1.49	16	<10	90	0.6	<2	0.42	<0.5	14	27	47	3.81	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86577		1	0.11	10	0.30	652	<1	0.02	17	510	36	0.04	<2	3	11	<20
CC86578		<1	0.07	10	0.47	1185	<1	0.02	37	700	36	0.05	<2	4	15	<20
CC86579		<1	0.12	10	2.51	1720	<1	0.03	27	610	51	0.05	<2	4	22	<20
CC86580		1	0.07	10	0.43	600	1	0.02	25	430	35	0.03	<2	2	9	<20
CC86581		<1	0.07	10	0.42	2060	<1	0.02	20	500	39	0.04	<2	3	13	<20
CC86582		<1	0.08	10	0.28	1415	<1	0.02	13	520	19	0.04	<2	2	8	<20
CC86583		<1	0.07	10	0.40	924	<1	0.02	18	290	26	0.03	<2	3	7	<20
CC86584		<1	0.10	10	0.38	2130	<1	0.03	18	620	44	0.05	<2	3	17	<20
CC86585		<1	0.10	10	0.50	1820	1	0.02	20	530	57	0.03	<2	3	10	<20
CC86586		1	0.07	10	0.56	1780	<1	0.02	23	630	35	0.05	<2	4	17	<20
CC86587		<1	0.09	10	0.54	1445	<1	0.03	22	810	53	0.05	<2	4	17	<20
CC86588		<1	0.12	10	0.46	2630	<1	0.02	23	820	51	0.05	<2	5	15	<20
CC86589		<1	0.09	10	0.34	1295	1	0.02	22	500	1175	0.04	9	5	14	<20
CC86590		<1	0.07	10	0.18	2910	<1	0.02	12	590	45	0.05	2	2	18	<20
CC86591		<1	0.10	10	0.33	1220	1	0.02	27	300	48	0.03	<2	8	9	<20
CC86592		<1	0.07	10	2.76	1080	<1	0.03	22	480	41	0.03	<2	5	48	<20
CC86593		<1	0.05	10	0.38	393	<1	0.02	14	140	169	0.02	<2	2	10	<20
CC86594		<1	0.05	10	0.46	661	<1	0.03	19	380	21	0.03	<2	3	15	<20
CC86595		<1	0.07	10	0.43	1230	<1	0.03	28	490	58	0.04	<2	7	19	<20
CC86596		<1	0.09	10	0.31	1175	<1	0.02	16	470	17	0.04	<2	3	8	<20
CC86597		<1	0.10	10	0.20	500	<1	0.02	11	500	42	0.04	<2	2	9	<20
CC86598		<1	0.05	10	0.29	837	1	0.03	13	260	49	0.03	<2	3	13	<20
CC86599		<1	0.09	10	1.48	1420	1	0.03	71	690	52	0.06	<2	4	23	<20
CC86600		<1	0.07	10	0.44	1440	<1	0.02	27	680	48	0.05	<2	4	16	<20
CC86601		<1	0.08	10	0.36	863	<1	0.02	19	280	124	0.02	<2	3	8	<20
CC86602		<1	0.09	20	0.18	1415	2	0.02	42	580	81	0.05	17	3	11	<20
CC86603		<1	0.08	10	0.44	1480	<1	0.03	27	780	79	0.06	<2	5	16	<20
CC86604		<1	0.07	10	0.47	1090	<1	0.03	20	590	35	0.04	<2	4	15	<20
CC86605		<1	0.07	10	0.31	1030	<1	0.02	17	620	27	0.04	<2	3	13	<20
CC86606		<1	0.06	10	0.54	1155	<1	0.03	16	1270	39	0.13	<2	3	35	<20
CC86607		<1	0.06	20	0.34	924	<1	0.03	19	330	13	0.03	<2	4	9	<20
CC86608		<1	0.07	10	0.35	1515	<1	0.03	16	640	20	0.06	<2	3	21	<20
CC86609		<1	0.08	20	0.70	755	1	<0.01	28	380	71	0.03	<2	4	8	<20
CC86610		<1	0.07	10	0.51	1620	1	<0.01	20	1000	81	0.11	3	2	41	<20
CC86611		<1	0.07	10	0.47	868	1	<0.01	19	910	87	0.08	2	3	39	<20
CC86612		1	0.05	10	0.30	343	1	<0.01	15	240	25	0.01	<2	2	8	<20
CC86613		<1	0.09	20	0.72	978	2	<0.01	38	310	125	0.01	<2	6	5	<20
CC86614		<1	0.10	20	0.60	1595	1	<0.01	29	360	78	0.02	2	4	4	<20
CC86615		<1	0.10	10	1.07	1075	1	<0.01	39	650	97	0.05	<2	7	18	<20
CC86616		<1	0.10	20	0.77	903	1	<0.01	29	320	71	0.02	<2	5	8	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
CC86577		0.01	<10	<10	33	<10	152	
CC86578		0.01	<10	<10	35	<10	132	
CC86579		0.01	<10	<10	20	<10	158	
CC86580		0.05	<10	<10	59	<10	94	
CC86581		0.03	<10	<10	52	<10	129	
CC86582		0.03	<10	<10	56	<10	97	
CC86583		0.02	<10	<10	51	<10	114	
CC86584		0.02	<10	<10	34	<10	255	
CC86585		0.03	<10	<10	49	<10	190	
CC86586		0.02	<10	<10	36	<10	181	
CC86587		0.02	<10	<10	42	<10	178	
CC86588		0.03	<10	<10	48	<10	275	
CC86589		0.01	<10	<10	32	<10	4450	
CC86590		0.02	<10	<10	46	<10	158	
CC86591		<0.01	<10	<10	32	<10	142	
CC86592		0.01	<10	<10	20	<10	134	
CC86593		0.03	<10	<10	45	<10	359	
CC86594		0.02	<10	<10	52	<10	82	
CC86595		0.01	<10	<10	33	<10	140	
CC86596		0.02	<10	<10	58	<10	196	
CC86597		0.01	<10	<10	50	<10	184	
CC86598		0.01	<10	<10	45	<10	128	
CC86599		0.01	<10	<10	24	<10	158	
CC86600		0.01	<10	<10	30	<10	177	
CC86601		0.02	<10	<10	47	<10	232	
CC86602		0.01	<10	<10	26	<10	237	
CC86603		0.01	<10	<10	35	<10	140	
CC86604		0.01	<10	<10	37	<10	91	
CC86605		0.01	<10	<10	37	<10	70	
CC86606		0.02	<10	<10	31	<10	462	
CC86607		0.02	<10	<10	56	<10	62	
CC86608		0.02	<10	<10	31	<10	77	
CC86609		0.02	<10	<10	45	<10	227	
CC86610		0.02	<10	10	29	<10	208	
CC86611		0.02	<10	<10	32	<10	145	
CC86612		0.05	<10	<10	63	<10	147	
CC86613		0.02	<10	<10	61	<10	343	
CC86614		0.01	<10	<10	40	<10	225	
CC86615		0.02	<10	<10	59	<10	413	
CC86616		0.02	<10	<10	42	<10	264	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 22- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
CC86617		0.28	<0.2	1.46	19	<10	100	0.9	2	0.30	<0.5	17	20	47	4.40	10
CC86618		0.38	0.5	1.10	15	<10	80	<0.5	<2	0.07	<0.5	7	17	14	2.80	<10
CC86619		0.32	0.7	1.62	14	<10	90	<0.5	<2	0.06	<0.5	8	21	8	3.28	10
CC86620		0.24	0.2	1.76	25	<10	90	0.5	<2	0.24	<0.5	17	21	15	3.75	10
CC86621		0.26	1.7	2.00	20	<10	60	0.7	<2	0.15	0.5	15	25	25	3.86	<10
CC86622		0.32	0.4	1.41	15	<10	120	0.8	<2	0.64	0.6	14	22	48	3.62	<10
CC86623		0.32	<0.2	1.56	25	<10	110	0.9	<2	0.16	0.5	20	23	72	4.39	<10
CC86624		0.32	<0.2	1.55	22	<10	140	0.8	<2	0.32	<0.5	12	23	24	3.77	10
CC86625		0.36	0.5	1.30	21	<10	120	0.7	<2	1.14	<0.5	12	19	40	3.68	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC86617		<1	0.09	20	0.64	1325	1	<0.01	26	300	81	0.02	2	4	10	<20
CC86618		<1	0.05	20	0.19	599	1	<0.01	10	240	54	0.01	2	2	5	<20
CC86619		<1	0.03	10	0.23	627	1	<0.01	8	200	93	0.01	<2	2	6	<20
CC86620		<1	0.11	20	0.34	1110	1	<0.01	15	490	98	0.03	<2	2	12	<20
CC86621		<1	0.07	10	0.32	943	1	<0.01	22	430	343	0.03	2	3	6	<20
CC86622		<1	0.10	20	0.58	953	1	<0.01	23	520	64	0.03	2	4	17	<20
CC86623		<1	0.13	20	0.64	1455	1	<0.01	34	320	66	0.02	2	5	7	<20
CC86624		<1	0.07	10	0.50	724	1	<0.01	22	360	75	0.02	<2	4	11	<20
CC86625		<1	0.08	20	0.95	1100	1	<0.01	24	400	62	0.03	<2	5	17	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 22- AUG- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10111438

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
CC86617		0.01	<10	<10	29	<10	209	
CC86618		0.03	<10	<10	49	<10	131	
CC86619		0.03	<10	<10	70	<10	137	
CC86620		0.01	<10	<10	51	<10	245	
CC86621		0.02	<10	<10	48	<10	328	
CC86622		0.01	<10	<10	35	<10	257	
CC86623		0.01	<10	<10	31	<10	250	
CC86624		0.02	<10	<10	41	<10	165	
CC86625		0.02	<10	<10	35	<10	166	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2010
Account: MTT

CERTIFICATE VA10111439

Project: RUSTY

P.O. No.:

This report is for 7 Rock samples submitted to our lab in Vancouver, BC, Canada on 12- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
Pb- VOL70	Pb by Titration	
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 1- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10111439

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G0557024		0.76	<0.001	38.0	0.09	8960	<10	200	<0.5	5	18.7	16.6	39	1	>10000	1.80
G0557025		0.74	0.003	0.2	0.31	84	<10	40	<0.5	<2	0.08	<0.5	6	3	208	2.88
G0557026		1.36	<0.001	>100	0.08	761	<10	80	<0.5	<2	9.2	35.1	5	2	>10000	1.98
G0557027		0.92	<0.001	37.3	0.11	664	<10	100	<0.5	<2	14.3	135.5	11	2	1980	4.10
G0557028		1.66	0.001	60.6	0.14	66	<10	130	<0.5	<2	13.9	122.0	11	4	582	4.01
G0557029		1.80	<0.001	53.5	0.14	74	<10	590	<0.5	<2	15.6	34.7	11	3	1005	3.47
G0557030		0.64	0.017	>100	0.01	592	<10	20	<0.5	<2	0.32	112.0	1	<1	>10000	0.68



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 1- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10111439

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
G0557024		<10	24	0.02	10	10.25	1375	4	0.03	7	120	24	1.1	760	1	127
G0557025		<10	<1	0.12	<10	0.04	59	<1	0.01	3	30	24	0.02	4	1	3
G0557026		<10	6	0.02	<10	4.71	2220	<1	0.02	8	100	>10000	1.26	6900	2	55
G0557027		<10	16	0.04	<10	6.84	5060	1	0.02	11	240	>10000	2.53	199	2	46
G0557028		<10	12	0.05	10	6.84	4890	<1	0.02	13	310	>10000	1.90	463	4	40
G0557029		<10	2	0.06	10	8.05	4760	<1	0.02	11	170	>10000	0.39	622	3	61
G0557030		<10	3	<0.01	<10	0.13	161	<1	<0.01	2	10	>10000	>10.0	>10000	<1	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 1- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10111439

Sample Description	Method Analyte Units LOR	ME- ICP41 Th ppm 20	ME- ICP41 Ti % 0.01	ME- ICP41 Tl ppm 10	ME- ICP41 U ppm 10	ME- ICP41 V ppm 1	ME- ICP41 W ppm 10	ME- ICP41 Zn ppm 2	Ag- OG46 Ag ppm 1	Cu- OG46 Cu % 0.001	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	Ag- GRA21 Ag ppm 5	Pb- VOL70 Pb % 0.01
G0557024		<20	<0.01	<10	<10	5	<10	1945		2.27				
G0557025		<20	<0.01	<10	<10	3	<10	36						
G0557026		<20	<0.01	<10	<10	3	<10	1885	527	0.999		2.99		
G0557027		<20	<0.01	<10	<10	5	<10	>10000				4.10	3.44	
G0557028		<20	<0.01	<10	<10	9	<10	>10000				5.38	2.67	
G0557029		<20	<0.01	<10	<10	7	<10	4070				1.715		
G0557030		<20	<0.01	<10	<10	<1	<10	7170	>1500	2.19	>20.0		4460	75.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 2- SEP- 2010
Account: MTT

CERTIFICATE VA10116102

Project: RUSTY

P.O. No.:

This report is for 119 Soil samples submitted to our lab in Vancouver, BC, Canada on 19- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85501		0.26	<0.001	0.4	1.21	18	<10	180	1.0	<2	1.88	<0.5	14	22	40	4.10
CC85504		0.26	<0.001	0.3	0.89	13	<10	110	0.9	2	6.7	0.7	12	15	39	3.09
CC85505		0.14	<0.001	0.4	0.24	192	<10	100	1.0	<2	10.1	<0.5	112	36	10	22.3
CC85506		0.38	0.001	2.7	0.26	89	<10	30	0.7	2	14.4	9.0	10	22	36	4.23
CC85507		0.28	<0.001	0.4	0.52	17	<10	90	0.7	2	9.2	4.7	10	16	24	2.78
CC85508		0.28	<0.001	0.4	0.54	14	<10	90	0.7	2	9.7	3.9	8	14	21	2.91
CC85514		0.26	<0.001	0.2	0.61	10	<10	130	<0.5	2	9.9	0.9	7	17	20	1.90
CC85515		0.28	<0.001	0.2	0.52	9	<10	140	<0.5	<2	12.4	1.6	6	14	17	1.80
CC85516		0.30	<0.001	0.2	0.48	11	<10	100	<0.5	<2	11.9	0.5	6	13	14	1.58
CC85517		0.38	<0.001	0.2	0.58	6	<10	130	<0.5	2	10.5	0.7	6	15	17	1.71
CC85518		0.30	<0.001	0.2	0.52	9	<10	120	<0.5	<2	11.7	0.6	6	14	15	1.62
CC85519		0.22	<0.001	<0.2	0.47	9	<10	100	<0.5	<2	12.6	0.6	6	13	13	1.52
CC85520		0.58	<0.001	<0.2	0.49	9	<10	120	<0.5	2	12.5	0.6	6	13	14	1.59
CC85521		0.56	0.020	0.2	0.47	9	<10	110	<0.5	<2	12.8	0.6	5	13	14	1.59
CC85522		0.40	<0.001	<0.2	0.45	11	<10	100	<0.5	2	12.9	0.5	5	13	13	1.47
CC85523		0.48	<0.001	<0.2	0.50	8	<10	110	<0.5	<2	12.4	0.6	6	14	14	1.63
CC85524		0.54	<0.001	<0.2	0.38	8	<10	80	<0.5	<2	15.7	0.6	5	14	11	1.43
CC85525		0.34	0.001	<0.2	0.40	4	<10	80	<0.5	3	16.6	0.6	5	16	12	1.44
CC85526		0.34	<0.001	0.2	0.55	6	<10	110	<0.5	<2	11.8	<0.5	6	14	16	1.62
CC85527		0.44	<0.001	0.2	0.50	9	<10	110	<0.5	<2	12.0	0.6	6	14	16	1.63
CC85528		0.46	<0.001	<0.2	0.52	9	<10	110	<0.5	<2	11.4	0.6	6	15	15	1.64
CC85529		0.50	<0.001	<0.2	0.52	8	<10	120	<0.5	<2	11.7	0.7	6	14	15	1.69
CC85530		0.56	<0.001	<0.2	0.49	10	<10	110	<0.5	<2	13.6	0.6	6	16	16	1.76
CC85531		0.50	<0.001	<0.2	0.57	10	<10	110	<0.5	<2	11.5	0.6	8	17	17	1.87
CC85532		0.40	<0.001	<0.2	0.43	10	<10	110	<0.5	2	14.1	1.0	6	14	16	1.69
CC85533		0.42	0.003	0.2	0.55	13	<10	110	<0.5	<2	11.1	0.8	8	13	29	1.98
CC85534		0.54	0.002	0.4	0.67	18	<10	150	0.5	<2	9.6	0.8	11	12	28	2.42
CC85535		0.40	<0.001	<0.2	0.34	10	<10	110	<0.5	<2	12.8	<0.5	7	7	17	2.00
CC85536		0.30	<0.001	0.2	1.54	12	<10	150	1.6	<2	0.81	<0.5	12	17	24	4.81
CC85537		0.34	0.001	0.6	1.24	19	<10	120	1.0	<2	2.17	0.5	10	16	19	3.35
CC85538		0.32	<0.001	0.2	1.34	18	<10	150	1.2	<2	1.88	1.3	13	15	18	4.23
CC85539		0.38	0.003	1.4	0.90	24	<10	120	1.0	<2	5.47	1.9	11	12	31	3.02
CC85540		0.22	0.004	0.3	1.27	18	<10	130	1.0	<2	2.19	0.6	11	17	20	4.08
CC85541		0.26	0.003	0.4	1.16	17	<10	140	1.1	<2	1.61	0.6	10	15	19	3.40
CC85542		0.26	0.002	0.3	0.76	16	<10	110	0.9	<2	4.56	0.6	11	9	23	3.22
CC85543		0.20	0.001	0.3	1.61	14	<10	160	0.9	2	1.04	1.5	9	24	15	3.63
CC85544		0.28	0.002	0.3	1.37	16	<10	180	0.9	<2	1.24	<0.5	10	22	23	3.59
CC85545		0.28	0.002	0.6	1.05	20	<10	110	0.9	<2	4.12	0.9	8	17	24	3.61
CC85546		0.32	0.002	<0.2	1.44	16	<10	510	0.9	2	0.50	<0.5	10	22	20	3.97
CC85547		0.32	0.003	0.5	1.23	19	<10	170	1.0	<2	2.02	0.7	11	24	32	3.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85501		<10	<1	0.10	10	1.24	1220	1	0.01	29	400	55	0.07	2	5	17
CC85504		<10	<1	0.12	10	2.45	768	1	0.01	24	490	40	0.06	2	4	107
CC85505		<10	<1	0.04	<10	1.28	1600	3	0.02	19	250	6	0.18	<2	1	155
CC85506		<10	1	0.05	<10	9.11	1640	3	0.02	24	410	649	0.06	31	5	58
CC85507		<10	<1	0.06	10	5.90	1630	<1	0.01	16	480	478	0.03	5	3	25
CC85508		<10	<1	0.06	10	6.31	1460	<1	0.01	14	440	265	0.04	4	3	21
CC85514		<10	<1	0.06	10	5.79	468	1	0.02	16	600	52	0.06	<2	3	67
CC85515		<10	<1	0.07	10	7.11	405	1	0.02	13	490	37	0.06	2	2	84
CC85516		<10	<1	0.05	10	6.99	406	1	0.02	13	480	39	0.04	<2	2	76
CC85517		<10	1	0.06	10	6.27	359	1	0.02	15	550	35	0.06	<2	2	71
CC85518		<10	<1	0.05	10	6.89	430	1	0.02	13	510	38	0.05	<2	2	77
CC85519		<10	<1	0.05	10	7.59	419	1	0.02	12	500	35	0.05	<2	2	79
CC85520		<10	<1	0.06	10	7.30	436	1	0.02	14	490	39	0.05	2	2	82
CC85521		<10	<1	0.05	10	7.49	437	1	0.02	12	440	33	0.05	3	2	85
CC85522		<10	<1	0.05	10	7.65	424	1	0.02	13	460	35	0.05	2	2	82
CC85523		<10	<1	0.05	10	7.32	422	1	0.02	13	490	34	0.05	<2	2	80
CC85524		<10	<1	0.05	10	9.22	559	1	0.02	13	300	24	0.03	<2	2	101
CC85525		<10	<1	0.05	10	9.75	511	1	0.02	13	330	23	0.03	<2	2	104
CC85526		<10	<1	0.06	10	7.08	409	1	0.02	14	490	36	0.05	2	2	75
CC85527		<10	<1	0.05	10	7.27	447	1	0.02	15	510	34	0.05	<2	2	75
CC85528		<10	<1	0.05	10	6.86	441	1	0.02	14	520	36	0.04	<2	2	74
CC85529		<10	<1	0.05	10	7.03	445	1	0.02	14	540	39	0.05	<2	2	74
CC85530		<10	1	0.06	10	8.17	569	1	0.02	14	460	37	0.04	2	2	87
CC85531		<10	<1	0.06	10	6.99	551	1	0.02	17	540	43	0.05	2	2	73
CC85532		<10	<1	0.05	10	8.39	589	1	0.02	13	460	45	0.04	<2	2	86
CC85533		<10	1	0.06	10	6.72	599	2	0.02	22	580	52	0.04	<2	3	64
CC85534		<10	1	0.07	10	5.69	830	2	0.03	21	640	68	0.04	<2	3	64
CC85535		<10	1	0.07	<10	7.98	685	1	0.03	6	430	24	0.04	<2	3	81
CC85536		<10	1	0.13	20	0.49	879	1	0.02	21	540	74	0.04	<2	8	10
CC85537		<10	<1	0.07	10	1.44	1020	1	0.02	17	630	147	0.04	<2	5	15
CC85538		<10	1	0.12	10	1.26	1700	1	0.02	18	430	126	0.02	<2	6	12
CC85539		<10	1	0.07	10	3.30	970	1	0.02	16	1100	299	0.05	12	4	23
CC85540		<10	1	0.06	10	1.18	849	1	0.02	16	780	66	0.04	3	4	14
CC85541		<10	1	0.07	10	0.84	765	<1	0.02	16	680	44	0.04	<2	4	17
CC85542		<10	<1	0.07	10	2.64	1130	<1	0.02	15	650	40	0.04	<2	4	26
CC85543		<10	1	0.07	10	0.49	1285	1	<0.01	19	610	168	0.05	<2	4	15
CC85544		<10	<1	0.08	10	0.59	813	1	<0.01	23	480	40	0.04	2	5	22
CC85545		<10	1	0.08	10	2.30	898	1	<0.01	22	740	73	0.06	5	4	18
CC85546		<10	<1	0.07	10	0.36	1030	1	<0.01	21	450	42	0.03	2	4	14
CC85547		<10	1	0.08	10	1.09	1120	1	<0.01	27	720	56	0.06	4	4	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
CC85501		<20	0.02	<10	<10	28	<10
CC85504		<20	0.01	<10	<10	19	<10
CC85505		<20	0.01	<10	<10	6	<10
CC85506		<20	<0.01	<10	<10	14	<10
CC85507		<20	0.01	<10	<10	16	<10
CC85508		<20	0.01	<10	<10	15	<10
CC85514		<20	0.01	<10	<10	21	<10
CC85515		<20	0.01	<10	<10	17	<10
CC85516		<20	0.01	<10	<10	18	<10
CC85517		<20	0.01	<10	<10	19	<10
CC85518		<20	0.01	<10	<10	19	<10
CC85519		<20	0.01	<10	<10	18	<10
CC85520		<20	0.01	<10	<10	18	<10
CC85521		<20	0.01	<10	<10	18	<10
CC85522		<20	0.01	<10	<10	18	<10
CC85523		<20	0.01	<10	<10	19	<10
CC85524		<20	<0.01	<10	<10	15	<10
CC85525		<20	0.01	<10	<10	16	<10
CC85526		<20	0.01	<10	<10	19	<10
CC85527		<20	0.01	<10	<10	20	<10
CC85528		<20	0.01	<10	<10	20	<10
CC85529		<20	0.01	<10	<10	19	<10
CC85530		<20	0.01	<10	<10	19	<10
CC85531		<20	0.01	<10	<10	21	<10
CC85532		<20	0.01	<10	<10	18	<10
CC85533		<20	0.01	<10	<10	23	<10
CC85534		<20	0.02	<10	<10	26	<10
CC85535		<20	0.01	<10	<10	16	<10
CC85536		<20	0.01	<10	<10	41	<10
CC85537		<20	0.02	<10	<10	38	<10
CC85538		<20	0.02	<10	<10	42	<10
CC85539		<20	0.01	<10	<10	28	<10
CC85540		<20	0.01	<10	<10	35	<10
CC85541		<20	0.02	<10	<10	34	<10
CC85542		<20	0.01	<10	<10	23	<10
CC85543		<20	0.02	<10	<10	46	<10
CC85544		<20	0.02	<10	<10	37	<10
CC85545		<20	0.01	<10	<10	28	<10
CC85546		<20	0.01	<10	<10	40	<10
CC85547		<20	0.02	<10	<10	34	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85548		0.26	0.004	0.4	1.22	15	<10	200	0.8	<2	1.51	1.1	10	20	22	3.55
CC85549		0.22	0.003	0.4	1.02	14	<10	170	0.6	2	0.92	0.9	9	20	21	2.99
CC85550		0.30	<0.001	0.3	1.91	18	<10	160	1.1	<2	4.23	0.6	9	21	12	3.67
CC85551		0.18	0.003	0.5	1.77	16	<10	190	1.1	<2	2.07	2.2	9	23	15	3.88
CC85552		0.28	0.002	0.3	1.61	16	<10	200	0.9	<2	1.43	0.6	9	22	14	3.19
CC85553		0.26	0.006	2.3	1.58	20	<10	170	0.8	<2	9.9	2.8	8	14	9	3.38
CC85554		0.32	0.005	0.3	1.50	30	<10	230	1.4	<2	2.36	0.8	12	15	30	4.00
CC85555		0.24	0.003	0.4	1.66	13	<10	230	0.9	<2	1.53	1.4	10	24	15	3.79
CC85556		0.24	0.002	0.4	1.68	14	<10	200	1.0	<2	0.53	0.7	12	23	16	3.75
CC85557		0.20	0.005	0.6	1.23	15	<10	400	1.0	<2	4.08	1.2	10	15	27	3.03
CC85558		0.30	0.002	0.4	1.34	24	<10	170	0.8	<2	2.37	1.0	11	16	15	3.35
CC85559		0.34	0.002	0.3	0.94	9	<10	150	0.7	<2	13.6	1.2	6	10	9	1.47
CC85560		0.30	0.002	0.2	1.56	15	<10	160	0.8	<2	0.93	0.7	9	23	11	3.08
CC85578		0.22	0.001	0.2	1.85	17	<10	290	0.9	<2	1.14	<0.5	11	24	17	3.53
CC85579		0.28	0.004	0.4	1.33	16	<10	210	1.2	<2	2.09	0.6	13	15	22	3.88
CC85609		0.30	0.005	<0.2	1.24	11	<10	330	0.8	<2	1.80	<0.5	11	16	77	3.55
CC85610		0.28	0.004	0.3	1.51	16	<10	300	1.1	<2	1.10	0.5	13	19	40	3.80
CC85611		0.26	0.011	0.3	1.44	10	<10	390	1.0	<2	1.37	0.6	12	18	65	3.84
CC85612		0.30	0.005	0.5	1.57	20	<10	420	1.2	<2	1.19	0.5	15	19	44	4.58
CC85613		0.32	0.004	0.2	1.55	12	<10	380	0.9	<2	1.66	<0.5	13	20	40	3.78
CC85614		0.30	0.002	0.3	1.61	19	<10	200	1.3	<2	0.83	0.6	15	19	32	4.84
CC85615		0.34	0.004	<0.2	1.33	14	<10	230	1.1	<2	3.52	0.5	15	16	54	4.34
CC85616		0.24	0.005	<0.2	0.90	5	<10	240	0.7	<2	1.42	<0.5	9	17	44	3.85
CC85617		0.28	0.003	0.2	1.14	8	<10	530	0.7	<2	1.53	<0.5	9	18	30	2.93
CC85618		0.36	0.009	0.2	1.42	3	<10	340	0.8	<2	1.26	<0.5	12	23	60	4.49
CC85619		0.26	0.003	<0.2	1.80	4	<10	330	0.7	<2	0.08	<0.5	8	28	28	3.54
CC85620		0.26	0.006	<0.2	1.60	9	<10	330	0.9	2	1.02	<0.5	11	24	44	3.71
CC85621		0.32	0.003	0.8	0.60	244	<10	440	0.6	<2	10.2	5.7	17	13	37	4.49
CC85622		0.42	0.002	<0.2	1.12	133	<10	100	0.7	<2	13.0	4.8	10	14	6	2.75
CC85623		0.40	0.002	<0.2	1.00	6	<10	330	1.0	<2	0.42	<0.5	13	16	37	4.41
CC85624		0.36	0.003	<0.2	1.04	7	<10	270	0.7	<2	7.0	<0.5	17	16	39	3.07
CC85626		0.60	0.003	0.3	0.96	7	<10	170	0.6	<2	4.09	<0.5	10	16	42	2.86
CC85627		0.22	0.003	<0.2	1.25	13	<10	170	0.6	<2	3.25	<0.5	10	22	20	2.68
CC85628		0.28	0.004	0.2	0.96	12	<10	130	0.6	<2	6.90	0.6	9	16	20	2.49
CC85629		0.26	0.013	<0.2	1.62	15	<10	180	0.9	<2	0.74	0.7	11	28	16	3.55
CC85630		0.44	0.004	<0.2	1.20	19	<10	130	0.8	<2	4.40	<0.5	11	19	21	3.36
CC85631		0.22	0.002	<0.2	1.52	8	<10	180	0.7	<2	1.88	0.9	12	35	22	3.05
CC85632		0.42	0.001	<0.2	1.52	17	<10	140	1.0	<2	3.35	<0.5	9	23	15	3.35
CC85633		0.36	0.003	0.2	1.16	13	<10	110	0.6	<2	7.4	<0.5	8	18	16	2.31
CC85634		0.30	0.002	<0.2	1.56	12	<10	150	0.8	<2	4.73	0.5	10	23	19	2.97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85548		<10	1	0.07	10	0.62	1445	1	<0.01	21	830	170	0.08	5	3	14
CC85549		<10	1	0.05	10	0.41	1055	1	<0.01	22	750	76	0.05	5	3	17
CC85550		<10	1	0.05	10	2.81	1610	1	0.01	14	570	106	0.05	<2	4	12
CC85551		10	1	0.05	10	1.13	1340	1	0.02	17	720	225	0.05	2	4	13
CC85552		<10	<1	0.05	10	0.79	658	<1	0.02	14	680	56	0.04	<2	3	14
CC85553		<10	<1	0.05	10	6.38	2530	1	0.03	9	510	718	0.05	6	2	19
CC85554		<10	<1	0.10	10	1.42	800	1	0.02	20	360	85	0.02	<2	7	15
CC85555		10	1	0.07	10	0.88	866	1	0.03	18	700	72	0.05	<2	4	15
CC85556		10	1	0.09	10	0.52	837	1	0.02	20	280	74	0.02	<2	5	12
CC85557		<10	1	0.08	10	2.05	960	1	0.03	17	700	65	0.06	<2	3	24
CC85558		<10	<1	0.07	10	1.52	808	1	0.02	15	390	103	0.02	<2	5	14
CC85559		<10	<1	0.04	<10	8.42	965	1	0.03	13	500	24	0.03	<2	2	69
CC85560		<10	<1	0.09	10	0.83	610	1	0.02	17	180	43	0.01	<2	4	12
CC85578		<10	<1	0.07	10	0.91	756	1	0.02	20	620	31	0.03	<2	4	14
CC85579		<10	1	0.09	10	1.41	1290	1	0.02	19	460	41	0.03	<2	5	12
CC85609		<10	1	0.10	10	0.67	1030	<1	0.03	16	810	30	0.08	<2	5	40
CC85610		<10	1	0.13	10	0.55	740	1	0.02	20	600	43	0.05	<2	6	25
CC85611		<10	1	0.12	10	0.60	1130	<1	0.03	16	790	33	0.06	<2	7	34
CC85612		<10	1	0.13	10	0.62	1300	1	0.03	25	690	49	0.04	<2	7	32
CC85613		<10	1	0.10	10	0.68	864	1	0.03	18	770	25	0.07	<2	6	40
CC85614		<10	<1	0.13	10	0.56	1430	1	0.02	24	350	53	0.02	<2	7	21
CC85615		<10	<1	0.11	10	1.37	1135	1	0.01	28	500	54	0.02	<2	6	51
CC85616		<10	<1	0.13	10	0.79	506	<1	0.01	15	860	23	0.06	<2	5	34
CC85617		<10	<1	0.06	10	0.48	838	1	0.01	17	780	35	0.07	<2	3	32
CC85618		<10	<1	0.10	10	0.82	778	<1	<0.01	23	900	18	0.04	<2	8	34
CC85619		10	<1	0.06	10	0.42	581	1	<0.01	15	360	18	<0.01	<2	4	8
CC85620		<10	<1	0.08	20	0.68	771	<1	0.01	23	750	21	0.03	<2	6	31
CC85621		<10	5	0.03	<10	6.11	507	3	0.02	33	1020	411	0.02	39	3	130
CC85622		<10	1	0.05	10	8.02	628	3	0.02	22	550	93	0.02	5	2	50
CC85623		<10	<1	0.09	<10	0.21	333	1	<0.01	12	410	26	0.02	<2	4	21
CC85624		<10	<1	0.08	10	4.48	921	<1	0.02	19	610	20	0.03	<2	5	56
CC85626		<10	<1	0.07	10	2.50	584	1	0.01	22	730	37	<0.01	<2	5	35
CC85627		<10	<1	0.06	10	1.70	604	1	0.01	22	700	19	0.03	<2	3	34
CC85628		<10	<1	0.07	10	3.69	677	1	0.01	20	620	27	0.03	<2	3	64
CC85629		<10	<1	0.09	10	0.60	594	1	<0.01	26	320	33	0.01	<2	4	11
CC85630		<10	<1	0.08	10	2.63	903	2	0.01	24	540	35	0.02	<2	5	36
CC85631		<10	<1	0.06	10	0.85	728	2	0.01	22	500	26	0.03	<2	4	22
CC85632		<10	<1	0.10	10	2.10	815	2	0.01	22	350	31	0.02	<2	5	25
CC85633		<10	<1	0.10	10	4.20	580	2	0.01	16	730	22	0.05	<2	3	66
CC85634		<10	<1	0.08	10	2.81	779	1	0.01	23	680	23	0.04	<2	4	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC85548		<20	0.02	<10	<10	34	<10	258
CC85549		<20	0.02	<10	<10	33	<10	264
CC85550		<20	0.01	<10	<10	54	<10	210
CC85551		<20	0.02	<10	<10	58	<10	534
CC85552		<20	0.02	<10	<10	52	<10	217
CC85553		<20	0.02	<10	<10	43	<10	773
CC85554		<20	0.01	<10	<10	37	<10	235
CC85555		<20	0.02	<10	<10	51	<10	214
CC85556		<20	0.02	<10	<10	51	<10	208
CC85557		<20	0.01	<10	<10	32	<10	221
CC85558		<20	0.01	<10	<10	38	<10	298
CC85559		<20	0.01	<10	<10	41	<10	140
CC85560		<20	0.03	<10	<10	53	<10	221
CC85578		<20	0.02	<10	<10	55	<10	96
CC85579		<20	0.01	<10	<10	36	<10	134
CC85609		<20	0.02	<10	<10	37	<10	118
CC85610		<20	0.01	<10	<10	39	<10	141
CC85611		<20	0.01	<10	<10	41	<10	124
CC85612		<20	0.01	<10	<10	42	<10	176
CC85613		<20	0.02	<10	<10	47	<10	111
CC85614		<20	0.01	<10	<10	42	<10	193
CC85615		<20	0.01	<10	<10	31	<10	183
CC85616		<20	0.03	<10	<10	37	<10	92
CC85617		<20	0.02	<10	<10	32	<10	143
CC85618		<20	0.03	<10	<10	41	<10	87
CC85619		<20	0.03	<10	<10	59	<10	62
CC85620		<20	0.02	<10	<10	43	<10	90
CC85621		<20	<0.01	<10	<10	24	10	1745
CC85622		<20	0.01	<10	<10	29	10	1010
CC85623		<20	0.01	<10	<10	23	<10	97
CC85624		<20	0.01	<10	<10	29	<10	80
CC85626		<20	0.03	<10	<10	31	<10	132
CC85627		<20	0.02	<10	<10	36	<10	117
CC85628		<20	0.01	<10	<10	28	<10	102
CC85629		<20	0.02	<10	<10	50	<10	148
CC85630		<20	0.01	<10	<10	34	<10	111
CC85631		<20	0.02	<10	<10	47	<10	114
CC85632		<20	0.01	<10	<10	42	<10	107
CC85633		<20	0.01	<10	<10	31	<10	86
CC85634		<20	0.02	<10	<10	42	<10	106



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85635		0.32	0.002	<0.2	1.72	12	<10	240	1.0	2	1.99	0.5	11	25	15	3.65
CC85636		0.32	0.004	0.3	0.93	13	<10	270	0.6	<2	4.45	0.5	9	16	26	2.80
CC85637		0.34	0.007	0.3	0.82	8	<10	260	0.5	<2	5.10	0.5	8	14	24	2.58
CC85638		0.30	0.003	0.2	0.86	10	<10	260	0.6	2	4.08	0.5	9	15	26	2.59
CC85639		0.24	0.003	<0.2	0.85	7	<10	250	0.5	<2	4.44	<0.5	9	15	24	2.63
CC85640		0.34	0.004	<0.2	0.90	5	<10	280	0.6	<2	3.89	<0.5	10	16	26	2.77
CC85641		0.26	0.003	0.3	0.90	6	<10	320	0.6	<2	3.52	0.6	10	16	28	2.81
CC85642		0.38	0.004	<0.2	0.82	4	<10	260	0.6	<2	3.44	<0.5	10	15	21	2.57
CC85643		0.34	0.007	0.2	0.92	8	<10	290	0.6	<2	3.40	0.7	10	16	26	2.94
CC85989		0.26	0.002	<0.2	1.21	16	<10	170	1.2	<2	4.96	<0.5	17	13	50	4.19
CC85990		0.20	0.004	0.2	1.82	11	<10	210	1.1	<2	0.31	<0.5	14	24	23	4.22
CC85991		0.20	0.003	0.3	1.59	9	<10	250	1.0	<2	0.24	<0.5	15	21	37	4.33
CC85992		0.20	0.002	<0.2	1.05	18	<10	130	0.8	<2	3.31	0.5	14	14	31	3.83
CC85993		0.18	0.003	0.2	2.11	16	<10	250	1.1	<2	0.24	<0.5	15	31	23	4.80
CC85994		0.22	0.003	0.4	1.12	28	<10	160	0.9	<2	3.90	0.6	26	12	38	5.24
CC85995		0.18	0.002	<0.2	1.33	12	<10	140	1.1	<2	1.56	<0.5	7	17	24	3.91
CC85996		0.18	0.003	0.2	1.17	17	<10	140	1.0	<2	2.46	<0.5	15	14	41	4.38
CC85997		0.20	0.002	0.7	1.70	22	<10	180	1.2	<2	0.46	1.1	12	20	25	4.06
CC85998		0.20	0.002	0.2	1.44	15	<10	180	1.0	<2	0.76	<0.5	10	16	22	3.91
CC85999		0.22	0.002	1.0	1.77	20	<10	230	1.0	<2	1.96	0.5	9	20	13	4.90
CC86000		0.16	0.001	<0.2	1.60	16	<10	160	1.0	<2	1.24	0.5	10	21	18	3.84
CC86741		0.16	<0.001	<0.2	0.27	11	<10	100	2.1	2	20.3	<0.5	2	1	7	1.60
CC86742		0.30	0.001	0.3	0.84	13	<10	260	0.6	<2	5.00	<0.5	9	12	27	4.09
CC86743		0.10	0.003	0.4	0.90	8	<10	290	0.6	<2	2.74	<0.5	8	16	32	3.38
CC86744		0.24	0.004	0.2	0.88	11	<10	300	0.6	<2	4.58	<0.5	10	16	30	4.95
CC86745		0.16	0.004	0.2	0.88	8	<10	280	0.6	<2	2.39	<0.5	10	14	31	3.89
CC86746		0.22	0.003	0.3	0.95	9	<10	280	0.7	<2	2.02	<0.5	10	15	36	4.47
CC86747		0.22	0.003	0.2	0.96	10	<10	260	0.6	<2	4.18	<0.5	10	18	35	5.43
CC86748		0.14	0.005	0.2	0.93	10	<10	240	0.6	<2	1.58	<0.5	9	16	38	4.30
CC86749		0.14	0.011	<0.2	0.86	10	<10	360	0.6	<2	3.38	<0.5	8	14	41	4.42
CC86750		0.24	0.010	0.2	0.88	8	<10	290	0.7	<2	2.86	<0.5	12	14	49	5.36
CC86866		0.24	0.006	<0.2	0.79	9	<10	270	0.7	<2	3.80	<0.5	11	14	49	4.29
CC86867		0.22	0.010	<0.2	0.69	12	<10	270	0.6	<2	6.00	<0.5	11	12	46	3.64
CC86868		0.32	0.005	<0.2	0.55	8	<10	210	0.5	<2	8.9	<0.5	7	11	49	2.22
CC86869		0.24	0.003	0.3	1.75	16	<10	2780	0.7	<2	0.10	0.7	12	23	20	3.67
CC86870		0.24	0.005	0.6	1.51	<2	<10	130	0.9	<2	4.24	<0.5	16	14	62	3.56
CC86871		0.20	0.007	0.4	2.30	21	<10	210	1.7	<2	0.46	<0.5	16	21	60	5.44
CC86872		0.22	0.006	<0.2	1.93	13	<10	290	1.1	<2	0.16	<0.5	15	22	42	5.09
CC86873		0.14	0.004	0.3	1.53	15	<10	360	0.9	<2	1.02	<0.5	12	17	42	3.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85635		<10	<1	0.14	10	1.25	1310	1	0.01	23	440	45	0.02	2	5	18
CC85636		<10	<1	0.08	10	2.48	474	1	0.01	18	680	32	0.04	<2	3	35
CC85637		<10	<1	0.07	10	2.76	577	1	0.01	15	650	29	0.04	<2	3	39
CC85638		<10	<1	0.07	10	2.21	542	1	0.01	16	650	32	0.04	<2	3	34
CC85639		<10	<1	0.07	10	2.47	568	1	0.01	16	650	31	0.04	<2	3	34
CC85640		<10	<1	0.07	10	2.15	565	1	0.01	17	680	33	0.04	<2	3	34
CC85641		<10	<1	0.07	10	1.85	734	1	0.01	19	690	36	0.05	<2	3	32
CC85642		<10	<1	0.06	10	1.97	580	<1	0.01	16	620	30	0.03	<2	3	28
CC85643		<10	<1	0.07	10	1.93	829	1	0.01	20	680	36	0.03	<2	3	27
CC85989		<10	<1	0.10	10	1.49	1585	1	<0.01	30	520	62	0.01	<2	7	71
CC85990		<10	<1	0.07	20	0.42	1390	1	<0.01	25	320	28	<0.01	<2	6	11
CC85991		<10	<1	0.08	20	0.39	1715	1	<0.01	24	430	37	0.01	<2	5	10
CC85992		<10	<1	0.07	10	1.83	1270	1	0.01	24	550	62	0.02	<2	5	35
CC85993		10	<1	0.06	20	0.54	1025	1	<0.01	34	410	32	0.01	<2	9	11
CC85994		<10	<1	0.06	10	2.54	3610	1	0.01	29	700	139	0.01	<2	5	22
CC85995		<10	<1	0.08	10	0.85	382	1	0.01	22	780	32	0.04	<2	5	10
CC85996		<10	<1	0.09	10	1.52	1255	1	0.01	27	370	44	0.02	2	6	20
CC85997		<10	<1	0.08	10	0.45	1140	1	<0.01	26	320	120	0.03	4	6	13
CC85998		<10	<1	0.08	10	0.52	846	1	0.01	21	280	57	0.03	<2	5	13
CC85999		<10	<1	0.04	10	1.15	1670	1	<0.01	19	540	54	0.02	<2	6	16
CC86000		<10	<1	0.06	10	0.77	820	1	<0.01	23	640	61	0.03	<2	5	14
CC86741		<10	<1	0.04	<10	1.39	2350	1	0.03	5	380	25	<0.01	<2	1	254
CC86742		<10	<1	0.10	10	2.76	1060	<1	0.01	14	610	33	0.03	<2	4	49
CC86743		<10	1	0.11	10	1.25	562	<1	0.01	16	800	28	0.07	<2	4	43
CC86744		<10	<1	0.11	10	2.62	1540	<1	0.01	16	690	29	0.03	<2	4	44
CC86745		<10	<1	0.10	10	1.29	991	<1	0.01	17	700	29	0.05	<2	4	37
CC86746		<10	1	0.13	10	1.17	902	<1	0.01	16	770	29	0.05	<2	4	36
CC86747		<10	<1	0.13	10	2.29	1265	<1	0.01	17	810	27	0.06	<2	5	52
CC86748		<10	<1	0.13	10	1.01	666	<1	0.01	16	790	31	0.06	<2	5	31
CC86749		<10	<1	0.15	10	1.76	689	<1	0.01	12	930	22	0.09	<2	5	53
CC86750		<10	<1	0.17	10	1.78	1570	<1	0.01	14	820	27	0.03	2	6	43
CC86866		<10	<1	0.18	10	2.39	1380	<1	0.01	15	680	28	0.02	<2	5	45
CC86867		<10	<1	0.14	10	3.78	1635	<1	0.01	14	580	33	0.02	<2	5	54
CC86868		<10	1	0.08	10	5.73	751	<1	0.01	11	610	38	0.02	<2	4	73
CC86869		<10	<1	0.05	10	0.39	683	<1	<0.01	17	300	148	0.01	<2	4	11
CC86870		<10	<1	0.19	10	2.52	2410	<1	<0.01	29	580	27	0.03	<2	12	43
CC86871		10	<1	0.14	10	0.51	1290	<1	<0.01	32	400	42	0.06	<2	10	15
CC86872		<10	<1	0.11	10	0.55	934	<1	<0.01	24	480	33	0.01	<2	6	13
CC86873		<10	<1	0.07	10	0.48	1405	<1	<0.01	18	650	35	0.04	2	5	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10116102

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC85635		<20	0.01	<10	<10	46	<10	134
CC85636		<20	0.02	<10	<10	26	<10	154
CC85637		<20	0.02	<10	<10	24	<10	140
CC85638		<20	0.02	<10	<10	25	<10	146
CC85639		<20	0.02	<10	<10	25	<10	139
CC85640		<20	0.02	<10	<10	27	<10	156
CC85641		<20	0.02	10	<10	27	<10	157
CC85642		<20	0.02	<10	<10	25	<10	139
CC85643		<20	0.02	<10	<10	28	<10	180
CC85989		<20	<0.01	<10	<10	23	<10	147
CC85990		<20	0.01	<10	<10	42	<10	93
CC85991		<20	0.01	<10	<10	39	<10	138
CC85992		<20	0.01	<10	<10	27	<10	183
CC85993		<20	0.02	<10	<10	64	<10	112
CC85994		<20	0.01	<10	<10	30	<10	219
CC85995		<20	0.01	<10	<10	29	<10	137
CC85996		<20	<0.01	<10	<10	25	<10	158
CC85997		<20	0.01	<10	<10	44	<10	278
CC85998		<20	0.01	<10	<10	33	<10	188
CC85999		<20	0.02	<10	<10	46	<10	176
CC86000		<20	0.01	<10	<10	40	<10	161
CC86741		<20	<0.01	<10	20	6	<10	104
CC86742		<20	0.02	<10	<10	27	<10	124
CC86743		<20	0.02	<10	<10	28	<10	123
CC86744		<20	0.03	<10	<10	31	<10	112
CC86745		<20	0.02	<10	<10	30	<10	118
CC86746		<20	0.03	<10	<10	34	<10	114
CC86747		<20	0.04	<10	<10	35	<10	117
CC86748		<20	0.03	<10	<10	37	<10	110
CC86749		<20	0.03	<10	<10	33	<10	98
CC86750		<20	0.04	<10	<10	37	<10	101
CC86866		<20	0.03	<10	<10	39	<10	103
CC86867		<20	0.02	<10	<10	32	<10	110
CC86868		<20	0.02	<10	<10	26	<10	117
CC86869		<20	0.02	<10	<10	49	<10	170
CC86870		<20	<0.01	<10	<10	28	<10	81
CC86871		<20	<0.01	<10	<10	44	<10	109
CC86872		<20	0.01	<10	<10	47	<10	91
CC86873		<20	0.01	<10	<10	36	<10	120



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- SEP- 2010
Account: MTT

CERTIFICATE VA10116103

Project: RUSTY

P.O. No.:

This report is for 11 Rock samples submitted to our lab in Vancouver, BC, Canada on 19- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Pb- VOL70	Pb by Titration	
Zn- VOL50	Zn by titration	
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 1- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10116103

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G0557039		1.00	0.004	>100	0.05	365	<10	10	<0.5	<2	4.12	100.5	1	1	1275	0.77
G0557040		0.24	0.006	82.9	0.02	2610	<10	50	<0.5	<2	5.76	6.4	1	2	167	1.02
G0557041		0.60	0.002	>100	0.03	422	<10	10	<0.5	<2	16.1	29.4	<1	1	869	0.51
G0557042		0.38	0.003	58.0	0.06	215	<10	20	0.5	<2	17.2	4.4	1	<1	87	1.84
G0557043		0.88	0.004	>100	0.03	262	<10	20	<0.5	<2	13.9	89.3	2	<1	1005	0.73
G0557044		0.66	0.003	>100	0.02	66	<10	10	<0.5	<2	10.8	21.2	1	2	114	0.92
G0557045		0.72	0.004	>100	0.02	31	<10	20	<0.5	<2	15.8	40.1	<1	<1	49	0.90
G0557046		1.28	0.010	>100	0.06	28	<10	30	<0.5	<2	15.5	146.0	1	<1	761	2.29
G0557047		0.74	0.005	>100	0.09	517	<10	50	<0.5	7	1.14	>1000	2	<1	695	0.68
G0557048		0.22	0.003	22.7	0.17	33	<10	50	3.6	<2	>25.0	46.9	1	1	61	2.17
G0557049		0.44	0.004	91.4	0.03	65	<10	110	2.2	<2	>25.0	273	1	<1	75	1.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 1- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10116103

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
G0557039		<10	23	0.02	<10	2.30	1040	<1	0.02	1	40	>10000	6.3	4260	<1	16
G0557040		<10	2	0.01	<10	3.49	1170	<1	0.02	<1	90	>10000	1.12	>10000	<1	42
G0557041		<10	9	0.01	10	10.10	769	<1	0.04	<1	350	>10000	1.14	2510	<1	41
G0557042		<10	2	0.02	10	10.15	3750	<1	0.04	<1	90	>10000	0.31	1020	1	147
G0557043		<10	44	0.01	10	8.49	1470	<1	0.03	<1	170	>10000	1.62	1790	<1	86
G0557044		<10	5	<0.01	<10	6.40	2170	<1	0.03	<1	30	>10000	0.78	433	<1	73
G0557045		<10	11	0.01	10	9.83	2050	<1	0.03	<1	250	>10000	1.5	360	<1	95
G0557046		<10	4	0.01	<10	9.08	4430	1	0.03	1	50	>10000	0.74	582	3	108
G0557047		<10	420	0.02	<10	0.49	239	<1	0.01	4	70	>10000	0.68	1530	<1	8
G0557048		<10	8	0.05	<10	1.05	2590	1	0.07	1	130	4130	0.5	88	1	380
G0557049		<10	43	0.01	<10	0.27	2420	<1	0.06	<1	40	>10000	0.5	189	<1	223



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 1- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10116103

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Pb- OG46	Zn- OG46	Pb- VOL70	Zn- VOL50
		Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.01	0.01
G0557039		<20	<0.01	<10	<10	3	20	>10000	1050	>20.0	1.575	50.75	
G0557040		<20	<0.01	<10	<10	1	<10	627		8.01			
G0557041		<20	<0.01	<10	<10	1	10	2960	172	8.12			
G0557042		<20	<0.01	<10	<10	3	<10	414		2.92			
G0557043		<20	<0.01	<10	<10	1	30	9790	338	16.60			
G0557044		<20	<0.01	<10	<10	1	10	4200	122	5.45			
G0557045		<20	<0.01	<10	<10	1	20	6970	239	9.67			
G0557046		<20	<0.01	<10	<10	5	10	>10000	128	3.82	3.10		
G0557047		<20	<0.01	<10	<10	1	30	>10000	668	12.15	>30.0		38.24
G0557048		<20	<0.01	<10	<10	3	30	7310					
G0557049		<20	<0.01	<10	<10	<1	10	>10000		1.495	3.29		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 22- SEP- 2010
Account: MTT

CERTIFICATE VA10130416

Project: RUSTY

P.O. No.:

This report is for 208 Soil samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111282		0.34	0.3	1.26	28	<10	100	0.9	2	1.54	1.9	23	21	87	4.41	<10
CC111283		0.36	0.4	1.16	26	<10	110	0.8	<2	2.10	1.5	20	17	55	3.91	<10
CC111284		0.34	0.5	1.25	35	<10	130	0.9	<2	1.12	2.5	28	22	83	5.19	<10
CC111285		0.30	0.9	1.15	70	<10	360	1.8	5	0.58	3.3	76	11	215	11.00	<10
CC111286		Not Recvd														
CC111287		0.40	0.8	1.25	57	<10	200	1.4	3	0.97	1.7	54	19	121	7.31	<10
CC111288		0.50	0.7	1.38	42	<10	110	0.7	<2	1.57	2.5	24	26	94	5.00	<10
CC111289		0.30	1.0	1.31	25	<10	100	0.7	<2	1.26	1.7	21	27	85	4.01	<10
CC111290		0.28	1.1	1.31	30	<10	110	0.8	<2	1.41	3.3	21	23	114	4.08	<10
CC111291		0.54	0.8	1.40	78	<10	100	0.7	2	1.30	5.9	31	38	138	7.09	<10
CC111292		0.48	1.5	1.37	100	<10	110	0.8	2	0.60	7.0	41	50	201	8.13	<10
CC111293		0.30	1.0	1.30	48	<10	60	0.7	<2	1.50	7.9	19	27	391	3.71	<10
CC111294		0.36	4.5	1.37	148	<10	120	1.0	3	0.76	5.6	49	48	225	9.32	<10
CC111295		0.30	3.3	1.28	120	<10	130	0.9	<2	0.84	5.9	55	45	209	9.69	<10
CC111296		0.34	2.5	1.13	162	<10	130	0.9	4	0.49	6.5	63	36	258	14.3	<10
CC111297		0.34	3.8	1.28	181	<10	140	1.1	7	0.60	7.0	80	38	291	16.7	<10
CC111298		0.34	5.9	1.58	241	<10	160	1.8	9	0.67	9.7	113	22	521	12.30	<10
CC111299		0.32	3.7	3.09	243	<10	60	2.7	9	0.14	1.8	63	19	1055	18.6	<10
CC111300		0.38	3.5	1.76	332	<10	100	1.3	4	0.67	3.5	62	26	333	11.80	<10
CC111301		0.32	3.7	0.97	289	<10	180	0.9	3	0.24	1.1	50	10	124	12.70	<10
CC111302		0.26	10.8	1.42	83	<10	100	1.0	<2	0.58	9.6	43	23	106	6.03	<10
CC111303		0.28	1.3	1.68	41	<10	70	0.7	<2	1.04	6.7	25	38	287	5.15	<10
CC111304		0.30	2.1	1.37	40	<10	70	0.7	<2	1.35	6.5	21	31	417	5.27	<10
CC111305		0.32	1.7	1.53	34	<10	60	0.7	<2	1.18	5.1	22	42	359	4.40	<10
CC111306		0.42	1.2	1.45	41	<10	70	0.7	<2	1.37	6.1	22	36	444	4.81	<10
CC111307		0.24	0.4	1.61	13	<10	180	1.1	<2	0.93	<0.5	16	22	54	3.57	<10
CC111308		0.30	<0.2	1.87	14	<10	180	0.9	<2	0.24	<0.5	10	24	18	3.87	<10
CC111309		0.30	0.4	1.81	17	<10	220	1.2	<2	0.23	<0.5	17	22	48	4.09	<10
CC111310		0.20	0.2	1.34	9	<10	170	<0.5	<2	0.22	0.6	10	20	15	3.02	10
CC111311		0.28	<0.2	2.08	11	<10	200	0.9	<2	0.15	<0.5	16	24	23	4.23	<10
CC111312		0.30	0.2	1.77	15	<10	190	0.9	<2	0.13	<0.5	13	23	21	3.66	<10
CC111313		0.28	0.2	2.13	10	<10	230	1.2	<2	0.23	0.6	11	27	24	3.94	10
CC111314		0.32	1.0	2.35	20	<10	280	1.9	<2	0.92	<0.5	12	27	25	5.20	<10
CC111315		0.40	0.2	1.77	13	<10	200	1.1	<2	0.15	<0.5	15	23	27	4.21	<10
CC111316		0.18	0.2	2.05	12	<10	290	1.1	<2	0.55	<0.5	11	30	23	3.12	10
CC111317		0.32	0.2	1.52	14	<10	170	0.8	<2	0.16	<0.5	12	24	29	3.55	<10
CC111318		0.28	0.4	1.80	9	<10	320	0.9	<2	0.54	<0.5	12	26	26	3.61	<10
CC111319		0.24	0.4	1.75	12	<10	270	1.2	<2	0.28	0.6	18	48	49	4.16	<10
CC111320		0.32	0.6	1.60	13	<10	200	1.3	<2	0.75	0.6	14	25	42	4.36	<10
CC111321		0.24	0.6	1.72	12	<10	110	1.1	<2	0.50	<0.5	14	22	57	3.92	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111282		1	0.11	20	1.20	1885	1	0.01	43	620	85	0.06	<2	5	19	<20
CC111283		1	0.09	20	1.41	2010	1	0.01	32	550	75	0.05	<2	4	21	<20
CC111284		<1	0.10	20	0.97	2970	3	0.01	54	590	103	0.04	<2	5	16	<20
CC111285		1	0.14	20	0.60	9580	1	0.01	59	430	426	0.07	<2	11	17	<20
CC111286																
CC111287		<1	0.13	20	0.87	6090	2	0.01	51	640	138	0.06	<2	8	18	<20
CC111288		<1	0.09	20	1.49	2500	3	0.01	55	660	96	0.04	8	5	16	<20
CC111289		<1	0.12	10	1.17	1315	3	0.01	46	660	107	0.04	4	5	13	<20
CC111290		<1	0.10	10	0.91	1955	3	0.01	44	810	82	0.10	<2	4	20	<20
CC111291		<1	0.08	10	1.41	3170	12	0.01	118	910	159	0.05	7	8	13	<20
CC111292		<1	0.09	10	1.02	3600	15	0.01	161	1120	197	0.09	8	9	11	<20
CC111293		1	0.09	20	0.88	989	4	0.01	59	910	254	0.11	4	7	13	<20
CC111294		1	0.09	10	0.90	3700	18	0.01	219	1320	304	0.15	13	10	14	<20
CC111295		<1	0.09	10	0.96	5200	21	0.01	255	1430	193	0.14	11	10	15	<20
CC111296		<1	0.09	10	0.76	6430	28	0.01	320	1420	176	0.15	16	12	14	<20
CC111297		1	0.09	10	0.85	7780	24	0.01	358	1400	219	0.20	16	17	15	<20
CC111298		<1	0.09	20	0.61	6130	48	0.01	603	2180	245	0.24	23	6	17	<20
CC111299		1	0.10	10	0.36	1725	60	0.01	287	2010	140	0.91	25	6	8	<20
CC111300		<1	0.08	10	0.75	3060	20	0.01	296	1880	131	0.21	22	6	16	<20
CC111301		1	0.26	20	0.20	1695	60	0.03	197	3400	169	0.55	21	4	46	<20
CC111302		1	0.10	10	0.74	3910	4	0.01	76	1160	493	0.10	9	9	11	<20
CC111303		<1	0.08	10	1.25	1845	4	0.01	51	860	241	0.09	4	10	11	<20
CC111304		1	0.09	10	0.94	1785	4	0.02	47	930	157	0.11	<2	11	14	<20
CC111305		1	0.10	10	1.11	759	3	0.01	48	940	206	0.10	2	11	15	<20
CC111306		<1	0.08	10	1.14	1365	4	0.02	53	890	168	0.12	<2	10	14	<20
CC111307		1	0.09	20	0.64	1120	1	0.01	30	630	28	0.06	<2	4	19	<20
CC111308		<1	0.07	10	0.48	789	1	0.01	21	370	27	0.02	<2	3	10	<20
CC111309		<1	0.10	20	0.52	1590	1	0.01	33	390	42	<0.01	3	5	10	<20
CC111310		<1	0.06	10	0.48	1265	1	0.01	17	400	16	0.01	<2	2	10	<20
CC111311		<1	0.06	20	0.55	1255	1	0.01	21	470	31	0.01	<2	3	8	<20
CC111312		1	0.06	20	0.43	1040	1	0.01	19	370	36	<0.01	2	3	9	<20
CC111313		1	0.06	10	0.52	1540	1	0.01	23	510	23	0.01	2	4	11	<20
CC111314		1	0.05	20	0.79	3200	1	0.02	28	1290	101	0.04	2	6	16	<20
CC111315		<1	0.05	20	0.55	1585	1	0.01	22	400	34	0.01	<2	4	8	<20
CC111316		1	0.05	10	0.55	715	1	0.02	22	1050	16	0.04	<2	2	17	<20
CC111317		<1	0.05	10	0.46	957	1	0.01	20	500	29	0.02	<2	3	10	<20
CC111318		1	0.08	10	0.55	1010	1	0.01	22	750	27	0.04	3	3	19	<20
CC111319		<1	0.07	10	0.46	1715	1	0.02	31	1330	39	0.07	3	2	15	<20
CC111320		1	0.07	10	0.49	2040	1	0.02	24	1300	31	0.08	2	3	21	<20
CC111321		<1	0.08	20	0.72	1365	<1	0.01	26	620	31	0.03	<2	4	18	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
CC111282		0.01	<10	<10	29	<10	453	
CC111283		0.01	<10	<10	25	<10	339	
CC111284		0.01	<10	<10	31	<10	529	
CC111285		<0.01	<10	<10	20	<10	783	
CC111286								
CC111287		0.01	<10	<10	29	<10	386	
CC111288		0.01	<10	<10	35	<10	578	
CC111289		0.01	<10	<10	36	<10	377	
CC111290		0.01	<10	<10	32	<10	528	
CC111291		0.01	<10	<10	61	<10	1160	
CC111292		0.01	<10	<10	67	<10	1510	
CC111293		0.01	<10	<10	45	<10	1685	
CC111294		0.01	<10	<10	69	<10	1395	
CC111295		0.01	<10	10	67	<10	1285	
CC111296		<0.01	<10	10	75	<10	1630	
CC111297		<0.01	<10	10	72	<10	1825	
CC111298		0.01	<10	10	62	<10	2360	
CC111299		0.01	10	40	49	<10	620	
CC111300		0.01	<10	10	68	<10	951	
CC111301		0.01	10	20	37	<10	296	
CC111302		0.01	<10	<10	59	<10	1655	
CC111303		0.02	<10	<10	83	<10	1170	
CC111304		0.01	<10	<10	61	<10	1200	
CC111305		0.01	<10	<10	60	<10	1275	
CC111306		0.01	<10	<10	66	<10	1060	
CC111307		0.01	<10	<10	32	<10	110	
CC111308		0.01	<10	<10	45	<10	125	
CC111309		0.01	<10	<10	35	<10	143	
CC111310		0.02	<10	<10	38	<10	78	
CC111311		0.01	<10	<10	43	<10	105	
CC111312		0.01	<10	<10	42	<10	98	
CC111313		0.01	<10	<10	43	<10	145	
CC111314		0.02	<10	<10	45	<10	109	
CC111315		0.01	<10	<10	38	<10	124	
CC111316		0.02	<10	<10	52	<10	84	
CC111317		0.02	<10	<10	39	<10	131	
CC111318		0.02	<10	<10	44	<10	111	
CC111319		0.03	<10	<10	49	<10	208	
CC111320		0.02	<10	<10	38	<10	145	
CC111321		0.01	<10	<10	30	<10	156	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111322		Not Recvd														
CC111323		0.24	0.3	1.47	11	<10	190	0.6	<2	0.18	0.5	11	20	19	3.19	10
CC111324		0.34	0.4	1.35	9	<10	120	0.6	<2	0.09	<0.5	10	24	23	3.50	10
CC111325		0.30	0.2	1.63	9	<10	210	0.9	<2	0.23	<0.5	10	24	25	3.23	10
CC111326		0.22	0.4	1.40	4	<10	100	0.5	<2	0.10	<0.5	8	20	28	2.48	10
CC111327		0.22	0.4	1.15	10	<10	150	0.5	<2	0.19	0.8	13	18	16	3.45	<10
CC111328		0.42	0.5	2.19	10	<10	140	1.1	<2	0.09	<0.5	8	31	27	3.71	10
CC111329		0.20	0.4	1.49	15	<10	90	0.8	<2	0.54	0.5	14	25	35	3.05	<10
CC111330		0.28	0.2	1.59	15	<10	100	0.5	<2	0.12	<0.5	15	29	39	4.17	<10
CC111331		0.36	0.2	1.79	9	<10	230	0.9	<2	0.18	<0.5	10	22	30	3.28	<10
CC111332		0.36	0.3	2.02	15	<10	200	1.0	<2	0.12	<0.5	14	28	28	3.89	<10
CC111333		0.28	0.2	2.02	12	<10	120	0.7	<2	0.10	<0.5	11	31	24	4.08	<10
CC111334		0.36	<0.2	1.63	7	<10	190	0.5	<2	0.12	<0.5	5	23	12	2.30	<10
CC111335		0.22	0.2	1.86	13	<10	100	0.7	<2	0.05	<0.5	12	23	25	3.89	<10
CC111336		0.36	0.3	1.88	15	<10	210	1.1	<2	0.16	<0.5	17	22	40	4.12	<10
CC111337		0.38	0.2	1.82	17	<10	190	1.1	<2	0.11	<0.5	31	23	42	4.19	<10
CC111338		0.30	0.3	2.05	15	<10	200	1.0	<2	0.09	<0.5	16	25	27	3.98	10
CC111339		0.30	0.4	1.71	116	<10	250	1.1	<2	0.39	<0.5	16	24	46	3.85	<10
CC111340		0.20	<0.2	1.57	30	<10	110	1.1	<2	0.20	<0.5	17	23	43	3.88	<10
CC111341		0.30	0.6	1.97	12	<10	110	0.5	<2	0.09	<0.5	9	27	34	2.93	10
CC111342		0.26	0.6	1.69	19	<10	170	1.2	<2	0.70	<0.5	17	21	105	3.53	<10
CC111343		0.32	0.2	1.41	11	<10	170	0.7	<2	1.06	0.9	13	20	34	3.92	<10
CC111344		0.14	1.0	1.43	27	<10	110	1.0	<2	0.78	<0.5	22	17	107	4.73	<10
CC111345		0.24	0.8	1.17	20	<10	100	0.8	<2	1.03	<0.5	18	16	99	3.93	<10
CC111346		0.40	<0.2	1.77	24	<10	100	1.1	<2	0.06	<0.5	18	23	56	4.35	10
CC111347		0.30	<0.2	2.32	24	<10	90	1.0	<2	0.05	<0.5	18	29	41	5.65	<10
CC111348		0.34	0.2	1.94	16	<10	140	0.7	2	0.14	<0.5	20	25	33	4.45	10
CC111349		0.36	<0.2	2.02	20	<10	170	1.2	2	0.24	<0.5	18	22	48	4.40	<10
CC111350		0.34	0.3	1.79	24	<10	150	1.2	2	0.07	0.5	24	21	57	4.94	<10
CC111351		0.26	<0.2	1.93	24	<10	170	1.2	<2	0.11	<0.5	20	22	56	4.54	<10
CC111352		0.30	0.2	1.90	20	<10	260	1.1	2	0.22	<0.5	14	27	45	3.98	<10
CC111353		0.24	0.5	1.78	19	<10	180	1.2	<2	0.62	<0.5	16	25	39	3.91	<10
CC111354		0.28	1.1	1.79	19	<10	200	1.3	2	0.58	0.8	18	27	58	4.14	<10
CC111355		0.20	0.2	1.27	7	<10	200	0.5	2	0.73	<0.5	10	22	23	2.45	<10
CC111356		0.36	<0.2	1.65	14	<10	140	0.8	2	0.35	<0.5	14	25	37	3.97	<10
CC111357		0.30	0.3	1.89	19	<10	140	0.9	<2	0.06	<0.5	15	23	38	3.93	10
CC111358		0.32	0.2	1.84	19	<10	90	0.8	<2	0.07	<0.5	15	25	45	4.68	<10
CC111359		0.30	2.3	2.42	19	<10	170	0.9	<2	0.15	<0.5	14	34	23	3.64	<10
CC111360		0.24	0.4	2.09	19	<10	90	0.5	<2	0.08	<0.5	6	28	16	3.59	10
CC111361		0.36	0.8	1.63	25	<10	190	1.2	<2	1.47	0.5	17	20	53	4.31	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111322																
CC111323		1	0.07	10	0.49	1230	1	0.01	17	530	20	0.03	<2	3	11	<20
CC111324		<1	0.07	10	0.35	1390	1	0.01	16	660	30	0.04	2	2	9	<20
CC111325		1	0.06	10	0.50	1100	1	0.01	18	900	27	0.04	<2	3	13	<20
CC111326		1	0.06	10	0.42	1020	<1	0.01	13	980	10	0.07	<2	1	8	<20
CC111327		1	0.07	10	0.28	2190	1	0.01	13	760	25	0.04	<2	2	9	<20
CC111328		<1	0.05	20	0.48	492	1	0.01	22	360	21	0.01	<2	4	10	<20
CC111329		<1	0.05	10	0.55	829	2	0.02	22	830	54	0.07	<2	2	22	<20
CC111330		1	0.06	10	0.42	1295	1	0.01	17	370	30	0.02	2	3	10	<20
CC111331		<1	0.06	10	0.42	651	1	0.01	20	600	23	0.02	<2	3	10	<20
CC111332		<1	0.05	20	0.50	1095	<1	0.01	23	440	34	0.01	<2	4	10	<20
CC111333		<1	0.06	10	0.49	515	1	0.01	26	340	21	0.01	<2	3	8	<20
CC111334		1	0.04	10	0.29	251	1	0.01	14	280	14	<0.01	<2	3	10	<20
CC111335		1	0.07	10	0.42	670	1	0.01	22	500	24	0.02	<2	3	5	<20
CC111336		<1	0.07	20	0.45	1250	1	0.01	28	380	37	0.01	3	4	9	<20
CC111337		1	0.07	20	0.45	1500	1	0.01	27	470	38	0.01	2	4	8	<20
CC111338		<1	0.07	20	0.42	999	1	0.01	26	370	27	0.01	<2	4	8	<20
CC111339		<1	0.07	20	0.52	1190	1	0.02	29	750	30	0.03	2	4	14	<20
CC111340		1	0.06	10	0.42	712	1	0.01	21	550	44	0.03	<2	3	9	<20
CC111341		1	0.04	10	0.32	254	1	0.01	16	220	16	0.01	<2	3	9	<20
CC111342		<1	0.08	10	0.53	1275	1	0.02	30	960	35	0.07	2	3	17	<20
CC111343		1	0.06	10	0.43	1500	1	0.02	19	780	92	0.07	<2	3	21	<20
CC111344		1	0.10	10	0.50	916	1	0.01	33	700	52	0.06	4	4	15	<20
CC111345		1	0.07	10	0.51	899	2	0.01	31	770	43	0.07	4	3	17	<20
CC111346		1	0.08	20	0.45	951	3	0.01	31	430	67	0.03	2	3	7	<20
CC111347		<1	0.09	20	0.34	599	3	0.01	25	650	30	0.04	<2	3	8	<20
CC111348		1	0.09	20	0.33	1250	1	0.01	24	450	28	0.03	<2	3	10	<20
CC111349		<1	0.11	20	0.51	1100	1	0.01	29	940	41	0.04	<2	4	13	<20
CC111350		<1	0.11	20	0.51	1675	1	0.01	34	450	46	0.02	2	4	6	<20
CC111351		<1	0.10	20	0.51	1030	1	0.01	32	500	47	0.03	3	3	6	<20
CC111352		1	0.08	20	0.56	811	1	0.01	28	1030	33	0.05	2	3	13	<20
CC111353		<1	0.09	10	0.60	1805	1	0.01	26	1020	45	0.08	<2	3	25	<20
CC111354		1	0.12	10	0.54	1780	1	0.01	27	1120	46	0.09	<2	4	16	<20
CC111355		1	0.06	10	0.40	547	1	0.01	15	1120	16	0.10	<2	2	21	<20
CC111356		1	0.07	10	0.54	1060	1	0.01	25	700	33	0.04	<2	3	13	<20
CC111357		<1	0.09	20	0.37	801	1	0.01	27	400	34	0.02	<2	4	7	<20
CC111358		1	0.09	20	0.43	847	1	0.01	27	760	37	0.02	<2	3	9	<20
CC111359		<1	0.08	20	0.62	536	1	0.01	31	510	24	0.02	<2	4	15	<20
CC111360		1	0.06	10	0.34	215	1	0.01	15	410	30	0.03	<2	3	10	<20
CC111361		1	0.13	20	0.90	1260	1	0.01	35	980	42	0.08	4	4	22	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111322								
CC111323		0.02	<10	<10	36	<10	106	
CC111324		0.03	<10	<10	44	<10	101	
CC111325		0.02	<10	<10	40	<10	122	
CC111326		0.01	<10	<10	31	<10	68	
CC111327		0.02	<10	<10	42	<10	116	
CC111328		0.03	<10	<10	57	<10	66	
CC111329		0.02	<10	<10	37	<10	163	
CC111330		0.05	<10	<10	57	<10	130	
CC111331		0.01	<10	<10	40	<10	87	
CC111332		0.02	<10	<10	50	<10	106	
CC111333		0.02	<10	<10	51	<10	93	
CC111334		0.03	<10	<10	52	<10	46	
CC111335		0.01	<10	<10	35	<10	93	
CC111336		0.01	<10	<10	37	<10	126	
CC111337		0.01	<10	<10	36	<10	101	
CC111338		0.02	<10	<10	44	<10	93	
CC111339		0.02	<10	<10	37	<10	101	
CC111340		0.02	<10	<10	42	<10	125	
CC111341		0.04	<10	<10	63	<10	64	
CC111342		0.01	<10	<10	30	<10	121	
CC111343		0.02	<10	<10	41	<10	281	
CC111344		0.01	<10	<10	25	<10	214	
CC111345		0.01	<10	<10	23	<10	203	
CC111346		0.02	<10	<10	42	<10	157	
CC111347		0.02	<10	<10	52	<10	106	
CC111348		0.02	<10	<10	55	<10	130	
CC111349		0.01	<10	<10	33	<10	153	
CC111350		0.01	<10	<10	30	<10	153	
CC111351		0.01	<10	<10	35	<10	135	
CC111352		0.02	<10	<10	42	<10	129	
CC111353		0.02	<10	<10	41	<10	154	
CC111354		0.01	<10	<10	37	<10	211	
CC111355		0.02	<10	<10	46	<10	65	
CC111356		0.02	<10	<10	44	<10	132	
CC111357		0.02	<10	<10	44	<10	95	
CC111358		0.02	<10	<10	43	<10	141	
CC111359		0.04	<10	<10	53	<10	139	
CC111360		0.04	<10	<10	68	<10	67	
CC111361		0.01	<10	<10	31	<10	142	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111362		0.26	<0.2	2.56	29	<10	110	1.1	<2	0.09	<0.5	20	30	27	5.35	10
CC111363		0.32	0.2	1.86	50	<10	60	0.8	<2	0.05	<0.5	36	96	41	6.59	<10
CC111364		0.30	0.2	2.03	30	<10	100	1.1	2	0.07	<0.5	19	50	35	4.68	<10
CC111365		0.24	0.5	3.37	36	<10	90	1.0	3	0.26	<0.5	41	246	61	11.05	<10
CC111366		0.34	3.0	2.41	162	<10	90	1.4	7	0.39	0.9	70	40	289	10.55	<10
CC111367		0.30	5.5	1.45	241	<10	100	1.4	5	0.32	3.9	62	24	269	11.25	<10
CC111368		0.24	9.2	1.36	134	<10	110	1.1	2	1.08	6.5	48	51	236	8.18	<10
CC111369		0.28	3.5	2.29	95	<10	80	0.9	4	0.91	6.4	44	163	210	7.43	<10
CC111370		0.56	4.4	1.61	115	<10	70	1.8	<2	1.77	4.4	78	125	268	7.45	<10
CC111371		0.40	3.2	1.99	218	<10	60	2.4	<2	0.77	5.5	67	141	316	7.10	<10
CC111372		0.40	1.5	2.37	71	<10	80	0.9	2	1.84	11.7	66	281	353	6.51	<10
CC111373		0.38	0.7	2.36	35	<10	230	1.8	<2	4.27	3.6	53	294	164	6.06	<10
CC111374		0.26	0.9	1.62	14	<10	790	1.5	<2	1.98	5.8	32	170	45	7.04	<10
CC111375		0.28	0.2	2.08	18	<10	190	0.7	<2	0.18	1.0	16	65	68	3.98	<10
CC111376		0.28	0.6	1.50	22	<10	150	0.7	<2	0.35	2.1	17	57	76	4.10	<10
CC111377		0.28	0.6	1.38	33	<10	80	0.7	<2	0.29	1.2	22	88	73	4.94	<10
CC111378		0.26	<0.2	1.59	21	<10	100	<0.5	<2	0.09	0.5	9	42	39	3.83	10
CC111379		0.24	0.4	3.06	27	<10	180	0.9	<2	0.08	0.5	16	57	40	4.30	10
CC111380		0.26	0.3	2.46	32	<10	140	0.7	2	0.04	<0.5	19	52	47	4.87	<10
CC111381		0.26	0.2	1.79	16	<10	100	<0.5	<2	0.08	<0.5	7	46	19	3.09	10
CC111382		0.42	0.4	1.96	29	<10	110	0.7	<2	0.06	0.6	16	56	55	4.59	<10
CC111383		0.24	0.8	2.52	9	<10	170	0.7	<2	0.33	5.4	23	53	26	4.00	10
CC111384		0.32	0.6	1.79	12	<10	210	<0.5	<2	0.19	4.8	18	36	36	3.20	10
CC111385		0.34	0.5	2.00	11	<10	170	0.5	<2	0.21	2.1	17	42	53	5.00	10
CC111386		0.34	2.8	1.03	100	<10	80	0.8	2	0.07	3.1	15	23	65	5.28	<10
CC111387		0.24	0.8	1.09	36	<10	150	1.0	<2	0.43	2.8	22	27	79	6.81	<10
CC111388		0.16	4.9	0.76	42	<10	90	0.7	<2	1.76	1.1	16	14	242	5.35	<10
CC111389		0.24	1.8	1.46	218	<10	50	0.9	<2	0.62	0.8	52	22	158	9.29	<10
CC111390		0.22	0.6	1.07	102	<10	80	0.6	2	0.24	0.5	22	23	70	4.08	<10
CC111391		0.38	1.6	1.91	277	<10	240	2.0	<2	0.04	1.8	85	14	434	19.8	<10
CC111392		0.08	2.7	0.99	190	<10	130	0.9	<2	1.05	<0.5	10	15	85	2.57	<10
CC111393		0.30	0.7	1.69	22	<10	110	0.6	<2	0.06	<0.5	11	21	25	3.55	10
CC111394		0.28	3.5	1.94	88	<10	300	1.3	2	0.40	1.3	29	22	78	6.97	<10
CC111395		0.28	1.0	1.57	222	<10	120	0.9	2	0.06	<0.5	24	17	40	6.39	<10
CC111396		0.20	0.3	2.04	18	<10	140	1.2	<2	0.06	0.6	19	24	39	4.63	<10
CC111397		0.34	1.0	1.62	20	<10	170	1.1	<2	0.31	0.5	21	18	75	5.36	<10
CC111398		0.32	0.7	1.67	16	<10	180	1.0	<2	0.48	0.5	13	26	32	3.67	<10
CC111399		0.30	0.5	1.17	17	<10	100	0.6	<2	0.28	<0.5	24	16	41	4.42	<10
CC111400		0.30	0.2	1.43	253	<10	140	0.6	<2	0.21	<0.5	17	21	18	4.01	10
CC111401		0.42	0.3	1.81	21	<10	180	1.2	<2	0.15	<0.5	17	19	37	4.49	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111362		1	0.11	20	0.37	715	1	0.01	22	440	65	0.03	<2	4	7	<20
CC111363		<1	0.06	20	0.60	872	5	0.01	61	480	48	0.03	3	5	6	<20
CC111364		<1	0.08	10	0.56	918	2	0.01	50	680	32	0.05	<2	5	8	<20
CC111365		<1	0.08	10	2.39	5710	3	0.01	148	690	20	0.03	<2	27	8	<20
CC111366		<1	0.08	20	0.73	2510	36	0.01	289	1580	174	0.12	17	8	12	<20
CC111367		<1	0.09	20	0.52	4180	31	0.01	235	1760	349	0.16	19	7	9	<20
CC111368		<1	0.09	10	0.81	3710	17	0.01	188	1550	333	0.17	12	11	17	<20
CC111369		<1	0.11	10	1.86	3160	9	0.01	151	1150	628	0.12	8	17	16	<20
CC111370		1	0.17	<10	1.50	9420	<1	0.01	168	380	428	0.10	4	30	15	<20
CC111371		1	0.18	10	1.29	9040	<1	0.02	144	440	724	0.07	<2	25	17	<20
CC111372		<1	0.12	10	2.38	2600	<1	0.01	115	760	1050	0.09	<2	34	19	<20
CC111373		1	0.12	<10	2.39	2590	<1	0.01	131	370	387	0.04	<2	35	22	<20
CC111374		<1	0.13	<10	1.35	2360	<1	0.01	111	270	288	0.04	<2	27	14	<20
CC111375		<1	0.06	10	0.53	855	1	0.01	33	300	93	0.03	<2	6	10	<20
CC111376		<1	0.06	10	0.52	1365	1	0.01	38	660	270	0.05	<2	6	11	<20
CC111377		1	0.09	10	0.55	1305	2	0.01	41	530	151	0.05	<2	9	7	<20
CC111378		<1	0.06	10	0.34	513	2	0.01	24	400	92	0.03	<2	3	9	<20
CC111379		1	0.06	10	0.50	473	2	0.01	37	280	78	0.03	<2	6	8	<20
CC111380		1	0.09	20	0.53	595	3	0.01	38	290	100	0.02	<2	5	6	<20
CC111381		1	0.04	20	0.30	328	2	0.01	17	210	80	0.02	<2	3	10	<20
CC111382		1	0.08	20	0.61	830	3	<0.01	45	320	83	<0.01	4	6	4	<20
CC111383		1	0.05	10	0.52	5140	1	<0.01	29	570	950	0.04	<2	7	10	<20
CC111384		1	0.05	10	0.29	3660	2	<0.01	18	350	614	0.01	<2	3	10	<20
CC111385		1	0.08	10	0.51	1460	2	<0.01	26	600	139	0.03	2	5	8	<20
CC111386		1	0.11	10	0.12	1690	17	<0.01	61	1240	645	0.11	11	5	12	<20
CC111387		1	0.11	10	0.25	4380	2	<0.01	34	770	280	0.03	<2	17	9	<20
CC111388		<1	0.07	<10	0.29	3630	2	<0.01	31	1470	44	0.16	7	9	16	<20
CC111389		1	0.06	10	0.82	1760	14	<0.01	146	1350	59	0.10	15	6	11	<20
CC111390		<1	0.07	10	0.29	988	5	<0.01	42	940	60	0.03	4	2	9	<20
CC111391		<1	0.06	40	0.92	14650	38	<0.01	212	1460	90	0.09	23	14	6	<20
CC111392		<1	0.08	10	0.32	306	1	0.02	27	1420	64	0.17	4	3	26	<20
CC111393		<1	0.07	20	0.25	432	3	<0.01	18	400	48	<0.01	3	3	6	<20
CC111394		1	0.15	10	0.43	6490	6	<0.01	51	1430	121	0.04	15	6	17	<20
CC111395		1	0.10	10	0.28	1380	4	<0.01	45	1020	188	0.03	57	4	5	<20
CC111396		<1	0.10	20	0.44	1020	2	<0.01	28	300	38	<0.01	<2	4	5	<20
CC111397		<1	0.09	20	0.59	2260	2	<0.01	33	660	55	<0.01	3	7	9	<20
CC111398		<1	0.08	10	0.51	1310	2	<0.01	24	810	35	0.03	<2	4	12	<20
CC111399		<1	0.07	10	0.32	1695	2	<0.01	29	550	33	0.01	3	3	8	<20
CC111400		<1	0.06	10	0.38	933	2	<0.01	21	430	46	<0.01	3	2	8	<20
CC111401		<1	0.09	20	0.44	1285	2	<0.01	27	310	44	<0.01	<2	4	6	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111362		0.02	<10	<10	54	<10	144	
CC111363		0.02	<10	<10	66	<10	155	
CC111364		0.02	<10	<10	51	<10	150	
CC111365		0.01	<10	<10	131	<10	149	
CC111366		0.01	10	10	83	<10	389	
CC111367		0.01	<10	<10	59	<10	1115	
CC111368		0.01	<10	<10	64	<10	1285	
CC111369		0.03	<10	<10	94	<10	1575	
CC111370		0.01	<10	<10	74	<10	830	
CC111371		0.01	<10	<10	71	<10	1105	
CC111372		0.02	<10	<10	140	<10	1965	
CC111373		0.01	<10	<10	109	<10	967	
CC111374		<0.01	<10	<10	115	<10	1745	
CC111375		0.03	<10	<10	74	<10	283	
CC111376		0.01	<10	<10	51	<10	456	
CC111377		0.01	<10	<10	67	<10	374	
CC111378		0.02	<10	<10	66	<10	182	
CC111379		0.03	<10	<10	70	<10	140	
CC111380		0.01	<10	<10	60	<10	252	
CC111381		0.04	<10	<10	78	<10	151	
CC111382		0.01	<10	<10	58	<10	325	
CC111383		0.04	<10	<10	84	<10	602	
CC111384		0.04	<10	<10	70	<10	488	
CC111385		0.03	<10	<10	84	<10	687	
CC111386		0.01	<10	<10	60	<10	814	
CC111387		0.01	<10	<10	54	<10	498	
CC111388		0.01	<10	<10	31	<10	162	
CC111389		0.01	<10	<10	59	<10	393	
CC111390		0.02	<10	<10	45	<10	177	
CC111391		0.01	<10	<10	57	<10	326	
CC111392		0.01	<10	<10	20	<10	108	
CC111393		0.02	<10	<10	45	<10	114	
CC111394		0.01	<10	<10	39	<10	260	
CC111395		0.01	<10	<10	32	<10	206	
CC111396		0.01	<10	<10	35	<10	110	
CC111397		0.01	<10	<10	27	<10	184	
CC111398		0.01	<10	<10	34	<10	145	
CC111399		0.02	<10	<10	32	<10	110	
CC111400		0.01	<10	<10	39	<10	119	
CC111401		0.01	<10	<10	33	<10	126	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111402		0.38	0.9	1.71	25	<10	80	0.5	<2	0.06	0.5	12	23	23	3.61	10
CC111403		0.24	0.6	0.68	24	<10	60	<0.5	2	0.34	<0.5	9	21	36	2.09	<10
CC111404		0.32	14.6	1.12	127	<10	150	1.0	<2	0.91	10.3	57	33	171	8.32	<10
CC111405		0.34	2.3	1.16	42	<10	80	0.5	<2	0.06	0.6	20	19	62	5.46	10
CC111406		0.32	0.3	1.19	29	<10	100	0.5	<2	0.25	0.5	14	21	48	4.23	<10
CC111407		0.28	0.3	1.34	10	<10	120	<0.5	<2	0.53	0.8	6	25	16	2.64	10
CC111408		0.24	1.0	1.37	23	<10	170	1.0	<2	0.57	1.8	12	18	145	4.60	<10
CC111409		0.32	0.6	1.78	14	<10	90	<0.5	<2	0.08	0.6	7	26	21	3.28	<10
CC111410		0.32	1.2	1.69	37	<10	110	0.7	<2	0.17	2.4	20	37	158	4.44	<10
CC111411		0.24	0.4	1.48	25	<10	90	<0.5	<2	0.11	0.7	12	41	39	3.63	<10
CC111412		0.32	0.4	1.07	29	<10	60	<0.5	<2	0.09	0.8	12	46	27	3.73	<10
CC111413		0.40	3.2	1.41	26	<10	150	1.2	<2	0.27	112.0	25	69	79	5.91	<10
CC111414		0.34	0.9	1.34	30	<10	110	1.2	<2	0.49	3.2	25	100	87	5.90	<10
CC111415		0.32	1.1	1.01	39	<10	170	1.4	<2	0.71	4.9	26	77	98	7.11	<10
CC111416		0.34	1.2	2.46	42	<10	80	0.8	<2	0.78	3.4	31	190	156	6.44	10
CC111417		0.24	1.3	1.78	39	<10	90	0.9	<2	1.16	5.1	30	178	121	5.24	<10
CC111418		0.44	1.7	1.78	64	<10	90	1.1	2	0.46	4.6	47	144	282	7.23	<10
CC111419		0.20	0.7	1.61	29	<10	70	0.6	<2	0.43	5.0	35	109	134	5.39	10
CC111420		0.28	<0.2	1.93	19	<10	90	0.6	<2	0.22	1.7	19	28	79	4.37	10
CC111421		0.24	1.0	2.31	39	<10	170	0.9	<2	0.54	6.0	30	25	224	5.06	<10
CC111422		0.42	0.4	2.00	24	<10	80	0.6	<2	0.35	1.5	21	24	169	4.68	<10
CC111423		0.22	0.5	1.95	32	<10	130	0.8	2	0.49	3.6	19	24	329	4.39	<10
CC111424		0.18	0.8	1.58	19	<10	160	0.7	<2	1.18	1.6	12	21	281	3.37	<10
CC111425		0.38	0.5	2.04	10	<10	200	0.7	2	0.42	2.7	12	29	63	3.20	10
CC111426		0.24	0.6	1.49	17	<10	140	0.6	<2	1.13	3.5	12	24	107	3.09	<10
CC111427		0.32	0.4	1.49	21	<10	100	0.7	2	0.79	2.5	19	26	87	3.92	<10
CC111428		0.44	0.3	1.51	25	<10	100	0.6	<2	0.11	1.4	19	28	66	4.54	<10
CC111429		0.42	0.6	1.83	17	<10	200	0.9	2	0.21	1.4	16	32	67	5.34	<10
CC111430		0.34	<0.2	1.41	25	<10	100	0.5	<2	0.07	1.1	17	27	48	4.73	10
CC111431		0.30	<0.2	1.53	26	<10	80	0.6	<2	0.04	0.6	18	27	62	4.94	<10
CC111432		0.36	0.7	1.87	18	<10	150	0.6	<2	0.07	1.0	20	29	50	4.70	10
CC111433		0.26	0.7	1.92	24	<10	140	0.6	<2	0.13	1.5	11	30	64	4.61	<10
CC111434		0.46	3.6	1.58	82	<10	150	1.2	<2	0.66	3.8	41	72	228	8.14	<10
CC111435		0.24	0.3	1.43	20	<10	110	0.9	<2	0.38	2.9	10	34	102	3.71	10
CC111436		0.20	0.8	1.23	17	<10	70	<0.5	<2	0.08	1.0	7	31	27	3.45	10
CC111437		0.34	<0.2	1.44	18	<10	160	<0.5	<2	0.14	<0.5	4	26	9	3.06	10
CC111438		0.38	0.4	1.26	47	<10	80	0.5	3	0.08	1.6	13	23	43	4.80	<10
CC111439		0.36	4.1	0.73	231	<10	280	2.3	3	0.45	6.8	99	14	107	12.60	<10
CC111440	Not Recvd															
CC111441		0.32	<0.2	1.85	17	<10	120	0.5	<2	0.10	<0.5	9	30	19	3.72	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111402		<1	0.05	10	0.21	795	2	<0.01	19	400	55	<0.01	2	2	6	<20
CC111403		1	0.09	10	0.14	746	1	<0.01	14	800	32	0.03	<2	1	10	<20
CC111404		1	0.09	10	0.56	4650	20	<0.01	227	1570	361	0.19	22	5	15	<20
CC111405		1	0.06	10	0.25	1600	4	<0.01	28	860	196	0.02	8	1	4	<20
CC111406		<1	0.07	10	0.41	949	3	<0.01	26	500	87	<0.01	6	3	5	<20
CC111407		<1	0.05	10	0.44	400	2	<0.01	15	390	23	0.01	<2	3	13	<20
CC111408		<1	0.06	10	0.30	1455	2	<0.01	26	650	87	0.03	2	14	11	<20
CC111409		<1	0.04	10	0.36	292	2	<0.01	16	260	34	<0.01	<2	3	6	<20
CC111410		1	0.08	20	0.45	1375	3	<0.01	44	510	369	<0.01	3	5	6	<20
CC111411		<1	0.09	10	0.32	742	3	<0.01	25	500	155	0.01	3	2	5	<20
CC111412		1	0.06	10	0.34	897	3	<0.01	24	340	101	<0.01	4	3	4	<20
CC111413		1	0.10	10	0.52	4490	3	<0.01	59	570	563	0.18	6	14	5	<20
CC111414		<1	0.10	10	0.62	4360	2	<0.01	62	570	121	0.02	2	17	7	<20
CC111415		<1	0.10	10	0.45	6830	2	<0.01	68	490	230	0.02	3	22	8	<20
CC111416		1	0.06	10	1.84	2610	2	<0.01	82	730	477	0.04	2	17	8	<20
CC111417		1	0.06	10	1.08	2090	2	<0.01	79	600	294	0.04	3	20	13	<20
CC111418		1	0.08	20	1.19	2300	9	0.01	137	690	370	0.04	<2	16	9	<20
CC111419		<1	0.08	10	0.96	1705	4	0.01	65	740	300	0.05	3	9	8	<20
CC111420		<1	0.06	10	0.60	759	6	0.01	25	390	168	0.02	<2	4	7	<20
CC111421		1	0.08	20	0.65	1125	4	0.02	33	520	310	0.02	6	11	12	<20
CC111422		<1	0.07	10	0.67	743	3	0.01	25	470	148	0.02	2	6	8	<20
CC111423		<1	0.06	10	0.62	1185	3	0.01	30	620	268	0.03	3	7	8	<20
CC111424		<1	0.06	10	0.50	799	2	0.01	22	1080	110	0.08	<2	5	18	<20
CC111425		1	0.05	10	0.48	825	1	0.02	22	340	75	0.02	<2	3	13	<20
CC111426		<1	0.10	10	0.49	991	2	0.01	21	1070	110	0.09	2	3	17	<20
CC111427		1	0.08	10	0.60	1260	2	0.02	28	700	129	0.06	6	6	12	<20
CC111428		<1	0.08	10	0.63	1230	3	0.01	34	700	91	0.04	<2	5	5	<20
CC111429		<1	0.17	10	0.48	1280	2	0.02	32	1140	95	0.07	<2	6	7	<20
CC111430		<1	0.08	10	0.49	1325	3	0.01	25	630	83	0.02	<2	4	4	<20
CC111431		1	0.07	20	0.57	1105	3	0.01	32	490	87	0.02	2	5	3	<20
CC111432		<1	0.08	20	0.49	1460	3	0.01	26	440	90	0.02	<2	5	6	<20
CC111433		<1	0.07	10	0.55	574	3	0.02	28	480	138	0.03	3	5	5	<20
CC111434		<1	0.11	10	0.77	9330	1	0.02	92	730	449	0.05	14	22	15	<20
CC111435		<1	0.08	10	0.27	1440	1	0.01	23	940	135	0.07	2	6	10	<20
CC111436		<1	0.09	10	0.18	314	1	0.01	16	310	79	0.01	<2	3	10	<20
CC111437		1	0.04	10	0.33	332	2	0.01	16	260	31	0.01	<2	3	9	<20
CC111438		<1	0.05	10	0.32	1035	3	0.01	29	450	144	0.03	2	3	6	<20
CC111439		<1	0.09	20	0.19	11200	30	0.01	251	1970	271	0.25	14	6	15	<20
CC111440																
CC111441		1	0.05	10	0.40	611	2	0.01	22	580	30	0.04	<2	1	9	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111402		0.04	<10	<10	57	<10	108	
CC111403		0.01	<10	<10	25	<10	95	
CC111404		0.01	<10	10	42	<10	2080	
CC111405		0.02	<10	<10	41	<10	281	
CC111406		0.01	<10	<10	30	<10	261	
CC111407		0.03	<10	<10	55	<10	151	
CC111408		0.01	<10	<10	58	<10	333	
CC111409		0.04	<10	<10	55	<10	158	
CC111410		0.01	<10	<10	45	<10	651	
CC111411		0.02	<10	<10	49	<10	233	
CC111412		0.01	<10	<10	44	<10	224	
CC111413		0.01	<10	<10	53	10	>10000	1.365
CC111414		0.01	<10	<10	58	<10	727	
CC111415		0.01	<10	<10	55	<10	917	
CC111416		0.01	<10	<10	85	<10	792	
CC111417		0.01	<10	<10	79	<10	853	
CC111418		0.01	<10	<10	85	<10	1150	
CC111419		0.01	<10	<10	77	<10	621	
CC111420		0.03	<10	<10	85	<10	479	
CC111421		0.02	<10	<10	93	<10	641	
CC111422		0.02	<10	<10	94	<10	584	
CC111423		0.01	<10	<10	70	<10	726	
CC111424		0.02	<10	<10	53	<10	349	
CC111425		0.03	<10	<10	58	<10	295	
CC111426		0.02	<10	<10	50	<10	479	
CC111427		0.03	<10	<10	46	<10	600	
CC111428		0.01	<10	<10	54	<10	401	
CC111429		0.01	<10	<10	61	<10	306	
CC111430		0.02	<10	<10	63	<10	337	
CC111431		0.01	<10	<10	58	<10	353	
CC111432		0.01	<10	<10	68	<10	268	
CC111433		0.01	<10	<10	81	<10	513	
CC111434		0.02	<10	<10	70	<10	955	
CC111435		0.02	<10	<10	59	<10	247	
CC111436		0.07	<10	<10	88	<10	246	
CC111437		0.04	<10	<10	75	<10	93	
CC111438		0.02	<10	<10	49	<10	447	
CC111439		0.01	<10	10	32	<10	1460	
CC111440								
CC111441		0.03	<10	<10	61	<10	111	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111442		0.24	0.2	0.89	13	<10	60	<0.5	<2	0.04	0.5	6	21	21	3.24	10
CC111443		0.34	1.8	1.00	24	<10	250	<0.5	<2	0.33	7.1	22	23	27	3.35	<10
CC111444		0.30	<0.2	1.51	14	<10	90	<0.5	<2	0.05	<0.5	13	27	32	4.06	10
CC111445		0.32	1.1	2.90	45	<10	60	0.9	<2	0.45	8.0	47	59	180	8.64	10
CC111446		0.34	<0.2	1.51	19	<10	110	0.5	<2	0.08	1.0	11	28	34	3.97	<10
CC111447		0.24	0.5	1.38	15	<10	120	<0.5	<2	0.13	1.7	11	27	30	3.09	<10
CC111448		0.26	<0.2	1.90	16	<10	130	0.6	2	0.08	0.7	13	29	68	4.32	10
CC111449		0.42	<0.2	2.19	17	<10	80	0.5	<2	0.07	1.1	11	32	31	5.28	10
CC111450		0.32	0.3	1.05	8	<10	150	<0.5	2	0.16	0.8	7	20	21	1.90	<10
CC111451		0.32	0.4	1.82	14	<10	120	0.6	<2	0.08	1.1	19	47	52	5.01	<10
CC111452		0.36	9.4	1.41	66	<10	200	0.8	2	0.60	5.7	29	21	67	15.05	<10
CC111453		0.32	0.3	1.54	23	<10	110	0.7	<2	0.19	1.4	17	23	59	4.53	<10
CC111454		0.26	<0.2	2.35	18	<10	150	0.7	<2	0.15	1.4	23	47	171	4.45	<10
CC111455		0.22	0.4	1.23	14	<10	130	<0.5	<2	0.20	1.4	10	23	64	2.95	10
CC111456		0.30	0.2	1.34	29	<10	70	0.5	<2	0.09	2.4	18	23	63	4.44	<10
CC111457		0.32	0.5	1.74	24	<10	180	0.9	<2	0.63	2.4	15	26	100	3.98	<10
CC111458		0.24	0.8	0.99	19	<10	160	<0.5	<2	0.27	20.3	15	17	50	3.49	<10
CC111459		0.18	1.5	1.15	21	<10	120	0.5	2	0.21	2.0	11	21	58	3.67	<10
CC111460		0.30	0.6	0.92	13	<10	120	0.5	<2	0.24	7.3	11	17	69	3.14	10
CC111461		0.32	2.1	1.29	51	<10	100	1.0	<2	0.05	17.2	87	19	145	7.14	<10
CC111462		0.32	0.4	1.34	9	<10	140	<0.5	<2	0.23	5.0	11	20	49	4.28	10
CC111463		0.18	0.6	1.26	14	<10	160	<0.5	2	0.14	2.5	11	21	60	3.63	10
CC111464		0.34	0.2	1.61	14	<10	130	0.5	<2	0.26	1.6	11	33	77	3.56	10
CC111465		0.38	<0.2	2.00	14	<10	130	0.6	<2	0.09	1.0	12	33	78	3.42	10
CC111466		0.52	<0.2	1.44	21	<10	160	0.9	4	0.26	1.8	73	61	254	12.60	<10
CC111467		0.36	<0.2	1.74	29	<10	110	0.6	<2	0.11	1.7	16	30	103	4.11	<10
CC111468		0.30	0.3	1.34	21	<10	70	<0.5	<2	0.07	0.6	8	23	47	4.04	<10
CC111469		0.38	0.5	1.40	15	<10	90	<0.5	<2	0.18	1.1	8	23	144	3.68	10
CC111470		0.26	0.4	1.51	44	<10	60	0.6	<2	0.05	1.9	16	26	91	4.82	<10
CC111471		0.26	1.6	0.95	22	<10	80	<0.5	<2	0.18	2.9	11	20	64	3.11	<10
CC111472		0.30	0.7	1.14	23	<10	80	<0.5	<2	0.18	3.2	12	23	69	3.96	<10
CC111473		0.26	0.3	1.31	22	<10	100	<0.5	<2	0.18	2.5	10	28	56	4.54	10
CC111474		0.32	0.5	3.34	24	<10	100	0.9	4	0.31	2.5	31	45	187	7.57	<10
CC111475		0.30	0.3	1.59	22	<10	100	0.7	<2	0.17	2.2	15	25	115	4.51	10
CC111476		0.28	0.6	1.23	12	<10	150	<0.5	<2	0.55	3.3	9	19	65	3.07	10
CC111477		0.24	1.7	2.80	44	<10	140	0.8	3	0.45	9.3	23	65	209	5.42	10
CC111478		0.36	0.3	1.47	24	<10	70	0.6	<2	0.07	0.7	15	22	67	3.94	<10
CC111479		0.24	<0.2	2.03	13	<10	110	0.7	<2	0.18	1.6	15	26	74	4.22	<10
CC111480		0.26	0.9	1.73	16	<10	200	0.8	<2	0.23	1.2	15	22	77	3.65	10
CC111481		0.34	<0.2	1.61	19	<10	140	0.5	<2	0.30	2.0	13	25	71	3.84	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111442		<1	0.06	10	0.14	505	3	0.01	17	730	50	0.03	<2	1	6	<20
CC111443		<1	0.08	10	0.21	3140	3	0.01	21	1060	60	0.08	<2	1	11	<20
CC111444		<1	0.06	10	0.36	585	2	0.02	21	570	64	0.05	<2	2	6	<20
CC111445		<1	0.06	10	2.11	2310	3	0.01	96	840	222	0.05	12	17	5	<20
CC111446		<1	0.06	10	0.46	713	2	0.01	25	500	46	0.03	<2	3	8	<20
CC111447		<1	0.09	10	0.29	651	1	<0.01	15	520	92	0.04	<2	2	7	<20
CC111448		<1	0.06	10	0.38	613	2	0.01	22	380	95	0.03	<2	3	6	<20
CC111449		<1	0.05	10	0.47	480	2	0.01	25	340	150	0.02	4	4	8	<20
CC111450		1	0.05	10	0.18	678	2	0.01	12	450	47	0.04	<2	1	8	<20
CC111451		<1	0.06	10	0.62	1415	1	0.01	29	620	126	0.05	<2	4	7	<20
CC111452		<1	0.08	10	0.43	14250	3	0.02	48	1140	284	0.08	9	32	23	<20
CC111453		<1	0.08	10	0.63	1270	3	0.01	33	760	95	0.04	3	4	7	<20
CC111454		<1	0.06	10	0.85	1045	2	0.01	37	590	132	0.04	<2	5	8	<20
CC111455		<1	0.09	10	0.34	619	5	0.01	24	920	74	0.09	<2	2	8	<20
CC111456		<1	0.07	10	0.61	1130	6	0.01	39	730	105	0.04	3	3	4	<20
CC111457		<1	0.07	20	0.67	934	6	0.01	40	1200	94	0.06	3	4	7	<20
CC111458		<1	0.08	10	0.35	1755	5	0.01	27	1010	67	0.08	<2	1	11	<20
CC111459		<1	0.09	10	0.32	976	9	0.01	31	1120	123	0.08	3	1	7	<20
CC111460		1	0.08	10	0.21	919	5	0.01	25	870	47	0.06	<2	1	10	<20
CC111461		<1	0.06	70	0.16	6200	52	<0.01	228	1380	239	0.05	8	3	8	<20
CC111462		<1	0.06	10	0.40	924	3	0.01	21	600	90	0.05	<2	2	13	<20
CC111463		1	0.05	10	0.27	462	3	0.01	20	570	68	0.05	<2	2	9	<20
CC111464		1	0.05	10	0.56	686	2	0.01	25	790	66	0.06	<2	3	10	<20
CC111465		1	0.05	10	0.62	532	3	0.01	27	610	65	0.04	4	2	9	<20
CC111466		<1	0.13	10	0.91	8990	8	0.01	145	510	99	0.01	2	39	10	<20
CC111467		<1	0.06	10	0.72	782	6	0.01	42	680	159	0.05	<2	3	8	<20
CC111468		<1	0.05	10	0.39	468	5	0.01	24	440	56	0.03	<2	3	7	<20
CC111469		1	0.05	10	0.40	402	3	0.01	23	520	57	0.04	2	2	8	<20
CC111470		1	0.07	10	0.75	715	10	0.01	48	770	134	0.05	3	3	6	<20
CC111471		1	0.08	10	0.34	741	7	0.01	25	780	70	0.07	<2	1	7	<20
CC111472		<1	0.08	10	0.45	774	7	0.01	31	950	80	0.09	2	1	7	<20
CC111473		<1	0.08	10	0.41	815	7	0.01	33	800	57	0.06	3	1	8	<20
CC111474		1	0.04	10	1.94	1230	3	0.01	59	960	196	0.04	5	14	7	<20
CC111475		1	0.05	10	0.54	877	4	0.01	36	710	90	0.06	<2	3	7	<20
CC111476		<1	0.07	10	0.30	872	3	0.01	17	800	65	0.08	2	1	11	<20
CC111477		1	0.08	20	1.45	1025	7	0.01	67	1270	185	0.09	6	7	12	<20
CC111478		<1	0.07	10	0.58	855	5	0.01	38	820	84	0.04	2	2	5	<20
CC111479		<1	0.08	10	0.66	1260	2	0.01	26	810	82	0.05	<2	3	8	<20
CC111480		<1	0.08	10	0.52	791	4	0.01	29	800	205	0.05	3	5	7	<20
CC111481		1	0.05	10	0.64	599	3	0.01	28	630	109	0.05	3	3	10	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111442		0.02	<10	<10	51	<10	119	
CC111443		0.02	10	<10	69	<10	310	
CC111444		0.04	<10	<10	80	<10	173	
CC111445		0.02	<10	<10	175	<10	1390	
CC111446		0.02	<10	<10	53	<10	172	
CC111447		0.03	<10	<10	66	<10	392	
CC111448		0.03	<10	<10	82	<10	226	
CC111449		0.04	<10	<10	96	<10	192	
CC111450		0.02	<10	<10	52	<10	90	
CC111451		0.02	<10	<10	81	<10	315	
CC111452		0.03	10	<10	60	<10	1115	
CC111453		0.02	<10	<10	58	<10	343	
CC111454		0.03	<10	<10	87	<10	450	
CC111455		0.02	<10	<10	61	<10	216	
CC111456		0.02	<10	<10	70	<10	474	
CC111457		0.01	<10	<10	54	<10	384	
CC111458		0.01	<10	<10	56	<10	447	
CC111459		0.01	<10	<10	54	<10	370	
CC111460		0.03	<10	<10	59	<10	246	
CC111461		0.02	<10	<10	63	<10	1125	
CC111462		0.07	<10	<10	97	<10	312	
CC111463		0.04	<10	<10	90	<10	283	
CC111464		0.02	<10	<10	73	<10	301	
CC111465		0.03	<10	<10	66	<10	273	
CC111466		<0.01	<10	<10	104	<10	497	
CC111467		0.02	<10	<10	73	<10	428	
CC111468		0.04	<10	<10	86	<10	231	
CC111469		0.04	<10	<10	102	<10	205	
CC111470		0.02	<10	<10	76	<10	577	
CC111471		0.02	<10	<10	78	<10	311	
CC111472		0.02	<10	<10	93	<10	378	
CC111473		0.02	<10	<10	79	<10	366	
CC111474		0.02	<10	<10	178	<10	835	
CC111475		0.02	<10	<10	77	<10	501	
CC111476		0.02	<10	<10	59	<10	266	
CC111477		0.01	<10	<10	124	<10	1035	
CC111478		0.02	<10	<10	58	<10	352	
CC111479		0.03	<10	<10	88	<10	307	
CC111480		0.01	<10	<10	70	<10	315	
CC111481		0.03	<10	<10	66	<10	431	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 22- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111482		0.28	0.3	1.35	17	<10	190	0.7	<2	0.72	2.0	13	17	89	3.27	<10
CC111483		0.28	<0.2	1.31	16	<10	70	0.5	<2	0.03	<0.5	14	22	54	4.45	<10
CC111484		0.42	<0.2	1.57	18	<10	140	0.7	<2	0.08	<0.5	15	21	49	4.08	<10
CC111485		0.30	1.2	2.87	45	<10	50	0.9	2	0.47	9.8	51	55	182	8.59	10
CC111486		0.26	0.4	1.35	12	<10	170	<0.5	3	0.19	3.0	13	30	50	3.60	10
CC111487		0.34	0.3	1.95	10	<10	80	<0.5	2	0.06	<0.5	11	24	67	4.35	10
CC111488		0.34	<0.2	1.99	22	<10	170	0.7	<2	0.20	1.4	25	33	74	5.13	<10
CC111489		0.38	0.8	1.77	36	<10	60	0.5	<2	0.05	<0.5	23	36	32	4.53	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - C)
Finalized Date: 22- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111482		1	0.07	10	0.44	1350	3	0.01	23	1140	78	0.08	2	3	12	<20
CC111483		<1	0.07	10	0.32	659	2	0.01	23	540	41	0.03	<2	3	4	<20
CC111484		<1	0.07	20	0.51	728	2	0.01	28	440	41	0.02	<2	4	4	<20
CC111485		<1	0.05	10	2.16	2800	4	0.01	101	710	208	0.04	11	19	6	<20
CC111486		<1	0.05	10	0.38	631	2	0.01	21	490	46	0.03	<2	2	9	<20
CC111487		<1	0.04	10	0.46	420	2	0.01	19	600	20	0.04	<2	3	7	<20
CC111488		1	0.07	10	0.72	1470	2	0.01	34	740	84	0.04	<2	6	10	<20
CC111489		<1	0.06	20	0.75	773	6	0.01	42	1030	33	0.04	2	4	4	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 22- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130416

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46
		Ti	Ti	U	V	W	Zn	Zn
		%	ppm	ppm	ppm	ppm	ppm	%
		0.01	10	10	1	10	2	0.001
CC111482		0.01	<10	<10	38	<10	226	
CC111483		0.01	<10	<10	55	<10	151	
CC111484		0.01	<10	<10	46	<10	167	
CC111485		0.01	<10	<10	167	<10	1400	
CC111486		0.04	<10	<10	79	<10	227	
CC111487		0.06	<10	<10	97	<10	95	
CC111488		0.03	<10	<10	97	<10	378	
CC111489		0.02	<10	<10	121	<10	142	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24- SEP- 2010
Account: MTT

CERTIFICATE VA10130417

Project: RUSTY

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111591		0.20	1.4	0.79	27	<10	100	1.3	<2	0.08	1.4	44	16	192	10.30	<10
CC111592		0.18	0.6	1.51	17	<10	260	1.0	2	0.25	3.2	54	53	33	7.71	10
CC111593		0.20	0.7	1.91	14	<10	140	1.5	<2	0.27	0.5	15	28	72	4.34	10
CC111594		0.22	0.2	1.95	15	<10	170	1.3	<2	0.30	<0.5	14	26	42	4.25	10
CC111595		0.18	0.5	1.65	17	<10	150	1.3	<2	0.22	<0.5	20	21	54	4.23	<10
CC111596		0.18	<0.2	1.75	16	<10	170	0.9	<2	0.20	<0.5	16	27	27	3.71	<10
CC111597		0.24	0.3	2.13	17	<10	100	0.6	2	0.08	<0.5	10	28	33	4.12	10
CC111598		0.18	0.2	1.58	14	<10	100	0.5	<2	0.09	<0.5	10	26	27	3.98	10
CC111599		0.14	0.8	2.62	49	<10	100	1.1	<2	0.10	<0.5	106	31	151	6.24	10
CC111600		0.20	0.3	1.66	21	<10	160	1.0	<2	0.30	<0.5	19	27	57	4.12	10
CC111601		0.24	<0.2	1.60	22	<10	180	0.7	<2	0.23	<0.5	32	27	90	4.41	10
CC111602		0.24	<0.2	1.63	19	<10	220	0.7	<2	0.43	<0.5	16	26	34	4.12	<10
CC111603		0.10	<0.2	1.88	11	<10	70	1.1	<2	0.08	0.5	27	24	43	4.90	10
CC111604		0.14	0.2	2.03	10	<10	80	1.1	<2	0.28	<0.5	19	25	41	4.62	10
CC111605		0.18	0.4	1.61	15	<10	140	1.2	<2	0.31	<0.5	15	23	58	4.24	<10
CC111606		0.22	0.3	2.29	20	<10	270	1.3	<2	0.40	<0.5	15	34	51	4.15	<10
CC111607		0.22	<0.2	1.96	16	<10	130	0.6	<2	0.12	<0.5	10	30	19	4.08	10
CC111608		0.26	0.5	1.63	16	<10	210	1.1	<2	0.33	0.5	18	22	49	4.38	<10
CC111609		0.20	0.3	1.81	14	<10	180	0.7	<2	0.44	<0.5	13	29	42	3.26	10
CC111610		0.28	0.5	1.59	26	<10	140	0.9	<2	0.40	<0.5	16	26	61	3.98	<10
CC111611		0.16	<0.2	0.95	22	<10	40	<0.5	<2	0.06	0.7	7	17	17	5.48	10
CC111612		0.24	0.3	2.04	20	<10	170	1.0	<2	0.10	<0.5	18	26	29	4.02	<10
CC111613		0.24	<0.2	2.10	17	<10	200	1.3	<2	0.08	<0.5	19	23	42	4.73	10
CC111614		0.26	0.7	2.50	16	<10	230	1.2	<2	0.11	<0.5	13	31	29	3.86	10
CC111615		0.32	<0.2	2.06	27	<10	150	1.5	<2	0.05	<0.5	26	23	58	5.45	<10
CC111616		0.20	<0.2	1.48	14	<10	90	0.6	<2	0.06	<0.5	7	22	22	3.62	10
CC111617		0.20	<0.2	1.23	25	<10	110	0.5	<2	0.05	<0.5	12	20	28	4.58	10
CC111618		0.16	1.1	1.98	19	<10	190	1.1	<2	0.33	<0.5	13	28	45	3.74	10
CC111619		0.22	0.2	2.16	23	<10	60	1.1	<2	0.02	<0.5	21	20	49	4.70	<10
CC111620		0.16	0.2	1.61	18	<10	90	0.6	<2	0.08	<0.5	10	27	28	4.67	10
CC111621		0.18	0.3	1.93	32	<10	80	1.5	<2	0.98	1.1	30	116	118	8.49	10
CC111622		0.10	0.8	1.97	54	<10	120	1.2	<2	0.43	<0.5	23	49	90	5.72	<10
CC111623		0.14	0.8	1.39	28	<10	100	0.9	<2	0.65	<0.5	18	30	94	4.89	<10
CC111624		0.18	0.5	0.96	82	<10	70	2.2	<2	4.27	5.6	40	107	240	8.04	<10
CC111625		0.12	0.6	1.23	90	<10	80	1.0	<2	0.35	0.5	31	34	123	5.98	<10
CC111626		0.24	6.7	1.85	134	<10	100	1.3	2	0.90	13.4	46	138	222	9.62	10
CC111627		0.20	0.4	0.73	31	<10	140	0.6	3	2.31	0.9	21	14	40	11.45	<10
CC111628		0.16	0.4	1.61	47	<10	100	0.9	<2	0.39	0.5	28	26	69	5.60	10
CC111629		0.22	0.6	1.33	14	<10	120	0.5	<2	0.07	<0.5	15	17	13	2.96	<10
CC111630		0.18	1.4	2.08	40	<10	170	1.3	3	0.16	0.7	21	28	80	5.57	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111591		<1	0.08	20	0.30	5300	2	0.01	69	1260	119	0.04	<2	10	4	<20
CC111592		<1	0.08	20	0.49	4410	2	0.02	48	1570	60	0.06	<2	19	8	<20
CC111593		<1	0.09	10	0.61	2450	1	0.01	23	980	54	0.05	<2	4	15	<20
CC111594		<1	0.08	10	0.53	1635	1	0.01	21	1180	52	0.06	<2	3	14	<20
CC111595		<1	0.08	20	0.56	2110	1	0.01	28	440	49	0.02	<2	4	10	<20
CC111596		<1	0.07	20	0.63	1550	1	0.01	29	280	33	0.01	<2	4	12	<20
CC111597		<1	0.07	20	0.40	897	1	0.01	18	590	21	0.01	<2	3	7	<20
CC111598		<1	0.06	10	0.26	870	1	0.01	16	320	28	0.03	2	2	9	<20
CC111599		1	0.08	10	0.43	2590	2	0.02	87	1100	35	0.07	4	3	8	<20
CC111600		<1	0.08	20	0.59	1340	1	0.01	31	500	40	0.03	3	4	15	<20
CC111601		<1	0.06	10	0.56	1315	1	0.01	42	570	41	0.03	2	3	13	<20
CC111602		<1	0.06	10	0.51	1720	1	0.01	22	760	45	0.05	3	3	17	<20
CC111603		1	0.10	20	0.94	7290	<1	0.01	25	980	75	0.07	2	3	9	<20
CC111604		<1	0.11	20	0.89	3580	<1	0.01	24	1100	25	0.06	3	3	14	<20
CC111605		1	0.08	20	0.59	1915	1	0.01	27	660	39	0.03	3	5	14	<20
CC111606		1	0.12	10	0.64	971	1	0.01	34	720	28	0.04	3	5	20	<20
CC111607		<1	0.07	20	0.46	742	1	0.01	22	380	23	0.02	<2	3	12	<20
CC111608		1	0.10	20	0.55	1615	<1	0.01	34	360	43	0.03	3	5	15	<20
CC111609		<1	0.06	10	0.60	788	1	0.01	26	560	19	0.03	<2	3	19	<20
CC111610		<1	0.06	10	0.57	1560	1	0.01	29	500	31	0.03	3	3	18	<20
CC111611		1	0.06	20	0.08	375	1	0.01	12	400	13	0.03	3	2	6	<20
CC111612		1	0.07	20	0.44	932	<1	0.01	30	530	58	0.02	3	4	9	<20
CC111613		1	0.11	20	0.53	1400	<1	0.01	32	440	37	0.03	3	4	7	<20
CC111614		1	0.06	20	0.45	814	1	0.01	28	570	28	0.03	2	6	11	<20
CC111615		<1	0.08	20	0.47	1520	1	0.01	34	440	64	0.03	6	5	5	<20
CC111616		<1	0.06	10	0.27	371	1	0.01	16	480	26	0.04	2	2	8	<20
CC111617		<1	0.06	20	0.35	651	1	0.01	20	320	45	0.03	4	2	5	<20
CC111618		1	0.07	20	0.57	953	2	0.01	33	780	41	0.06	2	4	17	<20
CC111619		<1	0.04	20	0.39	516	1	0.01	34	330	77	0.04	5	3	3	<20
CC111620		<1	0.05	10	0.35	441	1	0.01	24	290	47	0.04	4	2	7	<20
CC111621		<1	0.09	10	1.10	4300	1	0.02	98	650	83	0.07	4	46	18	<20
CC111622		1	0.07	10	0.57	1195	3	0.01	44	740	108	0.07	5	11	13	<20
CC111623		<1	0.07	10	0.54	1080	2	0.01	38	850	64	0.08	4	6	12	<20
CC111624		<1	0.16	<10	0.94	6510	<1	0.01	111	310	557	0.10	3	36	19	<20
CC111625		1	0.07	10	0.58	1780	10	<0.01	91	770	127	0.05	5	17	9	<20
CC111626		1	0.10	10	1.62	5900	<1	0.01	125	580	893	0.09	9	40	11	<20
CC111627		1	0.06	10	1.08	13500	3	0.02	43	650	86	0.10	4	20	19	<20
CC111628		1	0.08	10	0.36	2470	3	0.01	47	670	91	0.06	5	5	10	<20
CC111629		<1	0.04	10	0.16	861	4	0.01	16	200	66	0.02	2	2	9	<20
CC111630		1	0.09	20	0.53	1550	1	0.01	40	720	110	0.02	6	6	11	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111591		0.01	<10	<10	23	<10	225	
CC111592		0.02	<10	<10	196	<10	271	
CC111593		0.02	<10	<10	41	<10	155	
CC111594		0.02	<10	<10	45	<10	147	
CC111595		0.01	<10	<10	32	<10	159	
CC111596		0.03	<10	<10	41	<10	126	
CC111597		0.03	<10	<10	49	<10	85	
CC111598		0.04	<10	<10	63	<10	82	
CC111599		0.03	<10	<10	44	<10	166	
CC111600		0.02	<10	<10	40	<10	151	
CC111601		0.02	<10	<10	45	<10	127	
CC111602		0.02	<10	<10	47	<10	102	
CC111603		0.01	<10	<10	24	<10	127	
CC111604		0.01	<10	<10	29	<10	101	
CC111605		0.02	<10	<10	34	<10	149	
CC111606		0.01	<10	<10	49	<10	139	
CC111607		0.04	<10	<10	61	<10	91	
CC111608		0.01	<10	<10	35	<10	147	
CC111609		0.02	<10	<10	51	<10	77	
CC111610		0.02	<10	<10	42	<10	102	
CC111611		0.04	<10	<10	61	<10	83	
CC111612		0.02	<10	<10	43	<10	138	
CC111613		0.01	<10	<10	35	<10	121	
CC111614		0.02	<10	<10	54	<10	86	
CC111615		0.01	<10	<10	29	<10	325	
CC111616		0.02	<10	<10	48	<10	87	
CC111617		0.01	<10	<10	37	<10	150	
CC111618		0.02	<10	<10	44	<10	124	
CC111619		<0.01	<10	<10	19	<10	114	
CC111620		0.01	<10	<10	42	<10	117	
CC111621		<0.01	<10	<10	78	<10	472	
CC111622		0.01	<10	<10	57	<10	263	
CC111623		0.01	<10	<10	33	<10	203	
CC111624		<0.01	<10	<10	68	<10	1150	
CC111625		<0.01	<10	<10	70	<10	376	
CC111626		<0.01	<10	<10	103	10	3410	
CC111627		0.01	<10	<10	33	<10	336	
CC111628		0.01	<10	<10	39	<10	214	
CC111629		0.05	<10	<10	67	<10	72	
CC111630		0.01	<10	<10	47	<10	329	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111631		0.20	0.4	1.50	37	<10	110	1.0	2	0.14	<0.5	18	21	59	4.98	10
CC111632		0.20	<0.2	1.56	31	<10	110	1.0	<2	0.12	<0.5	24	36	59	4.37	<10
CC111633		0.24	<0.2	1.76	36	<10	180	1.1	<2	0.06	<0.5	19	22	60	4.43	<10
CC111634		0.20	0.3	1.95	18	<10	140	0.7	<2	0.09	<0.5	15	29	28	3.87	10
CC111635		0.18	0.2	1.99	17	<10	130	0.7	<2	0.07	<0.5	11	26	21	3.83	10
CC111636		0.22	0.2	2.31	14	<10	170	1.1	<2	0.10	<0.5	13	30	22	3.78	10
CC111637		0.16	0.3	1.94	16	<10	190	1.1	<2	0.09	<0.5	16	24	39	3.91	10
CC111638		0.20	0.3	1.38	18	<10	120	<0.5	<2	0.06	<0.5	9	29	19	5.01	10
CC111639		0.24	0.4	1.92	17	<10	120	0.7	<2	0.07	<0.5	13	26	24	3.70	<10
CC111640		0.22	0.4	1.86	17	<10	170	0.9	<2	0.26	<0.5	16	26	24	3.49	10
CC111641		0.22	0.2	1.69	14	<10	170	1.0	<2	0.20	<0.5	12	26	39	3.74	10
CC111642		0.22	0.4	2.02	21	<10	190	1.3	<2	0.45	<0.5	16	28	53	3.99	<10
CC111643		0.26	0.8	1.65	24	<10	180	1.1	<2	0.39	<0.5	19	29	72	4.00	<10
CC111644		0.16	0.4	2.36	32	<10	70	1.6	<2	0.15	0.8	40	30	94	5.33	<10
CC111645		0.28	2.3	2.04	42	<10	50	<0.5	<2	0.04	<0.5	13	28	35	5.71	<10
CC111646		0.24	2.8	2.84	32	<10	50	0.9	<2	0.49	3.7	25	51	165	6.67	10
CC111647		0.22	2.1	1.61	30	<10	130	0.6	<2	0.37	0.6	8	29	34	3.72	<10
CC111648		0.14	0.5	1.52	49	<10	110	0.5	<2	0.12	2.0	18	31	40	4.27	<10
CC111649		0.20	0.8	1.37	38	<10	160	1.5	<2	0.33	0.7	18	40	34	6.56	<10
CC111650		0.18	0.8	1.16	41	<10	50	<0.5	<2	0.02	0.7	11	19	42	4.47	<10
CC111651		0.08	0.3	0.98	26	<10	60	<0.5	<2	0.13	1.1	10	21	24	5.65	10
CC111652		0.18	0.2	2.27	39	<10	20	1.0	<2	0.26	<0.5	59	187	131	6.73	<10
CC111653		0.24	0.8	2.27	19	<10	60	1.6	<2	0.60	3.8	66	273	151	9.23	<10
CC111654		0.18	0.2	1.86	18	<10	120	<0.5	<2	0.06	0.7	10	43	22	3.78	10
CC111655		0.14	0.4	2.01	19	<10	90	<0.5	<2	0.12	0.7	14	58	38	4.29	10
CC111656		0.24	3.1	1.10	36	<10	150	2.9	<2	0.32	106.0	56	87	150	10.25	<10
CC111657		0.22	0.5	1.77	27	<10	100	0.6	<2	0.18	2.0	16	63	72	4.68	10
CC111658		0.22	1.5	1.62	27	<10	140	1.0	<2	0.32	4.0	23	34	91	5.75	10
CC111659		0.18	0.6	1.24	17	<10	40	<0.5	<2	0.05	<0.5	8	21	34	3.75	<10
CC111660		0.24	0.3	1.14	16	<10	60	<0.5	<2	0.16	1.0	7	19	70	3.43	10
CC111661		0.12	1.3	1.35	18	<10	70	0.8	<2	1.62	1.7	14	21	212	3.38	<10
CC111662		0.22	0.2	1.58	18	<10	70	0.5	<2	0.06	0.5	11	21	64	3.58	<10
CC111663		0.12	0.9	1.61	26	<10	90	0.7	<2	0.42	2.4	20	27	82	4.13	<10
CC111664		0.16	1.6	2.24	36	<10	80	0.8	<2	0.43	3.7	29	23	271	5.64	10
CC111665		0.18	1.0	1.81	24	<10	90	0.7	<2	0.28	2.4	14	30	442	3.64	<10
CC111666		0.12	0.5	1.80	23	<10	120	0.6	<2	0.27	2.4	18	31	83	3.83	10
CC111667		0.12	0.9	1.66	23	<10	60	0.7	<2	0.25	1.9	23	27	149	4.95	10
CC111668		0.14	0.8	1.71	33	<10	90	0.9	<2	0.44	2.8	19	33	116	4.15	10
CC111669		0.10	0.4	2.10	13	<10	150	0.5	<2	0.36	4.5	22	98	138	4.16	10
CC111670		0.10	0.5	1.81	29	<10	160	0.6	<2	0.39	1.2	20	42	70	3.62	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111631		<1	0.06	20	0.44	1465	1	0.01	31	690	73	0.04	6	3	8	<20
CC111632		<1	0.07	20	0.44	1725	1	0.01	38	610	54	0.03	5	4	7	<20
CC111633		1	0.09	20	0.35	1015	1	0.01	33	290	56	0.02	6	5	5	<20
CC111634		<1	0.07	10	0.46	623	1	0.01	32	380	30	0.04	<2	3	9	<20
CC111635		<1	0.06	10	0.37	560	1	0.01	21	470	29	0.04	<2	3	8	<20
CC111636		<1	0.06	20	0.47	643	<1	0.01	24	650	27	0.05	<2	4	9	<20
CC111637		<1	0.08	20	0.39	1025	1	0.01	28	400	36	0.04	<2	4	8	<20
CC111638		<1	0.04	10	0.32	795	1	0.01	16	500	34	0.05	<2	2	8	<20
CC111639		1	0.05	10	0.35	561	1	0.01	25	330	27	0.04	<2	3	7	<20
CC111640		<1	0.06	10	0.48	1240	1	0.01	23	670	38	0.06	<2	3	12	<20
CC111641		<1	0.05	10	0.52	1160	1	0.01	22	750	37	0.06	<2	3	11	<20
CC111642		<1	0.10	10	0.52	1110	1	0.01	21	1300	35	0.09	<2	3	18	<20
CC111643		1	0.08	10	0.61	1510	1	0.01	27	730	49	0.06	<2	4	18	<20
CC111644		<1	0.07	10	0.48	1715	<1	0.01	41	710	72	0.05	<2	4	9	<20
CC111645		<1	0.05	10	0.36	985	1	0.01	23	530	230	0.05	3	3	4	<20
CC111646		<1	0.05	10	1.65	1155	2	0.01	51	1210	213	0.09	2	15	8	<20
CC111647		<1	0.05	10	0.42	1235	2	0.01	28	590	77	0.05	<2	4	12	<20
CC111648		<1	0.05	10	0.38	1390	3	0.01	34	530	211	0.05	<2	3	10	<20
CC111649		<1	0.08	10	0.33	6530	2	0.01	41	690	43	0.05	<2	19	12	<20
CC111650		<1	0.08	10	0.27	761	4	0.01	26	620	47	0.05	<2	2	3	<20
CC111651		<1	0.06	10	0.12	1925	3	0.01	22	520	52	0.05	<2	3	6	<20
CC111652		1	0.03	<10	2.04	1960	<1	0.01	146	440	38	0.06	<2	24	3	<20
CC111653		<1	0.03	<10	1.58	3160	<1	0.01	170	450	452	0.05	<2	26	6	<20
CC111654		<1	0.04	10	0.29	443	2	0.01	21	260	102	0.06	<2	3	7	<20
CC111655		<1	0.06	10	0.42	748	2	0.01	29	430	119	0.08	<2	4	8	<20
CC111656		1	0.12	<10	0.33	13050	1	0.01	130	450	4240	0.31	3	29	9	<20
CC111657		<1	0.06	10	0.50	1695	2	0.01	32	310	164	0.07	<2	6	7	<20
CC111658		<1	0.08	10	0.46	2970	4	0.01	37	820	376	0.07	<2	12	11	<20
CC111659		<1	0.04	10	0.24	554	2	0.01	13	270	82	0.05	<2	3	5	<20
CC111660		<1	0.04	10	0.17	395	3	0.01	13	260	37	0.04	<2	3	7	<20
CC111661		1	0.06	10	0.56	1005	1	0.01	25	1140	68	0.16	<2	4	16	<20
CC111662		<1	0.04	10	0.47	509	2	0.01	20	350	77	0.05	<2	3	5	<20
CC111663		<1	0.10	10	0.67	1265	1	0.01	28	420	159	0.05	<2	7	9	<20
CC111664		1	0.05	10	0.99	1250	<1	0.01	32	590	182	0.06	<2	16	8	<20
CC111665		<1	0.05	10	0.65	614	1	0.01	32	360	169	0.04	<2	7	9	<20
CC111666		<1	0.08	10	0.59	1160	1	0.01	23	500	142	0.05	<2	4	9	<20
CC111667		<1	0.07	10	0.85	1305	3	0.01	31	450	215	0.06	<2	8	7	<20
CC111668		<1	0.07	20	0.73	1065	6	0.01	40	540	186	0.07	<2	8	9	<20
CC111669		<1	0.10	10	0.92	2040	1	0.01	39	880	866	0.13	<2	5	14	<20
CC111670		<1	0.07	10	0.56	896	6	0.02	24	670	101	0.03	2	3	12	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111631		0.01	<10	<10	35	<10	214	
CC111632		0.02	<10	<10	38	<10	131	
CC111633		0.01	<10	<10	36	<10	143	
CC111634		0.03	<10	<10	45	<10	93	
CC111635		0.02	<10	<10	49	<10	75	
CC111636		0.02	<10	<10	48	<10	80	
CC111637		0.01	<10	<10	40	<10	103	
CC111638		0.04	<10	<10	56	<10	76	
CC111639		0.03	<10	<10	50	<10	92	
CC111640		0.02	<10	<10	46	<10	107	
CC111641		0.01	<10	<10	38	<10	159	
CC111642		0.01	<10	<10	42	<10	135	
CC111643		0.02	<10	<10	43	<10	135	
CC111644		0.02	<10	<10	36	<10	194	
CC111645		0.02	<10	<10	42	<10	301	
CC111646		0.01	<10	<10	135	<10	1095	
CC111647		0.03	<10	<10	57	<10	239	
CC111648		0.04	<10	<10	59	<10	404	
CC111649		0.01	<10	<10	56	<10	151	
CC111650		0.01	<10	<10	36	<10	234	
CC111651		0.03	<10	<10	76	<10	201	
CC111652		<0.01	<10	<10	136	<10	180	
CC111653		0.01	<10	<10	138	<10	778	
CC111654		0.03	<10	<10	86	<10	291	
CC111655		0.04	<10	<10	95	<10	291	
CC111656		0.01	<10	<10	85	10	>10000	1.590
CC111657		0.01	<10	<10	69	<10	692	
CC111658		0.02	<10	<10	65	<10	963	
CC111659		0.03	<10	<10	74	<10	208	
CC111660		0.05	<10	<10	82	<10	164	
CC111661		0.01	<10	10	43	<10	266	
CC111662		0.02	<10	<10	59	<10	258	
CC111663		0.02	<10	<10	57	<10	507	
CC111664		0.02	<10	<10	136	<10	600	
CC111665		0.02	<10	<10	64	<10	740	
CC111666		0.02	<10	<10	80	<10	508	
CC111667		0.02	<10	<10	81	<10	449	
CC111668		0.02	<10	<10	66	<10	614	
CC111669		0.04	<10	<10	87	<10	897	
CC111670		0.03	<10	<10	87	<10	319	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111671		0.10	0.5	1.81	21	<10	220	<0.5	2	0.57	1.1	18	29	60	3.55	10
CC111672		0.22	0.5	2.03	13	<10	120	0.5	<2	0.17	0.6	13	33	110	3.52	10
CC111673		0.12	0.5	2.27	23	<10	120	0.5	2	0.25	3.3	21	43	99	4.64	10
CC111674		0.18	4.6	2.02	36	<10	100	0.8	11	0.45	3.2	26	52	189	5.79	10
CC111675		0.16	0.6	2.00	19	<10	110	0.8	3	0.14	1.2	26	48	147	4.43	10
CC111676		0.14	1.2	1.99	31	<10	300	1.2	<2	0.17	2.2	21	36	65	8.78	10
CC111677		0.20	0.2	1.72	16	<10	70	0.6	<2	0.07	<0.5	16	33	47	4.17	10
CC111678		0.26	0.3	1.60	10	<10	180	0.5	2	0.10	<0.5	10	21	22	3.29	10
CC111679		0.18	0.5	1.64	21	<10	120	0.6	2	0.37	2.4	16	27	112	3.99	10
CC111680		0.20	0.3	1.87	8	<10	200	<0.5	<2	0.16	<0.5	8	29	69	2.91	10
CC111681		0.12	0.9	1.76	23	<10	120	0.6	2	0.15	1.5	16	28	68	6.19	10
CC111682		0.14	1.1	1.63	34	<10	90	0.9	<2	0.20	3.2	22	33	107	5.43	<10
CC111683		0.20	0.5	2.23	33	<10	30	0.5	<2	0.04	1.2	32	107	171	6.56	10
CC111684		0.16	0.4	1.69	18	<10	80	<0.5	<2	0.05	<0.5	8	28	29	3.54	10
CC111685		0.22	0.5	2.68	34	<10	80	1.1	<2	0.73	1.9	42	252	155	7.11	10
CC111686		0.16	0.4	1.42	14	<10	80	<0.5	<2	0.36	1.3	8	32	19	2.91	10
CC111687		0.18	1.8	1.49	26	<10	90	0.7	<2	0.37	0.6	16	30	94	5.05	10
CC111688		0.18	0.4	1.67	18	<10	110	<0.5	<2	0.40	0.5	8	29	35	3.18	10
CC111689		0.14	1.3	0.54	147	<10	60	<0.5	<2	0.08	<0.5	16	14	27	5.76	<10
CC111690		0.22	0.4	1.50	31	<10	50	0.5	<2	0.02	<0.5	15	28	35	4.52	<10
CC111691		0.22	2.4	2.75	50	<10	50	0.9	<2	0.48	9.4	49	58	211	7.97	10
CC111692		0.28	1.5	1.15	55	<10	60	0.6	<2	0.60	7.1	19	25	87	5.25	<10
CC111693		0.26	0.4	1.56	20	<10	100	<0.5	<2	0.14	<0.5	9	27	41	3.46	<10
CC111694		0.16	0.7	2.01	12	<10	90	<0.5	<2	0.07	0.7	9	23	46	4.44	10
CC111695		0.22	0.2	1.89	13	<10	110	<0.5	<2	0.07	<0.5	7	27	19	3.26	10
CC111696		0.18	0.7	1.22	30	<10	100	<0.5	<2	0.10	2.2	14	27	42	4.57	10
CC111697		0.10	2.5	1.53	53	<10	110	0.7	2	0.37	7.2	37	68	202	7.27	<10
CC111698		0.18	0.6	2.07	27	<10	120	0.6	<2	0.10	1.0	22	50	69	4.70	10
CC111699		0.16	0.4	1.82	24	<10	100	0.6	<2	0.16	1.2	21	31	92	5.21	10
CC111700		0.24	0.3	1.53	19	<10	90	0.5	<2	0.39	3.5	14	27	54	3.55	<10
CC111701		0.16	0.8	2.13	19	<10	270	1.4	<2	0.15	2.1	10	27	53	10.10	10
CC111702		0.16	0.3	2.09	18	<10	90	<0.5	<2	0.10	<0.5	10	32	64	4.27	10
CC111703		0.16	0.4	2.01	12	<10	120	0.6	<2	0.10	0.9	7	31	78	3.43	10
CC111704		0.18	1.6	1.74	30	<10	110	0.9	<2	0.99	8.7	18	31	260	4.31	<10
CC111705		0.16	0.3	1.84	26	<10	80	1.0	<2	0.18	2.1	15	45	90	4.88	<10
CC111706		0.24	0.5	1.56	24	<10	70	0.5	<2	0.53	2.1	16	29	70	3.68	10
CC111707		0.12	1.1	1.32	48	<10	90	0.8	<2	0.12	3.8	28	32	105	7.80	<10
CC111708		0.14	0.7	2.22	20	<10	140	0.6	<2	0.41	3.0	23	46	154	3.94	10
CC111709		0.18	0.6	1.94	17	<10	150	0.6	<2	0.40	3.4	16	32	112	3.42	<10
CC111710		0.22	0.3	1.52	21	<10	100	<0.5	<2	0.26	1.3	11	31	34	3.67	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111671		<1	0.10	10	0.62	1140	3	0.02	20	620	35	0.03	<2	4	14	<20
CC111672		<1	0.04	10	0.62	458	2	0.01	25	330	117	0.01	<2	3	9	<20
CC111673		<1	0.06	10	0.94	1115	1	0.02	35	510	458	0.02	2	6	9	<20
CC111674		<1	0.09	10	0.97	2990	1	0.02	45	560	315	0.02	4	16	10	<20
CC111675		<1	0.07	20	0.85	1380	2	0.01	39	490	216	<0.01	2	8	9	<20
CC111676		<1	0.06	20	0.56	9250	1	0.01	47	470	157	0.01	2	22	8	<20
CC111677		<1	0.05	10	0.56	1135	1	0.01	28	230	74	<0.01	3	5	5	<20
CC111678		<1	0.04	20	0.33	697	2	0.01	13	220	49	<0.01	<2	3	6	<20
CC111679		<1	0.06	10	0.49	917	2	0.02	21	710	152	0.04	2	4	10	<20
CC111680		<1	0.04	10	0.42	409	2	0.01	12	280	43	<0.01	<2	3	12	<20
CC111681		<1	0.06	10	0.38	2260	1	0.01	20	480	312	0.02	2	9	7	<20
CC111682		<1	0.07	10	0.61	2140	5	0.01	44	820	203	0.03	<2	9	7	<20
CC111683		1	0.04	10	1.33	1330	7	0.01	59	520	224	<0.01	<2	14	1	<20
CC111684		<1	0.04	10	0.24	514	3	0.01	14	330	76	0.01	<2	3	6	<20
CC111685		1	0.06	<10	2.45	2870	<1	0.01	124	540	133	0.03	<2	32	7	<20
CC111686		<1	0.06	10	0.34	1045	7	0.01	17	810	100	<0.01	<2	3	12	<20
CC111687		<1	0.06	10	0.46	867	4	0.01	32	550	95	<0.01	<2	8	7	<20
CC111688		<1	0.06	10	0.61	437	2	0.01	21	530	52	<0.01	<2	3	12	<20
CC111689		<1	0.08	20	0.05	2180	14	0.01	46	1480	47	0.06	<2	1	8	<20
CC111690		<1	0.07	20	0.39	1490	2	<0.01	29	520	82	<0.01	<2	3	4	<20
CC111691		1	0.06	10	1.99	2700	3	0.01	99	770	282	0.01	6	19	7	<20
CC111692		<1	0.06	10	0.50	2270	6	0.01	47	1240	365	0.04	6	4	9	<20
CC111693		<1	0.11	10	0.48	578	4	<0.01	23	270	52	<0.01	<2	3	9	<20
CC111694		1	0.04	10	0.28	538	1	0.01	13	310	53	<0.01	<2	3	8	<20
CC111695		<1	0.04	10	0.29	391	1	<0.01	13	200	24	<0.01	<2	3	8	<20
CC111696		<1	0.06	10	0.34	1600	4	<0.01	27	460	135	<0.01	<2	4	8	<20
CC111697		<1	0.06	10	0.54	2430	10	0.01	82	1670	979	0.03	9	8	9	<20
CC111698		<1	0.07	10	0.52	1400	2	0.01	34	560	267	0.01	<2	5	8	<20
CC111699		<1	0.06	10	0.60	1315	2	0.01	30	580	189	<0.01	<2	5	7	<20
CC111700		<1	0.06	10	0.54	738	1	<0.01	22	530	48	<0.01	<2	3	10	<20
CC111701		<1	0.05	10	0.34	8940	1	0.01	18	620	42	<0.01	<2	11	9	<20
CC111702		<1	0.06	10	0.64	485	1	0.01	21	260	102	<0.01	<2	4	10	<20
CC111703		<1	0.05	10	0.37	338	1	<0.01	18	360	215	<0.01	<2	3	9	<20
CC111704		<1	0.07	10	0.63	1415	3	0.01	39	1250	228	0.06	<2	8	14	<20
CC111705		<1	0.10	10	0.64	1425	1	<0.01	36	300	100	<0.01	<2	8	7	<20
CC111706		1	0.05	10	0.72	897	3	0.01	31	550	79	0.01	<2	4	9	<20
CC111707		<1	0.08	10	0.42	1990	3	0.01	44	980	279	0.03	<2	11	6	<20
CC111708		<1	0.07	10	0.78	1155	1	0.01	36	560	420	<0.01	<2	5	14	<20
CC111709		1	0.06	10	0.69	728	1	0.01	32	770	458	0.01	<2	4	15	<20
CC111710		<1	0.07	10	0.52	529	2	0.01	21	290	66	<0.01	<2	3	10	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111671		0.04	<10	<10	87	<10	225	
CC111672		0.03	<10	<10	70	<10	252	
CC111673		0.03	<10	<10	94	<10	848	
CC111674		0.02	<10	<10	87	<10	657	
CC111675		0.02	<10	<10	72	<10	489	
CC111676		0.01	<10	<10	72	<10	481	
CC111677		0.02	<10	<10	65	<10	225	
CC111678		0.02	<10	<10	65	<10	155	
CC111679		0.03	<10	<10	61	<10	492	
CC111680		0.03	<10	<10	82	<10	109	
CC111681		0.01	<10	<10	91	<10	435	
CC111682		0.01	<10	<10	62	<10	896	
CC111683		0.01	<10	<10	150	<10	657	
CC111684		0.03	<10	<10	88	<10	146	
CC111685		0.01	<10	<10	137	<10	500	
CC111686		0.02	<10	<10	82	<10	210	
CC111687		0.01	<10	<10	101	<10	299	
CC111688		0.03	<10	<10	63	<10	229	
CC111689		0.02	<10	<10	49	<10	120	
CC111690		0.01	<10	<10	37	<10	302	
CC111691		0.01	<10	<10	156	<10	1575	
CC111692		0.01	<10	<10	48	<10	1225	
CC111693		0.02	<10	<10	49	<10	230	
CC111694		0.09	<10	<10	137	<10	184	
CC111695		0.05	<10	<10	84	<10	107	
CC111696		0.03	<10	<10	88	<10	611	
CC111697		0.01	<10	<10	100	<10	1910	
CC111698		0.02	<10	<10	94	<10	477	
CC111699		0.02	<10	<10	91	<10	411	
CC111700		0.03	<10	<10	57	<10	592	
CC111701		0.02	<10	<10	81	<10	549	
CC111702		0.04	<10	<10	83	<10	294	
CC111703		0.04	<10	<10	76	<10	399	
CC111704		0.02	<10	<10	66	<10	1475	
CC111705		0.01	<10	<10	66	<10	414	
CC111706		0.01	<10	<10	61	<10	343	
CC111707		0.02	<10	<10	94	<10	987	
CC111708		0.04	<10	<10	83	<10	580	
CC111709		0.03	<10	<10	65	<10	765	
CC111710		0.05	<10	<10	70	<10	421	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111711		0.14	1.1	1.87	15	<10	190	0.6	<2	0.35	3.3	16	28	64	3.59	10
CC111712		0.14	0.7	2.19	15	<10	110	0.7	<2	0.10	1.0	16	30	58	4.36	10
CC111713		0.20	0.4	2.08	24	<10	120	0.6	<2	0.10	0.6	10	28	48	3.22	10
CC111714		0.18	0.7	1.60	15	<10	140	<0.5	<2	0.11	0.8	6	26	49	2.78	10
CC111715		0.10	0.6	1.06	24	<10	70	<0.5	<2	0.08	0.6	10	22	53	3.65	10
CC111716		0.22	0.8	1.53	36	<10	50	<0.5	<2	0.05	0.6	13	27	50	4.31	10
CC111717		0.18	1.4	1.58	20	<10	80	<0.5	<2	0.07	0.6	7	22	39	3.28	10
CC111718		0.14	0.7	1.39	16	<10	120	<0.5	<2	0.12	0.8	11	24	29	3.43	10
CC111719		0.18	0.9	1.93	26	<10	110	1.2	<2	0.28	2.5	31	32	60	4.76	10
CC111720		0.24	0.6	1.94	27	<10	130	0.9	<2	0.08	2.9	22	30	97	4.54	<10
CC111721		0.16	0.8	1.92	19	<10	60	0.5	<2	0.13	1.3	20	55	81	5.28	10
CC111722		0.12	0.7	1.57	85	<10	100	1.0	3	0.31	4.0	35	34	91	6.22	<10
CC111723		0.20	1.1	1.97	93	<10	150	1.0	3	0.82	2.9	21	32	239	4.46	<10
CC111724		0.14	0.7	1.63	112	<10	110	0.8	2	0.87	3.1	21	28	115	3.90	<10
CC111725		0.24	0.5	1.65	32	<10	100	0.8	5	0.84	2.4	16	27	202	3.91	<10
CC111726		0.16	1.5	1.34	20	<10	110	0.7	2	1.60	16.6	14	28	258	3.39	<10
CC111727		0.22	2.5	1.86	51	<10	130	2.0	3	0.42	6.8	26	57	270	8.76	<10
CC111728		0.18	1.4	1.71	36	<10	120	1.3	3	0.42	11.0	44	89	178	8.77	<10
CC111729		0.22	1.8	1.17	2	<10	130	1.8	4	0.29	193.0	65	32	191	9.98	<10
CC111730		0.20	<0.2	1.92	19	<10	100	0.5	3	0.12	0.8	14	26	55	4.94	10
CC111731		0.24	<0.2	1.89	12	<10	130	0.7	<2	0.13	0.6	14	31	52	3.54	10
CC111732		0.22	0.2	1.51	16	<10	70	<0.5	3	0.12	0.9	14	20	45	4.52	10
CC111733		0.24	<0.2	1.62	11	<10	90	0.6	2	0.12	2.6	12	27	34	3.80	10
CC111734		0.34	<0.2	2.18	27	<10	100	0.7	2	0.08	0.8	55	14	325	10.10	<10
CC111735		0.16	0.3	1.32	16	<10	80	<0.5	3	0.06	<0.5	7	22	19	3.91	10
CC111736		0.24	1.0	2.70	28	<10	70	0.9	4	0.45	4.8	32	52	132	6.69	10
CC111737		0.18	<0.2	1.32	6	<10	80	<0.5	4	0.07	0.5	4	20	13	3.05	<10
CC111738		0.16	0.2	0.56	39	<10	90	<0.5	5	0.04	0.5	10	16	58	4.01	<10
CC111739		0.16	1.4	1.48	15	<10	180	1.0	3	0.46	21.7	15	22	76	4.38	<10
CC111740		0.26	0.5	1.16	13	<10	180	1.0	3	0.42	<0.5	17	17	98	4.87	<10
CC111741		0.20	<0.2	1.68	14	<10	220	1.2	<2	0.62	<0.5	14	22	49	4.35	<10
CC111742		0.12	<0.2	1.45	15	<10	170	0.9	2	0.74	<0.5	11	22	35	3.84	<10
CC111743		0.22	<0.2	1.90	8	<10	180	1.0	2	0.36	<0.5	12	29	32	4.08	<10
CC111744		0.22	<0.2	1.70	7	<10	220	0.9	<2	0.44	<0.5	13	29	43	3.71	10
CC111745		0.24	0.2	1.37	29	<10	190	1.4	<2	0.31	<0.5	22	17	65	5.48	<10
CC111746		0.30	0.2	1.43	20	<10	270	1.3	3	0.39	<0.5	19	18	58	4.92	<10
CC111747		0.22	<0.2	2.05	8	<10	190	0.9	4	0.17	<0.5	11	28	47	3.63	10
CC111748		0.26	0.2	1.42	11	<10	200	1.0	2	0.87	0.8	13	21	44	4.00	<10
CC111749		0.20	<0.2	1.25	14	<10	170	1.0	4	0.37	0.7	15	21	41	4.20	<10
CC111750		0.20	<0.2	1.54	15	<10	270	1.1	3	0.56	0.7	16	22	48	4.77	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111711		1	0.07	20	0.50	1695	2	0.01	21	420	112	<0.01	<2	4	12	<20
CC111712		1	0.06	10	0.67	885	3	<0.01	33	590	58	0.01	<2	4	8	<20
CC111713		<1	0.05	10	0.49	357	5	<0.01	22	420	70	<0.01	<2	3	10	<20
CC111714		<1	0.05	20	0.38	347	3	<0.01	18	460	55	<0.01	<2	3	10	<20
CC111715		<1	0.06	20	0.33	1095	6	<0.01	27	690	60	<0.01	<2	1	7	<20
CC111716		<1	0.06	10	0.53	616	7	<0.01	33	760	65	0.01	<2	3	6	<20
CC111717		<1	0.05	20	0.30	395	4	<0.01	17	600	65	<0.01	<2	2	8	<20
CC111718		<1	0.07	10	0.27	848	3	<0.01	14	650	53	<0.01	<2	2	10	<20
CC111719		<1	0.07	10	0.66	1205	4	0.01	23	550	183	0.01	<2	5	10	<20
CC111720		<1	0.07	20	0.84	1285	4	<0.01	54	350	152	<0.01	3	7	5	<20
CC111721		1	0.06	10	0.98	788	2	<0.01	41	470	73	0.01	<2	8	6	<20
CC111722		<1	0.07	10	0.93	2680	5	0.01	89	960	317	0.04	3	14	5	<20
CC111723		<1	0.10	20	0.82	1220	4	0.01	46	1290	132	0.07	4	7	9	<20
CC111724		1	0.10	10	0.67	1170	2	0.01	39	1090	95	0.07	<2	5	9	<20
CC111725		<1	0.07	10	0.59	1135	2	0.01	28	670	94	0.06	2	6	11	<20
CC111726		<1	0.07	10	0.65	1285	2	0.01	40	1200	109	0.14	3	5	14	<20
CC111727		<1	0.09	10	0.54	5910	1	<0.01	58	680	1105	0.03	18	31	7	<20
CC111728		<1	0.07	10	0.73	7600	1	<0.01	92	460	666	0.03	10	24	7	<20
CC111729		<1	0.11	10	0.46	14550	<1	<0.01	103	490	1100	0.12	8	34	9	<20
CC111730		<1	0.05	10	0.43	687	1	<0.01	21	470	87	0.02	<2	4	6	<20
CC111731		<1	0.05	10	0.62	627	1	0.01	30	710	116	0.03	<2	4	8	<20
CC111732		1	0.05	10	0.44	496	1	<0.01	25	270	374	0.01	2	4	6	<20
CC111733		<1	0.06	10	0.43	717	2	0.01	36	470	464	0.03	<2	3	8	<20
CC111734		<1	0.06	30	0.77	2650	2	<0.01	44	590	133	0.01	<2	29	2	<20
CC111735		<1	0.06	10	0.22	596	2	<0.01	13	460	67	0.02	2	3	6	<20
CC111736		<1	0.05	10	1.61	1760	2	<0.01	74	640	161	0.03	3	14	6	<20
CC111737		<1	0.03	10	0.19	263	1	<0.01	11	280	31	0.02	<2	2	5	<20
CC111738		<1	0.08	10	0.06	1585	11	0.01	46	1090	120	0.05	7	1	5	<20
CC111739		<1	0.06	10	0.39	3260	1	0.01	30	1080	500	0.07	3	4	14	<20
CC111740		1	0.06	10	0.41	1740	1	0.01	30	340	78	0.02	2	7	15	<20
CC111741		<1	0.06	10	0.42	1025	<1	0.01	29	710	41	0.04	2	6	18	<20
CC111742		1	0.06	10	0.44	684	<1	0.01	26	700	36	0.04	<2	4	21	<20
CC111743		1	0.06	20	0.52	1060	1	0.01	27	470	31	0.02	<2	6	18	<20
CC111744		<1	0.07	20	0.57	874	1	0.01	31	480	24	0.02	<2	5	22	<20
CC111745		<1	0.09	10	0.39	1825	1	0.01	45	360	56	0.02	<2	10	13	<20
CC111746		1	0.09	10	0.46	1485	1	0.01	39	350	61	0.02	2	9	15	<20
CC111747		<1	0.06	10	0.52	955	<1	0.01	25	200	24	<0.01	<2	5	11	<20
CC111748		<1	0.08	10	0.60	613	1	0.01	29	560	61	0.03	3	6	22	<20
CC111749		<1	0.06	10	0.50	1415	1	0.01	34	300	83	0.02	<2	6	18	<20
CC111750		1	0.10	10	0.55	1390	1	0.01	34	610	49	0.03	<2	6	19	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111711		0.03	<10	<10	75	<10	485	
CC111712		0.03	<10	<10	91	<10	290	
CC111713		0.03	<10	<10	65	<10	186	
CC111714		0.04	<10	<10	70	<10	166	
CC111715		0.03	<10	<10	73	<10	239	
CC111716		0.03	<10	<10	74	<10	284	
CC111717		0.03	<10	<10	69	<10	137	
CC111718		0.05	<10	<10	83	<10	206	
CC111719		0.04	<10	<10	97	<10	736	
CC111720		0.02	<10	<10	67	<10	581	
CC111721		0.02	<10	<10	105	<10	296	
CC111722		0.01	<10	<10	97	<10	907	
CC111723		0.01	<10	<10	65	<10	550	
CC111724		0.02	<10	<10	51	<10	463	
CC111725		0.02	<10	<10	59	<10	379	
CC111726		0.02	<10	<10	46	<10	2750	
CC111727		<0.01	<10	<10	89	<10	1975	
CC111728		0.01	<10	10	94	<10	2360	
CC111729		<0.01	10	10	94	10	>10000	3.19
CC111730		0.05	<10	<10	103	<10	231	
CC111731		0.03	<10	<10	59	<10	267	
CC111732		0.03	<10	<10	75	<10	421	
CC111733		0.04	<10	<10	60	<10	1015	
CC111734		<0.01	<10	<10	105	<10	939	
CC111735		0.05	<10	<10	81	<10	143	
CC111736		0.01	<10	10	138	<10	1290	
CC111737		0.06	<10	<10	101	<10	93	
CC111738		0.01	<10	<10	47	<10	285	
CC111739		0.02	<10	<10	37	<10	4470	
CC111740		0.01	<10	<10	27	<10	145	
CC111741		0.01	<10	<10	37	<10	150	
CC111742		0.01	<10	<10	37	<10	145	
CC111743		0.02	<10	<10	50	<10	122	
CC111744		0.03	<10	<10	48	<10	111	
CC111745		<0.01	<10	<10	30	<10	189	
CC111746		0.01	<10	<10	31	<10	188	
CC111747		0.02	<10	<10	49	<10	94	
CC111748		0.01	<10	<10	34	<10	246	
CC111749		0.01	<10	<10	35	<10	229	
CC111750		0.01	<10	<10	35	<10	216	



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: RUSTY

Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS	VA10130417

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111751		0.20	<0.2	1.35	15	<10	200	1.1	3	0.31	<0.5	17	19	44	5.03	<10
CC111752		0.22	<0.2	1.24	12	<10	220	1.1	2	0.26	<0.5	16	17	54	4.65	<10
CC111753		0.20	<0.2	1.48	14	<10	190	1.0	2	0.46	<0.5	12	23	35	4.18	<10
CC111754		0.18	<0.2	1.66	4	<10	100	0.5	2	0.15	<0.5	7	25	13	3.52	10
CC111755		0.20	<0.2	1.02	13	<10	90	0.8	4	3.64	<0.5	15	15	54	3.69	<10
CC111756		0.22	<0.2	1.29	11	<10	210	1.0	<2	0.77	0.7	15	17	38	4.84	<10
CC111757		0.18	<0.2	1.25	17	<10	220	1.1	2	0.39	0.5	17	18	36	4.75	<10
CC111758		0.32	0.3	1.33	18	<10	190	1.0	<2	1.99	<0.5	13	19	41	4.18	<10
CC111759		0.28	0.2	1.83	26	<10	310	1.6	<2	0.23	0.5	19	20	43	5.78	<10
CC111760		0.20	1.6	1.34	16	<10	750	0.9	<2	0.90	0.5	11	22	42	3.46	<10
CC111761		0.24	0.5	1.20	20	<10	140	1.0	<2	3.46	0.5	15	16	65	4.32	<10
CC111762		0.26	0.4	0.95	17	<10	110	0.8	<2	9.8	<0.5	12	11	75	3.42	<10
CC111763		0.24	0.2	1.26	9	<10	160	<0.5	<2	0.10	<0.5	9	18	18	2.62	10
CC111764		0.22	3.2	2.35	12	<10	180	1.2	<2	0.33	<0.5	14	28	12	3.95	<10
CC111765		0.32	0.3	1.89	15	<10	180	1.3	<2	0.06	<0.5	16	27	43	4.61	<10
CC111766		0.20	0.8	1.63	22	<10	140	1.4	<2	0.03	<0.5	19	22	83	6.28	<10
CC111767		0.28	0.4	1.20	18	<10	160	1.0	<2	7.3	<0.5	15	13	100	3.90	<10
CC111768		0.20	0.4	2.21	13	<10	220	1.3	<2	0.42	0.6	10	27	39	3.61	<10
CC111769		0.34	0.6	1.93	13	<10	260	1.1	<2	0.44	<0.5	11	30	56	3.87	10
CC111770		0.20	0.2	1.70	34	<10	230	1.5	<2	0.10	<0.5	21	21	81	4.90	<10
CC111771		0.20	0.3	1.57	17	<10	90	1.1	<2	0.10	<0.5	12	20	51	5.47	<10
CC111772		0.24	0.2	1.45	13	<10	90	<0.5	<2	0.08	<0.5	5	18	17	3.30	10
CC111773		0.22	5.5	1.13	28	<10	80	0.8	<2	0.09	55.4	44	17	188	6.28	<10
CC111774		0.14	2.9	0.48	62	<10	70	1.9	2	0.31	1.6	81	10	271	7.71	<10
CC111775		0.10	2.0	1.01	32	<10	70	0.9	<2	0.75	<0.5	18	16	92	4.28	<10
CC111776		0.20	3.1	1.30	25	<10	120	0.9	<2	0.74	2.5	15	24	65	3.58	<10
CC111777		0.22	0.5	1.68	26	<10	260	0.9	<2	0.32	0.5	27	26	27	5.22	<10
CC111778		0.18	0.2	0.49	27	<10	70	<0.5	<2	0.07	<0.5	10	11	73	4.54	10
CC111779		0.12	0.2	1.43	27	<10	150	0.7	<2	0.54	0.6	19	24	52	4.89	10
CC111780		0.12	<0.2	1.28	11	<10	70	<0.5	<2	0.09	<0.5	6	22	11	2.63	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 24- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111751		<1	0.07	10	0.42	1995	1	0.01	34	400	47	0.02	3	6	14	<20
CC111752		1	0.07	10	0.41	1335	1	<0.01	35	280	45	0.01	<2	7	11	<20
CC111753		1	0.06	10	0.48	1135	1	0.01	30	470	30	0.02	<2	6	16	<20
CC111754		<1	0.05	10	0.37	382	1	0.01	14	290	11	0.01	<2	3	7	<20
CC111755		<1	0.08	10	1.95	1030	1	0.01	29	610	32	0.02	2	6	37	<20
CC111756		1	0.07	10	0.58	1805	1	<0.01	32	430	41	0.02	<2	6	19	<20
CC111757		<1	0.08	10	0.41	1580	1	0.01	31	320	39	0.02	<2	6	15	<20
CC111758		<1	0.10	10	1.20	1370	1	0.02	33	460	37	0.06	<2	7	35	<20
CC111759		<1	0.11	20	0.38	2900	1	0.01	38	550	50	0.05	<2	5	14	<20
CC111760		1	0.08	10	0.47	791	1	0.02	26	760	380	0.10	<2	4	29	<20
CC111761		<1	0.11	10	2.20	1315	1	0.02	31	570	50	0.08	<2	6	31	<20
CC111762		<1	0.10	10	2.11	983	1	0.02	26	440	33	0.07	<2	5	179	<20
CC111763		<1	0.06	10	0.17	726	1	0.01	10	200	22	0.04	<2	3	10	<20
CC111764		<1	0.05	10	0.30	626	1	0.01	22	540	29	0.05	<2	4	14	<20
CC111765		<1	0.07	20	0.44	1465	1	0.01	29	300	56	0.04	<2	9	9	<20
CC111766		<1	0.08	20	0.29	1220	1	0.01	36	250	43	0.04	<2	10	7	<20
CC111767		<1	0.12	10	1.64	1185	1	0.02	30	550	48	0.06	<2	7	137	<20
CC111768		<1	0.07	20	0.63	154	<1	0.01	34	950	28	0.08	<2	6	17	<20
CC111769		<1	0.08	20	0.52	566	<1	0.02	34	600	23	0.05	<2	7	22	<20
CC111770		1	0.09	20	0.34	1705	1	0.01	35	390	51	0.05	<2	8	8	<20
CC111771		<1	0.08	10	0.40	858	1	0.01	19	590	35	0.06	<2	3	8	<20
CC111772		<1	0.05	10	0.14	269	1	0.01	10	240	22	0.03	<2	2	9	<20
CC111773		69	0.06	10	0.19	2560	2	0.01	41	890	445	0.24	3	3	10	<20
CC111774		1	0.09	10	0.13	3150	4	0.01	91	590	68	0.08	11	5	16	<20
CC111775		<1	0.06	10	0.36	887	1	0.02	26	510	135	0.08	2	5	22	<20
CC111776		<1	0.08	20	0.55	916	1	0.02	31	800	477	0.06	2	5	25	<20
CC111777		<1	0.07	10	0.47	5340	<1	0.01	28	470	76	0.06	<2	5	20	<20
CC111778		<1	0.05	10	0.08	1570	1	0.01	14	370	86	0.05	<2	2	7	<20
CC111779		<1	0.09	10	0.43	3090	1	0.02	23	660	69	0.09	<2	3	21	<20
CC111780		<1	0.06	10	0.19	722	<1	0.02	9	410	28	0.06	<2	2	10	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 24- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130417

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %
		0.01	10	10	1	10	2	0.001
CC111751		0.01	<10	<10	34	<10	150	
CC111752		0.01	10	<10	28	<10	150	
CC111753		0.01	<10	<10	38	<10	119	
CC111754		0.02	<10	<10	59	<10	76	
CC111755		0.01	<10	<10	26	<10	124	
CC111756		0.01	<10	<10	30	<10	189	
CC111757		0.01	<10	<10	29	<10	150	
CC111758		0.01	<10	<10	32	<10	177	
CC111759		<0.01	<10	<10	33	<10	152	
CC111760		0.02	<10	<10	35	<10	166	
CC111761		0.01	<10	<10	27	<10	179	
CC111762		0.01	<10	<10	20	<10	141	
CC111763		0.02	<10	<10	52	<10	59	
CC111764		0.03	<10	<10	59	<10	76	
CC111765		0.02	<10	<10	44	<10	102	
CC111766		<0.01	<10	<10	31	<10	205	
CC111767		0.01	<10	<10	24	<10	153	
CC111768		<0.01	<10	<10	40	<10	136	
CC111769		0.02	<10	<10	48	<10	123	
CC111770		<0.01	<10	<10	30	<10	139	
CC111771		<0.01	<10	<10	31	<10	112	
CC111772		0.03	<10	<10	65	<10	59	
CC111773		0.02	<10	<10	42	<10	9720	
CC111774		<0.01	<10	<10	11	<10	543	
CC111775		0.01	<10	<10	24	<10	208	
CC111776		0.02	<10	<10	35	<10	1430	
CC111777		0.02	<10	<10	47	<10	198	
CC111778		0.03	<10	<10	45	<10	175	
CC111779		0.03	<10	<10	46	<10	261	
CC111780		0.03	<10	<10	57	<10	68	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 21- SEP- 2010
Account: MTT

CERTIFICATE VA10130418

Project: RUSTY

P.O. No.:

This report is for 162 Soil samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
CC111791		0.34	0.2	1.56	23	<10	230	1.2	<2	0.59	2.3	24	19	38	4.35	<10
CC111792		0.50	0.6	1.36	21	<10	140	1.5	<2	0.19	0.6	31	17	134	7.09	<10
CC111793		0.40	0.3	2.00	21	<10	150	0.9	<2	0.05	<0.5	28	23	52	5.88	<10
CC111794		0.38	<0.2	1.83	11	<10	180	1.0	<2	0.16	<0.5	9	27	17	3.54	10
CC111795		0.28	<0.2	1.59	13	<10	210	0.8	<2	0.18	<0.5	11	21	24	4.10	10
CC111796		0.12	0.3	1.23	11	<10	140	0.6	<2	1.06	<0.5	11	13	64	3.58	<10
CC111797		0.32	<0.2	1.41	9	<10	210	0.9	<2	0.23	0.5	10	21	21	3.52	<10
CC111798		0.38	0.5	1.17	17	<10	120	0.8	<2	5.29	0.7	13	21	50	3.39	<10
CC111799		0.26	<0.2	1.50	11	<10	190	0.6	<2	2.23	<0.5	8	19	22	3.00	<10
CC111800		0.22	<0.2	1.89	13	<10	290	1.0	<2	0.09	<0.5	12	24	54	4.45	<10
CC111801		0.24	0.3	2.23	19	<10	260	1.2	<2	0.11	<0.5	17	27	27	4.34	10
CC111802		0.22	0.2	1.38	10	<10	180	0.9	<2	2.54	1.1	13	19	39	3.62	<10
CC111803		0.34	<0.2	1.85	13	<10	180	0.8	<2	0.34	<0.5	9	26	19	3.34	10
CC111804		0.40	0.4	1.56	15	<10	270	1.1	<2	1.83	0.5	10	19	35	4.56	<10
CC111805		0.36	<0.2	1.74	14	<10	240	0.9	<2	0.43	<0.5	10	29	23	3.51	<10
CC111806		0.28	0.2	1.74	17	<10	210	1.1	<2	0.52	<0.5	10	27	22	3.81	<10
CC111807		0.30	0.2	1.69	14	<10	250	1.2	<2	0.81	0.6	12	23	32	3.78	<10
CC111808		0.26	0.2	1.51	11	<10	90	0.9	<2	0.88	0.5	10	25	28	3.67	<10
CC111809		0.28	0.4	1.49	19	<10	180	1.5	<2	2.04	<0.5	17	15	56	5.15	<10
CC111810		0.26	<0.2	1.97	14	<10	240	0.7	<2	0.16	<0.5	11	29	59	4.01	10
CC111811		0.30	0.2	2.08	13	<10	120	0.9	<2	0.07	<0.5	9	32	21	3.35	10
CC111812		0.30	<0.2	1.21	11	<10	70	0.6	<2	0.04	<0.5	7	18	13	3.51	10
CC111813		0.36	<0.2	1.75	18	<10	190	0.9	<2	0.07	<0.5	12	22	21	4.34	10
CC111814		0.26	0.3	2.31	11	<10	160	0.7	<2	0.56	<0.5	8	34	13	3.67	10
CC111815		0.40	<0.2	1.84	18	<10	100	0.5	<2	0.08	<0.5	9	27	26	4.05	<10
CC111816		0.28	<0.2	2.18	16	<10	120	0.6	<2	0.07	<0.5	8	28	30	3.44	10
CC111817		0.36	<0.2	1.79	14	<10	70	<0.5	<2	0.06	<0.5	6	27	20	3.51	10
CC111818		0.44	0.3	1.28	23	<10	130	0.9	<2	3.66	<0.5	15	14	43	4.14	<10
CC111819		0.34	<0.2	1.53	18	<10	210	1.1	<2	0.52	<0.5	12	20	29	4.02	10
CC111820		0.36	0.4	1.59	24	<10	200	1.4	<2	0.27	<0.5	19	19	57	5.14	<10
CC111821		0.40	0.5	1.47	19	<10	210	1.2	<2	0.83	<0.5	16	19	53	4.55	<10
CC111822		0.32	0.5	1.67	18	<10	100	0.7	<2	0.08	<0.5	11	27	31	4.47	<10
CC111823		0.26	0.6	1.08	12	<10	50	<0.5	<2	0.04	<0.5	4	16	11	2.65	10
CC111824		0.36	0.6	1.62	15	<10	150	0.9	<2	0.14	<0.5	14	23	47	4.54	<10
CC111825		0.20	0.4	1.23	11	<10	150	<0.5	<2	0.10	<0.5	5	16	24	2.73	10
CC111826		0.18	0.3	1.07	21	<10	120	0.6	<2	0.10	<0.5	20	16	43	3.32	<10
CC111827		0.40	0.3	1.75	19	<10	130	0.6	<2	0.30	<0.5	20	22	23	6.53	<10
CC111828		0.22	0.4	1.93	16	<10	180	1.0	<2	0.33	<0.5	17	23	73	5.38	<10
CC111829		0.24	0.9	1.41	11	<10	300	1.4	<2	1.12	<0.5	9	19	67	3.42	<10
CC111830		0.34	0.2	1.56	12	<10	100	0.7	<2	0.09	<0.5	7	23	17	3.03	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111791		<1	0.10	10	0.51	3860	<1	<0.01	28	1060	40	0.07	<2	4	21	<20
CC111792		1	0.10	20	0.60	7430	<1	<0.01	37	740	52	0.03	2	7	14	<20
CC111793		<1	0.06	10	0.38	1435	<1	<0.01	29	580	47	0.01	2	8	6	<20
CC111794		<1	0.06	10	0.47	446	<1	<0.01	21	320	17	<0.01	<2	5	11	<20
CC111795		<1	0.06	10	0.43	876	<1	<0.01	18	320	30	<0.01	<2	6	11	<20
CC111796		<1	0.07	10	0.37	1165	<1	<0.01	12	570	15	0.05	<2	5	16	<20
CC111797		<1	0.07	10	0.43	656	<1	<0.01	19	500	21	0.01	<2	4	14	<20
CC111798		<1	0.07	10	1.94	1005	<1	<0.01	22	550	35	0.01	<2	4	78	<20
CC111799		<1	0.05	10	0.87	440	<1	<0.01	14	390	23	<0.01	<2	3	37	<20
CC111800		<1	0.06	10	0.49	774	<1	<0.01	22	200	24	<0.01	<2	5	7	<20
CC111801		<1	0.06	10	0.46	704	<1	<0.01	24	210	30	<0.01	<2	5	9	<20
CC111802		<1	0.07	10	1.66	675	<1	<0.01	26	640	30	0.02	<2	5	29	<20
CC111803		<1	0.05	10	0.49	301	<1	<0.01	23	320	16	<0.01	<2	4	14	<20
CC111804		<1	0.06	10	1.02	1295	<1	<0.01	25	1000	44	0.05	<2	6	28	<20
CC111805		<1	0.06	20	0.60	536	<1	<0.01	26	530	17	<0.01	<2	5	19	<20
CC111806		<1	0.06	20	0.51	751	<1	<0.01	25	630	18	0.01	<2	6	19	<20
CC111807		<1	0.06	10	0.48	1090	<1	<0.01	22	860	25	0.03	<2	5	26	<20
CC111808		1	0.07	10	0.80	435	<1	<0.01	23	960	18	0.04	<2	6	28	<20
CC111809		<1	0.11	10	0.88	1270	2	<0.01	38	500	45	0.01	<2	9	45	<20
CC111810		<1	0.04	10	0.44	797	<1	<0.01	18	590	19	0.01	<2	4	12	<20
CC111811		<1	0.05	10	0.49	508	<1	<0.01	20	290	12	<0.01	<2	4	7	<20
CC111812		<1	0.04	10	0.17	581	1	<0.01	12	340	12	<0.01	<2	2	5	<20
CC111813		<1	0.05	10	0.40	1060	<1	<0.01	18	350	29	<0.01	<2	3	7	<20
CC111814		1	0.07	20	1.35	298	<1	<0.01	21	1030	25	0.04	<2	3	23	<20
CC111815		<1	0.05	10	0.34	956	1	<0.01	16	450	16	0.02	<2	2	7	<20
CC111816		<1	0.05	10	0.38	446	1	<0.01	17	370	19	<0.01	<2	3	8	<20
CC111817		<1	0.04	10	0.30	578	1	<0.01	14	350	11	<0.01	<2	2	7	<20
CC111818		<1	0.08	10	1.21	1455	<1	<0.01	23	500	42	<0.01	<2	5	55	<20
CC111819		<1	0.06	10	0.36	1100	1	<0.01	22	530	37	0.02	<2	4	21	<20
CC111820		<1	0.09	20	0.44	1620	1	<0.01	32	420	53	<0.01	<2	7	14	<20
CC111821		1	0.09	10	0.59	1395	1	<0.01	34	510	48	0.01	<2	7	28	<20
CC111822		<1	0.07	10	0.35	675	2	<0.01	23	520	32	<0.01	3	3	8	<20
CC111823		1	0.04	10	0.10	238	2	<0.01	9	300	12	<0.01	<2	1	6	<20
CC111824		<1	0.05	10	0.32	1775	1	<0.01	18	500	27	<0.01	2	4	11	<20
CC111825		1	0.05	10	0.22	308	1	<0.01	10	350	16	<0.01	2	2	9	<20
CC111826		<1	0.07	10	0.19	849	2	<0.01	21	580	24	<0.01	2	2	9	<20
CC111827		1	0.05	10	0.47	2320	1	<0.01	17	660	20	<0.01	<2	13	11	<20
CC111828		1	0.06	10	0.43	1765	1	<0.01	20	770	26	<0.01	3	17	13	<20
CC111829		<1	0.09	10	0.50	1635	1	0.01	20	1010	17	0.05	4	5	56	<20
CC111830		1	0.04	10	0.36	558	1	<0.01	14	310	24	<0.01	<2	3	9	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
CC111791		0.01	<10	<10	34	<10	254
CC111792		0.01	<10	<10	23	<10	142
CC111793		0.01	<10	<10	60	<10	140
CC111794		0.02	<10	<10	49	<10	74
CC111795		0.01	<10	<10	48	<10	112
CC111796		0.01	<10	<10	38	<10	77
CC111797		0.01	<10	<10	36	<10	103
CC111798		0.01	<10	<10	29	<10	173
CC111799		0.02	<10	<10	46	<10	89
CC111800		0.01	<10	<10	39	<10	104
CC111801		0.02	<10	<10	50	<10	100
CC111802		0.01	<10	<10	30	<10	175
CC111803		0.02	<10	<10	47	<10	77
CC111804		0.01	<10	<10	37	<10	133
CC111805		0.02	<10	<10	49	<10	84
CC111806		0.02	<10	<10	43	<10	88
CC111807		0.01	<10	<10	40	<10	95
CC111808		0.02	<10	<10	36	<10	180
CC111809		<0.01	<10	<10	30	<10	197
CC111810		0.02	<10	<10	56	<10	82
CC111811		0.04	<10	<10	56	<10	100
CC111812		0.05	<10	<10	56	<10	51
CC111813		0.02	<10	<10	43	<10	88
CC111814		0.01	<10	<10	44	<10	224
CC111815		0.04	<10	<10	61	<10	60
CC111816		0.04	<10	<10	56	<10	59
CC111817		0.05	<10	<10	63	<10	51
CC111818		0.01	<10	<10	29	<10	169
CC111819		0.01	<10	<10	38	<10	132
CC111820		0.01	<10	<10	31	<10	167
CC111821		0.01	<10	<10	35	<10	193
CC111822		0.03	<10	<10	47	<10	96
CC111823		0.04	<10	<10	65	<10	55
CC111824		0.02	<10	<10	41	<10	71
CC111825		0.02	<10	<10	42	<10	49
CC111826		0.02	<10	<10	36	<10	96
CC111827		0.02	<10	<10	83	<10	106
CC111828		0.01	<10	<10	97	<10	100
CC111829		0.01	<10	<10	27	<10	91
CC111830		0.02	<10	<10	43	<10	62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111831		0.24	0.5	1.30	11	<10	130	0.5	<2	0.06	<0.5	12	19	30	3.93	<10
CC111832		0.32	0.7	1.62	18	<10	190	1.4	<2	0.33	<0.5	11	24	44	3.36	10
CC111833		0.24	0.2	1.99	16	<10	160	1.0	<2	0.05	<0.5	13	27	23	4.15	<10
CC111834		0.24	0.3	1.74	12	<10	140	0.8	<2	0.10	<0.5	10	25	16	3.23	<10
CC111835		0.28	0.7	1.95	16	<10	230	1.0	<2	0.14	<0.5	11	28	23	3.49	<10
CC111836		0.26	0.4	1.98	10	<10	130	0.6	<2	0.05	<0.5	8	26	12	2.98	10
CC111837		0.24	0.5	1.84	12	<10	150	1.1	<2	0.04	<0.5	12	25	18	3.77	<10
CC111838		0.26	0.3	1.53	8	<10	130	0.5	<2	0.07	<0.5	4	19	11	2.55	10
CC111839		0.26	0.2	1.65	12	<10	120	0.8	<2	0.06	<0.5	13	22	20	3.42	<10
CC111840		0.26	1.5	1.90	17	<10	140	0.7	<2	0.05	<0.5	10	25	16	4.11	<10
CC111841		0.22	1.7	1.41	12	<10	210	1.8	<2	0.42	0.5	16	24	53	4.00	<10
CC111842		0.22	0.9	1.71	12	<10	310	1.7	<2	0.04	0.7	20	20	37	8.39	<10
CC111843		0.18	0.3	1.33	11	<10	160	1.0	<2	0.76	0.9	11	24	35	3.41	<10
CC111844		0.22	0.5	1.52	7	<10	150	0.9	<2	0.94	1.2	10	22	29	3.25	10
CC111845		0.22	0.6	1.34	27	<10	220	1.1	<2	0.27	<0.5	18	17	48	4.91	<10
CC111846		0.20	0.2	0.72	8	<10	130	<0.5	<2	0.19	0.9	5	15	15	2.20	<10
CC111847		0.18	0.4	1.39	14	<10	220	0.8	<2	0.42	0.6	16	22	46	4.18	<10
CC111848		0.18	0.6	1.32	21	<10	190	1.5	<2	0.89	0.5	14	19	45	5.48	<10
CC111849		0.16	0.5	1.57	12	<10	370	1.1	<2	0.24	<0.5	12	24	25	5.12	<10
CC111850		0.14	0.2	0.95	8	<10	70	<0.5	<2	0.04	<0.5	3	14	7	1.92	10
CC111851		0.20	0.8	2.82	16	<10	300	1.9	<2	0.05	<0.5	15	34	22	4.58	<10
CC111852		0.22	0.6	1.25	10	<10	70	<0.5	<2	0.02	<0.5	5	15	8	2.87	10
CC111853		0.14	0.4	1.84	15	<10	210	1.3	<2	0.22	<0.5	11	25	19	4.14	<10
CC111854		0.20	1.2	1.66	36	<10	180	0.6	<2	0.58	9.4	41	17	609	11.15	<10
CC111855		0.10	1.5	1.07	28	<10	210	0.8	<2	0.79	2.3	20	16	77	9.58	<10
CC111856		0.16	0.5	2.02	24	<10	130	0.7	<2	0.30	1.2	22	22	63	6.19	<10
CC111857		0.22	0.5	1.60	16	<10	180	0.5	<2	0.16	0.5	10	20	25	4.52	<10
CC111858		0.16	0.7	1.48	11	<10	160	0.8	<2	0.38	<0.5	12	26	76	2.68	<10
CC111859		0.24	0.8	1.33	38	<10	170	0.7	<2	0.36	<0.5	35	17	122	7.55	<10
CC111860		0.12	1.2	0.94	55	<10	140	1.1	4	0.85	3.0	51	10	40	16.9	<10
CC111861		0.16	0.5	1.26	26	<10	130	0.8	<2	0.13	1.0	30	20	126	5.44	<10
CC111862		0.18	2.3	1.39	25	<10	250	1.4	11	0.13	4.9	43	31	88	8.43	<10
CC111863		0.26	2.2	1.09	24	<10	180	1.5	<2	0.09	3.5	54	16	95	6.30	<10
CC111864		0.26	0.5	1.61	16	<10	130	0.8	<2	0.10	<0.5	12	20	33	3.96	<10
CC111865		0.18	0.4	1.27	15	<10	60	<0.5	2	0.05	<0.5	8	19	27	4.36	<10
CC111866		0.20	0.7	1.03	17	<10	130	0.7	<2	2.76	<0.5	18	15	38	3.31	<10
CC111867		0.24	0.3	1.38	14	<10	160	0.7	<2	0.85	<0.5	10	18	27	3.23	<10
CC111868		0.34	0.6	1.63	13	<10	200	1.0	<2	0.28	<0.5	12	17	72	4.38	<10
CC111869		0.24	0.5	1.64	11	<10	110	<0.5	<2	0.08	<0.5	7	22	15	3.81	10
CC111870		0.26	0.6	1.59	14	<10	200	0.9	<2	1.27	<0.5	10	19	28	3.55	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111831		<1	0.05	20	0.34	3160	1	<0.01	11	490	43	<0.01	<2	2	8	<20
CC111832		<1	0.07	10	0.43	935	1	<0.01	22	820	47	0.02	2	4	20	<20
CC111833		<1	0.05	10	0.45	617	1	<0.01	20	220	19	<0.01	<2	4	8	<20
CC111834		<1	0.05	10	0.42	502	1	<0.01	19	320	15	<0.01	<2	3	11	<20
CC111835		<1	0.05	20	0.46	698	1	<0.01	23	330	19	<0.01	3	6	13	<20
CC111836		<1	0.05	10	0.36	357	1	<0.01	14	170	16	<0.01	2	3	8	<20
CC111837		<1	0.06	10	0.41	395	<1	<0.01	21	220	13	<0.01	<2	3	8	<20
CC111838		<1	0.04	10	0.25	186	1	<0.01	12	150	12	<0.01	<2	2	8	<20
CC111839		1	0.05	10	0.41	595	1	<0.01	19	250	17	<0.01	<2	3	8	<20
CC111840		102	0.06	10	0.37	422	<1	<0.01	17	210	22	<0.01	4	3	8	<20
CC111841		1	0.07	10	0.40	2370	1	0.01	23	1020	63	0.02	2	5	24	<20
CC111842		1	0.05	20	0.19	12800	<1	<0.01	19	340	25	<0.01	4	8	11	<20
CC111843		1	0.07	10	0.46	1435	1	<0.01	22	990	19	0.04	<2	3	34	<20
CC111844		<1	0.06	10	0.64	627	<1	0.01	23	1240	22	0.09	<2	3	29	<20
CC111845		1	0.06	20	0.45	2290	1	<0.01	25	330	79	<0.01	4	5	12	<20
CC111846		<1	0.06	10	0.14	362	1	<0.01	9	360	11	<0.01	2	2	14	<20
CC111847		1	0.06	10	0.38	2670	1	0.01	18	820	23	0.01	2	4	21	<20
CC111848		<1	0.06	20	0.61	2050	2	0.01	32	980	41	<0.01	4	8	26	<20
CC111849		<1	0.05	20	0.43	4410	1	0.01	27	650	19	<0.01	2	5	16	<20
CC111850		<1	0.03	10	0.10	174	2	<0.01	6	210	9	<0.01	2	1	5	<20
CC111851		1	0.06	10	0.38	981	1	<0.01	30	280	26	<0.01	2	6	9	<20
CC111852		1	0.04	20	0.09	458	1	<0.01	7	210	16	<0.01	<2	2	5	<20
CC111853		<1	0.05	10	0.39	1105	1	<0.01	26	450	17	<0.01	3	5	14	<20
CC111854		1	0.04	10	0.35	6100	<1	0.01	20	1000	54	0.03	5	12	15	<20
CC111855		<1	0.05	10	0.34	4760	<1	0.01	24	1320	129	0.03	6	11	22	<20
CC111856		<1	0.05	10	0.35	1500	1	<0.01	20	560	51	<0.01	5	6	11	<20
CC111857		<1	0.04	10	0.28	1725	1	<0.01	10	310	39	<0.01	2	4	10	<20
CC111858		1	0.06	10	0.47	492	1	<0.01	25	730	41	0.01	<2	4	18	<20
CC111859		1	0.04	10	0.30	3480	2	<0.01	22	670	61	0.01	<2	11	12	<20
CC111860		<1	0.06	10	0.61	20800	16	<0.01	37	1220	30	0.08	9	14	28	<20
CC111861		<1	0.07	10	0.28	3160	2	<0.01	25	990	341	0.03	3	3	7	<20
CC111862		<1	0.08	10	0.23	8240	40	<0.01	40	1600	763	0.03	6	7	9	<20
CC111863		1	0.06	20	0.26	6370	3	<0.01	35	1490	706	0.02	4	6	7	<20
CC111864		<1	0.04	10	0.27	568	2	<0.01	19	520	39	<0.01	<2	3	7	<20
CC111865		<1	0.05	10	0.14	623	2	<0.01	7	640	33	0.02	<2	2	4	<20
CC111866		<1	0.06	10	1.35	1300	2	<0.01	17	620	46	0.03	4	4	32	<20
CC111867		<1	0.05	10	0.36	661	1	<0.01	14	450	28	0.02	3	3	25	<20
CC111868		<1	0.07	10	0.28	2220	2	<0.01	17	520	34	0.02	<2	5	11	<20
CC111869		<1	0.05	10	0.20	465	2	<0.01	10	320	18	<0.01	2	2	6	<20
CC111870		1	0.06	10	0.68	731	2	<0.01	17	450	30	0.01	<2	5	22	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
CC111831		0.02	<10	<10	41	<10	66
CC111832		0.02	<10	<10	37	<10	184
CC111833		0.01	<10	<10	41	<10	92
CC111834		0.02	<10	<10	41	<10	86
CC111835		0.02	<10	<10	47	<10	83
CC111836		0.02	<10	<10	50	<10	75
CC111837		0.01	<10	<10	35	<10	64
CC111838		0.02	<10	<10	49	<10	39
CC111839		0.01	<10	<10	33	<10	75
CC111840		0.01	<10	<10	43	<10	206
CC111841		0.01	<10	<10	28	<10	95
CC111842		0.01	<10	<10	27	<10	99
CC111843		0.02	<10	<10	34	<10	141
CC111844		0.01	<10	<10	28	<10	390
CC111845		0.01	<10	<10	25	<10	187
CC111846		0.03	<10	<10	40	<10	57
CC111847		0.02	<10	<10	38	<10	133
CC111848		0.01	<10	<10	32	<10	151
CC111849		0.02	<10	<10	38	<10	59
CC111850		0.04	<10	<10	54	<10	27
CC111851		0.01	<10	<10	48	<10	92
CC111852		0.02	<10	<10	51	<10	27
CC111853		0.01	<10	<10	45	<10	93
CC111854		0.01	<10	<10	74	<10	2100
CC111855		0.01	<10	<10	40	<10	510
CC111856		0.02	<10	<10	67	<10	298
CC111857		0.02	<10	<10	63	<10	122
CC111858		0.03	<10	<10	38	<10	161
CC111859		0.02	<10	<10	45	<10	144
CC111860		0.01	<10	<10	27	<10	540
CC111861		0.02	<10	<10	41	<10	277
CC111862		0.03	<10	<10	45	<10	624
CC111863		0.02	<10	<10	32	<10	374
CC111864		0.01	<10	<10	35	<10	91
CC111865		0.02	<10	<10	37	<10	96
CC111866		0.01	<10	<10	25	<10	187
CC111867		0.01	<10	<10	37	<10	91
CC111868		0.01	<10	<10	35	<10	103
CC111869		0.03	<10	<10	63	<10	70
CC111870		0.01	<10	<10	40	<10	101



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111871		0.24	2.8	1.97	14	<10	100	0.9	<2	0.09	<0.5	16	23	151	5.87	<10
CC111872		0.30	0.6	1.36	19	<10	220	0.9	<2	0.64	<0.5	15	18	52	4.08	<10
CC111873		0.28	0.5	1.59	13	<10	260	0.9	<2	0.47	<0.5	11	20	30	3.69	<10
CC111874		0.22	0.3	2.00	13	<10	150	0.7	<2	0.07	<0.5	12	25	18	4.03	10
CC111875		0.26	0.4	1.78	15	<10	190	1.0	<2	0.20	<0.5	14	22	28	4.06	<10
CC111876		0.32	0.3	1.72	17	<10	230	1.2	<2	0.17	<0.5	15	21	35	4.35	<10
CC111877		0.30	0.5	1.48	20	<10	180	1.2	2	1.82	<0.5	16	18	42	4.43	<10
CC111878		0.30	0.6	1.86	13	<10	220	1.3	<2	0.20	<0.5	12	26	22	6.13	<10
CC111879		0.28	0.2	2.04	15	<10	190	1.0	<2	0.10	<0.5	12	25	19	3.90	<10
CC111880		0.24	0.3	1.99	14	<10	260	0.9	<2	0.37	<0.5	12	28	20	3.60	10
CC111881		0.26	0.6	1.28	18	<10	160	1.2	<2	3.21	<0.5	16	14	53	4.07	<10
CC111882		0.22	0.6	1.19	19	<10	220	1.1	<2	0.91	<0.5	15	14	37	4.90	<10
CC111883		0.22	0.3	1.56	13	<10	220	0.9	<2	0.92	<0.5	11	23	23	3.74	<10
CC111884		0.16	0.5	1.21	12	<10	280	0.8	<2	1.45	1.0	11	18	24	2.88	10
CC111885		0.24	0.3	1.68	17	<10	150	0.9	<2	0.06	<0.5	14	22	29	4.48	<10
CC111886		0.30	0.4	1.79	12	<10	240	0.8	<2	0.18	<0.5	10	25	54	3.29	<10
CC111887		0.26	0.4	1.90	9	<10	220	0.5	<2	0.11	<0.5	6	24	23	2.70	10
CC111888		0.32	0.3	2.24	16	<10	140	1.4	<2	0.05	<0.5	17	24	95	4.60	<10
CC111889		0.24	0.6	1.55	15	<10	310	1.0	<2	0.93	<0.5	12	24	141	3.49	<10
CC111890		0.22	0.6	1.92	10	<10	310	0.7	<2	0.37	<0.5	9	26	35	2.72	10
CC111891		0.32	0.4	1.50	5	<10	220	0.5	<2	0.19	<0.5	6	17	37	2.56	<10
CC111892		0.22	0.3	1.03	9	<10	130	<0.5	<2	0.06	<0.5	6	15	15	2.13	10
CC111893		0.26	0.2	1.65	12	<10	150	0.7	<2	0.10	<0.5	11	17	21	3.68	<10
CC111894		0.32	0.3	1.70	15	<10	290	1.2	<2	0.53	<0.5	15	19	46	5.45	<10
CC111895		0.20	<0.2	0.87	24	<10	200	0.5	3	0.59	<0.5	23	13	50	3.22	<10
CC111896		0.22	0.4	1.31	23	<10	350	1.0	<2	0.78	<0.5	20	17	86	4.74	<10
CC111897		0.20	0.2	0.96	15	<10	110	<0.5	<2	0.08	<0.5	7	13	15	3.56	10
CC111898		0.32	<0.2	2.31	21	<10	130	1.0	<2	0.05	<0.5	16	26	29	4.51	10
CC111899		0.30	<0.2	2.30	25	<10	260	1.0	<2	0.17	<0.5	18	28	26	4.96	10
CC111900		0.24	0.3	1.79	18	<10	260	0.8	<2	0.31	2.2	14	26	32	3.98	<10
CC111905		0.30	0.4	0.97	21	<10	120	0.7	<2	1.67	0.7	25	11	47	4.12	<10
CC111907		0.30	<0.2	1.50	34	<10	120	0.7	<2	0.04	<0.5	19	17	56	4.57	<10
CC111908		0.22	2.3	2.85	37	<10	70	1.0	<2	0.67	5.9	33	48	151	7.15	10
CC111909		0.38	4.0	1.37	34	<10	50	<0.5	<2	0.13	0.7	11	24	39	3.91	<10
CC111910		0.26	0.4	1.03	62	<10	70	0.5	2	0.05	<0.5	21	28	74	5.57	<10
CC111911		0.26	1.8	1.37	89	<10	140	1.0	<2	1.11	1.1	20	23	59	5.93	<10
CC111912		0.26	<0.2	1.52	19	<10	170	<0.5	3	0.42	<0.5	7	23	21	2.87	10
CC111913		0.30	0.7	1.60	26	<10	310	0.9	<2	0.71	5.4	24	34	86	6.70	10
CC111914		0.14	1.8	1.65	39	<10	30	0.8	<2	0.28	1.3	31	146	167	5.14	<10
CC111915		0.36	0.5	2.71	17	<10	60	2.8	<2	0.60	3.9	54	323	162	9.16	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111871		<1	0.04	10	0.21	4540	2	<0.01	13	580	27	0.01	2	3	7	<20
CC111872		<1	0.06	10	0.40	1600	2	<0.01	25	440	35	0.02	3	6	25	<20
CC111873		1	0.06	10	0.37	936	2	<0.01	19	450	28	0.01	<2	5	17	<20
CC111874		<1	0.05	10	0.26	844	2	<0.01	13	280	23	<0.01	<2	4	7	<20
CC111875		1	0.07	10	0.32	1100	2	<0.01	23	410	34	<0.01	<2	6	11	<20
CC111876		1	0.07	10	0.35	1045	2	<0.01	28	430	38	<0.01	<2	6	10	<20
CC111877		1	0.07	10	0.91	1100	2	<0.01	28	660	38	0.01	<2	8	38	<20
CC111878		1	0.05	20	0.36	1420	2	<0.01	27	570	24	0.01	<2	6	16	<20
CC111879		<1	0.05	10	0.36	521	2	<0.01	22	170	31	<0.01	<2	4	8	<20
CC111880		<1	0.06	10	0.48	719	2	<0.01	23	470	25	<0.01	<2	5	19	<20
CC111881		1	0.10	10	1.37	1050	3	<0.01	31	500	39	0.02	<2	7	54	<20
CC111882		1	0.08	10	0.51	1495	3	<0.01	28	390	53	0.01	2	8	24	<20
CC111883		<1	0.06	10	0.44	1200	2	<0.01	20	880	21	0.04	<2	4	32	<20
CC111884		1	0.05	10	0.40	1095	2	<0.01	17	1210	70	0.10	2	3	39	<20
CC111885		1	0.05	10	0.29	943	2	<0.01	18	290	28	<0.01	3	4	7	<20
CC111886		1	0.05	10	0.40	514	2	<0.01	21	400	22	<0.01	<2	4	13	<20
CC111887		1	0.04	10	0.26	357	2	<0.01	9	260	16	<0.01	<2	3	10	<20
CC111888		<1	0.06	10	0.35	704	2	<0.01	27	340	37	<0.01	<2	6	6	<20
CC111889		1	0.07	10	0.46	846	1	<0.01	20	760	22	0.04	2	4	29	<20
CC111890		<1	0.05	10	0.38	538	1	<0.01	15	650	16	0.01	<2	3	17	<20
CC111891		<1	0.04	10	0.18	692	1	<0.01	7	440	18	<0.01	<2	3	12	<20
CC111892		1	0.04	10	0.14	420	2	<0.01	6	290	17	<0.01	<2	2	7	<20
CC111893		<1	0.06	10	0.31	579	2	<0.01	15	220	22	<0.01	3	3	6	<20
CC111894		<1	0.06	20	0.44	1550	2	0.01	36	650	37	0.03	5	6	19	<20
CC111895		<1	0.05	10	0.21	439	1	0.01	19	750	18	0.06	9	2	19	<20
CC111896		1	0.07	10	0.49	1240	2	0.01	32	580	36	0.06	3	5	18	<20
CC111897		<1	0.08	10	0.12	655	1	0.01	12	460	42	0.03	3	2	8	<20
CC111898		<1	0.05	10	0.37	563	1	0.01	26	320	34	0.02	4	3	5	<20
CC111899		<1	0.06	10	0.48	1145	1	0.01	26	320	31	0.02	3	5	9	<20
CC111900		<1	0.05	10	0.50	787	1	0.01	25	520	135	0.03	<2	5	14	<20
CC111905		<1	0.04	10	1.06	1680	1	0.01	31	460	83	0.02	6	5	18	<20
CC111907		<1	0.06	10	0.24	767	1	<0.01	22	350	114	0.02	7	3	7	<20
CC111908		<1	0.05	10	1.75	1630	3	0.01	76	1070	231	0.06	8	14	7	<20
CC111909		1	0.05	10	0.40	896	2	0.01	26	990	613	0.02	11	2	11	<20
CC111910		<1	0.07	10	0.16	1990	6	0.01	41	1410	66	0.05	8	2	5	<20
CC111911		<1	0.06	10	0.49	3420	12	0.01	94	1620	83	0.10	4	4	19	<20
CC111912		1	0.04	10	0.44	583	6	0.01	17	420	49	0.03	4	2	11	<20
CC111913		<1	0.07	10	0.58	1805	4	0.01	43	930	114	0.05	3	11	11	<20
CC111914		<1	0.03	<10	1.12	1185	<1	0.01	85	490	406	0.04	6	17	3	<20
CC111915		1	0.02	10	1.92	3750	1	0.01	176	360	491	0.02	6	50	7	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
CC111871		0.03	<10	<10	50	<10	206
CC111872		0.01	<10	<10	35	<10	126
CC111873		0.01	<10	<10	41	<10	103
CC111874		0.01	<10	<10	54	<10	89
CC111875		0.01	<10	<10	43	<10	106
CC111876		0.01	<10	<10	34	<10	119
CC111877		0.01	<10	<10	31	<10	208
CC111878		0.02	<10	<10	44	<10	84
CC111879		0.01	<10	<10	50	<10	79
CC111880		0.02	<10	<10	52	<10	80
CC111881		<0.01	<10	<10	25	<10	144
CC111882		<0.01	<10	<10	29	<10	165
CC111883		0.02	<10	<10	41	<10	90
CC111884		0.01	<10	<10	29	<10	207
CC111885		0.01	<10	<10	40	<10	87
CC111886		0.02	<10	<10	50	<10	76
CC111887		0.03	<10	<10	65	<10	51
CC111888		0.01	<10	<10	36	<10	96
CC111889		0.02	<10	<10	37	<10	99
CC111890		0.02	<10	<10	51	<10	65
CC111891		0.01	<10	<10	43	<10	32
CC111892		0.03	<10	<10	41	<10	32
CC111893		0.01	<10	<10	32	<10	78
CC111894		0.01	<10	<10	33	<10	109
CC111895		0.02	<10	<10	28	<10	73
CC111896		0.01	<10	<10	30	<10	127
CC111897		0.02	<10	<10	55	<10	72
CC111898		0.02	10	<10	47	<10	122
CC111899		0.01	<10	<10	58	<10	104
CC111900		0.02	<10	<10	50	<10	592
CC111905		<0.01	<10	<10	23	<10	239
CC111907		0.01	<10	<10	32	<10	258
CC111908		0.01	10	<10	137	<10	1625
CC111909		0.02	<10	<10	37	<10	347
CC111910		0.02	<10	<10	72	<10	242
CC111911		0.02	<10	<10	42	<10	258
CC111912		0.04	<10	<10	73	<10	107
CC111913		0.01	<10	<10	94	<10	930
CC111914		<0.01	<10	<10	91	<10	354
CC111915		<0.01	<10	<10	146	<10	823



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111916		0.28	1.1	1.20	64	<10	100	0.7	2	0.16	2.7	24	80	62	8.17	<10
CC111917		0.22	0.9	1.67	23	<10	180	0.5	<2	0.50	1.0	9	35	37	3.55	10
CC111918		0.28	1.1	1.69	54	<10	100	0.9	<2	0.23	0.9	18	33	99	5.13	<10
CC111919		0.24	<0.2	2.39	22	<10	160	0.6	2	0.15	0.6	9	36	31	3.70	10
CC111920		0.36	2.3	0.84	174	<10	70	0.8	4	0.10	1.5	41	17	109	9.06	<10
CC111921		0.46	12.0	0.48	233	<10	160	2.3	10	0.07	7.6	173	15	1315	12.65	<10
CC111922		0.28	0.8	1.33	15	<10	100	<0.5	2	0.08	<0.5	9	22	25	4.20	<10
CC111923		0.26	<0.2	0.90	25	<10	50	<0.5	<2	0.06	<0.5	14	15	36	4.98	<10
CC111924		0.32	0.3	1.58	20	<10	130	0.6	<2	0.31	0.6	22	25	32	4.33	10
CC111925		0.32	1.2	1.42	32	<10	60	0.6	<2	0.07	0.5	25	19	58	4.73	<10
CC111926		0.26	<0.2	1.47	29	<10	80	0.7	<2	0.15	0.5	17	22	45	3.98	10
CC111927		0.26	0.2	1.59	28	<10	150	0.5	<2	0.22	0.5	8	25	38	3.32	<10
CC111928		0.16	0.5	1.35	40	<10	170	0.5	<2	0.90	5.7	18	24	162	3.76	<10
CC111929		0.22	<0.2	0.93	36	<10	100	<0.5	2	0.10	1.1	13	20	24	4.17	10
CC111930		0.30	0.2	1.73	33	<10	100	1.1	3	0.08	<0.5	16	24	40	4.49	10
CC111931		0.22	<0.2	0.92	19	<10	80	<0.5	<2	0.06	<0.5	6	17	16	3.52	10
CC111932		0.36	5.3	2.08	28	<10	140	1.0	<2	0.13	0.7	21	30	100	4.22	<10
CC111933		0.34	2.3	1.94	91	<10	70	1.1	3	0.06	0.9	67	26	136	7.45	<10
CC111934		0.26	1.9	1.64	232	<10	190	1.2	<2	0.30	1.9	101	24	266	12.15	<10
CC111935		0.24	2.2	1.19	62	<10	180	1.0	3	1.01	1.3	34	16	124	6.61	<10
CC111936		0.24	<0.2	1.24	20	<10	90	<0.5	<2	0.14	<0.5	13	20	14	4.10	10
CC111937		0.26	1.9	1.76	42	<10	60	0.7	<2	0.04	<0.5	26	22	99	5.32	<10
CC111938		0.28	1.1	1.64	35	<10	190	0.9	2	0.15	<0.5	19	19	58	4.89	<10
CC111939		0.22	0.2	1.33	25	<10	100	0.6	<2	0.09	0.8	14	20	45	4.26	<10
CC111940		0.22	0.2	1.21	31	<10	50	0.8	<2	0.06	0.5	18	15	55	4.13	<10
CC111941		0.30	<0.2	1.89	14	<10	100	0.6	<2	0.04	<0.5	11	24	28	3.70	10
CC111952		0.12	0.3	1.65	21	<10	180	1.4	2	0.97	6.5	37	18	97	6.72	<10
CC111953		0.22	<0.2	0.52	46	<10	90	0.8	<2	0.05	0.5	68	11	91	6.09	<10
CC111954		0.16	<0.2	1.36	22	<10	110	0.6	2	0.09	<0.5	16	19	55	4.19	10
CC111955		0.18	<0.2	1.73	22	<10	130	0.8	2	0.06	0.6	19	20	54	4.54	<10
CC111956		0.18	<0.2	1.60	28	<10	90	0.7	<2	0.02	<0.5	18	17	71	4.50	<10
CC111957		0.24	<0.2	1.68	23	<10	100	0.7	<2	0.05	<0.5	11	22	43	3.61	10
CC111958		0.22	<0.2	1.07	17	<10	140	0.5	<2	0.11	<0.5	8	20	35	4.88	10
CC111959		0.20	<0.2	1.48	20	<10	120	0.7	<2	0.07	0.6	14	22	65	3.94	10
CC111960		0.16	<0.2	1.48	49	<10	110	1.9	2	0.09	0.8	34	20	131	7.10	<10
CC111961		0.16	0.5	1.59	46	<10	170	1.7	2	0.16	1.3	51	20	146	8.82	<10
CC111962		0.10	1.0	1.62	55	<10	150	2.1	2	0.06	0.8	94	21	192	9.23	<10
CC111963		0.18	<0.2	1.57	94	<10	90	1.0	3	0.08	<0.5	35	21	255	5.11	<10
CC111964		0.12	<0.2	1.53	32	<10	140	0.9	<2	0.16	0.8	20	21	54	5.04	<10
CC111965		0.18	0.6	1.36	38	<10	220	1.1	2	0.15	2.9	65	21	307	10.50	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111916		<1	0.06	10	0.30	6000	5	0.01	63	1020	227	0.07	4	11	8	<20
CC111917		<1	0.05	10	0.46	890	1	0.01	25	550	51	0.02	<2	4	12	<20
CC111918		<1	0.06	10	0.61	1370	3	0.01	48	650	188	0.03	5	6	10	<20
CC111919		<1	0.06	10	0.63	402	1	0.01	25	280	34	0.01	<2	4	12	<20
CC111920		<1	0.07	20	0.25	3230	9	0.01	66	1090	176	0.06	13	4	6	<20
CC111921		<1	0.08	20	0.08	7670	12	0.01	148	1370	287	0.06	40	6	5	<20
CC111922		<1	0.04	10	0.24	759	1	0.01	15	460	28	0.03	6	2	7	<20
CC111923		<1	0.04	10	0.17	1160	1	0.01	13	730	80	0.03	4	2	5	<20
CC111924		<1	0.08	10	0.46	1325	1	0.01	24	520	91	0.03	3	3	11	<20
CC111925		<1	0.06	20	0.40	1520	1	0.01	24	730	193	0.02	13	3	5	<20
CC111926		<1	0.06	10	0.52	907	4	0.01	35	600	116	0.02	6	2	7	<20
CC111927		1	0.04	10	0.35	323	5	0.01	31	1410	41	0.09	3	1	14	<20
CC111928		<1	0.05	10	0.45	1885	3	0.01	29	1070	194	0.08	7	4	14	<20
CC111929		<1	0.05	10	0.16	1360	5	0.01	28	780	60	0.06	2	1	7	<20
CC111930		1	0.06	10	0.34	842	1	0.01	23	760	39	0.07	6	3	6	<20
CC111931		1	0.04	10	0.14	412	2	0.01	13	310	31	0.02	3	2	6	<20
CC111932		1	0.06	10	0.41	857	3	0.01	32	490	58	0.03	9	3	10	<20
CC111933		<1	0.08	10	0.49	1740	13	0.01	74	1540	128	0.15	10	5	6	<20
CC111934		<1	0.11	10	0.59	3290	29	0.02	244	2340	115	0.26	22	10	14	<20
CC111935		<1	0.06	10	0.35	2380	21	0.01	110	1440	120	0.10	14	4	24	<20
CC111936		<1	0.04	10	0.33	374	2	0.01	19	250	32	0.01	6	2	7	<20
CC111937		<1	0.04	10	0.39	1215	2	<0.01	34	530	119	0.02	14	3	2	<20
CC111938		<1	0.08	10	0.45	944	2	0.01	29	570	74	0.02	5	4	6	<20
CC111939		<1	0.05	10	0.34	745	1	0.01	24	460	58	0.02	4	2	7	<20
CC111940		1	0.04	10	0.43	1245	3	0.01	30	600	80	0.02	11	3	3	<20
CC111941		<1	0.05	10	0.32	602	1	0.01	18	440	24	0.02	6	3	5	<20
CC111952		<1	0.06	10	0.41	4560	1	0.01	30	2600	24	0.15	6	4	15	<20
CC111953		<1	0.06	10	0.08	4970	2	0.01	65	1160	250	0.05	4	4	2	<20
CC111954		1	0.07	10	0.55	820	1	0.01	26	450	51	0.03	2	3	5	<20
CC111955		1	0.08	10	0.63	943	1	0.01	30	720	50	0.03	5	3	4	<20
CC111956		<1	0.07	20	0.62	957	1	0.01	30	440	39	0.02	3	3	2	<20
CC111957		<1	0.05	10	0.38	736	1	0.01	19	620	46	0.04	<2	1	5	<20
CC111958		<1	0.04	10	0.13	1475	2	0.01	13	590	23	0.04	4	2	8	<20
CC111959		<1	0.05	10	0.35	983	1	0.01	20	720	60	0.05	5	1	7	<20
CC111960		<1	0.05	20	0.33	2740	7	0.01	46	1010	79	0.05	8	5	6	<20
CC111961		<1	0.05	10	0.28	5210	2	0.01	36	1480	130	0.08	2	4	7	<20
CC111962		<1	0.05	10	0.27	7530	2	0.01	19	2550	424	0.16	7	5	8	<20
CC111963		<1	0.04	10	0.49	1815	1	0.01	26	900	40	0.05	6	2	6	<20
CC111964		<1	0.05	10	0.38	1810	1	0.01	27	960	38	0.07	4	1	7	<20
CC111965		<1	0.07	20	0.26	8190	1	0.01	41	2690	176	0.05	7	6	8	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
CC111916		0.01	<10	<10	65	<10	440
CC111917		0.02	<10	<10	60	<10	253
CC111918		0.02	<10	<10	51	<10	532
CC111919		0.05	<10	<10	68	<10	438
CC111920		0.01	<10	<10	42	<10	392
CC111921		<0.01	<10	<10	20	<10	1435
CC111922		0.05	<10	<10	69	<10	91
CC111923		0.03	<10	<10	56	<10	127
CC111924		0.03	<10	<10	48	<10	208
CC111925		0.03	<10	<10	42	<10	237
CC111926		0.02	<10	<10	37	<10	272
CC111927		0.03	10	<10	52	<10	133
CC111928		0.02	<10	<10	49	<10	634
CC111929		0.03	<10	<10	72	<10	209
CC111930		0.02	<10	<10	48	<10	118
CC111931		0.06	<10	<10	70	<10	66
CC111932		0.04	<10	<10	56	<10	254
CC111933		0.01	<10	<10	55	<10	304
CC111934		0.01	<10	<10	78	<10	410
CC111935		0.01	<10	<10	44	<10	286
CC111936		0.02	<10	<10	46	<10	103
CC111937		0.01	<10	<10	26	<10	314
CC111938		0.01	10	<10	30	<10	258
CC111939		0.02	<10	<10	39	<10	210
CC111940		0.01	<10	<10	23	<10	260
CC111941		0.02	<10	<10	51	<10	76
CC111952		0.02	<10	<10	31	<10	541
CC111953		0.01	10	<10	26	<10	167
CC111954		0.02	<10	<10	41	<10	189
CC111955		0.01	<10	<10	37	<10	181
CC111956		0.01	<10	<10	36	<10	152
CC111957		0.02	<10	<10	56	<10	128
CC111958		0.04	<10	<10	68	<10	86
CC111959		0.02	<10	<10	53	<10	137
CC111960		0.01	10	<10	35	<10	218
CC111961		0.02	10	<10	45	<10	254
CC111962		0.02	<10	<10	47	<10	142
CC111963		0.02	<10	<10	37	<10	101
CC111964		0.02	<10	<10	47	<10	204
CC111965		0.03	<10	<10	49	<10	455



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
CC111966		0.20	0.4	1.25	35	<10	170	1.6	3	0.15	3.4	48	23	112	13.00	<10
CC111967		0.26	12.1	0.96	60	<10	110	2.2	2	0.08	6.9	86	12	526	12.20	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111966		<1	0.05	10	0.24	6550	1	0.01	64	1640	32	0.05	9	7	6	<20
CC111967		1	0.05	30	0.33	9000	6	0.01	75	1650	2300	0.04	38	11	6	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 6 - C
Total # Pages: 6 (A - C)
Finalized Date: 21- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10130418

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC111966		0.02	<10	<10	55	<10	529
CC111967		0.02	10	<10	27	<10	1630



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 1- OCT- 2010
Account: MTT

CERTIFICATE VA10130419

Project: RUSTY

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
Pb- VOL70	Pb by Titration	
Zn- VOL50	Zn by titration	
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 1- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130419

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
G285906		0.86	<0.001	0.2	0.06	13	<10	20	<0.5	2	1.26	<0.5	6	6	20	2.29
G285907		0.56	0.024	16.6	0.28	7	<10	20	<0.5	2	2.11	<0.5	7	7	>10000	3.44
G285908		0.52	0.118	5.6	0.13	411	<10	20	<0.5	31	0.65	<0.5	143	5	2000	7.97
G285909		0.52	0.004	2.7	0.11	11	<10	20	<0.5	<2	5.19	<0.5	14	6	2850	5.22
G285910		0.38	0.015	81.8	0.49	67	<10	50	1.5	<2	0.12	746	144	4	1170	18.7
G285911		0.50	0.001	1.1	1.29	63	<10	30	0.5	<2	5.69	4.3	25	45	30	8.45
G285912		0.68	0.426	>100	0.30	2060	<10	20	<0.5	196	0.08	10.5	31	7	>10000	28.0
G285913		1.08	0.005	5.5	2.55	90	<10	30	0.6	<2	2.13	6.0	61	3	162	7.60
G285914		0.32	<0.001	<0.2	1.59	32	<10	50	1.1	<2	0.47	0.5	54	89	49	9.66
G285915		0.78	0.008	5.7	2.45	185	<10	30	1.1	<2	1.67	0.5	44	<1	173	11.00
G285916		0.44	0.001	2.4	0.64	104	<10	50	0.9	<2	2.40	36.5	28	38	180	8.21
G285917		0.68	0.001	4.9	0.53	44	<10	70	2.6	<2	3.83	13.1	53	35	110	29.9
G285918		1.54	<0.001	8.2	0.70	122	<10	70	1.1	<2	1.48	62.6	31	93	116	15.0
285919		1.00	0.002	>100	0.47	102	<10	20	0.9	2	0.20	234	23	57	439	9.28
G285920		1.10	<0.001	1.7	1.43	92	<10	40	1.1	<2	4.19	12.2	34	180	55	7.82
G285921		0.68	<0.001	1.5	0.39	14	<10	20	0.5	<2	0.31	1.6	6	9	14	6.02
G285922		0.82	0.097	4.8	0.27	49	<10	30	<0.5	<2	4.91	449	43	4	331	6.03
G285923		0.68	0.029	37.6	0.86	652	<10	20	0.6	4	0.78	180.0	16	79	901	18.8
G285924		0.14	0.002	2.7	0.23	39	<10	10	0.6	<2	10.5	22.0	17	22	67	6.03
G285925		0.60	0.022	9.8	0.09	<2	<10	10	<0.5	2	0.10	>1000	81	<1	152	3.39
G285926		0.50	0.016	9.6	0.07	3	<10	10	<0.5	<2	6.6	>1000	60	<1	164	5.03
G285927		0.52	0.013	7.6	0.08	<2	<10	40	<0.5	<2	0.14	>1000	107	<1	176	16.2
G285928		0.30	<0.001	0.3	3.35	18	<10	30	0.7	<2	0.11	51.7	37	123	60	9.40
G285929		0.62	0.017	13.6	0.03	<2	<10	10	<0.5	<2	4.58	>1000	50	<1	73	5.35
G285930		0.76	0.020	16.4	0.06	<2	<10	30	<0.5	<2	2.94	>1000	54	<1	100	5.51
G285931		0.46	<0.001	1.6	0.33	109	<10	100	0.6	<2	0.12	16.9	37	5	27	14.1
G285932		0.76	0.015	7.5	0.18	26	<10	20	<0.5	14	12.4	2.8	49	1	2040	7.77
G285933		0.38	0.005	7.8	0.07	42	<10	10	<0.5	<2	0.17	60.3	50	4	3040	2.73
G285934		0.58	0.003	9.2	0.05	51	<10	10	<0.5	<2	0.83	115.5	93	5	883	3.42
G285935		0.66	0.003	3.9	0.44	12	<10	20	<0.5	<2	4.78	102.5	34	6	1455	6.53
G285936		0.14	<0.001	0.7	1.08	30	<10	250	0.5	<2	0.76	3.0	24	6	42	9.68
G285937		0.24	<0.001	<0.2	1.40	2	<10	50	<0.5	<2	5.45	0.9	15	14	60	8.01
G285938		1.02	0.003	5.3	0.30	30	<10	40	<0.5	<2	5.25	282	61	3	1865	7.06
G285939		0.12	0.014	>100	0.27	25	<10	20	<0.5	549	0.12	30.4	15	2	>10000	13.00
G285940		0.50	0.015	>100	0.25	72	<10	30	0.6	8	0.12	>1000	136	<1	2920	16.6
G285941		0.42	0.022	>100	0.31	45	<10	20	<0.5	2	0.15	>1000	9	3	1075	2.60
G285942		0.32	0.012	>100	0.11	27	<10	10	<0.5	5	0.01	91.6	1	2	1555	0.90
G285943		0.92	<0.001	3.6	0.03	5	<10	20	<0.5	<2	0.09	24.3	6	8	54	2.90
G285944		0.30	0.003	4.6	0.07	4	<10	10	<0.5	<2	0.03	10.1	13	10	2730	1.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 1- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130419

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
G285906		<10	<1	0.03	<10	0.39	1070	<1	0.01	8	10	9	0.09	<2	2	5
G285907		<10	<1	0.14	<10	0.35	468	1	0.02	16	110	6	1.38	2	3	5
G285908		<10	<1	0.07	<10	0.23	335	6	0.02	814	70	76	5.6	17	1	2
G285909		<10	<1	0.04	<10	1.45	3260	<1	0.02	18	30	12	0.29	<2	4	14
G285910		<10	17	0.12	<10	0.22	22200	7	0.01	101	210	>10000	2.27	174	9	5
G285911		<10	1	0.23	<10	2.77	2980	<1	0.01	50	490	85	0.05	6	23	17
G285912		<10	19	0.15	<10	0.04	667	6	0.01	109	110	1765	0.18	5250	17	2
G285913		<10	<1	0.17	10	2.08	1685	<1	0.01	31	810	168	0.07	17	16	12
G285914		<10	<1	0.04	10	0.92	1755	<1	0.01	86	580	14	0.01	3	38	3
G285915		10	1	0.18	10	1.70	2430	<1	0.01	13	740	31	0.04	14	34	7
G285916		<10	1	0.35	<10	0.71	4980	<1	0.01	48	280	934	0.11	4	29	7
G285917		<10	<1	0.21	<10	0.62	17200	27	0.01	104	190	544	0.01	22	31	16
G285918		<10	<1	0.33	<10	1.07	11250	<1	0.02	91	170	1665	0.14	7	35	8
285919		<10	2	0.32	<10	1.40	7680	<1	0.02	64	140	>10000	3.74	74	30	<1
G285920		<10	<1	0.25	<10	2.90	3810	<1	0.02	108	180	462	0.12	<2	34	17
G285921		<10	<1	0.25	20	0.17	5140	<1	0.01	47	740	182	0.01	5	5	2
G285922		<10	3	0.17	10	1.92	5910	<1	0.02	73	280	1590	2.98	15	8	10
G285923		<10	3	0.17	<10	1.20	15700	<1	0.02	44	130	>10000	0.70	23	28	6
G285924		<10	1	0.15	<10	4.49	8590	<1	0.02	15	30	991	0.41	<2	25	19
G285925		10	24	0.03	<10	0.05	6240	<1	0.01	23	20	1095	>10.0	31	<1	<1
G285926		<10	11	0.03	<10	2.49	8960	<1	0.02	36	10	892	>10.0	21	1	13
G285927		<10	10	0.04	<10	0.05	33900	<1	0.02	129	20	691	7.4	28	6	1
G285928		10	<1	0.17	<10	2.19	1650	<1	0.01	91	430	105	0.23	<2	27	2
G285929		<10	341	0.01	<10	1.57	2220	<1	0.02	16	10	110	6.7	<2	<1	181
G285930		<10	387	0.02	<10	0.92	2070	<1	0.02	19	20	3030	7.7	<2	<1	101
G285931		<10	5	0.23	10	0.18	13500	<1	0.01	53	380	94	0.15	9	5	22
G285932		<10	1	0.11	10	3.11	29100	<1	0.02	12	600	100	0.85	<2	2	198
G285933		<10	20	0.04	<10	0.09	681	<1	0.01	13	260	264	0.51	3	1	3
G285934		<10	26	0.04	<10	0.21	1105	<1	0.01	14	210	153	1.91	14	1	5
G285935		<10	19	0.07	<10	1.59	3590	<1	0.01	7	280	81	1.09	<2	5	22
G285936		<10	<1	0.62	<10	0.14	5450	<1	0.02	15	1440	136	0.03	<2	22	6
G285937		<10	<1	0.13	10	2.17	4690	<1	0.01	14	240	17	0.04	<2	6	52
G285938		<10	34	0.16	<10	1.67	2810	<1	0.02	5	640	977	2.69	<2	20	78
G285939		<10	8	0.09	<10	0.09	226	<1	0.02	26	110	>10000	6.3	385	5	6
G285940		<10	34	0.08	<10	0.33	16800	<1	0.01	104	80	>10000	0.19	217	2	4
G285941		10	239	0.10	<10	0.18	2250	<1	0.01	8	200	>10000	0.33	180	2	3
G285942		<10	11	0.08	<10	0.01	461	2	<0.01	1	40	>10000	9.1	1330	2	3
G285943		<10	1	0.01	<10	0.04	2790	1	0.01	8	30	1950	0.03	6	2	3
G285944		<10	2	0.03	<10	0.03	572	1	0.01	8	60	740	0.27	2	1	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 1- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10130419

Sample Description	Method Analyte Units LOR	ME- ICP41 Th ppm 20	ME- ICP41 Ti % 0.01	ME- ICP41 Tl ppm 10	ME- ICP41 U ppm 10	ME- ICP41 V ppm 1	ME- ICP41 W ppm 10	ME- ICP41 Zn ppm 2	Ag- OG46 Ag ppm 1	Cu- OG46 Cu % 0.001	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	Ag- GRA21 Ag ppm 5	Pb- VOL70 Pb % 0.01	Zn- VOL50 Zn % 0.01
G285906		<20	<0.01	<10	<10	2	<10	100							
G285907		<20	<0.01	<10	<10	4	<10	25		1.840					
G285908		<20	<0.01	<10	<10	4	<10	52							
G285909		<20	<0.01	<10	<10	4	<10	158							
G285910		<20	<0.01	<10	10	19	30	>10000			1.515	15.30			
G285911		<20	<0.01	<10	<10	123	<10	1205							
G285912		<20	<0.01	<10	10	37	<10	2410	>1500	1.185			1595		
G285913		<20	<0.01	<10	<10	197	<10	1380							
G285914		<20	<0.01	<10	<10	305	<10	192							
G285915		<20	0.02	<10	<10	306	<10	235							
G285916		<20	<0.01	<10	<10	64	<10	8370							
G285917		<20	<0.01	<10	10	111	<10	3350							
G285918		<20	<0.01	<10	<10	52	20	>10000				1.695			
285919		<20	<0.01	<10	<10	33	10	>10000	106		4.23	7.24			
G285920		<20	<0.01	<10	<10	79	<10	2890							
G285921		<20	<0.01	<10	<10	35	<10	376							
G285922		<20	<0.01	<10	<10	27	<10	>10000				7.06			
G285923		<20	<0.01	<10	<10	45	30	>10000			1.565	5.81			
G285924		<20	<0.01	<10	<10	16	<10	6700							
G285925		<20	<0.01	<10	<10	7	<10	>10000				>30.0			53.78
G285926		<20	<0.01	<10	<10	11	10	>10000				>30.0			38.15
G285927		<20	<0.01	<10	<10	23	<10	>10000				>30.0			36.85
G285928		<20	<0.01	<10	<10	252	<10	7820							
G285929		<20	<0.01	<10	<10	2	10	>10000				>30.0			44.10
G285930		<20	<0.01	<10	<10	2	20	>10000				>30.0			46.76
G285931		<20	<0.01	<10	<10	13	<10	3940							
G285932		<20	<0.01	<10	10	3	<10	627							
G285933		<20	<0.01	<10	<10	7	10	>10000				1.885			
G285934		<20	<0.01	<10	<10	6	<10	>10000				3.23			
G285935		<20	<0.01	<10	<10	39	<10	>10000				2.97			
G285936		<20	<0.01	<10	<10	83	<10	669							
G285937		<20	<0.01	<10	<10	30	<10	293							
G285938		<20	<0.01	<10	<10	24	10	>10000				6.40			
G285939		<20	<0.01	<10	<10	17	10	5940	397	10.05	>20.0			24.49	
G285940		<20	<0.01	<10	10	8	20	>10000	121		1.440	19.85			
G285941		<20	<0.01	<10	10	5	20	>10000	201		8.09	20.4			
G285942		<20	<0.01	<10	10	3	20	>10000	611		>20.0	1.075		62.81	
G285943		<20	<0.01	<10	<10	1	<10	5600							
G285944		<20	<0.01	<10	<10	1	<10	1590							



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE VA10137369

Project: RUSTY

P.O. No.:

This report is for 8 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137369

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
G286106			44.3	0.09	183.5	<0.2	<10	70	0.05	0.07	6.04	>1000	1.47	2.7	8	0.09
G286107			90.4	0.11	2960	<0.2	<10	30	0.05	0.14	0.74	>1000	1.03	1.0	1	0.14
G286108			36.5	0.10	826	<0.2	<10	20	0.06	0.15	7.25	>1000	0.94	1.5	1	0.10
G286109		3290	>100	0.03	315	<0.2	<10	10	0.31	0.42	0.12	919	0.57	0.5	1	0.08
G286110			22.7	0.03	242	<0.2	<10	20	0.06	0.26	15.65	275	0.65	0.5	1	<0.05
G286111			1.21	0.04	43	<0.2	<10	10	0.06	0.01	18.85	9.38	0.65	0.6	<1	<0.05
G286112			77.4	0.07	147.0	<0.2	<10	10	<0.05	0.17	3.20	>1000	0.63	2.0	1	0.10
G286113			4.21	0.03	136	<0.2	<10	10	<0.05	0.06	17.10	242	0.63	2.2	<1	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137369

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
G286106		265	6.17	6.41	0.12	0.04	25.5	0.053	0.02	0.4	0.6	2.60	13450	1.22	0.01
G286107		502	12.45	3.33	0.50	0.03	24.4	0.031	0.04	0.4	0.9	0.38	11500	0.81	0.01
G286108		258	10.35	3.35	0.15	0.03	20.9	0.015	0.02	0.4	0.7	3.10	26500	0.47	0.02
G286109		>10000	0.89	1.70	0.16	<0.02	19.00	0.363	0.01	1.1	0.5	0.07	799	0.32	<0.01
G286110		78.4	4.05	0.80	0.05	<0.02	6.18	0.027	0.01	0.2	0.7	8.05	10200	0.20	0.02
G286111		7.3	0.46	0.12	<0.05	<0.02	0.15	<0.005	0.01	0.3	1.1	12.15	879	0.10	0.02
G286112		244	3.39	3.87	0.23	<0.02	86.9	0.138	0.01	0.2	1.0	1.75	6150	0.33	0.01
G286113		35.0	4.67	2.48	0.08	<0.02	10.05	0.029	<0.01	0.2	0.4	8.69	8070	0.10	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137369

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
G286106		3.3	700	6040	1.2	<0.001	0.81	160.0	1.6	17.2	74.3	10.3	<0.01	0.03	0.3
G286107		2.5	440	8190	1.6	0.001	0.39	371	0.9	18.8	42.2	3.8	<0.01	0.03	0.2
G286108		1.8	380	3580	1.1	0.001	2.52	440	0.9	13.7	47.2	14.9	<0.01	0.02	0.2
G286109		1.2	20	>10000	0.6	0.001	8.29	>10000	0.2	5.5	20.6	10.6	<0.01	0.03	<0.2
G286110		2.0	250	8020	0.3	<0.001	0.91	148.0	0.4	5.0	9.7	23.4	<0.01	0.01	<0.2
G286111		3.0	230	199.5	0.3	<0.001	0.04	42.6	0.3	0.3	0.2	25.5	<0.01	<0.01	<0.2
G286112		3.1	230	1375	1.0	<0.001	0.51	189.0	0.7	23.6	29.7	6.3	<0.01	0.04	<0.2
G286113		<0.2	280	93.2	0.2	<0.001	3.57	26.3	0.2	4.0	1.8	29.2	<0.01	0.01	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137369

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Cu- OG46 Cu % 0.001	Zn- OG46 Zn % 0.001
G286106		0.04	0.90	6	0.42	4.12	>10000	1.5				28.2
G286107		0.08	1.10	3	0.68	2.10	>10000	1.1				29.4
G286108		0.04	0.88	4	24.8	3.85	>10000	1.4				19.20
G286109		0.42	6.77	1	0.20	0.20	>10000	<0.5	>1500	>20.0	1.310	7.04
G286110		<0.02	0.31	2	0.10	2.41	>10000	<0.5				7.17
G286111		<0.02	0.25	2	0.08	0.90	1070	<0.5				
G286112		0.06	0.44	2	0.21	2.38	>10000	0.8				>30.0
G286113		<0.02	0.17	1	<0.05	2.53	>10000	<0.5				4.89



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137369

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- OCT- 2010
Account: MTT

CERTIFICATE VA10137480

Project: RUSTY

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137480

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
G286117		>100	0.05	157	<0.2	<10	20	<0.05	0.52	10.45	891	0.79	0.7	1	0.06	524
G286118		>100	0.05	197.0	<0.2	<10	10	0.05	1.90	4.29	>1000	0.56	0.7	1	0.07	1705
G286119		>100	0.03	141	<0.2	<10	10	<0.05	1.17	12.35	408	0.46	0.5	<1	<0.05	710
G286129		9.76	0.03	489	<0.2	<10	10	0.24	0.08	16.30	71.6	1.79	3.8	<1	0.05	41.7
G286130		5.14	0.02	54	<0.2	<10	10	0.06	0.10	18.30	33.7	1.31	0.6	1	<0.05	16.4
G286131		22.3	0.04	21	<0.2	<10	30	<0.05	0.30	16.00	336	0.50	0.7	1	<0.05	146.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS	VA10137480

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G286117		4.61	1.98	0.09	<0.02	16.10	0.039	0.01	0.3	0.7	4.89	12050	0.26	0.01	0.12
G286118		3.90	3.02	0.14	<0.02	39.9	0.051	0.01	0.3	0.6	2.43	6900	0.34	0.01	0.11
G286119		2.63	1.22	0.06	<0.02	10.60	0.022	<0.01	0.2	0.4	6.39	6130	0.13	0.01	0.11
G286129		7.66	0.35	0.08	<0.02	2.06	0.029	0.01	0.7	1.1	9.68	2920	0.90	0.02	0.15
G286130		1.08	0.18	<0.05	<0.02	0.88	0.030	<0.01	0.6	1.1	11.55	1980	0.07	0.02	0.12
G286131		4.09	4.20	0.10	<0.02	17.85	0.061	0.01	<0.2	0.3	8.11	8450	0.14	0.01	0.14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137480

Sample Description	Method Analyte Units LOR	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02
G286117		80	>10000	0.5	0.001	0.90	500	0.5	12.6	22.9	14.6	<0.01	0.02	<0.2	<0.005	0.05
G286118		120	>10000	0.6	0.001	1.85	1495	0.4	17.6	32.1	8.4	<0.01	0.02	<0.2	<0.005	0.10
G286119		60	>10000	0.2	<0.001	3.61	1450	0.3	5.4	17.6	17.8	<0.01	0.02	<0.2	<0.005	0.16
G286129		430	2120	0.3	0.001	0.30	44.1	0.4	1.6	2.7	46.8	<0.01	0.17	<0.2	<0.005	0.07
G286130		110	2260	0.1	<0.001	0.31	24.9	0.1	0.8	1.1	45.1	<0.01	<0.01	<0.2	<0.005	<0.02
G286131		160	341	0.3	<0.001	1.52	77.9	0.4	5.2	8.4	27.0	<0.01	0.02	<0.2	<0.005	<0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137480

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001
G286117		0.40	2	3.53	2.78	>10000	<0.5	139	2.52	17.90
G286118		0.80	1	0.35	1.50	>10000	<0.5	466	10.45	27.4
G286119		0.42	1	0.17	1.31	>10000	<0.5	327	16.80	7.42
G286129		1.22	3	0.17	3.30	>10000	0.6			1.535
G286130		0.16	1	<0.05	1.68	6620	<0.5			
G286131		0.27	3	<0.05	2.89	>10000	0.5			6.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137480

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE VA10137481

Project: RUSTY

P.O. No.:

This report is for 44 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
G286141			5.06	0.31	90.5	<0.2	<10	40	0.89	4.68	0.07	7.59	52.2	34.3	7	0.62
G286142			1.80	0.46	12.8	<0.2	<10	50	0.41	0.50	0.99	1.84	34.3	17.1	9	0.55
G286143			2.52	0.10	32.7	<0.2	<10	50	0.13	0.35	0.07	10.05	1.74	12.5	2	0.17
G286144			3.72	0.25	98.0	<0.2	<10	30	0.35	0.40	0.16	8.11	9.55	5.7	3	0.50
G286145			5.90	0.44	181.0	<0.2	<10	20	0.79	0.56	0.33	2.88	2.80	46.3	2	1.78
G286146			0.63	0.35	72.6	<0.2	<10	20	0.22	0.50	0.11	0.47	17.90	15.1	6	0.55
G186147			1.16	1.60	36.1	0.2	<10	40	0.79	0.12	5.56	0.71	23.8	66.1	4	0.15
G286148			1.22	0.23	6	<0.2	<10	10	0.24	0.11	12.10	88.2	1.86	24.9	18	1.10
G286149			0.91	1.20	49.0	<0.2	<10	30	0.78	0.07	4.21	2.43	11.30	41.0	149	0.95
G286150		>10000	>100	0.04	443	0.2	<10	10	<0.05	44.2	0.03	139.0	0.82	1.2	3	0.07
G286151		8500	>100	0.01	261	<0.2	<10	<10	<0.05	66.9	0.03	66.5	0.25	0.1	1	<0.05
G286152			36.7	0.07	28.3	<0.2	<10	<10	0.05	2.87	0.35	0.68	3.25	17.7	9	0.21
G286153			>100	0.08	20.2	<0.2	<10	10	<0.05	4.15	0.03	2.55	3.20	17.7	7	0.26
G286154			>100	0.31	44.5	<0.2	<10	<10	0.22	3.75	2.44	189.5	1.90	7.5	19	0.62
G286155			25.5	0.53	30	0.2	<10	<10	0.05	7.47	10.60	69.3	3.50	73.5	22	0.14
G286156			>100	0.11	102.5	<0.2	<10	30	0.19	1.80	0.53	739	0.62	12.1	15	0.49
G286157			>100	0.19	78.5	<0.2	<10	10	0.38	0.65	0.23	179.5	0.41	12.1	27	1.21
G286158			11.30	0.49	149.5	<0.2	<10	110	1.03	0.58	0.51	41.9	5.43	34.2	73	3.16
G286159			7.81	0.03	86.6	<0.2	<10	<10	<0.05	10.30	0.22	3.52	2.06	123.0	<1	0.06
G286160			2.15	0.33	176.5	<0.2	<10	<10	0.42	2.37	0.14	0.44	11.20	17.1	4	0.66
G286161			1.34	0.04	4.7	<0.2	<10	<10	<0.05	1.30	0.29	1.18	1.10	9.4	10	0.08
G286162			1.95	0.79	27.6	<0.2	<10	10	0.07	2.52	0.11	0.59	5.33	12.9	15	0.28
G286163			2.03	0.17	14.3	<0.2	<10	10	<0.05	1.66	0.07	0.36	8.34	16.7	12	0.14
G286164			37.2	2.34	11	1.4	<10	30	<0.05	0.88	10.55	78.7	1.03	61.8	15	2.54
G286165			8.97	0.21	86.8	<0.2	<10	10	0.31	0.56	0.24	1.48	11.85	8.9	<1	0.96
G286166			36.9	0.12	46.4	<0.2	<10	10	0.26	1.13	0.15	41.6	6.89	6.0	10	0.95
G286167			0.57	1.45	15.8	<0.2	<10	70	1.21	0.41	0.08	0.81	70.6	18.3	18	1.39
G286168			0.68	1.14	29.1	<0.2	<10	50	1.17	0.82	0.08	0.66	70.3	23.7	15	1.75
G286169			91.1	0.15	23.8	<0.2	<10	30	0.11	0.50	0.02	499	4.41	3.1	7	0.49
G286170		4050	>100	0.30	2940	<0.2	<10	10	0.15	860	0.05	>1000	2.28	3.1	2	0.14
G286171			>100	0.06	163.5	<0.2	<10	<10	<0.05	19.45	0.01	917	0.59	0.8	<1	0.30
G286172			>100	0.11	153.5	<0.2	<10	10	0.09	127.5	0.08	>1000	2.21	5.6	<1	0.64
G286173		1720	>100	0.07	353	<0.2	<10	10	<0.05	16.25	0.05	>1000	0.86	2.5	<1	0.26
G286174			16.60	0.10	22.2	<0.2	<10	10	0.08	1.14	3.79	20.6	12.80	8.9	6	0.37
G286175			63.2	0.03	15.9	<0.2	<10	<10	0.05	1.76	0.13	14.45	164.5	17.4	<1	0.10
G286176			20.6	5.36	6.9	<0.2	<10	20	0.25	0.72	0.15	18.70	7.91	43.6	108	0.92
G286177			92.9	0.09	22.5	<0.2	<10	110	0.17	29.3	0.06	257	2.11	19.1	4	0.12
G286178			5.55	0.09	20.5	<0.2	<10	<10	<0.05	0.55	0.24	4.02	10.90	3.2	8	0.13
G286179			17.40	0.23	13.9	<0.2	<10	10	0.18	0.72	9.96	632	1.16	31.0	16	1.36
G286180			12.75	0.99	27.4	<0.2	<10	10	0.87	0.86	6.14	92.7	6.70	69.3	266	5.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G286141		336	5.09	1.04	0.08	0.12	0.29	0.077	0.22	25.5	0.5	0.05	935	7.91	<0.01	0.10
G286142		3940	3.73	1.45	0.07	0.12	0.05	0.165	0.22	15.0	1.6	0.09	2550	0.50	<0.01	0.13
G286143		93.0	41.5	1.25	0.41	0.05	0.29	1.020	0.07	0.8	0.2	0.66	21600	1.68	0.01	0.31
G286144		26.5	13.50	1.21	0.14	0.21	0.06	0.272	0.16	4.8	0.4	0.08	15450	11.30	0.01	0.13
G286145		86.2	12.20	1.36	0.12	0.02	0.02	0.155	0.31	1.2	0.4	1.74	8210	0.80	0.01	0.12
G286146		32.5	6.03	1.09	0.09	0.16	0.06	0.060	0.18	10.0	1.4	0.07	1180	28.1	<0.01	0.11
G186147		352	30.3	1.68	0.42	0.14	0.03	0.595	0.04	9.2	1.7	2.12	10100	9.59	0.02	0.26
G286148		53.0	5.62	0.80	0.07	0.02	1.75	0.079	0.11	0.6	0.5	4.74	6050	0.39	0.01	0.16
G286149		163.5	8.21	2.94	0.09	0.04	0.06	0.052	0.12	5.1	13.3	1.79	3160	1.47	0.01	0.13
G286150		>10000	1.48	0.25	0.08	<0.02	1.64	0.309	0.01	1.1	0.5	0.01	61	0.36	<0.01	0.07
G286151		6140	1.75	<0.05	<0.05	<0.02	0.53	0.024	<0.01	0.6	0.1	0.01	25	0.21	<0.01	0.07
G286152		>10000	5.52	0.18	0.07	<0.02	0.04	0.384	0.04	1.3	0.1	0.10	1320	0.29	0.01	0.11
G286153		>10000	7.63	0.17	0.12	<0.02	0.07	0.634	0.06	1.3	0.1	0.01	235	0.39	0.01	0.10
G286154		1650	16.00	1.70	0.13	0.02	1.42	0.295	0.05	0.4	2.7	2.83	22400	0.17	0.01	0.13
G286155		>10000	3.03	1.55	0.17	<0.02	2.29	1.080	0.02	1.6	5.6	0.47	923	0.28	0.01	0.10
G286156		802	15.05	2.68	0.14	<0.02	2.70	0.242	0.07	0.2	0.2	0.89	16850	0.52	0.01	0.11
G286157		489	9.43	1.06	0.08	<0.02	0.84	0.193	0.15	<0.2	0.3	1.71	11450	0.10	0.01	0.10
G286158		242	11.05	1.22	0.09	0.02	0.11	0.168	0.17	2.3	2.3	0.33	8360	1.45	0.01	0.11
G286159		1430	30.3	0.39	0.48	0.02	0.10	1.195	0.02	0.8	0.1	1.96	8000	0.30	0.01	0.29
G286160		57.0	17.15	1.01	0.21	0.16	0.02	0.487	0.07	4.7	1.6	0.25	2960	24.0	<0.01	0.17
G286161		216	2.46	0.17	0.05	0.04	0.10	0.079	0.01	0.6	0.5	0.02	117	1.21	0.03	0.06
G286162		60.1	3.90	4.64	0.11	0.21	0.03	0.032	0.04	2.9	14.0	0.80	199	7.36	0.06	0.05
G286163		14.1	1.39	0.87	0.05	0.28	0.02	0.008	0.04	4.4	1.2	0.06	74	8.74	0.07	0.06
G286164		>10000	6.52	9.45	0.15	<0.02	3.83	0.565	0.09	0.4	59.0	2.23	1380	0.18	0.02	0.10
G286165		80.1	21.3	1.52	0.23	0.05	0.04	0.483	0.16	5.7	0.4	2.97	25900	1.69	0.01	0.10
G286166		452	4.37	0.64	0.05	0.02	0.41	0.132	0.08	2.6	0.4	0.45	5020	0.15	<0.01	0.05
G286167		137.5	5.54	4.50	0.11	0.12	0.12	0.058	0.28	32.6	18.5	0.70	2200	0.26	0.01	0.06
G286168		43.4	5.04	4.09	0.15	0.10	0.03	0.030	0.30	34.0	13.8	0.46	2180	0.29	<0.01	0.05
G286169		670	5.21	3.80	0.15	0.04	7.37	0.235	0.09	2.1	0.6	0.12	5620	0.22	0.01	0.05
G286170		>10000	0.76	4.23	0.47	0.03	14.45	0.675	0.01	2.8	0.8	0.02	187	0.38	<0.01	<0.05
G286171		4470	0.27	6.98	0.21	<0.02	17.40	0.322	0.03	0.6	0.2	0.02	236	0.18	<0.01	<0.05
G286172		4790	0.52	7.62	0.12	0.02	17.00	1.275	0.06	1.4	0.6	0.08	724	0.44	0.01	<0.05
G286173		8140	0.34	8.78	0.64	<0.02	18.10	0.743	0.01	1.0	0.3	0.05	227	0.21	<0.01	<0.05
G286174		138.5	4.71	0.51	0.06	0.06	0.36	0.140	0.06	5.6	0.2	0.96	3150	3.41	0.01	0.06
G286175		248	21.3	1.84	0.41	0.04	0.34	0.766	0.02	71.8	0.1	1.15	19000	0.30	0.01	0.17
G286176		124.0	9.44	16.55	0.19	0.02	0.26	0.044	0.08	3.3	47.3	4.53	1330	0.20	0.01	0.11
G286177		1315	45.1	2.41	0.67	0.05	1.41	2.29	0.02	0.8	0.2	0.26	40700	1.10	0.01	0.46
G286178		47.8	3.54	0.89	0.06	0.04	0.09	0.075	0.03	5.3	0.9	0.16	1080	0.99	0.02	0.06
G286179		178.5	6.95	1.25	0.10	<0.02	6.63	0.057	0.11	0.4	0.7	4.61	7000	0.13	0.01	0.11
G286180		660	6.09	2.83	0.08	0.02	0.86	0.081	0.11	3.1	11.3	2.51	2720	0.23	0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
G286141		28.5	370	86.5	9.2	0.001	0.05	6.66	2.8	1.2	1.0	2.0	<0.01	0.18	6.9
G286142		30.6	2340	31.9	10.8	<0.001	0.09	4.94	5.4	0.8	0.6	5.3	<0.01	0.01	4.5
G286143		34.9	80	40.2	3.1	0.001	1.04	12.80	10.4	1.7	2.2	8.7	<0.01	0.04	0.6
G286144		37.8	730	3140	8.0	0.002	0.19	6.23	3.3	1.9	1.0	8.6	<0.01	0.08	3.7
G286145		79.6	470	267	13.9	<0.001	0.29	7.86	19.7	0.8	1.5	2.1	<0.01	0.02	0.2
G286146		130.0	1020	33.2	7.8	0.002	0.06	8.23	2.2	5.8	0.2	2.3	<0.01	0.16	4.5
G186147		474	930	50.3	1.9	0.003	0.76	8.32	2.9	9.4	<0.2	85.7	0.01	0.20	6.5
G286148		72.2	50	3850	7.3	0.001	0.75	1.38	11.1	1.8	1.0	43.9	<0.01	0.02	0.2
G286149		121.5	250	178.0	9.7	<0.001	0.03	2.93	40.5	0.6	0.2	11.8	<0.01	0.01	1.1
G286150		7.2	20	>10000	0.5	<0.001	>10.0	>10000	1.1	1.5	21.1	4.6	<0.01	0.01	<0.2
G286151		1.1	10	>10000	0.2	<0.001	>10.0	9350	0.1	1.6	19.2	1.8	<0.01	0.01	<0.2
G286152		27.3	70	1295	2.1	<0.001	3.10	79.3	4.8	9.5	0.4	1.7	<0.01	0.08	<0.2
G286153		20.4	120	>10000	3.1	<0.001	3.81	261	6.9	14.9	0.9	0.6	<0.01	0.14	<0.2
G286154		20.4	30	>10000	3.5	<0.001	2.09	138.0	10.3	5.0	43.4	5.3	<0.01	0.01	<0.2
G286155		60.0	10	3460	1.2	<0.001	1.64	3.27	3.4	34.5	0.4	33.8	<0.01	6.27	<0.2
G286156		26.9	30	>10000	3.8	<0.001	6.67	338	23.5	14.1	176.5	4.0	<0.01	0.06	<0.2
G286157		30.2	100	>10000	7.6	0.001	3.28	104.5	22.3	3.9	24.7	0.9	<0.01	0.03	<0.2
G286158		114.0	240	5560	10.6	<0.001	0.16	8.06	30.4	1.8	3.0	4.2	<0.01	0.10	0.4
G286159		143.0	<10	832	0.7	<0.001	7.61	80.2	10.8	47.9	1.4	0.7	<0.01	0.41	<0.2
G286160		73.4	2220	254	3.6	0.012	0.16	11.15	6.8	5.5	0.2	2.9	<0.01	0.15	7.4
G286161		23.8	40	96.7	0.5	0.001	2.09	2.42	0.7	10.2	0.2	3.0	<0.01	0.12	0.3
G286162		30.5	270	180.5	2.3	0.010	1.11	4.17	2.2	6.9	0.5	2.6	<0.01	0.24	2.0
G286163		18.0	260	187.0	2.1	0.016	0.97	3.51	0.5	4.2	0.2	2.6	<0.01	0.07	3.4
G286164		88.4	70	1215	4.2	<0.001	3.45	2.19	2.0	9.3	0.2	48.2	<0.01	0.21	<0.2
G286165		15.9	110	8810	6.8	<0.001	0.15	21.9	2.1	0.6	0.2	13.1	<0.01	0.05	1.5
G286166		8.7	120	3560	4.0	<0.001	0.47	141.0	3.5	1.1	0.2	5.9	<0.01	0.07	0.7
G286167		33.5	320	30.8	14.4	<0.001	<0.01	2.54	6.0	0.2	0.2	2.9	<0.01	0.03	8.0
G286168		40.4	330	56.7	18.4	<0.001	0.01	4.03	5.5	0.4	0.3	3.8	<0.01	0.05	7.8
G286169		2.9	10	>10000	5.2	<0.001	1.49	272	1.6	4.3	1.9	5.7	<0.01	0.04	0.8
G286170		2.8	30	>10000	0.4	<0.001	0.81	>10000	0.2	4.3	3.8	3.9	<0.01	0.08	0.3
G286171		0.7	10	>10000	1.8	<0.001	9.09	4590	0.2	5.1	5.1	5.5	<0.01	0.04	<0.2
G286172		4.6	30	>10000	3.1	<0.001	4.99	3220	0.4	15.8	15.6	15.2	<0.01	0.16	0.3
G286173		2.1	30	>10000	0.6	<0.001	7.51	7570	0.2	7.2	5.6	9.0	<0.01	0.05	<0.2
G286174		15.0	140	5210	2.6	<0.001	0.19	63.4	14.9	0.6	4.0	26.3	<0.01	0.03	0.4
G286175		21.8	80	3060	0.7	0.001	0.34	192.0	40.4	0.9	1.6	2.9	0.01	0.03	<0.2
G286176		72.5	390	4710	6.2	0.001	0.14	49.0	30.0	0.3	<0.2	1.9	<0.01	0.02	0.3
G286177		61.8	20	722	1.6	0.001	0.16	306	15.8	4.7	47.1	15.3	0.01	0.03	<0.2
G286178		20.3	150	708	1.4	<0.001	0.92	18.90	2.0	3.0	0.4	4.1	<0.01	0.07	0.6
G286179		72.2	40	1980	7.3	<0.001	2.92	46.7	15.7	4.2	0.9	45.4	<0.01	0.02	<0.2
G286180		124.5	250	9690	8.4	<0.001	0.24	14.40	30.0	1.2	1.6	41.4	<0.01	0.05	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Cu- OG46 Cu % 0.001	Zn- OG46 Zn % 0.001	As- OG46 As % 0.01
G286141		0.21	1.32	10	0.41	5.44	1540	6.2					
G286142		0.11	0.54	18	0.08	16.10	324	5.2					
G286143		2.77	0.78	24	0.13	9.67	3810	2.5					
G286144		0.32	3.29	20	0.33	10.85	1890	10.2					
G286145		0.10	2.56	67	0.19	5.48	608	1.3					
G286146		0.35	4.30	35	0.62	16.65	155	7.9					
G186147		3.86	9.11	16	0.19	68.3	216	4.1					
G286148		0.15	0.38	37	<0.05	8.77	>10000	0.5				1.610	
G286149		0.12	1.50	118	0.10	13.90	467	1.5					
G286150		0.41	5.98	2	<0.05	0.68	1610	<0.5	>1500	>20.0	1.615		
G286151		0.46	3.22	1	<0.05	0.13	547	<0.5	>1500	>20.0			
G286152		0.08	0.17	5	0.12	5.14	61	<0.5			2.42		
G286153		0.05	0.16	6	<0.05	4.09	53	<0.5	256	0.994	2.62		
G286154		0.03	0.14	21	0.05	13.10	>10000	<0.5	148	1.135		5.78	
G286155		0.03	<0.05	17	0.07	7.08	>10000	<0.5			1.075	1.170	
G286156		0.07	1.80	20	0.07	11.50	>10000	<0.5	354	11.40		19.25	
G286157		0.06	0.12	21	0.09	7.57	>10000	<0.5	188	7.01		5.08	
G286158		0.16	2.06	43	0.10	9.65	>10000	0.5				1.115	
G286159		<0.02	0.44	9	<0.05	10.85	1100	<0.5					
G286160		0.45	8.02	34	0.31	11.75	182	7.5					
G286161		0.08	0.18	5	0.19	1.00	282	1.3					
G286162		0.45	0.92	87	0.18	2.32	185	8.8					
G286163		0.16	0.83	12	0.09	1.88	109	10.5					
G286164		0.13	0.05	64	<0.05	4.05	>10000	<0.5			4.05	2.04	
G286165		0.04	0.24	9	0.12	4.70	598	2.0					
G286166		0.03	0.13	5	0.06	3.08	>10000	1.1				1.105	
G286167		0.15	0.38	18	<0.05	5.04	221	4.7					
G286168		0.16	0.36	19	<0.05	5.94	168	4.4					
G286169		0.08	0.76	4	<0.05	1.84	>10000	1.3		4.05		8.10	
G286170		0.21	2.54	1	<0.05	1.48	>10000	1.2	>1500	5.56	1.695	6.81	
G286171		0.46	1.39	1	<0.05	0.28	>10000	0.5	1360	>20.0		7.92	
G286172		0.25	1.40	1	<0.05	1.11	>10000	1.1	1160	>20.0		19.10	
G286173		0.22	2.10	<1	<0.05	0.53	>10000	<0.5	>1500	>20.0		12.85	
G286174		0.04	0.36	11	0.09	7.65	2250	1.8					
G286175		<0.02	0.29	8	0.20	19.85	1860	<0.5					
G286176		0.08	0.25	287	<0.05	5.67	1180	0.6					
G286177		0.04	1.70	47	0.35	35.3	>10000	0.6				4.61	
G286178		0.36	0.54	9	0.05	3.30	481	1.1					
G286179		0.07	0.12	30	0.08	5.81	>10000	<0.5				7.37	
G286180		0.11	0.30	130	0.05	8.36	>10000	<0.5				1.260	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS	VA10137481

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
G286181			1.56	0.38	43.2	<0.2	<10	30	0.28	1.24	0.43	9.18	3.55	51.2	4	0.46
G286182			58.1	0.08	249	<0.2	<10	30	0.10	1.65	0.12	>1000	1.06	7.1	2	0.36
G286183		7370	>100	0.18	1705	<0.2	<10	10	0.15	14.10	0.07	816	1.14	3.6	8	0.29
G286184		3930	>100	0.09	>10000	<0.2	<10	20	0.23	2630	0.03	>1000	1.13	8.1	<1	0.41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
G286181		10.8	13.25	1.59	0.15	0.04	0.09	0.057	0.31	1.2	0.3	1.30	13700	6.92	0.01
G286182		1095	5.42	3.74	0.09	<0.02	5.35	2.05	0.06	0.4	0.2	0.39	3730	0.36	0.01
G286183		>10000	1.10	0.67	<0.05	<0.02	8.81	0.317	0.05	2.9	0.4	0.03	695	0.34	<0.01
G286184		>10000	20.2	1.39	0.45	<0.02	10.15	0.627	0.07	3.0	0.3	0.03	6820	0.30	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS	VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
G286181		19.9	1230	730	11.5	0.002	0.31	2.30	17.4	0.6	0.6	4.3	<0.01	0.04	1.2
G286182		7.4	20	6040	3.0	<0.001	8.88	37.6	7.3	19.7	327	0.8	<0.01	0.05	<0.2
G286183		2.5	20	>10000	2.7	<0.001	1.93	>10000	0.4	1.5	2.1	1.1	<0.01	0.02	<0.2
G286184		8.3	60	>10000	3.1	<0.001	2.38	>10000	1.0	5.3	0.8	5.2	<0.01	0.03	<0.2
															<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137481

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Cu- OG46 Cu % 0.001	Zn- OG46 Zn % 0.001	As- OG46 As % 0.01
G286181		0.19	0.14	60	0.08	8.92	2730	1.3					
G286182		0.04	3.54	4	0.07	3.07	>10000	<0.5				>30.0	
G286183		0.14	0.88	3	<0.05	1.18	>10000	<0.5	>1500	3.58	3.65	1.945	
G286184		0.51	1.68	5	<0.05	2.55	>10000	<0.5	>1500	11.25	8.27	7.06	1.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137481

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 9- OCT- 2010
Account: MTT

CERTIFICATE VA10137482

Project: RUSTY

P.O. No.:

This report is for 25 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137482

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
G286185			>100	0.13	95.5	<0.2	<10	10	0.42	0.30	0.03	48.8	3.69	7.3	5	0.14
G286186			3.48	0.63	37	<0.2	<10	40	0.92	2.03	16.50	6.02	4.79	41.9	37	0.38
G286187			36.5	0.34	69.3	<0.2	<10	90	0.21	0.44	0.12	255	1.10	11.5	10	0.41
G286188			7.53	0.04	43	<0.2	<10	<10	0.09	0.94	10.90	450	0.65	8.3	4	0.11
G286189			>100	0.06	>10000	0.2	<10	20	0.05	22.5	0.14	70.6	0.50	38.0	22	0.35
G286190			>100	0.15	377	<0.2	<10	50	0.23	0.72	0.09	801	0.70	14.3	<1	0.52
G286191		1765	>100	0.01	227	<0.2	<10	10	<0.05	3.17	0.01	315	0.84	2.8	<1	<0.05
G286192			25.6	0.61	9490	<0.2	<10	110	0.82	6.56	0.56	19.35	3.96	48.0	65	3.47
G286193			7.64	0.38	361	<0.2	<10	50	0.78	0.38	5.23	13.65	2.56	36.4	38	2.77
G286194			38.3	1.08	56.9	<0.2	<10	30	0.32	0.29	0.15	11.85	5.92	2.1	16	0.82
G286195			>100	0.15	526	<0.2	<10	20	0.29	0.21	1.61	926	3.21	19.9	12	0.92
G286196			2.52	0.12	609	<0.2	<10	20	0.24	0.04	12.95	522	0.77	27.6	6	0.80
G286197			8.93	0.70	26.8	<0.2	<10	10	0.10	0.07	2.26	601	9.60	32.8	15	0.13
G286198			34.5	0.16	60.6	<0.2	<10	40	0.18	0.02	4.47	650	0.73	16.5	7	0.83
G286199			0.59	1.39	41.2	<0.2	<10	60	1.50	0.02	9.20	21.6	7.43	46.3	36	2.58
G286200			11.15	0.12	17.9	<0.2	<10	10	<0.05	0.05	6.10	3.37	7.59	8.4	4	0.19
G0557001			16.35	0.06	>10000	0.2	<10	20	0.06	8.11	0.24	>1000	0.76	8.5	1	0.68
G0557002			1.25	0.20	1560	<0.2	<10	10	0.29	0.30	9.83	198.0	5.93	18.8	<1	0.89
G0557003			34.0	0.07	8520	<0.2	<10	10	0.13	1.14	0.23	>1000	0.53	17.2	8	0.35
G0557004			>100	0.06	2010	<0.2	<10	10	0.12	22.3	0.03	400	0.43	78.8	7	0.29
G0557005			26.9	0.88	3290	<0.2	<10	40	0.61	2.34	0.11	60.6	6.14	37.5	31	1.50
G0557006			57.6	0.04	2760	<0.2	<10	20	<0.05	33.6	1.61	15.90	3.93	87.0	3	0.10
G0557007			9.24	0.03	2640	<0.2	<10	20	<0.05	2.18	16.70	36.1	1.66	7.0	2	0.12
G0557008			12.15	0.29	1455	<0.2	<10	30	0.43	3.07	1.60	101.5	3.89	10.1	<1	1.45
G0557009			41.7	0.07	54.7	<0.2	<10	10	0.10	0.15	9.84	816	1.71	16.4	<1	0.34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137482

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
G286185		3460	8.26	1.23	0.14	0.05	3.42	0.052	0.05	2.1	0.4	0.02	3680	5.57	0.01	0.06
G286186		327	12.05	2.51	0.19	0.05	0.15	0.066	0.09	1.6	3.7	1.62	9670	1.04	0.01	0.19
G286187		288	9.21	1.70	0.11	<0.02	2.19	0.206	0.24	0.5	0.4	0.04	7150	0.59	0.01	0.09
G286188		274	5.55	1.70	0.07	<0.02	6.38	0.435	0.02	0.2	0.2	4.24	6110	0.11	0.01	<0.05
G286189		1250	14.35	0.59	0.15	<0.02	1.12	0.297	0.06	0.3	0.1	0.36	8080	0.19	0.01	0.14
G286190		1470	12.80	5.68	0.56	0.02	14.40	2.00	0.10	0.4	0.4	0.08	13250	0.78	0.01	0.10
G286191		9880	3.24	1.37	0.16	<0.02	4.97	0.608	<0.01	0.7	<0.1	0.01	2760	0.50	<0.01	<0.05
G286192		311	10.40	1.86	0.18	0.02	0.18	0.071	0.23	1.9	3.1	0.25	7020	1.32	<0.01	0.12
G286193		99.2	5.86	0.88	0.06	0.02	0.19	0.037	0.27	1.0	0.4	0.37	4430	0.51	0.01	0.06
G286194		242	2.28	3.69	<0.05	0.54	0.29	0.037	0.33	3.0	14.7	0.94	161	6.16	0.01	0.05
G286195		630	2.81	1.27	0.96	0.03	12.00	0.062	0.08	1.6	0.4	0.71	1840	1.28	0.01	<0.05
G286196		93.8	5.10	1.43	0.29	0.02	1.76	0.067	0.07	0.3	0.3	5.44	5480	0.40	0.01	0.13
G286197		63.0	2.50	29.8	0.56	0.16	16.95	6.73	0.03	4.7	10.0	0.60	1030	0.14	0.02	0.06
G286198		305	9.44	3.14	0.19	0.02	7.11	0.292	0.08	0.3	0.8	2.25	7710	0.78	0.01	0.14
G286199		89.6	6.77	4.70	0.09	0.08	0.12	0.057	0.14	3.1	14.2	2.01	2840	0.22	0.02	0.11
G286200		>10000	2.11	0.50	0.05	0.02	0.13	2.10	0.01	3.4	1.0	0.11	993	0.17	0.02	0.07
G0557001		336	27.3	2.68	0.79	<0.02	0.95	0.589	0.04	0.4	0.3	1.49	40300	0.44	0.01	0.24
G0557002		19.3	6.37	0.55	0.05	0.02	0.07	0.222	0.13	2.0	1.0	4.06	5690	0.24	0.02	<0.05
G0557003		1230	9.22	4.15	1.37	<0.02	2.70	0.495	0.05	0.3	0.4	0.10	6930	1.81	0.01	<0.05
G0557004		784	6.73	1.90	0.36	<0.02	1.17	0.178	0.03	0.2	0.5	0.05	5180	0.86	0.01	0.05
G0557005		276	14.00	3.21	0.22	0.03	0.20	0.199	0.16	2.4	4.3	0.54	4640	0.86	0.02	0.15
G0557006		>10000	7.44	0.23	0.15	0.02	0.35	0.898	0.02	1.7	0.3	0.73	1750	0.59	0.02	0.09
G0557007		302	8.97	0.64	0.13	<0.02	0.08	0.306	0.01	0.3	0.4	7.19	9550	0.07	0.03	0.22
G0557008		757	2.82	0.96	<0.05	0.02	0.07	0.077	0.22	2.1	0.3	0.56	3070	0.34	0.01	<0.05
G0557009		523	7.60	3.31	0.18	0.03	0.61	0.160	0.04	0.6	0.3	6.31	5970	0.61	0.02	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- OCT- 2010
Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137482

Sample Description	Method Analyte Units LOR	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005
G286185		9.6	40	>10000	2.4	<0.001	7.60	1495	9.3	2.7	<0.2	9.2	<0.01	0.01	0.8	<0.005
G286186		127.5	40	1680	4.6	<0.001	0.04	27.2	26.2	1.5	<0.2	28.0	0.01	0.03	<0.2	<0.005
G286187		14.8	150	3390	10.1	<0.001	0.04	40.4	13.3	4.1	0.4	2.6	<0.01	0.02	<0.2	<0.005
G286188		13.8	<10	1675	0.9	<0.001	2.76	14.45	10.6	9.4	1.9	15.8	<0.01	0.01	<0.2	<0.005
G286189		53.6	10	>10000	3.1	0.001	3.62	2080	4.4	2.9	<0.2	15.0	<0.01	0.08	<0.2	<0.005
G286190		15.7	60	>10000	6.8	<0.001	1.08	669	12.1	13.6	8.5	7.0	<0.01	0.02	<0.2	<0.005
G286191		3.4	30	>10000	0.2	<0.001	8.63	4670	1.8	5.8	1.9	3.8	<0.01	0.09	0.2	<0.005
G286192		106.5	200	5490	14.7	<0.001	0.33	237	28.2	1.3	0.2	17.3	<0.01	0.06	0.4	<0.005
G286193		69.8	220	1170	15.5	<0.001	0.03	30.7	36.7	0.4	<0.2	13.6	<0.01	0.02	0.2	<0.005
G286194		18.4	720	>10000	21.7	0.011	0.31	83.1	1.7	2.4	0.2	6.1	<0.01	0.06	6.3	0.007
G286195		38.9	70	>10000	5.1	<0.001	1.87	325	3.9	15.3	0.2	13.5	<0.01	0.01	0.7	<0.005
G286196		55.9	50	679	5.6	<0.001	1.31	17.25	3.9	11.4	0.4	102.5	<0.01	0.01	<0.2	<0.005
G286197		13.5	220	1950	0.8	<0.001	4.22	16.40	2.8	15.3	1.1	12.8	<0.01	0.01	3.5	<0.005
G286198		28.8	50	608	6.0	<0.001	3.94	117.5	16.5	14.0	1.0	11.6	<0.01	0.02	<0.2	<0.005
G286199		88.1	250	173.0	13.2	<0.001	0.10	5.13	56.8	0.8	<0.2	22.1	<0.01	0.01	0.2	<0.005
G286200		6.9	30	603	1.1	<0.001	1.07	7.57	13.2	3.9	1.0	23.0	<0.01	0.02	<0.2	<0.005
G0557001		9.0	60	1555	4.4	0.001	0.79	77.9	55.6	7.4	3.1	6.9	<0.01	0.05	<0.2	<0.005
G0557002		23.2	330	2000	5.3	<0.001	0.19	5.65	19.6	2.0	0.2	52.0	<0.01	0.02	<0.2	<0.005
G0557003		35.3	50	>10000	2.7	<0.001	0.52	178.0	15.2	15.3	3.8	2.3	<0.01	0.02	<0.2	<0.005
G0557004		205	20	>10000	1.2	<0.001	6.40	502	2.0	7.1	5.5	6.4	<0.01	0.03	<0.2	0.006
G0557005		55.9	390	>10000	10.7	<0.001	0.95	92.4	26.4	1.8	0.2	2.1	<0.01	0.01	0.7	<0.005
G0557006		92.3	10	527	1.4	<0.001	3.90	460	5.1	19.2	0.9	7.1	<0.01	0.04	<0.2	<0.005
G0557007		11.7	10	3240	1.0	<0.001	1.25	35.4	53.4	1.2	3.6	25.3	<0.01	0.01	<0.2	<0.005
G0557008		10.1	350	4290	9.7	<0.001	0.15	19.25	21.3	1.4	1.0	5.9	<0.01	0.01	0.2	<0.005
G0557009		29.5	70	2890	2.3	<0.001	2.13	130.5	6.0	6.6	1.2	18.7	<0.01	0.02	0.5	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- OCT- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10137482

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Cu- OG46 Cu % 0.001	Zn- OG46 Zn % 0.001	As- OG46 As % 0.01
G286185		0.12	7.37	27	0.09	7.88	>10000	4.6	1060	>20.0		0.977	
G286186		0.05	4.33	85	0.08	23.4	2810	3.0					
G286187		0.11	3.59	28	0.12	4.14	>10000	0.6				6.55	
G286188		<0.02	0.18	11	<0.05	4.95	>10000	<0.5				13.45	
G286189		0.23	0.52	8	42.4	4.18	>10000	<0.5	159	1.500		1.465	7.46
G286190		0.06	5.26	24	0.23	5.97	>10000	0.7	253	9.66		18.85	
G286191		0.12	5.56	6	<0.05	1.86	>10000	<0.5	>1500	>20.0		3.66	
G286192		0.16	1.74	43	0.96	8.88	3990	0.7					
G286193		0.13	1.30	45	0.24	7.73	2820	0.8					
G286194		0.31	1.99	39	0.07	3.13	970	21.1		1.320			
G286195		0.23	1.82	7	0.09	4.31	>10000	1.2	182	11.00		19.65	
G286196		0.04	0.35	11	0.05	7.40	>10000	<0.5				13.45	
G286197		0.02	0.43	29	<0.05	6.79	>10000	4.8				25.4	
G286198		0.07	0.82	32	0.12	8.42	>10000	<0.5				18.00	
G286199		0.10	0.31	160	0.08	14.45	5440	2.5					
G286200		0.02	0.13	7	<0.05	17.25	950	<0.5			1.740		
G0557001		0.52	2.20	48	0.17	7.17	>10000	0.6				8.43	1.24
G0557002		0.05	0.20	22	0.14	13.95	>10000	<0.5				3.96	
G0557003		0.02	1.82	17	<0.05	4.23	>10000	0.5		2.38		26.6	
G0557004		0.11	2.50	9	<0.05	2.50	>10000	<0.5	147	>20.0		7.20	
G0557005		0.14	0.21	75	0.22	5.12	>10000	1.5		5.79		1.785	
G0557006		0.05	1.12	3	<0.05	6.09	2110	0.5			2.29		
G0557007		0.02	<0.05	62	<0.05	11.35	5660	<0.5					
G0557008		0.07	0.54	38	0.14	10.70	9710	1.0					
G0557009		0.02	0.22	11	<0.05	6.80	>10000	1.4				11.00	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137482

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE VA10138345

Project: Rusty

P.O. No.:

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10138345

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
G0557010			4.21	0.58	49.9	<0.2	<10	190	2.96	0.12	5.73	120.0	11.60	121.0	6	1.17
G0557011			25.0	0.78	2.4	<0.2	<10	10	0.14	0.89	4.21	340	10.00	72.4	32	0.14
G0557012			6.76	0.03	3	<0.2	<10	<10	0.06	0.15	>25.0	424	43.2	62.5	<1	<0.05
G0557013			>100	0.13	1805	<0.2	<10	20	0.16	0.64	1.72	>1000	2.21	14.9	7	0.77
G0557014			7.44	0.25	25.2	<0.2	<10	100	0.48	0.24	0.53	866	8.18	6.7	3	0.47
G0557015			5.24	0.19	15.9	<0.2	<10	80	0.31	0.06	0.09	>1000	8.28	9.6	2	0.29
G0557016		1500	>100	0.08	9300	<0.2	<10	20	0.30	163.0	0.29	91.3	0.89	94.1	<1	0.56
G0557017			27.6	0.98	2990	<0.2	<10	70	1.06	2.49	1.43	297	7.48	30.4	86	3.50
G0557018			70.4	0.35	260	<0.2	<10	190	0.65	0.47	0.09	296	2.61	22.7	17	1.76
G0557019			>100	0.22	124.0	<0.2	<10	40	0.30	0.51	0.04	94.5	2.09	10.2	10	0.72
G0557020			9.02	3.19	97.4	<0.2	<10	40	0.69	0.06	0.06	13.10	5.06	30.8	208	0.57
G0557021			2.01	0.41	247	<0.2	<10	50	0.93	0.03	2.59	43.9	2.97	38.4	16	2.80
G0557022			2.48	0.89	98.1	<0.2	<10	90	1.19	0.10	4.74	45.9	3.66	32.7	21	3.70
G0557023			71.6	0.25	112.5	<0.2	<10	90	0.46	0.18	0.15	335	1.88	13.8	7	1.74



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8- OCT- 2010
Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10138345

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
G0557010		444	17.00	1.29	0.18	0.25	0.08	0.045	0.07	4.5	0.8	1.44	17050	11.20	0.02	0.17
G0557011		137.0	4.11	20.1	0.86	0.02	5.29	2.56	0.03	4.5	10.6	0.86	350	0.22	0.01	0.06
G0557012		15.3	0.98	4.12	0.12	0.04	11.05	0.258	<0.01	25.4	0.4	0.05	1040	0.16	0.02	0.05
G0557013		690	4.96	8.21	1.35	0.02	1.50	0.739	0.06	0.8	0.7	0.69	6610	0.90	0.02	<0.05
G0557014		233	13.25	2.19	0.20	0.19	2.92	0.217	0.17	3.6	0.9	0.87	25000	0.62	0.02	0.05
G0557015		234	11.35	2.02	0.38	0.12	3.16	0.208	0.12	3.6	0.9	0.24	23200	0.67	0.02	0.07
G0557016		>10000	29.1	2.03	0.38	0.03	14.40	0.914	0.06	2.4	1.3	2.39	17650	0.44	0.02	0.11
G0557017		729	6.31	2.44	0.10	0.05	0.28	0.091	0.25	3.8	7.0	1.11	4980	0.76	0.01	0.06
G0557018		480	14.25	2.35	0.16	0.02	3.02	0.193	0.19	1.0	0.6	0.08	12350	2.07	0.02	0.06
G0557019		2740	10.70	1.11	0.12	0.02	1.66	0.085	0.12	1.1	0.5	0.04	8580	2.43	0.01	0.10
G0557020		100.0	8.44	7.31	0.11	0.03	0.11	0.027	0.18	1.9	39.5	3.00	2470	0.64	<0.01	0.07
G0557021		25.9	6.35	1.13	0.08	0.02	0.25	0.048	0.33	1.1	0.6	1.61	4670	0.20	0.01	0.05
G0557022		34.5	5.45	2.57	0.08	0.03	0.28	0.084	0.28	1.4	4.8	1.06	3720	0.13	0.01	0.05
G0557023		518	15.80	1.69	0.18	0.03	2.76	0.121	0.17	0.7	0.4	0.32	15300	0.78	0.01	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10138345

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
G0557010		336	250	472	5.9	<0.001	0.03	27.0	53.7	4.5	<0.2	18.1	0.03	0.01	0.9
G0557011		19.6	50	>10000	1.3	<0.001	2.67	29.4	4.5	47.3	7.3	14.3	<0.01	0.03	<0.2
G0557012		0.3	<10	>10000	0.2	<0.001	1.71	8.37	2.8	11.3	1.5	171.0	0.01	0.03	<0.2
G0557013		27.5	70	>10000	4.2	<0.001	0.68	307	11.8	21.8	21.7	6.1	<0.01	0.05	<0.2
G0557014		20.9	290	689	9.0	<0.001	2.14	20.8	3.9	11.2	9.1	7.2	<0.01	0.05	2.9
G0557015		45.5	220	244	6.4	<0.001	0.16	21.9	3.6	17.1	10.3	4.5	<0.01	0.04	2.3
G0557016		48.6	30	1600	3.4	<0.001	1.71	>10000	2.3	27.0	0.3	5.8	<0.01	0.11	0.2
G0557017		79.2	360	8110	12.5	<0.001	0.08	281	39.8	2.8	0.3	5.9	<0.01	0.01	0.4
G0557018		28.1	140	>10000	10.9	<0.001	0.16	171.0	20.0	6.4	0.5	5.4	<0.01	0.01	0.2
G0557019		15.0	90	>10000	5.7	<0.001	1.35	983	11.3	3.3	0.2	12.0	<0.01	0.01	<0.2
G0557020		83.7	240	2570	11.4	<0.001	0.02	18.30	15.7	0.6	<0.2	3.0	<0.01	0.01	0.2
G0557021		61.8	240	485	20.2	0.001	0.31	4.93	39.3	0.8	0.2	9.2	<0.01	0.01	<0.2
G0557022		51.7	280	1755	15.5	<0.001	0.18	4.67	51.8	0.8	0.4	8.7	<0.01	0.01	0.2
G0557023		21.9	110	>10000	12.4	<0.001	0.99	258	20.6	4.0	0.5	7.0	<0.01	0.02	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- OCT- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10138345

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Cu- OG46 Cu % 0.001	Zn- OG46 Zn % 0.001
G0557010		0.25	15.80	85	0.27	86.8	>10000	15.1				1.300
G0557011		0.09	<0.05	48	0.39	10.70	>10000	<0.5		3.72		4.05
G0557012		0.02	0.09	1	0.13	34.5	>10000	<0.5		1.050		6.17
G0557013		0.07	0.38	20	0.06	7.93	>10000	<0.5	116	7.44		28.9
G0557014		0.07	1.43	7	0.28	11.10	>10000	6.8				15.20
G0557015		0.08	2.00	6	0.13	9.19	>10000	4.4				25.4
G0557016		0.10	0.19	5	0.53	6.63	9430	1.1	>1500		5.29	
G0557017		0.13	0.59	74	0.13	9.96	>10000	1.4				3.67
G0557018		0.10	5.52	42	0.34	9.16	>10000	1.4		1.585		6.95
G0557019		0.07	5.72	26	0.66	6.95	>10000	1.0	574	16.15		2.49
G0557020		0.15	1.71	131	0.09	10.30	4590	2.3				
G0557021		0.19	0.14	61	0.24	6.67	>10000	<0.5				1.480
G0557022		0.11	0.12	84	0.10	8.09	6760	0.6				
G0557023		0.13	1.73	48	0.47	9.22	>10000	0.5		3.66		8.45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rusty

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10138345

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- SEP- 2010
Account: MTT

CERTIFICATE VA10138346

Project: RUSTY

P.O. No.:

This report is for 2 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 29- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10138346

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC86391 CC86392		0.012 0.012



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- SEP- 2010
Account: MTT

CERTIFICATE VA10138347

Project: RUSTY

P.O. No.:

This report is for 13 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 29- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10138347

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC86758		0.002
CC86770		0.003
CC86773		0.004
CC86789		0.004
CC86821		0.003
CC86822		0.004
CC86829		0.019
CC86852		0.001
CC86853		0.003
CC86854		0.010
CC86855		0.015
CC86859		0.005
CC86860		0.006



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29- SEP- 2010
Account: MTT

CERTIFICATE VA10138348

Project: Rusty

P.O. No.:

This report is for 13 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 29- SEP- 2010
 Account: MTT

Project: Rusty

CERTIFICATE OF ANALYSIS VA10138348

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC86863		0.007
CC86916		0.003
CC86921		0.003
CC86926		0.002
CC86928		0.039
CC86930		0.010
CC86935		0.008
CC86939		0.001
CC86942		0.002
CC86955		0.005
CC86976		0.004
CC86985		0.133
CC86986		0.018



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 29- SEP- 2010
Account: MTT

CERTIFICATE VA10138349

Project: RUSTY

P.O. No.:

This report is for 54 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 3 (A)
 Finalized Date: 29- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10138349

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC111292		0.010
CC111294		0.019
CC111295		0.014
CC111296		0.016
CC111297		0.018
CC111298		0.033
CC111299		0.055
CC111300		0.035
CC111301		0.054
CC111336		0.002
CC111337		0.003
CC111338		0.001
CC111339		0.004
CC111340		0.002
CC111341		0.002
CC111342		0.002
CC111343		0.001
CC111344		0.006
CC111345		0.005
CC111346		0.003
CC111347		0.003
CC111348		0.001
CC111349		0.004
CC111350		0.004
CC111351		0.002
CC111352		0.003
CC111353		0.001
CC111354		0.002
CC111355		0.001
CC111356		0.001
CC111357		0.002
CC111358		0.001
CC111359		0.001
CC111360		<0.001
CC111361		0.002
CC111362		<0.001
CC111363		0.002
CC111364		0.020
CC111365		0.002
CC111366		0.033



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 3 (A)
 Finalized Date: 29- SEP- 2010
 Account: MTT

Project: RUSTY

CERTIFICATE OF ANALYSIS VA10138349

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC111367 CC111368 CC111369 CC111370 CC111371		0.033 0.016 0.011 0.006 0.007
CC111386 CC111389 CC111390 CC111391 CC111392		0.015 0.023 0.003 0.019 0.006
CC111395 CC111400 CC111404 CC111439		0.012 <0.001 0.021 0.031



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 30- SEP- 2010
Account: MTT

CERTIFICATE VA10138510

Project: RUSTY

P.O. No.:

This report is for 4 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 30- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10138510

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC111862		0.002
CC111920		0.009
CC111921		0.034
CC111934		0.042



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 1- OCT- 2010
Account: MTT

CERTIFICATE VA10138519

Project: RUSTY

P.O. No.:

This report is for 1 Soil sample submitted to our lab in Vancouver, BC, Canada on 27- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 1- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10138519

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC86033		0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 4- OCT- 2010
Account: MTT

CERTIFICATE VA10139020

Project: RUSTY

P.O. No.:

This report is for 4 Soil samples submitted to our lab in Vancouver, BC, Canada on 27- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
Total # Pages: 2 (A)
Plus Appendix Pages
Finalized Date: 4- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10139020

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC86959		0.012
CC86558		0.046
CC86559		0.003
CC86602		NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10139020

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 1- OCT- 2010
Account: MTT

CERTIFICATE VA10139021

Project: RUSTY

P.O. No.:

This report is for 3 Soil samples submitted to our lab in Vancouver, BC, Canada on 27- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RUSTY

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 1- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10139021

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC111626 CC111689 CC111724		0.007 0.003 <0.001

47201185

Statement of Expenditures
Rusty 1-344 Mineral Claims
March 15, 2011



Labour

D. Eaton (geologist) June to December 2010 – 32 hrs @ \$100/day	\$ 3,584.00
January 2011 – 4 hrs @ \$110/day	492.80
M. Kammerer (field assistant) April to May 2010 – 9 3/4 days @ \$480/day	5,241.60
June to September 2010 – 68 days @ \$480/day	36,556.80
September to December 2010 – 27 5/8 days @ \$480/day plus bonus	15,971.20
January 2011 – 5 5/8 days @ \$552/day	3,477.60
S. Kammerer (field assistant) June to September 2010 – 63 1/2 days @ \$304/day	21,620.48
L. Corbett & D. Huston (expeditor) June to September 2010 – 76 hrs @ \$64/hr	5,447.68
	<u>92,392.16</u>

Expenses

Field room and board – 131 1/2 mandays @ \$125/manday	18,410.00
Fireweed Helicopter	30,137.39
ALS Chemex	24,581.82
Underhill Geomatics – airphotos	7,821.24
	<u>80,950.45</u>

Total	<u>\$173,342.61</u>