



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 1  
Finalized Date: 30-NOV-2011  
Account: SIQURE

**CERTIFICATE WH11216740**

Project: BV-001

P.O. No.: BV-90403 - 05

This report is for 53 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-SEP-2011.

The following have access to data associated with this certificate:

KENDRA JOHNSTON

DAVID PAWLIUK

RANDY TURNER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                       |
|----------|-----------------------------------|
| WEI-21   | Received Sample Weight            |
| LOG-22   | Sample login - Rcd w/o BarCode    |
| EXTRA-01 | Extra Sample received in Shipment |
| SCR-41   | Screen to -180um and save both    |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: SILVER QUEST RESOURCES LTD.  
ATTN: KENDRA JOHNSTON  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-NOV-2011  
Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppb<br>5 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| L565453            |                                   | 0.08                              | <5                        | 0.20                         | 0.65                       | 4.9                         | <0.2                        | <10                       | 150                        | 0.29                         | 0.24                         | 3.38                       | 0.36                         | 7.80                         | 4.2                         | 10                        |
| L565454            |                                   | 0.06                              | <5                        | 0.11                         | 1.08                       | 4.0                         | <0.2                        | <10                       | 460                        | 0.48                         | 0.50                         | 1.13                       | 1.39                         | 19.40                        | 17.7                        | 13                        |
| L565455            |                                   | 0.06                              | <5                        | 0.03                         | 0.55                       | 3.2                         | <0.2                        | <10                       | 150                        | 0.23                         | 0.39                         | 0.44                       | 0.91                         | 11.70                        | 3.5                         | 9                         |
| L565456            |                                   | 0.10                              | <5                        | 0.13                         | 1.39                       | 5.4                         | <0.2                        | <10                       | 180                        | 0.58                         | 0.51                         | 0.83                       | 0.90                         | 21.4                         | 14.5                        | 18                        |
| L565457            |                                   | 0.08                              | <5                        | 0.10                         | 0.88                       | 4.3                         | <0.2                        | <10                       | 140                        | 0.31                         | 0.32                         | 1.94                       | 0.37                         | 10.95                        | 7.8                         | 11                        |
| L564670            |                                   | 0.10                              | <5                        | 0.11                         | 0.93                       | 2.0                         | <0.2                        | <10                       | 130                        | 0.36                         | 0.36                         | 1.21                       | 0.64                         | 12.70                        | 3.5                         | 14                        |
| L564671            |                                   | 0.06                              | NSS                       | 0.08                         | 0.70                       | 2.7                         | <0.2                        | <10                       | 820                        | 0.33                         | 0.29                         | 1.96                       | 0.77                         | 20.5                         | 6.3                         | 8                         |
| L564672            |                                   | 0.08                              | 8                         | 0.12                         | 0.67                       | 2.6                         | <0.2                        | <10                       | 330                        | 0.29                         | 0.33                         | 0.93                       | 1.12                         | 11.65                        | 5.8                         | 10                        |
| L564673            |                                   | 0.08                              | <5                        | 0.25                         | 1.42                       | 1.9                         | <0.2                        | <10                       | 300                        | 0.47                         | 0.35                         | 0.93                       | 1.27                         | 13.70                        | 6.9                         | 17                        |
| L564674            |                                   | 0.08                              | <5                        | 0.30                         | 1.39                       | 2.8                         | <0.2                        | <10                       | 550                        | 0.65                         | 0.43                         | 1.58                       | 1.38                         | 17.25                        | 11.5                        | 14                        |
| L564675            |                                   | 0.04                              | <5                        | 0.25                         | 0.70                       | 2.0                         | <0.2                        | <10                       | 500                        | 0.26                         | 0.27                         | 1.26                       | 0.95                         | 9.51                         | 4.5                         | 9                         |
| L564676            |                                   | 0.04                              | <5                        | 0.06                         | 0.72                       | 2.8                         | <0.2                        | <10                       | 180                        | 0.24                         | 0.30                         | 0.79                       | 0.52                         | 10.35                        | 3.7                         | 9                         |
| L564677            |                                   | 0.06                              | 12                        | 0.10                         | 0.72                       | 2.6                         | <0.2                        | <10                       | 310                        | 0.35                         | 0.30                         | 1.20                       | 0.64                         | 9.80                         | 5.0                         | 9                         |
| L564678            |                                   | 0.04                              | <5                        | 0.09                         | 0.59                       | 2.6                         | <0.2                        | <10                       | 210                        | 0.23                         | 0.26                         | 0.78                       | 0.66                         | 9.98                         | 3.8                         | 8                         |
| L564679            |                                   | 0.06                              | <5                        | 0.08                         | 1.09                       | 2.8                         | <0.2                        | <10                       | 390                        | 0.85                         | 0.36                         | 1.30                       | 0.70                         | 17.05                        | 7.3                         | 12                        |
| L564680            |                                   | 0.08                              | <5                        | 0.17                         | 1.37                       | 2.9                         | <0.2                        | <10                       | 610                        | 0.68                         | 0.37                         | 1.22                       | 1.51                         | 18.35                        | 14.2                        | 14                        |
| L565451            |                                   | 0.16                              | <5                        | 0.10                         | 0.70                       | 1.9                         | <0.2                        | <10                       | 100                        | 0.45                         | 0.21                         | 3.08                       | 0.59                         | 9.79                         | 3.2                         | 10                        |
| L565452            |                                   | 0.08                              | <5                        | 0.17                         | 1.27                       | 3.0                         | <0.2                        | <10                       | 240                        | 0.51                         | 0.43                         | 1.22                       | 0.91                         | 14.10                        | 6.4                         | 15                        |
| L565459            |                                   | 0.24                              | <5                        | 0.43                         | 1.46                       | 16.0                        | <0.2                        | <10                       | 270                        | 0.70                         | 0.28                         | 0.96                       | 0.38                         | 26.5                         | 9.9                         | 24                        |
| L565460            |                                   | 0.24                              | <5                        | 0.31                         | 1.52                       | 12.9                        | <0.2                        | <10                       | 490                        | 0.71                         | 0.31                         | 2.14                       | 1.20                         | 29.7                         | 12.5                        | 24                        |
| L565464            |                                   | 0.18                              | <5                        | 0.51                         | 1.21                       | 16.4                        | <0.2                        | <10                       | 240                        | 0.48                         | 0.25                         | 1.23                       | 0.66                         | 22.1                         | 8.9                         | 23                        |
| L565466            |                                   | 0.20                              | 5                         | 1.14                         | 0.65                       | 14.7                        | <0.2                        | <10                       | 830                        | 0.33                         | 0.15                         | 2.48                       | 0.84                         | 13.30                        | 5.0                         | 15                        |
| L565467            |                                   | 0.16                              | <5                        | 0.61                         | 0.49                       | 11.0                        | <0.2                        | <10                       | 470                        | 0.21                         | 0.11                         | 3.36                       | 0.63                         | 12.45                        | 3.7                         | 11                        |
| L564681            |                                   | 0.46                              | 5                         | 0.57                         | 1.46                       | 40.3                        | <0.2                        | <10                       | 330                        | 0.61                         | 0.31                         | 0.06                       | 0.24                         | 60.1                         | 7.3                         | 35                        |
| L564682            |                                   | 0.32                              | <5                        | 0.36                         | 1.50                       | 27.6                        | <0.2                        | <10                       | 210                        | 0.35                         | 0.24                         | 0.06                       | 0.13                         | 44.6                         | 3.9                         | 31                        |
| L564687            |                                   | 0.26                              | 5                         | 0.60                         | 0.36                       | 22.4                        | <0.2                        | <10                       | 900                        | 0.14                         | 0.23                         | 2.41                       | 0.29                         | 9.96                         | 3.3                         | 11                        |
| L564688            |                                   | 0.46                              | <5                        | 1.07                         | 0.73                       | 17.9                        | <0.2                        | <10                       | 670                        | 0.41                         | 0.16                         | 2.48                       | 0.69                         | 16.80                        | 4.8                         | 17                        |
| L564689            |                                   | 0.54                              | <5                        | 1.34                         | 1.33                       | 14.3                        | <0.2                        | <10                       | 250                        | 0.52                         | 0.21                         | 1.18                       | 1.72                         | 15.05                        | 7.8                         | 21                        |
| L564690            |                                   | 0.50                              | <5                        | 1.61                         | 1.18                       | 17.3                        | <0.2                        | <10                       | 220                        | 0.50                         | 0.20                         | 1.25                       | 1.92                         | 14.60                        | 8.1                         | 20                        |
| L564691            |                                   | 0.40                              | <5                        | 3.79                         | 1.78                       | 10.3                        | <0.2                        | <10                       | 320                        | 0.41                         | 0.21                         | 0.08                       | 0.25                         | 20.3                         | 4.1                         | 24                        |
| L564692            |                                   | 0.46                              | 5                         | 3.63                         | 1.25                       | 41.8                        | <0.2                        | <10                       | 340                        | 0.33                         | 0.31                         | 0.04                       | 0.18                         | 30.5                         | 4.3                         | 35                        |
| L565473            |                                   | 0.20                              | <5                        | 1.97                         | 0.74                       | 16.2                        | <0.2                        | <10                       | 220                        | 0.35                         | 0.15                         | 1.69                       | 1.11                         | 31.5                         | 6.7                         | 17                        |
| L565474            |                                   | 0.24                              | <5                        | 2.03                         | 2.06                       | 14.7                        | <0.2                        | <10                       | 340                        | 0.57                         | 0.23                         | 0.16                       | 0.66                         | 24.9                         | 9.4                         | 31                        |
| L565475            |                                   | 0.28                              | <5                        | 0.68                         | 1.64                       | 19.4                        | <0.2                        | <10                       | 220                        | 0.44                         | 0.26                         | 0.05                       | 0.18                         | 22.1                         | 7.5                         | 27                        |
| L565476            |                                   | 0.20                              | 7                         | 12.35                        | 1.88                       | 33.9                        | <0.2                        | <10                       | 170                        | 0.55                         | 0.28                         | 0.05                       | 0.21                         | 30.0                         | 6.1                         | 37                        |
| L565469            |                                   | 0.26                              | <5                        | 0.40                         | 1.88                       | 15.1                        | <0.2                        | <10                       | 300                        | 0.88                         | 0.34                         | 1.13                       | 0.28                         | 30.8                         | 13.0                        | 29                        |
| L565470            |                                   | 0.30                              | <5                        | 0.57                         | 1.81                       | 13.5                        | <0.2                        | <10                       | 300                        | 0.81                         | 0.31                         | 1.14                       | 0.36                         | 27.3                         | 11.9                        | 27                        |
| L565471            |                                   | 0.24                              | <5                        | 0.60                         | 1.89                       | 18.2                        | <0.2                        | <10                       | 310                        | 0.44                         | 0.27                         | 0.13                       | 0.15                         | 29.0                         | 9.7                         | 29                        |
| L565472            |                                   | 0.24                              | <5                        | 0.66                         | 1.85                       | 11.2                        | <0.2                        | <10                       | 390                        | 0.38                         | 0.28                         | 0.16                       | 0.56                         | 22.1                         | 8.7                         | 27                        |
| L564693            |                                   | 0.30                              | <5                        | 3.54                         | 1.60                       | 26.0                        | <0.2                        | <10                       | 260                        | 0.19                         | 0.26                         | 0.07                       | 0.20                         | 22.6                         | 5.6                         | 29                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-NOV-2011  
Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| L565453            |                                   | 0.47    | 51.0    | 1.32    | 1.67    | 0.05    | 0.05    | 0.28    | 0.018   | 0.04    | 4.3     | 5.9     | 0.60    | 780     | 0.85    |
| L565454            |                                   | 0.91    | 19.9    | 2.14    | 4.97    | <0.05   | 0.03    | 0.19    | 0.036   | 0.06    | 8.9     | 9.5     | 0.27    | 5800    | 1.31    |
| L565455            |                                   | 0.46    | 12.5    | 1.32    | 2.71    | <0.05   | <0.02   | 0.09    | 0.018   | 0.06    | 6.1     | 2.6     | 0.10    | 101     | 1.05    |
| L565456            |                                   | 0.68    | 25.2    | 2.44    | 5.01    | <0.05   | 0.02    | 0.09    | 0.035   | 0.06    | 10.9    | 13.5    | 0.50    | 1300    | 1.20    |
| L565457            |                                   | 0.48    | 14.2    | 1.60    | 2.83    | <0.05   | 0.05    | 0.08    | 0.021   | 0.04    | 5.4     | 8.7     | 0.44    | 744     | 0.93    |
| L564670            |                                   | 0.41    | 16.2    | 1.28    | 3.73    | <0.05   | 0.02    | 0.05    | 0.020   | 0.04    | 6.8     | 7.1     | 0.27    | 254     | 0.83    |
| L564671            |                                   | 0.58    | 20.2    | 1.40    | 2.78    | <0.05   | 0.02    | 0.23    | 0.019   | 0.05    | 10.1    | 5.0     | 0.19    | 3610    | 0.68    |
| L564672            |                                   | 0.48    | 16.9    | 1.25    | 2.79    | <0.05   | <0.02   | 0.16    | 0.019   | 0.06    | 6.1     | 3.4     | 0.16    | 554     | 0.88    |
| L564673            |                                   | 0.63    | 18.1    | 1.55    | 5.00    | <0.05   | 0.03    | 0.09    | 0.025   | 0.05    | 7.0     | 10.4    | 0.37    | 877     | 0.78    |
| L564674            |                                   | 0.51    | 29.7    | 2.11    | 5.05    | <0.05   | 0.02    | 0.10    | 0.030   | 0.05    | 8.3     | 7.6     | 0.38    | 6100    | 1.04    |
| L564675            |                                   | 0.31    | 20.5    | 1.28    | 2.65    | <0.05   | <0.02   | 0.12    | 0.016   | 0.04    | 4.8     | 3.8     | 0.17    | 996     | 0.77    |
| L564676            |                                   | 0.31    | 11.0    | 1.39    | 3.13    | <0.05   | 0.02    | 0.16    | 0.015   | 0.05    | 5.5     | 4.7     | 0.16    | 379     | 1.01    |
| L564677            |                                   | 0.35    | 15.3    | 1.50    | 2.65    | <0.05   | <0.02   | 0.16    | 0.021   | 0.05    | 5.0     | 3.5     | 0.18    | 886     | 0.93    |
| L564678            |                                   | 0.34    | 14.6    | 1.16    | 2.63    | <0.05   | <0.02   | 0.10    | 0.018   | 0.04    | 5.2     | 2.8     | 0.13    | 163     | 0.90    |
| L564679            |                                   | 0.42    | 21.6    | 1.64    | 4.08    | <0.05   | 0.02    | 0.10    | 0.022   | 0.04    | 10.0    | 6.5     | 0.23    | 1740    | 0.93    |
| L564680            |                                   | 0.53    | 25.2    | 2.06    | 5.31    | <0.05   | <0.02   | 0.12    | 0.029   | 0.05    | 9.6     | 8.9     | 0.31    | 8330    | 1.15    |
| L565451            |                                   | 0.59    | 32.0    | 1.23    | 2.05    | <0.05   | 0.03    | 0.07    | 0.019   | 0.02    | 6.1     | 3.0     | 0.39    | 359     | 0.54    |
| L565452            |                                   | 0.75    | 19.9    | 1.88    | 4.86    | <0.05   | <0.02   | 0.07    | 0.027   | 0.03    | 7.3     | 9.3     | 0.29    | 451     | 0.97    |
| L565459            |                                   | 0.65    | 36.8    | 2.93    | 4.34    | 0.05    | 0.07    | 0.11    | 0.035   | 0.09    | 14.8    | 18.0    | 0.74    | 459     | 3.18    |
| L565460            |                                   | 0.90    | 36.3    | 2.95    | 4.46    | 0.07    | 0.10    | 0.10    | 0.039   | 0.12    | 15.9    | 17.1    | 1.56    | 284     | 6.42    |
| L565464            |                                   | 0.54    | 23.2    | 2.65    | 3.71    | 0.05    | 0.06    | 0.11    | 0.035   | 0.06    | 12.0    | 15.1    | 0.49    | 429     | 3.43    |
| L565466            |                                   | 0.50    | 32.9    | 1.48    | 2.32    | <0.05   | 0.07    | 0.25    | 0.021   | 0.04    | 8.7     | 5.3     | 0.30    | 378     | 2.78    |
| L565467            |                                   | 0.50    | 24.0    | 1.05    | 1.71    | <0.05   | 0.06    | 0.21    | 0.018   | 0.03    | 7.5     | 4.4     | 0.33    | 240     | 0.84    |
| L564681            |                                   | 1.36    | 60.5    | 3.44    | 7.72    | 0.13    | 0.22    | 0.54    | 0.082   | 0.18    | 32.0    | 12.4    | 0.31    | 219     | 25.6    |
| L564682            |                                   | 1.16    | 21.0    | 3.34    | 8.87    | 0.09    | 0.03    | 0.04    | 0.065   | 0.08    | 25.3    | 15.1    | 0.22    | 157     | 9.94    |
| L564687            |                                   | 0.44    | 19.6    | 1.06    | 1.74    | <0.05   | 0.05    | 0.17    | 0.020   | 0.05    | 6.6     | 2.9     | 0.17    | 470     | 6.74    |
| L564688            |                                   | 0.50    | 38.8    | 1.50    | 2.56    | <0.05   | 0.07    | 0.28    | 0.026   | 0.04    | 10.6    | 6.6     | 0.32    | 281     | 3.40    |
| L564689            |                                   | 0.60    | 23.5    | 2.93    | 3.93    | <0.05   | 0.05    | 0.14    | 0.034   | 0.03    | 9.6     | 10.2    | 0.29    | 277     | 2.99    |
| L564690            |                                   | 0.58    | 26.6    | 3.17    | 3.32    | <0.05   | 0.06    | 0.18    | 0.032   | 0.03    | 9.9     | 8.8     | 0.26    | 309     | 3.62    |
| L564691            |                                   | 1.00    | 9.8     | 2.55    | 6.60    | <0.05   | 0.03    | 0.06    | 0.024   | 0.03    | 11.1    | 15.4    | 0.29    | 131     | 4.41    |
| L564692            |                                   | 0.71    | 14.8    | 2.62    | 11.50   | 0.08    | 0.07    | 0.19    | 0.111   | 0.10    | 24.3    | 10.8    | 0.26    | 117     | 35.8    |
| L565473            |                                   | 0.40    | 44.0    | 2.21    | 2.22    | 0.09    | 0.07    | 0.36    | 0.027   | 0.02    | 21.1    | 7.4     | 0.19    | 243     | 4.37    |
| L565474            |                                   | 1.00    | 22.5    | 3.21    | 5.57    | <0.05   | 0.04    | 0.05    | 0.036   | 0.05    | 13.5    | 20.2    | 0.44    | 224     | 4.74    |
| L565475            |                                   | 0.85    | 27.1    | 3.31    | 4.87    | <0.05   | 0.09    | 0.06    | 0.039   | 0.05    | 12.2    | 14.2    | 0.30    | 218     | 4.16    |
| L565476            |                                   | 1.24    | 18.8    | 4.31    | 7.39    | 0.07    | 0.16    | 0.23    | 0.056   | 0.07    | 18.7    | 20.3    | 0.28    | 213     | 15.50   |
| L565469            |                                   | 0.82    | 45.4    | 3.31    | 6.01    | 0.06    | 0.10    | 0.07    | 0.043   | 0.14    | 16.3    | 22.7    | 1.06    | 673     | 2.75    |
| L565470            |                                   | 0.75    | 38.6    | 3.14    | 5.41    | 0.06    | 0.07    | 0.08    | 0.045   | 0.13    | 14.1    | 19.4    | 0.85    | 663     | 2.62    |
| L565471            |                                   | 0.83    | 23.9    | 3.34    | 5.87    | 0.05    | 0.10    | 0.02    | 0.038   | 0.06    | 15.1    | 21.6    | 0.53    | 296     | 5.24    |
| L565472            |                                   | 0.51    | 10.0    | 3.06    | 6.46    | <0.05   | 0.02    | 0.02    | 0.031   | 0.05    | 11.2    | 18.9    | 0.40    | 535     | 10.05   |
| L564693            |                                   | 0.70    | 11.7    | 3.22    | 6.38    | <0.05   | 0.04    | 0.12    | 0.027   | 0.06    | 12.6    | 12.9    | 0.40    | 184     | 16.95   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-NOV-2011  
Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| L565453            |                                   | 0.25                         | 10.9                        | 810                       | 10.9                        | 6.3                         | <0.001                        | 0.18                      | 0.73                         | 1.2                         | 1.5                         | 0.2                         | 26.6                        | <0.01                        | 0.05                         | 0.2                         |
| L565454            |                                   | 0.55                         | 14.3                        | 550                       | 18.2                        | 11.7                        | <0.001                        | 0.05                      | 0.55                         | 3.6                         | 0.8                         | 0.5                         | 28.0                        | <0.01                        | 0.05                         | 1.4                         |
| L565455            |                                   | 0.33                         | 8.3                         | 560                       | 10.6                        | 4.1                         | <0.001                        | 0.06                      | 0.47                         | 1.8                         | 0.4                         | 0.3                         | 15.7                        | <0.01                        | 0.04                         | 0.9                         |
| L565456            |                                   | 0.44                         | 18.2                        | 470                       | 16.1                        | 9.3                         | <0.001                        | 0.03                      | 0.55                         | 3.7                         | 0.5                         | 0.4                         | 17.0                        | <0.01                        | 0.05                         | 1.7                         |
| L565457            |                                   | 0.32                         | 11.2                        | 530                       | 11.1                        | 8.5                         | <0.001                        | 0.09                      | 0.49                         | 1.9                         | 0.5                         | 0.2                         | 32.9                        | <0.01                        | 0.04                         | 0.9                         |
| L564670            |                                   | 0.44                         | 8.6                         | 520                       | 11.4                        | 5.9                         | <0.001                        | 0.07                      | 0.29                         | 2.0                         | 0.4                         | 0.4                         | 17.5                        | <0.01                        | 0.03                         | 0.7                         |
| L564671            |                                   | 0.31                         | 9.2                         | 500                       | 9.6                         | 5.7                         | <0.001                        | 0.06                      | 0.35                         | 1.7                         | 0.4                         | 0.3                         | 39.1                        | <0.01                        | 0.04                         | 0.5                         |
| L564672            |                                   | 0.36                         | 10.6                        | 590                       | 10.3                        | 8.2                         | <0.001                        | 0.07                      | 0.41                         | 1.3                         | 0.4                         | 0.3                         | 23.2                        | <0.01                        | 0.03                         | 0.2                         |
| L564673            |                                   | 0.53                         | 10.0                        | 800                       | 10.7                        | 6.4                         | <0.001                        | 0.05                      | 0.27                         | 3.0                         | 0.6                         | 0.6                         | 16.3                        | <0.01                        | 0.03                         | 0.8                         |
| L564674            |                                   | 0.51                         | 16.1                        | 580                       | 15.7                        | 8.1                         | <0.001                        | 0.05                      | 0.40                         | 1.9                         | 0.4                         | 0.5                         | 25.3                        | <0.01                        | 0.05                         | 0.3                         |
| L564675            |                                   | 0.34                         | 8.9                         | 580                       | 8.8                         | 4.3                         | <0.001                        | 0.05                      | 0.36                         | 1.0                         | 0.3                         | 0.3                         | 28.1                        | <0.01                        | 0.03                         | <0.2                        |
| L564676            |                                   | 0.46                         | 6.9                         | 480                       | 8.9                         | 4.2                         | <0.001                        | 0.06                      | 0.43                         | 1.5                         | 0.3                         | 0.4                         | 13.6                        | <0.01                        | 0.03                         | 1.0                         |
| L564677            |                                   | 0.36                         | 9.5                         | 550                       | 9.7                         | 5.9                         | <0.001                        | 0.07                      | 0.37                         | 1.2                         | 0.4                         | 0.3                         | 22.6                        | <0.01                        | 0.03                         | <0.2                        |
| L564678            |                                   | 0.36                         | 7.9                         | 610                       | 8.0                         | 3.9                         | <0.001                        | 0.06                      | 0.38                         | 1.3                         | 0.3                         | 0.4                         | 16.2                        | <0.01                        | 0.04                         | 0.2                         |
| L564679            |                                   | 0.49                         | 12.6                        | 510                       | 13.5                        | 6.3                         | <0.001                        | 0.04                      | 0.42                         | 1.8                         | 0.4                         | 0.5                         | 19.2                        | <0.01                        | 0.04                         | 0.5                         |
| L564680            |                                   | 0.44                         | 19.9                        | 490                       | 15.6                        | 11.8                        | <0.001                        | 0.04                      | 0.40                         | 1.1                         | 0.5                         | 0.5                         | 23.2                        | <0.01                        | 0.05                         | <0.2                        |
| L565451            |                                   | 0.34                         | 10.4                        | 1010                      | 7.5                         | 4.0                         | <0.001                        | 0.17                      | 0.29                         | 1.2                         | 1.1                         | 0.2                         | 30.9                        | 0.01                         | 0.03                         | 0.2                         |
| L565452            |                                   | 0.48                         | 11.6                        | 570                       | 15.5                        | 6.5                         | <0.001                        | 0.05                      | 0.39                         | 1.5                         | 0.4                         | 0.5                         | 25.3                        | <0.01                        | 0.04                         | 0.2                         |
| L565459            |                                   | 0.50                         | 29.1                        | 780                       | 20.8                        | 8.3                         | <0.001                        | 0.03                      | 1.66                         | 4.3                         | 1.4                         | 0.4                         | 23.5                        | <0.01                        | 0.06                         | 2.4                         |
| L565460            |                                   | 0.52                         | 44.2                        | 910                       | 27.1                        | 9.9                         | 0.001                         | 0.02                      | 1.47                         | 5.1                         | 1.3                         | 0.4                         | 19.8                        | 0.01                         | 0.04                         | 4.2                         |
| L565464            |                                   | 0.56                         | 27.1                        | 640                       | 18.8                        | 6.7                         | 0.003                         | 0.04                      | 1.65                         | 3.5                         | 2.3                         | 0.3                         | 26.9                        | <0.01                        | 0.05                         | 2.1                         |
| L565466            |                                   | 0.68                         | 18.9                        | 840                       | 11.0                        | 4.2                         | 0.006                         | 0.15                      | 2.98                         | 2.0                         | 6.5                         | 0.4                         | 33.3                        | 0.01                         | 0.08                         | 0.5                         |
| L565467            |                                   | 0.54                         | 12.8                        | 780                       | 7.6                         | 3.9                         | 0.006                         | 0.17                      | 2.19                         | 1.5                         | 5.6                         | 0.3                         | 43.3                        | 0.01                         | 0.05                         | 0.4                         |
| L564681            |                                   | 1.08                         | 25.3                        | 790                       | 32.8                        | 11.6                        | 0.001                         | 0.28                      | 4.92                         | 9.8                         | 6.9                         | 0.8                         | 124.5                       | <0.01                        | 0.14                         | 7.6                         |
| L564682            |                                   | 1.15                         | 13.2                        | 770                       | 19.6                        | 8.3                         | <0.001                        | 0.11                      | 2.34                         | 3.1                         | 2.8                         | 0.8                         | 88.5                        | <0.01                        | 0.08                         | 4.0                         |
| L564687            |                                   | 1.07                         | 13.9                        | 730                       | 19.1                        | 3.8                         | 0.004                         | 0.20                      | 3.51                         | 1.4                         | 6.1                         | 0.4                         | 30.2                        | 0.01                         | 0.11                         | 0.4                         |
| L564688            |                                   | 0.78                         | 18.9                        | 870                       | 11.5                        | 3.9                         | 0.005                         | 0.13                      | 3.83                         | 2.7                         | 5.5                         | 0.4                         | 43.9                        | 0.01                         | 0.08                         | 0.7                         |
| L564689            |                                   | 0.59                         | 53.8                        | 520                       | 15.0                        | 4.5                         | <0.001                        | 0.02                      | 0.93                         | 3.6                         | 2.2                         | 0.4                         | 46.5                        | <0.01                        | 0.09                         | 2.1                         |
| L564690            |                                   | 0.52                         | 70.9                        | 600                       | 14.7                        | 4.5                         | <0.001                        | 0.03                      | 1.08                         | 3.7                         | 2.4                         | 0.4                         | 47.8                        | 0.01                         | 0.10                         | 2.1                         |
| L564691            |                                   | 0.95                         | 12.9                        | 230                       | 15.5                        | 7.5                         | <0.001                        | 0.01                      | 1.29                         | 2.9                         | 1.5                         | 0.7                         | 7.7                         | <0.01                        | 0.05                         | 2.7                         |
| L564692            |                                   | 0.65                         | 18.9                        | 460                       | 23.4                        | 10.1                        | 0.001                         | 0.13                      | 5.74                         | 5.9                         | 14.6                        | 1.3                         | 47.1                        | <0.01                        | 0.18                         | 9.6                         |
| L565473            |                                   | 0.48                         | 63.4                        | 750                       | 11.0                        | 3.5                         | 0.002                         | 0.06                      | 1.08                         | 2.0                         | 4.4                         | 0.6                         | 119.0                       | 0.01                         | 0.09                         | 1.0                         |
| L565474            |                                   | 0.68                         | 34.3                        | 350                       | 16.5                        | 8.6                         | <0.001                        | 0.01                      | 1.10                         | 3.0                         | 2.1                         | 0.6                         | 19.6                        | <0.01                        | 0.05                         | 3.7                         |
| L565475            |                                   | 0.97                         | 28.8                        | 350                       | 17.2                        | 8.4                         | <0.001                        | 0.02                      | 1.37                         | 3.0                         | 1.7                         | 0.5                         | 13.6                        | <0.01                        | 0.06                         | 4.8                         |
| L565476            |                                   | 2.03                         | 18.1                        | 690                       | 17.8                        | 10.1                        | <0.001                        | 0.05                      | 6.65                         | 3.1                         | 5.7                         | 0.8                         | 40.2                        | 0.01                         | 0.14                         | 5.2                         |
| L565469            |                                   | 0.62                         | 34.0                        | 500                       | 26.9                        | 12.7                        | <0.001                        | 0.01                      | 2.07                         | 6.0                         | 0.9                         | 0.5                         | 21.2                        | <0.01                        | 0.04                         | 4.1                         |
| L565470            |                                   | 0.55                         | 28.4                        | 600                       | 26.6                        | 11.5                        | 0.001                         | 0.03                      | 2.03                         | 4.7                         | 1.3                         | 0.5                         | 22.7                        | <0.01                        | 0.05                         | 2.5                         |
| L565471            |                                   | 1.00                         | 26.7                        | 620                       | 19.6                        | 10.7                        | <0.001                        | <0.01                     | 1.67                         | 3.4                         | 1.0                         | 0.6                         | 14.1                        | <0.01                        | 0.05                         | 3.9                         |
| L565472            |                                   | 1.12                         | 17.1                        | 540                       | 17.5                        | 6.5                         | <0.001                        | <0.01                     | 0.83                         | 3.1                         | 2.0                         | 0.7                         | 12.5                        | <0.01                        | 0.04                         | 2.4                         |
| L564693            |                                   | 1.67                         | 16.9                        | 370                       | 17.0                        | 9.0                         | <0.001                        | 0.04                      | 3.81                         | 2.9                         | 5.2                         | 0.8                         | 15.9                        | <0.01                        | 0.08                         | 2.8                         |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-NOV-2011  
Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| L565453            |                                   | 0.010              | 0.06                 | 1.92                | 17                  | 0.06                | 6.88                | 91                   | 1.3                  |
| L565454            |                                   | 0.028              | 0.14                 | 0.70                | 37                  | 0.13                | 5.36                | 54                   | 0.8                  |
| L565455            |                                   | 0.018              | 0.05                 | 0.40                | 28                  | 0.10                | 2.34                | 48                   | 0.5                  |
| L565456            |                                   | 0.022              | 0.09                 | 0.69                | 43                  | 0.13                | 4.97                | 49                   | 0.6                  |
| L565457            |                                   | 0.016              | 0.07                 | 0.88                | 26                  | 0.09                | 2.95                | 41                   | 1.4                  |
| L564670            |                                   | 0.021              | 0.07                 | 0.27                | 30                  | 0.10                | 2.75                | 30                   | 0.5                  |
| L564671            |                                   | 0.022              | 0.11                 | 0.17                | 23                  | 0.10                | 2.48                | 341                  | 0.6                  |
| L564672            |                                   | 0.023              | 0.06                 | 0.22                | 27                  | 0.10                | 2.59                | 53                   | <0.5                 |
| L564673            |                                   | 0.021              | 0.12                 | 0.84                | 39                  | 0.14                | 3.57                | 59                   | 0.6                  |
| L564674            |                                   | 0.027              | 0.10                 | 0.26                | 40                  | 0.15                | 5.11                | 93                   | <0.5                 |
| L564675            |                                   | 0.019              | 0.06                 | 0.17                | 29                  | 0.10                | 2.26                | 123                  | <0.5                 |
| L564676            |                                   | 0.021              | 0.07                 | 0.13                | 33                  | 0.11                | 1.95                | 37                   | 0.7                  |
| L564677            |                                   | 0.021              | 0.04                 | 0.17                | 28                  | 0.10                | 2.59                | 62                   | <0.5                 |
| L564678            |                                   | 0.020              | 0.04                 | 0.19                | 27                  | 0.09                | 2.27                | 43                   | <0.5                 |
| L564679            |                                   | 0.025              | 0.07                 | 0.19                | 37                  | 0.12                | 7.04                | 57                   | <0.5                 |
| L564680            |                                   | 0.023              | 0.10                 | 0.28                | 43                  | 0.12                | 6.11                | 127                  | <0.5                 |
| L565451            |                                   | 0.016              | 0.03                 | 1.83                | 16                  | 0.06                | 8.41                | 19                   | 0.9                  |
| L565452            |                                   | 0.019              | 0.09                 | 0.91                | 40                  | 0.13                | 3.42                | 58                   | <0.5                 |
| L565459            |                                   | 0.023              | 0.20                 | 0.71                | 51                  | 0.20                | 11.35               | 91                   | 1.7                  |
| L565460            |                                   | 0.027              | 0.27                 | 1.45                | 61                  | 0.26                | 18.20               | 223                  | 2.4                  |
| L565464            |                                   | 0.019              | 0.18                 | 1.49                | 62                  | 0.15                | 10.95               | 113                  | 1.6                  |
| L565466            |                                   | 0.023              | 0.43                 | 5.40                | 55                  | 0.10                | 6.81                | 78                   | 2.2                  |
| L565467            |                                   | 0.019              | 0.41                 | 7.04                | 28                  | 0.08                | 5.64                | 73                   | 2.0                  |
| L564681            |                                   | 0.086              | 2.62                 | 5.54                | 113                 | 0.31                | 9.11                | 70                   | 10.8                 |
| L564682            |                                   | 0.048              | 1.16                 | 2.10                | 110                 | 0.18                | 3.71                | 50                   | 1.4                  |
| L564687            |                                   | 0.034              | 0.76                 | 3.88                | 43                  | 0.08                | 2.20                | 40                   | 2.0                  |
| L564688            |                                   | 0.027              | 0.53                 | 7.66                | 48                  | 0.16                | 8.65                | 37                   | 2.3                  |
| L564689            |                                   | 0.019              | 0.12                 | 0.66                | 46                  | 0.23                | 11.75               | 225                  | 1.9                  |
| L564690            |                                   | 0.016              | 0.12                 | 0.69                | 41                  | 0.24                | 14.60               | 296                  | 2.1                  |
| L564691            |                                   | 0.035              | 0.26                 | 0.43                | 80                  | 0.17                | 2.30                | 69                   | 1.2                  |
| L564692            |                                   | 0.023              | 1.16                 | 2.23                | 114                 | 0.37                | 5.82                | 42                   | 3.6                  |
| L565473            |                                   | 0.016              | 0.07                 | 4.20                | 26                  | 0.16                | 28.8                | 187                  | 1.4                  |
| L565474            |                                   | 0.025              | 0.19                 | 0.55                | 66                  | 0.19                | 4.29                | 116                  | 2.1                  |
| L565475            |                                   | 0.037              | 0.25                 | 0.93                | 64                  | 0.14                | 4.24                | 83                   | 3.8                  |
| L565476            |                                   | 0.079              | 1.01                 | 2.10                | 188                 | 0.23                | 2.54                | 64                   | 7.4                  |
| L565469            |                                   | 0.027              | 0.17                 | 0.51                | 57                  | 0.25                | 11.25               | 117                  | 2.8                  |
| L565470            |                                   | 0.022              | 0.15                 | 0.65                | 55                  | 0.20                | 9.55                | 114                  | 2.0                  |
| L565471            |                                   | 0.025              | 0.20                 | 0.60                | 65                  | 0.24                | 3.20                | 89                   | 4.1                  |
| L565472            |                                   | 0.024              | 0.27                 | 0.41                | 73                  | 0.24                | 2.02                | 151                  | 0.9                  |
| L564693            |                                   | 0.040              | 0.58                 | 0.64                | 93                  | 0.19                | 2.09                | 56                   | 1.6                  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-NOV-2011  
 Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppb<br>5 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| L564694            |                                   | 0.30                              | <5                        | 1.71                         | 0.55                       | 15.6                        | <0.2                        | <10                       | 190                        | 0.18                         | 0.16                         | 0.81                       | 1.22                         | 18.00                        | 5.5                         | 14                        |
| L564698            |                                   | 0.38                              | <5                        | 0.19                         | 0.97                       | 10.5                        | <0.2                        | <10                       | 180                        | 0.40                         | 0.23                         | 6.37                       | 0.56                         | 21.9                         | 9.6                         | 17                        |
| L564699            |                                   | 0.34                              | <5                        | 0.24                         | 1.33                       | 13.9                        | <0.2                        | <10                       | 180                        | 0.55                         | 0.33                         | 5.19                       | 0.60                         | 28.2                         | 13.5                        | 22                        |
| L564700            |                                   | 0.28                              | <5                        | 0.21                         | 1.24                       | 12.2                        | <0.2                        | <10                       | 170                        | 0.49                         | 0.30                         | 7.65                       | 0.54                         | 27.8                         | 13.3                        | 20                        |
| L564851            |                                   | 0.24                              | <5                        | 0.31                         | 1.85                       | 9.8                         | <0.2                        | <10                       | 90                         | 0.52                         | 0.64                         | 0.76                       | 0.30                         | 33.0                         | 19.5                        | 27                        |
| L564852            |                                   | 0.16                              | 7                         | 0.24                         | 1.14                       | 9.6                         | <0.2                        | <10                       | 100                        | 0.39                         | 0.33                         | 2.23                       | 0.50                         | 13.15                        | 11.6                        | 16                        |
| L564853            |                                   | 0.28                              | <5                        | 0.30                         | 1.86                       | 19.9                        | <0.2                        | <10                       | 120                        | 0.52                         | 0.58                         | 0.83                       | 0.54                         | 39.8                         | 28.9                        | 27                        |
| L564854            |                                   | 0.30                              | <5                        | 0.04                         | 1.42                       | 11.8                        | <0.2                        | <10                       | 150                        | 0.45                         | 0.31                         | 0.33                       | 0.29                         | 29.3                         | 11.3                        | 24                        |
| L564860            |                                   | 0.26                              | <5                        | 0.20                         | 1.17                       | 12.1                        | <0.2                        | <10                       | 240                        | 0.47                         | 0.25                         | 3.78                       | 0.43                         | 27.8                         | 11.5                        | 22                        |
| L564861            |                                   | 0.24                              | <5                        | 0.26                         | 1.36                       | 12.0                        | <0.2                        | <10                       | 220                        | 0.54                         | 0.33                         | 1.57                       | 0.61                         | 31.6                         | 13.3                        | 27                        |
| L564862            |                                   | 0.26                              | <5                        | 0.31                         | 1.70                       | 15.7                        | <0.2                        | <10                       | 300                        | 0.59                         | 0.38                         | 1.26                       | 0.71                         | 33.3                         | 17.0                        | 38                        |
| L564863            |                                   | 0.32                              | <5                        | 0.12                         | 1.02                       | 6.3                         | <0.2                        | <10                       | 110                        | 0.34                         | 0.20                         | 5.89                       | 0.28                         | 25.0                         | 11.1                        | 30                        |
| L564864            |                                   | 0.30                              | <5                        | 0.29                         | 1.62                       | 14.4                        | <0.2                        | <10                       | 240                        | 0.63                         | 0.45                         | 1.84                       | 0.60                         | 33.8                         | 15.4                        | 30                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-NOV-2011  
 Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| L564694            |                                   | 0.26    | 40.1    | 2.08    | 1.60    | 0.05    | 0.08    | 0.33    | 0.031   | 0.03    | 11.4    | 3.8     | 0.12    | 202     | 5.48    |
| L564698            |                                   | 0.67    | 31.6    | 2.46    | 2.91    | <0.05   | 0.07    | 0.06    | 0.029   | 0.07    | 10.8    | 12.2    | 3.43    | 634     | 1.34    |
| L564699            |                                   | 0.96    | 42.4    | 3.08    | 3.97    | 0.05    | 0.09    | 0.08    | 0.034   | 0.12    | 13.9    | 16.9    | 2.97    | 789     | 1.50    |
| L564700            |                                   | 0.96    | 39.0    | 2.84    | 3.68    | 0.06    | 0.09    | 0.08    | 0.035   | 0.11    | 13.7    | 15.5    | 3.33    | 872     | 1.48    |
| L564851            |                                   | 0.90    | 54.4    | 3.54    | 5.42    | 0.07    | 0.09    | 0.08    | 0.043   | 0.10    | 16.3    | 24.1    | 1.02    | 746     | 0.57    |
| L564852            |                                   | 0.70    | 56.9    | 2.34    | 3.30    | <0.05   | 0.07    | 0.07    | 0.027   | 0.07    | 7.3     | 12.3    | 0.71    | 1220    | 0.86    |
| L564853            |                                   | 1.01    | 72.3    | 4.13    | 5.76    | 0.10    | 0.10    | 0.08    | 0.044   | 0.12    | 19.0    | 20.5    | 1.14    | 1500    | 1.24    |
| L564854            |                                   | 0.59    | 23.4    | 3.20    | 4.46    | 0.05    | 0.06    | 0.02    | 0.039   | 0.05    | 14.3    | 14.0    | 0.62    | 646     | 1.32    |
| L564860            |                                   | 0.69    | 29.0    | 2.68    | 3.53    | <0.05   | 0.08    | 0.06    | 0.033   | 0.07    | 13.8    | 12.9    | 2.47    | 572     | 1.33    |
| L564861            |                                   | 0.75    | 33.1    | 3.10    | 4.20    | 0.07    | 0.09    | 0.07    | 0.036   | 0.09    | 15.6    | 14.9    | 1.26    | 419     | 1.18    |
| L564862            |                                   | 0.87    | 45.2    | 3.83    | 5.19    | 0.08    | 0.09    | 0.08    | 0.042   | 0.11    | 16.7    | 18.5    | 1.28    | 1310    | 2.04    |
| L564863            |                                   | 0.45    | 18.0    | 2.54    | 3.39    | 0.06    | 0.08    | 0.04    | 0.026   | 0.05    | 12.6    | 13.0    | 4.22    | 645     | 1.00    |
| L564864            |                                   | 0.90    | 51.4    | 3.63    | 4.88    | 0.06    | 0.11    | 0.09    | 0.042   | 0.12    | 16.9    | 18.7    | 1.50    | 922     | 1.45    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-NOV-2011  
 Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| L564694            |                                   | 0.95                         | 51.1                        | 720                       | 9.9                         | 3.6                         | 0.002                         | 0.05                      | 1.60                         | 2.3                         | 5.3                         | 0.3                         | 118.5                       | 0.01                         | 0.10                         | 1.6                         |
| L564698            |                                   | 0.57                         | 24.4                        | 700                       | 22.8                        | 7.2                         | <0.001                        | 0.01                      | 1.19                         | 3.5                         | 0.6                         | 0.3                         | 62.4                        | <0.01                        | 0.03                         | 2.6                         |
| L564699            |                                   | 0.61                         | 32.3                        | 720                       | 31.3                        | 10.1                        | <0.001                        | 0.01                      | 1.43                         | 4.4                         | 0.6                         | 0.3                         | 53.5                        | <0.01                        | 0.04                         | 3.7                         |
| L564700            |                                   | 0.57                         | 31.5                        | 710                       | 30.3                        | 9.5                         | <0.001                        | 0.01                      | 1.26                         | 4.4                         | 0.5                         | 0.3                         | 79.4                        | <0.01                        | 0.04                         | 3.9                         |
| L564851            |                                   | 0.56                         | 33.3                        | 470                       | 31.9                        | 10.6                        | <0.001                        | 0.04                      | 0.69                         | 4.4                         | 0.9                         | 0.3                         | 18.2                        | <0.01                        | 0.05                         | 4.1                         |
| L564852            |                                   | 0.39                         | 24.7                        | 880                       | 19.2                        | 9.4                         | <0.001                        | 0.16                      | 0.87                         | 1.9                         | 1.1                         | 0.3                         | 42.6                        | <0.01                        | 0.04                         | 0.7                         |
| L564853            |                                   | 0.67                         | 46.0                        | 560                       | 43.2                        | 11.2                        | <0.001                        | 0.02                      | 1.30                         | 4.6                         | 0.6                         | 0.3                         | 18.4                        | <0.01                        | 0.05                         | 4.4                         |
| L564854            |                                   | 0.73                         | 23.9                        | 200                       | 24.1                        | 8.6                         | <0.001                        | <0.01                     | 0.90                         | 3.9                         | 0.4                         | 0.4                         | 8.7                         | <0.01                        | 0.04                         | 3.5                         |
| L564860            |                                   | 0.87                         | 28.3                        | 900                       | 26.0                        | 8.1                         | <0.001                        | 0.03                      | 1.21                         | 4.0                         | 0.9                         | 0.3                         | 39.5                        | <0.01                        | 0.03                         | 2.9                         |
| L564861            |                                   | 0.98                         | 31.8                        | 950                       | 33.7                        | 9.8                         | 0.001                         | 0.03                      | 0.99                         | 4.3                         | 1.0                         | 0.4                         | 25.3                        | <0.01                        | 0.04                         | 3.6                         |
| L564862            |                                   | 1.45                         | 44.1                        | 990                       | 37.0                        | 11.8                        | 0.001                         | 0.03                      | 1.27                         | 4.8                         | 1.3                         | 0.4                         | 27.1                        | 0.01                         | 0.05                         | 3.2                         |
| L564863            |                                   | 2.67                         | 26.2                        | 970                       | 19.2                        | 4.9                         | <0.001                        | 0.01                      | 0.65                         | 3.3                         | 0.4                         | 0.2                         | 44.0                        | <0.01                        | 0.02                         | 2.6                         |
| L564864            |                                   | 0.97                         | 37.1                        | 790                       | 35.6                        | 12.1                        | <0.001                        | 0.02                      | 1.43                         | 5.2                         | 0.9                         | 0.4                         | 26.9                        | <0.01                        | 0.04                         | 4.0                         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-NOV-2011  
 Account: SIQURE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| L564694            |                                   | 0.022              | 0.09                 | 2.32                | 25                  | 0.38                | 17.25               | 157                  | 2.7                  |
| L564698            |                                   | 0.019              | 0.10                 | 0.64                | 33                  | 0.18                | 8.58                | 126                  | 2.1                  |
| L564699            |                                   | 0.022              | 0.14                 | 0.67                | 42                  | 0.18                | 10.05               | 141                  | 2.9                  |
| L564700            |                                   | 0.023              | 0.13                 | 0.68                | 39                  | 0.17                | 9.94                | 135                  | 3.3                  |
| L564851            |                                   | 0.018              | 0.09                 | 0.67                | 39                  | 0.07                | 9.90                | 158                  | 2.6                  |
| L564852            |                                   | 0.010              | 0.08                 | 2.27                | 24                  | 0.06                | 7.37                | 139                  | 1.9                  |
| L564853            |                                   | 0.024              | 0.13                 | 0.66                | 44                  | 0.13                | 10.65               | 183                  | 2.7                  |
| L564854            |                                   | 0.024              | 0.11                 | 0.60                | 52                  | 0.16                | 6.75                | 108                  | 2.2                  |
| L564860            |                                   | 0.028              | 0.15                 | 0.71                | 37                  | 0.18                | 10.95               | 116                  | 2.0                  |
| L564861            |                                   | 0.029              | 0.14                 | 0.74                | 44                  | 0.14                | 11.15               | 158                  | 2.8                  |
| L564862            |                                   | 0.039              | 0.16                 | 1.25                | 55                  | 0.17                | 12.25               | 198                  | 2.6                  |
| L564863            |                                   | 0.087              | 0.06                 | 0.58                | 43                  | 0.12                | 8.93                | 100                  | 2.5                  |
| L564864            |                                   | 0.031              | 0.14                 | 0.68                | 54                  | 0.17                | 12.25               | 171                  | 3.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 30-NOV-2011  
Account: SIQUIRE

Project: BV-001

**CERTIFICATE OF ANALYSIS WH11216740**

| Method                 | CERTIFICATE COMMENTS  |
|------------------------|---|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |