



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 28-SEP-2011
Account: EIAHAO

CERTIFICATE WH11162940

Project: HAO11-01

P.O. No.:

This report is for 81 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18-AUG-2011.

The following have access to data associated with this certificate:

EQUITY ENG EMAIL

MURRAY JONES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: MURRAY JONES
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 28-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
L645764		0.24	<0.005	0.6	1.94	8	<10	690	0.5	<2	0.25	<0.5	16	34	25	3.00
L645765		0.24	<0.005	1.4	1.57	26	<10	300	<0.5	<2	0.12	0.5	9	25	19	2.89
L645766		0.18	<0.005	1.1	1.35	5	<10	1330	<0.5	<2	0.40	2.3	19	30	25	3.08
L645767		0.20	<0.005	0.3	1.34	3	<10	620	<0.5	<2	0.19	1.0	11	23	16	2.55
L645768		0.24	<0.005	0.6	2.22	5	<10	690	<0.5	2	0.36	0.5	16	40	30	3.70
L645769		0.24	<0.005	0.9	2.13	9	<10	800	0.5	<2	0.43	0.8	19	59	30	3.54
L645770		0.24	<0.005	0.5	1.92	8	<10	870	0.5	<2	0.41	0.5	20	40	17	3.23
L645771		0.20	<0.005	0.5	1.43	11	<10	830	<0.5	<2	0.31	0.8	7	27	18	3.04
L645772		0.20	<0.005	0.3	1.47	4	<10	800	<0.5	<2	0.29	0.8	10	20	11	2.46
L645773		0.26	<0.005	0.3	2.16	6	<10	800	<0.5	<2	0.26	0.6	16	59	17	3.13
L645774		0.20	<0.005	0.4	1.69	6	<10	1050	<0.5	<2	0.38	0.7	15	37	31	2.94
L645775		0.20	<0.005	0.4	2.02	6	<10	830	0.5	<2	0.31	1.2	15	52	34	3.66
L645776		0.24	<0.005	0.5	1.57	5	<10	890	<0.5	<2	0.35	<0.5	13	40	19	2.88
L645777		0.24	<0.005	1.0	1.63	7	<10	770	<0.5	<2	0.30	0.6	14	40	22	3.04
L645778		0.20	<0.005	0.5	1.16	5	<10	870	<0.5	<2	0.37	0.9	10	30	19	2.60
L645779		0.20	<0.005	0.4	2.34	4	<10	1190	<0.5	<2	0.50	1.0	29	87	35	3.84
L645780		0.18	<0.005	0.5	2.28	4	<10	1170	<0.5	2	0.51	0.9	27	85	35	3.84
L645781		0.22	<0.005	0.2	1.44	4	<10	440	<0.5	<2	0.32	<0.5	12	34	24	3.11
L645782		0.22	<0.005	0.2	1.62	7	<10	480	<0.5	<2	0.67	<0.5	11	33	16	2.84
L645783		0.26	<0.005	0.3	1.74	7	<10	510	<0.5	<2	0.40	<0.5	12	38	25	3.09
L645784		0.22	<0.005	0.3	1.86	8	<10	670	<0.5	<2	0.51	<0.5	15	42	29	3.30
L645785		0.20	<0.005	0.2	1.52	24	<10	280	<0.5	<2	0.58	<0.5	9	29	23	2.60
L645786		0.16	<0.005	0.4	1.36	16	<10	490	<0.5	<2	0.56	0.8	15	27	40	2.24
L645787		0.24	<0.005	0.3	1.38	14	<10	620	<0.5	<2	0.56	0.8	20	28	39	2.55
L645788		0.38	<0.005	0.2	1.77	12	<10	450	<0.5	<2	0.54	<0.5	10	34	34	2.91
L645789		0.28	<0.005	0.2	1.63	10	<10	290	<0.5	<2	0.20	<0.5	11	32	29	2.92
L645790		0.22	<0.005	0.3	1.49	15	<10	380	<0.5	<2	0.68	<0.5	11	32	29	2.76
L645791		0.30	<0.005	<0.2	1.60	21	<10	330	<0.5	<2	0.46	<0.5	11	33	21	2.96
L645269		0.26	<0.005	1.3	1.71	54	<10	790	0.5	2	0.71	<0.5	13	32	44	3.05
L645270		0.28	<0.005	0.7	1.58	150	<10	690	0.5	<2	0.45	0.7	15	27	38	2.92
L645271		0.32	<0.005	0.2	2.00	24	<10	420	0.5	<2	0.39	<0.5	12	28	15	3.15
L645272		0.34	<0.005	0.3	1.83	35	<10	410	<0.5	<2	0.41	<0.5	13	38	25	3.13
L645273		0.34	<0.005	0.2	1.96	30	<10	530	0.5	<2	0.33	<0.5	16	40	31	3.15
L645274		0.28	<0.005	0.5	1.73	36	<10	420	<0.5	<2	0.56	<0.5	17	31	26	3.05
L645275		0.24	<0.005	1.0	1.44	66	<10	780	<0.5	<2	0.29	0.8	9	30	37	2.40
L645276		0.28	<0.005	0.6	1.90	11	<10	320	<0.5	2	0.26	<0.5	13	48	20	3.23
L645277		0.28	<0.005	1.0	1.67	16	<10	310	<0.5	<2	0.21	<0.5	15	30	23	2.97
L645278		0.30	<0.005	0.4	1.57	33	<10	300	<0.5	<2	0.30	<0.5	13	27	19	2.86
L645279		0.32	<0.005	0.3	1.49	13	<10	280	<0.5	<2	0.39	<0.5	9	28	27	2.84
L645280		0.42	<0.005	0.3	1.54	15	<10	270	<0.5	<2	0.38	<0.5	9	29	27	2.88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 28-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
L645764		10	1	0.06	10	0.50	814	1	0.01	23	380	10	0.04	<2	3	26
L645765		10	<1	0.07	10	0.32	662	2	0.01	15	490	11	0.02	<2	2	17
L645766		10	<1	0.07	10	0.37	1915	2	0.02	21	1390	7	0.03	<2	3	43
L645767		10	<1	0.06	20	0.33	587	1	0.01	17	1030	8	0.01	<2	2	21
L645768		10	<1	0.14	10	0.92	337	1	0.01	35	1170	9	0.02	<2	5	29
L645769		10	<1	0.26	10	0.89	584	1	0.01	69	1180	7	0.01	<2	4	31
L645770		10	1	0.23	10	0.66	1250	1	0.01	25	1250	8	<0.01	<2	4	33
L645771		10	<1	0.09	10	0.30	270	2	0.01	22	960	13	0.03	<2	3	27
L645772		10	<1	0.12	20	0.31	900	1	0.01	22	1290	12	<0.01	<2	2	24
L645773		10	<1	0.05	10	0.91	519	<1	0.01	33	1000	6	<0.01	<2	4	20
L645774		<10	<1	0.19	10	0.51	831	1	0.01	42	1040	10	<0.01	<2	5	34
L645775		10	<1	0.12	20	0.72	628	2	0.01	57	1100	13	0.03	<2	4	26
L645776		<10	<1	0.18	10	0.60	544	1	0.01	26	710	7	<0.01	<2	4	27
L645777		10	<1	0.15	10	0.64	372	1	0.01	29	750	8	0.01	<2	4	31
L645778		<10	<1	0.08	10	0.29	901	2	0.01	24	1110	9	<0.01	<2	3	30
L645779		10	<1	0.28	10	1.18	1000	1	0.02	62	1280	7	0.02	<2	5	41
L645780		10	<1	0.31	10	1.16	913	2	0.02	60	1200	8	0.03	<2	5	41
L645781		<10	<1	0.07	10	0.40	839	2	0.01	29	680	6	<0.01	<2	3	25
L645782		<10	<1	0.19	10	0.45	873	1	0.01	23	1040	8	0.01	<2	3	44
L645783		<10	<1	0.22	10	0.49	546	1	0.01	23	580	6	0.01	<2	4	31
L645784		10	<1	0.29	10	0.72	829	1	0.01	47	720	11	0.01	<2	4	35
L645785		<10	<1	0.11	10	0.49	487	1	0.01	21	380	8	<0.01	<2	4	41
L645786		<10	<1	0.08	20	0.39	820	1	0.01	26	620	8	0.04	<2	3	48
L645787		<10	<1	0.17	20	0.51	2630	2	0.01	29	900	8	0.02	<2	3	44
L645788		10	<1	0.07	20	0.58	409	1	0.01	24	690	7	0.01	<2	5	40
L645789		10	<1	0.13	10	0.54	309	1	0.01	34	410	7	<0.01	<2	3	20
L645790		<10	<1	0.24	10	0.59	565	1	0.01	35	840	8	0.01	<2	4	48
L645791		<10	<1	0.12	10	0.55	561	1	0.01	29	620	8	<0.01	<2	4	33
L645269		10	<1	0.30	70	0.55	756	2	0.01	33	760	12	0.03	<2	5	47
L645270		<10	<1	0.13	20	0.44	913	2	0.01	33	770	11	0.02	<2	3	40
L645271		10	<1	0.29	20	0.61	713	<1	0.01	22	910	15	0.01	<2	3	36
L645272		10	<1	0.17	10	0.64	676	1	0.01	26	720	8	0.01	<2	4	32
L645273		10	<1	0.15	10	0.63	1065	1	0.01	31	430	12	<0.01	<2	4	28
L645274		10	<1	0.27	10	0.61	1225	1	0.01	23	540	12	0.02	<2	4	40
L645275		10	<1	0.11	10	0.39	565	2	0.01	27	1080	11	0.02	<2	3	29
L645276		10	<1	0.09	10	0.57	322	1	0.01	37	320	8	<0.01	<2	3	25
L645277		10	<1	0.09	10	0.41	719	1	0.02	20	330	8	0.01	<2	3	20
L645278		10	<1	0.19	10	0.47	937	1	0.02	21	370	12	0.01	<2	3	27
L645279		<10	<1	0.23	10	0.53	394	1	0.02	27	360	11	0.01	<2	3	32
L645280		<10	<1	0.22	10	0.54	375	1	0.02	26	350	10	0.01	<2	3	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 28-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L645764		<20	0.08	<10	<10	70	<10	82
L645765		<20	0.05	<10	<10	67	<10	62
L645766		<20	0.08	<10	<10	73	<10	182
L645767		<20	0.06	<10	<10	57	<10	153
L645768		<20	0.15	<10	<10	95	<10	220
L645769		<20	0.11	<10	<10	88	<10	232
L645770		<20	0.11	<10	<10	70	<10	118
L645771		<20	0.04	<10	<10	55	<10	130
L645772		<20	0.05	<10	<10	41	<10	115
L645773		<20	0.13	<10	<10	80	<10	167
L645774		<20	0.09	<10	<10	64	<10	147
L645775		<20	0.09	<10	<10	73	<10	277
L645776		<20	0.11	<10	<10	68	<10	92
L645777		<20	0.09	<10	<10	78	<10	124
L645778		<20	0.05	<10	<10	58	<10	100
L645779		<20	0.16	<10	<10	92	<10	256
L645780		<20	0.16	<10	<10	94	<10	235
L645781		<20	0.05	<10	<10	63	<10	78
L645782		<20	0.07	<10	<10	57	<10	68
L645783		<20	0.09	<10	<10	61	<10	62
L645784		<20	0.11	<10	<10	65	<10	72
L645785		<20	0.08	<10	<10	59	<10	53
L645786		<20	0.07	<10	<10	48	<10	62
L645787		<20	0.08	<10	<10	54	<10	88
L645788		<20	0.08	<10	<10	63	<10	70
L645789		<20	0.10	<10	<10	65	<10	59
L645790		<20	0.09	<10	<10	59	<10	63
L645791		<20	0.09	<10	<10	66	<10	54
L645269		<20	0.08	<10	<10	63	<10	90
L645270		<20	0.05	<10	<10	56	<10	107
L645271		<20	0.07	<10	<10	50	<10	101
L645272		<20	0.09	<10	<10	66	<10	68
L645273		<20	0.10	<10	<10	68	<10	73
L645274		<20	0.08	<10	<10	56	<10	70
L645275		<20	0.06	<10	<10	57	<10	101
L645276		<20	0.10	<10	<10	77	<10	62
L645277		<20	0.08	<10	<10	75	<10	52
L645278		<20	0.08	<10	<10	60	<10	66
L645279		<20	0.09	<10	<10	54	<10	80
L645280		<20	0.09	<10	<10	54	<10	82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 28-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
L645281		0.30	<0.005	0.4	1.53	12	<10	380	<0.5	<2	0.61	<0.5	10	36	29	2.71
L645282		0.40	<0.005	0.2	1.81	6	<10	360	<0.5	<2	0.24	<0.5	13	39	14	3.03
L645283		0.34	0.006	0.2	1.88	7	<10	210	<0.5	<2	0.33	<0.5	10	31	13	2.92
L645284		0.34	<0.005	0.6	1.40	12	<10	340	<0.5	<2	0.43	<0.5	11	26	24	2.67
L645285		0.32	<0.005	0.3	1.75	24	<10	350	0.5	<2	0.34	<0.5	11	30	19	3.00
L645286		0.32	<0.005	0.4	1.55	17	<10	510	<0.5	2	0.40	<0.5	12	32	20	2.76
L645287		0.32	<0.005	0.5	1.21	21	<10	420	<0.5	<2	0.33	<0.5	10	25	26	2.47
L645288		0.30	<0.005	0.6	1.46	23	<10	540	<0.5	<2	0.38	0.6	11	28	17	2.58
L645289		0.28	<0.005	0.7	1.61	17	<10	710	0.5	2	0.58	0.5	11	30	24	2.95
L645290		0.40	<0.005	0.3	1.56	15	<10	430	<0.5	<2	0.47	<0.5	12	32	24	2.79
L645291		0.28	<0.005	0.4	1.47	11	<10	620	<0.5	<2	0.53	1.1	16	29	22	2.73
L645292		0.32	<0.005	0.4	1.38	38	<10	420	0.5	<2	0.40	0.8	12	26	28	2.69
L645293		0.36	<0.005	0.5	1.57	15	<10	540	<0.5	<2	0.34	<0.5	13	34	21	2.79
L645294		0.32	<0.005	0.4	1.71	22	<10	600	<0.5	<2	0.31	0.6	13	31	18	2.79
L645146		0.20	<0.005	0.2	1.63	17	<10	390	<0.5	<2	0.32	<0.5	8	30	15	2.78
L645147		0.24	<0.005	0.5	1.75	5	<10	970	<0.5	<2	0.53	<0.5	9	26	29	3.21
L645148		0.20	<0.005	<0.2	1.27	4	<10	230	<0.5	<2	0.37	<0.5	6	16	8	2.04
L645149		0.26	<0.005	<0.2	1.36	5	<10	270	<0.5	<2	0.26	<0.5	7	20	9	2.25
L645150		0.28	<0.005	0.2	2.20	6	<10	450	0.7	2	0.54	<0.5	13	20	11	3.65
L645151		0.32	<0.005	0.2	1.43	6	<10	430	<0.5	<2	0.24	<0.5	8	24	10	2.56
L645152		0.22	<0.005	0.4	1.23	7	<10	510	<0.5	<2	0.35	<0.5	10	27	17	2.81
L645153		0.34	<0.005	0.2	1.73	6	<10	360	0.5	<2	0.56	<0.5	13	34	15	2.96
L645154		0.34	<0.005	<0.2	1.40	6	<10	210	0.5	2	0.56	<0.5	8	24	13	2.57
L645155		0.30	<0.005	<0.2	1.77	2	<10	390	0.5	<2	0.44	<0.5	12	24	13	2.89
L645156		0.38	<0.005	<0.2	1.45	4	<10	220	0.5	<2	0.28	<0.5	9	23	11	2.54
L645157		0.22	<0.005	0.2	1.58	8	<10	260	0.5	<2	0.39	<0.5	11	29	15	2.71
L645158		0.24	<0.005	<0.2	1.72	9	<10	210	0.7	<2	0.43	<0.5	10	25	13	2.70
L645159		Not Recvd														
L645160		0.28	<0.005	0.2	0.83	3	<10	130	<0.5	<2	2.21	<0.5	4	12	16	1.21
L645161		0.24	<0.005	0.3	1.93	24	<10	310	<0.5	<2	0.27	<0.5	13	32	29	3.06
L645162		0.20	<0.005	0.2	1.45	9	<10	210	<0.5	<2	0.26	<0.5	13	86	12	2.65
L645163		0.24	<0.005	<0.2	1.51	9	<10	340	<0.5	<2	0.34	<0.5	15	72	16	2.39
L645164		0.26	<0.005	0.2	1.59	5	<10	480	<0.5	<2	0.43	<0.5	9	26	13	2.50
L645165		0.22	<0.005	0.4	1.70	6	<10	370	<0.5	<2	0.42	<0.5	10	25	12	2.90
L645166		0.22	<0.005	0.7	1.24	19	<10	320	<0.5	<2	0.12	<0.5	10	22	36	3.33
L645167		0.22	<0.005	0.4	1.52	15	<10	360	<0.5	2	0.25	<0.5	9	24	17	2.61
L645168		0.30	<0.005	0.2	1.40	10	<10	210	<0.5	<2	0.27	<0.5	8	21	12	2.38
L645169		0.20	<0.005	0.7	1.67	10	<10	560	<0.5	<2	0.48	0.6	14	28	33	3.17
L645170		0.20	<0.005	0.3	1.49	8	<10	350	<0.5	<2	0.32	<0.5	9	25	18	2.70
L645171		0.26	<0.005	<0.2	1.61	50	<10	360	<0.5	<2	0.26	<0.5	9	41	24	3.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 28-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
L645281		<10	<1	0.25	10	0.54	742	1	0.03	34	300	10	0.01	<2	4	45
L645282		10	<1	0.23	10	0.67	594	1	0.02	23	290	7	<0.01	<2	3	23
L645283		10	<1	0.19	10	0.49	388	1	0.02	18	480	11	<0.01	<2	2	28
L645284		<10	<1	0.28	10	0.44	862	1	0.02	24	370	11	0.01	<2	3	36
L645285		10	<1	0.27	10	0.53	585	1	0.02	31	740	11	<0.01	<2	3	28
L645286		<10	<1	0.21	10	0.48	725	1	0.02	27	310	8	0.01	<2	5	30
L645287		<10	<1	0.15	10	0.31	366	2	0.02	16	370	10	0.04	<2	4	32
L645288		<10	<1	0.16	10	0.41	696	1	0.02	20	690	10	0.01	<2	3	32
L645289		<10	<1	0.16	10	0.42	1295	1	0.03	24	630	10	0.01	<2	3	47
L645290		<10	<1	0.14	10	0.45	1485	1	0.03	24	570	8	0.01	<2	4	40
L645291		<10	<1	0.15	10	0.44	1510	1	0.03	22	820	7	0.01	<2	3	38
L645292		<10	<1	0.13	10	0.36	1010	1	0.02	22	540	10	0.01	<2	3	33
L645293		<10	<1	0.18	10	0.48	844	1	0.02	27	360	7	0.01	<2	4	28
L645294		10	<1	0.05	10	0.42	967	1	0.02	22	290	7	<0.01	<2	3	32
L645146		10	<1	0.08	10	0.41	657	1	0.02	17	250	9	<0.01	<2	3	24
L645147		10	<1	0.09	10	0.43	475	1	0.02	29	3710	15	0.01	<2	3	35
L645148		<10	<1	0.14	<10	0.33	361	<1	0.02	11	460	11	<0.01	<2	1	26
L645149		<10	<1	0.15	10	0.31	425	<1	0.02	12	440	12	<0.01	<2	2	23
L645150		10	<1	0.35	10	0.77	858	<1	0.02	11	350	10	<0.01	<2	5	35
L645151		<10	<1	0.17	10	0.38	425	<1	0.02	15	160	8	<0.01	<2	3	23
L645152		<10	<1	0.18	10	0.36	732	1	0.02	17	650	16	<0.01	<2	3	24
L645153		<10	<1	0.24	10	0.45	947	<1	0.03	20	330	9	<0.01	<2	5	34
L645154		10	<1	0.21	10	0.39	436	1	0.02	17	440	15	0.01	<2	3	31
L645155		10	1	0.49	10	0.68	735	1	0.02	19	560	7	0.01	<2	2	33
L645156		<10	1	0.36	10	0.44	556	1	0.02	15	180	17	0.01	<2	3	22
L645157		<10	<1	0.37	10	0.49	732	1	0.02	17	190	8	<0.01	<2	4	32
L645158		<10	<1	0.37	30	0.52	711	1	0.02	16	250	14	<0.01	<2	4	65
L645159																
L645160		<10	<1	0.09	10	0.31	318	1	0.04	9	460	6	0.12	<2	1	483
L645161		10	<1	0.14	10	0.61	724	1	0.02	27	480	10	0.02	<2	3	27
L645162		<10	<1	0.18	10	1.07	337	<1	0.02	140	290	7	<0.01	<2	3	24
L645163		<10	<1	0.08	10	0.91	661	<1	0.03	141	160	7	<0.01	<2	4	29
L645164		<10	<1	0.18	10	0.45	648	<1	0.02	19	460	9	0.05	<2	2	32
L645165		10	<1	0.19	10	0.68	486	<1	0.02	19	260	8	0.05	<2	3	30
L645166		10	<1	0.07	10	0.22	716	2	0.02	32	500	11	0.06	<2	3	16
L645167		<10	<1	0.09	10	0.35	895	1	0.02	17	570	11	0.05	<2	3	22
L645168		10	<1	0.06	10	0.29	859	1	0.02	13	530	9	0.04	<2	2	23
L645169		10	<1	0.21	10	0.55	2840	1	0.03	29	920	12	0.07	<2	3	42
L645170		<10	<1	0.12	10	0.42	726	1	0.02	20	250	22	0.04	<2	3	26
L645171		10	<1	0.61	10	0.56	323	<1	0.02	30	350	28	0.03	<2	4	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 28-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L645281		<20	0.09	<10	<10	52	<10	54
L645282		<20	0.11	<10	<10	61	<10	55
L645283		<20	0.08	<10	<10	59	<10	53
L645284		<20	0.08	<10	<10	50	<10	57
L645285		<20	0.08	<10	<10	55	<10	93
L645286		<20	0.09	<10	<10	58	<10	81
L645287		<20	0.06	<10	<10	49	<10	54
L645288		<20	0.07	<10	<10	56	<10	87
L645289		<20	0.06	<10	<10	58	<10	101
L645290		<20	0.10	<10	<10	63	<10	59
L645291		<20	0.10	<10	<10	65	<10	85
L645292		<20	0.06	<10	<10	55	<10	65
L645293		<20	0.08	<10	<10	64	<10	69
L645294		<20	0.07	<10	<10	69	<10	68
L645146		<20	0.07	<10	<10	63	<10	53
L645147		<20	0.06	<10	<10	50	<10	94
L645148		<20	0.04	<10	<10	37	<10	51
L645149		<20	0.06	<10	<10	46	<10	53
L645150		<20	0.09	<10	<10	69	<10	68
L645151		<20	0.07	<10	<10	55	<10	49
L645152		<20	0.06	<10	<10	53	<10	60
L645153		<20	0.10	<10	<10	60	<10	57
L645154		<20	0.06	<10	<10	47	<10	49
L645155		<20	0.11	<10	<10	39	<10	68
L645156		<20	0.08	<10	<10	43	<10	40
L645157		<20	0.10	<10	<10	49	<10	46
L645158		<20	0.10	<10	<10	41	<10	53
L645159								
L645160		<20	0.04	<10	30	22	<10	21
L645161		<20	0.08	<10	<10	72	<10	96
L645162		<20	0.09	<10	<10	53	<10	127
L645163		<20	0.09	<10	<10	50	<10	65
L645164		<20	0.07	<10	<10	52	<10	65
L645165		<20	0.10	<10	<10	61	<10	47
L645166		<20	0.04	<10	<10	58	<10	78
L645167		<20	0.04	<10	<10	54	<10	51
L645168		<20	0.06	<10	<10	57	<10	48
L645169		<20	0.08	<10	<10	59	<10	90
L645170		<20	0.06	<10	<10	54	<10	59
L645171		<20	0.12	<10	<10	65	<10	71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 28-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L645172		0.22	<0.005	0.3	1.54	15	<10	250	0.5	<2	0.39	<0.5	9	25	14	2.67



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 28-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
L645172		<10	<1	0.37	20	0.50	374	<1	0.02	17	420	13	0.04	<2	3	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 28-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162940

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
L645172		<20	0.09	<10	<10	43	<10	52