



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 17-SEP-2011
Account: EIAHAO

CERTIFICATE WH11162941

Project: HAO11-01

P.O. No.:

This report is for 53 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18-AUG-2011.

The following have access to data associated with this certificate:

EQUITY ENG EMAIL

MURRAY JONES

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| LOG-23 | Pulp Login - Rcvd with Barcode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: MURRAY JONES
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 17-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | Au-AA23 Au ppm 0.005 | ME-ICP41 Ag ppm 0.2 | ME-ICP41 Al % 0.01 | ME-ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME-ICP41 Ba ppm 10 | ME-ICP41 Be ppm 0.5 | ME-ICP41 Bi ppm 2 | ME-ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 | ME-ICP41 Co ppm 1 | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| L645037 | | 0.32 | <0.005 | <0.2 | 1.92 | 7 | <10 | 140 | <0.5 | <2 | 0.18 | <0.5 | 11 | 41 | 27 | 3.14 |
| L645038 | | 0.26 | <0.005 | 0.2 | 1.87 | 5 | <10 | 250 | <0.5 | <2 | 0.93 | <0.5 | 17 | 77 | 73 | 3.26 |
| L645039 | | 0.32 | <0.005 | 0.2 | 1.39 | 2 | <10 | 280 | <0.5 | <2 | 1.61 | <0.5 | 15 | 43 | 75 | 2.33 |
| L645040 | | 0.12 | <0.005 | <0.2 | 0.01 | <2 | <10 | <10 | <0.5 | <2 | 0.01 | <0.5 | <1 | 1 | <1 | 0.02 |
| L645041 | | 0.22 | <0.005 | <0.2 | 1.85 | 5 | <10 | 180 | <0.5 | <2 | 0.35 | <0.5 | 15 | 45 | 46 | 3.08 |
| L645042 | | 0.36 | <0.005 | 0.3 | 1.86 | 2 | <10 | 260 | <0.5 | <2 | 0.61 | <0.5 | 16 | 57 | 95 | 3.14 |
| L645444 | | 0.30 | <0.005 | 0.2 | 1.74 | 5 | <10 | 250 | <0.5 | <2 | 0.40 | <0.5 | 11 | 48 | 25 | 2.71 |
| L645445 | | 0.26 | <0.005 | 0.4 | 2.92 | 9 | <10 | 500 | 0.5 | <2 | 0.58 | <0.5 | 16 | 68 | 52 | 4.35 |
| L645446 | | 0.20 | <0.005 | 0.3 | 1.79 | 4 | <10 | 440 | <0.5 | 2 | 1.16 | <0.5 | 14 | 50 | 53 | 2.66 |
| L645447 | | 0.22 | <0.005 | 0.3 | 2.02 | 4 | <10 | 340 | <0.5 | 2 | 0.99 | <0.5 | 20 | 79 | 59 | 3.33 |
| L645448 | | 0.28 | <0.005 | <0.2 | 1.69 | 3 | <10 | 180 | <0.5 | 2 | 0.75 | <0.5 | 17 | 84 | 39 | 2.94 |
| L645449 | | 0.28 | <0.005 | 0.2 | 1.53 | <2 | <10 | 160 | <0.5 | 2 | 0.43 | <0.5 | 11 | 125 | 34 | 2.50 |
| L645450 | | 0.20 | <0.005 | <0.2 | 1.42 | 2 | <10 | 110 | <0.5 | 2 | 0.27 | <0.5 | 10 | 82 | 34 | 2.45 |
| L645451 | | 0.28 | <0.005 | <0.2 | 1.50 | <2 | <10 | 100 | <0.5 | <2 | 0.34 | <0.5 | 12 | 97 | 32 | 2.31 |
| L645452 | | 0.24 | <0.005 | <0.2 | 1.43 | <2 | <10 | 70 | <0.5 | 2 | 0.17 | <0.5 | 9 | 95 | 28 | 2.14 |
| L645453 | | 0.26 | <0.005 | <0.2 | 0.87 | 3 | <10 | 50 | <0.5 | <2 | 0.06 | <0.5 | 2 | 24 | 11 | 1.39 |
| L645454 | | 0.28 | <0.005 | <0.2 | 1.26 | 5 | <10 | 150 | <0.5 | 2 | 1.44 | <0.5 | 10 | 47 | 31 | 2.32 |
| L645986 | | 0.30 | <0.005 | <0.2 | 1.91 | 7 | <10 | 150 | <0.5 | 3 | 0.21 | <0.5 | 7 | 31 | 18 | 2.62 |
| L645987 | | 0.40 | <0.005 | <0.2 | 2.62 | 12 | <10 | 180 | <0.5 | 2 | 0.27 | <0.5 | 10 | 39 | 20 | 3.43 |
| L645988 | | 0.28 | <0.005 | <0.2 | 2.77 | 10 | <10 | 180 | <0.5 | 2 | 0.21 | <0.5 | 16 | 65 | 37 | 3.85 |
| L645989 | | 0.40 | <0.005 | 0.2 | 2.50 | 10 | <10 | 150 | <0.5 | 2 | 0.28 | <0.5 | 12 | 44 | 35 | 3.44 |
| L645990 | | 0.28 | <0.005 | <0.2 | 2.68 | 11 | <10 | 150 | <0.5 | 2 | 0.23 | <0.5 | 13 | 53 | 30 | 3.77 |
| L645991 | | 0.38 | <0.005 | <0.2 | 2.30 | 7 | <10 | 160 | 0.5 | 2 | 0.23 | <0.5 | 24 | 65 | 41 | 3.63 |
| L645992 | | 0.42 | <0.005 | <0.2 | 2.16 | 6 | <10 | 220 | 0.5 | 2 | 0.35 | <0.5 | 13 | 43 | 31 | 2.97 |
| L645757 | | 0.18 | <0.005 | 0.9 | 0.91 | 4 | <10 | 220 | <0.5 | 2 | 0.12 | 0.6 | 3 | 17 | 16 | 2.05 |
| L645758 | | 0.24 | <0.005 | 0.5 | 0.60 | 6 | <10 | 100 | <0.5 | 2 | 0.12 | <0.5 | 3 | 13 | 11 | 2.07 |
| L645759 | | 0.14 | <0.005 | 0.5 | 1.20 | 7 | <10 | 450 | <0.5 | 2 | 0.37 | 0.5 | 9 | 24 | 14 | 2.64 |
| L645760 | | 0.08 | <0.005 | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | 1 | 0.02 |
| L645761 | | 0.18 | <0.005 | 0.4 | 1.12 | 8 | <10 | 730 | 0.5 | 2 | 0.37 | <0.5 | 9 | 32 | 27 | 3.56 |
| L645762 | | 0.28 | <0.005 | 0.3 | 1.07 | 19 | <10 | 560 | 0.7 | <2 | 0.35 | <0.5 | 11 | 28 | 27 | 4.06 |
| L645763 | | 0.24 | <0.005 | 0.6 | 1.27 | 4 | <10 | 930 | 0.5 | 2 | 0.51 | 0.6 | 14 | 23 | 16 | 2.61 |
| L645138 | | 0.28 | <0.005 | 0.4 | 2.01 | 8 | <10 | 370 | <0.5 | <2 | 0.20 | <0.5 | 10 | 34 | 20 | 3.43 |
| L645139 | | 0.26 | <0.005 | 0.5 | 1.18 | 3 | <10 | 590 | <0.5 | <2 | 0.16 | <0.5 | 8 | 29 | 17 | 2.85 |
| L645140 | | 0.12 | <0.005 | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | 1 | 0.02 |
| L645141 | | 0.28 | <0.005 | 0.5 | 1.54 | 5 | <10 | 890 | <0.5 | 3 | 0.58 | <0.5 | 11 | 28 | 13 | 2.65 |
| L645142 | | 0.36 | <0.005 | 0.3 | 0.98 | 10 | <10 | 830 | <0.5 | <2 | 0.32 | <0.5 | 6 | 22 | 18 | 2.56 |
| L645143 | | 0.24 | <0.005 | 0.2 | 1.24 | 5 | <10 | 310 | <0.5 | <2 | 0.34 | <0.5 | 9 | 28 | 17 | 2.52 |
| L645144 | | 0.56 | <0.005 | 0.3 | 1.78 | 8 | <10 | 410 | 0.5 | 2 | 0.41 | <0.5 | 13 | 39 | 19 | 2.98 |
| L645145 | | 0.28 | <0.005 | 0.2 | 1.38 | 11 | <10 | 660 | 0.5 | <2 | 0.43 | <0.5 | 12 | 35 | 22 | 2.92 |
| L645255 | | 0.28 | <0.005 | 1.1 | 1.53 | 8 | <10 | 900 | <0.5 | 2 | 0.38 | 1.6 | 12 | 32 | 19 | 2.75 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 17-SEP-2011
Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L645037 | | 10 | <1 | 0.08 | 10 | 0.57 | 276 | 1 | 0.01 | 30 | 300 | 6 | 0.01 | <2 | 3 | 16 |
| L645038 | | 10 | <1 | 0.18 | 10 | 1.05 | 322 | 1 | 0.02 | 63 | 1370 | <2 | 0.06 | <2 | 5 | 47 |
| L645039 | | <10 | <1 | 0.18 | 10 | 0.67 | 377 | 1 | 0.02 | 55 | 1190 | 4 | 0.09 | <2 | 4 | 71 |
| L645040 | | <10 | <1 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | 10 | <2 | 0.02 | <2 | <1 | 1 |
| L645041 | | <10 | <1 | 0.11 | 10 | 0.76 | 410 | 1 | 0.02 | 43 | 580 | 3 | 0.02 | <2 | 4 | 22 |
| L645042 | | 10 | <1 | 0.30 | 20 | 0.93 | 241 | 1 | 0.02 | 66 | 1260 | <2 | 0.04 | <2 | 6 | 32 |
| L645444 | | 10 | <1 | 0.08 | 20 | 0.49 | 378 | 1 | 0.02 | 26 | 360 | 6 | 0.02 | <2 | 4 | 33 |
| L645445 | | 10 | <1 | 0.10 | 30 | 0.78 | 558 | 2 | 0.02 | 48 | 1280 | 10 | 0.08 | <2 | 6 | 49 |
| L645446 | | 10 | <1 | 0.08 | 20 | 0.72 | 498 | 1 | 0.04 | 47 | 1080 | 7 | 0.10 | <2 | 4 | 76 |
| L645447 | | 10 | <1 | 0.09 | 20 | 1.03 | 406 | 1 | 0.03 | 70 | 1300 | 5 | 0.06 | <2 | 7 | 59 |
| L645448 | | 10 | <1 | 0.11 | 10 | 0.85 | 344 | 1 | 0.03 | 58 | 1330 | 3 | 0.05 | <2 | 4 | 38 |
| L645449 | | 10 | 1 | 0.03 | 10 | 0.89 | 223 | 1 | 0.02 | 86 | 560 | 5 | 0.04 | <2 | 5 | 31 |
| L645450 | | 10 | <1 | 0.05 | 10 | 0.67 | 175 | 1 | 0.02 | 53 | 570 | 5 | 0.04 | <2 | 3 | 21 |
| L645451 | | <10 | <1 | 0.11 | 10 | 0.93 | 231 | 1 | 0.02 | 57 | 520 | 5 | 0.02 | <2 | 3 | 21 |
| L645452 | | <10 | <1 | 0.08 | <10 | 0.85 | 183 | <1 | 0.02 | 45 | 260 | 5 | 0.04 | <2 | 3 | 15 |
| L645453 | | <10 | <1 | 0.03 | <10 | 0.13 | 74 | 1 | 0.02 | 9 | 200 | 7 | 0.03 | <2 | 2 | 9 |
| L645454 | | <10 | <1 | 0.06 | 10 | 0.57 | 453 | <1 | 0.03 | 32 | 730 | 5 | 0.07 | <2 | 4 | 119 |
| L645986 | | 10 | <1 | 0.04 | 20 | 0.40 | 207 | 1 | 0.02 | 17 | 500 | 10 | 0.02 | <2 | 3 | 19 |
| L645987 | | 10 | <1 | 0.06 | 20 | 0.56 | 295 | 1 | 0.02 | 23 | 570 | 13 | 0.02 | 2 | 5 | 23 |
| L645988 | | 10 | 1 | 0.05 | 10 | 0.81 | 534 | 1 | 0.02 | 38 | 450 | 10 | 0.02 | 2 | 5 | 22 |
| L645989 | | 10 | <1 | 0.04 | 10 | 0.60 | 367 | 1 | 0.02 | 28 | 530 | 10 | 0.02 | <2 | 4 | 24 |
| L645990 | | 10 | <1 | 0.06 | 10 | 0.73 | 296 | 1 | 0.02 | 36 | 360 | 8 | 0.02 | <2 | 5 | 20 |
| L645991 | | <10 | <1 | 0.05 | 10 | 0.89 | 346 | 1 | 0.02 | 72 | 320 | 10 | 0.03 | <2 | 3 | 25 |
| L645992 | | 10 | <1 | 0.05 | 10 | 0.68 | 285 | 1 | 0.02 | 34 | 480 | 8 | 0.03 | <2 | 6 | 28 |
| L645757 | | <10 | <1 | 0.03 | 10 | 0.13 | 98 | 1 | 0.02 | 8 | 370 | 7 | 0.03 | <2 | 1 | 16 |
| L645758 | | <10 | <1 | 0.05 | 10 | 0.11 | 84 | 1 | 0.02 | 9 | 300 | 7 | 0.02 | <2 | 1 | 16 |
| L645759 | | <10 | <1 | 0.08 | 10 | 0.29 | 1000 | 1 | 0.03 | 19 | 620 | 8 | 0.01 | <2 | 2 | 41 |
| L645760 | | <10 | <1 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | 1 | 10 | <2 | 0.01 | <2 | <1 | 1 |
| L645761 | | <10 | <1 | 0.06 | 10 | 0.25 | 520 | 2 | 0.03 | 46 | 630 | 9 | 0.02 | <2 | 4 | 36 |
| L645762 | | <10 | 1 | 0.09 | 10 | 0.21 | 826 | 2 | 0.03 | 36 | 490 | 10 | 0.02 | <2 | 5 | 44 |
| L645763 | | <10 | 1 | 0.12 | 10 | 0.28 | 772 | 2 | 0.04 | 18 | 1200 | 10 | 0.03 | <2 | 3 | 50 |
| L645138 | | 10 | <1 | 0.04 | 10 | 0.41 | 320 | 2 | 0.02 | 22 | 430 | 11 | 0.02 | <2 | 3 | 23 |
| L645139 | | 10 | <1 | 0.07 | 10 | 0.29 | 234 | 1 | 0.03 | 16 | 900 | 9 | 0.02 | <2 | 2 | 22 |
| L645140 | | <10 | <1 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | 10 | <2 | 0.01 | <2 | <1 | 1 |
| L645141 | | <10 | <1 | 0.09 | 10 | 0.35 | 743 | 1 | 0.04 | 19 | 390 | 8 | 0.02 | <2 | 3 | 41 |
| L645142 | | <10 | <1 | 0.07 | 10 | 0.23 | 169 | 3 | 0.03 | 15 | 450 | 9 | 0.03 | 2 | 3 | 42 |
| L645143 | | <10 | <1 | 0.11 | 10 | 0.36 | 380 | 2 | 0.03 | 15 | 240 | 8 | 0.01 | 2 | 4 | 27 |
| L645144 | | 10 | 1 | 0.10 | 10 | 0.42 | 666 | 1 | 0.03 | 24 | 410 | 8 | 0.01 | <2 | 6 | 31 |
| L645145 | | <10 | <1 | 0.06 | 10 | 0.30 | 643 | 1 | 0.03 | 24 | 290 | 8 | 0.02 | <2 | 4 | 46 |
| L645255 | | <10 | 1 | 0.09 | 10 | 0.46 | 1015 | 1 | 0.04 | 25 | 680 | 9 | 0.02 | <2 | 3 | 34 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 17-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| L645037 | | <20 | 0.11 | <10 | <10 | 79 | <10 | 59 |
| L645038 | | <20 | 0.14 | <10 | <10 | 66 | <10 | 60 |
| L645039 | | <20 | 0.09 | <10 | <10 | 55 | <10 | 44 |
| L645040 | | <20 | <0.01 | <10 | <10 | <1 | <10 | 2 |
| L645041 | | <20 | 0.11 | <10 | <10 | 71 | <10 | 50 |
| L645042 | | <20 | 0.14 | <10 | <10 | 72 | <10 | 51 |
| L645444 | | <20 | 0.11 | <10 | <10 | 67 | <10 | 50 |
| L645445 | | <20 | 0.11 | <10 | <10 | 117 | <10 | 68 |
| L645446 | | <20 | 0.09 | <10 | <10 | 58 | <10 | 60 |
| L645447 | | <20 | 0.11 | <10 | <10 | 68 | <10 | 63 |
| L645448 | | <20 | 0.10 | <10 | <10 | 55 | <10 | 54 |
| L645449 | | <20 | 0.08 | <10 | <10 | 45 | <10 | 51 |
| L645450 | | <20 | 0.09 | <10 | <10 | 49 | <10 | 48 |
| L645451 | | <20 | 0.10 | <10 | <10 | 44 | <10 | 49 |
| L645452 | | <20 | 0.11 | <10 | <10 | 53 | <10 | 35 |
| L645453 | | <20 | 0.05 | <10 | <10 | 29 | <10 | 17 |
| L645454 | | <20 | 0.06 | <10 | <10 | 40 | <10 | 63 |
| L645986 | | <20 | 0.08 | <10 | <10 | 63 | <10 | 42 |
| L645987 | | <20 | 0.08 | <10 | <10 | 77 | <10 | 61 |
| L645988 | | <20 | 0.12 | <10 | <10 | 86 | <10 | 93 |
| L645989 | | <20 | 0.10 | <10 | <10 | 71 | <10 | 62 |
| L645990 | | <20 | 0.12 | <10 | <10 | 77 | <10 | 53 |
| L645991 | | <20 | 0.09 | <10 | <10 | 55 | <10 | 79 |
| L645992 | | <20 | 0.10 | <10 | <10 | 65 | <10 | 49 |
| L645757 | | <20 | 0.06 | <10 | <10 | 59 | <10 | 36 |
| L645758 | | <20 | 0.05 | <10 | <10 | 52 | <10 | 38 |
| L645759 | | <20 | 0.04 | <10 | <10 | 55 | <10 | 68 |
| L645760 | | <20 | <0.01 | <10 | <10 | <1 | <10 | 2 |
| L645761 | | <20 | 0.03 | <10 | <10 | 64 | <10 | 98 |
| L645762 | | <20 | 0.03 | <10 | <10 | 68 | <10 | 79 |
| L645763 | | <20 | 0.05 | <10 | <10 | 54 | <10 | 74 |
| L645138 | | <20 | 0.06 | <10 | <10 | 73 | <10 | 71 |
| L645139 | | <20 | 0.05 | <10 | <10 | 59 | <10 | 72 |
| L645140 | | <20 | <0.01 | <10 | <10 | <1 | <10 | 2 |
| L645141 | | <20 | 0.06 | <10 | <10 | 57 | <10 | 56 |
| L645142 | | <20 | 0.03 | <10 | <10 | 58 | <10 | 46 |
| L645143 | | <20 | 0.08 | <10 | <10 | 57 | <10 | 41 |
| L645144 | | <20 | 0.09 | <10 | <10 | 71 | <10 | 59 |
| L645145 | | <20 | 0.05 | <10 | <10 | 75 | <10 | 57 |
| L645255 | | <20 | 0.08 | <10 | <10 | 64 | <10 | 89 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 17-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | Au-AA23 Au ppm 0.005 | ME-ICP41 Ag ppm 0.2 | ME-ICP41 Al % 0.01 | ME-ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME-ICP41 Ba ppm 10 | ME-ICP41 Be ppm 0.5 | ME-ICP41 Bi ppm 2 | ME-ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 | ME-ICP41 Co ppm 1 | ME-ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| L645256 | | 0.22 | <0.005 | 0.7 | 1.20 | 3 | <10 | 660 | <0.5 | <2 | 0.29 | 0.5 | 12 | 24 | 14 | 2.42 |
| L645257 | | 0.26 | <0.005 | 1.4 | 1.28 | 2 | <10 | 430 | <0.5 | 2 | 0.16 | 0.6 | 16 | 22 | 18 | 2.47 |
| L645258 | | 0.22 | <0.005 | 0.5 | 1.80 | 5 | <10 | 290 | <0.5 | 2 | 0.42 | <0.5 | 10 | 30 | 15 | 2.76 |
| L645259 | | 0.24 | <0.005 | 0.4 | 1.03 | 4 | <10 | 230 | <0.5 | <2 | 0.20 | <0.5 | 4 | 18 | 11 | 1.64 |
| L645260 | | 0.12 | <0.005 | <0.2 | <0.01 | <2 | <10 | <10 | <0.5 | <2 | <0.01 | <0.5 | <1 | <1 | 1 | 0.02 |
| L645261 | | 0.28 | <0.005 | <0.2 | 1.81 | 7 | <10 | 300 | <0.5 | <2 | 0.21 | <0.5 | 6 | 29 | 19 | 2.82 |
| L645262 | | 0.28 | <0.005 | 0.3 | 0.58 | <2 | <10 | 90 | <0.5 | <2 | 0.09 | <0.5 | 2 | 10 | 13 | 1.02 |
| L645263 | | 0.34 | <0.005 | 0.2 | 1.66 | 9 | <10 | 200 | <0.5 | <2 | 0.22 | <0.5 | 6 | 26 | 24 | 2.56 |
| L645264 | | 0.26 | <0.005 | 0.7 | 1.96 | 10 | <10 | 180 | <0.5 | <2 | 0.10 | <0.5 | 6 | 27 | 15 | 3.20 |
| L645265 | | 0.34 | <0.005 | <0.2 | 0.88 | 5 | <10 | 340 | <0.5 | <2 | 0.24 | <0.5 | 4 | 13 | 10 | 1.67 |
| L645266 | | 0.30 | <0.005 | 0.2 | 1.43 | 9 | <10 | 510 | 0.5 | <2 | 0.43 | <0.5 | 10 | 23 | 19 | 3.30 |
| L645267 | | 0.34 | <0.005 | <0.2 | 1.00 | 4 | <10 | 420 | <0.5 | <2 | 0.27 | <0.5 | 7 | 19 | 12 | 2.27 |
| L645268 | | 0.26 | <0.005 | <0.2 | 1.18 | 5 | <10 | 280 | <0.5 | <2 | 0.30 | <0.5 | 10 | 22 | 18 | 2.69 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 17-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L645256 | | <10 | <1 | 0.06 | 10 | 0.29 | 1110 | 1 | 0.03 | 14 | 810 | 9 | 0.02 | <2 | 3 | 33 |
| L645257 | | 10 | <1 | 0.06 | 10 | 0.21 | 1125 | 2 | 0.03 | 10 | 890 | 9 | 0.02 | <2 | 3 | 16 |
| L645258 | | 10 | <1 | 0.04 | 10 | 0.45 | 344 | 1 | 0.03 | 17 | 210 | 8 | 0.02 | <2 | 3 | 31 |
| L645259 | | <10 | <1 | 0.04 | 10 | 0.20 | 114 | 1 | 0.02 | 9 | 290 | 6 | 0.02 | <2 | 2 | 22 |
| L645260 | | <10 | <1 | <0.01 | <10 | <0.01 | <5 | <1 | <0.01 | <1 | 10 | <2 | 0.01 | <2 | <1 | 1 |
| L645261 | | 10 | <1 | 0.04 | 10 | 0.41 | 131 | 1 | 0.01 | 16 | 270 | 8 | 0.01 | <2 | 3 | 20 |
| L645262 | | <10 | <1 | 0.03 | <10 | 0.07 | 48 | <1 | 0.01 | 6 | 270 | 4 | 0.01 | <2 | 1 | 11 |
| L645263 | | 10 | <1 | 0.04 | 10 | 0.37 | 133 | 1 | 0.01 | 19 | 270 | 12 | 0.01 | <2 | 3 | 19 |
| L645264 | | 10 | <1 | 0.03 | 10 | 0.22 | 150 | 1 | 0.01 | 12 | 320 | 9 | 0.01 | <2 | 2 | 15 |
| L645265 | | <10 | <1 | 0.08 | 30 | 0.19 | 225 | <1 | 0.01 | 6 | 200 | 8 | 0.01 | <2 | 2 | 25 |
| L645266 | | <10 | <1 | 0.09 | 10 | 0.40 | 637 | <1 | 0.02 | 15 | 240 | 8 | 0.02 | <2 | 6 | 29 |
| L645267 | | <10 | <1 | 0.09 | 10 | 0.33 | 607 | 1 | 0.01 | 10 | 150 | 13 | 0.02 | <2 | 2 | 22 |
| L645268 | | <10 | <1 | 0.10 | 10 | 0.42 | 875 | 1 | 0.01 | 14 | 240 | 11 | 0.01 | <2 | 4 | 23 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 17-SEP-2011
 Account: EIAHAO

Project: HAO11-01

CERTIFICATE OF ANALYSIS WH11162941

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| L645256 | | <20 | 0.06 | <10 | <10 | 58 | <10 | 62 |
| L645257 | | <20 | 0.08 | <10 | <10 | 60 | <10 | 71 |
| L645258 | | <20 | 0.08 | <10 | <10 | 70 | <10 | 49 |
| L645259 | | <20 | 0.06 | <10 | <10 | 45 | <10 | 29 |
| L645260 | | <20 | <0.01 | <10 | <10 | <1 | <10 | 3 |
| L645261 | | <20 | 0.09 | <10 | <10 | 73 | <10 | 37 |
| L645262 | | <20 | 0.04 | <10 | <10 | 23 | <10 | 18 |
| L645263 | | <20 | 0.07 | <10 | <10 | 57 | <10 | 38 |
| L645264 | | <20 | 0.07 | <10 | <10 | 76 | <10 | 32 |
| L645265 | | <20 | 0.03 | <10 | <10 | 37 | <10 | 25 |
| L645266 | | <20 | 0.05 | <10 | <10 | 67 | <10 | 48 |
| L645267 | | <20 | 0.06 | <10 | <10 | 51 | <10 | 31 |
| L645268 | | <20 | 0.05 | <10 | <10 | 58 | <10 | 37 |