

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

STREAM SEDIMENT AND SOIL GEOCHEMICAL SAMPLING

at the

LORI PROPERTY

Lori 1-20 YD01107-YD01126

NTS 105N/07

Latitude 63°26'N; Longitude 132°37'W

located in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

NEW DIMENSION RESOURCES LTD.

and

STRATEGIC METALS LTD.

by

S. Eaton, B.Sc., GIT

November 2011

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	1
GEOLOGY	2
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	4
DISCUSSION AND CONCLUSIONS	5
REFERENCES	7

APPENDICES

- I STATEMENT OF QUALIFICATIONS
- II CERTIFICATES OF ANALYSIS

TABLES

I Lithological Units	2
----------------------	---

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	2
5	Property Geology	4
6	Sample Locations	4
7	Silver Geochemistry	4
8	Zinc Geochemistry	4
9	Antimony Geochemistry	4
10	Molybdenum Geochemistry	4
11	Gold Geochemistry	4
12	Mercury Geochemistry	4

INTRODUCTION

The Lori property is located in east-central Yukon and covers the headwaters of a creek that yielded regionally anomalous silver, zinc, antimony, molybdenum, gold and mercury values from a government stream sediment sample. The property is owned by Strategic Metals Ltd. and is under option to New Dimension Resources Ltd.

This report describes stream sediment and soil geochemical sampling conducted on June 9 and September 8, 2011 by Archer, Cathro and Associates (1981) Limited on behalf of New Dimension. The author participated in and directed this project and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Lori property is located in east-central Yukon at latitude 63°26' north and longitude 132°37' west on NTS map sheet 105N/07 (Figure 1). It comprises 20 contiguous quartz claims that cover an area of about 400 hectares (4 km²). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Lori 1-20	YD01107-YD01126	March 31, 2016*

* Expiry date includes 2011 work which has been filed for assessment but not yet accepted.

Daily access to and from the property was provided by a Bell 206B helicopter operated by Trans North Helicopters from the Faro airport. The Faro airport is located approximately 145 km south-southwest of the property. All personnel stayed at the Faro Studio Hotel. Faro is accessible via the Robert Campbell Highway in all seasons using two-wheel drive vehicles.

HISTORY AND PREVIOUS WORK

In 1990, the Geological Survey of Canada (GSC) completed a reconnaissance-scale stream sediment and water sampling survey on NTS map sheet 105N (Day *et. al.*, 2009). A sample collected from a creek draining the northeast half of the property yielded 99th percentile gold (30 ppb), 98th percentile zinc (1205 ppm) and antimony (6.8 ppm), 95th percentile molybdenum (9 ppm) and mercury (545 ppb), and 90th percentile silver (0.9 ppm) values.

No further record of work in this area could be found.

GEOMORPHOLOGY AND CLIMATE

The Lori property is situated in the Russell Range, a subset of the Selwyn Mountains. It is drained by creeks that flow into the Hess River, which ultimately connects to the Pacific Ocean via the Stewart and Yukon Rivers.

**NEW DIMENSION RESOURCES LTD.
STRATEGIC METALS LTD.**

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION


LORI PROPERTY


0 250 km

UTM ZONE 8, NAD 83, 105N/07

FILE: ...2011/Lansing/Figures/Lori_F_1_Location.wor

DATE: NOV 2011





**NEW DIMENSION RESOURCES LTD.
STRATEGIC METALS LTD.**

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
LORI PROPERTY

0 500 1000 m
UTM ZONE 8, NAD 83, 105N/07

FILE: ...2011/Lansing/Figures/Lori_F_2_Claim_Location.wor

DATE: NOV 2011

The property covers a gentle to moderate northwest-facing slope, which is located 25 km north-northwest of Fairweather Lake. Elevations on the property range from about 860 to 1380 m above sea level (asl). Outcrop exposure is rare and is generally restricted to ridge tops. The property lies entirely below treeline, which is at about 1500 m asl. Vegetation comprises fir and spruce with an understorey of low shrubs and moss.

Much of the overburden in the region is associated with the most recent Cordilleran ice sheet, the McConnell glaciation, which is believed to have covered south and central Yukon between 26,500 and 10,000 years ago (Yukon Geological Survey, 2010). In this area, the ice sheet generally moved in a northwesterly direction.

The climate in the Lori property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from late May to late September.

GEOLOGY


In 1995 and 2003, the GSC and Yukon Geological Survey (YGS) published geological maps of the Lansing Range map sheet (NTS 105N) at 1:125,000 and 1:250,000 scales, respectively (Roots *et.al.*, 1995 and Roots, 2003). In 2003, Gordey and Makepeace incorporated this data as part of a Yukon-wide geological compilation. The following geological descriptions are based on the published data.

The Lori property is located within northern Selwyn Basin (Figure 3), a predominantly off-shelf metasedimentary and metavolcanic sequence that formed on the western margin of the North American craton from Upper Proterozoic to Lower Paleozoic times.

The geology of the Lansing Range map sheet includes seven sedimentary units (Figure 4). The basal sequence of Hyland Group, Gull Lake Formation and Road River Group represents clastic fill and deep water chemical precipitate of Upper Proterozoic and Lower Paleozoic age. The Mid-Paleozoic Earn Group conformably and locally unconformably overlies the basal sequence and dominantly consists of black shale and marine conglomerate (Roots, 2003). The younger strata have more limited extent and comprise Mississippian to Triassic sedimentary successions (Keno Hill Quartzite, Mount Christie Group and Jones Lake Formation). Numerous Mid-Cretaceous Selwyn Suite igneous bodies cut the sedimentary package throughout the region. A large area at the centre of the map sheet is covered by Quaternary unconsolidated glacial, glaciofluvial and glaciolacustrine deposits. The units are described in Table I.

Table I – Lithological Units (*after Gordey and Makepeace, 2003*)


Unit Name	Map Name	Age	Description
Q	Quaternary	Quaternary	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits.
mKgS	Selwyn Suite	Mid-	Mainly hornblende and hornblende/biotite



NEW DIMENSION RESOURCES LTD. STRATEGIC METALS LTD.

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
LORI PROPERTY

UTM ZONE 8, NAD 83, 105N/07



Fault (movement unknown)

Thrust fault (dip unknown)

See accompanying lithological legend

NEW DIMENSION RESOURCES LTD.

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

LORI PROPERTY

0

5

10 km


UTM ZONE 8, NAD 83, NTS 105N

FILE: ...2011\Lansing\Figures\Geology.wor

DATE: NOVEMBER 2011

GEOLOGICAL LEGEND TO ACCOMPANY FIGURE 4

QUATERNARY



Q: QUATERNARY

unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

MID-CRETACEOUS



mKS: SELWYN SUITE

plutonic suite of intermediate (g) to more felsic composition (q) and rarely syenitic (y); equivalent felsic dykes (f); complete compositional gradation so that these designations are somewhat arbitrary

q. equigranular to porphyritic (K-feldspar) biotite +/- hornblende +/- muscovite granite, quartz monzonite and granodiorite; porphyritic biotite hornblende granite with large smoky grey quartz phenocrysts and locally K-feldspar phenocrysts (Selwyn Suite)

g. resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite and minor quartz diorite; minor leuco-quartz monzonite and syenite (Selwyn Suite)

MIDDLE TO UPPER TRIASSIC



TrJ: JONES LAKE

brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone (Jones Lake)

CARBONIFEROUS TO PERMIAN



CPMC: MOUNT CHRISTIE

burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules (Mount Christie)

MISSISSIPPIAN



MK: KENO HILL

massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated (Keno Hill Quartzite)

MISSISSIPPIAN

MT

MT: TAY

mixed, generally fine clastic and carbonate assemblage (1) with locally thick regionally mappable carbonate horizons (2)

2. grey and buff weathering, generally thick bedded to massive, dark grey to black fetid limestone; fine crystalline to cryptocrystalline; commonly bioclastic

DEVONIAN AND MISSISSIPPIAN

DME

DME: EARN

complex assemblage of submarine fan and channel deposits (1), (5) within black siliceous shale and chert (2), (4) and including separated small occurrences of felsic volcanic rocks (3); barite common and many occurrences of stratiform Pb-Zn

1. thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)

ORDOVICIAN TO LOWER DEVONIAN

ODR

ODR: ROAD RIVER - SELWYN

black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)

1. black, gun-blue, or silvery white weathering black graptolitic shale and black chert; resistant grey weathering, thin to medium bedded, light grey to black, greenish grey or turquoise chert; minor argillaceous limestone (Road River Gp., Duo Lake and Elmer Creek)
2. rusty dark green to orange buff weathering, pyritic, burrowed, thin to thick bedded, argillite and dolomitic siltstone with members or partings of black shale and chert; minor bright orange dolostone (Road River Gp., Steel)

LOWER CAMBRIAN

ICG

ICG: GULL LAKE

dominantly fine clastic assemblage (1) with local volcanic units (2)

1. shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/-garnet +/-sillimanite +/-staurolite +/-andalusite) (Gull Lake)

2. dark green massive to fragmental mafic meta-volcanic and volcanoclastic rocks; siltstone and argillite

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCH

PCH: HYLAND

consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5) (Hyland Gp.)

PCH2

1. thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble (Hyland Gp., Yusezyu)
2. grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within (1) or (4) (Hyland Gp., Algae Lake , limestone member of Yusezyu)
3. distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate (Hyland Gp., Narchilla , Senoah , Arrowhead Lake)
4. quartzose clastic rocks as described in (1); mostly(?) equivalent to (1) but may include younger units (Hyland Gp., mostly(?) Yusezyu)

		Cretaceous	syenite, commonly porphyritic (potassium feldspar phenocrysts), uneven textured, mostly medium grained, locally fine or coarse grained; minor diorite; hornblende syenite.
TrJ	Jones Lake Formation	Triassic	Brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone.
CPMC	Mount Christie Formation	Carboniferous to Permian	Burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules.
MK	Keno Hill Quartzite	Mississippian	Massive to thick bedded quartzarenite; thin to medium bedded quartzarenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.
MT2	Tay Formation	Mississippian	Grey and buff weathering, generally thick bedded to massive, dark grey to black fetid limestone; fine crystalline to cryptocrystalline; commonly bioclastic.
DME	Earn Group	Devonian and Mississippian	Thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone.
ODR1	Road River Group	Ordovician to Lower Devonian	Black, gun-blue, or silvery white weathering black graptolitic shale and black chert; resistant grey weathering, thin to medium bedded, light grey to black, greenish grey or turquoise chert; minor argillaceous limestone.
ICG1	Gull Lake Formation	Lower Cambrian	Shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/-garnet +/-sillimanite +/-staurolite +/-andalusite).

PCH (undivided)	Hyland Group	Upper Proterozoic to Lower Cambrian	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3).
PCH1			Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble.
PCH2			Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
PCH3			Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate.


Bedding and structure on the Lansing Range map sheet are dominated by a northwesterly trend. Significant thrust, strike-slip and extensional faults are present throughout the map sheet. The Lori property lies five kilometres northeast of a steeply-dipping, regional-scale fault (informally named the Lansing Fault for the purposes of this report). All of the major faults pre-date Mid-Cretaceous plutonism, as evidenced by cross-cutting relationships and several plugs that are emplaced along, but not offset by some large-scale faults. Bedding is variable throughout the map sheet, but generally trends northwesterly, and dips moderately to the southwest.


The property is entirely underlain by Earn Group (DME1). Earn Group unconformably overlies Gull Lake Group (ICG1) and a contact between the two units is mapped one kilometre southwest of the property (Figure 5).


STREAM SEDIMENT AND SOIL GEOCHEMISTRY


New Dimension collected 10 stream sediment and 166 contour soil samples from the Lori property in 2011. Sample locations are plotted on Figure 6, while results for silver, zinc, antimony, molybdenum, gold and mercury are plotted on Figures 7 to 12, respectively. Certificates of Analysis are provided in Appendix II.


Stream sediment samples were collected from creeks by hand, while soil samples were collected from 10 to 40 cm deep holes dug by hand-held auger. All samples were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All sample locations were recorded using hand-held GPS units. All samples were sent to ALS Chemex in Whitehorse, Yukon and/or Vancouver, B.C., where they were dried, screened to -180 microns,

















and then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43).

Stream Sediment Geochemistry

Regional stream sediment samples collected by the GSC from creeks draining the Lori property yielded elevated silver, zinc, antimony, molybdenum, gold and mercury values (Day *et. al.*, 2009).

Samples collected in 2011 from a creek draining the southwestern half of the property yielded weak zinc (240 and 256 ppm) and molybdenum (8.54 and 9.44 ppm) values, with subdued results for all other elements of interest. A string of samples taken from a sub-parallel creek in the northeastern half of the property returned weakly elevated values for silver (1.16 to 2.47 ppm), weak to moderate values for antimony (5.96 to 10.1 ppm), and moderate to strong values for zinc (930 to 3370 ppm) and molybdenum (14.95 to 23.9 ppm).

Soil Geochemistry

Nearly the entire soil grid has weakly to strongly elevated silver (1 to 13 ppm), zinc (200 to 2580 ppm), antimony (5 to 40.6 ppm) and molybdenum (5 to 65.5 ppm) response. Anomalous values for these elements are particularly concentrated in the southeast corner of the property, where a moderately elevated gold value (20 ppb) was also identified. A second, isolated, moderately anomalous gold value (37 ppb) is located in the southwest corner of the property.

DISCUSSION AND CONCLUSIONS

Stream sediment and soil sampling at the Lori property successfully identified a broad, coincident silver-zinc-antimony-molybdenum anomaly that covers much of the property. The property is entirely underlain by Earn Group clastic rocks, which often exhibit elevated geochemical backgrounds for these metals. Rare moderately elevated mercury and gold values, one of which is not coincident with the most other metals of interest, may indicate the presence of localized mineralization in the southern part of the property.

Additional work is needed to determine if the broad soil anomaly is a result of elevated background values in Earn Group or a separate mineralizing event. Closely-spaced, infill grid soil sampling should be completed in the vicinity of the two moderately anomalous gold- and mercury-in-soil values. Due to the density of vegetation and ground cover in the area, hand pits or trenches should be dug to test the most anomalous sample sites.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sarah Eaton, B.Sc. Geology, GIT

REFERENCES

Day, S.J.A., McCurdy, M.W., Friske, P.W.B., McNeil, R.J., Hornbrook, E.H.W., Lynch, J.J., Durham, C.C., Gross, H. and Galletta, A.C.

- 2009 Regional stream sediment and water geochemical data, Lansing Range area, east central Yukon (NTS 105N); Geological Survey of Canada, Open File 6272.
Available at: http://gdr.nrcan.gc.ca/geochem/metadata_svy_e.php?key=210223

Gordey, S.P. and Makepeace, A.J.

- 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).

Nelson, J.L. and Colpron, M.

- 2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; in Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordillera_n_metallogeny.pdf

Roots, C.F.

- 2003 Bedrock geology of Lansing Range map area (NTS 105N), central Yukon, 1:250000 scale; Yukon Geological Survey Geoscience Map 2003-1 or Geological Survey of Canada Open File 1616.

Roots, C.F., Abbott, J.G., Cecile, M.P. and Gordey, S.P.

- 1995 Bedrock geology of Lansing Range map area (105N) east half, Hess Mountains, Yukon; Indian and Northern Affairs Canada Open File 1995-7 or Geological Survey of Canada Open File 3171.

Yukon Geological Survey

- 2010 Geoprocess File Summary Report for Mayo Map Area N.T.S. 105M;
Available at: http://ygsftp.gov.yk.ca/publications/openfile/2002/of2002_8d_geoprocess_file/documents/map_specific/105m.pdf

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Sarah Eaton, B.Sc. (Hon.) Geology, GIT

APPENDIX II
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED**
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 12- JUL- 2011
Account: F

CERTIFICATE WH11115564

Project: Lansing - Lori

P.O. No.:

This report is for 33 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED**
ATTN: JOAN MARIACHER
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- JUL- 2011
Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115564

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC137579		0.18	0.012	3.81	1.17	10.4	<0.2	<10	600	0.50	0.25	0.59	1.26	24.7	5.2	19
CC137580		0.20	0.006	0.63	0.92	6.1	<0.2	<10	250	0.29	0.21	0.08	2.82	27.2	2.4	18
CC137581		0.08	0.005	0.84	0.95	9.3	<0.2	<10	260	0.26	0.20	0.11	2.41	26.8	2.8	16
CC137582		0.16	0.004	0.38	0.57	11.6	<0.2	<10	200	0.24	0.16	0.06	0.39	31.8	2.9	13
CC137583		0.18	0.006	0.76	0.82	16.5	<0.2	<10	610	0.49	0.21	0.33	1.76	39.1	10.0	13
CC137584		0.18	0.002	0.14	0.55	15.1	<0.2	<10	110	0.18	0.25	0.01	0.19	34.7	3.2	9
CC137585		0.42	0.004	0.94	0.78	16.9	<0.2	<10	580	0.57	0.21	0.17	1.34	47.6	8.9	15
CC137586		0.14	0.003	0.80	0.69	30.1	<0.2	<10	160	0.27	0.28	0.02	0.49	24.1	4.1	15
CC137587		0.18	0.003	1.11	0.72	31.5	<0.2	<10	150	0.27	0.28	0.05	0.62	28.0	3.2	18
CC137588		0.08	0.011	2.71	1.03	22.1	<0.2	<10	1580	0.99	0.21	1.49	14.70	19.35	10.4	28
CC137589		0.20	0.005	1.40	0.71	38.1	<0.2	<10	980	0.60	0.25	0.47	4.62	33.5	21.3	18
CC137590		0.26	0.006	1.86	0.32	21.3	<0.2	<10	380	0.16	0.19	0.03	0.63	19.80	2.0	15
CC137591		0.30	0.009	3.08	0.92	29.8	<0.2	<10	180	0.36	0.24	0.04	0.50	22.5	3.5	21
CC137592		0.22	0.003	2.28	0.93	18.8	<0.2	<10	240	0.26	0.23	0.04	0.40	19.70	2.1	17
CC137593		0.14	0.006	0.58	0.70	19.3	<0.2	<10	810	0.40	0.16	0.20	0.68	27.0	4.8	16
CC137594		0.22	0.003	2.21	1.10	21.2	<0.2	<10	160	0.41	0.24	0.03	0.40	18.55	3.4	18
CC137595		0.30	0.004	4.10	1.35	19.9	<0.2	<10	240	0.46	0.22	0.04	0.69	21.4	4.2	22
CC137596		0.22	0.003	1.18	0.96	19.1	<0.2	<10	150	0.26	0.24	0.03	0.37	23.3	2.4	19
CC137410		0.08	0.008	2.10	0.65	12.0	<0.2	<10	420	0.29	0.18	0.12	1.40	9.90	2.9	15
CC137411		0.10	0.007	2.88	1.07	20.0	<0.2	<10	740	0.62	0.24	0.92	8.26	29.3	27.2	19
CC137412		0.06	0.003	1.31	0.36	5.2	<0.2	<10	270	0.19	0.10	0.28	4.11	7.15	2.5	9
CC137413		0.30	0.003	1.04	0.71	24.4	<0.2	<10	610	0.44	0.17	0.53	3.13	25.8	8.9	14
CC137414		0.20	0.003	2.33	0.78	27.2	<0.2	<10	1130	0.39	0.23	0.09	3.83	16.55	4.0	16
CC137415		0.08	0.005	1.68	0.69	16.6	<0.2	<10	390	0.24	0.16	0.15	1.68	15.35	2.6	20
CC137416		0.06	0.004	1.23	0.44	18.4	<0.2	<10	310	0.22	0.14	0.09	1.27	13.60	2.5	13
CC137417		0.10	0.003	1.03	0.35	5.9	<0.2	<10	310	0.16	0.12	0.19	1.27	12.35	1.1	11
CC137418		0.06	0.005	1.45	0.47	15.7	<0.2	<10	650	0.31	0.09	2.82	3.41	8.46	4.6	13
CC137419		0.10	0.007	1.61	0.90	10.0	<0.2	<10	700	0.38	0.15	3.82	5.37	14.85	7.5	17
CC137420		0.02	NSS	2.80	0.84	12.2	<0.2	<10	1540	0.46	0.13	0.65	6.16	12.60	4.4	18
CC137421		0.14	0.006	1.96	0.80	11.5	<0.2	<10	710	0.36	0.20	0.57	4.22	14.15	3.0	19
CC137422		0.10	<0.001	0.21	0.35	3.2	<0.2	<10	360	0.20	0.03	3.02	2.65	1.88	1.8	3
CC137423		0.16	0.004	1.72	0.91	21.8	<0.2	<10	1040	0.45	0.20	1.36	16.15	14.20	30.4	16
CC137424		0.06	0.005	1.41	0.72	16.4	<0.2	<10	1770	0.50	0.11	1.59	70.6	11.90	38.8	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- JUL- 2011
Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115564

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC137579		1.36	56.9	1.46	3.84	0.06	0.04	0.98	0.026	0.16	14.3	12.4	0.25	198	3.18
CC137580		1.03	29.1	1.14	4.35	0.05	0.03	0.15	0.013	0.07	15.0	6.9	0.13	65	2.61
CC137581		1.02	21.5	1.02	3.85	0.05	0.03	0.28	0.015	0.08	16.1	7.3	0.14	173	5.04
CC137582		0.88	25.2	1.46	2.63	0.05	<0.02	0.15	0.014	0.08	17.5	3.9	0.12	69	8.96
CC137583		0.99	62.9	2.15	2.41	0.06	0.02	0.41	0.022	0.15	21.9	8.2	0.23	396	7.74
CC137584		1.55	32.4	1.70	5.31	0.05	<0.02	0.03	0.016	0.08	18.4	1.6	0.04	40	6.17
CC137585		0.93	60.3	2.02	2.82	0.08	<0.02	0.30	0.023	0.12	27.2	8.8	0.22	203	10.35
CC137586		0.94	24.8	2.54	4.26	0.05	<0.02	0.08	0.018	0.06	14.4	4.0	0.08	142	11.95
CC137587		0.91	26.4	2.25	5.24	0.06	<0.02	0.07	0.021	0.07	17.1	4.0	0.09	99	13.40
CC137588		0.78	113.5	1.82	2.85	0.06	0.05	0.78	0.030	0.16	12.6	7.0	0.24	493	8.96
CC137589		0.94	78.4	2.44	2.46	0.08	<0.02	0.37	0.028	0.13	19.5	6.0	0.19	1220	15.35
CC137590		0.45	41.7	1.50	3.94	0.12	<0.02	0.05	0.017	0.05	12.5	1.3	0.02	48	10.85
CC137591		0.78	26.7	2.48	4.14	0.11	<0.02	0.17	0.024	0.06	11.9	6.8	0.12	134	7.52
CC137592		0.85	9.9	2.60	5.17	0.11	<0.02	0.11	0.020	0.05	9.6	6.6	0.11	76	4.95
CC137593		0.53	41.9	1.86	2.62	0.12	0.02	0.15	0.018	0.06	15.4	7.2	0.14	176	7.52
CC137594		0.86	12.7	2.82	4.61	0.10	<0.02	0.11	0.025	0.04	8.7	9.4	0.14	109	4.37
CC137595		0.93	15.0	2.87	4.88	0.10	<0.02	0.16	0.030	0.05	10.4	12.7	0.17	147	5.57
CC137596		0.77	11.4	2.32	5.03	0.11	<0.02	0.10	0.020	0.04	11.5	5.7	0.11	95	8.02
CC137410		0.80	38.2	1.60	2.77	0.11	<0.02	0.44	0.026	0.08	5.6	3.1	0.08	87	4.33
CC137411		0.90	67.1	2.39	3.03	0.12	0.04	0.75	0.032	0.16	13.3	9.1	0.27	1720	6.87
CC137412		0.48	29.1	0.90	1.61	0.10	<0.02	0.31	0.010	0.04	3.9	1.7	0.05	110	3.33
CC137413		0.71	59.0	2.07	2.20	0.10	0.05	0.41	0.018	0.10	14.7	8.9	0.20	411	7.55
CC137414		0.70	37.5	2.25	3.98	0.08	0.02	0.35	0.016	0.06	9.5	5.0	0.08	144	7.27
CC137415		0.61	29.8	1.16	3.32	0.08	0.03	0.59	0.014	0.06	9.6	6.4	0.09	196	5.30
CC137416		0.49	25.5	1.28	2.12	0.07	0.02	0.30	0.011	0.07	8.3	3.5	0.06	290	7.23
CC137417		0.52	11.2	0.51	2.13	0.05	0.02	0.37	0.005	0.05	7.6	2.4	0.04	82	1.80
CC137418		0.47	45.7	1.14	1.62	0.08	0.07	0.51	0.012	0.07	5.2	4.3	0.12	332	3.39
CC137419		0.84	39.4	1.53	2.62	0.08	0.07	0.58	0.022	0.12	9.0	10.8	0.17	1310	3.15
CC137420		1.32	49.2	1.56	3.57	0.27	0.13	0.75	0.019	0.11	7.6	7.3	0.12	101	7.20
CC137421		0.71	39.1	1.48	3.22	0.08	0.02	0.55	0.019	0.10	8.4	6.8	0.11	99	7.25
CC137422		0.10	15.5	0.43	0.91	<0.05	0.05	0.09	<0.005	0.02	1.2	0.6	0.08	2410	10.60
CC137423		0.71	49.8	2.52	3.00	0.12	0.07	0.42	0.020	0.05	8.0	7.9	0.15	5230	25.2
CC137424		0.48	63.2	1.96	2.74	0.13	0.05	0.43	0.016	0.06	6.0	3.8	0.15	15350	30.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12- JUL- 2011
Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115564

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC137579		0.25	31.6	1150	17.0	16.0	0.004	0.05	2.13	2.7	5.0	0.5	63.2	<0.01	0.06	1.5
CC137580		0.38	16.3	630	9.3	9.3	<0.001	0.02	0.99	1.6	1.5	0.6	14.5	<0.01	0.04	1.8
CC137581		0.25	18.2	660	8.9	9.3	0.002	0.03	1.33	1.9	2.3	0.5	16.1	<0.01	0.04	2.1
CC137582		0.31	19.1	680	7.9	8.6	0.001	0.01	3.16	1.4	1.6	0.4	14.8	<0.01	0.05	1.1
CC137583		0.14	44.4	870	12.1	10.9	0.002	0.02	3.93	2.6	2.7	0.3	49.9	<0.01	0.09	2.7
CC137584		0.39	15.7	370	11.5	10.1	<0.001	0.01	2.50	1.0	2.0	0.6	9.2	<0.01	0.08	1.7
CC137585		0.25	38.0	830	10.5	11.2	0.001	<0.01	5.11	2.4	3.3	0.4	36.8	<0.01	0.08	3.6
CC137586		0.42	28.7	790	12.2	10.1	<0.001	0.01	5.73	1.1	2.4	0.6	7.7	<0.01	0.07	0.9
CC137587		0.57	37.8	1600	14.9	11.6	0.001	0.02	7.05	1.5	3.4	0.7	21.6	<0.01	0.09	2.7
CC137588		0.25	135.5	940	12.1	12.0	0.012	0.06	8.95	2.9	4.8	0.6	169.0	<0.01	0.13	1.4
CC137589		0.27	116.5	1240	11.1	10.2	0.007	0.03	10.05	2.7	6.6	0.5	62.1	<0.01	0.13	1.9
CC137590		0.22	37.1	930	13.3	6.1	0.001	0.04	4.98	0.6	7.6	0.8	44.5	<0.01	0.12	0.2
CC137591		0.79	22.3	1130	12.8	11.1	0.001	0.02	3.19	1.8	3.6	0.7	19.1	<0.01	0.10	2.3
CC137592		0.91	10.5	1100	12.2	11.4	0.001	0.02	1.84	1.5	2.3	0.6	13.7	<0.01	0.07	2.2
CC137593		0.45	31.0	1310	8.8	5.5	0.002	0.04	4.18	2.3	2.5	0.4	42.6	<0.01	0.08	3.3
CC137594		0.79	15.5	1460	12.9	10.0	<0.001	0.02	1.51	1.8	2.1	0.6	10.9	<0.01	0.07	2.4
CC137595		0.88	16.8	760	12.0	10.6	<0.001	0.01	1.97	1.9	3.0	0.6	11.1	<0.01	0.05	2.7
CC137596		0.85	13.2	750	11.7	8.9	<0.001	0.02	2.85	1.7	2.7	0.7	12.6	<0.01	0.06	2.8
CC137410		0.36	17.7	1400	9.3	8.2	0.001	0.06	2.15	0.9	3.6	0.5	21.5	<0.01	0.06	0.5
CC137411		0.31	62.1	1240	12.1	13.8	0.010	0.08	3.69	3.2	6.7	0.5	82.0	<0.01	0.08	2.0
CC137412		0.24	19.3	930	4.8	4.5	0.001	0.08	1.32	0.9	5.9	0.7	26.8	<0.01	0.03	0.2
CC137413		0.21	50.0	1320	10.2	8.7	0.006	0.04	4.08	2.6	4.3	0.3	57.8	<0.01	0.06	2.2
CC137414		0.48	36.6	970	11.6	9.4	0.001	0.03	4.12	1.4	2.4	0.5	30.2	<0.01	0.07	0.4
CC137415		0.30	22.4	840	11.2	7.2	0.005	0.06	2.19	2.0	5.2	0.4	30.2	<0.01	0.05	1.0
CC137416		0.22	22.8	830	8.0	6.5	0.002	0.04	3.24	1.5	3.2	0.3	21.7	<0.01	0.05	0.8
CC137417		0.25	8.7	460	4.9	6.4	0.003	0.04	1.03	1.3	2.4	0.3	24.0	<0.01	0.04	1.0
CC137418		0.24	85.3	1190	5.5	6.5	0.009	0.12	3.65	1.8	5.1	0.3	102.0	<0.01	0.06	0.7
CC137419		0.32	51.7	1210	9.1	10.2	0.003	0.20	2.58	2.6	5.1	0.4	126.0	<0.01	0.04	1.6
CC137420		0.69	52.7	1380	9.4	17.6	0.003	0.16	4.64	7.8	7.3	0.5	69.6	0.04	0.08	0.8
CC137421		0.34	44.8	960	10.4	9.7	0.003	0.05	2.76	2.1	4.8	0.6	40.5	<0.01	0.07	0.8
CC137422		0.20	66.0	840	1.3	0.8	0.014	0.22	2.40	0.5	5.9	0.3	120.5	0.01	0.04	<0.2
CC137423		0.40	122.5	1600	9.8	7.4	0.030	0.17	5.44	2.0	12.3	0.3	94.0	0.01	0.10	0.8
CC137424		0.20	383	1500	5.7	8.6	0.018	0.15	7.30	1.6	12.3	0.5	111.5	<0.01	0.10	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- JUL- 2011
 Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115564

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC137579		0.007	0.38	5.53	70	0.09	10.25	159	1.0
CC137580		0.013	0.19	3.54	53	0.15	3.06	160	0.6
CC137581		0.008	0.27	6.07	70	0.20	4.42	151	0.7
CC137582		0.014	0.20	1.61	59	0.29	4.79	104	<0.5
CC137583		0.006	0.21	2.80	56	0.09	10.55	222	0.7
CC137584		0.015	0.15	0.86	60	0.19	2.37	92	<0.5
CC137585		0.010	0.24	2.99	69	0.22	9.86	214	0.5
CC137586		0.012	0.21	0.95	138	1.25	2.66	220	<0.5
CC137587		0.017	0.31	1.77	152	0.26	4.51	240	0.7
CC137588		0.006	0.54	4.36	172	0.16	16.80	1080	2.5
CC137589		0.009	0.30	5.01	97	0.27	14.50	836	0.5
CC137590		0.008	0.31	1.22	115	0.26	2.42	167	<0.5
CC137591		0.013	0.22	1.16	91	0.29	2.53	144	0.6
CC137592		0.017	0.19	0.63	89	0.29	1.66	67	0.5
CC137593		0.011	0.21	1.79	77	0.20	7.41	163	1.7
CC137594		0.012	0.16	0.65	76	0.28	1.88	79	0.6
CC137595		0.015	0.22	0.96	85	0.28	2.05	102	0.5
CC137596		0.018	0.22	0.83	102	0.27	1.91	88	1.0
CC137410		0.006	0.18	2.69	47	0.16	3.91	97	<0.5
CC137411		0.006	0.44	6.89	76	0.14	10.70	388	1.2
CC137412		0.007	0.16	8.00	35	0.06	3.67	91	<0.5
CC137413		0.007	0.20	5.42	60	0.33	11.10	392	1.0
CC137414		0.016	0.21	1.49	96	0.23	6.54	213	<0.5
CC137415		0.005	0.33	5.55	101	0.19	4.16	150	0.8
CC137416		0.005	0.23	1.82	66	0.14	3.81	155	<0.5
CC137417		0.006	0.17	2.39	43	0.17	2.76	59	0.5
CC137418		0.005	0.20	9.36	61	0.11	6.04	520	3.2
CC137419		0.006	0.26	2.03	65	0.11	9.91	349	2.3
CC137420		0.005	0.45	2.95	62	0.21	11.70	241	5.0
CC137421		0.006	0.22	6.11	82	0.21	5.57	232	0.6
CC137422		0.008	0.05	7.60	12	0.06	1.57	781	2.1
CC137423		0.008	0.21	17.50	78	0.19	10.50	988	2.1
CC137424		0.005	0.24	27.7	65	0.14	10.35	2580	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12- JUL- 2011
Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115564

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 12- JUL- 2011
Account: F

CERTIFICATE WH11115565

Project: Lansing - Lori

P.O. No.:

This report is for 11 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
ATTN: JOAN MARIACHER
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- JUL- 2011
 Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115565

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC117369		0.26	0.008	1.00	0.86	21.4	<0.2	<10	600	0.42	0.21	0.41	1.11	28.6	10.3	16
CC117370		0.26	0.006	1.19	0.84	26.6	<0.2	<10	410	0.57	0.21	0.66	12.55	34.4	12.6	15
CC117371		0.30	0.003	1.35	0.82	37.9	<0.2	<10	640	0.62	0.20	0.68	7.67	32.0	13.6	16
CC117372		0.28	0.009	1.45	0.78	47.3	<0.2	<10	960	0.66	0.21	0.66	17.20	32.5	24.5	18
CC117373		0.34	0.004	1.16	0.76	53.7	<0.2	<10	870	0.67	0.21	0.70	15.25	32.5	19.4	22
CC117374		0.32	0.002	2.47	0.66	42.2	<0.2	<10	800	0.66	0.20	1.34	28.6	27.7	42.9	20
CC117375		0.32	0.001	1.47	0.56	35.8	<0.2	<10	680	0.48	0.14	0.69	7.83	21.4	17.0	16
CC117376		0.18	0.002	1.47	0.58	19.0	<0.2	<10	430	0.30	0.16	0.30	1.03	17.55	4.2	15
CC117377		0.20	0.002	1.42	0.69	32.0	<0.2	<10	670	0.44	0.21	0.29	1.93	26.1	11.9	20
CC117378		0.24	0.003	1.60	0.89	26.3	<0.2	<10	360	0.32	0.39	0.12	1.15	19.90	8.0	22
CC117379		0.24	0.003	1.73	0.76	55.3	<0.2	<10	620	0.59	0.19	0.60	3.63	32.3	12.6	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- JUL- 2011
 Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115565

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC117369		0.91	56.5	2.34	2.90	0.09	0.04	0.37	0.021	0.12	16.1	10.7	0.25	608	6.06
CC117370		0.80	82.4	2.69	2.55	0.14	0.05	0.45	0.024	0.13	20.3	9.5	0.28	979	20.2
CC117371		0.72	67.4	2.66	2.51	0.08	0.04	0.58	0.029	0.12	18.2	9.7	0.28	861	14.95
CC117372		0.66	74.7	3.44	2.43	0.10	0.04	0.62	0.029	0.11	18.5	8.7	0.23	2470	20.8
CC117373		0.64	77.4	3.74	2.66	0.11	0.06	0.49	0.028	0.09	18.3	9.6	0.25	2170	16.55
CC117374		0.53	114.0	2.81	2.38	0.12	0.06	0.81	0.032	0.08	17.5	7.0	0.34	3790	23.9
CC117375		0.55	64.3	2.10	2.13	0.09	0.04	0.55	0.021	0.08	13.5	6.4	0.15	1260	17.10
CC117376		0.72	33.5	1.52	2.59	0.05	0.02	0.33	0.017	0.08	10.3	6.3	0.13	179	7.60
CC117377		0.64	53.5	1.96	2.83	0.08	0.03	0.47	0.020	0.10	16.2	6.9	0.15	635	12.95
CC117378		1.03	30.3	2.00	5.67	0.05	<0.02	0.31	0.024	0.09	11.3	5.8	0.11	729	10.70
CC117379		0.73	66.2	2.94	2.42	0.10	0.04	0.43	0.025	0.11	18.5	9.4	0.25	671	11.90



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- JUL- 2011
 Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115565

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC117369		0.15	38.1	1300	13.4	11.7	0.002	0.04	3.14	2.6	2.9	0.2	54.4	<0.01	0.08	1.7
CC117370		0.16	191.0	1100	14.2	10.9	0.006	0.05	8.61	2.9	5.4	0.2	84.8	0.01	0.11	2.7
CC117371		0.20	98.9	1140	12.5	11.2	0.009	0.04	5.96	2.9	5.9	0.3	76.6	<0.01	0.10	2.9
CC117372		0.20	164.0	1640	12.6	11.1	0.009	0.05	7.46	2.9	8.4	0.3	98.7	<0.01	0.12	3.1
CC117373		0.48	156.5	1840	15.5	9.0	0.008	0.03	7.59	3.7	5.8	0.3	79.1	<0.01	0.10	4.0
CC117374		0.34	294	2030	13.3	8.5	0.019	0.06	10.10	3.3	12.1	0.4	166.0	0.01	0.15	2.8
CC117375		0.27	99.9	1880	9.3	8.2	0.012	0.04	7.22	2.4	8.5	0.4	82.4	<0.01	0.10	2.1
CC117376		0.30	27.8	1200	8.4	9.9	0.005	0.02	2.57	1.6	3.4	0.3	42.3	<0.01	0.07	1.2
CC117377		0.35	45.5	1460	11.1	10.4	0.005	0.02	4.91	2.1	5.2	0.4	54.2	<0.01	0.11	2.3
CC117378		0.56	14.4	1220	17.8	15.8	0.001	0.02	2.09	1.3	2.2	0.7	27.1	<0.01	0.09	0.8
CC117379		0.28	65.5	1600	13.8	10.6	0.007	0.04	4.99	2.9	6.0	0.3	69.4	<0.01	0.09	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8**

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12- JUL- 2011
 Account: F

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115565

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC117369		0.005	0.20	1.76	54	0.12	8.76	186	0.8
CC117370		0.005	0.35	3.70	98	0.10	14.15	3370	1.0
CC117371		0.005	0.30	4.38	83	0.16	13.75	1280	1.3
CC117372		0.005	0.37	6.23	92	0.21	14.80	1750	1.5
CC117373		0.011	0.32	3.86	87	0.59	15.05	1780	2.6
CC117374		0.008	0.41	6.28	104	0.41	19.75	2530	2.3
CC117375		0.006	0.28	6.71	92	0.34	13.85	930	1.6
CC117376		0.007	0.21	2.31	69	2.47	6.35	170	<0.5
CC117377		0.008	0.31	3.70	109	0.26	10.15	333	0.7
CC117378		0.012	0.34	3.54	110	0.38	4.16	102	<0.5
CC117379		0.007	0.23	6.47	66	0.21	13.40	480	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

**Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12- JUL- 2011
Account: F**

Project: Lansing - Lori

CERTIFICATE OF ANALYSIS WH11115565

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED**
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25- OCT- 2011
This copy reported on
28- NOV- 2011
Account: F

CERTIFICATE WH11182752

Project: Lansing - Lori property

P.O. No.:

This report is for 132 Soil samples submitted to our lab in Whitehorse, YT, Canada on 10- SEP- 2011.

The following have access to data associated with this certificate:

DOUG EATON

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED**
ATTN: JOAN MARIACHER
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002826		0.20	0.005	0.72	1.19	14.2	<0.2	<10	430	0.41	0.34	0.24	1.09	27.9	6.1	19
DD002827		0.22	0.004	0.70	0.79	14.7	<0.2	<10	320	0.47	0.26	0.16	1.26	35.9	12.3	11
DD002828		0.14	0.010	1.41	0.92	27.1	<0.2	<10	560	0.40	0.21	0.30	2.12	27.9	8.6	13
DD002829		0.18	0.005	0.46	0.64	20.6	<0.2	<10	280	0.31	0.22	0.10	0.80	40.8	18.8	15
DD002830		0.18	0.003	1.71	0.95	15.4	<0.2	<10	570	0.50	0.20	0.09	2.19	25.1	3.4	18
DD002831		0.20	0.003	0.74	0.71	34.6	<0.2	<10	240	0.29	0.33	0.08	0.50	18.10	5.6	16
DD002832		0.22	0.009	1.79	0.90	21.7	<0.2	<10	570	0.46	0.22	0.05	1.16	33.0	3.1	18
DD002833		0.20	0.002	1.17	0.51	25.5	<0.2	<10	120	0.12	0.29	0.05	0.30	24.7	2.3	11
DD002834		0.30	0.006	0.74	0.70	15.9	<0.2	<10	1030	0.44	0.19	0.27	1.04	34.4	5.1	13
DD002835		0.18	0.006	10.00	0.62	21.2	<0.2	<10	220	0.22	0.22	0.03	0.26	20.3	2.4	13
DD002836		0.20	0.005	6.76	0.20	22.8	<0.2	<10	280	0.07	0.25	0.01	0.12	17.80	0.3	16
DD002837		0.24	0.006	3.08	0.62	26.8	<0.2	<10	710	0.45	0.23	0.32	2.19	36.7	6.7	18
DD002838		0.10	0.001	0.59	0.21	3.7	<0.2	10	630	0.17	0.04	3.82	16.20	2.07	3.1	3
DD002839		0.18	0.008	3.53	0.73	35.5	<0.2	<10	910	0.80	0.20	0.60	9.70	26.9	5.4	31
DD002840		0.22	0.001	1.77	0.82	21.0	<0.2	<10	200	0.30	0.24	0.04	0.57	23.7	2.4	19
DD002841		0.26	0.005	0.75	0.61	15.7	<0.2	<10	1070	0.31	0.17	0.15	0.53	26.6	3.9	13
DD002842		0.22	0.004	1.40	1.07	18.0	<0.2	<10	700	0.59	0.24	0.54	1.47	22.4	4.3	21
DD002843		0.36	0.004	1.15	0.67	14.0	<0.2	<10	800	0.41	0.17	0.38	1.86	25.1	5.4	15
DD002844		0.28	0.004	0.78	0.71	18.1	<0.2	<10	920	0.43	0.21	0.32	1.09	21.7	3.8	14
DD002845		0.22	0.005	3.98	1.55	23.6	<0.2	<10	390	0.77	0.19	0.07	0.88	28.7	6.0	25
DD002846		0.20	0.010	5.22	1.56	29.3	<0.2	<10	560	0.82	0.21	0.05	1.00	24.5	5.3	32
DD002847		0.18	0.008	1.46	1.05	30.8	<0.2	<10	440	0.55	0.25	0.07	0.67	25.7	3.9	22
DD002848		0.18	0.011	0.63	0.62	34.2	<0.2	<10	170	0.41	0.27	0.10	0.56	27.9	5.0	15
DD002849		0.18	0.003	1.24	0.71	20.4	<0.2	<10	440	0.35	0.20	0.42	1.83	27.1	7.3	14
DD002850		0.22	0.007	1.65	0.48	25.4	<0.2	<10	800	0.47	0.16	0.41	3.19	33.1	5.0	16
DD002851		0.26	0.005	0.67	0.51	15.4	<0.2	<10	570	0.31	0.14	0.12	0.58	25.2	4.2	11
DD002852		0.24	0.007	0.66	1.19	22.6	<0.2	<10	280	0.38	0.25	0.06	0.43	22.4	3.9	21
DD002853		0.24	0.006	1.04	0.69	14.1	<0.2	<10	880	0.37	0.21	0.16	1.27	32.5	9.4	12
DD002854		0.20	0.002	5.37	1.63	24.2	<0.2	<10	130	0.42	0.31	0.05	0.56	19.55	5.7	25
DD002855		0.24	0.002	0.48	0.79	30.1	<0.2	<10	190	0.24	0.38	0.06	0.51	26.8	3.1	15
DD002856		0.24	0.005	0.94	0.82	9.6	<0.2	<10	660	0.48	0.20	0.29	2.39	36.3	8.5	13
DD002857		0.22	0.002	1.50	0.63	30.0	<0.2	<10	280	0.28	0.32	0.03	0.59	33.1	4.3	18
DD002858		0.26	0.002	0.54	0.63	12.4	<0.2	<10	280	0.31	0.23	0.10	0.58	34.8	5.1	11
DD002859		0.30	0.005	0.84	0.93	18.5	<0.2	<10	410	0.45	0.26	0.21	1.47	40.0	13.7	14
DD002860		0.24	0.003	0.93	0.90	8.5	<0.2	<10	470	0.40	0.25	0.43	7.66	25.7	3.3	15
DD002861		0.28	0.008	2.21	1.34	11.5	<0.2	<10	850	0.70	0.33	0.35	6.00	31.3	11.6	21
CC119782		0.20	0.005	1.09	0.74	21.5	<0.2	<10	540	0.54	0.21	0.38	2.37	31.9	9.6	12
CC119783		0.46	0.003	0.50	0.68	22.3	<0.2	<10	460	0.54	0.22	0.27	2.02	34.8	11.8	9
CC146196		0.22	0.003	0.29	1.30	26.9	<0.2	<10	110	0.22	0.39	0.04	0.12	17.30	3.9	21
CC146197		0.20	0.003	0.25	1.07	12.8	<0.2	<10	360	0.30	0.27	0.04	0.31	26.4	3.0	17

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002826		1.05	20.5	2.32	3.71	0.08	0.02	0.38	0.021	0.11	15.0	18.0	0.29	173	6.74
DD002827		0.69	37.2	3.59	2.83	0.09	0.02	0.13	0.028	0.09	20.2	7.5	0.10	683	7.23
DD002828		0.78	35.2	2.80	2.59	0.09	0.02	0.45	0.023	0.11	15.2	8.9	0.17	329	6.51
DD002829		0.81	37.5	2.49	2.63	0.08	0.02	0.12	0.019	0.11	21.7	7.3	0.15	1710	12.20
DD002830		0.79	118.0	1.69	3.76	0.07	<0.02	0.37	0.021	0.09	13.8	4.6	0.11	131	7.65
DD002831		0.87	27.2	2.63	4.02	0.05	<0.02	0.09	0.024	0.07	9.6	7.4	0.14	296	7.40
DD002832		0.77	60.9	1.98	3.27	0.08	0.02	0.42	0.023	0.10	19.4	5.5	0.12	74	10.45
DD002833		0.93	11.4	1.78	5.32	0.06	<0.02	0.04	0.014	0.05	13.8	1.9	0.06	97	9.25
DD002834		0.64	43.7	1.58	2.32	0.08	0.02	0.23	0.019	0.08	19.8	7.9	0.15	118	6.04
DD002835		0.63	21.7	2.32	3.23	0.06	<0.02	0.15	0.014	0.07	11.7	2.4	0.07	81	6.02
DD002836		0.29	5.7	1.43	2.48	0.17	<0.02	0.16	0.010	0.11	15.9	2.0	0.01	11	18.95
DD002837		0.58	68.5	1.94	2.51	0.14	<0.02	0.81	0.026	0.07	23.4	7.8	0.18	219	13.70
DD002838		0.12	38.3	0.28	0.44	0.14	0.04	0.24	0.005	0.02	1.2	0.7	0.10	1120	14.45
DD002839		0.53	113.5	1.94	3.02	0.15	0.03	1.53	0.033	0.14	19.5	6.4	0.14	143	19.85
DD002840		0.80	17.4	1.75	4.87	0.11	<0.02	0.10	0.018	0.05	15.3	4.2	0.07	103	8.39
DD002841		0.46	43.3	1.46	2.40	0.11	<0.02	0.18	0.017	0.05	16.0	5.9	0.12	160	5.93
DD002842		1.06	45.2	1.90	3.83	0.12	<0.02	0.46	0.025	0.09	12.9	9.7	0.16	201	5.66
DD002843		0.64	48.5	1.34	2.32	0.13	<0.02	0.35	0.018	0.06	15.1	8.1	0.13	220	5.49
DD002844		0.86	34.7	1.64	3.05	0.12	<0.02	0.20	0.021	0.06	12.8	5.6	0.11	157	5.93
DD002845		0.90	37.8	2.36	3.51	0.12	0.02	0.32	0.030	0.09	16.9	12.5	0.19	180	8.08
DD002846		0.95	49.5	2.67	3.51	0.12	0.03	0.50	0.035	0.09	16.3	16.9	0.15	125	11.40
DD002847		0.88	47.7	2.32	4.13	0.12	0.04	0.39	0.026	0.08	15.3	10.4	0.12	136	9.83
DD002848		0.49	45.2	3.16	2.70	0.12	0.02	0.07	0.031	0.06	15.4	4.1	0.06	91	9.25
DD002849		0.72	25.7	1.71	2.80	0.12	0.03	0.32	0.020	0.10	16.1	6.8	0.15	598	10.55
DD002850		0.44	79.0	1.58	1.96	0.15	0.02	0.58	0.022	0.07	21.7	5.6	0.10	126	11.05
DD002851		0.50	34.6	1.38	1.96	0.12	<0.02	0.18	0.015	0.05	14.8	4.7	0.09	176	5.46
DD002852		1.02	26.2	2.64	5.12	0.11	0.02	0.15	0.026	0.07	12.2	10.5	0.18	140	6.59
DD002853		0.65	37.9	1.46	2.28	0.12	0.02	0.28	0.020	0.07	18.3	8.9	0.15	362	4.55
DD002854		1.25	10.9	3.91	5.69	0.11	0.08	0.15	0.031	0.05	10.8	20.6	0.28	200	4.67
DD002855		0.76	15.5	1.98	6.72	0.11	<0.02	0.04	0.015	0.07	14.7	6.4	0.12	157	6.47
DD002856		0.74	48.8	1.49	2.69	0.14	0.03	0.30	0.021	0.09	19.8	9.8	0.17	332	4.68
DD002857		0.82	51.2	2.17	4.60	0.12	<0.02	0.11	0.024	0.09	20.7	3.7	0.06	88	12.40
DD002858		0.81	30.2	1.57	2.78	0.11	<0.02	0.12	0.018	0.09	19.1	6.3	0.14	174	6.23
DD002859		1.07	37.0	2.96	3.15	0.14	0.03	0.36	0.029	0.13	21.9	10.0	0.20	611	14.15
DD002860		0.82	32.0	1.13	3.41	0.12	0.04	0.44	0.020	0.08	14.8	7.8	0.12	198	0.97
DD002861		1.18	63.5	1.52	4.27	0.13	0.05	0.75	0.039	0.12	16.3	18.9	0.22	137	2.19
CC119782		0.73	66.0	2.08	2.19	0.12	0.02	0.45	0.024	0.10	18.0	8.6	0.19	482	9.44
CC119783		0.64	60.4	2.64	1.83	0.13	<0.02	0.28	0.024	0.10	18.3	8.0	0.20	590	8.54
CC146196		1.12	12.7	4.56	7.92	0.11	0.02	0.05	0.019	0.05	9.7	11.7	0.18	175	4.00
CC146197		1.07	25.0	1.54	4.10	0.11	0.04	0.22	0.018	0.09	15.1	8.5	0.15	154	2.57

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD002826		0.42	22.2	880	15.2	12.8	0.003	0.01	2.70	2.5	4.9	0.4	24.8	<0.01	0.05	3.9
DD002827		0.31	25.0	910	13.1	8.8	0.002	0.01	1.66	2.5	8.2	0.3	17.2	<0.01	0.03	2.3
DD002828		0.23	28.9	1200	12.3	11.4	0.005	0.03	2.86	2.6	8.7	0.3	34.4	<0.01	0.05	2.5
DD002829		0.27	36.1	860	12.9	9.9	0.002	0.01	5.45	1.6	4.2	0.3	26.7	<0.01	0.05	3.0
DD002830		0.09	35.6	1280	10.6	8.0	0.001	0.03	3.95	0.4	2.6	0.6	33.8	<0.01	0.06	<0.2
DD002831		0.41	22.9	1380	15.5	11.2	0.002	0.01	3.45	1.7	2.7	0.5	19.3	<0.01	0.05	1.4
DD002832		0.21	28.1	1030	12.0	9.8	0.002	0.03	4.28	1.5	3.7	0.4	27.4	<0.01	0.06	0.9
DD002833		0.56	13.4	620	11.3	8.9	0.001	<0.01	2.85	0.7	1.4	0.7	14.5	<0.01	0.05	0.3
DD002834		0.24	29.7	970	12.1	7.5	0.003	0.01	3.65	2.0	2.5	0.3	40.8	<0.01	0.05	3.0
DD002835		0.58	16.4	2090	32.3	10.2	0.001	0.01	3.35	1.2	2.8	0.3	12.7	<0.01	0.04	2.0
DD002836		0.33	3.2	620	17.0	7.6	0.001	0.30	4.61	0.5	16.2	0.6	76.4	<0.01	0.23	2.0
DD002837		0.28	49.1	1480	14.3	6.0	0.003	0.02	6.96	1.8	2.8	0.4	69.4	<0.01	0.10	0.9
DD002838		0.08	85.5	1300	2.1	0.9	0.033	0.31	4.85	0.3	19.9	<0.2	209	<0.01	0.01	0.3
DD002839		0.18	108.5	1910	14.3	8.7	0.005	0.10	13.00	2.7	13.2	0.7	130.5	<0.01	0.19	1.7
DD002840		0.56	20.6	1100	14.6	10.1	<0.001	0.02	3.72	1.5	3.2	0.7	19.4	<0.01	0.08	2.2
DD002841		0.28	26.1	1090	8.9	4.7	0.002	0.04	3.55	1.7	2.3	0.3	31.4	<0.01	0.05	1.8
DD002842		0.50	25.0	880	12.8	12.5	0.002	0.03	2.80	2.1	3.2	0.6	43.3	<0.01	0.07	1.2
DD002843		0.33	34.5	1380	8.0	6.9	0.002	0.03	3.84	2.1	2.8	0.4	50.7	<0.01	0.08	2.0
DD002844		0.29	22.5	940	12.3	9.1	0.002	0.03	3.09	1.1	3.3	0.5	40.6	<0.01	0.05	0.6
DD002845		0.39	42.0	1320	12.3	11.7	0.001	0.02	5.14	2.9	3.9	0.5	24.4	<0.01	0.08	3.6
DD002846		0.40	58.9	1160	13.3	14.1	0.001	0.04	7.42	2.5	5.1	0.5	32.1	<0.01	0.13	3.5
DD002847		0.55	30.6	1050	13.8	10.0	<0.001	0.03	4.86	2.5	3.6	0.6	30.5	<0.01	0.08	3.3
DD002848		0.40	44.2	2500	13.9	10.6	0.001	0.03	4.31	1.9	5.0	0.4	24.8	<0.01	0.08	2.9
DD002849		0.22	32.9	800	9.9	10.7	0.005	0.04	3.64	1.6	3.6	0.4	46.8	<0.01	0.05	1.6
DD002850		0.27	51.7	1520	9.4	5.5	0.002	0.03	7.09	2.6	5.0	0.4	68.2	<0.01	0.09	2.8
DD002851		0.25	21.9	930	8.1	6.1	0.002	0.02	2.82	1.6	2.0	0.3	26.1	<0.01	0.05	2.3
DD002852		0.70	20.3	930	14.0	11.1	<0.001	0.02	2.96	1.4	2.3	0.6	17.3	<0.01	0.07	0.9
DD002853		0.23	25.9	900	10.1	7.6	0.002	0.02	2.73	1.9	2.3	0.3	33.3	<0.01	0.05	3.1
DD002854		1.45	16.1	560	18.8	13.0	<0.001	0.01	1.79	2.3	2.6	0.6	9.0	0.01	0.07	3.5
DD002855		0.92	15.2	950	18.3	18.4	<0.001	0.02	2.83	1.5	1.6	0.7	19.2	<0.01	0.07	2.3
DD002856		0.24	38.9	720	8.8	10.9	0.004	0.03	2.29	2.3	6.4	0.3	44.0	<0.01	0.05	2.7
DD002857		0.34	41.2	880	19.2	12.5	0.002	0.09	5.93	1.6	7.0	0.5	68.4	<0.01	0.11	1.9
DD002858		0.31	18.9	710	9.6	11.1	0.002	0.02	2.31	1.5	2.0	0.4	22.0	<0.01	0.05	3.3
DD002859		0.31	29.5	940	15.7	14.4	0.002	0.04	3.43	2.6	5.5	0.3	32.9	<0.01	0.08	3.8
DD002860		0.33	34.9	790	18.3	11.4	0.005	0.07	1.28	2.2	7.8	0.4	38.3	<0.01	0.05	2.2
DD002861		0.47	43.7	830	23.2	16.5	0.006	0.07	2.10	4.4	6.9	0.5	44.4	<0.01	0.06	2.5
CC119782		0.15	46.8	1020	12.7	8.8	0.004	0.04	4.43	2.3	3.7	0.3	52.2	<0.01	0.09	2.0
CC119783		0.10	42.9	970	13.4	7.6	0.003	0.03	3.81	2.3	3.0	0.2	46.9	<0.01	0.09	3.1
CC146196		1.64	11.1	490	19.7	10.4	<0.001	0.01	1.98	1.9	0.9	0.8	10.7	<0.01	0.07	2.4
CC146197		0.29	10.5	1150	13.9	12.7	<0.001	0.03	1.20	1.7	1.6	0.5	21.3	<0.01	0.05	1.5

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002826		0.008	0.29	4.51	62	1.60	5.74	231	0.8
DD002827		0.010	0.12	11.95	45	0.14	6.63	148	<0.5
DD002828		0.006	0.21	8.46	58	0.13	7.55	201	1.0
DD002829		0.008	0.34	1.74	79	0.17	4.93	225	0.9
DD002830		0.005	0.27	4.16	90	0.21	8.03	206	<0.5
DD002831		0.009	0.22	1.05	65	0.56	3.58	131	<0.5
DD002832		0.005	0.24	2.60	86	0.18	8.63	143	0.5
DD002833		0.018	0.21	0.82	91	0.34	2.48	95	<0.5
DD002834		0.006	0.20	2.03	58	0.26	8.85	161	0.7
DD002835		0.010	0.23	0.86	85	0.27	2.41	106	0.7
DD002836		0.008	0.41	0.78	71	0.60	2.48	19	<0.5
DD002837		0.014	0.37	4.75	89	0.32	12.65	279	<0.5
DD002838		<0.005	0.08	14.20	27	0.06	3.90	1090	1.7
DD002839		0.005	0.65	3.50	191	0.36	18.25	697	1.7
DD002840		0.014	0.27	0.97	129	0.26	3.06	119	0.5
DD002841		0.009	0.14	1.38	65	0.18	7.70	135	<0.5
DD002842		0.008	0.23	3.84	92	0.24	6.83	144	<0.5
DD002843		0.008	0.20	3.97	63	0.21	9.88	195	0.6
DD002844		0.008	0.19	1.58	73	0.21	5.17	117	<0.5
DD002845		0.009	0.27	2.48	95	0.23	5.72	236	1.2
DD002846		0.006	0.39	1.81	152	0.26	4.33	356	2.1
DD002847		0.011	0.30	1.72	124	0.27	6.41	183	2.2
DD002848		0.006	0.20	1.84	105	0.27	4.46	278	1.0
DD002849		0.008	0.25	9.10	81	0.26	5.12	311	1.1
DD002850		0.009	0.29	2.77	85	0.21	15.70	292	1.4
DD002851		0.008	0.15	1.29	53	0.23	6.95	121	0.5
DD002852		0.012	0.21	0.99	92	0.32	3.62	120	0.6
DD002853		0.006	0.16	1.97	49	0.17	7.59	152	0.9
DD002854		0.023	0.17	0.64	73	0.33	2.59	83	2.9
DD002855		0.024	0.27	0.91	116	0.44	3.24	108	<0.5
DD002856		0.005	0.23	2.65	55	0.11	9.73	166	1.3
DD002857		0.007	0.41	1.46	113	0.29	4.62	222	<0.5
DD002858		0.009	0.16	2.31	48	0.13	4.87	101	0.5
DD002859		0.006	0.23	3.62	63	0.17	7.46	163	1.3
DD002860		0.007	0.26	8.47	46	0.08	5.75	383	1.2
DD002861		0.006	0.28	16.70	68	0.11	12.25	344	1.6
CC119782		0.005	0.20	3.28	57	0.10	12.05	256	0.7
CC119783		<0.005	0.14	2.53	38	0.07	9.78	240	0.6
CC146196		0.027	0.16	0.45	100	0.35	1.73	56	0.8
CC146197		0.006	0.20	1.22	56	0.20	3.86	43	0.9

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC146198		0.30	0.009	2.85	0.60	33.8	<0.2	<10	350	0.54	0.25	0.17	2.31	42.3	22.9	12
CC146199		0.30	0.010	0.75	0.67	26.4	<0.2	<10	440	0.50	0.23	0.26	1.56	44.6	13.7	10
CC146200		0.24	0.004	3.81	0.66	4.7	<0.2	<10	270	0.25	0.15	0.06	0.65	14.00	1.0	9
CC146201		0.30	0.008	0.94	1.16	14.2	<0.2	<10	500	0.48	0.26	0.08	0.68	32.7	29.9	16
CC146202		0.24	0.002	0.87	1.18	24.6	<0.2	<10	130	0.32	0.37	0.03	0.31	29.6	9.4	20
CC146203		0.30	0.003	5.87	0.45	17.1	<0.2	<10	540	0.44	0.31	0.38	2.24	44.0	6.6	12
CC146204		0.22	0.003	0.25	0.82	16.9	<0.2	<10	150	0.25	0.29	0.02	0.26	34.3	5.4	14
CC146205		0.28	0.009	1.33	0.99	27.1	<0.2	<10	390	0.66	0.28	0.21	1.42	46.7	22.2	10
CC146206		0.24	0.003	1.45	0.77	26.1	<0.2	<10	700	0.44	0.19	0.42	2.97	29.7	4.8	14
CC146207		0.32	0.008	2.37	0.57	25.2	<0.2	<10	720	0.46	0.22	0.40	4.81	33.0	4.1	16
CC146208		0.22	0.001	1.10	0.86	17.9	<0.2	<10	740	0.51	0.19	0.23	2.37	28.1	2.5	22
CC146209		0.22	0.005	0.69	0.71	23.2	<0.2	<10	330	0.44	0.18	0.10	0.75	23.7	4.9	14
CC146210		0.24	<0.001	0.82	0.36	14.8	<0.2	<10	260	0.19	0.19	0.11	0.49	17.70	1.7	10
CC146211		0.28	0.011	1.02	0.86	44.9	<0.2	<10	380	0.67	0.22	0.04	1.35	31.7	5.2	16
CC146212		0.28	<0.001	1.50	0.18	4.0	<0.2	<10	140	0.08	0.08	0.02	0.50	24.1	0.5	11
CC146213		0.28	0.003	1.53	1.14	42.6	<0.2	<10	510	0.60	0.22	0.09	1.35	22.5	3.9	25
CC146214		0.20	0.006	4.75	1.07	22.6	<0.2	<10	1870	0.91	0.22	1.58	23.5	20.7	5.7	29
CC146215		0.28	0.007	2.89	1.31	27.4	<0.2	<10	550	0.73	0.17	0.07	0.98	28.3	5.3	27
CC146216		0.20	0.004	3.10	0.73	35.3	<0.2	<10	300	0.39	0.21	0.08	0.49	23.5	2.8	25
CC146217		0.20	0.006	1.08	0.56	22.9	<0.2	<10	310	0.39	0.17	0.10	0.57	24.4	4.6	12
CC146218		0.28	0.007	1.33	0.75	60.8	<0.2	<10	820	0.77	0.19	0.28	4.63	27.7	6.8	19
CC146219		0.30	0.011	6.99	1.16	50.9	<0.2	<10	3110	0.84	0.28	0.92	53.8	15.20	14.1	32
CC146220		0.26	0.005	1.76	0.59	34.4	<0.2	<10	580	0.48	0.21	0.23	4.07	31.0	16.2	17
CC146221		0.26	0.006	2.56	0.49	26.7	<0.2	<10	440	0.36	0.16	0.08	1.58	26.1	2.3	15
CC146222		0.24	0.005	4.67	0.71	35.6	<0.2	<10	910	0.63	0.23	0.38	6.25	31.2	3.2	22
CC146223		0.28	0.008	1.75	0.98	32.0	<0.2	<10	860	0.69	0.25	0.28	3.64	33.5	10.9	17
CC146224		0.28	0.013	1.70	0.88	31.2	<0.2	<10	470	0.45	0.23	0.22	1.88	34.2	5.3	14
CC146225		0.22	0.002	0.91	0.77	14.4	<0.2	<10	110	0.24	0.26	0.03	0.16	17.35	2.9	12
DD002801		0.24	0.002	1.29	0.72	50.8	<0.2	<10	270	0.31	0.35	0.02	0.54	32.2	5.5	19
DD002802		0.28	0.013	1.41	1.06	17.9	<0.2	<10	860	0.70	0.28	0.24	1.97	37.2	9.4	14
DD002803		0.24	0.004	0.16	0.75	21.4	<0.2	<10	160	0.17	0.32	0.03	0.48	17.40	1.7	14
DD002804		0.24	0.007	0.82	0.83	20.8	<0.2	<10	430	0.43	0.21	0.09	1.24	27.9	4.6	16
DD002805		0.32	0.009	2.38	0.99	20.9	<0.2	<10	450	0.55	0.22	0.17	1.62	29.6	7.2	17
DD002806		0.24	<0.001	1.64	0.35	8.4	<0.2	<10	80	0.09	0.21	0.02	0.17	23.6	1.3	9
DD002807		0.18	0.006	0.72	1.45	21.2	<0.2	<10	530	0.52	0.30	0.42	0.38	33.0	5.5	24
DD002808		0.20	0.004	1.75	1.07	40.3	<0.2	<10	1390	0.61	0.19	0.64	20.9	20.3	38.2	23
DD002809		0.36	0.002	2.52	0.86	17.8	<0.2	<10	740	0.34	0.22	0.22	0.85	21.0	3.0	19
DD002810		0.24	0.005	2.69	1.26	23.1	<0.2	<10	1320	0.75	0.24	0.99	4.74	16.35	4.4	21
DD002811		0.30	<0.001	1.89	0.76	36.1	<0.2	<10	220	0.31	0.28	0.08	0.85	20.9	3.6	18
DD002812		0.24	0.006	2.58	0.88	42.3	<0.2	<10	880	0.69	0.19	0.61	9.88	22.8	4.9	26

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC146198		0.71	102.0	3.02	1.70	0.16	<0.02	0.97	0.032	0.11	27.8	5.2	0.08	678	25.0
CC146199		0.92	78.2	2.70	2.02	0.15	0.02	0.27	0.028	0.13	25.3	7.3	0.18	645	9.05
CC146200		0.91	37.6	0.99	3.02	0.10	<0.02	0.78	0.014	0.05	7.3	2.0	0.04	29	1.05
CC146201		1.10	45.9	2.18	3.77	0.13	0.03	0.38	0.026	0.13	17.6	12.0	0.17	1560	5.58
CC146202		0.92	23.6	4.23	6.61	0.11	<0.02	0.06	0.025	0.08	16.7	9.1	0.20	289	9.59
CC146203		0.43	64.2	1.79	1.52	0.14	<0.02	0.64	0.027	0.10	27.8	5.2	0.10	211	10.45
CC146204		1.13	53.4	3.15	4.50	0.12	<0.02	0.05	0.029	0.10	18.9	3.5	0.11	142	5.14
CC146205		1.07	82.7	3.03	2.20	0.14	0.03	0.29	0.038	0.12	25.8	9.4	0.32	478	6.62
CC146206		0.49	52.8	1.69	2.82	0.11	0.02	0.62	0.022	0.08	17.6	8.1	0.18	185	14.20
CC146207		0.55	82.7	1.31	1.92	0.15	0.03	0.93	0.026	0.07	20.9	6.0	0.12	143	9.22
CC146208		0.66	35.5	1.41	4.03	0.12	<0.02	0.25	0.021	0.06	17.5	3.8	0.08	46	10.10
CC146209		0.58	48.5	2.02	2.41	0.11	0.03	0.23	0.019	0.05	13.6	8.6	0.12	174	7.15
CC146210		0.81	23.1	0.91	3.11	0.09	<0.02	0.05	0.010	0.04	11.3	1.3	0.05	46	6.63
CC146211		0.52	60.5	2.72	2.73	0.13	0.02	0.28	0.031	0.06	19.5	7.3	0.08	108	23.2
CC146212		0.67	13.0	0.37	1.53	0.11	<0.02	0.04	0.005	0.03	21.1	0.6	0.01	9	3.80
CC146213		0.91	21.4	2.53	4.84	0.11	0.02	0.16	0.023	0.05	15.8	9.5	0.14	155	13.50
CC146214		0.65	79.9	1.70	3.11	0.15	0.06	1.38	0.035	0.09	13.2	6.2	0.15	208	5.75
CC146215		0.67	60.9	2.19	3.02	0.13	0.03	0.54	0.029	0.07	18.9	12.6	0.13	149	8.26
CC146216		0.66	35.4	2.95	4.21	0.14	0.02	0.15	0.032	0.06	18.3	4.6	0.07	84	16.05
CC146217		0.48	45.4	1.78	2.28	0.11	<0.02	0.21	0.017	0.05	14.0	5.0	0.08	215	6.93
CC146218		0.45	74.2	2.68	2.15	0.14	<0.02	0.56	0.031	0.07	19.7	6.5	0.09	257	18.90
CC146219		0.63	85.6	2.36	3.56	0.11	0.07	1.19	0.041	0.12	9.6	7.6	0.12	1580	20.7
CC146220		0.47	68.2	1.92	2.44	0.12	0.02	0.64	0.024	0.07	19.6	7.1	0.11	558	18.10
CC146221		0.55	53.4	1.32	2.23	0.12	<0.02	0.47	0.019	0.07	16.3	3.3	0.06	83	13.65
CC146222		0.61	88.0	1.43	2.81	0.14	0.02	1.03	0.027	0.08	20.1	6.6	0.13	93	8.53
CC146223		0.82	78.0	2.38	2.98	0.14	0.04	0.72	0.031	0.12	19.1	10.9	0.22	360	9.02
CC146224		0.83	51.5	3.72	2.69	0.14	0.03	0.59	0.026	0.12	20.2	7.4	0.20	217	38.4
CC146225		0.77	17.3	2.17	4.84	0.10	<0.02	0.08	0.019	0.04	9.4	4.3	0.08	101	3.49
DD002801		0.75	47.9	2.64	3.43	0.13	<0.02	0.08	0.027	0.09	20.5	4.5	0.10	106	14.40
DD002802		0.96	70.6	2.29	3.12	0.13	0.03	0.80	0.027	0.13	19.7	11.3	0.16	609	5.89
DD002803		0.89	28.7	1.50	5.05	0.10	<0.02	0.15	0.018	0.07	10.1	2.8	0.06	52	5.98
DD002804		0.82	50.5	1.99	3.28	0.11	<0.02	0.40	0.020	0.12	16.7	6.6	0.14	180	8.45
DD002805		1.05	54.2	2.02	3.14	0.11	0.05	0.62	0.027	0.13	17.7	10.6	0.21	396	8.94
DD002806		0.86	13.6	0.74	4.86	0.10	<0.02	0.04	0.008	0.03	13.5	0.8	0.02	26	2.87
DD002807		1.11	36.4	2.13	5.26	0.12	0.05	0.28	0.022	0.17	19.5	17.3	0.35	234	4.04
DD002808		0.64	59.4	3.46	3.00	0.14	0.05	0.73	0.028	0.06	10.9	6.2	0.11	2890	48.8
DD002809		0.99	22.3	1.62	3.59	0.12	<0.02	0.39	0.020	0.07	12.7	9.2	0.14	86	4.87
DD002810		1.24	54.2	1.97	4.09	0.11	<0.02	0.54	0.029	0.09	10.3	8.5	0.15	176	3.91
DD002811		0.75	15.1	2.67	5.79	0.12	<0.02	0.12	0.021	0.05	14.1	4.4	0.12	170	9.98
DD002812		0.79	90.0	2.40	3.30	0.15	<0.02	0.69	0.029	0.13	15.6	6.8	0.13	306	14.10

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
CC146198		0.09	98.2	1400	25.9	8.0	0.003	0.12	10.30	2.2	6.7	0.3	113.5	<0.01	0.11
CC146199		0.10	43.8	1220	15.0	9.0	0.002	0.06	5.43	2.5	3.2	0.2	54.7	<0.01	0.10
CC146200		0.27	9.7	940	9.6	6.1	<0.001	0.05	0.56	0.3	2.1	0.4	10.5	<0.01	0.04
CC146201		0.19	23.5	950	14.0	15.9	0.001	0.03	2.30	2.3	1.6	0.4	22.9	<0.01	0.07
CC146202		1.38	31.6	830	17.5	14.0	<0.001	0.02	3.15	2.4	1.8	0.7	11.1	<0.01	0.09
CC146203		0.08	60.6	1470	19.1	7.1	0.005	0.15	5.39	2.0	9.7	0.3	200	<0.01	0.20
CC146204		0.47	23.6	1030	18.8	15.3	<0.001	0.04	2.13	1.6	2.0	0.4	17.5	<0.01	0.10
CC146205		0.11	73.2	630	14.9	9.9	0.002	0.03	3.10	3.4	2.5	0.2	28.3	<0.01	0.09
CC146206		0.32	38.6	790	11.4	8.9	0.005	0.05	4.40	2.1	5.2	0.5	62.7	<0.01	0.09
CC146207		0.22	52.4	680	14.0	7.8	0.007	0.03	6.94	2.4	8.7	0.5	61.5	<0.01	0.12
CC146208		0.19	28.6	620	12.4	8.2	0.001	0.02	3.98	0.5	3.5	0.6	43.8	<0.01	0.08
CC146209		0.33	31.2	1110	10.3	7.6	0.001	0.02	3.96	1.8	3.3	0.3	27.1	<0.01	0.08
CC146210		0.25	15.2	440	10.0	10.3	<0.001	0.02	1.95	0.3	2.0	0.5	29.2	<0.01	0.07
CC146211		0.28	58.9	780	15.1	9.2	0.001	0.04	8.31	2.0	6.5	0.5	26.9	<0.01	0.13
CC146212		0.13	11.6	250	4.2	5.3	0.001	0.01	1.34	0.3	1.9	0.5	5.7	<0.01	0.05
CC146213		0.70	39.0	850	14.3	11.2	<0.001	0.01	4.68	2.0	4.9	0.7	28.0	<0.01	0.12
CC146214		0.36	125.0	1620	17.3	10.7	0.029	0.11	10.65	2.2	18.2	0.8	145.5	<0.01	0.15
CC146215		0.34	46.1	1250	10.7	8.8	0.002	0.04	5.53	2.5	6.1	0.5	44.8	<0.01	0.11
CC146216		0.67	62.9	2470	14.8	11.6	<0.001	0.05	6.44	1.5	9.8	0.7	72.0	<0.01	0.18
CC146217		0.33	26.1	1060	10.0	7.0	0.002	0.02	3.30	1.7	3.3	0.3	30.7	<0.01	0.07
CC146218		0.20	98.4	1440	12.6	9.1	0.001	0.04	7.26	2.5	6.4	0.4	67.9	<0.01	0.12
CC146219		0.33	165.5	1790	21.4	14.7	0.009	0.12	10.75	2.6	9.2	0.7	186.0	<0.01	0.18
CC146220		0.25	49.4	1040	14.4	8.1	0.002	0.03	7.57	1.9	5.2	0.5	56.1	<0.01	0.13
CC146221		0.21	26.2	690	8.4	8.6	0.001	0.03	5.83	1.3	4.8	0.4	20.7	<0.01	0.08
CC146222		0.26	54.4	770	15.2	11.3	0.006	0.05	7.26	2.6	10.5	0.6	51.2	<0.01	0.13
CC146223		0.29	52.7	1000	14.8	12.7	0.006	0.03	4.47	3.4	6.4	0.4	63.1	<0.01	0.10
CC146224		0.23	34.1	960	15.5	13.4	0.006	0.04	5.65	2.4	9.3	0.3	38.7	<0.01	0.10
CC146225		0.90	11.2	320	11.6	6.6	<0.001	0.02	1.24	1.2	0.7	0.7	6.9	<0.01	0.07
DD002801		0.56	46.2	1420	14.7	14.3	0.001	0.09	6.64	1.2	5.7	0.4	45.8	<0.01	0.11
DD002802		0.24	45.0	1050	22.2	14.2	0.002	0.03	2.79	3.1	3.9	0.4	58.6	<0.01	0.10
DD002803		0.75	9.6	590	15.6	13.9	0.001	0.03	1.88	1.1	2.5	0.7	14.8	<0.01	0.09
DD002804		0.24	32.1	880	12.8	12.2	0.001	0.04	3.69	1.5	2.6	0.4	31.9	<0.01	0.08
DD002805		0.23	38.2	1340	16.0	14.2	0.002	0.03	3.50	2.7	4.2	0.4	40.1	<0.01	0.09
DD002806		0.24	7.8	250	7.9	4.6	<0.001	0.01	1.10	0.2	0.8	0.9	7.0	<0.01	0.07
DD002807		0.34	23.2	930	20.1	19.5	0.001	0.02	1.77	2.6	3.0	0.5	50.0	<0.01	0.11
DD002808		0.36	92.2	2060	11.2	7.3	0.013	0.15	8.55	2.2	15.9	0.5	77.1	<0.01	0.14
DD002809		0.44	17.5	1310	11.6	11.9	0.001	0.04	1.83	1.5	3.9	0.5	37.7	<0.01	0.08
DD002810		0.51	43.7	1170	14.2	12.9	0.008	0.09	2.95	2.3	6.7	0.6	83.8	<0.01	0.10
DD002811		1.11	25.0	1890	17.1	14.2	<0.001	0.02	3.91	1.5	3.1	0.8	22.8	<0.01	0.09
DD002812		0.28	129.5	2050	14.0	11.5	0.002	0.05	10.00	2.3	7.3	0.6	89.8	<0.01	0.14

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146198		<0.005	0.46	5.04	82	0.09	21.0	551	0.6
CC146199		<0.005	0.20	2.93	46	0.06	11.90	238	0.8
CC146200		0.006	0.13	2.04	27	0.07	3.97	25	<0.5
CC146201		<0.005	0.26	2.21	63	0.12	7.20	120	0.9
CC146202		0.025	0.22	1.29	117	0.29	4.15	157	0.7
CC146203		<0.005	0.28	5.16	67	0.05	15.60	448	0.6
CC146204		0.014	0.20	1.06	60	0.22	2.99	119	0.5
CC146205		0.005	0.23	3.30	29	<0.05	8.14	381	1.4
CC146206		0.005	0.41	3.68	113	0.18	11.05	239	1.0
CC146207		0.006	0.44	6.44	94	0.15	15.40	314	1.4
CC146208		0.008	0.24	3.23	141	0.16	7.09	161	<0.5
CC146209		0.007	0.18	1.68	66	0.23	7.96	183	0.9
CC146210		0.007	0.19	0.94	59	0.25	2.69	77	<0.5
CC146211		<0.005	0.28	1.95	116	0.18	5.65	363	1.0
CC146212		0.006	0.16	0.77	52	0.15	1.59	45	<0.5
CC146213		0.014	0.33	1.47	173	0.34	4.68	223	1.5
CC146214		0.006	0.46	8.80	167	0.28	15.45	973	2.3
CC146215		0.006	0.31	2.05	131	0.24	7.60	259	1.9
CC146216		0.012	0.44	1.93	168	0.35	4.52	256	1.8
CC146217		0.008	0.17	1.56	59	0.19	6.77	137	0.5
CC146218		<0.005	0.25	3.73	95	0.23	15.15	452	0.6
CC146219		0.005	0.72	21.1	173	0.26	12.65	1240	2.4
CC146220		0.005	0.32	3.62	123	0.19	10.90	329	1.3
CC146221		0.005	0.31	2.67	88	0.15	8.08	141	0.5
CC146222		0.006	0.47	4.88	172	0.38	19.25	353	1.3
CC146223		0.006	0.29	4.33	82	0.64	14.25	279	1.5
CC146224		0.005	0.34	3.98	119	0.10	10.50	170	1.4
CC146225		0.023	0.12	0.66	60	0.33	1.35	55	<0.5
DD002801		0.010	0.31	1.60	123	0.15	4.37	269	<0.5
DD002802		<0.005	0.24	4.66	57	0.37	13.80	153	1.3
DD002803		0.012	0.20	1.35	67	0.38	1.89	54	<0.5
DD002804		0.006	0.23	2.70	69	0.16	5.92	169	<0.5
DD002805		0.005	0.31	5.52	70	0.12	10.55	322	1.4
DD002806		0.009	0.10	0.93	44	0.20	1.42	40	<0.5
DD002807		0.006	0.25	1.35	71	0.12	5.78	90	1.5
DD002808		0.007	0.42	24.9	169	0.32	14.30	752	1.6
DD002809		0.008	0.25	4.15	72	0.24	5.16	111	<0.5
DD002810		0.008	0.33	5.77	109	0.25	10.05	142	0.6
DD002811		0.027	0.26	1.12	153	0.46	3.84	135	0.5
DD002812		0.008	0.53	4.26	165	0.30	14.45	1290	0.7

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002813		0.28	0.003	0.85	0.59	18.5	<0.2	<10	540	0.44	0.15	0.20	1.43	26.2	6.4	18
DD002814		0.24	0.006	1.77	0.45	24.9	<0.2	<10	670	0.40	0.13	0.44	3.51	23.9	4.5	14
DD002815		0.30	0.003	1.07	0.66	12.5	<0.2	<10	370	0.26	0.18	0.23	1.03	21.8	2.8	16
DD002816		0.28	0.005	1.94	0.84	7.6	<0.2	<10	720	0.43	0.18	0.45	5.09	23.1	2.5	18
DD002817		0.30	0.006	1.42	0.68	11.0	<0.2	<10	580	0.54	0.15	2.34	10.45	17.00	5.0	13
DD002818		0.34	0.002	0.45	0.70	26.2	<0.2	<10	490	0.39	0.20	0.28	2.04	32.8	7.8	17
DD002819		0.50	0.006	1.67	0.92	22.5	<0.2	<10	990	0.61	0.22	1.12	19.65	23.2	8.9	19
DD002820		0.26	0.003	1.11	0.61	9.8	<0.2	<10	380	0.23	0.14	2.50	3.77	9.53	2.5	11
DD002821		0.30	0.002	0.40	0.27	8.9	<0.2	<10	560	0.18	0.05	1.12	8.10	3.55	4.9	5
DD002822		0.50	0.003	0.62	0.44	23.2	<0.2	<10	380	0.34	0.18	0.20	0.98	36.4	2.4	12
DD002823		0.60	0.006	3.13	0.61	24.7	<0.2	<10	500	0.60	0.17	0.72	4.36	25.1	5.9	21
DD002760		0.34	0.003	0.57	1.34	21.0	<0.2	<10	460	0.43	0.25	0.19	0.52	27.0	7.9	23
DD002761		0.32	0.004	0.33	0.91	21.6	<0.2	<10	650	0.41	0.23	0.32	0.74	34.2	6.9	16
DD002762		0.32	0.003	1.02	0.75	15.5	<0.2	<10	120	0.16	0.29	0.04	0.25	23.5	1.8	15
DD002763		0.32	0.004	2.61	0.83	78.3	<0.2	<10	270	0.47	0.41	0.04	1.12	37.9	11.2	19
DD002764		0.32	0.005	0.32	0.99	18.7	<0.2	<10	270	0.55	0.25	0.08	0.64	33.4	16.7	14
DD002765		0.30	0.007	0.30	0.92	25.2	<0.2	<10	250	0.44	0.23	0.03	0.51	38.2	6.6	14
DD002766		0.26	0.037	0.85	1.36	20.0	<0.2	<10	930	0.74	0.23	0.14	1.11	50.4	14.8	25
DD002767		0.30	0.011	0.61	1.45	79.2	<0.2	<10	330	1.08	0.32	0.04	0.82	61.6	34.1	16
DD002768		0.30	0.002	0.32	0.99	14.0	<0.2	<10	210	0.22	0.24	0.08	0.33	21.0	2.9	19
DD002769		0.24	<0.001	0.14	0.53	10.2	<0.2	<10	70	0.11	0.20	0.02	0.10	25.0	2.5	9
DD002770		0.48	0.004	0.98	0.91	30.9	<0.2	<10	710	0.52	0.21	0.24	11.30	37.5	4.6	20
DD002771		0.34	0.005	1.23	0.67	13.3	<0.2	<10	520	0.30	0.20	0.18	0.61	30.2	2.8	13
DD002772		0.44	0.005	1.21	0.52	32.0	<0.2	<10	230	0.35	0.21	0.03	0.44	36.4	3.5	15
DD002773		0.36	0.003	1.68	0.84	78.0	<0.2	<10	750	0.98	0.21	0.20	23.9	48.4	8.5	23
DD002774		0.24	0.009	7.52	1.38	33.9	<0.2	<10	1540	1.00	0.24	0.40	1.18	26.9	2.4	59
DD002775		0.40	0.020	1.46	1.06	64.2	<0.2	<10	310	0.57	0.22	0.06	0.63	24.7	4.1	25
DD002776		0.32	<0.001	1.17	0.35	9.4	<0.2	<10	80	0.11	0.20	0.02	0.18	34.7	1.7	6
DD002777		0.46	0.006	3.20	1.14	27.3	<0.2	<10	290	0.58	0.21	0.05	0.49	27.6	6.0	23
DD002778		0.40	0.002	1.63	0.98	28.6	<0.2	<10	610	0.60	0.22	0.15	2.70	29.0	6.9	22
DD002779		0.40	0.007	13.00	1.10	36.9	<0.2	<10	430	0.61	0.23	0.20	1.66	25.7	4.8	28
DD002780		0.36	0.009	1.13	1.62	41.5	<0.2	<10	380	0.89	0.27	0.02	0.60	30.2	8.7	23
DD002781		0.32	0.002	3.24	0.72	31.7	<0.2	<10	200	0.26	0.21	0.06	0.36	23.6	3.5	30
DD002782		0.38	0.003	0.77	1.04	24.3	<0.2	<10	300	0.48	0.26	0.06	0.67	30.3	6.8	22
DD002783		0.38	0.006	1.32	0.92	31.8	<0.2	<10	200	0.46	0.27	0.05	0.49	35.3	5.7	18
DD002784		0.18	<0.001	2.39	0.58	22.5	<0.2	<10	330	0.30	0.17	0.09	1.75	34.9	2.3	21
DD002785		0.28	0.002	0.47	0.67	20.1	<0.2	<10	240	0.33	0.33	0.08	0.34	44.9	11.0	10
DD002786		0.36	0.005	0.67	0.97	18.2	<0.2	<10	790	0.42	0.28	0.41	0.69	30.7	4.6	16
DD002787		0.34	<0.001	0.37	0.82	15.0	<0.2	<10	190	0.25	0.25	0.05	0.52	25.8	6.4	15
DD002788		0.32	0.003	1.08	0.96	61.3	<0.2	<10	280	0.71	0.23	0.19	1.83	44.1	5.2	21

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002813		0.72	43.8	1.57	2.66	0.14	<0.02	0.25	0.020	0.09	16.9	5.3	0.10	451	9.57
DD002814		0.42	59.2	1.53	1.73	0.13	<0.02	0.55	0.018	0.08	16.2	3.9	0.09	271	10.55
DD002815		0.62	23.7	1.60	2.68	0.05	0.02	0.27	0.020	0.07	13.4	6.2	0.13	55	4.70
DD002816		0.68	48.5	0.80	3.17	0.06	0.02	0.49	0.022	0.07	13.4	8.2	0.14	62	1.61
DD002817		0.61	106.0	1.44	1.84	0.07	0.05	0.54	0.018	0.09	10.2	4.9	0.24	250	4.09
DD002818		0.78	40.3	2.29	2.56	0.07	<0.02	0.14	0.024	0.11	18.9	9.0	0.21	277	10.35
DD002819		0.88	81.5	2.14	2.64	0.06	0.05	0.50	0.029	0.10	12.8	9.9	0.28	405	7.24
DD002820		0.48	20.8	1.31	2.26	<0.05	0.02	0.13	0.011	0.04	4.9	4.1	0.18	315	2.06
DD002821		0.15	13.6	1.05	0.62	<0.05	0.02	0.12	0.007	0.03	1.8	0.4	0.05	379	8.09
DD002822		0.52	31.4	1.29	1.98	0.08	<0.02	0.22	0.014	0.07	25.7	5.1	0.09	50	26.1
DD002823		0.50	123.5	1.73	2.12	0.08	0.03	0.57	0.026	0.08	16.7	6.8	0.17	178	12.80
DD002760		1.12	36.0	2.85	5.32	0.06	<0.02	0.10	0.026	0.10	14.9	13.3	0.28	389	4.43
DD002761		0.77	49.9	2.84	3.12	0.06	<0.02	0.09	0.023	0.13	19.4	10.4	0.30	663	4.95
DD002762		0.98	26.3	1.63	5.38	<0.05	<0.02	0.26	0.017	0.05	12.6	2.1	0.07	72	3.55
DD002763		0.93	95.3	4.64	3.97	0.07	<0.02	0.11	0.032	0.10	19.5	3.6	0.07	258	13.65
DD002764		1.38	59.7	3.06	3.94	0.05	<0.02	0.13	0.031	0.11	18.7	10.0	0.14	727	4.42
DD002765		0.78	43.2	3.12	3.34	0.07	0.03	0.09	0.026	0.11	22.3	5.8	0.13	231	7.45
DD002766		1.17	119.0	5.87	4.21	0.10	<0.02	0.21	0.043	0.13	28.7	9.2	0.14	440	4.81
DD002767		1.21	113.5	4.79	3.35	0.11	0.03	0.27	0.047	0.14	30.5	14.3	0.51	431	8.51
DD002768		1.15	16.5	1.66	4.63	<0.05	0.03	0.17	0.014	0.08	11.9	8.9	0.17	204	6.96
DD002769		1.17	13.6	1.15	4.69	<0.05	<0.02	0.01	0.009	0.04	13.9	1.4	0.04	53	3.64
DD002770		0.72	76.1	1.79	3.04	0.07	0.03	0.71	0.027	0.13	24.7	9.0	0.25	175	17.70
DD002771		0.75	28.3	1.43	2.46	0.05	0.02	0.25	0.015	0.09	16.0	5.2	0.13	85	7.42
DD002772		0.56	42.2	2.36	2.60	0.06	<0.02	0.14	0.019	0.08	21.3	3.1	0.07	109	9.66
DD002773		0.76	176.0	2.58	2.49	0.11	0.02	1.53	0.031	0.14	35.5	10.3	0.13	284	65.5
DD002774		0.63	66.8	2.27	4.00	0.09	0.06	0.69	0.050	0.12	19.8	5.1	0.07	81	18.10
DD002775		0.68	42.9	3.25	3.25	0.06	0.03	0.13	0.035	0.08	16.1	10.1	0.11	116	10.35
DD002776		1.00	18.0	0.73	3.29	<0.05	<0.02	0.02	0.008	0.04	17.7	0.9	0.03	21	4.68
DD002777		0.88	48.6	2.92	3.23	0.05	0.03	0.42	0.028	0.08	16.2	11.2	0.17	153	9.74
DD002778		0.90	37.9	2.51	4.06	0.06	<0.02	0.34	0.028	0.08	17.5	10.9	0.19	235	9.33
DD002779		0.67	54.4	3.09	3.02	0.07	0.05	0.63	0.041	0.11	15.9	8.8	0.13	118	14.60
DD002780		0.89	109.5	3.34	3.79	0.06	0.05	0.19	0.039	0.10	16.0	12.3	0.15	190	7.99
DD002781		0.78	40.8	3.16	3.60	0.08	<0.02	0.13	0.022	0.07	16.8	4.4	0.10	163	12.00
DD002782		0.81	57.7	3.47	4.14	0.06	0.03	0.11	0.029	0.07	18.6	5.6	0.10	408	9.83
DD002783		0.74	42.7	3.04	4.08	0.05	<0.02	0.11	0.031	0.08	20.4	4.8	0.11	151	11.55
DD002784		0.60	52.2	1.26	3.16	0.07	<0.02	0.30	0.018	0.07	23.0	2.6	0.08	29	15.45
DD002785		1.38	78.7	3.61	3.48	0.07	<0.02	0.07	0.030	0.16	23.5	3.2	0.11	179	9.68
DD002786		0.78	43.5	2.20	3.58	0.05	<0.02	0.16	0.022	0.10	16.9	10.8	0.19	120	6.27
DD002787		1.11	23.6	2.85	4.37	0.07	<0.02	0.05	0.021	0.08	14.0	5.8	0.15	205	5.84
DD002788		0.85	81.0	2.73	3.45	0.14	0.02	2.72	0.032	0.12	29.7	11.3	0.24	123	42.1

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD002813		0.35	35.5	1580	10.3	9.2	0.002	0.02	4.98	1.8	5.1	0.4	47.8	<0.01	0.11
DD002814		0.18	48.8	1410	7.8	6.5	0.004	0.04	5.76	2.2	5.6	0.3	75.2	<0.01	0.08
DD002815		0.43	20.7	1230	10.5	9.0	0.003	0.03	2.03	1.6	2.8	0.4	37.4	<0.01	0.07
DD002816		0.45	32.0	730	10.8	8.8	0.012	0.07	2.51	2.2	4.7	0.4	54.3	<0.01	0.07
DD002817		0.27	98.6	820	7.5	8.5	0.012	0.20	4.41	1.9	11.5	0.3	146.0	<0.01	0.06
DD002818		0.29	43.0	1050	8.7	9.3	0.002	0.02	5.17	2.1	3.0	0.3	43.6	<0.01	0.08
DD002819		0.44	142.0	1100	10.3	8.8	0.008	0.09	5.26	3.7	7.1	0.4	110.0	<0.01	0.07
DD002820		0.47	17.0	490	6.8	5.3	0.012	0.16	1.43	1.1	6.3	0.3	174.0	<0.01	0.03
DD002821		0.11	38.6	710	3.1	1.2	0.002	0.14	2.64	0.6	4.2	<0.2	97.7	<0.01	0.02
DD002822		0.22	33.6	680	8.9	6.9	0.004	0.01	7.66	1.2	2.7	0.3	30.0	<0.01	0.08
DD002823		0.34	82.7	1310	10.2	7.3	0.009	0.07	6.46	2.5	8.0	0.4	134.0	<0.01	0.11
DD002760		0.73	23.4	970	15.9	12.3	0.001	0.05	2.40	1.7	1.9	0.6	35.2	<0.01	0.07
DD002761		0.25	34.9	1020	15.9	11.5	0.002	0.07	3.36	1.8	2.0	0.3	48.1	<0.01	0.08
DD002762		0.67	7.2	440	13.7	8.5	0.001	0.02	1.77	0.8	0.9	0.7	11.5	<0.01	0.06
DD002763		0.21	79.2	1330	37.5	10.2	0.001	0.14	8.50	1.8	4.2	0.5	138.5	<0.01	0.19
DD002764		0.36	33.0	1010	14.1	14.4	0.001	0.05	2.60	1.7	2.0	0.5	25.0	<0.01	0.08
DD002765		0.38	30.6	740	15.9	13.2	0.001	0.05	4.01	1.9	2.3	0.3	24.0	<0.01	0.09
DD002766		0.45	48.7	2290	21.2	11.3	0.001	0.13	2.95	2.5	2.9	0.5	116.5	<0.01	0.08
DD002767		0.05	115.0	600	27.7	9.7	0.006	0.04	7.04	4.1	3.7	0.4	25.8	<0.01	0.10
DD002768		0.58	12.8	570	9.4	13.0	0.003	0.03	1.26	1.6	2.2	0.5	15.1	<0.01	0.04
DD002769		0.54	9.7	240	6.3	6.5	<0.001	0.01	1.39	0.7	0.3	0.7	5.2	<0.01	0.05
DD002770		0.32	66.3	810	13.2	12.4	0.005	0.03	12.25	2.3	5.1	0.4	35.6	<0.01	0.12
DD002771		0.24	16.7	890	11.8	9.5	0.002	0.04	2.40	1.6	3.6	0.3	41.9	<0.01	0.08
DD002772		0.34	38.3	990	14.0	9.6	0.001	0.06	6.81	1.5	3.1	0.3	26.3	<0.01	0.10
DD002773		0.21	148.5	1010	16.9	11.1	0.001	0.03	40.6	3.6	7.9	0.6	34.0	<0.01	0.19
DD002774		0.24	30.3	6750	13.9	12.0	0.003	0.15	5.63	3.0	9.2	1.0	537	<0.01	0.25
DD002775		0.47	42.7	1400	14.9	13.1	0.001	0.05	6.47	2.2	7.1	0.5	42.5	<0.01	0.13
DD002776		0.33	9.2	210	7.6	6.5	<0.001	0.01	1.49	0.6	0.6	0.5	6.5	<0.01	0.05
DD002777		0.43	41.4	1320	12.8	11.4	0.001	0.02	5.31	2.5	3.2	0.4	22.5	<0.01	0.09
DD002778		0.73	39.3	1330	12.8	10.7	0.002	0.02	5.35	2.2	3.5	0.7	29.0	<0.01	0.09
DD002779		0.39	39.3	2290	14.8	11.4	0.001	0.07	12.10	2.8	8.6	0.5	50.7	<0.01	0.16
DD002780		0.46	65.9	470	14.7	14.2	0.001	0.03	3.95	3.2	3.9	0.5	23.2	<0.01	0.09
DD002781		0.55	47.0	1900	16.5	11.2	0.001	0.04	4.94	1.6	10.1	0.5	38.0	<0.01	0.12
DD002782		0.54	34.7	1620	26.1	12.3	<0.001	0.04	3.08	2.0	4.1	0.5	119.5	<0.01	0.14
DD002783		0.56	34.7	1160	16.2	11.2	<0.001	0.06	5.59	1.9	4.7	0.5	49.7	<0.01	0.12
DD002784		0.16	34.2	600	11.0	8.8	0.001	0.03	9.08	0.4	4.2	0.5	25.4	<0.01	0.11
DD002785		0.17	49.4	770	19.7	15.9	0.001	0.05	3.56	2.1	3.1	0.4	26.4	<0.01	0.12
DD002786		0.42	28.4	940	12.2	14.5	0.002	0.05	2.99	1.6	2.9	0.4	67.1	<0.01	0.09
DD002787		0.81	21.2	590	13.4	12.1	0.001	0.02	2.00	1.5	1.6	0.6	11.3	<0.01	0.06
DD002788		0.37	62.9	580	15.0	13.8	0.002	0.03	20.5	2.5	10.8	0.5	30.1	<0.01	0.14

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002813		0.009	0.31	2.15	91	0.21	9.35	233	0.6
DD002814		0.006	0.27	3.13	79	0.17	11.40	292	0.7
DD002815		0.009	0.25	2.44	60	0.22	6.45	154	0.9
DD002816		0.007	0.23	6.29	69	0.19	8.66	205	1.0
DD002817		0.006	0.30	21.7	68	0.10	12.00	545	2.1
DD002818		0.009	0.21	1.87	73	0.28	9.00	275	0.6
DD002819		0.010	0.27	11.30	67	0.41	14.25	1020	2.3
DD002820		0.013	0.08	16.30	32	0.25	3.55	94	1.0
DD002821		0.006	0.03	6.60	12	0.08	3.02	210	0.7
DD002822		0.006	0.37	2.82	94	0.20	9.62	228	0.5
DD002823		0.009	0.35	8.82	95	0.24	15.90	430	2.0
DD002760		0.017	0.20	1.08	73	0.34	8.06	100	<0.5
DD002761		0.009	0.18	1.12	50	0.19	5.11	135	<0.5
DD002762		0.021	0.18	1.49	74	0.26	2.33	33	<0.5
DD002763		0.006	0.37	1.63	101	0.13	7.16	307	<0.5
DD002764		0.009	0.17	2.32	54	0.17	10.25	153	<0.5
DD002765		0.006	0.18	1.21	61	0.15	4.49	159	0.9
DD002766		0.011	0.25	7.95	58	0.16	12.10	215	<0.5
DD002767		<0.005	0.22	3.87	39	<0.05	9.86	440	1.4
DD002768		0.011	0.22	1.55	74	0.28	3.27	66	0.7
DD002769		0.016	0.15	0.44	81	0.23	1.59	52	<0.5
DD002770		0.007	0.67	5.81	227	0.18	16.50	510	1.4
DD002771		0.005	0.21	2.43	70	0.16	5.16	75	0.5
DD002772		0.008	0.26	1.45	90	1.14	4.53	195	<0.5
DD002773		0.006	1.17	7.02	396	0.29	30.9	1500	1.1
DD002774		0.005	0.66	8.14	176	0.45	14.85	206	2.2
DD002775		0.006	0.30	1.81	99	0.23	4.75	219	2.2
DD002776		0.011	0.15	0.40	34	0.15	2.01	70	<0.5
DD002777		0.009	0.27	2.24	99	0.23	5.69	218	1.9
DD002778		0.018	0.27	2.17	98	0.33	7.77	215	0.9
DD002779		0.006	0.49	2.92	139	0.32	8.00	215	3.2
DD002780		0.007	0.26	2.50	87	0.19	5.40	267	2.8
DD002781		0.011	0.32	1.79	137	0.33	4.61	212	0.5
DD002782		0.010	0.25	1.47	102	0.29	5.66	123	1.9
DD002783		0.014	0.28	2.03	117	0.25	5.05	193	0.6
DD002784		0.005	0.30	2.72	181	0.14	8.30	217	<0.5
DD002785		0.009	0.21	1.05	41	0.08	4.35	181	<0.5
DD002786		0.007	0.20	3.33	65	0.35	8.57	139	<0.5
DD002787		0.018	0.18	0.93	64	0.27	3.65	125	<0.5
DD002788		0.008	0.66	2.90	292	0.25	11.15	584	0.6

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD002789		0.24	<0.001	0.09	0.14	2.3	<0.2	<10	30	<0.05	0.03	0.04	0.11	3.31	1.2	4
DD002790		0.38	0.005	0.57	0.96	22.9	<0.2	<10	190	0.39	0.21	0.06	0.53	38.6	6.3	14
DD002791		0.24	0.004	1.31	1.09	26.3	<0.2	<10	700	0.46	0.24	0.50	1.02	25.8	5.8	20
DD002792		0.32	0.001	0.53	0.61	22.6	<0.2	<10	170	0.19	0.23	0.02	0.30	23.9	3.4	13
DD002793		0.24	0.001	0.78	0.34	6.8	<0.2	<10	240	0.14	0.07	0.16	0.37	6.25	1.1	9
DD002794		0.26	<0.001	0.84	0.65	8.8	<0.2	<10	80	0.08	0.25	0.04	0.09	19.85	1.4	11
DD002795		0.36	<0.001	0.36	0.70	11.5	<0.2	<10	100	0.11	0.21	0.02	0.18	23.0	2.5	11
DD002796		0.38	0.003	1.23	0.69	19.1	<0.2	<10	520	0.44	0.26	0.29	0.39	31.5	4.3	20
DD002797		0.44	0.004	1.53	0.78	28.9	<0.2	<10	970	0.68	0.20	0.50	3.40	32.7	14.1	13
DD002798		0.40	0.006	2.44	1.14	15.9	<0.2	<10	720	0.50	0.25	0.19	2.08	23.8	4.3	21
DD002799		0.24	0.004	2.57	0.73	9.6	<0.2	<10	290	0.18	0.14	0.17	0.84	10.40	1.4	15
DD002800		0.34	0.001	0.79	0.75	17.5	<0.2	<10	290	0.32	0.20	0.17	0.69	39.2	14.8	14

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8**

**Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: F**

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD002789		0.22	10.3	0.57	0.95	<0.05	<0.02	0.10	<0.005	0.03	2.0	0.4	0.02	33	1.34
DD002790		0.82	48.0	2.54	3.33	0.10	0.03	0.28	0.024	0.10	21.8	6.1	0.15	220	9.05
DD002791		0.90	51.4	2.39	3.52	0.09	0.02	0.35	0.026	0.11	14.9	9.4	0.22	280	7.71
DD002792		0.81	35.5	1.69	4.81	0.06	<0.02	0.06	0.016	0.06	13.8	2.0	0.05	330	4.48
DD002793		0.42	20.0	0.65	1.50	<0.05	<0.02	0.17	0.009	0.04	3.6	0.9	0.04	33	0.95
DD002794		0.99	11.0	1.18	5.69	<0.05	<0.02	0.04	0.009	0.04	10.6	1.5	0.05	47	1.37
DD002795		1.44	15.8	1.30	6.03	0.05	<0.02	0.03	0.012	0.05	12.8	2.0	0.06	84	2.54
DD002796		0.59	46.7	2.02	3.52	0.09	0.02	0.16	0.027	0.10	19.6	4.7	0.13	165	4.74
DD002797		0.75	94.4	2.83	2.27	0.11	0.06	0.92	0.037	0.11	20.2	6.6	0.18	981	7.03
DD002798		1.15	55.2	1.99	3.48	0.08	0.05	0.79	0.028	0.13	13.2	10.6	0.23	91	2.59
DD002799		0.99	27.1	1.43	3.06	0.05	<0.02	0.70	0.014	0.07	5.9	4.2	0.08	34	1.29
DD002800		0.92	29.1	2.14	2.85	0.09	0.03	0.30	0.018	0.13	21.9	7.1	0.19	717	6.98

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)**
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD002789		0.06	4.2	250	1.8	2.3	<0.001	0.01	0.81	0.4	0.4	<0.2	7.7	<0.01	0.01	<0.2
DD002790		0.36	31.5	810	12.1	12.2	0.001	0.04	3.44	2.1	2.7	0.3	28.8	<0.01	0.08	2.5
DD002791		0.33	36.4	1260	14.9	13.0	0.003	0.06	3.39	1.5	4.7	0.4	68.6	<0.01	0.08	0.6
DD002792		0.20	14.4	810	13.7	7.6	0.001	0.04	2.16	0.7	1.5	0.6	24.3	<0.01	0.08	0.2
DD002793		0.10	8.7	1080	8.0	3.2	<0.001	0.06	1.15	0.5	0.9	0.2	65.9	<0.01	0.03	<0.2
DD002794		0.51	4.7	380	7.7	9.0	<0.001	0.02	0.49	0.7	0.4	0.7	8.5	<0.01	0.03	<0.2
DD002795		0.22	9.0	570	10.2	9.7	<0.001	0.02	0.93	0.6	0.7	0.7	12.1	<0.01	0.04	<0.2
DD002796		0.21	18.6	1550	18.9	10.9	0.003	0.09	2.91	0.9	2.8	0.3	146.0	<0.01	0.14	0.2
DD002797		0.18	76.8	1620	13.5	9.1	0.003	0.12	5.70	1.9	3.3	0.2	87.0	0.01	0.09	0.6
DD002798		0.44	29.2	980	10.9	14.2	0.002	0.06	1.91	3.2	4.0	0.5	33.4	<0.01	0.07	1.8
DD002799		0.37	12.7	1060	7.2	11.6	0.001	0.09	1.03	1.1	3.1	0.4	21.9	<0.01	0.04	0.3
DD002800		0.30	24.4	1080	10.2	13.2	0.001	0.01	3.41	1.9	2.1	0.3	34.6	<0.01	0.07	3.5

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8**

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 25- OCT- 2011
 Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD002789		0.011	0.04	0.19	22	<0.05	0.62	25	<0.5
DD002790		0.006	0.19	1.62	65	0.13	5.38	175	0.7
DD002791		0.006	0.25	1.79	84	0.18	8.55	189	<0.5
DD002792		0.006	0.13	0.70	67	0.15	3.09	71	<0.5
DD002793		0.005	0.05	1.06	23	<0.05	4.30	17	<0.5
DD002794		0.017	0.12	0.43	52	0.20	1.50	22	<0.5
DD002795		0.008	0.15	0.39	55	0.19	1.75	46	<0.5
DD002796		0.006	0.14	2.89	87	0.19	8.93	61	<0.5
DD002797		<0.005	0.31	1.55	44	0.07	22.0	407	1.2
DD002798		0.007	0.38	5.92	67	0.27	11.10	149	1.2
DD002799		0.008	0.24	4.39	36	0.10	3.97	54	<0.5
DD002800		0.008	0.24	1.73	67	0.31	6.91	126	0.8

Comments: ***Corrected copy with project name changed from Lansing - Lois to Lansing - Lori property***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- OCT- 2011
Account: F

Project: Lansing - Lori property

CERTIFICATE OF ANALYSIS WH11182752

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

Q1301312

Statement of Expenditures
Lori 1-20 Mineral Claims
October 20, 2011

Expenses

Trans North Helicopters
ALS Chemex

\$ 5,566.51
4,874.93
\$10,441.44

