

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 West Hastings Street  
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

---

**ASSESSMENT REPORT**

describing

**SOIL GEOCHEMICAL SAMPLING**

at the

**HUSKY PROPERTY**

Husky 1-18 YC98419-YC98436

NTS 105N/01

Latitude 63°02'N; Longitude 132°33'W

located in the

Mayo Mining District  
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

**NEW DIMENSION RESOURCES LTD.**

and

**STRATEGIC METALS LTD.**

by

S. Eaton, B.Sc. Geology, GIT  
November 2011

## **CONTENTS**

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	5
MINERALIZATION	5
SOIL GEOCHEMISTRY	7
DISCUSSION AND CONCLUSIONS	7
REFERENCES	9

## **APPENDICES**

I	STATEMENT OF QUALIFICATIONS
II	CERTIFICATE OF ANALYSIS

## **TABLES**

I	Lithological Units	3
II	Anomalous Thresholds and Peak Values for Rock Samples	6
III	Anomalous Thresholds and Peak Values for Soil Samples	7

## **FIGURES**

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	3
5	Property Geology	5
6	Geological Cross-Section	5
7	Sample Locations	5
8	Gold Geochemistry	5
9	Silver Geochemistry	5
10	Lead Geochemistry	5
11	Zinc Geochemistry	5
12	Copper Geochemistry	5
13	Arsenic Geochemistry	5
14	Bismuth Geochemistry	5
15	Antimony Geochemistry	5
16	Tin Geochemistry	7

## **INTRODUCTION**

The Husky property covers an area of coincident gold, silver, lead, zinc, copper, arsenic, bismuth, antimony and/or tin soil and rock geochemistry, which lies within the favourable Tintina Gold Belt of east-central Yukon. The property is owned by Strategic Metals Ltd. and is under option to New Dimension Resources Ltd.

This report describes soil geochemical sampling conducted on August 1, 2011 by Archer, Cathro and Associates (1981) Limited on behalf of New Dimension. The author directed the program, and her Statement of Qualifications is in Appendix I.

## **PROPERTY LOCATION, CLAIM DATA AND ACCESS**

The Husky property consists of 18 contiguous mineral claims, which are located on NTS map sheet 105N/01 at latitude 63°02' north and longitude 132°33' west (Figure 1). The property covers an area of approximately 350 ha (3.5 sq km). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Husky 1-18	YC98419-YC98436	April 20, 2015

\* Expiry date does not include 2011 work that has not yet been filed for assessment credit.


Access to and from the property was provided by a Bell 206B helicopter operated by Trans North Helicopters from the Faro airport, which is located approximately 105 km southwest of the property. All personnel stayed at the Faro Studio Hotel. Faro is accessible via the Robert Campbell Highway in all seasons using two-wheel drive vehicles.

## **HISTORY AND PREVIOUS WORK**

In 1990, the Geological Survey of Canada conducted a reconnaissance-scale (one sample per 14.2 km<sup>2</sup>) stream sediment and water sampling survey on NTS map sheet 105N (Day et al., 2009). Only one sample was taken from creeks draining the area of the Husky property. It returned 98<sup>th</sup> percentile gold (31 ppb) and antimony (11 ppm) values, with 90<sup>th</sup> percentile lead (28 ppm), arsenic (40 ppm) and bismuth (0.6 ppm) values.

In 1998, Viceroy International Exploration Ltd., in the course of a regional gold reconnaissance program, staked the Tarakan 1 to 12 claim block and completed limited geochemical sampling (no record of results is available).

In 1999, Viceroy transferred the claims to NovaGold Resources Inc (Soloviev et al, 2003). That same year, NovaGold performed prospecting, rock and soil geochemical sampling and limited geological mapping on the Tarakan property. Results from this program were favourable and are





- Parks and protected areas
- Community
- Road

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

**FIGURE 1  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**

**PROPERTY LOCATION  
HUSKY PROPERTY**





discussed further in the Mineralization and Soil Geochemistry sections. Although follow-up work was recommended, it was not performed.

NovaGold subsequently allowed the Tarakan claims to lapse and Strategic Metals staked the Husky 1-18 claims in July 2009. That year, Strategic Metals completed one day of soil geochemical sampling and prospecting (Eaton, 2010). Results from that program are described in the Mineralization and Soil Geochemistry sections.

### **GEOMORPHOLOGY AND CLIMATE**

The Husky property is situated in the Selwyn Mountains and is drained by creeks that flow into the North MacMillan River, which is part of the Yukon River watershed.

The claims cover the eastern end and flanks of an east-northeast trending ridge (informally referred to as Musher's Ridge). Elevations range from about 1700 m above sea level (asl) at the crest of Musher's Ridge to 1000 m asl along a creek in the southern portion of the claim block. Local topography is moderate to very steep (averaging approximately 27°).

Outcrop is most abundant near the ridge crest, in actively eroding creek beds and in a deep, linear gully (informally referred to as Malamute Gully) that cuts perpendicularly across Musher's Ridge. Soil development is moderate to poor in most areas.


Most of the property lies below treeline; however, the top of the ridge and its upper northern flank are covered by talus and grass. Vegetation primarily consists of mature spruce trees with an understorey of low shrubs and moss. The density and size of trees gradually decrease with increasing elevation.

The climate in the Husky area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from early June to late September.

### **REGIONAL GEOLOGY**

In 1995, the Yukon Geological Survey published a geological map of the Lansing Range area (NTS map sheet 105N) at a 1:250,000 scale (Roots et al, 1995). Gordey and Makepeace (2003) later completed a Yukon-wide geological compilation, which updated the lithological unit names in the Husky area. The following geological descriptions are largely based on the published data.

The Husky property is situated within the Tintina Gold Belt, which comprises a series of Mid to Late Cretaceous granitoid intrusions that extends from central Alaska, across central Yukon to the Yukon-British Columbia border (Soloviev, 2003). In Yukon, the belt is superimposed on Selwyn Basin (Figure 3), an elongate, rift-controlled sedimentary basin that formed along the North American continental margin during Upper Proterozoic to Paleozoic time (Pigage, 2004 and Goodfellow, 2007).



**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**TECTONIC SETTING**

HUSKY PROPERTY

UTM ZONE 8, NAD 83, 105N/06 & 07

In the eastern Lansing Range map area, Selwyn Basin is floored by deep water clastic rocks, chert and minor carbonate of Upper Proterozoic to Lower Cambrian Hyland Group, Lower Cambrian Gull Lake Formation and Ordovician to Lower Devonian Road River Group (Figure 4). These basinal units are overlain by Devonian to Mississippian turbidic submarine fan complexes (Earn Group), Mississippian quartz arenites (Keno Hill Quartzite), Early Carboniferous to Permian shallow marine clastic sediments (Mount Christie Formation), and Triassic siliciclastic rocks (Jones Lake Formation).

Early Cretaceous northeast-southwest contraction resulted in upright folding of Upper Paleozoic strata and the formation of both high-angle and thrust faults within Proterozoic and Lower Paleozoic rocks. Most of these faults strike roughly southeast, dip to the southwest and are sub-parallel to the overall southeast trend of the stratigraphy (Diment, 1997). The Husky property lies along one of the regional-scale high-angle faults (informally named the Fairweather Fault for the purposes of this report).

The package of Upper Proterozoic to Paleozoic sedimentary strata was intruded by Mid-Cretaceous Selwyn Suite quartz monzonite and granodiorite bodies. The Mt. Selous Batholith, which is about 20 by 12 km in size, is the largest Selwyn Suite pluton in the area and lies approximately five kilometres south of the property. The batholith is more or less oval-shaped and is elongated southeast to northwest. Several much smaller satellite stocks have intruded the surrounding sedimentary rocks. The Selwyn Suite intrusive bodies are the only undeformed rocks in the area.

The main lithological units are described in Table I.

**Table I – Lithological Units (after Gordey and Makepeace, 2003)**

<b>Unit Name</b>	<b>Map Name</b>	<b>Age</b>	<b>Description</b>
Q	Quaternary	Quaternary	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits.
mKgS	Selwyn Suite	Mid-Cretaceous	Mainly hornblende and hornblende/biotite syenite, commonly porphyritic (potassium feldspar phenocrysts), uneven textured, mostly medium grained, locally fine or coarse grained; minor diorite; hornblende syenite.
TrJ	Jones Lake Formation	Triassic	Brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone.
CPMC	Mount Christie Formation	Carboniferous to Permian	Burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous



## GEOLOGICAL LEGEND TO ACCOMPANY FIGURE 4

### QUATERNARY



#### Q: QUATERNARY

unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

### MID-CRETACEOUS



#### mKS: SELWYN SUITE

plutonic suite of intermediate (g) to more felsic composition (q) and rarely syenitic (y); equivalent felsic dykes (f); complete compositional gradation so that these designations are somewhat arbitrary

q. equigranular to porphyritic (K-feldspar) biotite +/- hornblende +/- muscovite granite, quartz monzonite and granodiorite; porphyritic biotite hornblende granite with large smoky grey quartz phenocrysts and locally K-feldspar phenocrysts (Selwyn Suite)

g. resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite and minor quartz diorite; minor leuco-quartz monzonite and syenite (Selwyn Suite)

### MIDDLE TO UPPER TRIASSIC



#### TrJ: JONES LAKE

brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone (Jones Lake)

### CARBONIFEROUS TO PERMIAN



#### CPMC: MOUNT CHRISTIE

burrowed, interbedded greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules (Mount Christie)

### MISSISSIPPIAN



#### MK: KENO HILL

massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated (Keno Hill Quartzite)

## MISSISSIPPIAN

**MT**

### MT: TAY

mixed, generally fine clastic and carbonate assemblage (1) with locally thick regionally mappable carbonate horizons (2)

2. grey and buff weathering, generally thick bedded to massive, dark grey to black fetid limestone; fine crystalline to cryptocrystalline; commonly bioclastic

## DEVONIAN AND MISSISSIPPIAN

**DME**

### DME: EARN

complex assemblage of submarine fan and channel deposits (1), (5) within black siliceous shale and chert (2), (4) and including separated small occurrences of felsic volcanic rocks (3); barite common and many occurrences of stratiform Pb-Zn

1. thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)

## ORDOVICIAN TO LOWER DEVONIAN

**ODR**

### ODR: ROAD RIVER - SELWYN

black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)

1. black, gun-blue, or silvery white weathering black graptolitic shale and black chert; resistant grey weathering, thin to medium bedded, light grey to black, greenish grey or turquoise chert; minor argillaceous limestone (Road River Gp., Duo Lake and Elmer Creek)
2. rusty dark green to orange buff weathering, pyritic, burrowed, thin to thick bedded, argillite and dolomitic siltstone with members or partings of black shale and chert; minor bright orange dolostone (Road River Gp., Steel)

## LOWER CAMBRIAN

**ICG**

### ICG: GULL LAKE

dominantly fine clastic assemblage (1) with local volcanic units (2)

1. shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/-garnet +/-sillimanite +/-staurolite +/-andalusite) (Gull Lake)

2. dark green massive to fragmental mafic meta-volcanic and volcanoclastic rocks; siltstone and argillite

## UPPER PROTEROZOIC TO LOWER CAMBRIAN

**PCH**

**PCH: HYLAND**

consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5) (Hyland Gp.)

**PCH2**

1. thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble (Hyland Gp., Yusezyu)
2. grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within (1) or (4) (Hyland Gp., Algae Lake , limestone member of Yusezyu)
3. distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate (Hyland Gp., Narchilla , Senoah , Arrowhead Lake)
4. quartzose clastic rocks as described in (1); mostly(?) equivalent to (1) but may include younger units (Hyland Gp., mostly(?) Yusezyu)

			slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules.
MK	Keno Hill Quartzite	Mississippian	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.
MT2	Tay Formation	Mississippian	Grey and buff weathering, generally thick bedded to massive, dark grey to black fetid limestone; fine crystalline to cryptocrystalline; commonly bioclastic.
DME	Earn Group	Devonian and Mississippian	Thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone.
ODR1	Road River Group	Ordovician to Lower Devonian	Black, gun-blue, or silvery white weathering black graptolitic shale and black chert; resistant grey weathering, thin to medium bedded, light grey to black, greenish grey or turquoise chert; minor argillaceous limestone.
ICG1	Gull Lake Formation	Lower Cambrian	Shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (+/-garnet +/-sillimanite +/-staurolite +/-andalusite).
PCH (undivided)	Hyland Group	Upper Proterozoic to Lower Cambrian	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3).
PCH1			Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble.
PCH2			Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
PCH3			Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz

			siltstone, sandstone and quartz-pebble conglomerate.
PCH4			Quartzose clastic rocks as described in (1); mostly (?) equivalent to (1) but may include younger units.

### **PROPERTY GEOLOGY**

No detailed geological mapping has been completed on the Husky or former Tarakan properties. Based on published data discussed in the previous section, the only units within the current property are Hyland Group, Gull Lake Formation, Road River Group and Mount Christie Formation.


Hyland Group underlies the southwest corner of the property and is juxtaposed against younger Road River Group and Mount Christie Formation strata along a southeast trending, steeply dipping(?) fault (Figures 5 and 6). This fault is intruded by a 2000 by 1000 m Selwyn Suite stock two kilometres northwest of the property. Gull Lake Formation lies within the northeast portion of the property and is overlain by Road River Group and Mount Christie Formation.

All known mineralization on the property occurs along Musher's Ridge, within Road River Group and Mount Christie Formation rocks. In this area, these units comprise chert with minor black slate and rare, thinly interbedded limestone. Rare quartz veining and silicified breccias have also been observed in the vicinity of suspected fault zones.

The majority of the mineral occurrences are in close proximity to Malamute Gully. Government mapping has not identified a fault at this location; however, based on fracturing, brecciation, silicification and the recessive nature of the area it may represent the surface trace of an unrecognized north-trending extensional structure.

### **MINERALIZATION**

In 1999, NovaGold collected 18 rock samples from Musher's Ridge, within the area now covered by the Husky property. Two clusters of samples with anomalous values for gold and its pathfinder elements were discovered. In 2009, a traverse was walked along Musher's Ridge to relocate the NovaGold showings and to explore for additional mineralization. Thirteen rock samples were collected from several locations, three of which returned anomalous results and are now referred to as the Gee, Haw and Sled Dog showings. No prospecting was performed in 2011. Sample locations are illustrated on Figure 7, while results for gold, silver, lead, zinc, copper, arsenic, bismuth and antimony are illustrated thematically on Figures 8 through 15, respectively. Anomalous thresholds and peak values for rock samples are listed in Table II.



- mKgS** Mid-Cretaceous: Selwyn Suite  
Biotite quartz monzonite and granodiorite, minor quartz diorite.
- CPMC** Carboniferous to Permian: Mount Christie  
Shale, chert, slate and siltstone, minor quartzite, limestone and dolostone.
- MK** Mississippian: Keno Hill Quartzite  
Quartz arenite with minor slate.
- DME1** Devonian to Mississippian: Earn Group  
Slate with interbedded chert-quartz arenite and wacke; pebble conglomerate; siltstone.
- ODR1** Ordovician to Lower Devonian: Road River Group (Duo Lake Formation)  
Shale and chert, minor argillaceous limestone.

- ICG1** Lower Cambrian: Gull Lake  
Shale, siltstone and mudstone; minor quartz sandstone; rare chert, limestone and limestone conglomerate.
- PCH1** Upper Proterozoic to Lower Cambrian: Hyland Group (Yusezyu Formation)  
Shale, sandstone, grid and quartz-pebble conglomerate; minor argillaceous limestone.
- Geological contact
- Fault
- Cross-section line (see Figure 5)

After Gordie and Makepeace, 2003 and Roots et al, 1995.

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

FIGURE 5  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**PROPERTY GEOLOGY**


HUSKY PROPERTY

0 250 500 m

UTM ZONE 9, NAD 83, 105N/01

FILE: ...2011/Husky/figures/geol.wor

DATE: Nov 2011




- CPMC Carboniferous to Permian: Mount Christie Shale, chert, slate and siltstone, minor quartzite, limestone and dolostone.
- MK Mississippian: Keno Hill Quartzite Quartz arenite with minor slate.
- DME1 Devonian to Mississippian: Earn Group Slate with interbedded chert-quartz arenite and wacke; pebble conglomerate; siltstone.
- ODR1 Ordovician to Lower Devonian: Road River Group (Duo Lake Formation) Shale and chert, minor argillaceous limestone.

- ICG1 Lower Cambrian: Gull Lake Shale, siltstone and mudstone; minor quartz sandstone; rare chert, limestone and limestone conglomerate.
- PCH1 Upper Proterozoic to Lower Cambrian: Hyland Group (Yusezyu Formation) Shale, sandstone, grid and quartz-pebble conglomerate; minor argillaceous limestone.
- Geological contact
- Fault


After Gordey and Makepeace, 2003 and Roots et al, 1995.

<b>NEW DIMENSION RESOURCES LTD. STRATEGIC METALS LTD.</b>	
FIGURE 6 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
<b>GEOLOGICAL CROSS-SECTION</b>	
HUSKY PROPERTY	
<div style="display: flex; justify-content: space-around; align-items: center;"> <span>0</span> <span>250</span> <span>500 m</span> </div>	
UTM ZONE 9, NAD 83, 105N/01	
FILE: ...2011/Husky/figures/geol.wor	DATE: NOV 2011



631 000 mE

632 000 mE



6 994 000 mN


**PROPERTY BOUNDARY**

6 993 000 mN


- 2011 soil sample
- 2009 soil sample
- 2009 rock sample
- 1999 soil sample
- 1999 rock sample

**NEW DIMENSION RESOURCES LTD.  
 STRATEGIC METALS LTD.**

FIGURE 7  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**SAMPLE LOCATIONS**  
 HUSKY PROPERTY




UTM ZONE 8, NAD 83, 105N/01  
 FILE: ...2011/Husky/figures.wor DATE: November 2011



631 000 mE

632 000 mE



6 994 000 mN

PROPERTY BOUNDARY

1640

1600

6 993 000 mN

**Au for Rock Samples (g/t)**

- $\geq 0.5 \leq 3.30$
- $\geq 0.2 < 0.5$
- $\geq 0.1 < 0.2$
- $\geq 0.05 < 0.1$
- $0 < 0.05$

**Au for Soil Samples (ppm)**

- $\geq 0.1 \leq 0.127$
- $\geq 0.05 \leq 0.1$
- $\geq 0.02 < 0.05$
- $\geq 0.01 < 0.02$
- $0 < 0.01$

■ Rock sample    ● Soil sample

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**


FIGURE 8  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**GOLD GEOCHEMISTRY  
HUSKY PROPERTY**

0      150      300 m

UTM ZONE 8, NAD 83, 105N/01

FILE: ...2011/Husky/figures/Au.wor    DATE: November 2011



**Ag for Rock Samples (g/t)**

- $\geq 10 \leq 127$
- $\geq 5 < 10$
- $\geq 2 < 5$
- $\geq 1 < 2$
- $0 < 1$

**Ag for Soil Samples (ppm)**


- $\geq 2.0 \leq 7.6$
- $\geq 1.0 < 2.0$
- $\geq 0.5 < 1.0$
- $\geq 0.2 < 0.5$
- $0 < 0.2$

■ Rock sample      ● Soil sample


**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**



FIGURE 9  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**SILVER GEOCHEMISTRY  
HUSKY PROPERTY**



UTM ZONE 8, NAD 83, 105N/01





**Zn for Rock Samples (ppm)**

- $\geq 2,000 < 3,440$
- $\geq 1,000 < 2,000$
- $\geq 500 < 1,000$
- $\geq 200 < 500$
- $0 < 200$

**Zn for Soil Samples (ppm)**


- $\geq 1,000 < 4,250$
- $\geq 500 < 1,000$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $0 < 100$



■ Rock sample      ● Soil sample

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

FIGURE 11  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**ZINC GEOCHEMISTRY  
HUSKY PROPERTY**





PROPERTY BOUNDARY

**Cu for Rock Samples (ppm)**

- $\geq 1,000 \leq 2,560$
- $\geq 500 < 1,000$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $0 < 100$

**Cu for Soil Samples (ppm)**

- $\geq 500 \leq 614$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $\geq 50 < 100$
- $0 < 50$

■ Rock sample ● Soil sample

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**


FIGURE 12  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**COPPER GEOCHEMISTRY**

HUSKY PROPERTY


0 150 300 m

UTM ZONE 8, NAD 83, 105N/01




631 000 mE

632 000 mE



6 994 000 mN

PROPERTY BOUNDARY



6 993 000 mN

As for Rock Samples (ppm)

- ≥1,000
- ≥500 < 1,000
- ≥200 < 500
- ≥100 < 200
- 0 < 100

As for Soil Samples (ppm)

- ≥500 ≤ 865
- ≥200 < 500
- ≥100 < 200
- ≥50 < 100
- 0 < 50

■ Rock sample ● Soil sample

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**


FIGURE 13  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**ARSENIC GEOCHEMISTRY**  
**HUSKY PROPERTY**

0 150 300 m

UTM ZONE 8, NAD 83, 105N/01

FILE: ...2011/Husky/figures/As.wor DATE: November 2011



**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

FIGURE 14  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


**BISMUTH GEOCHEMISTRY**

HUSKY PROPERTY

0 150 300 m

UTM ZONE 8, NAD 83, 105N/01

FILE: ...2011/Husky/figures/Bi.wor DATE: November 2011



**Table II – Anomalous Thresholds and Peak Values for Rock Samples**

Element	Threshold Values (ppm)			Peak (ppm)	
	Weak	Moderate	Strong	1999	2009
Gold	≥ 0.1 < 0.2	≥ 0.2 < 0.5	≥ 0.5	3.3	2.68
Silver	≥ 2 < 5	≥ 5 < 10	≥ 10	19.8	127
Lead	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	5,980	15,350
Zinc	≥ 200 < 500	≥ 500 < 1000	≥ 1000	1,038	3,440
Copper	≥ 200 < 500	≥ 500 < 1000	≥ 1000	2,200	2,560
Arsenic	≥ 200 < 500	≥ 500 < 1000	≥ 1000	13,700	> 10,000
Bismuth	≥ 10 < 20	≥ 20 < 50	≥ 50	480	354
Antimony	≥ 20 < 50	≥ 50 < 100	≥ 100	14	432

The **Gee Showing** lies on the eastern slope of Malamute Gully and corresponds to one of the areas discovered by NovaGold. In 2009, three rock samples were collected over a length of 130 m from sporadic mineralized float trains within unmineralized talus. All of the samples consisted of rusty-grey weathering, limonite and silica-healed breccia with chert clasts. The breccia is likely fault-controlled and varies from clast- to matrix-supported. One sample contained minor blebby galena. The samples yielded moderately to strongly anomalous values for silver (up to 118 g/t, averaging 59.1 g/t), lead (up to 1.54%, averaging 7637 ppm), zinc (up to 1920 ppm, averaging 950 ppm) and antimony (up to 132 ppm, averaging 78 ppm), with background values for the other metals of interest.

The **Haw Showing** is situated 150 m south of the Gee Showing at the base of a large cliff on the opposite side of Malamute Gully. The Haw Showing corresponds to the second NovaGold discovery and comprises an up to one metre thick band of fracture-controlled (?) rusty-purple-brown weathering, strongly weathered, weakly magnetic, limonitic, locally pyrrhotite-bearing, silicified calcareous chert with a weak coating of hydrozincite. NovaGold characterized this mineralization as skarn; however, none of the typical calc-silicate minerals appear to be present and it is probably hornfels. The band was traced intermittently in outcrop over an approximate length of 50 m. Six samples were taken from this band or from talus below the cliff. They contain highly variable but locally elevated values for gold (2.68 g/t), silver (5.9 g/t), zinc (1460 and 3440 ppm), copper (2560 ppm), arsenic (2620 ppm) and bismuth (112, 155 and 158 ppm). This showing is open to extension in both directions along strike into areas that are covered by thick talus.

The floor of Malamute Gully is covered with talus, so no observations could be made regarding mineralization or fault structures that might occur between the Gee and Haw showings.

The **Sled Dog Showing** is located on the southern edge of Musher's Ridge, approximately 450 m southwest of the Haw Showing. Two samples were collected from this showing in 2009, one of which yielded anomalous values for gold (0.376 g/t), silver (127 g/t), arsenic (greater than 10,000 ppm), bismuth (354 ppm) and antimony (432 ppm). The anomalous sample comprised six fragments of strongly weathered breccia with pale green to yellow matrix (scorodite?) and white, clay-altered clasts, which were collected within a three by three metre area. The other sample consisted of orange-brown weathering, strongly weathered, weakly limonitic breccia with chert and quartz clasts, which was taken from an area with moderately abundant barren quartz

vein. It returned low values for all metals of interest, except arsenic (4150 ppm). The samples were collected about 10 m apart in a talus train located within a shallow, linear gully that trends 100°.

### **SOIL GEOCHEMISTRY**

During NovaGold's 1999 program, seven soil samples were taken within the area now covered by the Husky property (Johnson and Schulze, 2000). In 2009, Strategic Metals took an additional 95 grid soil samples at 200 by 50 m spacings. In 2011, New Dimension collected 89 infill soil samples within Strategic Metals' grid, which now has 100 by 50 m sample spacings. Sample locations are plotted on Figure 7, while results for gold, silver, lead, zinc, copper, arsenic, bismuth, antimony and tin are illustrated on Figures 8 to 16, respectively. The Certificate of Analysis is given in Appendix II. Anomalous thresholds and peak values for soil samples are listed in Table III.



**Table III – Anomalous Thresholds and Peak Values for Soil Samples**

Element	Threshold Values (ppm)			Peak (ppm)	
	Weak	Moderate	Strong	2009	2011
Gold	≥ 20 < 50	≥ 50 < 100	≥ 100	75	127
Silver	≥ 0.5 < 1.0	≥ 1.0 < 2.0	≥ 2.0	7.6	5.25
Lead	≥ 50 < 100	≥ 100 < 200	≥ 200	1390	1035
Zinc	≥ 200 < 500	≥ 500 < 1000	≥ 1000	4250	2600
Copper	≥ 100 < 200	≥ 200 < 500	≥ 500	614	458
Arsenic	≥ 100 < 200	≥ 200 < 500	≥ 500	865	756
Bismuth	≥ 10 < 20	≥ 20 < 50	≥ 50	354	82.4
Antimony	≥ 10 < 20	≥ 20 < 50	≥ 50	432	53.2
Tin	≥ 2 < 5	≥ 5 < 10	≥ 10	-	36.2

In general, the 2011 results support the 2009 data. Samples (both generations) from the northern half of the grid typically yielded stronger responses than those in the southern half. Two main clusters of anomalous samples are present. The first is a broad zone of coincident moderate to strong gold, silver, copper, arsenic, bismuth, antimony and tin response with rare elevated lead and zinc values on the northern flank of Musher's Ridge. This cluster contains a 2011 sample that returned 127 ppb gold and another that yielded 36.2 ppm tin, which are the highest values for those elements on the property. The other cluster forms a relatively linear anomaly that passes through the Gee Showing along Malamute Gully. It comprises several moderate to strongly anomalous silver, lead, zinc, copper, arsenic, antimony and tin values. This linear anomaly, along with mineralized breccias observed at the Gee Showing, support the concept that a fault may pass through Malamute Gully. A few single-sample silver, arsenic and bismuth anomalies were also identified within the southern half of the grid.

### **DISCUSSION AND CONCLUSIONS**

The Husky property is favourably located in the Tintina Gold Belt, which hosts a number of gold and silver deposits and occurrences that are directly associated with Mid to Late Cretaceous plutons. Geochemical sampling and prospecting at the Husky property, which lies within five



PROPERTY BOUNDARY

6 994 000 mN

MUSHER'S RIDGE

SLED DOG SHOWING

36.2 ppm

MALAMU VALLEY

GEE SHOWING

HAW SHOWING


6 993 000 mN

■ Rock sample ● Soil sample

**NEW DIMENSION RESOURCES LTD.  
STRATEGIC METALS LTD.**

FIGURE 16  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**TIN GEOCHEMISTRY  
HUSKY PROPERTY**



UTM ZONE 8, NAD 83, 105N/01

FILE: ...2011/Husky/figures/Sn.wor DATE: November 2011

Sn for Soil Samples (ppm)

- $\geq 20 \leq 36.2$
- $\geq 10 < 20$
- $\geq 5 < 10$
- $\geq 2 < 5$
- $\geq 1 < 2$
- $0 < 1$

● ● No value available

kilometres of two known Mid-Cretaceous plutons, have identified three structurally-controlled mineral showings and two largely unexplained multi-element soil anomalies.

The Husky property's multi-element geochemical response, particularly the enrichment of tin, is similar to Silver Range Resources Ltd.'s Keg property, which is located 65 km to the southwest.

Soil sampling appears to be a successful tool for discovering and tracing buried mineralization at the Husky property. Widely spaced sampling should be completed over the entire property since most of it has not been explored due to the presence of dense vegetation. Detailed prospecting should be performed to assess the potential for mineralization along strike in both directions from the Gee Showing and the associated linear soil anomaly. Prospecting should also be carried out on the northern flank of Musher's Ridge in the other soil geochemical anomaly. Geological mapping should be performed with an emphasis on recognizing evidence of possible fault zones, particularly in the vicinity of Malamute Gully. Hand trenching should be completed to test the shallow gully that hosts the Sled Dog Showing, and any other prospective areas that may be discovered where overburden does not appear to be too thick.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sarah Eaton, B.Sc. Geology, GIT

## REFERENCES

- Day, S.J.A., McCurdy, M.W., Friske, P.W.B., McNeil, R.J., Hornbrook, E.H.W., Lynch, J.J., Durham, C.C., Gross, H. and Galletta, A.C.  
 2009 Regional stream sediment and water geochemical data, Lansing Range area, east central Yukon (NTS 105N); Geological Survey of Canada, Open File 6272.  
 Available at: [http://gdr.nrcan.gc.ca/geochem/metadata\\_svy\\_e.php?key=210223](http://gdr.nrcan.gc.ca/geochem/metadata_svy_e.php?key=210223)
- Diment, R,  
 1997 Brewery Creek Report, 1996: Exploration Progress Report, In-house report, Viceroy International Exploratioq Inc.
- Eaton, S.  
 2010 Assessment report describing prospecting and geochemical sampling at the Husky property, Mayo Mining Recorder, Yukon Territory; prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.
- Goodfellow, W.D.  
 2007 Base metal metallogeny of the Selwyn Basin, Canada; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit-Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods, Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, p. 553-579.
- Gordey, S.P. and Makepeace, A.J. (compilers)  
 2003 Yukon digital geology, version 2.0, Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Johnson, G. and Schulze, C.  
 2000 Geological and geochemical assessment report on the Tarakan property; assessment report prepared for NovaGold Resources Inc, assessment report #094075.
- Nelson, J.L. and Colpron, M.  
 2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: [http://gsc.nrcan.gc.ca/mindep/synth\\_prov/cord/pdf/nelson\\_colpron\\_cordillera\\_n\\_metallogeny.pdf](http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordillera_n_metallogeny.pdf)
- Pigage, L.C.  
 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.

Roots, C.F., Abbott, J.G., Cecil, M.P. and Gordey, S.P.

1995 Bedrock geology of Lansing Range map area (105N) east half, Hess Mountains, Yukon; Yukon Geological Survey, Open File 1995-7(G), 1:250000 scale; also known as Geological Survey of Canada Open File 3171.

Soloviev, S.G., Schulze, C.M. and Baklyukov, O.E.

2003 Structural settings and geochemistry of the Myschka gold prospect, Tintina Gold Belt, Mt. Selous area (105K/16, 105N/1), Yukon; in Yukon Exploration and Geology 2002, D.S. Edmond and L.L. Lewis (eds.), Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, p. 295-306.

**APPENDIX I**  
**STATEMENT OF QUALIFICATIONS**

## **STATEMENT OF QUALIFICATIONS**

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I directed the field work reported herein and have interpreted all data resulting from this work.

Sarah Eaton, B.Sc. (Hon.) Geology, GIT

**APPENDIX II**  
**CERTIFICATE OF ANALYSIS**



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 1  
 Finalized Date: 7-SEP-2011  
 Account: F

**CERTIFICATE WH11149862**

Project: Lansing - Husky  
 P.O. No.:  
 This report is for 89 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3-AUG-2011.  
 The following have access to data associated with this certificate:  
 DOUG EATON                      SARAH EATON                      JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL43	Trace Level Au - 25g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	

To: ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED  
 ATTN: JOAN MARIACHER  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL43	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
DD029461		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD029462		0.24	0.005	1.99	1.18	47.2	<0.2	<10	250	0.90	0.53	0.05	1.14	29.6	3.3	25
DD029463		0.26	0.007	1.93	1.71	168.5	<0.2	<10	330	1.42	1.08	0.04	1.01	47.6	8.0	33
DD029464		0.24	0.006	1.60	2.37	204	<0.2	<10	540	2.62	0.51	0.03	1.47	45.5	12.2	39
DD029465		0.36	0.011	0.98	1.63	90.9	<0.2	<10	1070	0.77	2.31	0.05	0.88	30.1	8.5	31
DD029466		0.22	0.015	1.08	1.86	83.5	<0.2	<10	1930	0.70	3.11	0.09	0.89	23.5	7.7	26
DD029467		0.22	0.009	1.94	2.49	62.6	<0.2	<10	290	1.22	2.60	0.21	4.62	52.6	13.5	21
DD029468		0.28	0.005	0.80	1.81	75.8	<0.2	<10	1520	0.80	2.03	0.09	1.92	29.9	8.2	19
DD029469		0.28	0.009	0.39	3.39	49.5	<0.2	<10	>10000	1.75	1.93	0.22	2.47	33.1	42.3	24
DD029470		0.30	0.052	1.15	1.96	42.4	<0.2	<10	7410	1.25	8.40	0.27	16.80	24.3	38.0	16
DD029471		0.32	0.008	0.22	1.57	116.5	<0.2	<10	450	0.84	2.91	0.11	0.86	24.8	18.2	21
DD029472		0.22	0.015	0.58	2.22	268	<0.2	<10	1100	1.86	3.73	0.08	0.65	46.7	13.8	33
DD029473		0.22	0.018	0.95	1.91	442	<0.2	<10	1040	1.13	6.78	1.08	1.75	30.2	17.2	27
DD029474		0.34	0.127	0.81	1.94	461	<0.2	<10	410	1.24	82.4	0.13	1.38	31.3	13.6	29
DD029475		0.30	0.015	0.60	2.02	134.0	<0.2	<10	470	1.01	2.37	0.13	0.73	26.8	19.2	27
DD029476		0.22	0.001	0.07	0.48	2.6	<0.2	<10	60	0.10	0.10	0.05	0.06	3.94	1.2	3
DD029477		0.26	0.005	0.60	2.17	128.5	<0.2	<10	630	1.13	1.85	0.06	0.23	26.7	4.9	20
DD029478		0.32	0.003	0.20	1.18	13.1	<0.2	<10	180	0.40	0.29	0.07	0.09	12.25	2.9	10
DD029479		0.28	0.005	0.25	3.24	69.9	<0.2	<10	920	2.67	0.97	0.09	0.42	35.1	15.5	34
DD029480		0.22	0.002	0.61	1.52	75.7	<0.2	<10	470	0.67	1.39	0.20	2.37	31.3	7.7	27
DD029481		0.20	0.007	0.37	3.26	130.0	<0.2	<10	340	1.71	1.60	0.08	0.45	34.2	12.1	33
DD029482		0.26	0.017	0.92	1.91	535	<0.2	<10	460	0.96	8.79	0.15	1.08	35.5	19.6	35
DD029483		0.28	0.007	0.38	1.62	61.3	<0.2	<10	410	0.70	2.35	0.11	0.85	37.8	7.8	33
DD029484		0.26	0.008	0.41	1.84	751	<0.2	<10	650	1.22	2.51	0.05	1.37	58.4	20.7	31
DD029485		0.22	0.003	0.19	1.90	29.0	<0.2	<10	310	1.48	0.70	0.10	0.45	38.6	11.8	26
DD029486		0.22	0.011	0.51	2.41	37.3	<0.2	<10	730	1.55	5.57	1.52	8.26	33.8	16.9	21
DD029487		0.26	0.008	1.24	1.92	51.0	<0.2	<10	1380	0.60	1.10	0.08	0.66	29.8	6.6	34
DD029488		0.24	0.012	0.70	1.93	113.0	<0.2	<10	560	1.10	1.47	0.05	0.39	26.7	4.9	25
DD029489		0.22	0.007	0.38	1.53	71.8	<0.2	<10	630	0.62	5.19	0.38	2.30	21.4	12.2	20
DD029490		0.26	0.003	0.23	0.95	151.5	<0.2	<10	200	0.34	1.71	0.04	0.82	20.0	9.3	18
DD029491		0.22	0.022	0.28	1.37	43.1	<0.2	<10	1400	0.50	40.1	0.09	2.31	18.35	10.4	21
DD029492		0.22	0.006	0.71	2.23	60.2	<0.2	<10	810	0.75	1.93	0.08	1.24	22.3	9.8	35
DD029493		0.20	0.003	1.02	0.87	17.2	<0.2	<10	540	0.20	1.32	0.06	0.36	4.87	2.1	4
DD029494		0.22	0.001	1.00	0.65	17.5	<0.2	<10	130	0.31	0.23	0.13	0.76	6.90	2.2	7
DD029495		0.32	0.010	0.70	1.01	702	<0.2	<10	320	0.54	2.55	0.08	0.61	72.5	9.9	26
DD029496		0.40	0.024	5.25	0.84	202	<0.2	<10	400	0.56	1.14	0.10	1.80	43.6	4.0	32
ZZ12146		0.34	0.012	0.82	3.13	756	<0.2	<10	540	1.68	2.10	0.05	1.04	84.0	5.7	46
ZZ12147		0.26	0.025	0.81	3.49	447	<0.2	<10	410	1.43	7.30	0.17	0.73	31.5	11.4	35
ZZ12148		0.30	0.007	0.30	2.14	190.0	<0.2	<10	420	1.51	2.39	0.13	1.80	37.8	27.8	24
ZZ12149		0.30	0.016	0.26	1.07	19.9	<0.2	<10	380	0.31	2.81	0.05	0.24	10.05	2.9	10
ZZ12149		0.34	0.016	0.46	2.30	360	<0.2	<10	1410	1.14	1.76	0.37	4.00	28.7	28.1	37



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
DD029461		1.91	92.2	3.02	5.44	0.06	<0.02	0.08	0.048	0.07	15.6	6.7	0.18	110	8.60	0.01
DD029462		2.47	110.5	7.20	7.12	0.08	<0.02	0.06	0.141	0.13	26.1	12.1	0.24	228	13.45	0.01
DD029463		2.76	196.5	9.41	6.46	0.13	0.03	0.06	0.037	0.15	27.9	26.4	0.63	321	7.57	<0.01
DD029464		6.34	184.5	6.37	5.55	0.09	0.03	0.05	0.104	0.22	16.0	13.3	0.30	375	75.4	0.02
DD029465		3.19	146.5	5.63	6.07	0.07	0.02	0.05	0.120	0.13	12.3	11.0	0.31	563	35.6	0.03
DD029466		2.84	136.0	7.82	6.66	0.13	0.05	0.04	0.241	0.25	24.9	18.1	0.49	1460	35.8	0.06
DD029467		1.87	105.0	3.30	5.26	0.05	<0.02	0.07	0.097	0.05	13.8	9.7	0.25	164	7.69	0.01
DD029468		2.04	110.5	3.90	7.34	0.06	0.06	0.04	0.119	0.21	10.0	28.4	1.05	2330	8.02	0.07
DD029469		2.65	173.0	3.44	5.39	0.10	0.03	0.09	1.025	0.09	11.8	15.7	0.65	2890	3.56	0.04
DD029470		2.63	85.4	3.85	4.52	<0.05	<0.02	0.03	0.062	0.08	12.1	15.9	0.31	907	3.49	0.01
DD029471		6.50	156.5	5.85	6.69	0.12	0.02	0.04	0.045	0.38	23.7	24.2	0.55	421	7.83	0.02
DD029472		4.48	134.0	3.32	5.67	0.06	0.07	0.06	0.114	0.08	16.0	24.4	0.48	849	4.83	0.02
DD029473		4.61	134.0	8.01	7.54	0.09	<0.02	0.04	0.125	0.10	16.4	22.9	0.32	629	8.86	0.02
DD029474		4.33	131.5	3.40	5.89	0.06	0.02	0.10	0.048	0.10	13.1	17.1	0.36	829	9.72	0.03
DD029475		0.38	12.4	0.57	1.66	<0.05	0.02	0.03	<0.005	0.02	1.9	0.8	0.03	38	0.38	0.03
DD029476		4.11	101.0	5.84	5.32	0.05	0.03	0.06	0.046	0.10	13.8	14.4	0.35	236	10.25	0.04
DD029477		2.55	42.3	2.22	2.81	<0.05	0.03	0.04	0.014	0.05	5.7	6.4	0.18	123	3.81	0.04
DD029478		5.97	125.0	8.94	8.19	0.09	0.07	0.03	0.028	0.32	16.5	31.6	0.85	608	9.89	0.07
DD029479		4.41	67.8	2.89	7.44	0.05	<0.02	0.08	0.028	0.14	15.7	10.9	0.32	439	3.70	0.02
DD029480		4.72	91.0	6.82	7.79	0.07	0.09	0.04	0.059	0.11	17.9	24.7	0.55	411	8.21	0.06
DD029481		4.08	98.0	3.73	6.29	0.05	<0.02	0.05	0.208	0.12	17.1	21.8	0.56	1060	2.78	0.01
DD029482		2.98	39.2	3.27	5.79	0.06	<0.02	0.07	0.047	0.10	19.0	24.7	0.49	342	2.06	0.01
DD029483		5.85	179.5	6.63	5.97	0.10	0.02	0.03	0.073	0.25	28.1	21.1	0.46	709	4.81	0.02
DD029484		4.76	49.8	3.85	5.36	0.05	<0.02	0.04	0.031	0.13	18.5	27.2	0.41	343	2.35	0.01
DD029485		3.83	47.4	3.33	6.66	0.07	0.02	0.07	0.274	0.07	15.7	18.9	0.33	2930	2.31	0.03
DD029486		3.26	87.0	4.21	6.07	0.06	<0.02	0.05	0.054	0.14	17.0	20.7	0.43	307	5.72	0.02
DD029487		3.33	108.0	5.15	5.49	0.07	0.04	0.04	0.035	0.10	16.3	19.1	0.23	145	15.05	0.02
DD029488		1.47	38.7	2.96	4.46	<0.05	0.03	0.06	0.242	0.04	10.4	12.4	0.65	2770	1.58	0.01
DD029489		1.88	39.9	2.74	5.31	<0.05	<0.02	0.03	0.030	0.06	10.2	6.9	0.16	836	2.71	0.01
DD029490		3.18	39.4	3.60	5.75	0.05	<0.02	0.01	0.072	0.09	9.7	15.7	0.29	1050	5.22	0.02
DD029491		4.48	47.0	4.87	8.38	0.08	0.04	0.04	0.091	0.12	12.1	40.5	0.49	421	10.35	<0.01
DD029492		0.71	32.0	1.10	2.87	<0.05	0.05	0.05	0.059	0.03	2.5	2.1	0.06	63	2.14	0.02
DD029493		0.98	21.7	1.26	1.92	<0.05	<0.02	0.06	0.012	0.05	3.8	3.1	0.09	69	1.89	0.01
DD029494		3.32	98.8	11.75	5.72	0.20	0.03	0.05	0.158	0.37	35.5	9.2	0.15	271	11.70	0.01
DD029495		1.87	95.4	4.24	5.05	0.14	0.02	0.11	0.123	0.15	27.9	6.5	0.08	391	17.75	<0.01
DD029496		5.51	112.0	7.77	10.70	0.17	0.04	0.04	0.042	0.54	50.9	37.1	1.17	224	9.38	<0.01
ZZ12146		5.98	249	8.86	10.95	0.20	0.09	0.07	0.218	0.18	17.3	24.4	0.60	414	15.25	0.04
ZZ12147		5.23	101.5	4.36	7.36	0.10	0.03	0.05	0.110	0.13	19.1	35.2	0.58	1180	4.80	0.01
ZZ12148		1.77	79.0	1.69	3.75	<0.05	0.02	0.04	0.054	0.04	5.1	8.2	0.12	122	2.92	0.01
ZZ12149		4.23	223	5.49	7.31	0.13	0.05	0.03	0.095	0.11	14.8	37.0	0.53	819	12.40	0.01



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DD029461		0.57	21.8	770	63.2	10.4	<0.001	0.09	12.00	1.6	2.7	1.9	28.6	<0.01	0.09	0.2
DD029462		1.25	40.2	1140	280	19.0	0.001	0.13	50.2	4.1	5.0	5.8	38.2	<0.01	0.17	2.2
DD029463		0.62	87.5	1680	409	14.8	<0.001	0.09	53.2	7.6	4.6	2.7	14.0	<0.01	0.14	5.8
DD029464		0.27	29.5	1770	28.9	21.2	0.003	0.41	35.8	2.7	13.3	1.7	40.6	<0.01	0.23	3.1
DD029465		0.35	36.8	1510	21.7	11.0	0.003	0.24	26.2	2.5	12.8	3.5	39.1	<0.01	0.28	1.1
DD029466		0.36	57.2	2020	98.3	12.6	0.002	0.48	18.90	4.4	14.9	6.1	108.5	<0.01	0.18	6.4
DD029467		0.53	57.1	1130	19.1	7.1	0.001	0.10	13.05	0.7	2.1	5.4	31.5	<0.01	0.15	<0.2
DD029468		0.64	92.9	840	13.5	13.4	0.001	0.06	4.24	4.6	1.9	4.3	298	<0.01	0.19	4.4
DD029469		0.50	81.0	1400	22.3	8.9	0.001	0.12	2.44	2.5	2.9	5.5	60.4	<0.01	0.32	0.7
DD029470		0.63	47.2	820	15.9	11.0	0.001	0.06	5.52	2.7	1.5	1.1	20.7	<0.01	0.20	1.3
DD029471		1.17	42.0	1350	19.6	33.5	0.001	0.29	12.65	3.8	4.5	1.5	43.2	<0.01	0.30	3.4
DD029472		0.75	55.8	1260	24.0	10.6	0.001	0.18	14.45	2.9	2.7	2.6	61.5	<0.01	0.34	1.3
DD029473		0.97	36.4	800	20.4	13.9	0.001	0.15	4.96	2.9	4.7	36.2	40.3	<0.01	1.30	3.5
DD029474		0.62	27.2	1410	13.1	13.2	<0.001	0.15	2.08	1.9	3.1	1.0	35.4	<0.01	0.16	0.6
DD029475		0.25	1.6	440	1.5	1.8	<0.001	0.04	0.13	0.2	<0.2	0.2	7.9	<0.01	0.02	<0.2
DD029476		0.59	18.7	1310	14.4	10.5	0.001	0.25	2.77	1.8	2.4	0.6	55.4	<0.01	0.11	1.2
DD029477		0.30	7.9	770	6.3	5.2	<0.001	0.11	1.37	0.8	1.0	0.3	23.2	<0.01	0.06	0.4
DD029478		0.49	35.9	1930	12.7	33.2	0.001	0.39	2.85	5.0	6.3	0.6	145.5	<0.01	0.14	4.7
DD029479		0.87	18.6	1000	15.7	31.6	<0.001	0.14	1.09	1.0	0.8	2.2	45.3	<0.01	0.08	0.2
DD029480		1.13	39.7	1650	17.4	20.9	0.001	0.42	2.41	3.8	2.2	1.1	126.5	0.01	0.13	5.9
DD029481		1.04	38.3	570	113.0	17.5	<0.001	0.06	2.49	3.3	0.9	5.4	28.2	<0.01	0.30	2.2
DD029482		1.22	27.1	450	17.5	14.1	0.001	0.05	1.75	2.6	0.7	1.4	16.9	<0.01	0.11	1.6
DD029483		0.86	40.9	800	22.3	23.7	0.001	0.28	18.85	4.0	2.8	3.1	68.3	<0.01	0.14	7.6
DD029484		1.27	26.1	520	27.1	18.0	<0.001	0.06	3.42	1.8	0.8	0.8	15.1	<0.01	0.08	1.4
DD029485		0.90	33.0	1050	12.0	15.3	<0.001	0.12	1.62	1.7	2.3	1.0	128.5	0.01	0.27	1.0
DD029486		0.65	24.3	750	16.6	16.8	0.001	0.22	3.60	2.3	4.6	0.9	19.6	<0.01	0.15	1.1
DD029487		1.20	37.1	760	13.7	8.6	0.005	0.24	9.47	2.0	11.9	1.4	34.1	<0.01	0.29	2.7
DD029488		0.50	25.5	450	15.8	8.2	<0.001	0.05	1.46	3.6	1.1	3.7	27.0	<0.01	0.15	1.9
DD029489		0.57	16.7	530	12.4	13.0	<0.001	0.05	2.63	1.0	0.9	1.1	10.3	<0.01	0.12	0.2
DD029490		0.98	18.2	390	12.1	17.6	<0.001	0.09	2.72	2.0	1.2	4.6	24.5	<0.01	0.78	1.2
DD029491		1.88	43.9	590	33.7	24.2	0.001	0.12	5.05	3.4	2.0	10.0	21.3	0.01	0.11	3.5
DD029492		0.58	11.0	300	38.6	4.0	<0.001	0.04	0.54	1.0	1.2	1.0	10.3	0.01	0.04	0.4
DD029493		0.38	9.6	640	10.5	5.6	<0.001	0.07	2.51	0.4	1.3	0.2	18.7	<0.01	0.03	<0.2
DD029494		0.41	26.5	1520	116.0	22.8	0.004	0.94	21.1	2.7	7.0	1.9	46.7	<0.01	0.32	13.1
DD029495		0.39	18.6	1780	663	18.1	0.001	0.31	43.2	1.9	13.4	3.9	101.0	<0.01	0.42	0.6
DD029496		1.17	26.7	1400	45.9	55.1	0.001	0.62	25.4	7.5	6.8	1.1	80.3	<0.01	0.42	8.0
ZZ12146		1.59	57.2	1510	17.6	18.9	0.006	0.47	4.39	4.9	13.7	3.0	130.5	0.01	0.42	6.9
ZZ12147		0.95	42.8	1000	16.9	18.5	0.001	0.13	3.82	2.8	2.8	2.3	40.6	0.01	0.13	2.1
ZZ12148		0.46	9.5	600	12.4	5.1	<0.001	0.09	0.96	0.9	1.1	1.2	12.4	<0.01	0.10	0.2
ZZ12149		0.93	120.0	1860	20.1	13.6	0.002	0.15	9.92	4.3	5.8	1.2	46.8	0.01	0.19	5.0



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD029461		0.032	0.25	2.38	101	0.14	5.61	179	<0.5
DD029462		0.043	0.37	1.84	136	0.21	6.45	430	0.5
DD029463		0.031	0.41	6.25	102	0.06	16.75	1120	1.2
DD029464		0.014	0.76	11.25	94	0.65	7.29	175	1.5
DD029465		0.021	0.38	6.38	83	0.44	6.53	217	0.7
DD029466		0.023	0.52	8.84	58	0.46	18.20	515	2.6
DD029467		0.018	0.13	2.10	64	0.49	6.66	165	<0.5
DD029468		0.040	0.19	1.41	50	0.26	7.81	476	1.8
DD029469		0.046	0.17	3.60	48	0.74	15.60	1650	0.8
DD029470		0.040	0.16	1.47	56	0.30	5.25	227	<0.5
DD029471		0.057	0.43	3.21	103	0.27	6.48	183	0.7
DD029472		0.029	0.25	4.00	125	0.27	15.55	362	2.0
DD029473		0.042	0.26	2.14	126	1.49	5.15	226	0.6
DD029474		0.038	0.25	2.85	118	0.58	6.09	102	0.7
DD029475		0.024	0.04	0.22	15	0.05	0.64	8	0.5
DD029476		0.030	0.23	2.29	41	0.32	3.71	71	1.1
DD029477		0.024	0.14	1.22	23	0.12	2.08	30	0.8
DD029478		0.040	0.45	3.71	55	0.15	9.95	106	2.4
DD029479		0.045	0.21	1.11	58	0.25	2.99	99	<0.5
DD029480		0.055	0.32	2.54	55	0.91	6.01	112	3.1
DD029481		0.060	0.22	1.19	60	5.43	5.30	233	<0.5
DD029482		0.066	0.18	1.00	62	1.11	3.97	115	<0.5
DD029483		0.051	0.42	2.47	46	0.47	7.25	239	0.8
DD029484		0.058	0.23	1.02	50	0.38	4.95	102	<0.5
DD029485		0.041	0.25	1.33	53	0.37	10.45	667	0.6
DD029486		0.042	0.25	2.11	91	0.39	5.05	144	0.6
DD029487		0.040	0.22	2.38	80	0.35	4.62	140	1.8
DD029488		0.027	0.11	0.84	45	0.37	5.39	454	0.8
DD029489		0.038	0.15	0.82	54	0.28	2.05	92	<0.5
DD029490		0.053	0.13	0.87	63	0.37	2.80	295	0.5
DD029491		0.058	0.19	1.25	73	0.64	3.86	263	1.7
DD029492		0.031	0.06	0.73	16	0.17	1.52	43	1.7
DD029493		0.014	0.07	0.88	19	0.05	1.75	68	<0.5
DD029494		0.007	0.38	2.03	54	0.25	7.47	477	1.5
DD029495		0.014	0.45	3.04	87	0.56	5.33	395	<0.5
DD029496		0.038	0.95	1.56	141	0.18	5.10	395	1.8
ZZ12146		0.065	0.39	5.14	116	3.84	9.94	279	2.7
ZZ12147		0.040	0.25	2.23	76	0.55	7.06	325	0.6
ZZ12148		0.023	0.10	1.14	22	0.24	1.74	37	0.8
ZZ12149		0.038	0.15	4.37	338	1.00	11.00	477	1.3

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL43	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ12150		0.26	0.004	0.47	1.66	56.6	<0.2	<10	580	0.52	0.74	0.08	0.12	18.90	9.1	22
ZZ12151		0.26	0.024	0.67	2.31	150.0	<0.2	<10	1120	0.72	3.88	0.12	0.54	35.8	20.6	32
ZZ12152		0.24	0.004	0.25	0.93	12.5	<0.2	<10	590	0.17	0.68	0.06	0.07	8.46	3.2	10
ZZ12153		0.24	0.094	0.86	1.83	63.5	<0.2	<10	470	0.55	79.3	0.08	0.35	22.4	6.2	32
ZZ12154		0.26	0.064	0.78	1.98	117.0	<0.2	<10	670	1.05	46.5	0.11	0.52	33.3	22.0	32
ZZ12155		0.28	0.029	1.14	2.86	106.0	<0.2	<10	440	0.97	8.05	0.15	0.51	42.7	33.0	32
ZZ12156		0.22	0.022	0.54	1.46	112.5	<0.2	<10	2350	0.75	2.35	0.21	1.73	31.2	23.7	24
ZZ12157		0.28	0.017	0.52	2.23	138.5	<0.2	<10	1900	1.84	7.30	0.26	6.09	37.0	54.7	33
ZZ12158		0.26	0.007	0.66	0.50	62.1	<0.2	<10	400	0.16	1.23	0.09	0.81	11.15	1.8	10
ZZ12159		0.24	0.007	1.35	1.67	128.0	<0.2	<10	470	0.62	1.69	0.10	0.62	21.3	5.2	25
ZZ12160		0.26	0.025	0.35	1.90	88.8	<0.2	<10	1890	1.15	4.42	0.45	2.15	39.1	25.5	32
ZZ12161		0.30	0.011	1.84	1.89	132.5	<0.2	<10	520	1.05	1.33	0.16	2.05	41.4	10.2	34
ZZ12162		0.22	0.008	1.04	1.77	191.5	<0.2	<10	420	0.91	1.18	0.10	0.97	36.2	10.5	32
ZZ12163		0.20	0.008	1.02	0.86	117.0	<0.2	<10	570	0.31	1.21	0.26	1.01	30.8	6.6	15
ZZ12164		0.24	0.005	0.46	1.13	49.7	<0.2	<10	310	0.75	0.51	0.16	1.03	38.1	15.7	22
ZZ12165		0.30	0.001	0.51	0.84	25.3	<0.2	<10	240	0.49	0.39	0.04	0.94	26.1	16.1	13
ZZ12166		0.24	0.001	0.18	0.81	66.7	<0.2	<10	180	0.24	0.64	0.05	0.17	29.1	4.2	14
ZZ12167		0.24	0.001	0.09	1.00	64.7	<0.2	<10	130	0.22	0.61	0.04	0.11	28.3	4.6	13
ZZ12168		0.34	0.003	0.17	0.43	61.7	<0.2	<10	60	0.32	0.35	0.02	0.14	41.1	8.2	8
ZZ12169		0.28	0.001	0.33	0.41	75.9	<0.2	<10	60	0.20	0.66	0.03	0.22	27.6	3.1	10
ZZ12170		0.22	0.008	1.09	1.57	199.5	<0.2	<10	290	0.55	1.74	0.05	1.17	30.0	3.2	26
ZZ12171		0.34	<0.001	0.45	0.27	4.4	<0.2	<10	100	0.05	0.10	0.03	0.07	2.30	0.6	2
ZZ12172		0.28	0.011	0.84	4.48	234	<0.2	<10	1970	1.88	2.21	1.39	3.57	33.1	49.2	25
ZZ12173		0.22	0.007	0.45	0.82	109.5	<0.2	<10	240	0.18	0.96	0.12	0.15	12.15	3.0	10
ZZ12174		0.42	0.031	0.61	2.49	355	<0.2	<10	1380	0.79	5.95	0.04	0.17	28.6	9.3	26
ZZ12175		0.32	0.021	0.36	2.52	174.0	<0.2	<10	820	1.02	13.50	0.03	0.28	24.6	5.5	25
ZZ12176		0.32	0.018	0.67	2.20	572	<0.2	<10	1230	1.41	10.20	0.18	1.24	30.4	17.5	35
ZZ12177		0.26	0.006	0.55	1.08	54.7	<0.2	<10	370	0.50	1.31	0.07	0.48	18.15	7.4	24
ZZ12178		0.36	0.012	0.48	2.05	183.5	<0.2	<10	570	1.51	2.50	0.17	1.08	32.3	29.5	31
ZZ12179		0.40	0.024	0.96	1.64	753	<0.2	<10	300	1.30	9.56	0.11	1.37	23.1	20.8	23
ZZ12180		0.42	0.002	0.22	1.25	63.8	<0.2	<10	170	0.64	1.12	0.08	0.41	19.25	11.5	18
DD027851		0.24	0.002	0.20	0.84	18.1	<0.2	<10	200	0.24	0.32	0.08	0.37	10.70	3.8	8
DD027852		0.22	0.001	0.13	1.18	39.3	<0.2	<10	280	0.39	0.97	0.06	1.22	27.2	16.0	19
DD027853		0.20	0.005	0.31	1.87	62.2	<0.2	<10	230	0.96	1.15	0.11	0.67	21.9	8.9	19
DD027854		0.24	0.003	0.22	1.04	26.4	<0.2	<10	380	0.34	2.43	0.09	1.00	32.3	7.2	23
DD027855		0.22	0.004	0.11	1.43	90.1	<0.2	<10	700	0.51	2.99	0.21	0.44	37.8	10.2	34
DD027856		0.26	0.001	0.14	0.64	5.8	<0.2	<10	200	0.14	0.15	0.04	0.47	5.88	3.1	4
DD027857		0.20	0.001	0.26	0.86	27.5	<0.2	<10	320	0.25	0.69	0.05	1.60	19.05	11.4	13
DD027858		0.22	<0.001	0.20	0.48	20.2	<0.2	<10	380	0.20	1.13	0.37	0.13	7.05	2.3	5
DD027859		0.24	0.044	0.86	1.86	239	<0.2	<10	1870	0.83	2.14	0.11	3.06	28.3	10.0	33



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
ZZ12150		3.21	149.0	4.43	6.47	0.10	0.04	0.07	0.020	0.09	8.8	23.1	0.45	590	4.27	0.01
ZZ12151		6.13	262	6.59	8.68	0.14	0.04	0.07	0.101	0.14	18.4	27.9	0.51	893	5.58	0.02
ZZ12152		1.77	56.0	2.10	3.54	0.05	<0.02	0.04	0.013	0.04	4.4	6.7	0.13	133	1.51	0.02
ZZ12153		4.09	269	7.83	8.25	0.14	0.02	0.09	0.244	0.09	13.0	14.8	0.31	280	9.43	0.02
ZZ12154		4.83	435	7.27	7.37	0.16	0.05	0.13	0.131	0.13	17.1	24.4	0.45	1020	11.70	0.01
ZZ12155		3.14	458	9.05	10.70	0.23	0.06	0.05	0.108	0.29	17.8	21.7	0.61	1240	39.2	0.02
ZZ12156		2.22	184.5	4.14	5.02	0.11	0.05	0.03	0.095	0.16	16.3	20.7	0.41	1160	12.40	<0.01
ZZ12157		2.18	377	5.81	8.18	0.16	0.06	0.02	0.132	0.19	16.9	33.3	1.05	2490	21.9	0.02
ZZ12158		1.63	69.9	1.26	3.06	0.05	<0.02	0.02	0.099	0.05	6.5	1.7	0.05	40	7.52	0.01
ZZ12159		1.41	81.9	3.38	6.86	0.07	<0.02	0.06	0.122	0.03	12.1	13.5	0.25	240	20.6	<0.01
ZZ12160		2.75	212	4.97	6.62	0.12	0.05	0.05	0.163	0.07	21.2	22.8	0.75	2310	12.50	0.01
ZZ12161		2.29	117.5	4.43	5.76	0.13	0.05	0.06	0.156	0.11	23.1	23.1	0.47	447	9.02	<0.01
ZZ12162		2.39	96.8	4.55	6.39	0.10	0.03	0.05	0.128	0.10	20.3	22.2	0.43	428	8.11	<0.01
ZZ12163		1.72	188.5	2.34	4.25	0.08	0.03	0.04	0.082	0.05	16.6	7.9	0.19	387	3.62	0.01
ZZ12164		1.72	67.8	3.18	4.75	0.09	0.02	0.03	0.050	0.12	19.9	17.6	0.34	1040	6.20	<0.01
ZZ12165		1.38	44.3	2.26	4.53	0.06	<0.02	0.02	0.026	0.08	13.9	7.0	0.12	1120	3.61	<0.01
ZZ12166		1.63	26.4	2.27	6.62	0.06	<0.02	0.01	0.037	0.09	16.4	5.1	0.16	225	4.17	<0.01
ZZ12167		1.53	28.7	2.51	8.01	0.07	<0.02	0.01	0.033	0.06	15.5	4.3	0.13	204	4.00	<0.01
ZZ12168		1.39	89.4	2.74	4.14	0.08	<0.02	0.01	0.041	0.04	22.7	0.8	0.02	111	5.21	<0.01
ZZ12169		1.25	52.3	2.70	5.40	0.06	<0.02	0.01	0.033	0.02	14.6	0.8	0.02	72	5.45	<0.01
ZZ12170		3.16	111.0	3.81	7.24	0.10	0.02	0.07	0.125	0.06	17.1	13.6	0.31	140	15.70	<0.01
ZZ12171		0.22	7.6	0.40	1.17	<0.05	<0.02	0.01	0.006	0.02	1.3	0.5	0.01	14	0.78	0.02
ZZ12172		6.82	228	6.74	12.20	0.19	0.12	0.08	0.307	0.11	15.4	25.0	0.53	2640	55.3	0.03
ZZ12173		1.89	81.8	3.41	3.87	0.07	0.02	0.04	0.054	0.05	6.6	6.0	0.13	135	5.16	0.02
ZZ12174		8.32	162.0	8.20	7.99	0.13	0.05	0.05	0.086	0.13	14.5	36.1	0.60	354	12.15	0.01
ZZ12175		4.00	217	10.50	6.83	0.16	0.06	0.04	0.126	0.11	12.5	25.7	0.39	244	12.60	0.01
ZZ12176		4.60	269	6.66	5.91	0.18	0.05	0.05	0.390	0.22	15.7	20.7	0.43	537	36.2	0.02
ZZ12177		2.97	105.5	2.40	4.42	0.08	<0.02	0.07	0.035	0.19	9.5	11.1	0.30	173	3.82	0.03
ZZ12178		4.14	167.0	4.62	5.73	0.12	0.03	0.13	0.078	0.16	15.9	25.3	0.46	981	6.80	0.02
ZZ12179		3.68	194.0	5.20	5.36	0.11	0.03	0.07	0.128	0.15	11.3	16.9	0.43	608	6.19	0.02
ZZ12180		3.05	69.4	3.04	4.63	0.06	<0.02	0.10	0.032	0.09	9.5	12.2	0.21	336	3.71	0.02
DD027851		1.42	24.0	1.36	3.43	<0.05	<0.02	0.05	0.016	0.05	5.5	4.9	0.11	112	2.09	0.03
DD027852		4.45	28.1	2.96	7.09	0.06	<0.02	0.05	0.025	0.07	13.4	14.7	0.23	557	4.92	0.02
DD027853		3.10	40.5	2.63	4.57	0.06	0.06	0.07	0.056	0.06	10.5	11.1	0.27	253	3.24	0.02
DD027854		2.82	32.1	2.55	5.93	0.06	0.02	0.02	0.033	0.13	15.5	7.1	0.26	268	1.81	0.01
DD027855		3.33	35.7	3.02	6.16	0.09	0.02	0.04	0.041	0.17	17.4	19.4	0.59	414	2.00	0.01
DD027856		0.55	11.5	0.69	2.43	<0.05	<0.02	0.05	0.006	0.02	2.9	1.3	0.04	291	0.64	0.03
DD027857		4.36	46.9	1.82	4.57	<0.05	<0.02	0.05	0.021	0.06	8.9	1.6	0.05	2370	2.21	0.01
DD027858		0.70	13.1	0.67	1.85	<0.05	0.02	0.04	0.010	0.03	3.3	3.0	0.07	65	0.71	0.04
DD027859		2.97	50.1	3.90	6.12	0.09	0.02	0.06	0.077	0.13	14.7	20.3	0.41	268	7.36	0.02



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ12150		0.68	18.4	900	9.9	14.1	<0.001	0.12	4.84	2.7	1.7	0.4	11.8	0.01	0.10	1.3
ZZ12151		0.77	65.6	1410	30.9	15.4	0.001	0.31	10.95	4.5	5.7	2.0	35.1	0.01	0.27	1.6
ZZ12152		0.37	9.0	720	6.8	6.1	<0.001	0.10	0.84	0.9	1.6	0.4	14.9	<0.01	0.05	<0.2
ZZ12153		1.39	23.9	1660	12.1	11.0	0.001	0.24	5.30	3.0	9.5	3.6	42.5	0.01	0.91	2.2
ZZ12154		0.93	45.3	1690	15.0	16.8	0.002	0.24	11.35	3.7	8.6	2.2	31.7	0.01	0.66	2.4
ZZ12155		0.68	65.1	2280	22.1	21.0	0.004	0.46	22.1	8.5	10.1	2.2	48.4	0.01	0.38	3.0
ZZ12156		0.53	78.6	1590	25.6	15.8	0.001	0.13	14.15	3.2	3.4	0.9	54.9	0.01	0.26	1.3
ZZ12157		0.35	140.5	1110	25.5	17.1	0.003	0.24	9.63	6.4	6.4	2.5	83.3	0.01	0.16	4.6
ZZ12158		0.19	11.4	1300	12.8	6.4	0.001	0.07	10.85	0.5	2.4	1.7	17.7	<0.01	0.05	<0.2
ZZ12159		1.33	24.1	660	125.5	6.8	0.001	0.06	14.10	1.8	3.9	4.6	19.4	<0.01	0.11	0.5
ZZ12160		0.59	94.7	1050	21.3	8.9	0.001	0.07	14.75	6.0	3.2	2.6	56.6	0.01	0.10	3.8
ZZ12161		1.32	50.4	1140	283	18.5	0.001	0.10	24.4	4.5	5.0	4.0	33.7	<0.01	0.13	4.3
ZZ12162		1.11	39.3	1020	171.0	17.5	0.001	0.09	25.5	3.1	4.0	4.9	29.5	<0.01	0.13	1.7
ZZ12163		0.43	25.5	660	48.4	11.9	0.001	0.09	11.55	1.4	2.5	4.2	28.4	0.01	0.07	0.2
ZZ12164		0.85	38.4	1030	28.8	14.4	0.001	0.07	11.15	2.9	1.9	1.0	43.7	<0.01	0.10	1.0
ZZ12165		0.46	14.8	580	21.1	13.6	<0.001	0.05	4.98	1.0	0.8	0.7	28.1	<0.01	0.06	<0.2
ZZ12166		0.85	14.2	560	35.1	16.6	<0.001	0.06	6.45	1.2	0.7	2.7	26.6	<0.01	0.05	0.3
ZZ12167		0.77	15.0	590	31.3	11.6	<0.001	0.04	5.48	1.3	0.7	2.5	19.2	<0.01	0.07	0.3
ZZ12168		0.23	54.7	610	13.5	7.2	<0.001	0.01	39.7	1.1	1.4	1.0	4.5	<0.01	0.09	0.3
ZZ12169		0.51	19.3	420	25.9	6.9	<0.001	0.02	18.10	0.9	1.2	3.0	10.1	<0.01	0.10	0.3
ZZ12170		0.57	26.1	1000	138.0	14.1	0.001	0.08	20.6	1.6	4.8	6.0	21.1	<0.01	0.13	0.2
ZZ12171		0.17	1.7	290	2.7	1.1	<0.001	0.03	0.63	0.4	0.4	0.2	6.6	<0.01	0.01	<0.2
ZZ12172		0.63	160.0	1760	19.8	9.6	0.001	0.20	13.75	5.0	21.7	6.2	199.5	0.01	0.19	5.9
ZZ12173		0.46	9.2	960	15.6	5.2	<0.001	0.10	11.15	1.2	2.8	2.2	14.5	<0.01	0.07	0.5
ZZ12174		0.84	41.4	1250	24.9	19.4	0.001	0.25	11.85	3.3	3.2	3.6	42.4	<0.01	0.22	4.4
ZZ12175		0.95	35.5	1580	26.6	13.4	0.001	0.34	14.95	2.8	4.9	2.2	34.4	<0.01	0.26	4.6
ZZ12176		0.74	74.5	2430	22.5	21.1	0.004	0.30	19.00	4.1	12.0	4.4	54.7	0.01	0.32	3.6
ZZ12177		0.25	17.5	1370	20.9	14.0	0.001	0.20	2.88	0.5	3.5	0.8	29.3	<0.01	0.21	<0.2
ZZ12178		0.64	55.7	1670	20.2	17.6	0.001	0.13	8.48	2.5	3.7	1.5	32.3	<0.01	0.30	0.8
ZZ12179		0.72	39.1	1290	60.2	14.9	0.001	0.11	27.9	4.4	3.2	1.6	39.2	<0.01	0.20	2.0
ZZ12180		0.66	15.3	820	11.0	11.0	<0.001	0.10	2.35	1.3	1.6	0.9	18.5	<0.01	0.10	0.5
DD027851		0.41	6.9	440	6.0	8.9	<0.001	0.04	0.55	0.5	0.4	0.3	20.1	<0.01	0.04	<0.2
DD027852		1.11	12.0	560	15.6	24.5	<0.001	0.05	1.05	1.6	0.6	0.8	20.7	<0.01	0.08	1.1
DD027853		1.07	22.3	660	27.7	11.6	0.001	0.09	1.42	1.4	1.2	1.6	33.9	0.01	0.08	1.0
DD027854		1.36	15.4	480	14.7	29.0	<0.001	0.02	1.71	1.8	0.6	1.4	17.5	<0.01	0.12	1.3
DD027855		1.58	26.1	430	10.8	26.6	<0.001	0.02	2.01	3.2	0.7	1.2	41.5	<0.01	0.18	3.3
DD027856		0.26	3.2	550	3.0	3.7	<0.001	0.03	0.31	0.2	0.3	0.2	6.7	<0.01	0.02	<0.2
DD027857		0.20	8.5	920	11.4	12.6	<0.001	0.06	1.23	0.2	0.6	0.9	13.3	<0.01	0.07	<0.2
DD027858		0.45	5.3	370	4.3	4.3	<0.001	0.03	0.40	0.7	0.5	0.7	22.5	<0.01	0.03	0.3
DD027859		0.88	30.7	960	30.5	18.3	0.001	0.13	3.92	2.5	4.2	1.6	30.8	<0.01	0.17	1.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ12150		0.037	0.16	1.23	40	3.77	4.34	41	1.0
ZZ12151		0.039	0.20	2.28	67	2.95	11.75	192	0.6
ZZ12152		0.027	0.08	0.83	28	1.99	1.98	26	<0.5
ZZ12153		0.061	0.14	2.58	133	35.6	5.41	77	0.6
ZZ12154		0.043	0.25	4.75	149	54.5	12.85	144	1.0
ZZ12155		0.036	0.40	13.55	115	5.24	18.45	177	1.0
ZZ12156		0.033	0.26	6.52	85	0.76	12.15	260	1.0
ZZ12157		0.023	0.51	7.51	93	0.77	22.2	478	1.5
ZZ12158		0.011	0.12	2.18	48	0.21	2.85	33	<0.5
ZZ12159		0.038	0.10	1.65	96	0.73	4.48	133	<0.5
ZZ12160		0.027	0.17	2.24	80	0.88	18.45	404	0.9
ZZ12161		0.042	0.31	1.93	86	0.30	9.41	499	1.3
ZZ12162		0.032	0.29	1.60	86	0.32	6.40	328	0.6
ZZ12163		0.026	0.19	0.96	43	0.27	16.95	156	<0.5
ZZ12164		0.039	0.20	1.73	68	0.22	9.00	182	<0.5
ZZ12165		0.025	0.12	0.99	46	0.14	3.70	68	<0.5
ZZ12166		0.041	0.16	0.66	61	0.24	2.70	75	<0.5
ZZ12167		0.029	0.17	0.50	67	0.25	2.70	68	<0.5
ZZ12168		0.007	0.10	0.44	51	0.21	3.10	189	<0.5
ZZ12169		0.025	0.10	0.50	83	0.23	2.70	127	<0.5
ZZ12170		0.023	0.30	3.20	102	0.31	7.97	176	<0.5
ZZ12171		0.011	0.02	0.25	8	<0.05	0.45	9	<0.5
ZZ12172		0.016	0.16	4.53	57	0.60	13.05	470	3.4
ZZ12173		0.033	0.10	1.09	37	0.21	1.94	61	0.5
ZZ12174		0.028	0.22	1.53	49	0.54	5.78	196	1.7
ZZ12175		0.030	0.18	2.55	54	0.98	5.24	223	2.0
ZZ12176		0.037	0.51	12.45	223	2.00	14.20	257	1.5
ZZ12177		0.019	0.28	4.69	101	0.27	7.00	68	<0.5
ZZ12178		0.040	0.32	3.82	88	0.52	10.05	219	0.6
ZZ12179		0.037	0.25	4.66	63	0.45	7.99	200	0.8
ZZ12180		0.041	0.16	1.11	54	0.47	3.31	81	<0.5
DD027851		0.024	0.08	0.55	22	0.17	1.38	28	<0.5
DD027852		0.052	0.16	0.62	55	0.41	2.72	95	0.6
DD027853		0.038	0.13	1.13	33	0.55	3.96	99	1.9
DD027854		0.072	0.15	0.64	56	0.41	3.56	86	0.6
DD027855		0.081	0.18	0.71	60	0.66	4.12	100	0.7
DD027856		0.019	0.04	0.26	15	0.09	0.98	19	<0.5
DD027857		0.010	0.14	0.57	44	0.20	1.91	56	<0.5
DD027858		0.021	0.07	0.39	15	0.11	1.12	24	0.6
DD027859		0.042	0.23	2.17	221	0.45	5.66	277	0.6

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-TL43 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD027860		0.32	0.007	0.46	0.37	10.7	<0.2	<10	450	0.10	0.36	0.03	0.58	10.70	1.6	6
DD027861		0.24	0.008	0.37	1.34	27.3	<0.2	<10	760	0.68	7.17	0.06	4.53	20.2	7.0	20
DD027862		0.20	0.004	2.09	0.74	21.3	<0.2	<10	720	0.47	0.48	0.33	10.95	9.24	8.7	11
DD027863		0.24	0.003	0.49	0.75	42.9	<0.2	<10	190	0.32	2.28	0.15	2.05	10.40	14.7	7
DD027864		0.20	0.002	0.21	0.36	10.0	<0.2	<10	110	0.09	0.52	0.04	0.24	6.34	1.0	5
DD027865		0.18	0.004	0.89	0.68	47.1	<0.2	<10	1420	0.23	1.13	0.30	0.31	13.70	4.3	8
DD027866		0.28	0.002	0.57	1.74	115.0	<0.2	<10	430	0.70	0.67	0.11	1.38	37.1	6.3	25
DD027867		0.22	0.004	0.74	2.28	131.5	<0.2	<10	520	1.82	1.37	0.27	6.17	59.1	25.7	24
DD027868		0.24	0.002	4.90	2.22	80.5	<0.2	<10	720	1.19	2.13	0.59	20.3	24.9	8.9	63

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD027860		1.85	16.3	1.58	2.90	<0.05	<0.02	0.04	0.013	0.05	5.9	1.2	0.03	36	1.48	0.02
DD027861		6.69	71.5	5.11	8.72	0.09	0.02	0.03	0.045	0.09	10.6	9.5	0.31	296	11.05	0.03
DD027862		2.97	48.2	1.26	2.52	0.05	<0.02	0.07	0.023	0.04	5.7	6.4	0.16	302	3.28	0.03
DD027863		1.15	29.1	1.41	3.26	<0.05	<0.02	0.06	0.032	0.03	5.1	6.7	0.10	946	0.91	0.02
DD027864		1.24	17.8	0.55	1.95	<0.05	<0.02	0.04	0.009	0.04	3.3	1.6	0.05	26	1.04	0.03
DD027865		1.12	49.3	1.05	2.83	<0.05	<0.02	0.07	0.040	0.04	7.2	4.4	0.10	144	4.73	0.03
DD027866		4.41	44.1	4.02	8.43	0.12	<0.02	0.04	0.115	0.31	20.1	19.6	0.53	207	16.60	0.02
DD027867		5.22	126.0	8.26	5.95	0.17	0.02	0.03	0.135	0.26	32.1	36.5	0.55	613	10.90	0.01
DD027868		2.85	66.5	5.19	7.87	0.10	0.02	0.06	0.289	0.05	14.5	23.4	0.76	558	7.56	0.02

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD027860		0.23	5.6	320	5.9	5.4	<0.001	0.04	0.93	0.4	0.7	0.6	8.7	<0.01	0.04	<0.2
DD027861		1.19	31.9	780	13.4	14.7	<0.001	0.14	1.95	1.5	3.6	2.1	41.7	<0.01	0.43	0.5
DD027862		0.40	25.3	820	4.7	7.4	0.002	0.08	1.66	0.6	4.0	0.6	25.9	<0.01	0.05	<0.2
DD027863		0.47	10.9	580	6.2	7.6	<0.001	0.01	0.80	0.8	0.6	0.8	13.2	<0.01	0.10	<0.2
DD027864		0.19	3.0	340	4.1	5.3	<0.001	0.01	0.57	0.3	0.5	0.5	8.0	<0.01	0.03	<0.2
DD027865		0.37	9.0	450	10.5	5.9	0.001	0.04	3.79	0.6	1.7	2.1	35.7	<0.01	0.05	<0.2
DD027866		3.03	24.7	770	70.3	33.7	<0.001	0.22	11.00	3.1	2.8	1.6	42.2	<0.01	0.11	1.9
DD027867		1.21	98.4	1800	115.5	22.3	0.001	0.20	23.6	5.6	5.2	2.1	74.9	<0.01	0.13	2.0
DD027868		0.95	42.1	1280	1035	10.5	<0.001	0.06	36.8	2.2	5.8	9.6	34.3	<0.01	0.13	0.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
 LIMITED  
 1016-510 W HASTINGS ST  
 VANCOUVER BC V6B 1L8

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7-SEP-2011  
 Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD027860		0.023	0.08	0.31	39	0.20	0.97	45	<0.5
DD027861		0.062	0.18	1.87	89	0.68	5.39	133	0.8
DD027862		0.018	0.10	2.45	72	0.14	5.23	300	<0.5
DD027863		0.028	0.06	0.40	25	0.24	3.33	130	<0.5
DD027864		0.016	0.06	0.51	17	0.10	0.96	17	<0.5
DD027865		0.019	0.10	1.75	28	0.22	5.71	44	<0.5
DD027866		0.082	0.34	1.91	120	0.31	5.05	257	0.6
DD027867		0.030	0.33	2.92	85	0.29	18.15	1940	0.5
DD027868		0.034	0.19	1.27	97	0.33	9.41	2600	<0.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)  
LIMITED  
1016-510 W HASTINGS ST  
VANCOUVER BC V6B 1L8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 7-SEP-2011  
Account: F

Project: Lansing - Husky

**CERTIFICATE OF ANALYSIS WH11149862**

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

QMO 1104

Statement of Expenditures  
Husky 1-18 Mineral Claims  
March 16, 2010



Labour

S. Eaton (geologist) July 25 – 1 day @ \$560/day	\$ 588.00
R. Dreschler (field assistant) July 25 – 1 day @ \$440/day	462.00
S. Newman (field assistant) July 25 – 1 day @ \$336/day	<u>352.80</u>
	1,402.80

Expenses

Field room and board – 3 days @ \$125/day	393.75
Trans North Bell 206 – 4 hrs @ \$1025/hr plus fuel	4,903.50
ALS Chemex	<u>2,229.62</u>
	7,526.87

Total	<u>\$8,929.67</u>
-------	-------------------