COMMANDER RESOURCES LTD.

Assessment Report
for the Glenmorangie Exploration Project

Geochemical Survey and Prospect Mapping.

Watson Lake Mining District, Yukon Territory

UTM 527700/6874300 (North Block) & 534200/6865000 (South Block)
(UTM NAD 83 – ZONE 9)

NTS: 105I02, 105I01, 105H15 & 105H16

Work performed July 8th to August 26th 2011

Registered Owners: Gary Lee, Robert Scott, Ron Stack, Commander Resources Ltd.
Claim Numbers under Group Certificate number: HL 12321

Claim Name	Claim #	Grant Numbers	Claim Name	Claim #	Grant numbers
Scheer	1 to 10	YC93581 to YC93590	Swag	1 to 10	YD17383 to YD17392
Swag	11 to 12	YD17377 to YD17378	Swag	13 to 14	YD17379 to YD17380
LH	1 to 24	YC94943 to YC94966	LH	25 to 37	YC94967 to YC94979
LH	38 to 41	YC94981 to YC94984	Rubus	1 to 8	YD29576 to YD29583
Rubus	39 to 46	YD29614 to YD29621	RE	1 to 2	YD17381 to YD17382
Red Bluff	1 to 4	YC93593 to YC93596	Red Bluff	5 to 14	YE48027 to YE48036
Zanzibar	1 to 4	YC93597 to YC93600	Zanzibar	5 to 30	YE48001 to YE48026
Glen	1 to 150	YE36601 to YE36750			

S.Potts PGeo

February 10, 2012

Table of Contents

1	**Introduction**		1
	1.1	Location, Access, and Property Description	2
	1.2	Claim Information	3
	1.3	Physiography, Vegetation and Climate	11
2	**Previous Investigation**		11
3	**Geology**		
	3.1	Regional	13
4	**2011 Exploration**		
	4.1	Mapping and Prospecting	
	4.2	Data Collection	15
	4.3	Sampling Method and Approach	15
	4.4	Sample Preparation, Analysis and Security	16
5	**Results**		16
	5.1	Geological Mapping	18
	5.2	Soil sampling program	21
	5.3	Rock Sampling Program	25
	5.4	Stream Silt Sampling Program	26
6	**Interpretation**		
	6.1	Soil Results	27
	6.2	Rock Results	29
	6.3	Stream Silt Results	29
7	**Conclusion**		29
8	**Statement of Qualifications**		31
9	**References**		32
10	**Expenditures**		33

List of Tables

Table 1-Glenmorangie Claim Information	5
Table 2-Detection Limits for ME-MS41 in ppm (Rock samples)	17
Table 3-Detection limits for ME-MS41L in ppm (Soil Samples)	17

List of Maps & Figures

Figure 1. Glenmorangie Property Location Map	1
Figure 2a. Glenmorangie North and South Blocks	2
Figure 2b. Glenmorangie Claim Map North Block	3
Figure 2c. Glenmorangie Claim Map South Block	4
Figure 3. Regional geology and stratigraphic relationships.	14
Figure 4. Toadstool Mountain anomalous Au soil sample results	22
Figure 5. Dull Spur anomalous Au samples	23
Figure 6. Anomalous Au in rock samples	25
Figure 7. Dull Spur and the plateau with several visible fault traces	28
Figure 8. Glennmorangie Property Work Coverage	34
Maps 1 to 6 Soil Sample Maps (Au, As, Ag, Cu, Pb, Zn)	back pocket
Maps 7 to 12 Rock Sample Maps (Au, As, Ag, Cu, Pb, Zn)	back pocket
Map 13 Geology Map	back pocket

List of Appendicies

Appendix 1. Rock Sample Locations and Field Notes
Appendix 2 Soil and Stream Sample Locations
Appendix 3. Stream Sample Results
Appendix 4. Assay Certificates

1 Introduction

This report is a summary of exploration work carried out on Commander Resources' Ltd, Glenmorangie (GM) Project. This first year project covered geological mapping, grid soil sampling and stream sediment sampling testing for the presence of gold and base metals. A nine person camp was established along the Nahanni Range Road in the northwestern corner of the property. A total of 1,396 soils, 159 rock and 52 stream samples were taken. Landsat imagery was used as an aid in mapping and to identify faults and shear zones for ground follow-up. Data verification, statistical analyses and interpretation within this report is credited to Project Geologist, Darryn Hitchcock MSc.

1.1 Location, Access, and Property Description

The GM property is located in the southwest corner of the Yukon Territories (Fig 1), in the Little Hyland River Valley, a tributary to the more southern Hyland River Valley. The GM property is divided into a North and a South Block centered at 527700/6874300 and 534200/6865000 (UTM, NAD83. Zone 9) respectively on NTS map sheets 105I/1, 105I/2, 105H/15 and 105H/16.




Figure 1. Glenmorangie Property location map in relation to Watson Lake, Yukon Territory. Modified from Casselman and Halle (2010).

The property is located between the 155 and 180 kilometer mark on the all-season, gravel surfaced, Nahanni Range Road. This road is the access/service road for the Cantung Mine and historic Tungsten settlement (Northwest Territories). Nahanni Range Road is connected to the Robert Campbell Highway that leads south 110 km to the service town of Watson Lake (Population. 1200) on the Alaska Highway (Highway 3).

The 2011 exploration camp of Commander Resources Ltd was situated 400 m to the west of Nahanni Range Road at the ~175 km mark in a large road gravel quarry/maintenance pit located on the GM property (Fig 2a).




Figure 2a. Commander Resources' Glenmorangie North and South Blocks of the collective mineral claims. The 2011 camp and Cantung mining operation are circled. Nahanni Range Road is shown. (UTM, NAD83 Zone 9).

The GM property is a package of 5900 hectares along a 20km (NNW-SSE) section of land, divided into two blocks by a 3km gap. Between these two claim blocks lies the Golden Culvert property which is host to the original "main showing" first discovered by prospectors Gary Lee, along with Bob and Robert Scott. The GM property parallels, for the most part, Nahanni Range Road and the Little Hyland River Valley

1.2 Claim Information

The Glenmorangie property is spilt into two separate blocks, North and South as shown on Figures 2b and 2c. The claims have been grouped by Mr Gary Lee (HL12321) to make the claims contiguous.




Figure 2b Glenmorangie Claim Map North Block




Figure 2c Glenmorangie Claim Map South Claim Block

Commander owns or is optioning into the 277 claims listed in Table 1.

Table 1-Glenmorangie Claim Information

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YE48027	Quartz	RED BLUFF	5	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48028	Quartz	RED BLUFF	6	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48029	Quartz	RED BLUFF	7	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48030	Quartz	RED BLUFF	8	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48031	Quartz	RED BLUFF	9	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48032	Quartz	RED BLUFF	10	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48033	Quartz	RED BLUFF	11	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48034	Quartz	RED BLUFF	12	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48035	Quartz	RED BLUFF	13	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48036	Quartz	RED BLUFF	14	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YC93581	Quartz	SCHEER	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93582	Quartz	SCHEER	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93583	Quartz	SCHEER	3	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93584	Quartz	SCHEER	4	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93585	Quartz	SCHEER	5	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93586	Quartz	SCHEER	6	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93587	Quartz	SCHEER	7	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93588	Quartz	SCHEER	8	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93589	Quartz	SCHEER	9	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93590	Quartz	SCHEER	10	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93593	Quartz	RED BLUFF	4	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93594	Quartz	RED BLUFF	3	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93595	Quartz	RED BLUFF	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93596	Quartz	RED BLUFF	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17377	Quartz	SWAG	11	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	10/8/2010	10/5/2014
YD17378	Quartz	SWAG	12	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	10/8/2010	10/5/2014
YD17379	Quartz	SWAG	13	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	1/9/2010	1/3/2016
YD17380	Quartz	SWAG	14	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	1/9/2010	1/3/2016
YD17383	Quartz	SWAG	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17384	Quartz	SWAG	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17385	Quartz	SWAG	3	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17386	Quartz	SWAG	4	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17387	Quartz	SWAG	5	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17388	Quartz	SWAG	6	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17389	Quartz	SWAG	7	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17390	Quartz	SWAG	8	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17391	Quartz	SWAG	9	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YD17392	Quartz	SWAG	10	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC94954	Quartz	LH	12	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94955	Quartz	LH	13	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94956	Quartz	LH	14	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94957	Quartz	LH	15	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94958	Quartz	LH	16	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94959	Quartz	LH	17	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94960	Quartz	LH	18	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94964	Quartz	LH	22	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94965	Quartz	LH	23	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017

Table 1 continued

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YC94966	Quartz	LH	24	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94967	Quartz	LH	25	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94968	Quartz	LH	26	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94969	Quartz	LH	27	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94970	Quartz	LH	28	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94971	Quartz	LH	29	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94972	Quartz	LH	30	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94973	Quartz	LH	31	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94974	Quartz	LH	32	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94975	Quartz	LH	33	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94976	Quartz	LH	34	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94977	Quartz	LH	35	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94978	Quartz	LH	36	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94979	Quartz	LH	37	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94981	Quartz	LH	38	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2018
YC94982	Quartz	LH	39	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2018
YC94983	Quartz	LH	40	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2018
YC94984	Quartz	LH	41	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2018
YC94943	Quartz	LH	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94944	Quartz	LH	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94945	Quartz	LH	3	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94946	Quartz	LH	4	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94947	Quartz	LH	5	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94948	Quartz	LH	6	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94949	Quartz	LH	7	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94950	Quartz	LH	8	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94951	Quartz	LH	9	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94952	Quartz	LH	10	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94953	Quartz	LH	11	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94954	Quartz	LH	12	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94955	Quartz	LH	13	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94956	Quartz	LH	14	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94957	Quartz	LH	15	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94958	Quartz	LH	16	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94959	Quartz	LH	17	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94960	Quartz	LH	18	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94961	Quartz	LH	19	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94962	Quartz	LH	20	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94963	Quartz	LH	21	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94964	Quartz	LH	22	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94965	Quartz	LH	23	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94966	Quartz	LH	24	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	22/07/2009	22/04/2017
YC94967	Quartz	LH	25	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94968	Quartz	LH	26	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YC94969	Quartz	LH	27	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	19/08/2009	19/05/2017
YD29576	Quartz	RUBUS	1	Gary Lee - 100%	10/8/2010	10/5/2014
YD29577	Quartz	RUBUS	2	Gary Lee - 100%	10/8/2010	10/5/2014
YD29578	Quartz	RUBUS	3	Gary Lee - 100%	10/8/2010	10/5/2014
YD29579	Quartz	RUBUS	4	Gary Lee - 100%	10/8/2010	10/5/2014
YD29579	Quartz	RUBUS	4	Gary Lee - 100%	10/8/2010	10/5/2014

Table 1 continued

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YD29580	Quartz	RUBUS	5	Gary Lee - 100%	10/8/2010	10/5/2014
YD29581	Quartz	RUBUS	6	Gary Lee - 100%	10/8/2010	10/5/2014
YD29582	Quartz	RUBUS	7	Gary Lee - 100%	10/8/2010	10/5/2014
YD29583	Quartz	RUBUS	8	Gary Lee - 100%	10/8/2010	10/5/2014
YD29614	Quartz	RUBUS	39	Gary Lee - 100%	10/8/2010	10/5/2014
YD29615	Quartz	RUBUS	40	Gary Lee - 100%	10/8/2010	10/5/2014
YD29616	Quartz	RUBUS	41	Gary Lee - 100%	10/8/2010	10/5/2014
YD29617	Quartz	RUBUS	42	Gary Lee - 100%	10/8/2010	10/5/2014
YD29618	Quartz	RUBUS	43	Gary Lee - 100%	10/8/2010	10/5/2014
YD29619	Quartz	RUBUS	44	Gary Lee - 100%	10/8/2010	10/5/2014
YD29620	Quartz	RUBUS	45	Gary Lee - 100%	10/8/2010	10/5/2014
YD29621	Quartz	RUBUS	46	Gary Lee - 100%	10/8/2010	10/5/2014
YD17381	Quartz	RE	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	1/9/2010	1/3/2016
YD17382	Quartz	RE	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	1/9/2010	1/3/2016
YC93597	Quartz	ZANZIBAR	4	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93598	Quartz	ZANZIBAR	3	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93599	Quartz	ZANZIBAR	2	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YC93600	Quartz	ZANZIBAR	1	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	28/09/2009	28/03/2016
YE48001	Quartz	ZANZIBAR	5	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48002	Quartz	ZANZIBAR	6	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48003	Quartz	ZANZIBAR	7	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48004	Quartz	ZANZIBAR	8	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48005	Quartz	ZANZIBAR	9	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48006	Quartz	ZANZIBAR	10	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48007	Quartz	ZANZIBAR	11	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48008	Quartz	ZANZIBAR	12	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48009	Quartz	ZANZIBAR	13	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48010	Quartz	ZANZIBAR	14	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48011	Quartz	ZANZIBAR	15	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48012	Quartz	ZANZIBAR	16	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48013	Quartz	ZANZIBAR	17	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48014	Quartz	ZANZIBAR	18	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48015	Quartz	ZANZIBAR	19	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48016	Quartz	ZANZIBAR	20	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48017	Quartz	ZANZIBAR	21	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48018	Quartz	ZANZIBAR	22	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48019	Quartz	ZANZIBAR	23	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48020	Quartz	ZANZIBAR	24	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48021	Quartz	ZANZIBAR	25	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48022	Quartz	ZANZIBAR	26	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48023	Quartz	ZANZIBAR	27	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48024	Quartz	ZANZIBAR	28	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48025	Quartz	ZANZIBAR	29	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE48026	Quartz	ZANZIBAR	30	Stack - 33.3%, Lee - 33.4%, Scott - 33.3%	26/04/2011	26/04/2012
YE36601	Quartz	GLEN	1	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36602	Quartz	GLEN	2	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36603	Quartz	GLEN	3	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36604	Quartz	GLEN	4	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36605	Quartz	GLEN	5	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36606	Quartz	GLEN	6	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012

Table 1 continued

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YE36607	Quartz	GLEN	7	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36608	Quartz	GLEN	8	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36609	Quartz	GLEN	9	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36610	Quartz	GLEN	10	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36611	Quartz	GLEN	11	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36612	Quartz	GLEN	12	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36613	Quartz	GLEN	13	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36614	Quartz	GLEN	14	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36615	Quartz	GLEN	15	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36616	Quartz	GLEN	16	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36617	Quartz	GLEN	17	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36618	Quartz	GLEN	18	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36619	Quartz	GLEN	19	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36620	Quartz	GLEN	20	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36621	Quartz	GLEN	21	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36622	Quartz	GLEN	22	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36623	Quartz	GLEN	23	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36624	Quartz	GLEN	24	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36625	Quartz	GLEN	25	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36626	Quartz	GLEN	26	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36627	Quartz	GLEN	27	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36628	Quartz	GLEN	28	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36629	Quartz	GLEN	29	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36630	Quartz	GLEN	30	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36631	Quartz	GLEN	31	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36632	Quartz	GLEN	32	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36633	Quartz	GLEN	33	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36634	Quartz	GLEN	34	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36635	Quartz	GLEN	35	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36636	Quartz	GLEN	36	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36637	Quartz	GLEN	37	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36638	Quartz	GLEN	38	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36639	Quartz	GLEN	39	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36640	Quartz	GLEN	40	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36641	Quartz	GLEN	41	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36642	Quartz	GLEN	42	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36643	Quartz	GLEN	43	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36644	Quartz	GLEN	44	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36645	Quartz	GLEN	45	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36646	Quartz	GLEN	46	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36647	Quartz	GLEN	47	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36648	Quartz	GLEN	48	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36649	Quartz	GLEN	49	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36650	Quartz	GLEN	50	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36651	Quartz	GLEN	51	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36652	Quartz	GLEN	52	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36653	Quartz	GLEN	53	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36654	Quartz	GLEN	54	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36655	Quartz	GLEN	55	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36656	Quartz	GLEN	56	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012

Table 1 continued

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YE36657	Quartz	GLEN	57	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36658	Quartz	GLEN	58	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36659	Quartz	GLEN	59	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36660	Quartz	GLEN	60	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36661	Quartz	GLEN	61	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36662	Quartz	GLEN	62	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36663	Quartz	GLEN	63	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36664	Quartz	GLEN	64	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36665	Quartz	GLEN	65	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36666	Quartz	GLEN	66	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36667	Quartz	GLEN	67	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36668	Quartz	GLEN	68	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36669	Quartz	GLEN	69	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36670	Quartz	GLEN	70	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36671	Quartz	GLEN	71	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36672	Quartz	GLEN	72	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36673	Quartz	GLEN	73	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36674	Quartz	GLEN	74	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36675	Quartz	GLEN	75	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36676	Quartz	GLEN	76	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36677	Quartz	GLEN	77	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36678	Quartz	GLEN	78	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36679	Quartz	GLEN	79	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36680	Quartz	GLEN	80	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36681	Quartz	GLEN	81	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36682	Quartz	GLEN	82	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36683	Quartz	GLEN	83	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36684	Quartz	GLEN	84	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36685	Quartz	GLEN	85	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36686	Quartz	GLEN	86	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36687	Quartz	GLEN	87	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36688	Quartz	GLEN	88	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36689	Quartz	GLEN	89	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36690	Quartz	GLEN	90	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36691	Quartz	GLEN	91	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36692	Quartz	GLEN	92	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36693	Quartz	GLEN	93	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36694	Quartz	GLEN	94	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36695	Quartz	GLEN	95	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36696	Quartz	GLEN	96	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36697	Quartz	GLEN	97	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36698	Quartz	GLEN	98	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36699	Quartz	GLEN	99	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36700	Quartz	GLEN	100	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36701	Quartz	GLEN	101	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36702	Quartz	GLEN	102	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36703	Quartz	GLEN	103	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36704	Quartz	GLEN	104	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36705	Quartz	GLEN	105	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36707	Quartz	GLEN	107	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012

Table 1 continued

Grant Number	Tenure Type	ClaimName	Claim #	Claim Owner	Issue Date	Expiry Date
YE36708	Quartz	GLEN	108	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36709	Quartz	GLEN	109	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36710	Quartz	GLEN	110	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36711	Quartz	GLEN	111	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36712	Quartz	GLEN	112	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36714	Quartz	GLEN	114	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36715	Quartz	GLEN	115	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36716	Quartz	GLEN	116	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36717	Quartz	GLEN	117	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36718	Quartz	GLEN	118	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36719	Quartz	GLEN	119	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36720	Quartz	GLEN	120	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36721	Quartz	GLEN	121	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36722	Quartz	GLEN	122	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36723	Quartz	GLEN	123	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36724	Quartz	GLEN	124	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36725	Quartz	GLEN	125	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36726	Quartz	GLEN	126	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36727	Quartz	GLEN	127	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36728	Quartz	GLEN	128	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36729	Quartz	GLEN	129	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36730	Quartz	GLEN	130	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36731	Quartz	GLEN	131	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36732	Quartz	GLEN	132	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36733	Quartz	GLEN	133	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36734	Quartz	GLEN	134	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36735	Quartz	GLEN	135	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36736	Quartz	GLEN	136	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36737	Quartz	GLEN	137	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36738	Quartz	GLEN	138	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36739	Quartz	GLEN	139	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36740	Quartz	GLEN	140	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36741	Quartz	GLEN	141	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36742	Quartz	GLEN	142	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36743	Quartz	GLEN	143	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36744	Quartz	GLEN	144	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36745	Quartz	GLEN	145	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36746	Quartz	GLEN	146	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36747	Quartz	GLEN	147	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36748	Quartz	GLEN	148	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36749	Quartz	GLEN	149	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012
YE36750	Quartz	GLEN	150	Commander Resources Ltd. - 100%	26/05/2011	26/05/2012

1.3 Physiography, Vegetation and Climate

The property is located in the Logan Mountains of the eastern Yukon Territory. The topography of the area consists of broad U-shaped valleys between steep mountain ranges oriented NNE to SSW. Broad secondary valleys with a WSE-ENE trend are also present which contain numerous North-South trending gorge-like tributaries. Elevations on the GM property range from ~1150 to 2100 metres above sea level. Observations of topographic high points and slopes of the project area show rounded hills exist below ~1600 m, whereas steep and jagged slopes characterize higher elevations. As such, this contrast in topography indicates an approximate maximum ice level during the last glaciation.

Lower slopes are vegetated, covered with spruce and pine that grade upward with elevation to willow, dwarf birch, grasses, moss (Reindeer Moss) and lichens. Vegetation in the four low-level valleys consists of thick scrubby vegetation due to pervasive wet and damp conditions underfoot. Steeper slopes are covered by talus, felsenmeer and isolated exposures of bedrock.

The area receives generally high annual precipitation of approximately 450 millimeters. Snow generally begins accumulating in alpine areas in late September, while the snow pack starts to recede in late April to early May, normally allowing fieldwork to commence at lower elevations in mid-May. Temperatures range from +30°, in the summer months, to -50° Celsius, in the winter months.

The local climate during 2011 field season was of almost constant unsettled weather. Rain showers occurred daily usually in the early mornings and late afternoons. Two periods of two to three days of persistent rain occurred making soil sampling in valleys dangerous due to high and fast streams. Constant sunshine was rarer with only four days having temperatures in the low to mid 20's (Celsius). By mid-August vegetation coloring was noticeably changing with temperatures consistently below 10°C during the day. Snow occurred twice during the project on the upper slopes melting within hours.

2 Previous Investigation

The following is an extract from a 2010 report prepared by Casselman and Halle (2010) on behalf of Gary Lee et al., covering his period of work on their claims, some of which are now incorporated into Commander's GM package.

The region has a long history of exploration beginning with the discovery of the Tungsten Mine in 1954 and the initiation of production in 1962.

The Yukon Minfile (DIAND, 2002) lists one mineral occurrence within 5 km of the property; the Ricardo Showing. It occurs approximately 3 km south of the Culvert Property and is described as an unmineralized ferricrete gossan occurring within an area underlain by Cretaceous granodiorite that intrudes Cambrian slates and phyllites. The gossan was originally staked by

Canada Tungsten Mining Corporation Ltd in 1961. There is no record of Canada Tungsten doing any additional work on the property and it was later allowed to lapse.

The Ricardo Showing was later re-staked by Mr. A. Black, in 1980, as the Kay claims, then in 1981 as the Lynx claims by Mr. E. Broadhagen. In each case, there is no record of work being performed on the property and the claims were allowed to lapse.

The most significant exploration activity in the area has been at the Tuna property, located 12 km southeast of the Golden Culvert property. It was originally staked in 1981 by Union Carbide Exploration Ltd and has been explored for placer gold, skarn-type tungsten, and lode gold. The property is underlain by a Cretaceous granodiorite stock that intrudes Cambrian slates, phyllites and siltstones of the Hyland Formation. Union Carbide performed stream sediment sampling, rock and soil sampling, geological mapping and prospecting on the property in 1982. This work identified numerous scheelite, molybdenite and chalcopyrite mineralized occurrences, often associated with quartz-tourmaline veins. However, Union Carbide later allowed the claims to lapse.

In 1989, Noranda Exploration Canada Limited re-staked the Tuna property but did not perform any work. These claims were also allowed to lapse. The property was subsequently staked by Kokanee Explorations Ltd in 1991. Kokanee conducted a program of prospecting mapping and sampling in 1992 and then changed its name to Consolidated Ramrod Gold Corporation later that year. In 1993, Consolidated Ramrod performed a limited amount of lithogeochemical and stream sediment sampling, which returned weak to moderately anomalous gold results.

Gold was first discovered by Robert Scott while panning in the creek at the culvert on the Nahanni Range road in 1984. The first claims were staked on the Golden Culvert property in September of 2005 and added on to in 2006, 2008 and 2009. In 2006, 2007 and 2008, Mr. Lee conducted exploration programs consisting of prospecting, stream sediment, soil and rock sampling. This work returned anomalous gold and arsenic values. The 2008 exploration program was successful in tracing gold mineralization to outcrop on the east side of the property.

In 2011 Commander Resources Ltd optioned 127 claims from Gary Lee and Robert Scott. In May 2011, Command staked 150 claims, known as Glen, to make up what is now called the Glenmorangie property.

3 Geology

The following text is from recent assessment reports on the property, originally sourced from regional geological maps by Gordey et al, (2000), descriptions by Heon, (2007) and Hart and Lewis, (2005).

3.1 Regional

The GM property is located within the Selwyn Basin that is part of the cordilleran miogeocline characterized by thick accumulations of clastic sediments with a significant component of

deepwater black shale and chert (Heon, 2007). These basinal rocks interfinger with, and are bound by, shallower-water platformal carbonates. The Selwyn Basin is bound to the north by the Dawson Fault, grades into platformal facies to the east (Mackenzie Platform) and southwest (Cassiar Platform). The basin may be bound by a Mesozoic thrust fault separating it from Yukon-Tanana Terrane in the Anvil district, and is offset to the southwest by the Tintina Fault. The sediments range in age from Precambrian to Jurassic (Heon, 2007) and lie within the Omineca Belt of the Northern Cordillera (Hart, 2002).

The GM property is underlain by Upper Proterozoic to Lower Cambrian dark brown, fine-grained and thinly-bedded, argillaceous sandstone and siltstone with minor, interbedded, medium- to coarse grained, white to light grey orthoquartzite, phyllite, slate and argillite of the Vampire Formation (uPCV) (Fig 3) (Gordey, et. al., 2000). The Hyland Group (PCH) rocks are located to the west across the March Fault, a major suture zone inferred to be located underneath quaternary gravels and sediments of the Little Hyland Valley.

Northeast of the property, in the area of the Tungsten Mine, younger sedimentary rocks of the Lower Cambrian Sekwi Formation (lCS), the Lower Cambrian Gull Lake Formation (lCG), the Upper Cambrian to Ordovician Rabbitkettle Formation (COR) and the Ordovician to Lower Devonian Road River Formation (ODR) occur. The Sekwi Formation consists of limestone conglomerates, massive grey dolostones, medium to thickly-bedded quartz sandstones, purple siltstones with bright orange weathering, and finely-crystalline dolostones. The Gull Lake Formation consists of shale, siltstones and mudstones; minor quartz sandstones; rare green-grey chert; local basal limestone and limestone conglomerates; and phyllites to quartz-muscovite-biotite schist. These units are overlain by thinly-bedded, wavy, banded, silty limestone and grey lustrous calcareous phyllites; limestone; intraclast breccias and conglomerates; massive to laminated, grey quartzose siltstones and chert; rare black slates; and local mafic flows, breccias, and tuffs of the Rabbitkettle Formation. The Rabbitkettle Formation is, in turn, overlain by black-, gun-blue-, or silvery-white-weathering of black graptolitic shale and chert; resistant grey weathering of medium to thinly-bedded, light grey to black, greenish grey, or turquoise chert; and minor argillaceous limestone's of the Road River Formation.

This package of sedimentary rocks is intruded by resistant, blocky, fine to coarse grained, equigranular to K-feldspar porphyritic, biotite-quartz monzonite and granodiorite; minor quartz-diorite; minor leuco-quartz monzonite; and syenite of the mid-Cretaceous Selwyn Plutonic Suite. It is often contended that these intrusions have driven gold-bearing mineralizing fluids within the Tombstone Gold Belt (TGB) (Hart and Lewis, 2005). However, the northwest-trending thrust faults that dominate the structural pattern in the region contain sutures that may play host to gold mineralization under a Mesozoic gold model, this scenario is outlined in Hart and Lewis (2006).




Figure 3. The regional geology and stratigraphic relationships of the area with the Vampire Formation of Glenmorangie property shown. From Hart and Lewis (2005).

The most significant mineralization in the area are the ore bodies of the Tungsten Mine. The ore formed in carbonate-bearing sedimentary rocks by tungsten-bearing fluids of mid-Cretaceous Selwyn Suite intrusions. This resulted in tungsten-rich, pyrrhotite skarns along the margins of the intrusions. The original, pre-production resource at the Tungsten Mine was 9 Mt with a grade of 1.42% WO_3.

At the Tuna property, molybdenite, scheelite, arsenopyrite, bismuthinite, chalcopyrite, chalcocite, pyrrhotite, gold and silver occur in quartz and quartz-tourmaline veins and in small skarn alteration zones along the margins of the Hyland Intrusion (Doherty and vanRanden, 1994).

Regional airborne magnetic surveys show moderately-strong, northwest-trending magnetic features that transect the property; the cause of the features are postulated to be either buried intrusions, a regional structure, a lithologic change or broad alteration assemblages.

In 1996, following the results of a government-funded regional stream sediment sampling program, large claim groups were staked to cover anomalous gold and arsenic concentrations in the Hyland Valley area. Approximately 10 kilometres east of the Little Hyland River valley, Phelps Dodge staked the Hy claims over the highest arsenic anomaly. Ensuing soil and rock sampling returned gold values as high as 3.7 g/t in arsenopyrite-bearing, quartz-veined meta-sediments of the Hyland Group. That same year, Westmin Resources Ltd staked the Fer claims, east of the Hy claims, citing silicified pyrite+/- arsenopyrite quartz vein stockwork zones as hosting the majority of significant gold concentrations. The Sprogge claims, approximately

25 kilometres south of the Little Hyland Reconnaissance Project area, were also staked that year over similarly-described mineralization.

4 2011 Exploration

CJL Enterprises of Smithers, BC was contracted to supply and install a base camp along the Nahanni Range Road on the west side of the Glennmorangie North Block. Mobilization commenced July 9th . The Commander crew comprised Darryn Hitchcock (project geologist), Cameron Norton (field geologist), Stu Deroche (prospector), Jim Harris (field assistant), Shane Daniels (sampler), Clayton Hill, (sampler), Tristan Sanders (field tech), Chris Woerhle (field tech) and Joanne O'Hara (cook). Access to the property was by truck and on foot. A Heli-Dynamics Ltd, 206C Long Ranger based At the Norther Tiger 3ACE base camp along the Nahanni Range Road was used to mobilize personnel to more distant areas of the property. Steve Potts P.Geo, VP Exploration and oversaw project planning and implemention and spent several days on the proprety in July. Demobilization of all personnel and the camp was completed on August 30th. All materials including tent floors were removed from the camp site.

4.1 Mapping and Prospecting

Geological mapping was completed by Cam Norton and Darryn Hitchcock. Geological traverses are shown on Fig. 8.

4.2 Data Collection

Fifty two standard stream samples were taken and an additional six Heavy Metal Concentrates (HMC) were also collected. A number of streams represented on maps were not flowing and where possible, sediment collected. Other streams flowed beneath talus slopes and could not be accessed.

Mapping of areas of geological and mineralized interest were prioritized. Rock 'grab' sampling was conducted during mapping. Outcrops were accessed by vehicle, foot or by helicopter. A total of 159 rock samples were taken during mapping focusing on veins, shear/fault zones and different lithologies showing any possible visual mineralization or potential to host mineralization.

A property-wide soil sampling program was the main priority for the 2011 GM project. Initially soil sampling focused on the four major ~SW-NE orientated valleys cutting the property, all perpendicular to the regional geological strike. East West oriented sample lines were spaced every 200m with soil samples being taken every 100m along each line. Duplicate samples were taken every 20th sample. Isolated plateaus, hills and peaks accessed by helicopter were also sampled. Select areas were sampled at 100 m intervals on 200 m spaced GPS grid whilst ridge lines and spurs were also traverse sampled at ~50m spacing. A total of 1,369 soil samples are able to be plotted including samples that are downslope from actual claim boundaires.

4.3 Sampling Method and Approach

Soil samplers used a hand auger to auger into ideally the B horizon. Kraft bags were used for soil collection and labelled at the site of collection. Lab sample tickets were placed within the Kraft bags.

In some locations, especially higher up on slopes and in the larger valleys, the B horizon was non-existent due to the slow soil development and the exposed nature of these locations to erosion. In valleys the C horizon did not exist as these areas are underlain by glacial and more recent fluvial outwash. Samples were taken at the designated locations to maintain consistency of the grid and sampled for mobile elements.

Stream sampling locations were pre-designated on streams flowing into the northern most valley as a number of potentially mineralized areas flank this valley. Samples were systematically located 500m apart on the targeted tributary streams. The other main valleys, having limited potential for systematic stream sampling, due to limited tributaries, were sampled during the soil sampling program. Numerous tributaries draining the steep sloped valley flanks had only sub-surface flow and were consequently unable to be sampled.

Heavy mineral concentrates (HMC) were collected at 6 sites. Selection of sample locations was based on the catch basin, accessiblity and availablity of material for sampling. HMC samples were prescreened to <3.35 mm (6 mesh) or 2.0 mm (10 mesh) in the field.

The rock samples taken were all grab samples, representative of that location and/or the visual mineralization. Mineralized lithologies, veins, mineralized halos around veins, fractures and fault zones were sampled. Data, sample location, coordinates and descriptions were written onto the sample tag books and into notebooks. Rock sample data were entered into an excel spreadsheet.

4.4 Sample Preparation, Analysis and Security

In camp, damp soil and stream samples were placed near a heater on a sloped board for runoff and drying. Soils, bundled in sets of 10 in large sample bags were loaded into rice sacks for transport. Rice sacks were closed using zap ties and sealed over using duct tape. Submission forms were included within the rice sacks or hand delivered.

Sample preparation was usually undertaken by ALS Minerals lab in Whitehorse, YT. However, due to their heavy workload several batches of samples were transported to Vancouver, (BC), ALS Minerals for splitting and analysis.

Soil and stream sediment samples were sieved in a 180 um sieve (PREP41) then analyzed for 51 elements by Aqua Regia, Inductively Coupled Plasma Mass Spectroscopy (ICP-MS) and Inductively Coupled Plasma - Atomic Emission Spectrometry (ICP-AES) according to the ME-MS41L procedure. Gold detection limits of this procedure are 0.2-25 ppm.

Rock samples were processed by crushing to 70% <2 mm and pulverizing 200 grams of the <2 mm material to 85% <75 um (PREP31). The pulverized material was then analyzed by Aqua Regia, ICP-MS and ICP-AES (ME-MS41) for 51 elements. Samples that returned greater than

400 ppb gold were also analyzed by fire assay with AA finish according to the Au-ICP21 procedure.

Gold determinations by ME-MS41L and ME-MS41 are semi-quantitative due to the small sample weight (0.5g). Soil and stream results having >500 ppb were automatically re-analyzed for gold using fire assay and ICP-AES (Au-ICP21) using a nominal 30g sample with results ranging between 0.001-10 ppm. Table 2 and 3 below show the detection limits for all the elements assayed for using ME-MS41L and ME-MS41.

Table 2-Detection Limits for ME-MS41 in ppm (Rock samples)

Ag	0.01-100	**Cs**	0.05-500	**Mo**	0.05-10,000	**Sr**	0.2-10,000
Al	0.01%-25%	**Cu**	0.2-10,000	**Na**	0.01%-10%	**Ta**	0.01-500
As	0.1-10,000	**Fe**	0.01%-50%	**Nb**	0.05-500	**Te**	0.01-500
Au	0.2-25	**Ga**	0.05-10,000	**Ni**	0.2-10,000	**Th**	0.2-10,000
B	10-10,000	**Ge**	0.05-500	**P**	10-10,000	**Ti**	0.005%-10%
Ba	10-10,000	**Hf**	0.02-500	**Pb**	0.2-10,000	**Tl**	0.02-10,000
Be	0.05-1,000	**Hg**	0.01-10,000	**Rb**	0.1-10,000	**U**	0.05-10,000
Bi	0.01-10,000	**In**	0.005-500	**Re**	0.001-50	**V**	1-10,000
Ca	0.01%-25%	**K**	0.01%-10%	**S**	0.01%-10%	**W**	0.05-10,000
Cd	0.01-1,000	**La**	0.2-10,000	**Sb**	0.05-10,000	**Y**	0.05-500
Ce	0.02-500	**Li**	0.1-10,000	**Sc**	0.1-10,000	**Zn**	2-10,000
Co	0.1-10,000	**Mg**	0.1%-25%	**Se**	0.2-1,000	**Zr**	0.5-500
Cr	1-10,000	**Mn**	5-50,000	**Sn**	0.2-500		

Table 3-Detection limits for ME-MS41L in ppm (Soil Samples)

Ag	0.002-100	**Cs**	0.05-500	**Mo**	0.01-10,000	**Sr**	.02-10,000
Al	0.01%-25%	**Cu**	0.01-10,000	**Na**	0.01%-10%	**Ta**	0.01-500
As	0.02-10,000	**Fe**	0.01%-50%	**Nb**	0.05-500	**Te**	0.01-500
Au	0.0002-25	**Ga**	0.05-10,000	**Ni**	0.1-10,000	**Th**	0.1-10,000
B	10-10,000	**Ge**	0.05-500	**P**	10-10,000	**Ti**	0.001%-10%
Ba	0.5-10,000	**Hf**	0.02-500	**Pb**	0.01-10,000	**Tl**	0.02-10,000
Be	0.05-1,000	**Hg**	0.005-10,000	**Rb**	0.1-10,000	**U**	0.05-10,000
Bi	0.01-10,000	**In**	0.005-500	**Re**	0.001-50	**V**	1-10,000
Ca	0.01%-25%	**K**	0.01%-10%	**S**	0.01%-10%	**W**	0.0001-10,000
Cd	0.01-1,000	**La**	0.2-10,000	**Sb**	0.005-10,000	**Y**	0.05-500
Ce	0.02-500	**Li**	0.1-10,000	**Sc**	0.1-10,000	**Zn**	0.1-10,000
Co	0.1-10,000	**Mg**	0.01%-25%	**Se**	0.1-1,000	**Zr**	0.5-500
Cr	0.5-10,000	**Mn**	1-50,000	**Sn**	0.2-500		

A total of 6 samples were shipped to Overburden Drilling Management Limited, Nepean Ontario for processing and analyses. Lab weight of the samples ranged between 6.0 to 18.7 kg. All samples were processed for gold grain count and HMC. The analyses involved heavy liquid separation specific gravity: 3.3, and preparation of 0.18 to 0.25 mm and 0.25 to 0.5 mm nonferromagnetic heavy mineral fractions.

5 Results

5.1 Geological Mapping

(Refer to Figure 8 for traverse locations and to Map 13 for Geology (back pocket)

The GM property is underlain by Upper Proterozoic to Lower Cambrian dark brown to green, fine-grained and thinly-bedded, argillaceous sandstone and siltstone with minor, interbedded, medium- to coarse grained, white to light grey orthoquartzite, phyllite, slate and argillite of the Vampire Formation (uPCV). These fine grained sediments display bedding with normal grading observed giving a sense of way-up by variation in color of the banded sediments. The regional metamorphism is to the extent that phyllite now dominates and the protolithology no longer breaks along bedding planes but rather purely along cleavage planes. Cleavage development is associated with the sheet silicate alteration minerals with chlorite and sericite having formed perpendicular to compression. Minor calcite and iron-carbonate also occurs within veins, indicating carbonitization as a minor and localized alteration assemblage. Hand samples of sericite altered phyllite contained as much as ~5% pyrite as cubes, up to 16mm, formed from anaerobic depositional conditions.

Sandy grits/orthoquartzite occurs at various isolated locations on the Glenmorangie property. In addition to being poor to moderately rounded and sorted, this medium to coarse grained quartz-rich sandy unit also contains localized intercalations of calcite cement(?). The calcareous nature of this sediment is best interpreted as sandy lenses deposited within the basinal pelagic sediments. Minor argillite lenses occur within. Some lenses may be in fault contact with the phyllite but are generally thought to be conformable, interfingering phyllite. To the northeast, east and southeast of the high point of the North Block (Mt Doom) sandy grits occur in the greatest quantity where a NW-SE fault is observed cutting the summit and placing phyllite within fault contact with these sandy grits. Massive sandy grits are also observed outcropping down the south face of Mt Doom. It's hypothesized that this unit further extends into the southern valley of Mt. Doom based upon conversations with Gary lee (2011), who notes that the same unit is observed in the valley of the Golden Culvert property immediately north of this ridge.

A number of intrusive lithologies were discovered on the property. Along the northern boundary and underneath the Cantung Road (at the north of the property) at least two mafic intrusive units are present. Outcrops occur on the northern-most hill of the North Block and 50m south of the Nahanni Range Road near the small lake in the Northern Valley. These intrusive units are dark, medium to coarse grained with plagioclase phenocrysts, pyroxenes plus minor ferromagnesian minerals. The intrusive units are weak to moderately magnetic in the field and are obvious on the regional aeromagnetic map where W-E faults have displaced at least, the southern unit.

Albeit these two mafic units appear to be different, it's possible that they are differentiated from a common source.

In addition, felsic intrusive outcrops occur in the north, west and south of the property. The outcrops are considerably fault bounded with some outcrops appearing to have been significantly displaced. The first significant felsic intrusive is located in the western margin of the Southern Claim block and is comprised of a barren, unmineralized granodiorite/quartz-monzonite. In the northern claim block, a similar granodiorite unit is observed. However, contrary to the southern unit, this intrusive contains moderate sulphides along with intense copper mineralization locally.

Higher metamorphic alteration has developed schist grade lithology along regions proximal to felsic intrusives and some fault zones. In the north of the property, an E-W striking chlorite schist was often observed between the phyllite and intrusive units. The schist likely developed as a result of increased local temperature and pressure from faulting. On the contrary, in the southern claim blocks, regions of Hornblende-chlorite schist indicate higher pressure temperature conditions, possibly as a result of larger scale faulting or an intrusion. The grade of this schist gradually decreases back to phyllite and appears to represent a contact aureole. Development and lineation of minerals occurs along the fabric of both schist units. No visual mineralization is associated with the schist outcrops. Albeit, several variations of schist have been mapped with subtle differences, all have been included in geological mapping as one unit.

Other lithologies on the property of interest include one outcrop of diorite, possibly interpreted as a magmatic plug, along with two outcrops of quartz-pebbly conglomerate. The conglomerate units are located in the North Block, with one occurring along the Western slope of Toadstool Mountain, and the other to the North, along Nahanni Range Road. This conglomerate may be an individual unit or a larger grain size extension related to the sandy grits/orthoquartzites. Isolated mudstones also occur.

5.1.1 Mineralization

Geologic observations from the 2011 GM project, identify that sulphide mineralization is primarily associated with veins on the property. Multiple barren quartz veins were also discovered. These veins were often large, brittle, and lacked concise orientation, possibly due to their relatively early emplacement and later deformation. Smaller quartz veins are more variable, normally no more than 30cm wide, some with selvedge's that are stated by other workers of the area as possibly being mineralized. The selvedge's contained (or did) minute pyrite (Fe-ox after py) and were silicified(?) with localized minor carbonization. Other quartz veins had no selvedge. Both smaller veins types showed minor displacement along cleavage planes and earlier boudinage characteristics.

Arsenopyrite was found in some of the quartz veins, usually occurring as semi-massive clots reaching up to 20mm in diameter. These arsenic-bearing veins mostly occurred in phyllite throughout the property and were usually less than 30mm wide. The arsenopyrite usually occurred without other visual sulphide mineralization.

Copper mineralization in the form of chalcopyrite and malachite on the GM property is associated with intrusive units. Although the association between the mineralization and the intrusive is unknown, the intrusive may represent source, host or both. Chalcopyrite was found in the area of Crystal Ridge in large ~10-15mm clots. Mineralization occurred within a ~0.2-10cm wide euhedral quartz veins. At least two paralleling quartz veins are present in this outcrop. The outcrop appears to be wedge shaped with depth due to faulting and is bounded by the valley on either flank. Only one other felsic intrusive outcrop contained trace amounts of chalcopyrite within the matrix located one ridge west. This may be further evidence in support of primary copper mineralization.

Three similar orientated scorodite veins were found, all at the same location, at the western end of the North Block. These showed boudinage features and minor displacement, possibly the latter due to the unstable phyllite outcrop. Vein widths ranged from ~5cm to rarer ~15cm.

Minor galena and possible sphalerite (float) was found in veins in two areas. Galena found in the Red Bluffs area of the South Block is associated with a ~20mm quartz vein close to a fault/shear zone hosted in silicified phyllite(?). Also found in the area are semi-massive disseminated sulphide float boulders. One float, and one possible outcrop(?), was reported in the Toadstool Mountain area to have base metal mineralization.

5.1.2 Faulting

The property is endowed with a diverse array of faulting. Fault orientations occur in three main directions; NNE-SSW, E-W and N-S. An array of fault motion may be present on the property with lateral, thrusting and normal faulting.

The primary fault is the regional March Fault, postulated to lie dominantly under sediments of the Little Hyland Valley. Field observations suggest that outcropping felsic intrusives have possibly been displaced on the east side of the Little Hyland River due to lateral fault motion (roughly parallel to Nahanni Range Road). This lateral motion may indicate ~5km of displacement from the inferred intrusive source on the south boundary of the property.

A number of NNW-SSE faults observed in the field had steep dips to the SW and several major faults cutting the property, observed in aerial photographs, further indicate the nature of many faults to have W-SW-SSW dips. These perhaps have normal displacement. North and NW orientated faults are apparent in the northern part of the property and may displace felsic intrusives with lateral and normal fault motion. A similar orientated fault perhaps places conglomerate against phyllite in the west of the North Block. NE trending faults weakly offset other structures on the property and therefore, are the youngest of the structures observed.

5.1.3 Folding

Bedding measurements of the Vampire Formation meta-sediments indicate initial folded along a NNW-SSE orientated axial plane, paralleling the March Fault zone. Beds dip up to 45° but are generally shallower suggesting open and gentle fold tightness especially in the west of the North Block.

A secondary ~E-W cleavage orientation is moderately to intensely developed in the Northern Block. Isolated outcrops in the north of the North Block display small scale E-W axial plane orientated chevron folding related to compression. Larger folds also with an E-W axial plane occur throughout the North Block, one of these occurs at the southern end of the North Block encompassing Mt Doom.

These E-W trending folds are possibly only a property scale event where lateral fault motion to the north along the March Fault zone has caused compression possibly against the denser, deep rooted, mafic intrusives bordering the north boundary. Isolated E-W oriented thrusting has resulted in the north of the North Block where hard felsic intrusives have been thrusted over phyllite and themselves, wedging softer phyllite in between.

5.2 Soil Sampling Program

(Refer to Maps 1-6 (back pocket) for Soil Sample Locations and Results).

Soil maps have 1,369 plotted soil samples locations for Au, Ag, Cu, Pb and Zn. The gold indicator element As is also plotted based on the theory that this element is strongly associated with Au within the mineralized setting of the Little Hyland Valley. Data is plotted using a normal distribution curve with the >98th, >95th, >68th and >50th percentile in red, yellow, green and light blue respectively and all samples <50th percentile within detection limit are dark blue, all those under the detection limit are in black.

5.2.1 Au and As Results (Maps 1 & 2)

Nineteen soils samples returned results greater than the 98th percentile ranging from 15.05 to 131ppb with one in the >95th percentile at 13ppb. The area of greatest concentration of the >98th percentile cluster on the west facing slope of Toadstool Mountain in the north of the North Block (Fig. 4).

The northerly extent of this zone is proximal to a large slip scarp visible from the 2011 camp and is herein referred to as the Camp Zone. Anomalous Au samples include; K812774; 20.8ppm, K811955; 29.4ppb, K812759; 48.9ppb, K812761; 22.6ppb, K812226; 43.2ppb, K812764; 95.4ppb, K812234; 106ppb, K812231; 17.7ppb, K812490; 22.5ppb, and K812923; 93.8ppb. These samples are located higher up slope, are non-continuous, and follow the regional geological trend. Two other anomalous samples occur to the south and are inferred to be located in phyllite.

Significant As values are also clustered on the west face of Toadstool Mountain on the Camp Zone with the anomalous As area larger than the anomalous Au area with the former containing 25 samples ranged above the 98th percentile




Figure 4. Anomalous Au soil sample results from Toadstool Mountain. Several anomalous samples follow the geologic trend and are located at higher elevations of the ridge lines.

The second area of most interest regarding gold mineralization is located in the north-west corner of the South Block in an area known as Dull Spur (Fig 5).

The spur itself, paralleling the road, remains void of anomalous Au samples but the small plateau to the east has five >95th percentile samples; K812874, K812606, K812879, K812883 and K812179 (25.9, 13, 16.9, 131 and 35.4ppb respectively). Each of these samples is located proximal to visible NNW-SSE fault traces. No anomalous As values occur in this area.




Figure 5. Anomalous Au samples for Dull Spur and the small plateau. Anomalous samples follow NNW-SSE fault traces. Glenmorangie 2011 highest soil sample is located in this area with 131ppb..

Several other areas of localized single soil anomalous samples are present. Two anomalous samples K812106; 20.1ppb (529899/6871400) and K812104; 22.1ppb occur on the south facing slope of Mt Doom located in the southern valley of the North Block. This area may be underlain by sandy grits/orthoquartzite exposed at the summit of Mt Doom and are visible down sections of the South Face. The exact extent and contact between the sandy grits and phyllite is unknown and inferred in geological mapping. K812106 is also anomalous in As.

At the NW corner of the North Block a single >98th percentile sample (524999/6877200) is surrounded by samples with ranges <50th percentile. This is located at the base of a slope of outcropping phyllite and schist from the Beehive above, aerial photos show minor faulting in this area. To the south of this sample a 98th percentile sample (525301/687600) is almost surrounded by <50th percentile ranged samples apart to its north. An anomalous Au sample located at 528440/6874500 on the ridge line is associated with the felsic intrusive units and the main copper showing of Crystal Ridge. No anomalous As values occur at this location.

5.2.2 Ag Results. (Map 3).

Areas of notable Ag anomalies include the five anomalous silver samples of the Camp Zone, K811951; 0.349ppm, the most northerly sample, is located within the debris field of the slip. Two consecutive samples occur in the northern valley; K811518; 1.06ppm and K811517; 0.353ppm. Two anomalous samples on the south flank of Mt Doom, K812106; 0.406ppm and K812105; 0.496ppm, coincide with Au and As anomalies. At the west end of this valley, four >98th percentile silver samples (K812070; 0.375ppm, K811981; 0.638ppm, K812254; 0.886ppm and K811863; 0.46ppm) align N-S overlying possible phyllite that outcrops to the north.

In the South Block, Dull Spur has a number of scattered Ag anomalies, some coincide with Cu anomalies (Map 4), K813092; 0.553ppm, K812897; 0.375ppm and K812702; 0.348ppm. The northern valley of the South Block has numerous anomalies with four locations having paired anomalous results: K811897 (0.656 ppm) and K811896 (0.948 ppm): K812292 (0.647 ppm) and K812290 (0.501 ppm): K812283 (0.385 ppm) and K812282 (0.405 ppm): K811946 (0.375 ppm) and K811945 (0.395 ppm).

5.2.3 Cu Results. (Map 4).

In the North Block, the south slope of the North Hill has three >95th percentile samples at the base; K811559; 108ppm, K811556; 78.7ppm and K811568; 68.4ppm, these are associated with the mafic intrusive of this hill to the north. The Camp Zone has sporadic Cu values (K812219; 90.4ppm, K812220; 92.7ppm, K812222; 88ppm, K812226; 82.7ppm and K812396; 99.1ppm). At the west end of the southern valley of the North Block a duplicate sample, K811860 (237ppm) and K811861 (167.5ppm) and the more easterly K811862 (85.3ppm) occur with anomalous results.

In the South Block two areas show moderate areas of anomalous results, firstly, Dull Spur with Cu with five >98th percentile samples (K813092; 337ppm, K812865; 83.9ppm, K812866; 90.7ppm, K812897; 193ppm, and K812619; 94.9ppm) located in the NW corner over a 800m trend. This area was mapped as schist with no visible mineralization or veining noted in outcrops observed. The second area is the high peak of the South Block (535380/6863630) with two consecutive samples K812715 (84.1 ppm) & K812716 (139 ppm). These are situated above the Red Bluffs claims located down-slope to the south.

5.2.4 Pb Results. (Map 5).

Ridge line soils identified two anomalous zones on the peak of the South Block. One zone occurs above the Red bluffs claim area with samples, K812713, K812714 and K812715 (85.5, 598 and 255ppm) occurring. Just to the north two consecutive samples have >98th percentile Pb; K812637; 108.5ppm and K812707; 101.5ppm.

5.2.5 Zn Results. (Map 6).

Zn results do not show any anomalous areas of any extent. The NW corner of the North Block has a moderate clustering of samples below the Beehive. The northern valley of the South Block has sporadic Zn anomalies with a disassociated cluster in the valley bottom of the easterly Zanzibar claims. In the South Block samples K812715; 161.5ppm and K812713;

130ppm occur along the central ridge coinciding with the two high Pb samples already mentioned.

5.3 Rock Sampling Program

(Refer to Maps 7-12 (back pocket) for Rock Sample Location Maps and Results.).

The results from the 159 rock samples taken over the 2011 field season are plotted using a normal distribution curve with the >98th, >95th, >68th and >50th percentile in red, yellow, green and light blue respectively. Samples <50th percentile are in dark blue and those under the detection limit are represented by a black square.

Significant Au in rock sample results occur in the area around the head of the northerly draining cirque of Toadstool Mountain, 400m to the east of the Camp Zone. Two instances of anomalous Au in rock samples occur (Fig 6. & Map 7).




Figure 6. Anomalous Au in rock occur in and around the head of the small cirque. Those in subcrop are related to scorodite veins and the outcrop is a non-descript quartz vein.

The three grouped samples, K811694, K811704 and K812547 (Au, >95th percentile 900, 1100 and 1600ppb) are related to three Scorodite veins in subcrop that dip gently to the east and strike N-S direction. These veins cut bedrock fabric, show boudinage features and have late-

stage minor displacement. The outcrop has been subject to minor displacement down slope. The other significant sample, and highest Au value of the 2011 GM project is K813312 (4500ppb) from a quartz vein displaying moderate sulphides hosted in phyllite of the Vampire Formation.

The occurrence of As (Map 8), like Au, is limited to the North Block. Au samples with high As values include; K811694, K811704 and K812547 (>10000ppm) i.e. the Scorodite occurrence. Three other significant As samples are K812511, K811696 and K812549 with 3300 4800, >10000ppm respectively.

Ag (Map 9) occurs in the Red Bluffs area with samples, K812745; 32.7ppm, K813348; 63.6ppm (float boulders) and K813347; 39.7ppm, the latter in a 3cm quartz vein in silicified(?) phyllite outcrop in close proximity to an N-S fault lineament. Cu (Map 10) occurs in areas related to both mafic and felsic intrusive units. Samples K81330; 5790ppm and K813306; 2300ppm are hosted in mafic intrusives at the north of the property and are vein related while K813204; 3060ppm, K811706; 6160ppm and K813227; 3630ppm occur in the felsic intrusives. Albeit these felsic intrusives were float, they are known to occur at the location of localized, moderate to high Cu mineralization.

Pb anomalies (Map 11) occur on Toadstool Mountain as a float K811679 (10.65ppm) and at the Red Bluffs area with two float samples K813348 and K812745 the latter having >10000ppm. Sample K813347, from the quartz vein has 3340ppm Pb and 1180ppm Zn (Map 12). Float sample K812515 has 264ppm zinc.

5.4 Stream Silt Sampling Program

(Refer to Appendix 2 for Stream Sample Location Maps and Results)

Data is plotted using a normal distribution curve with the >98th, >95th, >68th and >50th percentile in red, yellow, green and light blue respectively with those <50th percentile are in dark blue. Below detection limit samples are plotted in black.

Two >95th percentile Au samples were taken (Au Map, Appendix 1), K812264 (8.3 ppb) located in the southern valley of the North Block is associated with a small tributary stream in the valley bottom. The second sample, K811748, has multiple >95th percentile mineral associations including; Au 4.1 ppb, As 154.5ppm, Ag 0.48ppm and Zn 177ppm.

Values of As (>95th percentile) include two from a northerly drainage K812063 (17.7ppm) and K812064 (8.28ppm) (As Map, Appendix 1) draining past the outcrop containing visible copper mineralization. Red Bluffs drainage has two anomalous silver samples, K811748 and K812676 (0.419ppm). Sample K813317 has 0.335ppm Ag sampled form runoff from a small rain induced stream laden with fine silts, draining the southern intrusive. In the north, anomalous sample K812058 (0.385ppm) was located in a northerly draining stream with phyllite and schist outcropping in this drainage but with known mineralized veining and faulting further up the drainage.

The northerly drainage stream with the mentioned visible copper mineralization is also host to the properties only stream zinc anomalies with three consecutive >95th percentile samples; K812063, K812064 and K812065 (9260, 3810 and 3390ppm respectively). K812063 and K812064 also have the properties anomalous Cu with 1730 and 555ppm. Red Bluffs samples, K811748 and K812676 have zinc values of 177 and 173.5 ppm.

Gold grains were found in three samples the best of which was Sample K813245 with 8 grains.HMC results for gold grains are tabulated below.

Sample Number	Number of Visible Gold Grains				Total Weight (g)	Calculated PPB Visible Gold in HMC			
	Total	Reshaped	Modified	Pristine		Total	Reshaped	Modified	Pristine
K-813243	0	0	0	0	6.6	0	0	0	0
K-813244	1	0	1	0	15.0	5	0	5	0
K-813245	8	5	3	0	6.3	20478	20347	131	0
K-813246	0	0	0	0	6.2	0	0	0	0
K-813247	1	0	1	0	2.3	162	0	162	0
K-813248	0	0	0	0	0.9	0	0	0	0

6 Interpretation

6.1 Soil Results

The Camp Zone has multiple soil anomalies of a variety of precious metals. These cannot be associated directly with field observations as outcrops were limited in this area due to colluvium. To the north of this anomalous zone is the large landslide that contains exposed phyllite along its headwall region. It is hypothesized that this phyllite along with lesser localized intercalations of conglomerate extend beneath this anomalous area. At the base of the slip along the roadside, anomalous samples were found during prospecting over the 2009-10 period by Gary Lee et. al., justifying the small Mag and VHF survey. These anomalous samples are within the debris field of the slip and no prospecting was known to have been conducted further up slope during 2009-10.

Given that the structure of the phyllite observed in the headwall of the slip is similar in orientation to other faults, the slip may have occurred along a west dipping fault plane. Lineament interpretation of the region via aerial photographs further supports this theory. The small subcrop of quartz-pebbly conglomerate is located on the south side of the slip chute, two-thirds of the way up, with visible barren quartz veins (see geological map, back flap). A 10m diameter outcrop of quartz-pebbly conglomerate with minor quartz veining (vein width <20mm) and argillite lenses is exposed roadside 200m further north along Nahanni Range Road. These two conglomerate outcrops conform to the regional geological strike but have no mineralization from the rock samples submitted for assay.

Values for As are surprisingly anomalous in this area. The As anomaly covers a ~1.6km strike length along the known geologic trend. Mineralization could be sourced from a vein (or vein system) or shear zone higher up slope where mobile arsenic has created an indicator halo to the more locally distributed gold. The Au to As relationship for individual samples shows a

variable relationship in this area with the majority of samples for this zone having either one or the other anomalous result, i.e. Au or As, but not usually a strong relationship of both this perhaps indicates the mobility of As in this setting.

The Dull Spur and its associated plateau have visible lineaments assumed to be fault traces (Fig 7) proximal to Au soil anomalies (Fig 5). A northerly and northwesterly orientated fault or shear zone could be responsible for these anomalous Au in soil samples. (geologic map; back flap). Dull Spur was mapped predominantly as schist with minor phyllite that outcrops on the westerly side in the valley near the road. Phyllite outcrops on the east side of the plateau at the base of the steep slope (Fig 7).




Figure 7. Looking NW up the Little Hyland River Valley across Dull Spur and the plateau with several visible fault traces. The fault traces have anomalous Au soil samples. Refer to Figure 5 for a map view of this area.

Two paired but isolated Au samples on the south flank of Mt Doom in the North Block possibly occur within sandy grits/orthoquartzite. The sandy grit/orthoquartzite lithology are known to host anomalous Au plus As on the nearby Sprogge property. Although no visible mineralization was evident in hand specimen the potential remains for this brittle lithology to host late stage mineralization.

The visible copper mineralization occurring in outcrop in several different locations on the property is in contrast to the Cu in soils of the Camp Zone and Dull Spur. Both zones have no visible mineralization but several anomalous soil samples possibly relating to undisclosed veining. The sandy grits below Mt Doom also have a Cu anomaly indicating that this single anomalous sample (also with Au and As) may be vein or shear zone hosted rather than lithological, i.e. a point source. Two consecutive copper in soils results occur above, and three below the Red Bluffs tributary on the valley bottom. Anomalous Pb, Zn and Ag samples above and below Red Bluffs further confirm this. Soil results of Ag, Pb and Zn generally have sporadic distribution throughout the property.

6.2 Rock Results

The Red Bluff claim area has shown to have a base metal affinity, both vein and possibly bedrock hosted as shown by disseminated sulphides of the float samples. The head of the cirque on Toadstool Mountain in the North Block has Au in two modes of vein occurrence: quartz and scorodite veining. Generally, a moderate As and Au relationship is present with the rock samples containing Au. However, rock sample K813312 significant Au with limited As suggesting there may or may not be a strong relationship between Au and As.

On the western slope of Toadstool Mountain two separate samples were found to contain anomalous base metals. Sample K811679 (float) was found to contain 3340ppm lead, along with sample K812515 (outcrop) which contained 264 ppm zinc. Other samples from this area show minor base metal anomalies. Given the pervasive colluvium cover in the area it's difficult to determine a source of the mineralization. However, results from the soil sampling in conjunction with localized rock sampling suggest either single or multiple veins may host the camp showings. Further investigation is required to find the host rock.

6.3 Stream Silt Results

From stream sampling, two drainages are apparent with anomalous polymetallic minerals: the northerly stream draining past the known visible copper mineralization of Crystal Ridge, and the southern drainage of the Red Bluffs claim. These stream/drainages are host to samples with two or more anomalous minerals. Stream sediments with Au are only present in the Red Bluffs stream and a tributary in the southern valley of the North Block. The 8 gold grains present in HMC sampling represents a large catchment area transecting the South Block .

7 Conclusion

- A variety of lithologies are present on the property. Several intrusive units are present, especially in the north, south and south-west margin. The felsic intrusives appear to be intimately associated with Cu mineralization; not only providing depositional areas for mineralization but also a potential fluid source. Other lithologies of potential mineralization of note are quartz pebbly conglomerate, sandy grits and mafic intrusive(s).
- A distinct variety of quartz veining observed on the property is indicative of at least two separate mineralizing events.
- The property has several series of faults; NNW - SSE is the dominant orientation and is most likely related to the March Fault. Other fault systems trend W-E and N-S.
- At least, two phases of folding have occurred; compressional motion perpendicular to the March Fault (WSW-ENE) and later parallel to the March Fault (~NNW-SSE), the latter may have resulted in the observed localized thrusting. Folding combined with multiple faults and fault blocks makes structural analysis/map plotting difficult.

- The GM property has the potential to host a variety of deposit styles; shear - vein style, intrusive-related gold systems (IRGS) and to a lesser degree SEDEX. Deposit analogies exist in the Yukon given the location of the property. The proximal Cantung deposit may have a distal influence on the property.

- Mineralized vein orientations are variable throughout the property and relate to individual areas and may be associated with different mineralization events

- Several areas of anomalous Au in soils are present, the most significant being the Camp Zone where the mode of mineralization is unknown but is speculated to be vein or shear hosted. The Dull Spur Zone and plateau show possibly anomalous Au related to lineations/fault traces. Further investigation is required.

- Red Bluffs and the ridge above have base metal mineral occurrence; high Pb, Zn, Ag with some Cu. Mineralization is associated with vein and disseminated sulphides .

- Arsenic as an indicator element for gold in soil sampling has mixed results. This may depend on host lithology or/and mineralization mode. Other indicator elements may be present. As and Au relationship in rock samples is variable.

8 Statement of Qualifications

I, Steve Potts, with busines address at Commander Resources Limited, 11th floor, 1111 Melville Street, Vancouver, BC V6E 3V6, hereby certify that:

- I am a practising Geologist.
- I graduated from Leeds University (U.K.) in 1988.
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (License 33654)
- I have been practising my profession as a Geologist since graduation.
- I have a direct interest in the operations of Commander Resources Ltd.
- I was directly involved with the planning, supervision and executing of the 2011 field program
- I have based this report on:
    - Field visits and logistical work carried out by myself
    - Statistical analyses, geological compilation and in-house report by Darryn Hitchcock
    - Additional assistance from Cameron Norton

Vancouver, British Columbia
February 10th 2012



9 References

Casselman, S. and Halle, J. 2010. 2009 Geochemistry and geophysics on the Golden Culvert property, Tungsten area, Yukon Territory. Mineral Assessment Report, 38p.

Flat River - 100m Magnetic Residual Total Field, Stewart Basin Exploration, 2010, Watson Lake Mining District.

Flat River - 100m Magnetic First Derivative, Stewart Basin Exploration, 2010, Watson Lake Mining District.

Gordey, S.P., Makepeace, A.J., (compilers), 2000. Yukon Digital Geology, Geological Survey of Canada, Open File D3826.

Hart, C., 2002. The geological framework of the Yukon Territory. Yukon Geological survey. http://www.geology.gov.yk.ca/

Hart, C.J.R. and Lewis, L.L., 2006. Gold mineralization in the upper Hyland River area: A non-magmatic origin. In: Yukon Exploration and Geology 2005, D.S. Emond, G.D. Bradshaw, L.L. Lewis and L.H. Weston (eds), Yukon Geological Survey, p. 109-125.


10 Expenditures

Commander Resources Ltd		Glennmorangie Expenditures	Costs exclude GST/HST	
PRE-FIELD				**TOTAL**
Logistics /Planning	Darryn Hitchcock, Project Geologist	Geology & Logistics 11 days @ $400day	$ 4,400.00	
	Cam Norton. Geologist	Geology & Logistics 6 days @ $350day	$ 2,100.00	
	Steve Potts, V.P. Exploration	Project Manager (12 days @ $600/day)	$ 7,200.00	$ 13,700.00
Data Compilation	L. Grexton, Vancouver	Geology & GIS (14.25 hrs @ $54/hr)	$ 769.50	
	Map Reproduction & Printing	(Archetype Print Ltd, Phoenix Media, ADA Computer Ltd)	$ 849.21	$ 1,618.71
Landsat	ERSI EARTH RESOURCE SURVEYS	orthorectification of Landsat imagery, prep of image maps, etc	$ 1,525.00	$ 1,525.00
FIELD CAMP				
Camp Rental	CJL Enterprises Ltd, Smithers, BC	July 13 to Aug 30	$ 9,750.00	$ 9,750.00
Communication	Iridium satphone	Bayswater Uranium Corporation	$ 600.00	
	Phone usage/sim cards	Deakin Industries	$ 1,419.36	$ 2,019.36
Equipment Rental	Aurora Geosciences Ltd, Yellowknife	dryer	$ 225.00	
	Twighlight Services, Watson Lake	generator	$ 1,280.00	$ 1,505.00
Equipment Purchase				
	Irl Supplies, Prince George, BC	Fuel Transfer pump, Spill Kit	$ 529.50	$ 529.50
Supplies	Miscellaneous	tarps, extension chords, firehose, hand tools, first aid materials, shipping/storage boxes	$ 1,636.51	
	Fuel	Dall Contracting Ltd., Watson Lake (propane, diesel, gas)	$ 1,511.48	$ 3,147.99
Food	Watson Lake Foods	Groceries	$ 9,792.61	$ 9,792.61
Cook	Joanne O'hara	35 days (July 14-Aug 4, Aug 13-Aug 25) @ $300/day	$ 10,500.00	$ 10,500.00
FIELD EXPLORATION		**Including Travel days**		
Personnel / Position	Steve Potts, VP. Exploration & Project Manager	July & August (8 days @ $600/day)	$ 4,800.00	
	Darryn Hitchcock, Project Geologist	July 15-August 25: 42 days @$450/day	$ 18,900.00	
	Cameron Norton, Geologist	July 8- August 13: 37 days @ $400/day	$ 14,800.00	
	Stu Deroche, Prospector	July 8-Aug 4, Aug19-Aug 25: 35 days @250/day	$ 8,750.00	
	Jim Harris, Field Assistant	July 8-August 25: 49 days @ $200/day	$ 9,800.00	
	Shane Daniels, Field Sampler	July 9-August 4; 27 days @ $175/day	$ 4,725.00	
	Clayton Hill, Field Sampler	July 9-August 4; 27 days @ $175/day	$ 4,725.00	
	Tristan Sanders, Field Tech	July 15-August 13: 30 days @ $150/day	$ 4,500.00	
	Chris Woerhle, Field Tech	July 15-August 13: 30 days @ $150/day	$ 4,500.00	$ 75,500.00
Equipment- Purchase	Bayswater Uranium Corporation	Garmin GPS	266.67	$ 266.67
Equipment- Rental	BC Communications, North Vancouver	8 VHF walkietalkie & license	$ 944.00	$ 944.00
Supplies & Miscellaneous	Aurora Geosciences Ltd	airphotos & scanning	$ 361.57	$ 361.57
Transportation				
Helicopter	Heli Dynamics, Whitehorse	9.2 hours @ $1450/hour	$ 13,340.00	
		Fuel	$ 3,275.00	$ 16,615.00
Truck Rental	Visa Rentals Leasing & Sales, Grande Prarie, AB	2 vehicles ($1800/month; $0.25 km mileage; insurance)	$ 8,951.27	
	Fuel		$ 5,138.90	$ 14,090.17
Analyses	ALS Minerals, Whitehorse & North Vancouver BC	1369 Soils, 52 Streams : @$28.12/sample	$ 39,958.52	
		159 Rock Samples: @ $38.61/sample	$ 6,138.99	
	Lab Freight	sample shipping	522.80	$ 46,620.31
MOB/DEMOB				
Camp	CJL Enterprises Ltd, Smithers	Mob in July 9 to 13	$ 10,500.00	
		Mob out Aug 25 - 30	$ 7,200.00	
		Vehicle & fuel	$ 2,606.60	
		Misc materials & supplies	$ 9,897.99	$ 30,204.59
Commander Travel	Airfare	Air Canada, Westjet (July 5,7,11)	$ 2,129.17	
	Fixed Wing	Air North, Whitehorse (July 15)	3,743.65	
	Other	Core Expediting (J. O'hara July 7)	855.00	
	Accomodation	including Goldrush Inn, Airport Chalet, Big Horn Hotel,	$ 3,339.25	
	Food	various vendors	$ 2,870.29	$ 12,937.36
Shipping			$ 641.23	$ 641.23
REPORT				
Computer Drafting & GIS	D. Hitchcock	12 days @ $450	$ 5,400.00	
	L Grexton	40 hours @ $54/hr	$ 2,160.00	
	C. Norton	2 days @ $400	$ 800.00	$ 8,360.00
Data Compilation/ Verification/Report				
	D. Hitchcock	15 days @ $450	$ 6,750.00	
	S. Potts	2 days @ $600	$ 1,200.00	$ 7,950.00
			$ 252,269.07	**$ 252,269.07**

095-47

Figure 8. Glennmorangie Property Work Coverage


Glennmorangie Property: Work coverage on North Block



X Claims having no work

YC93585	YC94960	YE36719
YC94951	YE36713	YE36721
YC94952	YE36714	YE36734
YC94953	YE36715	YE36738
YC94954	YE36716	YE36739
YC94955	YE36717	

Glennmorangie Property: Work coverage on South Block



X Claims having no work

YE36602	YE36620	YE36635	YE36652	YE36670	YE48025
YE36607	YE36625	YE36636	YE36653	YE36672	YE48027
YE36608	YE36626	YE36637	YE36654	YE36675	YE93597
YE36609	YE36627	YE36638	YE36655	YE36679	YE93598
YE36611	YE36628	YE36639	YE36656	YE36681	
YE36613	YE36629	YE36648	YE36657	YE36682	
YE36618	YE36631	YE36649	YE36659	YE48023	
YE36619	YE36632	YE36650	YE36667	YE48024	
YE36620	YE36634	YE36651	YE36669	YE48025	

RECEIVED
MAR 1 2012
MINING RECORDS
GOVERNMENT OF YUKON

Appendix 1. Rock Sample Location and Field Notes

Eastings (NAD83 Zone 9)	Northings (NAD83 Zone 9)	Sample ID	Style	Comments	Au (ppb)	Ag (ppm)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
					ND= below detection for Au					
527381	6874761	**K811679**	Float	1-2% galena, tr as-py and tr py. In qtz float.	ND	10.2	820	7.5	3340	8
527766	6875959	**K813208**	Float	Heavily oxidized large qtz float	ND	0.01	7.5	72.9	3.6	20
527884	6875593	**K813209**	Float	oxidized qtz float boulder	ND	0.02	9.4	14.7	8.7	55
527902	6875555	**K813210**	Float	"silver looking sulphides"	ND	0.05	1.8	56.2	1.6	135
527913	6875480	**K813211**	Float	oxidized qtz float visible arsenopyrites and sulphides	ND	0.02	3.5	7.6	7	49
527919	6875406	**K813212**	Float	oxidized qtz/phyllite float, visible pyrites.	ND	0.03	2.2	11.4	16.1	54
527874	6875324	**K813213**	Float	schist(?) oxidized with visible pyrites	ND	0.07	11.3	32.6	58.3	65
527917	6875291	**K813214**	Float	schist float with significant pyrites/sulphides	ND	0.04	14.3	16.9	38.6	174
527939	6875152	**K813215**	Float	oxidized altered float. Visible pyrite and As-py	ND	0.03	21.9	29	18.7	100
527564	6875855	**K813216**	Outcrop	qtz vein with visible arsenopyrite.	ND	0.09	1	165.5	2.2	91
527739	6874985	**K813217**	Float	qtz float, as-py + py visible.	ND	0.02	8.9	6.5	5.4	48
527600	6874549	**K811680**	Outcrop	50cm wide qtz vein 3% AsPy and 1% pyrite.	ND	0.07	6	14.8	20.1	38
528273	6874380	**K813218**	Float	Brown schist with qtz veinlets and visible pyrites	ND	0.04	16.5	23.6	26.8	108
528406	6874206	**K813219**	Float	Brown schist with qtz veinlets and visible pyrites	ND	0.02	3	17.4	15	121
528928	6874936	**K813220**	Float	Heavily oxidized schist float. sulphides	ND	0.04	10	17.1	33.1	45
528819	6874833	**K813221**	Float	Schist float, qtz, phyllite epidote? vis sulphides within	ND	0.05	4.3	99.6	4.1	114
528735	6874858	**K813222**	Float	Oxidized qtz/phyllite schist contains visible sulphides	ND	0.03	7.9	28.9	33	184
528773	6874767	**K813223**	Float	Micaceous schist float with significant sulphides visible	ND	0.03	22.5	21.2	30.1	77
528409	6875366	**K813224**	Outcrop	Mineralized phyllite/shale. Visible sulphides.	ND	0.14	11.4	18.7	73	71
528543	6874826	**K813225**	Float	Oxidized quartz float with visible sulphides.	ND	0.13	12.2	161	8.7	56
528553	6874822	**K813226**	Float	Float boulders, highly visible sulphides.	ND	0.1	15.7	180.5	11.7	81
528529	6874731	**K813227**	Outcrop	Qtz veins-outcrops containing chalcopyrite, malachite.	ND	1.21	27.9	3630	1.9	58
528792	6873414	**K811681**	Float	Qtz vein and schist wall rock, 3% AsPy and 3% pyrite.	ND	0.04	6.3	3.4	9.3	40
526828	6878176	**K813301**	Grab		ND	0.72	55.7	915	1.3	29
526806	6878179	**K813302**	Grab-float		ND	3.5	44.9	924	20.4	25
526797	6878190	**K813303**	Grab-float	Pyrite in Qtz with Chl(?)	ND	0.1	67.7	10	4.1	49
526797	6878180	**K813305**	Grab-float	Disseminated pyrite in intrusive(?)	ND	0.05	2.9	16	0.6	2
526751	6878223	**K813306**	Outcrop	Qtz vein	ND	0.04	5340	66	4.4	78
526805	6878220	**K813307**	Grab	Qtz vein, chal, py, Fe CO3	ND	2.65	73	5790	19.6	97
526982	6877100	**K813309**	Float	Qtz boulder with sulphides	ND	0.01	6	7.1	10.4	39
527064	6875345	**K813310**	Outcrop	qtz vein py and fe-ox	ND	0.05	3.2	25.9	8.7	27
527061	6875346	**K813311**	Outcrop	qtz vein py and fe-ox	ND	0.08	11.1	11.6	23.7	48
527105	6875283	**K813312**	Outcrop	qtz vein py and fe-ox	4500	0.31	1300	62.1	19.6	94
529016	6873311	**K811682**	Outcrop	Phyllite. 1m wide quartz vein with 1% AsPy	ND	0.05	2650	31.1	13.2	79
527185	6875174	**K813313**	Float	qtz vein and halo with fe-ox after pyrite	ND	0.04	307	11.6	36.8	61
526584	6875292	**K813314**	Subcrop	qtz pebbly conglomerate and Fe-ox matrix, Ankerite?	ND	0.02	28	2.4	10.4	11
529950	6872621	**K813315**	Outcrop	qtz vein halo	ND	0.03	83.4	38.9	4.5	100
529461	6871974	**K813316**	Outcrop	qtz vein	ND	0.04	176	17.3	7.2	39
528080	6872989	**K813319**	Outcrop	qtz vein and silicified halo	ND	0.01	247	12.4	4.3	64
527770	6875900	**K813320**	Float	sheared zone, tr mal, sulphides and qtz.	ND	0.03	34.7	31.4	3.2	52
527767	6875900	**K813321**	Outcrop	qtz vein in outcrop. Intrusion	ND	0.02	2	43.5	1.9	38
527768	6875885	**K813322**	Outcrop	intensely rusty 10cm vein in intrusive outcrop	ND	0.01	40	6.2	3.2	28
527450	6876459	**K813323**	Outcrop	qtz vein and surrounding silicified outcrop	ND	0.02	3.7	30.2	1.6	46
527450	6876459	**K813324**	Float	Qtz float, rusty on top of hill in moss	ND	0.06	1.8	20.9	4.4	9
534668	6864132	**K813327**	Subcrop	qtz minor, with Fe-ox	ND	0.07	14.3	10.7	14.2	56
534680	6866375	**K813328**	Float	qtz minor, with Fe-ox	ND	0.11	16.5	9.3	83.2	28
534600	6864246	**K813329**	Outcrop	Veinlets in phyllite, qtz + Fe-ox	ND	0.07	50.6	25.7	39.7	84
534382	6864225	**K813330**	Float	Qtz from a minor fault zone.	ND	0.1	3.5	9.6	27.7	32
533641	6864445	**K813331**	Outcrop	Qtz vein in minor Fe-Ox in blue grey phyllite float.	ND	0.07	10	9.6	87	46
533501	6864642	**K813332**	Subcrop	Qtz, minor Fe-ox. Structure unclear.	ND	0.03	1	4.9	17.2	18
532968	6867547	**K813334**	Float	Quartz with Fe-ox, euhedral qtz.	ND	0.11	5.9	37.4	161	175
533071	6867638	**K813335**	Float	Qtz Float selection from 5m radius. Mod Fe-ox.	ND	0.09	3.8	15.8	36.6	48
533071	6867640	**K813336**	Float	Silicified qtz vein halo with vis py.	ND	0.03	5.2	6.6	13.2	68
532969	6867660	**K813337**	Float	Qtz float, minor Fe-ox	ND	0.02	3.6	13.1	3.8	47
532961	6867660	**K813338**	Float	Qtz float from frost heave in possible fault zone in talus.	ND	0.13	95.8	21.8	49.2	69
532613	6867718	**K813341**	Subcrop	As-py visible in subcrop.	ND	0.32	1335	4.4	201	17
529486	6873517	**K813342**	Subcrop	Qtz vein, in talus slope.	ND	0.09	1.9	6.9	15.2	21
529406	6873788	**K813343**	Subcrop	Qtz vein, in talus slope. Minor Fe-ox	ND	0.17	1.8	11.1	312	24

Eastings (NAD83 Zone 9)	Northings (NAD83 Zone 9)	Sample ID	Style	Comments	Au (ppb)	Ag (ppm)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
					ND= below detection for Au					
529230	6873669	**K813344**	Outcrop	Discontinuous quartz vein, minor As-py?	ND	0.02	1.9	5.8	7.2	12
529213	6873654	**K813345**	Subcrop	Qtz subcrop, Fe-ox moderate. Qtz only	ND	0.02	8.8	4.6	5.4	35
529215	6873656	**K813346**	Subcrop	Silicified halo of qtz vein (K813345). Diss py to Fe-ox.	ND	0.02	38.6	6.9	3.9	57
536445	6862942	**K813347**	Outcrop	2-10cm qtz vein with ~1% galena.	ND	39.7	20.8	50.2	5330	1180
536415	6863000	**K813348**	Float	Qtz with ~1% Galena and As-py?	ND	63.6	48.2	30	4880	135
535964	6863057	**K813350**	Float	Qtz boulder, trace sulphide on top of spur	ND	1.12	1.7	120.5	22.8	29
536140	6862932	**K812745**	Float	Rusty qtz, semi massive sulphides, in phyllite	ND	32.7	5.6	175	>10000	250
536118	6862317	**K812748**	Float	Grey qtz cobble, minor sulphides f	ND	0.06	4.1	1.6	6.3	5
526132	6875911	**K812749**	Outcrop	Yellow v'lt with intense Fe-ox in qtz conglomerate	ND	0.06	19.4	4.9	10.4	12
526133	6875912	**K812750**	Outcrop	Qtz vein with intense Fe-ox in qtz pebbly conglomerate.	ND	0.06	15	5.6	6.9	7
534083	6862807	**K811686**	Float	Quartz float 1% granular cubes of pyrite and tr. AsPy.	ND	0.03	0.9	8.3	4.7	44
526135	6875927	**K811749**	Outcrop	Qtz pebbly conglomerate	ND	0.08	9.1	17.7	11	8
526478	6872845	**K811750**	Outcrop	Qtz shear zone in green phyllite	ND	0.23	6.2	24.4	46	93
526924	6877947	**K813228**	Float	Qtz/schist float. Mal/azurite chalcopyrite	ND	1.29	27	2300	1.6	49
526813	6878179	**K813229**	Float	Intrusive schist, heavily oxidized	ND	0.08	739	31.8	44.3	183
526809	6878208	**K813230**	Outcrop	Shear zone vein sulphides and chalcopyrite	ND	0.05	1740	66.4	2.3	87
530299	6872762	**K813234**	Outcrop	oxidized schist	ND	0.05	82.1	62.5	17.1	155
530126	6872531	**K813235**	Float	Heavily oxidized with visible sulphides	ND	0.11	60.8	172	3.4	110
530124	6872525	**K813236**	Outcrop	Vein, contact area. Sulphides/chalcopyrite.	ND	0.07	96.9	92.3	1.8	69
529624	6872044	**K813237**	Float	Oxidized schist with visible sulphides.	ND	0.11	86.2	20	18.8	113
530333	6872671	**K812989**	Float	Qtz, minor Fe0ox	ND	0.1	14	160.5	9.2	22
530117	6872498	**K812990**	Outcrop	Qtz vein stockwork style	ND	0.01	5	3.3	1	9
529856	6872214	**K812991**	Outcrop	Qtz vein	ND	0.04	6.6	15.6	18.3	28
529660	687ND0	**K812995**	Float	Qtz, minor Fe0ox	ND	0.32	574	24.7	99.4	161
529558	6871893	**K812996**	Subcrop	Qtz vein, rare vis sulphides	ND	0.15	1070	31.3	38.2	73
529403	6871828	**K812997**	Float	Qtz vein	ND	0.09	922	46.6	26.5	70
529403	6871828	**K812998**	Subcrop	Qtz vein	ND	0.05	227	5.2	10.2	14
530000	6872634	**49510**	Outcrop	Qtz veining in phyllite, fe staining. Uphill from qtz knoll.	ND	0.04	15.9	12.6	24.2	31
534635	6862122	**K811690**	Outcrop	50cm wide, strongly silicified vein breccia 1% pyrite.	ND	0.02	2.2	7.4	17.4	88
534703	6862069	**K811691**	Subcrop	Vein intense Fe-oxide along margins.	ND	0.17	8.8	3.7	3.7	2
527320	6875255	**K811692**	Outcrop	Moderate to strongly foliated with a 10cm quartz vein with 1% py	300	0.05	2560	17.9	27.2	48
527401	6875299	**K811693**	Subcrop	Chlorite schist breccia, 2-5cm quartz veins with up to 3% AsPy.	ND	0.23	80	7.8	36.2	31
527506	6875318	**K811694**	Float	Sulphide rich float vein	900	0.38	10000	4.3	214	10
527411	6875440	**K811695**	Subcrop	qtz crystals and trace to 1% fine granular pyrite.	ND	0.02	55	1.5	11.7	8
527559	6875390	**K811696**	Outcrop	10cm quartz vein, strong Fe-oxide, 1% granular pyrite, tr AsPy.	ND	0.11	4880	29	43.7	32
527547	6875440	**K811697**	Outcrop	Strongly Fe-Ox qtz vein trace Py and AsPy.	ND	0.02	64.4	16.2	12.1	15
527708	6875962	**K811698**	Outcrop	Qtz vein in granodiorite, 1% Malachite and chalco.	ND	0.04	307	90.3	2.6	22
529461	6871968	**49511**	Outcrop	Location of samples A,B,C,D	ND	0.02	1325	4.1	10.9	22
527884	6875600	**K811699**	Outcrop	30cm coarse grained quartz vein with 1-2% pyrite, AsPy.	ND	0.03	0.4	8.1	23.2	24
528018	6874565	**K811700**	Float	Quartzite vein breccia, 3-5mm stockwork. 10% coarse pyrite.	ND	0.02	7.2	5.8	15.6	18
528208	6874659	**K811701**	Outcrop	Contact vein/fault(?) breccia, stockwork ,1% fine granular pyrite.	ND	0.07	21	23.5	46.8	25
528655	6874625	**K811702**	Outcrop	Fe-oxidized quartz stringers with 1% pyrite	ND	0.04	149	9	3.8	24
528451	6875458	**K811703**	Subcrop	5-10cm wide pinching/swelling scorodite vein	ND	0.07	16.3	33.3	66.3	76
527499	6875317	**K811704**	Float	Quartz float with 2% AsPy and 1% py.	1100	0.21	10000	5.2	48.7	7
528121	6874364	**K811705**	Outcrop	10cm quartz veins, semi-massive chalcopyrite blebs/clusters	ND	0.01	185	2.5	5.4	17
528548	6874732	**K811706**	Float	Quartz float with granular 'Blebs" and coarse diss of pyrite	ND	2.09	207	6160	1	33
528370	6874601	**K811707**	Subcrop	Quartz-pebble conglomerate subcrop	200	0.18	153.5	199.5	10.7	8
525172	6876779	**K811708**	Outcrop	10-20cm wide coarse grained quartz vein, 2% AsPy?.	ND	0.04	32.6	13.6	19	11
529358	6871822	**49512**	Outcrop		ND	0.01	39.1	17	6.8	52
525329	6877571	**K811709**	Outcrop	Float quartz vein with 1% fine granular pyrite.	ND	0.02	13.1	12.9	12.4	65
535188	6863772	**K811710**	Float	Quartz, 30cm wide and contains 1-2% cubic pyrite.	ND	0.53	70	32.7	1715	71
535245	6863757	**K811711**	Outcrop	Very strongly foliated phyllite. Barren of any veins or fe-ox.	ND	0.16	58.7	15.9	12	31
535321	6863548	**K811712**	Outcrop	quartz float with up to 1% cubic pyrite. locally vuggy.	ND	2.17	41.7	587	219	164
533587	6867422	**K811713**	Outcrop	Strong Fe-ox along phyllite cleavage	ND	0.1	10.3	16.1	47.4	21
526670	6875551	**K812503**	Outcrop	qtz vein, 1m wide. Between phyllite outcrops	200	0.13	9.5	14.8	31.6	71
527052	6875354	**K812504**	Outcrop	oxidized qtz vein	ND	0.03	634	28.1	4.3	77
527057	6875352	**K812505**	Outcrop	3 inch oxidized qtz vein, weathered out pyrites	ND	0.02	14.8	30.5	8.3	28
527099	6875360	**K812506**	Float	broken qtz vein in phyllite	ND	0.03	2800	6.4	9.1	32
527083	6875332	**K812507**	Outcrop	phyllite with arsenopyrite(?) cubes	ND	0.05	287	35.5	33.4	85
526502	6875271	**K812508**	Float	qtz vein, arseno and pyrite s-w strike	ND	0.01	60.3	1.9	2.6	4

Eastings (NAD83 Zone 9)	Northings (NAD83 Zone 9)	Sample ID	Style	Comments	Au (ppb)	Ag (ppm)	As (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
					ND= below detection for Au					
526545	6875322	**K812509**	Float	qtz float with py and arsenopyrite	ND	0.11	822	13.4	8.6	7
526624	6875330	**K812510**	Float	qtz float with arsenopyrite	ND	0.39	1455	33.4	83.4	36
526764	6875019	**K812511**	Float	qtz with arsenopyrite	ND	0.09	3300	15.6	7	19
526842	6874616	**K812512**	Float	mineralized and oxidized qtz float vis arsenopyrite	ND	0.09	55.8	16.7	8.8	53
526872	6874600	**K812513**	Float	mineral oxidized qtz float	ND	0.53	19.8	25.7	61.6	16
527353	6874781	**K812514**	Float	oxidized altered wallrock with arsenopyrite	ND	0.04	18.3	6.9	22.5	47
527432	6874795	**K812515**	Outcrop	qtz vein outcrop	ND	0.19	2890	30.8	14.9	284
527598	6874551	**K812516**	Outcrop	qtz vein in phyllite outcrop	ND	0.05	10.2	21.4	11.7	26
527772	6874385	**K812517**	Outcrop	broken qtz	ND	0.03	56.7	6.5	20.8	58
528489	6873954	**K812518**	Float	qtz	ND	0.02	20.7	26.9	5.1	109
528522	6873576	**K812519**	Float	qtz	ND	0.28	8.3	6.4	498	34
529018	6873297	**K812520**	Float	undetermined mineralization	ND	0.05	518	12.7	34.2	33
533855	6868175	**K812526**	Outcrop	qtz vein with pyrite	ND	0.31	28.2	268	66.3	66
533853	6868176	**K812527**	Outcrop	sulfides visible, oxidation	ND	0.03	65.2	49.7	2.8	106
533774	6867682	**K812528**	Float	oxidized qtz float in talus	ND	0.03	10.5	32.8	38.6	42
534444	6867847	**K812529**	Float	phyllite	ND	0.08	23.5	19.4	32.4	54
533948	6862976	**K812530**	Outcrop	qtz vein in outcrop	ND	0.2	0.8	17	28.8	30
534015	6862973	**K812531**	Float	oxidized rock	ND	0.03	24	84.7	4.1	37
534053	6863008	**K812532**	Float	qtz schist	ND	0.09	1.4	21.5	2.1	126
526736	6875008	**K811677**	Float	Vein float 3% AsPy and patches of Fe-Ox.	ND	0.18	950	4.2	28.4	10
534465	6862140	**K812538**	Float	oxidized qtz	ND	0.13	20.2	28.3	5.2	15
534586	6862165	**K812539**	Outcrop	altered phyllite	ND	0.03	42.4	6.5	7.8	26
534584	6862305	**K812540**	Outcrop	qtz phyllite schist	ND	0.78	19.1	7.8	38.8	2
534656	6862088	**K812541**	Outcrop	heavily oxidized qtz schist, red oxidation	ND	0.28	10.2	11.9	8.1	<2
534688	6862060	**K812542**	Outcrop	qtz schist	ND	0.23	29.1	23	5.9	3
534704	6862087	**K812543**	Float	qtz schist float oxidized with traces of arsenopyrites	ND	0.08	0.4	12	3.2	17
534872	6862108	**K812544**	Outcrop	qtz schist	ND	0.29	10	74.7	11.7	60
527201	6875209	**K812545**	Outcrop	phyllite outcrop, site of RS35	ND	0.1	45.5	46.4	60.5	142
527204	6875207	**K812546**	Float		ND	0.03	30.5	7.5	12.4	17
527495	6875311	**K812547**	Float	scorodite, oxidized sulphide, green-yellow.	1600	0.42	10000	3	50.6	<2
526828	6874629	**K811678**	Outcrop	Vein, occurs parallel to foliation, 1% AsPy and minor Fe-Ox.	ND	0.19	12.6	7.2	25.6	36
527427	6875259	**K812548**	Outcrop	altered qtz/phyllite schist, py.	200	0.36	1370	38.8	215	158
527444	6875262	**K812549**	Float	Large float boulders of qtz vis As-py	ND	0.04	10000	3.5	8	23
527460	6875247	**K812550**	Float	large field of qtz float, oxidized, visible pyrites.	ND	0.2	52.5	35.4	42.4	46
527514	6875188	**K813201**	Float	float qtz boulder field	ND	0.13	378	3	32	50
527630	6875436	**K813202**	Float	Qtz float very oxidized	ND	0.04	16.6	17.4	16.1	27
527615	6875561	**K813203**	Float	oxidized qtz float	ND	0.02	137	9	41.9	44
527478	6875945	**K813204**	Float	qtz float from intrusive area, malachite, chalcopyrite.	ND	0.58	5.8	3060	0.7	54
527723	6876054	**K813205**	Float	Large pyrite cubes within phyllite float.	ND	0.03	31.9	18.4	8.4	122
527743	6876019	**K813206**	Float	qtz phyllite, vis sulphides	ND	0.16	52.5	48.6	101.5	85
527739	6876007	**K813207**	Outcrop	visible pyrite/sulphides within qtz vein	ND	0.08	17.4	47.5	37.8	205

Commander Resources Ltd | Glennmorangie Property | Soil Silt Sample Locations

Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings
K811501	527789	6877189	K811588	527099	6877400	K811722	529104	6873403	K811812	527600	6876801	K811906	531900	6865200	K812002	526501	6876603	K812101	530401	6871400	K812190	535200	6866400	K812281	531100	6871002	K812370	534900	6866000
K811502	527699	6877200	K811589	526600	6876600	K811723	529002	6873402	K811813	527600	6876801	K811907	534702	6866801	K812003	526400	6876600	K812102	530300	6871400	K812191	535100	6866400	K812282	534197	6865596	K812371	534900	6866000
K811503	527600	6877200	K811590	526700	6876600	K811724	528905	6873399	K811814	527703	6876802	K811908	534801	6866800	K812004	526301	6876599	K812103	530200	6871399	K812192	535001	6866400	K812283	534098	6865597	K812372	535607	6862199
K811504	527505	6877202	K811591	526801	6876598	K811725	528501	6873601	K811815	527798	6876797	K811909	534900	6866800	K812005	526200	6876600	K812104	530103	6871400	K812193	534899	6866401	K812284	533996	6865603	K812373	535700	6862196
K811505	527397	6877179	K811592	526900	6876600	K811726	528602	6873600	K811816	527894	6876802	K811910	535000	6866801	K812006	526099	6876600	K812105	529998	6871399	K812194	534798	6866400	K812285	533897	6865596	K812374	535797	6862202
K811506	527310	6877186	K811593	526999	6876601	K811727	528698	6873602	K811817	527996	6876799	K811911	535000	6866801	K812007	526000	6876600	K812106	529899	6871400	K812195	534701	6866398	K812286	533804	6865602	K812375	535900	6862197
K811507	527219	6877189	K811594	527101	6876601	K811728	528764	6873597	K811818	524998	6876400	K811912	535100	6866800	K812008	525900	6876600	K812107	529800	6871400	K812196	534600	6866401	K812287	533700	6865598	K812376	535997	6862199
K811508	527099	6877199	K811595	527199	6876603	K811729	528902	6873600	K811819	525102	6876401	K811913	535200	6866801	K812009	525800	6876600	K812108	529701	6871400	K812197	534500	6866400	K812288	533603	6865597	K812377	536104	6862200
K811509	527000	6877160	K811596	527298	6876600	K811730	529006	6873597	K811820	525199	6876401	K811914	535299	6866799	K812010	525700	6876600	K812109	528301	6871402	K812198	534399	6866400	K812289	533503	6865603	K812378	536196	6862205
K811510	526896	6877198	K811597	527401	6876601	K811731	529100	6873623	K811821	525199	6876401	K811916	535400	6866800	K812011	525600	6876600	K812110	528399	6871400	K812199	534304	6866403	K812290	533395	6865602	K812379	536306	6862199
K811511	526807	6877199	K811598	527498	6876599	K811732	529209	6873596	K811822	525303	6876396	K811917	535499	6866800	K812012	525500	6876600	K812111	528601	6871399	K812200	534400	6866000	K812291	533395	6865602	K812380	536401	6862201
K811512	526696	6877198	K811599	527600	6876603	K811733	529330	6873618	K811823	525404	6876397	K811918	535600	6866799	K812013	525400	6876600	K812112	528702	6871401	K812201	534400	6866000	K812292	533299	6865599	K812381	536500	6862198
K811513	526604	6877207	K811600	527600	6876603	K811734	528873	6873791	K811824	525513	6876399	K811919	535699	6866799	K812014	525300	6876600	K812113	528800	6871401	K812202	534500	6865999	K812293	533199	6865599	K812382	536599	6862200
K811514	526498	6877200	K811601	527702	6876600	K811735	528797	6873797	K811825	525605	6876397	K811920	535801	6866798	K812015	525200	6876600	K812114	528901	6871400	K812203	534601	6866000	K812294	533101	6865606	K812383	536794	6862201
K811515	526404	6877196	K811602	527795	6876598	K811736	528700	6873799	K811826	525698	6876399	K811921	535801	6866798	K812016	525100	6876600	K812115	529003	6871401	K812204	534701	6866001	K812295	533000	6865598	K812384	537100	6862201
K811516	526303	6877200	K811603	527900	6876600	K811737	528601	6873799	K811827	525801	6876398	K811922	535901	6866799	K812017	525000	6876600	K812116	529100	6871401	K812205	534800	6866000	K812296	532896	6865597	K812385	536904	6862400
K811517	526204	6877197	K811604	528000	6876600	K811738	528500	6873799	K811828	525903	6876401	K811923	536000	6866200	k812018	524900	6876600	K812117	529203	6871401	K812206	535700	6862001	K812297	532801	6865597	K812386	536793	6862397
K811518	526097	6877202	K811605	526499	6876002	K811739	528447	6873790	K811829	526004	6876397	K811924	535901	6866200	K812021	525000	6876200	K812118	533999	6865408	K812207	535800	6862017	K812298	532699	6865602	K812387	536598	6862397
K811519	526000	6877198	K811606	526401	6876001	K811740	528356	6873999	K811830	526101	6876398	K811925	535800	6866202	K812022	525100	6876200	K812119	533900	6865400	K812208	535900	6862000	K812300	532602	6865597	K812388	525902	6874402
K811520	525899	6877201	K811607	526298	6876002	K811741	528400	6873997	K811831	526200	6876400	K811926	535702	6866201	K812023	525200	6876220	K812120	533800	6865400	K812209	536000	6862000	K812301	532503	6865600	K812389	525998	6874399
K811521	525899	6877201	K811608	526202	6876001	K811742	528468	6874004	K811832	526301	6876400	K811927	535600	6866199	K812024	525301	6876201	K812121	533800	6865400	K812211	536100	6862000	K812302	532405	6865600	K812390	525998	6874399
K811522	525797	6877201	K811609	526100	6876000	K811743	536202	6862404	K811833	526399	6876398	K811928	535500	6866199	K812025	525399	6876199	K812122	533700	6865400	K812212	536200	6862000	K812303	532302	6865596	K812391	526099	6874400
K811523	525713	6877151	K811610	525999	6876000	K811744	536099	6862404	K811834	526508	6876398	K811929	535399	6866200	K812026	525499	6876199	K812123	533600	6865400	K812213	536300	6861999	K812304	532200	6865604	K812392	526200	6874400
K811524	525601	6877195	K811611	525899	6876000	K811745	535992	6862398	K811835	526597	6876400	K811930	535300	6866200	K812027	525600	6876200	K812124	533499	6865400	K812215	536500	6862000	K812305	532103	6865598	K812393	526298	6874402
K811525	525500	6877200	K811612	525799	6876003	K811746	535901	6862405	K811836	526684	6876411	K811931	535199	6866201	K812028	525698	6876199	K812125	533400	6865400	K812216	536601	6862001	K812306	532002	6865602	K812394	526400	6874399
K811526	525399	6877200	K811613	525701	6875998	K811747	535798	6862407	K811837	526800	6876399	K811932	535100	6866200	K812029	525800	6876199	K812126	533307	6865399	K812217	536700	6862200	K812307	531905	6865601	K812395	526497	6874398
K811527	525301	6877201	K811614	525600	6876000	K811751	527797	6876995	K811838	526899	6876399	K811933	535000	6866201	K812030	525900	6876200	K812127	533199	6865401	K812218	526000	6874800	K812308	531801	6865601	K812396	526597	6874405
K811528	525197	6877201	K811615	525500	6875998	K811752	527696	6876998	K811839	527001	6876401	K811934	534900	6866200	K812031	526000	6876200	K812128	533105	6865399	K812219	526100	6874800	K812309	535800	6867203	K812397	526699	6874398
K811529	525100	6877198	K811616	525401	6876001	K811753	527602	6877001	K811840	527102	6876400	K811935	534797	6866204	K812032	526100	6876199	K812129	533000	6865400	K812220	526201	6874800	K812310	535697	6867198	K812398	526806	6874400
K811530	524999	6877200	K811617	525301	6876000	K811754	527499	6877001	K811841	527102	6876400	K811936	534700	6866201	K812033	526200	6876200	K812130	532898	6865400	K812221	526301	6874801	K812311	535697	6867198	K812399	526898	6874402
K811531	524901	6877201	K811618	525197	6876000	K811755	527397	6876999	K811842	525300	6876501	K811937	534601	6866198	K812034	526300	6876200	K812131	532801	6865401	K812222	526399	6874802	K812312	535600	6867202	K812400	526998	6874396
K811532	524795	6877198	K811619	525100	6876000	K811756	527300	6877000	K811843	525401	6875602	K811938	534499	6866199	K812035	526399	6876201	K812132	532701	6865400	K812223	526500	6874600	K812313	535502	6867198	K812401	529917	6872342
K811533	524700	6877200	K811620	525100	6876000	K811757	527200	6877000	K811844	525507	6875600	K811939	534401	6866199	K812036	526500	6876200	K812133	532600	6865401	K812224	526600	6874600	K812314	535400	6867198	K812402	529794	6872234
K811534	524602	6877200	K811621	525202	6875799	K811758	527100	6877001	K811845	525601	6875600	K811940	534300	6866201	K812037	526600	6876200	K812134	532500	6865401	K812225	526701	6874600	K812315	535300	6867198	K812403	529700	6872104
K811535	525499	6877400	K811622	525299	6875803	K811759	527000	6877000	K811846	525698	6875579	K811941	534300	6866201	K812038	526701	6876199	K812135	532400	6865399	K812226	526801	6874600	K812316	535200	6867200	K812404	529517	6871963
K811536	525600	6877400	K811623	525400	6875800	K811760	526900	6877001	K811847	525795	6875603	K811942	534200	6866199	K812039	525401	6877399	K812136	532307	6865400	K812227	526900	6874600	K812317	535099	6867200	K812405	529414	6871865
K811537	525700	6877401	K811624	525502	6875801	K811761	526800	6877000	K811848	525904	6875598	K811943	534101	6866201	K812040	525301	6877394	K812138	532200	6865400	K812228	527000	6874600	K812318	535004	6867205	K812406	529237	6871737
K811538	525799	6877397	K811625	525603	6875800	K811762	526700	6877009	K811849	526000	6875601	K811944	533999	6866199	K812041	525301	6877394	K812139	532100	6865400	K812229	527100	6874601	K812319	534903	6867204	K812407	529130	6871683
K811539	525899	6877399	K811626	525703	6875801	K811763	526560	6876971	K811850	526100	6875595	K811945	533900	6866201	K812042	525202	6877400	K812140	531999	6865401	K812230	527200	6874600	K812320	534796	6867000	K812408	529004	6871636
K811540	526000	6877402	K811627	525805	6875807	k811764	526500	6877000	K811851	530500	6871098	K811946	533799	6866200	K812043	525097	6877402	K812141	531999	6865401	K812231	527300	6874601	K812321	534905	6866998	K812409	528828	6871575
K811541	526000	6877402	K811628	525899	6875802	K811765	526398	6876999	K811852	530599	6871101	k811947	533702	6866199	K812044	525000	6877400	K812142	531932	6865401	K812232	527400	6874600	K812322	534992	6866999	K812410	528675	6871525
K811542	526101	6877401	K811629	526000	6875802	K811766	526300	6877000	K811853	530701	6871098	K811948	533601	6866199	K812045	524897	6877398	K812143	535998	6867600	K812233	527400	6874801	K812323	535104	6866999	K812411	528566	6871518
K811543	526200	6877398	K811630	526100	6875802	K811767	526200	6876998	K811854	530800	6871100	K811950	534300	6865999	K812046	524798	6877403	K812144	535899	6867600	K812234	527300	6874801	K812324	535192	6867002	K812412	528392	6871413
K811544	526300	6877400	K811631	526201	6875801	K811768	526101	6876999	K811855	530900	6871101	K811949	533501	6866198	K812047	524700	6877399	K812145	535803	6867600	K812235	527200	6874801	K812325	535303	6867003	K812413	528309	6871387
K811545	526400	6877400	K811632	526299	6875800	K811769	526001	6877001	K811856	531007	6871097	K811951	534200	6866000	K812048	524597	6877399	K812146	535702	6867598	K812236	527100	6874800	K812326	535402	6867001	K812414	528254	6871312
K811546	526501	6877400	K811633	526401	6875808	K811770	525901	6877001	K811857	531101	6871101	K811951	526203	6875600	K812049	524501	6877400	K812147	535600	6867599	K812237	527000	6874800	K812327	535508	6866998	K812415	528142	6871241
K811547	526600	6877400	K811634	526497	6875803	K811771	525901	6877001	K811860	528550	6870801	K811952	534099	6866000	K812050	526801	6876199	K812148	535501	6867600	K812238	526900	6874800	K812328	535602	6866995	K812416	528037	6871084
K811548	526701	6877400	K811635	526597	6875803	K811772	525797	6877001	K811861	528550	6870801	K811952	526301	6875601	K812051	526898	6876200	K812149	535398	6867601	K812239	526800	6874800	K812329	535699	6867001	K812417	527950	6870938
K811549	526800	6877401	K811636	526701	6875795	K811773	525699	6877000	K811862	528601	6870800	K811953	533999	6866000	K812052	527000	6876200	K812150	535301	6867599	K812240	526700	6874801	K812330	535557	6866785	K812418	527897	6870856
K811550	526900	6877400	K811637	526797	6876000	K811774	525598	6877000	K811863	528701	6870801	K811953	526401	6875599	K812053	527099	6876200	K812151	535201	6867600	K812241	526600	6874800	K812331	535502	6862176	K812451	527099	6874401
K811551	527004	6878007	K811638	526700	6875998	K811775	525502	6877008	K811864	528800	6870798	K811954	526505	6875599	K812054	527199	6876199	K812152	535099	6867602	K812242	526500	6874800	K812332	533602	6865998	K812452	527201	6874399
K811552	527097	6878002	K811639	526597	6875994	K811776	525402	6876999	K811865	528900	6870800	K811955	526495	6875400	K812055	527299	6876201	K812153	534999	6867600	K812243	526400	6874600	K812333	533602	6865998	K812453	527299	6874396
K811553	527202	6877803	K811640	526597	6875994	K811777	525298	6876998	K811866	529000	6870799	K811956	526397	6875404	K812056	527399	6876214	K812154	534900	6867593	K812244	526300	6874600	K812334	533497	6866001	K812454	527398	6874399
K811554	527104	6877801	K811641	525304	6875204	K811778	525201	6877002	K811867	529101	6870800	K811957	526301	6875400	K812066	528304	6871202	K812155	534902	6867399	K812245	526199	6874600	K812335	533397	6865997	K812455	527501	6874399
K811555	527000	6877799	K811642	525398	6875198	K811779	525097	6876999	K811868	529199	6870801	K811958	526201	6875400	K812067	528400	6871201	K812156	535001	6867400	K812247	526000	6874599	K812336	533295	6865998	K812456	527303	6874194
K811556	526901	6877797	K811643	525501	6875194	K811780	525005	6876996	K811869	529305	6870812	K811959	526101	6875399	K812068	528501	6871200	K812157	535100	6867401	K812248	525900	6874600	K812337	533201	6866005	K812457	527398	6874200
K811557	526802	6877798	K811644	525596	6875199	K811781	524899	6877001	K811870	529400	6870799	K811960	525997	6875402	K812069	528601	6871202	K812158	535200	6867400	K812249	525806	6874200	K812338	533098	6865995	K812458	527501	6874198
K811558	526700	6877800	K811655	528602	6870600	K811782	524800	6877002	K811871	529501	6870801	K811961	525997	6875402	K812070	528699	6871200	K812159	535301	6867402	K812250	525700	6874200	K812339	533003	6865995	K812459	527200	6874202
K811559	526599	6877782	K811656	528701	6870596	K811783	524700	6876998	K811872	529599	6870805	K811962	525906	6875399	K812071	528799	6871200	K812160	535400	6867400	K812251	528406	6870997	K812340	532884	6865997	K812460	527200	6874202
K811560	526405	6877804	K811657	528801	6870598	K811784	524798	6876801	K811875	529700	6870799	K811963	525300	6875399	K812072	528900	6871199	K812161	535500	6867400	K812252	528406	6870997	K812341	532805	6866005	K812461	527100	6874198
K811561	526405	6877804	K811658	528902	6870599	K811785	524901	6876800	K811876	529799	6870800	K811964	525400	6875400	K812073	529000	6871200	K812162	535601	6867400	K812253	528500	6871001	K812342	532702	6865994	K812462	527000	6874197
K811562	526000	6877596	K811659	529000	6870598	K811786	524997	6876799	K811877	529903	6870807	K811965	525500	6875400	K812074	529100	6871200	K812163	535701	6867401	K812253	528600	6871006	K812343	532600	6866001	K812463	526903	6874203
K811563	526104	6877605	K811660	529000	6870598	K811787	525102	6876799	K811878	530001	6870799	K811966	525600	6875401	K812075	529200	6871200	K812164	535786	6867395	K812254	528701	6870999	K812344	532495	6866001	K812464	526801	6874196
K811564	526202	6877598	K811661	529092	6870600	K811788	525200	6876800	K811879	530101	6870799	K811976	528301	6871100	K812076	529300	6871200	K812166	533501	6865800	K812255	528803	6871000	K812345	532400	6866002	K812465	526702	6874196
K811565	526297	6877597	K811662	529199	6870599	K811789	525299	6876800	K811880	530200	6870799	K811977	528400	6871099	K812077	529400	6871201	K812167	533401	6865801	K812256	528900	6871002	K812346	532300	6865998	K812466	526599	6874201
K811566	526398	6877602	K811663	529302	6870607	K811790	525398	6876800	K811881	530200	6870799	K811978	528501	6871099	K812078	529500	6871201	K812168	533301	6865799	K812257	529002	6870996	K812347	532198	6865995	K812467	526499	6874198
K811567	526500	6877603	K811664	529400	6870601	K811791	525499	6876800	K811884	530299	6870800	K811979	528601	6871099	K812079	529600	6871200	K812169	533200	6865799	K812258	529099	6871001	K812348	532106	6865999	K812468	526400	6874216
K811568	526602	6877598	K811665	529501	6870601	K811792	525499	6876800	K811885	530398	6870800	K811980	528698	6871101	K812080	529699	6871200	K812170	533099	6865799	K812259	529202	6871001	K812349	532000	6866002	K812469	526296	6874204
K811569	526702	6877600	K811666	529597	6870601	K811793	525601	6876799	K811886	530599	6870800	K811981	528698	6871101	K812081	529800	6871200	K812171	533001	6865800	K812260	529300	6870999	K812350	532000	6866002	K812470	526197	6874202
K811570	526801	6877598	K811667	529700	6870599	K811794	525692	6876800	K811887	530498	6870800	K811982	528800	6871100	K812082	529899	6871207	K812172	532901	6865801	K812261	529400	6871000	K812351	531900	6866004	K812471	526102	6874202
K811571	526900	6877601	K811668	529799	6870599	K811795	525798	6876800	K811888	530700	6870799	K811983	528901	6871100	K812083	529999	6871202	K812173	532801	6865801	K812262	529501	6871001	K812352	531799	6865996	K812472	526002	6874198
K811572	527002	6877597	K811669	529901	6870601	K811796	525901	6876799	K811889	530801	6870800	K811984	529001	6871099	K812084	530101	6871196	K812174	532700	6865800	K812263	529600	6871014	K812353	534601	6866597	K812473	525900	6874199
K811573	527103	6877603	K811670	530001	6870601	K811797	525999	6876799	K811890	528499	6871400	K811985	529101	6871099	K812085	530098	6871203	K812175	532598	6865799	K812265	529701	6870995	K812354	534697	6866598	K812474	526003	6873998
K811574	527200	6877598	K811671	529503	6870396	K811798	526100	6876797	K811891	531902	6864998	K811986	529204	6871100	K812086	530200	6871200	K812176	532500	6865800	K812266	529799	6870999	K812355	534801	6866602	K812475	526102	6873998
K811575	527298	6877599	K811672	529401	6870394	K811799	526300	6876798	K811892	532000	6865000	K811987	529299	6871099	K812087	530300	6871200	K812177	532400	6865800	K812267	529899	6871002	K812356	534895	6866600	K812476	526200	6874000
K811576	527403	6877601	K811673	529302	6870403	K811800	526400	6876804	K811893	532100	6865000	K811988	529401	6871102	K812088	530401	6871200	K812178	532299	6865801	K812268	530002	6871002	K812357	534999	6866601	K812477	526302	6873994
K811577	527499	6877599	K811674	529200	6870402	K811801	526499	6876801	K811894	532200	6865000	K811989	529499	6871103	K812089	530500	6871201	K812179	532201	6865801	K812269	530104	6871002	K812358	535098	6866599	K812478	526399	6874001
K811578	527600	6877601	K811675	529100	6870399	K811802	526597	6876802	K811895	532900	6865201	K811990	529601	6871100	K812090	530600	6871201	K812180	532099	6865800	K812271	530199	6871001	K812360	535202	6866597	K812479	526499	6874000
K811579	527700	6877599	K811676	528998	6870401	K811803	526697	6876802	K811896	532800	6865200	K811991	529703	6871100	K812091	530700	6871200	K812181	532000	6865801	K812272	530301	6871001	K812361	535295	6866605	K812480	526601	6873996
K811580	527700	6877599	K811714	529200	6873202	K811804	526799	6876798	K811897	532700	6865199	K811992	529800	6871101	K812092	530800	6871201	K812182	531900	6865801	K812273	530301	6871001	K812362	535394	6866596	K812481	526601	6873996
K811581	527799	6877397	K811715	529313	6873202	K811805	526898	6876793	K811898	532601	6865200	K811993	529901	6871101	K812094	530900	6871201	K812183	531797	6865804	K812274	530397	6871002	K812363	535503	6866603	K812482	526697	6873998
K811582	527700	6877400	K811716	529420	6873199	K811806	526995	6876802	K811899	532500	6865199	K811994	530001	6871101	K812095	531000	6871200	K812184	535700	6866399	K812275	530497	6871002	K812364	535604	6866594	K812483	526800	6873998
K811583	527599	6877400	K811717	529506	6873199	K811807	527101	6876800	K811900	532399	6865201	K811995	530102	6871098	K812096	530901	6871400	K812185	535800	6866397	K812276	530599	6871004	K812365	535703	6866595	K812484	526902	6873998
K811584	527501	6877398	K811718	529487	6873405	K811808	527199	6876802	K811901	532300	6865199	K811996	530200	6871101	K812097	530800	6871400	K812186	535600	6866400	K812277	530702	6870995	K812366	535904	6866603	K812485	526999	6873999
K811585	527397	6877404	K811719	529378	6873403	K811809	527294	6876806	K811902	532200	6865200	K811998	530302	6871100	K812098	530700	6871400	K812187	535501	6866401	K812278	530798	6870997	K812367	535201	6866000	K812486	527099	6874001
K811586	527301	6877401	K811720	529299	6873404	K811810	527395	6876797	K811903	532100	6865201	K812000	530400	6871099	K812099	530600	6871400	K812188	535400	6866401	K812279	530898	6870999	K812368	535099	6865997	K812487	527199	6873999
K811587	527200	6877400	K811721	529187	6873401	K811811	527504	6876796	K811905	532000	6865200	K812001	527001	6877401	K812100	530500	6871400	K812189	535300	6866401	K812280	530996	6871003	K812369	534998	6866006	K812488	527499	6873998

Commander Resources Ltd

Glennmorangie Property


Soil Silt Sample Locations


Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Soil_Sample	Eastings	Northings	Stream Sample	Eastings	Northings
K812489	527400	6873398	K812668	533000	6867656	K812765	526896	6874993	K812850	527507	6875085	K812937	527000	6872800	K813046	529201	6875399	K811645	528500	6876697
K812490	527300	6873401	K812669	532957	6867657	K812766	526801	6874999	K812851	527599	6874922	K812938	527101	6872800	K813047	529102	6875401	K811646	528579	6876414
K812491	527202	6873400	K812670	532926	6867655	K812767	526700	6875000	K812852	527659	6874772	K812939	527200	6872401	K813048	529003	6875398	K811647	528676	6876137
K812492	527104	6873401	K812671	532899	6867655	K812768	526600	6875000	K812853	527726	6874666	K812940	527101	6872401	K813049	528900	6875400	K811648	528781	6875827
K812494	527003	6873413	K812672	532890	6867633	K812769	526501	6875000	K812854	527851	6874514	K812941	527000	6872400	K813050	528700	6875799	K811649	528876	6875542
K812495	526907	6873409	K812673	532922	6867627	K812770	526400	6875001	K812855	528012	6874398	K812942	526900	6872400	K813051	526103	6873001	K811650	528988	6875274
K812496	526797	6873395	K812674	533043	6867535	K812771	526303	6875000	K812856	528197	6874333	K812943	526787	6872404	K813052	526200	6873001	K811651	529145	6874988
K812497	526695	6873401	K812675	533062	6867508	K812772	526305	6874999	K812857	528394	6874317	K812944	526714	6872400	K813053	526302	6872998	K811652	527537	6877239
K812498	526599	6873396	K812677	530787	6874035	K812773	526206	6874998	K812858	528446	6874510	K812945	526602	6872405	K813054	526400	6872999	K811653	527595	6877409
K812499	526500	6873399	K812678	530782	6874048	K812774	526102	6875000	K812859	528445	6874746	K812946	526502	6872402	K813055	526503	6873001	K811654	527693	6877692
K812500	526399	6873397	K812679	530786	6874167	K812775	526001	6875000	K812860	528454	6874912	K812947	526399	6872399	K813056	526605	6873005	K811748	536118	6862213
K812551	534099	6866000	K812680	530785	6874292	K812776	525901	6875000	K812861	528445	6875151	K812948	526800	6871801	K813057	526705	6872994	K811873	529628	6870827
K812552	533999	6866000	K812681	530751	6874403	K812777	526500	6872199	K812862	528365	6874687	K812949	526900	6871799	K813058	526800	6873003	K811874	529692	6870807
K812553	534599	6861601	K812682	530767	6874015	K812778	526601	6872201	K812863	528368	6874600	K812955	526998	6871802	K813059	526898	6873003	K811882	530175	6870791
K812554	534699	6861601	K812683	530672	6874658	K812779	526701	6872200	K812864	528386	6874450	K812956	527100	6871801	K813060	527002	6872994	K811883	530243	6870801
K812555	534801	6861601	K812684	530627	6874757	K812780	526800	6871999	K812865	530301	6867000	K812957	527204	6871797	K813061	527098	6872999	K811904	532077	6865201
K812556	535000	6861799	K812685	530711	6874858	K812781	526801	6872200	K812866	530383	6866987	K812958	527303	6871804	K813062	527196	6872599	K811915	535301	6866796
K812557	535100	6861799	K812686	530738	6874945	K812782	526900	6872200	K812867	530516	6867001	K812959	527399	6871800	K813063	527100	6872602	K811967	525618	6876382
K812558	535199	6861799	K812687	530821	6875027	K812783	527001	6872202	K812868	530599	6867001	K812960	527500	6871800	K813064	527004	6872595	K811968	525515	6876702
K812559	535301	6861799	K812688	530524	6874935	K812784	527102	6872200	K812869	530700	6867000	K812961	527500	6871800	K813065	526887	6872599	K811969	525620	6876943
K812601	531204	6867198	K812689	530354	6874913	K812785	527201	6872199	K812870	530803	6867002	K812962	527602	6871797	K813066	526799	6872598	K811970	525416	6876823
K812602	531300	6867201	K812690	530349	6874999	K812786	527300	6872202	K812871	530804	6867000	K812963	527701	6871801	K813067	526701	6872605	K811971	526645	6876955
K812603	531401	6867200	K812691	530124	6875065	K812787	527401	6872201	K812872	530901	6867002	K812964	528600	6876200	K813068	526601	6872604	K811972	527356	6878029
K812604	531498	6867201	K812692	529819	6875240	K812788	527505	6872200	K812873	531000	6867003	K812965	528500	6876200	K813069	526504	6872598	K811973	527312	6877717
K812605	531299	6867403	K812693	529702	6875376	K812789	527597	6872200	K812874	531102	6866999	K812966	528399	6876200	K813070	526403	6872605	K811974	527159	6877407
K812606	531199	6867400	K812694	529528	6875444	K812790	527699	6872200	K812875	531200	6867001	K812967	528300	6876200	K813071	526297	6872598	K811975	527671	6871036
K812607	531105	6867398	K812695	529409	6875614	K812791	527801	6872200	K812876	531300	6867000	K812968	528209	6876200	K813072	527001	6871598	K811997	530219	6871102
K812608	530998	6867400	K812696	530350	6872750	K812792	527798	6871999	K812877	531400	6867000	K812969	528100	6876200	K813073	527103	6871598	K811999	530395	6871101
K812609	530903	6867391	K812697	530307	6872729	K812793	527701	6871999	K812878	531497	6866997	K812970	528001	6876200	K813074	527200	6871599	K812057	526507	6876357
K812610	531599	6866607	K812698	530236	6872669	K812794	527601	6871999	K812879	531600	6866999	K812971	527900	6876200	K813075	527301	6871601	K812058	526790	6876195
K812611	531497	6866595	K812699	530152	6872585	K812795	527495	6872001	K812880	531700	6866999	K812972	527800	6876200	K813076	527404	6871608	K812059	527145	6875707
K812612	531398	6866600	K812700	530023	6872392	K812796	527404	6872001	K812881	531900	6866803	K812973	527700	6876200	K813077	527498	6871598	K812060	527402	6876734
K812613	531298	6866596	K812701	531598	6866202	K812797	527303	6872000	K812882	531800	6866800	K812974	527599	6876200	K813078	527596	6871602	K812061	528105	6876732
K812614	531200	6866598	K812702	531695	6866200	K812798	527202	6872001	K812883	531702	6866800	K812975	527500	6876200	K813079	527705	6871604	K812062	528014	6875606
K812615	531098	6866596	K812703	531804	6866198	K812799	527102	6872002	K812884	531602	6866799	K812976	529000	6875000	K813080	527801	6871599	K812063	528046	6875899
K812616	530998	6866596	K812704	531898	6866201	K812800	527101	6871999	K812885	531493	6866800	K812977	528900	6875001	K813081	527801	6871599	K812064	528018	6876199
K812617	530896	6866600	K812705	532000	6866200	K812801	527000	6872001	K812886	531398	6866802	K812978	528800	6875201	K813082	527895	6871598	K812065	528064	6876450
K812618	530795	6866599	K812706	532098	6866200	K812802	526900	6871999	K812887	531305	6866800	K812979	528900	6875200	K813083	528003	6871596	K812093	530888	6871200
K812619	530695	6866600	K812707	534720	6864090	K812803	526801	6871999	K812888	531194	6866802	K812980	529000	6875201	K813084	528103	6871599	K812137	532331	6865408
K812620	531898	6866601	K812708	534797	6864027	K812804	526701	6872000	K812889	531108	6866805	K812981	529198	6875600	K813085	528196	6871602	K812165	533488	6865632
K812621	531898	6866601	K812709	534895	6864011	K812805	536399	6862399	K812890	531002	6866801	K812982	529100	6875600	K813086	528296	6871601	K812264	529655	6871014
K812622	531800	6866600	K812710	534973	6863947	K812806	536303	6862400	K812891	530996	6866803	K812985	528900	6875601	K813088	528397	6871599	K812270	530198	6870991
K812623	531705	6866599	K812711	535044	6863876	K812807	536500	6862395	K812892	530897	6866793	K813001	526399	6873397	K813089	528800	6875801	K812299	532674	6865606
K812624	531900	6866400	K812712	535121	6863811	K812808	536700	6862003	K812893	530806	6866801	K813002	526300	6873400	K813090	528901	6875801	K812359	535199	6866600
K812625	531800	6866399	K812713	535208	6863762	K812809	536799	6862000	K812894	530699	6866801	K813003	526195	6873394	K813091	529001	6875800	K812493	527051	6873465
K812626	531699	6866400	K812714	535293	6863709	K812810	536901	6862000	K812895	530606	6866807	K813004	526100	6873394	K813092	530300	6867201	K812676	536103	6862217
K812627	531602	6866401	K812715	535332	6863668	K812811	536995	6861999	K812896	530501	6866805	K813005	525999	6873396	K813093	530400	6867199	K812746	536118	6862317
K812628	531500	6866400	K812716	535340	6863583	K812812	537072	6861989	K812897	530400	6866799	K813006	533600	6865796	K813094	530499	6867199	K812747	535824	6862073
K812629	531403	6866396	K812717	535275	6863478	K812813	525895	6873595	K812898	530300	6866800	K813007	533700	6865799	K813095	530601	6867199	K813087	528362	6871597
K812630	531296	6866398	K812718	535103	6863374	K812814	525999	6873597	K812899	531310	6866201	K813008	533799	6865798	K813096	530704	6867198	K813317	535703	6861737
K812631	531202	6866403	K812719	535035	6863236	K812815	526101	6873598	K812900	531499	6866211	K813009	533902	6865801	K813097	530799	6867200			
K812632	531097	6866400	K812720	534966	6863169	K812816	526203	6873599	K812901	526000	6873800	K813010	534001	6865802	K813098	530901	6867200	HMC Sample	Eastings	Northings
K812633	534800	6864062	K812721	534971	6863167	K812817	526299	6873602	K812902	526100	6873800	K813011	534098	6865800	K813099	531000	6867200	K183243	525628	6875549
K812634	534771	6864162	K812722	534881	6863088	K812818	526402	6873604	K812903	526200	6873800	K813012	534204	6865799	K813100	531101	6867199	K183244	529271	6870518
K812635	534763	6864267	K812723	534782	6863014	K812819	526500	6873602	K812904	526300	6873800	K813013	534301	6865796	K812019	524800	6876600	K183245	531682	6864858
K812636	534684	6864332	K812724	534674	6862941	K812820	526601	6873600	K812905	526400	6873800	K813014	534405	6865801	K812020	524700	6876600	K183246	526617	6876928
K812637	534652	6864182	K812725	534674	6862827	K812821	526599	6873605	K812906	526500	6873800	K813015	534502	6865800	K812210	525900	6874800	K183247	535840	6862090
K812638	534600	6864276	K812726	534718	6862731	K812822	526700	6873602	K812907	526600	6873800	K813016	534597	6865801	K812983	529000	6875600	K183248	534148	6860857
K812639	534514	6864226	K812727	534767	6862649	K812823	526802	6873599	K812908	526700	6873800	K813017	534705	6865799	K812246	526098	6874601			
K812640	534359	6864200	K812728	534669	6862625	K812824	526898	6873600	K812909	526800	6873800	K813018	534805	6865804						
K812641	534125	6864188	K812729	534617	6862713	K812825	526995	6873596	K812910	526900	6873800	K813019	534901	6865803						
K812642	534032	6864291	K812730	534561	6862796	K812826	527098	6873603	K812911	527000	6873800	K813020	535004	6865804						
K812643	533937	6864347	K812731	534472	6862767	K812827	529001	6876600	K812912	527100	6873800	K813021	534805	6865998						
K812644	533886	6864380	K812732	532916	6867519	K812828	528900	6876600	K812913	527200	6873800	K813022	534703	6865994						
K812645	533837	6864128	K812733	532847	6867592	K812829	528802	6876599	K812914	527298	6873798	K813023	528689	6876400						
K812646	533906	6864143	K812734	532833	6867692	K812830	528701	6876601	K812915	527400	6873800	K813024	528599	6876404						
K812647	534016	6864157	K812735	532850	6867794	K812831	528600	6876601	K812916	527500	6873200	K813025	528503	6876406						
K812648	533952	6864236	K812738	532595	6867702	K812832	528502	6876595	K812917	527400	6873200	K813026	528400	6876402						
K812649	533842	6864339	K812739	532891	6867516	K812833	528400	6876597	K812918	527300	6873200	K813027	528301	6876406						
K812650	533743	6864354	K812740	532940	6867518	K812834	528303	6876600	K812919	527200	6873200	K813028	528203	6876397						
K812651	533771	6864453	K812741	532940	6867516	K812835	528201	6876600	K812920	527100	6873200	K813029	528096	6876403						
K812652	533699	6864550	K812742	532964	6867516	K812836	528101	6876602	K812921	527000	6873200	K813030	528001	6876404						
K812653	533702	6864659	K812743	532990	6867513	K812736	532752	6867750	K812922	526900	6873200	K813031	527901	6876404						
K812654	533603	6864607	K812744	533017	6867513	K812837	528401	6876000	K812923	526800	6873200	K813032	527803	6876396						
K812655	533556	6864676	K812752	525999	6875201	K812737	532693	6867709	K812924	526700	6873199	K813033	527703	6876400						
K812656	533436	6864745	K812753	526100	6875201	K812838	528500	6875999	K812925	526600	6873200	K813034	527599	6876398						
K812657	533340	6864796	K812754	526200	6875201	K812839	528600	6876000	K812926	526499	6873201	K813035	527503	6876405						
K812658	533253	6864863	K812755	526299	6875199	K812840	528699	6875999	K812927	526400	6873199	K813036	527405	6876403						
K812659	533157	6864843	K812756	526300	6875200	K812841	528700	6876002	K812928	526300	6873200	K813037	527304	6876400						
K812660	532960	6867487	K812757	526400	6875200	K812842	528801	6876001	K812929	526200	6873200	K813038	527201	6876401						
K812661	533042	6867426	K812758	526496	6875197	K812843	528900	6876003	K812930	526100	6873201	K813039	529095	6875002						
K812662	533148	6867375	K812759	526600	6875200	K812844	528997	6876003	K812931	526400	6872800	K813040	529201	6875000						
K812663	535247	6867409	K812760	526700	6875201	K812845	529114	6876007	K812932	526499	6872800	K813041	529201	6875000						
K812664	533313	6867474	K812761	526800	6875200	K812846	529174	6875905	K812933	526600	6872801	K813042	529307	6874995						
K812665	533255	6867510	K812762	526900	6875200	K812847	529220	6875798	K812934	526700	6872800	K813043	529305	6875195						
K812666	533139	6867539	K812763	527000	6875200	K812848	529357	6875660	K812935	526800	6872800	K813044	529200	6875200						
K812667	532994	6867620	K812764	527000	6875000	K812849	527576	6875224	K812936	526900	6872800	K813045	529100	6875200						


UTM Datum: Nad 93 Zone 9


For all samples


Appendix 3. Stream Sample Results






UTM Grid North
NAD 83, Zone 8
K91205: 177ppm
Stream Sample Results
As (ppm)
140.6 to 177 (3)
123 to 140.6 (1)
72.36 to 123 (9)
52.39 to 72.36 (5)
1 to 52.39 (34)
0 to 1 (0)
Percentile Ranges:
>=98th , 95th, 88th, 50th
& <=Detection Limit
n=52, mean=52.39,
sd=42.95
K91915: 174ppm
K91749: 154ppm
COMMANDER
RESOURCES LTD.


UTM Grid North
NAD 83, Zone 9
K812058, 0.385ppm
Stream Sample Results
Ag (ppm)
0.376 to 0.48 (3)
0.3309 to 0.376 (2)
0.2011 to 0.3309 (7)
0.15 to 0.2011 (5)
0.001 to 0.15 (35)
0 to 0.001 (0)
Percentile Ranges:
>=98th , 95th, 68th, 50th
& <=Detection Limit
n=52, mean=0.15,
sd=0.11
K812576, 0.415ppm
K811748, 0.48ppm
COMMANDER
RESOURCES LTD.
CMD


UTM Grid North
NAD 83, Zone 9
Stream Sample Results
Cu (ppm)
618 to 1,730 (1)
515 to 618 (1)
216 to 515 (1)
103 to 216 (5)
1 to 103 (44)
0 to 1 (0)
Percentile Ranges:
>=90th , 95th, 68th, 50th
& <=Detection Limit
n=52, mean=103.43,
sd=250.5
COMMANDER
RESOURCES LTD.


UTM Grid North
NAD 83, Zone 8
Stream Sample Results
Pb (ppm)
56.13 to 82.2 (2)
50.87 to 56.13 (2)
35.75 to 50.87 (5)
29.79 to 35.75 (6)
1 to 29.79 (37)
0 to 1 (0)
Percentile Ranges
>=98th, 95th, 68th, 50th
& <=Detection Limit
n=52, mean=29.79,
sd=12.82
K811745, 82.2ppm
K812676, 70.2ppm
COMMANDER
RESOURCES LTD.
CMD


KB12064_3810ppm
KB12063_9260ppm
UTM Grid North
NAD 83, Zone 9
Stream Sample Results
Zn (ppm)
3,416 to 9,260 (2)
2,835 to 3,416 (1)
1,163 to 2,835 (1)
503 to 1,163 (3)
1 to 503 (45)
0 to 1 (0)
Percentile Ranges:
>=98th , 95th, 68th, 50th
& <=Detection Limit
n=52, mean=503.8,
sd=1417.8
COMMANDER
RESOURCES LTD.
CMD


525000 mE
527500 mE
530000 mE
532500 mE
535000 mE
537500 mE
6880000 mN
6877500 mN
6875000 mN
6872500 mN
6870000 mN
6867500 mN
6865000 mN
6862500 mN
N
UTM Grid North
K813246
0
K813243
0
K813244
1
K813245
8
K813247
1
K813248
HMC Sample Locations & Results
8 Total Gold Grains
COMMANDER
RESOURCES LTD.
CMD

Appendix 4

Assay Certificates

OVERBURDEN DRILLING MANAGEMENT LIMITED
107-15 CAPELLA COURT, NEPEAN, ONTARIO, K2E 7X1
TELEPHONE: (613) 226-1771
FAX NO.: (613) 226-8753
EMAIL: odm@storm.ca

DATA TRANSMITTAL REPORT

DATE: 17-Oct-11

ATTENTION: **Mr. Bernard H. Kahlert, P.Eng**

CLIENT: **Commander Resources Ltd**
1100-1111 Melville Street
Vancouver, BC
V6C 3V6

E-MAIL: **bkahlert@commanderresources.com**

NO. OF PAGES: _____

PROJECT: **Yukon**

FILE NAME: **Commander - Kahlert - (6 GOLD-HMC) - Oct 2011**

SAMPLE NUMBERS: **K-813243 to 813248**

BATCH NUMBER: **5607**

TOTAL SAMPLES: **6**

THESE SAMPLES WERE PROCESSED FOR: **GOLD GRAIN COUNT**
HMC

SPECIFICATIONS:

1. Submitted by client: 6.0 to 18.7 kg stream sediment samples prescreened to <3.35 mm (6 mesh) or 2.0 mm (10 mesh) in the field.
2. All samples panned for gold and PGMs.
3. Heavy liquid separation specific gravity: 3.3.

REMARKS:

Prepared 0.18 to 0.25 mm and 0.25 to 0.5 mm nonferromagnetic heavy mineral fractions.

Remy Huneault, P.Geo.
Laboratory Manager

Prescreened to 2.0 mm or 3.35 mm in the field.

OVERBURDEN DRILLING MANAGEMENT LIMITED

GOLD GRAIN SUMMARY

Filename: Commander - Kahlert - (6 GOLD-HMC) - Oct 2011
Total Number of Samples in this Report = 6
Batch Number: 5607

Batch Number: 5607

Sample Number	Number of Visible Gold Grains				Total Weight (g)	Calculated PPB Visible Gold in HMC			
	Total	Reshaped	Modified	Pristine		Total	Reshaped	Modified	Pristine
K-813243	0	0	0	0	6.6	0	0	0	0
K-813244	1	0	1	0	15.0	5	0	5	0
K-813245	8	5	3	0	6.3	20478	20347	131	0
K-813246	0	0	0	0	6.2	0	0	0	0
K-813247	1	0	1	0	2.3	162	0	162	0
K-813248	0	0	0	0	0.9	0	0	0	0

Prescreened to 2.0 mm or 3.35 mm in the field.

OVERBURDEN DRILLING MANAGEMENT LIMITED
DETAILED GOLD GRAIN DATA

Filename: Commander - Kahlert - (6 GOLD-HMC) - Oct 2011
Total Number of Samples in this Report = 6
Batch Number: 5607

Batch Number: 5607

Sample Number	Panned Yes/No	Dimensions (microns)			Number of Visible Gold Grains				Total Weight (g)	Calculated V.G. Assay in HMC (ppb)		Remarks
		Thickness	Width	Length	Reshaped	Modified	Pristine	Total				
K-813243	Yes	NO VISIBLE GOLD										~50 grains pyrite (50-200µm). ~100 grains marcasite (25-50µm). SEM checks: 2 of ~20 solder candidates = 2 tin metal (50-100µm; contamination).
K-813244	Yes	8 C	25	50		1		1				~200 grains pyrite (50-200µm).
								1	15.0		5	~15 grains tin metal (50-100µm; contamination). SEM checks: 2 electrum candidates = 2 tin metal (50-100µm; contamination).
K-813245	Yes	8 C	25	50		1		1				~200 grains pyrite (50-150µm).
		10 C	50	50	1			1				~10 grains tin metal (50-100; contamination).
		13 C	50	75		2		2				
		15 C	50	100	1			1				
		75 M	150	250	1			1				
		42 C	200	250	1			1				
		70 C	225	600	1			1				
								8	6.3	20478		
K-813246	Yes	NO VISIBLE GOLD										No sulphides. ~10 grains tin metal (50-100; contamination).
K-813247	Yes	13 C	25	100		1		1				~250 grains pyrite (50-150µm).
								1	2.3	162		5 grains tin metal (50-100µm; contamination).
K-813248	Yes	NO VISIBLE GOLD										~1000 grains pyrite (25-200µm). 5 grains galena (50-75µm0) ~10 grains tin metal (50-100; contamination). SEM checks: 2 of ~40 scheelite versus feldspar candidates = 2 plag-feldspar (75-100µm).

Prescreened to 2.0 mm or 3.35 mm in the field.

OVERBURDEN DRILLING MANAGEMENT LIMITED
RAW SAMPLE DESCRIPTIONS AND PROCESSING WEIGHTS

Project: Yukon
Filename: Commander - Kahlert - (6 GOLD-HMC) - Oct 2011
Total Number of Samples in this Report = 6

Batch Number: 5607

Sample Number	AlsChemex Number	Weight (kg wet)				-2.0 mm Table Concentrate Weight (g dry)									Sample Description													
							Heavy Liquid Separation (S G. 3.3)								Clasts (> 2.0 mm)					Matrix (<2.0 mm)								
								HMC								Percentage				Distribution					Colour		
									Nonferrmagnetic HMC																		
		Bulk Rec'd	Table Split	+2.0 mm Clasts	Table Feed	Total	Lights	Total	Mag	Total	<0.18 mm	0.18 to 0.25 mm	025 to 0.5 mm	>0.5 mm	Size	V/S	GR	LS	OT	S/U	SD	ST	CY	ORG	SD	CY	CLASS
Stream A	K-813243	16.6	16.1	0.5	15.6	309.8	302.4	7.4	0.8	6.6	1.3	1.0	3.4	0.9	G	100	0	0	0	S	MC	N	N	N	GY	NA	SAND
Sample B	K-813244	18.7	18.2	0.7	17.5	170.0	153.5	16.5	1.5	15.0	6.2	2.9	5.4	0.5	G	100	0	0	0	S	MC	N	N	N	GY	NA	SAND
Sample C	K-813245	12.4	11.9	0.2	11.7	207.6	200.9	6.7	0.4	6.3	0.9	0.6	2.7	2.1	G	100	0	0	0	S	MC	N	N	N	GY	NA	SAND
SteamSample D	K-813246	12.7	12.2	0.1	12.1	181.8	174.8	7.0	0.8	6.2	0.7	0.5	2.4	2.6	G	100	0	0	0	S	MC	N	N	N	GY	NA	SAND
HMC E	K-813247	6.0	5.5	0.0	5.5	218.7	217.1	1.6	0.5	1.1	0.6	0.2	0.2	0.1		No Clasts				S	MC	N	N	N	OC	NA	SAND
Sample E	K-813248	8.9	8.4	0.2	8.2	208.0	205.1	2.9	0.6	2.3	0.8	0.3	0.7	0.5	G	100	0	0	0	S	MC	N	N	N	OC	NA	SAND

Prescreened to 2.0 mm or 3.35 mm in the field.

OVERBURDEN DRILLING MANAGEMENT LIMITED
LABORATORY ABBREVIATIONS

SEDIMENT LOG

Largest Clasts Present:
- G: Granules
- P: Pebbles
- C: Cobbles

Clast Composition:
- V/S: Volcanics and/or sediments
- GR: Granitics
- LS: Limestone, carbonates
- OT: Other Lithologies (refer to footnotes)
- TR: Only trace present
- NA: Not applicable
- OX: Very oxidized, undifferentiated

Matrix Grain Size Distribution:
- S/U: Sorted or Unsorted
- SD: Sand (F: Fine; M: Medium; C: Coarse)
- ST: Silt
- CY: Clay
- Y: Fraction present
- +: Fraction more abundant than normal
- -: Fraction less abundant than normal
- N: Fraction not present

Matrix Organics:
- ORG: Y: Organics present in matrix
- N: Organics absent or negligible in matrix
- +: Matrix is mainly organic

Matrix Colour:

Primary:
- BE: Beige
- GY: Grey
- GB: Grey-beige
- GN: Green
- GG: Grey-green
- PP: Purple
- PK: Pink
- PB: Pink-Beige

Secondary (soil):
- OC: Ochre
- BN: Brown
- BK: Black

Secondary Colour Modifier:
- L: Light
- M: Medium
- D: Dark

GOLD GRAIN LOG

Thickness:
- VG: Visible gold grains
- M: Actual measured thickness of grain (microns)
- C: Thickness of grain (microns) calculated from measured width and length

KIM (kimberlite indicator mineral) LOG

- GP: Purple to red peridotitic garnet (G9/10 Cr-pyrope)
- GO: Orange mantle garnet; includes both eclogitic pyrope-almandine (G3) and Cr-poor megacrystic pyrope (G1/G2) varieties; may include unchecked (by SEM) grains of common crustal garnet (G5) lacking diagnostic inclusions or crystal faces
- DC: Cr-diopside; distinctly emerald green (paler emerald green low-Cr diopside picked separately)
- IM: Mg-ilmenite; may include unchecked (by SEM) grains of common crustal ilmenite lacking diagnostic inclusions or crystal faces
- CR: Chromite
- FO: Forsterite

MMSIM (metamorphosed or magmatic massive sulphide indicator mineral) and PCIM (porphyry Cu indicator mineral) LOGS

Adr: Andradite	Cr: Chromite	Ky: Kyanite	Sil: Sillimanite	Ttn: Titanite
Ap: Apatite	Fay: Fayalite	Mz: Monazite	Spi: Spinel	
Ase: Anatase	Gh: Gahnite	Ol: Olivine	Sps: Spessartine	
Ax: Axinite	Gr: Grossular	Opx: Orthopyroxene	St: Staurolite	
Cpy: Chalcopyrite	Gth: Goethite	Py: Pyrite	Tm: Tourmaline	

Prescreened to 2.0 mm or 3.35 mm in the field.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8-OCT-2011
Account: RESCOM

CERTIFICATE VA11187135

Project: GlenMorangie

P.O. No.:

This report is for 204 Soil samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K813001		0.34	0.0006	0.067	1.64	71.0	<10	40.0	0.48	0.55	0.09	0.11	31.0	20.0	26.8	1.82
K813002		0.42	0.0006	0.028	2.42	40.6	<10	48.1	0.69	0.43	0.02	0.05	70.3	14.1	40.4	1.16
K813003		0.34	0.0004	0.072	2.10	65.8	<10	33.7	0.54	0.46	0.05	0.04	58.0	15.1	34.9	1.39
K813004		0.32	0.0014	0.054	1.80	53.3	<10	48.6	0.49	0.42	0.06	0.05	47.7	11.8	29.0	1.56
K813005		0.20	0.0018	0.209	1.82	72.7	<10	84.1	0.93	0.47	1.98	0.08	25.1	15.7	23.5	1.71
K813006		0.22	0.0015	0.395	1.93	52.6	<10	39.4	0.44	0.48	0.02	0.06	61.7	7.7	25.9	2.82
K813007		0.24	0.0026	0.135	2.50	88.6	<10	36.9	1.14	0.61	0.02	0.15	78.5	39.2	34.1	1.75
K813008		0.26	0.0012	0.062	1.49	44.9	<10	24.5	0.23	0.43	0.02	0.16	65.7	5.6	22.9	1.39
K813009		0.36	0.0012	0.103	1.85	62.4	<10	19.2	0.68	0.47	0.04	0.08	69.1	31.8	26.5	1.00
K813010		0.28	0.0032	0.094	2.01	62.5	<10	20.3	0.60	0.50	0.10	0.05	73.9	9.5	30.5	1.19
K812165		0.42	0.0021	0.131	3.24	113.0	<10	19.1	5.57	0.46	0.07	0.57	331	245	29.5	1.25
K812166		0.28	<0.0002	0.338	2.11	25.8	<10	25.5	0.54	0.81	0.01	0.03	93.9	10.0	36.6	3.33
K812167		0.28	0.0006	0.119	1.60	30.7	<10	23.3	0.44	0.94	0.03	0.02	66.9	8.4	24.4	2.20
K812168		0.32	0.0014	0.173	1.98	90.3	<10	17.6	0.63	0.53	0.07	0.06	66.1	10.2	29.2	1.27
K812169		0.40	0.0023	0.241	1.91	84.4	<10	44.2	0.59	0.52	0.10	0.29	59.9	21.8	41.6	1.94
K812170		0.32	0.0005	0.151	1.86	74.9	<10	20.2	0.65	0.44	0.06	0.10	56.5	20.4	32.4	1.21
K812171		0.18	0.0007	0.235	1.10	39.6	<10	34.2	0.46	0.41	1.19	0.59	25.0	15.5	21.6	4.31
K812172		0.22	0.0005	0.170	0.96	24.1	<10	38.4	0.47	0.36	0.38	0.05	21.7	9.7	9.6	7.52
K812173		0.26	0.0019	0.113	0.79	15.25	<10	20.9	0.20	0.42	0.08	0.16	34.1	4.5	11.6	3.90
K812174		0.30	<0.0002	0.146	1.72	71.9	<10	24.3	0.47	0.68	0.02	0.06	41.4	10.1	22.1	2.06
K813061		0.36	<0.0002	0.130	1.49	17.60	<10	17.4	0.27	0.50	0.01	0.05	25.8	12.7	29.5	2.74
K813062		0.22	<0.0002	0.062	0.73	5.78	<10	28.6	0.19	0.17	0.03	0.05	10.65	4.5	8.7	0.71
K813063		0.22	<0.0002	0.076	0.20	0.41	<10	14.7	<0.05	0.04	0.02	0.03	3.29	0.5	1.9	0.24
K813064		0.32	<0.0002	0.077	1.31	52.2	<10	33.6	0.30	0.37	0.13	0.07	20.4	12.6	23.1	1.35
K813065		0.24	<0.0002	0.053	0.53	3.21	<10	37.2	0.13	0.10	0.05	0.04	9.27	2.5	5.2	0.67
K813066		0.32	<0.0002	0.066	0.50	2.76	<10	24.6	0.10	0.13	0.02	0.02	13.95	1.4	4.2	0.31
K813067		0.24	0.0034	0.110	1.35	30.0	<10	45.1	0.22	0.35	0.03	0.12	23.8	7.4	17.6	1.58
K813068		0.28	0.0005	0.134	2.46	53.1	<10	43.9	0.69	0.60	0.04	0.06	68.7	13.5	38.6	1.48
K813069		0.28	0.0007	0.114	2.08	42.8	<10	36.9	0.53	0.45	0.05	0.05	73.1	14.2	35.4	1.37
K813070		0.42	0.0015	0.112	2.39	34.9	<10	47.9	0.63	0.47	0.39	0.04	62.0	16.5	38.7	1.38
K812184		0.36	<0.0002	0.105	2.15	19.15	<10	30.5	1.05	0.69	0.02	0.08	40.6	21.1	54.9	2.26
K812185		0.38	<0.0002	0.120	3.59	188.5	<10	68.4	1.04	0.53	0.10	0.36	49.1	68.1	184.0	5.48
K812186		0.34	<0.0002	0.079	0.79	8.52	<10	17.2	0.33	0.29	0.02	0.03	25.2	4.8	19.5	0.98
K812187		0.28	<0.0002	0.233	0.98	13.80	<10	19.9	0.19	0.32	0.02	0.04	28.9	4.8	20.2	0.66
K812188		0.34	<0.0002	0.111	1.93	11.70	<10	34.3	0.58	0.35	0.07	0.03	57.8	8.8	30.8	0.65
K812189		0.34	<0.0002	0.049	1.77	12.65	<10	42.4	0.44	0.40	0.05	0.03	70.5	5.6	28.6	1.02
K812190		0.42	<0.0002	0.037	2.13	20.8	<10	29.0	0.45	0.41	0.01	0.03	95.9	7.1	32.4	0.95
K812191		0.46	0.0004	0.073	2.01	76.6	<10	26.8	0.58	0.46	<0.01	0.05	93.1	8.2	27.7	1.10
K812192		0.36	0.0011	0.154	2.04	92.4	<10	26.1	0.68	0.56	0.04	0.06	80.0	14.0	30.0	1.15
K812193		0.34	0.0010	0.091	2.18	88.8	<10	38.6	0.49	0.64	0.03	0.08	76.7	18.8	33.7	1.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
K813001		27.8	3.80	5.79	0.06	<0.02	0.028	0.011	0.04	16.2	37.4	0.58	799	1.00	0.01	0.24
K813002		34.5	4.64	6.76	0.10	0.11	0.014	0.019	0.04	35.2	63.4	0.76	409	0.39	0.01	0.23
K813003		35.1	4.39	6.55	0.10	0.08	0.015	0.019	0.05	31.5	55.8	0.76	466	0.41	0.01	0.15
K813004		29.2	3.63	6.13	0.07	0.05	0.026	0.019	0.06	25.3	42.1	0.56	348	0.43	0.02	0.23
K813005		52.6	2.79	4.73	0.07	0.18	0.039	0.020	0.07	16.8	40.6	0.40	607	1.21	0.03	0.29
K813006		18.10	4.70	6.10	0.09	0.06	0.040	0.023	0.03	33.6	44.2	0.44	241	0.66	0.01	0.38
K813007		33.9	5.10	6.43	0.11	0.12	0.026	0.029	0.04	39.8	79.6	0.77	490	0.59	0.01	0.20
K813008		8.39	3.32	6.10	0.09	0.03	0.014	0.013	0.03	35.2	43.4	0.53	216	0.46	0.01	0.16
K813009		20.7	4.37	5.51	0.12	0.07	0.007	0.019	0.02	35.0	58.3	0.70	556	0.47	0.01	0.11
K813010		28.5	4.28	5.77	0.16	0.09	0.029	0.025	0.03	38.0	70.0	0.78	271	0.57	0.01	0.09
K812165		110.5	3.98	7.72	0.57	0.17	0.016	0.017	0.03	110.0	101.5	0.71	2970	0.95	0.01	0.09
K812166		28.2	7.31	9.85	0.17	0.05	0.017	0.035	0.02	50.2	44.9	0.45	505	1.15	0.01	0.41
K812167		32.6	7.02	13.35	0.16	0.05	0.025	0.026	0.02	34.0	33.8	0.42	366	1.05	0.02	0.78
K812168		18.75	4.46	5.64	0.17	0.11	0.013	0.021	0.03	33.7	63.3	0.76	293	0.63	0.01	0.10
K812169		21.6	4.39	5.91	0.17	0.03	0.005	0.023	0.09	30.8	61.1	0.80	537	0.60	0.02	0.38
K812170		22.8	4.56	5.59	0.12	0.09	0.017	0.024	0.04	28.4	65.2	0.70	431	0.64	<0.01	0.06
K812171		31.7	2.39	3.06	0.12	0.08	0.066	0.016	0.05	13.0	34.5	0.44	1080	2.17	0.02	0.10
K812172		16.85	1.41	3.25	0.10	0.13	0.017	0.011	0.04	10.6	16.7	0.14	298	0.57	0.03	0.37
K812173		11.20	1.90	3.98	0.11	<0.02	0.016	0.012	0.02	16.8	24.3	0.23	193	0.38	0.02	0.24
K812174		24.7	3.75	5.91	0.09	0.05	0.033	0.026	0.02	21.5	44.3	0.39	332	0.80	<0.01	0.54
K813061		13.60	4.59	7.14	0.07	0.03	0.052	0.019	0.02	13.3	34.5	0.41	763	0.55	<0.01	0.40
K813062		14.80	1.50	3.47	<0.05	0.02	0.025	0.013	0.02	5.2	10.2	0.13	352	0.44	<0.01	0.23
K813063		3.60	0.25	0.90	<0.05	<0.02	0.018	<0.005	0.02	1.8	0.8	0.01	19	0.13	0.01	0.09
K813064		17.15	3.05	5.06	0.06	0.04	0.011	0.014	0.02	10.9	39.2	0.48	1090	1.02	<0.01	0.17
K813065		12.75	0.77	2.56	<0.05	<0.02	0.019	0.008	0.02	4.4	3.6	0.05	285	0.26	0.01	0.10
K813066		5.21	0.90	3.24	<0.05	0.02	0.014	0.007	0.02	7.0	3.7	0.05	52	0.23	<0.01	0.16
K813067		21.4	3.18	6.34	0.09	0.02	0.020	0.011	0.02	12.2	19.9	0.28	1340	0.51	0.02	0.36
K813068		35.6	4.81	7.32	0.15	0.07	0.021	0.025	0.04	34.6	64.3	0.75	397	0.62	0.01	0.25
K813069		30.8	4.09	6.08	0.14	0.05	0.010	0.018	0.05	37.6	57.3	0.73	460	0.46	0.01	0.14
K813070		35.9	4.27	6.58	0.13	0.12	0.014	0.018	0.06	30.6	72.7	0.86	525	0.45	0.02	0.12
K812184		43.1	7.40	6.55	0.12	0.06	0.053	0.031	0.03	22.9	55.0	0.68	683	1.43	0.01	0.64
K812185		157.0	6.70	10.25	0.14	<0.02	0.009	0.066	0.03	20.2	107.0	2.37	1710	1.38	0.01	0.59
K812186		12.85	3.06	3.82	0.06	<0.02	0.015	0.016	0.02	12.7	17.9	0.22	242	0.51	<0.01	0.18
K812187		14.10	3.52	6.22	0.12	<0.02	0.037	0.013	0.02	13.1	19.4	0.29	151	0.67	0.02	0.36
K812188		20.2	4.41	6.13	0.11	0.09	0.006	0.020	0.02	29.6	81.2	0.75	264	0.45	<0.01	0.11
K812189		16.10	3.86	5.77	0.11	0.05	<0.005	0.021	0.04	35.5	65.8	0.65	225	0.60	<0.01	0.12
K812190		23.3	4.75	6.69	0.16	0.05	<0.005	0.020	0.04	48.1	78.5	0.83	307	0.59	0.01	0.13
K812191		25.4	4.92	6.48	0.18	0.12	<0.005	0.032	0.03	48.6	66.7	0.72	270	0.59	0.01	0.15
K812192		28.9	4.84	5.65	0.14	0.05	0.013	0.032	0.03	41.1	65.1	0.77	372	0.50	0.01	0.12
K812193		24.6	4.57	6.31	0.13	0.04	<0.005	0.030	0.07	37.0	59.5	0.82	518	0.52	0.01	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Ni ppm 0.1	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.01	ME-MS41L Rb ppm 0.1	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.1	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.2	ME-MS41L Sr ppm 0.2	ME-MS41L Ta ppm 0.01	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.1	ME-MS41L Ti % 0.001
K813001		24.6	0.071	14.95	8.8	<0.001	0.02	0.203	0.8	<0.1	0.2	5.5	<0.01	0.01	3.0	0.013
K813002		34.5	0.033	23.9	4.4	<0.001	0.01	0.370	2.0	0.1	0.2	3.7	<0.01	0.02	11.5	0.007
K813003		33.6	0.050	25.0	4.2	<0.001	0.01	0.301	1.7	0.3	<0.2	5.6	<0.01	0.04	7.0	0.006
K813004		26.6	0.046	22.8	5.3	<0.001	0.01	0.284	1.5	0.2	0.2	7.0	<0.01	0.01	4.9	0.006
K813005		37.6	0.087	24.0	6.3	<0.001	0.12	0.497	1.6	1.2	0.2	92.1	<0.01	0.02	3.3	0.004
K813006		15.4	0.060	36.0	5.0	<0.001	0.02	0.523	1.2	0.7	0.2	8.3	<0.01	0.03	7.8	0.007
K813007		50.5	0.054	49.0	5.8	<0.001	0.02	0.692	1.9	0.8	0.2	11.5	<0.01	0.01	17.0	0.005
K813008		12.6	0.047	35.7	4.6	<0.001	0.02	0.356	1.0	0.3	0.2	11.0	<0.01	<0.01	6.3	0.006
K813009		20.4	0.059	39.0	2.7	<0.001	0.02	0.780	1.3	0.1	0.2	10.3	<0.01	<0.01	8.6	0.005
K813010		27.4	0.066	46.3	2.8	<0.001	0.06	0.718	1.7	0.7	<0.2	14.3	<0.01	0.02	9.0	0.004
K812165		142.0	0.065	35.3	2.4	<0.001	0.16	1.150	2.0	11.1	<0.2	13.1	0.01	0.01	13.0	0.005
K812166		21.9	0.156	25.4	2.8	<0.001	0.03	0.423	1.6	0.6	0.2	12.9	0.01	0.03	13.2	0.010
K812167		24.4	0.246	41.9	2.1	<0.001	0.03	0.558	1.4	0.7	0.4	46.1	0.01	0.07	13.3	0.021
K812168		22.4	0.061	44.2	2.9	<0.001	0.03	0.718	1.6	0.8	<0.2	12.6	<0.01	0.03	11.3	0.005
K812169		24.6	0.103	44.0	6.6	<0.001	0.05	0.886	2.0	0.4	0.3	16.7	<0.01	0.02	4.0	0.020
K812170		23.8	0.091	37.2	3.0	<0.001	0.03	0.794	1.4	0.5	<0.2	11.6	<0.01	0.03	7.2	0.004
K812171		24.1	0.128	22.7	3.5	0.001	0.15	0.416	0.9	0.4	<0.2	71.4	<0.01	0.03	4.0	0.003
K812172		11.6	0.157	16.55	3.1	<0.001	0.08	0.168	0.5	0.1	0.2	19.5	0.01	0.02	1.7	0.011
K812173		9.1	0.065	10.90	2.5	<0.001	0.01	0.111	0.5	0.1	0.2	6.7	<0.01	0.01	1.4	0.012
K812174		20.3	0.081	25.2	3.1	<0.001	0.01	0.437	1.2	0.7	0.3	5.7	0.01	0.05	4.3	0.017
K813061		21.5	0.110	11.00	4.5	<0.001	0.02	0.297	1.1	0.4	0.3	2.4	<0.01	0.05	3.9	0.015
K813062		7.2	0.061	5.25	2.6	<0.001	0.02	0.112	0.3	0.2	0.2	5.2	<0.01	0.03	0.2	0.014
K813063		1.2	0.043	2.34	1.2	<0.001	<0.01	<0.005	0.1	0.1	<0.2	4.8	<0.01	<0.01	0.1	0.007
K813064		22.8	0.073	13.60	3.5	<0.001	0.01	0.157	1.0	0.1	<0.2	9.5	<0.01	0.04	2.4	0.009
K813065		4.2	0.078	5.67	1.8	<0.001	0.01	0.057	0.1	0.3	<0.2	8.9	<0.01	0.02	0.1	0.006
K813066		3.0	0.050	4.19	1.6	<0.001	<0.01	0.044	0.2	0.2	0.2	4.3	<0.01	0.02	0.2	0.013
K813067		11.2	0.163	14.60	4.1	<0.001	0.02	0.209	0.6	0.6	0.2	5.6	<0.01	0.03	1.2	0.015
K813068		32.2	0.040	42.0	5.0	<0.001	<0.01	0.358	2.4	0.2	0.2	5.6	<0.01	0.03	11.4	0.007
K813069		28.7	0.048	24.4	4.9	<0.001	<0.01	0.349	1.8	<0.1	0.2	5.3	<0.01	0.05	7.8	0.006
K813070		34.0	0.052	24.0	4.6	<0.001	0.02	0.254	2.5	0.4	0.2	23.0	<0.01	0.02	10.3	0.005
K812184		45.7	0.179	63.5	4.0	<0.001	0.05	0.857	2.1	0.4	0.3	39.4	<0.01	0.04	8.7	0.021
K812185		159.0	0.119	111.5	6.6	<0.001	0.04	0.641	6.8	0.4	0.5	23.2	0.01	0.04	1.8	0.046
K812186		12.4	0.091	19.55	2.8	<0.001	0.01	0.321	0.4	0.2	0.2	7.5	<0.01	0.03	0.4	0.014
K812187		11.8	0.079	14.15	2.5	<0.001	0.02	0.346	1.0	0.2	0.2	4.9	<0.01	0.04	1.8	0.019
K812188		19.5	0.049	24.5	2.4	<0.001	0.01	0.418	1.6	0.4	<0.2	11.3	<0.01	0.03	8.3	0.004
K812189		13.4	0.052	28.4	3.9	<0.001	0.01	0.433	1.4	0.4	0.2	13.1	<0.01	0.03	9.0	0.004
K812190		15.8	0.054	27.9	3.5	<0.001	0.01	0.537	1.7	0.4	0.2	10.5	<0.01	<0.01	11.6	0.005
K812191		18.3	0.051	42.5	4.0	<0.001	0.01	1.285	1.8	0.7	0.2	12.4	<0.01	0.07	13.8	0.006
K812192		25.2	0.070	61.5	2.7	<0.001	0.02	1.005	1.7	0.5	<0.2	13.0	<0.01	0.03	9.7	0.006
K812193		23.9	0.050	62.3	5.7	<0.001	0.01	0.674	2.2	<0.1	0.3	16.8	<0.01	<0.01	12.5	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K813001		0.03	0.89	22	0.0674	1.51	110.0	<0.5
K813002		0.04	0.51	23	0.0916	3.18	78.8	3.9
K813003		0.03	0.53	20	0.0756	3.14	86.5	1.6
K813004		0.03	0.53	18	0.101	2.97	66.6	1.2
K813005		0.04	20.9	14	0.103	7.49	62.5	5.3
K813006		0.04	0.75	19	0.113	3.35	101.0	2.0
K813007		0.04	1.39	17	0.123	5.48	154.5	5.3
K813008		0.04	0.52	16	0.201	3.25	57.5	1.1
K813009		0.03	1.09	14	0.106	5.21	84.6	1.8
K813010		0.03	1.27	16	0.0982	8.00	85.9	2.5
K812165		0.02	1.82	14	0.111	183.0	361	7.3
K812166		0.02	1.30	27	0.0874	4.27	62.6	2.3
K812167		0.03	1.29	44	0.267	5.46	81.9	2.4
K812168		0.03	0.96	16	0.154	4.57	93.5	3.7
K812169		0.07	1.12	24	0.119	4.69	96.8	0.9
K812170		0.02	1.14	15	0.123	4.28	88.0	2.2
K812171		0.02	1.66	9	0.292	4.12	76.1	2.8
K812172		0.04	1.52	9	0.583	6.18	32.9	4.2
K812173		0.03	0.61	14	0.338	2.00	37.1	<0.5
K812174		0.04	0.75	20	0.770	2.40	63.0	1.4
K813061		0.04	0.55	25	0.114	1.32	59.0	0.8
K813062		0.03	0.38	11	0.0841	0.97	22.3	0.5
K813063		<0.02	0.17	3	0.0205	0.25	3.9	<0.5
K813064		0.03	1.14	16	0.0571	1.32	67.1	1.1
K813065		0.02	0.30	9	0.0533	0.92	15.8	<0.5
K813066		0.03	0.25	11	0.0614	0.60	9.0	<0.5
K813067		0.03	0.52	21	0.0804	1.54	40.1	1.0
K813068		0.03	0.64	25	0.0931	4.82	79.6	2.8
K813069		0.03	0.55	20	0.0963	3.33	79.0	1.7
K813070		0.04	2.32	21	0.0763	5.14	91.7	4.2
K812184		0.06	0.89	27	0.170	4.07	99.0	2.1
K812185		0.07	0.65	85	0.114	8.40	194.5	<0.5
K812186		0.03	0.40	17	0.0718	1.50	28.4	<0.5
K812187		<0.02	0.48	31	0.110	2.15	40.2	<0.5
K812188		0.02	0.81	15	0.0361	3.43	74.0	2.5
K812189		0.04	0.62	15	0.483	3.09	57.6	1.5
K812190		0.02	0.94	17	0.0872	3.56	72.1	1.5
K812191		0.02	0.89	16	0.0800	4.24	73.9	7.4
K812192		0.03	1.38	18	0.0777	5.64	92.1	1.8
K812193		0.05	0.85	22	0.0803	4.85	90.0	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812194		0.30	<0.0002	0.151	0.17	2.02	<10	9.5	<0.05	0.08	0.03	0.02	5.46	0.8	3.1	0.33
K812195		0.30	<0.0002	0.050	0.13	3.07	<10	7.6	<0.05	0.05	0.02	0.02	3.68	0.7	2.7	0.30
K812196		0.20	0.0003	0.102	0.24	5.12	<10	29.2	0.14	0.15	1.84	0.92	7.70	4.6	6.7	0.32
K812197		0.22	<0.0002	0.355	1.48	26.6	<10	41.9	0.39	0.78	0.39	0.60	37.5	12.5	27.3	1.84
K812198		0.32	<0.0002	0.161	2.14	49.5	<10	15.0	1.20	0.59	0.09	0.08	63.5	43.8	38.7	1.80
K812199		0.34	0.0006	0.293	0.81	34.4	<10	37.0	0.16	0.56	0.16	0.09	18.05	7.3	15.2	4.58
K812200		0.28	0.0007	0.242	1.49	68.0	<10	38.5	0.26	0.49	0.30	0.10	28.0	14.8	28.3	6.52
K812201		0.32	0.0006	0.189	2.01	12.10	<10	52.4	0.60	1.22	0.13	0.04	86.8	8.0	30.7	17.20
K812202		0.32	<0.0002	0.261	2.11	11.25	<10	69.8	0.62	0.80	0.13	0.03	94.2	13.2	31.6	8.75
K812203		0.36	0.0005	0.130	1.94	12.25	<10	39.8	0.76	0.62	0.06	0.05	80.5	12.0	27.4	5.11
K812204		0.32	<0.0002	0.066	2.29	10.80	<10	16.7	0.81	0.45	0.12	0.07	60.0	22.7	40.0	1.47
K812205		0.38	0.0042	0.293	3.21	27.2	<10	24.6	2.38	0.63	0.11	0.04	89.7	17.9	29.5	2.94
K812206		0.30	0.0014	0.575	2.00	13.50	<10	28.2	1.11	2.31	0.05	0.03	127.0	7.5	24.1	10.65
K812207		0.60	0.0006	0.096	2.31	20.6	<10	39.8	1.12	1.93	0.05	0.05	103.5	12.3	31.9	5.22
K812208		0.28	<0.0002	0.200	1.64	10.80	<10	26.1	0.81	2.21	0.03	0.04	91.9	7.9	22.0	7.83
K812209		0.36	<0.0002	0.079	1.44	7.59	<10	26.0	0.40	0.94	0.02	0.02	49.0	5.4	20.4	4.05
K812210		0.44	<0.0002	0.062	2.38	85.4	<10	50.9	0.57	0.52	0.18	0.06	64.2	18.0	39.7	1.86
K812211		0.36	0.0007	0.408	1.24	7.77	<10	25.1	0.63	0.91	0.04	0.06	42.8	3.6	17.2	4.68
K812212		0.34	<0.0002	0.119	2.10	6.72	<10	24.2	0.63	1.28	0.02	0.04	69.9	8.8	30.8	3.66
K812213		0.58	0.0009	0.072	2.33	8.72	<10	31.6	1.00	1.01	0.03	0.05	96.8	11.0	32.9	3.02
K812224		0.34	<0.0002	0.112	1.40	30.4	<10	17.8	0.49	0.75	0.02	0.04	37.6	24.1	23.4	5.16
K812225		0.44	0.0015	0.095	1.79	98.8	<10	22.4	0.40	0.44	0.03	0.04	47.3	9.3	25.0	3.48
K812226		0.50	0.0432	0.283	2.04	522	<10	15.1	1.53	0.92	0.02	0.10	78.1	58.3	24.3	10.90
K812227		0.38	0.0008	0.085	1.80	221	<10	25.5	0.34	0.64	0.02	0.06	64.0	15.6	33.2	3.38
K812228		0.32	0.0028	0.193	1.79	71.3	<10	35.7	0.46	0.30	0.06	0.07	27.3	8.3	17.4	2.30
K812229		0.42	0.0030	0.091	2.12	353	<10	29.7	0.65	0.69	0.24	0.09	42.9	34.0	23.9	4.10
K812230		0.38	0.0045	0.105	0.98	118.0	<10	15.0	0.23	1.02	0.02	0.06	48.5	13.0	19.9	3.93
K812231		0.48	0.0177	0.048	2.33	178.0	<10	25.5	0.45	0.56	0.02	0.05	69.6	16.5	35.1	2.78
K812232		0.38	0.0003	0.036	0.48	3.51	<10	12.0	0.08	0.04	0.06	0.01	4.92	0.6	2.1	0.43
K812233		0.24	<0.0002	0.161	0.61	8.18	<10	24.8	0.17	0.22	0.56	0.20	8.39	6.8	15.2	1.87
K812234		0.34	0.106	0.159	1.84	1300	<10	45.1	0.72	0.71	0.02	0.19	47.7	29.8	23.8	6.07
K812235		0.34	0.0037	0.115	1.67	90.7	<10	20.0	0.35	0.52	0.03	0.08	51.8	14.4	27.1	3.32
K812236		0.28	0.0062	0.189	1.82	214	<10	34.5	0.57	0.63	0.04	0.04	44.8	13.1	22.0	9.86
K812237		0.38	0.0005	0.040	0.84	33.8	<10	28.7	0.16	0.17	0.03	0.06	23.3	2.9	10.1	1.05
K812238		0.32	<0.0002	0.085	1.64	86.6	<10	29.4	0.28	0.46	0.02	0.07	64.2	8.9	25.5	3.23
K812239		0.30	0.0023	0.261	1.48	709	<10	32.0	0.33	0.56	0.02	0.07	71.0	10.9	24.6	3.18
K812240		0.34	0.0078	0.180	2.02	594	<10	26.0	0.61	0.69	0.02	0.10	72.6	24.0	28.7	3.34
K812241		0.32	0.0008	0.133	1.42	145.5	<10	16.0	0.24	0.48	0.02	0.09	63.9	9.4	24.3	2.65
K812242		0.34	<0.0002	0.134	1.54	27.8	<10	81.5	0.34	0.34	0.70	0.02	24.7	11.5	22.2	1.47
K812243		0.34	<0.0002	0.091	0.86	26.9	<10	18.6	0.22	0.50	0.03	0.06	21.5	6.2	13.5	2.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
K812194		2.20	0.32	1.11	<0.05	<0.02	0.014	0.006	0.01	2.9	2.8	0.04	18	0.34	<0.01	0.17
K812195		1.48	0.34	0.73	<0.05	<0.02	0.017	0.005	0.01	2.0	2.4	0.04	29	0.12	<0.01	0.06
K812196		21.8	0.59	0.78	<0.05	0.03	0.084	0.007	0.03	5.3	4.4	0.08	278	0.99	<0.01	0.07
K812197		20.0	3.87	5.40	0.13	0.03	0.024	0.018	0.04	19.7	41.0	0.57	466	0.69	0.02	0.22
K812198		46.0	5.37	6.55	0.14	0.07	0.014	0.035	0.02	30.8	78.5	0.89	656	0.75	<0.01	0.05
K812199		17.30	2.23	3.25	0.09	<0.02	0.034	0.012	0.04	13.8	17.3	0.21	144	0.95	0.02	0.20
K812200		22.6	3.37	5.73	0.10	0.02	0.014	0.015	0.05	15.5	32.3	0.44	282	1.30	0.01	0.16
K812201		30.8	3.95	6.07	0.15	<0.02	0.049	0.017	0.05	45.9	49.8	0.60	318	1.26	0.01	0.67
K812202		33.7	4.08	6.85	0.18	0.03	0.011	0.019	0.03	53.7	52.5	0.70	449	1.00	0.01	0.41
K812203		35.7	3.77	5.71	0.16	0.03	<0.005	0.020	0.03	40.7	44.8	0.57	395	0.81	0.01	0.33
K812204		28.8	4.82	6.27	0.15	0.02	<0.005	0.017	0.04	28.5	66.9	0.88	679	1.36	0.01	0.39
K812205		70.5	5.60	5.64	0.23	0.08	0.013	0.013	0.04	41.7	56.6	0.69	448	1.62	0.01	0.50
K812206		78.8	4.01	6.04	0.22	0.03	0.029	0.015	0.05	52.7	47.9	0.51	276	1.85	0.01	0.56
K812207		44.6	4.90	7.07	0.18	<0.02	<0.005	0.016	0.08	52.8	70.9	0.77	457	1.30	0.01	0.32
K812208		63.3	3.84	5.65	0.16	0.02	0.024	0.011	0.05	45.2	39.1	0.44	248	1.58	0.01	0.59
K812209		16.75	3.31	5.42	0.11	<0.02	0.026	0.013	0.05	26.4	33.0	0.43	232	0.82	0.01	0.54
K812210		29.1	4.53	6.74	0.13	0.09	0.015	0.024	0.07	32.9	65.8	0.83	584	0.67	0.01	0.16
K812211		28.5	2.66	4.07	0.11	<0.02	0.031	0.012	0.04	20.2	18.5	0.25	128	1.13	0.01	0.55
K812212		23.4	4.55	6.63	0.15	<0.02	0.007	0.014	0.05	34.7	60.2	0.75	415	0.93	0.01	0.61
K812213		29.4	4.91	6.93	0.17	0.02	0.075	0.014	0.06	48.1	64.9	0.78	510	0.78	0.01	0.40
K812224		32.1	4.02	5.09	0.10	0.03	0.057	0.017	0.03	18.1	27.2	0.33	1520	0.78	0.01	0.15
K812225		26.0	3.33	5.39	0.10	0.05	0.026	0.022	0.03	22.2	53.0	0.53	290	0.76	0.01	0.24
K812226		82.7	5.26	5.42	0.14	0.05	0.108	0.039	0.02	37.7	63.9	0.52	1400	1.31	<0.01	<0.05
K812227		31.9	5.82	7.66	0.12	0.04	0.034	0.025	0.03	31.6	51.2	0.53	721	1.33	<0.01	0.68
K812228		29.1	2.53	4.46	0.09	0.06	0.026	0.013	0.03	13.5	30.3	0.28	388	0.71	0.01	0.44
K812229		42.1	5.44	6.21	0.13	0.05	0.010	0.037	0.02	19.3	70.1	0.64	1940	1.27	0.01	0.20
K812230		30.5	4.52	6.29	0.12	0.02	0.049	0.018	0.02	23.4	23.0	0.24	740	0.81	<0.01	0.16
K812231		36.9	5.20	7.17	0.16	0.06	<0.005	0.023	0.02	35.6	84.7	0.84	648	0.71	<0.01	0.19
K812232		2.98	0.22	1.67	0.07	0.02	0.025	<0.005	0.02	2.4	1.5	0.03	18	0.13	0.02	0.20
K812233		13.95	1.36	2.02	0.09	0.02	0.040	0.005	0.04	4.4	12.8	0.23	341	0.98	0.01	0.10
K812234		58.4	5.44	5.16	0.14	0.09	0.034	0.038	0.02	22.6	49.1	0.44	930	1.10	0.01	0.25
K812235		40.8	4.18	4.66	0.12	0.05	0.046	0.024	0.03	24.9	49.3	0.45	320	1.56	0.01	0.26
K812236		43.9	4.39	4.86	0.11	0.06	0.029	0.030	0.03	20.1	50.8	0.42	407	1.01	0.01	0.21
K812237		15.55	1.78	3.62	0.09	<0.02	0.029	0.008	0.02	11.9	21.2	0.20	130	0.38	0.02	0.25
K812238		26.6	4.98	6.55	0.12	0.03	0.012	0.018	0.03	31.5	45.9	0.43	610	1.07	0.01	0.44
K812239		30.4	5.47	7.21	0.15	0.02	0.037	0.019	0.03	35.5	36.7	0.36	361	0.82	<0.01	0.44
K812240		42.7	5.50	6.10	0.13	0.06	0.040	0.025	0.02	35.8	64.8	0.56	716	0.84	0.01	0.26
K812241		18.65	4.84	7.06	0.10	0.02	0.038	0.016	0.03	33.3	30.2	0.32	381	0.64	<0.01	0.49
K812242		18.30	2.45	4.66	0.09	0.12	0.013	0.008	0.05	11.4	36.9	0.46	297	0.67	0.02	0.29
K812243		15.20	2.48	4.92	0.09	<0.02	0.028	0.013	0.02	10.8	13.1	0.18	424	0.60	0.01	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812194		1.8	0.024	3.64	1.0	<0.001	<0.01	<0.005	0.3	0.1	<0.2	5.2	<0.01	0.02	0.3	0.007
K812195		1.6	0.025	3.32	0.7	<0.001	<0.01	0.007	0.2	<0.1	<0.2	4.3	<0.01	0.01	0.1	0.008
K812196		10.2	0.091	7.04	0.9	<0.001	0.16	0.150	0.4	0.3	<0.2	58.6	<0.01	0.02	0.9	0.003
K812197		17.5	0.113	33.2	4.2	0.001	0.08	0.307	1.5	<0.1	0.3	53.3	<0.01	0.02	7.0	0.008
K812198		48.2	0.100	51.9	1.7	<0.001	0.02	0.726	2.8	0.7	<0.2	10.9	<0.01	0.05	12.7	0.004
K812199		12.4	0.084	28.2	3.3	<0.001	0.06	0.228	0.5	0.2	0.2	201	<0.01	0.05	1.7	0.007
K812200		26.2	0.093	23.3	4.8	<0.001	0.05	0.217	1.4	<0.1	0.3	288	<0.01	0.03	6.3	0.005
K812201		25.8	0.070	30.9	9.7	<0.001	0.04	0.089	1.4	0.6	0.4	34.9	<0.01	0.03	10.0	0.008
K812202		29.3	0.077	33.2	5.4	<0.001	0.02	0.103	1.6	0.6	0.2	33.7	<0.01	0.02	10.8	0.007
K812203		25.4	0.076	24.2	4.4	<0.001	0.01	0.122	1.2	0.6	0.2	20.8	<0.01	<0.01	7.3	0.009
K812204		32.2	0.081	12.15	2.9	<0.001	0.02	0.265	1.7	<0.1	0.2	20.2	<0.01	0.01	12.1	0.014
K812205		33.1	0.084	19.50	3.4	<0.001	0.19	0.384	1.8	1.4	0.2	30.8	0.01	0.03	14.6	0.013
K812206		20.1	0.104	21.0	7.5	<0.001	0.06	0.228	1.3	1.7	0.3	16.3	<0.01	0.01	11.3	0.009
K812207		26.0	0.075	27.8	8.9	<0.001	0.01	0.325	2.4	0.6	0.4	20.8	<0.01	0.01	20.5	0.018
K812208		18.3	0.085	18.70	7.3	<0.001	0.04	0.173	1.1	0.9	0.3	10.1	<0.01	0.04	8.1	0.009
K812209		12.1	0.077	17.45	5.5	<0.001	0.02	0.119	0.7	<0.1	0.3	8.5	<0.01	0.01	4.1	0.007
K812210		35.9	0.055	25.4	5.5	<0.001	<0.01	0.288	2.3	<0.1	0.2	15.1	<0.01	0.03	9.8	0.005
K812211		9.0	0.156	25.7	5.8	<0.001	0.06	0.246	0.2	0.2	0.3	11.7	<0.01	0.02	1.1	0.006
K812212		20.1	0.060	20.2	7.0	<0.001	0.01	0.094	1.6	<0.1	0.3	8.7	<0.01	0.01	15.4	0.011
K812213		25.4	0.066	16.25	6.0	<0.001	<0.01	0.120	2.0	0.2	0.2	10.6	<0.01	<0.01	19.0	0.014
K812224		24.3	0.078	11.70	3.2	<0.001	0.01	0.231	1.2	<0.1	0.2	3.4	<0.01	0.05	4.1	0.006
K812225		27.4	0.073	34.8	2.9	<0.001	0.03	0.300	0.8	0.2	0.2	4.4	<0.01	0.04	2.2	0.009
K812226		69.2	0.051	146.5	2.0	<0.001	<0.01	0.626	3.1	0.6	<0.2	3.1	<0.01	0.04	16.4	0.002
K812227		31.1	0.062	30.7	5.4	<0.001	0.01	0.568	1.4	0.4	0.4	5.2	<0.01	0.06	8.8	0.017
K812228		17.8	0.082	23.3	4.6	<0.001	0.05	0.341	0.7	<0.1	0.2	8.7	<0.01	0.01	1.3	0.015
K812229		34.8	0.173	51.9	2.7	<0.001	0.02	0.608	2.4	0.4	0.2	14.9	<0.01	0.02	2.9	0.011
K812230		19.7	0.109	15.50	2.9	<0.001	0.03	0.478	0.7	<0.1	0.2	3.5	<0.01	0.06	2.2	0.006
K812231		39.0	0.048	35.0	2.8	<0.001	<0.01	0.550	1.7	0.1	0.2	4.1	<0.01	0.02	8.9	0.010
K812232		1.3	0.037	2.36	1.0	<0.001	0.01	0.035	0.1	<0.1	<0.2	5.5	<0.01	<0.01	0.1	0.015
K812233		19.4	0.059	10.50	2.8	<0.001	0.08	0.093	0.5	<0.1	<0.2	26.1	<0.01	<0.01	2.1	0.008
K812234		44.6	0.084	67.1	3.0	<0.001	0.03	1.175	1.6	0.9	0.2	8.8	<0.01	0.02	3.5	0.011
K812235		31.7	0.065	36.3	3.3	<0.001	0.02	0.653	1.5	0.5	0.2	5.1	<0.01	0.02	8.0	0.008
K812236		30.0	0.080	58.5	3.1	<0.001	0.04	0.443	1.5	0.2	0.2	8.8	<0.01	<0.01	3.3	0.005
K812237		8.1	0.035	11.40	2.0	<0.001	<0.01	0.170	0.4	<0.1	<0.2	5.8	<0.01	<0.01	1.5	0.016
K812238		19.3	0.065	29.6	5.5	<0.001	0.02	0.477	1.2	0.4	0.3	6.8	<0.01	0.03	7.2	0.013
K812239		24.7	0.058	38.3	4.2	<0.001	0.01	0.512	1.3	0.5	0.2	6.0	<0.01	<0.01	9.0	0.012
K812240		39.3	0.058	66.6	3.3	<0.001	0.01	0.573	1.6	0.4	0.2	5.0	<0.01	0.03	9.7	0.009
K812241		19.0	0.082	21.3	4.4	<0.001	0.01	0.365	1.0	<0.1	0.3	4.4	<0.01	0.02	6.5	0.011
K812242		26.5	0.075	15.85	4.4	<0.001	0.05	0.149	1.2	0.2	0.2	39.6	<0.01	0.01	3.6	0.008
K812243		9.3	0.078	16.75	2.3	<0.001	0.01	0.189	0.3	<0.1	0.2	4.0	<0.01	0.02	1.0	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K812194		0.02	0.30	4	0.0386	0.69	5.3	<0.5
K812195		<0.02	0.09	6	0.0130	0.25	9.0	<0.5
K812196		<0.02	0.24	3	0.0420	3.37	111.5	1.0
K812197		<0.02	0.53	19	0.172	3.62	98.1	1.2
K812198		0.02	1.48	24	0.0352	8.07	128.5	1.9
K812199		0.03	0.39	14	0.147	1.78	61.9	<0.5
K812200		0.02	0.42	24	0.288	3.42	85.8	0.6
K812201		0.82	1.81	18	1.035	11.35	66.4	<0.5
K812202		0.15	1.67	18	0.229	13.05	76.3	1.0
K812203		0.08	1.66	17	0.201	6.25	71.5	1.0
K812204		0.03	0.98	18	0.289	6.02	102.0	0.7
K812205		0.06	2.71	16	0.822	23.2	99.0	2.6
K812206		0.55	7.13	17	2.75	22.3	61.4	0.7
K812207		0.24	3.41	22	2.06	11.85	86.6	1.2
K812208		0.32	2.41	17	3.31	16.95	52.7	<0.5
K812209		0.11	0.84	16	2.14	3.90	44.4	<0.5
K812210		0.03	0.78	22	0.0932	3.89	105.5	2.8
K812211		0.13	2.06	15	2.83	4.51	35.2	<0.5
K812212		0.09	1.29	19	2.94	4.83	77.1	0.5
K812213		0.10	1.70	20	1.415	7.30	80.4	1.1
K812224		0.04	0.81	16	0.105	2.14	67.1	1.0
K812225		0.04	1.24	16	0.193	4.04	77.9	1.4
K812226		0.03	3.50	11	0.0511	7.17	160.0	3.5
K812227		0.04	0.93	28	0.201	2.94	95.3	1.5
K812228		0.03	1.64	16	0.114	5.91	50.0	1.7
K812229		0.02	2.15	27	0.131	6.74	124.0	1.6
K812230		0.02	1.12	20	0.0892	2.24	64.3	0.6
K812231		0.03	1.27	21	0.110	3.58	112.0	2.0
K812232		<0.02	0.27	5	0.0286	1.15	5.2	1.0
K812233		<0.02	0.98	8	0.0530	1.02	94.6	0.8
K812234		0.03	2.06	16	0.283	4.78	131.5	3.0
K812235		0.04	1.61	13	0.141	2.70	88.9	2.5
K812236		0.03	2.44	13	0.0998	6.85	90.7	1.9
K812237		0.02	0.39	13	0.0868	0.99	28.9	<0.5
K812238		0.04	0.87	21	0.165	2.42	77.6	1.4
K812239		0.05	1.05	25	0.215	3.10	72.1	1.1
K812240		0.02	1.37	20	0.314	4.12	114.0	2.5
K812241		0.05	0.59	24	0.247	2.26	59.3	0.5
K812242		0.04	0.89	16	0.0902	2.41	65.1	3.5
K812243		0.03	0.43	20	0.0928	1.31	32.1	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812901		0.38	0.0011	0.142	1.33	34.0	<10	59.5	0.46	0.35	0.47	0.05	19.00	8.3	20.4	2.13
K812902		0.38	0.0016	0.167	2.31	46.1	<10	43.1	0.58	0.47	0.04	0.05	81.3	18.5	38.1	1.44
K812903		0.38	0.0006	0.087	0.43	3.84	<10	17.7	0.06	0.10	0.03	0.02	7.09	1.6	4.8	0.58
K812904		0.26	0.0002	0.062	0.50	7.59	<10	20.6	0.06	0.17	0.02	0.04	22.2	2.3	7.9	0.82
K812905		0.32	0.0003	0.068	0.94	28.8	<10	16.5	0.23	0.38	0.02	0.06	19.40	6.7	15.5	1.87
K812906		0.40	0.0014	0.168	2.51	49.1	<10	38.0	0.47	0.95	0.03	0.05	58.8	27.4	39.7	2.51
K812907		0.34	0.0003	0.052	1.84	46.1	<10	28.3	0.25	0.42	0.02	0.04	56.1	9.1	30.5	1.39
K812908		0.32	0.0007	0.132	1.70	21.3	<10	31.0	0.29	0.44	0.03	0.14	22.7	13.4	27.0	1.56
K812909		0.46	0.0013	0.086	2.08	34.4	<10	31.8	0.49	0.51	0.02	0.08	58.3	15.7	33.5	1.89
K812910		0.30	0.0008	0.051	1.09	6.30	<10	27.1	0.27	0.30	0.05	0.03	15.90	6.5	11.6	1.49
K812911		0.36	0.0003	0.050	1.09	4.56	<10	28.4	0.18	0.32	0.02	0.05	34.1	10.0	20.2	2.74
K812912		0.32	0.0016	0.082	2.24	14.75	<10	40.4	0.38	0.57	0.05	0.07	46.6	26.5	33.2	2.56
K812913		0.34	0.0006	0.061	1.69	3.54	<10	48.1	0.32	0.23	0.02	0.13	39.0	20.2	27.5	2.27
K812914		0.42	0.0010	0.097	2.12	7.62	<10	32.2	0.46	0.50	0.06	0.09	33.0	21.0	32.8	2.53
K812915		0.30	0.0003	0.125	0.79	1.85	<10	21.2	0.15	0.11	0.04	0.04	7.16	4.6	6.8	0.82
K812916		0.38	0.0019	0.043	1.52	3.41	<10	29.1	0.37	0.43	0.07	0.03	52.5	23.4	28.3	4.37
K812917		0.36	0.0005	0.078	1.46	20.3	<10	19.5	0.33	0.37	0.02	0.08	26.6	11.3	24.7	1.22
K812918		0.46	0.0068	0.026	1.93	17.50	<10	23.2	0.29	0.45	0.03	0.04	33.5	15.0	29.8	1.59
K812919		0.56	0.0028	0.035	2.32	135.0	<10	85.8	1.18	1.39	0.10	0.03	42.2	44.1	30.5	3.33
K812920		0.58	0.0014	0.046	2.23	47.1	<10	32.8	0.65	0.81	0.02	0.07	45.5	37.0	34.1	2.90
K812921		0.36	0.0006	0.059	1.29	14.20	<10	24.9	0.17	0.33	0.02	0.03	34.6	8.2	19.7	1.01
K812922		0.38	0.0009	0.032	2.01	21.9	<10	21.6	0.20	0.39	0.02	0.02	55.1	12.0	31.9	0.96
K812923		0.32	0.0938	0.033	2.00	34.7	<10	24.0	0.32	0.62	0.04	0.04	47.3	17.7	32.4	1.22
K812924		0.34	0.0010	0.092	1.22	19.60	<10	37.6	0.24	0.42	0.03	0.05	41.2	5.5	18.8	1.23
K812925		0.36	0.0015	0.033	2.53	29.7	<10	35.8	0.52	0.44	0.06	0.04	82.2	21.5	42.8	1.22
K812926		0.36	0.0013	0.102	1.60	38.8	<10	53.3	0.45	0.29	0.93	0.03	19.70	9.5	21.3	1.51
K812927		0.28	0.0023	0.154	2.18	42.4	<10	51.8	0.63	0.48	0.51	0.02	37.6	19.9	34.3	2.50
K812928		0.32	0.0018	0.096	2.23	56.6	<10	37.5	0.55	0.44	0.64	0.07	56.6	18.9	36.0	1.44
K812929		0.32	0.0009	0.073	2.38	119.5	<10	54.8	0.57	0.42	0.41	0.05	56.4	16.5	38.9	1.67
K812930		0.44	0.0013	0.046	2.26	29.1	<10	35.1	0.41	0.36	0.16	0.04	53.5	15.2	36.7	1.14
K812931		0.32	0.0010	0.086	1.79	23.4	<10	56.2	0.59	0.33	1.06	0.15	25.7	13.3	23.6	1.66
K812932		0.34	0.0004	0.077	0.49	4.04	<10	21.3	0.08	0.16	0.03	0.04	9.69	3.3	7.8	0.70
K812933		0.34	0.0008	0.040	0.77	13.70	<10	22.9	0.11	0.24	0.02	0.02	32.9	3.8	11.5	1.13
K812934		0.34	0.0007	0.064	1.83	8.01	<10	17.9	0.19	0.50	0.02	0.05	58.1	14.0	26.6	1.03
K812935		0.30	0.0003	0.086	0.79	4.99	<10	35.2	0.11	0.39	0.01	0.03	49.2	5.3	12.8	1.31
K812936		0.34	0.0007	0.044	2.64	16.20	<10	35.2	0.33	0.51	0.02	0.07	44.2	18.5	38.3	1.37
K812937		0.38	<0.0002	0.052	0.43	1.19	<10	16.1	0.06	0.06	0.03	0.02	4.32	1.1	3.4	0.23
K812938		0.42	0.0007	0.117	2.18	16.85	<10	19.1	0.25	0.60	0.03	0.06	34.3	19.3	35.0	1.23
K812939		0.32	0.0004	0.067	0.84	10.65	<10	26.3	0.17	0.29	0.02	0.03	24.6	5.3	12.1	0.90
K812940		0.28	0.0005	0.159	1.75	22.7	<10	31.5	0.37	0.44	0.06	0.10	31.4	11.5	30.2	1.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812901		30.8	2.25	3.77	0.09	0.05	0.020	0.016	0.07	10.2	26.4	0.32	302	0.60	0.03	0.26
K812902		37.7	4.96	7.64	0.14	0.04	0.010	0.024	0.04	41.0	68.0	0.76	575	0.52	0.01	0.28
K812903		5.50	1.07	2.50	0.06	<0.02	0.011	0.006	0.02	3.9	4.2	0.07	99	0.20	0.02	0.09
K812904		6.68	1.54	3.51	0.07	<0.02	0.011	0.008	0.02	11.8	7.2	0.12	185	0.40	0.02	0.23
K812905		17.65	2.96	5.30	0.08	<0.02	0.011	0.012	0.02	10.3	17.6	0.28	278	1.74	0.02	0.26
K812906		59.6	5.44	7.22	0.12	0.07	0.023	0.030	0.04	29.0	58.5	0.80	944	0.76	0.01	0.23
K812907		14.45	5.10	7.72	0.11	0.03	0.035	0.018	0.03	28.3	42.4	0.47	508	0.65	0.01	0.46
K812908		18.25	4.23	6.34	0.07	0.04	0.073	0.017	0.03	12.1	37.0	0.50	1010	0.46	0.01	0.20
K812909		27.1	5.15	7.73	0.12	0.05	0.045	0.023	0.03	31.4	55.7	0.62	697	0.55	0.01	0.33
K812910		19.15	2.12	3.90	0.08	<0.02	0.025	0.011	0.02	8.2	14.4	0.21	270	0.39	0.02	0.21
K812911		10.80	3.88	5.79	0.08	<0.02	0.045	0.012	0.03	19.2	19.9	0.32	1140	0.33	0.01	0.18
K812912		39.6	4.82	7.07	0.12	0.06	0.031	0.021	0.03	24.7	62.0	0.85	1730	0.89	0.01	0.14
K812913		16.05	4.43	6.00	0.10	0.03	0.037	0.014	0.03	22.1	38.8	0.59	2190	0.18	0.01	0.07
K812914		26.2	4.84	7.25	0.09	0.06	0.030	0.017	0.04	18.0	52.9	0.80	1540	0.74	0.01	0.16
K812915		5.01	1.05	3.19	0.06	<0.02	0.033	0.005	0.02	3.9	6.6	0.10	603	0.41	0.02	0.24
K812916		50.0	4.30	4.36	0.11	0.02	0.009	0.010	0.03	30.3	47.6	0.91	1160	0.30	0.01	0.06
K812917		23.7	4.19	6.48	0.08	0.03	0.056	0.016	0.03	15.1	29.9	0.44	532	0.51	0.01	0.25
K812918		22.4	4.42	6.32	0.09	0.04	0.007	0.013	0.02	17.6	47.4	0.70	744	0.54	0.01	0.17
K812919		54.9	5.84	6.86	0.10	0.03	0.019	0.023	0.03	21.4	54.2	0.81	1800	0.52	0.01	<0.05
K812920		62.6	4.88	7.45	0.11	0.06	0.020	0.025	0.03	23.4	53.3	0.76	1500	0.70	0.01	0.23
K812921		17.00	3.37	5.71	0.09	<0.02	0.018	0.013	0.02	17.7	26.2	0.41	386	0.42	0.01	0.23
K812922		17.55	5.33	8.67	0.13	0.02	0.009	0.018	0.03	27.7	48.3	0.72	663	0.44	0.01	0.26
K812923		41.3	4.68	7.40	0.11	0.03	0.017	0.025	0.02	23.5	47.1	0.69	577	0.82	0.01	0.29
K812924		19.20	4.47	9.72	0.10	<0.02	0.023	0.015	0.02	22.1	14.7	0.24	241	0.80	0.01	0.45
K812925		42.2	5.12	7.50	0.17	0.05	0.007	0.024	0.05	42.9	71.0	0.96	684	0.34	0.01	0.17
K812926		34.4	2.41	4.22	0.07	0.10	0.029	0.013	0.03	10.4	33.9	0.46	400	0.70	0.03	0.26
K812927		41.0	4.11	6.62	0.11	0.10	0.013	0.020	0.04	19.7	62.2	0.81	840	1.09	0.02	0.14
K812928		40.4	4.30	6.28	0.13	0.11	0.030	0.025	0.07	28.5	64.3	0.83	511	0.68	0.02	0.10
K812929		33.3	4.37	6.83	0.12	0.10	0.016	0.023	0.06	28.0	73.6	0.82	486	1.00	0.01	0.19
K812930		29.9	4.43	6.83	0.11	0.04	0.007	0.019	0.04	26.1	59.8	0.85	551	0.57	0.01	0.18
K812931		40.2	2.66	4.94	0.08	0.10	0.044	0.019	0.05	13.1	42.0	0.51	464	0.73	0.02	0.28
K812932		4.85	1.50	2.81	0.05	<0.02	0.025	0.006	0.02	5.4	8.1	0.13	210	0.26	0.02	0.07
K812933		7.63	2.23	5.09	0.09	<0.02	0.022	0.009	0.02	16.3	11.8	0.19	233	0.42	0.01	0.37
K812934		12.45	4.14	7.43	0.12	0.02	0.040	0.014	0.03	29.4	41.4	0.60	982	0.55	0.01	0.28
K812935		6.84	2.86	6.11	0.10	<0.02	0.017	0.010	0.03	26.0	10.1	0.15	436	0.44	0.01	0.44
K812936		23.4	5.12	6.76	0.11	0.06	0.043	0.019	0.03	22.6	55.8	0.79	817	0.56	0.01	0.23
K812937		5.60	0.58	1.77	0.06	<0.02	0.016	<0.005	0.02	2.2	1.6	0.04	37	0.19	0.03	0.05
K812938		18.80	4.88	6.63	0.07	0.05	0.030	0.017	0.04	19.2	52.6	0.80	935	0.43	0.01	0.17
K812939		9.16	2.75	5.31	<0.05	<0.02	0.016	0.009	0.02	13.3	10.5	0.15	364	0.45	0.01	0.36
K812940		19.45	5.04	6.68	0.06	0.06	0.070	0.024	0.03	16.3	45.5	0.47	355	0.91	<0.01	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812901		21.0	0.053	16.65	5.5	<0.001	0.03	0.216	1.1	<0.1	0.2	19.8	<0.01	0.01	2.6	0.006
K812902		33.7	0.048	29.8	5.5	<0.001	0.01	0.398	2.2	0.5	0.2	5.5	<0.01	0.03	10.6	0.008
K812903		3.2	0.039	2.60	2.0	<0.001	0.02	0.052	0.1	<0.1	<0.2	4.6	<0.01	<0.01	0.1	0.009
K812904		5.1	0.037	6.66	2.2	<0.001	0.02	0.073	0.5	0.2	0.2	3.3	<0.01	0.01	3.2	0.012
K812905		10.1	0.056	56.9	2.4	<0.001	0.03	0.151	0.6	<0.1	0.2	3.5	<0.01	0.02	1.4	0.011
K812906		36.8	0.058	76.4	4.8	<0.001	0.03	0.370	2.1	0.5	0.2	4.6	<0.01	0.04	11.6	0.009
K812907		19.0	0.081	17.75	5.0	<0.001	0.03	0.356	1.5	0.3	0.3	4.6	<0.01	0.02	8.0	0.010
K812908		23.3	0.110	17.35	5.4	<0.001	0.06	0.245	1.0	0.2	0.2	4.0	<0.01	0.02	3.4	0.007
K812909		30.0	0.053	21.4	4.5	<0.001	0.02	0.348	1.9	0.4	0.2	3.5	<0.01	0.02	10.4	0.010
K812910		11.1	0.079	9.33	2.7	<0.001	0.04	0.188	0.2	0.3	0.2	5.0	0.01	0.02	0.2	0.013
K812911		15.1	0.107	11.00	4.1	<0.001	0.03	0.213	0.7	0.1	0.2	2.9	<0.01	0.02	2.1	0.010
K812912		36.7	0.058	49.7	3.6	<0.001	0.02	0.262	1.8	0.4	<0.2	3.8	<0.01	0.03	9.6	0.007
K812913		31.6	0.090	10.35	3.1	<0.001	0.03	0.215	1.2	0.2	0.2	2.5	<0.01	0.02	4.9	0.007
K812914		32.5	0.083	42.1	4.1	<0.001	0.03	0.234	1.5	0.2	0.2	3.5	<0.01	0.02	6.8	0.007
K812915		5.2	0.055	11.30	1.7	<0.001	0.05	0.068	0.1	0.2	<0.2	4.9	<0.01	0.01	0.1	0.011
K812916		42.6	0.046	9.35	3.0	<0.001	0.01	0.326	1.0	0.1	0.2	2.6	<0.01	0.05	10.4	0.019
K812917		23.2	0.067	16.65	4.5	<0.001	0.04	0.273	1.0	0.3	0.2	2.8	<0.01	0.03	3.4	0.010
K812918		30.4	0.068	16.55	3.7	<0.001	0.03	0.216	1.2	0.2	0.2	3.2	<0.01	0.04	3.5	0.012
K812919		46.3	0.058	45.1	2.5	<0.001	0.01	0.377	2.7	0.4	0.2	4.8	<0.01	0.06	13.4	0.006
K812920		36.2	0.060	32.6	3.9	<0.001	0.01	0.313	1.9	0.9	0.2	2.8	<0.01	0.05	8.7	0.009
K812921		18.2	0.055	8.79	3.2	<0.001	0.01	0.205	0.8	0.1	0.2	3.5	<0.01	0.02	2.6	0.012
K812922		28.7	0.075	12.00	3.6	<0.001	0.01	0.211	1.7	0.2	0.2	3.3	<0.01	0.04	9.9	0.012
K812923		33.3	0.063	17.75	3.0	<0.001	0.03	0.337	1.5	0.4	0.2	7.2	<0.01	0.04	7.2	0.013
K812924		11.4	0.083	18.20	3.9	<0.001	0.02	0.266	0.7	0.3	0.3	5.5	<0.01	0.04	2.5	0.015
K812925		41.5	0.053	28.4	3.9	0.001	0.01	0.378	2.5	0.4	0.2	5.9	<0.01	0.02	14.3	0.010
K812926		21.5	0.091	14.40	3.6	0.001	0.09	0.198	1.0	1.0	<0.2	43.4	<0.01	0.01	2.4	0.008
K812927		34.5	0.082	28.3	4.5	<0.001	0.05	0.258	2.2	1.2	0.2	37.9	<0.01	0.02	7.7	0.005
K812928		36.2	0.059	28.0	5.1	<0.001	0.04	0.376	2.3	0.6	<0.2	33.7	<0.01	<0.01	10.0	0.005
K812929		35.9	0.046	22.1	6.1	<0.001	0.03	0.236	2.4	0.5	0.2	25.0	<0.01	0.02	9.4	0.006
K812930		32.7	0.046	19.50	3.7	<0.001	0.02	0.234	1.8	0.4	<0.2	10.6	<0.01	0.02	7.0	0.009
K812931		44.4	0.066	17.65	5.0	<0.001	0.10	0.201	1.4	1.1	0.2	56.3	<0.01	0.01	3.5	0.006
K812932		6.3	0.059	4.64	2.5	<0.001	0.03	0.085	0.1	<0.1	0.2	4.2	<0.01	0.01	0.1	0.008
K812933		7.5	0.066	10.50	3.1	<0.001	0.02	0.161	0.6	0.1	0.3	4.2	<0.01	0.01	2.6	0.014
K812934		24.2	0.047	21.5	4.0	<0.001	0.02	0.153	1.5	0.2	0.2	3.2	<0.01	0.02	12.6	0.009
K812935		8.5	0.077	18.60	4.0	<0.001	0.02	0.212	0.7	0.2	0.4	3.2	<0.01	0.02	6.9	0.017
K812936		35.3	0.053	20.9	3.8	<0.001	0.03	0.230	1.8	0.2	0.2	2.9	<0.01	0.03	11.2	0.010
K812937		2.0	0.036	3.10	1.2	<0.001	0.02	0.045	<0.1	<0.1	<0.2	5.0	<0.01	0.01	<0.1	0.009
K812938		36.6	0.060	13.65	3.4	<0.001	0.02	0.206	1.8	0.3	<0.2	2.8	<0.01	0.04	8.9	0.009
K812939		8.5	0.069	8.33	4.5	<0.001	0.02	0.253	0.4	0.3	0.3	4.1	<0.01	0.01	0.5	0.013
K812940		23.1	0.105	20.2	3.3	<0.001	0.04	0.409	1.4	0.4	0.2	7.5	<0.01	0.03	8.0	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812901		0.03	1.04	14	0.0805	2.77	49.0	1.9
K812902		0.05	0.55	25	0.111	3.92	83.7	1.7
K812903		<0.02	0.24	10	0.0479	0.50	12.0	<0.5
K812904		0.03	0.28	13	0.0539	0.90	19.2	<0.5
K812905		0.02	0.66	16	0.0730	1.55	40.6	<0.5
K812906		0.03	1.02	23	0.0885	3.38	95.4	2.4
K812907		0.05	0.47	29	0.119	1.89	64.6	1.1
K812908		0.03	0.61	21	0.0626	1.59	75.7	1.4
K812909		0.05	0.74	27	0.0874	2.56	78.5	2.2
K812910		0.04	0.56	17	0.0770	1.33	31.8	<0.5
K812911		0.03	0.58	23	0.0781	1.45	49.4	<0.5
K812912		0.03	0.96	22	0.0525	2.73	108.5	2.2
K812913		0.02	0.94	23	0.0522	1.72	92.7	1.0
K812914		0.02	0.79	22	0.0677	2.30	99.9	1.7
K812915		0.02	0.45	8	0.0476	0.64	21.8	<0.5
K812916		0.03	1.04	24	0.0586	2.31	126.5	0.8
K812917		0.03	0.79	25	0.0945	1.46	64.3	0.9
K812918		0.03	0.77	23	0.0733	1.93	90.2	1.1
K812919		0.02	2.67	20	0.0370	4.08	113.5	2.0
K812920		0.03	1.25	23	0.0811	2.80	101.0	2.1
K812921		0.03	0.51	20	0.0886	1.48	53.2	<0.5
K812922		0.03	0.62	25	0.0672	2.15	78.7	1.0
K812923		0.02	1.24	22	0.0887	2.45	88.6	0.9
K812924		0.04	0.75	34	0.160	1.95	39.6	<0.5
K812925		0.03	0.71	24	0.0757	4.10	105.0	3.2
K812926		0.03	14.30	14	0.0446	4.03	52.6	3.2
K812927		0.04	12.75	19	0.0529	5.01	88.7	3.8
K812928		0.03	7.26	19	0.0617	4.77	105.0	4.3
K812929		0.04	5.87	21	0.0794	4.35	90.3	3.4
K812930		0.03	1.03	22	0.0756	4.05	83.7	1.1
K812931		0.04	4.82	14	0.102	4.37	97.1	3.6
K812932		0.03	0.22	13	0.0628	0.50	26.4	<0.5
K812933		0.04	0.37	19	0.0996	1.29	29.7	<0.5
K812934		0.03	0.70	21	0.0509	2.22	76.8	1.2
K812935		0.06	0.46	25	0.117	1.64	35.9	<0.5
K812936		0.03	0.64	23	0.0770	2.13	102.5	2.3
K812937		0.02	0.21	10	0.0351	0.44	8.0	<0.5
K812938		0.03	0.70	21	0.0704	2.15	103.5	2.3
K812939		0.03	0.37	22	0.105	1.26	30.7	<0.5
K812940		0.04	0.57	20	0.129	1.76	71.7	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812941		0.28	0.0003	0.155	1.94	18.75	<10	23.6	0.30	0.53	0.03	0.07	36.3	11.1	29.5	1.19
K812942		0.28	<0.0002	0.067	0.31	6.09	<10	11.2	0.06	0.15	0.02	0.01	13.75	1.8	4.8	0.43
K812943		0.42	0.0003	0.090	1.99	22.3	<10	32.4	0.32	0.42	0.02	0.04	63.9	8.8	28.6	1.05
K812944		0.26	0.0007	0.065	1.13	24.4	<10	24.2	0.20	0.34	0.10	0.10	30.4	6.1	18.0	1.01
K812945		0.46	0.0011	0.053	2.31	42.2	<10	26.4	0.51	0.49	0.13	0.05	78.3	23.1	38.7	0.97
K812946		0.32	0.0006	0.044	1.77	37.4	<10	48.2	0.42	0.46	0.07	0.04	55.0	9.3	28.4	1.68
K812947		0.42	0.0016	0.114	2.68	46.9	<10	105.0	0.76	0.63	0.12	0.02	60.4	15.8	40.4	2.59
K812948		0.36	<0.0002	0.308	1.59	46.6	<10	109.5	0.80	0.59	0.34	0.09	27.2	9.8	16.5	3.25
K812949		0.34	<0.0002	0.128	0.88	35.4	<10	34.5	0.25	0.23	0.03	0.05	22.6	3.5	11.4	1.11
K812950		0.26	0.0016	0.153	2.64	113.5	<10	20.0	3.05	0.50	0.11	0.29	155.0	83.7	28.5	1.45
K812352		0.40	0.0002	0.286	2.48	23.3	<10	45.9	0.33	0.58	0.01	0.05	78.6	11.9	35.2	1.90
K812353		0.34	<0.0002	0.205	1.87	16.90	<10	51.3	0.23	0.84	0.14	0.16	22.1	15.4	56.5	1.51
K812354		0.34	0.0005	0.127	2.22	46.3	<10	34.1	0.80	1.30	0.08	0.15	52.6	33.5	38.6	2.63
K812355		0.34	<0.0002	0.101	2.26	58.9	<10	38.6	0.61	0.74	0.11	0.29	43.3	31.5	48.7	1.82
K812356		0.24	<0.0002	0.171	0.27	6.81	<10	17.6	0.06	0.20	0.03	0.05	12.75	1.9	4.7	0.78
K812357		0.30	<0.0002	0.080	0.43	23.1	<10	19.7	0.11	0.29	0.03	0.02	13.35	2.4	5.4	0.58
K812358		0.32	0.0002	0.308	0.74	21.4	<10	34.8	0.39	0.45	0.04	0.03	38.7	2.6	8.8	1.34
K812359		0.46	0.0013	0.105	2.45	85.3	<10	18.1	2.06	0.47	0.04	0.36	107.5	106.5	29.4	0.87
K812360		0.34	0.0046	0.136	1.86	55.7	<10	27.1	0.76	0.57	0.26	0.08	61.2	17.7	28.4	1.92
K812361		0.38	<0.0002	0.094	0.26	3.08	<10	11.0	<0.05	0.07	0.02	0.01	7.70	0.8	2.8	0.36
K812362		0.40	<0.0002	0.076	1.67	18.05	<10	32.3	0.39	0.43	0.02	0.02	71.4	5.4	25.0	1.07
K812363		0.34	0.0002	0.170	0.64	8.76	<10	25.6	0.16	0.29	0.02	0.03	32.1	2.1	10.8	1.10
K812364		0.40	0.0003	0.103	1.67	20.0	<10	29.0	0.37	0.67	0.02	0.03	58.0	7.5	31.5	1.22
K812365		0.32	0.0004	0.129	0.92	10.50	<10	25.4	0.20	0.29	0.03	0.04	24.4	4.1	16.1	1.10
K812366		0.36	0.0003	0.095	1.25	13.05	<10	30.8	0.58	0.42	0.03	0.04	36.0	18.9	15.9	2.26
K812367		0.36	<0.0002	0.130	2.04	45.1	<10	65.2	0.63	0.59	0.31	0.03	61.2	14.5	29.4	1.94
K812368		0.38	0.0005	0.096	1.99	257	<10	24.3	0.74	0.63	0.17	0.06	91.9	15.5	29.1	1.46
K812369		0.42	0.0008	0.141	2.35	41.2	<10	50.4	0.72	0.83	0.15	0.06	74.7	18.6	34.0	1.94
K812370		0.40	0.0005	0.108	2.03	37.6	<10	43.0	0.60	0.77	0.04	0.06	72.6	22.3	32.3	2.32
K812371		0.40	0.0004	0.100	2.07	34.3	<10	39.1	0.53	0.74	0.04	0.06	70.0	22.8	34.4	1.85
K812372		0.34	<0.0002	0.189	0.69	6.66	<10	17.2	0.17	0.24	0.03	0.02	30.1	4.0	10.2	0.87
K812373		0.40	0.0005	0.243	1.80	12.70	<10	42.1	0.55	0.48	0.07	0.05	66.9	12.8	22.8	2.09
K812374		0.46	0.0003	0.074	2.30	16.60	<10	36.1	0.55	0.56	0.08	0.03	58.0	11.8	35.7	3.70
K812375		0.40	0.0015	0.333	1.58	16.05	<10	38.8	0.46	0.55	0.09	0.04	45.6	7.9	21.7	2.53
K812376		0.34	0.0053	0.354	2.00	10.85	<10	33.8	1.49	0.40	0.31	0.11	138.5	17.6	21.4	2.51
K812377		0.34	0.0041	0.259	1.93	70.2	<10	51.4	1.01	0.82	0.45	0.13	90.5	21.0	28.0	8.31
K812378		0.42	0.0010	0.124	2.39	22.6	<10	36.7	1.13	0.96	0.09	0.02	96.8	21.2	33.1	3.74
K812379		0.54	0.0008	0.123	2.33	9.50	<10	33.2	1.16	0.97	0.13	0.03	96.3	13.0	33.7	3.62
K812380		0.42	0.0009	0.156	1.38	5.07	<10	46.0	0.44	0.54	0.24	0.10	34.6	10.5	16.9	5.66
K812381		0.38	0.0005	0.159	0.59	4.74	<10	38.1	0.27	0.18	0.21	0.03	25.2	2.9	5.3	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812941		17.80	4.79	7.40	0.07	0.04	0.048	0.017	0.03	19.0	40.6	0.58	549	0.58	0.01	0.38
K812942		3.95	1.14	2.23	<0.05	<0.02	<0.005	<0.005	0.02	7.6	5.0	0.07	96	0.20	0.02	0.20
K812943		11.45	4.49	7.18	0.09	0.05	0.023	0.017	0.03	32.1	43.3	0.54	358	0.58	0.01	0.49
K812944		20.7	2.69	4.76	0.05	0.02	0.041	0.013	0.04	16.0	23.6	0.31	232	1.31	0.01	0.20
K812945		35.8	4.91	6.79	0.13	0.05	0.011	0.020	0.04	39.7	77.6	0.92	795	0.43	0.01	0.10
K812946		23.6	3.41	5.67	0.08	0.06	0.010	0.017	0.07	28.0	42.9	0.54	323	0.43	0.01	0.13
K812947		35.5	4.75	7.01	0.09	0.15	0.019	0.027	0.09	31.1	80.0	0.81	568	0.61	0.01	0.16
K812948		37.3	2.26	5.06	0.05	0.05	0.020	0.018	0.07	14.4	30.7	0.27	597	0.67	0.02	0.33
K812949		15.00	1.66	3.04	<0.05	<0.02	0.019	0.010	0.03	11.9	14.3	0.18	149	0.35	0.02	0.12
K812950		61.4	4.50	6.42	0.38	0.11	0.035	0.022	0.05	90.4	83.8	0.75	1160	0.56	0.01	0.10
K812352		27.6	5.12	7.51	0.10	0.05	0.022	0.029	0.04	43.4	71.4	0.75	587	0.61	0.01	0.42
K812353		14.60	4.13	7.71	0.05	<0.02	0.055	0.028	0.04	11.2	49.0	1.02	928	0.64	0.02	0.64
K812354		40.3	5.12	6.89	0.08	0.05	0.028	0.041	0.04	23.1	81.5	0.90	903	0.72	0.01	0.36
K812355		30.4	5.33	7.28	0.06	<0.02	0.029	0.034	0.04	22.1	62.6	1.03	848	0.76	0.01	0.75
K812356		6.67	0.96	1.95	<0.05	<0.02	0.025	0.007	0.02	7.0	4.5	0.06	79	0.29	0.02	0.12
K812357		8.92	1.39	2.66	<0.05	<0.02	0.025	0.008	0.03	7.6	5.1	0.07	57	0.40	0.02	0.12
K812358		14.20	1.84	3.13	0.06	<0.02	0.023	0.014	0.03	22.0	9.6	0.12	56	0.53	0.02	0.25
K812359		59.3	4.56	5.97	0.16	0.26	0.011	0.021	0.06	48.1	95.9	0.80	2370	0.68	0.01	0.05
K812360		23.7	4.20	5.35	0.10	0.07	0.016	0.029	0.04	31.1	68.3	0.69	300	0.47	0.01	0.18
K812361		2.70	0.58	1.22	<0.05	<0.02	0.010	<0.005	0.02	4.2	2.7	0.04	21	0.15	0.02	0.09
K812362		20.8	4.06	5.03	0.09	0.04	0.007	0.015	0.05	38.7	52.9	0.60	218	0.56	0.01	0.13
K812363		11.20	2.13	3.19	0.05	<0.02	0.017	0.009	0.03	18.0	14.5	0.17	79	0.62	0.02	0.15
K812364		24.4	5.91	7.44	0.09	0.03	0.012	0.023	0.03	30.7	47.9	0.60	245	1.22	0.01	0.54
K812365		12.20	2.10	4.74	<0.05	<0.02	0.023	0.013	0.02	12.7	11.7	0.21	101	0.57	0.02	0.40
K812366		25.4	3.43	4.30	0.05	0.02	0.029	0.018	0.03	19.2	31.3	0.28	547	0.67	0.02	0.19
K812367		24.6	4.29	5.43	0.10	0.05	0.025	0.022	0.04	37.0	63.2	0.70	302	0.62	0.01	0.17
K812368		35.9	7.78	5.46	0.15	0.07	0.009	0.022	0.03	45.8	65.8	0.74	315	0.84	0.01	0.11
K812369		27.5	4.87	6.82	0.11	0.05	0.010	0.026	0.06	40.4	73.0	0.82	507	1.16	0.01	0.22
K812370		24.3	4.23	6.25	0.10	0.03	<0.005	0.021	0.06	40.4	63.9	0.70	490	1.07	0.01	0.27
K812371		23.3	4.44	6.15	0.10	0.04	0.017	0.020	0.06	39.4	61.0	0.76	543	0.95	0.01	0.24
K812372		10.40	1.85	2.98	0.05	0.02	0.010	0.009	0.02	15.5	17.3	0.20	144	0.26	0.02	0.12
K812373		22.3	3.59	5.69	0.11	0.06	0.011	0.019	0.03	35.6	45.7	0.47	316	0.41	0.02	0.48
K812374		33.4	4.61	6.68	0.08	0.03	0.009	0.021	0.05	32.4	80.2	0.90	476	0.60	0.01	0.37
K812375		31.4	2.99	5.26	0.08	0.05	0.033	0.014	0.06	23.7	36.8	0.44	247	0.54	0.02	0.32
K812376		92.3	2.61	5.29	0.21	0.05	0.049	0.017	0.04	74.4	41.4	0.48	288	0.91	0.01	0.37
K812377		44.5	3.22	5.95	0.15	0.10	0.034	0.023	0.06	47.5	51.5	0.56	336	0.99	0.02	0.34
K812378		51.4	4.99	7.33	0.15	0.03	0.011	0.023	0.05	49.2	65.8	0.81	509	0.71	0.01	0.53
K812379		49.4	4.24	7.47	0.16	0.02	<0.005	0.020	0.04	46.9	72.6	0.84	462	0.67	0.01	0.59
K812380		13.45	2.15	4.77	0.07	0.05	0.025	0.010	0.05	24.6	33.4	0.38	322	0.73	0.02	0.28
K812381		11.00	0.82	2.06	0.05	0.03	0.022	0.007	0.03	16.1	6.4	0.08	49	0.46	0.02	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812941		25.2	0.079	14.20	3.9	<0.001	0.04	0.274	1.5	0.4	0.2	3.7	0.01	0.02	8.0	0.011
K812942		3.6	0.045	4.65	1.7	<0.001	0.01	0.107	0.3	<0.1	<0.2	2.8	<0.01	0.01	0.8	0.011
K812943		19.9	0.063	12.80	5.0	<0.001	0.02	0.252	1.6	0.4	0.3	3.9	<0.01	0.02	9.8	0.008
K812944		15.3	0.096	12.45	3.8	<0.001	0.04	0.203	0.7	0.2	<0.2	8.2	<0.01	0.01	2.2	0.007
K812945		41.1	0.059	26.1	2.5	<0.001	0.02	0.388	2.4	0.5	<0.2	10.0	<0.01	0.02	12.5	0.008
K812946		25.3	0.058	16.60	5.9	<0.001	0.02	0.245	1.5	0.3	0.2	8.2	<0.01	0.01	4.7	0.005
K812947		41.2	0.064	21.8	8.1	<0.001	0.03	0.253	2.8	0.8	0.2	12.2	<0.01	0.03	9.7	0.004
K812948		19.8	0.074	16.80	6.7	<0.001	0.05	0.126	1.0	0.4	0.2	26.9	<0.01	0.02	2.7	0.005
K812949		8.5	0.099	11.20	3.4	<0.001	0.02	0.119	0.2	0.4	<0.2	5.2	<0.01	0.01	0.2	0.006
K812950		89.5	0.074	33.3	3.0	0.001	0.08	0.903	2.1	4.9	<0.2	16.0	0.01	0.01	12.0	0.005
K812352		25.1	0.056	13.75	4.2	<0.001	0.02	0.216	2.3	0.5	0.2	7.2	<0.01	0.01	14.0	0.011
K812353		29.3	0.062	16.65	4.1	<0.001	0.04	0.201	3.2	0.5	0.4	15.7	<0.01	0.05	0.9	0.055
K812354		40.8	0.073	32.6	3.6	<0.001	0.04	0.337	3.0	0.6	0.3	16.3	<0.01	0.02	8.9	0.014
K812355		40.6	0.065	36.6	5.5	<0.001	0.03	0.397	3.6	0.5	0.3	27.8	<0.01	0.03	6.6	0.037
K812356		4.0	0.050	10.25	1.4	<0.001	0.03	0.154	0.2	0.1	0.2	7.6	<0.01	0.02	0.1	0.012
K812357		4.1	0.038	14.95	2.2	<0.001	0.03	0.279	0.1	0.2	0.2	7.0	<0.01	0.01	0.1	0.011
K812358		9.8	0.061	30.0	3.9	<0.001	0.04	0.212	0.4	0.5	0.2	15.5	<0.01	0.02	1.1	0.008
K812359		103.0	0.047	38.2	3.1	<0.001	0.07	0.832	1.9	1.8	<0.2	10.6	<0.01	0.01	14.3	0.006
K812360		61.4	0.086	40.1	3.6	<0.001	0.08	0.943	1.6	0.9	<0.2	21.2	<0.01	0.02	7.6	0.007
K812361		1.5	0.033	3.60	1.3	0.001	0.03	0.090	0.1	0.1	<0.2	3.9	<0.01	<0.01	<0.1	0.010
K812362		13.1	0.067	24.9	3.2	<0.001	0.04	0.611	1.2	0.4	<0.2	10.7	<0.01	0.03	6.3	0.005
K812363		5.7	0.075	15.15	2.5	<0.001	0.04	0.323	0.2	0.4	0.2	7.4	<0.01	0.02	0.5	0.007
K812364		18.4	0.102	29.2	3.6	<0.001	0.05	0.718	1.6	0.4	0.3	8.6	<0.01	0.05	11.3	0.014
K812365		8.8	0.051	12.50	2.9	<0.001	0.05	0.305	0.5	0.3	0.3	8.4	<0.01	0.02	0.2	0.023
K812366		22.7	0.101	25.3	3.3	<0.001	0.07	0.442	0.4	0.4	0.2	14.1	<0.01	0.01	0.6	0.009
K812367		38.6	0.090	39.8	3.8	<0.001	0.07	0.256	1.6	0.7	0.2	28.0	<0.01	0.02	7.8	0.004
K812368		47.6	0.112	42.4	2.0	<0.001	0.07	0.522	2.0	1.0	<0.2	26.1	<0.01	0.02	15.4	0.004
K812369		32.1	0.060	28.3	5.3	0.001	0.03	0.239	2.4	0.7	0.3	24.8	<0.01	0.02	14.8	0.006
K812370		31.0	0.061	26.0	6.0	<0.001	0.03	0.235	2.1	0.7	0.3	17.3	<0.01	0.02	8.0	0.008
K812371		30.3	0.059	24.3	4.8	<0.001	0.03	0.234	2.1	0.5	0.3	15.6	<0.01	0.02	9.1	0.007
K812372		9.4	0.064	10.10	1.4	<0.001	0.03	0.190	0.4	0.3	<0.2	18.5	<0.01	<0.01	1.2	0.009
K812373		24.0	0.085	21.3	2.4	<0.001	0.03	0.186	1.5	0.5	<0.2	48.2	0.01	0.02	10.2	0.013
K812374		25.1	0.059	18.10	4.8	<0.001	0.02	0.166	2.3	0.7	0.2	21.8	<0.01	0.01	12.4	0.012
K812375		20.5	0.086	24.1	6.9	<0.001	0.04	0.120	1.0	0.6	0.2	18.9	<0.01	0.03	4.0	0.006
K812376		44.5	0.135	22.2	3.9	<0.001	0.13	0.158	1.5	2.4	0.2	47.2	<0.01	0.01	5.2	0.007
K812377		46.9	0.155	58.4	5.7	<0.001	0.13	0.191	1.3	1.5	0.2	46.7	<0.01	0.02	5.7	0.006
K812378		34.1	0.067	25.0	5.2	<0.001	0.02	0.268	2.3	1.0	0.3	29.5	0.01	0.03	14.6	0.013
K812379		33.6	0.071	23.5	5.1	<0.001	0.03	0.186	2.4	1.2	0.3	37.4	0.01	0.01	15.7	0.016
K812380		20.1	0.110	19.80	6.8	<0.001	0.06	0.041	0.9	1.0	0.2	40.8	<0.01	0.01	3.2	0.006
K812381		6.6	0.090	9.33	2.0	<0.001	0.08	0.043	0.3	0.6	<0.2	27.1	<0.01	0.02	0.7	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812941		0.03	0.70	23	0.134	1.91	74.4	1.4
K812942		<0.02	0.16	10	0.0583	0.51	14.1	<0.5
K812943		0.04	0.51	25	0.107	2.13	64.3	2.1
K812944		0.02	1.85	16	0.0806	1.71	49.1	1.3
K812945		0.02	1.05	20	0.0801	5.36	105.0	1.7
K812946		0.03	0.60	18	0.111	3.26	61.8	1.6
K812947		0.05	1.38	23	0.135	5.35	112.5	4.2
K812948		0.06	1.71	15	0.147	4.56	48.5	1.6
K812949		0.02	0.79	10	0.0552	1.49	24.9	<0.5
K812950		0.02	1.88	15	0.160	101.5	229	3.0
K812352		0.04	0.89	21	0.268	3.56	81.3	1.7
K812353		0.03	0.36	62	0.103	2.72	78.6	<0.5
K812354		0.03	0.99	31	0.726	5.07	117.5	1.4
K812355		0.04	0.62	45	0.131	4.40	101.5	<0.5
K812356		0.02	0.24	11	0.0627	0.77	23.3	<0.5
K812357		0.03	0.30	15	0.108	0.96	18.9	<0.5
K812358		0.04	0.75	11	0.0837	7.91	17.5	<0.5
K812359		0.03	1.38	14	0.0672	33.9	273	10.9
K812360		0.03	1.18	15	0.105	6.78	122.5	2.3
K812361		<0.02	0.24	7	0.0341	0.47	6.3	<0.5
K812362		0.03	0.99	15	0.164	2.97	58.2	1.3
K812363		0.02	0.67	13	0.0677	2.00	23.2	<0.5
K812364		0.04	0.79	26	0.117	3.80	62.6	1.3
K812365		0.03	0.48	26	0.124	1.65	25.2	<0.5
K812366		0.05	0.85	15	0.0626	3.09	55.9	0.8
K812367		0.06	1.42	17	0.0728	9.85	78.4	1.6
K812368		0.03	1.75	15	0.120	15.15	98.1	2.7
K812369		0.04	1.44	21	0.429	8.65	103.0	1.5
K812370		0.04	1.11	21	0.473	7.45	87.1	1.0
K812371		0.04	1.10	21	0.419	7.02	91.5	1.2
K812372		<0.02	0.55	11	0.0448	2.89	29.4	0.5
K812373		0.02	1.10	14	0.0755	7.83	65.3	1.9
K812374		0.04	1.24	20	0.314	6.84	93.0	1.1
K812375		0.05	1.09	14	0.324	6.68	50.5	1.5
K812376		0.05	3.83	11	2.79	23.7	62.5	1.3
K812377		0.05	9.49	16	0.434	19.00	86.9	2.6
K812378		0.11	1.82	20	0.682	12.90	100.0	0.8
K812379		0.11	1.81	21	1.260	12.05	99.8	0.6
K812380		0.05	0.97	11	0.559	4.86	67.9	1.2
K812381		0.04	1.18	6	0.104	4.21	12.3	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812382		0.38	0.0010	0.112	2.32	20.7	<10	27.3	0.81	0.82	0.12	0.03	61.1	13.9	30.3	1.77
K812383		0.32	0.0009	0.110	0.26	2.75	<10	16.5	0.17	0.07	0.28	0.09	7.54	1.8	3.8	1.72
K812384		0.26	0.0003	0.160	0.10	0.47	<10	8.8	<0.05	0.02	0.03	0.01	1.56	0.5	1.1	0.22
K812385		0.42	0.0043	0.382	2.08	127.0	<10	32.8	0.82	1.19	0.06	0.16	80.5	23.5	25.7	1.48
K812386		0.34	0.0003	0.258	0.26	4.62	<10	20.1	0.10	0.12	0.05	0.05	9.36	2.0	3.1	0.87
K812387		0.44	0.0024	0.249	1.13	10.85	<10	18.3	0.19	0.38	0.05	0.06	26.5	8.9	14.4	1.04
K812388		0.34	0.0022	0.074	2.37	72.7	<10	30.7	0.52	0.49	0.13	0.03	76.3	20.0	39.0	1.31
K812389		0.32	0.0021	0.063	2.39	91.6	<10	30.6	0.62	0.55	0.08	0.06	92.6	23.8	38.6	1.66
K812390		0.34	0.0040	0.043	2.39	82.4	<10	31.4	0.64	0.56	0.08	0.05	80.9	21.6	38.0	1.61
K812391		0.30	0.0012	0.099	2.10	61.8	<10	27.3	0.53	0.43	0.12	0.04	69.8	16.7	34.3	1.42
K812392		0.28	0.0011	0.052	1.33	6.19	<10	19.5	0.24	0.32	0.07	0.04	21.8	18.0	27.0	2.92
K812393		0.26	0.0004	0.118	1.82	17.65	<10	20.0	0.21	0.47	0.03	0.09	25.5	13.4	29.2	3.77
K812394		0.42	0.0009	0.128	2.78	72.0	<10	38.2	0.62	0.59	0.02	0.07	63.3	30.7	41.2	3.74
K812395		0.42	0.0008	0.073	2.29	123.0	<10	16.7	0.42	0.70	0.02	0.05	62.8	11.7	33.6	3.67
K812396		0.50	0.0014	0.055	2.91	81.2	<10	13.3	0.84	0.53	0.06	0.04	82.5	29.2	41.4	6.74
K812397		0.32	<0.0002	0.030	1.92	8.00	<10	29.2	0.24	0.43	0.04	0.07	51.1	12.7	26.2	2.23
K812398		0.34	0.0004	0.102	1.89	42.3	<10	26.3	0.31	0.44	0.02	0.10	45.5	14.5	27.8	2.93
K812399		0.34	0.0053	0.041	1.84	32.6	<10	39.4	0.35	0.35	0.03	0.08	46.3	14.8	23.1	1.60
K812400		0.36	0.0026	0.063	1.70	29.3	<10	17.5	0.33	0.43	0.02	0.05	64.5	12.6	26.2	1.73
K812214		Not Recvd														
K812215		0.34	0.0006	0.144	1.92	10.65	<10	25.1	0.60	1.42	0.02	0.03	64.1	7.5	28.1	2.27
K812216		0.20	0.0008	0.573	1.42	8.79	<10	24.8	0.84	1.28	0.06	0.07	95.5	6.5	17.7	8.01
K812217		0.18	0.0008	0.071	1.75	29.4	<10	27.3	0.39	0.76	0.14	0.11	36.1	9.6	26.2	1.24
K812218		0.28	<0.0002	0.102	1.09	50.3	<10	29.7	0.25	0.28	0.28	0.09	33.3	10.4	17.4	1.07
K812219		0.36	0.0016	0.278	1.29	92.4	<10	39.1	0.70	0.41	0.18	0.02	42.1	11.3	17.6	4.01
K812220		0.26	0.0033	0.372	1.97	208	<10	43.6	0.90	0.72	0.19	0.07	54.6	25.5	27.6	5.65
K812221		0.32	<0.0002	0.139	0.29	17.65	<10	12.5	0.06	0.12	0.02	0.03	10.45	1.2	3.4	0.29
K812222		0.32	0.0002	0.392	2.26	294	<10	17.6	0.71	0.88	0.11	0.05	55.6	30.1	30.3	3.86
K812223		0.30	0.0011	0.160	0.88	21.9	<10	23.0	0.22	0.44	0.02	0.05	86.1	3.8	15.5	2.29
K812451		0.40	0.0012	0.055	1.58	65.6	<10	37.9	0.56	0.58	0.04	0.04	48.1	9.4	21.8	5.57
K812452		0.36	0.0022	0.039	1.87	66.2	<10	27.2	0.36	0.49	0.02	0.09	57.7	17.0	27.3	3.93
K812453		0.30	0.0007	0.046	1.30	17.60	<10	30.7	0.27	0.38	0.03	0.05	19.60	12.1	15.9	3.23
K812454		0.30	0.0005	0.044	1.63	25.6	<10	23.1	0.22	0.37	0.03	0.06	34.3	13.2	24.5	2.23
K812455		0.36	0.0064	0.042	2.34	99.5	<10	27.7	0.45	0.49	0.03	0.06	83.1	13.5	32.3	2.88
K812456		0.36	0.0011	0.047	1.73	52.6	<10	23.7	0.36	0.38	0.04	0.05	38.6	9.2	21.7	1.68
K812457		0.46	0.0072	0.032	2.36	58.4	<10	33.8	0.59	0.41	0.08	0.08	103.5	23.8	32.7	1.45
K812458		0.32	<0.0002	0.031	1.64	23.3	<10	26.2	0.28	0.38	0.02	0.07	35.9	13.3	25.7	2.61
K812459		0.34	0.0004	0.057	1.74	23.3	<10	42.5	0.67	0.50	0.04	0.06	34.3	16.8	24.2	3.09
K812460		0.32	0.0011	0.055	1.83	23.6	<10	41.6	0.64	0.47	0.04	0.07	35.6	16.9	26.0	3.15
K812461		0.32	<0.0002	0.113	1.61	14.05	<10	25.6	0.87	0.29	0.04	0.07	32.2	10.9	25.1	1.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812382		36.4	4.95	7.11	0.11	0.04	0.014	0.023	0.03	31.2	75.2	0.77	485	1.14	0.01	0.43
K812383		7.02	0.35	1.01	<0.05	0.03	0.038	<0.005	0.03	7.0	1.4	0.03	17	0.48	0.02	0.23
K812384		1.31	0.22	0.50	<0.05	<0.02	0.019	<0.005	0.02	0.8	0.4	0.01	14	0.07	0.03	0.08
K812385		47.4	4.77	5.91	0.12	0.04	0.059	0.024	0.02	28.9	39.7	0.49	473	0.77	0.01	0.38
K812386		7.53	0.55	1.36	<0.05	<0.02	0.033	<0.005	0.03	5.5	2.0	0.03	54	0.21	0.03	0.24
K812387		11.05	2.29	3.71	0.06	0.06	0.025	0.009	0.02	12.1	20.7	0.31	336	0.42	0.02	0.21
K812388		39.7	4.96	6.78	0.13	0.06	0.016	0.018	0.05	38.5	64.7	0.91	639	0.40	0.01	0.11
K812389		50.2	5.12	7.73	0.14	0.07	0.006	0.023	0.06	45.7	68.4	0.90	687	0.43	0.01	0.12
K812390		47.4	5.09	7.12	0.12	0.07	0.006	0.022	0.06	42.8	61.4	0.89	674	0.41	0.01	0.10
K812391		37.5	4.36	6.56	0.11	0.07	0.018	0.021	0.05	36.0	61.2	0.80	495	0.47	0.01	0.10
K812392		28.5	3.45	4.03	0.06	0.02	0.035	0.008	0.04	11.1	43.2	0.80	1170	0.20	0.02	0.05
K812393		29.2	4.20	6.70	0.06	0.08	0.066	0.017	0.03	13.0	35.1	0.65	848	0.43	0.01	0.15
K812394		28.0	5.43	7.91	0.10	0.11	0.032	0.025	0.03	32.0	63.1	0.66	1140	0.62	0.01	0.43
K812395		59.9	4.99	7.12	0.10	0.06	0.036	0.024	0.03	33.2	68.7	0.87	515	0.53	0.01	<0.05
K812396		99.1	5.68	7.98	0.13	0.05	0.023	0.034	0.04	44.8	89.8	1.08	795	0.64	0.01	<0.05
K812397		19.50	4.85	7.08	0.10	0.04	0.020	0.015	0.03	28.3	38.9	0.59	1570	0.29	0.01	0.25
K812398		22.5	4.70	7.46	0.07	0.03	0.036	0.016	0.03	24.1	42.2	0.51	1080	0.55	0.01	0.37
K812399		23.0	3.70	5.79	0.07	0.04	0.024	0.010	0.03	24.0	44.1	0.52	604	0.48	0.02	0.40
K812400		23.1	4.66	6.45	0.10	0.04	0.014	0.012	0.03	34.9	44.0	0.54	442	0.52	0.01	0.33
K812214																
K812215		23.3	4.50	6.56	0.10	0.03	0.012	0.016	0.05	32.9	51.9	0.68	328	0.76	0.01	0.85
K812216		100.5	3.51	5.35	0.13	0.02	0.038	0.013	0.05	49.8	25.5	0.32	191	0.88	0.01	0.56
K812217		20.7	4.02	5.76	0.07	0.03	0.017	0.014	0.05	19.6	49.9	0.63	425	0.92	0.02	0.25
K812218		23.1	2.38	3.76	0.07	0.03	0.027	0.012	0.05	18.9	27.9	0.37	338	0.37	0.02	0.19
K812219		90.4	2.37	4.33	0.10	0.04	0.032	0.014	0.04	36.0	30.4	0.36	389	0.28	0.02	0.20
K812220		92.7	4.02	5.71	0.07	0.05	0.036	0.024	0.04	21.9	46.8	0.62	2250	0.47	0.02	0.13
K812221		5.33	1.02	2.23	<0.05	<0.02	0.014	<0.005	0.02	5.5	1.3	0.02	33	0.19	0.02	0.07
K812222		88.0	5.34	7.46	0.09	0.03	0.015	0.030	0.03	27.3	76.1	0.88	630	1.28	0.01	0.07
K812223		24.2	3.32	7.53	0.13	<0.02	0.018	0.012	0.02	44.9	13.8	0.19	197	0.54	0.01	0.46
K812451		32.2	3.77	6.71	0.09	0.03	0.016	0.013	0.03	24.5	40.5	0.40	425	0.82	0.01	0.53
K812452		27.3	4.83	7.40	0.08	0.06	0.021	0.022	0.03	30.2	57.1	0.56	1020	0.84	<0.01	0.37
K812453		30.4	2.54	4.46	<0.05	0.08	0.039	0.014	0.03	10.3	34.7	0.40	936	0.75	0.01	0.26
K812454		33.1	3.64	5.93	0.06	0.08	0.040	0.014	0.04	18.4	45.8	0.57	727	0.57	<0.01	0.23
K812455		33.2	4.85	6.99	0.13	0.09	0.008	0.027	0.03	41.8	80.4	0.80	530	0.77	<0.01	0.27
K812456		22.6	3.46	5.30	0.06	0.09	0.033	0.017	0.02	20.2	47.3	0.51	405	0.57	<0.01	0.24
K812457		29.7	4.93	7.43	0.14	0.11	0.009	0.022	0.03	53.3	81.2	0.86	926	0.64	<0.01	0.24
K812458		20.2	3.92	5.26	0.06	0.05	0.013	0.012	0.03	20.3	49.9	0.61	626	0.42	<0.01	0.19
K812459		29.5	3.82	5.53	0.06	0.07	0.016	0.014	0.03	18.4	47.7	0.61	916	0.55	<0.01	0.19
K812460		29.6	4.03	5.40	0.05	0.06	0.017	0.015	0.03	20.1	51.9	0.65	999	0.55	<0.01	0.18
K812461		36.6	4.05	6.62	0.12	0.04	0.027	0.014	0.03	16.6	40.9	0.55	552	0.40	0.01	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method Analyte Units LOR	ME-MS41L Ni ppm 0.1	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.01	ME-MS41L Rb ppm 0.1	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.1	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.2	ME-MS41L Sr ppm 0.2	ME-MS41L Ta ppm 0.01	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.1	ME-MS41L Ti % 0.001
K812382		25.0	0.071	27.0	4.4	<0.001	0.02	0.242	2.0	0.9	0.2	27.6	<0.01	0.02	16.4	0.012
K812383		8.1	0.100	4.44	1.5	<0.001	0.12	0.043	0.3	0.6	<0.2	25.0	<0.01	0.01	0.4	0.008
K812384		0.8	0.020	0.98	0.6	<0.001	0.01	0.023	0.1	0.1	<0.2	6.1	<0.01	<0.01	0.1	0.010
K812385		36.8	0.114	53.5	2.4	<0.001	0.03	0.264	1.5	1.4	0.2	60.4	0.01	0.05	7.4	0.012
K812386		2.9	0.044	8.76	1.6	<0.001	0.02	0.054	0.1	0.4	<0.2	14.2	<0.01	<0.01	0.2	0.012
K812387		12.4	0.062	11.55	1.8	<0.001	0.02	0.059	0.5	0.3	<0.2	11.1	<0.01	0.01	2.0	0.010
K812388		37.4	0.058	26.3	3.3	<0.001	0.01	0.358	2.3	0.6	<0.2	10.0	<0.01	0.03	11.9	0.006
K812389		41.5	0.048	30.2	3.5	<0.001	0.01	0.415	2.6	0.6	<0.2	9.2	<0.01	0.02	14.5	0.007
K812390		37.8	0.045	29.2	3.2	<0.001	0.01	0.386	2.4	0.5	<0.2	8.5	<0.01	0.04	14.2	0.007
K812391		33.4	0.063	24.9	3.1	<0.001	0.02	0.355	2.0	0.3	<0.2	11.2	<0.01	0.01	9.5	0.005
K812392		33.6	0.054	8.24	2.7	<0.001	0.02	0.264	0.9	<0.1	0.2	4.4	<0.01	0.03	6.1	0.025
K812393		21.8	0.069	12.25	3.6	<0.001	0.05	0.178	1.4	0.2	<0.2	3.2	<0.01	0.01	7.0	0.006
K812394		29.5	0.061	30.3	6.5	<0.001	0.02	0.467	2.2	0.7	0.2	3.7	0.01	0.04	10.5	0.010
K812395		31.7	0.040	31.0	2.8	<0.001	0.02	0.262	1.9	0.4	<0.2	5.3	<0.01	0.03	10.8	0.003
K812396		54.6	0.043	8.27	2.3	<0.001	0.01	0.210	2.0	0.8	<0.2	5.1	<0.01	0.03	12.1	0.004
K812397		22.0	0.158	6.61	3.4	<0.001	0.01	0.264	1.5	0.4	<0.2	3.9	<0.01	0.03	7.3	0.010
K812398		23.7	0.084	26.1	5.5	<0.001	0.03	0.349	0.8	0.6	0.2	4.1	0.01	0.02	2.1	0.011
K812399		24.8	0.045	18.15	3.8	<0.001	0.02	0.275	1.2	0.5	0.2	6.0	0.01	0.01	6.5	0.015
K812400		25.1	0.048	17.05	3.8	<0.001	0.01	0.287	1.2	0.3	0.2	3.3	<0.01	0.03	11.4	0.011
K812214																
K812215		14.7	0.066	17.15	6.6	<0.001	0.03	0.116	1.8	0.8	0.3	9.7	<0.01	0.02	14.3	0.011
K812216		17.9	0.120	19.90	8.0	<0.001	0.06	0.209	0.9	1.1	0.3	12.0	<0.01	0.03	5.2	0.004
K812217		19.2	0.055	28.6	3.4	<0.001	0.04	0.246	1.5	0.5	0.2	24.9	<0.01	0.04	8.2	0.010
K812218		15.7	0.027	15.70	3.4	<0.001	0.03	0.172	1.1	0.4	<0.2	22.6	<0.01	0.02	5.1	0.007
K812219		20.1	0.040	20.9	4.3	<0.001	0.02	0.114	1.3	0.6	0.2	16.6	<0.01	0.03	5.0	0.005
K812220		30.8	0.067	49.7	3.3	<0.001	0.03	0.226	1.8	0.6	<0.2	16.7	<0.01	0.05	7.2	0.005
K812221		1.7	0.033	3.63	0.9	<0.001	0.01	0.127	0.1	<0.1	<0.2	3.3	<0.01	0.01	0.1	0.008
K812222		52.9	0.055	54.6	2.9	<0.001	0.02	0.237	1.9	0.4	<0.2	17.5	<0.01	0.03	9.8	0.004
K812223		10.1	0.081	23.4	3.5	<0.001	0.02	0.293	0.8	0.4	0.3	6.1	<0.01	0.03	6.1	0.014
K812451		20.6	0.046	21.5	4.0	<0.001	0.01	0.387	1.2	0.6	0.3	6.2	0.01	0.05	6.0	0.012
K812452		25.7	0.064	33.4	4.7	<0.001	0.01	0.389	1.5	0.3	0.2	4.2	<0.01	0.01	8.8	0.010
K812453		18.8	0.069	17.15	2.6	<0.001	0.03	0.255	0.6	0.4	<0.2	4.6	<0.01	0.01	1.4	0.012
K812454		23.8	0.085	13.40	4.2	<0.001	0.03	0.253	0.9	0.4	0.2	3.9	<0.01	0.02	3.2	0.007
K812455		30.6	0.061	36.7	3.8	<0.001	0.01	0.511	1.7	0.6	0.2	4.8	<0.01	0.01	7.1	0.009
K812456		18.2	0.082	21.0	2.9	<0.001	0.03	0.483	0.8	0.5	<0.2	5.2	0.01	0.02	2.6	0.009
K812457		33.1	0.057	28.5	3.0	<0.001	<0.01	0.623	2.0	0.6	0.2	6.6	<0.01	0.03	13.3	0.011
K812458		25.1	0.058	13.70	2.9	<0.001	0.02	0.321	0.8	0.4	<0.2	4.0	<0.01	0.01	2.7	0.010
K812459		27.3	0.073	15.30	3.5	<0.001	0.02	0.451	0.7	0.4	0.2	5.9	<0.01	0.03	2.1	0.009
K812460		27.7	0.073	15.40	3.5	<0.001	0.02	0.455	0.8	0.3	0.2	5.8	<0.01	0.02	2.3	0.010
K812461		25.4	0.077	12.10	3.0	<0.001	0.03	0.211	0.9	0.7	0.2	5.2	<0.01	0.01	3.0	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812382		0.05	1.20	18	0.368	6.31	87.8	1.1
K812383		0.02	0.88	5	0.123	2.83	8.1	0.8
K812384		<0.02	0.10	6	0.0248	0.19	5.1	<0.5
K812385		0.02	1.38	19	2.54	13.85	108.5	1.3
K812386		<0.02	0.32	7	0.0937	1.43	16.9	<0.5
K812387		0.02	0.97	13	0.257	2.54	45.5	1.8
K812388		0.02	0.84	22	0.0655	4.40	106.0	2.1
K812389		0.02	0.90	22	0.0617	4.99	110.5	3.6
K812390		0.02	0.86	21	0.0572	4.61	108.5	3.2
K812391		0.02	0.90	18	0.0404	4.63	86.5	1.8
K812392		<0.02	0.64	24	0.0626	1.26	100.5	<0.5
K812393		0.02	0.67	17	0.0441	1.61	73.7	1.6
K812394		0.06	0.72	29	0.114	2.98	80.3	3.2
K812395		<0.02	1.18	17	0.0246	2.82	106.0	3.0
K812396		0.02	1.54	19	0.0186	4.27	146.5	2.0
K812397		0.02	0.64	18	0.0516	2.10	80.5	1.6
K812398		0.03	0.85	22	0.110	2.38	78.2	1.1
K812399		0.03	0.81	19	0.103	2.53	74.4	1.6
K812400		0.03	0.89	23	0.0942	2.71	80.7	2.2
K812214								
K812215		0.10	1.44	19	3.33	5.19	65.7	0.5
K812216		0.32	1.92	15	2.15	17.75	47.7	0.5
K812217		0.02	0.83	17	0.221	5.06	73.9	1.2
K812218		0.02	0.51	13	0.0807	3.18	55.3	1.2
K812219		0.03	1.44	13	0.0579	7.83	48.3	1.0
K812220		0.04	1.75	18	0.0764	4.06	83.4	1.1
K812221		<0.02	0.17	13	0.0585	0.42	9.7	<0.5
K812222		0.02	1.03	19	0.119	4.14	121.5	1.0
K812223		0.03	0.84	27	0.0950	4.70	38.2	<0.5
K812451		0.04	1.24	23	0.189	5.25	65.0	0.8
K812452		0.03	1.35	22	0.0958	2.92	86.1	2.2
K812453		0.03	1.06	15	0.119	1.77	57.2	2.5
K812454		0.03	0.67	17	0.0842	2.03	80.3	2.2
K812455		0.04	1.38	20	0.0861	4.00	99.4	2.4
K812456		0.03	1.37	16	0.0672	2.93	65.4	2.4
K812457		0.03	1.35	20	0.0644	5.26	107.0	3.5
K812458		0.02	0.98	19	0.0880	1.95	85.0	1.2
K812459		0.03	1.42	18	0.0836	4.59	87.4	1.6
K812460		0.03	1.42	19	0.0882	4.50	93.4	1.6
K812461		0.02	1.41	19	0.0903	10.55	73.4	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812462		0.38	0.0004	0.065	1.42	19.70	<10	24.0	0.31	0.34	0.04	0.04	20.2	10.2	20.4	2.41
K812463		0.40	<0.0002	0.044	0.96	19.35	<10	28.2	0.17	0.40	0.02	0.08	46.9	7.1	16.8	1.45
K812464		0.40	0.0003	0.070	1.53	10.65	<10	24.1	0.24	0.27	0.04	0.06	25.5	11.3	20.8	1.12
K812465		0.40	0.0002	0.044	1.98	30.3	<10	19.7	0.30	0.44	0.04	0.05	44.5	16.5	31.7	1.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812462		22.1	2.85	4.88	0.05	0.03	0.031	0.012	0.04	11.8	32.7	0.47	439	0.52	<0.01	0.24
K812463		12.45	3.50	7.19	0.06	<0.02	0.025	0.013	0.03	26.1	16.3	0.21	539	0.64	<0.01	0.45
K812464		17.10	3.28	4.98	0.05	0.05	0.033	0.011	0.02	14.7	34.8	0.46	569	0.44	<0.01	0.30
K812465		21.6	4.92	7.57	0.06	0.08	0.014	0.018	0.03	24.8	47.7	0.68	848	0.80	<0.01	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812462		19.2	0.067	15.55	3.5	<0.001	0.03	0.207	0.6	0.4	0.2	4.6	<0.01	0.02	1.0	0.009
K812463		10.5	0.073	14.55	3.8	<0.001	<0.01	0.277	0.7	0.3	0.3	3.9	<0.01	0.02	4.0	0.012
K812464		18.9	0.069	13.50	2.9	<0.001	0.01	0.197	0.7	0.2	0.2	3.4	<0.01	0.02	1.7	0.011
K812465		26.2	0.063	21.8	3.5	<0.001	<0.01	0.299	1.7	0.5	0.3	5.1	0.01	0.03	9.5	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812462		0.02	1.03	16	0.0947	3.28	64.2	0.9
K812463		0.04	0.63	26	0.119	2.15	41.9	<0.5
K812464		0.02	0.69	17	0.0727	1.84	63.2	1.3
K812465		0.03	0.86	25	0.134	2.78	88.1	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS VA11187135

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8-OCT-2011
Account: RESCOM

CERTIFICATE VA11187136

Project: Glen Morangie

P.O. No.:

This report is for 209 Soil samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K812466		0.36	0.0004	0.031	1.51	3.97	<10	22.5	0.30	0.36	0.04	0.04	19.95	12.5	19.5	2.57
K812467		0.22	<0.0002	0.041	0.57	0.98	<10	19.8	0.13	0.07	0.04	0.01	5.48	2.2	10.2	0.70
K812468		0.18	0.0007	0.098	1.02	26.2	<10	28.4	0.17	0.33	0.03	0.04	21.7	4.6	12.6	1.44
K812469		0.60	0.0004	0.124	1.89	12.60	<10	24.9	0.23	0.29	0.02	0.05	42.6	11.6	27.7	2.70
K812470		0.20	0.0009	0.101	0.90	17.80	<10	15.0	0.09	0.40	0.04	0.03	12.00	5.9	14.7	0.86
K811944		0.16	0.0002	0.187	0.31	4.32	<10	21.8	0.08	0.12	0.05	0.07	4.58	1.8	3.8	0.52
K811945		0.26	0.0002	0.395	0.67	8.58	<10	28.5	0.24	0.54	0.04	0.08	16.90	9.8	6.9	2.52
K811946		0.26	0.0004	0.375	1.30	32.9	<10	38.9	0.63	3.62	0.08	0.28	41.0	11.2	16.2	4.45
K811947		0.30	0.0026	0.312	2.10	48.7	<10	24.5	0.95	1.57	0.02	0.08	54.8	11.8	26.3	4.76
K811948		0.22	<0.0002	0.230	1.28	41.4	<10	59.9	0.58	1.02	0.12	0.12	30.6	13.6	18.0	4.06
K811949		0.26	0.0005	0.076	1.78	41.3	<10	19.5	0.65	0.45	0.42	0.14	53.7	18.6	26.8	0.96
K811950		0.32	0.0005	0.088	1.24	34.6	<10	22.3	0.25	0.70	0.04	0.13	28.8	4.9	20.2	2.59
K813081		0.36	0.0005	0.143	1.06	18.90	<10	40.2	0.27	0.44	0.03	0.07	39.3	3.2	14.6	1.96
K813082		0.36	0.0024	0.220	1.10	10.70	<10	51.4	0.33	0.41	0.04	0.12	34.9	6.7	17.2	2.37
K813083		0.38	<0.0002	0.148	0.42	4.69	<10	32.6	0.06	0.18	0.03	0.09	20.9	8.9	7.7	2.52
K813084		0.24	<0.0002	0.088	1.04	19.80	<10	28.5	0.26	0.31	0.03	0.08	34.3	7.7	15.7	1.13
K813085		0.36	<0.0002	0.204	1.91	43.4	<10	34.6	0.46	0.53	0.06	0.07	75.8	12.7	32.6	1.82
K813086		0.36	<0.0002	0.104	0.74	47.3	<10	37.4	0.23	0.27	0.04	0.04	13.40	11.5	13.4	1.72
K813087		0.50	0.0011	0.063	2.24	53.2	<10	24.3	0.52	0.53	0.11	0.06	79.9	18.4	32.9	1.30
K813088		0.22	<0.0002	0.045	0.19	2.06	<10	10.4	<0.05	0.05	0.03	0.02	3.78	0.7	4.1	0.19
K812971		0.36	<0.0002	0.094	2.12	14.05	<10	28.2	1.01	0.41	0.04	0.05	86.9	25.2	39.6	2.11
K812972		0.26	0.0006	0.067	1.89	23.5	<10	40.9	0.57	0.86	0.05	0.04	61.5	6.9	29.6	2.81
K812973		0.28	0.0014	0.067	0.15	1.23	<10	9.3	<0.05	0.06	0.04	0.02	4.70	0.7	5.4	0.67
K812974		0.34	<0.0002	0.072	1.38	22.8	<10	37.8	0.40	0.48	0.05	0.08	52.3	4.5	23.6	7.35
K812975		0.32	0.0004	0.134	2.31	132.5	<10	76.2	1.51	0.95	0.25	0.07	57.3	56.0	36.6	14.35
K813051		0.26	0.0004	0.208	1.67	33.3	<10	67.1	0.56	0.42	0.64	0.04	26.7	9.2	23.8	2.23
K813052		0.32	<0.0002	0.069	2.00	36.1	<10	27.3	0.39	0.45	0.20	0.09	36.9	21.1	48.4	1.80
K813053		0.34	0.0004	0.060	1.47	30.8	<10	39.6	0.26	0.51	0.04	0.05	47.9	8.0	29.6	1.86
K813054		0.32	0.0007	0.167	1.83	77.9	<10	26.7	0.80	0.63	0.64	0.16	26.9	56.9	36.4	4.76
K813055		0.26	<0.0002	0.072	0.42	5.65	<10	17.5	0.07	0.19	0.02	0.02	13.65	1.8	8.7	0.87
K813056		0.22	<0.0002	0.084	1.45	16.05	<10	37.5	0.30	0.42	0.02	0.11	24.4	3.0	17.8	1.14
K813057		0.28	<0.0002	0.073	1.24	15.60	<10	34.5	0.32	0.70	0.02	0.09	40.9	15.4	19.9	2.32
K813058		0.40	0.0003	0.117	2.39	17.20	<10	23.8	0.41	0.60	0.02	0.06	57.4	17.4	35.5	2.05
K813059		0.42	<0.0002	0.030	2.17	19.85	<10	26.3	0.24	0.64	0.01	0.03	59.8	13.3	35.6	1.42
K813060		0.36	<0.0002	0.068	2.48	25.2	<10	20.4	0.33	0.55	0.03	0.08	42.2	20.5	40.4	2.05
K812471		0.44	0.0009	0.077	2.31	77.1	<10	26.1	0.62	0.52	0.16	0.04	88.6	24.1	43.7	1.42
K812472		0.24	0.0008	0.163	1.80	117.0	<10	59.2	0.92	0.45	1.29	0.10	27.1	15.1	30.5	2.40
K812473		0.40	0.0009	0.024	2.44	59.4	<10	32.2	0.62	0.47	0.06	0.03	101.5	22.1	44.5	1.16
K812474		0.22	<0.0002	0.033	0.31	1.30	<10	26.8	0.08	0.06	0.03	0.04	10.05	0.9	5.7	0.51
K812475		0.40	0.0009	0.068	2.41	58.7	<10	33.8	0.59	0.52	0.15	0.04	96.6	23.9	42.0	1.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812466		31.3	3.00	4.93	0.06	0.08	0.010	0.008	0.02	10.7	30.7	0.53	837	0.33	0.02	0.18
K812467		5.43	0.91	2.13	<0.05	<0.02	0.025	<0.005	0.02	3.0	5.0	0.09	71	0.77	0.02	0.14
K812468		12.85	2.66	4.95	<0.05	0.02	0.020	0.013	0.02	11.5	13.2	0.19	399	0.44	0.01	0.28
K812469		18.60	4.20	7.37	0.06	0.02	0.014	0.012	0.02	23.2	43.1	0.66	556	0.42	0.01	0.16
K812470		16.00	1.97	2.82	0.05	<0.02	0.010	0.009	0.03	6.0	22.2	0.35	316	0.57	0.02	0.05
K811944		4.35	0.72	1.50	<0.05	<0.02	0.021	0.005	0.02	2.4	5.7	0.06	103	0.16	0.02	0.13
K811945		10.40	1.69	3.70	<0.05	<0.02	0.041	0.012	0.03	9.0	14.8	0.12	1140	0.44	0.02	0.16
K811946		26.7	4.14	5.37	0.06	0.02	0.027	0.022	0.03	21.1	62.7	0.37	668	0.59	0.02	0.34
K811947		26.2	5.59	5.76	0.08	0.05	0.039	0.032	0.03	30.4	87.8	0.58	419	0.52	0.01	0.27
K811948		21.7	3.97	4.71	0.06	0.04	0.041	0.021	0.04	17.3	64.5	0.41	949	0.47	0.01	0.23
K811949		20.7	4.23	4.73	0.10	0.10	0.009	0.016	0.05	27.9	66.7	0.73	483	0.62	0.01	0.08
K811950		18.40	3.47	5.07	0.06	0.02	0.036	0.021	0.03	15.5	38.0	0.36	247	0.63	0.01	0.21
K813081		20.0	3.49	6.22	0.06	0.02	0.042	0.016	0.03	21.4	12.8	0.15	132	0.90	0.01	0.49
K813082		20.0	3.63	5.65	0.06	0.03	0.044	0.017	0.03	18.6	17.2	0.21	245	0.67	0.01	0.40
K813083		7.30	1.21	2.53	<0.05	<0.02	0.010	0.006	0.03	10.3	8.4	0.11	468	0.33	0.02	0.25
K813084		12.70	3.06	4.07	0.05	0.02	0.014	0.012	0.03	17.2	20.1	0.29	267	0.48	0.01	0.22
K813085		20.4	5.29	7.42	0.11	0.05	0.022	0.023	0.04	38.9	50.5	0.58	489	0.56	0.01	0.32
K813086		15.30	1.67	2.83	<0.05	0.03	0.022	0.013	0.04	7.1	15.3	0.19	323	0.84	0.02	0.20
K813087		28.7	4.96	6.56	0.13	0.08	<0.005	0.023	0.05	41.7	76.4	0.88	1270	0.40	0.01	<0.05
K813088		2.57	0.42	0.75	<0.05	<0.02	0.008	<0.005	0.02	2.0	2.2	0.04	26	0.23	0.02	0.08
K812971		48.4	4.16	6.09	0.11	0.05	0.022	0.031	0.03	43.3	42.0	0.77	316	0.59	0.01	0.29
K812972		35.1	5.05	5.87	0.10	0.06	0.022	0.032	0.04	36.1	35.5	0.59	301	1.16	0.01	0.46
K812973		2.73	0.35	0.78	<0.05	<0.02	0.020	<0.005	0.02	2.4	0.8	0.02	22	0.44	0.03	0.20
K812974		28.0	3.57	5.70	0.08	0.03	0.035	0.021	0.03	27.1	31.4	0.34	429	0.97	0.02	0.32
K812975		99.4	4.63	6.45	0.09	0.06	0.032	0.056	0.05	27.0	42.7	0.63	818	1.22	0.02	0.45
K813051		29.0	2.54	4.48	0.05	0.12	0.033	0.019	0.05	14.4	31.7	0.45	429	1.15	0.02	0.31
K813052		25.2	4.42	5.89	0.08	0.05	0.019	0.018	0.05	19.4	52.3	0.83	820	2.06	0.01	0.14
K813053		18.85	5.03	8.53	0.08	0.02	0.018	0.015	0.03	24.7	22.7	0.43	347	0.87	0.01	0.26
K813054		128.5	3.99	5.48	0.07	0.07	0.024	0.027	0.05	16.1	39.3	0.60	737	1.63	0.02	0.30
K813055		5.17	1.26	2.38	<0.05	<0.02	0.020	0.007	0.02	7.1	5.7	0.11	96	0.41	0.01	0.11
K813056		18.85	3.17	6.05	<0.05	0.05	0.054	0.015	0.02	13.3	14.2	0.19	140	0.67	0.01	0.67
K813057		28.9	4.26	7.86	0.06	<0.02	0.032	0.021	0.03	21.1	15.1	0.22	1460	1.21	0.01	0.58
K813058		23.6	5.33	8.02	0.08	0.06	0.038	0.022	0.03	29.6	47.2	0.55	648	0.74	0.01	0.68
K813059		22.6	5.34	7.11	0.09	0.04	0.010	0.018	0.02	30.5	45.8	0.74	594	0.52	0.01	0.29
K813060		21.5	5.51	7.22	0.08	0.06	0.027	0.021	0.02	22.8	52.2	0.82	1010	0.59	0.01	0.44
K812471		48.9	4.90	7.12	0.14	0.04	<0.005	0.023	0.05	44.9	68.0	0.94	684	0.63	0.01	0.12
K812472		67.8	3.28	4.35	0.06	0.16	0.040	0.021	0.06	15.0	37.8	0.58	737	0.86	0.02	0.17
K812473		42.9	5.09	7.03	0.14	0.06	0.011	0.023	0.05	49.1	67.9	0.96	681	0.39	<0.01	0.11
K812474		5.34	0.50	1.61	<0.05	<0.02	0.017	0.005	0.02	5.0	1.9	0.04	36	0.27	0.02	0.09
K812475		52.1	5.08	6.80	0.14	0.03	<0.005	0.021	0.06	48.1	61.8	0.96	781	0.39	0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812466		21.3	0.066	9.67	2.6	<0.001	0.02	0.208	0.7	0.5	<0.2	3.9	<0.01	0.01	2.2	0.011
K812467		8.0	0.047	3.32	1.9	<0.001	0.03	0.055	0.1	0.3	<0.2	4.9	<0.01	0.01	<0.1	0.021
K812468		9.1	0.145	7.53	3.4	<0.001	0.01	0.236	0.5	0.4	0.2	4.0	<0.01	0.02	1.7	0.010
K812469		28.1	0.062	9.24	3.5	<0.001	<0.01	0.101	1.4	0.3	0.2	3.4	<0.01	0.02	13.2	0.004
K812470		9.4	0.079	7.45	1.5	<0.001	0.02	0.071	0.3	0.2	<0.2	2.9	<0.01	0.01	0.4	0.007
K811944		3.2	0.076	3.57	1.1	<0.001	0.01	0.052	0.1	<0.1	<0.2	7.3	<0.01	<0.01	<0.1	0.013
K811945		7.6	0.063	9.72	3.6	<0.001	0.03	0.160	0.2	0.3	0.2	8.4	<0.01	<0.01	0.3	0.013
K811946		19.5	0.101	21.2	4.8	<0.001	0.02	0.260	1.2	0.3	0.3	13.8	<0.01	0.05	5.9	0.010
K811947		26.2	0.062	24.3	4.5	<0.001	0.02	0.336	1.7	0.7	0.3	9.8	<0.01	0.02	13.1	0.006
K811948		22.3	0.157	19.15	6.8	<0.001	0.04	0.313	0.9	0.2	0.3	23.9	<0.01	0.03	3.4	0.007
K811949		47.3	0.072	32.1	3.4	<0.001	0.07	0.583	1.3	0.7	<0.2	21.1	<0.01	0.01	7.5	0.003
K811950		14.6	0.117	20.7	2.6	<0.001	0.05	0.308	0.5	0.3	0.3	6.8	<0.01	0.02	1.1	0.008
K813081		9.1	0.110	22.3	3.8	<0.001	0.03	0.493	0.6	0.7	0.3	5.8	<0.01	0.01	2.2	0.013
K813082		12.5	0.139	25.0	5.2	<0.001	0.03	0.448	0.5	0.5	0.3	8.2	<0.01	0.01	1.4	0.011
K813083		5.5	0.052	8.75	2.8	<0.001	0.01	0.228	0.3	0.2	0.2	5.0	<0.01	0.01	0.6	0.013
K813084		13.1	0.080	15.50	3.1	<0.001	0.01	0.279	0.7	0.3	0.2	4.9	<0.01	0.03	2.2	0.010
K813085		26.3	0.127	27.2	6.8	<0.001	0.02	0.402	1.8	0.3	0.2	8.8	<0.01	0.03	10.4	0.007
K813086		13.5	0.070	13.30	2.9	<0.001	0.03	0.167	0.5	0.3	<0.2	8.0	<0.01	0.02	0.5	0.009
K813087		37.9	0.048	26.9	2.8	<0.001	<0.01	0.376	2.4	0.6	<0.2	12.2	<0.01	0.02	13.2	0.004
K813088		2.2	0.045	2.99	0.7	<0.001	0.02	0.094	0.1	0.2	<0.2	4.7	<0.01	0.01	0.1	0.008
K812971		46.5	0.066	24.4	2.7	<0.001	0.02	0.339	2.9	0.6	0.2	11.2	<0.01	0.02	10.5	0.013
K812972		17.6	0.107	42.4	4.5	<0.001	0.05	0.661	1.4	0.6	0.2	12.7	<0.01	0.05	5.9	0.015
K812973		3.0	0.022	2.93	1.0	<0.001	0.01	0.011	0.2	0.3	<0.2	6.2	<0.01	0.01	0.2	0.012
K812974		17.6	0.090	27.1	4.2	<0.001	0.06	0.320	0.9	0.3	0.2	11.1	<0.01	0.03	3.2	0.012
K812975		72.0	0.146	76.4	6.9	<0.001	0.08	0.784	2.6	1.3	0.3	21.0	<0.01	0.04	2.8	0.012
K813051		20.3	0.097	15.90	5.6	<0.001	0.08	0.146	1.4	0.8	0.2	45.4	<0.01	0.02	2.9	0.007
K813052		43.8	0.079	22.7	3.3	<0.001	0.03	0.233	1.7	0.4	<0.2	12.8	<0.01	0.03	5.8	0.008
K813053		20.6	0.148	13.50	4.3	<0.001	0.02	0.281	0.9	0.5	0.3	6.3	<0.01	0.03	2.1	0.016
K813054		87.7	0.094	69.1	3.2	<0.001	0.07	0.224	1.7	0.9	0.2	31.2	<0.01	0.03	6.8	0.010
K813055		5.6	0.055	5.99	2.0	<0.001	0.01	0.063	0.2	0.1	0.2	4.1	<0.01	0.01	0.4	0.012
K813056		8.3	0.072	39.5	2.6	<0.001	0.04	0.246	0.7	0.5	0.3	4.8	0.01	0.03	2.0	0.015
K813057		14.4	0.132	12.40	6.5	<0.001	0.02	0.331	0.9	0.5	0.4	5.4	<0.01	0.05	4.6	0.016
K813058		27.5	0.071	16.80	5.9	<0.001	0.02	0.300	1.8	0.4	0.3	3.7	0.01	0.04	12.8	0.013
K813059		29.3	0.079	13.40	4.0	<0.001	0.01	0.202	1.6	0.4	0.2	2.5	<0.01	0.04	11.2	0.012
K813060		38.0	0.072	14.10	4.3	<0.001	0.02	0.260	1.9	0.5	0.2	2.5	0.01	0.04	10.7	0.015
K812471		41.9	0.051	32.8	3.4	<0.001	0.01	0.373	2.7	0.4	<0.2	11.7	<0.01	0.03	12.4	0.007
K812472		34.8	0.140	26.2	4.8	<0.001	0.12	0.316	1.7	1.0	<0.2	49.8	<0.01	0.02	4.7	0.004
K812473		40.1	0.037	33.4	3.6	<0.001	<0.01	0.421	2.8	0.4	<0.2	5.8	<0.01	0.03	14.4	0.007
K812474		2.9	0.034	2.35	1.0	<0.001	0.01	0.015	0.1	0.2	<0.2	5.2	<0.01	0.01	0.1	0.010
K812475		41.2	0.060	34.6	3.4	<0.001	<0.01	0.430	2.9	0.4	<0.2	12.9	<0.01	0.03	13.7	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812466		0.02	0.68	18	0.0781	1.63	64.8	2.4
K812467		0.02	0.33	15	0.0694	1.21	15.3	<0.5
K812468		0.03	0.51	16	0.0862	1.37	31.0	0.9
K812469		0.02	0.61	24	0.0454	2.18	71.8	1.1
K812470		<0.02	0.38	9	0.0353	0.79	45.4	<0.5
K811944		<0.02	0.24	8	0.0555	0.37	24.2	<0.5
K811945		0.03	0.56	11	1.275	1.04	44.5	0.5
K811946		0.03	0.95	18	12.70	2.24	108.0	0.7
K811947		0.03	1.17	19	7.89	2.83	107.5	1.8
K811948		0.02	0.87	15	2.12	1.77	92.6	0.9
K811949		<0.02	1.12	13	0.0650	4.95	101.0	3.0
K811950		0.03	0.79	16	0.390	2.65	54.4	0.9
K813081		0.04	0.57	18	0.143	1.74	36.1	0.7
K813082		0.03	0.58	18	0.119	1.77	62.1	1.0
K813083		0.02	0.19	11	0.0605	0.68	26.9	<0.5
K813084		0.03	0.39	17	0.0792	1.33	57.2	0.6
K813085		0.03	0.60	25	0.0969	2.67	97.7	1.7
K813086		0.03	0.84	10	0.0683	1.26	38.4	0.8
K813087		0.02	2.58	18	0.0264	4.03	109.0	3.8
K813088		<0.02	0.17	6	0.0242	0.31	7.5	<0.5
K812971		0.03	1.08	27	0.0970	3.54	70.8	1.7
K812972		0.05	0.77	23	0.236	2.92	65.1	1.7
K812973		0.02	0.23	7	0.0551	0.27	6.0	<0.5
K812974		0.04	1.16	20	0.162	2.44	47.1	0.8
K812975		0.08	3.12	29	0.157	13.90	198.0	2.0
K813051		0.05	11.75	14	0.0690	4.88	54.1	3.3
K813052		0.02	2.04	21	0.0801	2.82	97.8	1.3
K813053		0.04	0.66	33	0.135	2.10	57.1	0.5
K813054		0.04	4.92	18	0.0892	10.35	162.0	1.9
K813055		0.03	0.25	12	0.0528	0.63	18.1	<0.5
K813056		0.04	0.91	23	0.143	1.47	30.6	1.7
K813057		0.06	0.98	27	0.162	2.10	60.2	0.8
K813058		0.06	0.94	30	0.125	2.98	74.5	2.3
K813059		0.03	0.67	23	0.0880	2.17	85.4	1.3
K813060		0.03	0.75	27	0.0867	2.20	127.5	2.0
K812471		0.03	0.61	23	0.0534	5.02	99.7	1.7
K812472		0.04	6.65	15	0.0671	8.85	69.2	4.2
K812473		0.03	0.65	23	0.105	5.52	93.7	2.6
K812474		0.02	0.25	7	0.0380	0.62	8.9	<0.5
K812475		0.03	0.73	23	0.0755	6.37	104.0	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K812476		0.28	<0.0002	0.099	1.99	9.00	<10	29.5	0.51	1.02	0.03	0.03	75.8	8.0	28.7	3.26
K812477		0.36	<0.0002	0.052	1.48	70.2	<10	25.4	0.34	0.56	0.02	0.03	76.1	6.9	28.9	1.97
K812478		0.26	<0.0002	0.060	1.46	47.7	<10	23.3	0.32	1.11	0.02	0.04	55.4	12.2	22.0	1.90
K812479		0.28	<0.0002	0.031	0.38	3.52	<10	22.0	0.06	0.10	0.03	0.02	12.70	1.0	3.5	0.57
K812480		0.26	0.0056	0.126	1.64	72.8	<10	30.1	0.35	1.33	0.03	0.07	33.4	14.9	24.2	2.33
K812481		0.28	0.0003	0.134	1.55	62.4	<10	29.4	0.28	0.95	0.03	0.06	28.3	13.0	23.3	2.10
K812482		0.34	0.0010	0.092	2.44	26.8	<10	18.5	0.38	0.96	0.04	0.10	37.5	22.7	37.3	2.02
K812483		0.40	0.0009	0.082	1.72	32.5	<10	52.4	0.46	0.51	0.03	0.08	24.6	24.9	25.8	3.80
K812484		0.32	<0.0002	0.106	1.01	6.37	<10	40.3	0.33	0.22	0.05	0.03	15.65	2.9	13.4	2.03
K812485		0.36	0.0004	0.075	1.46	10.15	<10	63.7	0.45	0.44	0.03	0.16	36.9	18.1	29.6	5.10
K812486		0.42	0.0011	0.034	0.79	10.60	<10	27.8	0.18	0.37	0.02	0.05	55.1	4.7	17.1	2.32
K812487		0.30	0.0002	0.049	0.60	3.29	<10	40.1	0.12	0.16	0.04	0.03	14.15	3.0	8.6	1.47
K812488		0.36	0.0019	0.047	2.03	24.2	<10	36.9	0.70	0.71	0.08	0.03	50.8	24.1	31.4	3.61
K812489		0.34	0.0006	0.030	0.92	4.54	<10	19.1	0.14	0.15	0.02	0.04	10.15	5.7	12.3	0.84
K812490		0.34	0.0225	0.056	1.84	126.5	<10	51.6	0.67	1.83	0.04	0.07	39.6	27.0	26.9	3.80
K813011		0.60	0.0015	0.123	1.99	86.9	<10	23.9	0.71	0.49	0.10	0.07	82.5	18.4	32.0	1.46
K813012		0.34	0.0010	0.293	2.00	36.2	<10	35.5	0.44	0.63	0.04	0.05	51.5	9.8	31.0	1.57
K813013		0.30	0.0011	0.443	2.04	28.7	<10	44.5	0.57	0.76	0.04	0.06	47.6	11.9	31.0	1.67
K813014		0.28	0.0014	0.238	2.27	30.4	<10	39.1	0.61	0.95	0.07	0.12	58.8	40.4	34.9	2.41
K813015		0.28	0.0014	0.345	2.23	40.9	<10	53.5	0.68	1.20	0.05	0.08	53.3	14.8	31.4	4.00
K813016		0.26	0.0010	0.250	2.23	30.8	<10	51.1	0.56	1.03	0.06	0.09	65.9	15.3	31.7	2.79
K813017		0.28	0.0008	0.299	0.72	8.85	<10	19.8	0.11	0.33	0.02	0.03	18.70	2.5	11.4	2.07
K813018		0.30	0.0014	0.217	2.35	33.9	<10	31.7	0.59	0.81	0.05	0.08	89.4	13.9	37.0	2.11
K813019		0.26	<0.0002	0.159	0.76	22.4	<10	20.9	0.23	0.49	0.02	0.03	36.8	3.6	12.6	1.58
K813020		0.30	0.0005	0.160	1.29	25.1	<10	17.7	0.33	0.46	0.03	0.08	42.1	7.0	23.6	0.97
K812491		0.36	0.0006	0.066	1.20	41.9	<10	23.5	0.32	0.37	0.08	0.05	26.5	12.0	25.4	2.44
K812492		0.32	0.0006	0.090	1.59	47.1	<10	20.0	0.27	0.46	0.03	0.05	27.6	12.7	27.7	1.96
K812493		0.30	0.0004	0.087	0.77	3.10	<10	75.9	0.28	0.23	0.06	0.15	10.20	12.0	11.1	1.19
K812494		0.28	0.0014	0.135	1.47	20.0	<10	50.1	0.72	0.49	0.28	0.12	17.40	18.3	39.3	3.01
K812495		0.28	0.0006	0.101	2.00	33.9	<10	32.2	0.54	0.60	0.10	0.12	41.3	25.5	33.1	2.42
K812496		0.32	0.0002	0.298	1.15	21.6	<10	35.7	0.21	0.43	0.04	0.07	43.4	12.2	20.6	2.08
K812497		0.32	<0.0002	0.027	0.34	5.01	<10	11.7	<0.05	0.11	0.06	0.03	11.85	2.1	6.3	0.78
K812498		0.40	<0.0002	0.161	2.57	38.1	<10	25.6	0.32	0.59	0.02	0.07	52.3	16.3	45.7	1.35
K812499		0.34	0.0003	0.144	1.62	34.3	<10	36.2	0.28	0.40	0.05	0.12	47.2	15.7	42.3	1.65
K812500		0.38	0.0007	0.081	1.68	88.0	<10	43.0	0.43	0.59	0.09	0.13	39.5	20.5	30.7	2.10
K812752		0.24	0.0027	0.176	1.69	88.8	<10	56.1	0.59	0.36	1.43	0.06	24.3	11.3	24.4	1.83
K812753		0.44	<0.0002	0.056	1.14	77.3	<10	16.9	0.14	0.36	0.02	0.03	60.1	6.2	27.9	1.17
K812754		0.52	0.0015	0.081	2.49	83.4	<10	33.0	0.59	0.46	0.12	0.04	84.1	20.1	40.5	1.73
K812755		0.34	0.0013	0.086	1.94	178.5	<10	35.0	0.51	0.41	0.17	0.07	67.4	19.1	29.1	2.32
K812756		0.46	0.0003	0.046	2.06	124.5	<10	31.0	0.53	0.42	0.09	0.03	76.1	17.0	30.5	2.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
K812476		22.7	4.53	6.38	0.11	0.03	0.008	0.020	0.04	41.5	47.9	0.66	402	0.65	0.01	0.53
K812477		22.8	5.55	9.27	0.10	0.02	0.013	0.018	0.03	37.8	28.3	0.43	289	0.69	0.01	0.50
K812478		40.1	4.79	7.81	0.09	0.02	0.016	0.024	0.02	29.6	23.4	0.39	627	0.92	0.01	0.28
K812479		4.55	0.56	3.02	<0.05	<0.02	0.011	0.005	0.02	6.2	1.8	0.03	130	0.22	0.02	0.08
K812480		40.7	4.26	6.62	0.06	0.04	0.042	0.024	0.02	16.2	24.9	0.35	848	1.98	0.01	0.59
K812481		33.3	4.08	6.01	0.05	0.03	0.046	0.019	0.02	15.1	21.0	0.32	800	1.87	0.01	0.55
K812482		37.1	5.09	6.53	0.09	0.09	0.033	0.018	0.02	20.4	55.8	0.82	1100	0.69	0.01	0.18
K812483		52.4	3.98	7.28	0.05	0.06	0.030	0.016	0.03	13.0	33.5	0.54	1480	0.57	<0.01	0.19
K812484		26.2	1.66	3.67	<0.05	<0.02	0.041	0.010	0.02	8.5	6.0	0.12	199	0.75	0.01	0.19
K812485		18.45	4.92	8.34	0.07	0.02	0.044	0.014	0.03	21.8	31.6	0.42	1400	0.87	<0.01	0.37
K812486		14.05	3.05	5.45	0.08	<0.02	0.026	0.009	0.02	31.4	10.3	0.16	232	0.46	<0.01	0.24
K812487		11.40	1.52	3.54	<0.05	<0.02	0.028	0.006	0.02	7.6	5.5	0.08	205	0.41	0.01	0.22
K812488		48.5	4.86	6.94	0.09	0.06	0.020	0.016	0.02	29.8	55.2	0.80	1140	0.59	<0.01	0.14
K812489		11.10	1.91	3.57	<0.05	<0.02	0.040	0.008	0.02	5.0	12.0	0.18	388	0.34	0.01	0.22
K812490		58.5	4.28	6.03	0.06	0.05	0.017	0.016	0.02	20.8	50.9	0.66	1320	0.72	<0.01	0.21
K813011		35.9	4.79	6.32	0.14	0.05	0.012	0.026	0.03	40.8	73.0	0.80	356	0.67	<0.01	0.11
K813012		22.7	4.32	6.77	0.09	0.04	0.031	0.019	0.06	26.7	63.1	0.72	445	0.55	<0.01	0.22
K813013		30.2	4.12	6.23	0.07	0.05	0.032	0.021	0.07	24.4	61.1	0.67	497	0.49	<0.01	0.22
K813014		33.0	4.80	7.42	0.08	0.04	0.025	0.029	0.06	29.1	83.7	0.82	1080	0.72	<0.01	0.20
K813015		41.7	4.49	7.36	0.07	0.03	0.022	0.028	0.07	26.4	71.3	0.70	482	0.77	<0.01	0.28
K813016		37.4	4.22	7.50	0.08	0.03	0.022	0.021	0.08	33.8	61.9	0.72	449	0.63	<0.01	0.23
K813017		6.07	1.54	3.74	<0.05	0.02	0.027	0.007	0.03	10.4	16.7	0.19	140	0.31	0.01	0.12
K813018		46.4	4.97	7.98	0.14	0.04	0.018	0.023	0.03	43.2	75.9	0.88	542	0.48	<0.01	0.24
K813019		12.75	2.06	5.23	0.05	<0.02	0.023	0.009	0.03	19.2	16.1	0.18	153	0.82	0.01	0.20
K813020		18.80	3.02	4.31	0.07	0.02	0.025	0.013	0.02	22.8	36.2	0.49	273	0.41	0.01	0.17
K812491		17.45	4.62	7.56	0.05	0.02	0.030	0.012	0.03	13.9	23.8	0.35	975	0.99	<0.01	0.34
K812492		26.3	4.48	6.76	<0.05	0.05	0.025	0.014	0.02	14.7	38.7	0.62	741	1.29	<0.01	0.15
K812493		8.84	1.97	3.67	<0.05	<0.02	0.073	0.007	0.03	4.4	7.4	0.12	2610	0.49	0.01	0.18
K812494		49.3	3.54	5.03	0.05	0.05	0.059	0.012	0.03	8.9	38.3	0.58	1860	1.75	0.01	0.13
K812495		32.7	4.75	7.48	0.07	0.03	0.111	0.018	0.05	20.2	50.1	0.66	1420	0.68	<0.01	0.38
K812496		12.55	3.61	7.05	0.05	0.02	0.054	0.012	0.03	22.7	19.3	0.25	782	0.73	<0.01	0.46
K812497		3.30	0.98	2.38	<0.05	<0.02	0.022	<0.005	0.03	5.7	7.1	0.11	111	0.81	0.01	0.18
K812498		23.7	6.21	8.79	0.09	0.03	0.037	0.023	0.03	27.4	66.9	0.89	672	0.93	<0.01	0.23
K812499		56.0	4.31	5.29	0.06	0.03	0.083	0.011	0.03	14.8	35.1	0.59	723	1.58	<0.01	0.08
K812500		32.8	4.20	6.75	0.05	0.02	0.038	0.016	0.04	20.2	44.1	0.63	827	1.33	<0.01	0.27
K812752		51.8	2.88	4.45	0.05	0.14	0.048	0.019	0.05	12.5	46.0	0.46	238	0.60	0.01	0.26
K812753		12.25	4.19	9.01	0.08	<0.02	0.021	0.011	0.02	31.1	26.1	0.40	365	0.90	<0.01	0.50
K812754		44.8	5.11	7.73	0.11	0.06	0.014	0.022	0.06	43.4	73.7	0.91	591	0.48	<0.01	0.09
K812755		31.7	4.52	6.77	0.09	0.05	0.023	0.021	0.04	34.1	62.6	0.67	619	0.52	<0.01	0.17
K812756		31.2	4.51	6.64	0.10	0.03	0.019	0.017	0.03	39.5	64.9	0.70	537	0.48	<0.01	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	ME-MS41L Ni ppm 0.1	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.01	ME-MS41L Rb ppm 0.1	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.1	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.2	ME-MS41L Sr ppm 0.2	ME-MS41L Ta ppm 0.01	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.1	ME-MS41L Ti % 0.001
K812476		18.9	0.063	13.85	6.1	<0.001	0.02	0.091	1.8	0.5	0.2	10.6	<0.01	0.03	14.7	0.009
K812477		16.7	0.084	14.95	5.1	<0.001	0.01	0.433	1.3	0.3	0.2	3.7	<0.01	0.05	9.6	0.018
K812478		20.7	0.112	58.6	3.7	<0.001	0.02	0.806	1.1	0.3	0.2	3.7	<0.01	0.06	6.0	0.009
K812479		2.1	0.035	2.65	1.6	<0.001	0.01	0.026	0.1	0.2	<0.2	5.2	<0.01	0.01	0.1	0.009
K812480		18.0	0.069	84.1	4.1	<0.001	0.03	0.331	1.1	0.5	0.3	4.3	0.01	0.04	4.3	0.015
K812481		16.5	0.068	78.8	3.8	<0.001	0.03	0.273	0.9	0.4	0.2	4.3	0.01	0.04	3.8	0.015
K812482		37.6	0.086	26.7	3.1	<0.001	0.02	0.258	1.7	0.4	<0.2	3.9	<0.01	0.04	8.6	0.007
K812483		26.8	0.121	17.20	4.4	<0.001	0.04	0.233	0.9	0.1	0.2	5.1	<0.01	0.05	2.4	0.007
K812484		7.4	0.124	12.60	2.7	<0.001	0.06	0.183	0.1	0.1	0.2	7.2	<0.01	0.03	<0.1	0.004
K812485		28.7	0.058	14.70	5.8	<0.001	0.01	0.306	1.3	0.3	0.3	5.3	<0.01	0.04	6.9	0.012
K812486		10.9	0.038	8.95	3.0	<0.001	0.01	0.289	0.6	0.2	0.4	5.0	<0.01	0.03	3.7	0.016
K812487		5.1	0.059	5.08	2.0	<0.001	0.03	0.137	0.1	<0.1	0.2	5.0	<0.01	0.02	0.1	0.015
K812488		40.4	0.052	36.3	2.7	<0.001	<0.01	0.316	1.7	0.1	0.2	6.1	<0.01	0.05	7.2	0.008
K812489		9.9	0.064	6.16	2.2	<0.001	0.03	0.144	0.2	<0.1	0.2	3.3	<0.01	0.02	0.2	0.014
K812490		35.9	0.041	59.9	2.3	<0.001	<0.01	0.410	1.4	0.3	<0.2	3.0	<0.01	0.06	5.5	0.010
K813011		34.6	0.058	48.2	2.9	<0.001	0.02	0.683	1.9	0.6	0.2	15.3	<0.01	0.02	11.2	0.005
K813012		22.6	0.071	24.3	4.8	<0.001	0.01	0.181	1.6	0.2	0.3	12.7	<0.01	0.04	5.9	0.008
K813013		25.0	0.078	24.8	5.0	<0.001	0.03	0.127	1.8	0.3	0.4	12.2	<0.01	0.03	6.9	0.007
K813014		32.1	0.071	25.5	4.1	<0.001	0.02	0.104	2.4	0.4	0.4	16.9	<0.01	0.03	10.2	0.006
K813015		35.2	0.062	17.95	6.4	<0.001	0.03	0.093	2.0	0.4	0.5	17.8	<0.01	0.03	6.8	0.005
K813016		30.5	0.061	21.4	6.0	<0.001	0.03	0.075	1.9	0.4	0.5	27.1	<0.01	0.03	7.5	0.005
K813017		6.8	0.046	6.75	3.1	<0.001	0.01	0.035	0.4	<0.1	0.3	8.7	<0.01	0.02	0.5	0.008
K813018		32.6	0.058	18.40	2.9	<0.001	0.02	0.096	2.7	0.8	0.4	23.2	<0.01	0.04	11.1	0.008
K813019		9.6	0.044	11.90	2.4	<0.001	0.01	0.102	0.6	<0.1	0.3	16.8	<0.01	0.03	1.9	0.009
K813020		17.3	0.062	11.40	1.8	<0.001	0.02	0.092	1.2	0.1	0.3	17.9	<0.01	0.02	3.2	0.010
K812491		19.4	0.139	18.75	4.1	<0.001	0.01	0.301	0.9	0.2	0.2	6.4	<0.01	0.04	4.4	0.010
K812492		26.7	0.106	20.2	2.5	<0.001	0.02	0.272	0.8	0.1	0.2	3.2	<0.01	0.04	2.6	0.008
K812493		10.0	0.108	6.05	3.7	<0.001	0.03	0.131	0.2	<0.1	0.2	7.0	<0.01	0.03	0.2	0.023
K812494		36.0	0.099	23.4	2.9	<0.001	0.05	0.287	0.9	1.0	0.2	18.0	<0.01	0.04	2.6	0.010
K812495		27.6	0.091	14.60	5.3	<0.001	0.04	0.263	1.6	0.1	0.2	6.2	<0.01	0.05	8.4	0.010
K812496		13.3	0.104	15.85	7.2	<0.001	0.01	0.258	0.9	0.1	0.3	4.1	<0.01	0.05	4.5	0.010
K812497		4.8	0.013	3.08	2.3	<0.001	0.01	0.043	0.3	<0.1	<0.2	4.0	<0.01	0.02	1.9	0.011
K812498		33.6	0.081	24.1	4.2	<0.001	0.01	0.263	1.9	0.2	0.2	3.3	<0.01	0.04	9.9	0.007
K812499		39.7	0.226	11.50	3.1	<0.001	0.06	0.142	1.0	0.2	<0.2	5.3	<0.01	0.02	6.8	0.004
K812500		27.7	0.073	16.50	9.4	<0.001	0.02	0.230	1.0	<0.1	0.2	6.1	<0.01	0.04	3.5	0.013
K812752		32.0	0.064	18.30	5.0	<0.001	0.12	0.346	1.5	0.7	0.2	144.0	<0.01	0.03	2.9	0.006
K812753		17.2	0.061	10.95	3.1	<0.001	0.01	0.296	1.1	<0.1	0.3	3.9	<0.01	0.04	4.4	0.023
K812754		40.4	0.053	31.2	3.8	<0.001	0.01	0.305	2.4	0.3	<0.2	13.9	<0.01	0.04	12.9	0.004
K812755		34.1	0.035	43.7	5.6	<0.001	0.01	0.245	1.6	0.2	0.2	14.6	<0.01	0.04	9.9	0.003
K812756		32.7	0.028	32.0	4.4	<0.001	0.01	0.205	1.6	0.2	<0.2	9.9	<0.01	0.02	11.1	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812476		0.11	1.23	18	1.330	5.07	68.4	0.7
K812477		0.03	0.55	38	0.131	2.37	54.9	0.8
K812478		0.02	1.03	27	0.107	2.48	65.1	1.0
K812479		0.03	0.25	9	0.0486	0.54	6.1	<0.5
K812480		0.05	1.09	20	0.126	2.42	60.5	1.4
K812481		0.04	1.04	19	0.112	2.11	57.6	1.4
K812482		0.02	0.81	21	0.0578	2.43	118.5	2.5
K812483		0.03	1.15	21	0.0740	2.13	79.4	1.9
K812484		0.03	0.83	14	0.125	2.60	19.7	<0.5
K812485		0.04	0.83	28	0.121	1.82	67.5	1.2
K812486		0.03	0.67	27	0.122	2.00	30.8	<0.5
K812487		0.02	0.34	16	0.0980	0.92	16.8	<0.5
K812488		0.02	1.90	25	0.0654	2.73	111.0	1.7
K812489		0.02	0.50	12	0.0797	0.74	30.6	<0.5
K812490		0.02	1.72	19	0.0699	2.31	91.1	1.7
K813011		0.03	1.55	17	0.0819	10.05	102.0	1.7
K813012		0.04	1.00	20	1.115	4.66	76.0	1.1
K813013		0.05	1.54	20	1.335	6.54	82.6	1.1
K813014		0.04	1.52	23	1.675	7.42	108.0	1.1
K813015		0.06	1.48	21	1.935	8.64	109.0	1.0
K813016		0.05	1.16	21	1.540	10.00	96.1	0.9
K813017		0.03	0.30	13	0.566	1.49	23.6	<0.5
K813018		0.03	1.36	24	2.14	16.00	96.0	1.1
K813019		0.02	0.56	18	0.842	3.16	31.9	<0.5
K813020		0.02	0.73	17	1.150	5.50	54.1	<0.5
K812491		0.03	11.30	24	0.212	1.89	53.1	0.8
K812492		0.02	0.80	21	0.0745	1.62	77.1	1.3
K812493		0.04	1.52	15	0.0916	0.73	30.4	<0.5
K812494		0.03	53.7	17	0.116	3.21	96.3	1.3
K812495		0.04	0.76	22	0.0885	2.23	117.0	1.1
K812496		0.06	0.50	26	0.138	1.44	52.5	0.6
K812497		<0.02	0.39	9	0.0561	0.46	20.5	<0.5
K812498		0.02	0.87	25	0.0911	2.11	101.0	1.1
K812499		<0.02	1.29	17	0.279	1.89	88.5	0.9
K812500		0.03	0.99	24	0.0882	1.64	116.5	0.5
K812752		0.03	25.5	13	0.0641	8.15	62.9	5.0
K812753		0.03	0.41	36	0.235	1.76	51.8	<0.5
K812754		0.03	0.72	21	0.0438	4.92	103.5	2.8
K812755		0.03	0.70	17	0.105	3.05	97.2	2.0
K812756		0.03	0.76	17	0.0773	3.22	88.8	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K812757		0.44	0.0013	0.247	2.08	727	<10	32.2	0.59	0.62	0.02	0.13	83.6	16.8	28.5	3.18
K812758		0.40	0.0021	0.142	2.13	60.6	<10	8.7	0.46	0.64	0.21	0.04	94.7	24.4	32.1	1.55
K812759		0.50	0.0489	0.164	0.88	212	<10	31.8	0.51	0.36	2.33	0.07	34.1	13.5	12.0	1.10
K812760		0.44	0.0046	0.171	1.43	230	<10	49.0	0.61	0.46	0.40	0.11	42.9	21.1	18.6	2.27
K812761		0.42	0.0226	0.124	1.79	609	<10	24.9	0.41	0.57	0.03	0.07	54.7	26.4	32.9	5.61
K812762		0.38	0.0111	0.079	1.53	105.0	<10	29.4	0.32	0.42	0.04	0.09	41.3	8.5	26.9	3.90
K812763		0.38	0.0016	0.078	1.72	167.0	<10	23.4	0.40	0.57	0.03	0.09	70.1	7.6	31.1	5.82
K812764		0.42	0.0954	0.183	1.82	1030	<10	26.9	0.59	0.71	0.04	0.11	61.7	26.8	31.3	5.34
K812765		0.28	0.0019	0.106	0.20	20.9	<10	14.6	0.05	0.06	0.04	0.04	3.73	1.3	4.9	1.15
K812766		0.36	0.0037	0.231	1.35	117.5	<10	24.8	0.24	0.38	0.02	0.08	65.1	9.6	25.0	4.89
K812767		0.44	0.0037	0.412	1.34	597	<10	22.1	0.30	0.63	0.02	0.06	55.8	14.7	24.4	4.56
K812768		0.34	0.0014	0.320	1.09	311	<10	27.9	0.34	0.38	0.02	0.08	26.9	14.8	16.8	4.62
K812769		0.34	0.0008	0.172	1.68	387	<10	47.5	0.50	0.57	0.17	0.16	45.2	22.5	27.3	2.82
K812770		0.48	0.0011	0.115	2.36	342	<10	37.6	0.78	0.52	1.17	0.10	37.5	27.0	34.0	2.57
K812771		0.32	0.0003	0.050	0.55	72.8	<10	33.6	0.40	0.15	4.31	0.12	34.2	7.6	4.5	0.68
K812772		0.42	0.0012	0.061	0.41	110	<10	18.9	0.46	0.20	10.70	0.09	38.5	10.2	5.2	0.75
K812773		0.34	0.0014	0.039	1.31	128.0	<10	19.5	0.37	0.40	0.43	0.11	27.4	16.8	19.9	1.63
K812774		0.18	0.0208	0.094	2.17	92.6	<10	38.2	0.51	0.47	0.64	0.10	43.4	22.1	40.1	1.24
K812775		0.48	0.0016	0.118	0.64	34.0	<10	17.6	0.28	0.18	2.62	0.21	8.59	6.3	7.8	0.95
K812776		0.38	0.0019	0.092	2.17	63.4	<10	37.6	0.46	0.39	0.94	0.06	37.2	17.8	38.2	1.00
K812777		0.40	0.0014	0.100	2.15	46.5	<10	48.6	0.49	0.41	0.35	0.05	41.1	16.7	37.3	1.30
K812778		0.38	0.0008	0.121	1.84	25.9	<10	64.2	0.50	0.32	0.19	0.04	41.3	12.8	33.1	1.41
K812779		0.40	0.0008	0.034	2.24	51.2	<10	37.7	0.56	0.48	0.06	0.05	71.8	23.4	42.6	1.88
K812780		0.44	0.0005	0.130	1.76	26.3	<10	36.3	0.33	0.34	0.06	0.05	47.9	10.8	26.6	1.11
K812781		0.44	0.0007	0.167	2.20	37.2	<10	38.9	0.43	0.42	0.05	0.07	63.5	13.9	34.5	1.43
K812961		0.38	0.0003	0.084	1.36	19.05	<10	32.6	0.18	0.62	0.02	0.04	45.8	4.1	26.3	2.13
K812962		0.34	0.0056	0.122	0.88	9.59	<10	31.2	0.21	0.24	0.02	0.04	30.9	5.4	24.2	1.09
K812963		0.30	0.0021	0.051	0.59	5.87	<10	14.3	0.11	0.12	0.02	0.02	15.65	3.5	11.9	0.41
K812964		0.38	0.0005	0.058	0.64	8.02	<10	20.1	0.08	0.19	0.03	0.02	24.7	2.3	16.6	0.81
K812965		0.42	0.0011	0.034	2.65	57.2	<10	50.2	0.76	0.58	0.11	0.07	76.7	28.1	72.5	4.36
K812966		0.40	0.0009	0.276	2.21	20.5	<10	33.4	0.63	0.42	0.14	0.06	59.9	40.0	39.4	3.55
K812967		0.44	0.0009	0.089	2.42	31.9	<10	17.3	0.60	0.52	0.13	0.06	71.8	29.3	45.7	1.66
K812968		0.30	0.0005	0.058	2.68	30.0	<10	73.1	0.78	0.22	0.74	0.06	44.1	26.7	59.9	3.23
K812969		0.32	0.0008	0.057	2.59	24.5	<10	27.0	0.53	0.36	0.18	0.04	84.4	20.8	67.0	1.44
K812970		0.34	0.0007	0.066	2.49	21.4	<10	42.2	1.00	0.61	0.03	0.05	117.5	31.9	53.5	4.21
K812951		0.32	0.0014	0.082	1.95	76.1	<10	16.4	0.65	0.42	0.09	0.10	71.5	22.3	32.5	1.01
K812952		0.34	0.0011	0.093	2.28	31.9	<10	45.8	0.68	0.63	0.17	0.07	72.8	19.0	38.1	1.60
K812953		0.36	0.0013	0.064	1.98	74.9	<10	17.4	0.62	0.47	0.07	0.07	70.6	21.2	32.3	1.24
K812954		0.40	0.0009	0.073	1.83	55.6	<10	14.3	0.58	0.42	0.25	0.22	57.5	19.1	31.1	1.25
K812955		0.30	0.0007	0.127	0.90	11.90	<10	23.6	0.14	0.27	0.03	0.07	30.3	6.8	21.6	0.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.01	ME- MS41L Ga ppm 0.05	ME- MS41L Ge ppm 0.05	ME- MS41L Hf ppm 0.02	ME- MS41L Hg ppm 0.005	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.2	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.01	ME- MS41L Nb ppm 0.05
K812757		45.3	5.46	6.66	0.10	0.06	0.027	0.030	0.04	42.7	59.8	0.52	443	0.65	<0.01	0.25
K812758		47.3	5.04	6.54	0.12	0.18	0.023	0.018	0.02	46.8	80.9	0.77	594	0.43	<0.01	0.07
K812759		37.6	3.78	2.48	0.05	0.09	0.027	0.030	0.02	16.9	21.5	0.21	329	0.43	<0.01	0.18
K812760		62.4	4.37	3.92	0.14	0.06	0.022	0.032	0.02	22.1	38.6	0.32	889	0.73	0.01	0.23
K812761		43.5	5.88	6.30	0.16	0.06	0.030	0.024	0.03	29.8	54.5	0.54	1360	1.14	0.01	0.36
K812762		38.6	3.70	5.60	0.13	0.05	0.038	0.021	0.03	22.2	45.6	0.39	288	1.05	0.01	0.30
K812763		48.8	5.88	7.17	0.18	0.06	0.028	0.025	0.02	38.0	54.4	0.49	370	1.17	0.01	0.28
K812764		51.8	5.89	5.58	0.17	0.06	0.027	0.029	0.02	31.8	65.6	0.56	864	0.90	0.01	0.10
K812765		3.58	0.43	1.20	0.09	<0.02	0.024	0.008	0.02	2.2	1.7	0.02	119	0.43	0.02	0.12
K812766		19.85	4.96	7.97	0.17	0.04	0.049	0.016	0.03	36.2	34.1	0.31	633	0.74	0.01	0.43
K812767		39.7	5.79	6.66	0.15	0.03	0.048	0.021	0.02	31.7	35.5	0.33	342	0.76	0.01	0.51
K812768		27.8	3.21	4.11	0.12	0.03	0.021	0.014	0.02	15.3	26.2	0.23	354	0.65	0.01	0.48
K812769		32.5	5.18	6.38	0.14	0.03	0.026	0.030	0.03	26.1	52.9	0.55	979	0.83	0.01	0.48
K812770		50.0	5.53	6.58	0.15	0.11	0.021	0.039	0.03	23.4	58.3	0.89	890	0.54	0.01	0.15
K812771		17.80	1.79	1.31	0.12	0.05	0.065	0.020	0.03	19.0	3.9	0.08	458	0.36	0.02	0.20
K812772		25.3	2.40	0.82	0.14	0.07	0.024	0.022	0.02	23.4	2.2	0.13	556	0.44	0.01	0.07
K812773		39.7	3.54	3.84	0.13	0.12	0.029	0.020	0.03	15.7	29.9	0.42	472	0.82	0.01	0.12
K812774		42.5	4.52	6.05	0.16	0.14	0.034	0.022	0.05	23.7	75.4	0.81	779	0.83	0.01	0.18
K812775		50.7	1.17	1.70	0.11	0.10	0.082	0.009	0.03	5.2	11.0	0.21	218	0.55	0.02	0.11
K812776		32.4	4.18	5.64	0.14	0.14	0.023	0.020	0.05	21.8	67.7	0.80	499	0.74	0.01	0.16
K812777		35.9	4.15	6.28	0.14	0.10	0.019	0.019	0.06	23.2	63.2	0.78	534	1.77	0.01	0.16
K812778		27.2	3.22	5.34	0.13	0.07	0.032	0.016	0.06	23.5	46.0	0.53	385	1.39	0.01	0.26
K812779		39.2	4.88	7.38	0.18	0.05	0.019	0.021	0.05	39.1	67.0	0.82	690	1.39	0.01	0.22
K812780		16.90	4.54	7.04	0.15	0.02	0.026	0.024	0.03	26.7	42.6	0.57	374	1.01	0.01	0.27
K812781		22.2	5.58	7.56	0.17	0.03	0.019	0.025	0.03	35.3	57.7	0.72	425	0.95	0.01	0.25
K812961		12.15	5.14	10.10	0.14	<0.02	0.023	0.013	0.02	26.7	25.0	0.29	262	1.21	0.01	0.58
K812962		10.10	2.63	3.95	0.13	0.02	0.034	0.009	0.02	17.3	16.4	0.17	337	1.90	0.01	0.25
K812963		8.02	1.38	2.31	0.10	<0.02	0.022	0.005	0.02	8.5	11.9	0.13	146	0.74	0.02	0.18
K812964		7.80	1.36	2.86	0.11	<0.02	0.017	0.007	0.02	14.0	14.3	0.18	79	0.89	0.02	0.18
K812965		70.2	5.41	8.01	0.17	0.08	0.022	0.045	0.03	40.2	70.1	1.11	546	0.96	0.01	0.25
K812966		47.5	4.52	6.85	0.17	0.06	0.018	0.028	0.03	33.2	78.1	0.79	677	0.66	0.01	0.12
K812967		65.7	5.60	7.05	0.20	0.07	0.009	0.029	0.02	38.5	89.4	0.93	529	0.87	0.01	0.11
K812968		75.1	4.20	6.73	0.17	0.11	0.020	0.025	0.03	25.9	61.7	1.36	638	0.74	0.02	0.40
K812969		43.1	5.23	7.76	0.21	0.08	<0.005	0.020	0.03	46.1	85.5	1.16	545	1.10	0.01	0.18
K812970		60.8	6.06	7.68	0.21	0.06	0.022	0.033	0.04	61.5	70.2	0.90	592	1.52	0.01	0.20
K812951		27.9	4.71	5.52	0.18	0.04	0.006	0.020	0.03	39.7	77.3	0.81	441	0.66	0.01	0.08
K812952		30.9	4.76	6.86	0.19	0.09	0.007	0.025	0.05	42.3	81.9	0.87	507	1.12	0.01	0.20
K812953		29.3	4.99	5.61	0.18	0.06	0.012	0.024	0.04	39.1	76.0	0.82	443	0.69	0.01	0.08
K812954		23.7	4.65	5.50	0.19	0.07	0.011	0.019	0.03	30.9	72.3	0.80	384	0.55	0.01	0.07
K812955		8.57	2.48	5.19	0.05	<0.02	0.021	0.012	0.03	16.3	18.0	0.30	403	1.20	<0.01	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812757		34.2	0.050	47.1	6.5	<0.001	0.01	0.244	1.6	0.2	0.2	11.1	<0.01	0.08	12.4	0.003
K812758		49.2	0.068	24.7	1.5	<0.001	0.01	0.083	1.8	0.2	<0.2	28.8	<0.01	0.05	16.0	0.004
K812759		31.1	0.074	42.5	2.6	<0.001	0.04	0.615	2.3	0.7	0.2	108.0	<0.01	0.05	2.8	0.004
K812760		37.2	0.087	37.8	3.3	<0.001	0.06	0.640	2.0	0.7	0.2	29.0	<0.01	0.04	2.9	0.007
K812761		33.3	0.071	38.4	3.1	<0.001	0.05	0.634	1.5	0.3	0.2	5.5	<0.01	0.04	6.5	0.012
K812762		18.8	0.111	23.7	4.7	<0.001	0.10	0.411	0.7	0.5	0.2	9.7	<0.01	0.04	1.7	0.011
K812763		21.1	0.072	30.3	3.4	<0.001	0.09	0.561	1.4	0.4	0.2	7.9	<0.01	0.04	9.0	0.008
K812764		39.6	0.065	51.1	2.6	<0.001	0.09	0.985	1.7	0.5	<0.2	6.2	<0.01	0.04	5.7	0.004
K812765		3.6	0.046	2.92	1.0	0.001	0.09	0.050	<0.1	0.2	<0.2	5.8	<0.01	0.01	<0.1	0.010
K812766		18.2	0.082	18.10	4.3	<0.001	0.08	0.281	1.2	0.5	0.3	4.4	<0.01	0.03	7.3	0.010
K812767		28.2	0.055	25.8	3.7	<0.001	0.07	0.437	1.3	0.3	0.2	9.2	<0.01	0.07	7.7	0.010
K812768		19.4	0.033	20.7	3.8	<0.001	0.03	0.251	0.9	0.3	0.2	6.4	0.01	0.04	3.6	0.015
K812769		33.2	0.039	48.7	6.3	<0.001	0.04	0.353	1.8	0.4	0.3	18.7	<0.01	0.06	6.3	0.009
K812770		55.8	0.059	32.9	3.7	<0.001	0.06	0.260	3.8	0.8	0.2	64.0	<0.01	0.07	7.1	0.004
K812771		15.9	0.082	15.70	1.8	<0.001	0.07	0.164	1.5	0.7	<0.2	190.0	<0.01	0.04	1.7	0.006
K812772		24.2	0.123	17.30	1.6	<0.001	0.06	0.208	2.4	0.7	<0.2	436	<0.01	0.03	4.1	0.002
K812773		34.5	0.054	26.4	2.0	<0.001	0.07	0.249	1.3	0.3	<0.2	39.8	<0.01	0.06	4.5	0.003
K812774		46.2	0.058	29.9	3.7	<0.001	0.08	0.255	2.4	0.9	<0.2	49.4	<0.01	0.03	7.4	0.006
K812775		21.6	0.070	12.00	1.5	0.001	0.20	0.204	0.4	0.8	<0.2	189.0	<0.01	0.03	0.7	0.003
K812776		36.3	0.060	21.0	3.4	<0.001	0.10	0.216	2.2	0.8	<0.2	73.3	<0.01	0.03	6.1	0.006
K812777		34.6	0.060	19.40	4.6	<0.001	0.05	0.225	2.2	0.8	0.2	24.0	<0.01	0.03	6.6	0.005
K812778		29.0	0.046	17.80	4.6	<0.001	0.04	0.152	1.5	0.5	0.2	16.9	<0.01	0.03	5.5	0.007
K812779		40.7	0.052	26.8	4.3	<0.001	0.04	0.265	2.1	0.6	0.2	6.3	<0.01	0.04	10.6	0.008
K812780		21.4	0.118	12.95	4.4	<0.001	0.03	0.214	2.3	0.4	0.3	6.2	<0.01	0.03	5.4	0.009
K812781		27.4	0.110	16.10	5.4	<0.001	0.03	0.233	2.5	0.3	0.2	5.6	<0.01	0.02	8.5	0.008
K812961		10.6	0.126	25.4	4.5	<0.001	0.04	0.303	0.7	0.4	0.4	4.0	<0.01	0.03	1.8	0.018
K812962		16.2	0.092	12.70	3.5	<0.001	0.04	0.184	0.5	0.3	0.2	3.6	<0.01	0.02	1.8	0.010
K812963		9.5	0.032	6.13	1.5	<0.001	0.03	0.103	0.3	0.1	<0.2	2.9	<0.01	0.02	0.8	0.015
K812964		9.4	0.035	7.48	2.6	<0.001	0.03	0.120	0.3	0.1	0.3	3.9	<0.01	0.02	0.7	0.011
K812965		57.7	0.053	45.1	3.8	<0.001	0.03	0.390	5.4	0.8	0.3	12.2	<0.01	0.05	10.4	0.006
K812966		44.0	0.077	48.6	2.6	<0.001	0.06	0.380	2.4	0.8	<0.2	9.2	<0.01	0.03	7.7	0.004
K812967		49.9	0.064	41.0	1.9	<0.001	0.04	0.760	2.4	0.4	<0.2	8.0	<0.01	0.03	11.9	0.007
K812968		58.1	0.055	13.30	3.4	<0.001	0.07	0.234	5.8	0.6	0.2	25.2	<0.01	0.03	3.8	0.012
K812969		51.3	0.061	20.3	2.5	<0.001	0.04	0.335	3.2	0.5	0.2	12.5	<0.01	0.02	12.4	0.011
K812970		50.1	0.108	47.5	4.4	0.001	0.06	0.498	2.6	0.9	0.2	12.4	<0.01	0.04	10.5	0.008
K812951		31.5	0.055	36.4	2.2	<0.001	0.05	0.607	1.7	0.4	<0.2	12.8	<0.01	0.03	12.2	0.005
K812952		36.4	0.054	27.8	4.8	<0.001	0.05	0.232	2.6	0.7	0.3	23.9	<0.01	0.03	12.7	0.006
K812953		27.8	0.077	50.7	2.8	<0.001	0.06	0.691	1.7	0.5	<0.2	14.8	<0.01	0.03	9.4	0.005
K812954		25.4	0.085	35.7	2.3	<0.001	0.07	0.593	1.7	0.7	<0.2	21.5	<0.01	0.03	11.2	0.005
K812955		17.3	0.088	7.71	3.1	<0.001	<0.01	0.145	0.8	<0.1	0.2	4.7	<0.01	0.02	2.0	0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812757		0.05	1.03	17	0.203	3.65	101.0	2.6
K812758		<0.02	1.65	14	0.0331	4.43	92.7	7.9
K812759		0.02	0.86	8	0.425	14.65	68.7	2.4
K812760		0.04	1.09	14	5.64	10.75	81.3	2.0
K812761		0.03	1.40	22	0.210	3.12	102.0	1.7
K812762		0.03	1.09	18	0.454	2.05	66.7	1.5
K812763		0.03	1.18	21	0.145	2.35	82.8	2.1
K812764		0.02	1.52	14	0.121	4.87	120.0	1.9
K812765		0.02	0.25	7	0.0505	0.42	8.9	<0.5
K812766		0.04	0.56	26	0.174	2.23	58.2	1.2
K812767		0.04	0.92	23	0.286	2.26	81.2	1.2
K812768		0.04	0.71	17	0.599	1.68	54.2	1.0
K812769		0.05	0.70	24	0.317	3.26	99.1	1.2
K812770		0.03	0.84	20	0.159	18.00	123.5	3.8
K812771		0.02	1.01	4	0.0802	9.11	57.5	2.0
K812772		0.02	1.48	2	0.0923	13.15	75.0	2.8
K812773		0.02	2.74	10	0.0678	4.27	107.0	4.4
K812774		0.03	3.92	18	0.108	5.79	105.5	4.6
K812775		0.02	6.16	4	0.0840	3.92	60.5	3.8
K812776		0.02	6.33	18	0.0722	5.09	95.4	4.6
K812777		0.03	9.22	20	0.0913	4.40	90.9	3.0
K812778		0.04	1.20	16	0.126	4.86	61.7	1.8
K812779		0.03	0.76	22	0.212	3.68	96.7	1.6
K812780		0.02	0.41	40	0.119	2.25	58.8	0.8
K812781		0.03	0.47	36	0.129	2.73	71.6	1.0
K812961		0.05	0.50	33	0.214	1.51	46.1	<0.5
K812962		0.03	0.35	15	0.121	1.06	35.3	0.5
K812963		0.02	0.23	11	0.0695	0.63	24.9	<0.5
K812964		0.03	0.28	11	0.168	0.88	18.3	<0.5
K812965		0.04	1.37	37	0.0947	5.90	103.5	2.4
K812966		0.04	1.31	19	0.0501	4.19	124.0	1.6
K812967		0.02	0.76	22	0.0424	3.83	144.0	2.5
K812968		0.03	0.72	47	0.0823	10.75	79.5	3.3
K812969		<0.02	0.67	30	0.0484	4.73	95.6	2.7
K812970		0.04	1.45	29	0.0888	6.69	103.5	1.6
K812951		0.02	1.16	16	0.136	6.61	101.0	1.9
K812952		0.03	1.27	22	0.546	9.20	110.0	2.9
K812953		0.02	1.19	17	0.101	5.90	100.5	1.7
K812954		<0.02	0.91	16	0.380	5.21	125.0	2.3
K812955		0.03	0.36	19	0.179	1.26	41.2	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812956		0.46	0.0003	0.128	1.81	27.9	<10	31.2	0.29	0.48	0.03	0.06	42.2	38.8	32.7	1.82
K812957		0.26	0.0013	0.149	2.07	28.9	<10	33.5	0.57	0.43	0.51	0.03	32.4	14.8	33.3	1.52
K812958		0.32	0.0032	0.035	0.69	8.13	<10	26.1	0.10	0.25	0.03	0.02	39.3	2.2	14.6	0.61
K812959		0.26	<0.0002	0.056	0.26	0.58	<10	13.7	0.05	0.03	0.04	0.01	1.90	0.6	2.3	0.19
K812960		0.28	<0.0002	0.321	0.71	6.46	<10	25.5	0.11	0.27	0.01	0.04	30.3	2.3	10.7	1.41
K812782		0.48	0.0003	0.085	2.51	56.5	<10	23.1	0.37	0.57	0.05	0.07	47.7	16.9	38.6	1.74
K812783		0.40	0.0005	0.228	2.42	34.9	<10	31.4	0.43	0.57	0.02	0.07	67.5	20.5	35.7	1.85
K812784		0.40	0.0008	0.217	1.61	13.25	<10	36.8	0.27	0.46	0.03	0.04	45.5	8.1	21.9	1.85
K812785		0.32	<0.0002	0.052	0.36	3.77	<10	18.4	0.08	0.12	0.03	0.02	7.29	2.6	4.6	0.88
K812786		0.32	<0.0002	0.112	0.71	6.95	<10	29.4	0.20	0.30	0.03	0.06	20.0	6.7	10.0	1.04
K812787		0.32	0.0003	0.281	1.41	15.55	<10	27.4	0.32	0.27	0.04	0.05	26.0	8.6	15.3	0.85
K812788		0.34	0.0006	0.065	2.45	40.7	<10	30.9	0.49	0.52	0.03	0.07	66.6	26.7	39.2	1.57
K812789		0.38	0.0002	0.126	1.45	35.5	<10	45.8	0.50	0.41	0.03	0.11	45.6	16.6	23.1	1.68
K812790		0.38	0.0015	0.099	2.09	44.4	<10	25.3	0.52	0.69	0.02	0.09	74.0	9.8	35.8	2.40
K812791		0.36	0.0007	0.077	0.50	61.5	<10	18.4	0.27	0.15	0.04	0.04	9.89	1.8	7.0	1.01
K812792		0.34	0.0004	0.063	0.70	10.30	<10	19.9	0.13	0.16	0.03	0.04	20.2	2.9	8.2	1.42
K812793		0.42	0.0008	0.169	1.79	30.1	<10	52.8	0.36	0.46	0.02	0.12	65.2	9.2	27.7	2.11
K812794		0.36	0.0005	0.056	0.80	4.36	<10	21.8	0.12	0.15	0.02	0.04	16.05	2.2	7.4	0.56
K812795		0.40	0.0006	0.092	1.50	37.3	<10	32.5	0.46	0.50	0.03	0.07	38.5	11.3	22.4	1.97
K812796		0.34	0.0004	0.067	1.19	11.30	<10	34.1	0.23	0.54	0.04	0.06	48.5	4.2	18.4	2.16
K812797		0.36	0.0002	0.042	0.95	9.25	<10	24.6	0.12	0.39	0.03	0.02	69.8	3.4	14.8	1.13
K812798		0.34	0.0006	0.140	2.17	22.3	<10	48.3	0.38	0.63	0.03	0.07	43.5	10.9	30.1	2.61
K812799		0.26	<0.0002	0.095	1.00	5.45	<10	37.0	0.15	0.33	0.03	0.02	21.9	2.6	7.9	0.75
K812800		0.30	0.0006	0.123	1.49	14.65	<10	50.3	0.23	0.38	0.03	0.03	44.6	5.8	13.8	1.18
K812801		0.46	0.0014	0.109	1.70	28.4	<10	50.4	0.23	0.44	0.03	0.07	33.7	9.5	24.9	1.50
K812802		0.40	<0.0002	0.195	1.24	13.75	<10	31.4	0.25	0.39	0.02	0.17	30.9	7.8	18.5	2.24
K812803		0.46	<0.0002	0.067	2.15	39.6	<10	27.1	0.40	0.46	0.03	0.05	66.8	15.1	36.6	1.71
K812804		0.44	0.0005	0.027	2.12	28.3	<10	21.9	0.40	0.30	0.06	0.03	81.6	16.3	39.7	0.79
K812805		0.44	0.0011	0.187	2.02	19.50	<10	26.1	0.46	0.84	0.06	0.08	55.0	12.9	29.9	1.22
K812806		0.52	0.0005	0.079	1.99	12.60	<10	28.6	0.42	0.49	0.05	0.03	43.8	8.5	30.4	1.31
K812807		0.28	<0.0002	0.069	0.19	1.29	<10	10.7	<0.05	0.06	0.04	0.02	2.62	1.0	3.2	0.22
K812808		0.30	0.0002	0.060	0.78	5.70	<10	19.8	0.21	0.59	0.02	0.02	33.0	2.4	10.7	2.02
K812809		0.46	0.0006	0.063	2.05	9.93	<10	18.6	0.41	0.80	0.02	0.02	77.8	10.6	30.7	3.13
K812810		0.42	0.0010	0.127	1.55	5.95	<10	18.4	0.42	0.54	0.02	0.02	53.8	5.4	21.1	3.18
K812811		0.46	0.0007	0.074	2.16	21.3	<10	23.2	1.30	0.53	0.14	0.05	82.3	30.8	30.7	1.82
K812812		0.48	0.0014	0.094	2.15	14.95	<10	17.5	0.91	0.57	0.14	0.08	67.1	28.0	35.9	1.30
K812813		0.44	0.0002	0.034	1.21	24.7	<10	19.0	0.20	0.57	0.03	0.11	22.0	9.4	20.6	1.05
K812814		0.44	0.0002	0.042	2.10	51.7	<10	47.9	0.42	0.41	0.04	0.06	69.4	12.4	37.1	1.43
K812815		0.50	0.0011	0.037	2.27	67.6	<10	24.4	0.50	0.48	0.04	0.03	85.7	21.5	39.8	1.12
K812816		0.38	0.0006	0.124	1.48	43.3	<10	24.3	0.27	0.68	0.02	0.05	33.6	12.9	20.6	2.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812956		15.40	4.90	7.95	0.07	0.03	0.023	0.019	0.03	20.7	43.8	0.62	1640	0.81	<0.01	0.32
K812957		38.3	4.09	6.31	0.07	0.14	0.025	0.019	0.03	18.9	56.2	0.73	504	0.89	<0.01	0.19
K812958		7.89	1.56	5.82	0.05	<0.02	0.006	0.008	0.02	21.6	6.3	0.09	116	1.27	<0.01	0.20
K812959		2.50	0.26	1.06	<0.05	<0.02	0.010	<0.005	0.02	1.0	0.6	0.02	23	0.17	0.01	0.09
K812960		8.58	2.24	5.02	0.05	<0.02	0.021	0.010	0.02	16.3	11.8	0.12	148	0.50	<0.01	0.34
K812782		26.3	5.28	7.73	0.07	0.08	0.019	0.025	0.03	24.5	58.4	0.82	766	0.90	<0.01	0.46
K812783		28.5	4.82	7.18	0.10	0.09	0.029	0.021	0.04	33.4	72.6	0.82	696	0.59	<0.01	0.16
K812784		13.70	4.13	6.65	0.07	0.07	0.040	0.022	0.03	23.0	36.0	0.37	383	0.84	<0.01	0.58
K812785		7.92	0.85	1.72	<0.05	<0.02	0.013	0.006	0.02	3.7	5.3	0.07	106	0.23	<0.01	0.13
K812786		12.00	2.40	4.12	<0.05	<0.02	0.027	0.010	0.03	10.2	11.1	0.13	522	0.40	<0.01	0.19
K812787		18.95	2.99	4.25	<0.05	0.06	0.063	0.013	0.02	13.3	23.3	0.26	232	0.61	<0.01	0.42
K812788		27.9	5.61	8.20	0.09	0.07	0.014	0.023	0.03	35.5	65.9	0.85	1190	0.79	<0.01	0.45
K812789		33.8	4.51	7.76	0.08	0.02	0.031	0.017	0.03	24.0	27.6	0.32	1520	0.75	<0.01	0.37
K812790		34.0	6.25	8.75	0.10	0.06	0.042	0.024	0.02	40.1	45.9	0.46	986	0.74	<0.01	0.48
K812791		11.95	1.18	2.44	<0.05	<0.02	0.016	0.006	0.02	5.1	6.9	0.08	106	0.25	<0.01	0.12
K812792		8.12	1.55	3.55	<0.05	0.02	0.022	0.009	0.02	10.7	10.7	0.12	247	0.41	<0.01	0.34
K812793		23.1	5.07	8.17	0.09	0.05	0.045	0.020	0.02	36.3	38.4	0.41	1100	0.65	<0.01	0.44
K812794		6.44	1.47	3.42	<0.05	0.03	0.036	0.007	0.02	8.5	8.4	0.11	207	0.26	<0.01	0.39
K812795		30.3	4.45	6.26	0.06	0.02	0.026	0.021	0.03	19.1	31.9	0.40	436	0.81	<0.01	0.41
K812796		13.50	5.01	7.69	0.07	0.05	0.038	0.014	0.03	26.3	20.0	0.24	382	0.83	<0.01	0.58
K812797		8.40	2.57	6.59	0.09	<0.02	0.006	0.009	0.02	34.2	13.5	0.22	212	0.47	<0.01	0.66
K812798		17.25	5.79	10.20	0.06	0.12	0.045	0.021	0.03	22.9	34.6	0.46	754	0.86	<0.01	0.93
K812799		10.70	1.99	4.53	<0.05	<0.02	0.034	0.007	0.02	12.8	10.4	0.11	254	0.34	<0.01	0.35
K812800		13.80	3.24	6.83	0.06	0.02	0.035	0.011	0.02	23.8	20.6	0.22	503	0.55	<0.01	0.53
K812801		15.00	4.37	7.10	0.05	0.04	0.023	0.014	0.03	18.4	30.5	0.50	1730	0.47	<0.01	0.27
K812802		11.45	3.32	6.44	0.05	0.03	0.027	0.009	0.02	16.1	22.4	0.33	338	0.50	<0.01	0.48
K812803		22.9	5.11	7.72	0.10	0.05	0.016	0.018	0.04	33.8	58.4	0.80	766	0.58	<0.01	0.26
K812804		24.0	4.43	6.82	0.12	0.03	<0.005	0.016	0.03	43.7	67.9	0.88	557	0.51	<0.01	0.09
K812805		25.6	5.11	6.88	0.07	0.04	0.019	0.020	0.02	28.8	50.1	0.72	605	0.68	<0.01	0.24
K812806		19.90	4.40	6.18	0.07	0.04	0.029	0.014	0.03	23.6	56.1	0.72	412	0.47	<0.01	0.27
K812807		2.30	0.48	1.14	<0.05	<0.02	0.013	<0.005	0.02	1.6	1.4	0.03	59	0.29	0.01	<0.05
K812808		9.98	1.88	3.30	<0.05	<0.02	0.014	0.008	0.03	17.3	12.0	0.16	101	0.71	<0.01	0.31
K812809		20.4	4.99	6.98	0.11	0.04	0.012	0.018	0.03	41.7	59.9	0.69	487	0.74	<0.01	0.39
K812810		12.25	4.91	5.37	0.09	0.02	0.020	0.013	0.02	26.7	37.1	0.42	286	0.52	<0.01	0.41
K812811		46.6	4.80	6.24	0.14	0.04	0.016	0.020	0.03	38.8	67.6	0.81	496	0.67	<0.01	0.56
K812812		39.1	4.59	6.56	0.13	0.04	0.012	0.016	0.05	33.1	66.0	0.80	546	1.37	0.01	0.56
K812813		15.15	3.32	5.00	0.06	<0.02	0.007	0.014	0.02	11.2	25.9	0.39	530	0.50	0.02	0.23
K812814		25.7	4.30	6.91	0.09	0.04	<0.005	0.019	0.05	34.1	54.1	0.69	452	0.67	0.01	0.19
K812815		38.6	4.71	7.18	0.13	0.05	0.013	0.021	0.03	42.3	63.8	0.83	619	0.47	0.01	0.14
K812816		31.2	3.39	6.54	0.05	0.03	0.027	0.018	0.02	14.7	29.9	0.42	421	0.49	0.02	0.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812956		27.3	0.196	18.65	5.8	<0.001	0.01	0.212	1.4	0.4	0.3	4.0	<0.01	0.03	4.2	0.012
K812957		39.8	0.103	25.7	3.6	<0.001	0.05	0.200	1.7	1.0	<0.2	21.6	<0.01	0.01	4.2	0.006
K812958		9.5	0.063	7.68	2.5	<0.001	<0.01	0.170	0.2	0.3	0.4	4.1	<0.01	0.02	0.5	0.011
K812959		1.4	0.033	1.07	0.8	<0.001	<0.01	0.024	<0.1	<0.1	<0.2	6.8	<0.01	<0.01	<0.1	0.010
K812960		6.2	0.053	10.85	3.3	<0.001	<0.01	0.176	0.4	0.1	0.2	3.6	<0.01	0.03	2.0	0.012
K812782		33.0	0.090	22.8	3.7	<0.001	<0.01	0.325	2.0	0.3	0.2	4.8	0.01	0.03	9.6	0.015
K812783		35.6	0.037	25.4	4.1	<0.001	<0.01	0.286	2.0	0.3	<0.2	3.8	<0.01	0.02	10.8	0.007
K812784		16.3	0.060	51.1	3.6	<0.001	0.01	0.273	1.2	0.5	0.2	5.7	0.01	0.04	9.3	0.015
K812785		4.9	0.046	6.95	1.7	<0.001	<0.01	0.098	0.1	<0.1	<0.2	4.2	<0.01	0.02	0.1	0.008
K812786		5.8	0.096	10.30	3.5	<0.001	<0.01	0.211	0.3	0.2	0.2	3.8	<0.01	0.02	0.3	0.014
K812787		15.3	0.050	15.45	2.3	<0.001	0.01	0.290	0.9	0.3	<0.2	4.9	0.01	0.01	2.9	0.013
K812788		35.9	0.063	25.0	4.9	<0.001	<0.01	0.455	2.1	0.4	0.2	4.4	<0.01	0.02	9.3	0.015
K812789		18.4	0.155	20.0	5.3	<0.001	0.02	0.367	0.9	0.6	0.3	6.3	<0.01	0.02	1.0	0.015
K812790		26.0	0.137	15.60	4.3	<0.001	0.01	0.371	1.5	0.6	0.2	4.7	0.01	0.04	7.7	0.013
K812791		5.1	0.083	7.90	1.8	<0.001	0.03	0.103	0.1	0.1	<0.2	6.1	<0.01	0.01	<0.1	0.008
K812792		6.9	0.049	6.17	2.5	<0.001	<0.01	0.097	0.4	0.2	<0.2	4.1	<0.01	0.01	1.0	0.016
K812793		18.9	0.150	28.4	5.5	<0.001	0.01	0.319	1.3	0.7	0.2	5.8	0.01	0.03	6.2	0.011
K812794		3.8	0.042	4.67	2.6	<0.001	<0.01	0.094	0.5	0.1	<0.2	3.7	0.01	<0.01	1.0	0.020
K812795		24.2	0.096	25.2	4.0	<0.001	0.01	0.483	1.1	0.4	0.2	6.2	<0.01	0.03	2.6	0.016
K812796		9.6	0.153	27.5	3.8	<0.001	0.01	0.419	1.0	0.3	0.3	4.9	<0.01	0.03	8.2	0.011
K812797		7.5	0.053	11.00	4.0	<0.001	<0.01	0.173	0.8	0.2	0.5	4.2	<0.01	0.01	5.1	0.021
K812798		18.2	0.163	21.1	4.7	<0.001	0.01	0.307	1.5	0.4	0.3	4.8	0.01	0.04	10.6	0.017
K812799		4.7	0.057	14.80	2.8	<0.001	<0.01	0.128	0.3	<0.1	<0.2	5.0	<0.01	0.02	0.7	0.013
K812800		9.1	0.071	27.7	4.7	<0.001	<0.01	0.246	0.8	0.2	0.3	5.9	0.01	0.02	3.3	0.010
K812801		17.5	0.197	14.60	5.2	<0.001	0.01	0.173	1.0	0.1	0.2	4.4	<0.01	0.03	3.2	0.011
K812802		14.5	0.047	9.18	3.8	<0.001	0.01	0.194	0.8	0.1	0.3	3.8	<0.01	0.02	4.4	0.016
K812803		29.1	0.099	15.55	4.9	<0.001	<0.01	0.267	1.9	0.2	<0.2	3.8	<0.01	0.02	8.1	0.009
K812804		32.0	0.034	17.60	2.5	<0.001	<0.01	0.212	1.9	0.3	<0.2	5.2	<0.01	0.02	10.6	0.007
K812805		24.0	0.060	20.3	2.5	<0.001	0.01	0.112	1.6	0.5	0.3	33.0	<0.01	0.03	9.5	0.010
K812806		18.6	0.058	20.5	3.6	<0.001	0.01	0.159	1.5	0.3	0.2	20.6	<0.01	0.03	6.8	0.009
K812807		1.9	0.064	2.90	0.7	<0.001	0.01	0.025	<0.1	<0.1	<0.2	6.8	<0.01	<0.01	<0.1	0.007
K812808		5.3	0.085	8.67	4.4	<0.001	0.03	0.110	0.3	0.2	0.2	7.0	<0.01	0.02	0.7	0.007
K812809		20.7	0.068	9.44	4.7	<0.001	<0.01	0.088	1.8	0.4	0.2	7.3	<0.01	0.02	13.2	0.008
K812810		12.0	0.059	7.78	3.6	<0.001	0.01	0.078	1.1	0.3	0.2	5.9	<0.01	0.01	6.6	0.010
K812811		38.2	0.066	21.0	3.1	<0.001	0.02	0.385	1.9	0.8	<0.2	42.6	0.01	0.02	11.9	0.017
K812812		35.2	0.069	18.25	3.0	<0.001	0.05	0.348	2.0	0.5	0.2	35.8	<0.01	0.02	13.7	0.018
K812813		17.4	0.089	11.15	2.6	<0.001	0.02	0.174	0.7	0.1	0.2	3.8	<0.01	0.02	1.4	0.013
K812814		28.4	0.031	20.3	5.3	<0.001	0.01	0.282	1.9	0.2	0.2	5.5	<0.01	0.03	8.8	0.006
K812815		37.0	0.046	27.7	2.8	<0.001	<0.01	0.382	2.1	0.2	<0.2	4.6	<0.01	0.02	11.1	0.008
K812816		19.6	0.076	15.25	4.0	<0.001	0.01	0.219	0.9	0.3	0.2	3.6	<0.01	0.04	3.4	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812956		0.04	0.52	28	0.122	1.81	75.9	0.6
K812957		0.02	9.53	17	0.0598	6.69	89.7	3.2
K812958		0.04	0.53	20	0.148	1.41	22.8	<0.5
K812959		<0.02	0.14	6	0.0273	0.30	3.7	<0.5
K812960		0.02	0.33	18	0.111	1.05	24.1	<0.5
K812782		0.03	0.89	24	0.161	3.04	107.0	2.1
K812783		0.03	0.70	20	0.0772	3.03	98.6	2.3
K812784		0.03	0.64	21	0.111	1.93	58.9	2.2
K812785		0.02	0.35	7	0.0451	1.18	12.3	<0.5
K812786		0.02	0.31	16	0.0833	0.91	39.4	<0.5
K812787		0.03	0.74	13	0.0674	1.58	40.4	1.7
K812788		0.04	0.79	26	0.155	3.01	107.5	2.3
K812789		0.03	1.63	25	0.137	8.64	61.6	0.5
K812790		0.04	1.61	29	0.162	2.73	72.7	1.7
K812791		0.02	0.80	9	0.0591	2.17	17.0	<0.5
K812792		<0.02	0.38	12	0.0727	0.79	19.8	0.9
K812793		0.03	0.77	25	0.119	2.18	65.3	1.2
K812794		0.03	0.24	12	0.0972	0.75	18.0	0.7
K812795		0.03	0.59	19	0.129	2.26	67.6	<0.5
K812796		0.03	0.61	26	0.175	1.63	54.7	1.6
K812797		0.04	0.50	22	0.111	2.17	32.0	<0.5
K812798		0.05	0.78	31	0.157	2.01	78.9	3.7
K812799		0.04	0.34	15	0.106	1.00	19.5	<0.5
K812800		0.05	0.49	22	0.157	1.73	35.7	0.6
K812801		0.03	0.60	25	0.125	1.74	72.8	0.8
K812802		0.03	0.40	28	0.124	1.36	48.1	0.7
K812803		0.02	0.44	24	0.100	2.34	87.9	1.5
K812804		0.02	0.53	21	0.0681	3.42	83.3	1.0
K812805		0.02	0.94	22	4.00	5.05	89.5	0.8
K812806		0.03	0.74	19	2.32	4.58	71.6	0.8
K812807		<0.02	0.18	9	0.0566	0.49	8.3	<0.5
K812808		0.09	0.69	14	1.050	1.97	22.5	<0.5
K812809		0.20	1.22	20	1.220	4.04	70.3	0.7
K812810		0.59	0.87	16	0.676	3.98	47.7	0.5
K812811		0.04	1.32	18	0.425	14.25	102.5	1.1
K812812		0.03	1.04	17	0.245	11.10	102.0	1.5
K812813		0.02	0.42	18	0.0879	1.48	60.9	<0.5
K812814		0.04	0.49	23	0.112	2.53	76.4	1.7
K812815		0.02	0.56	22	0.240	3.91	91.3	1.9
K812816		0.03	0.58	22	0.103	1.73	58.1	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8-OCT-2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description / Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K812817	0.40	0.0032	0.169	1.99	61.0	<10	20.6	0.30	0.60	0.02	0.10	34.7	12.4	34.0	2.65
K812818	0.40	<0.0002	0.083	1.09	24.4	<10	27.3	0.12	0.33	0.01	0.03	33.0	3.4	16.3	1.20
K812819	0.44	<0.0002	0.065	2.62	43.9	<10	34.3	0.40	0.64	0.01	0.08	64.3	16.2	43.7	2.03
K812820	0.34	<0.0002	0.244	1.20	21.2	<10	42.0	0.22	0.29	0.04	0.08	27.6	7.5	14.7	0.98
K812821	0.42	<0.0002	0.219	2.54	56.2	<10	31.9	0.56	0.65	0.03	0.06	62.5	18.7	40.8	1.52
K811924	0.28	<0.0002	0.185	1.39	26.4	<10	33.8	0.39	0.34	0.02	0.04	36.6	7.0	32.2	1.11
K811925	0.30	<0.0002	0.138	1.97	39.5	<10	41.7	0.52	0.45	0.02	0.06	56.0	14.6	53.3	1.18
K811926	0.24	<0.0002	0.078	1.61	23.1	<10	24.5	0.36	0.35	0.03	0.04	48.8	8.1	46.3	0.79
K811927	0.32	<0.0002	0.184	1.18	18.95	<10	20.6	0.30	0.31	0.02	0.03	43.5	6.6	34.9	1.00
K811928	0.26	<0.0002	0.058	1.60	24.6	<10	27.4	0.32	0.39	0.03	0.03	46.2	9.0	46.9	0.94
K811929	0.30	<0.0002	0.029	1.52	20.2	<10	20.7	0.32	0.34	0.01	0.03	49.5	7.4	33.9	0.73
K811930	0.24	<0.0002	0.154	0.46	5.42	<10	20.5	0.10	0.17	0.01	0.01	25.6	1.7	7.0	0.79
K811931	0.32	0.0002	0.050	2.10	24.9	<10	27.4	0.45	0.45	0.01	0.02	83.7	9.7	32.3	1.03
K811932	0.36	0.0006	0.049	2.14	25.2	<10	33.8	0.47	0.48	0.02	0.01	84.3	16.2	33.1	1.01
K811933	0.28	0.0026	0.025	2.22	26.8	<10	35.0	0.39	0.45	0.01	0.01	85.3	8.1	33.5	1.03
K811934	0.32	0.0008	0.062	1.91	32.9	<10	34.0	0.38	0.45	0.01	0.02	69.8	6.9	30.5	1.21
K811935	0.28	0.0022	0.156	2.14	138.0	<10	26.6	1.39	0.59	0.13	0.22	86.8	50.1	30.9	1.38
K811936	0.32	0.0008	0.058	2.13	85.6	<10	41.6	0.70	0.53	0.11	0.05	78.4	17.6	31.4	1.45
K811937	0.26	<0.0002	0.260	0.36	10.95	<10	18.0	0.15	0.27	0.03	0.03	27.7	2.0	11.1	1.41
K811938	0.30	0.0009	0.087	1.96	41.5	<10	27.6	0.65	0.75	0.01	0.03	70.1	10.3	32.3	2.92
K811939	0.30	0.0003	0.184	1.24	24.7	<10	27.3	0.43	0.42	0.02	0.04	46.4	6.5	22.6	1.51
K811940	0.28	<0.0002	0.120	2.47	35.4	<10	20.5	0.91	0.64	0.07	0.09	80.6	37.3	43.8	2.23
K811941	0.30	<0.0002	0.101	2.44	36.9	<10	20.3	0.98	0.64	0.07	0.09	86.7	37.9	42.7	2.28
K811942	0.24	0.0020	0.293	2.14	71.6	<10	43.5	0.81	0.81	0.18	0.14	69.6	31.0	47.5	2.34
K811943	0.26	0.0003	0.556	0.89	29.7	<10	42.3	0.35	0.41	0.09	0.32	21.6	11.7	24.1	1.93
K812822	0.42	<0.0002	0.103	1.81	32.1	<10	39.5	0.30	0.55	0.02	0.04	53.2	10.1	31.2	1.91
K812823	0.50	0.0003	0.122	1.87	24.7	<10	25.1	0.34	0.48	0.03	0.06	44.7	17.2	32.9	1.40
K812824	0.40	<0.0002	0.121	1.48	21.9	<10	43.4	0.53	0.61	0.02	0.15	38.1	14.5	24.2	3.24
K812825	0.38	0.0016	0.342	2.15	26.0	<10	25.9	0.47	0.75	0.02	0.07	47.9	17.7	36.2	2.59
K812826	0.38	<0.0002	0.090	0.86	7.86	<10	30.4	0.16	0.28	0.02	0.06	23.1	7.7	14.6	1.06
K812827	0.50	0.0002	0.062	2.15	36.8	<10	25.5	0.53	0.52	0.04	0.04	65.6	20.3	39.6	1.56
K812828	0.36	<0.0002	0.093	0.66	20.2	<10	23.1	0.11	0.39	0.03	0.02	31.1	2.2	12.1	1.06
K812829	0.44	0.0006	0.042	2.12	21.9	<10	22.9	0.41	0.38	0.02	0.02	67.7	10.1	35.0	1.50
K812830	0.46	0.0008	0.072	2.49	30.8	<10	37.8	0.70	0.42	0.01	0.03	81.5	18.3	43.5	1.68
K812831	0.54	0.0007	0.068	2.20	46.5	<10	14.5	0.46	0.71	0.12	0.07	46.5	33.1	41.8	1.00
K813071	0.32	0.0004	0.117	2.06	43.7	<10	84.7	0.63	0.48	0.60	0.04	37.3	16.7	33.5	1.85
K813072	0.32	0.0006	0.108	2.09	22.1	<10	48.0	0.43	0.40	0.43	0.02	38.3	12.5	33.4	1.27
K813073	0.36	<0.0002	0.037	1.39	37.2	<10	31.5	0.43	0.32	0.11	0.05	35.2	18.5	21.7	1.42
K813074	0.50	<0.0002	0.134	1.85	29.2	<10	52.2	0.42	0.46	0.02	0.06	76.0	11.0	29.7	1.70
K813075	0.34	0.0005	0.182	0.76	9.28	<10	25.0	0.12	0.21	0.02	0.07	25.1	4.0	12.9	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812817		16.45	5.32	8.33	0.06	0.05	0.028	0.019	0.03	18.8	37.0	0.49	791	0.63	0.01	0.46
K812818		11.00	2.97	5.87	0.06	0.02	0.019	0.013	0.02	16.9	19.9	0.30	395	0.41	0.01	0.16
K812819		22.3	5.43	7.67	0.09	0.06	0.019	0.021	0.04	32.5	63.2	0.80	622	0.55	0.01	0.22
K812820		13.60	2.48	4.95	<0.05	0.03	0.067	0.011	0.03	14.6	19.0	0.23	795	0.39	0.02	0.35
K812821		29.3	5.22	7.47	0.08	0.06	0.034	0.026	0.03	33.1	71.5	0.82	650	0.77	0.01	0.25
K811924		17.80	3.47	4.96	0.05	0.03	0.026	0.015	0.02	18.3	37.5	0.45	210	0.52	0.02	0.58
K811925		28.8	4.91	6.20	0.09	0.04	0.023	0.021	0.03	27.1	63.7	0.87	615	0.56	0.01	0.24
K811926		18.25	4.34	6.36	0.09	0.05	0.029	0.016	0.02	23.8	50.9	0.68	258	0.44	0.01	0.42
K811927		15.30	3.09	6.02	0.09	<0.02	0.012	0.015	0.02	22.2	32.4	0.49	184	0.50	0.01	0.40
K811928		19.75	4.24	5.83	0.09	0.02	0.013	0.016	0.04	23.7	48.2	0.73	256	0.52	0.01	0.49
K811929		16.95	3.93	5.09	0.10	0.03	0.008	0.015	0.02	24.9	46.2	0.63	228	0.46	0.01	0.22
K811930		6.02	1.00	2.36	0.05	<0.02	0.019	0.006	0.02	14.3	6.3	0.09	40	0.30	0.02	0.20
K811931		25.7	4.75	6.19	0.12	0.04	0.010	0.019	0.04	41.1	66.8	0.78	349	0.44	0.01	0.12
K811932		24.1	4.94	6.30	0.12	0.02	<0.005	0.018	0.04	42.5	68.7	0.80	615	0.56	0.01	0.10
K811933		21.0	4.85	5.97	0.11	0.02	<0.005	0.017	0.05	40.3	64.8	0.81	381	0.37	0.01	0.12
K811934		22.6	4.40	5.92	0.09	0.03	0.010	0.019	0.05	37.5	52.0	0.64	316	0.65	0.01	0.19
K811935		42.3	4.80	6.07	0.13	0.06	0.013	0.026	0.04	45.4	70.8	0.75	966	0.56	0.01	0.09
K811936		22.9	4.84	6.15	0.10	0.09	<0.005	0.026	0.03	41.0	75.1	0.77	425	1.14	0.01	0.13
K811937		11.15	1.36	3.22	0.05	<0.02	0.034	0.009	0.02	14.4	4.5	0.06	54	1.15	0.02	0.18
K811938		33.8	5.17	6.40	0.11	0.04	0.013	0.024	0.03	36.3	58.0	0.66	361	1.09	0.01	0.15
K811939		26.0	3.23	4.70	0.07	0.02	0.022	0.016	0.02	24.0	29.7	0.38	185	0.74	0.02	0.19
K811940		48.1	5.69	6.86	0.12	0.05	0.007	0.029	0.03	37.5	74.3	0.97	592	1.03	0.01	0.06
K811941		48.2	5.66	7.11	0.12	0.05	0.014	0.028	0.03	42.0	78.9	0.96	579	0.86	0.01	0.06
K811942		50.4	4.14	6.88	0.10	0.04	0.011	0.027	0.03	30.3	68.1	0.93	519	1.10	0.02	0.29
K811943		22.3	2.50	3.35	0.05	<0.02	0.035	0.020	0.03	11.8	16.9	0.23	596	1.49	0.02	0.17
K812822		16.85	4.43	7.56	0.07	<0.02	0.019	0.017	0.03	27.3	36.0	0.44	510	0.91	0.01	0.62
K812823		30.5	4.17	6.75	0.07	0.05	0.027	0.015	0.03	23.7	46.8	0.59	620	0.79	0.01	0.25
K812824		16.45	4.87	9.41	0.06	0.04	0.034	0.016	0.03	21.4	24.4	0.30	883	0.77	0.01	0.65
K812825		29.9	5.19	7.37	0.08	0.07	0.037	0.015	0.02	25.2	55.5	0.73	760	0.58	0.01	0.25
K812826		10.05	2.71	4.72	0.05	<0.02	0.022	0.009	0.02	13.1	16.0	0.20	470	0.39	0.02	0.26
K812827		39.4	4.99	6.68	0.10	0.06	0.012	0.026	0.03	31.0	66.6	0.75	471	0.67	0.01	0.21
K812828		13.55	2.65	5.17	0.11	<0.02	0.011	0.012	0.02	15.1	11.7	0.14	78	0.81	0.01	0.22
K812829		23.2	4.50	7.43	0.15	0.07	0.008	0.018	0.02	35.7	64.6	0.73	286	0.52	<0.01	0.24
K812830		33.4	5.10	7.82	0.17	0.08	0.015	0.024	0.04	42.7	76.8	0.87	402	0.52	<0.01	0.15
K812831		26.8	6.26	6.73	0.18	0.09	0.014	0.025	0.02	24.0	67.4	0.87	612	0.91	<0.01	0.20
K813071		33.5	3.86	6.81	0.13	0.13	0.015	0.021	0.07	19.1	57.8	0.65	555	0.60	0.01	0.21
K813072		21.6	3.98	6.92	0.12	0.11	0.011	0.015	0.04	20.2	64.2	0.76	413	0.56	0.01	0.17
K813073		33.6	2.90	5.48	0.12	0.04	0.011	0.012	0.03	19.4	37.4	0.43	420	0.65	0.01	0.18
K813074		19.45	3.93	7.53	0.14	0.04	0.013	0.015	0.05	38.9	40.6	0.49	406	0.62	<0.01	0.39
K813075		7.60	2.04	4.84	0.09	<0.02	0.012	0.009	0.02	12.7	13.6	0.19	245	0.43	0.01	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812817		20.3	0.099	21.8	5.1	<0.001	0.02	0.255	1.5	0.2	0.2	3.5	0.01	0.02	8.4	0.011
K812818		7.3	0.087	9.70	3.5	<0.001	0.01	0.111	0.8	<0.1	<0.2	3.0	<0.01	0.01	5.0	0.007
K812819		30.6	0.042	23.7	4.9	<0.001	0.01	0.309	2.3	0.3	0.2	2.5	<0.01	0.03	12.7	0.008
K812820		10.9	0.059	12.20	4.2	<0.001	0.01	0.202	0.7	<0.1	0.2	6.1	0.01	0.02	1.7	0.015
K812821		35.1	0.038	32.0	4.2	<0.001	0.01	0.388	2.1	0.3	0.2	4.7	<0.01	0.03	10.5	0.009
K811924		17.6	0.059	29.0	3.5	<0.001	0.02	0.319	1.6	0.1	0.2	10.8	<0.01	0.02	5.8	0.018
K811925		32.4	0.113	43.4	3.7	<0.001	0.03	0.435	2.1	0.1	0.2	12.5	<0.01	0.02	5.8	0.012
K811926		25.6	0.150	27.3	2.5	<0.001	0.02	0.380	2.1	0.3	0.2	10.0	<0.01	0.02	6.9	0.018
K811927		22.8	0.075	21.6	3.4	<0.001	0.01	0.344	1.5	<0.1	0.2	7.6	<0.01	0.02	3.5	0.021
K811928		27.8	0.089	30.3	3.1	<0.001	0.02	0.391	2.0	0.1	0.2	9.4	<0.01	0.01	6.1	0.023
K811929		19.9	0.062	26.6	1.8	<0.001	0.01	0.380	1.6	0.1	<0.2	6.3	<0.01	0.02	6.7	0.010
K811930		3.9	0.056	12.75	2.0	<0.001	0.03	0.123	0.4	<0.1	0.2	7.5	<0.01	0.01	0.6	0.010
K811931		21.9	0.052	28.7	2.8	<0.001	0.01	0.453	1.9	0.1	0.2	12.0	<0.01	0.01	13.3	0.006
K811932		20.3	0.056	29.5	2.7	<0.001	0.01	0.428	1.9	0.2	<0.2	14.9	<0.01	0.01	12.5	0.006
K811933		16.8	0.047	29.7	3.0	<0.001	0.01	0.423	1.9	0.3	0.2	13.4	<0.01	0.01	12.6	0.008
K811934		16.3	0.064	30.7	3.9	<0.001	0.02	0.446	1.4	0.3	0.2	14.6	<0.01	0.01	6.6	0.008
K811935		65.1	0.071	58.9	3.3	<0.001	0.04	1.140	2.0	0.8	<0.2	20.4	<0.01	0.02	12.0	0.005
K811936		32.8	0.055	46.5	3.7	<0.001	0.01	0.651	1.8	0.4	0.2	15.8	<0.01	0.01	10.5	0.004
K811937		8.0	0.057	16.55	2.2	<0.001	0.02	0.301	0.2	0.1	0.2	7.0	<0.01	0.01	0.4	0.013
K811938		26.5	0.075	55.6	2.8	<0.001	0.02	0.675	1.6	0.5	0.2	10.7	<0.01	0.04	9.1	0.008
K811939		18.1	0.073	31.9	2.2	<0.001	0.02	0.357	1.2	0.2	0.2	8.1	<0.01	0.02	5.2	0.010
K811940		54.6	0.081	58.0	2.1	<0.001	0.02	0.526	3.0	0.4	<0.2	11.6	<0.01	0.02	15.3	0.005
K811941		56.7	0.083	51.7	2.2	<0.001	0.02	0.538	3.2	0.4	<0.2	12.1	<0.01	0.04	15.1	0.005
K811942		54.9	0.045	22.8	2.2	<0.001	0.01	0.108	3.7	0.5	0.3	24.6	<0.01	0.02	9.7	0.011
K811943		16.9	0.122	30.4	2.1	<0.001	0.07	0.200	0.3	0.1	0.2	11.5	<0.01	0.02	0.4	0.009
K812822		19.4	0.076	20.6	5.8	<0.001	0.01	0.360	1.2	0.4	0.4	5.1	<0.01	0.03	2.9	0.016
K812823		30.6	0.080	17.05	3.4	<0.001	0.01	0.248	1.6	0.2	0.2	4.6	<0.01	0.02	9.1	0.009
K812824		17.7	0.114	14.20	6.8	<0.001	0.02	0.368	1.1	0.1	0.3	4.3	<0.01	0.04	6.9	0.014
K812825		35.0	0.091	18.10	3.2	<0.001	0.01	0.338	1.7	0.3	0.2	2.7	<0.01	0.03	11.2	0.011
K812826		12.8	0.107	7.12	4.1	<0.001	0.01	0.179	0.4	<0.1	0.2	4.1	<0.01	0.02	0.8	0.013
K812827		30.4	0.073	38.0	3.0	<0.001	0.02	0.541	2.1	0.3	<0.2	7.5	<0.01	0.03	13.4	0.009
K812828		6.6	0.064	12.75	2.6	<0.001	0.01	0.306	0.3	0.3	0.3	5.4	<0.01	0.03	0.7	0.014
K812829		27.4	0.035	23.8	3.7	<0.001	0.01	0.327	1.8	0.4	0.2	3.2	<0.01	0.02	12.7	0.008
K812830		36.3	0.031	27.7	4.1	0.001	0.01	0.404	2.6	0.5	0.2	3.3	<0.01	0.01	14.3	0.009
K812831		42.8	0.090	56.5	2.0	<0.001	0.02	1.220	2.0	0.8	<0.2	7.1	<0.01	0.04	9.1	0.009
K813071		31.1	0.078	24.9	6.7	<0.001	0.03	0.199	2.0	0.8	0.2	38.9	<0.01	0.03	5.0	0.004
K813072		36.3	0.075	18.95	4.4	<0.001	0.03	0.128	1.8	0.6	0.2	19.4	<0.01	0.01	5.5	0.005
K813073		24.2	0.067	27.0	3.3	<0.001	<0.01	0.171	0.8	0.3	0.2	8.1	<0.01	0.01	2.6	0.008
K813074		20.7	0.054	24.2	6.8	<0.001	<0.01	0.217	1.7	0.4	0.3	5.0	<0.01	0.02	11.4	0.006
K813075		9.6	0.042	7.40	3.2	<0.001	<0.01	0.121	0.6	0.1	0.2	3.3	<0.01	<0.01	2.8	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812817		0.04	0.60	26	0.116	1.62	72.9	1.4
K812818		0.03	0.45	16	0.0607	1.21	38.6	0.6
K812819		0.04	0.57	25	0.0897	2.39	95.4	2.7
K812820		0.04	0.34	18	0.127	1.16	37.1	0.7
K812821		0.03	0.59	24	0.0858	2.67	94.3	2.1
K811924		0.04	0.51	23	0.111	2.12	46.7	1.6
K811925		0.04	0.75	25	0.0645	2.95	81.3	1.0
K811926		0.03	0.52	29	0.0684	2.63	64.6	1.9
K811927		0.03	0.45	25	0.0777	2.31	47.1	0.6
K811928		0.03	0.51	28	0.298	2.53	61.4	0.9
K811929		0.02	0.51	19	0.0567	2.52	59.7	1.2
K811930		0.03	0.39	8	0.0620	1.59	11.7	<0.5
K811931		0.02	0.99	18	0.137	3.96	81.9	1.7
K811932		0.03	0.93	18	0.106	3.87	83.3	1.3
K811933		0.03	1.01	19	0.137	3.46	83.2	1.2
K811934		0.04	0.75	19	0.135	2.97	66.6	1.2
K811935		0.03	1.53	17	0.130	16.25	196.5	2.1
K811936		0.04	0.91	17	0.0865	5.43	127.5	2.6
K811937		0.03	0.42	14	0.152	1.62	24.7	<0.5
K811938		0.03	0.86	19	0.0631	5.14	83.5	1.1
K811939		0.03	0.74	17	0.102	4.24	53.2	0.6
K811940		0.02	1.38	26	0.0325	9.14	147.0	1.8
K811941		0.02	1.37	26	0.0262	8.95	146.5	1.9
K811942		0.02	1.19	32	0.119	11.95	109.5	1.5
K811943		0.02	0.79	14	0.153	2.46	64.0	<0.5
K812822		0.06	0.52	30	0.194	2.09	64.4	<0.5
K812823		0.03	0.64	21	0.0719	2.25	80.2	2.3
K812824		0.04	0.85	32	0.132	2.08	66.5	1.4
K812825		0.03	0.67	26	0.0900	2.05	105.0	2.4
K812826		0.02	0.35	18	0.0701	0.99	41.6	0.6
K812827		0.04	0.91	21	0.123	2.89	83.2	1.6
K812828		0.03	0.31	20	0.423	1.15	21.7	<0.5
K812829		0.03	0.67	19	0.140	2.37	69.5	2.6
K812830		0.03	0.88	22	0.109	3.52	83.1	3.6
K812831		0.02	0.51	19	0.0984	3.04	87.9	3.0
K813071		0.04	1.75	20	0.140	3.08	76.3	3.6
K813072		0.03	2.62	16	0.0487	3.46	95.0	3.0
K813073		0.02	0.94	15	0.102	4.10	61.0	1.2
K813074		0.04	0.62	23	0.130	2.85	63.6	1.8
K813075		0.02	0.36	16	0.0881	0.97	31.9	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K813076		0.42	0.0003	0.187	1.46	25.8	<10	70.7	0.74	0.48	0.34	0.05	25.7	25.9	18.6	2.22
K813077		0.30	<0.0002	0.078	0.44	24.5	<10	18.8	0.09	0.30	0.04	0.05	10.50	3.8	7.4	2.11
K813078		0.30	<0.0002	0.020	0.41	7.14	<10	14.7	0.07	0.26	0.03	0.05	15.30	1.6	11.5	0.54
K813079		0.34	<0.0002	0.118	0.82	6.90	<10	33.4	0.20	0.29	0.03	0.05	17.90	6.6	13.8	1.32
K813080		0.38	<0.0002	0.173	0.87	15.20	<10	37.9	0.25	0.35	0.03	0.06	28.5	2.9	12.9	1.83
K812554		0.38	0.0009	0.281	1.63	15.05	<10	37.1	0.51	1.32	0.01	0.04	36.8	4.1	19.2	2.57
K812555		0.22	0.0030	1.870	1.23	25.9	<10	62.0	0.86	7.42	0.06	0.10	72.2	4.9	29.1	7.77
K812556		0.58	0.0010	0.246	1.89	10.85	<10	31.9	1.18	1.80	0.05	0.02	81.8	9.4	27.2	7.08
K812557		0.18	<0.0002	0.083	0.43	1.20	<10	22.4	1.09	0.20	0.20	0.13	23.5	3.1	6.3	3.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.01	ME- MS41L Ga ppm 0.05	ME- MS41L Ge ppm 0.05	ME- MS41L Hf ppm 0.02	ME- MS41L Hg ppm 0.005	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.2	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.01	ME- MS41L Nb ppm 0.05
K813076		66.8	2.41	4.93	0.10	0.05	0.020	0.019	0.04	13.7	37.5	0.32	525	1.15	0.01	0.41
K813077		6.47	1.59	3.04	0.08	<0.02	0.014	0.007	0.02	5.0	7.7	0.09	186	1.15	0.01	<0.05
K813078		7.09	1.65	4.41	0.10	<0.02	0.018	0.007	0.02	7.8	5.8	0.08	180	0.62	0.01	0.07
K813079		8.61	2.41	5.06	0.10	<0.02	0.026	0.007	0.02	9.2	14.4	0.20	412	0.75	0.01	0.35
K813080		16.60	2.89	5.71	0.10	<0.02	0.037	0.009	0.02	14.5	8.4	0.09	100	1.05	0.01	0.45
K812554		17.45	4.89	10.70	0.12	0.05	0.022	0.017	0.02	20.2	28.4	0.19	164	1.67	<0.01	2.01
K812555		32.0	4.05	9.36	0.16	0.02	0.023	0.026	0.11	38.9	35.1	0.36	217	7.39	0.01	1.61
K812556		45.4	4.17	6.97	0.20	0.03	<0.005	0.015	0.07	42.4	67.2	0.69	406	1.39	<0.01	0.98
K812557		29.9	0.72	1.87	0.12	<0.02	0.022	<0.005	0.03	12.2	7.0	0.09	54	0.35	0.02	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K813076		38.6	0.047	36.2	6.5	<0.001	0.02	0.157	1.4	0.4	0.3	26.1	<0.01	0.01	3.4	0.006
K813077		7.1	0.095	13.25	2.0	<0.001	<0.01	0.103	0.1	<0.1	0.2	3.8	<0.01	0.02	<0.1	0.006
K813078		5.7	0.113	12.40	1.7	<0.001	0.02	0.206	0.1	0.1	0.2	6.2	<0.01	0.02	<0.1	0.009
K813079		11.6	0.056	10.25	4.4	<0.001	0.01	0.159	0.4	0.2	0.2	4.8	<0.01	0.02	0.9	0.017
K813080		8.4	0.102	18.40	3.2	<0.001	0.02	0.439	0.4	0.4	0.3	5.8	<0.01	0.02	0.9	0.016
K812554		8.7	0.073	19.30	6.9	<0.001	0.01	0.270	1.2	0.6	1.3	6.7	0.03	0.03	9.3	0.017
K812555		10.4	0.120	29.1	21.5	<0.001	0.10	0.792	2.2	0.6	2.0	37.9	<0.01	0.03	14.7	0.020
K812556		23.8	0.053	19.85	12.4	<0.001	<0.01	0.170	2.3	1.0	0.7	24.4	<0.01	0.03	15.7	0.019
K812557		33.7	0.032	4.98	3.5	<0.001	0.03	0.035	0.4	0.3	0.2	20.0	<0.01	0.01	1.3	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
K813076		0.05	2.78	15	0.214	4.97	82.4	1.2
K813077		<0.02	0.28	11	0.0771	0.39	54.1	<0.5
K813078		<0.02	0.26	24	0.0840	0.53	20.2	<0.5
K813079		0.03	0.39	16	0.158	0.76	37.2	<0.5
K813080		0.03	0.54	16	0.187	1.34	28.8	<0.5
K812554		0.11	0.83	33	1.805	2.31	36.2	1.7
K812555		1.02	2.88	26	4.61	5.63	43.7	0.7
K812556		0.25	5.60	18	1.850	12.85	74.3	1.3
K812557		0.18	0.61	5	0.183	4.62	22.3	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 8- OCT- 2011
Account: RESCOM

Project: Glen Morangie

CERTIFICATE OF ANALYSIS VA11187136

Method	CERTIFICATE COMMENTS
ME- MS41L	Interference: Ca> 10% on ICP- MS As, ICP- AES results shown.
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE WH11124826

Project:

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	STEVE POTTS	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Method / Analyte / Units / LOR / Sample Description	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
811501	0.22	0.0011	0.055	2.10	23.7	<10	26.9	0.64	0.45	0.28	0.10	50.5	29.1	39.0	2.94
811502	0.36	0.0008	0.076	2.32	20.6	<10	31.4	0.69	0.44	0.18	0.04	61.1	29.6	46.2	2.56
811503	0.26	0.0032	0.057	1.37	41.6	<10	36.2	0.24	0.74	0.02	0.04	92.5	4.7	23.5	2.27
811504	0.16	0.0006	0.315	1.01	25.9	<10	39.9	0.22	0.49	0.07	0.03	21.3	7.1	18.2	4.85
811505	0.30	0.0009	0.098	2.18	36.7	<10	29.2	0.49	0.54	0.01	0.03	77.5	14.5	34.7	1.66
811506	0.34	0.0010	0.077	1.98	30.8	<10	26.2	0.38	0.42	0.01	0.03	64.8	8.4	30.8	1.43
811507	0.20	0.0021	0.038	2.31	34.7	<10	30.0	0.57	0.41	0.02	0.03	82.5	13.0	36.4	1.16
811508	0.24	0.0022	0.043	2.24	61.2	<10	33.0	0.74	0.95	0.06	0.07	57.0	33.5	36.1	1.61
811509	0.26	0.0025	0.062	1.02	22.3	<10	31.6	0.25	0.39	0.02	0.03	39.6	4.1	14.7	1.14
811510	0.24	0.0029	0.081	2.16	38.1	<10	31.2	0.80	0.47	0.20	0.03	55.8	20.1	37.5	1.86
811511	0.28	0.0014	0.081	2.57	42.7	<10	30.0	0.77	0.56	0.02	0.06	65.8	24.6	36.4	1.37
811512	0.24	0.0014	0.048	2.41	56.1	<10	40.1	0.79	0.56	0.07	0.04	90.5	23.0	35.0	1.79
811513	0.18	0.0014	0.028	1.41	30.5	<10	31.6	0.33	0.42	0.01	0.03	60.0	5.8	23.2	0.93
811514	0.22	0.0011	0.030	2.34	58.0	<10	31.3	0.73	0.57	0.02	0.04	78.0	19.4	33.5	1.33
811515	0.22	0.0025	0.043	0.87	21.8	<10	41.5	0.32	0.32	0.09	0.06	24.6	2.9	10.8	1.92
811516	0.18	0.0029	0.061	0.63	13.35	<10	31.7	0.17	0.22	0.04	0.05	15.80	1.8	7.3	1.16
811517	0.22	0.0024	0.353	1.23	34.7	<10	45.1	0.29	0.45	0.02	0.08	53.0	7.1	18.7	1.47
811518	0.12	0.0100	1.060	2.04	118.0	<10	61.1	1.25	0.76	1.25	0.12	19.85	36.8	20.3	3.45
811519	0.22	0.0030	0.111	2.41	68.5	<10	40.9	0.54	0.49	0.06	0.02	91.0	32.0	33.7	1.76
811520	0.20	0.0011	0.241	1.60	31.5	<10	48.0	0.32	0.42	0.02	0.08	48.4	6.6	20.0	1.40
811521	0.24	0.0018	0.327	1.83	32.8	<10	51.3	0.34	0.43	0.02	0.08	46.9	7.7	21.5	1.52
811522	0.20	0.0043	0.105	1.75	146.5	<10	23.5	0.38	0.53	0.01	0.02	70.5	11.8	24.6	2.08
811523	0.28	0.0055	0.075	2.10	164.5	<10	31.9	0.62	0.57	0.02	0.04	80.4	10.5	28.6	1.89
811524	0.16	0.0010	0.133	2.18	64.4	<10	35.6	0.53	0.45	0.18	0.08	64.9	23.4	30.1	0.76
811525	0.18	0.0005	0.198	1.79	57.3	<10	48.3	0.71	0.32	0.12	0.20	46.1	25.3	22.8	2.55
811526	0.12	<0.0002	0.229	2.08	262	<10	36.7	0.45	0.53	0.02	0.11	58.4	15.9	28.3	1.87
811527	0.20	<0.0002	0.328	0.31	3.68	<10	17.5	0.08	0.07	0.05	0.05	4.86	1.5	2.4	0.66
811528	0.20	0.0003	0.041	2.15	104.0	<10	21.1	0.53	0.46	0.05	0.05	60.7	24.7	32.7	3.98
811529	0.16	<0.0002	0.131	0.83	5.26	<10	64.1	0.23	0.13	0.12	0.40	8.61	12.3	5.9	1.36
811530	0.18	0.0281	0.064	1.80	32.8	<10	33.1	0.58	0.46	0.73	0.09	59.6	18.2	26.0	0.98
811531	0.20	0.0009	0.070	0.65	15.95	<10	24.0	0.34	0.22	3.72	0.03	18.00	8.5	4.1	0.39
811532	0.18	<0.0002	0.039	2.00	19.80	<10	45.7	0.44	0.41	0.12	0.05	48.8	8.7	24.4	1.56
811533	0.22	0.0012	0.034	3.06	27.6	<10	69.2	0.96	0.47	0.09	0.05	82.2	21.4	42.6	1.13
811534	0.18	0.0032	0.045	2.04	32.7	<10	35.9	0.57	0.47	1.09	0.05	49.3	16.5	28.1	0.78
811535	0.18	0.0019	0.202	1.17	12.10	<10	77.9	0.33	0.24	0.10	0.31	21.2	33.7	8.7	1.70
811536	0.16	0.0024	0.317	0.65	9.81	<10	39.7	0.15	0.27	0.03	0.11	17.85	14.3	6.3	1.21
811537	0.18	0.0030	0.192	0.93	29.2	<10	67.7	0.32	0.22	0.18	0.37	17.15	17.8	9.6	0.81
811538	0.16	0.0073	0.261	1.26	25.6	<10	55.3	0.77	0.42	1.10	0.04	15.75	15.0	14.0	1.82
811539	0.18	0.0027	0.202	0.30	1.88	<10	22.6	0.07	0.09	0.04	0.04	4.41	1.6	1.9	0.43
811540	0.20	0.0023	0.198	0.61	5.16	<10	23.5	0.12	0.12	0.03	0.04	9.92	3.3	3.7	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
811501		30.7	4.93	6.40	0.08	0.09	0.034	0.028	0.06	25.7	66.6	0.82	592	0.70	<0.01	0.10
811502		33.3	5.33	6.91	0.10	0.10	0.011	0.025	0.03	31.0	72.0	0.91	575	0.78	0.01	0.09
811503		27.8	5.82	8.97	0.11	0.04	0.011	0.027	0.02	47.5	29.4	0.33	169	1.23	<0.01	0.54
811504		19.10	2.41	3.91	<0.05	0.02	0.031	0.018	0.03	10.9	22.2	0.27	195	0.60	0.01	0.27
811505		25.2	5.11	6.73	0.10	0.09	0.009	0.019	0.03	38.9	59.7	0.69	365	0.60	<0.01	0.23
811506		16.65	4.48	6.90	0.08	0.05	0.029	0.019	0.02	32.7	60.2	0.61	274	0.59	0.01	0.37
811507		27.8	4.74	6.95	0.10	0.05	0.016	0.020	0.03	38.9	74.8	0.80	380	0.40	0.01	0.17
811508		59.4	6.16	6.95	0.10	0.08	0.021	0.030	0.03	28.8	78.0	0.75	697	0.92	0.01	0.14
811509		17.35	2.69	4.59	0.06	<0.02	0.014	0.017	0.02	18.5	18.2	0.21	132	0.67	0.02	0.29
811510		32.8	4.67	6.40	0.08	0.11	0.010	0.020	0.03	27.6	78.0	0.80	348	0.58	0.01	0.08
811511		35.0	5.24	7.00	0.08	0.05	0.017	0.027	0.02	31.5	79.9	0.74	410	0.59	0.01	0.21
811512		40.0	4.96	7.50	0.11	0.04	0.009	0.024	0.03	45.3	79.5	0.82	563	0.63	0.01	0.17
811513		18.95	4.35	6.78	0.06	0.02	0.016	0.016	0.02	28.4	31.8	0.30	171	0.59	0.01	0.43
811514		45.4	5.02	7.39	0.10	0.05	0.011	0.026	0.03	38.4	76.5	0.78	468	0.53	0.01	0.18
811515		14.70	1.81	4.69	<0.05	<0.02	0.018	0.013	0.03	12.7	8.4	0.09	100	0.54	0.02	0.19
811516		15.80	1.29	2.85	<0.05	<0.02	0.016	0.011	0.02	7.7	8.8	0.09	116	0.32	0.03	0.17
811517		11.35	3.99	8.01	0.07	0.02	0.026	0.017	0.02	26.4	27.0	0.25	403	0.67	0.02	0.65
811518		115.5	3.19	4.39	0.05	0.21	0.062	0.027	0.06	14.0	47.3	0.31	840	0.98	0.03	0.35
811519		37.0	4.72	7.43	0.09	0.03	0.007	0.018	0.03	46.1	76.8	0.87	783	0.51	0.01	0.10
811520		20.0	3.60	7.19	0.07	0.03	0.031	0.016	0.02	24.6	31.7	0.30	332	0.62	0.02	0.61
811521		20.2	3.91	7.03	0.06	0.05	0.031	0.016	0.02	23.3	34.6	0.34	428	0.57	0.02	0.57
811522		23.9	4.28	6.44	0.07	0.04	0.013	0.018	0.03	34.2	55.7	0.56	401	0.50	0.01	0.13
811523		31.2	5.08	6.66	0.10	0.04	0.013	0.024	0.03	39.7	68.4	0.65	410	0.56	0.01	0.10
811524		47.6	4.68	6.17	0.15	0.04	0.024	0.026	0.03	35.7	55.8	0.69	570	0.39	0.01	0.13
811525		32.4	3.33	6.03	0.12	0.03	0.021	0.021	0.04	24.4	68.8	0.52	727	0.55	0.02	0.48
811526		26.9	5.92	8.46	0.14	0.03	0.032	0.025	0.03	31.9	42.1	0.50	848	0.67	0.01	0.40
811527		4.31	0.42	1.62	0.08	0.03	0.015	<0.005	0.02	2.7	1.1	0.02	27	0.17	0.04	0.15
811528		50.1	4.97	6.25	0.12	0.02	0.008	0.024	0.03	32.8	57.2	0.85	668	0.52	0.01	0.06
811529		19.15	1.15	3.29	0.06	0.03	0.020	0.011	0.05	4.6	5.9	0.06	2490	0.36	0.03	0.25
811530		23.0	4.26	4.59	0.14	0.08	0.014	0.039	0.04	27.2	41.7	0.64	756	0.34	0.02	0.14
811531		22.0	2.02	1.79	0.09	0.03	0.019	0.017	0.03	10.1	5.5	0.09	216	0.24	0.02	0.18
811532		8.76	4.14	7.16	0.13	0.03	0.032	0.030	0.04	27.9	39.3	0.47	598	0.69	0.01	0.88
811533		39.8	5.33	7.77	0.09	0.09	0.009	0.024	0.09	39.0	70.7	1.01	437	0.24	0.01	0.16
811534		25.1	4.00	5.84	0.07	0.14	0.026	0.028	0.07	25.4	51.4	0.66	293	0.55	0.02	0.17
811535		22.1	1.63	3.97	<0.05	0.03	0.029	0.008	0.04	11.4	14.3	0.15	2030	0.37	0.03	0.34
811536		12.05	1.40	3.77	<0.05	<0.02	0.019	0.008	0.03	9.2	8.2	0.10	1010	0.41	0.03	0.28
811537		23.5	1.75	3.34	0.05	0.02	0.020	0.010	0.03	8.4	17.3	0.20	1140	0.31	0.04	0.28
811538		43.7	2.06	3.69	<0.05	0.17	0.038	0.018	0.05	7.7	26.3	0.28	701	0.49	0.05	0.34
811539		3.93	0.41	1.68	<0.05	<0.02	0.019	0.005	0.02	2.2	0.9	0.02	254	0.18	0.04	0.05
811540		6.07	0.82	3.16	<0.05	<0.02	0.020	0.005	0.02	4.7	4.0	0.05	245	0.24	0.03	0.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811501		42.1	0.068	34.8	5.1	<0.001	0.03	0.590	2.3	0.6	<0.2	20.7	<0.01	0.05	9.1	0.003
811502		53.6	0.063	34.3	2.8	<0.001	0.03	0.709	2.7	1.0	<0.2	17.0	<0.01	0.03	10.4	0.004
811503		13.4	0.088	40.5	4.6	<0.001	0.02	1.020	1.3	0.6	0.3	6.1	<0.01	0.05	15.3	0.011
811504		15.5	0.088	27.5	3.8	<0.001	0.06	0.335	0.7	0.4	0.2	9.1	<0.01	0.03	1.3	0.008
811505		31.6	0.046	28.2	4.5	<0.001	0.02	0.598	2.1	0.4	0.2	4.0	<0.01	0.02	11.4	0.007
811506		22.5	0.038	18.15	4.7	<0.001	0.02	0.477	1.6	0.2	0.2	3.5	<0.01	0.03	8.4	0.008
811507		33.3	0.043	21.4	4.2	<0.001	0.01	0.439	2.1	0.2	0.2	4.1	<0.01	0.03	10.2	0.006
811508		52.2	0.082	48.9	3.7	<0.001	0.02	1.215	2.1	0.7	<0.2	6.5	<0.01	0.06	8.2	0.005
811509		9.7	0.089	21.4	4.0	<0.001	0.03	0.363	0.4	0.3	0.2	5.4	<0.01	0.04	0.9	0.010
811510		43.6	0.055	29.7	3.8	0.001	0.03	0.859	2.4	0.5	<0.2	15.2	<0.01	0.04	9.4	0.003
811511		42.7	0.041	32.8	4.1	<0.001	0.02	0.676	2.0	0.4	0.2	3.6	<0.01	0.03	10.0	0.006
811512		47.3	0.039	29.0	4.5	<0.001	0.02	0.566	2.1	0.5	0.2	8.0	<0.01	0.04	10.6	0.005
811513		12.7	0.079	19.85	4.2	<0.001	0.02	0.476	0.9	0.3	0.3	4.0	<0.01	0.04	5.2	0.009
811514		42.7	0.043	32.2	4.2	<0.001	0.03	0.614	2.0	0.3	0.2	4.8	<0.01	0.03	10.5	0.006
811515		7.7	0.113	14.80	3.9	<0.001	0.05	0.301	0.1	0.4	0.3	8.5	<0.01	0.02	0.1	0.006
811516		5.4	0.050	11.15	2.1	<0.001	0.03	0.214	0.2	0.2	0.2	6.4	<0.01	0.02	0.2	0.009
811517		14.0	0.094	14.75	5.6	<0.001	0.03	0.338	0.8	0.3	0.4	4.8	<0.01	0.05	4.6	0.012
811518		55.9	0.111	47.4	7.6	<0.001	0.14	0.863	2.1	2.1	0.2	48.1	<0.01	0.04	2.7	0.004
811519		36.1	0.034	30.8	3.7	<0.001	0.02	0.276	1.8	0.4	0.2	7.5	<0.01	0.03	10.1	0.004
811520		15.1	0.052	15.55	5.2	<0.001	0.03	0.296	1.0	0.3	0.3	5.6	0.01	0.03	5.0	0.012
811521		15.7	0.058	17.15	5.0	<0.001	0.03	0.289	1.1	0.2	0.3	5.7	0.01	0.02	5.0	0.012
811522		22.4	0.070	32.4	3.7	<0.001	0.03	0.719	0.8	0.3	0.2	7.3	<0.01	0.04	2.7	0.005
811523		27.3	0.056	38.0	3.3	<0.001	0.03	0.932	1.4	0.4	<0.2	8.1	<0.01	0.05	7.1	0.003
811524		43.8	0.061	34.5	3.8	0.001	0.01	0.250	2.1	0.4	<0.2	13.9	<0.01	0.04	9.7	0.005
811525		43.6	0.028	336	9.0	<0.001	0.01	0.214	1.5	0.2	0.3	8.8	<0.01	0.02	5.4	0.009
811526		30.0	0.055	68.1	4.7	<0.001	0.02	0.480	1.8	0.5	0.3	4.6	<0.01	0.05	8.3	0.008
811527		1.8	0.045	4.12	1.5	<0.001	0.02	0.040	0.1	<0.1	<0.2	8.7	<0.01	<0.01	0.1	0.011
811528		64.0	0.034	34.1	3.8	<0.001	0.01	0.227	1.8	<0.1	<0.2	4.7	<0.01	0.03	10.3	0.004
811529		10.3	0.059	9.34	4.1	<0.001	0.03	0.108	0.3	<0.1	0.2	13.5	<0.01	<0.01	0.2	0.013
811530		30.5	0.038	42.6	3.5	<0.001	0.03	0.215	3.4	0.8	0.2	48.1	<0.01	0.05	5.3	0.006
811531		17.6	0.041	51.0	2.2	<0.001	0.02	0.367	1.3	0.8	<0.2	160.0	<0.01	0.05	2.5	0.005
811532		15.0	0.024	22.4	6.6	<0.001	0.01	0.184	2.0	<0.1	0.6	13.9	<0.01	0.02	6.7	0.014
811533		47.0	0.021	26.6	8.4	<0.001	0.01	0.312	3.0	0.2	0.3	11.9	<0.01	0.05	13.8	0.005
811534		31.7	0.059	27.2	5.6	<0.001	0.08	0.273	2.7	1.4	0.3	56.1	<0.01	0.04	7.9	0.003
811535		15.3	0.099	11.45	4.0	<0.001	0.04	0.182	0.3	0.4	0.2	11.9	<0.01	0.02	0.4	0.015
811536		8.5	0.049	11.60	4.1	<0.001	0.03	0.155	0.2	0.1	0.4	5.8	<0.01	0.02	0.2	0.017
811537		13.9	0.125	11.25	2.4	<0.001	0.04	0.180	0.2	0.2	0.2	16.9	<0.01	0.02	0.3	0.013
811538		33.1	0.113	22.2	4.1	<0.001	0.13	0.653	1.1	1.2	0.3	37.5	<0.01	0.03	1.8	0.008
811539		1.4	0.071	3.32	1.3	<0.001	0.03	0.061	<0.1	<0.1	0.2	7.4	<0.01	0.02	<0.1	0.007
811540		2.5	0.030	4.18	2.3	<0.001	0.03	0.091	0.3	0.3	0.2	5.1	<0.01	0.03	0.4	0.021

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
811501		0.03	1.59	18	0.0690	5.69	107.0	2.8
811502		0.04	1.55	20	0.0400	6.34	115.0	2.8
811503		0.05	0.58	27	0.416	2.22	45.0	1.8
811504		0.05	0.75	13	0.168	1.34	42.8	<0.5
811505		0.03	0.74	20	0.185	2.76	76.4	2.6
811506		0.04	0.54	21	0.248	2.22	58.3	1.5
811507		0.04	0.82	20	0.129	3.71	80.8	1.2
811508		0.04	0.90	19	0.204	4.04	130.5	2.4
811509		0.04	0.61	16	0.376	1.46	27.0	<0.5
811510		0.03	1.50	17	0.0695	5.11	103.0	3.1
811511		0.03	0.60	20	0.123	2.60	82.0	2.0
811512		0.03	1.30	20	0.125	4.30	104.0	1.3
811513		0.04	0.56	22	0.288	1.87	37.1	0.5
811514		0.03	1.06	19	0.105	3.60	89.0	1.8
811515		0.04	0.88	15	0.224	2.05	21.3	<0.5
811516		0.02	0.65	9	0.242	0.89	12.5	<0.5
811517		0.05	0.47	23	0.324	1.63	68.6	0.6
811518		0.06	6.42	12	0.156	32.2	90.8	5.5
811519		0.03	1.58	18	0.0631	4.06	98.7	1.2
811520		0.05	0.58	20	0.255	2.05	54.3	1.5
811521		0.05	0.62	20	0.268	2.17	59.6	1.7
811522		0.03	0.84	16	0.0662	2.14	69.2	0.9
811523		0.03	1.31	16	0.0462	2.88	87.7	1.4
811524		0.03	0.65	17	0.115	5.53	112.0	1.6
811525		0.06	0.75	19	0.170	2.63	216	1.0
811526		0.05	0.65	27	0.256	2.44	119.5	1.5
811527		0.02	0.21	7	0.526	0.31	12.8	<0.5
811528		0.02	0.78	19	0.0678	3.06	151.0	1.0
811529		0.03	0.31	12	0.174	0.95	191.5	0.8
811530		0.02	1.57	16	0.0770	11.05	89.2	1.9
811531		0.02	0.64	5	0.0825	8.12	26.9	1.1
811532		0.07	0.64	30	0.220	4.15	50.1	0.5
811533		0.05	0.73	25	0.0773	6.84	84.5	2.9
811534		0.03	3.04	16	0.119	10.60	89.6	4.4
811535		0.03	0.49	11	0.374	1.61	129.5	1.0
811536		0.02	0.39	13	0.164	0.81	51.1	<0.5
811537		0.02	0.45	11	0.0707	1.14	151.0	0.6
811538		0.04	2.19	12	0.151	6.39	63.7	4.7
811539		<0.02	0.18	7	0.0818	0.28	12.8	<0.5
811540		0.02	0.24	9	0.134	0.56	13.3	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
811541		0.16	0.0024	0.057	0.44	9.45	<10	33.6	0.08	0.26	0.03	0.06	21.1	6.3	6.4	1.25
811542		0.10	0.0007	0.230	0.35	8.97	<10	50.8	0.22	0.15	1.35	0.46	3.68	10.1	4.3	1.28
811543		0.12	0.0006	0.052	0.49	40.6	<10	18.5	0.10	0.31	0.02	0.04	71.5	2.4	6.7	0.63
811544		0.30	0.0018	0.082	2.42	63.4	<10	23.4	0.35	0.53	0.05	0.02	82.3	9.3	35.8	4.70
811545		0.16	0.0006	0.057	1.89	53.2	<10	24.0	0.23	0.41	0.03	0.03	73.1	5.0	28.2	2.90
811546		0.20	0.0005	0.079	1.71	49.5	<10	25.1	0.26	0.45	0.02	0.05	69.8	7.7	25.7	1.56
811547		0.10	0.0004	0.096	0.32	2.75	<10	36.7	0.10	0.11	0.38	0.02	4.26	1.1	3.2	0.42
811548		0.20	0.0009	0.066	1.27	23.1	<10	22.5	0.35	0.49	0.03	0.02	27.6	8.7	14.1	0.63
811549		0.28	0.0007	0.054	2.47	45.6	<10	34.0	0.53	0.48	0.01	0.07	74.7	16.6	34.4	1.37
811550		0.10	0.0021	0.406	1.41	21.3	<10	136.5	0.64	0.39	1.69	0.58	16.85	21.7	14.5	0.97
811551		0.20	0.0012	0.102	0.58	48.5	<10	36.3	0.19	0.07	0.47	0.04	6.43	4.9	3.4	0.88
811552		0.22	0.0006	0.230	0.78	30.9	<10	31.2	0.16	0.39	0.03	0.07	46.2	3.6	11.9	1.14
811553		0.34	0.0013	0.126	2.54	39.4	<10	27.9	0.69	0.42	0.03	0.04	97.4	17.3	37.3	1.30
811554		0.22	0.0003	0.060	1.80	34.0	<10	35.8	0.23	0.45	0.04	0.03	88.3	6.4	26.5	1.14
811555		0.18	0.0016	0.147	1.27	65.5	<10	66.1	0.44	0.25	1.93	0.07	14.45	11.8	17.2	1.61
811556		0.16	0.0047	0.120	2.48	430	<10	71.8	0.89	0.48	0.86	0.14	34.3	60.2	24.1	4.16
811557		0.20	0.0008	0.042	0.24	5.60	<10	9.5	0.08	0.06	0.17	0.04	3.26	2.1	3.9	0.47
811558		0.14	0.0004	0.028	0.26	2.86	<10	21.8	0.11	0.05	0.22	0.43	3.41	5.2	3.7	0.83
811559		0.22	0.0006	0.110	2.39	27.4	<10	88.5	0.56	0.20	1.23	0.17	15.55	29.6	91.0	3.82
811560		0.18	0.0004	0.144	1.48	188.0	<10	58.0	0.44	0.38	0.27	0.46	30.3	31.5	38.2	2.92
811561		0.20	0.0007	0.151	1.50	195.0	<10	59.7	0.54	0.47	0.25	0.43	33.6	35.0	37.0	3.08
811562		0.16	0.0005	0.135	0.21	4.17	<10	20.0	0.07	0.11	0.06	0.09	4.45	1.7	6.2	0.38
811563		0.14	0.0012	0.056	0.13	0.69	<10	12.8	<0.05	0.05	0.04	0.05	1.24	0.5	2.1	0.21
811564		0.14	0.0003	0.165	0.26	5.79	<10	20.6	0.07	0.20	0.04	0.04	11.00	1.5	5.7	0.71
811565		0.20	0.0010	0.205	1.43	28.3	<10	20.5	0.27	0.57	0.10	0.25	45.3	14.4	36.4	2.90
811566		0.24	0.0003	0.244	0.31	6.52	<10	8.3	0.05	0.09	0.02	0.02	11.15	1.2	9.7	0.94
811567		0.30	0.0011	0.105	2.33	52.2	<10	20.6	0.38	0.41	0.11	0.04	59.7	14.0	37.1	3.31
811568		0.22	0.0029	0.075	2.35	75.3	<10	29.2	0.54	0.44	0.56	0.07	46.1	27.1	70.7	3.61
811569		0.24	0.0007	0.059	2.40	67.3	<10	31.1	0.41	0.38	0.23	0.08	63.2	21.7	63.1	3.36
811570		0.28	0.0017	0.061	2.31	37.2	<10	38.5	0.55	0.36	0.25	0.03	61.5	18.5	37.4	1.37
811571		0.26	0.0004	0.045	0.60	16.05	<10	40.9	0.15	0.29	0.04	0.04	31.1	2.0	9.8	1.34
811572		0.30	0.0017	0.082	2.15	67.7	<10	39.2	0.49	0.36	0.52	0.08	41.3	19.0	33.6	0.95
811573		0.40	0.0021	0.076	1.32	23.7	<10	20.8	0.40	0.24	0.24	0.03	32.1	6.6	17.9	1.18
811574		0.26	0.0017	0.037	1.80	48.5	<10	45.9	0.43	0.46	0.07	0.03	63.4	11.6	30.9	2.37
811575		0.26	0.0017	0.049	2.00	23.2	<10	20.6	0.53	0.31	0.27	0.10	42.9	18.5	37.6	0.66
811576		0.28	0.0011	0.058	1.84	27.3	<10	22.1	0.52	0.36	0.15	0.04	60.4	16.1	32.3	0.98
811577		0.24	0.0010	0.051	0.99	23.2	<10	18.2	0.25	0.31	0.02	0.03	42.3	5.9	17.3	1.05
811578		0.28	0.0005	0.042	1.81	36.7	<10	27.0	0.46	0.40	0.01	0.04	68.2	17.2	28.1	1.65
811579		0.26	0.0010	0.098	1.46	22.8	<10	91.6	0.50	0.35	0.33	0.22	26.1	17.5	18.4	1.61
811580		0.24	0.0019	0.126	2.04	39.3	<10	92.7	0.75	0.50	0.35	0.06	43.9	29.2	28.5	2.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811541		5.70	1.41	3.38	<0.05	<0.02	0.018	0.006	0.03	11.0	8.4	0.09	541	0.32	0.03	0.15
811542		22.7	0.65	1.31	0.06	0.06	0.052	0.006	0.03	2.4	3.1	0.10	1630	0.39	0.03	0.26
811543		9.55	1.97	6.42	0.13	<0.02	0.027	0.007	0.02	36.4	4.4	0.06	65	0.39	0.01	0.36
811544		23.4	5.47	7.59	0.14	0.05	0.021	0.025	0.03	44.0	74.9	0.77	772	0.63	0.01	<0.05
811545		16.55	4.42	6.60	0.15	0.05	0.013	0.022	0.03	37.7	59.2	0.58	486	0.56	0.01	0.12
811546		14.50	4.88	8.72	0.14	0.04	0.023	0.014	0.03	38.2	44.9	0.48	496	0.57	0.01	0.46
811547		11.10	0.42	1.17	0.07	0.02	0.028	0.005	0.03	2.3	1.7	0.04	22	0.60	0.04	0.24
811548		22.9	2.98	4.15	0.10	0.03	0.018	0.015	0.02	14.5	28.4	0.31	186	0.44	0.02	0.30
811549		25.9	4.90	7.44	0.13	0.07	0.015	0.023	0.03	39.4	72.1	0.74	418	0.57	0.01	0.31
811550		58.9	2.17	2.60	0.09	0.11	0.164	0.018	0.12	9.6	13.6	0.23	1860	0.76	0.02	0.23
811551		13.65	0.74	2.05	0.07	0.02	0.013	0.012	0.02	3.6	5.3	0.08	122	0.25	0.04	0.36
811552		10.15	2.28	5.75	0.10	<0.02	0.018	0.010	0.04	24.8	13.3	0.16	186	0.68	0.02	0.30
811553		31.7	5.10	7.49	0.15	0.06	0.009	0.019	0.03	53.1	83.0	0.90	531	0.52	0.01	0.12
811554		10.45	4.20	7.85	0.14	0.02	0.010	0.014	0.02	47.6	49.3	0.56	309	0.85	<0.01	0.36
811555		40.2	2.08	3.87	0.08	0.09	0.035	0.018	0.03	7.6	24.5	0.32	463	0.69	0.02	0.38
811556		78.7	6.46	8.96	0.12	0.14	0.024	0.098	0.03	18.9	47.9	0.83	1920	1.44	0.02	0.34
811557		5.52	0.45	1.05	0.07	<0.02	0.012	0.005	0.02	1.7	2.2	0.04	57	0.30	0.04	0.15
811558		11.30	0.41	1.22	0.06	<0.02	0.017	0.006	0.02	1.7	1.8	0.05	182	0.39	0.03	0.26
811559		108.0	3.12	6.31	0.08	0.10	0.055	0.031	0.04	9.1	44.0	1.25	970	0.62	0.02	0.63
811560		33.3	3.16	6.05	0.10	0.02	0.020	0.018	0.03	16.6	37.1	0.58	934	1.48	0.02	0.25
811561		37.4	3.19	6.39	0.10	0.02	0.020	0.019	0.03	18.8	36.9	0.56	991	1.59	0.02	0.23
811562		10.30	0.68	1.09	0.07	<0.02	0.027	0.006	0.02	2.4	2.3	0.04	81	0.48	0.02	0.21
811563		2.16	0.27	0.65	0.06	<0.02	0.022	<0.005	0.02	0.7	0.3	0.01	23	0.17	0.03	0.05
811564		6.54	0.86	2.28	0.07	<0.02	0.022	0.006	0.03	6.0	3.2	0.05	47	0.55	0.03	0.23
811565		21.7	3.49	4.98	0.12	0.04	0.032	0.017	0.05	24.5	47.7	0.49	621	2.02	0.02	0.07
811566		3.89	0.84	1.33	0.08	<0.02	0.023	<0.005	0.02	5.9	8.5	0.09	87	0.64	0.02	0.05
811567		23.2	5.01	7.16	0.13	0.06	0.010	0.022	0.03	31.5	75.8	0.78	790	1.20	0.01	<0.05
811568		68.4	4.47	6.92	0.13	0.13	0.011	0.023	0.04	24.1	71.8	1.12	463	1.44	0.01	0.24
811569		39.7	4.61	7.68	0.13	0.08	0.008	0.020	0.03	33.7	78.1	1.06	544	1.81	0.01	0.24
811570		35.0	4.31	7.07	0.13	0.11	0.007	0.019	0.02	33.2	77.6	0.84	485	0.81	0.01	0.16
811571		10.35	1.48	4.32	0.08	<0.02	0.014	0.009	0.02	16.8	8.0	0.09	94	0.62	0.02	0.19
811572		24.7	4.10	6.47	0.12	0.12	0.022	0.023	0.03	21.3	69.8	0.77	485	0.77	0.01	0.16
811573		19.20	2.22	3.92	0.10	0.05	0.009	0.013	0.03	16.1	35.9	0.36	183	0.36	0.02	0.27
811574		19.10	4.03	6.25	0.12	0.02	0.011	0.016	0.04	33.0	52.9	0.56	289	0.65	0.01	0.18
811575		19.95	4.38	5.64	0.12	0.12	0.015	0.018	0.03	23.5	71.9	0.76	404	0.89	<0.01	0.10
811576		22.2	4.29	5.85	0.13	0.07	0.012	0.017	0.04	33.5	70.8	0.71	322	0.72	0.01	0.08
811577		14.30	2.72	3.93	0.10	0.02	0.012	0.011	0.03	22.9	30.0	0.32	145	0.45	0.01	0.13
811578		20.2	4.41	5.63	0.08	0.03	0.012	0.021	0.03	36.8	66.1	0.59	557	0.55	0.01	0.15
811579		16.10	2.83	4.49	<0.05	0.12	0.032	0.017	0.05	14.4	32.3	0.28	439	0.51	0.02	0.35
811580		24.5	4.36	5.38	0.07	0.17	0.032	0.026	0.07	23.1	62.3	0.54	738	0.75	0.01	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method Analyte Units LOR	ME-MS41L Ni ppm 0.1	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.01	ME-MS41L Rb ppm 0.1	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.1	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.2	ME-MS41L Sr ppm 0.2	ME-MS41L Ta ppm 0.01	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.1	ME-MS41L Ti % 0.001
811541		4.9	0.071	7.94	4.1	<0.001	0.03	0.141	0.2	0.2	0.4	4.7	<0.01	0.02	0.2	0.012
811542		24.5	0.094	7.51	2.6	<0.001	0.18	0.312	0.6	0.3	0.2	55.0	<0.01	0.03	0.4	0.009
811543		5.7	0.049	9.50	2.6	<0.001	0.01	0.370	0.4	<0.1	0.4	3.9	<0.01	0.03	6.2	0.009
811544		28.7	0.085	44.1	3.6	<0.001	0.02	0.712	1.8	0.5	<0.2	7.6	<0.01	0.04	14.3	0.002
811545		22.4	0.078	35.4	3.5	<0.001	0.02	0.684	1.3	0.4	0.2	7.1	<0.01	0.03	8.8	0.004
811546		17.7	0.114	16.25	4.1	0.001	0.01	0.397	1.3	0.2	0.4	4.3	<0.01	0.03	10.0	0.008
811547		3.7	0.045	5.36	1.1	<0.001	0.07	0.194	0.3	0.5	0.2	23.3	<0.01	0.01	0.3	0.011
811548		18.0	0.035	23.1	2.9	<0.001	0.02	0.641	0.9	0.1	0.2	3.4	0.01	0.05	3.2	0.013
811549		33.5	0.032	26.4	5.2	<0.001	0.01	0.560	2.0	0.4	0.2	4.6	<0.01	0.04	12.6	0.007
811550		35.3	0.131	22.4	6.1	<0.001	0.22	0.872	1.5	1.0	0.7	61.9	<0.01	0.02	1.9	0.005
811551		4.7	0.054	4.32	1.6	<0.001	0.05	0.255	0.8	0.8	<0.2	20.2	<0.01	0.02	0.2	0.015
811552		9.0	0.096	15.20	6.0	<0.001	0.02	0.392	0.4	0.1	0.3	5.9	<0.01	0.01	0.8	0.012
811553		35.2	0.038	25.5	3.7	<0.001	0.01	0.624	2.4	0.7	<0.2	4.1	<0.01	0.04	14.6	0.006
811554		16.2	0.028	15.80	4.4	<0.001	0.01	0.411	1.5	0.5	0.3	5.2	<0.01	0.02	11.2	0.006
811555		21.0	0.093	13.00	3.2	0.001	0.13	0.522	1.5	1.2	<0.2	82.5	<0.01	0.03	0.9	0.007
811556		42.0	0.097	42.8	3.2	<0.001	0.06	0.677	11.6	1.4	0.2	39.1	<0.01	0.02	5.2	0.004
811557		3.1	0.032	2.29	0.8	0.001	0.03	0.165	0.2	0.1	<0.2	7.3	<0.01	0.01	0.1	0.011
811558		4.7	0.027	2.71	1.1	<0.001	0.03	0.174	0.4	0.4	<0.2	11.2	<0.01	<0.01	0.1	0.013
811559		57.8	0.087	11.10	4.8	0.001	0.08	0.366	5.6	0.6	0.2	36.7	<0.01	0.02	1.8	0.015
811560		42.9	0.103	24.0	4.6	0.001	0.05	0.507	1.1	0.2	0.2	24.9	<0.01	0.04	0.9	0.012
811561		44.4	0.104	23.9	5.0	<0.001	0.05	0.524	1.0	0.7	0.2	29.1	<0.01	0.03	0.9	0.011
811562		5.7	0.067	5.89	1.0	<0.001	0.03	0.217	0.1	0.4	<0.2	6.2	<0.01	0.02	<0.1	0.011
811563		1.3	0.064	1.85	0.7	<0.001	0.02	0.142	<0.1	<0.1	<0.2	6.5	<0.01	0.01	<0.1	0.006
811564		4.6	0.040	6.92	2.2	0.001	0.02	0.291	0.2	0.1	0.2	6.4	<0.01	0.03	0.2	0.016
811565		30.5	0.112	33.9	3.0	<0.001	0.05	0.851	1.3	0.4	<0.2	8.4	<0.01	0.05	5.7	0.003
811566		6.7	0.045	5.28	1.0	<0.001	0.02	0.285	0.3	<0.1	<0.2	3.1	<0.01	0.01	0.5	0.009
811567		34.8	0.070	31.5	2.5	<0.001	0.03	0.769	2.0	0.5	<0.2	9.2	<0.01	0.04	11.8	0.002
811568		61.9	0.060	26.7	3.4	0.001	0.03	0.463	3.5	0.8	<0.2	25.1	<0.01	0.03	8.7	0.009
811569		49.3	0.047	22.7	3.7	<0.001	0.01	0.397	2.8	0.6	<0.2	13.7	<0.01	0.03	10.4	0.009
811570		40.4	0.048	19.55	3.5	<0.001	0.02	0.372	2.3	0.6	<0.2	13.0	<0.01	0.02	9.9	0.005
811571		6.3	0.055	9.31	2.5	<0.001	0.02	0.280	0.2	0.4	0.2	8.6	<0.01	0.02	0.4	0.010
811572		35.8	0.068	17.80	3.6	0.001	0.06	0.409	2.8	1.1	<0.2	22.9	<0.01	0.02	5.6	0.004
811573		20.8	0.049	15.40	2.4	0.001	0.04	0.525	1.4	0.7	<0.2	13.2	0.01	0.02	3.6	0.010
811574		28.9	0.044	24.4	6.7	<0.001	0.02	0.788	1.7	0.6	0.2	13.4	<0.01	0.04	7.6	0.004
811575		48.6	0.047	17.60	3.2	<0.001	0.04	0.487	2.2	0.8	<0.2	15.9	<0.01	0.02	7.3	0.004
811576		39.1	0.055	21.0	3.5	<0.001	0.02	0.692	2.1	0.3	<0.2	14.1	<0.01	0.03	10.2	0.003
811577		16.3	0.058	16.65	4.2	<0.001	0.02	0.737	0.6	0.2	<0.2	7.4	<0.01	0.01	2.1	0.007
811578		28.0	0.044	25.2	5.3	<0.001	0.01	0.727	1.5	0.2	<0.2	7.7	<0.01	0.02	6.9	0.004
811579		25.2	0.080	22.0	4.9	<0.001	0.07	0.574	1.4	0.5	0.2	33.0	<0.01	0.01	3.0	0.006
811580		38.6	0.088	36.7	6.8	<0.001	0.05	0.877	2.4	0.5	0.2	36.1	<0.01	0.03	6.2	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
811541		0.03	0.21	12	0.216	0.60	31.9	<0.5
811542		0.04	0.56	6	0.249	2.91	36.6	2.0
811543		0.04	0.28	23	0.312	1.48	21.9	<0.5
811544		0.03	1.00	19	0.0395	2.86	79.3	1.6
811545		0.03	0.62	16	0.0988	2.06	59.0	1.4
811546		0.04	0.46	24	0.326	2.04	69.0	2.0
811547		0.02	0.67	5	0.126	1.53	7.8	0.8
811548		0.02	0.31	13	0.292	1.22	40.5	1.2
811549		0.04	0.58	22	0.208	2.74	79.1	3.5
811550		0.06	0.90	9	0.501	10.60	88.2	3.4
811551		0.02	0.51	9	0.0528	3.52	14.8	0.8
811552		0.04	0.43	20	0.298	1.62	37.7	<0.5
811553		0.02	0.82	20	0.0880	3.91	94.2	3.5
811554		0.04	0.45	23	0.231	2.48	54.9	1.1
811555		0.04	1.97	16	0.972	4.96	42.1	2.9
811556		0.04	1.23	55	0.130	13.00	130.5	4.4
811557		0.02	0.37	8	0.0443	0.64	9.2	<0.5
811558		<0.02	0.20	7	0.0713	0.80	19.5	<0.5
811559		0.04	0.50	42	0.149	7.09	55.3	3.6
811560		0.02	0.67	27	0.382	2.41	86.6	0.6
811561		0.03	0.71	26	0.358	2.52	87.1	0.8
811562		<0.02	0.32	7	0.0811	0.32	31.1	<0.5
811563		<0.02	0.21	5	0.0503	0.13	11.3	<0.5
811564		0.03	0.21	11	0.741	0.48	11.5	<0.5
811565		0.02	0.79	13	0.187	2.06	76.8	1.1
811566		<0.02	0.15	7	0.0613	0.37	17.0	<0.5
811567		0.02	0.94	17	0.0376	3.06	79.8	1.8
811568		0.02	1.24	27	0.0958	5.07	107.5	4.8
811569		0.02	0.76	27	0.114	3.72	98.5	2.8
811570		0.03	0.90	19	0.164	4.12	93.2	3.9
811571		0.03	0.34	14	0.355	1.30	18.0	<0.5
811572		0.03	1.61	20	0.170	4.84	99.5	4.1
811573		0.02	0.83	11	0.0900	3.65	48.3	2.1
811574		0.05	0.68	19	0.142	3.06	76.3	0.9
811575		0.02	2.59	16	0.187	5.32	113.5	3.7
811576		0.03	0.84	15	0.203	4.00	91.3	2.8
811577		0.03	0.48	13	0.189	1.76	43.6	0.5
811578		0.04	0.86	16	0.168	3.01	66.3	1.1
811579		0.05	1.22	12	0.197	4.49	50.1	4.9
811580		0.07	1.90	16	0.245	6.76	76.5	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description / Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
811581	0.30	0.0010	0.751	2.26	29.8	<10	38.9	0.90	0.39	0.30	0.22	51.4	51.4	29.0	1.12
811582	0.28	0.0004	0.106	0.72	10.60	<10	14.5	0.11	0.14	0.02	0.01	16.70	2.4	8.6	0.59
811583	0.28	0.0010	0.237	1.90	41.2	<10	15.4	0.63	0.41	0.07	0.09	65.7	29.1	32.8	1.02
811584	0.32	0.0007	0.083	1.93	46.4	<10	18.1	0.21	0.83	0.02	0.02	69.0	7.9	29.4	2.38
811585	0.46	0.0008	0.073	2.11	36.2	<10	40.9	0.42	0.44	0.02	0.02	77.4	16.4	30.2	1.63
811586	0.30	0.0005	0.153	2.15	34.4	<10	32.6	0.38	0.61	0.01	0.04	82.2	7.0	30.2	1.80
811587	0.30	0.0014	0.065	2.04	28.4	<10	28.7	1.00	0.42	0.22	0.11	60.6	54.6	30.6	1.45
811588	0.30	0.0024	0.054	2.07	47.9	<10	31.6	0.61	0.39	0.07	0.02	66.6	15.7	31.5	1.91
811589	0.30	0.0009	0.206	1.26	16.65	<10	48.0	0.37	0.32	0.14	0.05	19.05	28.8	19.8	1.44
811590	0.30	0.0007	0.056	2.52	50.1	<10	32.0	0.30	0.52	0.01	0.03	46.5	6.1	35.8	1.32
811591	0.38	0.0008	0.103	2.26	36.6	<10	32.4	0.53	0.43	0.03	0.04	64.0	15.2	35.4	1.41
811592	0.34	0.0006	0.087	2.22	30.8	<10	18.3	0.35	0.51	0.02	0.04	53.2	11.1	36.3	1.34
811593	0.28	0.0005	0.329	0.97	15.50	<10	21.7	0.37	0.31	0.10	0.02	22.8	8.7	15.2	1.25
811594	0.40	0.0003	0.066	1.63	26.2	<10	25.6	0.31	0.60	0.02	0.02	80.7	7.5	24.4	2.02
811595	0.44	0.0005	0.063	2.52	41.0	<10	13.5	0.42	0.45	0.04	0.02	104.0	8.3	34.8	2.64
811596	0.30	0.0002	0.136	1.49	30.4	<10	13.9	0.38	0.43	0.03	0.02	49.0	7.8	22.5	4.71
811597	0.44	0.0002	0.085	2.35	16.65	<10	24.3	0.59	0.55	0.08	0.02	74.3	40.2	36.4	4.51
811598	0.24	0.0002	0.154	0.53	6.97	<10	20.1	0.23	0.19	0.20	0.02	10.50	2.1	7.9	1.44
811599	0.24	0.0002	0.123	2.12	14.80	<10	53.3	0.73	0.39	0.24	0.05	38.7	19.8	52.5	2.73
811600	0.22	0.0010	0.123	1.99	13.40	<10	53.2	0.68	0.37	0.26	0.05	36.6	18.3	49.7	2.63
811601	0.38	0.0007	0.068	2.83	19.25	<10	37.8	0.96	0.30	0.14	0.07	73.8	26.1	72.5	2.12
811602	0.30	0.0008	0.082	2.47	19.30	<10	45.6	0.71	0.44	0.48	0.05	43.1	26.1	65.1	2.97
811603	0.48	0.0005	0.094	2.47	23.5	<10	24.6	0.77	0.43	0.08	0.06	99.3	23.3	52.6	2.65
811604	0.32	0.0004	0.087	1.92	31.1	<10	22.0	0.27	0.58	0.05	0.04	89.0	7.1	31.0	2.50
811605	0.34	0.0007	0.065	2.60	30.1	<10	19.8	0.63	0.45	0.13	0.03	99.8	29.1	50.2	0.88
811606	0.22	0.0008	0.237	1.47	34.2	<10	52.5	0.48	0.37	0.20	0.08	32.7	10.4	24.6	2.38
811607	0.42	0.0009	0.141	2.27	198.0	<10	46.6	0.46	0.46	0.18	0.03	58.3	14.6	39.2	2.02
811608	0.38	0.0014	0.095	2.57	258	<10	100.0	0.70	0.71	0.41	0.06	43.2	21.8	60.4	3.44
811609	0.28	0.0009	0.103	0.96	41.1	<10	28.3	0.28	0.17	0.55	0.03	13.90	5.4	11.9	0.72
811610	0.44	0.0019	0.172	1.92	36.0	<10	55.6	0.56	0.42	0.44	0.07	35.6	14.6	32.3	1.28
811611	0.32	0.0023	0.068	2.14	39.2	<10	19.3	0.62	0.42	0.12	0.03	67.0	23.5	38.4	1.68
811612	0.32	0.0002	0.043	1.66	20.9	<10	27.7	0.29	0.35	0.03	0.04	45.3	6.2	25.8	0.92
811613	0.40	0.0003	0.028	1.56	15.20	<10	21.6	0.16	0.37	0.02	0.03	49.8	5.6	30.7	0.76
811614	0.36	0.0011	0.138	2.44	29.4	<10	28.5	0.34	0.38	0.01	0.06	70.4	8.6	36.4	0.83
811615	0.44	0.0006	0.055	1.82	20.7	<10	33.9	0.23	0.27	0.03	0.04	50.5	7.8	23.8	0.72
811616	0.30	<0.0002	0.049	1.43	38.1	<10	40.1	0.30	0.46	0.02	0.08	37.4	7.8	23.9	1.17
811617	0.32	0.0169	0.083	2.06	35.9	<10	49.8	0.58	0.43	0.05	0.23	51.9	10.8	27.5	1.43
811618	0.34	0.0006	0.054	1.27	12.80	<10	94.2	0.38	0.35	0.35	0.08	23.0	5.9	13.6	1.39
811619	0.34	0.0010	0.039	2.31	26.6	<10	27.2	0.47	0.35	0.04	0.05	61.4	13.2	33.5	0.80
811620	0.32	0.0009	0.036	2.33	27.2	<10	27.9	0.42	0.36	0.04	0.07	61.1	13.3	34.3	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811581		22.8	5.15	5.21	0.10	0.10	0.027	0.027	0.05	24.5	69.4	0.69	892	0.52	0.01	0.08
811582		8.15	1.38	3.13	<0.05	<0.02	0.008	0.008	0.02	9.1	12.3	0.13	58	0.24	0.03	0.15
811583		29.3	4.72	5.83	0.11	0.07	0.011	0.021	0.03	35.5	78.5	0.76	493	0.53	0.01	0.09
811584		22.9	6.21	8.06	0.10	0.04	0.017	0.027	0.02	34.4	55.1	0.63	684	0.60	0.01	0.26
811585		22.6	4.38	6.72	0.10	0.03	0.014	0.021	0.03	41.7	66.5	0.69	427	0.51	0.01	0.23
811586		29.9	5.74	7.87	0.12	0.06	0.018	0.033	0.02	43.3	60.0	0.54	269	0.91	0.01	0.45
811587		36.0	4.45	5.67	0.09	0.08	0.016	0.023	0.04	31.4	83.6	0.71	1240	0.62	0.01	0.08
811588		23.3	4.69	5.80	0.09	0.05	0.014	0.022	0.04	33.9	73.6	0.69	354	0.47	0.01	0.10
811589		24.4	2.50	4.27	<0.05	0.02	0.018	0.018	0.04	10.1	28.5	0.32	674	0.99	0.03	0.31
811590		32.6	6.26	8.27	0.08	0.11	0.022	0.028	0.03	24.7	65.7	0.68	415	0.60	0.01	0.42
811591		42.6	4.73	6.62	0.09	0.04	0.020	0.023	0.04	33.4	67.8	0.74	370	0.54	0.01	0.22
811592		35.2	6.15	7.29	0.08	0.07	0.019	0.029	0.03	28.1	60.7	0.69	373	0.67	0.01	0.27
811593		26.9	2.21	3.85	0.05	<0.02	0.018	0.012	0.03	11.9	25.4	0.28	170	0.45	0.03	0.27
811594		28.3	5.43	8.13	0.10	0.02	0.008	0.025	0.02	43.5	42.5	0.45	341	0.85	0.01	0.48
811595		30.3	5.52	7.65	0.14	0.06	<0.005	0.026	0.02	55.6	93.2	1.00	360	0.49	0.01	0.06
811596		34.0	3.60	4.97	0.09	0.04	0.011	0.025	0.02	26.5	48.3	0.51	280	0.55	0.01	0.13
811597		36.8	5.10	7.34	0.10	0.06	0.009	0.026	0.03	43.4	82.8	0.87	628	0.99	0.01	0.09
811598		19.25	1.28	2.20	<0.05	<0.02	0.016	0.010	0.03	5.5	8.6	0.10	45	0.43	0.03	0.26
811599		62.8	3.66	6.09	0.07	0.03	0.018	0.027	0.04	22.1	54.2	0.87	360	0.78	0.02	0.43
811600		61.5	3.44	5.65	0.07	0.03	0.020	0.022	0.04	22.1	48.7	0.80	352	0.71	0.02	0.40
811601		39.0	4.72	7.20	0.10	0.07	0.013	0.025	0.03	35.2	64.6	1.20	441	0.65	0.01	0.80
811602		73.0	4.48	6.24	0.07	0.06	0.024	0.025	0.03	25.3	70.3	1.08	581	0.63	0.02	0.33
811603		47.3	4.87	7.67	0.13	0.04	0.013	0.020	0.03	52.9	86.6	1.00	432	0.53	0.01	0.24
811604		25.9	4.82	7.79	0.12	0.02	0.013	0.026	0.03	47.8	59.7	0.63	326	0.75	0.01	0.37
811605		39.1	5.36	7.83	0.15	0.09	0.007	0.021	0.04	52.6	81.4	1.10	790	0.34	0.01	0.05
811606		27.5	2.79	5.37	0.05	0.04	0.031	0.020	0.08	18.3	38.4	0.42	392	0.71	0.02	0.24
811607		23.2	3.96	6.91	0.09	0.05	0.012	0.022	0.05	32.2	70.8	0.80	467	0.49	0.01	0.24
811608		46.7	4.59	6.98	0.06	0.15	0.019	0.038	0.12	23.6	79.4	0.80	596	1.15	0.02	0.26
811609		17.80	1.66	2.60	<0.05	0.05	0.013	0.012	0.03	8.2	18.1	0.20	180	0.35	0.03	0.33
811610		33.7	3.61	5.12	0.06	0.16	0.019	0.025	0.04	18.7	61.9	0.63	282	0.91	0.02	0.17
811611		29.5	4.91	6.49	0.11	0.05	0.009	0.022	0.03	34.2	80.5	0.84	417	0.55	0.01	0.08
811612		13.15	4.73	6.85	0.07	0.02	0.015	0.016	0.02	24.8	42.5	0.46	245	0.57	0.01	0.41
811613		8.34	4.15	7.11	0.07	<0.02	0.019	0.017	0.02	26.3	37.6	0.49	231	0.65	0.01	0.28
811614		12.75	5.15	7.19	0.10	0.07	0.032	0.018	0.02	35.1	89.1	0.71	314	0.42	0.01	0.25
811615		11.05	3.52	6.33	0.07	0.04	0.008	0.015	0.02	24.6	49.8	0.47	269	0.46	0.02	0.43
811616		20.6	3.80	6.35	0.06	<0.02	0.034	0.018	0.02	19.0	24.9	0.32	510	0.86	0.02	0.32
811617		35.1	3.70	6.49	0.08	0.03	0.025	0.029	0.03	25.3	42.9	0.51	424	0.73	0.02	0.66
811618		13.70	2.38	5.37	<0.05	<0.02	0.018	0.012	0.03	12.3	16.8	0.20	959	0.59	0.03	0.35
811619		20.6	4.63	6.70	0.09	0.07	0.017	0.016	0.03	29.7	90.9	0.82	459	0.34	0.02	0.14
811620		21.2	4.64	6.71	0.09	0.06	0.016	0.016	0.03	29.5	89.9	0.83	458	0.40	0.02	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811581		46.6	0.093	29.9	2.8	<0.001	0.05	0.864	2.6	0.5	<0.2	12.8	<0.01	0.01	8.2	0.003
811582		6.8	0.055	6.97	1.9	<0.001	0.02	0.299	0.2	<0.1	<0.2	4.6	<0.01	<0.01	0.1	0.010
811583		43.9	0.073	28.1	2.3	<0.001	0.02	0.972	2.2	0.1	<0.2	12.1	<0.01	0.01	10.8	0.004
811584		19.2	0.225	57.1	3.3	<0.001	0.09	0.741	1.5	0.2	0.2	3.6	<0.01	0.03	9.1	0.008
811585		26.8	0.059	27.5	4.6	<0.001	0.01	0.437	1.7	0.3	0.2	5.9	<0.01	0.02	7.1	0.009
811586		18.9	0.076	40.4	4.7	<0.001	0.02	0.753	1.7	0.2	0.3	6.4	0.01	0.03	15.0	0.008
811587		74.9	0.061	27.6	3.7	<0.001	0.02	0.672	2.2	0.3	<0.2	16.8	<0.01	0.02	10.3	0.003
811588		34.8	0.049	28.4	3.7	<0.001	0.02	1.055	2.1	0.3	<0.2	12.1	<0.01	0.01	8.3	0.003
811589		22.8	0.059	30.9	4.5	<0.001	0.03	0.245	1.1	0.2	0.2	10.6	<0.01	<0.01	1.5	0.011
811590		18.4	0.057	30.7	4.1	<0.001	0.02	0.482	1.9	0.2	0.2	5.9	0.01	0.02	21.0	0.010
811591		31.2	0.053	37.7	4.3	<0.001	0.02	0.423	2.0	0.2	0.2	7.9	<0.01	0.02	11.2	0.008
811592		24.1	0.105	45.5	3.1	<0.001	0.04	0.587	1.9	0.3	0.2	6.0	<0.01	0.02	14.2	0.009
811593		25.8	0.044	18.65	2.4	<0.001	0.03	0.384	0.9	<0.1	<0.2	9.1	<0.01	0.01	2.1	0.012
811594		14.1	0.085	38.9	4.2	0.001	0.02	0.708	1.4	0.2	0.3	7.3	0.01	0.03	10.2	0.012
811595		25.8	0.043	37.0	2.5	<0.001	0.02	0.615	2.1	0.5	<0.2	4.6	<0.01	0.02	16.0	0.005
811596		21.2	0.054	41.9	2.8	<0.001	0.02	0.510	1.3	0.5	<0.2	4.0	<0.01	0.02	7.1	0.005
811597		41.6	0.058	42.9	3.7	<0.001	0.03	0.425	2.1	0.1	<0.2	7.8	<0.01	0.03	12.2	0.004
811598		9.0	0.061	16.25	1.8	<0.001	0.04	0.184	0.3	<0.1	<0.2	12.0	<0.01	<0.01	0.5	0.010
811599		52.8	0.065	21.2	4.4	<0.001	0.04	0.246	3.1	0.2	0.2	16.8	<0.01	0.02	3.8	0.016
811600		46.6	0.066	20.0	4.2	<0.001	0.04	0.239	2.8	0.4	0.2	16.8	<0.01	0.02	3.3	0.016
811601		74.3	0.062	15.85	4.5	<0.001	0.02	0.268	3.2	0.4	0.2	8.8	0.01	0.01	11.9	0.038
811602		68.0	0.067	29.6	4.0	<0.001	0.04	0.347	3.5	0.3	0.2	24.1	<0.01	0.02	5.9	0.015
811603		53.9	0.057	32.1	3.4	<0.001	0.01	0.341	2.6	0.4	<0.2	7.7	<0.01	0.01	13.8	0.014
811604		21.3	0.056	36.5	4.1	<0.001	0.02	0.737	1.5	0.2	0.2	5.0	<0.01	0.03	10.4	0.012
811605		47.4	0.068	33.0	2.1	<0.001	0.01	0.461	3.0	0.1	<0.2	10.0	<0.01	0.02	15.5	0.011
811606		29.2	0.080	22.2	6.5	<0.001	0.05	0.287	1.4	0.2	0.2	17.0	<0.01	0.01	3.2	0.006
811607		33.7	0.054	24.2	5.2	<0.001	0.01	0.183	2.2	0.3	0.2	14.3	<0.01	0.01	8.3	0.007
811608		53.7	0.069	35.3	9.3	<0.001	0.03	0.343	3.4	0.5	0.3	25.5	<0.01	0.03	7.7	0.005
811609		14.0	0.037	9.45	2.8	<0.001	0.03	0.207	1.0	0.2	<0.2	33.1	0.01	<0.01	1.3	0.013
811610		35.3	0.057	42.5	3.2	0.001	0.16	0.268	2.7	0.7	<0.2	33.9	<0.01	0.01	9.4	0.005
811611		45.3	0.053	29.5	2.5	<0.001	0.02	0.900	2.5	0.5	<0.2	13.7	<0.01	0.03	11.4	0.004
811612		17.9	0.091	17.20	4.3	<0.001	0.02	0.415	1.2	<0.1	0.2	5.4	0.01	0.01	4.2	0.012
811613		17.0	0.083	16.55	3.8	<0.001	0.02	0.291	0.6	0.5	0.4	4.4	<0.01	0.01	0.8	0.014
811614		23.5	0.048	16.65	5.1	<0.001	0.02	0.479	2.0	0.2	0.2	3.5	<0.01	0.04	10.6	0.006
811615		18.1	0.045	11.65	3.7	<0.001	0.01	0.357	1.3	0.4	0.2	5.2	0.01	0.02	4.8	0.012
811616		15.5	0.100	24.3	3.9	<0.001	0.04	0.388	0.5	0.6	0.5	6.8	<0.01	0.03	0.5	0.012
811617		22.2	0.100	24.6	5.8	<0.001	0.05	0.390	1.5	0.6	0.5	10.6	0.01	0.05	1.1	0.019
811618		10.5	0.095	11.95	5.3	<0.001	0.06	0.247	0.4	<0.1	0.4	27.4	0.01	0.02	0.3	0.013
811619		32.4	0.050	17.35	3.7	<0.001	0.02	0.456	2.0	0.3	<0.2	6.0	<0.01	0.02	8.4	0.007
811620		33.2	0.053	17.35	3.8	<0.001	0.02	0.476	1.9	0.4	<0.2	6.3	<0.01	0.02	7.9	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
811581		0.02	1.36	14	0.138	8.20	120.5	3.5
811582		0.02	0.41	9	0.114	0.98	18.7	<0.5
811583		0.02	0.98	16	0.100	4.23	91.2	1.8
811584		0.03	0.31	26	0.360	1.56	64.8	1.3
811585		0.03	0.84	19	0.169	2.70	73.5	1.0
811586		0.04	0.49	24	0.321	2.10	56.4	2.8
811587		0.03	1.36	16	0.163	5.84	153.0	3.2
811588		0.03	1.01	17	0.0862	3.51	82.7	1.6
811589		0.03	1.11	15	0.179	2.38	51.1	0.6
811590		0.03	0.53	22	0.125	1.56	68.1	4.6
811591		0.04	0.86	19	0.0930	2.51	74.0	1.5
811592		0.03	0.45	21	0.115	1.82	66.2	2.6
811593		0.02	0.64	13	0.129	2.33	43.3	<0.5
811594		0.04	0.47	26	0.201	2.19	49.1	0.9
811595		0.02	0.91	19	0.0239	2.70	94.7	2.7
811596		0.02	1.12	14	0.0901	3.08	68.8	1.1
811597		0.03	1.02	19	0.0471	2.95	137.0	1.8
811598		0.02	0.73	8	0.0896	1.41	19.1	<0.5
811599		0.03	0.80	30	0.117	5.13	72.4	1.2
811600		0.04	0.79	28	0.105	5.18	67.7	1.2
811601		0.04	0.62	40	0.158	4.23	90.3	2.7
811602		0.03	1.70	31	0.0766	6.87	128.0	2.0
811603		0.02	1.30	25	0.0795	4.08	128.0	1.3
811604		0.03	0.63	24	0.263	2.15	65.7	0.8
811605		0.02	0.89	25	0.0248	5.68	105.0	4.8
811606		0.03	1.43	14	0.0876	3.17	71.6	1.2
811607		0.03	0.96	21	0.0686	3.72	82.5	1.6
811608		0.06	2.24	25	0.208	3.96	116.5	4.3
811609		0.03	1.11	9	0.0994	3.20	42.6	2.0
811610		0.03	4.54	16	0.111	6.13	94.0	5.3
811611		0.02	1.25	18	0.0583	4.90	95.3	2.2
811612		0.03	0.47	23	0.135	1.85	48.8	0.6
811613		0.05	0.61	28	0.194	2.04	46.9	<0.5
811614		0.04	0.41	22	0.0711	2.36	68.6	3.2
811615		0.04	0.40	21	0.140	2.20	51.5	1.1
811616		0.05	1.09	27	0.228	3.16	48.3	<0.5
811617		0.06	3.43	26	0.231	11.30	75.3	0.8
811618		0.05	0.58	21	0.167	2.19	33.6	<0.5
811619		0.02	0.65	18	0.0625	2.94	82.8	2.0
811620		0.02	0.66	18	0.0621	3.03	84.4	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
811621		0.28	0.0007	0.046	1.31	22.2	<10	55.3	0.32	0.46	0.04	0.11	26.8	7.9	19.4	1.17
811622		0.34	0.0006	0.047	1.43	23.1	<10	39.6	0.30	0.41	0.02	0.06	36.8	7.7	20.4	1.06
811623		0.34	0.0006	0.055	1.86	23.0	<10	28.3	0.35	0.37	0.02	0.08	43.6	8.2	27.8	0.82
811624		0.38	0.0007	0.276	1.88	23.4	<10	34.0	0.31	0.42	0.01	0.07	70.7	6.9	27.5	0.95
811625		0.32	0.0007	0.054	1.30	20.4	<10	29.7	0.20	0.41	0.02	0.06	55.1	4.7	21.9	1.16
811626		0.30	0.0003	0.265	2.16	28.6	<10	46.8	0.42	0.40	0.03	0.08	60.4	8.0	30.8	1.04
811627		0.20	0.0016	0.088	2.16	28.5	<10	22.3	0.65	0.40	0.26	0.07	53.5	17.2	36.3	1.48
811628		0.22	0.0019	0.284	1.53	144.5	<10	29.1	0.47	0.41	1.06	0.22	11.10	16.2	30.6	4.54
811629		0.40	0.0018	0.183	1.83	105.5	<10	26.4	0.48	0.44	0.81	0.11	20.2	13.8	32.6	7.61
811630		0.24	0.0012	0.121	1.17	221	<10	45.0	0.47	0.45	0.18	0.28	26.6	16.0	25.5	0.96
811631		0.26	0.0005	0.095	0.60	27.3	<10	22.3	0.23	0.10	0.42	0.02	4.20	3.6	3.5	0.36
811632		0.24	0.0002	0.055	0.34	5.14	<10	18.7	0.06	0.10	0.03	0.02	16.90	0.9	3.4	0.53
811633		0.28	0.0012	0.149	2.84	50.3	<10	41.1	0.70	0.69	0.02	0.06	75.4	32.0	45.1	2.60
811634		0.22	0.0004	0.095	0.59	8.04	<10	17.4	0.12	0.15	0.03	0.05	23.6	2.3	10.4	0.40
811635		0.28	0.0003	0.059	1.69	40.4	<10	33.0	0.46	0.45	0.05	0.05	47.1	10.2	27.5	2.96
811636		0.16	<0.0002	0.158	0.39	8.73	<10	20.9	0.12	0.14	0.04	0.08	12.65	1.3	6.2	1.02
811637		0.42	0.0024	0.081	2.64	30.4	<10	38.3	0.61	0.50	0.02	0.04	86.9	12.9	41.2	2.14
811638		0.30	0.0004	0.180	2.44	38.2	<10	38.1	0.57	0.47	0.03	0.07	58.6	14.0	37.3	2.60
811639		0.36	0.0012	0.075	2.52	37.9	<10	48.6	0.62	0.53	0.03	0.04	76.5	13.9	41.0	2.80
811640		0.34	0.0004	0.094	2.42	40.0	<10	54.4	0.69	0.57	0.03	0.04	72.9	14.2	39.9	3.02
811641		0.34	0.0002	0.047	1.32	16.60	<10	50.0	0.24	0.40	0.03	0.06	42.4	4.5	17.2	1.02
811642		0.38	0.0008	0.041	2.32	22.9	<10	39.3	0.35	0.39	0.03	0.08	67.1	11.2	34.3	0.98
811643		0.30	0.0006	0.049	1.43	24.3	<10	36.3	0.24	0.46	0.03	0.06	51.6	7.5	28.2	1.17
811644		0.44	0.0008	0.082	2.44	25.5	<10	48.8	0.37	0.36	0.01	0.05	72.7	10.5	37.6	0.98
811751		0.16	0.0010	0.142	2.17	29.2	<10	53.0	0.89	0.46	0.52	0.05	31.2	19.0	45.6	2.21
811752		0.24	0.0023	0.053	2.37	37.6	<10	31.9	0.42	0.49	0.04	0.04	76.6	13.5	49.1	1.63
811753		0.16	0.0005	0.107	1.26	22.0	<10	22.5	0.21	0.40	0.02	0.04	42.0	5.7	32.5	0.98
811754		0.22	0.0008	0.020	2.34	26.4	<10	27.4	0.45	0.37	0.15	0.05	75.1	20.4	57.8	0.82
811755		0.22	0.0004	0.045	1.16	19.20	<10	23.9	0.21	0.47	0.01	0.06	52.2	4.1	30.1	0.63
811756		0.10	<0.0002	0.050	0.42	3.41	<10	28.9	0.10	0.12	0.03	0.05	23.6	1.3	7.1	0.72
811757		0.30	0.0002	0.032	1.78	30.6	<10	29.5	0.31	0.41	0.02	0.03	65.3	8.4	28.4	1.44
811758		0.20	0.0009	0.033	2.22	48.2	<10	38.3	0.56	0.57	0.03	0.07	85.8	20.0	34.7	2.32
811759		0.16	<0.0002	0.046	0.95	12.80	<10	25.3	0.16	0.31	0.02	0.04	41.6	2.9	14.1	0.89
811760		0.22	0.0008	0.040	2.22	36.8	<10	28.8	0.47	0.52	0.01	0.04	72.4	10.1	34.4	1.49
811761		0.16	0.0011	0.068	1.80	47.4	<10	52.1	0.44	0.63	0.02	0.04	49.2	14.4	28.2	3.47
811762		0.28	0.0018	0.057	2.38	53.5	<10	26.1	0.87	0.74	0.05	0.07	85.6	46.9	33.4	2.11
811763		0.26	0.0017	0.055	2.12	25.7	<10	23.2	0.68	0.44	0.15	0.04	69.5	16.1	38.7	2.16
811764		0.16	0.0017	0.072	2.03	33.2	<10	28.6	0.63	0.39	0.15	0.03	65.1	15.7	38.2	1.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811621		17.40	3.50	6.56	<0.05	<0.02	0.031	0.017	0.02	12.4	20.6	0.27	454	1.85	0.02	0.29
811622		14.10	3.69	6.16	0.06	0.02	0.025	0.019	0.02	19.0	25.2	0.26	433	0.73	0.02	0.69
811623		15.35	4.30	6.49	0.09	0.06	0.026	0.015	0.02	20.5	52.0	0.55	392	0.52	0.02	0.28
811624		12.40	4.52	8.26	0.08	0.03	0.017	0.016	0.02	35.1	54.1	0.46	271	0.61	0.02	0.47
811625		14.20	4.05	7.93	0.08	<0.02	0.015	0.013	0.02	27.8	28.3	0.33	268	0.75	0.02	0.47
811626		12.60	4.95	8.24	0.09	0.02	0.023	0.015	0.03	31.0	66.7	0.57	338	0.69	0.02	0.52
811627		31.3	4.49	6.59	0.09	0.07	0.009	0.019	0.03	27.1	93.2	0.83	359	0.50	0.02	0.07
811628		43.3	3.58	4.34	<0.05	0.13	0.023	0.019	0.03	5.9	46.8	0.58	159	1.89	0.02	0.15
811629		34.0	4.12	5.05	0.06	0.09	0.017	0.021	0.04	10.5	62.1	0.65	338	0.43	0.02	0.22
811630		29.6	6.48	4.26	0.06	0.03	0.012	0.034	0.03	12.7	29.0	0.38	1720	0.65	0.02	0.41
811631		4.43	0.67	2.24	<0.05	0.02	0.009	<0.005	0.02	2.1	5.6	0.07	135	0.21	0.05	0.40
811632		6.48	0.54	2.25	<0.05	<0.02	<0.005	<0.005	0.02	8.6	2.4	0.04	37	0.17	0.03	0.06
811633		56.6	5.80	8.61	0.11	0.07	0.006	0.029	0.05	38.4	87.3	0.84	1110	0.74	0.02	0.31
811634		7.58	1.70	2.78	0.05	<0.02	0.021	0.007	0.02	11.9	11.7	0.16	111	0.22	0.03	0.13
811635		37.4	3.91	6.45	0.07	0.05	0.006	0.024	0.03	25.5	39.7	0.48	619	0.72	0.03	0.29
811636		10.85	1.03	2.14	<0.05	<0.02	0.043	0.005	0.02	6.6	4.8	0.06	77	0.31	0.03	0.12
811637		29.1	5.53	8.53	0.11	0.07	0.005	0.026	0.04	45.5	77.1	0.82	610	0.72	0.02	0.39
811638		25.1	5.20	7.10	0.08	0.06	0.036	0.025	0.04	29.9	62.6	0.69	537	0.69	0.02	0.34
811639		35.2	5.00	7.97	0.10	0.07	0.014	0.026	0.05	40.3	71.3	0.79	489	0.81	0.02	0.38
811640		36.4	4.84	8.13	0.10	0.07	0.007	0.026	0.06	37.8	69.2	0.73	485	0.92	0.02	0.44
811641		13.55	3.04	6.48	0.09	<0.02	0.022	0.013	0.02	21.9	21.4	0.28	224	0.73	0.02	0.37
811642		15.85	4.65	7.27	0.10	0.04	0.016	0.017	0.04	34.1	78.8	0.72	416	0.63	0.02	0.49
811643		16.10	4.39	8.72	0.07	<0.02	0.018	0.015	0.03	25.9	29.9	0.38	367	1.02	0.02	0.35
811644		15.80	4.70	7.74	0.11	0.03	0.006	0.019	0.04	37.6	76.5	0.68	355	0.54	0.02	0.50
811751		52.4	4.02	6.05	0.08	0.08	0.025	0.021	0.03	16.6	77.1	0.78	395	1.01	0.03	0.28
811752		18.60	5.31	7.60	0.10	0.05	0.013	0.023	0.03	38.4	84.3	0.89	474	0.73	0.02	0.40
811753		13.25	2.99	5.86	0.06	<0.02	0.007	0.014	0.03	22.4	31.7	0.47	194	0.71	0.02	0.34
811754		33.0	4.69	6.97	0.10	0.04	0.006	0.021	0.03	38.1	83.7	1.04	589	0.49	0.02	0.15
811755		10.30	4.62	7.95	0.08	<0.02	0.023	0.018	0.02	26.6	16.7	0.20	162	0.62	0.02	0.67
811756		5.42	0.66	2.12	0.09	<0.02	0.028	0.006	0.03	13.3	3.9	0.06	33	0.25	0.03	0.06
811757		20.4	3.97	5.76	0.13	0.03	0.005	0.014	0.04	34.1	44.0	0.56	256	0.45	0.01	0.26
811758		36.0	4.95	7.23	0.16	0.04	0.020	0.027	0.04	44.8	52.8	0.60	436	0.85	0.01	0.55
811759		10.25	2.50	4.31	0.11	0.03	0.022	0.011	0.02	22.7	19.2	0.21	114	0.44	0.02	0.27
811760		30.8	5.02	6.32	0.16	0.05	0.016	0.021	0.04	38.8	58.9	0.75	308	0.50	0.01	0.26
811761		29.9	3.88	6.31	0.12	0.05	0.021	0.026	0.07	25.6	34.4	0.43	312	1.34	0.01	0.21
811762		70.6	5.79	6.77	0.18	0.02	0.014	0.036	0.06	44.0	64.4	0.84	944	0.69	0.01	0.12
811763		33.3	4.39	6.48	0.17	0.05	0.005	0.023	0.04	37.6	69.1	0.83	265	0.52	0.01	0.07
811764		28.5	4.38	6.23	0.16	0.07	0.016	0.020	0.03	35.4	63.8	0.78	269	0.52	0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811621		14.3	0.095	16.05	4.6	<0.001	0.05	0.367	0.5	0.6	0.3	8.0	0.01	0.05	0.6	0.012
811622		13.9	0.058	21.5	5.1	<0.001	0.02	0.381	1.1	0.6	0.4	5.9	0.01	0.05	2.7	0.016
811623		20.4	0.113	16.90	3.7	<0.001	0.02	0.426	1.1	0.3	0.2	5.0	0.01	0.04	3.4	0.010
811624		17.7	0.067	14.75	5.2	<0.001	0.02	0.470	1.6	0.3	0.3	5.6	0.01	0.02	8.5	0.009
811625		12.8	0.138	15.55	4.9	<0.001	0.02	0.451	0.9	0.2	0.3	6.1	<0.01	0.05	2.5	0.016
811626		20.3	0.073	15.70	8.2	<0.001	0.03	0.461	1.8	0.4	0.3	7.1	<0.01	0.04	6.5	0.010
811627		46.0	0.057	25.1	3.0	<0.001	0.04	0.763	2.5	0.4	<0.2	21.1	<0.01	0.03	8.3	0.003
811628		34.3	0.053	25.8	2.9	0.003	1.94	0.245	2.2	3.1	<0.2	79.6	<0.01	0.04	6.0	0.005
811629		33.3	0.062	25.5	4.0	<0.001	0.11	0.230	2.2	1.3	0.2	74.5	<0.01	0.04	5.7	0.007
811630		27.1	0.054	53.9	4.9	<0.001	0.03	0.502	2.0	0.4	0.2	18.0	0.01	0.11	7.3	0.015
811631		3.1	0.025	4.90	1.2	<0.001	0.04	0.052	0.3	0.2	<0.2	38.7	0.01	0.01	0.5	0.018
811632		2.3	0.054	5.38	1.8	<0.001	0.02	0.087	0.1	0.3	0.4	4.9	<0.01	0.03	0.1	0.008
811633		37.0	0.075	46.7	5.8	<0.001	0.02	0.436	2.5	0.6	0.2	6.0	<0.01	0.07	12.5	0.009
811634		6.0	0.070	6.76	1.9	<0.001	0.03	0.155	0.4	<0.1	<0.2	4.4	<0.01	<0.01	0.8	0.009
811635		20.5	0.128	29.8	4.9	<0.001	0.03	0.455	1.1	0.6	0.3	8.3	<0.01	0.05	2.8	0.014
811636		4.5	0.070	9.96	1.9	<0.001	0.04	0.111	0.1	0.1	0.2	4.6	<0.01	0.03	0.1	0.006
811637		27.7	0.055	32.8	5.6	<0.001	0.02	0.443	2.2	0.2	0.2	5.4	<0.01	0.03	11.8	0.012
811638		31.3	0.083	31.6	5.4	<0.001	0.04	0.528	2.1	0.4	0.2	5.3	<0.01	0.02	8.1	0.010
811639		31.8	0.054	33.2	5.7	<0.001	0.02	0.463	2.3	0.6	0.2	7.3	<0.01	0.04	10.3	0.010
811640		31.3	0.058	34.4	6.2	<0.001	0.02	0.506	2.5	0.5	0.3	7.8	<0.01	0.04	10.0	0.010
811641		11.6	0.071	14.00	4.0	<0.001	0.03	0.279	0.4	<0.1	0.5	7.3	<0.01	0.03	0.5	0.014
811642		27.4	0.049	21.8	5.8	<0.001	0.02	0.477	1.9	0.3	0.2	5.9	0.01	0.05	9.1	0.012
811643		17.3	0.119	20.5	5.5	<0.001	0.03	0.535	0.6	0.3	0.5	7.0	<0.01	0.04	0.5	0.019
811644		26.5	0.035	18.60	6.1	<0.001	0.02	0.446	2.1	0.6	0.3	4.7	<0.01	0.04	9.2	0.011
811751		65.7	0.078	22.9	3.9	<0.001	0.06	0.457	2.4	0.5	0.2	29.1	<0.01	0.06	3.9	0.010
811752		29.6	0.040	25.8	4.3	<0.001	0.03	0.576	2.4	0.4	0.2	5.2	<0.01	0.05	10.6	0.012
811753		16.8	0.046	14.40	4.1	<0.001	0.02	0.372	1.2	0.3	0.2	3.8	<0.01	0.04	2.3	0.016
811754		41.1	0.072	24.7	2.6	<0.001	0.01	0.475	3.0	0.5	<0.2	10.8	<0.01	0.03	9.5	0.009
811755		9.0	0.078	13.75	3.0	<0.001	0.02	0.427	0.8	0.4	0.4	3.5	0.01	0.03	3.8	0.023
811756		3.6	0.076	10.05	3.2	<0.001	0.02	0.115	0.1	<0.1	0.2	5.0	<0.01	0.01	0.1	0.005
811757		21.6	0.043	20.0	5.4	<0.001	0.01	0.505	1.6	0.6	0.2	4.3	<0.01	0.04	7.7	0.009
811758		31.5	0.066	35.5	6.5	<0.001	0.02	0.722	2.3	1.0	0.3	6.5	<0.01	0.04	10.6	0.009
811759		7.7	0.044	9.21	2.9	<0.001	0.02	0.327	0.5	0.3	0.2	4.0	<0.01	0.05	1.2	0.012
811760		28.7	0.047	32.3	4.3	<0.001	0.01	0.688	2.1	0.7	0.2	4.3	<0.01	0.02	12.4	0.009
811761		30.9	0.173	39.7	9.6	<0.001	0.02	0.381	0.8	0.5	0.3	7.9	<0.01	0.02	1.6	0.006
811762		60.2	0.079	62.4	3.6	<0.001	0.02	1.060	2.9	0.7	0.2	6.8	<0.01	0.04	14.5	0.007
811763		43.6	0.055	28.2	2.9	<0.001	0.03	0.783	2.6	0.8	0.2	13.8	<0.01	0.04	11.1	0.004
811764		43.6	0.053	24.7	3.0	<0.001	0.02	0.774	2.4	0.2	<0.2	12.8	<0.01	0.05	9.6	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
811621		0.05	0.62	21	0.159	2.25	44.5	0.6
811622		0.05	0.59	24	0.221	2.42	44.5	0.7
811623		0.03	0.47	19	0.0982	2.05	60.5	2.0
811624		0.05	0.44	26	0.167	2.58	52.6	1.3
811625		0.04	0.40	30	0.185	1.98	41.0	<0.5
811626		0.04	0.40	28	0.190	2.32	64.4	1.0
811627		0.03	1.26	18	0.0854	4.82	110.5	2.7
811628		0.04	18.85	12	1.300	5.70	96.2	4.8
811629		0.03	2.31	13	1.675	6.35	118.5	3.3
811630		0.06	0.85	17	3.39	6.76	87.0	1.1
811631		0.02	1.20	7	0.0629	1.21	8.5	0.8
811632		0.02	0.25	8	0.0503	0.56	8.4	<0.5
811633		0.04	0.92	25	0.0763	3.21	99.0	3.8
811634		<0.02	0.21	11	0.0565	0.75	23.3	<0.5
811635		0.03	1.09	20	0.128	2.49	60.3	1.8
811636		<0.02	0.38	10	0.0643	0.64	18.7	<0.5
811637		0.04	0.72	27	0.0801	3.06	85.4	2.7
811638		0.03	0.53	23	0.0995	2.31	84.6	2.3
811639		0.03	0.78	26	0.0866	2.81	86.7	2.6
811640		0.05	0.89	27	0.111	2.87	84.3	2.8
811641		0.05	0.56	26	0.209	2.23	36.0	<0.5
811642		0.04	0.52	24	0.138	2.92	72.9	1.6
811643		0.06	0.61	36	0.221	2.60	52.1	<0.5
811644		0.05	0.44	27	0.150	2.55	63.3	1.4
811751		0.04	1.37	21	0.114	5.15	183.0	2.7
811752		0.05	0.50	25	0.208	2.73	78.0	2.3
811753		0.03	0.36	22	0.290	1.61	41.2	<0.5
811754		0.03	0.46	25	0.127	3.93	86.3	1.8
811755		0.03	0.30	32	0.378	1.47	31.4	<0.5
811756		0.03	0.30	8	0.237	0.79	8.9	<0.5
811757		0.04	0.59	19	0.179	2.43	56.5	0.6
811758		0.06	1.12	24	0.233	4.18	73.9	1.1
811759		0.03	0.27	16	0.294	1.16	26.8	<0.5
811760		0.03	1.10	20	0.194	2.82	75.9	1.8
811761		0.08	1.20	21	0.237	2.27	76.7	1.1
811762		0.04	1.16	18	0.742	5.20	112.5	0.9
811763		0.03	1.42	18	0.0664	5.80	100.5	2.1
811764		0.03	1.15	18	0.109	4.87	94.6	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 16- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124826

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE WH11124827

Project:

P.O. No.:

This report is for 29 Sediment samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	STEVE POTTS	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124827

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
811645		0.52	<0.0002	0.038	2.34	16.50	<10	22.7	0.54	0.32	0.16	0.10	60.4	22.6	52.4	1.56
811646		0.50	<0.0002	0.058	2.31	22.3	<10	24.6	0.53	0.36	0.19	0.10	60.5	22.2	55.0	1.76
811647		0.58	0.0008	0.080	2.21	17.90	<10	29.2	0.50	0.42	0.34	0.16	43.8	22.3	46.6	2.75
811648		0.46	<0.0002	0.078	2.36	20.0	<10	32.5	0.65	0.43	0.28	0.17	55.5	23.6	42.9	2.84
811649		0.48	<0.0002	0.046	2.36	12.85	<10	27.1	0.42	0.37	0.15	0.08	65.5	18.8	41.5	1.85
811650		0.46	<0.0002	0.056	2.32	13.65	<10	34.8	0.54	0.41	0.21	0.10	56.4	26.2	39.6	1.82
811651		0.40	<0.0002	0.067	2.29	17.05	<10	28.0	0.50	0.39	0.15	0.09	62.6	19.1	37.1	1.88
811652		0.46	<0.0002	0.035	2.13	19.50	<10	17.8	0.44	0.32	0.13	0.08	57.9	23.0	41.4	2.15
811653		0.50	0.0007	0.052	1.88	36.9	<10	12.6	0.42	0.45	0.06	0.05	71.3	14.8	30.0	0.59
811654		0.46	0.0013	0.065	2.01	38.1	<10	14.3	0.41	0.50	0.07	0.05	78.3	17.8	43.8	0.68
811967		0.50	0.0023	0.175	1.98	22.0	<10	18.1	0.35	0.38	0.51	0.17	25.1	11.4	31.3	0.53
811968		0.48	0.0018	0.261	2.08	18.90	<10	26.9	0.43	0.42	0.45	0.10	37.4	8.6	32.0	0.86
811969		0.34	<0.0002	0.141	1.12	19.55	<10	17.4	0.42	0.32	1.85	0.12	29.0	12.5	14.2	1.51
811970		0.40	<0.0002	0.352	1.31	47.2	<10	14.9	0.73	0.39	1.63	0.22	23.8	8.4	20.4	3.75
811971		0.30	0.0039	0.074	2.12	23.8	<10	31.3	0.36	0.29	0.35	0.07	44.0	15.4	34.3	1.78
811972		0.38	0.0002	0.063	2.29	51.9	<10	21.7	2.06	0.43	0.10	0.55	58.5	247	33.9	1.59
811973		0.30	0.0011	0.054	2.22	47.1	<10	27.2	2.00	0.44	0.11	0.60	62.1	276	30.5	1.44
811974		0.32	0.0009	0.040	2.17	43.6	<10	22.8	1.54	0.44	0.08	0.62	72.7	293	30.1	1.37
812057		0.28	0.0014	0.173	2.34	41.7	<10	41.3	0.79	0.51	0.44	0.19	44.7	39.4	42.5	4.38
812058		0.22	0.0033	0.385	1.64	67.9	<10	35.8	1.44	0.50	0.92	0.36	23.9	44.7	22.4	9.95
812059		0.26	0.0002	0.121	1.13	24.2	<10	17.5	0.36	0.50	0.07	0.09	31.2	9.6	19.9	2.21
812060		0.40	0.0014	0.135	2.34	20.2	<10	44.9	0.50	0.44	0.39	0.06	58.5	20.9	48.0	2.80
812061		0.30	0.0013	0.184	2.99	47.9	<10	38.6	6.36	0.50	0.55	0.45	55.6	410	39.0	3.97
812062		0.26	0.0028	0.172	2.13	129.5	<10	26.1	0.88	0.75	0.43	0.11	48.1	51.6	30.2	5.92
812063		0.22	0.0020	0.253	9.55	177.0	<10	77.5	58.3	0.20	0.66	2.59	76.1	3700	7.4	2.90
812064		0.26	0.0019	0.198	4.67	82.8	<10	49.4	23.2	0.37	0.71	1.09	74.0	1345	21.9	4.01
812065		0.22	0.0022	0.205	4.25	71.6	<10	51.5	17.90	0.40	0.69	0.80	64.4	1280	28.9	4.41
812501		0.44	0.0008	0.050	2.03	27.7	<10	18.5	0.78	0.33	0.17	0.11	45.5	43.0	39.3	2.36
812502		0.36	0.0012	0.115	1.94	107.5	<10	61.0	0.32	0.29	0.61	0.17	23.2	18.1	30.9	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124827

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811645		24.9	5.09	6.74	0.07	0.11	0.006	0.022	0.03	31.9	71.2	1.01	423	0.63	<0.01	<0.05
811646		27.6	5.07	6.61	0.06	0.09	0.007	0.021	0.03	32.0	71.2	1.00	445	0.74	0.01	0.05
811647		33.3	4.74	6.22	0.06	0.10	0.012	0.023	0.04	23.4	67.9	0.93	506	0.59	0.01	0.05
811648		37.0	5.09	6.62	0.07	0.11	0.016	0.025	0.05	29.3	69.6	0.94	623	0.71	<0.01	<0.05
811649		30.6	5.08	6.91	0.08	0.20	0.014	0.019	0.05	35.1	70.0	0.93	460	0.80	0.01	<0.05
811650		31.3	5.10	6.42	0.06	0.11	0.011	0.022	0.05	29.6	68.3	0.92	635	0.75	0.01	<0.05
811651		29.8	4.94	6.54	0.07	0.16	0.005	0.021	0.05	34.1	68.1	0.90	495	0.63	0.01	<0.05
811652		24.0	4.83	6.36	0.09	0.08	0.006	0.018	0.03	30.5	73.4	0.90	498	0.53	<0.01	<0.05
811653		25.0	4.42	5.46	0.06	0.27	0.005	0.022	0.05	37.3	76.1	0.74	537	0.99	0.01	<0.05
811654		28.7	4.68	5.76	0.08	0.25	0.006	0.017	0.06	40.2	80.0	0.80	517	2.07	<0.01	<0.05
811967		57.1	4.05	5.37	<0.05	0.16	0.032	0.023	0.02	13.9	67.1	0.74	314	0.35	0.01	0.17
811968		57.4	3.60	5.84	0.06	0.16	0.049	0.026	0.02	20.4	78.4	0.76	309	0.34	0.01	0.08
811969		25.1	3.91	2.97	<0.05	0.09	0.033	0.023	0.02	15.3	30.7	0.44	649	0.30	0.01	0.14
811970		113.5	3.25	3.21	0.06	0.07	0.076	0.022	0.03	21.8	32.3	0.41	336	0.54	0.02	0.28
811971		22.1	3.96	5.89	<0.05	0.07	0.025	0.015	0.03	22.7	75.3	0.75	331	0.20	0.01	0.09
811972		92.0	4.90	5.98	0.08	0.10	0.005	0.020	0.03	31.5	98.8	0.78	3120	0.75	0.01	<0.05
811973		89.7	4.66	5.87	0.08	0.09	0.011	0.018	0.03	33.3	100.0	0.76	3450	0.51	<0.01	<0.05
811974		75.1	4.72	5.87	0.09	0.15	0.015	0.019	0.04	36.2	101.5	0.76	3540	0.52	<0.01	<0.05
812057		46.4	4.48	6.38	<0.05	0.08	0.025	0.024	0.06	22.9	69.4	0.85	1110	0.55	0.01	0.14
812058		82.6	3.18	3.90	0.05	0.10	0.068	0.022	0.05	12.7	42.3	0.47	1500	0.61	0.02	0.12
812059		34.4	3.36	3.98	<0.05	0.03	0.114	0.022	0.03	16.3	23.0	0.27	183	0.74	0.01	0.21
812060		44.5	4.36	6.54	0.06	0.08	0.015	0.020	0.08	29.7	78.2	0.91	462	0.89	0.01	0.20
812061		200	4.28	5.77	0.10	0.10	0.048	0.023	0.05	45.4	84.8	0.84	4660	1.13	0.01	0.11
812062		68.0	5.07	6.26	0.05	0.15	0.035	0.031	0.03	24.4	72.4	0.77	1100	0.84	0.01	0.09
812063		1730	1.21	3.28	0.23	0.16	0.041	0.008	0.03	30.5	317	0.24	43400	4.64	0.01	0.05
812064		555	2.99	5.18	0.22	0.12	0.036	0.019	0.04	119.0	141.5	0.57	15650	2.46	0.01	0.10
812065		508	3.40	5.64	0.17	0.11	0.053	0.022	0.05	66.2	137.0	0.67	13000	1.95	0.01	0.11
812501		29.1	4.50	5.50	0.07	0.08	<0.005	0.020	0.02	22.9	66.8	0.81	641	0.51	0.01	0.05
812502		23.0	5.00	4.81	<0.05	0.10	0.022	0.016	0.02	11.3	58.9	0.70	1940	1.26	0.01	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124827

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811645		53.5	0.056	23.8	2.1	<0.001	0.02	0.324	1.9	0.6	<0.2	12.0	<0.01	0.02	9.7	0.003
811646		55.3	0.056	24.0	2.3	<0.001	0.03	0.378	2.1	0.8	<0.2	13.0	<0.01	0.04	9.4	0.003
811647		53.8	0.072	29.4	2.8	<0.001	0.05	0.426	2.2	1.0	<0.2	20.7	<0.01	0.05	7.3	0.002
811648		54.2	0.068	29.3	3.1	0.001	0.03	0.395	2.3	1.2	<0.2	17.1	<0.01	0.05	9.0	0.002
811649		48.5	0.053	33.6	2.8	<0.001	0.02	0.351	2.0	0.4	<0.2	11.8	<0.01	0.04	13.3	0.002
811650		49.3	0.063	24.3	2.7	<0.001	0.03	0.374	1.9	1.0	<0.2	13.8	<0.01	0.04	9.7	0.002
811651		44.4	0.050	21.5	2.8	<0.001	0.02	0.371	2.0	0.8	0.2	11.9	<0.01	0.01	11.7	0.002
811652		49.1	0.050	20.1	2.1	<0.001	0.02	0.412	1.8	0.5	<0.2	11.0	<0.01	0.02	9.3	0.003
811653		47.6	0.038	28.9	2.6	<0.001	0.02	0.934	1.8	0.3	<0.2	12.9	<0.01	0.04	13.0	0.002
811654		57.6	0.046	26.9	3.1	<0.001	0.02	0.769	2.0	0.4	<0.2	13.6	<0.01	0.02	13.5	0.003
811967		33.7	0.042	29.6	2.0	0.002	1.09	0.159	2.5	2.4	<0.2	14.8	<0.01	0.01	5.8	0.006
811968		36.0	0.057	51.2	2.4	0.003	0.16	0.155	2.5	2.0	<0.2	22.0	<0.01	<0.01	5.9	0.004
811969		25.2	0.066	23.5	3.1	0.001	0.15	0.216	1.9	1.3	<0.2	81.1	<0.01	0.04	5.2	0.004
811970		78.5	0.135	25.9	3.7	0.002	0.20	0.406	1.8	3.5	<0.2	75.0	<0.01	0.04	1.2	0.010
811971		38.7	0.053	23.2	3.5	<0.001	0.21	0.146	1.7	1.1	<0.2	15.8	<0.01	0.03	7.0	0.003
811972		169.5	0.053	24.9	2.2	<0.001	0.05	1.145	2.1	1.2	<0.2	11.1	<0.01	0.02	11.3	0.002
811973		178.5	0.049	25.6	2.1	<0.001	0.03	1.120	2.0	0.9	<0.2	11.8	<0.01	0.02	10.5	0.002
811974		188.0	0.044	26.7	2.2	<0.001	0.02	1.020	2.1	0.7	<0.2	11.0	<0.01	0.02	12.6	0.002
812057		70.3	0.093	33.6	5.1	<0.001	0.05	0.380	2.2	1.4	0.2	18.4	<0.01	0.03	5.0	0.005
812058		140.5	0.150	40.6	4.0	<0.001	0.13	0.540	1.0	2.3	<0.2	31.8	<0.01	0.02	1.6	0.003
812059		21.1	0.149	29.1	2.7	<0.001	0.12	0.867	0.6	0.5	0.2	8.2	<0.01	0.04	0.9	0.006
812060		50.1	0.064	23.0	6.6	0.001	0.06	0.381	2.7	0.7	0.2	44.4	<0.01	0.03	8.0	0.007
812061		440	0.112	32.9	3.4	0.001	0.11	0.509	3.0	3.7	<0.2	32.1	<0.01	0.03	6.5	0.005
812062		73.2	0.102	53.6	3.8	<0.001	0.08	0.949	2.4	1.3	<0.2	20.9	<0.01	0.04	6.4	0.003
812063		1810	0.225	15.00	2.0	0.001	0.32	0.358	4.9	15.2	<0.2	49.6	0.01	0.01	2.3	0.002
812064		980	0.155	24.7	3.1	0.001	0.19	0.493	3.6	8.0	<0.2	42.3	0.01	0.05	4.4	0.004
812065		942	0.143	26.6	3.6	<0.001	0.14	0.506	3.5	5.8	<0.2	41.3	0.01	0.01	5.2	0.004
812501		60.9	0.054	21.9	2.0	<0.001	0.03	0.645	1.8	0.9	<0.2	13.7	<0.01	<0.01	7.3	0.003
812502		28.1	0.072	17.80	2.9	0.004	0.09	0.294	2.1	1.8	<0.2	24.7	<0.01	<0.01	3.5	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124827

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
811645		0.02	0.89	20	0.0125	4.42	121.0	5.5
811646		0.02	1.13	20	0.0299	4.65	117.5	4.4
811647		0.02	2.29	18	0.0451	5.69	132.0	3.6
811648		0.03	1.73	18	0.0189	5.95	140.0	4.0
811649		0.02	1.03	17	0.0099	4.68	115.5	8.3
811650		0.03	1.49	16	0.0263	5.18	136.0	4.9
811651		0.02	0.82	16	0.0129	4.63	114.0	7.9
811652		<0.02	0.93	18	0.649	4.14	111.5	4.2
811653		0.02	0.94	13	0.0304	3.56	102.0	10.4
811654		0.02	0.98	15	0.0399	4.03	115.0	9.9
811967		0.03	3.12	15	0.0262	8.84	102.0	5.5
811968		0.02	3.38	15	0.0356	9.97	104.5	5.0
811969		0.02	0.97	9	0.100	11.25	81.4	3.1
811970		0.02	4.31	12	0.220	28.0	115.0	2.1
811971		0.02	1.02	16	0.0702	4.08	109.0	2.5
811972		<0.02	1.11	16	0.0520	20.8	536	5.0
811973		0.02	1.08	15	0.0359	21.2	560	4.0
811974		0.02	0.96	15	0.0237	14.80	542	6.6
812057		0.03	1.47	21	0.224	7.39	174.0	2.4
812058		0.04	4.52	11	0.241	17.85	220	3.3
812059		0.04	1.34	15	0.126	2.58	61.7	1.0
812060		0.05	1.04	22	0.0848	4.55	95.1	2.8
812061		0.02	5.75	20	0.251	51.5	1300	2.8
812062		0.02	5.92	17	0.108	7.06	164.0	4.7
812063		0.02	58.5	6	0.145	354	9260	3.3
812064		0.02	17.30	14	0.451	179.0	3810	3.0
812065		0.02	12.35	17	0.259	134.0	3390	3.3
812501		<0.02	1.18	17	0.106	6.10	188.5	2.9
812502		0.02	1.40	18	0.110	4.91	97.2	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11124827

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22-AUG-2011
Account: RESCOM

CERTIFICATE WH11132714

Project:

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20-JUL-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	STEVE POTTS	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
Sample Description															
811765	0.24	0.0015	0.061	2.25	40.8	<10	36.2	0.71	0.45	0.09	0.03	80.2	20.9	38.6	2.30
811766	0.34	0.0011	0.044	2.36	10.35	<10	29.0	0.23	0.34	0.09	0.02	81.6	9.2	36.3	1.26
811767	0.20	0.0007	0.087	2.23	92.6	<10	30.9	0.34	0.54	0.05	0.08	47.3	14.4	32.4	1.54
811768	0.26	0.0004	0.075	1.64	47.9	<10	46.1	0.28	0.50	0.03	0.08	34.0	8.8	22.2	1.49
811769	0.16	0.0012	0.064	1.48	53.7	<10	41.5	0.41	0.37	0.27	0.09	30.6	10.7	13.3	1.84
811770	0.14	0.0002	0.112	1.06	30.3	<10	27.6	0.15	0.36	0.02	0.03	54.4	3.6	13.4	0.70
811771	0.18	0.0003	0.101	1.10	31.2	<10	29.8	0.16	0.36	0.02	0.03	57.0	3.7	13.8	0.73
811772	0.28	0.0004	0.040	1.95	82.0	<10	29.9	0.26	0.44	0.02	0.07	53.3	10.6	28.5	1.08
811773	0.32	0.0010	0.058	2.30	49.7	<10	49.4	0.45	0.51	0.24	0.09	56.3	16.4	33.8	1.18
811774	0.18	<0.0002	0.078	0.64	4.62	<10	10.9	0.17	0.04	0.32	0.02	4.36	0.8	1.4	0.08
811775	0.10	0.0005	0.220	1.09	34.8	<10	62.8	0.27	0.24	0.63	0.16	13.25	7.6	10.0	0.81
811776	0.12	<0.0002	0.169	0.77	20.8	<10	41.7	0.19	0.16	0.69	0.08	10.90	4.9	7.8	0.49
811777	0.10	<0.0002	0.111	0.45	1.92	<10	16.1	0.13	0.04	0.16	0.01	3.09	0.9	1.6	0.36
811778	0.10	<0.0002	0.043	0.39	3.08	<10	43.9	0.13	0.09	2.43	0.03	9.01	3.0	2.1	0.24
811779	0.12	0.0002	0.032	0.65	1.78	<10	25.1	0.14	0.05	2.00	0.09	5.24	2.0	1.3	0.15
811780	0.24	<0.0002	0.042	1.20	26.3	<10	86.4	0.22	0.43	0.15	0.07	39.4	7.4	14.1	0.44
811781	0.18	0.0002	0.026	2.46	26.5	<10	60.5	0.80	0.48	0.12	0.04	63.2	20.7	28.6	1.07
811782	0.24	0.0002	0.023	2.58	32.1	<10	62.7	0.82	0.45	0.11	0.06	78.9	19.3	34.9	1.74
811783	0.20	<0.0002	0.036	1.35	19.70	<10	52.2	0.55	0.48	0.64	0.12	55.5	12.5	20.0	0.90
811784	0.20	0.0011	0.213	1.97	30.7	<10	64.4	0.70	0.45	1.49	0.18	37.9	12.9	25.9	1.14
811785	0.18	0.0002	0.078	1.92	27.9	<10	31.4	0.39	0.54	0.09	0.10	43.6	14.6	26.4	0.79
811786	0.18	<0.0002	0.052	1.98	137.0	<10	52.5	0.46	0.46	0.42	0.19	40.2	15.4	27.7	1.33
811787	0.28	0.0013	0.097	1.87	113.5	<10	27.1	0.40	0.40	0.34	0.11	53.9	17.0	27.1	0.61
811788	0.24	<0.0002	0.093	1.76	95.6	<10	69.5	0.47	0.42	0.23	0.12	49.4	13.9	19.9	0.81
811789	0.16	0.0009	0.135	1.42	80.5	<10	46.1	0.61	0.34	0.42	0.05	36.4	11.5	16.7	0.58
811790	0.18	0.0008	0.111	1.21	57.4	<10	28.0	0.20	0.37	0.03	0.07	29.9	6.7	19.2	1.08
811791	0.38	0.0007	0.156	2.08	49.6	<10	95.4	0.47	0.49	0.28	0.07	40.1	14.5	29.5	1.14
811792	0.46	0.0010	0.158	2.08	44.2	<10	79.4	0.44	0.47	0.27	0.07	41.8	14.4	30.1	0.98
811793	0.34	<0.0002	0.056	1.59	53.9	<10	44.7	0.27	0.50	0.03	0.20	50.0	11.0	21.8	1.45
811794	0.30	0.0010	0.138	2.23	121.0	<10	21.8	0.41	0.67	0.02	0.07	58.5	9.7	36.1	1.24
811795	0.18	<0.0002	0.027	0.36	2.93	<10	24.6	0.06	0.08	0.02	0.02	33.7	0.6	1.7	0.43
811796	0.24	<0.0002	0.024	0.82	38.1	<10	35.2	0.15	0.35	0.03	0.03	40.8	3.5	10.6	0.47
811797	0.12	<0.0002	0.021	0.35	3.72	<10	24.8	0.11	0.08	0.05	0.05	8.16	1.1	2.3	0.37
811798	0.22	0.0008	0.088	2.12	41.4	<10	15.0	0.40	0.33	0.39	0.07	30.1	17.5	33.5	0.85
811799	0.14	0.0013	0.062	2.08	50.6	<10	33.6	0.54	0.42	0.27	0.05	54.8	21.6	32.8	2.03
811800	0.26	0.0006	0.033	2.41	43.8	<10	32.9	0.46	0.37	0.02	0.03	88.2	16.1	38.4	1.19
811801	0.26	0.0016	0.039	2.12	33.8	<10	48.2	0.39	0.39	0.03	0.04	85.5	11.9	33.6	1.38
811802	0.32	0.0009	0.033	2.02	21.6	<10	20.8	0.34	0.38	0.83	0.07	68.8	20.3	34.8	0.79
811803	0.32	0.0010	0.033	2.25	39.8	<10	32.8	0.48	0.44	0.11	0.04	73.4	20.9	34.4	1.47
811804	0.26	0.0013	0.044	2.39	16.15	<10	29.2	0.45	0.36	0.14	0.03	57.2	19.2	37.1	1.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
811765		34.4	4.96	6.58	0.07	0.05	0.032	0.023	0.04	42.0	75.4	0.83	402	0.56	0.01	0.09
811766		22.9	4.20	6.71	0.09	0.04	<0.005	0.016	0.03	43.0	68.2	0.89	397	0.21	<0.01	0.06
811767		28.2	4.72	6.70	0.05	0.04	0.043	0.026	0.03	25.2	47.3	0.61	505	0.73	0.01	0.49
811768		22.5	3.88	6.64	<0.05	<0.02	0.025	0.020	0.03	19.0	24.9	0.33	524	0.94	0.01	0.51
811769		22.4	2.60	5.12	<0.05	0.02	0.014	0.013	0.03	15.5	24.6	0.24	520	0.53	0.03	0.49
811770		11.40	2.86	6.77	0.06	<0.02	0.018	0.010	0.02	30.4	13.2	0.16	151	0.56	0.01	0.66
811771		11.75	2.98	7.03	0.05	0.02	0.019	0.010	0.02	32.0	13.6	0.17	157	0.57	0.01	0.70
811772		26.9	4.84	6.84	0.06	0.04	0.011	0.018	0.02	26.5	47.0	0.59	528	0.60	0.01	0.25
811773		25.2	5.06	7.14	0.05	0.03	<0.005	0.023	0.03	31.1	78.0	0.79	765	0.78	0.01	0.38
811774		17.50	0.30	1.39	<0.05	0.05	0.007	<0.005	0.02	3.1	1.8	0.03	33	0.08	0.04	0.30
811775		39.3	1.97	3.10	<0.05	0.05	0.023	0.014	0.03	7.8	15.7	0.20	500	0.77	0.03	0.30
811776		24.8	1.34	2.59	<0.05	0.03	0.020	0.009	0.02	6.3	11.9	0.17	283	0.53	0.03	0.27
811777		7.57	0.31	1.58	<0.05	<0.02	<0.005	<0.005	0.02	2.0	1.9	0.03	24	0.10	0.04	0.30
811778		9.99	0.79	1.01	<0.05	0.03	0.016	0.008	0.02	4.6	2.0	0.06	261	0.17	0.04	0.17
811779		8.97	0.37	1.48	<0.05	0.05	0.016	<0.005	0.02	2.7	1.4	0.04	123	0.23	0.04	0.32
811780		15.05	4.11	6.14	<0.05	0.02	0.022	0.016	0.03	21.9	16.3	0.17	192	0.52	0.01	0.27
811781		35.5	5.12	5.95	0.06	0.08	0.011	0.031	0.07	34.2	46.5	0.59	384	0.37	0.01	0.13
811782		35.1	4.99	6.85	0.07	0.12	<0.005	0.023	0.11	41.1	68.8	0.69	340	0.39	0.01	0.10
811783		23.0	3.25	5.79	<0.05	0.02	0.009	0.019	0.04	29.1	25.2	0.38	863	0.59	0.01	0.69
811784		80.3	3.43	5.50	0.07	0.11	0.039	0.018	0.06	34.2	37.3	0.55	687	0.46	0.01	0.19
811785		19.40	4.62	5.89	0.05	0.04	0.018	0.018	0.03	24.6	41.3	0.59	398	0.45	0.01	0.45
811786		20.6	4.65	5.74	0.05	0.06	0.005	0.023	0.04	20.2	40.1	0.69	672	0.47	<0.01	0.46
811787		35.3	4.25	5.44	0.06	0.12	0.021	0.022	0.03	30.3	50.0	0.72	602	0.26	<0.01	0.13
811788		17.20	4.85	5.72	0.05	0.03	0.010	0.031	0.03	27.0	31.5	0.35	709	0.53	0.01	0.71
811789		23.6	5.97	3.69	0.05	0.06	0.023	0.028	0.03	20.8	25.3	0.34	1060	0.40	0.01	0.14
811790		14.00	4.28	6.11	<0.05	<0.02	0.014	0.015	0.02	16.5	22.5	0.29	340	0.50	0.01	0.23
811791		30.2	4.24	6.19	0.05	0.08	0.023	0.024	0.04	20.1	48.4	0.55	662	0.54	0.01	0.26
811792		29.2	4.19	6.06	<0.05	0.08	0.023	0.021	0.04	20.5	54.7	0.61	614	0.58	0.01	0.23
811793		19.05	4.09	7.63	<0.05	<0.02	0.009	0.022	0.03	26.6	32.9	0.37	370	1.07	<0.01	1.13
811794		31.1	7.58	9.79	0.06	0.07	0.016	0.027	0.02	28.4	40.3	0.53	466	0.94	0.01	0.54
811795		3.36	0.37	2.59	<0.05	<0.02	0.019	<0.005	0.02	18.2	1.7	0.02	19	0.12	0.02	0.16
811796		7.87	2.78	5.52	0.05	<0.02	<0.005	0.008	0.02	20.8	9.8	0.13	173	0.43	0.01	0.21
811797		4.32	0.50	2.02	<0.05	<0.02	<0.005	0.006	0.03	4.4	1.5	0.03	30	0.20	0.03	0.12
811798		37.2	3.89	5.47	0.08	0.13	<0.005	0.015	0.02	15.7	68.4	0.77	356	0.26	0.01	0.10
811799		25.6	4.66	5.38	0.07	0.09	<0.005	0.021	0.04	26.8	66.8	0.70	481	0.50	0.01	0.08
811800		31.3	4.78	6.46	0.11	0.02	<0.005	0.018	0.05	43.7	71.6	0.84	529	0.39	0.01	0.08
811801		29.7	4.12	6.97	0.11	<0.02	0.021	0.023	0.03	42.1	58.2	0.74	383	0.74	0.01	0.34
811802		29.8	4.36	5.41	0.10	0.16	0.008	0.015	0.06	32.6	56.8	1.12	512	0.25	0.01	0.07
811803		33.4	4.62	6.88	0.11	0.04	0.015	0.018	0.03	34.8	66.0	0.76	472	0.56	0.01	0.18
811804		31.5	4.29	6.02	0.08	0.08	<0.005	0.015	0.03	29.0	79.0	0.85	422	0.69	0.01	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method Analyte Units LOR	ME-MS41L Ni ppm 0.1	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.01	ME-MS41L Rb ppm 0.1	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.1	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.2	ME-MS41L Sr ppm 0.2	ME-MS41L Ta ppm 0.01	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.1	ME-MS41L Ti % 0.001
811765		45.1	0.050	29.3	5.3	<0.001	0.01	0.795	2.6	0.2	<0.2	13.3	<0.01	0.03	12.3	0.004
811766		29.8	0.043	20.4	2.8	<0.001	0.01	0.149	1.9	0.1	<0.2	7.8	<0.01	<0.01	11.1	0.005
811767		31.5	0.080	34.6	4.6	<0.001	0.03	0.561	1.4	0.2	0.3	6.5	0.01	0.03	4.2	0.014
811768		18.7	0.076	21.6	5.5	<0.001	0.04	0.508	0.6	0.2	0.5	7.3	0.01	0.03	0.6	0.019
811769		15.4	0.073	15.65	5.1	<0.001	0.05	0.351	0.7	0.2	0.2	14.5	0.01	0.02	1.5	0.013
811770		8.3	0.050	11.05	3.0	<0.001	0.01	0.285	0.7	0.1	0.4	4.4	0.01	0.01	4.9	0.015
811771		8.7	0.051	11.60	3.1	<0.001	0.01	0.324	0.7	0.2	0.5	4.6	0.01	0.02	5.7	0.016
811772		25.8	0.079	20.7	3.7	<0.001	0.03	0.523	1.0	0.7	0.2	5.9	<0.01	0.02	3.0	0.010
811773		32.1	0.035	31.8	5.6	<0.001	0.02	0.230	2.1	0.1	0.3	15.1	<0.01	0.04	7.6	0.010
811774		4.2	0.044	10.70	0.7	<0.001	0.04	0.086	0.2	0.7	<0.2	15.1	0.01	<0.01	0.1	0.017
811775		23.0	0.058	12.55	4.1	0.001	0.05	0.154	1.0	0.6	<0.2	29.8	<0.01	0.01	1.2	0.009
811776		15.3	0.042	7.57	1.8	<0.001	0.05	0.115	0.6	0.2	<0.2	30.1	<0.01	0.01	0.9	0.012
811777		8.1	0.015	3.50	0.9	<0.001	0.02	0.029	0.2	<0.1	<0.2	10.0	0.01	<0.01	0.1	0.017
811778		5.4	0.053	5.13	1.1	<0.001	0.05	0.125	0.5	0.6	<0.2	115.0	<0.01	0.02	0.5	0.011
811779		3.0	0.037	2.26	0.7	0.001	0.10	0.137	0.1	0.6	<0.2	95.9	0.01	<0.01	0.1	0.014
811780		13.6	0.044	15.10	4.1	<0.001	0.01	0.247	0.9	0.4	0.2	13.7	<0.01	0.01	5.8	0.005
811781		42.1	0.021	27.6	7.4	<0.001	0.01	0.195	2.6	0.2	0.2	14.8	<0.01	0.02	14.3	0.003
811782		42.7	0.023	26.4	8.8	<0.001	0.01	0.477	2.4	0.3	0.2	15.4	<0.01	0.02	13.0	0.003
811783		19.2	0.044	17.25	4.3	<0.001	0.02	0.213	1.7	0.4	0.4	47.6	0.01	0.03	4.3	0.021
811784		31.0	0.118	21.2	6.2	<0.001	0.12	0.332	1.4	1.1	0.2	95.5	<0.01	0.01	2.1	0.006
811785		29.6	0.038	22.0	4.5	<0.001	0.01	0.219	1.3	0.1	0.2	8.8	0.01	0.02	8.2	0.011
811786		30.3	0.051	21.9	6.2	<0.001	0.03	0.250	2.1	0.4	0.3	32.4	<0.01	0.02	4.9	0.013
811787		39.3	0.054	21.4	3.2	<0.001	0.02	0.225	2.8	0.9	<0.2	23.3	<0.01	0.02	9.2	0.007
811788		22.1	0.034	40.0	6.7	<0.001	0.01	0.227	1.5	0.2	0.3	19.4	0.01	0.03	7.8	0.011
811789		27.2	0.052	29.3	3.6	<0.001	0.02	0.324	2.6	0.9	<0.2	33.3	<0.01	0.03	6.7	0.004
811790		13.4	0.117	14.15	3.7	<0.001	0.03	0.350	0.4	0.3	0.2	4.5	<0.01	0.03	0.5	0.015
811791		30.9	0.109	22.6	7.2	<0.001	0.04	0.318	1.8	0.5	0.2	23.2	<0.01	0.01	3.3	0.007
811792		32.6	0.098	21.6	6.0	<0.001	0.04	0.315	1.8	0.4	0.2	22.1	<0.01	0.02	3.9	0.006
811793		20.8	0.035	24.5	7.4	<0.001	0.01	0.331	1.3	0.3	0.5	6.8	0.01	0.04	4.1	0.027
811794		25.9	0.080	34.7	3.9	<0.001	0.02	0.560	1.4	0.7	0.3	4.5	0.01	0.03	8.7	0.012
811795		1.2	0.021	2.82	2.1	<0.001	0.01	0.092	0.1	0.4	0.2	4.9	<0.01	0.02	0.9	0.010
811796		7.2	0.084	13.00	2.7	<0.001	0.02	0.304	0.2	0.4	0.3	7.0	<0.01	0.02	0.5	0.012
811797		2.0	0.029	4.38	2.1	<0.001	0.02	0.128	<0.1	0.5	0.2	7.5	<0.01	0.01	<0.1	0.011
811798		37.1	0.045	27.9	1.8	0.002	0.47	0.255	1.7	1.4	<0.2	20.8	<0.01	0.03	6.3	0.005
811799		35.6	0.055	31.9	4.5	0.001	0.05	1.015	2.0	0.7	<0.2	22.4	<0.01	0.02	9.3	0.003
811800		31.7	0.035	21.9	3.1	<0.001	0.02	0.513	2.0	0.8	<0.2	4.6	<0.01	0.01	11.2	0.011
811801		30.9	0.044	23.3	5.1	<0.001	0.01	0.472	1.9	0.5	0.3	6.9	<0.01	0.02	5.1	0.017
811802		37.6	0.068	27.5	2.7	<0.001	0.01	0.615	2.0	0.1	<0.2	16.3	<0.01	0.03	11.8	0.006
811803		41.9	0.050	31.3	4.1	<0.001	0.02	0.467	1.8	0.4	<0.2	14.5	<0.01	0.02	10.5	0.006
811804		44.4	0.043	15.70	3.9	<0.001	0.02	0.267	1.9	0.5	<0.2	11.7	<0.01	<0.01	8.9	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
811765		0.04	1.64	18	0.0669	5.72	96.1	2.2
811766		0.02	0.94	17	0.0354	3.20	92.0	1.2
811767		0.04	0.85	22	0.356	2.68	88.9	1.1
811768		0.05	0.77	28	0.386	2.29	74.3	<0.5
811769		0.04	0.86	15	0.158	2.84	45.7	1.0
811770		0.05	0.47	26	0.293	1.73	27.6	0.5
811771		0.05	0.50	27	0.305	1.86	29.0	0.7
811772		0.03	0.79	19	0.161	2.37	76.1	1.2
811773		0.05	1.05	25	0.258	3.25	91.3	1.1
811774		0.02	1.61	5	0.0304	2.40	5.7	1.6
811775		0.03	1.14	10	0.128	3.94	55.7	1.4
811776		0.02	1.02	8	0.112	2.10	25.6	1.3
811777		<0.02	0.46	6	0.0528	1.94	5.7	<0.5
811778		0.02	1.08	6	0.0422	3.39	21.9	1.1
811779		0.02	7.79	5	0.0369	1.50	8.6	1.7
811780		0.04	0.53	23	0.177	2.22	62.4	0.7
811781		0.06	0.87	17	0.0957	6.95	70.9	4.2
811782		0.06	0.58	20	0.251	3.52	84.2	5.4
811783		0.03	1.78	24	0.175	5.81	50.6	0.7
811784		0.03	16.50	15	0.0924	16.35	84.2	3.0
811785		0.03	0.83	18	0.129	2.37	85.8	1.4
811786		0.04	2.59	21	0.127	4.25	110.0	1.5
811787		0.02	0.95	15	0.0860	10.50	104.5	3.5
811788		0.05	0.70	20	0.185	3.52	99.3	1.7
811789		0.05	0.86	12	0.350	9.64	57.0	1.5
811790		0.03	0.48	22	0.171	1.34	54.8	<0.5
811791		0.04	1.08	19	0.132	6.18	85.6	2.1
811792		0.04	1.01	18	0.131	5.53	84.6	2.0
811793		0.06	0.67	34	0.357	2.34	106.0	0.5
811794		0.03	0.74	27	0.181	2.41	102.5	2.8
811795		0.03	0.18	6	0.0714	0.77	5.5	<0.5
811796		0.04	0.34	22	0.388	1.11	33.5	<0.5
811797		<0.02	0.30	8	0.0967	0.72	7.1	<0.5
811798		0.02	2.86	15	0.0889	4.87	99.9	3.5
811799		0.03	1.24	16	0.0774	4.24	89.8	2.1
811800		0.02	0.94	20	0.0689	3.90	96.6	0.9
811801		0.02	1.25	24	0.146	4.22	85.8	<0.5
811802		0.02	0.46	17	0.252	4.50	96.6	5.8
811803		<0.02	0.88	19	0.128	3.21	98.0	1.4
811804		0.03	1.09	17	0.0545	4.06	125.5	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
811805		0.24	<0.0002	0.018	0.78	9.66	<10	9.8	0.08	0.20	0.03	0.01	17.30	3.1	12.0	0.46
811806		0.14	<0.0002	0.094	1.81	26.7	<10	21.8	0.17	0.48	0.03	0.01	40.6	4.6	26.9	1.79
811807		0.30	<0.0002	0.027	0.70	16.60	<10	19.0	0.09	0.38	0.01	0.01	81.6	1.8	9.1	1.31
811808		0.20	<0.0002	0.036	1.34	20.3	<10	16.4	0.15	0.36	0.02	0.01	37.9	5.2	20.2	0.89
811809		0.26	0.0004	0.086	0.91	14.00	<10	51.1	0.35	0.22	2.82	0.23	10.70	9.9	14.3	0.76
811810		0.08	0.0003	0.062	2.10	14.50	<10	40.3	0.34	0.33	0.32	0.05	47.7	15.3	49.0	1.47
811811		0.26	0.0004	0.034	2.02	24.6	<10	37.2	0.40	0.38	0.20	0.03	64.2	17.2	34.7	1.73
811812		0.20	<0.0002	0.072	0.90	13.55	<10	27.8	0.09	0.25	0.02	0.02	45.8	3.0	12.6	0.39
811813		0.26	<0.0002	0.038	1.32	20.3	<10	27.4	0.14	0.33	0.02	0.03	57.2	4.8	23.0	0.57
811814		0.16	<0.0002	0.056	0.65	6.36	<10	27.2	0.11	0.14	0.03	0.03	15.30	2.3	8.3	0.75
811815		0.18	<0.0002	0.167	2.29	28.6	<10	63.3	0.68	0.60	0.77	0.11	27.3	29.8	72.0	6.32
811816		0.36	0.0007	0.035	2.33	36.2	<10	25.9	0.45	0.40	0.10	0.04	63.1	22.7	71.4	0.87
811817		0.14	<0.0002	0.047	0.29	2.56	<10	12.9	0.05	0.09	0.02	0.02	11.15	1.2	5.5	0.33
811818		0.38	<0.0002	0.112	1.31	89.1	<10	17.1	0.41	0.47	0.44	0.09	32.3	14.9	19.9	0.60
811819		0.38	<0.0002	0.092	1.37	45.4	<10	42.0	0.22	0.48	0.03	0.09	38.3	11.2	19.8	1.06
811820		0.34	<0.0002	0.062	1.56	42.4	<10	59.2	0.33	0.52	0.57	0.19	26.2	14.0	22.4	1.42
811821		0.30	<0.0002	0.060	1.53	42.7	<10	55.5	0.29	0.46	0.53	0.15	23.4	13.1	22.1	1.34
811822		0.36	<0.0002	0.038	1.39	48.5	<10	29.4	0.23	0.50	0.03	0.05	33.7	10.1	24.0	0.98
811823		0.30	<0.0002	0.050	1.42	51.3	<10	28.0	0.23	0.40	0.02	0.04	34.8	7.2	20.8	0.88
811824		0.32	<0.0002	0.090	1.77	64.0	<10	20.8	0.42	0.43	1.30	0.18	22.8	19.0	28.2	0.40
811825		0.36	<0.0002	0.111	1.29	18.35	<10	27.6	0.32	0.20	0.94	0.13	16.90	6.0	11.6	0.38
811826		0.28	<0.0002	0.072	1.29	26.5	<10	57.3	0.19	0.33	0.03	0.06	30.5	7.2	12.6	1.45
811827		0.26	<0.0002	0.086	1.27	18.70	<10	33.2	0.20	0.21	0.03	0.05	25.2	5.2	12.8	0.90
811828		0.28	<0.0002	0.039	1.90	38.2	<10	40.3	0.23	0.44	0.03	0.06	41.0	9.3	26.5	1.47
811829		0.40	0.0009	0.069	2.09	26.7	<10	27.5	0.48	0.39	0.16	0.03	55.4	12.5	37.9	1.50
811830		0.36	0.0005	0.051	2.01	28.7	<10	15.6	0.51	0.33	0.16	0.05	50.6	21.2	37.5	1.64
811831		0.38	0.0015	0.145	2.53	26.0	<10	29.7	0.59	0.43	0.14	0.06	65.3	26.7	51.4	1.79
811832		0.36	0.0004	0.062	1.72	18.90	<10	23.0	0.31	0.30	0.13	0.03	37.5	8.4	26.1	1.01
811833		0.10	0.0028	0.285	2.28	56.1	<10	56.3	0.85	0.57	0.32	0.06	31.5	22.1	42.5	4.59
811834		0.40	0.0008	0.054	2.06	25.2	<10	12.1	0.34	0.34	0.17	0.04	46.5	18.2	44.2	0.76
811835		0.26	0.0004	0.098	2.57	22.1	<10	48.7	0.75	0.47	0.33	0.04	46.4	22.1	47.9	2.00
811836		0.30	0.0011	0.175	2.21	18.00	<10	64.3	0.63	0.41	0.34	0.03	34.6	16.1	43.6	1.87
811837		0.22	0.0009	0.165	2.45	29.9	<10	52.8	0.78	0.47	0.62	0.11	43.1	21.1	47.8	3.54
811838		0.18	0.0012	0.304	2.09	29.7	<10	72.9	0.73	0.43	0.87	0.07	23.6	18.7	32.5	4.72
811839		0.28	0.0004	0.181	1.93	18.75	<10	44.1	1.30	0.22	0.20	0.04	23.4	27.8	24.4	2.10
811840		0.30	<0.0002	0.027	1.84	20.5	<10	30.0	0.41	0.38	0.04	0.04	44.2	10.6	30.7	1.45
811841		0.26	0.0006	0.031	2.62	26.5	<10	36.4	0.95	0.44	0.07	0.06	47.5	28.4	41.8	1.66
811842		0.34	0.0007	0.039	1.96	22.0	<10	25.9	0.24	0.35	0.02	0.05	44.9	8.2	33.2	0.83
811843		0.24	0.0009	0.066	0.85	7.81	<10	30.8	0.09	0.28	0.03	0.05	20.7	2.7	17.3	0.63
811844		0.26	0.0003	0.084	1.36	13.40	<10	74.8	0.33	0.38	0.06	0.18	26.7	5.1	20.4	1.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811805		9.43	2.04	2.45	0.06	0.02	<0.005	0.009	0.02	8.3	21.6	0.26	113	0.24	0.02	0.16
811806		22.8	4.26	5.18	0.07	0.04	<0.005	0.021	0.02	20.1	49.9	0.60	234	0.52	0.01	0.15
811807		9.83	2.34	6.30	0.09	<0.02	<0.005	0.009	0.02	38.5	8.5	0.11	54	0.74	0.01	0.48
811808		22.2	3.26	4.34	0.08	0.03	<0.005	0.014	0.02	18.5	36.7	0.44	202	0.43	0.02	0.17
811809		37.0	1.87	1.92	<0.05	0.11	0.043	0.008	0.05	5.6	18.5	0.31	1060	0.81	0.03	0.11
811810		28.2	3.81	5.40	0.06	0.08	<0.005	0.016	0.06	23.6	63.7	0.86	392	0.53	0.01	0.15
811811		32.7	4.08	5.11	0.10	0.08	<0.005	0.015	0.11	32.1	55.8	0.68	415	0.67	0.02	0.08
811812		7.50	2.16	5.23	0.05	<0.02	<0.005	0.008	0.02	21.7	9.1	0.12	67	0.37	0.01	0.37
811813		9.81	3.59	6.30	0.07	0.02	<0.005	0.011	0.02	28.3	20.3	0.26	134	0.42	0.01	0.40
811814		6.88	1.07	2.69	<0.05	<0.02	0.006	0.006	0.03	7.5	6.2	0.09	85	0.27	0.03	0.27
811815		50.8	4.02	5.82	0.05	0.10	0.016	0.029	0.04	14.0	56.2	0.92	509	1.65	0.02	0.31
811816		54.5	4.89	5.59	0.08	0.04	<0.005	0.015	0.04	30.2	64.0	1.05	464	0.34	0.01	0.29
811817		6.15	0.43	1.28	<0.05	<0.02	<0.005	0.005	0.02	5.5	2.8	0.05	24	0.13	0.02	0.10
811818		40.4	4.26	3.56	0.08	0.08	<0.005	0.023	0.02	18.2	27.9	0.41	783	0.40	0.02	0.14
811819		14.20	4.67	6.10	0.05	0.02	0.005	0.015	0.03	19.2	21.6	0.26	634	0.64	0.01	0.50
811820		17.25	3.78	5.35	<0.05	0.06	0.014	0.019	0.03	12.0	32.2	0.42	1060	0.69	0.01	0.48
811821		16.20	3.72	4.90	<0.05	0.06	<0.005	0.018	0.03	11.5	31.2	0.42	1020	0.62	0.01	0.45
811822		14.90	4.68	5.84	0.05	<0.02	0.010	0.018	0.02	16.5	25.2	0.36	474	0.71	0.01	0.50
811823		12.65	3.93	5.30	0.05	<0.02	0.006	0.016	0.02	17.1	23.9	0.29	345	0.65	0.01	0.43
811824		32.8	3.37	4.47	0.05	0.20	0.010	0.021	0.01	10.1	42.8	0.59	460	0.66	0.01	0.10
811825		31.3	1.74	3.42	0.05	0.09	0.024	0.010	0.03	9.2	21.2	0.26	479	0.56	0.03	0.37
811826		12.00	2.67	5.69	<0.05	0.02	<0.005	0.013	0.03	15.7	15.8	0.16	959	0.48	0.02	0.65
811827		11.15	2.61	4.42	<0.05	0.02	0.016	0.015	0.02	9.9	12.3	0.14	409	0.47	0.02	0.69
811828		15.85	4.35	6.01	0.06	0.02	0.024	0.019	0.03	20.4	30.2	0.37	506	0.74	0.01	0.86
811829		22.6	4.24	5.83	0.07	0.08	<0.005	0.016	0.03	27.0	78.3	0.76	307	0.48	0.01	0.08
811830		23.4	4.38	5.53	0.09	0.08	<0.005	0.018	0.04	24.9	66.3	0.78	444	0.41	0.01	0.05
811831		33.5	4.90	7.60	0.15	0.07	0.022	0.021	0.04	34.0	87.2	1.00	619	0.39	0.01	0.11
811832		15.25	3.53	5.37	0.13	0.03	0.019	0.011	0.02	20.3	51.6	0.53	281	0.35	0.01	0.18
811833		48.0	4.29	6.36	0.11	0.11	0.047	0.026	0.06	16.8	57.9	0.69	629	0.72	0.02	0.23
811834		40.0	4.45	5.85	0.16	0.07	0.011	0.016	0.03	23.6	73.1	0.86	445	0.37	0.01	0.07
811835		41.4	4.72	7.35	0.12	0.07	0.021	0.024	0.06	24.8	86.7	0.94	474	0.37	0.01	0.20
811836		39.6	4.02	6.21	0.11	0.06	0.034	0.022	0.07	18.5	59.8	0.74	386	0.83	0.01	0.24
811837		45.6	4.56	7.42	0.12	0.08	0.041	0.026	0.09	21.5	78.2	0.92	484	1.13	0.01	0.25
811838		51.2	3.59	5.29	0.12	0.09	0.046	0.021	0.07	12.3	49.1	0.60	448	1.04	0.02	0.25
811839		38.5	2.61	4.15	0.11	0.03	0.031	0.017	0.02	12.9	44.3	0.49	461	0.62	0.02	0.32
811840		15.75	4.33	6.42	0.11	0.02	0.023	0.018	0.03	23.2	36.6	0.51	322	0.48	0.01	0.62
811841		31.8	4.83	6.59	0.13	0.08	0.031	0.023	0.04	23.5	62.3	0.79	544	0.50	0.01	0.49
811842		12.90	4.86	6.78	0.13	0.04	0.027	0.015	0.02	23.3	53.0	0.56	387	0.54	0.01	0.43
811843		6.53	2.36	4.61	0.08	<0.02	0.039	0.012	0.02	10.5	11.4	0.18	128	0.53	0.01	0.22
811844		24.2	3.50	6.26	0.11	<0.02	0.031	0.015	0.02	14.2	12.7	0.12	362	0.64	0.01	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811805		8.3	0.038	12.45	1.3	<0.001	0.02	0.351	0.5	0.4	<0.2	3.5	<0.01	0.01	1.0	0.010
811806		13.9	0.088	38.1	3.2	<0.001	0.04	0.493	1.2	0.5	<0.2	4.9	<0.01	0.03	4.0	0.007
811807		4.2	0.033	13.10	4.0	<0.001	0.02	0.429	0.5	0.4	0.4	3.8	<0.01	0.02	6.0	0.013
811808		15.0	0.070	27.0	2.1	0.001	0.03	0.591	0.8	0.4	<0.2	5.2	<0.01	0.04	3.6	0.009
811809		25.6	0.109	11.60	3.1	0.005	0.27	0.613	0.8	0.6	<0.2	140.0	<0.01	0.02	1.6	0.004
811810		43.0	0.056	14.45	5.0	<0.001	0.03	0.383	2.0	0.3	<0.2	20.5	<0.01	0.02	7.7	0.007
811811		32.5	0.054	26.7	3.8	<0.001	0.02	0.581	2.1	0.7	<0.2	16.9	<0.01	0.04	10.3	0.012
811812		6.1	0.040	8.38	2.9	<0.001	0.01	0.309	0.6	0.3	0.2	3.2	<0.01	0.02	4.0	0.009
811813		10.2	0.044	11.15	3.4	0.001	0.01	0.387	1.0	0.4	0.2	2.7	<0.01	0.03	6.8	0.009
811814		4.5	0.039	7.20	2.3	<0.001	0.02	0.178	0.2	0.3	<0.2	4.6	<0.01	0.01	0.2	0.015
811815		80.7	0.091	36.5	6.2	<0.001	0.07	0.445	2.8	0.9	0.2	32.2	<0.01	0.02	3.7	0.011
811816		46.5	0.056	25.5	2.3	<0.001	0.01	0.618	2.4	0.5	<0.2	6.0	<0.01	0.02	9.4	0.023
811817		2.4	0.029	4.95	1.2	<0.001	0.02	0.090	0.1	0.3	<0.2	3.2	<0.01	<0.01	0.1	0.009
811818		29.3	0.060	35.2	1.9	<0.001	0.05	0.457	2.0	1.1	<0.2	25.9	0.01	0.06	3.8	0.008
811819		15.2	0.072	22.5	5.9	<0.001	0.02	0.384	0.8	0.4	0.3	5.1	<0.01	0.05	5.0	0.012
811820		20.0	0.092	26.7	6.5	<0.001	0.07	0.366	1.0	0.5	0.3	29.9	0.01	0.04	2.4	0.015
811821		19.1	0.086	24.8	6.0	<0.001	0.06	0.349	0.9	0.5	0.2	28.4	0.01	0.02	2.3	0.016
811822		20.3	0.052	23.8	4.7	<0.001	0.03	0.417	0.6	0.6	0.3	4.9	<0.01	0.04	0.8	0.018
811823		14.1	0.065	17.70	3.4	<0.001	0.02	0.341	0.7	0.4	0.3	4.3	0.01	0.03	1.8	0.014
811824		26.5	0.045	34.1	1.3	0.003	0.46	0.282	1.8	1.5	<0.2	51.5	<0.01	0.02	4.7	0.005
811825		18.0	0.074	10.30	2.3	0.001	0.11	0.265	0.7	0.8	<0.2	37.5	0.01	0.02	1.0	0.014
811826		8.1	0.064	17.65	5.7	<0.001	0.02	0.273	0.6	0.7	0.4	6.2	0.01	0.03	1.1	0.018
811827		8.6	0.047	28.3	3.0	<0.001	0.03	0.258	0.6	0.8	0.2	6.2	0.02	0.01	1.2	0.022
811828		17.2	0.062	26.6	5.0	<0.001	0.03	0.406	1.1	0.6	0.4	6.2	0.02	0.02	4.5	0.023
811829		35.4	0.049	19.90	3.1	0.001	0.03	0.575	1.8	0.4	<0.2	11.2	<0.01	0.01	8.3	0.004
811830		38.9	0.052	22.2	2.5	<0.001	0.03	0.773	1.8	0.6	<0.2	12.2	<0.01	0.03	8.2	0.004
811831		50.2	0.062	24.5	3.6	<0.001	0.01	0.210	3.1	1.1	<0.2	9.1	<0.01	0.01	11.0	0.007
811832		19.6	0.045	14.00	2.6	<0.001	0.02	0.243	1.2	0.7	<0.2	7.6	<0.01	0.02	3.7	0.008
811833		48.6	0.098	36.6	5.9	<0.001	0.07	0.376	2.3	1.3	0.2	15.1	<0.01	0.02	4.4	0.006
811834		43.2	0.060	20.4	1.7	<0.001	0.01	0.479	2.2	1.0	<0.2	9.2	<0.01	0.01	9.5	0.009
811835		53.0	0.052	23.8	5.0	<0.001	0.03	0.330	3.2	0.9	<0.2	16.5	<0.01	0.02	7.6	0.006
811836		39.7	0.067	24.7	5.8	<0.001	0.04	0.338	2.6	0.7	<0.2	18.4	<0.01	0.03	5.1	0.007
811837		54.2	0.041	23.7	7.0	<0.001	0.03	0.430	3.5	0.8	0.2	26.4	<0.01	0.03	7.4	0.007
811838		42.5	0.072	26.4	6.5	<0.001	0.06	0.380	2.1	1.1	<0.2	28.1	<0.01	0.03	3.3	0.007
811839		35.8	0.057	17.40	3.1	<0.001	0.05	0.270	1.4	0.8	<0.2	12.0	0.01	0.02	1.5	0.014
811840		27.7	0.051	16.60	3.7	<0.001	0.02	0.455	1.5	0.8	0.2	4.1	0.01	0.04	5.4	0.028
811841		72.7	0.061	27.0	4.0	<0.001	0.02	0.607	2.4	0.9	0.2	5.4	0.01	0.02	8.0	0.022
811842		19.8	0.126	13.00	4.1	<0.001	0.02	0.403	1.3	0.7	0.2	4.6	<0.01	0.01	5.5	0.013
811843		6.9	0.109	10.10	2.9	<0.001	0.04	0.211	0.2	0.8	0.4	5.7	<0.01	<0.01	0.1	0.008
811844		9.9	0.248	16.35	6.2	<0.001	0.04	0.404	0.1	1.0	0.4	13.7	<0.01	0.06	<0.1	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
811805		<0.02	0.25	8	0.0515	0.66	28.4	<0.5
811806		0.04	0.85	16	0.0689	1.74	54.0	1.1
811807		0.04	0.32	20	0.353	1.70	17.6	<0.5
811808		0.02	0.41	13	0.206	1.54	47.1	0.7
811809		0.04	1.78	7	0.0736	4.08	36.7	2.1
811810		0.04	0.76	18	0.0417	3.46	83.0	2.0
811811		0.04	0.67	18	0.0338	4.18	79.9	3.0
811812		0.03	0.26	18	0.172	1.19	17.7	<0.5
811813		0.03	0.26	25	0.171	1.66	31.1	0.8
811814		0.02	0.29	9	0.205	0.70	12.3	<0.5
811815		0.05	1.87	27	0.0904	5.30	237	2.5
811816		0.02	0.55	27	0.0762	3.27	82.7	1.7
811817		<0.02	0.22	6	0.124	0.50	5.6	<0.5
811818		0.02	2.90	12	0.803	14.60	78.7	1.9
811819		0.04	0.60	23	0.195	1.90	82.2	0.5
811820		0.05	1.06	20	0.146	3.12	98.2	1.5
811821		0.04	0.96	20	0.163	2.85	95.4	1.5
811822		0.03	0.64	22	0.162	2.00	73.8	<0.5
811823		0.04	0.49	20	0.186	1.88	48.1	<0.5
811824		<0.02	7.32	14	0.0356	5.23	73.7	5.1
811825		0.02	1.30	8	0.0527	5.61	45.1	2.9
811826		0.05	0.36	21	0.233	1.39	47.4	<0.5
811827		0.04	0.54	15	0.180	1.78	44.9	0.8
811828		0.05	0.67	26	0.266	2.17	86.7	0.5
811829		0.02	0.99	17	0.0602	3.65	98.2	2.0
811830		0.02	1.12	16	0.0477	4.19	103.5	2.1
811831		0.02	1.31	23	0.0300	5.05	143.0	2.3
811832		0.03	0.55	15	0.0594	1.86	61.8	0.9
811833		0.04	2.45	21	0.0685	6.12	124.5	3.1
811834		0.02	0.85	18	0.0449	3.69	102.5	2.3
811835		0.03	0.79	27	0.0388	4.55	117.5	2.0
811836		0.04	1.13	24	0.0507	4.53	91.5	1.7
811837		0.04	0.93	30	0.0552	4.94	139.0	2.5
811838		0.03	2.17	21	0.0601	5.61	116.0	2.7
811839		0.03	1.51	17	0.0563	9.20	64.9	1.0
811840		0.03	0.37	30	0.119	1.84	70.2	0.8
811841		0.03	0.55	27	0.0698	2.89	130.0	2.5
811842		0.03	0.42	22	0.114	1.99	66.3	1.2
811843		0.04	0.49	22	0.147	1.37	23.5	<0.5
811844		0.03	0.52	22	0.117	1.95	46.8	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
Sample Description															
811845	0.30	0.0012	0.028	2.32	19.60	<10	28.7	0.50	0.35	0.07	0.05	77.8	14.6	37.3	0.65
811846	0.40	0.0007	0.058	2.20	20.5	<10	15.5	0.40	0.38	0.11	0.04	64.4	14.4	33.2	0.72
811847	0.18	0.0016	0.062	2.08	25.2	<10	22.1	0.46	0.37	0.16	0.04	43.3	12.8	37.0	1.39
811848	0.24	0.0023	0.135	2.23	241	<10	36.4	0.51	0.44	0.47	0.04	31.3	15.5	39.5	1.32
811849	0.30	0.0010	0.062	1.94	324	<10	22.6	0.48	0.52	0.38	0.14	31.9	21.5	30.5	1.18
811850	0.20	0.0011	0.088	1.27	42.6	<10	31.6	0.22	0.22	0.27	0.09	26.4	9.7	26.2	1.17
811951	0.20	0.0086	0.349	2.47	231	<10	64.1	0.77	0.63	0.40	0.05	46.1	23.2	34.8	2.92
811952	0.16	0.0010	0.079	0.57	91.6	<10	22.8	0.15	0.07	0.80	0.01	5.04	2.0	3.0	0.61
811953	0.16	0.0033	0.115	1.91	310	<10	46.5	0.57	0.38	0.71	0.08	36.3	15.6	29.3	1.73
811954	0.24	0.0014	0.274	1.55	30.8	<10	39.3	1.09	0.43	0.23	0.11	69.4	33.1	20.5	1.03
811955	0.18	0.0294	0.256	0.68	1030	<10	41.3	0.31	0.34	1.45	0.31	19.30	14.5	7.5	1.45
811956	0.14	0.0010	0.120	0.78	77.8	<10	23.2	0.18	0.20	0.14	0.02	21.6	5.0	10.0	1.04
811957	0.20	0.0005	0.159	0.86	45.9	<10	33.5	0.19	0.21	0.09	0.03	22.1	6.1	11.5	1.18
811958	0.20	0.0015	0.055	0.69	40.6	<10	22.5	0.17	0.18	0.02	0.03	16.85	3.7	8.9	0.83
811959	0.26	0.0019	0.148	2.06	158.0	<10	52.3	0.53	0.38	0.81	0.12	32.3	14.7	27.7	1.46
811960	0.36	0.0009	0.096	2.29	58.7	<10	27.1	0.54	0.42	0.43	0.06	47.2	18.7	41.3	1.01
811961	0.22	0.0024	0.104	2.27	60.4	<10	27.0	0.52	0.43	0.43	0.06	50.6	18.2	40.5	1.01
811962	0.34	0.0026	0.075	2.19	83.3	<10	29.0	0.48	0.57	0.22	0.05	56.9	17.4	35.4	0.92
811963	0.28	0.0002	0.055	1.86	31.6	<10	34.9	0.28	0.49	0.03	0.09	29.5	11.7	33.0	1.40
811964	0.26	0.0011	0.036	1.96	14.30	<10	22.0	0.24	0.28	0.03	0.05	51.3	9.1	29.3	0.77
811965	0.20	0.0002	0.035	1.59	34.8	<10	50.7	0.21	0.50	0.03	0.05	49.2	6.8	26.9	0.95
811966	0.26	0.0005	0.047	1.50	15.70	<10	47.8	0.25	0.35	0.02	0.06	50.7	5.7	23.6	0.99
812001	0.10	0.0037	0.123	1.49	23.0	<10	54.6	0.65	0.24	1.64	0.11	14.35	13.8	12.0	0.99
812002	0.28	0.0014	0.055	1.65	23.3	<10	32.9	0.34	0.30	0.08	0.04	53.6	12.8	26.3	0.98
812003	0.14	0.0015	0.116	2.37	50.9	<10	70.4	0.60	0.50	0.35	0.11	46.4	34.3	37.9	2.01
812004	0.18	0.0010	0.074	2.07	29.5	<10	25.0	0.73	0.42	0.26	0.09	51.7	25.0	37.1	2.54
812005	0.22	0.0023	0.097	2.22	42.0	<10	31.1	0.67	0.47	0.20	0.05	57.0	29.4	37.5	2.20
812006	0.30	0.0031	0.050	2.57	87.2	<10	41.9	0.81	0.56	0.06	0.07	104.0	28.1	36.5	1.65
812007	0.22	0.0011	0.058	1.22	56.4	<10	36.2	0.34	0.38	0.10	0.04	30.0	6.4	17.1	1.14
812008	0.22	0.0012	0.058	2.28	89.2	<10	20.3	0.55	0.49	0.03	0.06	59.2	23.4	32.5	1.19
812009	0.24	0.0005	0.090	1.43	43.0	<10	24.1	0.24	0.33	0.03	0.04	30.4	6.0	17.7	1.04
812010	0.18	0.0013	0.658	1.01	9.05	<10	59.9	0.30	0.17	1.18	0.50	11.15	4.6	6.7	0.65
812011	0.20	0.0017	0.227	0.82	3.12	<10	26.7	0.21	0.05	0.21	0.03	5.95	1.3	1.4	0.18
812012	0.26	0.0007	0.049	0.87	28.1	<10	25.6	0.19	0.39	0.02	0.04	32.5	4.1	11.4	0.79
812013	0.22	0.0006	0.060	0.91	12.25	<10	41.8	0.18	0.29	0.03	0.09	25.9	2.7	10.1	0.70
812014	0.24	0.0102	0.068	1.69	52.2	<10	50.8	0.45	0.55	0.04	0.12	38.6	7.9	22.2	1.45
812015	0.26	0.0010	0.032	1.75	16.65	<10	36.8	0.26	0.37	0.02	0.07	60.9	8.2	24.9	1.16
812016	0.22	0.0015	0.144	1.58	38.0	<10	49.2	0.63	0.45	1.55	0.26	26.9	10.6	17.5	1.47
812017	0.18	0.0008	0.041	1.65	49.9	<10	46.7	0.26	0.40	0.05	0.08	40.8	8.6	23.5	1.32
812018	0.24	0.0010	0.119	1.47	44.2	<10	48.1	0.52	0.53	0.17	0.26	37.2	15.1	16.7	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811845		22.9	4.54	6.23	0.14	0.03	0.017	0.017	0.05	39.7	81.8	0.84	470	0.35	0.01	0.12
811846		22.6	4.51	6.00	0.16	0.02	0.020	0.014	0.03	35.1	80.4	0.83	437	0.27	0.01	<0.05
811847		24.0	4.38	5.64	0.15	0.07	0.025	0.016	0.03	22.0	78.6	0.79	280	0.27	0.01	0.06
811848		27.8	4.06	5.89	0.12	0.15	0.033	0.021	0.04	17.3	70.1	0.76	430	0.25	0.01	0.13
811849		26.8	5.23	5.80	0.13	0.06	0.017	0.019	0.03	16.6	64.1	0.68	758	0.55	0.01	0.40
811850		12.35	2.32	4.62	0.10	0.02	0.038	0.010	0.04	13.8	35.6	0.46	295	0.36	0.02	0.31
811951		56.9	4.83	6.68	0.12	0.12	0.035	0.023	0.07	24.0	65.6	0.71	675	0.51	0.02	0.17
811952		11.30	0.55	1.46	0.09	0.06	0.013	<0.005	0.03	2.7	5.4	0.07	80	0.10	0.04	0.28
811953		23.9	3.66	5.49	0.12	0.08	0.020	0.017	0.04	18.6	52.9	0.56	495	0.35	0.02	0.24
811954		33.6	4.28	5.70	0.15	0.07	0.050	0.038	0.02	36.2	31.2	0.43	1880	0.44	0.01	0.18
811955		36.3	2.58	1.93	0.10	0.06	0.037	0.021	0.02	9.2	11.8	0.13	1080	0.35	0.03	0.18
811956		17.30	1.76	2.82	0.09	<0.02	0.024	0.009	0.02	11.3	18.3	0.21	214	0.23	0.02	0.14
811957		13.50	1.91	3.66	0.10	<0.02	0.021	0.008	0.03	12.1	21.8	0.23	223	0.27	0.02	0.24
811958		12.45	1.42	2.70	0.09	<0.02	0.018	0.009	0.03	8.2	12.3	0.14	111	0.29	0.02	0.08
811959		32.0	3.52	5.50	0.12	0.14	0.023	0.020	0.05	17.1	65.1	0.58	435	0.40	0.02	0.23
811960		35.2	4.45	6.41	0.13	0.13	0.019	0.018	0.05	25.2	77.5	0.86	617	0.38	0.01	0.14
811961		34.8	4.42	6.56	0.14	0.13	0.022	0.019	0.05	27.0	75.7	0.85	650	0.41	0.01	0.15
811962		31.1	4.68	6.23	0.16	0.08	0.019	0.016	0.05	29.9	76.4	0.83	547	0.43	0.01	0.08
811963		18.95	5.08	7.07	0.11	<0.02	0.056	0.020	0.03	15.1	35.0	0.47	460	0.80	0.01	0.44
811964		9.76	4.00	6.10	0.13	0.03	0.022	0.013	0.02	25.8	62.4	0.62	338	0.50	0.01	0.42
811965		13.30	4.70	8.29	0.12	<0.02	0.029	0.016	0.03	26.7	35.8	0.42	253	0.85	0.01	0.42
811966		12.70	4.15	7.05	0.12	<0.02	0.023	0.014	0.02	28.0	32.6	0.33	341	0.54	0.01	0.44
812001		48.2	1.77	3.40	<0.05	0.16	0.049	0.010	0.03	7.5	22.9	0.26	972	0.83	0.04	0.39
812002		19.00	3.28	4.67	0.07	0.04	0.020	0.012	0.03	28.5	51.4	0.55	378	0.34	0.02	0.24
812003		33.8	4.77	5.68	0.07	0.09	0.042	0.024	0.05	23.6	70.7	0.77	690	0.78	0.01	0.20
812004		27.1	4.48	5.13	0.08	0.09	0.014	0.021	0.04	26.2	77.8	0.80	466	0.46	0.01	0.07
812005		26.9	4.36	5.92	0.08	0.11	0.023	0.025	0.04	30.0	84.8	0.79	699	0.56	0.01	0.09
812006		50.1	5.26	6.82	0.11	0.15	0.010	0.023	0.08	55.3	83.1	0.91	788	0.50	0.01	0.06
812007		16.95	3.12	4.25	<0.05	<0.02	0.012	0.013	0.03	15.6	27.7	0.31	269	0.46	0.02	0.24
812008		36.4	5.21	5.92	0.09	0.07	0.022	0.022	0.02	32.5	68.4	0.76	878	0.49	0.01	0.14
812009		15.80	3.50	4.94	<0.05	0.04	0.022	0.014	0.02	16.5	21.5	0.26	447	0.46	0.02	0.42
812010		50.7	1.04	2.67	<0.05	0.08	0.074	0.009	0.02	5.9	8.1	0.14	586	0.59	0.02	0.48
812011		15.90	0.46	2.21	<0.05	0.05	0.026	<0.005	0.02	4.3	1.6	0.03	111	0.21	0.03	0.42
812012		11.15	3.18	5.20	<0.05	<0.02	0.018	0.013	0.02	17.7	13.3	0.16	204	0.65	0.01	0.53
812013		17.15	1.72	3.70	<0.05	<0.02	0.036	0.011	0.03	13.5	8.6	0.13	118	0.53	0.02	0.16
812014		17.00	4.95	6.27	<0.05	<0.02	0.027	0.028	0.02	19.5	26.5	0.24	595	0.87	0.01	0.68
812015		9.90	3.92	5.78	0.07	0.02	0.020	0.014	0.02	31.2	46.2	0.49	427	0.52	0.01	0.36
812016		26.9	3.15	3.98	0.05	0.05	0.050	0.027	0.03	13.3	26.7	0.35	1170	0.71	0.02	0.48
812017		13.55	3.92	5.10	0.05	0.02	0.019	0.017	0.02	22.3	36.9	0.45	578	0.54	0.01	0.38
812018		25.4	3.86	5.34	0.05	<0.02	0.022	0.016	0.02	21.3	23.9	0.26	427	0.64	0.01	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811845		33.0	0.051	19.35	2.9	<0.001	0.01	0.466	2.0	0.5	<0.2	7.7	<0.01	0.02	11.0	0.011
811846		30.8	0.052	19.35	1.9	<0.001	0.01	0.484	2.0	0.8	<0.2	10.2	<0.01	0.03	10.1	0.004
811847		33.8	0.052	23.2	2.1	<0.001	0.07	0.538	2.2	0.9	<0.2	14.2	<0.01	0.03	8.9	0.003
811848		31.7	0.061	19.95	4.3	<0.001	0.05	0.159	2.1	1.2	<0.2	46.0	<0.01	0.02	4.4	0.005
811849		31.3	0.059	46.2	3.4	<0.001	0.03	0.424	1.9	0.9	0.2	36.7	0.01	0.03	6.0	0.014
811850		18.6	0.033	11.80	4.6	<0.001	0.04	0.160	1.2	0.6	<0.2	21.7	<0.01	0.02	3.4	0.012
811951		48.0	0.062	36.0	5.9	<0.001	0.04	0.345	2.5	0.8	0.2	38.3	<0.01	0.04	7.1	0.004
811952		5.2	0.041	3.01	1.1	<0.001	0.05	0.096	0.3	0.9	<0.2	61.4	0.01	0.01	0.3	0.014
811953		26.3	0.051	20.5	4.9	<0.001	0.04	0.296	1.7	0.6	<0.2	37.5	<0.01	0.04	5.4	0.006
811954		68.5	0.045	40.7	3.1	<0.001	0.02	0.354	4.5	1.3	0.2	20.5	<0.01	0.01	6.8	0.008
811955		18.5	0.068	279	2.2	<0.001	0.08	0.728	1.0	0.6	<0.2	70.9	<0.01	0.04	1.2	0.007
811956		10.5	0.027	11.55	2.8	<0.001	0.02	0.106	0.6	0.3	<0.2	7.7	<0.01	0.02	2.6	0.005
811957		12.0	0.031	9.46	4.3	<0.001	0.02	0.139	0.6	0.5	<0.2	9.1	<0.01	0.01	1.6	0.007
811958		8.8	0.055	11.55	3.3	<0.001	0.02	0.132	0.1	0.4	<0.2	4.0	<0.01	0.01	0.1	0.006
811959		32.4	0.069	21.8	5.2	<0.001	0.07	0.240	1.8	1.2	<0.2	65.3	<0.01	0.02	4.2	0.008
811960		38.2	0.060	21.0	3.1	<0.001	0.03	0.308	2.6	0.7	<0.2	36.7	<0.01	0.02	8.4	0.007
811961		37.5	0.061	21.1	3.2	<0.001	0.03	0.305	2.7	0.7	<0.2	37.5	<0.01	0.02	8.9	0.007
811962		35.6	0.056	28.3	2.6	<0.001	0.02	0.424	2.4	0.9	<0.2	22.8	<0.01	0.01	11.4	0.006
811963		22.9	0.103	16.85	5.9	<0.001	0.07	0.424	0.6	0.7	0.3	5.8	<0.01	0.03	0.6	0.016
811964		21.3	0.043	13.25	3.5	<0.001	0.01	0.325	1.6	0.6	0.2	4.2	0.01	0.01	7.1	0.014
811965		15.4	0.126	31.3	4.6	<0.001	0.04	0.473	0.7	0.7	0.4	10.1	0.01	0.06	0.8	0.016
811966		12.6	0.113	14.85	5.7	<0.001	0.02	0.366	1.0	0.6	0.3	7.7	<0.01	0.01	3.3	0.011
812001		27.1	0.133	11.00	3.3	<0.001	0.21	1.030	0.7	1.9	<0.2	54.6	0.01	0.03	0.8	0.010
812002		26.4	0.037	16.70	3.3	<0.001	0.01	0.271	1.4	0.1	<0.2	8.6	<0.01	0.04	6.1	0.009
812003		56.4	0.068	36.0	6.1	0.001	0.07	0.278	2.5	0.7	0.2	30.6	<0.01	0.03	8.0	0.006
812004		56.3	0.059	26.1	3.6	<0.001	0.04	0.709	2.2	0.6	<0.2	21.4	<0.01	0.03	8.3	0.003
812005		44.8	0.056	29.0	4.8	0.001	0.03	0.440	2.4	0.5	<0.2	16.1	<0.01	0.03	9.1	0.003
812006		54.6	0.052	39.3	3.2	<0.001	0.01	0.558	2.8	0.4	0.2	13.0	<0.01	0.05	17.6	0.014
812007		16.0	0.051	17.60	4.3	<0.001	0.02	0.271	0.5	0.1	0.2	11.4	<0.01	0.03	0.7	0.009
812008		34.1	0.051	52.4	4.2	<0.001	0.01	0.505	1.6	0.3	<0.2	4.7	<0.01	0.04	9.3	0.006
812009		12.3	0.088	16.70	3.1	<0.001	0.02	0.295	0.5	0.4	0.2	4.7	0.01	0.04	1.2	0.015
812010		12.9	0.090	8.95	1.9	<0.001	0.11	0.211	0.6	0.9	0.2	63.9	0.01	0.02	0.6	0.017
812011		2.8	0.053	3.64	0.7	<0.001	0.05	0.069	0.3	<0.1	<0.2	14.0	0.01	0.01	0.2	0.021
812012		10.4	0.044	13.00	3.4	<0.001	0.01	0.313	0.4	0.2	0.4	4.0	<0.01	0.03	0.6	0.019
812013		7.1	0.108	19.45	4.7	<0.001	0.03	0.216	0.1	0.2	0.3	6.7	<0.01	0.03	0.1	0.007
812014		18.1	0.071	29.9	4.2	<0.001	0.02	0.454	1.1	0.7	0.4	8.2	0.01	0.07	1.7	0.014
812015		18.6	0.048	13.20	4.8	<0.001	0.01	0.234	1.1	<0.1	0.3	4.1	<0.01	0.03	4.5	0.010
812016		25.4	0.178	27.0	4.3	<0.001	0.17	0.371	1.0	1.3	0.3	90.1	0.01	0.05	1.1	0.010
812017		19.6	0.054	20.2	3.9	<0.001	0.02	0.236	0.7	0.4	0.3	5.9	<0.01	0.02	1.6	0.011
812018		16.8	0.063	23.7	5.4	<0.001	0.03	0.665	0.8	0.2	0.2	15.7	0.01	0.04	2.0	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description / Method / Analyte / Units / LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
811845	0.02	0.69	20	0.0597	3.76	82.7	1.0
811846	<0.02	0.71	16	0.248	4.46	85.0	0.9
811847	0.02	0.80	16	0.0555	3.92	99.6	2.3
811848	0.02	5.17	18	0.0807	4.56	105.0	3.9
811849	0.03	1.95	20	0.199	3.33	130.0	1.8
811850	0.04	0.51	16	0.0712	1.44	56.3	0.7
811951	0.04	1.91	18	0.0683	5.97	113.0	4.1
811952	0.02	4.71	5	0.0233	1.14	10.4	2.5
811953	0.03	1.47	16	0.120	3.12	89.5	2.8
811954	0.03	1.47	19	0.0924	23.9	115.5	2.4
811955	0.04	0.78	6	2.07	5.09	146.0	2.0
811956	0.02	0.44	8	0.0716	1.67	33.5	0.5
811957	0.02	0.37	9	0.102	1.40	38.2	<0.5
811958	0.02	0.35	9	0.0868	1.17	26.5	<0.5
811959	0.03	4.16	16	0.0702	5.18	127.5	4.4
811960	0.02	2.93	20	0.0623	5.71	104.0	4.3
811961	0.02	2.86	19	0.0559	5.96	102.5	4.3
811962	0.02	1.58	18	1.465	5.12	93.6	3.0
811963	0.04	0.65	27	0.204	2.51	64.1	<0.5
811964	0.03	0.46	21	0.0828	2.44	65.7	0.8
811965	0.05	0.45	35	0.175	2.09	49.1	<0.5
811966	0.04	0.39	26	0.125	2.04	50.8	<0.5
812001	0.05	1.88	9	0.319	6.77	44.1	4.9
812002	0.03	0.60	14	0.0787	2.61	64.5	1.1
812003	0.06	1.50	20	0.105	5.65	135.0	2.6
812004	0.02	1.68	17	0.875	5.17	161.0	2.3
812005	0.04	1.55	17	0.0649	5.35	109.5	3.2
812006	0.03	1.53	21	0.0799	6.65	120.0	7.4
812007	0.03	0.66	17	0.151	2.35	51.0	<0.5
812008	0.02	0.85	18	0.0759	2.78	104.5	2.0
812009	0.03	0.49	17	0.165	1.58	45.4	1.0
812010	0.02	1.48	8	0.110	3.19	23.6	2.9
812011	0.03	0.80	7	0.0424	4.10	6.5	1.5
812012	0.05	0.47	23	0.241	1.36	41.0	<0.5
812013	0.04	0.85	15	0.164	1.55	19.7	<0.5
812014	0.05	0.95	24	0.340	3.24	56.6	0.6
812015	0.04	0.51	20	0.165	2.49	58.7	<0.5
812016	0.04	15.05	16	0.116	7.53	55.9	1.3
812017	0.04	0.71	21	0.158	2.03	73.4	0.6
812018	0.03	0.89	19	0.223	4.40	81.1	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812019		0.20	0.0011	0.038	0.64	3.75	<10	53.3	0.14	0.18	0.04	0.08	17.90	1.9	8.0	0.62
812020		0.18	0.0005	0.034	1.52	20.1	<10	54.6	0.28	0.50	0.04	0.09	42.3	8.0	24.6	1.69
812021		0.26	0.0016	0.051	1.51	39.7	<10	50.7	0.33	0.44	0.02	0.05	27.3	8.0	21.5	1.42
812022		0.22	0.0016	0.027	1.91	24.8	<10	28.0	0.40	0.35	0.05	0.04	48.3	9.8	28.5	0.73
812023		0.20	0.0002	0.062	1.38	15.95	<10	55.3	0.22	0.34	0.04	0.06	57.2	3.8	17.3	1.02
812024		0.24	0.0019	0.114	2.58	50.8	<10	23.8	0.51	0.50	0.06	0.14	33.0	13.1	30.0	0.95
812025		0.26	0.0014	0.124	1.54	17.40	<10	48.1	0.24	0.38	0.03	0.09	43.6	6.0	21.0	1.33
812026		0.22	0.0009	0.039	2.36	26.9	<10	20.4	0.28	0.42	0.03	0.06	59.4	9.7	34.6	0.93
812027		0.24	0.0010	0.059	0.91	17.80	<10	32.4	0.19	0.40	0.02	0.06	26.2	3.4	14.5	1.61
812028		0.14	0.0019	0.056	0.63	5.13	<10	31.7	0.18	0.09	2.29	0.19	6.03	3.2	4.0	0.21
812029		0.24	0.0021	0.031	1.04	59.4	<10	35.6	0.22	0.55	0.04	0.17	44.2	8.5	19.2	1.23
812030		0.26	0.0025	0.070	2.37	74.4	<10	31.4	0.64	0.51	0.07	0.13	96.2	28.8	34.0	1.57
812031		0.14	0.0032	0.060	2.20	29.3	<10	29.1	0.65	0.43	0.17	0.06	62.8	23.9	36.7	1.90
812032		0.20	0.0010	0.026	0.65	6.52	<10	13.8	0.09	0.12	0.03	0.03	22.4	3.1	10.7	0.56
812033		0.14	0.0037	0.220	2.44	44.3	<10	73.6	0.85	0.60	0.65	0.27	42.8	28.5	45.6	2.53
812034		0.12	0.0060	0.619	3.35	74.8	<10	161.5	1.90	1.18	0.35	0.11	68.6	36.5	56.3	4.83
812035		0.16	0.0002	0.061	0.36	13.20	<10	13.9	0.08	0.26	0.02	0.02	19.95	1.9	6.7	0.52
812036		0.12	0.0007	0.108	1.36	14.45	<10	29.8	0.25	0.25	0.02	0.02	21.0	6.1	22.3	1.22
812037		0.16	<0.0002	0.123	0.25	10.90	<10	15.9	0.10	0.10	0.02	0.01	15.20	1.3	2.8	0.38
812038		0.28	0.0010	0.029	2.51	27.4	<10	23.2	0.62	0.48	0.07	0.04	77.6	21.1	45.2	1.17
812039		0.26	0.0002	0.106	0.83	20.0	<10	67.1	0.18	0.39	0.07	0.14	26.6	17.6	11.6	2.12
812040		0.26	0.0004	0.336	1.59	68.6	<10	32.1	0.42	0.44	0.03	0.08	30.8	22.2	20.8	1.44
812041		0.40	0.0014	0.288	2.29	128.0	<10	27.1	0.68	0.69	0.02	0.06	51.4	30.2	32.7	2.05
812042		0.24	0.0005	0.161	1.37	47.1	<10	28.5	0.40	0.29	0.05	0.09	20.4	27.2	17.8	1.80
812043		0.34	0.0016	0.249	2.42	57.0	<10	21.4	0.79	0.71	0.06	0.08	52.6	66.2	34.0	2.59
812044		0.30	0.0007	0.158	2.13	119.0	<10	26.5	0.60	0.63	0.08	0.16	27.3	30.9	31.3	1.50
812045		0.36	0.0005	0.042	1.38	21.0	<10	31.7	0.47	0.39	0.12	0.09	30.6	10.9	17.3	0.73
812046		0.26	0.0003	0.055	1.31	10.25	<10	40.7	0.83	0.42	0.75	0.12	35.3	17.2	17.7	0.43
812047		0.30	0.0005	0.107	0.88	4.43	<10	63.9	0.40	0.30	0.45	0.05	13.65	8.4	6.3	0.49
812048		0.24	0.0003	0.019	0.42	2.98	<10	22.9	0.11	0.05	1.14	0.03	7.23	1.7	2.3	0.14
812049		0.26	0.0002	0.090	2.55	41.6	<10	59.9	0.83	0.59	0.33	0.10	73.6	19.9	36.1	0.95
812050		0.40	0.0007	0.030	2.28	38.7	<10	29.4	0.64	0.50	0.11	0.06	62.2	24.6	39.3	1.89
812051		0.26	0.0002	0.061	1.91	24.8	<10	40.5	0.60	0.50	0.03	0.05	54.8	14.7	35.7	1.63
812052		0.28	0.0014	0.251	1.75	18.65	<10	35.8	0.94	0.36	0.48	0.03	26.1	13.3	16.0	3.43
812053		0.32	0.0003	0.077	0.46	62.5	<10	13.3	0.14	0.43	0.03	0.05	59.2	3.3	8.7	3.03
812054		0.22	0.0004	0.171	0.81	23.2	<10	26.9	0.59	0.13	0.21	0.18	7.32	21.5	5.6	2.47
812055		0.20	0.0007	0.164	0.41	8.08	<10	47.8	0.46	0.19	0.98	0.36	16.55	10.7	6.2	1.73
812056		0.22	0.0004	0.069	0.37	1.27	<10	11.9	0.07	0.05	0.04	0.02	2.33	0.8	1.6	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812019		13.75	1.33	2.84	<0.05	<0.02	0.028	0.006	0.02	9.1	3.9	0.07	120	0.31	0.02	0.11
812020		24.0	4.13	6.51	0.05	<0.02	0.018	0.023	0.03	22.4	25.4	0.32	605	0.85	0.01	0.86
812021		20.5	3.63	3.99	<0.05	0.04	0.015	0.019	0.06	14.5	32.4	0.38	309	0.41	0.02	0.25
812022		18.95	4.01	5.03	0.07	0.08	0.011	0.013	0.02	24.6	59.6	0.67	422	0.32	0.01	0.13
812023		12.00	3.16	6.28	0.07	<0.02	0.030	0.014	0.04	29.8	19.1	0.18	147	0.70	0.01	0.51
812024		25.0	6.12	4.26	0.07	0.07	0.045	0.029	0.02	14.6	29.4	0.38	835	0.65	0.01	0.39
812025		13.45	3.36	5.36	0.06	0.02	0.019	0.015	0.03	23.8	31.8	0.34	252	0.63	0.01	0.52
812026		14.30	4.90	5.81	0.09	0.06	0.018	0.018	0.02	31.0	74.2	0.76	391	0.51	0.01	0.25
812027		14.65	2.65	3.85	<0.05	<0.02	0.030	0.012	0.02	14.3	11.4	0.15	161	0.60	0.01	0.21
812028		15.80	0.69	1.82	<0.05	0.07	0.068	<0.005	0.02	3.6	5.6	0.10	649	0.52	0.03	0.36
812029		18.20	4.41	6.62	0.06	<0.02	0.021	0.018	0.03	24.4	16.9	0.24	517	1.01	0.01	0.44
812030		44.5	5.10	6.28	0.13	0.03	<0.005	0.021	0.05	49.1	74.0	0.86	821	0.40	0.01	0.09
812031		25.5	4.67	5.61	0.09	0.09	0.009	0.020	0.04	32.6	79.5	0.81	579	0.46	0.01	0.08
812032		5.97	1.35	2.11	<0.05	<0.02	0.027	0.005	0.02	12.2	17.0	0.20	116	0.23	0.02	0.14
812033		63.3	4.36	5.66	0.07	0.11	0.047	0.028	0.08	23.2	69.0	0.77	1060	0.72	0.01	0.22
812034		124.5	5.23	6.95	0.12	0.23	0.071	0.056	0.14	41.1	76.4	0.64	907	1.46	0.02	0.37
812035		7.47	1.53	4.36	0.09	<0.02	<0.005	0.005	0.02	9.6	4.6	0.07	95	0.52	0.01	0.27
812036		20.2	2.59	4.16	0.10	0.04	0.014	0.012	0.04	11.1	35.8	0.44	189	0.27	0.01	0.23
812037		10.00	0.65	1.66	0.07	<0.02	0.011	0.005	0.02	8.3	1.3	0.02	28	0.34	0.01	0.14
812038		44.4	5.17	7.49	0.15	0.12	<0.005	0.021	0.04	39.9	75.7	0.99	610	0.42	<0.01	0.16
812039		11.35	2.20	4.25	0.09	<0.02	0.021	0.011	0.03	14.6	18.7	0.20	1200	0.32	0.01	0.33
812040		31.7	3.25	5.30	0.10	0.07	0.049	0.016	0.02	17.4	39.8	0.42	788	0.55	0.01	0.38
812041		52.1	5.06	6.96	0.13	0.10	0.031	0.025	0.02	27.0	69.0	0.72	876	0.77	<0.01	0.28
812042		27.0	2.58	4.33	0.09	0.04	0.043	0.014	0.03	11.3	32.3	0.34	718	0.51	0.01	0.38
812043		76.3	5.40	7.50	0.14	0.13	0.064	0.037	0.03	27.8	65.2	0.76	2300	1.36	<0.01	0.18
812044		56.7	5.96	6.96	0.09	0.08	0.045	0.029	0.03	14.9	50.9	0.76	1580	0.61	<0.01	0.18
812045		20.9	3.43	4.21	0.08	0.04	0.011	0.048	0.02	11.4	23.8	0.41	387	0.32	0.01	0.40
812046		22.6	3.62	3.20	0.09	0.07	0.020	0.038	0.02	18.1	21.6	0.38	653	0.41	0.01	0.23
812047		12.75	2.66	2.07	0.08	0.05	0.025	0.020	0.02	8.1	8.5	0.15	692	0.32	0.01	0.31
812048		6.75	0.50	1.10	0.07	0.03	0.012	<0.005	0.02	4.0	2.9	0.05	82	0.13	0.03	0.24
812049		30.2	5.06	6.78	0.12	0.08	0.017	0.043	0.04	23.7	55.9	0.83	882	0.36	<0.01	0.33
812050		33.0	4.87	7.13	0.13	0.06	0.014	0.022	0.04	31.5	64.0	0.86	717	0.39	<0.01	0.33
812051		23.3	4.63	7.19	0.12	0.04	0.014	0.022	0.03	29.2	41.7	0.56	413	0.51	<0.01	0.71
812052		59.7	2.78	4.46	0.11	0.07	0.034	0.017	0.02	15.9	32.1	0.36	332	0.69	0.01	0.40
812053		15.40	2.14	6.58	0.12	<0.02	0.008	0.009	0.02	29.9	5.5	0.08	73	1.42	<0.01	0.49
812054		38.3	0.78	1.91	0.07	0.02	0.032	0.009	0.02	4.1	3.3	0.05	321	0.43	0.02	0.37
812055		64.0	0.78	1.16	0.09	0.02	0.062	0.012	0.03	9.4	1.6	0.05	87	0.62	0.02	0.31
812056		5.42	0.35	1.56	0.06	<0.02	0.016	<0.005	0.02	1.3	0.9	0.02	16	0.16	0.02	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812019		4.6	0.076	6.71	2.7	<0.001	0.02	0.175	0.1	0.2	0.2	7.5	<0.01	0.02	<0.1	0.006
812020		17.3	0.076	19.80	5.1	<0.001	0.02	0.419	0.9	0.6	0.5	8.9	<0.01	0.05	1.9	0.021
812021		21.2	0.049	18.25	6.5	<0.001	0.02	0.273	1.0	0.3	0.2	4.5	<0.01	0.04	3.2	0.007
812022		27.9	0.097	18.55	2.8	<0.001	0.02	0.351	1.1	0.3	<0.2	5.5	<0.01	0.03	4.0	0.007
812023		9.7	0.079	14.30	5.9	<0.001	0.02	0.285	0.6	0.3	0.4	9.2	<0.01	0.03	1.2	0.008
812024		28.5	0.176	62.1	2.8	<0.001	0.03	0.553	1.4	0.6	0.2	5.3	0.01	0.05	5.0	0.011
812025		15.2	0.074	18.25	5.4	<0.001	0.02	0.352	0.8	0.3	0.3	7.2	<0.01	0.03	1.3	0.012
812026		27.0	0.049	16.45	3.9	<0.001	0.01	0.461	1.7	0.4	<0.2	4.2	<0.01	0.03	9.0	0.008
812027		8.7	0.114	40.9	4.5	<0.001	0.05	0.242	0.2	0.5	0.3	5.5	<0.01	0.05	0.2	0.007
812028		9.1	0.069	4.66	0.9	<0.001	0.17	0.191	0.3	0.8	<0.2	109.5	0.01	0.02	0.3	0.012
812029		14.7	0.072	31.7	6.2	<0.001	0.02	0.362	0.5	0.2	0.3	6.7	<0.01	0.05	1.3	0.015
812030		44.1	0.056	55.0	3.2	<0.001	0.01	0.448	2.1	<0.1	<0.2	10.5	<0.01	0.03	12.4	0.007
812031		43.3	0.063	28.1	3.7	<0.001	0.03	0.732	2.2	0.5	<0.2	17.3	<0.01	0.03	9.7	0.003
812032		7.9	0.027	6.98	2.1	<0.001	0.02	0.122	0.6	0.1	<0.2	4.4	<0.01	0.03	1.6	0.008
812033		76.9	0.070	41.0	6.8	<0.001	0.06	0.455	2.8	1.2	0.2	38.1	<0.01	0.03	7.8	0.005
812034		113.5	0.075	92.8	11.4	<0.001	0.06	0.626	6.0	3.1	0.4	32.4	<0.01	0.05	14.9	0.004
812035		4.7	0.034	7.09	1.8	<0.001	0.01	0.202	0.2	<0.1	0.2	3.3	<0.01	0.02	0.3	0.014
812036		20.8	0.038	13.60	3.2	<0.001	0.01	0.180	1.1	0.2	<0.2	4.0	<0.01	0.01	1.8	0.008
812037		3.4	0.042	7.88	1.0	<0.001	0.02	0.128	0.1	0.2	<0.2	4.5	<0.01	0.01	<0.1	0.005
812038		45.9	0.053	27.5	2.8	<0.001	<0.01	0.440	3.0	0.4	<0.2	7.1	<0.01	0.02	13.4	0.008
812039		9.0	0.099	15.55	5.6	<0.001	0.02	0.208	0.4	0.1	0.2	10.1	<0.01	0.02	0.8	0.008
812040		25.2	0.053	27.5	3.3	<0.001	0.02	0.252	1.1	0.2	<0.2	7.0	0.01	0.02	4.7	0.009
812041		46.1	0.053	44.3	3.7	<0.001	0.02	0.378	1.8	0.6	<0.2	7.1	<0.01	0.03	9.5	0.006
812042		21.9	0.073	22.3	3.3	<0.001	0.03	0.199	0.6	0.2	<0.2	10.2	0.01	0.02	1.2	0.011
812043		56.4	0.085	56.9	3.0	<0.001	0.03	0.524	1.9	0.6	<0.2	8.0	<0.01	0.02	8.7	0.004
812044		50.5	0.106	44.2	3.3	<0.001	0.03	0.489	1.9	0.1	<0.2	7.4	<0.01	0.03	7.5	0.006
812045		19.3	0.022	34.7	5.2	<0.001	0.01	0.139	2.2	0.4	<0.2	12.2	<0.01	0.03	4.8	0.007
812046		30.9	0.024	30.3	3.0	<0.001	0.02	0.186	4.3	0.8	<0.2	43.6	0.01	0.02	6.4	0.004
812047		15.5	0.041	18.55	2.8	<0.001	0.02	0.184	1.4	0.5	<0.2	36.2	<0.01	0.02	2.6	0.005
812048		3.4	0.041	2.62	0.8	<0.001	0.05	0.060	0.3	0.5	<0.2	62.9	<0.01	<0.01	0.2	0.010
812049		40.9	0.034	39.7	4.7	<0.001	0.02	0.295	2.7	0.6	0.2	23.1	<0.01	0.04	10.0	0.005
812050		37.7	0.081	29.0	3.5	<0.001	0.02	0.436	2.6	0.4	<0.2	7.8	<0.01	0.02	8.9	0.010
812051		24.7	0.061	23.7	4.5	<0.001	0.02	0.439	1.9	0.5	0.2	5.8	<0.01	0.03	7.2	0.016
812052		35.7	0.089	32.9	2.6	<0.001	0.08	0.433	1.4	1.0	<0.2	18.1	0.01	0.02	2.4	0.008
812053		7.1	0.038	10.25	2.7	<0.001	0.02	0.495	0.5	0.2	0.3	3.9	<0.01	0.03	2.4	0.016
812054		7.2	0.077	15.85	1.3	<0.001	0.06	0.108	0.6	0.7	<0.2	14.6	<0.01	0.02	0.2	0.015
812055		16.1	0.088	8.89	1.5	<0.001	0.13	0.158	1.2	0.8	0.2	35.9	<0.01	0.01	0.6	0.010
812056		1.3	0.029	3.18	0.8	<0.001	0.03	0.026	<0.1	0.1	<0.2	5.9	<0.01	0.01	<0.1	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
812019		0.02	0.37	14	0.0890	1.00	20.8	<0.5
812020		0.05	0.66	32	0.228	2.26	57.9	<0.5
812021		0.04	0.54	15	0.0985	2.15	53.0	0.9
812022		0.02	0.75	17	0.0660	2.89	69.7	2.0
812023		0.06	0.55	26	0.177	2.30	27.8	<0.5
812024		0.04	0.89	17	0.148	2.99	125.0	1.9
812025		0.05	0.59	22	0.153	2.30	40.8	<0.5
812026		0.03	0.48	20	0.0713	2.54	71.7	1.8
812027		0.04	0.63	16	0.171	1.68	27.7	<0.5
812028		0.03	2.96	6	0.0347	2.91	12.8	2.3
812029		0.04	0.70	29	0.221	1.73	61.7	<0.5
812030		0.02	0.84	19	0.0812	5.00	125.0	0.7
812031		0.03	1.06	18	0.124	4.42	107.5	2.5
812032		0.02	0.38	8	0.0499	0.90	24.1	<0.5
812033		0.06	2.07	20	0.165	11.20	120.0	3.1
812034		0.14	7.61	24	0.147	42.3	139.5	5.7
812035		<0.02	0.29	20	0.102	1.10	16.1	<0.5
812036		<0.02	0.43	16	0.0413	1.50	47.3	1.0
812037		<0.02	0.38	8	0.0614	1.50	8.8	<0.5
812038		<0.02	0.76	25	0.0290	4.75	111.0	4.6
812039		<0.02	0.36	12	0.126	0.96	70.6	<0.5
812040		<0.02	0.65	15	0.328	2.04	84.5	2.2
812041		<0.02	0.97	20	0.410	3.47	121.5	3.6
812042		<0.02	0.97	15	0.622	1.84	64.3	1.4
812043		<0.02	2.46	21	0.0979	6.35	138.5	3.5
812044		<0.02	1.06	20	0.172	2.82	142.0	2.0
812045		<0.02	0.85	15	0.136	6.16	59.2	1.5
812046		<0.02	1.53	10	0.0775	18.40	60.9	2.0
812047		<0.02	1.08	7	0.0678	8.87	32.7	1.4
812048		<0.02	1.07	5	0.0243	2.32	8.5	1.1
812049		<0.02	0.80	22	0.113	9.72	91.9	3.0
812050		<0.02	0.70	29	0.0364	3.97	100.0	1.7
812051		<0.02	0.49	32	0.105	2.27	63.0	1.2
812052		<0.02	3.30	12	0.0825	15.35	72.2	2.3
812053		<0.02	0.38	37	0.166	1.96	31.9	<0.5
812054		<0.02	1.30	8	0.0676	9.41	24.6	0.7
812055		<0.02	2.06	6	0.105	9.51	24.1	0.6
812056		<0.02	0.25	6	0.0498	0.53	5.0	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 22- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11132714

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE WH11144454

Project:

P.O. No.:

This report is for 181 Soil samples submitted to our lab in Whitehorse, YT, Canada on 28- JUL- 2011.

The following have access to data associated with this certificate:

STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
812251		0.21	0.0011	0.049	0.89	2.81	<10	29.8	0.20	0.22	0.04	0.07	11.25	4.5	5.8	0.75
812252		0.36	0.0009	0.115	2.23	24.6	<10	54.7	0.38	0.44	0.02	0.04	68.7	14.6	32.1	1.40
812253		0.23	0.0004	0.090	1.01	6.80	<10	56.5	0.21	0.27	0.05	0.07	23.3	1.8	7.5	0.73
812254		0.28	0.0012	0.886	0.82	11.20	<10	39.8	0.97	0.21	0.38	0.01	17.40	116.5	9.6	2.70
812255		0.25	0.0007	0.110	0.11	0.57	<10	18.2	<0.05	0.03	0.04	0.02	1.88	2.1	2.1	0.20
812256		0.30	0.0011	0.046	0.37	3.25	<10	19.8	0.09	0.15	0.02	0.02	14.55	1.4	6.0	0.30
812257		0.35	0.0011	0.120	1.58	22.3	<10	42.0	0.33	0.47	0.02	0.10	40.5	7.4	25.1	1.91
812258		0.36	0.0018	0.086	1.86	47.8	<10	47.9	0.34	0.58	0.02	0.05	47.3	8.8	32.2	1.46
812259		0.21	0.0008	0.056	0.50	1.24	<10	15.8	0.10	0.05	0.04	0.04	5.53	1.1	2.6	0.30
812260		0.33	0.0024	0.047	1.14	17.50	<10	35.1	0.19	0.32	0.02	0.04	24.7	4.4	15.7	0.98
812261		0.35	0.0021	0.037	1.43	22.9	<10	32.9	0.23	0.40	0.02	0.04	31.6	7.0	22.2	1.20
812262		0.20	0.0024	0.075	0.47	6.55	<10	17.9	0.18	0.06	0.81	0.11	4.48	2.2	4.8	0.20
812263		0.19	0.0082	0.169	0.92	10.35	<10	31.9	0.39	0.18	2.16	0.23	10.20	3.2	13.7	0.70
812264		0.41	0.0083	0.140	2.25	50.0	<10	36.4	0.43	0.42	0.41	0.06	45.1	16.9	34.6	1.12
812265		0.36	0.0054	0.074	2.18	30.3	<10	36.4	0.59	0.43	0.26	0.05	61.5	14.9	35.5	1.20
812266		0.44	0.0038	0.168	2.35	88.3	<10	88.0	0.69	0.62	0.31	0.05	50.4	32.8	31.4	2.13
812267		0.31	0.0004	0.080	0.34	2.55	<10	15.5	0.07	0.06	0.06	0.04	9.70	1.7	5.4	0.44
812268		0.33	0.0008	0.195	1.30	13.65	<10	47.7	0.27	0.26	0.22	0.03	26.1	8.5	17.9	1.09
812269		0.21	0.0009	0.141	1.86	21.1	<10	43.1	0.52	0.42	0.89	0.03	29.3	11.3	29.7	2.69
812270		0.44	0.0029	0.080	1.79	32.4	<10	17.4	0.41	0.33	0.81	0.09	29.2	17.9	37.5	5.92
812271		0.21	0.0022	0.211	0.63	10.10	<10	26.8	0.26	0.14	2.99	0.04	6.00	4.4	8.2	1.85
812272		0.31	0.0015	0.080	1.54	29.8	<10	58.9	0.50	0.42	0.33	0.07	31.8	17.5	23.1	1.96
812273		0.34	0.0009	0.074	0.94	18.20	<10	50.1	0.31	0.29	0.21	0.04	20.5	10.5	13.3	1.69
812274		0.39	0.0018	0.066	1.97	26.0	<10	60.1	0.51	0.39	0.12	0.05	63.4	17.0	24.9	1.18
812275		0.35	0.0026	0.132	2.20	42.3	<10	71.3	0.71	0.48	0.49	0.08	52.5	20.4	27.6	2.09
812276		0.33	0.0016	0.057	1.79	26.2	<10	47.3	0.49	0.35	0.13	0.04	66.3	21.6	23.7	1.10
812277		0.41	0.0009	0.077	1.93	33.3	<10	63.9	0.46	0.43	0.09	0.07	57.4	21.2	24.1	2.82
812278		0.42	0.0016	0.111	2.10	29.2	<10	76.9	0.60	0.41	0.30	0.05	57.4	17.2	26.2	2.34
812279		0.50	0.0005	0.107	2.01	25.4	<10	83.3	0.57	0.39	0.25	0.05	57.4	14.9	24.4	1.71
812280		0.26	0.0006	0.095	0.76	10.75	<10	44.4	0.27	0.17	0.41	0.02	12.55	3.7	7.5	0.90
812281		0.28	0.0010	0.114	1.78	18.25	<10	50.5	0.48	0.31	0.89	0.05	33.7	13.2	23.9	2.47
812282		0.25	0.0047	0.405	2.00	79.3	<10	39.9	0.86	0.89	0.45	0.08	84.2	27.4	26.8	5.81
812283		0.23	0.0009	0.385	2.00	17.50	<10	28.6	0.38	0.77	0.07	0.04	45.9	11.7	28.2	1.57
812284		0.37	0.0006	0.140	2.67	18.90	<10	30.9	0.71	0.89	0.09	0.07	75.7	26.6	38.2	1.86
812285		0.24	0.0005	0.112	0.63	8.00	<10	23.8	0.24	0.23	0.02	0.03	14.70	4.2	9.7	1.21
812286		0.23	<0.0002	0.149	0.22	3.06	<10	15.6	0.08	0.10	0.02	0.02	10.15	1.0	2.6	0.65
812287		0.26	0.0007	0.121	0.94	14.80	<10	31.6	0.30	0.52	0.02	0.03	49.2	4.9	16.3	5.66
812288		0.42	0.0006	0.194	2.35	12.65	<10	23.8	0.54	0.70	0.08	0.04	78.5	26.4	35.6	2.20
812289		0.24	0.0009	0.203	2.24	15.80	<10	55.7	0.55	0.72	0.27	0.06	52.1	15.6	31.7	3.99
812290		0.20	0.0009	0.501	2.14	39.5	<10	115.5	0.88	1.35	0.20	0.04	76.1	25.6	28.4	8.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812251		8.90	1.79	3.79	<0.05	0.04	0.027	0.007	0.02	4.3	8.6	0.10	275	0.37	0.02	0.48
812252		17.45	5.38	7.29	0.08	0.04	0.013	0.017	0.03	35.0	66.4	0.69	630	0.49	0.01	0.23
812253		13.70	1.67	5.13	<0.05	<0.02	0.024	0.010	0.02	12.5	3.4	0.03	51	0.67	0.01	0.72
812254		71.2	1.22	2.17	<0.05	0.03	0.033	0.012	0.03	9.4	7.3	0.06	941	0.95	0.03	0.23
812255		2.38	0.29	0.73	<0.05	<0.02	0.005	<0.005	0.02	1.0	0.5	0.01	25	0.16	0.03	0.09
812256		3.67	0.93	3.00	<0.05	<0.02	<0.005	<0.005	0.02	7.4	3.2	0.05	75	0.43	0.02	<0.05
812257		15.90	5.07	7.36	0.05	0.02	0.016	0.017	0.03	21.1	33.4	0.37	500	0.87	0.01	0.49
812258		19.30	6.39	9.03	0.06	0.03	0.015	0.019	0.02	25.0	34.6	0.40	466	1.09	0.01	0.76
812259		4.81	0.48	1.87	<0.05	<0.02	0.008	<0.005	0.02	3.0	1.1	0.02	145	0.22	0.03	0.17
812260		13.70	3.13	5.30	<0.05	<0.02	0.012	0.011	0.02	12.6	18.9	0.23	277	0.60	0.01	0.35
812261		15.55	4.16	6.35	<0.05	<0.02	0.009	0.015	0.02	16.9	27.3	0.35	572	0.84	0.02	0.45
812262		52.4	0.18	1.51	<0.05	0.05	0.017	<0.005	0.02	2.4	1.5	0.05	43	8.91	0.04	0.34
812263		87.0	1.11	2.23	0.10	0.13	0.046	0.007	0.02	5.7	13.8	0.27	100	3.69	0.01	0.16
812264		38.6	4.03	6.72	0.13	0.11	0.033	0.020	0.03	24.3	73.4	0.90	417	0.34	<0.01	0.13
812265		35.2	4.02	6.79	0.15	0.13	0.027	0.018	0.03	31.1	76.1	0.86	403	0.24	0.01	0.13
812266		30.7	5.19	6.78	0.14	0.12	0.042	0.028	0.11	26.3	71.7	0.67	1060	0.61	0.02	0.13
812267		3.32	0.61	1.43	0.08	<0.02	0.041	<0.005	0.03	4.9	6.8	0.08	54	0.11	0.02	0.08
812268		13.00	2.33	4.20	0.10	0.05	0.035	0.011	0.04	13.3	36.3	0.40	253	0.33	0.02	0.22
812269		33.0	3.47	5.16	0.12	0.11	0.037	0.016	0.05	16.3	55.6	0.61	288	0.41	0.02	0.16
812270		27.0	3.94	5.63	0.13	0.09	0.025	0.015	0.04	15.7	60.9	0.70	571	1.14	0.02	0.08
812271		38.0	0.93	1.85	0.10	0.09	0.059	0.007	0.02	3.6	5.7	0.13	116	0.53	0.03	0.21
812272		27.2	3.39	5.92	0.10	0.03	0.023	0.016	0.08	16.9	38.9	0.45	724	0.79	0.02	0.22
812273		15.40	2.06	4.21	0.09	<0.02	0.026	0.012	0.06	11.1	20.2	0.23	529	0.60	0.03	0.21
812274		19.75	3.94	5.80	0.14	0.04	0.011	0.017	0.13	33.6	53.8	0.58	531	0.44	0.01	0.09
812275		30.2	4.36	5.94	0.14	0.16	0.046	0.019	0.16	26.7	64.0	0.62	511	0.62	0.02	0.11
812276		19.75	3.89	5.34	0.15	0.04	0.011	0.016	0.10	33.5	56.1	0.56	548	0.39	0.01	0.06
812277		13.85	3.97	5.54	0.14	0.09	0.018	0.014	0.14	29.1	50.4	0.51	669	0.37	0.02	0.12
812278		22.3	4.11	5.74	0.14	0.09	0.026	0.017	0.12	28.1	61.9	0.59	398	0.39	0.02	0.14
812279		21.8	3.67	5.71	0.13	0.10	0.020	0.016	0.11	28.2	60.8	0.55	281	0.33	0.01	0.12
812280		12.00	1.17	2.80	0.08	<0.02	0.023	0.008	0.05	6.4	13.1	0.12	115	0.24	0.03	0.13
812281		21.2	3.16	4.92	0.11	0.10	0.057	0.014	0.07	16.8	55.2	0.56	247	0.37	0.02	0.14
812282		52.1	4.39	6.29	0.22	0.05	0.032	0.025	0.04	49.2	68.7	0.66	663	0.75	0.02	0.21
812283		23.4	4.15	7.12	0.14	0.03	0.017	0.018	0.04	24.5	71.3	0.71	606	0.47	0.01	0.23
812284		39.8	5.53	8.55	0.18	0.03	0.024	0.022	0.04	36.5	104.5	0.99	1030	0.59	0.01	0.14
812285		11.85	1.77	2.62	0.09	<0.02	0.026	0.008	0.02	7.8	13.2	0.14	117	0.32	0.03	0.14
812286		5.43	0.49	1.23	0.08	<0.02	0.017	<0.005	0.02	5.7	1.4	0.02	20	0.20	0.03	0.07
812287		28.9	2.38	4.18	0.13	0.02	0.043	0.013	0.03	28.5	15.6	0.19	139	0.78	0.02	0.17
812288		35.6	5.17	7.87	0.18	0.03	0.019	0.017	0.03	39.3	80.5	0.92	999	0.66	0.01	0.13
812289		32.9	4.41	7.71	0.14	0.03	0.024	0.018	0.07	29.2	71.8	0.75	691	0.90	0.01	0.20
812290		54.4	4.49	6.85	0.18	0.05	0.021	0.027	0.10	41.9	48.0	0.50	652	1.77	0.02	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812251		7.0	0.052	11.10	2.4	<0.001	0.01	0.153	0.4	0.1	0.2	5.5	0.02	0.02	0.6	0.021
812252		25.3	0.065	24.4	6.5	<0.001	0.01	0.266	1.7	0.1	0.2	8.8	<0.01	0.02	8.7	0.007
812253		5.2	0.049	9.58	2.5	<0.001	0.01	0.269	0.3	0.1	0.5	9.8	<0.01	0.02	0.5	0.013
812254		69.3	0.133	30.8	2.2	0.001	0.08	0.198	0.3	1.5	<0.2	17.9	<0.01	0.03	0.4	0.010
812255		2.1	0.019	1.96	0.9	<0.001	0.01	0.023	0.1	<0.1	<0.2	7.8	<0.01	<0.01	0.1	0.011
812256		4.1	0.049	6.38	2.0	0.001	<0.01	0.108	<0.1	<0.1	0.2	4.2	<0.01	<0.01	<0.1	0.007
812257		17.1	0.122	24.8	6.7	<0.001	0.02	0.316	0.9	0.2	0.3	5.9	<0.01	0.02	4.0	0.014
812258		17.8	0.152	31.0	4.8	0.001	0.02	0.499	1.2	0.1	0.4	4.6	0.01	0.04	6.9	0.018
812259		1.9	0.042	4.60	1.3	<0.001	0.01	0.030	<0.1	<0.1	<0.2	5.9	<0.01	0.01	<0.1	0.015
812260		10.8	0.073	14.10	3.5	<0.001	0.01	0.269	0.4	<0.1	0.2	5.2	<0.01	0.02	0.8	0.014
812261		14.9	0.097	16.95	3.5	<0.001	0.02	0.325	0.6	<0.1	0.3	4.7	<0.01	0.01	1.1	0.017
812262		6.0	0.054	2.49	0.6	0.002	0.30	0.419	0.2	2.9	<0.2	38.5	0.01	<0.01	0.3	0.014
812263		21.2	0.049	9.41	1.4	0.009	1.46	0.625	0.9	6.1	<0.2	69.4	<0.01	0.01	2.5	0.006
812264		38.0	0.052	27.3	2.6	0.001	0.13	0.159	2.2	1.1	<0.2	21.2	<0.01	0.01	10.2	0.006
812265		34.3	0.047	27.7	2.9	<0.001	0.04	0.168	2.4	1.0	<0.2	16.4	<0.01	0.02	15.3	0.007
812266		37.3	0.072	33.2	7.8	0.001	0.03	0.266	2.8	2.0	0.2	21.9	<0.01	0.02	11.3	0.003
812267		4.4	0.026	3.75	1.9	<0.001	0.01	0.037	0.4	0.2	<0.2	4.6	<0.01	0.02	0.6	0.007
812268		16.4	0.062	12.30	3.7	<0.001	0.03	0.143	1.1	0.3	<0.2	15.8	<0.01	0.02	3.2	0.006
812269		30.9	0.076	21.5	3.7	0.003	0.09	0.275	1.9	1.4	<0.2	43.8	<0.01	0.02	5.8	0.005
812270		49.7	0.076	21.1	2.9	0.001	0.06	0.520	1.5	1.9	<0.2	34.3	<0.01	0.03	4.1	0.005
812271		16.1	0.111	7.94	1.8	<0.001	0.20	0.355	0.5	2.1	<0.2	113.5	<0.01	0.01	0.6	0.007
812272		28.1	0.072	23.2	7.8	<0.001	0.03	0.316	1.1	0.5	0.2	19.4	<0.01	0.04	2.9	0.006
812273		15.3	0.050	15.75	6.7	<0.001	0.02	0.208	0.6	0.2	0.2	13.7	<0.01	0.03	1.0	0.008
812274		28.8	0.049	22.7	7.6	<0.001	0.01	0.300	1.9	0.7	0.2	11.9	<0.01	0.03	8.1	0.003
812275		46.0	0.064	34.1	9.4	0.001	0.06	0.318	2.2	2.4	0.2	24.6	<0.01	0.02	9.2	0.003
812276		26.4	0.045	26.9	5.9	<0.001	0.01	0.345	1.8	0.8	<0.2	13.4	<0.01	0.03	10.6	0.003
812277		24.9	0.049	31.1	9.5	<0.001	0.01	0.271	1.6	0.6	0.2	12.3	<0.01	0.01	8.2	0.003
812278		28.7	0.053	28.4	8.6	0.001	0.03	0.277	2.1	1.0	0.2	27.1	<0.01	0.02	9.6	0.003
812279		27.2	0.051	29.7	8.9	<0.001	0.02	0.276	2.1	1.5	0.2	24.1	<0.01	0.01	10.3	0.002
812280		10.9	0.067	11.40	3.5	<0.001	0.04	0.127	0.1	0.5	<0.2	25.5	<0.01	0.01	<0.1	0.004
812281		33.2	0.082	19.45	5.7	<0.001	0.10	0.236	1.6	1.0	<0.2	54.4	<0.01	0.03	4.9	0.004
812282		35.3	0.080	44.1	3.9	<0.001	0.05	0.151	1.8	1.6	0.2	35.6	<0.01	0.02	8.1	0.004
812283		27.5	0.060	17.95	3.5	<0.001	0.01	0.081	1.9	0.6	0.3	19.8	<0.01	0.03	8.4	0.007
812284		41.3	0.062	24.1	3.4	<0.001	<0.01	0.108	2.8	0.6	0.3	20.2	<0.01	0.05	14.2	0.008
812285		9.2	0.051	11.95	2.1	<0.001	0.01	0.120	0.3	0.3	<0.2	5.2	<0.01	0.02	0.5	0.009
812286		2.6	0.055	7.04	1.2	<0.001	0.01	0.075	0.1	<0.1	<0.2	6.2	<0.01	0.02	<0.1	0.007
812287		15.1	0.071	25.5	3.0	<0.001	0.03	0.169	0.3	0.5	0.2	19.3	<0.01	0.02	1.1	0.005
812288		37.7	0.064	20.7	2.8	<0.001	0.01	0.130	2.4	0.6	0.2	12.6	<0.01	0.02	14.1	0.009
812289		33.2	0.060	20.1	5.9	<0.001	0.01	0.085	2.1	0.6	0.3	29.0	<0.01	0.02	9.4	0.005
812290		41.6	0.115	50.8	9.0	<0.001	0.05	0.218	2.1	1.3	0.3	36.1	<0.01	0.04	9.6	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812251		0.02	0.30	11	0.114	1.33	27.6	0.8
812252		0.04	0.63	23	0.109	2.70	88.7	1.1
812253		0.03	0.43	25	0.202	1.07	19.3	0.5
812254		0.03	3.77	7	0.0544	9.71	59.1	0.5
812255		<0.02	0.11	6	0.0365	0.23	6.1	<0.5
812256		0.02	0.20	13	0.0851	0.52	13.1	<0.5
812257		0.02	0.85	23	0.156	1.73	64.2	0.7
812258		0.04	0.76	27	0.179	1.95	65.9	1.3
812259		<0.02	0.41	8	0.0560	0.84	6.9	<0.5
812260		0.03	0.54	20	0.165	1.42	38.9	<0.5
812261		0.03	0.57	23	0.178	1.52	52.3	<0.5
812262		0.02	25.7	3	0.0313	1.63	6.7	2.3
812263		0.02	41.2	8	0.0280	4.16	33.4	5.0
812264		0.02	6.37	18	0.0427	5.36	118.0	4.7
812265		0.03	2.83	18	0.0339	5.83	110.5	5.4
812266		0.06	2.23	18	0.0409	5.97	113.0	4.5
812267		<0.02	0.21	6	0.0230	0.55	11.9	<0.5
812268		0.04	0.89	12	0.0445	2.13	48.8	1.5
812269		0.03	2.10	14	0.0452	6.49	75.6	3.3
812270		0.02	3.87	18	0.0675	3.81	97.9	2.7
812271		0.02	1.06	5	0.0439	4.11	14.7	2.9
812272		0.04	0.84	17	0.0787	3.42	68.3	0.9
812273		0.04	0.52	13	0.0684	2.11	37.8	<0.5
812274		0.05	0.90	15	0.0487	4.36	86.6	1.5
812275		0.07	2.14	16	0.0452	7.23	115.0	4.9
812276		0.06	1.19	13	0.0356	4.78	74.2	2.1
812277		0.07	0.86	14	0.0446	3.15	90.3	2.9
812278		0.06	1.94	15	0.0521	5.59	87.4	3.4
812279		0.08	1.44	14	0.0472	5.27	82.9	3.8
812280		0.04	0.98	8	0.0473	3.23	20.0	<0.5
812281		0.04	3.84	13	0.0458	5.10	80.1	2.8
812282		0.03	3.81	16	0.550	17.10	112.5	1.5
812283		0.03	0.75	21	10.60	3.93	86.9	0.8
812284		0.03	1.37	25	11.75	6.49	123.0	1.3
812285		0.02	0.36	12	1.185	1.97	25.6	0.6
812286		<0.02	0.29	6	0.0608	0.80	8.2	<0.5
812287		0.03	1.17	12	0.791	5.22	39.6	<0.5
812288		0.02	1.39	23	2.41	5.66	113.0	1.2
812289		0.04	1.26	20	2.13	5.71	103.0	1.0
812290		0.09	3.42	19	2.55	10.40	107.0	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
812291		0.25	0.0010	0.498	2.09	38.1	<10	110.5	0.95	1.17	0.21	0.04	81.4	26.2	27.3	9.09
812292		0.23	0.0011	0.647	1.30	10.00	<10	37.9	0.82	0.28	0.22	0.03	97.5	10.9	9.5	1.19
812293		0.25	0.0015	0.105	2.43	23.9	<10	21.6	0.47	0.59	0.07	0.03	71.4	15.5	36.0	1.24
812294		0.34	0.0022	0.082	2.24	18.00	<10	31.3	0.50	0.51	0.06	0.02	65.3	13.0	33.4	2.28
812295		0.29	0.0013	0.315	2.04	33.0	<10	46.7	0.54	0.68	0.12	0.02	67.9	12.5	28.4	3.58
812296		0.29	<0.0002	0.045	0.41	12.35	<10	15.8	0.09	0.13	0.02	0.02	10.10	2.0	6.7	0.28
812297		0.23	0.0002	0.053	0.85	30.0	<10	27.0	0.17	0.43	0.02	0.03	34.2	3.3	13.9	0.84
812298		0.31	0.0014	0.135	2.14	104.5	<10	25.0	1.24	0.53	0.12	0.09	89.8	53.9	30.3	1.52
812299		0.54	0.0004	0.100	2.31	87.8	<10	16.0	1.99	0.39	0.07	0.29	206	155.0	32.9	1.22
812300		0.28	0.0014	0.110	1.79	68.6	<10	20.7	0.93	0.40	0.38	0.29	67.8	46.5	27.0	1.58
812301		0.43	0.0004	0.124	1.95	93.4	<10	20.1	0.70	0.48	0.10	0.05	66.2	21.0	29.1	1.38
812302		0.29	<0.0002	0.124	1.86	20.3	<10	21.3	0.58	0.90	0.28	0.08	50.3	17.3	28.4	3.83
812303		0.44	<0.0002	0.093	1.58	21.7	<10	26.7	0.32	0.52	0.08	0.24	38.2	10.2	23.6	5.69
812304		0.36	<0.0002	0.101	1.96	27.3	<10	45.9	0.87	0.61	0.12	0.29	48.0	14.6	25.9	7.43
812305		0.28	<0.0002	0.057	0.15	0.98	<10	16.8	<0.05	0.04	0.03	0.04	2.64	0.8	4.0	0.73
812306		0.37	0.0006	0.117	1.33	17.50	<10	69.0	0.22	0.42	0.02	0.04	63.2	6.2	18.2	1.07
812307		0.24	0.0011	0.168	1.65	4.97	<10	54.2	0.36	0.34	0.09	0.06	43.2	9.5	23.0	3.87
812308		0.29	<0.0002	0.237	1.30	4.67	<10	37.4	0.26	0.39	0.04	0.04	51.8	6.8	19.6	2.69
812309		0.36	<0.0002	0.055	1.69	9.64	<10	19.0	0.71	0.45	0.01	0.03	73.7	14.4	23.8	1.49
812310		0.30	<0.0002	0.118	0.19	1.27	<10	9.2	<0.05	0.07	0.03	0.02	5.56	0.8	2.8	0.42
812311		0.27	<0.0002	0.104	0.20	1.42	<10	9.6	<0.05	0.08	0.03	0.02	5.75	0.7	2.9	0.42
812312		0.35	0.0028	0.049	0.80	12.75	<10	28.3	0.22	0.43	0.01	0.02	42.7	2.3	14.1	1.81
812313		0.31	0.0024	0.101	1.95	11.20	<10	22.4	0.79	0.52	0.01	0.10	81.2	25.5	28.5	1.62
812314		0.28	0.0015	0.093	0.89	17.15	<10	35.5	0.26	0.33	0.01	0.06	46.2	3.6	16.3	1.51
812315		0.30	0.0005	0.071	2.02	37.9	<10	16.7	0.69	0.50	0.03	0.08	71.0	21.2	32.7	1.32
812316		0.31	0.0012	0.207	1.82	111.0	<10	57.0	0.80	0.64	0.04	0.06	62.1	7.3	22.8	2.45
812317		0.38	<0.0002	0.236	1.28	33.0	<10	23.5	0.26	0.38	0.02	0.06	34.9	5.5	27.4	1.28
812318		0.30	<0.0002	0.107	0.26	6.81	<10	15.5	0.09	0.14	0.02	0.02	11.15	2.0	6.2	0.83
812319		0.35	<0.0002	0.217	0.60	12.55	<10	18.5	0.19	0.20	0.02	0.02	22.3	3.3	12.1	1.17
812320		0.35	0.0019	0.576	3.06	438	<10	54.3	2.51	1.15	0.03	0.16	167.0	845	27.6	8.69
812321		0.28	0.0002	0.231	0.62	18.75	<10	30.5	0.18	0.37	0.02	0.04	26.7	5.7	13.3	1.62
812322		0.35	<0.0002	0.175	1.50	59.8	<10	39.3	0.59	0.61	0.03	0.04	62.9	8.6	27.8	2.60
812323		0.43	0.0005	0.085	1.64	230	<10	28.2	0.53	0.45	0.01	0.12	50.0	9.3	25.0	1.41
812324		0.35	0.0006	0.189	1.25	54.1	<10	49.2	0.51	0.41	0.10	0.07	26.5	6.7	16.1	1.66
812325		0.31	0.0005	0.130	0.70	21.8	<10	11.1	0.16	0.28	0.01	0.02	47.0	3.9	13.6	1.09
812326		0.29	0.0022	0.137	2.05	109.5	<10	18.4	1.13	0.53	0.12	0.09	78.1	15.5	28.3	1.50
812327		0.26	<0.0002	0.046	0.10	0.68	<10	6.3	<0.05	0.02	0.03	0.04	2.07	0.6	2.1	0.26
812328		0.39	<0.0002	0.071	1.99	11.10	<10	23.8	0.91	0.54	0.01	0.04	71.7	39.0	30.6	2.13
812329		0.42	0.0005	0.123	1.40	15.30	<10	28.7	0.51	0.56	0.02	0.03	64.3	8.8	25.2	1.79
812330		0.48	0.0004	0.334	2.12	12.10	<10	24.0	3.53	0.41	0.36	0.14	68.9	121.5	34.3	5.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812291		56.6	4.31	7.14	0.18	0.04	0.015	0.029	0.10	43.8	51.2	0.49	619	1.68	0.02	0.38
812292		62.1	1.58	3.26	0.22	0.03	0.056	0.011	0.03	46.3	10.2	0.11	79	0.66	0.02	0.33
812293		28.1	5.37	7.63	0.17	0.03	0.016	0.019	0.04	37.3	80.8	0.95	637	0.52	<0.01	0.21
812294		25.2	4.66	7.38	0.16	0.04	0.016	0.016	0.05	33.1	71.7	0.83	520	0.56	0.01	0.30
812295		30.2	4.35	6.96	0.17	0.03	0.031	0.018	0.06	39.6	61.1	0.62	455	1.08	0.01	0.34
812296		5.55	1.25	2.34	0.09	<0.02	0.011	<0.005	0.02	5.4	8.1	0.10	70	0.21	0.02	0.13
812297		17.00	3.58	6.45	0.11	<0.02	0.027	0.012	0.02	17.8	12.6	0.15	178	0.68	0.02	0.54
812298		41.8	4.86	6.07	0.24	0.06	0.018	0.024	0.06	60.9	79.1	0.80	678	0.50	0.01	0.10
812299		58.7	4.60	6.67	0.29	0.12	0.008	0.016	0.03	69.6	86.9	0.79	1540	0.91	<0.01	0.05
812300		29.3	4.18	5.20	0.14	0.10	0.021	0.021	0.06	52.2	65.7	0.71	529	0.60	0.01	0.09
812301		27.6	4.89	5.53	0.11	0.07	<0.005	0.024	0.03	32.9	68.5	0.76	473	0.52	0.01	0.09
812302		39.8	4.68	5.43	0.07	0.05	0.043	0.021	0.05	22.8	53.8	0.63	598	0.90	0.01	0.15
812303		13.85	3.64	5.51	0.06	0.03	0.012	0.015	0.02	20.8	56.6	0.53	434	1.31	0.01	0.22
812304		26.7	3.94	6.14	0.08	0.06	0.009	0.019	0.02	29.0	55.1	0.54	550	1.73	0.01	0.27
812305		3.48	0.36	0.73	<0.05	<0.02	0.011	<0.005	0.02	1.4	0.8	0.02	29	0.23	0.02	<0.05
812306		14.75	3.21	5.83	0.07	<0.02	0.008	0.015	0.02	32.7	35.3	0.39	289	0.46	0.01	0.26
812307		58.3	3.07	5.29	0.07	0.03	0.036	0.014	0.03	22.9	43.5	0.52	375	0.32	0.01	0.18
812308		36.4	2.66	5.90	0.07	0.02	0.023	0.010	0.03	28.3	30.0	0.40	298	0.39	<0.01	0.23
812309		29.6	4.71	5.51	0.10	0.04	0.017	0.019	0.02	38.0	61.0	0.57	359	0.56	0.01	0.11
812310		1.83	0.48	1.34	<0.05	<0.02	<0.005	<0.005	0.02	3.0	1.6	0.02	26	0.23	0.02	0.07
812311		2.03	0.53	1.20	<0.05	<0.02	0.010	<0.005	0.02	3.1	1.4	0.02	26	0.23	0.02	0.06
812312		8.64	3.34	6.37	0.07	<0.02	0.018	0.011	0.02	23.1	12.9	0.16	93	1.12	0.01	0.21
812313		26.4	5.11	5.65	0.12	0.06	0.008	0.016	0.03	45.4	71.7	0.71	580	0.63	0.01	<0.05
812314		14.30	2.37	3.95	0.07	<0.02	0.018	0.012	0.02	24.9	15.6	0.18	68	0.63	0.01	0.11
812315		27.8	5.13	6.18	0.13	0.05	<0.005	0.022	0.03	36.6	74.2	0.81	377	0.61	<0.01	0.10
812316		27.6	3.78	5.80	0.07	0.04	<0.005	0.031	0.07	33.2	48.7	0.45	174	0.63	0.01	0.26
812317		13.35	4.57	6.53	0.05	0.02	0.024	0.019	0.03	18.6	22.2	0.34	194	0.79	0.01	0.48
812318		5.16	1.02	2.03	<0.05	<0.02	0.018	0.005	0.02	5.7	2.7	0.06	94	0.37	0.02	0.07
812319		11.60	2.25	2.68	<0.05	<0.02	0.023	0.010	0.02	11.4	11.7	0.16	129	0.64	0.01	0.08
812320		407	8.37	5.87	0.16	0.13	0.025	0.054	0.04	49.5	129.5	0.52	6390	17.25	0.01	<0.05
812321		15.45	2.87	3.98	<0.05	<0.02	0.033	0.010	0.03	13.7	10.4	0.12	95	0.91	0.02	0.20
812322		26.1	5.45	6.32	0.08	0.04	0.012	0.023	0.03	31.2	47.2	0.45	269	1.49	0.01	0.37
812323		21.8	5.64	5.24	0.07	0.04	0.005	0.023	0.04	26.3	49.0	0.57	288	1.16	0.01	0.23
812324		19.60	2.58	4.43	<0.05	0.03	0.007	0.018	0.05	15.2	28.1	0.28	165	0.63	0.02	0.30
812325		9.80	2.22	4.25	0.07	<0.02	0.010	0.009	0.02	24.9	20.2	0.24	129	0.40	0.01	0.12
812326		32.4	4.77	5.65	0.12	0.06	<0.005	0.030	0.04	41.0	76.1	0.80	281	0.49	0.01	0.11
812327		1.27	0.27	0.42	<0.05	<0.02	0.010	<0.005	0.02	1.1	0.6	0.01	14	0.13	0.02	0.06
812328		34.0	5.81	6.08	0.08	0.06	0.021	0.020	0.04	36.6	71.5	0.63	810	0.82	0.01	0.14
812329		23.3	6.19	8.22	0.08	0.03	0.021	0.018	0.02	33.6	26.9	0.29	394	1.03	0.01	0.55
812330		180.0	3.93	5.00	0.13	0.13	0.008	0.016	0.05	44.4	82.3	0.56	1000	1.64	0.02	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812291		41.8	0.112	44.4	9.6	<0.001	0.05	0.231	2.2	0.8	0.3	39.3	<0.01	0.06	8.4	0.004
812292		38.4	0.129	13.85	2.2	<0.001	0.10	0.107	0.5	1.8	<0.2	26.3	<0.01	0.03	1.0	0.008
812293		31.0	0.065	18.30	2.8	<0.001	<0.01	0.181	2.2	0.6	0.2	11.9	<0.01	0.03	13.6	0.008
812294		27.8	0.055	21.5	4.5	<0.001	0.01	0.133	2.1	0.5	0.2	20.8	<0.01	0.03	12.3	0.008
812295		29.1	0.078	31.4	6.6	<0.001	0.04	0.197	1.7	0.7	0.2	22.7	<0.01	0.02	7.8	0.006
812296		4.5	0.032	6.28	1.3	<0.001	0.01	0.117	0.3	0.1	<0.2	3.8	<0.01	0.02	0.2	0.014
812297		6.9	0.103	17.55	3.6	<0.001	0.01	0.348	0.6	0.3	0.4	6.1	<0.01	0.04	1.3	0.021
812298		63.2	0.073	48.3	3.9	<0.001	0.03	0.721	1.9	2.1	<0.2	17.7	<0.01	0.02	11.2	0.004
812299		95.4	0.055	31.3	2.3	0.001	0.05	0.675	1.8	3.5	0.2	11.7	<0.01	0.02	12.2	0.005
812300		102.5	0.071	35.8	3.1	<0.001	0.08	0.647	1.5	1.1	<0.2	26.7	<0.01	0.04	9.1	0.004
812301		31.9	0.061	49.1	2.9	<0.001	0.03	0.841	1.6	0.3	<0.2	15.3	<0.01	0.04	9.3	0.004
812302		29.3	0.114	24.7	3.6	<0.001	0.07	0.256	1.3	0.5	0.2	12.6	<0.01	0.04	7.4	0.005
812303		23.7	0.076	12.95	2.4	<0.001	0.02	0.108	1.3	0.2	0.2	7.5	<0.01	0.03	5.6	0.008
812304		31.0	0.107	16.80	3.6	<0.001	0.04	0.135	1.1	0.9	0.2	10.3	<0.01	0.03	3.9	0.008
812305		2.5	0.049	1.58	1.1	<0.001	0.01	0.040	<0.1	<0.1	0.2	5.1	<0.01	0.02	<0.1	0.008
812306		12.9	0.086	16.80	3.9	<0.001	0.03	0.183	1.0	0.2	0.3	19.7	<0.01	0.02	4.0	0.010
812307		25.8	0.094	10.95	3.9	<0.001	0.05	0.046	1.1	0.3	0.2	8.7	<0.01	0.02	3.7	0.006
812308		17.0	0.064	10.30	4.4	<0.001	0.02	0.061	1.0	0.3	0.3	6.0	<0.01	0.02	5.4	0.007
812309		20.7	0.061	28.3	2.7	0.001	0.02	0.412	1.2	0.3	<0.2	10.0	<0.01	0.04	6.0	0.004
812310		1.6	0.047	3.65	1.4	<0.001	0.01	0.053	<0.1	<0.1	<0.2	5.3	<0.01	0.03	<0.1	0.010
812311		1.7	0.052	3.87	1.3	<0.001	0.02	0.056	<0.1	<0.1	<0.2	4.7	<0.01	0.01	<0.1	0.009
812312		5.7	0.097	19.50	3.3	<0.001	0.03	0.425	0.3	0.2	0.3	7.9	<0.01	0.04	0.5	0.011
812313		27.6	0.069	37.7	2.6	<0.001	0.04	0.433	1.1	0.2	<0.2	11.6	<0.01	0.03	7.3	0.003
812314		10.3	0.143	27.8	2.9	<0.001	0.04	0.336	0.1	0.4	0.2	8.4	<0.01	0.02	0.2	0.002
812315		29.3	0.074	39.4	2.1	<0.001	0.02	0.655	2.0	0.5	<0.2	8.9	<0.01	0.03	10.2	0.005
812316		22.3	0.048	76.4	7.5	<0.001	0.02	0.582	1.6	0.5	0.3	12.8	<0.01	0.04	7.6	0.005
812317		12.1	0.105	28.0	3.5	<0.001	0.03	0.530	1.3	0.4	0.3	6.4	<0.01	0.03	2.6	0.014
812318		3.9	0.057	8.05	2.5	<0.001	0.02	0.203	0.1	<0.1	0.2	4.8	<0.01	0.03	<0.1	0.012
812319		9.2	0.109	14.25	2.0	<0.001	0.03	0.398	0.2	0.1	0.2	5.4	<0.01	0.02	0.2	0.008
812320		153.0	0.249	236	2.8	0.001	0.10	3.03	2.3	2.2	0.3	16.5	<0.01	0.05	28.3	0.002
812321		8.3	0.110	23.1	2.9	<0.001	0.03	0.469	0.4	0.2	0.2	7.8	<0.01	0.03	2.1	0.010
812322		18.5	0.077	45.9	4.4	<0.001	0.02	0.785	1.4	0.2	0.3	8.8	<0.01	0.05	10.8	0.009
812323		20.3	0.109	49.6	4.6	<0.001	0.03	0.867	1.4	0.3	0.2	11.9	<0.01	0.04	6.5	0.007
812324		17.7	0.070	37.1	4.1	<0.001	0.04	0.429	0.7	0.3	0.2	10.8	<0.01	0.02	1.3	0.010
812325		10.2	0.066	19.00	2.4	<0.001	0.02	0.301	0.5	<0.1	0.2	4.8	<0.01	0.02	1.7	0.008
812326		41.6	0.068	58.3	3.0	<0.001	0.04	1.325	1.6	0.6	0.2	16.1	<0.01	0.02	9.0	0.005
812327		1.3	0.034	1.38	0.7	<0.001	0.02	0.023	0.1	<0.1	<0.2	4.4	<0.01	0.02	0.1	0.008
812328		40.8	0.103	35.9	3.7	<0.001	0.04	0.529	1.3	0.6	0.2	17.2	<0.01	0.04	5.1	0.005
812329		18.6	0.132	31.5	4.7	<0.001	0.03	0.588	0.9	0.2	0.4	9.8	<0.01	0.05	5.8	0.012
812330		155.5	0.135	28.8	4.3	<0.001	0.09	0.378	1.1	2.0	<0.2	23.5	<0.01	0.04	4.7	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812291		0.08	3.03	19	2.29	10.95	104.5	1.3
812292		0.04	3.73	7	0.498	20.4	30.4	0.7
812293		0.03	1.33	21	0.890	5.70	103.0	1.2
812294		0.04	1.12	19	1.430	5.97	94.4	1.1
812295		0.05	1.16	19	0.877	10.15	79.4	0.9
812296		0.02	0.18	11	0.234	0.62	14.5	<0.5
812297		0.05	0.36	27	0.760	1.57	32.4	<0.5
812298		0.03	1.64	16	0.827	31.6	183.0	1.8
812299		0.02	1.21	15	0.131	74.8	263	4.2
812300		0.02	1.17	13	0.0908	27.1	156.0	2.8
812301		0.02	1.30	15	0.138	7.06	101.0	1.7
812302		0.02	1.36	17	0.373	4.32	90.7	1.1
812303		0.02	1.65	17	1.985	2.82	89.8	0.7
812304		0.03	8.46	17	0.432	6.48	98.2	1.4
812305		<0.02	0.13	6	0.0402	0.27	8.7	<0.5
812306		0.03	0.55	18	0.380	2.18	46.0	<0.5
812307		0.04	0.97	13	0.232	4.75	64.1	0.8
812308		0.03	0.74	14	0.216	2.91	46.1	<0.5
812309		0.03	0.96	13	0.0363	2.80	77.8	1.2
812310		<0.02	0.16	7	0.0583	0.33	6.6	<0.5
812311		<0.02	0.19	7	0.0495	0.33	6.7	<0.5
812312		0.05	0.62	21	0.161	1.77	25.0	<0.5
812313		0.02	1.44	14	0.0270	3.94	97.5	1.3
812314		0.03	0.80	13	0.0565	2.33	29.3	<0.5
812315		0.02	1.17	20	0.0494	4.49	97.9	1.4
812316		0.07	1.47	15	0.0841	6.77	77.7	1.4
812317		0.03	0.57	32	0.161	2.21	47.2	0.5
812318		0.02	0.23	16	0.0895	0.67	20.4	<0.5
812319		0.02	0.54	11	0.0594	1.41	26.3	<0.5
812320		0.14	6.85	11	0.0381	17.25	256	5.9
812321		0.02	0.64	13	0.0840	1.38	34.3	<0.5
812322		0.04	1.12	21	0.102	4.24	72.3	1.8
812323		0.04	1.90	17	0.0729	3.31	84.1	0.9
812324		0.03	1.50	13	0.0794	5.07	56.9	0.6
812325		0.02	0.39	14	0.0618	1.84	34.8	<0.5
812326		0.03	1.42	16	0.140	10.40	152.5	1.4
812327		<0.02	0.12	6	0.0265	0.18	9.0	<0.5
812328		0.04	1.11	16	0.0490	4.89	100.5	1.7
812329		0.05	0.75	25	0.169	3.18	53.2	1.0
812330		0.03	3.28	12	0.0900	53.2	341	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812331		0.49	0.0098	0.144	3.66	266	<10	16.3	4.91	0.45	0.04	0.23	88.7	81.0	27.2	1.45
812332		Not Recvd														
812333		Not Recvd														
812066		0.23	0.0003	0.112	0.74	7.16	<10	44.0	0.19	0.20	0.03	0.06	19.00	6.0	8.1	1.28
812067		0.20	<0.0002	0.109	1.76	29.5	<10	36.6	0.50	0.53	0.18	0.10	45.4	11.0	29.7	1.53
812068		0.33	<0.0002	0.078	1.67	19.10	<10	57.8	0.21	0.58	0.03	0.09	46.1	5.7	24.0	1.45
812069		0.28	<0.0002	0.196	1.23	12.75	<10	40.2	0.49	0.33	0.03	0.07	28.8	6.1	15.4	1.34
812070		0.27	<0.0002	0.375	0.48	6.33	<10	49.9	0.17	0.20	0.05	0.09	10.05	4.4	4.5	1.36
812071		0.18	<0.0002	0.251	0.78	8.69	<10	46.7	0.20	0.25	0.03	0.08	15.50	10.4	9.2	1.59
812072		0.37	<0.0002	0.214	2.32	26.6	<10	31.7	0.43	0.42	0.01	0.04	56.1	12.2	31.1	1.25
812073		0.21	<0.0002	0.073	0.26	0.52	<10	20.5	0.05	0.06	0.03	0.03	3.39	0.7	4.6	0.39
812074		0.22	<0.0002	0.129	1.10	6.19	<10	43.7	0.31	0.24	0.03	0.11	19.75	8.8	12.1	1.08
812075		0.33	<0.0002	0.063	1.89	13.10	<10	25.9	0.52	0.36	0.02	0.04	43.7	14.7	26.6	1.44
812076		0.25	<0.0002	0.074	1.13	6.24	<10	23.4	0.17	0.38	0.09	0.19	11.85	8.1	16.3	1.15
812077		0.36	<0.0002	0.101	1.49	35.0	<10	33.0	0.30	0.41	0.09	0.09	31.7	10.3	21.5	2.44
812078		0.34	<0.0002	0.064	1.34	71.3	<10	41.0	0.42	0.60	0.03	0.14	32.3	16.3	18.2	2.45
812079		0.31	<0.0002	0.081	1.45	18.35	<10	25.2	0.28	0.31	0.03	0.06	31.0	11.1	19.0	1.11
812080		0.21	0.0009	0.068	0.66	8.36	<10	22.4	0.11	0.24	0.02	0.04	16.25	4.2	9.6	0.80
812081		0.22	0.0008	0.049	0.61	13.80	<10	46.9	0.14	0.10	0.46	0.05	8.99	4.2	5.8	0.95
812082		0.19	0.0011	0.066	0.93	9.56	<10	38.0	0.26	0.15	0.20	0.04	15.85	4.1	9.0	1.15
812083		0.25	0.0014	0.134	1.83	48.0	<10	76.7	0.70	0.33	0.96	0.03	23.7	12.9	19.6	2.33
812084		0.17	0.0003	0.048	0.71	17.00	<10	20.7	0.15	0.27	0.02	0.03	34.3	2.7	10.3	0.53
812085		0.23	<0.0002	0.183	0.37	2.37	<10	23.0	0.08	0.09	0.03	0.04	11.70	0.9	2.6	0.58
812086		0.24	<0.0002	0.083	0.46	5.59	<10	31.5	0.08	0.13	0.02	0.04	10.40	2.2	5.4	0.63
812087		0.28	0.0004	0.051	2.15	20.9	<10	30.0	0.52	0.50	0.08	0.17	82.4	19.4	36.6	3.95
812088		0.43	0.0006	0.088	1.75	23.3	<10	57.5	0.51	0.44	0.15	0.10	57.0	20.9	22.4	1.78
812089		0.46	0.0008	0.017	1.64	23.0	<10	20.6	0.35	0.29	0.02	0.01	93.4	14.0	22.9	0.74
812090		0.35	0.0004	0.059	2.00	25.6	<10	34.8	0.49	0.66	0.10	0.05	81.2	14.4	30.9	1.42
812091		0.27	<0.0002	0.161	1.23	18.90	<10	37.5	0.37	0.33	0.12	0.07	37.5	11.0	16.8	2.22
812092		0.22	<0.0002	0.050	0.17	1.56	<10	19.0	<0.05	0.07	0.03	0.04	8.13	0.8	2.7	0.75
812093		0.23	0.0013	0.248	0.93	44.2	10	14.8	0.82	0.27	2.91	0.31	10.45	15.6	18.3	9.04
812094		0.20	0.0016	0.094	0.36	6.39	<10	24.7	0.18	0.08	3.16	0.16	3.39	7.2	4.2	3.33
812095		0.25	0.0010	0.128	1.58	21.6	<10	36.2	0.32	0.36	0.05	0.05	62.1	8.0	20.7	2.16
812096		0.32	0.0006	0.212	1.06	23.5	<10	33.9	0.28	0.27	0.06	0.08	24.0	7.3	13.5	1.14
812097		0.30	0.0006	0.268	1.92	32.5	<10	46.3	0.50	0.51	0.04	0.10	63.9	11.9	26.2	1.86
812098		0.29	0.0024	0.141	1.74	31.2	<10	26.3	0.41	0.43	0.02	0.04	65.2	8.3	24.3	1.48
812099		0.29	0.0005	0.142	1.30	35.1	<10	25.2	0.39	0.38	0.03	0.06	38.9	10.7	20.2	2.39
812100		0.33	0.0006	0.110	0.68	13.45	<10	17.8	0.19	0.18	0.06	0.03	12.30	4.1	8.6	1.62
812101		0.29	0.0004	0.144	0.78	16.95	<10	32.2	0.20	0.25	0.05	0.07	28.1	7.2	11.7	1.38
812102		0.27	0.0007	0.073	2.02	16.50	<10	33.0	0.59	0.44	0.54	0.10	53.7	17.3	32.1	4.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812331		95.0	4.78	5.61	0.20	0.17	<0.005	0.022	0.04	35.2	84.7	0.71	2230	0.67	<0.01	0.11
812332																
812333																
812066		12.90	1.85	3.35	<0.05	0.03	0.023	0.008	0.02	10.4	5.2	0.07	470	0.47	0.02	0.30
812067		24.1	6.31	6.53	0.06	0.02	0.018	0.017	0.04	23.3	44.3	0.58	297	1.19	0.01	0.23
812068		13.55	4.73	7.21	0.06	0.05	0.021	0.012	0.02	23.4	38.9	0.48	677	0.68	0.01	0.21
812069		24.3	2.94	4.45	0.05	0.10	0.027	0.011	0.03	13.7	26.4	0.27	243	0.69	0.02	0.31
812070		8.15	1.39	3.08	<0.05	<0.02	0.024	0.006	0.03	4.8	5.2	0.06	253	0.57	0.03	0.22
812071		6.73	2.08	4.67	<0.05	<0.02	0.025	0.006	0.03	7.1	11.7	0.12	719	0.52	0.02	0.22
812072		23.0	4.59	6.38	0.09	0.11	0.025	0.017	0.02	27.7	68.2	0.67	423	0.57	0.02	0.21
812073		4.47	0.35	1.18	<0.05	<0.02	0.012	<0.005	0.02	1.8	1.4	0.03	33	0.18	0.03	0.15
812074		11.55	1.98	4.26	<0.05	0.05	0.029	0.007	0.03	9.4	18.3	0.21	1280	0.50	0.02	0.31
812075		53.9	3.66	5.69	0.06	0.07	0.007	0.012	0.03	20.7	52.6	0.66	517	0.40	0.02	0.17
812076		22.8	2.56	4.28	0.06	0.02	0.012	0.016	0.03	5.5	24.5	0.42	1420	1.69	0.02	0.19
812077		17.85	3.45	6.00	<0.05	0.02	0.014	0.012	0.04	15.7	42.3	0.47	612	2.17	0.02	0.24
812078		26.3	3.46	5.86	0.05	0.03	0.015	0.015	0.05	16.2	29.6	0.33	730	2.13	0.02	0.23
812079		15.45	2.99	4.99	0.05	0.05	0.005	0.009	0.03	15.5	46.6	0.46	493	0.58	0.02	0.25
812080		6.10	1.81	3.60	<0.05	<0.02	0.024	0.007	0.02	8.1	13.4	0.17	279	0.34	0.02	0.22
812081		7.58	1.05	2.29	<0.05	0.06	0.014	0.005	0.04	4.4	11.8	0.13	237	0.25	0.03	0.30
812082		11.55	1.27	3.01	<0.05	0.04	0.016	0.007	0.04	7.2	26.0	0.16	127	0.24	0.03	0.30
812083		25.2	2.66	4.79	<0.05	0.12	0.027	0.016	0.04	11.5	51.2	0.44	386	0.42	0.02	0.21
812084		6.16	2.91	6.28	<0.05	<0.02	0.010	0.007	0.02	17.1	7.9	0.10	146	0.45	0.02	0.30
812085		3.04	0.62	2.44	<0.05	<0.02	0.017	<0.005	0.02	5.8	2.2	0.03	149	0.16	0.03	0.18
812086		4.47	1.23	2.73	<0.05	<0.02	0.019	<0.005	0.02	5.1	6.1	0.08	265	0.24	0.02	0.19
812087		36.6	5.00	6.61	0.16	0.11	0.012	0.028	0.04	43.9	68.3	0.78	566	0.81	0.01	0.12
812088		24.6	3.51	4.96	0.12	0.12	0.016	0.018	0.08	29.0	48.6	0.54	1000	0.67	0.01	0.14
812089		18.90	3.71	4.73	0.16	0.07	<0.005	0.012	0.05	46.4	59.8	0.62	353	0.30	<0.01	0.05
812090		26.0	4.24	5.53	0.15	0.04	0.011	0.017	0.06	41.9	65.1	0.72	336	0.41	0.01	0.10
812091		17.60	2.96	4.05	0.11	0.02	0.018	0.016	0.05	19.0	30.3	0.32	277	0.48	0.02	0.22
812092		5.43	0.37	1.07	0.08	<0.02	0.009	<0.005	0.02	4.2	0.8	0.02	23	0.16	0.03	<0.05
812093		46.2	1.87	2.43	0.14	0.13	0.059	0.012	0.06	6.3	26.0	0.37	393	0.69	0.02	0.11
812094		12.80	0.44	0.85	0.09	0.08	0.077	<0.005	0.05	1.9	4.8	0.18	182	0.43	0.03	0.16
812095		14.50	3.42	5.71	0.12	0.03	0.012	0.017	0.05	33.1	51.3	0.49	282	0.48	0.01	0.24
812096		11.55	2.48	4.21	0.09	<0.02	0.049	0.012	0.03	12.0	23.4	0.27	347	0.43	0.02	0.19
812097		19.40	4.86	6.13	0.14	0.04	0.037	0.020	0.04	33.2	51.4	0.57	497	0.69	0.01	0.27
812098		21.6	4.43	5.08	0.14	0.03	0.021	0.016	0.04	36.0	56.9	0.62	298	0.52	0.01	0.17
812099		21.7	3.84	5.04	0.11	<0.02	0.037	0.016	0.03	21.0	31.9	0.38	363	0.64	0.01	0.40
812100		9.46	1.49	2.30	0.09	<0.02	0.017	0.007	0.03	6.4	13.1	0.16	273	0.39	0.02	0.19
812101		8.81	1.97	3.27	0.09	<0.02	0.031	0.011	0.04	14.7	19.9	0.22	417	0.38	0.02	0.07
812102		32.5	4.29	5.57	0.13	0.12	0.010	0.023	0.04	28.6	63.1	0.74	611	0.75	0.01	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812331		63.3	0.080	54.8	2.7	<0.001	0.31	1.670	1.8	3.1	0.2	14.3	<0.01	0.03	12.8	0.006
812332																
812333																
812066		5.3	0.066	14.55	2.8	<0.001	0.02	0.314	0.3	<0.1	0.2	5.9	<0.01	0.03	0.7	0.014
812067		25.3	0.131	32.4	6.3	<0.001	0.04	0.694	1.2	0.1	0.2	13.9	<0.01	0.05	7.8	0.007
812068		11.4	0.191	30.5	4.5	<0.001	0.03	0.300	0.8	0.3	0.2	5.7	<0.01	0.04	4.8	0.007
812069		14.3	0.047	18.00	3.6	<0.001	0.02	0.280	0.9	0.1	<0.2	7.4	<0.01	0.02	7.0	0.011
812070		6.4	0.117	11.75	3.5	<0.001	0.02	0.154	0.2	<0.1	0.2	8.2	<0.01	0.02	0.3	0.014
812071		6.7	0.137	9.00	3.9	<0.001	0.02	0.187	0.3	0.1	0.2	5.9	<0.01	0.01	0.3	0.015
812072		27.1	0.040	22.8	3.3	<0.001	0.01	0.286	1.8	<0.1	<0.2	3.3	<0.01	0.03	10.2	0.008
812073		2.8	0.041	3.01	1.0	<0.001	0.02	0.017	0.1	<0.1	<0.2	5.0	<0.01	0.01	0.2	0.011
812074		10.3	0.090	10.90	4.4	<0.001	0.02	0.141	0.5	0.2	0.2	6.1	<0.01	0.02	1.4	0.013
812075		27.8	0.036	14.65	3.7	<0.001	0.01	0.222	1.4	<0.1	0.2	3.9	<0.01	0.02	7.7	0.012
812076		15.7	0.069	9.76	2.1	<0.001	0.02	0.092	1.1	<0.1	0.2	7.0	<0.01	0.03	2.0	0.012
812077		19.6	0.057	13.65	5.1	<0.001	0.02	0.180	1.1	<0.1	0.2	8.5	<0.01	0.04	4.4	0.008
812078		18.0	0.067	32.1	6.6	<0.001	0.02	0.283	0.8	0.2	0.2	6.0	<0.01	0.03	2.6	0.008
812079		21.0	0.064	14.85	3.9	<0.001	0.01	0.208	1.1	<0.1	0.2	4.6	<0.01	0.02	4.3	0.008
812080		8.9	0.087	8.20	3.2	<0.001	0.02	0.138	0.5	0.2	0.2	3.9	<0.01	0.04	1.1	0.011
812081		6.6	0.064	6.21	4.1	<0.001	0.06	0.132	0.4	<0.1	<0.2	28.3	<0.01	0.01	0.8	0.011
812082		18.3	0.051	10.50	4.3	<0.001	0.03	0.103	0.7	0.1	<0.2	15.2	<0.01	0.01	2.4	0.009
812083		28.4	0.104	23.1	4.8	<0.001	0.10	0.258	1.1	0.9	<0.2	64.4	<0.01	0.02	2.9	0.004
812084		6.1	0.123	8.59	2.4	<0.001	0.02	0.212	0.3	<0.1	0.3	3.7	<0.01	0.02	0.7	0.015
812085		2.1	0.045	4.24	2.5	<0.001	0.02	0.055	0.1	<0.1	0.2	5.0	<0.01	0.01	0.2	0.013
812086		4.5	0.077	4.75	2.1	<0.001	0.02	0.093	0.3	<0.1	0.2	4.4	<0.01	0.01	0.3	0.013
812087		39.5	0.107	35.6	3.9	<0.001	0.03	0.524	2.1	0.5	<0.2	14.7	<0.01	0.06	13.3	0.004
812088		23.2	0.075	31.3	6.4	<0.001	0.03	0.352	1.6	0.6	0.2	12.5	<0.01	0.02	7.6	0.003
812089		20.7	0.033	20.3	3.1	<0.001	0.01	0.466	1.5	0.4	<0.2	4.8	<0.01	<0.01	12.4	0.003
812090		30.1	0.052	27.2	4.7	<0.001	0.02	0.380	1.7	0.4	<0.2	11.6	<0.01	0.01	8.0	0.003
812091		16.6	0.073	21.7	5.0	0.001	0.03	0.287	0.8	0.4	0.2	10.4	<0.01	<0.01	2.2	0.006
812092		2.2	0.054	5.65	1.2	<0.001	0.02	0.085	<0.1	0.1	<0.2	6.3	<0.01	<0.01	<0.1	0.005
812093		84.6	0.157	24.9	2.7	0.002	0.27	0.902	0.6	7.6	<0.2	136.0	<0.01	<0.01	1.9	0.003
812094		15.4	0.121	5.62	1.7	0.001	0.45	0.185	0.2	1.9	<0.2	165.5	<0.01	0.01	0.5	0.004
812095		18.7	0.044	23.8	5.8	<0.001	0.02	0.267	1.2	0.1	0.2	7.1	<0.01	0.02	4.9	0.005
812096		11.6	0.140	14.45	4.3	<0.001	0.05	0.282	0.1	0.2	0.2	9.1	<0.01	0.01	0.1	0.008
812097		20.6	0.148	28.1	6.0	<0.001	0.04	0.483	1.1	0.4	0.2	10.7	<0.01	0.01	5.7	0.007
812098		22.0	0.075	28.0	3.2	<0.001	0.02	0.506	1.2	0.4	<0.2	9.2	<0.01	0.02	9.0	0.005
812099		22.8	0.134	28.3	3.1	<0.001	0.03	0.497	0.7	0.4	0.2	10.1	<0.01	0.01	1.3	0.013
812100		8.8	0.093	10.95	2.7	<0.001	0.05	0.193	0.1	0.2	<0.2	7.1	<0.01	<0.01	0.1	0.007
812101		10.0	0.121	15.50	4.9	<0.001	0.03	0.230	0.1	0.2	0.2	6.4	<0.01	<0.01	0.1	0.005
812102		36.6	0.087	30.7	4.1	<0.001	0.07	0.475	2.0	0.8	<0.2	34.0	<0.01	0.05	6.2	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812331		0.03	2.05	13	0.244	46.2	257	7.0
812332								
812333								
812066		0.03	0.33	12	0.136	1.08	25.0	0.5
812067		<0.02	0.70	18	0.101	2.10	88.8	0.8
812068		0.04	0.60	19	0.0899	1.51	70.4	1.1
812069		0.02	0.95	13	0.0885	1.25	40.8	3.0
812070		0.02	0.36	12	0.0911	0.57	50.1	<0.5
812071		0.03	0.52	14	0.119	0.75	48.7	<0.5
812072		0.02	0.77	18	0.0557	2.32	77.8	3.3
812073		0.02	0.21	5	0.0289	0.28	8.1	<0.5
812074		0.02	0.33	12	0.129	1.08	37.9	1.1
812075		0.02	0.52	18	0.0622	2.22	70.9	1.7
812076		<0.02	0.38	13	0.0582	0.87	56.0	0.5
812077		0.02	1.12	19	0.0691	1.40	69.4	0.6
812078		0.02	0.91	17	0.0961	1.72	80.4	0.9
812079		<0.02	0.45	14	0.0549	1.35	62.4	1.4
812080		0.02	0.30	13	0.0864	0.66	34.3	<0.5
812081		0.02	0.47	7	0.0308	0.96	41.3	1.8
812082		0.03	0.83	8	0.0367	1.97	42.2	1.1
812083		0.04	4.83	12	0.0331	3.71	62.2	3.3
812084		0.03	0.30	21	0.127	1.01	24.5	<0.5
812085		0.02	0.21	7	0.0672	0.45	12.8	<0.5
812086		0.02	0.20	10	0.0642	0.44	19.7	<0.5
812087		0.06	0.88	23	0.0224	4.18	104.0	5.2
812088		0.05	1.49	13	0.0388	3.73	78.6	3.0
812089		0.03	0.87	12	0.0256	3.67	64.7	3.3
812090		0.03	0.92	16	0.0364	4.34	80.8	1.2
812091		0.03	0.69	13	0.0728	2.44	55.5	0.5
812092		<0.02	0.18	6	0.0470	0.37	9.3	<0.5
812093		0.03	12.20	7	0.0900	10.85	85.1	4.3
812094		0.02	1.95	3	0.0493	1.94	27.3	2.9
812095		0.03	0.38	18	0.0771	1.93	59.9	0.7
812096		0.02	0.44	15	0.0802	1.20	42.1	<0.5
812097		0.04	0.81	18	0.104	2.48	79.4	1.3
812098		0.02	0.62	14	0.0621	2.40	73.6	1.2
812099		0.03	0.68	17	0.106	2.36	69.6	<0.5
812100		0.02	0.37	8	0.0619	0.75	24.9	<0.5
812101		0.02	0.33	11	0.0748	1.03	35.3	<0.5
812102		0.06	1.23	19	0.0240	5.10	107.0	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812103		0.27	0.0006	0.065	1.58	58.8	<10	30.4	0.35	0.63	0.02	0.07	28.3	9.9	22.3	1.88
812104		0.23	0.0221	0.146	1.84	127.5	<10	27.9	0.74	0.86	0.26	0.07	43.5	36.1	25.5	4.62
812105		0.16	0.0008	0.496	0.85	61.0	<10	113.0	0.49	0.47	0.58	0.25	22.6	47.6	10.0	1.82
812106		0.31	0.0201	0.406	2.36	643	<10	34.0	1.79	1.08	0.04	0.09	61.4	67.3	28.5	6.36
812107		0.22	0.0004	0.256	0.79	32.8	<10	35.7	0.29	0.26	0.04	0.09	15.85	13.3	8.6	1.31
812108		0.17	0.0012	0.117	0.81	17.80	<10	21.0	0.28	0.28	0.04	0.02	14.85	9.3	9.4	0.85
812109		0.39	0.0011	0.082	1.91	24.6	<10	36.0	0.37	0.41	0.01	0.06	71.1	10.8	27.1	1.14
812110		0.27	<0.0002	0.118	1.30	19.85	<10	42.5	0.43	0.48	0.02	0.12	45.6	9.1	20.0	1.45
812111		0.26	0.0002	0.096	1.34	13.50	<10	67.2	0.35	0.40	0.03	0.10	27.4	13.8	26.5	3.25
812112		0.32	<0.0002	0.261	2.05	14.20	<10	38.6	0.38	0.69	0.01	0.11	51.3	16.5	30.4	3.03
812113		0.23	0.0007	0.117	1.62	10.25	<10	74.8	0.36	0.77	0.05	0.12	24.8	10.8	21.9	2.16
812114		0.22	0.0009	0.137	1.59	4.14	<10	73.5	0.34	0.43	0.03	0.14	19.05	14.5	24.3	2.15
812115		0.36	0.0002	0.125	2.01	9.35	<10	43.1	0.33	0.76	0.03	0.11	29.7	15.9	29.0	2.64
812116		0.34	<0.0002	0.083	1.08	4.40	<10	39.4	0.23	0.28	0.04	0.08	18.00	9.2	12.6	2.42
812117		0.18	0.0004	0.172	1.50	8.69	<10	59.8	0.75	0.70	0.06	0.11	23.9	14.2	20.9	3.53
812118		0.25	0.0009	0.232	2.48	17.15	<10	47.7	1.03	2.00	0.11	0.10	64.3	25.5	28.3	2.87
812119		0.25	0.0004	0.174	0.73	6.81	<10	23.2	0.37	0.39	0.04	0.04	22.4	4.6	7.3	1.49
812120		0.20	0.0002	0.051	0.13	0.82	<10	8.1	0.05	0.05	0.03	0.02	2.89	0.8	1.7	0.27
812121		0.15	<0.0002	0.011	0.11	<0.02	<10	6.8	<0.05	0.02	0.03	0.01	0.50	0.5	1.7	0.13
812122		0.33	<0.0002	0.105	1.60	7.15	<10	15.2	0.22	0.53	0.01	0.03	54.8	9.1	23.1	3.82
812123		0.23	<0.0002	0.097	0.15	1.17	<10	9.2	<0.05	0.08	0.02	0.01	7.70	1.5	2.5	0.52
812124		0.20	0.0006	0.168	0.98	8.07	<10	34.5	0.57	0.40	0.09	0.03	46.8	5.8	13.3	4.75
812125		0.29	0.0006	0.219	1.52	19.30	<10	24.6	0.36	0.63	0.03	0.07	77.3	8.5	23.9	3.85
812126		0.19	0.0004	0.250	1.99	21.4	<10	54.6	0.82	0.59	0.03	0.04	100.0	11.0	26.8	5.72
812127		0.27	<0.0002	0.062	1.34	12.70	<10	22.6	0.34	0.35	0.03	0.02	39.5	6.1	21.1	2.65
812128		0.24	0.0003	0.487	1.27	7.84	<10	33.4	0.53	0.29	0.25	0.02	62.8	10.6	18.6	3.94
812129		0.15	<0.0002	0.113	0.77	10.40	<10	23.0	0.26	0.21	0.04	0.02	32.2	3.5	12.8	1.46
812130		0.27	<0.0002	0.059	2.12	20.7	<10	28.9	0.69	0.41	0.05	0.05	49.7	9.9	29.6	2.26
812131		0.18	0.0014	0.227	1.38	11.20	<10	52.0	0.27	0.41	0.04	0.04	51.1	6.5	19.3	3.10
812132		0.25	0.0011	0.408	1.53	16.10	<10	87.6	0.54	0.52	0.06	0.03	56.5	6.2	22.1	6.07
812133		0.26	0.0004	0.146	1.75	13.40	<10	50.6	0.27	0.37	0.03	0.03	47.2	6.8	26.3	3.98
812134		0.23	0.0002	0.134	2.19	25.5	<10	58.4	0.40	0.54	0.04	0.03	57.8	8.2	30.5	1.79
812135		0.34	0.0002	0.036	1.91	26.1	<10	33.6	0.32	1.01	0.02	0.05	49.1	8.6	32.1	1.29
812136		0.33	0.0002	0.145	2.07	101.5	<10	38.6	0.76	0.60	0.06	0.06	78.8	12.6	29.5	2.00
812137		0.20	0.0006	0.134	2.62	109.0	<10	18.6	3.21	0.48	0.09	0.25	216	120.0	30.2	1.49
812138		0.25	0.0010	0.068	2.10	81.6	<10	19.5	0.79	0.57	0.06	0.10	80.3	27.7	31.8	1.39
812139		0.29	<0.0002	0.104	1.12	11.05	<10	28.6	0.21	0.43	0.02	0.05	22.2	3.1	14.2	1.36
812140		0.28	<0.0002	0.223	1.54	13.50	<10	37.8	0.39	0.76	0.02	0.11	44.1	7.0	21.3	3.05
812141		0.29	0.0024	0.180	1.09	8.79	<10	34.8	0.28	0.49	0.02	0.07	25.3	5.0	14.0	2.60
811655		0.33	0.0022	0.016	2.25	25.7	<10	39.4	0.47	0.36	0.01	0.03	78.6	15.9	31.5	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812103		22.3	3.99	5.53	0.09	0.03	0.043	0.016	0.03	14.5	38.7	0.47	653	0.62	0.01	0.28
812104		41.2	4.32	5.57	0.12	0.11	0.032	0.027	0.06	23.5	51.9	0.60	1050	1.12	0.02	0.18
812105		25.7	1.96	2.93	<0.05	0.02	0.097	0.015	0.05	12.4	17.7	0.23	2120	0.71	0.02	0.18
812106		96.5	6.12	6.34	0.08	0.07	0.016	0.041	0.04	32.9	66.7	0.61	1620	1.56	0.01	0.15
812107		14.45	1.72	2.97	<0.05	0.03	0.023	0.008	0.03	8.2	15.4	0.15	673	0.42	0.02	0.18
812108		14.35	1.57	2.74	<0.05	0.03	0.018	0.010	0.02	7.6	16.9	0.18	289	0.33	0.02	0.27
812109		18.10	4.74	7.07	0.08	0.06	<0.005	0.018	0.03	36.0	53.0	0.51	319	0.63	0.01	0.51
812110		14.25	4.33	6.64	0.06	0.03	0.027	0.017	0.02	24.3	32.8	0.29	692	0.79	0.01	0.44
812111		9.43	6.20	9.22	<0.05	0.02	0.037	0.018	0.03	14.2	14.0	0.18	2240	0.77	0.01	0.55
812112		21.6	4.85	8.28	0.08	0.06	0.036	0.017	0.02	27.7	51.9	0.67	794	0.69	0.01	0.38
812113		13.30	3.66	6.57	<0.05	0.05	0.029	0.017	0.03	12.9	34.9	0.47	1160	0.68	0.01	0.34
812114		16.00	3.75	5.68	<0.05	0.04	0.033	0.012	0.03	10.3	34.8	0.56	1580	0.28	0.01	0.26
812115		13.90	4.92	8.29	0.05	0.02	0.019	0.016	0.03	16.2	48.9	0.75	922	0.71	0.01	0.43
812116		6.78	2.17	4.29	<0.05	0.02	0.023	0.009	0.03	9.2	21.6	0.29	830	0.34	0.02	0.27
812117		76.6	2.98	4.87	<0.05	0.03	0.043	0.015	0.03	12.7	38.5	0.52	951	0.54	0.01	0.22
812118		58.3	4.90	7.27	0.08	0.06	0.023	0.033	0.03	30.6	111.0	0.79	1200	0.77	0.01	0.27
812119		16.80	1.40	3.20	<0.05	0.02	0.024	0.009	0.02	10.6	17.1	0.10	86	0.44	0.02	0.32
812120		2.46	0.28	0.79	<0.05	<0.02	<0.005	<0.005	0.02	1.4	1.6	0.02	23	0.10	0.03	0.10
812121		0.82	0.26	0.40	<0.05	<0.02	<0.005	0.007	0.01	0.3	0.2	0.01	17	0.07	0.03	0.07
812122		19.40	3.66	5.48	0.09	0.03	<0.005	0.012	0.02	29.9	48.2	0.60	510	0.71	0.01	0.18
812123		3.60	0.34	1.01	<0.05	<0.02	<0.005	0.005	0.01	4.2	6.2	0.03	32	0.18	0.02	0.08
812124		27.1	2.07	3.18	0.08	0.02	<0.005	0.010	0.03	28.1	22.9	0.25	213	0.58	0.02	0.23
812125		28.2	4.20	6.49	0.10	0.03	0.097	0.019	0.03	42.6	41.1	0.45	340	1.06	0.01	0.42
812126		51.5	3.89	5.43	0.12	0.04	0.016	0.020	0.03	51.0	48.0	0.51	319	0.81	0.01	0.31
812127		16.90	3.19	4.11	0.07	<0.02	0.006	0.011	0.02	20.8	35.9	0.44	243	0.62	0.01	0.43
812128		23.2	2.34	3.69	0.08	0.02	0.021	0.009	0.03	32.9	30.4	0.35	208	0.61	0.01	0.33
812129		10.15	1.88	3.12	0.05	<0.02	<0.005	0.009	0.04	18.3	15.9	0.23	124	0.65	0.01	0.42
812130		20.0	4.43	5.87	0.07	0.05	<0.005	0.014	0.03	26.2	64.2	0.69	372	0.55	0.01	0.59
812131		49.0	2.58	3.98	0.07	0.03	0.024	0.012	0.05	25.7	32.3	0.34	216	0.40	0.01	0.27
812132		58.6	2.88	4.82	0.08	0.04	0.015	0.014	0.04	28.6	45.0	0.46	286	0.60	0.01	0.19
812133		26.8	3.40	5.49	0.07	0.03	<0.005	0.011	0.04	24.6	55.9	0.62	358	0.55	0.01	0.19
812134		31.0	4.24	6.05	0.07	0.06	<0.005	0.016	0.05	30.8	64.8	0.71	423	0.45	0.01	0.22
812135		19.95	6.94	11.05	0.06	<0.02	0.006	0.026	0.02	24.0	40.6	0.43	531	1.22	0.01	1.19
812136		34.9	4.90	5.53	0.12	0.08	<0.005	0.025	0.03	43.5	77.3	0.76	325	0.69	0.01	0.11
812137		68.3	4.18	6.44	0.48	0.15	<0.005	0.018	0.03	126.0	89.5	0.73	1300	0.73	0.01	0.09
812138		29.2	5.05	5.61	0.11	0.05	<0.005	0.026	0.04	39.7	78.3	0.82	541	0.57	0.01	0.08
812139		13.55	3.17	5.42	<0.05	0.03	<0.005	0.011	0.02	11.9	15.1	0.15	173	0.56	0.02	0.63
812140		19.35	4.56	6.69	0.06	0.04	0.012	0.016	0.02	23.2	31.7	0.31	624	0.78	0.01	0.50
812141		13.35	3.08	5.38	0.09	0.03	0.044	0.010	0.02	13.5	18.4	0.21	385	0.70	0.01	0.37
811655		29.6	4.59	6.59	0.15	0.04	0.018	0.016	0.06	38.3	65.7	0.80	507	0.31	<0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812103		21.5	0.094	24.0	3.7	<0.001	0.03	0.387	0.7	0.3	0.2	4.9	<0.01	0.02	2.0	0.009
812104		35.1	0.085	71.6	4.3	0.001	0.08	1.190	1.1	0.3	0.2	23.8	<0.01	0.03	4.4	0.005
812105		25.2	0.131	40.9	2.4	<0.001	0.09	0.517	0.2	0.3	<0.2	45.0	<0.01	0.03	0.3	0.009
812106		74.6	0.090	97.2	5.3	<0.001	0.03	1.685	1.9	0.9	0.2	12.7	<0.01	0.09	6.9	0.005
812107		12.5	0.096	17.10	2.6	<0.001	0.03	0.281	0.2	0.1	<0.2	6.6	<0.01	0.03	0.4	0.012
812108		10.6	0.040	11.30	1.9	<0.001	0.02	0.193	0.5	0.2	<0.2	4.9	<0.01	0.02	1.2	0.015
812109		24.1	0.053	21.3	3.9	<0.001	0.02	0.426	1.5	0.4	0.3	3.7	<0.01	0.04	8.2	0.010
812110		14.6	0.180	26.2	5.6	<0.001	0.03	0.502	0.8	0.3	0.3	5.4	<0.01	0.04	2.5	0.014
812111		11.6	0.150	17.00	4.5	<0.001	0.03	0.320	0.9	0.5	0.3	10.9	<0.01	0.06	5.4	0.013
812112		31.5	0.066	16.10	5.4	<0.001	0.02	0.299	1.6	0.7	0.3	5.4	0.01	0.06	9.6	0.013
812113		23.9	0.089	9.20	6.2	<0.001	0.03	0.188	0.9	0.5	0.2	9.6	<0.01	0.04	3.1	0.012
812114		28.1	0.112	12.00	5.4	<0.001	0.03	0.174	1.0	0.3	0.3	6.2	<0.01	0.02	3.4	0.014
812115		30.3	0.103	20.5	6.7	<0.001	0.02	0.207	1.4	0.2	0.3	6.1	0.01	0.06	4.7	0.015
812116		14.6	0.070	10.45	4.8	<0.001	0.02	0.114	0.6	0.3	0.2	6.1	0.01	0.03	1.4	0.016
812117		24.0	0.062	33.6	4.2	<0.001	0.03	0.206	0.9	0.3	0.2	9.3	<0.01	0.05	3.5	0.010
812118		39.5	0.072	45.3	4.3	<0.001	0.02	0.113	2.5	0.5	0.4	56.8	<0.01	0.08	12.0	0.008
812119		9.2	0.052	13.70	1.9	<0.001	0.03	0.143	0.5	0.3	0.2	30.3	<0.01	0.04	1.7	0.020
812120		1.5	0.030	2.24	0.7	<0.001	0.01	0.017	0.1	0.1	<0.2	9.9	<0.01	0.02	0.1	0.010
812121		0.7	0.024	0.84	0.5	<0.001	0.01	<0.005	0.1	<0.1	<0.2	6.5	<0.01	0.01	<0.1	0.012
812122		22.8	0.048	13.20	1.7	<0.001	0.02	0.112	1.4	0.3	0.2	7.0	<0.01	0.04	6.3	0.010
812123		3.6	0.036	2.23	0.6	<0.001	0.02	0.017	0.2	<0.1	<0.2	4.2	<0.01	0.03	0.6	0.009
812124		16.9	0.037	15.30	2.3	<0.001	0.03	0.079	0.9	0.4	0.2	19.9	<0.01	0.04	4.1	0.007
812125		25.1	0.075	28.0	3.6	<0.001	0.04	0.705	1.6	0.7	0.3	66.2	<0.01	0.05	9.1	0.008
812126		32.1	0.093	23.8	4.2	<0.001	0.05	0.181	1.3	0.8	0.2	32.3	<0.01	0.04	6.1	0.006
812127		17.3	0.059	15.35	2.4	<0.001	0.03	0.170	1.0	0.2	0.2	30.0	<0.01	0.03	4.0	0.012
812128		33.6	0.094	21.1	3.1	<0.001	0.07	0.103	0.8	0.7	0.2	72.8	<0.01	0.03	2.9	0.007
812129		10.5	0.058	14.85	2.6	<0.001	0.03	0.175	0.7	0.3	0.2	22.3	<0.01	0.04	2.8	0.010
812130		26.7	0.056	20.7	3.8	<0.001	0.02	0.240	1.8	0.7	0.2	15.8	<0.01	0.03	10.0	0.011
812131		18.2	0.099	17.50	5.8	<0.001	0.07	0.077	1.1	0.7	0.2	12.0	<0.01	0.02	3.5	0.006
812132		18.2	0.085	21.4	5.1	<0.001	0.04	0.063	1.4	0.9	0.2	17.9	<0.01	0.03	3.5	0.006
812133		17.9	0.054	13.90	4.3	<0.001	0.02	0.074	1.5	0.4	0.2	7.8	<0.01	0.03	5.1	0.007
812134		22.7	0.067	25.5	5.3	<0.001	0.02	0.111	1.7	0.3	0.2	8.5	<0.01	0.02	7.1	0.007
812135		18.6	0.347	22.7	4.1	<0.001	0.02	0.419	1.6	0.6	0.6	6.0	0.01	0.06	5.5	0.031
812136		31.1	0.074	57.1	3.4	<0.001	0.04	0.732	1.8	1.0	0.2	16.3	<0.01	0.03	10.5	0.005
812137		103.5	0.071	36.2	2.7	0.001	0.07	0.677	1.9	7.6	<0.2	14.1	0.01	0.05	11.7	0.005
812138		33.6	0.079	51.6	3.2	<0.001	0.02	0.689	1.8	0.6	0.2	16.6	<0.01	0.02	10.2	0.005
812139		7.1	0.072	11.40	3.6	<0.001	0.02	0.184	0.7	0.4	0.3	6.0	0.02	0.03	2.6	0.022
812140		14.2	0.110	15.40	4.3	<0.001	0.02	0.210	1.0	0.4	0.3	5.3	0.01	0.06	5.1	0.014
812141		9.7	0.087	10.90	4.0	<0.001	0.03	0.185	0.4	0.3	0.2	4.9	0.01	0.03	1.1	0.013
811655		31.7	0.033	19.75	4.7	<0.001	<0.01	0.324	1.9	0.4	0.2	2.9	<0.01	0.02	11.1	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812103		0.03	0.74	18	0.157	1.39	64.0	0.7
812104		0.04	1.77	15	0.0753	2.43	110.0	3.0
812105		0.02	0.86	9	0.139	1.93	72.8	0.6
812106		0.05	2.95	17	0.261	5.45	169.5	2.6
812107		0.03	0.45	10	0.0669	0.97	45.0	0.8
812108		<0.02	0.41	9	0.0603	0.96	31.1	0.6
812109		0.03	0.42	24	0.119	2.26	59.5	1.6
812110		0.04	0.49	22	0.135	1.71	61.6	0.7
812111		0.05	0.56	33	0.207	1.15	69.6	0.5
812112		0.03	0.75	25	0.110	2.45	99.3	1.5
812113		0.03	0.50	20	0.127	1.37	79.3	1.2
812114		0.02	0.47	23	0.0827	1.17	104.5	0.7
812115		0.03	0.50	28	0.132	1.43	96.2	0.7
812116		0.03	0.32	15	0.0937	0.84	49.8	0.7
812117		0.03	0.79	17	0.0815	1.78	65.8	0.7
812118		0.05	1.43	26	47.3	5.12	111.5	1.5
812119		0.02	0.54	11	5.15	2.21	18.0	<0.5
812120		<0.02	0.19	6	0.326	0.40	5.2	<0.5
812121		<0.02	0.09	7	0.0296	0.11	4.5	<0.5
812122		<0.02	0.74	19	0.836	3.05	66.8	0.7
812123		<0.02	0.22	6	0.113	0.48	6.1	<0.5
812124		0.03	1.26	10	0.555	6.97	43.9	0.6
812125		0.04	1.12	19	0.789	5.49	65.9	0.8
812126		0.03	1.89	15	0.359	11.70	72.5	0.8
812127		0.02	0.68	13	0.345	3.89	53.4	<0.5
812128		0.04	1.32	10	0.311	8.72	48.5	<0.5
812129		0.04	0.57	11	0.406	2.93	29.6	<0.5
812130		0.04	0.64	18	0.556	4.71	71.9	1.3
812131		0.04	1.88	10	0.534	5.83	41.2	0.7
812132		0.07	1.73	12	0.521	7.26	47.7	0.8
812133		0.03	0.76	16	0.520	3.42	57.6	0.7
812134		0.06	0.92	19	1.160	4.62	71.5	1.2
812135		0.06	0.73	50	1.060	3.20	60.4	0.5
812136		0.03	1.37	17	0.161	9.59	94.1	2.2
812137		0.02	1.86	15	1.165	150.5	271	3.1
812138		0.02	1.37	17	0.348	6.69	110.5	1.2
812139		0.03	0.49	19	0.463	1.68	26.0	0.8
812140		0.04	0.73	22	0.512	2.66	53.4	1.1
812141		0.03	0.57	16	0.336	1.73	37.2	0.7
811655		0.03	0.75	20	0.0359	3.63	84.5	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
811656		0.37	0.0017	0.035	2.15	23.6	<10	31.3	0.62	0.36	0.17	0.04	79.2	22.0	31.2	0.88
811657		0.28	0.0009	0.161	1.37	19.25	<10	71.1	0.37	0.49	0.16	0.13	39.5	17.5	17.9	2.06
811658		0.29	0.0019	0.070	1.27	18.85	<10	51.1	0.31	0.40	0.03	0.06	37.0	6.3	13.5	1.13
811659		0.27	0.0006	0.046	1.83	39.1	<10	37.4	0.27	0.47	0.02	0.06	40.3	8.2	26.4	1.42
811660		0.29	0.0009	0.043	1.59	33.1	<10	36.4	0.22	0.42	0.02	0.06	33.7	6.9	22.4	1.23
811661		0.34	0.0008	0.091	1.45	32.7	<10	31.5	0.25	0.61	0.04	0.11	44.1	8.9	25.0	1.50
811662		0.32	0.0007	0.052	1.24	24.3	<10	44.3	0.23	0.44	0.02	0.10	30.0	5.0	19.3	1.24
811663		0.29	0.0013	0.046	1.64	30.2	<10	24.6	0.18	0.58	0.01	0.03	55.4	8.1	34.0	1.24
811664		0.30	0.0014	0.042	1.92	32.0	<10	34.5	0.47	0.41	0.08	0.05	58.0	14.1	32.6	1.98
811665		0.29	0.0004	0.102	0.44	4.47	<10	16.3	0.05	0.08	0.18	0.03	12.00	1.7	5.9	0.95
811666		0.24	0.0054	0.250	1.63	90.5	<10	50.6	1.54	0.74	1.31	0.14	46.4	16.5	18.2	17.15
811667		0.25	0.0023	0.075	0.51	20.8	<10	19.2	0.15	0.14	0.05	0.05	13.90	3.7	6.7	2.54
811668		0.24	0.0005	0.055	0.32	3.84	<10	12.7	0.08	0.11	0.05	0.07	4.35	3.1	3.7	1.37
811669		0.34	0.0080	0.172	1.72	362	<10	21.1	0.72	1.05	0.03	0.10	41.4	37.8	22.2	5.77
811670		0.29	0.0012	0.168	0.48	58.4	<10	11.5	0.19	0.23	0.03	0.04	5.42	2.9	5.0	1.77
811671		0.27	0.0006	0.111	1.22	25.8	<10	16.2	0.23	0.55	0.02	0.04	41.0	5.6	20.3	1.30
811672		0.31	0.0009	0.120	1.70	23.3	<10	34.1	1.24	0.86	0.03	0.07	56.4	39.1	20.5	2.92
811673		0.20	0.0002	0.055	0.19	1.26	<10	11.7	<0.05	0.05	0.03	0.02	3.33	0.7	3.3	0.31
811674		0.34	0.0011	0.030	2.33	20.5	<10	14.8	0.35	0.42	0.06	0.02	79.3	19.8	35.5	0.93
811675		0.25	0.0008	0.033	1.01	8.39	<10	22.4	0.26	0.18	0.03	0.13	26.1	7.2	16.5	0.74
811676		0.30	0.0008	0.058	2.10	17.90	<10	30.6	0.58	0.40	0.10	0.02	65.7	19.3	37.1	1.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
811656		31.0	4.48	6.28	0.14	0.06	0.011	0.016	0.05	38.2	67.2	0.86	639	0.47	<0.01	0.07
811657		19.55	3.44	5.76	0.05	0.02	0.036	0.015	0.06	21.1	18.3	0.23	668	0.68	0.01	0.39
811658		14.20	3.19	6.71	0.05	<0.02	0.030	0.014	0.02	17.0	12.8	0.12	146	0.88	0.01	1.20
811659		22.6	4.96	6.96	0.05	0.02	0.023	0.020	0.02	19.3	41.2	0.49	417	0.74	0.01	0.58
811660		21.3	4.28	5.88	<0.05	<0.02	0.035	0.015	0.02	17.1	33.6	0.41	350	0.64	0.02	0.47
811661		16.20	4.96	7.84	0.06	<0.02	0.027	0.017	0.03	20.6	32.4	0.41	507	3.12	0.01	0.51
811662		16.15	3.78	6.50	0.05	<0.02	0.026	0.015	0.02	14.6	17.0	0.22	268	1.30	0.01	0.47
811663		16.75	5.59	9.38	0.09	<0.02	0.016	0.014	0.02	25.8	40.1	0.51	513	0.77	0.01	0.52
811664		20.1	4.02	5.75	0.09	0.03	0.019	0.020	0.04	27.2	65.1	0.69	355	0.87	0.02	0.18
811665		4.54	0.84	1.61	<0.05	<0.02	0.029	<0.005	0.02	5.7	7.8	0.12	75	0.30	0.03	0.08
811666		161.5	3.75	3.94	0.14	0.10	0.049	0.047	0.04	39.2	37.2	0.49	1600	0.47	0.02	0.23
811667		12.00	1.10	2.14	<0.05	<0.02	0.021	0.007	0.02	6.6	9.1	0.12	152	0.23	0.02	0.17
811668		11.55	0.58	1.24	<0.05	<0.02	0.021	<0.005	0.02	2.1	3.9	0.07	160	0.17	0.03	0.16
811669		71.6	3.98	4.80	0.06	0.05	0.022	0.029	0.02	19.5	45.9	0.55	1250	1.06	0.02	0.11
811670		15.95	0.83	1.80	<0.05	<0.02	0.033	0.006	0.02	2.6	3.9	0.06	102	0.33	0.03	0.28
811671		22.7	4.90	7.67	0.07	0.02	0.033	0.016	0.02	18.9	20.9	0.30	229	0.68	0.01	0.37
811672		74.0	5.02	5.01	0.07	0.04	0.046	0.030	0.03	24.4	35.4	0.39	545	1.01	0.01	0.29
811673		2.68	0.45	0.84	<0.05	<0.02	0.014	<0.005	0.02	1.6	1.0	0.02	25	0.13	0.03	0.10
811674		23.7	5.10	6.55	0.13	0.05	0.005	0.014	0.03	37.2	80.3	0.93	571	0.39	0.01	0.06
811675		11.05	2.06	3.69	0.05	<0.02	0.015	0.011	0.02	12.8	23.4	0.29	188	0.35	0.02	0.25
811676		28.8	4.68	5.68	0.09	0.07	0.014	0.021	0.03	30.8	75.6	0.80	445	0.53	0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
811656		40.5	0.045	22.4	3.9	0.001	0.02	0.258	1.8	0.6	<0.2	7.8	<0.01	0.01	10.0	0.006
811657		14.9	0.104	29.9	10.6	<0.001	0.04	0.356	0.5	<0.1	0.4	13.9	<0.01	0.04	1.1	0.011
811658		8.9	0.057	18.00	3.9	<0.001	0.03	0.411	0.8	0.3	0.7	6.8	0.01	0.04	2.5	0.022
811659		19.3	0.088	24.1	4.2	<0.001	0.03	0.357	1.1	<0.1	0.3	5.7	0.01	0.04	4.6	0.019
811660		16.2	0.083	24.8	3.8	<0.001	0.03	0.329	0.9	<0.1	0.3	5.6	0.01	0.04	3.1	0.019
811661		18.9	0.084	14.70	6.0	<0.001	0.03	0.344	0.9	0.1	0.4	6.5	0.01	0.06	3.4	0.016
811662		11.3	0.074	14.85	4.1	<0.001	0.03	0.387	0.4	0.1	0.4	5.7	<0.01	0.05	0.4	0.019
811663		18.0	0.157	15.60	3.6	<0.001	0.02	0.405	1.3	0.5	0.3	4.2	0.01	0.04	6.9	0.019
811664		28.6	0.054	25.4	4.8	<0.001	0.03	0.270	1.5	0.2	0.2	9.5	<0.01	0.02	6.4	0.006
811665		4.2	0.042	3.93	1.4	<0.001	0.03	0.056	0.1	0.1	<0.2	10.2	<0.01	0.02	0.1	0.008
811666		27.3	0.124	53.7	3.7	<0.001	0.07	0.371	3.9	1.5	0.2	39.9	<0.01	0.07	7.1	0.005
811667		6.7	0.038	11.15	1.6	<0.001	0.03	0.078	0.3	<0.1	0.2	4.4	<0.01	0.01	0.3	0.012
811668		3.4	0.037	7.77	1.0	<0.001	0.03	0.033	0.2	<0.1	<0.2	4.3	<0.01	0.01	0.1	0.012
811669		32.6	0.041	34.8	2.0	<0.001	0.03	0.371	1.5	0.2	0.2	4.7	<0.01	0.08	8.4	0.006
811670		4.4	0.027	17.80	1.0	<0.001	0.03	0.066	0.3	0.1	<0.2	4.8	<0.01	0.03	0.4	0.016
811671		14.5	0.073	24.3	3.2	<0.001	0.03	0.421	1.0	0.3	0.3	3.2	<0.01	0.05	9.3	0.010
811672		55.6	0.082	67.6	3.6	<0.001	0.03	0.663	1.3	0.2	0.2	6.3	<0.01	0.06	12.9	0.009
811673		1.3	0.036	2.36	0.9	<0.001	0.02	0.038	<0.1	<0.1	<0.2	4.9	<0.01	0.01	<0.1	0.010
811674		29.2	0.046	20.1	1.9	<0.001	0.02	0.330	1.9	0.2	0.2	4.9	<0.01	0.03	14.8	0.008
811675		13.8	0.053	10.55	2.8	<0.001	0.03	0.198	0.5	<0.1	0.2	5.9	<0.01	0.03	0.9	0.013
811676		37.2	0.056	28.2	3.0	<0.001	0.03	0.489	1.9	0.3	<0.2	14.7	<0.01	0.03	8.5	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
811656		0.02	1.07	19	0.0481	5.83	118.5	1.8
811657		0.06	0.63	24	0.166	2.47	56.4	0.6
811658		0.06	0.47	33	0.305	2.27	33.8	<0.5
811659		0.04	0.48	25	0.742	1.73	70.9	0.5
811660		0.04	0.45	22	1.145	1.47	61.4	<0.5
811661		0.04	0.78	31	0.238	1.94	86.3	<0.5
811662		0.04	0.53	25	0.221	1.89	37.3	<0.5
811663		0.03	0.58	33	0.159	2.08	60.1	0.5
811664		0.03	0.97	19	0.0577	3.50	78.9	1.0
811665		0.02	0.27	8	0.0310	0.77	15.3	<0.5
811666		0.02	3.83	12	0.0805	32.4	86.3	3.4
811667		0.02	0.49	9	0.0540	1.44	20.8	<0.5
811668		<0.02	0.29	6	0.0349	0.69	13.2	<0.5
811669		0.03	2.53	13	0.0604	3.21	105.0	1.4
811670		<0.02	0.71	7	0.0548	0.90	17.2	<0.5
811671		0.04	0.56	26	0.123	3.29	52.5	0.8
811672		0.05	1.59	16	0.115	5.99	90.1	1.5
811673		<0.02	0.20	7	0.0230	0.28	7.0	<0.5
811674		<0.02	0.80	19	0.0528	3.45	96.6	2.2
811675		0.02	0.52	12	0.0495	2.15	37.1	0.6
811676		0.03	1.19	18	0.0281	5.19	83.4	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 26- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144454

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE WH11144455

Project:

P.O. No.:

This report is for 122 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K811851		0.30	0.0009	0.118	1.96	22.8	<10	64.5	0.65	0.42	0.31	0.04	51.7	15.4	26.8	2.16
K811852		0.27	0.0008	0.112	2.09	31.7	<10	51.4	0.65	0.47	0.40	0.06	49.1	18.8	29.4	2.28
K811853		0.30	<0.0002	0.057	0.71	10.90	<10	25.9	0.20	0.18	0.02	0.03	22.8	4.9	10.1	1.10
K811854		0.35	<0.0002	0.093	1.66	33.5	<10	50.5	0.66	0.33	0.50	0.10	46.5	14.8	20.7	5.14
K811855		0.22	0.0014	0.114	1.71	37.4	<10	62.8	0.66	0.33	1.51	0.11	30.2	16.2	19.4	3.94
K811856		0.51	0.0026	0.058	1.68	55.7	<10	39.4	0.64	0.36	0.19	0.06	71.4	17.0	22.2	1.72
K811857		0.17	0.0008	0.217	1.49	23.0	<10	81.7	0.70	0.42	0.66	0.03	23.4	8.7	18.5	3.48
K811859		Not Recvd														
K811860		0.26	0.0014	0.277	1.77	26.4	<10	83.7	2.47	0.66	0.24	0.06	371	125.0	16.7	5.40
K811861		0.29	0.0005	0.226	1.27	16.15	<10	57.2	1.62	0.41	0.19	0.04	254	77.6	11.0	3.43
K811862		0.24	0.0002	0.311	1.09	50.8	<10	49.4	1.03	0.61	0.25	0.07	56.2	44.5	12.1	6.11
K811863		0.21	0.0010	0.460	1.27	13.30	<10	44.8	0.40	0.36	0.29	0.10	34.6	23.3	12.9	3.57
K811864		0.19	0.0010	0.222	0.81	5.20	<10	52.1	0.63	0.24	0.65	0.20	8.12	8.6	5.9	3.04
K811865		0.24	<0.0002	0.082	0.51	7.60	<10	23.4	0.12	0.22	0.02	0.03	24.0	1.3	4.1	0.72
K811866		0.24	0.0005	0.028	0.63	14.00	<10	35.2	0.11	0.44	0.02	0.05	47.9	2.6	9.8	0.92
K811867		0.29	<0.0002	0.041	0.52	4.27	<10	39.9	0.13	0.19	0.02	0.07	21.6	1.4	7.8	0.47
K811868		0.21	<0.0002	0.022	0.28	4.21	<10	19.7	0.05	0.16	0.02	0.02	20.5	1.1	4.0	0.40
K811869		0.22	<0.0002	0.122	1.64	16.85	<10	36.6	0.36	0.51	0.04	0.12	34.7	10.8	25.7	1.99
K811870		0.23	0.0002	0.105	0.93	11.70	<10	35.4	0.21	0.33	0.02	0.06	21.1	3.4	12.9	1.29
K811871		0.31	0.0002	0.062	0.85	9.03	<10	37.8	0.16	0.31	0.02	0.04	30.9	1.8	9.1	0.85
K811872		0.20	0.0008	0.072	1.88	79.7	<10	41.3	0.61	0.44	0.66	0.06	42.3	18.0	29.5	1.67
K811873		0.15	0.0022	0.120	2.00	80.9	<10	44.5	0.59	0.38	0.64	0.09	38.4	14.4	30.1	3.36
K811874		0.37	0.0005	0.079	2.17	17.80	<10	23.0	1.35	0.40	0.16	0.13	87.0	53.8	52.6	1.43
K811875		0.36	0.0003	0.060	2.13	15.00	<10	20.4	0.64	0.42	0.13	0.03	74.6	17.3	43.7	1.22
K811876		0.28	<0.0002	0.081	2.02	15.25	<10	18.4	0.49	0.37	0.13	0.08	53.7	25.3	43.8	1.15
K811877		0.35	0.0005	0.047	1.95	16.25	<10	18.3	0.47	0.38	0.06	0.05	62.3	17.4	35.6	1.06
K811878		0.40	<0.0002	0.066	2.19	20.8	<10	32.6	0.80	0.48	0.07	0.04	73.8	26.1	38.5	1.82
K811879		0.31	0.0003	0.067	2.01	16.10	<10	24.0	0.64	0.44	0.09	0.03	73.1	26.8	35.4	1.46
K811880		0.22	0.0003	0.063	2.12	17.75	<10	26.3	0.63	0.43	0.15	0.04	63.7	22.4	46.3	1.43
K811881		0.22	<0.0002	0.051	2.15	17.40	<10	25.0	0.70	0.44	0.15	0.04	62.2	22.7	47.1	1.41
K811882		0.26	<0.0002	0.054	2.24	14.65	<10	22.5	2.04	0.36	0.14	0.17	88.0	71.6	39.5	1.46
K811883		0.28	<0.0002	0.058	2.04	13.85	<10	22.2	0.73	0.39	0.24	0.09	64.4	21.3	38.9	1.41
K811884		0.27	<0.0002	0.047	1.88	15.55	<10	21.3	0.59	0.41	0.14	0.04	58.0	17.2	33.2	1.36
K811885		0.32	0.0008	0.048	2.07	18.20	<10	25.5	0.74	0.42	0.14	0.06	60.3	26.4	35.1	1.43
K811886		0.24	0.0004	0.057	1.98	14.65	<10	17.6	0.73	0.35	0.16	0.06	71.7	24.0	38.3	1.25
K811887		0.27	0.0007	0.043	2.19	13.95	<10	20.0	1.55	0.39	0.12	0.12	87.5	49.7	36.6	1.51
K811888		0.26	0.0005	0.070	2.14	17.25	<10	22.6	0.67	0.39	0.17	0.07	61.8	25.8	43.2	1.32
K811889		0.35	0.0022	0.045	2.10	13.25	<10	20.7	0.89	0.39	0.09	0.04	84.0	28.9	32.7	1.44
K811890		0.20	0.0008	0.076	0.93	15.45	<10	30.6	0.20	0.33	0.02	0.05	22.8	5.2	15.8	1.13
K811891		0.23	0.0013	0.078	1.97	79.6	<10	17.5	0.68	0.51	0.07	0.06	66.9	17.3	27.3	1.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K811851		27.1	3.90	5.59	0.07	0.12	0.020	0.017	0.10	27.1	61.1	0.60	342	0.51	0.01	0.12
K811852		26.6	4.88	5.23	0.06	0.14	0.025	0.019	0.10	25.4	63.1	0.66	764	0.42	0.01	0.09
K811853		8.05	1.67	2.76	<0.05	0.04	0.009	0.007	0.06	12.1	15.4	0.16	152	0.20	0.02	0.10
K811854		20.1	3.30	4.54	0.07	0.12	0.022	0.017	0.12	23.8	48.3	0.47	1060	0.42	0.01	0.11
K811855		26.2	3.14	4.53	0.06	0.20	0.036	0.013	0.13	16.0	45.4	0.47	1440	0.36	0.01	0.16
K811856		22.2	3.56	5.21	0.11	0.06	0.015	0.018	0.09	36.8	63.4	0.54	330	0.34	<0.01	0.07
K811857		32.9	2.74	4.61	<0.05	0.19	0.038	0.020	0.07	12.3	33.9	0.31	175	0.54	0.02	0.35
K811859																
K811860		237	2.59	7.45	0.87	0.08	0.039	0.029	0.07	310	45.2	0.19	852	0.67	0.02	0.34
K811861		167.5	1.80	5.05	0.56	0.06	0.028	0.018	0.05	210	27.7	0.13	528	0.43	0.03	0.30
K811862		85.3	2.82	4.31	0.15	0.02	0.020	0.018	0.05	72.1	27.0	0.15	275	0.66	0.02	0.44
K811863		39.2	2.52	4.69	0.07	0.02	0.043	0.016	0.04	23.3	24.0	0.27	223	0.59	0.02	0.47
K811864		33.6	1.08	3.10	<0.05	0.03	0.017	0.010	0.04	4.3	12.7	0.08	409	0.57	0.04	0.47
K811865		8.82	0.99	4.06	<0.05	<0.02	0.014	0.005	0.02	12.8	2.5	0.04	45	0.54	0.01	0.47
K811866		8.37	1.95	6.49	0.06	<0.02	0.014	0.008	0.02	26.1	7.0	0.10	128	0.47	<0.01	0.30
K811867		11.70	1.04	3.17	<0.05	<0.02	0.018	0.005	0.02	11.6	2.5	0.04	45	0.32	0.01	0.25
K811868		5.15	0.84	2.63	<0.05	<0.02	0.014	0.005	0.02	10.7	1.2	0.02	32	0.31	0.02	0.15
K811869		16.15	4.86	7.47	0.05	0.02	0.027	0.016	0.03	19.2	35.8	0.46	509	0.73	0.01	0.44
K811870		11.50	2.96	5.53	<0.05	<0.02	0.045	0.010	0.03	11.2	11.9	0.15	341	0.55	0.02	0.34
K811871		8.91	1.89	5.43	<0.05	<0.02	0.026	0.010	0.02	16.5	6.8	0.06	60	0.48	0.01	0.63
K811872		19.65	6.21	5.37	0.07	0.08	0.025	0.018	0.05	21.9	63.3	0.65	625	1.00	0.01	0.16
K811873		23.9	4.50	5.53	0.06	0.12	0.021	0.020	0.06	21.0	67.6	0.68	481	0.38	0.01	0.12
K811874		36.4	5.06	6.41	0.15	0.07	0.008	0.018	0.04	49.9	93.6	0.88	767	1.83	0.01	0.05
K811875		24.1	5.06	6.06	0.12	0.06	0.011	0.017	0.03	37.0	78.8	0.92	353	0.50	0.01	0.06
K811876		22.1	4.73	5.72	0.12	0.09	0.013	0.018	0.03	27.1	66.8	0.88	673	0.54	<0.01	0.05
K811877		22.5	4.83	5.65	0.12	0.07	<0.005	0.018	0.03	32.8	69.4	0.80	485	0.38	<0.01	0.05
K811878		35.6	5.31	6.43	0.13	0.08	0.009	0.021	0.04	39.0	77.9	0.85	662	0.46	<0.01	0.07
K811879		33.0	4.82	5.98	0.11	0.06	0.006	0.019	0.03	38.0	79.0	0.80	419	0.47	<0.01	0.05
K811880		26.7	5.10	6.10	0.09	0.06	0.021	0.019	0.04	32.4	72.8	0.94	464	0.54	0.01	0.08
K811881		27.4	5.19	6.36	0.11	0.06	0.014	0.023	0.04	32.8	75.0	0.96	451	0.49	0.01	0.08
K811882		38.3	4.83	6.08	0.15	0.09	<0.005	0.020	0.04	54.8	85.0	0.85	933	0.41	0.01	0.05
K811883		29.7	4.90	5.84	0.10	0.08	0.020	0.022	0.03	33.8	76.7	0.86	359	0.43	0.01	0.10
K811884		21.9	4.72	5.55	0.08	0.06	0.012	0.017	0.03	30.7	68.5	0.74	421	0.43	0.01	0.06
K811885		33.0	4.79	6.03	0.08	0.06	<0.005	0.018	0.03	32.4	83.6	0.80	734	0.52	<0.01	0.05
K811886		31.4	4.77	5.85	0.08	0.08	<0.005	0.019	0.04	38.7	88.4	0.77	543	1.29	<0.01	<0.05
K811887		34.1	4.81	6.05	0.10	0.10	0.008	0.018	0.03	49.6	96.6	0.81	655	0.48	<0.01	<0.05
K811888		31.9	4.71	6.57	0.06	0.08	0.005	0.019	0.03	31.2	85.2	0.90	492	0.61	<0.01	0.05
K811889		31.2	4.86	5.99	0.09	0.08	<0.005	0.018	0.03	43.8	91.1	0.79	433	0.45	<0.01	<0.05
K811890		13.45	2.82	5.30	<0.05	<0.02	0.013	0.011	0.02	12.4	17.9	0.20	349	0.74	0.01	0.23
K811891		29.6	4.58	5.87	0.06	0.07	<0.005	0.022	0.03	35.6	81.1	0.76	384	0.57	<0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K811851		37.1	0.066	28.9	7.0	0.002	0.04	0.321	1.9	1.2	0.2	21.9	<0.01	0.02	7.4	0.003
K811852		40.2	0.067	29.7	6.2	0.001	0.05	0.292	1.9	1.5	<0.2	22.8	<0.01	0.03	8.8	0.003
K811853		7.1	0.065	11.70	4.3	<0.001	0.02	0.182	0.3	<0.1	<0.2	4.4	<0.01	<0.01	0.8	0.006
K811854		33.3	0.052	23.7	7.0	<0.001	0.05	0.336	1.5	1.1	0.2	30.7	<0.01	0.02	6.6	0.004
K811855		28.8	0.072	21.9	8.3	0.012	0.19	0.379	1.4	2.6	0.2	93.9	<0.01	0.03	4.7	0.003
K811856		26.4	0.044	26.2	6.3	<0.001	0.02	0.392	1.8	0.8	<0.2	21.8	<0.01	0.03	10.5	0.003
K811857		24.9	0.146	29.7	4.9	<0.001	0.11	0.292	1.2	1.4	0.2	63.5	<0.01	0.03	2.7	0.006
K811859																
K811860		131.0	0.068	125.5	7.6	<0.001	0.04	0.463	2.2	5.6	0.3	18.0	0.01	0.03	9.3	0.005
K811861		83.5	0.053	80.4	5.1	0.001	0.04	0.308	1.4	3.6	0.2	13.3	0.01	0.03	5.5	0.007
K811862		51.7	0.054	74.1	6.5	<0.001	0.04	0.391	1.0	1.2	0.3	14.3	<0.01	0.03	3.0	0.009
K811863		25.8	0.081	34.6	4.8	<0.001	0.07	0.383	0.4	0.6	1.1	14.4	<0.01	0.03	0.5	0.010
K811864		42.2	0.047	22.7	3.4	<0.001	0.05	0.135	0.5	0.1	0.2	27.7	<0.01	0.02	0.9	0.014
K811865		3.1	0.023	8.56	1.9	<0.001	0.02	0.112	0.3	0.1	0.3	5.2	<0.01	0.01	0.6	0.016
K811866		5.9	0.071	10.80	3.3	<0.001	0.02	0.236	0.3	0.2	0.6	5.1	0.01	0.03	0.4	0.018
K811867		3.6	0.045	6.54	1.7	<0.001	0.02	0.126	0.2	0.2	0.3	6.5	<0.01	0.02	0.3	0.016
K811868		2.3	0.031	6.50	1.6	<0.001	0.02	0.142	0.1	0.1	0.3	4.9	<0.01	0.02	0.1	0.014
K811869		18.3	0.161	22.0	5.4	<0.001	0.04	0.247	1.0	0.4	0.3	9.2	<0.01	0.05	3.4	0.014
K811870		6.7	0.085	14.65	4.1	<0.001	0.03	0.225	0.3	0.1	0.2	4.7	<0.01	0.02	0.5	0.014
K811871		4.0	0.034	10.40	2.7	<0.001	0.03	0.238	0.5	0.3	0.4	6.4	<0.01	0.03	1.2	0.018
K811872		27.4	0.092	24.2	4.4	0.001	0.11	0.252	1.9	1.6	0.2	39.8	<0.01	0.02	7.0	0.004
K811873		30.8	0.090	22.7	4.9	0.003	0.13	0.225	1.9	2.4	<0.2	36.6	<0.01	0.01	6.8	0.004
K811874		97.1	0.058	26.7	2.7	<0.001	0.06	0.476	2.5	1.4	<0.2	19.0	<0.01	0.03	10.4	0.004
K811875		35.3	0.052	27.2	2.5	<0.001	0.03	0.506	2.2	0.5	<0.2	15.4	<0.01	0.04	10.8	0.004
K811876		34.8	0.064	23.3	2.4	0.001	0.03	0.435	2.0	0.5	<0.2	12.9	<0.01	0.03	8.0	0.004
K811877		28.6	0.057	25.1	2.4	<0.001	0.02	0.509	1.7	0.2	<0.2	10.5	<0.01	0.02	8.7	0.003
K811878		36.1	0.064	33.2	3.7	<0.001	0.03	0.605	2.3	0.4	<0.2	14.7	<0.01	0.03	9.5	0.004
K811879		38.0	0.054	30.6	2.4	<0.001	0.02	0.614	2.1	0.8	<0.2	14.3	<0.01	0.02	10.2	0.003
K811880		40.3	0.064	31.5	3.2	<0.001	0.04	0.504	2.2	0.2	<0.2	17.0	<0.01	0.04	9.3	0.004
K811881		41.2	0.063	31.4	3.0	<0.001	0.04	0.516	2.3	0.4	<0.2	16.5	<0.01	0.03	9.1	0.004
K811882		94.8	0.061	22.5	2.4	<0.001	0.06	0.432	2.3	2.0	<0.2	18.1	<0.01	0.03	9.9	0.004
K811883		43.2	0.067	27.6	2.6	0.001	0.04	0.447	2.2	0.9	<0.2	24.6	<0.01	0.04	8.9	0.003
K811884		28.9	0.064	28.0	2.9	<0.001	0.03	0.509	1.5	0.1	<0.2	17.2	<0.01	0.02	6.3	0.003
K811885		45.2	0.055	28.1	2.4	<0.001	0.02	0.620	2.2	0.9	<0.2	17.9	<0.01	0.03	8.7	0.003
K811886		47.1	0.066	25.5	2.5	<0.001	0.03	0.685	2.2	0.6	<0.2	20.9	<0.01	0.03	8.8	0.002
K811887		94.3	0.060	26.8	2.6	<0.001	0.03	0.551	2.4	1.2	<0.2	23.6	<0.01	0.03	9.5	0.003
K811888		52.7	0.058	26.8	2.7	<0.001	0.02	0.559	2.4	0.6	<0.2	18.6	<0.01	0.05	8.3	0.003
K811889		46.7	0.055	26.7	2.8	<0.001	0.02	0.517	2.3	0.5	<0.2	22.2	<0.01	0.03	9.8	0.002
K811890		10.4	0.089	15.45	3.7	<0.001	0.02	0.363	0.3	0.5	0.2	5.5	<0.01	0.03	0.5	0.012
K811891		29.8	0.056	42.5	2.5	<0.001	0.01	0.772	1.6	0.9	<0.2	14.7	<0.01	0.03	8.1	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K811851		0.05	1.46	14	0.0360	5.52	95.5	3.3
K811852		0.05	1.54	15	0.0329	5.16	111.0	3.9
K811853		0.04	0.47	8	0.0457	1.45	26.8	1.0
K811854		0.05	2.62	11	0.0409	5.07	86.0	4.1
K811855		0.07	3.46	10	0.0398	4.94	66.3	5.5
K811856		0.05	1.51	12	0.0435	4.61	74.4	2.6
K811857		0.06	5.20	13	0.0562	7.10	48.6	5.4
K811859								
K811860		0.12	5.25	11	0.123	75.9	111.5	1.7
K811861		0.08	3.34	9	0.0793	48.5	74.1	1.2
K811862		0.11	2.32	15	0.349	16.05	75.7	<0.5
K811863		0.05	1.26	15	0.106	5.52	50.9	<0.5
K811864		0.04	0.85	9	0.0767	1.60	129.0	1.0
K811865		0.04	0.34	15	0.131	1.07	11.6	<0.5
K811866		0.05	0.35	25	0.202	1.60	21.6	<0.5
K811867		0.03	0.33	14	0.113	1.14	12.1	<0.5
K811868		0.03	0.21	15	0.0999	0.68	10.0	<0.5
K811869		0.03	0.56	24	0.128	1.45	84.2	0.6
K811870		0.03	0.41	17	0.134	0.90	34.8	<0.5
K811871		0.04	0.44	23	0.202	1.43	15.5	<0.5
K811872		0.04	4.97	19	0.0519	5.07	70.9	2.3
K811873		0.04	3.70	16	0.0400	4.99	92.9	3.4
K811874		0.02	1.16	18	0.0558	22.9	259	3.0
K811875		0.02	0.91	19	0.0231	4.28	95.1	2.5
K811876		0.02	0.92	19	0.0270	3.90	93.8	2.4
K811877		0.02	0.73	16	0.0235	3.43	85.5	2.5
K811878		0.04	1.29	18	0.0329	6.39	98.2	2.5
K811879		0.02	1.20	16	0.0297	5.55	95.5	2.9
K811880		0.02	0.93	20	0.0259	4.60	92.8	2.4
K811881		0.03	0.92	21	0.0264	4.66	95.0	2.1
K811882		0.02	1.20	17	0.0371	40.3	305	3.7
K811883		0.02	1.13	18	0.0270	6.89	118.5	2.8
K811884		0.03	0.82	16	0.0251	3.52	88.8	1.6
K811885		0.02	1.15	17	0.0275	5.79	102.5	2.3
K811886		0.02	0.97	15	0.0354	6.00	99.5	2.9
K811887		0.02	1.08	16	0.0216	23.9	253	3.6
K811888		<0.02	1.10	18	0.0231	6.09	108.5	2.5
K811889		0.02	1.01	16	0.0295	7.49	118.5	2.7
K811890		0.02	0.43	16	0.126	1.06	41.9	<0.5
K811891		0.02	1.31	15	0.165	7.65	92.0	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K811892		0.33	0.0006	0.068	1.04	32.9	<10	31.0	1.01	0.39	0.06	0.17	57.9	5.6	15.2	8.45
K811893		0.32	<0.0002	0.087	1.50	12.00	<10	27.2	0.39	0.38	0.03	0.10	24.8	8.6	17.9	1.64
K811894		0.24	0.0004	0.071	0.80	7.78	<10	29.9	0.18	0.25	0.02	0.05	28.2	3.3	14.1	0.85
K811895		0.24	0.0015	0.192	2.08	11.25	<10	59.7	0.44	0.58	0.04	0.03	89.3	11.0	28.3	4.95
K811896		0.19	0.0024	0.948	0.98	0.87	<10	71.6	0.63	0.39	0.04	0.03	50.0	5.9	13.4	5.67
K811897		0.09	0.0010	0.656	1.45	7.83	<10	72.0	0.43	0.42	0.05	0.05	39.2	7.6	19.7	11.10
K811898		0.32	<0.0002	0.130	1.47	34.4	<10	25.1	0.24	0.49	0.01	0.03	41.9	4.6	23.6	0.82
K811899		0.29	0.0003	0.077	1.89	25.1	<10	44.1	0.63	0.48	0.01	0.08	58.3	7.6	24.1	1.36
K812142		0.30	0.0007	0.137	2.04	17.75	<10	27.3	0.54	1.02	0.02	0.10	38.9	10.5	30.7	3.91
K812143		0.19	<0.0002	0.119	0.54	8.71	<10	11.3	0.18	0.21	0.01	0.02	22.1	1.8	8.6	0.62
K812144		0.38	0.0005	0.101	1.72	27.6	<10	17.1	0.70	0.47	0.01	0.03	75.6	10.7	22.1	1.68
K812145		0.20	0.0004	0.117	1.14	10.80	<10	22.8	0.28	0.22	0.02	0.03	32.8	2.6	13.4	0.76
K812146		0.21	0.0004	0.167	1.47	15.20	<10	38.0	0.51	0.41	0.06	0.11	50.5	18.3	18.2	1.49
K812147		0.38	0.0008	0.112	1.56	12.70	<10	23.0	0.69	0.42	0.03	0.02	65.6	20.0	17.6	1.75
K812148		0.28	0.0007	0.167	1.80	16.80	<10	16.1	0.62	0.51	0.01	0.04	70.0	18.5	25.0	1.74
K812149		0.16	<0.0002	0.099	0.16	3.58	<10	15.7	0.06	0.10	0.02	0.04	12.75	1.8	3.2	0.79
K812150		0.26	0.0004	0.069	0.37	4.94	<10	12.3	0.10	0.18	0.02	0.02	25.7	1.4	6.4	0.96
K812151		0.25	<0.0002	0.147	0.26	8.42	<10	25.2	0.18	0.27	0.02	0.05	27.0	3.0	7.3	2.78
K812152		0.21	0.0004	0.066	0.27	4.56	<10	14.1	0.08	0.14	0.02	0.02	21.4	1.3	4.7	0.65
K812153		0.18	0.0003	0.231	0.75	7.84	<10	18.1	0.27	0.35	0.04	0.04	27.5	3.4	12.8	1.61
K812154		0.26	<0.0002	0.151	1.31	22.1	<10	25.7	0.35	0.53	0.02	0.04	50.2	6.7	21.9	1.82
K812155		0.27	0.0017	0.105	1.58	56.8	<10	28.1	0.50	0.57	0.02	0.07	50.3	7.1	29.4	2.89
K812156		0.19	0.0003	0.057	0.19	0.74	<10	7.7	<0.05	0.03	0.03	0.01	1.30	0.5	2.3	0.18
K812157		0.33	0.0008	0.084	1.89	50.2	<10	22.4	0.82	0.60	0.01	0.06	71.2	22.8	28.6	1.67
K812158		0.22	0.0004	0.098	1.85	16.85	<10	15.7	0.71	0.44	0.14	0.23	45.3	35.0	28.9	1.58
K812159		0.42	0.0005	0.200	1.45	60.7	<10	26.3	0.25	0.50	0.01	0.04	64.1	4.8	24.6	1.62
K812160		0.25	0.0004	0.104	0.51	13.30	<10	19.4	0.21	0.20	0.03	0.05	19.45	3.3	7.4	1.47
K812161		0.23	0.0005	0.060	0.50	6.50	<10	20.6	0.09	0.16	0.04	0.04	26.3	1.7	6.0	1.24
K812162		0.25	0.0006	0.133	1.72	105.0	<10	14.7	0.64	0.53	0.04	0.08	54.0	12.1	22.4	1.00
K812163		0.40	0.0020	0.213	2.62	15.20	<10	54.2	8.89	0.40	0.44	0.25	52.6	120.5	20.9	2.71
K812164		0.28	0.0006	0.136	1.63	13.80	<10	21.4	0.76	0.54	0.01	0.04	71.6	9.5	22.6	1.42
K811900		0.34	0.0004	0.054	1.55	21.6	<10	35.0	0.32	0.40	0.01	0.05	47.7	6.5	22.5	1.02
K811901		0.21	0.0004	0.305	0.98	14.20	<10	25.7	0.22	0.50	0.01	0.04	20.8	2.9	11.8	1.20
K811902		0.38	0.0007	0.143	1.85	34.6	<10	46.9	0.48	0.73	0.01	0.07	59.8	8.9	28.6	5.91
K811903		0.39	0.0019	0.142	1.92	80.5	<10	26.1	0.65	0.62	0.03	0.07	72.0	13.2	28.3	1.38
K811904		0.34	0.0015	0.081	2.16	59.8	<10	14.2	1.72	0.39	0.07	0.32	227	167.5	33.4	1.07
K811905		0.20	0.0026	0.224	1.88	84.1	<10	28.8	0.74	0.55	0.11	0.04	70.0	11.2	28.3	1.32
K811906		0.21	0.0003	0.049	0.61	2.52	<10	30.0	0.55	0.08	0.11	0.06	30.5	3.4	2.3	0.21
K811907		0.37	0.0010	0.159	2.23	47.9	<10	35.3	0.41	0.65	0.01	0.07	40.4	7.4	38.6	1.29
K811908		0.26	0.0003	0.132	1.22	33.0	<10	40.0	0.29	0.64	0.02	0.05	41.9	4.1	20.9	1.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K811892		14.05	2.14	4.99	0.07	0.02	0.013	0.009	0.03	47.1	26.8	0.28	145	0.99	0.01	0.24
K811893		18.80	3.30	5.20	<0.05	0.04	0.018	0.012	0.02	11.9	28.4	0.33	472	0.52	<0.01	0.20
K811894		11.35	1.93	4.24	<0.05	<0.02	0.008	0.009	0.02	16.6	16.4	0.18	113	0.75	0.01	0.25
K811895		52.1	4.06	6.70	0.14	0.05	0.020	0.019	0.02	45.3	64.7	0.65	509	0.98	<0.01	0.26
K811896		113.0	1.61	2.92	<0.05	<0.02	0.035	0.011	0.01	25.5	13.8	0.20	163	0.21	0.01	0.15
K811897		73.4	2.66	4.91	<0.05	0.03	0.034	0.017	0.03	22.5	32.9	0.40	321	0.78	0.01	0.20
K811898		15.55	4.23	7.58	<0.05	0.02	0.012	0.012	0.03	22.5	33.7	0.39	198	0.69	0.01	0.52
K811899		37.4	3.98	7.04	<0.05	0.05	0.012	0.017	0.03	31.7	57.6	0.49	285	0.49	<0.01	0.50
K812142		33.9	5.32	6.83	<0.05	0.07	0.042	0.025	0.03	20.7	54.4	0.51	468	1.38	<0.01	0.42
K812143		8.59	1.70	2.61	<0.05	0.02	0.028	0.007	0.02	11.6	10.3	0.11	56	0.43	0.01	0.17
K812144		31.4	4.62	5.63	0.06	0.07	0.018	0.022	0.03	39.4	60.0	0.53	294	0.79	<0.01	0.19
K812145		13.20	2.25	3.49	<0.05	0.06	0.027	0.011	0.04	16.8	26.0	0.32	126	0.46	0.01	0.17
K812146		23.3	3.93	5.06	<0.05	0.10	0.022	0.017	0.04	26.9	40.2	0.41	1660	0.62	0.01	0.14
K812147		31.1	3.65	4.67	<0.05	0.09	0.014	0.021	0.03	34.7	58.5	0.46	591	0.50	0.01	0.09
K812148		32.4	5.13	5.91	0.05	0.09	0.024	0.021	0.03	39.4	70.1	0.57	478	0.64	<0.01	0.11
K812149		4.98	0.59	1.06	<0.05	<0.02	0.016	<0.005	0.03	7.0	1.2	0.02	81	0.23	0.02	<0.05
K812150		5.13	1.33	2.41	<0.05	<0.02	0.023	0.006	0.02	15.6	6.8	0.07	55	0.34	0.01	<0.05
K812151		9.92	1.46	2.39	<0.05	0.02	0.015	0.008	0.03	15.1	3.2	0.04	109	0.65	0.01	0.09
K812152		5.26	1.05	2.61	<0.05	<0.02	0.020	0.005	0.02	11.9	3.1	0.04	46	0.39	0.01	0.10
K812153		14.30	2.38	2.96	<0.05	0.05	0.074	0.013	0.03	15.0	15.6	0.16	95	0.61	0.01	0.19
K812154		21.2	5.17	6.79	<0.05	0.05	0.032	0.019	0.03	29.3	31.1	0.32	231	0.83	<0.01	0.27
K812155		28.1	5.93	8.17	<0.05	<0.02	0.024	0.025	0.03	25.8	26.8	0.29	267	1.74	<0.01	0.80
K812156		1.54	0.28	1.07	<0.05	<0.02	0.014	<0.005	0.01	0.8	0.3	0.01	9	0.10	0.02	0.06
K812157		42.0	5.74	6.11	<0.05	0.08	0.008	0.027	0.03	38.6	64.3	0.65	539	1.23	<0.01	0.14
K812158		31.7	4.52	5.34	0.05	0.11	0.015	0.024	0.04	23.6	73.7	0.69	645	0.69	<0.01	0.08
K812159		14.35	4.02	6.67	<0.05	0.04	0.013	0.016	0.03	35.7	42.8	0.46	155	0.75	<0.01	0.23
K812160		9.97	1.68	3.65	<0.05	<0.02	0.017	0.010	0.02	10.7	2.9	0.04	137	0.50	0.01	0.10
K812161		4.91	1.11	2.60	<0.05	<0.02	0.012	0.006	0.03	14.2	8.2	0.09	48	0.36	0.01	0.09
K812162		20.4	4.43	5.25	0.05	0.08	0.010	0.021	0.03	30.0	62.7	0.63	329	0.45	<0.01	0.09
K812163		126.0	3.80	4.72	0.19	0.11	0.040	0.020	0.06	54.2	97.9	0.53	3160	0.45	0.03	0.07
K812164		33.1	4.41	5.54	0.11	0.04	0.019	0.022	0.02	36.8	64.1	0.51	261	0.54	0.03	0.10
K811900		20.4	3.22	6.03	0.07	0.04	0.012	0.017	0.03	24.9	47.5	0.47	291	0.40	0.03	0.25
K811901		9.92	2.12	4.27	<0.05	0.02	0.054	0.027	0.02	10.8	19.3	0.19	194	0.38	0.04	0.35
K811902		18.55	4.81	7.79	0.08	0.02	0.014	0.022	0.03	32.1	61.5	0.50	429	1.24	0.03	0.63
K811903		26.3	4.54	6.04	0.11	0.08	0.010	0.032	0.03	36.2	78.7	0.70	350	0.57	0.02	0.12
K811904		50.6	4.21	6.64	0.29	0.11	<0.005	0.016	0.03	74.5	93.3	0.78	1600	0.69	0.02	0.05
K811905		34.5	4.37	5.72	0.12	0.09	<0.005	0.025	0.03	40.0	77.6	0.71	320	0.76	0.03	0.09
K811906		24.3	0.50	2.21	0.07	0.03	0.009	<0.005	0.02	22.7	2.1	0.03	22	0.18	0.05	0.35
K811907		26.8	5.88	7.48	0.09	0.04	0.034	0.029	0.03	21.4	76.9	0.76	402	0.87	0.03	0.38
K811908		22.3	4.99	8.70	0.07	0.02	0.026	0.021	0.02	21.5	23.2	0.25	161	0.84	0.03	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K811892		10.5	0.040	19.95	6.9	<0.001	0.01	0.256	0.7	1.0	0.2	11.5	<0.01	0.03	1.6	0.009
K811893		17.5	0.123	17.90	3.4	<0.001	0.03	0.207	0.3	0.3	0.2	5.5	<0.01	0.04	0.7	0.010
K811894		9.2	0.043	8.83	2.3	<0.001	<0.01	0.174	0.3	0.4	0.3	5.9	<0.01	0.04	0.5	0.014
K811895		23.7	0.113	20.2	2.5	<0.001	0.02	0.210	1.7	0.5	0.2	12.4	<0.01	0.04	6.3	0.009
K811896		13.6	0.106	4.92	1.6	<0.001	0.05	0.038	0.5	0.9	<0.2	10.7	<0.01	0.03	0.3	0.011
K811897		18.0	0.098	16.75	3.5	<0.001	0.05	0.068	1.2	0.8	0.2	10.8	<0.01	0.04	3.1	0.006
K811898		11.4	0.103	27.8	3.8	<0.001	0.02	0.349	1.4	0.2	0.3	5.3	<0.01	0.04	5.4	0.013
K811899		17.8	0.068	21.5	4.1	<0.001	0.02	0.284	1.7	0.7	0.3	11.5	<0.01	0.04	7.0	0.011
K812142		23.5	0.091	30.8	5.6	<0.001	0.02	0.289	1.5	0.5	0.2	4.1	<0.01	0.05	10.0	0.009
K812143		4.6	0.056	10.15	1.6	<0.001	0.02	0.372	0.3	0.3	<0.2	5.1	<0.01	0.02	0.5	0.009
K812144		19.7	0.073	30.6	3.2	<0.001	0.02	0.731	1.3	0.7	<0.2	15.2	<0.01	0.05	6.7	0.007
K812145		6.8	0.088	18.60	3.4	<0.001	0.04	0.387	0.7	0.4	<0.2	5.0	<0.01	0.05	2.5	0.005
K812146		17.8	0.197	27.8	3.5	<0.001	0.07	0.803	0.6	0.4	<0.2	12.3	<0.01	0.05	2.0	0.006
K812147		26.6	0.069	34.4	3.0	<0.001	0.01	0.516	1.1	0.5	<0.2	8.2	<0.01	0.04	3.8	0.005
K812148		19.4	0.097	33.5	3.0	<0.001	0.03	0.632	1.3	0.6	<0.2	7.6	<0.01	0.04	6.2	0.004
K812149		2.3	0.058	6.67	2.4	<0.001	0.02	0.177	0.1	0.3	0.2	5.4	<0.01	0.02	0.1	0.008
K812150		3.5	0.108	11.80	2.8	<0.001	0.01	0.165	<0.1	0.4	<0.2	4.2	<0.01	0.02	0.1	0.005
K812151		7.4	0.087	22.1	4.4	<0.001	0.02	0.267	0.2	0.4	0.2	7.8	<0.01	0.03	0.3	0.008
K812152		3.4	0.046	9.26	2.3	<0.001	0.01	0.177	0.1	0.2	0.2	4.9	<0.01	0.03	0.1	0.010
K812153		9.5	0.133	22.2	2.4	<0.001	0.06	0.296	0.3	0.5	<0.2	9.3	<0.01	0.04	0.9	0.009
K812154		14.3	0.109	35.2	4.8	<0.001	0.04	0.561	0.9	0.5	0.2	8.3	<0.01	0.04	4.3	0.007
K812155		16.9	0.121	41.1	5.4	<0.001	0.03	0.989	1.0	0.9	0.5	12.6	<0.01	0.05	3.5	0.021
K812156		0.7	0.029	2.11	0.8	<0.001	0.01	0.034	<0.1	0.1	<0.2	5.9	<0.01	0.03	<0.1	0.011
K812157		30.5	0.110	51.2	2.7	<0.001	0.03	1.205	1.9	0.7	0.2	13.0	<0.01	0.04	13.7	0.005
K812158		33.5	0.131	33.6	2.7	<0.001	0.07	0.537	1.7	0.7	<0.2	12.5	<0.01	0.05	5.4	0.004
K812159		12.3	0.066	55.7	4.8	<0.001	0.02	0.544	1.2	0.6	0.2	9.8	<0.01	0.04	6.5	0.006
K812160		5.4	0.121	15.05	3.3	<0.001	0.05	0.335	0.1	0.2	0.3	7.0	<0.01	0.03	<0.1	0.005
K812161		4.3	0.088	12.45	3.0	<0.001	0.03	0.137	0.1	0.1	<0.2	7.3	<0.01	0.03	0.1	0.005
K812162		20.2	0.074	65.2	2.8	<0.001	0.03	1.245	1.1	0.3	<0.2	13.1	<0.01	0.04	5.6	0.005
K812163		289	0.100	35.4	2.8	<0.001	0.07	0.656	1.5	3.7	<0.2	36.2	<0.01	0.02	7.0	0.004
K812164		22.6	0.083	28.3	2.9	<0.001	0.01	0.555	1.3	0.4	<0.2	13.2	<0.01	0.03	5.5	0.005
K811900		13.8	0.057	19.30	4.2	<0.001	<0.01	0.202	1.2	0.3	0.2	5.8	<0.01	0.02	4.2	0.009
K811901		5.6	0.049	10.10	3.5	<0.001	<0.01	0.144	0.5	0.3	0.2	5.6	0.01	0.02	0.9	0.015
K811902		15.9	0.080	22.1	8.2	<0.001	<0.01	0.331	1.7	0.5	0.3	11.5	<0.01	0.03	8.6	0.013
K811903		21.0	0.065	52.8	3.3	<0.001	0.01	0.807	1.6	0.6	<0.2	14.1	<0.01	0.01	7.8	0.005
K811904		102.0	0.051	30.8	1.8	<0.001	0.01	0.561	1.7	3.4	<0.2	9.6	<0.01	0.01	11.6	0.005
K811905		26.2	0.067	51.7	2.6	<0.001	0.02	0.707	1.8	1.1	<0.2	19.5	<0.01	0.02	8.7	0.004
K811906		10.4	0.046	4.47	1.0	<0.001	0.01	0.029	0.3	0.9	<0.2	11.8	<0.01	<0.01	0.3	0.018
K811907		15.1	0.100	43.6	3.3	0.001	0.02	0.646	1.8	0.8	0.2	15.1	<0.01	0.04	9.1	0.015
K811908		9.0	0.094	34.6	3.3	<0.001	0.01	0.570	1.1	0.4	0.3	15.6	<0.01	0.03	6.3	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K811892		0.09	0.86	12	0.170	16.25	37.5	0.5
K811893		0.02	0.52	15	0.170	2.01	51.4	0.9
K811894		0.03	0.36	16	0.303	1.72	27.7	<0.5
K811895		0.02	2.11	16	0.472	8.25	68.1	1.4
K811896		0.02	2.28	8	0.0814	7.62	28.8	<0.5
K811897		0.04	1.68	10	0.108	4.84	45.3	0.7
K811898		0.03	0.46	26	0.687	2.78	38.4	0.7
K811899		0.04	0.93	20	1.035	7.21	56.6	1.3
K812142		0.04	0.95	19	1.285	3.23	71.6	2.1
K812143		0.02	0.36	9	0.0625	0.93	19.0	0.6
K812144		0.03	1.04	15	0.0632	3.16	66.0	2.0
K812145		0.02	0.74	9	0.0586	1.85	35.4	1.4
K812146		0.03	0.80	13	0.0547	2.22	74.7	2.8
K812147		0.03	1.32	12	0.0322	5.04	72.7	2.2
K812148		0.02	1.01	15	0.0306	2.95	77.7	2.7
K812149		0.02	0.18	7	0.0491	0.50	15.6	<0.5
K812150		0.02	0.24	10	0.0549	0.80	15.3	<0.5
K812151		0.02	0.29	11	0.0653	1.12	23.2	<0.5
K812152		0.02	0.23	10	0.0666	0.72	13.6	<0.5
K812153		0.02	1.01	11	0.111	1.61	33.7	1.3
K812154		0.03	0.74	19	0.0915	2.25	52.7	1.3
K812155		0.05	1.10	29	0.216	3.42	57.9	0.6
K812156		<0.02	0.13	6	0.0284	0.21	4.6	<0.5
K812157		0.02	1.46	18	0.0593	5.44	98.8	2.3
K812158		0.02	1.16	17	0.0270	3.79	121.0	3.0
K812159		0.03	0.56	18	0.0781	2.71	51.8	1.1
K812160		0.03	0.69	14	0.102	1.53	20.3	<0.5
K812161		0.03	0.43	7	0.0453	0.86	17.4	<0.5
K812162		0.02	0.93	13	0.984	4.40	81.5	2.2
K812163		0.04	3.11	11	0.0716	63.1	265	2.5
K812164		0.03	1.00	15	0.0450	3.64	81.7	1.1
K811900		0.04	0.62	17	0.547	3.74	53.9	0.8
K811901		0.04	0.37	14	0.456	1.36	27.5	<0.5
K811902		0.07	0.81	26	1.745	3.64	67.8	0.5
K811903		0.03	1.38	16	0.200	7.45	82.0	1.9
K811904		0.02	1.30	15	0.104	70.2	283	3.4
K811905		0.03	3.04	15	0.174	10.75	88.7	2.3
K811906		<0.02	1.15	7	0.0808	9.70	7.5	0.8
K811907		0.03	0.86	24	0.126	3.72	73.6	1.3
K811908		0.04	0.70	29	0.167	2.83	44.7	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K811909		0.27	0.0013	0.256	2.42	48.0	<10	31.8	0.36	0.69	0.02	0.11	41.0	6.7	37.8	1.08
K811910		0.21	0.0003	0.129	1.49	37.1	<10	29.2	0.29	0.54	0.03	0.05	29.1	5.2	25.8	1.02
K811911		0.26	0.0009	0.101	1.59	40.5	<10	31.5	0.29	0.56	0.03	0.06	31.5	5.4	27.7	1.04
K811912		0.24	0.0014	0.198	1.77	44.6	<10	19.2	0.51	0.69	0.01	0.03	71.9	6.9	34.4	2.99
K811913		0.31	0.0005	0.179	1.33	82.9	<10	33.4	0.40	0.77	0.01	0.05	68.0	4.9	22.2	2.59
K811914		0.32	0.0047	0.157	2.15	184.0	<10	22.8	1.75	0.67	0.09	0.25	86.7	48.6	29.0	1.46
K811915		Not Recvd														
K811916		0.26	0.0012	0.127	1.54	19.00	<10	28.4	0.32	0.39	0.01	0.02	52.7	4.4	23.0	0.93
K811917		0.32	0.0019	0.094	1.96	17.10	<10	31.1	0.41	0.45	0.01	0.03	81.6	5.5	31.5	1.06
K811918		0.30	0.0008	0.098	1.61	20.4	<10	21.7	0.34	0.72	0.02	0.03	45.6	5.0	36.6	1.35
K811919		0.27	0.0008	0.082	1.80	10.10	<10	14.0	0.53	0.49	0.01	0.03	51.2	18.3	29.0	1.16
K811920		0.24	0.0011	0.100	1.83	15.25	<10	25.5	1.08	0.78	0.01	0.08	72.8	21.6	32.2	2.36
K811921		0.22	0.0006	0.104	1.90	15.40	<10	26.9	1.12	0.94	0.01	0.07	73.9	23.1	32.6	2.37
K811922		0.22	0.0004	0.172	1.18	15.05	<10	19.3	0.55	0.63	0.01	0.04	74.5	11.5	22.9	1.80
K811923		0.28	0.0011	0.103	1.41	9.47	<10	24.7	0.28	0.42	0.01	0.02	69.3	5.0	22.5	1.35
K811975		0.33	0.0034	0.058	2.15	74.1	<10	14.9	0.57	0.44	0.16	0.06	48.1	18.6	32.5	1.90
K811976		0.35	<0.0002	0.095	0.99	23.3	<10	44.5	0.21	0.26	0.12	0.21	39.2	6.5	16.6	3.20
K811977		0.24	<0.0002	0.142	1.11	15.90	<10	55.4	0.34	0.55	0.10	0.11	48.9	8.9	15.9	1.99
K811978		0.22	<0.0002	0.100	0.27	0.57	<10	24.0	0.10	0.05	0.10	0.03	3.82	1.3	1.8	0.64
K811979		0.25	0.0006	0.132	0.61	13.15	<10	33.5	0.22	0.22	0.04	0.02	12.40	4.3	7.5	2.34
K811980		0.28	0.0011	0.595	2.35	25.1	<10	37.0	0.45	0.46	0.01	0.05	77.4	17.6	35.3	1.50
K811981		0.25	0.0010	0.638	2.43	26.8	<10	40.4	0.55	0.48	0.01	0.05	75.5	18.2	36.1	1.59
K811982		0.17	<0.0002	0.122	0.20	0.26	<10	14.8	<0.05	0.03	0.03	0.02	1.41	0.3	2.2	0.20
K811983		0.40	0.0014	0.060	2.21	23.1	<10	33.8	0.35	0.45	0.01	0.04	68.1	16.5	31.5	1.09
K811984		0.32	0.0004	0.569	1.54	8.34	<10	57.9	0.31	0.37	0.04	0.10	30.7	7.1	15.3	1.55
K811985		0.25	0.0007	0.105	0.69	3.38	<10	24.1	0.14	0.13	0.02	0.06	9.69	4.9	5.4	0.61
K811986		0.24	<0.0002	0.140	0.67	5.95	<10	54.3	0.22	0.18	0.11	0.12	12.20	4.4	7.3	1.25
K811987		0.23	0.0005	0.213	0.80	10.65	<10	39.2	0.28	0.25	0.03	0.06	17.80	5.0	9.9	1.11
K811988		0.21	0.0016	0.071	1.85	22.4	<10	59.9	0.48	0.32	1.06	0.05	28.0	9.8	23.0	1.48
K811989		0.28	0.0006	0.229	1.37	29.6	<10	73.5	0.65	0.27	1.16	0.06	11.90	6.4	10.7	1.43
K811990		0.19	0.0006	0.337	1.11	22.2	<10	85.0	0.48	0.38	1.36	0.08	14.20	5.4	10.9	1.80
K811991		0.33	0.0088	0.165	1.82	174.5	<10	43.3	0.36	0.56	0.09	0.11	43.6	10.6	23.0	1.84
K811992		0.25	0.0015	0.136	1.04	33.7	<10	48.3	0.34	0.20	0.59	0.03	12.70	4.0	7.7	1.57
K811993		0.20	0.0014	0.261	1.88	67.5	<10	94.1	0.76	0.64	0.88	0.04	38.2	7.2	21.1	2.50
K811994		0.24	<0.0002	0.182	0.69	10.65	<10	39.8	0.30	0.22	0.24	0.03	11.65	2.4	7.8	1.68
K811995		0.21	0.0008	0.197	0.98	12.20	<10	28.0	0.14	0.20	0.22	0.06	22.2	4.9	14.0	0.85
K811996		0.23	<0.0002	0.158	1.78	22.3	<10	35.4	0.52	0.32	1.17	0.05	25.0	17.4	30.8	8.30
K811997		0.15	0.0011	0.268	1.11	16.55	<10	13.7	0.57	0.22	2.63	0.13	10.85	9.0	34.0	7.94
K811998		0.24	0.0002	0.068	0.26	5.42	<10	14.7	0.05	0.11	0.03	0.05	17.60	1.3	4.5	0.48
K811999		0.29	0.0007	0.090	1.84	22.5	<10	43.4	0.48	0.35	0.22	0.06	61.2	20.0	22.4	1.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K811909		27.2	6.41	7.73	0.07	0.07	0.090	0.033	0.02	21.8	66.8	0.65	356	0.82	0.03	0.56
K811910		18.50	5.43	7.11	0.07	0.02	0.023	0.023	0.02	15.6	34.8	0.39	336	0.71	0.03	0.58
K811911		19.50	5.88	7.59	0.06	0.03	0.031	0.021	0.02	16.7	36.5	0.41	361	0.72	0.03	0.65
K811912		38.3	5.20	6.54	0.10	0.02	<0.005	0.029	0.03	36.3	70.6	0.59	241	1.04	0.03	0.08
K811913		28.9	5.09	7.33	0.09	0.02	0.027	0.034	0.03	33.9	27.7	0.26	151	1.36	0.03	0.24
K811914		46.7	4.77	5.83	0.13	0.06	<0.005	0.032	0.04	45.5	83.5	0.74	777	0.50	0.03	0.10
K811915																
K811916		22.4	3.53	5.02	0.08	0.06	<0.005	0.017	0.04	27.1	50.5	0.50	194	0.49	0.03	0.17
K811917		26.2	4.70	6.34	0.13	0.07	<0.005	0.018	0.04	42.7	78.8	0.75	272	0.62	0.03	0.07
K811918		18.50	8.92	11.65	0.08	0.08	0.049	0.026	0.02	24.2	28.3	0.33	422	1.11	0.03	1.00
K811919		29.7	5.02	5.97	0.08	0.08	0.007	0.023	0.02	26.1	81.3	0.65	493	0.68	0.03	0.07
K811920		40.5	6.90	7.45	0.12	0.05	0.020	0.032	0.03	37.8	59.3	0.46	647	1.01	0.03	0.25
K811921		39.7	7.12	7.38	0.10	0.05	0.021	0.031	0.03	36.9	61.0	0.46	743	0.96	0.02	0.25
K811922		24.6	4.88	7.18	0.10	0.03	0.040	0.022	0.03	38.3	24.7	0.24	301	1.00	0.02	0.26
K811923		16.00	3.56	5.24	0.10	0.03	0.018	0.018	0.02	34.1	50.4	0.48	189	0.83	0.03	0.10
K811975		28.5	4.51	6.72	0.10	0.09	<0.005	0.017	0.02	25.3	86.5	0.83	657	0.56	0.03	<0.05
K811976		14.40	2.93	5.52	0.07	<0.02	0.016	0.012	0.04	20.3	24.7	0.24	390	0.53	0.03	0.40
K811977		23.3	3.25	6.83	0.06	<0.02	<0.005	0.014	0.04	24.2	21.6	0.26	385	0.66	0.03	0.52
K811978		3.78	0.29	1.42	<0.05	<0.02	0.011	<0.005	0.02	2.1	1.1	0.02	13	0.14	0.05	0.10
K811979		17.55	1.22	2.74	<0.05	<0.02	0.009	0.009	0.03	6.3	14.3	0.10	99	0.47	0.04	0.20
K811980		23.8	4.87	7.33	0.12	0.03	0.026	0.018	0.04	38.4	76.1	0.73	535	0.52	0.03	0.20
K811981		23.1	5.08	7.92	0.08	0.03	0.028	0.024	0.04	39.0	76.1	0.71	546	0.59	0.03	0.30
K811982		1.39	0.16	0.65	<0.05	<0.02	0.009	<0.005	0.02	0.8	0.7	0.01	19	0.10	0.05	<0.05
K811983		25.0	4.36	6.90	0.10	0.06	0.012	0.016	0.04	35.1	70.2	0.70	466	0.49	0.03	0.12
K811984		13.30	2.82	6.87	<0.05	0.04	0.061	0.012	0.03	16.1	17.3	0.14	484	0.64	0.03	0.82
K811985		7.36	1.07	3.42	<0.05	0.02	<0.005	0.006	0.02	5.3	6.5	0.07	391	0.22	0.04	0.23
K811986		20.3	1.07	3.03	<0.05	0.02	0.008	0.009	0.05	7.1	11.3	0.14	247	0.83	0.02	0.25
K811987		18.55	1.65	3.59	<0.05	<0.02	0.019	0.010	0.05	9.5	9.4	0.12	245	0.46	0.01	0.14
K811988		35.8	3.20	4.87	<0.05	0.15	0.010	0.014	0.09	15.4	46.4	0.56	423	1.03	0.01	0.13
K811989		70.9	1.49	3.76	<0.05	0.11	0.020	0.013	0.03	6.5	16.7	0.17	319	2.57	0.02	0.37
K811990		50.7	1.48	3.60	<0.05	0.10	0.031	0.013	0.05	7.3	17.2	0.16	267	1.24	0.02	0.36
K811991		23.2	3.77	6.47	<0.05	0.07	0.011	0.022	0.02	23.0	59.9	0.49	550	0.93	0.01	0.26
K811992		26.1	1.54	3.10	<0.05	0.09	0.005	0.012	0.05	7.1	20.0	0.15	316	0.30	0.03	0.36
K811993		50.6	3.34	5.85	0.05	0.08	0.032	0.027	0.10	20.1	50.5	0.34	274	0.67	0.01	0.16
K811994		16.25	0.90	2.55	<0.05	0.04	0.014	0.009	0.05	6.4	10.7	0.09	90	0.33	0.02	0.20
K811995		11.75	1.72	3.56	<0.05	0.05	0.009	0.005	0.03	12.3	25.8	0.29	179	0.23	0.01	0.13
K811996		36.5	3.01	5.21	0.05	0.17	0.011	0.022	0.03	13.3	62.3	0.58	391	0.46	0.01	0.16
K811997		60.2	1.95	3.61	0.08	0.13	0.032	0.015	0.03	6.4	29.8	0.39	263	0.59	0.02	0.11
K811998		3.14	0.77	2.30	<0.05	<0.02	<0.005	<0.005	0.02	8.9	2.3	0.03	75	0.24	0.02	0.19
K811999		26.8	3.71	5.34	0.08	0.06	<0.005	0.018	0.08	30.0	64.0	0.56	562	0.45	0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K811909		13.1	0.088	41.2	3.3	<0.001	0.03	0.658	1.9	0.9	0.2	12.1	0.01	0.06	9.4	0.020
K811910		10.3	0.159	31.9	3.2	<0.001	0.02	0.581	1.2	0.5	0.3	12.2	<0.01	0.03	5.5	0.023
K811911		10.8	0.175	34.5	3.5	<0.001	0.02	0.592	1.3	0.8	0.3	12.4	<0.01	0.04	6.2	0.024
K811912		20.5	0.099	47.3	3.0	<0.001	0.01	0.698	1.4	1.0	<0.2	16.6	<0.01	0.04	11.7	0.003
K811913		11.6	0.210	72.8	4.3	<0.001	0.01	0.766	1.0	1.2	0.3	12.1	<0.01	0.04	5.7	0.007
K811914		69.0	0.072	66.4	3.5	<0.001	0.04	1.290	1.9	1.8	<0.2	18.7	<0.01	0.03	11.1	0.005
K811915																
K811916		10.6	0.076	22.9	3.5	<0.001	0.01	0.536	1.0	0.6	<0.2	8.2	<0.01	0.01	5.0	0.006
K811917		13.6	0.078	29.8	3.0	<0.001	0.01	0.721	1.7	0.7	<0.2	10.4	<0.01	0.01	12.4	0.003
K811918		11.0	0.252	34.2	3.7	<0.001	0.02	0.643	1.1	0.8	0.3	6.7	0.01	0.04	8.5	0.023
K811919		27.4	0.102	33.2	2.6	0.001	0.01	0.424	1.2	0.4	<0.2	10.8	<0.01	0.01	4.3	0.004
K811920		28.7	0.148	46.2	4.4	<0.001	0.02	0.817	1.8	0.8	0.2	30.3	<0.01	0.05	9.9	0.007
K811921		27.6	0.154	51.0	4.3	<0.001	0.02	0.793	1.8	0.8	0.2	30.7	<0.01	0.03	10.0	0.007
K811922		18.3	0.116	35.4	4.6	<0.001	0.02	0.726	1.1	0.5	0.2	22.9	<0.01	0.04	5.9	0.006
K811923		10.2	0.064	24.3	2.7	<0.001	0.01	0.383	0.9	0.2	<0.2	9.4	<0.01	0.02	6.0	0.004
K811975		36.7	0.051	23.6	1.9	<0.001	<0.01	0.469	1.8	0.6	<0.2	15.2	<0.01	0.01	7.9	0.004
K811976		17.8	0.063	6.51	7.7	<0.001	<0.01	0.266	0.7	0.3	0.2	10.3	<0.01	0.01	3.7	0.014
K811977		14.5	0.121	30.1	8.5	<0.001	<0.01	0.339	0.9	0.3	0.3	13.1	<0.01	0.03	6.9	0.015
K811978		4.3	0.055	4.61	1.5	<0.001	<0.01	0.025	0.1	0.1	<0.2	10.1	<0.01	0.01	<0.1	0.007
K811979		10.9	0.029	12.50	3.9	<0.001	<0.01	0.121	0.6	0.5	<0.2	6.8	<0.01	0.03	1.4	0.006
K811980		28.9	0.043	23.3	5.0	<0.001	<0.01	0.322	1.9	0.6	0.2	6.3	<0.01	0.02	10.5	0.008
K811981		28.0	0.051	24.2	5.3	<0.001	<0.01	0.334	1.9	0.6	0.2	6.8	<0.01	0.01	10.4	0.009
K811982		1.0	0.083	1.76	0.7	<0.001	<0.01	0.016	0.1	0.1	<0.2	6.3	<0.01	<0.01	<0.1	0.005
K811983		29.7	0.039	24.6	4.1	<0.001	<0.01	0.307	1.7	0.7	<0.2	5.9	<0.01	0.02	9.5	0.007
K811984		9.5	0.085	12.20	5.0	<0.001	0.01	0.317	0.8	0.5	0.4	8.7	0.02	0.02	2.3	0.017
K811985		3.8	0.048	5.03	2.5	<0.001	<0.01	0.096	0.2	0.3	<0.2	4.7	0.01	<0.01	0.2	0.015
K811986		7.3	0.034	6.51	4.7	<0.001	0.02	0.105	0.5	<0.1	<0.2	12.8	<0.01	<0.01	1.3	0.010
K811987		8.2	0.103	14.55	6.4	<0.001	0.02	0.194	0.1	<0.1	0.2	6.7	<0.01	0.01	0.2	0.007
K811988		23.4	0.051	15.25	6.2	<0.001	0.07	0.377	1.6	0.3	<0.2	67.0	<0.01	<0.01	6.6	0.004
K811989		12.9	0.074	11.30	3.4	0.001	0.09	0.211	0.8	1.4	<0.2	73.0	<0.01	0.01	1.8	0.009
K811990		17.3	0.109	16.05	5.4	0.001	0.10	0.251	0.9	1.1	0.2	59.7	<0.01	0.01	1.6	0.008
K811991		22.5	0.064	25.1	3.9	<0.001	0.03	0.508	1.2	0.1	0.2	10.8	<0.01	0.02	4.2	0.005
K811992		12.7	0.078	13.40	5.6	<0.001	0.06	0.230	0.7	0.6	0.2	35.4	<0.01	0.01	1.4	0.010
K811993		27.6	0.065	44.5	10.5	0.001	0.05	0.308	1.9	1.4	0.3	55.0	<0.01	0.01	6.3	0.002
K811994		11.7	0.062	8.89	5.4	<0.001	0.03	0.146	0.5	0.3	<0.2	18.2	<0.01	0.01	0.8	0.006
K811995		13.9	0.048	7.37	3.3	<0.001	0.03	0.149	0.8	0.4	<0.2	17.2	<0.01	0.01	2.4	0.005
K811996		37.7	0.097	22.4	4.0	0.001	0.11	0.446	2.1	1.2	<0.2	66.3	<0.01	0.01	3.1	0.003
K811997		78.6	0.111	15.00	2.5	0.003	0.20	1.600	1.0	8.4	<0.2	107.0	<0.01	0.01	1.3	0.003
K811998		2.5	0.036	4.67	2.0	<0.001	0.01	0.133	0.2	0.1	0.2	4.3	<0.01	0.02	0.4	0.011
K811999		45.0	0.057	27.8	6.2	<0.001	0.02	0.393	1.8	0.5	<0.2	16.1	<0.01	0.01	8.9	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K811909		0.04	1.03	25	0.129	3.58	68.9	2.1
K811910		0.03	0.55	25	0.156	2.63	63.6	0.8
K811911		0.03	0.57	27	0.157	2.76	68.2	0.9
K811912		0.02	1.82	16	0.0325	4.53	80.5	0.7
K811913		0.04	1.31	22	0.136	3.68	50.6	0.7
K811914		0.03	1.72	16	0.546	24.3	235	1.9
K811915								
K811916		0.04	0.90	14	0.0842	2.36	52.8	1.5
K811917		0.03	1.21	15	0.127	3.91	71.0	1.9
K811918		0.05	0.69	39	0.204	2.21	52.5	2.9
K811919		0.02	0.71	14	0.0306	2.94	78.2	2.1
K811920		0.05	0.93	20	0.0852	3.98	97.6	2.1
K811921		0.05	0.95	21	0.0944	3.95	99.5	1.9
K811922		0.05	0.87	20	0.123	3.34	53.8	0.8
K811923		0.03	0.66	12	0.0374	2.45	48.1	1.0
K811975		<0.02	5.31	17	0.0422	3.83	114.0	2.4
K811976		0.02	0.45	18	0.131	1.40	148.5	<0.5
K811977		0.05	0.80	22	0.261	1.95	70.5	<0.5
K811978		<0.02	0.29	5	0.0357	0.56	8.7	<0.5
K811979		0.02	0.63	9	0.0553	1.65	26.6	<0.5
K811980		0.03	0.81	22	0.0655	3.08	91.7	1.0
K811981		0.04	0.80	24	0.0712	2.96	93.1	1.0
K811982		0.02	0.20	3	0.0325	0.22	4.3	<0.5
K811983		0.03	0.90	19	0.0742	2.79	83.5	1.4
K811984		0.07	0.51	25	0.182	1.81	50.9	1.1
K811985		0.03	0.25	10	0.0742	0.71	19.5	<0.5
K811986		0.03	2.07	9	0.0535	1.32	35.5	<0.5
K811987		0.04	0.60	12	0.0704	1.58	27.1	<0.5
K811988		0.04	10.70	13	0.0365	3.66	66.7	4.1
K811989		0.03	41.4	10	0.0410	5.04	29.1	2.9
K811990		0.04	8.48	11	0.0657	3.61	28.7	2.8
K811991		0.04	1.11	17	0.0755	2.56	82.9	1.5
K811992		0.03	3.38	8	0.0576	3.68	30.6	2.4
K811993		0.07	2.79	15	0.0948	6.24	45.3	2.1
K811994		0.03	1.02	7	0.0403	2.31	17.6	0.7
K811995		0.02	0.52	9	0.0301	2.04	36.2	1.2
K811996		0.05	2.62	18	0.0209	6.64	62.3	4.6
K811997		0.04	19.95	10	0.0950	8.07	69.2	3.9
K811998		0.02	0.18	10	0.0692	0.58	14.3	<0.5
K811999		0.05	1.10	13	0.0329	5.26	101.5	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812000		0.21	0.0005	0.262	1.82	12.10	<10	79.8	0.51	0.30	0.52	0.02	37.6	13.1	21.3	1.31
K813317		0.65	0.0011	0.335	1.74	16.10	<10	34.5	1.55	10.95	0.11	0.09	48.0	6.6	17.0	7.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
K812000		21.1	2.94	4.85	<0.05	0.08	0.033	0.017	0.08	20.0	51.5	0.49	227	0.33	0.01	0.09
K813317		19.85	3.36	5.65	0.06	0.05	0.005	0.013	0.06	25.8	48.6	0.43	278	5.13	0.01	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812000		33.9	0.078	22.8	6.2	<0.001	0.08	0.316	1.4	0.3	0.2	29.4	<0.01	0.01	4.4	0.002
K813317		14.7	0.053	24.4	17.8	<0.001	0.03	0.244	1.5	0.1	0.7	12.9	0.01	0.03	8.1	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K812000		0.07	0.91	12	0.0326	4.41	51.9	1.9
K813317		0.27	9.36	14	4.48	9.02	59.2	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- SEP- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144455

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE WH11144874

Project:

P.O. No.:

This report is for 59 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	STEVE POTTS	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70%< 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K813301		1.99	0.72	0.58	55.7	<0.2	<10	70	0.17	0.01	4.48	0.19	13.75	12.8	23	1.21
K813302		1.40	3.50	0.01	44.9	<0.2	<10	<10	<0.05	0.01	0.14	0.18	0.52	2.2	10	0.05
K813303		0.86	0.10	0.69	67.7	<0.2	<10	10	0.22	0.01	5.68	0.09	30.2	15.7	2	0.13
K813304		Not Recvd														
K813305		0.89	0.05	0.01	2.9	<0.2	<10	<10	<0.05	<0.01	0.19	0.01	0.32	1.0	11	0.07
K813306		0.53	0.04	3.16	5340	<0.2	<10	30	0.52	0.08	5.75	0.07	24.6	34.6	2	1.26
K813307		1.65	2.65	0.72	73	<0.2	<10	20	0.16	0.04	22.7	3.05	33.7	18.2	1	0.31
K813309		1.53	0.01	0.63	6.0	<0.2	<10	10	0.22	0.03	0.70	0.06	16.95	4.0	9	0.22
K813310		1.20	0.05	0.16	3.2	<0.2	<10	<10	0.08	0.11	0.09	0.02	2.33	14.5	13	0.29
K813311		1.11	0.08	0.19	11.1	<0.2	<10	<10	0.15	0.22	0.09	0.04	7.82	30.9	14	0.60
K813312		1.36	0.31	0.14	1300	4.5	<10	<10	0.31	0.11	0.01	0.05	4.73	75.1	9	0.66
K813313		1.45	0.04	0.48	307	<0.2	<10	10	0.16	0.15	0.03	0.06	19.65	32.1	15	0.67
K813314		1.12	0.02	0.05	28	<0.2	<10	10	0.14	0.02	23.0	0.01	8.85	3.2	2	0.11
K813315		0.94	0.03	3.71	83.4	<0.2	<10	10	0.20	0.05	3.59	0.07	36.1	35.3	<1	1.07
K813316		0.98	0.04	0.17	176.0	<0.2	<10	<10	0.20	0.06	0.14	0.03	4.35	5.2	14	0.30
49509		1.36	0.02	0.15	8.6	<0.2	110	10	0.89	0.22	0.02	0.01	69.5	1.1	18	0.35
49510		1.46	0.04	0.63	15.9	<0.2	<10	60	0.34	0.26	0.01	0.01	62.2	1.6	16	1.59
49511		1.85	0.02	0.16	1325	<0.2	<10	<10	0.12	0.07	0.04	0.07	6.90	4.0	11	0.20
49512		1.47	0.01	1.82	39.1	<0.2	<10	70	0.78	0.96	0.01	0.03	109.0	6.1	23	2.06
49513		1.63	0.05	0.14	3870	0.6	<10	10	0.05	2.64	0.01	0.01	5.36	0.5	14	0.20
49514		2.19	0.09	0.12	12.4	<0.2	<10	<10	<0.05	0.61	0.03	0.01	7.18	3.1	15	0.06
49515		1.54	0.26	1.47	58.3	2.9	<10	10	0.28	0.80	0.21	0.03	20.7	9.4	24	0.78
K812501		Not Recvd														
K812503		0.93	0.13	1.62	9.5	0.2	<10	10	0.21	1.23	0.03	0.01	12.30	8.3	14	0.49
K812504		1.06	0.03	0.18	634	<0.2	<10	<10	0.31	0.03	0.01	0.03	3.83	29.7	12	0.67
K812505		0.73	0.02	0.11	14.8	<0.2	<10	<10	0.15	0.19	<0.01	0.01	2.48	2.4	10	0.54
K812506		1.54	0.03	0.37	2800	<0.2	<10	<10	0.12	0.11	0.78	0.03	30.9	11.4	15	0.27
K812507		1.38	0.05	2.21	287	<0.2	<10	10	0.28	0.40	0.10	0.01	34.4	11.6	31	1.39
K812508		0.73	0.01	0.03	60.3	<0.2	<10	<10	<0.05	0.03	0.01	0.01	1.24	1.1	12	0.14
K812509		1.57	0.11	0.07	822	<0.2	<10	<10	<0.05	0.31	0.01	0.02	1.10	2.1	14	0.18
K812510		0.54	0.39	0.07	1455	<0.2	<10	<10	0.14	0.72	0.05	0.05	2.66	15.6	10	0.21
K812511		0.58	0.09	0.14	3300	<0.2	10	20	0.12	0.17	<0.01	0.04	22.0	5.7	11	2.92
K812512		0.89	0.09	0.78	55.8	<0.2	<10	30	0.37	0.39	0.04	0.04	47.1	27.6	16	1.44
K812513		1.19	0.53	0.43	19.8	<0.2	<10	10	0.11	1.21	0.05	0.01	8.92	2.8	16	0.46
K812514		0.78	0.04	0.97	18.3	<0.2	<10	10	0.16	0.17	0.30	0.03	20.1	6.3	15	0.86
K812515		1.32	0.19	0.85	2890	<0.2	10	20	0.20	0.18	0.20	0.40	11.40	9.7	13	1.44
K812516		0.59	0.05	0.40	10.2	<0.2	<10	10	0.18	0.27	0.05	0.01	26.6	4.2	21	0.68
K812517		0.63	0.03	1.20	56.7	<0.2	<10	10	0.15	0.30	0.03	0.03	13.30	7.2	13	0.58
K812518		0.75	0.02	1.81	20.7	<0.2	<10	10	0.08	0.04	<0.01	0.01	0.71	11.7	10	0.23
K812519		0.84	0.28	0.65	8.3	<0.2	<10	10	0.18	0.72	0.06	0.04	13.00	10.7	15	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K813301		915	2.73	1.55	0.13	<0.02	0.01	0.126	0.09	5.6	10.4	0.91	747	0.36	0.06	<0.05
K813302		924	0.38	0.11	0.10	<0.02	0.01	0.254	<0.01	0.2	0.2	<0.01	134	0.23	<0.01	0.05
K813303		10.0	6.72	6.26	0.20	0.02	0.01	0.085	<0.01	12.4	6.8	1.87	1360	0.81	0.04	0.11
K813304																
K813305		16.0	0.27	0.10	0.10	<0.02	0.01	0.008	<0.01	<0.2	0.2	0.01	90	0.14	<0.01	<0.05
K813306		66.0	7.64	17.20	0.29	0.05	<0.01	0.093	0.01	11.0	60.7	2.35	1280	0.54	0.04	<0.05
K813307		5790	2.99	3.74	0.17	0.02	0.01	1.695	0.01	15.0	22.9	0.85	3420	1.36	0.01	<0.05
K813309		7.1	1.82	1.34	<0.05	0.02	0.01	0.017	0.02	6.7	14.3	0.29	1050	0.09	0.04	<0.05
K813310		25.9	1.51	0.50	<0.05	0.02	0.01	0.013	0.01	0.9	6.5	0.05	739	0.14	0.01	0.08
K813311		11.6	2.32	0.37	0.11	0.03	<0.01	0.020	0.01	3.1	5.1	0.03	1860	0.23	0.03	<0.05
K813312		62.1	3.33	0.30	0.12	0.03	0.01	0.036	0.01	1.9	3.9	0.02	2240	0.20	0.01	<0.05
K813313		11.6	2.20	1.57	0.12	0.06	<0.01	0.013	0.02	7.3	14.9	0.12	1840	0.16	0.04	<0.05
K813314		2.4	1.86	0.16	0.11	0.08	<0.01	0.014	0.02	3.6	1.4	1.57	902	0.27	0.01	<0.05
K813315		38.9	7.73	18.30	0.22	0.04	0.01	0.054	0.01	15.5	101.0	1.85	1050	0.86	0.05	0.05
K813316		17.3	1.50	0.59	0.11	0.03	<0.01	0.011	0.02	1.7	4.9	0.03	115	0.18	0.01	0.05
49509		9.0	2.51	1.03	0.16	0.14	<0.01	0.009	0.02	34.6	0.8	0.01	46	0.51	0.01	0.29
49510		12.6	4.97	3.10	0.16	0.23	0.02	0.020	0.25	28.0	0.8	0.01	66	0.28	0.02	<0.05
49511		4.1	1.01	0.24	0.11	0.02	<0.01	0.008	0.01	2.7	2.3	0.01	173	0.38	0.04	<0.05
49512		17.0	3.08	6.40	0.18	0.33	<0.01	0.017	0.29	55.5	34.2	0.42	209	0.76	0.04	<0.05
49513		2.0	0.88	0.61	0.11	<0.02	<0.01	0.005	0.03	2.7	1.8	0.02	89	0.20	0.01	0.05
49514		25.8	1.42	0.68	0.12	<0.02	<0.01	0.010	<0.01	2.1	2.5	0.04	263	0.23	<0.01	0.07
49515		23.0	4.49	5.11	0.14	0.16	<0.01	0.021	0.10	10.2	40.6	0.72	588	4.38	0.04	0.05
K812501																
K812503		14.8	3.45	4.39	0.13	0.07	<0.01	0.011	0.07	5.9	52.8	0.67	427	0.16	0.01	<0.05
K812504		28.1	3.28	0.29	0.11	0.03	<0.01	0.026	0.01	1.5	2.9	0.02	1090	0.22	0.01	<0.05
K812505		30.5	1.55	0.32	0.10	0.02	<0.01	0.020	0.02	1.1	1.4	0.01	247	0.18	<0.01	<0.05
K812506		6.4	2.36	1.02	0.14	0.07	<0.01	0.011	0.01	9.9	11.0	0.21	1830	0.11	0.04	<0.05
K812507		35.5	5.20	8.06	0.15	0.24	0.02	0.023	0.09	14.5	92.0	0.79	286	0.20	0.04	<0.05
K812508		1.9	0.50	0.16	0.10	<0.02	<0.01	<0.005	0.01	0.5	0.8	<0.01	78	0.15	<0.01	0.08
K812509		13.4	0.79	0.13	0.10	<0.02	<0.01	0.006	0.01	0.4	0.6	0.01	90	0.14	<0.01	<0.05
K812510		33.4	2.33	0.20	0.12	0.03	<0.01	0.009	0.02	1.2	0.8	0.01	476	0.15	<0.01	0.07
K812511		15.6	1.06	0.45	0.12	0.04	<0.01	0.010	0.05	11.0	1.1	0.01	60	0.17	<0.01	<0.05
K812512		16.7	1.93	2.45	0.13	0.12	<0.01	0.019	0.16	23.5	21.3	0.16	1400	0.23	0.02	<0.05
K812513		25.7	1.32	1.43	0.12	0.06	<0.01	0.013	0.04	4.1	13.8	0.13	207	0.16	0.01	<0.05
K812514		6.9	2.72	3.15	0.12	0.12	<0.01	0.012	0.07	7.2	37.9	0.31	1020	0.15	0.08	<0.05
K812515		30.8	3.00	2.30	0.06	0.07	0.01	0.044	0.12	5.0	29.9	0.28	455	0.19	0.03	0.06
K812516		21.4	0.97	1.23	<0.05	0.08	0.01	0.008	0.06	12.7	10.4	0.10	429	0.14	0.01	0.06
K812517		6.5	2.45	3.21	0.06	0.05	0.01	0.011	0.06	6.5	35.5	0.39	367	0.22	0.01	<0.05
K812518		26.9	4.11	6.07	0.17	<0.02	0.01	0.008	0.01	0.4	70.1	0.78	414	0.09	<0.01	0.08
K812519		6.4	1.78	1.77	0.06	0.10	0.01	0.012	0.07	5.3	17.6	0.17	1000	0.30	0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K813301		23.9	320	1.3	3.5	<0.001	0.01	0.23	5.3	0.3	<0.2	67.2	<0.01	0.01	0.3	<0.005
K813302		2.7	10	20.4	0.1	<0.001	0.05	0.11	0.5	0.5	0.4	3.1	<0.01	<0.01	<0.2	<0.005
K813303		0.5	2470	4.1	0.1	0.001	0.57	0.18	9.9	1.2	<0.2	175.5	<0.01	<0.01	0.7	0.015
K813304																
K813305		0.9	10	0.6	0.1	<0.001	<0.01	0.06	0.2	<0.2	<0.2	5.8	<0.01	0.01	<0.2	<0.005
K813306		12.8	1290	4.4	0.3	0.001	0.74	5.41	23.6	0.8	<0.2	300	<0.01	0.01	1.3	0.010
K813307		13.0	940	19.6	0.5	<0.001	0.54	0.45	30.5	2.9	1.0	1465	<0.01	0.01	0.2	<0.005
K813309		7.8	570	10.4	1.0	<0.001	0.01	0.05	2.3	<0.2	<0.2	17.5	<0.01	0.01	3.7	<0.005
K813310		13.0	130	8.7	0.4	<0.001	0.01	0.07	1.0	<0.2	<0.2	5.5	<0.01	0.01	0.4	<0.005
K813311		31.3	280	23.7	0.5	<0.001	0.02	0.14	1.5	0.2	<0.2	6.6	<0.01	0.01	1.4	<0.005
K813312		48.9	170	19.6	0.8	<0.001	0.05	1.22	1.3	0.2	<0.2	2.1	<0.01	0.02	0.7	<0.005
K813313		27.7	300	36.8	1.3	<0.001	0.01	0.35	1.6	<0.2	<0.2	5.3	<0.01	0.01	3.8	<0.005
K813314		6.3	510	10.4	1.0	<0.001	0.05	0.21	0.6	0.3	<0.2	1080	<0.01	0.01	1.5	<0.005
K813315		12.4	2550	4.5	0.5	0.001	0.68	0.27	13.0	1.0	<0.2	41.0	<0.01	0.01	1.3	0.009
K813316		8.8	310	7.2	0.9	<0.001	0.01	0.27	0.4	0.2	<0.2	28.3	<0.01	0.01	0.7	<0.005
49509		3.3	390	3.3	1.2	<0.001	<0.01	0.56	0.5	0.4	0.2	3.7	<0.01	<0.01	13.8	<0.005
49510		2.4	830	24.2	10.4	<0.001	0.05	1.21	1.2	0.4	0.2	10.9	<0.01	0.01	11.1	<0.005
49511		7.4	200	10.9	0.3	<0.001	0.02	0.85	0.9	<0.2	<0.2	10.1	<0.01	0.01	1.3	<0.005
49512		10.8	280	6.8	15.3	<0.001	<0.01	0.58	1.9	0.2	0.2	18.3	<0.01	0.02	16.8	<0.005
49513		1.2	20	5.2	2.1	0.001	0.03	1.11	0.2	0.2	<0.2	3.5	<0.01	0.08	0.9	<0.005
49514		5.0	160	22.6	0.2	<0.001	0.04	0.12	1.8	0.2	<0.2	1.0	<0.01	0.02	0.2	<0.005
49515		16.4	70	28.4	4.8	<0.001	0.84	0.17	3.2	0.3	<0.2	8.8	<0.01	0.02	10.9	<0.005
K812501																
K812503		17.8	180	31.6	2.9	<0.001	<0.01	0.05	0.8	<0.2	<0.2	4.9	<0.01	0.03	2.2	<0.005
K812504		40.5	360	4.3	0.8	<0.001	<0.01	0.56	1.5	0.3	<0.2	2.8	<0.01	0.01	0.5	<0.005
K812505		5.9	190	8.3	1.2	<0.001	<0.01	0.15	0.7	<0.2	<0.2	1.3	<0.01	0.02	0.6	<0.005
K812506		20.9	900	9.1	0.5	<0.001	0.17	0.78	1.5	0.4	<0.2	29.6	<0.01	0.02	4.8	<0.005
K812507		29.2	650	33.4	4.6	<0.001	0.56	0.29	3.2	0.3	<0.2	7.8	<0.01	0.01	11.9	<0.005
K812508		2.0	20	2.6	0.4	<0.001	<0.01	0.09	0.1	<0.2	<0.2	0.8	<0.01	<0.01	0.3	<0.005
K812509		7.2	60	8.6	0.5	<0.001	0.12	0.23	0.2	0.2	<0.2	2.4	<0.01	0.10	0.2	<0.005
K812510		28.1	110	83.4	0.9	<0.001	<0.01	0.57	0.6	0.2	<0.2	10.1	<0.01	0.01	0.5	<0.005
K812511		5.2	80	7.0	3.0	<0.001	0.09	0.41	0.5	0.3	<0.2	10.2	<0.01	0.22	3.2	<0.005
K812512		22.4	230	8.8	8.2	<0.001	<0.01	0.12	1.6	0.2	0.2	10.4	<0.01	0.02	7.2	<0.005
K812513		5.7	250	61.6	2.5	<0.001	<0.01	0.11	0.6	0.2	<0.2	4.6	<0.01	0.01	2.0	<0.005
K812514		11.4	390	22.5	3.8	<0.001	0.26	0.10	1.4	0.4	<0.2	9.8	<0.01	0.02	3.5	<0.005
K812515		27.4	400	14.9	6.3	<0.001	0.72	0.92	1.6	<0.2	<0.2	29.9	<0.01	0.01	2.0	<0.005
K812516		10.4	220	11.7	3.0	<0.001	0.01	0.29	1.2	<0.2	<0.2	6.0	<0.01	0.01	5.2	<0.005
K812517		14.6	160	20.8	2.6	<0.001	0.02	0.09	1.5	<0.2	<0.2	4.2	<0.01	0.01	2.6	0.006
K812518		24.1	30	5.1	0.7	<0.001	<0.01	0.36	1.6	<0.2	<0.2	1.4	<0.01	0.01	<0.2	<0.005
K812519		11.4	340	498	3.3	<0.001	0.01	0.22	1.7	0.6	<0.2	8.1	<0.01	0.03	2.3	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Au- ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K813301		0.03	<0.05	18	<0.05	4.38	29	<0.5	
K813302		<0.02	<0.05	1	<0.05	0.37	25	<0.5	
K813303		<0.02	0.06	12	0.12	18.35	49	0.8	
K813304									
K813305		<0.02	<0.05	1	<0.05	0.30	2	<0.5	
K813306		<0.02	0.07	233	0.08	14.60	78	1.1	
K813307		<0.02	<0.05	21	<0.05	53.3	97	<0.5	
K813309		<0.02	0.22	3	<0.05	3.92	39	0.6	
K813310		<0.02	0.30	1	<0.05	1.45	27	0.7	
K813311		<0.02	1.18	2	<0.05	4.10	48	1.2	
K813312		<0.02	0.80	1	<0.05	3.94	94	1.8	1.300
K813313		0.02	0.60	5	<0.05	2.66	61	1.9	
K813314		<0.02	0.54	<1	0.08	4.03	11	3.3	
K813315		<0.02	0.09	147	<0.05	15.90	100	1.8	
K813316		<0.02	0.59	2	<0.05	1.02	39	1.5	
49509		<0.02	1.42	4	0.45	3.49	14	4.8	
49510		0.07	0.39	9	<0.05	2.39	31	11.0	
49511		<0.02	0.98	1	<0.05	1.51	22	1.2	
49512		0.08	1.58	13	0.16	3.07	52	15.3	
49513		<0.02	0.17	2	0.05	0.28	3	0.6	1.545
49514		<0.02	0.39	2	<0.05	2.46	13	<0.5	
49515		0.03	0.91	15	0.28	2.35	60	5.2	3.18
K812501									
K812503		0.02	0.46	14	<0.05	0.86	71	2.7	
K812504		<0.02	0.88	2	0.05	3.61	77	0.9	
K812505		<0.02	0.60	1	<0.05	0.98	28	1.1	
K812506		<0.02	0.30	4	<0.05	3.62	32	1.9	
K812507		0.02	0.64	19	<0.05	3.03	85	9.1	
K812508		<0.02	0.05	<1	<0.05	0.22	4	0.6	
K812509		<0.02	0.45	<1	<0.05	0.58	7	0.5	
K812510		<0.02	0.18	1	0.06	2.08	36	1.9	
K812511		0.02	0.32	1	0.09	0.93	19	2.0	
K812512		0.05	1.06	6	0.07	2.46	53	6.0	
K812513		0.02	0.18	4	0.07	0.85	16	2.3	
K812514		0.02	0.30	7	<0.05	2.48	47	3.5	
K812515		0.04	0.22	6	0.10	2.38	284	2.5	
K812516		0.02	0.35	3	<0.05	1.59	26	3.5	
K812517		0.02	0.40	8	<0.05	1.06	58	2.0	
K812518		<0.02	0.20	14	<0.05	0.28	109	<0.5	
K812519		0.02	0.39	5	<0.05	2.44	34	3.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K812520		0.76	0.05	0.81	518	<0.2	<10	30	0.36	0.16	0.02	0.04	24.3	1.6	11	0.36
K811683		1.05	0.01	0.44	9.6	<0.2	<10	10	0.14	0.03	0.02	<0.01	8.59	3.0	14	0.17
K811684		1.20	0.01	0.63	2.6	<0.2	<10	<10	0.10	0.11	0.04	0.01	7.51	3.7	16	0.10
K811685		1.10	0.03	0.58	1.4	<0.2	<10	10	0.23	0.17	0.03	0.01	11.35	41.1	13	0.17
K811677		1.26	0.18	0.26	950	<0.2	<10	20	0.08	0.43	0.03	0.02	13.60	1.2	12	0.54
K811678		1.76	0.19	0.45	12.6	<0.2	<10	<10	0.17	1.17	0.04	0.01	2.90	3.0	15	0.48
K811679		0.87	10.20	0.11	820	<0.2	<10	<10	<0.05	17.05	0.02	0.03	5.87	1.7	11	0.14
K811680		1.92	0.07	0.42	6.0	<0.2	<10	10	0.14	0.20	0.02	0.02	5.16	8.6	15	0.40
K811681		1.37	0.04	0.13	6.3	<0.2	<10	10	0.15	0.07	0.04	0.07	5.64	17.0	13	0.51
K811682		2.10	0.05	0.60	2650	<0.2	<10	10	0.37	0.05	0.06	0.14	14.45	6.3	10	0.12
K812521		1.12	0.01	0.05	4.4	<0.2	<10	<10	<0.05	0.01	<0.01	<0.01	1.87	0.8	16	0.06
K812522		0.91	0.05	2.60	4.5	<0.2	<10	90	0.38	0.28	0.07	0.01	66.5	8.7	36	0.63
K812523		0.68	0.03	0.86	1.1	<0.2	<10	20	0.17	0.06	0.11	0.04	18.95	30.5	17	0.32
K812524		0.43	0.19	1.13	10.0	<0.2	<10	20	0.49	1.16	0.01	0.02	25.9	11.2	26	0.26
K812525		0.68	0.03	0.71	3.4	<0.2	<10	10	0.22	0.19	0.05	0.01	10.95	8.8	14	0.31
K812526		0.94	0.31	2.03	28.2	<0.2	<10	10	0.16	0.32	0.12	0.12	8.31	19.7	113	0.34
K812527		1.04	0.03	4.89	65.2	<0.2	<10	10	0.43	0.02	2.48	0.09	21.1	37.0	253	1.23
K812528		0.50	0.03	0.26	10.5	<0.2	<10	10	0.26	0.58	0.02	0.01	8.92	6.7	14	0.20
K812529		0.92	0.08	2.50	23.5	<0.2	<10	60	0.38	0.83	0.02	0.01	54.3	6.1	41	1.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
K812520		12.7	2.42	1.50	<0.05	0.10	<0.01	0.015	0.09	10.1	9.0	0.13	63	0.13	0.03	<0.05
K811683		10.2	1.24	1.24	<0.05	0.02	0.01	0.007	0.05	4.1	15.3	0.14	103	0.30	<0.01	0.05
K811684		4.9	1.61	1.65	0.05	0.03	<0.01	0.006	0.02	3.2	19.1	0.20	109	0.16	<0.01	0.07
K811685		10.8	1.58	1.51	0.05	0.05	0.01	0.008	0.04	5.0	24.0	0.19	834	0.17	<0.01	0.05
K811677		4.2	0.71	0.58	0.05	0.03	<0.01	0.007	0.01	5.1	4.8	0.04	55	0.11	0.05	0.09
K811678		7.2	1.44	1.31	<0.05	0.02	0.01	<0.005	0.02	1.4	19.5	0.13	308	0.16	0.01	<0.05
K811679		7.5	0.76	0.19	<0.05	<0.02	<0.01	0.008	<0.01	2.2	1.1	<0.01	317	0.12	0.03	0.08
K811680		14.8	1.59	1.34	<0.05	0.03	0.01	0.012	0.02	2.4	13.6	0.13	636	0.23	<0.01	0.06
K811681		3.4	1.28	0.38	<0.05	0.05	0.01	0.018	0.02	2.5	5.0	0.03	2070	0.22	<0.01	0.07
K811682		31.1	3.10	0.40	0.06	0.06	<0.01	0.015	0.01	5.5	2.3	0.01	255	0.12	0.06	0.05
K812521		1.6	0.52	0.12	<0.05	<0.02	<0.01	<0.005	0.01	0.8	0.7	<0.01	70	0.11	<0.01	0.06
K812522		8.6	4.49	6.70	0.10	0.09	<0.01	0.017	0.23	30.7	74.2	0.84	420	0.34	0.03	0.06
K812523		5.9	2.07	1.62	0.05	0.09	<0.01	0.007	0.06	8.2	26.6	0.24	847	0.12	0.01	0.05
K812524		48.1	6.77	4.17	0.12	0.07	0.01	0.012	0.05	10.0	18.7	0.22	113	1.32	0.02	0.08
K812525		11.8	1.54	1.67	0.06	0.11	<0.01	0.006	0.06	4.8	24.5	0.23	125	0.14	0.01	0.06
K812526		268	3.50	7.87	0.15	0.03	0.01	0.074	0.01	3.8	65.2	1.56	313	0.34	0.04	0.06
K812527		49.7	7.04	17.85	0.30	0.06	<0.01	0.052	0.01	9.4	151.0	4.02	924	0.23	0.05	0.11
K812528		32.8	2.64	1.04	0.05	0.04	<0.01	0.008	0.04	4.1	3.1	0.06	91	0.30	<0.01	0.06
K812529		19.4	4.27	6.71	0.09	0.25	<0.01	0.018	0.27	26.1	68.0	0.80	285	1.52	0.04	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K812520		5.9	440	34.2	3.2	<0.001	0.01	0.44	1.7	0.2	<0.2	9.7	<0.01	0.01	5.8	<0.005
K811683		6.3	170	3.8	2.1	<0.001	<0.01	0.22	0.7	<0.2	<0.2	3.2	<0.01	<0.01	1.5	<0.005
K811684		12.2	240	6.4	0.8	<0.001	<0.01	0.06	0.9	<0.2	<0.2	5.2	<0.01	0.01	1.1	<0.005
K811685		34.6	260	25.3	1.7	<0.001	<0.01	0.06	1.9	<0.2	<0.2	7.9	<0.01	0.01	1.2	<0.005
K811677		10.2	160	28.4	0.6	<0.001	0.02	0.23	0.9	<0.2	<0.2	6.8	<0.01	0.03	2.3	<0.005
K811678		13.0	220	25.6	1.0	<0.001	0.01	0.07	0.9	<0.2	<0.2	3.0	<0.01	0.03	0.5	<0.005
K811679		4.1	130	3340	0.2	<0.001	0.07	3.10	0.6	2.8	<0.2	4.2	<0.01	0.05	1.1	<0.005
K811680		12.6	100	20.1	1.3	<0.001	<0.01	0.34	1.0	<0.2	<0.2	2.6	<0.01	0.01	1.8	<0.005
K811681		11.0	110	9.3	0.9	<0.001	<0.01	0.15	1.8	<0.2	<0.2	7.2	<0.01	<0.01	0.8	<0.005
K811682		16.4	690	13.2	0.5	<0.001	0.54	1.46	2.4	0.3	<0.2	6.9	<0.01	0.02	5.9	<0.005
K812521		1.0	40	2.9	0.5	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.4	<0.01	<0.01	0.2	<0.005
K812522		21.7	540	19.3	8.8	<0.001	0.10	0.10	2.8	<0.2	<0.2	15.1	<0.01	0.02	9.5	0.015
K812523		53.1	260	14.7	2.1	<0.001	<0.01	0.08	1.2	<0.2	<0.2	7.9	<0.01	<0.01	2.6	0.006
K812524		23.7	880	110.5	2.3	<0.001	0.09	0.77	1.7	0.4	<0.2	68.1	<0.01	0.04	3.9	0.006
K812525		19.7	280	25.1	2.4	<0.001	<0.01	0.20	1.7	<0.2	<0.2	14.3	<0.01	0.01	2.1	0.005
K812526		32.5	240	66.3	0.5	<0.001	0.03	0.84	11.5	0.7	<0.2	4.6	<0.01	0.01	0.3	0.006
K812527		70.8	760	2.8	1.0	<0.001	0.08	0.35	35.2	0.3	<0.2	71.6	<0.01	0.02	0.6	0.013
K812528		9.0	300	38.6	1.9	<0.001	0.01	0.25	1.0	0.4	<0.2	2.5	<0.01	0.02	3.1	<0.005
K812529		8.1	540	32.4	10.1	0.001	0.29	0.91	2.6	0.5	0.2	12.8	<0.01	0.02	16.3	0.020

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Au- ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K812520		0.02	0.59	5	0.05	1.51	33	3.7	
K811683		<0.02	0.14	4	<0.05	0.65	17	1.0	
K811684		<0.02	0.07	5	<0.05	1.10	25	1.4	
K811685		0.02	0.22	4	<0.05	3.18	46	1.8	
K811677		<0.02	0.32	2	<0.05	0.85	10	1.2	
K811678		<0.02	0.20	3	<0.05	1.50	36	1.1	
K811679		<0.02	0.10	<1	<0.05	0.54	8	0.5	
K811680		<0.02	0.36	3	<0.05	1.05	38	1.2	
K811681		<0.02	0.44	1	<0.05	4.62	40	1.6	
K811682		<0.02	0.45	2	0.08	3.31	79	1.8	
K812521		<0.02	<0.05	<1	<0.05	0.12	3	<0.5	
K812522		0.04	0.48	19	<0.05	3.10	74	3.9	
K812523		<0.02	0.12	6	<0.05	4.30	59	3.5	
K812524		0.02	0.39	13	<0.05	2.27	57	3.0	
K812525		<0.02	0.23	5	<0.05	2.00	35	4.1	
K812526		<0.02	<0.05	76	<0.05	2.59	66	1.0	
K812527		<0.02	0.06	205	<0.05	9.99	106	2.0	
K812528		<0.02	0.52	5	<0.05	1.87	42	1.8	
K812529		0.07	1.86	18	<0.05	5.05	54	10.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27- AUG- 2011
Account: RESCOM

CERTIFICATE OF ANALYSIS WH11144874

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

CERTIFICATE WH11153692

Project: GlenMorangie

P.O. No.:

This report is for 68 Soil samples submitted to our lab in Whitehorse, YT, Canada on 9- AUG- 2011.

The following have access to data associated with this certificate:

CAMERON NORTON	STEVE POTTS	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
K812558		0.12	0.0003	0.133	2.30	21.4	<10	32.8	1.17	0.75	0.17	0.10	84.5	28.0	30.1	4.23
K812559		0.14	0.0033	0.188	0.85	5.19	<10	23.4	0.40	1.98	0.27	0.09	44.8	5.0	10.6	8.82
K812175		0.24	0.0004	0.165	1.43	13.15	<10	38.7	0.30	0.67	0.02	0.07	47.1	9.6	18.6	2.34
K812176		0.26	<0.0002	0.188	0.84	9.22	<10	31.8	0.15	0.48	0.02	0.05	27.4	2.9	10.0	1.69
K812177		0.20	<0.0002	0.073	1.03	18.75	<10	27.0	0.20	0.55	0.07	0.15	42.5	5.8	15.4	1.94
K812178		0.14	<0.0002	0.390	0.76	14.25	<10	26.3	0.36	0.21	0.07	0.15	24.2	3.5	5.7	0.70
K812179		0.32	0.0354	0.068	1.72	11.70	<10	36.2	0.16	0.42	0.02	0.03	49.5	7.1	22.0	1.00
K812180		0.18	<0.0002	0.139	0.46	2.83	<10	21.2	0.06	0.14	0.01	0.03	15.40	1.2	4.3	0.51
K812181		0.28	<0.0002	0.052	1.05	8.49	<10	31.2	0.13	0.50	0.01	0.02	52.6	6.6	18.0	0.96
K812182		0.16	<0.0002	0.087	0.47	3.06	<10	20.9	<0.05	0.14	0.01	0.02	22.2	1.6	5.0	0.55
K812183		0.18	0.0004	0.199	1.97	11.60	<10	63.0	0.49	0.47	0.09	0.08	49.8	37.4	23.8	3.98
K813021		0.36	0.0003	0.070	2.43	33.2	<10	37.6	0.57	0.59	0.10	0.05	84.7	20.0	34.8	1.50
K813022		0.18	0.0004	0.139	2.38	29.4	<10	33.9	0.38	0.85	0.07	0.13	49.6	13.7	36.1	3.28
K813023		0.30	<0.0002	0.079	2.23	25.5	<10	27.8	0.46	0.38	0.02	0.04	79.0	12.0	37.1	1.49
K813024		0.18	0.0006	0.098	2.43	16.80	<10	57.3	0.85	0.45	0.64	0.03	35.5	19.2	44.3	3.36
K813025		0.10	<0.0002	0.052	0.40	2.53	<10	17.8	0.10	0.09	0.07	0.06	6.70	1.5	4.3	0.25
K813026		0.24	0.0010	0.039	2.22	33.2	<10	20.4	0.46	0.60	0.12	0.03	64.0	15.7	41.9	1.19
K813027		0.34	<0.0002	0.052	2.70	31.3	<10	14.2	0.55	0.50	0.13	0.05	77.9	22.2	45.9	1.02
K813028		0.36	<0.0002	0.037	2.49	24.9	<10	23.1	0.49	0.42	0.04	0.04	84.5	12.7	44.3	1.88
K812332		0.16	<0.0002	0.144	0.49	2.14	<10	27.0	0.15	0.10	0.05	0.12	3.48	2.7	3.4	0.90
K812333		0.16	<0.0002	0.180	0.44	2.12	<10	42.0	0.12	0.11	0.07	0.18	3.59	3.1	2.8	1.01
K812334		0.16	<0.0002	0.187	0.29	6.62	<10	22.2	0.07	0.17	0.03	0.10	3.90	3.6	2.4	1.12
K812335		0.16	0.0016	0.119	0.68	19.30	<10	43.2	0.31	0.73	0.05	0.11	9.15	7.4	5.9	3.90
K812336		0.24	0.0012	0.253	0.93	27.4	<10	49.7	0.42	0.68	0.18	0.66	18.70	15.0	11.3	4.32
K812337		0.16	0.0038	0.173	0.16	0.84	<10	22.4	<0.05	0.06	0.04	0.09	2.07	0.7	1.5	0.89
K812338		0.20	<0.0002	0.127	0.26	3.06	<10	19.5	0.07	0.15	0.04	0.07	4.27	1.9	2.8	2.25
K812339		0.26	0.0008	0.216	1.46	23.7	<10	38.8	0.40	0.71	0.05	0.05	40.8	8.4	19.5	8.05
K812340		0.26	0.0012	0.133	2.14	44.1	<10	19.0	0.94	0.73	0.02	0.09	91.1	19.7	28.6	3.53
K812341		0.20	0.0006	0.269	1.90	20.3	<10	52.0	0.75	1.10	0.35	0.09	70.3	19.7	24.1	7.75
K812342		0.38	0.0007	0.112	2.18	63.7	<10	28.2	0.52	0.79	0.08	0.09	65.0	16.2	28.9	2.21
K812343		0.36	0.0003	0.239	1.54	11.35	<10	45.8	0.50	1.25	0.05	0.13	47.0	12.3	20.1	3.09
K812344		0.26	0.0005	0.212	1.37	12.55	<10	36.1	0.38	1.85	0.02	0.07	32.6	7.0	15.8	2.96
K812345		0.32	0.0005	0.131	1.18	7.07	<10	55.7	0.23	0.83	0.04	0.11	36.0	6.9	16.1	2.14
K812346		0.32	<0.0002	0.279	1.15	15.40	<10	27.4	0.26	0.74	0.04	0.18	32.0	5.7	14.7	1.28
K812347		0.32	0.0011	0.065	2.38	16.55	<10	27.8	0.43	0.49	0.01	0.04	87.6	14.7	32.4	1.65
K812348		0.28	0.0006	0.184	1.69	9.60	<10	34.2	0.16	0.46	0.01	0.02	57.4	6.3	25.2	1.51
K812349		0.24	0.0007	0.117	1.88	17.10	<10	51.6	0.19	0.50	0.01	0.03	63.3	6.8	26.5	1.86
K812350		0.28	0.0005	0.123	1.94	17.35	<10	52.3	0.19	0.52	0.02	0.03	66.1	6.9	27.5	1.88
K812351		0.20	0.0002	0.187	0.66	5.69	<10	26.3	0.12	0.23	0.02	0.03	20.4	2.1	8.8	0.82
K812244		0.22	<0.0002	0.056	0.93	24.5	<10	26.4	0.17	0.22	0.03	0.03	25.2	4.3	12.9	1.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
K812558		43.1	4.63	6.52	0.11	0.02	0.015	0.021	0.04	42.3	68.3	0.77	584	0.82	0.01	0.59
K812559		12.05	1.59	4.34	0.05	<0.02	0.034	0.009	0.04	24.4	23.6	0.20	192	3.23	0.01	0.62
K812175		31.6	3.49	5.51	0.06	0.02	0.023	0.020	0.02	25.7	40.3	0.39	429	0.61	0.01	0.38
K812176		11.05	3.17	6.19	<0.05	<0.02	0.030	0.013	0.02	13.5	12.3	0.12	161	0.53	0.01	0.49
K812177		15.55	2.99	6.15	0.05	<0.02	0.017	0.013	0.02	22.3	24.3	0.25	276	0.83	0.01	0.39
K812178		20.3	1.15	2.54	<0.05	<0.02	0.026	0.010	0.02	10.7	8.8	0.09	79	0.37	0.02	0.20
K812179		17.90	3.47	5.95	0.06	<0.02	0.026	0.021	0.02	27.7	42.0	0.48	410	0.58	0.01	0.41
K812180		6.78	0.85	2.32	<0.05	<0.02	0.029	0.006	0.01	8.1	5.3	0.06	49	0.30	0.01	0.15
K812181		12.15	3.18	5.89	0.07	<0.02	0.015	0.012	0.02	28.9	21.1	0.31	256	0.47	0.01	0.21
K812182		7.86	0.89	3.22	<0.05	0.02	0.021	0.006	0.02	11.1	5.3	0.07	64	0.37	0.02	0.15
K812183		63.3	3.52	6.17	0.07	0.05	0.037	0.019	0.03	26.2	47.9	0.56	859	0.90	0.01	0.23
K813021		32.4	4.85	6.87	0.10	0.06	0.009	0.023	0.05	43.7	86.0	0.91	526	0.62	0.01	0.30
K813022		25.2	4.28	7.23	0.07	0.04	0.008	0.022	0.06	29.2	78.6	0.84	483	0.63	<0.01	0.20
K813023		25.7	4.61	6.68	0.09	0.05	0.019	0.018	0.02	40.3	62.1	0.74	425	0.46	<0.01	0.24
K813024		34.6	4.29	6.02	0.05	0.16	0.032	0.025	0.03	19.3	65.9	0.81	376	1.18	0.01	0.16
K813025		10.05	0.62	1.59	<0.05	<0.02	0.025	<0.005	0.01	3.5	3.3	0.05	29	0.25	0.02	0.28
K813026		32.6	5.42	6.73	0.09	0.02	<0.005	0.026	0.02	30.8	66.5	0.85	434	0.73	0.01	0.30
K813027		55.0	5.63	7.01	0.12	0.08	<0.005	0.023	0.02	42.1	85.6	1.04	532	0.47	<0.01	0.10
K813028		35.9	4.89	7.01	0.11	0.05	0.010	0.024	0.02	42.5	75.1	0.88	381	0.52	<0.01	0.28
K812332		5.72	0.53	1.79	<0.05	<0.02	0.039	0.005	0.02	1.8	3.1	0.04	260	0.17	0.02	0.11
K812333		6.31	0.54	1.51	<0.05	<0.02	0.050	0.006	0.03	1.8	3.9	0.04	358	0.19	0.02	0.11
K812334		6.83	0.61	1.39	<0.05	<0.02	0.039	0.005	0.02	2.0	3.5	0.04	211	0.18	0.02	0.17
K812335		17.80	1.47	2.95	<0.05	<0.02	0.063	0.015	0.03	4.8	11.8	0.09	467	0.44	0.01	0.23
K812336		23.6	2.31	3.32	<0.05	0.02	0.026	0.014	0.03	8.6	37.2	0.27	839	0.47	0.02	0.19
K812337		3.51	0.29	0.71	<0.05	<0.02	0.029	<0.005	0.02	1.1	1.2	0.02	35	0.12	0.02	0.10
K812338		5.01	0.64	1.56	<0.05	<0.02	0.021	0.005	0.02	2.3	4.7	0.04	254	0.17	0.02	0.05
K812339		15.55	2.96	5.45	<0.05	0.02	0.017	0.020	0.04	20.9	76.5	0.45	292	0.61	<0.01	0.22
K812340		47.9	5.77	6.77	0.10	0.10	0.011	0.033	0.04	44.6	83.0	0.76	511	0.61	<0.01	0.07
K812341		44.4	3.42	5.81	0.07	0.08	0.020	0.030	0.04	38.6	78.0	0.59	830	0.72	<0.01	0.21
K812342		27.7	4.81	6.63	0.08	0.04	0.013	0.030	0.04	32.3	92.6	0.80	633	0.59	<0.01	0.20
K812343		27.2	4.31	7.46	0.05	<0.02	0.039	0.027	0.03	21.9	45.8	0.39	688	0.74	<0.01	0.44
K812344		23.0	3.82	6.12	<0.05	0.02	0.020	0.029	0.02	15.9	31.0	0.29	378	0.73	<0.01	0.51
K812345		12.40	4.05	7.43	<0.05	<0.02	0.030	0.023	0.03	18.5	23.4	0.27	372	0.63	<0.01	0.64
K812346		14.10	3.06	4.89	<0.05	0.02	0.045	0.016	0.02	16.6	27.2	0.26	262	0.51	<0.01	0.29
K812347		32.2	4.86	7.51	0.09	0.06	0.014	0.025	0.03	43.6	83.5	0.83	600	0.45	<0.01	0.19
K812348		12.20	4.12	7.14	0.07	0.02	0.024	0.019	0.02	31.5	43.2	0.47	420	0.63	<0.01	0.36
K812349		22.7	4.13	6.56	0.07	0.02	0.018	0.028	0.03	31.6	49.3	0.58	443	0.57	<0.01	0.34
K812350		22.1	4.23	7.06	0.06	0.03	0.022	0.030	0.03	34.0	52.5	0.58	442	0.60	<0.01	0.38
K812351		4.87	1.85	3.57	<0.05	<0.02	0.031	0.010	0.02	10.9	11.7	0.12	109	0.33	<0.01	0.12
K812244		11.05	2.35	3.93	<0.05	<0.02	0.020	0.014	0.02	12.6	16.6	0.19	149	0.37	0.01	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812558		34.0	0.067	23.1	6.3	<0.001	0.03	0.315	2.0	0.7	0.2	40.4	<0.01	0.02	11.3	0.014
K812559		9.0	0.045	11.95	8.9	<0.001	0.04	0.103	0.8	0.4	0.5	25.8	<0.01	<0.01	4.4	0.009
K812175		19.5	0.075	16.75	3.6	<0.001	0.03	0.233	1.0	0.4	0.2	13.1	<0.01	0.03	3.4	0.015
K812176		6.6	0.082	11.40	2.9	<0.001	0.02	0.212	0.5	0.2	0.3	5.2	<0.01	<0.01	1.7	0.014
K812177		13.3	0.098	13.85	3.2	<0.001	0.03	0.284	0.4	0.5	0.4	9.3	<0.01	0.03	0.5	0.016
K812178		12.0	0.062	12.25	2.1	<0.001	0.03	0.122	0.2	0.2	<0.2	10.6	0.01	<0.01	0.2	0.009
K812179		13.8	0.043	11.60	3.0	<0.001	0.02	0.210	1.2	0.5	0.2	6.7	<0.01	<0.01	4.7	0.012
K812180		2.3	0.048	5.66	1.7	<0.001	0.02	0.048	0.1	<0.1	0.2	4.2	<0.01	<0.01	0.2	0.009
K812181		14.0	0.097	8.40	2.8	<0.001	0.02	0.128	0.6	0.3	0.2	4.4	<0.01	0.02	2.0	0.010
K812182		3.1	0.046	5.02	1.9	<0.001	0.02	0.059	0.1	0.2	0.2	4.5	<0.01	<0.01	0.5	0.007
K812183		31.9	0.103	16.35	4.0	<0.001	0.06	0.086	1.4	0.3	0.2	10.5	<0.01	0.02	4.3	0.007
K813021		34.2	0.051	28.5	4.2	<0.001	0.02	0.354	2.7	0.3	0.3	22.7	<0.01	0.02	14.4	0.007
K813022		33.6	0.035	16.60	5.1	<0.001	0.02	0.079	2.5	<0.1	0.4	19.8	<0.01	<0.01	8.4	0.006
K813023		27.7	0.053	22.6	4.8	<0.001	0.02	0.402	2.1	0.3	<0.2	4.1	0.01	0.02	10.6	0.008
K813024		46.9	0.071	35.0	4.6	0.001	0.09	0.418	2.4	0.7	<0.2	32.6	<0.01	0.02	5.3	0.003
K813025		4.0	0.028	3.91	0.8	<0.001	0.04	0.069	0.4	0.5	<0.2	7.9	<0.01	0.02	0.4	0.016
K813026		34.3	0.059	30.3	2.7	<0.001	0.02	0.846	2.2	0.3	<0.2	8.0	<0.01	<0.01	8.4	0.015
K813027		45.3	0.070	35.8	1.7	<0.001	0.01	0.723	2.9	0.6	<0.2	8.2	<0.01	0.03	12.1	0.011
K813028		33.8	0.046	27.3	3.5	<0.001	0.01	0.505	2.2	0.3	<0.2	4.4	<0.01	0.01	11.7	0.012
K812332		3.3	0.084	2.92	1.3	<0.001	0.04	0.044	<0.1	0.4	<0.2	7.3	<0.01	0.01	<0.1	0.004
K812333		4.4	0.101	3.12	1.7	<0.001	0.05	0.052	<0.1	0.2	<0.2	9.8	<0.01	0.01	<0.1	0.004
K812334		3.2	0.047	3.10	1.5	<0.001	0.03	0.050	0.1	0.4	<0.2	6.2	<0.01	<0.01	<0.1	0.011
K812335		6.0	0.111	8.99	2.9	<0.001	0.03	0.125	0.2	0.2	0.2	7.9	<0.01	0.01	0.2	0.012
K812336		16.4	0.098	14.85	3.1	<0.001	0.04	0.134	0.4	0.1	0.2	18.8	<0.01	0.02	0.8	0.009
K812337		1.6	0.037	1.50	0.9	<0.001	0.03	0.022	<0.1	0.2	<0.2	7.3	<0.01	<0.01	<0.1	0.008
K812338		2.3	0.069	3.62	2.7	<0.001	0.03	0.055	<0.1	<0.1	0.2	5.2	<0.01	<0.01	<0.1	0.005
K812339		18.9	0.055	16.80	6.5	<0.001	0.01	0.104	1.3	0.1	0.3	8.2	<0.01	0.02	5.0	0.005
K812340		32.7	0.080	52.2	3.2	<0.001	0.02	0.492	2.4	0.8	0.2	13.6	<0.01	0.05	18.3	0.004
K812341		28.5	0.074	21.6	5.8	<0.001	0.03	0.085	1.9	1.0	0.3	18.9	<0.01	0.03	7.7	0.004
K812342		26.9	0.078	34.5	4.1	<0.001	0.01	0.372	2.3	0.4	0.2	11.4	<0.01	0.02	11.5	0.006
K812343		18.2	0.121	16.30	5.2	<0.001	0.02	0.247	1.0	0.4	0.3	8.8	0.01	0.07	2.9	0.013
K812344		12.8	0.099	19.60	5.0	<0.001	0.01	0.215	1.1	0.2	0.3	5.6	0.01	0.06	5.6	0.012
K812345		10.7	0.116	11.25	4.1	<0.001	0.02	0.200	1.2	0.6	0.4	7.5	0.01	0.05	4.6	0.015
K812346		11.4	0.123	14.00	3.8	<0.001	0.02	0.201	0.8	0.2	0.2	5.8	<0.01	0.02	3.1	0.009
K812347		29.1	0.048	16.15	3.4	<0.001	<0.01	0.179	2.4	0.4	0.2	4.2	<0.01	0.02	14.2	0.007
K812348		11.9	0.110	12.10	3.8	<0.001	0.01	0.109	1.3	0.2	0.2	6.2	<0.01	0.03	5.7	0.009
K812349		14.7	0.096	11.80	3.4	<0.001	0.02	0.147	1.4	0.6	0.2	10.3	<0.01	0.03	5.6	0.010
K812350		14.3	0.104	12.15	3.7	<0.001	0.02	0.155	1.3	0.5	0.2	9.4	0.01	0.03	5.3	0.010
K812351		4.1	0.089	6.63	2.7	<0.001	<0.01	0.088	0.2	0.2	0.2	5.0	<0.01	0.01	0.2	0.009
K812244		8.0	0.037	12.10	2.8	<0.001	0.01	0.232	0.7	0.1	0.2	4.9	<0.01	0.03	2.0	0.011

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812558		0.10	1.51	18	0.710	11.25	100.0	0.8
K812559		0.18	1.91	10	2.75	3.65	30.0	<0.5
K812175		0.04	0.68	18	0.570	2.85	56.0	1.5
K812176		0.03	0.44	22	0.417	1.63	27.2	<0.5
K812177		0.03	0.76	26	0.388	2.37	46.8	<0.5
K812178		0.02	0.72	8	0.246	3.13	20.2	0.5
K812179		0.03	0.61	17	0.247	2.32	48.3	<0.5
K812180		0.02	0.24	8	0.101	0.66	9.2	<0.5
K812181		0.03	0.48	23	0.272	1.69	40.8	<0.5
K812182		0.02	0.34	9	0.117	0.82	10.6	<0.5
K812183		0.05	1.13	17	0.187	4.95	69.4	1.5
K813021		0.03	1.37	20	0.389	7.75	98.6	2.9
K813022		0.04	0.70	22	2.08	7.02	104.0	1.3
K813023		0.04	0.61	21	0.145	3.15	68.7	1.9
K813024		0.06	1.88	18	0.0351	6.81	83.1	4.3
K813025		0.02	0.38	7	0.0650	1.58	8.1	0.5
K813026		0.02	0.54	25	0.0995	3.10	83.0	1.2
K813027		0.02	0.71	24	0.0377	5.03	116.5	4.4
K813028		0.03	0.72	24	0.0890	3.33	85.1	1.7
K812332		0.02	0.29	7	0.0670	0.42	27.2	<0.5
K812333		0.02	0.29	7	0.0752	0.43	39.0	<0.5
K812334		0.02	0.33	8	0.186	0.35	19.1	<0.5
K812335		0.03	0.68	11	2.74	0.83	42.7	<0.5
K812336		0.02	0.92	11	0.510	1.43	118.5	1.0
K812337		<0.02	0.16	6	0.0560	0.25	12.5	<0.5
K812338		0.02	0.20	7	0.0520	0.30	24.1	<0.5
K812339		0.03	0.47	15	0.336	1.80	72.6	0.6
K812340		0.03	1.53	16	0.126	7.24	107.0	5.8
K812341		0.04	5.83	17	0.988	7.83	84.5	2.4
K812342		0.03	0.84	20	0.703	3.89	94.4	1.8
K812343		0.04	0.76	22	4.11	3.73	90.4	<0.5
K812344		0.03	0.64	19	1.160	2.63	52.4	1.0
K812345		0.02	0.48	29	0.467	1.96	72.4	0.6
K812346		0.02	0.57	18	0.606	2.14	44.8	0.6
K812347		0.02	1.11	19	0.291	4.70	86.5	2.5
K812348		0.03	0.60	18	0.277	2.31	48.4	0.5
K812349		0.03	0.67	18	0.275	2.19	57.8	0.6
K812350		0.04	0.69	19	0.271	2.24	59.1	0.5
K812351		0.02	0.28	13	0.575	0.97	17.3	<0.5
K812244		0.03	0.30	15	0.0904	1.12	25.4	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812245		0.24	0.0003	0.095	1.39	14.50	<10	19.3	0.25	0.51	0.02	0.03	27.0	13.4	20.6	4.04
K812246		0.20	<0.0002	0.031	1.02	18.20	<10	15.3	0.16	0.34	0.12	0.03	16.00	9.6	15.3	2.08
K812247		0.16	0.0008	0.173	1.51	51.9	<10	53.3	0.57	0.63	0.89	0.07	16.90	11.3	17.1	3.10
K812248		0.36	0.0018	0.166	2.32	85.1	<10	49.3	0.75	0.57	0.55	0.08	44.9	21.2	36.6	2.32
K812249		0.32	0.0016	0.106	2.44	57.6	<10	48.7	0.68	0.53	0.28	0.06	59.1	19.3	43.0	1.49
K812250		0.42	0.0008	0.061	2.40	68.5	<10	40.8	0.62	0.53	0.06	0.04	74.9	17.9	38.7	1.81
K812251		0.12	0.0002	0.038	0.70	6.18	<10	33.5	0.17	0.07	0.49	0.02	7.49	2.0	4.6	0.27
K812252		Not Recvd														
K812253		Not Recvd														
K813029		0.22	0.0058	0.079	2.28	44.6	<10	40.0	0.58	0.56	0.07	0.05	50.3	24.2	40.3	3.92
K813030		0.22	0.0004	0.091	2.43	25.6	<10	47.9	0.74	0.38	0.47	0.06	39.9	21.8	56.1	2.91
K813031		0.34	0.0007	0.054	3.12	29.7	<10	22.1	0.53	0.47	0.15	0.08	56.2	30.9	149.5	2.25
K813032		0.24	0.0004	0.045	2.13	24.8	<10	41.7	0.47	0.50	0.60	0.08	40.4	16.8	36.8	2.22
K813033		0.36	0.0004	0.049	0.86	22.1	<10	32.4	0.15	0.49	0.03	0.04	49.8	2.5	13.8	1.45
K813034		0.22	0.0006	0.075	1.42	17.60	<10	24.6	0.51	0.56	0.03	0.07	42.0	8.8	23.4	4.27
K813035		0.26	0.0006	0.094	1.01	12.95	<10	20.3	0.26	0.49	0.05	0.05	22.9	3.4	13.1	4.49
K813036		0.22	0.0010	0.155	2.01	47.6	<10	51.6	1.13	0.99	0.03	0.04	49.3	27.2	29.1	14.75
K813037		0.42	0.0004	0.058	2.10	68.1	<10	26.0	0.44	0.64	0.04	0.04	72.8	10.2	33.7	3.89
K813038		0.22	0.0004	0.064	1.24	67.6	<10	32.0	0.28	0.68	0.03	0.05	46.6	5.0	21.4	2.50
K812832		0.38	0.0009	0.096	2.24	17.55	<10	34.1	0.66	0.41	0.30	0.11	48.5	20.3	43.1	2.10
K812833		0.34	0.0005	0.060	2.05	23.7	<10	33.4	0.29	0.43	0.05	0.02	59.3	7.0	36.5	1.30
K812834		0.16	0.0011	0.209	1.96	20.5	<10	86.1	0.53	0.44	0.64	0.03	28.4	15.2	33.6	1.73
K812835		0.40	0.0004	0.038	2.14	24.7	<10	24.3	0.44	0.41	0.03	0.05	67.5	12.1	33.7	1.74
K812836		0.36	0.0011	0.073	2.42	50.4	<10	28.2	1.08	0.55	0.11	0.07	59.9	53.3	44.2	2.76
K811914		0.26	0.0020	0.129	3.34	174.0	<10	21.8	4.98	0.50	0.06	0.79	146.0	247	26.0	1.19
K812551		0.28	0.0004	0.257	1.87	60.9	<10	36.1	0.57	1.17	0.02	0.17	63.1	12.2	24.2	4.41
K812552		0.10	<0.0002	0.055	0.20	3.01	<10	14.1	0.09	0.07	0.04	0.05	3.57	0.9	1.8	0.37
K812553		0.22	<0.0002	0.075	2.05	10.95	<10	32.6	0.71	1.68	0.05	0.03	54.3	10.1	23.9	6.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method Analyte Units LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.01	ME- MS41L Ga ppm 0.05	ME- MS41L Ge ppm 0.05	ME- MS41L Hf ppm 0.02	ME- MS41L Hg ppm 0.005	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.2	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.01	ME- MS41L Nb ppm 0.05
K812245		20.5	3.23	5.24	<0.05	0.02	0.024	0.012	0.02	13.4	32.5	0.52	538	0.38	<0.01	0.22
K812246		13.30	2.34	3.72	<0.05	0.02	0.008	0.009	0.02	8.0	24.8	0.40	458	0.55	0.01	0.10
K812247		56.8	2.57	4.56	<0.05	0.05	0.034	0.020	0.04	9.9	31.4	0.39	347	1.36	0.01	0.27
K812248		62.4	4.51	6.36	0.05	0.14	0.017	0.028	0.07	24.4	69.3	0.83	645	1.11	<0.01	0.18
K812249		47.3	4.75	6.80	0.06	0.12	0.012	0.026	0.06	29.9	75.8	0.91	644	1.30	<0.01	0.15
K812250		42.0	4.95	7.08	0.07	0.06	0.013	0.025	0.05	36.1	69.3	0.84	612	0.42	<0.01	0.15
K812251		8.83	0.67	1.90	<0.05	0.05	0.014	<0.005	0.02	4.0	7.3	0.10	57	0.16	0.01	0.34
K812252																
K812253																
K813029		28.2	4.49	6.74	0.06	0.09	0.017	0.033	0.03	26.1	61.8	0.78	749	1.48	<0.01	0.25
K813030		45.3	4.30	6.84	0.05	0.07	0.015	0.029	0.03	20.5	72.8	1.04	471	1.29	<0.01	0.25
K813031		59.2	6.39	8.00	0.08	0.10	0.009	0.039	0.02	27.3	95.1	2.10	796	0.63	<0.01	0.31
K813032		27.7	4.74	7.31	0.05	0.05	0.018	0.032	0.03	19.9	60.4	0.84	522	0.98	<0.01	0.42
K813033		15.20	2.77	5.60	0.06	<0.02	0.017	0.015	0.03	25.8	20.3	0.24	110	0.77	<0.01	0.28
K813034		31.9	4.42	4.92	0.06	0.05	0.027	0.023	0.03	21.6	42.2	0.50	294	0.96	<0.01	0.17
K813035		28.5	2.51	3.74	<0.05	0.05	0.028	0.023	0.03	12.0	17.6	0.22	114	0.66	0.01	0.34
K813036		75.2	4.67	5.93	0.06	0.06	0.027	0.048	0.05	23.8	54.2	0.52	704	1.37	<0.01	0.23
K813037		41.9	5.36	7.21	0.09	0.06	0.010	0.034	0.04	36.7	69.5	0.85	336	0.90	<0.01	0.27
K813038		23.7	4.29	6.79	0.05	<0.02	0.017	0.025	0.03	24.0	27.7	0.35	195	0.96	<0.01	0.54
K812832		35.8	4.79	6.41	0.08	0.11	0.007	0.029	0.03	25.2	67.6	0.94	451	0.72	<0.01	0.06
K812833		19.40	4.29	6.45	0.06	0.05	0.011	0.018	0.02	29.4	56.1	0.70	284	0.50	<0.01	0.32
K812834		39.2	3.51	5.37	0.05	0.10	0.039	0.027	0.07	14.7	51.4	0.59	331	0.61	0.01	0.27
K812835		23.8	4.60	6.84	0.07	0.05	0.006	0.023	0.02	33.6	62.4	0.68	377	0.52	<0.01	0.36
K812836		50.2	5.19	6.87	0.09	0.10	0.011	0.028	0.03	29.4	77.7	0.96	1080	1.40	<0.01	0.16
K811914		121.5	4.36	6.02	0.20	0.12	0.014	0.021	0.04	57.2	102.0	0.72	5940	0.72	<0.01	0.10
K812551		26.3	4.86	7.23	0.07	0.02	0.023	0.037	0.02	35.1	54.9	0.46	405	0.71	0.01	0.32
K812552		3.07	0.37	0.82	<0.05	<0.02	0.020	<0.005	0.02	2.0	1.6	0.02	28	0.15	0.03	0.05
K812553		17.55	3.69	6.75	0.06	0.02	0.023	0.014	0.09	26.7	67.6	0.68	430	4.18	0.01	1.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812245		22.1	0.036	16.05	2.5	<0.001	0.01	0.137	1.4	0.3	0.2	3.4	<0.01	0.04	10.2	0.010
K812246		16.1	0.037	6.28	2.3	<0.001	0.01	0.073	0.9	0.2	<0.2	6.5	<0.01	0.01	4.5	0.005
K812247		18.4	0.043	17.95	4.6	<0.001	0.06	0.167	1.3	0.6	0.2	38.3	<0.01	0.02	6.1	0.006
K812248		40.1	0.063	28.6	4.8	0.001	0.03	0.370	3.0	1.4	0.2	25.8	<0.01	0.03	9.6	0.005
K812249		41.1	0.047	30.8	4.4	<0.001	0.01	0.305	3.2	0.9	<0.2	16.9	<0.01	0.04	9.4	0.005
K812250		34.5	0.058	30.8	5.0	<0.001	0.01	0.367	2.3	0.4	0.2	6.9	<0.01	0.04	8.1	0.005
K812251		4.8	0.036	3.54	1.1	<0.001	0.01	0.082	0.3	0.3	<0.2	50.4	0.01	0.01	0.4	0.015
K812252																
K812253																
K813029		31.1	0.083	37.0	4.1	<0.001	0.03	0.245	2.3	1.0	0.2	9.5	<0.01	0.03	6.0	0.006
K813030		50.6	0.067	20.1	4.1	<0.001	0.04	0.336	3.4	0.5	<0.2	57.7	<0.01	0.02	5.1	0.008
K813031		80.5	0.063	39.9	2.3	<0.001	0.01	0.938	6.2	0.4	<0.2	9.9	<0.01	0.02	8.3	0.026
K813032		29.2	0.070	25.8	4.8	<0.001	0.04	0.561	2.9	0.6	0.2	18.0	<0.01	0.03	4.3	0.011
K813033		6.6	0.070	18.30	2.7	<0.001	0.03	0.622	0.6	0.5	0.4	7.3	<0.01	0.04	1.6	0.012
K813034		19.7	0.104	40.6	2.6	<0.001	0.04	0.910	1.0	0.7	<0.2	8.8	<0.01	0.04	3.9	0.008
K813035		8.2	0.085	42.3	3.1	<0.001	0.04	0.535	0.6	0.8	0.2	7.5	0.01	0.04	1.4	0.013
K813036		33.4	0.105	84.2	7.0	<0.001	0.05	0.692	1.7	1.1	0.2	10.0	<0.01	0.06	5.0	0.005
K813037		22.8	0.051	41.3	3.4	<0.001	0.02	0.876	2.1	0.7	0.2	7.5	<0.01	0.04	11.1	0.009
K813038		11.8	0.084	34.5	4.6	<0.001	0.02	0.796	1.1	0.6	0.3	8.2	<0.01	0.04	3.8	0.018
K812832		44.4	0.061	29.9	2.8	0.001	0.03	0.549	2.7	1.1	<0.2	20.1	<0.01	0.04	8.8	0.002
K812833		20.2	0.046	19.35	3.6	<0.001	0.01	0.299	1.7	0.5	0.2	5.7	<0.01	0.03	7.2	0.010
K812834		33.1	0.091	26.5	5.7	<0.001	0.07	0.598	2.0	0.7	0.2	33.4	<0.01	0.03	3.3	0.005
K812835		26.0	0.041	21.5	4.1	<0.001	0.04	0.422	1.8	0.4	0.2	4.6	<0.01	0.02	8.6	0.010
K812836		66.4	0.078	36.3	3.1	<0.001	0.03	0.587	2.9	0.7	<0.2	10.0	<0.01	0.03	8.3	0.006
K811914		194.5	0.067	49.3	2.8	<0.001	0.16	1.330	2.0	3.7	<0.2	14.5	0.02	0.01	13.0	0.006
K812551		22.1	0.079	38.5	4.4	<0.001	0.03	0.257	1.5	0.9	0.4	8.8	<0.01	0.03	10.4	0.007
K812552		1.6	0.054	3.17	0.9	<0.001	0.04	0.055	<0.1	0.1	<0.2	7.4	<0.01	<0.01	<0.1	0.004
K812553		22.1	0.037	13.35	21.8	<0.001	0.02	0.177	2.4	0.2	1.3	10.6	<0.01	0.03	9.5	0.032

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Sample Description	Method	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812245		0.02	0.55	20	0.0710	1.53	59.1	1.1
K812246		<0.02	0.40	13	0.0282	1.03	46.5	0.6
K812247		0.03	4.32	14	0.0636	4.39	53.0	2.0
K812248		0.03	5.18	21	0.0905	7.51	103.0	4.5
K812249		0.02	2.96	22	0.157	6.75	94.7	3.6
K812250		0.04	1.07	22	0.739	4.32	87.9	1.9
K812251		0.02	3.10	7	0.0506	1.52	11.1	2.0
K812252								
K812253								
K813029		0.04	1.33	23	0.0939	4.11	90.8	2.5
K813030		0.03	0.79	28	0.0577	5.43	110.5	2.4
K813031		0.03	0.54	49	0.0519	4.51	107.0	3.4
K813032		0.03	0.63	36	0.106	3.19	91.0	2.0
K813033		0.02	0.39	21	0.289	1.61	29.9	<0.5
K813034		0.02	0.70	14	0.352	2.09	71.5	1.3
K813035		0.03	0.75	12	0.305	1.89	33.6	1.7
K813036		0.08	2.11	18	0.126	5.22	106.5	1.7
K813037		0.02	0.87	22	0.0880	3.11	97.1	2.4
K813038		0.03	0.57	25	0.316	1.83	41.2	0.5
K812832		0.03	1.50	19	0.0249	6.96	105.0	4.1
K812833		0.04	0.48	23	0.189	2.46	60.3	1.5
K812834		0.05	1.35	17	0.689	5.21	69.7	3.3
K812835		0.03	0.52	21	0.187	2.61	70.5	1.9
K812836		0.02	2.04	24	0.0420	7.01	153.5	3.1
K811914		0.04	1.93	14	0.221	92.6	489	6.0
K812551		0.04	0.90	20	0.712	5.32	84.1	1.2
K812552		<0.02	0.44	6	0.0762	0.73	7.6	<0.5
K812553		0.20	2.48	20	1.060	5.37	71.5	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11153692

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 17- SEP- 2011
Account: RESCOM

CERTIFICATE WH11153693

Project: Glenmorangie

P.O. No.:

This report is for 17 Rock samples submitted to our lab in Whitehorse, YT, Canada on 9- AUG- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
CRU- 31	Fine crushing - 70%< 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85%< 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 17- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153693

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K811699		0.94	0.03	0.40	0.4	<0.2	<10	10	0.20	0.11	0.22	0.01	8.25	8.7	11	0.22
K811700		1.39	0.02	0.31	7.2	<0.2	<10	10	0.10	0.25	0.06	0.02	15.40	6.8	11	0.47
K811701		0.97	0.07	0.42	21.0	<0.2	<10	20	0.29	0.41	1.68	0.02	12.35	13.6	6	0.54
K813320		0.85	0.03	3.82	34.7	<0.2	<10	50	0.35	0.03	7.24	0.03	16.35	18.7	30	3.59
K813321		0.92	0.02	2.18	<2	<0.2	<10	30	0.06	<0.01	15.40	0.08	4.82	12.0	13	0.94
K813322		1.01	0.01	1.51	40	<0.2	<10	20	0.12	0.01	18.65	0.10	37.4	10.6	22	1.37
K813323		1.42	0.02	3.06	3.7	<0.2	<10	20	0.12	0.02	4.47	0.03	11.80	17.4	58	0.41
K813210		0.85	0.05	3.53	1.8	<0.2	<10	<10	0.50	0.01	3.83	0.82	57.2	19.6	<1	0.34
K813211		0.74	0.02	0.82	3.5	<0.2	<10	<10	0.26	0.03	0.21	0.02	5.18	5.6	9	0.33
K813212		0.88	0.03	1.51	2.2	<0.2	<10	10	0.33	0.08	0.44	0.03	15.80	7.2	10	0.53
K813213		0.78	0.07	2.13	11.3	<0.2	<10	30	0.36	0.43	0.79	0.01	30.5	16.0	23	1.13
K813214		1.00	0.04	1.63	14.3	<0.2	<10	10	0.39	0.19	0.26	0.26	16.80	27.8	11	0.76
K813215		0.85	0.03	0.66	21.9	<0.2	<10	10	0.18	0.14	0.12	0.11	11.45	37.6	13	0.79
K813216		0.85	0.09	2.98	1.0	<0.2	<10	30	0.31	0.17	0.29	0.07	31.7	35.9	112	0.55
K813217		0.66	0.02	0.95	8.9	<0.2	<10	10	0.08	0.05	0.06	0.02	10.55	5.8	10	0.52
K813218		0.61	0.04	1.70	16.5	<0.2	<10	10	0.13	0.17	0.80	0.07	16.00	11.4	15	0.19
K813219		0.65	0.02	0.62	3.0	<0.2	<10	20	0.18	0.07	0.09	0.07	16.65	43.9	11	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 17- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153693

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K811699		8.1	1.24	1.19	<0.05	0.06	<0.01	0.028	0.02	4.1	12.9	0.13	381	0.14	0.01	0.08
K811700		5.8	0.92	1.13	0.05	0.08	<0.01	0.006	0.04	6.5	13.8	0.09	427	0.23	0.01	0.07
K811701		23.5	3.82	0.97	0.07	0.06	<0.01	0.022	0.07	5.2	7.6	0.36	1040	0.21	0.01	0.07
K813320		31.4	4.58	8.45	0.14	0.04	<0.01	0.028	0.16	7.3	106.0	1.95	925	0.11	0.12	0.15
K813321		43.5	2.98	4.98	0.07	0.02	<0.01	0.044	0.06	2.3	53.9	1.07	1290	0.07	0.03	0.28
K813322		6.2	3.04	3.58	0.12	0.09	<0.01	0.238	0.04	18.0	40.5	1.18	2580	0.18	0.04	0.19
K813323		30.2	4.45	17.85	0.12	0.16	<0.01	0.022	0.05	5.0	74.5	2.00	824	0.09	0.07	0.11
K813210		56.2	8.51	14.85	0.30	0.55	0.01	0.077	<0.01	25.1	24.8	1.89	1330	2.11	0.05	0.99
K813211		7.6	2.09	2.60	0.07	0.03	<0.01	0.011	0.02	2.5	39.5	0.32	353	0.08	0.01	0.05
K813212		11.4	4.00	3.02	0.10	0.06	<0.01	0.017	0.05	6.5	38.7	0.53	418	0.15	0.02	0.08
K813213		32.6	4.67	6.02	0.12	0.12	<0.01	0.027	0.14	14.4	86.4	0.86	427	0.35	0.03	0.18
K813214		16.9	3.72	3.55	0.11	0.04	<0.01	0.018	0.04	5.9	61.4	0.50	768	0.12	0.01	0.06
K813215		29.0	2.05	2.17	0.06	0.08	<0.01	0.013	0.05	5.9	29.2	0.21	1820	0.11	0.01	0.06
K813216		165.5	4.85	9.67	0.16	0.06	<0.01	0.048	0.04	11.9	112.0	1.98	673	1.09	0.04	0.13
K813217		6.5	2.70	3.15	0.09	0.02	<0.01	0.010	0.02	4.0	54.2	0.32	627	0.09	0.01	0.06
K813218		23.6	4.82	4.22	0.12	0.05	<0.01	0.019	0.02	6.1	49.1	0.69	798	0.09	0.01	0.06
K813219		17.4	2.34	1.98	0.09	0.04	<0.01	0.025	<0.01	5.8	26.6	0.19	1940	0.08	0.03	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 17- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153693

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
K811699		13.0	260	23.2	1.6	<0.001	0.01	0.06	0.7	0.2	<0.2	7.6	<0.01	0.01	1.5	<0.005
K811700		6.0	120	15.6	2.5	<0.001	0.02	0.19	0.6	<0.2	<0.2	6.2	<0.01	0.01	2.1	<0.005
K811701		21.2	360	46.8	4.1	<0.001	1.45	2.53	1.7	0.4	<0.2	58.2	<0.01	0.02	3.7	<0.005
K813320		27.8	800	3.2	9.3	<0.001	0.02	0.17	5.8	0.3	<0.2	161.5	0.01	<0.01	0.3	0.007
K813321		11.5	430	1.9	3.5	<0.001	0.01	<0.05	3.6	0.3	<0.2	314	0.01	0.01	0.2	0.038
K813322		13.4	320	3.2	2.8	0.001	0.07	0.29	9.8	1.1	<0.2	709	0.02	0.01	0.2	<0.005
K813323		100.5	1730	1.6	3.2	<0.001	0.06	0.08	13.6	0.3	<0.2	128.0	<0.01	0.01	1.8	0.010
K813210		1.4	3490	1.6	0.1	0.002	0.90	0.16	9.3	1.8	0.9	56.4	0.04	0.01	2.6	0.261
K813211		16.0	190	7.0	1.4	<0.001	0.09	0.08	1.5	<0.2	<0.2	6.9	<0.01	<0.01	0.8	<0.005
K813212		19.3	410	16.1	3.2	<0.001	0.21	0.15	1.9	0.2	<0.2	23.0	<0.01	0.01	3.6	0.007
K813213		27.1	520	58.3	7.3	<0.001	0.53	0.42	3.6	0.3	0.2	27.4	0.01	0.01	7.0	0.010
K813214		31.8	900	38.6	2.5	<0.001	0.59	0.16	1.5	0.4	<0.2	14.9	<0.01	0.01	3.8	<0.005
K813215		29.5	120	18.7	3.0	<0.001	0.25	0.16	1.8	0.2	<0.2	8.8	<0.01	0.01	2.6	<0.005
K813216		60.6	1290	2.2	2.8	<0.001	0.03	0.12	10.0	0.8	0.3	9.4	0.01	0.03	0.7	0.013
K813217		18.9	290	5.4	1.5	<0.001	0.04	0.09	2.0	<0.2	<0.2	4.2	<0.01	0.01	0.8	<0.005
K813218		20.5	950	26.8	1.3	<0.001	0.64	0.54	2.5	0.2	<0.2	17.9	<0.01	0.01	6.0	<0.005
K813219		34.5	590	15.0	0.5	<0.001	0.16	0.11	1.7	0.3	<0.2	6.0	<0.01	<0.01	3.8	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 17- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153693

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5
K811699		<0.02	0.29	3	<0.05	3.88	24	2.0
K811700		0.02	0.35	2	<0.05	1.19	18	2.7
K811701		0.05	0.29	2	<0.05	3.88	25	2.2
K813320		0.07	<0.05	54	0.08	8.46	52	1.3
K813321		0.02	<0.05	41	<0.05	8.32	38	<0.5
K813322		0.02	0.06	32	0.09	40.0	28	<0.5
K813323		0.02	0.49	172	<0.05	7.08	46	6.2
K813210		<0.02	0.27	76	0.38	29.8	135	11.2
K813211		<0.02	0.08	8	<0.05	2.23	49	1.2
K813212		<0.02	0.30	6	<0.05	2.84	54	1.9
K813213		0.03	0.64	15	<0.05	3.56	65	4.6
K813214		<0.02	0.94	5	<0.05	4.37	174	1.2
K813215		0.02	0.30	4	<0.05	2.63	100	2.8
K813216		<0.02	0.20	93	<0.05	13.15	91	1.3
K813217		<0.02	0.18	7	<0.05	2.02	48	0.7
K813218		<0.02	0.37	9	<0.05	2.82	108	1.5
K813219		<0.02	0.24	4	<0.05	4.89	121	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153693

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

CERTIFICATE WH11153694

Project: Glenmorangie

P.O. No.:

This report is for 44 Rock samples submitted to our lab in Whitehorse, YT, Canada on 9- AUG- 2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/ o BarCode
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K812530		0.68	0.20	0.91	0.8	<0.2	<10	40	0.25	1.64	0.01	<0.01	41.7	1.9	18	1.05
K812531		0.98	0.03	0.47	24.0	<0.2	<10	60	0.87	0.17	0.01	0.02	78.5	2.7	8	3.85
K812532		1.26	0.09	2.30	1.4	<0.2	<10	70	0.25	0.85	0.03	<0.01	44.8	19.5	28	0.85
K812533		0.76	0.01	0.10	1.6	<0.2	<10	10	0.06	0.02	0.06	0.04	5.82	5.7	15	0.14
K812534		1.09	0.13	1.66	3.0	<0.2	<10	20	0.36	0.38	0.05	0.01	66.0	4.0	16	0.25
K812535		0.77	0.04	1.22	1.5	<0.2	<10	10	0.38	0.15	0.02	0.01	22.3	5.5	21	0.31
K812536		0.90	0.03	2.28	5.4	<0.2	<10	30	0.35	0.33	0.01	0.02	60.1	3.6	33	0.57
K811686		0.91	0.03	1.54	0.9	<0.2	<10	40	0.52	0.08	0.03	0.01	32.7	4.1	25	33.7
K811687		0.79	0.10	0.41	2.7	<0.2	<10	<10	0.05	0.25	0.09	0.02	8.11	4.4	11	0.16
K811688		0.97	0.03	0.75	1.1	<0.2	<10	<10	0.11	0.11	0.03	<0.01	10.85	3.7	19	0.23
K811689		0.96	0.31	0.16	16.8	<0.2	10	30	0.26	4.66	0.01	<0.01	47.4	0.4	21	1.55
K811690		0.98	0.02	0.70	2.2	<0.2	<10	<10	0.19	0.08	0.04	0.04	18.95	32.3	25	0.21
K811691		1.28	0.17	0.21	8.8	<0.2	<10	10	0.16	0.12	<0.01	<0.01	18.10	0.3	13	2.07
K811692		1.22	0.05	1.87	2560	0.3	<10	30	0.40	0.44	0.05	0.02	28.7	6.9	20	3.69
K811693		0.88	0.23	0.34	80.0	<0.2	<10	10	0.12	0.78	0.04	0.03	13.05	5.7	13	0.51
K811694		1.00	0.38	0.04	>10000	0.9	<10	10	<0.05	3.61	0.02	0.04	1.12	19.7	3	2.68
K811695		0.97	0.02	0.18	55.0	<0.2	<10	<10	0.09	0.04	1.28	0.01	1.23	15.8	15	0.21
K811696		1.16	0.11	0.70	4880	<0.2	<10	10	0.16	0.50	0.02	0.01	13.30	4.4	17	0.82
K811697		1.00	0.02	0.17	64.4	<0.2	<10	<10	0.20	0.06	0.01	<0.01	3.96	2.0	11	0.32
K811698		1.02	0.04	1.08	307	<0.2	<10	<10	<0.05	0.01	6.70	0.08	0.92	7.2	11	0.10
K812537		0.93	0.01	1.18	21.3	<0.2	<10	10	0.20	0.03	0.06	0.01	32.6	2.6	25	0.25
K812538		0.85	0.13	0.92	20.2	<0.2	<10	20	0.65	0.40	0.01	0.01	91.7	1.7	34	10.70
K812539		0.85	0.03	0.94	42.4	<0.2	40	20	0.78	0.26	0.93	0.02	66.8	3.5	16	1.90
K812540		1.15	0.78	0.30	19.1	<0.2	50	40	0.43	17.90	0.03	<0.01	68.9	0.2	9	2.02
K812541		0.93	0.28	0.23	10.2	<0.2	<10	20	0.16	3.01	<0.01	<0.01	7.56	0.3	26	1.75
K812542		0.81	0.23	0.19	29.1	<0.2	30	10	0.36	0.77	0.02	0.02	30.0	0.3	11	2.31
K812543		0.98	0.08	0.59	0.4	<0.2	20	20	0.54	0.18	0.10	0.02	80.1	1.2	16	0.86
K812544		0.63	0.29	7.07	10.0	<0.2	<10	40	3.55	20.6	3.65	0.04	61.9	15.4	66	63.9
K812545		0.68	0.10	3.72	45.5	<0.2	<10	30	0.42	0.48	0.06	0.04	57.1	25.9	49	3.47
K812546		0.73	0.03	0.17	30.5	<0.2	<10	<10	0.08	0.19	0.03	0.03	4.20	3.3	18	0.99
K812547		1.05	0.42	0.08	>10000	1.6	<10	10	<0.05	3.09	0.01	0.01	1.16	18.3	2	2.44
K812548		0.70	0.36	2.68	1370	0.2	<10	20	0.54	1.15	0.14	0.23	35.4	15.7	33	2.28
K812549		0.71	0.04	0.11	>10000	<0.2	<10	<10	0.11	0.15	0.05	0.05	11.95	6.0	14	0.44
K812550		0.89	0.20	0.76	52.5	<0.2	<10	10	0.20	1.32	0.07	0.02	31.1	13.0	24	0.71
K813201		0.81	0.13	0.76	378	<0.2	<10	10	0.16	0.57	0.02	0.04	24.3	4.5	18	0.48
K813202		1.02	0.04	0.23	16.6	<0.2	<10	10	0.20	0.19	0.02	0.03	11.40	22.8	10	0.40
K813203		0.61	0.02	0.50	137.0	<0.2	<10	10	0.35	0.12	0.04	0.01	17.05	4.2	14	0.27
K813204		0.74	0.58	3.84	5.8	<0.2	<10	80	0.26	0.01	0.72	0.22	14.60	21.3	82	0.90
K813205		0.42	0.03	3.15	31.9	<0.2	<10	30	0.35	0.24	0.17	0.02	36.0	25.3	41	1.14
K813206		0.50	0.16	0.73	52.5	<0.2	<10	20	0.29	0.42	1.63	0.05	31.9	18.9	25	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K812530		17.0	2.54	3.60	0.07	0.04	<0.01	0.011	0.11	21.0	20.1	0.22	163	1.46	0.01	0.30
K812531		84.7	3.30	11.20	0.09	0.06	<0.01	0.015	0.14	41.7	26.4	0.01	34	0.28	0.02	0.08
K812532		21.5	4.44	7.95	0.12	0.04	0.02	0.013	0.09	23.4	83.4	0.79	567	1.67	0.03	0.16
K812533		2.2	0.53	0.42	<0.05	0.03	0.02	0.007	0.01	2.3	4.2	0.02	537	1.70	0.01	0.33
K812534		6.0	3.71	4.86	0.12	0.06	0.02	0.016	0.07	26.7	52.6	0.62	170	0.82	0.01	0.08
K812535		11.6	3.54	3.50	0.08	0.06	0.02	0.012	0.05	8.1	40.4	0.36	202	1.51	0.02	0.11
K812536		8.6	4.73	6.79	0.12	0.31	0.02	0.018	0.18	30.2	68.0	0.73	432	0.48	0.02	0.08
K811686		8.3	2.36	4.67	0.11	0.02	0.02	0.016	0.56	13.9	82.6	0.45	216	1.62	0.01	0.51
K811687		3.2	1.36	1.31	<0.05	0.06	0.02	0.005	0.01	3.5	17.4	0.15	380	1.03	0.01	0.12
K811688		4.3	1.84	2.00	<0.05	0.04	0.02	0.010	0.02	4.7	27.3	0.25	156	1.82	0.01	0.16
K811689		9.3	0.80	3.09	0.05	0.05	0.03	0.012	0.08	24.1	2.5	0.01	28	2.79	0.01	0.32
K811690		7.4	2.02	2.00	0.06	0.11	0.02	0.011	0.02	8.4	26.7	0.23	1160	2.18	0.01	0.16
K811691		3.7	0.85	1.31	<0.05	0.02	0.03	<0.005	0.06	9.0	11.2	<0.01	29	2.09	0.01	0.14
K811692		17.9	5.34	5.78	0.11	0.27	0.02	0.021	0.18	14.4	55.1	0.57	205	0.63	0.04	0.10
K811693		7.8	1.24	1.24	<0.05	0.06	0.02	0.011	0.03	6.0	10.8	0.10	788	1.25	0.02	0.15
K811694		4.3	16.75	0.25	0.35	0.02	0.03	0.171	0.01	0.5	0.7	0.01	60	3.93	0.02	0.45
K811695		1.5	0.86	0.27	<0.05	<0.02	<0.01	0.005	0.01	0.6	1.3	0.14	607	1.55	0.02	0.10
K811696		29.0	2.71	2.38	0.06	0.07	0.02	0.013	0.05	6.5	23.9	0.20	100	2.00	0.01	0.17
K811697		16.2	1.29	0.37	<0.05	0.02	0.02	0.025	0.02	1.7	2.2	0.02	78	1.09	0.01	0.15
K811698		90.3	2.06	3.76	0.05	<0.02	0.02	0.025	<0.01	0.4	21.4	0.55	608	1.54	0.01	0.29
K812537		5.6	2.59	3.32	0.07	0.16	0.02	0.011	0.05	14.2	40.4	0.39	232	1.79	0.02	0.11
K812538		28.3	2.18	5.32	0.11	0.04	0.03	0.009	0.28	45.0	23.5	0.16	76	1.96	0.01	0.28
K812539		6.5	2.01	4.02	0.09	0.06	0.02	0.013	0.11	31.9	33.8	0.24	375	12.10	0.02	0.25
K812540		7.8	1.69	5.51	0.08	0.08	0.03	0.013	0.20	35.2	5.0	0.01	23	2.20	0.01	0.11
K812541		11.9	1.11	3.08	<0.05	0.06	0.03	<0.005	0.06	4.2	5.4	0.01	30	3.40	0.01	0.46
K812542		23.0	1.38	2.45	<0.05	0.02	0.03	0.005	0.06	14.6	23.2	0.01	43	1.53	<0.01	0.21
K812543		12.0	1.77	2.87	0.12	0.09	<0.01	0.009	0.07	38.0	13.3	0.13	138	1.08	0.01	0.18
K812544		74.7	3.15	18.90	0.21	0.05	0.01	0.024	0.95	31.0	124.5	0.61	396	1.32	0.30	0.81
K812545		46.4	6.97	10.85	0.15	0.40	<0.01	0.026	0.20	29.6	147.5	1.29	1220	0.66	0.04	0.11
K812546		7.5	0.82	0.56	<0.05	0.03	<0.01	<0.005	0.02	2.2	4.7	0.04	397	1.98	0.01	0.21
K812547		3.0	25.5	0.32	0.40	0.02	0.01	0.592	0.02	0.6	1.3	0.01	32	5.28	<0.01	0.33
K812548		38.8	5.52	8.21	0.19	0.32	0.01	0.049	0.13	17.2	82.5	0.99	679	0.91	0.03	0.28
K812549		3.5	1.77	0.42	<0.05	<0.02	<0.01	0.028	0.01	5.5	1.4	0.03	792	1.76	<0.01	0.10
K812550		35.4	1.98	2.58	0.12	0.14	<0.01	0.023	0.07	14.1	20.1	0.24	364	2.18	0.02	0.24
K813201		3.0	2.18	2.67	<0.05	0.05	<0.01	0.016	0.04	11.1	23.7	0.26	1180	1.69	0.01	0.08
K813202		17.4	2.36	0.85	<0.05	0.03	<0.01	0.026	0.04	5.2	4.6	0.05	1500	1.05	<0.01	0.21
K813203		9.0	1.39	0.93	<0.05	0.05	<0.01	0.013	0.04	9.0	7.4	0.09	78	1.33	<0.01	0.06
K813204		3060	5.80	12.15	0.15	0.11	<0.01	0.255	0.09	6.8	100.5	2.72	776	1.04	0.05	0.35
K813205		18.4	6.55	9.18	0.12	0.29	<0.01	0.022	0.19	18.0	99.7	1.17	535	0.77	0.03	0.06
K813206		48.6	1.70	2.17	0.05	0.20	<0.01	0.027	0.06	17.5	18.8	0.23	1150	1.95	0.01	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K812530		4.5	270	28.8	6.7	<0.001	0.02	0.16	1.3	0.2	0.3	4.9	<0.01	0.02	8.0	0.017
K812531		7.4	570	4.1	9.2	<0.001	0.02	5.39	1.6	0.2	0.2	10.9	<0.01	<0.01	13.9	0.007
K812532		28.7	180	2.1	5.4	<0.001	0.08	<0.05	2.7	0.6	0.2	10.1	<0.01	0.03	9.5	0.010
K812533		8.8	180	5.6	0.6	<0.001	<0.01	0.23	0.6	<0.2	<0.2	4.5	<0.01	<0.01	1.5	0.006
K812534		9.2	820	67.3	3.1	<0.001	0.07	0.38	2.3	0.2	<0.2	15.0	<0.01	0.01	4.3	0.010
K812535		9.0	550	84.6	2.2	<0.001	0.05	0.50	1.5	0.2	<0.2	21.1	<0.01	0.01	3.7	0.008
K812536		8.8	410	23.2	7.3	<0.001	0.07	0.45	2.6	<0.2	<0.2	8.5	<0.01	0.01	11.6	0.009
K811686		6.5	260	4.7	118.0	<0.001	0.01	0.05	2.2	<0.2	1.6	3.8	<0.01	<0.01	4.4	0.076
K811687		9.7	210	24.5	0.9	<0.001	0.01	0.09	0.9	<0.2	<0.2	7.0	<0.01	0.01	1.1	0.007
K811688		9.9	260	33.6	1.4	<0.001	0.01	0.15	1.1	<0.2	<0.2	8.5	<0.01	0.01	2.6	0.007
K811689		1.0	230	3.7	8.2	<0.001	0.02	0.74	1.3	<0.2	0.6	17.2	<0.01	0.04	6.5	0.007
K811690		45.4	270	17.4	1.2	<0.001	0.07	0.24	1.3	<0.2	<0.2	8.7	<0.01	<0.01	5.6	0.007
K811691		0.9	110	3.7	8.2	<0.001	0.13	1.09	0.5	<0.2	0.2	5.0	<0.01	<0.01	2.3	0.007
K811692		16.5	420	27.2	9.3	<0.001	1.52	1.43	3.0	0.3	<0.2	12.3	0.01	0.02	12.2	0.009
K811693		12.3	160	36.2	1.8	<0.001	0.03	0.23	0.9	0.2	<0.2	4.6	<0.01	0.02	1.8	0.007
K811694		10.6	80	214	1.4	<0.001	9.07	43.1	0.6	15.0	<0.2	18.2	<0.01	4.90	0.4	0.006
K811695		22.6	50	11.7	0.4	<0.001	0.01	0.19	1.2	<0.2	<0.2	12.9	<0.01	0.01	<0.2	<0.005
K811696		8.0	190	43.7	2.9	<0.001	0.22	1.42	0.9	0.5	<0.2	7.6	<0.01	0.11	2.6	0.007
K811697		6.2	300	12.1	1.1	<0.001	0.02	0.31	0.8	<0.2	<0.2	3.9	<0.01	<0.01	1.0	0.006
K811698		2.2	70	2.6	0.2	<0.001	0.02	0.09	4.0	<0.2	<0.2	126.0	<0.01	0.01	<0.2	0.017
K812537		8.5	520	5.2	2.5	<0.001	0.05	0.20	1.9	<0.2	<0.2	10.6	<0.01	<0.01	10.7	0.008
K812538		3.6	690	5.2	37.8	<0.001	0.13	1.26	1.7	0.3	0.5	8.7	<0.01	<0.01	15.3	0.019
K812539		4.1	3980	7.8	14.0	<0.001	0.01	0.14	1.7	0.4	0.4	29.7	0.01	0.01	11.2	0.013
K812540		0.7	280	38.8	19.3	<0.001	0.07	0.47	0.7	0.3	2.4	5.5	<0.01	0.03	14.1	0.010
K812541		1.0	90	8.1	6.7	<0.001	0.07	0.78	0.4	<0.2	0.4	2.7	<0.01	0.01	3.7	0.006
K812542		1.2	170	5.9	9.1	<0.001	<0.01	0.77	0.4	<0.2	0.9	4.3	<0.01	0.01	3.8	<0.005
K812543		2.8	860	3.2	5.8	<0.001	0.03	0.05	1.1	0.2	0.2	9.8	<0.01	<0.01	14.2	0.013
K812544		27.3	500	11.7	193.5	<0.001	0.58	<0.05	10.7	1.0	2.1	127.5	0.03	0.34	21.3	0.139
K812545		54.0	370	60.5	8.5	<0.001	0.16	0.18	4.3	<0.2	0.2	10.5	0.01	0.01	16.0	0.018
K812546		7.3	70	12.4	2.1	<0.001	0.07	0.12	0.5	<0.2	<0.2	2.4	<0.01	0.01	0.8	<0.005
K812547		7.3	50	50.6	1.9	0.001	>10.0	72.4	0.4	17.9	<0.2	21.5	<0.01	10.70	0.4	<0.005
K812548		31.4	340	215	8.0	<0.001	0.41	1.21	4.3	0.6	0.2	15.7	0.02	0.03	12.4	0.007
K812549		11.9	230	8.0	0.5	<0.001	0.43	2.77	0.6	0.6	<0.2	5.7	<0.01	0.32	1.0	<0.005
K812550		16.2	360	42.4	3.9	<0.001	0.13	0.20	1.6	0.3	<0.2	7.2	0.01	0.03	7.0	<0.005
K813201		13.0	170	32.0	2.3	<0.001	0.01	0.19	1.1	<0.2	<0.2	3.8	<0.01	0.02	3.3	<0.005
K813202		17.1	370	16.1	2.0	<0.001	<0.01	0.13	1.6	<0.2	<0.2	3.8	<0.01	0.01	1.4	<0.005
K813203		11.1	450	41.9	2.3	<0.001	<0.01	0.18	1.3	<0.2	<0.2	4.5	<0.01	0.01	1.9	<0.005
K813204		54.4	1180	0.7	3.4	<0.001	0.05	0.12	11.0	0.8	0.9	12.0	0.01	0.01	0.7	0.270
K813205		38.3	1030	8.4	9.2	<0.001	1.13	0.21	4.4	0.4	0.2	13.3	0.01	0.01	9.1	0.009
K813206		29.7	250	101.5	2.4	<0.001	0.13	0.19	1.4	0.6	<0.2	22.2	<0.01	0.02	3.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Au- ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K812530		0.05	0.45	8	0.20	3.18	30	1.6	
K812531		0.09	1.11	9	0.40	3.27	37	2.8	
K812532		0.03	0.35	20	0.10	1.71	126	1.7	
K812533		<0.02	0.06	1	0.06	3.69	22	1.3	
K812534		0.02	0.31	8	<0.05	3.66	41	2.1	
K812535		<0.02	0.41	6	<0.05	2.27	58	2.1	
K812536		0.04	0.82	15	<0.05	3.00	58	13.1	
K811686		1.24	0.32	9	0.21	4.19	44	0.7	
K811687		<0.02	0.06	3	<0.05	3.00	27	2.2	
K811688		<0.02	0.16	4	<0.05	1.14	34	1.7	
K811689		0.16	1.94	2	1.37	2.28	<2	2.3	
K811690		<0.02	0.31	4	<0.05	4.12	88	4.6	
K811691		0.60	0.17	2	0.46	0.91	2	0.6	
K811692		0.06	1.96	13	0.09	3.80	48	11.7	
K811693		0.02	0.48	3	<0.05	1.85	31	2.3	
K811694		0.02	0.96	1	<0.05	1.17	10	0.8	1.125
K811695		<0.02	0.12	2	<0.05	0.98	8	<0.5	
K811696		0.02	0.18	5	<0.05	0.99	32	2.9	
K811697		<0.02	0.27	1	<0.05	1.09	15	0.7	
K811698		<0.02	<0.05	43	<0.05	1.67	22	<0.5	
K812537		<0.02	0.75	6	<0.05	2.71	38	6.9	
K812538		1.25	3.30	15	0.53	8.99	15	1.0	
K812539		0.26	1.02	8	0.71	20.6	26	1.5	
K812540		0.84	0.25	4	1.09	4.41	2	4.2	
K812541		0.20	0.51	1	0.69	1.15	<2	1.2	
K812542		0.11	0.41	2	2.62	1.52	3	0.9	
K812543		0.07	1.20	4	0.26	6.42	17	3.1	
K812544		1.57	2.53	49	13.40	15.75	60	0.8	
K812545		0.06	0.99	25	0.07	4.85	142	16.6	
K812546		0.02	0.18	1	0.11	0.77	17	1.2	
K812547		0.02	1.10	2	<0.05	0.32	<2	0.8	1.535
K812548		0.05	1.42	22	0.12	3.94	158	15.8	
K812549		<0.02	0.87	1	<0.05	1.71	23	<0.5	
K812550		0.03	0.66	6	<0.05	2.19	46	6.0	
K813201		0.02	0.39	6	<0.05	1.61	50	1.9	
K813202		0.02	0.31	2	<0.05	2.51	27	1.3	
K813203		<0.02	0.44	2	<0.05	1.34	44	1.9	
K813204		0.02	0.26	150	0.07	11.75	54	1.9	
K813205		0.05	1.16	20	<0.05	5.59	122	11.1	
K813206		0.02	0.45	6	<0.05	8.22	85	7.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K813207		0.75	0.08	2.66	17.4	<0.2	<10	30	0.42	0.33	2.18	0.07	27.9	34.3	31	1.17
K813208		1.05	0.01	2.55	7.5	<0.2	<10	30	0.26	0.04	6.00	0.06	28.1	3.0	6	0.62
K813209		0.60	0.02	1.20	9.4	<0.2	<10	10	0.26	0.09	0.18	0.02	7.56	15.3	17	0.26
K813319		0.86	0.01	1.37	247	<0.2	<10	20	0.12	0.06	0.24	0.08	13.85	10.8	20	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K813207		47.5	5.46	7.56	0.11	0.34	0.01	0.036	0.15	16.0	74.9	0.96	2180	0.76	0.03	0.14
K813208		72.9	3.20	9.55	0.23	0.69	<0.01	0.023	0.06	13.5	27.8	0.52	501	2.13	0.02	3.49
K813209		14.7	2.61	3.11	0.05	0.07	<0.01	0.011	0.05	3.7	34.0	0.43	622	1.37	0.01	0.09
K813319		12.4	2.84	5.07	0.05	0.07	<0.01	0.013	0.04	6.4	28.7	0.48	1150	0.86	0.05	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K813207		59.0	880	37.8	6.0	<0.001	0.17	0.25	3.2	0.5	0.2	41.7	0.01	0.01	6.6	0.015
K813208		1.5	3180	3.6	2.7	0.001	0.34	0.44	4.4	1.2	0.6	366	0.07	0.01	1.2	0.395
K813209		27.1	300	8.7	2.4	<0.001	0.18	0.10	1.5	<0.2	<0.2	7.6	<0.01	<0.01	2.2	0.006
K813319		15.2	410	4.3	2.1	<0.001	0.02	0.21	2.5	<0.2	<0.2	13.7	<0.01	<0.01	7.2	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Au- ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K813207		0.04	0.50	19	<0.05	9.50	205	12.9	
K813208		0.02	0.38	42	0.10	18.00	20	14.4	
K813209		<0.02	0.40	6	<0.05	5.88	55	2.4	
K813319		<0.02	0.48	12	<0.05	1.83	64	2.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 18- SEP- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11153694

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21-SEP-2011
Account: RESCOM

CERTIFICATE WH11157703

Project: GlenMorangie

P.O. No.:

This report is for 38 Rock samples submitted to our lab in Whitehorse, YT, Canada on 12-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70%<2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21- SEP- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11157703

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K813220		1.23	0.04	1.64	10.0	<0.2	<10	10	0.14	0.21	0.16	0.04	12.85	15.2	28	0.27
K813221		1.55	0.05	4.77	4.3	<0.2	<10	<10	0.30	0.02	3.49	0.34	19.80	41.3	41	0.47
K813222		0.57	0.03	1.71	7.9	<0.2	<10	20	0.45	0.20	0.62	0.17	18.15	35.4	18	0.36
K813223		0.51	0.03	2.25	22.5	<0.2	<10	20	0.44	0.27	0.32	0.03	16.85	28.6	25	0.40
K813224		0.76	0.14	2.61	11.4	<0.2	<10	50	0.37	0.80	0.09	0.01	24.8	12.7	33	1.12
K813225		1.03	0.13	3.85	12.2	<0.2	<10	10	0.18	0.20	0.50	0.03	10.95	19.7	92	0.28
K813226		0.62	0.10	4.86	15.7	<0.2	<10	10	0.42	0.29	0.20	0.04	8.29	45.2	215	0.45
K813227		1.32	1.21	2.71	27.9	<0.2	<10	60	0.14	0.01	6.66	0.26	11.10	17.1	112	0.60
K813324		0.88	0.06	0.10	1.8	<0.2	<10	<10	<0.05	0.01	0.04	0.01	1.06	1.6	9	0.15
K813325		1.05	0.04	0.25	44.6	<0.2	<10	10	0.55	0.01	0.02	0.01	1.02	0.8	20	<0.05
K813326		0.23	0.17	0.04	0.7	<0.2	<10	<10	<0.05	1.37	0.08	0.01	0.47	0.4	10	0.11
K813327		0.90	0.07	1.34	14.3	<0.2	<10	10	0.41	0.12	0.05	0.03	35.2	3.0	16	0.39
K813328		0.77	0.11	0.51	16.5	<0.2	<10	<10	0.14	0.81	0.02	0.05	9.39	1.7	17	0.16
K813329		0.77	0.07	2.54	50.6	<0.2	<10	40	0.88	0.35	0.01	0.06	70.8	6.5	32	1.48
K813330		0.65	0.10	0.40	3.5	<0.2	<10	<10	0.19	0.55	0.01	0.01	13.25	4.9	13	0.14
K813331		1.03	0.07	0.91	10.0	<0.2	<10	110	0.28	0.49	0.06	0.08	28.4	10.1	22	0.55
K813332		0.90	0.03	0.41	1.0	<0.2	<10	<10	<0.05	0.47	0.08	0.01	9.05	2.3	18	0.10
K813333		0.86	0.07	0.34	15.7	<0.2	<10	20	0.43	0.48	0.02	0.02	29.1	0.6	9	6.28
K813334		0.52	0.11	2.32	5.9	<0.2	<10	20	0.64	0.86	0.02	0.08	20.3	31.8	21	0.30
K813335		0.95	0.09	0.70	3.8	<0.2	<10	10	0.33	0.22	0.11	0.03	15.15	10.9	18	0.36
K813336		0.55	0.03	1.34	5.2	<0.2	<10	10	0.19	0.03	0.18	0.06	27.8	14.6	13	0.19
K813337		1.08	0.02	0.77	3.6	<0.2	<10	10	0.24	<0.01	0.02	0.01	15.00	4.3	13	0.34
K813338		1.00	0.13	0.83	95.8	<0.2	<10	20	0.35	0.36	0.05	0.03	27.1	11.1	10	0.68
K813339		1.09	0.05	1.53	4.8	<0.2	<10	10	0.29	0.26	0.02	0.01	24.5	8.3	21	0.30
K813340		1.07	0.04	0.66	4.2	<0.2	<10	<10	0.09	0.06	0.03	0.01	6.98	1.2	13	0.30
K813341		0.84	0.32	0.08	1335	<0.2	<10	<10	0.08	0.63	0.04	0.07	2.47	5.2	18	1.31
K811702		1.25	0.04	0.64	149	<0.2	<10	100	0.11	0.02	10.95	0.17	10.75	18.0	17	0.87
K811703		0.93	0.07	2.21	16.3	<0.2	<10	60	0.77	0.46	0.12	0.01	87.7	12.0	27	1.46
K811704		0.79	0.21	0.03	>10000	1.1	<10	10	<0.05	3.04	0.05	0.02	0.57	20.0	1	3.39
K811705		1.17	0.01	0.23	185.0	<0.2	<10	10	<0.05	0.02	0.04	0.03	2.31	2.6	14	0.45
K811706		0.76	2.09	0.33	207	<0.2	<10	10	0.05	0.01	0.76	0.20	4.47	9.9	37	0.20
K811707		1.08	0.18	0.02	153.5	0.2	<10	<10	<0.05	0.46	0.01	0.01	0.58	10.9	12	0.10
K811708		1.07	0.04	0.16	32.6	<0.2	<10	10	0.23	0.11	4.26	0.01	15.05	7.1	7	0.36
K811709		1.03	0.02	1.28	13.1	<0.2	<10	10	0.20	0.18	0.39	0.03	12.50	14.1	12	0.49
K811710		0.77	0.53	0.95	70.0	<0.2	<10	10	0.37	2.38	0.03	0.02	22.4	5.5	16	0.24
K811711		0.92	0.16	0.25	58.7	<0.2	<10	<10	0.16	0.09	0.05	0.03	7.71	2.0	16	0.10
K811712		0.99	2.17	0.36	41.7	<0.2	<10	20	0.49	1.82	1.60	2.09	12.90	42.9	12	0.58
K811713		0.89	0.10	0.27	10.3	<0.2	<10	<10	0.17	0.51	0.03	0.01	17.30	2.2	19	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21- SEP- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11157703

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K813220		17.1	4.56	4.43	0.11	0.11	0.01	0.016	0.05	5.1	40.8	0.57	177	1.49	0.01	<0.05
K813221		99.6	8.18	15.65	0.30	0.44	0.01	0.027	<0.01	8.1	77.6	3.10	1320	0.64	0.06	0.21
K813222		28.9	3.90	4.54	0.14	0.10	0.02	0.033	0.06	7.1	42.3	0.58	1020	0.15	0.01	<0.05
K813223		21.2	5.48	5.79	0.12	0.12	0.01	0.019	0.09	7.0	53.3	0.78	625	0.18	0.01	<0.05
K813224		18.7	5.38	7.61	0.12	0.22	0.02	0.037	0.16	13.3	55.2	0.78	764	0.28	0.02	<0.05
K813225		161.0	7.38	13.85	0.20	0.03	0.01	0.094	0.02	4.8	93.4	1.89	594	1.26	0.11	<0.05
K813226		180.5	9.63	18.00	0.28	0.04	0.01	0.094	0.02	3.7	130.0	2.41	470	2.68	0.05	<0.05
K813227		3630	4.29	7.32	0.11	0.02	0.02	0.428	0.08	4.8	68.9	1.62	1040	0.27	0.06	<0.05
K813324		20.9	0.81	0.37	0.08	<0.02	0.01	0.008	0.01	0.5	2.8	0.04	152	0.42	<0.01	0.06
K813325		48.3	>50	0.60	0.73	<0.02	0.02	0.017	<0.01	0.3	0.6	0.02	<5	0.18	<0.01	<0.05
K813326		28.3	0.49	0.17	0.08	<0.02	0.01	0.006	<0.01	0.3	1.1	0.02	49	0.15	<0.01	0.07
K813327		10.7	3.32	4.04	0.11	0.09	0.01	0.016	0.07	15.8	46.7	0.54	273	0.19	<0.01	<0.05
K813328		9.3	1.51	1.48	0.11	0.03	0.01	0.008	0.01	5.5	22.4	0.20	146	0.15	<0.01	<0.05
K813329		25.7	5.16	6.52	0.15	0.23	0.01	0.022	0.22	32.3	76.8	0.86	389	0.28	0.01	<0.05
K813330		9.6	1.33	1.25	0.09	0.03	0.01	0.008	0.02	6.1	16.7	0.15	118	0.12	<0.01	<0.05
K813331		9.6	2.14	2.55	0.11	0.31	0.02	0.015	0.12	12.6	20.7	0.38	1820	0.58	<0.01	0.16
K813332		4.9	1.11	1.38	0.10	0.04	0.01	0.006	0.01	4.4	11.2	0.16	132	0.17	<0.01	0.11
K813333		18.5	3.54	3.87	0.10	0.02	0.02	0.006	0.11	15.7	11.4	0.02	59	32.3	<0.01	0.19
K813334		37.4	5.99	6.34	0.14	0.14	0.01	0.031	0.03	10.4	77.3	1.07	2690	0.29	<0.01	<0.05
K813335		15.8	1.69	1.51	0.09	0.03	<0.01	0.010	0.05	6.5	21.1	0.23	412	0.20	0.01	<0.05
K813336		6.6	3.01	3.07	0.17	0.06	<0.01	0.014	<0.01	10.5	39.6	0.60	892	0.09	0.02	<0.05
K813337		13.1	1.59	1.63	0.09	0.03	<0.01	0.011	0.02	6.6	17.5	0.26	159	0.12	0.01	<0.05
K813338		21.8	2.73	2.24	0.10	0.09	<0.01	0.023	0.09	12.5	24.9	0.27	188	0.15	0.01	<0.05
K813339		8.1	3.31	4.38	0.13	0.09	0.01	0.013	0.03	11.2	51.6	0.60	261	0.20	<0.01	<0.05
K813340		4.8	1.71	2.05	0.10	0.03	0.01	0.009	0.01	2.9	23.3	0.24	122	0.14	0.01	<0.05
K813341		4.4	0.65	0.19	<0.05	0.02	<0.01	0.006	0.01	1.0	1.4	0.01	105	0.16	0.01	0.09
K811702		9.0	4.18	1.91	0.06	0.03	<0.01	0.148	0.02	4.9	16.3	0.36	2670	0.49	0.02	0.08
K811703		33.3	4.43	7.59	0.12	0.25	<0.01	0.021	0.19	41.5	71.3	0.67	493	0.32	0.03	0.08
K811704		5.2	23.4	0.20	0.28	<0.02	<0.01	0.191	0.01	0.3	0.8	0.01	39	5.53	0.01	0.40
K811705		2.5	0.86	0.79	0.06	0.02	<0.01	0.006	0.02	1.1	9.3	0.07	770	0.34	0.01	0.08
K811706		6160	1.71	1.23	<0.05	<0.02	0.01	0.627	0.02	2.0	12.6	0.17	304	0.33	0.02	0.05
K811707		199.5	2.21	0.22	<0.05	0.02	<0.01	0.018	0.01	0.3	1.0	<0.01	102	0.15	0.01	0.08
K811708		13.6	2.47	0.54	0.05	0.10	<0.01	0.007	0.06	6.5	2.4	1.06	1000	0.19	0.02	0.07
K811709		12.9	2.58	3.92	0.05	0.08	<0.01	0.018	0.04	5.9	50.3	0.45	761	0.17	0.01	0.05
K811710		32.7	3.52	3.61	0.08	0.08	<0.01	0.014	0.02	13.2	34.4	0.34	323	0.28	0.01	0.06
K811711		15.9	1.09	0.99	<0.05	0.02	<0.01	0.006	0.01	3.4	9.3	0.09	114	0.24	0.01	<0.05
K811712		587	2.38	1.73	0.07	0.02	<0.01	0.313	<0.01	5.1	8.1	0.29	3690	0.46	0.01	0.06
K811713		16.1	1.77	1.05	<0.05	0.03	<0.01	0.011	0.01	10.2	8.8	0.12	110	0.16	<0.01	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21- SEP- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11157703

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K813220		28.0	660	33.1	2.4	<0.001	1.26	0.27	1.9	0.5	<0.2	7.6	<0.01	<0.01	3.4	0.010
K813221		35.0	1280	4.1	0.2	<0.001	0.11	0.15	13.6	1.2	0.4	34.3	0.01	0.02	0.8	0.362
K813222		42.0	870	33.0	3.0	<0.001	0.60	0.31	2.1	0.3	<0.2	14.6	<0.01	<0.01	3.8	0.013
K813223		42.4	740	30.1	4.2	<0.001	1.25	0.29	2.6	0.6	<0.2	11.9	<0.01	<0.01	5.8	0.013
K813224		36.7	770	73.0	6.7	<0.001	0.40	0.42	2.0	1.0	<0.2	13.7	<0.01	0.02	11.3	0.013
K813225		56.8	1260	8.7	1.1	<0.001	0.24	0.54	15.8	1.2	0.2	9.6	<0.01	<0.01	0.6	0.016
K813226		83.5	1030	11.7	0.9	0.003	1.40	0.87	22.4	1.0	0.3	4.2	<0.01	0.02	0.4	0.014
K813227		43.5	550	1.9	3.3	<0.001	0.36	0.07	12.0	1.3	0.3	182.5	<0.01	<0.01	0.3	0.012
K813324		2.8	50	4.4	0.4	<0.001	<0.01	0.10	0.4	<0.2	<0.2	1.2	<0.01	<0.01	0.3	0.006
K813325		0.5	4970	2.6	0.1	<0.001	0.81	1.82	1.1	0.3	<0.2	0.3	<0.01	0.01	0.3	0.007
K813326		0.9	30	8.2	0.2	<0.001	<0.01	0.05	0.2	<0.2	<0.2	2.1	<0.01	<0.01	<0.2	0.006
K813327		9.9	490	14.2	3.4	<0.001	0.01	0.08	1.3	0.2	0.2	13.6	<0.01	<0.01	5.2	0.009
K813328		6.4	120	83.2	0.9	<0.001	<0.01	0.07	0.6	<0.2	0.2	2.7	<0.01	0.02	1.0	0.008
K813329		18.5	490	39.7	9.1	<0.001	<0.01	0.22	2.8	0.4	0.2	11.9	<0.01	0.01	17.5	0.016
K813330		11.1	140	27.7	1.1	<0.001	<0.01	0.05	0.9	0.4	<0.2	3.6	<0.01	0.01	1.7	0.007
K813331		12.5	380	87.0	6.5	<0.001	<0.01	0.23	1.9	0.3	<0.2	21.5	<0.01	<0.01	6.3	0.027
K813332		3.9	390	17.2	0.6	<0.001	<0.01	0.12	0.9	0.2	<0.2	15.5	<0.01	<0.01	1.3	0.008
K813333		1.3	760	6.7	12.0	<0.001	0.01	1.63	0.5	0.2	0.4	5.4	<0.01	<0.01	7.2	0.007
K813334		76.5	350	161.0	1.7	<0.001	0.02	0.23	4.7	0.7	<0.2	7.3	<0.01	0.06	4.5	0.010
K813335		21.4	470	36.6	2.5	<0.001	<0.01	0.06	0.8	0.2	<0.2	9.1	<0.01	0.01	2.8	<0.005
K813336		24.8	730	13.2	0.2	<0.001	0.05	<0.05	1.7	0.2	<0.2	6.7	<0.01	0.01	6.3	<0.005
K813337		15.6	190	3.8	1.1	<0.001	<0.01	0.05	1.2	<0.2	<0.2	1.8	<0.01	0.01	3.4	<0.005
K813338		18.5	510	49.2	4.7	<0.001	<0.01	0.09	1.4	<0.2	0.4	10.7	<0.01	0.02	6.3	<0.005
K813339		22.7	320	36.8	2.0	<0.001	<0.01	0.08	2.3	0.2	<0.2	6.8	<0.01	<0.01	4.2	0.009
K813340		4.5	290	5.0	0.9	<0.001	<0.01	0.14	1.0	0.2	<0.2	2.9	<0.01	<0.01	2.0	0.007
K813341		7.6	210	201	0.7	<0.001	0.04	0.36	0.8	0.2	<0.2	8.3	<0.01	0.05	0.4	<0.005
K811702		24.8	290	3.8	1.0	<0.001	<0.01	0.20	11.3	0.5	<0.2	74.3	<0.01	<0.01	0.4	<0.005
K811703		25.2	620	66.3	10.0	<0.001	0.03	0.33	2.4	0.4	0.2	24.5	<0.01	0.02	14.7	<0.005
K811704		11.2	30	48.7	1.8	<0.001	>10.0	49.4	0.2	16.5	<0.2	35.7	<0.01	12.70	0.2	<0.005
K811705		4.4	50	5.4	1.2	<0.001	0.01	0.42	0.4	<0.2	<0.2	2.8	<0.01	0.01	0.3	<0.005
K811706		18.7	180	1.0	0.9	<0.001	0.48	0.32	2.5	0.9	0.5	8.8	<0.01	0.02	<0.2	<0.005
K811707		9.8	10	10.7	0.6	<0.001	0.70	1.10	0.6	0.3	<0.2	0.8	<0.01	0.03	0.2	<0.005
K811708		10.1	650	19.0	2.8	<0.001	0.07	0.18	0.8	0.2	<0.2	168.5	<0.01	0.01	3.5	<0.005
K811709		23.7	290	12.4	2.5	<0.001	0.01	0.13	1.8	0.2	<0.2	17.9	<0.01	0.01	2.4	<0.005
K811710		14.1	380	1715	1.3	<0.001	0.05	0.40	3.1	0.7	0.2	6.9	<0.01	0.10	3.2	<0.005
K811711		5.5	250	12.0	0.4	<0.001	0.02	0.10	0.5	0.2	<0.2	3.3	<0.01	<0.01	0.6	<0.005
K811712		27.9	470	219	0.2	<0.001	0.25	0.37	5.6	0.5	0.8	41.9	<0.01	0.10	0.2	<0.005
K811713		3.4	350	47.4	0.7	<0.001	0.08	0.06	1.8	0.2	<0.2	3.3	<0.01	0.03	1.3	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21- SEP- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11157703

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Au- ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K813220		0.03	0.14	11	<0.05	2.21	45	3.1	
K813221		<0.02	0.10	272	0.09	15.40	114	7.7	
K813222		0.02	0.22	12	<0.05	12.15	184	2.9	
K813223		0.02	0.28	16	<0.05	5.92	77	3.4	
K813224		0.03	1.04	20	<0.05	3.28	71	7.2	
K813225		<0.02	0.08	232	<0.05	4.64	56	1.1	
K813226		<0.02	0.13	217	<0.05	3.97	81	1.5	
K813227		0.02	<0.05	65	<0.05	12.65	58	<0.5	
K813324		<0.02	0.06	3	<0.05	0.30	9	0.7	
K813325		0.03	6.34	38	0.06	0.28	29	<0.5	
K813326		<0.02	<0.05	1	0.05	0.24	3	<0.5	
K813327		0.02	0.52	12	0.05	2.42	56	3.1	
K813328		<0.02	0.17	4	<0.05	1.58	28	0.8	
K813329		0.05	1.12	20	<0.05	12.90	84	6.8	
K813330		<0.02	0.22	3	0.07	3.98	32	1.2	
K813331		0.05	0.80	7	0.10	3.98	46	10.0	
K813332		<0.02	0.20	3	<0.05	1.52	18	1.0	
K813333		0.19	1.02	5	1.10	2.12	9	1.0	
K813334		0.02	0.89	18	<0.05	10.10	175	4.1	
K813335		0.02	0.25	3	<0.05	2.95	48	1.0	
K813336		<0.02	0.22	6	<0.05	6.15	68	1.8	
K813337		<0.02	0.24	4	<0.05	2.73	47	1.1	
K813338		0.03	0.49	6	0.06	2.73	69	3.4	
K813339		<0.02	0.32	10	<0.05	2.48	62	2.5	
K813340		<0.02	0.16	4	<0.05	0.85	22	0.9	
K813341		<0.02	0.21	<1	<0.05	2.42	17	0.6	
K811702		<0.02	1.39	26	<0.05	17.00	24	<0.5	
K811703		0.04	1.10	12	<0.05	3.30	76	10.3	
K811704		<0.02	0.70	2	<0.05	0.27	7	<0.5	1.140
K811705		<0.02	0.09	2	<0.05	0.94	17	0.6	
K811706		<0.02	0.13	10	<0.05	2.35	33	<0.5	
K811707		<0.02	0.05	<1	<0.05	0.54	8	0.8	
K811708		<0.02	0.36	2	0.11	3.50	11	3.3	
K811709		<0.02	0.22	7	<0.05	3.16	65	3.6	
K811710		<0.02	0.53	8	0.07	7.01	71	2.6	
K811711		<0.02	0.43	2	<0.05	2.61	31	0.7	
K811712		<0.02	1.87	7	0.09	8.85	164	<0.5	
K811713		<0.02	0.23	3	<0.05	4.15	21	1.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 21- SEP- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11157703

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7-OCT-2011
Account: RESCOM

CERTIFICATE WH11170953

Project: Glenmorangie

P.O. No.:

This report is for 41 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70%<2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K813228		0.84	1.29	0.10	27.0	<0.2	<10	10	<0.05	0.01	0.50	0.72	2.06	7.2	16	0.09
K813229		0.87	0.08	3.15	739	<0.2	<10	10	0.52	0.05	3.24	0.28	40.6	39.8	<1	0.70
K813230		1.03	0.05	2.81	1740	<0.2	<10	70	0.24	0.02	4.67	0.09	25.5	21.6	6	2.53
K813231		1.53	0.07	0.16	44.7	<0.2	<10	20	0.13	0.02	0.09	0.14	6.26	3.3	30	0.32
K813232		1.05	0.02	0.59	181.5	<0.2	<10	30	0.30	0.13	0.06	0.03	31.0	10.2	9	3.58
K813233		0.81	0.02	0.12	2.4	<0.2	<10	10	<0.05	0.02	4.09	0.66	6.95	5.5	9	0.11
K813234		0.74	0.05	2.45	82.1	<0.2	<10	60	0.36	0.03	6.44	0.15	11.20	45.4	143	1.09
K813235		0.79	0.11	4.92	60.8	<0.2	<10	10	0.22	0.02	4.12	0.10	23.5	54.9	5	0.94
K813236		1.28	0.07	3.72	96.9	<0.2	<10	110	0.34	0.03	2.62	0.02	15.85	40.7	128	3.27
K813237		0.84	0.11	2.75	86.2	<0.2	<10	10	0.37	0.06	5.65	0.10	51.3	29.4	5	0.61
K812984		0.52	0.21	0.47	44.5	<0.2	<10	50	0.77	0.03	0.05	0.61	9.34	22.8	10	0.36
K812986		0.73	0.02	0.66	289	<0.2	<10	40	0.09	0.05	0.30	0.03	55.1	13.8	12	0.34
K812987		0.78	0.04	4.70	0.8	<0.2	<10	180	0.20	0.01	1.41	0.09	17.65	45.0	216	0.72
K812988		0.62	0.03	2.67	3	<0.2	<10	20	0.18	0.02	13.35	0.06	15.70	19.5	139	0.23
K812989		0.90	0.10	0.34	14.0	<0.2	<10	10	0.10	0.03	0.63	0.03	3.39	8.0	21	0.22
K812990		0.82	0.01	0.34	5.0	<0.2	<10	10	<0.05	<0.01	0.37	0.02	1.73	5.5	38	0.18
K812991		0.64	0.04	0.26	6.6	<0.2	<10	10	0.32	0.07	0.01	0.01	5.25	3.3	14	0.38
K812992		1.37	0.29	1.11	8.2	<0.2	<10	30	0.31	4.48	0.03	0.02	33.1	23.2	19	1.06
K812993		1.02	0.37	1.85	0.4	<0.2	<10	20	0.11	3.40	0.02	0.02	6.84	25.4	21	0.69
K812994		0.53	12.55	0.28	0.6	<0.2	<10	10	<0.05	290	<0.01	0.11	2.83	8.2	11	0.17
K812995		0.68	0.32	0.31	574	<0.2	<10	<10	0.16	1.38	0.08	0.24	9.32	46.0	15	0.26
K812996		1.12	0.15	0.23	1070	<0.2	<10	<10	0.21	1.87	0.04	0.09	9.53	31.7	13	0.41
K812997		0.65	0.09	0.87	922	<0.2	<10	10	0.28	0.77	0.03	0.03	12.95	18.2	16	0.72
K812998		0.71	0.05	0.16	227	<0.2	<10	10	0.10	0.36	0.02	0.02	8.11	8.0	17	0.23
K812999		0.83	10.65	2.02	3.0	<0.2	<10	90	0.13	99.4	0.05	0.06	7.17	31.4	21	0.44
K813000		1.34	0.40	0.29	4.3	<0.2	<10	30	0.24	2.89	0.01	0.08	10.75	8.4	14	0.45
K813342		1.04	0.09	0.11	1.9	<0.2	<10	<10	0.19	0.85	0.12	0.02	0.76	10.0	21	0.08
K813343		0.91	0.17	0.52	1.8	<0.2	<10	<10	0.14	0.46	0.01	0.01	6.96	2.2	17	0.40
K813344		0.89	0.02	0.13	1.9	<0.2	<10	<10	0.17	0.09	0.02	0.01	5.37	1.7	12	0.33
K813345		0.99	0.02	1.03	8.8	<0.2	<10	10	0.13	0.06	0.04	0.01	15.85	1.8	15	0.27
K813346		0.77	0.02	0.87	38.6	<0.2	<10	10	0.32	0.07	0.07	0.07	20.3	16.8	14	0.22
K813347		0.67	39.7	3.25	20.8	<0.2	<10	40	0.28	103.0	0.51	17.95	50.5	18.2	167	1.43
K813348		0.51	63.6	0.03	48.2	<0.2	<10	<10	<0.05	153.0	<0.01	2.57	1.10	1.3	14	0.13
K813349		0.87	0.53	1.57	501	<0.2	<10	10	0.29	1.45	0.19	0.16	33.3	33.1	15	0.53
K813350		0.67	1.12	0.62	1.7	<0.2	<10	<10	0.14	0.81	0.03	0.02	4.28	3.3	13	0.12
K812748		0.68	0.06	0.03	4.1	<0.2	<10	<10	<0.05	0.16	0.02	0.02	0.50	0.6	15	0.06
K812749		0.52	0.06	0.20	19.4	<0.2	<10	10	0.30	0.30	8.38	0.01	15.70	12.1	5	0.42
K812750		0.24	0.06	0.15	15.0	<0.2	<10	10	0.16	0.28	0.37	0.01	16.65	5.0	8	0.36
K811749		0.77	0.08	0.17	9.1	<0.2	<10	10	0.21	0.14	3.92	0.01	19.95	4.7	7	0.48
K811750		1.08	0.23	1.63	6.2	<0.2	<10	20	0.27	0.91	0.18	0.04	16.55	15.8	15	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K813228		2300	1.15	0.45	<0.05	<0.02	<0.01	0.445	0.01	0.9	1.9	0.04	207	0.48	0.01	0.11
K813229		31.8	10.90	21.4	0.35	0.08	<0.01	0.117	<0.01	18.2	24.7	2.62	1860	1.23	0.05	0.26
K813230		66.4	6.60	13.25	0.14	0.05	<0.01	0.060	0.09	11.7	68.0	1.84	1070	0.70	0.11	0.19
K813231		6.2	6.76	0.78	0.09	0.06	0.01	0.005	0.02	3.2	0.9	0.07	244	2.88	0.01	0.16
K813232		11.5	2.03	1.02	0.06	0.05	<0.01	0.015	0.10	14.2	7.5	0.06	434	0.22	0.02	0.07
K813233		2.7	0.51	0.32	<0.05	0.05	<0.01	<0.005	0.02	4.0	1.3	0.02	399	0.25	0.01	0.07
K813234		62.5	7.35	6.40	0.13	0.05	<0.01	0.034	0.23	5.5	55.9	2.85	5930	0.33	0.03	0.16
K813235		172.0	9.45	25.3	0.41	0.05	<0.01	0.096	0.01	10.4	142.0	2.53	1180	1.92	0.03	0.20
K813236		92.3	5.22	10.95	0.10	0.03	<0.01	0.041	0.19	7.0	107.0	2.51	852	0.16	0.06	0.11
K813237		20.0	8.37	10.40	0.18	0.10	<0.01	0.063	0.06	23.6	77.1	1.95	2640	1.34	0.05	0.29
K812984		37.4	21.8	1.75	0.36	0.05	0.02	0.013	0.03	5.2	2.4	0.04	921	4.33	0.01	0.41
K812986		11.1	1.72	2.52	0.07	0.14	<0.01	0.009	0.06	26.0	14.4	0.21	257	0.19	0.09	0.06
K812987		54.8	6.33	16.45	0.15	0.23	<0.01	0.043	0.05	8.0	117.5	4.37	1300	0.17	0.05	0.27
K812988		28.3	4.36	11.15	0.13	0.10	0.01	0.032	0.04	7.9	83.0	1.52	1120	0.32	0.05	0.17
K812989		160.5	1.25	1.02	<0.05	0.02	<0.01	0.022	0.02	1.5	9.7	0.17	377	0.27	0.02	0.09
K812990		3.3	0.83	1.09	<0.05	<0.02	<0.01	<0.005	0.01	0.7	13.9	0.21	157	0.22	0.01	0.09
K812991		15.6	1.44	0.80	<0.05	0.04	<0.01	0.014	0.02	2.3	8.9	0.07	169	0.30	0.01	0.10
K812992		31.0	5.29	4.07	0.11	0.09	0.01	0.019	0.06	23.7	26.7	0.40	1120	0.57	0.01	0.11
K812993		357	3.16	6.24	0.07	0.07	<0.01	0.025	0.04	3.5	46.0	1.03	1300	0.19	0.02	0.07
K812994		5050	2.13	1.09	0.05	<0.02	<0.01	0.722	0.02	1.6	7.2	0.10	212	0.68	0.01	0.08
K812995		24.7	2.22	0.95	0.05	0.04	<0.01	0.037	0.01	4.8	17.6	0.07	1640	0.38	0.01	0.09
K812996		31.3	1.61	0.58	<0.05	0.04	<0.01	0.015	0.01	4.3	7.8	0.03	1430	0.43	0.02	0.08
K812997		46.6	3.23	2.85	0.06	0.11	<0.01	0.013	0.06	6.7	30.0	0.27	557	1.77	0.01	0.08
K812998		5.2	0.69	0.47	<0.05	0.07	<0.01	<0.005	0.02	3.8	4.0	0.03	152	0.29	0.01	0.07
K812999		95.9	7.62	7.70	0.13	0.08	0.01	0.025	0.12	3.6	59.7	0.94	1010	25.3	0.01	0.18
K813000		26.9	6.07	1.20	0.10	0.05	0.01	0.022	0.04	6.0	3.4	0.05	273	2.44	0.01	0.16
K813342		6.9	0.70	0.21	<0.05	<0.02	<0.01	0.006	0.01	0.2	8.8	0.03	330	0.45	0.01	0.07
K813343		11.1	1.45	1.68	<0.05	0.06	<0.01	0.018	0.02	3.7	19.5	0.17	81	0.39	0.01	0.06
K813344		5.8	1.03	0.38	<0.05	0.02	<0.01	0.005	0.02	2.4	2.8	0.02	83	0.21	0.01	0.08
K813345		4.6	2.47	3.44	0.07	0.06	<0.01	0.007	0.04	7.1	41.5	0.38	100	0.21	0.01	0.08
K813346		6.9	2.58	2.94	0.06	0.09	<0.01	0.021	0.03	8.5	27.9	0.25	1140	0.16	0.03	0.08
K813347		50.2	4.44	11.25	0.11	0.28	0.07	0.718	0.08	27.6	109.5	2.76	1020	5.12	0.03	0.11
K813348		30.0	0.77	0.19	<0.05	<0.02	<0.01	0.971	<0.01	0.8	1.1	0.01	59	0.28	0.01	0.09
K813349		15.8	3.11	4.71	0.09	0.11	<0.01	0.033	0.05	15.8	51.3	0.80	865	0.36	0.03	0.06
K813350		120.5	1.60	2.39	0.05	0.02	<0.01	0.066	0.01	2.8	17.4	0.31	157	0.63	0.01	0.08
K812748		1.6	0.36	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.9	0.01	45	0.21	0.01	0.05
K812749		4.9	3.49	0.50	0.06	0.15	0.01	0.010	0.08	6.8	3.0	2.65	1220	0.28	0.01	0.13
K812750		5.6	2.15	0.50	<0.05	0.11	<0.01	0.007	0.06	7.4	1.2	0.04	649	0.26	<0.01	0.09
K811749		17.7	1.75	0.48	<0.05	0.09	<0.01	0.008	0.09	9.6	1.7	1.09	584	0.21	0.01	0.08
K811750		24.4	3.47	5.73	0.08	0.06	<0.01	0.016	0.07	8.3	43.2	0.68	1260	0.43	0.01	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K813228		4.2	90	1.6	0.3	<0.001	0.16	0.21	1.3	0.3	0.3	8.5	<0.01	<0.01	<0.2	<0.005
K813229		1.1	2780	44.3	0.2	0.001	0.45	0.67	22.5	0.7	<0.2	74.2	0.01	0.01	1.3	0.017
K813230		20.7	1190	2.3	5.4	0.001	0.30	1.32	15.7	0.5	<0.2	127.5	0.01	0.01	1.0	<0.005
K813231		3.8	520	10.6	0.9	<0.001	0.02	1.33	0.9	1.1	<0.2	2.7	<0.01	<0.01	0.7	<0.005
K813232		6.8	270	6.2	5.5	<0.001	<0.01	0.49	1.6	0.2	<0.2	5.6	<0.01	<0.01	4.9	<0.005
K813233		7.6	80	1.9	0.8	<0.001	<0.01	0.25	1.0	<0.2	<0.2	9.3	<0.01	<0.01	1.0	<0.005
K813234		226	580	17.1	12.2	<0.001	0.12	0.18	11.3	0.4	<0.2	173.0	<0.01	0.01	0.6	<0.005
K813235		42.0	1120	3.4	0.3	0.002	0.77	1.01	39.2	1.0	<0.2	81.8	0.01	0.01	0.8	0.015
K813236		80.7	890	1.8	10.6	<0.001	0.11	0.52	10.1	0.3	<0.2	41.8	<0.01	0.01	0.3	<0.005
K813237		11.6	6010	18.8	4.0	0.002	0.69	0.76	14.4	0.7	0.2	211	0.02	0.01	1.3	0.011
K812984		56.2	930	108.5	1.5	<0.001	0.02	2.55	2.4	2.4	<0.2	3.6	<0.01	0.01	1.4	<0.005
K812986		19.4	550	2.2	3.4	<0.001	0.02	0.23	3.2	0.2	<0.2	12.4	<0.01	<0.01	7.4	<0.005
K812987		80.4	890	5.0	2.6	<0.001	0.04	0.09	21.1	0.5	0.3	37.6	0.01	0.01	0.5	0.152
K812988		54.1	660	1.9	2.4	<0.001	0.04	0.07	13.8	0.3	<0.2	256	0.01	0.01	1.3	0.008
K812989		14.5	390	9.2	1.4	<0.001	0.02	0.18	1.5	<0.2	<0.2	32.5	<0.01	<0.01	0.2	<0.005
K812990		11.9	50	1.0	0.8	<0.001	<0.01	0.08	1.2	<0.2	<0.2	7.2	<0.01	<0.01	<0.2	<0.005
K812991		9.1	210	18.3	1.8	<0.001	<0.01	0.26	0.8	<0.2	<0.2	3.7	<0.01	<0.01	2.1	<0.005
K812992		36.7	120	62.9	4.2	<0.001	0.01	0.46	2.5	0.4	<0.2	2.7	<0.01	0.21	5.5	<0.005
K812993		29.8	120	1.8	2.9	<0.001	0.01	0.06	2.5	0.4	<0.2	7.7	<0.01	0.71	2.1	<0.005
K812994		10.1	10	7.9	1.5	<0.001	0.52	0.08	0.8	2.6	0.3	1.5	<0.01	141.5	0.7	<0.005
K812995		29.8	310	99.4	0.8	<0.001	0.01	0.49	3.3	0.3	<0.2	9.7	<0.01	0.28	0.6	<0.005
K812996		27.7	270	38.2	0.6	<0.001	0.02	1.38	1.5	0.2	<0.2	13.3	<0.01	0.70	1.6	<0.005
K812997		21.9	180	26.5	4.1	<0.001	0.01	0.61	1.3	0.2	0.2	23.6	<0.01	0.05	3.0	<0.005
K812998		9.1	100	10.2	1.5	<0.001	<0.01	0.19	0.4	<0.2	<0.2	2.9	<0.01	0.09	1.6	<0.005
K812999		29.1	310	1615	7.0	<0.001	1.42	0.15	2.4	2.3	0.4	10.2	<0.01	6.83	10.9	0.006
K813000		19.3	120	62.6	2.6	<0.001	0.01	0.47	1.3	0.5	<0.2	30.7	<0.01	0.11	3.9	<0.005
K813342		9.9	200	15.2	0.4	<0.001	0.01	0.07	0.5	<0.2	<0.2	8.4	<0.01	0.06	0.2	<0.005
K813343		6.6	260	312	1.5	<0.001	0.02	0.12	0.8	1.2	<0.2	4.7	<0.01	0.03	3.0	<0.005
K813344		2.6	190	7.2	1.4	<0.001	<0.01	0.12	0.7	<0.2	<0.2	3.1	<0.01	0.01	0.8	<0.005
K813345		9.5	280	5.4	2.3	<0.001	0.01	0.23	1.0	<0.2	<0.2	7.5	<0.01	0.01	2.4	<0.005
K813346		21.5	480	3.9	2.2	<0.001	0.02	0.25	2.3	0.2	<0.2	4.3	<0.01	0.01	4.7	<0.005
K813347		34.6	1130	5330	9.5	0.001	0.15	0.25	12.1	1.6	2.8	22.8	<0.01	0.93	8.9	0.007
K813348		1.9	30	4880	0.2	<0.001	0.10	0.50	0.2	2.3	1.0	1.6	<0.01	1.28	0.2	<0.005
K813349		59.0	420	59.5	3.3	<0.001	0.15	0.48	3.3	0.4	<0.2	11.3	0.01	0.03	5.0	<0.005
K813350		5.2	110	22.8	0.6	<0.001	0.07	0.08	2.2	0.3	0.2	2.7	<0.01	0.02	1.0	<0.005
K812748		1.3	70	6.3	0.3	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.7	<0.01	0.01	<0.2	<0.005
K812749		14.1	1270	10.4	3.4	<0.001	0.16	0.22	1.9	0.3	<0.2	124.5	<0.01	0.02	4.7	<0.005
K812750		7.8	1190	6.9	3.0	<0.001	0.13	0.12	1.2	0.3	<0.2	27.8	<0.01	0.03	3.8	<0.005
K811749		5.2	460	11.0	3.7	<0.001	0.02	0.10	1.3	0.2	<0.2	81.7	<0.01	0.01	6.6	<0.005
K811750		27.6	330	46.0	3.8	<0.001	<0.01	0.07	2.3	0.3	<0.2	8.1	<0.01	0.02	4.5	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Pb-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K813228		<0.02	<0.05	6	0.08	0.78	49	<0.5	
K813229		<0.02	0.10	220	0.14	17.90	183	1.5	
K813230		0.03	0.08	117	0.15	10.75	87	1.2	
K813231		0.94	1.03	12	0.08	1.82	13	2.0	
K813232		0.03	0.44	4	0.05	3.59	14	2.2	
K813233		0.16	0.12	1	<0.05	2.48	10	2.1	
K813234		0.06	0.08	46	<0.05	6.49	155	1.2	
K813235		<0.02	0.06	503	<0.05	12.00	110	1.2	
K813236		0.07	<0.05	71	<0.05	8.59	69	0.8	
K813237		0.02	0.27	104	0.77	21.5	113	2.7	
K812984		0.45	3.03	9	1.50	9.85	326	1.5	
K812986		0.02	0.47	19	0.07	5.11	19	6.0	
K812987		0.02	0.08	164	0.06	12.80	97	7.0	
K812988		0.03	0.12	131	<0.05	10.35	85	4.0	
K812989		<0.02	0.07	8	0.05	1.92	22	0.9	
K812990		<0.02	<0.05	10	<0.05	0.84	9	<0.5	
K812991		<0.02	0.42	2	0.05	1.32	28	1.6	
K812992		0.08	0.44	13	0.23	8.81	75	3.1	
K812993		<0.02	0.99	13	0.11	0.66	124	3.5	
K812994		<0.02	0.42	4	0.20	0.32	28	0.8	
K812995		<0.02	1.02	4	0.10	7.52	161	1.3	
K812996		<0.02	0.48	2	0.08	2.31	73	2.3	
K812997		0.02	1.41	7	0.11	1.84	70	6.6	
K812998		<0.02	0.73	1	0.07	0.89	14	3.5	
K812999		0.03	0.62	16	0.10	2.24	93	3.7	
K813000		0.06	0.62	9	0.11	5.15	158	3.5	
K813342		<0.02	0.13	1	<0.05	1.49	21	<0.5	
K813343		<0.02	0.20	4	<0.05	1.15	24	2.5	
K813344		<0.02	0.27	1	0.05	0.80	12	0.9	
K813345		<0.02	0.17	7	<0.05	0.99	35	2.6	
K813346		<0.02	0.32	6	0.05	4.40	57	3.6	
K813347		0.10	1.00	97	62.3	6.82	1180	15.1	
K813348		0.03	0.23	2	0.17	0.34	135	<0.5	
K813349		0.02	0.17	12	0.36	13.90	73	3.7	
K813350		<0.02	0.72	7	<0.05	1.47	29	0.7	
K812748		<0.02	0.05	1	0.11	0.27	5	<0.5	
K812749		0.02	0.48	4	0.27	6.64	12	5.5	
K812750		0.02	0.33	2	0.23	4.68	7	3.5	
K811749		0.02	0.44	2	0.11	3.65	8	3.3	
K811750		0.02	0.93	12	<0.05	2.51	93	2.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K812745		0.86	32.7	3.89	5.6	<0.2	<10	10	0.90	65.3	1.01	4.72	27.0	43.6	41	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K812745		175.0	8.10	15.05	0.19	0.25	0.01	0.051	0.04	14.5	127.5	1.79	3110	3.42	0.04	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K812745		39.6	460	>10000	2.4	0.001	1.25	1.25	10.7	4.8	1.5	26.1	0.01	1.35	19.6	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K812745		0.07	3.78	39	0.14	13.80	250	8.5	2.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As, ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7-OCT-2011
Account: RESCOM

CERTIFICATE WH11170953

Project: Glenmorangie

P.O. No.:

This report is for 41 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70%<2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85%<75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K813228		0.84	1.29	0.10	27.0	<0.2	<10	10	<0.05	0.01	0.50	0.72	2.06	7.2	16	0.09
K813229		0.87	0.08	3.15	739	<0.2	<10	10	0.52	0.05	3.24	0.28	40.6	39.8	<1	0.70
K813230		1.03	0.05	2.81	1740	<0.2	<10	70	0.24	0.02	4.67	0.09	25.5	21.6	6	2.53
K813231		1.53	0.07	0.16	44.7	<0.2	<10	20	0.13	0.02	0.09	0.14	6.26	3.3	30	0.32
K813232		1.05	0.02	0.59	181.5	<0.2	<10	30	0.30	0.13	0.06	0.03	31.0	10.2	9	3.58
K813233		0.81	0.02	0.12	2.4	<0.2	<10	10	<0.05	0.02	4.09	0.66	6.95	5.5	9	0.11
K813234		0.74	0.05	2.45	82.1	<0.2	<10	60	0.36	0.03	6.44	0.15	11.20	45.4	143	1.09
K813235		0.79	0.11	4.92	60.8	<0.2	<10	10	0.22	0.02	4.12	0.10	23.5	54.9	5	0.94
K813236		1.28	0.07	3.72	96.9	<0.2	<10	110	0.34	0.03	2.62	0.02	15.85	40.7	128	3.27
K813237		0.84	0.11	2.75	86.2	<0.2	<10	10	0.37	0.06	5.65	0.10	51.3	29.4	5	0.61
K812984		0.52	0.21	0.47	44.5	<0.2	<10	50	0.77	0.03	0.05	0.61	9.34	22.8	10	0.36
K812986		0.73	0.02	0.66	289	<0.2	<10	40	0.09	0.05	0.30	0.03	55.1	13.8	12	0.34
K812987		0.78	0.04	4.70	0.8	<0.2	<10	180	0.20	0.01	1.41	0.09	17.65	45.0	216	0.72
K812988		0.62	0.03	2.67	3	<0.2	<10	20	0.18	0.02	13.35	0.06	15.70	19.5	139	0.23
K812989		0.90	0.10	0.34	14.0	<0.2	<10	10	0.10	0.03	0.63	0.03	3.39	8.0	21	0.22
K812990		0.82	0.01	0.34	5.0	<0.2	<10	10	<0.05	<0.01	0.37	0.02	1.73	5.5	38	0.18
K812991		0.64	0.04	0.26	6.6	<0.2	<10	10	0.32	0.07	0.01	0.01	5.25	3.3	14	0.38
K812992		1.37	0.29	1.11	8.2	<0.2	<10	30	0.31	4.48	0.03	0.02	33.1	23.2	19	1.06
K812993		1.02	0.37	1.85	0.4	<0.2	<10	20	0.11	3.40	0.02	0.02	6.84	25.4	21	0.69
K812994		0.53	12.55	0.28	0.6	<0.2	<10	10	<0.05	290	<0.01	0.11	2.83	8.2	11	0.17
K812995		0.68	0.32	0.31	574	<0.2	<10	<10	0.16	1.38	0.08	0.24	9.32	46.0	15	0.26
K812996		1.12	0.15	0.23	1070	<0.2	<10	<10	0.21	1.87	0.04	0.09	9.53	31.7	13	0.41
K812997		0.65	0.09	0.87	922	<0.2	<10	10	0.28	0.77	0.03	0.03	12.95	18.2	16	0.72
K812998		0.71	0.05	0.16	227	<0.2	<10	10	0.10	0.36	0.02	0.02	8.11	8.0	17	0.23
K812999		0.83	10.65	2.02	3.0	<0.2	<10	90	0.13	99.4	0.05	0.06	7.17	31.4	21	0.44
K813000		1.34	0.40	0.29	4.3	<0.2	<10	30	0.24	2.89	0.01	0.08	10.75	8.4	14	0.45
K813342		1.04	0.09	0.11	1.9	<0.2	<10	<10	0.19	0.85	0.12	0.02	0.76	10.0	21	0.08
K813343		0.91	0.17	0.52	1.8	<0.2	<10	<10	0.14	0.46	0.01	0.01	6.96	2.2	17	0.40
K813344		0.89	0.02	0.13	1.9	<0.2	<10	<10	0.17	0.09	0.02	0.01	5.37	1.7	12	0.33
K813345		0.99	0.02	1.03	8.8	<0.2	<10	10	0.13	0.06	0.04	0.01	15.85	1.8	15	0.27
K813346		0.77	0.02	0.87	38.6	<0.2	<10	10	0.32	0.07	0.07	0.07	20.3	16.8	14	0.22
K813347		0.67	39.7	3.25	20.8	<0.2	<10	40	0.28	103.0	0.51	17.95	50.5	18.2	167	1.43
K813348		0.51	63.6	0.03	48.2	<0.2	<10	<10	<0.05	153.0	<0.01	2.57	1.10	1.3	14	0.13
K813349		0.87	0.53	1.57	501	<0.2	<10	10	0.29	1.45	0.19	0.16	33.3	33.1	15	0.53
K813350		0.67	1.12	0.62	1.7	<0.2	<10	<10	0.14	0.81	0.03	0.02	4.28	3.3	13	0.12
K812748		0.68	0.06	0.03	4.1	<0.2	<10	<10	<0.05	0.16	0.02	0.02	0.50	0.6	15	0.06
K812749		0.52	0.06	0.20	19.4	<0.2	<10	10	0.30	0.30	8.38	0.01	15.70	12.1	5	0.42
K812750		0.24	0.06	0.15	15.0	<0.2	<10	10	0.16	0.28	0.37	0.01	16.65	5.0	8	0.36
K811749		0.77	0.08	0.17	9.1	<0.2	<10	10	0.21	0.14	3.92	0.01	19.95	4.7	7	0.48
K811750		1.08	0.23	1.63	6.2	<0.2	<10	20	0.27	0.91	0.18	0.04	16.55	15.8	15	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K813228		2300	1.15	0.45	<0.05	<0.02	<0.01	0.445	0.01	0.9	1.9	0.04	207	0.48	0.01	0.11
K813229		31.8	10.90	21.4	0.35	0.08	<0.01	0.117	<0.01	18.2	24.7	2.62	1860	1.23	0.05	0.26
K813230		66.4	6.60	13.25	0.14	0.05	<0.01	0.060	0.09	11.7	68.0	1.84	1070	0.70	0.11	0.19
K813231		6.2	6.76	0.78	0.09	0.06	0.01	0.005	0.02	3.2	0.9	0.07	244	2.88	0.01	0.16
K813232		11.5	2.03	1.02	0.06	0.05	<0.01	0.015	0.10	14.2	7.5	0.06	434	0.22	0.02	0.07
K813233		2.7	0.51	0.32	<0.05	0.05	<0.01	<0.005	0.02	4.0	1.3	0.02	399	0.25	0.01	0.07
K813234		62.5	7.35	6.40	0.13	0.05	<0.01	0.034	0.23	5.5	55.9	2.85	5930	0.33	0.03	0.16
K813235		172.0	9.45	25.3	0.41	0.05	<0.01	0.096	0.01	10.4	142.0	2.53	1180	1.92	0.03	0.20
K813236		92.3	5.22	10.95	0.10	0.03	<0.01	0.041	0.19	7.0	107.0	2.51	852	0.16	0.06	0.11
K813237		20.0	8.37	10.40	0.18	0.10	<0.01	0.063	0.06	23.6	77.1	1.95	2640	1.34	0.05	0.29
K812984		37.4	21.8	1.75	0.36	0.05	0.02	0.013	0.03	5.2	2.4	0.04	921	4.33	0.01	0.41
K812986		11.1	1.72	2.52	0.07	0.14	<0.01	0.009	0.06	26.0	14.4	0.21	257	0.19	0.09	0.06
K812987		54.8	6.33	16.45	0.15	0.23	<0.01	0.043	0.05	8.0	117.5	4.37	1300	0.17	0.05	0.27
K812988		28.3	4.36	11.15	0.13	0.10	0.01	0.032	0.04	7.9	83.0	1.52	1120	0.32	0.05	0.17
K812989		160.5	1.25	1.02	<0.05	0.02	<0.01	0.022	0.02	1.5	9.7	0.17	377	0.27	0.02	0.09
K812990		3.3	0.83	1.09	<0.05	<0.02	<0.01	<0.005	0.01	0.7	13.9	0.21	157	0.22	0.01	0.09
K812991		15.6	1.44	0.80	<0.05	0.04	<0.01	0.014	0.02	2.3	8.9	0.07	169	0.30	0.01	0.10
K812992		31.0	5.29	4.07	0.11	0.09	0.01	0.019	0.06	23.7	26.7	0.40	1120	0.57	0.01	0.11
K812993		357	3.16	6.24	0.07	0.07	<0.01	0.025	0.04	3.5	46.0	1.03	1300	0.19	0.02	0.07
K812994		5050	2.13	1.09	0.05	<0.02	<0.01	0.722	0.02	1.6	7.2	0.10	212	0.68	0.01	0.08
K812995		24.7	2.22	0.95	0.05	0.04	<0.01	0.037	0.01	4.8	17.6	0.07	1640	0.38	0.01	0.09
K812996		31.3	1.61	0.58	<0.05	0.04	<0.01	0.015	0.01	4.3	7.8	0.03	1430	0.43	0.02	0.08
K812997		46.6	3.23	2.85	0.06	0.11	<0.01	0.013	0.06	6.7	30.0	0.27	557	1.77	0.01	0.08
K812998		5.2	0.69	0.47	<0.05	0.07	<0.01	<0.005	0.02	3.8	4.0	0.03	152	0.29	0.01	0.07
K812999		95.9	7.62	7.70	0.13	0.08	0.01	0.025	0.12	3.6	59.7	0.94	1010	25.3	0.01	0.18
K813000		26.9	6.07	1.20	0.10	0.05	0.01	0.022	0.04	6.0	3.4	0.05	273	2.44	0.01	0.16
K813342		6.9	0.70	0.21	<0.05	<0.02	<0.01	0.006	0.01	0.2	8.8	0.03	330	0.45	0.01	0.07
K813343		11.1	1.45	1.68	<0.05	0.06	<0.01	0.018	0.02	3.7	19.5	0.17	81	0.39	0.01	0.06
K813344		5.8	1.03	0.38	<0.05	0.02	<0.01	0.005	0.02	2.4	2.8	0.02	83	0.21	0.01	0.08
K813345		4.6	2.47	3.44	0.07	0.06	<0.01	0.007	0.04	7.1	41.5	0.38	100	0.21	0.01	0.08
K813346		6.9	2.58	2.94	0.06	0.09	<0.01	0.021	0.03	8.5	27.9	0.25	1140	0.16	0.03	0.08
K813347		50.2	4.44	11.25	0.11	0.28	0.07	0.718	0.08	27.6	109.5	2.76	1020	5.12	0.03	0.11
K813348		30.0	0.77	0.19	<0.05	<0.02	<0.01	0.971	<0.01	0.8	1.1	0.01	59	0.28	0.01	0.09
K813349		15.8	3.11	4.71	0.09	0.11	<0.01	0.033	0.05	15.8	51.3	0.80	865	0.36	0.03	0.06
K813350		120.5	1.60	2.39	0.05	0.02	<0.01	0.066	0.01	2.8	17.4	0.31	157	0.63	0.01	0.08
K812748		1.6	0.36	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.9	0.01	45	0.21	0.01	0.05
K812749		4.9	3.49	0.50	0.06	0.15	0.01	0.010	0.08	6.8	3.0	2.65	1220	0.28	0.01	0.13
K812750		5.6	2.15	0.50	<0.05	0.11	<0.01	0.007	0.06	7.4	1.2	0.04	649	0.26	<0.01	0.09
K811749		17.7	1.75	0.48	<0.05	0.09	<0.01	0.008	0.09	9.6	1.7	1.09	584	0.21	0.01	0.08
K811750		24.4	3.47	5.73	0.08	0.06	<0.01	0.016	0.07	8.3	43.2	0.68	1260	0.43	0.01	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
K813228		4.2	90	1.6	0.3	<0.001	0.16	0.21	1.3	0.3	0.3	8.5	<0.01	<0.01	<0.2	<0.005
K813229		1.1	2780	44.3	0.2	0.001	0.45	0.67	22.5	0.7	<0.2	74.2	0.01	0.01	1.3	0.017
K813230		20.7	1190	2.3	5.4	0.001	0.30	1.32	15.7	0.5	<0.2	127.5	0.01	0.01	1.0	<0.005
K813231		3.8	520	10.6	0.9	<0.001	0.02	1.33	0.9	1.1	<0.2	2.7	<0.01	<0.01	0.7	<0.005
K813232		6.8	270	6.2	5.5	<0.001	<0.01	0.49	1.6	0.2	<0.2	5.6	<0.01	<0.01	4.9	<0.005
K813233		7.6	80	1.9	0.8	<0.001	<0.01	0.25	1.0	<0.2	<0.2	9.3	<0.01	<0.01	1.0	<0.005
K813234		226	580	17.1	12.2	<0.001	0.12	0.18	11.3	0.4	<0.2	173.0	<0.01	0.01	0.6	<0.005
K813235		42.0	1120	3.4	0.3	0.002	0.77	1.01	39.2	1.0	<0.2	81.8	0.01	0.01	0.8	0.015
K813236		80.7	890	1.8	10.6	<0.001	0.11	0.52	10.1	0.3	<0.2	41.8	<0.01	0.01	0.3	<0.005
K813237		11.6	6010	18.8	4.0	0.002	0.69	0.76	14.4	0.7	0.2	211	0.02	0.01	1.3	0.011
K812984		56.2	930	108.5	1.5	<0.001	0.02	2.55	2.4	2.4	<0.2	3.6	<0.01	0.01	1.4	<0.005
K812986		19.4	550	2.2	3.4	<0.001	0.02	0.23	3.2	0.2	<0.2	12.4	<0.01	<0.01	7.4	<0.005
K812987		80.4	890	5.0	2.6	<0.001	0.04	0.09	21.1	0.5	0.3	37.6	0.01	0.01	0.5	0.152
K812988		54.1	660	1.9	2.4	<0.001	0.04	0.07	13.8	0.3	<0.2	256	0.01	0.01	1.3	0.008
K812989		14.5	390	9.2	1.4	<0.001	0.02	0.18	1.5	<0.2	<0.2	32.5	<0.01	<0.01	0.2	<0.005
K812990		11.9	50	1.0	0.8	<0.001	<0.01	0.08	1.2	<0.2	<0.2	7.2	<0.01	<0.01	<0.2	<0.005
K812991		9.1	210	18.3	1.8	<0.001	<0.01	0.26	0.8	<0.2	<0.2	3.7	<0.01	<0.01	2.1	<0.005
K812992		36.7	120	62.9	4.2	<0.001	0.01	0.46	2.5	0.4	<0.2	2.7	<0.01	0.21	5.5	<0.005
K812993		29.8	120	1.8	2.9	<0.001	0.01	0.06	2.5	0.4	<0.2	7.7	<0.01	0.71	2.1	<0.005
K812994		10.1	10	7.9	1.5	<0.001	0.52	0.08	0.8	2.6	0.3	1.5	<0.01	141.5	0.7	<0.005
K812995		29.8	310	99.4	0.8	<0.001	0.01	0.49	3.3	0.3	<0.2	9.7	<0.01	0.28	0.6	<0.005
K812996		27.7	270	38.2	0.6	<0.001	0.02	1.38	1.5	0.2	<0.2	13.3	<0.01	0.70	1.6	<0.005
K812997		21.9	180	26.5	4.1	<0.001	0.01	0.61	1.3	0.2	0.2	23.6	<0.01	0.05	3.0	<0.005
K812998		9.1	100	10.2	1.5	<0.001	<0.01	0.19	0.4	<0.2	<0.2	2.9	<0.01	0.09	1.6	<0.005
K812999		29.1	310	1615	7.0	<0.001	1.42	0.15	2.4	2.3	0.4	10.2	<0.01	6.83	10.9	0.006
K813000		19.3	120	62.6	2.6	<0.001	0.01	0.47	1.3	0.5	<0.2	30.7	<0.01	0.11	3.9	<0.005
K813342		9.9	200	15.2	0.4	<0.001	0.01	0.07	0.5	<0.2	<0.2	8.4	<0.01	0.06	0.2	<0.005
K813343		6.6	260	312	1.5	<0.001	0.02	0.12	0.8	1.2	<0.2	4.7	<0.01	0.03	3.0	<0.005
K813344		2.6	190	7.2	1.4	<0.001	<0.01	0.12	0.7	<0.2	<0.2	3.1	<0.01	0.01	0.8	<0.005
K813345		9.5	280	5.4	2.3	<0.001	0.01	0.23	1.0	<0.2	<0.2	7.5	<0.01	0.01	2.4	<0.005
K813346		21.5	480	3.9	2.2	<0.001	0.02	0.25	2.3	0.2	<0.2	4.3	<0.01	0.01	4.7	<0.005
K813347		34.6	1130	5330	9.5	0.001	0.15	0.25	12.1	1.6	2.8	22.8	<0.01	0.93	8.9	0.007
K813348		1.9	30	4880	0.2	<0.001	0.10	0.50	0.2	2.3	1.0	1.6	<0.01	1.28	0.2	<0.005
K813349		59.0	420	59.5	3.3	<0.001	0.15	0.48	3.3	0.4	<0.2	11.3	0.01	0.03	5.0	<0.005
K813350		5.2	110	22.8	0.6	<0.001	0.07	0.08	2.2	0.3	0.2	2.7	<0.01	0.02	1.0	<0.005
K812748		1.3	70	6.3	0.3	<0.001	<0.01	0.05	0.2	<0.2	<0.2	1.7	<0.01	0.01	<0.2	<0.005
K812749		14.1	1270	10.4	3.4	<0.001	0.16	0.22	1.9	0.3	<0.2	124.5	<0.01	0.02	4.7	<0.005
K812750		7.8	1190	6.9	3.0	<0.001	0.13	0.12	1.2	0.3	<0.2	27.8	<0.01	0.03	3.8	<0.005
K811749		5.2	460	11.0	3.7	<0.001	0.02	0.10	1.3	0.2	<0.2	81.7	<0.01	0.01	6.6	<0.005
K811750		27.6	330	46.0	3.8	<0.001	<0.01	0.07	2.3	0.3	<0.2	8.1	<0.01	0.02	4.5	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Pb-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
K813228		<0.02	<0.05	6	0.08	0.78	49	<0.5	
K813229		<0.02	0.10	220	0.14	17.90	183	1.5	
K813230		0.03	0.08	117	0.15	10.75	87	1.2	
K813231		0.94	1.03	12	0.08	1.82	13	2.0	
K813232		0.03	0.44	4	0.05	3.59	14	2.2	
K813233		0.16	0.12	1	<0.05	2.48	10	2.1	
K813234		0.06	0.08	46	<0.05	6.49	155	1.2	
K813235		<0.02	0.06	503	<0.05	12.00	110	1.2	
K813236		0.07	<0.05	71	<0.05	8.59	69	0.8	
K813237		0.02	0.27	104	0.77	21.5	113	2.7	
K812984		0.45	3.03	9	1.50	9.85	326	1.5	
K812986		0.02	0.47	19	0.07	5.11	19	6.0	
K812987		0.02	0.08	164	0.06	12.80	97	7.0	
K812988		0.03	0.12	131	<0.05	10.35	85	4.0	
K812989		<0.02	0.07	8	0.05	1.92	22	0.9	
K812990		<0.02	<0.05	10	<0.05	0.84	9	<0.5	
K812991		<0.02	0.42	2	0.05	1.32	28	1.6	
K812992		0.08	0.44	13	0.23	8.81	75	3.1	
K812993		<0.02	0.99	13	0.11	0.66	124	3.5	
K812994		<0.02	0.42	4	0.20	0.32	28	0.8	
K812995		<0.02	1.02	4	0.10	7.52	161	1.3	
K812996		<0.02	0.48	2	0.08	2.31	73	2.3	
K812997		0.02	1.41	7	0.11	1.84	70	6.6	
K812998		<0.02	0.73	1	0.07	0.89	14	3.5	
K812999		0.03	0.62	16	0.10	2.24	93	3.7	
K813000		0.06	0.62	9	0.11	5.15	158	3.5	
K813342		<0.02	0.13	1	<0.05	1.49	21	<0.5	
K813343		<0.02	0.20	4	<0.05	1.15	24	2.5	
K813344		<0.02	0.27	1	0.05	0.80	12	0.9	
K813345		<0.02	0.17	7	<0.05	0.99	35	2.6	
K813346		<0.02	0.32	6	0.05	4.40	57	3.6	
K813347		0.10	1.00	97	62.3	6.82	1180	15.1	
K813348		0.03	0.23	2	0.17	0.34	135	<0.5	
K813349		0.02	0.17	12	0.36	13.90	73	3.7	
K813350		<0.02	0.72	7	<0.05	1.47	29	0.7	
K812748		<0.02	0.05	1	0.11	0.27	5	<0.5	
K812749		0.02	0.48	4	0.27	6.64	12	5.5	
K812750		0.02	0.33	2	0.23	4.68	7	3.5	
K811749		0.02	0.44	2	0.11	3.65	8	3.3	
K811750		0.02	0.93	12	<0.05	2.51	93	2.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
K812745		0.86	32.7	3.89	5.6	<0.2	<10	10	0.90	65.3	1.01	4.72	27.0	43.6	41	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
K812745		175.0	8.10	15.05	0.19	0.25	0.01	0.051	0.04	14.5	127.5	1.79	3110	3.42	0.04	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
K812745		39.6	460	>10000	2.4	0.001	1.25	1.25	10.7	4.8	1.5	26.1	0.01	1.35	19.6	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Pb-OG46 Pb % 0.001
K812745		0.07	3.78	39	0.14	13.80	250	8.5	2.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- OCT- 2011
Account: RESCOM

Project: Glenmorangie

CERTIFICATE OF ANALYSIS WH11170953

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25-OCT-2011
Account: RESCOM

CERTIFICATE WH11171441

Project: GlenMorangie

P.O. No.:

This report is for 80 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K811714		0.94	0.0046	0.063	2.18	42.4	<10	31.2	0.67	0.48	0.03	0.07	97.5	12.2	29.4	2.59
K811715		0.66	0.0030	0.052	2.07	25.3	<10	19.3	0.37	0.56	0.01	0.07	81.0	9.2	28.9	1.14
K811716		0.76	0.0006	0.067	1.71	12.55	<10	18.9	0.27	0.42	0.02	0.09	51.4	9.8	24.9	1.08
K811717		0.80	0.0005	0.047	2.16	17.00	<10	21.4	0.79	0.49	0.02	0.08	74.1	42.9	30.0	4.39
K811718		1.00	0.0026	0.074	1.97	36.3	<10	27.1	0.71	0.53	0.05	0.10	66.3	21.3	29.8	3.36
K811719		0.72	0.0036	0.080	1.68	25.6	<10	18.7	0.31	0.50	0.01	0.06	52.5	7.7	27.3	1.51
K811720		0.84	0.0026	0.074	1.93	28.4	<10	24.3	0.36	0.52	0.02	0.07	65.2	7.4	37.7	1.52
K811721		1.08	0.0049	0.092	2.07	38.1	<10	37.3	0.62	0.40	0.05	0.08	90.6	13.1	28.4	1.98
K811722		0.88	0.0011	0.055	1.71	15.85	<10	17.1	0.21	0.41	0.03	0.04	63.7	5.5	22.3	1.63
K811723		0.90	0.0028	0.047	2.11	52.3	<10	29.6	0.68	0.43	0.03	0.09	69.4	12.7	28.3	2.23
K811724		0.82	0.0046	0.075	1.98	41.3	<10	20.5	0.32	0.45	0.01	0.07	56.3	6.6	27.2	2.43
K811725		1.02	0.0030	0.023	2.52	22.0	<10	18.3	0.36	0.42	0.07	0.04	86.3	11.8	35.0	1.60
K811726		0.82	0.0020	0.037	1.08	17.45	<10	21.3	0.20	0.26	0.08	0.02	34.7	9.1	13.8	1.87
K811727		0.86	0.0012	0.149	1.82	34.8	<10	26.4	0.30	0.44	0.02	0.12	39.8	12.2	26.9	4.61
K811728		0.94	0.0028	0.054	1.95	32.2	<10	22.3	0.36	0.45	0.06	0.05	85.3	12.5	26.4	2.62
K811729		0.64	0.0017	0.052	2.15	24.6	<10	21.4	0.26	0.42	0.03	0.09	60.9	10.4	30.8	1.46
K811730		0.78	0.0009	0.055	0.90	13.55	<10	20.9	0.17	0.26	0.03	0.05	23.1	3.3	11.6	1.44
K811731		0.72	0.0021	0.111	1.59	19.65	<10	26.6	0.26	0.51	0.01	0.09	38.7	4.8	23.0	2.37
K811732		0.84	0.0024	0.111	1.66	24.4	<10	29.4	0.39	0.47	0.03	0.10	46.0	9.9	23.3	2.03
K811733		0.78	0.0032	0.069	1.81	35.2	<10	20.2	0.53	0.43	0.04	0.04	92.3	7.0	26.9	2.03
K811734		0.72	0.0066	0.100	1.29	62.5	<10	24.7	0.58	0.58	0.01	0.07	41.8	11.2	23.0	2.83
K811735		0.50	0.0074	0.040	1.85	97.6	<10	22.0	0.36	0.47	0.01	0.06	78.7	27.8	28.0	2.59
K811736		0.50	0.0034	0.099	1.63	71.9	<10	21.9	0.42	0.72	0.02	0.04	54.1	13.7	26.9	4.48
K811737		1.10	0.0078	0.048	2.18	57.8	<10	30.3	0.42	0.49	0.08	0.08	85.2	22.9	31.9	2.24
K811738		0.78	0.0002	0.039	1.88	23.4	<10	34.6	0.29	0.43	0.03	0.07	51.3	12.0	30.2	1.71
K811739		0.68	0.0008	0.081	2.18	16.40	<10	23.1	0.31	0.48	0.02	0.11	39.5	10.6	31.2	1.88
K811740		0.54	0.0023	0.056	1.69	29.8	<10	25.6	0.28	0.45	0.02	0.07	41.7	7.1	24.4	2.32
K811741		0.46	0.0004	0.037	0.70	9.48	<10	15.1	0.08	0.17	0.04	0.03	14.00	2.5	7.8	0.96
K811742		0.44	0.0019	0.045	1.62	42.9	<10	27.2	0.31	0.55	0.02	0.06	51.4	13.2	29.2	3.41
K811743		0.64	0.0014	0.105	2.41	22.9	<10	38.3	0.55	0.67	0.05	0.04	56.5	11.8	36.4	1.81
K811744		0.64	0.0022	0.126	1.73	84.8	<10	41.4	0.26	0.66	0.12	0.15	46.9	14.2	26.8	3.61
K811745		0.76	<0.0002	0.033	2.55	17.90	<10	32.1	0.50	0.57	0.08	0.02	70.5	12.8	39.1	1.42
K811746		0.68	0.0005	0.063	2.58	31.2	<10	44.3	0.58	0.77	0.09	0.03	66.7	12.3	39.3	2.11
K811747		0.60	0.0003	0.092	2.59	25.1	<10	44.9	0.43	0.62	0.15	0.02	76.8	13.5	39.9	4.84
K812746		0.14	0.0024	0.322	1.43	65.4	<10	44.1	1.05	0.52	1.12	0.43	75.0	38.0	22.8	10.15
K812747		0.30	0.0034	0.285	3.22	31.6	<10	26.0	2.24	0.79	0.10	0.03	91.2	19.8	29.4	4.02
K812676		0.54	0.0032	0.419	2.25	117.5	<10	56.5	1.53	0.97	0.67	0.28	98.5	42.9	36.7	12.00
K811748		0.42	0.0041	0.480	2.34	154.5	<10	60.0	1.83	1.07	0.62	0.23	135.0	50.1	39.1	13.15
K812401		0.60	0.0014	0.075	1.88	46.0	<10	27.8	0.60	0.61	0.01	0.06	71.1	8.4	29.0	4.12
K812402		0.64	0.0092	0.107	2.48	66.8	<10	25.6	0.74	0.57	0.01	0.07	102.5	27.8	31.1	4.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K811714		32.9	5.02	6.02	0.17	0.03	0.014	0.025	0.04	49.5	70.7	0.71	340	0.78	<0.01	0.36
K811715		25.5	4.82	6.61	0.15	0.07	0.047	0.024	0.04	42.3	78.3	0.67	314	0.65	<0.01	0.17
K811716		18.00	4.08	5.97	0.12	0.06	0.064	0.017	0.03	25.0	54.9	0.52	419	0.55	0.02	0.21
K811717		34.0	5.19	6.95	0.16	0.07	0.032	0.019	0.03	35.9	83.3	0.70	857	0.68	0.02	0.21
K811718		33.9	4.77	6.31	0.13	0.08	0.041	0.026	0.04	32.3	70.1	0.66	445	1.09	0.02	0.35
K811719		21.7	4.24	5.34	0.13	0.04	0.072	0.024	0.03	27.9	47.7	0.47	270	0.85	<0.01	0.24
K811720		22.9	4.54	6.29	0.13	0.05	0.041	0.024	0.03	33.5	58.1	0.60	291	0.77	<0.01	0.31
K811721		32.3	4.82	5.83	0.16	0.08	0.015	0.023	0.04	45.4	68.3	0.69	382	0.64	<0.01	0.25
K811722		16.75	3.51	5.26	0.14	0.04	0.025	0.020	0.03	34.2	56.5	0.51	336	0.62	0.01	0.25
K811723		35.8	5.08	5.97	0.15	0.05	0.014	0.032	0.03	35.7	62.9	0.65	376	0.94	<0.01	0.38
K811724		21.3	4.60	5.93	0.14	0.09	0.042	0.022	0.02	29.0	54.2	0.54	453	0.53	<0.01	0.16
K811725		24.2	5.27	7.10	0.15	0.09	<0.005	0.017	0.02	45.2	77.5	0.86	383	0.56	<0.01	0.20
K811726		16.45	2.34	3.30	0.11	0.02	0.020	0.013	0.03	17.6	26.4	0.30	444	0.42	0.01	0.23
K811727		18.95	4.28	6.45	0.12	0.13	0.088	0.021	0.03	23.1	47.8	0.50	851	0.65	<0.01	0.22
K811728		27.6	4.03	6.04	0.17	0.06	0.020	0.024	0.03	46.1	58.3	0.59	556	0.62	<0.01	0.26
K811729		19.80	4.88	7.07	0.14	0.05	0.038	0.018	0.03	32.3	67.7	0.66	743	0.53	<0.01	0.21
K811730		16.45	1.77	2.92	0.10	0.02	0.034	0.013	0.03	12.5	14.5	0.15	106	0.51	0.01	0.21
K811731		19.40	3.91	4.94	0.12	0.03	0.079	0.021	0.03	20.8	33.6	0.33	245	0.75	<0.01	0.34
K811732		23.6	4.05	4.72	0.12	0.05	0.062	0.021	0.04	24.8	42.7	0.45	357	0.69	<0.01	0.23
K811733		28.1	4.47	5.75	0.11	0.03	0.011	0.026	0.03	48.0	67.4	0.64	237	0.69	<0.01	0.25
K811734		38.3	4.45	5.66	0.06	0.07	0.085	0.033	0.03	21.9	32.0	0.29	319	0.96	<0.01	0.23
K811735		23.8	4.75	7.05	0.08	0.07	0.016	0.019	0.04	41.0	64.6	0.60	1660	0.58	<0.01	0.13
K811736		39.9	4.61	7.06	0.06	0.05	0.049	0.030	0.03	29.3	45.5	0.45	685	1.00	<0.01	0.25
K811737		27.9	4.61	6.45	0.10	0.04	0.009	0.024	0.04	43.9	71.4	0.76	849	0.68	<0.01	0.24
K811738		25.2	4.77	7.33	0.06	0.05	0.031	0.024	0.03	26.3	49.9	0.53	1060	0.75	<0.01	0.29
K811739		21.6	4.86	7.24	0.06	0.18	0.061	0.022	0.03	21.4	59.2	0.59	467	0.72	<0.01	0.25
K811740		23.5	3.78	6.96	0.05	0.08	0.042	0.021	0.03	23.3	41.9	0.39	438	0.85	<0.01	0.34
K811741		13.20	1.31	2.69	<0.05	0.02	0.047	0.009	0.02	7.3	9.6	0.11	100	0.38	<0.01	0.17
K811742		21.5	4.57	6.47	0.07	0.02	0.027	0.022	0.03	27.0	47.6	0.48	533	1.21	<0.01	0.32
K811743		29.2	5.06	7.13	0.08	0.05	0.022	0.021	0.05	31.5	72.7	0.85	487	0.84	<0.01	0.39
K811744		18.05	3.65	6.27	0.05	0.02	0.019	0.019	0.04	25.3	52.7	0.61	539	1.37	<0.01	0.19
K811745		27.1	4.92	7.42	0.11	0.03	<0.005	0.020	0.06	39.5	82.1	1.01	604	0.40	<0.01	0.21
K811746		29.0	5.34	7.45	0.08	0.03	0.011	0.022	0.07	36.4	74.9	0.96	520	0.73	<0.01	0.34
K811747		31.8	5.07	7.95	0.10	0.02	0.007	0.022	0.05	42.1	85.5	0.97	534	0.92	<0.01	0.35
K812746		69.3	2.68	4.13	0.15	0.11	0.036	0.017	0.06	46.0	38.9	0.43	378	0.82	0.02	0.23
K812747		104.5	5.00	6.39	0.18	0.06	0.016	0.023	0.04	46.0	68.0	0.74	471	1.26	<0.01	0.61
K812676		76.5	4.09	6.54	0.14	0.11	0.028	0.033	0.06	61.0	69.3	0.69	556	1.18	<0.01	0.32
K811748		101.0	4.45	7.17	0.16	0.13	0.023	0.032	0.06	74.0	73.9	0.71	633	1.38	<0.01	0.31
K812401		43.4	5.78	6.75	0.08	0.07	0.036	0.038	0.03	37.2	58.7	0.57	284	0.77	0.01	0.25
K812402		53.8	5.93	7.53	0.11	0.10	0.024	0.032	0.03	52.2	81.3	0.79	975	0.54	0.01	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K811714		26.6	0.079	29.8	4.4	<0.001	0.03	1.585	2.3	0.7	0.3	13.1	<0.01	0.02	10.2	0.016
K811715		24.9	0.093	28.7	4.3	<0.001	0.06	1.285	1.6	0.5	0.2	11.1	<0.01	0.04	6.1	0.006
K811716		22.3	0.140	23.3	3.2	<0.001	0.07	0.792	0.9	0.7	0.2	6.8	<0.01	0.03	2.7	0.007
K811717		32.6	0.091	30.0	3.6	<0.001	0.04	1.020	1.6	0.7	0.2	11.0	<0.01	0.04	5.9	0.008
K811718		35.0	0.105	28.1	4.3	<0.001	0.05	1.395	1.7	0.9	0.2	12.0	<0.01	0.04	4.2	0.013
K811719		18.9	0.183	27.1	4.7	<0.001	0.10	1.160	0.7	0.9	0.2	9.0	<0.01	0.02	1.8	0.006
K811720		21.4	0.114	29.7	5.9	<0.001	0.07	1.240	1.3	0.8	0.3	9.7	<0.01	0.04	2.8	0.012
K811721		27.4	0.080	25.5	3.7	<0.001	0.02	1.605	2.4	0.7	0.3	11.4	<0.01	0.03	13.5	0.019
K811722		20.6	0.069	22.3	3.6	<0.001	0.03	0.576	1.3	0.6	0.2	8.4	<0.01	0.04	5.3	0.010
K811723		29.4	0.076	29.2	4.1	<0.001	0.03	1.345	1.7	0.8	0.3	9.8	<0.01	0.04	5.8	0.015
K811724		19.8	0.147	31.1	3.3	<0.001	0.08	0.546	0.9	0.5	0.2	5.6	<0.01	0.02	3.5	0.005
K811725		30.9	0.079	27.7	2.7	<0.001	0.02	0.839	1.5	0.6	0.2	6.3	<0.01	0.03	10.0	0.008
K811726		13.5	0.073	12.00	3.2	<0.001	0.02	0.277	0.8	0.4	0.2	6.9	<0.01	0.01	2.3	0.016
K811727		19.8	0.175	64.4	4.0	<0.001	0.13	0.432	0.9	0.8	0.2	3.9	<0.01	0.04	2.9	0.007
K811728		25.0	0.094	28.6	4.5	<0.001	0.04	0.544	1.3	0.8	0.2	8.3	<0.01	0.02	5.8	0.010
K811729		27.2	0.116	27.8	3.4	<0.001	0.08	0.510	1.1	0.6	0.2	5.5	<0.01	0.03	4.4	0.007
K811730		8.0	0.097	15.90	3.8	<0.001	0.07	0.468	0.2	0.7	0.2	6.7	<0.01	0.02	0.3	0.008
K811731		14.4	0.207	25.8	3.9	<0.001	0.14	0.747	0.4	0.8	0.2	7.6	<0.01	0.03	0.7	0.007
K811732		18.0	0.188	28.7	4.5	<0.001	0.13	1.255	0.7	0.6	0.2	12.1	<0.01	0.04	1.7	0.005
K811733		23.9	0.073	26.0	3.3	<0.001	0.02	2.04	1.8	0.5	0.2	9.0	<0.01	<0.01	11.1	0.012
K811734		20.1	0.185	48.1	3.4	<0.001	0.14	1.945	0.9	0.8	0.2	11.8	<0.01	0.02	2.7	0.006
K811735		30.4	0.070	32.0	3.6	<0.001	0.04	1.145	1.4	0.5	0.2	6.6	<0.01	0.02	7.7	0.005
K811736		23.5	0.163	69.9	4.6	<0.001	0.08	1.265	0.9	0.7	0.3	5.1	<0.01	0.03	2.3	0.008
K811737		38.5	0.074	33.0	4.2	<0.001	0.01	0.527	1.8	0.3	0.2	8.4	<0.01	0.02	10.7	0.010
K811738		23.6	0.142	23.0	3.6	<0.001	0.05	0.523	1.0	0.3	0.3	5.6	0.01	<0.01	2.2	0.010
K811739		23.3	0.147	28.6	3.9	<0.001	0.08	0.559	1.1	<0.1	0.2	3.5	0.01	0.03	3.4	0.007
K811740		16.7	0.140	28.0	5.6	<0.001	0.05	0.634	0.7	0.5	0.3	4.8	0.01	<0.01	1.9	0.010
K811741		5.7	0.081	9.89	2.5	<0.001	0.04	0.178	0.2	<0.1	0.2	4.6	<0.01	<0.01	0.2	0.016
K811742		25.0	0.121	27.4	5.2	<0.001	0.04	0.810	0.7	0.6	0.3	5.2	<0.01	<0.01	1.2	0.016
K811743		27.5	0.066	29.7	4.5	<0.001	0.02	0.265	2.0	0.2	0.4	21.3	<0.01	0.01	13.5	0.012
K811744		24.1	0.146	72.5	6.7	<0.001	0.04	0.121	0.9	0.2	0.2	30.3	<0.01	0.01	3.2	0.006
K811745		27.8	0.049	24.5	3.8	<0.001	<0.01	0.165	2.3	0.8	0.2	25.8	<0.01	<0.01	15.7	0.012
K811746		26.7	0.060	35.8	5.3	<0.001	0.01	0.230	2.2	0.6	0.3	26.2	<0.01	<0.01	13.6	0.009
K811747		30.8	0.063	29.8	5.4	<0.001	0.01	0.122	2.3	0.7	0.3	28.3	<0.01	0.01	13.4	0.009
K812746		113.5	0.143	44.9	5.4	<0.001	0.15	0.247	1.1	2.3	0.2	78.5	<0.01	0.03	4.3	0.005
K812747		35.1	0.085	22.8	4.3	0.001	0.16	0.313	2.2	1.9	0.2	28.1	0.01	<0.01	15.8	0.013
K812676		92.6	0.157	70.2	6.2	<0.001	0.09	0.289	1.8	3.3	0.3	58.9	<0.01	<0.01	7.5	0.005
K811748		91.1	0.147	82.2	6.6	0.001	0.07	0.336	2.0	2.8	0.4	59.6	<0.01	0.02	8.8	0.005
K812401		24.3	0.117	49.0	3.3	<0.001	0.06	1.660	1.3	0.6	0.2	23.9	<0.01	0.05	4.3	0.008
K812402		33.9	0.095	64.1	3.7	<0.001	0.05	1.140	1.6	1.0	0.2	19.5	<0.01	0.03	8.5	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method Analyte Units LOR	ME-MS41L Tl ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.0001	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
K811714		0.04	1.29	23	0.121	5.22	98.3	1.0
K811715		0.03	0.95	20	0.0922	2.95	84.3	1.8
K811716		0.05	0.69	20	0.103	2.43	65.3	1.9
K811717		0.04	1.04	21	0.0716	3.59	94.9	2.3
K811718		0.05	1.22	24	0.163	4.61	98.3	2.3
K811719		0.04	0.96	20	0.187	2.57	67.6	1.2
K811720		0.05	1.13	23	0.123	3.51	74.0	1.4
K811721		0.04	1.12	23	0.0938	5.18	92.0	4.7
K811722		0.03	0.82	16	0.0872	2.65	58.1	1.2
K811723		0.05	1.21	25	0.167	3.88	94.7	1.4
K811724		0.03	0.98	18	0.0772	2.73	67.7	2.3
K811725		0.02	0.88	20	0.0872	3.56	99.2	2.8
K811726		0.03	0.57	17	0.0963	2.15	46.9	0.6
K811727		0.04	1.00	20	0.108	2.48	75.7	3.5
K811728		0.03	1.01	19	0.154	3.75	78.7	1.5
K811729		0.03	0.73	21	0.0922	2.77	80.9	1.5
K811730		0.04	0.61	13	0.107	1.53	30.6	0.5
K811731		0.04	1.19	19	0.121	2.13	48.3	0.8
K811732		0.04	0.98	17	0.114	2.84	70.7	1.3
K811733		0.04	1.07	20	0.144	3.70	80.1	1.3
K811734		0.04	1.63	17	0.152	3.61	73.7	2.3
K811735		0.02	0.80	17	0.0938	3.38	87.6	1.9
K811736		0.05	1.39	23	0.138	3.05	85.7	1.6
K811737		0.04	1.08	19	0.130	4.67	110.0	1.4
K811738		0.05	0.68	27	0.140	2.78	78.8	1.3
K811739		0.04	1.02	20	0.108	2.45	78.8	5.1
K811740		0.07	0.79	23	0.187	2.37	57.3	2.1
K811741		0.03	0.42	17	0.0974	1.07	21.5	0.5
K811742		0.05	1.00	25	0.186	2.68	83.6	0.6
K811743		0.03	0.98	21	0.911	5.98	89.0	2.3
K811744		0.03	0.82	17	0.321	5.71	94.5	0.5
K811745		0.03	1.28	21	0.576	8.16	100.5	1.7
K811746		0.05	1.15	22	0.673	7.81	96.5	1.0
K811747		0.04	1.13	22	0.748	7.13	96.8	1.1
K812746		0.05	22.4	11	0.354	32.3	114.0	2.8
K812747		0.10	3.49	18	3.92	22.7	118.5	2.2
K812676		0.07	26.4	18	0.709	38.1	173.5	3.6
K811748		0.07	37.3	20	0.685	47.5	177.0	3.6
K812401		0.03	1.68	21	0.0914	3.67	84.9	2.3
K812402		0.04	1.63	18	0.0581	4.64	110.5	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
K812403		0.60	0.0028	0.076	1.98	60.1	<10	21.6	0.47	0.48	0.01	0.06	79.2	18.6	27.0	4.47
K812404		0.66	0.0043	0.068	1.89	396	<10	25.0	0.47	0.51	0.04	0.10	75.3	22.2	25.1	3.79
K812405		0.48	0.0004	0.043	0.73	35.0	<10	16.8	0.11	0.13	0.03	0.03	16.35	2.9	7.2	1.05
K812406		0.50	<0.0002	0.068	0.79	22.1	<10	14.9	0.17	0.22	0.02	0.03	15.45	8.1	13.8	1.68
K812407		0.72	0.0004	0.072	1.76	31.1	<10	28.2	0.36	0.55	0.01	0.12	47.0	14.9	28.7	3.69
K812408		0.60	<0.0002	0.042	0.85	11.00	<10	31.4	0.19	0.31	0.01	0.05	26.7	5.1	13.1	2.24
K812409		0.74	0.0003	0.039	1.07	3.25	<10	21.0	0.23	0.59	0.04	0.03	14.10	6.1	13.9	1.33
K812410		0.50	0.0005	0.034	1.15	8.01	<10	18.7	0.20	0.49	0.02	0.03	50.0	8.1	20.3	1.83
K812411		0.52	0.0031	0.038	0.62	2.20	<10	20.3	0.09	0.33	0.03	0.04	15.90	7.2	14.7	1.89
K812412		0.76	0.0014	0.088	2.01	44.6	<10	37.5	0.37	0.48	0.02	0.04	71.5	12.0	27.8	1.54
K812413		0.54	0.0008	0.105	1.70	33.4	<10	25.3	0.32	0.46	0.01	0.05	57.7	9.4	27.0	1.30
K812414		0.70	0.0002	0.175	1.29	11.50	<10	41.4	0.23	0.29	0.02	0.08	27.7	9.2	18.2	1.39
K812415		0.66	0.0002	0.095	1.23	15.25	<10	37.4	0.24	0.29	0.02	0.05	34.6	4.0	14.6	1.24
K812416		0.62	0.0003	0.067	1.23	18.35	<10	42.7	0.25	0.35	0.05	0.05	32.8	8.0	15.9	0.73
K812417		0.64	0.0049	0.086	1.21	17.35	<10	46.1	0.24	0.37	0.02	0.06	48.9	3.1	11.1	1.26
K812418		1.00	0.0006	0.042	1.64	35.9	<10	31.9	0.28	0.31	0.02	0.03	59.7	11.8	24.4	1.24
K812696		0.64	<0.0002	0.162	1.27	16.65	<10	67.2	0.66	0.37	0.46	0.47	21.7	29.4	29.5	3.09
K812697		0.78	0.0003	0.093	1.83	26.4	<10	19.6	0.27	0.30	0.03	0.08	52.7	6.2	31.3	2.81
K812698		0.60	<0.0002	0.087	1.31	19.80	<10	31.0	0.30	0.54	0.02	0.12	47.6	4.4	27.1	6.72
K812699		0.70	<0.0002	0.070	1.43	13.60	<10	21.0	0.39	0.40	0.02	0.06	42.0	9.7	25.7	4.20
K812700		0.54	0.0010	0.137	1.79	54.3	<10	28.8	0.48	0.85	0.01	0.06	74.2	8.4	29.1	10.50
K812690		0.86	0.0002	0.038	1.07	17.40	<10	35.4	0.38	0.31	0.03	0.06	22.0	8.3	17.2	2.07
K812691		0.70	0.0036	0.116	2.78	195.0	<10	66.0	0.48	0.33	0.32	0.22	57.2	45.4	49.6	1.94
K812692		0.74	0.0006	0.079	1.19	31.4	<10	28.1	0.34	0.44	0.03	0.10	28.4	8.1	19.6	2.00
K812693		0.84	0.0007	0.068	1.21	69.0	<10	27.3	0.49	0.57	0.03	0.11	40.7	11.9	23.9	2.99
K812694		0.68	0.0002	0.049	1.14	34.3	<10	13.6	0.32	0.31	0.02	0.05	50.6	9.3	18.9	1.43
K812695		0.90	0.0004	0.063	1.42	19.95	<10	14.1	0.41	0.42	0.01	0.06	79.3	12.2	23.8	1.33
K812677		0.72	0.0006	0.103	1.35	9.14	<10	27.4	0.25	0.46	0.02	0.11	46.0	3.7	30.1	2.24
K812678		0.72	0.0004	0.060	2.13	6.19	<10	17.3	0.22	0.40	0.02	0.06	32.3	8.1	33.1	2.16
K812679		0.64	0.0012	0.084	1.72	22.4	<10	31.5	0.62	0.46	0.02	0.11	50.1	11.6	38.4	3.84
K812680		0.58	0.0006	0.069	2.19	21.4	<10	25.4	0.84	0.61	0.01	0.06	89.3	13.5	32.1	6.14
K812681		0.70	0.0006	0.031	0.62	10.80	<10	14.6	0.41	0.42	0.01	0.02	60.3	19.5	11.0	5.52
K812682		0.82	<0.0002	0.028	1.78	19.85	<10	14.5	0.97	0.45	<0.01	0.03	30.2	38.8	36.9	7.06
K812683		0.88	0.0003	0.066	1.69	12.30	<10	20.8	0.63	0.47	0.01	0.03	41.5	27.4	28.7	5.16
K812684		0.58	0.0010	0.104	3.57	9.97	<10	56.1	0.78	0.28	0.33	0.16	20.8	47.3	131.5	2.71
K812685		0.78	0.0017	0.112	1.84	18.45	<10	35.0	0.53	0.44	0.02	0.08	35.4	10.4	33.2	2.52
K812686		0.82	0.0009	0.043	3.15	14.20	<10	31.4	0.80	0.19	0.21	0.10	46.8	64.1	47.8	1.47
K812687		0.66	0.0018	0.098	1.83	11.20	<10	28.8	0.84	0.51	0.01	0.11	51.0	60.4	26.7	1.71
K812688		0.86	0.0002	0.080	2.35	11.75	<10	49.5	0.70	0.40	0.16	0.11	45.0	27.3	35.8	2.74
K812689		0.80	<0.0002	0.076	1.28	11.95	<10	21.1	0.37	0.56	0.01	0.09	17.90	6.7	26.4	1.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
K812403		32.2	4.68	6.79	0.10	0.16	0.035	0.025	0.02	40.1	63.4	0.57	1030	0.57	0.02	0.13
K812404		35.4	4.20	6.13	0.10	0.12	0.026	0.020	0.03	37.4	58.9	0.59	998	0.63	0.02	0.14
K812405		10.50	1.19	2.83	<0.05	<0.02	0.032	0.007	0.02	8.1	10.5	0.12	163	0.29	0.03	0.18
K812406		13.45	2.05	3.28	0.05	<0.02	0.033	0.010	0.03	8.2	20.9	0.26	541	0.40	0.02	0.14
K812407		30.4	4.50	7.06	0.06	0.02	0.036	0.020	0.03	23.1	36.3	0.49	960	0.83	0.01	0.43
K812408		17.40	2.52	5.06	<0.05	<0.02	0.024	0.013	0.02	14.0	8.5	0.14	309	0.61	0.02	0.15
K812409		15.15	2.01	3.97	<0.05	<0.02	0.019	0.012	0.02	6.7	14.9	0.28	169	0.27	0.02	0.22
K812410		14.20	3.81	7.18	0.05	<0.02	0.026	0.012	0.03	24.7	20.7	0.35	479	0.33	0.01	0.29
K812411		4.75	2.26	2.96	<0.05	<0.02	0.027	0.006	0.02	7.7	13.5	0.26	656	0.16	0.02	0.07
K812412		26.2	4.91	7.15	0.08	0.04	0.017	0.024	0.03	36.7	54.4	0.55	340	0.88	0.01	0.78
K812413		16.95	4.91	6.92	0.06	0.04	0.045	0.018	0.03	29.7	39.1	0.45	275	0.79	0.01	0.63
K812414		11.45	3.19	5.40	<0.05	0.02	0.053	0.013	0.03	14.9	18.8	0.23	653	0.51	0.02	0.49
K812415		13.25	3.15	6.66	<0.05	<0.02	0.030	0.014	0.02	17.9	15.6	0.16	209	0.62	0.02	0.66
K812416		11.10	4.00	5.32	<0.05	<0.02	0.018	0.019	0.02	15.9	25.5	0.33	474	0.51	0.01	0.42
K812417		20.7	2.78	7.14	0.05	0.13	0.028	0.015	0.02	24.4	10.3	0.10	136	0.63	0.01	0.79
K812418		21.3	3.58	5.81	0.06	0.03	0.009	0.013	0.03	29.2	41.9	0.52	413	0.41	0.02	0.22
K812696		57.2	4.52	4.06	<0.05	0.06	0.030	0.036	0.04	10.6	23.3	0.32	1200	1.46	0.02	0.16
K812697		20.6	4.54	6.45	0.06	0.12	0.081	0.018	0.03	27.4	45.7	0.56	279	0.51	0.01	0.15
K812698		20.2	4.27	6.84	0.06	<0.02	0.044	0.022	0.03	24.9	23.8	0.26	279	0.82	0.01	0.27
K812699		29.0	4.10	4.95	0.06	0.05	0.068	0.024	0.03	21.7	36.2	0.44	235	0.64	0.02	0.19
K812700		50.4	5.30	7.62	0.09	0.13	0.079	0.036	0.03	38.2	55.1	0.51	310	0.85	0.02	0.19
K812690		17.70	2.89	3.99	<0.05	<0.02	0.015	0.013	0.04	10.9	16.1	0.17	254	0.72	0.01	0.33
K812691		116.0	8.21	10.45	0.10	0.06	0.041	0.186	0.04	30.0	57.7	0.72	1760	1.42	0.01	0.37
K812692		20.1	3.35	5.00	<0.05	<0.02	0.058	0.020	0.04	14.6	14.6	0.19	346	1.01	0.01	0.35
K812693		27.1	5.30	7.05	0.06	<0.02	0.080	0.025	0.05	21.0	18.8	0.23	416	1.14	<0.01	0.45
K812694		17.30	4.36	4.96	0.06	0.02	0.013	0.014	0.02	24.4	29.1	0.31	332	0.70	0.01	0.36
K812695		26.5	6.24	8.18	0.08	0.02	0.028	0.019	0.03	39.0	29.7	0.36	236	0.90	0.01	0.33
K812677		17.60	4.74	7.88	0.05	0.03	0.068	0.024	0.05	24.9	21.5	0.30	296	0.98	0.01	0.40
K812678		16.10	4.51	7.10	0.05	0.04	0.082	0.015	0.03	15.0	47.8	0.64	312	0.48	0.01	0.15
K812679		33.1	4.97	7.13	0.08	0.02	0.080	0.027	0.04	24.4	36.3	0.51	429	0.85	0.01	0.37
K812680		37.1	5.52	7.35	0.11	0.08	0.039	0.024	0.05	42.6	60.1	0.61	566	0.80	0.01	0.17
K812681		22.2	2.46	2.34	0.06	0.07	<0.005	0.025	0.04	31.2	16.5	0.08	352	0.46	0.02	0.06
K812682		40.7	6.48	6.89	0.06	0.10	<0.005	0.015	0.04	15.4	55.4	0.26	658	0.48	0.01	<0.05
K812683		32.7	5.05	5.47	0.08	0.03	0.007	0.020	0.05	21.8	51.0	0.42	593	0.64	0.01	0.12
K812684		70.9	5.90	10.80	<0.05	0.05	0.049	0.064	0.03	9.6	95.6	2.43	1370	1.10	<0.01	0.30
K812685		33.4	4.92	6.10	<0.05	0.03	0.094	0.027	0.04	18.9	47.9	0.52	363	0.95	<0.01	0.22
K812686		88.1	8.14	10.90	0.08	0.04	0.031	0.058	0.03	23.6	113.0	1.08	3580	0.97	<0.01	0.07
K812687		27.6	4.87	5.71	0.06	0.06	0.067	0.018	0.03	27.8	69.5	0.48	1240	1.18	<0.01	0.16
K812688		45.9	5.34	6.74	0.11	0.06	0.052	0.026	0.06	23.3	67.4	0.77	767	0.89	0.02	0.14
K812689		21.7	4.31	5.26	0.09	0.03	0.057	0.017	0.03	9.4	21.9	0.25	388	0.87	0.01	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
K812403		28.0	0.101	45.5	3.5	<0.001	0.05	0.927	1.2	0.2	<0.2	7.4	<0.01	0.01	5.1	0.005
K812404		35.0	0.086	34.5	3.0	<0.001	0.04	0.867	1.0	0.5	<0.2	7.6	<0.01	0.02	3.6	0.006
K812405		6.1	0.076	10.05	1.8	<0.001	0.04	0.205	0.1	0.4	<0.2	5.0	<0.01	0.02	<0.1	0.008
K812406		13.9	0.058	9.01	1.9	<0.001	0.03	0.233	0.2	<0.1	<0.2	3.1	<0.01	0.01	0.2	0.009
K812407		26.6	0.080	26.3	5.9	<0.001	0.03	0.503	0.8	0.7	0.3	5.6	0.01	0.04	1.5	0.013
K812408		10.8	0.097	10.85	4.5	<0.001	0.04	0.435	0.1	0.6	0.3	5.5	<0.01	0.03	<0.1	0.007
K812409		14.5	0.066	5.58	2.7	<0.001	0.04	0.205	0.2	0.6	<0.2	4.8	<0.01	0.02	0.1	0.014
K812410		18.3	0.060	10.65	4.6	<0.001	0.01	0.287	1.0	0.2	0.2	3.9	<0.01	0.03	8.3	0.010
K812411		14.3	0.052	7.62	2.3	<0.001	0.02	0.236	0.2	0.3	0.2	4.3	<0.01	0.02	0.1	0.013
K812412		25.8	0.048	28.1	4.0	<0.001	0.01	0.790	1.6	0.6	0.3	6.5	0.01	0.04	8.4	0.015
K812413		17.6	0.061	21.7	4.6	<0.001	0.02	0.682	1.4	0.3	0.3	4.2	<0.01	0.02	7.8	0.011
K812414		11.8	0.080	13.75	5.4	<0.001	0.02	0.354	0.5	0.4	0.2	6.0	0.01	0.01	0.7	0.017
K812415		8.4	0.069	22.6	4.6	<0.001	0.02	0.399	0.4	0.4	0.3	5.9	0.01	0.02	0.6	0.015
K812416		12.7	0.063	20.6	2.9	<0.001	0.01	0.374	0.8	0.1	0.2	6.4	<0.01	0.01	4.5	0.011
K812417		6.2	0.080	19.95	4.3	<0.001	0.02	0.434	0.5	0.3	0.5	6.7	<0.01	0.03	1.4	0.015
K812418		20.8	0.060	18.50	4.6	<0.001	0.01	0.375	1.1	0.5	<0.2	3.9	<0.01	0.02	3.4	0.009
K812696		44.1	0.208	32.4	4.9	0.001	0.13	1.035	1.7	1.3	0.2	42.9	<0.01	0.14	1.3	0.004
K812697		23.2	0.184	29.9	3.8	<0.001	0.09	0.352	0.9	0.3	<0.2	5.0	<0.01	0.03	3.5	0.004
K812698		14.5	0.249	34.7	4.8	<0.001	0.11	0.645	0.2	0.9	0.2	8.3	<0.01	0.04	0.5	0.006
K812699		20.8	0.154	33.2	4.2	<0.001	0.12	0.978	0.8	0.6	<0.2	14.0	<0.01	0.03	1.8	0.006
K812700		26.5	0.145	65.1	4.4	<0.001	0.10	1.145	1.0	0.8	0.2	14.2	<0.01	0.04	4.4	0.005
K812690		13.7	0.086	19.80	5.0	<0.001	0.04	0.559	0.3	0.6	0.3	7.6	<0.01	0.01	0.3	0.012
K812691		45.3	0.177	66.2	5.2	<0.001	0.03	1.170	11.8	1.1	0.9	28.0	<0.01	0.04	5.6	0.015
K812692		14.2	0.133	28.8	6.0	<0.001	0.08	0.800	0.2	0.7	0.4	8.7	0.01	0.02	0.2	0.011
K812693		19.3	0.138	44.5	5.3	<0.001	0.05	1.490	0.6	0.7	0.4	8.3	<0.01	0.05	0.9	0.009
K812694		17.5	0.075	28.4	3.5	<0.001	0.02	0.947	0.9	0.3	0.3	5.9	<0.01	0.02	4.6	0.011
K812695		21.2	0.075	35.7	2.8	<0.001	0.03	0.836	1.2	0.7	0.2	5.5	<0.01	0.02	9.0	0.006
K812677		17.2	0.206	26.6	6.6	<0.001	0.13	0.539	0.5	0.6	0.3	5.4	0.01	0.02	1.3	0.007
K812678		29.6	0.133	29.3	6.1	<0.001	0.08	0.347	1.3	0.6	<0.2	5.5	<0.01	0.01	4.8	0.004
K812679		28.3	0.145	48.1	5.3	<0.001	0.11	1.160	0.9	0.6	0.3	8.1	0.01	0.04	1.7	0.010
K812680		32.2	0.109	40.6	6.6	<0.001	0.05	0.778	1.8	0.5	0.2	10.4	<0.01	0.03	8.3	0.004
K812681		15.0	0.068	35.3	3.9	<0.001	0.01	0.738	2.6	0.5	<0.2	10.5	<0.01	0.01	12.5	0.002
K812682		40.5	0.104	33.5	4.3	<0.001	0.02	0.664	2.3	0.7	<0.2	2.3	<0.01	0.02	14.1	0.003
K812683		34.2	0.085	34.5	5.2	<0.001	0.02	0.620	2.6	0.7	0.2	10.1	<0.01	0.01	11.9	0.006
K812684		55.6	0.296	35.6	2.9	<0.001	0.18	0.417	10.0	0.3	0.3	43.4	<0.01	<0.01	1.6	0.008
K812685		21.4	0.174	31.5	5.3	<0.001	0.16	1.215	1.9	0.7	0.2	16.3	<0.01	0.02	2.8	0.004
K812686		52.3	0.166	23.2	3.0	<0.001	0.04	0.487	10.2	1.1	<0.2	24.3	<0.01	<0.01	4.5	0.004
K812687		37.1	0.162	34.7	4.3	<0.001	0.12	0.946	1.1	0.5	0.2	12.4	<0.01	<0.01	3.4	0.004
K812688		35.9	0.112	34.2	5.2	<0.001	0.09	0.751	3.5	0.8	0.2	26.9	<0.01	0.02	5.4	0.005
K812689		16.0	0.156	28.4	5.1	<0.001	0.09	0.513	0.5	0.4	0.2	5.9	<0.01	0.02	1.0	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
K812403		0.03	1.19	15	0.650	3.26	84.3	4.4
K812404		0.02	1.21	16	0.0701	3.88	104.0	3.4
K812405		0.03	0.41	10	0.0683	1.10	20.5	<0.5
K812406		0.02	0.39	13	0.0476	1.06	44.7	<0.5
K812407		0.03	0.88	26	0.156	2.92	78.0	0.7
K812408		0.04	0.54	23	0.137	1.68	30.8	<0.5
K812409		0.03	0.41	19	0.0712	1.61	35.3	<0.5
K812410		0.02	0.72	27	0.0943	1.80	50.0	0.6
K812411		0.02	0.40	19	0.0578	0.80	42.9	<0.5
K812412		0.05	0.66	24	0.156	2.95	66.5	2.2
K812413		0.04	0.51	23	0.137	2.08	57.0	2.1
K812414		0.04	0.66	20	0.129	1.52	51.5	0.5
K812415		0.03	0.47	22	0.192	1.62	32.8	0.5
K812416		0.02	0.46	16	0.110	1.36	46.7	0.5
K812417		0.05	0.53	27	0.194	1.85	30.1	0.7
K812418		0.02	0.54	17	0.104	2.04	58.3	1.1
K812696		0.55	1.30	29	0.0751	8.57	113.5	2.0
K812697		0.04	0.82	16	0.331	2.54	66.0	3.4
K812698		0.05	1.02	26	0.111	2.38	44.1	<0.5
K812699		0.04	1.04	16	0.0896	3.12	63.1	2.0
K812700		0.04	2.24	20	0.100	4.05	85.6	4.1
K812690		0.06	0.73	17	0.176	2.78	42.0	<0.5
K812691		0.22	1.09	106	0.153	17.40	103.5	1.7
K812692		0.07	0.98	23	0.294	3.07	43.2	<0.5
K812693		0.07	1.08	27	0.278	3.74	61.7	<0.5
K812694		0.05	0.69	18	0.370	2.86	55.1	0.6
K812695		0.05	0.73	21	0.113	3.20	61.7	1.2
K812677		0.05	0.98	20	0.158	2.26	54.2	1.1
K812678		0.04	0.79	19	0.0626	2.56	79.1	1.3
K812679		0.07	1.23	25	0.0970	3.47	75.3	0.7
K812680		0.07	1.05	20	0.0803	4.31	76.0	2.5
K812681		0.03	0.75	9	0.0717	6.05	38.5	3.9
K812682		0.04	1.13	18	0.0240	9.79	91.3	5.4
K812683		0.06	1.23	18	0.149	5.84	75.7	2.2
K812684		0.05	0.55	146	0.186	5.89	112.0	1.5
K812685		0.06	1.07	38	0.116	3.35	68.7	1.1
K812686		0.06	0.48	110	0.0801	11.25	144.0	0.9
K812687		0.05	1.11	17	0.151	4.04	86.4	1.9
K812688		0.05	1.03	35	0.115	7.33	98.5	1.8
K812689		0.04	0.90	18	0.366	2.75	49.4	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 25- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11171441

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15-OCT-2011
Account: RESCOM

CERTIFICATE WH11194168

Project: GlenMorangie

P.O. No.:

This report is for 217 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-SEP-2011.

The following have access to data associated with this certificate:

DARRYN HITCHCOCK	BERNARD KAHLERT	STEVE POTTS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COMMANDER RESOURCES LTD.
ATTN: STEVE POTTS
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
812701			0.0005	0.289	1.12	4.34	<10	26.3	0.19	0.36	0.01	0.02	43.0	7.7	18.7	2.33
812702			0.0008	0.348	1.42	3.90	<10	59.3	0.49	0.44	0.05	0.04	40.4	7.8	19.3	3.39
812703			0.0007	0.164	2.25	18.20	<10	27.0	0.30	0.68	0.02	0.04	78.2	10.0	36.3	2.55
812704			0.0013	0.138	2.45	24.9	<10	49.3	0.42	0.54	0.01	0.04	81.9	15.5	35.3	1.88
812705			0.0004	0.079	1.33	6.01	<10	26.9	0.25	0.29	0.03	0.02	40.9	8.2	17.2	1.10
812706			0.0024	0.081	1.89	18.55	<10	26.6	0.24	0.49	0.01	0.02	64.8	8.9	28.9	1.93
812707			0.0027	0.080	2.02	106.5	<10	22.4	1.26	1.11	0.03	0.12	108.0	14.1	30.4	3.35
812708			0.0010	0.067	1.99	45.2	<10	18.4	1.37	0.69	0.02	0.10	93.8	11.9	34.3	2.48
812709			0.0007	0.139	2.00	69.9	<10	25.8	1.44	0.72	0.02	0.15	48.2	12.5	29.7	3.07
812710			0.0015	0.164	2.35	65.8	<10	31.6	0.97	1.05	0.03	0.15	83.9	13.6	35.3	2.10
812711			0.0013	0.069	2.20	36.5	<10	22.0	0.54	0.67	0.01	0.09	77.6	7.0	33.2	2.84
812712			0.0024	0.086	2.23	50.3	<10	19.2	0.62	0.69	0.01	0.04	97.2	8.9	39.1	3.75
812713			0.0036	0.576	2.08	170.0	<10	40.2	0.93	2.51	0.01	0.13	133.0	26.1	31.9	3.48
812714			0.0017	0.126	2.43	176.5	<10	29.8	0.61	0.55	0.02	0.16	65.8	10.0	38.9	2.54
812715			0.0013	0.276	2.28	34.5	<10	92.9	1.55	1.47	0.15	0.32	117.0	54.9	24.8	2.87
812716			0.0003	0.082	1.96	11.40	<10	26.8	1.03	1.13	0.06	0.08	126.0	34.0	27.9	4.24
812717			0.0004	0.080	1.83	17.90	<10	17.8	0.33	0.88	0.07	0.05	166.5	23.4	28.7	4.04
812718			0.0009	0.064	2.10	22.3	<10	27.8	1.03	0.74	0.03	0.11	81.7	15.8	31.7	2.26
812719			<0.0002	0.062	1.29	13.85	<10	22.9	0.30	0.52	0.02	0.05	67.7	5.8	24.3	2.38
812720			0.0004	0.036	2.07	15.75	<10	26.2	0.42	0.65	0.06	0.06	66.9	19.6	39.9	1.31
812721			0.0004	0.040	2.15	18.10	<10	27.3	0.48	0.73	0.06	0.06	76.9	22.6	34.8	1.54
812722			0.0005	0.062	1.76	18.85	<10	31.5	0.32	0.76	0.03	0.08	57.1	10.3	33.4	3.51
812723			0.0011	0.169	1.28	15.80	<10	39.2	0.24	0.59	0.03	0.12	31.1	4.8	33.9	2.23
812724			0.0004	0.089	1.00	4.42	<10	30.5	0.28	0.33	0.08	0.02	42.3	4.3	9.0	2.44
812725			0.0002	0.041	1.56	8.95	<10	30.7	0.25	0.63	0.03	0.05	62.8	10.7	28.2	2.11
812726			0.0006	0.027	1.50	7.95	<10	28.2	0.20	0.42	0.04	0.05	63.9	13.8	30.1	1.41
812727			0.0007	0.051	1.09	5.12	<10	33.1	0.27	0.85	0.03	0.06	41.3	10.5	21.1	2.79
812728			0.0002	0.018	1.36	2.76	<10	19.1	0.22	0.27	0.05	0.03	49.7	12.6	19.4	1.13
812729			0.0003	0.058	1.68	22.6	<10	29.9	0.28	0.69	0.03	0.04	65.6	8.2	28.9	2.42
812730			0.0002	0.027	1.43	5.84	<10	26.0	0.20	0.49	0.03	0.04	56.8	7.8	23.8	1.57
812731			0.0007	0.070	1.66	8.27	<10	37.2	0.38	0.72	0.04	0.08	55.3	14.3	37.4	6.78
812732			<0.0002	0.084	1.56	20.1	<10	17.9	0.42	0.47	0.01	0.08	48.8	5.0	28.0	2.39
812733			0.0009	0.070	1.65	35.7	<10	17.6	0.72	0.69	0.02	0.09	67.3	11.7	27.6	4.71
812734			0.0003	0.050	1.84	14.15	<10	16.1	0.48	0.53	0.01	0.03	62.3	7.3	26.0	2.46
812735			0.0007	0.080	1.76	19.95	<10	18.3	0.41	0.54	0.01	0.09	48.8	6.4	29.0	3.05
812736			0.0008	0.058	2.18	44.7	<10	17.0	0.68	0.56	0.01	0.05	73.3	13.5	29.5	3.19
812737			0.0005	0.070	1.58	27.7	<10	16.8	0.55	0.71	0.01	0.06	41.7	7.3	25.2	6.00
812738			0.0007	0.066	1.32	37.1	<10	17.0	0.46	0.56	0.01	0.08	41.8	7.2	24.9	4.59
812739			0.0005	0.063	1.87	22.9	<10	14.7	0.58	0.62	0.01	0.06	87.4	8.3	27.3	3.23
812740			0.0003	0.074	2.21	50.7	<10	23.1	1.51	0.61	0.01	0.05	59.5	20.9	26.5	11.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812701		16.45	2.91	5.28	0.13	<0.02	0.018	0.014	0.02	22.4	26.2	0.31	292	0.59	0.01	0.50
812702		82.4	2.54	4.96	0.14	0.03	0.031	0.017	0.03	22.4	33.8	0.39	313	0.67	0.01	0.24
812703		21.4	5.49	8.42	0.21	0.03	0.025	0.029	0.02	40.1	64.6	0.71	685	1.51	0.01	0.34
812704		47.6	4.79	7.64	0.20	0.05	0.014	0.029	0.04	41.8	79.0	0.81	630	0.46	<0.01	0.22
812705		19.70	2.57	4.76	0.14	0.03	0.009	0.014	0.02	21.6	32.5	0.35	270	0.44	0.01	0.26
812706		30.2	4.21	7.12	0.16	0.03	0.016	0.023	0.02	33.6	54.0	0.61	496	0.63	0.01	0.27
812707		48.6	5.96	6.99	0.22	0.06	0.013	0.037	0.02	61.6	76.0	0.73	408	0.93	0.01	0.22
812708		42.1	6.06	6.82	0.20	0.07	0.026	0.030	0.03	47.4	65.2	0.70	371	1.14	0.01	0.21
812709		42.9	6.01	6.72	0.16	0.08	0.047	0.032	0.03	28.4	61.3	0.65	535	0.91	<0.01	0.21
812710		53.7	6.28	8.12	0.20	0.08	0.045	0.037	0.02	44.2	66.3	0.72	438	0.79	0.01	0.23
812711		29.9	5.34	7.61	0.18	0.06	0.025	0.023	0.03	37.2	70.2	0.77	297	0.55	0.01	0.11
812712		41.8	5.64	7.76	0.23	0.04	0.014	0.026	0.03	47.6	78.6	0.81	309	1.27	0.01	0.10
812713		68.0	6.30	7.64	0.25	0.06	0.021	0.051	0.03	67.7	63.8	0.66	680	2.95	0.02	0.12
812714		31.9	5.67	8.08	0.15	0.08	0.031	0.033	0.03	33.4	69.1	0.77	828	1.19	0.01	0.21
812715		84.1	4.72	7.91	0.19	0.06	0.016	0.052	0.03	40.5	78.8	0.84	2000	1.05	0.01	0.22
812716		139.0	4.10	6.65	0.18	0.06	0.025	0.021	0.02	37.4	74.7	0.75	1020	0.65	0.01	0.26
812717		58.3	3.98	6.53	0.23	0.07	0.013	0.025	0.03	46.1	46.1	0.59	558	1.18	0.01	0.23
812718		45.8	5.90	6.49	0.18	0.06	0.036	0.028	0.02	44.2	52.3	0.65	480	0.84	0.01	0.23
812719		18.60	3.66	5.71	0.21	0.03	0.012	0.015	0.02	33.4	35.2	0.37	396	0.70	0.01	0.17
812720		31.7	4.16	5.87	0.17	0.06	0.006	0.020	0.04	24.0	54.2	0.77	542	1.81	<0.01	1.15
812721		35.4	4.39	6.37	0.19	0.04	0.006	0.021	0.04	27.2	56.8	0.81	580	1.03	<0.01	1.29
812722		27.1	5.23	8.87	0.15	<0.02	0.021	0.026	0.03	30.8	35.6	0.44	482	1.12	0.01	0.49
812723		16.50	3.49	5.33	0.11	0.05	0.121	0.018	0.03	15.0	8.5	0.16	209	1.31	<0.01	1.28
812724		27.7	1.39	3.02	0.11	0.02	0.015	0.012	0.03	21.1	10.6	0.16	107	0.42	0.02	0.26
812725		20.6	3.95	7.47	0.09	<0.02	0.019	0.025	0.02	31.7	29.8	0.44	444	0.99	<0.01	0.54
812726		15.30	4.59	6.62	0.11	<0.02	0.008	0.020	0.02	32.9	34.6	0.50	440	0.67	<0.01	0.21
812727		26.5	3.58	6.14	0.07	0.02	0.019	0.016	0.03	21.5	21.9	0.26	225	0.61	0.01	0.24
812728		17.00	2.85	5.30	0.11	0.03	<0.005	0.015	0.02	25.6	36.0	0.42	576	0.41	0.01	0.30
812729		23.7	4.50	7.80	0.10	<0.02	0.020	0.026	0.03	33.7	36.3	0.51	583	1.39	<0.01	0.34
812730		15.55	3.67	6.86	0.10	<0.02	0.013	0.018	0.03	27.8	33.4	0.42	502	0.97	0.01	0.31
812731		24.7	4.05	7.52	0.10	<0.02	0.021	0.022	0.06	27.1	42.0	0.51	586	1.16	<0.01	0.36
812732		19.85	5.05	7.64	0.09	<0.02	0.036	0.024	0.03	24.9	44.2	0.41	313	0.79	<0.01	0.49
812733		35.3	5.60	7.21	0.12	0.06	0.028	0.029	0.03	34.8	57.9	0.47	422	0.91	<0.01	0.37
812734		26.4	4.37	5.85	0.12	0.06	0.016	0.019	0.03	30.0	74.0	0.67	315	0.52	<0.01	0.17
812735		22.6	5.16	7.49	0.08	0.08	0.042	0.023	0.03	23.2	49.0	0.52	367	0.79	<0.01	0.31
812736		36.7	5.11	6.58	0.13	0.07	0.011	0.027	0.04	35.2	70.8	0.78	414	0.63	<0.01	0.20
812737		30.4	4.97	6.76	0.09	0.08	0.037	0.027	0.02	21.4	49.7	0.47	358	0.77	<0.01	0.24
812738		22.8	4.38	6.66	0.08	0.02	0.038	0.023	0.03	19.9	33.3	0.35	205	0.82	<0.01	0.31
812739		32.1	4.93	6.22	0.12	0.07	0.025	0.026	0.03	43.5	77.9	0.61	345	0.54	<0.01	0.09
812740		67.8	6.54	6.12	0.12	0.14	<0.005	0.040	0.03	28.4	72.1	0.70	381	0.70	<0.01	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812701		14.7	0.068	5.85	4.1	<0.001	0.01	0.116	1.0	0.2	0.2	3.6	<0.01	0.02	4.8	0.013
812702		20.9	0.089	8.22	3.7	<0.001	0.04	0.059	1.0	0.5	0.2	6.4	<0.01	0.03	2.4	0.006
812703		18.7	0.090	16.55	2.8	0.001	0.02	0.199	2.3	0.6	0.2	5.8	<0.01	0.03	13.7	0.009
812704		34.3	0.035	16.65	4.2	<0.001	0.01	0.187	2.4	0.5	0.2	8.6	<0.01	0.04	13.9	0.007
812705		16.6	0.045	6.29	2.1	<0.001	<0.01	0.077	1.2	0.3	<0.2	4.1	<0.01	0.03	4.0	0.010
812706		20.6	0.056	11.30	3.4	<0.001	0.01	0.192	1.7	0.3	0.2	4.5	<0.01	0.03	7.8	0.007
812707		32.5	0.129	101.5	2.8	<0.001	0.05	0.802	2.3	0.9	0.2	31.0	<0.01	0.05	10.4	0.009
812708		27.8	0.141	34.0	2.7	<0.001	0.05	0.935	1.9	1.2	0.3	18.1	<0.01	0.05	9.3	0.008
812709		25.6	0.158	37.0	4.5	<0.001	0.08	0.521	1.6	0.7	0.4	13.2	<0.01	0.06	6.9	0.007
812710		31.1	0.135	55.3	3.3	<0.001	0.08	0.336	2.2	1.5	0.3	16.8	<0.01	0.06	12.8	0.007
812711		21.4	0.089	33.8	3.9	<0.001	0.03	0.200	1.9	1.0	0.2	13.9	<0.01	0.04	9.2	0.005
812712		24.9	0.086	41.7	3.4	<0.001	0.02	0.340	2.5	1.2	0.2	18.0	<0.01	0.03	15.1	0.005
812713		41.6	0.128	598	3.5	<0.001	0.09	0.537	2.8	1.7	0.4	47.1	<0.01	0.08	12.9	0.005
812714		23.1	0.137	85.5	4.4	<0.001	0.04	0.300	1.6	0.8	0.4	20.9	<0.01	0.04	7.0	0.008
812715		56.1	0.112	255	3.5	<0.001	0.02	0.231	3.1	1.2	0.3	76.0	<0.01	0.08	10.0	0.010
812716		37.3	0.083	52.9	3.2	<0.001	0.02	0.239	1.6	1.0	0.2	19.7	<0.01	0.06	9.8	0.010
812717		35.1	0.078	25.0	3.4	<0.001	0.02	0.337	2.0	1.2	0.2	12.5	<0.01	0.05	10.2	0.010
812718		27.2	0.139	39.3	3.0	<0.001	0.06	0.797	1.6	1.0	0.2	43.0	<0.01	0.04	6.3	0.010
812719		11.0	0.108	33.7	2.1	<0.001	0.03	0.269	1.0	0.7	0.2	17.0	<0.01	0.02	3.8	0.007
812720		41.7	0.069	56.3	4.0	<0.001	0.01	0.269	1.5	0.7	0.2	18.5	0.01	0.02	8.4	0.013
812721		40.7	0.068	61.3	4.7	<0.001	0.01	0.259	1.7	1.0	0.2	20.4	0.01	0.02	10.3	0.018
812722		18.9	0.139	28.9	6.2	<0.001	0.07	0.442	0.5	0.7	0.4	18.4	0.01	0.05	0.7	0.016
812723		12.7	0.166	27.0	6.0	<0.001	0.12	0.314	0.4	0.9	0.3	9.2	0.01	0.05	1.5	0.010
812724		8.2	0.097	23.7	3.0	<0.001	0.02	0.083	0.5	0.8	<0.2	8.7	<0.01	0.02	0.6	0.013
812725		22.5	0.093	15.65	5.0	<0.001	0.03	0.345	0.8	0.8	0.5	18.1	0.01	0.03	0.9	0.027
812726		27.9	0.073	12.80	3.6	<0.001	0.03	0.274	0.8	0.4	0.3	8.3	0.01	0.02	1.5	0.022
812727		20.5	0.105	7.79	4.6	<0.001	0.05	0.211	0.5	0.6	0.3	6.2	0.01	0.03	1.4	0.009
812728		24.5	0.054	4.57	2.8	<0.001	0.02	0.203	1.0	0.2	0.2	5.6	<0.01	0.02	3.9	0.013
812729		20.4	0.115	14.30	6.2	<0.001	0.05	0.428	0.8	0.7	0.4	9.8	0.01	0.04	1.2	0.015
812730		16.0	0.081	8.47	4.9	<0.001	0.04	0.294	0.7	0.3	0.3	6.4	0.01	0.02	1.4	0.016
812731		23.5	0.112	10.60	11.2	<0.001	0.05	0.335	0.8	0.9	0.5	7.5	<0.01	0.03	0.8	0.018
812732		12.2	0.135	26.6	4.0	<0.001	0.08	0.605	0.6	0.9	0.4	9.9	<0.01	0.03	0.8	0.014
812733		25.1	0.136	32.4	3.1	<0.001	0.07	0.760	1.1	0.7	0.3	17.3	<0.01	0.05	2.6	0.011
812734		15.3	0.065	26.4	3.1	<0.001	0.02	0.558	1.5	0.6	0.2	16.0	<0.01	0.03	7.1	0.006
812735		13.7	0.131	29.1	3.9	<0.001	0.07	0.525	1.2	0.5	0.3	13.9	<0.01	0.03	4.4	0.009
812736		29.5	0.078	34.0	3.4	<0.001	0.03	0.594	2.0	0.5	0.2	16.1	<0.01	0.03	7.7	0.007
812737		15.8	0.177	32.5	3.7	<0.001	0.07	0.735	1.0	0.6	0.2	15.9	<0.01	0.05	3.6	0.006
812738		16.1	0.127	30.1	3.7	<0.001	0.06	0.815	0.7	0.7	0.3	18.9	<0.01	0.04	1.9	0.009
812739		18.9	0.076	29.3	3.2	<0.001	0.04	0.679	1.9	0.7	0.2	10.5	<0.01	0.04	8.4	0.004
812740		34.5	0.130	41.9	3.2	<0.001	0.03	0.640	2.9	0.6	0.2	25.6	<0.01	0.04	23.1	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method Analyte Units LOR	ME- MS41L Tl ppm 0.02	ME- MS41L U ppm 0.05	ME- MS41L V ppm 1	ME- MS41L W ppm 0.0001	ME- MS41L Y ppm 0.05	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.5
812701		0.03	0.52	19	0.176	1.82	40.2	<0.5
812702		0.06	1.11	12	0.133	5.17	47.1	0.9
812703		0.03	0.86	20	0.245	2.92	70.6	1.2
812704		0.03	0.86	19	0.343	3.52	86.1	2.2
812705		0.02	0.71	12	0.116	2.22	39.4	1.0
812706		0.03	0.89	17	0.156	2.71	61.6	0.9
812707		0.03	1.79	21	0.106	12.15	102.0	1.8
812708		0.02	1.57	22	0.527	11.15	89.5	1.8
812709		0.04	1.89	20	0.119	8.63	95.0	2.3
812710		0.03	1.75	22	0.0881	12.45	101.5	2.7
812711		0.03	1.35	18	0.0542	10.60	79.1	1.6
812712		0.03	1.60	17	0.134	13.35	82.8	1.4
812713		0.02	2.37	19	0.131	20.3	130.0	1.7
812714		0.04	1.25	23	0.221	5.72	91.0	2.3
812715		0.03	2.27	30	0.140	16.10	161.5	1.6
812716		0.03	1.79	20	0.155	8.30	98.8	2.5
812717		0.04	2.60	16	0.145	16.00	87.6	1.9
812718		0.03	1.78	21	0.167	14.10	89.3	1.5
812719		0.02	1.04	15	0.0526	3.64	42.3	0.9
812720		0.04	1.08	16	0.188	12.40	81.2	1.5
812721		0.04	1.18	17	0.217	13.50	85.2	1.2
812722		0.05	1.34	27	0.146	5.00	61.2	<0.5
812723		0.08	0.96	26	0.280	3.36	31.4	1.5
812724		0.04	1.05	12	0.0792	7.83	22.9	0.5
812725		0.05	1.08	28	0.177	3.63	55.0	<0.5
812726		0.04	0.79	28	0.186	2.91	71.4	<0.5
812727		0.04	0.79	26	0.163	2.35	47.8	0.7
812728		0.03	0.62	16	0.157	2.37	58.1	1.0
812729		0.06	1.06	28	0.307	3.45	59.3	<0.5
812730		0.05	0.88	21	0.180	2.43	48.7	<0.5
812731		0.13	1.03	30	0.301	4.66	58.3	<0.5
812732		0.05	0.90	23	0.101	2.64	52.6	<0.5
812733		0.04	1.24	22	0.123	3.69	75.3	1.7
812734		0.03	0.85	15	0.0542	2.56	67.1	1.7
812735		0.04	0.97	22	0.105	2.64	60.3	2.2
812736		0.04	1.15	19	0.0621	4.07	87.6	2.0
812737		0.03	1.27	20	0.0829	2.86	59.0	2.1
812738		0.05	0.98	23	0.100	2.57	56.2	0.7
812739		0.03	1.13	16	0.0478	3.85	71.2	2.1
812740		0.04	2.15	16	0.0477	7.78	106.5	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812741			0.0004	0.084	2.14	52.0	<10	21.5	1.64	0.73	0.01	0.05	62.5	19.2	25.5	11.05
812742			0.0003	0.048	1.41	22.4	<10	25.6	0.49	0.46	0.04	0.06	45.8	11.6	21.8	1.93
812743			0.0003	0.095	2.03	28.8	<10	18.5	0.68	0.56	0.02	0.06	78.9	15.3	28.9	2.67
812744			0.0010	0.067	1.99	48.7	<10	25.4	0.93	0.65	0.02	0.07	96.6	21.2	28.7	3.15
812601			0.0002	0.091	1.86	10.75	<10	20.2	0.18	0.48	0.02	0.03	48.3	10.4	29.6	2.48
812602			0.0003	0.092	1.33	9.49	<10	37.8	0.19	0.40	0.02	0.04	49.2	7.0	19.7	2.20
812603			<0.0002	0.028	1.20	7.29	<10	16.1	0.16	0.32	0.02	0.03	31.5	7.4	19.4	0.86
812604			<0.0002	0.073	1.34	6.66	<10	16.6	0.23	0.32	0.02	0.04	38.3	6.5	19.5	1.10
812605			0.0008	0.306	1.53	14.45	<10	21.1	0.28	0.56	0.03	0.10	40.7	7.5	24.8	1.92
812606			0.0130	0.031	2.31	14.10	<10	32.1	0.37	0.47	0.02	0.04	65.2	18.2	33.0	1.38
812607			0.0030	0.095	2.31	38.3	<10	31.8	0.34	0.70	0.01	0.04	68.4	15.2	32.2	1.80
812608			0.0022	0.037	1.93	13.00	<10	34.5	0.16	0.42	0.01	0.02	80.6	7.6	31.3	2.25
812609			0.0015	0.089	1.45	19.95	<10	27.0	0.31	0.51	0.02	0.04	42.4	8.7	24.4	2.87
812610			0.0003	0.158	1.78	22.6	<10	23.6	0.30	1.98	0.02	0.06	47.1	10.8	28.6	2.34
812611			0.0003	0.058	2.20	6.06	<10	30.5	0.31	0.46	0.05	0.02	87.0	15.6	34.4	4.96
812612			0.0004	0.437	1.18	4.51	<10	22.8	0.19	0.35	0.03	0.02	43.1	7.5	17.2	6.37
812613			<0.0002	0.134	0.48	2.09	<10	23.0	0.09	0.26	0.01	0.03	28.7	1.8	6.4	6.14
812614			0.0006	0.191	1.41	4.96	<10	33.6	0.23	0.45	0.02	0.07	48.6	8.5	19.9	3.58
812615			<0.0002	0.062	1.71	7.15	<10	26.9	0.24	0.49	0.01	0.04	63.3	13.3	27.7	2.39
812616			<0.0002	0.040	0.71	6.82	<10	14.6	0.10	0.19	0.01	0.02	24.6	3.9	9.2	1.23
812617			0.0005	0.105	0.82	7.07	<10	26.9	0.22	0.45	0.02	0.05	49.1	6.1	13.8	2.61
812618			<0.0002	0.056	0.15	0.24	<10	8.8	<0.05	0.02	0.03	0.01	0.88	0.4	1.1	0.21
812619			0.0005	0.168	0.51	2.54	<10	44.6	0.28	0.36	0.03	0.04	33.7	3.0	7.3	14.65
812620			0.0002	0.040	0.47	2.04	<10	11.8	0.08	0.10	0.02	0.01	11.40	1.1	4.0	0.41
812621			0.0003	0.044	0.83	4.35	<10	18.8	0.13	0.19	0.02	0.02	25.2	1.7	7.0	0.70
812622			0.0010	0.061	1.64	11.05	<10	30.5	0.40	0.45	0.01	0.03	69.7	6.6	26.2	2.35
812623			0.0005	0.257	1.67	20.0	<10	60.6	0.78	0.59	0.21	0.06	60.3	15.1	22.0	6.26
812624			0.0004	0.087	2.02	18.30	<10	31.1	0.26	0.46	0.01	0.03	71.1	7.2	28.5	2.19
812625			0.0005	0.382	1.73	36.0	<10	27.0	0.28	0.57	0.01	0.04	76.9	5.0	28.8	2.59
812626			0.0003	0.201	1.52	21.7	<10	23.8	0.24	0.41	0.03	0.03	47.3	8.6	23.0	1.64
812627			0.0004	0.043	2.15	4.46	<10	31.5	0.26	0.37	0.05	0.03	76.3	15.1	32.5	1.87
812628			0.0003	0.069	1.82	4.82	<10	25.3	0.22	0.41	0.01	0.03	77.9	10.7	28.3	2.22
812629			0.0004	0.045	1.31	5.79	<10	34.7	0.21	0.46	0.02	0.04	54.8	7.7	19.0	2.93
812630			0.0002	0.029	0.46	2.39	<10	13.7	0.08	0.17	0.02	0.02	14.60	3.0	7.2	1.27
812631			0.0004	0.033	0.70	7.64	<10	19.4	0.18	0.63	0.01	0.03	67.4	5.7	14.6	1.29
812632			0.0010	0.070	0.58	2.46	<10	20.7	0.16	0.24	0.01	0.03	29.8	4.9	8.1	2.07
812633			0.0012	0.044	1.22	24.2	<10	18.6	0.53	0.30	0.03	0.09	38.5	11.1	16.7	1.46
812634			0.0017	0.054	1.71	49.6	<10	26.5	0.47	0.57	0.01	0.07	78.0	5.5	27.3	2.13
812635			0.0007	0.031	0.47	13.40	<10	18.7	0.15	0.16	0.03	0.03	14.80	1.8	4.9	0.73
812636			0.0040	0.083	1.93	69.0	<10	22.8	0.86	0.72	0.03	0.11	86.3	17.8	27.4	2.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812741		62.9	6.48	5.71	0.12	0.14	<0.005	0.039	0.03	29.1	66.5	0.67	377	0.71	<0.01	<0.05
812742		28.1	3.95	5.14	0.09	<0.02	0.015	0.020	0.03	23.2	43.2	0.46	372	0.73	0.01	0.30
812743		36.7	5.05	6.54	0.14	0.06	0.012	0.029	0.05	38.4	70.4	0.77	356	0.86	<0.01	0.24
812744		45.6	5.79	6.48	0.15	0.02	0.007	0.030	0.03	47.8	60.8	0.72	483	0.80	<0.01	0.42
812601		16.90	4.44	7.29	0.09	0.04	0.020	0.024	0.02	24.7	45.5	0.57	689	1.09	0.01	0.28
812602		23.2	3.05	7.06	0.08	<0.02	0.014	0.017	0.02	26.6	28.6	0.34	333	0.83	0.01	0.37
812603		10.75	2.98	5.33	0.07	<0.02	0.012	0.014	0.02	16.4	32.7	0.40	278	0.39	0.01	0.17
812604		18.10	3.03	4.98	0.07	0.03	0.012	0.013	0.02	19.1	35.8	0.42	265	0.37	0.01	0.23
812605		22.4	4.37	6.78	0.09	0.04	0.032	0.018	0.02	20.1	36.3	0.43	431	0.69	0.01	0.24
812606		28.5	4.73	7.18	0.10	0.04	0.005	0.020	0.03	33.5	63.9	0.80	570	0.41	<0.01	0.27
812607		20.5	4.96	8.41	0.11	0.04	0.013	0.025	0.02	34.2	62.6	0.70	589	0.56	<0.01	0.44
812608		24.5	4.65	8.24	0.12	0.02	0.006	0.022	0.02	41.5	46.4	0.62	593	0.78	0.01	0.34
812609		45.3	3.80	6.60	0.07	0.04	0.020	0.020	0.02	21.9	33.0	0.44	296	0.90	<0.01	0.27
812610		22.7	4.74	7.48	0.07	0.04	0.034	0.024	0.02	24.5	48.4	0.52	534	0.81	<0.01	0.45
812611		46.2	4.64	7.67	0.12	0.03	<0.005	0.025	0.03	45.0	60.7	0.76	630	0.75	<0.01	0.27
812612		52.2	2.36	5.11	0.07	0.02	0.024	0.019	0.03	21.6	27.1	0.33	280	0.89	0.01	0.19
812613		24.3	1.11	3.85	<0.05	<0.02	0.012	0.008	0.02	14.8	4.5	0.07	60	0.64	0.01	0.12
812614		21.3	3.04	6.55	0.08	0.02	0.016	0.018	0.02	25.0	29.3	0.37	319	0.83	0.01	0.27
812615		20.0	4.82	6.92	0.10	<0.02	0.010	0.022	0.02	31.7	38.1	0.47	467	0.80	<0.01	0.70
812616		6.25	1.88	4.16	<0.05	<0.02	0.008	0.008	0.01	12.8	12.3	0.15	134	0.40	0.01	0.45
812617		18.10	3.23	7.06	0.12	<0.02	0.024	0.016	0.02	25.8	11.6	0.14	225	0.99	0.02	1.37
812618		1.65	0.19	0.77	0.06	<0.02	0.014	<0.005	0.02	0.5	0.3	0.01	14	0.10	0.03	0.06
812619		94.9	1.27	2.82	0.11	<0.02	0.019	0.008	0.03	19.8	8.1	0.11	71	1.10	0.02	0.33
812620		4.18	0.69	2.71	0.08	<0.02	0.013	0.006	0.01	6.1	4.9	0.05	35	0.24	0.02	0.25
812621		7.03	1.28	4.15	0.09	<0.02	0.015	0.010	0.01	13.8	10.2	0.09	64	0.37	0.02	0.47
812622		15.85	4.33	7.46	0.14	0.02	0.013	0.019	0.02	37.2	38.2	0.42	357	0.71	0.01	0.82
812623		37.3	3.23	5.51	0.12	0.06	0.033	0.024	0.04	26.8	43.9	0.45	920	1.15	0.02	0.24
812624		29.2	4.87	8.81	0.14	0.03	0.022	0.022	0.02	36.9	46.0	0.51	429	0.81	0.01	0.83
812625		22.1	4.97	9.62	0.13	0.02	0.032	0.023	0.02	41.7	39.0	0.38	399	1.02	0.01	0.88
812626		26.2	3.46	5.76	0.14	0.04	0.017	0.019	0.02	24.7	41.9	0.45	370	0.64	0.02	0.21
812627		24.0	4.38	7.54	0.17	0.03	0.010	0.018	0.02	40.2	62.5	0.79	663	0.67	0.01	0.23
812628		14.55	4.57	8.22	0.15	0.02	0.020	0.019	0.02	40.8	46.3	0.53	508	0.81	0.01	0.45
812629		16.55	3.38	6.66	0.13	<0.02	0.022	0.016	0.02	28.7	27.5	0.33	310	0.83	0.02	0.40
812630		8.91	1.32	2.56	0.09	<0.02	0.015	0.007	0.02	7.8	8.4	0.11	113	0.38	0.02	0.15
812631		17.60	4.09	8.58	0.13	<0.02	0.024	0.014	0.02	34.9	10.2	0.14	179	1.06	0.01	0.75
812632		10.60	1.87	3.32	0.09	<0.02	0.022	0.010	0.02	16.6	7.5	0.09	154	0.48	0.02	0.31
812633		27.9	2.95	4.52	0.12	0.03	0.038	0.016	0.02	18.8	36.8	0.37	279	0.61	0.02	0.24
812634		27.0	4.48	5.96	0.14	0.04	0.019	0.029	0.03	43.3	50.8	0.55	375	0.88	0.01	0.28
812635		11.45	0.98	2.06	0.07	<0.02	0.020	0.008	0.02	8.8	4.3	0.06	56	0.32	0.02	0.20
812636		39.3	5.28	6.25	0.16	0.04	0.018	0.038	0.02	42.2	66.2	0.65	432	0.84	0.01	0.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812741		31.4	0.141	50.8	3.1	<0.001	0.03	0.720	2.7	0.6	0.2	27.0	<0.01	0.03	23.5	0.004
812742		20.5	0.106	27.0	4.3	<0.001	0.04	0.601	0.9	0.3	0.2	13.5	<0.01	0.03	2.0	0.013
812743		33.0	0.083	34.7	4.3	<0.001	0.03	0.656	2.3	0.7	0.2	14.9	<0.01	0.02	13.3	0.010
812744		30.2	0.101	44.3	3.8	<0.001	0.02	1.015	2.4	0.8	0.3	8.2	<0.01	0.04	12.5	0.016
812601		20.4	0.087	8.77	3.1	<0.001	0.04	0.114	1.3	0.6	0.2	3.5	<0.01	0.04	5.3	0.007
812602		14.7	0.056	11.55	3.3	<0.001	0.02	0.188	0.7	0.2	0.4	7.5	0.01	0.02	1.2	0.014
812603		14.3	0.069	9.92	2.3	<0.001	0.02	0.128	0.6	0.4	0.2	4.3	<0.01	0.02	0.9	0.009
812604		13.7	0.075	12.65	2.8	<0.001	0.01	0.119	0.8	0.3	0.2	3.6	<0.01	0.02	2.5	0.007
812605		16.7	0.152	16.20	2.8	<0.001	0.05	0.219	0.9	0.4	0.2	4.5	0.01	0.03	3.9	0.007
812606		31.0	0.042	17.35	3.8	<0.001	0.01	0.167	1.8	0.4	0.2	4.6	<0.01	0.03	10.8	0.007
812607		29.9	0.035	13.25	4.0	<0.001	0.02	0.203	1.9	0.5	0.3	3.5	<0.01	0.03	10.3	0.008
812608		13.2	0.061	21.8	2.8	<0.001	0.02	0.148	1.6	0.4	0.2	5.5	<0.01	0.03	8.4	0.008
812609		19.6	0.108	19.85	3.7	<0.001	0.04	0.354	0.7	0.5	0.3	5.2	0.01	0.03	2.2	0.007
812610		22.2	0.099	21.1	4.4	<0.001	0.04	0.219	1.2	0.5	0.3	5.4	0.01	0.05	4.7	0.009
812611		32.1	0.062	10.10	4.5	<0.001	0.01	0.131	2.0	0.5	0.2	3.9	<0.01	0.02	11.8	0.012
812612		16.6	0.065	7.80	3.3	<0.001	0.03	0.063	0.7	0.4	0.2	3.3	<0.01	0.02	1.2	0.008
812613		3.7	0.072	5.47	2.8	<0.001	0.02	0.081	0.1	0.2	0.3	3.9	<0.01	0.02	0.2	0.007
812614		17.2	0.074	10.05	4.4	<0.001	0.03	0.175	0.5	0.6	0.3	4.8	<0.01	0.03	0.8	0.012
812615		25.1	0.044	9.36	3.5	<0.001	0.02	0.239	1.6	0.4	0.3	3.7	0.01	0.03	8.7	0.015
812616		8.1	0.026	4.54	2.2	<0.001	0.02	0.132	0.4	0.2	0.3	3.5	<0.01	0.02	0.5	0.017
812617		12.7	0.072	9.79	5.1	<0.001	0.03	0.334	0.9	0.4	0.5	4.9	0.01	0.02	5.1	0.033
812618		0.8	0.039	1.00	0.8	<0.001	0.02	0.005	0.1	0.2	<0.2	6.4	<0.01	<0.01	<0.1	0.009
812619		9.5	0.030	5.67	4.2	<0.001	0.03	0.395	0.6	0.5	0.2	7.2	<0.01	0.02	1.2	0.012
812620		2.2	0.020	3.89	1.2	<0.001	0.02	0.049	0.2	0.2	0.2	3.8	<0.01	0.01	0.1	0.014
812621		3.6	0.024	7.24	2.1	<0.001	0.02	0.094	0.5	0.4	0.3	4.2	<0.01	0.02	1.0	0.012
812622		14.6	0.076	18.90	4.8	<0.001	0.03	0.211	1.5	0.8	0.4	7.7	<0.01	0.03	12.3	0.011
812623		34.1	0.148	22.5	4.3	<0.001	0.07	0.144	0.9	0.7	0.2	18.3	<0.01	0.02	3.4	0.005
812624		17.0	0.050	13.90	2.9	<0.001	0.02	0.273	1.8	0.5	0.3	4.9	0.01	0.03	11.8	0.016
812625		13.3	0.122	13.80	3.6	<0.001	0.03	0.527	1.4	0.4	0.4	5.5	0.01	0.01	9.4	0.019
812626		19.4	0.089	12.65	2.4	<0.001	0.03	0.204	1.1	0.7	0.2	5.9	<0.01	0.02	3.4	0.009
812627		30.7	0.051	7.62	2.9	<0.001	0.02	0.095	2.3	0.6	0.2	3.5	<0.01	0.02	12.3	0.012
812628		21.7	0.058	8.21	3.8	<0.001	0.03	0.128	1.7	0.6	0.3	2.9	<0.01	0.02	11.4	0.012
812629		15.2	0.069	8.61	3.5	<0.001	0.03	0.161	0.9	0.6	0.3	5.2	0.01	0.03	3.1	0.014
812630		5.7	0.039	3.59	1.8	<0.001	0.02	0.089	0.2	0.3	0.3	3.6	<0.01	0.02	0.2	0.012
812631		12.4	0.066	9.12	2.4	<0.001	0.03	0.387	0.9	0.5	0.5	4.1	<0.01	0.03	6.9	0.020
812632		9.3	0.041	4.27	2.9	<0.001	0.03	0.227	0.3	0.3	0.2	4.4	<0.01	0.01	0.4	0.015
812633		17.7	0.085	17.45	2.6	<0.001	0.06	0.451	0.8	0.7	0.2	8.3	<0.01	0.02	1.7	0.013
812634		14.7	0.105	45.3	3.8	<0.001	0.06	0.409	1.2	0.7	0.2	17.8	<0.01	0.03	4.8	0.010
812635		3.8	0.059	16.15	1.7	<0.001	0.05	0.129	0.2	0.5	<0.2	8.8	<0.01	0.01	0.2	0.011
812636		27.2	0.094	60.9	3.4	<0.001	0.04	0.502	1.9	1.0	0.3	13.3	<0.01	0.04	8.9	0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812741		0.04	2.24	14	0.0479	8.07	99.5	10.2
812742		0.04	0.88	20	0.115	3.44	62.5	0.5
812743		0.04	1.22	18	0.146	6.35	86.6	2.3
812744		0.04	1.57	21	0.104	6.92	93.7	1.0
812601		0.03	0.63	17	0.0945	1.99	54.1	1.2
812602		0.04	0.69	18	0.162	2.31	37.5	<0.5
812603		0.02	0.46	18	0.194	2.55	42.0	<0.5
812604		0.02	0.62	14	0.260	3.11	43.1	1.2
812605		0.02	0.79	20	0.235	3.57	55.0	1.2
812606		0.03	0.90	20	0.208	4.73	85.0	1.3
812607		0.04	0.74	22	0.195	3.48	77.4	1.5
812608		0.03	0.72	19	0.0768	2.81	57.0	0.9
812609		0.03	1.11	20	0.117	4.09	53.4	1.1
812610		0.04	0.81	21	0.543	2.41	66.1	0.8
812611		0.04	1.30	23	0.120	4.04	81.2	0.8
812612		0.05	1.20	13	0.0985	2.69	38.0	0.8
812613		0.04	0.51	12	0.101	1.47	11.3	<0.5
812614		0.05	0.80	21	0.182	2.68	46.1	<0.5
812615		0.05	0.80	27	0.304	2.83	74.5	0.6
812616		0.03	0.34	15	0.142	1.38	22.5	<0.5
812617		0.05	0.71	29	0.593	2.33	41.5	0.5
812618		<0.02	0.09	5	0.0269	0.14	2.8	<0.5
812619		0.88	0.87	12	0.273	4.19	19.9	<0.5
812620		0.02	0.24	9	0.188	0.74	7.0	<0.5
812621		0.03	0.38	12	0.153	1.46	11.3	0.5
812622		0.04	0.78	22	0.481	4.41	51.8	1.1
812623		0.04	1.82	15	0.221	7.58	69.7	1.7
812624		0.03	0.80	24	0.187	3.20	53.6	1.6
812625		0.05	0.89	30	0.250	2.73	49.4	0.8
812626		0.02	0.88	16	0.200	2.65	52.2	1.0
812627		0.02	0.91	21	0.128	3.38	81.5	1.0
812628		0.02	0.74	23	0.161	2.86	58.9	0.7
812629		0.03	0.70	20	0.200	2.18	44.9	<0.5
812630		<0.02	0.28	10	0.106	0.69	18.5	<0.5
812631		0.05	0.69	37	0.405	2.58	47.7	<0.5
812632		0.03	0.49	16	0.242	1.57	31.6	<0.5
812633		0.02	0.91	17	0.192	6.25	52.7	0.8
812634		0.03	1.06	19	0.113	6.09	62.4	1.1
812635		0.02	0.40	8	0.0801	1.81	14.8	<0.5
812636		0.03	1.45	21	0.143	11.95	100.0	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
812637			0.0051	0.079	1.80	99.1	<10	25.8	0.81	0.77	0.01	0.09	70.9	9.8	27.4	7.12
812638			0.0021	0.035	1.88	36.2	<10	15.7	0.49	0.51	0.01	0.06	52.9	5.2	28.5	1.17
812639			0.0032	0.100	1.97	50.1	<10	23.9	1.10	0.83	0.04	0.15	98.8	15.8	27.8	3.44
812640			0.0006	0.025	2.25	19.45	<10	10.0	0.18	0.55	0.01	0.03	81.1	8.4	36.0	1.20
812641			0.0010	0.092	2.20	27.0	<10	39.9	0.66	0.91	0.04	0.04	92.3	17.0	29.1	6.70
812642			0.0005	0.092	1.52	10.25	<10	47.6	0.37	0.46	0.03	0.18	34.5	9.6	21.1	1.86
812643			0.0005	0.224	0.91	9.03	<10	37.8	0.26	0.59	0.03	0.12	26.4	5.1	16.5	1.79
812644			0.0014	0.037	0.94	5.90	<10	16.9	0.32	0.57	0.03	0.03	41.5	24.4	12.2	2.47
812645			0.0010	0.027	2.02	9.48	<10	36.5	0.31	0.42	0.03	0.07	39.5	16.2	31.0	1.02
812646			0.0011	0.029	2.29	21.0	<10	57.0	0.56	0.57	0.03	0.08	51.1	19.5	31.8	2.15
812647			0.0013	0.076	1.52	10.85	<10	40.0	0.23	0.45	0.02	0.10	32.2	8.2	24.6	1.52
812648			0.0006	0.052	1.42	10.95	<10	44.4	0.30	0.53	0.04	0.06	34.4	9.0	18.7	1.96
812649			0.0007	0.019	2.03	7.04	<10	28.0	0.29	0.29	0.04	0.05	45.4	17.3	31.5	0.74
812650			0.0006	0.048	1.94	11.00	<10	32.9	0.38	0.61	0.06	0.08	52.6	19.1	28.5	1.33
812651			0.0004	0.020	0.64	1.96	<10	18.7	0.10	0.11	0.04	0.02	8.95	1.5	5.0	0.50
812652			0.0015	0.054	1.67	70.7	<10	24.6	0.37	0.87	0.03	0.09	52.1	16.3	25.3	1.35
812653			<0.0002	0.108	1.27	17.05	<10	36.3	0.24	0.39	0.02	0.13	47.9	5.7	28.1	2.51
812654			0.0035	0.076	0.73	14.15	<10	21.0	0.12	0.37	0.03	0.12	31.2	4.8	19.0	2.51
812655			0.0057	0.046	1.47	13.75	<10	26.1	0.25	0.35	0.03	0.04	41.0	8.3	19.7	1.20
812656			0.0047	0.088	2.81	12.90	<10	625	1.29	0.98	0.11	0.11	184.5	94.6	23.3	2.18
812657			0.0055	0.137	1.52	12.80	<10	132.5	1.50	0.52	0.09	0.12	96.5	15.3	24.3	3.70
812658			0.0035	0.058	1.40	5.25	<10	39.7	0.23	0.32	0.04	0.04	43.7	9.0	20.2	2.43
812659			0.0032	0.072	1.09	4.90	<10	45.3	0.30	0.35	0.04	0.09	27.4	4.8	14.8	1.51
812660			0.0015	0.043	0.82	8.29	<10	18.1	0.19	0.21	0.03	0.05	19.50	3.6	9.2	1.00
812661			0.0016	0.116	1.51	55.8	<10	23.4	0.70	0.65	0.02	0.10	43.8	22.0	24.4	3.52
812662			0.0007	0.094	1.98	48.5	<10	25.3	0.69	0.66	0.02	0.08	54.0	8.5	27.0	6.55
812663			0.0023	0.062	2.26	27.4	<10	19.9	1.13	0.69	0.01	0.06	72.3	9.0	31.6	5.06
812664			0.0045	0.082	1.99	175.5	<10	28.8	0.82	0.74	0.05	0.11	90.4	17.2	31.5	2.55
812665			0.0025	0.079	1.98	21.5	<10	17.5	0.41	0.66	0.01	0.07	55.9	7.4	30.0	1.90
812666			0.0026	0.077	1.11	20.4	<10	18.2	0.19	0.52	0.01	0.06	31.7	3.0	18.6	3.06
812667			0.0021	0.057	1.47	21.3	<10	18.5	0.28	0.39	0.01	0.05	46.6	4.7	23.4	1.48
812668			0.0008	0.091	2.18	27.7	<10	20.7	0.63	0.59	0.02	0.04	82.4	10.8	24.5	9.27
812669			0.0017	0.116	2.17	64.8	<10	15.8	0.71	0.63	0.02	0.06	87.4	17.7	41.3	2.76
812670			0.0012	0.081	1.87	23.3	<10	16.5	0.49	0.53	0.03	0.05	81.7	9.6	29.3	2.32
812671			0.0004	0.095	2.00	30.1	<10	19.2	0.60	0.67	0.03	0.05	80.3	12.6	33.8	3.95
812672			0.0007	0.115	1.56	31.8	<10	18.4	0.63	0.63	0.04	0.04	75.3	12.9	22.5	4.42
812673			<0.0002	0.108	1.89	34.2	<10	17.2	0.60	0.57	0.01	0.05	90.9	9.4	38.1	2.94
812674			<0.0002	0.061	1.85	27.6	<10	21.1	0.38	0.54	0.03	0.05	75.5	8.3	26.5	2.58
812675			0.0006	0.097	2.20	33.5	<10	28.0	0.47	0.65	0.03	0.06	80.2	10.1	35.6	3.65
812837			<0.0002	0.168	2.57	58.8	<10	22.7	0.52	0.92	0.21	0.04	113.0	28.9	40.7	5.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812637		41.7	5.24	6.82	0.13	0.05	0.026	0.044	0.03	41.9	51.9	0.54	353	0.93	0.01	0.22
812638		24.6	4.67	6.39	0.13	0.04	0.020	0.021	0.03	30.5	58.3	0.66	379	0.78	0.01	0.14
812639		52.0	5.72	6.28	0.18	0.05	0.036	0.035	0.03	45.1	57.8	0.65	449	0.91	0.01	0.26
812640		16.05	5.11	8.09	0.19	0.05	0.018	0.017	0.02	38.7	71.9	0.70	475	0.75	0.01	0.07
812641		51.7	4.56	7.18	0.18	0.04	0.016	0.029	0.03	43.7	58.5	0.71	569	0.82	0.02	0.24
812642		22.7	3.64	6.69	0.11	0.08	0.091	0.019	0.04	17.9	23.4	0.40	739	0.69	0.01	0.47
812643		24.6	2.47	4.34	0.09	<0.02	0.108	0.019	0.03	12.8	10.3	0.17	180	0.86	0.01	0.47
812644		37.7	2.05	2.76	0.10	0.07	0.006	0.011	0.01	15.0	21.0	0.30	327	0.26	0.01	0.17
812645		30.6	4.03	6.44	0.13	0.07	0.021	0.020	0.04	19.3	41.7	0.80	530	1.02	0.01	0.49
812646		38.2	4.29	6.79	0.13	0.04	0.017	0.022	0.05	24.2	49.1	0.83	597	0.94	0.01	0.52
812647		22.2	3.66	6.18	0.10	0.07	0.051	0.015	0.04	16.6	24.6	0.53	277	0.77	0.01	0.48
812648		21.1	2.97	5.85	0.10	0.03	0.021	0.023	0.04	17.7	20.6	0.38	314	0.85	0.02	0.33
812649		26.1	4.10	6.07	0.14	0.04	0.012	0.015	0.04	23.2	48.3	0.82	570	0.85	0.01	0.40
812650		35.3	4.14	6.61	0.15	0.05	0.030	0.017	0.04	25.0	44.8	0.70	497	0.86	0.01	0.50
812651		10.60	0.65	2.11	0.08	0.02	0.018	0.005	0.02	4.5	3.1	0.06	46	0.25	0.03	0.24
812652		31.0	4.31	6.68	0.13	0.04	0.032	0.020	0.03	24.0	40.2	0.53	421	0.80	0.01	0.36
812653		25.9	4.58	7.13	0.06	0.03	0.046	0.018	0.02	28.2	19.7	0.23	216	0.81	0.01	0.32
812654		12.65	2.64	4.62	<0.05	<0.02	0.041	0.012	0.04	15.4	12.1	0.17	131	0.71	0.01	0.43
812655		23.2	2.93	5.04	0.07	0.05	0.018	0.018	0.02	20.5	29.8	0.35	192	0.61	0.02	0.20
812656		54.9	6.49	11.20	0.09	0.04	0.046	0.051	0.03	41.6	50.9	1.05	1610	1.45	0.02	0.67
812657		42.7	4.04	7.13	0.13	0.02	0.035	0.021	0.03	54.8	25.8	0.31	832	0.89	0.02	0.26
812658		20.2	3.14	5.83	0.06	0.02	0.014	0.013	0.02	24.3	26.3	0.35	378	0.72	0.02	0.24
812659		15.70	2.96	6.06	<0.05	<0.02	0.030	0.016	0.02	14.3	17.7	0.19	277	0.69	0.02	0.49
812660		13.70	1.85	3.16	<0.05	0.02	0.039	0.011	0.02	9.4	12.0	0.15	138	0.42	0.03	0.22
812661		42.4	5.56	5.76	0.06	0.06	0.040	0.030	0.03	22.8	35.8	0.41	679	1.14	0.01	0.30
812662		43.6	5.31	5.93	0.06	0.06	0.035	0.035	0.03	26.8	53.4	0.64	336	0.95	0.01	0.24
812663		48.7	6.89	7.20	0.08	0.05	0.023	0.035	0.03	37.5	69.4	0.71	354	0.86	0.01	0.14
812664		44.7	5.75	6.61	0.12	0.02	0.023	0.031	0.04	43.8	57.1	0.67	466	1.08	0.01	0.39
812665		25.6	5.12	7.16	0.05	0.06	0.039	0.021	0.04	28.7	64.8	0.71	415	0.79	0.01	0.35
812666		15.35	2.91	4.58	<0.05	0.03	0.034	0.011	0.03	15.6	22.1	0.27	216	0.73	0.01	0.21
812667		16.65	3.81	5.90	0.07	0.02	0.031	0.017	0.03	24.3	40.2	0.48	304	0.71	0.02	0.40
812668		34.3	4.67	6.17	0.10	0.03	0.008	0.024	0.03	42.2	63.7	0.78	400	0.92	0.02	0.12
812669		40.6	5.56	6.37	0.10	0.08	0.011	0.028	0.03	44.9	74.8	0.83	435	2.25	0.01	0.09
812670		29.2	4.35	5.72	0.09	0.05	0.021	0.022	0.04	42.6	74.1	0.67	337	0.98	0.01	0.22
812671		36.5	4.89	6.22	0.09	0.03	0.010	0.024	0.04	40.9	75.1	0.70	415	1.60	0.02	0.26
812672		37.9	4.25	4.80	0.09	0.03	0.015	0.022	0.03	37.5	56.6	0.53	333	0.69	0.02	0.23
812673		32.2	4.80	6.42	0.09	0.06	0.013	0.026	0.05	47.8	86.7	0.72	312	1.67	0.01	0.15
812674		27.5	4.69	6.35	0.08	<0.02	0.016	0.025	0.04	37.4	50.0	0.65	383	0.94	0.02	0.45
812675		30.7	5.46	8.35	0.08	0.02	0.012	0.033	0.05	40.5	59.0	0.81	489	1.40	0.01	0.86
812837		54.0	6.22	7.86	0.11	0.13	0.005	0.039	0.04	57.6	94.9	0.94	534	1.25	0.02	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812637		27.4	0.166	108.5	4.5	<0.001	0.08	0.522	1.4	1.0	0.3	21.1	<0.01	0.04	4.9	0.006
812638		16.6	0.082	33.6	2.9	<0.001	0.04	0.366	1.6	0.7	0.2	10.7	<0.01	0.03	6.6	0.007
812639		32.7	0.121	45.9	3.6	<0.001	0.06	0.543	1.8	1.3	0.2	16.6	<0.01	0.04	7.2	0.011
812640		27.4	0.050	15.35	2.4	<0.001	0.03	0.312	1.8	0.7	<0.2	7.0	<0.01	0.04	11.5	0.004
812641		31.8	0.095	48.1	4.1	<0.001	0.05	0.456	1.8	0.7	0.2	21.6	<0.01	0.04	7.6	0.006
812642		18.1	0.176	23.0	7.2	<0.001	0.12	0.368	0.8	0.7	0.2	7.9	0.01	0.04	2.8	0.008
812643		11.8	0.192	57.8	4.8	<0.001	0.17	0.356	0.2	0.8	0.2	7.2	<0.01	0.02	0.2	0.004
812644		24.9	0.032	22.6	1.7	<0.001	0.01	0.277	0.6	0.3	<0.2	5.0	<0.01	0.01	3.3	0.004
812645		34.4	0.067	17.50	5.3	<0.001	0.04	0.266	1.2	0.5	0.2	6.6	0.01	0.02	5.1	0.014
812646		36.8	0.065	26.8	6.5	<0.001	0.04	0.381	1.6	0.7	0.3	7.6	<0.01	0.03	4.6	0.015
812647		21.4	0.114	23.0	7.9	<0.001	0.08	0.303	0.8	0.6	0.2	5.1	0.01	0.03	3.7	0.010
812648		17.8	0.134	19.95	8.4	<0.001	0.05	0.352	0.6	0.6	0.3	9.3	0.01	0.02	1.1	0.012
812649		37.2	0.048	16.00	3.8	<0.001	0.03	0.242	1.3	0.5	0.2	7.9	<0.01	0.02	6.4	0.016
812650		36.4	0.083	27.3	5.4	<0.001	0.05	0.400	1.4	0.6	0.2	11.4	<0.01	0.03	5.4	0.014
812651		3.2	0.061	4.97	2.0	<0.001	0.04	0.054	0.1	0.2	<0.2	5.9	<0.01	<0.01	0.1	0.012
812652		31.8	0.080	36.4	3.4	<0.001	0.05	0.407	1.1	0.6	0.2	8.0	<0.01	0.02	4.5	0.009
812653		15.2	0.126	19.70	3.9	<0.001	0.06	0.372	0.6	0.6	0.3	12.0	0.01	0.02	2.1	0.010
812654		13.1	0.106	13.75	3.8	<0.001	0.09	0.337	0.3	0.3	0.3	5.2	<0.01	0.01	0.9	0.010
812655		20.7	0.111	20.7	2.9	<0.001	0.04	0.228	0.4	0.4	0.2	6.8	0.01	<0.01	1.2	0.009
812656		65.5	0.133	53.7	3.4	<0.001	0.04	0.780	6.7	0.8	0.5	84.7	0.01	0.02	6.4	0.014
812657		23.1	0.188	26.3	5.1	<0.001	0.10	0.290	0.5	1.2	0.3	17.8	0.01	0.02	1.2	0.009
812658		18.4	0.087	8.59	4.2	<0.001	0.05	0.179	0.6	0.1	0.2	9.4	0.01	0.01	1.3	0.013
812659		10.7	0.080	12.10	3.5	<0.001	0.04	0.187	0.5	0.3	0.3	11.1	<0.01	0.01	0.8	0.020
812660		7.5	0.088	11.20	3.0	<0.001	0.06	0.253	0.2	0.1	<0.2	6.1	<0.01	<0.01	0.3	0.014
812661		33.2	0.183	48.2	4.0	<0.001	0.11	1.100	0.9	0.6	0.2	8.9	<0.01	0.06	2.6	0.011
812662		18.1	0.153	40.8	3.3	<0.001	0.06	1.100	1.7	0.6	0.2	8.9	<0.01	0.02	8.3	0.008
812663		24.2	0.162	98.9	3.0	<0.001	0.06	0.825	1.9	0.5	0.2	17.0	<0.01	0.02	10.3	0.005
812664		29.5	0.139	70.9	4.0	<0.001	0.07	0.895	1.3	0.8	0.3	13.5	<0.01	0.04	4.2	0.016
812665		16.0	0.090	30.0	3.7	<0.001	0.07	0.478	1.5	0.3	0.2	6.7	<0.01	<0.01	8.6	0.010
812666		7.9	0.154	22.8	4.3	<0.001	0.11	0.917	0.4	0.8	0.2	6.4	<0.01	0.02	1.4	0.007
812667		11.1	0.094	23.7	3.9	<0.001	0.07	0.568	0.8	0.5	0.3	5.4	<0.01	0.02	1.8	0.016
812668		19.8	0.101	36.0	3.3	<0.001	0.02	0.588	2.4	0.7	0.2	4.8	<0.01	0.01	18.0	0.005
812669		37.6	0.093	55.0	2.7	<0.001	0.03	0.814	2.4	0.5	0.2	9.3	<0.01	0.01	19.6	0.007
812670		24.0	0.071	31.3	3.5	<0.001	0.03	0.522	2.0	0.4	0.2	12.6	<0.01	0.02	11.2	0.012
812671		31.6	0.093	35.3	4.2	<0.001	0.03	0.593	2.0	0.5	0.2	17.6	<0.01	0.01	8.7	0.012
812672		26.2	0.079	33.0	3.1	<0.001	0.03	0.587	1.9	0.5	0.2	16.2	<0.01	0.02	8.8	0.012
812673		30.3	0.071	32.2	4.0	<0.001	0.02	0.532	2.6	0.7	0.2	13.5	<0.01	0.02	13.5	0.008
812674		18.2	0.105	35.1	5.4	<0.001	0.04	0.720	1.6	0.6	0.3	8.9	<0.01	0.02	6.1	0.019
812675		21.7	0.124	39.6	7.2	<0.001	0.05	0.811	2.2	0.6	0.6	11.6	<0.01	0.02	4.7	0.038
812837		47.1	0.088	92.2	2.5	<0.001	0.04	1.445	3.1	0.4	0.2	16.3	<0.01	0.03	21.0	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812637		0.04	1.57	21	0.121	8.69	87.6	1.3
812638		0.02	0.83	18	0.0761	6.04	68.3	1.1
812639		0.03	1.64	20	0.202	13.40	102.0	1.2
812640		<0.02	0.90	18	0.0548	2.88	68.1	1.6
812641		0.04	1.84	17	0.0860	8.10	84.9	1.5
812642		0.04	0.67	18	0.168	3.62	51.5	2.1
812643		0.04	0.91	15	0.226	3.25	33.1	<0.5
812644		<0.02	0.50	7	0.0572	3.30	56.4	2.4
812645		0.04	0.72	18	0.159	3.88	77.6	1.8
812646		0.07	1.32	23	0.241	7.57	88.6	1.2
812647		0.04	0.61	18	0.144	2.90	59.6	1.9
812648		0.07	0.79	19	0.240	3.07	45.5	0.9
812649		0.03	0.65	16	0.141	4.59	82.0	1.1
812650		0.04	0.79	18	0.169	5.20	79.5	1.4
812651		0.03	0.28	7	0.0647	1.02	9.8	<0.5
812652		0.03	0.99	19	0.226	4.90	80.9	1.2
812653		0.02	1.42	23	0.131	2.92	49.4	0.6
812654		0.02	0.66	20	0.127	2.53	32.7	<0.5
812655		0.02	0.71	15	0.0838	2.74	48.5	1.2
812656		0.03	1.26	100	0.208	14.30	152.0	1.1
812657		0.02	1.58	24	0.157	15.80	64.1	0.8
812658		<0.02	0.70	19	0.204	2.68	48.1	0.7
812659		<0.02	0.56	21	3.93	2.13	30.8	<0.5
812660		0.03	0.48	13	0.0955	1.51	24.4	0.5
812661		0.04	1.45	22	0.172	4.10	82.4	1.5
812662		0.04	1.71	20	0.0907	4.07	76.3	1.7
812663		0.03	1.52	21	0.0715	3.94	91.2	1.6
812664		0.03	1.53	23	0.142	7.07	94.2	0.8
812665		0.03	0.88	20	0.0770	2.32	69.8	1.4
812666		0.02	0.67	15	0.107	1.60	36.7	0.8
812667		0.03	0.61	21	0.143	1.87	48.8	0.5
812668		0.02	1.31	17	0.0764	4.84	67.5	1.3
812669		0.02	1.40	18	0.173	5.01	97.9	4.7
812670		0.03	1.19	18	0.235	4.03	75.9	2.0
812671		0.03	1.33	20	0.164	4.12	85.2	1.2
812672		0.03	1.31	16	0.161	3.72	77.6	1.3
812673		0.03	1.33	18	0.168	4.55	85.3	2.6
812674		0.04	1.03	23	0.169	3.42	68.9	0.6
812675		0.07	1.41	32	0.162	4.62	83.2	<0.5
812837		0.03	1.30	22	0.0315	4.73	115.0	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	WEI- 21	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L	ME- MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812838			0.0004	0.118	2.32	28.3	<10	56.7	0.63	0.39	0.86	0.09	36.8	28.0	40.7	4.68
812839			<0.0002	0.041	3.20	50.5	<10	40.6	0.71	0.31	0.10	0.13	73.3	39.3	96.4	2.33
812840			<0.0002	0.081	2.45	22.4	<10	49.9	0.72	0.48	0.29	0.06	57.5	26.4	44.6	2.42
812841			<0.0002	0.102	2.29	22.4	<10	44.4	0.63	0.42	0.50	0.12	49.2	25.2	41.7	2.48
812842			<0.0002	0.047	1.26	21.5	<10	22.6	0.38	0.28	0.08	0.03	31.2	14.3	19.8	0.85
812843			<0.0002	0.038	2.56	51.3	<10	21.6	0.58	0.59	0.03	0.03	81.1	16.2	47.0	2.01
812844			<0.0002	0.035	3.10	21.4	<10	33.7	1.01	0.36	0.32	0.04	69.5	46.0	59.6	1.27
812845			<0.0002	0.144	1.69	32.6	<10	29.2	0.57	0.79	0.03	0.09	68.4	7.8	32.5	2.83
812846			<0.0002	0.122	1.81	16.35	<10	13.0	0.45	0.39	0.02	0.05	52.7	10.4	29.2	1.33
812847			0.0013	0.044	1.67	23.9	<10	32.4	0.35	0.38	0.03	0.05	56.9	9.1	25.4	1.67
812848			0.0024	0.049	1.21	18.20	<10	21.5	0.31	0.36	0.02	0.04	47.8	9.1	16.2	2.03
812849			0.0016	0.032	2.37	20.2	<10	17.8	0.33	0.39	0.05	0.09	108.0	19.9	32.4	1.44
812850			0.0014	0.082	1.72	29.7	<10	24.3	0.26	0.52	0.02	0.09	41.6	7.9	27.1	2.80
812851			0.0040	0.049	1.93	59.1	<10	32.3	0.31	0.46	0.02	0.08	52.6	9.5	26.1	3.65
812852			0.0077	0.038	2.20	99.4	<10	26.4	0.48	0.67	0.02	0.09	57.6	24.2	30.8	4.26
812853			0.0012	0.048	1.60	42.3	<10	31.4	0.24	0.47	0.03	0.05	45.2	8.7	22.7	5.38
812854			0.0018	0.031	2.24	53.8	<10	29.8	0.35	0.51	0.03	0.11	61.8	15.4	31.7	4.49
812855			0.0007	0.047	1.97	32.0	<10	24.4	0.33	0.47	0.03	0.10	39.6	12.8	28.8	2.52
812856			0.0045	0.021	2.03	38.5	<10	20.6	0.53	0.55	0.04	0.08	69.0	18.2	31.6	1.62
812857			0.0025	0.052	1.80	51.1	<10	33.3	0.45	0.54	0.03	0.07	63.2	11.2	27.3	3.13
812858			0.0188	0.068	1.04	46.4	<10	23.0	0.33	0.63	0.02	0.06	54.5	8.9	20.3	2.69
812859			0.0018	0.044	2.21	24.0	<10	25.4	0.55	0.54	0.04	0.06	76.4	12.8	31.3	2.71
812860			0.0052	0.055	1.35	20.2	<10	27.3	0.21	0.44	0.02	0.08	50.6	8.0	28.0	2.73
812861			0.0010	0.058	1.26	14.30	<10	22.2	0.29	0.48	0.02	0.08	37.2	9.1	25.1	1.66
812862			0.0008	0.027	0.89	14.95	<10	23.7	0.30	0.27	0.03	0.03	24.2	6.5	10.1	1.24
812863			0.0012	0.060	0.70	14.80	<10	19.5	0.17	0.27	0.02	0.05	20.3	3.6	9.1	1.40
812864			0.0041	0.054	1.72	43.6	<10	24.2	0.55	0.62	0.03	0.10	59.8	14.8	29.9	2.54
812865			0.0024	0.179	1.32	7.08	<10	74.1	0.56	0.78	0.02	0.07	77.6	9.4	19.6	15.75
812866			0.0025	0.079	1.96	10.95	<10	28.3	0.80	1.05	0.08	0.03	118.0	19.9	31.1	10.70
812867			0.0012	0.118	0.83	1.63	<10	28.6	0.28	0.21	0.03	0.04	58.2	3.3	8.0	3.69
812868			0.0040	0.103	2.09	13.80	<10	30.3	0.26	0.64	0.03	0.05	58.8	15.3	35.2	3.38
812869			0.0008	0.110	0.87	3.84	<10	28.9	0.13	0.26	0.02	0.06	26.7	3.7	11.9	0.99
812870			0.0005	0.063	1.05	7.26	<10	30.2	0.18	0.38	0.03	0.05	31.5	7.1	19.3	3.63
812871			0.0006	0.089	1.45	8.73	<10	30.9	0.27	0.51	0.02	0.06	43.2	9.2	24.5	5.07
812872			0.0003	0.083	0.87	6.50	<10	30.0	0.14	0.46	0.02	0.02	30.3	4.6	16.4	3.94
812873			0.0004	0.079	0.64	3.87	<10	36.1	0.11	0.38	0.02	0.02	67.5	1.9	10.5	3.42
812874			0.0259	0.050	2.25	6.71	<10	33.4	0.29	0.71	0.03	0.03	81.8	17.5	36.7	3.45
812875			0.0006	0.039	2.17	6.76	<10	30.7	0.26	0.40	0.03	0.02	82.1	14.4	33.6	2.21
812876			0.0039	0.049	1.52	11.05	<10	27.3	0.18	0.64	0.02	0.04	49.5	6.5	26.1	2.53
812877			0.0004	0.020	2.45	6.95	<10	27.5	0.21	0.50	0.03	0.02	74.3	16.6	35.1	1.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
812838		69.5	3.95	6.34	0.05	0.13	0.022	0.036	0.04	19.7	56.1	1.09	673	0.62	0.03	0.38
812839		70.5	5.68	8.74	0.09	0.09	0.011	0.046	0.03	35.2	83.2	1.78	892	0.68	0.02	0.40
812840		38.9	5.15	6.65	0.07	0.12	0.012	0.029	0.03	32.5	69.2	0.94	578	0.74	0.02	0.08
812841		35.5	4.62	6.19	0.08	0.16	0.013	0.024	0.03	28.0	62.4	0.86	562	0.77	0.02	0.10
812842		23.1	2.59	4.26	0.06	0.02	0.007	0.018	0.02	15.0	31.3	0.36	306	0.45	0.03	0.34
812843		47.6	6.28	7.07	0.10	0.06	0.015	0.031	0.03	43.1	76.9	0.96	455	0.95	0.02	0.20
812844		74.8	5.93	9.12	0.08	0.10	0.007	0.041	0.03	36.9	84.0	1.57	789	0.61	0.02	0.25
812845		24.3	6.97	8.75	0.06	0.02	0.058	0.022	0.04	35.0	27.4	0.37	217	1.49	0.02	0.78
812846		22.9	4.90	6.38	0.06	0.05	0.030	0.020	0.02	28.3	51.6	0.60	200	0.82	0.01	0.12
812847		19.85	4.25	7.01	0.06	0.03	0.016	0.020	0.02	29.9	34.1	0.42	233	0.93	0.02	0.74
812848		17.70	2.91	4.99	0.06	0.04	0.020	0.017	0.02	23.6	21.1	0.26	178	1.10	0.02	0.21
812849		21.7	4.97	6.94	0.10	0.11	<0.005	0.020	0.02	54.1	77.6	0.81	812	0.56	0.01	0.20
812850		22.8	4.37	7.56	0.13	0.04	0.052	0.024	0.03	24.0	39.1	0.44	397	1.00	<0.01	0.39
812851		24.1	4.09	6.39	0.12	0.07	0.025	0.023	0.03	27.6	54.2	0.52	393	0.75	0.01	0.32
812852		45.8	5.04	6.90	0.15	0.09	0.038	0.026	0.02	30.4	71.9	0.68	914	0.74	<0.01	0.29
812853		21.7	3.41	5.94	0.12	0.04	0.026	0.020	0.03	24.6	42.4	0.48	408	0.73	0.01	0.37
812854		22.8	4.90	7.18	0.15	0.07	0.026	0.021	0.03	34.0	62.8	0.69	828	0.67	<0.01	0.37
812855		17.65	4.72	7.03	0.12	0.06	0.049	0.021	0.03	20.9	47.6	0.58	788	0.87	<0.01	0.50
812856		34.9	5.42	6.72	0.17	0.07	0.016	0.023	0.02	34.4	63.5	0.71	550	0.74	<0.01	0.48
812857		26.9	4.63	7.50	0.15	0.03	0.020	0.028	0.03	33.4	48.5	0.54	538	0.97	0.01	0.32
812858		28.6	4.06	6.57	0.14	<0.02	0.058	0.024	0.03	28.6	21.5	0.24	332	1.19	<0.01	0.21
812859		35.9	5.20	6.60	0.16	0.10	0.011	0.030	0.02	41.5	60.7	0.74	358	0.69	<0.01	0.23
812860		19.25	3.97	7.45	0.13	0.02	0.045	0.017	0.03	26.1	27.3	0.39	613	0.87	<0.01	0.33
812861		23.1	4.41	7.07	0.11	0.03	0.061	0.022	0.03	20.0	24.3	0.32	378	0.98	<0.01	0.30
812862		19.20	1.94	3.24	0.11	0.04	0.015	0.013	0.02	12.9	16.6	0.18	159	0.42	0.02	0.25
812863		14.50	2.06	3.71	0.09	<0.02	0.036	0.012	0.02	11.3	7.9	0.10	132	0.49	0.01	0.19
812864		35.0	5.57	7.05	0.14	0.03	0.037	0.029	0.03	30.7	43.6	0.48	538	1.12	<0.01	0.44
812865		83.9	3.62	5.24	0.14	0.02	0.035	0.020	0.04	40.4	28.2	0.34	279	0.93	0.01	0.42
812866		90.7	5.15	6.13	0.21	0.04	0.013	0.025	0.03	55.7	49.7	0.69	614	1.14	<0.01	0.21
812867		21.5	1.39	3.24	0.13	<0.02	0.038	0.010	0.02	33.7	10.1	0.13	94	0.53	0.01	0.41
812868		15.50	5.53	6.94	0.15	0.03	0.047	0.021	0.03	30.6	49.1	0.62	592	0.80	0.01	0.38
812869		10.10	2.56	4.35	0.10	<0.02	0.019	0.011	0.02	14.3	13.4	0.17	142	0.43	0.01	0.24
812870		13.90	3.07	5.25	0.12	<0.02	0.028	0.017	0.03	17.0	17.9	0.26	305	0.84	0.01	0.15
812871		19.80	4.06	6.80	0.13	<0.02	0.033	0.027	0.03	22.3	26.3	0.36	368	1.25	0.01	0.23
812872		15.25	2.40	4.93	0.10	<0.02	0.026	0.017	0.03	16.1	13.0	0.20	163	1.12	0.01	0.18
812873		7.98	1.71	5.97	0.14	<0.02	0.015	0.008	0.02	35.8	3.9	0.06	51	0.59	0.01	0.15
812874		36.5	5.40	7.26	0.17	0.03	0.013	0.022	0.02	41.6	57.8	0.84	708	0.94	0.01	0.14
812875		23.1	4.65	7.12	0.18	0.03	0.006	0.017	0.02	40.8	61.1	0.81	601	0.31	<0.01	0.17
812876		16.30	4.63	9.25	0.13	<0.02	0.027	0.017	0.02	26.9	26.0	0.39	503	1.24	0.01	0.47
812877		34.9	5.16	7.92	0.20	0.04	0.008	0.022	0.02	40.6	66.0	0.85	824	0.64	<0.01	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812838		49.8	0.076	31.9	3.4	<0.001	0.07	0.652	4.6	0.7	0.2	29.6	<0.01	0.02	4.6	0.011
812839		88.3	0.046	22.7	3.3	<0.001	0.03	0.457	7.6	0.4	0.2	10.2	<0.01	<0.01	8.0	0.015
812840		49.0	0.062	39.4	3.5	<0.001	0.04	0.552	2.6	0.6	<0.2	18.7	<0.01	0.02	9.2	0.003
812841		47.9	0.071	33.5	4.3	<0.001	0.06	0.514	2.6	0.7	<0.2	28.8	<0.01	0.01	7.0	0.003
812842		22.0	0.041	15.05	2.2	<0.001	0.03	0.299	1.2	0.1	<0.2	6.8	<0.01	0.01	2.0	0.017
812843		45.7	0.074	44.3	3.7	<0.001	0.03	0.766	2.3	0.1	<0.2	4.1	<0.01	<0.01	12.0	0.008
812844		77.7	0.098	28.0	2.1	<0.001	0.03	0.469	6.0	0.5	<0.2	16.2	<0.01	0.01	10.8	0.014
812845		18.7	0.169	22.4	4.3	<0.001	0.07	0.970	1.3	0.6	0.4	15.3	<0.01	0.03	5.5	0.018
812846		25.3	0.064	22.6	3.4	<0.001	0.03	0.809	1.4	0.2	<0.2	5.2	<0.01	<0.01	10.1	0.004
812847		20.5	0.048	17.55	3.8	<0.001	0.03	0.561	1.7	0.5	0.4	6.5	0.01	0.02	5.2	0.017
812848		15.3	0.104	45.6	3.6	<0.001	0.06	0.727	0.7	0.8	0.2	5.4	<0.01	0.01	2.3	0.005
812849		33.2	0.055	29.4	2.8	<0.001	0.02	0.477	1.6	0.4	<0.2	4.4	<0.01	0.01	12.9	0.008
812850		20.8	0.110	23.4	4.9	<0.001	0.07	0.459	0.7	0.4	0.3	4.9	0.01	0.03	1.5	0.009
812851		24.1	0.088	26.8	5.0	<0.001	0.05	0.421	1.0	0.3	0.3	4.5	0.01	0.02	2.9	0.008
812852		34.0	0.049	32.4	3.7	<0.001	0.03	0.427	1.8	0.4	0.2	3.5	<0.01	0.04	7.8	0.008
812853		22.6	0.077	15.25	5.8	<0.001	0.04	0.334	1.0	0.4	0.2	6.3	<0.01	0.02	2.0	0.011
812854		33.2	0.057	27.4	4.4	<0.001	0.03	0.525	1.6	0.5	0.2	4.7	<0.01	0.02	7.8	0.009
812855		24.3	0.087	33.0	4.0	<0.001	0.05	0.523	1.3	0.4	0.3	4.7	<0.01	0.03	4.5	0.011
812856		33.0	0.072	39.4	2.9	<0.001	0.03	1.255	1.8	0.5	0.2	5.3	<0.01	0.02	7.0	0.013
812857		24.9	0.093	33.7	5.5	<0.001	0.04	0.845	0.8	0.4	0.3	7.8	<0.01	0.02	1.5	0.011
812858		16.2	0.169	33.3	4.2	<0.001	0.08	1.195	0.4	0.5	0.3	6.6	<0.01	0.04	0.5	0.005
812859		29.5	0.076	35.0	2.7	<0.001	0.02	0.745	1.6	0.4	0.2	6.0	<0.01	0.02	8.8	0.008
812860		19.4	0.099	19.40	5.6	<0.001	0.07	0.592	0.5	0.3	0.3	6.0	<0.01	0.02	0.7	0.008
812861		16.3	0.131	24.8	4.6	<0.001	0.09	0.523	0.7	0.2	0.3	4.8	<0.01	0.03	1.3	0.007
812862		9.5	0.065	14.80	1.9	<0.001	0.04	0.491	0.4	0.2	0.2	5.7	<0.01	0.01	0.6	0.010
812863		6.2	0.082	14.80	2.5	<0.001	0.06	0.467	0.2	0.2	0.2	4.9	<0.01	0.01	0.1	0.008
812864		25.8	0.120	38.2	3.9	<0.001	0.06	1.510	1.0	0.8	0.3	7.0	0.01	0.03	1.8	0.011
812865		18.9	0.060	25.4	5.6	<0.001	0.02	0.272	1.4	0.7	0.3	6.1	<0.01	0.04	9.7	0.013
812866		34.9	0.094	23.5	4.1	<0.001	0.02	0.344	2.2	0.8	0.2	6.8	<0.01	0.05	20.2	0.011
812867		7.5	0.038	5.47	2.5	<0.001	0.03	0.112	0.5	0.2	0.2	5.1	0.01	0.01	1.2	0.013
812868		28.1	0.135	10.60	4.2	<0.001	0.03	0.247	1.6	0.5	0.2	3.8	<0.01	0.02	7.2	0.014
812869		7.0	0.044	4.94	2.4	<0.001	0.02	0.141	0.4	0.1	0.2	4.8	<0.01	0.01	0.6	0.014
812870		12.7	0.078	7.80	3.7	<0.001	0.03	0.243	0.3	0.2	0.3	5.2	<0.01	0.02	0.2	0.009
812871		17.3	0.122	9.59	4.5	<0.001	0.04	0.297	0.4	0.3	0.4	5.4	<0.01	0.02	0.5	0.010
812872		10.1	0.057	8.40	3.2	<0.001	0.03	0.230	0.2	0.4	0.4	5.4	<0.01	0.03	0.2	0.010
812873		4.3	0.039	6.19	3.3	<0.001	0.02	0.140	0.2	0.4	0.5	6.6	<0.01	0.01	0.3	0.011
812874		33.4	0.056	13.45	2.3	<0.001	0.02	0.211	1.9	0.4	0.2	3.3	<0.01	0.02	10.4	0.015
812875		32.4	0.041	9.17	2.5	<0.001	0.01	0.116	2.0	0.3	0.2	3.4	<0.01	0.01	11.8	0.013
812876		15.8	0.075	17.55	2.8	<0.001	0.04	0.222	0.6	0.5	0.3	4.9	0.01	0.02	1.2	0.014
812877		34.7	0.043	8.51	2.0	<0.001	0.02	0.118	2.2	0.2	<0.2	5.6	<0.01	0.01	12.0	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812838		0.02	1.46	43	0.0468	7.64	98.7	4.2
812839		<0.02	0.58	58	0.0765	6.94	104.0	3.0
812840		0.03	1.71	21	0.0225	6.50	116.5	4.1
812841		0.03	2.04	20	0.0282	6.19	112.5	5.0
812842		<0.02	0.36	15	0.0565	2.54	46.5	0.6
812843		0.02	0.66	24	0.0720	3.21	99.8	1.7
812844		0.02	0.61	53	0.0437	11.15	95.5	3.3
812845		0.04	0.62	35	0.543	2.81	46.5	0.8
812846		<0.02	0.62	18	0.0770	2.83	59.3	1.9
812847		0.06	0.55	31	0.232	2.72	43.8	0.9
812848		0.06	0.60	17	0.311	2.60	33.5	1.3
812849		0.02	0.98	20	0.0738	3.91	103.5	3.6
812850		0.05	0.84	25	0.163	2.51	62.1	1.3
812851		0.06	0.96	20	0.138	2.66	72.9	2.1
812852		0.05	0.96	20	0.0961	3.06	100.0	2.8
812853		0.06	0.88	19	0.125	2.73	59.3	1.1
812854		0.05	0.81	22	0.106	3.41	100.0	2.3
812855		0.05	0.78	22	0.143	2.62	73.4	1.8
812856		0.04	0.93	23	0.101	3.71	94.7	2.0
812857		0.07	1.02	24	0.327	3.33	74.6	0.8
812858		0.06	1.03	26	0.207	2.57	53.5	<0.5
812859		0.04	1.42	21	0.0764	3.77	89.8	3.2
812860		0.05	0.69	28	0.136	2.60	50.8	<0.5
812861		0.05	0.69	23	0.144	2.41	54.6	0.8
812862		0.04	0.57	12	0.0767	1.71	28.8	1.1
812863		0.03	0.58	15	0.107	1.22	22.9	<0.5
812864		0.05	1.11	25	0.153	3.27	77.4	1.0
812865		0.06	2.21	20	0.375	4.14	51.9	0.5
812866		0.04	3.49	23	0.321	6.24	96.5	1.3
812867		0.03	0.78	9	0.228	3.26	23.7	<0.5
812868		0.03	0.80	26	0.270	2.89	80.1	0.8
812869		0.02	0.41	18	0.139	1.38	25.1	<0.5
812870		0.04	0.69	23	0.159	1.80	37.3	<0.5
812871		0.05	1.09	27	0.199	2.41	49.5	<0.5
812872		0.06	0.68	21	0.157	1.65	29.3	<0.5
812873		0.05	0.67	24	0.167	2.34	12.7	<0.5
812874		0.03	1.16	24	0.101	3.27	89.2	0.9
812875		0.02	1.02	22	0.111	3.89	84.7	1.0
812876		0.03	0.73	27	0.153	2.09	44.4	<0.5
812877		0.02	0.85	17	0.0970	2.85	82.0	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
812878			0.0004	0.053	2.42	14.80	<10	15.8	0.26	0.49	0.06	0.05	57.1	13.4	36.2	1.59
812879			0.0169	0.073	2.44	18.45	<10	25.2	0.38	0.68	0.01	0.07	73.9	14.8	34.1	2.15
812880			0.0004	0.118	2.48	21.4	<10	37.9	0.48	0.58	0.01	0.07	78.6	14.6	32.9	2.21
812881			0.0013	0.176	1.91	20.6	<10	29.0	0.40	0.57	0.01	0.07	69.5	11.2	25.2	2.15
812882			0.0036	0.042	1.91	16.90	<10	33.9	0.33	0.53	0.01	0.05	77.0	8.8	24.9	2.13
812883			0.131	0.039	2.34	14.70	<10	36.7	0.50	0.49	0.02	0.07	84.5	15.3	32.4	1.64
812884			0.0003	0.054	1.65	12.75	<10	27.1	0.16	0.49	0.04	0.03	60.0	8.0	24.6	1.70
812885			0.0003	0.093	0.66	6.01	<10	15.6	0.13	0.21	0.02	0.02	14.00	1.9	6.8	0.85
812886			0.0009	0.132	1.38	8.18	<10	18.4	0.23	0.33	0.03	0.03	38.7	8.9	19.0	1.33
812887			0.0013	0.185	1.77	9.31	<10	34.0	0.29	0.50	0.03	0.07	51.2	12.2	26.4	3.00
812888			0.0026	0.096	1.99	7.35	<10	40.8	0.32	0.55	0.04	0.02	79.8	16.5	32.7	3.64
812889			0.0008	0.103	1.59	8.71	<10	31.8	0.20	0.63	0.02	0.03	82.9	10.4	27.1	3.07
812890			0.0005	0.216	2.00	7.68	<10	25.8	0.27	0.65	0.01	0.05	70.3	14.0	31.0	2.18
812891			0.0011	0.257	1.86	7.47	<10	27.6	0.21	0.67	0.02	0.06	67.0	12.5	28.4	2.11
812892			0.0008	0.247	0.69	8.35	<10	43.6	0.30	0.75	0.03	0.07	33.2	7.4	12.4	9.06
812893			0.0005	0.069	0.33	0.57	<10	15.3	0.06	0.06	0.03	0.02	3.66	0.6	2.2	0.27
812894			0.0007	0.042	0.42	2.24	<10	13.3	0.06	0.13	0.02	0.02	8.88	2.1	5.0	1.28
812895			0.0009	0.024	0.50	0.69	<10	10.9	0.06	0.06	0.05	0.03	3.73	0.7	2.5	0.39
812896			0.0010	0.039	0.35	0.60	<10	16.8	0.07	0.04	0.03	0.02	3.65	0.8	3.5	0.24
812897			0.0015	0.375	1.06	4.71	<10	37.4	0.54	1.09	0.02	0.03	129.0	6.1	15.3	16.85
812898			0.0012	0.058	0.13	0.55	<10	25.1	0.05	0.08	0.04	0.05	6.87	1.2	4.4	1.68
812899			0.0014	0.027	0.45	2.00	<10	18.4	0.08	0.13	0.04	0.03	8.50	1.8	7.1	0.54
812900			0.0010	0.056	1.44	6.12	<10	29.9	0.30	0.57	0.01	0.03	58.6	11.0	22.4	2.55
812976			0.0014	0.035	0.49	2.51	<10	13.2	0.10	0.10	0.03	0.02	5.44	1.2	3.2	0.70
812977			0.0021	0.168	1.17	10.20	<10	27.9	0.27	0.43	0.11	0.14	30.2	15.7	21.1	4.27
812978			0.0025	0.094	0.85	11.10	<10	27.3	0.55	0.30	0.17	0.11	23.5	21.7	11.6	2.83
812979			0.0021	0.036	0.17	3.19	<10	16.5	0.06	0.08	0.13	0.05	7.74	1.8	3.6	1.45
812980			0.0027	0.063	1.86	12.90	<10	43.3	0.54	0.39	0.25	0.03	34.8	19.6	61.0	2.38
812981			0.0017	0.039	0.53	4.68	<10	17.0	0.16	0.15	0.05	0.02	17.70	3.9	8.4	0.67
812982			0.0019	0.051	1.07	9.23	<10	33.1	0.31	0.23	0.77	0.12	15.60	10.7	31.8	1.63
812983			0.0032	0.056	0.97	15.80	<10	54.4	0.27	0.10	2.51	0.15	14.85	2.9	5.3	1.55
812984		Not Recvd														
812985			0.0044	0.204	1.40	7.33	<10	20.5	0.53	0.27	1.40	0.10	14.85	8.8	28.3	2.08
813039			0.0034	0.060	1.23	19.00	<10	21.6	0.33	0.50	0.04	0.05	27.4	11.4	17.0	2.81
813040			0.0023	0.095	1.36	22.8	<10	30.1	0.50	0.35	0.09	0.07	35.5	14.2	24.7	3.21
813041			0.0024	0.090	1.71	29.2	<10	38.1	0.63	0.49	0.10	0.07	47.5	20.0	35.7	4.43
813042			0.0024	0.067	1.84	20.3	<10	27.7	0.46	0.61	0.02	0.05	56.4	21.4	46.6	3.15
813043			0.0018	0.079	1.80	19.35	<10	22.1	0.74	0.57	0.07	0.11	57.1	17.6	28.2	3.92
813044			0.0019	0.042	0.97	8.90	<10	46.5	0.25	0.20	0.18	0.02	16.65	6.1	11.5	1.33
813045			0.0018	0.131	0.93	7.00	<10	30.5	0.28	0.20	0.25	0.02	10.65	6.6	19.0	1.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
812878		23.4	5.26	7.34	0.16	0.06	0.016	0.022	0.02	31.2	65.1	0.90	707	0.63	<0.01	0.18
812879		18.90	5.05	7.24	0.15	0.05	0.021	0.024	0.02	37.9	73.8	0.84	584	0.41	<0.01	0.19
812880		28.6	4.97	7.21	0.15	0.04	0.018	0.027	0.03	40.6	78.5	0.83	600	0.37	<0.01	0.20
812881		22.6	4.65	7.22	0.16	0.02	0.025	0.022	0.02	35.9	53.9	0.56	511	0.61	<0.01	0.36
812882		19.25	4.20	7.21	0.15	0.03	0.017	0.023	0.03	40.2	55.5	0.54	375	0.51	<0.01	0.47
812883		25.2	4.81	7.12	0.18	0.03	0.009	0.024	0.04	43.2	75.7	0.84	654	0.35	<0.01	0.20
812884		14.30	3.82	6.81	0.15	0.02	0.010	0.015	0.03	31.6	39.1	0.53	422	0.75	0.01	0.19
812885		21.2	1.28	2.94	0.09	<0.02	0.017	0.009	0.02	7.3	4.8	0.07	77	0.67	0.02	0.14
812886		20.3	2.90	5.49	0.12	0.02	0.018	0.017	0.02	20.3	36.4	0.43	319	0.43	0.01	0.29
812887		58.4	3.77	6.58	0.14	0.04	0.022	0.020	0.03	26.6	45.6	0.57	450	0.81	<0.01	0.26
812888		26.0	4.53	7.27	0.16	0.03	0.016	0.024	0.03	40.8	57.1	0.68	547	0.85	<0.01	0.37
812889		15.05	4.66	8.96	0.15	<0.02	0.019	0.020	0.02	43.2	36.2	0.43	390	1.03	0.01	0.72
812890		14.80	5.42	9.35	0.15	0.03	0.030	0.023	0.02	38.8	54.4	0.60	524	0.84	<0.01	0.66
812891		14.10	5.12	9.36	0.14	0.03	0.037	0.021	0.03	36.5	48.2	0.54	492	0.83	<0.01	0.69
812892		75.6	2.06	5.55	0.09	<0.02	0.031	0.019	0.05	17.5	4.6	0.06	198	2.90	0.01	0.14
812893		4.39	0.38	2.42	0.07	<0.02	0.038	<0.005	0.02	2.0	0.6	0.02	11	0.29	0.02	0.08
812894		5.39	0.79	2.13	0.08	<0.02	0.010	0.005	0.02	4.6	5.7	0.08	59	0.44	0.01	0.28
812895		4.92	0.33	2.09	0.07	<0.02	0.020	<0.005	0.02	1.9	0.8	0.02	15	0.27	0.02	0.26
812896		7.62	0.37	1.74	0.07	0.02	0.032	<0.005	0.01	2.1	0.4	0.01	15	0.40	0.02	0.36
812897		193.0	2.43	4.57	0.21	0.04	0.057	0.014	0.03	80.9	21.9	0.24	143	0.87	0.01	0.32
812898		12.65	0.38	1.21	0.07	<0.02	0.024	<0.005	0.02	4.0	0.4	0.01	29	0.50	0.02	0.11
812899		7.84	0.84	2.98	0.08	<0.02	0.023	0.007	0.02	4.6	1.7	0.04	47	0.59	0.02	0.22
812900		27.9	3.86	6.56	0.13	<0.02	0.012	0.021	0.02	31.9	35.8	0.46	428	0.93	0.01	0.53
812976		6.29	0.61	1.90	0.07	<0.02	0.034	0.006	0.02	2.9	1.9	0.03	24	0.24	0.02	0.24
812977		22.5	3.01	4.12	0.11	0.04	0.040	0.015	0.07	16.8	29.9	0.37	856	0.53	0.01	0.07
812978		21.9	2.15	3.40	0.10	0.03	0.041	0.020	0.03	12.5	15.3	0.17	884	0.64	0.01	0.22
812979		4.63	0.42	0.97	0.07	<0.02	0.022	<0.005	0.04	4.3	1.4	0.04	93	0.87	0.01	0.15
812980		26.8	3.74	5.83	0.12	0.08	0.030	0.021	0.03	18.3	60.3	0.77	406	0.39	0.01	0.20
812981		8.56	1.43	2.41	0.09	0.02	0.019	0.005	0.03	9.8	11.1	0.12	119	0.38	0.02	0.23
812982		19.40	1.95	3.58	0.10	0.08	0.022	0.015	0.03	8.1	30.6	0.39	194	0.73	0.01	0.28
812983		19.40	0.52	2.43	0.09	0.14	0.042	0.008	0.02	8.5	3.9	0.08	167	0.80	0.02	0.42
812984																
812985		44.2	2.34	3.90	0.10	0.15	0.041	0.018	0.03	11.2	34.7	0.47	192	0.63	0.01	0.18
813039		28.4	3.16	4.28	0.10	0.07	0.024	0.023	0.02	14.5	20.7	0.24	303	0.79	0.01	0.33
813040		20.6	3.01	5.31	0.10	0.03	0.019	0.022	0.03	18.5	34.3	0.36	454	0.73	0.01	0.27
813041		27.8	4.10	6.67	0.12	0.07	0.016	0.027	0.03	25.1	45.2	0.50	700	0.77	0.01	0.28
813042		34.6	5.89	7.08	0.15	0.04	0.032	0.027	0.03	28.5	50.0	0.62	784	0.82	<0.01	0.30
813043		35.3	5.40	7.85	0.15	0.05	0.030	0.029	0.04	30.8	43.4	0.47	466	0.84	<0.01	0.13
813044		14.40	1.82	3.69	0.10	0.05	0.011	0.011	0.02	8.6	16.1	0.18	195	0.42	0.02	0.30
813045		15.50	1.43	3.27	0.08	0.05	0.020	0.011	0.02	5.7	13.2	0.19	242	0.32	0.02	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
812878		24.6	0.073	10.85	2.2	<0.001	0.02	0.154	2.0	0.4	0.2	3.9	<0.01	0.01	10.2	0.007
812879		28.8	0.035	18.40	3.2	<0.001	0.01	0.165	2.0	0.4	0.2	3.3	<0.01	0.01	13.0	0.006
812880		32.4	0.026	21.3	3.9	<0.001	0.01	0.179	2.0	0.4	0.2	3.7	<0.01	0.02	14.1	0.006
812881		21.5	0.068	18.10	3.8	<0.001	0.02	0.234	1.6	0.3	0.3	4.9	<0.01	0.02	6.3	0.009
812882		21.5	0.035	21.3	4.3	<0.001	0.01	0.239	1.6	0.4	0.4	5.3	<0.01	0.01	10.7	0.009
812883		30.6	0.044	18.80	3.5	<0.001	0.01	0.178	2.0	0.5	0.2	4.8	<0.01	0.01	11.8	0.007
812884		17.7	0.075	13.00	3.5	<0.001	0.02	0.113	1.0	0.3	0.2	4.8	<0.01	0.01	4.0	0.006
812885		3.8	0.050	4.58	1.3	<0.001	0.03	0.093	0.1	0.3	<0.2	4.3	<0.01	0.01	0.1	0.006
812886		18.2	0.054	10.95	2.8	<0.001	0.02	0.142	0.8	0.4	0.2	3.6	<0.01	0.01	1.9	0.012
812887		26.6	0.063	11.90	4.0	<0.001	0.02	0.134	1.4	0.5	0.2	3.7	<0.01	0.01	5.4	0.009
812888		33.9	0.049	9.39	4.6	<0.001	0.01	0.171	1.8	0.7	0.3	3.8	<0.01	0.02	11.4	0.016
812889		21.9	0.064	10.95	4.6	<0.001	0.02	0.224	1.6	0.4	0.5	5.0	0.01	0.03	10.6	0.017
812890		27.9	0.053	10.25	3.7	<0.001	0.02	0.227	2.0	0.4	0.4	3.4	0.01	0.03	12.5	0.015
812891		25.5	0.056	10.55	4.1	<0.001	0.02	0.252	1.8	0.6	0.4	3.7	0.01	0.03	12.4	0.015
812892		7.7	0.151	14.50	7.3	<0.001	0.05	0.266	0.1	0.6	0.5	8.2	<0.01	0.03	0.1	0.002
812893		1.5	0.027	2.08	1.2	<0.001	0.02	0.052	<0.1	0.1	0.2	6.5	<0.01	<0.01	<0.1	0.007
812894		4.5	0.018	2.92	2.3	<0.001	0.01	0.085	0.2	0.2	0.2	4.2	<0.01	0.01	0.1	0.013
812895		1.7	0.028	1.58	1.4	<0.001	0.02	0.047	0.1	0.3	<0.2	6.0	<0.01	0.01	<0.1	0.014
812896		2.6	0.014	1.44	0.6	<0.001	0.01	0.046	0.2	0.2	<0.2	6.4	<0.01	0.01	0.4	0.021
812897		15.8	0.056	12.60	4.7	<0.001	0.05	0.096	1.0	1.7	0.2	4.4	<0.01	0.07	3.8	0.008
812898		4.6	0.020	1.99	1.5	<0.001	0.02	0.081	0.1	0.2	0.2	7.9	<0.01	0.01	<0.1	0.010
812899		4.6	0.035	3.69	1.8	<0.001	0.02	0.146	0.1	0.3	0.3	6.6	<0.01	0.01	<0.1	0.019
812900		22.3	0.043	10.05	3.2	<0.001	0.01	0.281	1.4	0.3	0.3	4.5	<0.01	0.03	8.0	0.015
812976		2.1	0.035	5.67	1.4	<0.001	0.03	0.122	0.1	0.3	0.2	5.2	<0.01	<0.01	<0.1	0.010
812977		18.6	0.116	28.5	3.9	<0.001	0.06	0.436	1.0	0.3	0.2	9.1	<0.01	0.02	4.2	0.002
812978		17.0	0.082	26.2	2.6	<0.001	0.05	0.427	0.4	0.4	0.3	10.5	<0.01	0.01	0.7	0.006
812979		3.1	0.070	4.16	1.9	<0.001	0.07	0.131	0.2	0.2	0.2	11.2	<0.01	<0.01	0.2	0.005
812980		55.2	0.077	23.0	3.3	<0.001	0.04	0.510	2.3	0.5	0.2	18.0	<0.01	0.02	5.6	0.005
812981		8.0	0.074	10.65	1.7	<0.001	0.02	0.191	0.4	0.2	<0.2	7.2	<0.01	0.01	2.2	0.013
812982		27.9	0.060	11.25	2.5	<0.001	0.10	0.253	1.1	0.6	0.2	32.4	<0.01	0.01	1.7	0.007
812983		5.8	0.130	4.17	1.0	0.003	0.31	0.284	0.3	1.4	<0.2	83.8	0.01	<0.01	0.5	0.011
812984																
812985		29.2	0.104	12.80	3.1	0.001	0.21	0.587	1.5	3.4	<0.2	40.5	<0.01	<0.01	2.2	0.004
813039		14.3	0.088	27.8	3.4	<0.001	0.06	0.967	0.7	0.5	0.2	6.6	0.01	0.03	1.4	0.009
813040		25.3	0.072	20.6	4.6	<0.001	0.04	0.513	0.9	0.6	0.2	10.4	<0.01	0.02	1.7	0.007
813041		34.5	0.087	27.8	5.6	<0.001	0.04	0.673	1.5	0.5	0.2	12.3	<0.01	0.02	3.8	0.006
813042		33.8	0.086	43.7	3.2	<0.001	0.04	1.365	1.6	0.6	0.2	5.8	<0.01	0.03	6.2	0.007
813043		29.5	0.117	52.4	4.3	<0.001	0.04	1.015	1.7	0.6	0.2	15.6	<0.01	0.03	9.6	0.003
813044		11.6	0.049	13.05	1.4	<0.001	0.05	0.417	0.6	0.4	<0.2	13.7	<0.01	0.02	1.7	0.008
813045		15.4	0.069	11.80	2.1	<0.001	0.06	0.325	0.6	0.3	0.2	14.2	0.01	0.01	0.7	0.011

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
812878		0.02	0.81	19	0.205	3.47	84.6	1.7
812879		0.02	0.80	20	0.450	4.24	91.9	2.3
812880		0.03	1.07	20	0.302	4.38	94.7	2.1
812881		0.04	0.83	26	0.350	3.72	68.3	0.7
812882		0.05	0.75	23	0.236	3.37	64.2	1.3
812883		0.03	1.07	19	0.256	5.01	91.5	1.0
812884		0.04	0.70	20	0.149	2.93	52.5	0.7
812885		0.02	0.62	9	0.0782	1.18	12.4	<0.5
812886		0.03	0.68	15	0.144	2.62	47.3	0.8
812887		0.04	1.24	19	0.147	3.13	64.6	1.0
812888		0.04	0.92	25	0.154	3.04	81.0	0.8
812889		0.05	0.84	29	0.228	3.48	54.5	0.5
812890		0.04	0.79	30	0.251	3.01	66.9	1.4
812891		0.05	0.78	30	0.249	2.88	61.5	1.1
812892		0.10	1.53	21	0.232	2.37	23.7	<0.5
812893		0.02	0.24	6	0.0603	0.44	3.8	<0.5
812894		0.02	0.22	9	0.0842	0.63	11.6	<0.5
812895		0.02	0.21	6	0.0470	0.50	4.4	<0.5
812896		0.02	0.17	9	0.0555	0.41	4.4	0.8
812897		0.05	3.23	13	0.170	8.27	31.2	1.0
812898		0.02	0.23	10	0.0560	0.47	9.7	<0.5
812899		0.02	0.33	18	0.0963	0.83	13.4	<0.5
812900		0.04	0.90	23	0.250	2.42	63.8	<0.5
812976		0.02	0.30	8	0.0860	0.64	8.0	<0.5
812977		0.02	0.74	13	0.0835	1.98	76.7	1.2
812978		0.02	0.79	11	0.0586	2.53	91.8	0.8
812979		<0.02	0.34	6	0.109	0.46	15.1	<0.5
812980		0.03	0.99	16	0.0264	3.94	73.1	2.7
812981		<0.02	0.36	9	0.0601	0.94	27.9	0.6
812982		0.02	0.89	11	0.0358	2.61	55.5	2.8
812983		0.03	6.10	4	0.0678	3.43	36.5	5.3
812984								
812985		0.02	7.63	10	0.0491	12.50	53.3	4.9
813039		0.03	0.75	13	0.118	2.04	42.1	2.3
813040		0.04	0.87	15	0.0739	3.43	64.7	1.3
813041		0.04	1.09	18	0.0659	4.48	84.7	2.0
813042		0.03	0.59	19	0.0649	2.59	68.6	1.3
813043		0.03	1.04	19	0.0455	3.44	77.9	1.4
813044		0.02	0.48	7	0.0399	1.51	25.8	1.8
813045		0.03	0.96	9	0.0446	2.71	22.2	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
813046			0.0018	0.066	0.53	5.70	<10	18.3	0.18	0.32	0.04	0.04	32.4	4.9	7.6	2.27
813047			0.0018	0.075	0.64	11.95	<10	17.0	0.20	0.47	0.02	0.04	39.6	7.9	16.7	3.09
813048			0.0026	0.045	1.41	21.7	<10	28.4	0.40	0.43	0.20	0.04	39.4	13.1	32.3	2.30
813049			0.0015	0.020	0.41	2.15	<10	14.6	0.08	0.08	0.05	0.02	8.08	1.1	2.0	0.45
813050			0.0017	0.077	1.42	11.25	<10	42.0	0.49	0.27	0.35	0.06	38.7	13.1	23.1	1.81
813089			0.0006	0.087	2.32	19.85	<10	50.4	0.82	0.49	0.28	0.04	55.5	26.4	44.4	2.88
813090			0.0003	0.127	0.86	17.35	<10	23.8	0.25	0.38	0.04	0.03	21.7	7.4	18.6	2.78
813091			0.0008	0.131	1.24	19.75	<10	17.4	0.81	0.54	0.04	0.08	44.2	23.0	19.0	2.80
813092			0.0020	0.553	1.15	2.99	<10	53.8	0.80	0.57	0.03	0.06	111.5	5.2	14.8	22.2
813093			0.0011	0.086	0.89	6.80	<10	33.4	0.18	0.47	0.03	0.03	41.6	3.3	13.4	2.75
813094			0.0007	0.166	0.67	3.34	<10	26.3	0.16	0.25	0.02	0.03	17.60	2.1	6.7	2.85
813095			0.0003	0.049	0.83	4.75	<10	19.1	0.11	0.26	0.02	0.03	22.1	4.3	11.2	1.83
813096			0.0007	0.015	0.43	0.44	<10	12.9	0.05	0.04	0.08	0.02	5.08	0.8	2.1	0.26
813097			0.0009	0.018	1.37	5.78	<10	26.2	0.34	0.41	0.03	0.02	65.5	14.7	24.7	3.57
813098			0.0003	0.033	1.41	9.88	<10	24.1	0.24	0.58	0.02	0.04	51.8	8.0	24.6	3.45
813099			0.0004	0.039	1.67	13.35	<10	28.5	0.25	0.51	0.02	0.04	47.3	16.4	29.5	2.28
813100			0.0045	0.019	2.26	4.81	<10	38.3	0.19	0.37	0.01	0.02	90.9	13.6	32.7	2.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
813046		8.88	1.54	4.36	0.10	0.02	0.028	0.010	0.02	18.2	7.7	0.09	180	0.45	0.01	0.28
813047		16.90	3.37	6.79	0.11	<0.02	0.025	0.016	0.03	22.6	9.0	0.13	531	0.66	<0.01	0.28
813048		22.7	3.66	4.92	0.10	0.04	0.013	0.023	0.02	20.0	38.5	0.48	396	0.73	0.01	0.34
813049		4.03	0.48	2.49	0.09	<0.02	0.012	0.005	0.02	4.3	1.1	0.02	50	0.23	0.01	0.20
813050		33.8	2.54	4.23	0.11	0.09	0.019	0.020	0.03	19.6	30.6	0.52	363	0.35	0.01	0.30
813089		38.1	5.06	7.30	0.12	0.14	0.013	0.036	0.03	29.5	65.2	0.83	621	1.01	0.01	0.11
813090		19.90	1.98	3.46	0.06	0.02	0.027	0.020	0.04	11.3	14.5	0.20	103	1.08	0.02	0.19
813091		45.7	3.83	4.63	0.09	0.03	0.039	0.032	0.03	21.5	28.0	0.34	545	1.03	0.02	0.25
813092		337	1.55	4.50	0.17	0.02	0.049	0.025	0.04	61.0	13.2	0.14	136	0.68	0.02	0.37
813093		14.05	3.28	7.43	0.08	<0.02	0.017	0.017	0.02	21.4	7.8	0.10	274	0.64	0.02	0.64
813094		15.70	1.66	4.66	0.06	0.03	0.017	0.010	0.02	9.5	4.4	0.06	80	0.70	0.02	0.34
813095		9.35	1.81	3.82	0.06	<0.02	0.010	0.013	0.02	11.3	13.2	0.18	154	0.81	0.02	0.14
813096		6.27	0.39	1.90	<0.05	<0.02	0.006	0.007	0.02	2.5	0.4	0.02	16	0.12	0.03	0.15
813097		13.70	3.64	5.10	0.11	<0.02	0.009	0.015	0.02	31.5	36.9	0.44	334	0.33	0.01	0.20
813098		10.80	4.92	8.24	0.11	0.02	0.016	0.020	0.02	26.8	24.4	0.30	222	0.62	0.02	0.80
813099		21.4	4.21	7.52	0.10	0.03	0.033	0.024	0.02	24.4	39.8	0.51	436	0.73	0.01	0.33
813100		21.3	4.74	7.99	0.16	0.03	0.008	0.028	0.03	48.0	60.2	0.77	690	1.22	0.01	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
813046		6.1	0.065	14.95	2.9	<0.001	0.03	0.294	0.2	0.4	0.2	5.4	<0.01	0.01	0.3	0.007
813047		8.5	0.082	17.50	4.2	<0.001	0.04	0.632	0.3	0.4	0.3	5.6	<0.01	0.02	0.7	0.006
813048		27.8	0.046	23.9	2.8	<0.001	0.02	0.967	1.4	0.4	0.2	9.6	<0.01	0.01	5.3	0.005
813049		1.5	0.037	3.39	1.0	<0.001	0.03	0.102	0.1	0.2	0.2	6.4	<0.01	0.01	<0.1	0.008
813050		27.0	0.066	15.65	2.5	<0.001	0.04	0.253	2.1	0.5	<0.2	19.4	<0.01	0.01	3.9	0.009
813089		49.0	0.056	36.9	3.9	<0.001	0.02	1.020	2.7	0.7	0.2	19.1	<0.01	0.03	9.3	0.002
813090		16.3	0.067	20.6	3.5	<0.001	0.04	0.542	1.3	0.3	0.2	8.7	<0.01	0.02	2.4	0.004
813091		39.3	0.113	48.5	3.7	<0.001	0.03	1.075	1.3	0.2	0.2	13.3	<0.01	0.04	5.2	0.007
813092		14.3	0.092	16.65	5.6	<0.001	0.03	0.158	0.8	1.1	0.3	6.1	<0.01	0.04	1.7	0.007
813093		6.7	0.127	7.82	3.6	<0.001	0.02	0.426	0.5	0.2	0.5	6.7	0.01	0.03	1.3	0.021
813094		4.1	0.058	5.06	1.8	<0.001	0.01	0.156	0.3	0.1	0.2	5.1	<0.01	0.01	0.4	0.018
813095		9.1	0.059	8.99	2.4	<0.001	0.02	0.154	0.2	<0.1	0.2	4.1	<0.01	0.01	0.2	0.010
813096		1.0	0.042	1.15	0.8	<0.001	0.02	0.077	0.1	<0.1	<0.2	7.7	<0.01	<0.01	<0.1	0.015
813097		27.3	0.046	7.61	3.2	<0.001	0.01	0.208	1.0	0.2	0.3	3.6	<0.01	0.02	3.0	0.020
813098		17.9	0.072	7.36	3.6	<0.001	0.02	0.296	1.2	0.2	0.4	3.4	0.01	0.04	6.3	0.027
813099		27.9	0.092	15.35	3.5	<0.001	0.03	0.310	0.7	0.4	0.4	5.1	0.01	0.03	0.9	0.011
813100		30.4	0.041	4.77	3.2	<0.001	0.02	0.129	2.1	0.1	0.2	6.2	<0.01	0.04	14.0	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15-OCT-2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Sample Description	Method	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.0001	0.05	0.1	0.5
813046		0.03	0.54	12	0.103	4.23	18.1	<0.5
813047		0.03	0.63	24	0.156	1.83	34.2	<0.5
813048		0.03	0.68	16	0.0446	1.98	60.0	1.1
813049		0.02	0.26	7	0.0564	0.66	8.1	<0.5
813050		0.02	0.83	19	0.0379	5.96	59.9	2.8
813089		0.04	1.43	20	0.0344	6.71	110.5	4.8
813090		0.03	0.89	13	0.0732	3.87	33.1	0.6
813091		0.03	0.67	15	0.0974	3.38	74.6	0.9
813092		0.10	3.28	12	0.146	10.35	31.7	0.5
813093		0.04	0.55	29	0.163	1.83	24.8	<0.5
813094		0.02	0.44	17	0.123	1.27	14.6	<0.5
813095		0.02	0.42	15	0.101	1.11	24.4	<0.5
813096		<0.02	0.18	10	0.0374	0.68	4.6	<0.5
813097		0.03	0.74	24	0.229	2.51	65.1	<0.5
813098		0.03	0.65	33	0.178	2.05	43.9	1.3
813099		0.04	0.70	27	0.169	2.78	75.1	<0.5
813100		0.02	0.81	18	0.0630	2.69	73.1	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COMMANDER RESOURCES LTD.
1111 MELVILLE STREET, 11TH FLOOR
VANCOUVER BC V6C 3A8

Finalized Date: 15- OCT- 2011
Account: RESCOM

Project: GlenMorangie

CERTIFICATE OF ANALYSIS WH11194168

Method	CERTIFICATE COMMENTS
ME- MS41L	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).