

GEOLOGICAL AND GEOCHEMICAL REPORT ON THE NID PROPERTY

QUARTZ CLAIMS	TENURE NUMBERS
NID 1 – NID 18	YD105173 – YD105190
NID 20	YD105192
NID 22	YD105194
NID 25 – NID 45	YD105197 – YD105217
NID 47	YD105219
NID 49 – NID 68	YD105221 – YD105240
NID 70	YD105242
NID 72	YD105244
SOC 33	YD72835
SOC 35 – SOC 40	YD72837 – YD72842

**MAYO MINING DIVISION, YUKON
MAPSHEET: 105O/06
UTM: 7018000N, 381200E, NAD83, ZONE 9**

for

**COLORADO RESOURCES LTD.
110 - 2300 CARRINGTON ROAD
WEST KELOWNA, BC
V4T 2N6**

by

**LINDA DANDY, P.Geo.
Consulting Geologist**

**DATE OF WORK: September 5, 2011
DATE OF REPORT: February 13, 2012**

SUMMARY

The Nid Property, owned by Colorado Resources Ltd. ("Colorado"), comprises an intrusive-related gold target located south of Niddery Lake near the headwaters of the Hess River in eastern Yukon. The Nid Property is underlain by Selwyn Basin Ordovician to Silurian sediments of the Road River Group, consisting of graphitic shale, carbonaceous shale, chert and quartzite. These sediments are intruded by the Cretaceous Niddery Lake pluton and granodiorite to quartz-monzonite dykes. The sedimentary rocks are intensively hornfelsed and pyritized for up to one kilometre from the pluton contact.

Previous work on the Nid Property included a small soil sampling survey by Agip Canada Inc. ("Agip") in 1984, a mapping and rock sampling program carried out by APC Ventures Inc./Yukon Gold Corp. ("Yukon Gold") in 1995, and Cyprus Canada Inc.'s ("Cyprus") one day prospecting program in 1997. The Nid Property was originally selected for staking based on regional mapping work conducted by the Geological Survey of Canada ("GSC") in 1982 (Open File 1118) and regional stream sediment sampling by the GSC in 1990.

Until 2011, no work had been done on the property since Cyprus did their work in 1997. In 2011, Colorado completed a one day exploration program consisting of two contour soil lines, prospecting and rock sampling.

This report presents the results of the 2011 exploration program. Elevated gold, silver, arsenic and lead soil geochemical values were found, most notably along the northern contour soil line for a distance of approximately 400 metres. Spotty high silver, arsenic and lead values were obtained from rock samples in both the sediment and intrusive rocks.

For 2012, a Phase I exploration program consisting of prospecting, geological mapping and expanded soil sampling is proposed for the Nid Property. A total of 300 soil samples should be collected at 25 metre intervals on ten 200 metre spaced lines put in to cross the western margin of the intrusive body. In addition, 200 soil samples should be collected along contour lines surrounding the intrusive body. Rock grab and chip samples are to be collected while mapping and prospecting.

If results warrant, a Phase II exploration program consisting of expanded soil and rock chip sampling, followed by a six hole diamond drill program is recommended.

The Phase I exploration program is budgeted at \$100,000. Phase II is dependent upon the results of the Phase I program and is budgeted at \$650,000.

TABLE OF CONTENTS

	Page
SUMMARY	1
1) INTRODUCTION	4
2) LOCATION AND ACCESS	4
3) PHYSIOGRAPHY	4
4) CLAIM INFORMATION	4
5) HISTORY	5
6) WORK DONE BY COLORADO RESOURCES LTD. IN 2011	6
7) GEOLOGY	6
8) GEOCHEMISTRY	8
9) CONCLUSIONS	11
10) RECOMMENDATIONS	11
11) REFERENCES	12
12) COST STATEMENT	13
13) QUALIFICATIONS	14
APPENDICES	15

APPENDIX I – FIGURES 1 TO 10

APPENDIX II - ROCK SAMPLE RESULTS – CERTIFICATES OF ANALYSES

APPENDIX III - SOIL SAMPLE RESULTS – CERTIFICATES OF ANALYSES

TABLES

	Page
TABLE I – CLAIM INFORMATION	5
TABLE II – ROCK SAMPLE RESULTS	9

APPENDIX I FIGURES

FIGURE 1 – LOCATION MAP

FIGURE 2 – CLAIM MAP

FIGURE 3 – REGIONAL GEOLOGY MAP

FIGURE 4 – HISTORIC COMPILATION MAP

FIGURE 5 – SAMPLE LOCATION MAP

FIGURE 6 – GOLD GEOCHEMISTRY MAP

FIGURE 7 – SILVER GEOCHEMISTRY MAP

FIGURE 8 – ARSENIC GEOCHEMISTRY MAP

FIGURE 9 – ANTIMONY GEOCHEMISTRY MAP

FIGURE 10 – LEAD GEOCHEMISTRY MAP

1) INTRODUCTION

The Nid Property, hosting an intrusive-related gold target, is located immediately south of Niddery Lake near the headwaters of the Hess River in eastern Yukon. The property is owned 100% by Colorado Resources Ltd. (“Colorado”).

Colorado acquired this property after examination of historic assessment reports documenting previous exploration programs, and noting that along with geochemical anomalies, the host rock lithologies are amenable for both intrusive-related and Carlin type gold mineralization.

In 2011, Colorado conducted a small soil sampling and prospecting program on the property. The soil sample results confirm the presence of a multi-element soil geochemical anomaly and spotty high silver, arsenic and lead values in rock samples.

2) LOCATION AND ACCESS

The Nid Property is located immediately south of Niddery Lake near the headwaters of the Hess River, 170 kilometres northeast of Ross River in the Mayo Mining District, Yukon (Figure 1). The claims cover an area of approximately 1437 hectares and are centred at 7018000N, 381200E, NAD 83, ZONE 9 within mapsheet 105O/06.

Access to the Nid Property is via helicopter from Ross River or MacMillan Pass Airstrip (approximately 60 kilometres to the east). The MacMillan Pass Airstrip is located along the North Canol Highway. The winter road from Mayo passes within one kilometre to the south of the property.

3) PHYSIOGRAPHY

The Nid Property is centred around a small relatively steep and rugged sided mountain with a maximum elevation of 1589 metres. Niddery Lake on the north edge of the claim block has an elevation of 904 metres. The steep terrain makes traversing difficult in a few spots and blocky talus covers most of the slope areas.

The NID claim block covers a sparsely timbered, recently glaciated region of the Selwyn Basin within the Hess Mountains. Most of the prominent mountain is above treeline with typical alpine vegetation. The availability of outcrop exposure varies from 5% to 100%.

4) CLAIM INFORMATION

The Nid Property is located within the Mayo Mining Division and consists of 71 quartz claims totaling 1437 hectares (Figure 2). The NID claims have a common expiry date of April 6, 2014 and the SOC claims April 13, 2014. Claim information is listed in Table I.

TABLE I
CLAIM INFORMATION

Claim Names	Tenure #s	Ownership	Expiry Dates
NID 1 – NID 18	YD105173 – YD105190	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 20	YD105192	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 22	YD105194	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 25 – NID 45	YD105197 – YD105217	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 47	YD105219	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 49 – NID 68	YD105221 – YD105240	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 70	YD105242	COLORADO RESOURCES LTD.	APRIL 6, 2014
NID 72	YD105244	COLORADO RESOURCES LTD.	APRIL 6, 2014
SOC 33	YD72835	COLORADO RESOURCES LTD.	APRIL 13, 2014
SOC 35 – SOC 40	YD72837 – YD72842	COLORADO RESOURCES LTD.	APRIL 13, 2014

5) HISTORY

The Nid Property area was acquired by Agip in 1983 to investigate an area of anomalous gold values located during a regional reconnaissance exploration program in 1982. They established a grid centred along the east-west ridge to use as control for mapping and soil sampling. A total of 6 line kilometres of grid was surveyed with 50 metre spaced lines and 25 metre stations.

Although none of the historic Agip grid maps or certificates of analyses are available, the following information was reported (Robertson, 1983):

“Gold and arsenic results show a strong association with porphyry dykes and a weak but erratic association with the quartz veins. Using 100 ppb gold and 400 ppm arsenic as threshold values, a series of northwest trending anomalous zones are outlined east of the baseline and a large, more northerly striking anomaly straddling the baseline. The former group of anomalies are coincident with the porphyry dykes previously described. Maximum results obtained here are 640 ppb gold and >1,000 ppm arsenic. Although not presented in the figures, the contoured arsenic data shows a closer spatial relationship to the dykes than is

indicated by gold values. The anomalous zone along the baseline is less clear. However, the largest number of quartz veins, with perhaps slightly higher gold contents, is found in this area. In all cases downslope movement appears to have broadened the anomalous zones, especially to the south.

The results of the rock sampling indicate that the quartz veins are only slightly enriched in gold and arsenic. The maximum gold value is 300 ppb. Generally, the veins themselves carry lower gold values than the adjacent narrow zones of wallrock with quartz stockworks. As to be expected, the arsenopyrite veins to the north carried gold up to 8340 ppb from a grab sample.”

In 1995, Yukon Gold conducted a small sampling program on the Nid Property (Lueck, 1995). The program consisted of soil sampling, geological mapping and prospecting. Soil sampling was done in zones of oxidation to determine the nature of the geochemical signature and to confirm the presence of mineralization associated with the intrusive stock. Soil sampling confirmed a widespread multi-element (gold, arsenic and antimony) soil anomaly. Only part of the intrusion was prospected and many anomalous areas were not well sampled and required further investigation. Further areas to prospect include the southern contact of the granodiorite.

Cyprus Canada Inc. (“Cyprus”) mentioned a one day prospecting program in 1997 (Jiang and Broughton, 1997) but no samples were collected from the property.

6) WORK DONE BY COLORADO RESOURCES LTD. IN 2011

In 2011, work by Colorado on the Nid Property consisted of two contour soil sampling lines along the northwest and southwest lower slopes of the central mountain. A total of 75 samples were collected at 25 metre spacings. Along with the soil sampling, three man days of prospecting was conducted and 26 rock samples were collected.

Work was completed by a 5 person crew working out of a camp located along the North Canol Highway near MacMillan Pass. Access was via helicopter.

7) GEOLOGY

Geology and mineralization of the Nid Property is described by Lueck (1995) and summarized below.

Regional Geology

The NID Property is located within the Selwyn Basin, and covers a Cretaceous stock which intrudes into Devonian-Mississippian basinal sedimentary rocks consisting of black shales, chert, laminated quartzite and chert-pebble conglomerate. Regionally, these rocks are intruded by numerous stocks and dikes of the Tombstone Suite and later intruded to the south by large batholiths of the Selwyn Suite (Figure 3).

Intrusive bodies occur throughout the Selwyn Basin in the Yukon, and stocks are often associated with gold mineralization. The Brewery Creek and Dublin Gulch deposits are both largely intrusive hosted. The Macmillan Pass area lies on the eastern margin of the Selwyn Basin, a site of marine sedimentation from the Cambrian to Triassic. The basin is underlain by clastic sediments derived from the western edge of the North American craton.

During Devonian time, faulting and uplift of the central part of the basin formed a series of grabens and horsts. The grabens were infilled with clastic sediments derived by erosion of the uplifted portions. A major period of regional folding and faulting during the Cretaceous caused east-west shortening of the sedimentary package. This regional crustal thickening was accompanied by partial melting and intrusion of acid to intermediate igneous rocks such as the Niddery Lake intrusion, present on the property.

Major deposits in the Macmillan Pass area include the MacTung tungsten deposit, the Tom and Jason lead-zinc-silver deposits, and the Tea barite deposit.

Property Geology

The NID claims cover a small Tombstone intrusion of approximately 1.5 kilometres in diameter of granodiorite to quartz monzonite composition. This stock has intruded into Ordovician to Silurian sedimentary rocks of the Road River Group. Black shale and green mudstone are the predominant lithologies plus minor chert, siltstone and limestone.

Mapping by Agip (Robertson, 1983) indicates the sedimentary rocks strike east-west with mainly northerly dips (Figure 4). The sediments are moderately fractured with quartz and limonite coatings along fracture planes. Locally fractures in the green mudstone have a pearly lustre.

The intrusion is a medium-grained, slightly porphyritic hornblende biotite quartz monzonite. Near the margins, flow banding structures and wallrock xenoliths and pendants are common. At least three quartz feldspar porphyry dykes cut the sediments near and parallel to the western contact of the intrusion. The largest is approximately 225 metres long with a maximum width of 25 metres. A one kilometre wide hornfels zone has been developed around the main intrusion. The zone is marked by recrystallization, disseminated pyrite, pyrrhotite and arsenopyrite, and locally gneissic banding. The hornfelsed rocks have a distinctive rusty weathering colour because of the higher sulphide content.

Alteration of the main intrusion is minimal; restricted to minor secondary iron minerals and clay along fractures. The dyke rocks have locally undergone silicification or weak clay alteration with some iron staining. Occasionally, biotite has been altered to muscovite. Around the larger dykes the wallrock has been altered to a soft pale green rock (sericite alteration?).

A number of northwest and northeast trending lineaments have been interpreted from an airphoto study of the area. Some of these are believed to be boundary faults related to the emplacement of the intrusion. A prominent 120° striking fault is present near the contact of the black shales and the green mudstones. This fault has been the focus of a large amount of quartz veining in the adjacent wallrock.

Veining and Mineralization

Numerous quartz veins are present in the grid area, mainly along the 120° fault and the green mudstones to the south. The largest vein is forty metres long and two metres wide but most are considerably smaller with very anastomosing features. Quartz stockworks or veinlets are often present in the adjacent wallrock. Individual veins commonly strike north-south, northwest-southeast and northeast-southwest. The veins are composed largely of quartz with minor pyrite and rare fluorite. Silicified wallrock fragments are common. The veins are generally fractured with some limonite and hematite staining.

Wallrock alteration consists of intense silicification but rarely extending more than one metre from the vein. Other veins located on the property include two thin arsenopyrite-quartz veins cutting a porphyry dyke.

Figure 4 shows the historic work completed compiled by APC Ventures Inc./Yukon Gold Corp. (Lueck, 1997). For reference, Colorado's 2011 soil and rock sample locations are superimposed on this historic compilation.

8) GEOCHEMISTRY

Rock Sampling Techniques

26 rock grab and chip samples were collected from the Nid Property during the prospecting program. Grab samples consist of 2 or 3 fist size pieces of rock representing a certain rock or mineralization type. Rock chip samples are collected as continuous rock chips taken across the true width of veins and/or mineralized zones. All sample sites were marked with fluorescent flagging marked with the sample number.

Samples were placed in poly bags labelled with the corresponding sample number and bar coded assay tags were placed inside the bags. All samples were shipped to ACME Laboratory Ltd.'s preparation lab in Whitehorse for sample preparation then shipped on by the laboratory to ACME's Vancouver facility for analyses. In the laboratory, samples were crushed to minus 200 mesh and fire assayed for gold, plus geochemically analyzed for 36 additional elements by the ICP-MS method.

Rock Sample Results

Rock sample Certificates of Analysis can be found in Appendix II. Table II summarizes results from the rock sampling program.

TABLE II
ROCK SAMPLE RESULTS

SAMPLE	NORTH	EAST	Au ppb	Ag Ppm	As ppm	Sb ppm	Pb ppm	DESCRIPTION
1104425	7018257	380760	15	<0.3	1529	3	16	Rusty dyke with aspy
1104426	7018299	380699	55	22.4	148	33	762	Vuggy black shale with qtz stockwork and yellow stain
1104428	7018286	380509	20	0.6	83	3	5	25cm chip - banded, cockscomb qtz vein
1104429	7018277	380496	27	0.4	145	3	4	50cm chip anastomosing qtz vein, red oxide
1104430	7018277	380496	48	1.4	560	19	24	Vuggy qtz stockwork in rusty brown shale
1104431	7018315	380354	16	<0.3	22	<3	6	Silicified green/grey shale with fg diss py and qtz veinlets
1104432	7018312	380197	61	5	3350	28	86	QFP dyke, py and aspy
1104433	7018344	380015	<5	<0.3	14	3	6	QFP, 1cm py blebs
1104434	7018304	379724	13	<0.3	546	4	5	Weathered QFP with py
1104471	7018265	380790	6	0.4	46	26	184	QFP with limonite and aspy
1104472	7018247	380836	9	0.7	160	<3	5	Chert – yellow/red stain
1104473	7018242	380862	<5	<0.3	12	<3	19	QFP talus, 2% aspy
1104474	7018255	380885	29	0.7	206	<3	<3	Rusty shale, silicified, py on fractures
1104475	7018271	380905	<5	1.4	44	10	13	QFP, 5% pyrite
1104476	7018298	380885	<5	0.5	167	4	21	Fg QFP, pyrite, near contact
1104477	7018390	380809	5	1.0	15	<3	11	Talus, massive magnetite
1104478	7018422	380795	13	1.1	8	<3	12	Shale, minor pyrite
1104479	7018478	380655	44	<0.3	89	5	<3	Talus, shale-qtz breccia
1283540	7018193	381179	73	<0.3	6	<3	<3	Quartz
1283541	7018018	381594	<5	<0.3	76	<3	26	Quartz
1283542	7018014	381625	<5	<0.3	74	<3	19	Quartz
1283543	7018023	381639	<5	20.1	503	9	701	Quartz
1283544	7017939	381748	<5	<0.3	194	7	31	Quartz
1283545	7017961	381745	<5	<0.3	235	14	58	Quartz
1283546	7017954	381769	<5	<0.3	3268	3	30	Quartz
1283547	7017995	381761	<5	<0.3	83	5	16	Quartz

Figure 5 shows the rock sample locations and prospecting traverses. Figures 6 through 10 show select geochemistry results for both rock and soil samples. Results of the rock sampling program will be discussed along with the soil geochemistry below.

Soil Geochemistry

During the 2011 exploration program, a total of 75 soil samples were collected. The samples were taken along two contour lines put in along lower northwest and southwest slopes, with samples collected at 50 metre intervals along the lines.

Soil samplers tried to collect from the 'B' horizon soil whenever possible, however deep moss and rocky talus sections did not allow for consistent 'B' horizon sampling. Samples were collected using a mattock or shovel and were taken from the "best" looking soil material available at each station. Sample sites were labeled with fluorescent flagging with the station number recorded on it, and soil was placed in correspondingly labeled Kraft soil bags.

All soil samples were shipped to ACME Laboratory Ltd.'s preparation facility in Whitehorse where they were dried and sieved to -80 mesh. The prepared samples were then shipped by ACME to their Vancouver laboratory for analyses. The samples were analysed for 36 elements (including gold) by the ICP-MS method.

ACME Labs Ltd. Certificates of Analyses for soil samples can be found in Appendix III. Figure 5 shows the sample locations and corresponding sample numbers.

Discussion Of Results

Figure 6 shows the gold geochemistry results. Gold rock sample values are generally low with the highest gold value from a rock sample being 73 ppb Au, obtained from a quartz vein located within the intrusive body. This same sample returned low values for the usual indicator elements. Along the northwest soil line, a 300 metre section contains elevated gold values within the hornfelsed shale zone, and downslope from mapped quartz veins and dykes. The highest gold in soil value is 117 ppb.

Figure 7 shows the silver geochemistry results. In rock samples, two high silver values were obtained; one of 22.4 ppm was found in a quartz stockwork in shale and a second silver value of 20.1 ppm was returned from a quartz vein within the intrusive body. Silver soil values are elevated over a 400 metre width (correlating with the elevated gold soil values) within the northwestern hornfels zone down slope from QFP dykes and arsenopyrite bearing quartz veins. Higher soil values range from 3.4 to 5.1 ppm Ag.

Figure 8 shows the arsenic geochemistry results. Three of the rock samples returned arsenic values of >1000 ppm, from within three separate rock units. The samples all contained visible arsenopyrite and were comprised of dyke or quartz vein material. Elevated arsenic in soil samples correlate to the location of the elevated silver and gold soil geochemistry. Arsenic soil values range up to 250 ppm.

Figure 9 shows the antimony geochemistry results. Soil and rock samples returned relatively low antimony values. The best antimony result was from a rock sample of quartz stockwork within black shale which returned 33 ppm Sb. This same sample also had the highest silver value.

Figure 10 shows the lead geochemistry results. Not unexpectedly, the highest lead values mimic the highest silver values. Two rock samples of 762 and 701 ppm Pb correlate to the two silver values of 22.4 and 20.1 ppm Ag, respectively. Soil samples do not show a distinctive trend, but generally lead values are higher in the western portion of the sampling area. The highest lead soil sample value is 566 ppm.

Both rock and soil geochemistry exhibit the mineralization potential of the dykes, quartz veins and stockworks to return elevated gold, silver and base metal values.

9) CONCLUSIONS

The Nid Property is underlain by Selwyn Basin Ordovician to Silurian sediments of the Road River Group, consisting of graphitic shale, carbonaceous shale, chert and quartzite. These sediments are intruded by the Cretaceous Nidderly Lake pluton and granodiorite to quartz-monzonite dykes. The sedimentary rocks are intensively hornfelsed and pyritized for up to one kilometre from the pluton contact.

Intrusive bodies occur throughout the Selwyn Basin in the Yukon, and stocks are often associated with gold mineralization. The Brewery Creek and Dublin Gulch deposits are both largely intrusive hosted.

In 2011, Colorado's exploration program identified elevated gold, silver, arsenic and lead soil geochemical values, most notably along the northwestern contour soil line for a distance of approximately 400 metres. Spotty high silver, arsenic and lead values were obtained from rock samples in both the sediment and intrusive rocks.

The geochemical signature, with relatively widespread high arsenic values and indicator silver-lead associations, combined with the favourable geological setting, exhibits the potential for the Nid Property to host intrusive-related mineralization. Additional exploration work is recommended in order to better evaluate the mineralization on the Nid Property.

10) RECOMMENDATIONS

For 2012, a Phase I exploration program consisting of prospecting, geological mapping and expanded soil sampling is proposed for the Nid Property. A total of 300 soil samples should be collected at 25 metre intervals on ten 200 metre spaced lines put in to cross the western margin of the intrusive body. In addition, 200 soil samples should be collected along contour lines surrounding the intrusive body. Rock grab and chip samples are to be collected while mapping and prospecting.

If results warrant, a Phase II exploration program consisting of expanded soil and rock chip sampling, followed by a six hole diamond drill program is recommended.

The Phase I exploration program is budgeted at \$100,000. Phase II is dependent upon the results of the Phase I program and is budgeted at \$650,000.

Respectfully submitted,
"Linda Dandy"
Linda Dandy, P.Geo.
February 13, 2012

11) REFERENCES

CECILE, M.P., 1984; Geology, Southwest and Central Nidderly Lake Area, Yukon Territory, Maps: Geological Survey of Canada Open File 1118.

FRISKE, P.W.B. et al, 1991; National Geochemical Reconnaissance Stream Sediment and Water Data, East Central Yukon (NTS 105O): Geological Survey of Canada Open File 2364.

JIANG, X. and BROUGHTON, D., 1998; 1997 Geological Assessment Report: Yukon Assessment Report #093827.

LUECK, B.A., 1995; Geological and Geochemical Assessment Report for the Nid 1 to 24 Claims and the YZ 1 to 4 Claims: Yukon Assessment Report #093497.

MINING YUKON, MINING AND EXPLORATION PORTAL, 2011; Bedrock Geology of Yukon.

ROBERTSON, R., 1983; Geological Mapping and Geochemical Sampling Leaf 1 – 34 Claims: Yukon Assessment Report #091532.

ROOTS, C.F. ABBOTT, J.G. CECILE, M.P. GORDEY, S.P., 1995; Bedrock Geology of Lansing Range Map Area (105N), East Half, Hess Mountains, Yukon: Exploration and Geological Services, Yukon Region, and Indian and Northern Affairs Canada.

YUKON GEOLOGICAL SURVEY; MINFILE 105O 049 FAENZI.

12) COST STATEMENT - September 2011

GEOLOGIST:	2 days @ \$750	\$ 1,500.00
PROSPECTORS:	2 days @ \$500	1,000.00
SAMPLERS:	2 days @ \$437.50	875.00
ASSAYS:	28 ROCK SAMPLES @ \$30.04	841.14
	75 SOIL SAMPLES @ \$21.08	1,581.26
	SAMPLE SHIPPING	558.00
HELICOPTER:	2.0 HOURS @ \$1250	2,500.00
	FUEL	369.60
FOOD AND ACCOMMODATION (Mac Pass):		3,150.00
SUPPLIES AND MISCELLANEOUS:		1,425.00
<u>REPORT PREPARATION:</u>		<u>5,000.00</u>
TOTAL COSTS:		\$ 18,800.00

13) QUALIFICATIONS

I, Linda Dandy, hereby certify that:

1. I am a Consulting Geologist having an office at 4900 Warm Bay Road, Atlin, British Columbia, V0W 1A0.
2. I am a graduate of the University of British Columbia with the degree of Bachelor of Science in Geology (1981).
3. I am a member of the Association of Professional Engineers and Geoscientists of British Columbia (Registration No. 19236) and a Fellow of the Geological Association of Canada (Membership No. F5201).
4. I have practiced my profession in North America since 1981, having worked as an employee and consultant for Major Mining Corporations, Junior Resource Companies and government.
5. This report is based upon a personal examination of available company and government reports pertinent to the subject property, and direct supervision of field work undertaken on the property on September 5, 2011.

February 13, 2012
Atlin, BC

“Linda Dandy”
Linda Dandy, P.Geo.
Consulting Geologist

APPENDICES

APPENDIX I – FIGURES 1 TO 10

APPENDIX II – ROCK SAMPLE RESULTS – CERTIFICATES OF ANALYSES

APPENDIX III – SOIL SAMPLE RESULTS – CERTIFICATES OF ANALYSES









Figure 1

























1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Submitted By: Linda Dandy

Receiving Lab: Canada-Whitehorse

Received: October 03, 2011

Report Date: November 10, 2011

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI11001585.1

CLIENT JOB INFORMATION

Project: NID_Property
Shipment ID: 1
P.O. Number
Number of Samples: 39

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Colorado Resources Ltd.
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6
Canada

CC: Dugald Dunlop
Adam Travis

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	35	Crush, split and pulverize 250 g rock to 200 mesh			SMI
G603	35	Lead collection fire assay fusion - ICP-ES finish + 7AR Ag	30	Completed	VAN
1D02	35	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project:

NID_Property

Report Date:

November 10, 2011

Page:

2 of 3

Part 1

CERTIFICATE OF ANALYSIS

WHI11001585.1

	Method Analyte Unit MDL	WGHT	G6	7AR	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Wgt	Au	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		kg	gm/t	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	2	1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3
1104422	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1104425	Rock	0.55	0.015	<2	<1	25	16	42	<0.3	4	16	93	1.36	1529	<2	14	23	<0.5	3	<3
1104426	Rock	0.54	0.055	22	<1	10	762	6	22.4	<1	<1	16	0.77	148	<2	4	6	<0.5	33	<3
1104427	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1104428	Rock	0.74	0.020	<2	<1	5	5	3	0.6	<1	<1	24	0.46	83	<2	<2	7	<0.5	3	<3
1104429	Rock	0.78	0.027	<2	<1	7	4	10	0.4	2	<1	79	0.79	145	<2	<2	13	<0.5	3	<3
1104430	Rock	0.73	0.048	<2	2	61	24	61	1.4	8	1	221	3.85	506	<2	6	56	<0.5	19	<3
1104431	Rock	0.83	0.016	<2	<1	34	6	53	<0.3	32	6	287	2.44	22	<2	2	18	<0.5	<3	<3
1104432	Rock	0.83	0.061	5	<1	17	86	320	5.0	4	7	270	2.78	3350	<2	12	21	3.1	28	<3
1104433	Rock	0.90	<0.005	<2	<1	4	6	42	<0.3	<1	12	507	3.65	14	<2	5	33	<0.5	3	<3
1104434	Rock	1.21	0.013	<2	<1	18	5	127	<0.3	3	11	912	3.48	546	<2	5	41	<0.5	4	<3
1104471	Rock	0.90	0.006	<2	<1	10	184	243	0.4	13	5	1027	3.63	46	<2	12	4	2.6	26	<3
1104472	Rock	0.78	0.009	<2	<1	10	5	13	0.7	2	<1	21	0.85	160	<2	3	5	<0.5	<3	<3
1104473	Rock	0.82	<0.005	<2	<1	58	19	220	<0.3	77	15	619	2.65	12	<2	15	19	1.0	<3	<3
1104474	Rock	0.91	0.029	<2	<1	24	<3	25	0.7	5	2	35	2.47	206	<2	<2	4	<0.5	<3	<3
1104475	Rock	0.92	<0.005	<2	<1	293	13	67	1.4	50	20	108	7.74	44	<2	3	3	2.9	10	<3
1104476	Rock	0.88	<0.005	<2	1	53	21	82	0.5	9	8	68	1.16	167	<2	11	44	1.0	4	<3
1104477	Rock	1.01	0.005	<2	2	66	11	85	1.0	5	5	592	>40	15	<2	2	7	3.4	<3	<3
1104478	Rock	0.78	0.013	<2	<1	77	12	103	1.1	45	13	33	1.19	8	<2	8	35	<0.5	<3	<3
1104479	Rock	0.77	0.044	<2	<1	4	<3	3	<0.3	1	<1	21	0.51	89	<2	<2	10	<0.5	5	<3
1283341	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1283344	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1283531	Rock	1.77	<0.005	<2	<1	82	<3	89	<0.3	48	32	936	5.24	<2	<2	<2	29	1.0	<3	<3
1283532	Rock	1.41	<0.005	<2	<1	73	<3	148	<0.3	81	38	1140	5.16	2	<2	<2	79	1.8	<3	<3
1283533	Rock	1.77	<0.005	<2	1	74	4	58	<0.3	37	30	1219	5.11	60	<2	<2	526	0.9	6	<3
1283534	Rock	1.42	0.071	<2	3	28	<3	69	<0.3	31	15	940	4.09	54	<2	<2	400	1.2	6	<3
1283535	Rock	1.22	<0.005	<2	4	51	5	143	<0.3	64	25	897	4.66	109	<2	<2	239	1.1	<3	<3
1283536	Rock	1.53	<0.005	<2	2	71	<3	73	<0.3	31	23	1077	5.15	23	<2	<2	381	1.2	4	<3
1283537	Rock	1.10	<0.005	<2	7	76	<3	75	<0.3	42	33	1421	6.70	64	<2	<2	148	1.9	18	<3
1283538	Rock	1.22	<0.005	<2	3	75	<3	104	<0.3	47	30	1116	5.40	15	<2	<2	317	1.2	<3	<3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 10, 2011

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI11001585.1

	Method Analyte Unit MDL	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5
1104422	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1104425	Rock	0.43	0.037	17	9	0.38	211	0.064	<20	1.30	0.09	0.11	<2	0.19	<1	<5	<5
1104426	Rock	0.02	0.021	12	12	0.01	193	<0.001	<20	0.17	<0.01	0.09	<2	0.06	<1	<5	<5
1104427	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1104428	Rock	0.02	0.014	1	18	0.02	54	<0.001	<20	0.09	<0.01	0.04	<2	<0.05	<1	<5	<5
1104429	Rock	0.02	0.010	5	14	0.17	122	<0.001	<20	0.31	<0.01	0.06	<2	<0.05	<1	<5	<5
1104430	Rock	0.02	0.105	23	36	0.55	442	0.003	<20	1.13	<0.01	0.16	<2	0.06	<1	<5	<5
1104431	Rock	0.06	0.020	6	36	0.68	420	0.006	<20	1.00	<0.01	0.15	<2	0.99	<1	<5	<5
1104432	Rock	0.45	0.070	21	4	0.29	266	0.003	<20	0.96	0.01	0.36	<2	1.25	<1	<5	<5
1104433	Rock	1.56	0.051	11	1	0.99	111	0.004	<20	2.06	0.07	0.35	<2	0.41	<1	<5	5
1104434	Rock	1.90	0.050	15	3	0.99	232	0.003	<20	2.00	0.02	0.29	<2	0.23	<1	<5	6
1104471	Rock	0.06	0.036	19	1	0.08	167	0.001	<20	0.64	0.02	0.19	<2	0.16	<1	<5	<5
1104472	Rock	0.02	0.011	15	19	0.02	216	<0.001	<20	0.20	<0.01	0.07	<2	<0.05	<1	<5	<5
1104473	Rock	0.29	0.048	11	7	0.21	548	0.046	<20	0.89	0.06	0.14	<2	0.47	<1	<5	<5
1104474	Rock	0.03	0.028	5	30	0.25	24	0.001	<20	0.28	<0.01	<0.01	<2	0.84	<1	<5	<5
1104475	Rock	0.04	0.018	5	45	1.59	60	0.014	<20	1.71	<0.01	0.07	<2	5.34	<1	<5	5
1104476	Rock	0.58	0.040	2	15	0.21	413	0.032	<20	1.11	0.06	0.07	<2	0.38	<1	<5	<5
1104477	Rock	0.20	0.117	2	14	2.41	63	0.025	43	0.62	<0.01	<0.01	<2	0.14	<1	<5	<5
1104478	Rock	0.07	0.016	20	15	0.15	323	0.003	<20	0.74	0.02	0.17	<2	0.98	<1	<5	<5
1104479	Rock	0.02	0.015	5	19	0.02	38	<0.001	<20	0.17	<0.01	0.01	<2	<0.05	<1	<5	<5
1283341	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1283344	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1283531	Rock	1.82	0.056	5	172	3.19	235	0.223	<20	3.53	0.02	0.07	<2	0.05	<1	<5	14
1283532	Rock	3.47	0.058	6	152	3.43	262	0.112	<20	3.56	<0.01	0.28	<2	<0.05	<1	<5	10
1283533	Rock	7.03	0.078	6	21	2.87	339	<0.001	<20	0.44	<0.01	0.22	<2	0.11	<1	<5	<5
1283534	Rock	7.40	0.018	3	16	2.96	158	<0.001	<20	0.14	<0.01	0.06	<2	0.07	<1	<5	<5
1283535	Rock	7.07	0.039	4	29	2.58	438	<0.001	<20	0.43	<0.01	0.24	<2	0.08	<1	<5	<5
1283536	Rock	6.38	0.062	5	29	2.33	477	0.001	<20	0.48	<0.01	0.21	<2	0.12	<1	<5	<5
1283537	Rock	5.46	0.080	6	31	0.94	546	0.001	<20	0.46	<0.01	0.24	<2	0.05	<1	<5	<5
1283538	Rock	6.20	0.061	5	47	1.99	523	<0.001	<20	0.72	<0.01	0.19	<2	<0.05	<1	<5	<5



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Colorado Resources Ltd.
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 10, 2011

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001585.1

	Method Analyte Unit MDL	WGHT	G6	7AR	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Wgt	Au	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		kg	gm/t	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	2	1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3
1283539	Rock	1.52	0.009	<2	2	74	3	229	<0.3	100	48	1382	7.04	5	<2	<2	132	2.5	<3	<3
1283540	Rock	1.53	0.073	<2	139	8	<3	40	<0.3	2	6	334	2.37	6	<2	9	69	<0.5	<3	3
1283541	Rock	1.27	<0.005	<2	2	1	26	26	<0.3	2	4	251	1.59	76	<2	7	21	<0.5	<3	<3
1283542	Rock	1.46	<0.005	<2	6	<1	19	19	<0.3	2	2	221	1.10	74	<2	5	27	<0.5	<3	<3
1283543	Rock	0.89	<0.005	21	24	2	701	9	20.1	1	2	164	0.58	503	<2	3	52	<0.5	9	78
1283544	Rock	1.64	<0.005	<2	5	<1	31	8	<0.3	2	3	273	1.24	194	<2	4	820	<0.5	7	<3
1283545	Rock	1.39	<0.005	<2	6	<1	58	17	<0.3	2	3	259	1.39	235	<2	4	231	<0.5	14	<3
1283546	Rock	1.44	<0.005	<2	21	1	30	16	<0.3	2	16	199	1.54	3268	<2	5	14	<0.5	3	<3
1283547	Rock	1.56	<0.005	<2	36	<1	16	9	<0.3	1	1	97	0.58	83	<2	2	5	<0.5	5	<3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property

Report Date: November 10, 2011

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI11001585.1

	Method Analyte Unit MDL	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5
1283539	Rock	0.90	0.083	6	112	1.49	1275	0.002	<20	1.74	0.01	0.17	<2	0.16	<1	<5	25
1283540	Rock	1.05	0.045	19	10	0.55	305	0.145	<20	2.21	0.19	0.54	14	<0.05	<1	<5	6
1283541	Rock	0.79	0.052	10	9	0.36	105	0.009	<20	0.96	0.03	0.21	13	<0.05	<1	<5	<5
1283542	Rock	0.80	0.033	9	11	0.19	74	0.007	<20	0.62	0.03	0.17	<2	<0.05	<1	<5	<5
1283543	Rock	1.34	0.025	6	12	0.03	87	<0.001	<20	0.20	0.02	0.13	<2	<0.05	<1	<5	<5
1283544	Rock	6.25	0.043	10	7	0.08	72	<0.001	<20	0.34	0.01	0.16	<2	<0.05	<1	<5	<5
1283545	Rock	2.84	0.036	10	6	0.04	65	<0.001	<20	0.28	0.01	0.18	<2	<0.05	<1	<5	<5
1283546	Rock	0.44	0.050	9	9	0.06	71	<0.001	<20	0.39	0.02	0.20	15	0.12	<1	<5	<5
1283547	Rock	0.12	0.037	5	14	0.04	35	<0.001	<20	0.22	0.02	0.10	29	<0.05	<1	<5	<5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road

West Kelowna BC V4T 2N6 Canada

Project:

NID_Property

Report Date:

November 10, 2011

Page:

1 of 2

Part 1

QUALITY CONTROL REPORT

WHI11001585.1

	Method Analyte Unit MDL	WGHT	G6	7AR	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Wgt	Au	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	2	1	1	3	1	0.3	1	1	1	2	0.01	2	2	2	1	0.5	3	3
Pulp Duplicates																					
REP G1	QC				<1	2	3	45	<0.3	2	4	545	1.87	<2	<2	5	66	<0.5	<3	<3	36
REP 1104474	QC	0.025																			
1283535	Rock	1.22	<0.005	<2	4	51	5	143	<0.3	64	25	897	4.66	109	<2	<2	239	1.1	<3	<3	99
REP 1283535	QC	<2																			
1283546	Rock	1.44	<0.005	<2	21	1	30	16	<0.3	2	16	199	1.54	3268	<2	5	14	<0.5	3	<3	3
REP 1283546	QC				20	1	31	16	<0.3	2	16	198	1.53	3230	<2	6	14	<0.5	3	<3	3
Core Reject Duplicates																					
1104474	Rock	0.91	0.029	<2	<1	24	<3	25	0.7	5	2	35	2.47	206	<2	<2	4	<0.5	<3	<3	12
DUP 1104474	QC	0.029		<2	<1	25	4	26	0.7	5	2	32	2.47	199	<2	<2	4	<0.5	<3	<3	12
Reference Materials																					
STD DS8	Standard				14	108	129	325	1.6	40	8	627	2.51	27	<2	7	70	2.4	5	4	43
STD DS8	Standard				14	105	124	323	1.7	39	8	618	2.50	28	<2	7	67	2.2	4	6	43
STD OREAS153AR	Standard	<2																			
STD OREAS131B-A	Standard	34																			
STD OREAS153AR	Standard	<2																			
STD OREAS131B-A	Standard	37																			
STD OREAS45CA	Standard				<1	532	18	65	<0.3	265	96	946	16.61	3	<2	8	15	<0.5	<3	<3	214
STD OREAS45CA	Standard				1	542	23	65	<0.3	273	98	965	16.66	5	<2	7	15	<0.5	<3	<3	219
STD OXH82	Standard	1.308																			
STD OXH82	Standard	1.246																			
STD OXK79	Standard	3.558																			
STD OXK79	Standard	3.562																			
STD OXH82 Expected		1.278																			
STD OXK79 Expected		3.532																			
STD DS8 Expected					13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	0.107	6.89	67.7	2.38	4.8	6.67	41.1
STD OREAS45CA Expected					1	494	20	60	0.275	240	92	943	15.69	3.8	0.043	7	15	0.1	0.13	0.19	215
STD OREAS131B-A		33.3																			
BLK	Blank				<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<2	<1	<0.5	<3	<3	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property

Report Date: November 10, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI11001585.1

	Method Analyte Unit MDL	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Sc
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5
Pulp Duplicates																	
REP G1	QC	0.52	0.075	13	6	0.48	164	0.119	<20	0.92	0.09	0.47	<2	<0.05	<1	<5	<5
REP 1104474	QC																
1283535	Rock	7.07	0.039	4	29	2.58	438	<0.001	<20	0.43	<0.01	0.24	<2	0.08	<1	<5	18
REP 1283535	QC																
1283546	Rock	0.44	0.050	9	9	0.06	71	<0.001	<20	0.39	0.02	0.20	15	0.12	<1	<5	<5
REP 1283546	QC	0.44	0.049	9	10	0.06	71	<0.001	<20	0.40	0.02	0.20	17	0.12	<1	<5	<5
Core Reject Duplicates																	
1104474	Rock	0.03	0.028	5	30	0.25	24	0.001	<20	0.28	<0.01	<0.01	<2	0.84	<1	<5	<5
DUP 1104474	QC	0.03	0.028	5	30	0.26	25	0.001	<20	0.29	<0.01	<0.01	<2	0.82	<1	<5	<5
Reference Materials																	
STD DS8	Standard	0.73	0.082	15	122	0.62	303	0.108	<20	0.96	0.10	0.43	<2	0.17	<1	<5	<5
STD DS8	Standard	0.73	0.082	16	119	0.62	300	0.113	<20	0.93	0.09	0.42	2	0.17	<1	<5	<5
STD OREAS153AR	Standard																
STD OREAS131B-A	Standard																
STD OREAS153AR	Standard																
STD OREAS131B-A	Standard																
STD OREAS45CA	Standard	0.45	0.042	17	764	0.15	165	0.125	<20	3.96	<0.01	0.08	<2	<0.05	<1	<5	49
STD OREAS45CA	Standard	0.45	0.044	18	785	0.15	165	0.141	<20	3.99	<0.01	0.08	<2	<0.05	<1	<5	51
STD OXH82	Standard																
STD OXH82	Standard																
STD OXK79	Standard																
STD OXK79	Standard																
STD OXH82 Expected																	
STD OXK79 Expected																	
STD DS8 Expected		0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.1679	0.192	5.4	2.3
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.021	0.03	0.07	
STD OREAS131B-A																	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 10, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI11001585.1

		WGHT	G6	7AR	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
		Wgt	Au	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		kg	gm/t	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	2	1	1	3	1	0.3	1	1	2	0.01	2	2	2	1	0.5	3	3
BLK	Blank	<0.005																		
BLK	Blank	<0.005																		
BLK	Blank	<0.005																		
BLK	Blank	<0.005																		
BLK	Blank				<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<2	<1	<0.5	<3	<3
BLK	Blank			<2																
BLK	Blank			<2																
Prep Wash																				
G1	Prep Blank		0.009	<2	<1	2	3	48	<0.3	2	4	545	1.93	<2	<2	6	61	<0.5	<3	<3
G1	Prep Blank		<0.005	<2																
G1	Prep Blank				<1	2	<3	46	<0.3	2	4	550	1.87	<2	<2	6	66	<0.5	<3	<3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 10, 2011

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

WHI11001585.1

		1D Ca %	1D P %	1D La ppm	1D Cr ppm	1D Mg %	1D Ba ppm	1D Ti %	1D B ppm	1D Al %	1D Na %	1D K %	1D W ppm	1D S %	1D Hg ppm	1D Tl ppm	1D Sc ppm	1D Ga ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5
BLK	Blank																	
BLK	Blank																	
Prep Wash																		
G1	Prep Blank	0.53	0.079	12	8	0.49	165	0.118	<20	0.89	0.09	0.45	<2	<0.05	<1	<5	<5	8
G1	Prep Blank																	
G1	Prep Blank	0.52	0.076	13	6	0.48	164	0.120	<20	0.91	0.09	0.46	<2	<0.05	<1	<5	<5	6



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Submitted By: Linda Dandy

Receiving Lab: Canada-Whitehorse

Received: September 07, 2011

Report Date: November 04, 2011

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI11001411.1

CLIENT JOB INFORMATION

Project: NID_Property
Shipment ID: 1
P.O. Number: NA11334
Number of Samples: 76

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
RJSV	76	Saving all or part of Soil Reject			WHI
1DX2	76	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Colorado Resources Ltd.
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6
Canada

CC: Dugald Dunlop
Adam Travis



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 04, 2011

Page: 2 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	0.001
1284325	Soil	3.3	164.7	45.7	89	1.3	25.0	5.0	92	2.58	78.1	9.8	2.9	15	0.2	4.2	0.7	41	0.08	0.100	18
1284326	Soil	2.4	99.7	28.5	62	1.1	16.4	3.4	84	2.01	62.7	6.5	1.5	8	0.2	2.9	0.7	31	0.06	0.064	10
1284327	Soil	3.2	225.6	48.0	95	3.0	50.3	5.5	68	3.31	73.6	13.3	2.2	20	0.2	3.4	0.5	30	0.18	0.115	27
1284328	Soil	1.1	34.1	22.2	128	0.8	34.8	8.8	325	1.64	27.5	5.4	0.7	80	0.9	1.7	0.4	21	1.92	0.070	7
1284329	Soil	3.4	122.8	57.6	271	1.9	72.4	19.4	356	3.57	78.7	12.4	1.4	30	0.9	3.6	0.4	30	0.60	0.108	22
1284330	Soil	6.9	126.9	128.7	263	5.1	41.9	6.1	127	6.59	114.0	14.4	1.5	26	0.6	5.1	0.6	44	0.29	0.110	16
1284331	Soil	1.4	40.3	62.2	24	1.2	4.7	1.2	26	2.30	43.9	6.4	0.1	5	<0.1	3.3	0.3	31	0.03	0.057	4
1284332	Soil	2.7	262.2	566.2	168	4.9	32.5	6.2	112	4.05	191.1	43.7	2.3	19	0.4	12.6	0.8	31	0.11	0.119	16
1284333	Soil	4.0	31.6	36.0	86	0.6	12.9	3.9	128	2.47	250.1	27.8	2.0	11	0.4	4.4	0.5	44	0.05	0.069	9
1284334	Soil	5.7	137.4	40.8	148	3.4	25.5	4.4	97	6.36	124.2	23.9	2.3	15	0.5	10.1	0.5	63	0.04	0.168	10
1284335	Soil	5.8	212.7	30.5	89	1.9	8.9	1.8	54	16.99	226.8	45.6	3.3	16	<0.1	7.7	0.5	41	0.04	0.168	7
1284336	Soil	3.7	206.5	39.0	123	3.8	17.9	2.6	85	18.33	159.9	41.8	3.7	48	<0.1	9.1	0.8	88	0.05	0.193	11
1284337	Soil	0.5	13.1	28.6	10	1.5	1.8	0.8	15	0.82	16.5	4.5	0.1	5	<0.1	1.0	0.2	12	0.03	0.020	1
1284338	Soil	4.3	194.2	245.7	163	4.9	17.3	2.9	49	3.52	220.2	116.9	0.8	32	2.6	6.9	1.5	35	0.06	0.111	17
1284339	Soil	3.5	73.9	28.9	206	0.6	30.9	6.1	129	2.70	59.4	7.9	2.8	26	1.9	6.5	0.2	36	0.13	0.105	11
1284340	Soil	3.8	22.8	40.8	114	0.5	15.6	4.2	121	3.16	128.7	3.3	1.5	8	0.4	18.0	0.4	66	0.03	0.088	8
1284341	Soil	1.7	11.9	7.1	37	0.7	6.9	2.2	36	0.96	16.2	1.1	0.1	6	0.1	1.9	0.1	31	0.02	0.036	4
1284342	Soil	3.3	17.7	11.1	50	0.2	9.4	2.5	64	1.70	26.5	3.9	0.2	5	0.1	1.6	0.3	52	0.02	0.053	6
1284343	Soil	3.5	14.1	15.8	70	0.4	12.9	3.6	122	2.89	34.1	1.6	0.2	7	0.1	1.9	0.5	59	0.03	0.120	6
1284344	Soil	3.7	42.8	14.8	150	0.3	41.4	13.8	209	3.00	32.2	5.7	4.0	10	0.6	2.4	0.3	41	0.05	0.054	11
1284345	Soil	3.6	20.5	12.3	109	0.1	23.3	6.6	268	3.02	24.6	0.9	0.3	7	0.9	1.9	0.2	71	0.03	0.079	7
1284346	Soil	3.6	37.4	14.1	72	1.0	11.9	10.2	847	1.50	50.3	7.1	0.7	32	0.6	5.5	0.2	26	0.51	0.118	17
1284347	Soil	5.7	24.4	19.8	128	0.6	19.4	6.5	176	3.11	94.2	4.1	2.9	11	0.3	15.9	0.4	52	0.05	0.061	9
1288001	Soil	2.8	15.2	16.2	109	0.2	21.4	7.5	290	3.48	22.1	1.0	2.9	9	0.2	1.7	0.3	55	0.05	0.055	15
1288002	Soil	3.2	16.9	19.9	115	0.2	17.8	6.7	256	3.68	22.5	1.1	2.7	8	0.4	1.7	0.4	58	0.03	0.061	13
1288003	Soil	2.6	11.0	14.6	94	0.2	12.9	4.6	196	2.52	19.1	1.2	2.5	9	0.2	1.4	0.3	64	0.04	0.044	13
1288004	Soil	2.2	10.7	12.4	74	0.1	12.2	4.7	221	2.37	21.9	0.7	1.9	7	0.1	1.5	0.2	42	0.02	0.049	13
1288005	Soil	3.0	14.3	19.5	126	0.2	16.4	6.3	235	4.75	19.9	0.7	3.2	8	0.3	1.8	0.3	71	0.02	0.066	15
1288006	Soil	2.5	31.7	23.3	126	0.6	31.2	10.3	417	3.45	62.8	6.4	1.5	38	0.4	4.2	0.5	39	0.51	0.082	15
1288007	Soil	2.1	26.4	20.1	71	0.2	15.7	7.3	486	2.87	15.5	1.1	1.2	13	0.4	1.2	0.3	42	0.06	0.095	13



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Colorado Resources Ltd.
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 04, 2011

Page: 2 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284325	Soil	15	0.20	223	0.010	3	1.70	0.006	0.05	0.5	0.19	2.0	0.2	0.06	4	2.0	<0.2
1284326	Soil	11	0.16	97	0.013	2	1.30	0.011	0.04	0.3	0.09	1.2	0.1	<0.05	4	1.6	<0.2
1284327	Soil	18	0.17	61	0.011	2	1.88	0.009	0.03	0.2	0.22	2.1	0.2	0.10	3	3.7	<0.2
1284328	Soil	11	0.17	246	0.014	3	0.97	0.016	0.02	0.2	0.09	0.9	0.1	0.18	3	3.1	<0.2
1284329	Soil	15	0.19	189	0.015	3	1.63	0.012	0.04	0.3	0.12	1.6	0.2	0.11	4	3.7	<0.2
1284330	Soil	22	0.16	154	0.013	2	1.20	0.005	0.04	0.4	0.29	1.6	0.1	0.09	5	9.6	<0.2
1284331	Soil	9	0.03	44	0.010	<1	0.45	0.015	0.02	0.1	0.03	0.3	<0.1	<0.05	3	1.4	<0.2
1284332	Soil	16	0.16	83	0.014	1	2.37	0.008	0.03	0.2	0.27	2.7	0.1	0.10	3	6.4	<0.2
1284333	Soil	12	0.11	136	0.004	2	1.01	0.005	0.05	0.4	0.10	1.2	0.2	<0.05	4	1.6	<0.2
1284334	Soil	24	0.14	207	0.007	2	1.32	0.004	0.05	0.3	0.18	1.8	0.2	0.06	4	5.0	<0.2
1284335	Soil	24	0.17	392	0.014	1	0.74	0.014	0.03	0.2	0.07	1.7	<0.1	0.49	4	22.5	0.5
1284336	Soil	34	0.16	342	0.013	2	1.15	0.010	0.04	0.4	0.11	2.4	0.1	0.59	4	14.5	0.6
1284337	Soil	2	0.02	29	0.016	<1	0.22	0.020	0.02	<0.1	0.04	0.3	<0.1	<0.05	1	0.7	<0.2
1284338	Soil	15	0.13	75	0.006	2	0.92	0.011	0.03	0.9	0.22	1.3	0.1	0.19	3	3.3	<0.2
1284339	Soil	12	0.16	714	0.006	4	0.68	0.005	0.05	0.2	0.06	2.2	0.2	<0.05	2	1.1	<0.2
1284340	Soil	11	0.10	122	0.012	2	0.82	0.004	0.05	0.6	0.05	1.4	0.2	<0.05	6	0.9	<0.2
1284341	Soil	5	0.02	81	0.006	1	0.34	0.011	0.02	<0.1	0.03	0.3	<0.1	<0.05	2	<0.5	<0.2
1284342	Soil	9	0.04	88	0.004	<1	0.57	0.006	0.03	0.2	0.05	0.4	0.1	<0.05	3	0.7	<0.2
1284343	Soil	11	0.07	116	0.004	2	0.62	0.004	0.05	0.2	0.05	0.5	0.2	<0.05	4	0.8	<0.2
1284344	Soil	16	0.21	555	0.004	2	0.97	0.003	0.04	0.2	0.12	2.9	0.2	<0.05	2	1.3	<0.2
1284345	Soil	18	0.05	279	0.005	2	0.56	0.003	0.03	0.2	0.03	1.1	0.2	<0.05	4	0.8	<0.2
1284346	Soil	10	0.12	381	0.008	2	0.90	0.016	0.04	0.2	0.14	1.5	0.2	0.07	3	1.0	<0.2
1284347	Soil	15	0.20	156	0.005	2	0.98	0.005	0.05	0.4	0.05	1.7	0.2	<0.05	4	0.8	<0.2
1288001	Soil	22	0.37	153	0.004	2	1.70	0.004	0.05	0.1	0.05	2.1	0.2	<0.05	5	0.8	<0.2
1288002	Soil	19	0.24	169	0.006	1	1.38	0.005	0.04	0.2	0.03	1.7	0.2	<0.05	5	0.7	<0.2
1288003	Soil	18	0.19	123	0.011	1	1.16	0.004	0.05	0.2	0.02	1.4	0.2	<0.05	5	0.6	<0.2
1288004	Soil	12	0.17	107	0.005	1	0.92	0.005	0.04	0.2	0.02	1.1	0.1	<0.05	4	0.5	<0.2
1288005	Soil	22	0.22	134	0.003	1	1.69	0.003	0.04	0.2	0.04	2.0	0.2	<0.05	6	0.8	<0.2
1288006	Soil	17	0.28	425	0.005	2	1.11	0.005	0.06	0.1	0.07	2.5	0.1	<0.05	4	1.1	<0.2
1288007	Soil	16	0.16	140	0.006	1	1.22	0.007	0.05	0.1	0.04	1.1	0.1	<0.05	4	0.7	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project:

NID_Property

Report Date:

November 04, 2011

Page:

3 of 4

Part 1

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001	La ppm 1
1288008	Soil	2.5	18.7	17.6	74	0.1	18.3	8.2	311	3.00	27.1	2.4	1.5	14	0.2	1.6	0.3	46	0.05	0.082	14
1288009	Soil	1.8	16.6	15.9	66	0.2	17.4	6.2	292	2.31	9.8	0.6	0.3	10	0.5	1.2	0.3	49	0.03	0.073	13
1288010	Soil	2.2	15.9	15.5	59	0.1	11.7	4.4	219	1.90	17.5	1.5	0.3	10	0.3	1.2	0.2	38	0.02	0.072	11
1288011	Soil	3.0	22.1	54.0	107	0.2	25.7	7.9	248	3.85	48.9	2.8	3.7	16	0.2	3.0	0.3	38	0.03	0.076	19
1288012	Soil	3.9	22.2	28.2	106	0.2	21.8	11.4	508	3.58	32.2	1.8	2.3	28	0.7	1.9	0.3	51	0.03	0.131	18
1288013	Soil	3.5	22.3	33.0	111	0.2	28.1	10.8	225	4.22	43.0	1.4	4.3	33	0.3	2.0	0.4	50	0.03	0.120	16
1288014	Soil	4.5	40.3	31.8	150	0.5	31.1	12.9	424	4.97	50.4	<0.5	1.6	22	0.7	2.5	0.4	43	0.03	0.140	15
1288015	Soil	3.3	21.7	30.6	114	0.3	24.1	8.3	232	3.65	53.3	1.5	0.5	22	1.1	3.1	0.4	48	0.03	0.110	15
1288030	Soil	2.0	16.0	16.5	36	0.2	6.9	1.7	50	1.10	20.6	0.8	<0.1	11	0.5	1.2	0.2	35	0.02	0.049	8
1288031	Soil	4.1	21.3	29.4	143	0.5	19.4	5.2	151	3.62	82.5	1.8	0.6	17	0.6	3.2	0.4	70	0.03	0.109	7
1288032	Soil	1.7	17.6	18.4	41	1.1	9.0	2.1	48	1.05	18.7	2.5	0.1	11	1.1	1.0	0.2	29	0.04	0.076	8
1288033	Soil	5.1	33.3	16.8	82	0.6	17.2	5.9	111	1.67	46.4	2.8	0.2	14	0.7	1.7	0.3	29	0.03	0.101	6
1288034	Soil	3.5	24.6	22.2	125	0.8	20.8	5.5	160	3.26	80.2	1.9	1.7	17	0.9	3.1	0.4	54	0.03	0.073	8
1288035	Soil	1.3	16.3	24.6	140	0.3	20.8	5.0	192	3.08	16.4	1.9	3.7	29	0.6	1.8	0.4	50	0.04	0.057	13
1288036	Soil	5.1	38.1	19.4	150	2.4	24.6	8.1	197	4.54	57.8	6.3	2.7	17	0.6	4.2	0.4	78	0.04	0.100	9
1288037	Soil	4.4	18.8	17.5	83	0.3	14.0	4.6	121	2.70	65.5	1.0	0.4	7	0.5	1.9	0.3	53	0.02	0.063	7
1288038	Soil	6.5	72.4	17.9	96	0.5	19.5	7.9	277	3.42	112.6	7.4	0.4	21	0.6	2.0	0.4	43	0.04	0.114	8
1288039	Soil	6.3	46.4	17.1	147	0.5	28.9	11.5	277	3.60	108.2	11.2	2.5	16	0.5	2.2	0.4	55	0.03	0.078	9
1288040	Soil	4.1	25.1	10.8	55	0.9	10.7	3.8	103	2.12	63.9	3.3	0.1	12	0.3	1.1	0.2	30	0.05	0.065	4
1288041	Soil	6.7	33.6	17.4	113	0.5	21.9	7.1	199	3.22	51.4	2.0	1.7	14	0.4	1.8	0.3	58	0.09	0.090	7
1288042	Soil	5.0	29.4	16.3	106	0.5	19.7	6.0	173	3.08	49.8	1.4	0.4	11	0.3	1.9	0.4	56	0.05	0.089	7
1288043	Soil	4.4	30.6	11.0	68	0.5	16.4	3.8	81	2.10	33.6	2.7	0.6	11	0.3	1.3	0.2	40	0.06	0.070	7
1288044	Soil	3.3	21.6	9.2	48	0.4	11.8	2.7	52	1.77	27.6	1.3	0.2	9	0.2	1.1	0.2	37	0.07	0.056	5
1288045	Soil	6.5	29.6	11.4	106	0.3	25.2	5.3	108	2.18	29.8	3.9	2.6	24	0.1	1.7	0.2	43	0.22	0.074	10
1288046	Soil	13.7	86.6	17.7	105	0.6	40.9	8.2	132	2.82	107.7	3.7	0.4	23	0.5	1.3	0.3	41	0.28	0.125	12
1288047	Soil	9.4	80.1	10.0	92	0.6	25.8	3.8	74	2.36	35.8	3.8	0.5	11	0.2	1.9	0.2	38	0.07	0.079	8
1288048	Soil	4.2	24.2	15.9	138	0.4	15.9	10.5	598	2.70	144.4	0.8	1.4	66	0.8	1.3	0.8	48	0.58	0.103	19
1288049	Soil	3.1	20.3	15.1	91	0.4	13.5	8.3	384	2.51	87.9	2.5	1.1	83	0.3	1.3	1.2	48	0.87	0.092	19
1288050	Soil	3.5	33.0	22.3	79	0.8	16.4	8.3	421	1.87	94.9	5.0	1.9	55	0.7	1.6	0.3	33	1.13	0.109	30
1288051	Soil	4.5	29.2	14.3	108	0.3	23.9	7.0	166	2.82	46.6	2.6	1.5	23	0.4	2.0	0.3	54	0.17	0.086	14



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 04, 2011

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1288008	Soil	18	0.22	168	0.006	2	1.30	0.008	0.06	0.2	0.03	1.3	0.2	<0.05	4	0.9	<0.2
1288009	Soil	15	0.10	160	0.009	<1	0.88	0.008	0.05	0.1	0.02	0.4	0.1	<0.05	5	<0.5	<0.2
1288010	Soil	12	0.12	121	0.005	1	0.79	0.007	0.05	0.1	0.03	0.5	0.1	<0.05	3	0.5	<0.2
1288011	Soil	19	0.46	119	0.004	2	1.47	0.004	0.07	0.2	0.06	1.8	0.2	<0.05	4	1.0	<0.2
1288012	Soil	20	0.28	339	0.005	1	1.37	0.013	0.11	0.2	0.03	1.6	0.2	0.14	5	0.7	<0.2
1288013	Soil	21	0.37	209	0.004	1	1.34	0.008	0.08	0.1	0.04	1.9	0.2	0.07	5	0.8	<0.2
1288014	Soil	22	0.29	401	0.007	2	1.26	0.006	0.07	0.2	0.04	1.3	0.1	0.10	5	1.0	<0.2
1288015	Soil	16	0.18	513	0.005	2	0.97	0.004	0.06	0.2	0.02	0.7	0.1	0.06	5	0.8	<0.2
1288030	Soil	8	0.03	159	0.012	4	0.48	0.005	0.03	0.3	0.03	0.2	<0.1	<0.05	3	0.6	<0.2
1288031	Soil	17	0.14	156	0.007	2	0.88	0.004	0.05	0.8	0.07	1.1	0.2	<0.05	5	0.8	<0.2
1288032	Soil	8	0.05	370	0.006	1	0.66	0.008	0.03	0.3	0.13	0.4	0.1	<0.05	3	0.7	<0.2
1288033	Soil	11	0.10	195	0.005	2	0.67	0.007	0.04	0.6	0.05	0.4	0.1	0.07	2	0.9	<0.2
1288034	Soil	17	0.18	145	0.006	2	1.08	0.003	0.05	0.4	0.06	1.7	0.2	<0.05	4	1.0	<0.2
1288035	Soil	7	0.47	200	0.004	<1	1.92	0.002	0.05	<0.1	0.05	4.4	0.1	<0.05	7	<0.5	<0.2
1288036	Soil	24	0.22	142	0.010	1	1.80	0.004	0.05	0.3	0.12	1.7	0.2	<0.05	5	2.0	<0.2
1288037	Soil	13	0.11	127	0.008	1	0.83	0.005	0.04	0.6	0.03	1.0	0.1	<0.05	4	0.8	<0.2
1288038	Soil	15	0.14	166	0.008	2	1.02	0.010	0.06	0.5	0.03	0.8	0.1	0.07	4	1.4	<0.2
1288039	Soil	17	0.19	212	0.007	2	1.27	0.006	0.07	0.7	0.03	2.1	0.2	<0.05	4	1.1	<0.2
1288040	Soil	8	0.05	98	0.008	1	0.76	0.017	0.05	0.2	0.05	0.4	<0.1	0.06	3	0.9	<0.2
1288041	Soil	16	0.15	215	0.007	2	1.02	0.007	0.07	0.5	0.05	1.6	0.2	<0.05	4	0.9	<0.2
1288042	Soil	14	0.11	195	0.008	2	0.76	0.004	0.08	0.3	0.04	1.1	0.2	<0.05	4	0.6	<0.2
1288043	Soil	11	0.11	175	0.006	2	0.95	0.007	0.04	0.4	0.06	1.2	0.2	<0.05	3	0.6	<0.2
1288044	Soil	9	0.05	123	0.006	2	0.52	0.007	0.04	0.3	0.07	0.6	0.1	0.06	2	0.7	<0.2
1288045	Soil	15	0.23	719	0.006	2	0.97	0.004	0.04	0.2	0.05	1.8	0.1	<0.05	3	0.9	<0.2
1288046	Soil	14	0.11	339	0.006	2	1.11	0.010	0.04	0.3	0.06	0.9	0.1	0.09	3	0.9	<0.2
1288047	Soil	12	0.10	129	0.006	1	0.86	0.006	0.03	0.2	0.11	1.1	0.1	<0.05	3	1.2	<0.2
1288048	Soil	12	0.35	668	0.014	1	1.88	0.015	0.06	1.0	0.04	1.9	0.2	0.05	7	<0.5	<0.2
1288049	Soil	12	0.33	655	0.019	2	1.99	0.024	0.05	0.6	0.05	1.9	0.2	0.06	7	<0.5	<0.2
1288050	Soil	11	0.19	449	0.010	2	1.37	0.015	0.04	0.3	0.13	2.2	0.2	0.08	3	1.2	<0.2
1288051	Soil	17	0.26	344	0.009	2	1.32	0.005	0.06	0.3	0.04	1.8	0.2	<0.05	5	0.6	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Colorado Resources Ltd.**

110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property

Report Date: November 04, 2011

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
1288052	Soil	3.3	98.9	17.2	83	1.0	39.1	5.4	96	2.67	56.8	7.9	0.6	15	0.8	2.2	0.2	37	0.09	0.121
1288016	Soil	3.5	41.2	110.0	189	0.5	66.0	30.5	928	3.93	105.8	9.3	1.7	60	1.5	6.5	0.5	32	0.04	0.159
1288017	Soil	2.1	22.0	44.9	91	0.4	21.2	7.5	248	2.39	51.6	3.4	1.0	31	0.7	3.2	0.2	22	0.03	0.127
1288018	Soil	4.5	24.9	62.5	110	0.6	16.0	4.8	194	2.88	90.9	3.6	1.5	25	0.8	5.9	0.4	49	0.04	0.079
1288019	Soil	4.9	24.7	51.9	211	0.3	26.8	12.8	576	4.63	50.8	1.0	3.6	52	1.3	2.3	0.6	42	0.05	0.222
1288020	Soil	7.0	64.3	31.8	109	0.7	14.2	4.3	174	2.72	108.8	16.2	3.3	43	0.1	9.9	0.4	20	0.03	0.086
1288021	Soil	3.5	24.9	47.5	195	0.2	33.7	19.1	539	5.18	41.0	0.8	1.0	60	1.4	1.8	0.4	35	0.06	0.179
1288022	Soil	2.7	13.2	29.4	125	0.3	18.8	8.1	171	2.80	33.5	0.9	1.9	39	0.6	2.5	0.4	35	0.03	0.112
1288023	Soil	3.7	29.8	63.4	152	0.6	34.5	10.3	174	3.88	82.0	6.4	6.1	96	0.5	7.5	0.5	30	0.03	0.176
1288024	Soil	1.6	21.8	27.6	42	0.9	8.7	1.9	38	1.66	58.5	16.6	0.9	24	0.4	13.3	0.3	22	0.02	0.058
1288025	Soil	3.0	33.7	40.9	122	0.2	28.1	7.2	156	3.33	76.2	7.5	3.0	26	0.5	3.7	0.4	38	0.04	0.084
1288026	Soil	6.4	40.8	47.1	201	0.7	60.8	27.2	707	5.48	137.8	3.3	6.9	102	1.4	8.6	0.6	44	0.09	0.238
1288027	Soil	1.9	12.7	22.9	83	0.2	13.4	5.3	123	2.58	18.6	0.8	0.2	28	0.6	1.8	0.3	32	0.05	0.119
1288028	Soil	2.2	12.3	28.4	85	0.4	12.0	4.7	138	2.72	29.3	1.1	0.6	26	0.7	1.5	0.3	30	0.04	0.106
1288029	Soil	2.7	41.3	19.6	60	1.0	12.1	4.1	100	2.13	61.2	22.9	1.5	203	0.4	12.3	0.2	22	0.05	0.114
1288053	Soil	0.9	12.4	4.0	31	0.4	14.7	2.0	42	0.70	13.5	1.3	<0.1	8	0.2	0.4	0.1	17	0.07	0.042



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Colorado Resources Ltd.
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 04, 2011

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1288052	Soil	15	0.16	152	0.009	1	1.42	0.010	0.05	0.1	0.12	1.0	0.2	0.08	4	1.5	<0.2
1288016	Soil	18	0.36	322	0.005	2	1.37	0.015	0.08	0.2	0.04	1.0	0.1	0.16	4	0.6	<0.2
1288017	Soil	12	0.20	184	0.009	<1	1.05	0.019	0.05	0.1	0.03	0.5	<0.1	0.12	3	<0.5	<0.2
1288018	Soil	16	0.15	184	0.007	<1	0.80	0.006	0.06	0.4	0.03	1.2	0.1	0.08	4	0.9	<0.2
1288019	Soil	19	0.29	281	0.005	<1	1.29	0.028	0.10	0.1	0.04	1.2	0.1	0.18	5	<0.5	<0.2
1288020	Soil	18	0.27	295	0.002	3	0.73	0.008	0.08	0.1	0.07	1.2	0.1	0.18	3	1.2	<0.2
1288021	Soil	19	0.40	297	0.011	1	1.33	0.036	0.11	0.2	0.02	0.9	0.1	0.20	4	0.6	<0.2
1288022	Soil	13	0.18	231	0.006	<1	0.91	0.011	0.07	0.5	0.02	1.2	<0.1	0.08	4	<0.5	<0.2
1288023	Soil	19	0.39	307	0.003	<1	1.30	0.010	0.11	0.3	0.04	2.0	0.2	0.24	4	1.1	<0.2
1288024	Soil	13	0.07	242	0.004	<1	0.49	0.005	0.05	0.2	1.77	0.7	0.4	0.11	3	1.5	<0.2
1288025	Soil	16	0.30	222	0.007	<1	1.21	0.006	0.08	0.7	0.09	2.1	0.2	<0.05	4	0.8	<0.2
1288026	Soil	22	0.42	349	0.005	1	1.73	0.012	0.15	0.4	0.05	2.8	0.2	0.18	5	1.2	<0.2
1288027	Soil	16	0.25	237	0.008	1	1.24	0.015	0.08	<0.1	0.02	0.6	0.1	0.11	4	<0.5	<0.2
1288028	Soil	14	0.25	222	0.022	<1	1.06	0.013	0.08	0.1	0.02	0.8	0.1	<0.05	4	<0.5	<0.2
1288029	Soil	14	0.14	142	0.003	<1	0.68	0.004	0.06	0.1	0.47	0.9	0.2	<0.05	3	2.5	<0.2
1288053	Soil	4	0.03	231	0.003	<1	0.46	0.018	0.02	<0.1	0.03	0.2	<0.1	<0.05	2	0.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Colorado Resources Ltd.

110 - 2300 Carrington Road

West Kelowna BC V4T 2N6 Canada

Project:

NID_Property

Report Date:

November 04, 2011

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1284326	Soil	2.4	99.7	28.5	62	1.1	16.4	3.4	84	2.01	62.7	6.5	1.5	8	0.2	2.9	0.7	31	0.06	0.064	10
REP 1284326	QC	2.5	97.4	28.4	61	1.1	16.1	3.3	83	1.97	61.9	7.4	1.3	9	0.2	2.9	0.7	29	0.06	0.065	10
1288013	Soil	3.5	22.3	33.0	111	0.2	28.1	10.8	225	4.22	43.0	1.4	4.3	33	0.3	2.0	0.4	50	0.03	0.120	16
REP 1288013	QC	3.5	22.6	33.2	116	0.2	27.5	10.9	223	4.23	44.0	0.9	4.4	32	0.3	2.1	0.4	49	0.03	0.121	17
1288038	Soil	6.5	72.4	17.9	96	0.5	19.5	7.9	277	3.42	112.6	7.4	0.4	21	0.6	2.0	0.4	43	0.04	0.114	8
REP 1288038	QC	6.2	72.4	17.5	96	0.5	19.6	7.8	275	3.43	111.7	6.8	0.4	20	0.6	2.2	0.4	43	0.04	0.112	9
1288016	Soil	3.5	41.2	110.0	189	0.5	66.0	30.5	928	3.93	105.8	9.3	1.7	60	1.5	6.5	0.5	32	0.04	0.159	17
REP 1288016	QC	3.5	39.3	110.5	187	0.5	64.5	29.9	935	3.86	104.9	50.5	1.6	60	1.3	6.6	0.5	32	0.04	0.158	17
Reference Materials																					
STD DS8	Standard	12.8	112.0	119.4	301	1.8	37.3	7.7	592	2.45	25.8	107.0	6.9	65	2.3	5.4	6.7	42	0.67	0.076	14
STD DS8	Standard	13.0	115.5	129.2	303	1.8	39.2	7.8	581	2.39	22.9	109.9	6.6	61	2.2	5.4	5.8	44	0.65	0.080	14
STD DS8	Standard	12.6	105.5	116.9	293	1.6	37.1	7.2	569	2.29	22.6	103.2	6.3	61	2.1	5.1	5.3	40	0.64	0.077	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Colorado Resources Ltd.**
110 - 2300 Carrington Road
West Kelowna BC V4T 2N6 Canada

Project: NID_Property
Report Date: November 04, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI11001411.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1284326	Soil	11	0.16	97	0.013	2	1.30	0.011	0.04	0.3	0.09	1.2	0.1	<0.05	4	1.6	<0.2
REP 1284326	QC	11	0.16	92	0.014	2	1.31	0.010	0.04	0.4	0.11	1.2	0.1	<0.05	4	1.6	<0.2
1288013	Soil	21	0.37	209	0.004	1	1.34	0.008	0.08	0.1	0.04	1.9	0.2	0.07	5	0.8	<0.2
REP 1288013	QC	21	0.36	211	0.004	1	1.34	0.007	0.08	0.2	0.03	1.9	0.2	0.07	5	0.8	<0.2
1288038	Soil	15	0.14	166	0.008	2	1.02	0.010	0.06	0.5	0.03	0.8	0.1	0.07	4	1.4	<0.2
REP 1288038	QC	14	0.15	167	0.009	2	1.03	0.010	0.06	0.4	0.04	0.8	0.1	0.08	4	1.6	<0.2
1288016	Soil	18	0.36	322	0.005	2	1.37	0.015	0.08	0.2	0.04	1.0	0.1	0.16	4	0.6	<0.2
REP 1288016	QC	19	0.36	312	0.005	2	1.35	0.015	0.08	0.1	0.04	1.1	0.2	0.17	4	1.0	<0.2
Reference Materials																	
STD DS8	Standard	118	0.60	279	0.111	3	0.94	0.106	0.44	3.0	0.19	2.7	5.1	0.15	5	4.6	4.6
STD DS8	Standard	120	0.57	248	0.112	2	0.87	0.094	0.44	2.8	0.18	2.3	5.4	0.13	4	4.8	4.8
STD DS8	Standard	110	0.57	258	0.115	2	0.86	0.084	0.39	2.7	0.17	2.1	5.0	0.15	4	4.9	4.5
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2