



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 1
Finalized Date: 27-JUL-2011
Account: ANTRES

CERTIFICATE WH11118118

Project: Einarson

P.O. No.:

This report is for 66 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-JUN-2011.

The following have access to data associated with this certificate:

YINGHUA CHEN

MORGAN LI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS

To: ANTHILL RESOURCES
ATTN: YINGHUA CHEN
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118118

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932355		0.57	0.008	<0.2	0.09	12	<10	20	<0.5	<2	>25.0	<0.5	1	2	13	0.79
K932356		0.41	0.046	<0.2	0.16	18	<10	20	<0.5	<2	>25.0	<0.5	2	2	7	1.14
K932357		1.06	<0.005	<0.2	2.04	21	<10	40	<0.5	<2	0.11	<0.5	4	29	25	3.97
K932358		1.25	<0.005	<0.2	0.29	7	<10	80	<0.5	<2	0.06	<0.5	1	5	4	1.14
K932359		0.47	<0.005	<0.2	1.12	5	<10	30	0.5	<2	20.3	<0.5	9	13	22	2.86
K932360		0.89	<0.005	<0.2	0.32	6	<10	180	<0.5	<2	0.35	<0.5	4	6	10	1.68
K932361		0.75	0.006	<0.2	0.03	4	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.05
K932362		0.84	<0.005	<0.2	0.05	3	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.08
K932363		0.65	<0.005	<0.2	0.53	4	<10	10	<0.5	<2	>25.0	<0.5	4	6	9	1.55
K932364		0.82	<0.005	<0.2	0.07	2	<10	70	<0.5	<2	>25.0	<0.5	<1	2	<1	1.41
K932365		0.58	<0.005	<0.2	2.12	7	<10	50	0.8	2	0.23	<0.5	20	34	73	10.90
K932366		0.70	<0.005	<0.2	0.75	3	<10	50	<0.5	<2	5.86	<0.5	8	8	16	2.41
K932367		1.56	0.006	<0.2	0.05	5	<10	30	<0.5	<2	>25.0	<0.5	<1	1	<1	0.11
K932368		1.25	<0.005	<0.2	0.60	10	<10	90	<0.5	<2	5.57	<0.5	9	7	23	2.50
K932369		0.12	0.462	<0.2	1.29	51	<10	110	<0.5	<2	1.43	<0.5	7	29	49	2.92
K932370		2.31	0.006	<0.2	0.09	3	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1	0.07
K932371		1.14	<0.005	<0.2	1.78	3	<10	120	0.5	<2	0.13	<0.5	22	23	37	3.55
K932372		0.75	<0.005	<0.2	0.43	<2	<10	250	0.5	<2	2.54	<0.5	11	11	3	1.36
K932373		1.08	0.011	8.6	1.34	4	<10	130	0.8	<2	0.17	<0.5	21	20	>10000	1.53
K932374		1.43	<0.005	<0.2	2.95	<2	<10	30	0.5	<2	0.02	<0.5	9	44	38	5.35
K932376		1.30	<0.005	<0.2	1.69	2	<10	180	<0.5	<2	0.59	<0.5	13	22	68	3.31
K932377		1.11	<0.005	<0.2	2.90	4	<10	70	1.3	3	0.39	<0.5	36	37	26	6.21
K932378		1.19	<0.005	<0.2	1.00	<2	<10	60	<0.5	<2	0.87	<0.5	14	17	386	1.55
K932379		1.38	<0.005	<0.2	0.14	<2	<10	50	<0.5	<2	2.27	<0.5	2	10	4	0.87
K932380		0.81	0.009	0.3	1.98	4	<10	80	0.7	6	0.71	<0.5	97	16	35	7.99
K932401		0.80	<0.005	<0.2	0.04	6	<10	30	<0.5	<2	>25.0	<0.5	<1	1	4	0.52
K932402		0.85	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	6	0.05
K932403		2.47	0.006	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	2	0.10
K932404		0.54	<0.005	0.2	0.03	2	<10	10	<0.5	<2	16.7	<0.5	<1	1	2	0.66
K932405		0.51	<0.005	<0.2	0.04	<2	<10	10	<0.5	2	0.21	<0.5	1	5	1	0.72
K932406		0.36	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	12.8	<0.5	<1	3	2	0.50
K932407		0.13	0.467	<0.2	1.22	43	<10	110	<0.5	<2	1.38	<0.5	6	27	47	2.84
K932408		0.93	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	1	1	3	0.52
K932409		0.35	0.007	<0.2	0.08	2	<10	10	<0.5	2	>25.0	<0.5	1	1	6	0.30
K932410		0.13	<0.005	0.5	1.08	<2	<10	80	<0.5	<2	0.76	<0.5	7	25	19	1.85
K932411		1.25	0.005	0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	1	1	2	0.08
K932412		0.63	0.005	<0.2	0.03	<2	<10	<10	<0.5	2	>25.0	<0.5	<1	<1	1	0.32
K932413		0.34	<0.005	0.2	0.10	7	<10	320	<0.5	<2	14.6	<0.5	15	2	6	2.12
K932416		0.39	<0.005	<0.2	0.16	3	<10	20	<0.5	<2	0.29	<0.5	2	9	2	0.87
K932417		0.72	<0.005	0.3	1.36	<2	<10	80	<0.5	<2	0.44	<0.5	7	16	7	3.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118118

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932355		<10	<1	0.05	10	0.25	86	<1	0.02	4	270	17	0.23	3	2	1730
K932356		<10	<1	0.09	10	0.20	140	<1	0.02	6	1030	12	0.37	4	2	1850
K932357		<10	<1	0.24	30	0.68	128	<1	0.01	20	390	14	0.03	<2	2	22
K932358		<10	<1	0.20	<10	0.03	21	<1	0.02	2	40	13	0.45	<2	1	8
K932359		<10	<1	0.19	10	0.54	417	<1	0.03	16	580	24	1.25	<2	4	1660
K932360		<10	<1	0.23	10	0.11	96	<1	0.01	10	110	13	1.04	<2	1	28
K932361		<10	<1	0.01	<10	0.15	8	<1	0.02	1	200	4	0.09	<2	<1	2270
K932362		<10	1	0.02	<10	0.22	19	<1	0.01	1	200	6	0.11	<2	<1	1510
K932363		<10	<1	0.09	10	0.38	506	<1	0.02	7	350	7	0.23	<2	3	2420
K932364		<10	<1	0.01	<10	0.64	579	<1	0.02	<1	4530	<2	0.34	<2	1	1810
K932365		10	<1	0.22	20	0.65	363	<1	0.01	40	340	27	0.05	<2	2	37
K932366		<10	<1	0.29	10	0.27	476	<1	0.01	18	120	15	1.50	<2	2	522
K932367		<10	<1	0.01	<10	0.28	91	<1	0.02	1	410	4	0.12	<2	<1	1070
K932368		<10	<1	0.41	10	0.11	85	<1	0.01	21	130	21	2.77	<2	2	186
K932369		<10	<1	0.10	10	0.59	418	9	0.08	31	740	2	0.14	<2	5	44
K932370		<10	1	0.07	<10	2.41	23	<1	0.03	1	290	2	0.15	<2	<1	671
K932371		<10	<1	0.10	<10	0.91	3090	<1	0.02	29	100	8	0.02	<2	3	38
K932372		<10	<1	0.08	10	1.20	4860	<1	0.04	9	280	8	0.02	<2	4	86
K932373		<10	<1	0.23	<10	0.79	326	<1	0.04	30	170	13	0.45	<2	4	20
K932374		10	<1	0.18	<10	1.10	505	<1	0.05	38	120	8	0.03	<2	3	9
K932376		<10	<1	0.14	<10	0.64	867	<1	0.06	24	210	14	0.07	<2	3	38
K932377		10	<1	0.29	<10	1.10	707	<1	0.03	39	170	39	1.28	<2	5	16
K932378		<10	<1	0.11	<10	0.76	1465	<1	0.05	22	160	7	0.02	<2	3	36
K932379		<10	<1	0.02	<10	0.58	8000	<1	0.07	1	250	5	0.03	<2	3	56
K932380		10	<1	0.28	<10	0.61	1290	<1	0.03	38	70	63	4.02	<2	4	26
K932401		<10	<1	0.01	<10	0.41	220	<1	0.02	3	210	3	0.09	2	<1	683
K932402		<10	<1	0.02	<10	0.17	12	<1	0.01	3	200	3	0.07	<2	<1	622
K932403		<10	<1	0.01	<10	5.14	101	<1	0.02	<1	430	5	0.06	<2	<1	203
K932404		<10	<1	0.01	<10	0.13	280	<1	0.01	1	80	4	0.09	<2	<1	943
K932405		<10	<1	0.02	<10	0.02	118	<1	<0.01	1	120	3	0.01	<2	<1	8
K932406		<10	<1	0.01	<10	0.06	177	<1	0.01	1	90	2	0.01	<2	<1	463
K932407		<10	<1	0.10	10	0.56	395	9	0.08	30	700	4	0.12	<2	4	42
K932408		<10	<1	0.01	<10	0.31	90	<1	0.01	1	160	2	0.08	<2	1	1550
K932409		<10	<1	0.05	<10	0.21	78	<1	0.01	3	70	6	0.08	<2	1	1180
K932410		<10	<1	0.07	<10	0.46	279	3	0.06	17	450	2	0.05	<2	4	34
K932411		<10	1	0.02	<10	0.22	18	<1	0.01	1	200	<2	0.08	<2	<1	1020
K932412		<10	<1	0.01	<10	0.09	116	<1	0.01	1	30	2	0.07	<2	<1	196
K932413		<10	<1	0.02	<10	0.05	3360	<1	0.01	10	470	15	0.01	3	1	44
K932416		<10	<1	0.03	<10	0.01	468	<1	0.02	3	90	7	0.01	<2	1	8
K932417		<10	<1	0.09	<10	0.40	2220	<1	0.03	15	140	48	0.01	<2	3	14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118118

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-OG46	Pb-OG46	Zn-OG46
		Th	Ti	Ti	U	V	W	Zn	Cu	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	0.001	0.001	0.001
K932355		20	<0.01	<10	<10	2	<10	34			
K932356		20	<0.01	<10	<10	3	<10	34			
K932357		<20	<0.01	<10	<10	20	<10	92			
K932358		<20	<0.01	<10	<10	3	<10	9			
K932359		20	<0.01	<10	<10	12	<10	88			
K932360		<20	<0.01	<10	<10	3	<10	24			
K932361		20	<0.01	<10	<10	1	<10	5			
K932362		<20	<0.01	<10	<10	1	<10	10			
K932363		20	<0.01	<10	<10	11	<10	44			
K932364		<20	<0.01	<10	<10	5	<10	4			
K932365		<20	<0.01	<10	<10	31	<10	202			
K932366		<20	<0.01	<10	<10	7	<10	71			
K932367		<20	<0.01	<10	<10	1	<10	40			
K932368		<20	<0.01	<10	<10	7	<10	72			
K932369		<20	0.12	<10	<10	54	<10	56			
K932370		<20	<0.01	<10	<10	1	<10	13			
K932371		<20	0.01	<10	<10	19	<10	126			
K932372		<20	<0.01	<10	<10	7	<10	55			
K932373		<20	<0.01	<10	<10	25	<10	97	2.28		
K932374		<20	0.01	<10	<10	24	<10	114			
K932376		<20	0.01	<10	<10	16	<10	77			
K932377		<20	0.01	<10	<10	26	<10	110			
K932378		<20	0.01	<10	<10	15	<10	76			
K932379		<20	<0.01	<10	<10	2	<10	17			
K932380		<20	0.01	<10	<10	12	<10	90			
K932401		<20	<0.01	<10	<10	2	<10	12			
K932402		<20	<0.01	<10	20	<1	<10	7			
K932403		<20	<0.01	<10	20	<1	<10	37			
K932404		<20	<0.01	<10	10	1	<10	8			
K932405		<20	<0.01	<10	<10	1	<10	12			
K932406		<20	<0.01	<10	<10	<1	<10	2			
K932407		<20	0.11	<10	<10	50	<10	52			
K932408		<20	<0.01	<10	20	1	<10	14			
K932409		<20	<0.01	<10	20	1	<10	39			
K932410		<20	0.11	<10	<10	46	20	33			
K932411		<20	<0.01	<10	20	<1	<10	13			
K932412		<20	<0.01	<10	20	<1	<10	12			
K932413		<20	<0.01	<10	10	3	<10	106			
K932416		<20	<0.01	<10	<10	3	<10	19			
K932417		<20	<0.01	<10	<10	11	<10	59			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118118

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932418		0.92	<0.005	0.3	0.33	<2	<10	100	<0.5	<2	4.07	<0.5	3	4	2	3.93
K932419		0.94	<0.005	0.4	0.13	<2	<10	10	<0.5	2	13.1	<0.5	2	3	3	1.20
K932420		0.93	<0.005	<0.2	0.24	<2	<10	30	<0.5	2	0.09	<0.5	3	7	2	2.23
K932451		0.81	<0.005	<0.2	0.19	6	<10	30	<0.5	<2	10.7	<0.5	10	5	44	2.83
K932452		0.42	<0.005	<0.2	0.61	87	<10	860	0.7	2	8.5	<0.5	8	8	7	1.71
K932453		0.33	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.07
K932454		0.39	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	19.1	<0.5	<1	<1	1	0.33
K932455		0.45	<0.005	<0.2	0.03	3	<10	10	<0.5	<2	>25.0	<0.5	1	1	2	0.10
K932456		0.58	<0.005	0.2	0.03	5	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2	0.07
K932458		0.51	<0.005	<0.2	0.02	3	<10	10	<0.5	2	>25.0	<0.5	1	1	1	0.06
K932459		0.81	<0.005	<0.2	0.03	18	<10	10	<0.5	2	>25.0	<0.5	<1	2	1	0.04
K932460		0.74	<0.005	<0.2	0.03	5	<10	20	<0.5	2	16.2	<0.5	1	1	1	0.55
K932461		0.40	<0.005	<0.2	0.06	2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	3	0.08
K932462		0.46	<0.005	<0.2	0.03	<2	<10	<10	<0.5	2	18.5	<0.5	1	1	1	0.25
K932463		0.67	<0.005	0.2	0.16	11	<10	40	<0.5	<2	24.8	<0.5	<1	4	6	0.23
K932464		0.66	<0.005	<0.2	0.03	3	<10	50	<0.5	<2	>25.0	<0.5	<1	1	1	0.04
K932465		0.44	0.009	<0.2	0.03	<2	<10	50	<0.5	2	>25.0	<0.5	1	1	1	0.22
K932466		0.44	<0.005	<0.2	0.03	6	<10	10	<0.5	<2	21.2	<0.5	1	1	1	0.36
K932467		0.34	<0.005	<0.2	0.08	17	<10	30	<0.5	<2	>25.0	<0.5	<1	2	2	0.09
K932468		0.48	0.036	4.2	0.02	20	<10	<10	<0.5	2	6.17	159.5	<1	<1	126	0.68
K932469		0.56	0.006	0.6	0.04	22	<10	10	<0.5	2	16.5	21.3	<1	1	4	0.42
K932470		0.48	<0.005	<0.2	0.18	15	<10	30	<0.5	<2	>25.0	0.9	1	2	6	0.63
K932471		0.53	<0.005	<0.2	0.07	25	<10	20	<0.5	<2	20.5	0.6	1	3	4	0.55
K932472		0.57	<0.005	<0.2	0.10	8	<10	40	<0.5	<2	>25.0	<0.5	2	1	2	0.43
K932473		0.47	<0.005	<0.2	0.06	2	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.12
K932474		1.15	0.006	0.2	0.15	24	<10	10	<0.5	<2	17.6	<0.5	3	5	4	2.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH1118118

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932418		<10	<1	0.10	<10	0.30	8650	<1	0.05	2	250	22	0.02	<2	3	134
K932419		<10	<1	0.05	<10	0.13	6170	<1	0.04	4	130	13	0.03	<2	2	371
K932420		<10	<1	0.03	<10	0.01	1080	<1	0.02	4	50	14	0.01	<2	3	28
K932451		<10	<1	0.06	<10	0.23	695	<1	0.02	15	1410	21	0.04	<2	3	524
K932452		<10	<1	0.38	20	0.18	256	<1	0.02	9	350	12	0.04	<2	5	189
K932453		<10	<1	0.02	<10	0.47	79	<1	0.02	1	120	<2	0.07	<2	<1	850
K932454		<10	<1	0.01	<10	12.20	356	<1	0.02	<1	90	<2	0.06	<2	<1	64
K932455		<10	<1	0.02	<10	0.58	109	<1	0.02	1	230	<2	0.07	<2	<1	434
K932456		<10	<1	0.01	<10	1.78	44	<1	0.02	<1	260	2	0.07	<2	<1	554
K932458		<10	<1	0.01	<10	1.69	31	<1	0.02	1	280	2	0.07	<2	<1	626
K932459		<10	<1	0.01	<10	0.14	60	<1	0.02	1	350	4	0.07	<2	<1	701
K932460		<10	<1	0.01	<10	9.01	642	<1	0.02	<1	220	2	0.01	<2	<1	105
K932461		<10	<1	0.03	<10	0.34	20	<1	0.02	<1	250	<2	0.09	<2	<1	828
K932462		<10	<1	0.01	<10	11.05	245	<1	0.02	<1	160	2	0.07	<2	<1	74
K932463		<10	2	0.08	10	0.16	40	<1	0.02	2	2000	26	0.08	<2	2	1050
K932464		<10	<1	0.01	<10	2.99	37	<1	0.03	<1	200	2	0.07	<2	<1	1190
K932465		<10	<1	0.01	<10	6.93	308	<1	0.02	<1	310	16	0.06	<2	<1	881
K932466		<10	1	0.01	<10	9.63	444	<1	0.02	<1	630	21	0.07	<2	<1	121
K932467		<10	1	0.04	<10	0.27	20	<1	0.02	1	470	5	0.09	<2	<1	1350
K932468		10	259	0.01	<10	3.83	288	<1	0.01	3	120	>10000	0.11	14	<1	31
K932469		<10	29	0.01	<10	10.30	408	<1	0.02	<1	220	3870	0.10	5	<1	64
K932470		<10	2	0.10	10	0.14	50	<1	0.02	4	180	84	0.21	2	1	2650
K932471		<10	1	0.02	<10	10.60	551	<1	0.03	3	470	21	0.01	<2	<1	116
K932472		<10	<1	0.06	<10	0.17	53	<1	0.03	4	100	9	0.05	<2	1	1340
K932473		<10	<1	0.02	<10	0.59	10	<1	0.04	2	190	7	0.05	<2	<1	1570
K932474		<10	1	0.07	<10	9.29	626	<1	0.04	3	100	35	0.03	<2	3	121



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118118

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-OG46	Pb-OG46	Zn-OG46
		Th	Ti	Ti	U	V	W	Zn	Cu	Pb	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	0.001	0.001	0.001
K932418		<20	<0.01	<10	<10	4	<10	31			
K932419		<20	<0.01	<10	<10	3	<10	22			
K932420		<20	<0.01	<10	<10	5	<10	25			
K932451		<20	<0.01	<10	<10	3	<10	57			
K932452		<20	<0.01	<10	<10	8	<10	27			
K932453		<20	<0.01	<10	20	<1	<10	15			
K932454		<20	<0.01	<10	10	<1	<10	19			
K932455		<20	<0.01	<10	20	<1	<10	4			
K932456		<20	<0.01	<10	20	<1	<10	20			
K932458		<20	<0.01	<10	20	1	<10	4			
K932459		<20	<0.01	<10	20	1	<10	20			
K932460		<20	<0.01	<10	10	1	<10	54			
K932461		<20	<0.01	<10	20	2	<10	31			
K932462		<20	<0.01	<10	10	<1	<10	32			
K932463		<20	<0.01	<10	10	4	<10	85			
K932464		<20	<0.01	<10	20	1	<10	18			
K932465		<20	<0.01	<10	20	1	<10	78			
K932466		<20	<0.01	<10	10	1	<10	135			
K932467		<20	<0.01	<10	20	2	<10	29			
K932468		<20	<0.01	<10	<10	<1	<10	>10000	1.795		>30.0
K932469		<20	<0.01	<10	10	1	<10	>10000			4.26
K932470		20	<0.01	<10	10	3	<10	1230			
K932471		<20	<0.01	<10	<10	3	<10	371			
K932472		<20	<0.01	<10	<10	1	<10	94			
K932473		20	<0.01	<10	<10	1	<10	54			
K932474		<20	<0.01	<10	<10	22	<10	103			