



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 1
Finalized Date: 3-AUG-2011
Account: ANTRES

CERTIFICATE WH11118119

Project: Einarson

P.O. No.:

This report is for 158 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-JUN-2011.

The following have access to data associated with this certificate:

YINGHUA CHEN

MORGAN LI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS

To: ANTHILL RESOURCES
ATTN: YINGHUA CHEN
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
63001		1.50	<0.005	0.2	0.46	17	10	240	0.7	<2	7.4	<0.5	22	5	39	4.06
63002		0.69	0.008	<0.2	0.58	8	10	1260	<0.5	<2	0.07	<0.5	1	6	4	0.42
63003		1.00	<0.005	0.2	0.28	<2	<10	330	<0.5	<2	0.07	<0.5	10	4	427	6.64
63004		0.99	<0.005	0.2	0.42	6	<10	250	<0.5	<2	1.50	<0.5	8	2	83	3.50
63005		1.12	<0.005	<0.2	0.22	<2	<10	100	<0.5	<2	0.23	<0.5	11	8	11	4.84
63006		0.90	<0.005	0.2	0.29	2	<10	50	<0.5	<2	0.09	<0.5	3	9	23	2.37
63007		0.95	<0.005	<0.2	0.12	2	<10	50	<0.5	<2	0.79	<0.5	4	11	5	6.07
63008		1.14	<0.005	<0.2	0.04	<2	<10	30	<0.5	<2	1.46	<0.5	1	8	1	1.31
63009		0.78	<0.005	<0.2	0.08	<2	<10	30	<0.5	<2	0.03	<0.5	1	11	1	0.92
63010		1.01	<0.005	<0.2	0.07	<2	<10	20	<0.5	<2	0.70	<0.5	1	14	<1	0.74
63011		0.96	<0.005	0.2	0.06	<2	<10	150	<0.5	<2	0.07	<0.5	2	18	5	1.09
63012		0.93	<0.005	<0.2	0.10	<2	<10	100	<0.5	<2	0.06	<0.5	2	17	2	2.12
63013		0.69	<0.005	<0.2	0.38	7	<10	80	0.6	<2	0.18	<0.5	9	5	26	4.97
63014		1.08	<0.005	0.2	0.19	3	<10	60	<0.5	<2	0.48	<0.5	4	11	6	1.23
63015		0.73	<0.005	0.2	0.32	<2	<10	110	<0.5	<2	0.55	<0.5	4	8	3	2.50
63016		1.27	<0.005	<0.2	0.52	<2	<10	70	<0.5	<2	0.73	<0.5	5	8	70	3.96
63017		0.86	0.008	0.8	0.05	10	<10	310	<0.5	<2	19.6	0.9	<1	10	22	0.40
63018		1.15	<0.005	0.2	0.05	2	<10	30	<0.5	<2	3.14	<0.5	2	12	18	4.33
63019		1.09	0.005	5.6	0.22	42	<10	50	<0.5	<2	16.0	253	1	6	384	3.22
63020		0.77	<0.005	22.7	0.23	611	<10	30	<0.5	<2	14.2	163.0	1	5	2660	2.63
63022		1.19	<0.005	<0.2	0.21	3	<10	100	<0.5	<2	0.96	1.1	2	10	8	1.95
63023		0.53	<0.005	1.9	0.29	101	10	20	<0.5	<2	10.9	1.0	3	5	46	25.4
63024		0.48	<0.005	0.5	0.23	17	<10	720	<0.5	<2	24.3	<0.5	2	3	1	0.74
63025		0.91	<0.005	0.4	0.54	15	<10	310	<0.5	3	24.5	<0.5	1	6	2	1.14
63026		0.64	<0.005	0.8	1.22	11	<10	150	0.5	<2	12.8	2.8	5	16	13	2.66
63027		1.42	0.009	8.1	0.11	103	<10	30	<0.5	2	17.7	401	<1	4	454	4.21
63028		0.34	<0.005	<0.2	0.72	4	<10	190	0.9	<2	7.7	<0.5	7	10	143	2.84
63029		0.71	<0.005	0.2	0.44	8	<10	110	1.0	<2	0.05	0.6	18	2	6	2.94
63030		0.61	<0.005	<0.2	0.50	8	<10	150	0.7	<2	0.22	<0.5	13	4	41	4.08
63031		<0.02	<0.005	0.6	0.20	3	<10	20	<0.5	2	>25.0	<0.5	3	2	3	0.85
63032		<0.02	<0.005	0.2	0.31	15	<10	20	<0.5	<2	1.45	<0.5	4	12	4	2.40
63033		<0.02	<0.005	0.6	0.10	5	<10	20	<0.5	<2	>25.0	<0.5	3	2	4	0.69
63034		<0.02	<0.005	0.4	0.03	4	<10	40	<0.5	<2	>25.0	<0.5	<1	1	<1	0.04
63035		<0.02	<0.005	0.2	0.11	3	<10	10	<0.5	<2	10.1	<0.5	6	8	9	1.14
63036		<0.02	<0.005	1.1	0.03	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	2.69
63037		<0.02	<0.005	<0.2	0.06	<2	<10	<10	<0.5	<2	4.92	<0.5	2	17	3	1.54
63038		<0.02	<0.005	<0.2	0.06	2	<10	<10	<0.5	<2	0.80	<0.5	1	28	2	0.81
63039		<0.02	<0.005	0.3	0.09	2	<10	10	<0.5	<2	14.6	<0.5	2	4	2	0.88
63040		<0.02	<0.005	0.3	0.07	5	<10	30	<0.5	<2	>25.0	<0.5	1	2	<1	1.34
63041		<0.02	<0.005	0.2	0.15	6	<10	20	<0.5	2	>25.0	<0.5	3	3	4	1.63

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
63001		<10	<1	0.35	10	2.11	306	<1	0.02	40	520	42	0.57	<2	6	310
63002		<10	<1	0.22	<10	0.04	41	6	0.01	6	50	9	0.25	<2	1	37
63003		<10	1	0.17	20	0.20	1635	<1	0.01	21	150	11	0.08	2	3	16
63004		<10	1	0.23	10	0.39	1065	<1	0.02	12	360	11	0.09	<2	3	163
63005		<10	1	0.13	10	0.29	867	<1	0.01	13	950	3	0.10	<2	2	41
63006		<10	<1	0.16	<10	0.16	248	<1	0.02	5	130	21	0.02	2	1	17
63007		<10	<1	0.06	<10	0.63	1330	<1	0.01	9	2490	1055	0.06	2	2	108
63008		<10	<1	0.01	<10	0.24	675	<1	0.02	1	220	4	<0.01	<2	1	69
63009		<10	<1	0.06	<10	0.01	52	<1	0.01	1	30	4	0.24	<2	<1	7
63010		<10	<1	0.02	<10	0.06	188	<1	0.03	1	1700	2	<0.01	<2	1	134
63011		<10	<1	0.04	10	0.01	66	<1	0.01	5	320	4	0.32	<2	<1	28
63012		<10	<1	0.07	10	0.02	243	<1	0.01	3	210	3	0.87	<2	<1	15
63013		<10	1	0.27	20	0.23	457	<1	0.02	13	730	13	0.08	<2	3	46
63014		<10	<1	0.09	30	0.01	400	<1	0.02	3	2220	25	0.01	<2	1	114
63015		<10	<1	0.20	10	0.07	1560	<1	0.03	6	520	7	0.02	<2	1	50
63016		<10	1	0.16	10	0.56	748	<1	0.03	14	210	4	0.04	<2	2	113
63017		<10	1	0.02	<10	0.28	125	2	0.02	8	810	5	0.17	2	<1	386
63018		<10	1	0.01	<10	0.80	701	<1	0.02	6	190	246	0.01	2	1	26
63019		<10	3	0.11	<10	5.25	364	2	0.02	6	960	1075	3.65	46	3	254
63020		<10	2	0.12	<10	4.20	333	<1	0.02	4	510	852	1.53	880	2	191
63022		<10	<1	0.12	10	0.06	599	<1	0.01	4	620	39	0.02	2	1	62
63023		<10	1	0.12	<10	0.34	82	14	0.02	23	1200	66	>10.0	130	1	218
63024		<10	<1	0.12	<10	1.59	168	<1	0.02	4	160	8	0.48	<2	1	931
63025		<10	<1	0.05	10	1.80	120	<1	0.02	6	720	6	1.09	3	1	601
63026		<10	1	0.17	10	2.31	182	2	0.02	18	430	10	1.85	4	3	296
63027		<10	2	0.05	<10	6.35	491	<1	0.02	4	200	8930	5.61	159	3	224
63028		<10	1	0.36	20	0.64	1910	<1	0.05	11	>10000	51	0.12	<2	5	1560
63029		<10	<1	0.32	30	0.03	200	<1	0.01	8	290	19	0.03	<2	2	10
63030		<10	1	0.31	30	0.11	576	<1	0.01	15	710	20	0.03	2	2	43
63031		<10	<1	0.10	<10	0.26	355	<1	0.02	5	110	10	0.07	<2	1	2550
63032		<10	1	0.06	<10	0.04	355	<1	0.01	10	60	10	<0.01	<2	2	23
63033		<10	1	0.05	<10	0.77	133	<1	0.02	5	130	6	0.10	<2	1	2900
63034		<10	<1	0.01	<10	0.19	11	<1	0.02	2	210	4	0.07	<2	<1	976
63035		<10	1	0.02	<10	0.53	600	<1	0.02	15	70	5	0.03	2	1	244
63036		<10	1	0.01	<10	3.91	270	<1	0.02	1	40	<2	0.72	<2	<1	6380
63037		<10	1	0.02	<10	2.30	416	<1	0.01	5	30	4	0.01	<2	<1	137
63038		<10	<1	0.02	<10	0.28	137	<1	0.01	3	20	6	0.03	<2	<1	41
63039		<10	<1	0.04	<10	0.09	396	<1	0.01	4	90	4	0.09	<2	1	773
63040		<10	<1	0.04	<10	2.41	234	<1	0.02	7	2620	3	0.38	<2	1	1425
63041		<10	1	0.10	<10	0.40	433	<1	0.02	9	100	5	0.22	<2	2	1090

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Th	Ti	Ti	U	V	W	Zn	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	0.001
63001		<20	<0.01	<10	<10	4	<10	106	
63002		<20	<0.01	<10	<10	24	<10	34	
63003		20	<0.01	<10	<10	3	<10	28	
63004		<20	<0.01	<10	<10	3	<10	55	
63005		30	<0.01	<10	<10	4	<10	26	
63006		<20	<0.01	<10	<10	1	<10	11	
63007		<20	<0.01	<10	<10	2	<10	337	
63008		<20	<0.01	<10	<10	1	<10	7	
63009		<20	<0.01	<10	<10	1	<10	5	
63010		<20	<0.01	<10	<10	1	<10	5	
63011		<20	<0.01	<10	<10	1	<10	3	
63012		<20	<0.01	<10	<10	2	<10	4	
63013		20	<0.01	<10	<10	3	<10	19	
63014		30	<0.01	<10	<10	1	<10	10	
63015		<20	<0.01	<10	<10	2	<10	13	
63016		<20	<0.01	<10	<10	3	<10	39	
63017		<20	<0.01	<10	<10	49	<10	127	
63018		<20	<0.01	<10	<10	2	<10	132	
63019		<20	<0.01	<10	<10	56	10	>10000	7.35
63020		<20	<0.01	<10	<10	47	10	>10000	5.20
63022		<20	<0.01	<10	<10	2	<10	352	
63023		<20	<0.01	10	<10	21	<10	178	
63024		<20	<0.01	<10	<10	4	<10	48	
63025		<20	<0.01	10	<10	40	<10	54	
63026		<20	<0.01	<10	<10	88	<10	211	
63027		<20	<0.01	<10	<10	58	<10	>10000	10.10
63028		20	<0.01	<10	<10	9	<10	217	
63029		20	<0.01	<10	<10	3	<10	98	
63030		20	<0.01	<10	<10	4	<10	52	
63031		20	<0.01	<10	<10	2	<10	37	
63032		<20	<0.01	<10	<10	6	<10	50	
63033		20	<0.01	<10	<10	1	<10	27	
63034		<20	<0.01	<10	<10	<1	<10	11	
63035		<20	<0.01	<10	<10	1	<10	22	
63036		20	<0.01	<10	<10	1	<10	8	
63037		<20	<0.01	<10	<10	2	<10	14	
63038		<20	<0.01	<10	<10	1	<10	9	
63039		<20	<0.01	<10	<10	1	<10	10	
63040		<20	<0.01	<10	<10	3	<10	9	
63041		<20	<0.01	<10	<10	4	<10	62	

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
63042		0.96	<0.005	<0.2	0.03	3	<10	50	<0.5	<2	>25.0	<0.5	<1	1	<1	0.06
63043		0.82	<0.005	0.5	0.12	7	<10	30	<0.5	<2	>25.0	<0.5	<1	2	4	0.70
63044		1.32	<0.005	<0.2	0.05	3	<10	10	<0.5	<2	>25.0	1.1	<1	1	<1	0.25
63045		1.38	<0.005	0.4	0.05	5	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.22
63046		1.27	<0.005	0.6	0.10	8	<10	20	<0.5	<2	>25.0	<0.5	<1	3	4	0.30
63047		1.29	<0.005	0.4	0.06	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	<1	0.04
63048		0.12	<0.005	0.8	1.09	3	<10	80	<0.5	<2	0.77	<0.5	7	25	23	1.99
63049		0.15	0.469	<0.2	1.23	48	<10	110	<0.5	<2	1.44	<0.5	7	28	54	3.11
63050		0.80	<0.005	<0.2	0.08	2	<10	10	<0.5	<2	1.88	<0.5	1	12	5	1.54
63051		1.09	<0.005	0.6	0.21	5	<10	20	<0.5	<2	>25.0	<0.5	4	4	8	1.19
63052		0.60	<0.005	0.3	0.11	3	<10	10	<0.5	<2	22.4	<0.5	1	2	<1	0.28
63053		0.78	<0.005	0.2	0.76	3	10	60	1.0	<2	1.58	<0.5	14	8	32	4.68
63054		0.45	0.007	0.4	0.14	57	<10	20	<0.5	<2	>25.0	<0.5	2	2	3	1.33
63055		0.63	<0.005	0.7	0.12	5	<10	120	<0.5	<2	>25.0	<0.5	<1	1	<1	0.10
63056		0.53	<0.005	0.5	0.05	<2	<10	20	<0.5	2	>25.0	<0.5	<1	1	<1	0.39
63057		0.62	<0.005	<0.2	1.11	<2	<10	70	<0.5	<2	0.40	<0.5	5	16	15	3.82
63058		0.73	<0.005	0.2	0.45	<2	<10	10	<0.5	<2	4.54	<0.5	5	14	4	1.49
63059		0.91	0.006	0.2	1.34	10	<10	30	<0.5	<2	0.06	<0.5	6	18	20	6.71
63060		0.80	<0.005	0.3	0.08	3	<10	10	<0.5	<2	10.8	<0.5	2	6	2	2.07
63061		0.86	<0.005	0.3	1.38	3	<10	40	0.6	<2	2.45	<0.5	12	14	31	4.37
63062		1.02	0.009	<0.2	0.12	9	<10	10	<0.5	<2	0.04	<0.5	2	11	4	1.06
63063		0.83	<0.005	0.2	0.05	4	<10	10	<0.5	<2	10.2	<0.5	2	5	3	0.99
63064		0.54	<0.005	<0.2	1.12	5	<10	40	<0.5	<2	0.09	<0.5	4	13	26	3.26
63065		0.66	<0.005	0.2	1.31	7	<10	50	0.5	<2	0.10	<0.5	5	15	41	4.55
63066		1.28	0.024	0.4	0.12	28	<10	10	<0.5	<2	19.8	<0.5	2	3	3	1.14
63067		1.11	<0.005	<0.2	0.65	8	<10	40	0.5	<2	0.79	<0.5	21	9	47	3.80
63068		0.64	<0.005	<0.2	0.88	9	<10	40	0.5	<2	1.41	<0.5	31	8	57	5.01
63069		1.18	0.059	<0.2	0.05	60	<10	10	<0.5	<2	20.8	<0.5	5	1	6	2.50
63070		1.00	<0.005	<0.2	0.32	66	<10	20	<0.5	<2	0.87	<0.5	3	14	5	1.45
63071		0.68	<0.005	<0.2	0.31	5	<10	30	<0.5	<2	24.1	<0.5	5	5	18	1.25
63072		0.90	<0.005	<0.2	0.47	5	<10	70	0.6	<2	8.1	<0.5	8	10	21	2.09
63073		0.93	<0.005	<0.2	0.46	4	<10	160	<0.5	<2	6.03	<0.5	7	13	10	1.67
63074		0.82	<0.005	<0.2	0.06	6	<10	30	<0.5	<2	>25.0	<0.5	2	1	3	1.53
63075		0.82	<0.005	<0.2	2.33	3	<10	50	0.6	<2	0.15	<0.5	15	27	31	3.82
63076		1.16	<0.005	<0.2	0.45	52	<10	120	0.5	<2	8.5	<0.5	9	9	137	2.53
63077		0.90	<0.005	<0.2	0.54	10	<10	100	<0.5	<2	7.7	<0.5	7	8	11	2.60
63078		1.19	<0.005	<0.2	0.36	15	<10	90	<0.5	<2	12.6	<0.5	5	7	8	2.64
63079		0.73	<0.005	<0.2	0.10	<2	<10	30	<0.5	<2	>25.0	<0.5	3	1	1	0.44
63080		1.09	<0.005	<0.2	0.54	215	<10	30	0.8	<2	18.0	<0.5	15	18	17	8.05
63081		1.14	<0.005	<0.2	0.43	12	<10	30	0.5	<2	19.3	<0.5	10	6	21	2.64

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
63042		<10	1	0.01	<10	0.24	27	<1	0.04	<1	180	4	0.08	<2	<1	837
63043		<10	1	0.06	<10	0.28	607	<1	0.02	2	280	5	0.09	<2	1	3020
63044		<10	<1	0.02	<10	6.49	249	<1	0.02	2	270	8	0.07	<2	<1	142
63045		<10	<1	0.03	<10	0.39	69	<1	0.02	2	140	10	0.11	<2	1	1435
63046		<10	<1	0.06	<10	0.13	22	<1	0.02	5	200	6	0.10	<2	1	1530
63047		<10	1	0.02	<10	0.16	11	<1	0.03	1	390	7	0.11	<2	<1	1280
63048		<10	1	0.07	<10	0.48	288	2	0.07	17	490	2	0.04	<2	4	32
63049		<10	1	0.10	<10	0.59	404	10	0.08	33	750	2	0.11	3	4	41
63050		<10	<1	0.04	<10	0.04	268	<1	0.02	4	50	3	0.12	<2	1	60
63051		<10	<1	0.14	<10	0.14	124	<1	0.03	9	120	10	0.62	<2	2	2170
63052		<10	<1	0.06	<10	0.11	125	<1	0.02	<1	190	5	0.06	2	1	567
63053		<10	<1	0.37	<10	0.51	424	<1	0.03	34	100	32	3.69	2	3	119
63054		<10	1	0.06	<10	0.07	212	<1	0.02	8	2900	14	0.08	65	2	537
63055		<10	<1	0.04	<10	0.21	18	<1	0.04	1	100	2	0.12	<2	<1	3180
63056		<10	<1	0.02	<10	0.20	510	<1	0.03	1	180	3	0.12	<2	1	1265
63057		<10	<1	0.02	<10	0.54	276	<1	0.02	21	290	65	0.01	<2	1	42
63058		<10	1	0.06	<10	0.15	746	<1	0.05	8	540	11	0.22	<2	1	568
63059		<10	<1	0.15	10	0.53	216	<1	0.02	19	210	45	1.13	<2	2	11
63060		<10	<1	0.02	<10	0.56	1020	<1	0.02	2	350	9	0.15	<2	1	1125
63061		<10	1	0.28	20	0.58	889	<1	0.02	20	600	29	0.15	<2	2	233
63062		<10	<1	0.06	<10	0.01	105	<1	0.01	3	20	6	0.01	3	<1	8
63063		<10	1	0.02	<10	0.10	944	<1	0.02	4	360	7	0.07	<2	1	1010
63064		<10	<1	0.32	20	0.38	125	<1	0.02	12	140	28	0.24	2	1	15
63065		<10	1	0.33	20	0.45	245	<1	0.04	12	190	40	0.30	2	1	32
63066		<10	<1	0.06	<10	10.25	345	<1	0.03	7	290	9	0.07	7	1	112
63067		<10	1	0.37	10	0.52	255	1	<0.01	40	200	32	1.22	<2	2	31
63068		<10	<1	0.36	10	0.81	361	<1	<0.01	42	190	60	2.85	<2	2	37
63069		<10	<1	0.01	<10	8.23	447	<1	0.01	6	140	14	0.02	10	<1	49
63070		<10	<1	0.08	10	0.07	208	<1	<0.01	6	30	8	0.02	<2	1	21
63071		<10	1	0.16	10	0.16	201	<1	0.01	12	350	9	0.04	<2	3	1730
63072		<10	<1	0.24	20	3.50	300	<1	<0.01	10	640	16	0.08	<2	4	243
63073		<10	1	0.21	20	3.08	312	<1	<0.01	12	580	10	0.03	<2	4	262
63074		<10	<1	0.02	<10	0.50	846	<1	<0.01	2	190	7	0.39	<2	1	1430
63075		10	<1	0.30	10	1.08	142	<1	<0.01	29	260	12	0.01	<2	2	23
63076		<10	1	0.26	10	4.27	387	1	<0.01	20	580	22	0.42	<2	5	305
63077		<10	1	0.30	10	3.72	373	3	0.01	7	560	19	0.88	<2	4	282
63078		<10	<1	0.12	<10	3.18	331	<1	<0.01	11	370	10	0.02	<2	2	139
63079		<10	1	0.05	<10	0.19	62	<1	<0.01	1	350	3	0.07	<2	1	2690
63080		<10	1	0.12	<10	1.29	926	2	0.01	51	80	12	0.04	2	8	184
63081		<10	1	0.18	10	0.26	441	<1	<0.01	17	370	16	0.03	<2	4	1050

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Th	Ti	Ti	U	V	W	Zn	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	0.001
63042		<20	<0.01	<10	<10	<1	<10	24	
63043		20	<0.01	<10	<10	1	<10	13	
63044		<20	<0.01	<10	<10	1	<10	96	
63045		<20	<0.01	<10	<10	<1	<10	46	
63046		20	<0.01	<10	<10	2	<10	12	
63047		<20	<0.01	<10	<10	<1	<10	19	
63048		<20	0.11	<10	<10	47	20	35	
63049		<20	0.11	<10	<10	52	<10	55	
63050		<20	<0.01	<10	<10	1	<10	87	
63051		20	<0.01	<10	<10	5	<10	31	
63052		<20	<0.01	<10	<10	2	<10	4	
63053		<20	<0.01	<10	<10	12	<10	42	
63054		<20	0.01	<10	<10	2	<10	12	
63055		20	<0.01	<10	<10	<1	<10	4	
63056		<20	<0.01	<10	<10	2	<10	34	
63057		<20	<0.01	<10	<10	11	<10	73	
63058		<20	<0.01	<10	<10	3	<10	32	
63059		<20	<0.01	<10	<10	15	<10	60	
63060		<20	<0.01	<10	<10	1	<10	9	
63061		<20	<0.01	<10	<10	9	<10	83	
63062		<20	<0.01	<10	<10	1	<10	6	
63063		<20	<0.01	<10	<10	1	<10	8	
63064		<20	<0.01	<10	<10	8	<10	49	
63065		<20	<0.01	<10	<10	9	<10	62	
63066		<20	<0.01	<10	<10	2	<10	9	
63067		<20	<0.01	<10	<10	9	<10	90	
63068		<20	<0.01	<10	<10	8	<10	121	
63069		<20	<0.01	<10	<10	2	<10	33	
63070		<20	<0.01	<10	<10	3	<10	22	
63071		<20	<0.01	<10	<10	6	<10	36	
63072		<20	<0.01	<10	<10	7	<10	62	
63073		<20	<0.01	<10	<10	9	<10	59	
63074		<20	<0.01	<10	<10	2	<10	7	
63075		<20	<0.01	<10	<10	20	<10	79	
63076		<20	<0.01	<10	<10	8	<10	142	
63077		<20	<0.01	<10	<10	6	<10	71	
63078		<20	<0.01	<10	<10	8	<10	32	
63079		<20	<0.01	<10	<10	2	<10	12	
63080		<20	<0.01	<10	<10	37	<10	166	
63081		<20	<0.01	<10	<10	9	<10	56	

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
63082		1.58	<0.005	<0.2	0.51	35	<10	30	<0.5	<2	10.6	<0.5	9	13	16	4.65
63083		0.45	<0.005	<0.2	0.20	5	<10	20	<0.5	<2	5.64	<0.5	3	11	3	0.54
63084		0.19	0.008	<0.2	0.26	80	<10	40	<0.5	<2	9.8	<0.5	17	7	21	12.20
63085		0.46	0.017	0.5	0.31	117	<10	20	<0.5	<2	3.92	<0.5	87	7	245	14.3
63086		1.11	<0.005	<0.2	0.09	14	<10	20	<0.5	<2	>25.0	<0.5	4	1	7	0.51
63087		1.04	<0.005	<0.2	0.12	4	<10	40	<0.5	<2	>25.0	<0.5	4	1	6	0.53
63088		1.00	<0.005	<0.2	0.37	71	<10	20	<0.5	<2	3.06	<0.5	5	11	3	3.52
63090		1.05	0.006	<0.2	0.42	38	<10	90	<0.5	<2	21.8	<0.5	10	23	19	2.14
63091-63092		0.43	<0.005	<0.2	0.16	11	<10	40	<0.5	<2	1.79	<0.5	4	7	4	1.40
63092	Destroyed															
63093		0.83	<0.005	<0.2	1.25	3	<10	50	0.8	<2	8.9	<0.5	10	15	32	3.55
63094		1.36	<0.005	<0.2	0.05	<2	<10	120	<0.5	<2	>25.0	<0.5	2	1	1	0.06
63095		0.87	<0.005	<0.2	0.18	7	<10	40	<0.5	<2	17.5	<0.5	3	1	2	0.36
63096		1.17	<0.005	<0.2	0.07	<2	<10	20	<0.5	<2	8.9	<0.5	1	3	1	0.29
63097		0.99	<0.005	<0.2	0.37	5	<10	130	<0.5	<2	6.40	<0.5	5	14	5	1.72
63098		0.99	<0.005	<0.2	0.40	16	<10	70	<0.5	<2	7.9	<0.5	5	16	6	1.96
63099		1.13	0.005	<0.2	0.22	5	<10	60	<0.5	<2	14.0	<0.5	4	4	1	0.88
63100		1.06	<0.005	<0.2	0.22	3	<10	20	<0.5	<2	18.0	<0.5	4	6	4	0.95
K932151		1.19	<0.005	<0.2	3.70	<2	<10	150	0.7	<2	0.12	<0.5	23	36	193	5.21
K932152		0.87	<0.005	<0.2	0.07	2	<10	40	<0.5	<2	>25.0	<0.5	4	1	4	0.28
K932154		1.03	<0.005	<0.2	0.15	2	<10	30	<0.5	<2	>25.0	<0.5	2	1	4	0.44
K932155		0.80	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	3	<1	<1	0.08
K932156		0.79	<0.005	<0.2	0.07	<2	<10	10	<0.5	<2	18.0	<0.5	2	1	5	0.35
K932157		0.98	<0.005	<0.2	0.05	<2	<10	30	<0.5	<2	>25.0	<0.5	2	1	1	0.07
K932301		0.94	<0.005	<0.2	0.27	<2	<10	20	<0.5	<2	24.7	<0.5	4	3	5	1.08
K932302		0.83	<0.005	0.3	1.17	8	<10	40	<0.5	<2	0.17	<0.5	12	19	34	5.47
K932303		1.09	<0.005	<0.2	0.32	3	<10	50	<0.5	<2	25.0	<0.5	5	4	7	1.66
K932304		1.23	0.008	<0.2	0.15	2	<10	20	<0.5	<2	>25.0	<0.5	3	1	3	1.08
K932305		0.58	<0.005	<0.2	0.62	6	<10	30	<0.5	<2	19.2	<0.5	7	5	16	3.58
K932306		2.04	<0.005	<0.2	0.31	3	<10	50	<0.5	<2	24.1	<0.5	4	4	7	1.28
K932307		1.20	<0.005	<0.2	0.41	3	<10	40	0.6	<2	24.7	<0.5	10	3	7	1.41
K932308		1.33	<0.005	<0.2	0.33	3	<10	30	<0.5	<2	>25.0	<0.5	4	4	6	1.40
K932309		0.92	0.005	<0.2	0.13	3	<10	30	<0.5	<2	>25.0	<0.5	5	2	5	1.83
K932310		2.21	<0.005	<0.2	0.42	2	<10	40	0.5	<2	24.4	<0.5	6	5	9	1.35
K932311		0.78	<0.005	<0.2	0.32	2	<10	20	<0.5	<2	23.7	<0.5	5	3	7	1.19
K932312		0.82	<0.005	<0.2	1.10	<2	<10	40	0.5	<2	2.43	<0.5	8	13	15	2.72
K932313		1.20	<0.005	<0.2	0.06	2	<10	20	<0.5	<2	>25.0	<0.5	2	1	2	0.26
K932314		0.93	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	2	<1	1	0.58
K932315		1.02	<0.005	<0.2	0.04	4	<10	10	<0.5	<2	18.0	<0.5	2	1	2	0.85
K932316		1.23	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	18.3	<0.5	1	1	1	0.35

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
63082		<10	<1	0.16	10	3.60	608	<1	0.01	14	100	10	0.04	<2	3	135
63083		<10	<1	0.05	<10	0.48	89	<1	<0.01	4	820	11	0.01	<2	1	132
63084		<10	<1	0.16	<10	0.69	237	53	0.01	36	540	82	>10.0	<2	3	319
63085		<10	<1	0.19	<10	1.59	169	8	0.01	73	520	507	>10.0	<2	4	132
63086		<10	1	0.04	10	1.26	159	7	<0.01	4	370	7	0.16	<2	1	2050
63087		<10	1	0.05	10	0.41	124	<1	<0.01	4	310	6	0.07	<2	1	2940
63088		<10	<1	0.05	<10	0.07	359	<1	<0.01	12	50	14	0.02	<2	7	39
63090		<10	1	0.13	<10	0.30	339	<1	<0.01	20	100	10	0.02	<2	3	175
63091-63092		<10	<1	0.04	<10	0.51	275	<1	<0.01	6	50	4	0.03	<2	1	51
63092																
63093		<10	<1	0.26	<10	0.65	603	<1	<0.01	23	600	9	0.04	<2	5	666
63094		<10	<1	0.01	<10	0.18	19	<1	0.02	1	170	3	0.04	<2	<1	1680
63095		<10	1	0.10	10	0.09	78	<1	<0.01	3	60	5	0.04	<2	1	633
63096		<10	<1	0.03	<10	5.64	201	<1	<0.01	1	80	5	0.01	<2	<1	57
63097		<10	<1	0.19	10	2.96	304	1	<0.01	6	1730	11	0.24	<2	4	294
63098		<10	<1	0.22	10	3.84	299	<1	<0.01	13	1250	11	0.01	<2	4	256
63099		<10	<1	0.11	10	1.87	298	<1	<0.01	3	320	7	0.05	<2	2	900
63100		<10	1	0.10	10	2.05	174	<1	<0.01	3	390	6	0.01	<2	2	155
K932151		10	<1	0.21	<10	1.91	479	<1	0.02	38	90	2	0.01	<2	3	55
K932152		<10	1	0.03	<10	0.62	139	<1	<0.01	2	530	4	0.03	<2	<1	515
K932154		<10	1	0.07	<10	0.47	205	<1	<0.01	2	310	4	0.03	<2	1	1000
K932155		<10	1	0.01	<10	1.08	62	<1	<0.01	<1	280	2	0.02	<2	<1	220
K932156		<10	<1	0.03	<10	11.40	302	<1	0.01	4	350	4	0.01	<2	<1	180
K932157		<10	<1	0.01	<10	0.17	18	<1	0.01	2	290	3	0.07	<2	<1	2030
K932301		<10	<1	0.07	10	0.29	376	<1	<0.01	5	90	7	0.11	<2	2	1920
K932302		<10	<1	0.23	<10	0.46	156	<1	<0.01	25	110	57	4.18	<2	2	15
K932303		<10	<1	0.07	10	0.31	722	<1	<0.01	6	170	9	0.69	<2	3	2410
K932304		<10	<1	0.03	10	0.20	457	<1	0.01	3	220	4	0.94	<2	2	3470
K932305		<10	1	0.14	10	0.33	460	<1	0.01	17	70	15	3.73	<2	3	1970
K932306		<10	<1	0.09	<10	0.30	436	<1	0.01	5	100	7	0.72	<2	2	1910
K932307		<10	1	0.07	10	0.23	668	<1	<0.01	16	620	7	0.99	<2	4	2540
K932308		<10	<1	0.09	10	0.31	437	<1	<0.01	5	100	7	0.54	<2	2	1970
K932309		<10	<1	0.03	10	0.21	479	<1	0.01	9	100	8	0.83	<2	2	2360
K932310		<10	<1	0.12	10	0.25	533	<1	<0.01	8	2550	8	0.70	<2	6	2530
K932311		<10	1	0.09	<10	0.29	599	<1	<0.01	6	90	6	0.35	<2	2	2180
K932312		<10	1	0.24	<10	0.60	197	<1	0.01	18	100	12	1.80	<2	2	259
K932313		<10	<1	0.02	<10	0.29	38	<1	0.01	2	100	2	0.20	<2	1	2310
K932314		<10	<1	0.02	<10	0.72	287	<1	<0.01	<1	50	6	0.15	<2	1	1780
K932315		<10	<1	<0.01	<10	7.14	723	<1	0.01	1	330	10	0.02	<2	<1	133
K932316		<10	<1	<0.01	<10	11.65	370	<1	0.01	<1	320	4	0.06	<2	<1	84

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Zn-OG46 Zn % 0.001
63082		<20	<0.01	<10	<10	25	<10	35	
63083		<20	<0.01	<10	<10	7	<10	24	
63084		<20	<0.01	<10	<10	5	<10	24	
63085		<20	<0.01	<10	<10	5	<10	193	
63086		<20	<0.01	<10	10	3	<10	15	
63087		<20	<0.01	<10	<10	2	<10	15	
63088		<20	<0.01	<10	<10	11	<10	31	
63090		<20	<0.01	<10	10	20	<10	56	
63091-63092		<20	<0.01	<10	<10	3	<10	21	
63092									
63093		<20	<0.01	<10	<10	16	<10	79	
63094		<20	<0.01	<10	10	2	<10	12	
63095		<20	<0.01	<10	<10	1	<10	8	
63096		<20	<0.01	<10	<10	1	<10	30	
63097		<20	<0.01	<10	<10	6	<10	37	
63098		<20	<0.01	<10	<10	9	<10	58	
63099		<20	<0.01	<10	<10	3	<10	31	
63100		<20	<0.01	<10	<10	5	<10	21	
K932151		<20	0.01	<10	<10	27	<10	138	
K932152		<20	<0.01	<10	10	2	<10	4	
K932154		<20	<0.01	<10	<10	2	<10	5	
K932155		<20	<0.01	<10	10	1	<10	<2	
K932156		<20	<0.01	<10	<10	2	<10	97	
K932157		<20	<0.01	<10	10	2	<10	17	
K932301		<20	<0.01	<10	<10	5	<10	18	
K932302		<20	<0.01	<10	<10	13	<10	53	
K932303		<20	<0.01	<10	<10	7	<10	24	
K932304		20	<0.01	<10	<10	3	<10	91	
K932305		<20	<0.01	<10	<10	6	<10	236	
K932306		<20	<0.01	<10	<10	6	<10	21	
K932307		<20	<0.01	<10	<10	6	<10	77	
K932308		<20	<0.01	<10	<10	6	<10	24	
K932309		<20	<0.01	<10	<10	5	<10	45	
K932310		<20	<0.01	<10	<10	8	<10	36	
K932311		<20	<0.01	<10	<10	5	<10	21	
K932312		<20	<0.01	<10	<10	10	<10	99	
K932313		<20	<0.01	<10	<10	1	<10	7	
K932314		<20	<0.01	<10	10	1	<10	5	
K932315		<20	<0.01	<10	<10	2	<10	45	
K932316		<20	<0.01	<10	<10	1	<10	15	

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
K932317		1.00	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	2	1	1	0.05
K932318		1.50	<0.005	<0.2	0.03	2	<10	50	<0.5	<2	>25.0	<0.5	2	2	1	0.08
K932319		1.38	0.008	<0.2	0.03	3	<10	40	<0.5	<2	>25.0	<0.5	2	1	1	0.03
K932320		1.14	<0.005	<0.2	0.07	<2	<10	40	<0.5	<2	>25.0	<0.5	3	1	2	0.07
K932321		0.16	<0.005	0.3	1.08	4	<10	70	<0.5	<2	0.72	<0.5	8	24	19	1.76
K932322		0.13	0.458	<0.2	1.20	50	<10	100	<0.5	<2	1.29	<0.5	7	26	46	2.74
K932323		0.58	<0.005	<0.2	0.04	5	<10	10	<0.5	<2	>25.0	<0.5	3	1	3	0.59
K932324		0.65	0.045	<0.2	0.11	51	<10	20	<0.5	<2	19.9	<0.5	4	2	28	1.19
K932325		0.89	<0.005	<0.2	0.08	4	<10	20	0.6	<2	>25.0	<0.5	3	1	6	0.58
K932326		0.83	<0.005	<0.2	0.02	3	<10	<10	<0.5	<2	>25.0	<0.5	2	1	1	0.08
K932327		0.80	0.007	<0.2	0.35	6	<10	30	<0.5	<2	1.35	<0.5	6	3	10	1.08
K932328		0.87	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	3	<1	1	0.22
K932329		0.87	<0.005	<0.2	0.04	2	<10	10	<0.5	<2	18.7	<0.5	2	2	<1	0.62
K932330		0.80	<0.005	<0.2	0.06	3	<10	<10	<0.5	<2	1.35	<0.5	2	6	2	0.61
K932331		0.81	<0.005	<0.2	0.03	2	<10	10	<0.5	<2	>25.0	<0.5	2	1	2	1.52
K932332		0.62	<0.005	<0.2	0.09	2	<10	20	<0.5	<2	>25.0	<0.5	4	1	4	0.55
K932333		0.53	<0.005	<0.2	0.22	4	<10	20	<0.5	<2	>25.0	<0.5	4	3	7	1.05
K932334		0.61	<0.005	<0.2	0.15	<2	<10	10	<0.5	<2	>25.0	<0.5	4	2	5	1.48
K932335		0.62	<0.005	<0.2	0.75	4	<10	10	<0.5	<2	>25.0	<0.5	1	13	10	2.54
K932336		0.72	<0.005	0.3	0.27	5	<10	10	0.5	<2	>25.0	<0.5	1	4	10	1.17
K932337		0.60	<0.005	<0.2	0.82	6	<10	30	0.5	<2	17.7	<0.5	10	10	30	4.19
K932338		0.80	<0.005	<0.2	0.06	4	<10	10	<0.5	<2	>25.0	<0.5	<1	2	4	1.27
K932339		0.86	<0.005	0.2	0.06	3	<10	10	<0.5	<2	>25.0	<0.5	<1	3	3	1.16
K932340		0.75	<0.005	<0.2	0.07	8	<10	10	<0.5	<2	>25.0	<0.5	<1	2	4	0.47
K932341		0.76	<0.005	<0.2	0.17	4	<10	10	<0.5	<2	>25.0	<0.5	2	3	8	1.17
K932342		0.82	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	<1	2	2	0.67
K932343		0.45	<0.005	0.3	0.09	4	<10	10	<0.5	<2	20.6	<0.5	<1	3	<1	0.40
K932344		0.71	<0.005	<0.2	0.04	4	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	3	1.17
K932345		0.58	<0.005	0.2	0.38	4	<10	20	<0.5	<2	22.4	<0.5	1	7	4	1.00
K932346		0.69	<0.005	<0.2	0.05	4	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.44
K932347		0.57	<0.005	0.2	0.31	5	<10	10	<0.5	<2	>25.0	<0.5	2	5	11	1.93
K932348		1.15	<0.005	0.3	0.05	23	<10	10	<0.5	<2	>25.0	<0.5	<1	2	2	1.68
K932349		0.63	<0.005	<0.2	1.61	9	<10	70	0.9	2	0.76	<0.5	17	16	27	4.01
K932350		0.78	<0.005	0.2	0.30	14	<10	30	0.5	<2	8.0	<0.5	7	4	14	1.74
K932351		0.89	<0.005	0.2	0.05	6	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1	0.07
K932352		1.31	<0.005	0.2	0.03	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.04
K932353		0.76	0.005	0.2	0.04	5	<10	<10	<0.5	<2	11.9	<0.5	<1	2	1	0.52
K932354		0.15	0.008	0.5	1.08	4	<10	70	<0.5	<2	0.73	<0.5	8	25	20	1.87

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932317		<10	<1	0.01	<10	0.30	10	<1	<0.01	<1	500	4	0.10	<2	<1	1040
K932318		<10	<1	0.01	<10	0.18	15	<1	0.01	1	290	2	0.04	<2	<1	1700
K932319		<10	1	0.01	<10	0.15	24	<1	0.01	<1	290	2	0.02	<2	<1	799
K932320		<10	<1	0.03	<10	0.41	16	<1	0.01	2	430	2	0.10	<2	<1	927
K932321		<10	<1	0.07	<10	0.46	270	2	0.05	16	440	3	0.05	<2	4	32
K932322		<10	1	0.09	<10	0.56	375	9	0.06	30	680	4	0.12	<2	4	40
K932323		<10	<1	0.01	10	2.34	171	<1	<0.01	2	650	6	0.02	<2	<1	454
K932324		<10	<1	0.07	10	0.73	425	<1	<0.01	7	430	6	0.18	<2	3	469
K932325		<10	<1	0.04	10	0.60	445	<1	<0.01	2	790	6	0.04	<2	1	541
K932326		<10	1	<0.01	<10	1.66	23	<1	<0.01	<1	190	5	0.02	<2	<1	303
K932327		<10	<1	0.23	10	0.31	78	<1	<0.01	10	130	10	0.71	<2	1	23
K932328		<10	<1	0.01	<10	0.21	224	<1	<0.01	2	150	4	0.03	<2	<1	801
K932329		<10	1	0.01	<10	11.20	409	<1	0.01	<1	270	5	0.01	<2	<1	140
K932330		<10	<1	0.03	<10	0.04	82	<1	<0.01	2	40	5	0.01	<2	1	26
K932331		<10	<1	0.01	<10	0.51	243	<1	<0.01	1	80	2	0.20	<2	1	1940
K932332		<10	<1	0.04	10	0.23	99	<1	<0.01	3	240	6	0.16	<2	1	1620
K932333		<10	<1	0.08	10	0.25	226	<1	<0.01	5	120	5	0.51	<2	2	2430
K932334		<10	<1	0.05	10	0.24	192	<1	<0.01	6	70	4	0.82	<2	2	2770
K932335		<10	1	0.05	10	0.59	877	<1	0.02	6	310	6	1.03	<2	3	2370
K932336		<10	1	0.06	10	0.28	263	<1	0.01	5	210	5	0.24	<2	2	2140
K932337		<10	1	0.19	<10	0.36	355	<1	0.03	21	470	28	3.69	<2	3	1435
K932338		<10	<1	0.02	<10	0.72	149	<1	0.01	3	210	4	0.45	<2	1	2300
K932339		<10	1	0.02	<10	1.52	350	<1	0.02	1	680	2	0.47	<2	1	2080
K932340		<10	1	0.03	<10	0.28	72	<1	0.02	4	120	3	0.38	<2	1	3650
K932341		<10	<1	0.08	10	0.25	287	<1	0.02	6	240	8	0.97	<2	2	1805
K932342		<10	1	0.02	<10	0.23	75	<1	0.01	2	160	3	0.58	<2	1	2680
K932343		<10	<1	0.01	<10	10.15	298	<1	0.02	1	830	2	<0.01	<2	1	296
K932344		<10	1	0.01	<10	0.30	596	<1	0.01	1	100	5	0.48	<2	1	2440
K932345		<10	1	0.11	10	0.31	191	<1	0.02	4	170	2	0.09	<2	3	1845
K932346		<10	1	0.02	<10	0.24	113	<1	0.01	1	120	<2	0.11	<2	1	1535
K932347		<10	1	0.07	10	0.29	556	<1	0.02	7	90	7	1.25	<2	4	2290
K932348		<10	1	0.01	<10	0.69	557	<1	0.01	4	270	2	<0.01	<2	<1	169
K932349		<10	<1	0.35	10	0.82	373	<1	0.01	27	110	25	1.75	<2	3	59
K932350		<10	<1	0.21	<10	0.15	295	<1	0.01	11	220	10	0.15	2	3	248
K932351		<10	1	0.02	<10	0.22	10	<1	0.02	1	140	<2	0.03	<2	<1	1070
K932352		<10	1	0.01	<10	0.19	7	<1	0.02	1	300	<2	0.03	<2	<1	1270
K932353		<10	<1	0.02	<10	0.08	302	<1	0.01	1	140	2	<0.01	<2	<1	684
K932354		<10	<1	0.07	<10	0.47	288	2	0.06	17	450	<2	0.02	<2	4	33

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 3-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11118119

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
		Th	Ti	Ti	U	V	W	Zn	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	0.001
K932317		<20	<0.01	<10	10	1	<10	21	
K932318		<20	<0.01	<10	10	2	<10	12	
K932319		<20	<0.01	<10	10	1	<10	7	
K932320		<20	<0.01	<10	10	1	<10	19	
K932321		<20	0.11	<10	<10	43	10	31	
K932322		<20	0.11	<10	<10	49	<10	52	
K932323		<20	<0.01	<10	<10	2	<10	109	
K932324		<20	<0.01	<10	<10	2	<10	28	
K932325		<20	<0.01	<10	<10	2	<10	14	
K932326		<20	<0.01	<10	10	2	<10	7	
K932327		<20	<0.01	<10	<10	3	<10	14	
K932328		<20	<0.01	<10	10	1	<10	18	
K932329		<20	<0.01	<10	<10	2	<10	13	
K932330		<20	<0.01	<10	<10	1	<10	5	
K932331		<20	<0.01	<10	<10	2	<10	10	
K932332		<20	<0.01	<10	<10	2	<10	15	
K932333		<20	<0.01	<10	<10	5	<10	27	
K932334		20	<0.01	<10	<10	4	<10	36	
K932335		<20	<0.01	<10	<10	21	<10	58	
K932336		20	<0.01	<10	<10	5	<10	48	
K932337		<20	<0.01	<10	<10	8	<10	74	
K932338		<20	<0.01	<10	10	4	<10	21	
K932339		<20	<0.01	<10	10	7	<10	18	
K932340		20	<0.01	<10	10	2	<10	18	
K932341		20	<0.01	<10	<10	5	<10	50	
K932342		20	<0.01	<10	10	5	<10	28	
K932343		<20	<0.01	<10	10	4	<10	13	
K932344		20	<0.01	<10	<10	3	<10	14	
K932345		20	<0.01	<10	<10	7	<10	34	
K932346		<20	<0.01	<10	10	2	<10	10	
K932347		20	<0.01	<10	<10	10	<10	54	
K932348		<20	<0.01	<10	10	3	<10	77	
K932349		<20	<0.01	<10	<10	11	<10	76	
K932350		<20	<0.01	<10	<10	3	<10	17	
K932351		<20	<0.01	<10	10	1	<10	5	
K932352		<20	<0.01	<10	10	1	<10	3	
K932353		<20	<0.01	<10	<10	1	<10	3	
K932354		<20	0.12	<10	<10	47	20	33	

Comments: Samples #089 (63091) and #090 (63092) were blended during the crushing stage of prep in the WH lab. New sample ID: 63091-63092. Second sample will be flagged NO for analysis. Confirmation received July 12, 2011.