



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 1
Finalized Date: 27-JUL-2011
This copy reported on
16-SEP-2011
Account: ANTRES

CERTIFICATE WH11121129

Project: Einarson

P.O. No.:

This report is for 57 Rock samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2011.

The following have access to data associated with this certificate:

YINGHUA CHEN

MORGAN LI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: ANTHILL RESOURCES
ATTN: YINGHUA CHEN
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932375		1.03	<0.005	<0.2	0.44	<2	<10	540	<0.5	<2	1.46	<0.5	6	15	47	1.41
K932158		0.73	<0.005	0.2	0.11	4	<10	20	<0.5	<2	13.3	<0.5	2	4	5	0.77
K932159		0.91	<0.005	<0.2	0.09	4	<10	20	<0.5	<2	>25.0	<0.5	2	3	6	0.80
K932160		0.86	<0.005	<0.2	0.12	4	<10	30	<0.5	<2	>25.0	<0.5	2	1	4	0.50
K932161		0.81	<0.005	<0.2	0.05	3	<10	10	<0.5	<2	>25.0	<0.5	1	1	3	0.27
K932162		0.82	<0.005	<0.2	0.11	4	<10	10	<0.5	<2	9.3	<0.5	2	3	9	0.88
K932163		0.95	<0.005	<0.2	0.34	5	<10	30	<0.5	<2	6.32	<0.5	8	7	17	1.97
K932164		0.61	<0.005	<0.2	0.04	6	<10	10	<0.5	<2	>25.0	<0.5	4	1	4	1.57
K932165		0.74	<0.005	<0.2	0.34	7	<10	30	<0.5	<2	4.40	<0.5	9	4	15	2.57
K932166		1.19	<0.005	<0.2	0.15	5	<10	10	<0.5	<2	>25.0	<0.5	3	1	6	0.59
K932167		1.48	<0.005	<0.2	0.02	3	<10	30	<0.5	<2	>25.0	<0.5	1	<1	2	0.08
K932168		0.92	<0.005	0.2	0.05	6	<10	10	<0.5	<2	>25.0	<0.5	2	1	3	0.30
K932169		0.69	<0.005	<0.2	0.15	5	<10	40	<0.5	<2	1.50	<0.5	2	10	5	0.91
K932170		1.07	<0.005	<0.2	1.10	3	<10	70	<0.5	<2	0.12	<0.5	7	21	3	2.90
K932171		0.95	<0.005	<0.2	0.49	16	<10	40	<0.5	<2	17.6	<0.5	8	6	24	0.97
K932172		1.17	<0.005	<0.2	0.03	3	<10	10	<0.5	<2	>25.0	<0.5	1	1	2	0.20
K932173		0.79	<0.005	<0.2	0.08	4	<10	10	0.6	<2	>25.0	<0.5	2	2	9	1.09
K932174		0.65	<0.005	<0.2	0.25	3	<10	20	<0.5	<2	15.1	<0.5	6	3	15	2.36
K932175		0.70	<0.005	<0.2	0.06	4	<10	10	<0.5	<2	>25.0	<0.5	1	2	4	0.71
K932176		0.66	<0.005	<0.2	0.15	3	<10	20	0.5	<2	>25.0	<0.5	3	2	11	1.18
K932177		0.99	0.006	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	1	1	2	0.14
K932178		0.74	<0.005	<0.2	0.03	4	<10	<10	<0.5	<2	20.4	<0.5	1	1	1	0.21
K932179		0.68	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	2	1	3	0.29
K932180		0.84	<0.005	<0.2	0.09	7	<10	20	<0.5	<2	>25.0	<0.5	2	1	4	0.44
K932181		0.77	<0.005	<0.2	0.04	2	<10	<10	<0.5	<2	19.4	<0.5	1	2	3	0.18
K932182		0.74	0.011	<0.2	0.01	<2	<10	<10	<0.5	2	>25.0	<0.5	1	1	2	0.43
K932183		0.75	<0.005	<0.2	0.05	3	<10	<10	<0.5	<2	>25.0	<0.5	1	1	3	0.38
K932184		0.82	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	1	1	0.26
K932185		0.78	<0.005	<0.2	3.07	5	<10	180	0.7	<2	11.4	<0.5	26	95	38	5.66
K932186		0.87	<0.005	<0.2	0.31	16	<10	40	<0.5	<2	4.18	<0.5	6	16	7	1.84
K932187		0.79	<0.005	<0.2	0.77	64	<10	100	0.6	<2	8.1	<0.5	21	35	28	4.84
K932430		0.97	<0.005	<0.2	0.05	2	<10	<10	<0.5	<2	13.9	<0.5	1	3	1	0.46
K932431		1.41	<0.005	0.3	0.04	4	<10	<10	<0.5	<2	>25.0	<0.5	2	1	2	0.43
K932432		1.26	0.015	0.2	0.06	3	<10	<10	<0.5	<2	>25.0	<0.5	1	1	3	0.27
K932433		1.14	<0.005	<0.2	0.08	3	<10	<10	<0.5	<2	23.0	<0.5	1	2	2	0.23
K932434		1.09	<0.005	0.2	0.21	9	<10	<10	<0.5	<2	24.5	<0.5	4	3	10	1.72
K932435		1.20	<0.005	<0.2	0.16	21	<10	<10	<0.5	<2	>25.0	<0.5	4	2	166	2.09
K932436		0.90	<0.005	<0.2	0.04	4	<10	<10	<0.5	<2	>25.0	<0.5	1	1	1	0.52
K932437		1.02	<0.005	<0.2	0.04	3	<10	<10	<0.5	<2	>25.0	<0.5	1	1	3	0.10
K932438		1.49	<0.005	<0.2	0.06	<2	<10	<10	<0.5	<2	5.43	<0.5	<1	5	2	3.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932375		<10	<1	0.06	10	0.69	3560	1	0.06	6	160	6	0.03	<2	2	71
K932158		<10	<1	0.06	<10	0.09	139	1	0.01	4	160	4	0.26	<2	2	739
K932159		<10	<1	0.04	10	0.61	137	1	0.01	4	420	5	0.80	<2	2	1010
K932160		<10	1	0.07	10	0.21	54	1	0.01	3	90	3	0.46	<2	2	2970
K932161		<10	1	0.02	<10	0.23	51	1	0.01	1	170	3	0.16	2	1	2400
K932162		<10	<1	0.08	<10	0.09	287	1	0.01	3	70	8	0.54	<2	1	321
K932163		<10	1	0.29	10	0.53	388	1	0.01	13	190	14	0.57	2	2	177
K932164		<10	1	0.02	<10	0.43	861	1	0.01	4	250	8	0.43	<2	1	1640
K932165		<10	<1	0.31	10	0.74	456	1	0.01	13	200	16	1.30	<2	2	115
K932166		<10	<1	0.11	10	0.57	188	1	0.01	4	390	7	0.24	<2	2	1010
K932167		<10	<1	0.01	<10	0.20	40	1	0.01	<1	240	3	0.07	<2	<1	1090
K932168		<10	<1	0.02	<10	3.01	82	1	0.01	3	300	3	0.07	2	<1	430
K932169		<10	<1	0.05	<10	0.27	294	1	0.01	3	240	6	0.03	<2	1	29
K932170		<10	1	0.04	10	0.34	1065	1	<0.01	6	50	23	0.02	<2	1	6
K932171		<10	1	0.12	10	0.37	1725	1	0.01	6	840	32	0.08	<2	2	215
K932172		<10	<1	0.01	<10	0.62	127	1	0.01	1	1140	2	0.13	<2	<1	954
K932173		<10	<1	0.04	10	0.22	210	1	0.01	3	230	5	0.26	<2	2	1610
K932174		<10	1	0.13	<10	0.21	326	1	0.02	13	540	13	1.69	<2	3	1300
K932175		<10	1	0.03	<10	0.34	193	1	0.01	1	410	2	0.38	<2	2	1380
K932176		<10	<1	0.09	10	0.23	132	1	0.02	5	150	7	0.99	<2	2	1370
K932177		<10	<1	0.02	<10	1.90	84	1	0.01	1	230	3	0.11	2	<1	979
K932178		<10	1	0.01	<10	10.55	181	1	0.01	<1	230	<2	0.06	2	<1	199
K932179		<10	<1	0.01	10	0.79	70	1	0.01	2	130	4	0.07	<2	1	539
K932180		<10	1	0.04	<10	0.27	58	1	0.01	2	240	4	0.15	<2	1	1180
K932181		<10	1	0.01	<10	11.60	126	1	0.02	3	360	3	0.02	<2	<1	187
K932182		<10	<1	<0.01	<10	0.88	283	<1	0.01	<1	90	<2	0.06	<2	<1	1770
K932183		<10	1	0.02	<10	0.70	163	<1	0.01	3	450	4	0.06	<2	1	1230
K932184		<10	1	0.01	<10	0.19	221	<1	0.01	1	90	4	0.05	<2	<1	1270
K932185		10	1	0.04	50	3.22	1450	<1	0.04	42	3920	5	0.02	<2	10	990
K932186		<10	1	0.06	20	0.17	571	2	0.07	10	2100	5	0.01	<2	2	193
K932187		<10	<1	0.14	20	2.47	1225	<1	0.04	29	2330	<2	0.05	<2	8	506
K932430		<10	<1	0.02	<10	0.08	155	<1	0.01	<1	50	2	0.03	<2	1	710
K932431		<10	<1	0.02	<10	0.97	63	<1	0.02	2	900	4	0.15	<2	1	1210
K932432		<10	<1	0.03	<10	0.28	66	<1	0.01	2	180	7	0.14	<2	1	1660
K932433		<10	<1	0.03	<10	7.60	86	<1	0.02	1	360	5	0.04	<2	<1	634
K932434		<10	1	0.10	<10	0.26	338	<1	0.02	8	300	6	0.65	2	3	1830
K932435		<10	<1	0.07	<10	0.30	689	<1	0.03	8	250	4	0.48	28	6	4500
K932436		<10	<1	0.02	<10	0.60	81	<1	0.01	1	150	5	0.08	<2	1	1650
K932437		<10	<1	0.01	<10	0.26	31	<1	0.01	1	130	3	0.13	<2	<1	928
K932438		<10	<1	0.03	<10	1.07	534	<1	0.01	3	80	3	1.04	<2	1	230



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
K932375		<20	<0.01	<10	<10	6	<10	35
K932158		<20	<0.01	<10	<10	3	<10	18
K932159		20	<0.01	<10	<10	5	<10	51
K932160		20	<0.01	<10	<10	3	<10	13
K932161		20	<0.01	<10	<10	2	<10	13
K932162		<20	<0.01	<10	<10	1	<10	9
K932163		<20	<0.01	<10	<10	4	<10	27
K932164		<20	<0.01	<10	<10	2	<10	3
K932165		<20	<0.01	<10	<10	4	<10	32
K932166		20	<0.01	<10	<10	2	<10	5
K932167		20	<0.01	<10	<10	1	<10	2
K932168		<20	<0.01	<10	<10	2	<10	3
K932169		<20	<0.01	<10	<10	4	<10	15
K932170		<20	<0.01	<10	<10	11	<10	43
K932171		<20	<0.01	<10	<10	7	<10	18
K932172		20	<0.01	<10	<10	2	<10	3
K932173		20	<0.01	<10	<10	3	<10	21
K932174		<20	<0.01	<10	<10	4	<10	21
K932175		20	<0.01	<10	<10	3	<10	11
K932176		20	<0.01	<10	<10	4	<10	25
K932177		20	<0.01	<10	<10	2	<10	2
K932178		<20	<0.01	<10	<10	2	<10	15
K932179		<20	<0.01	<10	<10	1	<10	4
K932180		20	<0.01	<10	<10	2	<10	14
K932181		<20	<0.01	<10	<10	3	<10	12
K932182		20	<0.01	<10	<10	1	<10	7
K932183		20	<0.01	<10	<10	3	<10	5
K932184		<20	<0.01	<10	<10	1	<10	2
K932185		<20	0.06	<10	<10	206	<10	78
K932186		<20	0.01	<10	<10	24	<10	24
K932187		<20	0.01	<10	<10	68	<10	74
K932430		<20	<0.01	<10	<10	2	<10	4
K932431		<20	<0.01	<10	<10	3	<10	9
K932432		20	<0.01	<10	<10	2	<10	16
K932433		<20	<0.01	<10	<10	3	<10	9
K932434		20	<0.01	<10	<10	7	<10	30
K932435		20	<0.01	<10	<10	3	<10	57
K932436		20	<0.01	<10	<10	2	<10	2
K932437		<20	<0.01	<10	<10	1	<10	2
K932438		<20	<0.01	<10	<10	1	<10	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932439		1.30	<0.005	0.2	0.04	2	<10	<10	<0.5	<2	>25.0	<0.5	1	1	2	0.10
K932421		0.76	<0.005	<0.2	0.20	3	<10	<10	0.6	<2	0.18	<0.5	9	6	18	3.48
K932422		0.60	<0.005	<0.2	0.14	5	<10	50	<0.5	<2	1.27	<0.5	15	5	9	2.02
K932423		0.49	<0.005	<0.2	0.30	107	<10	<10	<0.5	<2	0.04	<0.5	1	11	12	8.15
K932441		1.02	<0.005	0.3	0.11	<2	<10	30	<0.5	<2	1.30	5.3	1	10	39	0.89
K932442		1.12	0.007	0.4	1.75	8	<10	110	0.6	<2	0.34	<0.5	7	40	53	4.19
K932443		1.30	0.007	0.3	2.37	4	<10	100	0.6	<2	1.09	<0.5	25	35	83	5.64
K932444		1.02	<0.005	<0.2	0.41	4	<10	50	<0.5	2	0.98	<0.5	5	12	10	1.36
K932479		0.15	0.465	0.2	1.27	48	<10	80	<0.5	<2	1.39	<0.5	7	28	48	2.91
K932488		0.15	<0.005	0.4	1.10	3	<10	50	<0.5	<2	0.71	<0.5	7	25	19	1.87
K932482		0.73	<0.005	<0.2	0.74	11	<10	60	0.5	<2	7.4	<0.5	9	20	31	2.22
K932483		0.67	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	1	1	0.08
K932192		0.14	0.456	0.2	1.25	48	<10	80	<0.5	<2	1.39	<0.5	7	28	48	2.87
K932194		0.15	<0.005	0.3	1.08	3	<10	50	<0.5	<2	0.69	<0.5	7	24	19	1.84
K932427		1.07	<0.005	0.5	0.19	242	<10	100	<0.5	<2	19.1	<0.5	4	5	12	4.11
K932429		1.38	<0.005	<0.2	4.24	120	<10	80	0.9	<2	4.92	<0.5	36	566	49	6.95
K932198		0.82	<0.005	<0.2	0.04	2	<10	190	<0.5	<2	23.7	<0.5	1	6	1	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932439		<10	1	0.02	<10	0.23	22	<1	0.01	<1	690	2	0.05	<2	<1	1410
K932421		<10	<1	0.07	<10	0.02	312	<1	0.01	19	310	20	0.02	<2	2	23
K932422		<10	<1	0.04	<10	0.03	1860	<1	0.01	13	50	10	0.01	<2	2	56
K932423		<10	<1	0.08	<10	0.01	98	<1	0.01	8	170	10	0.03	21	1	9
K932441		<10	<1	0.04	20	0.21	330	1	0.03	9	110	<2	0.02	<2	1	62
K932442		<10	1	0.29	20	0.84	65	3	0.02	32	1760	14	0.67	2	4	40
K932443		10	1	0.25	20	1.46	466	<1	0.02	48	1260	8	1.84	<2	4	85
K932444		<10	<1	0.09	<10	0.21	4060	1	0.01	6	140	18	0.05	<2	2	33
K932479		<10	1	0.10	<10	0.58	412	9	0.08	32	730	4	0.12	<2	5	42
K932488		<10	<1	0.07	<10	0.47	286	3	0.07	17	470	3	0.05	<2	4	33
K932482		<10	<1	0.23	10	3.47	281	<1	0.02	21	670	13	0.11	<2	4	267
K932483		<10	<1	0.01	<10	0.19	39	<1	0.01	2	120	3	0.01	<2	<1	1970
K932192		<10	<1	0.10	<10	0.58	408	9	0.08	31	730	4	0.12	<2	4	43
K932194		<10	<1	0.07	<10	0.46	281	3	0.06	17	460	2	0.04	<2	4	32
K932427		<10	<1	0.06	<10	0.67	1135	6	0.02	22	720	19	3.36	16	1	429
K932429		20	<1	0.02	30	4.66	2260	<1	0.03	131	4880	5	0.25	3	22	197
K932198		<10	<1	0.01	<10	0.34	26	<1	0.02	<1	640	<2	0.04	<2	<1	602



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 27-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121129

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
K932439		20	<0.01	<10	<10	2	<10	7
K932421		<20	<0.01	<10	<10	3	<10	80
K932422		<20	<0.01	<10	<10	2	<10	33
K932423		<20	<0.01	<10	<10	27	<10	18
K932441		<20	<0.01	<10	<10	15	<10	174
K932442		<20	<0.01	<10	<10	43	<10	106
K932443		<20	<0.01	<10	<10	29	<10	120
K932444		<20	<0.01	<10	<10	9	<10	27
K932479		<20	0.11	<10	<10	52	<10	54
K932488		<20	0.12	<10	<10	46	20	33
K932482		<20	<0.01	<10	<10	15	<10	84
K932483		20	<0.01	<10	<10	1	<10	8
K932192		<20	0.11	<10	<10	51	<10	53
K932194		<20	0.11	<10	<10	45	20	32
K932427		<20	<0.01	<10	<10	23	<10	46
K932429		<20	0.02	<10	<10	308	<10	108
K932198		<20	<0.01	<10	<10	3	<10	6