



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 1
Finalized Date: 26-JUL-2011
Account: ANTRES

CERTIFICATE WH11121170

Project: Einarson

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2011.

The following have access to data associated with this certificate:

YINGHUA CHEN

MORGAN LI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: ANTHILL RESOURCES
ATTN: YINGHUA CHEN
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 26-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121170

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
K932381		0.94	<0.005	<0.2	0.16	6	<10	10	<0.5	<2	1.65	<0.5	6	10	3	1.33
K932382		0.50	0.012	<0.2	2.01	<2	<10	40	0.6	3	0.17	<0.5	83	18	57	10.90
K932384		0.95	<0.005	<0.2	0.08	4	<10	10	<0.5	<2	16.1	<0.5	4	2	3	1.33
K932385		1.02	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	14.5	<0.5	2	3	1	0.50
K932386		1.28	<0.005	<0.2	0.08	2	<10	20	<0.5	<2	>25.0	<0.5	3	2	4	0.74
K932387		1.18	<0.005	<0.2	0.04	3	<10	20	<0.5	<2	>25.0	<0.5	3	1	1	0.13
K932388		1.17	<0.005	<0.2	0.45	3	<10	30	<0.5	<2	2.54	<0.5	7	5	19	1.88
K932389		1.24	<0.005	<0.2	0.16	7	<10	20	<0.5	<2	2.38	<0.5	3	6	11	2.45
K932391		1.44	<0.005	<0.2	0.04	8	<10	10	<0.5	<2	>25.0	<0.5	<1	2	1	0.08
K932392		1.10	<0.005	<0.2	0.04	6	<10	<10	<0.5	<2	20.0	<0.5	<1	2	<1	0.27
K932393		1.50	<0.005	<0.2	0.04	8	<10	<10	<0.5	<2	21.2	<0.5	<1	1	<1	0.30
K932394		0.92	<0.005	<0.2	0.18	7	<10	20	<0.5	<2	>25.0	<0.5	1	2	5	0.48
K932395		0.73	0.008	<0.2	0.82	20	<10	110	<0.5	<2	1.01	<0.5	8	21	56	2.58
K932396		1.08	<0.005	0.2	0.94	16	<10	250	0.5	<2	>25.0	<0.5	2	13	10	1.46
K932397		1.03	<0.005	<0.2	0.68	10	<10	180	<0.5	<2	21.8	<0.5	2	11	12	2.08
K932398		1.09	0.022	0.6	2.83	4	10	40	0.9	<2	0.74	<0.5	21	23	78	10.85
K932399		0.88	<0.005	<0.2	0.37	9	<10	300	<0.5	<2	24.9	0.6	2	6	13	0.84
K932400		1.04	<0.005	<0.2	0.33	8	<10	260	<0.5	<2	>25.0	0.5	1	5	10	0.62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 26-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121170

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932381		<10	<1	0.03	<10	0.29	817	<1	<0.01	4	680	10	0.02	<2	1	37
K932382		10	<1	0.24	<10	0.65	197	1	0.01	64	150	33	8.29	<2	3	19
K932384		<10	<1	0.03	<10	0.10	130	<1	0.01	7	50	4	0.81	<2	2	974
K932385		<10	<1	0.02	<10	0.09	138	<1	<0.01	1	50	3	0.07	<2	1	834
K932386		<10	<1	0.04	10	1.50	136	<1	0.01	2	350	4	0.21	<2	2	1100
K932387		<10	<1	0.02	<10	0.21	22	<1	0.01	1	140	4	0.06	<2	<1	2230
K932388		<10	<1	0.12	10	0.21	556	<1	<0.01	9	90	10	0.13	<2	1	91
K932389		<10	<1	0.08	10	0.04	685	<1	0.01	10	80	7	<0.01	<2	1	26
K932391		<10	<1	0.01	<10	5.65	59	<1	0.02	1	380	4	0.07	<2	<1	426
K932392		<10	<1	0.01	<10	12.20	351	<1	0.03	<1	310	2	0.06	<2	<1	87
K932393		<10	<1	0.01	<10	12.20	332	<1	0.02	<1	160	2	0.06	<2	<1	207
K932394		<10	<1	0.08	10	0.31	75	<1	0.02	3	100	6	0.48	<2	2	2610
K932395		<10	<1	0.11	10	0.42	1635	<1	0.02	16	1510	45	0.39	<2	2	36
K932396		<10	<1	0.08	20	0.50	893	<1	0.04	8	>10000	5	0.23	<2	1	854
K932397		<10	1	0.07	<10	0.95	358	4	0.03	14	370	4	0.77	<2	2	352
K932398		10	<1	0.20	10	1.32	440	<1	0.02	60	1550	21	8.41	2	6	34
K932399		<10	<1	0.09	<10	0.65	672	<1	0.03	7	750	4	0.20	<2	2	676
K932400		<10	<1	0.06	<10	0.40	156	<1	0.03	6	350	3	0.17	<2	2	434



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 26-JUL-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11121170

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
K932381		<20	<0.01	<10	<10	2	<10	19
K932382		<20	0.01	<10	<10	17	<10	103
K932384		<20	<0.01	<10	<10	2	<10	9
K932385		<20	<0.01	<10	<10	1	<10	4
K932386		<20	<0.01	<10	<10	4	<10	13
K932387		20	<0.01	<10	<10	1	<10	9
K932388		<20	<0.01	<10	<10	3	<10	83
K932389		<20	<0.01	<10	<10	2	<10	37
K932391		<20	<0.01	<10	<10	3	<10	14
K932392		<20	<0.01	<10	<10	2	<10	4
K932393		<20	<0.01	<10	<10	3	<10	5
K932394		20	<0.01	<10	10	3	<10	28
K932395		<20	<0.01	<10	<10	41	<10	40
K932396		<20	<0.01	<10	30	49	<10	36
K932397		<20	<0.01	<10	10	40	<10	59
K932398		<20	0.01	<10	<10	59	<10	69
K932399		<20	<0.01	<10	10	37	<10	66
K932400		<20	<0.01	<10	10	32	<10	48