



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 1
Finalized Date: 9-AUG-2011
Account: ANTRES

CERTIFICATE WH11126761

Project: Einarson

P.O. No.:

This report is for 121 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8-JUL-2011.

The following have access to data associated with this certificate:

YINGHUA CHEN

MORGAN LI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: ANTHILL RESOURCES
ATTN: YINGHUA CHEN
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932001		1.00	<0.005	<0.2	0.49	9	<10	30	<0.5	<2	0.67	<0.5	3	9	4	2.13
K932002		0.80	<0.005	0.2	1.07	7	<10	50	<0.5	<2	0.05	<0.5	5	19	10	2.33
K932003		0.12	0.434	0.3	1.28	50	<10	100	<0.5	<2	1.42	<0.5	7	28	48	2.98
K932004		0.60	0.014	<0.2	0.74	39	<10	70	<0.5	<2	0.03	<0.5	2	6	5	1.56
K932005		0.63	<0.005	<0.2	0.67	7	<10	40	<0.5	<2	0.75	<0.5	3	8	3	1.44
K932006		0.70	0.005	3.9	0.16	15	<10	10	<0.5	<2	7.1	1.7	6	7	2120	6.32
K932007		0.95	<0.005	<0.2	0.25	4	<10	30	<0.5	<2	0.20	<0.5	11	9	19	2.05
K932008		0.91	<0.005	<0.2	0.16	14	<10	50	<0.5	<2	0.03	<0.5	1	11	12	1.06
K932009		1.18	<0.005	0.5	0.08	20	<10	40	<0.5	<2	17.0	2.8	5	3	21	0.96
K932010		0.79	<0.005	0.8	0.04	6	<10	50	<0.5	<2	>25.0	<0.5	1	<1	1	0.21
K932011		0.78	<0.005	<0.2	0.11	5	<10	10	<0.5	<2	0.75	<0.5	3	12	3	1.17
K932012		0.90	<0.005	<0.2	0.59	4	<10	50	<0.5	<2	0.64	<0.5	6	13	8	1.29
K932013		0.83	<0.005	0.4	0.02	7	<10	10	<0.5	<2	>25.0	<0.5	1	1	<1	0.13
K932014		0.86	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	2	1	3	0.10
K932015		1.06	<0.005	<0.2	0.03	8	<10	20	<0.5	<2	24.8	<0.5	1	1	1	0.13
K932016		0.73	<0.005	<0.2	0.03	13	<10	10	<0.5	<2	>25.0	<0.5	2	1	1	0.20
K932017		0.69	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	21.7	<0.5	2	<1	<1	0.57
K932018		0.64	<0.005	<0.2	0.02	9	<10	10	<0.5	<2	>25.0	<0.5	1	<1	1	0.13
K932019		0.14	<0.005	0.3	1.07	2	<10	80	<0.5	<2	0.69	<0.5	8	24	20	1.81
K932020		0.70	<0.005	<0.2	0.03	4	<10	10	<0.5	<2	>25.0	<0.5	2	1	1	0.07
K932021		0.65	<0.005	<0.2	0.06	4	<10	30	<0.5	<2	22.9	<0.5	1	1	1	0.31
K932022		0.81	<0.005	<0.2	0.05	4	<10	20	<0.5	<2	>25.0	<0.5	2	1	2	0.54
K932023		0.80	<0.005	<0.2	0.13	<2	<10	40	<0.5	<2	>25.0	<0.5	1	3	3	0.29
K932024		0.75	<0.005	<0.2	0.03	3	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.09
K932025		0.91	<0.005	<0.2	0.05	5	<10	240	<0.5	<2	24.4	<0.5	2	2	3	0.53
K932026		0.66	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	19.5	<0.5	2	<1	<1	0.43
K932027		0.57	<0.005	<0.2	0.04	5	<10	10	<0.5	<2	20.3	<0.5	1	<1	<1	0.65
K932028		0.56	<0.005	<0.2	0.03	11	<10	20	<0.5	<2	>25.0	<0.5	1	<1	1	0.09
K932029		0.81	<0.005	<0.2	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	4	0.06
K932030		0.75	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	1	2	2	0.12
K932031		0.60	<0.005	<0.2	0.05	5	<10	20	<0.5	<2	>25.0	<0.5	1	1	2	0.15
K932032		0.93	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	1	0.22
K932033		0.63	<0.005	<0.2	0.07	<2	<10	20	<0.5	<2	>25.0	<0.5	2	1	2	0.36
K932034		0.77	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.18
K932035		0.43	<0.005	<0.2	0.20	3	<10	40	<0.5	<2	>25.0	<0.5	3	2	5	0.45
K932036		0.72	<0.005	<0.2	0.17	3	<10	30	<0.5	<2	>25.0	<0.5	2	1	5	0.35
K932037		0.62	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	19.7	<0.5	<1	<1	<1	0.69
K932038		0.55	<0.005	<0.2	0.62	10	<10	60	0.5	<2	2.26	<0.5	9	5	22	2.16
K932039		0.58	<0.005	<0.2	0.48	<2	<10	40	<0.5	<2	12.7	<0.5	7	3	17	2.18
K932040		0.87	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	2	<1	2	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932001		<10	1	0.11	10	0.17	682	<1	0.02	7	70	6	0.04	<2	1	24
K932002		<10	<1	0.17	20	0.35	373	<1	0.02	15	110	17	0.04	<2	1	11
K932003		<10	1	0.10	10	0.59	407	9	0.08	30	740	2	0.13	2	5	43
K932004		<10	<1	0.24	10	0.08	56	<1	0.02	3	190	10	0.12	2	1	14
K932005		<10	<1	0.18	10	0.22	528	<1	0.01	2	70	7	0.03	<2	1	81
K932006		<10	1	0.10	<10	1.48	2230	<1	0.01	11	920	66	0.45	3	2	671
K932007		<10	<1	0.08	10	0.07	1200	<1	0.01	13	220	105	0.02	<2	1	18
K932008		<10	<1	0.10	10	0.01	56	<1	<0.01	2	50	12	0.33	<2	<1	6
K932009		<10	<1	0.02	10	0.09	923	<1	0.02	6	330	10	0.04	3	1	708
K932010		<10	<1	0.01	<10	0.69	1890	<1	0.01	1	240	<2	0.04	<2	<1	1270
K932011		<10	<1	0.05	<10	0.15	211	<1	<0.01	4	240	30	0.01	<2	1	74
K932012		<10	<1	0.08	10	0.17	223	<1	0.01	13	50	10	0.03	<2	1	30
K932013		<10	<1	<0.01	<10	0.14	106	<1	0.01	<1	270	<2	0.02	<2	<1	699
K932014		<10	2	0.02	10	0.21	80	<1	0.03	3	30	<2	0.04	<2	1	767
K932015		<10	<1	0.01	<10	3.18	88	<1	0.03	2	340	4	0.02	<2	<1	518
K932016		<10	1	0.01	<10	2.72	115	<1	0.03	<1	260	2	0.03	2	<1	555
K932017		<10	<1	0.01	10	10.05	814	<1	0.04	<1	260	2	0.02	2	<1	165
K932018		<10	1	<0.01	<10	0.26	126	<1	0.03	<1	190	<2	0.02	<2	<1	329
K932019		<10	<1	0.07	<10	0.44	277	3	0.07	17	470	2	0.06	<2	4	32
K932020		<10	2	0.01	<10	1.98	55	<1	0.03	<1	360	<2	0.02	<2	<1	637
K932021		<10	2	0.04	10	0.70	166	<1	0.03	1	140	2	0.07	<2	1	269
K932022		<10	1	0.02	<10	0.19	114	<1	0.04	<1	170	<2	0.32	<2	<1	1650
K932023		<10	1	0.07	10	0.15	172	<1	0.03	2	160	2	0.03	<2	2	1190
K932024		<10	1	0.01	<10	2.34	80	<1	0.03	1	310	<2	0.03	<2	<1	198
K932025		<10	1	0.02	<10	0.51	87	<1	0.04	4	740	<2	0.36	<2	1	1150
K932026		<10	1	0.01	10	12.00	701	<1	0.04	<1	200	2	0.03	<2	<1	62
K932027		<10	1	0.01	<10	11.95	604	<1	0.03	<1	200	2	0.02	5	<1	105
K932028		<10	1	0.01	<10	0.63	48	<1	0.03	2	210	3	0.03	<2	<1	861
K932029		<10	<1	0.02	<10	3.77	82	<1	0.03	4	910	2	0.03	<2	<1	238
K932030		<10	1	0.02	<10	0.17	84	<1	0.04	1	150	4	0.10	<2	<1	1080
K932031		<10	1	0.02	<10	0.19	45	<1	0.04	1	130	6	0.12	<2	<1	2260
K932032		<10	1	0.01	<10	2.30	272	<1	0.04	<1	750	<2	0.06	<2	<1	342
K932033		<10	<1	0.04	<10	0.23	203	<1	0.04	2	1200	4	0.12	<2	1	1110
K932034		<10	1	0.02	<10	0.52	101	<1	0.04	<1	190	4	0.08	<2	<1	711
K932035		<10	1	0.14	10	0.13	96	<1	0.04	4	80	<2	0.17	<2	2	3110
K932036		<10	1	0.10	10	0.12	78	<1	0.05	2	120	4	0.35	<2	1	4430
K932037		<10	<1	0.01	<10	10.85	866	<1	0.03	<1	400	4	0.02	<2	<1	246
K932038		<10	1	0.39	10	0.13	112	<1	0.02	26	300	17	2.22	<2	3	103
K932039		<10	1	0.31	10	0.19	197	<1	0.03	12	80	12	2.57	<2	3	574
K932040		<10	1	0.02	<10	0.39	35	<1	0.04	1	250	7	0.06	<2	<1	526



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 2 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 9-AUG-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
K932001		<20	<0.01	<10	<10	4	<10	31
K932002		<20	<0.01	<10	<10	8	<10	37
K932003		<20	0.12	<10	<10	53	<10	55
K932004		<20	<0.01	<10	<10	2	<10	8
K932005		<20	<0.01	<10	<10	1	<10	12
K932006		<20	<0.01	<10	<10	1	<10	675
K932007		<20	<0.01	<10	<10	1	<10	76
K932008		<20	<0.01	<10	<10	1	<10	12
K932009		<20	<0.01	<10	<10	2	<10	123
K932010		<20	<0.01	<10	<10	1	<10	4
K932011		<20	<0.01	<10	<10	1	<10	41
K932012		<20	<0.01	<10	<10	2	<10	34
K932013		<20	<0.01	<10	<10	1	<10	4
K932014		<20	<0.01	<10	<10	2	<10	4
K932015		<20	<0.01	<10	10	2	<10	5
K932016		<20	<0.01	<10	<10	2	<10	5
K932017		<20	<0.01	<10	<10	2	<10	30
K932018		<20	<0.01	<10	10	1	<10	25
K932019		<20	0.11	<10	<10	44	20	33
K932020		<20	<0.01	<10	<10	3	<10	2
K932021		<20	<0.01	<10	<10	1	<10	2
K932022		<20	<0.01	<10	10	2	<10	4
K932023		<20	<0.01	<10	<10	5	<10	6
K932024		<20	<0.01	<10	10	1	<10	2
K932025		<20	<0.01	<10	<10	1	<10	8
K932026		<20	<0.01	<10	<10	1	<10	16
K932027		<20	<0.01	<10	<10	1	<10	7
K932028		<20	<0.01	<10	10	1	<10	6
K932029		<20	<0.01	<10	10	2	<10	4
K932030		<20	<0.01	<10	10	1	<10	24
K932031		<20	<0.01	<10	10	1	<10	7
K932032		<20	<0.01	<10	10	2	<10	7
K932033		<20	<0.01	<10	10	4	<10	6
K932034		<20	<0.01	<10	10	2	<10	3
K932035		20	<0.01	<10	<10	3	<10	14
K932036		20	<0.01	<10	<10	3	<10	26
K932037		<20	<0.01	<10	<10	1	<10	75
K932038		<20	<0.01	<10	<10	7	<10	16
K932039		<20	<0.01	<10	<10	4	<10	18
K932040		<20	<0.01	<10	10	1	<10	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K932041		0.15	0.439	<0.2	1.22	49	<10	110	<0.5	2	1.34	<0.5	7	27	48	2.87
K932042		0.79	<0.005	<0.2	0.31	10	<10	40	<0.5	<2	21.1	<0.5	5	4	12	2.82
K932043		0.67	<0.005	<0.2	0.20	3	<10	100	<0.5	<2	>25.0	<0.5	3	2	6	0.45
K932044		0.60	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	2	1	1	0.50
K932045		0.50	<0.005	<0.2	0.60	154	<10	80	0.7	2	24.1	<0.5	3	5	12	1.77
K932046		0.65	<0.005	<0.2	0.18	26	<10	20	<0.5	<2	>25.0	<0.5	2	2	3	0.63
K932047		0.57	<0.005	<0.2	0.04	2	<10	40	<0.5	<2	>25.0	<0.5	2	1	1	0.82
K932048		0.64	<0.005	<0.2	0.13	12	<10	10	<0.5	<2	>25.0	<0.5	1	1	5	0.55
K932049		0.79	<0.005	<0.2	0.13	16	<10	30	<0.5	<2	11.8	<0.5	4	6	9	2.11
K932050		0.61	0.006	<0.2	0.08	7	<10	30	<0.5	<2	>25.0	<0.5	2	2	3	0.35
K932051		0.84	<0.005	0.2	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	2	0.09
K932052		0.88	<0.005	0.2	0.02	2	<10	30	<0.5	<2	>25.0	<0.5	1	1	1	0.05
K932053		0.81	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	1	0.03
K932054		0.14	<0.005	0.3	1.06	3	<10	80	<0.5	<2	0.75	<0.5	8	23	20	1.85
K932055		1.50	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	16.7	<0.5	1	2	2	0.60
K932056		0.72	<0.005	<0.2	0.05	4	<10	40	<0.5	<2	>25.0	<0.5	2	<1	1	0.17
K932057		1.05	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.03
K932058		0.37	<0.005	<0.2	0.02	<2	<10	<10	<0.5	2	18.8	<0.5	1	<1	<1	0.21
K932059		0.55	<0.005	<0.2	0.05	<2	<10	10	<0.5	<2	6.43	<0.5	2	3	<1	1.62
K932060		0.65	0.011	<0.2	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	1	2	2	0.78
K932061		0.27	<0.005	<0.2	0.05	<2	<10	10	<0.5	<2	20.5	<0.5	2	1	1	0.18
K932062		0.59	<0.005	0.2	0.02	3	<10	40	<0.5	<2	>25.0	<0.5	2	1	<1	0.04
K932063		0.41	<0.005	<0.2	0.06	13	<10	30	<0.5	<2	>25.0	<0.5	2	1	3	1.27
K932064		0.32	<0.005	0.2	0.09	6	<10	240	<0.5	<2	>25.0	<0.5	2	1	3	0.36
K932065		0.60	<0.005	<0.2	0.06	4	<10	20	<0.5	<2	>25.0	<0.5	2	1	1	0.15
K932066		0.90	<0.005	<0.2	0.13	15	<10	10	<0.5	<2	22.6	<0.5	2	3	4	0.59
K932188		1.06	<0.005	<0.2	0.65	3	<10	90	<0.5	<2	0.27	<0.5	7	17	6	1.87
K932189		0.70	<0.005	<0.2	4.00	11	<10	230	0.9	<2	5.32	<0.5	39	211	93	6.48
K932190		1.23	<0.005	<0.2	3.30	3	<10	40	0.7	<2	0.11	<0.5	19	67	18	6.35
K932191		1.00	<0.005	<0.2	0.24	8	<10	20	<0.5	<2	23.7	<0.5	5	2	8	0.66
K932193		0.64	0.052	<0.2	0.05	78	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.09
K932195		1.30	<0.005	<0.2	0.02	20	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.05
K932196		0.98	0.056	<0.2	0.04	69	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.11
K932197		0.72	0.025	<0.2	0.08	40	<10	20	<0.5	<2	>25.0	<0.5	2	1	2	0.36
K932199		1.27	<0.005	<0.2	0.04	12	<10	20	<0.5	<2	>25.0	<0.5	2	1	1	0.05
K932200		1.27	<0.005	<0.2	0.08	3	<10	20	<0.5	<2	21.0	<0.5	2	2	4	0.56
K932201		0.35	<0.005	<0.2	0.06	<2	<10	20	0.7	<2	>25.0	<0.5	2	2	4	0.54
K932202		0.78	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	2	1	2	0.15
K932203		0.12	0.438	<0.2	1.24	49	<10	110	<0.5	<2	1.38	<0.5	8	27	49	2.86
K932204		1.01	<0.005	<0.2	0.06	5	<10	10	<0.5	<2	22.0	<0.5	3	2	2	0.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932041		<10	1	0.10	10	0.55	389	9	0.09	32	720	2	0.13	<2	4	43
K932042		<10	2	0.22	10	0.19	124	<1	0.03	12	140	7	3.44	<2	3	1590
K932043		<10	1	0.13	10	0.14	68	<1	0.04	4	60	2	0.31	<2	2	3630
K932044		<10	<1	0.01	<10	1.44	281	<1	0.04	<1	480	<2	0.05	<2	<1	755
K932045		<10	1	0.29	<10	0.22	152	<1	0.03	16	100	14	0.10	73	3	379
K932046		<10	1	0.07	<10	0.10	147	<1	0.03	3	700	4	0.07	7	2	1310
K932047		<10	1	0.01	<10	0.46	257	<1	0.04	1	1330	<2	0.30	<2	1	2040
K932048		<10	1	0.06	<10	0.15	59	<1	0.04	1	80	4	0.44	2	1	2370
K932049		<10	1	0.06	<10	0.33	537	<1	0.03	11	120	11	0.71	<2	2	1180
K932050		<10	<1	0.04	<10	0.19	185	<1	0.03	2	780	2	0.04	2	2	2170
K932051		<10	<1	0.02	<10	0.12	24	<1	0.03	2	310	<2	0.05	2	<1	2360
K932052		<10	<1	0.01	<10	0.14	44	<1	0.02	<1	250	2	0.01	<2	<1	997
K932053		<10	<1	0.01	<10	0.19	15	<1	0.03	<1	140	<2	0.02	<2	<1	923
K932054		<10	<1	0.07	<10	0.44	278	2	0.07	18	460	3	0.05	<2	4	34
K932055		<10	<1	0.02	<10	9.70	729	<1	0.02	1	180	4	0.02	3	<1	109
K932056		<10	<1	0.02	<10	1.93	222	<1	0.02	<1	200	6	0.01	2	<1	944
K932057		<10	<1	<0.01	<10	2.16	27	<1	0.02	1	200	<2	0.01	<2	<1	408
K932058		<10	<1	<0.01	<10	11.60	411	<1	0.03	1	150	<2	0.01	2	<1	58
K932059		<10	<1	0.03	<10	2.05	372	<1	0.01	<1	70	<2	<0.01	<2	<1	142
K932060		<10	<1	0.03	<10	0.25	70	<1	0.02	1	90	2	0.16	<2	1	2580
K932061		<10	<1	0.02	<10	10.90	212	<1	0.03	2	200	6	0.02	2	<1	158
K932062		<10	<1	<0.01	<10	0.21	53	<1	0.03	<1	150	<2	0.01	<2	<1	1120
K932063		<10	<1	0.03	<10	0.20	68	<1	0.03	4	180	3	0.06	<2	2	2880
K932064		<10	<1	0.05	10	0.17	48	<1	0.03	3	510	<2	0.07	<2	1	6020
K932065		<10	<1	0.03	<10	0.19	30	<1	0.03	1	340	<2	0.08	2	<1	3070
K932066		<10	<1	0.06	<10	2.66	217	<1	0.02	3	280	3	0.03	<2	1	1320
K932188		<10	<1	0.04	<10	0.17	1275	<1	0.01	6	360	8	0.01	<2	2	11
K932189		10	<1	0.05	10	4.37	1780	<1	0.10	79	660	12	0.14	<2	23	235
K932190		20	<1	0.06	30	1.67	1315	<1	0.06	36	300	22	0.01	<2	9	6
K932191		<10	<1	0.16	10	0.32	424	<1	0.02	5	380	5	0.03	<2	2	1150
K932193		<10	<1	0.01	<10	0.56	159	<1	0.02	<1	110	9	0.01	10	<1	922
K932195		<10	<1	0.01	<10	0.21	14	<1	0.02	<1	520	<2	0.03	<2	<1	1060
K932196		<10	<1	0.02	<10	0.17	39	<1	0.02	1	130	5	0.02	7	<1	1400
K932197		<10	<1	0.04	<10	0.29	340	<1	0.02	2	320	10	0.03	3	1	1240
K932199		<10	<1	0.01	<10	0.12	27	<1	0.02	1	120	<2	0.01	2	<1	871
K932200		<10	<1	0.04	10	0.11	238	<1	0.01	2	100	3	0.01	2	1	4700
K932201		<10	<1	0.03	10	0.59	100	<1	0.02	3	470	2	0.06	2	1	1140
K932202		<10	<1	0.02	<10	0.26	50	<1	0.02	2	230	4	0.04	2	1	1240
K932203		<10	<1	0.10	<10	0.56	401	9	0.08	32	710	3	0.12	2	5	43
K932204		<10	<1	0.04	10	1.14	151	<1	0.02	3	330	2	0.05	2	<1	529



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
K932041		<20	0.11	<10	<10	50	<10	53
K932042		<20	<0.01	<10	<10	4	<10	20
K932043		20	<0.01	<10	<10	2	<10	60
K932044		<20	<0.01	<10	10	2	<10	7
K932045		<20	<0.01	<10	10	7	<10	257
K932046		<20	<0.01	<10	<10	4	<10	33
K932047		<20	<0.01	<10	<10	3	<10	5
K932048		20	<0.01	<10	<10	3	<10	12
K932049		<20	<0.01	<10	<10	5	<10	12
K932050		20	<0.01	<10	30	2	<10	5
K932051		<20	<0.01	<10	30	<1	<10	9
K932052		<20	<0.01	<10	30	<1	<10	5
K932053		<20	<0.01	<10	40	<1	<10	3
K932054		<20	0.11	<10	<10	45	20	32
K932055		<20	<0.01	<10	10	1	<10	5
K932056		<20	<0.01	<10	30	<1	<10	42
K932057		<20	<0.01	<10	30	<1	<10	<2
K932058		<20	<0.01	<10	10	1	<10	2
K932059		<20	<0.01	<10	<10	1	<10	3
K932060		20	<0.01	<10	30	2	<10	4
K932061		<20	<0.01	<10	10	1	<10	18
K932062		<20	<0.01	<10	30	<1	<10	10
K932063		20	<0.01	<10	30	1	<10	9
K932064		20	<0.01	<10	30	1	<10	7
K932065		20	<0.01	<10	30	<1	<10	5
K932066		<20	<0.01	<10	20	5	<10	16
K932188		<20	<0.01	<10	<10	7	<10	24
K932189		<20	0.06	<10	<10	167	<10	85
K932190		<20	0.01	<10	<10	65	<10	108
K932191		<20	<0.01	<10	20	3	<10	12
K932193		<20	<0.01	<10	40	1	<10	49
K932195		<20	<0.01	<10	30	<1	<10	12
K932196		20	<0.01	<10	30	1	<10	63
K932197		<20	<0.01	<10	30	3	<10	72
K932199		<20	<0.01	<10	30	<1	<10	16
K932200		20	<0.01	<10	10	1	<10	7
K932201		<20	<0.01	<10	30	2	<10	28
K932202		<20	<0.01	<10	30	1	<10	4
K932203		<20	0.11	<10	<10	50	<10	51
K932204		<20	<0.01	<10	20	1	<10	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
K932205		0.98	0.012	<0.2	0.02	<2	<10	40	<0.5	<2	>25.0	<0.5	1	1	1	0.03
K932206		0.64	<0.005	<0.2	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	1	0.03
K932207		0.98	<0.005	<0.2	0.05	<2	<10	10	<0.5	2	>25.0	<0.5	1	1	1	0.20
K932208		0.95	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.06
K932209		0.81	<0.005	<0.2	0.05	3	<10	20	<0.5	<2	>25.0	<0.5	1	1	2	0.08
K932210		1.18	<0.005	0.2	0.03	2	<10	20	<0.5	<2	>25.0	<0.5	2	1	3	0.06
K932211		0.81	<0.005	<0.2	0.02	3	<10	10	<0.5	<2	>25.0	2.0	1	1	2	0.13
K932212		0.13	<0.005	0.4	1.06	2	<10	80	<0.5	<2	0.74	<0.5	8	23	20	1.84
K932213		1.10	<0.005	<0.2	0.02	9	<10	10	<0.5	<2	>25.0	<0.5	2	1	1	0.16
K932214		1.29	<0.005	<0.2	0.07	3	<10	30	<0.5	<2	>25.0	<0.5	1	1	1	0.13
K932215		1.24	<0.005	<0.2	0.06	2	<10	20	<0.5	<2	>25.0	<0.5	1	2	2	0.07
K932216		1.33	<0.005	0.2	0.03	2	<10	20	<0.5	<2	>25.0	<0.5	1	1	1	0.11
K932217		1.23	<0.005	<0.2	0.09	<2	<10	10	<0.5	<2	11.6	<0.5	1	1	1	0.69
K932218		0.70	<0.005	<0.2	0.03	2	<10	10	<0.5	<2	1.63	<0.5	2	7	1	0.59
K932219		1.18	<0.005	<0.2	0.05	2	<10	20	<0.5	<2	5.89	<0.5	2	7	<1	0.52
K932220		1.11	<0.005	0.2	0.02	3	<10	100	<0.5	<2	>25.0	<0.5	1	1	<1	0.02
K932221		1.07	<0.005	<0.2	0.08	6	<10	30	<0.5	<2	>25.0	<0.5	3	2	4	0.51
K932222		1.29	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.05
K932223		1.13	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	17.3	<0.5	1	1	<1	0.62
K932224		1.30	<0.005	<0.2	0.34	6	<10	30	0.5	<2	12.1	<0.5	6	5	14	1.48
K932225		1.06	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	13.4	<0.5	2	2	1	0.86
K932446		1.74	<0.005	<0.2	2.88	<2	<10	290	1.8	<2	4.45	<0.5	42	251	77	6.62
K932447		1.60	<0.005	<0.2	1.41	<2	<10	330	1.6	<2	4.94	<0.5	24	160	48	6.75
K932448		1.24	<0.005	<0.2	2.54	2	<10	250	1.2	<2	3.43	<0.5	27	128	52	5.64
K932449		1.28	<0.005	<0.2	0.68	2	<10	90	<0.5	<2	1.59	<0.5	5	14	4	1.76
K932450		0.85	<0.005	<0.2	3.59	28	<10	50	0.9	<2	9.0	<0.5	92	716	55	7.59
K932485		0.88	<0.005	<0.2	0.23	6	<10	10	<0.5	<2	0.08	<0.5	3	15	7	0.88
K932486		1.22	<0.005	<0.2	0.06	26	<10	20	<0.5	<2	>25.0	<0.5	2	6	1	0.08
K932487		0.71	<0.005	<0.2	0.13	<2	<10	110	<0.5	<2	>25.0	<0.5	2	2	4	0.80
K932489		1.26	<0.005	<0.2	1.77	3	<10	40	<0.5	<2	0.62	<0.5	11	17	18	4.30
K932490		0.29	<0.005	<0.2	0.35	<2	<10	30	<0.5	<2	1.30	<0.5	4	9	3	1.80
K932492		1.16	<0.005	<0.2	0.15	<2	<10	40	<0.5	<2	0.65	<0.5	3	9	3	1.12
K932493		0.43	<0.005	<0.2	0.14	<2	<10	70	<0.5	2	12.3	<0.5	2	3	7	4.18
K932494		0.76	<0.005	0.2	0.07	14	<10	20	<0.5	<2	>25.0	<0.5	2	7	2	0.14
K932495		0.88	<0.005	0.2	0.09	3	<10	80	<0.5	<2	>25.0	<0.5	2	2	2	0.34
K932496		1.05	<0.005	<0.2	0.04	12	<10	10	<0.5	<2	>25.0	<0.5	2	1	1	0.22
K932497		1.31	0.007	<0.2	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	1	0.08
K932498		1.32	<0.005	<0.2	0.08	3	<10	10	<0.5	<2	22.3	<0.5	4	1	3	0.86
K932499		0.82	<0.005	<0.2	0.16	<2	<10	20	<0.5	<2	15.5	<0.5	2	2	3	0.84
K932500		1.06	<0.005	<0.2	1.18	3	<10	60	0.7	<2	1.43	<0.5	13	14	27	3.60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932205		<10	<1	0.01	<10	0.18	11	<1	0.03	1	150	<2	0.02	2	<1	1930
K932206		<10	<1	0.01	<10	0.20	298	<1	0.03	<1	140	<2	0.01	<2	<1	907
K932207		<10	<1	0.02	<10	0.17	33	<1	0.04	1	80	<2	0.06	2	1	3270
K932208		<10	<1	0.01	<10	0.14	38	<1	0.02	1	200	9	0.01	3	<1	1170
K932209		<10	<1	0.02	<10	0.23	41	<1	0.02	1	520	8	0.03	2	<1	1260
K932210		<10	<1	0.01	<10	0.29	40	<1	0.03	2	240	<2	0.02	2	<1	1320
K932211		<10	2	<0.01	<10	0.15	81	<1	0.02	1	110	69	0.08	11	<1	619
K932212		<10	<1	0.07	<10	0.44	278	2	0.07	16	460	2	0.04	<2	4	33
K932213		<10	<1	<0.01	<10	0.12	138	<1	0.02	1	190	<2	0.01	<2	<1	754
K932214		<10	<1	0.03	<10	0.11	29	<1	0.03	2	130	<2	0.06	2	<1	2840
K932215		<10	<1	0.02	<10	0.15	27	<1	0.03	1	400	<2	0.04	2	<1	3040
K932216		<10	<1	0.01	<10	0.14	35	<1	0.02	1	240	<2	0.01	2	<1	1250
K932217		<10	<1	0.04	<10	5.59	595	<1	0.02	<1	510	2	0.01	<2	<1	162
K932218		<10	<1	0.01	<10	0.76	169	<1	0.01	1	60	23	0.01	3	<1	18
K932219		<10	<1	0.01	<10	3.47	464	<1	0.02	1	140	<2	0.01	2	<1	45
K932220		<10	<1	0.01	<10	1.22	33	<1	0.03	1	260	<2	0.01	<2	<1	712
K932221		<10	<1	0.04	<10	2.91	118	<1	0.03	5	740	3	0.05	2	1	423
K932222		<10	<1	0.01	<10	3.44	35	<1	0.03	1	220	2	0.01	2	<1	283
K932223		<10	<1	0.01	<10	9.75	638	<1	0.03	1	300	2	0.01	<2	<1	100
K932224		<10	<1	0.25	10	0.22	483	<1	0.02	10	400	11	0.28	<2	3	352
K932225		<10	<1	0.03	10	0.10	589	<1	0.02	2	1100	7	0.04	<2	<1	411
K932446		10	<1	0.02	40	3.70	1070	<1	0.10	104	3400	8	0.08	<2	7	253
K932447		10	<1	0.41	90	1.48	904	<1	0.13	120	3450	7	0.01	<2	4	558
K932448		10	<1	0.04	60	3.06	874	<1	0.13	74	4670	13	0.02	<2	4	515
K932449		<10	<1	0.05	<10	0.38	871	<1	0.02	7	450	11	0.01	<2	2	24
K932450		10	<1	0.01	10	7.15	6710	<1	0.03	731	650	6	0.06	<2	13	143
K932485		<10	<1	0.06	10	0.03	104	<1	0.02	8	50	3	0.01	<2	<1	14
K932486		<10	<1	0.01	<10	0.21	54	<1	0.02	6	220	<2	0.02	2	<1	2000
K932487		<10	<1	0.06	10	0.25	253	<1	0.02	3	120	4	0.31	<2	2	2900
K932489		10	<1	0.11	10	0.66	718	<1	0.03	22	100	52	0.06	<2	2	37
K932490		<10	<1	0.08	10	0.26	982	<1	0.06	9	110	43	0.04	<2	1	97
K932492		<10	<1	0.08	10	0.05	437	<1	0.01	3	50	5	0.04	<2	1	14
K932493		<10	<1	0.07	<10	5.79	4280	<1	0.02	8	1480	3	0.23	<2	1	372
K932494		<10	<1	0.01	<10	0.21	91	<1	0.02	8	190	<2	0.01	2	<1	1360
K932495		<10	<1	0.04	<10	0.21	41	<1	0.03	1	1560	<2	0.07	3	1	2800
K932496		<10	<1	0.01	<10	0.18	39	<1	0.03	1	110	2	0.05	4	<1	1810
K932497		<10	<1	0.02	<10	0.16	188	<1	0.03	<1	250	2	0.02	2	<1	1560
K932498		<10	<1	0.04	<10	0.41	1135	<1	0.02	4	710	2	0.12	<2	1	1020
K932499		<10	<1	0.07	<10	0.14	303	<1	0.02	2	110	5	0.07	<2	1	798
K932500		<10	<1	0.41	20	0.54	598	<1	0.02	19	250	8	0.96	<2	3	33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 4 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 9-AUG-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
K932205		<20	<0.01	<10	30	<1	<10	3
K932206		<20	<0.01	<10	30	1	<10	2
K932207		20	<0.01	<10	30	2	<10	<2
K932208		<20	<0.01	<10	30	1	<10	36
K932209		<20	<0.01	<10	40	1	<10	50
K932210		<20	<0.01	<10	30	1	<10	11
K932211		<20	<0.01	<10	40	1	<10	1345
K932212		<20	0.12	<10	<10	45	20	47
K932213		<20	<0.01	<10	30	1	<10	47
K932214		20	<0.01	<10	30	<1	<10	12
K932215		20	<0.01	<10	30	1	<10	9
K932216		<20	<0.01	<10	30	2	<10	9
K932217		<20	<0.01	<10	<10	2	<10	10
K932218		<20	<0.01	<10	<10	1	<10	25
K932219		<20	<0.01	<10	<10	1	<10	34
K932220		<20	<0.01	<10	30	<1	<10	<2
K932221		<20	<0.01	<10	30	1	<10	3
K932222		<20	<0.01	<10	20	<1	<10	5
K932223		<20	<0.01	<10	10	1	<10	5
K932224		<20	<0.01	<10	<10	4	<10	15
K932225		<20	<0.01	<10	<10	<1	<10	118
K932446		<20	0.80	<10	<10	173	<10	77
K932447		<20	0.67	<10	<10	138	<10	58
K932448		<20	0.71	<10	<10	147	<10	87
K932449		<20	0.01	<10	<10	8	<10	27
K932450		<20	0.02	<10	<10	115	<10	76
K932485		<20	<0.01	<10	<10	2	<10	14
K932486		20	<0.01	<10	30	1	<10	15
K932487		20	<0.01	<10	30	2	<10	18
K932489		<20	<0.01	<10	<10	12	<10	87
K932490		<20	<0.01	<10	<10	4	<10	39
K932492		<20	<0.01	<10	<10	1	<10	15
K932493		<20	<0.01	<10	<10	11	<10	22
K932494		<20	<0.01	<10	30	2	<10	10
K932495		20	<0.01	<10	30	1	<10	9
K932496		20	<0.01	<10	30	1	<10	2
K932497		<20	<0.01	<10	30	<1	<10	2
K932498		<20	<0.01	<10	20	2	<10	5
K932499		<20	<0.01	<10	<10	2	<10	15
K932500		<20	0.01	<10	<10	12	<10	52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 5 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 9-AUG-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
K932424		0.65	<0.005	<0.2	0.18	<2	<10	10	<0.5	<2	20.8	<0.5	3	2	6	1.98



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
 1090 - 999 WEST HASTINGS STREET
 VANCOUVER BC V6C 2W2

Page: 5 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 9-AUG-2011
 Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K932424		<10	<1	0.07	<10	0.23	609	<1	0.03	6	110	6	0.90	<2	3	1710



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ANTHILL RESOURCES
1090 - 999 WEST HASTINGS STREET
VANCOUVER BC V6C 2W2

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 9-AUG-2011
Account: ANTRES

Project: Einarson

CERTIFICATE OF ANALYSIS WH11126761

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
K932424		<20	<0.01	<10	10	6	<10	23