



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 1  
Finalized Date: 14-NOV-2011  
This copy reported on  
15-NOV-2011  
Account: TARCAP

**CERTIFICATE VA11198605**

Project: YUKON

P.O. No.:

This report is for 40 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
EXTRA-01	Extra Sample received in Shipment
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.  
ATTN: MARC BLYTHE  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-NOV-2011  
Account: TARCAP

Project: YUKON

**CERTIFICATE OF ANALYSIS VA11198605**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
J677200		1.16	<0.005		0.08	0.30	207	<0.2	<10	40	0.31	2.72	0.04	0.15	17.10	0.5
J677201		0.76	0.009		0.10	0.23	3630	<0.2	<10	200	0.33	0.96	0.08	0.38	43.7	0.1
J677204		0.44	<0.005		0.10	1.21	28.5	<0.2	<10	150	0.11	0.08	0.28	0.04	55.7	6.5
J677231		0.26	0.010		0.49	0.30	7.8	<0.2	<10	190	0.08	0.36	0.01	0.01	33.5	1.2
J677235		0.16	0.010		0.27	0.39	15.9	<0.2	<10	110	0.06	0.15	0.02	0.03	29.3	2.9
J991859		0.62	>10.0	214	8.01	0.32	>10000	>25.0	<10	90	<0.05	956	0.08	0.04	3.42	72.0
J991860		0.54	0.062		0.97	0.15	75.1	<0.2	<10	40	0.47	3.06	0.10	<0.01	18.80	1.9
J991861		0.18	0.034		0.79	0.65	59.0	<0.2	10	260	0.83	12.45	0.40	0.40	50.2	13.8
J991862		0.24	0.313		0.06	0.57	>10000	0.3	<10	40	0.16	12.70	0.44	0.10	4.24	1185
L995104		0.54	0.017		0.04	0.12	351	<0.2	<10	50	0.09	0.13	>25.0	0.07	9.36	7.4
L562454		0.32	0.960		0.13	0.38	>10000	1.1	<10	20	0.08	25.3	0.54	0.05	2.17	2710
L562468		0.58	0.009		0.06	0.02	589	<0.2	<10	100	0.08	0.17	18.35	0.34	2.22	15.3
L562470		0.56	0.391		0.07	0.02	756	0.4	<10	70	0.06	2.38	20.6	0.14	2.59	1.9
L562476		1.30	0.006		0.04	0.02	287	<0.2	<10	170	<0.05	0.08	19.20	0.31	2.11	3.0
L563277		0.86	1.325		13.30	0.81	125.5	0.7	<10	60	0.42	0.06	0.23	2.69	19.75	6.3
L563278		0.46	0.055		0.12	2.81	63.5	<0.2	<10	740	0.57	0.34	1.59	0.12	32.6	30.4
L563279		0.64	1.060		24.7	0.88	12.6	0.8	<10	20	0.30	0.39	0.19	2.04	7.75	3.5
L995101		0.54	0.027		1.89	0.73	27.4	<0.2	<10	830	0.79	0.09	0.85	1.79	10.25	0.8
L995102		0.22	0.028		0.90	0.47	93.2	<0.2	<10	510	0.57	0.22	0.22	1.42	3.48	0.9
L995103		0.42	0.006		0.21	0.03	7	<0.2	<10	300	0.07	0.01	13.10	7.12	1.88	0.9
L995106		0.74	<0.005		0.06	0.07	276	<0.2	<10	30	0.31	0.01	>25.0	0.26	6.42	1.0
L995107		0.62	0.037		0.07	0.16	432	<0.2	<10	110	0.15	0.04	>25.0	3.67	10.20	2.1
L995108		0.24	<0.005		0.27	0.30	85.9	<0.2	<10	20	0.26	1.73	0.59	0.09	8.79	46.5
L995109		0.44	0.008		0.13	0.15	1600	<0.2	<10	30	0.14	0.18	16.25	0.16	9.47	14.2
L995110		0.82	0.021		0.06	0.38	617	<0.2	<10	20	0.32	1.35	0.14	0.02	14.20	10.9
L995111		0.30	2.42		0.18	0.08	1790	2.5	<10	30	0.35	0.09	20.7	1.10	4.77	2.1
L995112		0.24	0.071		0.10	0.39	184	<0.2	<10	20	0.86	0.21	10.90	0.36	11.95	22.4
L995113		0.68	0.023		0.55	1.70	638	<0.2	<10	130	0.37	1.61	0.25	0.13	16.75	13.5
L995114		0.16	0.145		1.07	3.46	6300	<0.2	<10	10	0.29	11.05	2.86	0.28	2.07	128.5
L995115		0.60	1.965		0.12	2.05	674	1.9	<10	110	0.11	6.31	0.83	0.06	4.44	16.6
L995451		0.16	0.944		18.10	0.81	9750	1.1	<10	40	0.31	39.5	0.16	21.2	21.1	17.5
L995452		0.12	0.917		0.27	0.36	372	0.9	<10	80	1.00	2.05	18.75	0.22	1.33	8.9
L995453		0.10	3.69		2.28	0.42	>10000	3.5	<10	40	0.12	137.5	0.49	0.50	3.62	3170
L995456		0.36	1.080		0.16	1.65	896	0.9	10	80	0.62	2.49	1.54	0.16	23.5	20.5
L995457		0.08	0.251		5.67	1.97	1580	0.4	<10	10	0.17	3.98	0.16	0.99	5.77	62.6
L995458		0.20	0.804		7.45	1.81	>10000	0.7	<10	30	0.21	34.7	0.15	0.35	13.95	701
L995459		0.18	0.419		2.25	0.11	866	0.3	<10	10	<0.05	5.51	0.05	0.19	2.57	18.5
L995671		0.58	0.242		0.13	0.37	231	0.4	<10	40	3.83	0.60	0.04	0.23	49.9	10.2
L995673		0.24	0.543		0.14	0.13	611	0.6	<10	20	0.23	1.02	0.04	0.60	12.05	4.5
L995105		0.22	0.326		0.14	0.22	5450	0.3	<10	50	0.16	0.79	0.23	0.05	15.45	13.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-NOV-2011  
Account: TARCAP

Project: YUKON

**CERTIFICATE OF ANALYSIS VA11198605**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
J677200		3	1.16	3.4	0.75	2.98	<0.05	<0.02	0.01	0.012	0.17	9.2	1.8	0.03	77	1.42
J677201		2	0.94	4.9	0.88	1.09	0.08	0.03	<0.01	0.019	0.22	21.6	1.0	<0.01	19	6.28
J677204		11	3.10	11.0	2.63	7.62	0.18	0.09	<0.01	0.034	0.81	29.0	25.2	0.54	402	1.35
J677231		3	0.57	1.8	2.82	1.17	0.08	0.02	0.01	0.019	0.36	16.6	1.8	0.01	26	2.38
J677235		2	0.77	2.2	2.67	1.30	0.08	0.03	0.03	0.007	0.26	13.8	2.5	0.01	20	3.16
J991859		16	1.55	1160	13.15	0.96	0.68	<0.02	0.14	0.262	0.04	2.7	1.7	0.13	25	9.11
J991860		10	0.78	31.0	1.47	1.09	<0.05	0.02	<0.01	0.015	0.06	9.9	3.7	0.03	212	700
J991861		5	3.10	102.5	2.08	3.49	0.09	0.15	<0.01	0.257	0.17	22.0	12.0	0.35	385	17.90
J991862		51	0.68	15.4	2.62	3.62	0.11	0.72	0.01	0.030	0.06	1.9	11.2	0.38	86	7.72
L995104		2	0.29	5.1	2.46	0.36	0.05	0.04	0.03	0.006	0.06	5.2	0.8	0.50	1680	1.01
L562454		34	1.06	434	4.33	2.96	0.18	0.36	0.06	0.086	0.08	0.9	4.1	0.24	45	8.92
L562468		2	<0.05	3.6	0.52	0.16	<0.05	<0.02	87.8	<0.005	<0.01	1.5	0.3	6.07	308	19.15
L562470		1	0.06	4.6	0.28	0.10	<0.05	<0.02	170.5	<0.005	<0.01	1.7	0.3	6.34	349	9.76
L562476		1	<0.05	2.3	0.33	0.12	0.05	<0.02	67.9	<0.005	<0.01	1.4	0.2	6.50	226	8.88
L563277		9	0.46	81.8	2.15	3.53	0.05	0.03	0.86	0.232	0.20	10.5	18.8	0.68	2270	1.09
L563278		196	9.36	43.0	3.80	11.25	0.21	0.40	0.55	0.021	0.80	14.3	60.5	3.57	630	0.47
L563279		16	4.88	159.0	2.08	4.39	0.06	0.02	0.13	0.048	0.26	4.2	25.4	0.30	349	1.31
L995101		28	1.58	83.9	0.84	2.53	0.11	0.10	0.61	0.015	0.21	6.9	1.8	0.07	15	17.80
L995102		19	0.82	21.9	1.27	2.41	0.09	0.09	0.20	0.012	0.14	2.6	1.4	0.05	16	62.2
L995103		5	0.07	10.9	0.33	0.48	0.05	0.03	0.09	0.005	0.01	0.8	0.2	0.07	271	8.20
L995106		1	0.10	3.4	1.67	0.42	0.05	0.04	0.16	<0.005	0.02	3.6	0.3	0.94	693	0.38
L995107		2	0.37	5.0	3.79	0.58	0.10	0.05	0.21	0.005	0.03	5.4	1.4	0.42	1900	0.59
L995108		2	0.49	27.7	11.50	0.80	0.19	0.20	0.04	0.017	0.26	4.8	2.9	0.05	37	0.29
L995109		3	0.23	7.2	7.58	0.41	0.13	0.06	0.81	0.013	0.07	3.7	1.1	0.17	1200	0.73
L995110		9	0.35	67.4	7.67	1.74	0.13	0.09	0.53	0.031	0.08	6.2	2.0	0.02	236	0.55
L995111		6	0.15	38.4	4.60	0.81	0.11	0.08	1.88	0.030	0.01	2.3	3.2	7.04	1120	0.48
L995112		5	0.44	85.5	8.79	0.45	0.17	0.08	0.43	0.008	0.02	5.1	2.7	4.88	521	0.39
L995113		33	1.66	297	4.43	5.85	0.11	0.04	0.06	0.039	0.12	7.7	18.9	0.62	217	1.53
L995114		154	0.39	676	6.92	14.15	0.55	0.31	0.06	0.074	0.01	0.8	22.9	1.22	292	0.24
L995115		84	13.00	222	4.14	9.96	0.27	0.27	0.02	0.022	0.90	2.0	15.4	1.47	238	0.38
L995451		103	2.73	1985	18.55	6.19	0.51	0.09	0.03	1.385	0.62	20.4	1.4	0.06	11	13.95
L995452		29	0.43	42.6	3.73	1.07	0.11	0.05	0.01	0.022	0.02	0.7	2.9	6.96	883	0.23
L995453		25	1.23	827	10.40	3.00	0.44	0.18	0.04	0.193	0.08	1.5	1.8	0.25	91	2.33
L995456		85	2.44	31.5	1.21	5.52	0.11	0.04	0.01	0.019	0.17	13.5	19.8	0.65	97	0.45
L995457		74	1.54	2520	7.62	11.00	0.23	0.13	0.02	0.110	0.05	2.7	33.8	1.61	163	0.51
L995458		32	1.35	923	13.30	9.94	0.40	0.17	0.02	0.327	0.06	8.0	28.0	1.15	94	2.91
L995459		6	0.30	243	2.48	0.88	0.05	<0.02	0.02	0.028	0.01	1.4	1.3	0.05	47	0.60
L995671		48	3.72	27.6	13.35	2.34	0.35	0.10	0.30	0.033	0.02	22.0	0.6	0.02	197	6.39
L995673		5	0.54	19.8	1.34	0.55	0.05	0.04	0.05	0.012	0.05	6.2	0.8	0.03	69	1.59
L995105		6	0.70	38.0	17.35	1.84	0.37	0.08	0.17	0.023	0.06	8.9	1.5	0.05	698	1.53



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-NOV-2011  
Account: TARCAP

Project: YUKON

**CERTIFICATE OF ANALYSIS VA11198605**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
J677200		0.01	0.31	1.3	30	17.1	11.9	<0.001	<0.01	0.88	0.4	<0.2	0.5	2.3	<0.01	0.03
J677201		<0.01	0.28	0.4	30	17.4	13.9	<0.001	<0.01	2.14	0.3	0.3	0.2	20.5	<0.01	0.22
J677204		0.09	1.07	3.6	690	4.1	80.4	<0.001	<0.01	0.10	5.3	0.6	1.3	13.3	0.01	0.01
J677231		0.05	0.13	1.1	290	17.8	12.2	<0.001	1.15	0.34	0.6	0.4	<0.2	35.5	<0.01	0.01
J677235		0.05	0.06	1.8	150	18.8	11.0	<0.001	2.33	0.19	0.6	0.6	<0.2	40.8	<0.01	0.02
J991859		0.01	0.28	5.6	440	6.5	6.7	0.001	2.00	687	1.9	95.3	8.6	12.3	<0.01	94.7
J991860		0.01	0.10	6.8	330	42.4	6.0	0.007	0.04	1.42	1.2	0.8	0.5	4.0	<0.01	0.59
J991861		0.06	0.42	4.8	1080	49.9	19.6	0.001	0.23	1.03	1.9	1.1	4.4	24.4	<0.01	0.22
J991862		0.11	0.73	49.7	1070	12.2	14.0	0.005	0.86	49.3	1.4	6.4	1.0	32.5	<0.01	3.00
L995104		0.01	0.17	12.1	410	8.9	1.8	<0.001	<0.01	1.72	0.9	0.3	<0.2	89.8	<0.01	0.03
L562454		0.06	0.49	140.0	750	3.3	25.0	0.005	2.02	115.5	1.8	10.3	1.1	32.0	<0.01	10.30
L562468		0.02	0.15	10.3	40	11.2	0.4	0.004	0.09	41.9	0.3	1.6	<0.2	142.0	<0.01	0.04
L562470		0.02	0.14	9.5	30	8.1	0.3	0.002	0.01	42.4	0.3	0.7	<0.2	130.0	<0.01	0.20
L562476		0.02	0.13	11.4	40	10.5	0.3	0.003	0.01	37.7	0.3	1.2	<0.2	120.0	<0.01	0.02
L563277		0.01	0.16	19.3	370	2500	14.7	<0.001	0.08	14.70	1.6	0.3	0.5	6.9	<0.01	1.51
L563278		0.09	0.32	111.0	2320	15.6	66.5	<0.001	0.01	0.45	4.8	0.6	0.7	79.7	0.01	0.03
L563279		0.03	0.24	9.0	200	3140	37.2	<0.001	0.14	1.30	1.3	2.4	1.1	10.0	<0.01	1.46
L995101		0.02	0.05	19.2	2820	25.2	18.1	0.056	0.13	8.47	2.9	14.4	0.5	82.7	<0.01	0.14
L995102		0.01	0.05	36.0	1300	11.7	13.0	0.049	0.10	15.60	1.7	12.2	0.6	63.8	<0.01	0.13
L995103		0.01	0.14	20.0	120	15.7	0.8	0.005	0.11	3.09	1.7	3.7	0.2	822	<0.01	0.03
L995106		0.02	0.23	7.3	270	22.2	0.6	0.001	<0.01	24.5	0.6	0.4	<0.2	44.0	<0.01	0.01
L995107		0.02	0.28	6.3	530	70.9	1.4	<0.001	<0.01	42.5	1.0	0.5	<0.2	52.0	<0.01	0.02
L995108		0.01	0.14	89.0	160	70.4	8.7	<0.001	>10.0	1.20	1.1	0.5	0.2	11.0	<0.01	0.20
L995109		0.02	0.18	26.0	710	41.3	3.2	<0.001	0.10	36.5	3.1	0.5	<0.2	66.3	0.01	0.03
L995110		0.01	0.10	15.2	210	27.4	4.1	<0.001	0.02	5.06	3.5	0.2	<0.2	4.8	<0.01	0.14
L995111		0.02	0.19	13.0	180	136.0	0.6	<0.001	<0.01	66.6	1.0	0.8	0.8	178.5	<0.01	0.13
L995112		0.02	0.17	46.1	840	13.0	1.4	<0.001	0.05	2.38	3.5	0.8	<0.2	230	0.01	0.03
L995113		0.02	0.44	28.7	320	4.3	13.0	<0.001	0.06	5.64	4.3	1.0	0.4	16.8	<0.01	0.08
L995114		0.04	0.13	54.9	500	10.6	0.6	<0.001	3.39	16.70	7.1	5.8	5.4	5.6	<0.01	0.57
L995115		0.09	0.11	43.4	590	1.8	79.9	0.001	0.74	4.44	6.8	1.7	5.6	13.4	<0.01	0.30
L995451		0.34	0.29	9.4	470	241	35.2	0.001	1.98	7.76	6.8	2.0	18.6	74.0	<0.01	0.58
L995452		0.02	0.20	15.8	50	3.4	1.7	<0.001	0.10	2.09	8.0	0.8	0.5	479	<0.01	0.11
L995453		0.09	0.44	156.0	520	17.4	6.7	0.001	4.61	356	8.2	47.3	2.1	18.4	<0.01	17.10
L995456		0.09	0.17	36.1	640	4.6	12.8	<0.001	0.09	4.12	6.8	1.2	1.0	34.8	<0.01	0.19
L995457		0.01	0.08	21.9	160	5.7	5.7	<0.001	1.60	3.82	13.6	2.3	3.6	3.8	<0.01	0.23
L995458		0.01	0.24	41.2	770	6.2	6.5	<0.001	1.46	112.0	14.3	16.2	4.5	4.2	<0.01	3.80
L995459		0.01	0.08	4.3	30	3.0	1.6	<0.001	0.13	4.59	0.9	3.1	1.1	1.9	<0.01	0.16
L995671		<0.01	0.15	20.6	720	10.4	3.8	<0.001	0.02	24.0	30.0	1.4	1.3	3.8	0.01	0.05
L995673		<0.01	0.09	2.7	110	23.4	4.2	<0.001	0.02	10.30	2.0	0.4	0.2	9.2	<0.01	0.08
L995105		<0.01	0.24	19.9	1190	45.3	2.7	<0.001	0.04	308	1.3	0.3	<0.2	14.3	<0.01	0.08



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-NOV-2011  
Account: TARCAP

Project: YUKON

**CERTIFICATE OF ANALYSIS VA11198605**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
J677200		2.5	<0.005	0.10	2.23	11	0.32	1.94	73
J677201		8.9	<0.005	0.12	2.33	<1	0.12	4.90	32
J677204		13.4	0.221	0.72	2.34	42	0.78	16.10	71
J677231		5.4	0.006	0.14	0.38	3	0.05	2.41	3
J677235		3.5	<0.005	0.10	0.38	3	<0.05	2.63	5
J991859		<0.2	0.042	1.47	0.98	16	1.57	0.73	7
J991860		1.4	<0.005	0.12	0.62	7	0.16	6.23	45
J991861		17.8	0.045	0.26	5.10	18	0.50	10.45	104
J991862		12.8	0.087	0.31	3.58	26	0.21	9.76	12
L995104		1.5	<0.005	0.31	0.66	2	0.10	3.27	47
L562454		9.3	0.044	1.17	2.91	31	0.18	4.78	5
L562468		0.2	<0.005	2.34	1.74	25	<0.05	3.01	274
L562470		<0.2	<0.005	1.11	1.15	24	<0.05	2.85	132
L562476		<0.2	<0.005	1.30	1.29	24	<0.05	2.54	180
L563277		6.5	0.008	0.13	2.43	54	0.80	4.29	839
L563278		6.9	0.356	0.72	1.67	112	0.43	12.10	60
L563279		5.7	0.028	0.58	1.14	13	0.41	0.97	188
L995101		2.7	<0.005	0.31	9.48	166	0.19	23.3	82
L995102		1.7	<0.005	0.39	7.06	235	0.30	8.88	189
L995103		0.3	<0.005	0.14	1.83	31	0.06	22.3	281
L995106		0.4	<0.005	0.65	0.61	3	1.82	3.05	755
L995107		0.7	<0.005	2.80	2.57	4	0.86	8.14	849
L995108		5.9	<0.005	0.11	0.33	3	<0.05	3.37	49
L995109		3.3	<0.005	1.40	3.91	5	0.24	11.55	170
L995110		3.0	<0.005	0.05	1.10	7	0.19	2.13	120
L995111		1.0	<0.005	0.22	1.66	5	0.83	3.17	1210
L995112		1.8	0.006	0.19	4.49	8	0.22	23.4	334
L995113		2.0	0.043	0.19	0.40	49	0.09	3.53	29
L995114		<0.2	0.232	0.19	0.27	143	0.62	9.62	52
L995115		<0.2	0.355	1.13	0.18	147	0.33	10.30	28
L995451		0.3	0.033	0.86	0.94	53	0.24	1.46	257
L995452		<0.2	0.015	0.04	<0.05	30	0.10	5.47	11
L995453		0.3	0.063	0.15	0.98	32	0.38	4.93	14
L995456		0.3	0.130	0.15	0.26	63	0.48	8.35	22
L995457		2.3	0.012	0.08	0.63	133	4.60	3.56	34
L995458		2.0	0.015	0.11	0.62	66	0.12	3.57	23
L995459		<0.2	0.007	0.02	0.05	8	0.20	1.48	5
L995671		3.7	<0.005	0.06	7.63	237	0.99	33.5	96
L995673		1.5	<0.005	0.05	0.39	20	0.58	3.51	122
L995105		2.5	<0.005	6.05	1.68	15	0.21	2.23	36



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 14-NOV-2011  
Account: TARCAP

Project: YUKON

**CERTIFICATE OF ANALYSIS VA11198605**

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.