



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 12-JUL-2011
Account: TARCAP

CERTIFICATE WH11108863

Project: Y-11

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Whitehorse, YT, Canada on 14-JUN-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-JUL-2011
Account: TARCAP

Project: Y-11

CERTIFICATE OF ANALYSIS WH11108863

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
J677300		0.25	0.005		0.39	8.39	4.5	<0.2	10	20	0.05	0.33	5.89	0.13	0.61	15.3
J677301		0.66	0.134		0.25	2.81	1.9	<0.2	<10	10	<0.05	1.97	2.43	0.17	0.80	5.0
J677302		0.19	<0.005		0.14	6.40	1.8	<0.2	<10	20	0.06	0.23	4.66	0.13	0.63	5.6
J677303		0.31	0.005		0.10	3.03	2.3	<0.2	<10	80	0.09	0.11	2.45	0.05	7.49	13.5
J677304		0.45	<0.005		0.06	0.86	39.8	<0.2	<10	20	0.12	0.05	0.44	0.06	0.57	19.5
J677305		0.23	0.013		0.06	2.71	3.0	<0.2	<10	10	<0.05	0.15	0.13	0.02	0.19	25.4
J677306		0.24	<0.005		0.10	3.65	21.0	<0.2	<10	250	0.62	0.06	6.27	0.11	2.41	33.8
J677307		0.41	<0.005		0.10	0.92	12	<0.2	<10	90	0.56	0.03	15.80	0.08	1.95	20.1
J677308		0.77	<0.005		0.04	3.88	1.3	<0.2	<10	20	0.08	0.03	2.78	0.03	1.18	24.4
J677309		0.31	<0.005		0.06	2.17	5.4	<0.2	10	50	0.21	0.07	2.48	0.16	3.79	21.4
J677310		0.56	0.120		0.22	2.42	779	<0.2	<10	10	0.07	7.37	1.70	0.21	1.71	19.3
J677311		0.50	<0.005		0.04	3.88	10.3	<0.2	10	50	0.50	0.06	3.17	0.10	7.91	48.8
J677312		0.51	<0.005		0.04	3.23	5.8	<0.2	10	30	0.32	0.09	5.47	0.29	8.01	37.3
J677313		0.57	0.005		0.94	2.05	0.6	<0.2	<10	340	0.60	0.25	0.99	0.86	22.5	6.8
J677314		0.27	0.005		0.58	0.35	1.5	<0.2	<10	1450	0.26	0.15	1.33	0.21	12.75	0.7
J677315		0.28	<0.005		0.14	0.27	1.3	<0.2	<10	400	0.13	0.16	0.04	0.02	24.2	1.0
J677316		0.19	0.005		0.36	0.35	3.1	<0.2	<10	420	0.34	0.43	0.11	0.10	19.45	0.5
J677317		0.15	0.341		>100	0.99	>10000	0.5	<10	60	0.26	3570	0.22	95.9	4.18	486
J677318		0.10	>10.0	NSS	>100	2.53	9600	18.9	<10	60	0.28	481	0.27	3.89	2.82	4090
J677319		0.16	1.135		4.57	0.96	5960	1.0	10	40	0.39	67.0	0.20	2.58	128.5	323
J677320		0.32	0.083		1.16	3.91	58.5	<0.2	<10	10	0.08	3.37	2.92	0.09	0.93	63.9
J677321		0.76	0.006		0.23	1.35	12.0	<0.2	<10	10	0.06	1.32	1.43	0.08	2.16	18.6
J677322		0.05	0.823		4.05	1.65	576	0.4	10	40	0.28	3.70	0.25	1.98	13.65	232
J677323		0.08	0.628		>100	0.55	3790	0.6	<10	20	0.21	53.9	0.14	62.7	4.90	100.5
J677324		0.12	2.000		>100	0.55	3970	1.8	<10	20	0.28	67.8	0.08	27.7	2.00	745
J677325		0.06	0.022		2.25	3.38	96.1	<0.2	<10	40	0.21	1.18	4.42	0.81	2.07	24.2
J677326		0.20	0.009		0.86	2.08	20.3	<0.2	<10	160	1.07	0.52	0.16	0.10	69.6	14.9
J677327		0.75	0.006		0.28	1.78	17.3	<0.2	<10	120	0.69	0.27	0.23	0.08	56.0	12.3
J677328		0.45	0.070		0.28	1.12	1335	<0.2	<10	60	0.35	1.53	0.57	0.19	30.8	31.0
J677329		0.69	0.094		0.16	2.11	168.0	<0.2	<10	110	0.67	1.54	0.64	0.23	35.6	25.0
J677330		0.25	0.005		0.12	1.61	19.3	<0.2	<10	370	0.35	0.42	0.27	0.05	27.5	13.1
J677331		0.32	0.126		0.17	2.28	29.8	<0.2	<10	40	0.18	1.06	1.37	0.13	7.92	29.7
J677332		1.14	0.082		0.36	3.36	2100	<0.2	<10	90	0.10	4.13	0.29	0.07	16.05	4.1
J677333		0.29	<0.005		0.05	0.21	23.4	<0.2	<10	30	0.13	0.04	6.86	0.03	3.56	2.8
J677334		0.53	<0.005		0.11	1.81	51.1	<0.2	<10	40	0.15	0.06	1.52	0.04	7.19	18.3
J677335		0.25	0.005		0.13	3.49	23.1	<0.2	<10	40	0.26	0.05	2.45	0.03	3.98	13.0
J677336		0.53	0.009		0.11	1.39	43.4	<0.2	<10	20	0.14	0.36	0.97	0.05	6.48	26.0
J677337		0.26	<0.005		0.12	2.50	20.4	<0.2	<10	50	0.16	0.07	1.90	0.05	4.52	23.3
J677338		0.47	<0.005		0.03	1.04	17	<0.2	<10	100	0.71	0.03	10.55	0.04	14.45	37.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-JUL-2011
Account: TARCAP

Project: Y-11

CERTIFICATE OF ANALYSIS WH11108863

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
J677300		46	2.04	395	1.58	16.60	0.13	0.04	0.01	0.019	0.08	0.2	3.7	0.38	90	0.23
J677301		26	0.68	140.0	1.24	4.57	0.11	0.09	0.01	0.008	0.09	0.2	3.9	0.42	111	0.05
J677302		54	1.28	70.8	1.14	11.30	0.12	0.05	0.01	0.005	0.05	0.2	2.1	0.38	120	0.19
J677303		14	0.93	51.3	5.97	11.60	0.15	0.14	0.01	0.031	0.05	2.2	6.2	1.15	364	0.18
J677304		38	0.67	43.6	0.71	1.86	0.07	0.02	0.02	0.018	0.03	0.3	5.3	0.08	141	0.09
J677305		281	0.11	203	4.25	4.99	0.12	<0.02	0.01	0.007	<0.01	<0.2	0.3	5.08	150	<0.05
J677306		188	3.57	97.8	5.19	8.36	0.08	0.04	0.02	0.051	0.17	0.7	24.3	4.27	1030	<0.05
J677307		55	0.87	30.1	4.88	1.54	0.08	0.04	0.08	0.032	0.03	0.7	5.4	5.49	1040	0.13
J677308		129	0.60	78.5	3.45	8.12	0.11	0.05	<0.01	0.012	0.02	0.4	2.9	1.04	315	0.13
J677309		66	1.32	38.2	3.43	6.50	0.15	0.72	<0.01	0.025	0.03	1.5	28.1	0.86	499	0.24
J677310		67	1.09	280	2.76	5.46	0.11	0.08	<0.01	0.017	0.04	0.6	15.9	0.79	149	0.18
J677311		155	10.60	64.6	9.04	12.85	0.11	0.07	0.03	0.077	0.10	2.4	59.0	3.91	914	0.49
J677312		82	3.82	135.0	5.64	10.40	0.09	0.04	0.42	0.058	0.04	2.5	48.8	2.73	1230	0.37
J677313		81	0.95	74.3	2.49	8.25	0.16	0.02	<0.01	0.028	0.70	12.9	16.0	0.98	468	11.00
J677314		15	0.09	122.5	2.53	1.69	0.13	0.02	<0.01	0.008	0.11	7.3	1.1	0.26	80	9.33
J677315		13	0.82	32.7	3.13	1.69	0.09	<0.02	0.01	0.016	0.27	14.0	1.6	0.04	68	0.69
J677316		10	0.33	24.6	3.74	1.34	0.08	0.04	0.01	0.007	0.16	9.4	1.0	0.04	107	0.35
J677317		2	1.94	>10000	41.0	5.56	0.72	0.05	0.08	0.849	0.19	4.9	8.0	0.10	1240	15.70
J677318		7	0.18	>10000	12.30	0.96	0.42	0.03	0.64	19.35	0.04	2.6	1.7	0.07	38	6.73
J677319		124	3.35	3530	30.6	3.73	0.17	0.04	0.02	0.571	0.28	111.0	1.3	0.05	266	11.45
J677320		19	0.19	1680	3.75	6.67	0.16	0.07	0.01	0.108	0.05	0.4	5.3	1.75	414	0.18
J677321		71	0.20	161.0	5.44	7.49	0.17	0.10	<0.01	0.036	0.06	1.1	2.2	0.73	296	0.20
J677322		348	2.18	3070	38.9	7.41	0.15	0.08	0.02	0.267	0.33	10.4	1.1	0.13	1770	1.52
J677323		9	0.86	>10000	21.0	2.90	0.71	0.13	0.32	4.17	0.03	4.3	2.3	0.20	421	4.17
J677324		2	0.26	>10000	30.8	3.64	0.33	0.03	0.30	6.38	0.02	1.5	2.1	0.11	1860	2.37
J677325		77	1.10	146.5	4.10	6.11	0.08	<0.02	<0.01	0.084	0.08	1.2	80.1	2.56	1120	0.14
J677326		32	2.81	149.0	3.22	7.29	0.14	0.33	0.01	0.042	0.80	32.8	38.7	0.66	279	0.76
J677327		37	1.97	57.5	2.79	7.70	0.12	0.02	<0.01	0.023	0.44	27.1	29.8	0.73	315	0.41
J677328		35	0.49	32.6	1.81	6.80	0.12	0.08	<0.01	0.019	0.09	17.5	16.4	0.66	140	7.39
J677329		52	1.55	48.2	2.72	9.72	0.12	0.09	0.01	0.025	0.17	18.0	30.9	1.19	264	0.82
J677330		92	3.68	140.0	3.16	8.67	0.10	0.03	<0.01	0.007	0.79	13.8	29.4	1.20	118	3.29
J677331		74	2.36	196.0	4.09	7.00	0.10	0.40	<0.01	0.021	0.07	3.1	11.2	1.08	243	0.97
J677332		30	2.27	106.0	11.05	9.47	0.17	0.08	0.01	0.025	0.16	7.9	15.0	1.37	255	1.37
J677333		10	0.25	12.7	2.98	0.60	<0.05	0.02	<0.01	0.011	0.01	1.4	4.4	1.99	996	0.14
J677334		27	2.01	84.9	2.93	5.12	0.10	0.09	0.01	0.015	0.04	3.1	12.2	0.71	195	0.82
J677335		23	0.81	123.5	2.08	8.50	0.11	0.09	<0.01	0.011	0.02	1.9	8.3	0.45	123	0.72
J677336		18	2.29	129.5	3.12	3.79	0.21	0.16	<0.01	0.011	0.02	2.3	9.5	0.39	108	0.71
J677337		15	0.90	154.5	2.25	6.83	0.11	0.08	0.01	0.011	0.02	2.1	8.3	0.60	141	1.11
J677338		57	1.74	4.7	4.86	2.48	0.07	0.09	0.19	0.101	0.05	5.8	10.4	4.59	766	0.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-JUL-2011
Account: TARCAP

Project: Y-11

CERTIFICATE OF ANALYSIS WH11108863

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
J677300		0.24	<0.05	59.6	40	4.0	4.8	0.001	0.60	0.93	3.7	1.8	0.4	57.1	<0.01	0.01
J677301		0.31	<0.05	18.9	50	8.4	3.2	0.001	0.13	1.00	2.9	1.2	0.9	38.4	<0.01	0.34
J677302		0.55	<0.05	13.1	30	6.4	2.1	0.001	0.07	0.81	2.8	0.7	0.6	94.0	<0.01	0.01
J677303		0.42	<0.05	16.3	2700	1.2	1.1	0.001	0.56	1.32	10.0	0.9	0.4	32.4	<0.01	0.01
J677304		0.01	<0.05	33.4	20	4.5	1.8	<0.001	0.01	3.78	5.9	<0.2	0.2	3.4	<0.01	<0.01
J677305		<0.01	<0.05	97.6	70	0.6	0.1	<0.001	0.19	0.25	3.8	1.2	<0.2	1.1	<0.01	0.02
J677306		0.21	<0.05	74.3	80	1.5	8.7	<0.001	0.02	7.05	56.9	0.6	0.2	525	<0.01	<0.01
J677307		0.02	<0.05	35.5	90	1.3	1.4	<0.001	0.04	13.10	27.5	0.6	<0.2	470	<0.01	<0.01
J677308		0.44	<0.05	43.4	160	0.9	0.7	0.001	0.34	0.63	6.1	0.3	0.2	64.8	<0.01	0.01
J677309		0.18	0.17	22.1	830	8.5	1.7	<0.001	0.01	1.93	10.8	0.4	0.8	42.0	<0.01	<0.01
J677310		0.26	<0.05	40.1	340	5.6	2.2	<0.001	0.80	2.51	4.2	1.0	2.5	38.7	<0.01	0.61
J677311		0.04	<0.05	79.6	460	1.2	4.9	0.005	0.08	1.92	41.8	0.3	0.5	69.7	<0.01	<0.01
J677312		0.02	<0.05	36.6	650	2.4	2.0	0.001	0.43	6.65	28.5	1.0	0.6	57.0	<0.01	<0.01
J677313		0.16	0.22	39.3	1890	4.5	35.2	0.015	0.80	0.10	7.1	5.8	0.4	87.6	<0.01	0.10
J677314		0.02	0.59	4.4	4160	5.0	2.5	0.023	0.26	0.12	0.9	6.2	0.2	49.9	<0.01	0.08
J677315		0.06	0.21	1.8	730	7.5	16.3	<0.001	0.61	0.68	0.8	0.6	0.2	61.8	<0.01	0.09
J677316		0.15	0.62	1.7	840	11.8	5.3	<0.001	0.42	0.94	1.2	0.9	0.2	157.0	<0.01	0.11
J677317		0.16	0.27	2130	200	5420	11.6	0.002	1.08	1255	3.1	34.0	6.4	55.0	0.01	20.2
J677318		0.01	0.07	604	140	16.0	3.4	<0.001	0.11	30.3	2.4	46.7	27.5	14.6	<0.01	32.6
J677319		0.05	<0.05	82.3	590	22.8	18.2	<0.001	0.25	18.80	27.5	9.9	8.4	22.3	<0.01	2.64
J677320		0.50	<0.05	44.6	80	1.3	0.4	0.002	0.47	0.53	13.9	1.0	0.3	69.3	<0.01	0.17
J677321		0.12	0.06	24.0	310	1.8	0.8	0.002	0.02	0.49	10.8	0.6	0.4	12.9	<0.01	<0.01
J677322		0.02	<0.05	345	140	6.9	22.8	<0.001	0.09	34.7	9.0	5.4	1.6	5.4	<0.01	0.68
J677323		0.01	0.18	75.2	170	43.8	1.8	0.001	0.09	16.95	1.7	23.3	81.0	5.0	<0.01	1.05
J677324		0.01	<0.05	1055	110	23.7	1.8	<0.001	0.40	14.95	1.4	31.3	59.0	4.9	<0.01	1.31
J677325		0.12	<0.05	43.7	50	3.8	4.3	0.001	0.02	0.98	17.5	0.9	7.0	21.9	<0.01	<0.01
J677326		0.07	0.75	26.2	370	7.1	58.8	0.001	0.02	0.62	6.1	0.4	1.0	14.4	0.01	<0.01
J677327		0.06	1.02	21.2	400	5.1	31.0	<0.001	0.01	0.60	6.1	<0.2	0.6	15.1	<0.01	<0.01
J677328		0.07	1.32	30.1	410	14.5	4.8	0.001	0.06	3.72	4.3	0.3	1.0	12.5	<0.01	0.15
J677329		0.08	2.94	35.6	600	11.0	12.4	<0.001	0.02	1.84	9.3	0.3	0.8	33.1	<0.01	0.10
J677330		0.07	0.27	41.4	960	7.1	49.1	0.002	0.72	0.38	10.6	2.8	0.3	15.6	<0.01	0.15
J677331		0.25	0.12	50.7	740	3.7	4.5	0.002	0.53	0.85	8.1	1.2	0.6	35.2	0.01	0.19
J677332		0.05	0.09	1.1	1310	10.9	8.9	<0.001	0.34	6.25	15.4	2.2	0.9	54.0	<0.01	1.55
J677333		0.01	0.07	5.0	80	1.1	0.4	<0.001	<0.01	0.53	4.1	0.3	<0.2	164.5	<0.01	0.01
J677334		0.19	0.24	20.1	1150	2.1	2.0	0.001	0.01	3.29	7.4	1.0	0.2	41.4	0.01	0.12
J677335		0.56	0.17	25.7	840	2.3	0.8	0.002	0.29	2.32	4.6	1.1	0.2	104.0	<0.01	0.12
J677336		0.22	0.31	27.4	760	1.4	1.0	<0.001	0.77	1.43	3.5	0.6	0.6	22.0	0.01	0.19
J677337		0.34	0.15	32.0	670	2.6	0.9	0.004	0.38	1.41	4.2	1.1	0.2	75.0	0.01	0.13
J677338		0.01	0.09	55.0	1100	1.5	2.6	0.001	0.17	2.08	28.9	0.7	0.3	430	0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-JUL-2011
 Account: TARCAP

Project: Y-11

CERTIFICATE OF ANALYSIS WH11108863

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Ag-OG46	Cu-OG46
		Th	Ti	Ti	U	V	W	Y	Zn	Zr	Ag	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
J677300		<0.2	0.056	0.11	<0.05	22	0.21	2.72	14	1.1		
J677301		<0.2	0.103	0.08	<0.05	26	0.27	3.99	15	2.4		
J677302		<0.2	0.066	0.04	<0.05	19	0.22	3.09	15	1.4		
J677303		<0.2	0.232	0.09	<0.05	487	<0.05	15.00	35	3.0		
J677304		<0.2	<0.005	0.02	<0.05	28	<0.05	1.30	22	0.6		
J677305		<0.2	0.052	<0.02	<0.05	91	0.06	0.36	29	<0.5		
J677306		<0.2	0.006	0.13	<0.05	254	<0.05	16.05	47	0.9		
J677307		<0.2	<0.005	0.02	<0.05	109	<0.05	8.96	29	0.8		
J677308		<0.2	0.182	0.04	<0.05	373	<0.05	2.84	26	1.4		
J677309		<0.2	0.541	0.03	0.06	138	0.05	16.10	62	22.2		
J677310		<0.2	0.105	0.07	<0.05	78	0.22	4.39	18	2.4		
J677311		<0.2	0.015	0.12	<0.05	193	<0.05	16.70	169	1.2		
J677312		<0.2	<0.005	0.19	<0.05	216	<0.05	17.60	114	0.5		
J677313		4.3	0.102	0.20	2.68	243	0.14	12.00	124	<0.5		
J677314		1.7	0.031	0.02	5.95	177	0.38	17.05	56	<0.5		
J677315		2.7	0.009	0.06	0.30	15	0.16	1.33	7	<0.5		
J677316		1.6	0.014	0.03	0.83	22	0.07	2.85	25	1.3		
J677317		0.5	<0.005	0.54	0.37	62	0.10	5.86	590	1.9	595	1.505
J677318		<0.2	<0.005	0.06	0.82	10	0.50	3.64	465	0.8	150	22.1
J677319		2.6	<0.005	0.27	2.48	106	0.17	11.50	180	1.2		
J677320		<0.2	0.166	<0.02	<0.05	177	0.07	4.30	20	1.5		
J677321		<0.2	0.400	<0.02	0.09	729	0.07	11.50	33	1.6		
J677322		<0.2	0.006	0.55	0.33	111	0.34	8.06	253	2.9		
J677323		0.3	0.021	0.05	0.22	207	0.12	3.01	624	3.2	328	1.135
J677324		<0.2	0.005	0.06	0.19	143	0.09	2.94	2140	1.5	274	3.83
J677325		<0.2	<0.005	0.07	<0.05	77	<0.05	7.91	47	<0.5		
J677326		16.0	0.087	0.52	1.68	35	0.15	8.17	63	5.5		
J677327		15.5	0.071	0.22	1.19	41	0.09	6.07	34	1.0		
J677328		10.4	0.108	0.04	1.11	67	0.30	6.85	25	2.9		
J677329		9.0	0.136	0.10	1.09	75	0.27	11.25	42	2.2		
J677330		9.9	0.088	0.46	1.26	144	0.12	6.41	17	0.8		
J677331		0.5	0.251	0.16	0.13	111	0.42	11.45	24	12.3		
J677332		2.1	0.007	0.57	0.32	176	0.68	4.08	19	3.3		
J677333		<0.2	<0.005	0.02	<0.05	46	0.07	11.55	9	<0.5		
J677334		0.2	0.238	0.04	0.10	75	0.17	11.65	13	2.0		
J677335		<0.2	0.200	0.03	<0.05	39	0.08	5.67	9	2.8		
J677336		0.2	0.229	0.03	0.12	35	0.51	11.50	7	3.1		
J677337		<0.2	0.169	0.03	0.05	37	0.08	5.90	10	1.8		
J677338		0.6	0.006	0.11	0.09	175	0.10	31.9	24	0.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-JUL-2011
Account: TARCAP

Project: Y-11

CERTIFICATE OF ANALYSIS WH11108863

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41 ME-MS41	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).