



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 10-AUG-2011
Account: TARCAP

CERTIFICATE WH11129141

Project: WR-11

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2011
 Account: TARCAP

Project: WR-11

CERTIFICATE OF ANALYSIS WH11129141

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
518		5.47	<0.005	0.13	3.24	68.1	<0.2	<10	10	0.46	0.16	7.45	0.19	2.38	32.7	122
519		4.28	<0.005	0.14	3.41	107.5	<0.2	<10	30	0.27	0.24	4.21	0.18	2.31	43.8	119
520		4.97	0.020	4.52	4.15	140.5	<0.2	<10	120	0.24	2.35	1.39	1.46	4.76	44.3	156
521		4.26	0.045	9.17	4.45	225	<0.2	<10	100	0.27	8.97	1.01	1.99	4.99	60.6	182
522		4.81	0.048	40.1	4.21	483	<0.2	<10	110	0.37	13.80	0.79	2.85	15.00	96.2	123
523		4.15	0.200	>100	4.36	1455	0.2	<10	50	0.39	89.0	0.43	10.35	24.2	189.0	71



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsqlobal.com

1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-AUG-2011
Account: TARCAP

Project: WR-11

CERTIFICATE OF ANALYSIS WH11129141

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
518		10.95	82.8	4.86	10.05	<0.05	0.13	0.01	0.048	0.08	1.2	24.9	1.98	671	0.12	0.05
519		8.72	109.5	4.30	8.18	<0.05	0.14	0.01	0.044	0.11	1.1	18.1	1.48	548	0.14	0.13
520		3.64	774	4.55	9.45	0.08	0.07	<0.01	0.150	0.17	2.0	24.7	2.05	654	0.44	0.25
521		3.16	1905	7.17	11.75	0.09	0.07	<0.01	0.452	0.14	2.3	28.0	2.43	875	1.02	0.19
522		3.07	3420	10.25	11.95	0.13	0.09	0.04	1.555	0.11	7.4	31.6	2.16	864	3.41	0.12
523		2.80	>10000	20.2	13.05	0.16	0.12	0.14	2.59	0.12	14.7	36.3	1.80	874	3.63	0.04

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2011
 Account: TARCAP

Project: WR-11

CERTIFICATE OF ANALYSIS WH11129141

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
518		<0.05	62.4	130	3.4	10.0	<0.001	0.01	2.99	34.5	0.6	0.5	30.8	<0.01	0.01	<0.2
519		<0.05	72.4	120	4.2	10.7	<0.001	0.01	3.70	30.5	0.4	0.7	35.4	<0.01	<0.01	<0.2
520		0.13	116.0	160	5.2	16.8	0.001	0.02	5.62	11.8	1.2	3.0	52.4	<0.01	0.04	0.4
521		0.06	141.5	140	7.6	13.5	<0.001	0.02	10.65	13.7	1.4	4.6	35.8	<0.01	0.09	0.4
522		0.12	209	350	17.0	11.3	<0.001	0.04	19.30	13.2	2.4	15.1	31.9	<0.01	0.17	1.7
523		<0.05	547	360	71.4	9.6	<0.001	0.11	84.6	14.1	8.0	36.7	27.1	<0.01	1.24	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2011
 Account: TARCAP

Project: WR-11

CERTIFICATE OF ANALYSIS WH11129141

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Ag-OG46 Ag ppm	Cu-OG46 Cu %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
518		0.037	0.08	0.41	183	0.07	13.90	33	3.2		
519		0.069	0.12	0.31	162	0.10	11.00	36	4.0		
520		0.081	0.31	0.14	86	0.32	4.64	91	2.2		
521		0.070	0.25	0.24	105	0.39	4.10	152	2.4		
522		0.058	0.20	0.68	123	0.54	6.66	250	3.6		
523		0.023	0.18	1.41	114	0.26	11.00	664	4.3	139	1.165



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-AUG-2011
Account: TARCAP

Project: WR-11

CERTIFICATE OF ANALYSIS WH11129141

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).