



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 1  
Finalized Date: 28-JUL-2011  
This copy reported on  
29-JUL-2011  
Account: TARCAP

**CERTIFICATE WH11136329**

Project: White River

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.  
ATTN: MARC BLYTHE  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
 1103 - 750 W PENDER ST.  
 VANCOUVER BC V6C 2T8

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-JUL-2011  
 Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11136329**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L562451		0.33	<0.005	0.11	3.93	77.0	<0.2	<10	30	0.16	0.11	2.21	0.20	1.81	30.7	77
L562452		1.02	0.349	82.7	3.16	1205	0.4	<10	30	0.49	18.45	0.26	17.20	6.72	327	44
L562453		0.21	0.026	26.3	2.43	583	<0.2	<10	30	0.33	12.80	0.30	1.69	4.28	53.2	60
L562456		0.71	0.204	6.71	0.80	>10000	0.2	<10	90	0.43	8.43	0.52	1.41	3.52	933	45
L562457		0.36	1.110	1.06	0.51	>10000	1.1	<10	50	0.12	27.4	0.44	0.11	1.64	2110	33
L562458		0.39	0.884	0.26	0.34	>10000	0.9	<10	90	0.14	20.7	0.64	0.11	2.59	973	56
L562459		0.21	0.102	0.64	0.84	472	<0.2	<10	20	0.06	2.03	0.65	0.01	1.43	17.4	46
L562460		0.25	0.005	0.05	0.69	109	<0.2	<10	100	0.52	0.19	14.20	0.05	4.47	14.6	48
L562461		0.75	0.045	0.16	1.27	638	<0.2	<10	40	0.11	1.25	0.99	0.02	1.73	29.3	25
L562462		0.37	0.007	0.17	3.00	18.3	<0.2	<10	210	1.53	0.20	0.63	0.07	25.0	13.4	76
L562463		0.22	0.039	0.25	3.21	25.4	<0.2	<10	170	1.32	0.29	0.17	0.07	41.1	21.5	86
L562464		0.48	0.013	0.42	2.65	10.7	<0.2	<10	180	1.24	0.32	0.48	0.07	30.7	10.4	83
L562465		0.21	0.008	0.13	2.53	15.6	<0.2	<10	230	0.91	0.21	0.23	0.06	39.1	15.6	76



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
 1103 - 750 W PENDER ST.  
 VANCOUVER BC V6C 2T8

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-JUL-2011  
 Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11136329**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
L562451		0.47	37.3	6.60	11.45	0.47	0.12	0.02	0.088	0.02	0.8	44.6	4.21	1310	0.17
L562452		1.17	>10000	20.9	34.7	0.41	0.06	0.15	3.50	0.05	4.1	33.7	2.04	1120	2.93
L562453		2.01	2930	29.1	9.71	0.75	0.08	0.04	0.962	0.07	2.3	22.3	0.78	1040	1.46
L562456		0.95	2470	4.29	5.28	0.10	0.50	0.02	0.255	0.15	1.6	11.0	0.57	180	5.03
L562457		2.08	366	5.03	3.10	0.12	0.33	<0.01	0.074	0.19	0.8	4.6	0.34	81	6.44
L562458		1.37	314	3.28	1.89	0.09	0.42	0.01	0.048	0.10	1.9	2.1	0.32	50	4.58
L562459		0.32	319	3.63	3.97	0.09	0.21	0.01	0.013	0.03	0.4	0.7	0.20	66	0.30
L562460		0.57	16.3	5.79	1.77	<0.05	0.04	0.01	0.028	0.03	1.8	2.5	0.63	1420	0.13
L562461		0.52	205	6.38	6.77	0.09	0.16	0.01	0.027	0.08	0.5	3.2	0.79	167	1.43
L562462		3.15	46.6	3.96	10.10	0.07	<0.02	0.01	0.035	1.12	13.1	23.1	0.87	218	0.80
L562463		3.80	47.8	4.89	12.00	0.07	<0.02	0.01	0.022	1.38	21.5	42.1	1.55	385	0.49
L562464		2.94	60.7	3.45	10.15	0.08	<0.02	0.01	0.030	0.89	15.7	16.9	0.75	175	1.23
L562465		2.16	49.3	4.73	8.61	0.08	<0.02	0.01	0.024	1.01	20.9	21.7	1.01	277	1.38



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
 1103 - 750 W PENDER ST.  
 VANCOUVER BC V6C 2T8

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-JUL-2011  
 Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11136329**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L562451		<0.05	53.8	40	6.9	0.6	<0.001	0.02	4.56	36.7	0.3	6.1	27.6	<0.01	0.01	<0.2
L562452		<0.05	479	290	30.7	3.9	<0.001	0.27	91.1	11.2	6.3	41.1	13.4	<0.01	0.29	0.6
L562453		0.34	73.1	540	28.0	4.9	0.002	0.19	18.10	24.1	3.6	22.8	27.7	0.01	0.87	<0.2
L562456		0.46	98.3	1100	11.5	13.7	0.005	0.98	47.9	2.9	6.3	3.9	19.3	<0.01	2.82	15.9
L562457		0.35	113.5	670	3.2	58.3	0.001	1.34	92.8	2.9	7.0	1.8	67.0	<0.01	8.19	7.7
L562458		0.51	55.4	870	2.3	41.8	0.001	0.83	54.8	2.3	5.9	1.5	65.5	<0.01	4.98	8.2
L562459		0.25	7.0	350	1.2	1.4	<0.001	0.52	1.06	4.4	5.1	2.2	22.7	<0.01	0.67	<0.2
L562460		<0.05	16.8	230	1.0	1.2	0.001	0.03	1.38	14.7	0.5	0.4	93.1	<0.01	0.06	<0.2
L562461		0.17	10.1	600	1.9	4.3	<0.001	0.15	2.10	7.0	2.2	1.4	16.0	<0.01	0.42	0.2
L562462		0.68	46.3	650	4.0	84.4	0.001	0.35	0.07	10.0	0.9	1.4	34.4	0.01	0.07	5.5
L562463		0.41	53.6	510	3.7	98.6	<0.001	0.85	0.19	7.0	0.9	1.0	6.7	<0.01	0.05	8.1
L562464		0.45	30.9	1120	1.5	80.3	0.001	0.76	<0.05	9.4	2.0	1.2	16.3	<0.01	0.13	4.8
L562465		0.41	50.3	840	4.4	62.4	0.001	0.29	0.10	6.8	0.9	1.0	7.9	<0.01	0.07	7.1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
 1103 - 750 W PENDER ST.  
 VANCOUVER BC V6C 2T8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-JUL-2011  
 Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11136329**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Cu-OG46 Cu %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
L562451		0.137	0.05	<0.05	249	0.40	7.94	87	2.2	
L562452		0.013	0.12	0.73	204	0.47	8.88	680	2.3	2.93
L562453		0.008	0.10	0.50	368	0.13	11.90	154	1.6	
L562456		0.068	0.35	4.42	57	0.13	8.30	76	20.8	
L562457		0.043	0.81	2.16	46	0.12	4.30	10	12.6	
L562458		0.061	0.44	2.75	30	0.16	7.48	7	14.6	
L562459		0.317	0.03	0.05	49	0.86	5.85	3	3.4	
L562460		0.017	0.05	0.05	95	0.08	16.55	36	0.7	
L562461		0.237	0.06	0.09	88	0.19	6.91	13	3.3	
L562462		0.233	0.48	0.56	123	0.71	5.12	100	<0.5	
L562463		0.192	0.61	1.20	61	0.23	5.79	102	<0.5	
L562464		0.191	0.53	0.74	129	0.27	6.57	65	<0.5	
L562465		0.166	0.38	0.83	99	0.56	7.59	125	<0.5	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 28-JUL-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11136329**

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.  Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).