



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 1  
Finalized Date: 1-DEC-2011  
Account: TARCAP

**CERTIFICATE WH11215851**

Project: White River

P.O. No.:

This report is for 30 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-OCT-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.  
ATTN: MARC BLYTHE  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11215851**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
11TR001		7.59	0.032	10.75	2.51	126.0	<0.2	<10	50	0.22	18.10	1.85	2.59	40.7	78.9	47
11TR002		8.67	0.006	1.76	3.17	102.0	<0.2	<10	60	0.25	3.82	0.74	2.53	32.8	90.6	51
11TR003		5.52	0.023	10.05	3.86	343	<0.2	<10	50	0.29	16.30	0.64	6.72	33.2	126.5	64
11TR004		8.17	<0.005	0.13	7.38	14.2	<0.2	<10	30	0.11	0.23	4.35	0.16	1.34	21.0	106
11TR005		6.83	0.005	0.20	5.60	10.0	<0.2	<10	20	0.10	0.37	3.54	0.18	1.57	17.4	116
11TR006		4.34	<0.005	0.23	5.16	10.6	<0.2	<10	80	0.08	0.09	4.33	0.07	0.83	12.3	156
11TR007		5.02	<0.005	0.12	6.24	8.0	<0.2	<10	30	0.06	0.17	3.96	0.06	0.67	16.7	169
11TR008		6.22	0.189	0.60	3.10	1775	0.2	<10	40	0.39	2.07	9.46	0.72	13.30	158.5	143
11TR009		5.08	0.006	0.22	6.24	31.4	<0.2	<10	220	0.09	0.28	3.57	0.03	0.76	15.6	122
11TR010		4.97	0.063	0.12	1.32	323	<0.2	<10	30	0.48	0.78	14.40	0.08	2.61	24.7	132
11TR011		5.33	0.158	50.1	4.04	818	<0.2	<10	90	0.21	20.0	1.58	7.22	2.86	154.5	169
11TR012		3.90	0.165	62.1	2.46	1045	0.2	<10	40	0.29	23.2	6.45	8.91	30.1	184.5	63
11TR013		4.58	0.022	23.6	3.23	785	<0.2	<10	90	0.21	183.0	6.29	14.15	19.35	62.4	122
11TR014		5.75	0.015	20.9	3.83	93.1	<0.2	<10	100	0.14	226	4.34	1.37	3.36	27.6	232
11TR015		3.57	0.013	7.91	4.27	125.5	<0.2	10	70	0.22	10.65	3.29	4.62	14.35	89.1	258
11TR016		4.77	0.005	0.91	4.33	29.2	<0.2	<10	70	0.14	5.66	4.06	0.59	5.07	24.5	208
11TR017		10.05	0.005	0.18	0.52	48	<0.2	<10	50	0.75	0.24	>25.0	0.10	1.40	6.8	31
11TR018		6.16	<0.005	0.32	0.95	162	<0.2	<10	20	1.09	0.43	24.2	0.10	2.91	15.3	91
11TR019		2.97	<0.005	0.05	2.03	21.4	<0.2	<10	210	0.10	0.28	5.67	0.12	2.84	11.6	151
11TR020		4.58	<0.005	0.05	0.12	96	<0.2	<10	10	0.54	0.18	>25.0	0.03	0.33	1.3	4
11TR021		3.91	0.222	1.58	3.62	600	0.2	10	20	0.18	2.72	1.20	0.90	6.82	167.5	300
11TR022		4.74	0.345	0.83	3.90	1305	0.3	<10	20	0.22	6.92	0.56	1.52	10.85	95.2	430
11TR023		6.57	0.011	0.06	4.48	44.8	<0.2	<10	50	0.14	0.23	1.66	0.30	6.46	187.5	251
11TR024		7.68	0.025	2.11	5.16	558	<0.2	10	20	0.13	1.78	4.67	3.23	1.93	28.2	253
11TR025		2.58	7.94	7.80	0.68	5250	7.4	10	60	0.05	454	0.03	0.03	159.0	4.9	89
11TR026		2.45	1.690	2.44	1.32	3760	1.8	<10	90	0.18	99.9	0.07	0.08	112.0	11.1	218
11TR027		7.47	0.026	0.15	4.75	48.4	<0.2	10	70	0.05	1.63	3.23	0.11	0.86	19.7	143
11TR028		6.10	0.022	0.09	5.33	63.5	<0.2	10	170	0.08	0.76	2.81	0.09	0.86	25.3	227
11TR029		5.21	0.005	0.02	1.99	15.2	<0.2	<10	50	0.08	0.20	1.58	0.04	0.95	13.0	16
11TR030		7.36	0.005	1.04	1.11	77	<0.2	<10	40	0.58	0.23	15.90	0.58	1.92	12.7	115



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11215851**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11TR001		3.14	903	11.75	6.51	0.24	0.21	0.02	0.413	0.12	20.1	43.6	1.16	1160	3.54
11TR002		2.47	850	10.10	8.42	0.25	0.18	0.01	0.246	0.09	15.8	47.4	1.46	1210	1.98
11TR003		3.08	6640	17.70	12.75	0.37	0.28	0.03	0.582	0.12	16.9	45.4	1.74	1080	3.54
11TR004		1.90	108.5	1.84	10.05	0.09	0.04	0.02	0.011	0.05	0.5	12.9	1.42	214	0.13
11TR005		1.08	123.5	1.61	8.03	0.11	0.06	0.01	0.015	0.04	0.6	10.5	1.37	207	0.12
11TR006		3.50	55.9	1.16	6.31	0.07	0.03	0.01	0.006	0.10	0.3	18.6	1.37	194	0.07
11TR007		2.72	43.2	1.52	8.45	0.11	0.02	0.01	0.007	0.06	0.3	22.2	1.72	202	0.16
11TR008		6.32	950	8.03	5.94	0.12	0.03	0.02	0.063	0.18	8.4	17.0	1.31	488	0.84
11TR009		3.19	44.2	1.80	8.66	0.08	0.03	0.01	0.009	0.09	0.3	26.1	1.70	259	<0.05
11TR010		3.15	151.5	3.30	2.43	0.06	0.03	0.02	0.026	0.12	1.3	7.4	2.35	480	0.69
11TR011		5.58	7120	15.15	11.30	0.36	0.08	0.07	1.520	0.13	1.5	23.8	1.79	1040	3.15
11TR012		3.27	>10000	19.20	17.10	0.37	0.44	0.10	3.42	0.12	15.6	43.4	1.62	1700	4.37
11TR013		3.83	2250	9.22	7.02	0.18	0.29	0.02	0.424	0.12	10.0	52.7	1.98	1520	1.40
11TR014		5.11	166.5	5.47	7.52	0.08	0.11	0.01	0.109	0.13	1.7	50.7	2.44	647	0.60
11TR015		4.68	4380	10.20	9.21	0.14	0.21	0.01	0.543	0.13	7.4	54.9	3.11	1230	2.06
11TR016		3.01	118.5	3.76	7.74	0.08	0.08	<0.01	0.056	0.10	2.5	30.4	2.34	578	0.44
11TR017		1.23	54.4	2.09	1.24	<0.05	0.02	<0.01	0.016	0.09	1.0	1.7	3.31	800	0.17
11TR018		2.74	41.8	1.99	3.13	<0.05	0.04	0.01	0.021	0.15	1.3	4.0	0.73	845	0.50
11TR019		4.08	17.4	2.79	3.34	0.05	0.07	0.01	0.020	0.06	2.4	6.6	1.43	599	0.06
11TR020		0.52	2.7	1.00	0.75	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.4	0.54	618	0.05
11TR021		2.46	3570	5.75	8.38	0.10	0.09	0.01	0.300	0.11	5.2	26.9	2.03	182	0.44
11TR022		2.97	3220	12.65	12.30	0.18	0.13	0.01	0.432	0.17	9.2	36.2	2.32	126	0.66
11TR023		3.22	2300	3.54	10.65	0.07	0.07	<0.01	0.021	0.16	3.1	43.9	2.47	278	0.07
11TR024		2.23	386	3.99	9.48	0.11	0.11	<0.01	0.154	0.12	0.9	44.5	2.13	184	0.31
11TR025		1.47	212	15.05	3.17	0.24	0.03	0.03	3.77	2.48	141.0	2.5	0.02	<5	4.42
11TR026		2.84	615	20.1	6.47	0.27	0.05	0.02	1.595	1.52	108.5	6.3	0.25	18	1.59
11TR027		5.30	74.4	2.08	7.56	0.07	0.03	<0.01	0.024	0.45	0.6	24.5	1.72	151	0.08
11TR028		9.51	65.0	2.98	8.99	0.08	0.04	<0.01	0.023	0.91	0.7	29.0	2.54	180	0.06
11TR029		0.95	12.6	1.80	4.65	0.07	0.11	<0.01	0.015	0.07	0.4	7.6	1.04	229	0.08
11TR030		3.93	363	2.91	2.40	<0.05	0.04	0.01	0.065	0.10	1.0	4.0	2.05	602	0.50



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11215851**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
11TR001		0.13	162.0	900	24.8	10.0	0.001	0.03	10.15	21.7	1.7	11.5	21.5	0.01	0.15	5.5
11TR002		0.13	129.0	960	7.2	8.8	0.001	0.04	5.89	19.7	1.2	8.0	23.4	0.01	0.05	7.5
11TR003		0.16	247	700	21.0	11.5	0.001	0.08	20.5	24.9	2.2	12.4	25.7	0.01	0.12	4.7
11TR004		0.07	92.5	50	2.8	3.5	<0.001	0.06	1.25	4.5	0.4	0.3	173.0	<0.01	0.05	<0.2
11TR005		0.06	77.6	120	3.2	3.4	<0.001	0.05	1.16	5.9	0.4	0.3	116.5	<0.01	0.01	<0.2
11TR006		0.05	67.7	50	1.4	7.4	<0.001	<0.01	1.05	4.3	0.2	0.2	302	<0.01	0.01	<0.2
11TR007		0.05	83.8	40	2.0	5.5	<0.001	0.01	1.69	4.2	0.2	<0.2	183.0	<0.01	0.01	<0.2
11TR008		0.11	80.5	60	1.4	17.6	<0.001	0.05	12.60	11.0	0.8	0.5	94.2	<0.01	0.35	<0.2
11TR009		0.05	81.0	30	1.7	8.1	<0.001	0.02	2.16	4.7	0.2	0.5	108.5	<0.01	0.02	<0.2
11TR010		0.10	44.4	60	1.6	11.8	0.001	0.06	7.42	12.7	0.5	0.4	293	<0.01	0.09	<0.2
11TR011		0.14	249	150	24.0	16.1	0.001	0.13	33.8	14.2	5.4	14.3	55.4	<0.01	0.29	0.2
11TR012		0.21	403	730	30.6	11.1	0.001	0.13	86.1	25.1	5.4	20.6	117.5	0.01	0.41	3.6
11TR013		0.09	197.0	790	251	10.8	<0.001	0.12	62.3	23.9	2.0	8.3	210	0.01	1.56	4.5
11TR014		0.06	89.2	170	158.0	9.3	0.001	0.24	28.1	18.8	1.4	1.7	80.9	<0.01	2.11	<0.2
11TR015		0.08	193.0	520	21.9	10.6	0.001	0.11	16.30	22.5	1.2	6.4	55.1	<0.01	0.09	3.7
11TR016		0.05	77.5	160	7.8	7.9	<0.001	0.05	4.95	13.9	0.4	1.9	73.7	<0.01	0.06	0.7
11TR017		0.12	16.0	20	1.2	6.1	0.001	0.03	4.98	3.7	0.4	0.3	441	<0.01	0.02	<0.2
11TR018		0.11	40.0	60	1.3	11.3	<0.001	0.03	9.06	13.3	0.5	0.2	104.5	<0.01	0.02	0.2
11TR019		0.05	35.9	30	0.7	4.5	<0.001	0.02	1.23	16.6	0.3	<0.2	95.1	<0.01	0.01	<0.2
11TR020		0.17	2.0	10	0.6	1.0	<0.001	0.01	1.56	0.6	0.4	<0.2	136.5	<0.01	0.02	<0.2
11TR021		0.05	64.8	40	1.6	10.7	<0.001	0.03	7.55	10.6	1.3	2.1	14.7	<0.01	0.23	<0.2
11TR022		0.11	37.2	110	1.5	12.6	<0.001	0.40	11.20	14.8	2.8	2.7	21.8	<0.01	0.80	0.2
11TR023		<0.05	92.3	40	2.0	15.0	<0.001	0.01	2.63	7.5	0.3	1.0	66.6	<0.01	0.01	<0.2
11TR024		0.05	67.1	180	8.0	11.8	<0.001	0.07	6.40	7.6	0.6	2.2	25.4	<0.01	0.17	<0.2
11TR025		0.13	1.3	620	6.4	128.0	0.001	6.30	12.45	6.9	8.9	5.0	86.9	<0.01	17.10	<0.2
11TR026		0.19	6.9	630	2.1	82.9	0.001	4.21	5.46	9.0	4.4	3.3	64.1	<0.01	16.35	<0.2
11TR027		<0.05	64.8	20	3.1	32.6	<0.001	0.06	3.75	4.6	0.2	0.5	108.0	<0.01	0.07	<0.2
11TR028		<0.05	91.8	30	1.8	73.9	<0.001	0.07	4.00	4.8	0.3	0.5	67.3	<0.01	0.11	<0.2
11TR029		<0.05	19.7	100	0.7	4.4	<0.001	0.01	1.11	8.1	0.3	0.2	108.5	<0.01	0.01	<0.2
11TR030		0.07	44.2	40	1.1	9.9	0.005	0.11	4.46	14.4	1.0	1.1	211	<0.01	0.02	<0.2



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Fax: 604 984 0218    [www.alsglobal.com](http://www.alsglobal.com)

1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - D

**Total # Pages: 2 (A - D)**

Plus Appendix Pages

Finalized Date: 1-DEC-2011

Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS    WH11215851**

[illegible]

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 1-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11215851**

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.  Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).