



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 28-NOV-2011
This copy reported on
29-NOV-2011
Account: TARCAP

CERTIFICATE WH11222541

Project: White River

P.O. No.:

This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25-OCT-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
11SJ017		0.71	0.009	0.18	2.50	13.4	<0.2	<10	140	0.26	0.17	1.18	0.22	17.15	21.9	87
11SJ018		0.72	0.006	0.18	3.16	15.5	<0.2	<10	180	0.26	0.19	0.97	0.15	11.20	37.1	165
11SJ019		0.58	0.010	0.16	2.69	5.7	<0.2	<10	120	0.28	0.50	0.89	0.68	16.95	27.6	140
11SJ020		0.94	0.014	0.26	3.53	19.6	<0.2	<10	180	0.39	0.54	1.45	0.47	14.05	29.8	77
11SJ021		0.78	0.007	0.16	2.32	10.9	<0.2	<10	150	0.33	0.19	1.00	0.37	17.00	17.1	45
11SJ022		0.55	0.007	0.11	2.27	9.2	<0.2	<10	160	0.33	0.20	0.89	0.21	18.85	18.0	40
11SJ023		0.75	0.009	0.11	2.51	12.3	<0.2	<10	130	0.31	0.19	0.94	0.11	10.45	18.5	46
11SJ024		0.71	0.011	0.17	2.36	14.4	<0.2	<10	160	0.42	0.32	1.08	0.19	12.85	18.7	56
11SJ025		0.63	0.008	0.07	2.49	21.3	<0.2	<10	130	0.46	0.18	0.54	0.17	17.95	14.7	41
11SJ026		0.72	0.008	0.16	2.47	25.8	<0.2	<10	150	0.47	0.23	0.70	0.24	17.65	14.6	46
11SJ027		0.67	0.005	0.14	1.72	23.9	<0.2	<10	100	0.29	0.26	0.55	0.22	9.81	18.3	40
11SJ028		0.67	0.010	0.19	2.40	64.5	<0.2	<10	190	0.29	0.82	1.02	0.23	18.80	20.2	61
11SJ029		0.64	0.010	0.23	2.98	47.2	<0.2	<10	190	0.42	0.79	0.92	0.18	18.05	22.7	85
11SJ030		0.58	0.010	0.16	2.52	38.9	<0.2	<10	190	0.55	0.48	0.73	0.14	14.05	19.7	92
11SJ031		0.71	0.008	0.13	1.81	30.0	<0.2	<10	210	0.43	0.98	0.73	0.22	20.3	15.2	39
11SJ032		0.41	0.011	0.19	1.76	82.8	<0.2	<10	140	0.81	2.42	0.27	0.14	21.6	23.1	33
11SJ033		0.61	0.006	0.18	2.57	45.2	<0.2	<10	160	0.56	0.46	0.87	0.19	19.85	19.5	50
11SJ034		0.56	0.008	0.22	2.17	69.6	<0.2	<10	120	0.40	0.64	0.97	0.21	17.90	16.0	44
11SJ035		0.67	0.018	0.43	2.44	81.5	<0.2	<10	110	0.50	1.48	1.07	0.43	18.40	28.7	55
11SJ036		0.68	0.015	0.47	2.44	59.9	<0.2	<10	140	0.41	1.20	0.97	0.26	15.55	30.4	67
11SJ037		0.73	0.013	0.83	2.42	37.8	<0.2	<10	130	0.58	0.89	0.94	0.34	16.50	27.4	88
11SJ038		0.72	0.097	18.75	2.62	372	<0.2	<10	120	0.41	27.3	0.57	4.09	17.60	114.5	56
11SJ039		0.69	0.043	0.86	3.77	68.7	<0.2	<10	110	0.26	1.02	0.93	0.45	10.25	33.7	135
11SJ040		0.60	0.011	0.29	3.69	23.4	<0.2	<10	170	0.57	0.17	0.88	0.21	26.1	20.2	45
11SJ041		0.81	0.010	0.21	3.76	39.7	<0.2	<10	100	0.37	0.21	1.36	0.13	16.80	20.4	83
11SJ042		0.70	0.025	0.77	3.67	290	<0.2	<10	120	0.35	2.08	1.10	0.36	15.25	38.1	102
11SJ043		0.61	0.012	0.18	3.01	74.5	<0.2	<10	140	0.46	0.76	0.98	0.21	15.90	25.9	82
11SJ044		0.44	0.024	0.28	3.13	184.0	<0.2	<10	150	0.51	0.54	1.49	0.16	15.30	29.0	95
11SJ045		0.71	0.066	0.46	3.71	259	<0.2	<10	180	0.39	1.84	1.37	0.22	9.01	38.2	168
11SJ046		0.68	0.022	0.21	2.77	263	<0.2	<10	230	1.00	1.28	0.89	0.17	19.15	40.6	77
11SJ047		0.80	0.017	0.22	3.25	54.7	<0.2	<10	90	0.48	0.29	1.08	0.50	9.34	49.8	64
11SJ048		0.60	0.022	1.69	2.49	235	<0.2	<10	110	0.44	4.05	0.74	0.73	13.45	37.4	87
11SJ049		0.61	0.019	0.36	2.25	65.0	<0.2	<10	100	0.68	1.41	0.98	0.22	22.0	31.8	49
11SJ050		0.62	0.008	0.13	3.77	10.5	<0.2	<10	3920	0.97	0.23	0.96	0.05	21.5	16.9	70
11SJ051		0.63	0.016	0.19	3.13	122.5	<0.2	<10	210	0.66	0.31	0.93	0.22	17.15	63.1	99
11SJ052		0.34	0.017	0.23	2.70	78.1	<0.2	<10	160	0.52	0.34	0.97	0.19	19.50	30.0	53
11SJ053		0.67	0.020	0.13	2.89	103.0	<0.2	<10	950	1.17	0.76	0.98	0.15	51.2	30.9	74
11SJ054		0.71	0.024	0.19	2.72	196.5	<0.2	<10	480	1.44	0.96	0.90	0.11	47.5	26.0	49
11SJ055		0.76	0.031	0.23	2.54	383	<0.2	<10	960	1.32	15.35	0.57	0.15	42.9	38.9	49
11SJ056		0.52	0.043	0.32	3.03	394	<0.2	<10	90	0.53	1.91	1.41	0.15	13.45	38.5	212



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11SJ017		1.87	66.8	3.45	6.39	0.12	0.07	0.22	0.031	0.06	8.3	12.9	1.47	541	0.67
11SJ018		4.01	158.5	3.94	6.92	0.10	0.05	0.07	0.030	0.06	5.3	18.3	3.21	542	0.84
11SJ019		2.33	66.2	2.74	6.68	0.09	0.07	0.08	0.039	0.05	8.6	15.1	2.50	285	0.51
11SJ020		3.34	159.5	4.13	8.57	0.10	0.08	0.07	0.046	0.05	7.6	17.7	1.92	593	0.65
11SJ021		1.25	46.6	3.38	6.18	0.09	0.05	0.09	0.032	0.06	6.7	11.9	0.94	469	0.74
11SJ022		1.02	35.7	3.38	5.86	0.10	0.03	0.06	0.028	0.05	7.2	10.6	0.78	570	0.97
11SJ023		1.48	54.0	3.37	6.44	0.10	0.04	0.03	0.024	0.06	5.1	12.4	0.89	403	0.72
11SJ024		2.10	64.4	3.25	5.85	0.11	0.04	0.06	0.032	0.06	6.9	12.7	0.97	492	0.81
11SJ025		1.24	30.9	3.80	7.27	0.10	0.04	0.04	0.028	0.05	7.9	12.9	0.71	451	1.31
11SJ026		1.73	37.3	4.08	9.05	0.10	0.04	0.09	0.031	0.05	8.3	16.2	0.66	309	1.62
11SJ027		2.25	52.1	2.93	5.69	0.10	0.02	0.05	0.032	0.05	5.1	11.9	0.50	570	1.26
11SJ028		2.32	56.3	2.99	6.57	0.10	0.05	0.04	0.026	0.07	9.3	14.3	0.97	536	0.74
11SJ029		2.06	70.2	3.70	6.90	0.11	0.08	0.05	0.030	0.09	8.7	15.0	1.22	483	0.74
11SJ030		3.31	45.8	3.61	7.92	0.10	0.03	0.07	0.028	0.18	6.9	18.3	0.98	522	1.33
11SJ031		1.97	34.0	2.99	5.49	0.09	0.02	0.04	0.025	0.08	10.1	13.2	0.58	587	1.11
11SJ032		2.65	42.6	3.28	6.51	<0.05	0.02	0.09	0.028	0.08	9.2	15.9	0.43	850	1.37
11SJ033		1.90	45.5	3.67	7.29	<0.05	0.04	0.04	0.036	0.05	8.4	12.7	0.88	706	1.12
11SJ034		1.93	42.8	3.39	6.60	0.05	0.04	0.05	0.035	0.04	7.8	10.9	0.74	512	1.04
11SJ035		2.50	87.7	3.74	6.99	<0.05	0.05	0.06	0.058	0.04	7.2	14.8	1.18	869	1.04
11SJ036		2.20	75.5	3.79	6.13	<0.05	0.05	0.05	0.047	0.06	6.7	11.9	1.10	661	0.71
11SJ037		3.42	123.5	4.16	5.74	0.05	0.06	0.05	0.045	0.05	7.9	11.8	1.11	843	0.67
11SJ038		2.77	2810	5.55	6.81	0.05	0.07	0.06	0.272	0.07	9.3	16.5	1.03	827	3.08
11SJ039		3.52	509	3.46	7.30	<0.05	0.06	0.04	0.062	0.10	4.9	17.4	1.64	220	0.28
11SJ040		2.10	75.3	3.71	7.33	<0.05	0.09	0.04	0.034	0.10	6.5	11.7	1.14	603	0.91
11SJ041		2.30	77.7	3.60	6.95	0.05	0.12	0.04	0.033	0.08	7.3	12.4	1.66	499	0.47
11SJ042		3.59	183.5	3.68	7.20	0.05	0.08	0.03	0.034	0.11	6.5	14.0	1.51	440	0.76
11SJ043		2.12	88.2	3.96	7.18	<0.05	0.05	0.04	0.037	0.08	5.5	14.5	1.53	574	0.99
11SJ044		2.99	120.0	3.86	7.04	<0.05	0.07	0.05	0.040	0.08	7.2	14.5	1.68	529	0.84
11SJ045		5.96	257	3.87	8.07	<0.05	0.06	0.05	0.044	0.20	4.6	25.1	2.34	329	0.42
11SJ046		4.32	133.5	4.37	8.88	0.06	0.04	0.19	0.040	0.13	8.8	21.6	1.29	706	1.56
11SJ047		6.14	163.5	5.78	7.86	0.06	0.06	0.05	0.037	0.10	4.1	28.3	1.43	512	1.86
11SJ048		6.34	552	5.05	7.11	0.05	0.04	0.08	0.114	0.16	5.6	15.7	1.41	567	1.61
11SJ049		5.04	223	4.53	6.54	0.07	0.04	0.05	0.037	0.10	10.9	18.5	1.23	672	1.24
11SJ050		8.30	97.8	3.18	11.20	0.06	0.05	0.02	0.036	0.50	7.9	18.8	1.65	975	0.64
11SJ051		4.89	252	5.34	8.66	0.06	0.04	0.04	0.030	0.20	6.2	21.6	1.77	860	2.00
11SJ052		3.04	83.2	3.79	6.78	<0.05	0.04	0.05	0.035	0.09	6.8	15.4	1.05	692	1.24
11SJ053		3.13	186.5	3.81	8.89	0.07	0.06	0.05	0.035	0.14	22.7	27.4	1.41	993	1.64
11SJ054		3.18	172.5	3.55	8.77	0.06	0.04	0.04	0.031	0.23	18.4	26.4	1.19	639	1.03
11SJ055		3.42	259	6.39	8.17	0.07	0.09	0.02	0.038	0.20	14.8	23.6	1.15	1060	1.24
11SJ056		5.05	208	4.07	7.87	0.05	0.05	0.05	0.038	0.07	7.2	21.8	3.03	569	0.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
11SJ017		0.79	114.0	800	5.2	5.6	<0.001	0.06	2.29	8.3	0.4	0.5	94.2	<0.01	<0.01	1.0
11SJ018		0.53	242	530	4.0	5.3	<0.001	0.05	2.41	6.5	0.5	0.5	114.5	<0.01	0.01	0.6
11SJ019		0.78	280	680	10.9	6.7	0.001	0.07	1.62	9.1	0.5	0.5	43.5	<0.01	0.02	1.0
11SJ020		0.58	61.2	710	8.2	5.2	<0.001	0.07	1.84	13.9	0.6	0.7	90.5	<0.01	0.01	0.7
11SJ021		0.72	33.0	580	6.0	5.2	<0.001	0.05	0.93	7.2	0.4	0.5	58.7	<0.01	0.03	0.7
11SJ022		0.69	31.6	660	5.2	5.0	0.001	0.07	0.78	4.3	0.4	0.6	87.8	<0.01	0.02	0.4
11SJ023		0.78	36.2	450	4.1	5.4	<0.001	0.03	1.03	5.8	0.3	0.6	98.8	<0.01	0.01	0.7
11SJ024		0.66	56.3	740	4.8	7.1	<0.001	0.06	1.20	6.5	<0.2	0.6	72.5	<0.01	0.01	0.5
11SJ025		1.14	29.4	450	6.9	6.6	<0.001	0.03	0.73	4.4	0.2	0.6	78.0	<0.01	0.02	0.8
11SJ026		1.44	32.8	440	6.6	7.2	<0.001	0.04	0.98	4.7	0.2	0.7	46.1	0.01	0.02	0.8
11SJ027		0.63	29.2	730	5.6	5.4	<0.001	0.07	1.72	3.1	0.5	0.5	50.0	<0.01	0.01	0.2
11SJ028		0.89	79.7	760	5.5	10.0	<0.001	0.07	1.27	6.2	0.4	0.6	50.7	<0.01	0.03	0.7
11SJ029		0.87	73.3	640	6.7	11.0	<0.001	0.05	1.83	7.4	0.8	0.7	52.9	<0.01	0.03	1.2
11SJ030		1.58	66.9	730	6.6	18.9	<0.001	0.06	1.64	4.9	0.2	0.7	48.7	0.01	0.06	1.2
11SJ031		1.12	26.8	780	5.7	11.0	<0.001	0.07	1.12	3.9	0.3	0.6	51.7	<0.01	0.01	1.0
11SJ032		1.38	23.8	750	7.8	10.0	0.001	0.07	1.42	3.0	1.1	0.6	37.2	<0.01	0.04	0.8
11SJ033		0.89	37.7	830	8.9	6.8	<0.001	0.06	1.28	5.5	0.8	0.7	38.1	<0.01	0.04	0.5
11SJ034		0.99	31.4	580	8.7	6.8	0.001	0.06	1.44	5.9	0.5	0.8	39.3	<0.01	0.05	0.6
11SJ035		0.78	43.4	720	12.2	6.2	<0.001	0.08	3.47	7.8	0.8	1.4	54.2	<0.01	0.07	0.5
11SJ036		0.80	50.4	550	8.7	6.2	<0.001	0.05	3.03	7.6	0.5	1.0	62.5	<0.01	0.03	0.6
11SJ037		0.67	56.9	470	7.2	5.1	<0.001	0.03	2.83	14.8	1.0	1.0	56.9	<0.01	0.04	1.0
11SJ038		0.73	152.5	630	36.8	9.5	<0.001	0.06	66.8	9.7	1.7	4.4	40.5	<0.01	0.44	1.0
11SJ039		0.53	81.9	390	3.8	12.1	<0.001	0.04	4.21	6.7	0.9	0.7	145.5	<0.01	0.14	0.7
11SJ040		1.04	57.5	600	6.0	9.2	<0.001	0.05	1.13	4.8	0.9	0.5	116.5	<0.01	0.02	0.8
11SJ041		0.61	50.6	610	4.0	7.9	0.001	0.06	1.81	9.2	0.8	0.8	115.0	<0.01	0.02	0.7
11SJ042		0.72	83.0	450	6.7	14.3	<0.001	0.10	1.94	5.4	0.7	1.0	94.4	<0.01	0.10	1.1
11SJ043		0.75	116.0	860	5.2	7.8	<0.001	0.08	3.02	5.0	0.7	0.6	71.8	<0.01	0.01	0.4
11SJ044		0.78	132.0	870	4.4	11.8	0.001	0.10	2.95	6.5	1.0	0.6	68.1	<0.01	0.10	0.5
11SJ045		0.55	136.0	490	3.4	28.9	0.001	0.07	3.66	7.3	1.5	1.0	70.8	<0.01	0.11	0.6
11SJ046		1.17	50.7	890	6.7	14.9	<0.001	0.10	3.21	6.5	0.9	0.9	60.4	<0.01	0.14	0.7
11SJ047		0.73	101.5	610	4.7	7.5	<0.001	0.08	5.09	6.1	1.1	0.6	62.6	<0.01	0.04	0.5
11SJ048		0.76	62.6	700	6.9	17.3	0.001	0.12	3.01	5.8	1.0	1.7	35.4	<0.01	0.12	0.4
11SJ049		0.73	59.2	800	6.3	10.0	0.001	0.11	6.13	6.5	1.3	0.7	91.1	<0.01	0.07	0.9
11SJ050		1.26	56.7	290	2.0	28.2	<0.001	0.02	5.02	11.5	0.9	0.9	985	0.01	0.10	2.1
11SJ051		0.77	83.0	790	5.9	13.3	<0.001	0.12	6.75	8.3	1.1	0.6	74.1	<0.01	0.08	0.7
11SJ052		0.82	58.5	810	5.5	8.2	<0.001	0.08	2.73	4.7	0.8	0.5	70.3	<0.01	0.03	0.5
11SJ053		1.06	56.9	760	6.0	12.5	0.001	0.07	5.76	7.1	1.0	0.8	101.0	<0.01	0.10	1.8
11SJ054		1.08	49.9	630	6.8	17.7	<0.001	0.07	5.31	6.7	0.7	0.8	149.0	<0.01	0.24	1.9
11SJ055		1.22	50.0	710	12.8	16.8	<0.001	0.26	6.76	6.5	1.6	0.8	169.0	<0.01	0.32	4.3
11SJ056		0.56	275	760	3.8	13.3	0.001	0.11	10.15	8.4	1.3	0.5	37.1	<0.01	0.27	0.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-NOV-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
11SJ017		0.107	0.06	0.48	93	0.09	10.65	65	2.4
11SJ018		0.095	0.11	0.34	91	0.09	6.42	56	1.7
11SJ019		0.094	0.08	0.63	73	0.08	10.65	89	2.6
11SJ020		0.076	0.08	0.47	114	0.10	13.65	74	2.6
11SJ021		0.099	0.06	0.45	93	0.10	7.58	72	2.1
11SJ022		0.076	0.06	0.46	82	0.18	6.16	67	1.4
11SJ023		0.095	0.05	0.38	90	0.12	4.77	53	1.5
11SJ024		0.069	0.10	0.46	77	0.15	8.52	60	1.6
11SJ025		0.105	0.06	0.54	89	0.11	5.83	64	1.6
11SJ026		0.130	0.09	0.55	106	0.12	5.70	60	2.4
11SJ027		0.080	0.09	0.49	74	0.11	4.69	100	0.8
11SJ028		0.105	0.13	0.64	81	0.09	9.98	73	2.2
11SJ029		0.125	0.16	0.68	93	0.13	9.26	65	2.8
11SJ030		0.115	0.18	0.75	91	0.13	5.54	64	1.6
11SJ031		0.081	0.09	0.84	67	0.20	7.68	74	1.1
11SJ032		0.062	0.15	1.13	64	0.13	4.91	49	0.8
11SJ033		0.072	0.09	0.64	92	0.11	8.30	76	1.4
11SJ034		0.072	0.09	0.55	86	0.11	7.99	61	1.5
11SJ035		0.061	0.10	0.51	95	0.20	8.03	76	1.7
11SJ036		0.086	0.10	0.43	102	3.83	7.57	66	1.8
11SJ037		0.081	0.09	0.33	103	0.10	14.25	62	2.5
11SJ038		0.073	0.18	0.64	82	0.20	10.45	143	2.0
11SJ039		0.055	0.30	0.32	61	0.08	5.08	52	1.9
11SJ040		0.082	0.15	0.50	71	0.12	5.47	63	2.8
11SJ041		0.041	0.12	0.47	74	0.16	9.96	50	3.4
11SJ042		0.065	0.26	0.51	69	0.12	5.16	52	3.1
11SJ043		0.080	0.11	0.46	87	0.09	5.93	66	1.5
11SJ044		0.071	0.21	0.54	84	0.10	10.05	60	2.1
11SJ045		0.079	0.48	0.56	74	0.17	6.55	49	1.9
11SJ046		0.121	0.24	0.79	108	0.14	8.33	68	1.6
11SJ047		0.164	0.21	0.53	108	0.15	7.45	273	1.7
11SJ048		0.153	0.47	0.77	109	0.16	7.55	90	1.5
11SJ049		0.108	0.28	0.93	95	0.13	17.80	71	1.5
11SJ050		0.108	0.37	0.35	104	0.13	7.62	41	1.5
11SJ051		0.170	0.41	0.74	122	0.17	10.90	66	1.5
11SJ052		0.109	0.11	0.56	94	0.09	6.89	69	1.3
11SJ053		0.075	0.23	0.88	88	0.13	12.30	61	2.0
11SJ054		0.059	0.27	0.72	82	0.09	9.00	44	1.4
11SJ055		0.060	0.37	3.43	72	0.15	13.60	65	2.4
11SJ056		0.093	0.29	0.50	97	0.09	18.80	46	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
11SJ057		0.69	0.147	0.57	3.71	377	<0.2	<10	90	0.32	4.53	1.16	0.22	9.90	43.7	222
11SJ058		0.72	0.156	0.41	4.41	456	<0.2	<10	150	0.36	2.46	1.02	0.15	8.57	76.0	225
11SJ059		0.56	0.009	0.08	2.77	18.1	<0.2	<10	170	0.48	0.15	0.59	0.10	15.80	16.3	64
11SJ060		0.73	0.059	1.35	3.20	424	<0.2	<10	170	0.41	2.04	0.85	0.63	22.1	70.9	87
11SJ061		0.55	0.013	0.12	3.03	38.8	<0.2	<10	130	0.38	0.23	0.70	0.27	18.50	19.9	49
11SJ062		0.63	0.120	0.35	2.87	375	<0.2	<10	130	0.36	1.40	0.83	0.23	15.70	38.5	93
11SJ063		0.66	0.074	0.27	3.66	68.0	<0.2	<10	180	0.43	2.30	1.07	0.19	12.45	33.7	76
11SJ064		0.75	0.029	0.40	2.76	74.5	<0.2	<10	160	0.42	0.63	1.04	0.24	15.35	27.2	56
11SJ065		0.70	0.053	0.80	3.61	155.0	<0.2	<10	160	0.43	2.19	0.96	0.22	15.25	36.6	121
11SJ066		0.66	0.030	0.45	2.79	90.9	<0.2	<10	150	0.38	1.33	0.82	0.22	17.25	24.2	74
11SJ067		0.84	0.011	0.10	3.22	42.6	<0.2	<10	400	1.10	0.38	0.70	0.06	27.6	25.9	203
11SJ068		0.74	0.008	0.09	2.40	35.6	<0.2	<10	180	0.79	0.27	0.44	0.18	39.3	23.8	38
11SJ069		0.59	0.008	0.06	2.73	33.2	<0.2	<10	340	0.67	0.21	0.40	0.22	27.3	19.5	44
11SJ070		0.70	0.011	0.07	3.01	37.2	<0.2	<10	210	0.76	0.15	0.64	0.13	20.4	29.2	78
11JP017		0.37	0.005	0.14	2.03	10.2	<0.2	<10	130	0.38	0.19	0.83	0.25	17.55	16.8	41
11JP018		0.54	0.010	0.29	2.36	15.8	<0.2	<10	130	0.42	0.61	1.02	0.48	15.60	17.9	71
11JP019		0.42	0.016	0.82	2.39	24.3	<0.2	<10	140	0.42	14.90	0.96	0.86	17.40	47.6	50
11JP020		0.39	0.006	0.09	2.20	9.6	<0.2	<10	140	0.45	0.14	1.00	0.18	18.10	18.3	36
11JP021		0.71	0.023	0.08	2.37	10.3	<0.2	<10	120	0.34	0.11	1.16	0.21	16.80	21.4	34
11JP022		0.50	0.007	0.13	2.51	16.8	<0.2	<10	110	0.46	0.18	1.02	0.23	21.0	28.4	37
11JP023		0.60	0.007	0.16	2.67	21.5	<0.2	<10	150	0.53	0.36	1.07	0.17	19.55	21.1	43
11JP024		0.40	0.008	0.21	2.73	35.5	<0.2	<10	210	0.79	1.61	0.99	0.21	17.00	25.4	95
11JP025		Not Recvd														
11JP026		0.46	0.015	0.27	2.12	92.4	<0.2	<10	240	0.45	2.76	0.95	0.22	18.30	26.3	56
11JP027		0.36	0.010	0.22	2.36	121.0	<0.2	<10	270	0.52	0.83	0.87	0.15	15.35	27.3	70
11JP028		0.33	0.009	0.16	1.87	47.2	<0.2	<10	150	0.38	0.49	1.48	0.20	17.00	17.0	49
11JP029		0.58	0.012	0.17	2.53	63.6	<0.2	<10	160	0.41	0.83	1.17	0.18	19.40	20.7	74
11JP030		0.46	0.012	0.23	2.60	96.3	<0.2	<10	230	0.54	1.28	0.79	0.11	22.8	22.0	118
11JP031		0.46	0.021	0.16	2.33	196.0	<0.2	<10	270	0.65	1.83	0.71	0.19	22.4	25.6	82
11JP032		0.49	0.016	0.23	2.02	136.0	<0.2	<10	420	0.86	2.97	0.69	0.16	36.0	19.8	41
11JP033		0.51	0.009	0.13	2.23	22.0	<0.2	<10	150	0.46	0.18	1.00	0.21	21.5	17.5	46
11JP034		0.33	0.008	0.16	2.13	27.2	<0.2	<10	130	0.47	0.18	1.23	0.23	18.85	16.9	46
11JP035		0.36	0.007	0.17	2.18	32.5	<0.2	<10	130	0.48	0.26	1.13	0.19	20.0	19.0	55
11JP036		0.37	0.014	0.39	2.47	79.7	<0.2	<10	150	0.52	1.01	1.07	0.33	19.85	25.4	78
11JP037		0.35	0.009	0.57	2.54	27.1	<0.2	<10	130	0.54	0.87	1.09	0.29	23.8	21.6	68
11JP038		0.54	0.014	0.11	2.57	13.3	<0.2	<10	150	0.46	0.22	0.56	0.14	21.8	18.1	51
11JP039		0.50	0.048	8.10	3.06	160.0	<0.2	<10	130	0.42	40.2	0.62	1.12	21.0	44.2	52
11JP040		0.30	0.013	0.28	3.01	81.9	<0.2	<10	140	0.32	0.61	1.06	0.19	16.60	29.7	60
11JP041		0.24	0.009	0.08	1.79	11.4	<0.2	<10	130	0.41	0.19	0.64	0.20	18.15	17.1	39
11JP042		0.48	0.017	0.75	3.81	71.5	<0.2	<10	130	0.42	1.63	1.25	0.23	15.05	22.9	137



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11SJ057		6.02	286	4.27	8.19	0.06	0.05	0.03	0.055	0.20	5.1	25.0	2.74	467	0.47
11SJ058		8.04	367	5.22	9.62	<0.05	0.05	0.03	0.054	0.37	4.7	27.7	2.86	375	0.47
11SJ059		1.03	43.1	3.44	6.38	<0.05	0.06	0.05	0.028	0.06	6.8	11.7	0.95	557	1.13
11SJ060		2.65	367	5.31	7.91	0.05	0.06	0.05	0.053	0.13	13.3	14.1	1.41	618	1.03
11SJ061		2.65	45.1	3.39	6.66	<0.05	0.06	0.03	0.026	0.06	6.5	10.3	1.08	547	0.98
11SJ062		2.99	343	4.76	7.54	0.05	0.05	0.03	0.041	0.10	7.0	15.3	1.14	523	0.98
11SJ063		3.38	91.9	4.07	7.79	<0.05	0.07	0.03	0.038	0.06	4.1	16.1	1.63	699	0.67
11SJ064		2.91	108.0	3.88	7.03	<0.05	0.08	0.03	0.045	0.06	6.9	17.6	1.38	618	0.70
11SJ065		4.38	204	4.13	7.63	<0.05	0.08	0.04	0.050	0.08	7.3	20.0	1.78	497	0.61
11SJ066		2.60	115.5	3.64	6.41	<0.05	0.05	0.03	0.040	0.05	7.5	14.3	1.13	568	0.89
11SJ067		5.10	57.3	3.88	10.10	0.06	0.03	0.02	0.027	0.37	13.0	34.3	2.14	659	0.95
11SJ068		1.71	71.7	4.14	8.43	0.10	0.04	0.03	0.031	0.07	12.8	20.6	0.92	942	1.32
11SJ069		1.72	42.9	4.32	9.12	0.08	0.04	0.04	0.040	0.05	10.5	17.0	0.86	716	1.89
11SJ070		4.91	54.0	4.42	9.20	0.10	0.05	0.03	0.041	0.07	7.1	23.0	1.39	635	1.16
11JP017		1.48	57.0	3.10	5.85	0.08	0.05	0.04	0.030	0.05	8.6	11.3	0.72	595	1.07
11JP018		3.84	95.1	3.47	6.59	0.08	0.07	0.05	0.037	0.06	7.6	15.0	1.18	524	0.77
11JP019		2.81	115.0	3.55	6.60	0.08	0.08	0.05	0.044	0.06	8.0	14.6	1.23	612	0.71
11JP020		1.31	48.6	3.24	5.72	0.08	0.05	0.05	0.026	0.06	8.2	10.1	0.78	531	0.90
11JP021		1.66	52.9	3.15	5.35	0.08	0.09	0.02	0.022	0.07	7.6	11.1	0.91	376	0.57
11JP022		1.94	65.8	3.43	6.72	0.06	0.05	0.04	0.028	0.07	8.5	12.7	0.86	574	1.02
11JP023		3.86	64.2	3.82	7.29	0.07	0.08	0.05	0.040	0.06	9.6	15.5	1.08	559	0.81
11JP024		4.35	67.4	3.73	8.09	0.08	0.06	0.03	0.041	0.09	7.2	20.8	1.54	518	1.17
11JP025															
11JP026		3.81	98.1	3.79	7.18	0.09	0.04	0.05	0.035	0.10	8.7	16.4	0.77	730	1.66
11JP027		4.82	78.0	4.20	7.76	0.09	0.05	0.05	0.030	0.15	7.2	22.3	1.22	582	1.60
11JP028		1.99	53.3	2.83	5.94	0.06	0.05	0.05	0.027	0.06	8.6	13.3	0.77	467	0.95
11JP029		2.71	75.0	3.31	6.66	0.08	0.07	0.03	0.027	0.08	9.5	16.2	1.13	513	0.88
11JP030		3.47	91.1	3.73	7.86	0.10	0.05	0.07	0.028	0.12	10.8	20.4	1.16	588	1.50
11JP031		4.45	64.5	3.83	8.19	0.09	0.04	0.05	0.031	0.16	11.1	33.6	1.05	721	1.40
11JP032		5.19	66.8	3.78	6.48	0.10	0.05	0.05	0.026	0.12	17.9	23.4	0.72	611	1.74
11JP033		1.72	41.4	3.41	6.35	0.07	0.05	0.04	0.030	0.05	9.4	12.4	0.79	618	0.94
11JP034		2.13	44.0	3.35	6.75	0.08	0.05	0.05	0.033	0.05	9.6	12.4	0.78	625	1.08
11JP035		2.20	46.1	3.36	6.37	0.08	0.05	0.09	0.034	0.05	10.1	12.3	0.82	623	1.01
11JP036		3.05	87.3	3.76	6.94	0.08	0.05	0.21	0.052	0.06	9.6	13.9	1.07	751	1.12
11JP037		2.59	101.5	3.48	7.24	0.09	0.06	0.07	0.038	0.06	12.5	15.0	0.99	512	0.98
11JP038		1.46	55.1	3.25	6.86	0.08	0.07	0.04	0.027	0.04	10.3	12.7	0.89	435	0.75
11JP039		2.85	1595	7.96	7.91	0.16	0.10	0.03	0.199	0.06	11.9	26.2	1.15	518	2.00
11JP040		3.56	76.7	3.91	8.20	0.06	0.04	0.04	0.041	0.10	6.6	13.3	1.53	779	1.03
11JP041		1.25	28.7	3.54	6.94	0.06	0.03	0.05	0.028	0.05	8.4	12.7	0.64	765	1.89
11JP042		4.38	134.5	3.64	8.04	0.07	0.12	0.03	0.039	0.08	8.1	20.0	1.94	382	0.65



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
11SJ057		0.60	188.0	440	3.5	21.1	<0.001	0.10	5.78	8.9	0.5	1.5	56.7	<0.01	0.24	0.5
11SJ058		0.31	107.0	350	3.8	45.3	<0.001	0.12	4.35	9.0	0.8	1.1	55.2	<0.01	0.28	0.5
11SJ059		0.92	42.7	640	5.5	6.6	<0.001	0.05	0.84	4.9	0.8	0.5	42.7	<0.01	0.03	0.7
11SJ060		0.50	62.6	480	5.8	12.8	0.001	0.23	3.70	10.6	1.4	1.7	122.5	<0.01	0.52	0.7
11SJ061		0.92	55.4	570	5.6	10.5	<0.001	0.05	1.10	3.9	0.7	0.5	51.6	<0.01	0.05	0.8
11SJ062		0.71	57.2	730	5.5	12.9	<0.001	0.20	4.61	6.5	1.1	1.0	54.6	<0.01	0.16	0.5
11SJ063		0.51	67.4	550	5.2	5.2	<0.001	0.05	4.20	10.4	0.4	0.7	94.9	<0.01	0.17	0.6
11SJ064		0.74	40.7	480	4.7	5.6	0.001	0.05	2.84	11.8	0.6	1.3	88.5	<0.01	0.04	1.0
11SJ065		0.62	76.5	560	6.5	11.7	<0.001	0.04	3.35	10.3	0.7	1.2	44.4	<0.01	0.13	0.9
11SJ066		0.70	47.8	670	6.1	8.0	<0.001	0.05	2.21	6.1	0.8	0.8	39.9	<0.01	0.11	0.5
11SJ067		1.92	139.5	680	4.5	31.3	0.001	0.05	2.74	7.5	0.6	0.8	58.4	<0.01	0.07	2.4
11SJ068		0.90	46.3	620	7.7	11.2	<0.001	0.06	4.00	4.4	0.6	0.6	29.8	<0.01	0.05	1.3
11SJ069		1.09	39.6	550	9.0	11.4	<0.001	0.05	1.34	5.1	0.7	0.7	32.1	0.01	0.06	0.8
11SJ070		0.82	68.5	520	5.5	10.7	<0.001	0.05	3.60	7.8	0.7	0.7	83.9	<0.01	0.04	0.7
11JP017		0.80	31.8	700	7.6	7.6	<0.001	0.07	0.84	5.1	0.8	0.5	57.7	0.01	0.03	0.5
11JP018		0.73	44.5	640	11.9	9.8	<0.001	0.07	5.79	8.0	0.8	1.3	60.8	<0.01	0.03	0.7
11JP019		0.76	53.3	580	46.8	7.1	<0.001	0.06	2.00	9.2	0.8	0.6	51.5	<0.01	0.04	0.8
11JP020		0.77	34.4	760	4.8	5.5	<0.001	0.07	0.67	5.2	0.8	0.4	89.5	<0.01	0.04	0.5
11JP021		0.67	36.0	500	4.0	3.9	<0.001	0.03	0.91	7.2	0.5	0.5	123.0	0.01	0.02	1.0
11JP022		0.77	43.2	690	5.8	7.1	<0.001	0.05	1.01	6.5	0.7	0.5	156.0	<0.01	0.04	0.6
11JP023		0.71	42.1	680	5.5	8.0	<0.001	0.06	1.51	12.1	0.9	0.5	70.6	0.01	0.04	0.7
11JP024		2.37	134.5	560	12.6	12.2	<0.001	0.05	1.72	6.2	0.7	1.8	84.9	0.01	0.05	1.1
11JP025																
11JP026		1.02	47.0	840	6.8	10.4	<0.001	0.10	3.17	6.0	1.2	0.6	50.2	0.01	0.06	0.6
11JP027		0.94	63.6	600	5.8	14.4	<0.001	0.07	4.33	7.5	1.0	0.7	71.1	<0.01	0.03	0.8
11JP028		1.05	68.5	660	5.4	9.5	<0.001	0.08	1.22	5.1	0.9	0.5	52.5	<0.01	0.05	0.6
11JP029		0.97	74.7	670	5.1	12.2	<0.001	0.07	2.07	6.8	0.9	0.7	57.6	<0.01	0.05	0.9
11JP030		1.54	86.8	690	5.5	14.8	<0.001	0.08	2.95	6.1	1.2	0.7	44.5	<0.01	0.07	1.1
11JP031		1.61	61.5	710	5.7	18.8	<0.001	0.09	1.44	6.9	0.9	0.8	55.0	<0.01	0.06	1.7
11JP032		1.70	41.2	810	6.8	15.7	<0.001	0.08	4.06	5.1	1.2	0.8	74.4	0.01	0.06	3.2
11JP033		0.86	34.7	690	6.2	7.0	<0.001	0.05	1.26	7.1	0.8	0.5	56.6	<0.01	0.04	0.8
11JP034		0.86	33.6	760	6.5	7.5	<0.001	0.08	1.29	6.4	1.0	0.6	59.4	<0.01	0.05	0.5
11JP035		0.82	37.7	760	6.4	7.3	<0.001	0.07	1.48	6.7	0.8	0.6	51.5	<0.01	0.05	0.6
11JP036		0.72	46.8	760	10.6	7.8	<0.001	0.07	2.39	8.6	0.8	0.7	48.8	<0.01	0.04	0.6
11JP037		0.92	46.2	870	8.0	8.9	<0.001	0.08	2.19	9.3	1.1	0.7	51.6	0.01	0.05	0.8
11JP038		1.00	37.3	630	5.2	5.3	<0.001	0.04	0.82	8.1	0.7	0.6	49.9	<0.01	0.02	1.3
11JP039		0.67	181.0	570	75.7	10.3	<0.001	0.08	37.0	12.7	2.1	2.8	44.5	<0.01	0.31	2.1
11JP040		0.69	60.5	680	6.5	13.8	<0.001	0.05	2.65	5.9	0.6	0.8	73.6	<0.01	0.05	0.7
11JP041		0.79	28.2	710	7.3	11.6	<0.001	0.08	0.75	3.5	0.6	0.6	42.6	<0.01	0.04	0.3
11JP042		0.49	79.0	490	8.1	14.4	<0.001	0.06	2.61	9.8	0.8	1.0	72.3	<0.01	0.06	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
11SJ057		0.123	0.40	0.61	97	0.17	6.58	51	1.9
11SJ058		0.074	0.88	0.45	87	0.07	4.79	51	1.5
11SJ059		0.076	0.07	0.52	77	0.10	5.20	59	2.0
11SJ060		0.085	0.27	0.56	154	0.12	5.78	64	1.6
11SJ061		0.099	0.21	0.54	78	0.08	5.29	64	2.1
11SJ062		0.078	0.22	0.54	96	0.14	7.12	60	1.6
11SJ063		0.029	0.08	0.33	99	0.09	5.11	55	1.9
11SJ064		0.066	0.08	0.53	112	0.15	9.73	57	2.8
11SJ065		0.053	0.18	0.50	81	0.08	7.88	65	2.4
11SJ066		0.066	0.12	0.55	80	0.12	7.36	67	1.4
11SJ067		0.156	0.41	0.86	110	0.16	7.77	56	1.5
11SJ068		0.088	0.17	0.95	80	0.13	6.78	78	1.1
11SJ069		0.094	0.14	0.74	97	0.12	6.03	81	1.2
11SJ070		0.124	0.28	0.54	109	0.20	8.04	59	1.4
11JP017		0.088	0.09	0.57	79	0.13	7.53	70	1.5
11JP018		0.093	0.20	0.47	93	0.13	9.32	80	2.2
11JP019		0.093	0.14	0.48	98	0.33	9.41	117	2.5
11JP020		0.081	0.07	0.49	84	0.09	7.79	61	1.7
11JP021		0.099	0.05	0.34	88	0.10	8.14	53	3.3
11JP022		0.082	0.07	0.56	84	0.19	8.41	70	1.5
11JP023		0.063	0.09	0.59	98	0.13	12.85	67	2.1
11JP024		0.089	0.15	1.08	86	0.17	12.30	66	1.6
11JP025									
11JP026		0.090	0.17	0.70	85	0.13	9.14	75	1.4
11JP027		0.141	0.29	0.78	106	0.12	8.00	68	1.9
11JP028		0.084	0.13	0.61	74	0.11	8.01	62	2.1
11JP029		0.100	0.18	0.74	81	0.16	9.16	66	2.4
11JP030		0.102	0.25	0.91	83	0.26	8.97	57	1.5
11JP031		0.119	0.23	1.11	93	0.25	7.70	77	1.5
11JP032		0.063	0.22	1.90	64	0.16	11.70	70	1.2
11JP033		0.089	0.09	0.61	98	0.15	9.31	68	1.8
11JP034		0.071	0.10	0.63	89	0.19	9.95	70	1.4
11JP035		0.075	0.08	0.62	88	0.11	10.70	69	1.7
11JP036		0.062	0.10	0.64	88	0.14	10.10	79	1.3
11JP037		0.077	0.09	0.80	92	0.14	14.50	71	2.2
11JP038		0.119	0.09	0.68	92	0.14	8.88	57	2.7
11JP039		0.072	0.16	0.88	88	0.39	11.05	98	3.0
11JP040		0.073	0.23	0.56	86	0.17	7.01	71	1.6
11JP041		0.078	0.10	0.63	83	0.16	5.19	80	1.0
11JP042		0.046	0.21	0.64	72	0.10	8.51	56	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
11JP043		0.53	0.009	0.66	3.44	116.5	<0.2	<10	150	0.40	1.43	1.10	0.35	18.80	28.7	140
11JP044		0.42	0.007	0.18	2.19	34.1	<0.2	<10	140	0.48	0.25	1.20	0.25	17.60	17.5	50
11JP045		0.48	0.012	0.12	2.66	37.0	<0.2	<10	180	0.52	0.24	1.07	0.17	19.75	21.3	62
11JP046		0.38	0.032	0.37	2.61	461	<0.2	<10	410	0.93	1.92	1.06	0.36	28.3	46.2	83
11JP047		0.36	0.032	0.25	3.41	223	<0.2	<10	270	1.21	1.80	1.20	0.11	21.9	32.2	148
11JP048		0.24	0.028	0.09	1.92	75.9	<0.2	<10	300	0.49	1.23	0.76	0.26	18.00	21.3	58
11JP049		0.37	0.021	0.18	2.25	64.7	<0.2	<10	120	0.50	1.22	0.96	0.24	18.90	27.9	41
11JP050		0.60	0.009	0.11	2.31	58.1	<0.2	<10	210	0.78	1.17	0.58	0.18	33.2	23.5	46
11JP051		0.54	0.008	0.07	2.14	12.5	<0.2	<10	530	0.71	0.23	0.54	0.17	32.7	20.9	39
11JP052		0.44	<0.005	0.08	1.97	29.8	<0.2	<10	210	1.13	0.25	0.79	0.07	88.1	28.9	31
11JP053		0.59	0.010	0.05	2.30	133.0	<0.2	<10	1260	1.84	0.37	0.51	0.07	99.6	72.2	42
11JP054		0.47	0.019	0.23	2.23	295	<0.2	<10	690	1.22	0.34	0.78	0.26	54.7	57.8	28
11JP055		0.41	0.029	0.48	3.38	433	<0.2	<10	200	0.42	2.02	1.21	0.66	19.25	63.3	90
11JP056		0.44	0.044	0.25	3.48	466	<0.2	<10	510	0.91	1.36	1.36	0.28	23.4	144.0	110
11JP057		0.43	0.023	0.15	3.52	127.0	<0.2	<10	140	0.68	3.36	1.47	0.16	16.55	46.1	85
11JP058		0.44	0.108	0.32	2.58	248	<0.2	<10	130	0.45	2.14	0.85	0.41	16.30	34.9	59
11JP059		0.52	0.015	0.15	4.01	111.0	<0.2	<10	90	0.35	0.69	1.09	0.15	14.65	43.6	308
11JP060		0.65	0.010	0.12	2.70	52.3	<0.2	<10	150	0.45	0.54	1.00	0.17	18.30	21.9	67
11JP061		0.46	0.084	0.33	3.73	750	<0.2	<10	150	0.44	3.80	1.10	0.22	20.4	58.0	151
11JP062		0.42	0.022	0.24	3.03	138.5	<0.2	<10	170	0.32	0.90	0.94	0.19	16.90	29.3	66
11JP063		0.43	0.026	0.23	2.85	103.5	<0.2	<10	150	0.48	0.59	1.20	0.21	20.2	22.6	49
11JP064		0.26	0.023	0.24	2.49	44.1	<0.2	<10	140	0.48	0.58	1.26	0.23	19.75	21.3	42
11JP065		0.36	0.013	0.20	2.37	24.7	<0.2	<10	150	0.35	0.29	1.46	0.22	17.05	16.1	53
11JP066		0.39	0.009	0.27	2.64	33.1	<0.2	<10	170	0.37	0.34	1.44	0.18	20.1	18.1	52
11JP067		0.60	0.015	0.08	3.86	47.9	<0.2	<10	300	1.02	0.53	0.51	0.08	37.1	23.7	223
11JP068		0.54	0.010	0.14	3.09	51.9	<0.2	<10	250	0.67	0.29	0.56	0.16	26.2	22.2	62
11JP069		0.29	0.010	0.15	2.40	179.0	<0.2	<10	160	0.45	0.61	0.76	0.25	21.5	32.8	48
11JP070		0.26	0.015	0.19	2.11	94.1	<0.2	<10	280	0.48	1.37	0.72	0.17	21.3	26.2	53
11JP071		0.34	0.015	0.24	2.98	157.0	<0.2	<10	200	0.56	1.73	0.85	0.24	22.6	29.9	70
11JP072		0.42	0.011	0.26	2.99	115.0	<0.2	<10	180	0.47	0.63	0.98	0.20	23.5	24.4	62
11JP073		0.37	0.021	0.24	2.78	153.0	<0.2	<10	190	0.44	0.73	1.04	0.28	22.0	30.2	53
11JP074		0.35	0.007	0.16	2.58	21.8	<0.2	<10	170	0.41	0.21	1.24	0.14	20.5	15.1	53
11NG001		0.60	0.006	0.18	2.96	38.5	<0.2	<10	180	0.50	0.31	0.95	0.21	16.75	18.3	69
11NG002		0.84	0.005	0.22	3.12	41.3	<0.2	<10	150	0.58	0.45	1.01	0.36	19.80	31.7	63
11NG003		0.46	0.007	0.15	2.34	17.4	<0.2	<10	140	0.44	0.21	1.09	0.16	19.85	19.9	40
11NG004		0.83	0.006	0.13	2.69	45.5	<0.2	<10	160	0.39	0.33	1.45	0.23	14.40	25.0	46
11NG005		0.51	0.006	0.11	2.00	15.3	<0.2	<10	130	0.39	0.17	0.76	0.20	18.20	14.7	35
11NG006		0.79	0.006	0.13	2.82	20.4	<0.2	<10	130	0.35	0.30	0.92	0.23	20.4	23.5	43
11NG007		0.58	0.009	0.18	2.58	38.4	<0.2	<10	180	0.37	1.89	0.98	0.26	14.20	20.8	42
11NG008		0.46	0.008	0.09	1.85	10.5	<0.2	<10	140	0.31	0.15	0.59	0.17	17.40	12.4	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11JP043		3.96	146.0	3.70	7.80	0.09	0.08	0.04	0.045	0.08	7.5	18.3	1.98	497	0.73
11JP044		2.34	61.8	3.15	6.39	0.07	0.05	0.03	0.030	0.07	8.4	12.5	0.86	500	1.08
11JP045		2.13	73.5	3.49	7.20	0.09	0.06	0.02	0.031	0.08	9.2	16.0	1.10	481	0.91
11JP046		3.26	189.0	4.50	8.67	0.11	0.06	0.02	0.052	0.12	10.6	26.6	1.70	768	1.47
11JP047		8.06	145.0	4.71	10.25	0.11	0.03	0.05	0.039	0.31	11.2	36.0	1.39	475	1.59
11JP048		3.25	53.0	3.52	6.76	0.09	0.03	0.05	0.031	0.11	8.4	20.6	0.88	751	1.34
11JP049		5.18	129.0	4.17	7.24	0.09	0.05	0.05	0.036	0.08	8.6	15.7	0.90	619	1.45
11JP050		1.84	52.4	4.13	8.02	0.10	0.04	0.03	0.033	0.09	12.6	19.2	0.92	848	1.54
11JP051		1.75	45.1	3.64	6.94	0.10	0.03	0.03	0.027	0.09	10.7	16.9	0.89	1060	1.23
11JP052		2.10	130.5	3.80	7.58	0.17	0.04	0.08	0.024	0.11	43.1	22.9	1.06	2170	1.29
11JP053		4.99	287	3.58	8.84	0.16	0.05	0.03	0.031	0.45	32.2	37.0	1.27	2120	0.89
11JP054		2.01	318	4.40	7.85	0.11	0.07	0.03	0.033	0.10	21.6	19.9	1.64	972	1.85
11JP055		3.66	325	4.93	9.21	0.10	0.07	0.05	0.053	0.08	6.9	23.7	2.00	905	0.91
11JP056		4.23	151.5	4.77	9.97	0.12	0.03	0.05	0.042	0.22	9.9	22.8	2.19	763	1.30
11JP057		2.83	138.5	5.14	8.97	0.11	0.09	0.02	0.050	0.11	6.6	20.8	1.50	564	0.82
11JP058		2.61	146.5	4.22	7.37	0.09	0.03	0.03	0.044	0.10	6.5	14.9	0.95	632	1.50
11JP059		7.51	81.0	4.59	10.65	0.11	0.03	0.03	0.032	0.12	5.7	31.4	3.74	569	0.67
11JP060		1.90	41.3	4.05	7.56	0.08	0.03	0.03	0.032	0.06	6.7	13.3	1.29	629	1.04
11JP061		4.87	171.5	5.00	10.45	0.12	0.06	0.02	0.036	0.12	7.9	23.7	2.42	592	1.05
11JP062		2.37	91.8	3.82	7.91	0.09	0.03	0.02	0.030	0.06	6.9	15.6	1.14	487	0.99
11JP063		2.21	92.9	4.30	7.75	0.10	0.03	0.04	0.036	0.06	8.8	14.9	0.99	744	1.26
11JP064		2.13	70.9	3.87	7.41	0.09	0.04	0.04	0.038	0.05	8.9	13.7	0.85	691	1.19
11JP065		1.57	57.2	3.31	6.11	0.10	0.05	0.05	0.030	0.05	7.6	12.1	0.95	617	0.84
11JP066		1.90	55.9	3.55	6.92	0.09	0.04	0.04	0.028	0.05	9.8	13.3	0.94	647	0.91
11JP067		6.20	96.2	4.77	12.35	0.16	0.03	0.03	0.033	0.33	17.5	44.6	2.46	401	1.35
11JP068		2.83	57.5	4.41	8.99	0.11	0.03	0.03	0.034	0.07	11.6	17.8	1.09	811	1.43
11JP069		1.93	59.9	4.01	6.80	0.09	0.03	0.03	0.033	0.07	8.6	12.1	0.87	645	1.41
11JP070		2.01	92.0	4.44	8.19	0.09	0.02	0.02	0.043	0.08	9.7	19.4	0.91	872	2.68
11JP071		4.31	113.0	4.62	9.80	0.09	0.04	0.02	0.033	0.13	9.2	20.2	1.24	609	1.62
11JP072		2.12	70.3	4.22	8.22	0.11	0.04	0.04	0.035	0.05	10.4	14.3	1.09	711	1.20
11JP073		1.65	72.3	3.89	7.28	0.10	0.03	0.03	0.031	0.05	10.8	13.4	0.98	844	2.18
11JP074		1.44	43.5	3.53	6.58	0.10	0.04	0.04	0.026	0.05	9.9	12.1	0.90	532	0.87
11NG001		3.55	53.0	3.83	7.76	0.09	0.05	0.04	0.036	0.05	7.6	15.4	1.30	486	0.76
11NG002		4.74	71.2	5.01	8.90	0.11	0.06	0.06	0.043	0.07	8.7	14.4	1.63	666	0.77
11NG003		1.99	50.3	3.86	6.90	0.09	0.03	0.06	0.027	0.05	9.7	11.9	0.93	698	1.16
11NG004		4.08	54.2	4.23	8.04	0.09	0.08	0.03	0.030	0.06	6.4	11.7	1.59	854	0.62
11NG005		1.38	38.1	3.39	5.97	0.11	0.03	0.03	0.026	0.06	8.1	10.7	0.70	527	1.14
11NG006		2.44	54.4	3.97	7.25	0.10	0.04	0.03	0.031	0.08	7.2	13.4	1.01	625	0.89
11NG007		3.02	51.0	4.26	7.48	0.09	0.02	0.04	0.033	0.06	5.5	14.6	1.09	718	1.05
11NG008		0.98	26.7	3.04	5.33	0.09	0.02	0.02	0.021	0.03	7.1	7.7	0.55	741	1.33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
11JP043		0.70	168.5	600	6.8	13.3	<0.001	0.06	1.95	7.5	0.7	1.1	89.0	<0.01	0.05	1.0
11JP044		0.87	61.7	680	5.3	8.8	<0.001	0.08	1.14	5.1	0.8	0.5	62.4	<0.01	0.04	0.5
11JP045		0.97	65.3	650	4.8	9.1	<0.001	0.05	1.64	7.3	0.8	0.6	85.9	<0.01	0.04	0.9
11JP046		0.87	79.5	610	6.6	13.8	<0.001	0.09	6.78	9.0	1.3	1.0	132.5	<0.01	0.25	1.8
11JP047		2.41	116.0	820	5.3	24.7	<0.001	0.12	3.00	8.9	1.3	1.1	114.0	0.01	0.08	2.3
11JP048		0.94	41.1	710	5.5	10.3	<0.001	0.10	1.66	5.1	0.9	0.6	48.0	<0.01	0.06	0.5
11JP049		0.91	45.7	710	7.0	9.9	<0.001	0.08	2.21	6.6	1.2	0.7	56.1	0.01	0.05	0.7
11JP050		1.11	46.4	630	6.7	14.2	<0.001	0.06	1.40	5.0	0.7	0.7	39.8	<0.01	0.06	1.0
11JP051		1.06	39.6	570	6.7	13.6	0.001	0.08	1.31	3.7	0.4	0.6	56.5	<0.01	0.06	1.1
11JP052		0.51	47.6	820	5.6	13.1	<0.001	0.08	4.43	4.2	1.0	0.6	32.3	<0.01	0.09	2.9
11JP053		0.85	68.2	570	6.6	42.5	<0.001	0.04	5.00	5.2	0.9	1.1	139.0	<0.01	0.16	7.8
11JP054		0.30	68.9	500	17.0	10.4	0.001	0.06	18.40	6.9	0.9	0.7	28.2	<0.01	0.14	2.9
11JP055		0.49	92.1	560	5.6	9.4	<0.001	0.07	5.64	11.8	0.9	1.1	173.5	<0.01	0.06	0.8
11JP056		0.72	131.0	640	8.9	20.1	0.001	0.10	10.15	9.3	1.0	0.8	233	<0.01	0.21	1.1
11JP057		0.64	91.5	500	4.8	7.5	<0.001	0.05	8.45	13.3	0.6	1.4	160.0	<0.01	0.10	1.0
11JP058		0.67	48.9	870	6.4	9.6	0.001	0.13	3.63	4.0	0.5	1.0	94.4	<0.01	0.14	0.4
11JP059		0.59	279	570	4.4	18.5	<0.001	0.06	6.10	8.4	0.5	1.1	72.9	<0.01	0.07	0.6
11JP060		0.77	82.5	600	6.4	6.6	0.001	0.06	2.08	7.1	0.3	0.9	63.0	<0.01	0.04	0.9
11JP061		0.67	245	550	6.4	20.2	<0.001	0.08	5.61	9.9	0.8	1.2	88.3	<0.01	0.68	1.0
11JP062		0.89	59.1	510	6.6	11.4	<0.001	0.07	2.11	5.0	0.3	0.7	50.6	<0.01	0.13	0.7
11JP063		0.77	47.5	890	7.7	10.2	0.001	0.09	2.14	5.4	0.8	0.6	43.0	<0.01	0.05	0.5
11JP064		1.01	35.9	780	7.3	7.6	<0.001	0.09	1.95	6.7	0.7	0.8	53.7	<0.01	0.05	0.6
11JP065		0.79	43.7	860	5.0	8.3	0.001	0.11	1.25	5.8	0.6	0.6	54.3	<0.01	0.03	0.5
11JP066		0.85	36.9	870	6.0	9.3	<0.001	0.09	1.36	6.8	0.8	0.7	58.7	<0.01	0.04	0.7
11JP067		1.95	152.5	710	5.3	38.8	<0.001	0.06	3.45	10.1	0.9	0.9	54.4	<0.01	0.05	3.6
11JP068		0.87	42.7	800	7.5	13.3	0.001	0.07	1.81	6.4	0.5	0.8	36.9	<0.01	0.05	0.8
11JP069		0.68	46.6	800	6.5	9.6	<0.001	0.10	1.82	3.9	0.4	0.7	96.7	<0.01	0.04	0.5
11JP070		0.75	38.9	840	7.3	10.0	<0.001	0.11	3.03	4.4	0.5	0.8	42.7	<0.01	0.07	0.6
11JP071		1.06	58.1	660	6.8	14.8	<0.001	0.09	3.05	6.8	0.4	0.9	63.9	<0.01	0.13	1.0
11JP072		0.87	63.0	830	7.4	9.8	<0.001	0.09	1.87	5.7	0.4	0.7	48.2	<0.01	0.06	0.7
11JP073		0.83	76.1	890	6.4	10.0	0.001	0.09	1.83	5.3	0.7	0.6	49.6	<0.01	0.16	0.6
11JP074		0.90	49.7	790	6.0	7.3	<0.001	0.09	0.97	5.8	0.7	0.7	49.3	<0.01	0.03	0.6
11NG001		0.72	41.5	650	9.7	7.1	<0.001	0.07	2.32	10.1	0.4	0.8	54.6	<0.01	0.02	0.8
11NG002		0.51	46.0	770	11.8	7.6	<0.001	0.05	4.14	18.0	0.8	0.7	41.9	<0.01	0.01	0.9
11NG003		0.74	31.2	840	7.2	6.1	0.001	0.10	1.17	6.7	0.6	0.6	50.0	<0.01	0.02	0.5
11NG004		0.43	38.9	680	5.9	5.3	<0.001	0.05	3.18	14.4	0.5	0.5	64.9	<0.01	0.01	0.8
11NG005		0.75	28.1	800	6.0	7.0	<0.001	0.10	0.90	4.1	0.7	0.6	52.9	<0.01	0.03	0.5
11NG006		0.74	38.3	670	6.1	6.5	<0.001	0.06	1.36	6.6	0.6	0.6	151.0	<0.01	0.02	0.8
11NG007		0.66	36.3	760	6.7	7.7	<0.001	0.07	2.13	6.7	0.4	0.6	47.0	<0.01	0.03	0.4
11NG008		0.66	20.4	690	5.8	4.4	<0.001	0.08	0.70	2.6	0.3	0.5	33.6	<0.01	0.02	0.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-NOV-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
11JP043		0.077	0.21	0.54	80	0.11	6.76	63	2.6
11JP044		0.077	0.10	0.58	75	0.13	8.39	59	1.5
11JP045		0.112	0.10	0.51	91	0.10	9.86	62	2.0
11JP046		0.084	0.24	1.45	97	0.16	9.94	69	1.5
11JP047		0.097	0.26	1.47	111	0.20	8.88	76	0.9
11JP048		0.097	0.13	0.71	85	0.16	7.29	85	1.1
11JP049		0.138	0.17	0.59	103	0.16	8.09	78	1.7
11JP050		0.117	0.14	0.77	93	0.17	8.11	80	1.5
11JP051		0.111	0.18	0.64	78	0.15	5.82	72	1.2
11JP052		0.047	0.25	1.24	54	0.17	20.4	66	1.4
11JP053		0.103	0.52	1.02	65	0.22	16.10	65	2.9
11JP054		0.027	0.22	1.22	61	0.07	13.35	64	2.5
11JP055		0.093	0.26	0.70	114	0.12	15.10	62	2.1
11JP056		0.125	0.37	0.71	115	0.17	12.45	65	1.4
11JP057		0.112	0.15	0.71	125	0.15	13.85	49	2.3
11JP058		0.088	0.12	0.61	92	0.47	5.25	70	1.1
11JP059		0.114	0.29	0.44	105	0.14	6.30	54	1.3
11JP060		0.086	0.09	0.62	101	0.14	5.98	62	1.2
11JP061		0.129	0.36	0.77	111	0.19	9.11	59	2.0
11JP062		0.072	0.15	0.52	76	0.13	5.19	61	1.2
11JP063		0.069	0.14	0.68	93	0.12	7.97	70	1.0
11JP064		0.068	0.10	0.69	92	0.29	10.85	66	1.4
11JP065		0.072	0.10	0.60	80	1.44	9.37	65	1.7
11JP066		0.069	0.10	0.72	85	0.11	11.25	66	1.7
11JP067		0.172	0.55	1.23	127	0.14	11.00	53	1.6
11JP068		0.116	0.22	0.77	104	0.12	10.25	70	1.2
11JP069		0.090	0.14	0.62	80	0.14	6.47	73	1.2
11JP070		0.083	0.13	0.68	95	0.12	5.26	73	1.0
11JP071		0.133	0.27	0.62	103	0.13	6.69	66	1.6
11JP072		0.080	0.12	0.80	94	0.11	8.23	74	1.3
11JP073		0.082	0.13	0.70	85	0.19	10.05	80	1.3
11JP074		0.084	0.09	0.68	84	0.10	10.25	65	1.6
11NG001		0.081	0.10	0.51	100	0.10	9.68	69	1.9
11NG002		0.067	0.09	0.53	124	0.14	15.30	78	1.9
11NG003		0.078	0.08	0.64	90	0.12	10.05	70	1.5
11NG004		0.056	0.07	0.29	108	0.09	11.90	56	2.7
11NG005		0.083	0.08	0.59	77	0.10	6.70	68	1.3
11NG006		0.098	0.09	0.53	100	0.13	6.98	63	1.4
11NG007		0.075	0.09	0.49	99	0.21	5.09	77	0.8
11NG008		0.070	0.08	0.55	64	0.09	4.75	53	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
11NG009		0.40	0.006	0.09	1.68	12.4	<0.2	<10	140	0.22	0.15	0.77	0.22	18.65	14.9	31
11NG010		0.46	0.006	0.17	1.80	28.2	<0.2	<10	170	0.66	1.34	0.65	0.20	20.6	14.4	37
11NG011		0.62	0.011	0.26	2.46	14.5	<0.2	<10	140	0.39	0.19	1.09	0.23	17.35	19.4	51
11NG012		0.46	0.011	0.19	2.15	14.3	<0.2	<10	120	0.43	0.17	0.96	0.21	21.3	17.3	37
11NG013		0.58	0.009	0.22	2.32	19.2	<0.2	<10	140	0.42	0.16	0.88	0.26	21.2	16.9	43
11NG014		0.49	0.008	0.08	1.80	9.6	<0.2	<10	140	0.28	0.11	0.83	0.23	17.85	14.0	33
11NG015		0.73	0.008	0.06	2.83	13.0	<0.2	<10	150	0.39	0.18	0.65	0.13	23.1	15.5	46
11NG016		0.52	0.009	0.12	2.14	12.3	<0.2	<10	140	0.38	0.17	0.74	0.28	22.7	15.0	38
11NG017		0.86	0.023	0.45	3.04	68.6	<0.2	<10	150	0.34	4.80	1.00	2.62	13.90	35.8	97
11NG018		0.47	0.017	0.75	1.84	272	<0.2	<10	100	0.27	2.21	0.96	0.71	15.50	23.2	47
11NG019		0.52	0.007	0.13	1.91	25.6	<0.2	<10	80	0.28	0.23	0.99	0.18	15.30	14.4	38
11NG020		0.67	0.010	0.15	2.41	19.0	<0.2	<10	120	0.34	0.16	1.00	0.15	18.15	23.4	98
11NG021		0.72	0.018	0.23	3.47	84.5	<0.2	<10	130	0.29	1.65	1.24	0.13	17.20	18.4	106
11NG022		0.70	0.007	0.10	2.60	37.1	<0.2	<10	270	0.41	0.28	0.92	0.15	17.35	16.4	54
11NG023		0.69	0.012	0.28	2.99	86.4	<0.2	<10	160	0.45	0.83	1.24	0.20	23.1	22.1	84
11NG024		0.81	0.012	0.17	3.03	65.5	<0.2	<10	240	0.44	0.43	1.06	0.14	19.90	24.5	84
11NG025		0.42	0.014	0.42	2.68	276	<0.2	<10	260	0.68	2.27	1.10	0.22	26.7	23.8	79
11NG026		0.48	0.008	0.12	1.85	122.5	<0.2	<10	200	0.38	0.53	0.64	0.22	18.35	17.4	63
11NG027		0.56	0.013	0.11	2.43	104.5	<0.2	<10	300	0.47	0.65	0.70	0.19	19.35	22.3	105
11NG028		0.39	0.009	0.08	1.74	14.4	<0.2	<10	160	0.33	0.17	0.78	0.25	19.30	15.1	52
11NG029		0.39	0.013	0.14	1.90	19.6	<0.2	<10	210	0.45	0.52	1.00	0.19	18.95	29.4	44
11NG030		0.52	0.015	0.40	2.22	196.0	<0.2	<10	150	0.45	2.31	0.69	0.20	20.9	18.0	54
11NG031		0.74	0.007	0.15	4.00	61.0	<0.2	<10	420	0.52	0.59	0.88	0.10	13.60	26.6	132
11NG032		0.46	0.010	0.13	2.16	78.3	<0.2	<10	170	0.47	1.45	0.84	0.21	20.2	19.9	83
11NG033		0.66	0.021	0.28	2.76	338	<0.2	<10	420	0.60	3.20	0.72	0.15	31.7	23.7	105
11NG034		0.46	0.013	0.11	2.66	100.5	<0.2	<10	230	0.59	1.03	0.56	0.14	19.25	22.7	88
11NG035		0.67	0.006	0.13	2.69	18.0	<0.2	<10	170	0.42	0.25	0.90	0.20	23.1	17.8	53
11NG036		0.54	0.013	0.35	3.34	107.0	<0.2	<10	340	0.88	1.37	1.13	0.15	23.7	41.8	110
11NG037		0.67	<0.005	0.09	2.96	38.1	<0.2	<10	120	0.46	0.25	1.26	0.20	17.75	26.8	70
11NG038		0.48	0.040	0.34	3.10	733	<0.2	<10	350	0.77	3.88	1.26	0.15	22.0	67.6	82
11NG039		0.70	0.097	0.08	1.64	411	<0.2	<10	420	0.43	1.40	0.40	0.09	30.6	15.3	33
11NG040		0.58	0.035	0.51	2.66	463	<0.2	<10	150	0.47	2.85	1.43	0.28	19.70	31.7	96
11NG041		0.76	0.091	0.48	4.85	279	<0.2	<10	130	0.25	2.22	1.45	0.21	6.87	42.9	239
11NG042		0.73	0.008	0.29	3.17	107.5	<0.2	<10	150	0.51	0.78	1.03	0.21	26.2	21.0	61
11NG043		0.65	0.017	0.21	3.43	57.9	<0.2	<10	130	0.42	0.40	0.97	0.22	19.85	29.4	103
11NG044		0.64	0.010	0.14	4.77	68.7	<0.2	<10	120	0.27	0.77	1.31	0.17	14.50	38.0	112
11NG045		0.68	0.009	2.04	3.79	76.7	<0.2	<10	170	0.48	2.10	0.76	0.70	15.05	25.6	104
11NG046		0.78	0.008	0.23	4.60	39.5	<0.2	<10	110	0.28	0.49	1.24	0.13	10.80	28.9	103
11NG047		0.66	0.045	0.22	4.17	107.5	<0.2	<10	120	0.39	0.63	1.17	0.17	11.85	33.5	129
11NG048		0.73	0.217	0.67	4.14	246	<0.2	<10	120	0.30	4.86	1.27	0.21	12.25	43.3	145



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11NG009		1.02	34.5	2.82	4.99	0.11	0.03	0.08	0.022	0.07	8.7	8.3	0.60	730	1.28
11NG010		2.55	49.0	3.28	7.45	0.09	0.02	0.03	0.021	0.09	9.7	15.5	0.52	491	1.55
11NG011		1.60	45.3	3.39	7.05	0.10	0.03	0.04	0.027	0.05	7.4	11.9	0.90	709	1.11
11NG012		1.22	85.7	3.47	6.90	0.10	0.04	0.04	0.030	0.04	10.7	10.9	0.70	616	1.38
11NG013		1.93	44.5	3.83	6.82	0.09	0.03	0.04	0.035	0.06	8.0	12.1	0.87	700	1.14
11NG014		0.99	32.6	3.17	5.46	0.09	0.03	0.05	0.024	0.05	7.4	9.0	0.65	609	1.14
11NG015		1.30	50.0	3.77	7.16	0.11	0.09	0.01	0.031	0.06	6.6	13.5	0.94	541	0.57
11NG016		1.11	35.5	3.81	6.29	0.09	0.03	0.03	0.031	0.06	9.2	11.3	0.75	644	1.54
11NG017		4.66	63.0	4.40	8.09	0.14	0.08	0.04	0.107	0.07	5.3	17.7	2.19	686	0.60
11NG018		2.59	110.0	3.56	5.37	0.09	0.03	0.04	0.046	0.05	7.1	11.6	0.76	706	1.19
11NG019		2.25	50.1	3.15	5.70	0.11	0.03	0.03	0.034	0.05	6.8	10.7	0.77	504	0.69
11NG020		2.60	50.2	3.30	5.88	0.09	0.04	0.11	0.027	0.06	6.9	12.2	1.43	511	0.98
11NG021		3.81	82.9	3.58	7.14	0.10	0.08	0.02	0.031	0.07	7.4	15.4	1.65	425	0.87
11NG022		2.74	61.8	3.71	6.72	0.11	0.04	0.02	0.026	0.10	7.5	14.8	1.00	517	0.86
11NG023		2.48	79.1	3.69	7.41	0.10	0.06	0.03	0.033	0.07	11.7	16.3	1.30	537	0.86
11NG024		2.80	88.5	3.79	7.81	0.11	0.05	0.03	0.032	0.12	10.1	18.5	1.45	493	0.91
11NG025		5.34	124.5	4.11	8.30	0.12	0.04	0.05	0.029	0.17	14.7	25.7	1.12	652	1.73
11NG026		2.81	41.2	3.53	6.75	0.10	0.02	0.05	0.030	0.10	8.6	15.8	0.91	710	1.34
11NG027		5.82	42.2	4.34	9.23	0.11	0.03	0.04	0.035	0.28	8.7	20.0	1.37	814	1.52
11NG028		1.29	29.8	3.39	5.94	0.09	0.02	0.07	0.027	0.08	9.1	11.6	0.76	636	1.24
11NG029		3.47	96.2	4.19	6.57	0.10	0.04	0.06	0.037	0.09	7.7	12.6	0.81	907	1.24
11NG030		4.31	104.0	4.63	7.48	0.10	0.04	0.04	0.033	0.06	9.5	15.2	0.91	753	1.25
11NG031		19.10	154.5	8.17	12.45	0.16	0.06	0.03	0.023	1.17	6.1	30.6	2.60	638	1.44
11NG032		4.53	62.9	4.12	7.56	0.10	0.03	0.04	0.029	0.11	9.8	19.3	1.06	616	1.23
11NG033		6.66	121.5	5.07	9.24	0.14	0.03	0.03	0.037	0.27	14.4	30.9	1.71	688	2.06
11NG034		3.84	64.3	4.56	8.79	0.10	0.03	0.03	0.030	0.11	8.6	23.5	1.15	502	1.38
11NG035		3.77	51.7	3.88	6.83	0.10	0.04	0.04	0.026	0.07	8.8	14.6	0.98	763	1.24
11NG036		7.70	209	5.99	10.75	0.14	0.04	0.04	0.057	0.20	11.7	29.2	1.90	1260	1.62
11NG037		2.25	113.0	4.33	7.66	0.12	0.05	0.02	0.030	0.07	6.3	22.9	1.39	800	1.14
11NG038		6.81	207	5.25	10.05	0.13	0.05	0.02	0.046	0.17	10.0	25.7	1.64	782	1.42
11NG039		2.04	118.0	3.50	6.52	0.11	0.02	0.01	0.025	0.08	13.7	22.9	0.75	783	1.42
11NG040		3.41	219	4.16	7.38	0.10	0.05	0.04	0.046	0.09	10.2	19.2	1.67	547	1.05
11NG041		8.45	298	4.31	9.64	0.09	0.06	0.01	0.050	0.24	3.4	26.6	3.14	338	0.39
11NG042		3.13	89.5	4.00	7.87	0.10	0.05	0.02	0.031	0.09	9.5	14.8	1.16	634	1.11
11NG043		4.92	103.0	4.19	8.07	0.09	0.04	0.02	0.032	0.09	8.6	17.3	1.85	677	0.97
11NG044		4.28	62.8	3.48	9.15	0.09	0.07	0.02	0.029	0.13	5.3	18.4	2.27	505	0.57
11NG045		3.32	389	4.37	8.27	0.09	0.06	0.02	0.055	0.07	6.7	15.5	1.65	588	0.76
11NG046		5.21	109.0	3.56	8.80	0.09	0.08	0.01	0.026	0.09	4.4	17.4	2.02	366	0.40
11NG047		3.74	146.5	3.79	7.37	0.09	0.08	0.01	0.023	0.06	5.4	20.8	2.04	405	0.48
11NG048		4.80	302	3.91	7.75	0.09	0.08	0.02	0.054	0.09	6.5	20.0	1.97	349	0.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH1122541

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
11NG009		0.66	25.1	840	5.3	6.9	<0.001	0.10	0.71	3.2	0.5	0.5	83.0	<0.01	0.03	0.4
11NG010		1.41	28.3	800	5.9	13.0	<0.001	0.10	1.04	3.0	0.6	0.7	54.8	<0.01	0.03	0.5
11NG011		0.78	37.7	840	6.9	6.1	<0.001	0.08	1.11	5.8	0.6	0.6	65.9	<0.01	0.02	0.5
11NG012		0.81	28.5	990	6.9	7.4	0.001	0.11	0.80	4.5	0.4	0.6	46.2	<0.01	0.03	0.4
11NG013		0.68	37.0	800	9.8	7.5	<0.001	0.10	1.80	6.4	0.5	0.6	58.5	<0.01	0.03	0.5
11NG014		0.65	29.5	710	5.2	6.6	<0.001	0.11	1.04	3.5	0.4	0.5	51.1	<0.01	0.03	0.3
11NG015		0.96	40.9	310	5.9	7.0	<0.001	0.05	0.82	7.0	0.3	0.6	58.0	<0.01	0.03	1.4
11NG016		0.61	31.3	790	6.5	8.6	<0.001	0.11	0.73	3.4	0.3	0.6	40.5	<0.01	0.03	0.4
11NG017		0.50	112.0	430	16.0	9.1	<0.001	0.05	6.18	12.2	0.2	2.1	83.1	<0.01	0.03	0.8
11NG018		0.56	35.4	740	14.3	8.2	<0.001	0.10	2.97	5.2	0.5	1.0	42.5	<0.01	0.05	0.4
11NG019		0.52	29.8	680	4.8	6.8	<0.001	0.09	1.13	6.0	0.3	0.8	37.9	<0.01	0.03	0.4
11NG020		0.68	232	610	5.5	8.7	<0.001	0.09	1.27	4.9	0.4	0.6	48.0	<0.01	0.02	0.5
11NG021		0.53	121.5	590	4.8	13.0	<0.001	0.07	2.29	6.7	0.4	0.8	56.9	<0.01	0.05	1.1
11NG022		0.89	42.0	490	4.7	9.2	<0.001	0.06	1.43	6.0	0.4	0.6	80.4	<0.01	0.02	0.9
11NG023		0.75	96.5	740	7.3	11.2	<0.001	0.09	2.15	7.1	0.5	0.7	60.7	<0.01	0.04	1.0
11NG024		1.08	117.0	780	4.9	15.3	<0.001	0.08	1.73	7.2	0.5	0.7	58.7	<0.01	0.03	1.1
11NG025		1.45	65.3	910	7.1	19.5	<0.001	0.13	2.46	6.2	0.9	0.9	74.9	<0.01	0.06	1.6
11NG026		0.73	46.9	600	5.7	12.6	<0.001	0.10	2.05	4.3	0.4	0.6	39.8	<0.01	0.03	0.6
11NG027		1.02	62.6	780	6.0	25.9	<0.001	0.08	2.48	7.1	0.2	1.1	44.3	<0.01	0.05	1.0
11NG028		0.81	37.4	690	5.8	9.5	<0.001	0.12	0.83	3.3	0.4	0.5	41.9	<0.01	0.03	0.4
11NG029		0.67	44.4	820	5.3	9.7	<0.001	0.15	2.86	5.7	0.7	0.8	83.7	<0.01	0.04	0.4
11NG030		0.72	38.8	710	14.2	9.3	<0.001	0.09	4.06	7.0	0.6	1.0	36.4	<0.01	0.05	0.7
11NG031		0.70	69.4	650	4.8	129.0	<0.001	0.12	3.80	17.1	0.8	1.6	69.6	<0.01	0.03	1.0
11NG032		0.84	58.1	840	5.8	13.3	<0.001	0.13	2.08	5.0	0.7	0.8	50.7	<0.01	0.06	0.6
11NG033		1.04	83.5	590	6.5	23.2	<0.001	0.10	3.52	9.6	1.0	1.0	73.4	<0.01	0.07	3.0
11NG034		1.56	70.2	500	6.3	14.1	<0.001	0.08	2.87	5.6	0.4	0.9	47.7	<0.01	0.05	1.2
11NG035		0.75	44.7	680	7.4	8.4	<0.001	0.09	0.95	4.7	0.5	0.6	45.1	<0.01	0.03	0.7
11NG036		0.85	80.0	810	6.6	22.8	<0.001	0.14	4.77	14.3	0.8	1.5	73.5	<0.01	0.07	0.9
11NG037		0.71	41.9	660	4.6	6.6	<0.001	0.10	1.96	7.9	0.5	0.6	135.0	<0.01	0.03	0.4
11NG038		0.85	67.7	690	8.1	19.9	<0.001	0.13	4.27	9.6	1.2	1.3	89.3	<0.01	0.15	1.0
11NG039		0.49	37.3	510	5.3	9.5	<0.001	0.10	6.02	2.9	0.8	0.4	33.2	<0.01	0.25	1.6
11NG040		0.53	93.7	780	4.6	13.8	<0.001	0.13	5.39	7.3	1.0	1.0	64.5	<0.01	0.32	0.6
11NG041		0.22	154.5	340	3.3	43.1	<0.001	0.07	3.92	8.3	0.7	1.4	85.1	<0.01	0.10	0.5
11NG042		0.73	75.3	780	6.2	10.6	<0.001	0.09	2.08	5.5	0.7	0.7	90.8	<0.01	0.05	0.8
11NG043		0.53	70.4	750	5.4	17.0	<0.001	0.09	1.69	5.4	0.5	0.8	57.6	<0.01	0.05	0.6
11NG044		0.36	87.0	480	3.9	14.7	<0.001	0.06	1.73	5.8	0.5	1.4	130.0	<0.01	0.04	0.8
11NG045		0.59	69.5	490	9.9	13.6	<0.001	0.07	2.12	9.4	0.4	1.1	90.1	<0.01	0.08	0.9
11NG046		0.43	97.1	270	3.6	15.5	<0.001	0.05	2.38	5.5	0.2	0.6	119.5	<0.01	0.02	0.8
11NG047		0.33	102.0	320	3.8	11.4	<0.001	0.06	7.23	9.3	0.5	0.5	46.1	<0.01	0.11	0.8
11NG048		0.35	95.6	390	4.7	16.2	<0.001	0.06	5.91	8.8	0.5	0.7	77.8	<0.01	0.33	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-NOV-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
11NG009		0.074	0.07	0.56	62	0.11	6.50	74
11NG010		0.069	0.13	0.93	71	0.14	5.80	54
11NG011		0.081	0.08	0.54	89	0.19	7.00	61
11NG012		0.068	0.09	0.70	81	0.12	9.22	68
11NG013		0.084	0.09	0.59	92	0.10	7.32	72
11NG014		0.082	0.06	0.50	72	0.09	5.51	65
11NG015		0.147	0.07	0.36	92	0.12	4.79	58
11NG016		0.076	0.08	0.59	79	0.12	6.02	76
11NG017		0.105	0.21	0.30	110	0.53	7.63	174
11NG018		0.059	0.12	0.55	71	0.13	7.01	74
11NG019		0.065	0.08	0.50	76	0.09	7.39	54
11NG020		0.085	0.12	0.51	72	0.08	6.07	56
11NG021		0.075	0.20	0.65	72	0.15	7.87	52
11NG022		0.135	0.13	0.56	98	0.10	7.48	58
11NG023		0.081	0.13	1.05	83	0.42	12.15	65
11NG024		0.121	0.21	0.70	93	0.11	10.20	69
11NG025		0.092	0.20	1.44	87	0.17	11.15	68
11NG026		0.088	0.15	0.78	77	0.10	5.66	77
11NG027		0.136	0.28	0.80	108	0.15	5.92	74
11NG028		0.080	0.08	0.64	70	0.19	5.97	82
11NG029		0.099	0.17	0.53	89	0.19	8.37	71
11NG030		0.115	0.15	0.65	111	0.19	8.46	69
11NG031		0.309	2.58	0.64	185	0.20	11.65	57
11NG032		0.096	0.17	0.77	92	0.17	7.02	75
11NG033		0.121	0.26	1.68	104	0.17	8.44	74
11NG034		0.135	0.15	0.66	105	0.20	5.32	68
11NG035		0.117	0.10	0.61	86	0.11	6.37	73
11NG036		0.173	0.39	0.76	138	0.22	15.60	74
11NG037		0.206	0.09	0.62	114	0.28	9.23	63
11NG038		0.148	0.33	0.73	123	0.17	11.05	62
11NG039		0.052	0.16	0.88	56	0.09	4.92	50
11NG040		0.089	0.26	0.55	94	0.12	11.35	58
11NG041		0.056	0.62	0.32	67	0.31	4.52	43
11NG042		0.095	0.14	0.65	88	0.09	7.77	61
11NG043		0.070	0.27	0.55	78	0.08	6.29	63
11NG044		0.055	0.25	0.36	69	0.07	4.52	50
11NG045		0.080	0.22	0.44	100	0.14	6.01	70
11NG046		0.061	0.31	0.26	58	0.09	3.80	48
11NG047		0.031	0.17	0.30	58	0.07	6.42	43
11NG048		0.039	0.24	0.36	58	1.55	6.20	52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-NOV-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
11NG049		0.52	0.120	0.78	2.77	206	<0.2	<10	130	0.36	5.25	1.16	0.30	18.15	32.2	81
11NG050		0.67	0.051	1.16	3.22	113.0	<0.2	<10	150	0.29	5.47	0.86	0.25	15.65	23.9	111
11NG051		0.48	0.025	0.47	2.50	89.6	<0.2	<10	120	0.36	1.97	0.74	0.27	17.85	20.2	63
11NG052		0.56	0.009	0.52	2.65	52.5	<0.2	<10	150	0.40	1.12	0.93	0.24	20.7	20.0	54
11NG053		0.58	0.017	0.28	2.78	86.3	<0.2	<10	170	0.38	1.10	0.78	0.20	19.00	22.9	66
11NG054		0.66	0.007	0.19	2.62	29.7	<0.2	<10	170	0.35	0.35	1.02	0.22	19.35	17.7	49
11NG055		0.66	0.008	0.17	2.50	22.9	<0.2	<10	160	0.35	0.20	1.04	0.13	19.05	16.1	44
11NG056		0.48	0.006	0.13	1.83	22.9	<0.2	<10	120	0.26	0.23	0.82	0.24	13.90	13.3	36
11NG066		0.66	0.012	1.54	3.33	98.3	<0.2	<10	140	0.35	2.10	0.97	1.19	17.00	42.0	79
11NG067		0.63	0.010	0.21	2.34	123.0	<0.2	<10	160	0.87	0.98	0.60	0.21	25.9	17.2	47
11NG068		0.68	0.049	0.07	3.24	84.7	<0.2	<10	220	0.60	0.50	0.56	0.14	24.7	25.1	184
11NG069		0.79	0.042	0.10	2.92	296	<0.2	<10	190	0.60	0.59	0.64	0.13	28.6	31.9	150
11NG070		0.81	0.036	0.05	2.83	76.0	<0.2	<10	170	0.62	0.28	0.41	0.16	39.6	22.5	120
11NG071		0.80	0.013	0.10	4.07	87.3	<0.2	<10	180	0.62	0.55	0.64	0.08	31.5	33.8	487
11NG072		0.55	0.005	0.10	1.69	13.2	<0.2	<10	190	0.38	0.14	1.54	0.43	26.3	15.5	48
11NG073		0.86	0.025	0.24	2.88	35.3	<0.2	<10	140	0.31	0.74	1.24	0.32	19.25	32.7	51
11NG074		0.43	<0.005	0.08	1.77	12.2	<0.2	<10	150	0.35	0.19	0.93	0.27	23.8	17.0	34
11NG065		0.67	0.017	2.36	3.55	124.0	<0.2	<10	130	0.31	4.07	0.96	2.03	18.50	68.4	79
11JP075		0.42	0.006	0.19	2.47	28.1	<0.2	<10	180	0.32	0.21	1.26	0.19	19.85	14.9	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
11NG049		3.08	496	3.48	6.78	0.08	0.08	0.05	0.074	0.06	10.3	14.6	1.16	420	0.92
11NG050		3.22	360	3.74	7.45	0.08	0.10	0.04	0.064	0.05	8.2	18.9	1.57	372	0.57
11NG051		2.28	182.0	3.46	6.62	0.07	0.06	0.05	0.043	0.04	9.3	12.7	0.95	518	0.92
11NG052		2.06	103.0	3.70	7.26	0.08	0.05	0.04	0.040	0.04	10.0	12.2	0.92	700	1.04
11NG053		2.60	99.8	3.68	7.19	0.07	0.05	0.04	0.037	0.04	8.9	13.0	1.02	627	1.04
11NG054		1.84	51.8	3.25	6.70	0.08	0.05	0.05	0.030	0.05	8.6	10.9	0.81	592	1.00
11NG055		1.85	44.7	3.28	7.01	0.08	0.05	0.03	0.029	0.05	9.3	10.3	0.80	616	0.95
11NG056		1.34	32.1	2.87	6.00	0.06	0.03	0.03	0.025	0.05	6.6	8.6	0.60	484	1.08
11NG066		3.68	1190	4.30	8.74	0.10	0.11	0.05	0.070	0.05	9.3	13.9	1.48	550	1.27
11NG067		3.04	56.2	3.15	7.42	0.09	0.15	0.03	0.044	0.07	9.0	25.2	0.90	648	0.87
11NG068		5.34	47.0	3.74	10.25	0.10	0.04	0.02	0.027	0.18	11.3	25.4	2.10	527	1.05
11NG069		3.99	57.0	3.67	9.19	0.10	0.03	0.02	0.029	0.10	13.6	25.3	1.77	556	1.08
11NG070		3.97	41.9	4.05	8.42	0.10	0.04	0.02	0.027	0.16	14.8	29.7	1.49	595	1.25
11NG071		11.10	71.2	4.41	12.70	0.18	0.08	0.03	0.030	0.50	16.1	55.5	4.24	330	1.02
11NG072		0.61	49.3	3.11	4.99	0.08	0.07	0.02	0.025	0.07	13.3	10.3	0.65	500	1.04
11NG073		3.23	100.0	3.51	6.54	0.10	0.10	0.06	0.031	0.09	8.9	11.5	1.29	712	1.10
11NG074		0.85	36.8	3.21	5.13	0.08	0.06	0.06	0.029	0.06	11.0	8.7	0.77	683	1.25
11NG065		4.67	1235	6.19	9.04	0.11	0.12	0.04	0.155	0.06	9.6	15.3	1.54	823	1.85
11JP075		1.44	44.8	3.19	6.15	0.08	0.06	0.03	0.029	0.05	8.7	10.3	0.81	508	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
11NG049		0.74	53.5	760	6.4	12.4	<0.001	0.08	3.85	7.3	0.9	0.8	45.9	<0.01	0.25	0.7
11NG050		0.60	59.0	540	8.7	10.1	<0.001	0.04	3.67	11.1	0.8	1.0	59.3	<0.01	0.13	0.9
11NG051		0.80	40.7	640	8.7	7.4	<0.001	0.06	1.95	6.5	0.7	0.7	44.7	<0.01	0.09	0.7
11NG052		0.78	39.5	820	8.7	10.0	<0.001	0.06	1.63	5.7	0.7	0.7	43.1	0.01	0.06	0.5
11NG053		0.73	44.5	710	7.7	10.8	<0.001	0.06	1.73	5.5	0.7	0.8	45.6	<0.01	0.10	0.6
11NG054		0.83	35.4	830	5.7	9.2	<0.001	0.07	1.06	5.4	0.7	0.5	56.7	<0.01	0.05	0.5
11NG055		0.88	30.7	750	5.8	8.3	<0.001	0.05	0.95	6.1	0.7	0.5	57.7	<0.01	0.05	0.6
11NG056		0.79	25.3	650	6.0	9.3	<0.001	0.06	0.78	3.6	0.6	0.5	52.5	<0.01	0.04	0.4
11NG066		0.57	70.2	590	8.0	12.5	<0.001	0.04	7.13	10.4	0.9	1.5	47.3	<0.01	0.08	1.2
11NG067		3.57	31.7	530	35.7	22.1	<0.001	0.04	2.11	4.5	1.2	1.5	34.6	0.02	0.05	3.1
11NG068		1.29	131.0	580	5.7	25.0	<0.001	0.04	2.14	6.3	0.7	0.6	42.6	<0.01	0.09	1.4
11NG069		0.97	113.5	690	5.9	20.0	<0.001	0.05	3.12	5.7	0.8	0.6	38.1	<0.01	0.13	1.0
11NG070		1.21	94.2	620	7.9	28.4	<0.001	0.04	3.34	6.0	0.6	0.6	27.5	<0.01	0.05	2.8
11NG071		1.09	285	680	3.9	72.0	<0.001	0.03	4.22	12.0	1.3	0.6	33.0	<0.01	0.06	4.5
11NG072		1.25	48.9	800	6.9	8.5	<0.001	0.05	0.81	4.4	1.3	0.4	54.5	0.01	0.04	1.1
11NG073		0.50	51.7	970	7.8	6.1	<0.001	0.05	1.60	7.3	0.8	0.5	91.1	0.01	0.06	1.6
11NG074		0.87	34.5	1010	6.7	8.3	<0.001	0.09	0.79	4.7	0.8	0.5	49.3	0.01	0.05	1.0
11NG065		0.43	123.5	570	11.0	12.5	<0.001	0.04	13.60	12.3	1.1	3.0	47.1	<0.01	0.08	1.7
11JP075		0.84	43.8	720	5.2	8.3	<0.001	0.06	1.15	5.8	0.7	0.6	56.7	<0.01	0.05	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-NOV-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
11NG049		0.058	0.14	0.66	71	0.12	11.55	70	2.4
11NG050		0.059	0.13	0.54	90	0.13	12.05	67	2.8
11NG051		0.058	0.12	0.57	80	0.44	10.85	65	1.8
11NG052		0.063	0.12	0.71	86	0.11	10.60	76	1.4
11NG053		0.065	0.13	0.63	80	0.12	8.51	73	1.4
11NG054		0.066	0.09	0.59	79	0.16	8.84	63	1.5
11NG055		0.071	0.08	0.60	83	0.12	9.77	54	1.6
11NG056		0.067	0.07	0.54	72	0.12	5.15	66	0.9
11NG066		0.046	0.15	0.62	76	0.14	12.55	71	3.3
11NG067		0.061	0.20	4.54	70	0.22	51.3	135	1.4
11NG068		0.140	0.32	0.70	112	0.12	7.88	59	1.3
11NG069		0.110	0.26	0.95	97	0.11	10.75	64	0.9
11NG070		0.120	0.33	0.83	94	0.11	7.11	68	1.5
11NG071		0.194	1.03	1.27	135	0.08	13.20	37	3.1
11NG072		0.073	0.06	1.38	61	0.19	11.20	81	2.4
11NG073		0.110	0.08	0.62	80	0.08	11.75	71	3.6
11NG074		0.089	0.08	0.76	70	0.16	10.05	86	2.2
11NG065		0.045	0.18	0.65	79	0.62	11.85	99	3.3
11JP075		0.072	0.08	0.58	76	0.10	9.24	62	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-NOV-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11222541

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).