



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 5-DEC-2011
Account: TARCAP

CERTIFICATE WH11223560

Project: White River

P.O. No.:

This report is for 164 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25-OCT-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| 11LF209 | | 0.82 | 0.005 | 0.18 | 2.82 | 14.5 | <0.2 | <10 | 140 | 0.38 | 0.47 | 0.59 | 0.18 | 21.4 | 18.8 | 55 |
| 11LF210 | | 0.73 | 0.005 | 0.20 | 1.99 | 13.4 | <0.2 | <10 | 120 | 0.37 | 0.27 | 0.74 | 0.33 | 20.8 | 20.9 | 40 |
| 11LF211 | | 0.70 | 0.005 | 0.29 | 2.20 | 21.2 | <0.2 | <10 | 90 | 0.45 | 0.27 | 0.96 | 0.19 | 21.3 | 29.8 | 44 |
| 11LF212 | | 0.67 | 0.007 | 0.34 | 2.02 | 20.1 | <0.2 | <10 | 90 | 0.41 | 0.39 | 0.78 | 0.22 | 22.2 | 35.5 | 46 |
| 11LF213 | | 0.56 | <0.005 | 0.25 | 1.98 | 14.3 | <0.2 | <10 | 100 | 0.46 | 0.33 | 0.81 | 0.20 | 21.4 | 25.9 | 38 |
| 11LF214 | | 0.44 | 0.005 | 0.15 | 1.42 | 9.1 | <0.2 | <10 | 100 | 0.29 | 0.20 | 0.65 | 0.24 | 17.30 | 18.6 | 30 |
| 11LF215 | | 0.50 | <0.005 | 0.11 | 1.13 | 9.2 | <0.2 | <10 | 100 | 0.22 | 0.18 | 0.49 | 0.15 | 13.90 | 12.3 | 28 |
| 11LF216 | | 0.74 | 0.005 | 0.38 | 2.03 | 46.0 | <0.2 | <10 | 110 | 0.44 | 0.29 | 0.91 | 0.25 | 23.4 | 25.3 | 39 |
| 11LF217 | | 0.66 | <0.005 | 0.16 | 1.87 | 15.5 | <0.2 | <10 | 130 | 0.37 | 0.26 | 0.74 | 0.17 | 17.90 | 24.8 | 37 |
| 11LF218 | | 0.72 | 0.006 | 0.14 | 2.19 | 15.2 | <0.2 | <10 | 120 | 0.43 | 0.39 | 0.68 | 0.17 | 21.9 | 25.5 | 40 |
| 11LF219 | | 0.67 | 0.009 | 0.20 | 2.60 | 11.6 | <0.2 | <10 | 140 | 0.37 | 0.37 | 0.71 | 0.27 | 22.4 | 19.4 | 52 |
| 11LF220 | | 0.74 | 0.011 | 0.11 | 1.99 | 14.2 | <0.2 | <10 | 100 | 0.35 | 0.36 | 0.48 | 0.13 | 16.95 | 19.5 | 41 |
| 11LF221 | | 0.54 | 0.005 | 0.11 | 1.83 | 13.8 | <0.2 | <10 | 130 | 0.40 | 0.26 | 0.62 | 0.31 | 21.7 | 19.3 | 37 |
| 11LF222 | | 0.54 | <0.005 | 0.12 | 1.77 | 12.6 | <0.2 | <10 | 130 | 0.36 | 0.26 | 0.60 | 0.23 | 20.1 | 21.2 | 37 |
| 11LF223 | | 0.58 | 0.005 | 0.10 | 2.06 | 15.7 | <0.2 | <10 | 130 | 0.49 | 0.33 | 0.55 | 0.24 | 19.30 | 18.1 | 40 |
| 11LF224 | | 0.57 | 0.006 | 0.10 | 2.53 | 14.7 | <0.2 | <10 | 120 | 0.40 | 0.26 | 0.89 | 0.30 | 22.2 | 29.1 | 72 |
| 11LF225 | | 0.44 | <0.005 | 0.10 | 1.07 | 6.8 | <0.2 | <10 | 80 | 0.25 | 0.17 | 0.43 | 0.30 | 11.25 | 9.2 | 23 |
| 11LF226 | | 0.65 | 0.008 | 0.11 | 1.77 | 22.8 | <0.2 | <10 | 120 | 0.28 | 0.22 | 0.64 | 0.23 | 13.35 | 13.6 | 33 |
| 11LF227 | | 0.73 | 0.007 | 0.10 | 1.96 | 51.1 | <0.2 | <10 | 120 | 0.35 | 0.28 | 0.64 | 0.15 | 15.30 | 19.4 | 36 |
| 11LF228 | | 0.60 | 0.008 | 0.11 | 1.95 | 20.1 | <0.2 | <10 | 110 | 0.37 | 0.25 | 0.69 | 0.15 | 17.05 | 21.0 | 32 |
| 11LF229 | | 0.50 | <0.005 | 0.10 | 1.41 | 7.0 | <0.2 | <10 | 90 | 0.28 | 0.18 | 0.47 | 0.16 | 13.35 | 8.5 | 30 |
| 11LF230 | | 0.64 | 0.005 | 0.23 | 1.93 | 17.7 | <0.2 | <10 | 120 | 0.36 | 0.30 | 0.60 | 0.22 | 18.05 | 16.0 | 34 |
| 11LF231 | | 0.76 | 0.011 | 0.14 | 2.24 | 27.9 | <0.2 | <10 | 160 | 0.36 | 0.30 | 0.57 | 0.22 | 15.10 | 20.4 | 40 |
| 11LF232 | | 0.66 | 0.009 | 0.39 | 2.76 | 38.1 | <0.2 | <10 | 170 | 0.43 | 1.33 | 0.78 | 0.31 | 22.5 | 22.8 | 46 |
| 11LF233 | | 0.70 | 0.005 | 0.15 | 2.45 | 22.6 | <0.2 | <10 | 160 | 0.38 | 0.79 | 0.66 | 0.18 | 22.2 | 16.2 | 40 |
| 11LF234 | | 0.77 | 0.019 | 0.05 | 2.15 | 25.7 | <0.2 | <10 | 160 | 0.36 | 0.83 | 0.71 | 0.15 | 17.80 | 13.3 | 39 |
| 11LF235 | | 0.75 | 0.032 | 0.12 | 2.06 | 137.0 | <0.2 | <10 | 170 | 0.54 | 1.32 | 0.66 | 0.19 | 35.2 | 16.9 | 28 |
| 11LF236 | | 0.70 | 0.010 | 0.13 | 2.77 | 35.2 | <0.2 | <10 | 230 | 0.47 | 0.35 | 0.77 | 0.23 | 26.0 | 22.1 | 42 |
| 11FA079 | | 0.81 | 0.007 | 0.13 | 2.77 | 31.0 | <0.2 | <10 | 210 | 0.74 | 0.47 | 0.68 | 0.14 | 27.2 | 20.1 | 105 |
| 11FA080 | | 0.51 | 0.007 | 0.10 | 2.46 | 22.9 | <0.2 | <10 | 220 | 0.63 | 0.63 | 0.80 | 0.17 | 24.6 | 19.2 | 89 |
| 11FA081 | | 0.42 | <0.005 | 0.13 | 2.00 | 23.0 | <0.2 | <10 | 220 | 0.51 | 0.27 | 0.99 | 0.36 | 19.70 | 16.8 | 67 |
| 11FA082 | | 0.49 | <0.005 | 0.16 | 2.65 | 33.8 | <0.2 | <10 | 220 | 0.71 | 0.43 | 0.82 | 0.17 | 26.8 | 20.7 | 77 |
| 11FA083 | | 0.64 | <0.005 | 0.18 | 2.19 | 25.8 | <0.2 | <10 | 190 | 0.60 | 0.31 | 0.70 | 0.16 | 23.1 | 17.5 | 62 |
| 11FA084 | | 0.38 | 0.010 | 0.16 | 1.66 | 12.2 | <0.2 | <10 | 160 | 0.54 | 0.21 | 0.95 | 0.27 | 26.0 | 14.1 | 38 |
| 11FA085 | | 0.53 | 0.011 | 0.23 | 1.72 | 54.7 | <0.2 | <10 | 110 | 0.91 | 0.18 | 0.80 | 0.16 | 43.7 | 15.6 | 31 |
| 11FA086 | | 0.55 | 0.011 | 0.11 | 1.60 | 24.6 | <0.2 | <10 | 90 | 0.73 | 0.25 | 0.53 | 0.16 | 28.3 | 14.9 | 32 |
| 11FA087 | | 0.57 | 0.051 | 0.36 | 1.47 | 382 | <0.2 | <10 | 150 | 0.68 | 1.92 | 0.61 | 0.40 | 31.8 | 39.0 | 26 |
| 11FA088 | | 0.36 | 0.008 | 0.18 | 1.50 | 12.2 | <0.2 | <10 | 110 | 0.35 | 0.21 | 0.38 | 0.33 | 14.60 | 9.9 | 29 |
| 11FA089 | | 0.52 | 0.007 | 0.14 | 2.11 | 12.7 | <0.2 | <10 | 160 | 0.65 | 0.19 | 0.72 | 0.29 | 26.0 | 18.0 | 36 |
| 11FA090 | | 0.49 | 0.007 | 0.10 | 1.77 | 11.0 | <0.2 | <10 | 110 | 0.60 | 0.17 | 0.61 | 0.20 | 24.7 | 18.5 | 33 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| 11LF209 | | 1.82 | 60.5 | 3.26 | 7.12 | 0.11 | 0.06 | 0.06 | 0.033 | 0.06 | 9.6 | 14.7 | 0.91 | 375 | 0.98 |
| 11LF210 | | 1.09 | 48.4 | 3.41 | 6.18 | 0.12 | 0.05 | 0.05 | 0.030 | 0.05 | 9.3 | 11.4 | 0.64 | 848 | 1.63 |
| 11LF211 | | 3.12 | 87.8 | 4.71 | 6.48 | 0.14 | 0.07 | 0.11 | 0.044 | 0.05 | 9.7 | 13.0 | 0.97 | 915 | 1.31 |
| 11LF212 | | 4.72 | 89.3 | 5.47 | 6.65 | 0.16 | 0.07 | 0.06 | 0.050 | 0.04 | 9.1 | 12.1 | 1.04 | 1260 | 1.25 |
| 11LF213 | | 4.14 | 63.1 | 4.30 | 6.82 | 0.12 | 0.05 | 0.07 | 0.038 | 0.04 | 9.8 | 12.6 | 0.75 | 885 | 1.81 |
| 11LF214 | | 1.23 | 31.8 | 3.02 | 5.31 | 0.09 | 0.03 | 0.06 | 0.025 | 0.04 | 7.6 | 8.3 | 0.45 | 729 | 1.70 |
| 11LF215 | | 1.26 | 20.1 | 2.95 | 5.97 | 0.08 | 0.03 | 0.06 | 0.022 | 0.04 | 6.2 | 8.4 | 0.39 | 657 | 1.88 |
| 11LF216 | | 2.70 | 60.6 | 4.10 | 6.33 | 0.12 | 0.06 | 0.07 | 0.041 | 0.05 | 10.1 | 12.5 | 0.78 | 887 | 1.53 |
| 11LF217 | | 1.50 | 47.7 | 4.01 | 6.29 | 0.10 | 0.05 | 0.04 | 0.031 | 0.05 | 7.3 | 13.3 | 0.74 | 675 | 1.57 |
| 11LF218 | | 1.42 | 48.9 | 4.06 | 6.45 | 0.12 | 0.06 | 0.05 | 0.034 | 0.05 | 8.1 | 13.9 | 0.81 | 718 | 1.40 |
| 11LF219 | | 1.48 | 54.5 | 3.11 | 7.11 | 0.11 | 0.05 | 0.08 | 0.034 | 0.05 | 9.7 | 14.0 | 0.89 | 530 | 1.04 |
| 11LF220 | | 0.99 | 41.0 | 3.56 | 6.03 | 0.10 | 0.04 | 0.03 | 0.027 | 0.05 | 7.5 | 13.0 | 0.69 | 621 | 1.37 |
| 11LF221 | | 1.06 | 31.4 | 3.59 | 5.93 | 0.10 | 0.03 | 0.04 | 0.030 | 0.05 | 7.5 | 13.6 | 0.63 | 652 | 1.86 |
| 11LF222 | | 1.12 | 31.2 | 3.75 | 6.37 | 0.10 | 0.03 | 0.04 | 0.030 | 0.05 | 8.2 | 12.6 | 0.62 | 801 | 2.20 |
| 11LF223 | | 1.26 | 34.0 | 4.22 | 7.66 | 0.11 | 0.03 | 0.05 | 0.035 | 0.05 | 8.0 | 17.0 | 0.60 | 573 | 2.41 |
| 11LF224 | | 2.58 | 55.9 | 3.34 | 6.43 | 0.05 | 0.03 | 0.06 | 0.037 | 0.06 | 9.6 | 13.8 | 1.34 | 730 | 1.29 |
| 11LF225 | | 1.26 | 21.4 | 2.33 | 5.02 | <0.05 | <0.02 | 0.05 | 0.030 | 0.04 | 5.6 | 7.4 | 0.28 | 394 | 1.50 |
| 11LF226 | | 0.81 | 29.1 | 3.11 | 4.59 | <0.05 | 0.03 | 0.05 | 0.027 | 0.04 | 6.0 | 7.5 | 0.56 | 605 | 1.10 |
| 11LF227 | | 1.17 | 48.6 | 3.35 | 6.24 | 0.05 | 0.04 | 0.06 | 0.035 | 0.04 | 7.1 | 11.4 | 0.69 | 529 | 1.22 |
| 11LF228 | | 1.51 | 41.6 | 3.18 | 7.08 | 0.05 | 0.03 | 0.05 | 0.035 | 0.05 | 7.8 | 10.9 | 0.67 | 509 | 1.35 |
| 11LF229 | | 0.84 | 24.8 | 2.84 | 5.52 | <0.05 | 0.02 | 0.07 | 0.029 | 0.04 | 6.7 | 7.0 | 0.42 | 369 | 1.48 |
| 11LF230 | | 1.45 | 37.2 | 2.99 | 6.11 | <0.05 | 0.03 | 0.05 | 0.034 | 0.05 | 9.1 | 11.1 | 0.65 | 629 | 1.16 |
| 11LF231 | | 1.74 | 35.5 | 3.47 | 6.45 | 0.05 | 0.04 | 0.03 | 0.030 | 0.04 | 6.5 | 12.2 | 0.81 | 958 | 0.91 |
| 11LF232 | | 2.70 | 66.1 | 3.87 | 7.31 | 0.05 | 0.04 | 0.06 | 0.045 | 0.05 | 11.3 | 14.0 | 0.99 | 780 | 1.09 |
| 11LF233 | | 1.65 | 39.8 | 3.22 | 6.68 | 0.05 | 0.04 | 0.04 | 0.028 | 0.05 | 11.4 | 12.2 | 0.88 | 577 | 0.95 |
| 11LF234 | | 1.39 | 33.0 | 3.41 | 5.23 | <0.05 | 0.04 | 0.03 | 0.024 | 0.05 | 9.4 | 10.0 | 0.87 | 431 | 0.82 |
| 11LF235 | | 2.56 | 65.1 | 3.70 | 6.49 | 0.07 | 0.04 | 0.03 | 0.027 | 0.07 | 17.3 | 12.7 | 0.81 | 415 | 1.24 |
| 11LF236 | | 1.85 | 42.3 | 4.16 | 8.23 | 0.06 | 0.05 | 0.04 | 0.036 | 0.07 | 11.6 | 14.6 | 1.11 | 546 | 1.28 |
| 11FA079 | | 4.64 | 54.5 | 4.06 | 8.01 | 0.06 | 0.04 | 0.04 | 0.036 | 0.13 | 14.5 | 26.8 | 1.27 | 563 | 1.40 |
| 11FA080 | | 4.26 | 46.8 | 3.73 | 7.98 | 0.05 | 0.04 | 0.04 | 0.035 | 0.13 | 13.7 | 26.8 | 1.19 | 563 | 1.43 |
| 11FA081 | | 2.87 | 46.8 | 3.08 | 6.57 | 0.06 | 0.04 | 0.05 | 0.030 | 0.11 | 8.9 | 19.9 | 0.88 | 480 | 1.14 |
| 11FA082 | | 3.18 | 70.1 | 3.83 | 8.20 | 0.05 | 0.04 | 0.03 | 0.035 | 0.10 | 14.4 | 23.6 | 1.05 | 658 | 1.29 |
| 11FA083 | | 3.31 | 56.0 | 3.39 | 7.19 | 0.06 | 0.03 | 0.04 | 0.033 | 0.10 | 12.3 | 21.2 | 0.88 | 551 | 1.32 |
| 11FA084 | | 2.50 | 32.5 | 2.60 | 5.50 | 0.06 | 0.04 | 0.05 | 0.027 | 0.07 | 13.3 | 14.2 | 0.61 | 501 | 1.26 |
| 11FA085 | | 1.76 | 43.4 | 3.05 | 5.77 | 0.08 | 0.03 | 0.04 | 0.031 | 0.09 | 25.0 | 13.9 | 0.58 | 585 | 1.15 |
| 11FA086 | | 2.59 | 53.5 | 3.34 | 5.49 | 0.06 | 0.03 | 0.04 | 0.029 | 0.08 | 12.5 | 16.4 | 0.56 | 522 | 0.92 |
| 11FA087 | | 1.26 | 72.2 | 3.01 | 5.06 | 0.05 | 0.02 | 0.05 | 0.028 | 0.07 | 16.6 | 10.7 | 0.54 | 898 | 1.03 |
| 11FA088 | | 0.98 | 25.3 | 3.22 | 6.56 | <0.05 | 0.03 | 0.05 | 0.027 | 0.04 | 7.0 | 9.9 | 0.37 | 249 | 1.33 |
| 11FA089 | | 2.02 | 34.6 | 3.33 | 6.42 | <0.05 | 0.03 | 0.05 | 0.034 | 0.08 | 12.7 | 14.7 | 0.65 | 739 | 1.39 |
| 11FA090 | | 1.73 | 31.3 | 3.11 | 6.19 | 0.05 | 0.03 | 0.05 | 0.032 | 0.07 | 12.2 | 13.9 | 0.56 | 680 | 1.28 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|-------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm 0.05 | ppm 0.2 | ppm 10 | ppm 0.2 | ppm 0.1 | ppm 0.001 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 0.2 | ppm 0.2 | ppm 0.2 | ppm 0.01 | ppm 0.01 |
| 11LF209 | | 0.93 | 50.2 | 850 | 6.6 | 8.3 | <0.001 | 0.06 | 1.28 | 7.5 | 0.7 | 0.6 | 59.0 | <0.01 | 0.04 |
| 11LF210 | | 0.81 | 31.3 | 1090 | 8.6 | 6.7 | 0.001 | 0.09 | 1.01 | 4.6 | 0.7 | 0.5 | 42.3 | 0.01 | 0.05 |
| 11LF211 | | 0.79 | 39.9 | 860 | 9.5 | 6.4 | 0.001 | 0.06 | 2.69 | 10.5 | 1.0 | 0.5 | 37.5 | 0.01 | 0.04 |
| 11LF212 | | 0.77 | 42.7 | 740 | 13.2 | 5.8 | <0.001 | 0.05 | 3.38 | 11.6 | 1.1 | 0.5 | 37.7 | 0.01 | 0.04 |
| 11LF213 | | 0.83 | 31.3 | 1050 | 9.6 | 6.7 | <0.001 | 0.09 | 1.42 | 6.2 | 0.9 | 0.5 | 40.0 | 0.01 | 0.04 |
| 11LF214 | | 0.74 | 21.7 | 900 | 6.9 | 6.5 | <0.001 | 0.09 | 0.71 | 3.1 | 0.5 | 0.4 | 38.9 | <0.01 | 0.04 |
| 11LF215 | | 0.93 | 17.8 | 580 | 7.9 | 7.0 | <0.001 | 0.05 | 0.70 | 2.8 | 0.3 | 0.5 | 28.1 | <0.01 | 0.04 |
| 11LF216 | | 0.81 | 33.6 | 1080 | 11.4 | 7.4 | <0.001 | 0.10 | 2.49 | 7.0 | 0.8 | 0.4 | 38.0 | 0.01 | 0.04 |
| 11LF217 | | 0.87 | 34.7 | 850 | 7.6 | 7.3 | <0.001 | 0.07 | 1.44 | 4.4 | 0.5 | 0.5 | 51.4 | <0.01 | 0.05 |
| 11LF218 | | 0.94 | 38.6 | 800 | 8.6 | 6.9 | <0.001 | 0.06 | 1.14 | 5.5 | 0.5 | 0.5 | 38.1 | 0.01 | 0.04 |
| 11LF219 | | 0.81 | 40.8 | 940 | 8.2 | 7.2 | <0.001 | 0.07 | 1.27 | 7.2 | 0.7 | 0.5 | 56.2 | <0.01 | 0.04 |
| 11LF220 | | 0.97 | 36.9 | 680 | 6.3 | 6.2 | <0.001 | 0.04 | 0.83 | 4.5 | 0.4 | 0.5 | 31.1 | <0.01 | 0.04 |
| 11LF221 | | 0.83 | 35.3 | 890 | 7.8 | 8.2 | <0.001 | 0.08 | 0.81 | 3.4 | 0.5 | 0.5 | 34.6 | <0.01 | 0.06 |
| 11LF222 | | 0.72 | 29.1 | 930 | 8.8 | 8.6 | <0.001 | 0.08 | 0.85 | 2.7 | 0.4 | 0.5 | 34.0 | <0.01 | 0.05 |
| 11LF223 | | 0.98 | 33.8 | 740 | 9.4 | 8.6 | <0.001 | 0.06 | 0.90 | 3.5 | 0.4 | 0.6 | 32.7 | 0.01 | 0.06 |
| 11LF224 | | 0.65 | 158.0 | 940 | 6.7 | 6.8 | <0.001 | 0.10 | 0.96 | 5.1 | 0.7 | 0.5 | 54.1 | <0.01 | 0.05 |
| 11LF225 | | 0.58 | 17.2 | 630 | 6.6 | 7.3 | <0.001 | 0.08 | 0.58 | 1.6 | 0.2 | 0.4 | 27.6 | <0.01 | 0.04 |
| 11LF226 | | 0.56 | 22.7 | 820 | 6.1 | 5.5 | 0.001 | 0.12 | 0.73 | 2.7 | 0.3 | 0.4 | 35.8 | <0.01 | 0.04 |
| 11LF227 | | 0.74 | 33.1 | 720 | 6.5 | 5.9 | 0.001 | 0.09 | 1.14 | 4.4 | 0.3 | 0.5 | 48.3 | <0.01 | 0.05 |
| 11LF228 | | 0.94 | 29.3 | 780 | 6.9 | 8.6 | 0.001 | 0.10 | 0.96 | 4.2 | 0.4 | 0.5 | 61.1 | <0.01 | 0.06 |
| 11LF229 | | 0.67 | 19.9 | 690 | 7.2 | 6.3 | 0.001 | 0.11 | 0.66 | 2.1 | 0.2 | 0.5 | 33.2 | <0.01 | 0.04 |
| 11LF230 | | 0.71 | 28.1 | 880 | 10.3 | 6.7 | 0.001 | 0.10 | 1.15 | 4.2 | 0.4 | 0.5 | 45.9 | <0.01 | 0.04 |
| 11LF231 | | 0.82 | 33.1 | 530 | 7.7 | 6.1 | <0.001 | 0.06 | 1.07 | 5.4 | 0.5 | 0.5 | 51.2 | <0.01 | 0.04 |
| 11LF232 | | 0.79 | 41.1 | 910 | 23.4 | 8.4 | <0.001 | 0.09 | 1.98 | 8.5 | 0.7 | 0.5 | 51.7 | <0.01 | 0.06 |
| 11LF233 | | 0.84 | 32.6 | 850 | 9.0 | 7.6 | 0.001 | 0.09 | 0.93 | 6.0 | 0.4 | 0.5 | 54.8 | <0.01 | 0.06 |
| 11LF234 | | 0.73 | 27.8 | 600 | 6.9 | 6.5 | 0.001 | 0.07 | 1.03 | 4.7 | <0.2 | 0.4 | 59.7 | <0.01 | 0.07 |
| 11LF235 | | 0.89 | 22.6 | 940 | 11.0 | 10.8 | <0.001 | 0.07 | 2.43 | 6.7 | 0.7 | 0.5 | 52.1 | <0.01 | 0.10 |
| 11LF236 | | 1.01 | 36.2 | 830 | 9.0 | 10.8 | 0.001 | 0.06 | 0.89 | 8.0 | 0.5 | 0.6 | 87.0 | <0.01 | 0.06 |
| 11FA079 | | 1.54 | 86.8 | 760 | 7.4 | 21.0 | <0.001 | 0.05 | 3.14 | 7.0 | 0.5 | 0.7 | 41.6 | <0.01 | 0.04 |
| 11FA080 | | 2.10 | 72.2 | 760 | 6.4 | 19.2 | 0.001 | 0.07 | 2.99 | 6.2 | 0.6 | 0.7 | 50.0 | <0.01 | 0.05 |
| 11FA081 | | 1.80 | 59.9 | 820 | 6.0 | 16.8 | 0.001 | 0.09 | 1.83 | 4.6 | 0.6 | 0.6 | 57.0 | <0.01 | 0.04 |
| 11FA082 | | 1.93 | 64.7 | 840 | 7.6 | 16.5 | 0.001 | 0.07 | 1.85 | 5.8 | 0.8 | 0.8 | 47.3 | <0.01 | 0.04 |
| 11FA083 | | 1.47 | 50.2 | 750 | 6.4 | 16.0 | <0.001 | 0.06 | 1.57 | 4.9 | 0.6 | 0.7 | 39.4 | <0.01 | 0.04 |
| 11FA084 | | 1.33 | 34.3 | 780 | 7.1 | 11.7 | 0.001 | 0.09 | 1.17 | 3.8 | 0.6 | 0.5 | 52.1 | <0.01 | 0.04 |
| 11FA085 | | 1.14 | 27.6 | 790 | 7.7 | 13.8 | 0.001 | 0.10 | 4.59 | 3.7 | 0.7 | 0.5 | 42.6 | <0.01 | 0.03 |
| 11FA086 | | 1.07 | 28.6 | 550 | 10.4 | 11.3 | <0.001 | 0.05 | 2.37 | 3.3 | 0.6 | 0.5 | 30.2 | <0.01 | 0.03 |
| 11FA087 | | 0.61 | 27.9 | 570 | 27.9 | 9.5 | <0.001 | 0.08 | 5.37 | 3.1 | 0.7 | 0.5 | 47.9 | <0.01 | 0.13 |
| 11FA088 | | 1.13 | 21.9 | 380 | 8.6 | 7.4 | <0.001 | 0.04 | 0.77 | 3.1 | 0.5 | 0.6 | 26.7 | <0.01 | 0.03 |
| 11FA089 | | 1.08 | 32.8 | 820 | 7.6 | 12.8 | <0.001 | 0.07 | 1.11 | 4.4 | 0.5 | 0.5 | 44.9 | <0.01 | 0.04 |
| 11FA090 | | 1.16 | 29.5 | 680 | 7.8 | 11.6 | <0.001 | 0.07 | 1.06 | 4.1 | 0.6 | 0.6 | 39.2 | <0.01 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|-----------|----------|----------|----------|----------|-----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Y ppm | Zn ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| 11LF209 | | 0.099 | 0.11 | 0.64 | 80 | 0.24 | 9.16 | 74 |
| 11LF210 | | 0.069 | 0.09 | 0.70 | 81 | 0.17 | 9.95 | 65 |
| 11LF211 | | 0.069 | 0.19 | 0.60 | 111 | 0.14 | 16.80 | 67 |
| 11LF212 | | 0.082 | 0.16 | 0.55 | 127 | 0.09 | 16.95 | 71 |
| 11LF213 | | 0.061 | 0.14 | 0.72 | 98 | 0.16 | 12.65 | 65 |
| 11LF214 | | 0.064 | 0.09 | 0.64 | 68 | 0.17 | 6.17 | 49 |
| 11LF215 | | 0.079 | 0.08 | 0.57 | 72 | 0.14 | 3.29 | 55 |
| 11LF216 | | 0.059 | 0.14 | 0.73 | 93 | 0.16 | 13.20 | 67 |
| 11LF217 | | 0.082 | 0.09 | 0.57 | 91 | 0.12 | 6.51 | 62 |
| 11LF218 | | 0.089 | 0.10 | 0.62 | 95 | 0.13 | 6.84 | 64 |
| 11LF219 | | 0.085 | 0.10 | 0.72 | 79 | 0.21 | 11.30 | 70 |
| 11LF220 | | 0.098 | 0.07 | 0.56 | 83 | 0.31 | 5.02 | 56 |
| 11LF221 | | 0.071 | 0.08 | 0.64 | 72 | 0.13 | 5.29 | 88 |
| 11LF222 | | 0.059 | 0.09 | 0.69 | 75 | 0.17 | 5.19 | 82 |
| 11LF223 | | 0.075 | 0.10 | 0.69 | 86 | 0.19 | 5.03 | 86 |
| 11LF224 | | 0.054 | 0.12 | 0.69 | 73 | 0.19 | 8.62 | 65 |
| 11LF225 | | 0.054 | 0.07 | 0.54 | 54 | 0.20 | 2.89 | 58 |
| 11LF226 | | 0.079 | 0.06 | 0.50 | 74 | 0.23 | 4.53 | 64 |
| 11LF227 | | 0.093 | 0.06 | 0.56 | 86 | 0.11 | 5.61 | 53 |
| 11LF228 | | 0.096 | 0.08 | 0.66 | 85 | 0.14 | 5.33 | 55 |
| 11LF229 | | 0.069 | 0.08 | 0.70 | 70 | 0.16 | 3.85 | 60 |
| 11LF230 | | 0.067 | 0.08 | 0.70 | 71 | 0.09 | 7.16 | 65 |
| 11LF231 | | 0.109 | 0.07 | 0.55 | 88 | 0.10 | 4.79 | 60 |
| 11LF232 | | 0.072 | 0.10 | 0.85 | 89 | 0.13 | 10.00 | 81 |
| 11LF233 | | 0.097 | 0.09 | 0.93 | 82 | 0.15 | 8.83 | 64 |
| 11LF234 | | 0.106 | 0.05 | 0.98 | 89 | 0.22 | 5.50 | 59 |
| 11LF235 | | 0.103 | 0.11 | 2.42 | 92 | 0.15 | 11.55 | 58 |
| 11LF236 | | 0.133 | 0.12 | 1.07 | 123 | 0.14 | 8.77 | 71 |
| 11FA079 | | 0.119 | 0.20 | 1.23 | 97 | 0.14 | 9.25 | 74 |
| 11FA080 | | 0.118 | 0.19 | 0.99 | 91 | 0.15 | 8.19 | 71 |
| 11FA081 | | 0.094 | 0.16 | 0.75 | 73 | 0.11 | 6.51 | 64 |
| 11FA082 | | 0.104 | 0.18 | 1.11 | 90 | 0.13 | 9.08 | 73 |
| 11FA083 | | 0.098 | 0.13 | 0.99 | 80 | 0.13 | 7.16 | 67 |
| 11FA084 | | 0.073 | 0.11 | 0.95 | 58 | 0.21 | 9.52 | 58 |
| 11FA085 | | 0.058 | 0.13 | 1.34 | 56 | 0.12 | 10.55 | 55 |
| 11FA086 | | 0.092 | 0.09 | 1.09 | 71 | 0.10 | 4.61 | 65 |
| 11FA087 | | 0.051 | 0.11 | 1.18 | 50 | 0.10 | 6.23 | 77 |
| 11FA088 | | 0.087 | 0.06 | 0.55 | 76 | 0.10 | 3.48 | 46 |
| 11FA089 | | 0.083 | 0.11 | 1.22 | 72 | 0.13 | 8.23 | 82 |
| 11FA090 | | 0.080 | 0.10 | 1.21 | 66 | 0.13 | 6.49 | 67 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| 11FA091 | | 0.82 | 0.010 | 0.15 | 2.18 | 22.8 | <0.2 | <10 | 140 | 0.83 | 0.31 | 0.69 | 0.19 | 33.4 | 19.9 | 41 |
| 11FA092 | | 0.56 | 0.011 | 0.16 | 1.93 | 31.6 | <0.2 | <10 | 140 | 0.70 | 0.37 | 0.74 | 0.27 | 29.4 | 18.0 | 37 |
| 11FA093 | | 0.29 | 0.007 | 0.10 | 0.97 | 8.3 | <0.2 | <10 | 60 | 0.22 | 0.19 | 0.30 | 0.21 | 10.25 | 6.3 | 24 |
| 11FA094 | | 0.34 | 0.006 | 0.09 | 1.04 | 5.9 | <0.2 | <10 | 70 | 0.27 | 0.15 | 0.42 | 0.16 | 11.45 | 8.9 | 22 |
| 11FA095 | | 0.56 | 0.006 | 0.05 | 1.39 | 14.8 | <0.2 | <10 | 90 | 0.61 | 0.21 | 0.50 | 0.16 | 23.3 | 11.6 | 28 |
| 11FA096 | | 0.73 | 0.023 | 0.10 | 1.75 | 38.9 | <0.2 | <10 | 130 | 0.74 | 0.32 | 0.67 | 0.28 | 39.3 | 19.0 | 34 |
| 11FA097 | | 0.70 | 0.006 | 0.10 | 1.80 | 11.5 | <0.2 | <10 | 150 | 0.50 | 0.24 | 0.71 | 0.21 | 30.3 | 15.3 | 35 |
| 11FA098 | | 0.40 | 0.013 | 0.13 | 1.66 | 22.9 | <0.2 | <10 | 110 | 0.43 | 2.03 | 0.69 | 0.24 | 21.3 | 18.0 | 29 |
| 11FA099 | | 0.51 | 0.010 | 0.15 | 1.61 | 30.1 | <0.2 | <10 | 120 | 0.50 | 0.38 | 0.75 | 0.25 | 26.2 | 15.7 | 31 |
| 11FA100 | | 0.48 | 0.010 | 0.14 | 1.62 | 28.4 | <0.2 | <10 | 120 | 0.52 | 0.43 | 0.70 | 0.23 | 23.1 | 13.8 | 31 |
| 11FA101 | | 0.24 | 0.006 | 0.08 | 0.75 | 5.6 | <0.2 | <10 | 60 | 0.16 | 0.12 | 0.28 | 0.16 | 10.25 | 5.8 | 20 |
| 11FA102 | | 0.42 | 0.006 | 0.25 | 1.82 | 57.7 | <0.2 | <10 | 150 | 0.44 | 0.22 | 0.84 | 0.26 | 29.9 | 11.8 | 33 |
| 11FA103 | | 0.46 | 0.007 | 0.12 | 1.71 | 9.9 | <0.2 | <10 | 160 | 0.37 | 0.13 | 0.94 | 0.22 | 24.6 | 14.4 | 33 |
| 11FA104 | | 0.46 | 0.011 | 0.16 | 1.75 | 21.8 | <0.2 | <10 | 150 | 0.39 | 0.31 | 0.89 | 0.24 | 25.5 | 12.0 | 33 |
| 11FA105 | | 0.53 | 0.009 | 0.17 | 1.70 | 12.3 | <0.2 | <10 | 140 | 0.37 | 0.25 | 1.33 | 0.24 | 25.9 | 13.9 | 32 |
| 11FA106 | | 0.84 | 0.007 | 0.14 | 1.94 | 8.3 | <0.2 | <10 | 210 | 0.41 | 0.13 | 0.97 | 0.18 | 26.0 | 13.9 | 42 |
| 11FA107 | | 0.88 | 0.006 | 0.12 | 2.01 | 8.4 | <0.2 | <10 | 200 | 0.43 | 0.15 | 0.59 | 0.14 | 33.5 | 13.5 | 47 |
| 11FA108 | | 0.55 | 0.009 | 0.11 | 1.76 | 8.5 | <0.2 | <10 | 180 | 0.35 | 0.12 | 0.88 | 0.16 | 22.7 | 13.8 | 40 |
| 11FA109 | | 0.42 | 0.012 | 0.13 | 1.44 | 7.0 | <0.2 | <10 | 150 | 0.31 | 0.10 | 0.72 | 0.24 | 23.5 | 13.6 | 29 |
| 11FA110 | | 0.68 | 0.007 | 0.06 | 1.79 | 8.0 | <0.2 | <10 | 170 | 0.31 | 0.12 | 0.69 | 0.13 | 21.3 | 12.7 | 48 |
| 11FA111 | | 0.57 | 0.008 | 0.10 | 1.80 | 7.5 | <0.2 | <10 | 170 | 0.36 | 0.12 | 0.79 | 0.15 | 25.5 | 14.0 | 40 |
| 11FA112 | | 0.45 | 0.010 | 0.11 | 1.79 | 13.2 | <0.2 | <10 | 140 | 0.39 | 0.23 | 0.55 | 0.21 | 27.1 | 13.5 | 33 |
| 11FA113 | | 0.52 | 0.009 | 0.13 | 1.90 | 7.5 | <0.2 | <10 | 210 | 0.39 | 0.13 | 0.76 | 0.30 | 25.8 | 17.9 | 39 |
| 11FA114 | | 0.42 | 0.009 | 0.17 | 2.13 | 19.9 | <0.2 | <10 | 180 | 0.60 | 0.19 | 0.78 | 0.26 | 31.3 | 16.9 | 38 |
| 11FA115 | | 0.39 | 0.006 | 0.09 | 1.86 | 15.6 | <0.2 | <10 | 120 | 0.43 | 0.15 | 0.68 | 0.22 | 22.4 | 14.5 | 38 |
| 11FA116 | | 0.33 | 0.008 | 0.18 | 1.69 | 17.7 | <0.2 | <10 | 150 | 0.37 | 0.33 | 1.08 | 0.34 | 23.8 | 13.3 | 31 |
| 11FA117 | | 0.95 | 0.213 | 0.11 | 2.23 | 11.9 | <0.2 | <10 | 200 | 0.47 | 0.18 | 0.73 | 0.16 | 31.3 | 15.7 | 47 |
| 11FA118 | | 0.54 | 0.008 | 0.14 | 1.80 | 35.8 | <0.2 | <10 | 140 | 0.51 | 0.19 | 1.19 | 0.21 | 36.7 | 14.7 | 36 |
| 11FA119 | | 0.68 | 0.008 | 0.11 | 1.59 | 13.7 | <0.2 | <10 | 160 | 0.32 | 0.17 | 0.98 | 0.15 | 24.6 | 12.0 | 36 |
| 11FA120 | | 0.47 | 0.008 | 0.08 | 1.33 | 5.2 | <0.2 | <10 | 150 | 0.23 | 0.10 | 1.05 | 0.19 | 17.85 | 8.8 | 30 |
| 11FA121 | | 0.47 | 0.009 | 0.12 | 1.54 | 12.5 | <0.2 | <10 | 140 | 0.30 | 0.37 | 1.06 | 0.29 | 21.1 | 16.4 | 35 |
| 11FA122 | | 0.70 | 0.009 | 0.19 | 1.86 | 19.4 | <0.2 | <10 | 140 | 0.47 | 0.74 | 0.84 | 0.39 | 29.9 | 17.3 | 36 |
| 11FA123 | | 0.45 | 0.011 | 0.12 | 1.80 | 83.8 | <0.2 | <10 | 140 | 0.49 | 0.28 | 0.45 | 0.13 | 23.7 | 14.8 | 45 |
| 11FA124 | | 0.39 | 0.007 | 0.10 | 1.40 | 11.8 | <0.2 | <10 | 80 | 0.30 | 0.14 | 0.29 | 0.13 | 13.30 | 9.0 | 29 |
| 11FA125 | | 0.44 | 0.008 | 0.16 | 1.74 | 45.4 | <0.2 | <10 | 130 | 0.50 | 0.48 | 0.67 | 0.16 | 27.7 | 18.4 | 31 |
| 11FA126 | | 0.43 | 0.008 | 0.12 | 1.82 | 62.0 | <0.2 | <10 | 160 | 0.43 | 0.22 | 0.61 | 0.17 | 26.2 | 19.9 | 36 |
| 11FA127 | | 0.46 | 0.010 | 0.11 | 2.12 | 10.5 | <0.2 | <10 | 90 | 0.54 | 0.14 | 0.34 | 0.18 | 16.60 | 15.0 | 40 |
| 11FA128 | | 0.35 | 0.005 | 0.12 | 1.00 | 48.3 | <0.2 | <10 | 110 | 0.29 | 0.13 | 0.92 | 0.22 | 16.60 | 8.5 | 22 |
| 11FA129 | | 0.39 | 0.007 | 0.11 | 0.81 | 6.4 | <0.2 | <10 | 100 | 0.16 | 0.08 | 0.50 | 0.07 | 10.75 | 7.2 | 20 |
| 11FA130 | | 0.28 | <0.005 | 0.09 | 0.70 | 6.8 | <0.2 | <10 | 70 | 0.11 | 0.08 | 0.35 | 0.11 | 9.58 | 5.2 | 20 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| 11FA091 | | 2.60 | 39.6 | 3.27 | 7.40 | 0.07 | 0.05 | 0.03 | 0.034 | 0.13 | 16.9 | 23.8 | 0.80 | 541 | 1.02 |
| 11FA092 | | 2.17 | 40.4 | 3.28 | 6.56 | 0.06 | 0.04 | 0.05 | 0.037 | 0.07 | 15.0 | 15.8 | 0.64 | 612 | 1.22 |
| 11FA093 | | 0.54 | 19.3 | 2.27 | 4.91 | <0.05 | 0.02 | 0.05 | 0.020 | 0.03 | 5.3 | 6.1 | 0.27 | 223 | 1.10 |
| 11FA094 | | 0.61 | 20.4 | 2.30 | 4.68 | <0.05 | 0.02 | 0.05 | 0.023 | 0.03 | 5.6 | 6.5 | 0.33 | 346 | 1.06 |
| 11FA095 | | 1.92 | 34.4 | 2.76 | 5.69 | <0.05 | 0.02 | 0.05 | 0.028 | 0.08 | 11.5 | 14.0 | 0.44 | 371 | 1.07 |
| 11FA096 | | 2.12 | 42.9 | 3.07 | 6.61 | 0.07 | 0.03 | 0.04 | 0.032 | 0.08 | 18.6 | 17.1 | 0.55 | 672 | 1.24 |
| 11FA097 | | 1.79 | 26.1 | 2.88 | 6.22 | 0.05 | 0.03 | 0.04 | 0.029 | 0.07 | 15.6 | 15.9 | 0.68 | 597 | 1.30 |
| 11FA098 | | 2.05 | 33.2 | 2.87 | 6.31 | <0.05 | 0.03 | 0.06 | 0.034 | 0.06 | 10.4 | 12.7 | 0.47 | 1010 | 1.55 |
| 11FA099 | | 1.60 | 34.4 | 2.65 | 5.91 | 0.06 | 0.04 | 0.05 | 0.028 | 0.06 | 13.2 | 13.4 | 0.51 | 697 | 1.30 |
| 11FA100 | | 1.83 | 32.7 | 2.84 | 5.93 | 0.05 | 0.03 | 0.04 | 0.027 | 0.06 | 12.6 | 13.2 | 0.53 | 509 | 1.25 |
| 11FA101 | | 1.02 | 16.7 | 1.76 | 3.83 | <0.05 | 0.02 | 0.05 | 0.017 | 0.03 | 5.4 | 4.2 | 0.21 | 177 | 1.79 |
| 11FA102 | | 1.71 | 31.3 | 2.66 | 6.15 | 0.09 | 0.06 | 0.06 | 0.030 | 0.06 | 16.0 | 12.1 | 0.55 | 356 | 3.76 |
| 11FA103 | | 1.19 | 33.5 | 2.61 | 5.07 | 0.09 | 0.06 | 0.05 | 0.025 | 0.07 | 11.9 | 10.4 | 0.59 | 872 | 1.04 |
| 11FA104 | | 1.27 | 38.3 | 2.59 | 5.43 | 0.09 | 0.05 | 0.05 | 0.027 | 0.06 | 11.9 | 10.9 | 0.55 | 809 | 1.22 |
| 11FA105 | | 1.25 | 35.0 | 2.76 | 5.16 | 0.09 | 0.07 | 0.05 | 0.025 | 0.07 | 11.7 | 11.9 | 0.62 | 989 | 0.99 |
| 11FA106 | | 1.22 | 49.6 | 3.07 | 6.28 | 0.10 | 0.06 | 0.03 | 0.028 | 0.08 | 13.8 | 12.3 | 0.74 | 507 | 1.00 |
| 11FA107 | | 1.70 | 48.1 | 3.05 | 6.37 | 0.11 | 0.08 | 0.03 | 0.026 | 0.10 | 17.0 | 15.0 | 0.84 | 368 | 0.79 |
| 11FA108 | | 1.20 | 44.1 | 2.89 | 5.36 | 0.11 | 0.07 | 0.04 | 0.026 | 0.08 | 11.4 | 13.6 | 0.73 | 612 | 1.26 |
| 11FA109 | | 0.80 | 29.0 | 2.66 | 4.53 | 0.08 | 0.05 | 0.07 | 0.022 | 0.04 | 10.2 | 8.3 | 0.45 | 1300 | 1.44 |
| 11FA110 | | 1.55 | 29.1 | 2.84 | 6.16 | 0.09 | 0.06 | 0.02 | 0.023 | 0.10 | 10.1 | 14.9 | 0.89 | 438 | 0.86 |
| 11FA111 | | 1.28 | 33.1 | 2.96 | 5.95 | 0.10 | 0.06 | 0.03 | 0.026 | 0.07 | 11.7 | 12.3 | 0.72 | 479 | 1.22 |
| 11FA112 | | 1.90 | 28.8 | 2.83 | 6.32 | 0.09 | 0.05 | 0.04 | 0.028 | 0.05 | 12.5 | 14.1 | 0.54 | 805 | 1.39 |
| 11FA113 | | 1.32 | 32.8 | 3.16 | 6.20 | 0.10 | 0.05 | 0.04 | 0.029 | 0.06 | 11.9 | 13.5 | 0.70 | 2090 | 1.20 |
| 11FA114 | | 2.40 | 41.8 | 3.30 | 7.30 | 0.11 | 0.05 | 0.05 | 0.034 | 0.06 | 15.6 | 17.1 | 0.63 | 1080 | 2.70 |
| 11FA115 | | 1.55 | 31.0 | 3.38 | 6.80 | 0.09 | 0.06 | 0.03 | 0.029 | 0.05 | 10.3 | 11.9 | 0.60 | 608 | 1.46 |
| 11FA116 | | 1.12 | 41.9 | 2.87 | 5.55 | 0.08 | 0.06 | 0.06 | 0.024 | 0.06 | 10.9 | 12.2 | 0.55 | 757 | 1.11 |
| 11FA117 | | 1.67 | 45.9 | 3.54 | 6.94 | 0.12 | 0.10 | 0.03 | 0.030 | 0.11 | 15.1 | 16.7 | 0.90 | 568 | 0.95 |
| 11FA118 | | 2.85 | 43.4 | 3.05 | 5.60 | 0.12 | 0.08 | 0.04 | 0.024 | 0.10 | 18.2 | 13.5 | 0.64 | 671 | 1.02 |
| 11FA119 | | 1.36 | 35.4 | 2.67 | 5.21 | 0.09 | 0.07 | 0.03 | 0.023 | 0.09 | 11.8 | 11.8 | 0.67 | 424 | 0.77 |
| 11FA120 | | 0.94 | 25.4 | 2.09 | 4.63 | 0.08 | 0.05 | 0.06 | 0.020 | 0.05 | 8.9 | 9.3 | 0.55 | 378 | 0.80 |
| 11FA121 | | 1.30 | 27.8 | 2.84 | 5.53 | 0.09 | 0.06 | 0.04 | 0.025 | 0.07 | 9.4 | 11.8 | 0.64 | 908 | 1.10 |
| 11FA122 | | 2.60 | 54.5 | 3.16 | 6.65 | 0.11 | 0.07 | 0.04 | 0.031 | 0.09 | 13.8 | 17.7 | 0.72 | 587 | 0.87 |
| 11FA123 | | 6.69 | 30.0 | 3.34 | 7.10 | 0.09 | 0.06 | 0.03 | 0.028 | 0.09 | 10.3 | 20.6 | 0.56 | 470 | 1.22 |
| 11FA124 | | 1.61 | 22.2 | 3.17 | 6.99 | 0.07 | 0.05 | 0.04 | 0.024 | 0.03 | 6.3 | 9.6 | 0.30 | 460 | 1.27 |
| 11FA125 | | 5.74 | 30.1 | 3.07 | 6.32 | 0.09 | 0.04 | 0.05 | 0.023 | 0.09 | 12.8 | 18.1 | 0.51 | 823 | 1.25 |
| 11FA126 | | 4.23 | 27.5 | 3.39 | 6.42 | 0.09 | 0.05 | 0.03 | 0.029 | 0.05 | 10.4 | 16.5 | 0.50 | 3230 | 1.73 |
| 11FA127 | | 1.40 | 27.4 | 4.10 | 8.14 | 0.09 | 0.08 | 0.03 | 0.031 | 0.02 | 7.6 | 10.8 | 0.46 | 255 | 1.08 |
| 11FA128 | | 1.27 | 23.5 | 1.91 | 3.75 | 0.06 | 0.04 | 0.05 | 0.018 | 0.03 | 7.5 | 4.9 | 0.24 | 379 | 0.76 |
| 11FA129 | | 0.89 | 17.7 | 1.87 | 3.76 | 0.05 | 0.02 | 0.03 | 0.014 | 0.02 | 5.1 | 3.9 | 0.22 | 444 | 0.89 |
| 11FA130 | | 0.67 | 25.4 | 1.75 | 3.48 | 0.06 | 0.02 | 0.07 | 0.014 | 0.03 | 4.7 | 2.6 | 0.16 | 135 | 0.95 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| 11FA091 | | 1.70 | 36.1 | 690 | 6.8 | 22.3 | 0.001 | 0.04 | 1.62 | 6.4 | 0.7 | 0.6 | 51.0 | <0.01 | 0.04 | 3.2 |
| 11FA092 | | 1.24 | 32.8 | 770 | 8.5 | 14.8 | 0.001 | 0.07 | 1.72 | 4.9 | 0.5 | 0.6 | 46.7 | <0.01 | 0.03 | 1.3 |
| 11FA093 | | 0.84 | 14.8 | 490 | 6.0 | 4.2 | 0.001 | 0.06 | 0.57 | 2.1 | 0.3 | 0.5 | 22.8 | <0.01 | 0.04 | 0.3 |
| 11FA094 | | 0.68 | 16.6 | 520 | 5.7 | 4.7 | <0.001 | 0.05 | 0.45 | 2.0 | <0.2 | 0.5 | 27.3 | <0.01 | 0.05 | 0.2 |
| 11FA095 | | 1.35 | 21.6 | 510 | 7.2 | 12.3 | 0.001 | 0.05 | 1.53 | 3.0 | 0.2 | 0.5 | 28.7 | <0.01 | 0.04 | 1.3 |
| 11FA096 | | 1.19 | 30.4 | 750 | 9.9 | 13.4 | <0.001 | 0.06 | 2.01 | 3.9 | 0.6 | 0.6 | 37.4 | <0.01 | 0.07 | 1.7 |
| 11FA097 | | 1.32 | 30.5 | 700 | 7.9 | 12.8 | <0.001 | 0.05 | 0.68 | 4.8 | 0.2 | 0.6 | 42.6 | <0.01 | 0.04 | 2.0 |
| 11FA098 | | 1.27 | 23.8 | 720 | 7.5 | 12.0 | <0.001 | 0.08 | 0.65 | 3.6 | 0.7 | 0.6 | 43.9 | <0.01 | 0.04 | 0.9 |
| 11FA099 | | 1.21 | 26.8 | 720 | 9.5 | 13.6 | <0.001 | 0.07 | 1.15 | 3.8 | 0.6 | 0.5 | 43.2 | <0.01 | 0.05 | 1.2 |
| 11FA100 | | 1.24 | 25.3 | 640 | 8.5 | 10.6 | 0.001 | 0.06 | 1.25 | 3.6 | 0.7 | 0.5 | 41.3 | <0.01 | 0.04 | 1.3 |
| 11FA101 | | 0.77 | 12.6 | 460 | 5.1 | 5.5 | <0.001 | 0.06 | 0.47 | 2.1 | 0.5 | 0.4 | 22.3 | <0.01 | 0.03 | 0.4 |
| 11FA102 | | 1.50 | 28.8 | 710 | 18.2 | 11.3 | <0.001 | 0.07 | 0.68 | 4.7 | 0.8 | 0.5 | 44.1 | 0.01 | 0.04 | 1.6 |
| 11FA103 | | 1.58 | 26.9 | 770 | 5.9 | 13.5 | <0.001 | 0.08 | 0.56 | 4.8 | 0.8 | 0.4 | 48.5 | 0.01 | 0.02 | 1.1 |
| 11FA104 | | 1.45 | 25.9 | 760 | 6.3 | 13.7 | <0.001 | 0.08 | 0.60 | 4.5 | 0.8 | 0.5 | 47.4 | 0.01 | 0.04 | 0.8 |
| 11FA105 | | 1.55 | 28.1 | 760 | 6.6 | 14.7 | <0.001 | 0.09 | 0.55 | 5.0 | 0.8 | 0.5 | 62.6 | 0.01 | 0.03 | 1.2 |
| 11FA106 | | 1.74 | 38.0 | 660 | 6.4 | 13.8 | <0.001 | 0.04 | 0.45 | 5.8 | 0.7 | 0.5 | 41.1 | 0.01 | 0.02 | 1.4 |
| 11FA107 | | 1.94 | 41.3 | 790 | 6.8 | 15.0 | <0.001 | 0.03 | 0.51 | 7.1 | 0.8 | 0.5 | 30.6 | <0.01 | 0.03 | 3.8 |
| 11FA108 | | 1.65 | 35.8 | 740 | 7.3 | 13.6 | <0.001 | 0.05 | 0.53 | 5.4 | 0.8 | 0.5 | 41.8 | <0.01 | 0.03 | 1.8 |
| 11FA109 | | 1.12 | 21.7 | 750 | 5.2 | 10.3 | <0.001 | 0.07 | 0.46 | 3.7 | 0.7 | 0.4 | 38.7 | 0.01 | 0.02 | 0.6 |
| 11FA110 | | 1.98 | 38.2 | 800 | 5.9 | 14.3 | <0.001 | 0.03 | 0.43 | 5.2 | 0.5 | 0.5 | 34.2 | <0.01 | 0.02 | 2.5 |
| 11FA111 | | 1.78 | 35.1 | 760 | 5.9 | 12.9 | <0.001 | 0.04 | 0.45 | 5.2 | 0.7 | 0.5 | 39.6 | 0.01 | 0.03 | 1.7 |
| 11FA112 | | 1.44 | 25.5 | 680 | 7.9 | 12.9 | <0.001 | 0.07 | 0.81 | 4.8 | 0.7 | 0.5 | 34.6 | 0.01 | 0.02 | 1.2 |
| 11FA113 | | 1.45 | 34.3 | 800 | 7.7 | 12.9 | <0.001 | 0.08 | 0.73 | 5.3 | 0.8 | 0.5 | 41.6 | 0.01 | 0.03 | 1.5 |
| 11FA114 | | 1.58 | 33.8 | 890 | 10.2 | 14.0 | <0.001 | 0.08 | 1.00 | 5.0 | 0.9 | 0.6 | 48.0 | 0.01 | 0.03 | 1.4 |
| 11FA115 | | 1.79 | 29.2 | 550 | 7.0 | 10.2 | <0.001 | 0.04 | 0.57 | 4.6 | 0.6 | 0.6 | 32.0 | 0.01 | 0.03 | 1.2 |
| 11FA116 | | 1.47 | 27.6 | 700 | 8.0 | 12.3 | <0.001 | 0.09 | 0.52 | 4.2 | 0.7 | 0.5 | 52.9 | 0.01 | 0.02 | 0.8 |
| 11FA117 | | 1.87 | 41.2 | 790 | 7.2 | 14.8 | <0.001 | 0.02 | 0.46 | 7.7 | 0.7 | 0.6 | 40.9 | 0.01 | 0.03 | 3.6 |
| 11FA118 | | 1.78 | 34.5 | 770 | 7.2 | 15.9 | <0.001 | 0.05 | 0.86 | 5.4 | 0.9 | 0.5 | 58.2 | 0.01 | 0.03 | 1.9 |
| 11FA119 | | 1.77 | 29.6 | 710 | 5.5 | 13.5 | <0.001 | 0.04 | 0.51 | 5.0 | 0.6 | 0.5 | 43.9 | 0.01 | 0.03 | 1.9 |
| 11FA120 | | 1.42 | 24.6 | 680 | 5.1 | 12.0 | 0.001 | 0.08 | 0.39 | 4.0 | 0.7 | 0.4 | 50.2 | 0.01 | 0.02 | 0.9 |
| 11FA121 | | 1.67 | 26.0 | 700 | 6.4 | 13.5 | <0.001 | 0.07 | 0.49 | 4.5 | 0.6 | 0.5 | 50.1 | 0.01 | 0.03 | 1.1 |
| 11FA122 | | 2.08 | 32.3 | 690 | 8.1 | 17.0 | <0.001 | 0.04 | 0.74 | 6.0 | 0.8 | 0.7 | 45.2 | 0.01 | 0.03 | 2.5 |
| 11FA123 | | 2.30 | 30.6 | 410 | 8.1 | 12.7 | <0.001 | 0.03 | 2.43 | 5.0 | 0.6 | 0.7 | 28.0 | <0.01 | 0.03 | 2.8 |
| 11FA124 | | 1.59 | 17.3 | 350 | 6.8 | 4.9 | <0.001 | 0.04 | 0.59 | 3.3 | 0.4 | 0.6 | 20.4 | 0.01 | 0.03 | 0.8 |
| 11FA125 | | 1.60 | 27.5 | 690 | 8.8 | 15.8 | <0.001 | 0.07 | 2.08 | 3.7 | 0.7 | 0.5 | 42.7 | 0.01 | 0.03 | 1.4 |
| 11FA126 | | 1.43 | 30.0 | 560 | 7.1 | 11.6 | <0.001 | 0.04 | 1.20 | 5.2 | 0.7 | 0.5 | 38.3 | <0.01 | 0.03 | 1.7 |
| 11FA127 | | 1.95 | 30.7 | 300 | 7.6 | 4.6 | <0.001 | 0.03 | 0.56 | 4.4 | 0.4 | 0.7 | 20.7 | 0.01 | 0.03 | 1.4 |
| 11FA128 | | 1.02 | 19.6 | 580 | 6.5 | 6.8 | <0.001 | 0.08 | 0.66 | 2.8 | 0.6 | 0.4 | 43.7 | 0.01 | 0.02 | 0.4 |
| 11FA129 | | 0.71 | 11.6 | 580 | 4.6 | 4.9 | <0.001 | 0.05 | 0.31 | 2.0 | 0.4 | 0.3 | 25.7 | <0.01 | 0.02 | 0.2 |
| 11FA130 | | 0.98 | 14.4 | 630 | 3.8 | 3.7 | <0.001 | 0.10 | 0.39 | 1.8 | 0.5 | 0.3 | 22.0 | <0.01 | 0.03 | <0.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| 11FA091 | | 0.107 | 0.17 | 1.87 | 69 | 0.14 | 8.96 | 83 | 2.1 |
| 11FA092 | | 0.083 | 0.13 | 1.40 | 67 | 0.18 | 8.31 | 75 | 1.6 |
| 11FA093 | | 0.065 | 0.07 | 0.53 | 59 | 0.17 | 2.60 | 45 | 1.0 |
| 11FA094 | | 0.065 | 0.06 | 0.57 | 53 | 0.33 | 3.33 | 48 | 0.9 |
| 11FA095 | | 0.074 | 0.10 | 0.82 | 58 | 0.13 | 4.35 | 52 | 1.0 |
| 11FA096 | | 0.078 | 0.11 | 1.26 | 65 | 0.14 | 8.23 | 73 | 1.2 |
| 11FA097 | | 0.103 | 0.11 | 1.32 | 66 | 0.13 | 7.22 | 77 | 1.7 |
| 11FA098 | | 0.077 | 0.14 | 1.49 | 60 | 0.26 | 5.58 | 63 | 1.3 |
| 11FA099 | | 0.070 | 0.11 | 1.45 | 62 | 0.12 | 6.95 | 74 | 1.3 |
| 11FA100 | | 0.072 | 0.11 | 1.51 | 65 | 0.14 | 6.10 | 62 | 1.2 |
| 11FA101 | | 0.061 | 0.07 | 0.88 | 49 | 0.16 | 2.38 | 34 | 0.9 |
| 11FA102 | | 0.079 | 0.12 | 9.22 | 63 | 0.23 | 9.21 | 76 | 2.2 |
| 11FA103 | | 0.092 | 0.13 | 1.14 | 57 | 0.12 | 9.43 | 55 | 2.0 |
| 11FA104 | | 0.082 | 0.12 | 1.08 | 72 | 0.14 | 8.83 | 60 | 1.8 |
| 11FA105 | | 0.083 | 0.12 | 1.26 | 55 | 0.38 | 9.59 | 76 | 2.5 |
| 11FA106 | | 0.111 | 0.12 | 1.32 | 74 | 0.13 | 11.50 | 63 | 2.2 |
| 11FA107 | | 0.127 | 0.16 | 1.21 | 72 | 0.32 | 12.55 | 63 | 3.0 |
| 11FA108 | | 0.109 | 0.12 | 1.42 | 67 | 0.13 | 9.86 | 63 | 2.7 |
| 11FA109 | | 0.069 | 0.11 | 1.20 | 58 | 0.13 | 7.54 | 51 | 1.6 |
| 11FA110 | | 0.133 | 0.15 | 0.70 | 75 | 0.35 | 6.68 | 67 | 2.5 |
| 11FA111 | | 0.113 | 0.13 | 1.45 | 70 | 0.14 | 8.49 | 54 | 2.2 |
| 11FA112 | | 0.078 | 0.14 | 1.83 | 58 | 0.17 | 7.95 | 62 | 1.5 |
| 11FA113 | | 0.097 | 0.14 | 1.85 | 61 | 0.21 | 8.71 | 71 | 1.8 |
| 11FA114 | | 0.070 | 0.16 | 4.15 | 71 | 0.16 | 10.65 | 78 | 1.7 |
| 11FA115 | | 0.108 | 0.12 | 0.83 | 80 | 0.14 | 6.37 | 63 | 2.3 |
| 11FA116 | | 0.081 | 0.11 | 1.07 | 64 | 0.20 | 7.92 | 59 | 1.8 |
| 11FA117 | | 0.143 | 0.16 | 0.99 | 84 | 0.16 | 12.25 | 69 | 4.0 |
| 11FA118 | | 0.099 | 0.13 | 1.14 | 67 | 0.20 | 12.95 | 61 | 2.4 |
| 11FA119 | | 0.106 | 0.12 | 0.76 | 61 | 0.25 | 9.03 | 57 | 2.7 |
| 11FA120 | | 0.084 | 0.10 | 0.98 | 47 | 0.12 | 6.88 | 63 | 2.1 |
| 11FA121 | | 0.096 | 0.11 | 0.78 | 70 | 0.49 | 6.14 | 76 | 2.2 |
| 11FA122 | | 0.105 | 0.15 | 1.22 | 65 | 1.50 | 9.04 | 76 | 2.5 |
| 11FA123 | | 0.089 | 0.16 | 0.70 | 76 | 1.06 | 5.60 | 56 | 2.4 |
| 11FA124 | | 0.094 | 0.09 | 0.44 | 82 | 0.11 | 3.50 | 46 | 2.1 |
| 11FA125 | | 0.060 | 0.16 | 1.13 | 58 | 0.13 | 6.90 | 64 | 1.1 |
| 11FA126 | | 0.086 | 0.13 | 1.59 | 72 | 0.16 | 6.58 | 62 | 2.0 |
| 11FA127 | | 0.106 | 0.09 | 0.50 | 96 | 0.14 | 4.70 | 45 | 3.8 |
| 11FA128 | | 0.057 | 0.07 | 0.62 | 38 | 0.09 | 6.04 | 43 | 1.4 |
| 11FA129 | | 0.058 | 0.06 | 0.39 | 47 | 0.07 | 3.62 | 35 | 0.9 |
| 11FA130 | | 0.052 | 0.06 | 0.39 | 44 | 0.07 | 2.79 | 33 | 0.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| 11FA131 | | 0.22 | 0.014 | 0.11 | 0.59 | 7.0 | <0.2 | <10 | 120 | 0.11 | 0.07 | 0.46 | 0.09 | 8.57 | 5.0 | 17 |
| 11FA132 | | 0.21 | <0.005 | 0.06 | 0.82 | 15.9 | <0.2 | <10 | 90 | 0.18 | 0.08 | 1.02 | 0.30 | 13.25 | 9.9 | 19 |
| 11FA133 | | 0.32 | <0.005 | 0.13 | 1.21 | 31.7 | <0.2 | <10 | 150 | 0.30 | 0.15 | 0.98 | 0.20 | 18.40 | 13.3 | 26 |
| 11FA134 | | 0.42 | 0.014 | 0.18 | 1.67 | 46.3 | <0.2 | <10 | 160 | 0.49 | 0.24 | 0.82 | 0.23 | 33.1 | 14.6 | 39 |
| 11FA135 | | 0.49 | 0.010 | 0.28 | 2.03 | 186.5 | <0.2 | <10 | 370 | 0.80 | 0.69 | 1.00 | 0.27 | 14.95 | 28.9 | 43 |
| 11LF267 | | 0.82 | 0.012 | 0.10 | 2.04 | 14.4 | <0.2 | <10 | 120 | 0.34 | 0.17 | 0.64 | 0.17 | 20.1 | 16.6 | 38 |
| 11LF268 | | 0.59 | 0.007 | 0.11 | 1.79 | 8.0 | <0.2 | <10 | 110 | 0.31 | 0.14 | 0.63 | 0.22 | 21.3 | 15.7 | 32 |
| 11LF269 | | 0.54 | 0.007 | 0.09 | 0.77 | 5.6 | <0.2 | <10 | 60 | 0.17 | 0.09 | 0.33 | 0.11 | 10.05 | 7.0 | 16 |
| 11LF270 | | 0.65 | 0.011 | 0.08 | 2.55 | 21.6 | <0.2 | <10 | 190 | 0.44 | 0.26 | 0.64 | 0.14 | 18.65 | 21.5 | 39 |
| 11LF271 | | 0.63 | 0.010 | 0.10 | 2.38 | 16.8 | <0.2 | <10 | 160 | 0.41 | 0.19 | 0.72 | 0.19 | 19.00 | 16.6 | 37 |
| 11LF272 | | 0.58 | 0.006 | 0.10 | 1.91 | 13.6 | <0.2 | <10 | 120 | 0.31 | 0.17 | 0.77 | 0.29 | 16.15 | 17.0 | 36 |
| 11LF273 | | 0.70 | 0.011 | 0.10 | 2.08 | 19.0 | <0.2 | <10 | 140 | 0.41 | 0.17 | 0.54 | 0.19 | 15.75 | 15.9 | 37 |
| 11LF274 | | 0.83 | 0.012 | 0.05 | 2.78 | 14.5 | <0.2 | <10 | 120 | 0.46 | 0.18 | 0.54 | 0.09 | 21.6 | 19.5 | 43 |
| 11LF275 | | 0.59 | 0.009 | 0.09 | 2.46 | 23.0 | <0.2 | <10 | 120 | 0.45 | 0.20 | 0.48 | 0.17 | 17.50 | 15.7 | 40 |
| 11LF276 | | 0.80 | 0.022 | 0.13 | 2.84 | 18.8 | <0.2 | <10 | 160 | 0.38 | 0.18 | 0.56 | 0.16 | 20.5 | 18.0 | 43 |
| 11LF277 | | 0.75 | 0.008 | 0.11 | 2.73 | 16.2 | <0.2 | <10 | 160 | 0.45 | 0.21 | 0.56 | 0.18 | 18.65 | 19.2 | 42 |
| 11LF278 | | 0.52 | 0.011 | 0.17 | 2.24 | 21.1 | <0.2 | <10 | 130 | 0.44 | 0.26 | 0.71 | 0.22 | 23.2 | 16.7 | 34 |
| 11LF279 | | 0.64 | 0.009 | 0.05 | 2.63 | 11.7 | <0.2 | <10 | 110 | 0.45 | 0.12 | 0.51 | 0.16 | 17.60 | 17.3 | 40 |
| 11LF280 | | 0.91 | 0.010 | 0.06 | 2.49 | 24.8 | <0.2 | <10 | 120 | 0.41 | 0.12 | 0.68 | 0.10 | 21.3 | 16.2 | 47 |
| 11LF281 | | 0.67 | 0.011 | 0.25 | 2.32 | 30.1 | <0.2 | <10 | 150 | 0.38 | 0.15 | 0.46 | 0.16 | 19.35 | 17.0 | 38 |
| 11LF282 | | 0.71 | 0.008 | 0.20 | 2.27 | 19.3 | <0.2 | <10 | 130 | 0.43 | 0.14 | 0.48 | 0.17 | 20.7 | 19.6 | 39 |
| 11LF283 | | 0.68 | 0.017 | 0.19 | 2.15 | 37.4 | <0.2 | <10 | 160 | 0.44 | 0.18 | 0.71 | 0.21 | 21.9 | 21.3 | 41 |
| 11LF284 | | 0.62 | 0.007 | 0.13 | 2.13 | 34.7 | <0.2 | <10 | 150 | 0.42 | 0.23 | 0.63 | 0.17 | 20.5 | 17.8 | 46 |
| 11LF285 | | 0.65 | 0.011 | 0.15 | 2.51 | 33.3 | <0.2 | <10 | 190 | 0.44 | 0.16 | 0.79 | 0.23 | 26.1 | 27.3 | 98 |
| 11LF286 | | 0.60 | 0.008 | 0.14 | 1.81 | 12.1 | <0.2 | <10 | 110 | 0.36 | 0.17 | 0.39 | 0.27 | 17.40 | 11.9 | 39 |
| 11LF287 | | 0.51 | 0.014 | 0.12 | 1.50 | 9.4 | <0.2 | <10 | 90 | 0.31 | 0.17 | 0.38 | 0.15 | 14.75 | 9.7 | 34 |
| 11LF288 | | 0.59 | 0.008 | 0.16 | 1.91 | 10.3 | <0.2 | <10 | 120 | 0.38 | 0.15 | 0.49 | 0.18 | 16.20 | 22.4 | 37 |
| 11LF289 | | 0.72 | 0.009 | 0.09 | 2.29 | 8.5 | <0.2 | <10 | 280 | 0.43 | 0.13 | 0.45 | 0.16 | 20.1 | 16.0 | 44 |
| 11LF290 | | 0.80 | 0.010 | 0.05 | 2.76 | 9.1 | <0.2 | <10 | 610 | 0.53 | 0.12 | 0.52 | 0.09 | 23.0 | 13.8 | 54 |
| 11LF291 | | 0.65 | 0.012 | 0.09 | 2.41 | 17.1 | <0.2 | <10 | 490 | 0.51 | 0.15 | 0.46 | 0.23 | 29.5 | 16.0 | 42 |
| 11LF292 | | 0.69 | 0.017 | 0.06 | 2.32 | 12.8 | <0.2 | <10 | 700 | 0.40 | 0.11 | 0.59 | 0.16 | 21.6 | 21.3 | 44 |
| 11LF293 | | 0.89 | 0.011 | 0.14 | 2.00 | 35.1 | <0.2 | <10 | 200 | 0.46 | 0.15 | 0.82 | 0.23 | 24.3 | 27.2 | 56 |
| 11LF294 | | 0.56 | 0.007 | 0.14 | 1.86 | 16.7 | <0.2 | <10 | 190 | 0.39 | 0.17 | 0.78 | 0.29 | 21.2 | 19.1 | 54 |
| 11LF295 | | 0.71 | 0.016 | 0.14 | 1.93 | 24.9 | <0.2 | <10 | 250 | 0.50 | 0.15 | 0.50 | 0.23 | 25.2 | 19.8 | 38 |
| 11LF296 | | 0.66 | 0.008 | 0.06 | 2.49 | 15.1 | <0.2 | <10 | 180 | 0.50 | 0.14 | 0.39 | 0.17 | 23.8 | 17.7 | 40 |
| 11LF297 | | 0.63 | 0.006 | 0.11 | 2.86 | 21.8 | <0.2 | <10 | 200 | 0.56 | 0.14 | 0.45 | 0.24 | 26.2 | 20.0 | 47 |
| 11LF298 | | 0.57 | 0.008 | 0.14 | 1.84 | 14.5 | <0.2 | <10 | 130 | 0.38 | 0.14 | 0.32 | 0.19 | 18.85 | 12.9 | 35 |
| 11LF299 | | 0.77 | 0.007 | 0.14 | 2.40 | 26.4 | <0.2 | <10 | 190 | 0.42 | 0.18 | 0.65 | 0.18 | 20.8 | 20.7 | 45 |
| 11LF300 | | 0.62 | 0.007 | 0.14 | 2.43 | 31.4 | <0.2 | <10 | 170 | 0.44 | 0.15 | 0.56 | 0.19 | 22.9 | 18.0 | 39 |
| 11LF301 | | 0.52 | <0.005 | 0.09 | 1.96 | 13.7 | <0.2 | <10 | 140 | 0.43 | 0.17 | 0.68 | 0.27 | 20.9 | 16.6 | 38 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| 11FA131 | | 1.52 | 27.8 | 1.53 | 2.64 | 0.05 | 0.02 | 0.06 | 0.013 | 0.03 | 4.1 | 3.0 | 0.13 | 174 | 1.04 |
| 11FA132 | | 0.51 | 19.5 | 1.81 | 3.27 | 0.07 | 0.03 | 0.05 | 0.017 | 0.03 | 6.2 | 3.3 | 0.27 | 516 | 0.91 |
| 11FA133 | | 0.91 | 28.1 | 2.31 | 4.44 | 0.08 | 0.05 | 0.05 | 0.021 | 0.04 | 8.5 | 7.1 | 0.38 | 754 | 1.36 |
| 11FA134 | | 1.55 | 40.7 | 3.07 | 5.73 | 0.11 | 0.10 | 0.03 | 0.027 | 0.07 | 15.5 | 13.4 | 0.68 | 523 | 0.94 |
| 11FA135 | | 2.26 | 83.9 | 3.03 | 6.92 | 0.09 | 0.10 | 0.05 | 0.038 | 0.15 | 6.6 | 22.0 | 0.79 | 631 | 1.06 |
| 11LF267 | | 1.04 | 41.4 | 3.31 | 7.10 | 0.10 | 0.06 | 0.05 | 0.029 | 0.04 | 8.9 | 13.3 | 0.64 | 553 | 1.30 |
| 11LF268 | | 0.96 | 32.5 | 2.51 | 6.30 | 0.08 | 0.04 | 0.06 | 0.027 | 0.04 | 9.1 | 10.9 | 0.50 | 724 | 1.40 |
| 11LF269 | | 0.64 | 14.1 | 1.90 | 4.11 | 0.09 | <0.02 | 0.10 | 0.014 | 0.02 | 4.4 | 4.4 | 0.27 | 273 | 0.92 |
| 11LF270 | | 1.63 | 39.7 | 3.87 | 8.29 | 0.10 | 0.03 | 0.05 | 0.033 | 0.03 | 8.4 | 13.0 | 0.81 | 642 | 1.18 |
| 11LF271 | | 1.55 | 33.9 | 3.66 | 7.41 | 0.11 | 0.03 | 0.05 | 0.029 | 0.04 | 9.0 | 11.9 | 0.81 | 602 | 1.21 |
| 11LF272 | | 1.10 | 34.1 | 3.19 | 6.84 | 0.10 | 0.02 | 0.05 | 0.026 | 0.04 | 6.9 | 10.6 | 0.65 | 689 | 1.36 |
| 11LF273 | | 1.02 | 27.4 | 3.67 | 7.09 | 0.10 | 0.04 | 0.04 | 0.027 | 0.04 | 6.9 | 12.5 | 0.65 | 457 | 1.55 |
| 11LF274 | | 1.34 | 44.8 | 3.62 | 7.49 | 0.11 | 0.07 | 0.03 | 0.031 | 0.05 | 9.4 | 13.3 | 0.81 | 424 | 0.67 |
| 11LF275 | | 1.24 | 34.0 | 3.85 | 8.22 | 0.10 | 0.04 | 0.06 | 0.033 | 0.05 | 7.9 | 13.6 | 0.71 | 592 | 1.56 |
| 11LF276 | | 1.13 | 43.1 | 3.83 | 7.80 | 0.11 | 0.04 | 0.03 | 0.029 | 0.04 | 8.5 | 12.6 | 0.83 | 606 | 0.89 |
| 11LF277 | | 1.46 | 39.7 | 3.92 | 8.55 | 0.10 | 0.03 | 0.03 | 0.033 | 0.04 | 8.1 | 12.9 | 0.84 | 672 | 1.46 |
| 11LF278 | | 1.42 | 37.5 | 3.23 | 6.97 | 0.11 | 0.02 | 0.04 | 0.026 | 0.04 | 10.9 | 10.4 | 0.69 | 541 | 1.39 |
| 11LF279 | | 1.16 | 34.4 | 3.58 | 7.02 | 0.10 | 0.07 | 0.03 | 0.028 | 0.05 | 7.1 | 12.0 | 0.75 | 504 | 0.75 |
| 11LF280 | | 0.83 | 43.3 | 3.50 | 6.87 | 0.12 | 0.14 | 0.04 | 0.029 | 0.05 | 10.0 | 12.8 | 0.77 | 381 | 0.55 |
| 11LF281 | | 0.80 | 36.2 | 3.50 | 6.50 | 0.10 | 0.04 | 0.08 | 0.027 | 0.04 | 8.7 | 11.0 | 0.69 | 672 | 1.32 |
| 11LF282 | | 1.08 | 47.9 | 3.35 | 6.81 | 0.10 | 0.03 | 0.05 | 0.028 | 0.04 | 9.1 | 11.3 | 0.64 | 1020 | 1.37 |
| 11LF283 | | 1.54 | 47.1 | 3.27 | 6.92 | 0.11 | 0.03 | 0.05 | 0.031 | 0.04 | 9.3 | 12.2 | 0.65 | 833 | 1.25 |
| 11LF284 | | 2.14 | 52.3 | 3.68 | 6.95 | 0.11 | 0.03 | 0.05 | 0.032 | 0.04 | 9.7 | 12.5 | 0.75 | 657 | 1.23 |
| 11LF285 | | 2.54 | 68.7 | 4.60 | 7.62 | 0.11 | 0.04 | 0.05 | 0.036 | 0.04 | 11.4 | 14.5 | 1.20 | 965 | 1.11 |
| 11LF286 | | 1.17 | 40.0 | 3.77 | 8.56 | 0.10 | 0.03 | 0.04 | 0.029 | 0.03 | 8.3 | 10.1 | 0.47 | 380 | 1.97 |
| 11LF287 | | 1.10 | 27.0 | 3.40 | 7.90 | 0.10 | 0.02 | 0.06 | 0.027 | 0.03 | 7.2 | 9.9 | 0.37 | 400 | 2.10 |
| 11LF288 | | 1.23 | 44.7 | 3.36 | 7.28 | 0.09 | 0.02 | 0.08 | 0.027 | 0.03 | 7.5 | 9.6 | 0.56 | 662 | 1.71 |
| 11LF289 | | 1.39 | 33.9 | 3.27 | 6.91 | 0.10 | 0.03 | 0.04 | 0.024 | 0.05 | 9.7 | 12.7 | 0.69 | 606 | 1.22 |
| 11LF290 | | 2.20 | 52.9 | 3.96 | 7.64 | 0.12 | 0.06 | 0.06 | 0.031 | 0.09 | 10.7 | 17.8 | 0.99 | 674 | 0.87 |
| 11LF291 | | 1.59 | 78.2 | 3.82 | 6.87 | 0.11 | 0.04 | 0.39 | 0.027 | 0.08 | 11.1 | 14.7 | 0.72 | 1620 | 1.48 |
| 11LF292 | | 1.88 | 47.2 | 3.83 | 6.44 | 0.10 | 0.08 | 0.05 | 0.031 | 0.07 | 8.7 | 15.7 | 0.92 | 708 | 0.78 |
| 11LF293 | | 2.19 | 72.4 | 4.21 | 6.80 | 0.12 | 0.04 | 0.05 | 0.035 | 0.06 | 12.3 | 13.5 | 0.90 | 726 | 0.96 |
| 11LF294 | | 2.11 | 37.6 | 3.75 | 6.71 | 0.10 | 0.02 | 0.05 | 0.033 | 0.05 | 9.8 | 11.1 | 0.65 | 1020 | 1.61 |
| 11LF295 | | 1.79 | 59.6 | 3.64 | 6.92 | 0.10 | 0.03 | 0.04 | 0.031 | 0.05 | 11.4 | 12.6 | 0.57 | 732 | 1.55 |
| 11LF296 | | 1.43 | 36.1 | 4.07 | 7.01 | 0.10 | 0.04 | 0.03 | 0.032 | 0.05 | 8.5 | 15.0 | 0.64 | 786 | 1.54 |
| 11LF297 | | 1.97 | 45.6 | 4.16 | 7.79 | 0.10 | 0.05 | 0.04 | 0.034 | 0.05 | 9.9 | 16.2 | 0.71 | 801 | 1.32 |
| 11LF298 | | 1.28 | 33.3 | 3.04 | 6.30 | 0.10 | 0.02 | 0.05 | 0.024 | 0.03 | 8.4 | 10.5 | 0.49 | 450 | 1.32 |
| 11LF299 | | 1.45 | 47.7 | 3.71 | 7.12 | 0.10 | 0.04 | 0.04 | 0.031 | 0.04 | 8.9 | 13.8 | 0.82 | 817 | 1.18 |
| 11LF300 | | 0.93 | 39.8 | 3.48 | 6.78 | 0.11 | 0.04 | 0.05 | 0.026 | 0.04 | 10.1 | 11.2 | 0.64 | 667 | 1.22 |
| 11LF301 | | 1.16 | 30.4 | 3.96 | 7.18 | 0.10 | 0.02 | 0.07 | 0.032 | 0.06 | 8.4 | 11.9 | 0.67 | 702 | 2.00 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| 11FA131 | | 0.77 | 14.1 | 730 | 3.5 | 4.1 | <0.001 | 0.14 | 0.51 | 1.8 | 0.6 | 0.3 | 25.9 | <0.01 | 0.02 | <0.2 |
| 11FA132 | | 0.89 | 15.3 | 630 | 3.6 | 7.8 | <0.001 | 0.10 | 0.41 | 3.0 | 0.7 | 0.3 | 47.5 | 0.01 | 0.02 | 0.3 |
| 11FA133 | | 1.18 | 21.8 | 730 | 5.5 | 10.4 | <0.001 | 0.09 | 0.66 | 3.5 | 0.8 | 0.4 | 47.2 | 0.01 | 0.03 | 0.4 |
| 11FA134 | | 1.93 | 37.8 | 680 | 8.0 | 10.8 | <0.001 | 0.04 | 1.15 | 5.7 | 0.8 | 0.5 | 42.0 | 0.01 | 0.03 | 2.8 |
| 11FA135 | | 4.20 | 37.0 | 530 | 14.7 | 13.2 | <0.001 | 0.06 | 4.48 | 6.5 | 1.2 | 2.0 | 128.0 | 0.01 | 0.04 | 1.7 |
| 11LF267 | | 1.27 | 28.1 | 720 | 6.1 | 7.4 | <0.001 | 0.06 | 0.66 | 4.9 | 0.7 | 0.5 | 43.0 | 0.01 | 0.04 | 0.7 |
| 11LF268 | | 1.01 | 22.2 | 900 | 6.5 | 7.1 | <0.001 | 0.09 | 0.57 | 3.7 | 0.8 | 0.4 | 38.7 | 0.01 | 0.03 | 0.3 |
| 11LF269 | | 0.57 | 11.3 | 440 | 4.0 | 3.1 | <0.001 | 0.05 | 0.46 | 1.5 | 0.3 | 0.4 | 24.0 | <0.01 | 0.02 | <0.2 |
| 11LF270 | | 0.96 | 31.5 | 810 | 7.6 | 5.1 | <0.001 | 0.07 | 0.96 | 4.9 | 0.6 | 0.6 | 65.5 | <0.01 | 0.04 | 0.4 |
| 11LF271 | | 0.95 | 28.1 | 760 | 6.7 | 5.1 | <0.001 | 0.07 | 0.71 | 4.9 | 0.6 | 0.5 | 55.0 | <0.01 | 0.03 | 0.5 |
| 11LF272 | | 0.76 | 26.6 | 900 | 6.0 | 6.0 | <0.001 | 0.09 | 0.96 | 3.7 | 0.6 | 0.5 | 43.2 | <0.01 | 0.04 | 0.3 |
| 11LF273 | | 1.14 | 31.0 | 650 | 6.9 | 5.9 | 0.001 | 0.06 | 1.08 | 3.8 | 0.3 | 0.6 | 36.1 | 0.01 | 0.03 | 0.5 |
| 11LF274 | | 1.37 | 33.3 | 620 | 6.0 | 5.6 | <0.001 | 0.03 | 0.97 | 7.0 | 0.5 | 0.6 | 48.7 | <0.01 | 0.02 | 1.2 |
| 11LF275 | | 1.24 | 30.5 | 750 | 7.1 | 7.0 | <0.001 | 0.06 | 0.80 | 4.7 | 0.4 | 0.6 | 33.5 | <0.01 | 0.04 | 0.6 |
| 11LF276 | | 1.13 | 32.2 | 700 | 5.4 | 5.3 | 0.001 | 0.05 | 0.99 | 6.2 | 0.7 | 0.5 | 55.2 | <0.01 | 0.02 | 0.9 |
| 11LF277 | | 0.93 | 31.9 | 820 | 7.1 | 6.4 | 0.001 | 0.07 | 0.91 | 4.0 | 0.6 | 0.6 | 44.9 | <0.01 | 0.03 | 0.3 |
| 11LF278 | | 0.89 | 27.6 | 1090 | 6.6 | 6.1 | 0.001 | 0.11 | 0.88 | 3.2 | 0.7 | 0.5 | 51.2 | <0.01 | 0.03 | 0.2 |
| 11LF279 | | 1.43 | 32.8 | 580 | 5.5 | 5.3 | <0.001 | 0.04 | 0.62 | 5.6 | 0.3 | 0.5 | 31.4 | 0.01 | 0.03 | 0.9 |
| 11LF280 | | 1.34 | 32.5 | 510 | 5.5 | 6.0 | <0.001 | 0.03 | 0.59 | 8.9 | 0.6 | 0.6 | 47.1 | <0.01 | 0.04 | 1.8 |
| 11LF281 | | 0.98 | 29.4 | 780 | 7.0 | 5.4 | <0.001 | 0.07 | 0.73 | 3.8 | 0.5 | 0.5 | 30.1 | <0.01 | 0.02 | 0.5 |
| 11LF282 | | 0.94 | 28.9 | 920 | 6.4 | 5.6 | <0.001 | 0.08 | 0.75 | 3.7 | 0.7 | 0.5 | 29.6 | <0.01 | 0.03 | 0.3 |
| 11LF283 | | 1.04 | 31.6 | 890 | 6.3 | 6.0 | <0.001 | 0.07 | 0.78 | 4.4 | 0.6 | 0.5 | 35.8 | <0.01 | 0.04 | 0.4 |
| 11LF284 | | 1.03 | 36.3 | 870 | 6.2 | 4.5 | <0.001 | 0.08 | 0.90 | 4.8 | 0.5 | 0.5 | 32.6 | <0.01 | 0.02 | 0.4 |
| 11LF285 | | 1.02 | 117.0 | 880 | 7.5 | 5.8 | <0.001 | 0.06 | 1.68 | 7.7 | 0.8 | 0.6 | 33.8 | <0.01 | 0.03 | 0.6 |
| 11LF286 | | 1.05 | 28.8 | 600 | 8.5 | 5.0 | <0.001 | 0.06 | 0.71 | 2.6 | 0.4 | 0.7 | 27.7 | 0.01 | 0.03 | 0.2 |
| 11LF287 | | 0.90 | 19.3 | 670 | 8.3 | 6.1 | <0.001 | 0.08 | 0.68 | 2.4 | 0.5 | 0.7 | 27.7 | <0.01 | 0.04 | 0.2 |
| 11LF288 | | 0.79 | 23.8 | 920 | 7.4 | 5.9 | <0.001 | 0.09 | 0.63 | 3.1 | 0.6 | 0.6 | 30.6 | <0.01 | 0.03 | 0.2 |
| 11LF289 | | 1.09 | 29.9 | 640 | 7.9 | 6.8 | <0.001 | 0.04 | 0.61 | 4.3 | 0.5 | 0.6 | 33.4 | <0.01 | 0.03 | 0.5 |
| 11LF290 | | 1.35 | 35.6 | 650 | 6.6 | 8.5 | <0.001 | 0.03 | 0.86 | 7.1 | 0.5 | 0.6 | 33.4 | <0.01 | 0.03 | 1.3 |
| 11LF291 | | 1.11 | 42.7 | 680 | 7.5 | 7.9 | 0.001 | 0.04 | 1.07 | 5.0 | 0.6 | 0.5 | 32.9 | <0.01 | 0.03 | 1.0 |
| 11LF292 | | 1.42 | 37.3 | 760 | 5.6 | 6.5 | <0.001 | 0.03 | 1.10 | 5.1 | 0.5 | 0.5 | 38.8 | <0.01 | 0.02 | 1.5 |
| 11LF293 | | 0.86 | 55.0 | 930 | 8.9 | 5.3 | 0.001 | 0.04 | 2.51 | 8.6 | 0.8 | 0.5 | 34.4 | <0.01 | 0.02 | 0.9 |
| 11LF294 | | 0.85 | 45.5 | 1010 | 7.7 | 7.1 | <0.001 | 0.12 | 0.82 | 4.4 | 0.6 | 0.5 | 38.7 | <0.01 | 0.03 | 0.3 |
| 11LF295 | | 0.97 | 33.0 | 740 | 8.3 | 7.2 | <0.001 | 0.07 | 1.27 | 3.2 | 0.5 | 0.6 | 40.1 | <0.01 | 0.03 | 0.4 |
| 11LF296 | | 1.40 | 38.9 | 590 | 8.0 | 6.5 | <0.001 | 0.04 | 0.97 | 4.4 | 0.4 | 0.6 | 27.1 | 0.01 | 0.03 | 1.1 |
| 11LF297 | | 1.47 | 37.5 | 680 | 8.0 | 7.3 | <0.001 | 0.05 | 0.83 | 4.9 | 0.5 | 0.6 | 32.6 | 0.01 | 0.02 | 0.8 |
| 11LF298 | | 1.01 | 25.4 | 720 | 6.7 | 4.6 | <0.001 | 0.08 | 0.73 | 2.9 | 0.4 | 0.5 | 26.2 | <0.01 | 0.03 | 0.3 |
| 11LF299 | | 1.01 | 35.3 | 860 | 6.3 | 6.4 | <0.001 | 0.06 | 0.75 | 5.2 | 0.6 | 0.6 | 37.4 | <0.01 | 0.02 | 0.5 |
| 11LF300 | | 1.03 | 29.0 | 800 | 5.9 | 5.4 | <0.001 | 0.08 | 0.73 | 4.4 | 0.7 | 0.5 | 37.5 | <0.01 | 0.03 | 0.4 |
| 11LF301 | | 0.76 | 31.4 | 940 | 8.9 | 8.0 | <0.001 | 0.10 | 0.84 | 2.7 | 0.6 | 0.6 | 41.0 | <0.01 | 0.03 | 0.2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-DEC-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| 11FA131 | | 0.044 | 0.04 | 0.37 | 36 | 0.20 | 2.66 | 38 |
| 11FA132 | | 0.057 | 0.05 | 0.44 | 44 | 0.19 | 5.04 | 65 |
| 11FA133 | | 0.065 | 0.09 | 0.74 | 53 | 0.11 | 7.22 | 57 |
| 11FA134 | | 0.104 | 0.10 | 0.99 | 68 | 0.33 | 11.95 | 58 |
| 11FA135 | | 0.092 | 0.23 | 1.41 | 77 | 0.15 | 13.30 | 65 |
| 11LF267 | | 0.111 | 0.09 | 0.74 | 94 | 0.24 | 7.91 | 57 |
| 11LF268 | | 0.074 | 0.10 | 0.70 | 67 | 0.17 | 7.82 | 56 |
| 11LF269 | | 0.057 | 0.05 | 0.35 | 44 | 0.11 | 2.65 | 35 |
| 11LF270 | | 0.093 | 0.09 | 0.64 | 101 | 0.12 | 7.25 | 65 |
| 11LF271 | | 0.097 | 0.09 | 0.67 | 96 | 0.14 | 8.21 | 69 |
| 11LF272 | | 0.071 | 0.06 | 0.48 | 76 | 0.10 | 6.58 | 74 |
| 11LF273 | | 0.096 | 0.07 | 0.47 | 86 | 0.16 | 4.65 | 64 |
| 11LF274 | | 0.134 | 0.07 | 0.47 | 90 | 0.11 | 9.28 | 54 |
| 11LF275 | | 0.101 | 0.09 | 0.55 | 90 | 0.14 | 5.73 | 65 |
| 11LF276 | | 0.121 | 0.07 | 0.52 | 103 | 0.10 | 7.59 | 61 |
| 11LF277 | | 0.090 | 0.09 | 0.66 | 97 | 0.15 | 6.60 | 70 |
| 11LF278 | | 0.070 | 0.07 | 0.65 | 80 | 0.11 | 8.47 | 57 |
| 11LF279 | | 0.135 | 0.06 | 0.42 | 88 | 0.13 | 5.91 | 55 |
| 11LF280 | | 0.162 | 0.06 | 0.47 | 90 | 0.10 | 11.15 | 57 |
| 11LF281 | | 0.100 | 0.08 | 0.63 | 84 | 0.12 | 6.25 | 63 |
| 11LF282 | | 0.084 | 0.09 | 0.66 | 83 | 0.13 | 7.63 | 59 |
| 11LF283 | | 0.088 | 0.09 | 0.61 | 85 | 0.13 | 8.01 | 61 |
| 11LF284 | | 0.086 | 0.08 | 0.58 | 94 | 0.12 | 9.23 | 59 |
| 11LF285 | | 0.108 | 0.06 | 0.57 | 120 | 0.15 | 11.75 | 82 |
| 11LF286 | | 0.078 | 0.08 | 0.66 | 94 | 0.13 | 4.32 | 64 |
| 11LF287 | | 0.076 | 0.08 | 0.61 | 89 | 0.25 | 3.56 | 66 |
| 11LF288 | | 0.068 | 0.09 | 0.62 | 82 | 0.17 | 4.81 | 68 |
| 11LF289 | | 0.110 | 0.09 | 0.58 | 84 | 0.13 | 7.00 | 54 |
| 11LF290 | | 0.147 | 0.09 | 0.49 | 104 | 0.13 | 8.34 | 68 |
| 11LF291 | | 0.114 | 0.07 | 0.48 | 87 | 0.20 | 7.09 | 83 |
| 11LF292 | | 0.164 | 0.07 | 0.43 | 102 | 0.15 | 7.61 | 72 |
| 11LF293 | | 0.114 | 0.06 | 0.53 | 117 | 0.13 | 13.55 | 85 |
| 11LF294 | | 0.069 | 0.07 | 0.63 | 86 | 0.15 | 8.37 | 77 |
| 11LF295 | | 0.086 | 0.07 | 0.59 | 91 | 0.14 | 6.34 | 69 |
| 11LF296 | | 0.117 | 0.08 | 0.55 | 93 | 0.14 | 5.42 | 64 |
| 11LF297 | | 0.121 | 0.08 | 0.60 | 103 | 0.15 | 7.23 | 66 |
| 11LF298 | | 0.079 | 0.11 | 0.60 | 75 | 0.13 | 4.99 | 47 |
| 11LF299 | | 0.094 | 0.09 | 0.59 | 94 | 0.16 | 9.10 | 70 |
| 11LF300 | | 0.095 | 0.09 | 0.64 | 84 | 0.12 | 8.42 | 63 |
| 11LF301 | | 0.071 | 0.08 | 0.62 | 85 | 0.15 | 5.79 | 87 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| 11LF302 | | 0.57 | <0.005 | 0.10 | 1.31 | 8.7 | <0.2 | <10 | 120 | 0.27 | 0.14 | 0.59 | 0.26 | 15.65 | 12.5 | 30 |
| 11LF303 | | 0.78 | 0.012 | 0.10 | 2.22 | 14.0 | <0.2 | <10 | 110 | 0.41 | 0.16 | 0.64 | 0.21 | 18.65 | 17.4 | 37 |
| 11LF304 | | 0.57 | <0.005 | 0.09 | 1.48 | 9.0 | <0.2 | <10 | 130 | 0.36 | 0.14 | 0.72 | 0.26 | 16.15 | 14.2 | 30 |
| 11LF305 | | 0.76 | 0.005 | 0.09 | 2.29 | 13.7 | <0.2 | <10 | 130 | 0.43 | 0.17 | 0.51 | 0.19 | 19.65 | 17.9 | 40 |
| 11LF306 | | 0.75 | 0.023 | 0.11 | 2.60 | 37.1 | <0.2 | <10 | 130 | 0.39 | 0.65 | 0.74 | 0.25 | 23.0 | 16.8 | 44 |
| 11LF307 | | 0.48 | 0.007 | 0.08 | 1.36 | 9.0 | <0.2 | <10 | 110 | 0.27 | 0.16 | 0.52 | 0.18 | 14.85 | 12.2 | 29 |
| 11LF308 | | 0.74 | 0.008 | 0.08 | 2.42 | 13.7 | <0.2 | <10 | 150 | 0.43 | 0.17 | 0.44 | 0.24 | 21.4 | 17.4 | 40 |
| 11LF309 | | 0.64 | 0.006 | 0.11 | 2.62 | 37.5 | <0.2 | <10 | 140 | 0.41 | 0.25 | 0.59 | 0.24 | 23.2 | 21.0 | 41 |
| 11LF310 | | 0.67 | 0.005 | 0.08 | 2.34 | 29.6 | <0.2 | <10 | 150 | 0.44 | 0.22 | 0.52 | 0.32 | 21.9 | 18.1 | 40 |
| 11LF311 | | 0.69 | 0.008 | 0.10 | 2.44 | 48.5 | <0.2 | <10 | 140 | 0.46 | 0.27 | 0.57 | 0.19 | 23.5 | 23.5 | 40 |
| 11LF312 | | 0.76 | 0.053 | 0.10 | 2.82 | 111.0 | <0.2 | <10 | 90 | 0.36 | 0.79 | 1.06 | 0.20 | 20.2 | 21.5 | 38 |
| 11LF313 | | 0.71 | 0.017 | 0.13 | 2.38 | 129.0 | <0.2 | <10 | 110 | 0.40 | 0.52 | 0.80 | 0.25 | 21.1 | 23.8 | 39 |
| 11LF314 | | 0.61 | 0.008 | 0.10 | 1.86 | 44.9 | <0.2 | <10 | 110 | 0.32 | 0.27 | 0.72 | 0.20 | 16.90 | 15.4 | 35 |
| 11LF315 | | 0.94 | 0.030 | 0.12 | 3.14 | 132.0 | <0.2 | <10 | 100 | 0.28 | 0.61 | 1.20 | 0.25 | 14.60 | 35.0 | 81 |
| 11LF316 | | 1.95 | 0.021 | 0.12 | 3.07 | 60.5 | <0.2 | <10 | 140 | 0.39 | 0.66 | 0.96 | 0.26 | 21.9 | 25.1 | 45 |
| 11LF317 | | 0.70 | 0.014 | 0.10 | 2.98 | 25.6 | <0.2 | <10 | 130 | 0.31 | 0.56 | 0.98 | 0.25 | 17.65 | 27.8 | 52 |
| 11LF318 | | 0.80 | 0.009 | 0.07 | 2.98 | 31.5 | <0.2 | <10 | 180 | 0.30 | 0.38 | 0.93 | 0.24 | 16.70 | 25.5 | 43 |
| 11LF319 | | 0.77 | 0.009 | 0.11 | 2.60 | 295 | <0.2 | <10 | 140 | 0.36 | 0.26 | 0.90 | 0.22 | 15.90 | 22.5 | 44 |
| 11LF320 | | 0.66 | 0.009 | 0.14 | 2.22 | 72.2 | <0.2 | <10 | 120 | 0.36 | 0.33 | 0.89 | 0.28 | 21.3 | 22.9 | 39 |
| 11LF321 | | 0.56 | 0.009 | 0.09 | 1.68 | 11.9 | <0.2 | <10 | 110 | 0.32 | 0.21 | 0.56 | 0.28 | 17.75 | 16.5 | 32 |
| 11LF322 | | 0.68 | 0.019 | 0.09 | 2.49 | 44.2 | <0.2 | <10 | 150 | 0.48 | 0.94 | 0.67 | 0.25 | 23.7 | 21.4 | 41 |
| 11LF323 | | 0.64 | 0.035 | 0.09 | 1.96 | 76.6 | <0.2 | <10 | 100 | 0.29 | 1.36 | 0.65 | 0.19 | 15.60 | 18.7 | 34 |
| 11LF324 | | 0.81 | 0.055 | 0.16 | 2.30 | 192.5 | <0.2 | <10 | 80 | 0.29 | 1.94 | 0.93 | 0.17 | 18.30 | 22.2 | 38 |
| 11MGB001 | | 0.55 | 0.006 | 0.10 | 2.04 | 14.6 | <0.2 | <10 | 140 | 0.38 | 0.26 | 0.59 | 0.24 | 19.80 | 19.7 | 40 |
| 11MGB002 | | 0.73 | 0.007 | 0.12 | 2.64 | 14.3 | <0.2 | <10 | 150 | 0.39 | 0.41 | 0.66 | 0.11 | 21.2 | 20.7 | 44 |
| 11MGB003 | | 0.62 | 0.008 | 0.23 | 2.04 | 26.0 | <0.2 | <10 | 100 | 0.38 | 0.61 | 0.95 | 0.21 | 19.25 | 30.3 | 37 |
| 11MGB004 | | 0.47 | 0.005 | 0.10 | 1.42 | 8.5 | <0.2 | <10 | 100 | 0.33 | 0.16 | 0.41 | 0.25 | 15.85 | 11.5 | 27 |
| 11MGB005 | | 0.56 | 0.017 | 0.05 | 1.56 | 8.9 | <0.2 | <10 | 70 | 0.24 | 0.28 | 0.41 | 0.13 | 13.25 | 13.6 | 36 |
| 11MGB006 | | 0.59 | 0.008 | 0.13 | 2.17 | 14.9 | <0.2 | <10 | 140 | 0.38 | 0.75 | 0.69 | 0.24 | 21.6 | 23.5 | 40 |
| 11MGB007 | | 0.54 | 0.016 | 0.11 | 2.04 | 20.6 | <0.2 | <10 | 140 | 0.36 | 0.75 | 0.84 | 0.20 | 22.4 | 24.7 | 41 |
| 11MGB008 | | 0.42 | <0.005 | 0.10 | 1.68 | 12.6 | <0.2 | <10 | 150 | 0.36 | 0.22 | 0.66 | 0.21 | 18.60 | 17.8 | 36 |
| 11MGB009 | | 0.47 | 0.019 | 0.16 | 2.16 | 22.5 | <0.2 | <10 | 120 | 0.37 | 0.86 | 0.85 | 0.28 | 22.3 | 24.8 | 44 |
| 11MGB010 | | 0.53 | 0.010 | 0.12 | 2.40 | 13.7 | <0.2 | <10 | 110 | 0.25 | 0.30 | 0.85 | 0.20 | 13.05 | 27.2 | 95 |
| 11MGB011 | | 0.66 | 0.033 | 0.17 | 2.57 | 22.4 | <0.2 | <10 | 90 | 0.31 | 1.12 | 0.77 | 0.14 | 17.90 | 27.4 | 88 |
| 11MGB012 | | 0.42 | <0.005 | 0.13 | 1.79 | 15.4 | <0.2 | <10 | 130 | 0.37 | 0.44 | 1.00 | 0.29 | 21.0 | 19.3 | 34 |
| 11MGB013 | | 0.28 | 0.005 | 0.16 | 1.13 | 8.9 | <0.2 | <10 | 140 | 0.27 | 0.13 | 1.23 | 0.44 | 14.85 | 13.7 | 26 |
| 11MGB014 | | 0.34 | <0.005 | 0.10 | 1.26 | 9.5 | <0.2 | <10 | 150 | 0.29 | 0.13 | 1.10 | 0.23 | 15.40 | 13.3 | 28 |
| 11MGB015 | | 0.67 | 0.009 | 0.12 | 2.38 | 18.2 | <0.2 | <10 | 120 | 0.45 | 0.60 | 0.40 | 0.20 | 30.1 | 15.3 | 43 |
| 11MGB016 | | 0.37 | 0.007 | 0.21 | 2.01 | 19.7 | <0.2 | <10 | 90 | 0.45 | 0.56 | 0.69 | 0.20 | 23.5 | 11.2 | 35 |
| 11MGB017 | | 0.42 | 0.006 | 0.19 | 2.01 | 13.3 | <0.2 | <10 | 110 | 0.42 | 0.35 | 0.78 | 0.24 | 25.1 | 22.5 | 38 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| 11LF302 | | 0.85 | 25.4 | 2.96 | 5.39 | 0.10 | 0.02 | 0.06 | 0.023 | 0.05 | 7.1 | 7.4 | 0.50 | 558 | 1.52 |
| 11LF303 | | 2.85 | 31.5 | 3.86 | 7.90 | 0.09 | 0.03 | 0.05 | 0.028 | 0.05 | 7.7 | 11.8 | 0.63 | 629 | 1.63 |
| 11LF304 | | 0.93 | 26.4 | 3.03 | 5.77 | 0.10 | 0.02 | 0.06 | 0.025 | 0.04 | 6.8 | 9.1 | 0.54 | 621 | 1.57 |
| 11LF305 | | 1.54 | 36.6 | 3.91 | 8.36 | 0.06 | 0.04 | 0.12 | 0.036 | 0.05 | 8.2 | 15.1 | 0.62 | 745 | 2.01 |
| 11LF306 | | 1.66 | 60.6 | 3.12 | 7.10 | 0.06 | 0.06 | 0.04 | 0.034 | 0.05 | 11.4 | 13.6 | 0.80 | 388 | 0.85 |
| 11LF307 | | 0.87 | 24.1 | 2.82 | 5.70 | <0.05 | 0.03 | 0.04 | 0.027 | 0.05 | 7.1 | 9.1 | 0.48 | 582 | 1.45 |
| 11LF308 | | 1.31 | 29.7 | 3.98 | 7.84 | 0.06 | 0.04 | 0.04 | 0.036 | 0.05 | 8.3 | 14.6 | 0.63 | 776 | 1.92 |
| 11LF309 | | 2.21 | 44.6 | 4.06 | 7.81 | 0.06 | 0.04 | 0.10 | 0.038 | 0.05 | 8.4 | 14.9 | 0.71 | 763 | 1.65 |
| 11LF310 | | 1.30 | 35.2 | 3.96 | 7.53 | 0.06 | 0.03 | 0.05 | 0.036 | 0.05 | 8.8 | 14.3 | 0.69 | 749 | 2.04 |
| 11LF311 | | 1.68 | 42.5 | 4.01 | 7.34 | 0.06 | 0.04 | 0.04 | 0.036 | 0.06 | 8.9 | 14.5 | 0.73 | 854 | 1.76 |
| 11LF312 | | 8.27 | 46.8 | 4.11 | 7.99 | 0.07 | 0.04 | 0.08 | 0.035 | 0.06 | 8.6 | 15.8 | 0.81 | 736 | 1.29 |
| 11LF313 | | 4.83 | 58.7 | 3.87 | 6.87 | 0.07 | 0.04 | 0.12 | 0.037 | 0.05 | 9.1 | 14.8 | 0.85 | 736 | 1.39 |
| 11LF314 | | 2.55 | 37.1 | 3.28 | 5.95 | 0.06 | 0.03 | 0.06 | 0.032 | 0.05 | 7.4 | 11.6 | 0.68 | 533 | 1.26 |
| 11LF315 | | 5.03 | 91.0 | 4.39 | 8.22 | 0.06 | 0.07 | 0.05 | 0.046 | 0.05 | 6.8 | 22.7 | 1.88 | 1020 | 0.68 |
| 11LF316 | | 1.86 | 63.4 | 3.77 | 7.21 | 0.06 | 0.05 | 0.04 | 0.039 | 0.05 | 8.8 | 16.0 | 1.12 | 711 | 0.92 |
| 11LF317 | | 1.94 | 64.9 | 3.73 | 7.13 | 0.06 | 0.06 | 0.04 | 0.035 | 0.04 | 7.3 | 16.5 | 1.50 | 721 | 0.67 |
| 11LF318 | | 2.38 | 64.7 | 3.68 | 7.36 | 0.06 | 0.05 | 0.03 | 0.033 | 0.08 | 6.7 | 16.7 | 1.63 | 732 | 0.59 |
| 11LF319 | | 7.64 | 56.9 | 4.14 | 6.03 | 0.06 | 0.05 | 0.07 | 0.043 | 0.06 | 6.9 | 18.1 | 0.98 | 830 | 0.74 |
| 11LF320 | | 4.67 | 54.5 | 4.02 | 5.70 | 0.07 | 0.04 | 0.07 | 0.037 | 0.06 | 9.4 | 14.2 | 0.81 | 841 | 1.08 |
| 11LF321 | | 1.32 | 31.0 | 3.11 | 5.89 | 0.05 | 0.03 | 0.05 | 0.032 | 0.05 | 8.2 | 10.7 | 0.57 | 710 | 1.45 |
| 11LF322 | | 2.07 | 37.4 | 4.15 | 7.54 | 0.07 | 0.03 | 0.04 | 0.037 | 0.05 | 8.7 | 15.4 | 0.73 | 879 | 1.82 |
| 11LF323 | | 2.21 | 33.6 | 3.28 | 6.86 | 0.05 | 0.03 | 0.04 | 0.027 | 0.04 | 6.5 | 11.2 | 0.56 | 544 | 1.34 |
| 11LF324 | | 2.29 | 58.0 | 3.64 | 6.77 | 0.06 | 0.05 | 0.03 | 0.032 | 0.05 | 7.6 | 13.2 | 0.74 | 572 | 1.14 |
| 11MGB001 | | 1.39 | 37.6 | 3.86 | 6.90 | 0.06 | 0.04 | 0.08 | 0.035 | 0.05 | 8.7 | 13.8 | 0.63 | 733 | 1.99 |
| 11MGB002 | | 2.67 | 61.1 | 3.89 | 7.32 | 0.07 | 0.11 | 0.04 | 0.038 | 0.05 | 10.3 | 15.4 | 1.01 | 523 | 0.73 |
| 11MGB003 | | 2.26 | 92.1 | 4.56 | 6.23 | 0.07 | 0.05 | 0.05 | 0.042 | 0.05 | 8.6 | 11.9 | 0.81 | 731 | 1.43 |
| 11MGB004 | | 0.97 | 29.0 | 2.70 | 5.57 | <0.05 | 0.03 | 0.05 | 0.027 | 0.03 | 7.8 | 9.7 | 0.39 | 395 | 1.41 |
| 11MGB005 | | 0.71 | 36.7 | 3.23 | 5.31 | 0.06 | 0.06 | 0.02 | 0.023 | 0.04 | 6.6 | 9.6 | 0.59 | 335 | 0.87 |
| 11MGB006 | | 1.17 | 48.8 | 3.79 | 6.51 | 0.06 | 0.05 | 0.05 | 0.036 | 0.06 | 9.3 | 13.7 | 0.68 | 770 | 1.58 |
| 11MGB007 | | 1.21 | 50.6 | 3.79 | 6.20 | 0.06 | 0.04 | 0.05 | 0.032 | 0.06 | 9.3 | 13.7 | 0.67 | 717 | 1.65 |
| 11MGB008 | | 1.03 | 30.5 | 3.37 | 6.70 | 0.05 | 0.03 | 0.05 | 0.030 | 0.04 | 8.6 | 13.5 | 0.57 | 746 | 2.00 |
| 11MGB009 | | 1.78 | 60.1 | 3.27 | 6.09 | 0.07 | 0.04 | 0.05 | 0.030 | 0.05 | 9.0 | 13.9 | 0.73 | 717 | 1.30 |
| 11MGB010 | | 2.42 | 84.4 | 3.11 | 5.83 | 0.06 | 0.03 | 0.03 | 0.023 | 0.05 | 5.3 | 12.9 | 1.54 | 493 | 1.02 |
| 11MGB011 | | 1.51 | 97.4 | 3.30 | 6.64 | 0.06 | 0.05 | 0.05 | 0.032 | 0.05 | 9.0 | 14.6 | 1.28 | 456 | 0.95 |
| 11MGB012 | | 1.07 | 44.9 | 3.03 | 5.52 | 0.05 | 0.05 | 0.06 | 0.028 | 0.05 | 10.3 | 11.9 | 0.56 | 617 | 1.46 |
| 11MGB013 | | 0.84 | 31.4 | 2.36 | 4.43 | 0.05 | 0.03 | 0.07 | 0.021 | 0.05 | 7.0 | 8.4 | 0.47 | 557 | 1.41 |
| 11MGB014 | | 0.76 | 27.0 | 2.53 | 4.53 | <0.05 | 0.04 | 0.07 | 0.024 | 0.05 | 7.3 | 9.5 | 0.52 | 593 | 1.57 |
| 11MGB015 | | 1.21 | 61.0 | 3.53 | 6.95 | 0.07 | 0.07 | 0.07 | 0.037 | 0.05 | 14.5 | 14.6 | 0.68 | 200 | 1.14 |
| 11MGB016 | | 0.99 | 55.8 | 3.21 | 6.00 | 0.06 | 0.05 | 0.08 | 0.032 | 0.04 | 12.0 | 11.4 | 0.56 | 256 | 1.63 |
| 11MGB017 | | 1.14 | 48.3 | 3.58 | 6.78 | 0.08 | 0.04 | 0.06 | 0.031 | 0.05 | 10.8 | 12.9 | 0.65 | 772 | 2.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|-------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm 0.05 | ppm 0.2 | ppm 10 | ppm 0.2 | ppm 0.1 | ppm 0.001 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 0.2 | ppm 0.2 | ppm 0.2 | ppm 0.01 | ppm 0.01 |
| 11LF302 | | 0.72 | 22.0 | 790 | 7.8 | 5.7 | <0.001 | 0.11 | 0.69 | 2.3 | 0.4 | 0.5 | 36.3 | <0.01 | 0.04 |
| 11LF303 | | 0.88 | 30.0 | 770 | 6.6 | 6.0 | <0.001 | 0.08 | 0.75 | 3.5 | 0.6 | 0.6 | 43.1 | 0.01 | 0.03 |
| 11LF304 | | 0.70 | 23.6 | 810 | 6.3 | 6.6 | <0.001 | 0.11 | 0.63 | 2.0 | 0.4 | 0.5 | 42.5 | <0.01 | 0.04 |
| 11LF305 | | 1.08 | 32.8 | 760 | 8.7 | 9.1 | <0.001 | 0.07 | 0.77 | 3.3 | 0.5 | 0.6 | 33.0 | 0.01 | 0.03 |
| 11LF306 | | 1.11 | 33.3 | 930 | 6.4 | 6.6 | <0.001 | 0.08 | 1.02 | 7.7 | 0.8 | 0.5 | 35.6 | <0.01 | 0.04 |
| 11LF307 | | 0.92 | 20.5 | 650 | 6.7 | 7.6 | 0.001 | 0.08 | 0.57 | 2.7 | 0.5 | 0.5 | 30.7 | <0.01 | 0.03 |
| 11LF308 | | 1.19 | 34.1 | 690 | 8.7 | 9.4 | <0.001 | 0.06 | 0.72 | 3.4 | 0.5 | 0.6 | 29.6 | 0.01 | 0.03 |
| 11LF309 | | 1.08 | 36.2 | 990 | 9.5 | 8.0 | <0.001 | 0.08 | 1.04 | 3.9 | 0.6 | 0.6 | 41.6 | 0.01 | 0.04 |
| 11LF310 | | 0.97 | 33.6 | 860 | 8.7 | 9.8 | <0.001 | 0.08 | 1.01 | 2.9 | 0.5 | 0.6 | 32.3 | <0.01 | 0.04 |
| 11LF311 | | 0.98 | 37.1 | 910 | 8.2 | 8.6 | <0.001 | 0.08 | 1.14 | 3.5 | 0.6 | 0.6 | 36.5 | 0.01 | 0.05 |
| 11LF312 | | 0.96 | 31.8 | 770 | 6.6 | 6.4 | <0.001 | 0.08 | 1.07 | 5.7 | 0.7 | 0.5 | 47.8 | <0.01 | 0.13 |
| 11LF313 | | 0.85 | 38.1 | 820 | 7.2 | 7.3 | <0.001 | 0.07 | 2.20 | 6.9 | 0.7 | 0.5 | 44.9 | 0.01 | 0.10 |
| 11LF314 | | 0.87 | 27.8 | 780 | 8.4 | 7.1 | <0.001 | 0.09 | 1.26 | 4.2 | 0.6 | 0.5 | 38.9 | <0.01 | 0.05 |
| 11LF315 | | 0.63 | 70.1 | 640 | 6.6 | 5.4 | <0.001 | 0.05 | 4.90 | 14.9 | 0.6 | 0.5 | 56.8 | <0.01 | 0.09 |
| 11LF316 | | 0.82 | 41.0 | 760 | 8.5 | 6.0 | <0.001 | 0.05 | 1.04 | 7.6 | 0.5 | 0.5 | 61.7 | <0.01 | 0.07 |
| 11LF317 | | 0.75 | 44.4 | 640 | 6.8 | 4.7 | <0.001 | 0.04 | 1.36 | 9.8 | 0.5 | 0.5 | 65.2 | <0.01 | 0.03 |
| 11LF318 | | 0.63 | 37.2 | 600 | 5.6 | 4.7 | <0.001 | 0.04 | 1.40 | 11.2 | 0.4 | 0.4 | 87.7 | <0.01 | 0.03 |
| 11LF319 | | 0.66 | 38.7 | 750 | 6.2 | 6.1 | <0.001 | 0.06 | 5.05 | 13.1 | 0.6 | 0.4 | 61.7 | <0.01 | 0.03 |
| 11LF320 | | 0.79 | 39.0 | 820 | 7.1 | 7.3 | <0.001 | 0.07 | 4.59 | 10.8 | 0.8 | 0.5 | 47.3 | 0.01 | 0.06 |
| 11LF321 | | 0.86 | 25.2 | 780 | 7.2 | 7.3 | <0.001 | 0.09 | 0.66 | 2.9 | 0.6 | 0.5 | 31.8 | <0.01 | 0.05 |
| 11LF322 | | 0.95 | 37.0 | 990 | 8.6 | 9.6 | <0.001 | 0.09 | 1.09 | 3.3 | 0.6 | 0.6 | 38.7 | 0.01 | 0.08 |
| 11LF323 | | 0.94 | 27.6 | 820 | 6.3 | 6.6 | <0.001 | 0.08 | 1.01 | 3.4 | 0.6 | 0.5 | 35.4 | 0.01 | 0.11 |
| 11LF324 | | 0.96 | 34.2 | 750 | 6.1 | 6.0 | <0.001 | 0.06 | 1.27 | 5.4 | 0.7 | 0.5 | 40.1 | 0.01 | 0.17 |
| 11MGB001 | | 1.03 | 29.1 | 840 | 8.1 | 8.7 | <0.001 | 0.07 | 1.05 | 3.5 | 0.6 | 0.6 | 42.3 | <0.01 | 0.04 |
| 11MGB002 | | 1.33 | 35.0 | 430 | 6.3 | 6.7 | <0.001 | 0.03 | 1.33 | 9.0 | 0.5 | 0.5 | 91.9 | <0.01 | 0.05 |
| 11MGB003 | | 0.90 | 32.8 | 930 | 7.3 | 6.4 | <0.001 | 0.10 | 3.34 | 6.0 | 0.9 | 0.5 | 97.0 | <0.01 | 0.05 |
| 11MGB004 | | 0.96 | 21.6 | 570 | 6.4 | 6.3 | <0.001 | 0.06 | 0.65 | 2.7 | 0.5 | 0.4 | 26.5 | <0.01 | 0.04 |
| 11MGB005 | | 1.27 | 27.2 | 410 | 4.8 | 5.0 | <0.001 | 0.03 | 0.87 | 3.7 | 0.4 | 0.5 | 25.1 | <0.01 | 0.02 |
| 11MGB006 | | 1.07 | 35.2 | 950 | 7.6 | 8.7 | <0.001 | 0.08 | 0.97 | 3.8 | 0.6 | 0.5 | 36.7 | <0.01 | 0.05 |
| 11MGB007 | | 0.98 | 36.3 | 940 | 7.2 | 9.0 | <0.001 | 0.09 | 1.16 | 3.4 | 0.6 | 0.6 | 44.3 | <0.01 | 0.06 |
| 11MGB008 | | 0.95 | 26.3 | 890 | 7.8 | 7.7 | 0.001 | 0.08 | 0.77 | 2.5 | 0.5 | 0.5 | 35.9 | <0.01 | 0.04 |
| 11MGB009 | | 1.03 | 42.0 | 850 | 6.3 | 7.9 | <0.001 | 0.08 | 0.95 | 3.7 | 0.7 | 0.5 | 46.0 | <0.01 | 0.07 |
| 11MGB010 | | 0.87 | 168.0 | 680 | 5.2 | 7.4 | <0.001 | 0.07 | 0.81 | 3.4 | 0.5 | 0.4 | 57.0 | <0.01 | 0.05 |
| 11MGB011 | | 0.97 | 103.0 | 760 | 5.0 | 6.0 | <0.001 | 0.06 | 1.42 | 5.9 | 0.7 | 0.5 | 40.9 | <0.01 | 0.11 |
| 11MGB012 | | 0.96 | 27.0 | 1120 | 5.9 | 7.1 | <0.001 | 0.13 | 3.32 | 3.6 | 0.8 | 0.4 | 45.1 | 0.01 | 0.04 |
| 11MGB013 | | 0.86 | 24.4 | 950 | 5.1 | 7.3 | <0.001 | 0.13 | 0.80 | 2.3 | 0.7 | 0.3 | 49.6 | <0.01 | 0.03 |
| 11MGB014 | | 0.85 | 24.2 | 870 | 5.7 | 9.1 | <0.001 | 0.12 | 0.70 | 2.2 | 0.7 | 0.4 | 47.9 | <0.01 | 0.04 |
| 11MGB015 | | 1.54 | 29.5 | 630 | 8.2 | 10.7 | 0.001 | 0.10 | 1.26 | 7.2 | 0.9 | 0.6 | 24.9 | 0.01 | 0.03 |
| 11MGB016 | | 1.03 | 24.6 | 1220 | 7.0 | 6.3 | <0.001 | 0.17 | 1.57 | 3.9 | 1.1 | 0.5 | 32.6 | 0.01 | 0.07 |
| 11MGB017 | | 1.14 | 28.9 | 1100 | 7.0 | 9.3 | <0.001 | 0.12 | 1.10 | 4.0 | 0.9 | 0.5 | 45.3 | 0.01 | 0.04 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| 11LF302 | | 0.065 | 0.07 | 0.57 | 67 | 0.11 | 4.41 | 73 | 1.1 |
| 11LF303 | | 0.098 | 0.07 | 0.63 | 97 | 0.09 | 5.90 | 71 | 1.3 |
| 11LF304 | | 0.057 | 0.08 | 0.56 | 65 | 0.15 | 4.62 | 73 | 1.0 |
| 11LF305 | | 0.083 | 0.10 | 0.71 | 94 | 0.14 | 5.21 | 83 | 1.4 |
| 11LF306 | | 0.103 | 0.09 | 0.68 | 86 | 0.17 | 12.70 | 70 | 2.2 |
| 11LF307 | | 0.067 | 0.08 | 0.58 | 64 | 0.11 | 4.26 | 76 | 1.2 |
| 11LF308 | | 0.083 | 0.10 | 0.65 | 86 | 0.11 | 5.04 | 86 | 1.4 |
| 11LF309 | | 0.083 | 0.09 | 0.67 | 95 | 0.13 | 6.56 | 67 | 1.3 |
| 11LF310 | | 0.068 | 0.10 | 0.69 | 82 | 0.17 | 5.75 | 88 | 1.1 |
| 11LF311 | | 0.080 | 0.09 | 0.72 | 87 | 0.14 | 6.17 | 74 | 1.4 |
| 11LF312 | | 0.092 | 0.09 | 0.61 | 101 | 0.19 | 9.16 | 70 | 1.2 |
| 11LF313 | | 0.069 | 0.09 | 0.64 | 88 | 0.16 | 9.79 | 75 | 1.3 |
| 11LF314 | | 0.067 | 0.08 | 0.65 | 78 | 0.10 | 5.92 | 71 | 1.2 |
| 11LF315 | | 0.036 | 0.11 | 0.38 | 102 | 0.16 | 11.95 | 67 | 1.7 |
| 11LF316 | | 0.065 | 0.07 | 0.59 | 94 | 0.07 | 9.15 | 69 | 1.5 |
| 11LF317 | | 0.073 | 0.06 | 0.45 | 102 | 0.08 | 8.38 | 66 | 1.7 |
| 11LF318 | | 0.052 | 0.06 | 0.38 | 95 | 0.08 | 9.24 | 61 | 1.5 |
| 11LF319 | | 0.039 | 0.09 | 0.41 | 94 | 2.49 | 11.25 | 61 | 1.3 |
| 11LF320 | | 0.053 | 0.09 | 0.62 | 93 | 0.16 | 12.45 | 72 | 1.2 |
| 11LF321 | | 0.067 | 0.08 | 0.66 | 68 | 0.13 | 5.31 | 80 | 1.1 |
| 11LF322 | | 0.075 | 0.09 | 0.67 | 89 | 0.14 | 6.12 | 90 | 1.2 |
| 11LF323 | | 0.076 | 0.07 | 0.55 | 82 | 0.23 | 4.72 | 62 | 1.3 |
| 11LF324 | | 0.092 | 0.07 | 0.53 | 93 | 2.11 | 7.83 | 60 | 1.4 |
| 11MGB001 | | 0.072 | 0.09 | 0.70 | 89 | 0.12 | 5.49 | 75 | 1.4 |
| 11MGB002 | | 0.112 | 0.11 | 0.51 | 106 | 0.13 | 11.85 | 61 | 3.7 |
| 11MGB003 | | 0.070 | 0.10 | 0.62 | 106 | 0.11 | 9.77 | 66 | 1.5 |
| 11MGB004 | | 0.067 | 0.07 | 0.66 | 62 | 0.23 | 4.69 | 53 | 1.1 |
| 11MGB005 | | 0.124 | 0.06 | 0.51 | 88 | 0.14 | 4.08 | 53 | 2.4 |
| 11MGB006 | | 0.085 | 0.08 | 0.72 | 84 | 0.29 | 6.90 | 73 | 1.8 |
| 11MGB007 | | 0.083 | 0.08 | 0.68 | 87 | 0.15 | 6.67 | 71 | 1.5 |
| 11MGB008 | | 0.063 | 0.09 | 0.76 | 74 | 0.15 | 4.98 | 75 | 1.1 |
| 11MGB009 | | 0.075 | 0.09 | 0.69 | 73 | 0.96 | 7.77 | 67 | 1.5 |
| 11MGB010 | | 0.070 | 0.06 | 0.48 | 65 | 1.74 | 3.63 | 62 | 1.2 |
| 11MGB011 | | 0.089 | 0.08 | 0.59 | 81 | 0.23 | 9.19 | 57 | 1.7 |
| 11MGB012 | | 0.061 | 0.08 | 0.72 | 68 | 0.56 | 9.56 | 67 | 1.5 |
| 11MGB013 | | 0.050 | 0.07 | 0.67 | 52 | 0.14 | 4.72 | 74 | 1.1 |
| 11MGB014 | | 0.052 | 0.07 | 0.62 | 53 | 0.30 | 5.03 | 64 | 1.3 |
| 11MGB015 | | 0.102 | 0.11 | 1.05 | 86 | 0.17 | 11.70 | 50 | 2.7 |
| 11MGB016 | | 0.060 | 0.10 | 1.02 | 82 | 0.18 | 10.70 | 48 | 1.7 |
| 11MGB017 | | 0.069 | 0.09 | 0.95 | 80 | 0.20 | 11.10 | 67 | 1.5 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-DEC-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| 11MGB018 | | 0.58 | 0.051 | 0.07 | 2.02 | 11.3 | <0.2 | <10 | 130 | 0.37 | 0.33 | 0.48 | 0.17 | 18.35 | 18.9 | 45 |
| 11MGB019 | | 0.48 | <0.005 | 0.13 | 1.33 | 9.7 | <0.2 | <10 | 110 | 0.31 | 0.19 | 1.05 | 0.30 | 18.50 | 15.0 | 27 |
| 11MGB020 | | 0.42 | <0.005 | 0.08 | 1.40 | 10.3 | <0.2 | <10 | 160 | 0.33 | 0.16 | 0.78 | 0.20 | 16.35 | 14.8 | 35 |
| 11MGB021 | | 0.46 | 0.010 | 0.13 | 2.44 | 15.1 | <0.2 | <10 | 190 | 0.54 | 0.94 | 0.75 | 0.25 | 24.5 | 26.2 | 45 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-DEC-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| 11MGB018 | | 1.28 | 46.1 | 4.03 | 6.74 | 0.07 | 0.05 | 0.04 | 0.030 | 0.04 | 7.4 | 13.6 | 0.80 | 555 | 1.32 |
| 11MGB019 | | 0.87 | 34.5 | 2.66 | 4.08 | 0.06 | 0.05 | 0.06 | 0.022 | 0.04 | 8.3 | 7.7 | 0.51 | 661 | 1.46 |
| 11MGB020 | | 2.12 | 23.7 | 3.33 | 6.06 | 0.06 | 0.03 | 0.06 | 0.025 | 0.05 | 7.0 | 12.3 | 0.55 | 806 | 1.91 |
| 11MGB021 | | 2.76 | 44.1 | 4.45 | 7.91 | 0.08 | 0.05 | 0.05 | 0.039 | 0.07 | 9.4 | 18.8 | 0.82 | 869 | 1.85 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-DEC-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 |
| 11MGB018 | | 1.29 | 35.8 | 600 | 5.4 | 6.0 | <0.001 | 0.05 | 0.94 | 4.1 | 0.6 | 0.5 | 36.8 | 0.01 | 0.03 | 0.8 |
| 11MGB019 | | 0.90 | 22.4 | 870 | 5.0 | 6.5 | 0.001 | 0.14 | 0.89 | 2.6 | 0.8 | 0.3 | 52.1 | 0.01 | 0.03 | 0.3 |
| 11MGB020 | | 0.98 | 22.9 | 930 | 7.2 | 10.2 | <0.001 | 0.10 | 0.81 | 2.8 | 0.6 | 0.5 | 51.7 | <0.01 | 0.04 | 0.3 |
| 11MGB021 | | 1.34 | 39.7 | 1030 | 8.6 | 11.1 | 0.001 | 0.09 | 1.12 | 4.7 | 0.8 | 0.6 | 71.1 | 0.01 | 0.08 | 0.6 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-DEC-2011
 Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| 11MGB018 | | 0.123 | 0.09 | 0.58 | 105 | 0.15 | 5.92 | 70 | 2.1 |
| 11MGB019 | | 0.052 | 0.08 | 0.66 | 53 | 0.23 | 8.06 | 68 | 1.6 |
| 11MGB020 | | 0.065 | 0.09 | 0.69 | 77 | 0.16 | 4.71 | 77 | 1.2 |
| 11MGB021 | | 0.082 | 0.11 | 0.77 | 95 | 0.15 | 7.48 | 83 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-DEC-2011
Account: TARCAP

Project: White River

CERTIFICATE OF ANALYSIS WH11223560

| Method | CERTIFICATE COMMENTS |
|---------|--|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |