



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 1  
Finalized Date: 5-DEC-2011  
Account: TARCAP

**CERTIFICATE WH11223562**

Project: White River

P.O. No.:

This report is for 107 Rock Chip samples submitted to our lab in Whitehorse, YT, Canada on 25-OCT-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.  
ATTN: MARC BLYTHE  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - A  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
11TRS001		0.77	<0.005		0.11	4.75	11.6	<0.2	<10	80	0.06	0.09	5.84	0.11	0.91	16.6
11TRS002		0.71	0.005		0.06	6.03	20.1	<0.2	<10	90	0.11	0.71	4.62	0.14	0.96	18.1
11TRS003		0.69	0.215		5.03	4.49	643	0.2	<10	110	0.37	1.93	2.02	1.07	7.90	202
11TRS004A		1.02	0.049		0.34	7.81	80.5	<0.2	<10	160	0.11	0.22	4.51	0.36	1.51	265
11TRS004B		0.90	3.85		2.93	6.33	3280	4.1	<10	90	0.17	20.4	1.49	3.16	8.55	271
11TRS005		0.89	4.24		2.08	4.31	5860	4.6	<10	80	0.50	27.9	1.37	5.99	23.7	392
11TRS006		0.76	2.45		2.52	4.25	3120	2.4	<10	120	0.20	17.50	0.95	0.73	5.22	162.5
11TRS007		0.61	0.075		0.38	4.90	431	<0.2	<10	150	0.71	1.63	1.85	0.15	6.36	58.9
11TRS008		0.74	0.007		0.52	6.11	155.5	<0.2	<10	70	0.85	0.18	6.62	0.32	2.26	35.2
11TRS009		0.87	0.008		0.20	6.82	49.6	<0.2	<10	80	0.10	0.23	3.05	0.28	1.05	89.2
11TRS010		0.54	0.026		0.24	5.54	168.0	<0.2	<10	130	0.54	0.50	2.04	0.21	6.07	50.3
11TRS011		0.62	0.021		0.39	5.35	179.5	<0.2	<10	160	0.32	0.39	1.85	0.65	5.99	58.0
11TRS012		0.66	0.048		0.20	4.64	145.0	<0.2	<10	170	0.22	0.35	2.47	0.34	5.35	52.9
11TRS013		0.69	0.016		0.10	4.97	162	<0.2	<10	70	0.16	0.54	10.65	0.11	1.00	48.7
11TRS014		0.65	0.021		0.08	5.36	43.4	<0.2	<10	290	0.14	0.32	4.51	0.09	2.07	24.0
11TRS015		0.77	0.019		0.05	5.57	144.5	<0.2	<10	320	0.23	0.56	5.31	0.08	10.35	45.1
11TRS016		0.67	0.007		0.06	5.61	64.6	<0.2	<10	230	0.12	0.32	5.69	0.07	1.25	40.7
11TRS017		0.51	0.005		0.05	5.64	16.7	<0.2	<10	210	0.12	0.14	5.84	0.09	1.24	26.5
11TRS018		0.63	<0.005		0.05	6.45	18.0	<0.2	<10	300	0.10	0.06	6.59	0.08	1.25	23.7
11TRS019		0.61	0.012		0.08	5.96	22.7	<0.2	<10	730	0.13	0.44	4.96	0.03	1.22	18.4
11TRS020		0.69	0.009		0.09	5.86	57.9	<0.2	<10	290	0.20	0.26	4.47	0.08	4.00	36.2
11TRS021		0.65	0.022		2.51	4.67	45.2	<0.2	<10	130	0.16	3.41	0.90	0.64	7.78	43.3
11TRS022		0.67	0.013		2.15	3.65	36.6	<0.2	<10	110	0.24	3.70	0.98	0.66	12.50	44.9
11TRS023		0.66	0.013		2.19	4.22	36.6	<0.2	<10	130	0.21	5.66	1.40	1.09	12.05	47.5
11TRS024		0.60	0.023		8.17	3.92	43.1	<0.2	<10	110	0.18	8.20	0.98	2.64	9.88	54.3
11TRS025		0.66	0.032		6.58	4.08	61.7	<0.2	<10	110	0.21	27.3	1.19	8.11	9.75	77.7
11TRS026		0.70	0.081		36.9	3.84	209	<0.2	<10	70	0.17	149.5	0.80	17.40	15.35	116.0
11TRS027		0.72	0.224		52.0	3.36	904	0.2	<10	70	0.19	335	0.78	12.30	27.5	133.0
11TRS028		0.72	0.152		53.0	3.30	896	<0.2	<10	100	0.18	348	1.13	6.75	19.70	112.5
11TRS029		0.63	0.191		58.1	3.11	979	0.2	<10	80	0.21	330	1.15	5.91	27.2	124.0
11TRS030		0.75	0.056		59.6	2.70	677	<0.2	<10	30	0.15	127.0	1.17	55.7	13.55	232
11TRS031		0.69	0.121		>100	1.94	1755	<0.2	<10	30	0.37	108.5	0.41	82.1	29.6	237
11TRS032		0.74	0.217		>100	2.78	5050	0.2	<10	50	0.15	281	1.00	17.40	27.6	256
11TRS033		0.79	0.889		>100	2.56	2840	0.7	<10	50	0.17	154.0	0.98	21.6	29.9	412
11TRS034		0.75	0.162		>100	2.84	1080	<0.2	<10	50	0.14	38.9	0.44	11.90	43.1	219
11TRS035		0.69	0.305		>100	2.97	2410	0.2	<10	60	0.16	56.2	0.47	26.3	29.1	337
11TRS036		0.69	1.180		>100	2.54	>10000	1.1	<10	40	0.13	178.5	0.51	54.1	8.76	388
11TRS037		0.82	1.295		74.0	2.20	6410	1.3	<10	70	0.23	429	0.31	58.8	4.25	1450
11TRS038		0.80	0.537		>100	2.36	2270	0.4	<10	60	0.18	101.5	0.49	8.21	6.21	264
11TRS039		0.71	0.382		>100	1.52	1935	0.4	<10	40	0.13	69.8	0.40	11.10	3.19	181.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - B  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
11TRS001		182	4.99	68.8	1.27	4.83	<0.05	0.02	<0.01	0.005	0.12	0.4	17.1	1.62	249	<0.05
11TRS002		115	4.81	87.1	1.59	6.21	<0.05	0.02	0.01	0.007	0.13	0.4	10.7	1.31	183	<0.05
11TRS003		241	5.93	3110	4.80	6.84	<0.05	0.08	0.03	0.274	0.16	4.2	16.9	1.53	593	0.45
11TRS004A		59	4.97	427	2.77	9.36	<0.05	<0.02	0.01	0.027	0.26	0.7	16.5	2.84	473	0.05
11TRS004B		110	5.87	5580	12.20	9.20	0.06	0.05	0.06	1.445	0.22	5.1	17.2	1.81	236	1.73
11TRS005		174	7.04	3770	15.60	7.20	0.07	0.04	0.12	0.813	0.23	16.1	18.8	1.25	322	1.89
11TRS006		331	5.90	2160	20.1	10.10	0.07	0.08	0.03	0.373	0.20	3.3	14.3	1.55	231	0.74
11TRS007		257	5.40	262	4.51	7.65	<0.05	0.05	0.03	0.032	0.16	3.4	22.4	2.34	514	0.37
11TRS008		449	8.17	106.0	4.77	9.36	<0.05	0.02	0.01	0.039	0.15	1.2	47.3	3.36	452	0.22
11TRS009		311	7.02	153.5	3.38	9.23	<0.05	0.02	0.01	0.010	0.33	0.9	36.6	3.73	310	0.08
11TRS010		222	5.30	210	3.75	7.80	<0.05	0.06	0.03	0.025	0.17	3.0	24.5	2.42	459	0.26
11TRS011		146	5.33	665	3.29	6.50	<0.05	0.04	0.02	0.013	0.14	3.5	21.8	2.05	329	0.16
11TRS012		233	4.29	875	2.71	5.91	<0.05	0.06	0.02	0.017	0.13	2.3	28.5	2.08	304	0.17
11TRS013		176	8.34	93.5	3.37	7.56	<0.05	0.03	0.02	0.020	0.17	0.4	26.9	2.79	413	0.06
11TRS014		102	5.39	68.2	2.02	6.54	<0.05	0.03	0.01	0.011	0.13	0.9	19.5	2.06	280	0.05
11TRS015		207	3.79	52.9	3.12	8.17	<0.05	0.05	<0.01	0.019	0.12	4.6	22.7	2.81	507	0.16
11TRS016		111	5.15	75.6	2.39	7.35	<0.05	0.02	0.01	0.015	0.09	0.5	23.9	2.61	353	<0.05
11TRS017		83	3.94	40.8	1.49	6.23	<0.05	<0.02	<0.01	0.006	0.08	0.5	17.9	2.00	352	<0.05
11TRS018		116	4.84	45.7	1.59	6.69	<0.05	0.02	0.01	0.012	0.11	0.5	15.0	2.12	353	<0.05
11TRS019		96	5.54	27.1	2.07	6.03	<0.05	0.03	0.01	0.009	0.26	0.5	22.9	1.60	381	<0.05
11TRS020		149	7.95	64.6	2.98	10.20	0.08	0.08	0.02	0.022	0.15	1.8	13.7	1.71	471	0.14
11TRS021		286	3.82	343	5.76	12.35	0.14	0.09	0.02	0.117	0.08	3.4	76.5	3.62	874	0.33
11TRS022		192	4.92	368	5.51	11.70	0.15	0.12	0.03	0.074	0.09	6.0	62.4	2.76	873	0.54
11TRS023		200	5.12	376	5.67	11.30	0.15	0.12	0.02	0.075	0.10	5.5	55.5	2.83	935	0.60
11TRS024		195	6.45	1565	7.26	11.60	0.20	0.16	0.02	0.115	0.15	5.4	54.6	2.45	788	0.71
11TRS025		267	8.57	671	7.55	9.71	0.19	0.10	0.03	0.197	0.19	5.4	62.1	2.16	1150	1.04
11TRS026		160	7.22	2490	12.05	9.25	0.27	0.12	0.07	0.479	0.17	8.6	46.4	2.01	1400	2.94
11TRS027		119	6.16	2250	14.45	8.01	0.34	0.15	0.05	0.532	0.14	16.1	35.6	1.51	1710	4.43
11TRS028		93	6.11	1540	10.05	7.49	0.23	0.11	0.05	0.386	0.14	10.8	29.6	1.37	1680	2.91
11TRS029		64	4.95	2490	13.75	7.84	0.32	0.14	0.05	0.657	0.17	15.4	29.7	1.30	1680	4.10
11TRS030		84	4.48	7270	16.95	8.67	0.36	0.15	0.05	0.828	0.12	6.7	32.3	1.83	2280	2.05
11TRS031		101	4.87	>10000	26.9	6.13	0.52	0.28	0.33	6.10	0.12	16.9	38.2	0.50	777	3.37
11TRS032		34	5.90	>10000	21.2	6.87	0.40	0.17	0.14	3.62	0.18	15.6	23.8	1.23	1630	4.24
11TRS033		44	5.56	>10000	19.70	6.07	0.42	0.22	0.24	2.24	0.14	17.3	21.1	1.12	2250	5.78
11TRS034		37	3.83	>10000	17.55	7.56	0.39	0.11	0.14	1.825	0.14	26.0	18.0	1.16	1190	7.04
11TRS035		33	4.26	>10000	17.25	7.25	0.38	0.11	0.19	1.645	0.16	17.2	22.9	1.20	1540	5.60
11TRS036		20	3.26	>10000	24.3	6.01	0.55	0.10	0.30	3.12	0.11	4.9	25.8	0.91	1680	4.81
11TRS037		12	6.29	>10000	17.10	3.90	0.33	0.03	0.04	0.459	0.32	3.6	6.8	0.52	2270	7.02
11TRS038		48	3.97	>10000	17.95	7.58	0.62	0.14	0.19	4.54	0.10	3.3	9.9	1.20	852	2.68
11TRS039		27	3.39	>10000	17.20	5.57	0.74	0.11	0.19	4.35	0.09	1.7	6.0	1.12	685	1.49



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - C  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
11TRS001		0.21	0.07	75.2	70	1.6	8.0	<0.001	0.01	0.97	3.7	<0.2	0.7	307	<0.01	0.01
11TRS002		0.46	0.07	85.0	40	2.9	7.7	<0.001	0.01	1.36	4.4	<0.2	0.2	506	<0.01	0.20
11TRS003		0.25	0.08	120.5	170	5.3	14.4	<0.001	0.04	12.55	13.3	0.9	1.0	55.8	<0.01	0.30
11TRS004A		0.44	0.06	135.5	40	0.6	20.0	<0.001	0.01	2.13	2.7	<0.2	0.2	141.5	<0.01	0.04
11TRS004B		0.17	0.09	117.0	210	3.5	18.6	<0.001	0.10	25.2	5.5	4.9	1.1	64.2	<0.01	3.77
11TRS005		0.04	0.06	156.0	230	3.0	17.7	<0.001	0.19	33.0	12.6	4.8	0.8	59.8	<0.01	7.46
11TRS006		0.09	0.07	85.5	120	3.3	16.5	<0.001	0.31	12.95	15.9	2.4	0.9	43.6	<0.01	3.38
11TRS007		0.15	0.11	133.0	170	2.8	15.6	<0.001	0.02	11.55	16.1	0.6	0.5	60.0	<0.01	0.24
11TRS008		0.04	0.06	165.5	50	2.0	14.3	<0.001	0.01	8.76	24.0	0.5	0.6	36.5	<0.01	0.02
11TRS009		0.34	0.06	218	40	1.1	25.8	<0.001	0.02	2.88	3.7	0.2	0.2	90.5	<0.01	0.03
11TRS010		0.21	0.16	143.0	210	2.9	15.5	<0.001	0.03	7.39	11.5	0.6	0.4	77.6	<0.01	0.10
11TRS011		0.17	0.11	127.5	140	11.9	12.9	<0.001	0.02	4.93	6.9	0.3	0.3	61.6	<0.01	0.07
11TRS012		0.12	0.10	122.5	160	3.2	10.7	<0.001	0.02	7.91	8.5	0.3	0.5	78.7	<0.01	0.09
11TRS013		0.04	0.05	128.5	50	1.6	15.3	<0.001	0.01	4.08	9.1	0.4	1.1	41.0	<0.01	0.09
11TRS014		0.16	0.06	74.5	230	2.0	10.1	<0.001	0.02	2.05	4.5	<0.2	0.4	182.0	<0.01	0.05
11TRS015		0.11	0.09	163.0	220	1.8	8.2	<0.001	0.02	4.90	7.4	0.3	1.8	202	<0.01	0.05
11TRS016		0.07	0.06	97.5	70	1.7	8.0	<0.001	0.02	2.78	8.8	0.2	0.7	48.1	<0.01	0.04
11TRS017		0.15	0.06	68.0	50	1.2	6.6	<0.001	0.02	0.86	3.6	0.2	0.6	121.5	<0.01	<0.01
11TRS018		0.27	0.06	67.9	40	1.1	8.3	<0.001	0.02	1.03	7.4	<0.2	0.2	237	<0.01	0.01
11TRS019		0.31	0.06	60.2	70	1.7	14.6	<0.001	0.01	1.46	3.5	<0.2	1.6	1130	<0.01	0.05
11TRS020		0.32	0.10	99.2	170	2.2	15.5	<0.001	0.01	1.66	14.1	0.3	0.7	409	<0.01	0.03
11TRS021		0.11	0.20	111.5	250	4.4	9.3	<0.001	0.02	1.28	26.9	0.7	2.2	40.0	<0.01	0.07
11TRS022		0.08	0.46	92.4	390	7.5	11.7	<0.001	0.02	2.19	27.1	0.7	1.4	42.1	<0.01	0.07
11TRS023		0.12	0.31	98.7	390	9.0	12.4	0.001	0.02	2.80	26.4	0.8	1.8	47.8	0.01	0.06
11TRS024		0.13	0.19	105.5	430	14.3	17.7	0.001	0.14	7.29	26.4	1.3	3.6	37.6	0.01	0.08
11TRS025		0.11	0.14	151.0	240	87.5	18.4	<0.001	0.06	10.75	29.7	1.4	3.7	37.1	<0.01	0.23
11TRS026		0.06	0.18	233	260	551	16.6	<0.001	0.06	18.20	27.5	2.9	10.6	29.5	0.01	1.14
11TRS027		0.07	0.24	307	460	478	14.7	<0.001	0.08	42.2	19.6	3.9	13.1	34.0	0.01	2.30
11TRS028		0.12	0.27	232	480	425	14.0	<0.001	0.07	41.3	16.6	3.9	8.5	49.1	0.01	2.13
11TRS029		0.08	0.29	361	730	392	16.5	0.001	0.10	92.9	16.4	4.0	10.9	44.6	0.01	2.62
11TRS030		0.02	0.21	841	960	185.5	10.4	<0.001	0.24	31.7	14.9	3.5	20.2	21.1	0.01	0.93
11TRS031		0.02	0.25	909	590	143.0	9.6	0.001	1.56	243	28.6	12.8	116.0	28.1	0.01	1.23
11TRS032		0.04	0.29	518	630	309	15.0	0.001	0.17	84.5	10.2	6.4	50.6	44.5	<0.01	2.47
11TRS033		0.03	0.31	677	650	180.5	12.6	0.001	0.17	82.7	11.3	8.5	25.5	35.7	0.01	1.53
11TRS034		0.04	0.33	500	630	72.5	14.2	0.001	0.09	52.4	7.4	7.8	21.0	25.3	<0.01	0.56
11TRS035		0.04	0.33	562	560	120.0	15.8	0.001	0.11	55.1	6.7	8.4	36.5	32.4	<0.01	0.76
11TRS036		0.03	0.39	643	220	790	10.3	0.001	0.21	175.0	4.5	19.8	86.8	59.5	<0.01	1.96
11TRS037		0.03	0.21	1025	320	126.0	21.9	0.003	0.21	72.6	7.2	6.7	5.7	61.9	<0.01	6.80
11TRS038		0.04	0.29	576	250	290	11.8	0.001	0.28	10.70	5.6	18.9	33.6	44.3	<0.01	1.27
11TRS039		0.04	0.23	322	170	82.4	9.4	<0.001	0.16	6.83	3.3	26.3	23.8	32.0	<0.01	0.88



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 2 - D  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Ag-OG46
		Th	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	1
11TRS001		<0.2	0.013	0.05	<0.05	25	0.06	2.12	15	0.6		
11TRS002		<0.2	0.015	0.03	<0.05	29	<0.05	2.30	20	0.7		
11TRS003		0.5	0.029	0.26	0.22	69	0.07	7.85	108	1.9		
11TRS004A		<0.2	0.015	0.36	<0.05	19	<0.05	2.30	57	<0.5		
11TRS004B		0.3	0.056	0.66	0.95	61	0.13	4.38	81	1.7		
11TRS005		0.2	0.008	1.03	0.76	113	0.05	8.07	105	1.4		
11TRS006		0.2	0.050	0.36	0.45	91	<0.05	3.56	37	2.5		
11TRS007		0.4	0.019	0.23	0.12	68	0.05	5.87	39	1.9		
11TRS008		0.2	<0.005	0.15	<0.05	87	<0.05	7.01	27	<0.5		
11TRS009		<0.2	0.054	0.57	<0.05	34	<0.05	1.84	25	0.6		
11TRS010		0.5	0.027	0.25	0.15	59	<0.05	5.67	37	2.1		
11TRS011		0.4	0.012	0.18	0.24	42	<0.05	4.94	42	1.6		
11TRS012		0.4	0.023	0.11	0.14	46	0.07	4.84	36	2.3		
11TRS013		<0.2	<0.005	0.11	<0.05	38	<0.05	3.93	33	0.6		
11TRS014		<0.2	0.014	0.09	<0.05	35	0.05	3.34	19	0.8		
11TRS015		2.8	0.021	0.06	0.16	53	0.23	6.37	38	1.4		
11TRS016		<0.2	0.011	0.05	<0.05	51	0.06	3.44	23	0.6		
11TRS017		<0.2	<0.005	0.04	<0.05	22	0.05	2.44	20	<0.5		
11TRS018		<0.2	0.008	0.05	<0.05	39	<0.05	3.44	16	0.5		
11TRS019		<0.2	0.022	0.09	<0.05	30	0.12	2.58	25	0.8		
11TRS020		0.3	0.018	0.11	0.07	53	0.06	6.02	36	2.4		
11TRS021		0.6	0.047	0.13	0.21	179	0.08	9.84	63	2.6		
11TRS022		0.9	0.065	0.13	0.23	169	0.18	16.05	64	3.7		
11TRS023		0.8	0.085	0.17	0.29	186	0.15	15.05	66	3.7		
11TRS024		0.6	0.095	0.33	0.29	221	0.18	15.55	127	4.5		
11TRS025		0.6	0.023	0.33	0.35	123	0.55	13.85	243	3.1		
11TRS026		1.0	0.017	0.30	0.88	118	0.14	13.70	650	3.8		
11TRS027		2.0	0.012	0.28	1.57	102	0.21	17.45	487	4.6		
11TRS028		1.8	0.027	0.25	0.96	85	0.16	15.00	222	3.7		
11TRS029		2.8	0.022	0.27	1.32	97	0.22	16.40	247	4.6		
11TRS030		8.3	0.008	0.19	0.69	164	0.16	13.15	984	6.4		
11TRS031		12.8	<0.005	0.25	1.23	122	0.30	14.70	2000	11.6	6.41	345
11TRS032		2.2	0.014	0.25	1.27	87	0.45	9.79	650	6.4	2.08	166
11TRS033		2.5	0.017	0.23	1.47	83	0.45	12.70	615	7.6	1.815	151
11TRS034		1.2	0.021	0.23	1.70	75	0.18	8.83	385	3.6	1.075	114
11TRS035		0.9	0.022	0.28	1.09	68	0.17	8.12	576	3.8	1.510	193
11TRS036		0.6	0.015	0.30	0.37	77	0.23	5.25	904	3.2	1.765	595
11TRS037		<0.2	<0.005	1.10	0.26	47	0.06	5.28	601	0.7	1.335	
11TRS038		0.5	0.039	0.25	0.34	101	0.21	4.75	787	4.3	2.16	221
11TRS039		0.3	0.047	0.29	0.22	114	0.26	2.99	632	3.6	1.390	351



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 3 - A  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
11TRS040		0.75	0.060		11.75	3.82	346	<0.2	<10	60	0.21	28.0	0.53	8.89	21.7	151.0
11TRS041		0.77	0.051		13.30	2.97	242	<0.2	<10	50	0.16	15.70	0.49	7.53	18.50	149.5
11TRS042		0.73	0.049		10.30	2.64	201	<0.2	<10	80	0.21	39.9	1.43	6.30	15.95	106.5
11TRS043		0.66	0.033		9.61	2.98	149.0	<0.2	<10	90	0.26	59.5	1.20	5.12	17.55	100.5
11TRS044		0.63	0.018		6.73	3.20	116.5	<0.2	<10	90	0.29	33.9	1.20	2.34	19.20	70.7
11TRS045		0.56	0.018		3.16	3.61	90.0	<0.2	<10	90	0.28	15.60	1.56	1.79	21.3	62.7
11TRS046		0.82	0.016		2.28	3.65	79.4	<0.2	<10	90	0.27	9.48	1.39	1.56	19.20	49.4
11TRS047		0.93	0.078		0.67	5.78	52.4	<0.2	<10	100	0.26	1.22	4.20	0.09	3.90	34.7
11TRS048		0.62	0.007		0.17	2.81	110.0	<0.2	<10	20	0.66	0.17	8.06	0.08	2.38	28.5
11TRS049		0.49	0.011		0.47	2.84	86.0	<0.2	<10	80	1.00	0.28	7.26	0.15	6.99	34.0
11TRS050		0.82	0.014		0.30	3.35	108.5	<0.2	<10	20	1.12	0.76	7.16	0.10	2.95	50.9
11TRS051		0.87	<0.005		0.07	4.33	46.5	<0.2	<10	40	0.88	0.12	5.70	0.10	1.36	28.9
11TRS052		0.67	<0.005		0.31	4.73	24.9	<0.2	<10	280	0.20	0.24	4.19	0.12	1.16	25.3
11TRS053		0.74	0.005		0.07	5.01	77.4	<0.2	<10	80	1.86	0.12	4.63	0.09	2.39	31.0
11TRS054		0.38	0.013		0.10	3.59	32.1	0.2	<10	120	0.47	0.32	1.42	0.11	20.7	30.4
11TRS055		0.68	0.008		0.08	2.98	46.5	<0.2	<10	90	0.64	0.18	2.95	0.19	25.3	35.3
11TRS056		0.68	<0.005		0.09	3.78	56.7	<0.2	<10	180	0.27	0.17	1.34	0.13	11.85	29.0
11TRS057		0.59	0.006		0.11	3.58	51.5	<0.2	<10	130	0.49	0.16	2.95	0.11	8.97	29.7
11TRS058		0.77	<0.005		0.10	4.14	40.1	<0.2	<10	250	0.60	0.14	1.99	0.13	11.55	26.5
11TRS059		0.67	<0.005		0.14	2.53	153.0	<0.2	<10	50	1.02	0.11	9.10	0.07	3.78	34.1
11TRS060		0.78	<0.005		0.09	5.49	33.0	<0.2	<10	110	0.20	0.08	2.47	0.08	3.57	23.5
11TRS061		0.64	<0.005		0.15	5.24	40.8	<0.2	<10	120	0.19	0.13	2.33	0.10	4.70	29.1
11TRS062		0.68	<0.005		0.13	5.28	42.0	<0.2	<10	280	0.26	0.09	2.32	0.12	4.47	25.9
11TRS063		0.74	<0.005		0.48	3.78	300	<0.2	<10	50	1.62	0.14	4.59	0.18	1.82	33.9
11TRS064		0.70	0.013		0.08	4.95	42.4	<0.2	<10	190	0.25	0.28	1.54	0.11	8.15	29.2
11TRS065		0.71	<0.005		0.04	4.82	26.5	<0.2	<10	200	0.16	0.16	1.86	0.13	3.77	23.4
11TRS066		0.71	0.211		1.13	4.68	655	0.2	<10	20	0.22	2.73	2.77	0.87	13.60	301
11TRS067		0.32	2.59		9.15	1.70	4790	2.6	<10	70	0.17	32.6	0.37	1.31	48.3	80.4
11TRS068		0.74	1.185		39.0	4.95	>10000	1.2	<10	80	0.15	74.0	2.18	5.33	5.24	123.0
11TRS069		0.79	0.943		33.7	4.36	>10000	0.9	<10	80	0.18	59.1	1.71	5.94	5.42	262
11TRS070		0.66	1.275		64.7	4.27	>10000	1.2	<10	90	0.19	90.7	1.67	8.84	6.92	218
11TRS071		0.84	0.248		49.6	5.20	3800	0.3	<10	70	0.31	17.70	3.48	5.34	5.47	130.5
11TRS072		0.48	0.015		1.28	3.35	370	<0.2	<10	10	0.41	0.85	12.75	0.33	4.43	27.0
11TRS073		0.58	0.018		2.82	4.95	395	<0.2	<10	50	0.51	1.92	5.99	1.59	3.02	57.7
11TRS074		0.56	0.026		1.36	3.24	635	<0.2	<10	50	0.41	1.08	12.10	0.65	2.10	43.8
11TRS075A		0.68	>10.0	129.0	10.45	0.10	>10000	>25.0	<10	190	0.06	2510	0.05	0.05	6.46	25.2
11TRS075B		0.32	>10.0	27.3	3.75	0.18	>10000	>25.0	<10	180	0.05	1340	0.04	0.05	8.18	11.1
11TRS076		0.72	3.77		0.85	4.19	6880	3.8	<10	60	0.27	98.0	0.24	0.22	385	24.0
11TRS077		0.76	0.127		9.39	5.17	1430	<0.2	<10	100	0.21	8.35	1.99	2.10	7.81	72.5
11TRS078		0.73	0.070		0.28	5.76	567	<0.2	<10	120	0.27	2.57	3.75	0.16	4.79	53.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 3 - B  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
11TRS040		86	4.86	8900	17.25	7.93	0.34	0.21	0.03	0.983	0.18	11.7	44.9	1.41	886	3.22
11TRS041		56	5.02	9330	14.10	7.16	0.30	0.22	0.03	1.565	0.15	9.5	32.5	1.12	904	2.39
11TRS042		143	6.94	3410	9.31	7.98	0.22	0.13	0.03	0.380	0.20	8.2	33.8	1.32	1160	1.75
11TRS043		141	7.07	2140	8.95	8.17	0.20	0.14	0.04	0.264	0.18	9.2	34.5	1.51	1280	1.61
11TRS044		142	4.44	1080	7.79	8.40	0.17	0.12	0.03	0.193	0.15	10.0	34.5	1.69	1010	1.80
11TRS045		194	4.60	674	6.78	8.47	0.15	0.11	0.02	0.142	0.15	10.7	40.5	2.07	1000	1.12
11TRS046		252	4.24	506	5.76	9.11	0.13	0.10	0.03	0.117	0.13	9.9	42.4	2.16	935	1.06
11TRS047		266	13.60	744	5.71	13.05	0.13	0.07	0.03	0.186	0.84	2.7	27.3	4.33	449	0.13
11TRS048		293	5.40	141.0	3.11	6.02	0.06	0.03	0.03	0.068	0.27	1.6	15.7	1.91	402	0.16
11TRS049		186	3.62	94.9	3.58	5.87	0.07	0.05	0.03	0.036	0.20	3.0	13.0	2.49	605	0.23
11TRS050		123	4.24	113.0	3.03	8.75	0.06	0.02	0.06	0.037	0.13	1.6	19.3	2.11	409	0.34
11TRS051		332	4.72	78.1	3.31	9.35	0.06	0.03	0.02	0.022	0.12	0.5	18.2	3.39	441	0.12
11TRS052		196	3.89	273	1.80	8.32	<0.05	0.03	0.01	0.015	0.19	0.5	19.6	1.93	359	0.10
11TRS053		204	6.32	48.0	4.61	9.35	0.09	0.05	0.07	0.028	0.15	1.2	23.2	2.29	454	0.20
11TRS054		99	2.62	50.0	3.39	10.65	0.12	0.28	0.01	0.033	0.14	9.7	28.2	2.77	496	0.28
11TRS055		53	1.24	24.9	3.05	10.50	0.15	0.50	0.01	0.035	0.08	13.4	24.6	2.73	537	0.49
11TRS056		192	6.18	94.1	3.57	7.58	0.10	0.11	0.02	0.024	0.10	4.8	26.3	1.75	672	0.31
11TRS057		174	8.36	86.6	3.35	7.10	0.09	0.11	0.03	0.026	0.11	4.4	20.2	1.44	649	0.27
11TRS058		245	3.58	55.1	3.61	8.31	0.09	0.10	0.02	0.025	0.11	5.2	26.2	1.95	680	0.37
11TRS059		185	4.71	92.3	3.06	5.58	0.05	0.05	0.04	0.028	0.17	1.8	11.1	1.81	529	0.16
11TRS060		139	2.55	68.2	2.57	8.55	0.07	0.07	0.01	0.012	0.07	1.5	20.8	2.39	316	0.14
11TRS061		165	2.94	159.0	2.73	8.46	0.07	0.09	0.01	0.016	0.07	2.0	32.0	2.65	406	0.15
11TRS062		166	3.13	109.0	2.23	8.18	0.06	0.07	0.01	0.013	0.07	2.0	21.8	1.95	361	0.10
11TRS063		287	4.02	87.7	3.84	6.02	0.07	0.05	0.01	0.036	0.22	1.0	25.6	2.27	616	0.09
11TRS064		210	2.43	79.5	2.81	9.11	0.07	0.10	0.01	0.019	0.08	3.3	22.2	3.17	400	0.26
11TRS065		175	1.76	71.6	2.30	7.99	0.06	0.07	<0.01	0.013	0.07	1.2	23.0	2.71	382	0.12
11TRS066		343	1.30	3740	5.20	11.40	0.25	0.14	<0.01	0.183	0.06	10.0	34.8	2.75	544	0.31
11TRS067		356	1.91	2410	18.15	35.8	0.46	0.14	0.05	1.625	1.52	53.4	8.6	0.52	48	1.67
11TRS068		254	5.99	1485	6.41	11.20	0.31	0.07	0.02	1.560	0.28	3.3	34.1	2.61	291	3.61
11TRS069		241	4.86	1790	6.08	10.70	0.27	0.08	0.01	1.200	0.25	3.5	30.9	2.44	306	2.92
11TRS070		242	5.91	2680	7.64	11.20	0.42	0.08	0.03	2.39	0.30	4.8	27.9	2.32	302	4.35
11TRS071		339	7.94	2430	5.53	11.75	0.13	0.10	0.05	0.811	0.30	3.4	34.6	3.43	394	1.23
11TRS072		286	4.78	134.0	3.35	7.89	0.05	0.05	0.03	0.063	0.15	2.2	14.9	3.00	390	0.18
11TRS073		285	7.27	921	4.01	9.82	0.07	0.06	0.02	0.095	0.20	1.4	28.0	2.88	387	0.23
11TRS074		246	4.29	429	4.08	7.34	0.07	0.04	0.05	0.052	0.16	0.9	12.1	1.99	762	0.29
11TRS075A		33	2.57	789	9.33	1.06	2.38	<0.02	0.13	1.120	0.04	6.4	0.7	0.02	<5	8.16
11TRS075B		57	1.17	333	6.37	1.59	1.15	0.04	0.04	1.985	0.19	6.4	0.8	0.02	14	6.09
11TRS076		477	7.95	823	19.45	15.50	0.44	0.10	0.03	0.090	1.18	500	19.0	1.23	36	0.99
11TRS077		235	5.76	1000	4.98	10.50	0.11	0.08	0.02	0.272	0.25	4.9	32.5	2.89	391	0.58
11TRS078		159	6.14	152.0	3.72	9.63	0.08	0.06	0.01	0.036	0.26	3.2	25.0	2.69	376	0.22



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 3 - C  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
11TRS040		0.04	0.26	483	570	48.8	16.1	0.001	0.08	26.2	16.0	3.1	8.7	29.4	0.01	0.26
11TRS041		0.04	0.23	385	560	34.3	15.2	<0.001	0.08	21.5	13.6	2.6	8.3	31.4	0.01	0.18
11TRS042		0.07	0.26	304	410	67.3	18.0	<0.001	0.07	25.6	19.4	2.4	5.7	54.3	0.01	0.28
11TRS043		0.07	0.27	263	420	71.0	16.8	<0.001	0.04	24.0	20.8	2.2	5.0	54.5	0.01	0.41
11TRS044		0.09	0.45	178.0	440	51.2	14.9	<0.001	0.03	20.1	15.8	1.5	4.8	43.9	0.01	0.24
11TRS045		0.14	0.33	136.5	450	21.9	14.9	<0.001	0.03	13.50	18.2	1.0	4.6	48.0	0.01	0.14
11TRS046		0.13	0.46	116.5	400	17.7	13.8	<0.001	0.02	8.89	18.1	0.9	4.2	45.0	<0.01	0.08
11TRS047		0.05	0.09	114.5	90	1.9	79.2	<0.001	<0.01	1.71	14.2	0.5	1.5	31.2	<0.01	0.11
11TRS048		0.02	0.06	93.2	30	2.3	22.7	<0.001	<0.01	6.05	25.7	0.3	0.8	35.9	<0.01	0.02
11TRS049		0.05	0.16	95.9	140	4.7	19.4	<0.001	0.02	5.03	17.7	0.4	0.5	140.5	<0.01	0.02
11TRS050		0.02	0.06	108.5	60	3.2	13.0	<0.001	<0.01	2.12	9.7	0.3	0.7	30.6	<0.01	0.05
11TRS051		0.04	0.05	112.5	30	2.1	11.5	<0.001	<0.01	2.99	22.1	0.2	<0.2	29.5	<0.01	0.01
11TRS052		0.21	<0.05	81.9	40	5.5	12.8	<0.001	0.02	0.80	9.9	0.3	<0.2	187.5	<0.01	0.02
11TRS053		0.08	0.05	108.0	60	2.3	14.2	<0.001	0.01	1.02	23.9	0.3	0.2	48.1	<0.01	0.01
11TRS054		0.10	0.17	50.8	670	5.0	16.4	<0.001	0.01	1.63	12.1	0.4	2.0	88.0	<0.01	0.02
11TRS055		0.06	0.08	23.1	880	6.9	6.4	<0.001	0.01	1.57	13.2	0.5	2.6	47.4	<0.01	0.01
11TRS056		0.12	0.24	86.8	280	2.8	11.6	<0.001	<0.01	2.18	17.5	0.6	0.3	57.5	<0.01	0.02
11TRS057		0.18	0.24	95.9	270	2.3	13.0	<0.001	<0.01	2.41	19.3	0.6	0.3	59.3	<0.01	0.02
11TRS058		0.29	0.28	88.9	250	2.7	9.8	<0.001	0.03	3.14	16.6	0.5	0.3	61.3	<0.01	0.02
11TRS059		0.06	0.09	91.2	140	1.9	15.4	<0.001	0.02	7.21	23.3	0.4	0.2	64.2	<0.01	0.01
11TRS060		0.42	0.07	91.9	110	1.2	5.2	<0.001	0.02	2.85	8.1	0.3	0.2	69.5	<0.01	0.01
11TRS061		0.22	0.08	96.0	130	2.1	6.3	<0.001	0.02	3.46	8.6	0.3	0.2	47.5	<0.01	0.01
11TRS062		0.37	0.05	91.2	70	1.9	6.1	<0.001	0.01	2.87	9.5	0.4	0.2	78.7	<0.01	<0.01
11TRS063		0.03	<0.05	134.5	50	3.2	19.2	<0.001	<0.01	9.07	23.2	0.4	0.8	26.2	<0.01	<0.01
11TRS064		0.16	0.18	75.9	170	2.4	6.6	<0.001	0.01	1.53	10.6	0.3	0.3	69.5	<0.01	0.03
11TRS065		0.26	0.08	85.6	130	1.3	5.1	<0.001	0.01	0.82	7.3	0.2	0.2	66.6	<0.01	0.01
11TRS066		0.05	0.05	159.0	80	1.3	4.8	<0.001	0.03	8.81	15.7	1.0	1.6	21.0	<0.01	0.34
11TRS067		0.48	0.15	22.9	150	4.0	74.0	0.004	4.16	18.65	14.0	9.7	4.6	120.5	<0.01	7.15
11TRS068		0.22	0.09	95.5	230	28.6	30.4	<0.001	0.19	18.50	7.4	3.3	9.4	95.8	<0.01	2.54
11TRS069		0.16	0.08	104.5	260	17.9	28.5	<0.001	0.17	18.35	8.3	2.5	8.9	82.6	<0.01	2.19
11TRS070		0.20	0.10	96.2	310	38.0	33.1	<0.001	0.34	24.5	9.2	4.5	15.0	84.3	<0.01	4.03
11TRS071		0.13	0.05	127.5	220	12.2	33.4	<0.001	0.17	8.86	14.2	1.6	10.2	86.7	<0.01	0.94
11TRS072		0.02	0.06	81.1	110	2.2	15.6	<0.001	<0.01	8.32	22.1	0.4	1.2	50.2	<0.01	0.03
11TRS073		0.09	0.05	123.5	110	4.4	22.2	<0.001	0.01	9.44	17.3	0.4	1.6	94.1	<0.01	0.05
11TRS074		0.05	0.07	102.0	70	3.0	14.3	<0.001	0.01	14.75	16.9	0.3	0.7	76.6	<0.01	0.03
11TRS075A		0.02	0.13	2.1	1020	12.3	7.6	<0.001	1.62	506	7.3	86.8	11.3	16.3	<0.01	124.0
11TRS075B		0.08	0.12	2.0	1240	11.7	14.8	<0.001	0.97	168.5	11.3	35.1	6.0	16.4	<0.01	79.3
11TRS076		0.27	0.10	17.2	430	2.8	68.0	0.001	2.75	19.40	21.8	5.9	2.1	307	<0.01	7.08
11TRS077		0.19	0.10	101.0	170	6.9	25.8	<0.001	0.07	5.79	9.2	0.8	4.1	114.0	<0.01	0.37
11TRS078		0.20	0.07	114.5	150	3.1	23.2	<0.001	0.01	6.71	9.3	0.5	1.0	204	<0.01	0.16



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 3 - D  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Ag-OG46
		Th	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	1
11TRS040		3.2	0.012	0.25	1.35	91	0.15	14.75	284	7.4		
11TRS041		3.5	0.014	0.22	1.27	75	0.14	13.55	256	8.9		
11TRS042		1.7	0.031	0.26	0.78	88	0.23	15.00	196	4.9		
11TRS043		1.7	0.039	0.24	0.67	97	0.39	16.35	165	5.3		
11TRS044		1.8	0.048	0.19	0.64	97	0.32	14.05	104	3.8		
11TRS045		2.1	0.050	0.19	0.48	108	1.15	13.90	85	3.8		
11TRS046		1.7	0.060	0.18	0.49	111	0.20	12.85	75	3.0		
11TRS047		<0.2	0.057	1.14	0.14	77	<0.05	5.48	38	2.0		
11TRS048		<0.2	<0.005	0.29	<0.05	59	<0.05	5.99	40	0.5		
11TRS049		0.4	0.015	0.24	0.10	60	0.05	6.94	39	1.8		
11TRS050		<0.2	<0.005	0.18	0.06	35	<0.05	3.86	35	<0.5		
11TRS051		<0.2	0.006	0.11	<0.05	70	<0.05	5.36	36	0.7		
11TRS052		<0.2	0.018	0.18	<0.05	38	<0.05	3.89	25	0.9		
11TRS053		<0.2	0.011	0.19	0.08	70	<0.05	7.43	35	1.2		
11TRS054		4.2	0.135	0.23	0.51	91	0.38	9.64	38	13.7		
11TRS055		6.0	0.153	0.08	0.69	98	0.62	11.95	34	25.2		
11TRS056		0.9	0.048	0.09	0.22	82	0.07	8.83	39	3.8		
11TRS057		0.8	0.039	0.09	0.14	78	0.10	10.90	38	3.8		
11TRS058		0.8	0.079	0.10	0.20	84	0.12	8.65	35	3.7		
11TRS059		0.3	0.007	0.17	0.06	59	0.07	7.95	35	1.8		
11TRS060		0.3	0.035	0.08	0.09	46	0.05	4.63	19	2.6		
11TRS061		0.3	0.032	0.08	0.10	55	0.06	5.00	23	2.8		
11TRS062		0.3	0.028	0.10	0.08	44	<0.05	5.63	18	2.6		
11TRS063		<0.2	0.005	0.22	0.05	67	0.10	9.03	48	1.4		
11TRS064		0.6	0.034	0.07	0.18	63	0.05	4.71	31	3.5		
11TRS065		0.2	0.033	0.05	0.07	44	0.05	3.04	25	2.1		
11TRS066		<0.2	0.136	0.14	0.60	104	0.42	7.56	61	4.5		
11TRS067		0.2	0.135	1.74	2.64	138	0.25	1.06	42	4.6		
11TRS068		0.3	0.070	0.50	0.30	76	1.19	3.02	130	2.5		
11TRS069		0.2	0.076	0.43	0.31	87	0.78	3.68	211	2.7		
11TRS070		0.2	0.072	0.62	0.38	85	0.97	3.58	213	2.9		
11TRS071		0.5	0.046	0.57	0.27	78	0.29	4.81	144	3.4		
11TRS072		0.6	<0.005	0.16	0.20	61	0.05	6.23	25	1.4		
11TRS073		0.2	0.012	0.30	0.14	62	0.17	5.09	58	2.1		
11TRS074		<0.2	0.007	0.26	0.18	76	0.19	4.07	38	1.3		
11TRS075A		<0.2	0.080	1.35	0.66	10	1.14	0.19	3	0.7		
11TRS075B		<0.2	0.153	1.24	0.44	16	0.49	0.17	2	2.0		
11TRS076		<0.2	0.113	1.50	2.97	148	0.15	2.06	21	2.7		
11TRS077		0.4	0.084	0.47	0.34	74	0.22	3.96	96	3.0		
11TRS078		0.3	0.028	0.41	0.16	57	0.10	4.49	32	2.2		



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 4 - A  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
11TRS079		0.79	0.081		0.95	5.34	619	0.3	<10	140	0.41	2.27	4.10	0.19	4.57	82.0
11TRS080		0.68	0.042		0.34	5.96	299	<0.2	<10	190	0.27	0.98	2.40	0.21	2.57	74.0
11TRS081		0.72	0.035		0.17	7.10	164.5	<0.2	<10	270	0.14	0.80	2.70	0.15	1.88	58.0
11TRS082		0.68	0.021		0.18	4.51	136.5	<0.2	<10	140	0.26	0.70	1.98	0.15	3.05	32.9
11TRS083		0.82	0.052		0.29	6.11	173.5	<0.2	<10	220	0.21	1.26	2.30	0.21	2.92	53.1
11TRS084		0.76	0.083		4.46	4.11	1030	<0.2	<10	110	1.01	8.67	2.11	2.08	7.46	108.5
11TRS085		0.78	0.038		0.38	3.94	143.5	<0.2	<10	110	0.25	2.13	1.77	0.26	3.45	26.7
11TRS086		0.83	0.152		1.95	3.71	783	<0.2	<10	90	0.51	10.05	1.79	1.41	57.6	180.5
11TRS087		0.72	0.126		2.39	3.30	418	0.2	<10	120	0.20	11.10	1.64	1.00	5.89	47.7
11TRS088		0.81	0.050		0.87	3.76	197.5	<0.2	<10	140	0.20	4.99	1.76	0.71	5.42	43.8
11TRS089		0.76	0.156		0.06	3.52	995	<0.2	<10	250	0.84	1.26	0.88	0.06	48.3	191.0
11TRS090		0.75	0.315		0.08	3.15	1550	0.2	<10	240	0.71	2.49	0.82	0.08	35.5	180.0
11TRS091		0.72	0.166		0.08	2.29	2860	<0.2	<10	100	1.23	1.60	0.68	0.10	28.6	567
11TRS092		0.72	0.064		0.05	2.49	1270	<0.2	<10	200	0.91	0.73	0.65	0.04	25.1	334
11TRS093		0.81	0.154		0.07	2.08	3190	<0.2	<10	150	1.31	1.77	0.89	0.11	16.70	839
11TRS094		0.77	0.064		0.04	2.96	365	<0.2	<10	100	0.94	0.63	0.84	0.04	26.8	108.0
11TRS095		0.82	1.950		0.06	2.30	1570	1.7	<10	110	0.80	18.95	0.75	0.07	16.45	243
11TRS096		0.83	0.685		0.07	1.12	653	0.6	<10	120	0.50	8.38	0.53	0.07	16.75	130.0
11TRS097		0.82	0.026		0.04	3.14	352	<0.2	<10	110	1.50	0.37	0.51	0.03	77.5	132.5
11NG057		0.68	0.043		39.0	2.86	305	<0.2	<10	70	0.31	81.0	0.44	2.19	23.3	104.5
11NG058		0.68	0.058		21.8	2.97	246	<0.2	10	70	0.37	33.3	0.46	3.84	33.6	160.0
11NG059		0.70	0.106		60.0	2.88	674	<0.2	<10	70	0.35	35.6	0.51	3.88	30.3	139.5
11NG060		0.68	0.012		5.11	2.71	131.5	<0.2	<10	60	0.31	13.40	0.45	2.25	28.2	119.0
11NG061		0.65	0.010		1.99	3.40	81.4	<0.2	<10	60	0.39	3.33	0.59	1.54	36.8	146.0
11NG062		0.58	0.011		2.03	3.44	117.0	<0.2	<10	110	0.42	4.52	0.76	2.16	25.4	103.5
11NG063		0.66	0.018		7.59	2.70	226	<0.2	<10	60	0.30	10.45	0.58	4.05	26.6	137.5
11NG064		0.63	0.028		7.22	4.31	435	<0.2	<10	70	0.32	12.70	0.68	6.48	26.9	167.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 4 - B  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
11TRS079		186	7.18	326	5.02	10.85	0.09	0.07	0.01	0.053	0.26	3.2	25.6	3.08	383	0.32
11TRS080		146	5.80	254	3.75	10.55	0.07	0.06	0.01	0.042	0.24	1.6	29.6	3.56	310	0.11
11TRS081		76	7.80	158.0	3.33	9.90	0.08	0.03	<0.01	0.017	0.17	1.1	36.3	4.05	360	0.06
11TRS082		249	4.46	110.0	3.81	9.71	0.08	0.08	0.01	0.063	0.16	1.8	29.6	3.11	391	0.18
11TRS083		134	7.56	195.5	3.50	9.95	0.07	0.05	0.01	0.031	0.21	1.5	28.8	3.45	346	0.16
11TRS084		123	6.99	1005	6.16	10.05	0.11	0.10	0.03	0.241	0.20	4.3	21.4	3.11	590	2.14
11TRS085		116	4.10	137.0	3.60	9.62	0.09	0.12	0.01	0.046	0.13	1.7	35.2	2.82	377	0.31
11TRS086		82	6.34	496	4.89	10.70	0.15	0.14	0.01	0.122	0.26	39.7	21.2	3.36	531	1.55
11TRS087		51	4.35	496	4.26	9.16	0.13	0.18	0.01	0.095	0.21	3.7	19.0	1.87	329	0.45
11TRS088		59	3.20	337	4.20	9.62	0.11	0.19	0.02	0.062	0.15	2.6	22.6	2.17	409	0.33
11TRS089		371	12.50	49.9	3.79	13.65	0.18	0.13	<0.01	0.034	0.80	27.4	49.6	3.98	229	0.80
11TRS090		365	10.70	79.5	3.80	11.80	0.17	0.12	0.01	0.035	0.81	21.0	44.2	3.70	209	1.21
11TRS091		203	3.36	47.2	3.23	9.43	0.15	0.26	0.01	0.055	0.13	16.9	44.3	2.34	298	2.57
11TRS092		342	3.06	43.0	2.67	9.80	0.19	0.18	0.02	0.023	0.22	13.3	55.5	3.34	211	0.78
11TRS093		78	1.58	26.7	3.78	9.98	0.15	0.16	0.02	0.101	0.12	10.4	42.3	2.74	353	5.68
11TRS094		420	8.00	25.0	2.69	11.05	0.16	0.13	0.01	0.023	0.29	12.7	56.4	3.74	211	0.48
11TRS095		311	4.92	32.7	2.76	7.97	0.15	0.10	0.02	0.023	0.16	8.8	53.6	3.35	237	0.97
11TRS096		68	1.05	23.5	1.56	4.65	0.13	0.05	0.02	0.019	0.08	7.9	16.0	1.00	197	0.56
11TRS097		163	2.39	78.1	3.69	13.55	0.16	0.06	0.02	0.035	0.34	37.7	64.2	2.48	185	0.83
11NG057		90	2.59	1380	17.45	7.49	0.18	0.10	0.03	0.675	0.16	12.3	45.6	1.25	1200	4.29
11NG058		41	3.34	1485	14.95	7.50	0.19	0.12	0.03	0.577	0.17	18.2	49.4	1.19	1530	3.98
11NG059		50	3.74	2320	16.70	7.42	0.18	0.10	0.15	0.989	0.16	16.4	36.3	0.96	1280	2.91
11NG060		39	2.75	903	12.60	7.58	0.18	0.09	0.02	0.295	0.12	15.6	37.3	1.14	1290	2.86
11NG061		52	3.69	831	12.95	7.50	0.18	0.10	0.01	0.351	0.17	21.5	51.0	1.37	1800	2.74
11NG062		62	3.11	1200	8.82	8.04	0.14	0.10	0.01	0.172	0.17	12.8	33.4	1.37	1300	2.52
11NG063		41	4.02	2520	11.15	8.65	0.31	0.13	0.03	0.382	0.16	12.8	33.5	1.14	1220	3.78
11NG064		71	4.54	3360	16.80	14.00	0.43	0.20	0.03	0.424	0.13	14.5	48.6	2.00	1120	4.15



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: 4 - C  
Total # Pages: 4 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
11TRS079		0.13	0.05	120.5	100	2.5	24.0	<0.001	0.03	11.55	13.2	0.8	1.3	162.5	<0.01	0.22
11TRS080		0.17	<0.05	126.5	90	2.2	21.5	<0.001	0.03	4.31	9.1	0.4	1.0	248	<0.01	0.09
11TRS081		0.26	<0.05	161.0	70	1.5	19.6	<0.001	0.02	3.18	5.0	0.2	0.4	694	<0.01	0.12
11TRS082		0.09	<0.05	91.3	70	2.4	14.7	<0.001	<0.01	5.52	14.6	0.4	2.1	102.5	<0.01	0.03
11TRS083		0.17	0.05	123.5	110	2.0	24.2	<0.001	<0.01	3.66	7.1	0.5	0.9	440	<0.01	0.08
11TRS084		0.07	0.07	74.4	270	8.3	23.5	<0.001	0.01	15.10	30.0	1.4	8.9	55.9	<0.01	0.20
11TRS085		0.09	0.06	62.5	190	3.7	14.2	<0.001	<0.01	9.57	12.5	0.5	1.4	39.2	<0.01	0.05
11TRS086		0.09	0.07	81.0	280	6.4	29.1	<0.001	0.01	8.74	24.7	1.0	4.1	50.5	<0.01	0.39
11TRS087		0.14	0.09	47.2	230	5.5	20.2	<0.001	0.05	6.79	12.5	1.3	4.7	63.9	<0.01	0.56
11TRS088		0.12	0.08	53.0	310	3.6	13.2	<0.001	0.01	4.54	16.1	0.7	1.8	146.5	<0.01	0.16
11TRS089		0.05	0.36	310	860	2.3	68.7	<0.001	0.01	7.24	13.8	0.9	0.9	31.7	<0.01	0.28
11TRS090		0.04	0.27	313	760	3.9	59.2	<0.001	0.05	12.25	10.5	1.1	0.8	27.8	<0.01	0.49
11TRS091		0.03	0.17	188.0	740	4.6	12.5	<0.001	0.02	11.00	11.3	1.2	1.0	22.6	<0.01	0.59
11TRS092		0.07	0.22	238	660	3.1	17.9	0.001	0.02	8.37	9.2	0.9	0.6	68.4	<0.01	0.17
11TRS093		0.02	0.13	115.0	1080	5.1	14.4	<0.001	0.04	7.87	11.2	0.8	1.4	32.2	<0.01	0.56
11TRS094		0.04	0.29	324	700	2.2	25.6	<0.001	0.01	5.13	7.7	0.8	0.7	25.4	<0.01	0.14
11TRS095		0.04	0.36	249	650	4.7	14.5	0.001	0.01	5.17	7.2	0.5	0.8	44.7	<0.01	0.92
11TRS096		0.07	1.10	78.5	700	4.3	6.6	<0.001	0.01	3.25	4.8	0.5	0.9	37.0	<0.01	0.43
11TRS097		0.01	<0.05	149.5	1240	1.7	22.6	<0.001	<0.01	4.47	8.0	1.0	0.6	13.0	<0.01	0.08
11NG057		0.04	0.07	261	460	112.5	11.2	0.001	0.05	46.0	19.3	4.7	17.7	20.4	<0.01	0.55
11NG058		0.04	0.10	259	680	41.3	12.8	<0.001	0.05	16.80	20.6	3.5	14.7	23.1	<0.01	0.26
11NG059		0.05	0.18	241	630	49.9	13.0	<0.001	0.07	18.55	19.1	4.8	63.1	24.5	<0.01	0.40
11NG060		0.04	0.07	165.0	820	23.9	9.9	0.001	0.04	8.47	17.4	2.2	8.6	20.6	<0.01	0.15
11NG061		0.03	0.05	213	1110	10.1	12.8	<0.001	0.03	5.78	23.0	2.0	8.1	24.2	<0.01	0.04
11NG062		0.09	0.32	150.0	840	11.0	14.2	<0.001	0.06	9.06	15.1	1.4	4.8	37.2	<0.01	0.06
11NG063		0.01	0.25	187.0	640	14.8	14.7	<0.001	0.03	16.45	15.4	1.9	8.8	32.8	0.01	0.12
11NG064		0.02	0.25	247	620	21.2	14.6	0.001	0.05	27.8	21.5	2.4	11.0	32.3	0.01	0.13



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
 1103 - 750 W PENDER ST.  
 VANCOUVER BC V6C 2T8

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5-DEC-2011  
 Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Ag-OG46
		Th	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	1
11TRS079		0.2	0.027	0.51	0.31	74	0.11	5.22	33	2.2		
11TRS080		<0.2	0.029	0.44	0.15	56	0.08	4.30	29	1.7		
11TRS081		<0.2	0.013	0.25	0.09	29	0.08	2.72	26	1.0		
11TRS082		<0.2	0.049	0.22	0.19	82	0.11	5.87	28	2.2		
11TRS083		0.2	0.021	0.35	0.17	45	0.17	3.64	30	1.7		
11TRS084		0.2	0.036	0.33	0.50	169	10.45	12.90	89	3.3		
11TRS085		0.2	0.094	0.20	0.17	93	0.22	6.52	31	3.8		
11TRS086		0.3	0.096	0.45	0.58	154	0.57	13.25	43	5.2		
11TRS087		0.3	0.206	0.41	0.34	146	0.41	9.62	40	6.1		
11TRS088		0.3	0.150	0.27	0.13	160	0.87	8.89	34	5.8		
11TRS089		8.3	0.192	0.98	1.01	140	0.12	15.85	21	5.9		
11TRS090		6.9	0.151	0.95	1.21	121	0.11	15.35	21	5.9		
11TRS091		7.8	0.073	0.25	1.62	104	0.11	16.20	27	12.7		
11TRS092		5.4	0.131	0.31	0.67	103	0.13	12.20	16	6.9		
11TRS093		4.7	0.034	0.17	1.34	114	0.14	9.67	27	8.1		
11TRS094		6.4	0.198	0.42	0.62	101	0.09	11.50	21	4.7		
11TRS095		4.2	0.136	0.25	0.85	75	0.12	9.26	22	4.3		
11TRS096		4.7	0.112	0.09	0.73	57	0.18	9.45	18	2.1		
11TRS097		12.5	0.010	0.26	1.68	139	0.07	12.25	19	2.6		
11NG057		2.8	0.016	0.23	1.20	104	0.18	11.85	143	4.7		
11NG058		5.0	0.017	0.24	1.39	99	0.12	15.20	174	5.7		
11NG059		3.8	0.021	0.24	1.35	97	0.13	14.40	213	3.7		
11NG060		8.4	0.018	0.20	1.19	98	0.09	13.15	112	4.8		
11NG061		5.9	0.009	0.24	2.14	98	0.13	21.2	131	4.2		
11NG062		4.6	0.041	0.24	0.98	89	0.13	12.45	124	3.2		
11NG063		8.6	0.021	0.23	1.11	78	0.42	14.15	170	5.3		
11NG064		4.3	0.019	0.23	1.19	117	0.14	13.25	173	9.0		



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.  
1103 - 750 W PENDER ST.  
VANCOUVER BC V6C 2T8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 5-DEC-2011  
Account: TARCAP

Project: White River

**CERTIFICATE OF ANALYSIS WH11223562**

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.  Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).