ARGUS METALS CORP.

2011 GEOCHEMICAL REPORT ON THE IKE PROPERTY, YUKON

Gala 1 (YD115503) – Gala 650 (YD116152)

Located in the Watson Lake Mining District
NTS 105A 07/08
Latitude 60° 22' N Longitude 128° 30' W

095850

-Prepared for-
Argus Metals Corp.
Suite 350, 580 Hornby Street
Vancouver, BC, Canada
V6C 3B6



-Prepared by-

Paul D. Gray, P.Geo.
& Sarah Hasek, B.Sc.

May 17, 2012



Contents

1.0 SUMMARY 3

2.0 INTRODUCTION 4

3.0 PROPERTY DESCRIPTION AND LOCATION 4

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY 7

5.0 HISTORY 7

6.0 REGIONAL GEOLOGY 7

6.1 Structure 10

6.2 Regional Mineralization and Metallogeny 10

7.0 PROPERTY GEOLOGY 11

8.0 DEPOSIT TYPE & MINERALIZATION 11

9.0 2011 SURFACE GEOCHEMISTRY PROGRAM 11

9.1 Stream Sediments 11

9.2 Soil Samples 14

9.3 Rock Samples 16

10.0 DISCUSSION & CONCLUSIONS 17

APPENDIX A – Statement of Qualifications 18

APPENDIX B – Bedrock Geology Legend, Regional Units (Figure 3) 19

APPENDIX C – References 21

APPENDIX D – Statement of Expenditures 22

APPENDIX E – Sample Descriptions 23

APPENDIX F – Assay Certificates 24

Costs associated with this report have been approved in the amount of $ 325.00 @ for assessment credit under Certificate of Work No. Q1 26714

Mining Recorder
Watson Lake Mining District

1.0 SUMMARY

The Ike Property is a gold/base metals mineral exploration prospect consisting of 650 contiguous mineral claims covering ~12,500 hectares, located approximately 30 kilometers northwest of Watson Lake, Southeast Yukon. The 650 quartz mineral claims (Gala # 1-650) are owned 100% by Argus Metals Corp.

The Gala claims cover the Lingfish Minfile occurrence (Minfile # 115A 030). The claims were originally staked as the Sun claims in September 1978, by Render Resources Ltd., which carried out mapping and geochemical sampling in 1979, and the Moon claims in August 1980 by a joint venture between Cyprus Anvil Mining Corp. and Hudson Bay Oil & Gas, which optioned the Sun group briefly in 1981 and conducted geological mapping, geochemical sampling and a ground-based geophysical (magnetic) survey.

The Property lies in the Hyland Gold District, approximately 40 kilometers west of the Hyland Gold Project owned and operated by Argus Metals Corp. The Hyland Gold Project has recently (2011) been the subject of an advanced diamond drilling mineral exploration campaign, where The Main Zone gold inferred resource was updated to a N.I. 43-101 compliant 12,503,994 tonnes containing 361,692 ounces gold at 0.9 g/t and 2,248,948 ounces silver at 5.59 g/t at a 0.6 g/t gold equivalent ("AuEq") cutoff. Additionally, Argus Metals is advancing its Tina Project located approximately 50 kilometres northeast of the Ike Project.

No known mineralization has been described on the Property by previous workers. The Property was identified and staked based on regional geochemical stream sediments survey analysis which included elevated and coincident Gold and Arsenic results. Argus Metals Corp. management is applying the exploration success of ATAC's Rau property exploration model (staked, explored and drilled based on Au+As RGS stream sediment data) to identify potential gold mineralization targets in the Hyland Gold District, itself a southern extension of the Selwyn Basin. To date, these mineralization theories have only been very limitedly tested and there is no known deposit type or mineralization recorded on the Ike Property.

In 2011, a reconnaissance surface geochemical program was conducted on the Ike Property. The objective of the program was to conduct detailed verification and related mineral exploration over and around any previously recorded anomalies. The 2011 Ike exploration program consisted of three components: stream sediment sampling, soil sampling, and the collection of rock samples. A total of 180 stream sediment samples, 747 soil samples, and 186 rock samples were collected and analyzed during the 2011 exploration programs.

2011 Stream sediment sampling and results confirmed anomalous Au values in creeks within the Ike sampling area as indicated by historical stream sediment data. Anomalous Au data are associated with elevated levels of As and Sb in the samples. 2011 "ridge and spur", contour and grid soil sampling identified areas of anomalous Au in soils in the upper catchments of streams containing anomalous Au. The 2011 soil geochemical results indicate an association with As, Sb, Bi, Pb and Zn. High-density rock sampling in one localized area of the claim group failed to identify significant Au mineralization within the limited bedrock exposures, however many of the samples returned elevated in Sb. Overall, surficial geochemical data from the 2011 field season indicates that the central and north-central portions of the Ike claim group appear to be most prospective for Au mineralization. The southern portion of the Ike claim group appears more prospective for Pb and Zn and related base metal mineralization. This area was previously investigated by Cypress Anvil Mining Corporation in 1981 for base metals mineralization. The Ike property has not been extensively prospected, and many high priority stream sediment and soil Au anomalies remain to be investigated.

2.0 INTRODUCTION

During the summer of 2011, from June 15 to September 30, a surface geochemical program was conducted on the Ike Property in the Hyland Gold district, Yukon Territory. Telemark Geosciences Inc. ("Telemark") was contracted by Argus to carry out the program. The objective of the program was to confirm anomalous Au values in creeks within the Gala group of claims indicated by historical stream sediment data. The survey was conducted under the supervision of Paul D. Gray, P.Geo. and Dennis Arne, Director & Principal Consultant of Telemark, who in turn compiled, interpreted, and reported on the results of the survey. The contents of this assessment report is a compilation of information from previous assessment reporting filed with the Yukon Mining Recorder, other government reports, and maps and data compiled by Argus on projects that are within the Hyland Gold District.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Ike property is located in southeastern Yukon, 10 km north of Lingfish Lake, approximately 35 km northeast by air from Watson Lake, and is centered at UTM NAD 83, Zone 9, 6711500 N, 858700 E (Figure 1). The property consists of 650 contiguous mineral claims, as listed in Table 1 and Figure 2. The office of the Yukon Mining Recorder lists Argus Metals Corp. as 100% owner of the Ike property claims.

Table 1. Ike Property claims

Claim Name	Grant Number	Number of claims	Expiry Date
Gala 1 – 476	YD115503 – YD115978	476	16-Nov-2016
Gala 477 – 792	YD116169 – YD116184	16	16-Nov-2016
Gala 493 – 650	YD115995 – YD116152	158	16-Nov-2016

Figure 1: Location Map





Figure 2: Ike Property Tenure Map



4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Ike property is accessible by helicopter or fixed wing aircraft (to Lingfish or related local lakes) from Watson Lake or Argus Metals' Hyland Gold District Project Exploration Camp on Quartz Lake (Hyland Gold Project).

The Ike Property covers moderately rugged terrain with elevations that range from 880 m to 1,550 m at the highest peak on the property. Treeline starts at approximately 1,450 m where alpine brush and vegetation give way to a mix of black spruce, alder, willow, pine, white spruce and moss depending on the moisture content and aspect of the slope. Subcrop is abundant above treeline with some outcrop below treeline however bedrock exposure is limited to small cliffs and creek cuts. The area underwent glaciation during the Pleistoncene with ice movement dominantly from the north to the south. Till has been eroded from most steep north facing slopes but south and west facing hillsides display varying thicknesses of glacial debris. A prominent terrace of glaciofluvial material wraps around the hillsides at about 1,065 m elevation in the northern half of the property.

The Ike property is subject to a continental climate with long cold winters and warm dry summers. The average annual precipitation on the property is about 450 mm occurring mostly as rain in the warmer months. In the winter, the snowpack rarely exceeds 1 m in depth. Permafrost occurs irregularly across north facing slopes. The lakes are typically ice free and available to float planes by June and begin to freeze in early November.

5.0 HISTORY

The Ike Property consists of the Gala claims covering the Lingfish Minfile occurrence (Minfile # 115A 030). The Gala claims were originally staked as the Sun claims in September 1978, by Render Resources Ltd., which carried out mapping and geochem sampling in 1979, and the Moon claims in August 1980 by a joint venture between Cyprus Anvil Mining Corp and Hudson's Bay Oil & Gas, which optioned the Sun group briefly in 1981 and performed mapping, geochem sampling and a ground-based geophysical (magnetic) survey.

6.0 REGIONAL GEOLOGY

The Regional and Property geology is summarized from Perkins & Mustard (1981).

The Ike property occurs within a northerly trending belt of Hadrynian and Lower Cambrian sediments that was mapped by Cyprus Anvil Mining Corp. Cordilleran Engineering noted an Upper Cretaceous quartz-feldspar porphyry stock in the center of the historical Sun claims.




Figure 3. Ike Property Regional Bedrock Geology and Faults. See Appendix B for Bedrock Unit Legend.

The Ike property is located in the southeastern Selwyn Basin, a Late Precambrian to Middle Devonian tectonic element characterized by underlying marine and deep water derived clastic rocks. Deposition of sediments into the basin was restricted by the Cassiar platform to the southwest and the Mackenzie shelf to the east. It is considered part of Ancestral North America and records several episodes of pericratonic rifting with subsequent subsidence. Generally, the basin fill comprises shale, limestone, chert and grit that have been subdivided across the basin into many formations and distinct facies that may or may not be time-equivalent. Recent regional scale geological mapping of the area (Pigage et al., 2011) provides a framework for the regional and property-scale descriptions below.

On a regional scale the Ike property is located in an area of the Selwyn basin underlain by Precambrian (Yusezyu, Narchilla and Vampire formations), Lower-Middle Cambrian (Sekwi Formation), Cambrian-Ordovician (Otter Creek and Rabbitkettle formations), Ordovician (Sunblood Formation), Silurian-Devonian (Road River Group and undivided Nonda-Muncho-McConnell-Stone-Dunedin formations) and locally Eocene (Rock River basin) sequences (Figure 3). The sedimentary rocks were subsequently intruded by Cretaceous granite, quartz monzonite and granodiorite plugs assigned to the Selwyn Plutonic Suite. Collectively, they record a quiescent, subsiding continental margin punctuated by transgressive and regressive cycles, rifting, a receptacle for orogenic detritus from the north, collision of allochthonous terranes, mountain building and magmatism (Gordey and Anderson, 1993).

The lower Hyland Group (Yusezyu Formation, **Py**) comprises quartz-rich sandstones ranging from medium grained sand to pebble conglomerate sized clasts. Distinct, opalescent blue spherical quartz grains are common. The bottom of the formation is not exposed in the basin but the formation is estimated to be greater than 3 km thick (Gordey and Anderson, 1993). At the top of the Yusezyu Formation, a crystalline limestone or calcareous sandstone unit (**PCvn-l**) is generally present. This unit marks the transition from Yusezyu Formation sandstones to

finer grained clastic rocks of the Narchilla Formation (**PCvn-m**). In the Coal River area the Narchilla and Vampire formations are undivided with the former representing the basinal facies and the latter the basin to shelf transitional facies. The Narchilla Formation consists of maroon and green phyllite, silty phyllite and minor quartzose sandstone to pebble conglomerate. The limestone and Narchilla mudstones are locally interfingered. The Vampire Formation (**PCvn**) consists of green phyllite, silty phyllite, minor quartzose sandstone to pebble conglomerate, and bedded limestone.

Lower Cambrian rocks interpreted to be correlative to the Sekwi Formation (**Cs**) conformably overlie the Narchilla-Vampire sequences. They consist of green to tan brown weathering phyllite, siltstone and arkose. The finer grained lithologies are locally calcareous and/or fossiliferous. Locally, a mafic volcanic sequence of tuff, flows and pillowed lavas (**Cv**) occurs near the top(?) of the Vampire-Narchilla formations

The Lower Cambrian rocks are unconformably overlain by Cambrian to Ordovician rocks including the Otter Creek formation (**COoc**) comprising resistant light grey limestone and buff coloured dolostone. Overlying theses rocks is the Rabbitkettle formation (**COR**) divided into; a volcanic facies (**COR-v**) comprised of mafic tuff, breccias and amygdaloidal pillowed flows; a west facies (**COR-lp**) including platy phyllitic limestone, calcareous phyllite and light grey, yellow weathering silty limestone; and an east facies (**COR-n**) that is more calcareous comprised of wavy banded, nodular silty limestone and pale grey bedded limestone.

The Ordovician is represented by the Sunblood formation comprised of two members a mafic volcanic member comprised of basaltic tuff, breccia and amygdaloidal pillowed flows (**OSu-v**) and a laminated and/or bioturbated buff to orange weathering dolostone or limestone (**OSu**). Conformably overlying the Sunblood formation is the Silurian to Devonian Road River Group (**SDRR**) comprised of dark grey to black calcareous or dolomitic locally graptolitic recessive shale, siltstone and bedded chert. The laterally equivalent carbonate dominated Siluro-Devonian unit **SDc** (undivided Nonda-Muncho-McConnell-Stone-Dunedin formations) is present to the south and comprises grey thick-bedded dolostone, and black thick-bedded limestone.

Devonian to Mississippian extension resulted in subvertical normal faults of varying orientation juxtaposing deeper basinal rocks against younger lithologies. This geometry effectively preserved Ordovician to Silurian rocks locally and resulted in unconformable relationships between the Hyland and Earn group rocks elsewhere. The occurrence of abundant debris flows containing car sized clasts of underlying lithologies are a product of this block faulting (Gordey, 2008).

Mesozoic docking of allocthonous terranes to the southwest of the Selwyn Basin resulted in thin-skinned thrusting and folding with eastward displacements upwards of 200 km (Gabrielse, 1991). Related deformation in the Selwyn Basin is dominated by the interplay of less competent quartz-poor and competent quartz-rich layered rocks. Large-scale structures consist of thrust-faults, open to tight folds, locally intense small scale folds and zones of closely spaced imbricate thrust sheets. These structures are attributed to Early Cretaceous northeast directed compression pre-dating the extensive plutonism in the basin. Typically a well developed phyllitic to slatey cleavage is present and is most prevalent in mudstone and siltstone. The dominant fabric in the basin trends northwest and generally dips steeply to the northeast but in places may be shallowly south-dipping. Locally, however, structural trends vary and commonly parallel the arcuate Paleozoic shale-carbonate boundary within the Mackenzie Mountains to the east. This results in structural trends that may vary from east-northeast to east-west with northerly, easterly, or westerly vergence of major structures (Gabrielse, 1991).

Following crustal thickening numerous calc-alkaline plutons were emplaced into the sedimentary package described above. Cretaceous plutonism in the Selywn basin progressed from the southeast to the northwest beginning with the emplacement of the Anvil and Tay River suites and culminating with the emplacement of the Tungsten and Tombstone suites ca. 90 – 93 Ma (Anderson 1983, 1987, 1993). Previously the nearest known intrusion to the Hyland property was a 15 km diameter stock located 22 km to the west. Recent mapping of Pigage et al. (2011) however, has identified a 7 km x 3 km body granitic body that returned a U-Pb zircon age of 97.8 Ma (Pigage et al., 2011). This body is the southernmost exposure of cretaceous granitic rocks along a northeast trending belt of higher metamorphic grade (locally up to garnet-staurolite grade) and cretaceous magmatism that parallels the Skonseng fault.

6.1 Structure

Regionally, the Ike property is located in the hanging wall of a major east-verging imbricate thrust system locally referred to as the Coal River fault. Indeed, the surface trace of westernmost fault of this system is located just inside the eastern margin of the property. Within the hanging wall the structural grain is largely northwest trending and lineations plunge both to the northwest and to the southwest. The dominantly Precambriam sedimentary rocks of the hanging wall are folded into a series of anticline-syncline pairs that expose the Yusezyu at the core of northwest trending anticlines.

East of the imbricate thrust system Cambrian to Devonian rocks with a carbonate shelf affinity contain a north trending structural fabric. Mapped folds are typically tighter with more closely spaced axial planes and east-verging. Lineations plunge north and south likely controlled by their proximity to second-order east-west trending strike slip faults related to the larger thrust faults. Locally, the strike-slip faulting has been interpreted to have up to 3 km of throw.

The regionally significant north striking Rock River normal fault separates an elongate belt of Precambrian rocks from Silurian to Devonian shelf rocks and was likely the boundary fault to the Eocene Rock River basin host to Lignite coal occurrences deposited the eastern side of the fault. The Rock River fault cuts the Coal River thrust fault but it is unclear from the regional mapping the timing relationship between the two.

6.2 Regional Mineralization and Metallogeny

The Selwyn basin is most well known for its endowment of SEDEX Zn-Pb-Ag occurrences including twelve deposits with proven reserves three of those were past producers. The SEDEX deposits can be divided into three categories based on their age of formation; Late Cambrian (e.g. Faro; 57.6 Mt @ 5.7 % Zn adn 3.4 % Pb), Early Silurian (e.g. Howards Pass; 115.4 Mt @ 5.38 % Zn and 2.08 % Pb) and Late Devonian (e.g. Tom; 15.7 Mt @ 7.0 % Zn, 4.6 % Pb and 49.1 g/t Ag). In addition to the SEDEX deposits the basin also contains MVT and stratiform barite deposits.

The Ike property is located in a second regionally significant metallogenic province referred to as the Tintina gold belt, comprised of several gold rich districts extending from western Alaska to southern Yukon. The belt includes notable gold deposits such as Donlin Creek, Fort Knocks and Pogo in Alaska and the Dawson Gold district, Brewery Creek, Mt Nansen, Ketza River and the Newley discovered Nadaleen trend in Yukon. The Tintina Gold Belt is roughly constrained by the Tintina fault to the north and east and the Denali fault to the south and west. It is coincident with extensive mid cretaceous plutonism and deposit types are typically associated with these intrusions in some fashion. The compositions of the intrusive rocks are typically granodiorite, granite and syenite. They are predominantly metaluminous, calk-alkaline to locally alkallic, have low primary oxidation states and typically contain significant crustal contamination.

The most significant mineral occurrence near the Ike property is the Mcmillan Ag-Pb-Zn deposit 5 km to the west. A historical resource of 1.1 million tonnes grading 8.3% zinc, 4.1% lead and 62 g/t silver in strata concordant and discordant mineralization. It is hosted in late Precambrian rocks of the Hyladn formation. The deposit has been alternately described as syngenetic and post depositional replacement style mineralization.

Lastly, and perhaps most importantly, The Property lies approximately 40 kilometres west of the Hyland Gold Project owned and operated by Argus Metals Corp. The Hyland Gold Project has recently (2011) been the subject of an advanced diamond drilling mineral exploration campaign, where The Main Zone gold inferred resource was updated to a N.I. 43-101 compliant 12,503,994 tonnes containing 361,692 ounces gold at 0.9 g/t and 2,248,948 ounces silver at 5.59 g/t at a 0.6 g/t gold equivalent ("AuEq") cutoff. Additionally, Argus Metals is advancing its Tina Project located approximately 50 kilometres northeast of the Ike Project.

7.0 PROPERTY GEOLOGY

Massive white weathering calcite marble and grey limestone with minor dolomite predominates on the north half of the property. In the south a medium grey non-calcareous phyllite outcrops on the ridges. Local structure and stratigraphy has not been mapped in detail.

8.0 DEPOSIT TYPE & MINERALIZATION

No known mineralization has been described on the Property by previous workers. The Property was identified and staked based on regional geochemical stream sediments survey analysis which included elevated and coincident Gold and Arsenic results. Argus Metals Corp. management is using the success of ATAC's Rau property exploration (staked, explored and drilled based on Au+As RGS stream sediment data) to identify potential gold mineralization targets. To date these theories have not been tested and there is no known deposit type or mineralization recorded on the Ike Property.

9.0 2011 SURFACE GEOCHEMISTRY PROGRAM

The surface geochemistry program on the Ike claim group in 2011 consisted of three components: stream sediment samples, soil samples, and the collection of rock samples. Each of these will be discussed separately in the following sections.

9.1 Stream Sediments

In the 2011 Ike exploration program a total of 180 stream sediment samples were collected from the Ike Property, including QA/QC samples. All stream sediment samples collected were sieved to either -20 or -12 mesh in the field, depending on the grain size available. The samples were sieved into 5 gallon plastic pails in order to retain fine clays. The sieved sample was then poured into a large synthetic cloth sample bag and the water squeezed out. The samples were dried at the Hyland Camp, XRFed at the Argus XRF Hyalnd Camp Facility, then flown to Watson Lake and then transported by truck to Acme's preparation laboratory in Whitehorse. Once there, the samples were further dried and then sieved to minus 80 mesh (method code SS80). A 30 g split of this material was shipped to Acme's analytical facility in Vancouver where it was digested by *aqua regia* acid and analyzed by inductively coupled plasma mass spectrometry (ICP-MS; method code 1DX3).

External quality control consisted of the collection of duplicate stream sediment samples, the insertion of a certified reference material (Oreas 45b), and the use of a preparation blank (CDN BL-10). Laboratory quality

control consisted of the use of pulp duplicates, an internal standard (DS8) and instrumental blank analyses. The accuracy of the data is considered to be high (Arne, 2012). There were insufficient field duplicate data to assess total variance of the data for Au. Pulp duplicates indicate a high analytical variance due to the presence of particulate Au. Total and analytical variances for the pathfinder elements As and Sb are acceptable(Arne, 2012). Future stream sediment sampling programs in the area should use bulk analytical methods for Au, such as bulk leach extractable gold (BLEG) in order to minimize the analytical variance.

The locations for the stream sediment samples are shown in Figure 4, along with a thematic illustration of Au values. The highest values obtained are indicated. The density of sampling makes it difficult to represent all the data on a map of the entire claim group. The data define several creeks with anomalous Au values in the western half of the property. Some of the samples in these drainages also contain anomalous As (Figure 5) and Sb (Figure 6). Both raw As and Sb data show positive correlations with Fe in the samples, and the number of anomalous samples is reduced if the data are regressed against Fe and residuals plotted rather than raw data. An example of plotted Sb residuals is illustrated in Figure 7 (Arne, 2012). Elevated Pb and Zn residuals following regression against Fe occur in stream catchments in the southern portion of the claim group and are presumably related to anomalous Pb and Zn in soils on the Sun group of claims described by Perkins and Mustard (1981).




Figure 4: Summary of raw Au data from stream sediment samples collected at Ike in 2011.




Figure 5: Summary of raw As data from stream sediment samples collected at Ike in 2011.




Figure 6: Summary of raw Sb data from stream sediment samples collected at Ike in 2011




Figure 7: Summary of Sb residuals from stream sediment samples collected at Ike in 2011

9.2 Soil Samples

During the 2011 Ike exploration program, a total of 747 soil samples were collected on the Ike group of claims, including quality control samples. "Ridge and spur" soil samples were generally restricted to higher elevations where the thickness of glacial till was minimal. The C-horizon was targeted for sampling through the use of hand dug shallow soil pits. Where present at higher elevations, frost boils were preferentially sampled, particularly if they contained angular clasts of bedrock material. Contour soil samples were collected at lower elevations, and a small soil grid was sampled over the main area of elevated Au in soil (Figure 8). Sample spacing varied from 100 m to 50 m. Approximately 250 g of soil material was collected at each site in a Kraft paper soil bag. The material was not sieved, but large rock clasts were removed during bagging of the sample. The samples were organized and dried at Hyland Exploration Camp, where they were XRFed in Argus Hyland Camp XRF facility and subsequently flown by fixed wing aircraft to Watson Lake in rice bags, and trucked to the Acme preparation laboratory in Whitehorse. The samples were further dried at Acme and then sieved to -80 mesh (method SS80). A pulp split was shipped to Acme in Vancouver to be analyzed using a 15 g sample digested in *aqua regia* acid and analyzed by ICP-MS (method 1DX2).

External quality control consisted of the collection of duplicate soil samples, the insertion of a certified reference material (Oreas 45b), and the use of a preparation blank (CDN BL-10). Laboratory quality control consisted of the use of pulp duplicates, an internal standard (DS8) and instrumental blank analyses. The quality of the data is generally good, although there were possible issues related to contamination of some samples and a significant negative bias in the Zn data (Arne, 2012). The total variance determined from the field duplicate samples for Au, Sb and As is high. The analytical variance determined from the pulp duplicate data remains high for Au, but is acceptable for As and Sb. The only way to reduce the analytical variance for Au would be to collect larger samples in the field, sieve to a finer grain size (e.g. -230 or -150 mesh) and analyze a 30 g split, or to use a clay separate < 2 microns.

The distribution of soil samples collected on the Ike claim group in 2011 is shown in Figure 8. Also shown on this figure are samples anomalous in As, Sb and Bi. These pathfinder elements are elevated at the nearby Hyland Au deposit, located approximately 37 km to the east-northeast of the Ike claim group. They have been colour-coded on Figure 8 to show the presence of samples anomalous in one or more of the pathfinder elements. The samples points are also sized according to their Au content. Some, but not all, of the samples with anomalous Au are also elevated in As and Bi levels (Arne, 2012).

Figure 9 shows similar data for the base metals, Cu, Pb and Zn. However, these elements show a positive correlation with Fe in the soil, so the data have been regressed against Fe and residuals plotted rather than raw values. Anomalous Au in the soil samples also appears to be associated with elevated Pb and Zn residuals (Arne, 2012).




Figure 8: Summary of 2011 soil sample results for Au, As, Sb and Bi from the Ike claim group.




Figure 9: Summary of 2011 soil sample results for Au, Cu, Pb and Zn from the Ike claim group.

9.3 Rock Samples

A total of 186 rock samples collected on the Ike group of claims in 2011 have been analyzed. These consisted of samples between 0.5 and 1.0 kg in weight and were collected mainly along ridges at 50 m spacing (Figure 10). The samples were flown to Hyland Exploration Camp where they were further sorted and organized for subsequent shipment via fixed wing aircraft to Watson Lake where they were transported by truck to the Acme preparation laboratory in Whitehorse. Once there, the samples were crushed to -2 mm and a 200 to 250 g split was pulverized to a nominal 85 % less than 75 microns. A pulp split was shipped to Acme in Vancouver to be analyzed using a 30 g fire assay (method 601), as well as a range of 41 elements by ICP-MS following a multi-acid digestion (method 1EX). No independent quality control samples were included with the rock submissions and data quality has not been assessed.

All samples contained Au levels close to or below the 5 ppb detection limit. However, the Sb levels of some samples are elevated over a broad area, consistent with the distribution of elevated Sb in stream sediment samples (Figure 6) and soil samples (Figure 8).




Figure 10: Thematic map of Sb levels in rock samples from the Ike group of claims.

10.0 DISCUSSION & CONCLUSIONS

The Ike 2011 exploration program was successful in accessing and geochemically sampling portions of the large Ike Property and identifying high priority geochemical gold and arsenic anomalies for follow-up programs. In specific, stream sediment geochemical surveys have confirmed anomalous Au values in creeks within the Ike sampling area as indicated by historical stream sediment data. Anomalous Au data are associated with elevated levels of As and Sb in these samples. "Ridge and spur", contour and grid soil sampling has identified areas of anomalous Au in soils in the upper catchments of streams containing anomalous Au. The soil data indicate an association with As, Sb, Bi, Pb and Zn. High-density rock sampling in one localized area of the claim group failed to identify significant Au mineralization in bedrock, but many of the samples are elevated in Sb. Overall, surficial geochemical data from the 2011 field season indicate that the central and north-central portions of the claim group appear to be most prospective for Au mineralization. The southern portion of the claim group appears more prospective for Pb and Zn mineralization. This area was previously investigated by Cypress Anvil Mining Corporation in 1981. The property has not been extensively prospected, and many high priority stream sediment and soil Au anomalies remain to be investigated.

APPENDIX A – Statement of Qualifications

Certification – Paul Gray, P.Geo.

I, Paul Gray, of the city of Vancouver, in the Province of British Columbia, HEREBY CERTIFY:

1. That I worked at the property from June 20th to September 30th, 2011.

2. I graduated with a Bachelor of Science degree in Earth Science from the Dalhousie University in 1997 and with an Honours Bachelor of Science degree in Earth Science from Dalhousie University in 2004.

3. I am a member of the Association of Engineers and Geoscientists of British Columbia, Registered in the Province of British Columbia (APEGBC No. 29833).

4. I have practiced my profession as a geologist for 17 years, working in British Columbia, the Yukon and Northwest Territories, the United States of America, Central America, South America, and Asia. In particular, I have worked as an exploration geologist with a focus on base metals and precious metals exploration in British Columbia, the Yukon Territory

5. That I am Director, Business Development and an Officer of Argus Metals Corp. which conducted the fieldwork at the Hyland Property.

SIGNED at Vancouver, B.C. this 17th day of May, 2012

Paul D. Gray, P.Geo.

Certification – Sarah Hasek, B.Sc.

I, Sarah Hasek, of the city of Vancouver, in the Province of British Columbia, HEREBY CERTIFY:

1. That I am a graduate of Simon Fraser University (B.Sc. Earth Science, 2008).

2. That I have been engaged in mineral exploration and development on a seasonal basis from 2004 to 2008, and on a full-time basis for four years.

3. That I am a contract employee of Argus Metals Corp. which conducted the fieldwork at the Hyland Property.


SIGNED at Vancouver, B.C. this 17th day of May, 2012

Sarah Hasek, B.Sc.

APPENDIX B – Bedrock Geology Legend, Regional Units (Figure 3)

Adapted from Yukon Geological Survey website, EMR, Yukon Government (http://www.geology.gov.yk.ca/mapgallery/203.html)

QUATERNARY



Q: QUATERNARY
unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

CARBONIFEROUS AND PERMIAN



CPA: ANVIL
dominantly oceanic assemblage of mafic volcanics (1), ultramafics (4), chert and pelite (2), limestone (3) and gabbroic rocks (5)

1. variably altered and foliated, locally augite-phyric basalt (local pillows), diorite and gabbro, chloritic greenstone, amphibolitic greenstone and amphibolite; minor metachert, siliceous argillite or siltstone, greywacke, tuff, and siliceous limestone
2. varicoloured metachert with partings or interbeds of phyllite and tuffaceous argillite; interbedded jasper red and apple green chert and cherty tuff; chert breccia; shale, minor greenstone, agglomerate, limestone, quartzite(?) and greywacke
3. light grey to buff weathering, massive fine crystalline, light to dark grey limestone and minor dolomite; light grey, massive, crinoidal limestone; limestone and polymictic conglomerate; sandy limestone, cherty limestone; marble, phyllite, meta-siltstone
4. dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite, orange weathering quartz carbonate rock with minor green chromian muscovite, talc-carbonate schist and carbonatized ultramafic rocks
5. dominantly diorite, quartz diorite, and gabbro with lesser pyroxenite or other ultramafic rocks; variably altered and foliated; local dioritic orthogneiss
6. eclogite

DEVONIAN AND MISSISSIPPIAN



DME: EARN
complex assemblage of submarine fan and channel deposits (1), (5) within black siliceous shale and chert (2), (4) and including separated small occurrences of felsic volcanic rocks (3); barite common, and many occurrences of stratiform Pb-Zn

1. thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone **(Earn Gp., Portrait Lake and Prevost)**
2. silvery blue weathering black shale, argillite, cherty argillite and thin bedded chert; nodular and bedded barite; rare limestone **(Earn Gp., Portrait Lake and Prevost ; may locally include beds as old as Early Devonian)**
3. massive felsic to intermediate volcanic flows, tuffs and subvolcanic plug(s); locally highly altered; greenish chert and minor black slate; quartz eye quartz-sericite chlorite phyllite; local vesicular or amygdaloidal basalt, locally pillowed
4. light and dark grey chert and dark grey siliceous shale **(McCann Hill)**
5. olive-grey mudstone, chert-quartz sandstone and chert pebble conglomerate; shale and sandstone commonly in coarsening and thickening-upward cycles **(Nation River)**

UPPER PROTEROZOIC TO LOWER CAMBRIAN



PCH: HYLAND
consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5) **(Hyland Gp.)**

1. thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble **(Hyland Gp., Yusezyu)**
2. grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within (1) or (4) **(Hyland Gp., Algae Lake , limestone member of Yusezyu)**
3. distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate **(Hyland Gp., Narchilla , Senoah , Arrowhead Lake)**
4. quartzose clastic rocks as described in (1); mostly(?) equivalent to (1) but may include younger units **(Hyland Gp., mostly(?) Yusezyu)**
5. dark brown- and green- to light grey-weathering dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone **(Hyland Gp.)**

MID-CRETACEOUS



mKS: SELWYN SUITE
plutonic suite of intermediate (g) to more felsic composition (q) and rarely syenitic (y); equivalent felsic dykes (f); complete compositional gradation so that these designations are somewhat arbitrary

f. felsic dykes **(Selwyn Suite)**

y. mainly hornblende and hornblende/biotite syenite, commonly porphyritic (potassium feldspar phenocrysts), uneven textured, mostly medium grained, locally fine or coarse grained; minor diorite; hornblende syenite **(Selwyn Suite)**

q. equigranular to porphyritic (K-feldspar) biotite +/- hornblende +/- muscovite granite, quartz monzonite and granodiorite; porphyritic biotite hornblende granite with large smoky grey quartz phenocrysts and locally K-feldspar phenocrysts **(Selwyn Suite)**

g. resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspasr) biotite quartz monzonite and granodiorite and minor quartz diorite; minor leuco-quartz monzonite and syenite **(Selwyn Suite)**

APPENDIX C – References

Arne, D., 2012, QAQC review of the Hyland 2011 program geochemical data. Telemark Geosciences Inc memo to Argus Metals Corporation, January 31, 7 p.

Carne, R. C., 2001, Geological report describing the Hyland Gold property including 2001 geochemical surveys and prospecting: Hyland Gold Joint Venture Assessment Report 094296, p. 58

Dubois, M., 2011, Ground TDEM Survey, Hyland Gold Project, Watson Lake Yukon, Canada, Interpretation Report.

Gabrielse, H., 1991, Chapter 17, Structural styles *in* Gabrielse, H., and Yorath, C. J., eds., Geology of the Cordilleran Orogen in Canada, 4, Geological Survey of Canada, p. 571-675.

Gish, R. F., 2000, Geological report describing the Hyland Gold property including 1999 prospecting and soil geochemistry: Hyland Gold Joint Venture Assessment Report 094150, p. 78

Gordey, S. P., and Anderson, R. G., 1993, Evolution of the Northern Cordilleran Miogeocline, Nahanni Map Area (105I), Yukon and Northwest Territories, *in* Canada, G. S. o., ed., Memoir 428: Vancouver, BC, Geological Survey of Canada, p. 214.

Hladky, D., 2003, Hyland Project, Assessment Report 2003: Stratagold Corporation Assessment Report 094455, p. 524

Hladky, D., 2004, Hyland Project 2004, Preliminary Report: Stratagold Corporation Assessment Report 094492, p. 43

Lustig, G. N., Tucker, T. L., and Duncan, R. A., 2003, A summary report for the Hyland property in the Watson Lake Mining District Yukon Territory, Canada: Strata Gold Corporation Internal Company Report, 78 pages.

Perkins, D.A. and Mustard, J.W., 1981, Geochemical soil sampling and line cutting on the Sun, Moon claims, Watson Lake Mining District, Yukon, Assessment report on field work by Cyprus Anvil Mining Corporation, 59 p.

Pigage, L. C., Abbott, J. G., and Roots, C. F., 2011, Bedrock geology of Coal River map area (NTS 95D), Yukon Geological Survey, scale 1:250,000

APPENDIX D – Statement of Expenditures

PROFESSIONAL FEES AND WAGES			
Paul Gray, P.Geo	11 days	$750/day	$ 8,250
Michael Collins, P.Geo	2 days	$750/day	$ 1,500
Brent McNiven, Project Manager/Geologist	11 days	$400/day	$ 4,400
Cesar Santiago Pinto Expinoza, Geologist	18 days	$350/day	$ 6,300
Hildebrando Paredes Vassalio, Geologist	3 days	$350/day	$ 1,050
Alex Gunn, Sampler	3 days	$250/day	$ 750
Emily Ankrah, Sampler	4 days	$250/day	$ 1,000
Gabriel Gibb, Sampler	8 days	$250/day	$ 2,000
Andre Grondin, Sampler	17 days	$250/day	$ 4,400
William Shackel, Sampler	12 days	$250/day	$ 3,000
Sarah Hasek, B.Sc./Report compilation	3 days	$400/day	$ 1,200
EXPENSES			
Soil Sampling Management (Skookum Log Craft)			$ 68,845
Program Management (Telemark Geosciences)			$ 7,849
Freight			$ 2,474
Aircraft Charter			$ 6,210
Helicopter Charter			$168,845
Fuel			$ 46,027
Expediting			$ 2,858
Truck Rental			$ 337
Accommodation in Whitehorse			$ 446
SAMPLE ANALYSIS			
Stream Sediment	180 samples	$24.50/sample	$ 4,410
Soil Sediment	747 samples	$24.50/sample	$ 18,301
Rock	186 samples	$24.50/sample	$ 4,557
TOTAL EXPENDITURES			**$365,009**

APPENDIX E – Sample Descriptions

In Pockets

APPENDIX F – Assay Certificates

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 04, 2011
Report Date: August 15, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11000843.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-011
P.O. Number
Number of Samples: 25

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	24	Dry at 60C			WHI
SS80	24	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	24	Saving all or part of Soil Reject			WHI
1DX3	25	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: August 15, 2011

CERTIFICATE OF ANALYSIS WHI11000843.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110551 Sediment	0.3	19.2	33.8	166	0.6	20.6	9.0	649	2.18	133.9	6.1	1.8	32	1.0	6.0	0.2	20	1.23	0.166	13
1110552 Sediment	0.4	18.2	31.0	112	0.5	25.3	10.4	574	2.61	142.3	4.5	2.4	35	0.5	4.5	0.2	22	0.95	0.138	16
1110553 Sediment	0.3	13.2	26.6	107	0.2	25.1	11.4	733	2.72	146.9	4.9	3.3	23	0.5	4.1	0.2	23	0.62	0.103	15
1110554 Sediment	0.5	14.7	22.5	93	0.3	23.4	9.3	512	2.39	120.1	4.8	2.8	25	0.4	3.8	0.2	20	0.62	0.091	14
1110555 Sediment	0.3	12.9	20.3	82	0.2	21.6	8.5	436	2.32	95.8	8.9	3.3	21	0.3	4.0	0.2	21	0.49	0.083	14
1110556 Sediment	0.5	14.6	18.1	84	0.7	23.8	9.1	521	2.35	69.7	30.0	3.1	31	0.5	3.0	0.2	24	0.95	0.078	14
1110557 Sediment	0.4	14.3	17.0	80	0.8	20.1	8.0	475	2.01	75.9	2.9	2.2	42	0.4	2.5	0.2	19	2.83	0.081	12
1110558 Sediment	0.5	14.9	17.6	80	0.6	20.7	8.3	544	2.08	78.3	3.0	2.4	41	0.5	2.5	0.2	20	2.40	0.077	12
1110559 Sediment	0.5	13.7	15.7	76	0.7	21.0	7.9	458	2.05	60.9	3.0	2.6	43	0.5	2.3	0.2	23	2.75	0.077	12
1110560 AML-STD Sediment	1.1	393.2	22.0	160	0.2	179.0	68.5	782	14.87	3.5	34.2	7.0	16	0.1	0.2	0.2	195	0.29	0.044	16
1110561 Sediment	0.4	12.4	13.7	69	0.3	19.3	7.7	393	2.18	48.4	50.4	3.5	28	0.4	2.2	0.1	27	1.46	0.066	12
1110562 Sediment	0.5	16.5	14.5	81	0.5	21.8	7.9	345	2.23	52.3	317.7	2.8	36	0.5	1.9	0.2	25	1.16	0.076	14
1110563 Sediment	0.7	14.0	11.3	69	0.2	19.1	7.6	468	2.10	24.3	44.4	3.6	33	0.5	1.4	0.2	28	0.92	0.065	14
1110564 Sediment	0.6	11.7	11.0	64	0.2	18.0	7.2	446	1.93	28.1	<0.5	3.4	26	0.3	1.3	0.2	24	0.79	0.057	12
1110565 Sediment	0.7	11.2	11.0	66	0.2	19.5	7.9	462	2.33	26.7	<0.5	4.0	25	0.4	1.6	0.1	36	0.79	0.057	14
1110566 Sediment	1.4	12.1	8.5	71	0.2	20.1	8.2	1752	2.28	6.4	0.6	2.4	42	1.1	0.7	0.1	26	0.77	0.064	11
1110567 Sediment	0.8	11.9	7.7	73	0.3	20.2	8.7	1895	2.63	6.1	<0.5	2.4	49	1.0	0.6	0.1	25	0.94	0.069	10
1110568 Sediment	0.6	9.7	5.6	63	0.2	16.8	6.7	651	2.01	3.7	55.1	2.5	36	0.5	0.5	<0.1	23	0.73	0.062	11
1110569 Sediment	1.2	9.4	6.6	69	0.2	16.7	8.4	1568	2.40	6.9	<0.5	2.1	47	0.9	0.6	0.1	22	0.92	0.068	10
1110570 Sediment	0.6	14.6	11.1	66	0.3	19.7	7.3	463	1.89	28.8	1.8	2.8	32	0.5	1.4	0.2	22	0.94	0.061	12
1110571 Sediment	1.0	16.0	11.5	66	0.1	23.6	8.7	561	2.26	9.1	0.8	3.7	25	0.5	0.8	0.2	25	0.39	0.061	14
1110572 Sediment	0.8	15.6	10.1	66	0.1	22.6	8.0	618	2.04	7.6	<0.5	3.4	29	0.5	0.7	0.2	22	0.51	0.060	14
1110573 Sediment	1.1	20.4	13.1	83	0.2	28.1	9.7	834	2.40	9.6	5.4	3.5	37	0.7	0.8	0.2	25	0.64	0.071	15
1110574 Sediment	0.9	15.1	10.1	67	0.1	22.4	8.1	576	2.03	8.2	1.6	3.5	28	0.5	0.7	0.2	21	0.45	0.059	14
1110575 Sediment	0.8	17.0	10.9	69	0.2	23.2	8.3	680	2.07	8.3	3.2	3.4	32	0.4	0.7	0.2	22	0.53	0.062	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: August 15, 2011

CERTIFICATE OF ANALYSIS WHI11000843.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110551	Sediment	17	0.32	94	0.008	2	0.82	0.004	0.05	0.3	0.14	1.8	0.1	0.07	2	0.7	<0.2
1110552	Sediment	25	0.42	98	0.009	1	1.01	0.003	0.05	0.2	0.14	2.1	0.2	0.07	3	<0.5	<0.2
1110553	Sediment	26	0.45	79	0.009	<1	0.92	0.003	0.04	0.3	0.08	1.8	0.1	<0.05	3	<0.5	<0.2
1110554	Sediment	21	0.38	88	0.008	1	0.88	0.004	0.04	0.2	0.07	1.9	0.1	<0.05	3	0.6	<0.2
1110555	Sediment	20	0.36	88	0.009	<1	0.80	0.003	0.04	0.4	0.06	1.7	<0.1	<0.05	2	0.8	<0.2
1110556	Sediment	22	0.38	93	0.009	<1	0.74	0.004	0.05	0.3	0.06	1.9	<0.1	<0.05	2	1.2	<0.2
1110557	Sediment	18	0.35	90	0.009	2	0.72	0.004	0.04	0.2	0.06	1.8	<0.1	<0.05	2	1.2	<0.2
1110558	Sediment	17	0.35	96	0.009	1	0.76	0.005	0.05	0.2	0.06	1.9	<0.1	<0.05	2	1.0	<0.2
1110559	Sediment	19	0.35	93	0.009	2	0.70	0.005	0.05	0.3	0.06	1.7	<0.1	<0.05	2	1.0	<0.2
1110560 AML-STD	Sediment	543	0.12	147	0.134	2	3.53	0.012	0.06	<0.1	0.04	31.2	<0.1	<0.05	20	<0.5	<0.2
1110561	Sediment	20	0.33	95	0.009	1	0.63	0.004	0.04	0.2	0.10	1.7	<0.1	<0.05	2	1.2	<0.2
1110562	Sediment	20	0.35	105	0.009	<1	0.77	0.005	0.05	0.3	0.07	2.0	<0.1	<0.05	2	0.8	<0.2
1110563	Sediment	20	0.32	173	0.009	1	0.73	0.005	0.05	0.2	0.04	2.0	<0.1	<0.05	2	1.2	<0.2
1110564	Sediment	17	0.33	136	0.008	<1	0.68	0.005	0.04	<0.1	0.03	1.8	<0.1	<0.05	2	0.6	<0.2
1110565	Sediment	24	0.33	150	0.010	<1	0.66	0.005	0.04	0.2	0.03	1.9	<0.1	<0.05	2	0.5	<0.2
1110566	Sediment	19	0.44	437	0.007	2	0.90	0.006	0.05	0.1	0.05	2.2	<0.1	<0.05	3	1.3	<0.2
1110567	Sediment	21	0.47	454	0.007	1	0.93	0.006	0.05	0.1	0.05	2.4	<0.1	0.05	3	1.7	<0.2
1110568	Sediment	21	0.46	294	0.007	<1	0.87	0.005	0.05	0.2	0.05	1.9	<0.1	<0.05	3	1.1	<0.2
1110569	Sediment	17	0.42	409	0.009	1	0.83	0.005	0.04	<0.1	0.03	1.9	<0.1	<0.05	3	1.2	<0.2
1110570	Sediment	16	0.31	146	0.008	<1	0.68	0.005	0.04	0.1	0.04	1.7	<0.1	<0.05	2	1.1	<0.2
1110571	Sediment	22	0.34	136	0.010	<1	0.64	0.005	0.04	0.2	0.04	1.9	<0.1	<0.05	2	0.8	<0.2
1110572	Sediment	21	0.33	140	0.010	<1	0.64	0.004	0.04	0.1	0.05	1.9	<0.1	<0.05	2	1.0	<0.2
1110573	Sediment	23	0.38	176	0.010	<1	0.78	0.005	0.05	0.2	0.08	2.2	<0.1	<0.05	2	1.8	<0.2
1110574	Sediment	19	0.35	146	0.010	<1	0.65	0.005	0.04	0.1	0.05	1.9	<0.1	<0.05	2	1.2	<0.2
1110575	Sediment	19	0.35	152	0.010	<1	0.69	0.005	0.05	0.1	0.06	2.0	<0.1	<0.05	2	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: August 15, 2011

QUALITY CONTROL REPORT WHI11000843.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110558	Sediment	0.5	14.9	17.6	80	0.6	20.7	8.3	544	2.08	78.3	3.0	2.4	41	0.5	2.5	0.2	20	2.40	0.077	12
REP 1110558	QC	0.6	15.0	18.1	83	0.5	22.1	8.7	560	2.15	79.7	1.8	2.5	42	0.5	2.5	0.2	20	2.44	0.076	13
1110571	Sediment	1.0	16.0	11.5	66	0.1	23.6	8.7	561	2.26	9.1	0.8	3.7	25	0.5	0.8	0.2	25	0.39	0.061	14
REP 1110571	QC	1.1	17.0	11.4	67	0.1	22.9	8.6	560	2.22	9.2	4.0	3.9	24	0.3	0.8	0.2	25	0.39	0.061	14
Reference Materials																					
STD DS8	Standard	11.7	105.3	120.3	309	1.7	36.5	7.4	613	2.47	27.0	119.8	6.4	67	2.3	5.5	6.8	41	0.72	0.084	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: August 15, 2011

QUALITY CONTROL REPORT WHI11000843.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110558	Sediment	17	0.35	96	0.009	1	0.76	0.005	0.05	0.2	0.06	1.9	<0.1	<0.05	2	1.0	<0.2
REP 1110558	QC	18	0.36	96	0.009	2	0.76	0.004	0.05	0.2	0.06	1.7	<0.1	<0.05	2	0.7	<0.2
1110571	Sediment	22	0.34	136	0.010	<1	0.64	0.005	0.04	0.2	0.04	1.9	<0.1	<0.05	2	0.8	<0.2
REP 1110571	QC	22	0.34	136	0.010	<1	0.64	0.004	0.05	0.1	0.05	1.9	<0.1	<0.05	2	1.2	<0.2
Reference Materials																	
STD DS8	Standard	114	0.62	276	0.108	2	0.89	0.090	0.43	2.9	0.20	2.5	5.4	0.13	5	5.4	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 03, 2011
Report Date: September 03, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001003.1

CLIENT JOB INFORMATION

Project: Hyland
Shipment ID: AML-2011-S-002
P.O. Number
Number of Samples: 18

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	18	Dry at 60C			WHI
SS80	17	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	18	Saving all or part of Soil Reject			WHI
1DX2	18	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: September 03, 2011

CERTIFICATE OF ANALYSIS WHI11001003.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110576	Sediment	0.6	14.8	10.2	64	0.1	23.1	8.0	598	2.06	7.3	2.7	3.7	25	0.4	0.7	0.2	23	0.45	0.060	14
1110577	Sediment	0.6	14.1	9.3	58	0.1	20.3	7.6	578	1.87	7.2	0.6	3.5	24	0.3	0.6	0.2	19	0.38	0.056	14
1110578	Sediment	0.6	12.9	8.7	58	<0.1	19.9	7.4	497	1.95	7.1	1.1	3.8	21	0.3	0.6	0.1	22	0.37	0.053	15
1110579	Sediment	0.7	14.4	9.8	62	0.1	21.9	8.2	634	2.09	7.4	1.7	3.8	23	0.4	0.7	0.2	24	0.41	0.054	15
1110580	Sediment	0.6	10.6	8.5	51	<0.1	18.2	6.6	433	1.86	6.2	2.7	4.6	17	0.2	0.5	0.1	25	0.29	0.056	17
1110581	Sediment	0.6	12.2	8.6	53	<0.1	18.4	6.9	453	1.83	8.8	1.5	3.8	19	0.3	0.6	0.1	21	0.31	0.056	15
1110582	Sediment	0.6	13.1	9.9	58	<0.1	21.2	7.8	516	2.10	7.4	0.6	4.3	22	0.3	0.7	0.2	28	0.36	0.060	17
1110583	Sediment	0.7	15.2	10.2	68	0.1	20.7	8.3	764	2.10	8.1	2.0	3.4	27	0.5	0.6	0.2	20	0.45	0.060	15
1110584 CDN BL8	Sediment	3.7	20.8	2.3	33	0.2	19.7	7.1	298	1.84	3.2	0.9	0.9	24	0.1	0.3	<0.1	41	0.52	0.046	4
1110585	Sediment	0.6	13.1	9.6	57	<0.1	18.4	7.5	694	1.92	7.8	1.0	3.2	22	0.3	0.5	0.2	18	0.38	0.049	14
1110586	Sediment	0.5	13.1	9.5	56	0.1	17.5	7.0	543	1.74	7.1	1.8	3.7	23	0.3	0.5	0.2	18	0.39	0.057	16
1110587	Sediment	0.5	11.6	8.8	55	<0.1	17.4	7.2	559	1.78	6.4	0.8	3.8	21	0.3	0.6	0.1	18	0.35	0.056	14
1110588	Sediment	0.5	12.7	9.0	59	0.1	17.0	6.9	252	1.87	7.6	28.2	4.4	20	0.3	0.6	0.1	20	0.33	0.057	16
1110589	Sediment	0.6	11.6	8.3	55	<0.1	17.2	7.3	588	1.85	6.8	1.2	4.0	19	0.3	0.5	0.2	19	0.33	0.056	15
1110590	Sediment	0.5	11.3	8.3	56	<0.1	17.7	7.1	458	1.79	6.6	1.2	3.9	19	0.3	0.6	0.1	17	0.30	0.054	15
1110591	Sediment	0.5	12.9	9.9	58	0.1	18.9	7.3	630	1.95	7.8	465.8	3.2	29	0.3	0.6	0.1	17	0.56	0.061	15
1110592	Sediment	0.6	12.7	8.7	78	0.2	17.6	7.0	413	1.84	6.0	1.2	3.1	30	0.8	0.7	0.2	25	0.52	0.064	16
1110593	Sediment	0.4	10.4	7.9	50	<0.1	15.9	6.8	501	1.71	6.1	1.4	3.6	17	0.2	0.6	0.1	16	0.28	0.051	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: September 03, 2011

CERTIFICATE OF ANALYSIS WHI11001003.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110576	Sediment	24	0.32	138	0.009	1	0.63	0.004	0.04	0.1	0.06	1.8	<0.1	<0.05	2	0.6	<0.2
1110577	Sediment	18	0.31	122	0.009	2	0.62	0.004	0.03	<0.1	0.04	1.6	<0.1	<0.05	2	0.5	<0.2
1110578	Sediment	22	0.30	124	0.010	1	0.60	0.004	0.04	0.2	0.04	1.6	<0.1	<0.05	2	0.6	<0.2
1110579	Sediment	23	0.30	128	0.009	1	0.61	0.004	0.04	0.1	0.20	1.7	<0.1	<0.05	2	1.0	<0.2
1110580	Sediment	24	0.27	106	0.011	<1	0.55	0.004	0.03	0.3	0.04	1.4	<0.1	<0.05	2	<0.5	<0.2
1110581	Sediment	19	0.27	117	0.009	1	0.58	0.004	0.03	0.1	0.04	1.7	<0.1	<0.05	2	0.5	<0.2
1110582	Sediment	26	0.30	126	0.010	1	0.63	0.004	0.04	0.2	0.05	1.5	<0.1	<0.05	2	<0.5	<0.2
1110583	Sediment	17	0.29	162	0.008	1	0.66	0.005	0.04	0.1	0.06	1.7	<0.1	<0.05	2	0.6	<0.2
1110584 CDN BL8	Sediment	30	0.46	74	0.077	2	0.92	0.046	0.05	8.1	0.03	2.6	<0.1	<0.05	4	<0.5	<0.2
1110585	Sediment	14	0.27	137	0.009	1	0.62	0.004	0.03	<0.1	0.05	1.4	<0.1	<0.05	2	<0.5	<0.2
1110586	Sediment	15	0.26	123	0.009	1	0.62	0.005	0.03	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
1110587	Sediment	15	0.28	114	0.008	1	0.60	0.004	0.04	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
1110588	Sediment	17	0.28	113	0.009	1	0.62	0.004	0.03	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
1110589	Sediment	16	0.25	113	0.009	2	0.56	0.004	0.03	0.1	0.03	1.4	<0.1	<0.05	2	0.6	<0.2
1110590	Sediment	16	0.26	108	0.008	<1	0.60	0.004	0.03	0.1	0.03	1.3	<0.1	<0.05	2	<0.5	<0.2
1110591	Sediment	17	0.28	106	0.008	2	0.62	0.004	0.03	0.1	0.04	1.4	<0.1	<0.05	2	0.7	<0.2
1110592	Sediment	18	0.28	134	0.009	1	0.77	0.005	0.05	0.2	0.05	1.8	<0.1	<0.05	2	<0.5	<0.2
1110593	Sediment	14	0.24	91	0.008	<1	0.54	0.003	0.03	<0.1	0.03	1.2	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: September 03, 2011

QUALITY CONTROL REPORT WHI11001003.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																						
1110584 CDN BL8	Sediment	3.7	20.8	2.3	33	0.2	19.7	7.1	298	1.84	3.2	0.9	0.9	24	0.1	0.3	<0.1	41	0.52	0.046	4	
REP 1110584 CDN BL8	QC	3.8	20.7	2.2	34	0.2	19.7	7.2	299	1.89	3.4	0.8	0.8	23	0.2	0.3	<0.1	42	0.52	0.049	4	
Reference Materials																						
STD DS8	Standard	11.6	107.6	123.6	305	1.8	37.0	7.3	596	2.44	26.1	110.7	6.5	59	2.3	5.6	7.1	39	0.65	0.087	12	
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: September 03, 2011

QUALITY CONTROL REPORT WHI11001003.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110584 CDN BL8	Sediment	30	0.46	74	0.077	2	0.92	0.046	0.05	8.1	0.03	2.6	<0.1	<0.05	4	<0.5	<0.2
REP 1110584 CDN BL8	QC	30	0.46	76	0.081	3	0.89	0.041	0.06	8.6	0.03	2.9	<0.1	<0.05	3	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	112	0.59	250	0.099	4	0.87	0.082	0.41	2.8	0.20	2.1	5.7	0.18	5	5.1	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 03, 2011
Report Date: September 08, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001015.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-016
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	16	Dry at 60C			WHI
SS80	16	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	16	Saving all or part of Soil Reject			WHI
1DX2	17	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001015.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110594	Sediment	0.5	12.1	9.6	56	<0.1	17.8	7.4	473	1.82	6.9	0.9	4.3	20	0.3	0.5	0.1	18	0.29	0.054	16
1110595	Sediment	0.4	11.9	9.7	55	<0.1	17.3	7.3	448	1.88	7.3	0.6	4.3	19	0.3	0.5	0.1	18	0.29	0.055	15
1110596 AML-STD	Sediment	1.2	401.9	23.2	161	0.2	187.6	71.1	752	14.42	3.5	29.6	7.6	16	0.1	0.3	0.2	178	0.27	0.047	17
1110597	Sediment	0.4	11.5	8.7	53	<0.1	16.3	6.7	408	1.74	6.7	<0.5	4.1	19	0.2	0.5	0.1	17	0.29	0.055	15
1110598	Sediment	0.5	16.5	11.4	61	0.1	19.8	8.2	570	2.03	8.7	1.8	3.6	26	0.4	0.6	0.2	18	0.41	0.063	15
1110599	Sediment	0.4	15.0	10.8	57	<0.1	18.4	7.8	486	1.98	8.0	0.5	3.9	24	0.3	0.6	0.2	19	0.38	0.064	16
1110600	Sediment	0.4	14.1	10.2	59	<0.1	19.2	7.6	541	1.83	7.2	0.8	3.9	25	0.3	0.6	0.2	18	0.39	0.061	15
1110601	Sediment	0.3	10.9	8.8	52	<0.1	17.6	7.5	335	2.20	8.3	0.7	3.2	17	0.3	0.5	0.2	18	0.28	0.044	13
1110602	Sediment	0.5	13.7	11.7	62	<0.1	20.2	8.1	701	2.18	9.2	0.7	3.8	27	0.3	0.7	0.1	19	0.46	0.055	16
1110603	Sediment	0.6	18.4	13.2	67	0.1	21.4	8.1	366	2.07	7.9	1.8	3.3	33	0.3	0.6	0.2	18	0.59	0.067	18
1110604	Sediment	0.4	15.1	12.3	62	<0.1	21.2	8.4	521	2.13	8.9	13.9	3.8	27	0.3	0.6	0.2	18	0.41	0.057	18
1110605	Sediment	0.6	13.2	9.6	49	0.1	21.2	9.0	558	1.65	5.2	<0.5	3.0	28	0.4	0.4	0.2	22	0.45	0.047	14
1110606	Sediment	0.5	13.8	11.2	61	<0.1	20.4	8.0	455	2.05	8.4	0.8	4.0	24	0.3	0.7	0.2	18	0.38	0.056	18
1110607	Sediment	0.4	14.9	12.3	66	<0.1	21.4	8.2	486	2.18	9.0	1.2	4.1	26	0.3	0.7	0.2	17	0.40	0.058	19
1110608	Sediment	0.5	13.1	11.0	60	<0.1	19.7	7.8	458	2.04	8.0	1.6	3.9	24	0.2	0.6	0.1	17	0.36	0.050	17
1110609	Sediment	0.5	17.1	13.6	72	0.1	23.5	9.4	702	2.32	11.5	1.4	3.3	42	0.3	0.9	0.2	17	0.68	0.076	17
1110610	Sediment	0.4	18.5	14.9	73	0.1	25.3	9.9	341	2.26	9.9	2.3	3.8	38	0.3	0.8	0.2	18	0.64	0.072	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001015.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110594	Sediment	15	0.26	97	0.011	<1	0.61	0.004	0.03	0.2	0.03	1.4	<0.1	<0.05	2	<0.5	<0.2
1110595	Sediment	15	0.26	95	0.010	<1	0.60	0.004	0.03	0.2	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1110596 AML-STD	Sediment	521	0.13	151	0.146	3	3.61	0.012	0.06	<0.1	0.04	33.5	<0.1	<0.05	19	<0.5	<0.2
1110597	Sediment	14	0.26	98	0.010	<1	0.60	0.004	0.03	0.1	0.03	1.4	<0.1	<0.05	2	<0.5	<0.2
1110598	Sediment	16	0.27	122	0.009	<1	0.69	0.004	0.04	0.1	0.04	1.7	<0.1	<0.05	2	0.6	<0.2
1110599	Sediment	16	0.29	107	0.011	<1	0.68	0.004	0.04	0.1	0.03	1.7	<0.1	<0.05	2	<0.5	<0.2
1110600	Sediment	16	0.27	106	0.010	<1	0.66	0.004	0.03	0.1	0.04	1.6	<0.1	<0.05	2	<0.5	<0.2
1110601	Sediment	16	0.23	85	0.007	<1	0.58	0.003	0.03	0.2	0.02	1.2	<0.1	<0.05	2	<0.5	<0.2
1110602	Sediment	16	0.27	104	0.008	<1	0.70	0.004	0.04	0.1	0.04	1.6	<0.1	<0.05	2	0.8	<0.2
1110603	Sediment	17	0.28	109	0.007	<1	0.76	0.004	0.04	0.2	0.05	1.9	<0.1	0.05	2	0.7	<0.2
1110604	Sediment	17	0.28	93	0.007	<1	0.73	0.003	0.04	<0.1	0.03	1.6	<0.1	<0.05	2	0.6	<0.2
1110605	Sediment	20	0.28	116	0.006	<1	0.70	0.003	0.03	0.1	0.04	1.5	<0.1	<0.05	2	1.0	<0.2
1110606	Sediment	16	0.26	72	0.008	<1	0.66	0.003	0.03	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
1110607	Sediment	17	0.28	79	0.007	<1	0.71	0.003	0.04	<0.1	0.04	1.5	<0.1	<0.05	2	0.5	<0.2
1110608	Sediment	15	0.26	69	0.008	<1	0.64	0.003	0.03	0.1	0.03	1.4	<0.1	<0.05	2	0.6	<0.2
1110609	Sediment	18	0.29	98	0.006	<1	0.82	0.003	0.04	<0.1	0.07	1.7	<0.1	0.06	2	0.9	<0.2
1110610	Sediment	18	0.30	85	0.006	<1	0.82	0.003	0.04	<0.1	0.06	1.8	<0.1	<0.05	2	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

QUALITY CONTROL REPORT WHI11001015.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110601	Sediment	0.3	10.9	8.8	52	<0.1	17.6	7.5	335	2.20	8.3	0.7	3.2	17	0.3	0.5	0.2	18	0.28	0.044	13
REP 1110601	QC	0.4	10.7	8.6	51	<0.1	17.4	7.1	319	2.12	7.7	<0.5	3.3	17	0.2	0.5	0.1	17	0.27	0.043	13
Reference Materials																					
STD DS8	Standard	12.8	122.5	127.1	326	1.8	38.0	7.8	586	2.42	27.3	109.4	7.3	62	2.7	6.1	7.4	43	0.67	0.089	14
STD DS8	Standard	13.6	111.6	129.9	324	1.8	38.8	7.4	634	2.53	25.2	109.2	7.0	66	2.4	5.4	6.5	43	0.68	0.081	14
STD DS8	Standard	11.8	103.6	111.9	301	1.7	35.4	7.1	575	2.33	23.4	96.4	6.2	58	2.2	4.2	5.6	39	0.63	0.075	12
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

QUALITY CONTROL REPORT WHI11001015.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110601	Sediment	16	0.23	85	0.007	<1	0.58	0.003	0.03	0.2	0.02	1.2	<0.1	<0.05	2	<0.5	<0.2
REP 1110601	QC	16	0.23	80	0.007	<1	0.56	0.002	0.03	0.2	0.03	1.2	<0.1	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	117	0.63	303	0.120	3	0.89	0.083	0.43	3.2	0.19	2.1	5.7	0.15	4	5.0	5.0
STD DS8	Standard	120	0.62	279	0.113	2	0.90	0.083	0.42	2.7	0.20	2.2	5.7	0.14	4	5.7	5.0
STD DS8	Standard	112	0.54	230	0.101	2	0.84	0.084	0.39	2.4	0.19	2.4	4.9	0.14	4	4.8	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 09, 2011
Report Date: September 08, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001034.1

CLIENT JOB INFORMATION

Project:	IKE
Shipment ID:	AML-2011-S-021
P.O. Number	
Number of Samples:	36

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	34	Dry at 60C			WHI
SS80	33	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	34	Saving all or part of Soil Reject			WHI
1DX2	35	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001034.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110611	Sediment	0.4	15.9	13.0	67	<0.1	18.7	9.0	616	2.30	32.6	3.3	2.1	31	0.2	1.7	0.2	18	0.95	0.076	18
1110612	Sediment	0.4	15.7	14.1	64	<0.1	19.7	9.3	524	2.26	25.8	3.5	2.7	30	0.2	1.6	0.2	19	0.83	0.069	20
1110613	Rock Pulp	3.9	22.9	2.3	36	0.3	22.7	8.2	321	2.00	3.5	2.2	1.0	29	0.1	0.3	<0.1	50	0.69	0.048	5
1110614	Sediment	0.4	20.3	15.5	78	0.1	22.1	10.0	419	2.32	22.2	4.1	2.5	46	0.3	1.4	0.2	20	1.03	0.084	21
1110615	Sediment	0.4	15.6	13.4	70	<0.1	21.0	10.2	756	2.44	19.8	2.9	3.0	40	0.3	1.1	0.2	18	1.01	0.073	20
1110616	Sediment	0.3	18.2	15.1	75	0.1	23.5	10.8	612	2.61	14.2	2.9	2.8	34	0.2	0.9	0.2	20	0.86	0.076	20
1110617	Sediment	0.3	20.3	15.0	71	0.1	23.0	10.5	613	2.48	15.2	3.2	2.9	39	0.3	1.3	0.2	21	0.91	0.080	21
1110618	Sediment	0.4	17.6	13.3	72	0.1	22.5	10.2	583	2.54	15.5	3.5	2.9	38	0.3	1.1	0.2	19	0.84	0.084	20
1110619	Sediment	0.3	18.3	13.7	80	0.2	23.9	9.9	431	2.35	14.0	2.7	3.1	36	0.3	1.3	0.2	21	0.76	0.089	21
1110620	Sediment	0.4	14.7	13.1	72	0.1	19.7	9.0	716	2.51	16.0	0.9	2.7	40	0.3	1.3	0.3	16	0.76	0.080	14
1110621	Sediment	0.5	17.4	16.1	70	0.1	25.7	11.1	760	2.44	12.4	0.8	3.7	35	0.3	1.0	0.3	17	0.52	0.068	17
1110622	Sediment	0.4	16.8	15.8	59	<0.1	20.8	9.0	361	2.27	67.9	2.0	2.1	170	0.2	4.4	0.2	17	7.73	0.107	12
1110623	Sediment	0.4	16.9	12.7	52	<0.1	21.5	8.8	286	2.20	36.7	3.2	1.9	211	0.2	4.0	0.2	16	9.28	0.107	11
1110624 AML-STD	Sediment	1.5	406.6	23.2	167	0.2	190.6	71.0	795	15.64	3.4	33.7	7.6	15	0.1	0.4	0.2	191	0.31	0.044	17
1110625	Sediment	0.4	14.7	11.7	46	<0.1	18.3	7.8	259	2.03	30.8	1.0	1.8	212	0.2	3.5	0.2	15	9.20	0.085	10
1110626	Sediment	0.5	17.2	14.1	68	<0.1	25.9	10.6	512	3.00	36.3	2.0	2.7	132	0.2	3.1	0.2	20	4.92	0.118	14
1110627	Sediment	0.6	43.9	91.4	217	0.6	73.0	27.1	887	4.89	137.5	12.3	4.3	34	0.7	2.1	0.4	21	0.51	0.077	17
1110628	Sediment	0.7	38.3	51.7	163	0.3	58.5	20.6	923	5.06	105.7	6.6	4.2	33	0.3	3.1	0.4	23	0.55	0.079	16
1110629	Sediment	0.4	21.2	40.8	111	0.2	30.8	13.2	692	4.21	106.3	31.8	4.7	29	0.4	1.6	0.3	19	0.49	0.091	17
1110630	Sediment	0.6	25.0	50.3	134	0.4	31.0	14.4	675	3.76	43.3	2.1	7.1	21	0.3	1.2	0.3	24	0.36	0.069	27
1110631	Sediment	0.3	20.0	33.8	115	0.2	30.2	14.2	496	3.59	31.9	4.2	7.2	18	0.2	0.9	0.2	20	0.38	0.056	23
1110636	Sediment	0.6	18.9	15.0	78	<0.1	24.0	11.1	454	2.95	21.8	1.8	3.7	26	0.4	2.6	0.3	17	1.58	0.062	13
1110637	Sediment	0.5	15.2	12.3	54	0.1	15.7	7.0	443	2.03	20.8	3.0	1.1	49	0.3	6.6	0.2	16	2.86	0.094	10
1110638	Sediment	0.5	19.4	16.1	80	<0.1	25.2	11.7	486	3.18	27.9	2.0	4.0	30	0.3	3.2	0.2	20	1.80	0.067	14
1110639	Sediment	0.5	17.8	14.5	79	<0.1	23.1	10.8	422	2.97	27.1	2.2	3.8	30	0.2	3.3	0.3	18	1.77	0.072	14
1110640	Sediment	0.5	16.7	14.4	74	<0.1	22.9	10.5	358	2.89	28.8	1.7	4.0	32	0.2	3.2	0.2	17	1.77	0.067	13
1110641	Sediment	0.7	21.1	13.3	77	<0.1	26.5	12.1	527	3.12	16.7	0.8	5.2	46	0.2	1.2	0.2	16	1.46	0.058	14
1110642	Sediment	0.5	19.3	13.1	77	<0.1	26.2	12.3	495	3.06	15.8	3.6	5.3	38	0.2	1.2	0.2	16	1.23	0.061	14
1110643	Sediment	0.4	17.6	12.6	71	<0.1	25.4	11.6	366	2.73	12.4	<0.5	5.3	35	0.2	1.2	0.2	17	1.23	0.066	15
1110644	Sediment	0.5	17.5	12.6	74	<0.1	26.0	12.2	490	2.95	15.3	0.7	5.0	36	0.2	1.1	0.2	15	1.19	0.054	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001034.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110611	Sediment	14	0.23	70	0.009	1	0.71	0.003	0.04	0.1	0.08	1.5	<0.1	<0.05	2	0.8	<0.2
1110612	Sediment	16	0.25	67	0.010	1	0.79	0.004	0.04	0.1	0.08	1.5	<0.1	<0.05	3	0.8	<0.2
1110613	Rock Pulp	33	0.51	82	0.109	3	1.09	0.048	0.06	8.5	0.02	3.5	<0.1	<0.05	4	0.7	<0.2
1110614	Sediment	18	0.29	73	0.010	2	0.90	0.003	0.05	0.1	0.09	1.9	<0.1	<0.05	3	1.1	<0.2
1110615	Sediment	16	0.29	78	0.009	2	0.79	0.003	0.04	0.1	0.07	1.6	<0.1	<0.05	2	1.0	<0.2
1110616	Sediment	20	0.31	103	0.009	2	0.97	0.004	0.05	<0.1	0.07	1.9	<0.1	<0.05	3	1.1	<0.2
1110617	Sediment	20	0.31	114	0.011	2	0.93	0.004	0.05	0.1	0.11	2.0	<0.1	<0.05	3	0.7	<0.2
1110618	Sediment	19	0.30	92	0.009	2	0.93	0.003	0.05	0.2	0.10	2.0	<0.1	0.07	3	0.7	<0.2
1110619	Sediment	20	0.30	105	0.008	1	1.01	0.004	0.05	<0.1	0.09	2.2	<0.1	0.07	3	1.1	<0.2
1110620	Sediment	16	0.31	92	0.005	2	0.84	0.003	0.03	0.1	0.11	1.5	<0.1	<0.05	2	<0.5	<0.2
1110621	Sediment	16	0.35	88	0.008	2	0.83	0.003	0.03	0.1	0.06	1.6	<0.1	<0.05	2	0.6	<0.2
1110622	Sediment	16	0.48	41	0.010	3	0.71	0.003	0.03	0.1	0.14	1.4	<0.1	<0.05	2	0.7	<0.2
1110623	Sediment	18	0.53	42	0.012	2	0.72	0.003	0.03	0.1	0.14	1.4	<0.1	0.05	2	0.9	<0.2
1110624 AML-STD	Sediment	509	0.13	147	0.148	4	3.93	0.013	0.06	<0.1	0.03	32.0	<0.1	<0.05	19	<0.5	<0.2
1110625	Sediment	<1	0.57	33	0.013	2	0.61	0.003	0.03	0.2	0.08	1.2	<0.1	0.06	2	0.7	<0.2
1110626	Sediment	23	0.74	56	0.013	2	0.95	0.004	0.03	0.1	0.09	1.5	<0.1	0.05	3	1.2	<0.2
1110627	Sediment	27	0.62	82	0.004	1	1.91	0.005	0.04	0.1	0.05	2.0	<0.1	<0.05	5	0.5	<0.2
1110628	Sediment	36	0.71	45	0.004	2	2.13	0.005	0.03	<0.1	0.03	1.8	<0.1	<0.05	6	1.2	<0.2
1110629	Sediment	26	0.58	97	0.007	2	1.49	0.008	0.04	0.1	0.09	1.8	0.1	0.06	5	<0.5	<0.2
1110630	Sediment	28	0.60	107	0.010	<1	1.87	0.005	0.06	<0.1	0.03	2.2	<0.1	<0.05	5	0.7	<0.2
1110631	Sediment	29	0.59	94	0.010	<1	1.63	0.004	0.04	<0.1	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
1110636	Sediment	13	0.88	85	0.005	1	1.00	0.003	0.03	<0.1	0.12	1.6	<0.1	<0.05	3	<0.5	<0.2
1110637	Sediment	42	0.99	120	0.010	3	0.90	0.006	0.04	0.1	0.85	1.3	<0.1	<0.05	3	1.1	<0.2
1110638	Sediment	20	0.88	88	0.006	<1	1.09	0.004	0.04	0.1	0.99	1.8	<0.1	<0.05	3	<0.5	<0.2
1110639	Sediment	19	0.91	85	0.007	<1	1.06	0.004	0.04	0.2	0.51	1.6	<0.1	<0.05	3	<0.5	<0.2
1110640	Sediment	19	0.87	74	0.006	<1	0.96	0.004	0.03	0.2	0.10	1.5	<0.1	<0.05	3	<0.5	<0.2
1110641	Sediment	17	0.57	87	0.006	<1	1.02	0.003	0.03	<0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1110642	Sediment	17	0.57	82	0.006	<1	1.06	0.003	0.03	<0.1	0.04	1.6	<0.1	<0.05	3	<0.5	<0.2
1110643	Sediment	18	0.59	86	0.008	<1	1.03	0.004	0.03	0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1110644	Sediment	17	0.57	78	0.005	<1	1.04	0.003	0.03	<0.1	0.06	1.6	<0.1	<0.05	3	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001034.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110645	Sediment	0.5	17.0	12.2	74	<0.1	25.5	11.7	385	2.94	15.2	0.6	4.8	32	0.2	1.1	0.2	16	1.08	0.059	14
1110646	Sediment	0.6	23.3	42.0	147	0.5	45.3	11.6	522	2.88	24.3	1.5	6.2	18	0.2	0.8	0.4	18	0.27	0.057	28
1110647	Sediment	0.6	19.3	33.6	128	0.4	35.3	10.1	404	2.50	21.5	0.7	5.2	19	0.4	0.8	0.3	19	0.28	0.056	23
1110648	Sediment	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1110649	Sediment	1.0	15.0	28.2	112	0.2	41.6	18.3	3652	3.47	54.4	1.3	5.7	17	0.5	0.9	0.2	18	0.26	0.051	22
1110650	Sediment	0.7	25.1	24.8	95	0.2	31.2	14.8	553	3.52	42.3	2.1	5.3	23	0.2	2.7	0.3	25	0.39	0.062	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

CERTIFICATE OF ANALYSIS WHI11001034.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110645	Sediment	18	0.57	81	0.006	<1	1.07	0.003	0.03	0.1	0.07	1.6	<0.1	<0.05	3	0.9	<0.2
1110646	Sediment	24	0.48	137	0.005	<1	1.43	0.004	0.04	0.1	0.05	2.2	<0.1	<0.05	4	0.8	<0.2
1110647	Sediment	22	0.41	123	0.005	<1	1.17	0.003	0.04	0.1	0.03	1.8	0.1	<0.05	4	<0.5	<0.2
1110648	Sediment	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1110649	Sediment	22	0.39	158	0.006	<1	1.07	0.003	0.04	0.1	0.05	1.7	<0.1	<0.05	3	<0.5	<0.2
1110650	Sediment	35	0.50	104	0.008	<1	1.19	0.003	0.04	<0.1	0.03	2.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

QUALITY CONTROL REPORT WHI11001034.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110627	Sediment	0.6	43.9	91.4	217	0.6	73.0	27.1	887	4.89	137.5	12.3	4.3	34	0.7	2.1	0.4	21	0.51	0.077	17
REP 1110627	QC	0.6	45.9	93.1	226	0.6	75.6	28.3	917	4.96	144.7	11.9	4.5	38	0.9	2.2	0.4	22	0.54	0.083	18
1110647	Sediment	0.6	19.3	33.6	128	0.4	35.3	10.1	404	2.50	21.5	0.7	5.2	19	0.4	0.8	0.3	19	0.28	0.056	23
REP 1110647	QC	0.7	19.2	33.6	130	0.3	38.1	10.4	412	2.56	21.5	<0.5	5.4	19	0.3	0.9	0.3	20	0.29	0.057	25
Reference Materials																					
STD DS8	Standard	14.0	117.0	129.9	318	1.8	39.5	8.4	662	2.58	26.4	113.5	7.6	69	2.3	5.8	6.8	47	0.76	0.083	17
STD DS8	Standard	13.0	112.0	134.4	323	1.8	37.2	7.3	625	2.49	26.0	130.7	7.4	73	2.3	6.6	7.8	42	0.70	0.083	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 08, 2011

QUALITY CONTROL REPORT WHI11001034.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110627	Sediment	27	0.62	82	0.004	1	1.91	0.005	0.04	0.1	0.05	2.0	<0.1	<0.05	5	0.5	<0.2
REP 1110627	QC	27	0.62	86	0.004	1	2.05	0.005	0.04	0.1	0.06	2.1	<0.1	0.06	6	<0.5	<0.2
1110647	Sediment	22	0.41	123	0.005	<1	1.17	0.003	0.04	0.1	0.03	1.8	0.1	<0.05	4	<0.5	<0.2
REP 1110647	QC	23	0.42	130	0.006	<1	1.22	0.003	0.04	0.2	0.05	1.9	0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	125	0.65	288	0.137	2	1.01	0.099	0.42	3.1	0.19	2.4	5.7	0.14	5	5.6	5.4
STD DS8	Standard	113	0.64	286	0.126	2	0.93	0.087	0.41	3.1	0.22	2.0	5.6	0.14	5	5.6	5.5
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 22, 2011
Report Date: October 17, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001390.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-030
P.O. Number
Number of Samples: 12

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	12	Dry at 60C			WHI
SS80	12	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	12	Saving all or part of Soil Reject			WHI
1DX3	12	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 17, 2011

CERTIFICATE OF ANALYSIS WHI11001390.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
110051	Sediment	0.5	21.3	36.7	194	0.3	33.3	11.9	767	2.74	47.5	2.8	4.9	15	0.6	1.2	0.2	21	0.27	0.049	18
110052	Sediment	0.7	22.4	35.6	185	0.4	33.4	12.3	739	2.72	44.4	2.5	4.3	17	0.7	1.1	0.2	19	0.35	0.056	17
110053	Sediment	0.8	24.2	23.4	138	0.1	35.8	14.3	490	5.83	107.6	1.2	5.0	20	0.4	1.5	0.2	27	0.29	0.109	15
110054	Sediment	0.7	18.6	9.8	64	0.1	32.1	10.3	549	2.22	11.4	<0.5	3.8	24	0.3	0.6	0.1	24	0.47	0.058	15
110055	Sediment	0.6	16.0	16.8	108	0.1	33.7	12.1	579	2.88	25.2	1.8	4.5	16	0.3	0.9	0.1	25	0.24	0.052	15
110056	Sediment	0.8	16.2	14.3	105	0.1	32.4	11.8	610	2.67	22.4	2.3	4.2	18	0.4	0.8	0.1	24	0.29	0.053	16
110057	Sediment	0.7	15.9	13.8	101	0.2	28.7	10.1	543	2.23	17.2	1.1	3.8	20	0.4	0.7	0.1	21	0.34	0.053	15
110058	Sediment	0.5	21.2	16.8	73	<0.1	29.5	13.5	575	2.75	26.9	5.4	4.8	20	0.3	1.3	0.2	19	0.43	0.057	19
110059	Sediment	0.3	19.2	16.9	72	<0.1	28.2	12.6	476	2.76	26.6	3.2	4.9	17	0.2	1.3	0.2	18	0.36	0.054	18
110060	Sediment	0.5	20.0	17.9	79	<0.1	31.3	13.6	531	3.02	28.8	2.5	5.3	20	0.2	1.4	0.2	22	0.44	0.057	19
110061	Sediment	0.5	21.6	24.5	75	0.1	27.3	11.6	665	2.79	32.2	1.9	4.0	33	0.2	1.6	0.2	17	0.72	0.059	17
110062	Sediment	0.4	19.3	18.6	75	<0.1	30.3	12.9	477	2.97	27.7	1.5	5.0	18	0.2	1.4	0.2	21	0.42	0.055	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 17, 2011

CERTIFICATE OF ANALYSIS WHI11001390.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
110051	Sediment	25	0.35	109	0.006	<1	1.04	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	3	0.7	<0.2
110052	Sediment	25	0.35	119	0.005	<1	1.03	0.003	0.04	0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
110053	Sediment	49	0.47	125	0.006	<1	1.20	0.003	0.04	0.1	0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
110054	Sediment	34	0.44	121	0.013	<1	0.93	0.004	0.05	0.1	0.02	2.0	<0.1	<0.05	3	0.9	<0.2
110055	Sediment	46	0.44	107	0.011	1	1.02	0.003	0.04	<0.1	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
110056	Sediment	34	0.43	121	0.010	<1	0.99	0.004	0.04	<0.1	0.02	1.6	<0.1	<0.05	3	0.6	<0.2
110057	Sediment	28	0.37	123	0.009	<1	0.92	0.004	0.04	0.1	0.05	1.8	<0.1	<0.05	3	0.5	<0.2
110058	Sediment	23	0.39	84	0.009	<1	0.92	0.005	0.04	<0.1	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
110059	Sediment	22	0.42	74	0.009	<1	1.03	0.003	0.03	<0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
110060	Sediment	27	0.44	77	0.010	<1	1.08	0.004	0.04	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
110061	Sediment	20	0.38	106	0.010	1	1.04	0.004	0.06	0.1	0.04	1.7	<0.1	<0.05	3	0.8	<0.2
110062	Sediment	27	0.44	73	0.009	1	1.04	0.004	0.04	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 17, 2011

QUALITY CONTROL REPORT WHI11001390.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
110052	Sediment	0.7	22.4	35.6	185	0.4	33.4	12.3	739	2.72	44.4	2.5	4.3	17	0.7	1.1	0.2	19	0.35	0.056	17
REP 110052	QC	0.6	22.1	35.8	181	0.3	33.4	12.4	745	2.79	44.0	3.5	4.5	17	0.7	1.2	0.2	19	0.36	0.053	19
Reference Materials																					
STD DS8	Standard	12.8	110.2	117.2	311	1.8	39.2	7.7	587	2.36	24.8	126.8	6.3	66	2.4	5.2	6.2	41	0.68	0.076	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 17, 2011

QUALITY CONTROL REPORT WHI11001390.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
110052	Sediment	25	0.35	119	0.005	<1	1.03	0.003	0.04	0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
REP 110052	QC	27	0.35	127	0.006	1	1.06	0.005	0.04	0.1	0.03	1.7	<0.1	<0.05	3	0.8	<0.2
Reference Materials																	
STD DS8	Standard	113	0.56	295	0.105	2	0.97	0.112	0.44	3.0	0.20	2.5	5.2	0.13	5	5.3	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By:	Michael Collins
Receiving Lab:	Canada-Whitehorse
Received:	September 07, 2011
Report Date:	November 29, 2011
Page:	1 of 3

CERTIFICATE OF ANALYSIS WHI11001415.1

CLIENT JOB INFORMATION

Project:	Hyland
Shipment ID:	AML-2011-S-050
P.O. Number	
Number of Samples:	50

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	47	Dry at 60C			WHI
SS80	50	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	47	Saving all or part of Soil Reject			WHI
1DX3	50	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Quartz Camp

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001415.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109851	Sediment	0.5	23.8	17.1	73	<0.1	24.7	12.5	869	2.79	103.0	5.0	2.8	57	0.2	4.0	0.2	19	1.92	0.086	16
1109852	Sediment	0.5	22.0	13.5	62	<0.1	22.1	8.7	341	2.47	46.3	2.2	2.3	48	0.2	1.8	0.2	19	1.69	0.082	14
1109853	Sediment	0.6	21.0	15.9	48	<0.1	20.5	9.1	296	2.65	30.0	<0.5	2.7	47	0.2	1.3	0.2	20	1.37	0.051	16
1109854	Sediment	0.4	19.7	13.9	60	<0.1	23.6	9.2	173	2.20	21.9	5.1	3.5	35	0.2	1.4	0.2	21	0.95	0.074	20
1109855	Sediment	0.5	17.0	12.4	57	<0.1	21.6	9.6	593	2.52	34.4	1.5	3.3	58	0.2	1.3	0.2	18	2.57	0.066	15
1109856	Sediment	0.5	16.5	11.9	54	<0.1	21.1	9.0	794	2.36	27.9	4.0	2.9	49	0.2	1.3	0.2	17	2.15	0.061	14
1109857	Sediment	0.5	19.6	17.5	65	<0.1	25.7	13.2	1273	2.86	27.5	1.5	3.6	47	0.4	1.2	0.2	19	2.03	0.062	15
1109858	Sediment	0.5	17.0	14.4	62	<0.1	22.4	11.2	944	2.58	26.1	1.5	3.9	45	0.2	1.0	0.2	17	1.90	0.060	14
1109859	Sediment	0.9	20.0	15.0	78	<0.1	22.5	11.7	360	2.69	11.2	2.1	5.6	53	0.3	1.3	0.3	32	1.71	0.053	15
1109860	Rock Pulp	3.4	21.4	2.3	34	0.2	20.6	6.7	286	1.81	2.8	2.1	0.9	27	0.2	0.3	<0.1	43	0.57	0.047	4
1109861	Sediment	0.9	20.8	15.7	76	<0.1	23.7	11.3	386	2.44	10.5	<0.5	5.7	59	0.5	1.1	0.3	28	1.84	0.052	16
1109862	Sediment	0.9	23.1	15.1	78	<0.1	22.9	11.9	404	2.44	10.3	1.9	5.5	51	0.5	1.1	0.3	28	1.72	0.053	16
1109863	Sediment	0.8	16.5	12.6	65	<0.1	19.4	9.6	341	2.12	8.3	0.7	5.5	65	0.4	0.7	0.2	26	2.07	0.054	16
1109864	Sediment	0.7	18.3	13.3	72	<0.1	21.9	10.7	373	2.40	9.5	1.6	5.8	57	0.4	0.7	0.2	28	1.78	0.059	17
1109865	Sediment	0.7	17.6	12.9	65	<0.1	20.5	10.0	354	2.28	9.3	1.5	5.4	58	0.4	0.7	0.2	26	1.85	0.051	15
1109866	Sediment	0.8	17.4	13.5	69	<0.1	20.2	9.8	353	2.19	8.9	0.8	5.8	67	0.4	0.7	0.2	27	2.06	0.061	17
1109867	Sediment	0.6	12.5	10.0	52	<0.1	18.1	8.9	322	2.19	8.5	0.7	5.9	27	0.3	0.7	0.2	33	1.27	0.045	18
1109868	Sediment	0.6	30.0	21.1	72	0.1	25.7	11.0	327	3.32	12.4	1.1	3.8	13	0.1	0.7	0.4	13	0.21	0.058	20
1109869	Sediment	1.6	28.8	20.4	104	0.2	27.9	11.5	265	3.24	18.7	63.6	5.6	53	0.4	1.3	0.5	12	0.39	0.046	20
1109870	Sediment	1.8	32.4	20.7	104	0.2	29.0	11.2	244	3.10	20.5	<0.5	5.7	56	0.5	1.6	0.4	11	0.58	0.051	25
1109871	Sediment	1.1	22.6	25.5	96	0.3	32.7	13.7	1052	3.25	22.6	2.3	6.5	21	0.4	0.8	0.3	23	0.24	0.057	19
1109872	Sediment	0.9	24.9	22.6	95	0.2	32.0	13.5	1139	3.06	22.0	3.3	6.6	26	0.4	1.0	0.3	22	0.28	0.055	19
1109873	Sediment	1.0	24.1	22.9	103	0.2	33.3	13.7	965	3.11	20.4	4.3	6.5	26	0.6	1.0	0.3	22	0.27	0.057	20
1109874	Sediment	0.9	28.7	18.3	93	0.1	28.9	12.4	427	3.00	20.3	1.3	7.9	14	0.3	1.3	0.3	16	0.13	0.040	17
1109875	Sediment	0.6	14.6	13.1	71	<0.1	16.9	9.2	1117	2.25	6.5	<0.5	3.6	29	0.5	0.5	0.2	30	0.40	0.057	18
1109876	Sediment	0.5	19.0	13.8	65	0.1	23.3	11.0	313	2.13	22.0	<0.5	5.4	25	0.3	0.8	0.3	23	0.69	0.044	18
1109877	Sediment	0.6	13.4	12.6	54	<0.1	16.9	8.4	293	1.94	9.4	0.6	5.3	34	0.4	0.7	0.2	26	0.99	0.044	16
1109878	Sediment	0.7	14.5	13.6	56	0.1	17.5	9.0	318	1.91	9.5	3.3	5.2	33	0.3	0.8	0.2	24	1.01	0.043	15
1109879	Sediment	0.6	22.3	13.6	68	<0.1	28.8	15.0	255	2.68	43.8	7.9	7.0	19	0.2	0.9	0.3	25	0.50	0.044	23
1109880	Sediment	0.7	22.4	14.0	69	<0.1	28.9	14.4	333	2.61	41.1	1.6	6.6	22	0.3	1.1	0.3	25	0.99	0.043	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001415.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109851	Sediment	21	0.46	115	0.008	1	0.80	0.005	0.05	0.2	0.13	2.1	0.1	<0.05	3	1.3	<0.2
1109852	Sediment	21	0.38	88	0.009	2	0.73	0.005	0.05	0.2	0.07	1.7	<0.1	<0.05	2	1.6	<0.2
1109853	Sediment	17	0.32	104	0.005	<1	0.86	0.005	0.05	0.1	0.06	1.8	<0.1	<0.05	3	1.0	<0.2
1109854	Sediment	21	0.36	79	0.011	<1	0.76	0.004	0.05	0.2	0.08	1.7	<0.1	<0.05	2	1.3	<0.2
1109855	Sediment	18	0.43	78	0.009	2	0.67	0.004	0.04	0.1	0.04	1.5	<0.1	<0.05	2	1.3	<0.2
1109856	Sediment	17	0.43	89	0.008	1	0.66	0.003	0.04	0.1	0.05	1.3	<0.1	<0.05	2	1.5	<0.2
1109857	Sediment	20	0.58	125	0.008	<1	0.86	0.004	0.05	0.1	0.04	1.7	<0.1	<0.05	3	1.1	<0.2
1109858	Sediment	18	0.61	103	0.008	<1	0.80	0.004	0.04	<0.1	0.08	1.5	<0.1	<0.05	2	0.6	<0.2
1109859	Sediment	20	0.88	140	0.021	<1	1.02	0.010	0.11	0.1	0.03	2.6	0.1	<0.05	3	<0.5	<0.2
1109860	Rock Pulp	29	0.48	75	0.088	2	0.97	0.048	0.06	8.2	0.02	3.1	<0.1	<0.05	3	<0.5	<0.2
1109861	Sediment	17	0.85	159	0.019	<1	1.00	0.009	0.10	0.1	0.04	2.6	<0.1	<0.05	3	0.6	<0.2
1109862	Sediment	18	0.85	162	0.023	<1	1.05	0.010	0.11	0.1	0.04	2.7	0.1	<0.05	3	<0.5	<0.2
1109863	Sediment	16	0.84	137	0.016	<1	0.99	0.009	0.09	0.1	0.03	2.2	<0.1	<0.05	3	<0.5	<0.2
1109864	Sediment	18	0.88	144	0.022	<1	1.07	0.010	0.11	0.2	0.03	2.3	0.1	<0.05	3	<0.5	<0.2
1109865	Sediment	17	0.85	133	0.020	<1	1.02	0.010	0.10	0.2	0.04	2.2	0.1	<0.05	3	0.7	<0.2
1109866	Sediment	17	0.82	160	0.015	<1	1.06	0.009	0.09	0.2	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1109867	Sediment	19	0.75	112	0.036	<1	0.89	0.011	0.13	0.4	0.02	1.7	0.1	<0.05	3	<0.5	<0.2
1109868	Sediment	11	0.23	44	0.003	<1	0.77	0.003	0.03	<0.1	0.02	1.1	<0.1	<0.05	3	<0.5	<0.2
1109869	Sediment	10	0.25	44	0.003	<1	0.58	0.001	0.03	<0.1	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1109870	Sediment	9	0.28	49	0.003	<1	0.49	0.002	0.03	<0.1	0.03	1.6	<0.1	<0.05	1	0.9	<0.2
1109871	Sediment	21	0.48	215	0.005	<1	1.42	0.003	0.06	0.1	0.06	2.0	<0.1	<0.05	4	0.6	<0.2
1109872	Sediment	19	0.48	223	0.005	<1	1.32	0.004	0.06	0.1	0.06	2.0	<0.1	<0.05	4	<0.5	<0.2
1109873	Sediment	19	0.50	219	0.009	<1	1.35	0.005	0.06	<0.1	0.05	2.0	<0.1	<0.05	4	0.6	<0.2
1109874	Sediment	15	0.42	97	0.003	<1	1.03	0.002	0.03	<0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1109875	Sediment	19	0.37	127	0.015	<1	1.07	0.008	0.06	0.2	0.05	1.5	<0.1	<0.05	3	0.6	<0.2
1109876	Sediment	16	0.54	108	0.030	<1	0.91	0.008	0.12	0.2	0.03	1.8	0.1	<0.05	3	<0.5	<0.2
1109877	Sediment	14	0.48	130	0.018	1	0.67	0.008	0.06	0.3	0.03	1.6	<0.1	<0.05	2	<0.5	<0.2
1109878	Sediment	14	0.50	131	0.018	8	0.72	0.010	0.07	0.2	0.04	1.6	<0.1	<0.05	2	<0.5	<0.2
1109879	Sediment	22	0.64	76	0.059	<1	1.25	0.008	0.22	0.4	0.03	2.4	0.2	<0.05	4	<0.5	<0.2
1109880	Sediment	21	0.79	77	0.050	<1	1.18	0.008	0.21	0.3	0.03	2.3	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001415.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109881	Sediment	0.3	22.8	12.4	68	<0.1	31.2	15.8	351	2.72	53.4	0.6	7.2	15	0.2	0.5	0.3	24	0.33	0.036	23
1109882	Sediment	0.4	12.7	13.6	73	<0.1	19.4	8.2	316	2.15	7.5	1.7	4.4	26	0.3	0.3	0.2	18	0.37	0.055	17
1109893	Sediment	0.6	19.6	16.3	84	0.1	24.3	10.1	1007	2.46	5.6	5.2	4.4	23	0.6	0.6	0.2	19	0.38	0.060	19
1109894	Sediment	0.8	18.2	14.9	82	0.1	24.9	10.3	765	2.27	6.8	1.6	4.3	22	0.6	0.5	0.2	21	0.31	0.059	17
1109895	Sediment	0.5	15.9	13.0	72	<0.1	21.1	8.6	725	2.13	6.9	<0.5	4.4	18	0.4	0.6	0.2	17	0.27	0.050	17
1109896	Rock Pulp	3.3	22.0	2.3	34	0.2	20.2	7.1	294	1.87	3.5	<0.5	0.9	27	0.2	0.3	<0.1	46	0.60	0.050	4
1109897	Sediment	0.7	18.9	15.9	77	0.1	23.2	9.5	1218	2.24	10.3	0.5	4.8	24	0.6	0.7	0.2	20	0.38	0.058	18
1109898	Sediment	0.5	14.7	12.1	72	<0.1	20.4	8.0	809	2.02	8.1	0.8	4.6	21	0.5	0.6	0.2	18	0.29	0.052	19
1109899	Sediment	0.3	10.0	9.0	60	<0.1	17.0	6.9	478	1.83	6.3	2.4	4.6	18	0.3	0.4	0.1	16	0.24	0.047	19
1110237	Sediment	0.6	12.6	10.4	71	0.1	19.2	8.7	1457	2.29	9.7	4.0	3.4	31	0.6	0.8	0.1	21	0.54	0.061	16
1110241	Sediment	0.6	10.0	9.2	62	<0.1	16.5	7.6	1035	2.00	9.4	<0.5	3.4	25	0.4	0.7	0.1	20	0.41	0.054	15
1110242	Sediment	0.5	12.1	9.8	66	0.1	18.5	7.9	1273	2.14	9.8	112.9	3.2	31	0.4	0.7	0.1	22	0.56	0.059	16
1110243	Sediment	0.5	12.0	9.6	67	<0.1	19.3	8.0	886	2.12	9.4	0.7	3.1	27	0.5	0.6	0.1	21	0.48	0.058	15
1110244	Sediment	0.5	9.5	7.8	57	<0.1	15.9	7.1	1175	1.93	8.0	1.0	3.1	25	0.3	0.6	<0.1	19	0.41	0.055	14
1110245	Sediment	0.6	11.4	9.2	64	<0.1	18.2	8.1	1201	2.12	9.8	1.7	3.0	27	0.3	0.6	0.1	20	0.44	0.062	15
1110246	Sediment	0.6	12.6	10.1	66	0.1	19.4	8.2	1249	2.18	10.3	2.1	2.9	31	0.4	0.7	0.1	20	0.52	0.065	15
1110247	Sediment	0.4	17.2	14.0	82	0.1	28.1	10.4	599	2.53	9.8	1.8	4.1	30	0.2	0.3	0.2	19	0.48	0.055	22
1110248	Rock Pulp	3.8	21.9	2.4	36	0.2	21.5	7.3	293	1.85	3.3	<0.5	0.8	25	0.1	0.5	<0.1	44	0.53	0.046	4
1110249	Sediment	0.6	16.2	12.5	72	0.1	26.4	11.9	835	2.58	8.0	1.8	4.0	23	0.3	0.3	0.1	20	0.33	0.043	19
1110250	Sediment	0.4	15.7	11.4	59	<0.1	21.1	8.3	268	2.24	19.5	<0.5	2.5	54	0.2	1.1	0.1	17	1.69	0.070	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001415.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109881	Sediment	25	0.63	72	0.071	1	1.41	0.008	0.27	0.4	0.02	2.1	0.2	<0.05	4	0.6	<0.2
1109882	Sediment	17	0.38	113	0.009	2	1.10	0.005	0.05	0.1	0.03	1.3	<0.1	<0.05	3	0.5	<0.2
1109893	Sediment	19	0.46	117	0.007	1	1.21	0.003	0.04	0.1	0.05	1.3	<0.1	<0.05	3	0.9	<0.2
1109894	Sediment	22	0.47	138	0.007	<1	1.19	0.003	0.04	0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1109895	Sediment	17	0.41	114	0.007	<1	1.02	0.003	0.04	<0.1	0.03	1.1	<0.1	<0.05	3	<0.5	<0.2
1109896	Rock Pulp	32	0.49	76	0.097	2	1.05	0.047	0.06	7.7	0.03	3.0	<0.1	0.06	4	<0.5	<0.2
1109897	Sediment	19	0.44	135	0.008	<1	1.10	0.006	0.05	0.1	0.03	1.4	<0.1	<0.05	3	0.5	<0.2
1109898	Sediment	18	0.40	114	0.007	<1	1.00	0.005	0.04	0.1	0.03	1.2	<0.1	<0.05	3	0.6	<0.2
1109899	Sediment	16	0.36	89	0.008	<1	0.88	0.004	0.04	0.1	0.02	1.0	<0.1	<0.05	2	<0.5	<0.2
1110237	Sediment	18	0.26	185	0.012	1	0.76	0.005	0.05	0.2	0.04	1.5	<0.1	<0.05	2	0.9	<0.2
1110241	Sediment	15	0.25	158	0.010	<1	0.65	0.005	0.04	0.2	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1110242	Sediment	17	0.26	170	0.011	2	0.72	0.009	0.05	0.2	0.05	1.6	<0.1	<0.05	2	0.9	<0.2
1110243	Sediment	17	0.25	169	0.011	<1	0.71	0.006	0.05	0.1	0.04	1.6	<0.1	<0.05	2	0.9	<0.2
1110244	Sediment	16	0.24	146	0.009	<1	0.63	0.004	0.04	0.2	0.03	1.3	<0.1	<0.05	2	<0.5	<0.2
1110245	Sediment	18	0.25	158	0.009	<1	0.71	0.005	0.04	0.2	0.05	1.6	<0.1	<0.05	2	0.7	<0.2
1110246	Sediment	18	0.26	173	0.010	1	0.74	0.005	0.05	0.2	0.05	1.6	<0.1	<0.05	2	0.9	<0.2
1110247	Sediment	22	0.48	67	0.008	<1	1.13	0.010	0.04	<0.1	0.04	1.6	<0.1	<0.05	3	0.7	<0.2
1110248	Rock Pulp	32	0.46	75	0.084	2	0.93	0.053	0.06	8.3	0.02	2.7	<0.1	<0.05	4	<0.5	<0.2
1110249	Sediment	21	0.40	81	0.008	<1	0.92	0.004	0.03	<0.1	0.03	1.5	<0.1	<0.05	3	<0.5	<0.2
1110250	Sediment	18	0.39	74	0.010	2	0.69	0.005	0.04	0.1	0.03	1.5	<0.1	<0.05	2	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001415.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1109866	Sediment	0.8	17.4	13.5	69	<0.1	20.2	9.8	353	2.19	8.9	0.8	5.8	67	0.4	0.7	0.2	27	2.06	0.061	17
REP 1109866	QC	0.8	16.7	12.9	66	<0.1	19.2	9.4	337	2.06	8.6	1.6	5.5	63	0.4	0.8	0.2	25	1.92	0.057	16
1109898	Sediment	0.5	14.7	12.1	72	<0.1	20.4	8.0	809	2.02	8.1	0.8	4.6	21	0.5	0.6	0.2	18	0.29	0.052	19
REP 1109898	QC	0.5	14.9	12.0	73	<0.1	21.0	8.6	826	2.10	8.3	<0.5	4.7	21	0.5	0.6	0.2	18	0.29	0.052	19
Reference Materials																					
STD DS8	Standard	12.2	107.8	119.8	307	1.7	36.5	7.3	593	2.41	25.0	120.1	6.6	69	2.2	5.5	6.6	42	0.67	0.078	15
STD DS8	Standard	13.3	107.6	121.7	300	1.8	38.9	7.5	617	2.43	25.6	106.9	6.7	67	2.6	6.0	6.5	42	0.68	0.080	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001415.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1109866	Sediment	17	0.82	160	0.015	<1	1.06	0.009	0.09	0.2	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
REP 1109866	QC	16	0.78	156	0.014	<1	1.00	0.008	0.09	0.1	0.03	2.2	<0.1	<0.05	3	0.7	<0.2
1109898	Sediment	18	0.40	114	0.007	<1	1.00	0.005	0.04	0.1	0.03	1.2	<0.1	<0.05	3	0.6	<0.2
REP 1109898	QC	18	0.40	114	0.008	<1	0.99	0.003	0.04	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	114	0.60	273	0.116	1	0.94	0.104	0.42	2.9	0.19	2.7	5.4	0.14	5	5.1	4.4
STD DS8	Standard	118	0.61	286	0.121	3	0.94	0.103	0.42	2.9	0.20	2.4	5.4	0.14	5	5.1	4.7
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Paul Gray
Receiving Lab: Canada-Whitehorse
Received: August 29, 2011
Report Date: October 27, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001469.1

CLIENT JOB INFORMATION

Project:	Hyland
Shipment ID:	aml-2011-s-038
P.O. Number	
Number of Samples:	45

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT	Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	44	Dry at 60C			WHI
SS80	44	Dry at 60C sieve 100g to -80 mesh			WHI
1DX3	45	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

CERTIFICATE OF ANALYSIS WHI11001469.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110063	Sediment	0.4	16.5	19.0	75	<0.1	26.7	11.8	420	2.76	25.5	3.2	4.6	20	0.2	1.5	0.2	19	0.37	0.052	19
1110064	Sediment	0.4	19.3	18.0	96	<0.1	29.3	12.3	384	3.17	35.0	4.1	5.3	14	0.1	1.9	0.3	22	0.49	0.056	18
1110065	Sediment	0.3	13.4	12.6	238	0.1	22.7	9.9	362	2.55	25.1	4.2	2.8	19	0.2	1.2	0.2	14	1.21	0.053	11
1110067	Sediment	0.2	18.5	28.3	106	0.2	28.5	12.6	428	3.02	22.3	2.6	5.6	16	0.2	0.6	0.2	18	0.38	0.049	20
1110099	Sediment	1.1	46.9	32.5	159	1.4	94.4	23.2	1298	3.32	13.6	10.1	2.0	34	0.9	0.8	0.5	18	0.28	0.119	15
1110100	Sediment	1.1	43.1	28.2	122	0.4	54.5	20.6	880	3.96	13.8	4.4	6.1	20	0.4	1.1	0.5	17	0.16	0.069	24
1110201	Sediment	0.7	26.1	17.4	67	0.2	23.1	7.9	212	2.45	7.7	2.5	6.0	10	0.2	0.8	0.3	16	0.08	0.038	23
1110202	Sediment	1.0	28.1	18.0	90	0.1	30.7	12.0	331	3.06	14.8	5.3	7.4	14	0.3	1.0	0.3	14	0.09	0.043	19
1110203	Sediment	1.1	29.7	24.6	92	0.3	31.2	14.1	555	3.29	14.2	1.5	5.2	24	0.3	0.6	0.4	17	0.17	0.061	16
1110204	Sediment	0.9	28.0	17.8	79	0.2	28.2	10.9	321	2.80	11.3	2.7	6.8	13	0.4	1.0	0.3	15	0.09	0.040	19
1110205	Sediment	1.0	30.4	17.5	93	0.1	30.6	12.3	357	2.89	14.9	0.9	6.7	14	0.4	1.3	0.3	14	0.11	0.045	17
1110206	Sediment	1.0	26.3	18.2	79	0.3	29.7	9.9	354	2.81	16.4	4.1	4.6	28	0.3	0.7	0.4	16	0.29	0.055	14
1110207	Sediment	1.1	30.0	17.9	97	0.1	35.0	11.8	368	2.92	14.9	2.2	6.5	17	0.4	1.1	0.3	14	0.13	0.045	16
1110208	Sediment	0.9	27.6	16.0	78	0.1	25.4	8.8	231	2.72	12.9	4.3	6.9	13	0.2	1.1	0.3	13	0.11	0.038	16
1110209	Sediment	1.0	31.2	19.3	104	0.2	40.2	15.1	704	3.24	14.2	5.0	6.7	25	0.6	0.9	0.4	14	0.21	0.052	16
1110210	Sediment	1.5	21.6	14.0	70	0.1	21.3	9.5	371	8.30	45.6	2.0	6.0	26	0.3	0.8	0.3	12	0.24	0.066	12
1110211	Sediment	0.8	18.1	12.4	69	<0.1	22.9	10.3	619	3.46	11.2	1.0	6.0	24	0.2	0.6	0.2	10	0.25	0.031	14
1110212	Rock Pulp	3.2	19.3	2.1	31	0.2	19.9	6.6	294	1.81	3.4	3.4	0.8	25	0.1	0.6	<0.1	40	0.55	0.044	4
1110213	Sediment	0.7	22.8	15.0	83	<0.1	24.6	10.4	332	2.82	10.8	9.1	7.0	14	0.2	0.7	0.2	12	0.12	0.035	17
1110214	Sediment	1.0	33.9	25.5	97	0.4	44.7	9.1	292	2.95	10.6	1.2	4.0	29	0.2	0.7	0.4	16	0.34	0.088	16
1110215	Sediment	1.1	38.7	21.8	100	0.1	35.3	14.9	397	3.56	28.3	3.4	9.7	9	0.2	1.8	0.3	12	0.07	0.035	16
1110216	Sediment	1.1	39.4	22.6	93	0.2	34.0	15.6	419	3.61	30.9	4.3	9.5	9	0.2	1.8	0.3	13	0.07	0.039	18
1110217	Sediment	1.2	40.9	23.8	93	0.1	33.3	15.6	361	3.83	29.8	3.7	11.4	7	0.3	1.8	0.3	12	0.03	0.034	18
1110218	Sediment	1.9	16.9	12.2	134	0.2	26.5	10.9	596	2.75	9.4	25.3	3.4	40	2.0	0.7	0.2	16	0.38	0.061	13
1110219	Sediment	1.6	16.5	12.5	107	0.2	27.1	11.4	709	3.28	10.5	2.0	4.2	32	1.1	0.6	0.2	13	0.35	0.059	14
1110220	Sediment	1.5	18.5	13.7	117	0.2	29.0	12.4	1095	3.53	12.4	1.0	3.9	38	1.4	0.7	0.3	14	0.41	0.063	13
1110221	Sediment	2.4	21.1	15.5	91	0.3	23.0	13.3	581	2.97	14.9	3.4	4.1	22	0.9	0.8	0.3	18	0.20	0.056	16
1110222	Sediment	0.6	23.4	16.6	78	0.2	26.7	9.5	338	2.79	11.7	2.5	5.6	23	0.3	0.8	0.6	14	0.30	0.050	16
1110223	Sediment	0.9	27.3	19.8	82	0.1	32.3	13.2	471	2.95	12.5	8.1	8.6	19	0.5	1.3	0.5	16	0.22	0.042	30
1110224 AML-STD	Sediment	1.2	425.6	21.8	158	0.2	224.2	73.1	774	13.65	2.7	28.1	7.3	16	<0.1	0.3	0.2	221	0.29	0.042	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

CERTIFICATE OF ANALYSIS WHI11001469.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110063	Sediment	24	0.48	68	0.010	<1	1.06	0.002	0.04	0.1	0.02	1.3	<0.1	<0.05	3	<0.5	<0.2
1110064	Sediment	31	0.60	58	0.012	<1	0.93	0.002	0.03	0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1110065	Sediment	21	0.88	47	0.005	<1	1.02	0.002	0.03	<0.1	0.11	1.1	<0.1	<0.05	3	<0.5	<0.2
1110067	Sediment	28	0.56	84	0.008	<1	1.49	0.002	0.04	<0.1	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2
1110099	Sediment	19	0.30	149	0.004	<1	1.60	0.002	0.06	<0.1	0.09	1.4	0.1	0.06	3	1.2	<0.2
1110100	Sediment	20	0.46	98	0.004	<1	1.41	<0.001	0.04	0.2	0.03	1.4	<0.1	<0.05	4	0.7	<0.2
1110201	Sediment	15	0.42	64	0.008	<1	1.07	<0.001	0.03	<0.1	0.02	1.1	<0.1	<0.05	3	<0.5	<0.2
1110202	Sediment	13	0.39	66	0.003	<1	1.00	<0.001	0.03	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
1110203	Sediment	16	0.44	101	0.003	<1	1.32	<0.001	0.05	<0.1	0.03	1.0	<0.1	<0.05	4	<0.5	<0.2
1110204	Sediment	13	0.39	85	0.004	<1	0.98	<0.001	0.03	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
1110205	Sediment	14	0.37	96	0.004	<1	0.88	<0.001	0.03	<0.1	0.03	1.0	<0.1	<0.05	3	<0.5	<0.2
1110206	Sediment	15	0.36	130	0.003	<1	0.97	<0.001	0.03	<0.1	0.04	0.8	<0.1	<0.05	3	0.8	<0.2
1110207	Sediment	14	0.38	78	0.003	<1	0.89	<0.001	0.03	<0.1	0.02	0.9	<0.1	<0.05	3	0.6	<0.2
1110208	Sediment	12	0.37	65	0.004	<1	0.86	<0.001	0.02	<0.1	0.02	0.9	<0.1	<0.05	2	0.7	<0.2
1110209	Sediment	14	0.39	109	0.003	<1	0.98	<0.001	0.03	<0.1	0.03	1.1	<0.1	<0.05	3	0.9	<0.2
1110210	Sediment	13	0.31	124	0.003	<1	0.78	<0.001	0.03	<0.1	0.01	0.9	<0.1	<0.05	2	2.4	<0.2
1110211	Sediment	12	0.39	97	0.002	<1	0.81	<0.001	0.02	<0.1	0.01	0.5	<0.1	<0.05	2	0.8	<0.2
1110212	Rock Pulp	27	0.45	68	0.077	<1	0.92	0.051	0.05	7.6	0.02	2.3	<0.1	0.05	3	<0.5	<0.2
1110213	Sediment	12	0.39	71	0.002	<1	0.89	<0.001	0.02	<0.1	0.02	0.8	<0.1	<0.05	2	0.7	<0.2
1110214	Sediment	17	0.45	75	0.003	<1	1.36	<0.001	0.06	0.1	0.04	0.9	<0.1	0.09	3	1.5	<0.2
1110215	Sediment	15	0.43	32	0.005	<1	1.04	<0.001	0.02	<0.1	0.01	0.8	<0.1	<0.05	3	<0.5	<0.2
1110216	Sediment	15	0.42	32	0.002	<1	1.03	<0.001	0.02	<0.1	0.02	0.7	<0.1	<0.05	3	0.6	<0.2
1110217	Sediment	16	0.44	28	0.002	<1	1.05	<0.001	0.02	<0.1	0.01	0.8	<0.1	<0.05	3	0.6	<0.2
1110218	Sediment	12	0.38	123	0.003	<1	1.01	<0.001	0.02	<0.1	0.04	0.7	<0.1	<0.05	2	1.3	<0.2
1110219	Sediment	13	0.38	119	0.003	<1	1.06	<0.001	0.02	<0.1	0.04	0.8	<0.1	<0.05	3	1.5	<0.2
1110220	Sediment	12	0.37	144	0.003	<1	1.03	<0.001	0.03	<0.1	0.04	0.9	<0.1	<0.05	2	1.7	<0.2
1110221	Sediment	12	0.35	120	0.003	<1	1.03	<0.001	0.03	<0.1	0.03	1.0	<0.1	<0.05	3	0.9	<0.2
1110222	Sediment	14	0.40	117	0.003	<1	1.13	<0.001	0.04	<0.1	0.04	1.1	<0.1	<0.05	3	<0.5	<0.2
1110223	Sediment	16	0.40	136	0.006	2	1.12	<0.001	0.05	0.1	0.04	1.5	<0.1	<0.05	3	<0.5	<0.2
1110224 AML-STD	Sediment	597	0.14	137	0.188	5	4.29	0.005	0.07	<0.1	0.03	32.4	<0.1	<0.05	19	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

CERTIFICATE OF ANALYSIS WHI11001469.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110225	Sediment	0.7	16.0	15.9	64	0.1	23.7	11.9	524	2.49	10.2	1.9	5.5	17	0.3	0.5	0.3	14	0.14	0.043	15
1110226	Sediment	0.9	27.1	20.7	89	0.2	38.3	16.6	702	3.12	12.6	2.9	7.6	21	0.4	0.8	0.5	16	0.21	0.048	20
1110227	Sediment	0.9	27.9	20.3	94	0.1	33.7	13.8	483	3.08	14.4	5.1	6.6	21	0.5	0.9	0.5	16	0.20	0.047	19
1110228	Sediment	1.3	23.3	16.8	85	0.2	22.3	11.9	518	2.78	14.6	<0.5	5.9	20	0.3	1.1	0.2	18	0.21	0.048	14
1110229	Sediment	1.1	34.7	20.4	93	0.1	31.7	13.8	368	3.42	25.6	2.6	9.4	10	0.3	1.7	0.3	13	0.07	0.036	19
1110230	Sediment	1.1	28.8	17.8	89	<0.1	28.4	11.8	381	3.04	19.9	3.2	8.0	13	0.3	1.5	0.3	14	0.10	0.040	18
1110231	Sediment	0.8	20.4	18.1	87	0.1	24.6	11.5	699	2.89	10.2	4.2	6.1	44	0.4	0.6	0.3	17	0.38	0.047	16
1110232	Sediment	1.5	27.1	19.6	90	0.2	29.2	16.9	1454	3.42	20.5	195.3	7.4	46	0.6	1.2	0.5	17	0.47	0.052	18
1110233	Sediment	1.0	21.3	20.3	88	0.1	24.9	13.6	750	3.13	13.3	43.5	6.9	25	0.4	0.7	0.4	16	0.32	0.047	18
1110234	Sediment	0.7	15.8	15.8	76	<0.1	21.7	12.1	508	2.86	8.2	23.2	6.2	13	0.2	0.4	0.3	12	0.18	0.040	16
1110235	Sediment	0.6	20.0	19.5	81	<0.1	25.7	13.1	810	3.02	7.7	3.0	6.6	20	0.2	0.5	0.4	14	0.33	0.052	19
1110236	Sediment	0.8	20.9	20.4	89	0.1	27.2	13.6	847	3.18	8.0	1.9	7.4	21	0.2	0.4	0.4	15	0.32	0.053	19
1110238	Sediment	1.2	35.2	28.4	116	0.3	42.8	18.7	1206	3.68	18.8	2.7	10.1	41	0.4	1.0	0.6	19	0.44	0.066	19
1110239	Sediment	1.2	34.8	20.2	94	<0.1	32.7	13.8	375	3.30	21.7	4.8	11.7	12	0.3	1.5	0.3	16	0.11	0.040	31
1110240	Sediment	1.2	33.9	19.6	93	<0.1	32.5	13.6	360	3.19	20.3	2.4	11.1	13	0.3	1.5	0.3	15	0.12	0.040	29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

CERTIFICATE OF ANALYSIS WHI11001469.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110225	Sediment	11	0.29	144	0.002	<1	0.92	<0.001	0.03	<0.1	0.03	1.1	<0.1	<0.05	2	<0.5	<0.2
1110226	Sediment	15	0.37	154	0.003	1	1.11	<0.001	0.04	<0.1	0.04	1.4	<0.1	<0.05	3	<0.5	<0.2
1110227	Sediment	14	0.36	151	0.002	<1	1.09	<0.001	0.04	<0.1	0.04	1.3	<0.1	<0.05	3	0.8	<0.2
1110228	Sediment	14	0.39	121	0.003	<1	1.03	<0.001	0.04	<0.1	0.05	1.0	<0.1	<0.05	3	0.5	<0.2
1110229	Sediment	15	0.43	52	0.002	<1	1.00	<0.001	0.02	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1110230	Sediment	14	0.41	75	0.003	<1	1.00	<0.001	0.03	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1110231	Sediment	14	0.36	120	0.003	<1	1.01	0.002	0.04	<0.1	0.06	1.3	<0.1	<0.05	3	0.9	<0.2
1110232	Sediment	16	0.36	152	0.004	1	0.89	<0.001	0.03	0.1	0.06	1.6	<0.1	<0.05	3	0.7	<0.2
1110233	Sediment	16	0.36	113	0.003	<1	1.02	<0.001	0.03	0.1	0.04	1.4	<0.1	<0.05	3	<0.5	<0.2
1110234	Sediment	13	0.29	82	0.003	<1	0.85	<0.001	0.02	0.1	0.03	1.1	<0.1	<0.05	2	<0.5	<0.2
1110235	Sediment	14	0.32	99	0.003	1	1.06	0.002	0.04	<0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1110236	Sediment	15	0.35	98	0.004	<1	1.15	0.002	0.04	<0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
1110238	Sediment	21	0.59	174	0.004	<1	1.70	0.001	0.07	<0.1	0.07	2.0	0.2	<0.05	4	<0.5	<0.2
1110239	Sediment	16	0.44	75	0.003	<1	1.08	<0.001	0.03	<0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
1110240	Sediment	17	0.44	74	0.004	<1	1.09	<0.001	0.03	<0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

QUALITY CONTROL REPORT WHI11001469.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110064	Sediment	0.4	19.3	18.0	96	<0.1	29.3	12.3	384	3.17	35.0	4.1	5.3	14	0.1	1.9	0.3	22	0.49	0.056	18
REP 1110064	QC	0.4	19.0	17.4	95	<0.1	28.8	11.8	380	3.13	33.8	42.8	5.2	13	0.1	2.0	0.3	22	0.46	0.057	18
1110222	Sediment	0.6	23.4	16.6	78	0.2	26.7	9.5	338	2.79	11.7	2.5	5.6	23	0.3	0.8	0.6	14	0.30	0.050	16
REP 1110222	QC	0.8	22.9	16.0	77	0.2	27.3	9.9	332	2.75	11.5	3.5	5.2	23	0.2	0.9	0.5	14	0.30	0.046	15
1110235	Sediment	0.6	20.0	19.5	81	<0.1	25.7	13.1	810	3.02	7.7	3.0	6.6	20	0.2	0.5	0.4	14	0.33	0.052	19
REP 1110235	QC	0.8	22.6	22.2	92	0.1	28.8	13.7	870	3.20	8.6	1.6	7.5	22	0.2	0.4	0.4	15	0.35	0.057	21
Reference Materials																					
STD DS8	Standard	14.1	117.8	132.9	312	1.7	40.4	8.2	620	2.59	24.8	120.4	7.7	69	2.0	5.5	6.6	42	0.75	0.076	16
STD DS8	Standard	11.9	108.9	124.5	312	1.7	38.4	7.2	620	2.46	25.0	106.0	6.3	66	2.4	5.7	6.7	43	0.70	0.077	15
STD DS8	Standard	12.4	105.3	121.8	302	1.7	35.5	7.0	594	2.45	23.6	110.6	6.3	67	2.1	5.4	6.7	41	0.70	0.080	15
STD DS8	Standard	12.4	121.3	121.8	317	1.7	39.6	8.1	604	2.50	25.9	109.8	7.2	62	2.5	5.8	6.5	41	0.68	0.085	15
STD DS8	Standard	13.2	113.1	124.3	310	1.7	40.9	7.6	602	2.49	24.1	109.3	7.1	72	2.4	6.0	7.1	41	0.71	0.075	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.04	<0.5	0.9	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: October 27, 2011

QUALITY CONTROL REPORT WHI11001469.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110064	Sediment	31	0.60	58	0.012	<1	0.93	0.002	0.03	0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
REP 1110064	QC	29	0.59	54	0.010	<1	0.94	0.002	0.03	0.1	0.03	1.3	<0.1	<0.05	3	<0.5	<0.2
1110222	Sediment	14	0.40	117	0.003	<1	1.13	<0.001	0.04	<0.1	0.04	1.1	<0.1	<0.05	3	<0.5	<0.2
REP 1110222	QC	24	0.39	117	0.003	<1	1.13	<0.001	0.04	<0.1	0.03	1.1	<0.1	<0.05	3	<0.5	<0.2
1110235	Sediment	14	0.32	99	0.003	1	1.06	0.002	0.04	<0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
REP 1110235	QC	15	0.34	103	0.004	<1	1.15	0.002	0.04	<0.1	0.05	1.7	<0.1	<0.05	3	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	124	0.63	268	0.135	1	1.00	0.104	0.44	3.0	0.22	2.2	5.5	0.16	5	4.8	4.7
STD DS8	Standard	114	0.63	262	0.107	3	0.96	0.094	0.43	2.6	0.21	1.9	5.1	0.17	5	5.2	4.4
STD DS8	Standard	111	0.60	260	0.110	2	0.92	0.097	0.41	2.8	0.20	1.7	5.3	0.16	4	4.9	4.7
STD DS8	Standard	116	0.62	258	0.118	2	0.89	0.083	0.41	2.8	0.20	2.2	5.0	0.15	5	6.1	5.0
STD DS8	Standard	122	0.60	278	0.129	2	0.96	0.101	0.42	3.0	0.20	2.3	5.2	0.16	5	5.4	4.7
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: October 04, 2011
Report Date: November 30, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001831.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-065
P.O. Number
Number of Samples: 37

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	37	Dry at 60C			WHI
SS80	37	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	37	Saving all or part of Soil Reject			WHI
1DX3	37	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Quartz Camp

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001831.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110893	Sediment	0.7	11.7	10.5	67	<0.1	19.8	8.6	1447	2.48	11.0	1.6	3.5	30	0.3	0.7	0.2	21	0.50	0.057	16
1110895	Sediment	0.7	10.5	9.5	62	<0.1	17.6	7.8	1239	2.34	9.1	39.5	3.9	26	0.3	0.5	0.2	21	0.43	0.054	16
1110898	Sediment	0.6	10.8	10.3	68	<0.1	20.3	8.7	1174	2.54	9.8	135.9	4.7	25	0.3	0.7	0.2	30	0.42	0.058	19
1110900	Sediment	0.7	14.4	11.8	63	<0.1	21.7	8.4	418	2.35	8.6	72.4	4.5	24	0.2	0.6	0.2	23	0.37	0.056	20
1401901	Sediment	0.6	14.9	11.5	64	<0.1	23.6	8.7	416	2.30	9.1	1.7	4.4	24	0.2	0.7	0.2	22	0.39	0.060	21
1401902	Sediment	0.5	13.7	11.5	59	<0.1	23.9	8.4	415	2.40	9.0	0.7	5.2	19	0.1	0.7	0.2	25	0.27	0.055	21
1401903	Sediment	0.4	16.9	12.7	66	<0.1	22.2	8.4	489	2.23	9.7	3.0	3.8	28	0.2	0.7	0.2	19	0.46	0.066	20
1401904	Sediment	0.5	15.9	12.5	63	<0.1	22.3	8.6	434	2.22	9.5	<0.5	4.1	23	0.2	0.6	0.2	18	0.37	0.057	19
1401905	Sediment	0.5	12.8	10.4	50	<0.1	17.8	6.9	251	1.64	5.9	1.0	3.9	22	0.2	0.4	0.1	18	0.30	0.044	18
1401906	Sediment	0.6	17.8	14.5	73	0.1	24.6	9.6	623	2.33	10.7	2.5	3.8	39	0.2	0.8	0.2	19	0.62	0.071	20
1401907	Sediment	0.5	14.3	12.4	63	<0.1	22.9	9.2	521	2.38	10.3	0.8	4.4	27	0.2	0.7	0.2	20	0.42	0.060	19
1401908	Sediment	0.4	16.8	15.3	75	0.1	26.2	11.1	851	2.63	13.8	379.5	3.6	44	0.3	0.8	0.2	19	0.65	0.071	19
1401909	Sediment	0.3	13.1	12.4	62	<0.1	21.2	9.1	573	2.23	7.6	0.6	3.7	30	0.1	0.4	0.2	15	0.45	0.063	18
1401910	Sediment	0.5	15.5	13.6	71	0.1	22.2	8.9	490	2.37	9.8	<0.5	3.4	36	0.2	0.5	0.2	18	0.52	0.064	19
1401911	Sediment	0.8	23.3	21.2	72	<0.1	35.7	16.6	1234	2.96	14.6	2.0	5.8	28	0.5	0.8	0.3	23	0.40	0.057	22
1401912 AML-STD	Rock Pulp	1.3	406.7	22.8	154	0.2	201.6	69.7	737	14.08	2.8	28.7	7.2	14	0.2	0.3	0.2	197	0.27	0.039	17
1401913	Sediment	0.8	28.3	23.7	91	0.1	44.1	18.6	1757	3.09	15.2	3.0	5.1	43	0.6	1.0	0.2	24	0.60	0.065	24
1401914	Sediment	0.4	15.9	14.9	71	<0.1	22.1	10.0	693	2.59	19.3	1.5	3.1	37	0.2	1.3	0.2	17	0.87	0.077	16
1401915	Sediment	0.4	15.7	14.4	71	<0.1	20.6	9.2	557	2.32	21.2	2.0	2.7	37	0.2	1.2	0.2	16	0.93	0.075	16
1401916	Sediment	0.4	15.7	16.0	70	<0.1	22.7	10.0	663	2.46	24.9	<0.5	3.5	29	<0.1	1.2	0.2	18	0.80	0.075	20
1401917	Sediment	0.4	13.4	13.9	65	<0.1	18.7	8.8	594	2.26	26.2	<0.5	2.5	26	0.1	1.2	0.2	16	0.73	0.064	16
1401918	Sediment	0.3	15.8	14.3	68	<0.1	21.4	10.0	690	2.65	19.2	2.3	3.4	36	0.3	1.4	0.2	18	0.66	0.081	17
1401919	Sediment	0.3	15.0	13.8	73	<0.1	21.5	9.5	674	2.47	15.8	1.9	3.3	35	0.3	1.2	0.2	17	0.67	0.087	18
1401920	Sediment	0.4	11.6	11.6	66	<0.1	19.4	8.6	551	3.15	16.7	0.6	4.0	29	0.2	0.9	0.1	17	0.49	0.067	17
1401921	Sediment	0.5	16.9	15.2	72	0.1	23.7	10.0	648	2.69	15.4	1.1	3.0	35	0.3	1.1	0.2	19	0.73	0.081	17
1401922	Sediment	0.4	14.1	15.0	72	0.1	21.5	10.3	793	2.72	15.4	4.2	3.3	33	0.3	1.2	0.2	17	0.70	0.073	17
1401923	Sediment	0.3	13.4	10.6	63	0.1	19.7	7.4	373	2.00	7.6	125.1	3.5	27	0.3	0.6	0.1	21	0.43	0.058	17
1401924	Rock Pulp	2.8	21.4	2.5	34	0.4	18.7	7.7	291	1.71	3.9	1.1	0.9	29	0.2	0.3	<0.1	46	0.62	0.042	4
1401925	Sediment	0.5	14.1	11.0	65	<0.1	22.7	8.6	667	2.31	8.5	1.4	4.5	24	0.3	0.6	0.2	27	0.39	0.059	18
1401926	Sediment	0.4	11.5	8.7	55	<0.1	19.4	7.0	364	2.21	6.9	<0.5	5.0	18	0.2	0.5	0.1	29	0.29	0.050	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001831.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110893	Sediment	16	0.26	177	0.009	1	0.76	0.005	0.05	0.2	0.03	1.8	<0.1	<0.05	2	<0.5	<0.2
1110895	Sediment	17	0.25	156	0.010	<1	0.69	0.005	0.05	0.2	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1110898	Sediment	24	0.27	159	0.012	<1	0.74	0.005	0.05	0.3	0.02	1.8	<0.1	<0.05	2	<0.5	<0.2
1110900	Sediment	23	0.29	80	0.012	<1	0.72	0.004	0.04	0.2	0.04	1.6	<0.1	<0.05	2	<0.5	<0.2
1401901	Sediment	26	0.27	70	0.012	<1	0.67	0.004	0.04	0.3	0.03	1.8	<0.1	<0.05	2	<0.5	<0.2
1401902	Sediment	27	0.28	64	0.014	<1	0.66	0.004	0.04	0.2	0.03	1.7	<0.1	<0.05	2	<0.5	<0.2
1401903	Sediment	19	0.27	79	0.011	<1	0.70	0.005	0.05	0.1	0.05	2.0	<0.1	<0.05	2	0.5	<0.2
1401904	Sediment	18	0.27	78	0.010	<1	0.70	0.005	0.04	<0.1	0.04	1.6	<0.1	<0.05	2	<0.5	<0.2
1401905	Sediment	17	0.24	80	0.010	<1	0.65	0.003	0.04	0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
1401906	Sediment	19	0.29	93	0.010	<1	0.85	0.004	0.05	0.1	0.07	2.1	<0.1	<0.05	2	0.8	<0.2
1401907	Sediment	21	0.29	73	0.011	<1	0.74	0.003	0.04	0.2	0.05	1.8	<0.1	<0.05	2	<0.5	<0.2
1401908	Sediment	19	0.30	94	0.009	<1	0.85	0.004	0.05	0.2	0.07	2.0	<0.1	<0.05	3	0.8	<0.2
1401909	Sediment	15	0.26	72	0.008	<1	0.68	0.005	0.04	<0.1	0.04	1.4	<0.1	<0.05	2	1.0	<0.2
1401910	Sediment	19	0.30	77	0.009	<1	0.87	0.004	0.04	0.1	0.05	1.8	<0.1	<0.05	3	1.0	<0.2
1401911	Sediment	22	0.32	108	0.013	<1	0.82	0.003	0.05	<0.1	0.03	2.2	<0.1	<0.05	3	<0.5	<0.2
1401912 AML-STD	Rock Pulp	588	0.12	138	0.159	2	3.82	0.011	0.06	<0.1	0.03	31.4	<0.1	<0.05	19	<0.5	<0.2
1401913	Sediment	26	0.36	149	0.013	<1	0.96	0.004	0.05	0.2	0.05	2.7	<0.1	<0.05	3	0.6	<0.2
1401914	Sediment	18	0.29	75	0.009	<1	0.80	0.003	0.04	0.2	0.08	1.8	<0.1	<0.05	3	0.7	<0.2
1401915	Sediment	15	0.25	66	0.010	<1	0.78	0.003	0.04	0.1	0.06	1.6	<0.1	<0.05	2	<0.5	<0.2
1401916	Sediment	18	0.27	66	0.013	<1	0.81	0.003	0.05	0.1	0.07	1.6	<0.1	<0.05	3	<0.5	<0.2
1401917	Sediment	14	0.21	59	0.009	<1	0.66	0.003	0.04	0.1	0.06	1.4	<0.1	<0.05	2	<0.5	<0.2
1401918	Sediment	19	0.26	99	0.009	<1	0.83	0.003	0.04	0.2	0.10	1.9	<0.1	<0.05	2	<0.5	<0.2
1401919	Sediment	19	0.28	88	0.009	<1	0.91	0.003	0.04	0.2	0.10	1.9	<0.1	<0.05	2	0.6	<0.2
1401920	Sediment	18	0.26	86	0.008	<1	0.80	0.004	0.04	0.1	0.05	1.5	<0.1	<0.05	2	0.5	<0.2
1401921	Sediment	18	0.29	96	0.009	<1	0.92	0.003	0.04	0.1	0.09	1.8	<0.1	<0.05	3	0.6	<0.2
1401922	Sediment	18	0.28	88	0.008	<1	0.90	0.003	0.04	<0.1	0.08	1.7	<0.1	<0.05	2	<0.5	<0.2
1401923	Sediment	18	0.27	101	0.012	<1	0.71	0.004	0.04	0.2	0.04	1.7	<0.1	<0.05	2	0.6	<0.2
1401924	Rock Pulp	26	0.44	75	0.094	2	0.98	0.047	0.06	12.4	0.02	3.7	<0.1	<0.05	4	<0.5	<0.2
1401925	Sediment	23	0.29	106	0.013	<1	0.70	0.004	0.04	0.1	0.03	1.8	<0.1	<0.05	2	<0.5	<0.2
1401926	Sediment	26	0.27	87	0.014	<1	0.63	0.004	0.04	0.3	0.01	1.7	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001831.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1401927	Sediment	0.4	10.7	8.8	53	<0.1	18.7	7.3	392	2.21	6.6	233.5	5.2	18	0.2	0.6	0.1	31	0.30	0.054	18
1401928	Sediment	0.3	9.9	8.6	53	<0.1	18.0	6.6	398	1.96	6.4	28.5	4.8	19	0.1	0.5	0.1	25	0.29	0.051	18
1401929	Sediment	0.5	9.7	8.2	51	<0.1	17.0	6.5	392	1.82	6.5	1.0	4.6	16	0.2	0.4	0.1	19	0.24	0.046	16
1401930	Sediment	0.4	10.5	8.2	52	<0.1	18.2	6.9	386	1.87	6.1	0.8	4.8	14	0.2	0.4	0.1	19	0.20	0.042	16
1401931	Sediment	0.6	12.0	9.1	59	<0.1	19.2	7.4	363	1.78	6.4	1.1	4.1	20	0.2	0.5	0.1	18	0.30	0.053	17
1401932	Sediment	0.4	10.5	8.5	53	<0.1	16.0	6.5	388	1.73	6.7	<0.5	4.1	17	0.2	0.5	0.1	17	0.27	0.045	15
1401933	Sediment	0.5	9.9	7.7	49	<0.1	15.3	6.2	441	1.64	5.8	2.0	3.8	16	0.2	0.4	0.1	15	0.27	0.044	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001831.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1401927	Sediment	27	0.27	88	0.014	<1	0.61	0.004	0.04	0.3	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1401928	Sediment	22	0.24	95	0.013	<1	0.57	0.004	0.04	0.2	0.03	1.3	<0.1	<0.05	2	<0.5	<0.2
1401929	Sediment	16	0.25	84	0.011	<1	0.55	0.004	0.03	0.1	0.02	1.4	<0.1	<0.05	2	<0.5	<0.2
1401930	Sediment	16	0.26	87	0.011	<1	0.56	0.004	0.04	0.2	0.02	1.4	<0.1	<0.05	2	<0.5	<0.2
1401931	Sediment	16	0.25	104	0.011	<1	0.65	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	2	0.7	<0.2
1401932	Sediment	14	0.23	96	0.010	<1	0.56	0.004	0.04	0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
1401933	Sediment	13	0.24	90	0.009	<1	0.53	0.004	0.04	0.2	0.02	0.5	<0.1	<0.05	2	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001831.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110898	Sediment	0.6	10.8	10.3	68	<0.1	20.3	8.7	1174	2.54	9.8	135.9	4.7	25	0.3	0.7	0.2	30	0.42	0.058	19
REP 1110898	QC	0.5	10.0	10.2	65	<0.1	19.4	8.5	1114	2.47	9.3	132.9	4.5	24	0.4	0.7	0.1	29	0.39	0.057	19
1401916	Sediment	0.4	15.7	16.0	70	<0.1	22.7	10.0	663	2.46	24.9	<0.5	3.5	29	<0.1	1.2	0.2	18	0.80	0.075	20
REP 1401916	QC	0.4	15.0	15.5	73	<0.1	19.6	9.8	647	2.41	25.0	2.9	3.3	29	0.2	1.2	0.2	17	0.74	0.068	19
Reference Materials																					
STD DS8	Standard	13.7	111.5	128.3	312	1.8	39.7	7.5	610	2.46	26.5	115.2	6.8	71	2.3	5.4	6.4	44	0.69	0.075	15
STD DS8	Standard	13.3	107.0	121.9	299	1.7	37.0	7.3	607	2.43	25.0	112.5	7.0	64	2.2	5.4	6.5	42	0.68	0.076	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001831.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110898	Sediment	24	0.27	159	0.012	<1	0.74	0.005	0.05	0.3	0.02	1.8	<0.1	<0.05	2	<0.5	<0.2
REP 1110898	QC	24	0.25	153	0.012	<1	0.68	0.005	0.04	0.4	0.03	1.7	<0.1	<0.05	2	<0.5	<0.2
1401916	Sediment	18	0.27	66	0.013	<1	0.81	0.003	0.05	0.1	0.07	1.6	<0.1	<0.05	3	<0.5	<0.2
REP 1401916	QC	16	0.26	66	0.012	<1	0.78	0.003	0.05	0.1	0.05	2.0	<0.1	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	121	0.59	281	0.116	2	0.97	0.093	0.45	2.8	0.19	2.9	5.5	0.09	5	4.7	4.9
STD DS8	Standard	117	0.59	267	0.114	2	0.89	0.096	0.37	2.9	0.18	0.9	5.3	0.16	5	5.2	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: September 25, 2011
Report Date: November 24, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001880.1

CLIENT JOB INFORMATION

Project:	IKE
Shipment ID:	AML-2011-S-059
P.O. Number	
Number of Samples:	17

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	17	Dry at 60C			WHI
SS80	16	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	17	Saving all or part of Soil Reject			WHI
1DX3	17	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Quartz Camp

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 24, 2011

CERTIFICATE OF ANALYSIS WHI11001880.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110875	Sediment	0.5	12.0	9.8	69	0.1	17.5	8.3	392	1.63	5.8	4.4	2.0	20	0.4	0.6	0.1	18	0.38	0.055	13
1110881	Sediment	0.4	15.0	10.7	60	<0.1	20.1	8.0	249	1.90	7.8	1.5	3.0	18	0.2	0.5	0.2	17	0.30	0.056	14
1110882	Sediment	0.5	15.4	11.8	62	<0.1	21.0	8.0	395	2.01	8.4	1.3	3.0	23	0.2	0.6	0.2	18	0.39	0.054	13
1110883	Sediment	0.5	18.7	14.5	81	0.1	24.5	9.1	595	2.29	20.6	5.6	3.1	28	0.3	1.8	0.2	18	0.59	0.098	16
1110884 AML-STD	Rock Pulp	1.3	386.5	22.1	157	0.2	180.9	69.0	727	14.01	3.1	26.3	6.9	14	<0.1	0.3	0.2	183	0.27	0.036	17
1110885	Sediment	0.5	10.7	9.4	58	<0.1	17.5	7.5	466	1.77	8.6	1.3	3.0	20	0.2	0.6	0.1	18	0.36	0.053	13
1110886	Sediment	0.5	11.3	10.0	58	<0.1	18.7	8.3	515	1.95	9.3	1.2	3.2	18	0.3	0.9	0.1	21	0.30	0.051	14
1110887	Sediment	0.7	12.3	11.1	59	<0.1	19.0	9.0	1009	2.25	11.5	1.7	3.0	20	0.3	0.9	0.2	21	0.34	0.050	13
1110888	Sediment	1.3	13.5	12.4	66	<0.1	19.8	10.3	736	5.46	34.2	0.8	4.1	22	0.3	0.9	0.1	24	0.32	0.058	14
1110889	Sediment	0.5	10.7	9.6	53	<0.1	17.0	7.2	605	1.82	8.5	2.5	2.8	21	0.3	0.7	0.1	18	0.36	0.050	13
1110891	Sediment	1.0	11.5	10.4	62	0.1	23.4	10.8	4229	2.77	10.6	309.4	3.2	26	0.5	0.7	0.1	22	0.42	0.053	13
1110892	Sediment	0.5	9.5	8.8	55	<0.1	16.5	7.6	931	2.13	9.5	0.5	3.2	20	0.2	0.5	0.1	20	0.33	0.047	13
1110894	Sediment	0.7	10.9	9.3	57	<0.1	18.0	8.4	1413	2.37	10.6	140.6	3.3	24	0.3	0.5	0.1	22	0.40	0.050	13
1110896	Sediment	2.7	21.6	2.4	31	0.4	18.3	7.7	251	1.61	3.2	0.9	0.8	25	0.2	0.3	<0.1	42	0.54	0.039	4
1110897	Sediment	0.5	8.7	8.3	50	<0.1	15.1	6.8	977	1.74	6.7	1.3	3.2	19	0.3	0.5	0.1	19	0.32	0.040	12
1110899	Sediment	0.5	10.1	9.1	57	<0.1	16.5	7.5	843	1.86	7.8	<0.5	3.4	20	0.3	0.6	0.1	20	0.36	0.044	13
1110890	Sediment	0.6	10.4	9.0	53	<0.1	16.9	7.6	791	1.97	9.1	1.5	3.1	19	0.2	0.6	0.1	20	0.32	0.049	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 24, 2011

CERTIFICATE OF ANALYSIS WHI11001880.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110875	Sediment	21	0.26	138	0.009	1	0.74	0.004	0.03	0.2	0.04	1.4	<0.1	<0.05	2	<0.5	<0.2
1110881	Sediment	22	0.29	81	0.011	<1	0.67	0.003	0.03	0.1	0.04	1.7	<0.1	<0.05	2	<0.5	<0.2
1110882	Sediment	22	0.28	71	0.008	<1	0.65	0.003	0.03	0.2	0.04	1.5	<0.1	<0.05	2	0.6	<0.2
1110883	Sediment	21	0.22	93	0.007	<1	0.61	0.003	0.04	0.2	0.04	2.1	<0.1	<0.05	2	1.0	<0.2
1110884 AML-STD	Rock Pulp	534	0.10	138	0.138	2	3.10	0.010	0.05	<0.1	0.03	32.0	<0.1	<0.05	19	0.6	<0.2
1110885	Sediment	22	0.24	112	0.008	<1	0.63	0.003	0.03	0.1	0.03	1.6	<0.1	<0.05	2	<0.5	<0.2
1110886	Sediment	24	0.26	104	0.009	<1	0.66	0.003	0.03	0.2	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
1110887	Sediment	24	0.25	124	0.009	<1	0.65	0.003	0.03	0.1	0.03	1.6	<0.1	<0.05	2	<0.5	<0.2
1110888	Sediment	23	0.30	175	0.010	<1	0.70	0.003	0.03	0.2	0.02	2.0	<0.1	<0.05	2	<0.5	<0.2
1110889	Sediment	21	0.23	119	0.010	<1	0.61	0.003	0.03	0.2	0.03	1.5	<0.1	<0.05	2	0.6	<0.2
1110891	Sediment	22	0.25	303	0.008	<1	0.64	0.003	0.03	0.3	0.04	1.6	<0.1	<0.05	2	0.6	<0.2
1110892	Sediment	21	0.23	130	0.009	<1	0.59	0.003	0.03	0.1	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
1110894	Sediment	22	0.25	146	0.010	<1	0.63	0.004	0.04	0.2	0.02	1.5	<0.1	<0.05	2	<0.5	<0.2
1110896	Sediment	30	0.44	70	0.085	2	0.91	0.041	0.06	11.6	0.02	3.0	<0.1	<0.05	3	<0.5	<0.2
1110897	Sediment	19	0.22	119	0.010	<1	0.53	0.004	0.03	0.2	0.02	1.3	<0.1	<0.05	2	<0.5	<0.2
1110899	Sediment	20	0.24	124	0.009	<1	0.60	0.004	0.03	0.2	0.02	1.4	<0.1	<0.05	2	0.7	<0.2
1110890	Sediment	22	0.23	131	0.009	<1	0.61	0.003	0.03	0.2	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 24, 2011

QUALITY CONTROL REPORT WHI11001880.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1110881	Sediment	0.4	15.0	10.7	60	<0.1	20.1	8.0	249	1.90	7.8	1.5	3.0	18	0.2	0.5	0.2	17	0.30	0.056	14
REP 1110881	QC	0.4	15.7	11.4	61	0.1	19.7	8.2	255	1.92	7.8	6.3	3.1	18	0.2	0.5	0.2	17	0.30	0.057	14
Reference Materials																					
STD DS8	Standard	12.7	120.1	124.9	307	1.9	41.1	8.0	581	2.39	25.5	126.5	6.4	59	2.3	5.5	6.1	44	0.63	0.070	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 24, 2011

QUALITY CONTROL REPORT WHI11001880.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1110881	Sediment	22	0.29	81	0.011	<1	0.67	0.003	0.03	0.1	0.04	1.7	<0.1	<0.05	2	<0.5	<0.2
REP 1110881	QC	21	0.28	83	0.009	<1	0.68	0.003	0.03	0.1	0.04	1.6	<0.1	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	126	0.58	251	0.119	1	0.88	0.090	0.42	2.9	0.20	2.9	5.3	0.17	4	5.3	4.9
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Whitehorse) Ltd.
77 Collins Lane Whitehorse YK Y1A 0A8 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: December 09, 2011
Report Date: December 30, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001976.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: AML-S-2011-72
P.O. Number
Number of Samples: 4

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	4	Dry at 60C			WHI
SS80	4	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	4	Saving alt or part of Soil Reject			WHI
1DX3	4	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Whitehorse) Ltd.
77 Collins Lane Whitehorse YK Y1A 0A8 Canada
Phone 867-393-4725 Fax 867-393-4775
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: None Given
Report Date: December 30, 2011

CERTIFICATE OF ANALYSIS WHI11001976.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110632	0.3	10.9	5.3	51	0.1	15.4	6.3	262	1.49	5.1	2.5	3.0	29	0.5	0.5	<0.1	29	0.51	0.064	14
1110633	0.4	9.1	4.5	46	<0.1	14.3	6.3	299	1.44	4.4	<0.5	2.8	25	0.4	0.4	<0.1	32	0.44	0.052	12
1110634	0.3	10.5	5.0	46	<0.1	15.1	6.1	242	1.43	4.3	1.4	3.0	27	0.4	0.4	<0.1	34	0.48	0.057	13
1110635	0.3	25.3	34.8	116	0.3	33.7	15.9	478	3.93	36.5	2.4	6.9	19	0.3	1.0	0.2	30	0.51	0.065	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Whitehorse) Ltd.
77 Collins Lane Whitehorse YK Y1A 0A8 Canada
Phone 867-393-4725 Fax 867-393-4775
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: None Given
Report Date: December 30, 2011

CERTIFICATE OF ANALYSIS WHI11001976.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110632	28	0.33	272	0.011	<1	0.76	0.007	0.05	<0.1	0.06	2.4	<0.1	0.05	2	<0.5	<0.2
1110633	25	0.35	233	0.010	<1	0.70	0.006	0.04	<0.1	0.05	2.0	<0.1	<0.05	2	<0.5	<0.2
1110634	28	0.35	226	0.013	<1	0.72	0.006	0.05	<0.1	0.05	2.1	<0.1	<0.05	2	<0.5	<0.2
1110635	35	0.60	121	0.008	<1	1.79	0.006	0.06	<0.1	0.05	2.6	<0.1	0.13	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Whitehorse) Ltd.
77 Collins Lane Whitehorse YK Y1A 0A8 Canada
Phone 867-393-4725 Fax 867-393-4775
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: None Given
Report Date: December 30, 2011

QUALITY CONTROL REPORT WHI11001976.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Reference Materials																					
STD DS8	Standard	13.9	105.0	123.9	298	1.8	37.8	7.2	601	2.36	25.9	106.2	6.8	70	2.1	5.3	6.3	51	0.71	0.074	18
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Whitehorse) Ltd.
77 Collins Lane Whitehorse YK Y1A 0A8 Canada
Phone 867-393-4725 Fax 867-393-4775
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: None Given
Report Date: December 30, 2011

QUALITY CONTROL REPORT WHI11001976.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																	
STD DS8	Standard	116	0.60	289	0.120	3	0.94	0.092	0.45	2.9	0.18	3.1	5.1	0.18	5	4.9	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By:	Michael Collins
Receiving Lab:	Canada-Whitehorse
Received:	August 04, 2011
Report Date:	September 19, 2011
Page:	1 of 7

CERTIFICATE OF ANALYSIS WHI11000844.1

CLIENT JOB INFORMATION

Project:	IKE
Shipment ID:	AML-2011-S-008
P.O. Number	
Number of Samples:	157

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	152	Dry at 60C			WHI
SS80	152	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	152	Saving all or part of Soil Reject			WHI
1DX2	156	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108792	Soil	1.0	19.0	20.7	74	<0.1	22.6	8.9	400	3.92	20.3	1.5	2.8	11	0.2	3.5	0.4	38	0.19	0.164	22
1108793	Soil	0.9	22.3	19.6	90	<0.1	41.7	14.2	466	3.73	16.9	1.9	6.4	13	0.3	2.2	0.4	40	0.21	0.119	27
1108794	Soil	9.4	15.0	27.7	94	0.2	26.2	11.3	1354	4.15	22.8	0.9	4.2	16	0.3	2.2	0.3	52	0.17	0.221	14
1108795	Soil	0.9	28.5	19.8	101	<0.1	50.3	18.4	529	3.92	17.9	0.7	8.2	11	0.2	2.4	0.3	30	0.14	0.109	40
1108796	Soil	3.9	20.9	2.3	34	0.2	20.8	7.5	310	1.94	3.1	1.1	0.9	29	0.1	0.3	<0.1	47	0.66	0.047	4
1108797	Soil	1.0	25.4	20.9	121	0.1	35.8	15.1	387	3.72	14.4	0.9	7.0	9	0.2	1.7	0.3	32	0.09	0.107	32
1108798	Soil	0.9	19.2	19.4	150	0.2	48.8	14.3	458	3.91	15.7	<0.5	6.2	12	0.3	3.0	0.3	40	0.18	0.113	25
1108799	Soil	0.7	30.8	17.5	71	<0.1	75.2	17.2	585	3.42	17.3	2.7	7.3	14	0.1	4.5	0.2	29	0.22	0.084	39
1108800	Soil	0.9	20.2	15.7	61	0.2	31.7	9.4	249	3.33	17.0	<0.5	5.8	8	0.1	5.4	0.3	39	0.08	0.070	29
1108801	Soil	0.9	32.9	41.0	131	0.1	38.0	19.1	964	4.85	74.5	5.7	4.7	9	0.2	4.4	0.4	36	0.07	0.066	32
1108802	Soil	1.0	34.3	30.7	91	0.1	36.3	19.8	726	3.64	40.6	1.0	6.1	13	0.1	2.1	0.4	27	0.08	0.057	35
1108803	Soil	1.2	25.4	24.7	110	0.2	43.8	18.7	756	4.07	61.2	0.9	2.4	12	0.4	2.9	0.3	42	0.13	0.069	26
1108804	Soil	0.9	27.0	41.7	132	0.1	40.4	21.1	850	4.30	123.3	2.3	6.0	9	0.3	7.1	0.3	31	0.09	0.072	28
1108805	Soil	0.8	34.0	55.1	138	0.1	39.7	21.4	916	4.64	102.5	5.6	8.7	10	0.3	6.1	0.4	34	0.08	0.061	38
1108806	Soil	0.8	20.1	19.5	123	<0.1	28.2	12.1	523	3.85	33.4	1.2	4.5	10	0.3	2.7	0.4	35	0.08	0.074	27
1108807	Soil	0.9	24.0	24.2	97	0.4	39.1	16.3	580	3.74	38.6	0.9	7.2	14	0.2	2.7	0.4	37	0.24	0.074	32
1108808	Soil	0.7	13.6	15.5	93	0.1	23.5	9.4	515	3.33	22.6	3.2	4.2	10	0.2	1.5	0.3	38	0.36	0.047	20
1108809	Soil	1.0	22.3	99.5	201	4.7	36.8	12.5	1424	3.71	316.0	9.3	6.5	12	1.0	11.0	0.3	38	1.05	0.124	31
1108810	Soil	1.1	8.8	15.5	70	0.1	19.3	8.4	305	2.91	12.1	1.6	3.1	7	0.2	0.7	0.3	38	0.07	0.065	19
1108811	Soil	0.7	36.4	24.3	91	0.2	61.6	19.4	686	3.48	57.7	4.9	9.8	9	0.2	4.9	0.4	24	0.05	0.042	36
1108812 AML-STD	Soil	1.1	375.7	18.8	143	0.2	176.0	64.3	700	13.44	2.7	26.1	6.6	14	0.1	0.1	0.2	193	0.26	0.038	16
1108813	Soil	0.6	30.2	23.8	93	0.2	40.6	15.4	594	3.31	50.2	1.5	9.9	9	0.2	4.4	0.4	24	0.03	0.039	34
1108883	Soil	0.6	47.4	38.3	98	0.2	54.0	18.9	1080	3.70	38.4	3.5	9.4	23	0.2	4.2	0.4	24	0.83	0.094	37
1108884	Soil	1.0	55.1	32.8	83	0.5	59.5	18.4	973	3.19	52.0	5.2	5.4	19	0.3	3.3	0.2	47	0.42	0.056	20
1108885	Soil	1.1	30.5	95.6	119	0.4	47.2	26.6	1357	3.83	58.5	2.9	9.1	36	0.6	6.2	2.9	49	0.64	0.306	23
1108886	Soil	0.7	26.7	31.8	96	0.1	40.9	20.1	947	3.68	70.0	4.9	2.4	20	0.2	3.4	0.4	34	0.32	0.089	28
1108887	Soil	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS
1108888	Soil	0.8	22.9	25.8	79	<0.1	26.7	13.5	613	3.61	45.4	3.3	1.1	8	0.1	2.6	0.3	34	0.07	0.052	25
1108889	Soil	0.8	28.6	30.1	96	<0.1	31.6	16.6	781	3.53	85.6	4.6	3.7	9	0.2	3.8	0.3	32	0.09	0.059	20
1108890	Soil	0.6	38.0	44.9	107	0.1	37.7	22.0	986	4.27	126.1	4.0	8.6	8	0.2	5.0	0.4	23	0.09	0.051	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108792	Soil	25	0.34	81	0.008	<1	1.39	0.005	0.07	<0.1	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1108793	Soil	34	0.53	108	0.015	<1	1.83	0.006	0.09	0.4	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1108794	Soil	34	0.26	1310	0.019	1	2.40	0.006	0.05	0.3	0.06	1.6	0.2	<0.05	5	2.1	<0.2
1108795	Soil	34	0.59	130	0.010	<1	1.89	0.004	0.09	0.1	<0.01	2.1	0.2	<0.05	5	<0.5	<0.2
1108796	Soil	32	0.49	74	0.107	2	1.02	0.052	0.06	8.6	0.02	3.3	<0.1	<0.05	4	<0.5	<0.2
1108797	Soil	32	0.43	106	0.010	<1	1.80	0.004	0.07	0.1	0.02	1.9	0.2	<0.05	5	<0.5	<0.2
1108798	Soil	57	0.60	118	0.016	<1	1.92	0.005	0.07	0.2	0.04	2.5	0.3	<0.05	5	<0.5	<0.2
1108799	Soil	61	0.74	126	0.015	<1	1.19	0.005	0.06	0.1	0.05	2.9	0.1	<0.05	3	<0.5	<0.2
1108800	Soil	45	0.41	91	0.008	<1	1.63	0.004	0.05	0.2	0.02	2.2	0.1	<0.05	5	<0.5	<0.2
1108801	Soil	40	0.71	124	0.007	<1	2.51	0.006	0.06	0.2	0.05	2.2	0.4	<0.05	7	<0.5	<0.2
1108802	Soil	30	0.53	94	0.009	<1	1.76	0.004	0.07	0.1	0.03	2.0	0.2	<0.05	5	<0.5	<0.2
1108803	Soil	48	0.69	127	0.010	<1	1.88	0.005	0.06	0.2	0.04	2.2	0.3	<0.05	5	<0.5	<0.2
1108804	Soil	37	0.64	80	0.006	<1	1.98	0.005	0.04	0.2	0.07	2.3	0.6	<0.05	5	<0.5	<0.2
1108805	Soil	38	0.70	139	0.005	<1	2.30	0.005	0.06	0.1	0.07	2.9	0.5	<0.05	6	<0.5	<0.2
1108806	Soil	35	0.54	119	0.008	<1	2.12	0.005	0.07	0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
1108807	Soil	38	0.60	196	0.011	<1	2.53	0.006	0.07	0.1	0.06	3.5	0.2	<0.05	6	<0.5	<0.2
1108808	Soil	31	0.49	159	0.018	1	1.79	0.006	0.05	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1108809	Soil	34	0.50	158	0.005	1	1.91	0.006	0.07	0.3	1.62	5.5	2.6	<0.05	5	0.8	<0.2
1108810	Soil	29	0.53	73	0.021	<1	1.75	0.003	0.03	0.2	0.01	1.8	0.1	<0.05	5	<0.5	<0.2
1108811	Soil	37	0.57	171	0.005	<1	1.82	0.004	0.05	0.1	0.03	2.4	0.1	<0.05	4	<0.5	<0.2
1108812 AML-STD	Soil	562	0.10	130	0.142	3	3.52	0.010	0.06	<0.1	0.03	28.6	<0.1	<0.05	18	<0.5	<0.2
1108813	Soil	32	0.54	113	0.004	<1	1.69	0.004	0.05	<0.1	<0.01	1.7	0.1	<0.05	4	<0.5	<0.2
1108883	Soil	32	0.60	178	0.003	<1	1.34	0.005	0.06	0.1	0.09	4.8	0.2	<0.05	3	<0.5	<0.2
1108884	Soil	94	1.02	157	0.011	<1	1.47	0.006	0.06	0.1	0.13	5.6	0.1	<0.05	4	0.7	<0.2
1108885	Soil	44	0.82	152	0.054	1	4.37	0.038	0.09	1.1	0.11	6.0	0.3	<0.05	7	0.8	<0.2
1108886	Soil	39	0.58	127	0.010	1	1.75	0.004	0.05	0.2	0.07	1.7	0.4	<0.05	5	<0.5	<0.2
1108887	Soil	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS	MISS
1108888	Soil	29	0.47	65	0.014	<1	1.50	0.003	0.04	<0.1	0.03	1.0	0.3	<0.05	5	<0.5	<0.2
1108889	Soil	35	0.64	100	0.006	<1	1.80	0.003	0.04	0.1	0.08	1.9	0.5	<0.05	5	<0.5	<0.2
1108890	Soil	28	0.61	136	0.003	<1	2.08	0.004	0.06	0.1	0.15	2.5	0.6	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108891	Soil	1.0	17.6	19.9	79	<0.1	23.8	10.0	483	3.35	32.3	1.3	1.8	7	0.2	1.7	0.3	35	0.06	0.079	19
1108892	Soil	0.7	24.1	29.5	103	0.2	36.9	13.1	376	3.36	28.9	1.2	6.1	6	0.3	2.1	0.4	25	0.07	0.054	24
1108893	Soil	0.8	17.1	26.0	66	0.1	22.8	9.5	308	2.78	30.5	2.6	4.3	7	<0.1	1.7	0.3	22	0.08	0.058	24
1108894	Soil	1.0	15.4	24.7	72	0.1	21.8	8.8	383	2.87	34.4	1.5	4.0	7	0.2	1.4	0.3	31	0.10	0.087	16
1108895	Soil	0.7	19.1	22.2	62	0.2	27.6	10.4	382	2.63	23.7	2.1	6.5	6	0.2	1.7	0.4	25	0.08	0.054	36
1108896	Soil	391.8	33.0	22.9	43	0.7	24.3	7.5	313	3.64	815.0	4441	1.2	56	0.2	12.1	0.2	44	0.72	0.044	5
1108897	Soil	1.1	17.3	21.8	89	<0.1	30.5	13.2	569	2.69	36.5	8.7	6.2	10	0.3	1.9	0.3	28	0.19	0.104	24
1108898	Soil	0.9	12.4	18.4	58	<0.1	17.3	7.4	290	2.53	19.0	3.3	0.7	6	0.1	1.4	0.3	35	0.06	0.065	18
1108899	Soil	0.8	20.1	21.9	85	<0.1	25.9	12.9	411	2.88	14.4	3.1	5.4	8	0.2	1.6	0.3	23	0.11	0.083	24
1108900	Soil	0.9	23.6	21.4	68	0.1	30.0	13.7	475	2.76	17.4	3.1	8.0	13	0.2	2.3	0.3	23	0.27	0.082	31
1108951	Soil	1.1	21.0	20.0	69	<0.1	43.6	12.5	396	3.30	17.8	12.0	5.7	9	0.1	2.6	0.3	31	0.10	0.079	23
1108952	Soil	1.0	11.5	13.4	71	<0.1	22.4	8.6	298	2.56	9.2	2.8	1.0	10	0.3	0.4	0.3	30	0.12	0.066	20
1108953	Soil	0.5	19.1	20.4	45	<0.1	24.3	12.5	740	2.77	27.6	2.5	7.6	27	0.1	1.6	0.3	13	0.78	0.071	44
1108954	Soil	0.6	11.7	16.0	52	<0.1	19.0	8.8	309	2.62	13.1	2.4	2.1	12	<0.1	0.4	0.3	26	0.19	0.052	22
1108955	Soil	0.5	21.4	23.6	51	<0.1	25.4	12.2	468	2.50	21.7	4.1	10.2	26	<0.1	1.2	0.3	13	0.81	0.061	35
1108956	Soil	0.3	10.0	11.9	28	<0.1	13.3	8.9	509	2.33	64.6	8.6	2.5	36	0.2	2.7	0.2	12	7.56	0.083	19
1108957	Soil	0.4	8.0	9.4	29	<0.1	13.6	6.1	484	1.89	37.3	10.0	1.8	30	0.1	3.0	0.2	14	7.71	0.077	14
1108958	Soil	0.4	31.0	16.3	55	<0.1	20.5	14.2	2156	3.60	106.2	6.4	8.6	19	0.4	6.4	0.3	16	0.88	0.056	33
1108959	Soil	0.6	12.8	14.5	71	0.1	23.3	9.8	749	2.42	53.3	3.8	1.0	89	0.3	2.5	0.3	32	2.19	0.106	16
1108960	Soil	3.6	18.7	2.2	30	0.2	19.3	6.5	271	1.68	3.0	2.6	0.9	24	0.1	0.1	<0.1	41	0.54	0.041	4
1108961	Soil	0.4	9.2	8.9	30	<0.1	13.1	6.2	272	1.50	65.0	5.2	1.8	102	0.1	2.6	0.2	15	6.38	0.082	12
1108962	Soil	0.3	7.4	7.2	24	<0.1	11.8	4.9	240	1.17	21.8	4.0	1.7	148	0.1	2.4	0.1	11	12.16	0.058	9
1108963	Soil	0.6	12.1	11.3	52	0.1	22.9	7.7	508	2.19	43.5	8.2	1.7	79	0.2	4.8	0.2	19	5.94	0.127	10
1108964	Soil	0.5	10.3	10.1	41	0.1	17.7	7.0	440	1.69	17.0	1.7	1.4	127	0.2	3.7	0.1	19	9.49	0.095	13
1108965	Soil	0.5	9.6	10.7	46	0.1	18.1	6.4	637	1.98	16.3	4.4	0.7	141	0.3	3.8	0.2	17	10.17	0.111	10
1108966	Soil	0.4	8.3	8.4	32	<0.1	14.3	5.6	422	1.69	16.4	3.5	1.2	236	0.2	3.9	0.1	12	18.79	0.086	8
1108967	Soil	0.3	7.8	6.0	24	<0.1	11.9	4.3	333	1.27	14.1	2.1	2.2	311	0.1	4.1	<0.1	9	23.49	0.066	6
1108968	Soil	0.3	6.5	5.9	23	<0.1	10.7	4.2	307	1.19	13.0	3.0	1.6	266	0.1	3.8	<0.1	9	23.35	0.067	6
1108969	Soil	0.3	5.7	5.1	21	<0.1	9.1	3.9	294	1.06	14.4	2.0	1.1	272	0.1	4.5	<0.1	9	25.35	0.068	6
1108970	Soil	0.2	6.3	5.9	21	<0.1	9.5	4.4	397	1.23	18.7	1.1	0.9	293	0.2	5.4	<0.1	10	26.67	0.074	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108891	Soil	28	0.47	82	0.016	<1	1.58	0.003	0.05	0.1	0.02	1.2	0.1	<0.05	5	<0.5	<0.2
1108892	Soil	21	0.35	106	0.004	<1	1.54	0.003	0.05	0.2	0.03	2.5	0.1	<0.05	4	<0.5	<0.2
1108893	Soil	17	0.35	133	0.005	<1	1.38	0.003	0.06	0.2	0.01	1.3	0.1	<0.05	4	<0.5	<0.2
1108894	Soil	24	0.37	90	0.014	<1	1.55	0.003	0.07	0.3	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1108895	Soil	21	0.35	134	0.006	<1	1.34	0.003	0.06	0.2	0.04	2.7	0.1	<0.05	3	0.5	<0.2
1108896	Soil	37	0.55	97	0.064	2	1.13	0.051	0.13	4.7	1.47	2.5	0.5	0.64	4	1.0	0.3
1108897	Soil	21	0.41	114	0.008	<1	1.42	0.005	0.09	0.2	0.02	2.0	0.1	<0.05	3	<0.5	<0.2
1108898	Soil	22	0.33	66	0.010	<1	1.31	0.003	0.05	0.3	0.03	0.9	<0.1	<0.05	5	<0.5	<0.2
1108899	Soil	21	0.38	115	0.005	<1	1.34	0.003	0.07	0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1108900	Soil	21	0.34	239	0.005	<1	1.38	0.005	0.08	0.2	0.05	2.8	0.1	<0.05	3	<0.5	<0.2
1108951	Soil	43	0.52	82	0.009	<1	1.46	0.003	0.05	0.2	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1108952	Soil	24	0.39	71	0.016	<1	1.30	0.003	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
1108953	Soil	12	0.37	93	0.005	<1	0.74	0.004	0.06	<0.1	0.08	2.3	<0.1	<0.05	2	<0.5	<0.2
1108954	Soil	18	0.21	84	0.008	<1	1.20	0.003	0.03	0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1108955	Soil	14	0.47	77	0.007	1	0.79	0.004	0.06	<0.1	0.04	2.2	<0.1	<0.05	2	<0.5	<0.2
1108956	Soil	9	3.74	53	0.003	<1	0.52	0.005	0.03	<0.1	0.04	2.1	<0.1	<0.05	1	<0.5	<0.2
1108957	Soil	12	4.30	51	0.007	<1	0.60	0.005	0.03	0.2	0.06	1.6	<0.1	<0.05	2	<0.5	<0.2
1108958	Soil	9	0.35	193	0.010	<1	1.33	0.002	0.06	0.2	0.50	3.7	0.3	<0.05	3	<0.5	<0.2
1108959	Soil	23	0.38	113	0.014	1	1.27	0.006	0.04	0.2	0.07	1.3	<0.1	0.05	3	<0.5	<0.2
1108960	Soil	28	0.44	67	0.082	2	0.90	0.046	0.05	7.4	0.01	2.5	<0.1	<0.05	3	<0.5	<0.2
1108961	Soil	11	0.17	51	0.007	<1	0.54	0.003	0.02	0.1	0.08	1.3	<0.1	<0.05	1	<0.5	<0.2
1108962	Soil	9	0.36	48	0.008	<1	0.45	0.003	0.02	0.1	0.06	0.9	<0.1	<0.05	1	<0.5	<0.2
1108963	Soil	16	0.35	104	0.008	2	0.98	0.004	0.03	0.2	0.17	1.4	0.2	0.15	2	<0.5	<0.2
1108964	Soil	15	0.32	70	0.016	<1	0.78	0.005	0.04	0.2	0.11	1.7	0.1	<0.05	2	<0.5	<0.2
1108965	Soil	13	0.37	76	0.012	2	0.84	0.003	0.03	0.2	0.10	0.8	0.1	0.18	2	<0.5	<0.2
1108966	Soil	10	0.30	52	0.007	<1	0.60	0.002	0.03	0.2	0.10	1.1	<0.1	0.18	2	<0.5	<0.2
1108967	Soil	7	0.33	43	0.007	<1	0.43	0.003	0.02	0.1	0.13	1.1	0.1	0.18	1	<0.5	<0.2
1108968	Soil	7	0.27	37	0.007	<1	0.41	0.002	0.02	0.1	0.10	1.0	<0.1	0.19	1	<0.5	<0.2
1108969	Soil	7	0.20	34	0.007	<1	0.36	0.002	0.02	0.1	0.14	0.8	0.1	0.19	<1	<0.5	<0.2
1108970	Soil	7	0.20	38	0.006	<1	0.41	0.002	0.02	0.1	0.18	0.9	0.1	0.19	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108971	Soil	0.6	12.9	14.7	70	0.1	23.0	9.0	956	2.55	28.0	3.9	0.9	64	0.5	7.0	0.2	25	3.96	0.165	12
1108972	Soil	0.6	8.2	11.9	52	0.1	21.5	7.0	392	2.63	11.8	2.9	0.9	25	0.2	1.4	0.2	29	0.85	0.087	12
1108973	Soil	0.8	13.7	12.6	59	0.1	24.2	8.4	613	2.29	18.4	3.9	0.8	99	0.2	3.8	0.2	23	5.39	0.125	11
1108974	Soil	0.2	4.3	4.6	17	<0.1	7.6	3.4	268	0.97	10.9	3.4	1.0	399	<0.1	2.8	<0.1	8	28.01	0.060	5
1108975	Soil	0.4	7.2	6.5	30	<0.1	13.6	4.8	364	1.29	10.7	2.0	0.8	173	0.1	2.9	0.1	13	18.50	0.074	7
1108976	Soil	0.4	6.0	5.8	25	<0.1	11.6	4.0	349	1.14	8.4	4.5	0.7	193	0.2	2.3	<0.1	11	22.39	0.060	6
1108977	Soil	0.5	7.0	6.9	32	<0.1	13.6	4.6	311	1.23	7.9	1.0	0.9	130	0.2	2.5	0.1	12	15.29	0.094	8
1108978	Soil	0.6	13.5	12.9	46	<0.1	28.9	8.9	596	2.61	16.6	2.2	2.9	162	0.2	1.8	0.2	20	9.25	0.109	12
1108979	Soil	0.5	9.3	8.8	31	<0.1	15.2	5.8	419	1.74	13.3	2.7	1.2	287	0.2	3.6	0.1	14	20.42	0.073	8
1108980	Soil	0.5	19.4	19.6	59	<0.1	32.5	14.7	1204	4.03	50.6	3.7	3.0	104	0.1	5.0	0.2	35	4.87	0.088	16
1108981	Soil	0.4	8.9	9.3	34	<0.1	13.0	5.7	541	1.66	16.4	1.1	0.6	424	0.2	2.8	0.1	12	18.64	0.084	7
1108982	Soil	0.3	5.7	6.3	19	<0.1	10.3	4.0	249	1.10	13.1	1.6	1.2	673	0.1	1.3	<0.1	9	25.65	0.066	5
1108983	Soil	0.3	12.8	5.3	32	<0.1	10.2	4.8	264	1.77	52.4	2.7	2.5	13	<0.1	0.8	<0.1	45	4.82	0.055	15
1108984 AML-STD	Soil	1.2	377.4	19.0	150	0.2	175.1	68.7	753	13.19	3.1	30.5	6.0	12	<0.1	0.2	0.2	197	0.28	0.036	15
1108985	Soil	0.4	11.8	12.5	38	<0.1	14.3	7.3	487	1.82	25.9	2.5	1.0	207	0.1	3.6	0.1	12	15.28	0.075	8
1108986	Soil	0.6	15.0	17.6	82	0.1	26.2	7.6	357	2.27	33.0	2.0	2.7	6	0.3	4.1	0.2	19	0.13	0.056	10
1108987	Soil	1.0	24.8	47.4	87	1.2	32.7	13.9	879	3.44	63.3	6.5	4.7	28	0.5	5.5	0.2	24	1.26	0.078	25
1108988	Soil	0.7	16.3	8.7	59	0.1	21.2	8.2	388	1.82	5.3	1.7	3.2	11	0.3	0.5	0.1	20	0.20	0.052	11
1108989	Soil	0.5	22.3	44.1	84	0.9	30.2	10.3	491	2.65	69.1	4.0	3.7	17	0.4	15.3	0.3	18	0.47	0.076	22
1108990	Soil	1.3	16.3	13.8	75	<0.1	31.4	6.3	218	2.59	18.7	1.3	3.5	5	0.3	1.8	0.2	29	0.07	0.043	10
1108991	Soil	1.1	5.8	12.5	42	<0.1	8.2	2.6	105	2.48	6.9	0.9	3.5	3	0.3	0.5	0.3	41	0.02	0.070	11
1108992	Soil	1.7	9.9	13.2	58	0.1	18.4	5.5	325	3.17	10.5	<0.5	4.0	4	0.3	0.7	0.2	34	0.03	0.064	11
1108993	Soil	1.3	7.8	13.3	59	<0.1	12.1	3.7	141	2.92	14.9	<0.5	3.2	3	0.3	1.0	0.2	37	0.02	0.075	10
1108994	Soil	1.2	7.9	8.2	45	0.1	10.6	3.2	114	1.89	12.5	4.1	1.3	3	0.3	0.8	0.2	32	0.03	0.049	10
1108995	Soil	0.9	9.9	13.5	67	0.2	18.2	7.4	269	2.23	14.9	1.6	1.6	11	0.3	1.3	0.2	25	0.33	0.036	11
1108996	Soil	3.6	17.1	2.1	29	0.2	19.3	5.8	254	1.61	2.4	1.2	0.6	18	0.1	0.2	<0.1	33	0.40	0.036	3
1108997	Soil	1.1	19.5	12.6	60	<0.1	19.2	7.2	283	1.92	9.4	1.5	1.4	10	0.3	0.7	0.2	23	0.23	0.041	13
1108998	Soil	1.1	9.0	8.9	41	0.2	11.7	3.6	125	1.78	10.9	1.1	1.2	5	0.3	0.9	0.2	31	0.05	0.025	12
1108999	Soil	1.1	12.6	13.0	88	0.1	21.4	6.6	205	2.96	12.4	1.5	4.6	10	0.4	0.8	0.3	40	0.12	0.076	18
1109000	Soil	0.9	11.0	13.4	75	<0.1	16.3	6.2	181	2.83	5.6	1.7	5.5	10	0.1	0.4	0.2	33	0.12	0.053	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108971	Soil	19	0.37	108	0.012	2	1.21	0.004	0.03	0.2	0.23	1.0	0.2	0.22	4	<0.5	<0.2
1108972	Soil	21	0.39	120	0.017	<1	1.45	0.004	0.03	0.3	0.05	1.1	0.1	0.15	4	<0.5	<0.2
1108973	Soil	18	0.41	104	0.012	<1	1.14	0.005	0.03	0.2	0.24	0.9	0.2	0.19	3	<0.5	<0.2
1108974	Soil	7	0.20	33	0.007	<1	0.34	0.002	0.02	0.1	0.07	0.8	0.1	0.20	1	<0.5	<0.2
1108975	Soil	10	0.26	72	0.012	<1	0.63	0.004	0.02	0.2	0.09	0.7	0.1	0.19	2	<0.5	<0.2
1108976	Soil	9	0.21	62	0.009	<1	0.50	0.003	0.02	0.1	0.06	0.6	<0.1	0.21	1	<0.5	<0.2
1108977	Soil	10	0.26	56	0.011	<1	0.50	0.004	0.02	0.1	0.04	0.7	<0.1	0.19	2	<0.5	<0.2
1108978	Soil	20	0.50	100	0.013	<1	0.97	0.004	0.04	0.2	0.04	1.4	<0.1	0.16	3	<0.5	<0.2
1108979	Soil	11	0.21	61	0.011	<1	0.53	0.003	0.02	0.2	0.07	1.0	<0.1	0.22	2	<0.5	<0.2
1108980	Soil	28	0.23	141	0.012	<1	1.54	0.003	0.03	0.1	0.21	3.7	0.2	0.18	5	<0.5	<0.2
1108981	Soil	10	0.25	71	0.007	<1	0.60	0.003	0.02	0.1	0.09	0.6	0.1	0.21	2	<0.5	<0.2
1108982	Soil	9	0.26	37	0.006	<1	0.40	0.002	0.02	0.1	0.04	0.7	<0.1	0.18	1	<0.5	<0.2
1108983	Soil	28	0.06	24	0.001	<1	0.49	0.002	0.10	<0.1	<0.01	9.6	0.1	0.16	2	<0.5	<0.2
1108984 AML-STD	Soil	566	0.09	118	0.116	2	2.85	0.010	0.06	<0.1	0.03	24.1	0.1	0.11	17	<0.5	<0.2
1108985	Soil	3	0.23	60	0.005	<1	0.53	0.003	0.02	0.1	0.11	1.0	0.1	0.19	2	<0.5	<0.2
1108986	Soil	16	0.33	65	0.007	<1	0.81	0.003	0.04	0.2	<0.01	1.3	<0.1	0.11	3	<0.5	<0.2
1108987	Soil	20	0.32	95	0.003	<1	1.50	0.004	0.04	0.3	0.07	3.1	0.2	0.11	3	<0.5	<0.2
1108988	Soil	16	0.39	102	0.013	<1	0.82	0.005	0.05	0.1	0.02	1.5	<0.1	0.07	2	<0.5	<0.2
1108989	Soil	14	0.27	80	0.005	<1	0.82	0.003	0.03	0.3	0.05	2.2	0.1	0.06	2	<0.5	<0.2
1108990	Soil	26	0.41	77	0.006	<1	1.24	0.003	0.05	0.2	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1108991	Soil	13	0.11	40	0.040	<1	0.81	0.003	0.03	0.3	0.01	0.5	<0.1	<0.05	5	<0.5	<0.2
1108992	Soil	19	0.29	76	0.023	<1	0.94	0.003	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
1108993	Soil	16	0.20	44	0.024	<1	0.89	0.002	0.03	0.3	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
1108994	Soil	11	0.11	46	0.018	<1	0.52	0.002	0.03	0.3	<0.01	0.5	<0.1	<0.05	4	<0.5	<0.2
1108995	Soil	19	0.32	92	0.017	<1	0.96	0.003	0.04	0.2	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1108996	Soil	24	0.42	56	0.052	2	0.75	0.034	0.05	8.0	<0.01	1.7	<0.1	0.08	3	<0.5	<0.2
1108997	Soil	16	0.25	164	0.004	<1	0.93	0.003	0.04	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1108998	Soil	13	0.16	82	0.017	<1	0.73	0.002	0.03	0.2	<0.01	0.6	<0.1	<0.05	4	<0.5	<0.2
1108999	Soil	27	0.40	134	0.015	1	1.38	0.004	0.08	0.3	0.01	1.9	0.1	<0.05	5	0.5	<0.2
1109000	Soil	22	0.36	119	0.019	1	1.47	0.004	0.05	0.2	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109501	Soil	0.8	21.0	16.1	65	<0.1	22.3	11.0	259	3.31	9.7	1.0	7.4	5	<0.1	0.6	0.3	19	0.03	0.038	27
1109502	Soil	1.0	20.5	16.0	65	<0.1	23.6	8.6	294	3.19	9.1	0.7	6.4	6	0.2	0.6	0.3	26	0.04	0.041	24
1109503	Soil	0.6	20.8	16.6	70	<0.1	26.0	8.8	255	3.66	9.5	<0.5	6.6	6	0.2	0.7	0.3	21	0.05	0.053	25
1109504	Soil	1.4	18.8	13.6	76	<0.1	25.5	11.8	807	3.13	14.8	<0.5	2.6	5	0.2	0.9	0.3	24	0.02	0.046	24
1109505	Soil	0.6	21.1	15.4	69	<0.1	27.5	11.4	443	3.16	16.6	16.4	5.6	6	0.1	0.7	0.2	19	0.05	0.044	25
1109506	Soil	0.9	21.4	11.9	65	<0.1	22.6	7.7	317	2.95	13.4	0.9	3.3	7	0.2	0.7	0.2	22	0.06	0.050	18
1109507	Soil	0.7	18.6	12.6	56	<0.1	21.6	7.0	221	3.16	8.8	<0.5	4.5	5	0.1	0.7	0.2	19	0.04	0.045	28
1109508	Soil	0.8	15.4	11.2	47	0.1	18.0	7.2	259	3.38	9.8	1.1	1.7	4	<0.1	0.6	0.3	30	0.03	0.045	19
1109509	Soil	1.0	16.0	13.2	58	<0.1	21.7	6.4	186	3.14	9.9	1.1	3.6	5	<0.1	0.7	0.2	24	0.04	0.042	19
1109510	Soil	1.0	20.3	13.5	66	<0.1	24.8	7.8	273	3.73	12.0	0.6	3.7	6	<0.1	0.8	0.2	29	0.04	0.063	23
1109511	Soil	0.9	17.3	14.9	66	<0.1	24.9	8.8	285	3.46	10.8	<0.5	2.4	5	<0.1	0.7	0.2	24	0.03	0.065	19
1109512 AML-STD	Soil	1.2	396.5	21.3	163	0.2	190.1	68.8	773	16.98	2.5	30.4	6.9	14	<0.1	0.2	0.2	192	0.29	0.041	16
1109513	Soil	0.8	13.7	15.3	44	<0.1	17.1	9.4	729	2.77	6.7	<0.5	2.2	3	<0.1	0.9	0.2	15	0.02	0.041	21
1109514	Soil	0.7	22.7	16.9	63	0.1	26.9	10.3	317	3.33	9.5	<0.5	8.4	5	<0.1	0.7	0.3	18	0.03	0.033	32
1109515	Soil	0.7	20.2	14.9	57	<0.1	22.8	8.4	227	2.81	8.9	<0.5	7.5	5	0.2	0.7	0.3	18	0.03	0.029	35
1109516	Soil	0.8	19.4	13.8	56	<0.1	23.2	9.1	300	3.23	9.7	<0.5	6.4	4	<0.1	0.6	0.2	18	0.03	0.044	27
1109517	Soil	0.8	26.6	20.1	94	<0.1	38.7	9.6	244	4.30	7.6	<0.5	10.8	5	0.1	0.2	0.3	11	<0.01	0.018	46
1109518	Soil	0.7	14.6	14.0	56	0.1	19.0	6.6	212	3.30	9.3	<0.5	3.7	5	<0.1	0.6	0.3	28	0.03	0.040	24
1109519	Soil	1.1	14.6	16.2	51	<0.1	17.6	5.6	224	3.72	9.7	<0.5	2.0	6	<0.1	0.7	0.3	40	0.04	0.057	20
1109520	Soil	0.8	18.7	15.0	61	0.1	25.6	7.9	267	3.36	10.4	0.9	5.4	5	<0.1	0.6	0.2	19	0.04	0.035	26
1109521	Soil	0.6	21.9	16.2	69	<0.1	30.2	9.6	324	3.55	10.9	<0.5	5.3	6	0.1	0.7	0.2	18	0.06	0.047	29
1109522	Soil	1.0	17.7	15.7	56	<0.1	19.2	6.5	209	4.94	14.6	1.1	2.3	5	<0.1	0.7	0.3	32	0.03	0.108	24
1109523	Soil	1.0	16.6	15.5	65	<0.1	22.1	8.3	330	3.48	10.0	<0.5	2.1	6	0.2	0.6	0.3	29	0.04	0.049	27
1109524 CDN-BL8	Soil	3.4	19.9	2.2	33	0.2	20.2	6.7	271	1.83	3.1	0.7	0.9	24	<0.1	0.2	<0.1	42	0.58	0.046	4
1109525	Soil	0.8	22.5	19.2	72	<0.1	27.7	9.2	256	3.80	10.5	<0.5	5.4	6	<0.1	0.6	0.3	22	0.04	0.049	30
1109526	Soil	1.1	13.6	12.4	45	<0.1	15.3	4.8	134	2.23	8.7	<0.5	0.6	4	<0.1	0.5	0.3	28	0.03	0.046	22
1109527	Soil	0.7	14.4	13.6	41	<0.1	14.9	5.2	188	2.48	8.9	<0.5	0.6	5	<0.1	0.5	0.2	27	0.05	0.061	17
1109528	Soil	0.7	23.9	17.6	71	<0.1	28.3	8.4	211	3.66	9.7	<0.5	5.3	5	<0.1	0.6	0.3	16	0.02	0.044	33
1109529	Soil	1.2	13.6	18.0	52	0.2	15.8	4.9	195	3.71	10.3	1.0	1.0	8	0.1	0.6	0.3	42	0.11	0.135	17
1109530	Soil	0.8	15.1	15.5	57	0.1	19.3	6.3	189	3.26	7.7	<0.5	1.9	6	0.1	0.4	0.3	28	0.04	0.050	27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109501	Soil	18	0.27	65	0.009	2	1.16	0.003	0.06	<0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1109502	Soil	20	0.28	94	0.012	1	1.24	0.003	0.07	0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
1109503	Soil	21	0.34	79	0.011	2	1.41	0.003	0.06	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109504	Soil	19	0.23	67	0.011	1	0.96	0.003	0.04	0.2	0.03	1.0	<0.1	<0.05	3	<0.5	<0.2
1109505	Soil	20	0.30	117	0.009	<1	1.30	0.003	0.07	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109506	Soil	20	0.29	132	0.010	1	1.28	0.003	0.06	0.2	0.03	1.3	<0.1	<0.05	3	0.5	<0.2
1109507	Soil	17	0.26	81	0.010	<1	1.04	0.003	0.05	0.1	0.02	1.4	<0.1	<0.05	3	0.8	<0.2
1109508	Soil	16	0.18	60	0.012	<1	0.99	0.003	0.04	0.2	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
1109509	Soil	20	0.30	63	0.011	1	1.27	0.003	0.05	0.2	0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1109510	Soil	24	0.35	84	0.012	2	1.31	0.003	0.08	0.2	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2
1109511	Soil	20	0.24	57	0.013	<1	1.21	0.003	0.05	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1109512 AML-STD	Soil	572	0.11	143	0.147	4	3.73	0.011	0.07	<0.1	0.04	29.7	<0.1	<0.05	19	0.7	<0.2
1109513	Soil	7	0.12	34	0.007	<1	0.61	0.003	0.03	0.1	0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
1109514	Soil	20	0.35	66	0.008	<1	1.34	0.003	0.07	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109515	Soil	18	0.27	66	0.013	1	1.17	0.003	0.06	<0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109516	Soil	17	0.26	50	0.010	<1	1.08	0.002	0.05	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109517	Soil	24	0.91	31	0.001	<1	1.98	0.003	0.02	<0.1	0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1109518	Soil	21	0.29	62	0.018	<1	1.35	0.003	0.05	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1109519	Soil	21	0.23	51	0.022	1	1.23	0.004	0.03	0.2	0.03	1.1	<0.1	<0.05	5	1.0	<0.2
1109520	Soil	19	0.26	58	0.012	1	1.20	0.003	0.05	0.1	0.02	1.2	<0.1	<0.05	3	0.7	<0.2
1109521	Soil	20	0.32	63	0.008	<1	1.25	0.006	0.06	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
1109522	Soil	22	0.19	64	0.013	1	1.14	0.003	0.06	0.1	0.03	1.1	<0.1	0.05	4	0.8	<0.2
1109523	Soil	24	0.31	59	0.018	<1	1.32	0.004	0.06	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
1109524 CDN-BL8	Soil	29	0.41	72	0.084	2	0.92	0.039	0.06	8.9	0.02	2.6	<0.1	0.08	3	<0.5	<0.2
1109525	Soil	22	0.31	52	0.011	<1	1.18	0.003	0.06	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109526	Soil	14	0.15	41	0.008	<1	0.89	0.003	0.04	0.1	0.02	0.6	<0.1	<0.05	4	<0.5	<0.2
1109527	Soil	18	0.17	45	0.012	<1	1.22	0.004	0.03	0.1	0.04	0.7	<0.1	0.05	4	<0.5	<0.2
1109528	Soil	17	0.23	54	0.005	<1	1.06	0.003	0.04	<0.1	<0.01	1.0	<0.1	0.06	3	<0.5	<0.2
1109529	Soil	20	0.19	55	0.017	<1	1.18	0.004	0.03	0.2	0.03	0.9	<0.1	<0.05	5	0.5	<0.2
1109530	Soil	20	0.22	63	0.014	<1	1.18	0.003	0.04	0.1	0.03	1.2	<0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109531	Soil		0.7	14.1	13.6	50	<0.1	19.2	6.4	169	2.84	7.9	<0.5	1.9	5	<0.1	0.4	0.2	20	0.03	0.049	25
1109532	Soil		0.7	18.1	15.6	59	0.1	23.1	7.9	186	3.45	9.6	1.2	5.8	5	<0.1	0.6	0.2	19	0.03	0.045	30
1109533	Soil		0.9	18.4	16.4	68	<0.1	24.7	7.5	204	3.86	9.8	1.2	4.8	5	<0.1	0.6	0.3	27	0.03	0.050	28
1109534	Soil		0.8	21.7	21.6	59	0.1	26.3	9.4	243	4.33	13.0	2.3	7.1	5	0.1	0.5	0.3	21	0.03	0.060	26
1109535	Soil		0.9	13.0	14.8	48	<0.1	16.7	5.7	245	2.64	8.0	2.3	2.2	6	<0.1	0.6	0.4	31	0.03	0.042	22
1109536	Soil		0.9	24.4	20.1	70	<0.1	28.4	13.1	361	3.17	9.5	<0.5	6.6	7	<0.1	0.7	0.4	24	0.04	0.043	28
1109537	Soil		0.5	20.4	15.2	54	<0.1	23.2	7.7	195	2.57	8.5	2.0	3.9	6	<0.1	0.7	0.3	16	0.03	0.039	20
1109538	Soil		0.7	19.5	13.9	57	<0.1	22.5	7.9	246	3.25	9.3	<0.5	7.0	5	<0.1	0.6	0.4	30	0.02	0.058	32
1109539	Soil		0.7	19.3	22.3	52	<0.1	21.0	6.9	211	3.20	8.3	<0.5	5.5	7	<0.1	0.5	0.4	27	0.03	0.039	24
1109540	Soil		1.2	14.9	16.8	60	<0.1	20.3	10.4	448	3.03	8.4	<0.5	2.3	13	0.2	0.7	0.3	43	0.13	0.067	18
1109541	Soil		0.6	48.5	31.1	86	0.1	30.0	18.5	342	3.48	34.4	0.9	7.2	51	0.1	0.9	0.6	5	0.07	0.061	37
1109542	Soil		0.8	22.4	22.3	67	0.2	30.0	12.2	455	3.11	17.3	2.1	2.4	105	0.2	0.8	0.5	24	1.63	0.079	28
1109543	Soil		0.8	31.0	32.3	80	0.1	37.4	14.9	581	3.62	25.3	0.9	4.4	87	0.2	1.4	0.5	16	1.28	0.104	27
1109544	Soil		0.9	9.4	18.5	44	<0.1	14.7	5.9	189	2.56	9.4	<0.5	2.5	11	<0.1	0.5	0.4	38	0.10	0.030	17
1109545	Soil		0.7	24.7	24.0	71	<0.1	30.8	13.4	369	3.54	22.3	1.1	3.4	30	0.2	1.0	0.4	22	0.35	0.084	25
1109546	Soil		0.8	31.2	24.4	74	0.4	36.1	13.2	475	3.42	39.7	1.8	4.4	39	0.3	1.4	0.4	20	0.49	0.100	30
1109547	Soil		0.6	25.8	27.0	93	0.1	36.1	18.5	791	3.62	33.1	0.8	7.6	35	0.5	1.4	0.4	19	3.32	0.118	32
1109548	Soil		3.9	21.4	2.5	34	0.3	21.0	7.2	303	1.90	3.2	0.8	1.0	29	<0.1	0.3	<0.1	44	0.56	0.046	4
1109549	Soil		2.6	19.8	11.0	37	<0.1	38.2	19.3	260	2.98	64.8	0.6	3.2	6	<0.1	2.0	0.7	14	0.03	0.046	45
1109550	Soil		0.6	16.4	19.4	74	0.1	25.6	9.4	429	2.94	18.2	3.9	3.0	28	0.2	1.5	0.3	24	0.58	0.076	24
1109576	Soil		1.4	18.7	15.6	87	0.1	30.5	7.9	257	2.73	20.2	0.7	5.0	14	0.3	1.9	0.3	39	0.15	0.055	18
1109577	Soil		1.1	12.0	10.1	62	<0.1	22.3	6.7	237	2.42	8.6	0.5	5.3	11	0.3	1.0	0.3	34	0.09	0.034	16
1109578	Soil		1.4	11.0	13.7	52	<0.1	18.2	6.2	181	2.80	8.1	<0.5	6.8	10	0.2	0.6	0.3	43	0.03	0.037	21
1109579	Soil		1.1	16.2	14.0	58	0.1	20.4	8.3	228	2.88	8.1	1.3	8.0	11	0.1	1.6	0.3	40	0.04	0.038	22
1109580	Soil		1.2	35.6	29.9	104	0.2	21.7	11.8	390	6.22	17.4	101.3	19.4	29	<0.1	0.9	3.8	36	0.03	0.111	60
1109581	Soil		2.4	55.2	43.6	94	0.2	22.9	11.2	511	6.73	23.6	1.3	25.4	46	<0.1	0.9	1.1	32	0.02	0.098	66
1109582	Soil		1.0	42.7	24.3	94	0.1	35.6	11.7	377	4.62	27.7	2.9	16.4	24	0.1	3.9	0.5	33	0.04	0.056	51
1109583	Soil		1.5	21.1	16.7	74	<0.1	28.1	9.8	245	2.97	13.7	0.5	7.7	13	0.2	1.4	0.3	43	0.06	0.039	21
1109584 AML-STD	Soil		1.4	427.8	23.1	171	0.2	207.7	73.2	799	15.24	2.8	32.6	8.1	18	0.2	0.5	0.2	206	0.30	0.042	18
1109585	Soil		1.6	51.0	32.6	104	0.3	34.4	13.8	568	6.00	39.6	0.9	18.0	25	0.1	2.2	0.7	33	0.04	0.077	58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109531	Soil	17	0.22	44	0.010	<1	1.06	0.003	0.04	0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
1109532	Soil	18	0.24	48	0.010	<1	1.15	0.003	0.05	<0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1109533	Soil	21	0.29	65	0.012	<1	1.39	0.004	0.06	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109534	Soil	20	0.23	68	0.005	1	1.25	0.003	0.06	<0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
1109535	Soil	18	0.27	46	0.015	<1	1.04	0.003	0.03	0.1	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1109536	Soil	21	0.38	65	0.013	<1	1.26	0.003	0.05	0.1	0.01	1.6	<0.1	<0.05	4	<0.5	<0.2
1109537	Soil	14	0.28	46	0.003	<1	0.91	0.002	0.03	<0.1	0.02	1.2	<0.1	<0.05	2	<0.5	<0.2
1109538	Soil	21	0.35	45	0.010	<1	1.18	0.003	0.04	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109539	Soil	20	0.32	46	0.009	<1	1.29	0.003	0.03	<0.1	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1109540	Soil	33	0.46	62	0.044	<1	1.95	0.006	0.04	0.3	0.05	2.0	<0.1	<0.05	5	0.8	<0.2
1109541	Soil	8	0.05	62	<0.001	<1	0.70	0.004	0.04	<0.1	0.02	1.0	<0.1	0.06	<1	0.8	<0.2
1109542	Soil	20	0.29	94	0.011	<1	1.16	0.005	0.03	0.1	0.08	2.4	<0.1	<0.05	3	0.7	<0.2
1109543	Soil	16	0.30	98	0.005	<1	0.97	0.005	0.04	<0.1	0.06	2.7	<0.1	<0.05	2	0.6	<0.2
1109544	Soil	18	0.25	93	0.009	<1	1.43	0.003	0.02	0.2	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
1109545	Soil	19	0.28	91	0.005	<1	1.37	0.003	0.03	0.1	0.03	1.7	<0.1	<0.05	3	0.6	<0.2
1109546	Soil	18	0.27	152	0.007	<1	1.11	0.005	0.05	<0.1	0.07	2.8	<0.1	<0.05	2	0.6	<0.2
1109547	Soil	24	1.99	91	0.002	<1	2.12	0.005	0.04	<0.1	0.04	3.3	<0.1	<0.05	2	0.8	<0.2
1109548	Soil	29	0.48	74	0.092	2	0.95	0.046	0.06	8.4	0.02	2.9	<0.1	<0.05	3	<0.5	<0.2
1109549	Soil	8	0.07	37	0.002	<1	0.64	0.002	0.04	<0.1	0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
1109550	Soil	21	0.40	97	0.010	<1	1.14	0.006	0.05	0.1	0.06	2.3	<0.1	<0.05	3	0.6	<0.2
1109576	Soil	26	0.42	224	0.007	<1	1.55	0.004	0.07	0.2	0.02	2.4	0.1	<0.05	4	0.9	<0.2
1109577	Soil	24	0.38	173	0.008	<1	1.11	0.004	0.06	0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
1109578	Soil	23	0.32	79	0.021	<1	1.22	0.003	0.04	0.2	<0.01	1.9	0.1	<0.05	5	<0.5	<0.2
1109579	Soil	21	0.40	86	0.012	<1	1.42	0.005	0.04	0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
1109580	Soil	31	0.52	65	0.004	<1	2.26	0.010	0.05	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5	<0.2
1109581	Soil	36	0.73	50	0.008	<1	2.39	0.022	0.04	<0.1	0.02	2.3	<0.1	0.09	7	1.0	<0.2
1109582	Soil	35	0.61	60	0.009	<1	1.93	0.012	0.04	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
1109583	Soil	26	0.41	102	0.009	<1	1.29	0.005	0.06	0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
1109584 AML-STD	Soil	558	0.14	147	0.181	4	4.07	0.013	0.07	<0.1	0.04	33.3	<0.1	<0.05	20	0.8	<0.2
1109585	Soil	28	0.66	55	0.019	<1	2.20	0.008	0.05	<0.1	0.03	2.2	<0.1	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109586	Soil	1.5	27.1	30.2	203	0.3	27.7	20.8	1135	4.58	49.7	6.4	11.6	17	0.6	1.1	0.6	43	0.11	0.257	34
1109587	Soil	1.8	27.3	21.9	88	0.6	24.5	14.2	1101	3.18	21.3	<0.5	1.2	15	0.3	1.2	0.5	36	0.12	0.075	29
1109588	Soil	1.1	24.1	19.3	100	0.6	29.1	16.0	875	3.63	31.5	<0.5	5.5	12	0.4	2.8	0.6	35	0.14	0.066	26
1109589	Soil	1.2	31.1	17.2	92	0.3	32.5	14.5	615	3.70	14.6	5.0	7.4	11	0.1	1.2	0.5	37	0.07	0.071	27
1109590	Soil	1.7	34.4	16.7	81	0.3	54.9	13.8	600	3.15	18.9	2.3	4.6	38	0.2	1.6	0.3	45	0.46	0.059	23
1109591	Soil	1.3	12.2	27.3	76	0.3	17.1	8.8	247	2.67	8.4	0.5	5.6	13	0.2	0.6	0.4	51	0.12	0.023	20
1109592	Soil	1.2	18.1	13.2	112	<0.1	32.8	13.6	328	3.52	17.0	1.2	7.1	10	0.4	1.2	0.4	42	0.07	0.062	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

CERTIFICATE OF ANALYSIS WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109586	Soil	32	0.49	84	0.074	<1	2.21	0.007	0.06	0.1	0.02	1.9	<0.1	<0.05	7	<0.5	<0.2
1109587	Soil	25	0.39	135	0.014	<1	1.30	0.006	0.07	<0.1	0.03	0.8	<0.1	<0.05	5	<0.5	<0.2
1109588	Soil	27	0.43	130	0.024	<1	1.46	0.004	0.06	0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1109589	Soil	27	0.42	90	0.007	<1	1.40	0.006	0.06	<0.1	0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
1109590	Soil	53	0.69	243	0.012	<1	1.54	0.007	0.09	0.1	0.05	3.4	0.1	<0.05	5	<0.5	<0.2
1109591	Soil	26	0.37	225	0.038	<1	1.49	0.005	0.05	0.2	0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
1109592	Soil	41	0.49	106	0.024	<1	1.64	0.004	0.06	0.2	0.02	2.1	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

QUALITY CONTROL REPORT WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1108806	Soil	0.8	20.1	19.5	123	<0.1	28.2	12.1	523	3.85	33.4	1.2	4.5	10	0.3	2.7	0.4	35	0.08	0.074	27
REP 1108806	QC	0.9	21.2	20.8	126	<0.1	28.3	12.2	533	3.99	33.9	0.9	4.7	10	0.2	2.8	0.4	36	0.09	0.076	28
1108808	Soil	0.7	13.6	15.5	93	0.1	23.5	9.4	515	3.33	22.6	3.2	4.2	10	0.2	1.5	0.3	38	0.36	0.047	20
REP 1108808	QC	0.7	13.2	15.3	93	0.1	23.6	9.5	502	3.34	22.6	1.9	4.4	10	0.1	1.3	0.3	38	0.36	0.046	20
1108953	Soil	0.5	19.1	20.4	45	<0.1	24.3	12.5	740	2.77	27.6	2.5	7.6	27	0.1	1.6	0.3	13	0.78	0.071	44
REP 1108953	QC	0.4	19.7	21.3	47	<0.1	24.4	13.0	775	2.88	28.5	2.7	7.8	25	0.1	1.6	0.4	13	0.82	0.073	42
1108966	Soil	0.4	8.3	8.4	32	<0.1	14.3	5.6	422	1.69	16.4	3.5	1.2	236	0.2	3.9	0.1	12	18.79	0.086	8
REP 1108966	QC	0.3	8.2	8.7	31	<0.1	14.5	5.6	407	1.62	16.1	11.1	1.2	242	0.1	3.9	0.1	12	17.87	0.086	8
1108982	Soil	0.3	5.7	6.3	19	<0.1	10.3	4.0	249	1.10	13.1	1.6	1.2	673	0.1	1.3	<0.1	9	25.65	0.066	5
REP 1108982	QC	0.3	5.8	6.4	19	<0.1	10.2	4.1	253	1.12	13.3	0.5	1.3	657	0.1	1.3	<0.1	10	25.23	0.063	6
1109514	Soil	0.7	22.7	16.9	63	0.1	26.9	10.3	317	3.33	9.5	<0.5	8.4	5	<0.1	0.7	0.3	18	0.03	0.033	32
REP 1109514	QC	0.6	24.1	17.1	68	0.1	27.7	10.6	327	3.39	9.1	<0.5	8.4	5	<0.1	0.7	0.3	19	0.03	0.034	35
1109521	Soil	0.6	21.9	16.2	69	<0.1	30.2	9.6	324	3.55	10.9	<0.5	5.3	6	0.1	0.7	0.2	18	0.06	0.047	29
REP 1109521	QC	0.5	22.1	17.1	69	<0.1	30.0	9.7	329	3.48	11.2	1.3	5.5	6	<0.1	0.7	0.2	20	0.06	0.051	30
1109547	Soil	0.6	25.8	27.0	93	0.1	36.1	18.5	791	3.62	33.1	0.8	7.6	35	0.5	1.4	0.4	19	3.32	0.118	32
REP 1109547	QC	0.6	25.8	26.1	91	0.1	35.8	18.3	789	3.54	32.8	0.8	7.7	35	0.5	1.4	0.4	18	3.75	0.117	31
1109589	Soil	1.2	31.1	17.2	92	0.3	32.5	14.5	615	3.70	14.6	5.0	7.4	11	0.1	1.2	0.5	37	0.07	0.071	27
REP 1109589	QC	1.1	28.8	16.6	90	0.3	30.9	13.9	582	3.54	14.1	2.1	7.0	11	0.2	1.1	0.5	34	0.06	0.070	26
Reference Materials																					
STD DS8	Standard	14.9	119.5	136.8	332	1.9	42.0	8.4	674	2.70	27.7	114.1	7.3	71	2.5	6.0	7.3	48	0.74	0.083	16
STD DS8	Standard	12.7	113.1	135.8	318	1.9	39.0	7.8	622	2.51	25.5	112.8	7.8	74	2.5	6.5	8.1	45	0.68	0.080	15
STD DS8	Standard	12.7	97.8	123.3	299	1.8	34.8	6.8	579	2.60	21.3	110.7	6.8	59	2.5	4.6	6.4	38	0.69	0.076	15
STD DS8	Standard	11.6	96.1	110.5	279	1.5	33.6	6.9	552	2.19	22.9	93.5	6.8	60	2.2	5.0	6.7	38	0.62	0.070	14
STD DS8	Standard	10.6	96.8	109.9	282	1.7	36.3	6.2	546	2.25	20.6	110.6	5.0	54	1.9	4.1	5.4	34	0.58	0.069	10
STD DS8	Standard	12.7	109.9	118.2	316	1.8	37.2	7.6	640	2.55	25.8	123.5	6.5	70	2.3	6.0	6.3	43	0.72	0.085	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

QUALITY CONTROL REPORT WHI11000844.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1108806	Soil	35	0.54	119	0.008	<1	2.12	0.005	0.07	0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
REP 1108806	QC	36	0.55	124	0.008	<1	2.11	0.005	0.07	0.2	0.02	2.0	0.2	<0.05	6	<0.5	<0.2
1108808	Soil	31	0.49	159	0.018	1	1.79	0.006	0.05	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
REP 1108808	QC	30	0.49	160	0.017	<1	1.76	0.006	0.05	0.2	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
1108953	Soil	12	0.37	93	0.005	<1	0.74	0.004	0.06	<0.1	0.08	2.3	<0.1	<0.05	2	<0.5	<0.2
REP 1108953	QC	12	0.38	94	0.005	<1	0.75	0.003	0.05	<0.1	0.09	2.3	<0.1	<0.05	2	<0.5	<0.2
1108966	Soil	10	0.30	52	0.007	<1	0.60	0.002	0.03	0.2	0.10	1.1	<0.1	0.18	2	<0.5	<0.2
REP 1108966	QC	10	0.30	50	0.006	<1	0.60	0.003	0.03	0.2	0.10	1.0	<0.1	0.19	2	<0.5	<0.2
1108982	Soil	9	0.26	37	0.006	<1	0.40	0.002	0.02	0.1	0.04	0.7	<0.1	0.18	1	<0.5	<0.2
REP 1108982	QC	8	0.26	36	0.006	<1	0.42	0.002	0.02	0.1	0.05	0.7	<0.1	0.19	1	<0.5	<0.2
1109514	Soil	20	0.35	66	0.008	<1	1.34	0.003	0.07	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
REP 1109514	QC	20	0.36	71	0.010	<1	1.40	0.004	0.07	0.1	0.03	1.5	<0.1	<0.05	3	<0.5	<0.2
1109521	Soil	20	0.32	63	0.008	<1	1.25	0.006	0.06	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
REP 1109521	QC	21	0.33	63	0.009	1	1.26	0.004	0.06	0.1	0.02	1.4	<0.1	<0.05	3	0.9	<0.2
1109547	Soil	24	1.99	91	0.002	<1	2.12	0.005	0.04	<0.1	0.04	3.3	<0.1	<0.05	2	0.8	<0.2
REP 1109547	QC	23	2.18	88	0.002	<1	2.05	0.006	0.03	<0.1	0.03	3.2	<0.1	<0.05	2	0.5	<0.2
1109589	Soil	27	0.42	90	0.007	<1	1.40	0.006	0.06	<0.1	0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
REP 1109589	QC	25	0.42	85	0.006	<1	1.37	0.005	0.06	<0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	133	0.66	284	0.135	3	0.98	0.089	0.43	3.2	0.21	2.3	5.8	0.17	5	5.6	5.8
STD DS8	Standard	121	0.63	279	0.131	2	0.89	0.084	0.41	3.1	0.21	2.0	5.5	0.17	5	6.4	4.7
STD DS8	Standard	110	0.54	278	0.111	2	0.87	0.082	0.39	3.1	0.19	2.0	5.3	0.13	4	4.6	5.1
STD DS8	Standard	104	0.54	252	0.099	3	0.82	0.079	0.36	2.6	0.16	1.9	4.9	0.14	4	4.7	4.4
STD DS8	Standard	111	0.57	206	0.086	2	0.80	0.069	0.36	2.8	0.16	1.3	5.1	0.21	4	4.9	4.5
STD DS8	Standard	119	0.65	281	0.122	2	0.98	0.110	0.44	3.0	0.19	2.7	5.4	0.16	5	6.2	4.9
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

QUALITY CONTROL REPORT WHI11000844.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 19, 2011

QUALITY CONTROL REPORT WHI11000844.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 04, 2011
Report Date: December 03, 2011
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI11000844.2

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-008
P.O. Number
Number of Samples: 157

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	151	Dry at 60C			WHI
SS80	151	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	151	Saving all or part of Soil Reject			WHI
1DX2	157	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Re-analysis of 1DX2 for Samples 1108885, 1108886, 1108887 AML-STD, 1108888, 1108889 & 1108889

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108792	Soil	1.0	19.0	20.7	74	<0.1	22.6	8.9	400	3.92	20.3	1.5	2.8	11	0.2	3.5	0.4	38	0.19	0.164	22
1108793	Soil	0.9	22.3	19.6	90	<0.1	41.7	14.2	466	3.73	16.9	1.9	6.4	13	0.3	2.2	0.4	40	0.21	0.119	27
1108794	Soil	9.4	15.0	27.7	94	0.2	28.2	11.3	1354	4.15	22.8	0.9	4.2	16	0.3	2.2	0.3	52	0.17	0.221	14
1108795	Soil	0.9	28.5	19.8	101	<0.1	50.3	18.4	529	3.92	17.9	0.7	8.2	11	0.2	2.4	0.3	30	0.14	0.109	40
1108796	Soil	3.9	20.9	2.3	34	0.2	20.8	7.5	310	1.94	3.1	1.1	0.9	29	0.1	0.3	<0.1	47	0.66	0.047	4
1108797	Soil	1.0	25.4	20.9	121	0.1	35.8	15.1	387	3.72	14.4	0.9	7.0	9	0.2	1.7	0.3	32	0.09	0.107	32
1108798	Soil	0.9	19.2	19.4	150	0.2	48.8	14.3	458	3.91	15.7	<0.5	6.2	12	0.3	3.0	0.3	40	0.18	0.113	25
1108799	Soil	0.7	30.8	17.5	71	<0.1	75.2	17.2	585	3.42	17.3	2.7	7.3	14	0.1	4.5	0.2	29	0.22	0.084	39
1108800	Soil	0.9	20.2	15.7	61	0.2	31.7	9.4	249	3.33	17.0	<0.5	5.8	8	0.1	5.4	0.3	39	0.08	0.070	29
1108801	Soil	0.9	32.9	41.0	131	0.1	38.0	19.1	964	4.85	74.5	5.7	4.7	9	0.2	4.4	0.4	36	0.07	0.066	32
1108802	Soil	1.0	34.3	30.7	91	0.1	36.3	19.8	726	3.64	40.6	1.0	6.1	13	0.1	2.1	0.4	27	0.08	0.057	35
1108803	Soil	1.2	25.4	24.7	110	0.2	43.8	18.7	756	4.07	61.2	0.9	2.4	12	0.4	2.9	0.3	42	0.13	0.069	26
1108804	Soil	0.9	27.0	41.7	132	0.1	40.4	21.1	850	4.30	123.3	2.3	6.0	9	0.3	7.1	0.3	31	0.09	0.072	28
1108805	Soil	0.8	34.0	55.1	138	0.1	39.7	21.4	916	4.64	102.5	5.6	8.7	10	0.3	6.1	0.4	34	0.08	0.061	38
1108806	Soil	0.8	20.1	19.5	123	<0.1	28.2	12.1	523	3.85	33.4	1.2	4.5	10	0.3	2.7	0.4	35	0.08	0.074	27
1108807	Soil	0.9	24.0	24.2	97	0.4	39.1	16.3	580	3.74	38.6	0.9	7.2	14	0.2	2.7	0.4	37	0.24	0.074	32
1108808	Soil	0.7	13.6	15.5	93	0.1	23.5	9.4	515	3.33	22.6	3.2	4.2	10	0.2	1.5	0.3	38	0.36	0.047	20
1108809	Soil	1.0	22.3	99.5	201	4.7	36.8	12.5	1424	3.71	316.0	9.3	6.5	12	1.0	11.0	0.3	38	1.05	0.124	31
1108810	Soil	1.1	8.8	15.5	70	0.1	19.3	8.4	305	2.91	12.1	1.6	3.1	7	0.2	0.7	0.3	38	0.07	0.065	19
1108811	Soil	0.7	36.4	24.3	91	0.2	61.6	19.4	686	3.48	57.7	4.9	9.8	9	0.2	4.9	0.4	24	0.05	0.042	36
1108812 AML-STD	Soil	1.1	375.7	18.8	143	0.2	176.0	64.3	700	13.44	2.7	26.1	6.6	14	0.1	0.1	0.2	193	0.26	0.038	16
1108813	Soil	0.6	30.2	23.8	93	0.2	40.6	15.4	594	3.31	50.2	1.5	9.9	9	0.2	4.4	0.4	24	0.03	0.039	34
1108883	Soil	0.6	47.4	38.3	98	0.2	54.0	18.9	1080	3.70	38.4	3.5	9.4	23	0.2	4.2	0.4	24	0.83	0.094	37
1108884	Soil	1.0	55.1	32.8	83	0.5	59.5	18.4	973	3.19	52.0	5.2	5.4	19	0.3	3.3	0.2	47	0.42	0.056	20
1108885	Soil	1.1	33.1	115.3	127	0.4	52.7	28.4	1463	4.10	60.8	6.0	11.2	42	0.6	7.7	2.7	55	0.68	0.338	25
1108886	Soil	0.9	28.6	37.0	102	0.2	44.5	21.6	1030	3.84	71.6	2.5	3.1	23	0.2	4.7	0.4	37	0.33	0.091	28
1108887 AML-STD	Soil	1.3	376.1	23.9	147	0.2	176.6	65.8	712	13.30	2.2	27.7	7.6	16	<0.1	0.4	0.2	180	0.25	0.036	17
1108888	Soil	0.9	24.2	30.4	82	<0.1	28.6	14.3	655	3.77	45.6	3.2	1.2	9	0.1	3.4	0.4	33	0.07	0.055	24
1108889	Soil	0.8	31.0	35.4	107	0.1	36.2	18.1	879	3.95	89.4	3.5	4.3	12	0.3	5.8	0.4	36	0.10	0.065	25
1108890	Soil	0.6	41.2	52.4	115	0.1	41.4	23.3	1057	4.52	131.6	4.2	9.3	11	0.2	7.6	0.5	25	0.09	0.052	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108792	Soil	25	0.34	81	0.008	<1	1.39	0.005	0.07	<0.1	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1108793	Soil	34	0.53	108	0.015	<1	1.83	0.006	0.09	0.4	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1108794	Soil	34	0.26	1310	0.019	1	2.40	0.006	0.05	0.3	0.06	1.6	0.2	<0.05	5	2.1	<0.2
1108795	Soil	34	0.59	130	0.010	<1	1.89	0.004	0.09	0.1	<0.01	2.1	0.2	<0.05	5	<0.5	<0.2
1108796	Soil	32	0.49	74	0.107	2	1.02	0.052	0.06	8.6	0.02	3.3	<0.1	<0.05	4	<0.5	<0.2
1108797	Soil	32	0.43	106	0.010	<1	1.80	0.004	0.07	0.1	0.02	1.9	0.2	<0.05	5	<0.5	<0.2
1108798	Soil	57	0.60	118	0.016	<1	1.92	0.005	0.07	0.2	0.04	2.5	0.3	<0.05	5	<0.5	<0.2
1108799	Soil	61	0.74	126	0.015	<1	1.19	0.005	0.06	0.1	0.05	2.9	0.1	<0.05	3	<0.5	<0.2
1108800	Soil	45	0.41	91	0.008	<1	1.63	0.004	0.05	0.2	0.02	2.2	0.1	<0.05	5	<0.5	<0.2
1108801	Soil	40	0.71	124	0.007	<1	2.51	0.006	0.06	0.2	0.05	2.2	0.4	<0.05	7	<0.5	<0.2
1108802	Soil	30	0.53	94	0.009	<1	1.76	0.004	0.07	0.1	0.03	2.0	0.2	<0.05	5	<0.5	<0.2
1108803	Soil	48	0.69	127	0.010	<1	1.88	0.005	0.06	0.2	0.04	2.2	0.3	<0.05	5	<0.5	<0.2
1108804	Soil	37	0.64	80	0.006	<1	1.98	0.005	0.04	0.2	0.07	2.3	0.6	<0.05	5	<0.5	<0.2
1108805	Soil	38	0.70	139	0.005	<1	2.30	0.005	0.06	0.1	0.07	2.9	0.5	<0.05	6	<0.5	<0.2
1108806	Soil	35	0.54	119	0.008	<1	2.12	0.005	0.07	0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
1108807	Soil	38	0.60	196	0.011	<1	2.53	0.006	0.07	0.1	0.06	3.5	0.2	<0.05	6	<0.5	<0.2
1108808	Soil	31	0.49	159	0.018	1	1.79	0.006	0.05	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1108809	Soil	34	0.50	158	0.005	1	1.91	0.006	0.07	0.3	1.62	5.5	2.6	<0.05	5	0.8	<0.2
1108810	Soil	29	0.53	73	0.021	<1	1.75	0.003	0.03	0.2	0.01	1.8	0.1	<0.05	5	<0.5	<0.2
1108811	Soil	37	0.57	171	0.005	<1	1.82	0.004	0.05	0.1	0.03	2.4	0.1	<0.05	4	<0.5	<0.2
1108812 AML-STD	Soil	562	0.10	130	0.142	3	3.52	0.010	0.06	<0.1	0.03	28.6	<0.1	<0.05	18	<0.5	<0.2
1108813	Soil	32	0.54	113	0.004	<1	1.69	0.004	0.05	<0.1	<0.01	1.7	0.1	<0.05	4	<0.5	<0.2
1108883	Soil	32	0.60	178	0.003	<1	1.34	0.005	0.06	0.1	0.09	4.8	0.2	<0.05	3	<0.5	<0.2
1108884	Soil	94	1.02	157	0.011	<1	1.47	0.006	0.06	0.1	0.13	5.6	0.1	<0.05	4	0.7	<0.2
1108885	Soil	49	0.90	157	0.071	2	4.74	0.044	0.10	1.0	0.12	7.2	0.3	<0.05	7	0.7	<0.2
1108886	Soil	42	0.59	134	0.011	<1	1.73	0.006	0.05	0.1	0.06	2.3	0.4	<0.05	5	<0.5	<0.2
1108887 AML-STD	Soil	480	0.12	136	0.152	3	3.24	0.013	0.06	<0.1	0.03	29.8	<0.1	<0.05	17	<0.5	<0.2
1108888	Soil	30	0.49	68	0.016	<1	1.52	0.004	0.04	0.1	0.02	1.3	0.2	<0.05	5	<0.5	<0.2
1108889	Soil	40	0.66	111	0.010	<1	1.90	0.007	0.05	0.2	0.09	2.4	0.5	<0.05	5	<0.5	<0.2
1108890	Soil	30	0.61	147	0.004	1	2.10	0.008	0.08	0.1	0.16	3.6	0.6	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108891	Soil	1.0	17.6	19.9	79	<0.1	23.8	10.0	483	3.35	32.3	1.3	1.8	7	0.2	1.7	0.3	35	0.06	0.079	19
1108892	Soil	0.7	24.1	29.5	103	0.2	36.9	13.1	376	3.36	28.9	1.2	6.1	6	0.3	2.1	0.4	25	0.07	0.054	24
1108893	Soil	0.8	17.1	26.0	66	0.1	22.8	9.5	308	2.78	30.5	2.6	4.3	7	<0.1	1.7	0.3	22	0.08	0.058	24
1108894	Soil	1.0	15.4	24.7	72	0.1	21.8	8.8	383	2.87	34.4	1.5	4.0	7	0.2	1.4	0.3	31	0.10	0.087	16
1108895	Soil	0.7	19.1	22.2	62	0.2	27.6	10.4	382	2.63	23.7	2.1	6.5	6	0.2	1.7	0.4	25	0.08	0.054	36
1108896	Soil	391.8	33.0	22.9	43	0.7	24.3	7.5	313	3.64	815.0	4441	1.2	56	0.2	12.1	0.2	44	0.72	0.044	5
1108897	Soil	1.1	17.3	21.8	89	<0.1	30.5	13.2	569	2.69	36.5	8.7	6.2	10	0.3	1.9	0.3	28	0.19	0.104	24
1108898	Soil	0.9	12.4	18.4	58	<0.1	17.3	7.4	290	2.53	19.0	3.3	0.7	6	0.1	1.4	0.3	35	0.06	0.065	18
1108899	Soil	0.8	20.1	21.9	85	<0.1	25.9	12.9	411	2.88	14.4	3.1	5.4	8	0.2	1.6	0.3	23	0.11	0.083	24
1108900	Soil	0.9	23.6	21.4	68	0.1	30.0	13.7	475	2.76	17.4	3.1	8.0	13	0.2	2.3	0.3	23	0.27	0.082	31
1108951	Soil	1.1	21.0	20.0	69	<0.1	43.6	12.5	396	3.30	17.8	12.0	5.7	9	0.1	2.6	0.3	31	0.10	0.079	23
1108952	Soil	1.0	11.5	13.4	71	<0.1	22.4	8.6	298	2.56	9.2	2.8	1.0	10	0.3	0.4	0.3	30	0.12	0.066	20
1108953	Soil	0.5	19.1	20.4	45	<0.1	24.3	12.5	740	2.77	27.6	2.5	7.6	27	0.1	1.6	0.3	13	0.78	0.071	44
1108954	Soil	0.6	11.7	16.0	52	<0.1	19.0	8.8	309	2.62	13.1	2.4	2.1	12	<0.1	0.4	0.3	26	0.19	0.052	22
1108955	Soil	0.5	21.4	23.6	51	<0.1	25.4	12.2	468	2.50	21.7	4.1	10.2	26	<0.1	1.2	0.3	13	0.81	0.061	35
1108956	Soil	0.3	10.0	11.9	28	<0.1	13.3	8.9	509	2.33	64.6	8.6	2.5	36	0.2	2.7	0.2	12	7.56	0.083	19
1108957	Soil	0.4	8.0	9.4	29	<0.1	13.6	6.1	484	1.89	37.3	10.0	1.8	30	0.1	3.0	0.2	14	7.71	0.077	14
1108958	Soil	0.4	31.0	16.3	55	<0.1	20.5	14.2	2156	3.60	106.2	6.4	8.6	19	0.4	6.4	0.3	16	0.88	0.056	33
1108959	Soil	0.6	12.8	14.5	71	0.1	23.3	9.8	749	2.42	53.3	3.8	1.0	89	0.3	2.5	0.3	32	2.19	0.106	16
1108960	Soil	3.6	18.7	2.2	30	0.2	19.3	6.5	271	1.68	3.0	2.6	0.9	24	0.1	0.1	<0.1	41	0.54	0.041	4
1108961	Soil	0.4	9.2	8.9	30	<0.1	13.1	6.2	272	1.50	65.0	5.2	1.8	102	0.1	2.6	0.2	15	6.38	0.082	12
1108962	Soil	0.3	7.4	7.2	24	<0.1	11.8	4.9	240	1.17	21.8	4.0	1.7	148	0.1	2.4	0.1	11	12.16	0.058	9
1108963	Soil	0.6	12.1	11.3	52	0.1	22.9	7.7	508	2.19	43.5	8.2	1.7	79	0.2	4.8	0.2	19	5.94	0.127	10
1108964	Soil	0.5	10.3	10.1	41	0.1	17.7	7.0	440	1.69	17.0	1.7	1.4	127	0.2	3.7	0.1	19	9.49	0.095	13
1108965	Soil	0.5	9.6	10.7	46	0.1	18.1	6.4	637	1.98	16.3	4.4	0.7	141	0.3	3.8	0.2	17	10.17	0.111	10
1108966	Soil	0.4	8.3	8.4	32	<0.1	14.3	5.6	422	1.69	16.4	3.5	1.2	236	0.2	3.9	0.1	12	18.79	0.086	8
1108967	Soil	0.3	7.8	6.0	24	<0.1	11.9	4.3	333	1.27	14.1	2.1	2.2	311	0.1	4.1	<0.1	9	23.49	0.066	6
1108968	Soil	0.3	6.5	5.9	23	<0.1	10.7	4.2	307	1.19	13.0	3.0	1.6	266	0.1	3.8	<0.1	9	23.35	0.067	6
1108969	Soil	0.3	5.7	5.1	21	<0.1	9.1	3.9	294	1.06	14.4	2.0	1.1	272	0.1	4.5	<0.1	9	25.35	0.068	6
1108970	Soil	0.2	6.3	5.9	21	<0.1	9.5	4.4	397	1.23	18.7	1.1	0.9	293	0.2	5.4	<0.1	10	26.67	0.074	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108891	Soil	28	0.47	82	0.016	<1	1.58	0.003	0.05	0.1	0.02	1.2	0.1	<0.05	5	<0.5	<0.2
1108892	Soil	21	0.35	106	0.004	<1	1.54	0.003	0.05	0.2	0.03	2.5	0.1	<0.05	4	<0.5	<0.2
1108893	Soil	17	0.35	133	0.005	<1	1.38	0.003	0.06	0.2	0.01	1.3	0.1	<0.05	4	<0.5	<0.2
1108894	Soil	24	0.37	90	0.014	<1	1.55	0.003	0.07	0.3	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1108895	Soil	21	0.35	134	0.006	<1	1.34	0.003	0.06	0.2	0.04	2.7	0.1	<0.05	3	0.5	<0.2
1108896	Soil	37	0.55	97	0.064	2	1.13	0.051	0.13	4.7	1.47	2.5	0.5	0.64	4	1.0	0.3
1108897	Soil	21	0.41	114	0.008	<1	1.42	0.005	0.09	0.2	0.02	2.0	0.1	<0.05	3	<0.5	<0.2
1108898	Soil	22	0.33	66	0.010	<1	1.31	0.003	0.05	0.3	0.03	0.9	<0.1	<0.05	5	<0.5	<0.2
1108899	Soil	21	0.38	115	0.005	<1	1.34	0.003	0.07	0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1108900	Soil	21	0.34	239	0.005	<1	1.38	0.005	0.08	0.2	0.05	2.8	0.1	<0.05	3	<0.5	<0.2
1108951	Soil	43	0.52	82	0.009	<1	1.46	0.003	0.05	0.2	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1108952	Soil	24	0.39	71	0.016	<1	1.30	0.003	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
1108953	Soil	12	0.37	93	0.005	<1	0.74	0.004	0.06	<0.1	0.08	2.3	<0.1	<0.05	2	<0.5	<0.2
1108954	Soil	18	0.21	84	0.008	<1	1.20	0.003	0.03	0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1108955	Soil	14	0.47	77	0.007	1	0.79	0.004	0.06	<0.1	0.04	2.2	<0.1	<0.05	2	<0.5	<0.2
1108956	Soil	9	3.74	53	0.003	<1	0.52	0.005	0.03	<0.1	0.04	2.1	<0.1	<0.05	1	<0.5	<0.2
1108957	Soil	12	4.30	51	0.007	<1	0.60	0.005	0.03	0.2	0.06	1.6	<0.1	<0.05	2	<0.5	<0.2
1108958	Soil	9	0.35	193	0.010	<1	1.33	0.002	0.06	0.2	0.50	3.7	0.3	<0.05	3	<0.5	<0.2
1108959	Soil	23	0.38	113	0.014	1	1.27	0.006	0.04	0.2	0.07	1.3	<0.1	0.05	3	<0.5	<0.2
1108960	Soil	28	0.44	67	0.082	2	0.90	0.046	0.05	7.4	0.01	2.5	<0.1	<0.05	3	<0.5	<0.2
1108961	Soil	11	0.17	51	0.007	<1	0.54	0.003	0.02	0.1	0.08	1.3	<0.1	<0.05	1	<0.5	<0.2
1108962	Soil	9	0.36	48	0.008	<1	0.45	0.003	0.02	0.1	0.06	0.9	<0.1	<0.05	1	<0.5	<0.2
1108963	Soil	16	0.35	104	0.008	2	0.98	0.004	0.03	0.2	0.17	1.4	0.2	0.15	2	<0.5	<0.2
1108964	Soil	15	0.32	70	0.016	<1	0.78	0.005	0.04	0.2	0.11	1.7	0.1	<0.05	2	<0.5	<0.2
1108965	Soil	13	0.37	76	0.012	2	0.84	0.003	0.03	0.2	0.10	0.8	0.1	0.18	2	<0.5	<0.2
1108966	Soil	10	0.30	52	0.007	<1	0.60	0.002	0.03	0.2	0.10	1.1	<0.1	0.18	2	<0.5	<0.2
1108967	Soil	7	0.33	43	0.007	<1	0.43	0.003	0.02	0.1	0.13	1.1	0.1	0.18	1	<0.5	<0.2
1108968	Soil	7	0.27	37	0.007	<1	0.41	0.002	0.02	0.1	0.10	1.0	<0.1	0.19	1	<0.5	<0.2
1108969	Soil	7	0.20	34	0.007	<1	0.36	0.002	0.02	0.1	0.14	0.8	0.1	0.19	<1	<0.5	<0.2
1108970	Soil	7	0.20	38	0.006	<1	0.41	0.002	0.02	0.1	0.18	0.9	0.1	0.19	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108971	Soil	0.6	12.9	14.7	70	0.1	23.0	9.0	956	2.55	28.0	3.9	0.9	64	0.5	7.0	0.2	25	3.96	0.165	12
1108972	Soil	0.6	8.2	11.9	52	0.1	21.5	7.0	392	2.63	11.8	2.9	0.9	25	0.2	1.4	0.2	29	0.85	0.087	12
1108973	Soil	0.8	13.7	12.6	59	0.1	24.2	8.4	613	2.29	18.4	3.9	0.8	99	0.2	3.8	0.2	23	5.39	0.125	11
1108974	Soil	0.2	4.3	4.6	17	<0.1	7.6	3.4	268	0.97	10.9	3.4	1.0	399	<0.1	2.8	<0.1	8	28.01	0.060	5
1108975	Soil	0.4	7.2	6.5	30	<0.1	13.6	4.8	364	1.29	10.7	2.0	0.8	173	0.1	2.9	0.1	13	18.50	0.074	7
1108976	Soil	0.4	6.0	5.8	25	<0.1	11.6	4.0	349	1.14	8.4	4.5	0.7	193	0.2	2.3	<0.1	11	22.39	0.060	6
1108977	Soil	0.5	7.0	6.9	32	<0.1	13.6	4.6	311	1.23	7.9	1.0	0.9	130	0.2	2.5	0.1	12	15.29	0.094	8
1108978	Soil	0.6	13.5	12.9	46	<0.1	28.9	8.9	596	2.61	16.6	2.2	2.9	162	0.2	1.8	0.2	20	9.25	0.109	12
1108979	Soil	0.5	9.3	8.8	31	<0.1	15.2	5.8	419	1.74	13.3	2.7	1.2	287	0.2	3.6	0.1	14	20.42	0.073	8
1108980	Soil	0.5	19.4	19.6	59	<0.1	32.5	14.7	1204	4.03	50.6	3.7	3.0	104	0.1	5.0	0.2	35	4.87	0.088	16
1108981	Soil	0.4	8.9	9.3	34	<0.1	13.0	5.7	541	1.66	16.4	1.1	0.6	424	0.2	2.8	0.1	12	18.64	0.084	7
1108982	Soil	0.3	5.7	6.3	19	<0.1	10.3	4.0	249	1.10	13.1	1.6	1.2	673	0.1	1.3	<0.1	9	25.65	0.066	5
1108983	Soil	0.3	12.8	5.3	32	<0.1	10.2	4.8	264	1.77	52.4	2.7	2.5	13	<0.1	0.8	<0.1	45	4.82	0.055	15
1108984 AML-STD	Soil	1.2	377.4	19.0	150	0.2	175.1	68.7	753	13.19	3.1	30.5	6.0	12	<0.1	0.2	0.2	197	0.28	0.036	15
1108985	Soil	0.4	11.8	12.5	38	<0.1	14.3	7.3	487	1.82	25.9	2.5	1.0	207	0.1	3.6	0.1	12	15.28	0.075	8
1108986	Soil	0.6	15.0	17.6	82	0.1	26.2	7.6	357	2.27	33.0	2.0	2.7	6	0.3	4.1	0.2	19	0.13	0.056	10
1108987	Soil	1.0	24.8	47.4	87	1.2	32.7	13.9	879	3.44	63.3	6.5	4.7	28	0.5	5.5	0.2	24	1.26	0.078	25
1108988	Soil	0.7	16.3	8.7	59	0.1	21.2	8.2	388	1.82	5.3	1.7	3.2	11	0.3	0.5	0.1	20	0.20	0.052	11
1108989	Soil	0.5	22.3	44.1	84	0.9	30.2	10.3	491	2.65	69.1	4.0	3.7	17	0.4	15.3	0.3	18	0.47	0.076	22
1108990	Soil	1.3	16.3	13.8	75	<0.1	31.4	6.3	218	2.59	18.7	1.3	3.5	5	0.3	1.8	0.2	29	0.07	0.043	10
1108991	Soil	1.1	5.8	12.5	42	<0.1	8.2	2.6	105	2.48	6.9	0.9	3.5	3	0.3	0.5	0.3	41	0.02	0.070	11
1108992	Soil	1.7	9.9	13.2	58	0.1	18.4	5.5	325	3.17	10.5	<0.5	4.0	4	0.3	0.7	0.2	34	0.03	0.064	11
1108993	Soil	1.3	7.8	13.3	59	<0.1	12.1	3.7	141	2.92	14.9	<0.5	3.2	3	0.3	1.0	0.2	37	0.02	0.075	10
1108994	Soil	1.2	7.9	8.2	45	0.1	10.6	3.2	114	1.89	12.5	4.1	1.3	3	0.3	0.8	0.2	32	0.03	0.049	10
1108995	Soil	0.9	9.9	13.5	67	0.2	18.2	7.4	269	2.23	14.9	1.6	1.6	11	0.3	1.3	0.2	25	0.33	0.036	11
1108996	Soil	3.6	17.1	2.1	29	0.2	19.3	5.8	254	1.61	2.4	1.2	0.6	18	0.1	0.2	<0.1	33	0.40	0.036	3
1108997	Soil	1.1	19.5	12.6	60	<0.1	19.2	7.2	283	1.92	9.4	1.5	1.4	10	0.3	0.7	0.2	23	0.23	0.041	13
1108998	Soil	1.1	9.0	8.9	41	0.2	11.7	3.6	125	1.78	10.9	1.1	1.2	5	0.3	0.9	0.2	31	0.05	0.025	12
1108999	Soil	1.1	12.6	13.0	88	0.1	21.4	6.6	205	2.96	12.4	1.5	4.6	10	0.4	0.8	0.3	40	0.12	0.076	18
1109000	Soil	0.9	11.0	13.4	75	<0.1	16.3	6.2	181	2.83	5.6	1.7	5.5	10	0.1	0.4	0.2	33	0.12	0.053	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108971	Soil	19	0.37	108	0.012	2	1.21	0.004	0.03	0.2	0.23	1.0	0.2	0.22	4	<0.5	<0.2
1108972	Soil	21	0.39	120	0.017	<1	1.45	0.004	0.03	0.3	0.05	1.1	0.1	0.15	4	<0.5	<0.2
1108973	Soil	18	0.41	104	0.012	<1	1.14	0.005	0.03	0.2	0.24	0.9	0.2	0.19	3	<0.5	<0.2
1108974	Soil	7	0.20	33	0.007	<1	0.34	0.002	0.02	0.1	0.07	0.8	0.1	0.20	1	<0.5	<0.2
1108975	Soil	10	0.26	72	0.012	<1	0.63	0.004	0.02	0.2	0.09	0.7	0.1	0.19	2	<0.5	<0.2
1108976	Soil	9	0.21	62	0.009	<1	0.50	0.003	0.02	0.1	0.06	0.6	<0.1	0.21	1	<0.5	<0.2
1108977	Soil	10	0.26	56	0.011	<1	0.50	0.004	0.02	0.1	0.04	0.7	<0.1	0.19	2	<0.5	<0.2
1108978	Soil	20	0.50	100	0.013	<1	0.97	0.004	0.04	0.2	0.04	1.4	<0.1	0.16	3	<0.5	<0.2
1108979	Soil	11	0.21	61	0.011	<1	0.53	0.003	0.02	0.2	0.07	1.0	<0.1	0.22	2	<0.5	<0.2
1108980	Soil	28	0.23	141	0.012	<1	1.54	0.003	0.03	0.1	0.21	3.7	0.2	0.18	5	<0.5	<0.2
1108981	Soil	10	0.25	71	0.007	<1	0.60	0.003	0.02	0.1	0.09	0.6	0.1	0.21	2	<0.5	<0.2
1108982	Soil	9	0.26	37	0.006	<1	0.40	0.002	0.02	0.1	0.04	0.7	<0.1	0.18	1	<0.5	<0.2
1108983	Soil	28	0.06	24	0.001	<1	0.49	0.002	0.10	<0.1	<0.01	9.6	0.1	0.16	2	<0.5	<0.2
1108984 AML-STD	Soil	566	0.09	118	0.116	2	2.85	0.010	0.06	<0.1	0.03	24.1	0.1	0.11	17	<0.5	<0.2
1108985	Soil	3	0.23	60	0.005	<1	0.53	0.003	0.02	0.1	0.11	1.0	0.1	0.19	2	<0.5	<0.2
1108986	Soil	16	0.33	65	0.007	<1	0.81	0.003	0.04	0.2	<0.01	1.3	<0.1	0.11	3	<0.5	<0.2
1108987	Soil	20	0.32	95	0.003	<1	1.50	0.004	0.04	0.3	0.07	3.1	0.2	0.11	3	<0.5	<0.2
1108988	Soil	16	0.39	102	0.013	<1	0.82	0.005	0.05	0.1	0.02	1.5	<0.1	0.07	2	<0.5	<0.2
1108989	Soil	14	0.27	80	0.005	<1	0.82	0.003	0.03	0.3	0.05	2.2	0.1	0.06	2	<0.5	<0.2
1108990	Soil	26	0.41	77	0.006	<1	1.24	0.003	0.05	0.2	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1108991	Soil	13	0.11	40	0.040	<1	0.81	0.003	0.03	0.3	0.01	0.5	<0.1	<0.05	5	<0.5	<0.2
1108992	Soil	19	0.29	76	0.023	<1	0.94	0.003	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
1108993	Soil	16	0.20	44	0.024	<1	0.89	0.002	0.03	0.3	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
1108994	Soil	11	0.11	46	0.018	<1	0.52	0.002	0.03	0.3	<0.01	0.5	<0.1	<0.05	4	<0.5	<0.2
1108995	Soil	19	0.32	92	0.017	<1	0.96	0.003	0.04	0.2	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1108996	Soil	24	0.42	56	0.052	2	0.75	0.034	0.05	8.0	<0.01	1.7	<0.1	0.08	3	<0.5	<0.2
1108997	Soil	16	0.25	164	0.004	<1	0.93	0.003	0.04	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1108998	Soil	13	0.16	82	0.017	<1	0.73	0.002	0.03	0.2	<0.01	0.6	<0.1	<0.05	4	<0.5	<0.2
1108999	Soil	27	0.40	134	0.015	1	1.38	0.004	0.08	0.3	0.01	1.9	0.1	<0.05	5	0.5	<0.2
1109000	Soil	22	0.36	119	0.019	1	1.47	0.004	0.05	0.2	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109501	Soil	0.8	21.0	16.1	65	<0.1	22.3	11.0	259	3.31	9.7	1.0	7.4	5	<0.1	0.6	0.3	19	0.03	0.038	27
1109502	Soil	1.0	20.5	16.0	65	<0.1	23.6	8.6	294	3.19	9.1	0.7	6.4	6	0.2	0.6	0.3	26	0.04	0.041	24
1109503	Soil	0.6	20.8	16.6	70	<0.1	28.0	8.8	255	3.66	9.5	<0.5	6.6	6	0.2	0.7	0.3	21	0.05	0.053	25
1109504	Soil	1.4	18.8	13.6	76	<0.1	25.5	11.8	807	3.13	14.8	<0.5	2.6	5	0.2	0.9	0.3	24	0.02	0.046	24
1109505	Soil	0.6	21.1	15.4	69	<0.1	27.5	11.4	443	3.16	16.6	16.4	5.6	6	0.1	0.7	0.2	19	0.05	0.044	25
1109506	Soil	0.9	21.4	11.9	65	<0.1	22.6	7.7	317	2.95	13.4	0.9	3.3	7	0.2	0.7	0.2	22	0.06	0.050	18
1109507	Soil	0.7	18.6	12.6	56	<0.1	21.6	7.0	221	3.16	8.8	<0.5	4.5	5	0.1	0.7	0.2	19	0.04	0.045	28
1109508	Soil	0.8	15.4	11.2	47	0.1	18.0	7.2	259	3.38	9.8	1.1	1.7	4	<0.1	0.6	0.3	30	0.03	0.045	19
1109509	Soil	1.0	16.0	13.2	58	<0.1	21.7	6.4	186	3.14	9.9	1.1	3.6	5	<0.1	0.7	0.2	24	0.04	0.042	19
1109510	Soil	1.0	20.3	13.5	66	<0.1	24.8	7.8	273	3.73	12.0	0.6	3.7	6	<0.1	0.8	0.2	29	0.04	0.063	23
1109511	Soil	0.9	17.3	14.9	66	<0.1	24.9	8.8	285	3.46	10.8	<0.5	2.4	5	<0.1	0.7	0.2	24	0.03	0.065	19
1109512 AML-STD	Soil	1.2	396.5	21.3	163	0.2	190.1	68.8	773	16.98	2.5	30.4	6.9	14	<0.1	0.2	0.2	192	0.29	0.041	16
1109513	Soil	0.8	13.7	15.3	44	<0.1	17.1	9.4	729	2.77	6.7	<0.5	2.2	3	<0.1	0.9	0.2	15	0.02	0.041	21
1109514	Soil	0.7	22.7	16.9	63	0.1	26.9	10.3	317	3.33	9.5	<0.5	8.4	5	<0.1	0.7	0.3	18	0.03	0.033	32
1109515	Soil	0.7	20.2	14.9	57	<0.1	22.8	8.4	227	2.81	8.9	<0.5	7.5	5	0.2	0.7	0.3	18	0.03	0.029	35
1109516	Soil	0.8	19.4	13.8	56	<0.1	23.2	9.1	300	3.23	9.7	<0.5	6.4	4	<0.1	0.6	0.2	18	0.03	0.044	27
1109517	Soil	0.8	26.6	20.1	94	<0.1	38.7	9.6	244	4.30	7.6	<0.5	10.8	5	0.1	0.2	0.3	11	<0.01	0.018	46
1109518	Soil	0.7	14.6	14.0	56	0.1	19.0	6.6	212	3.30	9.3	<0.5	3.7	5	<0.1	0.6	0.3	28	0.03	0.040	24
1109519	Soil	1.1	14.6	16.2	51	<0.1	17.6	5.6	224	3.72	9.7	<0.5	2.0	6	<0.1	0.7	0.3	40	0.04	0.057	20
1109520	Soil	0.8	18.7	15.0	61	0.1	25.6	7.9	267	3.36	10.4	0.9	5.4	5	<0.1	0.6	0.2	19	0.04	0.035	26
1109521	Soil	0.6	21.9	16.2	69	<0.1	30.2	9.6	324	3.55	10.9	<0.5	5.3	6	0.1	0.7	0.2	18	0.06	0.047	29
1109522	Soil	1.0	17.7	15.7	56	<0.1	19.2	6.5	209	4.94	14.6	1.1	2.3	5	<0.1	0.7	0.3	32	0.03	0.108	24
1109523	Soil	1.0	16.6	15.5	65	<0.1	22.1	8.3	330	3.48	10.0	<0.5	2.1	6	0.2	0.6	0.3	29	0.04	0.049	27
1109524 CDN-BL8	Soil	3.4	19.9	2.2	33	0.2	20.2	6.7	271	1.83	3.1	0.7	0.9	24	<0.1	0.2	<0.1	42	0.58	0.046	4
1109525	Soil	0.8	22.5	19.2	72	<0.1	27.7	9.2	256	3.80	10.5	<0.5	5.4	6	<0.1	0.6	0.3	22	0.04	0.049	30
1109526	Soil	1.1	13.6	12.4	45	<0.1	15.3	4.8	134	2.23	8.7	<0.5	0.6	4	<0.1	0.5	0.3	28	0.03	0.046	22
1109527	Soil	0.7	14.4	13.6	41	<0.1	14.9	5.2	188	2.48	8.9	<0.5	0.6	5	<0.1	0.5	0.2	27	0.05	0.061	17
1109528	Soil	0.7	23.9	17.6	71	<0.1	28.3	8.4	211	3.66	9.7	<0.5	5.3	5	<0.1	0.6	0.3	16	0.02	0.044	33
1109529	Soil	1.2	13.6	18.0	52	0.2	15.8	4.9	195	3.71	10.3	1.0	1.0	8	0.1	0.6	0.3	42	0.11	0.135	17
1109530	Soil	0.8	15.1	15.5	57	0.1	19.3	6.3	189	3.26	7.7	<0.5	1.9	6	0.1	0.4	0.3	28	0.04	0.050	27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109501	Soil	18	0.27	65	0.009	2	1.16	0.003	0.06	<0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1109502	Soil	20	0.28	94	0.012	1	1.24	0.003	0.07	0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
1109503	Soil	21	0.34	79	0.011	2	1.41	0.003	0.06	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109504	Soil	19	0.23	67	0.011	1	0.96	0.003	0.04	0.2	0.03	1.0	<0.1	<0.05	3	<0.5	<0.2
1109505	Soil	20	0.30	117	0.009	<1	1.30	0.003	0.07	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109506	Soil	20	0.29	132	0.010	1	1.28	0.003	0.06	0.2	0.03	1.3	<0.1	<0.05	3	0.5	<0.2
1109507	Soil	17	0.26	81	0.010	<1	1.04	0.003	0.05	0.1	0.02	1.4	<0.1	<0.05	3	0.8	<0.2
1109508	Soil	16	0.18	60	0.012	<1	0.99	0.003	0.04	0.2	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
1109509	Soil	20	0.30	63	0.011	1	1.27	0.003	0.05	0.2	0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1109510	Soil	24	0.35	84	0.012	2	1.31	0.003	0.08	0.2	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2
1109511	Soil	20	0.24	57	0.013	<1	1.21	0.003	0.05	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1109512 AML-STD	Soil	572	0.11	143	0.147	4	3.73	0.011	0.07	<0.1	0.04	29.7	<0.1	<0.05	19	0.7	<0.2
1109513	Soil	7	0.12	34	0.007	<1	0.61	0.003	0.03	0.1	0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
1109514	Soil	20	0.35	66	0.008	<1	1.34	0.003	0.07	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109515	Soil	18	0.27	66	0.013	1	1.17	0.003	0.06	<0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109516	Soil	17	0.26	50	0.010	<1	1.08	0.002	0.05	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109517	Soil	24	0.91	31	0.001	<1	1.98	0.003	0.02	<0.1	0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1109518	Soil	21	0.29	62	0.018	<1	1.35	0.003	0.05	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1109519	Soil	21	0.23	51	0.022	1	1.23	0.004	0.03	0.2	0.03	1.1	<0.1	<0.05	5	1.0	<0.2
1109520	Soil	19	0.26	58	0.012	1	1.20	0.003	0.05	0.1	0.02	1.2	<0.1	<0.05	3	0.7	<0.2
1109521	Soil	20	0.32	63	0.008	<1	1.25	0.006	0.06	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
1109522	Soil	22	0.19	64	0.013	1	1.14	0.003	0.06	0.1	0.03	1.1	<0.1	0.05	4	0.8	<0.2
1109523	Soil	24	0.31	59	0.018	<1	1.32	0.004	0.06	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
1109524 CDN-BL8	Soil	29	0.41	72	0.084	2	0.92	0.039	0.06	8.9	0.02	2.6	<0.1	0.08	3	<0.5	<0.2
1109525	Soil	22	0.31	52	0.011	<1	1.18	0.003	0.06	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109526	Soil	14	0.15	41	0.008	<1	0.89	0.003	0.04	0.1	0.02	0.6	<0.1	<0.05	4	<0.5	<0.2
1109527	Soil	18	0.17	45	0.012	<1	1.22	0.004	0.03	0.1	0.04	0.7	<0.1	0.05	4	<0.5	<0.2
1109528	Soil	17	0.23	54	0.005	<1	1.06	0.003	0.04	<0.1	<0.01	1.0	<0.1	0.06	3	<0.5	<0.2
1109529	Soil	20	0.19	55	0.017	<1	1.18	0.004	0.03	0.2	0.03	0.9	<0.1	<0.05	5	0.5	<0.2
1109530	Soil	20	0.22	63	0.014	<1	1.18	0.003	0.04	0.1	0.03	1.2	<0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109531	Soil	0.7	14.1	13.6	50	<0.1	19.2	6.4	169	2.84	7.9	<0.5	1.9	5	<0.1	0.4	0.2	20	0.03	0.049	25
1109532	Soil	0.7	18.1	15.6	59	0.1	23.1	7.9	186	3.45	9.6	1.2	5.8	5	<0.1	0.6	0.2	19	0.03	0.045	30
1109533	Soil	0.9	18.4	16.4	68	<0.1	24.7	7.5	204	3.86	9.8	1.2	4.8	5	<0.1	0.6	0.3	27	0.03	0.050	28
1109534	Soil	0.8	21.7	21.6	59	0.1	26.3	9.4	243	4.33	13.0	2.3	7.1	5	0.1	0.5	0.3	21	0.03	0.060	26
1109535	Soil	0.9	13.0	14.8	48	<0.1	16.7	5.7	245	2.64	8.0	2.3	2.2	6	<0.1	0.6	0.4	31	0.03	0.042	22
1109536	Soil	0.9	24.4	20.1	70	<0.1	28.4	13.1	361	3.17	9.5	<0.5	6.6	7	<0.1	0.7	0.4	24	0.04	0.043	28
1109537	Soil	0.5	20.4	15.2	54	<0.1	23.2	7.7	195	2.57	8.5	2.0	3.9	6	<0.1	0.7	0.3	16	0.03	0.039	20
1109538	Soil	0.7	19.5	13.9	57	<0.1	22.5	7.9	246	3.25	9.3	<0.5	7.0	5	<0.1	0.6	0.4	30	0.02	0.058	32
1109539	Soil	0.7	19.3	22.3	52	<0.1	21.0	6.9	211	3.20	8.3	<0.5	5.5	7	<0.1	0.5	0.4	27	0.03	0.039	24
1109540	Soil	1.2	14.9	16.8	60	<0.1	20.3	10.4	448	3.03	8.4	<0.5	2.3	13	0.2	0.7	0.3	43	0.13	0.067	18
1109541	Soil	0.6	48.5	31.1	86	0.1	30.0	18.5	342	3.48	34.4	0.9	7.2	51	0.1	0.9	0.6	5	0.07	0.061	37
1109542	Soil	0.8	22.4	22.3	67	0.2	30.0	12.2	455	3.11	17.3	2.1	2.4	105	0.2	0.8	0.5	24	1.63	0.079	28
1109543	Soil	0.8	31.0	32.3	80	0.1	37.4	14.9	581	3.62	25.3	0.9	4.4	87	0.2	1.4	0.5	16	1.28	0.104	27
1109544	Soil	0.9	9.4	18.5	44	<0.1	14.7	5.9	189	2.56	9.4	<0.5	2.5	11	<0.1	0.5	0.4	38	0.10	0.030	17
1109545	Soil	0.7	24.7	24.0	71	<0.1	30.8	13.4	369	3.54	22.3	1.1	3.4	30	0.2	1.0	0.4	22	0.35	0.084	25
1109546	Soil	0.8	31.2	24.4	74	0.4	36.1	13.2	475	3.42	39.7	1.8	4.4	39	0.3	1.4	0.4	20	0.49	0.100	30
1109547	Soil	0.6	25.8	27.0	93	0.1	36.1	18.5	791	3.62	33.1	0.8	7.6	35	0.5	1.4	0.4	19	3.32	0.118	32
1109548	Soil	3.9	21.4	2.5	34	0.3	21.0	7.2	303	1.90	3.2	0.8	1.0	29	<0.1	0.3	<0.1	44	0.56	0.046	4
1109549	Soil	2.6	19.8	11.0	37	<0.1	38.2	19.3	260	2.98	64.8	0.6	3.2	6	<0.1	2.0	0.7	14	0.03	0.046	45
1109550	Soil	0.6	16.4	19.4	74	0.1	25.6	9.4	429	2.94	18.2	3.9	3.0	28	0.2	1.5	0.3	24	0.58	0.076	24
1109576	Soil	1.4	18.7	15.6	87	0.1	30.5	7.9	257	2.73	20.2	0.7	5.0	14	0.3	1.9	0.3	39	0.15	0.055	18
1109577	Soil	1.1	12.0	10.1	62	<0.1	22.3	6.7	237	2.42	8.6	0.5	5.3	11	0.3	1.0	0.3	34	0.09	0.034	16
1109578	Soil	1.4	11.0	13.7	52	<0.1	18.2	6.2	181	2.80	8.1	<0.5	6.8	10	0.2	0.6	0.3	43	0.03	0.037	21
1109579	Soil	1.1	16.2	14.0	58	0.1	20.4	8.3	228	2.88	8.1	1.3	8.0	11	0.1	1.6	0.3	40	0.04	0.038	22
1109580	Soil	1.2	35.6	29.9	104	0.2	21.7	11.8	390	6.22	17.4	101.3	19.4	29	<0.1	0.9	3.8	36	0.03	0.111	60
1109581	Soil	2.4	55.2	43.6	94	0.2	22.9	11.2	511	6.73	23.6	1.3	25.4	46	<0.1	0.9	1.1	32	0.02	0.098	66
1109582	Soil	1.0	42.7	24.3	94	0.1	35.6	11.7	377	4.62	27.7	2.9	16.4	24	0.1	3.9	0.5	33	0.04	0.056	51
1109583	Soil	1.5	21.1	16.7	74	<0.1	28.1	9.8	245	2.97	13.7	0.5	7.7	13	0.2	1.4	0.3	43	0.06	0.039	21
1109584 AML-STD	Soil	1.4	427.8	23.1	171	0.2	207.7	73.2	799	15.24	2.8	32.6	8.1	18	0.2	0.5	0.2	206	0.30	0.042	18
1109585	Soil	1.6	51.0	32.6	104	0.3	34.4	13.8	568	6.00	39.6	0.9	18.0	25	0.1	2.2	0.7	33	0.04	0.077	58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109531	Soil	17	0.22	44	0.010	<1	1.06	0.003	0.04	0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
1109532	Soil	18	0.24	48	0.010	<1	1.15	0.003	0.05	<0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1109533	Soil	21	0.29	65	0.012	<1	1.39	0.004	0.06	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109534	Soil	20	0.23	68	0.005	1	1.25	0.003	0.06	<0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
1109535	Soil	18	0.27	46	0.015	<1	1.04	0.003	0.03	0.1	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1109536	Soil	21	0.38	65	0.013	<1	1.26	0.003	0.05	0.1	0.01	1.6	<0.1	<0.05	4	<0.5	<0.2
1109537	Soil	14	0.28	46	0.003	<1	0.91	0.002	0.03	<0.1	0.02	1.2	<0.1	<0.05	2	<0.5	<0.2
1109538	Soil	21	0.35	45	0.010	<1	1.18	0.003	0.04	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109539	Soil	20	0.32	46	0.009	<1	1.29	0.003	0.03	<0.1	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1109540	Soil	33	0.46	62	0.044	<1	1.95	0.006	0.04	0.3	0.05	2.0	<0.1	<0.05	5	0.8	<0.2
1109541	Soil	8	0.05	62	<0.001	<1	0.70	0.004	0.04	<0.1	0.02	1.0	<0.1	0.06	<1	0.8	<0.2
1109542	Soil	20	0.29	94	0.011	<1	1.16	0.005	0.03	0.1	0.08	2.4	<0.1	<0.05	3	0.7	<0.2
1109543	Soil	16	0.30	98	0.005	<1	0.97	0.005	0.04	<0.1	0.06	2.7	<0.1	<0.05	2	0.6	<0.2
1109544	Soil	18	0.25	93	0.009	<1	1.43	0.003	0.02	0.2	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
1109545	Soil	19	0.28	91	0.005	<1	1.37	0.003	0.03	0.1	0.03	1.7	<0.1	<0.05	3	0.6	<0.2
1109546	Soil	18	0.27	152	0.007	<1	1.11	0.005	0.05	<0.1	0.07	2.8	<0.1	<0.05	2	0.6	<0.2
1109547	Soil	24	1.99	91	0.002	<1	2.12	0.005	0.04	<0.1	0.04	3.3	<0.1	<0.05	2	0.8	<0.2
1109548	Soil	29	0.48	74	0.092	2	0.95	0.046	0.06	8.4	0.02	2.9	<0.1	<0.05	3	<0.5	<0.2
1109549	Soil	8	0.07	37	0.002	<1	0.64	0.002	0.04	<0.1	0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
1109550	Soil	21	0.40	97	0.010	<1	1.14	0.006	0.05	0.1	0.08	2.3	<0.1	<0.05	3	0.6	<0.2
1109576	Soil	26	0.42	224	0.007	<1	1.55	0.004	0.07	0.2	0.02	2.4	0.1	<0.05	4	0.9	<0.2
1109577	Soil	24	0.38	173	0.008	<1	1.11	0.004	0.06	0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
1109578	Soil	23	0.32	79	0.021	<1	1.22	0.003	0.04	0.2	<0.01	1.9	0.1	<0.05	5	<0.5	<0.2
1109579	Soil	21	0.40	86	0.012	<1	1.42	0.005	0.04	0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
1109580	Soil	31	0.52	65	0.004	<1	2.26	0.010	0.05	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5	<0.2
1109581	Soil	36	0.73	50	0.008	<1	2.39	0.022	0.04	<0.1	0.02	2.3	<0.1	0.09	7	1.0	<0.2
1109582	Soil	35	0.61	60	0.009	<1	1.93	0.012	0.04	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
1109583	Soil	26	0.41	102	0.009	<1	1.29	0.005	0.06	0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
1109584 AML-STD	Soil	558	0.14	147	0.181	4	4.07	0.013	0.07	<0.1	0.04	33.3	<0.1	<0.05	20	0.8	<0.2
1109585	Soil	28	0.66	55	0.019	<1	2.20	0.008	0.05	<0.1	0.03	2.2	<0.1	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109586	Soil	1.5	27.1	30.2	203	0.3	27.7	20.8	1135	4.58	49.7	6.4	11.6	17	0.6	1.1	0.6	43	0.11	0.257	34
1109587	Soil	1.8	27.3	21.9	88	0.6	24.5	14.2	1101	3.18	21.3	<0.5	1.2	15	0.3	1.2	0.5	36	0.12	0.075	29
1109588	Soil	1.1	24.1	19.3	100	0.6	29.1	16.0	875	3.63	31.5	<0.5	5.5	12	0.4	2.8	0.6	35	0.14	0.066	26
1109589	Soil	1.2	31.1	17.2	92	0.3	32.5	14.5	615	3.70	14.6	5.0	7.4	11	0.1	1.2	0.5	37	0.07	0.071	27
1109590	Soil	1.7	34.4	16.7	81	0.3	54.9	13.8	600	3.15	18.9	2.3	4.6	38	0.2	1.6	0.3	45	0.46	0.059	23
1109591	Soil	1.3	12.2	27.3	78	0.3	17.1	8.8	247	2.67	8.4	0.5	5.6	13	0.2	0.6	0.4	51	0.12	0.023	20
1109592	Soil	1.2	18.1	13.2	112	<0.1	32.8	13.6	328	3.52	17.0	1.2	7.1	10	0.4	1.2	0.4	42	0.07	0.062	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

CERTIFICATE OF ANALYSIS WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109586	Soil	32	0.49	84	0.074	<1	2.21	0.007	0.06	0.1	0.02	1.9	<0.1	<0.05	7	<0.5	<0.2
1109587	Soil	25	0.39	135	0.014	<1	1.30	0.006	0.07	<0.1	0.03	0.8	<0.1	<0.05	5	<0.5	<0.2
1109588	Soil	27	0.43	130	0.024	<1	1.46	0.004	0.06	0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1109589	Soil	27	0.42	90	0.007	<1	1.40	0.006	0.06	<0.1	0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
1109590	Soil	53	0.69	243	0.012	<1	1.54	0.007	0.09	0.1	0.05	3.4	0.1	<0.05	5	<0.5	<0.2
1109591	Soil	26	0.37	225	0.038	<1	1.49	0.005	0.05	0.2	0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
1109592	Soil	41	0.49	106	0.024	<1	1.64	0.004	0.06	0.2	0.02	2.1	<0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

QUALITY CONTROL REPORT WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																						
1108806	Soil	0.8	20.1	19.5	123	<0.1	28.2	12.1	523	3.85	33.4	1.2	4.5	10	0.3	2.7	0.4	35	0.08	0.074	27	
REP 1108806	QC	0.9	21.2	20.8	126	<0.1	28.3	12.2	533	3.99	33.9	0.9	4.7	10	0.2	2.8	0.4	36	0.09	0.076	28	
1108808	Soil	0.7	13.6	15.5	93	0.1	23.5	9.4	515	3.33	22.6	3.2	4.2	10	0.2	1.5	0.3	38	0.36	0.047	20	
REP 1108808	QC	0.7	13.2	15.3	93	0.1	23.6	9.5	502	3.34	22.6	1.9	4.4	10	0.1	1.3	0.3	38	0.36	0.046	20	
1108953	Soil	0.5	19.1	20.4	45	<0.1	24.3	12.5	740	2.77	27.6	2.5	7.6	27	0.1	1.6	0.3	13	0.78	0.071	44	
REP 1108953	QC	0.4	19.7	21.3	47	<0.1	24.4	13.0	775	2.88	28.5	2.7	7.8	25	0.1	1.6	0.4	13	0.82	0.073	42	
1108966	Soil	0.4	8.3	8.4	32	<0.1	14.3	5.6	422	1.69	16.4	3.5	1.2	236	0.2	3.9	0.1	12	18.79	0.086	8	
REP 1108966	QC	0.3	8.2	8.7	31	<0.1	14.5	5.6	407	1.62	16.1	11.1	1.2	242	0.1	3.9	0.1	12	17.87	0.086	8	
1108982	Soil	0.3	5.7	6.3	19	<0.1	10.3	4.0	249	1.10	13.1	1.6	1.2	673	0.1	1.3	<0.1	9	25.65	0.066	5	
REP 1108982	QC	0.3	5.8	6.4	19	<0.1	10.2	4.1	253	1.12	13.3	0.5	1.3	657	0.1	1.3	<0.1	10	25.23	0.063	6	
1109514	Soil	0.7	22.7	16.9	63	0.1	26.9	10.3	317	3.33	9.5	<0.5	8.4	5	<0.1	0.7	0.3	18	0.03	0.033	32	
REP 1109514	QC	0.6	24.1	17.1	68	0.1	27.7	10.6	327	3.39	9.1	<0.5	8.4	5	<0.1	0.7	0.3	19	0.03	0.034	35	
1109521	Soil	0.6	21.9	16.2	69	<0.1	30.2	9.6	324	3.55	10.9	<0.5	5.3	6	0.1	0.7	0.2	18	0.06	0.047	29	
REP 1109521	QC	0.5	22.1	17.1	69	<0.1	30.0	9.7	329	3.48	11.2	1.3	5.5	6	<0.1	0.7	0.2	20	0.06	0.051	30	
1109547	Soil	0.6	25.8	27.0	93	0.1	36.1	18.5	791	3.62	33.1	0.8	7.6	35	0.5	1.4	0.4	19	3.32	0.118	32	
REP 1109547	QC	0.6	25.8	26.1	91	0.1	35.8	18.3	789	3.54	32.8	0.8	7.7	35	0.5	1.4	0.4	18	3.75	0.117	31	
1109589	Soil	1.2	31.1	17.2	92	0.3	32.5	14.5	615	3.70	14.6	5.0	7.4	11	0.1	1.2	0.5	37	0.07	0.071	27	
REP 1109589	QC	1.1	28.8	16.6	90	0.3	30.9	13.9	582	3.54	14.1	2.1	7.0	11	0.2	1.1	0.5	34	0.06	0.070	26	
Reference Materials																						
STD DS8	Standard	14.9	119.5	136.8	332	1.9	42.0	8.4	674	2.70	27.7	114.1	7.3	71	2.5	6.0	7.3	48	0.74	0.083	16	
STD DS8	Standard	12.7	113.1	135.8	318	1.9	39.0	7.8	622	2.51	25.5	112.8	7.8	74	2.5	6.5	8.1	45	0.68	0.080	15	
STD DS8	Standard	12.7	97.8	123.3	299	1.8	34.8	6.8	579	2.60	21.3	110.7	6.8	59	2.5	4.6	6.4	38	0.69	0.076	15	
STD DS8	Standard	11.6	96.1	110.5	279	1.5	33.6	6.9	552	2.19	22.9	93.5	6.8	60	2.2	5.0	6.7	38	0.62	0.070	14	
STD DS8	Standard	10.6	96.8	109.9	282	1.7	36.3	6.2	546	2.25	20.6	110.6	5.0	54	1.9	4.1	5.4	34	0.58	0.069	10	
STD DS8	Standard	12.7	109.9	118.2	316	1.8	37.2	7.6	640	2.55	25.8	123.5	6.5	70	2.3	6.0	6.3	43	0.72	0.085	15	
STD DS8	Standard	11.7	103.4	134.4	294	1.8	35.8	7.2	578	2.33	24.9	120.1	7.1	74	2.2	6.1	7.4	41	0.65	0.071	14	
STD DS8 Expected		13.44	110	123	312	1.69	36.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

QUALITY CONTROL REPORT WHI11000844.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1108806	Soil	35	0.54	119	0.008	<1	2.12	0.005	0.07	0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
REP 1108806	QC	36	0.55	124	0.008	<1	2.11	0.005	0.07	0.2	0.02	2.0	0.2	<0.05	6	<0.5	<0.2
1108808	Soil	31	0.49	159	0.018	1	1.79	0.006	0.05	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
REP 1108808	QC	30	0.49	160	0.017	<1	1.76	0.006	0.05	0.2	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
1108953	Soil	12	0.37	93	0.005	<1	0.74	0.004	0.06	<0.1	0.08	2.3	<0.1	<0.05	2	<0.5	<0.2
REP 1108953	QC	12	0.38	94	0.005	<1	0.75	0.003	0.05	<0.1	0.09	2.3	<0.1	<0.05	2	<0.5	<0.2
1108966	Soil	10	0.30	52	0.007	<1	0.60	0.002	0.03	0.2	0.10	1.1	<0.1	0.18	2	<0.5	<0.2
REP 1108966	QC	10	0.30	50	0.006	<1	0.60	0.003	0.03	0.2	0.10	1.0	<0.1	0.19	2	<0.5	<0.2
1108982	Soil	9	0.26	37	0.006	<1	0.40	0.002	0.02	0.1	0.04	0.7	<0.1	0.18	1	<0.5	<0.2
REP 1108982	QC	8	0.26	36	0.006	<1	0.42	0.002	0.02	0.1	0.05	0.7	<0.1	0.19	1	<0.5	<0.2
1109514	Soil	20	0.35	66	0.008	<1	1.34	0.003	0.07	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
REP 1109514	QC	20	0.36	71	0.010	<1	1.40	0.004	0.07	0.1	0.03	1.5	<0.1	<0.05	3	<0.5	<0.2
1109521	Soil	20	0.32	63	0.008	<1	1.25	0.006	0.06	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
REP 1109521	QC	21	0.33	63	0.009	1	1.26	0.004	0.06	0.1	0.02	1.4	<0.1	<0.05	3	0.9	<0.2
1109547	Soil	24	1.99	91	0.002	<1	2.12	0.005	0.04	<0.1	0.04	3.3	<0.1	<0.05	2	0.8	<0.2
REP 1109547	QC	23	2.18	88	0.002	<1	2.05	0.006	0.03	<0.1	0.03	3.2	<0.1	<0.05	2	0.5	<0.2
1109589	Soil	27	0.42	90	0.007	<1	1.40	0.006	0.06	<0.1	0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
REP 1109589	QC	25	0.42	85	0.006	<1	1.37	0.005	0.06	<0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	133	0.66	284	0.135	3	0.98	0.089	0.43	3.2	0.21	2.3	5.8	0.17	5	5.6	5.8
STD DS8	Standard	121	0.63	279	0.131	2	0.89	0.084	0.41	3.1	0.21	2.0	5.5	0.17	5	6.4	4.7
STD DS8	Standard	110	0.54	278	0.111	2	0.87	0.082	0.39	3.1	0.19	2.0	5.3	0.13	4	4.6	5.1
STD DS8	Standard	104	0.54	252	0.099	3	0.82	0.079	0.36	2.6	0.16	1.9	4.9	0.14	4	4.7	4.4
STD DS8	Standard	111	0.57	206	0.086	2	0.80	0.069	0.36	2.8	0.16	1.3	5.1	0.21	4	4.9	4.5
STD DS8	Standard	119	0.65	281	0.122	2	0.98	0.110	0.44	3.0	0.19	2.7	5.4	0.16	5	6.2	4.9
STD DS8	Standard	114	0.57	262	0.124	3	0.86	0.094	0.41	2.8	0.19	3.1	5.2	0.12	4	3.8	5.3
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

QUALITY CONTROL REPORT WHI11000844.2

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 03, 2011

QUALITY CONTROL REPORT WHI11000844.2

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 03, 2011
Report Date: October 01, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001013.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-015
P.O. Number
Number of Samples: 57

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	55	Dry at 60C			WHI
SS80	54	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	55	Saving all or part of Soil Reject			WHI
1DX2	56	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109667	Soil	1.5	41.5	28.5	143	0.3	60.6	18.1	168	2.95	15.5	1.2	9.0	30	0.6	1.2	0.5	21	0.38	0.057	44
1109668	Soil	0.9	42.2	20.8	65	0.1	40.8	25.9	352	2.63	9.5	2.6	8.8	25	0.3	0.8	0.4	21	0.34	0.048	28
1109669	Soil	0.4	14.8	7.8	59	0.1	16.5	5.9	172	1.63	3.6	<0.5	4.4	19	0.2	0.4	0.2	21	0.27	0.060	21
1109670	Soil	0.6	17.2	9.8	47	<0.1	19.1	5.7	193	1.89	7.4	1.9	7.6	16	0.2	0.8	0.2	20	0.20	0.054	25
1109671	Soil	1.1	21.7	18.6	89	0.1	22.6	11.3	645	2.55	8.9	1.3	3.3	22	0.3	0.6	0.4	31	0.24	0.060	20
1109672	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1109673	Soil	1.0	17.1	18.7	74	0.3	23.6	8.4	692	2.02	5.5	1.3	2.8	30	0.4	0.5	0.3	25	0.48	0.064	20
1109674	Soil	0.8	15.7	14.9	81	0.2	20.8	8.7	311	2.17	6.7	0.8	4.5	18	0.3	0.5	0.3	26	0.25	0.059	21
1109675	Soil	1.0	18.7	18.8	70	0.2	24.2	8.2	471	2.23	9.9	1.4	4.6	26	0.3	1.1	0.2	25	0.43	0.065	19
1109676	Soil	0.7	22.7	20.6	69	0.1	25.4	9.5	632	2.46	14.5	2.4	4.8	23	0.3	1.5	0.3	23	0.38	0.073	27
1109677	Soil	0.6	19.7	17.1	74	0.2	22.0	8.1	340	2.03	8.6	1.5	3.8	40	0.4	0.8	0.2	23	0.66	0.068	19
1109678	Soil	0.8	16.8	16.6	70	<0.1	20.9	9.1	403	2.39	12.1	3.7	3.8	20	0.1	1.3	0.3	26	0.30	0.062	23
1109679	Soil	0.7	19.3	17.7	63	0.1	21.5	8.3	400	2.23	14.7	2.5	3.7	36	0.2	1.5	0.3	23	0.60	0.071	23
1109680	Soil	0.8	19.5	17.8	70	0.1	25.8	8.4	336	2.31	9.8	0.7	4.0	29	0.3	0.9	0.3	34	0.43	0.051	24
1109681	Soil	1.0	33.7	23.3	87	<0.1	35.4	13.1	517	3.43	17.0	0.7	9.0	14	0.3	1.3	0.3	28	0.18	0.077	34
1109682	Soil	1.0	17.0	16.5	81	<0.1	23.3	8.4	257	2.58	11.2	0.9	8.1	12	<0.1	0.9	0.3	37	0.13	0.042	26
1109683	Soil	1.2	18.7	15.6	54	<0.1	17.8	5.9	163	2.30	12.0	1.1	7.7	9	0.2	1.3	0.3	34	0.06	0.023	27
1109684 AML-STD	Soil	1.3	400.3	22.8	154	0.2	191.4	67.6	754	14.20	2.7	28.6	7.7	17	0.1	0.4	0.2	181	0.27	0.037	18
1109685	Soil	0.9	19.8	22.4	69	<0.1	19.7	6.9	273	2.56	18.6	5.5	5.2	10	0.2	1.9	0.3	24	0.08	0.045	30
1109686	Soil	1.0	20.7	15.3	71	0.1	19.1	5.9	202	2.24	12.8	1.4	2.8	10	0.2	1.1	0.3	24	0.08	0.036	26
1109687	Soil	0.7	26.0	17.8	67	<0.1	23.1	10.0	368	2.55	15.0	2.2	8.9	13	0.2	1.4	0.3	22	0.12	0.046	32
1109688	Soil	0.9	28.6	20.0	71	<0.1	26.8	10.4	355	2.84	17.1	3.4	11.9	11	0.2	1.5	0.3	22	0.09	0.047	38
1109689	Soil	0.8	23.3	16.9	60	<0.1	20.8	8.6	309	2.54	13.7	1.7	9.5	9	0.1	2.0	0.3	22	0.09	0.045	32
1109690	Soil	1.7	21.7	18.4	65	0.2	25.4	10.7	451	2.17	7.1	1.1	6.0	25	0.3	0.8	0.2	28	0.41	0.057	25
1109691	Soil	1.0	17.4	13.3	51	<0.1	20.3	6.5	211	2.16	8.0	1.8	9.2	11	0.1	1.1	0.2	30	0.09	0.043	29
1109692	Soil	0.9	16.9	12.4	48	0.1	19.0	7.0	213	2.03	7.5	<0.5	7.8	9	0.3	0.9	0.2	33	0.06	0.035	22
1109693	Soil	1.1	15.6	15.3	65	0.1	18.6	6.4	218	2.42	7.6	9.2	7.9	10	0.1	0.6	0.3	38	0.07	0.031	23
1109694	Soil	0.8	24.0	16.5	59	<0.1	26.9	8.5	367	2.34	8.4	4.3	8.5	14	0.2	0.9	0.3	28	0.16	0.044	28
1109695	Soil	1.1	16.3	13.7	57	0.1	19.0	6.5	261	2.13	6.9	2.1	7.6	12	0.2	0.7	0.2	33	0.13	0.047	26
1109620	Soil	1.4	13.8	12.8	96	0.1	25.6	7.3	192	2.52	7.1	3.7	6.7	10	0.3	0.8	0.2	37	0.10	0.045	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109667	Soil	20	0.30	102	0.007	<1	1.15	0.007	0.07	0.1	0.09	3.9	<0.1	0.06	3	1.0	<0.2
1109668	Soil	20	0.41	82	0.017	1	1.13	0.009	0.07	<0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1109669	Soil	16	0.32	143	0.014	1	0.83	0.011	0.05	0.1	0.03	1.8	<0.1	<0.05	3	<0.5	<0.2
1109670	Soil	16	0.29	104	0.022	1	0.66	0.009	0.06	0.2	0.03	2.1	<0.1	<0.05	2	<0.5	<0.2
1109671	Soil	22	0.33	246	0.011	1	1.30	0.008	0.09	0.2	0.04	2.3	0.1	<0.05	4	<0.5	<0.2
1109672	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1109673	Soil	20	0.31	208	0.009	2	1.14	0.008	0.07	0.2	0.05	2.2	<0.1	0.06	3	0.7	<0.2
1109674	Soil	19	0.32	165	0.009	1	0.97	0.007	0.06	0.1	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1109675	Soil	21	0.32	167	0.008	<1	0.93	0.008	0.06	0.2	0.04	2.2	<0.1	<0.05	3	0.7	<0.2
1109676	Soil	19	0.33	151	0.009	<1	1.08	0.007	0.07	0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1109677	Soil	17	0.29	102	0.008	<1	0.98	0.009	0.06	0.2	0.05	2.0	<0.1	0.06	3	0.7	<0.2
1109678	Soil	20	0.31	107	0.008	<1	0.99	0.006	0.06	0.2	0.04	2.0	<0.1	<0.05	3	<0.5	<0.2
1109679	Soil	19	0.29	126	0.009	1	0.98	0.006	0.05	0.1	0.06	2.1	<0.1	0.05	3	0.6	<0.2
1109680	Soil	27	0.33	214	0.017	<1	1.25	0.007	0.06	0.2	0.04	2.6	<0.1	<0.05	4	0.5	<0.2
1109681	Soil	23	0.39	157	0.009	1	1.33	0.008	0.08	0.2	0.03	3.3	0.1	<0.05	3	<0.5	<0.2
1109682	Soil	29	0.45	146	0.021	<1	1.44	0.005	0.06	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
1109683	Soil	24	0.29	127	0.013	<1	1.29	0.005	0.06	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1109684 AML-STD	Soil	547	0.13	142	0.160	4	3.95	0.012	0.06	<0.1	0.03	31.6	<0.1	<0.05	19	0.6	<0.2
1109685	Soil	13	0.26	142	0.005	<1	1.12	0.006	0.09	0.2	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
1109686	Soil	16	0.25	146	0.007	1	0.97	0.006	0.09	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109687	Soil	16	0.28	149	0.012	1	0.94	0.008	0.09	0.1	0.03	2.6	<0.1	<0.05	3	<0.5	<0.2
1109688	Soil	18	0.32	103	0.015	<1	0.97	0.008	0.07	0.1	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2
1109689	Soil	17	0.29	86	0.010	<1	0.85	0.005	0.06	0.1	0.01	1.9	<0.1	<0.05	3	0.5	<0.2
1109690	Soil	21	0.30	255	0.017	1	0.99	0.011	0.07	0.1	0.04	3.1	<0.1	<0.05	3	0.9	<0.2
1109691	Soil	25	0.38	108	0.029	1	1.19	0.008	0.06	0.2	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1109692	Soil	19	0.26	145	0.021	1	1.13	0.009	0.06	0.1	0.02	2.4	<0.1	<0.05	4	0.7	<0.2
1109693	Soil	26	0.36	131	0.030	<1	1.45	0.007	0.08	0.2	0.04	2.6	0.1	<0.05	5	0.6	<0.2
1109694	Soil	21	0.35	164	0.019	1	1.00	0.009	0.07	0.2	0.03	2.6	<0.1	<0.05	3	<0.5	<0.2
1109695	Soil	25	0.38	131	0.028	<1	1.23	0.007	0.07	0.2	0.02	2.5	<0.1	<0.05	4	0.6	<0.2
1109620	Soil	31	0.39	122	0.054	1	1.39	0.008	0.07	0.2	0.02	2.1	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109701	Soil	0.9	22.6	17.0	60	0.2	26.4	8.7	549	2.08	6.3	1.9	2.7	61	0.3	0.6	0.2	23	0.87	0.060	19
1109702	Soil	1.0	24.7	24.3	66	0.2	28.5	10.4	669	2.48	6.6	3.8	3.8	39	0.2	0.4	0.3	28	0.43	0.055	23
1109703	Soil	0.9	31.1	17.3	66	0.2	29.0	9.1	434	2.39	7.2	<0.5	2.9	65	0.2	0.5	0.3	26	0.73	0.055	24
1109704	Soil	0.8	19.3	16.8	60	<0.1	21.9	8.0	368	2.32	6.6	1.5	4.8	24	0.1	0.5	0.2	25	0.22	0.051	26
1109705	Soil	1.2	31.5	26.6	73	0.2	29.5	10.5	368	2.76	8.3	1.0	4.1	47	0.2	0.5	0.4	29	0.63	0.054	25
1109706	Soil	1.2	27.8	21.2	67	0.2	25.1	9.0	408	2.49	7.7	1.3	3.5	49	0.2	0.6	0.3	25	0.61	0.058	23
1109707	Soil	0.8	22.8	22.2	63	0.2	25.6	10.0	364	2.39	7.2	2.3	4.2	46	0.3	0.6	0.3	20	0.69	0.056	22
1109708	Soil	0.9	16.4	17.6	59	0.1	21.2	9.7	537	2.31	7.4	2.2	4.2	23	0.2	0.4	0.3	22	0.30	0.051	22
1109709	Soil	0.9	20.5	16.9	59	0.2	22.7	9.6	528	2.28	5.9	2.6	2.5	23	0.1	0.3	0.3	23	0.31	0.067	17
1109710	Soil	1.0	20.2	26.9	76	<0.1	22.9	14.4	690	2.75	8.2	1.6	3.8	24	0.2	0.5	0.3	26	0.31	0.057	22
1109711	Soil	0.9	20.2	18.6	57	<0.1	25.7	9.0	494	2.29	6.8	2.3	3.2	19	0.1	0.4	0.3	21	0.28	0.051	17
1109712 AML-STD	Soil	1.1	378.7	22.3	148	0.2	174.2	66.6	706	12.61	2.7	29.7	7.3	13	<0.1	0.2	0.2	177	0.26	0.041	16
1109713	Soil	0.8	19.5	18.9	57	<0.1	20.8	7.3	233	2.24	7.7	2.2	6.8	12	<0.1	0.6	0.3	16	0.15	0.047	26
1109714	Soil	1.1	19.5	19.2	63	0.1	19.8	7.5	277	2.40	6.9	0.7	1.7	14	0.2	0.4	0.3	24	0.23	0.058	19
1109715	Soil	1.2	27.4	19.9	73	<0.1	23.1	8.4	193	3.17	8.1	1.6	13.0	5	<0.1	0.5	0.3	18	0.02	0.030	35
1109716	Soil	1.1	15.6	16.3	63	<0.1	19.1	6.7	228	2.70	8.7	1.3	5.7	7	0.1	0.5	0.3	35	0.05	0.047	19
1109717	Soil	1.0	14.3	15.6	58	<0.1	22.3	6.2	171	2.39	7.0	1.9	6.1	8	0.2	0.5	0.3	25	0.08	0.034	19
1109718	Soil	0.8	20.1	15.6	59	0.2	22.1	8.7	416	2.14	6.9	3.5	3.2	15	0.1	0.5	0.3	19	0.23	0.053	21
1109719	Soil	0.9	43.9	19.3	52	0.4	33.4	14.3	401	2.22	5.4	2.2	2.2	40	0.2	0.4	0.3	21	0.67	0.085	18
1109720	Soil	0.7	14.9	13.7	52	<0.1	18.1	6.4	237	2.10	5.9	1.5	4.3	13	<0.1	0.3	0.2	20	0.17	0.042	22
1109721	Soil	0.9	14.7	17.8	59	0.1	18.7	8.0	412	2.13	4.9	0.6	1.5	22	0.2	0.3	0.3	27	0.21	0.059	17
1109722	Soil	0.8	15.4	16.1	65	0.1	22.4	7.3	296	2.25	5.5	1.8	2.2	12	0.1	0.3	0.3	23	0.12	0.058	18
1109723	Soil	0.8	18.1	17.7	63	<0.1	19.7	8.7	400	2.37	5.0	0.7	3.0	20	0.1	0.2	0.3	23	0.22	0.044	21
1109724	Rock Pulp	4.0	22.6	2.2	35	0.2	21.9	7.8	299	1.95	3.1	<0.5	0.8	24	0.1	0.3	<0.1	46	0.54	0.055	4
1109725	Soil	0.7	28.0	20.1	70	0.3	34.6	9.8	299	2.56	5.2	1.5	3.2	25	0.1	0.3	0.3	19	0.23	0.069	19
1109726	Soil	1.1	38.5	23.9	85	0.3	37.5	10.6	480	2.98	7.2	1.0	3.7	29	0.3	0.4	0.4	24	0.35	0.069	26
1109727	Soil	0.8	17.1	15.8	68	<0.1	18.9	7.9	360	2.51	7.6	3.6	3.8	14	0.2	0.4	0.3	22	0.19	0.050	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

CERTIFICATE OF ANALYSIS WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109701	Soil	26	0.35	124	0.011	2	1.05	0.009	0.06	0.1	0.04	2.0	<0.1	0.06	3	0.8	<0.2
1109702	Soil	31	0.39	156	0.010	1	1.23	0.007	0.08	0.1	0.05	2.4	<0.1	<0.05	4	0.6	<0.2
1109703	Soil	28	0.38	138	0.011	2	1.23	0.009	0.08	0.1	0.05	2.4	<0.1	0.06	4	0.9	<0.2
1109704	Soil	27	0.35	120	0.017	1	0.99	0.008	0.06	0.1	0.03	2.1	<0.1	<0.05	3	<0.5	<0.2
1109705	Soil	27	0.37	181	0.012	1	1.41	0.009	0.09	0.1	0.06	2.7	<0.1	0.05	4	1.0	<0.2
1109706	Soil	24	0.34	116	0.010	1	1.12	0.007	0.08	0.1	0.05	2.2	<0.1	<0.05	3	0.7	<0.2
1109707	Soil	19	0.25	140	0.005	<1	0.87	0.005	0.06	0.1	0.05	2.0	<0.1	<0.05	3	0.5	<0.2
1109708	Soil	24	0.35	131	0.013	<1	0.93	0.005	0.05	0.1	0.02	1.7	<0.1	<0.05	3	<0.5	<0.2
1109709	Soil	25	0.32	161	0.006	<1	1.20	0.005	0.07	0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
1109710	Soil	28	0.37	156	0.011	1	1.19	0.007	0.10	0.2	0.02	2.1	<0.1	0.08	4	<0.5	<0.2
1109711	Soil	27	0.34	125	0.008	<1	0.93	0.004	0.05	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109712 AML-STD	Soil	542	0.10	137	0.123	2	3.32	0.011	0.06	<0.1	0.03	28.0	0.1	<0.05	18	<0.5	<0.2
1109713	Soil	14	0.27	75	0.009	<1	0.72	0.004	0.04	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2
1109714	Soil	19	0.28	139	0.005	<1	1.13	0.004	0.05	0.2	<0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
1109715	Soil	19	0.47	60	0.005	<1	1.38	0.003	0.03	<0.1	<0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109716	Soil	21	0.33	85	0.013	<1	1.26	0.003	0.04	0.2	<0.01	1.5	0.1	<0.05	4	<0.5	<0.2
1109717	Soil	21	0.34	109	0.008	<1	1.23	0.004	0.04	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109718	Soil	19	0.29	82	0.008	<1	0.90	0.004	0.03	0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1109719	Soil	20	0.32	114	0.007	<1	1.21	0.007	0.04	0.1	0.06	1.5	<0.1	<0.05	3	0.6	<0.2
1109720	Soil	21	0.37	85	0.008	<1	0.91	0.004	0.03	0.1	<0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1109721	Soil	21	0.33	157	0.007	<1	1.13	0.005	0.05	0.1	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109722	Soil	25	0.36	125	0.006	<1	1.17	0.004	0.05	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109723	Soil	22	0.38	149	0.005	<1	1.17	0.005	0.05	0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109724	Rock Pulp	33	0.51	76	0.076	1	1.00	0.042	0.06	8.7	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2
1109725	Soil	22	0.44	153	0.004	<1	1.35	0.009	0.06	0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
1109726	Soil	20	0.36	168	0.005	<1	1.59	0.007	0.08	<0.1	0.06	2.3	<0.1	<0.05	4	<0.5	<0.2
1109727	Soil	17	0.35	152	0.005	<1	1.26	0.005	0.08	0.1	0.01	1.6	<0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

QUALITY CONTROL REPORT WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1109673	Soil	1.0	17.1	18.7	74	0.3	23.6	8.4	692	2.02	5.5	1.3	2.8	30	0.4	0.5	0.3	25	0.48	0.064	20
REP 1109673	QC	0.9	17.8	18.0	76	0.2	23.3	8.3	704	2.02	5.8	1.4	2.8	31	0.4	0.5	0.3	26	0.48	0.062	19
1109693	Soil	1.1	15.6	15.3	65	0.1	18.6	6.4	218	2.42	7.6	9.2	7.9	10	0.1	0.6	0.3	38	0.07	0.031	23
REP 1109693	QC	1.1	15.4	14.5	64	0.1	18.7	6.4	216	2.44	7.6	1.4	7.8	10	0.2	0.7	0.3	39	0.07	0.032	23
1109710	Soil	1.0	20.2	26.9	76	<0.1	22.9	14.4	690	2.75	8.2	1.6	3.8	24	0.2	0.5	0.3	26	0.31	0.057	22
REP 1109710	QC	1.0	20.1	26.7	75	<0.1	23.3	14.0	699	2.75	8.2	1.8	3.7	24	0.2	0.4	0.3	27	0.31	0.059	22
1109711	Soil	0.9	20.2	18.6	57	<0.1	25.7	9.0	494	2.29	6.8	2.3	3.2	19	0.1	0.4	0.3	21	0.26	0.051	17
REP 1109711	QC	0.9	19.8	18.4	54	<0.1	25.1	9.1	462	2.34	6.6	0.7	2.9	19	0.1	0.4	0.3	20	0.26	0.052	17
Reference Materials																					
STD DS8	Standard	13.0	105.7	125.6	312	1.8	36.8	7.4	631	2.54	24.7	101.7	6.8	64	2.1	5.4	6.4	41	0.70	0.082	16
STD DS8	Standard	12.5	109.2	128.5	304	1.8	37.4	7.5	597	2.35	23.9	113.7	6.6	58	2.2	5.1	6.8	40	0.65	0.082	14
STD DS8	Standard	13.5	116.9	123.0	318	1.8	38.9	8.1	635	2.52	26.0	126.3	6.6	66	2.3	5.7	6.6	46	0.72	0.089	16
STD DS8	Standard	13.7	113.7	123.4	305	1.8	37.0	7.4	598	2.39	24.9	104.1	7.4	70	2.2	6.0	7.1	43	0.71	0.077	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: October 01, 2011

QUALITY CONTROL REPORT WHI11001013.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1109673	Soil	20	0.31	208	0.009	2	1.14	0.008	0.07	0.2	0.05	2.2	<0.1	0.06	3	0.7	<0.2
REP 1109673	QC	19	0.31	210	0.009	1	1.13	0.008	0.07	0.2	0.06	2.3	<0.1	0.05	4	0.5	<0.2
1109693	Soil	26	0.36	131	0.030	<1	1.45	0.007	0.08	0.2	0.04	2.6	0.1	<0.05	5	0.6	<0.2
REP 1109693	QC	26	0.35	132	0.028	1	1.43	0.008	0.08	0.2	0.04	2.7	0.1	<0.05	5	0.6	<0.2
1109710	Soil	28	0.37	156	0.011	1	1.19	0.007	0.10	0.2	0.02	2.1	<0.1	0.08	4	<0.5	<0.2
REP 1109710	QC	28	0.38	152	0.012	<1	1.21	0.007	0.10	0.2	0.03	2.1	<0.1	<0.05	4	<0.5	<0.2
1109711	Soil	27	0.34	125	0.008	<1	0.93	0.004	0.05	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
REP 1109711	QC	26	0.33	125	0.008	<1	0.92	0.004	0.05	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	116	0.63	284	0.114	3	0.93	0.100	0.40	3.1	0.21	2.5	5.5	0.21	5	5.4	5.5
STD DS8	Standard	118	0.60	268	0.105	2	0.86	0.075	0.40	3.0	0.20	1.8	5.6	0.13	4	5.0	4.9
STD DS8	Standard	124	0.64	289	0.120	3	0.98	0.103	0.43	3.0	0.21	2.4	5.5	0.21	5	5.3	5.0
STD DS8	Standard	116	0.60	279	0.122	2	0.92	0.102	0.42	3.0	0.20	2.7	5.3	0.17	5	5.1	4.9
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 13, 2011
Report Date: September 10, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001014.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-012
P.O. Number
Number of Samples: 135

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	131	Dry at 60C			WHI
SS80	126	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	131	Saving all or part of Soil Reject			WHI
1DX2	135	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108814	Soil	0.6	31.9	74.2	100	2.7	30.5	12.4	797	3.16	145.6	21.3	4.2	46	0.6	23.0	0.3	23	2.30	0.105	39
1108815	Soil	0.7	20.8	52.3	97	0.5	30.3	12.3	856	3.07	77.1	5.7	3.5	45	0.4	9.3	0.2	28	1.90	0.138	39
1108816	Soil	1.0	20.7	30.0	110	0.1	30.8	10.5	425	3.33	39.1	<0.5	6.7	13	0.4	8.2	0.3	31	0.21	0.095	21
1108817	Soil	0.9	18.2	31.0	125	0.3	32.3	11.9	277	3.77	50.3	<0.5	6.9	14	0.6	7.8	0.3	43	0.27	0.059	22
1108818	Soil	1.2	19.8	24.3	76	0.2	28.8	10.7	444	2.97	32.8	1.6	7.1	14	0.5	2.6	0.3	34	0.28	0.044	26
1108819	Soil	1.2	18.0	22.7	91	0.6	31.1	10.8	671	3.51	29.0	<0.5	7.7	15	0.6	2.7	0.3	33	0.27	0.088	20
1108820	Soil	1.3	11.4	16.6	89	<0.1	20.9	8.1	220	2.93	14.4	<0.5	6.4	8	0.3	1.1	0.3	39	0.12	0.043	20
1108821	Soil	1.4	18.2	18.1	76	0.2	25.7	9.3	238	3.04	25.5	<0.5	6.5	11	0.4	1.5	0.3	34	0.15	0.074	21
1108822	Soil	1.1	10.7	15.1	74	0.1	16.4	5.8	172	2.50	12.0	<0.5	5.9	8	0.4	1.4	0.2	34	0.07	0.052	21
1108823	Soil	0.9	23.8	26.2	95	0.4	31.7	11.1	559	3.10	27.9	0.6	8.1	20	0.4	6.6	0.3	34	0.56	0.080	28
1108824 CDN BL-8	Rock Pulp	3.7	20.0	2.2	34	0.2	19.7	6.9	293	1.86	2.9	<0.5	0.9	28	0.2	0.3	<0.1	42	0.55	0.045	4
1108825	Soil	1.3	26.4	20.2	80	0.5	22.0	7.7	353	2.64	23.7	1.3	4.6	23	0.8	1.3	0.3	30	0.34	0.092	25
1108826	Soil	1.0	19.4	17.0	72	0.2	22.9	10.4	674	2.51	16.7	2.2	6.4	18	0.3	3.1	0.2	28	0.31	0.085	24
1108827	Soil	1.4	18.9	21.6	76	0.2	22.6	7.8	252	3.28	32.8	<0.5	6.7	8	0.5	2.3	0.3	35	0.08	0.101	22
1108828	Soil	0.8	8.9	10.3	57	0.4	14.4	5.1	179	2.14	7.2	1.1	5.2	8	0.1	0.7	0.2	35	0.07	0.046	17
1108829	Soil	1.5	13.5	12.8	60	<0.1	22.6	6.7	204	2.33	65.6	5.3	4.1	9	<0.1	0.9	0.2	31	0.11	0.036	15
1108830	Soil	1.2	24.9	20.1	85	0.1	27.3	10.7	453	3.53	20.3	<0.5	9.3	16	0.2	2.1	0.4	35	0.07	0.068	27
1108831	Soil	1.1	29.7	15.7	74	<0.1	18.9	7.9	319	3.67	8.3	1.5	10.3	22	<0.1	0.7	0.3	34	0.07	0.049	30
1108832	Soil	0.9	13.8	11.6	56	<0.1	17.5	5.8	180	2.42	12.9	3.9	5.2	11	<0.1	0.8	0.4	31	0.11	0.104	19
1108833	Soil	1.3	21.5	13.2	69	<0.1	21.4	8.7	246	3.08	10.3	0.9	9.1	15	0.1	1.0	0.3	33	0.06	0.071	24
1108834	Soil	1.1	15.7	14.6	81	<0.1	17.5	7.2	244	3.96	8.1	1.0	8.7	11	0.2	0.9	0.4	43	0.09	0.135	25
1108835	Soil	1.1	12.2	9.6	50	<0.1	17.5	6.1	207	2.02	6.8	3.0	5.1	9	0.1	0.9	0.2	34	0.09	0.032	18
1108836	Soil	1.2	13.2	11.2	58	0.1	18.6	6.0	213	2.19	6.2	4.1	5.7	9	0.1	0.8	0.2	34	0.10	0.034	19
1108837	Soil	1.2	14.1	11.6	62	0.1	22.0	6.4	236	2.28	6.4	1.9	5.5	11	0.2	0.9	0.2	37	0.10	0.036	20
1108838	Soil	1.2	15.2	11.4	67	0.1	19.5	5.9	208	2.15	6.2	3.0	5.6	10	0.3	0.7	0.2	32	0.11	0.037	19
1108839	Soil	1.3	12.7	12.3	60	0.1	20.2	5.4	205	1.86	5.4	0.8	1.5	8	0.2	0.7	0.2	28	0.08	0.037	15
1108840	Soil	1.1	14.8	12.0	56	0.1	20.4	7.2	284	2.22	6.2	0.5	5.5	11	0.3	1.2	0.2	35	0.12	0.038	20
1108841	Soil	0.8	23.6	18.8	69	0.2	25.4	9.8	399	2.53	16.5	1.0	5.9	22	0.4	1.8	0.3	29	0.40	0.064	26
1108842	Soil	1.3	16.8	11.6	63	0.2	24.9	7.0	221	2.38	9.6	2.8	2.4	10	0.3	1.3	0.2	32	0.09	0.040	19
1108843	Soil	1.2	17.6	13.0	74	0.1	24.6	9.1	287	2.63	8.7	0.7	7.3	12	0.2	1.0	0.2	31	0.12	0.048	27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108814	Soil	18	0.28	88	0.005	1	1.19	0.005	0.05	0.4	0.14	4.4	0.2	<0.05	3	<0.5	<0.2
1108815	Soil	23	0.40	153	0.015	<1	1.37	0.007	0.04	0.4	0.08	4.1	0.1	<0.05	3	0.7	<0.2
1108816	Soil	23	0.45	107	0.009	<1	1.42	0.004	0.06	0.4	0.04	2.2	0.2	<0.05	4	<0.5	<0.2
1108817	Soil	27	0.44	146	0.026	2	1.80	0.006	0.06	0.2	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
1108818	Soil	24	0.42	166	0.006	<1	1.64	0.005	0.06	0.2	0.04	2.5	0.2	<0.05	5	<0.5	<0.2
1108819	Soil	25	0.32	143	0.021	4	1.97	0.006	0.05	0.3	0.05	2.4	0.1	<0.05	4	<0.5	<0.2
1108820	Soil	24	0.38	103	0.033	<1	1.36	0.004	0.06	0.3	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1108821	Soil	22	0.42	130	0.011	1	1.25	0.004	0.07	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1108822	Soil	20	0.31	98	0.019	1	1.05	0.005	0.06	0.2	0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
1108823	Soil	24	0.39	213	0.025	2	1.36	0.006	0.08	0.3	0.05	2.7	0.2	<0.05	4	<0.5	<0.2
1108824 CDN BL-8	Rock Pulp	29	0.47	75	0.086	2	0.96	0.047	0.05	8.3	0.02	2.8	<0.1	<0.05	3	<0.5	<0.2
1108825	Soil	23	0.31	324	0.003	<1	1.53	0.004	0.06	0.2	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
1108826	Soil	19	0.41	218	0.011	2	1.05	0.010	0.06	0.2	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2
1108827	Soil	22	0.33	133	0.011	<1	1.16	0.005	0.07	0.3	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1108828	Soil	22	0.31	92	0.022	1	1.17	0.005	0.05	0.2	0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1108829	Soil	25	0.32	106	0.010	<1	0.98	0.005	0.05	0.2	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1108830	Soil	29	0.49	138	0.008	<1	1.67	0.009	0.06	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
1108831	Soil	29	0.55	132	0.007	<1	1.81	0.013	0.05	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
1108832	Soil	24	0.31	84	0.012	<1	1.11	0.004	0.05	0.2	0.01	1.7	<0.1	<0.05	4	0.7	<0.2
1108833	Soil	30	0.46	107	0.012	<1	1.44	0.012	0.05	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1108834	Soil	32	0.45	68	0.029	1	1.65	0.006	0.06	0.2	0.02	1.8	<0.1	<0.05	6	<0.5	<0.2
1108835	Soil	21	0.38	105	0.010	<1	1.02	0.004	0.06	<0.1	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
1108836	Soil	27	0.39	115	0.012	<1	1.18	0.005	0.07	0.1	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1108837	Soil	27	0.42	121	0.012	1	1.25	0.005	0.07	0.2	0.02	2.2	<0.1	<0.05	4	0.6	<0.2
1108838	Soil	25	0.38	131	0.008	<1	1.23	0.005	0.08	0.1	0.03	2.3	0.1	<0.05	3	<0.5	<0.2
1108839	Soil	25	0.29	98	0.008	1	0.89	0.004	0.07	<0.1	0.03	1.4	0.1	<0.05	3	<0.5	<0.2
1108840	Soil	27	0.43	138	0.011	<1	1.26	0.005	0.07	0.1	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
1108841	Soil	22	0.37	192	0.011	1	1.17	0.007	0.10	0.1	0.03	2.7	0.1	<0.05	3	0.8	<0.2
1108842	Soil	27	0.39	101	0.010	<1	1.14	0.004	0.07	0.2	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1108843	Soil	26	0.44	119	0.011	1	1.32	0.005	0.08	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1108844	Soil	1.2	10.3	9.7	60	0.1	16.0	5.3	210	2.04	5.9	0.6	3.5	10	0.2	0.6	0.2	31	0.11	0.044	19
1108845	Soil	1.0	12.0	11.3	53	<0.1	22.6	7.1	247	2.26	6.2	1.2	6.2	12	0.2	0.7	0.2	36	0.13	0.040	20
1108846	Soil	1.2	9.6	12.2	113	0.6	17.4	6.7	246	2.44	6.5	1.2	5.4	9	0.7	0.8	0.2	37	0.10	0.089	19
1108847	Soil	1.5	14.7	10.5	60	<0.1	20.7	6.5	213	2.46	6.3	2.9	5.0	10	<0.1	1.0	0.2	37	0.09	0.031	17
1108848 AML-STD	Soil	1.2	389.9	21.8	151	0.2	195.9	69.9	751	14.18	2.8	25.9	6.9	15	0.1	0.2	0.2	191	0.27	0.035	17
1108849	Soil	1.6	17.2	13.2	77	0.3	21.9	6.6	213	2.49	6.9	4.7	5.4	10	0.2	1.1	0.2	37	0.11	0.038	16
1108850	Soil	1.9	16.2	12.0	79	0.4	19.4	6.2	189	2.52	7.6	2.0	6.4	9	0.3	2.0	0.3	33	0.07	0.057	26
1109551	Soil	1.6	7.2	12.6	50	0.5	9.5	3.5	129	2.09	5.6	<0.5	4.9	9	0.3	1.0	0.3	45	0.06	0.058	18
1109552	Soil	1.8	16.8	14.1	66	0.4	20.1	5.7	201	2.29	6.3	2.8	4.2	11	0.4	1.0	0.2	42	0.14	0.042	18
1109553	Soil	1.2	19.6	14.0	80	0.3	23.4	8.3	341	2.30	8.8	1.2	5.2	16	0.3	2.0	0.3	36	0.20	0.057	21
1109554	Soil	1.7	22.3	15.9	74	0.3	21.6	8.9	449	2.30	8.2	3.0	4.7	20	0.4	3.0	0.2	34	0.30	0.072	21
1109555	Soil	1.1	17.4	14.4	57	0.3	17.0	6.5	296	2.06	8.4	0.8	3.2	21	0.3	1.7	0.3	33	0.31	0.056	23
1109556	Soil	1.2	10.0	10.1	46	0.1	12.1	3.9	141	1.63	6.0	1.8	4.2	10	0.2	1.6	0.2	30	0.11	0.048	21
1109557	Soil	1.7	16.5	15.6	67	0.7	21.9	5.9	179	2.68	19.3	1.0	3.0	7	0.3	2.5	0.3	47	0.05	0.044	17
1109558	Soil	1.1	15.9	12.6	52	0.7	21.6	5.1	207	1.73	14.5	2.5	1.7	14	0.5	1.5	0.2	27	0.18	0.053	22
1109559	Soil	1.6	34.5	16.0	108	1.9	32.8	11.6	814	2.58	15.7	2.4	1.7	25	0.6	2.3	0.2	38	0.38	0.145	27
1109560	Rock Pulp	3.6	20.3	5.1	34	0.2	19.2	7.0	312	1.81	3.4	<0.5	0.9	29	0.2	0.3	<0.1	42	0.63	0.044	4
1109561	Soil	1.3	25.2	16.2	72	0.5	29.8	9.2	579	2.18	9.4	4.8	4.4	47	1.2	1.3	0.2	34	0.90	0.067	20
1109562 AML-STD	Soil	1.1	399.5	22.2	153	0.2	195.7	69.4	750	14.13	3.2	25.6	7.1	15	0.1	0.3	0.2	193	0.28	0.037	17
1109563	Soil	1.4	24.1	24.1	67	0.4	30.5	8.6	510	2.27	9.1	1.9	6.2	35	0.3	1.5	0.2	36	0.59	0.057	21
1109564	Soil	1.5	15.8	14.0	57	0.1	17.4	6.3	264	2.21	8.6	2.4	6.6	13	0.2	0.9	0.2	42	0.17	0.039	21
1109565	Soil	1.6	32.2	23.1	105	0.9	26.7	10.8	462	2.80	7.8	2.9	1.9	15	0.9	1.0	0.3	47	0.15	0.106	21
1109566	Soil	1.6	15.7	13.7	65	0.1	24.8	7.6	285	2.43	10.5	2.3	6.3	10	0.3	2.7	0.2	47	0.13	0.042	19
1109567	Soil	1.6	19.1	12.6	68	<0.1	25.4	7.4	255	2.74	8.4	1.7	5.6	11	0.2	1.1	0.2	50	0.18	0.058	18
1109568	Soil	1.0	18.8	14.9	68	<0.1	27.5	11.0	298	2.88	9.5	0.9	7.1	9	0.1	0.8	0.3	40	0.13	0.044	23
1109569	Soil	0.9	16.9	12.0	50	<0.1	20.8	8.6	314	2.19	12.7	<0.5	6.8	12	0.1	1.0	0.2	35	0.13	0.034	22
1109570	Soil	1.2	16.8	16.7	75	0.4	19.8	9.3	217	3.65	13.6	1.0	6.5	7	0.3	0.9	0.3	50	0.05	0.084	20
1109571	Soil	0.9	28.6	11.0	69	<0.1	26.7	12.8	539	3.41	9.8	2.4	5.1	20	0.1	1.8	0.2	64	0.23	0.035	16
1109572	Soil	1.2	26.6	14.4	92	0.1	29.7	13.0	336	4.23	17.6	<0.5	8.6	7	0.1	1.8	0.3	34	0.05	0.042	21
1109573	Soil	0.9	19.0	17.3	64	0.1	26.7	7.3	205	2.79	44.4	1.7	7.4	7	0.1	1.7	0.3	37	0.06	0.094	24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1108844	Soil	21	0.38	99	0.016	1	1.07	0.005	0.08	0.1	<0.01	1.6	<0.1	<0.05	4	0.5	<0.2
1108845	Soil	29	0.47	114	0.018	<1	1.28	0.006	0.07	0.2	<0.01	2.2	<0.1	<0.05	4	0.9	<0.2
1108846	Soil	26	0.38	85	0.025	1	1.33	0.006	0.07	0.2	0.02	1.7	<0.1	<0.05	4	0.6	<0.2
1108847	Soil	27	0.43	130	0.010	<1	1.42	0.005	0.06	<0.1	<0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
1108848 AML-STD	Soil	599	0.12	131	0.157	4	3.47	0.011	0.07	<0.1	0.04	30.8	<0.1	<0.05	19	<0.5	<0.2
1108849	Soil	29	0.47	163	0.012	<1	1.54	0.005	0.08	0.1	0.03	2.6	0.1	<0.05	5	1.1	<0.2
1108850	Soil	21	0.38	100	0.007	<1	1.18	0.004	0.07	0.2	0.03	1.9	0.1	<0.05	3	1.2	<0.2
1109551	Soil	18	0.26	103	0.027	<1	1.01	0.004	0.06	0.2	0.02	1.3	<0.1	<0.05	5	1.1	<0.2
1109552	Soil	27	0.46	351	0.009	<1	1.55	0.005	0.08	0.1	0.02	2.4	0.1	<0.05	5	0.9	<0.2
1109553	Soil	24	0.49	303	0.010	<1	1.40	0.005	0.08	0.1	0.02	2.5	0.1	<0.05	4	0.6	<0.2
1109554	Soil	23	0.44	333	0.011	<1	1.11	0.008	0.11	<0.1	0.03	2.9	0.1	<0.05	4	1.1	<0.2
1109555	Soil	20	0.34	435	0.008	1	1.26	0.007	0.09	0.1	0.04	2.6	0.1	<0.05	4	1.0	<0.2
1109556	Soil	17	0.30	187	0.006	1	1.05	0.005	0.08	<0.1	0.03	1.8	0.1	<0.05	4	<0.5	<0.2
1109557	Soil	25	0.29	94	0.006	<1	1.16	0.005	0.06	0.1	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1109558	Soil	24	0.30	291	0.006	<1	1.04	0.006	0.07	<0.1	0.05	1.9	<0.1	<0.05	3	0.8	<0.2
1109559	Soil	39	0.36	407	0.008	<1	1.82	0.006	0.07	0.1	0.13	3.2	0.1	<0.05	4	2.1	<0.2
1109560	Rock Pulp	30	0.50	71	0.091	3	0.99	0.049	0.07	8.2	0.03	2.8	<0.1	<0.05	4	0.6	<0.2
1109561	Soil	32	0.45	244	0.014	2	1.28	0.011	0.10	0.1	0.08	3.7	0.1	<0.05	4	1.2	<0.2
1109562 AML-STD	Soil	597	0.12	138	0.161	3	3.47	0.011	0.07	<0.1	0.04	29.6	<0.1	<0.05	20	<0.5	<0.2
1109563	Soil	29	0.49	179	0.019	2	1.13	0.012	0.12	0.1	0.06	3.5	0.1	<0.05	3	1.4	<0.2
1109564	Soil	22	0.41	166	0.023	1	1.40	0.007	0.08	0.1	0.03	2.6	0.1	<0.05	4	0.8	<0.2
1109565	Soil	34	0.43	385	0.007	<1	2.22	0.007	0.11	0.2	0.09	2.4	0.2	<0.05	6	1.0	<0.2
1109566	Soil	29	0.45	191	0.014	1	1.65	0.005	0.08	0.1	0.01	2.6	0.1	<0.05	5	0.7	<0.2
1109567	Soil	32	0.52	158	0.018	<1	2.02	0.006	0.09	0.2	0.02	2.9	0.1	<0.05	5	0.9	<0.2
1109568	Soil	23	0.39	171	0.013	<1	1.83	0.005	0.06	0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
1109569	Soil	20	0.33	159	0.012	<1	1.08	0.005	0.06	0.1	0.02	2.3	<0.1	<0.05	3	<0.5	<0.2
1109570	Soil	26	0.28	90	0.020	<1	1.57	0.005	0.05	0.2	0.05	2.3	<0.1	<0.05	5	<0.5	<0.2
1109571	Soil	45	0.78	212	0.040	<1	1.75	0.005	0.06	0.1	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
1109572	Soil	22	0.22	102	0.005	<1	1.19	0.003	0.05	0.2	0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
1109573	Soil	18	0.16	81	0.013	<1	1.14	0.003	0.05	0.2	0.01	2.3	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109574	Soil	1.2	14.8	13.6	81	0.2	18.1	7.5	201	2.90	12.9	0.6	6.9	7	0.2	2.6	0.3	43	0.06	0.062	25
1109575	Soil	1.4	15.2	11.7	77	0.2	21.4	7.2	217	2.78	9.3	2.4	6.4	9	0.3	1.1	0.2	50	0.12	0.032	20
1109593	Soil	1.1	20.3	15.2	84	0.3	18.9	13.9	853	3.29	21.7	0.6	6.9	13	0.2	0.8	0.3	35	0.12	0.080	27
1109594	Soil	1.1	16.7	13.7	77	0.2	22.9	10.5	367	3.19	15.6	1.5	8.5	10	0.2	1.2	0.4	40	0.12	0.056	32
1109595	Soil	1.2	22.2	14.6	66	<0.1	35.8	10.0	327	2.40	10.6	2.0	5.6	15	0.2	0.8	0.2	38	0.22	0.047	22
1109596	Rock Pulp	4.1	23.6	2.1	35	0.2	23.0	8.1	332	2.06	3.7	<0.5	1.0	30	0.1	0.3	<0.1	52	0.74	0.054	5
1109597	Soil	1.1	20.6	18.8	90	0.2	25.4	11.6	507	3.19	29.8	1.4	6.5	10	0.4	3.7	0.3	40	0.13	0.037	25
1109598	Soil	0.7	29.1	21.4	118	<0.1	29.0	10.8	308	3.25	58.3	4.4	7.7	10	0.3	9.6	0.3	31	0.09	0.039	29
1109599	Soil	1.2	11.5	18.6	59	<0.1	14.6	6.5	349	2.73	19.3	1.2	6.0	8	0.2	2.1	0.4	49	0.06	0.067	24
1109600	Soil	2.4	48.2	41.1	107	0.1	23.7	26.3	1242	3.82	22.9	2.4	11.5	10	0.2	0.4	0.6	33	0.08	0.072	29
1109601	Soil	0.8	21.6	22.1	131	<0.1	27.7	23.1	810	4.78	18.8	2.1	10.7	18	0.2	0.5	0.5	34	0.07	0.114	35
1109602	Soil	1.2	45.8	26.9	81	<0.1	21.2	8.3	321	6.57	15.2	1.5	12.5	18	<0.1	0.6	0.5	33	0.02	0.092	38
1109603	Soil	1.9	64.0	54.2	82	0.2	12.0	5.9	393	7.39	16.7	5.1	15.3	13	<0.1	2.0	1.9	27	0.02	0.141	42
1109604	Soil	1.0	21.7	28.5	82	0.2	13.3	7.8	221	5.11	10.1	1.7	8.1	15	0.3	0.7	0.5	39	0.09	0.144	26
1109605	Soil	1.2	15.8	17.7	82	0.2	28.1	11.5	268	3.93	23.6	1.7	6.4	11	0.2	1.3	0.3	54	0.12	0.074	21
1109606	Soil	1.3	31.6	15.9	79	<0.1	31.4	11.6	303	5.01	11.7	1.9	10.0	11	<0.1	1.3	0.4	32	0.04	0.046	34
1109607	Soil	1.0	16.3	12.1	56	0.2	21.0	8.1	218	2.67	9.6	1.9	6.3	11	0.2	0.9	0.3	36	0.13	0.023	24
1109608	Soil	0.7	7.9	9.6	43	<0.1	11.0	3.8	105	1.91	4.6	1.4	5.2	8	0.1	0.4	0.2	33	0.08	0.042	24
1109609	Soil	0.8	17.2	8.3	47	<0.1	35.8	8.4	196	2.26	6.4	1.2	5.8	13	<0.1	0.6	0.2	35	0.15	0.030	21
1109610	Soil	1.5	86.7	35.1	106	<0.1	29.4	13.6	407	12.33	9.2	4.6	8.6	13	<0.1	1.9	0.9	28	0.03	0.142	23
1109611	Soil	1.6	33.2	21.0	88	0.7	25.4	10.0	341	4.09	17.2	1.4	8.5	11	<0.1	1.3	0.4	34	0.05	0.034	27
1109612 AML-STD	Soil	1.4	446.8	23.8	170	0.2	210.6	74.3	833	15.32	3.0	31.2	8.4	17	0.1	0.3	0.2	227	0.28	0.038	18
1109613	Soil	1.0	23.6	25.3	172	1.9	20.3	14.5	305	4.70	33.0	1.2	8.4	16	0.3	2.0	0.4	41	0.10	0.067	29
1109614	Soil	0.8	9.0	13.5	79	1.0	15.2	9.7	268	2.95	10.3	1.3	5.8	10	0.1	1.3	0.3	42	0.06	0.036	22
1109615	Soil	0.9	13.1	14.8	59	4.1	18.4	8.1	201	3.13	17.7	0.5	6.8	10	<0.1	1.7	0.3	44	0.06	0.033	23
1109616	Soil	1.0	41.0	25.0	100	0.9	28.3	12.6	276	5.37	76.6	2.8	11.7	13	<0.1	5.7	0.5	34	0.02	0.052	37
1109617	Soil	1.0	16.7	36.3	78	3.0	19.9	8.3	200	3.46	54.2	2.2	8.2	9	<0.1	1.4	0.3	40	0.04	0.033	27
1109618	Soil	1.4	18.4	16.6	83	0.4	23.4	9.6	232	3.80	19.3	2.6	7.1	9	0.1	1.2	0.3	42	0.05	0.038	23
1109619	Soil	1.3	9.3	8.7	47	<0.1	13.7	4.5	149	1.96	7.7	1.9	3.0	8	0.2	0.7	0.2	37	0.08	0.036	13
1109621	Soil	1.9	14.0	11.0	47	<0.1	20.4	4.8	146	2.03	4.8	1.8	5.5	10	0.1	0.9	0.2	35	0.08	0.029	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109574	Soil	25	0.35	109	0.015	<1	1.57	0.005	0.06	0.2	0.02	2.0	<0.1	<0.05	5	0.6	<0.2
1109575	Soil	30	0.44	174	0.020	<1	1.78	0.006	0.08	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
1109593	Soil	24	0.36	84	0.014	<1	1.38	0.006	0.06	0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
1109594	Soil	25	0.41	116	0.017	<1	1.40	0.004	0.07	0.1	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
1109595	Soil	36	0.51	185	0.013	1	1.35	0.006	0.10	0.1	0.03	2.8	<0.1	<0.05	4	0.7	<0.2
1109596	Rock Pulp	33	0.55	80	0.118	3	1.16	0.057	0.07	8.6	0.01	3.7	<0.1	0.05	4	0.5	<0.2
1109597	Soil	25	0.38	106	0.019	<1	1.27	0.004	0.07	0.2	0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
1109598	Soil	19	0.32	88	0.008	<1	1.03	0.003	0.03	0.2	<0.01	2.1	0.1	<0.05	4	<0.5	<0.2
1109599	Soil	23	0.23	67	0.048	<1	1.08	0.004	0.05	0.2	0.01	1.5	0.1	<0.05	6	<0.5	<0.2
1109600	Soil	24	0.31	99	0.013	<1	1.63	0.008	0.07	0.1	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2
1109601	Soil	25	0.32	82	0.013	<1	1.80	0.006	0.06	<0.1	0.02	1.7	<0.1	<0.05	7	<0.5	<0.2
1109602	Soil	36	0.58	58	0.002	<1	2.67	0.010	0.05	<0.1	<0.01	2.3	<0.1	<0.05	9	<0.5	<0.2
1109603	Soil	37	0.67	19	0.002	<1	2.31	0.010	0.03	<0.1	<0.01	2.0	<0.1	<0.05	8	<0.5	<0.2
1109604	Soil	32	0.39	70	0.023	<1	1.59	0.010	0.06	0.1	<0.01	1.6	<0.1	<0.05	7	<0.5	<0.2
1109605	Soil	34	0.45	127	0.045	<1	1.74	0.005	0.07	0.2	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
1109606	Soil	41	0.61	86	0.005	<1	1.96	0.005	0.04	<0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
1109607	Soil	29	0.37	89	0.025	<1	1.17	0.005	0.07	0.1	<0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
1109608	Soil	20	0.19	73	0.027	1	0.78	0.005	0.06	0.2	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1109609	Soil	56	0.49	146	0.021	<1	1.07	0.005	0.05	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2
1109610	Soil	37	0.56	34	0.002	<1	2.67	0.007	0.03	<0.1	<0.01	3.0	<0.1	<0.05	8	0.7	<0.2
1109611	Soil	28	0.46	40	0.033	3	1.54	0.005	0.05	0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
1109612 AML-STD	Soil	614	0.14	140	0.195	6	4.14	0.012	0.07	<0.1	0.04	34.0	<0.1	<0.05	19	<0.5	<0.2
1109613	Soil	15	0.45	78	0.044	3	1.76	0.008	0.08	0.1	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
1109614	Soil	26	0.30	80	0.039	<1	1.13	0.005	0.06	0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
1109615	Soil	31	0.40	80	0.046	<1	1.40	0.005	0.06	0.2	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
1109616	Soil	33	0.43	77	0.004	1	1.89	0.005	0.06	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	<0.2
1109617	Soil	29	0.38	73	0.035	3	1.64	0.005	0.05	0.2	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
1109618	Soil	29	0.40	51	0.042	2	1.45	0.005	0.06	0.2	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1109619	Soil	18	0.22	64	0.022	<1	0.67	0.004	0.05	0.2	<0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1109621	Soil	31	0.44	100	0.020	2	1.28	0.004	0.05	0.1	0.02	1.9	0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109622	Soil	1.5	22.7	16.4	66	<0.1	43.1	12.8	389	2.67	9.3	2.3	6.1	21	0.2	0.8	0.2	45	0.27	0.045	24
1109623	Soil	1.4	10.4	9.1	52	<0.1	19.9	4.8	147	1.60	5.1	<0.5	2.6	11	0.3	0.6	0.3	26	0.16	0.035	14
1109624	Rock Pulp	3.9	22.2	2.5	36	0.2	21.0	7.3	292	1.83	3.2	1.0	1.0	32	0.1	0.3	<0.1	49	0.65	0.047	5
1109625	Soil	1.2	9.3	10.9	50	<0.1	20.1	5.0	178	1.82	5.1	2.0	4.4	16	0.1	0.6	0.2	39	0.20	0.032	20
1109626	Soil	2.1	15.2	12.0	62	<0.1	26.1	6.1	169	2.35	7.8	0.7	4.5	13	0.2	1.2	0.2	48	0.10	0.036	20
1109627	Soil	1.7	13.5	11.0	57	<0.1	22.5	5.8	172	2.21	6.3	3.1	5.2	14	0.2	0.9	0.2	44	0.12	0.040	22
1109628	Soil	1.3	12.0	13.0	75	0.3	20.1	6.6	208	2.43	6.2	0.8	3.8	13	0.3	0.6	0.2	49	0.12	0.052	19
1109629	Soil	1.5	17.2	13.9	81	0.2	25.7	7.8	265	2.62	8.0	1.9	4.6	15	0.3	0.8	0.3	48	0.14	0.056	21
1109630	Soil	1.2	11.9	11.5	63	0.2	17.5	6.2	203	2.17	6.0	2.3	4.5	11	0.3	0.6	0.2	44	0.08	0.034	19
1109631	Soil	0.9	7.2	9.8	45	0.2	13.7	4.4	154	1.76	4.3	3.0	2.4	10	0.2	0.4	0.2	42	0.09	0.047	19
1109632	Soil	1.4	15.7	12.0	59	<0.1	28.3	8.6	242	2.75	8.0	2.2	5.9	12	0.2	0.7	0.2	45	0.09	0.034	19
1109633	Soil	1.2	11.9	7.7	53	<0.1	21.3	5.6	173	2.08	4.4	1.8	3.8	14	0.2	0.5	0.2	38	0.14	0.049	14
1109634	Soil	0.9	16.5	7.9	44	<0.1	27.9	8.6	227	2.28	4.4	1.8	4.4	15	0.3	0.5	0.1	40	0.14	0.028	13
1109635	Soil	1.1	17.8	8.9	49	<0.1	25.0	8.0	255	2.54	5.4	3.1	4.4	14	0.2	0.6	0.2	45	0.14	0.029	13
1109636	Soil	0.9	21.3	8.8	48	<0.1	28.3	8.6	255	2.35	5.5	1.4	4.4	16	0.2	0.6	0.2	44	0.15	0.029	13
1109637	Soil	1.0	16.3	10.5	47	<0.1	24.5	8.0	238	2.33	4.9	2.1	5.9	14	0.1	0.5	0.2	49	0.17	0.025	17
1109638	Soil	1.2	15.1	9.6	51	<0.1	23.1	7.0	205	2.43	5.8	2.2	5.0	11	0.2	0.6	0.2	43	0.10	0.022	17
1109639	Soil	0.9	14.0	14.4	91	0.2	32.1	11.5	581	2.68	5.6	1.0	6.1	22	0.5	0.4	0.3	53	0.37	0.038	21
1109640	Soil	1.2	9.5	13.1	61	0.2	17.1	6.0	197	2.38	6.3	2.2	5.1	11	0.2	0.5	0.3	48	0.10	0.032	20
1109641	Soil	1.4	15.0	10.3	63	0.1	21.9	6.4	219	2.39	7.3	3.8	4.8	13	0.3	0.7	0.3	46	0.13	0.044	19
1109642	Soil	1.6	12.3	10.4	63	<0.1	19.4	7.0	234	2.37	7.2	2.2	5.3	14	0.4	0.9	0.2	41	0.14	0.036	17
1109643	Soil	1.4	9.6	12.0	82	<0.1	16.3	6.9	224	2.72	6.6	2.1	5.6	11	0.5	0.6	0.2	52	0.09	0.064	18
1109644	Soil	1.5	23.4	14.1	64	0.2	24.3	9.2	348	2.51	8.3	2.9	5.9	22	0.4	0.8	0.3	48	0.25	0.039	22
1109645	Soil	1.3	13.1	15.4	87	0.2	21.7	7.8	277	2.65	6.9	2.6	5.0	14	0.4	0.5	0.3	54	0.16	0.034	19
1109646	Soil	1.7	20.2	15.8	66	0.3	24.6	8.1	322	2.31	6.2	2.6	4.6	34	0.5	0.8	0.3	40	0.71	0.042	25
1109647	Soil	1.2	14.7	12.0	69	0.1	23.4	7.8	215	2.73	6.2	2.3	5.1	13	0.3	0.5	0.2	51	0.13	0.030	17
1109648 AML-STD	Soil	1.3	403.9	22.8	165	0.2	182.5	70.5	766	14.68	3.7	29.0	7.6	16	0.1	0.3	0.2	183	0.28	0.048	17
1109649	Soil	1.6	30.5	14.9	79	0.5	30.4	9.1	353	2.48	7.9	2.5	3.5	38	0.8	0.9	0.2	37	0.65	0.056	16
1109650	Soil	1.3	28.9	15.1	64	0.6	30.0	9.7	310	2.35	6.1	1.8	2.9	53	1.3	0.8	0.3	38	0.84	0.058	16
1109651	Soil	1.3	26.1	14.0	77	0.2	27.2	8.8	269	2.78	12.8	2.7	8.0	8	0.2	1.4	0.3	42	0.06	0.039	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109622	Soil	47	0.52	209	0.022	2	1.50	0.006	0.08	0.2	0.03	2.8	0.1	<0.05	4	<0.5	<0.2
1109623	Soil	26	0.30	110	0.015	1	0.87	0.004	0.06	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109624	Rock Pulp	31	0.49	77	0.114	3	1.03	0.047	0.06	8.0	0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
1109625	Soil	30	0.45	141	0.033	1	0.98	0.005	0.06	0.2	<0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1109626	Soil	33	0.44	155	0.029	1	1.39	0.005	0.07	0.2	0.02	2.2	0.1	<0.05	4	<0.5	<0.2
1109627	Soil	31	0.40	146	0.031	<1	1.22	0.005	0.07	0.2	<0.01	1.9	0.1	<0.05	4	<0.5	<0.2
1109628	Soil	32	0.40	155	0.036	2	1.42	0.005	0.08	0.2	0.02	1.7	0.1	<0.05	5	<0.5	<0.2
1109629	Soil	31	0.45	200	0.031	3	1.40	0.006	0.11	0.2	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
1109630	Soil	26	0.35	145	0.032	2	1.14	0.005	0.07	0.2	<0.01	1.8	<0.1	<0.05	5	<0.5	<0.2
1109631	Soil	28	0.32	92	0.041	1	0.90	0.004	0.06	0.2	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1109632	Soil	44	0.50	139	0.033	2	1.64	0.005	0.06	0.2	0.02	2.5	0.1	<0.05	4	<0.5	<0.2
1109633	Soil	43	0.46	114	0.021	2	1.24	0.005	0.06	0.2	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
1109634	Soil	51	0.55	112	0.029	1	1.35	0.005	0.04	0.1	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2
1109635	Soil	42	0.56	126	0.028	1	1.50	0.005	0.04	0.2	0.02	3.1	<0.1	<0.05	4	<0.5	<0.2
1109636	Soil	45	0.58	138	0.028	1	1.64	0.006	0.05	0.1	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
1109637	Soil	37	0.56	149	0.051	1	1.69	0.006	0.04	0.2	0.02	3.2	0.1	<0.05	5	0.6	<0.2
1109638	Soil	42	0.46	131	0.025	<1	1.42	0.005	0.05	0.1	0.02	2.7	0.1	<0.05	4	<0.5	<0.2
1109639	Soil	71	0.70	360	0.040	<1	1.64	0.008	0.06	0.2	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
1109640	Soil	28	0.45	134	0.045	<1	1.43	0.005	0.07	0.2	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
1109641	Soil	31	0.48	131	0.028	1	1.34	0.005	0.07	0.2	0.02	2.4	0.1	<0.05	5	<0.5	<0.2
1109642	Soil	27	0.40	130	0.028	<1	1.14	0.005	0.07	0.1	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
1109643	Soil	31	0.41	88	0.046	1	1.26	0.005	0.06	0.2	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
1109644	Soil	33	0.46	365	0.021	<1	1.46	0.006	0.06	0.2	0.02	3.2	0.1	<0.05	4	<0.5	<0.2
1109645	Soil	32	0.46	222	0.035	<1	1.53	0.005	0.07	0.2	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1109646	Soil	32	0.41	352	0.018	1	1.35	0.007	0.07	0.2	0.06	3.7	0.1	<0.05	4	<0.5	<0.2
1109647	Soil	38	0.55	148	0.034	2	1.73	0.005	0.06	0.2	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
1109648 AML-STD	Soil	538	0.12	153	0.138	4	3.42	0.012	0.06	<0.1	0.03	32.7	<0.1	<0.05	20	<0.5	<0.2
1109649	Soil	34	0.55	310	0.028	2	1.15	0.009	0.06	0.2	0.06	3.8	<0.1	<0.05	4	1.5	<0.2
1109650	Soil	31	0.51	422	0.028	2	1.32	0.008	0.05	0.3	0.07	3.9	<0.1	<0.05	4	2.1	<0.2
1109651	Soil	27	0.45	144	0.013	1	1.68	0.006	0.07	0.1	0.02	2.8	0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109652	Soil	1.1	31.2	27.6	103	<0.1	44.1	17.0	248	3.86	22.9	1.4	13.0	7	0.1	0.9	0.4	26	0.02	0.061	36
1109653	Soil	0.8	30.1	21.5	83	<0.1	30.1	12.5	264	3.31	16.0	2.0	11.1	8	0.2	0.8	0.3	22	0.05	0.035	33
1109654	Soil	0.8	21.1	17.4	64	<0.1	23.6	8.6	267	2.35	11.1	2.0	4.8	15	0.1	1.2	0.2	25	0.23	0.050	26
1109655	Soil	0.8	37.9	15.9	69	<0.1	29.9	13.0	512	3.56	8.8	1.5	5.1	14	0.1	3.4	0.2	49	0.13	0.042	17
1109656	Soil	0.7	25.9	20.4	83	<0.1	24.9	10.1	418	2.78	16.6	3.9	6.4	8	0.2	1.9	0.3	19	0.07	0.050	33
1109657	Soil	0.8	30.0	16.8	74	0.1	28.3	11.0	357	2.70	19.2	2.3	7.3	16	0.2	2.1	0.2	23	0.25	0.065	31
1109658	Soil	0.8	25.9	18.6	74	<0.1	25.4	10.6	352	2.62	16.7	2.5	6.4	16	0.2	1.8	0.2	22	0.27	0.066	26
1109659	Soil	1.0	36.4	35.6	72	<0.1	28.9	10.9	351	3.02	12.6	3.1	9.5	14	0.2	2.2	0.4	17	0.20	0.051	30
1109660	Rock Pulp	432.5	41.9	25.5	49	0.8	27.6	8.6	352	4.07	899.9	5167	1.4	62	0.2	14.9	0.2	49	0.76	0.057	5
1109661	Soil	1.1	34.9	25.1	83	0.1	30.7	12.9	464	2.98	15.5	12.9	11.0	18	0.3	1.6	0.3	23	0.21	0.070	33
1109662	Soil	1.1	24.1	21.8	72	0.2	23.9	11.8	491	2.82	17.2	4.0	5.5	19	0.2	1.8	0.3	24	0.27	0.068	26
1109663	Soil	1.2	25.3	24.1	77	0.2	24.0	12.5	400	2.86	21.2	3.2	4.5	15	0.2	1.6	0.3	28	0.17	0.074	24
1109664	Soil	1.1	24.1	20.7	57	0.1	18.4	11.1	327	2.39	19.1	2.3	3.8	10	<0.1	1.3	0.3	23	0.09	0.058	25
1109665	Soil	1.2	17.5	18.2	48	0.2	14.3	5.0	173	2.20	13.3	1.6	5.4	7	0.1	0.9	0.3	36	0.04	0.045	22
1109666	Soil	1.0	15.8	18.4	38	0.1	11.2	4.0	121	1.89	10.3	1.9	5.4	7	<0.1	0.8	0.3	35	0.04	0.038	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

CERTIFICATE OF ANALYSIS WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109652	Soil	16	0.16	54	0.006	<1	0.74	0.003	0.06	<0.1	0.01	1.8	<0.1	<0.05	3	<0.5	<0.2
1109653	Soil	18	0.24	122	0.004	<1	0.98	0.003	0.06	<0.1	0.02	1.9	0.1	<0.05	3	<0.5	<0.2
1109654	Soil	19	0.28	151	0.006	<1	0.95	0.004	0.05	0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1109655	Soil	38	0.64	122	0.014	<1	1.33	0.004	0.04	0.1	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
1109656	Soil	15	0.17	141	0.004	<1	0.78	0.003	0.06	0.1	0.03	1.8	<0.1	<0.05	2	<0.5	<0.2
1109657	Soil	17	0.25	176	0.007	<1	0.78	0.004	0.06	0.2	0.04	2.6	<0.1	<0.05	3	<0.5	<0.2
1109658	Soil	17	0.25	167	0.008	<1	0.76	0.003	0.05	0.2	0.03	2.1	<0.1	<0.05	2	<0.5	<0.2
1109659	Soil	18	0.29	88	0.005	<1	0.77	0.004	0.05	0.1	0.03	1.9	<0.1	<0.05	2	<0.5	<0.2
1109660	Rock Pulp	40	0.61	120	0.077	2	1.19	0.059	0.15	5.1	1.68	2.9	0.5	0.72	4	0.9	0.4
1109661	Soil	18	0.27	144	0.013	<1	0.76	0.006	0.07	0.1	0.03	2.6	<0.1	<0.05	2	<0.5	<0.2
1109662	Soil	18	0.25	184	0.005	<1	0.93	0.005	0.06	0.2	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1109663	Soil	19	0.28	246	0.004	<1	1.09	0.005	0.08	0.2	0.05	2.2	<0.1	<0.05	3	<0.5	<0.2
1109664	Soil	16	0.24	113	0.005	<1	0.90	0.004	0.05	0.2	0.04	1.4	<0.1	<0.05	3	<0.5	<0.2
1109665	Soil	21	0.27	101	0.018	<1	1.27	0.004	0.05	0.2	0.02	1.8	0.1	<0.05	5	<0.5	<0.2
1109666	Soil	18	0.22	103	0.022	<1	1.19	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

QUALITY CONTROL REPORT WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1108816	Soil	1.0	20.7	30.0	110	0.1	30.8	10.5	425	3.33	39.1	<0.5	6.7	13	0.4	8.2	0.3	31	0.21	0.095	21
REP 1108816	QC	1.0	20.6	29.4	108	0.1	30.2	10.7	431	3.31	39.9	<0.5	6.7	14	0.4	8.2	0.3	31	0.21	0.098	21
1108843	Soil	1.2	17.6	13.0	74	0.1	24.6	9.1	287	2.63	8.7	0.7	7.3	12	0.2	1.0	0.2	31	0.12	0.048	27
REP 1108843	QC	1.1	17.6	12.7	72	0.1	24.0	8.7	287	2.59	8.5	<0.5	7.3	12	0.2	1.0	0.3	31	0.12	0.046	27
1109564	Soil	1.5	15.8	14.0	57	0.1	17.4	6.3	264	2.21	8.6	2.4	6.6	13	0.2	0.9	0.2	42	0.17	0.039	21
REP 1109564	QC	1.4	15.5	14.4	60	0.1	17.5	5.8	262	2.21	8.0	12.5	6.4	13	0.3	1.0	0.2	41	0.16	0.040	20
1109600	Soil	2.4	48.2	41.1	107	0.1	23.7	26.3	1242	3.82	22.9	2.4	11.5	10	0.2	0.4	0.6	33	0.08	0.072	29
REP 1109600	QC	2.3	46.4	40.8	106	0.1	23.5	26.1	1219	3.82	22.6	1.3	11.3	9	0.1	0.4	0.6	32	0.08	0.073	29
1109605	Soil	1.2	15.8	17.7	82	0.2	28.1	11.5	268	3.93	23.6	1.7	6.4	11	0.2	1.3	0.3	54	0.12	0.074	21
REP 1109605	QC	1.4	15.3	17.6	79	0.2	26.2	10.8	255	3.80	23.5	1.0	6.1	11	0.1	1.3	0.3	52	0.11	0.074	19
1109615	Soil	0.9	13.1	14.8	59	4.1	18.4	8.1	201	3.13	17.7	0.5	6.8	10	<0.1	1.7	0.3	44	0.06	0.033	23
REP 1109615	QC	1.0	12.8	14.7	59	4.2	19.1	8.2	207	3.15	17.7	1.1	7.2	10	0.1	1.6	0.3	45	0.06	0.031	24
1109647	Soil	1.2	14.7	12.0	69	0.1	23.4	7.8	215	2.73	6.2	2.3	5.1	13	0.3	0.5	0.2	51	0.13	0.030	17
REP 1109647	QC	1.3	14.8	12.0	67	0.1	23.4	7.6	208	2.58	6.3	1.4	5.0	13	0.2	0.6	0.2	48	0.11	0.029	17
1109654	Soil	0.8	21.1	17.4	64	<0.1	23.6	8.6	267	2.35	11.1	2.0	4.8	15	0.1	1.2	0.2	25	0.23	0.050	26
REP 1109654	QC	0.8	21.8	16.9	67	<0.1	24.8	9.1	265	2.46	11.5	2.2	4.7	15	0.2	1.0	0.2	26	0.23	0.050	26
1109665	Soil	1.2	17.5	18.2	48	0.2	14.3	5.0	173	2.20	13.3	1.6	5.4	7	0.1	0.9	0.3	36	0.04	0.045	22
REP 1109665	QC	1.3	18.6	18.7	50	0.2	14.1	4.8	168	2.16	13.4	1.7	5.4	7	0.2	0.9	0.3	36	0.05	0.046	22
Reference Materials																					
STD DS8	Standard	13.2	115.6	131.2	330	1.8	40.6	8.1	639	2.62	26.7	125.5	7.1	72	2.5	6.5	7.2	46	0.72	0.082	15
STD DS8	Standard	13.4	105.1	124.8	304	1.8	37.0	7.1	606	2.35	23.1	107.1	7.1	70	2.2	5.6	6.7	42	0.68	0.078	15
STD DS8	Standard	12.8	122.5	127.1	326	1.8	38.0	7.8	586	2.42	27.3	109.4	7.3	62	2.7	6.1	7.4	43	0.67	0.089	14
STD DS8	Standard	14.0	117.0	129.9	318	1.8	39.5	8.4	662	2.58	26.4	113.5	7.6	69	2.3	5.8	6.8	47	0.76	0.083	17
STD DS8	Standard	14.9	119.5	132.8	328	1.9	40.4	8.1	639	2.49	25.8	116.9	7.9	76	2.5	6.4	7.4	47	0.75	0.081	17
STD DS8	Standard	14.1	112.4	126.3	323	1.9	38.8	7.7	630	2.51	26.0	112.5	6.9	70	2.5	5.5	6.4	43	0.70	0.084	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

QUALITY CONTROL REPORT WHI11001014.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1108816	Soil	23	0.45	107	0.009	<1	1.42	0.004	0.06	0.4	0.04	2.2	0.2	<0.05	4	<0.5	<0.2
REP 1108816	QC	23	0.45	109	0.009	<1	1.43	0.004	0.06	0.3	0.02	2.1	0.2	<0.05	4	<0.5	<0.2
1108843	Soil	26	0.44	119	0.011	1	1.32	0.005	0.08	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
REP 1108843	QC	25	0.44	120	0.011	1	1.29	0.005	0.08	0.1	0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
1109564	Soil	22	0.41	166	0.023	1	1.40	0.007	0.08	0.1	0.03	2.6	0.1	<0.05	4	0.8	<0.2
REP 1109564	QC	21	0.41	165	0.023	1	1.43	0.008	0.08	0.1	0.02	2.5	0.1	<0.05	5	0.5	<0.2
1109600	Soil	24	0.31	99	0.013	<1	1.63	0.008	0.07	0.1	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2
REP 1109600	QC	24	0.30	99	0.014	<1	1.60	0.008	0.07	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
1109605	Soil	34	0.45	127	0.045	<1	1.74	0.005	0.07	0.2	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
REP 1109605	QC	32	0.43	122	0.041	<1	1.64	0.005	0.06	0.3	0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
1109615	Soil	31	0.40	80	0.046	<1	1.40	0.005	0.06	0.2	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
REP 1109615	QC	31	0.40	78	0.056	2	1.42	0.005	0.07	0.2	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2
1109647	Soil	38	0.55	148	0.034	2	1.73	0.005	0.06	0.2	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
REP 1109647	QC	37	0.55	152	0.034	<1	1.74	0.005	0.05	0.2	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
1109654	Soil	19	0.28	151	0.006	<1	0.95	0.004	0.05	0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
REP 1109654	QC	19	0.28	155	0.006	<1	0.95	0.005	0.05	0.1	0.03	1.8	<0.1	<0.05	3	<0.5	<0.2
1109665	Soil	21	0.27	101	0.018	<1	1.27	0.004	0.05	0.2	0.02	1.8	0.1	<0.05	5	<0.5	<0.2
REP 1109665	QC	21	0.27	106	0.018	<1	1.30	0.004	0.05	0.2	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	122	0.64	299	0.126	2	0.93	0.095	0.44	3.2	0.23	2.4	5.6	0.17	5	4.7	5.4
STD DS8	Standard	122	0.62	265	0.118	2	0.90	0.087	0.42	3.1	0.20	2.0	5.4	0.15	4	5.3	4.1
STD DS8	Standard	117	0.63	303	0.120	3	0.89	0.083	0.43	3.2	0.19	2.1	5.7	0.15	4	5.0	5.0
STD DS8	Standard	125	0.65	288	0.137	2	1.01	0.099	0.42	3.1	0.19	2.4	5.7	0.14	5	5.6	5.4
STD DS8	Standard	128	0.64	285	0.143	2	0.95	0.089	0.43	3.0	0.19	2.3	5.5	0.17	5	5.1	4.9
STD DS8	Standard	118	0.62	289	0.124	3	0.95	0.101	0.43	3.1	0.21	2.7	5.4	0.14	5	5.5	5.3
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

QUALITY CONTROL REPORT WHI11001014.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 10, 2011

QUALITY CONTROL REPORT WHI11001014.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 03, 2011
Report Date: September 15, 2011
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI11001016.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-019
P.O. Number
Number of Samples: 92

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	90	Dry at 60C			WHI
SS80	87	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	88	Saving all or part of Soil Reject			WHI
1DX2	92	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109728	Soil	1.3	63.9	33.9	87	0.2	18.5	10.0	245	4.75	8.3	5.7	9.5	10	0.2	0.6	0.6	27	0.02	0.059	30
1109729	Soil	0.9	32.7	18.7	67	<0.1	25.4	10.3	267	3.07	9.1	2.7	8.4	8	0.1	0.4	0.3	24	0.04	0.031	43
1109730	Soil	1.3	12.3	13.6	61	0.2	16.2	6.1	216	2.49	8.2	3.0	3.8	5	0.2	0.5	0.2	35	0.06	0.058	12
1109731	Soil	0.9	37.3	21.8	71	<0.1	28.2	14.1	344	3.43	11.9	3.9	13.2	9	0.1	0.6	0.3	18	0.05	0.029	36
1109732	Soil	0.9	46.0	26.4	84	<0.1	37.0	19.2	390	3.72	13.4	3.1	11.9	8	0.4	0.5	0.4	26	0.04	0.032	32
1109733	Soil	1.1	12.2	15.8	38	0.2	11.7	3.9	149	2.28	6.1	<0.5	0.3	5	<0.1	0.3	0.3	36	0.03	0.046	19
1109734	Soil	2.1	54.4	31.5	78	<0.1	28.1	12.9	223	4.03	8.9	3.5	15.2	7	0.1	0.5	0.4	15	<0.01	0.036	42
1109735	Soil	1.4	51.8	33.0	87	<0.1	33.0	16.6	418	4.37	11.9	<0.5	6.1	8	<0.1	0.6	0.3	20	0.01	0.035	30
1109736	Soil	1.4	50.5	32.5	81	<0.1	33.4	19.0	446	4.04	11.7	2.1	8.0	7	<0.1	0.5	0.3	18	0.01	0.031	27
1109737	Soil	1.4	31.9	14.6	73	0.1	27.1	9.3	310	3.06	8.4	3.1	4.5	9	0.2	0.5	0.2	40	0.05	0.033	18
1109738	Soil	1.7	58.1	30.9	83	<0.1	20.5	7.4	159	5.35	20.1	5.3	13.5	6	0.1	1.2	0.4	19	0.01	0.058	35
1109739	Soil	1.0	33.4	29.8	78	<0.1	36.3	14.7	287	4.18	21.2	4.0	8.6	7	0.2	0.6	0.4	21	0.08	0.034	37
1109740	Soil	1.5	39.9	29.3	82	<0.1	33.9	15.3	370	4.00	16.4	1.9	8.4	6	0.2	0.7	0.4	22	0.03	0.037	29
1109741	Soil	1.1	27.7	34.2	71	<0.1	32.4	13.7	352	4.11	28.3	2.4	10.1	5	0.1	0.7	0.4	23	0.03	0.038	42
1109742	Soil	0.9	20.8	23.7	60	<0.1	18.3	7.0	193	3.97	21.1	1.2	6.8	6	0.1	0.7	0.4	24	0.07	0.040	35
1109743	Soil	1.2	32.5	26.3	61	<0.1	26.4	10.4	217	3.37	14.9	1.9	6.8	17	0.2	0.6	0.4	26	0.28	0.031	30
1109744	Soil	1.1	19.0	27.5	54	0.1	19.5	8.4	205	3.14	25.0	1.1	4.1	5	0.1	0.6	0.4	32	0.02	0.044	30
1109745	Soil	0.9	39.8	32.5	88	<0.1	32.3	17.3	351	3.77	35.0	2.6	14.3	5	0.1	0.9	0.3	16	<0.01	0.027	48
1109746	Soil	1.4	16.7	23.6	76	0.2	20.4	7.3	262	3.29	23.4	0.9	3.6	5	0.2	0.7	0.3	33	0.02	0.065	22
1109747	Soil	1.0	29.8	23.9	69	<0.1	23.8	9.1	207	3.69	25.5	1.9	10.5	7	<0.1	0.5	0.4	21	0.02	0.030	48
1109748 AML-STD	Soil	1.1	409.3	22.1	165	0.2	201.8	73.1	760	14.65	2.5	37.7	6.9	13	0.2	0.2	0.2	192	0.27	0.040	17
1109749	Soil	0.7	32.3	26.2	74	<0.1	26.9	11.2	282	3.54	28.8	5.2	10.7	6	<0.1	0.9	0.4	18	0.01	0.031	43
1109750	Soil	0.9	20.7	20.9	64	<0.1	20.9	7.6	202	3.85	33.4	1.3	8.0	5	0.1	1.0	0.3	24	0.01	0.064	32
1109751	Soil	1.0	35.2	28.4	66	0.1	23.3	11.9	239	3.40	8.3	4.5	13.2	5	0.2	0.5	0.3	16	0.04	0.031	43
1109752	Soil	1.1	22.8	34.1	62	0.1	20.1	7.7	205	3.22	10.7	1.6	2.9	7	0.2	0.5	0.3	32	0.03	0.036	30
1109753	Soil	1.3	31.7	28.7	77	<0.1	26.5	9.3	219	4.30	10.7	2.1	10.3	7	0.1	0.6	0.3	19	0.02	0.041	35
1109754	Soil	1.1	19.3	17.7	59	<0.1	18.1	7.4	236	3.07	8.6	0.8	5.2	5	0.1	0.5	0.3	33	0.03	0.027	25
1109755	Soil	1.4	31.7	31.6	55	0.1	10.7	3.7	162	2.95	7.2	3.7	6.5	7	<0.1	0.5	0.5	19	0.01	0.030	41
1109756	Soil	1.6	40.9	24.8	72	<0.1	16.6	7.1	213	3.65	8.1	1.5	11.4	7	0.1	0.5	0.4	19	0.02	0.031	46
1109757	Soil	1.0	20.8	42.5	40	0.3	10.3	4.5	177	2.55	5.8	0.7	0.8	10	0.1	0.5	0.5	34	0.03	0.057	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109728	Soil	27	0.63	49	0.008	<1	1.72	0.003	0.05	<0.1	0.03	1.4	<0.1	<0.05	5	0.6	<0.2
1109729	Soil	21	0.47	71	0.010	<1	1.27	0.004	0.04	<0.1	0.03	1.8	<0.1	<0.05	3	<0.5	<0.2
1109730	Soil	24	0.27	86	0.013	<1	1.33	0.003	0.03	0.2	0.02	1.6	<0.1	<0.05	4	0.8	<0.2
1109731	Soil	18	0.50	63	0.005	<1	1.13	0.003	0.03	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1109732	Soil	22	0.51	108	0.008	<1	1.47	0.003	0.05	<0.1	0.03	2.6	<0.1	<0.05	4	0.6	<0.2
1109733	Soil	19	0.22	58	0.010	<1	1.23	0.003	0.02	0.2	0.03	0.6	<0.1	<0.05	5	<0.5	<0.2
1109734	Soil	23	0.66	38	0.003	<1	1.70	0.003	0.04	<0.1	0.04	1.2	<0.1	<0.05	4	0.7	<0.2
1109735	Soil	22	0.46	56	0.003	<1	1.59	0.003	0.03	<0.1	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109736	Soil	20	0.45	52	0.003	<1	1.44	0.002	0.02	<0.1	0.02	1.2	<0.1	<0.05	3	0.9	<0.2
1109737	Soil	33	0.60	76	0.022	1	1.58	0.003	0.05	0.1	0.03	2.3	<0.1	<0.05	4	0.7	<0.2
1109738	Soil	23	0.52	60	0.003	<1	1.73	0.002	0.03	<0.1	0.03	1.2	<0.1	<0.05	4	0.8	<0.2
1109739	Soil	26	0.73	97	0.007	<1	1.74	0.003	0.04	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2
1109740	Soil	26	0.64	206	0.004	<1	1.88	0.003	0.05	<0.1	0.06	1.7	<0.1	<0.05	4	0.8	<0.2
1109741	Soil	20	0.47	57	0.004	<1	1.59	0.003	0.03	<0.1	0.01	1.3	<0.1	<0.05	4	0.9	<0.2
1109742	Soil	18	0.41	37	0.007	<1	1.37	0.002	0.03	<0.1	0.02	1.0	<0.1	<0.05	5	<0.5	<0.2
1109743	Soil	20	0.35	88	0.005	<1	1.42	0.003	0.04	<0.1	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1109744	Soil	18	0.30	46	0.009	<1	1.49	0.003	0.04	0.2	0.03	1.2	<0.1	0.07	6	0.8	<0.2
1109745	Soil	18	0.55	54	0.002	<1	1.32	0.003	0.03	<0.1	0.05	1.9	<0.1	0.07	4	<0.5	<0.2
1109746	Soil	20	0.32	61	0.009	<1	1.47	0.002	0.03	0.1	0.04	1.2	<0.1	<0.05	5	<0.5	<0.2
1109747	Soil	20	0.45	55	0.004	<1	1.63	0.003	0.04	<0.1	0.03	1.6	<0.1	0.06	5	<0.5	<0.2
1109748 AML-STD	Soil	632	0.11	140	0.160	5	3.70	0.010	0.07	<0.1	0.03	29.6	<0.1	<0.05	19	1.2	<0.2
1109749	Soil	12	0.43	47	0.005	<1	1.42	0.003	0.04	<0.1	0.03	1.4	<0.1	<0.05	4	<0.5	<0.2
1109750	Soil	19	0.37	44	0.006	<1	1.27	0.003	0.04	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	0.2
1109751	Soil	17	0.44	63	0.004	<1	1.37	0.003	0.03	<0.1	0.03	1.2	<0.1	<0.05	4	0.5	<0.2
1109752	Soil	20	0.30	51	0.026	<1	1.36	0.003	0.04	<0.1	0.04	1.3	<0.1	<0.05	5	<0.5	<0.2
1109753	Soil	24	0.63	46	0.004	<1	1.84	0.003	0.05	<0.1	0.04	1.3	<0.1	<0.05	5	0.7	<0.2
1109754	Soil	17	0.34	75	0.011	<1	1.44	0.002	0.05	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2
1109755	Soil	20	0.55	37	0.009	<1	1.29	0.002	0.02	<0.1	0.01	0.8	<0.1	<0.05	4	<0.5	<0.2
1109756	Soil	22	0.68	41	0.011	<1	1.59	0.003	0.03	<0.1	0.01	1.2	<0.1	<0.05	5	0.7	<0.2
1109757	Soil	18	0.21	45	0.047	<1	1.13	0.003	0.03	<0.1	0.03	0.6	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109758	Soil	1.7	26.4	27.8	63	0.1	20.6	7.7	185	4.25	23.9	1.9	6.0	8	0.1	1.4	0.5	35	0.02	0.060	26
1109759	Soil	14.6	137.6	49.1	206	0.2	98.9	59.7	791	7.62	30.5	7.3	10.7	13	<0.1	3.2	0.8	15	<0.01	0.067	35
1109760	Soil	1.6	13.7	16.3	44	0.1	14.7	5.3	163	3.41	11.1	0.6	4.8	5	<0.1	0.5	0.3	53	0.04	0.062	20
1109761	Soil	1.4	12.7	15.1	60	0.1	16.5	6.5	248	3.08	7.9	0.8	6.3	6	0.2	0.5	0.3	38	0.04	0.036	20
1109762	Rock Pulp	3.7	20.0	2.2	33	0.2	20.1	6.9	255	1.67	2.5	2.7	0.9	23	0.2	0.3	<0.1	42	0.53	0.042	4
1109763	Soil	0.8	73.0	32.9	157	<0.1	77.9	49.8	1138	5.78	19.9	2.9	20.0	9	<0.1	0.6	1.1	15	0.02	0.041	47
1109764	Soil	1.0	32.0	21.2	69	<0.1	27.0	12.2	372	3.10	10.8	3.7	7.4	9	0.2	0.6	0.4	19	0.03	0.036	26
1109765	Soil	1.5	31.4	22.2	98	<0.1	35.8	14.8	334	3.97	15.9	1.8	7.7	9	0.2	0.8	0.5	37	0.04	0.046	17
1109766	Soil	1.0	43.4	27.8	83	<0.1	33.6	17.3	371	3.79	15.6	2.7	10.9	8	0.1	0.6	0.5	17	0.01	0.026	29
1109767	Soil	1.4	20.3	25.0	71	0.3	27.7	8.9	306	3.19	12.9	2.8	4.6	16	0.1	0.8	0.4	30	0.13	0.058	16
1109768	Soil	1.3	53.4	50.0	72	0.2	19.7	7.6	176	4.67	30.8	1.2	15.2	13	<0.1	0.7	0.6	16	0.01	0.049	23
1109769	Soil	0.8	32.7	35.2	55	0.2	38.0	15.7	632	4.71	24.0	1.5	3.1	143	0.2	0.7	0.3	15	4.34	0.121	46
1109770	Soil	0.8	40.8	34.3	89	0.1	50.2	21.8	572	4.79	59.1	3.6	9.8	27	0.1	0.7	0.5	18	0.48	0.046	47
1109771	Soil	1.0	47.5	16.2	96	<0.1	68.6	37.4	1163	5.02	8.6	1.6	8.6	33	0.2	0.3	0.2	24	0.45	0.118	38
1109772	Soil	0.8	32.6	27.3	78	<0.1	36.7	14.1	564	4.02	13.5	1.4	5.6	13	0.2	0.4	0.5	27	0.17	0.037	27
1109773	Soil	1.0	22.4	24.1	77	<0.1	28.2	10.2	311	4.02	23.3	<0.5	5.8	5	0.2	0.6	0.5	31	0.02	0.036	23
1109774 AML-STD	Soil	1.2	405.3	22.6	168	0.2	189.6	73.3	808	15.73	3.1	27.5	7.4	18	0.2	0.3	0.2	203	0.30	0.045	17
1109775	Soil	0.9	24.2	24.8	65	<0.1	33.4	13.3	417	3.34	13.5	1.6	4.3	8	0.1	0.6	0.4	26	0.04	0.039	24
1109776	Soil	0.4	24.6	22.7	70	<0.1	37.1	13.9	405	3.29	11.5	1.3	8.1	8	<0.1	0.5	0.3	31	0.02	0.021	27
1109777	Soil	1.2	55.7	32.4	94	<0.1	42.8	21.4	698	3.05	22.1	1.5	18.0	19	<0.1	0.9	0.7	6	0.26	0.034	76
1109778	Soil	0.1	12.4	8.0	54	<0.1	47.8	19.8	588	4.10	2.7	0.8	5.2	32	0.1	<0.1	0.1	99	0.67	0.051	16
1109779	Soil	0.8	23.6	19.9	70	<0.1	27.6	11.0	350	3.19	27.9	1.1	6.9	8	<0.1	0.7	0.3	24	0.05	0.035	28
1109780	Soil	0.9	15.3	21.1	65	<0.1	23.0	8.2	331	2.74	25.4	1.5	2.4	30	0.1	0.8	0.3	29	0.40	0.046	16
1109781	Soil	0.7	22.3	30.0	73	0.2	24.4	10.8	459	3.10	54.1	2.1	2.2	86	0.2	1.3	0.4	24	1.40	0.070	17
1109782	Soil	0.6	25.9	30.0	87	0.2	32.1	11.4	373	2.96	64.8	3.6	5.0	195	0.1	2.9	0.3	17	3.73	0.082	22
1109783	Soil	0.7	19.6	30.9	73	<0.1	24.4	9.8	862	2.70	30.8	<0.5	3.7	9	0.3	1.5	0.2	13	0.05	0.034	23
1109784	Soil	0.7	38.4	53.2	87	0.1	36.5	16.2	436	3.37	25.2	2.4	6.3	61	0.2	1.2	0.4	18	0.77	0.060	34
1109785	Soil	0.8	18.9	17.4	62	<0.1	23.0	7.8	229	2.80	10.1	0.9	4.4	8	0.1	0.7	0.2	21	0.06	0.035	23
1109786	Soil	0.8	25.8	21.6	74	<0.1	31.6	11.5	289	3.15	13.7	1.1	7.6	12	0.2	0.7	0.3	21	0.08	0.048	26
1109787	Soil	0.7	26.9	22.0	80	<0.1	31.4	10.8	251	3.10	12.9	1.6	7.9	11	0.2	0.7	0.3	17	0.07	0.047	30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109758	Soil	21	0.32	53	0.005	<1	1.40	0.004	0.03	0.2	0.02	1.6	<0.1	<0.05	5	0.6	<0.2
1109759	Soil	9	0.08	31	<0.001	<1	0.78	0.002	0.03	<0.1	0.37	1.5	0.1	<0.05	2	1.8	0.3
1109760	Soil	26	0.29	45	0.027	<1	1.24	0.003	0.03	0.2	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2
1109761	Soil	26	0.37	49	0.030	<1	1.39	0.003	0.04	0.2	0.04	1.6	<0.1	<0.05	5	<0.5	<0.2
1109762	Rock Pulp	28	0.41	70	0.076	2	0.91	0.037	0.06	8.2	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2
1109763	Soil	14	0.39	58	<0.001	<1	1.35	0.005	0.06	<0.1	0.02	2.2	<0.1	<0.05	3	<0.5	0.2
1109764	Soil	19	0.48	106	0.005	1	1.30	0.003	0.03	<0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1109765	Soil	34	0.75	82	0.010	<1	2.13	0.005	0.03	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
1109766	Soil	18	0.56	61	0.004	<1	1.39	0.003	0.04	<0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1109767	Soil	25	0.49	74	0.011	1	1.64	0.004	0.03	0.2	0.05	1.5	<0.1	<0.05	4	<0.5	<0.2
1109768	Soil	22	0.69	46	0.002	<1	1.77	0.004	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
1109769	Soil	12	0.27	58	0.003	<1	0.89	0.003	0.02	<0.1	0.07	3.2	<0.1	<0.05	2	<0.5	<0.2
1109770	Soil	21	0.63	79	0.002	<1	1.49	0.004	0.03	<0.1	0.03	3.9	<0.1	<0.05	3	<0.5	<0.2
1109771	Soil	33	0.70	99	0.001	<1	1.91	0.004	0.03	<0.1	0.06	4.2	<0.1	<0.05	4	<0.5	<0.2
1109772	Soil	26	0.74	97	0.008	<1	1.74	0.003	0.04	<0.1	0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
1109773	Soil	25	0.69	57	0.006	1	1.71	0.002	0.03	<0.1	0.03	1.5	<0.1	<0.05	5	<0.5	<0.2
1109774 AML-STD	Soil	536	0.12	144	0.136	3	3.72	0.012	0.06	<0.1	0.03	32.4	<0.1	<0.05	20	<0.5	<0.2
1109775	Soil	23	0.64	94	0.007	<1	1.56	0.003	0.06	<0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1109776	Soil	43	0.78	58	0.003	<1	1.65	0.003	0.04	<0.1	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
1109777	Soil	9	0.23	28	<0.001	<1	0.55	0.005	0.03	<0.1	0.12	2.6	<0.1	<0.05	2	0.7	<0.2
1109778	Soil	101	2.68	161	0.055	<1	3.10	0.006	0.09	<0.1	0.01	8.6	0.1	<0.05	9	<0.5	<0.2
1109779	Soil	19	0.55	79	0.003	<1	1.51	0.003	0.03	<0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1109780	Soil	21	0.41	122	0.007	<1	1.38	0.004	0.03	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1109781	Soil	19	0.37	129	0.007	<1	1.33	0.005	0.04	<0.1	0.07	1.6	<0.1	<0.05	4	<0.5	<0.2
1109782	Soil	17	0.36	121	0.004	<1	1.14	0.004	0.04	<0.1	0.07	2.4	<0.1	<0.05	3	<0.5	<0.2
1109783	Soil	14	0.20	54	0.002	<1	1.00	0.003	0.03	<0.1	0.02	1.3	<0.1	<0.05	2	<0.5	<0.2
1109784	Soil	18	0.41	92	0.004	<1	1.27	0.005	0.05	<0.1	0.04	2.3	<0.1	<0.05	3	<0.5	<0.2
1109785	Soil	18	0.33	57	0.006	<1	1.06	0.003	0.03	<0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
1109786	Soil	21	0.42	64	0.004	<1	1.41	0.003	0.05	<0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1109787	Soil	19	0.41	69	0.003	<1	1.36	0.003	0.05	<0.1	0.01	1.3	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109788	Soil	1.5	11.9	19.8	53	<0.1	17.1	6.4	339	3.82	13.7	<0.5	3.7	8	0.1	0.8	0.3	53	0.05	0.053	17
1109789	Soil	1.2	13.1	20.2	53	<0.1	17.4	6.4	232	3.18	103.3	2.5	4.4	8	0.1	0.7	0.4	42	0.04	0.042	18
1109790	Soil	1.3	17.7	31.2	69	<0.1	23.4	10.8	471	3.50	16.7	1.0	5.5	7	0.1	0.7	0.3	24	0.04	0.050	24
1109791	Soil	0.6	21.8	21.7	59	<0.1	26.1	13.8	372	2.72	12.5	1.2	4.0	8	0.2	0.5	0.3	25	0.06	0.038	25
1109792	Soil	0.7	27.5	17.7	63	<0.1	29.0	11.6	411	2.77	15.0	3.2	11.4	11	0.1	0.6	0.2	19	0.09	0.026	36
1109793	Soil	0.8	17.7	17.3	56	<0.1	18.4	8.3	309	2.56	9.7	0.9	3.2	11	0.1	0.4	0.3	29	0.09	0.048	25
1109794	Soil	0.6	7.7	15.5	33	<0.1	8.8	3.3	166	1.86	7.3	<0.5	0.7	24	<0.1	0.3	0.3	35	0.31	0.025	20
1109795	Soil	0.7	18.7	25.4	62	<0.1	22.9	9.0	207	2.62	20.0	0.7	3.2	16	0.2	0.6	0.2	33	0.14	0.034	21
1109796	Soil	1.4	42.4	27.0	92	0.1	47.8	18.9	1310	3.84	20.4	3.9	6.5	44	0.5	1.9	0.3	34	0.52	0.093	28
1109797	Soil	1.0	27.7	22.9	69	<0.1	31.0	12.0	265	2.94	12.8	2.2	6.9	8	0.2	0.9	0.3	26	0.05	0.030	22
1109798	Rock Pulp	3.5	20.0	2.4	32	0.2	19.4	6.7	282	1.74	2.8	<0.5	0.9	27	0.2	0.3	<0.1	42	0.53	0.043	4
1109799	Soil	1.1	18.5	16.8	85	0.2	22.1	8.6	390	2.54	7.9	1.7	3.8	21	0.4	0.9	0.3	30	0.27	0.059	20
1109800	Soil	1.1	9.3	8.4	48	0.1	12.5	4.2	164	1.99	6.8	<0.5	2.7	7	0.2	0.6	0.2	33	0.07	0.050	17
1109801	Soil	1.0	14.8	9.7	50	0.1	16.8	5.6	244	2.06	6.3	1.4	3.3	14	0.2	0.5	0.2	28	0.20	0.058	19
1109802	Soil	1.0	22.8	13.1	71	<0.1	30.8	9.2	400	2.64	27.8	8.3	7.1	10	0.3	1.1	0.3	28	0.09	0.047	18
1109803	Soil	0.9	13.4	11.6	61	<0.1	19.7	6.4	231	2.40	7.9	0.5	5.5	11	0.2	0.6	0.2	31	0.12	0.051	22
1109804	Soil	0.9	16.9	11.3	64	<0.1	22.8	7.8	230	2.54	8.0	2.6	6.5	8	0.1	0.9	0.2	27	0.05	0.036	20
1109805	Soil	1.1	13.6	11.7	52	<0.1	18.2	5.4	174	2.56	8.6	5.4	5.3	8	0.2	0.7	0.2	41	0.07	0.033	19
1109806	Soil	1.2	11.0	10.7	55	<0.1	14.1	4.7	173	2.37	7.5	1.9	5.3	6	0.2	0.7	0.2	36	0.05	0.062	18
1109807	Soil	0.9	23.4	12.1	67	0.1	24.1	7.1	242	2.74	8.0	1.8	6.4	10	0.2	0.7	0.3	36	0.08	0.032	22
1109808	Soil	1.0	19.2	9.4	58	0.1	23.7	7.2	230	2.46	8.8	2.5	6.4	10	0.3	0.9	0.2	36	0.10	0.045	19
1109809	Soil	1.0	19.5	10.6	61	0.1	25.1	7.0	219	2.65	8.9	1.8	5.2	9	0.2	1.0	0.2	36	0.09	0.053	16
1109810	Soil	0.8	24.7	12.8	66	<0.1	28.7	10.5	540	2.42	10.5	4.8	7.1	12	0.4	1.5	0.2	27	0.12	0.046	22
1109811	Soil	0.7	18.8	11.2	60	<0.1	21.0	7.8	225	2.11	5.9	2.1	6.5	11	0.2	0.7	0.2	18	0.13	0.039	29
1109812	Rock Pulp	3.3	18.1	1.9	31	0.2	18.2	6.2	254	1.52	3.3	1.6	0.8	25	0.1	0.2	<0.1	39	0.59	0.042	4
1109813	Soil	0.7	22.7	15.0	66	0.1	23.2	8.8	304	2.37	7.5	1.6	7.4	13	0.2	1.0	0.2	19	0.17	0.048	35
1109814	Soil	1.3	22.2	14.4	76	<0.1	22.1	7.7	316	2.93	9.6	6.1	5.6	11	0.3	2.2	0.3	33	0.08	0.055	22
1109815	Soil	1.2	22.5	13.0	105	0.2	25.5	12.1	567	2.89	9.0	1.8	2.9	11	0.5	1.8	0.3	41	0.11	0.056	19
1109816	Soil	1.1	13.0	11.9	69	0.1	22.9	6.5	186	2.54	8.3	4.2	5.4	9	0.3	1.2	0.2	34	0.10	0.052	19
1109817	Soil	0.8	18.7	11.1	47	<0.1	24.7	7.4	195	2.34	10.0	3.6	6.1	10	0.1	2.0	0.2	28	0.09	0.037	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109788	Soil	29	0.33	53	0.035	<1	1.48	0.003	0.03	0.3	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
1109789	Soil	23	0.33	47	0.016	<1	1.37	0.004	0.03	0.2	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1109790	Soil	20	0.31	49	0.005	<1	1.16	0.003	0.03	<0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109791	Soil	17	0.29	76	0.010	<1	1.31	0.003	0.03	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1109792	Soil	18	0.38	102	0.008	<1	1.01	0.003	0.04	<0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
1109793	Soil	19	0.35	67	0.013	<1	1.20	0.003	0.04	0.1	0.01	1.3	<0.1	<0.05	4	<0.5	<0.2
1109794	Soil	13	0.16	88	0.018	<1	0.93	0.003	0.03	0.1	0.01	0.5	<0.1	<0.05	6	<0.5	<0.2
1109795	Soil	25	0.45	94	0.008	<1	1.52	0.003	0.03	0.1	0.01	1.6	<0.1	<0.05	5	<0.5	<0.2
1109796	Soil	51	0.50	101	0.010	<1	2.19	0.003	0.03	<0.1	0.06	4.8	<0.1	<0.05	3	<0.5	<0.2
1109797	Soil	27	0.44	100	0.009	<1	1.39	0.003	0.05	<0.1	0.01	1.9	<0.1	<0.05	3	<0.5	<0.2
1109798	Rock Pulp	28	0.48	68	0.080	<1	0.92	0.040	0.05	8.2	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
1109799	Soil	19	0.23	123	0.008	<1	0.81	0.005	0.06	0.1	0.04	2.0	<0.1	<0.05	3	<0.5	<0.2
1109800	Soil	18	0.24	66	0.021	<1	0.76	0.004	0.06	0.2	<0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109801	Soil	20	0.27	170	0.014	<1	1.00	0.005	0.05	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1109802	Soil	21	0.29	119	0.010	1	1.17	0.004	0.07	0.1	0.05	2.4	<0.1	<0.05	3	<0.5	<0.2
1109803	Soil	22	0.37	129	0.020	1	1.17	0.005	0.07	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1109804	Soil	21	0.28	103	0.010	<1	1.21	0.004	0.07	0.1	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2
1109805	Soil	27	0.35	127	0.025	1	1.45	0.004	0.07	0.1	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
1109806	Soil	19	0.27	78	0.021	<1	1.09	0.004	0.06	0.2	<0.01	1.7	0.1	<0.05	5	<0.5	<0.2
1109807	Soil	28	0.38	147	0.014	1	1.51	0.005	0.09	0.1	0.03	2.5	0.1	<0.05	4	<0.5	<0.2
1109808	Soil	30	0.42	118	0.019	<1	1.36	0.006	0.07	0.1	0.02	2.7	<0.1	<0.05	4	<0.5	<0.2
1109809	Soil	31	0.39	106	0.012	1	1.25	0.004	0.08	0.1	0.03	2.4	0.1	<0.05	4	0.7	<0.2
1109810	Soil	23	0.31	133	0.018	1	0.81	0.004	0.06	0.1	0.02	2.6	<0.1	<0.05	2	0.6	<0.2
1109811	Soil	16	0.22	149	0.009	1	0.76	0.004	0.06	0.1	<0.01	1.6	<0.1	<0.05	2	<0.5	<0.2
1109812	Rock Pulp	26	0.42	69	0.081	3	0.98	0.042	0.06	8.4	<0.01	2.8	<0.1	0.06	3	<0.5	<0.2
1109813	Soil	14	0.23	102	0.009	1	0.69	0.003	0.06	<0.1	0.02	1.9	<0.1	<0.05	2	<0.5	<0.2
1109814	Soil	20	0.28	105	0.011	<1	1.04	0.004	0.09	0.1	0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
1109815	Soil	27	0.34	193	0.008	1	1.60	0.004	0.10	0.2	0.02	2.4	0.2	<0.05	5	<0.5	<0.2
1109816	Soil	27	0.37	110	0.025	2	1.36	0.004	0.06	0.2	0.03	2.1	0.1	<0.05	4	<0.5	<0.2
1109817	Soil	22	0.28	137	0.008	<1	1.29	0.004	0.05	0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109818	Soil	0.8	13.4	11.8	57	<0.1	19.4	7.2	163	2.40	8.7	2.0	6.5	8	0.2	3.8	0.2	27	0.07	0.027	21
1109819	Soil	0.6	31.7	33.2	124	0.2	55.4	14.0	570	4.22	22.6	1.7	14.7	12	0.4	1.9	0.4	24	0.36	0.111	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

CERTIFICATE OF ANALYSIS WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109818	Soil	17	0.21	108	0.004	<1	1.07	0.003	0.05	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1109819	Soil	27	0.14	157	0.002	1	1.94	0.003	0.08	0.1	0.05	5.1	<0.1	<0.05	3	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

QUALITY CONTROL REPORT WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1109744	Soil	1.1	19.0	27.5	54	0.1	19.5	8.4	205	3.14	25.0	1.1	4.1	5	0.1	0.6	0.4	32	0.02	0.044	30
REP 1109744	QC	1.0	18.3	27.5	52	0.1	18.7	8.3	204	3.13	24.5	<0.5	3.7	5	<0.1	0.8	0.3	31	0.02	0.043	30
1109746	Soil	1.4	16.7	23.6	76	0.2	20.4	7.3	262	3.29	23.4	0.9	3.6	5	0.2	0.7	0.3	33	0.02	0.065	22
REP 1109746	QC	1.2	16.3	24.2	77	0.2	21.0	7.2	257	3.23	22.3	1.1	3.6	5	0.2	0.7	0.3	33	0.02	0.064	23
1109773	Soil	1.0	22.4	24.1	77	<0.1	28.2	10.2	311	4.02	23.3	<0.5	5.8	5	0.2	0.6	0.5	31	0.02	0.036	23
REP 1109773	QC	1.0	23.2	23.9	79	<0.1	27.2	10.3	315	3.93	23.2	0.9	6.2	6	0.2	0.6	0.4	31	0.02	0.038	25
1109784	Soil	0.7	38.4	53.2	87	0.1	36.5	16.2	436	3.37	25.2	2.4	6.3	61	0.2	1.2	0.4	18	0.77	0.060	34
REP 1109784	QC	0.8	37.5	51.2	82	0.1	37.7	16.1	417	3.24	24.9	2.9	5.8	59	0.2	1.2	0.4	18	0.76	0.060	34
1109801	Soil	1.0	14.8	9.7	50	0.1	16.8	5.6	244	2.06	6.3	1.4	3.3	14	0.2	0.5	0.2	28	0.20	0.058	19
REP 1109801	QC	0.9	15.1	10.1	48	0.1	16.5	5.6	251	2.01	6.4	2.4	3.3	13	0.3	0.5	0.2	29	0.19	0.064	19
1109802	Soil	1.0	22.8	13.1	71	<0.1	30.8	9.2	400	2.64	27.8	8.3	7.1	10	0.3	1.1	0.3	28	0.09	0.047	18
REP 1109802	QC	1.0	22.5	13.1	71	<0.1	28.5	9.2	387	2.63	26.9	5.8	7.3	10	0.3	1.0	0.3	29	0.10	0.047	19
Reference Materials																					
STD DS8	Standard	13.0	105.7	125.6	312	1.8	36.8	7.4	631	2.54	24.7	101.7	6.8	64	2.1	5.4	6.4	41	0.70	0.082	16
STD DS8	Standard	13.1	107.3	127.4	309	1.9	38.5	7.7	624	2.50	24.0	124.0	6.9	61	2.0	4.7	6.2	43	0.68	0.073	15
STD DS8	Standard	11.5	101.8	122.7	296	1.7	35.5	7.0	568	2.31	23.8	106.1	6.1	65	2.4	5.0	6.9	39	0.61	0.079	13
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 15, 2011

QUALITY CONTROL REPORT WHI11001016.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1109744	Soil	18	0.30	46	0.009	<1	1.49	0.003	0.04	0.2	0.03	1.2	<0.1	0.07	6	0.8	<0.2
REP 1109744	QC	18	0.29	46	0.008	<1	1.49	0.003	0.04	0.2	0.05	1.1	<0.1	0.05	5	0.5	<0.2
1109746	Soil	20	0.32	61	0.009	<1	1.47	0.002	0.03	0.1	0.04	1.2	<0.1	<0.05	5	<0.5	<0.2
REP 1109746	QC	20	0.32	60	0.009	<1	1.50	0.003	0.04	0.1	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2
1109773	Soil	25	0.69	57	0.006	1	1.71	0.002	0.03	<0.1	0.03	1.5	<0.1	<0.05	5	<0.5	<0.2
REP 1109773	QC	25	0.71	61	0.006	<1	1.78	0.003	0.04	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1109784	Soil	18	0.41	92	0.004	<1	1.27	0.005	0.05	<0.1	0.04	2.3	<0.1	<0.05	3	<0.5	<0.2
REP 1109784	QC	17	0.41	92	0.004	<1	1.30	0.005	0.05	<0.1	0.04	2.1	<0.1	<0.05	3	0.6	<0.2
1109801	Soil	20	0.27	170	0.014	<1	1.00	0.005	0.05	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
REP 1109801	QC	20	0.28	169	0.013	2	0.95	0.005	0.05	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1109802	Soil	21	0.29	119	0.010	1	1.17	0.004	0.07	0.1	0.05	2.4	<0.1	<0.05	3	<0.5	<0.2
REP 1109802	QC	22	0.30	117	0.011	<1	1.18	0.006	0.07	<0.1	0.05	2.5	<0.1	<0.05	3	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	116	0.63	284	0.114	3	0.93	0.100	0.40	3.1	0.21	2.5	5.5	0.21	5	5.4	5.5
STD DS8	Standard	119	0.61	272	0.115	2	0.87	0.084	0.41	2.8	0.23	2.2	5.4	0.18	5	4.8	5.3
STD DS8	Standard	105	0.65	241	0.101	3	0.89	0.074	0.37	2.6	0.19	1.8	5.2	0.18	4	4.4	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 11, 2011
Report Date: November 21, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001131.1

CLIENT JOB INFORMATION

Project: Hyland
Shipment ID: AML-2011-S-025
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	88	Dry at 60C			WHI
SS80	84	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	88	Saving all or part of Soil Reject			WHI
1DX2	90	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109201	Soil	0.7	34.1	32.6	82	0.2	25.9	10.9	584	3.14	68.1	42.5	3.9	17	0.6	3.3	2.3	19	0.22	0.054	19
1109202	Soil	0.4	26.5	22.1	61	0.4	20.0	8.2	309	2.34	40.1	4.0	2.1	41	0.3	2.5	1.5	14	0.87	0.054	12
1109203	Soil	1.3	21.9	21.6	77	0.1	18.4	7.7	237	3.09	45.6	9.6	3.4	6	0.3	1.9	1.1	42	0.04	0.034	19
1109204	Soil	1.7	17.9	20.1	67	<0.1	17.9	6.7	285	2.45	56.3	3.0	3.4	5	0.4	2.3	1.6	48	0.03	0.033	18
1109205	Soil	0.6	30.9	23.3	64	0.2	25.1	9.3	323	2.81	52.4	8.1	5.7	15	0.2	2.7	1.6	14	0.21	0.033	21
1109206	Soil	0.8	29.8	24.0	75	0.2	28.1	12.0	535	3.12	38.4	8.0	5.0	27	0.3	2.6	1.0	21	0.46	0.053	18
1109207	Soil	0.9	15.1	23.4	69	0.2	16.2	7.4	324	2.27	30.3	2.3	2.9	15	0.4	1.2	1.0	30	0.21	0.031	17
1109208	Soil	0.7	33.4	23.7	65	0.2	25.5	9.4	371	2.68	55.8	4.4	5.2	20	0.2	2.0	1.3	17	0.33	0.041	19
1109209	Soil	0.6	32.8	27.2	66	0.2	25.2	10.9	507	2.94	47.3	5.2	5.5	24	0.3	3.4	1.1	12	0.50	0.045	17
1109210	Soil	0.6	36.3	22.6	70	0.2	23.4	9.7	488	2.64	53.4	7.7	2.4	31	0.3	1.9	1.3	17	0.65	0.063	15
1109211	Soil	0.6	55.6	34.8	76	0.2	32.6	13.2	436	3.25	98.2	15.1	10.4	24	0.2	3.5	2.0	17	0.33	0.043	25
1109212 AML-STD	Soil	1.3	411.9	20.5	170	0.2	191.4	70.9	781	14.44	4.1	27.1	6.8	14	<0.1	0.3	0.2	202	0.28	0.042	16
1109213	Soil	0.5	41.3	33.2	71	<0.1	29.7	11.6	428	3.12	89.7	18.4	9.1	12	0.1	3.0	2.0	16	0.11	0.028	36
1109214	Soil	0.9	34.6	21.7	76	0.1	22.9	7.8	203	2.96	67.1	21.1	7.8	7	0.2	1.6	1.8	27	0.05	0.031	29
1109215	Soil	1.2	39.4	26.2	83	0.3	31.1	8.9	213	3.34	85.3	7.5	8.4	7	0.1	2.0	1.9	27	0.04	0.047	31
1109216	Soil	0.7	50.3	24.2	64	0.2	29.2	9.8	202	3.14	138.5	18.8	9.0	7	0.1	2.3	2.9	17	0.05	0.032	34
1109217	Soil	0.7	27.4	17.2	51	<0.1	20.7	6.7	175	2.81	71.9	7.3	7.3	6	<0.1	1.9	1.8	19	0.04	0.029	33
1109218	Soil	0.8	32.9	19.3	64	<0.1	26.6	8.6	200	3.62	51.7	14.6	7.9	5	0.1	1.7	1.3	18	0.02	0.037	35
1109219	Soil	0.8	26.5	21.8	61	<0.1	23.3	7.1	186	2.68	44.5	5.4	8.4	6	0.1	1.6	1.1	23	0.05	0.029	32
1109220	Soil	0.6	48.8	31.9	88	0.2	30.1	13.7	462	3.35	94.3	9.9	8.9	12	0.2	3.3	2.1	17	0.12	0.045	36
1109221	Soil	0.6	40.2	23.5	67	0.1	25.9	9.7	348	2.80	85.6	13.8	7.7	17	0.1	2.4	1.6	18	0.19	0.048	35
1109222	Soil	0.6	38.5	25.6	78	0.3	26.2	10.4	506	2.88	55.4	5.1	3.4	58	0.3	2.8	1.5	18	1.01	0.062	20
1109223	Soil	0.7	38.7	25.7	71	0.3	29.3	11.2	476	2.99	43.8	9.1	4.7	48	0.3	3.1	1.2	15	1.00	0.058	21
1109224	Rock Pulp	3.6	21.8	2.2	34	0.3	21.0	7.2	301	1.84	3.4	1.1	0.8	28	0.2	0.3	<0.1	47	0.61	0.045	4
1109225	Soil	0.8	36.9	28.9	78	0.3	27.7	10.9	834	2.90	47.3	7.1	4.3	33	0.4	2.7	1.4	23	0.62	0.050	25
1109226	Soil	1.0	43.8	35.5	81	0.3	28.8	13.1	662	3.67	63.8	6.3	5.6	25	0.3	4.0	2.3	21	0.39	0.058	25
1109227	Soil	0.9	26.8	19.8	56	<0.1	19.4	8.5	227	3.48	81.1	13.0	4.6	4	<0.1	5.2	4.1	22	0.02	0.043	29
1109228	Soil	0.8	9.8	14.3	24	<0.1	8.6	3.2	121	1.69	26.6	1.2	0.8	4	<0.1	1.8	1.7	25	0.03	0.033	23
1109229	Soil	1.1	17.5	25.1	64	0.1	20.2	7.7	285	3.25	44.6	3.1	4.2	7	0.2	2.5	1.8	32	0.04	0.034	27
1109230	Soil	1.0	17.6	21.3	73	0.1	14.7	7.7	354	2.45	51.6	4.6	3.8	9	0.3	2.3	2.8	31	0.12	0.034	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109201	Soil	12	0.37	130	0.003	<1	1.17	0.008	0.06	0.2	0.03	1.1	<0.1	<0.05	3	0.5	<0.2
1109202	Soil	12	0.29	84	0.005	<1	1.11	0.013	0.07	0.1	0.04	1.2	<0.1	<0.05	3	0.8	<0.2
1109203	Soil	17	0.30	99	0.022	<1	0.96	0.004	0.05	0.6	0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
1109204	Soil	15	0.31	74	0.009	<1	0.69	0.002	0.04	0.3	0.01	0.9	<0.1	<0.05	4	0.6	<0.2
1109205	Soil	14	0.42	77	0.003	<1	1.07	0.004	0.06	0.3	0.04	1.5	<0.1	<0.05	3	0.9	<0.2
1109206	Soil	18	0.43	84	0.009	<1	1.20	0.006	0.07	0.2	0.05	1.8	<0.1	<0.05	4	0.9	<0.2
1109207	Soil	18	0.34	91	0.012	<1	1.16	0.004	0.05	0.2	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
1109208	Soil	16	0.41	85	0.005	<1	1.13	0.003	0.06	0.4	0.03	1.7	<0.1	<0.05	3	0.7	<0.2
1109209	Soil	13	0.38	59	0.005	<1	0.91	0.003	0.06	0.2	0.04	1.8	<0.1	<0.05	2	0.5	<0.2
1109210	Soil	16	0.36	96	0.007	<1	1.13	0.006	0.06	0.5	0.06	1.5	<0.1	<0.05	3	0.8	<0.2
1109211	Soil	18	0.44	96	0.005	3	1.26	0.006	0.14	0.6	0.05	2.5	<0.1	<0.05	3	<0.5	<0.2
1109212 AML-STD	Soil	604	0.13	145	0.142	4	3.86	0.012	0.06	<0.1	0.03	31.8	<0.1	<0.05	20	0.7	<0.2
1109213	Soil	18	0.48	90	0.005	<1	1.30	0.004	0.11	0.8	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1109214	Soil	20	0.38	83	0.009	<1	1.38	0.004	0.08	0.7	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
1109215	Soil	22	0.42	99	0.005	<1	1.47	0.004	0.07	0.6	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1109216	Soil	17	0.39	72	0.004	<1	1.28	0.004	0.08	1.6	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
1109217	Soil	15	0.31	59	0.005	<1	1.04	0.003	0.07	0.8	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
1109218	Soil	18	0.36	51	0.004	<1	1.10	0.003	0.07	0.4	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
1109219	Soil	19	0.39	64	0.008	<1	1.25	0.004	0.08	0.5	0.03	1.4	<0.1	<0.05	4	<0.5	<0.2
1109220	Soil	16	0.45	80	0.010	<1	1.21	0.003	0.09	0.7	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1109221	Soil	16	0.42	80	0.006	<1	1.08	0.004	0.07	0.9	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109222	Soil	18	0.45	86	0.007	<1	1.23	0.006	0.07	0.3	0.05	1.6	<0.1	0.08	3	<0.5	<0.2
1109223	Soil	17	0.43	77	0.005	<1	1.22	0.005	0.08	0.2	0.05	1.9	<0.1	0.07	3	<0.5	<0.2
1109224	Rock Pulp	31	0.49	71	0.100	2	1.01	0.053	0.06	8.0	0.03	3.0	<0.1	0.09	4	<0.5	<0.2
1109225	Soil	18	0.39	117	0.009	<1	1.25	0.005	0.06	0.2	0.05	1.9	<0.1	<0.05	3	<0.5	<0.2
1109226	Soil	17	0.41	58	0.008	1	1.07	0.003	0.04	0.5	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1109227	Soil	11	0.25	20	0.007	<1	0.70	0.002	0.03	0.2	0.01	0.8	<0.1	<0.05	3	<0.5	<0.2
1109228	Soil	10	0.11	27	0.007	<1	0.63	0.005	0.03	<0.1	0.02	0.5	<0.1	<0.05	4	<0.5	<0.2
1109229	Soil	18	0.36	79	0.009	<1	1.20	0.006	0.06	0.1	0.01	1.1	<0.1	<0.05	4	<0.5	<0.2
1109230	Soil	14	0.25	108	0.011	<1	0.96	0.003	0.05	0.2	<0.01	1.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109231	Soil	1.8	28.1	27.5	103	0.1	26.9	10.3	297	3.25	70.8	11.4	5.0	18	0.4	3.5	2.0	44	0.28	0.044	29
1109232	Soil	1.5	28.4	26.3	135	0.2	26.0	9.3	621	3.12	75.9	3.6	2.6	24	0.7	2.0	1.7	46	0.36	0.060	23
1109820	Soil	0.9	19.9	56.5	107	0.2	21.4	7.3	312	3.53	40.1	1.6	11.8	7	<0.1	1.1	0.4	30	0.03	0.047	28
1109821	Soil	0.9	20.9	49.8	91	0.3	17.0	7.1	341	5.49	38.0	<0.5	7.5	8	0.2	1.7	0.5	32	0.02	0.139	28
1109822	Soil	0.9	26.5	70.0	118	<0.1	23.9	8.8	450	3.73	66.3	0.7	14.1	8	0.1	1.6	0.4	20	0.03	0.035	38
1109823	Soil	0.9	21.9	55.8	119	0.4	24.3	8.8	455	4.28	52.1	1.5	10.1	9	0.2	1.1	0.5	30	0.03	0.050	30
1109848	Rock Pulp	3.7	21.9	2.3	33	0.2	21.9	7.2	305	1.90	2.9	24.5	0.9	30	0.1	0.3	<0.1	48	0.65	0.043	5
1109854	Soil	0.5	19.0	18.3	68	0.1	32.7	10.5	284	2.81	33.0	2.7	5.9	20	0.2	2.5	0.3	25	0.39	0.061	36
1109855	Soil	0.5	24.4	16.6	66	0.1	39.9	14.5	900	3.34	28.9	4.3	7.7	19	0.3	2.9	0.3	28	0.50	0.058	45
1109825	Soil	1.2	16.3	15.2	48	<0.1	15.8	5.6	397	2.59	64.3	12.6	0.4	6	0.2	0.8	3.4	35	0.04	0.072	23
1109826	Soil	0.9	30.7	17.0	64	<0.1	35.3	12.7	501	3.60	99.8	20.9	4.2	6	0.2	1.1	7.1	27	0.04	0.039	34
1109827	Soil	1.0	26.2	19.4	61	<0.1	26.9	11.7	457	3.25	39.6	3.5	2.5	6	0.1	1.0	7.3	29	0.03	0.053	29
1109828	Soil	0.8	32.2	18.4	62	<0.1	32.1	15.0	708	3.38	42.3	11.8	5.1	5	<0.1	1.1	10.1	19	0.03	0.051	37
1109829	Soil	0.8	24.0	15.4	62	<0.1	25.4	10.3	528	3.43	35.7	2.3	1.8	5	<0.1	0.8	4.3	36	0.03	0.049	30
1109830	Soil	1.2	16.3	14.0	50	<0.1	18.1	7.3	409	2.62	20.5	1.5	1.6	6	0.2	0.8	3.5	36	0.03	0.035	22
1109831	Soil	0.6	38.3	17.9	65	<0.1	38.3	17.0	682	3.52	41.1	5.5	11.1	6	<0.1	1.1	7.3	15	0.03	0.037	52
1109832	Soil	0.7	30.1	17.1	55	<0.1	32.0	12.9	553	3.24	48.6	4.3	7.1	5	<0.1	1.0	3.8	16	0.03	0.046	33
1109833	Soil	0.8	28.2	15.2	63	<0.1	28.7	10.8	387	3.11	28.1	2.1	6.3	6	0.1	1.0	2.9	26	0.03	0.033	41
1109834	Soil	0.7	25.7	11.7	50	<0.1	22.7	9.1	353	2.75	42.0	1.4	5.5	2	0.1	0.8	2.9	17	0.01	0.025	23
1109835	Soil	0.6	38.3	14.1	64	<0.1	33.2	14.6	734	3.00	69.9	30.3	8.9	5	0.2	0.9	4.5	15	0.03	0.038	26
1109836	Soil	0.6	25.2	11.7	47	<0.1	21.7	8.0	265	2.44	35.5	8.0	5.8	3	0.1	0.8	3.3	14	0.01	0.027	25
1109837	Soil	0.9	18.0	12.8	50	<0.1	19.6	7.5	356	2.47	43.4	5.7	1.8	3	<0.1	0.7	3.9	20	0.02	0.039	13
1109838	Soil	1.1	8.6	11.8	44	0.1	13.2	4.9	244	2.23	13.3	1.0	1.1	3	0.1	0.6	1.3	32	0.03	0.027	10
1109839	Soil	0.8	24.0	12.9	45	<0.1	22.3	8.1	400	2.54	87.4	10.8	2.0	3	<0.1	0.8	4.0	14	0.01	0.036	13
1109840	Soil	0.9	22.5	21.0	45	<0.1	21.3	8.1	386	2.31	80.9	6.3	2.3	3	0.1	0.7	5.8	13	0.03	0.048	12
1109841	Soil	0.7	33.8	18.4	56	<0.1	33.6	14.7	656	2.95	36.7	13.3	5.2	5	<0.1	0.8	6.7	14	0.04	0.040	16
1109842	Soil	0.6	35.2	13.3	55	<0.1	39.7	20.1	1953	3.92	42.1	2.1	3.3	9	<0.1	1.0	1.0	17	0.11	0.124	10
1109843	Soil	0.8	22.5	18.0	48	<0.1	23.9	13.1	506	2.89	45.8	2.1	4.1	4	<0.1	0.8	2.3	14	0.03	0.043	15
1109844	Soil	0.7	22.3	17.4	48	<0.1	26.0	11.4	415	2.81	34.6	2.3	3.9	4	0.1	0.8	5.9	15	0.02	0.036	14
1109845	Soil	0.7	31.3	29.5	62	<0.1	29.1	15.5	684	3.06	30.1	3.5	6.4	4	<0.1	0.8	1.9	17	0.05	0.035	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109231	Soil	20	0.38	104	0.006	<1	1.23	0.004	0.07	0.8	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109232	Soil	23	0.37	186	0.010	6	1.43	0.005	0.07	0.4	0.05	1.6	0.1	0.06	4	<0.5	<0.2
1109820	Soil	30	0.40	56	0.015	<1	1.92	0.007	0.06	0.2	0.03	2.0	0.2	<0.05	6	<0.5	<0.2
1109821	Soil	28	0.35	37	0.012	1	1.63	0.006	0.05	0.1	0.04	1.4	0.1	<0.05	7	<0.5	<0.2
1109822	Soil	28	0.45	51	0.007	<1	1.66	0.006	0.07	0.2	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
1109823	Soil	32	0.50	52	0.014	<1	1.92	0.007	0.06	0.2	0.02	1.9	0.2	<0.05	7	<0.5	<0.2
1109848	Rock Pulp	31	0.47	77	0.111	2	1.02	0.053	0.06	8.9	0.02	3.0	<0.1	0.08	4	<0.5	<0.2
1109854	Soil	27	0.33	157	0.009	<1	1.49	0.005	0.08	<0.1	0.06	2.9	<0.1	<0.05	3	<0.5	<0.2
1109855	Soil	29	0.45	189	0.009	1	1.55	0.006	0.09	0.1	0.07	4.3	<0.1	<0.05	3	<0.5	<0.2
1109825	Soil	21	0.26	53	0.010	<1	1.12	0.004	0.05	0.8	0.03	0.4	0.1	<0.05	5	<0.5	<0.2
1109826	Soil	28	0.56	60	0.013	<1	1.66	0.005	0.06	1.6	0.04	1.1	<0.1	<0.05	5	<0.5	<0.2
1109827	Soil	25	0.46	59	0.008	<1	1.61	0.003	0.05	0.3	0.02	1.0	<0.1	<0.05	5	<0.5	<0.2
1109828	Soil	23	0.54	40	0.008	<1	1.50	0.003	0.05	0.3	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1109829	Soil	28	0.42	59	0.040	<1	1.58	0.004	0.04	0.1	0.03	1.1	<0.1	<0.05	6	<0.5	<0.2
1109830	Soil	22	0.31	44	0.032	<1	1.16	0.003	0.05	0.1	0.03	0.8	<0.1	<0.05	5	<0.5	<0.2
1109831	Soil	19	0.52	52	0.005	<1	1.39	0.002	0.04	0.2	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109832	Soil	21	0.50	33	0.006	<1	1.29	0.002	0.04	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1109833	Soil	21	0.48	64	0.008	<1	1.50	0.003	0.05	0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109834	Soil	15	0.34	35	0.005	<1	1.15	0.002	0.02	0.2	0.01	0.9	<0.1	<0.05	3	<0.5	<0.2
1109835	Soil	17	0.40	106	0.005	<1	1.24	0.004	0.08	0.3	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1109836	Soil	14	0.32	52	0.004	<1	1.02	0.002	0.02	0.2	<0.01	0.9	<0.1	<0.05	3	<0.5	<0.2
1109837	Soil	17	0.28	43	0.006	<1	1.15	0.002	0.02	0.3	0.03	0.6	<0.1	<0.05	3	<0.5	<0.2
1109838	Soil	17	0.21	51	0.015	<1	1.03	0.002	0.02	0.3	0.05	0.7	<0.1	<0.05	4	<0.5	<0.2
1109839	Soil	15	0.28	33	0.004	<1	0.94	0.002	0.03	0.4	0.02	0.5	<0.1	<0.05	3	<0.5	<0.2
1109840	Soil	18	0.24	36	0.004	<1	0.88	0.002	0.03	0.4	0.04	0.6	<0.1	<0.05	3	<0.5	<0.2
1109841	Soil	18	0.45	38	0.004	<1	1.32	0.002	0.04	0.3	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
1109842	Soil	36	0.72	61	0.003	<1	1.56	0.002	0.03	0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
1109843	Soil	17	0.30	44	0.005	<1	1.12	0.002	0.03	0.1	0.03	0.9	<0.1	<0.05	3	<0.5	<0.2
1109844	Soil	18	0.35	40	0.006	<1	1.15	0.002	0.02	0.3	0.03	0.7	<0.1	<0.05	3	<0.5	<0.2
1109845	Soil	17	0.38	46	0.006	<1	1.25	0.002	0.02	0.2	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX16
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109294	Soil	1.0	19.6	14.1	46	<0.1	19.5	8.0	248	2.29	20.4	1.4	2.0	3	<0.1	0.7	4.4	17	0.02	0.032	16
1109295	Soil	1.8	35.4	24.4	61	<0.1	27.2	12.4	487	2.70	34.9	2.4	3.8	3	0.3	1.2	1.6	11	0.02	0.033	19
1109296	Rock Pulp	3.0	18.2	2.0	29	0.2	17.7	6.2	209	1.26	3.1	1.5	0.7	18	0.1	0.3	<0.1	36	0.45	0.041	3
1109061	Soil	0.7	19.6	11.2	43	<0.1	23.5	9.3	511	2.35	59.7	7.2	8.6	3	<0.1	0.5	1.9	9	0.03	0.026	23
1109062	Soil	0.8	23.3	15.6	62	<0.1	28.0	11.1	399	2.82	22.3	2.9	3.9	3	0.1	0.7	2.2	16	0.02	0.039	18
1109063	Soil	0.6	22.5	13.2	44	<0.1	24.6	10.5	398	2.42	56.5	5.1	3.8	3	<0.1	0.7	7.8	12	0.02	0.041	16
1109064	Soil	0.7	20.3	17.9	54	<0.1	23.8	10.4	657	2.83	31.8	1.0	1.2	3	<0.1	0.6	3.5	19	0.02	0.074	19
1109065	Soil	0.8	20.2	14.8	49	<0.1	19.8	8.7	480	2.51	21.6	3.0	0.7	4	<0.1	0.7	1.9	22	0.03	0.051	16
1109066	Soil	0.9	23.3	17.3	57	<0.1	22.2	10.7	600	2.80	20.6	1.5	0.9	4	<0.1	0.6	1.5	23	0.03	0.056	17
1109067	Soil	0.7	23.0	13.0	51	<0.1	26.6	10.3	425	2.43	22.5	6.2	3.3	3	<0.1	0.6	3.9	16	0.02	0.033	19
1109068	Soil	0.5	38.4	25.2	63	<0.1	26.3	12.5	597	2.64	18.0	1.4	4.2	4	0.1	0.4	1.6	14	0.06	0.051	13
1109847	Soil	0.6	22.9	11.8	46	<0.1	24.0	11.3	465	2.38	73.6	54.8	7.5	4	<0.1	1.9	60.5	13	0.04	0.035	31
1109849	Soil	0.5	27.9	14.2	51	<0.1	26.9	13.6	637	2.61	78.7	26.1	5.6	5	0.1	1.5	41.8	15	0.04	0.047	27
1109850	Soil	0.6	18.3	10.2	43	<0.1	21.4	8.8	403	2.49	69.9	65.9	4.2	3	<0.1	1.2	32.1	14	0.02	0.036	21
1109051	Soil	0.4	31.4	17.7	51	<0.1	31.3	15.4	791	2.74	66.2	25.0	8.1	4	<0.1	1.4	37.9	14	0.04	0.035	30
1109052	Soil	0.9	34.6	16.7	53	<0.1	32.5	29.2	2620	3.43	67.0	36.7	5.8	3	0.1	2.1	32.7	10	0.03	0.044	19
1109053	Soil	0.7	22.1	15.0	49	<0.1	25.3	14.1	536	2.70	104.6	50.3	4.2	3	0.1	3.7	123.3	14	0.02	0.041	22
1109696	Rock Pulp	428.8	34.7	21.3	46	0.7	24.9	7.5	272	3.65	840.5	4602	1.0	47	<0.1	11.2	0.2	47	0.70	0.046	4
1109697	Soil	1.3	27.9	18.7	67	<0.1	27.0	9.3	226	3.29	9.4	2.9	6.2	6	<0.1	0.6	0.7	29	0.03	0.045	24
1109698	Soil	1.2	31.7	16.9	77	0.1	49.8	16.0	428	3.70	7.5	1.6	5.7	6	0.1	0.5	0.3	53	0.04	0.040	18
1109699	Soil	1.2	15.0	16.0	50	0.1	11.9	4.4	226	2.52	8.0	1.7	2.8	5	0.1	0.5	0.3	29	0.02	0.038	20
1109700	Soil	0.7	23.8	26.1	53	<0.1	19.8	5.9	137	2.98	5.4	1.2	10.8	3	<0.1	0.5	0.1	12	<0.01	0.048	26
1109846	Soil	0.6	48.2	23.6	73	0.1	40.6	20.7	805	4.31	81.9	7.3	9.1	16	<0.1	1.6	1.7	12	0.31	0.054	25
1109054	Soil	1.0	16.7	13.7	41	<0.1	18.1	8.9	282	2.78	89.9	50.3	3.1	3	0.2	1.6	35.8	18	0.02	0.041	19
1109055	Soil	1.1	22.3	20.2	52	<0.1	22.7	12.0	627	2.90	105.0	129.0	2.1	5	0.1	7.5	281.9	22	0.02	0.049	24
1109056	Soil	1.3	16.7	13.0	47	<0.1	15.4	5.2	230	2.50	45.6	7.8	0.4	4	0.1	1.1	17.9	30	0.03	0.044	18
1109057	Soil	1.1	20.3	16.9	55	<0.1	21.1	10.9	473	2.73	51.3	3.4	1.7	5	0.2	0.8	3.1	21	0.03	0.049	22
1109058	Soil	1.1	18.4	15.5	57	<0.1	19.1	9.5	616	2.77	25.6	2.1	0.8	4	0.2	0.8	1.9	26	0.03	0.069	18
1109059	Soil	0.9	27.8	18.2	66	<0.1	29.4	13.5	779	3.15	31.4	3.3	1.6	4	0.2	0.8	5.3	23	0.03	0.067	21
1109060 AML-STD	Soil	1.3	389.3	21.3	155	0.2	182.3	69.1	734	13.99	2.7	31.4	7.1	14	<0.1	0.3	0.2	191	0.27	0.038	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

CERTIFICATE OF ANALYSIS WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109294	Soil	14	0.30	43	0.007	<1	0.94	0.002	0.02	0.2	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1109295	Soil	11	0.35	54	0.004	<1	0.92	0.001	0.02	0.2	0.02	1.1	<0.1	<0.05	2	<0.5	<0.2
1109296	Rock Pulp	25	0.36	67	0.062	1	0.80	0.029	0.06	7.7	0.02	2.5	<0.1	0.05	3	<0.5	<0.2
1109061	Soil	13	0.19	20	0.003	<1	0.69	0.002	0.02	0.2	<0.01	0.7	<0.1	<0.05	3	<0.5	<0.2
1109062	Soil	20	0.44	39	0.005	<1	1.30	0.002	0.03	0.2	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
1109063	Soil	15	0.41	45	0.005	<1	0.97	0.002	0.02	0.3	0.03	0.7	<0.1	<0.05	3	<0.5	<0.2
1109064	Soil	19	0.42	43	0.007	<1	1.27	0.002	0.03	0.1	0.05	0.5	<0.1	0.08	4	<0.5	<0.2
1109065	Soil	18	0.32	45	0.012	<1	1.09	0.002	0.03	0.2	0.05	0.6	<0.1	0.06	4	<0.5	<0.2
1109066	Soil	20	0.38	66	0.011	<1	1.19	0.002	0.05	0.2	0.04	0.7	<0.1	<0.05	4	<0.5	<0.2
1109067	Soil	17	0.44	41	0.008	<1	1.16	0.002	0.03	0.2	0.02	0.9	<0.1	<0.05	3	0.6	<0.2
1109068	Soil	16	0.71	49	0.005	<1	1.22	0.002	0.03	0.1	0.02	1.5	<0.1	<0.05	3	0.7	<0.2
1109847	Soil	14	0.35	42	0.007	<1	0.97	0.002	0.03	2.0	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109849	Soil	16	0.39	59	0.005	<1	1.17	0.002	0.03	1.7	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109850	Soil	14	0.34	38	0.006	<1	0.92	0.002	0.04	1.4	0.01	0.9	<0.1	<0.05	3	<0.5	<0.2
1109051	Soil	16	0.50	47	0.004	<1	1.19	0.002	0.03	1.2	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2
1109052	Soil	15	0.33	63	0.005	<1	0.99	0.002	0.02	1.4	0.02	2.5	<0.1	<0.05	2	0.7	<0.2
1109053	Soil	15	0.35	24	0.006	<1	1.00	0.002	0.03	4.8	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1109696	Rock Pulp	37	0.49	109	0.064	2	1.12	0.047	0.14	4.5	1.50	2.8	0.5	0.77	4	0.7	0.4
1109697	Soil	31	0.55	60	0.008	<1	1.54	0.002	0.05	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1109698	Soil	53	1.05	89	0.021	<1	2.29	0.004	0.05	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5	<0.2
1109699	Soil	16	0.22	45	0.011	<1	1.08	0.002	0.04	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
1109700	Soil	12	0.17	27	0.002	<1	1.06	0.002	0.02	<0.1	<0.01	1.0	<0.1	<0.05	2	<0.5	<0.2
1109846	Soil	14	0.45	36	0.003	2	1.25	0.002	0.02	0.1	0.02	3.8	<0.1	<0.05	3	<0.5	<0.2
1109054	Soil	15	0.28	40	0.013	<1	1.03	0.002	0.02	1.9	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1109055	Soil	17	0.33	42	0.009	1	1.02	0.003	0.05	9.3	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2
1109056	Soil	18	0.24	42	0.010	2	0.85	0.003	0.05	0.5	0.04	0.6	<0.1	<0.05	4	<0.5	<0.2
1109057	Soil	19	0.41	46	0.008	2	1.16	0.003	0.05	0.3	0.05	0.8	<0.1	<0.05	4	1.0	<0.2
1109058	Soil	19	0.38	56	0.006	<1	1.20	0.003	0.04	0.2	0.03	0.6	<0.1	<0.05	4	<0.5	<0.2
1109059	Soil	24	0.59	48	0.008	<1	1.47	0.003	0.05	0.5	0.05	0.9	<0.1	<0.05	4	0.6	<0.2
1109060 AML-STD	Soil	575	0.11	138	0.144	2	3.61	0.012	0.06	<0.1	0.03	31.2	<0.1	<0.05	18	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

QUALITY CONTROL REPORT WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1109208	Soil	0.7	33.4	23.7	65	0.2	25.5	9.4	371	2.68	55.8	4.4	5.2	20	0.2	2.0	1.3	17	0.33	0.041	19
REP 1109208	QC	0.7	35.2	24.4	66	0.2	25.5	9.6	383	2.81	56.6	6.0	5.2	21	0.2	2.2	1.5	17	0.35	0.042	18
1109215	Soil	1.2	39.4	26.2	83	0.3	31.1	8.9	213	3.34	85.3	7.5	8.4	7	0.1	2.0	1.9	27	0.04	0.047	31
REP 1109215	QC	1.1	39.4	25.7	80	0.2	30.7	8.8	214	3.35	83.9	9.6	8.4	7	0.2	1.9	2.2	28	0.04	0.048	33
1109848	Rock Pulp	3.7	21.9	2.3	33	0.2	21.9	7.2	305	1.90	2.9	24.5	0.9	30	0.1	0.3	<0.1	48	0.65	0.043	5
REP 1109848	QC	4.2	22.1	2.5	34	0.2	21.6	7.4	312	1.91	3.2	0.8	0.9	31	0.2	0.3	<0.1	49	0.71	0.044	5
1109062	Soil	0.8	23.3	15.6	62	<0.1	28.0	11.1	399	2.82	22.3	2.9	3.9	3	0.1	0.7	2.2	16	0.02	0.039	18
REP 1109062	QC	0.8	22.2	15.6	58	<0.1	27.0	10.8	380	2.75	22.4	3.1	3.2	3	0.1	0.6	2.1	15	0.02	0.038	18
1109068	Soil	0.5	38.4	25.2	63	<0.1	26.3	12.5	597	2.64	18.0	1.4	4.2	4	0.1	0.4	1.6	14	0.06	0.051	13
REP 1109068	QC	0.5	38.8	25.8	62	<0.1	29.1	13.0	602	2.71	18.2	3.1	4.1	5	0.1	0.4	1.7	15	0.06	0.057	15
1109059	Soil	0.9	27.8	18.2	66	<0.1	29.4	13.5	779	3.15	31.4	3.3	1.6	4	0.2	0.8	5.3	23	0.03	0.067	21
REP 1109059	QC	0.9	26.1	17.8	61	<0.1	28.0	12.9	731	2.99	30.2	5.0	1.7	4	0.1	0.8	4.7	22	0.02	0.061	22
Reference Materials																					
STD DS8	Standard	12.5	101.9	123.6	288	1.8	36.1	6.9	582	2.32	22.9	114.7	6.7	64	2.1	5.1	5.7	39	0.68	0.073	15
STD DS8	Standard	13.7	115.4	126.9	327	1.7	39.0	7.7	645	2.51	26.8	112.9	6.9	67	2.4	5.6	6.5	47	0.71	0.077	15
STD DS8	Standard	14.4	121.4	129.7	331	2.0	42.5	8.2	662	2.69	27.1	129.4	7.1	74	2.4	6.0	6.7	47	0.75	0.081	18
STD DS8	Standard	11.1	99.3	114.2	289	1.8	33.5	6.8	542	2.21	23.3	103.3	5.4	56	2.2	4.3	5.7	35	0.58	0.069	12
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 21, 2011

QUALITY CONTROL REPORT WHI11001131.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1109208	Soil	16	0.41	85	0.005	<1	1.13	0.003	0.06	0.4	0.03	1.7	<0.1	<0.05	3	0.7	<0.2
REP 1109208	QC	17	0.41	85	0.005	4	1.18	0.003	0.07	0.4	0.02	1.7	<0.1	<0.05	3	<0.5	<0.2
1109215	Soil	22	0.42	99	0.005	<1	1.47	0.004	0.07	0.6	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
REP 1109215	QC	22	0.42	99	0.005	<1	1.48	0.004	0.07	0.6	0.04	1.6	<0.1	<0.05	4	<0.5	<0.2
1109848	Rock Pulp	31	0.47	77	0.111	2	1.02	0.053	0.06	8.9	0.02	3.0	<0.1	0.08	4	<0.5	<0.2
REP 1109848	QC	33	0.50	81	0.118	3	1.08	0.055	0.07	9.2	0.01	3.4	<0.1	0.08	4	<0.5	<0.2
1109062	Soil	20	0.44	39	0.005	<1	1.30	0.002	0.03	0.2	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
REP 1109062	QC	19	0.44	38	0.005	<1	1.23	0.002	0.04	0.2	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
1109068	Soil	16	0.71	49	0.005	<1	1.22	0.002	0.03	0.1	0.02	1.5	<0.1	<0.05	3	0.7	<0.2
REP 1109068	QC	17	0.75	51	0.006	<1	1.27	0.002	0.03	0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1109059	Soil	24	0.59	48	0.008	<1	1.47	0.003	0.05	0.5	0.05	0.9	<0.1	<0.05	4	0.6	<0.2
REP 1109059	QC	23	0.57	47	0.008	2	1.42	0.003	0.05	0.5	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	111	0.58	270	0.112	2	0.90	0.102	0.42	2.8	0.18	2.9	5.2	0.14	4	4.4	4.1
STD DS8	Standard	121	0.62	291	0.116	2	0.96	0.113	0.43	3.0	0.19	2.4	5.4	0.18	5	5.0	5.1
STD DS8	Standard	130	0.65	283	0.139	3	1.00	0.108	0.43	3.2	0.21	2.8	5.8	0.20	5	6.0	5.2
STD DS8	Standard	100	0.47	252	0.095	2	0.79	0.083	0.37	2.9	0.19	2.2	5.3	0.15	4	4.6	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: August 11, 2011
Report Date: September 23, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001132.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-022
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	99	Dry at 60C			WHI
SS80	97	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	99	Saving all or part of Soil Reject			WHI
1DX2	102	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109001	Soil	1.2	24.8	20.7	91	0.1	27.5	13.5	540	3.17	13.2	1.5	4.1	17	0.3	0.5	0.3	22	0.23	0.057	22
1109002	Soil	1.0	29.1	15.1	64	0.3	25.9	9.0	371	2.40	7.8	3.5	2.4	41	0.2	0.5	0.2	20	0.71	0.061	17
1109003	Soil	1.2	20.0	13.0	54	<0.1	18.4	6.1	186	2.18	7.0	1.4	7.5	9	<0.1	0.4	0.3	19	0.09	0.027	34
1109004	Soil	1.2	21.8	13.7	79	<0.1	34.0	9.4	189	2.72	9.0	1.6	7.8	11	0.3	0.7	0.2	30	0.11	0.056	21
1109005	Soil	0.7	22.7	14.5	64	0.2	27.0	8.9	219	2.68	9.0	1.4	8.6	6	0.1	0.7	0.3	21	0.03	0.023	24
1109006	Soil	0.9	16.5	12.8	55	<0.1	21.0	6.2	185	2.26	6.9	0.8	6.9	7	0.1	0.6	0.2	25	0.04	0.021	21
1109007	Soil	0.8	23.0	10.9	61	0.1	28.0	8.6	260	2.58	9.2	3.0	7.1	8	0.1	0.8	0.2	28	0.06	0.035	22
1109008	Soil	0.8	11.7	10.3	51	<0.1	15.2	4.7	177	1.87	5.4	1.9	5.1	6	0.1	0.5	0.2	22	0.07	0.034	17
1109009	Soil	0.8	21.1	12.1	60	<0.1	21.6	9.7	343	2.15	7.0	2.2	6.6	8	0.2	0.7	0.2	24	0.08	0.046	21
1109010	Soil	0.8	20.8	11.8	69	0.3	23.0	8.7	391	2.22	6.7	2.3	3.2	31	0.2	0.4	0.2	23	0.37	0.067	21
1109011	Soil	0.8	25.5	14.9	71	0.2	26.2	12.1	681	2.48	7.2	2.3	5.5	26	0.3	0.5	0.3	25	0.35	0.050	24
1109012 AML-STD	Soil	1.2	390.4	20.8	157	0.2	186.3	67.3	756	13.94	3.4	32.7	6.6	14	<0.1	0.3	0.2	181	0.27	0.040	16
1109013	Soil	0.9	28.1	14.7	63	<0.1	22.1	8.6	242	2.75	7.2	1.8	9.0	10	0.1	0.5	0.3	18	0.09	0.033	37
1109014	Soil	0.9	30.0	14.4	64	<0.1	29.9	11.4	316	2.76	8.2	1.5	6.5	11	0.1	0.7	0.2	23	0.10	0.038	30
1109015	Soil	1.0	11.5	12.2	60	<0.1	14.1	8.1	242	2.25	5.6	1.8	6.2	9	0.2	0.3	0.2	36	0.06	0.024	30
1109016	Soil	1.4	25.1	15.5	53	<0.1	16.6	6.1	170	2.76	8.3	2.1	9.9	7	0.1	0.6	0.3	25	0.03	0.019	32
1109017	Soil	1.3	12.8	14.5	62	0.1	15.3	5.5	178	2.41	6.6	<0.5	6.5	8	0.2	0.4	0.3	37	0.05	0.034	23
1109018	Soil	0.8	26.0	14.5	75	<0.1	9.9	7.2	348	3.53	6.5	0.8	14.5	13	<0.1	0.4	0.4	13	0.01	0.028	47
1109019	Soil	1.0	20.8	10.7	66	<0.1	23.7	7.7	210	2.45	8.0	1.8	6.7	8	0.2	1.0	0.3	30	0.05	0.034	21
1109020	Soil	0.9	19.8	11.6	56	<0.1	22.0	6.9	201	2.50	7.3	1.2	6.1	9	0.1	0.7	0.3	37	0.05	0.019	22
1109021	Soil	1.3	24.3	12.4	76	<0.1	25.4	8.6	264	2.96	9.7	2.7	7.6	9	0.2	0.6	0.3	35	0.06	0.033	24
1109022	Soil	0.9	16.3	10.7	36	<0.1	14.2	6.6	78	1.53	5.0	1.5	11.9	5	0.1	0.3	0.2	17	0.03	0.014	42
1109023	Soil	1.0	7.2	18.2	34	0.2	9.5	3.0	96	1.49	5.0	0.7	4.8	6	<0.1	0.3	0.3	31	0.04	0.016	18
1109024	Soil	3.5	20.2	2.2	33	0.2	20.3	6.8	283	1.74	3.1	1.1	0.9	25	0.2	0.3	<0.1	40	0.57	0.045	4
1109025	Soil	0.5	17.2	16.2	76	<0.1	35.4	15.3	1116	3.19	29.2	1.0	7.5	21	0.5	2.6	0.2	24	2.06	0.155	38
1109026	Soil	0.6	13.1	18.1	78	<0.1	20.3	11.8	791	3.50	22.6	1.7	5.0	14	0.3	2.0	0.4	33	0.87	0.082	39
1109027	Soil	0.6	19.7	19.1	54	<0.1	19.7	9.2	269	3.40	28.7	1.1	6.2	9	0.1	1.3	0.3	22	0.09	0.039	31
1109028	Soil	0.6	15.9	19.6	111	0.1	26.4	15.3	958	3.92	22.7	0.7	2.1	57	0.5	1.5	0.4	29	2.14	0.157	44
1109029	Soil	0.4	25.5	20.1	39	<0.1	16.3	14.9	329	2.63	60.1	1.8	9.2	119	<0.1	2.6	0.5	8	3.95	0.063	44
1109030	Soil	0.4	19.4	16.1	50	<0.1	23.5	12.5	380	3.02	38.6	0.8	8.3	7	<0.1	1.7	0.3	16	0.13	0.020	42

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109001	Soil	23	0.39	90	0.013	<1	1.10	0.004	0.06	0.1	0.03	1.8	<0.1	<0.05	3	<0.5	<0.2
1109002	Soil	19	0.28	116	0.008	<1	1.06	0.008	0.07	0.1	0.05	1.5	<0.1	<0.05	3	0.8	<0.2
1109003	Soil	15	0.28	72	0.008	<1	0.83	0.004	0.05	0.1	0.01	1.4	<0.1	<0.05	3	<0.5	<0.2
1109004	Soil	27	0.41	145	0.010	1	1.60	0.005	0.08	0.2	0.02	2.2	<0.1	<0.05	4	0.5	<0.2
1109005	Soil	22	0.30	88	0.012	<1	1.26	0.005	0.07	0.1	0.03	2.2	<0.1	<0.05	3	0.6	<0.2
1109006	Soil	20	0.31	86	0.014	<1	1.22	0.004	0.05	0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
1109007	Soil	33	0.42	105	0.016	<1	1.26	0.004	0.05	0.1	0.02	2.4	<0.1	<0.05	3	<0.5	<0.2
1109008	Soil	15	0.30	81	0.015	<1	1.00	0.004	0.04	0.2	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1109009	Soil	19	0.32	132	0.014	<1	1.04	0.005	0.06	0.1	0.04	2.4	<0.1	<0.05	3	<0.5	<0.2
1109010	Soil	19	0.37	184	0.008	1	1.17	0.006	0.08	0.2	0.04	2.2	<0.1	<0.05	3	0.8	<0.2
1109011	Soil	22	0.36	154	0.013	<1	1.10	0.006	0.07	0.1	0.04	2.6	<0.1	<0.05	3	<0.5	<0.2
1109012 AML-STD	Soil	566	0.11	137	0.150	3	3.75	0.011	0.06	<0.1	0.03	30.2	<0.1	<0.05	19	<0.5	<0.2
1109013	Soil	13	0.36	76	0.008	<1	0.96	0.003	0.04	<0.1	0.02	1.6	<0.1	<0.05	3	0.5	<0.2
1109014	Soil	33	0.46	97	0.010	<1	1.04	0.004	0.05	<0.1	0.03	2.0	<0.1	<0.05	3	<0.5	<0.2
1109015	Soil	25	0.37	120	0.016	<1	1.38	0.004	0.04	0.2	0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
1109016	Soil	21	0.50	75	0.013	<1	1.48	0.004	0.05	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1109017	Soil	24	0.30	109	0.019	<1	1.45	0.004	0.05	0.2	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1109018	Soil	23	0.66	46	0.004	<1	1.55	0.004	0.05	<0.1	<0.01	1.3	<0.1	<0.05	4	<0.5	<0.2
1109019	Soil	21	0.33	132	0.011	1	1.34	0.006	0.07	0.2	0.03	2.5	0.1	<0.05	4	0.7	<0.2
1109020	Soil	28	0.40	97	0.016	<1	1.33	0.005	0.05	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1109021	Soil	30	0.38	114	0.019	1	1.27	0.005	0.07	0.1	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
1109022	Soil	10	0.11	49	0.018	<1	0.74	0.003	0.02	<0.1	<0.01	0.8	<0.1	<0.05	3	<0.5	<0.2
1109023	Soil	15	0.24	74	0.024	<1	1.13	0.004	0.03	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1109024	Soil	27	0.46	69	0.089	3	0.94	0.047	0.06	8.8	0.02	2.8	<0.1	<0.05	3	<0.5	<0.2
1109025	Soil	33	1.26	150	0.008	<1	2.19	0.005	0.05	0.1	0.06	5.3	0.1	<0.05	2	0.6	<0.2
1109026	Soil	25	0.60	97	0.020	1	1.87	0.006	0.04	0.2	0.05	4.5	<0.1	<0.05	4	<0.5	<0.2
1109027	Soil	16	0.20	71	0.010	<1	0.96	0.003	0.05	<0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1109028	Soil	30	0.45	150	0.013	3	2.23	0.006	0.05	0.2	0.06	2.7	<0.1	<0.05	4	0.8	<0.2
1109029	Soil	6	0.22	50	0.004	3	0.55	0.003	0.13	0.1	0.06	2.3	<0.1	<0.05	2	0.5	<0.2
1109030	Soil	15	0.28	77	0.004	2	1.22	0.005	0.07	0.1	0.01	2.3	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109031	Soil	0.4	31.4	20.5	69	<0.1	39.6	16.0	523	3.36	17.8	1.4	6.9	10	0.1	0.9	0.3	20	0.10	0.033	33
1109032	Soil	0.5	39.1	24.5	71	<0.1	42.6	18.4	559	3.58	23.1	1.3	9.9	24	0.2	0.7	0.4	22	0.24	0.029	35
1109033	Soil	0.5	30.0	17.3	56	<0.1	32.1	15.3	524	2.92	28.1	4.3	6.2	36	0.1	0.9	0.4	15	2.15	0.072	26
1109034	Soil	0.4	22.8	15.4	51	<0.1	26.3	11.7	557	2.46	36.5	2.7	6.1	34	<0.1	1.6	0.3	14	4.37	0.083	23
1109035	Soil	0.4	20.6	19.5	60	0.1	29.9	12.7	331	3.04	51.6	3.9	5.9	26	0.2	1.1	0.3	18	0.29	0.053	35
1109036	Soil	0.4	20.7	17.0	54	<0.1	25.6	10.9	314	2.77	52.0	4.8	5.1	19	0.1	1.2	0.3	14	0.32	0.042	35
1109037	Soil	0.3	3.8	3.5	20	<0.1	8.2	3.6	663	1.61	27.9	2.1	0.7	60	0.2	1.6	<0.1	9	16.22	0.051	4
1109038	Soil	0.4	11.9	13.9	71	0.1	18.4	8.4	719	2.28	19.3	3.1	0.7	82	0.3	3.0	0.2	32	5.53	0.138	16
1109039	Soil	0.4	9.1	9.7	49	0.2	15.0	6.1	536	1.57	17.3	2.3	0.4	205	0.4	3.6	0.2	19	15.09	0.134	10
1109040	Soil	0.4	8.0	8.7	45	0.1	13.9	5.9	470	1.53	16.6	2.3	0.9	218	0.4	3.8	0.1	20	16.61	0.105	11
1109041	Soil	0.8	11.4	12.9	80	0.1	23.3	9.0	587	2.55	19.2	2.4	1.5	128	0.4	5.7	0.2	32	6.74	0.115	18
1109042	Soil	0.4	10.7	10.5	39	<0.1	17.5	7.4	640	2.03	25.6	2.9	1.5	256	0.2	5.8	0.2	21	17.47	0.107	13
1109043	Soil	0.7	12.7	10.9	64	0.1	24.4	8.4	480	2.14	20.9	1.8	3.1	88	0.3	6.3	0.2	28	6.09	0.105	16
1109044	Soil	0.4	11.2	10.9	62	0.1	20.5	8.0	421	2.23	17.0	2.2	1.5	44	0.2	3.6	0.2	33	1.12	0.119	17
1109045	Soil	0.4	41.1	19.4	108	0.2	33.4	22.6	1984	5.26	208.5	5.7	6.2	60	0.4	29.6	0.3	32	2.26	0.232	23
1109046	Soil	0.9	13.7	13.0	72	0.1	25.9	10.3	820	2.68	27.2	2.1	1.6	83	0.4	5.3	0.2	35	3.28	0.166	20
1109047	Soil	1.0	13.5	12.5	76	0.1	26.6	9.9	637	2.41	20.8	6.6	2.6	119	0.5	4.2	0.2	34	4.92	0.149	19
1109048 AML-STD	Soil	1.3	436.5	21.9	174	0.2	215.6	78.2	846	16.55	4.0	32.2	6.9	15	0.1	0.3	0.2	213	0.30	0.044	18
1109049	Soil	0.6	22.0	17.2	69	<0.1	17.0	7.0	651	4.32	299.1	3.2	2.2	247	0.2	19.5	0.3	32	8.59	0.405	13
1109050	Soil	0.4	19.1	13.6	53	<0.1	25.4	9.1	653	3.11	86.2	2.2	5.2	63	0.2	12.1	0.3	28	3.40	0.161	16
1109051	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109052	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109053	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109054	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109055	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109056	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109057	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109058	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109059	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109060	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109031	Soil	24	0.40	123	0.005	1	1.74	0.005	0.09	0.1	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
1109032	Soil	26	0.47	121	0.004	2	1.77	0.011	0.10	0.2	0.03	5.0	<0.1	<0.05	4	<0.5	<0.2
1109033	Soil	15	1.02	73	0.004	2	0.98	0.006	0.07	0.1	0.06	2.6	<0.1	<0.05	2	<0.5	<0.2
1109034	Soil	14	2.39	72	0.004	2	0.70	0.007	0.07	0.1	0.05	2.4	<0.1	<0.05	2	0.5	<0.2
1109035	Soil	20	0.25	97	0.005	2	1.52	0.008	0.06	0.1	0.04	3.2	<0.1	<0.05	3	<0.5	<0.2
1109036	Soil	16	0.27	98	0.005	1	1.10	0.004	0.05	0.1	0.03	2.3	<0.1	<0.05	3	0.6	<0.2
1109037	Soil	6	9.48	55	0.005	2	0.28	0.007	0.02	0.2	0.04	1.1	<0.1	<0.05	<1	<0.5	<0.2
1109038	Soil	22	0.28	129	0.014	2	1.30	0.005	0.04	0.3	0.12	1.5	0.1	0.10	4	0.8	<0.2
1109039	Soil	15	0.25	81	0.009	2	0.80	0.006	0.04	0.2	0.14	0.7	0.1	0.12	2	0.9	<0.2
1109040	Soil	15	0.26	80	0.013	2	0.81	0.005	0.04	0.3	0.16	1.1	0.2	0.07	2	<0.5	<0.2
1109041	Soil	23	0.61	115	0.018	2	1.29	0.007	0.05	0.4	0.09	1.9	0.1	<0.05	4	<0.5	<0.2
1109042	Soil	15	0.30	84	0.011	1	0.86	0.004	0.04	0.2	0.18	1.8	0.2	<0.05	3	<0.5	<0.2
1109043	Soil	21	0.43	100	0.025	2	1.00	0.006	0.06	0.3	0.13	2.1	0.1	<0.05	3	0.7	<0.2
1109044	Soil	24	0.31	104	0.022	2	1.37	0.006	0.04	0.3	0.11	2.0	0.1	0.07	4	<0.5	<0.2
1109045	Soil	22	0.16	181	0.016	1	1.77	0.008	0.05	0.7	0.66	4.9	1.0	<0.05	7	0.8	<0.2
1109046	Soil	26	0.44	137	0.026	2	1.30	0.008	0.05	0.5	0.10	1.9	0.1	0.08	4	0.6	<0.2
1109047	Soil	25	0.44	124	0.024	2	1.20	0.009	0.05	0.7	0.11	2.1	0.1	0.05	3	0.5	<0.2
1109048 AML-STD	Soil	647	0.12	148	0.175	5	4.08	0.012	0.07	<0.1	0.03	34.7	<0.1	<0.05	21	0.8	<0.2
1109049	Soil	14	0.14	96	0.010	3	1.01	0.006	0.06	1.8	0.10	1.6	0.2	<0.05	4	0.8	<0.2
1109050	Soil	27	0.15	87	0.011	3	0.79	0.006	0.05	1.1	0.12	2.0	0.2	<0.05	3	<0.5	<0.2
1109051	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109052	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109053	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109054	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109055	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109056	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109057	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109058	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109059	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109060	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109061	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109062	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109063	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109064	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109065	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109066	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109067	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109068	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109069	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109070	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109071	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109072	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109073	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109074	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109075	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109076	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109077	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109078	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109151	Soil	0.9	12.8	13.1	73	0.1	24.3	8.3	464	2.58	24.6	2.2	2.5	40	0.3	3.7	0.2	37	0.90	0.114	20
1109152	Soil	0.4	36.5	18.4	198	0.1	42.9	16.4	1648	5.32	172.0	1.9	5.3	23	0.2	34.5	0.3	31	0.78	0.202	18
1109153	Soil	0.8	28.0	14.5	76	0.1	50.3	17.0	643	3.68	16.5	1.3	4.0	33	0.2	1.2	0.2	44	0.62	0.145	31
1109154	Soil	0.8	22.0	18.4	99	0.1	24.0	11.4	696	4.23	19.9	1.7	2.9	11	0.2	4.0	0.4	45	0.54	0.076	20
1109155	Soil	0.9	38.8	25.8	101	<0.1	36.7	30.0	1019	4.53	33.9	3.5	9.3	16	0.1	1.4	0.3	25	0.09	0.076	37
1109156	Soil	1.1	16.4	19.7	66	0.2	17.8	7.2	202	3.55	41.6	0.9	6.4	11	<0.1	1.1	0.3	46	0.05	0.034	24
1109157	Soil	1.6	18.2	19.1	74	0.1	19.9	7.6	255	4.07	35.1	<0.5	8.0	6	0.1	0.9	0.3	42	0.03	0.104	21
1109158	Soil	1.0	45.6	36.8	124	0.2	41.0	20.4	770	5.29	76.0	1.7	11.8	15	0.2	1.5	0.5	23	0.13	0.073	34
1109159	Soil	0.9	26.7	25.2	96	0.4	25.1	9.0	354	3.74	26.3	1.0	5.0	10	0.1	1.7	0.3	28	0.04	0.051	33
1109160	Rock Pulp	3.8	21.1	2.2	32	0.2	19.6	6.9	293	1.81	3.2	<0.5	0.9	28	0.2	0.3	<0.1	43	0.59	0.047	4
1109161	Soil	1.4	44.7	29.9	109	<0.1	33.9	9.1	424	7.01	62.4	<0.5	7.9	68	<0.1	1.4	0.3	34	0.02	0.119	38
1109162	Soil	0.9	33.4	31.8	87	0.2	23.7	8.3	447	5.94	245.3	0.7	8.3	21	0.1	1.9	0.4	31	0.03	0.088	27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109061	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109062	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109063	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109064	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109065	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109066	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109067	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109068	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109069	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109070	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109071	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109072	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109073	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109074	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109075	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109076	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109077	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109078	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1109151	Soil	26	0.41	127	0.020	2	1.44	0.007	0.04	0.4	0.10	2.3	<0.1	<0.05	4	<0.5	<0.2
1109152	Soil	24	0.19	133	0.006	1	1.29	0.006	0.05	0.6	0.26	4.3	0.4	<0.05	5	<0.5	<0.2
1109153	Soil	57	1.22	99	0.026	2	1.89	0.009	0.05	0.1	0.04	3.6	<0.1	<0.05	6	<0.5	<0.2
1109154	Soil	32	0.37	142	0.029	<1	1.71	0.006	0.05	0.3	0.14	2.6	0.2	<0.05	7	0.7	<0.2
1109155	Soil	35	0.65	66	0.018	1	1.90	0.005	0.05	0.1	<0.01	2.3	<0.1	<0.05	5	0.6	<0.2
1109156	Soil	27	0.38	64	0.038	<1	1.41	0.005	0.06	0.3	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
1109157	Soil	27	0.38	52	0.020	<1	1.54	0.004	0.04	0.2	0.01	1.7	<0.1	<0.05	6	0.6	<0.2
1109158	Soil	31	0.60	121	0.006	<1	2.53	0.004	0.08	0.1	0.03	2.7	0.2	<0.05	5	0.7	<0.2
1109159	Soil	25	0.44	67	0.029	<1	1.70	0.004	0.06	0.1	0.01	1.8	0.1	<0.05	5	0.6	<0.2
1109160	Rock Pulp	30	0.48	75	0.095	2	1.00	0.052	0.06	9.1	0.02	3.1	<0.1	<0.05	3	<0.5	<0.2
1109161	Soil	32	0.48	42	0.013	<1	1.94	0.008	0.04	<0.1	0.03	1.7	<0.1	<0.05	8	<0.5	<0.2
1109162	Soil	33	0.50	61	0.050	<1	1.95	0.006	0.05	<0.1	0.01	2.1	0.1	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109163	Soil	1.1	14.4	21.3	40	0.2	8.7	3.4	140	2.79	14.6	<0.5	3.2	10	<0.1	1.4	0.3	38	0.04	0.074	24
1109164	Soil	1.3	20.4	21.6	76	0.9	20.7	8.3	259	3.29	21.6	2.5	6.2	9	0.1	1.4	0.3	29	0.03	0.056	23
1109165	Soil	1.1	9.7	16.2	41	0.1	8.8	3.7	162	1.97	8.4	2.4	3.1	7	<0.1	0.7	0.3	40	0.03	0.050	22
1109166	Soil	1.1	16.3	19.3	71	0.3	14.8	5.1	248	3.71	27.9	<0.5	8.1	9	<0.1	1.0	0.4	36	0.03	0.111	26
1109167	Soil	1.1	18.1	21.2	113	<0.1	18.5	10.5	1016	5.09	12.2	<0.5	5.2	6	<0.1	0.7	0.4	45	0.04	0.139	16
1109168	Soil	1.1	16.3	15.3	104	0.1	21.1	8.7	372	4.61	9.4	1.2	6.0	8	0.2	0.5	0.3	39	0.06	0.119	16
1109169	Soil	0.7	24.3	18.7	76	<0.1	26.6	8.6	383	3.78	29.1	2.6	9.4	11	<0.1	1.0	0.3	22	0.03	0.057	23
1109170	Soil	1.1	11.0	16.7	121	0.6	16.1	7.1	332	3.56	9.8	1.1	6.9	10	0.2	0.7	0.3	39	0.04	0.091	24
1109171	Soil	0.7	7.7	16.2	70	0.2	11.2	4.9	225	3.12	9.0	2.2	5.4	6	0.1	0.5	0.3	43	0.04	0.097	19
1109172	Soil	1.1	12.5	17.5	62	0.2	16.5	5.6	228	3.90	15.2	1.1	5.0	6	<0.1	0.8	0.4	49	0.04	0.120	18
1109173	Soil	1.2	13.4	19.4	89	0.5	15.7	7.0	359	3.97	9.7	<0.5	4.5	12	0.1	0.8	0.4	44	0.06	0.107	21
1109174	Soil	0.7	8.7	17.2	76	0.6	13.7	5.5	346	3.18	9.3	1.1	4.5	9	<0.1	0.5	0.3	45	0.07	0.103	19
1109175	Soil	0.8	27.0	42.7	110	1.3	28.6	9.7	469	4.94	27.5	1.2	8.9	9	0.1	1.2	0.4	31	0.03	0.067	27
1109176	Soil	0.9	33.9	28.7	113	0.1	32.5	11.9	567	4.98	25.0	1.6	8.2	10	0.1	0.9	0.4	33	0.03	0.072	30
1109177	Soil	0.9	21.8	40.8	103	0.1	29.3	11.7	459	4.26	30.3	2.3	9.0	9	<0.1	1.0	0.4	36	0.04	0.067	28
1109178	Soil	0.9	13.9	28.0	55	0.7	13.3	4.2	193	2.58	32.5	0.7	5.9	9	<0.1	0.6	0.4	29	0.04	0.052	22
1109179	Soil	0.7	7.1	24.3	60	0.7	7.5	4.2	233	3.21	12.5	0.5	5.8	7	0.1	0.5	0.3	45	0.04	0.083	20
1109180	Soil	0.7	20.7	39.3	89	0.5	21.7	8.1	443	4.74	62.2	1.0	10.8	10	<0.1	1.5	0.4	27	0.02	0.070	35
1109181	Soil	1.0	21.8	45.7	119	0.3	24.4	8.9	399	3.67	40.1	2.1	11.0	10	0.1	0.9	0.4	30	0.04	0.057	29
1109182	Soil	0.7	28.4	65.0	129	0.4	34.1	11.5	566	5.58	98.9	1.8	13.0	8	<0.1	2.6	0.5	22	0.02	0.068	46
1109183	Soil	1.0	10.8	27.2	77	0.3	20.4	5.9	271	3.23	41.3	5.6	7.3	7	<0.1	0.7	0.3	30	0.06	0.069	25
1109184 AML-STD	Soil	1.2	409.5	22.6	173	0.2	198.9	71.9	799	15.15	3.5	32.0	7.4	16	0.1	0.3	0.2	194	0.28	0.039	17
1109185	Soil	0.8	24.9	98.5	140	0.4	25.4	8.8	476	4.06	94.5	11.0	12.4	7	0.2	1.3	0.4	19	0.02	0.032	37
1109186	Soil	0.6	31.3	197.6	138	0.4	30.3	15.6	781	4.52	518.8	133.1	12.0	9	0.2	2.1	0.5	18	0.04	0.052	38
1109187	Soil	0.8	22.0	19.4	71	0.1	30.0	14.4	576	3.34	19.8	0.6	6.5	11	0.1	0.8	0.3	29	0.11	0.058	23
1109188	Soil	0.6	16.3	12.6	57	<0.1	20.9	7.6	275	2.27	8.9	3.0	6.0	11	0.1	0.5	0.2	26	0.10	0.049	21
1109189	Soil	0.6	13.7	13.9	73	0.2	26.2	8.7	238	2.58	10.6	<0.5	5.5	10	0.3	0.6	0.2	26	0.08	0.058	19
1109190	Soil	0.7	8.6	17.8	126	0.6	16.9	6.5	220	2.76	17.2	<0.5	5.8	10	0.5	0.5	0.3	38	0.07	0.076	22
1109191	Soil	0.8	13.8	11.5	61	<0.1	16.5	5.3	248	2.20	12.2	1.6	5.1	12	0.2	1.0	0.2	24	0.11	0.038	20
1109192	Soil	0.6	20.0	14.3	60	<0.1	21.4	7.4	258	2.91	22.1	2.6	8.3	12	0.2	1.2	0.3	22	0.09	0.033	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109163	Soil	18	0.15	38	0.030	<1	1.09	0.005	0.03	0.2	0.02	1.0	0.1	<0.05	6	<0.5	<0.2
1109164	Soil	27	0.35	54	0.013	<1	1.60	0.003	0.04	0.1	0.03	1.6	0.1	<0.05	5	<0.5	<0.2
1109165	Soil	15	0.17	47	0.043	<1	0.97	0.004	0.04	0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
1109166	Soil	21	0.23	44	0.025	<1	1.53	0.005	0.04	0.1	0.03	1.5	0.1	<0.05	7	<0.5	<0.2
1109167	Soil	27	0.36	62	0.033	<1	1.75	0.008	0.04	0.1	0.03	1.6	<0.1	<0.05	8	<0.5	<0.2
1109168	Soil	30	0.45	51	0.044	<1	1.84	0.008	0.05	0.2	0.03	1.8	<0.1	<0.05	7	0.6	<0.2
1109169	Soil	29	0.53	52	0.018	<1	1.84	0.006	0.04	<0.1	0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
1109170	Soil	28	0.32	69	0.027	<1	1.61	0.006	0.05	0.2	0.02	1.7	<0.1	<0.05	6	0.6	<0.2
1109171	Soil	24	0.21	48	0.027	<1	1.22	0.004	0.04	0.2	0.01	1.5	<0.1	<0.05	7	<0.5	<0.2
1109172	Soil	29	0.30	48	0.034	<1	1.42	0.004	0.04	0.2	0.03	1.4	<0.1	<0.05	7	<0.5	<0.2
1109173	Soil	27	0.28	77	0.031	<1	1.52	0.005	0.06	0.1	0.03	1.5	0.1	<0.05	8	<0.5	<0.2
1109174	Soil	25	0.31	66	0.027	<1	1.38	0.005	0.05	0.2	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2
1109175	Soil	35	0.57	57	0.013	<1	2.22	0.005	0.04	0.1	0.04	2.0	0.1	<0.05	6	<0.5	<0.2
1109176	Soil	38	0.62	73	0.014	<1	2.38	0.006	0.05	0.1	0.02	2.3	0.1	<0.05	7	0.6	<0.2
1109177	Soil	35	0.55	77	0.020	2	2.14	0.008	0.06	0.1	0.02	2.4	0.1	<0.05	7	<0.5	<0.2
1109178	Soil	18	0.27	59	0.024	<1	1.27	0.006	0.04	0.2	0.02	1.5	0.1	<0.05	5	<0.5	<0.2
1109179	Soil	21	0.18	66	0.050	<1	1.35	0.005	0.03	0.2	0.02	1.3	<0.1	<0.05	8	<0.5	<0.2
1109180	Soil	29	0.47	48	0.008	<1	2.08	0.007	0.05	0.1	0.02	1.9	0.2	<0.05	7	<0.5	<0.2
1109181	Soil	30	0.50	72	0.026	<1	1.95	0.008	0.07	0.2	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
1109182	Soil	33	0.73	45	0.004	<1	2.56	0.008	0.07	<0.1	0.02	2.2	0.2	<0.05	8	<0.5	<0.2
1109183	Soil	28	0.49	47	0.019	<1	1.50	0.005	0.05	0.2	0.02	1.6	0.1	<0.05	5	<0.5	<0.2
1109184 AML-STD	Soil	583	0.12	141	0.154	3	3.95	0.012	0.07	<0.1	0.04	32.9	<0.1	<0.05	21	0.5	<0.2
1109185	Soil	23	0.52	48	0.006	<1	1.79	0.006	0.06	0.3	0.02	1.6	0.3	<0.05	6	<0.5	<0.2
1109186	Soil	28	0.59	43	0.003	<1	1.84	0.007	0.06	0.2	<0.01	1.9	0.1	<0.05	6	<0.5	<0.2
1109187	Soil	30	0.46	55	0.037	<1	1.36	0.004	0.05	0.1	0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
1109188	Soil	23	0.38	106	0.019	<1	1.28	0.006	0.06	0.2	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
1109189	Soil	28	0.38	85	0.015	<1	1.47	0.006	0.06	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
1109190	Soil	28	0.36	69	0.042	<1	1.32	0.008	0.06	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
1109191	Soil	18	0.31	149	0.009	<1	1.00	0.005	0.06	0.1	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2
1109192	Soil	27	0.42	109	0.012	<1	1.34	0.008	0.06	<0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1109193	Soil	1.6	15.1	29.7	75	0.3	9.1	4.1	156	3.14	16.2	0.7	6.6	20	0.3	1.3	0.4	29	0.04	0.088	32
1109194	Soil	0.9	11.2	112.2	150	0.7	9.8	3.8	193	2.48	28.6	0.6	6.9	10	0.4	1.5	0.3	32	0.06	0.026	27
1109195	Soil	1.3	19.0	30.7	161	0.3	23.4	7.2	260	3.22	19.4	2.3	9.9	8	0.4	1.1	0.4	29	0.03	0.035	34
1109196	Rock Pulp	3.6	18.9	2.3	32	0.2	18.2	6.6	277	1.77	2.9	2.1	0.9	28	0.1	0.3	<0.1	39	0.58	0.045	4
1109197	Soil	1.3	17.0	104.0	125	0.2	11.4	3.2	164	2.47	69.0	<0.5	12.2	5	0.2	2.0	0.6	14	0.02	0.031	20
1109198	Soil	0.8	16.7	138.7	119	0.9	9.6	4.0	185	2.20	83.5	<0.5	8.3	5	0.3	1.6	1.0	20	0.03	0.037	16
1109199	Soil	0.8	25.3	89.9	126	0.5	20.5	7.4	404	3.82	94.0	0.9	12.2	6	0.2	2.1	0.5	16	0.02	0.037	29
1109200	Soil	0.7	27.3	55.5	118	0.3	25.6	12.7	579	3.38	47.1	<0.5	8.5	11	0.3	1.2	0.4	20	0.11	0.055	33
1109951	Soil	1.0	32.9	34.9	83	<0.1	29.2	10.5	266	4.70	46.1	2.6	9.8	6	<0.1	1.7	0.5	17	0.01	0.046	40
1109922	Soil	0.8	29.7	27.8	75	<0.1	27.9	10.8	283	4.31	26.2	2.6	11.1	5	<0.1	1.6	0.3	19	0.01	0.026	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1109193	Soil	16	0.13	60	0.027	<1	1.08	0.005	0.05	<0.1	0.02	1.1	<0.1	<0.05	6	<0.5	<0.2
1109194	Soil	18	0.23	72	0.026	<1	1.15	0.004	0.06	0.2	0.02	1.3	0.2	<0.05	5	<0.5	<0.2
1109195	Soil	29	0.39	74	0.028	<1	1.50	0.006	0.06	0.1	0.02	1.8	0.1	<0.05	5	<0.5	<0.2
1109196	Rock Pulp	26	0.46	80	0.086	1	0.95	0.045	0.06	8.3	0.01	2.7	<0.1	<0.05	3	<0.5	<0.2
1109197	Soil	15	0.19	52	0.005	<1	1.09	0.005	0.07	0.6	0.02	1.1	0.3	<0.05	3	<0.5	<0.2
1109198	Soil	14	0.12	39	0.011	<1	1.10	0.003	0.05	0.2	0.02	1.0	0.3	<0.05	4	<0.5	<0.2
1109199	Soil	23	0.43	37	0.002	<1	1.64	0.004	0.04	0.3	<0.01	1.6	0.2	<0.05	5	<0.5	<0.2
1109200	Soil	26	0.47	88	0.012	3	1.41	0.009	0.07	0.2	0.02	2.0	0.1	<0.05	5	0.7	<0.2
1109951	Soil	20	0.40	45	0.003	<1	1.44	0.003	0.05	<0.1	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2
1109922	Soil	23	0.51	50	0.003	1	1.63	0.004	0.06	<0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

QUALITY CONTROL REPORT WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1109014	Soil	0.9	30.0	14.4	64	<0.1	29.9	11.4	316	2.76	8.2	1.5	6.5	11	0.1	0.7	0.2	23	0.10	0.038	30
REP 1109014	QC	0.8	28.3	14.1	63	<0.1	29.6	10.9	303	2.69	8.1	1.3	6.5	11	0.1	0.7	0.3	23	0.10	0.039	29
1109044	Soil	0.4	11.2	10.9	62	0.1	20.5	8.0	421	2.23	17.0	2.2	1.5	44	0.2	3.6	0.2	33	1.12	0.119	17
REP 1109044	QC	0.4	11.5	10.9	62	0.1	21.1	8.0	421	2.16	17.3	2.6	1.4	44	0.3	3.5	0.2	32	1.11	0.122	16
1109160	Rock Pulp	3.8	21.1	2.2	32	0.2	19.8	6.9	293	1.81	3.2	<0.5	0.9	28	0.2	0.3	<0.1	43	0.59	0.047	4
REP 1109160	QC	3.7	21.9	2.1	34	0.2	20.5	7.2	299	1.89	3.3	1.9	0.9	27	0.2	0.3	<0.1	44	0.60	0.048	4
1109174	Soil	0.7	8.7	17.2	76	0.6	13.7	5.5	346	3.18	9.3	1.1	4.5	9	<0.1	0.5	0.3	45	0.07	0.103	19
REP 1109174	QC	0.6	9.2	17.2	76	0.6	14.0	5.3	347	3.26	8.7	0.9	4.4	9	0.1	0.6	0.3	43	0.07	0.104	19
1109191	Soil	0.8	13.8	11.5	61	<0.1	16.5	5.3	248	2.20	12.2	1.6	5.1	12	0.2	1.0	0.2	24	0.11	0.038	20
REP 1109191	QC	0.9	14.3	11.3	64	<0.1	16.5	5.4	254	2.21	12.3	2.4	4.8	13	0.3	0.8	0.2	25	0.12	0.036	20
1109200	Soil	0.7	27.3	55.5	118	0.3	25.6	12.7	579	3.38	47.1	<0.5	8.5	11	0.3	1.2	0.4	20	0.11	0.055	33
REP 1109200	QC	0.8	27.4	54.4	119	0.3	24.8	12.1	569	3.28	45.1	1.3	8.4	11	0.4	1.1	0.4	21	0.10	0.053	31
Reference Materials																					
STD DS8	Standard	12.9	114.7	129.0	316	1.8	39.4	7.8	627	2.51	25.7	109.7	6.0	62	2.5	5.5	6.1	44	0.69	0.082	13
STD DS8	Standard	12.9	110.3	122.2	306	1.9	36.3	7.7	627	2.42	25.8	109.0	6.5	68	2.3	5.5	6.3	42	0.69	0.079	15
STD DS8	Standard	12.7	104.0	126.5	305	1.8	36.7	7.5	594	2.45	24.6	128.7	6.9	71	2.4	5.8	7.0	40	0.68	0.077	15
STD DS8	Standard	12.4	108.5	118.9	304	1.8	36.8	7.6	582	2.38	24.3	102.3	6.2	63	2.4	5.5	6.3	41	0.66	0.077	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: September 23, 2011

QUALITY CONTROL REPORT WHI11001132.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1109014	Soil	33	0.46	97	0.010	<1	1.04	0.004	0.05	<0.1	0.03	2.0	<0.1	<0.05	3	<0.5	<0.2
REP 1109014	QC	33	0.45	98	0.010	<1	1.03	0.004	0.05	0.2	0.02	1.9	<0.1	<0.05	3	0.5	<0.2
1109044	Soil	24	0.31	104	0.022	2	1.37	0.006	0.04	0.3	0.11	2.0	0.1	0.07	4	<0.5	<0.2
REP 1109044	QC	24	0.31	103	0.021	2	1.35	0.006	0.04	0.3	0.12	2.0	0.1	<0.05	4	0.6	<0.2
1109160	Rock Pulp	30	0.48	75	0.095	2	1.00	0.052	0.06	9.1	0.02	3.1	<0.1	<0.05	3	<0.5	<0.2
REP 1109160	QC	30	0.48	78	0.091	2	0.99	0.049	0.06	9.3	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
1109174	Soil	25	0.31	66	0.027	<1	1.38	0.005	0.05	0.2	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2
REP 1109174	QC	24	0.31	64	0.026	<1	1.45	0.005	0.05	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
1109191	Soil	18	0.31	149	0.009	<1	1.00	0.005	0.06	0.1	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2
REP 1109191	QC	18	0.32	154	0.011	<1	1.05	0.007	0.07	<0.1	0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1109200	Soil	26	0.47	88	0.012	3	1.41	0.009	0.07	0.2	0.02	2.0	0.1	<0.05	5	0.7	<0.2
REP 1109200	QC	24	0.46	87	0.009	<1	1.41	0.007	0.06	0.2	0.02	2.1	0.1	<0.05	5	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	124	0.63	282	0.111	1	0.94	0.090	0.40	3.1	0.20	2.5	5.5	0.16	5	6.3	5.4
STD DS8	Standard	119	0.60	285	0.118	4	0.92	0.104	0.44	3.0	0.20	2.9	5.5	0.14	5	5.6	5.0
STD DS8	Standard	110	0.62	287	0.110	2	0.95	0.096	0.44	3.1	0.21	2.2	5.6	0.14	5	5.6	5.0
STD DS8	Standard	112	0.59	264	0.114	2	0.87	0.090	0.41	2.9	0.19	2.5	5.3	0.16	5	5.2	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By:	Michael Collins
Receiving Lab:	Canada-Whitehorse
Received:	October 04, 2011
Report Date:	November 29, 2011
Page:	1 of 5

CERTIFICATE OF ANALYSIS WHI11001830.1

CLIENT JOB INFORMATION

Project:	IKE
Shipment ID:	AML-2011-S-064
P.O. Number	
Number of Samples:	96

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	96	Dry at 60C			WHI
SS80	93	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	96	Saving all or part of Soil Reject			WHI
1DX2	96	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Quartz Camp

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1401951	Soil	2.9	44.3	24.7	82	0.4	23.1	6.8	158	3.94	18.4	2.0	6.8	7	0.1	1.5	0.4	35	0.04	0.040	23
1401952	Soil	0.9	17.5	16.6	64	0.2	24.1	8.2	185	2.75	19.9	4.3	9.1	6	0.2	4.1	0.3	26	0.03	0.033	30
1401953	Soil	0.9	9.6	15.7	45	0.1	11.2	4.2	160	2.54	14.0	3.5	6.2	6	0.1	2.4	0.3	37	0.03	0.043	26
1401954	Soil	0.9	17.4	17.3	59	<0.1	19.9	6.6	189	3.24	16.0	1.6	7.9	6	<0.1	3.3	0.3	27	0.03	0.033	29
1401955	Soil	0.6	15.1	13.2	49	<0.1	16.8	5.6	115	2.48	14.8	1.7	6.8	7	<0.1	3.5	0.2	24	0.04	0.046	29
1401956	Soil	0.6	11.1	16.1	101	0.1	27.5	10.2	513	3.23	13.1	1.8	3.6	20	0.3	1.8	0.2	48	0.56	0.085	23
1401957	Soil	0.5	12.9	13.8	63	0.1	18.1	9.0	1042	2.27	18.8	0.6	0.6	24	0.3	4.2	0.2	33	1.28	0.097	16
1401958	Soil	0.9	13.3	29.8	71	0.1	24.1	9.7	387	3.28	36.5	0.8	2.5	13	0.2	22.6	0.2	45	0.27	0.118	23
1401959	Soil	0.7	11.4	19.4	73	1.5	20.5	11.3	1103	2.99	40.9	1.6	2.1	12	0.3	82.9	0.3	47	0.75	0.087	21
1401960	Soil	3.0	21.2	2.4	33	0.5	18.3	7.8	279	1.77	4.1	1.0	0.9	33	0.2	0.3	<0.1	48	0.72	0.044	5
1401961	Soil	0.9	16.7	14.1	67	0.2	23.4	9.2	311	2.90	16.5	2.4	3.2	12	<0.1	2.3	0.3	44	0.13	0.056	24
1401962	Soil	1.1	30.1	15.5	82	0.3	52.5	15.4	276	4.14	35.9	3.2	6.2	11	0.2	3.7	0.2	44	0.09	0.064	27
1401963	Soil	1.0	11.0	10.6	36	<0.1	10.2	3.4	107	1.68	17.1	1.2	3.2	7	<0.1	1.2	0.3	30	0.04	0.045	28
1401964	Soil	0.8	8.9	15.6	59	0.2	13.1	5.3	178	2.60	18.1	<0.5	6.3	6	<0.1	1.1	0.3	42	0.05	0.039	25
1401965	Soil	0.9	15.2	17.5	68	0.1	23.0	8.7	203	2.67	31.9	1.5	9.6	7	<0.1	2.1	0.3	33	0.04	0.046	28
1401966	Soil	0.9	22.0	34.1	61	0.2	32.9	10.7	274	3.28	36.4	1.5	10.2	9	0.2	3.9	0.4	27	0.07	0.055	33
1401967	Soil	0.9	9.3	16.1	44	<0.1	10.6	3.4	115	2.37	20.9	5.8	5.8	6	<0.1	2.5	0.3	39	0.04	0.047	30
1401968	Soil	1.1	15.7	19.1	64	0.3	18.1	5.5	199	3.11	26.6	1.0	9.1	7	0.2	6.1	0.3	38	0.04	0.033	32
1401969	Soil	1.1	16.0	16.3	66	0.5	19.9	6.6	189	2.60	20.1	2.5	8.6	7	0.1	1.8	0.3	34	0.04	0.030	25
1401970	Soil	0.3	3.5	9.4	11	0.2	3.1	1.6	242	0.50	2.2	2.0	1.0	7	<0.1	0.2	0.1	14	0.04	0.015	17
1401971	Soil	2.0	40.9	40.5	55	0.2	9.6	3.4	145	3.17	13.5	1.5	9.7	26	<0.1	0.7	0.6	44	0.03	0.046	30
1401972	Soil	7.1	68.0	75.9	79	0.2	11.6	4.2	221	4.53	29.3	2.7	11.3	24	<0.1	0.9	1.0	34	0.02	0.063	32
1401973	Soil	1.6	41.7	63.2	73	0.2	22.9	5.4	149	3.62	19.8	2.0	12.0	23	0.2	1.1	0.6	30	0.05	0.052	44
1401974	Soil	0.7	9.5	8.9	21	0.2	8.8	3.4	94	0.84	5.4	2.1	3.6	6	<0.1	0.3	0.1	18	0.03	0.019	33
1402035	Soil	0.9	15.1	21.5	173	0.1	38.4	14.4	861	3.81	15.7	<0.5	7.2	14	0.4	1.4	0.3	44	0.23	0.216	24
1402036	Soil	0.9	17.4	17.2	125	0.1	36.6	16.6	736	3.33	15.1	2.4	6.8	12	0.3	1.5	0.2	40	0.15	0.145	26
1402037	Soil	1.3	14.1	13.3	102	0.2	31.1	8.2	287	3.88	8.9	<0.5	5.5	11	0.3	1.5	0.3	65	0.08	0.076	19
1402038	Soil	0.9	26.3	24.3	91	0.2	47.1	15.4	341	3.84	46.0	2.2	7.6	15	0.2	13.7	0.3	38	0.53	0.083	36
1402039	Soil	0.9	19.0	19.7	72	<0.1	31.4	11.2	276	3.33	43.0	2.4	7.7	11	0.1	8.7	0.3	39	0.13	0.048	35
1402040	Soil	0.8	14.2	28.2	98	0.1	41.4	19.4	452	2.94	19.6	0.5	4.2	25	0.6	3.8	0.3	41	0.52	0.097	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1401951	Soil	25	0.28	65	0.019	3	1.37	0.005	0.04	0.2	0.03	1.5	<0.1	<0.05	5	0.9	<0.2
1401952	Soil	21	0.30	94	0.009	2	1.39	0.006	0.07	0.2	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
1401953	Soil	18	0.19	66	0.015	3	1.08	0.003	0.05	0.2	0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1401954	Soil	18	0.27	70	0.006	2	1.16	0.007	0.06	0.2	<0.01	1.6	0.1	<0.05	4	<0.5	<0.2
1401955	Soil	16	0.17	63	0.007	2	1.04	0.004	0.05	0.2	0.02	1.3	<0.1	<0.05	3	<0.5	<0.2
1401956	Soil	33	0.45	123	0.040	3	2.00	0.008	0.06	0.2	0.08	3.2	0.2	<0.05	6	<0.5	<0.2
1401957	Soil	20	0.26	123	0.015	2	1.33	0.013	0.05	0.1	0.07	1.0	0.2	<0.05	4	<0.5	<0.2
1401958	Soil	29	0.40	112	0.021	2	1.80	0.005	0.06	0.2	0.03	1.9	0.2	<0.05	5	<0.5	<0.2
1401959	Soil	29	0.32	170	0.016	2	2.08	0.007	0.06	0.2	0.17	2.1	0.2	<0.05	6	<0.5	<0.2
1401960	Soil	26	0.49	79	0.114	6	1.08	0.054	0.07	11.9	0.02	3.2	<0.1	<0.05	4	0.6	<0.2
1401961	Soil	34	0.49	97	0.032	2	1.48	0.007	0.06	0.3	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
1401962	Soil	35	0.58	68	0.014	3	1.82	0.004	0.07	0.2	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
1401963	Soil	14	0.11	55	0.018	1	0.80	0.007	0.05	0.2	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1401964	Soil	22	0.28	92	0.027	1	1.49	0.004	0.06	0.2	0.02	1.6	0.1	<0.05	6	<0.5	<0.2
1401965	Soil	25	0.37	89	0.025	2	1.55	0.004	0.05	0.2	0.03	1.8	0.1	<0.05	4	<0.5	<0.2
1401966	Soil	21	0.22	100	0.013	<1	1.80	0.005	0.06	0.2	0.04	2.3	<0.1	<0.05	4	<0.5	<0.2
1401967	Soil	17	0.16	51	0.020	<1	1.03	0.004	0.04	0.2	0.02	1.2	<0.1	<0.05	6	<0.5	<0.2
1401968	Soil	23	0.26	60	0.036	2	1.27	0.004	0.04	0.2	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
1401969	Soil	29	0.38	74	0.030	2	1.55	0.004	0.05	0.2	0.04	1.8	0.1	<0.05	4	<0.5	<0.2
1401970	Soil	7	0.06	68	0.012	<1	0.69	0.014	0.03	<0.1	0.02	0.5	<0.1	<0.05	3	<0.5	<0.2
1401971	Soil	22	0.42	118	0.012	<1	1.54	0.007	0.04	0.2	0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
1401972	Soil	24	0.57	95	0.010	<1	1.63	0.006	0.05	0.1	0.01	1.4	<0.1	<0.05	6	0.7	<0.2
1401973	Soil	18	0.42	57	0.014	<1	1.30	0.004	0.05	<0.1	0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
1401974	Soil	11	0.09	36	0.008	2	0.70	0.004	0.03	<0.1	<0.01	0.6	<0.1	<0.05	4	<0.5	<0.2
1402035	Soil	45	0.36	121	0.023	2	2.82	0.005	0.06	0.2	0.09	3.0	0.2	<0.05	6	0.6	<0.2
1402036	Soil	59	0.50	105	0.018	1	2.60	0.004	0.06	0.2	0.07	3.0	0.1	<0.05	5	0.6	<0.2
1402037	Soil	83	0.54	95	0.062	1	1.84	0.004	0.06	0.2	0.02	3.0	<0.1	<0.05	8	<0.5	<0.2
1402038	Soil	32	0.38	160	0.017	4	2.20	0.006	0.07	0.1	0.11	3.1	0.2	<0.05	5	<0.5	<0.2
1402039	Soil	30	0.45	155	0.013	<1	2.07	0.004	0.06	0.2	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
1402040	Soil	31	0.39	155	0.016	2	2.33	0.008	0.06	0.2	0.09	2.6	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1402041	Soil	0.9	17.0	19.5	102	0.3	30.3	15.9	499	3.34	22.3	1.8	7.0	15	0.2	6.0	0.3	38	0.15	0.066	33
1402042	Soil	1.2	39.8	34.2	99	0.1	50.3	13.7	299	4.79	21.3	3.9	10.0	14	0.1	3.0	0.4	27	0.05	0.068	37
1402043	Soil	0.5	16.8	22.1	136	0.4	25.9	10.1	1241	3.27	13.7	7.0	1.7	102	0.5	1.6	0.3	31	2.24	0.092	33
1402044	Soil	0.4	10.8	12.2	20	0.1	4.9	1.6	59	0.98	4.4	<0.5	0.8	5	0.1	0.4	0.2	20	0.03	0.080	20
1402045	Soil	1.2	31.4	24.0	98	0.1	37.4	16.6	783	4.03	18.6	0.7	9.6	9	0.2	1.2	0.4	32	0.09	0.058	36
1402046	Soil	0.9	9.4	16.6	64	0.2	11.7	4.9	175	2.48	7.7	1.4	6.4	7	0.1	0.7	0.3	51	0.05	0.031	22
1402047	Soil	1.1	20.5	24.5	45	0.1	10.9	3.4	129	2.57	10.1	6.3	8.8	7	0.1	0.9	0.5	37	0.03	0.032	29
1402048 AML-STD	Rock Pulp	1.3	414.7	23.4	153	0.2	203.6	67.5	737	14.07	3.1	31.2	7.9	16	0.1	0.3	0.2	198	0.27	0.037	19
1402049	Soil	1.5	15.9	15.1	53	0.3	15.9	5.0	160	2.63	12.6	1.1	7.5	7	0.2	1.0	0.3	51	0.04	0.041	22
1402050	Soil	1.1	9.3	13.4	34	0.1	9.1	3.0	98	2.57	12.1	1.2	6.3	6	<0.1	1.2	0.3	54	0.04	0.038	25
1402088	Soil	1.2	12.5	17.6	71	<0.1	24.1	8.6	259	3.22	13.8	1.0	5.5	9	0.2	1.3	0.3	47	0.08	0.044	24
1402089	Soil	0.9	51.7	51.8	95	0.3	35.6	12.0	1081	3.68	32.0	3.1	8.7	29	0.4	7.3	0.6	20	0.32	0.077	44
1402090	Soil	0.9	17.3	31.3	103	<0.1	33.2	13.3	2110	3.37	41.2	1.5	3.6	42	0.4	4.5	0.3	46	1.22	0.466	22
1402107	Soil	0.9	13.8	18.5	67	<0.1	18.4	10.2	407	2.23	12.8	0.8	3.3	19	0.1	1.1	0.3	30	0.34	0.050	25
1402108	Soil	1.2	10.5	21.9	42	<0.1	12.5	4.6	165	2.58	15.7	0.6	6.2	7	0.1	1.0	0.3	44	0.04	0.031	27
1402109	Soil	1.0	10.8	12.2	35	<0.1	9.3	3.2	118	1.71	8.4	2.1	2.3	6	<0.1	0.7	0.3	36	0.05	0.041	29
1402110	Soil	0.5	5.5	10.9	69	<0.1	21.9	11.8	516	2.26	7.0	0.9	5.3	19	0.3	0.4	0.2	35	0.61	0.186	21
1402111	Soil	1.1	19.3	25.5	56	<0.1	12.9	7.1	228	2.93	7.8	1.7	7.9	14	0.1	0.5	0.6	35	0.04	0.054	36
1402112 AML-STD	Rock Pulp	1.2	395.6	22.4	151	0.2	197.1	65.9	718	13.89	2.9	25.7	7.6	15	<0.1	0.3	0.2	190	0.26	0.037	18
1402113	Soil	0.9	13.6	23.7	54	0.1	20.5	10.8	449	3.65	10.8	2.5	2.1	26	0.1	2.6	0.3	40	0.41	0.106	27
1402114	Soil	0.9	12.9	17.5	66	<0.1	18.5	7.3	279	2.79	16.9	1.5	4.5	17	0.1	0.5	0.4	47	0.19	0.038	25
1402115	Soil	0.7	7.2	14.6	31	0.1	6.2	2.0	119	1.52	6.0	1.4	3.9	6	<0.1	0.4	0.3	42	0.04	0.058	27
1402116	Soil	1.0	11.8	17.8	49	<0.1	11.6	4.3	171	2.90	15.5	1.1	8.1	6	<0.1	1.2	0.3	41	0.03	0.053	28
1402117	Soil	1.2	15.0	18.5	53	<0.1	17.2	5.5	157	3.27	24.1	1.5	8.9	6	0.1	2.3	0.4	44	0.04	0.086	31
1402118	Soil	1.1	9.2	15.7	38	0.1	11.9	3.4	117	2.24	11.3	3.2	3.7	6	<0.1	1.0	0.3	46	0.04	0.090	22
1402119	Soil	0.9	20.0	19.2	73	0.1	21.3	7.3	175	2.85	31.8	2.1	9.4	7	0.1	4.6	0.3	27	0.04	0.043	33
1402120	Soil	0.9	7.4	14.7	53	0.1	12.0	4.5	161	1.99	10.8	1.0	6.7	7	<0.1	1.4	0.3	37	0.05	0.026	25
1402121	Soil	1.1	8.3	15.2	55	0.3	14.1	4.8	155	2.45	12.4	1.3	7.2	8	0.1	1.0	0.3	46	0.07	0.044	23
1402122	Soil	0.6	10.1	16.7	38	0.5	10.2	3.4	99	1.71	29.8	1.9	8.5	8	<0.1	2.2	0.3	32	0.05	0.019	29
1402123	Soil	0.8	18.8	22.6	66	0.2	22.3	6.9	200	2.60	39.2	2.3	10.1	8	0.1	4.1	0.3	27	0.05	0.030	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1402041	Soil	30	0.41	139	0.031	1	2.04	0.008	0.07	0.2	0.03	2.7	0.1	<0.05	6	<0.5	<0.2
1402042	Soil	33	0.46	90	0.009	2	2.09	0.005	0.06	0.1	0.05	2.2	0.1	<0.05	4	0.8	<0.2
1402043	Soil	21	0.24	122	0.013	1	1.33	0.006	0.04	0.1	0.09	3.3	<0.1	<0.05	4	<0.5	<0.2
1402044	Soil	12	0.08	90	0.005	<1	1.22	0.009	0.04	<0.1	0.02	0.3	0.1	<0.05	5	<0.5	<0.2
1402045	Soil	36	0.54	85	0.013	2	1.69	0.004	0.05	0.1	0.03	2.1	<0.1	<0.05	4	0.5	<0.2
1402046	Soil	29	0.27	71	0.068	2	1.71	0.004	0.04	0.2	0.02	1.9	<0.1	<0.05	7	<0.5	<0.2
1402047	Soil	20	0.27	68	0.025	<1	1.27	0.004	0.04	0.2	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
1402048 AML-STD	Rock Pulp	588	0.13	142	0.190	4	4.08	0.011	0.06	<0.1	0.04	31.7	<0.1	<0.05	19	0.6	<0.2
1402049	Soil	23	0.22	46	0.035	<1	1.15	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
1402050	Soil	21	0.14	52	0.032	<1	1.11	0.003	0.04	0.2	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2
1402088	Soil	33	0.45	107	0.034	1	1.83	0.005	0.07	0.2	0.03	2.2	0.1	<0.05	6	<0.5	<0.2
1402089	Soil	14	0.11	133	0.003	1	1.34	0.003	0.09	0.5	0.07	5.4	0.2	<0.05	3	<0.5	<0.2
1402090	Soil	31	0.31	206	0.016	2	2.23	0.006	0.12	0.2	0.15	2.8	0.4	<0.05	5	<0.5	<0.2
1402107	Soil	22	0.30	482	0.022	<1	1.05	0.004	0.06	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1402108	Soil	21	0.22	48	0.033	<1	1.02	0.004	0.04	0.2	0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1402109	Soil	14	0.12	37	0.013	<1	0.83	0.004	0.04	0.2	0.02	0.8	<0.1	<0.05	5	0.5	<0.2
1402110	Soil	28	0.27	79	0.046	1	2.23	0.006	0.04	0.2	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
1402111	Soil	23	0.29	56	0.030	<1	1.16	0.009	0.05	0.2	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
1402112 AML-STD	Rock Pulp	572	0.12	132	0.191	4	4.14	0.011	0.06	<0.1	0.02	30.9	<0.1	<0.05	19	<0.5	<0.2
1402113	Soil	29	0.31	107	0.026	1	1.86	0.005	0.03	0.2	0.05	3.0	<0.1	<0.05	5	<0.5	<0.2
1402114	Soil	28	0.39	88	0.030	<1	1.65	0.005	0.04	0.2	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1402115	Soil	15	0.12	43	0.026	<1	1.02	0.004	0.04	0.2	0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
1402116	Soil	20	0.19	53	0.020	<1	1.37	0.003	0.05	0.2	0.02	1.5	0.1	<0.05	6	<0.5	<0.2
1402117	Soil	23	0.21	56	0.023	<1	1.18	0.004	0.05	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
1402118	Soil	22	0.15	42	0.024	<1	0.91	0.003	0.04	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1402119	Soil	20	0.25	66	0.008	<1	1.35	0.003	0.07	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402120	Soil	20	0.20	54	0.022	<1	1.12	0.006	0.05	0.2	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1402121	Soil	28	0.35	75	0.044	<1	1.47	0.005	0.05	0.3	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
1402122	Soil	17	0.19	57	0.029	<1	1.15	0.004	0.05	0.2	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1402123	Soil	22	0.34	71	0.011	<1	1.39	0.005	0.07	0.2	0.02	1.8	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1402124	Soil	2.9	20.3	2.4	30	0.4	17.1	7.3	268	1.67	3.3	1.7	1.0	33	0.2	0.3	<0.1	47	0.69	0.041	5
1402125	Soil	0.2	2.9	8.0	6	0.3	1.8	0.4	15	0.24	2.9	2.6	2.2	5	<0.1	0.6	0.1	9	0.03	0.023	33
1402126	Soil	0.9	11.1	14.8	52	0.3	16.0	5.0	149	2.29	37.3	4.8	9.1	7	0.1	6.7	0.3	31	0.04	0.033	30
1402127	Soil	0.3	2.7	9.8	15	0.2	3.3	1.0	47	0.56	3.3	<0.5	3.8	6	<0.1	0.7	0.2	21	0.04	0.025	26
1402128	Soil	0.9	18.4	18.3	64	0.6	20.8	5.5	158	2.86	30.8	2.0	11.0	6	0.1	6.0	0.3	27	0.03	0.028	36
1402129	Soil	0.7	11.4	13.2	34	<0.1	9.7	2.7	103	1.49	10.1	<0.5	6.4	6	<0.1	1.6	0.3	30	0.03	0.038	33
1402130	Soil	1.1	16.4	17.1	64	0.1	18.3	6.6	180	2.74	25.4	1.3	9.4	6	0.1	3.2	0.3	29	0.03	0.046	29
1402131	Soil	0.9	16.6	19.9	82	0.9	14.6	9.9	291	2.56	14.9	3.0	9.0	8	0.3	1.5	0.3	37	0.05	0.037	25
1402132	Soil	0.9	20.7	21.3	96	0.8	17.8	10.2	236	2.79	14.2	7.6	9.7	9	0.3	1.3	0.3	40	0.06	0.033	26
1402133	Soil	0.8	23.1	23.7	44	0.4	12.6	5.0	120	1.72	15.7	2.7	6.5	10	<0.1	0.3	0.3	41	0.07	0.015	23
1402134	Soil	0.6	14.7	15.5	52	0.1	14.8	6.8	144	2.19	12.6	1.1	8.8	5	0.1	1.2	0.3	27	0.03	0.029	29
1402135	Soil	0.9	16.7	19.9	32	0.2	8.7	3.1	91	1.74	4.9	<0.5	6.0	8	0.1	0.3	0.3	40	0.05	0.019	23
1402136	Soil	0.8	15.8	18.9	28	0.2	7.2	2.9	86	1.61	4.1	2.5	4.5	7	<0.1	0.3	0.3	36	0.05	0.019	21
1402137	Soil	0.8	23.1	14.8	45	0.2	13.4	4.6	128	2.02	21.4	2.9	7.5	9	<0.1	0.7	0.3	18	0.05	0.019	35
1402138	Soil	0.8	17.5	51.3	61	0.4	11.6	5.5	122	1.80	23.9	2.5	5.1	9	0.2	0.4	0.4	41	0.06	0.018	20
1402139	Soil	1.1	13.3	15.6	47	0.2	12.8	4.3	146	2.39	14.5	2.4	3.8	7	0.1	1.1	0.3	34	0.04	0.044	22
1402140	Soil	1.0	19.0	16.8	57	0.1	18.2	5.8	185	2.97	20.7	4.0	9.3	7	<0.1	1.9	0.3	27	0.03	0.039	35
1402141	Soil	1.2	14.9	16.1	60	<0.1	22.2	6.9	242	2.77	15.9	1.7	6.9	8	0.2	1.8	0.2	33	0.06	0.043	23
1402142	Soil	1.2	21.7	38.6	58	0.1	15.4	6.0	244	2.78	31.6	3.9	2.3	8	<0.1	1.4	0.3	27	0.03	0.056	31
1402143	Soil	0.8	23.4	30.6	105	0.2	31.8	12.9	1297	2.41	47.9	4.7	1.9	49	0.3	12.5	0.2	18	1.22	0.166	20
1402144	Soil	0.6	22.3	26.1	85	0.3	30.6	11.3	822	2.21	40.6	7.2	2.1	46	0.4	11.5	0.2	17	1.26	0.165	20
1402145	Soil	0.5	22.7	24.1	76	0.3	29.1	12.1	885	2.40	38.4	7.2	2.2	46	0.2	8.5	0.2	22	1.17	0.117	23
1402146	Soil	0.5	18.3	16.0	61	0.2	19.7	7.6	397	2.20	17.9	3.3	4.0	24	0.1	2.8	0.2	19	0.53	0.065	26
1402238	Soil	1.0	13.9	19.8	50	0.2	12.8	4.2	245	3.22	61.7	2.2	8.9	15	<0.1	4.4	0.3	31	0.04	0.069	36
1402239	Soil	0.7	25.0	19.2	75	0.2	30.2	12.4	572	3.30	26.6	3.7	10.6	10	0.1	1.9	0.4	31	0.06	0.039	44
1402240	Soil	0.8	13.2	14.5	73	0.2	21.4	8.1	350	2.31	88.9	3.8	3.8	12	<0.1	1.8	0.3	35	0.13	0.041	23
1402241	Soil	1.1	10.8	14.0	101	0.5	20.9	8.9	323	3.12	9.9	2.7	5.4	10	0.2	0.7	0.3	52	0.09	0.063	20
1402242	Soil	1.1	10.2	24.0	79	<0.1	17.0	7.7	296	3.13	11.1	6.7	6.9	12	0.3	0.7	0.3	58	0.11	0.050	27
1402243	Soil	1.0	10.8	19.0	55	0.1	16.7	5.3	231	2.95	26.9	<0.5	6.3	8	<0.1	2.2	0.3	51	0.05	0.043	22
1402244	Soil	0.7	10.4	20.9	38	0.1	12.9	4.2	199	2.18	32.4	1.7	2.6	11	<0.1	3.0	0.3	38	0.06	0.040	25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1402124	Soil	25	0.45	74	0.109	4	1.02	0.061	0.07	10.9	0.02	3.2	<0.1	<0.05	3	<0.5	<0.2
1402125	Soil	6	0.03	45	0.004	<1	0.55	0.004	0.03	<0.1	<0.01	0.5	0.1	<0.05	3	<0.5	<0.2
1402126	Soil	20	0.24	58	0.013	<1	1.11	0.004	0.05	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1402127	Soil	10	0.08	39	0.032	<1	0.57	0.004	0.03	<0.1	0.01	0.8	<0.1	<0.05	4	<0.5	<0.2
1402128	Soil	22	0.24	63	0.013	<1	1.17	0.005	0.07	0.1	0.03	2.0	<0.1	<0.05	3	0.6	<0.2
1402129	Soil	13	0.12	43	0.026	<1	0.82	0.003	0.03	0.1	0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
1402130	Soil	24	0.23	59	0.014	<1	1.26	0.004	0.05	0.2	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1402131	Soil	27	0.25	82	0.031	<1	1.45	0.005	0.07	0.2	0.04	1.9	<0.1	<0.05	4	<0.5	<0.2
1402132	Soil	29	0.35	90	0.039	<1	1.74	0.005	0.07	0.2	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
1402133	Soil	24	0.30	67	0.039	<1	1.46	0.006	0.04	0.2	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1402134	Soil	20	0.26	66	0.015	<1	1.43	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1402135	Soil	20	0.24	57	0.034	<1	1.37	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
1402136	Soil	17	0.23	58	0.025	<1	1.25	0.008	0.03	0.2	0.03	1.3	<0.1	<0.05	6	<0.5	<0.2
1402137	Soil	15	0.40	49	0.006	<1	1.18	0.005	0.04	0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
1402138	Soil	19	0.29	68	0.032	<1	1.29	0.006	0.04	0.3	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
1402139	Soil	19	0.28	43	0.023	1	1.03	0.006	0.04	0.2	0.02	1.2	<0.1	<0.05	5	0.7	<0.2
1402140	Soil	20	0.37	52	0.010	1	1.13	0.004	0.06	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402141	Soil	24	0.31	61	0.023	<1	1.25	0.005	0.04	0.2	0.02	1.8	<0.1	<0.05	4	1.0	<0.2
1402142	Soil	17	0.32	53	0.007	<1	1.07	0.005	0.05	0.2	0.03	0.8	<0.1	<0.05	4	0.7	<0.2
1402143	Soil	18	0.25	81	0.008	<1	1.10	0.006	0.05	0.3	0.11	1.6	0.1	0.07	3	0.9	<0.2
1402144	Soil	18	0.28	72	0.008	<1	1.04	0.013	0.06	0.2	0.11	1.6	0.1	0.07	3	1.1	<0.2
1402145	Soil	21	0.32	84	0.008	1	1.09	0.006	0.06	0.2	0.11	1.8	<0.1	0.06	3	0.6	<0.2
1402146	Soil	16	0.29	107	0.007	<1	0.98	0.005	0.06	0.1	0.03	1.9	<0.1	<0.05	3	0.9	<0.2
1402238	Soil	19	0.24	47	0.023	<1	1.08	0.004	0.06	0.2	0.02	1.4	0.1	<0.05	5	<0.5	<0.2
1402239	Soil	29	0.54	110	0.015	7	1.87	0.006	0.12	0.1	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
1402240	Soil	28	0.47	125	0.010	<1	1.50	0.009	0.07	0.2	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1402241	Soil	36	0.48	92	0.095	2	2.14	0.012	0.06	0.2	0.05	2.3	<0.1	<0.05	7	0.8	<0.2
1402242	Soil	29	0.41	92	0.060	<1	1.80	0.006	0.04	0.2	0.02	2.3	<0.1	<0.05	8	<0.5	<0.2
1402243	Soil	30	0.37	71	0.027	<1	1.55	0.005	0.05	0.2	0.02	2.1	0.1	<0.05	6	0.5	<0.2
1402244	Soil	25	0.27	65	0.021	<1	1.18	0.004	0.05	0.2	0.04	1.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1402245	Soil	0.7	25.0	48.6	179	0.7	43.0	14.5	976	3.30	142.1	11.9	2.3	22	0.6	8.0	0.4	32	1.45	0.165	22
1402246	Soil	0.7	32.1	43.9	107	0.4	36.5	12.5	775	3.03	45.2	4.7	3.6	47	0.3	3.3	0.3	27	1.17	0.108	32
1402247	Soil	0.9	11.9	18.6	72	0.5	19.6	7.4	317	2.81	18.4	1.6	2.0	10	<0.1	1.3	0.3	42	0.11	0.049	25
1402248 AML-STD	Rock Pulp	1.3	447.2	21.6	172	0.2	222.3	77.9	877	16.55	3.1	30.1	7.2	18	<0.1	0.4	0.2	218	0.31	0.045	18
1402249	Soil	1.2	12.4	17.2	66	<0.1	17.8	7.2	262	3.14	16.6	3.7	4.1	11	0.2	1.9	0.3	55	0.10	0.036	25
1402250	Soil	1.0	25.6	48.1	76	0.2	37.8	20.9	1091	3.89	39.3	2.6	6.2	26	0.4	2.3	0.3	41	0.47	0.071	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1402245	Soil	39	0.61	160	0.009	1	1.64	0.009	0.07	0.2	0.34	2.7	0.9	0.10	5	1.1	<0.2
1402246	Soil	30	0.45	127	0.008	2	1.46	0.008	0.08	0.2	0.11	3.1	0.3	0.09	4	<0.5	<0.2
1402247	Soil	25	0.39	111	0.018	1	1.51	0.006	0.08	0.2	0.04	1.7	0.1	<0.05	6	<0.5	<0.2
1402248 AML-STD	Rock Pulp	597	0.17	141	0.189	5	4.72	0.016	0.08	<0.1	0.03	37.0	<0.1	0.10	22	1.7	<0.2
1402249	Soil	22	0.35	126	0.036	<1	1.42	0.006	0.08	0.2	0.03	2.0	0.1	0.10	7	<0.5	<0.2
1402250	Soil	34	0.43	124	0.018	3	2.44	0.007	0.08	0.2	0.05	5.8	0.2	0.09	6	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1401963	Soil	1.0	11.0	10.6	36	<0.1	10.2	3.4	107	1.68	17.1	1.2	3.2	7	<0.1	1.2	0.3	30	0.04	0.045	28
REP 1401963	QC	0.9	10.6	10.8	34	<0.1	10.4	3.3	103	1.59	16.0	<0.5	3.0	7	<0.1	1.1	0.2	30	0.04	0.044	27
1402039	Soil	0.9	19.0	19.7	72	<0.1	31.4	11.2	276	3.33	43.0	2.4	7.7	11	0.1	8.7	0.3	39	0.13	0.048	35
REP 1402039	QC	0.7	17.8	19.9	69	<0.1	30.5	11.0	269	3.25	41.8	3.2	7.8	11	0.2	8.2	0.3	37	0.13	0.046	35
1402049	Soil	1.5	15.9	15.1	53	0.3	15.9	5.0	160	2.63	12.6	1.1	7.5	7	0.2	1.0	0.3	51	0.04	0.041	22
REP 1402049	QC	1.6	15.3	16.3	56	0.3	15.9	5.1	165	2.69	13.1	1.0	8.0	8	0.2	1.1	0.3	52	0.04	0.043	23
1402135	Soil	0.9	16.7	19.9	32	0.2	8.7	3.1	91	1.74	4.9	<0.5	6.0	8	0.1	0.3	0.3	40	0.05	0.019	23
REP 1402135	QC	0.8	15.9	19.4	31	0.2	8.5	3.1	93	1.81	4.8	<0.5	5.8	8	<0.1	0.3	0.3	40	0.06	0.019	22
1402241	Soil	1.1	10.8	14.0	101	0.5	20.9	8.9	323	3.12	9.9	2.7	5.4	10	0.2	0.7	0.3	52	0.09	0.063	20
REP 1402241	QC	1.0	10.7	13.8	100	0.5	21.0	9.2	335	3.11	10.3	2.6	5.3	11	0.2	0.7	0.3	52	0.11	0.064	21
Reference Materials																					
STD DS8	Standard	14.4	109.8	126.6	301	1.8	37.2	7.4	618	2.43	26.1	119.1	7.7	75	2.3	6.0	6.6	44	0.72	0.075	19
STD DS8	Standard	13.6	108.4	126.3	304	1.7	38.2	7.5	616	2.44	25.5	118.3	7.4	83	2.2	6.1	6.9	44	0.75	0.078	18
STD DS8	Standard	13.5	106.4	122.4	296	1.8	36.3	7.3	590	2.36	24.5	101.4	7.9	71	2.0	5.5	6.7	42	0.70	0.074	18
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001830.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1401963	Soil	14	0.11	55	0.018	1	0.80	0.007	0.05	0.2	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
REP 1401963	QC	14	0.11	55	0.020	1	0.80	0.006	0.05	0.1	<0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
1402039	Soil	30	0.45	155	0.013	<1	2.07	0.004	0.06	0.2	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
REP 1402039	QC	29	0.43	157	0.012	<1	1.98	0.005	0.07	0.1	0.02	2.4	0.1	<0.05	6	<0.5	<0.2
1402049	Soil	23	0.22	46	0.035	<1	1.15	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
REP 1402049	QC	25	0.22	49	0.033	<1	1.21	0.004	0.05	0.2	0.01	1.7	<0.1	<0.05	6	0.6	<0.2
1402135	Soil	20	0.24	57	0.034	<1	1.37	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
REP 1402135	QC	21	0.24	56	0.033	<1	1.36	0.004	0.04	0.1	0.03	1.5	<0.1	<0.05	6	<0.5	<0.2
1402241	Soil	36	0.48	92	0.095	2	2.14	0.012	0.06	0.2	0.05	2.3	<0.1	<0.05	7	0.8	<0.2
REP 1402241	QC	37	0.48	91	0.100	<1	2.13	0.009	0.06	0.2	0.06	2.2	<0.1	<0.05	7	0.7	<0.2
Reference Materials																	
STD DS8	Standard	120	0.61	292	0.138	3	0.99	0.108	0.41	3.1	0.21	2.6	5.4	0.15	5	5.0	4.8
STD DS8	Standard	117	0.63	291	0.125	2	1.05	0.091	0.45	2.9	0.20	3.5	5.4	0.20	5	4.9	4.7
STD DS8	Standard	115	0.57	268	0.125	2	0.90	0.094	0.41	2.7	0.17	2.4	5.0	0.17	5	4.4	4.9
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: September 25, 2011
Report Date: December 09, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001879.1

CLIENT JOB INFORMATION

Project: IKE
Shipment ID: AML-2011-S-062
P.O. Number
Number of Samples: 128

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	114	Dry at 60C			WHI
SS80	107	Dry at 60C sieve 100g to -80 mesh			WHI
RJSV	114	Saving all or part of Soil Reject			WHI
1DX2	110	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray
Quartz Camp

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1110997	Soil	1.0	13.6	17.2	68	<0.1	21.0	7.4	219	2.96	11.6	<0.5	3.3	7	0.3	1.1	0.3	38	0.06	0.059	20
1110998	Soil	0.8	9.6	15.0	83	0.1	19.0	7.8	278	2.89	10.8	<0.5	1.8	13	0.2	0.7	0.3	41	0.21	0.063	19
1110999	Soil	0.6	9.0	17.3	49	<0.1	11.7	4.3	151	2.32	10.1	<0.5	3.1	7	0.2	1.8	0.3	36	0.09	0.069	18
1111000	Soil	0.7	16.0	16.5	47	<0.1	16.3	6.3	146	2.46	11.5	<0.5	2.0	6	0.1	1.7	0.2	27	0.04	0.046	22
1402101	Soil	0.6	14.4	16.9	51	<0.1	15.5	5.6	145	2.35	17.0	0.6	6.8	5	<0.1	1.9	0.3	25	0.03	0.036	30
1402102	Soil	0.7	13.2	16.6	54	0.1	13.9	5.9	248	1.96	8.9	0.8	1.6	20	0.1	0.7	0.3	31	0.49	0.068	17
1402103	Soil	0.6	21.0	17.2	60	<0.1	21.7	9.5	325	2.47	20.9	2.5	7.6	14	0.2	2.2	0.2	18	0.27	0.055	28
1402104	Soil	0.7	16.5	17.8	55	<0.1	20.2	9.9	428	2.50	17.4	1.0	4.3	15	0.2	1.7	0.2	24	0.33	0.058	21
1402105	Soil	0.6	23.4	23.0	62	<0.1	25.8	13.5	363	2.95	24.7	2.0	7.4	11	0.1	2.4	0.2	20	0.22	0.071	24
1402106	Soil	0.6	15.2	17.9	55	0.1	20.6	9.3	528	2.14	18.4	0.9	2.1	28	0.2	1.8	0.2	24	0.64	0.074	16
1402151	Soil	0.5	14.3	18.0	69	0.2	27.1	11.8	1108	3.00	29.0	0.6	1.9	32	0.2	4.7	0.2	31	1.78	0.175	22
1402152	Soil	0.5	12.8	16.0	73	0.1	23.2	9.2	477	2.79	20.5	<0.5	2.5	18	0.3	3.5	0.3	34	0.58	0.057	19
1402153	Soil	0.7	24.1	14.6	66	<0.1	54.4	16.8	494	3.31	22.0	<0.5	4.3	19	0.2	2.2	0.2	35	0.37	0.114	19
1402154	Soil	0.6	13.4	16.5	75	0.3	29.3	11.8	512	2.72	38.1	<0.5	2.0	21	0.2	13.4	0.2	32	0.68	0.183	16
1402155	Soil	0.6	13.9	18.4	66	0.2	19.7	10.2	1904	3.41	31.9	1.4	1.3	30	0.5	2.8	0.2	28	1.94	0.270	17
1402156	Soil	0.5	14.6	15.8	57	0.2	15.9	6.8	449	2.05	25.0	<0.5	1.3	27	0.2	3.1	0.2	26	1.06	0.165	15
1402157	Soil	0.8	20.0	19.9	69	<0.1	28.4	12.2	274	3.35	29.5	3.1	5.3	10	0.1	10.0	0.3	30	0.08	0.053	24
1402158	Soil	0.8	14.7	15.3	53	<0.1	16.3	6.1	315	2.62	17.7	4.7	1.4	7	0.1	2.8	0.2	30	0.04	0.062	22
1402159	Soil	0.6	11.0	13.4	62	<0.1	14.3	8.2	638	2.33	19.6	0.9	3.3	11	0.2	1.7	0.2	33	0.20	0.042	22
1402160	Rock Pulp	2.7	19.3	2.4	31	0.4	16.4	7.3	249	1.62	3.4	0.7	0.8	29	0.2	0.3	<0.1	41	0.59	0.044	4
1402161	Soil	0.7	20.5	19.1	67	0.3	32.2	12.4	438	3.05	43.1	<0.5	6.9	13	0.3	11.1	0.3	28	0.52	0.076	26
1402162	Soil	0.9	17.1	16.8	80	<0.1	31.8	10.4	339	3.37	31.9	0.5	2.6	12	0.2	11.7	0.3	35	0.15	0.094	19
1402163	Soil	0.7	20.0	16.3	70	0.2	35.8	9.6	321	2.87	29.1	6.7	4.4	18	0.2	7.4	0.2	30	0.44	0.084	19
1402164	Soil	0.8	15.4	14.7	73	<0.1	29.4	10.7	205	3.21	21.9	1.3	4.5	11	0.2	5.6	0.2	38	0.15	0.051	30
1402165	Soil	1.2	19.4	17.7	51	0.1	15.3	5.8	126	2.20	24.8	<0.5	2.4	5	<0.1	3.0	0.3	30	0.03	0.045	25
1402166	Soil	0.9	18.4	25.5	43	<0.1	11.7	3.5	77	2.42	29.5	4.7	4.8	5	<0.1	3.5	0.3	31	0.02	0.044	34
1402167	Soil	1.1	24.3	22.6	72	0.2	30.6	8.7	252	4.56	31.5	5.0	3.9	8	0.1	5.6	0.4	40	0.03	0.088	27
1402168	Soil	1.3	11.6	19.0	104	0.1	18.6	7.0	301	3.92	13.0	<0.5	6.5	6	0.1	1.4	0.3	49	0.05	0.056	18
1402169	Soil	1.2	10.8	15.7	88	0.1	17.2	7.2	341	3.21	12.4	<0.5	5.9	7	0.2	1.1	0.3	53	0.05	0.051	20
1402170	Soil	0.9	53.1	34.7	75	0.7	43.8	15.2	831	3.30	25.6	1.6	1.5	34	0.1	4.2	0.5	25	0.51	0.131	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1110997	Soil	25	0.42	90	0.013	1	1.45	0.004	0.05	0.2	0.02	1.5	<0.1	<0.05	5	0.6	<0.2
1110998	Soil	27	0.42	113	0.033	2	1.55	0.005	0.04	0.3	0.03	1.7	<0.1	0.06	6	0.5	<0.2
1110999	Soil	16	0.20	68	0.011	1	1.11	0.003	0.04	0.2	0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
1111000	Soil	17	0.24	92	0.009	<1	0.97	0.004	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
1402101	Soil	15	0.27	84	0.005	<1	1.10	0.003	0.04	0.2	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1402102	Soil	22	0.30	176	0.011	1	1.22	0.004	0.04	0.2	0.03	1.4	<0.1	0.06	5	0.7	<0.2
1402103	Soil	16	0.34	113	0.007	<1	0.86	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	3	0.5	<0.2
1402104	Soil	18	0.33	129	0.008	<1	1.08	0.004	0.04	0.1	0.02	1.5	<0.1	<0.05	4	0.7	<0.2
1402105	Soil	17	0.32	108	0.004	1	1.21	0.003	0.04	0.1	0.04	1.8	<0.1	<0.05	3	<0.5	<0.2
1402106	Soil	21	0.34	135	0.009	1	1.14	0.005	0.04	0.2	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
1402151	Soil	22	0.32	127	0.006	<1	1.44	0.004	0.04	0.2	0.13	2.4	0.3	<0.05	4	0.8	<0.2
1402152	Soil	25	0.38	140	0.014	1	1.53	0.006	0.05	0.2	0.04	2.0	0.1	<0.05	5	0.6	<0.2
1402153	Soil	42	0.62	137	0.005	<1	1.84	0.004	0.05	0.2	0.02	2.6	0.3	<0.05	5	<0.5	<0.2
1402154	Soil	23	0.33	142	0.009	1	1.48	0.005	0.05	0.2	0.05	1.7	0.2	<0.05	4	0.5	<0.2
1402155	Soil	19	0.21	159	0.007	<1	1.24	0.005	0.05	0.2	0.29	1.7	0.2	0.05	3	<0.5	<0.2
1402156	Soil	19	0.29	197	0.007	1	1.15	0.006	0.05	0.1	0.06	1.4	0.1	0.07	4	0.6	<0.2
1402157	Soil	22	0.38	91	0.007	<1	1.33	0.003	0.05	0.2	0.01	1.5	<0.1	<0.05	4	<0.5	<0.2
1402158	Soil	19	0.30	74	0.007	<1	1.04	0.003	0.03	0.2	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1402159	Soil	19	0.34	121	0.011	<1	1.40	0.004	0.05	0.2	0.02	1.6	0.1	<0.05	5	<0.5	<0.2
1402160	Rock Pulp	23	0.46	78	0.080	4	0.95	0.054	0.06	11.7	0.02	2.8	<0.1	<0.05	3	<0.5	<0.2
1402161	Soil	24	0.41	112	0.005	<1	1.65	0.005	0.05	0.1	0.04	2.4	<0.1	<0.05	4	<0.5	<0.2
1402162	Soil	29	0.50	94	0.009	<1	1.35	0.004	0.05	0.2	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1402163	Soil	31	0.49	130	0.005	<1	1.50	0.004	0.06	0.1	0.03	2.7	0.1	<0.05	4	<0.5	<0.2
1402164	Soil	22	0.31	151	0.004	<1	1.74	0.004	0.04	0.1	0.01	1.8	0.2	<0.05	5	<0.5	<0.2
1402165	Soil	17	0.10	39	0.009	<1	0.66	0.004	0.03	0.2	0.02	0.8	<0.1	<0.05	4	<0.5	<0.2
1402166	Soil	12	0.07	36	0.009	<1	0.73	0.002	0.03	0.2	<0.01	1.0	0.1	<0.05	4	<0.5	<0.2
1402167	Soil	20	0.11	53	0.007	<1	0.77	0.002	0.04	0.3	0.02	1.4	0.1	<0.05	4	<0.5	<0.2
1402168	Soil	32	0.42	83	0.042	<1	1.63	0.004	0.05	0.2	0.04	2.1	<0.1	<0.05	7	<0.5	<0.2
1402169	Soil	28	0.38	79	0.041	<1	1.65	0.005	0.04	0.3	0.02	1.8	<0.1	<0.05	7	0.6	<0.2
1402170	Soil	21	0.21	155	0.003	<1	1.37	0.007	0.06	0.2	0.06	1.5	0.2	0.07	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1402171	Soil	1.5	12.5	16.1	58	0.1	16.6	6.0	275	4.12	13.0	1.6	2.2	6	<0.1	1.2	0.3	61	0.05	0.101	17
1402172	Soil	1.5	12.5	14.8	57	<0.1	16.4	5.7	287	3.74	13.4	<0.5	1.8	6	0.1	1.6	0.3	58	0.04	0.096	15
1402173	Soil	1.0	14.4	18.3	81	0.2	20.7	7.2	280	3.50	10.9	1.1	5.2	6	0.2	0.9	0.3	37	0.04	0.060	18
1402174	Soil	1.0	16.6	21.5	61	<0.1	20.8	9.0	407	3.40	34.6	0.6	7.0	10	<0.1	3.1	0.3	30	0.16	0.133	26
1402175	Soil	0.7	28.3	23.1	88	0.1	37.7	12.3	486	3.92	25.1	<0.5	6.7	11	0.3	3.4	0.3	23	0.13	0.090	28
1402176	Soil	0.6	25.7	16.4	62	<0.1	26.5	11.5	428	2.97	18.8	1.7	9.1	17	<0.1	2.4	0.2	20	0.24	0.084	33
1402177	Soil	0.8	20.7	18.6	69	<0.1	30.0	11.6	483	2.99	18.5	2.7	4.6	14	0.2	3.8	0.2	24	0.24	0.070	24
1402178	Soil	0.5	17.2	13.6	45	0.1	18.3	6.7	254	2.12	11.9	2.2	2.4	17	0.1	1.2	0.2	24	0.31	0.100	23
1402179	Soil	0.9	13.8	19.0	97	0.4	17.4	6.1	240	3.20	37.2	1.1	5.4	9	0.2	1.1	0.3	41	0.07	0.069	23
1402180	Soil	0.9	14.1	14.7	81	0.5	26.6	10.2	239	2.82	17.3	0.6	7.4	7	0.1	1.0	0.2	41	0.06	0.035	24
1402181	Soil	0.8	15.7	16.9	67	0.4	20.2	6.5	204	3.01	28.6	1.3	5.8	6	0.1	1.7	0.2	30	0.04	0.037	30
1402182	Soil	0.9	20.7	17.8	73	0.1	25.3	8.7	206	3.17	43.1	<0.5	9.3	6	0.1	3.0	0.2	25	0.03	0.034	35
1402183	Soil	0.6	17.7	17.2	80	0.1	26.3	10.4	232	3.12	29.6	<0.5	6.3	9	0.1	4.0	0.2	29	0.11	0.049	31
1402184 AML-STD	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1402185	Soil	0.8	11.9	14.0	57	0.1	14.6	5.0	188	2.78	14.8	<0.5	4.0	9	0.1	2.0	0.3	39	0.06	0.066	30
1402186	Soil	1.1	40.8	33.4	78	<0.1	39.8	14.2	245	4.49	30.2	4.2	10.6	14	<0.1	3.8	0.4	18	0.02	0.071	39
1402187	Soil	1.0	28.3	29.8	123	<0.1	32.0	10.8	262	4.34	19.9	<0.5	9.2	10	0.2	3.5	0.3	31	0.04	0.065	32
1402188	Soil	0.6	11.9	25.3	65	0.1	23.1	8.9	535	2.50	11.7	0.9	2.7	24	0.3	1.3	0.2	33	0.80	0.179	22
1402189	Soil	0.6	16.2	15.9	92	0.3	24.9	8.6	440	2.73	11.0	0.6	1.4	27	0.3	2.1	0.2	37	0.69	0.150	24
1402190	Soil	0.3	5.5	20.3	39	0.2	11.0	3.5	208	1.49	7.2	<0.5	1.0	16	0.3	0.8	0.1	26	0.81	0.092	11
1402191	Soil	0.4	13.5	20.1	82	0.2	17.0	7.3	845	2.54	10.9	<0.5	1.0	31	0.4	1.3	0.2	28	2.06	0.279	14
1402192	Soil	1.0	11.5	15.6	76	0.1	20.2	11.0	480	3.05	9.7	<0.5	3.3	13	<0.1	1.3	0.3	43	0.22	0.050	26
1402193	Soil	1.0	20.6	19.4	77	<0.1	31.9	12.8	375	3.80	17.3	1.6	6.8	11	0.1	3.9	0.2	31	0.12	0.072	36
1402194	Soil	1.0	10.1	16.5	46	0.1	11.4	4.3	154	2.28	7.2	<0.5	2.1	6	<0.1	1.0	0.2	47	0.04	0.067	28
1402195	Soil	0.4	25.8	14.5	56	<0.1	22.7	6.3	83	2.32	10.5	<0.5	6.8	5	<0.1	0.6	0.3	14	0.02	0.027	62
1402196	Rock Pulp	2.8	21.8	2.2	32	0.4	18.9	8.0	281	1.76	2.7	<0.5	0.9	31	0.2	0.3	<0.1	50	0.70	0.044	5
1402197	Soil	1.2	27.1	13.0	66	<0.1	57.3	18.9	3466	4.99	32.7	1.2	12.8	13	<0.1	2.3	1.4	17	0.08	0.056	80
1402198	Soil	1.0	16.6	18.7	60	<0.1	20.3	8.3	317	3.42	15.0	0.5	4.5	8	0.1	2.3	0.3	31	0.07	0.088	32
1402199	Soil	0.9	25.2	21.7	89	0.2	44.4	15.8	477	3.60	20.6	2.6	7.3	13	0.2	3.3	0.2	29	0.18	0.098	32
1402200	Soil	0.6	19.6	17.2	67	<0.1	26.6	10.5	316	2.86	18.7	1.4	8.1	9	0.1	2.1	0.2	22	0.09	0.057	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1402171	Soil	28	0.29	50	0.030	<1	1.12	0.003	0.04	0.2	0.02	1.4	<0.1	<0.05	7	<0.5	<0.2
1402172	Soil	25	0.23	48	0.026	<1	0.95	0.003	0.04	0.3	0.03	1.1	<0.1	0.06	6	0.6	<0.2
1402173	Soil	29	0.39	63	0.026	<1	1.58	0.003	0.04	0.2	0.04	1.7	<0.1	<0.05	5	0.7	<0.2
1402174	Soil	22	0.32	74	0.011	<1	1.24	0.003	0.04	0.2	0.04	1.5	0.1	<0.05	5	<0.5	<0.2
1402175	Soil	23	0.38	126	0.003	<1	1.27	0.003	0.06	0.1	0.02	1.9	0.1	<0.05	4	<0.5	<0.2
1402176	Soil	18	0.41	94	0.005	<1	0.98	0.004	0.05	0.1	0.05	1.9	<0.1	<0.05	3	<0.5	<0.2
1402177	Soil	24	0.35	93	0.006	3	1.02	0.003	0.06	0.2	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1402178	Soil	19	0.31	137	0.006	2	1.12	0.009	0.07	0.1	0.05	1.5	<0.1	0.06	4	<0.5	<0.2
1402179	Soil	26	0.32	90	0.017	2	1.58	0.005	0.08	0.2	0.02	1.6	0.1	<0.05	6	<0.5	<0.2
1402180	Soil	31	0.44	105	0.031	1	2.00	0.005	0.06	0.2	0.03	2.2	0.1	<0.05	6	<0.5	<0.2
1402181	Soil	21	0.29	75	0.011	1	1.39	0.004	0.06	0.2	0.03	1.3	<0.1	<0.05	5	<0.5	<0.2
1402182	Soil	21	0.32	74	0.008	1	1.66	0.004	0.06	0.2	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1402183	Soil	20	0.26	102	0.005	<1	1.49	0.005	0.05	0.1	0.01	1.5	0.2	<0.05	4	<0.5	<0.2
1402184 AML-STD	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1402185	Soil	19	0.21	66	0.014	1	1.30	0.005	0.06	0.2	0.01	1.2	0.1	<0.05	6	<0.5	<0.2
1402186	Soil	26	0.36	63	0.004	<1	1.93	0.007	0.05	<0.1	0.02	1.7	<0.1	0.05	5	<0.5	<0.2
1402187	Soil	28	0.39	76	0.008	1	1.82	0.005	0.07	0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
1402188	Soil	26	0.40	129	0.009	1	1.59	0.009	0.05	0.2	0.06	2.2	0.1	0.06	4	<0.5	<0.2
1402189	Soil	29	0.42	209	0.013	1	1.65	0.006	0.07	0.1	0.05	1.6	<0.1	0.09	5	<0.5	<0.2
1402190	Soil	18	0.17	100	0.009	1	1.18	0.007	0.03	0.1	1.74	1.9	0.1	0.08	3	<0.5	<0.2
1402191	Soil	18	0.27	142	0.013	2	1.18	0.010	0.05	0.2	0.13	1.3	0.1	0.13	4	<0.5	<0.2
1402192	Soil	27	0.35	77	0.034	1	1.57	0.005	0.05	0.2	0.04	1.5	0.1	<0.05	6	<0.5	<0.2
1402193	Soil	27	0.45	89	0.011	2	1.78	0.004	0.08	0.2	0.04	1.7	0.1	<0.05	5	<0.5	<0.2
1402194	Soil	20	0.14	47	0.024	<1	1.17	0.005	0.03	0.1	0.02	1.1	<0.1	<0.05	7	<0.5	<0.2
1402195	Soil	12	0.06	31	0.004	<1	0.47	0.003	0.04	<0.1	<0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
1402196	Rock Pulp	26	0.48	77	0.104	5	1.08	0.069	0.08	12.1	0.01	3.1	<0.1	<0.05	4	<0.5	<0.2
1402197	Soil	14	0.11	101	<0.001	1	0.83	0.002	0.05	<0.1	0.04	5.1	0.1	<0.05	2	<0.5	<0.2
1402198	Soil	24	0.25	51	0.009	<1	1.17	0.004	0.05	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1402199	Soil	36	0.45	84	0.013	1	1.80	0.005	0.07	0.2	0.04	2.2	<0.1	<0.05	4	<0.5	<0.2
1402200	Soil	19	0.35	98	0.007	<1	1.15	0.004	0.06	0.1	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1403557	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403558	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403559	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403560	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403561	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403562	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403563	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403564	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403565	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403566	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403567	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403568	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403569	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403570	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403571	Soil	0.8	20.5	23.3	69	0.1	33.2	11.3	300	2.85	27.7	1.3	7.1	9	0.1	1.9	0.2	28	0.11	0.063	37
1403572	Soil	1.0	10.5	17.3	72	0.2	15.6	6.3	270	2.80	12.1	0.6	5.9	7	0.2	0.9	0.3	45	0.07	0.088	23
1403573	Soil	1.2	11.2	18.4	80	0.2	16.9	6.4	288	3.12	12.7	<0.5	6.1	7	0.2	0.9	0.3	50	0.08	0.095	23
1403574	Soil	0.7	12.0	17.8	60	0.2	22.5	7.8	249	2.56	20.1	1.1	2.5	9	0.2	1.5	0.2	35	0.11	0.080	28
1403575	Soil	1.6	12.5	18.5	67	0.1	21.2	6.4	355	3.71	13.4	<0.5	2.6	7	0.2	0.8	0.3	50	0.06	0.109	20
1403576	Soil	1.2	11.2	17.2	56	0.2	18.6	5.0	229	2.23	8.7	<0.5	2.6	8	0.1	0.5	0.3	41	0.07	0.074	20
1403577	Soil	1.0	10.1	11.6	70	0.1	16.2	4.9	275	2.50	8.3	2.1	4.7	7	0.1	0.4	0.3	37	0.09	0.062	19
1403578	Soil	1.1	8.1	13.7	78	0.1	15.3	6.3	243	2.87	7.2	1.3	4.2	8	0.2	0.6	0.2	46	0.07	0.055	22
1403579	Soil	1.0	16.2	16.3	59	<0.1	19.0	6.0	187	2.89	17.2	1.1	1.1	7	0.2	2.5	0.4	48	0.07	0.068	25
1403580	Soil	0.5	9.0	9.5	23	<0.1	6.6	2.5	355	1.08	9.7	0.5	0.3	4	0.1	3.1	0.2	19	0.02	0.038	25
1403581	Soil	1.2	10.7	16.4	62	<0.1	15.2	6.6	355	2.87	10.3	<0.5	1.5	8	0.2	1.2	0.4	51	0.07	0.058	26
1403582	Soil	0.9	35.5	22.0	81	0.6	30.1	7.9	458	2.75	17.9	2.1	1.1	35	0.4	2.6	0.4	40	0.65	0.105	27
1403583	Soil	0.8	32.6	27.0	144	0.7	31.2	10.0	910	3.04	21.7	15.9	1.9	62	0.8	4.9	1.3	26	1.02	0.170	13
1403584 AML-STD	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403641	Soil	0.9	13.0	13.8	48	0.2	12.3	4.3	165	2.70	13.8	2.0	4.2	6	0.1	1.3	0.5	45	0.03	0.069	22
1403642	Soil	1.1	17.4	22.3	83	<0.1	25.5	8.9	242	3.50	31.9	2.1	6.7	6	0.2	2.2	0.4	32	0.06	0.075	24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1403557	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403558	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403559	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403560	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403561	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403562	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403563	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403564	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403565	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403566	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403567	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403568	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403569	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403570	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403571	Soil		28	0.42	137	0.012	2	1.71	0.005	0.11	0.2	0.03	2.1	0.1	<0.05	4	<0.5	<0.2
1403572	Soil		27	0.34	84	0.032	1	1.54	0.006	0.06	0.3	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
1403573	Soil		29	0.35	86	0.033	1	1.61	0.010	0.06	0.3	0.02	2.1	0.1	<0.05	7	<0.5	<0.2
1403574	Soil		26	0.34	93	0.019	1	1.55	0.005	0.07	0.2	0.03	1.3	0.1	<0.05	5	<0.5	<0.2
1403575	Soil		35	0.32	78	0.037	<1	1.43	0.005	0.07	0.3	0.03	1.6	0.1	<0.05	7	<0.5	<0.2
1403576	Soil		28	0.34	63	0.039	1	1.64	0.007	0.07	0.3	0.04	1.5	0.1	<0.05	6	<0.5	<0.2
1403577	Soil		24	0.32	61	0.025	<1	1.30	0.005	0.06	0.4	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
1403578	Soil		29	0.35	82	0.044	<1	1.65	0.005	0.05	0.2	0.03	1.6	0.1	<0.05	6	<0.5	<0.2
1403579	Soil		26	0.26	63	0.012	<1	1.33	0.004	0.06	0.2	0.01	1.0	0.1	<0.05	6	<0.5	<0.2
1403580	Soil		10	0.05	61	0.005	<1	0.59	0.009	0.04	<0.1	<0.01	0.2	0.2	<0.05	4	<0.5	<0.2
1403581	Soil		25	0.28	59	0.032	<1	1.25	0.004	0.06	0.2	0.02	1.1	0.1	<0.05	6	<0.5	<0.2
1403582	Soil		31	0.29	128	0.017	2	1.47	0.007	0.12	0.2	0.07	1.9	0.1	0.11	5	<0.5	<0.2
1403583	Soil		28	0.33	150	0.014	3	1.53	0.008	0.13	0.3	0.14	2.4	0.2	0.06	4	1.3	<0.2
1403584 AML-STD	Rock Pulp		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403641	Soil		18	0.22	51	0.030	<1	1.03	0.004	0.04	0.2	0.04	1.1	<0.1	<0.05	6	<0.5	<0.2
1403642	Soil		24	0.41	71	0.005	<1	1.40	0.006	0.06	0.1	0.02	1.7	0.2	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1403643	Soil	1.2	9.5	16.0	73	0.1	13.3	4.6	203	2.94	13.2	2.8	3.8	5	0.2	1.0	0.3	39	0.04	0.060	17
1403644	Soil	1.1	13.2	24.0	55	<0.1	24.0	9.3	272	2.97	40.6	5.5	3.9	10	0.2	2.2	0.3	38	0.14	0.034	21
1403645	Soil	0.6	23.9	21.7	57	0.3	29.5	7.8	517	2.05	17.1	3.8	1.1	124	0.4	1.8	0.4	15	2.72	0.133	22
1403646	Soil	1.0	35.4	50.8	140	0.1	29.7	10.3	2165	3.45	28.7	17.6	4.7	32	0.2	1.7	0.4	18	0.44	0.087	21
1403647	Soil	0.5	80.1	22.9	112	0.1	36.1	16.6	2561	4.57	17.9	5.6	6.4	25	2.0	2.1	0.4	10	0.79	0.187	29
1403648 AML-STD	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403649	Soil	0.6	33.2	34.1	140	<0.1	48.2	14.4	471	4.36	35.4	3.8	5.4	7	0.5	4.2	0.3	23	0.06	0.062	35
1403650	Soil	0.6	25.3	29.0	101	<0.1	32.3	10.9	351	3.87	30.0	0.9	4.6	6	0.2	2.2	0.4	26	0.04	0.063	27
1403671	Soil	1.3	10.5	17.7	79	<0.1	14.4	5.2	305	2.65	11.4	2.4	0.5	17	0.3	1.1	0.4	43	0.15	0.064	16
1403672	Soil	0.8	24.6	24.5	79	<0.1	26.9	10.0	362	3.62	20.3	2.4	4.6	5	0.2	3.5	0.3	19	0.04	0.048	23
1403673	Soil	2.8	10.9	23.9	96	0.1	20.3	6.6	443	4.10	11.2	2.6	1.9	8	0.3	1.0	0.3	56	0.09	0.077	14
1403674	Soil	1.1	10.3	14.7	76	<0.1	16.1	5.8	238	2.63	9.5	2.4	3.8	7	0.2	1.1	0.3	31	0.06	0.045	17
1403675	Soil	0.7	12.6	14.3	69	0.3	16.5	6.0	440	1.92	8.3	2.2	0.7	47	0.3	1.0	0.3	25	0.83	0.087	12
1403676	Soil	0.7	15.6	14.6	76	<0.1	25.7	8.6	450	2.63	12.5	3.0	1.5	13	0.1	1.5	0.3	31	0.17	0.080	21
1403677	Soil	1.1	12.5	20.0	81	0.3	18.4	8.3	419	2.82	13.1	2.2	1.2	8	0.2	4.1	0.3	42	0.07	0.068	20
1403678	Soil	0.8	17.0	16.9	79	0.2	26.1	8.0	410	2.82	10.0	2.7	1.0	16	0.3	2.1	0.3	36	0.21	0.083	36
1403679	Soil	1.0	16.4	19.7	80	<0.1	27.6	8.7	337	3.58	19.8	1.9	3.9	8	0.2	4.8	0.2	30	0.10	0.104	23
1403680	Soil	1.2	9.3	16.6	76	0.2	17.6	5.6	264	3.35	9.8	2.7	2.7	6	0.2	0.9	0.6	42	0.05	0.078	15
1403681	Soil	1.0	15.3	16.5	70	0.1	25.2	7.7	275	3.22	13.7	0.8	3.4	7	0.1	2.1	0.4	37	0.06	0.089	22
1403682	Soil	1.2	8.6	15.3	58	0.3	14.0	5.0	215	2.76	9.6	3.5	2.8	7	<0.1	1.0	0.4	41	0.05	0.063	19
1403683	Soil	1.1	18.3	19.8	86	<0.1	29.4	10.0	299	3.06	16.2	3.1	3.4	9	0.2	3.0	0.3	29	0.11	0.103	20
1403684 AML-STD	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403685	Soil	1.0	9.0	15.0	57	0.1	14.8	5.0	283	2.81	9.7	2.0	0.6	7	0.1	1.0	0.3	44	0.05	0.091	19
1403686	Soil	0.9	12.9	14.8	69	<0.1	22.9	7.4	283	3.30	14.8	2.7	3.4	9	<0.1	1.8	0.3	34	0.11	0.123	18
1403687	Soil	1.1	15.2	13.4	48	<0.1	17.7	5.7	268	2.59	16.6	10.4	3.1	6	<0.1	4.3	0.3	36	0.04	0.052	31
1403688	Soil	1.2	9.5	15.2	42	<0.1	12.9	4.3	179	2.97	12.6	2.4	2.3	6	0.1	1.5	0.3	51	0.03	0.052	25
1403689	Soil	0.8	13.6	12.4	49	0.1	18.2	5.1	213	2.40	11.1	0.6	0.9	6	0.2	2.1	0.3	26	0.05	0.058	19
1403690	Soil	0.6	8.2	14.6	59	0.2	11.4	4.7	204	2.19	7.8	2.9	0.6	8	<0.1	0.7	0.3	38	0.06	0.046	23
1403691	Soil	0.9	24.2	20.9	76	<0.1	36.4	10.6	311	3.84	28.6	2.4	7.1	7	<0.1	4.2	0.3	25	0.04	0.060	30
1403692	Soil	0.9	19.3	17.0	77	<0.1	40.7	9.3	334	3.72	24.0	2.9	5.8	7	<0.1	4.9	0.3	37	0.06	0.080	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1403643	Soil		20	0.24	45	0.024	1	1.14	0.004	0.04	0.3	0.03	1.1	<0.1	<0.05	6	0.5	<0.2
1403644	Soil		26	0.38	168	0.008	<1	1.71	0.005	0.05	0.2	0.02	2.0	0.1	<0.05	5	<0.5	<0.2
1403645	Soil		17	0.28	102	0.007	2	1.09	0.011	0.04	<0.1	0.09	1.8	0.2	0.09	2	0.8	<0.2
1403646	Soil		21	0.35	94	0.005	<1	1.21	0.003	0.04	0.1	0.05	2.8	<0.1	<0.05	3	0.8	<0.2
1403647	Soil		9	0.37	159	0.002	<1	0.67	0.003	0.04	0.1	0.04	3.4	<0.1	<0.05	2	<0.5	<0.2
1403648 AML-STD	Rock Pulp		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403649	Soil		22	0.35	97	0.003	<1	1.48	0.003	0.04	0.2	0.05	3.2	0.2	<0.05	3	0.5	<0.2
1403650	Soil		20	0.37	83	0.008	<1	1.32	0.003	0.06	0.2	0.02	2.0	0.1	<0.05	4	0.5	<0.2
1403671	Soil		20	0.25	127	0.019	<1	0.92	0.006	0.04	0.2	0.03	0.6	<0.1	<0.05	6	<0.5	<0.2
1403672	Soil		17	0.26	50	0.003	<1	0.97	0.003	0.04	0.2	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1403673	Soil		27	0.38	70	0.022	<1	1.41	0.004	0.04	0.3	0.02	1.5	0.1	<0.05	6	0.9	<0.2
1403674	Soil		21	0.35	105	0.013	<1	1.18	0.004	0.04	0.2	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
1403675	Soil		18	0.29	181	0.009	<1	1.07	0.007	0.04	0.2	0.07	0.6	<0.1	0.08	4	<0.5	<0.2
1403676	Soil		26	0.40	182	0.012	<1	1.34	0.004	0.05	0.1	0.04	1.4	<0.1	<0.05	5	0.8	<0.2
1403677	Soil		25	0.37	124	0.019	<1	1.31	0.005	0.05	0.2	0.02	1.0	<0.1	<0.05	6	0.6	<0.2
1403678	Soil		28	0.34	217	0.009	<1	1.74	0.005	0.06	0.2	0.06	1.5	0.1	<0.05	6	0.5	<0.2
1403679	Soil		22	0.31	159	0.006	<1	1.23	0.005	0.07	0.2	0.04	1.3	0.1	<0.05	4	0.8	<0.2
1403680	Soil		25	0.33	84	0.019	<1	1.34	0.004	0.04	0.2	0.04	1.2	0.1	<0.05	6	0.6	<0.2
1403681	Soil		30	0.40	97	0.012	<1	1.34	0.004	0.06	0.3	0.03	1.6	0.2	<0.05	5	<0.5	<0.2
1403682	Soil		27	0.32	78	0.028	<1	1.50	0.004	0.04	0.3	0.06	1.3	0.1	<0.05	6	<0.5	<0.2
1403683	Soil		24	0.40	93	0.007	1	1.52	0.004	0.06	0.3	0.03	1.4	0.2	<0.05	4	<0.5	<0.2
1403684 AML-STD	Rock Pulp		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1403685	Soil		23	0.31	65	0.018	<1	1.45	0.005	0.04	0.2	0.02	0.8	0.1	<0.05	6	<0.5	<0.2
1403686	Soil		26	0.40	68	0.013	<1	1.41	0.004	0.06	0.2	0.02	1.4	0.1	<0.05	5	<0.5	<0.2
1403687	Soil		18	0.15	35	0.021	<1	0.70	0.003	0.04	0.1	0.02	0.9	<0.1	<0.05	5	<0.5	<0.2
1403688	Soil		19	0.20	45	0.038	<1	1.04	0.004	0.04	0.2	0.02	0.9	0.1	<0.05	7	<0.5	<0.2
1403689	Soil		21	0.19	54	0.008	1	0.74	0.005	0.05	0.1	0.01	0.5	<0.1	<0.05	4	<0.5	<0.2
1403690	Soil		23	0.29	118	0.020	<1	1.34	0.004	0.04	0.2	0.04	0.8	0.1	<0.05	6	<0.5	<0.2
1403691	Soil		28	0.41	80	0.006	<1	1.38	0.003	0.05	0.1	0.03	1.8	0.1	<0.05	4	0.6	<0.2
1403692	Soil		48	0.55	81	0.007	1	1.53	0.004	0.05	0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1403693 Soil	0.9	18.0	19.9	45	<0.1	13.9	4.2	137	2.17	22.0	1.5	3.6	5	<0.1	9.3	0.3	23	0.02	0.031	30
1403694 Soil	0.7	25.7	19.0	82	<0.1	43.8	15.2	528	3.57	29.4	4.3	5.4	12	0.1	3.6	0.3	28	0.11	0.080	30
1403695 Soil	1.1	23.3	20.2	79	<0.1	39.0	11.5	511	4.54	29.1	2.5	5.4	12	0.1	2.9	0.3	41	0.15	0.140	26
1403696 Rock Pulp	2.9	20.7	2.3	32	0.4	17.7	7.5	268	1.68	1.3	2.5	0.9	29	0.2	0.3	<0.1	42	0.61	0.043	4
1403697 Soil	0.8	11.6	16.0	75	0.1	25.4	5.9	321	2.12	5.9	1.0	0.5	6	0.1	0.9	0.3	38	0.05	0.050	19
1403698 Soil	0.8	19.0	18.2	64	<0.1	27.8	8.9	228	3.51	16.9	41.5	6.1	6	0.1	7.7	0.3	30	0.04	0.055	33
1403699 Soil	0.8	11.2	15.5	46	<0.1	17.4	5.3	107	1.97	6.3	2.4	0.7	7	0.2	2.1	0.3	26	0.06	0.055	28
1403700 Soil	1.3	18.3	18.5	92	0.1	45.8	19.4	1076	5.01	19.3	2.0	1.6	15	0.3	2.9	0.2	37	0.29	0.161	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1403693	Soil	16	0.10	47	0.009	1	0.65	0.002	0.08	0.1	0.02	0.8	0.1	<0.05	3	<0.5	<0.2
1403694	Soil	32	0.53	115	0.007	1	1.63	0.005	0.08	0.1	0.02	1.9	0.2	<0.05	4	<0.5	<0.2
1403695	Soil	44	0.50	84	0.013	<1	1.79	0.004	0.06	0.1	0.02	2.3	0.1	<0.05	6	0.6	<0.2
1403696	Rock Pulp	24	0.46	75	0.087	4	0.98	0.057	0.06	11.8	0.02	3.0	<0.1	<0.05	3	<0.5	<0.2
1403697	Soil	47	0.23	74	0.017	1	0.93	0.005	0.04	<0.1	0.02	0.6	<0.1	<0.05	5	<0.5	<0.2
1403698	Soil	31	0.26	54	0.010	<1	1.01	0.003	0.05	0.2	<0.01	1.2	0.1	<0.05	4	<0.5	<0.2
1403699	Soil	21	0.19	95	0.007	<1	1.01	0.005	0.05	0.1	0.03	0.4	0.1	<0.05	4	<0.5	<0.2
1403700	Soil	31	0.35	176	0.009	1	1.67	0.005	0.08	0.1	0.03	1.9	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1402158	Soil	0.8	14.7	15.3	53	<0.1	16.3	6.1	315	2.62	17.7	4.7	1.4	7	0.1	2.8	0.2	30	0.04	0.062	22
REP 1402158	QC	0.8	13.9	15.0	53	<0.1	15.5	5.9	305	2.60	16.7	<0.5	1.5	6	0.1	2.6	0.3	29	0.04	0.056	21
1402174	Soil	1.0	16.6	21.5	61	<0.1	20.8	9.0	407	3.40	34.6	0.6	7.0	10	<0.1	3.1	0.3	30	0.16	0.133	26
REP 1402174	QC	0.9	16.1	21.0	62	<0.1	20.3	8.9	391	3.38	33.8	<0.5	6.9	10	<0.1	3.2	0.3	31	0.16	0.127	27
1402185	Soil	0.8	11.9	14.0	57	0.1	14.6	5.0	188	2.78	14.8	<0.5	4.0	9	0.1	2.0	0.3	39	0.06	0.066	30
REP 1402185	QC	0.8	12.0	14.3	57	0.2	14.7	5.0	185	2.73	14.3	<0.5	4.4	9	0.1	1.9	0.3	37	0.06	0.067	30
1402199	Soil	0.9	25.2	21.7	89	0.2	44.4	15.8	477	3.60	20.6	2.6	7.3	13	0.2	3.3	0.2	29	0.18	0.098	32
REP 1402199	QC	1.0	26.5	22.4	89	0.2	45.9	16.5	477	3.64	21.7	3.0	7.4	13	0.2	3.3	0.2	28	0.18	0.099	32
1403646	Soil	1.0	35.4	50.8	140	0.1	29.7	10.3	2165	3.45	28.7	17.6	4.7	32	0.2	1.7	0.4	18	0.44	0.087	21
REP 1403646	QC	1.0	34.1	50.2	136	0.1	29.3	9.8	2119	3.42	27.5	2.0	4.5	32	0.2	1.8	0.4	18	0.43	0.089	22
1403674	Soil	1.1	10.3	14.7	76	<0.1	16.1	5.8	238	2.63	9.5	2.4	3.8	7	0.2	1.1	0.3	31	0.06	0.045	17
REP 1403674	QC	1.2	10.1	14.9	75	<0.1	16.2	5.8	248	2.66	9.8	1.7	4.0	8	0.1	1.1	0.3	34	0.06	0.046	20
1403695	Soil	1.1	23.3	20.2	79	<0.1	39.0	11.5	511	4.54	29.1	2.5	5.4	12	0.1	2.9	0.3	41	0.15	0.140	26
REP 1403695	QC	1.1	23.3	20.7	74	<0.1	37.7	11.9	495	4.58	27.7	4.2	5.6	11	0.2	2.8	0.3	42	0.14	0.137	26
Reference Materials																					
STD DS8	Standard	12.0	107.1	124.1	306	1.9	37.9	7.3	591	2.48	25.3	123.6	5.8	70	2.5	5.3	5.7	42	0.65	0.076	13
STD DS8	Standard	11.2	107.8	120.9	293	1.7	35.3	7.3	551	2.26	26.1	104.6	6.7	59	2.4	5.6	6.1	39	0.61	0.073	14
STD DS8	Standard	14.5	113.1	131.5	313	1.7	40.2	7.8	626	2.45	26.4	106.5	8.0	73	2.2	5.4	6.1	47	0.75	0.078	20
STD DS8	Standard	13.6	115.9	129.2	323	2.0	40.0	8.0	638	2.52	26.3	106.2	7.6	68	2.4	5.8	7.4	46	0.72	0.081	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: IKE
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001879.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1402158	Soil	19	0.30	74	0.007	<1	1.04	0.003	0.03	0.2	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
REP 1402158	QC	17	0.29	74	0.006	<1	0.99	0.003	0.03	0.2	0.08	0.9	<0.1	<0.05	4	<0.5	<0.2
1402174	Soil	22	0.32	74	0.011	<1	1.24	0.003	0.04	0.2	0.04	1.5	0.1	<0.05	5	<0.5	<0.2
REP 1402174	QC	22	0.32	77	0.012	<1	1.26	0.003	0.05	0.2	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2
1402185	Soil	19	0.21	66	0.014	1	1.30	0.005	0.06	0.2	0.01	1.2	0.1	<0.05	6	<0.5	<0.2
REP 1402185	QC	19	0.21	68	0.014	<1	1.29	0.005	0.06	0.2	0.02	1.2	<0.1	<0.05	6	<0.5	<0.2
1402199	Soil	36	0.45	84	0.013	1	1.80	0.005	0.07	0.2	0.04	2.2	<0.1	<0.05	4	<0.5	<0.2
REP 1402199	QC	36	0.47	85	0.011	1	1.90	0.005	0.07	0.1	0.06	2.2	0.1	0.05	4	<0.5	<0.2
1403646	Soil	21	0.35	94	0.005	<1	1.21	0.003	0.04	0.1	0.05	2.8	<0.1	<0.05	3	0.8	<0.2
REP 1403646	QC	21	0.36	95	0.005	1	1.26	0.003	0.04	0.1	0.04	2.6	<0.1	<0.05	3	<0.5	<0.2
1403674	Soil	21	0.35	105	0.013	<1	1.18	0.004	0.04	0.2	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
REP 1403674	QC	23	0.36	106	0.018	1	1.21	0.004	0.05	0.3	0.01	1.4	0.1	<0.05	5	<0.5	<0.2
1403695	Soil	44	0.50	84	0.013	<1	1.79	0.004	0.06	0.1	0.02	2.3	0.1	<0.05	6	0.6	<0.2
REP 1403695	QC	42	0.52	84	0.012	<1	1.79	0.004	0.05	0.2	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	114	0.61	255	0.108	2	0.88	0.090	0.42	2.8	0.19	2.0	5.5	0.17	5	5.2	5.5
STD DS8	Standard	105	0.55	249	0.103	2	0.80	0.077	0.38	2.8	0.18	1.9	5.2	0.14	4	4.7	4.5
STD DS8	Standard	126	0.66	292	0.131	3	1.02	0.115	0.43	3.1	0.20	2.4	5.6	0.26	5	5.2	5.1
STD DS8	Standard	125	0.62	280	0.123	2	0.92	0.092	0.43	2.9	0.21	2.3	5.5	0.17	5	5.4	5.4
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Michael Collins
Receiving Lab: Canada-Whitehorse
Received: September 26, 2011
Report Date: December 05, 2011
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI11001501.1

CLIENT JOB INFORMATION

Project:	Hyland
Shipment ID:	AML-2011-S-043
P.O. Number	
Number of Samples:	56

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT	Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	56	Crush, split and pulverize 250 g rock to 200 mesh			SMI
G601	56	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	56	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401748	Rock	0.71	<0.005	0.1	0.5	0.6	4	<0.1	<0.1	<0.2	54	<0.01	6	0.8	<0.1	<0.1	830	<0.1	0.9	0.1	<1
1401749	Rock	0.67	0.006	0.2	0.5	1.2	2	<0.1	1.8	<0.2	20	<0.01	2	1.0	<0.1	0.2	601	<0.1	0.2	0.1	<1
1401750	Rock	0.62	0.007	0.2	0.5	0.7	4	<0.1	3.5	0.3	43	<0.01	<1	1.3	<0.1	<0.1	727	0.1	0.3	0.1	<1
1401751	Rock	0.60	<0.005	0.2	1.0	2.0	2	<0.1	2.5	<0.2	149	0.04	3	0.8	<0.1	0.2	453	<0.1	0.8	<0.1	<1
1401752	Rock	0.89	<0.005	0.1	0.5	1.0	<1	<0.1	1.6	0.3	17	0.02	4	0.7	<0.1	<0.1	798	<0.1	1.5	<0.1	<1
1401753	Rock	0.64	<0.005	0.2	1.6	1.8	2	<0.1	2.1	<0.2	40	0.03	2	0.7	<0.1	<0.1	431	0.1	2.1	<0.1	<1
1401754	Rock	0.74	<0.005	0.1	1.2	2.2	2	<0.1	3.2	0.2	24	0.06	3	1.4	<0.1	0.2	515	0.1	0.5	<0.1	<1
1401755	Rock	0.74	<0.005	0.1	0.5	1.4	3	<0.1	1.6	<0.2	107	0.07	5	0.9	<0.1	<0.1	589	<0.1	4.1	<0.1	<1
1401756	Rock	0.69	<0.005	0.1	0.8	1.6	2	<0.1	0.3	0.3	117	0.04	6	0.8	<0.1	0.2	838	<0.1	0.5	<0.1	<1
1401757	Rock	0.79	<0.005	0.2	1.3	5.3	3	<0.1	2.6	<0.2	49	0.02	8	1.1	<0.1	0.2	1316	<0.1	1.5	<0.1	2
1401758	Rock	0.86	<0.005	<0.1	0.6	2.6	2	<0.1	1.9	<0.2	42	0.01	4	0.8	<0.1	0.2	1368	<0.1	0.8	<0.1	<1
1401759	Rock	0.69	<0.005	0.2	1.1	2.9	3	<0.1	3.2	1.2	285	0.18	30	1.0	<0.1	0.2	267	<0.1	2.1	<0.1	1
1401760	Rock	0.78	<0.005	0.2	0.2	0.7	2	<0.1	0.2	<0.2	68	0.02	<1	0.7	<0.1	<0.1	633	<0.1	0.3	<0.1	<1
1401761	Rock	0.70	<0.005	<0.1	0.6	1.0	3	<0.1	1.9	<0.2	202	0.06	13	0.6	<0.1	<0.1	288	<0.1	1.7	<0.1	<1
1401762	Rock	0.74	<0.005	0.1	0.4	0.8	5	<0.1	1.6	0.4	164	0.08	10	1.0	<0.1	<0.1	249	<0.1	1.5	<0.1	2
1401763	Rock	0.64	<0.005	0.1	0.9	7.2	7	<0.1	<0.1	<0.2	27	<0.01	6	0.9	<0.1	<0.1	1136	<0.1	0.4	<0.1	1
1401764	Rock	0.76	0.008	0.2	0.7	2.4	3	<0.1	0.8	<0.2	76	0.04	5	1.1	<0.1	0.1	475	<0.1	2.3	<0.1	<1
1401765	Rock	0.85	<0.005	<0.1	0.8	1.6	3	<0.1	<0.1	<0.2	127	0.19	4	1.2	<0.1	0.2	328	0.1	1.2	<0.1	1
1401766	Rock	0.79	<0.005	<0.1	1.3	1.4	3	<0.1	1.5	0.4	38	0.01	7	0.9	<0.1	<0.1	1167	<0.1	1.1	<0.1	1
1401767	Rock	0.73	<0.005	<0.1	1.5	1.2	3	<0.1	2.9	0.4	112	0.07	7	0.6	<0.1	<0.1	406	<0.1	1.7	<0.1	<1
1401768	Rock	0.89	<0.005	0.1	6.1	1.1	3	<0.1	1.3	0.3	50	0.06	2	1.0	<0.1	<0.1	291	<0.1	0.4	<0.1	2
1401769	Rock	0.71	0.010	0.2	11.9	6.2	6	<0.1	1.0	0.6	50	0.05	6	1.1	<0.1	0.8	371	<0.1	1.9	<0.1	5
1401770	Rock	0.92	0.007	<0.1	1.6	2.2	2	<0.1	0.7	<0.2	72	0.04	4	0.4	<0.1	0.2	792	<0.1	1.2	<0.1	2
1401771	Rock	0.81	<0.005	<0.1	1.0	1.6	1	<0.1	1.0	<0.2	28	0.02	6	0.8	<0.1	0.2	654	<0.1	0.5	<0.1	1
1401772	Rock	0.85	0.006	0.1	1.4	2.1	11	<0.1	2.1	1.1	334	0.71	6	0.6	<0.1	0.3	456	<0.1	0.9	<0.1	4
1401773	Rock	0.74	<0.005	<0.1	0.8	0.5	1	<0.1	0.8	<0.2	35	0.01	<1	0.7	<0.1	<0.1	473	<0.1	0.2	<0.1	<1
1401774	Rock	0.76	<0.005	<0.1	1.2	1.4	2	<0.1	<0.1	<0.2	132	0.07	4	1.2	<0.1	0.2	500	<0.1	0.4	<0.1	1
1401775	Rock	0.62	<0.005	0.1	1.3	0.9	4	<0.1	<0.1	<0.2	105	0.14	<1	1.0	<0.1	0.2	700	<0.1	0.6	<0.1	2
1401776	Rock	0.85	<0.005	0.1	1.6	0.9	1	<0.1	<0.1	<0.2	43	0.01	4	0.7	<0.1	0.1	704	<0.1	0.3	<0.1	2
1401777	Rock	0.59	<0.005	<0.1	1.1	2.8	3	<0.1	2.4	0.5	272	0.15	5	0.7	<0.1	0.2	1085	<0.1	0.4	<0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401748	Rock	39.50	0.012	1.1	<1	0.19	7	<0.001	0.02	0.007	<0.01	<0.1	0.3	<1	0.2	0.8	0.1	<0.1	<1	<1	0.3
1401749	Rock	38.11	0.028	1.3	<1	0.21	8	0.003	0.06	0.005	0.02	<0.1	0.7	2	0.2	1.6	0.2	<0.1	<1	<1	0.5
1401750	Rock	>40	0.022	0.8	<1	0.19	10	<0.001	0.02	0.002	<0.01	<0.1	0.4	1	<0.1	1.9	0.2	<0.1	<1	<1	0.2
1401751	Rock	>40	0.026	1.2	<1	0.17	9	0.004	0.10	0.002	0.03	<0.1	1.1	2	0.2	1.8	0.3	<0.1	<1	<1	0.4
1401752	Rock	>40	0.022	1.0	<1	0.22	11	0.002	0.08	0.002	0.02	<0.1	0.7	2	0.1	1.5	0.3	<0.1	<1	<1	0.4
1401753	Rock	39.06	0.011	0.6	<1	0.19	5	<0.001	0.01	0.003	<0.01	0.2	0.3	1	<0.1	1.3	0.1	<0.1	<1	<1	<0.1
1401754	Rock	38.84	0.038	2.0	<1	0.23	9	0.003	0.09	0.002	0.04	<0.1	0.8	3	0.2	2.3	0.2	<0.1	<1	<1	0.5
1401755	Rock	39.78	0.014	0.7	<1	0.63	9	<0.001	0.02	0.003	<0.01	<0.1	0.2	<1	<0.1	1.2	<0.1	<0.1	<1	<1	0.2
1401756	Rock	38.82	0.027	3.0	<1	0.19	13	0.005	0.09	0.002	0.04	<0.1	1.8	4	<0.1	2.8	0.4	<0.1	<1	<1	0.4
1401757	Rock	>40	0.029	1.8	<1	0.21	13	0.004	0.10	0.002	0.05	<0.1	1.0	4	<0.1	2.8	0.2	<0.1	<1	<1	0.3
1401758	Rock	39.77	0.028	1.8	<1	0.19	14	0.004	0.09	0.008	0.05	<0.1	1.0	3	2.1	2.2	0.3	<0.1	<1	<1	0.3
1401759	Rock	>40	0.033	2.3	<1	0.17	12	0.003	0.08	0.003	0.03	<0.1	1.0	3	<0.1	2.3	0.3	<0.1	<1	<1	0.5
1401760	Rock	37.98	0.013	0.9	<1	0.13	18	0.001	0.02	0.002	0.02	<0.1	0.4	<1	<0.1	1.1	<0.1	<0.1	<1	<1	<0.1
1401761	Rock	39.71	0.018	1.2	<1	0.14	7	0.002	0.03	0.001	0.02	<0.1	0.7	2	<0.1	2.0	0.1	<0.1	<1	<1	0.2
1401762	Rock	>40	0.051	1.1	<1	0.17	8	0.002	0.05	0.001	0.02	<0.1	0.9	2	<0.1	1.9	<0.1	<0.1	<1	<1	0.4
1401763	Rock	>40	0.027	1.9	<1	0.19	14	0.002	0.06	0.004	0.03	<0.1	0.9	2	0.8	1.9	0.1	<0.1	<1	<1	0.2
1401764	Rock	>40	0.054	0.9	<1	0.36	7	0.002	0.07	0.001	0.02	<0.1	0.8	1	1.5	1.6	0.2	<0.1	<1	<1	0.2
1401765	Rock	36.45	0.050	1.8	<1	3.60	15	0.002	0.10	0.006	0.03	<0.1	1.0	1	<0.1	1.4	0.2	<0.1	<1	<1	0.3
1401766	Rock	>40	0.023	1.1	<1	0.18	8	0.003	0.08	0.002	0.03	<0.1	1.0	2	<0.1	1.9	0.2	<0.1	<1	<1	0.3
1401767	Rock	>40	0.031	1.4	<1	0.14	6	0.002	0.05	0.002	0.02	<0.1	1.5	2	<0.1	2.3	0.1	<0.1	<1	<1	0.1
1401768	Rock	39.59	0.024	1.2	<1	0.19	18	0.003	0.09	0.011	0.04	<0.1	0.9	1	<0.1	1.4	0.2	<0.1	<1	<1	0.3
1401769	Rock	>40	0.027	7.4	2	0.14	23	0.013	0.36	0.006	0.17	<0.1	5.9	12	0.2	6.3	0.7	<0.1	<1	<1	1.4
1401770	Rock	>40	0.028	2.3	<1	0.13	10	0.004	0.09	0.001	0.04	<0.1	2.3	3	<0.1	2.8	0.5	<0.1	<1	<1	0.7
1401771	Rock	39.56	0.054	1.1	<1	0.19	11	0.004	0.08	0.002	0.04	<0.1	1.9	2	<0.1	1.9	0.6	<0.1	<1	<1	0.3
1401772	Rock	>40	0.039	2.5	2	0.14	19	0.008	0.14	0.002	0.05	<0.1	6.8	4	<0.1	4.0	0.4	<0.1	<1	<1	0.6
1401773	Rock	>40	0.011	0.8	<1	0.21	8	0.001	0.05	<0.001	<0.01	<0.1	0.4	1	<0.1	1.0	0.2	<0.1	<1	<1	<0.1
1401774	Rock	>40	0.016	1.9	<1	0.33	14	0.003	0.11	0.003	0.05	<0.1	1.1	4	<0.1	2.1	0.4	<0.1	<1	<1	0.3
1401775	Rock	>40	0.038	2.1	<1	0.22	21	0.003	0.10	0.005	0.05	<0.1	1.4	3	<0.1	2.8	0.3	<0.1	<1	<1	0.2
1401776	Rock	>40	0.030	1.0	<1	0.21	9	0.002	0.09	0.001	0.03	<0.1	1.1	2	<0.1	1.4	0.2	<0.1	<1	<1	0.2
1401777	Rock	38.87	0.022	1.6	<1	0.22	22	0.004	0.09	0.002	0.03	<0.1	1.8	3	<0.1	2.6	0.3	<0.1	<1	<1	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401748	Rock	<0.1	0.1	<0.1
1401749	Rock	<0.1	0.9	<0.1
1401750	Rock	<0.1	0.2	<0.1
1401751	Rock	<0.1	1.0	<0.1
1401752	Rock	<0.1	0.7	<0.1
1401753	Rock	<0.1	0.1	<0.1
1401754	Rock	<0.1	1.2	<0.1
1401755	Rock	<0.1	<0.1	<0.1
1401756	Rock	<0.1	1.3	<0.1
1401757	Rock	<0.1	1.5	<0.1
1401758	Rock	<0.1	1.3	<0.1
1401759	Rock	<0.1	1.0	<0.1
1401760	Rock	<0.1	0.6	<0.1
1401761	Rock	<0.1	0.5	<0.1
1401762	Rock	<0.1	0.8	<0.1
1401763	Rock	<0.1	1.0	<0.1
1401764	Rock	<0.1	0.4	<0.1
1401765	Rock	<0.1	0.8	<0.1
1401766	Rock	<0.1	0.9	<0.1
1401767	Rock	<0.1	0.6	<0.1
1401768	Rock	<0.1	1.2	<0.1
1401769	Rock	<0.1	5.7	<0.1
1401770	Rock	<0.1	1.3	<0.1
1401771	Rock	<0.1	1.2	<0.1
1401772	Rock	<0.1	2.7	0.1
1401773	Rock	<0.1	0.2	<0.1
1401774	Rock	<0.1	1.7	<0.1
1401775	Rock	<0.1	1.7	<0.1
1401776	Rock	<0.1	1.0	<0.1
1401777	Rock	<0.1	1.1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401778	Rock	0.64	<0.005	<0.1	1.2	2.6	4	<0.1	<0.1	<0.2	31	0.05	7	0.4	<0.1	0.3	169	<0.1	0.6	<0.1	2
1401779	Rock	0.69	<0.005	0.2	3.1	4.3	12	0.1	<0.1	0.4	120	0.27	16	1.2	<0.1	1.1	773	0.2	2.3	<0.1	5
1401780	Rock	0.67	0.009	<0.1	1.4	2.7	9	<0.1	<0.1	0.4	58	0.24	5	3.2	<0.1	0.7	868	<0.1	0.8	<0.1	10
1401781	Rock	0.67	<0.005	<0.1	2.9	0.7	<1	<0.1	<0.1	0.2	18	0.10	5	0.9	<0.1	<0.1	2057	<0.1	<0.1	<0.1	<1
1401782	Rock	0.69	<0.005	<0.1	0.6	0.8	2	<0.1	<0.1	0.2	33	0.10	<1	1.2	<0.1	0.2	1693	<0.1	<0.1	<0.1	<1
1401783	Rock	0.88	<0.005	0.2	1.1	0.8	1	<0.1	<0.1	0.4	209	0.25	9	0.4	<0.1	<0.1	970	<0.1	0.2	<0.1	<1
1401784	Rock	0.69	<0.005	0.1	1.1	2.2	4	<0.1	1.3	0.5	59	0.13	<1	1.1	<0.1	0.2	1990	<0.1	0.2	<0.1	<1
1401833	Rock	0.69	<0.005	0.3	0.9	0.7	2	<0.1	1.9	0.2	55	0.10	3	0.8	<0.1	<0.1	1337	<0.1	0.7	<0.1	<1
1401834	Rock	0.48	<0.005	0.1	1.1	0.5	3	<0.1	<0.1	<0.2	71	0.07	<1	1.4	<0.1	0.1	313	<0.1	0.8	<0.1	<1
1401835	Rock	0.65	<0.005	<0.1	0.4	0.5	1	<0.1	0.1	0.3	49	0.10	3	0.8	<0.1	<0.1	856	<0.1	0.6	<0.1	<1
1401836	Rock	0.63	<0.005	0.2	0.5	0.4	2	<0.1	<0.1	<0.2	81	0.14	4	0.6	<0.1	<0.1	436	<0.1	1.0	<0.1	1
1401837	Rock	0.65	0.005	0.1	0.4	0.9	3	<0.1	<0.1	0.2	48	0.12	5	0.6	<0.1	0.1	328	<0.1	0.3	<0.1	<1
1401838	Rock	0.58	0.008	0.1	0.5	1.7	3	<0.1	0.3	0.4	43	0.16	<1	0.5	<0.1	0.3	1239	<0.1	0.4	<0.1	2
1401839	Rock	0.58	<0.005	0.1	0.2	0.4	1	<0.1	<0.1	<0.2	10	0.08	<1	0.6	<0.1	<0.1	922	<0.1	0.1	<0.1	<1
1401840	Rock	0.50	0.005	0.1	0.9	1.6	10	<0.1	1.3	0.4	39	0.12	<1	1.0	<0.1	0.2	1944	<0.1	<0.1	<0.1	<1
1401841	Rock	0.57	<0.005	<0.1	0.2	0.2	<1	<0.1	<0.1	<0.2	94	0.12	3	1.0	<0.1	<0.1	410	<0.1	2.3	<0.1	<1
1401842	Rock	0.60	<0.005	0.2	0.5	0.4	<1	<0.1	0.5	0.3	704	0.24	2	<0.1	<0.1	0.3	131	<0.1	1.2	<0.1	<1
1401843	Rock	0.73	<0.005	0.3	2.1	35.7	39	<0.1	2.2	2.3	160	1.47	1	1.7	<0.1	41.5	391	<0.1	<0.1	<0.1	17
1401844	Rock	0.72	<0.005	2.1	11.4	7.2	124	<0.1	2.0	17.8	1080	6.46	1	1.7	<0.1	10.2	219	0.3	<0.1	<0.1	129
1401845	Rock	0.46	<0.005	0.5	13.3	7.3	61	<0.1	14.6	3.6	186	3.13	2	2.3	<0.1	10.7	39	<0.1	0.2	0.1	34
1401846	Rock	0.75	0.012	0.2	6.1	16.1	40	<0.1	14.7	6.7	300	2.44	<1	2.4	<0.1	12.6	46	<0.1	<0.1	0.1	29
1401847	Rock	0.57	<0.005	0.2	5.0	6.5	34	<0.1	7.7	3.6	852	1.73	2	2.4	<0.1	13.2	52	0.2	<0.1	<0.1	20
1401848	Rock	0.66	<0.005	0.5	12.1	27.1	95	<0.1	22.1	7.2	897	3.41	<1	1.7	<0.1	8.2	34	0.2	<0.1	<0.1	17
1401849	Rock	0.74	<0.005	0.4	7.7	10.2	111	<0.1	31.5	8.4	241	4.77	2	2.7	<0.1	12.0	49	<0.1	0.1	0.1	54
1401850	Rock	0.47	0.007	0.9	13.0	6.3	20	<0.1	29.1	4.9	51	1.71	5	2.6	<0.1	11.4	19	0.1	0.3	<0.1	64
1401851	Rock	0.48	<0.005	0.2	3.2	2.6	9	<0.1	5.8	2.4	626	0.86	3	1.5	<0.1	7.4	33	<0.1	0.2	<0.1	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401778	Rock	39.93	0.044	3.5	1	0.11	9	0.006	0.17	0.002	0.08	<0.1	2.1	5	<0.1	4.1	0.3	<0.1	<1	<1	<0.1
1401779	Rock	37.70	0.033	7.7	2	0.21	29	0.031	0.75	0.005	0.11	0.1	13.0	12	0.2	9.3	1.6	<0.1	<1	2	8.7
1401780	Rock	38.15	0.052	5.0	1	0.23	17	0.013	0.28	0.003	0.13	0.1	4.8	8	0.1	8.7	0.6	<0.1	<1	<1	0.8
1401781	Rock	>40	0.027	1.6	<1	0.22	19	0.002	0.04	0.003	0.02	<0.1	0.6	<1	<0.1	1.3	0.1	<0.1	<1	<1	0.3
1401782	Rock	39.11	0.019	1.4	<1	0.16	11	0.003	0.11	0.002	0.02	<0.1	0.8	2	<0.1	2.1	0.1	<0.1	<1	<1	0.5
1401783	Rock	39.58	0.013	0.9	<1	0.16	12	0.001	0.03	0.002	0.01	<0.1	0.4	1	<0.1	1.1	0.1	<0.1	<1	<1	0.3
1401784	Rock	>40	0.027	1.8	<1	0.21	7	0.004	0.08	0.004	0.03	<0.1	2.1	3	<0.1	2.4	0.1	<0.1	<1	<1	0.8
1401833	Rock	38.97	0.023	1.0	<1	0.14	9	0.002	0.07	0.002	0.01	<0.1	0.6	2	<0.1	2.0	0.2	<0.1	<1	<1	0.2
1401834	Rock	39.35	0.013	1.4	<1	0.14	8	0.003	0.06	0.002	0.02	<0.1	0.9	2	<0.1	1.7	<0.1	<0.1	<1	<1	0.3
1401835	Rock	39.96	0.010	0.6	<1	0.21	7	<0.001	0.03	0.001	<0.01	<0.1	0.3	<1	<0.1	1.1	<0.1	<0.1	<1	<1	<0.1
1401836	Rock	39.32	0.006	0.6	<1	0.18	14	0.002	0.03	0.002	<0.01	<0.1	0.4	<1	<0.1	1.1	<0.1	<0.1	<1	<1	0.3
1401837	Rock	38.60	0.014	1.5	<1	0.19	7	0.002	0.06	0.002	0.03	<0.1	0.6	2	<0.1	1.7	0.3	<0.1	<1	<1	0.5
1401838	Rock	38.15	0.021	2.8	1	0.14	9	0.003	0.13	0.002	0.05	<0.1	3.1	5	<0.1	3.7	0.7	<0.1	<1	<1	0.9
1401839	Rock	38.46	0.016	0.4	<1	0.18	4	<0.001	0.02	<0.001	<0.01	<0.1	0.3	<1	<0.1	0.7	<0.1	<0.1	<1	<1	0.2
1401840	Rock	38.64	0.028	1.9	<1	0.26	12	0.002	0.09	0.003	0.04	<0.1	0.9	3	<0.1	2.3	0.1	<0.1	<1	<1	0.4
1401841	Rock	39.15	0.006	0.7	<1	0.27	6	<0.001	0.06	<0.001	<0.01	<0.1	0.3	1	<0.1	1.4	<0.1	<0.1	<1	<1	0.2
1401842	Rock	>40	0.001	1.1	1	0.18	22	0.001	0.13	0.002	<0.01	<0.1	0.5	1	<0.1	0.9	<0.1	<0.1	<1	<1	0.6
1401843	Rock	2.14	0.069	80.3	4	0.36	2351	0.195	6.99	1.853	3.16	0.1	36.5	155	1.8	11.5	10.0	0.5	<1	3	22.8
1401844	Rock	1.06	0.316	65.6	1	1.28	1823	1.359	7.57	4.297	1.51	1.5	211.5	116	2.5	27.8	63.6	3.2	2	12	23.4
1401845	Rock	0.05	0.026	22.3	27	0.75	415	0.164	4.14	0.875	1.18	0.5	84.8	46	1.3	9.8	4.8	0.4	<1	5	35.9
1401846	Rock	0.07	0.019	26.5	26	0.57	153	0.167	3.69	1.170	0.71	0.5	101.6	53	1.1	10.8	5.3	0.4	1	4	29.8
1401847	Rock	0.09	0.033	21.6	23	0.25	130	0.120	3.03	1.578	0.50	0.5	124.1	44	0.7	12.1	3.4	0.3	<1	3	9.4
1401848	Rock	0.57	0.021	15.9	22	0.73	77	0.069	2.49	0.687	0.17	0.3	71.0	33	0.3	8.3	2.4	0.2	<1	3	36.0
1401849	Rock	0.01	0.022	21.7	40	1.20	207	0.225	5.31	0.997	0.97	0.6	100.4	46	1.6	10.3	6.9	0.5	<1	7	52.7
1401850	Rock	<0.01	0.035	23.5	25	0.30	541	0.200	3.35	0.020	1.38	0.7	71.2	46	1.0	8.6	7.0	0.4	<1	5	14.7
1401851	Rock	0.34	0.010	16.3	17	0.04	79	0.069	1.89	1.183	0.17	0.4	77.8	35	0.3	5.9	2.2	0.1	<1	2	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

CERTIFICATE OF ANALYSIS WHI11001501.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401778	Rock	<0.1	2.9	<0.1
1401779	Rock	<0.1	5.4	0.4
1401780	Rock	<0.1	4.7	0.1
1401781	Rock	<0.1	0.6	<0.1
1401782	Rock	<0.1	0.9	<0.1
1401783	Rock	<0.1	0.5	<0.1
1401784	Rock	<0.1	1.2	<0.1
1401833	Rock	<0.1	0.3	<0.1
1401834	Rock	<0.1	0.6	<0.1
1401835	Rock	<0.1	<0.1	<0.1
1401836	Rock	<0.1	0.2	<0.1
1401837	Rock	<0.1	0.8	<0.1
1401838	Rock	<0.1	1.8	<0.1
1401839	Rock	<0.1	0.1	<0.1
1401840	Rock	<0.1	1.1	<0.1
1401841	Rock	<0.1	<0.1	<0.1
1401842	Rock	<0.1	0.2	<0.1
1401843	Rock	<0.1	118.5	0.8
1401844	Rock	<0.1	31.7	5.0
1401845	Rock	<0.1	54.0	2.6
1401846	Rock	<0.1	35.2	3.0
1401847	Rock	<0.1	26.5	3.7
1401848	Rock	<0.1	8.9	2.1
1401849	Rock	<0.1	46.4	2.8
1401850	Rock	<0.1	60.0	2.0
1401851	Rock	<0.1	7.9	2.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1401749	Rock	0.67	0.006	0.2	0.5	1.2	2	<0.1	1.8	<0.2	20	<0.01	2	1.0	<0.1	0.2	601	<0.1	0.2	0.1	<1
REP 1401749	QC		<0.005																		
1401752	Rock	0.89	<0.005	0.1	0.5	1.0	<1	<0.1	1.6	0.3	17	0.02	4	0.7	<0.1	<0.1	798	<0.1	1.5	<0.1	<1
REP 1401752	QC			0.1	0.5	1.0	<1	<0.1	2.9	<0.2	15	<0.01	2	0.7	<0.1	<0.1	775	0.1	1.4	<0.1	<1
1401773	Rock	0.74	<0.005	<0.1	0.8	0.5	1	<0.1	0.8	<0.2	35	0.01	<1	0.7	<0.1	<0.1	473	<0.1	0.2	<0.1	<1
REP 1401773	QC		0.012																		
1401784	Rock	0.69	<0.005	0.1	1.1	2.2	4	<0.1	1.3	0.5	59	0.13	<1	1.1	<0.1	0.2	1990	<0.1	0.2	<0.1	<1
REP 1401784	QC		0.006																		
1401844	Rock	0.72	<0.005	2.1	11.4	7.2	124	<0.1	2.0	17.8	1080	6.46	1	1.7	<0.1	10.2	219	0.3	<0.1	<0.1	129
REP 1401844	QC			2.2	11.8	7.4	116	<0.1	2.1	17.9	1051	6.41	<1	1.7	<0.1	10.3	222	0.3	<0.1	<0.1	124
Core Reject Duplicates																					
1401777	Rock	0.59	<0.005	<0.1	1.1	2.8	3	<0.1	2.4	0.5	272	0.15	5	0.7	<0.1	0.2	1085	<0.1	0.4	<0.1	2
DUP 1401777	QC		<0.005	<0.1	1.3	2.9	3	<0.1	2.8	0.4	264	0.13	4	0.7	<0.1	0.2	1113	<0.1	0.4	<0.1	2
Reference Materials																					
STD OREAS24P	Standard			1.3	47.9	3.1	125	<0.1	140.0	45.0	1126	7.31	<1	0.7	<0.1	2.9	364	0.1	<0.1	<0.1	159
STD OREAS24P	Standard			1.5	53.3	3.3	125	<0.1	151.4	47.1	1097	7.36	1	0.7	<0.1	2.9	359	0.2	0.1	<0.1	161
STD OREAS45C	Standard			2.1	625.5	25.3	82	0.4	341.0	103.7	1214	17.14	12	2.5	<0.1	11.6	38	0.3	0.7	0.2	287
STD OREAS45C	Standard			2.3	607.2	26.2	92	0.3	331.7	107.0	1132	18.18	11	2.4	<0.1	11.7	33	0.2	0.8	0.2	260
STD OXH82	Standard		1.295																		
STD OXH82	Standard		1.312																		
STD OXK79	Standard		3.601																		
STD OXK79	Standard		3.694																		
STD OXK79	Standard		3.245																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1401749	Rock	38.11	0.028	1.3	<1	0.21	8	0.003	0.06	0.005	0.02	<0.1	0.7	2	0.2	1.6	0.2	<0.1	<1	<1	0.5
REP 1401749	QC																				
1401752	Rock	>40	0.022	1.0	<1	0.22	11	0.002	0.08	0.002	0.02	<0.1	0.7	2	0.1	1.5	0.3	<0.1	<1	<1	0.4
REP 1401752	QC	38.32	0.023	1.1	<1	0.21	9	0.002	0.05	0.002	0.02	<0.1	0.6	2	0.1	1.4	0.2	<0.1	<1	<1	0.2
1401773	Rock	>40	0.011	0.8	<1	0.21	8	0.001	0.05	<0.001	<0.01	<0.1	0.4	1	<0.1	1.0	0.2	<0.1	<1	<1	<0.1
REP 1401773	QC																				
1401784	Rock	>40	0.027	1.8	<1	0.21	7	0.004	0.08	0.004	0.03	<0.1	2.1	3	<0.1	2.4	0.1	<0.1	<1	<1	0.8
REP 1401784	QC																				
1401844	Rock	1.06	0.316	65.6	1	1.28	1823	1.359	7.57	4.297	1.51	1.5	211.5	116	2.5	27.8	63.6	3.2	2	12	23.4
REP 1401844	QC	1.04	0.316	68.9	1	1.28	1825	1.332	7.25	4.454	1.54	1.4	214.6	121	2.7	28.4	63.5	3.1	3	12	23.1
Core Reject Duplicates																					
1401777	Rock	38.87	0.022	1.6	<1	0.22	22	0.004	0.09	0.002	0.03	<0.1	1.8	3	<0.1	2.6	0.3	<0.1	<1	<1	1.0
DUP 1401777	QC	39.14	0.022	2.1	<1	0.23	21	0.003	0.08	0.001	0.03	<0.1	1.7	3	<0.1	2.8	0.3	<0.1	<1	<1	1.0
Reference Materials																					
STD OREAS24P	Standard	5.74	0.126	18.8	183	4.04	274	1.082	7.69	2.434	0.65	0.4	140.3	37	1.7	23.2	19.8	1.2	<1	20	8.6
STD OREAS24P	Standard	5.93	0.130	20.0	193	4.17	306	1.069	7.98	2.523	0.66	0.4	132.6	37	1.9	21.4	19.2	1.1	1	20	9.1
STD OREAS45C	Standard	0.49	0.049	27.1	890	0.27	274	1.278	7.41	0.099	0.34	1.2	176.4	51	3.0	14.1	24.1	1.6	1	63	16.9
STD OREAS45C	Standard	0.48	0.053	27.7	919	0.28	299	1.132	7.26	0.109	0.35	1.1	164.6	51	3.0	13.3	22.5	1.4	1	60	18.6
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
Pulp Duplicates					
1401749	Rock		<0.1	0.9	<0.1
REP 1401749	QC				
1401752	Rock		<0.1	0.7	<0.1
REP 1401752	QC		<0.1	0.8	<0.1
1401773	Rock		<0.1	0.2	<0.1
REP 1401773	QC				
1401784	Rock		<0.1	1.2	<0.1
REP 1401784	QC				
1401844	Rock		<0.1	31.7	5.0
REP 1401844	QC		<0.1	33.1	4.7
Core Reject Duplicates					
1401777	Rock		<0.1	1.1	<0.1
DUP 1401777	QC		<0.1	1.1	<0.1
Reference Materials					
STD OREAS24P	Standard		<0.1	21.0	3.5
STD OREAS24P	Standard		<0.1	21.0	3.5
STD OREAS45C	Standard		<0.1	23.7	4.6
STD OREAS45C	Standard		<0.1	24.3	4.0
STD OXH82	Standard				
STD OXH82	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXH82 Expected					
STD OXK79 Expected					
STD OREAS24P Expected				22.4	3.6
STD OREAS45C Expected			0.021	24	4.27
BLK	Blank				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		<0.005	0.3	2.9	19.9	55	<0.1	2.6	4.5	790	2.19	<1	2.4	<0.1	7.3	715	<0.1	<0.1	0.4	46
G1	Prep Blank		0.008	0.3	3.0	23.6	62	<0.1	2.8	5.5	894	2.37	<1	2.7	<0.1	9.1	808	<0.1	<0.1	0.3	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Tl % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.19	0.072	22.7	3	0.55	989	0.262	6.84	2.557	2.86	0.1	9.8	47	1.9	14.6	25.9	1.4	2	4	39.2
G1	Prep Blank	2.54	0.086	28.0	9	0.61	1148	0.314	8.59	2.650	2.96	0.1	12.5	57	2.1	15.9	27.9	1.5	4	5	47.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: December 05, 2011

QUALITY CONTROL REPORT WHI11001501.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	106.5	0.5
G1	Prep Blank	<0.1	116.2	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By: Paul Gray
Receiving Lab: Canada-Whitehorse
Received: September 26, 2011
Report Date: November 29, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001502.1

CLIENT JOB INFORMATION

Project: Hyland
Shipment ID: AML-2011-S-041
P.O. Number
Number of Samples: 79

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	79	Crush, split and pulverize 250 g rock to 200 mesh			SMI
G601	79	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	79	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401701	Rock	0.90	<0.005	0.3	4.1	12.2	63	<0.1	21.8	6.6	1868	1.72	6	1.3	<0.1	3.2	5	0.2	0.6	0.2	12
1401702	Rock	0.83	0.005	0.1	6.0	6.4	20	<0.1	8.9	2.8	64	1.32	3	1.1	<0.1	5.6	9	<0.1	0.3	0.1	22
1401703	Rock	0.71	0.006	0.4	4.7	7.5	4	<0.1	3.7	1.1	87	0.51	3	0.6	<0.1	2.1	1	<0.1	0.4	0.1	6
1401704	Rock	0.65	0.007	0.3	41.9	16.3	36	<0.1	10.0	5.6	144	1.79	8	1.5	<0.1	5.5	27	<0.1	0.9	0.2	24
1401705	Rock	0.71	0.007	0.2	3.9	2.0	8	<0.1	7.5	1.5	51	0.68	<1	0.7	<0.1	2.8	5	<0.1	0.3	<0.1	10
1401706	Rock	0.66	0.007	0.4	13.5	15.4	26	<0.1	10.1	2.9	128	1.10	3	1.0	<0.1	5.1	42	<0.1	0.6	0.2	22
1401707	Rock	0.72	0.006	0.2	7.0	5.1	16	<0.1	8.8	3.9	256	1.31	3	0.9	<0.1	3.6	3	<0.1	0.3	0.1	16
1401708	Rock	0.70	0.007	0.2	1.5	21.9	11	<0.1	1.2	0.3	73	0.37	<1	<0.1	<0.1	0.2	10	<0.1	0.2	<0.1	2
1401709	Rock	0.62	0.005	0.3	4.5	5.4	8	<0.1	5.7	0.8	43	0.84	2	0.6	<0.1	2.4	6	<0.1	0.3	<0.1	9
1401710	Rock	0.59	0.006	0.1	1.3	5.9	1	<0.1	1.9	0.3	21	0.31	<1	0.2	<0.1	1.2	4	<0.1	0.2	<0.1	4
1401711	Rock	0.59	0.006	0.2	20.0	11.9	35	<0.1	14.8	6.1	144	1.83	2	1.0	<0.1	2.9	7	<0.1	0.4	<0.1	8
1401712	Rock	0.59	0.006	0.2	34.0	8.6	56	<0.1	23.8	8.6	198	2.14	3	1.1	<0.1	4.6	19	<0.1	0.6	<0.1	12
1401713	Rock	0.55	0.007	0.3	10.6	8.4	17	<0.1	8.6	1.0	59	1.44	5	1.8	<0.1	7.4	18	<0.1	0.8	0.2	38
1401714	Rock	0.75	<0.005	0.8	6.3	10.9	15	<0.1	2.8	0.8	41	0.85	2	0.8	<0.1	2.5	5	<0.1	0.4	<0.1	8
1401715	Rock	0.62	0.005	0.2	4.3	3.3	6	<0.1	3.2	1.6	186	0.70	2	0.6	<0.1	2.9	5	<0.1	0.5	<0.1	10
1401716	Rock	0.67	<0.005	0.2	8.0	5.4	16	<0.1	8.5	3.3	82	1.16	2	1.2	<0.1	3.7	9	<0.1	0.4	0.3	16
1401717	Rock	0.61	0.007	0.3	5.5	10.4	16	<0.1	6.4	1.0	54	0.87	4	0.6	<0.1	2.8	10	<0.1	1.0	<0.1	10
1401718	Rock	0.72	0.007	0.4	7.0	6.2	13	<0.1	7.1	2.7	68	1.00	3	1.3	<0.1	3.8	9	<0.1	0.6	0.4	17
1401719	Rock	0.55	0.007	0.3	63.1	5.2	47	<0.1	24.7	2.7	34	4.39	18	4.1	<0.1	17.0	35	<0.1	0.7	0.4	96
1401720	Rock	0.57	0.007	0.2	11.3	18.5	60	<0.1	18.4	5.5	179	2.77	2	1.7	<0.1	4.8	6	<0.1	0.2	0.1	19
1401721	Rock	0.66	0.008	0.5	25.3	9.1	16	<0.1	9.4	1.3	279	0.85	<1	1.0	<0.1	4.1	6	<0.1	0.3	<0.1	16
1401722	Rock	0.60	0.006	0.1	2.8	4.3	7	<0.1	8.0	2.6	65	0.85	5	1.0	<0.1	5.3	3	<0.1	0.2	0.1	22
1401723	Rock	0.47	0.007	0.2	4.4	5.7	12	<0.1	3.7	1.3	128	0.78	2	0.7	<0.1	3.4	7	<0.1	0.4	<0.1	10
1401724	Rock	0.64	0.006	0.2	8.7	4.9	40	<0.1	14.2	3.0	77	1.92	4	2.0	<0.1	7.5	13	<0.1	0.9	0.2	32
1401725	Rock	0.78	0.005	0.2	6.1	4.1	4	<0.1	1.8	0.6	15	0.60	7	1.3	<0.1	4.7	3	<0.1	0.5	0.1	23
1401726	Rock	0.68	0.008	0.2	7.1	6.5	22	<0.1	9.6	3.7	71	0.95	4	1.1	<0.1	5.2	3	<0.1	0.3	0.1	22
1401727	Rock	0.55	0.007	0.2	6.9	7.3	19	<0.1	6.1	2.4	241	1.29	7	0.9	<0.1	3.2	8	<0.1	0.5	<0.1	10
1401728	Rock	0.76	0.010	0.2	11.6	5.3	17	<0.1	6.5	2.1	44	0.94	4	1.2	<0.1	5.1	20	<0.1	0.4	0.1	19
1401729	Rock	0.60	<0.005	0.4	6.8	10.1	18	<0.1	7.1	2.6	274	1.35	8	0.9	<0.1	3.1	9	<0.1	0.6	<0.1	12
1401730	Rock	0.77	0.007	<0.1	13.9	17.7	44	<0.1	17.3	8.1	257	2.42	<1	1.7	<0.1	13.3	29	<0.1	0.2	0.1	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401701	Rock	0.09	0.014	13.6	8	0.05	188	0.075	0.93	0.019	0.31	0.2	35.6	27	0.4	5.2	1.6	<0.1	<1	2	11.7
1401702	Rock	0.07	0.009	18.9	13	0.07	54	0.091	1.51	0.016	0.55	1.0	39.3	35	1.5	4.1	3.9	0.3	<1	3	18.1
1401703	Rock	0.06	0.005	8.9	3	0.02	213	0.044	0.60	0.013	0.19	0.2	16.5	17	0.2	1.6	0.8	<0.1	<1	<1	3.3
1401704	Rock	0.03	0.020	17.2	23	0.18	1315	0.108	2.17	0.190	0.89	0.5	41.6	32	0.9	5.1	3.4	0.2	<1	4	16.9
1401705	Rock	<0.01	0.009	11.1	5	0.04	74	0.059	0.86	0.016	0.34	1.3	28.6	22	0.3	3.0	1.5	<0.1	<1	1	3.9
1401706	Rock	0.06	0.017	12.4	22	0.21	2772	0.096	2.08	0.338	1.03	0.5	31.3	22	1.1	5.4	3.5	0.2	<1	3	14.9
1401707	Rock	<0.01	0.014	13.3	8	0.08	175	0.080	1.22	0.012	0.50	1.0	32.5	26	0.5	4.2	2.6	0.2	<1	2	4.0
1401708	Rock	0.03	0.010	0.5	10	0.03	45	0.004	0.17	0.065	0.02	<0.1	0.9	1	0.1	0.6	0.1	<0.1	<1	<1	16.9
1401709	Rock	<0.01	0.010	10.8	5	0.08	76	0.054	0.82	0.007	0.25	1.2	24.4	20	0.4	2.5	1.7	<0.1	<1	<1	7.2
1401710	Rock	<0.01	0.003	2.5	17	0.02	189	0.028	0.42	0.010	0.16	<0.1	10.3	4	0.3	0.7	0.7	<0.1	<1	<1	1.6
1401711	Rock	<0.01	0.021	13.3	7	0.02	39	0.053	0.91	0.010	0.19	1.0	28.2	25	0.3	4.4	1.4	<0.1	<1	2	10.7
1401712	Rock	<0.01	0.022	16.1	17	0.04	68	0.069	1.38	0.016	0.35	0.3	30.2	31	0.5	5.1	1.7	0.1	<1	3	7.0
1401713	Rock	<0.01	0.017	30.3	16	0.39	139	0.179	3.12	0.039	1.29	0.9	64.1	57	1.0	7.3	5.1	0.3	<1	5	12.9
1401714	Rock	0.02	0.008	11.2	16	0.02	31	0.049	0.56	0.009	0.16	0.2	37.1	22	0.3	3.4	1.3	<0.1	<1	<1	2.8
1401715	Rock	<0.01	0.011	12.0	4	0.04	82	0.059	0.71	0.014	0.28	0.9	26.4	22	0.3	3.1	1.4	<0.1	<1	<1	3.1
1401716	Rock	0.01	0.011	16.0	12	0.23	270	0.086	1.53	0.023	0.52	0.2	37.8	31	0.5	4.7	2.1	0.1	<1	2	6.8
1401717	Rock	<0.01	0.010	12.2	4	0.03	59	0.061	0.84	0.016	0.29	1.0	29.7	22	0.3	6.4	1.6	<0.1	<1	1	5.1
1401718	Rock	0.01	0.010	17.0	21	0.18	281	0.090	1.53	0.027	0.54	0.3	40.0	31	0.5	4.6	2.4	0.1	<1	2	6.7
1401719	Rock	0.01	0.046	48.8	60	0.42	598	0.362	8.08	0.109	3.63	1.2	133.2	96	2.7	12.8	11.6	0.9	3	14	20.5
1401720	Rock	<0.01	0.012	20.8	14	0.57	25	0.081	1.62	0.010	0.17	0.2	49.2	38	0.3	6.6	1.9	<0.1	<1	3	31.3
1401721	Rock	0.05	0.013	17.9	20	0.13	126	0.091	1.15	0.019	0.35	0.9	40.1	33	0.5	4.6	2.4	<0.1	<1	2	7.0
1401722	Rock	<0.01	0.014	17.2	15	0.11	153	0.129	1.51	0.011	0.80	0.4	43.3	33	1.6	4.8	8.3	0.3	<1	3	3.5
1401723	Rock	<0.01	0.008	11.8	20	0.07	65	0.058	0.97	0.088	0.26	1.0	28.7	22	0.5	2.8	2.1	<0.1	<1	2	8.1
1401724	Rock	0.01	0.019	29.5	26	0.54	248	0.154	2.77	0.028	0.90	0.4	62.5	56	0.9	8.4	4.5	0.2	<1	5	14.7
1401725	Rock	<0.01	0.012	18.2	16	0.11	220	0.113	1.74	0.011	0.79	0.8	45.3	34	0.8	5.2	3.7	0.2	<1	3	5.6
1401726	Rock	<0.01	0.007	18.1	9	0.11	104	0.123	1.50	0.010	0.70	0.4	50.0	36	1.3	6.1	4.9	0.2	<1	2	6.4
1401727	Rock	<0.01	0.015	12.7	13	0.04	61	0.068	1.00	0.014	0.32	1.0	33.9	25	0.4	3.6	2.0	<0.1	<1	2	6.0
1401728	Rock	0.01	0.014	20.2	11	0.06	91	0.107	1.91	0.032	0.63	0.3	47.3	39	0.7	5.8	3.4	0.2	<1	3	13.1
1401729	Rock	<0.01	0.016	14.0	18	0.04	66	0.076	1.11	0.016	0.36	0.2	34.1	26	0.4	4.3	1.9	0.1	<1	2	6.2
1401730	Rock	0.02	0.011	26.4	31	0.58	280	0.123	3.73	1.032	0.69	0.3	93.6	50	0.9	7.0	3.3	0.2	<1	4	27.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401701	Rock	<0.1	13.6	0.9
1401702	Rock	<0.1	22.8	1.1
1401703	Rock	<0.1	7.9	0.5
1401704	Rock	<0.1	46.7	1.2
1401705	Rock	<0.1	14.4	0.8
1401706	Rock	<0.1	57.1	1.0
1401707	Rock	<0.1	19.2	1.0
1401708	Rock	<0.1	1.0	<0.1
1401709	Rock	<0.1	10.5	0.8
1401710	Rock	<0.1	6.0	0.3
1401711	Rock	<0.1	8.5	0.8
1401712	Rock	<0.1	16.9	0.8
1401713	Rock	<0.1	54.7	1.8
1401714	Rock	<0.1	7.1	0.9
1401715	Rock	<0.1	12.8	0.8
1401716	Rock	<0.1	21.3	0.9
1401717	Rock	<0.1	13.1	0.8
1401718	Rock	<0.1	21.8	1.1
1401719	Rock	<0.1	144.8	4.1
1401720	Rock	<0.1	7.9	1.5
1401721	Rock	<0.1	15.6	1.2
1401722	Rock	<0.1	31.1	1.4
1401723	Rock	<0.1	10.8	0.8
1401724	Rock	<0.1	39.0	1.8
1401725	Rock	<0.1	30.8	1.3
1401726	Rock	<0.1	27.0	1.5
1401727	Rock	<0.1	14.4	0.9
1401728	Rock	<0.1	27.9	1.3
1401729	Rock	<0.1	16.1	0.9
1401730	Rock	<0.1	28.4	2.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401731	Rock	0.67	0.007	0.1	6.5	4.1	12	<0.1	6.6	0.9	47	0.59	<1	0.8	<0.1	2.8	8	<0.1	0.3	<0.1	12
1401732	Rock	0.87	0.008	0.1	3.6	5.2	7	<0.1	3.8	1.7	57	0.66	1	0.9	<0.1	3.8	9	<0.1	0.3	<0.1	16
1401733	Rock	0.71	0.006	0.2	9.5	4.4	26	<0.1	8.3	2.6	245	0.97	2	0.7	<0.1	2.9	6	<0.1	0.2	<0.1	9
1401734	Rock	0.57	0.008	0.4	11.5	20.9	22	<0.1	6.7	1.8	36	1.03	<1	0.8	<0.1	2.6	5	<0.1	0.3	0.3	9
1401735	Rock	0.53	0.007	<0.1	26.9	12.9	68	<0.1	32.9	12.7	151	3.26	3	2.2	<0.1	12.9	40	<0.1	0.2	0.3	59
1401736	Rock	0.64	0.006	0.3	6.5	3.4	9	<0.1	6.8	3.9	723	0.99	3	0.8	<0.1	2.6	5	<0.1	0.4	0.1	9
1401737	Rock	0.91	0.006	0.2	7.2	2.2	42	<0.1	6.0	1.7	397	1.11	4	1.1	<0.1	4.5	8	<0.1	0.2	0.1	18
1401738	Rock	0.44	0.006	0.1	11.3	1.0	6	<0.1	4.3	0.9	85	0.55	8	0.7	<0.1	2.6	7	<0.1	0.7	<0.1	13
1401739	Rock	0.63	0.011	0.2	2.0	1.1	3	<0.1	1.0	0.4	105	0.17	<1	1.8	<0.1	0.3	1984	<0.1	0.1	<0.1	4
1401740	Rock	0.87	0.006	0.2	2.1	1.0	3	<0.1	2.0	0.5	172	0.26	<1	1.2	<0.1	1.0	1084	<0.1	0.3	<0.1	4
1401741	Rock	0.68	0.006	0.3	1.7	1.2	5	<0.1	1.7	<0.2	101	0.14	<1	1.0	<0.1	0.5	780	<0.1	0.1	<0.1	3
1401742	Rock	0.41	0.007	0.2	7.4	13.1	29	<0.1	10.5	3.7	155	0.94	2	0.2	<0.1	0.8	18	<0.1	0.3	0.3	8
1401743	Rock	0.62	0.006	0.2	4.1	23.5	48	<0.1	4.1	5.7	490	2.21	<1	2.5	<0.1	23.5	247	<0.1	<0.1	<0.1	50
1401744	Rock	0.81	0.007	0.2	8.4	6.3	34	<0.1	11.7	5.9	278	2.07	<1	1.4	<0.1	7.7	26	<0.1	<0.1	<0.1	23
1401745	Rock	0.95	0.005	0.1	3.2	6.9	5	<0.1	3.1	1.4	299	0.37	12	0.6	<0.1	0.7	534	<0.1	0.3	<0.1	7
1401746	Rock	0.85	0.007	0.1	0.8	2.4	2	<0.1	1.5	0.4	183	0.14	<1	0.7	<0.1	0.6	1196	<0.1	0.2	<0.1	2
1401747	Rock	1.03	0.007	<0.1	0.7	0.9	3	<0.1	0.4	0.5	286	0.27	3	0.3	<0.1	0.5	163	<0.1	0.2	<0.1	1
1401801	Rock	0.73	0.007	0.1	1.0	1.2	3	<0.1	3.6	<0.2	44	0.04	<1	2.0	<0.1	0.3	855	0.1	0.6	<0.1	5
1401802	Rock	0.61	0.006	0.3	8.6	9.3	64	<0.1	15.8	6.1	724	1.77	1	1.5	<0.1	9.7	23	0.4	0.2	<0.1	16
1401803	Rock	0.59	0.006	0.2	2.4	0.3	7	<0.1	1.2	0.8	286	0.47	17	0.5	<0.1	0.6	123	<0.1	1.8	<0.1	5
1401804	Rock	0.41	0.008	<0.1	1.0	0.8	2	<0.1	0.6	0.3	176	0.15	3	0.6	<0.1	0.2	766	<0.1	1.9	<0.1	2
1401805	Rock	0.57	0.008	<0.1	0.4	0.4	<1	<0.1	2.3	<0.2	34	<0.01	2	0.9	<0.1	<0.1	778	0.1	0.2	<0.1	2
1401806	Rock	0.61	0.008	0.2	11.4	10.0	21	<0.1	10.0	5.9	260	1.08	4	1.3	<0.1	5.7	6	<0.1	0.5	0.1	17
1401807	Rock	0.72	0.009	0.1	0.4	<0.1	2	<0.1	1.2	<0.2	63	0.03	<1	1.0	<0.1	0.1	367	<0.1	0.7	<0.1	1
1401808	Rock	0.43	0.008	<0.1	0.7	1.4	2	<0.1	2.7	0.3	105	0.05	4	2.3	<0.1	0.4	458	<0.1	1.0	<0.1	4
1401809	Rock	0.61	0.009	<0.1	0.8	2.1	1	<0.1	1.8	0.4	178	0.16	<1	0.7	<0.1	0.3	877	<0.1	0.8	<0.1	1
1401810	Rock	0.52	0.008	0.2	1.9	2.1	4	<0.1	1.2	0.6	176	0.32	<1	1.5	<0.1	1.3	875	<0.1	<0.1	<0.1	<1
1401811	Rock	0.42	0.008	0.1	1.2	1.8	3	<0.1	0.8	0.5	126	0.27	3	1.1	<0.1	1.1	749	<0.1	0.5	<0.1	<1
1401812	Rock	0.57	0.007	0.2	5.0	2.8	46	<0.1	6.4	2.4	724	1.04	2	0.9	<0.1	3.4	19	<0.1	0.5	<0.1	12
1401813	Rock	0.50	0.007	0.2	1.0	0.5	2	<0.1	1.0	0.7	410	0.62	4	1.4	0.1	2.3	854	<0.1	0.1	<0.1	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs
Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401731	Rock	<0.01	0.008	13.4	13	0.04	113	0.068	0.99	0.019	0.40	0.3	33.8	25	0.4	4.3	1.9	<0.1	<1	2	2.1
1401732	Rock	0.01	0.015	15.2	9	0.09	50	0.089	1.07	0.013	0.44	1.8	42.6	28	0.4	4.4	2.2	0.1	<1	2	3.8
1401733	Rock	<0.01	0.011	13.2	14	0.03	55	0.062	0.84	0.010	0.22	0.3	26.5	26	0.3	3.9	1.6	<0.1	<1	2	6.5
1401734	Rock	<0.01	0.010	13.5	22	0.14	32	0.048	1.04	0.007	0.12	1.1	26.2	26	0.3	4.5	1.8	<0.1	<1	2	13.2
1401735	Rock	0.02	0.013	24.7	49	0.75	429	0.253	6.45	1.009	1.82	0.4	99.1	52	1.7	7.3	7.3	0.5	1	7	40.7
1401736	Rock	<0.01	0.010	11.3	22	0.08	34	0.050	0.62	0.012	0.18	0.8	31.9	21	0.3	3.0	1.3	<0.1	<1	1	11.2
1401737	Rock	<0.01	0.016	16.7	23	0.06	179	0.107	1.58	0.019	0.56	0.3	50.0	32	0.7	4.9	3.0	0.1	<1	2	10.1
1401738	Rock	<0.01	0.009	12.2	13	0.05	112	0.073	1.20	0.015	0.52	1.1	33.4	24	0.5	2.9	2.2	<0.1	<1	1	5.7
1401739	Rock	39.83	0.061	2.6	3	0.21	20	0.007	0.13	0.007	0.04	<0.1	3.0	3	0.1	2.0	0.4	<0.1	<1	<1	1.6
1401740	Rock	36.11	0.075	3.4	3	0.32	24	0.027	0.31	0.008	0.06	0.2	12.1	6	0.3	3.5	3.9	0.2	<1	<1	4.1
1401741	Rock	>40	0.010	1.5	1	0.22	26	0.007	0.13	0.003	0.03	<0.1	13.4	3	<0.1	1.8	1.1	<0.1	<1	<1	1.1
1401742	Rock	0.31	0.012	2.8	19	0.21	1086	0.017	0.75	0.022	0.13	0.9	3.6	7	0.3	1.6	0.7	<0.1	<1	1	23.1
1401743	Rock	1.96	0.053	31.1	9	0.70	723	0.253	6.60	2.266	2.44	0.7	38.4	60	3.1	17.8	14.3	1.3	2	7	54.0
1401744	Rock	0.06	0.009	15.8	15	0.10	144	0.070	3.06	0.802	0.72	0.1	62.8	33	0.6	5.8	2.0	0.2	<1	3	26.7
1401745	Rock	39.62	0.029	4.3	2	0.27	31	0.053	0.37	0.008	0.14	0.2	12.2	8	0.3	4.6	1.6	<0.1	<1	<1	2.9
1401746	Rock	36.44	0.024	2.0	1	0.21	22	0.009	0.17	0.005	0.06	<0.1	6.5	4	0.2	1.8	1.1	0.1	<1	<1	0.5
1401747	Rock	31.66	0.012	2.1	<1	6.74	25	0.005	0.11	0.009	0.04	<0.1	2.4	5	<0.1	6.0	0.6	<0.1	<1	<1	1.1
1401801	Rock	36.61	0.012	1.5	2	0.22	14	0.004	0.14	0.002	0.04	<0.1	1.4	3	<0.1	1.9	0.4	<0.1	<1	<1	0.5
1401802	Rock	0.10	0.010	18.6	14	0.29	148	0.070	2.74	0.708	0.60	0.1	65.8	36	0.7	8.1	2.2	0.1	<1	2	13.6
1401803	Rock	36.20	0.015	3.5	2	1.90	37	0.012	0.30	0.005	0.10	<0.1	3.3	6	<0.1	3.0	1.0	<0.1	<1	<1	1.2
1401804	Rock	38.93	0.008	2.3	1	0.15	12	0.003	0.09	0.001	0.03	<0.1	1.4	5	<0.1	3.3	0.3	<0.1	<1	<1	0.4
1401805	Rock	39.73	0.007	0.8	1	0.19	6	<0.001	0.03	<0.001	<0.01	<0.1	0.4	1	<0.1	0.8	0.2	<0.1	<1	<1	0.2
1401806	Rock	0.19	0.013	17.6	12	0.10	186	0.103	1.69	0.012	0.68	0.3	45.7	35	1.6	6.3	9.3	0.4	<1	2	7.8
1401807	Rock	26.99	0.008	1.2	2	0.15	10	0.002	0.06	0.002	0.01	<0.1	0.7	2	<0.1	1.5	0.2	<0.1	<1	<1	0.7
1401808	Rock	>40	0.018	3.5	2	0.28	11	0.011	0.23	0.004	0.11	<0.1	2.5	5	<0.1	2.7	0.6	<0.1	<1	<1	1.1
1401809	Rock	39.59	0.010	2.6	1	0.20	12	0.004	0.10	<0.001	0.05	<0.1	1.4	4	<0.1	3.5	0.6	<0.1	<1	<1	1.0
1401810	Rock	32.19	0.009	7.6	2	0.36	20	0.019	0.44	0.053	0.14	<0.1	5.1	17	0.2	5.2	2.2	0.1	<1	<1	2.9
1401811	Rock	37.84	0.014	5.5	1	0.33	12	0.014	0.23	0.002	0.09	<0.1	4.6	12	0.1	5.0	1.5	<0.1	<1	<1	3.1
1401812	Rock	0.47	0.012	12.9	10	0.06	112	0.069	1.13	0.017	0.41	0.2	35.2	26	0.4	5.7	2.0	<0.1	<1	1	7.7
1401813	Rock	35.46	0.035	11.3	2	0.65	18	0.033	0.21	0.071	0.08	0.1	6.9	32	0.1	12.8	4.3	0.2	<1	<1	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401731	Rock	<0.1	18.3	0.9
1401732	Rock	<0.1	18.0	1.1
1401733	Rock	<0.1	10.0	0.8
1401734	Rock	<0.1	5.6	0.8
1401735	Rock	<0.1	75.6	3.0
1401736	Rock	<0.1	9.3	0.9
1401737	Rock	<0.1	27.2	1.3
1401738	Rock	<0.1	23.0	0.9
1401739	Rock	<0.1	1.6	<0.1
1401740	Rock	<0.1	3.1	0.3
1401741	Rock	<0.1	1.2	0.2
1401742	Rock	<0.1	6.8	0.1
1401743	Rock	<0.1	89.8	1.5
1401744	Rock	<0.1	32.9	1.9
1401745	Rock	<0.1	6.1	0.3
1401746	Rock	<0.1	2.2	0.2
1401747	Rock	<0.1	1.6	<0.1
1401801	Rock	<0.1	1.3	<0.1
1401802	Rock	<0.1	28.0	2.0
1401803	Rock	<0.1	4.2	<0.1
1401804	Rock	<0.1	0.7	<0.1
1401805	Rock	<0.1	<0.1	<0.1
1401806	Rock	<0.1	28.6	1.5
1401807	Rock	<0.1	0.3	<0.1
1401808	Rock	<0.1	3.6	<0.1
1401809	Rock	<0.1	1.7	<0.1
1401810	Rock	<0.1	5.5	0.1
1401811	Rock	<0.1	3.5	0.1
1401812	Rock	<0.1	18.7	1.0
1401813	Rock	<0.1	2.8	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401814	Rock	0.55	0.008	0.3	7.0	2.2	6	<0.1	2.7	2.3	295	0.69	1	0.3	<0.1	2.1	110	<0.1	0.5	<0.1	5
1401815	Rock	0.46	0.006	0.3	8.2	9.1	32	<0.1	32.9	13.8	1064	1.67	4	1.2	<0.1	3.7	20	0.3	0.4	<0.1	13
1401816	Rock	0.63	0.006	0.1	0.3	0.4	<1	<0.1	0.7	<0.2	58	0.08	3	1.1	<0.1	0.1	1898	<0.1	0.5	<0.1	<1
1401817	Rock	0.60	0.006	0.2	15.5	4.8	32	<0.1	10.2	3.1	123	1.60	<1	0.9	<0.1	3.7	12	<0.1	<0.1	<0.1	11
1401818	Rock	0.47	0.006	0.1	0.6	0.5	<1	<0.1	1.2	<0.2	68	0.04	2	1.4	<0.1	0.1	3144	<0.1	<0.1	<0.1	<1
1401819	Rock	0.52	0.007	0.2	3.8	1.7	6	<0.1	2.3	1.2	398	0.78	2	0.7	<0.1	2.7	12	<0.1	0.3	<0.1	8
1401820	Rock	0.55	0.006	<0.1	0.4	0.3	<1	<0.1	0.8	<0.2	46	0.02	5	0.9	<0.1	0.2	1591	<0.1	0.1	<0.1	<1
1401821	Rock	0.66	0.006	0.2	3.0	19.1	78	<0.1	2.8	7.5	611	3.03	<1	0.9	<0.1	12.7	342	0.1	0.2	<0.1	77
1401822	Rock	0.91	0.007	0.2	1.2	0.7	<1	<0.1	0.2	<0.2	120	0.12	2	0.7	<0.1	0.1	547	<0.1	0.4	<0.1	<1
1401823	Rock	0.63	<0.005	0.6	3.5	15.7	59	<0.1	1.6	5.7	591	2.75	<1	1.6	<0.1	10.2	309	0.2	0.2	<0.1	72
1401824	Rock	0.49	0.012	0.2	13.9	8.1	15	<0.1	16.2	41.1	1187	1.80	34	1.4	<0.1	7.8	19	<0.1	5.2	0.2	17
1401825	Rock	0.51	<0.005	0.2	7.6	4.0	35	<0.1	7.8	2.9	816	1.84	2	1.2	<0.1	7.5	27	0.2	0.2	0.1	18
1401826	Rock	0.94	0.005	0.2	2.9	3.6	3	<0.1	1.4	1.4	790	0.83	14	1.1	<0.1	1.7	525	<0.1	0.9	<0.1	7
1401827	Rock	0.55	<0.005	0.3	12.5	4.7	3	<0.1	6.3	2.6	26	1.69	5	0.9	<0.1	4.5	7	<0.1	0.9	0.2	18
1401828	Rock	0.76	0.014	0.1	1.2	0.3	5	<0.1	1.1	0.2	184	0.26	19	0.2	<0.1	<0.1	31	<0.1	1.6	<0.1	<1
1401829	Rock	0.62	0.013	0.1	2.0	0.9	1	<0.1	1.6	<0.2	138	0.07	8	0.6	<0.1	0.2	101	<0.1	0.5	<0.1	2
1401830	Rock	0.54	0.006	<0.1	0.9	0.5	1	<0.1	1.0	<0.2	60	0.02	<1	1.6	<0.1	0.2	1868	<0.1	0.4	<0.1	3
1401831	Rock	0.96	0.009	<0.1	1.0	0.8	1	<0.1	0.7	<0.2	64	0.01	4	1.5	<0.1	0.2	612	<0.1	0.3	<0.1	1
1401832	Rock	0.60	0.006	<0.1	0.8	0.4	1	<0.1	0.2	<0.2	39	0.01	<1	0.8	<0.1	<0.1	648	<0.1	0.1	<0.1	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401814	Rock	3.96	0.014	6.8	11	0.06	39	0.105	0.94	0.337	0.26	0.3	13.2	15	0.5	10.5	8.0	0.1	<1	1	3.0
1401815	Rock	0.36	0.039	16.3	12	0.17	129	0.078	1.32	0.012	0.50	0.4	39.1	34	0.4	10.4	1.9	<0.1	<1	2	7.0
1401816	Rock	>40	0.011	1.2	1	0.13	7	0.001	0.06	0.002	<0.01	<0.1	0.6	2	<0.1	3.1	0.2	<0.1	<1	<1	0.3
1401817	Rock	0.16	0.020	15.4	15	0.22	34	0.059	1.33	0.014	0.23	0.4	33.5	31	0.4	5.2	1.8	<0.1	<1	2	18.9
1401818	Rock	>40	0.012	1.6	<1	0.12	6	0.001	0.05	<0.001	0.01	<0.1	0.7	2	<0.1	3.5	0.2	<0.1	<1	<1	0.3
1401819	Rock	0.13	0.010	11.0	13	0.04	76	0.056	0.76	0.012	0.33	0.6	26.6	21	0.3	2.8	1.5	<0.1	<1	<1	2.1
1401820	Rock	>40	0.011	3.5	<1	0.14	5	<0.001	0.06	0.001	0.01	<0.1	0.5	7	<0.1	9.9	0.2	<0.1	<1	<1	0.3
1401821	Rock	2.67	0.082	33.0	5	0.71	851	0.403	7.26	2.202	2.57	1.1	27.1	66	4.0	17.5	17.2	1.1	2	8	60.2
1401822	Rock	39.58	0.012	1.2	<1	0.19	9	0.001	0.03	0.004	0.01	<0.1	0.4	3	<0.1	3.6	0.2	<0.1	<1	<1	0.3
1401823	Rock	2.72	0.071	26.9	5	0.69	801	0.343	6.85	2.252	1.96	1.6	26.7	57	2.7	17.5	16.5	1.2	2	9	49.4
1401824	Rock	0.65	0.021	32.2	8	0.20	115	0.180	2.18	0.015	1.26	0.7	36.9	74	1.7	11.4	20.1	1.0	1	4	9.2
1401825	Rock	1.83	0.016	14.9	19	0.13	173	0.084	2.60	0.529	0.84	0.2	56.5	29	0.6	6.9	2.8	0.2	<1	3	8.4
1401826	Rock	21.17	0.035	8.6	4	0.22	70	0.080	1.46	0.011	0.53	0.2	20.9	19	0.6	12.6	7.0	0.3	<1	1	6.1
1401827	Rock	0.06	0.010	16.9	18	0.10	101	0.088	1.68	0.030	1.04	0.3	41.5	37	0.7	5.8	2.7	0.2	<1	2	4.1
1401828	Rock	38.42	0.013	0.6	2	0.43	3	0.001	0.02	0.002	<0.01	<0.1	0.6	<1	<0.1	1.4	0.2	<0.1	<1	<1	0.2
1401829	Rock	37.87	0.022	1.6	2	0.15	14	0.007	0.11	0.003	0.04	<0.1	1.7	3	<0.1	3.2	0.5	<0.1	<1	<1	0.3
1401830	Rock	37.74	0.029	1.6	<1	0.21	12	0.003	0.08	0.003	0.03	<0.1	0.6	2	<0.1	2.3	0.2	<0.1	<1	<1	0.5
1401831	Rock	37.94	0.024	1.3	<1	0.20	14	0.003	0.09	0.004	0.04	<0.1	0.7	3	<0.1	2.1	0.2	<0.1	<1	<1	0.3
1401832	Rock	38.44	0.029	0.8	<1	0.16	40	<0.001	0.01	0.002	<0.01	<0.1	<0.1	<1	<0.1	1.0	0.1	<0.1	<1	<1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001502.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401814	Rock	<0.1	8.3	0.4
1401815	Rock	<0.1	22.0	1.1
1401816	Rock	<0.1	0.2	<0.1
1401817	Rock	<0.1	9.8	1.0
1401818	Rock	<0.1	0.2	<0.1
1401819	Rock	<0.1	13.7	0.8
1401820	Rock	<0.1	0.2	<0.1
1401821	Rock	<0.1	113.5	1.1
1401822	Rock	<0.1	0.4	<0.1
1401823	Rock	<0.1	65.7	1.2
1401824	Rock	<0.1	47.3	1.1
1401825	Rock	<0.1	37.8	1.9
1401826	Rock	<0.1	22.0	0.7
1401827	Rock	0.8	37.2	1.1
1401828	Rock	<0.1	0.2	<0.1
1401829	Rock	<0.1	1.1	<0.1
1401830	Rock	<0.1	0.8	<0.1
1401831	Rock	<0.1	0.8	<0.1
1401832	Rock	<0.1	<0.1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																						
1401726	Rock		0.68	0.008	0.2	7.1	6.5	22	<0.1	9.6	3.7	71	0.95	4	1.1	<0.1	5.2	3	<0.1	0.3	0.1	22
REP 1401726	QC			0.008																		
1401729	Rock		0.60	<0.005	0.4	6.8	10.1	18	<0.1	7.1	2.6	274	1.35	8	0.9	<0.1	3.1	9	<0.1	0.6	<0.1	12
REP 1401729	QC				0.4	7.8	10.5	20	<0.1	8.1	2.7	285	1.37	9	1.0	<0.1	3.4	10	<0.1	0.6	0.1	13
1401811	Rock		0.42	0.008	0.1	1.2	1.8	3	<0.1	0.8	0.5	126	0.27	3	1.1	<0.1	1.1	749	<0.1	0.5	<0.1	<1
REP 1401811	QC			0.006																		
1401819	Rock		0.52	0.007	0.2	3.8	1.7	6	<0.1	2.3	1.2	398	0.78	2	0.7	<0.1	2.7	12	<0.1	0.3	<0.1	8
REP 1401819	QC				0.3	4.2	1.4	5	<0.1	2.3	1.2	371	0.77	2	0.8	<0.1	2.6	10	<0.1	0.4	<0.1	8
1401820	Rock		0.55	0.006	<0.1	0.4	0.3	<1	<0.1	0.8	<0.2	46	0.02	5	0.9	<0.1	0.2	1591	<0.1	0.1	<0.1	<1
REP 1401820	QC			<0.005																		
1401822	Rock		0.91	0.007	0.2	1.2	0.7	<1	<0.1	0.2	<0.2	120	0.12	2	0.7	<0.1	0.1	547	<0.1	0.4	<0.1	<1
REP 1401822	QC			<0.005																		
1401832	Rock		0.60	0.006	<0.1	0.8	0.4	1	<0.1	0.2	<0.2	39	0.01	<1	0.8	<0.1	<0.1	648	<0.1	0.1	<0.1	<1
REP 1401832	QC			0.006																		
Core Reject Duplicates																						
1401728	Rock		0.76	0.010	0.2	11.6	5.3	17	<0.1	6.5	2.1	44	0.94	4	1.2	<0.1	5.1	20	<0.1	0.4	0.1	19
DUP 1401728	QC			0.006	0.2	11.7	4.3	17	<0.1	6.8	2.3	43	0.97	5	1.2	<0.1	4.8	20	<0.1	0.4	0.1	20
1401816	Rock		0.63	0.006	0.1	0.3	0.4	<1	<0.1	0.7	<0.2	58	0.08	3	1.1	<0.1	0.1	1898	<0.1	0.5	<0.1	<1
DUP 1401816	QC			0.007	<0.1	<0.1	0.4	<1	<0.1	2.8	<0.2	63	0.11	<1	1.1	<0.1	0.1	1902	<0.1	0.5	<0.1	<1
Reference Materials																						
STD OREAS24P	Standard				1.5	49.3	3.3	118	<0.1	141.1	44.5	1137	7.75	<1	0.7	<0.1	3.2	390	0.1	0.1	<0.1	175
STD OREAS24P	Standard				1.5	48.0	2.8	117	<0.1	129.7	42.5	1106	7.27	1	0.8	<0.1	3.0	361	0.1	<0.1	<0.1	156
STD OREAS24P	Standard				1.3	46.6	2.7	109	<0.1	124.9	42.1	1108	7.40	1	0.6	<0.1	2.6	362	<0.1	0.1	<0.1	165
STD OREAS45C	Standard				2.4	634.6	28.1	86	0.2	344.8	106.3	1162	18.63	11	2.7	<0.1	12.4	41	<0.1	0.9	0.3	282
STD OREAS45C	Standard				2.1	599.2	27.6	88	0.1	332.8	101.0	1147	17.17	11	2.6	<0.1	11.9	40	0.2	0.8	0.3	271
STD OREAS45C	Standard				2.1	625.9	22.4	87	0.2	328.5	96.8	1166	17.88	11	2.1	<0.1	9.4	37	<0.1	0.8	0.2	285
STD OXH82	Standard			1.289																		
STD OXH82	Standard			1.330																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1401726	Rock	<0.01	0.007	18.1	9	0.11	104	0.123	1.50	0.010	0.70	0.4	50.0	36	1.3	6.1	4.9	0.2	<1	2	6.4
REP 1401726	QC																				
1401729	Rock	<0.01	0.016	14.0	18	0.04	66	0.076	1.11	0.016	0.36	0.2	34.1	26	0.4	4.3	1.9	0.1	<1	2	6.2
REP 1401729	QC	<0.01	0.016	14.6	20	0.04	70	0.073	1.15	0.018	0.37	0.2	37.7	27	0.4	4.5	2.0	0.1	<1	2	7.0
1401811	Rock	37.84	0.014	5.5	1	0.33	12	0.014	0.23	0.002	0.09	<0.1	4.6	12	0.1	5.0	1.5	<0.1	<1	<1	3.1
REP 1401811	QC																				
1401819	Rock	0.13	0.010	11.0	13	0.04	76	0.056	0.76	0.012	0.33	0.6	26.6	21	0.3	2.8	1.5	<0.1	<1	<1	2.1
REP 1401819	QC	0.07	0.010	11.1	12	0.04	79	0.059	0.70	0.009	0.32	0.6	27.9	22	0.3	2.8	1.5	<0.1	<1	<1	1.9
1401820	Rock	>40	0.011	3.5	<1	0.14	5	<0.001	0.06	0.001	0.01	<0.1	0.5	7	<0.1	9.9	0.2	<0.1	<1	<1	0.3
REP 1401820	QC																				
1401822	Rock	39.58	0.012	1.2	<1	0.19	9	0.001	0.03	0.004	0.01	<0.1	0.4	3	<0.1	3.6	0.2	<0.1	<1	<1	0.3
REP 1401822	QC																				
1401832	Rock	38.44	0.029	0.8	<1	0.16	40	<0.001	0.01	0.002	<0.01	<0.1	<0.1	<1	<0.1	1.0	0.1	<0.1	<1	<1	<0.1
REP 1401832	QC																				
Core Reject Duplicates																					
1401728	Rock	0.01	0.014	20.2	11	0.06	91	0.107	1.91	0.032	0.63	0.3	47.3	39	0.7	5.8	3.4	0.2	<1	3	13.1
DUP 1401728	QC	<0.01	0.016	20.8	12	0.05	92	0.103	1.93	0.034	0.64	0.9	45.6	39	0.6	5.3	3.5	0.2	<1	3	12.4
1401816	Rock	>40	0.011	1.2	1	0.13	7	0.001	0.06	0.002	<0.01	<0.1	0.6	2	<0.1	3.1	0.2	<0.1	<1	<1	0.3
DUP 1401816	QC	>40	0.010	1.0	2	0.13	6	0.001	0.07	0.002	<0.01	<0.1	0.5	2	<0.1	3.2	0.2	<0.1	<1	<1	0.5
Reference Materials																					
STD OREAS24P	Standard	5.65	0.133	20.0	210	4.28	279	1.139	8.00	2.584	0.64	0.5	132.5	36	1.8	22.0	18.6	1.1	1	21	8.3
STD OREAS24P	Standard	6.11	0.129	18.5	169	3.97	274	1.053	7.30	2.444	0.66	0.4	125.6	37	1.7	20.7	18.0	1.0	1	18	9.0
STD OREAS24P	Standard	5.84	0.138	16.3	182	4.06	257	1.142	7.50	2.383	0.69	0.4	126.2	33	1.4	20.5	18.1	1.0	1	20	8.3
STD OREAS45C	Standard	0.48	0.052	29.5	915	0.27	280	1.238	7.53	0.105	0.36	1.1	171.6	54	3.4	13.3	23.0	1.6	<1	60	17.4
STD OREAS45C	Standard	0.57	0.049	26.8	809	0.28	284	1.167	7.15	0.104	0.34	1.1	168.8	52	3.2	12.7	22.6	1.5	<1	59	19.5
STD OREAS45C	Standard	0.49	0.057	22.6	908	0.28	256	1.264	7.12	0.126	0.38	1.1	158.4	45	2.8	12.4	22.2	1.3	1	60	17.4
STD OXH82	Standard																				
STD OXH82	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT

WHI11001502.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
Pulp Duplicates					
1401726	Rock		<0.1	27.0	1.5
REP 1401726	QC				
1401729	Rock		<0.1	16.1	0.9
REP 1401729	QC		<0.1	17.5	1.0
1401811	Rock		<0.1	3.5	0.1
REP 1401811	QC				
1401819	Rock		<0.1	13.7	0.8
REP 1401819	QC		<0.1	14.7	0.8
1401820	Rock		<0.1	0.2	<0.1
REP 1401820	QC				
1401822	Rock		<0.1	0.4	<0.1
REP 1401822	QC				
1401832	Rock		<0.1	<0.1	<0.1
REP 1401832	QC				
Core Reject Duplicates					
1401728	Rock		<0.1	27.9	1.3
DUP 1401728	QC		<0.1	28.3	1.2
1401816	Rock		<0.1	0.2	<0.1
DUP 1401816	QC		<0.1	<0.1	<0.1
Reference Materials					
STD OREAS24P	Standard		<0.1	20.4	3.4
STD OREAS24P	Standard		<0.1	20.0	3.4
STD OREAS24P	Standard		<0.1	20.3	3.2
STD OREAS45C	Standard		<0.1	23.5	4.4
STD OREAS45C	Standard		<0.1	23.6	4.7
STD OREAS45C	Standard		<0.1	21.7	4.0
STD OXH82	Standard				
STD OXH82	Standard				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1EX Mo ppm 0.1	1EX Cu ppm 0.1	1EX Pb ppm 0.1	1EX Zn ppm 1	1EX Ag ppm 0.1	1EX Ni ppm 0.1	1EX Co ppm 0.2	1EX Mn ppm 1	1EX Fe % 0.01	1EX As ppm 1	1EX U ppm 0.1	1EX Au ppm 0.1	1EX Th ppm 0.1	1EX Sr ppm 1	1EX Cd ppm 0.1	1EX Sb ppm 0.1	1EX Bi ppm 0.1	1EX V ppm 1
STD OXH82	Standard		1.321																		
STD OXH82	Standard		1.285																		
STD OXH82	Standard		1.268																		
STD OXK79	Standard		3.655																		
STD OXK79	Standard		3.861																		
STD OXK79	Standard		3.757																		
STD OXK79	Standard		3.512																		
STD OXK79	Standard		3.663																		
STD OXK79	Standard		3.462																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		
BLK	Blank		0.009																		
BLK	Blank		<0.005																		
BLK	Blank		0.008																		
BLK	Blank		0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		0.006																		
BLK	Blank		0.007																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.005	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
G1	Prep Blank		<0.005	0.3	2.9	36.7	57	<0.1	2.7	4.8	803	2.45	1	2.7	<0.1	10.3	762	0.1	0.3	0.2	53
G1	Prep Blank		0.005	0.2	2.8	23.1	49	<0.1	2.2	4.8	718	2.25	<1	2.5	<0.1	9.0	733	0.1	0.1	0.2	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
G1	Prep Blank	2.59	0.083	29.4	4	0.62	1052	0.265	7.43	2.817	3.08	0.2	11.6	59	1.6	14.5	23.6	1.5	3	5	36.7
G1	Prep Blank	2.78	0.077	26.3	4	0.57	1164	0.243	7.65	2.878	3.22	1.0	11.1	52	1.6	14.2	21.5	1.4	3	5	35.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001502.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
G1	Prep Blank	<0.1	110.5	0.6
G1	Prep Blank	<0.1	109.9	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Submitted By:	Michael Collins
Receiving Lab:	Canada-Whitehorse
Received:	September 06, 2011
Report Date:	November 29, 2011
Page:	1 of 2

CERTIFICATE OF ANALYSIS WHI11001574.1

CLIENT JOB INFORMATION

Project:	Hyland
Shipment ID:	AML-2011-S-046
P.O. Number	
Number of Samples:	26

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT	Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	26	Crush, split and pulverize 250 g rock to 200 mesh			SMI
G601	26	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	26	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Argus Metals Corp.
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6
Canada

CC: Paul Gray

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001574.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1401852	Rock	0.47	<0.005	<0.1	0.9	1.1	3	<0.1	1.8	<0.2	16	0.02	<1	1.5	<0.1	<0.1	306	<0.1	<0.1	<0.1	<1
1401853	Rock	0.45	<0.005	0.1	0.7	0.6	1	<0.1	2.0	<0.2	48	0.06	3	1.4	<0.1	<0.1	861	<0.1	0.3	<0.1	1
1401854	Rock	0.52	<0.005	<0.1	0.6	0.6	<1	<0.1	0.5	<0.2	28	<0.01	1	1.2	<0.1	0.1	889	<0.1	0.2	<0.1	<1
1401855	Rock	0.41	0.005	0.1	0.6	0.5	1	<0.1	3.3	0.4	120	0.06	4	0.9	<0.1	<0.1	814	<0.1	0.4	<0.1	1
1401856	Rock	0.43	<0.005	<0.1	0.8	0.8	2	<0.1	5.0	0.4	149	0.08	5	1.8	<0.1	0.2	1528	<0.1	0.3	<0.1	2
1401857	Rock	0.40	<0.005	0.2	3.1	5.3	15	<0.1	8.2	4.7	441	0.84	2	0.6	<0.1	4.2	24	<0.1	0.1	<0.1	4
1401858	Rock	0.50	<0.005	<0.1	0.4	0.7	3	<0.1	2.2	<0.2	66	0.03	3	0.7	<0.1	<0.1	1358	<0.1	0.6	<0.1	1
1401859	Rock	0.49	<0.005	0.1	0.9	2.7	3	0.4	2.3	0.4	191	0.07	5	0.9	<0.1	0.3	2694	<0.1	0.7	<0.1	2
1401860	Rock	0.26	<0.005	0.2	1.2	1.5	3	<0.1	4.6	0.5	198	0.15	8	1.3	<0.1	0.4	3165	<0.1	2.3	<0.1	3
1401861	Rock	0.31	<0.005	<0.1	0.9	0.7	1	<0.1	2.9	0.3	34	0.06	3	0.7	<0.1	0.2	1094	<0.1	1.1	<0.1	1
1401862	Rock	0.33	<0.005	<0.1	0.7	0.8	<1	<0.1	2.4	0.2	26	0.03	2	0.6	<0.1	<0.1	1183	<0.1	0.4	<0.1	<1
1401863	Rock	0.44	<0.005	<0.1	1.2	1.2	2	<0.1	2.2	0.3	135	0.14	7	1.4	<0.1	0.4	734	<0.1	1.9	<0.1	3
1401864	Rock	0.34	<0.005	0.1	15.0	19.3	34	<0.1	12.4	6.6	701	1.91	2	1.3	<0.1	5.6	23	<0.1	0.1	0.3	39
1401865	Rock	0.46	<0.005	<0.1	0.5	0.8	2	<0.1	0.9	<0.2	101	<0.01	6	0.7	<0.1	<0.1	1085	<0.1	1.1	<0.1	<1
1401866	Rock	0.34	0.006	0.2	26.9	2.6	116	<0.1	159.8	39.6	1022	6.88	<1	0.5	<0.1	3.4	370	<0.1	0.5	<0.1	142
1401867	Rock	0.45	<0.005	<0.1	0.6	0.3	1	<0.1	1.5	<0.2	158	0.12	3	0.3	<0.1	<0.1	452	<0.1	1.2	<0.1	<1
1401868	Rock	0.38	<0.005	<0.1	0.5	0.4	1	<0.1	2.1	0.3	75	0.04	<1	1.1	<0.1	0.1	1253	<0.1	0.2	<0.1	<1
1401869	Rock	0.27	<0.005	<0.1	0.3	0.3	<1	<0.1	3.8	<0.2	85	0.06	1	0.5	<0.1	<0.1	326	<0.1	<0.1	<0.1	<1
1401870	Rock	0.37	<0.005	<0.1	0.7	0.3	<1	<0.1	3.8	0.3	40	0.04	2	1.1	<0.1	<0.1	1354	<0.1	1.4	<0.1	<1
1401871	Rock	0.32	<0.005	<0.1	0.6	0.3	1	<0.1	2.9	<0.2	413	0.06	<1	0.5	<0.1	<0.1	304	<0.1	0.2	<0.1	<1
1401872	Rock	0.47	<0.005	<0.1	0.5	0.3	5	<0.1	2.8	0.3	113	0.05	4	0.5	<0.1	<0.1	1118	<0.1	0.2	<0.1	<1
1401873	Rock	0.54	<0.005	<0.1	0.3	0.3	1	<0.1	3.3	<0.2	49	0.02	1	0.6	<0.1	<0.1	1375	<0.1	0.1	<0.1	<1
1401874	Rock	0.40	<0.005	0.1	13.0	23.5	23	<0.1	6.1	1.5	116	1.47	<1	1.0	<0.1	8.4	48	<0.1	0.2	0.2	6
1401875	Rock	0.47	<0.005	0.2	6.1	10.5	16	<0.1	19.4	6.8	678	0.97	2	0.9	<0.1	7.2	51	<0.1	0.2	<0.1	5
1401876	Rock	0.48	0.006	<0.1	0.6	0.9	2	<0.1	0.9	0.5	222	0.15	4	0.9	<0.1	<0.1	515	<0.1	2.3	<0.1	<1
1401877	Rock	0.49	<0.005	0.1	0.8	0.5	3	<0.1	2.0	0.4	386	0.14	6	0.3	<0.1	0.1	345	<0.1	0.6	<0.1	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS WHI11001574.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1401852	Rock	>40	0.020	0.5	<1	0.20	37	<0.001	0.02	0.008	0.01	<0.1	0.4	<1	<0.1	0.8	<0.1	<0.1	<1	<1	0.1
1401853	Rock	39.73	0.012	0.9	<1	0.19	17	<0.001	0.04	0.005	<0.01	<0.1	0.3	<1	<0.1	1.3	0.2	<0.1	<1	<1	0.1
1401854	Rock	>40	0.022	1.1	<1	0.17	16	<0.001	0.06	0.003	0.02	<0.1	0.9	2	<0.1	2.1	0.1	<0.1	<1	<1	0.2
1401855	Rock	39.69	0.028	1.4	<1	0.15	13	<0.001	0.05	0.002	0.01	<0.1	0.4	2	<0.1	2.4	0.2	<0.1	<1	<1	<0.1
1401856	Rock	38.84	0.019	2.2	<1	0.16	15	0.003	0.10	0.002	0.04	<0.1	0.8	3	<0.1	3.2	0.2	<0.1	<1	<1	0.5
1401857	Rock	0.26	0.006	10.2	6	0.09	51	0.030	1.36	0.853	0.02	<0.1	26.0	21	0.2	3.0	0.9	<0.1	<1	<1	7.1
1401858	Rock	38.97	0.020	1.4	<1	0.12	10	<0.001	0.05	0.005	0.01	<0.1	0.6	2	<0.1	2.6	0.2	<0.1	<1	<1	0.3
1401859	Rock	38.51	0.028	3.4	<1	0.21	34	0.008	0.17	0.005	0.07	<0.1	2.5	5	<0.1	3.7	0.6	<0.1	<1	<1	0.4
1401860	Rock	39.33	0.034	2.8	<1	0.13	30	0.009	0.21	0.009	0.07	0.2	2.0	4	<0.1	3.9	0.5	<0.1	<1	<1	0.7
1401861	Rock	39.78	0.030	1.9	<1	0.24	12	0.003	0.09	0.006	0.03	<0.1	1.1	3	<0.1	1.9	0.3	<0.1	<1	<1	0.6
1401862	Rock	39.49	0.024	1.7	<1	0.26	10	<0.001	0.07	0.002	0.01	<0.1	0.6	2	<0.1	2.2	0.1	<0.1	<1	<1	0.2
1401863	Rock	>40	0.034	2.6	1	0.17	17	0.010	0.23	0.003	0.08	<0.1	2.0	4	<0.1	3.9	0.4	<0.1	<1	<1	0.6
1401864	Rock	0.41	0.020	19.6	14	0.39	120	0.148	2.08	0.115	0.74	0.6	46.8	39	1.2	7.2	5.6	0.3	1	5	11.0
1401865	Rock	39.23	0.018	1.2	<1	0.11	9	<0.001	0.03	0.001	<0.01	<0.1	1.0	2	<0.1	2.6	<0.1	<0.1	<1	<1	0.1
1401866	Rock	3.80	0.183	37.4	192	3.89	1205	1.190	7.59	2.853	1.43	1.1	56.9	68	1.3	19.4	37.5	1.9	2	15	41.9
1401867	Rock	37.49	0.020	0.4	<1	1.82	12	0.002	0.02	0.011	<0.01	<0.1	0.5	<1	<0.1	0.9	0.1	<0.1	<1	<1	0.2
1401868	Rock	39.67	0.024	0.6	<1	0.15	12	0.001	0.09	0.002	<0.01	<0.1	0.5	1	<0.1	1.5	0.2	<0.1	<1	<1	<0.1
1401869	Rock	38.29	0.030	0.9	<1	0.22	8	<0.001	0.01	<0.001	<0.01	<0.1	0.5	1	<0.1	1.4	<0.1	<0.1	<1	<1	<0.1
1401870	Rock	37.07	0.023	0.9	<1	0.20	19	0.001	0.09	0.002	<0.01	<0.1	0.5	1	<0.1	1.5	0.1	<0.1	<1	<1	0.3
1401871	Rock	>40	0.015	1.2	<1	0.16	20	<0.001	0.08	0.001	0.02	<0.1	0.4	2	<0.1	1.7	0.1	<0.1	<1	<1	0.1
1401872	Rock	39.64	0.027	0.9	<1	0.16	13	<0.001	0.06	<0.001	<0.01	<0.1	0.7	1	<0.1	1.7	0.1	<0.1	<1	<1	<0.1
1401873	Rock	39.21	0.018	0.7	<1	0.15	9	<0.001	0.04	0.001	<0.01	<0.1	0.3	1	<0.1	1.3	0.1	<0.1	<1	<1	0.1
1401874	Rock	0.79	0.013	10.5	6	0.19	24	0.039	1.99	1.058	0.05	0.2	41.4	20	0.3	4.4	1.2	<0.1	<1	<1	8.3
1401875	Rock	0.12	0.012	14.1	8	<0.01	38	0.032	2.11	1.605	0.05	0.1	37.7	30	0.2	3.6	1.0	<0.1	<1	1	4.5
1401876	Rock	>40	0.019	0.9	1	0.20	15	0.002	0.04	0.007	<0.01	<0.1	1.2	2	<0.1	1.4	0.2	<0.1	<1	<1	0.3
1401877	Rock	39.45	0.011	3.0	<1	0.11	26	<0.001	0.06	0.004	<0.01	<0.1	0.9	6	<0.1	4.3	0.1	<0.1	<1	<1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

CERTIFICATE OF ANALYSIS

WHI11001574.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1401852	Rock	<0.1	0.2	<0.1
1401853	Rock	<0.1	<0.1	<0.1
1401854	Rock	<0.1	0.2	<0.1
1401855	Rock	<0.1	<0.1	<0.1
1401856	Rock	<0.1	1.0	<0.1
1401857	Rock	<0.1	1.2	0.8
1401858	Rock	<0.1	0.1	<0.1
1401859	Rock	<0.1	2.2	<0.1
1401860	Rock	<0.1	2.5	<0.1
1401861	Rock	<0.1	0.9	<0.1
1401862	Rock	<0.1	0.2	<0.1
1401863	Rock	<0.1	2.6	<0.1
1401864	Rock	<0.1	40.2	1.3
1401865	Rock	<0.1	0.1	<0.1
1401866	Rock	<0.1	34.4	1.6
1401867	Rock	<0.1	<0.1	<0.1
1401868	Rock	<0.1	<0.1	<0.1
1401869	Rock	<0.1	<0.1	<0.1
1401870	Rock	<0.1	<0.1	<0.1
1401871	Rock	<0.1	0.2	<0.1
1401872	Rock	<0.1	<0.1	<0.1
1401873	Rock	<0.1	<0.1	<0.1
1401874	Rock	<0.1	2.2	1.1
1401875	Rock	<0.1	2.3	1.1
1401876	Rock	<0.1	<0.1	<0.1
1401877	Rock	<0.1	<0.1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001574.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1401860	Rock	0.26	<0.005	0.2	1.2	1.5	3	<0.1	4.6	0.5	198	0.15	8	1.3	<0.1	0.4	3165	<0.1	2.3	<0.1	3
REP 1401860	QC			0.1	1.3	1.5	3	<0.1	3.6	0.5	190	0.11	8	1.2	<0.1	0.4	3015	<0.1	2.1	<0.1	3
Core Reject Duplicates																					
1401869	Rock	0.27	<0.005	<0.1	0.3	0.3	<1	<0.1	3.8	<0.2	85	0.06	1	0.5	<0.1	<0.1	326	<0.1	<0.1	<0.1	<1
DUP 1401869	QC		<0.005	<0.1	0.4	0.5	2	<0.1	3.4	<0.2	90	0.06	<1	0.6	<0.1	<0.1	347	<0.1	<0.1	<0.1	<1
Reference Materials																					
STD OREAS24P	Standard			1.6	53.0	3.1	121	<0.1	142.4	47.2	1156	7.59	1	0.8	<0.1	3.2	385	0.1	0.1	<0.1	164
STD OREAS45C	Standard			2.1	614.9	28.9	87	0.3	328.0	104.3	1166	18.29	10	2.7	<0.1	12.3	43	0.3	0.9	0.3	266
STD OXH82	Standard		1.381																		
STD OXH82	Standard		1.190																		
STD OXK79	Standard		3.446																		
STD OXK79	Standard		3.275																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
Prep Wash																					
G1	Prep Blank		<0.005	0.2	3.6	23.8	61	<0.1	2.9	4.7	818	2.41	<1	3.4	<0.1	9.2	793	<0.1	<0.1	0.2	48
G1	Prep Blank		<0.005	0.2	3.5	22.8	60	<0.1	2.9	5.2	807	2.38	<1	3.0	<0.1	8.8	787	<0.1	<0.1	0.1	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001574.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1401860	Rock	39.33	0.034	2.8	<1	0.13	30	0.009	0.21	0.009	0.07	0.2	2.0	4	<0.1	3.9	0.5	<0.1	<1	<1	0.7
REP 1401860	QC	38.18	0.032	2.4	<1	0.12	29	0.008	0.20	0.008	0.06	0.2	2.1	4	0.1	5.5	1.6	<0.1	<1	<1	0.8
Core Reject Duplicates																					
1401869	Rock	38.29	0.030	0.9	<1	0.22	8	<0.001	0.01	<0.001	<0.01	<0.1	0.5	1	<0.1	1.4	<0.1	<0.1	<1	<1	<0.1
DUP 1401869	QC	39.27	0.031	0.9	<1	0.23	12	<0.001	0.02	<0.001	<0.01	<0.1	0.2	1	<0.1	1.4	0.2	<0.1	<1	<1	<0.1
Reference Materials																					
STD OREAS24P	Standard	5.96	0.133	20.0	199	4.16	289	1.098	7.75	2.480	0.66	0.5	135.6	38	1.7	24.1	19.2	1.2	1	21	8.2
STD OREAS45C	Standard	0.48	0.050	29.0	856	0.28	300	1.176	7.40	0.107	0.36	1.1	170.1	54	3.2	14.4	23.0	1.5	1	63	16.5
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
STD OXH82 Expected																					
STD OXK79 Expected																					
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	2.56	0.087	29.6	5	0.61	1258	0.300	8.53	2.862	1.96	0.2	12.6	61	1.8	17.8	29.0	1.6	3	6	37.4
G1	Prep Blank	2.51	0.088	29.9	5	0.61	1181	0.290	8.07	2.829	1.84	0.2	10.8	61	1.7	17.0	28.9	1.5	3	5	36.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Argus Metals Corp.**
Suite 350 - 580 Hornby St.
Vancouver BC V6C 3B6 Canada

Project: Hyland
Report Date: November 29, 2011

QUALITY CONTROL REPORT WHI11001574.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
Pulp Duplicates				
1401860	Rock	<0.1	2.5	<0.1
REP 1401860	QC	<0.1	2.4	<0.1
Core Reject Duplicates				
1401869	Rock	<0.1	<0.1	<0.1
DUP 1401869	QC	<0.1	<0.1	<0.1
Reference Materials				
STD OREAS24P	Standard	<0.1	21.9	3.8
STD OREAS45C	Standard	<0.1	23.8	4.6
STD OXH82	Standard			
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
STD OXH82 Expected				
STD OXK79 Expected				
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
G1	Prep Blank	<0.1	70.7	0.7
G1	Prep Blank	<0.1	67.0	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Sample Number	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Moisture	Depth (cm)	Colour	Dominant Component	Site Rating	Comment	Job Number	Mo-ppm-1DX15	Cu-ppm-1DX15	Pb-ppm-1DX15	Zn-ppm-1DX15	Ag-ppm-1DX15	Ni-ppm-1DX15	Co-ppm-1DX15	Mn-ppm-1DX15	Fe-%-1DX15	As-ppm-1DX15	Au-ppb-1DX15	Th-ppm-1DX15	Sr-ppm-1DX15	Cd-ppm-1DX15	Sb-ppm-1DX15	Bi-ppm-1DX15	V-ppm-1DX15	Ca-%-1DX15	P-%-1DX15	La-ppm-1DX15	Cr-ppm-1DX15	Mg-%-1DX15	Ba-ppm-1DX15	Ti-%-1DX15	B-ppm-1DX15	Al-%-1DX15	Na-%-1DX15	K-%-1DX15	W-ppm-1DX15	Hg-ppm-1DX15	Sc-ppm-1DX15	Ti-ppm-1DX15	S-%-1DX15	Ga-ppm-1DX15	Se-ppm-1DX15	Te-ppm-1DX15
1108792	527565	6693024	1400	7/21/2011	dry	30-40	brown	clay	moderate		WHI11000844	1.0	19.0	20.7	74	<0.1	22.6	8.9	400	3.92	20.3	1.5	2.8	11	0.2	3.5	0.4	38	0.19	0.164	22	75	0.34	81	0.008	<1	1.39	0.005	0.07	<0.1	0.02	1.5	0.1	<0.05	4	<0.5	<0.2
1108793	527549	6693077	1398	7/21/2011	dry	40-50	brown	clay	moderate		WHI11000844	0.9	22.3	19.6	90	<0.1	41.7	14.2	466	3.73	16.9	1.9	6.4	13	0.3	2.2	0.4	40	0.21	0.119	27	34	0.53	108	0.015	<1	1.83	0.006	0.09	0.4	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1108794	527532	6693123	1395	7/21/2011	damp	30-40	brown	clay	moderate		WHI11000844	9.4	15.0	27.7	94	0.2	28.2	11.3	1354	4.15	22.8	0.9	4.2	16	0.3	2.2	0.3	52	0.17	0.221	14	34	0.26	1310	0.019	1	2.40	0.006	0.05	0.3	0.06	1.6	0.2	<0.05	5	2.1	<0.2
1108795	527536	6693176	1395	7/21/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	28.5	19.8	101	<0.1	50.3	18.4	529	3.92	17.9	0.7	8.2	11	0.2	2.4	0.3	30	0.14	0.109	40	34	0.59	130	0.010	<1	1.89	0.004	0.09	0.1	<0.01	2.1	0.2	<0.05	5	<0.5	<0.2
1108797	527548	6693227	1391	7/21/2011	damp	30-40	brown	clay	moderate		WHI11000844	1.0	25.4	20.9	121	0.1	35.8	15.1	387	3.72	14.4	0.9	7.0	9	0.2	1.7	0.3	32	0.09	0.107	32	32	0.43	106	0.010	<1	1.80	0.004	0.07	0.1	0.02	1.9	0.2	<0.05	5	<0.5	<0.2
1108798	527536	6693279	1395	7/21/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	19.2	19.4	150	0.2	48.8	14.3	458	3.91	15.7	<0.5	6.2	12	0.3	3.0	0.3	40	0.18	0.113	25	57	0.60	118	0.016	<1	1.92	0.005	0.07	0.2	0.04	2.5	0.3	<0.05	5	<0.5	<0.2
1108799	527523	6693324	1401	7/21/2011	damp	40-50	brown	clay	good		WHI11000844	0.7	30.8	17.5	71	<0.1	75.2	17.2	585	3.42	17.3	2.7	7.3	14	0.1	4.5	0.2	29	0.22	0.084	39	61	0.74	126	0.015	<1	1.19	0.005	0.06	0.1	0.05	2.9	0.1	<0.05	3	<0.5	<0.2
1108800	527542	6693375	1398	7/21/2011							WHI11000844	0.9	20.2	15.7	61	0.2	31.7	9.4	249	3.33	17.0	<0.5	5.8	8	0.1	5.4	0.3	39	0.08	0.070	29	45	0.41	91	0.008	<1	1.63	0.004	0.05	0.2	0.02	2.2	0.1	<0.05	5	<0.5	<0.2
1108801	527578	6692312	1479	7/21/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	32.9	41.0	131	0.1	38.0	19.1	964	4.85	74.5	5.7	4.7	9	0.2	4.4	0.4	36	0.07	0.066	32	40	0.71	124	0.007	<1	2.51	0.006	0.06	0.2	0.05	2.2	0.4	<0.05	7	<0.5	<0.2
1108802	527528	6692302	1455	7/21/2011	damp	60-70	brown	clay	good		WHI11000844	1.0	34.3	30.7	91	0.1	36.3	19.8	726	3.64	40.6	1.0	6.1	13	0.1	2.1	0.4	27	0.08	0.057	35	30	0.53	94	0.009	<1	1.76	0.004	0.07	0.1	0.03	2.0	0.2	<0.05	5	<0.5	<0.2
1108803	527478	6692294	1426	7/21/2011	damp	30-40	brown	clay	good		WHI11000844	1.2	25.4	24.7	110	0.2	43.8	18.7	756	4.07	61.2	0.9	2.4	12	0.4	2.9	0.3	42	0.13	0.069	26	48	0.69	127	0.010	<1	1.88	0.005	0.06	0.2	0.04	2.2	0.3	<0.05	5	<0.5	<0.2
1108804	527430	6692277	1420	7/21/2011	damp	40-50	brown	clay	moderate		WHI11000844	0.9	27.0	41.7	132	0.1	40.4	21.1	850	4.30	123.3	2.3	6.0	9	0.3	7.1	0.3	31	0.09	0.072	28	37	0.64	80	0.006	<1	1.98	0.005	0.04	0.2	0.07	2.3	0.6	<0.05	5	<0.5	<0.2
1108805	527386	6692269	1411	7/21/2011	damp	40-50	brown	clay	good		WHI11000844	0.8	34.0	55.1	138	0.1	39.7	21.4	916	4.64	102.5	5.6	8.7	10	0.3	6.1	0.4	34	0.08	0.061	38	38	0.70	139	0.005	<1	2.30	0.005	0.06	0.1	0.07	2.9	0.5	<0.05	6	<0.5	<0.2
1108806	527312	6692251	1411	7/21/2011	damp	40-50	brown	clay	moderate		WHI11000844	0.8	20.1	19.5	123	<0.1	28.2	12.1	523	3.85	33.4	1.2	4.5	10	0.3	2.7	0.4	35	0.08	0.074	27	35	0.54	119	0.008	<1	2.12	0.005	0.07	0.1	0.02	1.9	0.2	<0.05	6	<0.5	<0.2
1108807	527259	6692252	1422	7/21/2011	damp	40-50	brown	clay	moderate		WHI11000844	0.9	24.0	24.2	97	0.4	39.1	16.3	580	3.74	38.6	0.9	7.2	14	0.2	2.7	0.4	37	0.24	0.074	32	38	0.60	196	0.011	<1	2.53	0.006	0.07	0.1	0.06	3.5	0.2	<0.05	6	<0.5	<0.2
1108808	527211	6692266	1420	7/21/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.7	13.6	15.5	93	0.1	23.5	9.4	515	3.33	22.6	3.2	4.2	10	0.2	1.5	0.3	38	0.36	0.047	20	31	0.49	159	0.018	1	1.79	0.006	0.05	0.2	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1108809	527191	6692270	1413	7/21/2011	damp		brown	clay	good		WHI11000844	1.0	22.3	99.5	201	4.7	36.8	12.5	1424	3.71	316.0	9.3	6.5	12	1.0	11.0	0.3	38	1.05	0.124	31	34	0.50	158	0.005	1	1.91	0.006	0.07	0.3	1.62	5.5	2.6	<0.05	5	0.8	<0.2
1108810	527131	6692290	1385	7/21/2011	damp	30-40	brown	clay	moderate		WHI11000844	1.1	8.8	15.5	70	0.1	19.3	8.4	305	2.91	12.1	1.6	3.1	7	0.2	0.7	0.3	38	0.07	0.065	19	29	0.53	73	0.021	<1	1.75	0.003	0.03	0.2	0.01	1.8	0.1	<0.05	5	<0.5	<0.2
1108811	527076	6692288	1393	7/21/2011	damp	30-40	brown	clay	good		WHI11000844	0.7	36.4	24.3	91	0.2	61.6	19.4	686	3.48	57.7	4.9	9.8	9	0.2	4.9	0.4	24	0.05	0.042	36	37	0.57	171	0.005	<1	1.82	0.004	0.05	0.1	0.03	2.4	0.1	<0.05	4	<0.5	<0.2
1108813	527026	6692293	1391	7/21/2011	damp	20-30	brown	clay	moderate	50% clay/gravel	WHI11000844	0.6	30.2	23.8	93	0.2	40.6	15.4	594	3.31	50.2	1.5	9.9	9	0.2	4.4	0.4	24	0.03	0.039	34	32	0.54	113	0.004	<1	1.69	0.004	0.05	<0.1	<0.01	1.7	0.1	<0.05	4	<0.5	<0.2
1108814	526435	6693065	1113	7/23/2011	damp	40-50	brown	sand	poor		WHI11001014	0.6	31.9	74.2	100	2.7	30.5	12.4	797	3.16	145.6	21.3	4.2	46	0.6	23.0	0.3	23	2.30	0.105	39	18	0.28	88	0.005	1	1.19	0.005	0.05	0.4	0.14	4.4	0.2	<0.05	3	<0.5	<0.2
1108815	526394	6693106	1102	7/23/2011	damp	40-50	brown	clay	moderate		WHI11001014	0.7	20.8	52.3	97	0.5	30.3	12.3	856	3.07	77.1	5.7	3.5	45	0.4	9.3	0.2	28	1.90	0.138	39	23	0.40	153	0.015	<1	1.37	0.007	0.04	0.4	0.08	4.1	0.1	<0.05	3	0.7	<0.2
1108816	526343	6693126	1105	7/23/2011	damp	40-50	brown	clay	moderate		WHI11001014	1.0	20.7	30.0	110	0.1	30.8	10.5	425	3.33	39.1	<0.5	6.7	13	0.4	8.2	0.3	31	0.21	0.095	21	23	0.45	107	0.009	<1	1.42	0.004	0.06	0.4	0.04	2.2	0.2	<0.05	4	<0.5	<0.2
1108817	526289	6693136	1108	7/23/2011	damp	40-50	brown	gravel	poor		WHI11001014	0.9	18.2	31.0	125	0.3	32.3	11.9	277	3.77	50.3	<0.5	6.9	14	0.6	7.8	0.3	43	0.27	0.059	22	27	0.44	146	0.026	2	1.80	0.006	0.06	0.2	0.03	2.5	0.2	<0.05	5	<0.5	<0.2
1108818	526236	6693122	1095	7/23/2011	damp	40-50	brown	clay	poor		WHI11001014	1.2	19.8	24.3	76	0.2	28.8	10.7	444	2.97	32.8	1.6	7.1	14	0.5	2.6	0.3	34	0.28	0.044	26	24	0.42	166	0.006	<1	1.64	0.005	0.06	0.2	0.04	2.5	0.2	<0.05	5	<0.5	<0.2
1108819	526180	6693120	1091	7/23/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.2	18.0	22.7	91	0.6	31.1	10.8	671	3.51	29.0	<0.5	7.7	15	0.6	2.7	0.3	33	0.27	0.088	20	25	0.32	143	0.021	4	1.97	0.006	0.05	0.3	0.05	2.4	0.1	<0.05	4	<0.5	<0.2
1108820	526124	6693114	1085	7/23/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.3	11.4	16.6	89	<0.1	20.9	8.1	220	2.93	14.4	<0.5	6.4	8	0.3	1.1	0.3	39	0.12	0.043	20	24	0.38	103	0.033	<1	1.06	0.004	0.06	0.3	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1108821	526081	6693156	1098	7/23/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.4	18.2	18.1	76	0.2	25.7	9.3	238	3.04	25.5	<0.5	6.5	11	0.4	1.5	0.3	34	0.15	0.074	21	22	0.42	130	0.011	1	1.25	0.004	0.07	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1108822	526050	6693196	1101	7/23/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.1	10.7	15.1	74	0.1	16.4	5.8	172	2.50	12.0	<0.5	5.9	8	0.4	1.4	0.2	34	0.07	0.052	21	20	0.31	98	0.019	1	1.05	0.005	0.06	0.2	0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
1108823	526052	6693264	1096	7/23/2011	damp	50-60	brown	clay	good		WHI11001014	0.9	23.8	26.2	95	0.4	31.7	11.1	559	3.10	27.9	0.6	8.1	20	0.4	6.6	0.3	34	0.56	0.080	28	24	0.39	213	0.025	2	1.36	0.006	0.08	0.3	0.05	2.7	0.2	<0.05	4	<0.5	<0.2
1108825	526030	6693304	1112	7/23/2011	damp	30-40	brown	clay	good		WHI11001014	1.3	26.4	20.2	80	0.5	22.0	7.7	353	2.64	23.7	1.3	4.6	23	0.8	1.3	0.3	30	0.34	0.092	25	23	0.31	324	0.003	<1	1.53	0.004	0.06	0.2	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
1108826	526005	6693250	1115	7/23/2011	damp	40-50	brown	clay	poor		WHI11001014	1.0	19.4	17.0	72	0.2	22.9	10.4	674	2.51	16.7	2.2	6.4	18	0.3	3.1	0.2	28	0.31	0.085	24	19	0.41	218	0.011	2	1.05	0.010	0.06	0.2	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2
1108827	525987	6693192	1100	7/23/2011	damp	50-60	brown	clay	moderate		WHI11001014	1.4	18.9	21.6	76	0.2	22.6	7.8	252	3.28	32.8	<0.5	6.7	8	0.5	2.3	0.3	35	0.08	0.101	22	22	0.33	133	0.011	<1	1.16	0.005	0.07	0.3	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
1108828	525936	6693215	1098	7/23/2011	damp	40-50	brown	clay	good		WHI11001014	0.8	8.9	10.3	57	0.4	14.4	5.1	179	2.14	7.2	1.1	5.2	8	0.1	0.7	0.2	35	0.07	0.046	17	22	0.31	92	0.022	1	1.17	0.005	0.05	0.2	0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1108829	525939	6693283	1101	7/23/2011	damp		brown	clay	poor		WHI11001014	1.5	13.5	12.8	60	<0.1	16.3	6.2	181	2.83	5.6	1.7	5.5	10	0.1	0.4	0.2	34	0.11	0.036	15	25	0.32	106	0.010	<1	0.98	0.005	0.05	0.2	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1108830	525901	6693251	1110	7/23/2011	damp	40-50	brown	gravel	poor		WHI11001014	1.2	24.9	20.1	85	0.1	27.3	10.7	453	3.53	20.3	<0.5	9.3	16	0.2	2.1	0.4	35	0.07	0.068	27	29	0.49	138	0.008	<1	1.67	0.009	0.06	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
1108831	525852	6693238	1102	7/23/2011	damp	30-40	brown	clay	good		WHI11001014	1.1	29.7	15.7	74	<0.1	18.9	7.9	319	3.67	8.3	1.5	10.3	22	<0.1	0.7	0.3	34	0.07	0.049	30	29	0.55	132	0.007	<1	1.81	0.013	0.05	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
1108832	525805	6693273	1098	7/23/2011	damp	40-50	brown	clay	moderate		WHI11001014	0.9	13.8	11.6	56	<0.1	17.5	5.8	180	2.42	12.9	3.9	5.2	11	<0.1	0.8	0.4	31	0.11	0.104	19	24	0.31	84	0.012	<1	1.11	0.004	0.05	0.2	0.01	1.7	<0.1	<0.05	4	0.7	<0.2
1108833	525782	6693322	1086	7/23/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.3	21.5	13.2	69	<0.1	21.4	8.7	246	3.08	10.3	0.9	9.1	15	0.1	1.0	0.3	33	0.06	0.071	24	30	0.46	107	0.012	<1	1.44	0.012	0.05	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1108834	525784	6693433	1101	7/24/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.1	15.7	14.6	81	<0.1	17.5	7.2	244	3.96	8.1	1.0	8.7	11	0.2	0.9	0.4	43	0.09	0.135	25	32	0.45	68	0.029	1	1.65	0.006	0.06	0.2	0.02	1.8	<0.1	<0.05	6	<0.5	<0.2
1108835	525773	6693544	1103	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.1	12.2	9.6	50	<0.1	17.5	6.1	207	2.02	6.8	3.0	5.1	9	0.1	0.9	0.2	34	0.09	0.032	18	21	0.38	105	0.010	<1	1.02	0.004	0.06	<0.1	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
1108836	525749	6693651	1090	7/24/2011	wet	70-80	brown	clay	good		WHI11001014	1.2	13.2	11.2	58	0.1	18.6	6.0	213	2.19	6.2	4.1	5.7	9	0.1	0.8	0.2	34	0.10	0.034	19	27	0.39	115	0.012	<1	1.18	0.005	0.07	0.1	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1108837	525747	6693650	1093	7/24/2011	wet	70-80	brown	clay	good		WHI11001014	1.2	14.1	11.6	62	0.1	22.0	6.4	236	2.28	6.4	1.9	5.5	11	0.2	0.9	0.2	37	0.10	0.036	20	27	0.42	121	0.012	1	1.25	0.005	0.07	0.2	0.02	2.2	<0.1	<0.05	4	0.6	<0.2
1108838	525807	6693730	1102	7/24/2011	wet	50-60	brown	clay	good		WHI11001014	1.2	15.2	11.4	67	0.1	19.5	5.9	208	2.15	6.2	3.0	5.6	10	0.3	0.7	0.2	32	0.11	0.037	19	25	0.38	131	0.008	<1	1.23	0.005	0.08	0.1	0.03	2.3	0.1	<0.05	3	<0.5	<0.2
1108839	525843	6693832	1102	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.3	12.7	12.3	60	0.1	20.2	5.4	205	1.86	5.4	0.8	1.5	8	0.2	0.7	0.2	28	0.08	0.037	15	25	0.29	98	0.008	1	0.89	0.004	0.07	<0.1	0.03	1.4	0.1	<0.05	3	<0.5	<0.2
1108840	525907	6693911	1109	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.1	14.8	12.0	56	0.1	20.4	7.2	284	2.22	6.2	0.5	5.5	11	0.3	1.2	0.2	35	0.12	0.038	20	27	0.43	138	0.011	<1	1.26	0.005	0.07	0.1	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
1108841	525910	6694010	1104	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	0.8	23.6	18.8	69	0.2	25.4	9.8	399	2.53	16.5	1.0	5.9	22	0.4	1.8	0.3	29	0.40	0.064	26	22	0.37	192	0.011	1	1.17	0.007	0.10	0.1	0.03	2.7	0.1	<0.05	3	0.8	<0.2
1108842	525819	6694046	1098	7/24/2011	damp	40-50	brown	clay	moderate		WHI11001014	1.3	16.8	11.6	63	0.2	24.9	7.0	221	2.38	9.6	2.8	2.4	10	0.3	1.3	0.2	32	0.09	0.040	19	27	0.39	101	0.010	<1	1.14	0.004	0.07	0.2	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1108843	525716	6694054	1100	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.2	17.6	13.0	74	0.1	24.6	9.1	287	2.63	8.7	0.7	7.3	12	0.2	1.0	0.2	31	0.12	0.048	27	26	0.44	119	0.011	1	1.32	0.005	0.08	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1108844	525624	6694085	1103	7/24/2011	damp	30-40	brown	clay	moderate		WHI11001014	1.2	10.3	9.7	60	0.1	16.0	5.3	210	2.04	5.9	0.6	3.5	10	0.2	0.6	0.2	31	0.11	0.044	19	21	0.38	99	0.016	1	1.07	0.005	0.08	0.1	<0.01	1.6	<0.1	<0.05	4	0.5	<0.2
1108845	525528	6694036	1084	7/24/2011	damp	30-40	brown	clay	good		WHI11001014	1.0	12.0	11.3	53	<0.1	22.6	7.1	247	2.26	6.2	1.2	6.2	12	0.2	0.7	0.2	36	0.13	0.040	20	29	0.47	114	0.018	<1	1.28	0.006	0.07	0.2	<0.01	2.2	<0.1	<0.05	4	0.9	<0.2
1108846	525510	6694126	1090	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.2	9.6	12.2	113	0.6	17.4	6.7	246	2.44	6.5	1.2	5.4	9	0.7	0.8	0.2	37	0.10	0.089	19	26	0.38	85	0.025	1	1.33	0.006	0.07	0.2	0.02	1.7	<0.1	<0.05	4	0.6	<0.2
1108847	525537	6694260	1109	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.5	14.7	10.5	60	<0.1	20.7	6.5	213	2.46	6.3	2.9	5.0	10	<0.1	1.0	0.2	37	0.09	0.031	17	27	0.43	130	0.010	<1	1.42	0.005	0.06	<0.1	<0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
1108849	525520	6694367	1111	7/24/2011	damp	50-60	brown	clay	good		WHI11001014	1.6	17.2	13.2	77	0.3	21.9	6.6	213	2.49	6.9	4.7	5.4	10	0.2	1.1	0.2	37	0.11	0.038	16	29	0.47	163	0.012	<1	1.54	0.005	0.08	0.1	0.03	2.6	0.1	<0.05	5	1.1	<0.2
1108850	525503	6694479	1109	7/24/2011	damp	40-50	brown	clay	good		WHI11001014	1.9	16.2	12.0	79	0.4	19.4	6.2	189	2.52	7.6	2.0	6.4	9	0.3	2.0	0.3	33	0.07	0.057	26	21	0.38	100	0.007	<1	1.18	0.004	0.07	0.2	0.03	1.9	0.1	<0.05	3	1.2	<0.2
1108883	563619	6703634	1433	7/21/2011	damp	70-80	brown	clay	good		WHI11000844	0.6	47.4	38.3	98	0.2	54.0	18.9	1080	3.70	38.4	3.5	9.4	23	0.2	4.2	0.4	24	0.83	0.094	37	32	0.60	178	0.003	<1	1.34	0.005	0.06	0.1	0.09	4.8	0.2	<0.05	3	<0.5	<0.2
1108884	527586	6692570		7/21/2011	damp	50-60	brown	clay	moderate		WHI11000844	1.0	55.1	32.8	83	0.5	59.5	18.4	973	3.19	52.0	5.2	5.4	19	0.3	3.3	0.2	47	0.42	0.056	20	94	1.02	157	0.011	<1	1.47	0.006	0.06	0.1	0.13	5.6	0.1	<0.05	4	0.7	<0.2
1108885	527573	6692521	1438	7/21/2011	damp	40-50	brown	sand	poor		WHI11000844	1.1	33.1	115.3	127	0.4	52.7	28.4	1463	4.10	60.8	6.0	11.2	127	0.6	7.7	2.7	55	0.68	0.338	25	49	0.90	157	0.071	2	4.74	0.044	0.10	1.0	0.12	7.2	0.3	<0.05	7	0.7	<0.2
1108886	527570	6692473	1444	7/21/2011	damp	40-50	brown	clay	moderate		WHI11000844	0.9	28.6	37.0	102	0.2	44.5	21.6	1030	3.84	71.6	2.5	3.1	23	0.2	4.7	0.4	37	0.33	0.091	28	42	0.59	134	0.011	<1	1.73	0.006	0.05	0.1	0.06	2.3	0.4	<0.05	5	<0.5	<0.2
1108888	527620	6692384	1474	7/21/2011	wet	30-40	brown	clay	moderate		WHI11000844	0.9	24.2	30.4	82	<0.1	28.6	14.3	655	3.77	45

Sample Number	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Moisture	Depth (cm)	Colour	Dominant Component	Site Rating	Comment	Job Number	Mo-ppm-1DX15	Cu-ppm-1DX15	Pb-ppm-1DX15	Zn-ppm-1DX15	Ag-ppm-1DX15	Ni-ppm-1DX15	Co-ppm-1DX15	Mn-ppm-1DX15	Fe-%-1DX15	As-ppm-1DX15	Au-ppb-1DX15	Th-ppm-1DX15	Sr-ppm-1DX15	Cd-ppm-1DX15	Sb-ppm-1DX15	Bi-ppm-1DX15	V-ppm-1DX15	Ca-%-1DX15	P-%-1DX15	La-ppm-1DX15	Cr-ppm-1DX15	Mg-%-1DX15	Ba-ppm-1DX15	Ti-%-1DX15	B-ppm-1DX15	Al-%-1DX15	Na-%-1DX15	K-%-1DX15	W-ppm-1DX15	Hg-ppm-1DX15	Sc-ppm-1DX15	Tl-ppm-1DX15	S-%-1DX15	Ga-ppm-1DX15	Se-ppm-1DX15	Te-ppm-1DX15
3109174	527860	6689333	1288	8/3/2011	damp	10-20.00	brown	clay	good		WHI11001132	0.7	8.7	17.2	76	0.6	13.7	5.5	346	3.18	9.3	1.1	4.5	9	<0.1	0.5	0.3	45	0.07	0.103	19	25	0.31	66	0.027	<1	1.38	0.005	0.05	0.2	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2
3109175	527959	6689381	1278	8/3/2011	damp	20-30	brown	clay	good		WHI11001132	0.8	27.0	42.7	110	1.3	28.6	9.7	469	4.94	27.5	1.2	8.9	9	0.1	1.2	0.4	31	0.03	0.067	27	35	0.57	57	0.013	<1	2.22	0.005	0.04	0.1	0.04	2.0	0.1	<0.05	6	<0.5	<0.2
3109176	528037	6689443	1285	8/3/2011	damp	20-30	brown	clay	good		WHI11001132	0.9	33.9	28.7	113	0.1	32.5	11.9	567	4.98	25.0	1.6	8.2	10	0.1	0.9	0.4	33	0.03	0.072	30	38	0.62	73	0.014	<1	2.38	0.006	0.05	0.1	0.02	2.3	0.1	<0.05	7	0.6	<0.2
3109177	528116	6689497	1287	8/3/2011	damp	30-40	brown	clay	moderate		WHI11001132	0.9	21.8	40.8	103	0.1	29.3	11.7	459	4.26	30.3	2.3	9.0	9	<0.1	1.0	0.4	36	0.04	0.067	28	35	0.55	77	0.020	2	2.14	0.008	0.06	0.1	0.02	2.4	0.1	<0.05	7	<0.5	<0.2
3109178	528248	6690005	1147	8/3/2011	damp	30-40	brown	clay	good		WHI11001132	0.9	13.9	28.0	55	0.7	13.3	4.2	193	2.58	32.5	0.7	5.9	9	<0.1	0.6	0.4	29	0.04	0.052	22	18	0.27	59	0.024	<1	1.27	0.006	0.04	0.2	0.02	1.5	0.1	<0.05	5	<0.5	<0.2
3109179	528328	6690073	1129	8/3/2011	damp	30-40	brown	clay	good		WHI11001132	0.7	7.1	24.3	60	0.7	7.5	4.2	233	3.21	12.5	0.5	5.8	7	0.1	0.5	0.3	45	0.04	0.083	20	21	0.18	66	0.050	<1	1.35	0.005	0.03	0.2	0.02	1.3	<0.1	<0.05	8	20	<0.5	<0.2
3109180	528432	6690081	1130	8/3/2011	damp	60-70	brown	clay	good		WHI11001132	0.7	20.7	39.3	89	0.5	21.7	8.1	443	4.74	62.2	1.0	10.8	10	<0.1	1.5	0.4	27	0.02	0.070	35	29	0.47	48	0.008	<1	2.08	0.007	0.05	0.1	0.02	1.9	0.2	<0.05	7	<0.5	<0.2
3109181	528520	6690005	1131	8/3/2011	damp	40-50	brown	clay	good		WHI11001132	1.0	21.8	45.7	119	0.3	24.4	8.9	399	3.67	40.1	2.1	11.0	10	0.1	0.9	0.4	30	0.04	0.057	29	30	0.50	72	0.026	<1	1.95	0.008	0.07	0.2	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
3109182	528625	6689953	1133	8/3/2011	damp	50-60	brown	clay	good		WHI11001132	0.7	28.4	65.0	129	0.4	34.1	11.5	566	5.58	98.9	1.8	13.0	8	<0.1	2.6	0.5	22	0.02	0.068	46	33	0.73	45	0.004	<1	2.56	0.008	0.07	<0.1	0.02	2.2	0.2	<0.05	8	<0.5	<0.2
3109183	528720	6689881	1130	8/3/2011	damp	30-40	brown	clay	good		WHI11001132	1.0	10.8	27.2	77	0.3	20.4	5.9	271	3.23	41.3	5.6	7.3	7	<0.1	0.7	0.3	30	0.06	0.069	25	28	0.49	47	0.019	<1	1.50	0.005	0.05	0.2	0.02	1.6	0.1	<0.05	5	<0.5	<0.2
3109185	528681	6689789	1139	8/2/2011	damp	30-40	brown	clay	good		WHI11001132	0.8	24.9	98.5	140	0.4	25.4	8.8	476	4.06	94.5	11.0	12.4	7	0.2	1.3	0.4	19	0.02	0.032	37	23	0.52	48	0.006	<1	1.79	0.006	0.06	0.3	0.02	1.6	0.3	<0.05	6	<0.5	<0.2
3109186	528635	6689697	1146	8/2/2011	damp	20-30	brown	clay	moderate		WHI11001132	0.6	31.8	197.6	138	0.4	30.3	15.6	781	4.52	518.8	133.1	12.0	9	0.2	2.1	0.5	18	0.04	0.052	38	28	0.59	43	0.003	<1	1.84	0.007	0.06	0.2	<0.01	1.9	0.1	<0.05	6	<0.5	<0.2
3109187	527453	6688897	1147	8/2/2011	damp	30-40	brown	clay	good		WHI11001132	0.8	22.0	19.4	71	0.1	30.0	14.4	576	3.34	19.8	0.6	6.5	11	0.1	0.8	0.3	29	0.11	0.058	23	30	0.46	55	0.037	<1	1.36	0.004	0.05	0.1	0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
3109188	527509	6689025	1144	8/2/2011	damp	50-60	brown	clay	good		WHI11001132	0.6	16.3	12.6	57	<0.1	20.9	7.6	275	2.27	8.9	3.0	6.0	11	0.1	0.5	0.2	26	0.10	0.049	21	23	0.38	106	0.019	<1	1.28	0.006	0.05	0.2	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
3109189	527435	6689120	1140	8/2/2011	damp	40-50	brown	clay	good		WHI11001132	0.6	13.7	13.9	73	0.2	26.2	8.7	238	2.58	10.6	<0.5	5.5	10	0.3	0.6	0.2	26	0.08	0.058	19	28	0.38	85	0.015	<1	1.47	0.006	0.06	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
3109190	527347	6689213	1153	8/2/2011	damp	50-60	brown	clay	good		WHI11001132	0.7	8.6	17.8	126	0.6	16.9	6.5	220	2.76	17.2	<0.5	5.8	10	0.5	0.5	0.3	38	0.07	0.076	22	28	0.36	69	0.042	<1	1.32	0.008	0.06	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
3109191	527253	6689281	1145	8/2/2011	damp	30-40	brown	clay	moderate		WHI11001132	0.8	13.8	11.5	61	<0.1	16.5	5.3	248	2.20	12.2	1.6	5.1	12	0.2	1.0	0.2	24	0.11	0.038	20	18	0.31	149	0.009	<1	1.00	0.005	0.06	0.1	<0.01	1.7	<0.1	<0.05	3	<0.5	<0.2
3109192	527191	6689372	1142	8/2/2011	damp	40-50	brown	clay	good		WHI11001132	0.6	20.0	14.3	60	<0.1	21.4	7.4	258	2.91	22.1	2.6	8.3	12	0.2	1.2	0.3	22	0.09	0.033	31	27	0.42	109	0.012	<1	1.34	0.008	0.06	<0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
3109193	527130	6689477	1144	8/2/2011	damp	30-40	brown	clay	poor	tag torn off	WHI11001132	1.6	15.1	29.7	75	0.3	9.1	4.1	156	3.14	16.2	0.7	6.6	20	0.3	1.3	0.4	29	0.04	0.088	32	16	0.13	60	0.027	<1	1.08	0.005	0.05	<0.1	0.02	1.1	<0.1	<0.05	6	<0.5	<0.2
3109194	527182	6689606	1153	8/2/2011	damp	50-60	brown	clay	good		WHI11001132	0.9	11.2	112.2	150	0.7	9.8	3.8	193	2.48	28.6	0.6	6.9	10	0.4	1.5	0.3	32	0.06	0.026	27	18	0.23	72	0.026	<1	1.15	0.004	0.06	0.2	0.02	1.3	0.2	<0.05	5	<0.5	<0.2
3109195	527280	6689662	1149	8/2/2011	damp	not given	brown	clay	moderate		WHI11001132	1.3	19.0	30.7	161	0.3	23.4	7.2	260	3.22	19.4	2.3	9.9	8	0.4	1.1	0.4	29	0.03	0.035	34	29	0.39	74	0.028	<1	1.50	0.006	0.06	0.1	0.02	1.8	0.1	<0.05	5	<0.5	<0.2
3109197	527370	6689728	1145	8/2/2011	damp	30-40	brown	clay	moderate		WHI11001132	1.3	17.0	104.0	125	0.2	11.4	3.2	164	2.47	69.0	<0.5	12.2	5	0.2	2.0	0.6	14	0.02	0.031	20	15	0.19	52	0.005	<1	1.09	0.005	0.07	0.6	0.02	1.1	0.3	<0.05	3	<0.5	<0.2
3109198	527488	6689756	1144	8/2/2011	damp	40-50	brown	clay	good		WHI11001132	0.8	16.7	138.7	119	0.9	9.6	4.0	185	2.20	83.5	<0.5	8.3	5	0.3	1.6	1.0	20	0.03	0.037	16	14	0.12	39	0.011	<1	1.10	0.003	0.05	0.2	0.02	1.0	0.3	<0.05	4	<0.5	<0.2
3109199	527607	6689766	1145	8/2/2011	damp	50-60	brown	clay	good		WHI11001132	0.8	25.3	89.9	126	0.5	20.5	7.4	404	3.82	94.0	0.9	12.2	6	0.2	2.1	0.5	16	0.02	0.037	29	23	0.43	37	0.002	<1	1.64	0.004	0.04	0.3	<0.01	1.6	0.2	<0.05	5	<0.5	<0.2
3109200	527752	6689738	1135	8/2/2011	damp	30-40	brown	clay	good		WHI11001132	0.7	27.3	55.5	118	0.3	25.6	12.7	579	3.38	47.1	<0.5	8.5	11	0.3	1.2	0.4	20	0.11	0.055	33	26	0.47	88	0.012	3	1.41	0.009	0.07	0.2	0.02	2.0	0.1	<0.05	5	0.7	<0.2
3109501	529322	6693986	1434	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.8	21.0	16.1	65	<0.1	22.3	11.0	259	3.31	9.7	1.0	7.4	5	<0.1	0.6	0.3	19	0.03	0.038	27	18	0.27	65	0.009	2	1.16	0.003	0.06	<0.1	0.03	1.4	<0.1	<0.05	3	<0.5	<0.2
3109502	529372	6693970	1438	7/22/2011	damp	20-30	brown	clay	good		WHI11000844	1.0	20.5	16.0	65	<0.1	23.6	8.6	294	3.19	9.1	0.7	6.4	6	0.2	0.6	0.3	26	0.04	0.041	24	20	0.28	94	0.012	1	1.24	0.003	0.07	0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
3109503	529419	6693967	1443	7/22/2011	damp	40-50	brown	clay	good		WHI11000844	0.6	20.8	16.6	70	<0.1	28.0	8.8	255	3.66	9.5	<0.5	6.6	6	0.2	0.7	0.3	21	0.05	0.053	25	21	0.34	79	0.011	2	1.41	0.003	0.06	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
3109504	529471	6693965	1454	7/22/2011	damp	40-50	brown	gravel	poor		WHI11000844	1.4	18.8	13.6	76	<0.1	25.5	11.8	807	3.13	14.8	<0.5	2.6	5	0.2	0.2	0.9	3	0.24	0.046	24	19	0.23	67	0.011	1	0.96	0.003	0.04	0.2	0.03	1.0	<0.1	<0.05	3	<0.5	<0.2
3109505	529517	6693944	1461	7/22/2011	damp	40-50	brown	clay	good		WHI11000844	0.6	21.1	15.4	69	<0.1	27.5	11.4	443	3.16	16.6	16.4	5.6	6	0.1	0.7	0.2	19	0.05	0.044	25	20	0.30	117	0.009	<1	1.30	0.003	0.07	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
3109506	529557	6693908	1462	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	21.4	11.9	65	<0.1	22.6	7.7	317	2.95	13.4	0.9	3.3	7	0.2	0.7	0.2	22	0.06	0.050	18	20	0.29	132	0.010	1	1.28	0.003	0.06	0.2	0.03	1.3	<0.1	<0.05	3	0.5	<0.2
3109507	529590	6693870	1465	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.7	18.6	12.6	56	<0.1	21.6	7.0	221	3.16	8.8	<0.5	4.5	5	0.1	0.7	0.2	19	0.04	0.045	28	17	0.26	81	0.010	<1	1.04	0.003	0.05	0.1	0.02	1.4	<0.1	<0.05	3	0.8	<0.2
3109508	529634	6693842	1471	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.8	15.4	11.2	47	0.1	18.0	7.2	259	3.38	9.8	1.1	1.7	4	<0.1	0.6	0.3	30	0.03	0.045	19	16	0.18	60	0.012	<1	0.99	0.003	0.04	0.2	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
3109509	529668	6693796	1474	7/22/2011	damp	30-40	brown	clay	poor		WHI11000844	1.0	16.0	13.2	58	<0.1	21.7	6.4	186	3.14	9.9	1.1	3.6	5	<0.1	0.7	0.2	24	0.04	0.042	19	20	0.30	63	0.011	1	1.27	0.003	0.05	0.2	0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
3109510	529700	6693755	1476	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	1.0	20.3	13.5	66	<0.1	24.8	7.8	273	3.73	12.0	0.6	3.7	6	<0.1	0.8	0.2	29	0.04	0.063	23	24	0.35	84	0.012	2	1.31	0.003	0.08	0.2	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2
3109511	529741	6693723	1478	7/22/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.9	17.3	14.9	66	<0.1	24.9	8.8	285	3.46	10.8	<0.5	2.4	5	<0.1	0.7	0.2	24	0.03	0.065	19	20	0.24	57	0.013	<1	1.21	0.003	0.05	0.2	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
3109513	529791	6693707	1472	7/22/2011	damp	30-40	brown	clay	poor		WHI11000844	0.8	13.7	15.3	44	<0.1	17.1	9.4	729	2.77	6.7	<0.5	2.2	3	<0.1	0.9	0.2	15	0.02	0.041	21	7	0.12	34	0.007	<1	0.61	0.003	0.03	0.1	0.01	0.8	<0.1	<0.05	2	<0.5	<0.2
3109514	529838	6693682	1468	7/22/2011	damp	30-40	brown	clay	good	50% clay/gravel	WHI11000844	0.7	22.7	16.9	63	0.1	26.9	10.3	317	3.33	9.5	<0.5	8.4	5	<0.1	0.7	0.3	18	0.03	0.033	32	20	0.35	66	0.008	<1	1.34	0.003	0.07	0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
3109515	529885	6693670	1470	7/22/2011	damp	40-50	brown	clay	good	50% clay/gravel	WHI11000844	0.7	20.2	14.9	57	<0.1	22.8	8.4	227	2.81	8.9	<0.5	7.5	5	0.2	0.7	0.3	18	0.03	0.029	35	18	0.27	66	0.013	1	1.17	0.003	0.06	<0.1	0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
3109516	529937	6693667	1458	7/22/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.8	19.4	13.8	56	<0.1	23.2	9.1	300	3.23	9.7	<0.5	6.4	4	<0.1	0.6	0.2	18	0.03	0.044	27	17	0.26	50	0.010	<1	1.08	0.002	0.05	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
3109517	529989	6693673	1462	7/22/2011	damp	50-60	brown	clay	good		WHI11000844	0.8	26.6	20.1	94	<0.1	38.7	9.6	244	4.30	7.6	<0.5	10.8	5	0.1	0.2	0.3	11	<0.01	0.018	46	24	0.91	31	0.001	<1	1.98	0.003	0.02	<0.1	0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
3109518	530041	6693677	1476	7/22/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.7	14.6	14.0	56	0.1	19.0	6.6	212	3.30	9.3	<0.5	3.7	5	<0.1	0.6	0.3	28	0.03	0.040	24	21	0.29	62	0.018	<1	1.35	0.003	0.05	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
3109519	530089	6693694	1476	7/22/2011	damp	30-40	brown	clay	poor		WHI11000844	1.1	14.6	16.2	51	<0.1	17.6	5.6	224	3.72	9.7	<0.5	2.0	6	<0.1	0.7	0.3	40	0.04	0.057	20	21	0.23	51	0.022	1	1.15	0.004	0.03	0.2	0.03	1.1	<0.1	<0.05	5	1.0	<0.2
3109520	530133	6693719	1477	7/22/2011	damp	20-30	brown	clay	good		WHI11000844	0.8	18.7	15.0	61	0.1	25.6	7.9	267	3.36	10.4	0.9	5.4	5	<0.1	0.6	0.2	19	0.04	0.035	26	19	0.26	58	0.012	1	1.20	0.003	0.05	0.1	0.02	1.2	<0.1	<0.05	3	0.7	<0.2
3109521	530182	6693730	1475	7/22/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.6	21.9	16.2	69	<0.1	30.2	9.6	324	3.55	10.9	<0.5	5.3	6	0.1	0.7	0.2	18	0.06	0.047	29	20	0.32	63	0.008	<1	1.25	0.006	0.06	0.1	0.02	1.2	<0.1	<0.05	3	<0.5	<0.2
3109522	530236	6693739	1477	7/22/2011	damp	40-50	brown	clay	moderate		WHI11000844	1.0	17.7	15.7	56	<0.1	19.2	6.5	209	4.94	14.6	1.1	2.3	5	<0.1	0.7	0.3	32	0.03	0.108	24	22	0.19	64	0.013	1	1.14	0.003	0.06	0.1	0.03	1.1	<0.1	0.05	4	0.8	<0.2
3109523	530269	6693776	1462	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	1.0	16.6	15.5	65	<0.1	22.1	8.3	330	3.48	10.0	<0.5	2.1	6	0.2	0.6	0.3	29	0.04	0.049	27	24	0.31	59	0.018	<1	1.32	0.004	0.06	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
3109525	530313	6693803	1459	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.8	22.5	19.2	72	<0.1	27.7	9.2	256	3.80	10.5	<0.5	5.4	6	<0.1	0.6	0.3	22	0.04	0.049	30	22	0.31	52	0.011	<1	1.58	0.004	0.06	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
3109526	530351	6693835	1454	7/22/2011	damp	40-50	brown	clay	moderate		WHI11000844	1.1	13.6	12.4	45	<0.1	15.3	4.8	134	2.23	8.7	<0.5	0.6	4	<0.1	0.5	0.3	28	0.03	0.046	22	14	0.15	41	0.008	<1	0.89	0.003	0.04	0.1	0.02	0.6	<0.1	<0.05	4	<0.5	<0.2
3109527	530368	6693880	1442	7/22/2011	damp	40-50	brown	clay	poor		WHI11000844	0.7	14.4	13.6	41	<0.1	14.9	5.2	188	2.48	8.9	<0.5	0.6	5	<0.1	0.5	0.2	27	0.05	0.061	17	18	0.17	45	0.012	<1	1.22	0.004	0.03	0.1	0.04	0.7	<0.1	0.05	4	<0.5	<0.2
3109528	530412	6693910	1438	7/22/2011	damp	30-40	brown	clay	poor		WHI11000844	0.7	23.9	17.6	71	<0.1	28.3	8.4	211	3.66	9.7	<0.5	5.3	5	<0.1	0.6	0.3	16	0.02	0.044	33	17	0.23	54	0.005	<1	1.06	0.003	0.04	<0.1	<0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
3109529	530457	6693932	1433	7/22/2011	damp	40-50	brown	clay	poor		WHI11000844	1.2	13.6	18.0	52	0.2	15.8	4.9	195	3.71	10.3	1.0	1.0	8	0.1	0.6	0.3	42	0.11	0.135	17	20	0.19	55	0.017	<1	1.18	0.004	0.03	0.2	0.03	0.9	<0.1	<0.05	5	0.5	<0.2
3109530	530502	6693955	1429	7/22/2011	damp	30-40	brown	clay	moderate		WHI11000844	0.8	15.1	15.5	57	0.1	19.3	6.3	189	3.26	7.7	<0.5	1.9	6	0.1	0.4	0.3	28	0.04	0.050	27	20	0.22	63	0.014	<1	1.18	0.003	0.04	0.1	0.03	1.2	<0.1	<0.05	4	0.7	<0.2
3109531	530552	6693967	1434	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.7	14.1	13.6	50	<0.1	19.2	6.4	169	2.84	7.9	<0.5	1.9	5	<0.1	0.4	0.2	20	0.03	0.049	25	17	0.22	44	0.010	<1	1.06	0.003	0.04	0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
3109532	530604	6693958	1437	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.7	18.1	15.6	59	0.1	23.1	7.9	186	3.45	9.6	1.2	5.8	5	<0.1	0.6	0.2	19	0.03	0.045	30	18	0.24	48	0.010	<1	1.15	0.003	0.05	<0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
3109533	530654	6693978	1453	7/22/2011	damp	20-30	brown	clay	moderate		WHI11000844	0.9	18.4	16.4	68	<0.1	24.7	7.5	204	3.86	9.8	1.2	4.8	5	<0.1	0.6	0.3	27	0.03	0.050	28	21	0.29	65	0.012	<1	1.39	0.004	0.06	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
3109534	530682	6694015	1445	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.8	21.7	21.6	59	0.1	26.3	9.4	243	4.33	13.0	2.3	7.1	5	0.1	0.8	0.3	40	0.03	0.060	26	20	0.23	68	0.005	1	1.25	0.003	0.06	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
3109535	530704	6694061	1425	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	13.0	14.8	48	<0.1	16.7	5.7	245	2.64	8.0	2.3	2.2	6	<0.1	0.6	0.4	31	0.03	0.042	22	18	0.27	46	0.015	<1	1.04	0.003	0.03	0.1	0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
3109536	530704	6694061	1426	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.9	24.4	20.1	70	<0.1	28.4	13.1	361	3.17	9.5	<0.5	6.6	7	<0.1	0.7	0.4	24	0.04	0.043	28	21	0.38	65	0.013	<1	1.26	0.003	0.05	0.1	0.01	1.6	<0.1	<0.05	4	0.6	<0.2
3109537	530725	6694112	1418	7/22/2011	damp	30-40	brown	clay	good		WHI11000844	0.5	20.4	15.2	54	<0.1	23.2	7.7

Sample Number	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Moisture	Depth (cm)	Colour	Dominant Component	Site Rating	Comment	Job Number	Mo-ppm-1DX15	Cu-ppm-1DX15	Pb-ppm-1DX15	Zn-ppm-1DX15	Ag-ppm-1DX15	Ni-ppm-1DX15	Co-ppm-1DX15	Mn-ppm-1DX15	Fe-%-1DX15	As-ppm-1DX15	Au-ppb-1DX15	Th-ppm-1DX15	Sr-ppm-1DX15	Cd-ppm-1DX15	Sb-ppm-1DX15	Bi-ppm-1DX15	V-ppm-1DX15	Ca-%-1DX15	P-%-1DX15	La-ppm-1DX15	Cr-ppm-1DX15	Mg-%-1DX15	Ba-ppm-1DX15	Ti-%-1DX15	B-ppm-1DX15	Al-%-1DX15	Na-%-1DX15	K-%-1DX15	W-ppm-1DX15	Hg-ppm-1DX15	Sc-ppm-1DX15	Tl-ppm-1DX15	S-%-1DX15	Ga-ppm-1DX15	Se-ppm-1DX15	Te-ppm-1DX15
1109674	528070	6694397	1150	7/27/2011	damp	30-40	brown	clay	poor		WHI11001013	0.8	15.7	14.9	81	0.2	20.8	8.7	311	2.17	6.7	0.8	4.5	18	0.3	0.5	0.3	26	0.25	0.059	21	19	0.32	165	0.009	1	0.97	0.007	0.06	0.1	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
1109675	527980	6694334	1155	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	1.0	18.7	18.8	70	0.2	24.2	8.2	471	2.23	9.9	1.4	4.6	26	0.3	1.1	0.2	25	0.43	0.065	19	21	0.32	167	0.008	<1	0.93	0.008	0.06	0.2	0.04	2.2	<0.1	<0.05	3	0.7	<0.2
1109676	527890	6694394	1144	7/27/2011	damp	20-30	brown	clay	good		WHI11001013	0.7	22.7	20.6	69	0.1	25.4	9.5	632	2.46	14.9	2.4	4.8	23	0.3	1.5	0.3	23	0.38	0.073	27	19	0.33	151	0.009	<1	1.08	0.007	0.07	0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
1109677	527852	6694491	1151	7/27/2011	damp	30-40	brown	clay	poor		WHI11001013	0.6	19.7	17.1	74	0.2	22.0	8.1	340	2.03	8.6	1.5	3.8	40	0.4	0.8	0.2	23	0.66	0.068	19	17	0.29	102	0.008	<1	0.98	0.009	0.06	0.2	0.05	2.0	<0.1	0.06	3	0.7	<0.2
1109678	527786	6694576	1143	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	0.8	16.8	16.6	70	<0.1	20.9	9.1	403	2.39	12.1	3.7	3.8	20	0.1	1.3	0.3	26	0.30	0.062	23	20	0.31	107	0.008	<1	0.99	0.006	0.06	0.2	0.04	2.0	<0.1	<0.05	3	<0.5	<0.2
1109679	527701	6694634	1149	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	0.7	19.3	17.7	63	0.1	21.5	8.3	400	2.23	14.7	2.5	3.7	36	0.2	1.5	0.3	23	0.60	0.071	23	19	0.29	126	0.009	1	0.98	0.006	0.05	0.1	0.06	2.1	<0.1	0.05	3	0.6	<0.2
1109680	527667	6694725	1147	7/27/2011	damp	30-40	brown	clay	moderate		WHI11001013	0.8	19.5	17.8	70	0.1	25.8	8.4	336	2.31	9.8	0.7	4.0	29	0.3	0.9	0.3	34	0.43	0.051	24	27	0.33	214	0.017	<1	1.25	0.007	0.06	0.2	0.04	2.6	<0.1	<0.05	4	0.5	<0.2
1109681	527604	6694802	1152	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	1.0	33.7	23.3	87	<0.1	35.4	13.1	517	3.43	17.0	0.7	9.0	14	0.3	1.3	0.3	28	0.18	0.077	34	23	0.39	157	0.009	1	1.33	0.008	0.08	0.2	0.03	3.3	0.1	<0.05	3	<0.5	<0.2
1109682	527511	6694848	1154	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	1.0	17.0	16.5	81	<0.1	23.3	8.4	257	2.58	11.2	0.9	8.1	12	<0.1	0.9	0.3	37	0.13	0.042	26	29	0.45	146	0.021	<1	1.44	0.005	0.06	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
1109683	527456	6694768	1157	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	1.2	18.7	15.6	54	<0.1	17.8	5.9	163	2.30	12.0	1.1	7.7	9	0.2	1.3	0.3	34	0.06	0.023	27	24	0.29	127	0.013	<1	1.29	0.005	0.06	0.2	0.02	2.1	0.1	<0.05	4	<0.5	<0.2
1109685	527351	6694736	1126	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	0.9	19.8	22.4	69	<0.1	19.7	6.9	273	2.56	18.6	5.5	5.2	10	0.2	1.9	0.3	24	0.08	0.045	30	13	0.26	142	0.005	<1	1.12	0.006	0.09	0.2	0.02	1.9	<0.1	<0.05	3	<0.5	<0.2
1109686	527244	6694730	1152	7/27/2011	damp	30-40	brown	clay	moderate		WHI11001013	1.0	20.7	15.3	71	0.1	19.1	5.9	202	2.24	12.8	1.4	2.8	10	0.2	1.1	0.3	24	0.08	0.036	26	16	0.25	146	0.007	1	0.97	0.006	0.09	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109687	527252	6694835	1160	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	0.7	26.0	17.8	67	<0.1	23.1	10.0	368	2.55	15.0	2.2	8.9	13	0.2	1.4	0.3	22	0.12	0.046	32	16	0.28	149	0.012	1	0.94	0.008	0.09	0.1	0.03	2.6	<0.1	<0.05	3	<0.5	<0.2
1109688	527252	6694941	1149	7/27/2011	damp	30-40	brown	clay	poor		WHI11001013	0.9	28.6	20.0	71	<0.1	26.8	10.4	355	2.84	17.1	3.4	11.9	11	0.2	1.5	0.3	22	0.09	0.047	38	18	0.32	103	0.015	<1	0.97	0.008	0.07	0.1	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2
1109689	527249	6695057	1149	7/27/2011	damp	30-40	brown	clay	moderate		WHI11001013	0.8	23.3	16.9	60	<0.1	20.8	8.6	309	2.54	13.7	1.7	9.5	9	0.1	2.0	0.3	22	0.09	0.045	32	17	0.29	86	0.010	<1	0.85	0.005	0.06	0.1	0.01	1.9	<0.1	<0.05	3	0.5	<0.2
1109690	526892	6695092	1051	7/28/2011	damp	45-55	brown	clay	good		WHI11001013	1.7	21.7	18.4	65	0.2	25.4	10.7	451	2.17	7.1	1.1	6.0	25	0.3	0.8	0.2	28	0.41	0.057	25	21	0.30	255	0.017	1	0.99	0.011	0.07	0.1	0.04	3.1	<0.1	<0.05	3	0.9	<0.2
1109691	526812	6696045	1076	7/28/2011	damp	25-35	brown	clay	good		WHI11001013	1.0	17.4	13.3	51	<0.1	20.3	6.5	211	2.16	8.0	1.8	9.2	11	0.1	1.1	0.2	30	0.09	0.043	29	25	0.38	108	0.029	1	1.19	0.008	0.06	0.2	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1109692	526736	6696116	1057	7/28/2011	damp	25-35	brown	clay	good		WHI11001013	0.9	16.9	12.4	48	0.1	19.0	7.0	213	2.03	7.5	<0.5	7.8	9	0.3	0.9	0.2	33	0.06	0.035	22	19	0.26	145	0.021	1	1.13	0.009	0.06	0.1	0.02	2.4	<0.1	<0.05	4	0.7	<0.2
1109693	526676	6696210	1069	7/28/2011	damp	35-45	brown	clay	good		WHI11001013	1.1	15.6	15.3	65	0.1	18.6	6.4	218	2.42	7.6	9.2	7.9	10	0.1	0.6	0.3	38	0.07	0.031	23	26	0.36	131	0.030	<1	1.45	0.007	0.08	0.2	0.04	2.6	0.1	<0.05	5	0.6	<0.2
1109694	526590	6696274	1068	7/28/2011	damp	35-45	brown	clay	good		WHI11001013	0.8	24.0	16.5	59	<0.1	26.9	8.5	367	2.34	8.4	4.3	8.5	14	0.2	0.9	0.3	28	0.16	0.044	28	21	0.35	164	0.019	1	1.00	0.009	0.07	0.2	0.03	2.6	<0.1	<0.05	3	<0.5	<0.2
1109695	526499	6696321	1068	7/28/2011	damp	35-45	brown	clay	good		WHI11001013	1.1	16.3	13.7	57	0.1	19.0	6.5	261	2.13	6.9	2.1	7.6	12	0.2	0.7	0.2	33	0.13	0.047	26	25	0.38	131	0.028	<1	1.23	0.007	0.07	0.2	0.02	2.5	<0.1	<0.05	4	0.6	<0.2
1109697	528866	6696773	1449	7/28/2011	damp	25-35	brown	clay	good		WHI11001131	1.3	27.9	18.7	67	<0.1	27.0	9.3	226	3.29	9.4	2.9	6.2	6	<0.1	0.6	0.7	29	0.03	0.045	24	31	0.55	60	0.008	<1	1.54	0.002	0.05	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1109698	528927	6696848	1452	7/28/2011	damp	25-35	brown	clay	moderate		WHI11001131	1.2	31.7	16.9	77	0.1	49.8	16.0	428	3.70	7.5	1.6	5.7	6	0.1	0.5	0.3	53	0.04	0.040	18	53	1.05	89	0.021	<1	2.29	0.004	0.05	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5	<0.2
1109699	529000	6696924	1478	7/28/2011	damp	30-40	brown	clay	poor		WHI11001131	1.2	15.0	16.0	50	0.1	11.9	4.4	226	2.52	8.0	1.7	2.8	5	0.1	0.5	0.3	29	0.02	0.038	20	16	0.22	45	0.011	<1	1.08	0.002	0.04	0.2	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
1109700	529079	6696987	1489	7/28/2011	damp	30-40	brown	gravel	poor		WHI11001131	0.7	23.8	26.1	53	<0.1	19.8	5.9	137	2.98	5.4	1.2	10.8	3	<0.1	0.5	0.1	12	<0.01	0.048	26	12	0.17	27	0.002	<0.1	1.06	0.002	0.02	<0.1	<0.01	1.0	<0.1	<0.05	2	<0.5	<0.2
1109701	529049	6695634	917	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.9	22.6	17.0	60	0.2	26.4	8.7	549	2.08	6.3	1.9	2.7	61	0.3	0.6	0.2	23	0.87	0.060	19	26	0.35	124	0.011	2	1.05	0.009	0.06	0.1	0.04	2.0	<0.1	0.06	3	0.8	<0.2
1109702	528947	6695629	1178	7/27/2011	damp	70-80	brown	clay	good		WHI11001013	1.0	24.7	24.3	66	0.2	28.5	10.4	669	2.48	6.6	3.8	3.8	39	0.2	0.4	0.3	28	0.43	0.055	23	31	0.39	156	0.010	1	1.23	0.009	0.08	0.1	0.05	2.4	<0.1	<0.05	4	0.6	<0.2
1109703	528859	6695661	1176	7/27/2011	damp	50-60	brown	clay	good		WHI11001013	0.9	31.1	17.3	66	0.2	29.0	9.1	434	2.39	7.2	<0.5	2.9	65	0.2	0.5	0.3	26	0.73	0.055	24	28	0.38	138	0.011	2	1.23	0.009	0.08	0.1	0.05	2.4	<0.1	0.06	4	0.9	<0.2
1109704	528758	6695701	1175	7/27/2011	damp	30-40	brown	clay	moderate		WHI11001013	0.8	19.3	16.8	60	<0.1	21.9	8.0	368	2.32	6.6	1.5	4.8	24	0.1	0.5	0.2	25	0.22	0.051	26	27	0.35	120	0.017	1	0.99	0.008	0.06	0.1	0.03	2.1	<0.1	<0.05	3	<0.5	<0.2
1109705	528660	6695728	1173	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	1.2	31.5	26.6	73	0.2	29.5	10.5	368	2.76	8.3	1.0	4.1	47	0.2	0.5	0.4	29	0.63	0.054	25	27	0.37	181	0.012	1	1.41	0.009	0.09	0.1	0.06	2.7	<0.1	0.05	4	1.0	<0.2
1109706	528568	6695751	1178	7/27/2011	damp	20-30	brown	clay	good		WHI11001013	1.2	27.8	21.2	67	0.2	25.1	9.0	408	2.49	7.7	1.3	3.5	49	0.2	0.6	0.3	25	0.61	0.058	23	24	0.34	116	0.010	1	1.12	0.007	0.08	0.1	0.05	2.2	<0.1	<0.05	3	0.7	<0.2
1109707	528474	6695781	1172	7/27/2011	damp	60-70	brown	clay	good		WHI11001013	0.8	22.8	22.2	63	0.2	25.6	10.0	364	2.39	7.2	2.3	4.2	46	0.3	0.6	0.3	20	0.69	0.056	22	19	0.25	140	0.005	<1	0.87	0.005	0.06	0.1	0.05	2.0	<0.1	<0.05	3	0.5	<0.2
1109708	528381	6695812	1183	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.9	16.4	17.6	59	0.1	21.2	9.7	537	2.31	7.4	2.2	4.2	23	0.2	0.4	0.3	22	0.30	0.051	22	24	0.35	131	0.013	<1	0.93	0.005	0.05	0.1	0.02	1.7	<0.1	<0.05	3	<0.5	<0.2
1109709	528289	6695859	1169	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.9	20.5	16.9	59	0.2	22.7	9.6	528	2.28	5.9	2.6	2.5	23	0.1	0.3	0.3	23	0.31	0.067	17	25	0.32	161	0.006	<1	1.20	0.005	0.07	0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
1109710	528209	6695910	1171	7/27/2011	damp	40-50	brown	clay	moderate		WHI11001013	1.0	20.2	26.9	76	<0.1	22.9	14.4	690	2.75	8.2	1.6	3.8	24	0.2	0.5	0.3	26	0.31	0.057	22	28	0.37	156	0.011	1	1.19	0.007	0.10	0.2	0.02	2.1	<0.1	0.08	4	<0.5	<0.2
1109711	528117	6695927	1167	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	0.9	20.2	18.6	57	<0.1	25.7	9.0	494	2.29	6.8	2.3	3.2	19	0.1	0.4	0.3	21	0.28	0.051	17	27	0.34	125	0.008	<1	0.93	0.004	0.05	0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
1109713	528019	6695979	1175	7/27/2011	damp	40-50	brown	clay	moderate		WHI11001013	0.8	19.5	18.9	57	<0.1	20.8	7.3	233	2.24	7.7	2.2	6.8	12	<0.1	0.6	0.3	16	0.15	0.047	26	14	0.27	75	0.009	<1	0.72	0.004	0.04	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2
1109714	527925	6696039	1170	7/27/2011	damp	40-50	brown	clay	moderate		WHI11001013	1.1	19.5	19.2	63	0.1	19.8	7.5	277	2.40	6.9	0.7	1.7	14	0.2	0.4	0.3	24	0.23	0.058	19	19	0.28	139	0.005	<1	1.13	0.004	0.05	0.2	<0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
1109715	527841	6696106	1167	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	1.2	27.4	19.9	73	<0.1	23.1	8.4	193	3.17	8.1	1.6	13.0	5	<0.1	0.5	0.3	18	0.02	0.030	35	19	0.47	60	0.005	<1	1.38	0.003	0.03	<0.1	<0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109716	527754	6696182	1172	7/27/2011	damp	30-40	brown	clay	good		WHI11001013	1.1	15.6	16.3	63	<0.1	19.1	6.7	228	2.70	8.7	1.3	5.7	7	0.1	0.5	0.3	35	0.05	0.047	19	21	0.33	85	0.013	<1	1.26	0.003	0.04	0.2	<0.01	1.5	0.1	<0.05	4	<0.5	<0.2
1109717	527715	6696275	1165	7/27/2011	dry	30-40	brown	clay	good		WHI11001013	1.0	14.3	15.6	58	<0.1	22.3	6.2	171	2.39	7.0	1.9	6.1	8	0.2	0.5	0.3	25	0.08	0.034	19	21	0.34	109	0.008	<1	1.23	0.004	0.04	0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1109718	527694	6696395	1170	7/27/2011	damp	30-40	brown	clay	poor		WHI11001013	0.8	20.1	15.6	59	0.2	22.1	8.7	416	2.14	6.9	3.5	3.2	15	0.1	0.5	0.2	19	0.23	0.053	21	19	0.29	82	0.008	<1	0.90	0.004	0.03	0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1109719	527700	6696492	1184	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.9	43.9	19.3	52	0.4	33.4	14.3	401	2.22	5.4	2.2	2.2	40	0.2	0.4	0.3	21	0.67	0.085	18	20	0.32	114	0.007	<1	1.21	0.007	0.04	0.1	0.06	1.5	<0.1	<0.05	3	0.6	<0.2
1109720	527706	6696602	1180	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.7	14.9	13.7	52	<0.1	18.1	6.4	237	2.10	5.9	1.5	4.3	13	<0.1	0.3	0.2	20	0.17	0.042	22	21	0.37	85	0.008	<1	0.91	0.004	0.03	0.1	<0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1109721	527716	6696700	1172	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	0.9	14.7	17.8	59	0.1	18.7	8.0	412	2.13	4.9	0.6	1.5	22	0.2	0.3	0.3	27	0.21	0.059	17	21	0.33	157	0.007	<1	1.13	0.003	0.03	0.1	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109722	527720	6696807	1150	7/27/2011	damp	30-40	brown	clay	moderate		WHI11001013	0.8	15.4	16.1	65	0.1	22.4	7.3	296	2.25	5.5	1.8	2.2	12	0.1	0.3	0.3	23	0.12	0.058	18	25	0.36	125	0.006	<1	1.17	0.004	0.05	0.1	0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1109723	527708	6696919	1166	7/27/2011	damp	50-60	brown	clay			WHI11001013	0.8	18.1	17.7	63	<0.1	19.7	8.7	400	2.37	5.0	0.7	3.0	20	0.1	0.2	0.3	23	0.22	0.044	21	22	0.38	149	0.005	<1	1.17	0.005	0.05	0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
1109725	527745	6697008	1170	7/27/2011	wet	brown	clay	good			WHI11001013	0.7	28.0	20.1	70	0.3	34.6	9.8	299	2.56	5.2	1.5	3.2	25	0.1	0.3	0.3	19	0.23	0.069	19	22	0.44	153	0.004	<1	1.35	0.009	0.06	0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
1109726	527682	6697087	1178	7/27/2011	damp	40-50	brown	clay	good		WHI11001013	1.1	38.5	23.9	85	0.3	37.5	10.6	480	2.98	7.2	1.0	3.7	29	0.3	0.4	0.4	24	0.35	0.069	26	20	0.36	168	0.005	<1	1.59	0.007	0.08	<0.1	0.06	2.3	<0.1	<0.05	4	<0.5	<0.2
1109727	527582	6697075	1144	7/27/2011	damp	30-40	brown	clay	good		WHI11001016	0.8	17.1	15.8	68	<0.1	18.9	7.9	360	2.51	7.6	3.6	3.8	14	0.2	0.4	0.3	22	0.19	0.050	26	17	0.35	152	0.005	<1	1.26	0.005	0.08	0.1	0.01	1.6	<0.1	<0.05	4	0.6	<0.2
1109728	528011	6698260	1393	7/31/2011	damp	30-40	brown	clay	poor	50% Clay, %50 Gravel	WHI11001016	1.3	63.9	33.9	87	0.2	18.5	10.0	245	4.75	8.3	5.7	9.5	10	0.2	0.6	0.6	27	0.02	0.059	30	27	0.63	49	0.008	<1	1.72	0.003	0.05	<0.1	0.03	3.1	<0.1	<0.05	5	0.6	<0.2
1109729	528189	6698213	1409	7/31/2011	damp	30-40	brown	clay	good		WHI11001016	0.9	32.7	18.7	67	<0.1	25.4	10.3	267	3.07	9.1	2.7	8.4	8	0.1	0.4	0.3	24	0.04	0.031	43	21	0.47	71	0.010	<1	1.27	0.004	0.04	<0.1	0.03	1.8	<0.1	<0.05	3	<0.5	<0.2
1109730	528269	6698171	1415	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	1.3	12.3	13.6	61	0.2	16.2	6.1	216	2.49	8.2	3.0	3.8	5	0.2	0.5	0.2	35	0.06	0.058	12	24	0.27	86	0.013	<1	1.33	0.003	0.03	0.2	0.02	1.6	<0.1	<0.05	4	0.8	<0.2
1109731	528270	6698109	1428	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	0.9	37.3	21.8	71	<0.1	28.2	14.1	344	3.43	11.9	3.9	13.2	9	0.1	0.6	0.3	18	0.05	0.029	36	18	0.50	63	0.005	<1	1.13	0.003	0.03	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1109732	528344	6698035	1425	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	0.9	46.0	26.4	84	<0.1	37.0	19.2	390	3.72	13.4	3.1	11.9	8	0.4	0.5	0.4	26	0.04	0.032	32	22	0.51	108	0.008	<1	1.47	0.003	0.05	<0.1	0.03	2.6	<0.1	<0.05	4	0.6	<0.2
1109733	529137	6697099	1488	7/31/2011	damp	30-40	brown	clay	good		WHI11001016	1.1	12.2	15.8	38	0.2	11.7	3.9	149	2.28	6.1	<0.5	0.3	5	<0.1	0.3	0.3	36	0.03	0.046	19	19	0.22	58	0.010	<1	1.23	0.003	0.02	0.2	0.03	0.6	<0.1	<0.05	5	<0.5	<0.2
1109734	529260	6697136	1449	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	2.1	54.4	31.5	78	<0.1	28.1	12.9	223	4.03	8.9	3.5	15.2	7	0.1	0.5	0.4	15	<0.01	0.036	42	23	0.66	38	0.003	<1	1.70	0.003	0.04	<0.1	0.04	1.2	<0.1	<0.05	4	0.7	<0.2
1109735	529346	6697183	1431	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	1.4	51.8	33.0	87	<0.1	33.0	16.6	418	4.37	11.9	<0.5	8.1	8	<0.1	0.6	0.3	20	0.01	0.035	30	22	0.46	56	0.003	<1	1.59	0.003	0.03	<0.1	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1109736	529346	6697184	1432	7/31/2011	damp	30-40	brown	clay	moderate		WHI11001016	1.4	50.5	32.5	81	<0.1	33.4	19.0	446	4.04	11.7	2.1	8.0	7	<0.1	0.5	0.3	18	0.01	0.031	27	20	0.45	52	0.003	<1	1.44	0.002	0.02	<0.1	0.02	1.2	<0.1	<0.05	3	0.9	<0.2
1109737	529420	6697254	1430	7/31/2011	damp	30-40	brown	clay	good		WHI11001016	1.4	31.9	14.6	73	0.1	27.1	9.3	310	3.06	8.

Sample Number	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Moisture	Depth (cm)	Colour	Dominant Component	Site Rating	Comment	Job Number	Mo-ppm-1DX15	Cu-ppm-1DX15	Pb-ppm-1DX15	Zn-ppm-1DX15	Ag-ppm-1DX15	Ni-ppm-1DX15	Co-ppm-1DX15	Mn-ppm-1DX15	Fe-%-1DX15	As-ppm-1DX15	Au-ppb-1DX15	Th-ppm-1DX15	Sr-ppm-1DX15	Cd-ppm-1DX15	Sb-ppm-1DX15	Bi-ppm-1DX15	V-ppm-1DX15	Ca-%-1DX15	P-%-1DX15	La-ppm-1DX15	Cr-ppm-1DX15	Mg-%-1DX15	Ba-ppm-1DX15	Ti-%-1DX15	B-ppm-1DX15	Al-%-1DX15	Na-%-1DX15	K-%-1DX15	W-ppm-1DX15	Hg-ppm-1DX15	Sc-ppm-1DX15	Tl-ppm-1DX15	S-%-1DX15	Ga-ppm-1DX15	Se-ppm-1DX15	Te-ppm-1DX15
1402049	526815	6694181	1279	9/21/2011	damp	30-40	brown	clay	poor	ridge top	WHI11001830	1.5	15.9	15.1	53	0.3	15.9	5.0	160	2.63	12.6	1.1	7.5	7	0.2	1.0	0.3	51	0.04	0.041	22	23	0.22	46	0.035	<1	1.15	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
1402050	526780	6694255	1277	9/21/2011	damp	20-30	brown	clay	good	east facing slope	WHI11001830	1.1	9.3	13.4	34	0.1	9.3	3.0	98	2.57	12.1	1.2	6.3	6	<0.1	1.2	0.3	54	0.04	0.038	25	21	0.14	52	0.032	<1	1.11	0.003	0.04	0.2	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2
1402088	527255	6692904	1277	9/21/2011	damp	20-30	brown	clay	good	facing west	WHI11001830	1.2	12.5	17.6	71	<0.1	24.1	8.6	259	3.22	13.8	1.0	5.5	9	0.2	1.3	0.3	47	0.08	0.044	24	33	0.45	107	0.034	1	1.83	0.005	0.07	0.2	0.03	2.2	0.1	<0.05	6	<0.5	<0.2
1402089	527269	6692989	1266	9/21/2011	damp	20-30	brown	clay	poor	facing west	WHI11001830	0.9	17.3	31.3	103	<0.1	33.2	13.3	2110	3.37	41.2	1.5	3.6	42	0.4	4.5	0.3	46	1.22	0.466	22	31	0.31	206	0.016	2	2.23	0.006	0.12	0.2	0.15	2.8	0.4	<0.05	5	<0.5	<0.2
1402090	527250	6693068	1276	9/21/2011	damp	30-40	brown	clay	good		WHI11001879	0.6	14.4	16.9	51	<0.1	15.5	5.6	145	2.35	17.0	0.6	6.8	5	<0.1	1.9	0.3	25	0.03	0.036	30	15	0.27	84	0.005	<1	1.10	0.003	0.04	0.2	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1402101	527646	6694171	1216	9/18/2011	damp	50-60	brown	clay	good	east facing	WHI11001879	0.7	13.2	16.6	54	0.1	13.9	5.9	248	1.96	8.9	0.8	1.6	20	0.1	0.7	0.3	31	0.49	0.068	17	22	0.30	176	0.011	1	1.22	0.004	0.04	0.2	0.03	1.4	<0.1	<0.05	5	0.7	<0.2
1402102	527448	6694342	1170	9/18/2011	damp	40-50	grey	clay	good	east facing	WHI11001879	0.7	13.2	16.6	54	0.1	13.9	5.9	248	1.96	8.9	0.8	1.6	20	0.1	0.7	0.3	31	0.49	0.068	17	22	0.30	176	0.011	1	1.22	0.004	0.04	0.2	0.03	1.4	<0.1	<0.05	5	0.7	<0.2
1402103	527405	6694318	1191	9/18/2011	damp	40-50	brown	clay	good	east facing slope	WHI11001879	0.6	21.0	17.2	60	<0.1	21.7	9.5	325	2.47	20.9	2.5	7.6	14	0.2	2.2	0.2	18	0.27	0.055	28	16	0.34	113	0.007	<1	0.86	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	3	0.5	<0.2
1402104	527367	6694288	1233	9/18/2011	damp	30-40	brown	clay	good	east facing slope	WHI11001879	0.7	16.5	17.8	55	<0.1	20.2	9.9	428	2.50	17.4	1.0	4.3	15	0.2	1.7	0.2	24	0.33	0.058	21	18	0.33	129	0.008	<1	1.08	0.004	0.04	0.1	0.02	1.5	<0.1	<0.05	4	0.7	<0.2
1402105	527343	6694262	1233	9/18/2011	damp	30-40	brown	clay	good	east facing	WHI11001879	0.6	23.4	23.0	62	<0.1	25.8	13.5	363	2.95	24.7	2.0	7.4	11	0.1	2.4	0.2	20	0.22	0.071	24	17	0.32	108	0.004	1	1.21	0.003	0.04	0.1	0.04	1.8	<0.1	<0.05	3	<0.5	<0.2
1402106	527309	6694224	1222	9/18/2011	damp	50-60	brown	clay	moderate	east facing	WHI11001879	0.6	15.2	17.9	55	0.1	20.6	9.3	528	2.14	18.4	0.9	2.1	28	0.2	1.8	0.2	24	0.64	0.074	16	21	0.34	135	0.009	1	1.14	0.005	0.04	0.2	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
1402107	527275	6694196	1274	9/18/2011	damp	50-60	brown	clay	moderate	east facing slope	WHI11001830	0.9	13.8	18.5	67	<0.1	18.4	10.2	407	2.23	12.8	0.8	3.3	19	0.1	1.1	0.3	30	0.34	0.050	25	22	0.30	482	0.022	<1	1.05	0.004	0.06	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
1402108	527241	6694152	1269	9/18/2011	damp	30-40	brown	clay	good	east facing slope	WHI11001830	1.2	10.5	21.9	42	<0.1	12.5	4.6	165	2.58	15.7	0.6	6.2	7	0.1	1.0	0.3	44	0.04	0.031	27	21	0.22	48	0.033	<1	1.02	0.004	0.04	0.2	0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1402109	527202	6694118	1276	9/18/2011	damp	30-40	brown	clay	poor	east facing	WHI11001830	1.2	10.5	21.9	42	<0.1	12.5	4.6	165	2.58	15.7	0.6	6.2	7	0.1	1.0	0.3	44	0.04	0.031	27	21	0.22	48	0.033	<1	1.02	0.004	0.04	0.2	0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1402110	527169	6694077	1270	9/18/2011	damp	30-40	brown	clay	good	east facing	WHI11001830	1.1	10.8	12.2	35	<0.1	9.3	3.2	118	1.71	8.4	2.1	2.3	6	<0.1	0.7	0.3	36	0.05	0.041	29	14	0.12	37	0.013	<1	0.83	0.004	0.04	0.2	0.02	0.8	<0.1	<0.05	5	0.5	<0.2
1402111	527133	6694044	1300	9/18/2011	damp	40-50	brown	clay	poor	east facing slope	WHI11001830	0.5	5.5	10.9	69	<0.1	21.9	11.8	516	2.26	7.0	0.9	5.3	19	0.3	0.4	0.2	35	0.61	0.186	21	28	0.27	79	0.046	1	2.23	0.006	0.04	0.2	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
1402112	527133	6694041	1294	9/18/2011	damp	40-50	brown	clay	poor	east facing slope	WHI11001830	0.9	13.6	23.7	54	0.1	20.5	10.8	449	3.65	10.8	2.5	2.1	26	0.1	2.6	0.3	40	0.41	0.106	27	29	0.31	107	0.026	1	1.86	0.005	0.03	0.2	0.05	3.0	<0.1	<0.05	5	<0.5	<0.2
1402114	527067	6693959	1327	9/19/2011	damp	30-40	brown	clay	good	east facing	WHI11001830	0.9	12.9	17.5	66	<0.1	18.5	7.3	279	2.79	16.9	1.5	4.5	17	0.1	1.5	0.3	41	0.19	0.038	25	28	0.39	88	0.030	<1	1.65	0.005	0.04	0.2	0.01	2.1	0.1	<0.05	6	<0.5	<0.2
1402115	527035	6693934	1325	9/19/2011	damp	40-50	brown	clay	good	east facing	WHI11001830	0.7	7.2	14.6	31	0.1	6.2	2.0	119	1.52	6.0	1.4	3.9	6	<0.1	0.4	0.3	42	0.04	0.058	28	20	0.19	53	0.020	<1	1.02	0.004	0.04	0.2	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1402116	526990	6693897	1337	9/19/2011	damp	30-40	orange	clay	good	east facing	WHI11001830	1.0	11.8	17.8	49	<0.1	11.6	4.3	171	2.90	15.5	1.1	8.1	6	<0.1	1.2	0.3	41	0.03	0.053	28	20	0.19	53	0.020	<1	1.37	0.003	0.05	0.2	0.02	1.5	0.1	<0.05	6	<0.5	<0.2
1402117	526961	6693863	1324	9/19/2011	damp	30-40	orange	clay	good	ridge top	WHI11001830	1.2	15.0	18.5	53	<0.1	17.2	5.5	157	3.27	24.1	1.5	8.9	6	0.1	2.3	0.4	44	0.04	0.086	31	23	0.21	56	0.023	<1	1.18	0.004	0.05	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
1402118	526926	6693831	1314	9/19/2011	damp	30-40	brown	clay	good	ridge top	WHI11001830	1.1	9.2	15.7	38	0.1	11.9	3.4	117	2.24	11.3	3.2	3.7	6	<0.1	1.0	0.3	46	0.04	0.090	22	22	0.15	42	0.024	<1	0.91	0.003	0.04	0.2	0.02	1.2	<0.1	<0.05	5	<0.5	<0.2
1402119	526894	6693792	1304	9/19/2011	damp	30-40	orange	clay	good	ridge top	WHI11001830	0.9	20.0	19.2	73	0.1	21.3	7.3	175	2.85	31.8	2.1	9.4	7	0.1	4.6	0.3	27	0.04	0.043	33	20	0.25	66	0.008	<1	1.35	0.003	0.07	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402120	526860	6693765	1285	9/19/2011	damp		brown			west facing	WHI11001830	0.9	7.4	14.7	53	0.1	12.0	4.5	161	1.99	10.8	1.0	6.7	7	<0.1	1.4	0.3	37	0.05	0.026	25	20	0.20	54	0.022	<1	1.12	0.006	0.05	0.2	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
1402121	526822	6693727	1277	9/19/2011	damp	30-40	brown	clay	moderate	ridge top	WHI11001830	1.1	8.3	15.2	55	0.3	14.1	4.8	155	2.45	12.4	1.3	7.2	8	0.1	1.0	0.3	46	0.07	0.044	23	28	0.35	75	0.044	<1	1.47	0.005	0.05	0.3	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
1402122	526785	6693689	1274	9/19/2011	damp	40-50	brown	clay	good	southwest facing	WHI11001830	0.6	10.1	16.7	38	0.5	10.2	3.4	99	1.71	29.8	1.9	8.5	8	<0.1	2.2	0.3	32	0.05	0.030	35	22	0.34	71	0.011	<1	1.39	0.005	0.07	0.2	0.02	1.8	0.1	<0.05	4	<0.5	<0.2
1402123	526755	6693659	1272	9/19/2011	damp	40-50	brown	clay	good	southwest facing	WHI11001830	0.8	18.8	22.6	66	0.2	22.3	6.9	200	2.60	39.2	2.3	10.1	8	0.1	4.1	0.3	27	0.05	0.030	33	6	0.03	45	0.004	<1	0.55	0.004	0.03	<0.1	<0.01	0.5	0.1	<0.05	3	<0.5	<0.2
1402125	526597	6693795	1233	9/19/2011	damp	30-40	grey	clay	moderate	ridge top	WHI11001830	0.2	2.9	8.0	6	0.3	1.8	0.4	15	0.24	2.9	2.6	2.2	5	<0.1	0.6	0.1	9	0.03	0.023	33	3	0.03	45	0.004	<1	1.11	0.004	0.05	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1402126	526628	6693828	1249	9/19/2011	damp	40-50	orange	clay	good	west facing	WHI11001830	0.9	11.1	14.8	52	0.3	16.0	5.0	149	2.29	37.3	4.8	9.1	7	0.1	6.7	0.3	31	0.04	0.033	30	20	0.24	58	0.013	<1	1.11	0.004	0.05	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1402127	526666	6693864	1255	9/19/2011	damp	40-50	grey	clay	good	west facing	WHI11001830	0.3	2.7	9.8	15	0.2	3.3	1.0	47	0.56	3.3	<0.5	3.8	6	<0.1	0.7	0.2	21	0.04	0.025	26	10	0.08	39	0.032	<1	0.57	0.004	0.03	<0.1	0.01	0.8	<0.1	<0.05	4	<0.5	<0.2
1402128	526703	6693888	1259	9/19/2011	damp	50-60	brown	clay	good	west facing	WHI11001830	0.9	18.4	18.3	64	0.6	20.8	5.5	158	2.86	30.8	2.0	11.0	6	0.1	6.0	0.3	27	0.03	0.028	36	22	0.24	63	0.013	<1	1.17	0.005	0.07	0.1	0.03	2.0	<0.1	<0.05	5	<0.5	<0.2
1402129	526744	6693932	1273	9/19/2011	damp	30-40	brown	clay	moderate	west facing	WHI11001830	0.7	11.4	13.2	34	<0.1	9.7	2.7	103	1.49	10.1	<0.5	6.4	6	<0.1	1.6	0.3	30	0.03	0.038	33	13	0.12	43	0.026	<1	0.82	0.003	0.03	0.1	0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
1402130	526775	6693972	1272	9/19/2011	damp	30-40	orange	clay	good	west facing	WHI11001830	1.1	16.4	17.1	64	0.1	18.3	6.6	180	2.74	25.4	1.3	9.4	6	0.1	3.2	0.3	29	0.03	0.046	29	24	0.23	59	0.014	<1	1.26	0.004	0.05	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402131	526809	6694002	1282	9/19/2011	damp	40-50	orange	clay	good	west facing	WHI11001830	0.9	16.6	19.9	82	0.9	14.6	9.9	291	2.56	14.9	3.0	9.0	8	0.3	1.5	0.3	37	0.05	0.037	25	27	0.25	82	0.031	<1	1.74	0.005	0.07	0.2	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
1402132	526846	6694035	1277	9/19/2011	damp	30-40	brown	clay	good	west facing	WHI11001830	0.9	20.7	21.3	96	0.8	17.8	10.2	236	2.79	14.2	7.6	9.7	9	0.3	1.3	0.3	40	0.06	0.033	26	29	0.35	90	0.039	<1	1.46	0.006	0.04	0.2	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1402133	526875	6694082	1292	9/19/2011	damp	30-40	grey	clay	good	ridge top	WHI11001830	0.8	23.1	23.7	44	0.4	12.6	5.0	120	1.72	15.7	2.7	6.5	10	<0.1	0.3	0.3	41	0.07	0.015	23	24	0.30	67	0.039	<1	1.46	0.006	0.04	0.2	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1402134	526905	6694110	1286	9/19/2011	damp	40-50	brown	clay	good	ridge top	WHI11001830	0.6	14.7	15.5	52	0.1	14.8	6.8	144	2.19	12.6	1.1	8.8	5	0.1	1.2	0.3	27	0.03	0.029	29	20	0.26	66	0.015	<1	1.43	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1402135	526949	6694150	1301	9/19/2011	damp	30-40	brown	clay	moderate	ridge top	WHI11001830	0.9	16.7	19.9	32	0.2	8.7	3.1	91	1.74	4.9	<0.5	6.0	8	0.1	0.3	0.3	40	0.05	0.019	23	20	0.24	57	0.034	<1	1.37	0.004	0.04	0.2	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
1402136	526946	6694147	1296	9/19/2011	damp	30-40	brown	clay	moderate	ridge top	WHI11001830	0.8	15.8	18.9	28	0.2	7.2	2.9	86	1.61	4.1	2.5	4.5	7	<0.1	0.3	0.3	36	0.05	0.019	21	17	0.23	58	0.025	<1	1.25	0.008	0.03	0.2	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
1402137	526978	6694183	1289	9/19/2011	damp	40-50	grey	clay	good	ridge top	WHI11001830	0.8	23.1	14.8	45	0.2	13.4	4.6	128	2.02	21.4	2.9	7.5	9	<0.1	0.7	0.3	18	0.05	0.019	35	15	0.40	49	0.006	<1	1.18	0.005	0.04	0.1	0.02	1.2	<0.1	<0.05	6	<0.5	<0.2
1402138	527016	6694217	1270	9/19/2011	damp	40-50	brown	clay	poor	ridge top	WHI11001830	0.8	17.5	51.3	61	0.4	11.6	5.5	122	1.80	23.9	2.5	5.1	9	0.2	0.4	0.4	41	0.06	0.018	20	19	0.29	68	0.032	<1	1.29	0.006	0.04	0.3	0.02	1.6	<0.1	<0.05	5	0.7	<0.2
1402139	527052	6694256	1267	9/19/2011	damp	30-40	brown	clay	good	east facing	WHI11001830	1.1	13.3	15.6	47	0.2	12.8	4.3	146	2.39	14.5	2.4	3.8	7	0.1	1.1	0.3	34	0.04	0.044	22	19	0.28	43	0.023	1	1.03	0.006	0.04	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402140	527086	6694292	1266	9/19/2011	damp	40-50	brown	clay	moderate	east facing	WHI11001830	1.0	19.0	16.8	57	0.1	18.2	5.8	185	2.97	20.7	4.0	9.3	7	<0.1	1.9	0.3	27	0.03	0.039	35	20	0.37	52	0.010	1	1.13	0.004	0.06	0.2	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
1402141	527123	6694325	1249	9/19/2011	damp	50-60	brown	clay	good	east facing	WHI11001830	1.2	14.9	16.1	60	<0.1	22.2	6.9	242	2.77	15.9	1.7	6.9	8	0.2	1.8	0.2	33	0.06	0.043	23	24	0.31	61	0.023	<1	1.25	0.005	0.04	0.2	0.02	1.8	<0.1	<0.05	4	1.0	<0.2
1402142	527160	6694355	1231	9/19/2011	damp	40-50	brown	clay	poor	east facing	WHI11001830	1.2	21.7	38.6	58	0.1	15.4	6.0	244	2.78	31.6	3.9	2.3	8	<0.1	1.4	0.3	27	0.03	0.056	31	17	0.32	53	0.007	<1	1.07	0.005	0.05	0.2	0.03	0.8	<0.1	<0.05	4	0.7	<0.2
1402143	527194	6694395	1209	9/19/2011	damp	50-60	brown	clay	moderate	east facing	WHI11001830	0.8	23.4	30.6	105	0.2	31.8	12.9	1297	2.41	47.9	4.7	1.9	49	0.3	12.5	0.2	18	1.22	0.166	20	18	0.25	81	0.008	<1	1.10	0.006	0.05	0.3	0.11	1.6	0.1	0.07	3	0.9	<0.2
1402144	527236	6694422	1196	9/19/2011	damp	50-60	black	clay	poor	east facing	WHI11001830	0.6	22.3	26.1	85	0.3	30.6	11.3	822	2.21	40.6	7.2	2.1	46	0.4	11.5	0.2	17	1.26	0.165	20	18	0.28	72	0.008	<1	1.04	0.013	0.06	0.2	0.11	1.6	0.1	0.07	3	1.1	<0.2
1402145	527267	6694456	1182	9/19/2011	damp	60-70	black	clay	poor	east facing	WHI11001830	0.5	14.7	15.5	52	0.1	14.8	6.8	144	2.19	12.6	1.1	8.8	5	0.1	1.2	0.3	27	0.03	0.029	29	20	0.26	66	0.015	<1	1.43	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	4	0.9	<0.2
1402146	527307	6694498	1173	9/19/2011	damp	50-60	brown	clay	moderate	east facing	WHI11001830	0.5	18.3	16.0	61	0.2	19.7	7.6	397	2.20	17.9	3.3	4.0	24	0.1	2.8	0.2	19	0.53	0.065	26	16	0.29	107	0.007	<1	0.98	0.005	0.06	0.1	0.03	1.9	<0.1	<0.05	4	0.8	<0.2
1402151	527303	6693244	1325	9/17/2011	damp	30-40	brown	clay	good	west facing slope	WHI11001879	0.5	14.3	18.0	69	0.2	27.1	11.8	1108	3.00	29.0	0.6	1.9	32	0.2	4.7	0.2	31	0.04	0.058	19	25	0.38	140	0.014	1	1.53	0.006	0.05	0.2	0.04	2.0	0.1	<0.05	5	0.6	<0.2
1402152	527272	6693204	1303	9/17/2011	damp	40-50	brown	clay	good	west facing slope	WHI11001879	0.5	12.8	16.0	73	0.1	23.2	9.2	477	2.79	20.5	<0.5	2.5	18	0.3	3.5	0.3	34	0.58	0.057	19	25	0.38	140	0.005	<1	1.84	0.004	0.05	0.2	0.02	2.6	0.3	<0.05	5	<0.5	<0.2
1402153	527246	6693170	1289	9/17/2011	damp	30-40	brown	clay	good	west facing slope	WHI11001879	0.7	24.1	14.6	66	<0.1	54.4	16.8	494	3.31	22.0	<0.5	4.3	19	0.2	2.2	0.2	35	0.37	0.114	19	42	0.62	137	0.005	<1	1.84	0.004	0.05	0.2	0.02	2.6	0.3	<0.05	5	0.5	<0.2
1402154	527208	6693134	1297	9/17/2011	damp	40-50	brown	clay	good	west facing slope	WHI11001879	0.6	13.4	16.5	75	0.3	29.3	11.8	512	2.72	38.1	<0.5	2.0	21	0.2	13.4	0.2	32	0.68	0.183	16	23	0.33	142	0.009	1	1.48	0.005	0.05	0.2	0.02	1.7	0.2	0.05	3	<0.5	<0.2
1402155	527178	6693085	1259	9/17/2011	damp	50-60	brown	clay	poor	west facing slope	WHI11001879	0.6	13.9	18.4	66	0.2	19.7	10.2	1904	3.41	31.9	1.4	1.3	30	0.5	2.8	0.2	28	1.94	0.270	17	19	0.21	159	0.007	<1	1.24	0.005	0.05	0.2	0.02	2.9	1.7	0.2	5	0.6	<0.2
1402156	527148	6693050	1261	9/17/2011	damp	30-40	black	clay	good	west facing slope	WHI11001879	0.5	14.6	15.8	57	0.2	15.9	6.8	449	2.05	25.0	<0.5	1.3	27	0.2	3.1	0.2	26	1.06	0.165	15	19	0.29	197	0.007	1	1.15	0.006	0.05	0.1	0.06	1.4	0.1	0.07	4	0.6	<0.2
1402157	527141	6693341	1236	9/17/2011	damp	30-40	brown	clay	good	west facing slope	WHI11001879	0.8	20.0	19.9	69	<0.1	28.4	12.2	274	3.35	29.5	3.1	5.3	10	0.1	10.0	0.3	30	0.08	0.053	24	22	0.38	91	0.007	<1	1.33	0.003	0.05	0.2	0.01	1.5	<0.1	<0.05	4	<0.5	<0.2
1402158	527181	6693390	1294	9/17/2011	damp	40-50	brown	clay	moderate	west facing slope	WHI11001879	0.8	14.7	16.3	53	<0.1	16.3	6.1	315	2.62	17.7	4.7	1.4	7	0.1	2.8	0.2	30	0.04	0.062	22	19	0.30	74	0.007	<1	1.04	0.003	0.03	0.2	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1402159	527209	6693429	1309	9/17/2011	damp	40-50	brown	clay	good	west facing slope	WHI11001879	0.6	11.0	13.4	62	<0.1	14.3	8.2	638	2.33	19.6	0.9	3.3	11	0.2	1.7	0.2	33	0.20	0.042	22	19	0.34	121	0.011	<1	1.40	0.004	0.05	0.2	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1402161	527250	6693462	1321	9/17/2011	damp	30-40	brown	clay	good	west facing slope	WHI11001879	0.7	20.5	19.1	67	0.3	32.2	12.4	438	3.05	43.1	<0.5	6.9	13	0.3	11.1	0.3	28	0.52	0.076

IKE Property - Rock Samples

Sample Number	Sample Type	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Colour	Comment	Job Number	WGHT-Kg	Au-gt-G6	Pt-gt/t-G6	Pd-gt/t-G6	Ag-gt/t-7AR	Mo-ppm-1EX	Cu-ppm-1EX	Pb-ppm-1EX	Zn-ppm-1EX	Ag-ppm-1EX	Ni-ppm-1EX	Co-ppm-1EX	Mn-ppm-1EX	Fe-%-1EX	As-ppm-1EX	U-ppm-1EX	Au-ppm-1EX	Th-ppm-1EX	Sr-ppm-1EX	Cd-ppm-1EX	Sb-ppm-1EX	Bi-ppm-1EX	V-ppm-1EX	Ca-%-1EX	P-%-1EX	La-ppm-1EX	Cr-ppm-1EX	Mg-%-1EX	Ba-ppm-1EX	Ti-%-1EX	Al-%-1EX	Na-%-1EX	K-%-1EX	W-ppm-1EX	Zr-ppm-1EX	Ce-ppm-1EX	Sn-ppm-1EX	Y-ppm-1EX	Nb-ppm-1EX	Ta-ppm-1EX	Be-ppm-1EX	Sc-ppm-1EX	Li-ppm-1EX	S-%-1EX	Rb-ppm-1EX	Hf-ppm-1EX
1401701	Float	529305	6693989	1431	8/25/2011	purple/brown	rusty quartz veins	WHI11001502	0.90	<0.005				0.3	4.1	12.2	63	<0.1	21.8	6.6	1868	1.72	6	1.3	<0.1	3.2	5	0.2	0.6	0.2	12	0.09	0.014	13.6	8	0.05	188	0.075	0.93	0.019	0.31	0.2	35.6	27	0.4	5.2	1.6	<0.1	<1	2	11.7	<0.1	13.6	0.9
1401702	Float	529352	6693979	1437	8/25/2011	purple	rusty veins	WHI11001502	0.83	0.005				0.3	6.0	6.4	20	<0.1	8.9	2.8	64	1.32	3	1.1	<0.1	5.6	9	<0.1	0.3	0.1	22	0.07	0.009	18.9	13	0.07	54	0.091	1.51	0.016	0.55	1.0	39.3	35	1.5	4.1	3.9	0.3	<1	3	18.1	<0.1	22.8	1.1
1401703	Float	529401	6693972	1443	8/25/2011	grey/green	qtz veins	WHI11001502	0.71	0.006				0.4	4.7	7.5	4	<0.1	3.7	1.1	87	0.51	3	0.6	<0.1	2.1	1	<0.1	0.4	0.1	6	0.06	0.005	8.9	3	0.02	213	0.044	0.60	0.013	0.19	0.2	16.5	17	0.2	1.6	0.8	<0.1	<1	<1	3.3	<0.1	7.9	0.5
1401704	Float	529452	6693975	1450	8/25/2011	gray	rusty qtz	WHI11001502	0.65	0.007				0.3	41.9	16.3	36	<0.1	10.0	5.6	144	1.79	8	1.5	<0.1	5.5	27	<0.1	0.9	0.2	24	0.03	0.020	17.2	23	0.18	1315	0.108	2.17	0.190	0.89	0.5	41.6	32	0.9	5.1	3.4	0.2	<1	4	16.9	<0.1	46.7	1.2
1401705	Grab	529502	6693978	1465	8/25/2011	gray/orange	w/ qtz	WHI11001502	0.71	0.007				0.2	3.9	2.0	8	<0.1	7.5	1.5	51	0.68	<1	0.7	<0.1	2.8	5	<0.1	0.3	<0.1	10	<0.01	0.009	11.1	5	0.04	74	0.059	0.86	0.016	0.34	1.3	28.6	22	0.3	3.0	1.5	<0.1	<1	1	3.9	<0.1	14.4	0.8
1401706	Float	529537	6693942	1466	8/25/2011	dark gray	w/ qtz	WHI11001502	0.66	0.007				0.4	13.5	15.4	26	<0.1	10.1	2.9	128	1.10	3	1.0	<0.1	5.1	42	<0.1	0.6	0.2	22	0.06	0.017	12.4	22	0.21	2772	0.096	2.08	0.338	1.03	0.5	35.1	22	1.1	5.4	3.5	0.2	<1	3	14.9	<0.1	57.1	1.0
1401707	Float	529566	6693906	1464	8/25/2011	orange/brown	w/ qtz	WHI11001502	0.72	0.006				0.2	7.0	5.1	16	<0.1	8.8	3.9	256	1.31	3	0.9	<0.1	3.6	3	<0.1	0.3	0.1	16	<0.01	0.014	13.3	8	0.08	175	0.080	1.22	0.012	0.50	1.0	32.5	26	0.5	4.2	2.6	0.2	<1	2	13.1	<0.1	47.0	1.2
1401708	Float	529599	6693866	1465	8/25/2011		qtz w/ rusty patches	WHI11001502	0.70	0.007				0.2	1.5	21.9	11	<0.1	1.2	0.3	73	0.37	<1	<0.1	<0.1	0.2	10	<0.1	0.2	<0.1	2	0.03	0.010	10.5	10	0.04	76	0.054	0.82	0.007	0.25	1.2	24.4	20	0.4	2.5	1.7	<0.1	<1	<1	6.0	<0.1	16.9	0.7
1401709	Float	529640	6693836	1466	8/25/2011	gray/green	mostly qtz w/ rust	WHI11001502	0.59	0.006				0.3	4.5	5.4	8	<0.1	5.7	0.8	43	0.84	2	0.6	<0.1	2.4	6	<0.1	0.3	<0.1	9	<0.01	0.010	10.8	5	0.08	76	0.054	0.82	0.007	0.25	1.2	24.4	20	0.4	2.5	1.7	<0.1	<1	<1	6.0	<0.1	16.9	0.8
1401710	Float	529667	6693798	1473	8/25/2011		rusty qtz	WHI11001502	0.59	0.005				0.1	1.3	5.9	1	<0.1	1.9	0.3	21	0.31	<1	0.2	<0.1	1.2	4	<0.1	0.2	<0.1	4	<0.01	0.003	2.5	17	0.02	189	0.028	0.42	0.010	0.16	<0.1	10.3	4	0.3	0.7	0.7	<0.1	<1	<1	1.6	<0.1	6.0	0.3
1401711	Grab	529710	6693771	1471	8/25/2011	gray	qtz w/ rusty patches	WHI11001502	0.59	0.006				0.2	20.0	11.9	35	<0.1	14.8	6.1	144	1.83	2	1.0	<0.1	2.9	7	<0.1	0.4	<0.1	8	<0.01	0.021	13.3	7	0.02	39	0.053	0.91	0.010	0.19	1.0	28.2	25	0.3	4.4	1.4	<0.1	<1	2	10.7	<0.1	8.5	0.8
1401712	Float	529755	6693749	1473	8/25/2011	gray	qtz w/ rusty patches	WHI11001502	0.59	0.006				0.2	34.0	8.6	56	<0.1	23.8	8.6	198	2.14	3	1.1	<0.1	4.6	19	<0.1	0.6	<0.1	12	<0.01	0.022	16.1	17	0.04	68	0.069	1.38	0.016	0.35	0.3	30.2	31	0.5	5.1	1.7	0.1	<1	3	7.0	<0.1	16.9	0.8
1401713	Float	529799	6693723	1471	8/25/2011	gray	qtz	WHI11001502	0.55	0.007				0.3	10.6	8.4	17	<0.1	8.6	1.0	59	1.44	5	1.8	<0.1	7.4	18	<0.1	0.8	0.2	38	<0.01	0.017	30.3	16	0.39	139	0.179	3.12	0.039	1.29	0.9	64.1	57	1.0	7.3	5.1	0.3	<1	5	12.9	<0.1	54.7	1.8
1401714	Grab	529853	6693718	1468	8/25/2011	gray	qtz w/ rusty patches	WHI11001502	0.75	<0.005				0.8	6.3	10.9	15	<0.1	2.8	0.8	41	0.85	2	0.8	<0.1	2.5	5	<0.1	0.4	<0.1	8	0.02	0.008	11.2	16	0.02	31	0.049	0.56	0.009	0.16	0.2	37.1	22	0.3	3.4	1.3	<0.1	<1	<1	2.8	<0.1	7.1	0.9
1401715	Grab	529900	6693699	1465	8/25/2011	gray/brown	w/ qtz veins	WHI11001502	0.62	0.005				0.2	4.3	3.3	6	<0.1	3.2	1.6	186	0.70	2	0.6	<0.1	2.9	5	<0.1	0.5	<0.1	10	<0.01	0.011	12.0	4	0.04	82	0.059	0.71	0.014	0.28	0.9	26.4	22	0.3	3.1	1.4	<0.1	<1	<1	3.0	<0.1	8.3	0.4
1401716	Float	529950	6693701	1458	8/25/2011	gray	w/ qtz	WHI11001502	0.67	<0.005				0.2	8.0	5.4	16	<0.1	8.5	3.3	82	1.16	2	1.2	<0.1	3.7	9	<0.1	0.4	0.3	16	0.01	0.011	16.0	12	0.23	270	0.086	1.53	0.023	0.52	0.2	37.8	31	0.5	4.7	2.1	0.1	<1	2	6.8	<0.1	21.3	0.9
1401717	Float	530000	6693706	1462	8/25/2011	gray	qtz w/ rusty patches	WHI11001502	0.61	0.007				0.3	5.5	10.4	16	<0.1	6.4	1.0	54	0.87	4	0.6	<0.1	2.8	10	<0.1	1.0	<0.1	10	<0.01	0.010	12.2	4	0.03	59	0.061	0.84	0.016	0.29	1.0	40.0	31	0.5	4.6	2.4	0.1	<1	2	6.7	<0.1	21.8	1.1
1401718	Grab	530050	6693729	1478	8/25/2011	beige	w/ qtz	WHI11001502	0.72	0.007				0.4	7.0	6.2	13	<0.1	7.1	2.7	68	1.00	3	1.3	<0.1	3.8	9	<0.1	0.6	0.4	17	0.01	0.010	17.0	21	0.18	281	0.090	1.53	0.027	0.54	0.3	40.0	31	0.5	4.6	2.4	0.1	<1	2	6.7	<0.1	21.8	1.1
1401719	Float	530105	6693731	1473	8/25/2011	blue/gray	w/ red & orange rust	WHI11001502	0.55	0.007				0.3	63.1	5.2	47	<0.1	24.7	2.7	34	4.39	18	4.1	<0.1	17.0	35	<0.1	0.7	0.4	96	0.01	0.046	48.8	60	0.42	598	0.362	8.08	0.109	3.63	1.2	133.2	96	2.7	12.8	11.6	0.9	3	14	20.5	<0.1	144.8	4.1
1401720	Float	530155	6693719	1475	8/25/2011	gray	w/qtz	WHI11001502	0.57	0.007				0.2	11.3	18.5	60	<0.1	18.4	5.5	179	2.77	2	1.7	<0.1	4.8	6	<0.1	0.2	0.1	19	<0.01	0.012	20.8	14	0.57	25	0.081	1.62	0.010	0.17	0.2	49.2	38	0.3	6.6	1.9	<0.1	<1	3	31.3	<0.1	7.9	1.5
1401721	Float	530201	6693732	1473	8/25/2011	purple	rusted spots	WHI11001502	0.66	0.008				0.5	25.3	9.1	16	<0.1	9.4	1.3	279	0.85	<1	1.0	<0.1	4.1	6	<0.1	0.3	<0.1	16	0.05	0.013	17.9	20	0.13	126	0.091	1.15	0.019	0.35	0.9	40.1	33	0.5	4.6	2.4	<0.1	<1	2	7.0	<0.1	15.6	1.2
1401722	Grab	530250	6693750	1472	8/25/2011	brown/gray	w/qtz & rust patches	WHI11001502	0.60	0.006				0.1	2.8	4.3	7	<0.1	8.0	2.6	65	0.85	5	1.0	<0.1	5.3	3	<0.1	0.2	0.1	11	<0.01	0.008	11.8	20	0.07	65	0.058	0.97	0.088	0.26	1.0	28.7	22	0.5	2.8	2.1	<0.1	<1	2	8.1	<0.1	10.8	0.8
1401723	Float	530297	6693769	1463	8/25/2011		qtz	WHI11001502	0.47	0.007				0.2	4.4	5.7	12	<0.1	3.7	1.3	128	0.78	2	0.7	<0.1	3.4	7	<0.1	0.4	<0.1	10	<0.01	0.008	11.3	13	0.04	113	0.068	0.99	0.019	0.40	0.3	33.8	25	0.4	4.3	1.9	<0.1	<1	2	8.1	<0.1	18.3	0.9
1401724	Float	530338	6693799	1457	8/25/2011	gray	w/qtz	WHI11001502	0.64	0.006				0.2	8.7	4.9	40	<0.1	14.2	3.0	77	1.92	4	2.0	<0.1	7.5	13	<0.1	0.9	0.2	32	0.01	0.019	29.5	26	0.54	248	0.154	2.77	0.028	0.90	0.4	62.5	56	0.9	8.4	4.5	0.2	<1	5	14.7	<0.1	39.0	1.8
1401725	Float	530373	6693837	1453	8/25/2011	gray/brown	w/ qtz	WHI11001502	0.78	0.005				0.2	6.1	4.1	4	<0.1	1.8	0.6	15	0.60	7	1.3	<0.1	4.7	3	<0.1	0.5	0.1	23	<0.01	0.012	18.2	16	0.11	220	0.113	1.74	0.011	0.79	0.8	45.3	34	0.8	5.2	3.7	0.2	<1	3	5.6	<0.1	30.8	1.3
1401726	Float	530411	6693869	1440	8/25/2011	gray	w/ qtz & rust	WHI11001502	0.68	0.008				0.2	7.1	6.5	22	<0.1	9.6	3.7	71	0.95	4	1.1	<0.1	5.2	3	<0.1	0.3	0.1	22	<0.01	0.007	18.1	9	0.11	104	0.123	1.50	0.010	0.70	0.4	50.0	36	1.3	6.1	4.9	0.2	<1	2	6.4	<0.1	27.0	1.5
1401727	Float	530453	6693900	1441	8/25/2011	brown	w/ qtz & black spots	WHI11001502	0.55	0.007				0.2	11.6	5.3	17	<0.1	6.5	2.1	44	0.94	4	1.2	<0.1	5.1	20	<0.1	0.4	0.1	19	0.01	0.014	20.2	11	0.06	91	0.107	1.91	0.032	0.63	0.3	47.3	39	0.7	5.8	3.4	0.2	<1	3	13.1	<0.1	27.9	1.3
1401728	Float	530499	6693919	1438	8/25/2011	gray	w/ qtz & rusty fractures	WHI11001502	0.76	0.010				0.4	6.8	10.1	18	<0.1	7.1	2.6	274	1.35	8	0.9	<0.1	3.1	9	<0.1	0.6	<0.1	12	<0.01	0.016	14.0	18	0.04	66	0.076	1.11	0.016	0.36	0.2	34.1	26	0.4	4.3	1.9	0.1	<1	2	6.2	<0.1	16.1	0.9
1401729	Float	530541	6693950	1434	8/25/2011	gray/green	w/ orange & purple rust	WHI11001502	0.60	<0.005				<0.1	13.9	17.7	44	<0.1	17.3	8.1	257	2.42	<1	1.7	<0.1	13.3	29	<0.1	0.2	0.1	33	0.02	0.011	26.4	11	0.58	280	0.123	3.73	1.032	0.69	0.3	93.6	50	0.9	7.0	3.3	0.2	<1	4	27.8	<0.1	28.4	2.8
1401730	Float	530588	6693965	1438	8/25/2011	gray/brown	w/ rusty spots	WHI11001502	0.77	0.007				0.1	6.5	4.1	12	<0.1	6.6	0.9	47	0.59	<1	0.8	<0.1	2.8	8	<0.1	0.3	<0.1	12	<0.01	0.008	13.4	13	0.04	113	0.068	0.99	0.019	0.40	0.3	33.8	25	0.4	4.3	1.9	<0.1	<1	2	8.1	<0.1	18.3	0.9
1401731	Float	530631	6693982	1445	8/25/2011	pale gray	w/ rusty fractures	WHI11001502	0.67	0.007				0.1	3.6	5.2	7	<0.1	3.8	1.7	57	0.66	1	0.9	<0.1	3.8	9	<0.1	0.3	<0.1	16	0.01	0.015	15.2	9	0.09	50	0.089	1.07	0.013	0.44	1.8	42.6	28	0.4	4.4	2.2	0.1	<1	2	3.8	<0.1	18.0	1.1
1401732	Float	530677	6693984	1457	8/25/2011	gray/brown	w/ qtz	WHI11001502	0.87	0.008				0.2	9.5	4.4	26	<0.1	8.3	2.6	245	0.97	2	0.7	<0.1	2.9	6	<0.1	0.2	<0.1	9	<0.01	0.011	13.2	14	0.03	55	0.062	0.84	0.010	0.22	0.3	26.5	26	0.3	3.9	1.6	<0.1	<1	2	6.5	<0.1	10.0	0.8
1401733	Float	530698	6694030	1438	8/25/2011	pale brown	w/ qtz	WHI11001502	0.71	0.006				0.2	11.5	20.9	22	<0.1	6.7	1.8	36	1.03	<1	0.8	<0.1	2.6	5	<0.1	0.3	0.3	9	<0.01	0.010	13.5	22	0.14	32	0.048	1.04	0.007	0.12	1.1	26.2	26	0.3	4.5	1.8	<0.1	<1	2	13.2	<0.1	5.6	0.8
1401734	Float	530717	6694074	1426	8/25/2011	gray/green	w/ qtz & rust	WHI11001502	0.57	0.008				0.4	11.5	20.9	22	<0.1	32.9	12.7	151	3.26	3	2.2	<0.1	12.9	40	<0.1	0.2	0.3	59	0.02	0.013	24.7	49	0.75	429	0.253	6.45	1.009	1.82	0.4	99.1	52	1.7	7.3	7.3	0.5	1	7	40.7	<0.1	75.6	3.0
1401735	Float	530759	6694104	1423	8/25/2011	gray/green	w/ qtz	WHI11001502	0.53	0.007				<0.1	26.9	12.9	68	<0.1	32.9	12.7	151	3.26	3	2.2	<0.1	12.9	40	<0.1	0.2	0.3	59	0.02	0.013	24.7	49	0.75	429	0.253	6.45	1.009	1.82	0.4	99.1	52	1.7	7.3	7.3	0.5	1	7	40.7	<0.1	75.6	3.0
1401736	Float	530807	6694131	1420	8/25/2011	dark gray	w/ qtz	WHI11001502	0.64	0.006				0.3	6.5	6.6	14	<0.1	6.8	3.9	723	0.99	3	0.8	<0.1	2.6	5	<0.1	0.4	0.1	9	<0.01	0.010	11.3	22	0.08	34	0.050	0.62	0.012	0.18	0.8	31.9	21	0.3	3.0	1.3	<0.1	<1	1	11.2	<0.1	9.3	0.9
1401737	Grab	530843	6694156	1407	8/25/2011	light purple	w/ qtz & rust	WHI11001502	0.91	0.006				0.1	5.6	3.4	9	<0.1	3.1	1.4	299	0.37	12	0.6	<0.1	0.7	534	<0.1	0.3	<0.1	7	39.62	0.029	4.3	2	0.21	20	0.007	0.13	0.007	0.04	<0.1	3.0	3	0.1	2.0	0.4	<0.1	<1	<1	1.6	<0.1	1.6	<0.1
1401738	Grab	530874	6694194	1401	8/25/2011	light gray	w/ qtz	WHI11001502	0.44	0.006				0.2	2.0	1.1	3	<0.1	1.0	0.4	105	0.17	<1	1.8	<0.1	0.3	1984	<0.1	0.1	<0.1	4	39.83	0.061	2.6	3	0.21	20	0.007	0.13	0.007	0.04	<0.1	3.0	3	0.1	2.0	0.4	<0.1	<1	<1	4.1	<0.1	3.1	0.3
1401739	Float	530910	6694214	1403	8/25/2011	dark gray	w/ qtz veins	WHI11001502	0.63	0.011				0.2	2.1	1.0	3	<0.1	2.0	0.5	172	0.26	<1	1.2	<0.1	1.0	1084	<0.1	0.3	<0.1	4	36.11	0.075	3.4	3	0.32	24	0.027	0.31	0.008	0.06	0.2	12.1	6	0.3	3.5	3.9	0.2	<1	<1	1.1	<0.1	1.2	0.2
1401740	Float	530927	6694260	1410	8/25/2011	dark gray	w/ qtz veins	WHI11001502	0.87	0.006				0.3	1.7	1.2	5	<0.1	1.7	<0.2	101	0.14	<1	1.0	<0.1	0.2	1239	<0.1	0.4	<0.1	2	38.15	0.021	2.8	1	0.14	9	0.003	0.13	0.002	0.05	<0.1	3.1	5	<0.1	3.7	0.7	<0.1	<1	<1	0.9	<0.1	1.8	<0.1
1401741	Float	530975	6694257	1420	8/25/2011	dark gray	w/ qtz veins	WHI11001502	0.68	0.006				0.2	7.4	13.1	29	<0.1	10.5	3.7	155	0.94	2	0.2	<0.1	3.8	18	<0.1	0.3	0.3	8	0.31	0.012	2.8	19	0.21	1086	0.017	0.75	0.022	0.13	0.3	0.7	3	0.1	1.6	0.7	<0.1	<1	1	23.1	<0.1	6.8	0.1
1401742	Float	531021	6694241	1429	8/25/2011		qtz	WHI11001502	0.41	0.007				0.2	4.1	23.5	48	<0.1	4.1	5.7	490	2.21	<1	2.5	<0.1	23.5	247	<0.1	<0.1	<0.1	50	1.96	0.053	31.1	9	0.70	723	0.253	6.60	2.266	2.44	0.7	38.4	60	3.1	17.8	14.3	1.3	2	7	54.0	<0.1	89.8	1.5
1401743	Float	531065	6694260	1423	8/25/2011		granular qtz	WHI11001502	0.62	0.006				0.2	8.4	6.3	34	<0.1	11.7	5.9	278	2.07	<1	1.4	<0.1	7.7	26	<0.1	<0.1	<0.1	23	0.06	0.009	15.8	15	0.10	144	0.070	3.06	0.802	0.72	0.1	62.8	33	0.6	5.6	2.0	0.2	<1	3	26.7	<0.1	32.9	1.9
1401744	Float	531112	6694264	1424	8/25/2011	gray/orange	w/ qtz	WHI11001502	0.81	0.007				0.2	3.2	6.9	5	<0.1	3.1	1.4	299	0.37	12	0.6	<0.1	0.7	534	<0.1	0.3	<0.1	7	39.62	0.029	4.3	2	0.21	20	0.007	0.13	0.007	0.04	<0.1	3.0	3	0.1	2.0	0.4	<0.1	<1	<1	1.6	<0.1	1.6	<0.1
1401745	Float	531158	6694274	1437	8/25/2011	blue/gray	w/ qtz	WHI11001502	0.95	0.005				0.1	0.8	2.4	2	<0.1	1.5	0.4	183	0.14	<1	0.7	<0.1	0.6	1196	<0.1	0.2	<0.1	2	36.44	0.024	2.0	1	0.21	22	0.009	0.17	0.005	0.06	<0.1	6.5	4	0.2	1.8	1.1	0.1	<1	<1	2.2	0.2
1401746	Grab	531205	6694291	1426	8/25/2011	blue/gray	w/ qtz	WHI11001502	0.85	0.007				0.1	<0.1	0.9	3	<0.1	0.4	0.5	286	0.27	3	0.3	<0.1	0.5	163	<0.1	0.2	<0.1	1	31.66	0.012	2.1	<1	6.74	25	0.005	0.11	0.009	0.04	<0.1	2.4	5	<0.1	6.0	0.6	<0.1	<1	<1	1.1	<0.1	1.6	<0.1
1401747	Float	531253	6694288	1430	8/25/2011	white/pink	qtz	WHI11001502	1.03	0.007				0.1	0.5	0.6	4	<0.1	<0.1	<0.2	54	<0.01	6	0.8	<0.1	<0.1	830	<0.1	0.9	0.1	<1	39.50	0.012	1.1	<1	0.19	7	<0.001	0.02	0.007	<0.01	<0.1	0.3	<1	0.2	0.8	0.1	<0.1	<1	<1	0.5	<0.1	0.9	<0.1
1401748	Float	531579	6694886	1495	8/26/2011	Gray	translucent	WHI11001501	0.71	<0.005				0.2	0.5	1.2	2	<0.1	1.8	<0.2	20	<0.01	2	1.0	<0.1	0.2	601	<0.1	0.2	0.1	<1	38.11	0.028	1.3	<1	0.21	8	0.003	0.06	0.005	0.02	<0.1	0.7	2	0.2	1.6	0.2	<0.1	<1	<1	0.5	<0.1	0.7	<0.1
1401749	Float	531532	6694905	1482	8/26/2011	Gray	translucent	WHI11001501	0.67	0.006				0.2	0.5	0.7	4	<0.1	3.5	0.3	43	<0.01	<1	1.3	<0.1	<0.1	727	0.1	0.3	0.1	<1	>40.00	0.022	0.8	<1	0.21	13	0.004	0.10	0.002	0.03	<0.1	1.1	2	0.2	1.8	0.3	<0.1	<1	<1	0.4	<0.1	1.0	<0.1
1401750	Float	531490	6694934	1488	8/26/2011	Gray	translucent	WHI11001501	0.62	0.007				0.2	1.0	2.0	2	<0.1	2.5	<0.2	149	0.04	3	0.8	<0.1	0.2	453	<0.1	0.8	<0.1	<1	>40.00	0.026	1.2	<1	0.17	9	0.004	0.10	0.002	0.03	<0.1	0.8	3	0.2	1.8	0.3	<0.1	<1	<1	0.4	<0.1	1.0	<0.1
1401751	Float	531445	6694941	1482	8/26/2011	Gray	w/ qtz veins	WHI11001501	0.60	<0.005				0.1	0.5	1.0	<1	<0.1	1.6	0.3	17	0.02	4	0.7	<0.1	1.9	798	<0.1	1.5	<0.1	<1	>40.00	0.022	1.0	<1	0.22	11	0.002	0.08	0.002	0.02	<0.1	0.7	2	0.1	1.3	0.1	<0.1	<1	<1	0.4	<0.1	0.7	<0.1
1401752	Float	531400	6694956	1475	8/26/2011	Gray	translucent	WHI11001501	0.89	<0.005				0.2	1.6	1.8	2	<0.1	2.1	<0.2	40	0.03	2	0.7	<0.1	<0.1	431	0.1	2.1

IKE Project - Stream Sediment Samples

Sample Number	Easting (Nad 83)	Northing (Nad 83)	Elevation (m)	Date	Depth (cm)	Color	Mesh size (µm)	Rating	Stream width (m)	Flow rate	Comments	Job Number	Mo-ppm-10X15	Cu-ppm-10X15	Pb-ppm-10X15	Zn-ppm-10X15	Ag-ppm-10X15	Ni-ppm-10X15	Co-ppm-10X15	Mn-ppm-10X15	Fe-%-10X15	As-ppm-10X15	Au-ppb-10X15	Th-ppm-10X15	Sr-ppm-10X15	Cd-ppm-10X15	Sb-ppm-10X15	Bi-ppm-10X15	V-ppm-10X15	Ca-%-10X15	P-%-10X15	La-ppm-10X15	Cr-ppm-10X15	Mg-%-10X15	Ba-ppm-10X15	Ti-%-10X15	B-ppm-10X15	Al-%-10X15	Na-%-10X15	K-%-10X15	W-ppm-10X15	Hg-ppm-10X15	Sc-ppm-10X15	Tl-ppm-10X15	S-%-10X15	Ga-ppm-10X15	Se-ppm-10X15	Te-ppm-10X15
1109851	533673	6692342	994	8/31/2011	0-10	Brown	20	moderate	0-1	slow	side bar	WHI11001415	0.5	23.8	17.1	73	<0.1	24.7	12.5	869	2.79	103.0	5.0	2.8	57	0.2	4.0	0.2	19	1.92	0.086	16	21	0.46	115	0.008	1	0.80	0.005	0.05	0.2	0.13	2.1	0.1	<0.05	3	1.3	<0.2
1109852	534112	6692423	946	8/31/2011	0-10	Brown	20	moderate	0-1	medium	small pool	WHI11001415	0.5	22.0	13.5	62	<0.1	22.1	8.7	341	2.47	46.3	2.2	2.3	48	0.2	1.8	0.2	19	1.69	0.082	14	21	0.38	88	0.009	2	0.73	0.005	0.05	0.2	0.07	1.7	<0.1	<0.05	2	1.6	<0.2
1109853	534241	6692393	933	8/31/2011	0-10	Brown	20	poor	1.0-2.0	medium	side overhang	WHI11001415	0.6	21.0	15.9	48	<0.1	20.5	9.1	296	2.65	30.0	<0.5	2.7	47	0.2	1.3	0.2	20	1.37	0.051	16	17	0.32	104	0.005	<1	0.86	0.005	0.05	0.1	0.06	1.8	<0.1	<0.05	3	1.0	<0.2
1109854	534355	6692371	928	8/31/2011	0-10	Brown	20	moderate	1.0-2.0	fast	side bar	WHI11001415	0.4	19.7	13.9	60	<0.1	23.6	9.2	173	2.20	21.9	5.1	3.5	35	0.2	1.4	0.2	21	0.95	0.074	20	21	0.36	79	0.011	<1	0.76	0.004	0.05	0.2	0.08	1.7	<0.1	<0.05	2	1.3	<0.2
1109855	534484	6692389	928	8/31/2011	0-10	Brown	20	good	1.0-2.0	fast	side pool	WHI11001415	0.5	17.0	12.4	57	<0.1	21.6	9.6	593	2.52	34.4	1.5	3.3	58	0.2	1.3	0.2	18	2.57	0.066	15	18	0.43	78	0.009	2	0.67	0.004	0.04	0.1	0.04	1.5	<0.1	<0.05	2	1.3	<0.2
1109856	534601	6692359	925	8/31/2011	0-10	Brown	20	poor	1.0-2.0	fast	side pool	WHI11001415	0.5	16.5	11.9	54	<0.1	21.1	9.0	794	2.36	27.9	4.0	2.9	49	0.2	1.3	0.2	17	2.15	0.061	14	17	0.43	89	0.008	1	0.66	0.003	0.04	0.1	0.05	1.3	<0.1	<0.05	2	1.5	<0.2
1109857	534743	6692309	923	8/31/2011	0-10	Brown	20	poor	1.0-2.0	fast	side overhang	WHI11001415	0.5	19.6	17.5	65	<0.1	25.7	13.2	1273	2.86	27.5	1.5	3.6	47	0.4	1.2	0.2	19	2.03	0.062	15	20	0.58	125	0.008	<1	0.86	0.004	0.05	0.1	0.04	1.7	<0.1	<0.05	3	1.1	<0.2
1109858	534898	6692267	915	8/31/2011	0-10	Brown	20	good	1.0-2.0	medium	large pool	WHI11001415	0.5	17.0	14.4	62	<0.1	22.4	11.2	944	2.58	26.1	1.5	3.9	45	0.2	1.0	0.2	17	1.90	0.060	14	18	0.61	103	0.008	<1	0.80	0.004	0.04	<0.1	0.08	1.5	<0.1	<0.05	2	0.6	<0.2
1110051	526809	6690071	987	8/2/2011	0-10	Brown	20	good	1-2.00	medium	Side Eddy	WHI11001390	0.5	21.3	36.7	194	0.3	33.3	11.9	767	2.74	47.5	2.8	4.9	15	0.6	1.2	0.2	21	0.27	0.049	18	25	0.35	109	0.006	<1	1.04	0.003	0.04	0.1	0.02	1.7	<0.1	<0.05	3	0.7	<0.2
1110052					0-10	Brown	20	moderate	1	medium	No UTM's	WHI11001390	0.7	22.4	35.6	185	0.4	33.4	12.3	739	2.72	44.4	2.5	4.3	17	0.7	1.1	0.2	19	0.35	0.056	17	25	0.35	119	0.005	<1	1.03	0.004	0.04	0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1110053	526264	6689792	964	8/2/2011	10-20.00	Brown	20	moderate	1-2.00	medium	Side Eddy	WHI11001390	0.8	24.2	23.4	138	0.1	35.8	14.3	490	5.83	107.6	1.2	5.0	20	0.4	1.5	0.2	27	0.29	0.109	15	49	0.47	125	0.006	<1	1.20	0.003	0.04	0.1	1.9	<0.1	4	<0.5	<0.2
1110054	526165	6689795	961	8/2/2011	0-10	Brown	20	moderate	1	medium	Stream coming down from s side of main stream	WHI11001390	0.7	18.6	9.8	64	0.1	32.1	10.3	549	2.22	11.4	<0.5	3.8	24	0.3	0.6	0.1	24	0.47	0.058	15	34	0.44	121	0.013	<1	0.93	0.004	0.05	0.1	0.02	2.0	<0.1	<0.05	3	0.9	<0.2
1110055	525953	6689784	954	8/2/2011	10-20.00	Brown	20	moderate	1	medium		WHI11001390	0.6	16.0	16.8	108	0.1	33.7	12.1	579	2.88	25.2	1.8	4.5	16	0.3	0.9	0.1	25	0.24	0.052	15	46	0.44	107	0.011	1	1.02	0.003	0.04	<0.1	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
1110056	525526	6689822	940	8/2/2011	10-20.00	Brown	20	moderate	1	medium		WHI11001390	0.8	16.2	14.3	105	0.1	32.4	11.8	610	2.67	22.4	2.3	4.2	18	0.4	0.8	0.1	24	0.29	0.053	16	34	0.43	121	0.010	<1	0.99	0.004	0.04	<0.1	0.02	1.6	<0.1	<0.05	3	0.6	<0.2
1110057	525200	6690118	n/a	8/2/2011	0-10	Brown	20	moderate	1-2.00	medium		WHI11001390	0.7	15.9	13.8	101	0.2	28.7	10.1	543	2.23	17.2	1.1	3.8	20	0.4	0.7	0.1	21	0.34	0.053	15	28	0.37	123	0.009	<1	0.92	0.004	0.04	0.1	0.05	1.8	<0.1	<0.05	3	0.5	<0.2
1110058	531336	6692640	1072	8/3/2011	0-10	Brown	20	good	1-2.00	medium		WHI11001390	0.5	21.2	16.8	73	<0.1	29.5	13.5	575	2.75	26.9	5.4	4.8	20	0.3	1.3	0.2	19	0.43	0.057	19	23	0.39	84	0.009	<1	0.92	0.005	0.04	<0.1	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
1110059	531162	6691977	1007	8/3/2011	0-10	Brown	20	moderate	2-3.00	medium		WHI11001390	0.3	19.2	16.9	72	<0.1	28.2	12.6	476	2.76	26.6	3.2	4.9	17	0.2	1.3	0.2	18	0.36	0.054	18	22	0.42	74	0.009	<1	1.03	0.003	0.03	<0.1	0.02	1.6	<0.1	<0.05	3	<0.5	<0.2
1110060	530902	6691151	954	8/3/2011	0-10	Brown	20	moderate	1-2.00	medium	Side Eddy	WHI11001390	0.5	20.0	17.9	79	<0.1	31.3	13.6	531	3.02	28.8	2.5	5.3	20	0.2	1.4	0.2	22	0.44	0.057	19	27	0.44	77	0.010	<1	1.08	0.004	0.04	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
1110061	531003	6690545	932	8/3/2011	0-10	Brown	20	moderate	1-2.00	medium		WHI11001390	0.5	21.6	24.5	75	0.1	27.3	11.6	665	2.79	32.2	1.9	4.0	33	0.2	1.6	0.2	17	0.72	0.059	17	20	0.38	106	0.010	1	1.04	0.004	0.06	0.1	0.04	1.7	<0.1	<0.05	3	0.8	<0.2
1110063	531447	6690081	913	8/3/2011	0-10	Brown	20	moderate	2-3.00	medium	Side Eddy	WHI11001469	0.4	16.5	19.0	75	<0.1	26.7	11.8	420	2.76	25.5	3.2	4.6	20	0.2	1.5	0.2	19	0.37	0.052	19	24	0.48	68	0.010	<1	1.06	0.002	0.04	0.1	0.02	1.3	<0.1	<0.05	3	<0.5	<0.2
1110064	531483	6689614	905	8/3/2011	0-10	Brown	20	good	1-2.00	slow	Flat area entering pond	WHI11001469	0.4	19.3	18.0	96	<0.1	29.3	12.3	384	3.17	35.0	4.1	5.3	14	0.1	1.9	0.3	22	0.49	0.056	18	31	0.60	58	0.012	<1	0.93	0.002	0.03	0.1	0.02	1.4	<0.1	<0.05	3	<0.5	<0.2
1110065	531428	6689467	909	8/3/2011	0-10	Brown	20	moderate	1-2.00	slow	rivlet flowing down from hill to main stream	WHI11001469	0.3	13.4	12.6	238	0.1	22.7	9.9	362	2.55	25.1	4.2	2.8	19	0.2	1.2	0.2	14	1.21	0.053	11	21	0.88	47	0.005	<1	1.02	0.002	0.03	<0.1	0.11	1.1	<0.1	<0.05	3	<0.5	<0.2
1110237	527604	6695456	1058	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.6	12.6	10.4	71	0.1	19.2	8.7	1457	2.29	9.7	4.0	3.4	31	0.6	0.8	0.1	21	0.54	0.061	16	18	0.26	185	0.012	1	0.76	0.005	0.05	0.2	0.04	1.5	<0.1	<0.05	2	0.9	<0.2
1110241	527611	6695314	1085	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	slow	middle bottom	WHI11001415	0.6	10.0	9.2	62	<0.1	16.5	7.6	1035	2.00	9.4	<0.5	3.4	25	0.4	0.7	0.1	20	0.41	0.054	15	15	0.25	158	0.010	<1	0.65	0.005	0.04	0.2	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1110242	527673	6695186	1084	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.5	12.1	9.8	66	0.1	18.5	7.9	1273	2.14	9.8	112.9	3.2	31	0.4	0.7	0.1	22	0.56	0.059	16	17	0.26	170	0.011	2	0.72	0.009	0.05	0.2	0.05	1.6	<0.1	<0.05	2	0.9	<0.2
1110243	527725	6695056	1097	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	middle bottom	WHI11001415	0.5	12.0	9.6	67	<0.1	19.3	8.0	886	2.12	9.4	0.7	3.1	27	0.5	0.6	0.1	21	0.48	0.058	15	17	0.25	169	0.011	<1	0.71	0.006	0.05	0.1	0.04	1.6	<0.1	<0.05	2	0.9	<0.2
1110244	527786	6694905	1105	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.5	9.5	7.8	57	<0.1	15.9	7.1	1175	1.93	8.0	1.0	3.1	25	0.3	0.6	<0.1	19	0.41	0.055	14	16	0.24	146	0.009	<1	0.63	0.004	0.04	0.2	0.03	1.3	<0.1	<0.05	2	<0.5	<0.2
1110245	527895	6694668	1128	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.6	11.4	9.2	64	<0.1	18.2	8.1	1201	2.12	9.8	1.7	3.0	27	0.3	0.6	0.1	20	0.44	0.062	15	18	0.25	158	0.009	<1	0.71	0.005	0.04	0.2	0.05	1.6	<0.1	<0.05	2	0.7	<0.2
1110246	527923	6694506	1131	8/27/2011	0-10	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.6	12.6	10.1	66	0.1	19.4	8.2	1249	2.18	10.3	2.1	2.9	31	0.4	0.7	0.1	20	0.52	0.065	15	18	0.26	173	0.010	1	0.74	0.005	0.05	0.2	0.05	1.6	<0.1	<0.05	2	0.9	<0.2
1110247	527913	6698964	1223	8/29/2011	10.0-20.0	Brown	20	moderate	1.0-2.0	medium	side bar	WHI11001415	0.4	17.2	14.0	82	0.1	28.1	10.4	599	2.53	9.8	1.8	4.1	30	0.2	0.9	0.1	19	0.48	0.055	22	22	0.48	67	0.008	<1	1.13	0.010	0.04	<0.1	0.04	1.6	<0.1	<0.05	3	0.7	<0.2
1110249	527125	6699014	1134	8/29/2011	10.0-20.0	Brown	20	moderate	1.0-2.0	fast	side bar	WHI11001415	0.6	16.2	12.5	72	0.1	26.4	11.9	835	2.58	8.0	1.8	4.0	23	0.3	0.3	0.1	20	0.33	0.043	19	21	0.40	81	0.008	<1	0.92	0.004	0.04	0.3	<0.1	0.03	1.5	<0.1	<0.05	3	<0.5	<0.2
1110250	533382	6692313	1027	8/31/2011		Brown	20	poor	1.0-2.0	slow	corner bar	WHI11001415	0.4	15.7	11.4	59	<0.1	21.1	8.3	268	2.24	19.5	<0.5	2.5	54	0.2	1.1	0.1	17	1.69	0.070	14	18	0.39	74	0.010	2	0.69	0.005	0.04	0.1	0.03	1.5	<0.1	<0.05	2	1.2	<0.2
1110551	526962	6692813	1187	7/23/2011	10	Brown	20	good	1			WHI11000843	0.3	19.2	33.8	166	0.6	20.6	9.0	649	2.18	133.9	6.1	1.8	32	1.0	6.0	0.2	20	1.23	0.166	13	17	0.32	94	0.008	2	0.82	0.004	0.05	0.3	0.14	1.8	0.1	0.07	2	0.7	<0.2
1110552	526783	6692906	1150	7/23/2011	10	Brown	20	moderate	1			WHI11000843	0.4	18.2	31.0	112	0.5	25.3	10.4	574	2.61	142.3	4.5	2.4	35	0.5	4.5	0.2	22	0.95	0.138	16	25	0.42	98	0.009	1	1.01	0.003	0.05	0.2	0.14	2.1	0.2	0.07	3	<0.5	<0.2
1110553	526617	6693025	1124	7/23/2011	15	Brown	20	moderate	1			WHI11000843	0.3	13.2	26.6	107	0.2	25.1	11.4	733	2.72	146.9	4.9	3.3	23	0.5	4.1	0.2	23	0.62	0.103	15	26	0.45	79	0.009	<1	0.92	0.003	0.04	0.3	0.08	1.8	0.1	<0.05	3	<0.5	<0.2
1110554	526442	6693041	1103	7/23/2011	10		20	good	1			WHI11000843	0.5	14.7	22.5	93	0.3	23.4	9.3	512	2.39	120.1	4.8	2.8	25	0.4	3.8	0.2	20	0.62	0.091	14	21	0.38	88	0.008	1	0.88	0.004	0.04	0.2	0.07	1.9	0.1	<0.05	3	0.6	<0.2
1110555	526249	6693059	1080	7/23/2011	15	Brown	20	good	1.5			WHI11000843	0.3	12.9	20.3	82	0.2	21.6	8.5	436	2.32	95.8	8.9	3.3	21	0.3	4.0	0.2	21	0.49	0.083	14	20	0.36	88	0.009	<1	0.80	0.003	0.04	0.4	0.06	1.7	<0.1	<0.05	2	0.8	<0.2
1110556	526055	6693037	1059	7/23/2011	15	Brown	20	good	1.5			WHI11000843	0.5	14.6	18.1	84	0.7	23.8	9.1	521	2.35	69.7	30.0	3.1	31	0.5	3.0	0.2	24	0.95	0.078	14	22	0.38	93	0.009	<1	0.74	0.004	0.05	0.3	0.06	1.9	<0.1	<0.05	2	1.2	<0.2
1110557	525886	6692947	1037	7/23/2011	15	Brown	20	good	1.5			WHI11000843	0.4	14.3	17.0	80	0.8	20.1	8.0	475	2.01	75.9	2.9	2.2	42	0.4	2.5	0.2	19	2.83	0.081	12	18	0.35	90	0.009	2	0.72	0.004	0.04	0.2	0.06	1.8	<0.1	<0.05	2	1.2	<0.2
1110558	525693	6692920	1020	7/23/2011	15	Brown	20	good	1.5			WHI11000843	0.5	14.9	17.6	80	0.6	20.7	8.3	544	2.08	78.3	3.0	2.4	41	0.5	2.5	0.2	20	2.40	0.077	12	17	0.35	96	0.009	1	0.76	0.005	0.05	0.2	0.06	1.9	<0.1	<0.05	2	1.0	<0.2
1110559	525499	6692941	1006	7/23/2011	15	Brown	20	moderate	1			WHI11000843	0.5	13.7	15.7	76	0.7	21.0	7.9	458	2.05	60.9	3.0	2.6	43	0.5	2.3	0.2	23	2.75	0.077	12	19	0.35	93	0.009	2	0.70	0.005	0.05	0.3	0.06	1.7	<0.1	<0.05	2	1.0	<0.2
1110560				7/23/2011							No UTM's	WHI11000843	1.1	393.2	22.0	160	0.2	179.0	68.5	782	14.87	3.5	34.2	7.0	16	0.1	0.2	0.2	195	0.29	0.044	16	543	0.12	147	0.134	2	3.53	0.012	0.06	<0.1	0.04	31.2	<0.1	<0.05	20	<0.5	<0.2
1110561	525313	6693005	995	7/23/2011			20	good		medium		WHI11000843	0.4	12.4	13.7	69	0.3	19.3	7.7	393	2.18	48.4	50.4	3.5	28	0.4	2.2	0.2	27	1.46	0.066	12	20	0.33	95	0.009	1	0.63	0.004	0.04	0.2	0.10	1.7	<0.1	<0.05	2	1.2	<0.2
1110562	525170	6693155	984	7/23/2011	15		20	poor	0.5			WHI11000843	0.5	16.5	14.5	81	0.5	21.8	7.9	345	2.23	52.3	317.7	2.8	36	0.5	1.9	0.2	25	1.16	0.076	14	20	0.35	105	0.009	<1	0.77	0.005	0.05	0.3	0.07	2.0	<0.1	<0.05	2	0.8	<0.2
1110563	524995	6693258	969	7/23/2011	15		20	good	1.5			WHI11000843	0.7	14.0	11.3	69	0.2	19.1	7.6	468	2.10	24.3	44.4	3.6	33	0.5	1.4	0.2	28	0.92	0.065	14	20	0.32	173	0.009	1	0.73	0.005	0.05	0.2	0.04	2.0	<0.1	<0.05	2	1.2	<0.2
1110564	524630	6693090	963	7/24/2011	15	Brown	20	moderate	1.5			WHI11000843	0.6	11.7	11.0	64	0.2	18.0	7.2	446	1.93	28.1	<0.5	3.4	26	0.3	1.3	0.2	24	0.79	0.057	12	17	0.33	136	0.008	<1	0.68	0.005	0.04	<0.1	0.03	1.8	<0.1	<0.05	2	0.6	<0.2
1110565	524763	6693243	970	7/24/2011	15		20	moderate	1.5			WHI11000843	0.7	11.2	11.0	66	0.2	19.5	7.9	462	2.33	26.7	<0.5	4.0	25	0.4	1.6	0.1	36	0.79	0.057	14	24	0.33	150	0.010	<1	0.66	0.005	0.04	0.2	0.03	1.9	<0.1	<0.05	2	0.5	<0.2
1110566	524841	6693301	977	7/24/2011	15	Brown	20	moderate	2.5			WHI11000843	1.4	12.1	8.5	71	0.2	20.1	8.2	1752	2.28	6.4	0.6	2.4	42	1.1	0.7	0.1	26	0.77	0.064	11	19	0.44	437	0.007	2	0.90	0.006	0.05	0.1	0.05	2.2	<0.1	<0.05	3	1.3	<0.2
1110567	524913	6693489	999	7/24/2011	5	Brown	20	poor	1.5			WHI11000843	0.8	11.9	7.7	73	0.3	20.2	8.7	1895	2.63	6.1	<0.5	2.4	49	1.0	0.6	0.1	25	0.94	0.069	10	21	0.47	454	0.007	1	0.93	0.006	0.05	0.1	0.05	2.4	<0.1	0.05	3	1.7	<0.2
1110568	524926	6693663	1014	7/24/2011		Brown	20	moderate	0.5			WHI11000843	0.6	9.7	5.6	63	0.2	16.8	6.7	651	2.01	3.7	55.1	2.5	36	0.5	0.5	<0.1	23	0.73	0.062	11	21	0.46	294	0.007	<1	0.87	0.005	0.05	0.2	0.05	1.9	<0.1	<0.05	3	1.1	<0.2
1110569	524924	6693904	1032	7/24/2011	5	Brown	20	poor	0.5			WHI11000843	1.2	9.4	6.6	69	0.2	16.7	8.4	1568	2.40	6.9	<0.5	2.1	47	0.9	0.6	0.1	22	0.92	0.068	10	17	0.42	409	0.009	1	0.83	0.005	0.04	<0.1	0.03	1.9	<0.1	<0.05	3	1.2	<0.2
1110570	524510	6692939	965	7/24/2011			20		2.5			WHI11000843	0.6	14.6	11.1	66	0.3	19.7	7.3	463	1.89	28.8	1.8	2.8	32	0.5	1.4	0.2	22	0.94	0.061	12	16	0.31	146	0.008	<1	0.68	0.005	0.04	0.1	0.04	1.7	<0.1	<0.05	2	1.1	<0.2
1110571	522688	6694891	980	7/24/2011		Brown	20	moderate	3			WHI11000843	1.0	16.0	11.5	66	0.1	23.6	8.7	561	2.26	9.1	0.8	3.7	25	0.5	0.8	0.2	25	0.39	0.061	14	22	0.34	136	0.010	<1	0.64	0.005	0.04	0.2	0.04	1.9	<0.1	<0.05	2	0.8	<0.2
1110572	522887	6694909	983	7/24/2011		Brown	20	moderate				WHI11000843	0.8	15.6	10.1	66	0.1	22.6	8.0	618	2.04	7.6	<0.5	3.4	29	0.5	0.7	0.2	22	0.51	0.060	14	21	0.33	140	0.010	<1	0.64	0.004	0.04	0.1	0.05	1.9	<0.1	<0.05	2	1.0	<0.2
1110573	522888	6694909	983	7/24/2011		Brown	20	moderate				WHI11000843	1.1	20.4	13.1	83	0.2	28.1	9.7	834	2.40	9.6	5.4	3.5	37	0.7	0.8	0.2	25	0.64	0.071	15	23	0.38	176	0.010	<1	0.78	0.005	0.05	0.2	0.08	2.2	<0.1	<0.05	2	1.8	<0.2
1110574	523071	6694974	986	7/24/2011	90	Brown	20	moderate	3			WHI11000843	0.9	15.1	10.1	67	0.1	22.4	8.1	576	2.03	8.2	1.6	3.5	28	0.5	0.7	0.2	21	0.45	0.059	14	19	0.35	146	0.010	<1	0.65	0.005	0.04	0.1	0.05	1.9	<0.1	<0.05	2	1.2	<0.2
1110575	523197	6695134	989	7/24/2011			20	moderate	3.5			WHI11000843	0.8	17.0	10.9	69	0.2	23.2	8.3	680	2.07	8.3	3.2	3.4	32	0.4	0.7	0.2	22	0.53	0.062	14	19	0.35	152	0.010	<1	0.69	0.005	0.05	0.1	0.06	2.0	<0.1	<0.05	2	1.4	<0.2
1110576	523305	6695322	989	7/25/2011	15	Brown	20	moderate	3.5			WHI11001003	0.6	14.8	10.2	64	0.1	23.1	8.0	598	2.06	7.3	2.7	3.7	25	0.4	0.7	0.2	23	0.45	0.060	14	24	0.32	138	0.009	1	0.63	0.004	0.04