



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 24-SEP-2011  
This copy reported on  
28-SEP-2011  
Account: CASTILLIAN

**CERTIFICATE WH11176276**

Project:  
P.O. No.:  
This report is for 21 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

PDF Manager DEMO : Purchase from www.A-PDF.com to remove the watermark



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 24-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11176276**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CR-TR3-1m		0.71	0.006	<0.5	3.45	278	3160	1.2	2	0.27	<0.5	4	123	56	3.13	10
CR-TR3-5mA		0.34	0.006	<0.5	1.93	9	840	<0.5	<2	0.07	0.5	5	41	33	1.04	10
CR-TR3-5mB		0.72	<0.005	<0.5	6.50	6	2420	1.1	<2	0.97	<0.5	2	9	14	0.71	10
CR-TR3-10m		0.58	<0.005	<0.5	4.08	9	3640	1.0	2	0.53	<0.5	4	72	45	2.25	10
CR-TR3-13m		0.82	0.007	<0.5	4.52	35	2180	1.2	3	0.76	<0.5	12	67	72	3.00	10
CR-TR3-15m		0.79	0.007	<0.5	4.74	40	5220	1.3	<2	0.67	<0.5	8	79	65	2.98	10
CR-TR3-17m		0.58	0.012	<0.5	5.31	14	1220	1.7	5	1.53	<0.5	16	87	95	3.90	20
CR-TR3-21m		1.09	<0.005	<0.5	6.68	6	5780	1.3	2	0.96	<0.5	3	8	23	0.58	10
CR-TR3-26m		0.37	0.014	<0.5	6.98	25	2940	2.1	3	2.18	0.5	15	389	141	8.40	20
CR-TR3-29m		0.72	<0.005	<0.5	6.25	<5	1590	2.6	<2	0.72	<0.5	2	11	14	0.84	10
CR-TR3-30m		0.66	<0.005	<0.5	5.08	17	6550	1.3	2	0.36	0.8	21	96	250	3.24	10
CR-TR3-30mD		0.55	<0.005	<0.5	4.85	15	2750	0.6	3	0.07	0.7	29	90	364	3.00	10
CR-TR3-35m		0.88	<0.005	<0.5	6.87	19	1660	2.0	3	5.88	<0.5	30	219	148	5.83	20
CR-TR3-36m		0.82	0.044	0.5	7.18	89	190	1.8	4	10.30	<0.5	34	228	81	8.53	20
CR-TR3-37m		0.89	<0.005	<0.5	2.93	8	2360	0.8	<2	0.27	0.5	14	88	60	1.83	10
CR-TR3-41m		1.05	0.005	<0.5	4.45	20	4760	1.3	3	0.39	2.8	22	76	197	2.90	10
CR-TR3-42m		1.23	<0.005	<0.5	4.53	6	5400	0.9	2	0.67	0.9	9	76	70	2.55	10
CR-TR3-44m		1.00	0.043	<0.5	6.25	110	520	3.9	3	9.36	<0.5	53	286	87	8.92	20
CR-TR3-45m		0.24	0.011	<0.5	6.38	30	470	1.3	3	5.91	<0.5	23	384	108	9.06	20
CR-TR3-49m		0.60	0.006	<0.5	2.18	40	560	0.6	4	0.07	<0.5	4	39	38	1.74	10
CR-TR2-3,5m		0.64	0.007	<0.5	5.69	14	8390	1.4	3	0.62	0.6	8	126	104	3.95	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 24-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11176276**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR3-1m		1.38	10	1.48	341	46	0.08	26	1340	4	0.21	<5	10	27	<20	0.34
CR-TR3-5mA		0.86	<10	0.26	122	2	0.08	16	210	1765	0.05	<5	3	15	<20	0.09
CR-TR3-5mB		2.99	<10	0.19	97	3	1.83	10	100	900	0.01	<5	2	244	<20	0.08
CR-TR3-10m		1.39	10	0.75	340	15	0.32	47	1260	19	0.02	<5	8	87	<20	0.22
CR-TR3-13m		1.33	20	1.20	499	1	0.65	35	650	18	0.47	<5	9	100	<20	0.34
CR-TR3-15m		1.84	20	1.51	486	1	0.46	46	540	16	0.20	<5	10	89	<20	0.32
CR-TR3-17m		2.03	20	0.76	457	1	0.47	48	380	1080	1.04	<5	12	130	<20	0.39
CR-TR3-21m		5.36	10	0.08	78	<1	1.13	11	280	24	0.01	<5	2	210	20	0.02
CR-TR3-26m		2.06	30	5.90	1205	1	0.14	95	1690	5	0.37	6	17	40	<20	1.05
CR-TR3-29m		2.86	20	0.10	54	<1	2.33	4	70	28	0.01	<5	2	143	20	0.03
CR-TR3-30m		2.46	20	1.16	269	3	0.82	44	440	10	0.37	<5	12	142	<20	0.38
CR-TR3-30mD		3.20	10	0.95	261	3	0.34	76	170	12	0.45	<5	12	118	<20	0.36
CR-TR3-35m		1.19	30	2.13	937	3	0.71	132	1460	10	1.23	7	19	328	<20	0.98
CR-TR3-36m		0.22	20	2.39	2220	<1	0.43	166	1680	15	1.30	22	24	365	<20	1.37
CR-TR3-37m		1.03	10	0.75	183	17	0.54	47	680	2	0.11	<5	6	77	<20	0.16
CR-TR3-41m		1.93	20	0.86	241	3	0.56	79	220	8	0.41	<5	11	117	<20	0.29
CR-TR3-42m		2.88	20	0.62	231	7	0.39	44	770	17	0.27	<5	8	117	<20	0.20
CR-TR3-44m		0.90	40	4.77	1840	<1	0.28	225	1700	9	2.36	11	24	269	<20	1.26
CR-TR3-45m		0.91	30	6.99	1280	<1	0.42	173	1110	5	0.22	8	26	34	<20	1.48
CR-TR3-49m		0.86	10	0.12	113	1	0.03	9	240	<2	0.09	<5	4	12	<20	0.12
CR-TR2-3,5m		3.33	20	1.62	448	4	0.42	29	660	13	0.34	<5	14	152	<20	0.49



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 24-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11176276**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR3-1m		<10	10	976	10	60
CR-TR3-5mA		<10	<10	33	<10	16
CR-TR3-5mB		<10	10	17	<10	17
CR-TR3-10m		<10	10	348	<10	35
CR-TR3-13m		<10	<10	91	<10	48
CR-TR3-15m		<10	<10	89	<10	59
CR-TR3-17m		<10	<10	100	10	47
CR-TR3-21m		<10	10	3	<10	22
CR-TR3-26m		<10	<10	246	<10	193
CR-TR3-29m		<10	20	2	<10	11
CR-TR3-30m		<10	10	208	<10	36
CR-TR3-30mD		<10	<10	212	<10	27
CR-TR3-35m		<10	<10	331	<10	92
CR-TR3-36m		<10	<10	274	<10	160
CR-TR3-37m		<10	10	469	<10	28
CR-TR3-41m		<10	<10	225	<10	68
CR-TR3-42m		<10	10	238	<10	33
CR-TR3-44m		<10	<10	329	10	167
CR-TR3-45m		<10	<10	267	10	163
CR-TR3-49m		<10	<10	42	<10	49
CR-TR2-3,5m		<10	<10	205	10	63



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 30-SEP-2011  
Account: CASTRES

**CERTIFICATE WH11180241**

Project:  
P.O. No.:  
This report is for 16 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 30-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11180241**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR07-1m		Not Recvd														
CR-TR07-06m		0.66	0.824	<0.5	6.49	11	330	1.4	<2	0.05	<0.5	<1	19	5	1.44	20
CR-TR07-09m		0.86	0.011	<0.5	6.75	<5	640	3.2	<2	0.75	<0.5	2	18	24	1.76	20
CR-TR07-13mA		0.69	0.070	<0.5	6.28	<5	370	1.8	<2	0.03	<0.5	<1	15	6	0.86	20
CR-TR07-13mB		0.59	0.006	<0.5	6.45	16	770	1.7	<2	0.34	<0.5	2	10	33	1.75	10
CR-TR07-15m		0.63	0.055	<0.5	6.14	27	430	2.5	2	0.04	<0.5	1	15	23	2.30	20
CR-TR07-16m		0.35	0.081	<0.5	6.65	<5	490	2.4	<2	0.36	<0.5	1	14	31	1.56	20
CR-TR07-16mD		0.47	0.039	<0.5	6.44	<5	500	2.1	<2	0.22	<0.5	1	15	17	1.80	20
CR-TR07-18m		0.70	0.011	<0.5	5.94	<5	720	2.2	<2	0.02	<0.5	1	15	26	1.91	20
CR-TR07-20m		0.61	<0.005	<0.5	6.26	<5	490	2.8	<2	0.73	<0.5	2	12	19	1.18	10
CR-TR07-21m		0.84	0.032	<0.5	7.64	<5	1240	2.7	<2	1.72	<0.5	6	33	24	2.55	20
CR-TR07-23m		0.52	0.020	<0.5	7.10	<5	780	3.0	<2	0.79	<0.5	3	19	36	1.49	20
CR-TR07-25m		0.59	0.106	<0.5	9.40	<5	1790	1.7	<2	2.03	<0.5	2	5	78	1.74	20
CR-TR07-22,5m		0.57	0.010	<0.5	25.0	<5	1900	2.2	4	5.27	<0.5	4	10	19	2.10	20
CR-TR07-23,5m		0.69	0.041	<0.5	6.86	6	820	1.9	<2	0.20	<0.5	2	18	10	1.82	20
CR-TR07-25,5m		0.91	0.113	<0.5	11.10	<5	1750	1.6	3	0.22	<0.5	2	9	162	2.25	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 30-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11180241**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR07-1m																
CR-TR07-06m		3.11	40	0.26	66	2	0.07	1	80	4	0.22	8	4	15	<20	0.16
CR-TR07-09m		3.38	20	0.27	200	1	1.95	4	190	35	0.06	<5	4	149	20	0.18
CR-TR07-13mA		2.81	40	0.22	54	2	0.08	<1	90	<2	0.05	13	3	33	20	0.11
CR-TR07-13mB		4.15	40	0.20	117	1	1.04	3	350	46	0.17	<5	4	136	30	0.15
CR-TR07-15m		2.87	30	0.26	62	2	0.08	3	100	6	1.09	6	3	10	<20	0.09
CR-TR07-16m		3.67	30	0.13	61	1	1.72	2	170	31	0.38	6	3	131	30	0.12
CR-TR07-16mD		3.67	30	0.15	62	1	1.51	4	170	26	0.48	5	3	118	20	0.12
CR-TR07-18m		2.66	10	0.24	49	2	0.09	<1	220	3	0.29	<5	3	15	<20	0.10
CR-TR07-20m		3.95	50	0.14	108	2	1.70	3	190	38	0.04	<5	3	167	20	0.12
CR-TR07-21m		2.75	10	0.74	282	1	2.21	12	670	28	0.05	5	7	252	20	0.32
CR-TR07-23m		4.30	120	0.18	80	1	1.91	3	820	45	0.37	<5	3	144	40	0.23
CR-TR07-25m		1.80	10	0.56	76	<1	1.74	3	270	10	0.09	6	5	381	<20	0.18
CR-TR07-22,5m		2.03	90	0.91	161	1	2.85	2	410	23	0.14	<5	14	856	40	0.20
CR-TR07-23,5m		4.50	20	0.19	42	4	1.39	2	760	28	1.26	5	3	106	30	0.19
CR-TR07-25,5m		3.61	20	0.55	41	<1	2.55	3	240	2	1.36	<5	4	238	<20	0.16



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 30-SEP-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11180241**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR07-1m						
CR-TR07-06m		<10	<10	15	20	3
CR-TR07-09m		<10	<10	18	<10	35
CR-TR07-13mA		<10	<10	9	10	2
CR-TR07-13mB		<10	<10	12	<10	12
CR-TR07-15m		<10	<10	9	<10	4
CR-TR07-16m		<10	<10	10	<10	6
CR-TR07-16mD		<10	<10	9	<10	6
CR-TR07-18m		<10	<10	11	<10	4
CR-TR07-20m		<10	<10	9	<10	21
CR-TR07-21m		<10	<10	40	<10	36
CR-TR07-23m		<10	<10	18	<10	20
CR-TR07-25m		<10	<10	21	<10	16
CR-TR07-22,5m		<10	<10	26	10	16
CR-TR07-23,5m		<10	<10	18	10	4
CR-TR07-25,5m		<10	<10	24	<10	10





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 12-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11188310**

Project:  
P.O. No.:  
This report is for 14 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188310**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CR-TR02-3m		0.55	<0.005	<0.5	7.01	194	1040	3.2	2	1.43	<0.5	4	17	11	2.23	20
CR-TR02-4m		0.79	0.006	<0.5	6.89	496	1610	2.9	<2	1.28	<0.5	4	15	6	2.19	20
CR-TR02-5m		0.80	<0.005	<0.5	6.77	59	830	3.3	2	1.38	<0.5	2	13	15	2.09	20
CR-TR02-6m		1.05	<0.005	<0.5	6.47	20	890	2.5	<2	0.91	<0.5	2	9	11	1.53	10
CR-TR02-7m		1.03	<0.005	<0.5	6.97	130	830	3.0	<2	1.68	<0.5	7	15	14	2.26	20
CR-TR02-8m		0.98	<0.005	<0.5	6.82	71	1080	2.5	3	1.19	<0.5	3	12	17	1.83	20
CR-TR02-9m		1.02	<0.005	<0.5	6.87	92	1020	2.2	<2	1.12	<0.5	2	13	13	2.04	20
CR-TR02-12m		0.99	<0.005	<0.5	6.95	70	1590	2.2	<2	1.32	<0.5	6	25	24	2.38	20
CR-TR02-13m		1.25	<0.005	<0.5	7.05	351	1590	1.7	<2	0.85	<0.5	4	24	27	2.41	20
CR-TR02-16m		1.18	<0.005	<0.5	6.88	90	1340	2.7	<2	1.88	<0.5	7	22	32	2.54	20
CR-TR02-17m		0.82	0.006	<0.5	6.72	48	1810	2.5	<2	1.48	<0.5	6	18	24	2.48	20
CR-TR02-18m		1.03	0.005	<0.5	6.26	39	1890	1.4	<2	1.60	<0.5	4	23	24	2.86	20
CR-TR02-20m		0.75	0.005	<0.5	3.25	48	1320	0.5	<2	0.07	<0.5	3	45	9	1.97	10
CR-TR02-20md		0.64	0.012	<0.5	2.86	87	900	0.5	<2	0.07	<0.5	3	47	15	2.85	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188310**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR02-3m		3.18	40	0.52	342	<1	1.87	3	410	29	0.03	6	7	224	20	0.27
CR-TR02-4m		4.16	30	0.54	332	<1	1.49	2	430	37	0.05	6	7	221	20	0.28
CR-TR02-5m		3.03	30	0.44	314	<1	1.80	3	360	32	0.01	7	6	205	20	0.24
CR-TR02-6m		4.06	30	0.27	239	<1	1.62	2	180	31	0.01	<5	4	182	20	0.15
CR-TR02-7m		3.17	30	0.50	334	2	2.02	4	500	27	0.01	6	6	186	30	0.29
CR-TR02-8m		3.87	50	0.38	296	<1	1.67	4	530	31	0.02	8	5	175	30	0.27
CR-TR02-9m		3.33	50	0.48	335	<1	1.94	4	410	22	0.01	7	6	192	20	0.25
CR-TR02-12m		3.60	50	0.67	472	1	1.64	15	430	35	0.03	12	7	241	20	0.28
CR-TR02-13m		3.58	30	0.63	348	1	1.68	9	460	32	0.01	10	7	229	20	0.29
CR-TR02-16m		2.11	20	0.76	416	<1	1.85	12	570	22	0.01	7	7	278	<20	0.33
CR-TR02-17m		2.86	20	0.63	360	<1	1.67	10	440	30	0.20	12	6	267	<20	0.26
CR-TR02-18m		2.32	30	0.80	417	2	1.07	13	390	21	0.06	12	7	224	20	0.24
CR-TR02-20m		1.76	10	0.43	191	1	0.24	14	210	7	0.07	<5	6	56	<20	0.18
CR-TR02-20md		1.42	10	0.51	256	1	0.18	13	210	9	0.06	6	6	49	<20	0.18



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188310**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR02-3m		<10	<10	24	<10	31
CR-TR02-4m		<10	<10	26	<10	35
CR-TR02-5m		<10	<10	19	<10	32
CR-TR02-6m		<10	<10	12	<10	28
CR-TR02-7m		<10	<10	25	<10	45
CR-TR02-8m		<10	<10	18	<10	32
CR-TR02-9m		<10	<10	21	<10	31
CR-TR02-12m		<10	<10	36	<10	48
CR-TR02-13m		<10	<10	39	<10	37
CR-TR02-16m		<10	<10	38	<10	44
CR-TR02-17m		<10	<10	31	<10	43
CR-TR02-18m		<10	<10	53	<10	36
CR-TR02-20m		<10	<10	77	<10	21
CR-TR02-20md		<10	<10	73	<10	27



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 12-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11188311**

Project:  
P.O. No.:  
This report is for 14 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188311**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR02-22m		0.94	<0.005	<0.5	2.17	28	680	0.7	2	0.07	<0.5	1	27	11	1.06	10
CR-TR02-23m		0.98	<0.005	<0.5	5.52	49	2090	1.1	2	0.12	<0.5	2	67	35	2.25	10
CR-TR02-24m		1.05	0.006	0.6	4.52	549	2940	1.2	3	0.51	0.5	15	53	52	2.62	10
CR-TR02-25m		0.74	0.010	<0.5	4.49	89	2570	1.1	<2	0.81	<0.5	9	156	46	4.40	10
CR-TR02-26m		1.01	0.015	0.5	4.36	47	4740	1.2	2	0.67	<0.5	4	74	32	3.20	10
CR-TR02-28m		0.91	<0.005	<0.5	6.99	9	2710	2.9	<2	1.15	<0.5	10	21	8	2.79	10
CR-TR02-30m		0.81	<0.005	<0.5	7.65	141	1600	2.9	<2	1.93	<0.5	7	21	12	2.91	20
CR-TR02-31m		1.09	<0.005	<0.5	3.76	93	3930	0.8	<2	0.35	<0.5	5	30	30	1.61	10
CR-TR02-33m		0.70	<0.005	<0.5	8.46	165	1180	2.8	<2	3.79	<0.5	5	7	6	1.40	20
CR-TR02-34m		0.71	<0.005	<0.5	6.40	15	1290	1.7	<2	0.81	<0.5	3	6	6	1.25	10
CR-TR02-35m		0.82	<0.005	<0.5	7.15	84	1300	3.8	<2	1.52	<0.5	3	17	7	1.88	20
CR-TR02-36m		1.17	<0.005	<0.5	7.35	110	1660	2.6	<2	2.23	<0.5	5	20	7	2.73	20
CR-TR02-37m		0.81	<0.005	<0.5	7.08	23	1060	3.4	2	1.39	<0.5	4	15	5	2.08	20
CR-TR02-39m		1.11	<0.005	<0.5	6.87	12	1570	3.0	3	1.20	<0.5	3	15	48	2.07	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188311**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR02-22m		1.01	<10	0.09	58	<1	0.05	3	190	6	0.02	<5	3	18	<20	0.09
CR-TR02-23m		3.54	10	0.12	75	3	0.13	15	440	15	0.05	10	11	92	<20	0.33
CR-TR02-24m		1.67	20	1.06	358	<1	0.68	37	230	14	0.18	<5	9	98	<20	0.26
CR-TR02-25m		1.87	30	1.67	517	3	0.24	69	1400	7	0.37	7	13	83	<20	0.53
CR-TR02-26m		1.67	10	1.07	375	<1	0.47	31	700	11	0.08	5	9	111	<20	0.35
CR-TR02-28m		3.25	60	0.99	549	<1	0.94	15	530	7	0.02	11	7	209	20	0.32
CR-TR02-30m		2.81	30	0.97	476	<1	1.83	9	570	19	0.04	7	8	366	20	0.37
CR-TR02-31m		3.04	20	0.27	216	1	0.57	11	330	22	0.12	<5	4	109	20	0.12
CR-TR02-33m		1.77	10	0.33	303	<1	2.70	2	230	25	0.03	6	3	530	<20	0.16
CR-TR02-34m		3.19	10	0.45	300	<1	1.63	4	20	29	0.02	8	2	143	20	0.03
CR-TR02-35m		2.98	30	0.51	338	<1	1.81	5	460	21	0.01	5	6	219	20	0.27
CR-TR02-36m		2.41	20	0.76	456	<1	1.89	5	580	20	0.05	8	7	310	<20	0.32
CR-TR02-37m		3.68	30	0.60	377	<1	1.76	7	430	25	0.03	7	6	171	20	0.25
CR-TR02-39m		3.27	30	0.60	405	<1	1.65	5	400	16	0.03	12	4	208	20	0.25



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188311**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR02-22m		<10	<10	36	<10	17
CR-TR02-23m		<10	<10	97	<10	40
CR-TR02-24m		<10	<10	63	<10	71
CR-TR02-25m		<10	<10	137	<10	55
CR-TR02-26m		<10	<10	90	<10	47
CR-TR02-28m		<10	<10	38	<10	49
CR-TR02-30m		<10	<10	44	<10	57
CR-TR02-31m		<10	<10	44	<10	26
CR-TR02-33m		<10	<10	21	<10	32
CR-TR02-34m		<10	10	2	<10	32
CR-TR02-35m		<10	<10	27	<10	30
CR-TR02-36m		<10	<10	34	<10	45
CR-TR02-37m		<10	<10	24	<10	34
CR-TR02-39m		<10	<10	23	<10	32





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 12-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11188312**

Project:  
P.O. No.:  
This report is for 11 Rock samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188312**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR02-43M		1.13	<0.005	<0.5	7.46	42	2830	2.6	<2	1.72	<0.5	2	11	9	1.74	20
CR-TR02-44M		1.47	0.026	<0.5	7.52	55	1430	2.3	5	1.70	<0.5	10	19	44	2.86	20
CR-TR02-45M		1.09	<0.005	<0.5	6.94	17	1070	3.4	<2	1.28	<0.5	4	18	18	2.25	20
CR-TR02-46M		1.27	<0.005	<0.5	6.79	15	970	3.6	3	1.40	<0.5	3	18	21	1.96	20
CR-TR02-48M		0.69	<0.005	0.7	6.65	17	880	3.7	4	1.18	<0.5	3	16	25	2.06	20
CR-TR02-49M		1.35	<0.005	<0.5	6.73	9	800	3.6	3	1.59	<0.5	4	16	10	2.11	20
CR-TR02-50M		1.34	<0.005	<0.5	7.12	22	890	3.8	<2	1.64	<0.5	3	17	14	2.39	20
CR-TR02-51M		0.76	<0.005	<0.5	7.05	<5	820	3.6	3	1.62	<0.5	5	16	30	2.24	20
CR-TR02-52M		0.78	<0.005	<0.5	6.89	9	770	3.5	<2	1.63	<0.5	5	17	26	2.23	20
CR-TR02-53M		0.48	<0.005	<0.5	6.93	8	820	3.8	<2	1.85	<0.5	2	18	30	2.20	20
CR-TR02-53MD		0.50	<0.005	<0.5	6.89	10	830	3.7	<2	1.73	<0.5	3	18	25	2.32	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188312**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR02-43M		3.71	20	0.34	325	<1	1.99	5	280	27	0.04	9	3	304	<20	0.19
CR-TR02-44M		4.44	40	0.63	413	<1	1.90	9	580	34	0.39	5	11	231	20	0.32
CR-TR02-45M		3.12	30	0.59	429	<1	2.11	10	430	27	0.02	7	6	207	20	0.25
CR-TR02-46M		3.55	30	0.57	392	<1	1.89	5	410	32	0.02	7	6	187	20	0.25
CR-TR02-48M		3.57	30	0.57	377	<1	1.87	5	390	38	0.03	7	5	175	20	0.23
CR-TR02-49M		3.09	30	0.56	349	<1	1.99	5	420	30	0.02	5	6	213	20	0.25
CR-TR02-50M		3.20	30	0.66	418	<1	2.14	7	490	31	0.02	8	7	204	20	0.30
CR-TR02-51M		3.43	30	0.59	367	<1	2.10	5	430	27	0.04	<5	6	208	20	0.26
CR-TR02-52M		3.42	30	0.57	364	<1	2.02	5	420	28	0.04	<5	6	193	20	0.25
CR-TR02-53M		3.23	20	0.52	355	<1	2.00	3	410	27	0.05	5	6	203	20	0.25
CR-TR02-53MD		3.33	20	0.54	342	<1	1.98	3	410	28	0.06	<5	6	203	20	0.26



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 12-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11188312**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR02-43M		<10	<10	21	10	33
CR-TR02-44M		<10	<10	33	10	40
CR-TR02-45M		<10	10	25	<10	41
CR-TR02-46M		<10	10	25	<10	33
CR-TR02-48M		<10	10	23	10	41
CR-TR02-49M		<10	10	25	10	39
CR-TR02-50M		<10	10	28	10	42
CR-TR02-51M		<10	10	25	20	40
CR-TR02-52M		<10	10	25	10	40
CR-TR02-53M		<10	10	25	<10	46
CR-TR02-53MD		<10	10	25	10	36



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191239**

Project:  
P.O. No.:  
This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 16-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191239**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR16-2m		1.74	0.055	<0.5	7.45	17	1940	1.4	4	1.43	<0.5	13	17	47	3.55	10
CR-TR16-3m		1.09	0.146	<0.5	7.91	15	1380	1.4	6	2.16	<0.5	11	14	156	3.85	10
CR-TR16-3.5m		1.20	0.070	<0.5	7.32	9	1440	1.4	2	1.71	<0.5	9	22	112	3.49	20
CR-TR16-4m		1.81	0.122	<0.5	7.40	16	1250	1.4	3	1.21	<0.5	7	16	102	3.87	10
CR-TR16-5m		1.73	0.086	<0.5	7.55	22	1230	1.4	4	1.45	<0.5	8	15	91	3.95	10
CR-TR16-6m		1.67	0.219	<0.5	7.45	31	970	1.5	4	1.49	<0.5	10	16	137	4.88	20
CR-TR16-7m		2.77	0.130	<0.5	7.35	55	190	1.1	6	0.66	<0.5	8	14	33	6.11	20
CR-TR16-13m		1.87	0.968	0.7	9.16	123	420	5.5	9	1.43	<0.5	5	12	805	7.79	30
CR-TR16-13mD		0.98	0.131	<0.5	7.38	16	1530	1.4	3	2.13	<0.5	9	18	177	3.70	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 16-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191239**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR16-2m		2.64	30	1.19	250	<1	1.88	1	620	11	1.25	5	12	251	20	0.28
CR-TR16-3m		2.18	30	1.17	267	<1	2.00	1	690	13	1.56	<5	14	309	20	0.31
CR-TR16-3.5m		2.17	30	1.13	225	<1	1.88	<1	630	14	1.58	<5	12	281	<20	0.28
CR-TR16-4m		2.44	30	0.99	201	<1	1.94	<1	600	10	1.91	<5	12	249	20	0.26
CR-TR16-5m		2.20	30	1.23	260	<1	2.19	<1	620	13	1.08	<5	12	324	20	0.28
CR-TR16-6m		2.21	20	1.32	267	<1	2.15	<1	680	15	2.30	6	13	302	<20	0.30
CR-TR16-7m		4.41	10	1.23	221	<1	1.66	<1	580	9	4.30	<5	11	191	<20	0.25
CR-TR16-13m		1.93	10	1.80	226	<1	2.83	<1	680	15	5.73	6	12	293	<20	0.31
CR-TR16-13mD		2.18	30	1.20	284	<1	1.99	1	670	14	1.19	7	13	306	20	0.31



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 16-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191239**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR16-2m		<10	10	98	<10	44
CR-TR16-3m		<10	10	107	<10	45
CR-TR16-3.5m		<10	10	97	10	41
CR-TR16-4m		<10	10	96	<10	40
CR-TR16-5m		<10	10	97	<10	44
CR-TR16-6m		<10	10	107	<10	45
CR-TR16-7m		<10	10	91	<10	34
CR-TR16-13m		<10	10	117	<10	61
CR-TR16-13mD		<10	10	104	<10	47





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 18-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191981**

Project:  
P.O. No.:  
This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191981**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR16-14m		1.68	0.221	<0.5	7.43	38	380	1.7	<2	1.55	<0.5	5	14	174	4.67	20
CR-TR16-15m		1.82	0.057	<0.5	7.76	21	1750	1.6	<2	1.77	<0.5	2	15	105	4.20	20
CR-TR16-16m		1.30	0.522	<0.5	6.65	120	660	0.9	<2	0.52	<0.5	4	12	250	4.86	20
CR-TR16-17m		1.29	0.009	<0.5	7.57	13	1440	1.3	<2	2.34	<0.5	1	17	22	4.03	20
CR-TR16-18m		2.15	0.158	<0.5	7.75	20	2100	1.5	<2	1.55	<0.5	4	15	141	4.91	20
CR-TR16-19m		1.45	0.153	0.6	7.70	33	1610	1.5	<2	2.14	0.5	8	17	79	4.49	20
CR-TR16-20m		1.09	0.009	<0.5	7.37	14	1520	1.3	<2	2.37	<0.5	5	16	25	3.59	10
CR-TR16-20mD		1.38	0.043	<0.5	7.27	13	1600	1.3	<2	2.15	<0.5	5	15	99	3.27	20
CR-TR16-21m		1.30	0.010	1.7	7.94	34	1630	1.3	<2	2.92	0.7	5	16	18	3.61	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191981**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR16-14m		2.52	30	0.98	210	<1	2.48	3	580	16	2.80	<5	13	276	20	0.26
CR-TR16-15m		2.38	30	1.09	240	<1	2.41	2	630	14	0.76	<5	13	344	20	0.27
CR-TR16-16m		4.04	20	0.73	144	1	0.98	1	390	15	2.04	7	11	177	<20	0.25
CR-TR16-17m		2.24	20	1.02	227	<1	2.36	1	610	17	0.10	<5	12	382	20	0.31
CR-TR16-18m		2.93	20	1.08	224	<1	2.43	3	620	18	1.29	<5	13	307	20	0.30
CR-TR16-19m		2.51	30	1.19	276	<1	2.27	1	640	56	0.83	<5	15	351	<20	0.33
CR-TR16-20m		2.42	20	1.03	324	<1	2.18	2	600	31	0.14	<5	12	373	<20	0.30
CR-TR16-20mD		2.43	20	1.00	255	<1	2.23	1	580	38	0.22	<5	11	374	<20	0.29
CR-TR16-21m		2.45	20	1.12	395	<1	2.14	1	620	322	0.08	<5	13	388	20	0.32



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191981**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CR-TR16-14m		<10	<10	93	<10	34
CR-TR16-15m		<10	<10	100	<10	50
CR-TR16-16m		<10	<10	73	<10	25
CR-TR16-17m		<10	<10	99	<10	39
CR-TR16-18m		<10	<10	99	<10	45
CR-TR16-19m		<10	10	109	<10	58
CR-TR16-20m		<10	10	95	<10	48
CR-TR16-20mD		<10	10	90	<10	46
CR-TR16-21m		<10	10	101	<10	76



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191982**

Project:  
P.O. No.:  
This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191982**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CR-TR07-30m		1.10	0.006	<0.5	8.52	6	2180	1.7	<2	4.97	<0.5	3	7	12	1.46	20
CR-TR07-31mV		1.59	0.251	<0.5	9.13	25	360	1.9	<2	1.10	<0.5	4	7	77	5.59	30
CR-TR07-32mV		1.19	4.40	0.5	8.16	21	350	2.9	9	2.98	<0.5	4	6	464	4.43	40
CR-TR07-33mA		0.93	2.89	<0.5	9.36	26	680	2.6	<2	1.35	<0.5	5	6	355	4.61	40
CR-TR07-33m52		1.05	1.490	<0.5	9.42	11	1440	2.4	2	1.38	<0.5	3	5	418	3.13	40
CR-TR07-33.34m		1.45	0.182	<0.5	8.42	61	1740	2.6	<2	0.76	<0.5	3	21	111	4.89	30
CR-TR07-34mA		1.71	0.045	<0.5	8.20	7	1080	3.1	<2	2.53	<0.5	9	24	171	3.02	20
CR-TR07-35m		2.10	0.044	<0.5	6.38	5	750	3.3	<2	0.80	<0.5	2	12	61	1.31	20
CR-TR07-36m		0.94	0.045	<0.5	6.64	10	740	3.3	<2	0.91	<0.5	3	12	64	1.56	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191982**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR07-30m		1.60	10	0.27	190	<1	2.66	1	290	17	0.08	<5	6	679	<20	0.18
CR-TR07-31mV		3.22	10	0.36	76	<1	0.87	1	280	4	4.65	<5	7	178	<20	0.13
CR-TR07-32mV		3.20	20	0.55	215	1	0.58	2	230	9	3.72	8	8	155	<20	0.13
CR-TR07-33mA		3.19	40	0.43	61	<1	0.93	5	300	9	3.97	10	4	196	<20	0.15
CR-TR07-33m52		3.07	20	0.32	62	<1	1.10	2	380	9	2.05	7	4	238	<20	0.18
CR-TR07-33.34m		2.78	40	0.56	87	<1	0.99	3	840	14	1.27	7	7	199	30	0.22
CR-TR07-34mA		2.10	10	0.79	294	<1	2.39	6	870	16	0.57	<5	7	382	<20	0.32
CR-TR07-35m		4.67	20	0.25	156	<1	1.54	1	310	33	0.14	<5	3	173	20	0.16
CR-TR07-36m		4.29	10	0.25	132	<1	1.78	1	330	34	0.19	<5	4	172	20	0.16



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191982**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR07-30m		<10	10	26	<10	35
CR-TR07-31mV		<10	<10	27	10	13
CR-TR07-32mV		<10	<10	32	<10	18
CR-TR07-33mA		<10	<10	34	10	17
CR-TR07-33m52		<10	<10	31	<10	20
CR-TR07-33.34m		<10	<10	44	<10	31
CR-TR07-34mA		<10	20	39	<10	34
CR-TR07-35m		<10	10	14	<10	18
CR-TR07-36m		<10	10	15	<10	25





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191983**

Project:  
P.O. No.:  
This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191983**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
CR-TR07-37M		1.19	0.025	<0.5	6.30	<5	810	2.3	3	0.81	<0.5	2	12	16	1.36	10
CR-TR07-38M		1.17	0.227	<0.5	5.84	<5	1290	1.9	2	0.64	<0.5	3	8	85	1.17	10
CR-TR07-39M		0.91	0.165	<0.5	6.07	7	1010	2.3	2	0.80	<0.5	2	9	32	1.37	20
CR-TR07-40M		1.25	0.063	<0.5	6.18	<5	580	2.6	5	0.32	<0.5	2	11	41	2.04	20
CR-TR07-41M		0.87	0.038	<0.5	6.38	9	630	2.6	2	0.51	<0.5	1	13	22	1.59	10
CR-TR07-41MD		0.55	0.067	<0.5	6.44	7	670	2.2	<2	0.22	<0.5	1	10	37	1.85	20
CR-TR07-42M		1.39	0.067	<0.5	6.08	6	630	2.9	2	0.39	<0.5	1	9	10	1.92	10
CR-TR07-43M		0.74	0.051	<0.5	6.37	9	640	2.0	4	0.15	<0.5	1	9	9	1.68	20
CR-TR07-44M		0.57	0.103	<0.5	6.32	7	550	2.2	3	0.14	<0.5	1	10	13	2.09	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191983**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR07-37M		4.17	10	0.24	119	<1	1.76	<1	260	29	0.10	<5	4	168	20	0.16
CR-TR07-38M		3.80	50	0.21	91	<1	1.50	3	270	31	0.25	<5	3	170	20	0.13
CR-TR07-39M		3.44	30	0.23	108	<1	1.89	2	250	26	0.36	<5	3	185	20	0.15
CR-TR07-40M		3.22	50	0.17	52	<1	1.26	2	240	19	1.48	6	4	100	20	0.13
CR-TR07-41M		3.36	20	0.20	63	<1	1.58	<1	200	28	0.56	6	4	113	20	0.14
CR-TR07-41MD		3.28	10	0.20	51	<1	1.21	1	130	16	1.12	<5	3	84	20	0.12
CR-TR07-42M		3.16	20	0.17	44	<1	1.53	<1	210	23	1.03	<5	3	106	20	0.13
CR-TR07-43M		3.49	10	0.21	41	<1	0.91	<1	150	13	0.82	8	4	82	<20	0.13
CR-TR07-44M		2.81	10	0.25	52	<1	0.32	<1	180	3	0.59	<5	4	34	<20	0.13



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 17-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191983**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CR-TR07-37M		<10	10	15	<10	14
CR-TR07-38M		<10	10	12	<10	10
CR-TR07-39M		<10	10	14	<10	15
CR-TR07-40M		<10	<10	14	<10	7
CR-TR07-41M		<10	10	16	<10	8
CR-TR07-41MD		<10	10	13	<10	4
CR-TR07-42M		<10	10	13	<10	6
CR-TR07-43M		<10	<10	17	<10	3
CR-TR07-44M		<10	<10	17	<10	4



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191984**

Project:  
P.O. No.:  
This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221

Fax: 604 984 0218

www.alsglobal.com

65 QUEEN ST. W. SUITE 815

PO BOX 75

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Finalized Date: 17-NOV-2011

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191984**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191984**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

**TO: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5**

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 17-NOV-2011  
Account: CASTRES

# CERTIFICATE OF ANALYSIS    WH11191984

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
CR-TR05-0m		<10	10	21	<10	25
CR-TR05-1m		<10	10	16	<10	13
CR-TR05-2m		<10	<10	16	<10	16
CR-TR05-3m		<10	10	32	<10	22
CR-TR05-4m		<10	<10	22	<10	24
CR-TR05-5m		<10	10	20	<10	20
CR-TR05-6m		<10	<10	24	<10	29
CR-TR05-7m		<10	<10	23	<10	33
CR-TR05-8m		<10	<10	19	<10	29
CR-TR05-9mD		<10	10	22	<10	31





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191985**

Project:  
P.O. No.:  
This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Fax: 604 984 0218    [www.alsglobal.com](http://www.alsglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Finalized Date: 17-NOV-2011

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191985**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 984 0221      Fax: 604 984 0218      [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191985**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Fax: 604 984 0218    [www.alsglobal.com](http://www.alsglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO ON M5H 2M5

Total # Pages: 2 (A - C)

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191985**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
CR-TR15-2M		<10	<10	25	10	63
CR-TR15-3M		<10	<10	11	<10	35
CR-TR15-3MD		<10	<10	8	<10	29
CR-TR15-3.5M		<10	<10	22	10	54
CR-TR05-10M		<10	<10	22	<10	31
CR-TR05-11M		<10	<10	22	<10	13
CR-TR05-11.5M		<10	<10	24	<10	18
CR-TR05-12M		<10	<10	23	<10	10
CR-TR05-13M		<10	<10	29	<10	15
CR-TR05-13MD		<10	<10	29	<10	9



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191986**

Project:  
P.O. No.:  
This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221

Fax: 604 984 0218

[www.alsqglobal.com](http://www.alsqglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Account: CASTRES

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191986**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191986**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 984 0221      Fax: 604 984 0218      [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191986**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
CR-TR15-4m		<10	<10	5	<10	37
CR-TR15-5m		<10	<10	14	<10	67
CR-TR15-6m		<10	<10	15	<10	42
CR-TR15-7m		<10	<10	6	<10	50
CR-TR15-8mB		<10	<10	4	<10	14
CR-TR15-9mA		<10	<10	8	<10	16
CR-TR15-9mB		<10	<10	6	10	13
CR-TR15-10mB		<10	<10	9	10	48
CR-TR15-10.5mA		<10	<10	24	10	40
CR-TR15-13mA		<10	<10	25	<10	26





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191987**

Project:  
P.O. No.:  
This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Fax: 604 984 0218    [www.alsglobal.com](http://www.alsglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Finalized Date: 16-NOV-2011

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191987**

[illegible]



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221

Fax: 604 984 0218

[www.alsqglobal.com](http://www.alsqglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Account: CASTRES

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191987**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Total # Pages: 2 (A - C)  
Finalized Date: 16-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191987**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
CR-TR15-14M		<10	<10	4	<10	13
CR-TR15-16M		<10	<10	6	40	6
CR-TR15-16MD		<10	<10	7	10	13
CR-TR15-18.5M		<10	<10	6	10	6
CR-TR15-19MB		<10	<10	28	10	37
CR-TR15-20MB		<10	<10	11	10	11
CR-TR15-28MA		<10	<10	8	10	9
CR-TR15-31MA		<10	<10	23	<10	17
CR-TR15-33MA		<10	<10	17	10	17
CR-TR15-35MA		<10	<10	22	10	11



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191988**

Project:  
P.O. No.:  
This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191988**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 984 0221      Fax: 604 984 0218      [www.alsglobal.com](http://www.alsglobal.com)

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 17-NOV-2011  
Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191988**

[illegible]



2103 Dollarton Hwy

Phone: 604 984 0221 Fax:

Fax: 604 984 0218    [www.alsglobal.com](http://www.alsglobal.com)

65 QUEEN ST. W. SUITE 815

TORONTO ON M5H 2M5

**Total # Pages: 2 (A - C)**

Account: CASTRES

**CERTIFICATE OF ANALYSIS    WH11191988**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
CR-TR15-44MA		<10	<10	22	<10	45
CR-TR15-45MA		<10	<10	24	<10	41
CR-TR15-47MA		<10	<10	22	<10	247
CR-TR15-49MA		<10	<10	23	<10	36
CR-TR15-60M		<10	<10	140	<10	32
CR-TR15-61M		<10	<10	143	<10	57
CR-TR15-62M		<10	<10	146	<10	61
CR-TR15-70MA		<10	<10	25	<10	54
CR-TR15-71MA		<10	<10	22	10	13
CR-TR15-71MB		<10	<10	25	10	8





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

Page: 1  
Finalized Date: 18-NOV-2011  
Account: CASTRES

**CERTIFICATE WH11191989**

Project:  
P.O. No.:  
This report is for 11 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

KEVIN BREWER  
CAROLINE RICHER

TONY GILMAN

BILL PEARSON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: CASTILLIAN RESOURCES CORP.  
ATTN: CAROLINE RICHER  
65 QUEEN ST. W. SUITE 815  
PO BOX 75  
TORONTO ON M5H 2M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191989**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CR-TR15-72mA		1.07	0.517	11.2	6.76	46	1020	2.2	7	0.08	<0.5	<1	18	72	2.07	20
CR-TR15-72mB		1.78	0.518	10.5	6.02	106	620	2.2	5	0.04	<0.5	1	14	7	2.20	20
CR-TR15-73mB		1.17	0.067	22.0	6.75	90	950	2.7	4	0.04	<0.5	<1	26	12	2.49	20
CR-TR15-74mA		1.62	0.178	5.0	6.87	88	970	2.0	6	0.02	<0.5	1	20	27	2.10	20
CR-TR15-74mB		0.95	0.128	2.4	6.75	34	1030	2.3	3	0.04	<0.5	<1	22	13	2.21	20
CR-TR15-75mB		1.34	0.192	5.5	6.70	31	890	1.9	6	0.03	<0.5	1	24	27	1.80	20
CR-TR15-77mA		1.70	0.110	0.5	6.58	61	1100	2.3	3	0.13	<0.5	<1	13	35	3.12	20
CR-TR15-78mA		2.30	0.075	<0.5	6.50	40	990	2.4	3	0.12	<0.5	1	17	49	2.97	20
CR-TR15-78mB		1.41	0.508	1.2	6.56	57	860	1.8	6	0.03	<0.5	1	19	19	1.84	20
CR-TR15-78mD		1.43	0.515	1.0	6.64	42	850	1.8	4	0.03	<0.5	1	18	22	1.67	20
CR-TR15-79m		1.45	0.096	2.8	6.61	131	1110	1.9	2	0.03	<0.5	1	18	18	1.89	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191989**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
CR-TR15-72mA		2.61	60	0.51	91	1	0.17	1	130	109	0.31	49	7	23	<20	0.12
CR-TR15-72mB		2.87	20	0.32	109	1	0.06	<1	210	829	0.52	36	4	18	20	0.09
CR-TR15-73mB		3.29	50	0.47	104	1	0.09	1	190	551	0.62	53	6	12	20	0.15
CR-TR15-74mA		3.42	50	0.33	80	2	0.08	<1	160	521	0.76	76	7	8	<20	0.14
CR-TR15-74mB		3.42	40	0.39	76	1	0.09	<1	80	35	0.77	19	7	9	<20	0.16
CR-TR15-75mB		3.28	50	0.32	93	1	0.08	<1	90	47	0.51	56	6	8	<20	0.14
CR-TR15-77mA		3.70	40	0.30	85	1	0.66	<1	340	26	0.63	5	5	110	20	0.13
CR-TR15-78mA		3.23	30	0.27	66	1	0.93	1	360	26	0.58	<5	6	141	20	0.12
CR-TR15-78mB		3.25	50	0.29	85	1	0.09	<1	130	44	0.37	13	6	14	<20	0.14
CR-TR15-78mD		3.26	40	0.29	93	1	0.07	<1	100	34	0.31	13	6	9	<20	0.14
CR-TR15-79m		4.97	30	0.24	106	1	0.16	<1	240	392	0.41	12	4	109	20	0.10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CASTILLIAN RESOURCES CORP.  
 65 QUEEN ST. W. SUITE 815  
 PO BOX 75  
 TORONTO ON M5H 2M5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 18-NOV-2011  
 Account: CASTRES

**CERTIFICATE OF ANALYSIS WH11191989**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
CR-TR15-72mA		<10	<10	20	10	28
CR-TR15-72mB		<10	<10	11	<10	12
CR-TR15-73mB		<10	<10	21	10	19
CR-TR15-74mA		<10	<10	23	10	28
CR-TR15-74mB		<10	<10	24	10	32
CR-TR15-75mB		<10	<10	23	10	27
CR-TR15-77mA		<10	<10	20	<10	87
CR-TR15-78mA		<10	<10	21	<10	56
CR-TR15-78mB		<10	<10	22	10	24
CR-TR15-78mD		<10	<10	22	10	32
CR-TR15-79m		<10	<10	11	<10	24