

NTS 115H/15
Lat: 61° 53' N
Long: 136° 30' W

ASSESSMENT REPORT

on the

SWORD PROPERTY

Sword 7 to 11 - YD123357 to YD123361

Sword 13 - YD123363

Sword 15 - YD123365

Sword 17 to 30 - YD123367 to YD123380

Whitehorse Mining District, Yukon, Canada

Geological, Geochemical and Prospecting Surveys

Work Period: 7 July 2011

for

YES EXPLORATION SYNDICATE INC (Operator)

Suite 1018 – 475 Howe Street

Vancouver, BC V6C2B3

Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC, V5S 4G2

Tel: 604-984-3663 Fax: 604-437-9531

7 June 2012

TABLE of CONTENTS

1.0	INTRODUCTION	1
2.0	DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS	1
3.0	ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY	4
4.0	GEOLOGICAL SETTING	4
4.1	Regional Geology and Structure	4
4.2	Property Geology and Structure	7
5.0	HISTORY	9
5.1	Area History	9
5.2	Previous Work	9
6.0	OBJECTIVES and SCOPE of WORK	9
6.1	Survey Method and Equipment	9
6.2	Description of Surveys	10
7.0	INTERPRETATIONS and CONCLUSIONS	12
7.1	Interpretations	12
7.2	Conclusions	12
8.0	REFERENCES	13
	CERTIFICATE of QUALIFICATIONS	14

LIST of TABLES

Table 1	Selected Soil Results	10
---------	-----------------------------	----

LIST of FIGURES

Figure 1	Regional Location	2
Figure 2	Claim Location and Topography	3
Figure 3	Regional Geology	5
Figure 4	Property Geology	8
Figure 5	Traverses	11

LIST of APPENDICES

APPENDIX A	Cost Statement
APPENDIX B	Claim Data
APPENDIX C	Reconnaissance Traverse Details
APPENDIX D	Soil Assay Certificate

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the SWORD Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 7 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS


The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/15. The Property area is centered at latitude 61° 53' North, longitude 136° 30' West, and UTM 6863000 m North, and UTM 421000 m East (Figures 1 and 2).

The Property is located approximately 25 kilometers southwest of the village of Carmacks and 151 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 21 quartz claims totaling approximately 439 hectares ("ha"). Claim information is presented in Appendix B.



YES EXPLORATION SYNDICATE		
SWORD Property		
Regional Location		
Scale: As shown	NTS: 115H/15 and 16	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1
E. Harrington, B.Sc, P.Geol.		



3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is on relatively flat to gently rolling terrain with elevations ranging from 990 meters (3,250 feet) to 1,070 meters (3,500 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.



(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
SWORD Property		
Regional Geology		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.


Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

In general, Property lithology consists of Mesozoic Early Jurassic granitic intrusives (Figure 4). The Jurassic intrusives, map unit EJqL, consist of felsic granitoids, aplite and pegmatite dikes, and granitic rocks containing megacrysts of potassium-feldspar. A northwest-trending fault structure cuts the northeastern part of the SWORD property.



SWORD PROPERTY

- EJqL
- Property Outline
- Traverse Line
- Geo Mapping Station
- Rock Sample Station
- Soil Sample Station

GEOLOGY 115H 15/16

EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
SWORD Property		
Property Geology		
Scale: As shown	NTS: 115H/15, 16	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
<i>E. Harrington, B.Sc, P.Geo.</i>		

A northeast-trending structure cuts the southeast part of the Property. The northwest- and northeast-trending structures intersect on the east side of the Property.

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No detailed mapping has been carried out since.

5.2 Previous Work

A “bull’s-eye” magnetic high anomaly underlies the Property. No stream sediment geochemical anomalies were identified in streams draining the Property.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the “C” horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figure 5, and Appendix C.

6.2 Description of Surveys


Five soil samples were taken, and approximately three kilometers of prospecting traverses were carried out during the 2011 work program. Sample results follow:

Table 1: Selected Soil Results

Sample	Chemical Analysis (ppm)				
	Gold	Cobalt	Manganese	Lead	Zinc
SWORD1	0.005	7	346	<2	47
SWORD2	0.006	7	406	<2	52
SWORD3	<0.005	8	355	3	61
SWORD4	0.008	7	347	2	47
SWORD5	0.019	6	243	<2	35

Three soil samples returned slightly elevated gold values ranging from 0.005 to 0.008 ppm. One sample, SWORD5, returned an anomalous gold value of 0.019 ppm. Other pathfinder elements were not significant.

In the surveyed area, outcrops consist of coarse-grained, white to pink, massive granitic rocks. Boulders of porphyritic andesite containing phenocrysts of hornblende up to 5 mm were observed in the area of SWORD2 soil sample.



EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE

SWORD Property

Traverses

Scale: As shown	NTS: 115H/15, 16	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5

E. Harrington, B.Sc, P.Geo.

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

The historical airborne magnetic survey shows the area surrounding the SWORD Property has a generally high magnetic signature, and a very high bulls-eye magnetic anomaly, approximately 2 kilometers across, underlies the Property.

Soil sampling has returned anomalous gold values. Prospecting shows that the general rock type is granite, but that there are boulders of andesite porphyry.

Landsat interpretation suggests that the Property is cut by northwest- and northeast-trending structures, and that the structures appear to intersect on the east side of the Property.

7.2 Conclusions

The presence of plumbing system and elevated to anomalous mineralization suggests that the SWORD Property has potential to host an epithermal or porphyry mineral deposit.

8.0 REFERENCES

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

Edward Harrington, B.Sc., P.Geo.
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of “qualified person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled “Assessment Report on the SWORD Property, Whitehorse Mining District, Yukon, Canada” and dated 7 June 2012 (the “Assessment Report”)

Dated this 7th day of June 2012



The image shows a red circular professional seal for the Association of Professional Engineers and Geoscientists of British Columbia. The seal contains the text "ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA" around the perimeter. In the center, the name "E.D. HARRINGTON" is printed. A handwritten signature in black ink is written over the seal.

Edward D. Harrington, B.Sc., P.Geo.

APPENDIX A

Cost Statement

SWORD PROPERTY - MINERAL EXPLORATION EXPENDITURES - 2011

MINERAL EXPLORATION ITEM OR JOB #	INVOICE #	INVOICE AMOUNT	PROJECT APPLICATION
RELIANCE GEOLOGICAL SERVICES INC	A11-863-01	\$ 4,604.26	\$ 4,604.26
NOKUYUKON HOLDINGS LTD	14	\$ 10,500.00	\$ 816.13
TOTAL (INCLUDES GST)			\$ 5,420.39

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5%			500.00
			GST			
Comment:					Total Amount	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

INVOICE

No. A11-863-01

30 November 2011

YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

Re: J863 - SWORD Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate	Sub-total	
	Prospecting, Reconnaissance geology				
Geologist:					
E. Harrington, PGeo	July 7	0.50	800.00	\$ 400.00	
Prospector:					
J. Skales	July 7	0.50	600.00	<u>300.00</u>	\$ 700.00
Office Personnel:					
General research:					
E. Harrington, PGeo		0.25	800.00	\$ 200.00	
Report preparation:					
E. Harrington, PGeo		0.75	800.00	600.00	
Other:					800.00
Ground Exploration	included in Field Personnel totals				
Geological mapping:		-	-	\$ -	
Reconnaissance:		-	-	-	
Prospecting:		-	-	<u>-</u>	-
Geochemical Surveying:					
Contract, per soil sample		5	48.00	\$ 240.00	
Rock samples included in Field Personnel totals					
Lab costs, soils		5	25.99	129.95	
Lab costs, rocks		-	31.11	<u>-</u>	369.95

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

Air transport				\$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
						<hr/>

Project Costs:

Vehicle rental				\$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	1.20	1,032.47		1,238.96	
Heli Fuel	"	1.20	224.29		269.15	
Other					-	1,559.27
						<hr/>

Food & Accom: (day rate used for convenience)

Hotel & meals	incl M Lindsay of YES	0.50	435.00	\$	217.50	217.50
(Hotel Carmacks)						

Misc:

Communications	Allocated among 33	-	-	\$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
						<hr/>

Sub-total \$ 4,060.19

Contractor markup 324.82
 GST/HST 5% R# 13849 1303 219.25

Total Expenditures \$ 4,604.26

APPENDIX B

Claim Data

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Easting	Northing						
421616	6863462	SWORD 7	YD123357	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
422073	6863463	SWORD 8	YD123358	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
421615	6863919	SWORD 9	YD123359	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
422072	6863920	SWORD 10	YD123360	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
420706	6862088	SWORD 11	YD123361	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420704	6862545	SWORD 13	YD123363	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420703	6863002	SWORD 15	YD123365	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420702	6863459	SWORD 17	YD123367	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
421159	6863460	SWORD 18	YD123368	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
420700	6863916	SWORD 19	YD123369	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
421158	6863917	SWORD 20	YD123370	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
419791	6862086	SWORD 21	YD123371	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420248	6862087	SWORD 22	YD123372	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
419790	6862543	SWORD 23	YD123373	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420247	6862544	SWORD 24	YD123374	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
419789	6863000	SWORD 25	YD123375	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
420246	6863001	SWORD 26	YD123376	YES Exploration Syndicate	9-Dec-10	24-Dec-13	Whitehorse
419787	6863457	SWORD 27	YD123377	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
420245	6863458	SWORD 28	YD123378	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
419786	6863913	SWORD 29	YD123379	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse
420243	6863915	SWORD 30	YD123380	YES Exploration Syndicate	9-Dec-10	24-Dec-14	Whitehorse

APPENDIX C

Reconnaissance Geological Traverses

LABEL	Easting	Northing	Angular_Ro	Clay	Feat_Name	Grain_Size	Gravel	Igneous_Ro	Moisture_C
119	420072	6863514			GEO_MAPP	Mixture		Plutonic	
120	420357	6863403			GEO_MAPP	Course		Plutonic	
sword 1	419603	6863755	15	1	SOIL		1		Dry
sword 2	419843	6863655	15	1	SOIL		1		Moist
sword 3	420043	6863537	15	1	SOIL		1		Moist
sword 4	420386	6863391	15	1	SOIL		1		Moist
sword 5	420712	6863280	15	1	SOIL		1		Moist

LABEL	Organics	Parent_Mat	Rock_Color	Rock_Textu	Rock_Type	Sample_Co2	Sample_Col
119			white to pink		granite		
120			white	massive	granite		
sword 1	1	Weathered Bedrock					Brown
sword 2	1	Weathered Bedrock					Brown
sword 3	1	Weathered Bedrock				Rusty	Brown
sword 4	1	Weathered Bedrock				Rusty	Brown
sword 5	1	Weathered Bedrock				Rusty	Brown

LABEL	Sample_Dep	Sample_Qua	Sand	Silt	Soil_Horiz	Topography	Vegetation
119							
120							
sword 1	40-50	5	50	35	C	Ridge Top	Evergreen Forest
sword 2	40-50	5	50	35	C	Ridge Top	Evergreen Forest
sword 3	40-50	5	50	35	C	Ridge Top	Evergreen Forest
sword 4	50-60	5	50	35	C	Ridge Top	Evergreen Forest
sword 5	50-60	5	50	35	C	Mid Slope	Evergreen Forest

LABEL		
119	granite boulders	
120	outcrop	fractures 254/85s
sword 1		
sword 2		
sword 3		
sword 4		
sword 5		

APPENDIX D

Soil Assay Certificate



INSPECTORATE

A Bureau Veritas Group Company

Certificate of Analysis

11-360-05144-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Tony Simon
418 East 14th Street
North Vancouver, BC V7L 2N8
Phone: 604-984-3663
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**
418 East 14th Street
North Vancouver, BC V7L 2N8

Date Received: 07/18/2011
Date Completed: 08/03/2011
Invoice:

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Location	Samples	Type	Preparation Description
Whitehorse, YT	134	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By 
Mike Caron, Lab Manager



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1A T-AA ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		0.005	0.1	0.01	5	10	2	0.01	0.5	1	1	1	0.01	3	0.01
SWORD1	Soil	0.005	<0.1	1.12	<5	57	<2	0.39	<0.5	7	20	19	2.23	<3	0.11
SWORD2	Soil	0.006	<0.1	1.25	6	58	<2	0.36	<0.5	7	20	16	2.51	<3	0.13
SWORD3	Soil	<0.005	<0.1	1.92	<5	154	<2	0.28	<0.5	8	22	19	2.91	<3	0.14
SWORD4	Soil	0.008	<0.1	1.11	<5	56	<2	0.32	<0.5	7	20	15	2.29	<3	0.16
SWORD5	Soil	0.019	<0.1	0.91	<5	67	<2	0.29	<0.5	6	19	13	2.12	<3	0.12



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		2	0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1
SWORD1	Soil	8	0.53	346	<1	0.01	11	1101	<2	<2	3	25	0.07	<10	52
SWORD2	Soil	11	0.63	406	<1	0.02	11	926	<2	2	3	22	0.07	<10	57
SWORD3	Soil	7	0.65	355	<1	0.01	14	586	3	<2	3	26	0.07	<10	65
SWORD4	Soil	7	0.56	347	<1	0.01	10	640	2	<2	3	26	0.08	<10	55
SWORD5	Soil	5	0.43	243	<1	0.01	10	558	<2	<2	2	24	0.06	<10	51



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W	Zn	Zr
		30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm
		10	2	2
SWORD1	Soil	<10	47	<2
SWORD2	Soil	<10	52	<2
SWORD3	Soil	<10	61	<2
SWORD4	Soil	<10	47	<2
SWORD5	Soil	<10	35	2