

NTS 115H/15
Lat: 61° 55' N
Long: 136° 40' W

ASSESSMENT REPORT

on the

QUEEN PROPERTY

Queen 1 to 50 - YD123733 to YD123782

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 7 July 2011

for

YES EXPLORATION SYNDICATE INC (Operator)

Suite 1018 – 475 Howe Street
Vancouver, BC V6C2B3
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: 604-984-3663 Fax: 604-437-9531

7 June 2012

TABLE of CONTENTS

1.0	INTRODUCTION	1
2.0	DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS	1
3.0	ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY	4
4.0	GEOLOGICAL SETTING	4
4.1	Regional Geology and Structure	4
4.2	Property Geology and Structure	7
5.0	HISTORY	9
5.1	Area History	9
5.2	Previous Work	9
6.0	OBJECTIVES and SCOPE of WORK	9
6.1	Survey Method and Equipment	10
6.2	Description of Surveys	11
7.0	INTERPRETATIONS and CONCLUSIONS	11
7.1	Interpretations	11
7.2	Conclusions	12
8.0	REFERENCES	13
	CERTIFICATE of QUALIFICATIONS	14

LIST of TABLES

Table 1	Selected Soil Results	11
---------	-----------------------------	----

LIST of FIGURES

Figure 1	Regional Location	2
Figure 2	Claim Location and Topography	3
Figure 3	Regional Geology	5
Figure 4	Property Geology	8
Figure 5	Traverses	10

LIST of APPENDICES

APPENDIX A	Cost Statement
APPENDIX B	Claim Data
APPENDIX C	Reconnaissance Traverse Details
APPENDIX D	Soil Assay Certificate

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the QUEEN Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 7 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS


The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/15. The Property area is centered at latitude 61° 55' North, longitude 136° 40' West, and UTM 6865500 m North, and UTM 412500 m East (Figures 1 and 2).

The Property is located approximately 28 kilometers southwest of the village of Carmacks and 157 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 50 quartz claims totaling approximately 1,044 hectares ("ha"). Claim information is presented in Appendix B.



YES EXPLORATION SYNDICATE		
QUEEN Property		
Regional Location		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1
E. Harrington, B.Sc, P.Geol.		



3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is moderately rolling terrain with elevations ranging from 1,070 meters (3,500 feet) to 1,465 meters (4,800 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.



(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
QUEEN Property		
Regional Geology		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals. Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:


1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

In general, Property lithology consists of Mesozoic Early Jurassic granitic intrusives (Figure 4). The Jurassic intrusives, map unit EJqL, consist of felsic granitoids, aplite and pegmatite dikes, and granitic rocks containing megacrysts of potassium-feldspar.


The Property is situated over an array of northwest-trending faults. A prominent northeast-trending structure is seen in Landsat images intersecting other generally northeast-trending faults on the Property.



QUEEN PROPERTY

- EJqL
- Property Outline
- Traverse Line
- Geo Mapping Station
- Rock Sample Station
- Soil Sample Station

GEOLOGY 115H 15



EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
QUEEN Property		
Property Geology		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
<i>E. Harrington, B.Sc, P.Geo.</i>		

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No detailed mapping has been carried out since.

5.2 Previous Work


The airborne magnetic survey shows a magnetic high anomaly that is located at the junction of main northwest- and northeast-trending faults. The historical regional stream sediment survey identified a 173 ppb gold anomaly in a creek draining the northern part of the QUEEN claims.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered. Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the "C" horizon, with hole depth generally in the range of 0.4 to 0.6 meters.



EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
QUEEN Property		
Property Traverses		
Scale: As shown	NTS: 115H/14	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
<i>E. Harrington, B.Sc, P.Geo.</i>		

Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figure 5, and Appendix C.

6.2 Description of Surveys

Four soil samples were taken, and approximately four kilometers of prospecting traverses were carried out during the 2011 work program. Sample results follow:

Table 1: Selected Soil Results

Sample	Chemical Analysis (ppm)					
	Gold	Barium	Cobalt	Manganese	Nickel	Zinc
QUEEN1	0.009	129	7	499	12	67
QUEEN2	0.007	128	8	400	17	78
QUEEN3	0.007	82	9	454	20	62
QUEEN4	0.008	174	7	670	15	90

All soil samples returned elevated gold values ranging from 0.007 to 0.009 ppm. Values for the pathfinder elements barium, cobalt, manganese, nickel, and zinc were also slightly elevated. Mapping points show that, in the surveyed area, the granitoid rocks are white to buff in color, massive, and show strongly weathered rounded surfaces.

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

Soil sampling shows slightly elevated values for gold and a suite of pathfinder elements. Interpreted structure shows the Property is situated over an array of northwest- and northeast-trending faults.

A east-west elongated magnetic high underlies the Property and is situated at the junction of main northwest- and northeast-trending faults.

An historical regional stream sediment survey identified a 173 ppb gold anomaly in a creek draining the northern part of the QUEEN claims.

7.2 Conclusions

Only a small portion of the QUEEN Property has been investigated. Geochemical, geophysical, and geological results suggest that the Property has exploration potential for hydrothermal and/or porphyritic mineralization

8.0 REFERENCES

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

Edward Harrington, B.Sc., P.Geol.
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled "Assessment Report on the QUEEN Property, Whitehorse Mining District, Yukon, Canada" and dated 7 June 2012 (the "Assessment Report")

Dated this 7th day of June 2012



Edward D. Harrington, B.Sc., P.Geol.

APPENDIX A

Cost Statement

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

INVOICE

No. A11-861-01

30 November 2011

YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

Re: J861 - QUEEN Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate	Sub-total	
	Prospecting, Reconnaissance geology				
Geologist:					
E. Harrington, PGeo	July 7	0.50	800.00	\$ 400.00	
Prospector:					
J. Skales	July 7	0.50	600.00	<u>300.00</u>	\$ 700.00
Office Personnel:					
General research:					
E. Harrington, PGeo		0.25	800.00	\$ 200.00	
Report preparation:					
E. Harrington, PGeo		0.75	800.00	600.00	
Other:					800.00
Ground Exploration	included in Field Personnel totals				
Geological mapping:		-	-	\$ -	
Reconnaissance:		-	-	-	
Prospecting:		-	-	<u>-</u>	-
Geochemical Surveying:					
Contract, per soil sample		4	48.00	\$ 192.00	
Rock samples included in Field Personnel totals					
Lab costs, soils		4	25.99	103.96	
Lab costs, rocks		-	31.11	<u>-</u>	295.96

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

Air transport				\$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
						<hr/>

Project Costs:

Vehicle rental				\$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	1.20	1,032.47		1,238.96	
Heli Fuel	"	1.20	224.29		269.15	
Other					-	1,559.27
						<hr/>

Food & Accom: (day rate used for convenience)

Hotel & meals	incl M Lindsay of YES	0.50	435.00	\$	217.50	217.50
(Hotel Carmacks)						

Misc:

Communications	Allocated among 33	-	-	\$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
						<hr/>

Sub-total \$ 3,986.20

Contractor markup 318.90
 GST/HST 5% R# 13849 1303 215.25

Total Expenditures \$ 4,520.35

QUEEN PROPERTY - MINERAL EXPLORATION EXPENDITURES - 2011

MINERAL EXPLORATION ITEM OR JOB #	INVOICE #	INVOICE AMOUNT	PROJECT APPLICATION
RELIANCE GEOLOGICAL SERVICES INC	A11-861-01	\$ 4,520.35	\$ 4,520.35
NOKUYUKON HOLDINGS LTD	14	\$ 10,500.00	\$ 816.13
TOTAL (INCLUDES GST)			\$ 5,336.48

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5%			500.00
			GST			
Comment:					Total Amount	10,500.00

APPENDIX B

Claim Data

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Eastings	Northing						
414010	6864816	QUEEN 1	YD123733	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414460	6864819	QUEEN 2	YD123734	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414008	6865266	QUEEN 3	YD123735	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414458	6865269	QUEEN 4	YD123736	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414005	6865716	QUEEN 5	YD123737	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414455	6865718	QUEEN 6	YD123738	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414003	6866166	QUEEN 7	YD123739	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414453	6866168	QUEEN 8	YD123740	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414001	6866616	QUEEN 9	YD123741	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
414451	6866618	QUEEN 10	YD123742	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413110	6864812	QUEEN 11	YD123743	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413560	6864814	QUEEN 12	YD123744	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413108	6865261	QUEEN 13	YD123745	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413558	6865264	QUEEN 14	YD123746	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413106	6865711	QUEEN 15	YD123747	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413556	6865714	QUEEN 16	YD123748	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413103	6866161	QUEEN 17	YD123749	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413553	6866163	QUEEN 18	YD123750	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413101	6866611	QUEEN 19	YD123751	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
413551	6866613	QUEEN 20	YD123752	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412210	6864807	QUEEN 21	YD123753	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412660	6864809	QUEEN 22	YD123754	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412208	6865257	QUEEN 23	YD123755	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412658	6865259	QUEEN 24	YD123756	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412206	6865706	QUEEN 25	YD123757	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412656	6865709	QUEEN 26	YD123758	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412203	6866156	QUEEN 27	YD123759	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412653	6866159	QUEEN 28	YD123760	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412201	6866606	QUEEN 29	YD123761	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
412651	6866608	QUEEN 30	YD123762	YES Exploration Syndicate	13-Dec-10	24-Dec-12	Whitehorse
411311	6864802	QUEEN 31	YD123763	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411761	6864805	QUEEN 32	YD123764	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse

411308	6865252	QUEEN 33	YD123765	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411758	6865254	QUEEN 34	YD123766	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411306	6865702	QUEEN 35	YD123767	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411756	6865704	QUEEN 36	YD123768	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411303	6866151	QUEEN 37	YD123769	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411753	6866154	QUEEN 38	YD123770	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411301	6866601	QUEEN 39	YD123771	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
411751	6866604	QUEEN 40	YD123772	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410411	6864797	QUEEN 41	YD123773	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410861	6864800	QUEEN 42	YD123774	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410408	6865247	QUEEN 43	YD123775	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410858	6865250	QUEEN 44	YD123776	YES Exploration Syndicate	12-Dec-10	24-Dec-13	Whitehorse
410406	6865697	QUEEN 45	YD123777	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410856	6865699	QUEEN 46	YD123778	YES Exploration Syndicate	12-Dec-10	24-Dec-13	Whitehorse
410404	6866147	QUEEN 47	YD123779	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410853	6866149	QUEEN 48	YD123780	YES Exploration Syndicate	12-Dec-10	24-Dec-13	Whitehorse
410401	6866596	QUEEN 49	YD123781	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse
410851	6866599	QUEEN 50	YD123782	YES Exploration Syndicate	12-Dec-10	24-Dec-12	Whitehorse

APPENDIX C

Reconnaissance Geological Traverses

LABEL	Easting	Northing	Angular_Ro	Clay	Feat_Name	Grain_Size	Gravel	Igneous_Ro	Moisture_C
132	411513	6866619			GEO_MAPP	Mixture		Plutonic	
133	411233	6866713			GEO_MAPP	Mixture		Plutonic	
134	411118	6866747			GEO_MAPP	Course		Plutonic	
135	410940	6866792			GEO_MAPP	Course		Plutonic	
136	411364	6866615			GEO_MAPP	Course		Plutonic	
137	411621	6866380			GEO_MAPP	Course		Plutonic	
138	411781	6866206			GEO_MAPP	Mixture		Plutonic	
queen 1	411313	6865730	15	1	SOIL		1		Moist
queen 2	411453	6866044	15	1	SOIL		1		Dry
queen 3	411664	6866397	15	1	SOIL		1		Dry
queen 4	412646	6866480	25	1	SOIL		1		Wet

LABEL	Organics	Parent_Mat	Rock_Color	Rock_Textu	Rock_Type	Sample_Co2	Sample_Col
132			white to buff	massive	granite		
133			white to buff	massive	granite		
134			white to buff	massive	granite		
135			white to buff	massive	granite		
136			white to buff	massive	granite		
137			white to buff	massive	granite		
138			pink	massive	granite		
queen 1	1	Weathered Bedrock				Rusty	Brown
queen 2	1	Weathered Bedrock					Brown
queen 3	1	Weathered Bedrock					Brown
queen 4	1	Weathered Bedrock					Brown

LABEL	Sample_Dep	Sample_Qua	Sand	Silt	Soil_Horiz	Station__	Topography	Unfilt_Pos
132								80
133								80
134								70
135								40
136								45
137								37
138								119
queen 1	40-50	5	60	25		queen 1	Valley Bottom	101
queen 2	20-30	5	60	25	C	queen 2	Mid Slope	40
queen 3	20-30	5	60	25	C	queen 3	Ridge Top	71
queen 4	50-60	5	50	25	C	queen 4	Ridge Top	66

LABEL	Vegetation	
132		weathered and well rounded
133		
134		weathered well rounded
135		
136		
137		
138		not as rotten and weahered looking; maybe younger granite??
queen 1	Buck Brush	
queen 2	Buck Brush	
queen 3	Buck Brush	
queen 4	Buck Brush	

APPENDIX D

Soil Assay Certificate



INSPECTORATE

A Bureau Veritas Group Company

Certificate of Analysis

11-360-05144-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Tony Simon
418 East 14th Street
North Vancouver, BC V7L 2N8
Phone: 604-984-3663
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**
418 East 14th Street
North Vancouver, BC V7L 2N8

Date Received: 07/18/2011
Date Completed: 08/03/2011
Invoice:

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Location	Samples	Type	Preparation Description
Whitehorse, YT	134	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By 
Mike Caron, Lab Manager



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1A T-AA ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		0.005	0.1	0.01	5	10	2	0.01	0.5	1	1	1	0.01	3	0.01
QUEEN1	Soil	0.009	<0.1	1.19	<5	129	<2	0.41	<0.5	7	21	12	2.24	<3	0.18
QUEEN2	Soil	0.007	<0.1	2.12	6	128	<2	0.17	<0.5	8	24	17	2.91	<3	0.15
QUEEN3	Soil	0.007	<0.1	2.02	<5	82	<2	0.11	<0.5	9	25	18	2.72	<3	0.10
QUEEN4	Soil	0.008	<0.1	2.21	<5	174	<2	0.21	<0.5	7	22	15	2.76	<3	0.29



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		2	0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1
QUEEN1	Soil	15	0.61	499	<1	0.02	12	1160	3	<Δ	4	37	0.09	<10	49
QUEEN2	Soil	8	0.61	400	<1	0.01	17	512	5	<Δ	3	58	0.06	<10	58
QUEEN3	Soil	7	0.53	454	<1	0.01	20	384	5	<Δ	3	13	0.06	<10	53
QUEEN4	Soil	16	0.65	670	<1	0.01	15	553	5	<Δ	5	23	0.08	<10	52



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W	Zn	Zr
		30-AR-TR ppm 10	30-AR-TR ppm 2	30-AR-TR ppm 2
QUEEN1	Soil	<10	67	2
QUEEN2	Soil	<10	78	<2
QUEEN3	Soil	<10	62	<2
QUEEN4	Soil	<10	90	<2