NTS 115H/11 and 115H/14
Lat: 61° 45" N
Long: 137° 21' W

ASSESSMENT REPORT

on the

MANTLE PROPERTY

Mantle 1 to 10 - YD126621 to YD126630
Mantle 11 to 18 - YD106226 to YD106233
Mantle 19 to 54 - YD126639 to YD126674
Mantle 55 to 60 - YD120090 to YD120095
Mantle 61 - YD120160; Mantle 62 - YD120161

Whitehorse Mining District, Yukon, Canada

Geological, Geochemical and Prospecting Surveys

Work Period: 5 July to 6 July 2011

for

YES EXPLORATION SYNDICATE INC
Suite 1018 – 475 Howe Street
Vancouver, BC V6C2B3
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.
RELIANCE GEOLOGICAL SERVICES INC
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: 604-984-3663 Fax: 604-437-9531

6 June 2012

TABLE OF CONTENTS

LIST of TABLES

LIST of FIGURES

LIST of APPENDICES

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the MANTLE Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This report summarizes previous work, and describes reconnaissance geological, geochemical rock and soil sampling, and prospecting surveys carried out on 5 July and 6 July, 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data and maps made by cited persons.

The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheets NTS 115H/11 and 115H/14. The Property area is centered at latitude 61^{o} 45' North, longitude 137^{o} 21' West, and UTM 6849000 m North, and UTM 376000 m East (Figures 1 and 2).

The Property is located approximately 67 kilometers southwest of the village of Carmacks and 168 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 62 quartz claims totaling approximately 1,294 hectares ("ha"). Claim information is presented in Appendix B.



YES EXPLORATION SYNDICATE

MANTLE Property

Regional Location

Scale: As shown	NTS: 115H/11 and 14	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1

E. Harrington, B.Sc, P.Geo.



YES EXPLORATION SYNDICATE		
MANTLE Property		
Claim Location and Topography.		
Scale: As shown	NTS: 115H/11 and 14	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 2
E. Harrington, B.Sc, P.Geo.		

3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.

The Property is on moderately rolling terrain with elevations ranging from 990 meters (3,250 feet) to 1,280 meters (4,200 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of approximately 25 kilometers.





(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
MANTLE Property		
Regional Geology		
Scale: As shown	NTS: 115H/11, 14	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins.

The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.

Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

Property lithology consists of Paleozoic metamorphic rocks. The metamorphic rocks, map unit PPN1, comprise biotite-muscovite-quartz schists, quartzites, orthogneisses (gneisses derived from sedimentary rocks), and amphibolites. Immediately to the east, but outside of the Property, map unit PPa consists of chlorite-biotite schists, amphibolites, and hornblende gneisses.

Northwest– and northeast-trending structures intersect in the central Property area.



PPN1 Upper Proterozoic/Paleozoic
Metamorphic, biotite-musc-qtz schist, quartzite, orthogneiss, and amphibolite

PPa Upper Proterozoic/Paleozoic
Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE		
MANTLE Property		
Property Geology		
Scale: As shown	NTS: 115H/11, 14	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
E. Harrington, B.Sc, P.Geo.		

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No detailed mapping has been carried out since.

5.2 Previous Work

Two stream sediment gold anomalies, 17 ppb and 40 ppb, occur in a creek draining the northwestern part the Property. One anomaly (40 ppb / 104 ppb gold - detected by initial and repeated assay process) occurs in the upper part of the stream. Gold (336 ppb) and silver anomalies occur to the northwest near the mouth of the same stream. Anomalous manganese values (<3,000 ppm) occur in several of the creeks draining the entire target area.

The Property is underlain by a magnetic high that appears to be located at the intersection of the northwest- and northeast-trending structures.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the "C" horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

Rock samples were selected to best show the desired geological occurrence. Samples were sealed in uniquely identified clear plastic bags and delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figures 5 and 6, and Appendix C.

6.2 Description of Surveys

Five rock samples and eleven soil samples were taken, and approximately 9 kilometers of prospecting traverses were carried out during the 2011 work program.

Table 1: Rock Sample Details

Sample	Property	Location		Type	Description
		Easting	Northing		
E5239072	MANTLE	376770	6850251	Select	10 cm qtz vein cutting epidote skarn. Vein strikes 038/8E. No observed sulfides
E5239073	MANTLE	376770	6850251	Select	Epidote skarn.
E5239074	MANTLE	376625	6850158	Select	Fine grained epidote skarn. Sugary texture and siliceous. No visible sulfides.
E5239075	MANTLE	376419	6849594	Select	Epidote skarn with qtz vein. Qtz vein has sugary texture and is vuggy. Hematite staining
E5239076	MANTLE	376351	6849549	Select	Epidote skarn with qtz vein in biotite schist. Strong hematite staining. No obvious sulfides. Qtz vein parallels bedding @ 016/5E.



PPN1 Upper Proterozoic/Paleozoic
Metamorphic, biotite-musc-qtz schist, quartzite, orthogneiss, and amphibolite

YES EXPLORATION SYNDICATE		
MANTLE Property		
Traverses - North		
Scale: As shown	NTS: 115H/11, 14	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
E. Harrington, B.Sc, P.Geo.		



PPN1 Upper Proterozoic/Paleozoic
Metamorphic, biotite-musc-qtz schist, quartzite, orthogneiss, and amphibolite

YES EXPLORATION SYNDICATE		
MANTLE Property		
Traverses - South		
Scale: As shown	NTS: 115H/11, 14	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 6
E. Harrington, B.Sc, P.Geo.		

Table 2: Selected Rock Sample Results

Sample	Chemical Analysis (ppm)						
	Gold	Silver	Arsenic	Barium	Copper	Manganese	Lead
E5239072	<0.005	<0.1	<5	<10	1	894	<2
E5239073	<0.005	<0.1	13	<10	2	1197	<2
E5239074	<0.005	<0.1	<5	34	10	354	2
E5239075	<0.005	0.1	5	59	4	647	14
E5239076	0.061	0.2	8	11	150	313	<2

Rock sample 523906 returned 0.061 ppm gold. Manganese values were slightly to moderately elevated in three of the samples.

Rock samples were taken from zones epidote skarn formation. The skarns show quartz veining up to 10 cm wide, sugary-textured quartz growths, and hematite staining.

Table 3: Selected Soil Sample Results

Sample	Chemical Analysis (ppm)							
	Gold	Silver	Arsenic	Cobalt	Copper	Manganese	Lead	Zinc
Mantle1	<0.005	<0.1	7	11	35	396	10	80
Mantle2	0.011	<0.1	16	14	41	338	17	60
Mantle3	0.007	<0.1	12	9	25	298	7	58
Mantle4	<0.005	<0.1	8	12	20	1012	7	108
Mantle5	<0.005	<0.1	6	7	15	262	6	45
Mantle6	<0.005	<0.1	8	12	18	386	7	79
Mantle7	<0.005	<0.1	<5	18	11	1345	4	125
Mantle8	0.006	<0.1	14	9	64	250	10	58
Mantle9	<0.005	<0.1	6	15	77	351	10	124
Mantle10	<0.005	<0.1	10	9	34	256	7	50
Mantle11	<0.005	<0.1	7	13	36	625	9	71

Three soil samples returned elevated gold values ranging from 0.006 to 0.011 ppm. High manganese values weakly correlate with elevated zinc values, but not with gold.

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

Limey rocks on the MANTLE property have undergone skarn alteration. The rocks are cut by quartz veins and show sugary-textured quartz growths. The sugary quartz suggests some degree of recrystallization and possibly hydrothermal activity.

No sulfides were noted, but rocks show rusty hematite staining, suggesting that possible sulfide content has been oxidized.

7.2 Conclusions

There appears to be some suggestion of hydrothermal activity in the Property area. Manganese may be reflecting the epithermal nature of area, and is often associated with silver mineralization.

8.0 REFERENCES

Hart, C. 2002:
The Geological Framework of the Yukon Territory. Yukon Geological Survey. http://www.geology.gov.yk.ca/

Tempelman-Kluit, D.J., and Currie, R., 1978:
Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Chrystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:
Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:
Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

,**Edward Harrington, B.Sc., P.Geo.**
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.

2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.

3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.

4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.

5. I am responsible for the preparation of the assessment report titled "Assessment Report on the MANTLE Property, Whitehorse Mining District, Yukon, Canada" and dated 6 June 2012 (the "Assessment Report")

Dated this 6th day of June 2012

Edward D. Harrington, B.Sc., P.Geo.

APPENDIX A

Cost Statement

MANTLE PROPERTY - MINERAL EXPLORATION EXPENDITURES - 2011

MINERAL EXPLORATION ITEM OR JOB #	INVOICE #	INVOICE AMOUNT	PROJECT APPLICATION
RELIANCE GEOLOGICAL SERVICES INC	A11-870-01	$ 5,661.79	$ 5,661.79
NOKUYUKON HOLDINGS LTD	14	$ 10,500.00	$ 973.63
TOTAL (INCLUDES GST)			**$ 6,635.42**

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5% GST			500.00
Comment:					**Total Amount**	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC
Canada V5S 4G2
info@reliancegeological.com www.RelianceGeological.com
Tel: 604-984-3663 Fax: 604-437-9531

INVOICE

No. A11-870-01

30 November 2011

YES Exploration Syndicate Inc
418 East 14th Street
North Vancouver, BC V7L 2N8
Attn: **T. Simon**

Re: J870 - MANTLE Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate		Sub-total		
	Prospecting, Reconnaissance geology						
Geologist:							
E. Harrington, PGeo	July 5-6	0.75	800.00	$	600.00		
Prospector:							
J. Skailes	July 5-6	0.75	600.00		450.00	$	1,050.00
Office Personnel:							
General research:							
E. Harrington, PGeo		0.25	800.00	$	200.00		
Report preparation:							
E. Harrington, PGeo		0.75	800.00		600.00		
Other:							
							800.00
Ground Exploration	included in Field Personnel totals						
Geological mapping:		-	-	$	-		
Reconnaissance:		-	-		-		
Prospecting:		-	-		-		-
Geochemical Surveying:							
Contract, per soil sample		11	48.00	$	528.00		
Rock samples included in Field Personnel totals							
Lab costs, soils		11	25.99		285.89		
Lab costs, rocks		5	31.11		155.55		969.44

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

Air transport				$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
Project Costs:						
Vehicle rental				$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	1.10	1,032.47		1,135.72	
Heli Fuel	"	1.10	224.29		246.72	
Other					-	1,433.60
Food & Accomm: (day rate used for convenience)						
Hotel & meals (Hotel Carmacks)	incl M Lindsay of YES	0.75	435.00	$	326.25	326.25
Misc:						
Communications	Allocated among 33	-	-	$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
Sub-total						$ 4,992.76
Contractor markup						399.42
GST/HST 5% R# 13849 1303						269.61
Total Expenditures						$ 5,661.79

APPENDIX B

Claim Data

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Easting	Northiing						
375268	6851361	MANTLE 1	YD126621	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374811	6851359	MANTLE 2	YD126622	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375270	6850904	MANTLE 3	YD126623	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374813	6850902	MANTLE 4	YD126624	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375272	6850447	MANTLE 5	YD126625	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374815	6850445	MANTLE 6	YD126626	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375274	6849990	MANTLE 7	YD126627	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374817	6849988	MANTLE 8	YD126628	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375276	6849533	MANTLE 9	YD126629	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374819	6849531	MANTLE 10	YD126630	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375278	6849076	MANTLE 11	YD106226	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
374821	6849074	MANTLE 12	YD106227	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
375280	6848618	MANTLE 13	YD106228	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
374823	6848616	MANTLE 14	YD106229	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
375282	6848161	MANTLE 15	YD106230	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
374825	6848159	MANTLE 16	YD106231	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
375284	6847704	MANTLE 17	YD106232	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
374827	6847702	MANTLE 18	YD106233	YES Exploration Syndicate	16-Feb-11	2-Mar-13	Whitehorse
376182	6851365	MANTLE 19	YD126639	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375725	6851363	MANTLE 20	YD126640	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376184	6850908	MANTLE 21	YD126641	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375727	6850906	MANTLE 22	YD126642	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376186	6850451	MANTLE 23	YD126643	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375729	6850449	MANTLE 24	YD126644	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376188	6849994	MANTLE 25	YD126645	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375731	6849992	MANTLE 26	YD126646	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376190	6849537	MANTLE 27	YD126647	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375733	6849535	MANTLE 28	YD126648	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376192	6849080	MANTLE 29	YD126649	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375735	6849078	MANTLE 30	YD126650	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376194	6848623	MANTLE 31	YD126651	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375737	6848621	MANTLE 32	YD126652	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse

376196	6848166	MANTLE 33	YD126653	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375739	6848163	MANTLE 34	YD126654	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376198	6847708	MANTLE 35	YD126655	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
375741	6847706	MANTLE 36	YD126656	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377096	6851369	MANTLE 37	YD126657	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376639	6851367	MANTLE 38	YD126658	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377098	6850912	MANTLE 39	YD126659	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376641	6850910	MANTLE 40	YD126660	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377100	6850455	MANTLE 41	YD126661	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376643	6850453	MANTLE 42	YD126662	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377102	6849998	MANTLE 43	YD126663	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376645	6849996	MANTLE 44	YD126664	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377105	6849541	MANTLE 45	YD126665	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376647	6849539	MANTLE 46	YD126666	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377107	6849084	MANTLE 47	YD126667	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376649	6849082	MANTLE 48	YD126668	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377109	6848627	MANTLE 49	YD126669	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376651	6848625	MANTLE 50	YD126670	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377111	6848170	MANTLE 51	YD126671	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376654	6848168	MANTLE 52	YD126672	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
377113	6847713	MANTLE 53	YD126673	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
376656	6847710	MANTLE 54	YD126674	YES Exploration Syndicate	17-Dec-10	22-Dec-12	Whitehorse
374364	6849071	MANTLE 55	YD120090	YES Exploration Syndicate	31-Jan-11	2-Feb-13	Whitehorse
373907	6849069	MANTLE 56	YD120091	YES Exploration Syndicate	31-Jan-11	2-Feb-13	Whitehorse
374366	6848614	MANTLE 57	YD120092	YES Exploration Syndicate	31-Jan-11	2-Feb-13	Whitehorse
373909	6848612	MANTLE 58	YD120093	YES Exploration Syndicate	31-Jan-11	2-Feb-13	Whitehorse
374368	6848157	MANTLE 59	YD120094	YES Exploration Syndicate	31-Jan-11	2-Feb-14	Whitehorse
373911	6848155	MANTLE 60	YD120095	YES Exploration Syndicate	31-Jan-11	2-Feb-14	Whitehorse
374370	6847700	MANTLE 61	YD120160	YES Exploration Syndicate	31-Jan-11	2-Feb-14	Whitehorse
373913	6847698	MANTLE 62	YD120161	YES Exploration Syndicate	31-Jan-11	2-Feb-14	Whitehorse

APPENDIX C

Reconnaissance Traverse Details

LABEL	X	Y	Alteration	Feat_Name	Grain_Size	Gravel	Igneous_Ro	Metamorphi
1	376391	6851280		SOIL		1		
2	376454	6851332		SOIL		1		
3	376410	6851202		SOIL		1		
4	376272	6851012		SOIL		1		
5	376515	6850617		SOIL		1		
6	376788	6850244		SOIL		1		
7	376616	6850140		SOIL		1		
8	376512	6849847		SOIL		1		
9	376414	6849598		SOIL		1		
10	376313	6849579		SOIL		1		
11	375996	6849571		SOIL		1		
e5239072	376771	6850249		GEO_MAPP				
e5239073	376770	6850250	epidote alteration	GEO_MAPP	Mixture			
e5239074	376623	6850161	minor hematite staining	GEO_MAPP	Fine			
e5239075	376419	6849593		GEO_MAPP				Massive
e5239076	376352	6849550		GEO_MAPP	Course			
102	376360	6851248		GEO_MAPP	Mixture		Plutonic	Gneiss
103	376398	6851271		GEO_MAPP	Course		Dike	
104	376404	6851288		GEO_MAPP	Mixture		Plutonic	
105	376431	6851317		GEO_MAPP	Mixture		Plutonic	
106	376457	6851346		GEO_MAPP	Mixture		Plutonic	
107	376345	6851239		GEO_MAPP	Mixture		Dike	
108	376280	6851186		GEO_MAPP	Course		Plutonic	
109	376255	6851145		GEO_MAPP	Course		Plutonic	
110	376220	6851108		GEO_MAPP				
111	376232	6850969		GEO_MAPP	Course		Plutonic	
121	376731	6850358		GEO_MAPP	Mixture		Plutonic	Gneiss
122	376722	6850289		GEO_MAPP	Mixture		Dike	
123	376741	6850248		GEO_MAPP	Mixture		Plutonic	
124	376659	6850185		GEO_MAPP	Mixture		Plutonic	
125	376533	6849952		GEO_MAPP	Course			
126	376431	6849605		GEO_MAPP				
127	376389	6849575		GEO_MAPP	Mixture			

128	376137	6849588		GEO_MAPP	Mixture			
144	376674	6850216	None notice	GEO_MAPP	Course		Plutonic	

LABEL	Parent_Mat	Rock_Color	Rock_Textu	Rock_Type	Sample_Co2
1	Weathered Bedrock				Rusty
2	Weathered Bedrock				Rusty
3	Weathered Bedrock				
4	Weathered Bedrock				Rusty
5	Weathered Bedrock				Rusty
6	Weathered Bedrock				
7	Weathered Bedrock				
8	Weathered Bedrock				
9	Weathered Bedrock				
10	Weathered Bedrock				
11	Weathered Bedrock				Rusty
e5239072				qtz vein <10cm in epidote skarn	
e5239073		pale green to buff	massive	epidote skarn	
e5239074		green to buff	sugary texture	possible epidote skarn	
e5239075		dk green	massive	epidote skarn with qtz vein	
e5239076		white to green	massive	qtz vein with epidote in biotite schist	
102		dk grey to black	gneissic	amphibolite gneiss	
103		dk green	massive	hornblendite	
104		pink	foloated weakly	granite	
105		white to pink	foliated	granite	
106		pink	foliated	granite	
107		white	massive	pegmatite	
108		dk green	massive	hornblendite	
109		white	massive	pegmatite	
110					
111		white to pink	massive	foliated granite	
121		white	massive	granite	
122		dk green	schistose	amphibolite-hornblendite	
123			buff to pink	granitic gneiss	
124		grey to buff granite	massive	biotite gneiss cut by cg white pegmatie	
125		grey to buff	foliated	biotite gneiss (schist)	
126		buff	foliater	biotite gneiss (schist)	
127		buff to pink	foliated	biotite gneiss (schist)	

128		grey	foliated	biotite gneiss (schist)	
144		White	Crystalline	Quartz vein	

LABEL	Sample_Col	Sample_Dep	Sand	Silt	Soil_Horiz	Strike	Sulfides_O
1	Brown	30-40	70	30	C		
2	Brown	20-30	70	30	C		
3	Brown	20-30	40	40	C		
4	Brown	40-50	60	20	C		
5	Brown	50-60	60	25	C		
6	Brown	20-30	40	45	C		
7	Brown	50-60	60	20	C		
8	Brown	20-30	40	40	C		
9	Brown	20-30	40	40	C		
10	Brown	40-50	40	40	C		
11	Brown	20-30	40	40	C		
e5239072							
e5239073							
e5239074							no sulfides note
e5239075							
e5239076							
102							
103							
104							
105							
106							
107							
108							
109							
110							
111							
121							
122						334/?	
123						bedding 036/25e	
124							
125							
126						bedding 011/10e	
127							

128							
144							None notice

LABEL	Topography	
1	Ridge Top	
2	Ridge Top	
3	Ridge Top	
4	Ridge Top	
5	Valley Bottom	
6	Mid Slope	
7	Plateau	
8	Bench	
9	Ridge Top	
10	Mid Slope	
11	Ridge Top	
e5239072		no sulfides noted strike 038/8e
e5239073		
e5239074		
e5239075		
e5239076		strong hematite staining
102		
103		dike float 315/?
104		
105		contact between folited granite and overlying hornblendite; possible intrusive contact
106		bedding 228/8n
107		strike 035/58n cuts hornblendite
108		
109		
110		contact between hornblendite to west and foliated granite to east
111		
121		biotite-granite gneiss with sections of equigranular white granite with little biotite; minor pegmat
122		
123		cut by cg pegmatite <2m @ 050/vert
124		
125		contains white bull qtz vein <0.5m
126		
127		

128		
144	Ridge Top	

LABEL		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
e5239072		
e5239073		
e5239074		
e5239075		
e5239076		
102		
103		
104		
105	contact 235/62n; foliation 260/5n	
106		
107		
108		
109		
110		
111		
121	bedding 330/05e	fractures 271/vert; 179/80n
122		
123		
124		
125	bedding 040/10n	
126		
127		

128		
144		

APPENDIX D

Rock Assay Certificate

INSPECTORATE
A Bureau Veritas Group Company

Certificate of Analysis

11-360-05135-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Tony Simon
418 East 14th Street
North Vancouver, BC V7L 2N8
Phone: 604-984-3663
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**
418 East 14th Street
North Vancouver, BC V7L 2N8

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Date Received: 07/18/2011
Date Completed: 08/08/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	13	Rock	SP-RX-2K/Rock/Chips/Drill Core

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

By 
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05135-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
E5239072	Rock	<0.005	<0.1	0.86	<5	<10	<2	5.21	<0.5	1	92	1	0.91	<3	0.02
E5239073	Rock	<0.005	<0.1	0.75	13	<10	<2	6.33	<0.5	2	46	2	0.75	<3	0.03
E5239074	Rock	<0.005	<0.1	0.98	<5	34	<2	1.99	<0.5	3	49	10	0.97	<3	0.01
E5239075	Rock	<0.005	0.1	0.71	5	59	<2	0.89	<0.5	7	54	4	1.31	<3	0.07
E5239076	Rock	0.061	0.2	0.87	8	11	<2	1.31	<0.5	8	83	150	2.27	<3	0.03

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05135-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
E5239072	Rock	4	0.08	894	<1	0.02	3	389	<2	<2	2	44	0.09	<10	17
E5239073	Rock	129	0.13	1197	<1	0.02	3	446	<2	<2	1	76	0.08	<10	10
E5239074	Rock	9	0.26	354	<1	0.03	4	644	2	<2	3	90	0.13	<10	16
E5239075	Rock	<2	0.12	647	<1	0.07	6	488	14	<2	<1	28	0.02	<10	10
E5239076	Rock	8	0.11	313	<1	0.02	6	103	<2	<2	<1	44	0.11	<10	13

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05135-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
E5239072	Rock	<10	14	9
E5239073	Rock	<10	23	5
E5239074	Rock	<10	28	5
E5239075	Rock	<10	28	<2
E5239076	Rock	<10	22	6

APPENDIX E

Soil Assay Certificate

INSPECTORATE
A Bureau Veritas Group Company

Certificate of Analysis

11-360-05031-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Ed Harrington
3476 Dartmoor Place
Vancouver, BC V5S 4G2
Phone: 604-437-9538
EMail: ed.harrington.geo@gmail.com

Submitted By: **Reliance Geological Services**
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Attention: **Ed Harrington**

Description: **Yes Exploration Syndicate**

Date Received: 07/08/2011
Date Completed: 08/02/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	56	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

By 
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
Mantle1	Soil	<0.005	<0.1	2.11	7	63	3	0.17	<0.5	11	22	35	4.51	<3	0.50
Mantle2	Soil	0.011	<0.1	2.27	16	140	<2	0.19	<0.5	14	64	41	2.86	<3	0.18
Mantle3	Soil	0.007	<0.1	2.04	12	136	<2	0.20	<0.5	9	37	25	2.47	<3	0.24
Mantle4	Soil	<0.005	<0.1	2.16	8	242	2	0.41	<0.5	12	12	20	4.48	<3	0.71
Mantle5	Soil	<0.005	<0.1	1.32	6	133	3	0.37	<0.5	7	24	15	2.07	<3	0.15
Mantle6	Soil	<0.005	<0.1	2.17	8	116	5	0.24	<0.5	12	24	18	4.66	<3	0.51
Mantle7	Soil	<0.005	<0.1	3.08	<5	477	5	0.59	<0.5	18	13	11	6.03	<3	1.69
Mantle8	Soil	0.006	<0.1	1.95	14	146	<2	0.21	<0.5	9	31	64	2.41	<3	0.14
Mantle9	Soil	<0.005	<0.1	2.06	6	212	<2	0.23	<0.5	15	44	77	3.61	<3	0.86
Mantle10	Soil	<0.005	<0.1	1.77	10	152	2	0.19	<0.5	9	30	34	2.31	<3	0.18
Mantle11	Soil	<0.005	<0.1	2.03	7	214	<2	0.28	<0.5	13	20	36	3.53	<3	0.33

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
Mantle1	Soil	9	0.68	396	<1	0.01	12	453	10	5	11	10	0.04	<10	62
Mantle2	Soil	8	0.77	338	<1	0.02	36	241	17	<2	4	15	0.08	<10	64
Mantle3	Soil	10	0.66	298	<1	0.02	24	369	7	4	4	13	0.10	<10	54
Mantle4	Soil	28	0.83	1012	1	0.02	9	500	7	7	13	21	0.12	<10	54
Mantle5	Soil	8	0.55	262	<1	0.02	18	498	6	6	3	19	0.09	<10	44
Mantle6	Soil	10	0.74	386	<1	0.02	16	215	7	11	9	11	0.14	<10	67
Mantle7	Soil	30	1.50	1345	<1	0.03	8	1105	4	11	8	17	0.45	<10	82
Mantle8	Soil	7	0.58	250	<1	0.01	24	279	10	3	3	12	0.06	<10	50
Mantle9	Soil	10	1.25	351	1	0.02	25	458	10	3	6	11	0.19	<10	100
Mantle10	Soil	7	0.60	256	<1	0.02	21	287	7	3	4	12	0.08	<10	50
Mantle11	Soil	10	0.63	625	<1	0.02	13	145	9	5	7	18	0.09	<10	64

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
Mantle1	Soil	<10	80	<2
Mantle2	Soil	<10	60	2
Mantle3	Soil	<10	58	3
Mantle4	Soil	<10	108	<2
Mantle5	Soil	<10	45	<2
Mantle6	Soil	<10	79	<2
Mantle7	Soil	<10	125	<2
Mantle8	Soil	<10	58	2
Mantle9	Soil	<10	124	<2
Mantle10	Soil	<10	50	2
Mantle11	Soil	<10	71	2

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
ST															
Mantle9	Soil		<0.1	2.06	6	212	<2	0.23	<0.5	15	44	77	3.61	<3	0.86
Mantle9 Dup			<0.1	2.11	5	211	<2	0.23	<0.5	15	44	66	3.70	<3	0.85
QCV1107-01084-0005-BLK			<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01	<3	<0.01
STD-CDN-ME-6 expected			101									6130			
STD-CDN-ME-6 result			>100									6381			
:															
Mantle9	Soil	<0.005													
Mantle9 Dup		0.005													
QCV1107-01085-0004-BLK		<0.005													

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
ST															
Mantle9	Soil	10	1.25	351	1	0.02	25	458	10	3	6	11	0.19	<10	100
Mantle9 Dup		10	1.28	357	1	0.02	26	418	8	6	6	11	0.20	<10	99
QCV1107-01084-0005-BLK		<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01	<10	<1
STD-CDN-ME-6 expected									10200						
STD-CDN-ME-6 result									>10000						

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05031-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
ST				
Mantle9	Soil	<10	124	<2
Mantle9 Dup		<10	125	<2
QCV1107-01084-0005-BLK		<10	<2	<2
STD-CDN-ME-6 expected			5170	
STD-CDN-ME-6 result			5504	
S				