

NTS 115H/15
Lat: 61° 57' 30" N
Long: 136° 54' 45" W

5 GG9 GGA 9 BH'F9 DCF H

on the

8 I H7 < 'DF CD9 F HM

Dutch 1 to 50 - YD126777 to YD126826

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 1 October 2011

for

M9 G'9 LD @ CF 5 H CB' GMB 8 7 5 H9 'B7 'fC dYf UcfL'

Suite 1018 – 475 Howe Street

Vancouver, BC, V6C2B3

Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

F9 @5 B79'; 9C @C; 75 @G9 FJ 7 9G' B7

3476 Dartmoor Place, Vancouver, BC, V5S 4G2

Tel: 604-984-3663 Fax: 604-437-9531

5 June 2012

H56 @ cZ7 CBH9 BHG

1.0	INTRODUCTION	1
2.0	DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS	1
3.0	ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY	4
4.0	GEOLOGICAL SETTING	4
4.1	Regional Geology and Structure	4
4.2	Property Geology and Structure	7
5.0	HISTORY	9
5.1	Area History	9
5.2	Previous Work	9
6.0	OBJECTIVES and SCOPE of WORK	9
6.1	Survey Method and Equipment	10
6.2	Description of Surveys	10
7.0	INTERPRETATIONS and CONCLUSIONS	11
7.1	Interpretations	11
7.2	Conclusions	11
8.0	REFERENCES	14
	CERTIFICATE of QUALIFICATIONS	15

@GH cZH56 @ G

Table 1	Selected Soil Results	10
---------	-----------------------------	----

@GH cZ: 1 F9G

Figure 1	Regional Location	2
Figure 2	Claim Location and Topography	3
Figure 3	Regional Geology	5
Figure 4	Property Geology	8
Figure 5	Traverses	12

@GH cZ5 DD9 B8 7 9 G

APPENDIX A	Cost Statement
APPENDIX B	Claim Data
APPENDIX C	Reconnaissance Traverse Details
APPENDIX D	Soil Assay Certificate

%\$` BHFC8I 7HCB

This Assessment Report outlines work carried out on the DUTCH Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 1 October 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, and maps made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

&\$` '89G7F-DHCBGZ@C75HCBGZUbX'CK B9FG<-D'cZ7 @-AG

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/15. The Property area is centered at latitude 61° 57' 30" North, longitude 136° 54' 45" West, and UTM 6872000 m North, and UTM 400000 m East (Figures 1 and 2).

The Property is located approximately 35 kilometers southwest of the village of Carmacks and 170 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 50 quartz claims totaling approximately 1,044 hectares ("ha"). Claim information is presented in Appendix B.



0 100 kilometers


YES EXPLORATION SYNDICATE

**DUTCH Property
Regional Location**

Scale: As shown	NTS: 115H/15	Drawn by: EH
-----------------	--------------	--------------

Date: Nov 2011	QP: E. Harrington	Figure: 1
----------------	-------------------	-----------

E. Harrington, B.Sc, P.Geol.



' '\$' 5779GG-6 @HMZ7 @A5H9ZUbX'D<MG-C; F5D<M

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is on gently rolling terrain with elevations ranging from 990 meters (3,250 feet) to 1,220 meters (4,000 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

(' '\$' : 9C@; 75 @G9HHB;

(' '% FY []cbU'; Yc`c[mUbX'Gfi Wi fY'(Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of approximately 25 kilometers.



YES EXPLORATION SYNDICATE

DUTCH Property

Regional Geology

Scale: As shown

NTS: 115H/15

Drawn by: EH

Date: Jan 2012

QP: E. Harrington

Figure: 3

E. Harrington, B.Sc, P.Geo.

(After Geological Survey of Canada, 2005)

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins.

The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.


Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

("8' DfcdYfmi; Yc`c[m


Property lithology consists of Mesozoic Early Jurassic, felsic granitoids cut by pegmatite and aplite dikes. Along the northern edge of the Property, Mesozoic, Late Triassic to Early Jurassic intermediate granitoid rocks occur, with minor diorite, gabbro, biotite-hornblende granodiorite, and gneisses. Both granitoid rocks can contain megacrysts of potassium feldspar to 3 to 4 cm.



DUTCH PROPERTY

- EJgA
- EJqL
- Property Outline
- Traverse Line
- ★ Geo Mapping Station
- Rock Sample Station
- Soil Sample Station

GEOLOGY 115H 15



EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

EJgA Mesozoic
 Late Triassic - Early Jurassic (223-178 Ma)
 Aishihik Suite - intermediate granitoids, diorite to gabbro, biotite-hornblende granodiorite, gneisses, K-spar megacrysts

YES EXPLORATION SYNDICATE		
DUTCH Property		
Property Geology		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
<i>E. Harrington, B.Sc, P.Geo.</i>		

The Property is located on the immediate northeast side of a large northwest-trending fault structure. Northeast-trending structures, with several orientations, can be seen in Landsat images.

) '\$' <=GHCFM

) '% 5fYU<]glrcfm

In the late 1970s, reconnaissance geological mapping was conducted in the region. No detailed mapping has been carried out since.

) '& DfYj]ci g'K cf_'

In the mid-1970s, an airborne magnetic survey carried out over the Property area. The survey shows a strong east-west-trending magnetic high in the central Property area.

In the late 1970s, regional geological mapping conducted over the DUTCH area. No detailed mapping has been carried out since. A highly anomalous stream sediment manganese value of 5,700 ppm was identified in a creek approximately 1.5 km east of the Property.

*** '\$' 'C6>97 H=J9G'UbX'G7 CD9 'cZK CF?'**

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

*** '% Gi fj YmiA Yh cX'UbX'9ei Jda Ybh'**

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the "C" horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figure 5 and Appendix C.

*** '& 8 YgWjdHcb'cZGi fj Yng'**

Twenty soil samples and approximately three kilometers of reconnaissance geological and prospecting traverses were carried out on the Property.

Two samples returned elevated gold values 0.012 and 0.013 ppm. One of these samples, DutchA-13, also returned a slightly elevated mercury value of 0.05 ppm. Selected sample results follow:

HUV'Y%'`GY'WYX'GcJ`F Ygi `hg'

Gla d'Y	7\ Ya JW'5 bUngjg'ftlda L'							
	; c`X'	5fgYbJW	7cVUH	7cddYf'	A UbJ UbYgY'	@UX'	NjBW	A YfW fmi
DutchA 1	<0.005	<5	3	12	100	2	21	0.02
DutchA 2	<0.005	6	8	62	707	7	45	0.02
DutchA 3	<0.005	6	8	15	249	8	42	<0.01
DutchA 4	<0.005	10	7	12	226	6	42	<0.01
DutchA 5	0.008	8	9	24	328	7	50	<0.01
DutchA 6	<0.005	8	10	14	340	12	59	<0.01
DutchA 7	<0.005	9	9	15	264	10	58	<0.01
DutchA 8	0.006	<5	7	10	304	5	55	<0.01

Gua d'Y	7\ Ya]WU'5 bUngjg'ftda L'							
	; c`X'	5fgYb]W	7cVUH	7cddYf'	A Ub] UbYgY'	@YUX'	N]bW	A YfW fmi
DutchA 9	0.013	<5	8	18	565	8	45	<0.01
DutchA 10	<0.005	<5	7	10	259	5	39	<0.01
DutchA 11	<0.005	11	9	21	257	8	58	<0.01
DutchA 12	<0.005	<5	7	8	399	4	62	<0.01
DutchA 13	0.012	6	7	16	453	5	53	0.05
DutchB 1	<0.005	6	8	11	204	6	41	<0.01
DutchB 2	0.006	6	8	13	249	6	40	<0.01
DutchB 3	<0.005	6	11	8	470	5	70	<0.01
DutchB 4	<0.005	7	11	9	463	5	88	<0.01
DutchB 5	<0.005	<5	7	8	346	4	46	<0.01
DutchB 6	<0.005	<5	8	12	385	4	36	<0.01
DutchB 7	<0.005	<5	2	6	153	<2	3	<0.01

Geological mapping points 273 and 275 show massive coarse-grained granite to granodiorite. The granite contains megacrystic potassium feldspar crystals to 3 cm. The megacrysts are weakly aligned at 254° dipping 65-75° north.

At geological mapping point 274, the granite is weakly gneissic, containing 10-15% mafic minerals. Gneissosity strikes 281° and dips 76° north.


+'\$' ≠BH9 FDF9H5 HCBG'UbX'7 CB7 @ G-CBG'

+'%' ≠hYfdfYHU]cbg'

Five of twenty soil samples returned gold values ranging from 0.006 to 0.013 ppm. Some samples also showed slightly elevated values for manganese and mercury.

+'&' 7 cbWi g]cbg''


Only a small portion of the Property was covered by the reconnaissance-style surveys.



DUTCH PROPERTY

- EJgA
- EJqL
- Property Outline
- Traverse Line
- Geo Mapping Station
- Rock Sample Station
- Soil Sample Station

GEOLOGY 115H 15



EJqL Mesozoic - Early Jurassic
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
DUTCH Property		
Traverses		
Scale: As shown	NTS: 115H/15	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
<i>E. Harrington, B.Sc, P.Geo.</i>		

There does not appear to be a strong correlation between samples containing elevated gold values and any of the other elevated element values. Manganese and mercury may be reflecting the epithermal nature of area.

, '\$' **F9: 9F9B79G**

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

9 Xk UfX' < Uff]b[lcbž6 "GWZD"; Yc"
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

79FH= 75H9`C: 5I H<CF`

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled "Assessment Report on the DUTCH Property, Whitehorse Mining District, Yukon, Canada" and dated 5 June 2012 (the "Assessment Report")

Dated this 5th day of June 2012



Edward D. Harrington, B.Sc., P.Geo.

5 DD9B8 4 5

7 cghGUYa Ybh

DUTCH PROPERTY - MINERAL EXPLORATION EXPENDITURES - 2011

MINERAL EXPLORATION ITEM OR JOB #	INVOICE #	INVOICE AMOUNT	PROJECT APPLICATION
RELIANCE GEOLOGICAL SERVICES INC	A11-887-01	5,321.11	5,321.11
NOKUYUKON HOLDINGS LTD	18	\$ 10,500.00	\$ 816.13
TOTAL (INCLUDES GST)			\$ 6,137.24

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 18
Date: 11/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE:Project preparation and work conducted October 1 - 31, 2011	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5%			500.00
			GST			
Comment:					Total Amount	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

INVOICE

No. A11-887-01

30 November 2011

YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

Re: J887 - DUTCH Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate	Sub-total	
	Prospecting, Reconnaissance geology				
Geologist:					
E. Harrington, PGeo	October 1	0.50	800.00	\$ 400.00	
Prospector:					
D. Cardinal	October 1	0.50	650.00	<u>325.00</u>	\$ 725.00
Office Personnel:					
General research:					
E. Harrington, PGeo		0.25	800.00	\$ 200.00	
Report preparation:					
E. Harrington, PGeo		0.75	800.00	600.00	
Other:					800.00
Ground Exploration	included in Field Personnel totals				
Geological mapping:		-	-	\$ -	
Reconnaissance:		-	-	-	
Prospecting:		-	-	-	-
Geochemical Surveying:					
Contract, per soil sample		20	48.00	\$ 960.00	
Rock samples included in Field Personnel totals					
Lab costs, soils		20	25.99	519.80	
Lab costs, rocks		-	31.11	-	1,479.80

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

5 DD9B8-L '6'

7`Uja '8 UH

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Eastings	Northing						
398399	6872630	DUTCH 1	YD126777	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
397942	6872629	DUTCH 2	YD126778	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
398400	6872173	DUTCH 3	YD126779	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
397942	6872172	DUTCH 4	YD126780	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
398400	6871716	DUTCH 5	YD126781	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
397943	6871715	DUTCH 6	YD126782	YES Exploration Syndicate	16-Dec-10	22-Dec-13	Whitehorse
398401	6871259	DUTCH 7	YD126783	YES Exploration Syndicate	16-Dec-10	22-Dec-12	Whitehorse
397943	6871258	DUTCH 8	YD126784	YES Exploration Syndicate	16-Dec-10	22-Dec-12	Whitehorse
398401	6870802	DUTCH 9	YD126785	YES Exploration Syndicate	16-Dec-10	22-Dec-12	Whitehorse
397944	6870801	DUTCH 10	YD126786	YES Exploration Syndicate	16-Dec-10	22-Dec-12	Whitehorse
399314	6872631	DUTCH 11	YD126787	YES Exploration Syndicate	15-Dec-10	22-Dec-13	Whitehorse
398856	6872630	DUTCH 12	YD126788	YES Exploration Syndicate	15-Dec-10	22-Dec-13	Whitehorse
399314	6872174	DUTCH 13	YD126789	YES Exploration Syndicate	15-Dec-10	22-Dec-13	Whitehorse
398857	6872173	DUTCH 14	YD126790	YES Exploration Syndicate	15-Dec-10	22-Dec-13	Whitehorse
399315	6871717	DUTCH 15	YD126791	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
398857	6871716	DUTCH 16	YD126792	YES Exploration Syndicate	15-Dec-10	22-Dec-13	Whitehorse
399315	6871260	DUTCH 17	YD126793	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
398858	6871259	DUTCH 18	YD126794	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399316	6870803	DUTCH 19	YD126795	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
398858	6870802	DUTCH 20	YD126796	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400228	6872632	DUTCH 21	YD126797	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399771	6872631	DUTCH 22	YD126798	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400228	6872175	DUTCH 23	YD126799	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399771	6872174	DUTCH 24	YD126800	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400229	6871718	DUTCH 25	YD126801	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399772	6871717	DUTCH 26	YD126802	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400229	6871261	DUTCH 27	YD126803	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399772	6871260	DUTCH 28	YD126804	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400230	6870804	DUTCH 29	YD126805	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
399773	6870803	DUTCH 30	YD126806	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401142	6872632	DUTCH 31	YD126807	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400685	6872632	DUTCH 32	YD126808	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse

401143	6872176	DUTCH 33	YD126809	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400686	6872175	DUTCH 34	YD126810	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401143	6871719	DUTCH 35	YD126811	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400686	6871718	DUTCH 36	YD126812	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401144	6871262	DUTCH 37	YD126813	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400687	6871261	DUTCH 38	YD126814	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401144	6870805	DUTCH 39	YD126815	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
400687	6870804	DUTCH 40	YD126816	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
402057	6872633	DUTCH 41	YD126817	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401599	6872633	DUTCH 42	YD126818	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
402057	6872176	DUTCH 43	YD126819	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401600	6872176	DUTCH 44	YD126820	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
402058	6871720	DUTCH 45	YD126821	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401600	6871719	DUTCH 46	YD126822	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
402058	6871263	DUTCH 47	YD126823	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401601	6871262	DUTCH 48	YD126824	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
402059	6870806	DUTCH 49	YD126825	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse
401601	6870805	DUTCH 50	YD126826	YES Exploration Syndicate	15-Dec-10	22-Dec-12	Whitehorse

5 DD9 B8 4 7

F YW bbUjggUbW HfUj YfgY 8 YfUj g

LABEL	Easting	Northing	Descriptiv	Feat_Name	Grain_Size	Igneous_Ro	Main_Sampl	Metamorphi
273	401057	6871343		GEO_MAPP	Course			
274	401511	6871812		GEO_MAPP	Course			Gneiss
275	401542	6871734		GEO_MAPP	Course	Plutonic		
D-b1	401001	6872198		SOIL			Brown	
D-b2	401099	6872276		SOIL			Brown	
D-b3	401168	6872417		SOIL			Brown	
D-b4	400980	6872173		SOIL			Brown	
D-b5	400918	6872132		SOIL			Brown	
D-b6	400860	6872099		SOIL			Brown	
D-b7	400805	6872054		SOIL			Brown	
D-A1	401470	6872173		SOIL			Brown	
D-A2	401473	6872098		SOIL			Black	
D-A3	401491	6872016		SOIL			Olive Grey	
D-A4	401499	6871949	Talus	SOIL			Olive Grey	
D-A5	401524	6871861		SOIL			Lt Brown	
D-A6	401539	6871799		SOIL			Brown	
D-A7	401496	6871736	Boulders	SOIL			Lt Brown	
D-A8	401440	6871679	Talus	SOIL			Lt Brown	
D-A9	401368	6871607	Boulders	SOIL			Brown	
D-A10	401323	6871551		SOIL			Brown	
D-A11	401275	6871498	Talus	SOIL			Lt Brown	
D-A12	401231	6871431	Talus	SOIL			Lt Brown	
D-A13	401144	6871375	Talus	SOIL			Brown	

LABEL	Moisture_C	Other_Samp	Parent_Mat	Rock_Color	Rock_Type
273				salt and pepper	IGNEOUS
274				salt and pepper	METAMORPHIC
275				cream to pink	IGNEOUS
D-b1	Dry	Rusty	Weathered Bedrock		
D-b2	Dry	Rusty	Weathered Bedrock		
D-b3	Dry	Rusty	Weathered Bedrock		
D-b4	Dry	Rusty	Weathered Bedrock		
D-b5	Dry		Weathered Bedrock		
D-b6	Dry		Weathered Bedrock		
D-b7	Saturated		Weathered Bedrock		
D-A1	Partially Frozen		Weathered Bedrock		
D-A2	Moist	Orange/Red	Weathered Bedrock		
D-A3	Moist	Yellow/Orange	Weathered Bedrock		
D-A4	Dry	Yellow/Orange	Weathered Bedrock		
D-A5	Dry		Weathered Bedrock		
D-A6	Dry	Green	Weathered Bedrock		
D-A7	Dry		Weathered Bedrock		
D-A8	Moist		Weathered Bedrock		
D-A9	Moist		Weathered Bedrock		
D-A10	Moist	Yellow/Orange	Weathered Bedrock		
D-A11	Dry		Weathered Bedrock		
D-A12	Moist		Weathered Bedrock		
D-A13	Moist	Orange/Red	Weathered Bedrock		

LABEL	Rock_Type2	Sample_Dep	Soil_Horiz	Structure	Topography	Vegetation
273	granodiorite			Massive		
274					Ridge Top	
275	megacrystic granite					
D-b1		40-50	B/C		Mid Slope	Buck Brush
D-b2		50-60	B/C		Plateau	Buck Brush
D-b3		40-50	B/C		Mid Slope	Buck Brush
D-b4		40-50	B/C		Mid Slope	Moss
D-b5		50-60	B/C		Mid Slope	Buck Brush
D-b6		50-60	B/C		Mid Slope	Buck Brush
D-b7		30-40	B		Valley Bottom	Moss
D-A1		50-60	B		Mid Slope	Buck Brush
D-A2		30-40	B		Mid Slope	
D-A3		20-30	B		Mid Slope	Buck Brush
D-A4		40-50	B		Mid Slope	Buck Brush
D-A5		40-50	B		Mid Slope	Buck Brush
D-A6		40-50	B		Ridge Top	Buck Brush
D-A7		30-40	B		Mid Slope	Deciduous Forest
D-A8		40-50	B		Mid Slope	Deciduous Forest
D-A9		30-40	B		Mid Slope	Buck Brush
D-A10		30-40	B		Mid Slope	Buck Brush
D-A11		20-30	B		Mid Slope	Deciduous Forest
D-A12		40-50	B		Mid Slope	Deciduous Forest
D-A13		40-50	B		Valley Bottom	Buck Brush

LABEL	What_s_in_		
273			
274		weakly gneissic 10-15% mafics	gneissocity @ 281/76 n
275		megacrysts weakly alligned @ 254/65-75 n	
D-b1	Sand		
D-b2	Sand		
D-b3	Sand		
D-b4	Sand		
D-b5	Sand		
D-b6	Sand		
D-b7	Silt		
D-A1	Silt		
D-A2	Sand		
D-A3	Silt		
D-A4	Silt		
D-A5	Silt		
D-A6	Silt		
D-A7	Silt		
D-A8	Silt		
D-A9	Silt		
D-A10	Silt		
D-A11	Silt		
D-A12	Silt		
D-A13	Silt		

5 DD9 B8 4 '8 '

.

Gc] '5 ggUm7 Yf hZ WUHY'

.

.



INSPECTORATE

A Bureau Veritas Group Company

Certificate of Analysis

11-360-08664-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Ed Harrington
3476 Dartmoor Place
Vancouver, BC V5S 4G2
Phone: 604-437-9538
EMail: ed.harrington.geo@gmail.com

Submitted By: **Reliance Geological Services**
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Date Received: 10/25/2011
Date Completed: 11/14/2011
Invoice:

Attention: **Ed Harrington**

Client Reference: **YES Soils**
Description: **Yes Exploration Syndicate**

Location	Samples	Type	Preparation Description
Whitehorse, YT	108	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-IAT-AA	Au, IAT Fire Assay, AAS
Vancouver, BC	Hg-AR-TR-CVAA	Hg, AQR, CVAA, Trace Levels

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

For and on behalf of **Inspectorate Exploration and Mining Services Ltd**

By 
Michael Caron - Operations Manager



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-08664-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La
		Au-1A T-AA ppm 0.005	30-AR-TR ppm 0.1	30-AR-TR % 0.01	30-AR-TR ppm 5	30-AR-TR ppm 10	30-AR-TR ppm 2	30-AR-TR % 0.01	30-AR-TR ppm 0.5	30-AR-TR ppm 1	30-AR-TR ppm 1	30-AR-TR ppm 1	30-AR-TR % 0.01	30-AR-TR % 0.01	30-AR-TR ppm 2
DutchA 1	Soil	<0.005	<0.1	0.70	<5	63	<2	0.23	<0.5	3	9	12	135	0.09	5
DutchA 2	Soil	<0.005	<0.1	1.91	6	241	<2	0.76	<0.5	8	31	62	2.73	0.23	22
DutchA 3	Soil	<0.005	<0.1	1.95	6	121	<2	0.23	<0.5	8	29	15	2.44	0.17	7
DutchA 4	Soil	<0.005	<0.1	1.94	10	95	<2	0.14	<0.5	7	26	12	2.89	0.15	9
DutchA 5	Soil	0.008	<0.1	2.07	8	148	<2	0.19	<0.5	9	36	24	2.80	0.10	11
DutchA 6	Soil	<0.005	<0.1	1.87	8	149	<2	0.18	<0.5	10	28	14	2.96	0.11	6
DutchA 7	Soil	<0.005	<0.1	2.34	9	101	<2	0.18	<0.5	9	31	15	2.92	0.13	6
DutchA 8	Soil	0.006	<0.1	1.72	<5	80	<2	0.20	<0.5	7	22	10	2.61	0.24	6
DutchA 9	Soil	0.013	<0.1	1.42	<5	116	<2	0.25	<0.5	8	23	18	2.10	0.10	16
DutchA 10	Soil	<0.005	<0.1	1.41	<5	102	<2	0.20	<0.5	7	23	10	2.07	0.12	7
DutchA 11	Soil	<0.005	<0.1	2.55	11	93	<2	0.11	<0.5	9	34	21	2.85	0.20	6
DutchA 12	Soil	<0.005	<0.1	1.78	<5	63	<2	0.45	<0.5	7	17	8	2.59	0.43	8
DutchA 13	Soil	0.012	<0.1	1.60	6	133	<2	0.66	<0.5	7	23	16	2.26	0.27	19
DutchB 1	Soil	<0.005	<0.1	1.61	6	168	<2	0.24	<0.5	8	19	11	2.34	0.09	7
DutchB 2	Soil	0.006	<0.1	1.89	6	146	<2	0.20	<0.5	8	26	13	2.43	0.14	7
DutchB 3	Soil	<0.005	<0.1	2.49	6	153	<2	0.41	<0.5	11	20	8	3.55	0.32	8
DutchB 4	Soil	<0.005	<0.1	3.57	7	229	<2	0.56	<0.5	11	21	9	4.29	0.79	14
DutchB 5	Soil	<0.005	<0.1	1.42	<5	117	<2	0.38	<0.5	7	19	8	3.06	0.40	11
DutchB 6	Soil	<0.005	<0.1	1.08	<5	99	<2	0.24	<0.5	8	16	12	1.98	0.15	11
DutchB 7	Soil	<0.005	<0.1	0.26	<5	45	<2	0.18	<0.5	2	3	6	0.49	0.03	9



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-08664-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Zr	Ti	Tl	V	W
		30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm
		0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1	10
DutchA 1	Soil	0.19	100	<1	0.03	5	356	2	<2	<1	31	0.07	<10	44	<10
DutchA 2	Soil	0.55	707	<1	0.02	16	1125	7	<2	3	117	0.05	<10	84	<10
DutchA 3	Soil	0.55	249	<1	0.02	15	486	8	<2	3	23	0.09	<10	60	<10
DutchA 4	Soil	0.48	226	<1	0.01	12	759	6	<2	3	17	0.08	<10	66	<10
DutchA 5	Soil	0.59	328	<1	0.02	18	459	7	<2	4	24	0.08	<10	65	<10
DutchA 6	Soil	0.53	340	<1	0.01	15	1346	12	<2	3	23	0.07	<10	71	<10
DutchA 7	Soil	0.66	264	<1	0.02	17	391	10	<2	3	29	0.10	<10	71	<10
DutchA 8	Soil	0.63	304	<1	0.02	11	493	5	<2	3	41	0.10	<10	63	<10
DutchA 9	Soil	0.39	565	<1	0.02	11	470	8	<2	3	35	0.07	<10	56	<10
DutchA 10	Soil	0.48	259	<1	0.01	11	399	5	<2	3	25	0.08	<10	53	<10
DutchA 11	Soil	0.65	257	<1	0.01	19	409	8	<2	3	16	0.10	<10	68	<10
DutchA 12	Soil	0.71	399	<1	0.01	8	982	4	<2	3	59	0.08	<10	54	<10
DutchA 13	Soil	0.63	453	<1	0.02	10	1124	5	<2	4	62	0.09	<10	64	<10
DutchB 1	Soil	0.48	204	<1	0.01	12	640	6	<2	2	30	0.06	<10	55	<10
DutchB 2	Soil	0.51	249	<1	0.01	16	454	6	<2	3	24	0.08	<10	58	<10
DutchB 3	Soil	1.00	470	<1	0.01	10	1081	5	<2	4	45	0.15	<10	90	<10
DutchB 4	Soil	1.23	463	<1	0.02	10	1224	5	<2	7	101	0.15	<10	112	<10
DutchB 5	Soil	0.64	346	<1	0.02	8	837	4	<2	3	56	0.11	<10	77	<10
DutchB 6	Soil	0.34	385	<1	0.02	9	532	4	<2	2	27	0.07	<10	49	<10
DutchB 7	Soil	0.04	153	<1	0.03	2	429	<2	<2	<1	16	0.02	<10	15	<10



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-08664-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	Zn	Zr	Hg
		30-AR-TR ppm 2	30-AR-TR ppm 2	Hg-AR-TR-CVAA ppm 0.01
DutchA 1	Soil	21	<2	0.02
DutchA 2	Soil	45	<2	0.02
DutchA 3	Soil	42	5	<0.01
DutchA 4	Soil	42	<2	<0.01
DutchA 5	Soil	50	4	<0.01
DutchA 6	Soil	59	3	<0.01
DutchA 7	Soil	58	3	<0.01
DutchA 8	Soil	55	<2	<0.01
DutchA 9	Soil	45	<2	<0.01
DutchA 10	Soil	39	<2	<0.01
DutchA 11	Soil	58	4	<0.01
DutchA 12	Soil	62	<2	<0.01
DutchA 13	Soil	53	<2	0.05
DutchB 1	Soil	41	<2	<0.01
DutchB 2	Soil	40	3	<0.01
DutchB 3	Soil	70	2	<0.01
DutchB 4	Soil	88	<2	<0.01
DutchB 5	Soil	46	<2	<0.01
DutchB 6	Soil	36	<2	<0.01
DutchB 7	Soil	3	<2	<0.01