



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 1
Finalized Date: 15-JUL-2011
This copy reported on
26-SEP-2011
Account: OVERRE

CERTIFICATE WH11109464

Project: SELAS/RIDDELL-B BLOCKS PROJECT

P.O. No.:

This report is for 162 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-JUN-2011.

The following have access to data associated with this certificate:

STEFANI BERSINIC
COLWIN LLOYD

HUGH BRESSER
REBECCA SMART

SHEENA EWANCHUK
SHEILA ULANSKY

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION |
|----------|---------------------------|
| ME-MS41L | 51 anal. aqua regia ICPMS |

To: OVERLAND RESOURCES LTD.
ATTN: STEFANI BERSINIC
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | ME-MS41L Au ppm 0.0002 | ME-MS41L Ag ppm 0.002 | ME-MS41L Al % 0.01 | ME-MS41L As ppm 0.02 | ME-MS41L B ppm 10 | ME-MS41L Ba ppm 0.5 | ME-MS41L Be ppm 0.05 | ME-MS41L Bi ppm 0.01 | ME-MS41L Ca % 0.01 | ME-MS41L Cd ppm 0.01 | ME-MS41L Ce ppm 0.02 | ME-MS41L Co ppm 0.1 | ME-MS41L Cr ppm 0.5 | ME-MS41L Cs ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|--------------------------------|-----------------------------|-------------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G0676155 | | 0.30 | 0.0017 | 0.251 | 0.82 | 17.55 | <10 | 183.5 | 0.83 | 0.28 | 0.34 | 1.67 | 69.7 | 14.2 | 16.9 | 2.22 |
| G0676157 | | 0.22 | 0.0015 | 0.200 | 1.24 | 15.30 | <10 | 99.8 | 0.90 | 0.47 | 0.08 | 0.20 | 89.7 | 23.7 | 24.5 | 4.87 |
| G0676158 | | 0.10 | 0.0021 | 0.098 | 1.43 | 12.85 | <10 | 221 | 1.82 | 0.47 | 0.21 | 0.28 | 97.7 | 19.7 | 28.9 | 4.88 |
| G0676159 | | 0.24 | 0.0011 | 0.034 | 1.29 | 12.00 | <10 | 92.7 | 0.29 | 0.42 | 0.02 | 0.16 | 58.8 | 6.0 | 18.1 | 2.29 |
| G0676160 | | 0.26 | 0.0020 | 0.232 | 1.34 | 19.85 | <10 | 298 | 1.09 | 0.37 | 0.43 | 0.20 | 71.0 | 12.2 | 24.5 | 4.35 |
| G0676161 | | 0.16 | 0.0028 | 0.014 | 0.61 | 9.43 | <10 | 51.5 | 0.18 | 0.34 | 0.02 | 0.04 | 60.2 | 3.0 | 9.1 | 2.82 |
| G0676162 | | 0.18 | 0.0008 | 0.057 | 0.86 | 8.44 | <10 | 103.0 | 0.29 | 0.28 | 0.26 | 0.10 | 56.5 | 4.6 | 14.1 | 2.14 |
| G0676163 | | 0.20 | 0.0006 | 0.073 | 1.61 | 18.20 | <10 | 79.1 | 0.40 | 0.53 | 0.04 | 0.12 | 60.3 | 7.8 | 29.2 | 3.18 |
| G0676164 | | 0.18 | 0.0005 | 0.039 | 0.92 | 10.45 | <10 | 65.9 | 0.24 | 0.32 | 0.02 | 0.09 | 61.9 | 5.7 | 12.6 | 2.20 |
| G0676165 | | 0.18 | 0.0008 | 0.177 | 0.90 | 1.93 | <10 | 140.5 | 0.52 | 0.07 | 0.96 | 0.38 | 13.45 | 2.8 | 4.7 | 1.26 |
| G0676166 | | 0.14 | 0.0004 | 0.045 | 0.37 | 0.25 | <10 | 24.3 | 0.07 | 0.02 | 0.08 | 0.09 | 1.91 | 0.8 | 2.1 | 0.08 |
| G0676167 | | 0.08 | 0.0033 | 0.098 | 0.62 | 2.02 | <10 | 62.2 | 0.11 | 0.10 | 0.09 | 0.11 | 37.3 | 2.7 | 18.8 | 3.72 |
| G0676168 | | 0.14 | 0.0010 | 0.108 | 1.63 | 23.7 | <10 | 81.7 | 0.40 | 0.44 | 0.03 | 0.09 | 64.1 | 6.9 | 28.2 | 5.53 |
| G0676169 | | 0.14 | 0.0008 | 0.097 | 1.63 | 13.80 | <10 | 101.5 | 0.42 | 0.40 | 0.03 | 0.12 | 61.4 | 7.8 | 24.3 | 3.83 |
| G0676170 | | 0.18 | 0.0002 | 0.067 | 0.91 | 8.00 | <10 | 75.7 | 0.21 | 0.31 | 0.04 | 0.07 | 45.4 | 3.6 | 12.8 | 2.43 |
| G0676171 | | 0.20 | 0.0008 | 0.042 | 0.82 | 15.45 | <10 | 65.7 | 0.31 | 0.36 | 0.05 | 0.06 | 80.0 | 6.4 | 21.6 | 3.04 |
| G0676172 | | 0.10 | 0.0003 | 0.080 | 1.00 | 8.42 | <10 | 105.5 | 0.25 | 0.23 | 0.11 | 0.13 | 24.6 | 3.2 | 15.8 | 1.50 |
| G0676173 | | 0.14 | 0.0003 | 0.070 | 0.69 | 3.48 | <10 | 61.0 | 0.14 | 0.13 | 0.11 | 0.05 | 48.8 | 1.7 | 9.3 | 1.93 |
| G0676174 | | 0.16 | 0.0008 | 0.089 | 1.63 | 15.45 | <10 | 79.1 | 0.59 | 0.46 | 0.03 | 0.13 | 84.7 | 9.0 | 23.5 | 5.20 |
| G0676175 | | 0.10 | <0.0002 | 0.028 | 0.22 | 0.28 | <10 | 13.0 | <0.05 | 0.01 | 0.05 | 0.03 | 1.07 | 0.8 | 2.8 | 0.08 |
| G0676176 | | 0.20 | 0.0002 | 0.078 | 0.98 | 7.93 | <10 | 143.5 | 0.88 | 0.28 | 0.17 | 0.48 | 63.4 | 8.3 | 14.7 | 3.38 |
| G0676177 | | 0.14 | 0.0006 | 0.172 | 1.09 | 6.60 | <10 | 279 | 0.72 | 0.26 | 1.04 | 0.15 | 40.6 | 5.5 | 15.8 | 1.36 |
| G0676178 | | 0.14 | 0.0006 | 0.226 | 1.05 | 5.44 | <10 | 268 | 0.59 | 0.22 | 0.55 | 0.21 | 42.1 | 4.0 | 11.1 | 1.79 |
| G0676179 | | 0.16 | 0.0019 | 0.582 | 1.48 | 15.60 | <10 | 311 | 1.52 | 0.34 | 1.01 | 0.47 | 48.3 | 11.4 | 22.9 | 4.00 |
| G0676180 | | 0.14 | 0.0009 | 0.359 | 1.35 | 9.01 | <10 | 334 | 1.18 | 0.24 | 1.25 | 0.66 | 28.7 | 10.8 | 23.9 | 2.51 |
| G0676181 | | 0.16 | 0.0005 | 0.173 | 1.14 | 7.80 | <10 | 230 | 0.89 | 0.22 | 0.58 | 0.28 | 50.8 | 9.1 | 21.2 | 2.01 |
| G0676182 | | 0.20 | 0.0005 | 0.246 | 1.14 | 6.75 | <10 | 274 | 0.89 | 0.23 | 1.06 | 0.56 | 42.8 | 8.6 | 17.5 | 1.97 |
| G0676183 | | 0.10 | 0.0002 | 0.238 | 1.25 | 5.32 | <10 | 295 | 0.66 | 0.21 | 1.07 | 0.29 | 31.7 | 5.3 | 17.4 | 6.22 |
| G0676184 | Not Recvd | | | | | | | | | | | | | | | |
| G0676185 | | 0.10 | 0.0007 | 0.091 | 0.74 | 3.08 | <10 | 155.5 | 0.41 | 0.11 | 1.11 | 0.27 | 16.40 | 4.1 | 9.9 | 1.31 |
| G0676186 | | 0.14 | 0.0007 | 0.336 | 0.84 | 4.32 | <10 | 177.5 | 0.56 | 0.11 | 1.02 | 0.52 | 15.35 | 3.6 | 9.2 | 2.67 |
| G0676187 | | 0.46 | 0.0009 | 0.095 | 1.12 | 12.60 | <10 | 224 | 0.61 | 0.27 | 0.16 | 0.26 | 54.0 | 9.6 | 19.0 | 1.60 |
| G0676188 | | 0.30 | 0.0031 | 0.041 | 1.06 | 11.60 | <10 | 144.0 | 0.84 | 0.29 | 0.05 | 0.28 | 64.4 | 14.0 | 16.2 | 1.39 |
| G0676189 | | 0.34 | <0.0002 | 0.027 | 0.93 | 12.00 | <10 | 66.6 | 0.24 | 0.28 | 0.03 | 0.11 | 48.6 | 4.8 | 12.4 | 1.15 |
| G0676190 | | 0.40 | 0.0007 | 0.045 | 1.24 | 12.35 | <10 | 140.5 | 0.77 | 0.26 | 0.04 | 0.23 | 66.2 | 11.6 | 16.4 | 1.66 |
| G0676191 | | 0.40 | 0.0015 | 0.020 | 1.08 | 11.65 | <10 | 103.0 | 0.51 | 0.25 | 0.03 | 0.24 | 55.8 | 8.1 | 16.4 | 1.12 |
| G0676192 | | 0.18 | 0.0007 | 0.110 | 0.94 | 10.05 | <10 | 115.5 | 0.44 | 0.25 | 0.05 | 0.29 | 44.5 | 10.9 | 16.0 | 2.47 |
| G0676193 | | 0.32 | <0.0002 | 0.034 | 1.37 | 10.85 | <10 | 148.0 | 0.71 | 0.31 | 0.04 | 0.18 | 94.6 | 11.4 | 14.3 | 3.00 |
| G0676194 | | 0.32 | 0.0003 | 0.138 | 1.39 | 13.30 | <10 | 143.5 | 0.62 | 0.32 | 0.05 | 0.30 | 52.5 | 9.1 | 19.3 | 1.68 |
| G0676195 | | 0.40 | 0.0006 | 0.150 | 1.20 | 16.40 | <10 | 78.8 | 0.45 | 0.28 | 0.04 | 0.21 | 57.4 | 12.1 | 19.7 | 1.64 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na | Nb |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.01 | 0.01 | 0.05 | 0.05 | 0.02 | 0.005 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 1 | 0.01 | 0.01 | 0.05 |
| G0676155 | | 35.0 | 2.88 | 2.99 | 0.09 | 0.05 | 0.133 | 0.033 | 0.10 | 32.8 | 15.2 | 0.27 | 798 | 1.33 | 0.01 | 0.27 |
| G0676157 | | 48.1 | 3.90 | 3.86 | 0.10 | 0.04 | 0.023 | 0.039 | 0.12 | 43.3 | 18.9 | 0.27 | 1580 | 1.84 | 0.01 | 0.32 |
| G0676158 | | 39.1 | 3.94 | 4.74 | 0.10 | 0.04 | 0.018 | 0.061 | 0.11 | 45.2 | 29.1 | 0.36 | 1270 | 1.44 | 0.01 | 0.37 |
| G0676159 | | 14.50 | 3.85 | 8.22 | 0.05 | 0.02 | 0.010 | 0.025 | 0.07 | 29.5 | 6.2 | 0.10 | 307 | 1.43 | <0.01 | 0.97 |
| G0676160 | | 44.9 | 3.12 | 4.47 | 0.07 | 0.06 | 0.029 | 0.030 | 0.11 | 33.8 | 22.7 | 0.40 | 526 | 1.91 | 0.01 | 0.55 |
| G0676161 | | 14.65 | 2.00 | 6.61 | 0.06 | <0.02 | 0.007 | 0.014 | 0.07 | 31.4 | 1.5 | 0.03 | 117 | 1.99 | <0.01 | 0.60 |
| G0676162 | | 14.85 | 2.55 | 5.02 | 0.05 | <0.02 | <0.005 | 0.016 | 0.07 | 28.2 | 5.7 | 0.10 | 195 | 1.80 | 0.01 | 0.59 |
| G0676163 | | 18.70 | 6.79 | 10.05 | 0.07 | 0.02 | 0.007 | 0.035 | 0.07 | 31.4 | 10.4 | 0.19 | 489 | 2.21 | <0.01 | 1.31 |
| G0676164 | | 14.25 | 3.00 | 6.28 | 0.06 | <0.02 | <0.005 | 0.025 | 0.07 | 30.8 | 3.7 | 0.08 | 263 | 0.96 | 0.01 | 0.64 |
| G0676165 | | 46.6 | 0.69 | 2.61 | <0.05 | 0.08 | 0.024 | 0.008 | 0.03 | 8.7 | 3.5 | 0.05 | 540 | 0.41 | 0.04 | 0.47 |
| G0676166 | | 4.19 | 0.34 | 1.58 | <0.05 | 0.03 | <0.005 | <0.005 | 0.02 | 1.0 | 0.3 | 0.02 | 19 | 0.17 | 0.04 | 0.36 |
| G0676167 | | 8.19 | 0.81 | 3.69 | 0.05 | <0.02 | 0.008 | 0.008 | 0.04 | 17.6 | 2.7 | 0.04 | 453 | 1.88 | 0.02 | 0.31 |
| G0676168 | | 24.8 | 5.34 | 6.70 | 0.06 | 0.04 | 0.017 | 0.032 | 0.07 | 32.3 | 14.8 | 0.17 | 449 | 1.73 | 0.01 | 0.63 |
| G0676169 | | 21.2 | 4.12 | 6.44 | 0.07 | 0.03 | 0.005 | 0.032 | 0.08 | 29.2 | 21.1 | 0.25 | 367 | 1.43 | 0.01 | 0.86 |
| G0676170 | | 14.25 | 2.19 | 5.71 | <0.05 | <0.02 | <0.005 | 0.017 | 0.06 | 22.6 | 2.8 | 0.07 | 241 | 1.47 | 0.01 | 0.56 |
| G0676171 | | 19.85 | 2.54 | 5.33 | 0.07 | <0.02 | <0.005 | 0.025 | 0.09 | 38.2 | 6.1 | 0.12 | 384 | 1.94 | <0.01 | 0.49 |
| G0676172 | | 12.90 | 2.02 | 6.00 | <0.05 | <0.02 | <0.005 | 0.016 | 0.04 | 11.5 | 8.9 | 0.15 | 151 | 1.75 | 0.01 | 0.84 |
| G0676173 | | 16.85 | 0.82 | 4.00 | 0.05 | <0.02 | <0.005 | 0.011 | 0.05 | 24.8 | 1.0 | 0.03 | 138 | 0.97 | 0.01 | 0.29 |
| G0676174 | | 30.9 | 4.19 | 5.81 | 0.07 | 0.05 | 0.021 | 0.036 | 0.09 | 41.2 | 24.3 | 0.20 | 412 | 1.29 | <0.01 | 0.67 |
| G0676175 | | 2.79 | 0.32 | 1.01 | <0.05 | <0.02 | <0.005 | <0.005 | 0.02 | 0.6 | 0.2 | 0.02 | 19 | 0.30 | 0.04 | 0.07 |
| G0676176 | | 123.0 | 2.13 | 4.14 | 0.07 | <0.02 | 0.007 | 0.035 | 0.07 | 28.1 | 9.2 | 0.10 | 1180 | 1.53 | 0.01 | 0.48 |
| G0676177 | | 36.8 | 1.75 | 4.40 | 0.05 | 0.05 | 0.043 | 0.019 | 0.06 | 21.6 | 10.5 | 0.16 | 410 | 1.15 | 0.02 | 0.73 |
| G0676178 | | 30.4 | 1.64 | 3.82 | 0.05 | 0.02 | 0.024 | 0.015 | 0.08 | 22.4 | 7.1 | 0.06 | 247 | 0.86 | 0.02 | 0.45 |
| G0676179 | | 64.1 | 2.80 | 4.09 | 0.08 | 0.08 | 0.093 | 0.050 | 0.13 | 25.4 | 17.1 | 0.29 | 1180 | 1.37 | 0.02 | 0.50 |
| G0676180 | | 55.3 | 2.50 | 3.86 | 0.06 | 0.06 | 0.077 | 0.033 | 0.10 | 14.9 | 10.8 | 0.24 | 1080 | 1.67 | 0.02 | 0.55 |
| G0676181 | | 28.0 | 2.24 | 3.71 | 0.06 | 0.06 | 0.039 | 0.028 | 0.08 | 23.9 | 16.7 | 0.23 | 657 | 1.55 | 0.01 | 0.40 |
| G0676182 | | 32.5 | 2.07 | 3.80 | <0.05 | 0.07 | 0.069 | 0.025 | 0.09 | 21.7 | 15.8 | 0.23 | 565 | 1.16 | 0.02 | 0.43 |
| G0676183 | | 31.6 | 1.64 | 3.70 | <0.05 | 0.07 | 0.042 | 0.026 | 0.09 | 16.9 | 15.7 | 0.15 | 301 | 1.07 | 0.02 | 0.41 |
| G0676184 | | | | | | | | | | | | | | | | |
| G0676185 | | 20.4 | 0.96 | 2.42 | <0.05 | 0.04 | 0.031 | 0.009 | 0.05 | 8.3 | 3.8 | 0.08 | 446 | 0.91 | 0.04 | 0.46 |
| G0676186 | | 28.9 | 0.99 | 2.16 | <0.05 | 0.05 | 0.064 | 0.011 | 0.06 | 8.5 | 6.2 | 0.10 | 465 | 0.59 | 0.04 | 0.32 |
| G0676187 | | 29.2 | 3.09 | 4.13 | 0.05 | <0.02 | 0.025 | 0.029 | 0.07 | 25.8 | 18.0 | 0.21 | 535 | 1.78 | <0.01 | 0.32 |
| G0676188 | | 38.0 | 3.04 | 3.47 | 0.07 | <0.02 | 0.031 | 0.029 | 0.06 | 29.2 | 18.6 | 0.25 | 878 | 1.30 | <0.01 | 0.23 |
| G0676189 | | 12.90 | 2.67 | 5.52 | 0.05 | <0.02 | 0.011 | 0.020 | 0.05 | 23.2 | 6.7 | 0.10 | 313 | 1.42 | <0.01 | 0.73 |
| G0676190 | | 25.5 | 2.96 | 3.74 | 0.06 | 0.02 | 0.015 | 0.030 | 0.06 | 30.3 | 21.4 | 0.24 | 767 | 0.97 | <0.01 | 0.32 |
| G0676191 | | 26.4 | 2.82 | 3.44 | 0.05 | 0.02 | 0.006 | 0.026 | 0.06 | 25.8 | 17.2 | 0.23 | 466 | 1.07 | <0.01 | 0.30 |
| G0676192 | | 30.3 | 3.34 | 4.34 | <0.05 | 0.02 | 0.019 | 0.029 | 0.08 | 20.9 | 10.4 | 0.17 | 2010 | 1.87 | 0.01 | 0.39 |
| G0676193 | | 26.9 | 2.75 | 4.56 | 0.08 | 0.02 | 0.006 | 0.028 | 0.12 | 46.5 | 19.0 | 0.21 | 563 | 0.94 | <0.01 | 0.35 |
| G0676194 | | 15.20 | 2.87 | 4.57 | 0.05 | 0.02 | 0.018 | 0.027 | 0.06 | 24.7 | 23.9 | 0.26 | 495 | 1.31 | <0.01 | 0.48 |
| G0676195 | | 19.40 | 3.43 | 3.86 | 0.06 | 0.04 | 0.025 | 0.033 | 0.07 | 27.4 | 24.8 | 0.27 | 777 | 1.23 | <0.01 | 0.42 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.001 | 0.01 | 0.1 | 0.001 | 0.01 | 0.005 | 0.1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0.1 | 0.001 |
| G0676155 | | 31.1 | 0.065 | 84.7 | 8.5 | 0.001 | 0.02 | 1.950 | 3.9 | 0.5 | 0.5 | 25.6 | <0.01 | 0.03 | 8.1 | 0.012 |
| G0676157 | | 28.3 | 0.079 | 68.5 | 14.2 | <0.001 | 0.03 | 1.200 | 3.0 | 0.4 | 0.5 | 9.1 | <0.01 | 0.05 | 8.0 | 0.006 |
| G0676158 | | 35.5 | 0.080 | 77.2 | 14.3 | <0.001 | 0.03 | 0.982 | 4.0 | 0.7 | 0.6 | 17.1 | <0.01 | 0.06 | 7.8 | 0.007 |
| G0676159 | | 12.0 | 0.026 | 20.2 | 17.4 | 0.001 | 0.01 | 0.849 | 1.8 | 0.2 | 0.8 | 4.4 | <0.01 | 0.05 | 4.7 | 0.015 |
| G0676160 | | 30.8 | 0.050 | 35.3 | 17.9 | 0.001 | 0.02 | 1.295 | 3.8 | 1.1 | 0.6 | 37.9 | <0.01 | 0.05 | 3.6 | 0.017 |
| G0676161 | | 7.3 | 0.033 | 6.75 | 16.0 | <0.001 | 0.01 | 0.717 | 0.9 | 0.2 | 0.8 | 4.5 | <0.01 | 0.05 | 1.7 | 0.014 |
| G0676162 | | 10.7 | 0.029 | 14.40 | 15.2 | <0.001 | 0.01 | 0.600 | 1.2 | 0.1 | 0.5 | 24.5 | <0.01 | 0.02 | 2.4 | 0.012 |
| G0676163 | | 17.1 | 0.074 | 36.5 | 20.0 | <0.001 | 0.01 | 1.170 | 2.2 | 0.1 | 0.9 | 6.4 | <0.01 | 0.05 | 4.6 | 0.021 |
| G0676164 | | 10.3 | 0.029 | 16.05 | 17.0 | <0.001 | 0.01 | 0.729 | 1.3 | 0.1 | 0.7 | 5.2 | <0.01 | 0.04 | 2.5 | 0.013 |
| G0676165 | | 8.4 | 0.067 | 9.50 | 4.6 | <0.001 | 0.06 | 0.233 | 0.8 | 0.9 | 0.2 | 74.3 | 0.01 | 0.01 | 0.3 | 0.022 |
| G0676166 | | 1.2 | 0.013 | 1.44 | 0.8 | <0.001 | 0.01 | 0.030 | 0.2 | <0.1 | <0.2 | 13.0 | <0.01 | 0.01 | 0.1 | 0.022 |
| G0676167 | | 13.0 | 0.028 | 7.62 | 6.6 | <0.001 | 0.02 | 0.358 | 0.9 | 0.2 | 0.5 | 8.4 | <0.01 | <0.01 | 1.4 | 0.011 |
| G0676168 | | 19.7 | 0.058 | 41.0 | 19.6 | <0.001 | 0.03 | 1.300 | 2.3 | 0.3 | 0.7 | 5.1 | <0.01 | 0.03 | 4.9 | 0.005 |
| G0676169 | | 18.4 | 0.031 | 42.8 | 17.1 | <0.001 | 0.02 | 1.220 | 2.4 | 0.2 | 0.8 | 5.9 | <0.01 | 0.04 | 5.1 | 0.012 |
| G0676170 | | 9.1 | 0.045 | 16.75 | 11.6 | <0.001 | 0.01 | 0.921 | 0.8 | 0.1 | 0.8 | 6.4 | <0.01 | 0.02 | 0.5 | 0.015 |
| G0676171 | | 16.8 | 0.045 | 34.2 | 21.4 | <0.001 | 0.02 | 1.585 | 1.9 | 0.5 | 0.6 | 6.7 | <0.01 | 0.03 | 3.1 | 0.008 |
| G0676172 | | 9.3 | 0.031 | 16.90 | 8.2 | <0.001 | 0.02 | 0.584 | 1.1 | 0.1 | 0.5 | 14.8 | <0.01 | 0.03 | 0.6 | 0.024 |
| G0676173 | | 5.7 | 0.034 | 6.35 | 8.9 | <0.001 | 0.01 | 0.460 | 0.6 | 0.1 | 0.5 | 10.1 | <0.01 | 0.01 | 1.0 | 0.008 |
| G0676174 | | 19.4 | 0.044 | 100.5 | 22.0 | <0.001 | 0.02 | 1.115 | 2.2 | 0.3 | 0.7 | 5.3 | <0.01 | 0.04 | 6.3 | 0.005 |
| G0676175 | | 1.8 | 0.014 | 1.61 | 0.8 | <0.001 | 0.01 | 0.037 | 0.1 | 0.2 | <0.2 | 9.1 | <0.01 | <0.01 | <0.1 | 0.012 |
| G0676176 | | 13.1 | 0.060 | 62.9 | 17.0 | <0.001 | 0.02 | 0.763 | 1.8 | 0.6 | 0.6 | 18.2 | <0.01 | 0.04 | 1.6 | 0.016 |
| G0676177 | | 16.9 | 0.060 | 21.2 | 9.7 | <0.001 | 0.06 | 0.632 | 1.5 | 0.9 | 0.5 | 68.0 | <0.01 | 0.02 | 1.3 | 0.020 |
| G0676178 | | 13.0 | 0.039 | 19.20 | 10.6 | <0.001 | 0.02 | 0.783 | 1.5 | 0.3 | 0.5 | 48.6 | <0.01 | 0.02 | 1.4 | 0.010 |
| G0676179 | | 29.6 | 0.089 | 451 | 15.7 | <0.001 | 0.07 | 1.545 | 3.2 | 1.2 | 0.6 | 64.6 | <0.01 | 0.03 | 1.7 | 0.013 |
| G0676180 | | 22.6 | 0.123 | 200 | 17.1 | <0.001 | 0.09 | 0.887 | 2.3 | 0.9 | 0.5 | 83.0 | <0.01 | 0.01 | 1.0 | 0.016 |
| G0676181 | | 21.6 | 0.064 | 160.5 | 15.7 | <0.001 | 0.04 | 0.878 | 2.0 | 0.4 | 0.4 | 40.8 | <0.01 | 0.02 | 1.7 | 0.012 |
| G0676182 | | 18.6 | 0.087 | 126.5 | 17.0 | <0.001 | 0.07 | 0.765 | 2.2 | 1.2 | 0.4 | 67.2 | <0.01 | 0.04 | 1.9 | 0.014 |
| G0676183 | | 13.6 | 0.079 | 30.5 | 19.1 | <0.001 | 0.06 | 0.566 | 2.9 | 0.9 | 0.4 | 94.0 | <0.01 | 0.02 | 1.6 | 0.008 |
| G0676184 | | | | | | | | | | | | | | | | |
| G0676185 | | 8.8 | 0.062 | 12.60 | 8.0 | <0.001 | 0.07 | 0.314 | 0.7 | 0.3 | 0.3 | 89.8 | <0.01 | <0.01 | 0.4 | 0.018 |
| G0676186 | | 10.6 | 0.089 | 21.0 | 9.9 | <0.001 | 0.08 | 0.412 | 1.0 | 0.9 | 0.3 | 76.7 | <0.01 | <0.01 | 0.6 | 0.011 |
| G0676187 | | 21.5 | 0.040 | 44.3 | 13.6 | 0.001 | 0.01 | 1.260 | 2.4 | 0.7 | 0.5 | 17.2 | <0.01 | 0.04 | 4.5 | 0.006 |
| G0676188 | | 25.4 | 0.042 | 49.8 | 9.3 | <0.001 | 0.01 | 1.250 | 2.8 | 0.7 | 0.4 | 11.2 | <0.01 | 0.04 | 7.3 | 0.007 |
| G0676189 | | 9.9 | 0.035 | 27.8 | 13.8 | <0.001 | 0.01 | 0.910 | 1.4 | 0.5 | 0.6 | 5.9 | <0.01 | 0.05 | 3.4 | 0.015 |
| G0676190 | | 20.3 | 0.029 | 50.0 | 11.4 | <0.001 | <0.01 | 1.075 | 2.4 | 0.6 | 0.4 | 6.5 | <0.01 | 0.03 | 6.6 | 0.007 |
| G0676191 | | 18.6 | 0.027 | 42.0 | 9.9 | <0.001 | <0.01 | 0.983 | 2.1 | 0.4 | 0.4 | 4.8 | <0.01 | 0.03 | 6.4 | 0.007 |
| G0676192 | | 25.2 | 0.095 | 31.0 | 14.8 | <0.001 | 0.02 | 0.782 | 1.9 | 0.5 | 0.4 | 7.3 | <0.01 | 0.06 | 1.3 | 0.013 |
| G0676193 | | 17.7 | 0.034 | 49.9 | 19.5 | <0.001 | <0.01 | 0.945 | 2.1 | 0.5 | 0.5 | 7.9 | <0.01 | 0.03 | 7.6 | 0.007 |
| G0676194 | | 18.8 | 0.028 | 52.9 | 14.0 | <0.001 | <0.01 | 0.917 | 2.2 | 0.4 | 0.5 | 7.7 | <0.01 | 0.03 | 5.5 | 0.010 |
| G0676195 | | 21.5 | 0.046 | 99.7 | 12.0 | <0.001 | 0.01 | 1.170 | 2.2 | 0.7 | 0.5 | 5.6 | <0.01 | 0.05 | 5.7 | 0.007 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|-------------|-------------|----------|---------------|-------------|------------|------------|
| | | Ti | U | V | W | Y | Zn | Zr |
| | | ppm 0.02 | ppm 0.05 | ppm 1 | ppm 0.0001 | ppm 0.05 | ppm 0.1 | ppm 0.5 |
| G0676155 | | 0.10 | 0.74 | 19 | 0.0992 | 10.65 | 610 | 2.1 |
| G0676157 | | 0.16 | 0.76 | 18 | 0.0708 | 5.44 | 139.5 | 1.1 |
| G0676158 | | 0.15 | 0.73 | 20 | 0.0840 | 8.57 | 137.5 | 0.9 |
| G0676159 | | 0.18 | 0.42 | 44 | 0.136 | 2.11 | 85.2 | 0.8 |
| G0676160 | | 0.15 | 2.27 | 31 | 0.116 | 11.75 | 108.5 | 1.6 |
| G0676161 | | 0.12 | 0.39 | 47 | 0.152 | 1.76 | 39.0 | <0.5 |
| G0676162 | | 0.10 | 0.37 | 29 | 0.0983 | 1.97 | 51.9 | <0.5 |
| G0676163 | | 0.16 | 0.52 | 54 | 0.189 | 2.46 | 93.1 | 1.0 |
| G0676164 | | 0.12 | 0.42 | 30 | 0.0970 | 1.96 | 65.1 | <0.5 |
| G0676165 | | 0.07 | 1.29 | 13 | 0.0684 | 9.10 | 22.7 | 2.5 |
| G0676166 | | <0.02 | 0.16 | 9 | 0.0390 | 0.31 | 8.9 | 0.9 |
| G0676167 | | 0.08 | 0.38 | 16 | 0.0991 | 2.28 | 22.5 | <0.5 |
| G0676168 | | 0.21 | 0.48 | 30 | 0.0831 | 2.87 | 70.2 | 1.3 |
| G0676169 | | 0.15 | 0.57 | 40 | 0.149 | 3.03 | 90.5 | 1.2 |
| G0676170 | | 0.14 | 0.43 | 48 | 0.172 | 2.09 | 54.5 | <0.5 |
| G0676171 | | 0.14 | 0.48 | 28 | 0.105 | 3.03 | 73.5 | <0.5 |
| G0676172 | | 0.09 | 0.40 | 47 | 0.181 | 1.98 | 34.3 | <0.5 |
| G0676173 | | 0.07 | 0.35 | 19 | 0.0712 | 1.54 | 20.2 | 0.7 |
| G0676174 | | 0.17 | 0.59 | 28 | 0.117 | 3.11 | 75.9 | 1.5 |
| G0676175 | | <0.02 | 0.11 | 8 | 0.0180 | 0.22 | 9.1 | <0.5 |
| G0676176 | | 0.08 | 1.05 | 29 | 0.134 | 5.96 | 96.1 | <0.5 |
| G0676177 | | 0.09 | 1.37 | 29 | 0.179 | 7.37 | 35.6 | 1.4 |
| G0676178 | | 0.10 | 0.76 | 23 | 0.0892 | 5.87 | 63.4 | 0.6 |
| G0676179 | | 0.12 | 3.69 | 24 | 0.100 | 21.1 | 201 | 2.1 |
| G0676180 | | 0.10 | 2.70 | 30 | 0.115 | 14.10 | 159.5 | 1.2 |
| G0676181 | | 0.08 | 1.30 | 19 | 0.0881 | 7.25 | 211 | 1.7 |
| G0676182 | | 0.09 | 0.97 | 22 | 0.0983 | 8.80 | 184.0 | 1.7 |
| G0676183 | | 0.12 | 1.99 | 20 | 0.0881 | 11.65 | 105.0 | 1.9 |
| G0676184 | | | | | | | | |
| G0676185 | | 0.05 | 1.05 | 14 | 0.0749 | 3.87 | 36.9 | 1.3 |
| G0676186 | | 0.07 | 2.18 | 14 | 0.0471 | 7.49 | 59.0 | 1.4 |
| G0676187 | | 0.10 | 0.51 | 22 | 0.0939 | 3.97 | 183.5 | 0.5 |
| G0676188 | | 0.10 | 0.62 | 19 | 0.0738 | 5.11 | 207 | 0.9 |
| G0676189 | | 0.10 | 0.37 | 34 | 0.138 | 1.97 | 88.1 | <0.5 |
| G0676190 | | 0.11 | 0.65 | 20 | 0.124 | 3.70 | 157.5 | 0.7 |
| G0676191 | | 0.09 | 0.47 | 20 | 0.0853 | 3.12 | 154.0 | 0.8 |
| G0676192 | | 0.14 | 0.53 | 37 | 0.122 | 4.36 | 113.5 | <0.5 |
| G0676193 | | 0.20 | 0.51 | 23 | 0.0814 | 3.50 | 99.5 | 0.6 |
| G0676194 | | 0.12 | 0.48 | 30 | 0.138 | 2.99 | 172.0 | 0.8 |
| G0676195 | | 0.09 | 0.50 | 23 | 0.0947 | 3.14 | 193.0 | 1.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | ME-MS41L Au ppm | ME-MS41L Ag ppm | ME-MS41L Al % | ME-MS41L As ppm | ME-MS41L B ppm | ME-MS41L Ba ppm | ME-MS41L Be ppm | ME-MS41L Bi ppm | ME-MS41L Ca % | ME-MS41L Cd ppm | ME-MS41L Ce ppm | ME-MS41L Co ppm | ME-MS41L Cr ppm | ME-MS41L Cs ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.0002 | 0.002 | 0.01 | 0.02 | 10 | 0.5 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 0.5 | 0.05 |
| G0676196 | | 0.26 | 0.0003 | 0.055 | 1.36 | 12.95 | <10 | 123.0 | 0.35 | 0.27 | 0.03 | 0.17 | 55.7 | 6.4 | 17.7 | 1.35 |
| G0676197 | | 0.22 | 0.0017 | 0.160 | 1.00 | 14.85 | <10 | 372 | 0.83 | 0.24 | 0.22 | 0.43 | 68.1 | 14.9 | 20.8 | 1.43 |
| G0676198 | | 0.24 | <0.0002 | 0.046 | 1.27 | 13.35 | <10 | 179.5 | 0.46 | 0.22 | 0.04 | 0.25 | 54.6 | 7.5 | 17.8 | 1.36 |
| G0676199 | | 0.22 | <0.0002 | 0.041 | 0.73 | 9.20 | <10 | 105.5 | 0.34 | 0.28 | 0.34 | 0.62 | 44.8 | 13.8 | 16.5 | 2.05 |
| G0676200 | | 0.08 | 0.0068 | 0.075 | 0.38 | 0.99 | <10 | 252 | 0.13 | 0.05 | 1.42 | 0.60 | 4.03 | 2.2 | 7.2 | 0.21 |
| G0676401 | | 0.26 | 0.0007 | 0.205 | 0.98 | 5.87 | <10 | 204 | 0.49 | 0.17 | 1.78 | 0.29 | 22.0 | 8.2 | 13.4 | 1.65 |
| G0676402 | | 0.12 | 0.0061 | 0.085 | 0.80 | 1.07 | <10 | 323 | 1.66 | 0.07 | 0.20 | 0.19 | 20.5 | 16.9 | 6.9 | 0.91 |
| G0676403 | | 0.16 | <0.0002 | 0.069 | 1.53 | 7.38 | <10 | 147.5 | 0.34 | 0.23 | 0.07 | 0.06 | 42.9 | 4.9 | 21.0 | 1.66 |
| G0676404 | | 0.10 | 0.0047 | 0.046 | 0.30 | 0.60 | <10 | 55.4 | 0.09 | 0.03 | 0.21 | 0.12 | 6.30 | 1.2 | 6.1 | 0.31 |
| G0676405 | | 0.26 | 0.0020 | 0.026 | 0.33 | 0.29 | <10 | 18.8 | 0.05 | 0.02 | 0.11 | 0.01 | 3.79 | 0.8 | 1.7 | 0.07 |
| G0676406 | | 0.30 | 0.0004 | 0.023 | 1.74 | 18.15 | <10 | 125.5 | 0.88 | 0.39 | 0.02 | 0.20 | 90.5 | 21.7 | 23.4 | 2.79 |
| G0676407 | | 0.22 | 0.0012 | 0.986 | 1.53 | 7.03 | <10 | 477 | 2.52 | 0.23 | 1.55 | 0.10 | 42.6 | 8.6 | 16.8 | 3.63 |
| G0676408 | | 0.32 | 0.0005 | 0.034 | 0.87 | 7.78 | <10 | 111.5 | 0.64 | 0.46 | 0.12 | 0.10 | 60.6 | 6.0 | 21.9 | 5.18 |
| G0676409 | | 0.20 | <0.0002 | 0.208 | 1.25 | 8.26 | <10 | 227 | 0.85 | 0.30 | 1.43 | 0.23 | 32.7 | 5.9 | 20.4 | 1.46 |
| G0676410 | | 0.24 | <0.0002 | 0.128 | 0.97 | 4.25 | <10 | 296 | 0.35 | 0.16 | 0.48 | 0.11 | 35.9 | 2.8 | 8.7 | 1.00 |
| G0676411 | | 0.14 | 0.0039 | 0.107 | 0.63 | 1.10 | <10 | 76.1 | 0.27 | 0.07 | 0.26 | 0.20 | 9.21 | 3.3 | 3.3 | 0.27 |
| G0676412 | | 0.20 | 0.0037 | 0.114 | 0.70 | 3.85 | <10 | 201 | 0.32 | 0.20 | 0.96 | 0.67 | 29.5 | 3.5 | 8.5 | 0.66 |
| G0676413 | | 0.22 | 0.0036 | 0.142 | 0.74 | 2.07 | <10 | 79.5 | 0.29 | 0.06 | 0.85 | 0.42 | 11.20 | 2.5 | 4.2 | 0.99 |
| G0676414 | | 0.22 | 0.0064 | 0.222 | 1.09 | 2.50 | <10 | 293 | 0.46 | 0.19 | 0.58 | 0.16 | 43.2 | 5.9 | 18.5 | 1.60 |
| G0676415 | | 0.16 | 0.0069 | 0.358 | 0.91 | 9.12 | <10 | 842 | 0.24 | 0.20 | 0.09 | 0.11 | 23.3 | 5.7 | 12.3 | 2.68 |
| G0676416 | | 0.16 | 0.0041 | 0.198 | 1.00 | 13.95 | <10 | 272 | 0.20 | 0.40 | 0.05 | 0.08 | 32.1 | 3.2 | 17.7 | 2.87 |
| G0676417 | | 0.20 | 0.0071 | 0.587 | 1.22 | 10.80 | <10 | 334 | 0.26 | 0.19 | 0.05 | 0.12 | 20.2 | 6.8 | 11.3 | 2.95 |
| G0676418 | | 0.12 | 0.0049 | 0.419 | 0.47 | 2.03 | <10 | 102.5 | 0.07 | 0.08 | 0.09 | 0.05 | 6.72 | 2.3 | 5.6 | 1.81 |
| G0676419 | | 0.08 | <0.0002 | 0.226 | 0.37 | 0.88 | <10 | 42.3 | 0.08 | 0.04 | 0.04 | 0.04 | 4.07 | 1.0 | 2.8 | 0.24 |
| G0676420 | | 0.12 | 0.0019 | 0.388 | 0.54 | 4.01 | <10 | 155.5 | 0.23 | 0.13 | 0.11 | 0.70 | 9.75 | 8.9 | 5.0 | 1.04 |
| G0676421 | | 0.22 | 0.0025 | 0.090 | 1.77 | 54.2 | <10 | 374 | 0.77 | 0.62 | 0.14 | 0.37 | 48.4 | 16.4 | 26.0 | 3.02 |
| G0676422 | | 0.14 | 0.0043 | 0.441 | 1.16 | 22.6 | <10 | 445 | 0.45 | 0.25 | 0.09 | 0.16 | 14.50 | 3.7 | 10.9 | 1.93 |
| G0676423 | | 0.08 | 0.0029 | 0.413 | 0.92 | 10.60 | <10 | 225 | 0.37 | 0.24 | 0.11 | 0.22 | 17.40 | 7.1 | 11.6 | 1.24 |
| G0676424 | | 0.22 | 0.0077 | 0.472 | 1.84 | 26.9 | <10 | 407 | 0.65 | 0.39 | 0.27 | 0.22 | 27.2 | 4.0 | 17.8 | 2.44 |
| G0676425 | | 0.22 | 0.0058 | 0.294 | 1.79 | 37.8 | <10 | 379 | 0.62 | 0.39 | 0.32 | 0.59 | 25.4 | 25.4 | 22.1 | 2.77 |
| G0676426 | | 0.24 | 0.0054 | 0.161 | 2.48 | 40.6 | <10 | 421 | 0.82 | 0.51 | 0.30 | 0.24 | 42.8 | 22.4 | 44.3 | 3.23 |
| G0676427 | | 0.20 | 0.0030 | 0.446 | 0.91 | 8.74 | <10 | 193.5 | 0.23 | 0.15 | 0.35 | 0.06 | 10.80 | 3.3 | 10.0 | 0.88 |
| G0676428 | | 0.26 | 0.0075 | 0.360 | 1.47 | 112.5 | <10 | 481 | 0.66 | 0.27 | 0.58 | 4.06 | 21.3 | 11.1 | 11.9 | 1.19 |
| G0676429 | | 0.28 | 0.0059 | 0.127 | 2.11 | 44.5 | <10 | 341 | 0.80 | 0.56 | 0.13 | 0.48 | 44.3 | 17.6 | 28.7 | 2.58 |
| G0676430 | | 0.18 | 0.0026 | 0.191 | 0.60 | 17.30 | <10 | 84.6 | 0.11 | 0.37 | 0.05 | 0.09 | 17.70 | 2.6 | 10.1 | 1.35 |
| G0676431 | | 0.12 | 0.0040 | 0.156 | 1.77 | 17.75 | <10 | 224 | 0.53 | 0.52 | 0.07 | 0.25 | 31.0 | 7.8 | 20.6 | 2.30 |
| G0676432 | | 0.32 | 0.0026 | 0.120 | 2.13 | 22.7 | <10 | 436 | 0.63 | 0.63 | 0.12 | 0.24 | 31.6 | 8.3 | 26.1 | 2.86 |
| G0676433 | | 0.24 | 0.0031 | 0.134 | 1.97 | 34.7 | <10 | 399 | 0.91 | 0.72 | 0.19 | 0.38 | 53.2 | 22.7 | 25.2 | 3.30 |
| G0676434 | | 0.10 | 0.0027 | 0.128 | 1.87 | 18.60 | <10 | 286 | 0.72 | 0.57 | 0.20 | 0.19 | 35.4 | 8.9 | 22.2 | 2.64 |
| G0676435 | | 0.22 | 0.0028 | 0.100 | 1.84 | 26.1 | <10 | 208 | 0.56 | 0.69 | 0.09 | 0.23 | 40.4 | 8.7 | 24.4 | 3.37 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na | Nb |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.01 | 0.01 | 0.05 | 0.05 | 0.02 | 0.005 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 1 | 0.01 | 0.01 | 0.05 |
| G0676196 | | 14.35 | 3.13 | 5.54 | 0.05 | 0.02 | 0.011 | 0.024 | 0.06 | 27.4 | 17.3 | 0.18 | 389 | 1.36 | <0.01 | 0.54 |
| G0676197 | | 34.4 | 2.82 | 3.87 | 0.08 | 0.03 | 0.061 | 0.034 | 0.07 | 33.5 | 16.5 | 0.33 | 827 | 1.71 | <0.01 | 0.38 |
| G0676198 | | 16.45 | 2.70 | 4.47 | 0.05 | 0.03 | 0.010 | 0.025 | 0.07 | 25.2 | 24.3 | 0.25 | 316 | 1.28 | <0.01 | 0.52 |
| G0676199 | | 18.50 | 2.50 | 3.70 | <0.05 | <0.02 | 0.015 | 0.022 | 0.08 | 21.2 | 13.1 | 0.15 | 800 | 1.61 | 0.01 | 0.52 |
| G0676200 | | 12.95 | 0.34 | 1.09 | <0.05 | 0.07 | 0.123 | 0.005 | 0.03 | 2.3 | 0.6 | 0.03 | 67 | 0.95 | 0.04 | 0.24 |
| G0676401 | | 21.5 | 1.60 | 3.32 | <0.05 | 0.04 | 0.047 | 0.028 | 0.05 | 10.9 | 9.3 | 0.17 | 702 | 1.03 | 0.02 | 0.57 |
| G0676402 | | 21.0 | 0.85 | 3.00 | <0.05 | <0.02 | 0.017 | 0.011 | 0.03 | 7.9 | 3.7 | 0.04 | 846 | 1.02 | 0.04 | 0.21 |
| G0676403 | | 10.65 | 2.80 | 7.27 | <0.05 | <0.02 | 0.008 | 0.022 | 0.06 | 19.4 | 9.2 | 0.18 | 302 | 1.80 | <0.01 | 1.02 |
| G0676404 | | 5.01 | 0.46 | 1.28 | <0.05 | <0.02 | 0.012 | <0.005 | 0.02 | 3.2 | 0.5 | 0.02 | 40 | 0.80 | 0.04 | 0.14 |
| G0676405 | | 4.06 | 0.31 | 1.11 | <0.05 | <0.02 | 0.008 | <0.005 | 0.02 | 1.8 | 0.3 | 0.02 | 21 | 0.26 | 0.04 | 0.19 |
| G0676406 | | 30.5 | 3.67 | 5.52 | 0.07 | 0.03 | 0.015 | 0.040 | 0.09 | 44.1 | 39.3 | 0.34 | 866 | 1.40 | <0.01 | 0.34 |
| G0676407 | | 49.3 | 2.06 | 4.10 | 0.10 | 0.06 | 0.108 | 0.031 | 0.06 | 25.9 | 12.1 | 0.19 | 1140 | 1.06 | 0.02 | 0.50 |
| G0676408 | | 16.05 | 4.29 | 7.73 | 0.06 | <0.02 | 0.015 | 0.024 | 0.08 | 27.6 | 7.6 | 0.15 | 168 | 2.27 | <0.01 | 1.21 |
| G0676409 | | 21.9 | 2.30 | 4.33 | <0.05 | 0.03 | 0.065 | 0.024 | 0.07 | 16.1 | 26.0 | 0.25 | 375 | 1.27 | 0.02 | 0.74 |
| G0676410 | | 19.20 | 1.14 | 4.27 | <0.05 | <0.02 | 0.019 | 0.012 | 0.06 | 18.6 | 3.8 | 0.05 | 264 | 1.01 | 0.02 | 0.44 |
| G0676411 | | 14.25 | 0.63 | 2.20 | <0.05 | 0.02 | 0.023 | 0.006 | 0.02 | 4.5 | 1.3 | 0.03 | 418 | 0.40 | 0.04 | 0.30 |
| G0676412 | | 23.0 | 1.05 | 3.44 | <0.05 | 0.02 | 0.035 | 0.011 | 0.05 | 15.6 | 3.2 | 0.07 | 607 | 0.83 | 0.02 | 0.61 |
| G0676413 | | 27.5 | 0.80 | 1.92 | <0.05 | 0.06 | 0.018 | 0.005 | 0.03 | 5.9 | 3.7 | 0.06 | 50 | 0.48 | 0.04 | 0.34 |
| G0676414 | | 14.35 | 1.43 | 3.94 | <0.05 | 0.07 | 0.044 | 0.016 | 0.08 | 23.5 | 22.2 | 0.28 | 94 | 0.37 | 0.03 | 0.67 |
| G0676415 | | 77.7 | 2.15 | 3.12 | <0.05 | <0.02 | 0.036 | 0.035 | 0.06 | 10.8 | 8.5 | 0.15 | 238 | 1.62 | 0.02 | 0.32 |
| G0676416 | | 32.6 | 2.81 | 8.14 | <0.05 | <0.02 | 0.025 | 0.029 | 0.06 | 15.6 | 7.6 | 0.13 | 157 | 2.79 | 0.01 | 1.01 |
| G0676417 | | 75.3 | 1.85 | 3.33 | <0.05 | 0.02 | 0.038 | 0.029 | 0.04 | 9.2 | 7.6 | 0.12 | 403 | 1.53 | 0.02 | 0.42 |
| G0676418 | | 21.2 | 1.01 | 2.10 | <0.05 | <0.02 | 0.018 | 0.007 | 0.03 | 3.6 | 4.5 | 0.07 | 57 | 0.45 | 0.03 | 0.12 |
| G0676419 | | 6.65 | 0.39 | 1.25 | <0.05 | <0.02 | 0.006 | <0.005 | 0.03 | 2.0 | 0.6 | 0.02 | 27 | 0.26 | 0.02 | 0.12 |
| G0676420 | | 23.0 | 0.80 | 2.16 | <0.05 | <0.02 | 0.019 | 0.011 | 0.03 | 4.6 | 3.2 | 0.06 | 808 | 1.06 | 0.02 | 0.25 |
| G0676421 | | 39.2 | 3.59 | 5.62 | 0.07 | 0.05 | 0.012 | 0.036 | 0.12 | 22.4 | 27.5 | 0.57 | 942 | 2.26 | <0.01 | 1.02 |
| G0676422 | | 20.7 | 1.41 | 3.43 | <0.05 | 0.04 | 0.047 | 0.019 | 0.07 | 7.2 | 8.6 | 0.13 | 98 | 0.75 | 0.02 | 0.53 |
| G0676423 | | 23.8 | 1.39 | 3.05 | <0.05 | <0.02 | 0.048 | 0.021 | 0.06 | 8.0 | 6.1 | 0.13 | 421 | 1.28 | 0.02 | 0.51 |
| G0676424 | | 59.3 | 2.51 | 4.64 | 0.06 | 0.06 | 0.107 | 0.035 | 0.09 | 14.2 | 12.3 | 0.23 | 134 | 1.51 | 0.01 | 0.79 |
| G0676425 | | 65.4 | 2.65 | 6.09 | <0.05 | 0.02 | 0.065 | 0.036 | 0.09 | 11.7 | 18.0 | 0.36 | 1780 | 1.74 | 0.02 | 0.79 |
| G0676426 | | 93.2 | 4.16 | 7.27 | 0.07 | 0.05 | 0.026 | 0.042 | 0.18 | 20.4 | 29.5 | 0.94 | 635 | 2.46 | 0.01 | 1.37 |
| G0676427 | | 27.6 | 0.89 | 2.98 | <0.05 | 0.02 | 0.035 | 0.011 | 0.04 | 5.3 | 5.2 | 0.16 | 76 | 0.36 | 0.03 | 0.37 |
| G0676428 | | 98.5 | 1.85 | 3.42 | 0.06 | 0.07 | 0.067 | 0.017 | 0.05 | 13.6 | 8.9 | 0.17 | 5260 | 2.56 | 0.03 | 0.46 |
| G0676429 | | 60.0 | 3.51 | 5.50 | 0.06 | 0.06 | 0.026 | 0.045 | 0.10 | 20.4 | 25.1 | 0.56 | 689 | 3.40 | <0.01 | 1.51 |
| G0676430 | | 9.65 | 1.37 | 5.04 | <0.05 | <0.02 | 0.016 | 0.012 | 0.05 | 8.9 | 3.8 | 0.11 | 183 | 1.93 | 0.01 | 0.29 |
| G0676431 | | 28.7 | 3.04 | 6.01 | 0.05 | 0.02 | 0.024 | 0.033 | 0.08 | 15.8 | 19.3 | 0.32 | 419 | 3.83 | <0.01 | 1.38 |
| G0676432 | | 19.80 | 3.56 | 7.57 | 0.05 | 0.06 | 0.016 | 0.038 | 0.08 | 16.1 | 24.2 | 0.41 | 345 | 3.26 | <0.01 | 1.90 |
| G0676433 | | 43.1 | 4.11 | 5.91 | 0.08 | 0.05 | 0.010 | 0.049 | 0.13 | 24.0 | 31.1 | 0.67 | 1120 | 3.20 | 0.01 | 1.24 |
| G0676434 | | 27.6 | 2.77 | 6.04 | 0.05 | 0.02 | 0.016 | 0.034 | 0.08 | 17.0 | 20.3 | 0.40 | 339 | 2.26 | 0.01 | 1.58 |
| G0676435 | | 29.1 | 3.49 | 7.27 | 0.06 | 0.02 | 0.018 | 0.039 | 0.10 | 18.8 | 22.0 | 0.44 | 397 | 3.23 | <0.01 | 1.71 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.001 | 0.01 | 0.1 | 0.001 | 0.01 | 0.005 | 0.1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0.1 | 0.001 |
| G0676196 | | 13.1 | 0.027 | 37.6 | 14.0 | <0.001 | 0.01 | 0.920 | 1.7 | 0.5 | 0.6 | 7.5 | <0.01 | 0.03 | 3.9 | 0.009 |
| G0676197 | | 30.8 | 0.052 | 64.7 | 8.2 | 0.001 | <0.01 | 1.685 | 4.2 | 1.0 | 0.5 | 20.6 | <0.01 | 0.04 | 8.8 | 0.024 |
| G0676198 | | 19.1 | 0.026 | 29.2 | 13.5 | <0.001 | 0.01 | 0.903 | 2.1 | 0.2 | 0.5 | 9.3 | <0.01 | 0.03 | 4.7 | 0.008 |
| G0676199 | | 14.4 | 0.050 | 31.6 | 18.9 | <0.001 | 0.03 | 0.952 | 1.3 | 0.5 | 0.5 | 27.7 | <0.01 | 0.02 | 1.6 | 0.018 |
| G0676200 | | 6.7 | 0.096 | 3.97 | 1.2 | <0.001 | 0.20 | 0.346 | 0.4 | 0.5 | <0.2 | 127.0 | 0.01 | <0.01 | 0.2 | 0.009 |
| G0676401 | | 13.1 | 0.076 | 21.8 | 11.1 | <0.001 | 0.09 | 0.565 | 1.2 | 0.7 | 0.3 | 121.5 | <0.01 | 0.01 | 0.6 | 0.022 |
| G0676402 | | 10.1 | 0.054 | 13.35 | 3.6 | <0.001 | 0.04 | 0.125 | 0.4 | 0.9 | 0.2 | 24.4 | <0.01 | 0.01 | <0.1 | 0.017 |
| G0676403 | | 10.7 | 0.026 | 17.90 | 11.7 | <0.001 | 0.01 | 0.654 | 2.4 | 0.2 | 0.7 | 9.1 | <0.01 | 0.03 | 4.0 | 0.018 |
| G0676404 | | 3.7 | 0.030 | 2.54 | 1.9 | <0.001 | 0.03 | 0.107 | 0.2 | 0.1 | <0.2 | 18.4 | <0.01 | <0.01 | <0.1 | 0.011 |
| G0676405 | | 1.2 | 0.038 | 0.67 | 1.0 | <0.001 | 0.01 | 0.067 | 0.2 | 0.1 | <0.2 | 11.3 | <0.01 | <0.01 | 0.1 | 0.017 |
| G0676406 | | 30.1 | 0.022 | 73.6 | 14.9 | 0.001 | 0.01 | 1.455 | 3.2 | 1.1 | 0.6 | 6.2 | <0.01 | 0.03 | 8.4 | 0.006 |
| G0676407 | | 19.5 | 0.129 | 20.5 | 10.3 | <0.001 | 0.09 | 0.629 | 2.8 | 2.6 | 0.4 | 108.5 | <0.01 | 0.03 | 1.5 | 0.011 |
| G0676408 | | 13.6 | 0.040 | 14.55 | 19.9 | <0.001 | 0.02 | 0.831 | 1.8 | 0.7 | 0.8 | 12.7 | <0.01 | 0.06 | 2.8 | 0.043 |
| G0676409 | | 15.9 | 0.077 | 31.3 | 16.1 | <0.001 | 0.08 | 0.726 | 1.8 | 1.5 | 0.5 | 94.4 | <0.01 | 0.03 | 0.9 | 0.024 |
| G0676410 | | 7.1 | 0.033 | 15.75 | 8.2 | <0.001 | 0.02 | 0.562 | 1.1 | 0.2 | 0.5 | 34.9 | <0.01 | 0.02 | 1.1 | 0.013 |
| G0676411 | | 2.7 | 0.065 | 18.20 | 1.4 | <0.001 | 0.05 | 0.138 | 0.6 | 0.4 | 0.2 | 27.5 | <0.01 | <0.01 | 0.2 | 0.021 |
| G0676412 | | 7.9 | 0.052 | 11.90 | 10.8 | <0.001 | 0.06 | 0.395 | 0.8 | 0.6 | 0.5 | 68.7 | <0.01 | 0.01 | 0.6 | 0.025 |
| G0676413 | | 5.7 | 0.065 | 6.84 | 3.6 | 0.001 | 0.72 | 0.292 | 0.5 | 0.8 | 0.2 | 54.8 | 0.01 | <0.01 | 0.3 | 0.018 |
| G0676414 | | 15.7 | 0.044 | 15.05 | 12.4 | <0.001 | 0.19 | 0.296 | 2.4 | 0.6 | 0.5 | 46.7 | <0.01 | <0.01 | 3.3 | 0.026 |
| G0676415 | | 40.2 | 0.082 | 8.49 | 5.3 | <0.001 | 0.11 | 1.190 | 1.2 | 1.6 | 0.3 | 17.0 | <0.01 | 0.06 | 0.3 | 0.018 |
| G0676416 | | 14.5 | 0.049 | 13.05 | 11.3 | <0.001 | 0.04 | 1.580 | 1.5 | 0.9 | 0.7 | 8.3 | <0.01 | 0.07 | 0.9 | 0.045 |
| G0676417 | | 22.6 | 0.084 | 9.02 | 4.7 | 0.001 | 0.08 | 1.750 | 1.2 | 2.1 | 0.3 | 12.0 | <0.01 | 0.08 | 0.3 | 0.018 |
| G0676418 | | 12.1 | 0.040 | 2.98 | 2.9 | <0.001 | 0.03 | 0.328 | 0.3 | 0.2 | 0.2 | 11.0 | <0.01 | <0.01 | <0.1 | 0.029 |
| G0676419 | | 2.6 | 0.029 | 2.06 | 1.5 | <0.001 | <0.01 | 0.132 | 0.1 | <0.1 | <0.2 | 6.9 | <0.01 | 0.01 | <0.1 | 0.018 |
| G0676420 | | 32.0 | 0.058 | 7.93 | 3.7 | <0.001 | 0.03 | 0.835 | 0.4 | 0.5 | 0.2 | 14.2 | <0.01 | 0.02 | 0.1 | 0.018 |
| G0676421 | | 31.4 | 0.045 | 34.9 | 17.3 | 0.001 | <0.01 | 1.850 | 3.5 | 0.9 | 0.6 | 17.1 | <0.01 | 0.07 | 5.4 | 0.036 |
| G0676422 | | 13.7 | 0.059 | 13.80 | 10.4 | <0.001 | 0.03 | 0.605 | 1.9 | 0.8 | 0.4 | 16.2 | <0.01 | 0.02 | 1.2 | 0.016 |
| G0676423 | | 11.7 | 0.079 | 11.00 | 8.3 | <0.001 | 0.03 | 0.860 | 1.2 | 0.5 | 0.3 | 14.6 | <0.01 | 0.04 | 0.5 | 0.021 |
| G0676424 | | 22.5 | 0.117 | 13.10 | 12.4 | 0.001 | 0.08 | 1.480 | 2.8 | 1.3 | 0.5 | 25.9 | <0.01 | 0.07 | 1.5 | 0.027 |
| G0676425 | | 34.9 | 0.100 | 12.35 | 13.5 | 0.001 | 0.05 | 1.485 | 2.6 | 1.0 | 0.5 | 31.2 | <0.01 | 0.10 | 0.7 | 0.030 |
| G0676426 | | 54.7 | 0.081 | 19.80 | 22.0 | <0.001 | 0.01 | 2.66 | 7.1 | 1.6 | 0.8 | 30.2 | <0.01 | 0.12 | 6.6 | 0.092 |
| G0676427 | | 10.5 | 0.082 | 4.37 | 6.4 | 0.001 | 0.05 | 0.546 | 1.1 | 0.4 | 0.2 | 26.9 | <0.01 | 0.04 | 0.2 | 0.028 |
| G0676428 | | 70.0 | 0.099 | 10.60 | 5.8 | 0.009 | 0.84 | 1.280 | 1.4 | 5.4 | 0.3 | 33.3 | 0.01 | 0.03 | 0.8 | 0.022 |
| G0676429 | | 44.7 | 0.065 | 24.4 | 16.2 | 0.001 | 0.03 | 4.12 | 4.5 | 1.7 | 0.7 | 24.3 | 0.01 | 0.10 | 6.7 | 0.059 |
| G0676430 | | 6.7 | 0.041 | 9.63 | 7.6 | <0.001 | <0.01 | 1.150 | 0.3 | 0.2 | 0.8 | 10.1 | <0.01 | 0.04 | <0.1 | 0.026 |
| G0676431 | | 20.5 | 0.060 | 24.2 | 15.6 | <0.001 | 0.02 | 2.30 | 2.2 | 1.1 | 0.7 | 16.0 | <0.01 | 0.06 | 2.0 | 0.037 |
| G0676432 | | 22.9 | 0.049 | 27.8 | 15.6 | <0.001 | 0.01 | 1.745 | 3.4 | 0.9 | 0.9 | 17.7 | 0.01 | 0.07 | 5.0 | 0.048 |
| G0676433 | | 40.9 | 0.088 | 60.4 | 17.2 | <0.001 | 0.02 | 2.38 | 4.1 | 1.2 | 0.8 | 34.9 | <0.01 | 0.07 | 9.4 | 0.049 |
| G0676434 | | 21.8 | 0.074 | 21.7 | 17.1 | <0.001 | <0.01 | 1.390 | 3.5 | 0.9 | 0.8 | 22.3 | <0.01 | 0.07 | 3.9 | 0.045 |
| G0676435 | | 26.0 | 0.054 | 29.9 | 20.3 | <0.001 | 0.01 | 2.25 | 3.1 | 1.1 | 0.8 | 17.1 | <0.01 | 0.08 | 2.8 | 0.052 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|-------------|-------------|----------|---------------|-------------|------------|------------|
| | | Ti | U | V | W | Y | Zn | Zr |
| | | ppm 0.02 | ppm 0.05 | ppm 1 | ppm 0.0001 | ppm 0.05 | ppm 0.1 | ppm 0.5 |
| G0676196 | | 0.11 | 0.40 | 33 | 0.124 | 2.31 | 102.0 | 0.5 |
| G0676197 | | 0.10 | 0.69 | 31 | 0.135 | 11.45 | 170.5 | 1.9 |
| G0676198 | | 0.10 | 0.39 | 29 | 0.137 | 2.64 | 110.5 | 1.1 |
| G0676199 | | 0.08 | 0.41 | 25 | 0.0990 | 2.01 | 131.0 | 0.5 |
| G0676200 | | 0.02 | 0.32 | 5 | 0.0509 | 2.03 | 87.9 | 2.2 |
| G0676401 | | 0.08 | 1.26 | 24 | 0.0864 | 5.16 | 67.4 | 1.4 |
| G0676402 | | 0.03 | 0.62 | 17 | 0.0747 | 11.05 | 19.1 | <0.5 |
| G0676403 | | 0.14 | 0.37 | 55 | 0.236 | 2.78 | 37.8 | 0.5 |
| G0676404 | | 0.03 | 0.25 | 10 | 0.0328 | 0.90 | 12.6 | <0.5 |
| G0676405 | | <0.02 | 0.09 | 9 | 0.0223 | 0.71 | 5.5 | 0.5 |
| G0676406 | | 0.12 | 0.59 | 24 | 0.0773 | 4.64 | 181.0 | 1.3 |
| G0676407 | | 0.12 | 1.90 | 24 | 0.120 | 44.3 | 47.0 | 1.6 |
| G0676408 | | 0.10 | 0.58 | 49 | 0.386 | 3.52 | 63.9 | <0.5 |
| G0676409 | | 0.10 | 4.97 | 34 | 0.149 | 8.12 | 66.3 | 0.8 |
| G0676410 | | 0.08 | 0.42 | 26 | 0.105 | 4.42 | 51.7 | <0.5 |
| G0676411 | | 0.02 | 0.75 | 14 | 0.0569 | 3.28 | 16.0 | 0.8 |
| G0676412 | | 0.05 | 1.35 | 26 | 0.141 | 2.64 | 53.9 | 0.8 |
| G0676413 | | 0.05 | 2.00 | 11 | 0.0356 | 3.47 | 34.4 | 2.4 |
| G0676414 | | 0.11 | 1.32 | 24 | 0.110 | 4.39 | 60.9 | 1.9 |
| G0676415 | | 0.08 | 0.55 | 30 | 0.100 | 4.07 | 75.0 | <0.5 |
| G0676416 | | 0.15 | 0.51 | 79 | 0.277 | 2.62 | 59.1 | <0.5 |
| G0676417 | | 0.11 | 0.68 | 27 | 0.116 | 3.95 | 48.9 | 0.6 |
| G0676418 | | 0.05 | 0.38 | 29 | 0.0556 | 1.85 | 32.3 | <0.5 |
| G0676419 | | 0.03 | 0.22 | 11 | 0.0308 | 0.68 | 8.5 | <0.5 |
| G0676420 | | 0.10 | 0.61 | 15 | 0.0713 | 3.69 | 57.2 | <0.5 |
| G0676421 | | 0.20 | 1.35 | 47 | 0.199 | 6.52 | 123.5 | 1.5 |
| G0676422 | | 0.12 | 1.69 | 22 | 0.111 | 5.07 | 47.5 | 1.1 |
| G0676423 | | 0.10 | 1.35 | 24 | 0.143 | 4.07 | 47.7 | 0.5 |
| G0676424 | | 0.19 | 3.26 | 43 | 0.169 | 11.60 | 72.3 | 1.9 |
| G0676425 | | 0.17 | 1.45 | 46 | 0.169 | 9.26 | 103.5 | 0.6 |
| G0676426 | | 0.31 | 1.59 | 81 | 0.250 | 11.25 | 127.5 | 1.8 |
| G0676427 | | 0.13 | 0.80 | 21 | 0.0604 | 4.37 | 24.3 | 0.7 |
| G0676428 | | 0.16 | 4.62 | 22 | 3.16 | 15.65 | 118.0 | 2.2 |
| G0676429 | | 0.24 | 1.58 | 58 | 0.366 | 6.99 | 148.5 | 2.2 |
| G0676430 | | 0.10 | 0.36 | 48 | 0.184 | 1.49 | 36.1 | <0.5 |
| G0676431 | | 0.21 | 0.93 | 60 | 0.272 | 3.84 | 104.0 | 0.5 |
| G0676432 | | 0.25 | 0.93 | 69 | 0.362 | 4.18 | 109.0 | 2.2 |
| G0676433 | | 0.22 | 1.52 | 50 | 0.288 | 10.40 | 166.5 | 2.5 |
| G0676434 | | 0.21 | 1.32 | 52 | 0.330 | 6.29 | 94.4 | 0.8 |
| G0676435 | | 0.21 | 0.98 | 58 | 0.322 | 4.69 | 110.5 | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | ME-MS41L Au ppm 0.0002 | ME-MS41L Ag ppm 0.002 | ME-MS41L Al % 0.01 | ME-MS41L As ppm 0.02 | ME-MS41L B ppm 10 | ME-MS41L Ba ppm 0.5 | ME-MS41L Be ppm 0.05 | ME-MS41L Bi ppm 0.01 | ME-MS41L Ca % 0.01 | ME-MS41L Cd ppm 0.01 | ME-MS41L Ce ppm 0.02 | ME-MS41L Co ppm 0.1 | ME-MS41L Cr ppm 0.5 | ME-MS41L Cs ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|--------------------------------|-----------------------------|-------------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G0676436 | | 0.28 | 0.0015 | 0.078 | 1.35 | 14.60 | <10 | 164.0 | 0.36 | 0.56 | 0.10 | 0.15 | 33.7 | 6.1 | 18.2 | 2.08 |
| G0676437 | | 0.12 | 0.0011 | 0.146 | 0.63 | 7.50 | <10 | 73.2 | 0.19 | 0.25 | 0.06 | 0.05 | 11.20 | 2.5 | 6.9 | 1.03 |
| G0676438 | | 0.32 | 0.0017 | 0.089 | 1.45 | 18.30 | <10 | 242 | 0.57 | 0.46 | 0.15 | 0.21 | 46.4 | 14.0 | 20.9 | 2.17 |
| G0676439 | | 0.18 | 0.0017 | 0.067 | 1.52 | 18.70 | <10 | 191.0 | 0.41 | 0.47 | 0.10 | 0.16 | 34.3 | 8.5 | 22.1 | 2.03 |
| G0676440 | | 0.18 | 0.0028 | 0.186 | 1.99 | 24.8 | <10 | 148.5 | 0.55 | 0.52 | 0.06 | 0.11 | 29.4 | 12.4 | 28.9 | 3.48 |
| G0676441 | | 0.08 | 0.0090 | 0.574 | 0.98 | 34.4 | <10 | 340 | 0.36 | 0.23 | 0.75 | 0.45 | 17.70 | 10.4 | 12.2 | 1.49 |
| G0676442 | | 0.22 | 0.0026 | 0.081 | 2.30 | 39.6 | <10 | 207 | 0.59 | 0.45 | 0.09 | 0.19 | 33.0 | 9.7 | 36.2 | 3.46 |
| G0676443 | | 0.10 | 0.0024 | 0.149 | 0.88 | 17.30 | <10 | 127.0 | 0.17 | 0.19 | 0.07 | 0.10 | 11.05 | 3.4 | 16.3 | 0.81 |
| G0676444 | | 0.26 | 0.0019 | 0.077 | 1.18 | 16.60 | <10 | 189.5 | 0.30 | 0.24 | 0.29 | 0.12 | 19.35 | 6.5 | 19.9 | 1.36 |
| G0676445 | | 0.18 | 0.0042 | 0.190 | 1.92 | 45.8 | <10 | 406 | 0.84 | 0.54 | 0.24 | 0.29 | 43.0 | 19.9 | 32.8 | 2.77 |
| G0676446 | | 0.26 | 0.0015 | 0.018 | 1.24 | 31.6 | <10 | 84.7 | 0.16 | 0.35 | 0.06 | 0.07 | 27.3 | 5.2 | 13.2 | 1.62 |
| G0676447 | | 0.06 | 0.0034 | 0.435 | 0.99 | 16.40 | <10 | 277 | 0.27 | 0.31 | 0.16 | 0.23 | 20.1 | 5.9 | 14.7 | 2.06 |
| G0676448 | | 0.32 | 0.0036 | 0.239 | 2.02 | 45.3 | <10 | 270 | 0.65 | 0.60 | 0.04 | 0.27 | 34.1 | 9.0 | 34.3 | 3.98 |
| G0676700 | | 0.20 | 0.0100 | 0.247 | 1.68 | 20.7 | <10 | 420 | 0.44 | 0.53 | 0.15 | 1.16 | 26.4 | 6.0 | 22.2 | 2.73 |
| G0676701 | | 0.16 | 0.0459 | 0.115 | 1.26 | 25.0 | <10 | 326 | 0.36 | 0.63 | 0.09 | 0.29 | 25.3 | 6.2 | 24.0 | 2.97 |
| G0676702 | | 0.22 | 0.0101 | 0.162 | 1.67 | 21.9 | <10 | 399 | 0.57 | 0.51 | 0.30 | 0.43 | 40.4 | 15.3 | 23.3 | 2.47 |
| G0676703 | | 0.22 | 0.0080 | 0.153 | 1.58 | 46.7 | <10 | 261 | 0.64 | 0.50 | 0.14 | 0.46 | 35.3 | 10.6 | 18.4 | 2.08 |
| G0676704 | | 0.30 | 0.0145 | 0.401 | 1.57 | 35.2 | <10 | 1065 | 0.86 | 0.64 | 0.13 | 1.78 | 43.5 | 16.6 | 25.2 | 3.89 |
| G0676705 | | 0.10 | 0.0107 | 0.118 | 0.24 | 1.45 | <10 | 88.7 | 0.06 | 0.04 | 0.04 | 0.09 | 2.61 | 1.0 | 5.0 | 0.27 |
| G0676706 | | 0.26 | 0.0073 | 0.265 | 1.25 | 26.0 | <10 | 903 | 0.39 | 0.74 | 0.09 | 0.45 | 32.2 | 30.6 | 28.9 | 2.92 |
| G0676707 | | 0.12 | 0.0039 | 0.110 | 0.22 | 0.52 | <10 | 44.0 | 0.06 | 0.03 | 0.10 | 0.09 | 4.15 | 0.5 | 2.2 | 0.25 |
| G0676708 | | 0.16 | 0.0036 | 0.332 | 0.76 | 6.23 | <10 | 184.0 | 0.21 | 0.19 | 0.11 | 0.26 | 10.80 | 2.6 | 6.9 | 1.37 |
| G0676709 | | 0.20 | 0.0036 | 0.143 | 2.18 | 28.0 | <10 | 303 | 0.55 | 0.64 | 0.09 | 0.24 | 37.3 | 9.4 | 25.9 | 3.45 |
| G0676710 | | 0.10 | 0.0040 | 0.342 | 1.45 | 19.25 | <10 | 415 | 0.43 | 0.40 | 0.44 | 0.15 | 21.2 | 9.4 | 16.7 | 3.09 |
| G0676711 | | 0.14 | 0.0047 | 0.533 | 1.19 | 26.9 | <10 | 446 | 0.45 | 0.33 | 0.31 | 0.34 | 23.9 | 14.4 | 17.5 | 2.43 |
| G0676712 | | 0.24 | 0.0041 | 0.104 | 1.39 | 28.9 | <10 | 327 | 0.46 | 0.43 | 0.13 | 0.26 | 40.6 | 9.6 | 20.7 | 2.88 |
| G0676713 | | 0.16 | 0.0048 | 0.666 | 1.40 | 28.0 | <10 | 628 | 0.54 | 0.38 | 0.56 | 0.47 | 30.0 | 9.3 | 18.4 | 3.05 |
| G0676714 | | 0.28 | 0.0022 | 0.206 | 1.33 | 36.6 | <10 | 560 | 0.62 | 0.43 | 0.36 | 0.55 | 41.5 | 12.0 | 21.9 | 2.93 |
| G0676715 | | 0.24 | 0.0035 | 0.195 | 2.29 | 41.4 | <10 | 619 | 0.80 | 0.46 | 0.09 | 0.33 | 45.5 | 16.0 | 32.3 | 5.85 |
| G0676716 | | 0.08 | 0.0008 | 0.061 | 0.12 | 0.41 | <10 | 20.3 | <0.05 | 0.01 | 0.03 | 0.07 | 1.65 | 0.5 | 1.1 | 0.13 |
| G0676717 | | 0.24 | 0.0072 | 0.749 | 1.55 | 39.1 | <10 | 971 | 0.62 | 0.33 | 0.05 | 0.37 | 31.8 | 6.0 | 38.8 | 3.90 |
| G0676718 | | 0.18 | 0.0049 | 0.716 | 1.37 | 29.3 | <10 | 812 | 0.62 | 0.28 | 0.04 | 0.59 | 28.3 | 6.6 | 37.2 | 3.62 |
| G0676719 | | 0.18 | 0.0037 | 0.112 | 1.73 | 18.80 | <10 | 321 | 0.35 | 0.53 | 0.08 | 0.19 | 27.6 | 6.4 | 24.6 | 2.31 |
| G0676720 | | 0.28 | 0.0023 | 0.070 | 1.99 | 22.1 | <10 | 365 | 0.63 | 0.56 | 0.14 | 0.30 | 33.2 | 9.0 | 23.8 | 2.83 |
| G0676721 | | 0.12 | 0.0029 | 0.252 | 2.19 | 24.2 | <10 | 981 | 1.05 | 0.58 | 0.21 | 0.74 | 29.0 | 8.0 | 21.5 | 3.21 |
| G0676722 | | 0.18 | 0.0030 | 0.178 | 3.09 | 25.4 | <10 | 374 | 0.65 | 0.76 | 0.05 | 0.39 | 30.4 | 8.8 | 33.3 | 4.38 |
| G0676723 | | 0.26 | 0.0032 | 0.065 | 2.21 | 19.95 | <10 | 204 | 0.62 | 0.45 | 0.07 | 0.29 | 41.9 | 8.9 | 27.0 | 2.52 |
| G0676724 | | 0.24 | 0.0024 | 0.087 | 1.41 | 22.2 | <10 | 146.0 | 0.36 | 0.59 | 0.06 | 0.20 | 42.5 | 7.0 | 22.8 | 2.68 |
| G0676725 | | 0.08 | 0.0023 | 0.075 | 0.31 | 4.10 | <10 | 74.7 | 0.07 | 0.15 | 0.06 | 0.10 | 13.85 | 1.6 | 5.4 | 1.06 |
| G0676726 | | 0.14 | 0.0032 | 0.228 | 1.80 | 19.70 | <10 | 629 | 0.56 | 0.48 | 0.17 | 0.28 | 32.7 | 8.3 | 22.2 | 5.25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na | Nb |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.01 | 0.01 | 0.05 | 0.05 | 0.02 | 0.005 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 1 | 0.01 | 0.01 | 0.05 |
| G0676436 | | 19.40 | 2.52 | 6.17 | <0.05 | <0.02 | 0.015 | 0.025 | 0.07 | 16.8 | 13.3 | 0.30 | 289 | 2.24 | 0.01 | 1.32 |
| G0676437 | | 9.94 | 1.05 | 3.40 | <0.05 | <0.02 | 0.012 | 0.010 | 0.04 | 5.4 | 4.2 | 0.09 | 95 | 0.84 | 0.02 | 0.42 |
| G0676438 | | 27.3 | 2.78 | 5.61 | 0.06 | 0.02 | 0.012 | 0.028 | 0.09 | 22.5 | 22.6 | 0.48 | 588 | 2.32 | <0.01 | 1.07 |
| G0676439 | | 32.0 | 2.62 | 6.39 | 0.05 | <0.02 | 0.010 | 0.030 | 0.09 | 16.9 | 18.3 | 0.38 | 336 | 2.31 | 0.01 | 0.96 |
| G0676440 | | 41.7 | 4.33 | 9.32 | 0.05 | <0.02 | 0.016 | 0.037 | 0.14 | 14.1 | 21.2 | 0.57 | 485 | 2.39 | <0.01 | 1.95 |
| G0676441 | | 52.0 | 1.65 | 3.49 | <0.05 | 0.02 | 0.039 | 0.017 | 0.07 | 8.7 | 9.8 | 0.27 | 428 | 1.05 | 0.03 | 0.71 |
| G0676442 | | 45.8 | 4.35 | 6.50 | 0.05 | 0.07 | 0.028 | 0.055 | 0.10 | 17.8 | 28.0 | 0.54 | 357 | 3.22 | 0.01 | 1.90 |
| G0676443 | | 19.15 | 1.49 | 3.49 | <0.05 | <0.02 | 0.021 | 0.013 | 0.06 | 5.4 | 7.7 | 0.23 | 104 | 0.81 | 0.03 | 0.47 |
| G0676444 | | 25.4 | 1.77 | 5.39 | <0.05 | <0.02 | 0.009 | 0.018 | 0.08 | 10.2 | 11.1 | 0.30 | 257 | 1.12 | 0.03 | 0.78 |
| G0676445 | | 73.6 | 3.80 | 6.51 | 0.09 | 0.04 | 0.054 | 0.046 | 0.13 | 23.0 | 26.3 | 0.66 | 772 | 3.19 | 0.02 | 1.37 |
| G0676446 | | 9.50 | 2.95 | 8.06 | <0.05 | <0.02 | <0.005 | 0.021 | 0.06 | 14.9 | 14.9 | 0.39 | 294 | 1.14 | 0.01 | 1.64 |
| G0676447 | | 28.6 | 1.84 | 3.98 | <0.05 | <0.02 | 0.033 | 0.019 | 0.07 | 11.4 | 11.7 | 0.22 | 292 | 2.24 | 0.03 | 0.55 |
| G0676448 | | 46.2 | 4.86 | 7.75 | 0.05 | 0.03 | 0.019 | 0.048 | 0.15 | 18.5 | 30.2 | 0.49 | 424 | 4.38 | 0.02 | 2.30 |
| G0676700 | | 50.7 | 2.93 | 6.57 | <0.05 | <0.02 | 0.054 | 0.042 | 0.07 | 13.5 | 8.9 | 0.17 | 429 | 4.50 | 0.02 | 0.94 |
| G0676701 | | 23.3 | 3.70 | 9.61 | 0.09 | 0.03 | 0.029 | 0.034 | 0.10 | 12.6 | 11.9 | 0.32 | 483 | 6.31 | <0.01 | 1.40 |
| G0676702 | | 35.9 | 2.77 | 5.74 | 0.07 | 0.03 | 0.007 | 0.034 | 0.11 | 20.3 | 21.3 | 0.49 | 610 | 3.49 | 0.02 | 1.39 |
| G0676703 | | 33.4 | 2.35 | 4.09 | <0.05 | 0.06 | 0.012 | 0.028 | 0.09 | 16.4 | 18.9 | 0.38 | 546 | 2.67 | 0.01 | 0.85 |
| G0676704 | | 74.3 | 3.49 | 4.47 | 0.07 | 0.02 | 0.015 | 0.053 | 0.10 | 20.2 | 28.1 | 0.55 | 1200 | 7.65 | 0.01 | 0.52 |
| G0676705 | | 6.10 | 0.45 | 0.79 | <0.05 | <0.02 | 0.006 | 0.005 | 0.02 | 1.3 | 0.8 | 0.02 | 34 | 0.85 | 0.04 | 0.15 |
| G0676706 | | 45.1 | 3.30 | 4.54 | <0.05 | <0.02 | 0.010 | 0.038 | 0.10 | 15.6 | 19.1 | 0.52 | 2140 | 6.53 | 0.01 | 0.40 |
| G0676707 | | 4.89 | 0.26 | 0.85 | <0.05 | <0.02 | 0.016 | <0.005 | 0.03 | 2.2 | 0.6 | 0.01 | 20 | 0.22 | 0.03 | 0.13 |
| G0676708 | | 17.20 | 0.96 | 2.75 | <0.05 | <0.02 | 0.033 | 0.009 | 0.05 | 5.7 | 3.6 | 0.07 | 217 | 1.51 | 0.03 | 0.19 |
| G0676709 | | 34.6 | 3.50 | 8.55 | 0.06 | 0.03 | 0.025 | 0.045 | 0.12 | 19.3 | 25.2 | 0.41 | 489 | 3.91 | 0.01 | 1.53 |
| G0676710 | | 29.3 | 2.37 | 5.22 | <0.05 | <0.02 | 0.045 | 0.027 | 0.11 | 11.5 | 13.0 | 0.23 | 977 | 2.95 | 0.04 | 0.64 |
| G0676711 | | 42.5 | 2.14 | 4.63 | 0.05 | 0.02 | 0.039 | 0.028 | 0.08 | 12.0 | 13.1 | 0.30 | 1040 | 2.46 | 0.04 | 0.64 |
| G0676712 | | 41.0 | 3.22 | 5.93 | 0.07 | 0.03 | 0.007 | 0.036 | 0.09 | 20.1 | 18.4 | 0.35 | 482 | 4.62 | 0.02 | 1.36 |
| G0676713 | | 55.3 | 2.45 | 4.89 | 0.05 | 0.04 | 0.054 | 0.037 | 0.11 | 16.9 | 17.0 | 0.32 | 352 | 3.05 | 0.03 | 0.83 |
| G0676714 | | 44.7 | 2.97 | 4.61 | 0.07 | 0.03 | 0.014 | 0.035 | 0.11 | 20.3 | 20.0 | 0.45 | 445 | 3.33 | 0.02 | 1.00 |
| G0676715 | | 143.5 | 4.19 | 5.57 | 0.10 | 0.04 | 0.015 | 0.054 | 0.17 | 23.4 | 41.5 | 0.51 | 809 | 5.43 | 0.02 | 1.41 |
| G0676716 | | 6.59 | 0.09 | 0.31 | <0.05 | <0.02 | 0.006 | <0.005 | 0.02 | 0.9 | 0.4 | 0.01 | 14 | 0.09 | 0.03 | 0.09 |
| G0676717 | | 97.1 | 5.05 | 6.18 | 0.08 | 0.02 | 0.053 | 0.051 | 0.19 | 17.7 | 20.8 | 0.47 | 253 | 7.38 | 0.03 | 1.32 |
| G0676718 | | 84.2 | 4.25 | 6.06 | 0.08 | <0.02 | 0.019 | 0.045 | 0.18 | 15.9 | 18.5 | 0.42 | 268 | 6.06 | 0.02 | 1.27 |
| G0676719 | | 25.5 | 3.51 | 8.73 | <0.05 | <0.02 | 0.024 | 0.039 | 0.08 | 14.0 | 14.2 | 0.33 | 342 | 3.75 | 0.02 | 1.36 |
| G0676720 | | 30.0 | 3.33 | 6.65 | 0.06 | 0.03 | <0.005 | 0.042 | 0.10 | 17.7 | 25.5 | 0.52 | 333 | 4.14 | 0.02 | 1.33 |
| G0676721 | | 53.3 | 2.69 | 6.79 | 0.06 | 0.02 | 0.020 | 0.042 | 0.13 | 16.5 | 22.2 | 0.40 | 479 | 6.19 | 0.03 | 0.68 |
| G0676722 | | 42.2 | 3.95 | 10.75 | 0.05 | 0.02 | 0.028 | 0.051 | 0.14 | 16.6 | 21.2 | 0.45 | 565 | 9.83 | 0.02 | 1.12 |
| G0676723 | | 30.4 | 3.69 | 6.60 | 0.06 | 0.06 | 0.014 | 0.044 | 0.11 | 21.7 | 30.1 | 0.51 | 399 | 2.54 | 0.02 | 1.54 |
| G0676724 | | 28.0 | 3.56 | 8.73 | 0.08 | <0.02 | 0.006 | 0.035 | 0.11 | 22.5 | 14.7 | 0.38 | 338 | 3.54 | 0.02 | 1.56 |
| G0676725 | | 8.22 | 0.64 | 3.08 | <0.05 | <0.02 | 0.006 | 0.007 | 0.04 | 7.1 | 1.4 | 0.04 | 65 | 0.95 | 0.03 | 0.20 |
| G0676726 | | 33.9 | 2.80 | 6.54 | 0.05 | 0.03 | 0.023 | 0.038 | 0.12 | 18.0 | 23.3 | 0.32 | 357 | 2.38 | 0.02 | 1.04 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.1 | 0.001 | 0.01 | 0.1 | 0.001 | 0.01 | 0.005 | 0.1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0.1 |
| | | | | | | | | | | | | | | | 0.001 |
| G0676436 | | 16.1 | 0.048 | 20.2 | 12.5 | <0.001 | <0.01 | 1.255 | 2.2 | 0.6 | 0.8 | 17.3 | <0.01 | 0.06 | 2.3 |
| G0676437 | | 5.5 | 0.038 | 10.25 | 5.8 | <0.001 | <0.01 | 0.584 | 0.4 | <0.1 | 0.4 | 10.3 | <0.01 | 0.03 | 0.1 |
| G0676438 | | 23.4 | 0.057 | 22.9 | 15.8 | <0.001 | <0.01 | 1.700 | 2.8 | 0.5 | 0.6 | 18.6 | <0.01 | 0.05 | 4.3 |
| G0676439 | | 20.1 | 0.055 | 21.4 | 22.3 | <0.001 | 0.01 | 1.495 | 1.9 | 0.4 | 0.8 | 17.8 | <0.01 | 0.05 | 0.7 |
| G0676440 | | 22.7 | 0.061 | 15.25 | 21.0 | <0.001 | 0.01 | 1.555 | 3.4 | 0.6 | 1.0 | 9.6 | <0.01 | 0.12 | 2.3 |
| G0676441 | | 17.2 | 0.071 | 7.59 | 9.0 | <0.001 | 0.05 | 1.010 | 1.8 | 0.7 | 0.3 | 33.0 | <0.01 | 0.07 | 0.7 |
| G0676442 | | 33.9 | 0.056 | 28.1 | 18.2 | <0.001 | 0.04 | 3.97 | 4.4 | 1.8 | 0.7 | 22.8 | <0.01 | 0.11 | 4.9 |
| G0676443 | | 11.0 | 0.031 | 6.50 | 6.0 | 0.001 | 0.02 | 1.005 | 1.1 | 0.7 | 0.4 | 11.8 | <0.01 | 0.03 | 0.2 |
| G0676444 | | 13.7 | 0.042 | 8.09 | 15.4 | <0.001 | 0.04 | 0.791 | 2.2 | 0.5 | 0.6 | 20.4 | <0.01 | 0.03 | 0.6 |
| G0676445 | | 42.7 | 0.076 | 25.1 | 18.4 | 0.001 | 0.13 | 4.68 | 5.7 | 1.3 | 0.8 | 35.9 | <0.01 | 0.10 | 5.5 |
| G0676446 | | 9.1 | 0.040 | 12.45 | 11.1 | <0.001 | 0.12 | 0.830 | 3.0 | 0.5 | 0.9 | 15.1 | <0.01 | 0.04 | 2.9 |
| G0676447 | | 17.7 | 0.059 | 12.00 | 14.5 | <0.001 | 0.17 | 2.33 | 1.0 | 1.6 | 0.5 | 25.2 | <0.01 | 0.05 | 0.2 |
| G0676448 | | 35.9 | 0.080 | 25.8 | 26.1 | <0.001 | 0.21 | 7.66 | 3.7 | 2.1 | 1.0 | 26.8 | <0.01 | 0.12 | 4.0 |
| G0676700 | | 17.5 | 0.133 | 34.5 | 15.9 | 0.001 | 0.24 | 2.19 | 0.5 | 1.6 | 0.7 | 22.8 | <0.01 | 0.07 | 0.1 |
| G0676701 | | 17.3 | 0.088 | 24.4 | 14.7 | <0.001 | 0.06 | 2.22 | 1.8 | 1.4 | 1.0 | 13.1 | <0.01 | 0.07 | 0.5 |
| G0676702 | | 33.0 | 0.085 | 29.8 | 16.5 | <0.001 | 0.08 | 2.03 | 3.8 | 1.0 | 0.9 | 32.2 | <0.01 | 0.05 | 4.4 |
| G0676703 | | 27.2 | 0.082 | 25.3 | 12.9 | <0.001 | 0.03 | 1.835 | 2.4 | 0.7 | 0.4 | 22.6 | <0.01 | 0.06 | 2.1 |
| G0676704 | | 79.0 | 0.088 | 36.1 | 13.8 | 0.001 | 0.06 | 4.18 | 3.9 | 2.1 | 0.6 | 25.0 | <0.01 | 0.08 | 2.3 |
| G0676705 | | 3.3 | 0.022 | 2.74 | 1.4 | <0.001 | 0.02 | 0.247 | 0.4 | 0.3 | <0.2 | 8.0 | <0.01 | 0.01 | 0.1 |
| G0676706 | | 38.5 | 0.075 | 45.8 | 11.6 | 0.001 | 0.08 | 3.82 | 2.2 | 1.3 | 0.7 | 19.1 | <0.01 | 0.08 | 0.7 |
| G0676707 | | 1.4 | 0.034 | 1.89 | 1.9 | <0.001 | 0.03 | 0.073 | 0.1 | 0.2 | 0.2 | 8.5 | <0.01 | 0.02 | <0.1 |
| G0676708 | | 8.3 | 0.037 | 6.43 | 7.2 | <0.001 | 0.02 | 0.781 | 0.4 | 0.7 | 0.3 | 11.1 | <0.01 | 0.03 | <0.1 |
| G0676709 | | 27.0 | 0.053 | 22.6 | 23.9 | <0.001 | 0.14 | 1.955 | 3.3 | 1.0 | 1.2 | 15.8 | <0.01 | 0.07 | 2.9 |
| G0676710 | | 19.5 | 0.077 | 19.65 | 17.8 | 0.001 | 0.10 | 1.355 | 1.6 | 0.9 | 0.6 | 25.2 | <0.01 | 0.06 | 0.7 |
| G0676711 | | 20.8 | 0.078 | 13.55 | 12.8 | 0.001 | 0.14 | 1.855 | 2.4 | 1.2 | 0.6 | 25.8 | <0.01 | 0.06 | 1.0 |
| G0676712 | | 29.8 | 0.068 | 25.8 | 13.3 | 0.001 | 0.13 | 4.92 | 3.0 | 2.1 | 0.8 | 28.0 | <0.01 | 0.10 | 3.3 |
| G0676713 | | 31.4 | 0.084 | 15.60 | 17.2 | 0.001 | 0.12 | 3.37 | 3.1 | 1.4 | 0.6 | 42.0 | <0.01 | 0.08 | 1.5 |
| G0676714 | | 35.8 | 0.073 | 23.3 | 15.6 | 0.001 | 0.09 | 4.78 | 3.6 | 1.3 | 0.6 | 36.2 | <0.01 | 0.09 | 3.5 |
| G0676715 | | 52.1 | 0.079 | 29.8 | 23.2 | 0.003 | 0.20 | 7.78 | 5.2 | 3.6 | 0.7 | 46.4 | <0.01 | 0.12 | 5.2 |
| G0676716 | | 2.7 | 0.020 | 0.98 | 1.2 | <0.001 | 0.06 | 0.107 | 0.3 | 0.2 | 0.4 | 5.7 | <0.01 | 0.01 | <0.1 |
| G0676717 | | 40.1 | 0.096 | 20.1 | 21.9 | 0.001 | 0.31 | 13.45 | 2.7 | 4.4 | 0.7 | 51.7 | <0.01 | 0.16 | 1.1 |
| G0676718 | | 35.4 | 0.088 | 16.65 | 21.3 | <0.001 | 0.26 | 11.30 | 3.0 | 3.4 | 0.7 | 44.7 | <0.01 | 0.12 | 1.3 |
| G0676719 | | 16.9 | 0.070 | 25.9 | 12.5 | 0.001 | 0.09 | 1.960 | 1.9 | 1.3 | 1.1 | 16.5 | <0.01 | 0.06 | 0.5 |
| G0676720 | | 27.7 | 0.073 | 30.3 | 15.9 | 0.001 | 0.23 | 2.53 | 3.4 | 1.5 | 0.8 | 32.9 | <0.01 | 0.06 | 2.7 |
| G0676721 | | 38.8 | 0.108 | 26.1 | 25.9 | 0.001 | 0.23 | 2.10 | 2.0 | 1.9 | 0.9 | 32.0 | <0.01 | 0.08 | 0.5 |
| G0676722 | | 29.7 | 0.135 | 34.0 | 30.1 | 0.002 | 0.23 | 1.960 | 1.7 | 1.7 | 1.8 | 23.4 | <0.01 | 0.09 | 0.4 |
| G0676723 | | 26.9 | 0.064 | 26.2 | 19.8 | <0.001 | 0.21 | 1.970 | 3.3 | 1.0 | 0.8 | 15.0 | <0.01 | 0.07 | 4.1 |
| G0676724 | | 21.1 | 0.062 | 22.6 | 20.7 | <0.001 | 0.16 | 2.45 | 2.4 | 1.2 | 1.0 | 13.9 | <0.01 | 0.08 | 1.7 |
| G0676725 | | 4.1 | 0.025 | 4.57 | 4.7 | <0.001 | 0.09 | 0.647 | 0.2 | 0.3 | 0.5 | 8.0 | <0.01 | 0.03 | <0.1 |
| G0676726 | | 26.5 | 0.069 | 20.5 | 22.2 | <0.001 | 0.09 | 1.965 | 3.1 | 1.1 | 0.9 | 23.5 | <0.01 | 0.07 | 2.0 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|-------------|-------------|----------|---------------|-------------|------------|------------|
| | | Ti | U | V | W | Y | Zn | Zr |
| | | ppm 0.02 | ppm 0.05 | ppm 1 | ppm 0.0001 | ppm 0.05 | ppm 0.1 | ppm 0.5 |
| G0676436 | | 0.15 | 0.74 | 51 | 0.235 | 3.58 | 69.3 | <0.5 |
| G0676437 | | 0.08 | 0.42 | 23 | 0.113 | 1.49 | 28.0 | <0.5 |
| G0676438 | | 0.18 | 0.90 | 45 | 0.225 | 5.31 | 91.7 | 0.7 |
| G0676439 | | 0.17 | 0.66 | 55 | 0.261 | 3.40 | 84.7 | <0.5 |
| G0676440 | | 0.18 | 0.62 | 96 | 0.262 | 4.27 | 68.1 | 0.6 |
| G0676441 | | 0.11 | 0.89 | 26 | 0.105 | 6.14 | 51.8 | 0.7 |
| G0676442 | | 0.25 | 0.87 | 61 | 0.369 | 4.63 | 108.5 | 2.7 |
| G0676443 | | 0.07 | 0.45 | 33 | 0.115 | 1.74 | 50.1 | <0.5 |
| G0676444 | | 0.11 | 0.50 | 53 | 0.220 | 2.81 | 53.0 | <0.5 |
| G0676445 | | 0.26 | 2.29 | 70 | 0.286 | 11.00 | 144.5 | 2.0 |
| G0676446 | | 0.09 | 0.45 | 51 | 0.399 | 2.93 | 49.3 | <0.5 |
| G0676447 | | 0.17 | 0.89 | 36 | 0.204 | 2.73 | 68.3 | <0.5 |
| G0676448 | | 0.26 | 0.87 | 80 | 0.377 | 3.71 | 153.5 | 2.0 |
| G0676700 | | 0.15 | 1.49 | 60 | 0.298 | 3.07 | 98.2 | <0.5 |
| G0676701 | | 0.18 | 1.14 | 86 | 0.288 | 4.37 | 83.3 | 1.0 |
| G0676702 | | 0.20 | 1.34 | 52 | 0.446 | 8.25 | 139.0 | 1.2 |
| G0676703 | | 0.15 | 1.16 | 38 | 0.274 | 6.01 | 97.6 | 1.5 |
| G0676704 | | 0.24 | 2.62 | 52 | 0.461 | 10.95 | 262 | 0.5 |
| G0676705 | | 0.02 | 0.22 | 9 | 0.0246 | 0.56 | 11.5 | <0.5 |
| G0676706 | | 0.19 | 0.93 | 64 | 0.191 | 4.15 | 146.0 | <0.5 |
| G0676707 | | 0.02 | 0.26 | 6 | 0.0261 | 0.63 | 6.4 | <0.5 |
| G0676708 | | 0.08 | 0.65 | 24 | 0.100 | 2.21 | 33.8 | <0.5 |
| G0676709 | | 0.28 | 0.93 | 73 | 0.314 | 3.94 | 112.5 | 0.9 |
| G0676710 | | 0.18 | 1.27 | 41 | 0.212 | 3.22 | 72.3 | <0.5 |
| G0676711 | | 0.17 | 1.19 | 37 | 0.193 | 5.37 | 81.7 | 0.8 |
| G0676712 | | 0.22 | 1.02 | 55 | 0.259 | 5.30 | 118.0 | 1.1 |
| G0676713 | | 0.20 | 1.98 | 45 | 0.286 | 8.12 | 134.5 | 1.3 |
| G0676714 | | 0.21 | 1.79 | 48 | 0.201 | 8.57 | 170.5 | 1.4 |
| G0676715 | | 0.37 | 4.93 | 62 | 0.297 | 10.35 | 180.0 | 1.9 |
| G0676716 | | 0.02 | 0.21 | 2 | 0.0182 | 0.70 | 8.5 | <0.5 |
| G0676717 | | 0.35 | 2.52 | 93 | 0.278 | 7.45 | 179.0 | 0.9 |
| G0676718 | | 0.31 | 1.53 | 95 | 0.236 | 5.45 | 161.0 | 0.6 |
| G0676719 | | 0.21 | 0.96 | 75 | 0.290 | 3.78 | 85.6 | 0.5 |
| G0676720 | | 0.21 | 1.05 | 61 | 0.290 | 5.15 | 140.5 | 1.0 |
| G0676721 | | 0.32 | 1.82 | 55 | 0.287 | 12.10 | 188.0 | 0.5 |
| G0676722 | | 0.34 | 1.95 | 82 | 0.342 | 3.48 | 147.5 | 0.6 |
| G0676723 | | 0.19 | 0.80 | 54 | 0.291 | 4.68 | 121.0 | 2.1 |
| G0676724 | | 0.20 | 0.77 | 73 | 0.361 | 4.12 | 100.5 | 0.6 |
| G0676725 | | 0.06 | 0.24 | 22 | 0.116 | 1.06 | 24.0 | <0.5 |
| G0676726 | | 0.22 | 1.34 | 51 | 0.251 | 4.58 | 135.0 | 0.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | ME-MS41L Au ppm 0.0002 | ME-MS41L Ag ppm 0.002 | ME-MS41L Al % 0.01 | ME-MS41L As ppm 0.02 | ME-MS41L B ppm 10 | ME-MS41L Ba ppm 0.5 | ME-MS41L Be ppm 0.05 | ME-MS41L Bi ppm 0.01 | ME-MS41L Ca % 0.01 | ME-MS41L Cd ppm 0.01 | ME-MS41L Ce ppm 0.02 | ME-MS41L Co ppm 0.1 | ME-MS41L Cr ppm 0.5 | ME-MS41L Cs ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|--------------------------------|-----------------------------|-------------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G0676727 | | 0.08 | 0.0030 | 0.190 | 1.10 | 8.17 | <10 | 371 | 0.40 | 0.24 | 0.21 | 0.23 | 20.2 | 4.8 | 12.7 | 2.51 |
| G0676728 | | 0.20 | 0.0020 | 0.171 | 1.02 | 8.70 | <10 | 203 | 0.57 | 0.25 | 0.15 | 0.24 | 24.3 | 13.4 | 12.1 | 2.67 |
| G0676729 | | 0.14 | 0.0030 | 0.592 | 1.28 | 11.25 | <10 | 576 | 0.61 | 0.26 | 0.61 | 0.54 | 26.7 | 11.3 | 14.5 | 4.34 |
| G0676730 | | 0.12 | 0.0025 | 0.334 | 1.00 | 11.35 | <10 | 511 | 0.50 | 0.26 | 0.29 | 0.60 | 23.1 | 7.0 | 13.4 | 2.15 |
| G0676731 | | 0.28 | 0.0028 | 0.076 | 1.23 | 28.9 | <10 | 211 | 0.30 | 0.52 | 0.06 | 0.17 | 31.9 | 5.3 | 20.6 | 2.28 |
| G0676732 | | 0.26 | 0.0065 | 0.188 | 1.98 | 33.0 | <10 | 582 | 0.84 | 0.51 | 0.17 | 0.53 | 43.4 | 35.2 | 27.7 | 4.18 |
| G0676733 | | 0.24 | 0.0022 | 0.181 | 1.14 | 22.7 | <10 | 293 | 0.33 | 0.40 | 0.03 | 0.26 | 26.2 | 5.5 | 14.0 | 2.24 |
| G0676734 | | 0.28 | 0.0059 | 0.179 | 2.76 | 48.0 | <10 | 298 | 0.80 | 0.47 | 0.12 | 0.40 | 33.9 | 17.5 | 61.9 | 4.44 |
| G0676735 | | 0.10 | 0.0054 | 0.337 | 0.69 | 9.08 | <10 | 750 | 0.16 | 0.25 | 0.10 | 0.20 | 11.70 | 4.2 | 11.4 | 1.63 |
| G0676736 | | 0.16 | 0.0030 | 0.476 | 0.56 | 2.75 | <10 | 329 | 0.31 | 0.08 | 0.04 | 0.25 | 8.99 | 4.9 | 5.1 | 0.81 |
| G0676737 | | 0.12 | 0.0020 | 0.099 | 0.10 | 0.08 | <10 | 15.9 | <0.05 | 0.01 | 0.03 | 0.04 | 0.36 | 0.5 | 0.9 | 0.06 |
| G0676738 | | 0.08 | 0.0017 | 0.809 | 0.43 | 1.98 | <10 | 480 | 0.12 | 0.07 | 0.43 | 0.88 | 9.90 | 4.2 | 6.2 | 0.58 |
| G0676739 | | 0.08 | 0.0032 | 0.224 | 0.87 | 7.78 | <10 | 400 | 0.35 | 0.34 | 0.16 | 0.38 | 19.45 | 2.5 | 13.3 | 1.43 |
| G0676740 | | 0.20 | 0.0046 | 0.369 | 1.16 | 30.2 | <10 | 394 | 0.42 | 0.42 | 0.13 | 0.47 | 36.3 | 6.0 | 15.0 | 2.32 |
| G0676741 | | 0.36 | 0.0075 | 0.206 | 2.25 | 45.0 | <10 | 329 | 0.90 | 0.60 | 0.10 | 0.36 | 36.4 | 12.8 | 24.2 | 3.03 |
| G0676742 | | 0.18 | 0.0042 | 0.793 | 1.31 | 27.4 | <10 | 279 | 0.42 | 0.47 | 0.06 | 0.13 | 35.2 | 6.8 | 22.2 | 7.45 |
| G0676743 | | 0.08 | 0.0062 | 0.638 | 0.57 | 5.84 | <10 | 307 | 0.20 | 0.13 | 0.26 | 0.36 | 11.70 | 3.7 | 7.3 | 2.46 |
| G0676744 | | 0.14 | 0.0056 | 0.145 | 0.92 | 15.50 | <10 | 410 | 0.26 | 0.28 | 0.28 | 0.16 | 18.75 | 3.8 | 12.0 | 2.63 |
| G0676745 | | 0.40 | 0.0091 | 0.233 | 1.35 | 37.4 | <10 | 1775 | 0.61 | 0.38 | 0.02 | 0.20 | 45.9 | 10.6 | 17.7 | 3.69 |
| G0676746 | | 0.22 | 0.0059 | 0.508 | 1.10 | 20.8 | <10 | 1415 | 0.38 | 0.24 | 0.04 | 0.27 | 28.4 | 8.3 | 14.4 | 2.20 |
| G0676747 | | 0.14 | 0.0023 | 0.174 | 1.18 | 10.35 | <10 | 481 | 0.49 | 0.26 | 0.40 | 0.21 | 29.6 | 8.0 | 15.4 | 3.19 |
| G0676748 | | 0.08 | 0.0021 | 0.288 | 0.79 | 5.97 | <10 | 321 | 0.27 | 0.10 | 0.29 | 0.23 | 9.66 | 5.5 | 5.7 | 1.47 |
| G0676749 | | 0.14 | 0.0014 | 0.072 | 1.18 | 10.00 | <10 | 300 | 0.35 | 0.30 | 0.35 | 0.12 | 27.9 | 6.8 | 15.2 | 2.16 |
| G0676750 | | 0.16 | 0.0009 | 0.075 | 1.16 | 5.76 | <10 | 243 | 0.45 | 0.19 | 0.57 | 0.12 | 28.0 | 5.3 | 9.2 | 2.17 |
| G0676751 | | 0.12 | 0.0024 | 0.300 | 0.95 | 6.44 | <10 | 206 | 0.54 | 0.23 | 0.54 | 0.23 | 30.4 | 15.5 | 23.0 | 0.88 |
| G0676752 | | 0.08 | 0.0028 | 0.551 | 0.73 | 5.25 | <10 | 197.5 | 0.48 | 0.16 | 1.47 | 0.27 | 23.0 | 6.4 | 12.9 | 1.09 |
| G0676753 | | 0.30 | 0.0035 | 0.041 | 1.85 | 12.40 | <10 | 101.5 | 0.64 | 0.36 | 0.03 | 0.11 | 42.5 | 8.4 | 31.3 | 1.72 |
| G0676754 | | 0.28 | 0.0018 | 0.150 | 2.10 | 28.6 | <10 | 105.0 | 0.87 | 0.54 | 0.01 | 0.22 | 51.3 | 12.6 | 34.5 | 3.51 |
| G0676755 | | 0.38 | 0.0012 | 0.041 | 2.01 | 12.00 | <10 | 130.5 | 0.69 | 0.32 | 0.03 | 0.19 | 38.8 | 9.9 | 30.9 | 1.66 |
| G0676756 | | 0.22 | 0.0014 | 0.044 | 2.01 | 32.2 | <10 | 136.0 | 0.46 | 0.44 | 0.06 | 0.13 | 37.4 | 9.3 | 30.4 | 1.29 |
| G0676757 | | 0.14 | 0.0021 | 0.094 | 1.33 | 59.4 | <10 | 129.5 | 0.62 | 0.55 | 0.10 | 0.21 | 29.7 | 4.4 | 23.5 | 1.65 |
| G0676758 | | 0.42 | 0.0042 | 0.038 | 1.58 | 48.6 | <10 | 165.0 | 1.15 | 1.31 | 0.06 | 0.27 | 41.0 | 18.7 | 33.8 | 1.34 |
| G0676759 | | 0.40 | 0.0025 | 0.047 | 2.07 | 15.65 | <10 | 194.5 | 1.39 | 0.36 | 0.02 | 0.24 | 30.8 | 19.6 | 37.4 | 1.21 |
| G0676760 | | 0.30 | 0.0017 | 0.077 | 1.98 | 19.10 | <10 | 129.5 | 0.89 | 0.34 | 0.01 | 0.23 | 26.8 | 10.3 | 38.0 | 1.51 |
| G0676761 | | 0.34 | 0.0013 | 0.095 | 1.62 | 14.15 | <10 | 104.0 | 0.42 | 0.36 | 0.02 | 0.18 | 22.9 | 8.5 | 32.3 | 1.25 |
| G0676762 | | 0.28 | 0.0013 | 0.050 | 1.57 | 39.4 | <10 | 96.2 | 0.34 | 0.71 | 0.03 | 0.12 | 24.0 | 8.9 | 34.8 | 1.47 |
| G0676763 | | 0.16 | 0.0027 | 0.128 | 1.08 | 58.5 | <10 | 103.5 | 0.26 | 0.91 | 0.11 | 0.06 | 14.80 | 3.7 | 15.1 | 1.11 |
| G0676764 | | 0.32 | 0.0011 | 0.022 | 1.76 | 26.1 | <10 | 229 | 0.59 | 0.51 | 0.21 | 0.20 | 22.7 | 10.1 | 28.5 | 1.22 |
| G0676765 | | 0.12 | 0.0004 | 0.204 | 0.83 | 21.1 | <10 | 94.6 | 0.40 | 0.15 | 0.19 | 0.11 | 11.10 | 1.8 | 4.0 | 0.56 |
| G0676766 | | 0.24 | <0.0002 | 0.054 | 0.36 | 2.31 | <10 | 16.0 | 0.06 | 0.05 | 0.04 | 0.02 | 2.60 | 0.8 | 1.5 | 0.12 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na | Nb |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.01 | 0.01 | 0.05 | 0.05 | 0.02 | 0.005 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 1 | 0.01 | 0.01 | 0.05 |
| G0676727 | | 24.5 | 1.48 | 4.12 | <0.05 | <0.02 | 0.032 | 0.021 | 0.07 | 10.3 | 11.2 | 0.17 | 217 | 1.35 | 0.03 | 0.64 |
| G0676728 | | 21.8 | 1.90 | 3.27 | <0.05 | <0.02 | 0.025 | 0.028 | 0.05 | 11.5 | 10.5 | 0.13 | 383 | 1.27 | 0.03 | 0.60 |
| G0676729 | | 36.9 | 1.84 | 4.25 | 0.11 | 0.04 | 0.054 | 0.027 | 0.08 | 13.2 | 17.8 | 0.21 | 1200 | 1.78 | 0.03 | 0.63 |
| G0676730 | | 35.2 | 1.82 | 3.42 | 0.11 | 0.03 | 0.033 | 0.025 | 0.06 | 11.4 | 12.9 | 0.21 | 453 | 1.84 | 0.03 | 0.61 |
| G0676731 | | 30.1 | 3.26 | 6.83 | 0.12 | <0.02 | 0.023 | 0.034 | 0.07 | 16.1 | 10.8 | 0.25 | 288 | 3.59 | 0.01 | 1.35 |
| G0676732 | | 92.9 | 4.02 | 5.42 | 0.14 | 0.11 | 0.026 | 0.053 | 0.13 | 20.9 | 30.7 | 0.49 | 2200 | 4.29 | 0.01 | 1.12 |
| G0676733 | | 31.3 | 2.59 | 5.76 | 0.11 | <0.02 | 0.021 | 0.030 | 0.05 | 13.2 | 11.5 | 0.14 | 228 | 2.88 | 0.01 | 0.99 |
| G0676734 | | 54.6 | 6.76 | 11.20 | 0.15 | 0.08 | 0.026 | 0.045 | 0.15 | 16.0 | 66.2 | 1.37 | 1580 | 3.34 | 0.01 | 2.64 |
| G0676735 | | 17.55 | 1.16 | 2.95 | 0.09 | <0.02 | 0.043 | 0.014 | 0.06 | 5.7 | 9.9 | 0.16 | 230 | 1.82 | 0.02 | 0.36 |
| G0676736 | | 15.55 | 0.68 | 1.47 | 0.09 | <0.02 | 0.029 | 0.008 | 0.03 | 4.0 | 3.1 | 0.04 | 235 | 0.54 | 0.02 | 0.21 |
| G0676737 | | 1.66 | 0.20 | 0.38 | 0.06 | <0.02 | 0.010 | <0.005 | 0.02 | 0.2 | 0.2 | 0.01 | 18 | 0.07 | 0.02 | 0.06 |
| G0676738 | | 16.60 | 0.38 | 1.62 | 0.09 | 0.02 | 0.045 | 0.006 | 0.03 | 4.5 | 4.4 | 0.06 | 569 | 0.88 | 0.04 | 0.31 |
| G0676739 | | 25.0 | 0.90 | 3.01 | 0.12 | 0.02 | 0.041 | 0.015 | 0.07 | 9.7 | 13.8 | 0.17 | 146 | 0.82 | 0.03 | 0.88 |
| G0676740 | | 40.2 | 2.49 | 4.34 | 0.12 | <0.02 | 0.029 | 0.035 | 0.08 | 18.5 | 18.4 | 0.33 | 264 | 3.14 | 0.01 | 0.70 |
| G0676741 | | 49.9 | 3.13 | 4.28 | 0.11 | 0.11 | 0.035 | 0.065 | 0.09 | 18.9 | 33.8 | 0.40 | 388 | 4.45 | 0.01 | 1.06 |
| G0676742 | | 35.3 | 2.86 | 5.86 | 0.12 | <0.02 | 0.051 | 0.032 | 0.12 | 18.9 | 17.5 | 0.32 | 533 | 5.12 | 0.01 | 0.81 |
| G0676743 | | 35.9 | 1.83 | 1.24 | 0.10 | <0.02 | 0.128 | 0.021 | 0.05 | 5.3 | 2.3 | 0.06 | 131 | 1.79 | 0.04 | 0.29 |
| G0676744 | | 30.4 | 1.96 | 3.98 | 0.10 | <0.02 | 0.038 | 0.025 | 0.05 | 9.4 | 13.8 | 0.14 | 214 | 1.88 | 0.03 | 0.54 |
| G0676745 | | 91.4 | 4.30 | 3.43 | 0.14 | 0.04 | 0.040 | 0.058 | 0.08 | 23.0 | 21.5 | 0.23 | 256 | 3.26 | 0.01 | 0.42 |
| G0676746 | | 52.7 | 2.82 | 4.08 | 0.11 | 0.03 | 0.029 | 0.040 | 0.05 | 14.4 | 14.8 | 0.11 | 355 | 2.91 | 0.01 | 0.62 |
| G0676747 | | 32.2 | 2.08 | 4.16 | 0.12 | 0.03 | 0.029 | 0.027 | 0.07 | 14.8 | 16.8 | 0.26 | 489 | 2.08 | 0.02 | 0.66 |
| G0676748 | | 14.45 | 1.37 | 2.60 | 0.09 | 0.02 | 0.026 | 0.011 | 0.05 | 4.1 | 4.4 | 0.06 | 1160 | 1.10 | 0.04 | 0.40 |
| G0676749 | | 13.90 | 2.14 | 5.00 | 0.10 | <0.02 | 0.020 | 0.020 | 0.07 | 13.7 | 13.8 | 0.25 | 302 | 1.53 | 0.02 | 0.63 |
| G0676750 | | 25.6 | 1.48 | 3.58 | 0.11 | <0.02 | 0.015 | 0.017 | 0.07 | 15.9 | 13.1 | 0.17 | 243 | 0.67 | 0.03 | 0.44 |
| G0676751 | | 28.5 | 2.56 | 3.95 | 0.11 | 0.02 | 0.071 | 0.024 | 0.09 | 14.9 | 11.9 | 0.29 | 1020 | 1.16 | 0.02 | 0.58 |
| G0676752 | | 33.1 | 1.79 | 2.62 | 0.12 | 0.02 | 0.105 | 0.020 | 0.09 | 11.9 | 7.0 | 0.20 | 350 | 1.32 | 0.03 | 0.51 |
| G0676753 | | 32.7 | 4.16 | 6.62 | 0.12 | 0.02 | 0.030 | 0.034 | 0.09 | 21.1 | 20.2 | 0.40 | 310 | 1.26 | 0.01 | 1.29 |
| G0676754 | | 40.2 | 5.43 | 6.88 | 0.13 | 0.06 | 0.026 | 0.041 | 0.11 | 24.8 | 41.6 | 0.48 | 538 | 3.64 | 0.01 | 1.07 |
| G0676755 | | 28.8 | 4.03 | 5.90 | 0.11 | 0.03 | 0.030 | 0.040 | 0.07 | 17.3 | 27.2 | 0.36 | 449 | 1.44 | 0.01 | 0.99 |
| G0676756 | | 34.1 | 4.64 | 8.08 | 0.12 | 0.02 | 0.025 | 0.042 | 0.08 | 17.5 | 18.7 | 0.37 | 450 | 1.28 | <0.01 | 1.86 |
| G0676757 | | 60.6 | 2.29 | 5.28 | 0.10 | <0.02 | 0.042 | 0.030 | 0.06 | 16.1 | 6.2 | 0.17 | 180 | 1.93 | 0.01 | 0.72 |
| G0676758 | | 55.9 | 4.35 | 5.37 | 0.13 | 0.02 | 0.044 | 0.058 | 0.09 | 18.9 | 26.6 | 0.46 | 903 | 1.41 | 0.01 | 1.07 |
| G0676759 | | 45.7 | 4.54 | 5.44 | 0.12 | 0.04 | 0.061 | 0.049 | 0.08 | 14.0 | 31.4 | 0.40 | 700 | 1.62 | 0.01 | 0.72 |
| G0676760 | | 35.2 | 4.38 | 5.92 | 0.11 | 0.05 | 0.049 | 0.042 | 0.08 | 12.8 | 25.0 | 0.40 | 475 | 1.48 | <0.01 | 1.08 |
| G0676761 | | 30.8 | 4.52 | 6.40 | 0.11 | 0.02 | 0.096 | 0.037 | 0.07 | 10.8 | 16.2 | 0.33 | 428 | 1.42 | 0.01 | 1.27 |
| G0676762 | | 27.4 | 4.62 | 7.74 | 0.11 | <0.02 | 0.033 | 0.036 | 0.08 | 11.4 | 9.9 | 0.33 | 404 | 1.89 | 0.01 | 0.80 |
| G0676763 | | 23.3 | 1.70 | 4.50 | 0.09 | <0.02 | 0.054 | 0.020 | 0.05 | 7.3 | 4.7 | 0.12 | 263 | 0.95 | 0.02 | 0.19 |
| G0676764 | | 30.2 | 4.22 | 6.49 | 0.10 | <0.02 | 0.041 | 0.041 | 0.07 | 10.4 | 17.9 | 0.33 | 558 | 1.37 | 0.01 | 0.73 |
| G0676765 | | 21.1 | 0.59 | 2.65 | <0.05 | <0.02 | 0.017 | 0.011 | 0.03 | 5.9 | 3.7 | 0.04 | 59 | 0.33 | 0.05 | 0.26 |
| G0676766 | | 5.06 | 0.30 | 1.56 | <0.05 | <0.02 | 0.009 | <0.005 | 0.02 | 1.3 | 0.4 | 0.02 | 18 | 0.09 | 0.04 | 0.12 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.001 | 0.01 | 0.1 | 0.001 | 0.01 | 0.005 | 0.1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0.1 | 0.001 |
| G0676727 | | 15.0 | 0.070 | 11.10 | 14.0 | <0.001 | 0.09 | 0.961 | 1.4 | 0.5 | 0.5 | 22.1 | <0.01 | 0.03 | 0.6 | 0.022 |
| G0676728 | | 11.7 | 0.074 | 32.7 | 9.6 | <0.001 | 0.08 | 1.460 | 1.1 | 0.8 | 0.4 | 16.7 | <0.01 | 0.04 | 0.7 | 0.023 |
| G0676729 | | 22.4 | 0.088 | 13.40 | 15.1 | 0.001 | 0.05 | 1.855 | 2.3 | 0.8 | 0.4 | 58.2 | <0.01 | 0.03 | 1.0 | 0.021 |
| G0676730 | | 20.1 | 0.065 | 12.85 | 11.8 | 0.001 | 0.04 | 1.730 | 1.9 | 0.8 | 0.4 | 30.3 | <0.01 | 0.05 | 1.0 | 0.023 |
| G0676731 | | 17.0 | 0.083 | 24.3 | 14.2 | <0.001 | 0.03 | 3.67 | 1.9 | 1.3 | 0.9 | 18.2 | <0.01 | 0.07 | 1.5 | 0.041 |
| G0676732 | | 52.6 | 0.091 | 28.9 | 16.4 | 0.001 | 0.06 | 6.03 | 4.3 | 1.9 | 0.7 | 38.4 | <0.01 | 0.10 | 7.1 | 0.053 |
| G0676733 | | 16.3 | 0.055 | 20.9 | 9.0 | 0.001 | 0.02 | 4.12 | 1.7 | 1.0 | 0.9 | 13.5 | <0.01 | 0.07 | 1.7 | 0.023 |
| G0676734 | | 40.3 | 0.090 | 35.8 | 21.8 | <0.001 | 0.03 | 11.75 | 4.6 | 2.4 | 0.8 | 27.7 | 0.02 | 0.13 | 6.0 | 0.098 |
| G0676735 | | 12.1 | 0.048 | 9.43 | 14.4 | <0.001 | 0.04 | 1.470 | 0.6 | 1.1 | 0.3 | 20.9 | <0.01 | 0.02 | 0.1 | 0.023 |
| G0676736 | | 4.7 | 0.047 | 3.81 | 6.5 | <0.001 | 0.03 | 0.817 | 0.1 | 1.0 | 0.2 | 11.5 | <0.01 | 0.01 | <0.1 | 0.014 |
| G0676737 | | 0.6 | 0.016 | 0.34 | 0.6 | <0.001 | 0.01 | 0.022 | 0.1 | <0.1 | <0.2 | 5.7 | <0.01 | <0.01 | <0.1 | 0.013 |
| G0676738 | | 7.6 | 0.077 | 4.23 | 4.6 | <0.001 | 0.06 | 1.850 | 0.8 | 1.7 | 0.3 | 50.4 | <0.01 | 0.01 | 0.4 | 0.012 |
| G0676739 | | 16.7 | 0.053 | 7.85 | 10.6 | 0.002 | 0.03 | 1.025 | 1.3 | 2.4 | 0.3 | 23.1 | <0.01 | 0.03 | 1.2 | 0.034 |
| G0676740 | | 23.5 | 0.075 | 21.7 | 9.5 | 0.001 | 0.02 | 4.80 | 2.3 | 1.3 | 0.8 | 28.4 | <0.01 | 0.06 | 2.7 | 0.026 |
| G0676741 | | 36.5 | 0.084 | 31.6 | 15.5 | 0.001 | 0.03 | 6.94 | 3.7 | 1.9 | 1.0 | 28.3 | 0.01 | 0.09 | 6.2 | 0.023 |
| G0676742 | | 18.2 | 0.070 | 30.2 | 19.0 | <0.001 | 0.03 | 8.86 | 2.0 | 2.2 | 0.7 | 30.8 | <0.01 | 0.11 | 1.0 | 0.025 |
| G0676743 | | 11.0 | 0.155 | 11.10 | 4.6 | 0.001 | 0.13 | 2.43 | 1.0 | 1.7 | 0.3 | 49.2 | <0.01 | 0.05 | 0.4 | 0.010 |
| G0676744 | | 31.7 | 0.068 | 13.15 | 10.4 | 0.001 | 0.03 | 2.94 | 1.2 | 1.5 | 0.4 | 56.6 | <0.01 | 0.04 | 0.3 | 0.027 |
| G0676745 | | 38.0 | 0.062 | 20.8 | 9.4 | 0.001 | 0.10 | 13.05 | 3.3 | 3.1 | 0.4 | 36.1 | <0.01 | 0.17 | 5.1 | 0.013 |
| G0676746 | | 23.8 | 0.042 | 16.80 | 9.6 | <0.001 | 0.05 | 5.28 | 1.8 | 1.8 | 0.5 | 25.1 | <0.01 | 0.08 | 2.3 | 0.014 |
| G0676747 | | 21.1 | 0.065 | 13.45 | 14.1 | 0.001 | 0.03 | 2.15 | 2.0 | 0.8 | 0.5 | 37.3 | <0.01 | 0.07 | 1.5 | 0.021 |
| G0676748 | | 11.3 | 0.065 | 5.49 | 5.2 | <0.001 | 0.03 | 0.797 | 0.8 | 0.8 | 0.2 | 24.1 | <0.01 | 0.03 | 0.5 | 0.023 |
| G0676749 | | 12.3 | 0.055 | 14.60 | 12.2 | <0.001 | 0.01 | 0.958 | 1.3 | 0.4 | 0.5 | 29.3 | <0.01 | 0.03 | 0.6 | 0.026 |
| G0676750 | | 12.0 | 0.044 | 10.40 | 10.0 | <0.001 | 0.02 | 0.739 | 1.2 | 0.3 | 0.4 | 51.7 | <0.01 | 0.03 | 0.6 | 0.017 |
| G0676751 | | 25.4 | 0.085 | 20.8 | 10.3 | <0.001 | 0.03 | 0.870 | 2.7 | 0.9 | 0.5 | 38.8 | <0.01 | 0.03 | 1.4 | 0.019 |
| G0676752 | | 16.9 | 0.094 | 13.65 | 10.0 | 0.001 | 0.08 | 0.981 | 2.0 | 1.0 | 0.5 | 87.1 | <0.01 | 0.03 | 0.7 | 0.012 |
| G0676753 | | 24.8 | 0.050 | 25.1 | 22.3 | <0.001 | 0.01 | 1.090 | 3.3 | 0.5 | 0.7 | 7.7 | <0.01 | 0.04 | 4.2 | 0.019 |
| G0676754 | | 30.3 | 0.042 | 23.9 | 28.6 | <0.001 | 0.01 | 2.01 | 3.7 | 0.9 | 0.8 | 8.2 | <0.01 | 0.07 | 6.9 | 0.016 |
| G0676755 | | 23.1 | 0.046 | 23.2 | 19.3 | <0.001 | 0.01 | 0.960 | 2.8 | 0.6 | 0.7 | 9.8 | <0.01 | 0.04 | 3.1 | 0.013 |
| G0676756 | | 22.7 | 0.054 | 27.4 | 20.0 | 0.001 | 0.01 | 1.455 | 3.3 | 0.5 | 0.9 | 16.3 | <0.01 | 0.06 | 3.3 | 0.019 |
| G0676757 | | 12.1 | 0.083 | 19.35 | 14.4 | <0.001 | 0.03 | 0.745 | 0.9 | 1.2 | 0.8 | 14.4 | <0.01 | 0.05 | 0.4 | 0.018 |
| G0676758 | | 34.4 | 0.057 | 49.2 | 17.5 | 0.001 | 0.01 | 3.42 | 4.0 | 1.0 | 0.8 | 16.5 | <0.01 | 0.05 | 3.9 | 0.024 |
| G0676759 | | 39.1 | 0.040 | 23.9 | 21.6 | <0.001 | <0.01 | 0.837 | 4.3 | 0.8 | 0.7 | 16.3 | <0.01 | 0.05 | 5.3 | 0.010 |
| G0676760 | | 25.0 | 0.042 | 19.50 | 21.8 | <0.001 | <0.01 | 0.922 | 3.8 | 0.8 | 0.7 | 9.9 | <0.01 | 0.04 | 4.7 | 0.014 |
| G0676761 | | 21.9 | 0.039 | 21.7 | 20.9 | <0.001 | 0.01 | 0.790 | 3.0 | 0.4 | 0.8 | 10.7 | <0.01 | 0.05 | 2.5 | 0.020 |
| G0676762 | | 18.3 | 0.061 | 25.7 | 20.6 | <0.001 | 0.02 | 0.929 | 1.6 | 0.8 | 0.9 | 10.4 | <0.01 | 0.07 | 0.3 | 0.024 |
| G0676763 | | 8.1 | 0.106 | 11.55 | 13.0 | <0.001 | 0.03 | 0.409 | 0.2 | 0.4 | 0.6 | 11.6 | <0.01 | 0.01 | <0.1 | 0.011 |
| G0676764 | | 19.5 | 0.077 | 19.45 | 24.8 | <0.001 | 0.01 | 0.701 | 1.9 | 0.8 | 0.9 | 21.9 | <0.01 | 0.04 | 0.9 | 0.014 |
| G0676765 | | 3.8 | 0.065 | 8.77 | 4.8 | <0.001 | 0.03 | 0.154 | 0.1 | 0.2 | <0.2 | 21.2 | <0.01 | <0.01 | <0.1 | 0.010 |
| G0676766 | | 0.8 | 0.018 | 2.79 | 1.2 | <0.001 | 0.02 | 0.051 | 0.1 | <0.1 | <0.2 | 7.8 | <0.01 | <0.01 | <0.1 | 0.016 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|-------------|-------------|----------|---------------|-------------|------------|------------|
| | | Ti | U | V | W | Y | Zn | Zr |
| | | ppm 0.02 | ppm 0.05 | ppm 1 | ppm 0.0001 | ppm 0.05 | ppm 0.1 | ppm 0.5 |
| G0676727 | | 0.13 | 1.42 | 27 | 0.164 | 3.71 | 66.4 | 0.5 |
| G0676728 | | 0.08 | 0.75 | 23 | 0.132 | 3.34 | 56.8 | <0.5 |
| G0676729 | | 0.17 | 1.81 | 30 | 0.192 | 8.20 | 88.3 | 1.1 |
| G0676730 | | 0.11 | 1.78 | 29 | 0.138 | 7.03 | 84.5 | 1.0 |
| G0676731 | | 0.17 | 0.80 | 67 | 0.296 | 3.61 | 78.8 | <0.5 |
| G0676732 | | 0.23 | 2.05 | 55 | 0.258 | 8.19 | 181.5 | 4.7 |
| G0676733 | | 0.14 | 0.58 | 56 | 0.340 | 2.66 | 73.1 | <0.5 |
| G0676734 | | 0.25 | 1.30 | 119 | 0.305 | 8.64 | 171.5 | 3.6 |
| G0676735 | | 0.13 | 0.49 | 25 | 0.127 | 1.87 | 47.5 | <0.5 |
| G0676736 | | 0.06 | 0.53 | 10 | 0.0494 | 1.46 | 16.5 | <0.5 |
| G0676737 | | <0.02 | 0.06 | 7 | 0.0109 | 0.09 | 5.1 | <0.5 |
| G0676738 | | 0.10 | 0.39 | 10 | 0.0578 | 2.70 | 41.0 | 0.8 |
| G0676739 | | 0.11 | 0.66 | 17 | 0.108 | 4.15 | 45.5 | 0.8 |
| G0676740 | | 0.17 | 1.10 | 40 | 0.265 | 5.88 | 102.5 | <0.5 |
| G0676741 | | 0.21 | 1.30 | 46 | 0.295 | 5.85 | 142.5 | 4.1 |
| G0676742 | | 0.26 | 0.91 | 59 | 0.333 | 3.60 | 76.5 | <0.5 |
| G0676743 | | 0.11 | 1.21 | 12 | 0.0607 | 3.89 | 46.4 | <0.5 |
| G0676744 | | 0.12 | 0.72 | 39 | 0.207 | 3.07 | 63.3 | <0.5 |
| G0676745 | | 0.11 | 0.95 | 37 | 0.126 | 4.68 | 131.5 | 1.8 |
| G0676746 | | 0.13 | 0.67 | 45 | 0.161 | 3.06 | 91.9 | 1.1 |
| G0676747 | | 0.15 | 1.06 | 37 | 0.281 | 5.08 | 83.5 | 1.0 |
| G0676748 | | 0.06 | 0.59 | 21 | 0.0898 | 2.38 | 38.6 | 0.6 |
| G0676749 | | 0.13 | 0.71 | 42 | 0.227 | 3.22 | 59.2 | <0.5 |
| G0676750 | | 0.10 | 0.68 | 22 | 0.0938 | 7.11 | 46.5 | <0.5 |
| G0676751 | | 0.14 | 0.70 | 31 | 0.0939 | 5.60 | 74.2 | 0.6 |
| G0676752 | | 0.12 | 0.93 | 20 | 0.0842 | 8.84 | 69.1 | 0.5 |
| G0676753 | | 0.19 | 0.58 | 51 | 0.126 | 3.53 | 82.0 | 0.7 |
| G0676754 | | 0.27 | 0.87 | 60 | 0.116 | 4.57 | 144.0 | 2.5 |
| G0676755 | | 0.22 | 0.70 | 49 | 0.129 | 3.59 | 72.6 | 0.7 |
| G0676756 | | 0.20 | 0.51 | 60 | 0.122 | 3.42 | 80.5 | 0.7 |
| G0676757 | | 0.15 | 1.27 | 45 | 0.177 | 4.43 | 52.1 | <0.5 |
| G0676758 | | 0.23 | 0.91 | 46 | 0.165 | 5.94 | 115.0 | 0.5 |
| G0676759 | | 0.21 | 0.76 | 41 | 0.0942 | 4.39 | 91.2 | 1.4 |
| G0676760 | | 0.22 | 0.70 | 51 | 0.107 | 3.37 | 102.5 | 1.7 |
| G0676761 | | 0.19 | 0.56 | 51 | 0.147 | 2.85 | 87.8 | 0.5 |
| G0676762 | | 0.18 | 0.59 | 59 | 0.139 | 2.86 | 75.2 | <0.5 |
| G0676763 | | 0.17 | 0.49 | 32 | 0.0864 | 1.65 | 30.0 | <0.5 |
| G0676764 | | 0.17 | 0.63 | 47 | 0.116 | 3.24 | 89.7 | <0.5 |
| G0676765 | | 0.05 | 0.47 | 11 | 0.146 | 2.59 | 17.8 | <0.5 |
| G0676766 | | 0.02 | 0.12 | 9 | 0.0271 | 0.47 | 4.6 | <0.5 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | ME-MS41L Au ppm 0.0002 | ME-MS41L Ag ppm 0.002 | ME-MS41L Al % 0.01 | ME-MS41L As ppm 0.02 | ME-MS41L B ppm 10 | ME-MS41L Ba ppm 0.5 | ME-MS41L Be ppm 0.05 | ME-MS41L Bi ppm 0.01 | ME-MS41L Ca % 0.01 | ME-MS41L Cd ppm 0.01 | ME-MS41L Ce ppm 0.02 | ME-MS41L Co ppm 0.1 | ME-MS41L Cr ppm 0.5 | ME-MS41L Cs ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------|--------------------------------|-----------------------------|-------------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G0676767 | | 0.22 | <0.0002 | 0.102 | 1.10 | 60.0 | <10 | 85.9 | 0.20 | 0.81 | 0.04 | 0.07 | 20.1 | 2.6 | 10.7 | 1.46 |
| G0676768 | | 0.12 | 0.0006 | 0.079 | 0.98 | 32.1 | <10 | 61.7 | 0.29 | 0.19 | 0.09 | 0.07 | 14.45 | 3.5 | 5.9 | 0.78 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na | Nb |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.01 | 0.01 | 0.05 | 0.05 | 0.02 | 0.005 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 1 | 0.01 | 0.01 | 0.05 |
| G0676767 | | 14.35 | 1.41 | 5.71 | <0.05 | <0.02 | 0.008 | 0.013 | 0.04 | 10.6 | 4.1 | 0.11 | 135 | 0.86 | 0.03 | 0.53 |
| G0676768 | | 18.25 | 1.10 | 3.51 | <0.05 | <0.02 | 0.011 | 0.013 | 0.03 | 6.6 | 6.0 | 0.04 | 274 | 0.48 | 0.04 | 0.30 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.1 | 0.001 | 0.01 | 0.1 | 0.001 | 0.01 | 0.005 | 0.1 | 0.1 | 0.2 | 0.2 | 0.01 | 0.01 | 0.1 | 0.001 |
| G0676767 | | 6.1 | 0.035 | 23.9 | 10.6 | <0.001 | 0.03 | 0.786 | 0.4 | 0.1 | 0.8 | 8.0 | <0.01 | 0.03 | 0.1 | 0.017 |
| G0676768 | | 3.5 | 0.057 | 7.38 | 5.2 | <0.001 | 0.03 | 0.313 | 0.2 | 0.4 | <0.2 | 9.3 | <0.01 | 0.02 | <0.1 | 0.015 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 1158-409 GRANVILLE ST
 VANCOUVER BC V6C 1T2

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2011
 Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Sample Description | Method Analyte Units LOR | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L | ME-MS41L |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Tl | U | V | W | Y | Zn | Zr |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.05 | 1 | 0.0001 | 0.05 | 0.1 | 0.5 |
| G0676767 | | 0.13 | 0.35 | 33 | 0.119 | 1.62 | 26.7 | <0.5 |
| G0676768 | | 0.06 | 0.32 | 22 | 0.0747 | 1.70 | 28.3 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
1158-409 GRANVILLE ST
VANCOUVER BC V6C 1T2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15-JUL-2011
Account: OVERRE

Project: SELAS/RIDDELL-B BLOCKS PROJECT

CERTIFICATE OF ANALYSIS WH11109464

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME-MS41L | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |