ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
This copy reported on
27-FEB-2012
Account: KETRIV

CERTIFICATE WH11239485

Project: Ketza River

P.O. No.: KR-11-1572

This report is for 125 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-NOV-2011.

The following have access to data associated with this certificate:

KETZA GENERIC ACCOUNT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **KETZA RIVER HOLDINGS LTD.**
ATTN: KETZA GENERIC ACCOUNT
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311403		0.51	<0.005		<0.2	0.02	2	<10	10	<0.5	<2	19.2	<0.5	1	1	1
I311404		6.71	<0.005		0.7	0.12	8	<10	20	<0.5	<2	>25.0	<0.5	1	2	129
I311405		6.38	<0.005		0.6	0.04	7	<10	10	<0.5	<2	>25.0	<0.5	1	1	5
I311406		4.31	<0.005		0.6	0.04	4	<10	10	<0.5	<2	>25.0	<0.5	1	1	1
I311407		7.21	<0.005		0.3	0.03	7	<10	10	<0.5	<2	>25.0	<0.5	2	1	1
I311408		2.02	<0.005		0.5	0.03	10	<10	10	<0.5	<2	>25.0	<0.5	1	1	4
I311409		4.11	<0.005		0.3	0.05	14	<10	10	<0.5	<2	>25.0	<0.5	2	1	3
I311410		1.71	0.008		0.3	0.02	237	<10	10	<0.5	2	21.3	<0.5	1	1	11
I311411		1.17	0.071		1.0	0.88	2920	<10	200	0.8	14	6.18	2.1	43	13	230
I311412		3.09	0.009		0.4	0.04	115	<10	10	<0.5	2	>25.0	<0.5	3	1	3
I311413		6.11	0.014		0.5	0.05	126	<10	10	<0.5	2	>25.0	<0.5	3	1	5
I311414		8.39	<0.005		0.8	0.05	28	<10	10	<0.5	<2	>25.0	<0.5	2	1	109
I311415		6.51	0.187		0.9	0.21	567	<10	20	<0.5	21	10.8	<0.5	<1	<1	49
I311416		7.18	0.057		0.7	0.09	354	<10	<10	<0.5	9	14.2	<0.5	<1	<1	106
I311417		4.36	0.038		0.3	0.06	265	<10	<10	<0.5	5	18.9	<0.5	<1	<1	75
I311418		8.26	0.472		0.8	0.11	1765	<10	10	<0.5	13	9.0	<0.5	<1	<1	123
I311419		0.44	<0.005		<0.2	0.02	14	<10	20	<0.5	<2	18.7	<0.5	1	8	4
I311420		0.22	7.01	6.52	0.9	1.19	14	<10	120	<0.5	<2	0.72	<0.5	8	30	55
I311421		4.84	0.058		0.5	0.06	572	<10	10	<0.5	10	9.2	<0.5	<1	<1	223
I311422		4.86	0.094		0.4	0.03	864	<10	<10	<0.5	9	16.2	<0.5	3	<1	102
I311423		5.23	0.058		0.6	0.02	421	<10	<10	<0.5	9	19.0	<0.5	<1	<1	54
I311424		6.74	0.030		0.4	0.01	238	<10	<10	<0.5	2	21.7	<0.5	<1	<1	5
I311425		6.66	0.190		0.6	0.03	835	<10	10	<0.5	21	10.7	<0.5	<1	<1	164
I311426		6.51	0.059		0.5	0.02	1620	<10	<10	<0.5	7	14.4	<0.5	1	<1	307
I311427		2.95	0.039		0.8	0.02	1725	<10	<10	<0.5	14	4.03	<0.5	<1	<1	928
I311428		3.22	0.039		0.6	0.04	683	<10	<10	<0.5	13	5.67	<0.5	<1	<1	689
I311429		7.98	0.045		0.5	0.04	592	<10	10	<0.5	13	2.18	<0.5	<1	<1	857
I311430		2.92	0.155		0.8	0.09	262	<10	10	<0.5	10	5.23	<0.5	<1	<1	671
I311431		0.42	<0.005		<0.2	0.02	6	<10	50	<0.5	<2	18.7	<0.5	1	<1	11
I311432		0.22	6.93	6.23	1.0	1.19	15	<10	150	<0.5	2	0.72	<0.5	7	29	54
I311433		4.30	0.341		0.4	0.04	>10000	<10	10	<0.5	6	1.76	<0.5	<1	<1	568
I311434		6.28	0.047		0.5	0.04	1185	<10	10	<0.5	5	5.16	<0.5	<1	<1	633
I311435		4.41	0.023		0.6	0.02	1205	<10	10	<0.5	7	4.75	<0.5	<1	<1	781
I311436		3.25	0.041		0.2	0.01	371	<10	<10	<0.5	7	9.6	<0.5	<1	<1	457
I311437		3.17	0.044		0.2	0.02	489	<10	<10	<0.5	9	7.4	<0.5	<1	<1	706
I311438		3.14	0.214		0.2	0.02	3120	<10	<10	<0.5	10	6.13	<0.5	5	<1	209
I311439		5.32	0.120		<0.2	0.05	4580	<10	10	<0.5	5	12.3	<0.5	<1	<1	198
I311440		3.85	0.056		<0.2	0.07	734	<10	10	<0.5	3	19.6	<0.5	<1	<1	61
I311441		6.26	0.175		<0.2	0.07	741	<10	10	<0.5	3	10.7	<0.5	<1	<1	21
I311442		5.49	0.093		0.3	0.07	192	<10	10	<0.5	16	8.5	<0.5	<1	5	19

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311403		0.44	<10	<1	0.01	<10	11.90	209	<1	0.02	3	180	<2	0.02	<2	<1
I311404		0.48	<10	<1	0.02	<10	1.12	323	<1	0.02	4	210	2	0.07	15	1
I311405		0.34	<10	<1	0.02	<10	0.99	305	1	0.02	4	210	3	0.06	<2	1
I311406		0.47	<10	<1	0.02	<10	1.82	382	<1	0.02	3	80	3	0.08	<2	1
I311407		0.35	<10	<1	0.01	<10	0.75	367	<1	0.02	2	80	2	0.10	<2	1
I311408		0.54	<10	<1	0.02	<10	1.85	433	<1	0.03	3	100	2	0.08	<2	1
I311409		0.57	<10	<1	0.03	10	0.83	776	<1	0.02	4	170	2	0.18	<2	1
I311410		2.34	<10	<1	0.01	10	0.72	3980	<1	0.02	2	50	3	0.14	3	1
I311411		14.15	<10	<1	0.12	20	0.60	7750	5	0.03	108	780	29	0.04	30	4
I311412		0.91	<10	1	0.02	<10	1.42	1185	<1	0.02	5	100	2	0.12	<2	1
I311413		1.12	<10	<1	0.03	10	1.33	1240	1	0.02	6	130	2	0.40	<2	1
I311414		0.71	<10	<1	0.02	<10	1.47	832	<1	0.02	4	90	3	0.12	8	1
I311415		31.7	<10	<1	0.09	<10	2.21	18650	<1	0.03	<1	80	41	6.91	<2	1
I311416		23.1	<10	<1	0.01	<10	2.92	8610	<1	0.02	<1	50	27	>10.0	<2	<1
I311417		12.35	<10	<1	0.01	10	3.05	7930	<1	0.02	<1	70	14	7.96	<2	1
I311418		30.8	<10	<1	0.06	<10	1.60	14550	<1	0.02	<1	70	43	>10.0	3	1
I311419		0.50	<10	<1	0.01	<10	11.50	248	<1	0.02	3	170	<2	0.05	<2	<1
I311420		3.27	<10	3	0.14	10	0.52	392	643	0.09	25	490	4	0.87	22	4
I311421		35.3	<10	<1	0.01	<10	1.92	4130	<1	0.02	<1	30	49	>10.0	<2	<1
I311422		17.8	<10	<1	0.01	<10	3.09	7120	<1	0.02	<1	40	18	>10.0	4	1
I311423		9.32	<10	<1	0.01	<10	4.35	8200	<1	0.02	1	30	12	5.35	3	1
I311424		5.31	<10	<1	<0.01	<10	3.23	7900	<1	0.02	1	90	5	0.87	<2	<1
I311425		30.0	<10	<1	0.01	<10	2.23	10200	<1	0.03	<1	90	38	>10.0	<2	1
I311426		26.4	<10	<1	0.01	10	1.55	4590	<1	0.03	<1	30	32	>10.0	<2	1
I311427		48.4	<10	<1	0.01	<10	1.38	1180	<1	0.02	<1	20	84	>10.0	<2	1
I311428		44.0	<10	<1	0.01	<10	1.39	6980	<1	0.02	<1	50	71	>10.0	<2	1
I311429		>50	<10	<1	0.02	<10	0.42	4900	<1	0.02	<1	50	91	>10.0	<2	1
I311430		45.8	<10	<1	0.01	<10	1.21	11200	<1	0.03	<1	30	78	>10.0	<2	1
I311431		0.76	<10	<1	0.01	<10	11.65	285	<1	0.02	2	160	<2	0.21	<2	<1
I311432		3.21	<10	2	0.14	10	0.51	384	644	0.09	24	470	5	0.86	21	4
I311433		>50	<10	<1	0.02	<10	0.33	3670	<1	0.01	<1	40	<2	9.41	9	1
I311434		45.6	<10	<1	0.01	<10	1.45	6740	<1	0.01	<1	30	<2	>10.0	<2	1
I311435		47.7	<10	1	<0.01	<10	1.33	6550	<1	0.01	<1	30	<2	>10.0	<2	1
I311436		35.2	<10	<1	<0.01	<10	3.40	6680	<1	0.01	<1	40	<2	>10.0	<2	<1
I311437		40.4	<10	1	0.01	<10	2.41	4960	<1	0.01	<1	40	<2	>10.0	<2	1
I311438		33.1	<10	<1	<0.01	<10	1.59	5260	<1	0.01	<1	90	<2	>10.0	6	1
I311439		28.2	<10	<1	0.01	<10	1.95	8640	<1	0.01	<1	140	<2	>10.0	2	1
I311440		9.69	<10	1	0.01	10	2.25	11000	<1	0.01	<1	40	2	4.88	2	1
I311441		21.7	<10	<1	0.02	<10	1.62	11000	<1	0.01	<1	60	<2	3.70	<2	<1
I311442		11.90	<10	1	0.02	<10	0.90	7580	<1	0.01	<1	40	<2	3.37	<2	<1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	As-OG46 As % 0.01
I311403		48	<20	<0.01	<10	<10	2	<10	26	
I311404		490	<20	<0.01	<10	<10	3	<10	14	
I311405		563	<20	<0.01	<10	<10	3	<10	12	
I311406		525	<20	<0.01	<10	<10	4	<10	5	
I311407		487	<20	<0.01	<10	10	3	<10	4	
I311408		492	<20	<0.01	<10	<10	3	<10	19	
I311409		454	<20	<0.01	<10	<10	3	<10	9	
I311410		225	<20	<0.01	<10	<10	3	<10	6	
I311411		118	<20	0.03	<10	<10	28	<10	218	
I311412		498	<20	<0.01	<10	<10	5	<10	7	
I311413		485	<20	<0.01	<10	<10	4	<10	7	
I311414		490	<20	<0.01	<10	<10	3	<10	9	
I311415		95	<20	<0.01	<10	<10	9	<10	10	
I311416		97	<20	<0.01	<10	<10	6	<10	6	
I311417		129	<20	<0.01	<10	<10	3	<10	8	
I311418		88	<20	<0.01	<10	<10	5	<10	10	
I311419		56	<20	<0.01	<10	<10	2	<10	20	
I311420		48	<20	0.10	<10	<10	55	10	50	
I311421		58	<20	<0.01	<10	<10	5	<10	7	
I311422		114	<20	<0.01	<10	<10	4	<10	7	
I311423		166	<20	<0.01	<10	<10	3	<10	8	
I311424		291	<20	<0.01	<10	<10	3	<10	6	
I311425		91	<20	<0.01	<10	<10	5	<10	9	
I311426		111	<20	<0.01	<10	<10	3	<10	5	
I311427		34	<20	<0.01	<10	<10	4	<10	4	
I311428		37	<20	<0.01	<10	<10	4	<10	4	
I311429		14	<20	<0.01	<10	<10	4	<10	4	
I311430		28	<20	<0.01	<10	<10	5	<10	6	
I311431		49	<20	<0.01	<10	<10	1	<10	17	
I311432		49	<20	0.10	<10	<10	55	<10	49	
I311433		8	<20	<0.01	<10	<10	7	<10	4	1.12
I311434		38	<20	<0.01	<10	<10	6	<10	3	
I311435		34	<20	<0.01	<10	<10	5	<10	<2	
I311436		80	<20	<0.01	<10	<10	5	<10	3	
I311437		60	<20	<0.01	<10	<10	6	<10	3	
I311438		45	<20	<0.01	<10	<10	4	<10	6	
I311439		103	<20	<0.01	<10	<10	5	<10	7	
I311440		188	<20	<0.01	<10	<10	4	<10	7	
I311441		127	<20	<0.01	<10	<10	5	<10	7	
I311442		81	<20	<0.01	<10	<10	2	<10	6	

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311443		6.16	0.036		0.3	0.05	1330	<10	10	<0.5	9	3.54	<0.5	2	<1	191
I311444		6.69	0.095		0.4	0.12	255	<10	10	<0.5	3	7.8	<0.5	<1	<1	46
I311445		5.85	0.224		0.4	0.24	2110	<10	10	<0.5	5	11.1	<0.5	<1	<1	83
I311446		2.77	0.280		<0.2	0.04	366	<10	10	<0.5	40	2.62	<0.5	30	<1	174
I311447		5.45	0.544		0.2	0.09	524	<10	10	<0.5	26	17.1	<0.5	16	<1	69
I311448		3.15	0.014		<0.2	0.15	98	<10	10	<0.5	<2	>25.0	<0.5	2	2	24
I311449		5.22	0.026		<0.2	0.23	134	<10	10	<0.5	<2	>25.0	<0.5	1	2	23
I311450		6.04	0.016		<0.2	0.16	110	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311451		7.20	<0.005		<0.2	0.11	17	<10	10	<0.5	<2	>25.0	<0.5	3	1	2
I311452		7.65	0.006		<0.2	0.26	21	<10	30	<0.5	<2	24.6	<0.5	7	2	6
I311453		8.83	<0.005		<0.2	0.24	18	<10	30	<0.5	<2	>25.0	<0.5	5	2	3
I311454		1.84	<0.005		<0.2	0.11	34	<10	20	<0.5	<2	>25.0	<0.5	3	1	2
I311455		6.21	<0.005		<0.2	0.12	28	<10	20	<0.5	<2	>25.0	<0.5	3	1	2
I311456		7.45	0.008		<0.2	0.15	29	<10	20	<0.5	<2	>25.0	<0.5	10	1	4
I311457		7.80	0.016		<0.2	0.10	39	<10	10	<0.5	<2	>25.0	<0.5	9	1	7
I311458		4.95	0.008		<0.2	0.22	19	<10	20	<0.5	<2	22.9	<0.5	8	2	3
I311459		6.63	0.028		<0.2	0.68	45	<10	30	<0.5	6	21.2	<0.5	10	6	4
I311460		8.03	0.012		<0.2	0.46	28	<10	30	<0.5	2	19.3	<0.5	9	4	7
I311461		5.11	<0.005		<0.2	2.14	17	<10	50	0.5	<2	8.7	<0.5	14	24	19
I311462		5.38	0.008		<0.2	2.31	22	<10	50	0.6	<2	9.6	<0.5	14	26	18
I311463		5.25	0.007		<0.2	2.83	66	<10	60	0.6	<2	8.7	<0.5	14	32	33
I311464		6.83	0.046		<0.2	2.80	259	<10	50	0.7	<2	9.4	<0.5	15	32	29
I311465		6.03	0.009		<0.2	2.79	26	<10	60	0.7	<2	9.6	<0.5	15	31	31
I311466		5.34	0.013		<0.2	2.53	18	<10	60	0.7	<2	8.5	<0.5	14	29	18
I311467		5.18	0.022		<0.2	0.81	17	<10	30	0.5	<2	19.7	<0.5	12	7	7
I311468		8.56	0.018		<0.2	0.37	30	<10	30	<0.5	<2	20.6	<0.5	5	3	8
I311469		5.08	0.020		<0.2	0.79	10	<10	30	0.5	3	19.6	<0.5	8	7	10
I311470		6.55	0.009		<0.2	2.06	18	<10	40	0.6	2	14.4	<0.5	12	22	21
I311471		9.21	<0.005		<0.2	2.85	40	<10	70	0.7	<2	7.9	<0.5	17	31	27
I311472		8.18	<0.005		<0.2	2.47	16	<10	60	0.6	2	8.9	<0.5	14	26	16
I311473		5.66	<0.005		<0.2	2.84	14	<10	60	0.7	<2	8.9	<0.5	13	31	25
I311474		4.33	<0.005		<0.2	2.51	18	<10	50	0.7	<2	11.1	<0.5	15	27	22
I311475		6.49	<0.005		<0.2	2.63	21	<10	60	0.7	<2	9.1	<0.5	15	30	25
I311476		5.65	<0.005		<0.2	2.75	39	<10	60	0.8	2	8.1	<0.5	15	32	23
I311477		7.79	<0.005		<0.2	2.72	18	<10	60	0.8	2	8.4	<0.5	14	31	31
I311478		8.04	<0.005		<0.2	2.97	14	<10	60	0.7	2	7.1	<0.5	15	35	28
I311479		7.19	<0.005		<0.2	2.74	11	<10	60	0.7	2	8.1	<0.5	15	31	37
I311480		6.49	<0.005		<0.2	2.64	6	<10	50	0.6	<2	9.0	<0.5	14	30	31
I311481		8.81	<0.005		<0.2	3.01	9	<10	60	0.8	<2	5.53	<0.5	15	37	25
I311482		6.75	<0.005		<0.2	3.15	9	<10	60	1.0	2	3.28	<0.5	15	39	25

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311443		>50	<10	1	0.02	<10	0.43	2950	<1	0.01	<1	40	<2	9.79	<2	<1
I311444		40.4	<10	1	0.07	<10	2.06	17600	<1	0.01	<1	30	<2	5.48	<2	1
I311445		32.0	<10	1	0.12	<10	2.12	16050	<1	0.01	<1	120	<2	>10.0	<2	1
I311446		>50	<10	1	0.02	<10	0.29	1820	<1	0.01	5	30	<2	9.10	<2	<1
I311447		21.1	<10	<1	0.02	10	1.48	10750	<1	0.01	<1	60	2	>10.0	<2	1
I311448		1.18	<10	<1	0.04	10	0.88	1515	<1	0.01	2	60	3	0.52	<2	1
I311449		3.86	<10	1	0.05	<10	1.01	7100	<1	0.01	<1	60	4	1.08	<2	1
I311450		1.61	<10	1	0.04	<10	0.79	3250	<1	0.01	<1	70	2	0.44	<2	1
I311451		0.72	<10	<1	0.06	10	0.88	419	<1	0.01	5	170	3	0.39	<2	2
I311452		1.56	<10	1	0.15	10	1.57	373	<1	0.01	12	280	5	1.00	2	3
I311453		1.36	<10	<1	0.14	10	1.43	365	<1	0.01	10	250	6	0.81	3	3
I311454		0.94	<10	<1	0.05	<10	0.51	1315	<1	0.01	8	110	2	0.27	2	1
I311455		0.96	<10	<1	0.06	10	0.95	783	<1	0.01	5	210	3	0.48	2	2
I311456		1.28	<10	<1	0.09	10	0.37	1000	<1	0.01	11	190	5	1.10	4	2
I311457		1.34	<10	1	0.06	<10	0.31	1005	<1	0.01	11	140	6	1.18	3	2
I311458		2.40	<10	1	0.13	<10	1.91	1410	<1	0.01	11	240	6	1.11	3	3
I311459		4.18	<10	1	0.19	10	1.82	3780	<1	0.01	15	340	11	1.76	4	4
I311460		2.25	<10	1	0.20	10	1.35	1395	<1	0.01	14	300	9	0.79	10	3
I311461		3.56	<10	1	0.31	20	1.27	425	<1	0.02	36	400	6	0.79	13	4
I311462		3.74	<10	<1	0.31	10	1.43	408	<1	0.02	30	400	6	0.70	<2	3
I311463		3.99	10	1	0.32	20	1.43	309	<1	0.03	34	430	5	0.53	<2	3
I311464		4.17	10	1	0.28	20	1.49	344	<1	0.03	33	520	4	0.84	2	4
I311465		4.11	10	1	0.28	20	1.49	334	<1	0.03	33	500	5	0.75	<2	4
I311466		3.55	10	1	0.31	20	1.32	269	<1	0.04	35	550	7	0.75	6	3
I311467		3.15	<10	1	0.17	10	2.27	771	<1	0.02	15	360	10	1.11	3	3
I311468		2.47	<10	1	0.15	10	2.58	718	<1	0.02	9	340	6	0.44	<2	3
I311469		2.33	<10	1	0.17	10	1.71	693	<1	0.03	16	400	9	0.44	2	4
I311470		3.15	<10	1	0.20	10	1.14	535	<1	0.03	26	470	10	0.70	2	4
I311471		4.34	10	1	0.26	20	1.30	605	<1	0.05	38	470	9	0.95	2	4
I311472		3.82	10	1	0.23	20	1.17	761	<1	0.04	33	500	10	0.90	2	3
I311473		4.10	10	1	0.25	30	1.35	794	<1	0.05	34	470	9	0.41	2	4
I311474		3.72	10	<1	0.22	30	1.20	927	<1	0.04	30	470	9	0.50	<2	4
I311475		4.05	10	<1	0.25	30	1.28	792	<1	0.04	34	510	8	0.60	3	4
I311476		4.26	10	1	0.25	30	1.35	844	<1	0.04	36	540	8	0.88	<2	3
I311477		4.08	10	1	0.27	30	1.32	930	<1	0.04	33	570	7	0.54	<2	3
I311478		4.33	10	1	0.25	30	1.42	889	<1	0.04	35	530	7	0.51	<2	4
I311479		4.13	10	1	0.27	30	1.29	1025	<1	0.04	31	520	8	0.63	<2	3
I311480		3.97	10	1	0.24	20	1.25	1150	<1	0.04	33	750	8	0.54	<2	3
I311481		4.49	10	<1	0.28	30	1.44	878	<1	0.04	36	560	5	0.33	<2	3
I311482		4.82	10	<1	0.31	40	1.53	624	<1	0.03	41	540	3	0.41	2	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	As-OG46 As % 0.01
I311443		26	<20	<0.01	<10	<10	6	<10	<2	
I311444		79	<20	<0.01	<10	<10	7	10	8	
I311445		135	<20	<0.01	<10	<10	6	<10	9	
I311446		24	<20	<0.01	<10	<10	6	<10	<2	
I311447		176	<20	<0.01	<10	<10	4	<10	21	
I311448		613	<20	<0.01	<10	10	2	<10	6	
I311449		373	<20	<0.01	<10	<10	3	<10	6	
I311450		595	<20	<0.01	<10	10	2	<10	6	
I311451		832	<20	<0.01	<10	10	1	<10	2	
I311452		719	<20	<0.01	<10	<10	2	<10	5	
I311453		724	<20	<0.01	<10	<10	1	<10	6	
I311454		497	<20	<0.01	<10	10	1	<10	9	
I311455		778	<20	<0.01	<10	10	1	<10	6	
I311456		794	<20	<0.01	<10	<10	1	<10	3	
I311457		763	<20	<0.01	<10	<10	1	<10	5	
I311458		729	<20	<0.01	<10	<10	1	<10	9	
I311459		533	<20	<0.01	<10	<10	5	<10	25	
I311460		548	<20	<0.01	<10	<10	2	<10	11	
I311461		248	20	<0.01	<10	<10	10	<10	43	
I311462		304	20	0.01	<10	<10	11	<10	46	
I311463		283	20	0.01	<10	<10	13	<10	66	
I311464		312	20	0.01	<10	<10	13	<10	73	
I311465		302	20	<0.01	<10	<10	12	<10	75	
I311466		265	20	0.01	<10	<10	12	<10	69	
I311467		695	<20	<0.01	<10	<10	4	<10	33	
I311468		722	<20	<0.01	<10	<10	2	<10	31	
I311469		715	20	<0.01	<10	<10	5	<10	32	
I311470		520	20	<0.01	<10	<10	10	<10	72	
I311471		256	20	0.01	<10	<10	14	<10	95	
I311472		272	20	<0.01	<10	<10	11	<10	75	
I311473		275	20	0.01	<10	<10	13	<10	87	
I311474		350	20	<0.01	<10	<10	12	<10	73	
I311475		289	20	<0.01	<10	<10	13	<10	75	
I311476		239	20	0.01	<10	<10	14	<10	81	
I311477		252	20	0.01	<10	<10	13	<10	76	
I311478		210	20	0.01	<10	<10	15	<10	81	
I311479		234	20	<0.01	<10	<10	13	<10	68	
I311480		257	20	0.01	<10	<10	14	<10	58	
I311481		158	20	0.01	<10	<10	16	<10	63	
I311482		96	20	0.01	<10	<10	16	<10	57	

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311483		8.47	<0.005		0.2	2.88	9	<10	60	1.0	15	2.90	<0.5	17	34	121
I311484		6.70	<0.005		<0.2	2.97	13	<10	60	0.9	<2	3.69	<0.5	20	38	33
I311485		6.97	<0.005		<0.2	2.73	11	<10	60	0.8	3	2.36	<0.5	15	35	71
I311486		8.69	<0.005		<0.2	2.98	7	<10	60	0.8	3	2.88	<0.5	18	39	34
I311487		7.26	<0.005		<0.2	3.36	10	<10	70	1.0	2	3.61	<0.5	16	44	23
I311488		8.33	<0.005		<0.2	3.14	13	<10	60	1.1	3	2.94	<0.5	20	42	41
I311489		8.24	<0.005		<0.2	2.37	26	<10	60	0.9	17	2.93	<0.5	17	29	106
I311490		6.83	0.010		0.2	1.37	25	<10	50	0.7	265	0.87	<0.5	29	15	424
I311491		3.96	0.011		0.2	1.02	3	<10	50	0.6	50	1.42	<0.5	24	12	315
I311492		4.81	0.080		<0.2	2.73	11	<10	50	1.0	14	3.27	<0.5	19	34	113
I311493		4.39	0.022		<0.2	2.96	25	<10	50	1.0	9	3.10	<0.5	20	36	26
I311494		3.17	0.012		0.4	0.51	6	<10	30	<0.5	1250	1.22	<0.5	52	8	816
I311495		4.48	0.064		0.3	1.27	251	<10	50	0.7	162	2.66	<0.5	31	14	340
I311496		9.63	0.010		<0.2	2.84	22	<10	50	1.2	11	4.24	<0.5	21	36	33
I311497		8.72	<0.005		<0.2	3.08	20	<10	50	1.1	<2	6.15	<0.5	17	39	35
I311498		5.67	0.005		<0.2	2.80	8	<10	50	1.1	17	3.36	<0.5	18	36	69
I311499		5.63	<0.005		<0.2	2.86	17	<10	50	1.1	3	3.05	<0.5	20	38	52
I311500		5.41	0.008		<0.2	3.02	21	<10	40	0.9	<2	4.71	<0.5	18	41	31
I311536		7.40	<0.005		<0.2	3.10	21	<10	50	1.1	<2	4.62	<0.5	17	41	39
I311537		4.77	<0.005		<0.2	2.00	10	<10	50	0.7	8	3.69	<0.5	20	24	171
I311538		5.58	0.005		<0.2	2.07	9	<10	50	0.7	117	1.41	<0.5	34	23	182
I311539		8.30	<0.005		<0.2	2.66	9	<10	50	1.1	2	4.26	<0.5	22	34	59
I311540		8.65	<0.005		<0.2	2.59	11	<10	50	1.0	<2	4.05	<0.5	18	32	52
I311541		9.24	0.005		0.2	1.61	5	<10	50	0.6	73	0.94	<0.5	27	18	403
I311542		4.73	0.007		0.2	0.99	30	<10	40	<0.5	370	0.43	<0.5	42	10	564
I311543		5.62	0.011		0.2	1.19	32	<10	40	<0.5	1170	0.72	<0.5	43	11	435
I311544		8.57	<0.005		<0.2	0.06	2	<10	10	<0.5	5	17.5	<0.5	2	<1	5
I311545		0.55	<0.005		0.9	1.23	17	<10	80	<0.5	<2	0.74	<0.5	8	30	54
I311546		0.22	6.44	6.63	<0.2	1.48	6	<10	40	0.7	3	2.77	<0.5	12	18	46
I311547		7.04	<0.005		<0.2	1.88	7	<10	50	0.8	3	4.46	<0.5	13	21	78
I311548		8.49	<0.005		<0.2	0.04	<2	<10	<10	<0.5	<2	0.18	<0.5	1	1	1
I311549		8.08	<0.005		<0.2	2.28	6	<10	40	1.0	4	7.1	<0.5	15	25	47
I311550		9.13	0.020		0.2	0.99	80	<10	50	0.7	8	5.69	<0.5	14	12	89
I312001		4.67	0.015		0.9	0.76	466	<10	50	0.6	12	4.27	<0.5	26	9	128
I312002		4.76	0.007		0.5	0.75	819	<10	50	0.6	3	4.73	<0.5	21	8	74
I312003		8.27	<0.005		<0.2	2.84	23	<10	50	0.8	<2	6.34	<0.5	14	38	23
I312004		7.35	0.011		<0.2	1.98	65	<10	60	0.9	22	4.69	<0.5	24	23	110
I312005		7.21	0.021		0.4	0.92	22	<10	30	<0.5	201	0.22	<0.5	83	10	642
I312006		9.35	<0.005		<0.2	1.80	3	<10	60	0.9	3	1.18	<0.5	16	22	75
I312007		5.65	<0.005		<0.2	2.01	<2	<10	50	0.9	2	1.60	<0.5	19	28	52

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311483		5.97	10	<1	0.35	30	1.45	495	<1	0.02	38	500	6	2.21	<2	3
I311484		4.78	10	1	0.31	30	1.41	621	<1	0.03	46	490	5	0.59	<2	3
I311485		4.78	10	1	0.37	20	1.37	371	<1	0.03	42	440	4	1.30	<2	2
I311486		4.97	10	1	0.30	30	1.43	535	<1	0.03	43	460	3	0.73	2	3
I311487		5.09	10	1	0.36	40	1.54	765	<1	0.03	43	520	4	0.29	<2	3
I311488		5.22	10	1	0.32	30	1.51	578	<1	0.03	46	490	3	0.65	<2	3
I311489		5.81	10	1	0.44	10	1.42	443	<1	0.02	44	440	3	2.15	<2	3
I311490		11.60	<10	1	0.43	10	0.79	97	<1	0.02	46	500	6	8.45	4	2
I311491		9.22	<10	<1	0.41	20	0.67	146	<1	0.02	31	520	3	5.01	<2	2
I311492		6.33	10	1	0.35	20	1.44	482	<1	0.02	41	500	<2	2.06	2	3
I311493		5.25	10	1	0.37	20	1.49	557	<1	0.02	41	540	<2	0.74	<2	3
I311494		22.4	<10	<1	0.23	<10	0.18	262	<1	0.01	32	180	207	9.69	15	1
I311495		12.05	<10	<1	0.38	<10	1.16	361	<1	0.02	35	380	38	6.64	4	2
I311496		5.25	10	<1	0.30	20	1.43	728	<1	0.02	39	500	3	0.92	<2	3
I311497		4.61	10	1	0.29	30	1.47	1020	<1	0.03	39	520	5	0.32	<2	3
I311498		5.17	10	<1	0.33	30	1.44	548	<1	0.02	41	480	5	1.32	<2	3
I311499		5.26	10	<1	0.36	30	1.51	521	<1	0.03	42	520	4	1.14	<2	3
I311500		5.07	10	<1	0.25	30	1.49	850	<1	0.03	46	490	4	0.69	<2	3
I311536		4.93	10	<1	0.31	30	1.54	848	<1	0.03	40	500	2	0.34	<2	3
I311537		6.26	10	<1	0.40	30	1.29	413	<1	0.02	35	470	5	2.91	3	2
I311538		7.41	10	<1	0.53	20	1.23	206	<1	0.02	43	450	6	3.91	6	2
I311539		5.29	10	<1	0.36	30	1.36	633	<1	0.02	33	490	<2	1.27	<2	3
I311540		4.75	<10	1	0.37	30	1.30	601	<1	0.02	39	510	4	1.06	<2	2
I311541		7.80	<10	<1	0.65	10	1.12	175	<1	0.02	38	490	12	4.06	2	2
I311542		11.50	<10	<1	0.47	10	0.76	151	<1	0.02	32	400	58	6.46	5	2
I311543		11.45	<10	<1	0.51	10	0.74	246	<1	0.02	31	390	214	6.72	13	2
I311544		0.44	<10	<1	0.03	<10	10.75	180	<1	0.01	1	160	2	0.04	<2	<1
I311545		3.36	<10	2	0.14	10	0.55	405	663	0.08	25	500	4	0.87	24	4
I311546		3.93	<10	<1	0.40	20	1.10	369	1	0.02	30	460	2	0.95	12	2
I311547		4.37	<10	<1	0.48	30	1.17	448	<1	0.02	27	540	2	1.55	<2	3
I311548		0.09	<10	<1	0.01	<10	0.03	16	<1	0.01	<1	10	<2	0.02	<2	<1
I311549		4.12	<10	<1	0.38	40	1.24	698	<1	0.02	28	520	3	1.13	<2	3
I311550		4.93	<10	<1	0.45	20	1.18	583	<1	0.02	26	470	4	2.14	8	3
I312001		6.18	<10	<1	0.43	10	1.17	516	<1	0.02	27	440	8	4.27	18	3
I312002		4.99	<10	<1	0.43	10	1.30	512	<1	0.02	34	430	8	3.33	11	4
I312003		4.12	10	<1	0.26	20	1.37	1005	<1	0.05	29	510	4	0.31	<2	4
I312004		5.91	<10	<1	0.43	20	1.15	585	<1	0.03	28	530	7	2.82	<2	3
I312005		21.0	<10	<1	0.33	10	0.44	91	<1	0.02	66	320	88	9.59	6	1
I312006		4.13	<10	1	0.53	20	1.20	110	<1	0.02	39	600	3	1.43	<2	2
I312007		4.46	<10	<1	0.68	20	1.23	176	<1	0.03	42	560	3	1.41	<2	2

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	As-OG46 As % 0.01
I311483		103	20	0.01	<10	<10	14	<10	32	
I311484		105	20	0.01	<10	<10	16	<10	47	
I311485		85	20	0.01	<10	<10	14	<10	31	
I311486		85	20	0.01	<10	<10	16	<10	41	
I311487		109	20	0.01	<10	<10	18	<10	57	
I311488		95	20	0.01	<10	<10	17	<10	43	
I311489		135	<20	0.01	<10	<10	13	<10	18	
I311490		60	<20	<0.01	<10	<10	9	<10	8	
I311491		68	<20	<0.01	<10	<10	7	<10	8	
I311492		138	20	0.01	<10	<10	14	<10	25	
I311493		110	20	0.01	<10	<10	15	<10	33	
I311494		43	<20	<0.01	<10	<10	4	<10	20	
I311495		128	<20	<0.01	<10	<10	8	<10	22	
I311496		150	20	0.01	<10	<10	15	<10	42	
I311497		198	20	0.01	<10	<10	17	<10	47	
I311498		120	20	0.01	<10	<10	15	<10	28	
I311499		117	20	0.01	<10	<10	15	<10	32	
I311500		129	20	0.01	<10	<10	16	<10	61	
I311536		144	20	0.01	<10	<10	16	<10	50	
I311537		158	20	0.01	<10	<10	10	<10	17	
I311538		69	<20	0.01	<10	<10	12	<10	14	
I311539		158	<20	0.01	<10	<10	14	<10	35	
I311540		159	<20	0.01	<10	<10	14	<10	29	
I311541		70	<20	0.02	<10	<10	10	<10	29	
I311542		36	<20	<0.01	<10	<10	6	<10	24	
I311543		48	<20	<0.01	<10	<10	8	<10	67	
I311544		52	<20	<0.01	<10	<10	2	<10	17	
I311545		49	<20	0.10	<10	<10	55	10	51	
I311546		111	<20	0.01	<10	<10	10	<10	18	
I311547		140	20	0.01	<10	<10	10	<10	19	
I311548		5	<20	<0.01	<10	<10	<1	<10	<2	
I311549		201	20	0.01	<10	<10	12	<10	31	
I311550		240	<20	<0.01	<10	<10	7	<10	41	
I312001		231	<20	<0.01	<10	<10	7	<10	22	
I312002		302	<20	<0.01	<10	<10	6	<10	34	
I312003		234	<20	0.01	<10	<10	17	<10	74	
I312004		200	<20	0.01	<10	<10	12	<10	28	
I312005		26	<20	<0.01	<10	<10	6	<10	10	
I312006		144	<20	0.01	<10	<10	10	<10	9	
I312007		155	<20	0.04	<10	<10	13	<10	10	

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I312008		7.83	<0.005		<0.2	3.34	2	<10	60	0.9	<2	2.20	<0.5	29	43	52
I312009		7.92	<0.005		<0.2	2.52	5	<10	40	0.7	<2	9.0	<0.5	14	34	36
I312010		3.08	0.028		0.3	1.70	3	<10	30	0.7	25	10.8	<0.5	31	20	148
I312011		10.81	<0.005		<0.2	2.62	<2	<10	40	0.6	<2	10.4	<0.5	14	34	32
I312012		4.20	<0.005		<0.2	2.92	3	<10	40	0.6	<2	7.4	<0.5	13	42	16

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
I312008		5.78	10	<1	0.34	30	1.27	468	<1	0.15	65	510	17	1.68	3	3
I312009		3.61	<10	<1	0.32	20	1.10	551	<1	0.06	29	490	2	0.63	<2	4
I312010		7.05	<10	<1	0.35	20	0.87	454	<1	0.03	25	430	10	3.41	2	3
I312011		3.59	<10	<1	0.28	20	1.15	591	<1	0.10	28	400	<2	0.80	<2	4
I312012		3.87	10	<1	0.34	20	1.41	515	<1	0.06	34	520	<2	0.51	<2	4

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 15-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11239485

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	As-OG46 As % 0.01
I312008		111	<20	0.03	<10	<10	20	<10	98	
I312009		184	<20	0.14	<10	<10	18	<10	37	
I312010		256	<20	0.11	<10	<10	12	<10	13	
I312011		256	<20	0.11	<10	<10	19	<10	33	
I312012		151	<20	0.16	<10	<10	24	<10	44	

Comments: ***Corrected copy with additional analytes for ME-ICP41***