ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
This copy reported on
27-FEB-2012
Account: KETRIV

CERTIFICATE WH11263234

Project: Ketza River

P.O. No.: KR-11-1579

This report is for 70 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-DEC-2011.

The following have access to data associated with this certificate:

KETZA GENERIC ACCOUNT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **KETZA RIVER HOLDINGS LTD.**
ATTN: KETZA GENERIC ACCOUNT
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I313619		0.56	<0.005		<0.2	0.03	4	<10	<10	<0.5	<2	19.9	<0.5	<1	<1	1
I313620		3.92	<0.005		<0.2	1.59	37	<10	20	<0.5	<2	13.2	<0.5	7	14	13
I313621		3.51	<0.005		<0.2	0.64	12	<10	10	0.5	<2	21.2	<0.5	9	6	23
I313622		3.75	<0.005		<0.2	0.61	64	<10	10	<0.5	<2	23.6	<0.5	23	3	60
I313623		1.79	<0.005		<0.2	2.39	16	<10	40	0.5	<2	0.19	<0.5	20	30	67
I313624		8.53	<0.005		<0.2	2.74	10	<10	40	0.5	<2	0.23	<0.5	19	34	33
I313625		7.93	<0.005		<0.2	2.86	4	<10	40	0.5	<2	1.05	<0.5	19	36	30
I313626		5.63	0.010		<0.2	2.64	7	<10	30	0.5	<2	1.18	<0.5	12	32	9
I313627		4.99	<0.005		<0.2	3.03	7	<10	40	0.6	<2	0.94	<0.5	22	41	28
I313628		6.61	<0.005		<0.2	3.02	4	<10	40	0.6	<2	0.58	<0.5	19	37	25
I313629		3.15	<0.005		<0.2	2.91	11	<10	40	0.6	<2	0.25	<0.5	20	36	35
I313630		4.65	<0.005		<0.2	3.14	5	<10	40	0.6	<2	0.33	<0.5	20	39	34
I313631		8.06	<0.005		<0.2	2.69	10	<10	40	0.7	<2	0.61	<0.5	16	33	38
I313632		3.89	<0.005		<0.2	2.24	25	<10	40	0.6	<2	1.14	1.4	16	28	54
I313633		1.71	0.009		<0.2	0.50	42	<10	20	<0.5	2	12.3	0.7	16	4	57
I313634		3.82	<0.005		<0.2	1.73	16	<10	30	0.5	<2	12.2	0.6	13	18	33
I313635		3.60	<0.005		0.2	0.79	90	<10	20	0.5	3	6.67	<0.5	9	8	63
I313636		7.18	<0.005		<0.2	0.11	17	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	30
I313637		6.33	<0.005		<0.2	0.04	7	<10	<10	<0.5	<2	>25.0	<0.5	2	1	2
I313638		0.61	0.015		<0.2	0.03	<2	<10	<10	<0.5	<2	20.0	<0.5	1	<1	1
I313639		0.19	6.43	6.46	0.8	1.17	14	<10	110	<0.5	<2	0.69	<0.5	7	29	55
I313640		4.68	<0.005		<0.2	0.08	55	<10	<10	<0.5	<2	23.2	<0.5	3	1	3
I313641		3.53	<0.005		<0.2	0.04	99	<10	<10	<0.5	<2	>25.0	2.2	<1	<1	15
I313642		3.09	0.012		<0.2	0.04	26	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	6
I313643		6.83	<0.005		<0.2	0.54	296	10	10	<0.5	<2	9.7	<0.5	10	<1	7
I313644		11.29	<0.005		<0.2	0.03	46	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	1
I313645		0.98	<0.005		<0.2	0.06	646	<10	<10	<0.5	<2	>25.0	<0.5	5	1	10
I313646		6.02	<0.005		<0.2	0.04	71	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	1
I313647		7.73	0.010		<0.2	0.04	176	<10	10	<0.5	<2	>25.0	<0.5	2	1	3
I313648		5.04	<0.005		<0.2	0.02	193	<10	<10	<0.5	<2	>25.0	<0.5	1	1	<1
I313649		5.36	<0.005		<0.2	0.02	180	<10	<10	<0.5	<2	>25.0	<0.5	2	1	4
I313650		6.25	<0.005		<0.2	0.02	206	<10	<10	<0.5	<2	>25.0	<0.5	2	1	4
I313651		3.93	<0.005		<0.2	0.02	214	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	23
I313652		3.74	0.069		0.2	0.02	587	<10	<10	<0.5	2	24.4	<0.5	2	<1	81
I313653		2.76	0.007		<0.2	0.02	93	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	7
I313654		3.62	0.238		0.4	0.02	760	<10	<10	<0.5	11	23.7	<0.5	1	<1	29
I313655		0.69	0.011		<0.2	0.02	6	<10	10	<0.5	<2	19.5	<0.5	1	<1	1
I313656		0.19	6.56	6.33	0.8	1.22	15	<10	110	<0.5	<2	0.72	<0.5	8	30	57
I313657		1.39	0.006		<0.2	0.02	272	<10	10	<0.5	<2	>25.0	<0.5	1	<1	3
I313658		5.67	0.012		<0.2	0.02	71	<10	<10	<0.5	<2	>25.0	<0.5	1	1	<1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I313619		0.45	<10	<1	0.01	<10	11.75	209	<1	0.02	2	190	<2	0.02	<2	<1
I313620		3.27	<10	<1	0.17	30	0.64	1365	<1	0.02	18	370	4	0.02	3	3
I313621		3.55	<10	<1	0.12	10	0.76	2800	<1	0.02	15	170	5	0.09	<2	3
I313622		4.36	<10	<1	0.08	10	0.46	3310	<1	0.02	22	130	10	0.13	4	3
I313623		4.49	<10	<1	0.23	60	0.91	286	<1	0.02	51	430	3	0.02	<2	2
I313624		5.16	10	<1	0.22	60	1.08	373	<1	0.02	49	400	2	0.01	<2	2
I313625		5.33	10	<1	0.22	50	1.15	572	<1	0.02	44	400	3	0.01	<2	3
I313626		4.69	10	<1	0.24	40	1.15	380	<1	0.02	42	390	<2	0.02	<2	2
I313627		5.88	10	<1	0.22	40	1.31	463	<1	0.01	53	390	2	0.07	3	3
I313628		5.48	10	<1	0.23	40	1.26	368	<1	0.02	47	400	3	0.07	<2	3
I313629		5.65	10	<1	0.21	40	1.23	376	<1	0.01	50	400	3	0.02	2	2
I313630		5.73	10	<1	0.24	50	1.36	367	<1	0.02	51	400	<2	0.02	<2	3
I313631		5.02	10	<1	0.23	40	1.17	330	<1	0.02	44	390	4	0.03	<2	3
I313632		4.77	<10	<1	0.25	40	1.20	440	<1	0.02	49	460	5	0.03	5	3
I313633		5.40	<10	<1	0.19	10	0.37	1905	<1	0.04	32	300	9	0.07	6	2
I313634		4.29	<10	1	0.22	20	1.64	1375	<1	0.04	32	300	3	0.05	9	3
I313635		4.64	<10	<1	0.17	20	0.50	1020	1	0.03	27	330	115	0.07	8	3
I313636		0.72	<10	<1	0.06	<10	0.39	436	1	0.04	5	110	63	0.09	<2	1
I313637		0.66	<10	<1	0.02	<10	1.28	544	1	0.04	2	70	7	0.10	2	1
I313638		0.47	<10	<1	0.02	<10	12.05	225	<1	0.04	1	230	<2	0.01	<2	<1
I313639		3.25	<10	2	0.13	<10	0.50	390	650	0.10	23	470	5	0.84	23	4
I313640		1.82	<10	<1	0.04	<10	3.06	1020	1	0.04	6	270	3	0.34	<2	1
I313641		2.17	<10	<1	0.01	<10	1.49	847	<1	0.03	1	140	2	0.12	3	<1
I313642		0.66	<10	<1	0.01	<10	1.47	428	<1	0.04	<1	60	2	0.04	<2	1
I313643		4.78	<10	<1	0.22	20	0.97	1090	3	0.05	4	3950	2	0.15	3	2
I313644		0.60	<10	<1	0.01	<10	1.94	348	<1	0.04	2	80	<2	0.04	<2	<1
I313645		5.84	<10	<1	0.03	<10	1.34	1330	1	0.04	4	180	3	0.04	2	1
I313646		0.83	<10	<1	0.02	<10	1.56	495	<1	0.04	2	100	2	0.06	<2	1
I313647		1.12	<10	<1	0.02	<10	2.41	449	<1	0.02	5	70	<2	0.09	<2	1
I313648		0.95	<10	<1	0.01	<10	1.61	420	<1	0.02	3	40	<2	0.08	2	<1
I313649		1.80	<10	<1	<0.01	<10	2.88	975	<1	0.02	3	50	<2	0.11	<2	1
I313650		1.28	<10	<1	<0.01	<10	1.81	776	<1	0.02	3	50	<2	0.13	<2	<1
I313651		1.33	<10	<1	<0.01	<10	2.27	822	<1	0.02	4	60	<2	0.12	4	<1
I313652		4.33	<10	<1	0.01	<10	2.23	4080	<1	0.02	3	40	2	3.13	20	<1
I313653		1.48	<10	<1	0.01	<10	2.29	1745	<1	0.02	2	70	<2	0.33	3	<1
I313654		4.78	<10	<1	<0.01	<10	2.02	3210	<1	0.02	3	60	<2	2.63	12	<1
I313655		0.44	<10	<1	0.01	<10	11.60	237	<1	0.02	1	160	<2	0.07	<2	<1
I313656		3.22	<10	2	0.14	10	0.52	405	709	0.08	25	500	4	0.89	21	4
I313657		2.82	<10	<1	<0.01	<10	1.23	1605	1	0.02	2	70	<2	0.10	3	1
I313658		0.78	<10	<1	0.01	<10	1.70	662	<1	0.02	1	60	<2	0.08	2	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Cu-OG46 Cu % 0.001	As-OG46 As % 0.01
I313619		53	<20	<0.01	<10	<10	3	<10	20		
I313620		153	20	<0.01	<10	<10	8	<10	37		
I313621		341	<20	<0.01	<10	<10	5	<10	28		
I313622		411	<20	<0.01	<10	<10	4	<10	44		
I313623		10	20	<0.01	<10	<10	12	<10	64		
I313624		9	20	<0.01	<10	<10	14	<10	89		
I313625		11	20	<0.01	<10	<10	15	<10	85		
I313626		10	20	<0.01	<10	<10	14	<10	50		
I313627		12	20	<0.01	<10	<10	16	<10	100		
I313628		12	20	<0.01	<10	<10	15	<10	105		
I313629		7	20	<0.01	<10	<10	15	<10	135		
I313630		8	20	<0.01	<10	<10	16	<10	116		
I313631		8	20	<0.01	<10	<10	14	<10	120		
I313632		17	20	<0.01	<10	<10	11	<10	148		
I313633		159	<20	<0.01	<10	<10	4	<10	160		
I313634		186	<20	0.01	<10	<10	8	<10	87		
I313635		85	<20	<0.01	<10	<10	6	<10	69		
I313636		637	<20	<0.01	<10	10	1	<10	10		
I313637		497	<20	<0.01	<10	10	3	<10	7		
I313638		49	<20	<0.01	<10	<10	2	<10	15		
I313639		47	<20	0.10	<10	<10	53	10	49		
I313640		377	<20	<0.01	<10	<10	4	<10	6		
I313641		449	<20	<0.01	<10	10	1	<10	14		
I313642		558	<20	<0.01	<10	10	2	<10	5		
I313643		192	<20	<0.01	<10	<10	6	<10	26		
I313644		530	<20	<0.01	<10	10	2	<10	4		
I313645		483	<20	<0.01	<10	10	2	<10	28		
I313646		500	<20	<0.01	<10	10	1	<10	4		
I313647		528	<20	<0.01	<10	<10	3	<10	10		
I313648		552	<20	<0.01	<10	<10	3	<10	8		
I313649		408	<20	<0.01	<10	<10	1	<10	11		
I313650		435	<20	<0.01	<10	<10	1	<10	12		
I313651		463	<20	<0.01	<10	<10	1	<10	12		
I313652		303	<20	<0.01	<10	<10	2	<10	23		
I313653		427	<20	<0.01	<10	<10	2	<10	6		
I313654		328	<20	<0.01	<10	<10	2	<10	15		
I313655		63	<20	<0.01	<10	<10	2	<10	20		
I313656		51	<20	0.10	<10	<10	55	10	51		
I313657		430	<20	<0.01	<10	<10	1	<10	23		
I313658		453	<20	<0.01	<10	<10	1	<10	8		

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I313659		7.73	<0.005		<0.2	0.01	51	<10	<10	<0.5	<2	>25.0	<0.5	1	1	<1
I313660		4.99	0.016		<0.2	0.02	88	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I313661		2.62	<0.005		<0.2	0.01	102	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	<1
I313662		3.37	<0.005		<0.2	0.04	1190	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	43
I313663		5.66	<0.005		<0.2	0.02	98	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	5
I313664		1.21	0.016		<0.2	0.01	108	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	19
I313665		5.31	<0.005		<0.2	0.02	23	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I313666		8.87	0.013		<0.2	0.02	26	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I313667		5.66	<0.005		<0.2	0.02	15	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I313668		1.43	0.027		<0.2	0.01	12	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	189
I313669		4.61	<0.005		<0.2	0.08	8	<10	<10	<0.5	<2	>25.0	<0.5	2	1	7
I313670		1.56	0.078		7.1	0.02	3	<10	<10	<0.5	<2	>25.0	<0.5	3	<1	4590
I313671		4.46	0.012		<0.2	0.06	8	<10	<10	<0.5	<2	>25.0	<0.5	2	1	118
I313672		4.40	0.044		<0.2	0.02	22	<10	<10	<0.5	<2	>25.0	<0.5	2	1	59
I313673		0.84	<0.005		<0.2	0.03	2	<10	10	<0.5	<2	19.5	<0.5	1	<1	1
I313674		0.20	6.32	6.99	1.0	1.14	14	<10	100	<0.5	<2	0.63	<0.5	8	30	57
I313675		1.54	1.675	2.08	3.3	0.03	998	<10	<10	<0.5	34	18.0	0.7	1	<1	402
I313676		7.58	0.018		<0.2	0.02	124	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	48
I313677		5.05	0.078		<0.2	0.01	21	<10	<10	<0.5	<2	>25.0	<0.5	1	1	5
I313678		6.74	0.029		<0.2	0.01	74	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	11
I313679		5.23	0.171		3.4	0.01	94	<10	<10	<0.5	12	>25.0	<0.5	1	<1	59
I313680		2.12	6.98	6.68	8.4	0.02	>10000	<10	<10	<0.5	43	8.5	<0.5	<1	<1	552
I313681		11.11	1.230	1.22	6.3	0.02	2510	<10	<10	<0.5	30	12.1	<0.5	<1	<1	314
I313682		6.54	0.037		0.4	0.01	208	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	51
I313683		7.05	0.015		0.3	0.02	54	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	8
I313684		4.86	0.006		<0.2	0.02	27	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	1
I313685		7.61	<0.005		<0.2	0.02	12	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	1
I313686		8.84	<0.005		<0.2	0.04	32	<10	<10	<0.5	<2	>25.0	<0.5	2	1	1
I313687		8.97	0.006		<0.2	0.28	21	<10	10	<0.5	<2	20.5	<0.5	9	2	6
I313688		7.33	0.007		<0.2	0.83	30	<10	20	0.5	<2	12.3	<0.5	14	9	20

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I313659		0.52	<10	<1	<0.01	<10	1.48	569	<1	0.02	2	50	<2	0.07	2	1
I313660		1.17	<10	1	<0.01	<10	2.39	1685	<1	0.02	2	60	<2	0.12	3	<1
I313661		0.79	<10	<1	<0.01	<10	1.37	639	<1	0.02	2	40	<2	0.08	<2	<1
I313662		3.94	<10	<1	<0.01	<10	2.00	1590	<1	0.02	4	60	<2	0.07	4	<1
I313663		0.71	<10	<1	<0.01	<10	1.89	577	<1	0.02	1	50	<2	0.09	<2	<1
I313664		1.91	<10	<1	<0.01	<10	0.37	3620	<1	0.02	2	20	<2	0.86	5	<1
I313665		0.57	<10	<1	0.01	<10	1.51	835	<1	0.02	<1	60	<2	0.17	<2	<1
I313666		0.49	<10	<1	0.01	<10	1.76	548	<1	0.02	1	100	<2	0.16	<2	<1
I313667		0.35	<10	<1	0.01	<10	0.69	460	<1	0.02	1	100	<2	0.13	<2	<1
I313668		0.63	<10	<1	<0.01	10	0.25	1115	<1	0.02	8	20	<2	0.19	2	1
I313669		0.37	<10	<1	0.02	<10	0.94	421	1	0.02	2	60	<2	0.23	2	1
I313670		0.73	<10	<1	0.01	<10	0.75	458	<1	0.02	4	40	<2	0.68	<2	<1
I313671		0.48	<10	<1	0.02	<10	1.82	408	<1	0.02	3	60	<2	0.30	<2	<1
I313672		0.55	<10	<1	0.01	<10	0.69	625	<1	0.02	1	50	3	0.53	<2	<1
I313673		0.44	<10	<1	0.01	<10	11.60	213	<1	0.02	<1	170	<2	0.07	<2	<1
I313674		3.08	<10	2	0.13	<10	0.49	387	693	0.07	25	480	4	0.84	20	4
I313675		21.0	<10	<1	0.01	<10	0.30	497	1	0.02	7	50	82	>10.0	10	<1
I313676		1.45	<10	<1	<0.01	<10	1.43	1110	1	0.02	1	50	2	0.99	3	<1
I313677		0.79	<10	<1	<0.01	<10	2.36	606	<1	0.02	1	40	<2	0.31	<2	<1
I313678		1.33	<10	1	<0.01	<10	1.22	794	<1	0.02	4	30	<2	0.59	2	<1
I313679		4.64	<10	<1	<0.01	<10	3.69	2640	<1	0.02	3	50	102	3.07	7	<1
I313680		39.7	<10	<1	0.01	<10	1.10	1800	<1	0.01	<1	60	181	>10.0	57	<1
I313681		25.4	<10	<1	0.01	<10	2.67	11500	<1	0.02	<1	70	17	>10.0	55	<1
I313682		0.81	<10	<1	<0.01	<10	1.15	1630	<1	0.02	2	60	3	0.56	12	<1
I313683		0.90	<10	1	0.01	<10	1.30	3590	<1	0.04	2	40	3	0.33	4	<1
I313684		0.60	<10	<1	0.01	<10	1.26	3980	<1	0.03	2	50	2	0.18	<2	<1
I313685		0.31	<10	<1	0.01	<10	0.83	387	<1	0.04	1	50	<2	0.08	<2	<1
I313686		0.74	<10	<1	0.02	<10	1.03	612	<1	0.04	3	60	2	0.13	<2	1
I313687		2.32	<10	<1	0.16	10	1.49	522	<1	0.04	18	270	8	1.94	2	2
I313688		3.39	<10	<1	0.22	30	1.19	526	<1	0.05	26	340	8	2.24	3	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 14-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11263234

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Cu-OG46 Cu % 0.001	As-OG46 As % 0.01
I313659		455	<20	<0.01	<10	<10	1	<10	9		
I313660		407	<20	<0.01	<10	<10	1	<10	5		
I313661		408	<20	<0.01	<10	<10	1	<10	7		
I313662		358	<20	<0.01	<10	<10	1	<10	26		
I313663		410	<20	<0.01	<10	<10	1	<10	4		
I313664		245	<20	<0.01	<10	<10	1	<10	3		
I313665		519	<20	<0.01	<10	<10	1	<10	2		
I313666		577	<20	<0.01	<10	<10	1	<10	3		
I313667		543	<20	<0.01	<10	<10	1	<10	<2		
I313668		610	<20	<0.01	<10	<10	1	<10	2		
I313669		573	<20	<0.01	<10	<10	2	<10	<2		
I313670		816	<20	<0.01	<10	<10	1	<10	14	0.402	
I313671		560	<20	<0.01	<10	<10	2	<10	<2		
I313672		495	<20	<0.01	<10	<10	2	<10	<2		
I313673		61	<20	<0.01	<10	<10	1	<10	18		
I313674		47	<20	0.10	<10	<10	55	10	51		
I313675		245	<20	<0.01	<10	<10	3	<10	6		
I313676		466	<20	<0.01	<10	<10	1	<10	6		
I313677		444	<20	<0.01	<10	<10	2	<10	<2		
I313678		382	<20	<0.01	<10	<10	1	<10	6		
I313679		289	<20	<0.01	<10	<10	2	<10	5		
I313680		88	<20	<0.01	<10	<10	6	<10	3		2.81
I313681		107	<20	<0.01	<10	<10	5	<10	19		
I313682		530	<20	<0.01	<10	<10	3	<10	3		
I313683		495	<20	<0.01	<10	10	1	<10	6		
I313684		479	<20	<0.01	<10	10	1	<10	2		
I313685		520	<20	<0.01	<10	10	1	<10	2		
I313686		777	<20	<0.01	<10	10	1	<10	9		
I313687		1060	20	<0.01	<10	<10	2	<10	6		
I313688		594	20	<0.01	<10	<10	5	<10	20		

Comments: ***Corrected copy with additional analytes for ME-ICP41***