ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
This copy reported on
27-FEB-2012
Account: KETRIV

CERTIFICATE WH11230801

Project: Ketza River

P.O. No.: KR-11-1580

This report is for 95 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-NOV-2011.

The following have access to data associated with this certificate:

KETZA GENERIC ACCOUNT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **KETZA RIVER HOLDINGS LTD.**
ATTN: KETZA GENERIC ACCOUNT
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311854		0.37	<0.005		<0.2	0.02	2	<10	10	<0.5	<2	18.4	<0.5	2	1	1
I311855		3.34	0.020		0.8	0.61	34	<10	150	<0.5	<2	0.06	1.0	5	10	24
I311856		4.03	0.026		1.3	0.50	47	<10	110	<0.5	2	0.02	1.6	5	9	39
I311857		4.22	0.018		0.8	0.50	45	<10	110	<0.5	2	0.03	1.3	6	9	30
I311858		4.68	0.012		1.0	0.49	52	<10	110	<0.5	<2	0.01	0.8	3	8	10
I311859		3.59	0.016		1.7	0.53	130	<10	180	<0.5	<2	0.03	0.8	5	8	18
I311860		2.45	0.008		0.4	0.90	68	<10	190	1.0	5	4.03	19.6	26	18	167
I311861		0.42	0.018		0.2	1.60	39	<10	30	0.8	<2	1.14	3.7	7	13	191
I311862		4.87	<0.005		<0.2	1.14	49	<10	30	0.6	<2	6.9	14.3	18	8	85
I311863		4.52	0.024		<0.2	0.63	183	<10	60	0.5	<2	0.76	6.0	12	7	60
I311864		7.25	<0.005		<0.2	0.73	29	<10	60	0.5	2	0.79	2.8	18	17	26
I311865		9.33	<0.005		<0.2	0.78	37	<10	70	0.5	<2	0.55	2.2	17	10	32
I311866		1.77	0.005		<0.2	0.49	233	<10	60	<0.5	<2	0.02	0.5	3	5	10
I311867		0.55	0.011		0.2	0.52	2300	<10	50	<0.5	6	0.10	3.6	46	8	57
I311868		5.52	<0.005		<0.2	0.72	743	<10	60	0.5	2	0.06	2.0	17	18	64
I311869		7.60	<0.005		<0.2	0.79	211	<10	60	0.5	2	0.87	2.5	20	21	48
I311870		6.25	<0.005		<0.2	0.76	246	<10	60	0.5	3	0.40	2.5	23	21	53
I311871		6.49	<0.005		<0.2	0.67	188	<10	50	0.5	2	0.82	2.1	21	19	35
I311872		4.11	<0.005		<0.2	0.61	425	<10	60	<0.5	2	0.26	2.3	23	9	46
I311873		0.10	<0.005		<0.2	0.03	5	<10	10	<0.5	<2	19.2	<0.5	2	<1	3
I311874		0.59	6.99	6.43	0.8	1.16	14	<10	130	<0.5	<2	0.72	1.1	8	30	54
I311875		4.76	<0.005		<0.2	1.30	892	<10	50	1.1	3	3.55	9.2	19	8	294
I311876		0.29	0.005		<0.2	0.64	167	<10	40	0.5	2	8.4	4.5	12	5	114
I311877		1.36	<0.005		<0.2	0.67	202	<10	30	0.6	<2	7.4	8.1	12	5	145
I311878		0.25	0.005		<0.2	0.48	83	<10	50	<0.5	2	2.74	1.4	16	5	16
I311879		2.24	0.005		<0.2	0.38	51	<10	40	<0.5	3	7.3	1.7	12	4	12
I311880		2.44	0.007		<0.2	1.14	869	<10	60	1.6	3	1.74	8.4	34	9	694
I311881		2.58	0.008		0.2	1.39	190	<10	40	1.5	2	5.24	6.1	18	6	508
I311882		5.09	<0.005		<0.2	0.28	351	<10	30	<0.5	<2	1.23	1.2	4	12	29
I311883		4.00	0.009		<0.2	1.03	684	<10	50	0.8	2	0.99	4.4	29	8	230
I311884		2.15	0.007		<0.2	0.40	163	<10	40	<0.5	3	6.87	2.1	14	6	29
I311885		2.40	<0.005		<0.2	0.51	480	<10	20	0.5	<2	5.98	3.8	10	8	190
I311886		7.30	0.022		<0.2	0.55	1380	<10	40	0.5	2	2.40	3.1	26	9	137
I311887		6.41	0.005		<0.2	0.79	417	<10	40	<0.5	<2	2.03	1.8	11	3	56
I311888		0.58	<0.005		<0.2	0.35	636	<10	20	<0.5	<2	0.46	0.7	9	8	69
I311889		0.27	<0.005		<0.2	0.02	12	<10	10	<0.5	<2	19.5	<0.5	1	1	3
I311890		0.57	6.09	6.22	0.8	1.14	15	<10	80	<0.5	<2	0.71	<0.5	7	29	53
I311891		3.20	0.079		0.2	0.45	3140	<10	40	<0.5	3	0.18	1.3	7	10	117
I311892		2.29	0.018		<0.2	0.49	3230	<10	30	0.6	2	0.21	1.3	13	4	186
I311893		1.77	0.010		<0.2	2.17	1740	<10	20	1.6	<2	6.7	5.0	39	4	645

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311854		0.46	<10	<1	<0.01	<10	11.40	201	<1	0.01	<1	130	<2	0.06	<2	<1
I311855		2.43	<10	<1	0.25	20	0.02	56	16	0.09	20	280	26	0.19	12	2
I311856		3.61	<10	<1	0.20	20	0.01	67	10	0.03	20	270	27	0.83	12	2
I311857		3.52	<10	<1	0.21	20	0.02	132	22	0.02	26	350	33	0.18	14	2
I311858		2.55	<10	<1	0.22	20	0.01	81	12	0.02	13	230	29	0.07	17	1
I311859		2.19	<10	<1	0.26	10	0.02	46	18	0.02	22	550	38	0.15	16	2
I311860		12.55	<10	<1	0.14	10	1.65	3280	7	0.01	114	2910	25	0.08	10	7
I311861		1.49	<10	<1	0.05	10	0.34	267	2	<0.01	44	550	8	0.15	5	4
I311862		5.16	<10	<1	0.11	10	1.63	2190	1	0.01	59	510	20	0.07	4	5
I311863		2.91	<10	1	0.25	30	0.17	615	<1	0.01	25	380	12	0.08	4	3
I311864		4.30	<10	1	0.27	50	0.17	492	<1	0.01	53	360	2	0.04	15	3
I311865		2.62	<10	<1	0.32	60	0.15	295	<1	0.01	41	390	2	0.06	7	3
I311866		1.01	<10	<1	0.30	90	0.02	28	<1	0.01	5	150	4	0.04	6	1
I311867		10.65	<10	<1	0.23	30	0.06	488	1	0.01	72	470	27	0.06	15	3
I311868		5.59	<10	<1	0.26	50	0.06	391	<1	0.01	45	400	2	0.06	11	3
I311869		6.10	<10	<1	0.26	40	0.39	686	<1	0.01	56	330	2	0.08	9	3
I311870		6.20	<10	<1	0.26	50	0.36	586	<1	0.01	55	360	<2	0.06	10	3
I311871		5.44	<10	<1	0.25	40	0.62	430	<1	0.01	52	340	3	0.09	13	3
I311872		4.34	<10	<1	0.27	50	0.12	294	<1	0.01	48	350	12	0.05	19	2
I311873		0.49	<10	<1	0.01	<10	12.05	202	<1	0.01	1	160	<2	0.04	<2	<1
I311874		3.34	<10	2	0.14	10	0.53	386	635	0.08	25	460	6	0.85	23	4
I311875		7.69	<10	<1	0.20	20	1.44	1440	2	0.01	54	430	15	0.22	9	6
I311876		5.73	<10	<1	0.21	10	3.80	1950	1	0.01	29	130	9	0.11	4	3
I311877		5.51	<10	<1	0.13	10	3.21	1910	1	0.01	31	130	7	0.13	3	4
I311878		3.72	<10	<1	0.27	30	1.24	932	<1	0.01	33	560	14	0.05	3	3
I311879		4.50	<10	<1	0.22	20	3.41	1330	1	0.01	27	340	11	0.05	3	3
I311880		6.77	<10	<1	0.32	30	0.74	958	<1	0.01	80	580	15	0.13	9	5
I311881		4.74	<10	<1	0.24	20	2.37	1400	1	0.01	45	300	13	0.18	5	4
I311882		1.44	<10	<1	0.14	10	0.52	306	<1	0.01	9	110	6	0.05	4	1
I311883		5.61	<10	<1	0.27	30	0.41	885	1	0.01	65	440	18	0.17	7	3
I311884		4.58	<10	<1	0.22	20	3.10	1740	1	0.01	30	250	10	0.08	4	3
I311885		3.81	<10	<1	0.12	10	2.50	1510	<1	0.01	26	290	7	0.13	2	4
I311886		5.67	<10	<1	0.21	20	1.09	823	1	0.01	44	720	13	0.13	5	3
I311887		2.90	<10	<1	0.34	20	0.48	567	2	0.01	14	2330	2	0.15	2	2
I311888		2.40	<10	<1	0.15	10	0.11	255	2	0.01	17	580	10	0.24	2	1
I311889		0.47	<10	<1	0.01	<10	12.00	209	<1	0.02	1	150	<2	0.02	<2	<1
I311890		3.30	<10	2	0.13	<10	0.52	374	629	0.08	25	470	6	0.84	23	4
I311891		6.54	<10	<1	0.20	10	0.04	395	2	0.02	14	1100	9	0.10	24	1
I311892		8.01	<10	<1	0.18	20	0.06	691	2	0.02	27	1670	5	0.09	8	1
I311893		8.42	<10	<1	0.11	10	0.32	2410	1	0.02	87	1200	8	0.14	3	6

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Pb-OG46 Pb % 0.001	As-OG46 As % 0.01
I311854		45	<20	<0.01	<10	10	1	<10	13		
I311855		11	<20	<0.01	<10	<10	27	<10	93		
I311856		10	<20	<0.01	<10	<10	15	<10	90		
I311857		10	<20	<0.01	<10	<10	17	<10	85		
I311858		9	<20	<0.01	<10	<10	15	<10	41		
I311859		15	<20	<0.01	<10	<10	29	<10	15		
I311860		64	<20	<0.01	<10	10	43	<10	337		
I311861		21	<20	<0.01	<10	10	13	<10	43		
I311862		75	<20	<0.01	<10	10	12	<10	134		
I311863		20	<20	<0.01	<10	<10	4	<10	64		
I311864		12	20	<0.01	<10	<10	9	<10	68		
I311865		16	20	<0.01	<10	<10	6	<10	45		
I311866		12	<20	<0.01	<10	<10	4	<10	6		
I311867		9	<20	<0.01	<10	<10	6	<10	59		
I311868		9	20	<0.01	<10	<10	9	<10	55		
I311869		14	<20	<0.01	<10	<10	11	<10	71		
I311870		12	20	<0.01	<10	<10	12	<10	78		
I311871		19	<20	<0.01	<10	<10	11	<10	68		
I311872		11	<20	<0.01	<10	<10	6	<10	77		
I311873		50	<20	<0.01	<10	10	1	<10	14		
I311874		48	<20	0.11	<10	<10	55	10	51		
I311875		47	<20	<0.01	<10	20	6	<10	173		
I311876		111	<20	<0.01	<10	10	4	<10	65		
I311877		87	<20	<0.01	<10	10	4	<10	90		
I311878		31	<20	<0.01	<10	<10	4	<10	21		
I311879		84	<20	<0.01	<10	<10	3	<10	24		
I311880		25	<20	<0.01	<10	10	7	<10	90		
I311881		61	<20	<0.01	<10	10	4	<10	37		
I311882		18	<20	<0.01	<10	<10	3	<10	22		
I311883		18	<20	<0.01	<10	10	5	<10	73		
I311884		80	<20	<0.01	<10	<10	4	<10	25		
I311885		73	<20	<0.01	<10	<10	5	<10	62		
I311886		60	<20	<0.01	<10	<10	5	<10	84		
I311887		36	<20	<0.01	<10	<10	7	<10	43		
I311888		8	<20	<0.01	<10	<10	4	<10	49		
I311889		52	<20	<0.01	<10	<10	1	<10	20		
I311890		46	<20	0.10	<10	<10	54	10	49		
I311891		28	<20	<0.01	<10	<10	7	<10	55		
I311892		49	<20	<0.01	<10	<10	7	<10	89		
I311893		62	<20	<0.01	<10	10	6	<10	349		

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311894		1.03	<0.005		<0.2	1.31	463	<10	20	<0.5	<2	15.3	3.6	17	3	250
I311895		2.06	0.046		0.4	3.57	2750	<10	20	1.7	<2	1.24	4.1	22	7	639
I311896		1.28	0.091		1.3	1.87	4650	<10	20	1.1	<2	1.28	3.9	21	7	696
I311897		0.44	1.645	1.67	17.1	0.24	5120	<10	10	<0.5	48	4.29	<0.5	<1	<1	537
I311898		0.08	0.454		5.1	0.16	2810	<10	10	<0.5	15	12.3	<0.5	<1	1	473
I311899		0.66	0.116		1.2	0.25	4000	<10	10	<0.5	5	13.9	<0.5	2	2	245
I311900		3.71	0.017		<0.2	0.10	304	<10	10	<0.5	<2	>25.0	<0.5	3	2	12
I311901		5.43	0.433		0.7	0.41	>10000	<10	20	<0.5	9	2.80	<0.5	7	3	185
I311902		5.68	0.025		<0.2	0.13	739	<10	10	<0.5	2	>25.0	<0.5	3	1	19
I311903		3.79	<0.005		<0.2	0.05	105	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311904		3.58	<0.005		<0.2	0.07	489	<10	10	<0.5	<2	>25.0	<0.5	1	1	27
I311905		6.25	<0.005		<0.2	0.04	74	<10	10	<0.5	<2	>25.0	<0.5	1	1	8
I311906		0.26	<0.005		<0.2	0.02	5	<10	10	<0.5	<2	20.1	<0.5	<1	1	1
I311907		0.57	6.29	6.38	0.8	1.18	14	<10	90	<0.5	<2	0.74	<0.5	7	29	53
I311908		4.55	<0.005		<0.2	0.02	55	<10	10	<0.5	<2	>25.0	<0.5	<1	1	4
I311909		3.38	<0.005		<0.2	0.03	42	<10	10	<0.5	<2	>25.0	<0.5	1	1	1
I311910		4.36	<0.005		<0.2	0.02	40	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	9
I311911		6.19	<0.005		<0.2	0.02	78	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	6
I311912		5.72	<0.005		<0.2	0.03	120	<10	<10	<0.5	<2	>25.0	<0.5	1	1	7
I311913		2.99	<0.005		<0.2	0.02	37	<10	<10	<0.5	<2	>25.0	<0.5	1	1	1
I311914		1.42	0.008		<0.2	0.02	107	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	2
I311915		4.59	0.005		<0.2	0.02	42	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	1
I311916		7.52	0.008		<0.2	0.03	45	<10	10	<0.5	<2	>25.0	<0.5	2	1	1
I311917		1.91	<0.005		<0.2	0.02	84	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	8
I311951		0.48	0.148		1.4	0.18	2020	<10	10	<0.5	7	21.9	<0.5	5	1	79
I311952		2.16	<0.005		<0.2	0.02	84	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	3
I311918		6.51	<0.005		<0.2	0.03	192	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	9
I311919		2.20	0.014		<0.2	0.79	>10000	<10	10	<0.5	<2	9.3	<0.5	<1	2	543
I311920		6.25	0.012		<0.2	0.14	2360	<10	<10	<0.5	2	24.5	<0.5	1	<1	211
I311921		3.52	0.082		1.8	0.10	1090	<10	<10	<0.5	4	>25.0	<0.5	1	<1	140
I311922		6.11	0.069		0.8	0.18	5350	<10	<10	<0.5	2	18.2	<0.5	4	<1	435
I311923		1.97	0.037		0.7	0.05	1510	<10	<10	<0.5	<2	25.0	<0.5	2	1	111
I311924		7.85	<0.005		0.4	0.02	180	<10	10	<0.5	<2	>25.0	<0.5	<1	1	11
I311925		2.29	<0.005		0.9	0.02	140	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	45
I311926		1.95	0.931		44.0	0.01	803	<10	<10	<0.5	30	0.33	<0.5	<1	<1	121
I311927		6.31	0.007		0.2	0.02	93	<10	<10	<0.5	<2	>25.0	<0.5	2	1	17
I311928		8.17	0.019		0.7	0.02	46	<10	<10	<0.5	<2	>25.0	<0.5	2	2	3
I311929		7.59	<0.005		<0.2	0.02	39	<10	<10	<0.5	<2	>25.0	<0.5	2	<1	1
I311930		7.64	<0.005		<0.2	0.02	10	<10	<10	<0.5	<2	>25.0	<0.5	2	1	1
I311931		0.25	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	19.8	<0.5	<1	1	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311894		3.21	<10	<1	0.11	10	0.99	1820	1	0.02	61	400	6	0.06	2	2
I311895		7.75	<10	<1	0.10	10	0.41	913	3	0.01	90	740	12	0.14	30	4
I311896		12.35	<10	<1	0.08	10	0.57	1210	1	0.02	78	490	52	0.23	34	3
I311897		36.9	<10	1	0.03	<10	0.11	1895	2	0.02	10	290	1520	0.36	320	2
I311898		18.6	<10	<1	0.03	<10	0.08	1390	<1	0.02	1	70	101	>10.0	125	1
I311899		9.31	<10	<1	0.07	<10	0.35	1440	1	0.02	7	310	36	9.22	16	1
I311900		2.42	<10	<1	0.03	<10	1.52	3450	<1	0.02	6	170	4	0.70	3	2
I311901		10.20	<10	<1	0.14	<10	0.10	829	1	0.02	11	1580	39	2.33	31	1
I311902		2.00	<10	<1	0.04	<10	1.60	958	<1	0.02	4	380	10	0.55	5	1
I311903		0.63	<10	<1	0.02	<10	1.59	505	<1	0.02	3	70	2	0.04	<2	1
I311904		2.39	<10	<1	0.02	<10	1.50	661	<1	0.02	5	150	3	0.26	3	1
I311905		0.68	<10	<1	0.01	<10	1.18	318	<1	0.02	2	70	2	0.07	<2	1
I311906		0.46	<10	<1	0.01	<10	12.15	197	<1	0.02	1	190	<2	0.03	<2	<1
I311907		3.38	<10	2	0.14	<10	0.53	384	653	0.09	25	470	6	0.86	23	4
I311908		0.67	<10	<1	0.01	<10	1.45	397	1	0.02	1	60	<2	0.08	<2	<1
I311909		0.47	<10	<1	0.01	<10	1.29	330	<1	0.02	1	70	<2	0.04	<2	<1
I311910		0.51	<10	<1	0.01	<10	0.58	502	<1	0.02	1	50	2	0.03	<2	<1
I311911		1.12	<10	<1	<0.01	<10	0.71	1245	<1	0.02	1	30	<2	0.06	<2	<1
I311912		1.58	<10	<1	0.01	<10	1.21	1105	<1	0.02	2	40	2	0.05	<2	<1
I311913		0.81	<10	<1	0.01	<10	1.10	988	<1	0.02	<1	40	<2	0.03	<2	<1
I311914		1.34	<10	<1	<0.01	<10	0.80	1760	<1	0.02	2	30	2	0.07	5	<1
I311915		0.60	<10	<1	<0.01	<10	0.46	813	<1	0.02	1	30	<2	0.03	<2	<1
I311916		0.72	<10	<1	0.01	<10	2.08	502	<1	0.02	2	50	<2	0.08	<2	<1
I311917		1.32	<10	<1	<0.01	<10	0.26	1860	<1	0.02	2	10	2	0.03	<2	1
I311951		8.06	<10	<1	0.04	<10	0.26	3520	1	0.02	16	460	29	0.71	34	1
I311952		1.22	<10	<1	<0.01	<10	0.07	1805	<1	0.02	2	<10	<2	0.04	<2	<1
I311918		1.52	<10	<1	<0.01	<10	0.56	1795	<1	0.02	2	30	2	0.10	2	1
I311919		36.4	<10	<1	<0.01	<10	0.07	2880	1	0.02	19	230	20	2.54	60	1
I311920		9.36	<10	<1	<0.01	<10	0.31	3290	<1	0.02	7	70	4	1.70	8	1
I311921		5.77	<10	<1	<0.01	<10	1.25	2430	<1	0.02	5	40	21	1.64	20	1
I311922		23.7	<10	<1	0.01	<10	0.44	3670	<1	0.02	20	60	16	3.69	55	2
I311923		6.24	<10	<1	0.01	<10	1.98	2660	<1	0.02	7	70	10	1.19	18	1
I311924		1.34	<10	<1	0.01	<10	3.22	972	<1	0.02	2	40	<2	0.18	7	<1
I311925		1.25	<10	1	<0.01	<10	1.48	587	<1	0.02	1	30	3	2.13	12	<1
I311926		25.5	<10	<1	<0.01	<10	0.02	13	<1	0.01	<1	<10	131	>10.0	118	<1
I311927		2.01	<10	1	0.01	<10	2.76	1130	<1	0.02	3	40	<2	0.69	8	1
I311928		1.51	<10	1	0.01	<10	1.79	795	<1	0.02	2	40	3	0.89	5	<1
I311929		0.87	<10	<1	<0.01	<10	2.12	654	<1	0.02	2	40	<2	0.22	<2	<1
I311930		1.08	<10	<1	0.01	<10	2.26	773	<1	0.02	1	40	<2	0.26	<2	<1
I311931		0.45	<10	<1	0.02	<10	12.05	200	<1	0.02	2	170	<2	0.07	<2	<1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Pb-OG46 Pb % 0.001	As-OG46 As % 0.01
I311894		149	<20	<0.01	<10	<10	5	<10	156		
I311895		39	<20	<0.01	<10	10	12	<10	162		
I311896		30	<20	<0.01	<10	10	11	<10	205		
I311897		56	<20	<0.01	<10	<10	11	<10	52	0.177	
I311898		79	<20	<0.01	<10	<10	11	<10	17		
I311899		60	<20	<0.01	<10	<10	10	<10	15		
I311900		182	<20	<0.01	<10	<10	6	<10	6		
I311901		47	<20	<0.01	<10	<10	7	<10	25		1.02
I311902		238	<20	<0.01	<10	<10	4	<10	5		
I311903		273	<20	<0.01	<10	<10	3	<10	2		
I311904		307	<20	<0.01	<10	<10	4	<10	11		
I311905		376	<20	<0.01	<10	<10	3	<10	3		
I311906		49	<20	<0.01	<10	<10	2	<10	16		
I311907		48	<20	0.10	<10	<10	56	10	50		
I311908		388	<20	<0.01	<10	<10	4	<10	2		
I311909		357	<20	<0.01	<10	<10	3	<10	2		
I311910		264	<20	<0.01	<10	<10	1	<10	2		
I311911		138	<20	<0.01	<10	<10	2	<10	3		
I311912		200	<20	<0.01	<10	<10	2	<10	9		
I311913		185	<20	<0.01	<10	<10	2	<10	2		
I311914		120	<20	<0.01	<10	<10	1	<10	3		
I311915		236	<20	<0.01	<10	<10	2	<10	<2		
I311916		297	<20	<0.01	<10	<10	2	<10	4		
I311917		88	<20	<0.01	<10	<10	1	<10	5		
I311951		51	<20	<0.01	<10	<10	6	<10	32		
I311952		65	<20	<0.01	<10	<10	1	<10	8		
I311918		96	<20	<0.01	<10	<10	2	<10	7		
I311919		20	<20	<0.01	<10	<10	12	<10	342		1.66
I311920		117	<20	<0.01	<10	<10	3	<10	63		
I311921		104	<20	<0.01	<10	<10	2	<10	20		
I311922		60	<20	<0.01	<10	<10	5	<10	123		
I311923		98	<20	<0.01	<10	<10	4	<10	41		
I311924		340	<20	<0.01	<10	<10	2	<10	6		
I311925		411	<20	<0.01	<10	<10	1	<10	6		
I311926		4	<20	<0.01	<10	<10	1	<10	11		
I311927		390	<20	<0.01	<10	<10	1	<10	5		
I311928		361	<20	<0.01	<10	<10	2	<10	3		
I311929		377	<20	<0.01	<10	<10	1	<10	6		
I311930		413	<20	<0.01	<10	<10	1	<10	2		
I311931		52	<20	<0.01	<10	<10	2	<10	16		

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311932		0.57	6.58	6.11	0.9	1.23	14	<10	70	<0.5	<2	0.72	<0.5	7	31	59
I311933		8.52	<0.005		<0.2	0.02	9	<10	<10	<0.5	<2	>25.0	<0.5	1	1	<1
I311934		6.51	<0.005		<0.2	0.04	12	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311935		7.43	<0.005		<0.2	0.03	11	<10	10	<0.5	<2	>25.0	<0.5	1	1	<1
I311936		6.83	0.006		<0.2	0.02	36	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311937		6.87	<0.005		<0.2	0.02	4	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	1
I311938		5.88	<0.005		<0.2	0.01	8	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I311939		4.46	<0.005		<0.2	0.01	12	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1
I311940		3.23	<0.005		<0.2	0.01	35	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	3
I311941		4.42	0.015		1.6	0.02	37	<10	<10	<0.5	<2	>25.0	<0.5	1	1	36
I311942		8.33	1.060	1.27	16.8	0.02	253	<10	<10	<0.5	63	5.24	<0.5	<1	<1	877
I311943		2.69	0.044		0.3	0.02	114	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	27
I311944		4.57	0.009		0.2	0.02	106	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	15
I311945		7.07	<0.005		<0.2	0.02	44	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	1
I311946		6.26	<0.005		<0.2	0.04	27	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
I311932		3.26	<10	2	0.14	<10	0.53	410	706	0.08	25	480	5	0.89	23	4
I311933		0.38	<10	<1	0.01	<10	2.02	319	<1	0.02	2	50	<2	0.16	<2	<1
I311934		0.27	<10	<1	0.01	<10	1.62	166	<1	0.02	1	90	<2	0.11	<2	1
I311935		0.41	<10	1	0.01	<10	1.34	359	<1	0.02	3	70	<2	0.16	2	1
I311936		1.14	<10	1	0.01	<10	1.46	607	<1	0.03	2	50	<2	0.32	<2	<1
I311937		0.35	<10	<1	0.01	<10	1.45	333	<1	0.02	1	40	<2	0.09	2	<1
I311938		0.63	<10	1	<0.01	<10	1.21	615	<1	0.02	<1	30	<2	0.09	<2	<1
I311939		1.09	<10	1	<0.01	<10	1.52	753	<1	0.02	1	30	<2	0.11	<2	<1
I311940		3.25	<10	1	<0.01	<10	4.62	2250	<1	0.02	2	30	<2	0.34	2	<1
I311941		1.47	<10	<1	<0.01	<10	2.57	1125	<1	0.03	3	110	4	0.63	19	<1
I311942		45.5	<10	<1	0.01	<10	1.77	5130	<1	0.01	<1	40	720	>10.0	3	<1
I311943		2.59	<10	<1	0.01	<10	2.17	1525	<1	0.02	2	80	10	0.94	4	<1
I311944		2.89	<10	<1	<0.01	<10	1.59	1470	<1	0.02	1	40	15	0.52	3	<1
I311945		0.87	<10	<1	0.01	<10	1.36	1460	<1	0.02	2	40	<2	0.15	<2	<1
I311946		0.51	<10	<1	0.02	<10	0.94	911	<1	0.02	1	70	<2	0.11	<2	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 13-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230801

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Pb-OG46 Pb % 0.001	As-OG46 As % 0.01
I311932		50	<20	0.11	<10	<10	56	<10	52		
I311933		553	<20	<0.01	<10	<10	2	<10	2		
I311934		595	<20	<0.01	<10	<10	2	<10	2		
I311935		595	<20	<0.01	<10	<10	2	<10	3		
I311936		557	<20	<0.01	<10	<10	2	<10	4		
I311937		546	<20	<0.01	<10	<10	2	<10	2		
I311938		474	<20	<0.01	<10	<10	1	<10	2		
I311939		400	<20	<0.01	<10	<10	1	<10	2		
I311940		308	<20	<0.01	<10	<10	2	<10	3		
I311941		396	<20	<0.01	<10	<10	2	<10	4		
I311942		33	<20	<0.01	<10	<10	6	<10	3		
I311943		507	<20	<0.01	<10	<10	2	<10	4		
I311944		481	<20	<0.01	<10	<10	2	<10	7		
I311945		538	<20	<0.01	<10	<10	1	<10	2		
I311946		559	<20	<0.01	<10	<10	1	<10	3		

Comments: ***Corrected copy with additional analytes for ME-ICP41***