ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
This copy reported on
27-FEB-2012
Account: KETRIV

CERTIFICATE WH11247490

Project: Ketza River

P.O. No.: KR-11-1573

This report is for 138 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-NOV-2011.

The following have access to data associated with this certificate:

KETZA GENERIC ACCOUNT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **KETZA RIVER HOLDINGS LTD.**
ATTN: KETZA GENERIC ACCOUNT
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I312013		0.65	<0.005		<0.2	0.02	3	<10	10	<0.5	<2	19.9	<0.5	<1	1	2
I312014		7.26	<0.005		<0.2	0.37	9	<10	50	<0.5	<2	9.5	<0.5	7	4	11
I312015		4.93	<0.005		0.2	0.36	13	<10	50	<0.5	<2	14.0	<0.5	15	6	26
I312016		6.98	<0.005		<0.2	0.65	8	<10	70	<0.5	<2	22.4	<0.5	7	7	11
I312017		7.24	<0.005		<0.2	0.50	11	<10	50	<0.5	<2	>25.0	<0.5	5	6	10
I312018		7.12	<0.005		<0.2	0.58	11	<10	50	<0.5	<2	23.2	<0.5	6	7	12
I312019		6.72	<0.005		<0.2	0.41	8	<10	40	<0.5	<2	23.2	<0.5	5	4	10
I312020		6.80	<0.005		0.6	0.38	16	<10	40	<0.5	<2	22.4	<0.5	7	2	16
I312021		6.79	<0.005		0.8	0.22	7	<10	20	<0.5	<2	24.8	<0.5	3	1	4
I312022		6.18	0.012		0.5	0.47	44	<10	50	<0.5	<2	17.7	<0.5	9	3	20
I312023		7.23	0.010		0.6	0.88	40	<10	50	0.5	<2	17.8	<0.5	7	8	13
I312024		8.94	0.024		0.6	0.61	91	<10	30	<0.5	<2	15.9	<0.5	10	7	19
I312025		6.47	0.007		0.4	0.36	23	<10	30	<0.5	<2	17.5	<0.5	11	3	17
I312026		3.68	<0.005		0.6	0.16	5	<10	20	<0.5	<2	22.4	<0.5	4	1	4
I312027		2.33	0.005		0.7	0.10	8	<10	10	<0.5	<2	>25.0	<0.5	5	<1	4
I312028		1.22	0.008		0.3	0.19	13	<10	30	<0.5	<2	16.4	<0.5	7	1	16
I312029		6.94	0.006		0.7	0.17	5	<10	20	<0.5	<2	24.3	<0.5	4	1	5
I312030		6.39	0.005		0.7	0.16	8	<10	30	<0.5	<2	23.4	<0.5	4	<1	6
I312031		9.24	0.010		0.7	0.20	12	<10	20	<0.5	<2	22.1	<0.5	4	1	6
I312032		7.48	0.017		0.9	0.72	16	<10	30	<0.5	<2	18.7	<0.5	9	6	10
I312033		6.18	0.010		0.2	2.05	13	<10	30	<0.5	<2	10.9	<0.5	12	22	18
I312034		5.80	0.005		0.3	2.36	18	<10	40	<0.5	<2	7.5	<0.5	14	27	30
I312035		3.08	<0.005		0.6	1.41	6	<10	20	<0.5	<2	23.4	<0.5	6	11	2
I312036		5.62	0.007		0.5	2.19	23	<10	40	<0.5	<2	8.0	<0.5	14	25	19
I312037		0.64	<0.005		<0.2	0.03	3	<10	10	<0.5	<2	19.4	<0.5	1	<1	1
I312038		0.22	6.43	6.64	1.0	1.13	16	<10	70	<0.5	<2	0.70	<0.5	7	27	52
I312039		7.57	0.012		0.5	2.51	24	<10	40	0.6	<2	8.5	<0.5	14	28	33
I312040		5.17	0.011		0.2	2.53	20	<10	40	0.7	<2	8.3	<0.5	14	29	33
I312041		7.87	0.016		0.4	2.21	68	<10	40	0.7	<2	8.7	<0.5	14	25	24
I312042		2.67	0.012		0.6	1.67	14	<10	50	0.7	<2	17.9	<0.5	15	15	29
I312043		7.59	0.011		0.7	2.22	16	<10	30	0.7	<2	21.8	<0.5	7	16	8
I312044		5.06	0.010		0.2	2.29	16	<10	40	0.5	<2	10.8	<0.5	12	25	22
I312045		7.33	0.006		0.4	2.17	16	<10	40	0.7	<2	9.4	<0.5	15	22	30
I312046		8.28	<0.005		<0.2	2.46	20	<10	40	0.8	<2	7.1	<0.5	13	27	20
I312047		7.56	0.005		0.3	2.36	17	<10	40	0.7	<2	7.8	<0.5	15	24	26
I312048		9.57	<0.005		0.3	2.20	12	<10	40	0.8	<2	9.7	<0.5	10	22	19
I312049		7.00	<0.005		0.5	1.94	17	<10	40	0.7	<2	12.6	<0.5	14	20	20
I312050		6.96	<0.005		0.2	2.81	25	<10	40	0.9	<2	5.09	<0.5	17	32	24
I312051		8.75	<0.005		0.5	2.18	20	<10	40	0.7	<2	9.9	<0.5	13	24	22
I312052		7.66	<0.005		<0.2	2.36	13	<10	40	0.7	<2	6.87	<0.5	12	26	23

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I312013		0.44	<10	<1	0.01	<10	12.40	206	<1	0.01	2	170	3	0.02	<2	<1
I312014		2.63	<10	<1	0.19	<10	0.46	447	<1	0.02	20	290	8	1.03	2	2
I312015		3.18	<10	<1	0.19	10	0.56	366	<1	0.02	29	280	15	2.68	2	3
I312016		2.07	<10	<1	0.29	<10	0.58	402	<1	0.03	16	270	9	1.53	2	3
I312017		1.70	<10	<1	0.18	10	0.60	277	<1	0.03	12	210	7	1.02	<2	4
I312018		1.87	<10	<1	0.22	<10	0.54	269	<1	0.03	15	250	8	1.27	2	4
I312019		1.82	<10	<1	0.20	10	1.92	302	<1	0.02	13	320	8	1.04	3	3
I312020		1.44	<10	<1	0.21	20	0.74	227	1	0.04	18	300	10	1.09	<2	3
I312021		1.19	<10	1	0.13	10	2.19	236	1	0.03	8	220	6	0.48	<2	2
I312022		1.99	<10	<1	0.27	10	0.85	242	1	0.04	19	360	9	1.33	<2	3
I312023		2.07	<10	1	0.28	20	1.03	245	1	0.04	17	370	6	0.80	<2	4
I312024		2.34	<10	1	0.18	10	1.10	235	1	0.03	22	360	8	0.93	<2	4
I312025		2.28	<10	<1	0.18	10	1.39	307	1	0.03	20	330	12	1.11	<2	3
I312026		1.76	<10	<1	0.11	10	2.71	426	1	0.03	8	250	7	0.35	<2	2
I312027		1.38	<10	<1	0.06	10	1.57	371	1	0.02	9	190	15	0.45	2	2
I312028		3.37	<10	<1	0.12	20	0.28	831	2	0.03	18	520	19	0.03	2	6
I312029		1.30	<10	<1	0.11	10	1.96	348	1	0.03	7	250	9	0.30	<2	3
I312030		1.55	<10	<1	0.11	10	1.72	394	1	0.02	9	220	9	0.34	3	3
I312031		1.77	<10	1	0.12	10	1.93	458	1	0.03	9	250	9	0.41	<2	3
I312032		2.23	<10	<1	0.16	20	1.49	499	1	0.03	19	300	9	0.57	2	3
I312033		3.35	<10	1	0.19	40	1.22	315	1	0.03	30	380	7	0.73	<2	3
I312034		3.61	10	<1	0.19	40	1.36	254	1	0.03	35	400	7	0.54	<2	3
I312035		3.67	<10	<1	0.07	10	2.10	1190	1	0.03	13	260	10	0.30	3	3
I312036		3.50	10	<1	0.21	40	1.21	280	1	0.03	34	470	5	0.63	<2	3
I312037		0.44	<10	<1	0.03	10	12.10	194	1	0.02	1	180	<2	0.02	<2	<1
I312038		3.26	<10	3	0.14	10	0.51	384	682	0.08	24	470	5	0.83	19	4
I312039		3.97	10	1	0.20	40	1.40	301	2	0.03	33	470	6	0.67	<2	3
I312040		3.94	10	1	0.20	40	1.46	288	1	0.03	32	530	3	0.58	<2	3
I312041		3.61	10	<1	0.20	40	1.29	285	1	0.03	33	510	6	0.75	<2	3
I312042		3.60	<10	<1	0.13	20	1.58	726	1	0.03	22	410	17	1.39	<2	4
I312043		2.99	10	<1	0.22	20	2.83	1100	1	0.02	11	380	9	0.49	<2	5
I312044		3.51	10	<1	0.20	30	1.43	474	1	0.03	29	460	4	0.32	2	3
I312045		3.92	<10	1	0.20	40	1.13	611	1	0.03	29	460	4	0.73	<2	3
I312046		4.06	10	1	0.19	40	1.28	584	<1	0.03	33	470	3	0.41	<2	3
I312047		4.45	10	<1	0.20	50	1.22	714	1	0.03	31	510	5	0.93	<2	3
I312048		3.76	10	1	0.20	40	1.14	862	1	0.03	29	450	7	0.60	<2	3
I312049		3.53	<10	1	0.19	30	1.07	1130	1	0.03	26	510	9	0.81	<2	3
I312050		4.57	10	1	0.21	40	1.46	606	1	0.03	38	500	5	0.33	<2	3
I312051		3.63	10	1	0.18	30	1.17	1060	<1	0.03	30	490	4	0.34	<2	3
I312052		3.99	10	1	0.20	30	1.24	940	1	0.03	29	480	4	0.41	<2	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
I312013		48	<20	<0.01	<10	<10	<1	<10	16
I312014		246	<20	<0.01	<10	<10	2	<10	25
I312015		524	<20	<0.01	<10	<10	2	<10	22
I312016		937	<20	<0.01	<10	<10	3	<10	13
I312017		1440	20	<0.01	<10	<10	2	<10	17
I312018		1125	<20	<0.01	<10	<10	3	<10	20
I312019		982	<20	<0.01	<10	<10	2	<10	11
I312020		985	<20	<0.01	<10	<10	2	<10	9
I312021		987	<20	<0.01	<10	<10	1	<10	10
I312022		628	<20	<0.01	<10	<10	2	<10	21
I312023		657	<20	<0.01	<10	<10	4	<10	32
I312024		574	<20	<0.01	<10	<10	3	<10	53
I312025		597	<20	<0.01	<10	<10	2	<10	28
I312026		739	<20	<0.01	<10	<10	1	<10	16
I312027		836	<20	<0.01	<10	<10	<1	<10	67
I312028		101	<20	<0.01	<10	<10	2	<10	47
I312029		839	<20	<0.01	<10	<10	1	<10	24
I312030		726	<20	<0.01	<10	<10	<1	<10	41
I312031		705	<20	<0.01	<10	<10	1	<10	14
I312032		632	<20	<0.01	<10	<10	3	<10	24
I312033		346	20	<0.01	<10	<10	8	<10	65
I312034		206	20	<0.01	<10	<10	10	<10	76
I312035		598	<20	<0.01	<10	<10	7	<10	51
I312036		234	20	<0.01	<10	<10	10	<10	70
I312037		50	<20	<0.01	<10	<10	<1	<10	17
I312038		50	<20	0.10	<10	<10	53	<10	49
I312039		248	20	<0.01	<10	<10	11	<10	82
I312040		252	20	<0.01	<10	<10	11	<10	82
I312041		271	20	<0.01	<10	<10	9	<10	89
I312042		615	<20	<0.01	<10	<10	8	<10	76
I312043		761	<20	0.01	<10	<10	12	<10	43
I312044		337	20	<0.01	<10	<10	10	<10	73
I312045		262	20	<0.01	<10	<10	9	<10	66
I312046		197	20	<0.01	<10	<10	10	<10	85
I312047		208	20	<0.01	<10	<10	10	<10	88
I312048		264	20	<0.01	<10	<10	9	<10	69
I312049		354	20	<0.01	<10	<10	8	<10	52
I312050		141	20	<0.01	<10	<10	13	<10	75
I312051		279	<20	<0.01	<10	<10	9	<10	57
I312052		192	20	<0.01	<10	<10	10	<10	59

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I312053		5.30	<0.005		0.2	2.62	20	<10	40	0.9	<2	5.97	<0.5	16	29	25
I312054		0.74	<0.005		<0.2	0.05	4	<10	20	<0.5	<2	19.4	<0.5	1	<1	1
I312055		0.22	6.24	6.53	1.0	1.12	15	<10	70	<0.5	<2	0.70	<0.5	8	28	52
I312056		7.63	0.006		0.2	2.85	15	<10	40	0.9	<2	4.48	<0.5	15	33	21
I312057		8.07	<0.005		<0.2	3.07	12	<10	40	1.0	<2	3.30	<0.5	17	38	26
I312058		6.01	<0.005		0.2	3.24	13	<10	40	0.9	<2	4.59	<0.5	19	39	34
I312059		5.99	<0.005		<0.2	2.85	14	<10	40	0.7	<2	4.83	<0.5	16	34	40
I312060		4.80	<0.005		<0.2	2.14	12	<10	40	0.5	<2	3.46	<0.5	15	25	151
I312061		5.23	<0.005		<0.2	2.91	20	<10	40	0.5	<2	4.16	<0.5	20	36	36
I312062		3.62	<0.005		0.2	2.16	13	<10	40	0.8	<2	5.79	<0.5	12	28	21
I312063		6.19	<0.005		<0.2	3.16	10	<10	40	0.7	<2	3.32	<0.5	17	40	22
I312064		6.86	<0.005		<0.2	3.11	12	<10	40	1.0	<2	2.87	<0.5	17	39	22
I312065		4.92	<0.005		<0.2	3.09	9	<10	40	1.1	<2	3.51	<0.5	18	37	24
I312066		2.79	<0.005		<0.2	2.05	13	<10	50	1.0	<2	3.82	<0.5	12	21	5
I312067		1.55	<0.005		<0.2	1.55	11	<10	40	0.7	174	2.25	<0.5	29	14	104
I312068		8.62	0.053		<0.2	2.82	12	<10	40	1.0	<2	3.83	<0.5	17	33	18
I312069		8.39	<0.005		<0.2	2.76	3	<10	30	0.9	<2	4.64	<0.5	15	35	26
I312070		9.11	<0.005		<0.2	2.75	2	<10	40	0.9	<2	4.33	<0.5	17	35	40
I312071		0.70	<0.005		<0.2	0.04	<2	<10	10	<0.5	<2	19.2	<0.5	2	<1	1
I312072		0.22	6.52	6.09	0.9	1.20	10	<10	100	<0.5	<2	0.69	<0.5	7	29	54
I312073		8.28	0.007		<0.2	3.06	4	<10	30	0.9	<2	4.45	<0.5	17	38	28
I312074		7.45	<0.005		<0.2	3.18	10	<10	40	0.9	<2	3.87	<0.5	17	39	21
I312075		5.98	0.073		<0.2	2.31	<2	<10	30	0.7	30	2.61	<0.5	33	27	173
I312076		5.83	<0.005		<0.2	2.83	2	<10	30	1.0	<2	5.72	<0.5	14	32	22
I312077		7.28	0.008		<0.2	2.11	<2	<10	30	0.7	8	7.7	<0.5	17	24	92
I312078		5.76	0.015		0.2	1.42	<2	<10	30	0.6	292	3.34	<0.5	36	16	300
I312079		7.70	<0.005		<0.2	2.20	<2	<10	40	0.8	<2	6.02	<0.5	15	25	46
I312080		7.11	0.005		<0.2	2.37	3	<10	30	0.8	<2	8.8	<0.5	15	26	27
I312081		5.40	0.029		<0.2	2.15	<2	<10	30	0.6	2	9.7	<0.5	15	23	57
I312082		6.93	<0.005		<0.2	2.31	2	<10	30	0.9	<2	8.2	<0.5	14	26	28
I312083		8.03	0.005		<0.2	2.58	<2	<10	30	0.9	<2	6.22	<0.5	14	31	33
I312084		7.06	0.005		<0.2	2.54	3	<10	30	0.9	<2	9.7	<0.5	14	29	23
I312085		6.28	0.005		0.2	1.86	<2	<10	40	0.6	6	4.04	<0.5	27	21	176
I312086		5.49	0.006		<0.2	2.08	<2	<10	50	0.7	4	6.49	<0.5	14	24	77
I312087		6.75	0.008		<0.2	1.82	<2	<10	40	0.6	25	3.88	<0.5	25	21	271
I312088		6.46	0.008		0.2	2.35	29	<10	40	0.8	9	4.54	<0.5	16	27	128
I312089		6.59	0.005		0.5	3.04	6	<10	50	1.3	<2	4.86	<0.5	16	34	31
I312090		5.41	0.030		<0.2	2.45	22	<10	40	1.1	<2	4.64	<0.5	18	27	61
I312091		2.77	0.067		1.1	0.84	2	<10	40	0.5	335	1.89	<0.5	54	9	391
I312092		0.70	<0.005		<0.2	0.04	<2	<10	10	<0.5	<2	19.3	<0.5	1	<1	4

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I312053		4.47	10	<1	0.21	40	1.34	875	1	0.03	33	500	2	0.42	<2	3
I312054		0.45	<10	<1	0.03	10	12.05	209	1	0.02	2	230	<2	0.02	<2	<1
I312055		3.25	<10	2	0.14	10	0.51	383	684	0.08	23	470	5	0.82	19	4
I312056		4.72	10	<1	0.20	40	1.37	756	<1	0.03	35	510	4	0.37	<2	3
I312057		5.04	10	<1	0.20	50	1.48	572	<1	0.03	40	510	3	0.30	<2	3
I312058		5.42	10	<1	0.18	50	1.53	783	<1	0.03	41	510	3	0.35	<2	3
I312059		4.89	10	<1	0.21	40	1.34	788	<1	0.02	37	510	5	0.41	<2	3
I312060		6.21	10	<1	0.24	60	1.08	479	<1	0.02	36	550	3	2.18	<2	2
I312061		4.91	10	<1	0.21	60	1.38	763	<1	0.02	37	530	2	0.38	<2	3
I312062		3.46	10	<1	0.20	50	1.00	918	<1	0.02	30	510	3	0.18	<2	3
I312063		5.25	10	<1	0.21	30	1.53	758	<1	0.03	38	550	2	0.26	<2	3
I312064		5.08	10	<1	0.23	40	1.54	606	<1	0.02	40	540	2	0.28	<2	2
I312065		4.96	10	<1	0.25	50	1.80	620	<1	0.02	40	500	2	0.48	<2	3
I312066		2.42	<10	<1	0.53	50	1.56	506	<1	0.02	29	500	<2	0.15	<2	3
I312067		8.91	10	<1	0.67	50	1.43	190	<1	0.02	12	520	3	4.12	2	3
I312068		4.15	10	<1	0.30	50	1.81	704	<1	0.02	35	580	2	0.29	<2	3
I312069		4.61	10	<1	0.22	30	1.39	767	<1	0.02	36	520	2	0.39	<2	2
I312070		5.08	10	<1	0.23	40	1.40	686	<1	0.02	38	590	2	0.82	<2	2
I312071		0.52	<10	<1	0.02	<10	12.15	218	<1	0.02	<1	210	2	0.02	<2	<1
I312072		3.39	<10	2	0.13	10	0.51	399	721	0.08	24	490	5	0.87	21	4
I312073		5.08	10	<1	0.20	30	1.51	773	<1	0.03	38	590	3	0.41	<2	3
I312074		5.20	10	<1	0.23	30	1.60	629	<1	0.03	38	570	2	0.37	<2	3
I312075		9.98	10	<1	0.23	30	1.23	344	<1	0.03	36	570	4	3.72	<2	2
I312076		4.62	10	<1	0.24	40	1.45	741	<1	0.02	33	590	2	0.43	<2	2
I312077		5.53	10	<1	0.46	30	1.36	644	<1	0.02	30	590	3	2.16	<2	2
I312078		13.05	10	<1	0.36	50	0.90	254	<1	0.02	30	540	10	7.00	<2	2
I312079		4.55	10	<1	0.39	50	1.33	517	<1	0.02	33	630	4	1.39	<2	2
I312080		4.03	10	<1	0.38	40	1.42	710	<1	0.02	29	610	3	0.78	<2	3
I312081		5.07	<10	<1	0.32	40	1.28	741	<1	0.02	28	570	4	1.68	<2	3
I312082		4.08	10	<1	0.33	40	1.36	663	<1	0.02	28	550	2	0.81	<2	3
I312083		4.46	10	<1	0.24	30	1.40	623	<1	0.03	33	540	2	0.80	<2	3
I312084		4.13	10	<1	0.33	30	1.44	928	<1	0.03	29	600	3	0.57	<2	3
I312085		7.45	10	<1	0.81	20	1.30	313	<1	0.02	30	550	3	3.73	<2	2
I312086		5.14	10	<1	1.07	40	1.44	527	<1	0.02	28	620	2	2.20	<2	3
I312087		8.86	10	<1	0.72	30	1.16	379	<1	0.02	30	600	3	4.22	<2	2
I312088		6.37	10	1	0.77	40	1.40	571	<1	0.02	30	710	5	2.56	<2	3
I312089		4.92	10	<1	0.37	40	1.46	932	<1	0.04	34	650	11	0.69	<2	3
I312090		5.93	10	1	0.37	40	1.33	615	<1	0.03	31	660	4	2.04	<2	3
I312091		12.50	<10	<1	0.40	10	0.73	734	<1	0.02	34	350	193	7.15	3	2
I312092		0.47	<10	<1	0.02	<10	11.35	230	<1	0.01	3	150	3	0.03	<2	<1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
I312053		158	20	<0.01	<10	<10	12	<10	67
I312054		48	<20	<0.01	<10	<10	1	<10	15
I312055		50	<20	0.10	<10	<10	54	<10	49
I312056		122	20	0.01	<10	<10	13	<10	72
I312057		87	20	0.01	<10	<10	14	<10	75
I312058		120	20	<0.01	<10	<10	15	<10	80
I312059		136	20	0.01	<10	<10	13	<10	57
I312060		89	20	<0.01	<10	<10	10	<10	22
I312061		108	20	0.01	<10	<10	13	<10	61
I312062		144	20	<0.01	<10	<10	11	<10	40
I312063		87	20	0.01	<10	<10	15	<10	56
I312064		77	20	0.01	<10	<10	14	<10	37
I312065		86	20	0.01	<10	<10	14	<10	31
I312066		89	20	0.02	<10	<10	11	<10	12
I312067		49	20	0.02	<10	<10	10	<10	5
I312068		96	20	0.01	<10	<10	14	<10	42
I312069		154	20	0.01	<10	<10	13	<10	52
I312070		117	20	0.01	<10	<10	13	<10	50
I312071		54	<20	<0.01	<10	<10	1	<10	18
I312072		50	<20	0.10	<10	<10	53	<10	49
I312073		114	20	0.01	<10	<10	15	<10	70
I312074		97	20	0.01	<10	<10	15	<10	60
I312075		71	<20	<0.01	<10	<10	11	<10	25
I312076		154	20	0.01	<10	<10	12	<10	47
I312077		188	20	0.02	<10	<10	10	<10	16
I312078		98	20	0.01	<10	<10	8	<10	4
I312079		169	20	0.01	<10	<10	10	<10	13
I312080		227	20	0.02	<10	<10	11	<10	21
I312081		251	20	0.01	<10	<10	10	<10	18
I312082		262	20	0.01	<10	<10	10	<10	21
I312083		164	20	0.01	<10	<10	12	<10	27
I312084		240	20	0.01	<10	<10	12	<10	28
I312085		114	<20	0.04	<10	<10	11	<10	6
I312086		150	20	0.07	<10	<10	11	<10	7
I312087		108	20	0.04	<10	<10	10	<10	8
I312088		169	20	0.04	<10	<10	11	<10	20
I312089		169	20	0.01	<10	<10	14	<10	57
I312090		191	20	<0.01	<10	<10	11	<10	21
I312091		118	<20	<0.01	<10	<10	5	10	18
I312092		49	<20	<0.01	<10	<10	1	<10	19

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I312093		0.22	6.35	6.45	0.9	1.10	15	<10	80	<0.5	<2	0.67	<0.5	8	29	53
I312094		5.73	0.008		<0.2	1.81	9	<10	40	0.8	<2	2.83	<0.5	17	21	48
I312095		2.20	<0.005		<0.2	1.80	10	<10	30	0.8	<2	4.31	<0.5	13	21	39
I312096		7.97	0.019		<0.2	1.56	5	<10	50	0.6	166	2.42	<0.5	24	18	160
I312097		7.56	<0.005		<0.2	1.83	4	<10	30	0.6	45	1.57	<0.5	27	22	216
I312098		5.27	0.005		<0.2	1.49	5	<10	40	0.5	58	1.85	<0.5	24	19	267
I312099		6.40	0.014		0.2	1.38	2	<10	30	0.5	60	0.88	<0.5	25	17	446
I311553		2.76	0.024		0.3	1.12	26	<10	40	<0.5	751	0.49	<0.5	72	13	377
I311554		7.64	<0.005		<0.2	1.58	4	<10	40	0.6	<2	1.66	<0.5	18	20	119
I311555		8.12	0.010		<0.2	2.50	10	<10	40	1.0	5	1.62	<0.5	24	33	54
I311556		3.53	<0.005		<0.2	1.93	6	<10	30	0.7	<2	1.25	<0.5	16	26	109
I311557		6.82	<0.005		<0.2	2.44	13	<10	50	0.6	<2	0.95	<0.5	17	33	37
I311558		7.31	<0.005		<0.2	2.11	6	<10	40	0.7	18	1.83	<0.5	25	27	90
I311559		6.78	<0.005		<0.2	2.62	8	<10	40	1.0	<2	4.81	<0.5	17	32	31
I311560		5.83	0.006		<0.2	2.35	3	<10	40	0.9	<2	5.40	<0.5	14	28	30
I311561		7.10	<0.005		<0.2	2.55	5	<10	40	0.8	<2	6.34	<0.5	15	29	21
I311562		6.50	<0.005		<0.2	1.05	6	<10	40	0.9	<2	9.9	<0.5	9	10	17
I311563		5.53	<0.005		<0.2	2.07	14	<10	40	0.9	<2	9.4	<0.5	13	22	18
I311564		2.87	<0.005		<0.2	0.17	3	<10	10	<0.5	<2	23.7	<0.5	2	2	7
I311565		7.48	<0.005		<0.2	0.97	11	<10	40	0.6	<2	15.2	<0.5	8	9	9
I311566		8.29	<0.005		<0.2	1.72	27	<10	20	0.5	<2	16.2	<0.5	11	19	22
I311567		7.26	<0.005		<0.2	2.55	8	<10	40	0.7	<2	8.4	<0.5	15	29	26
I311568		7.92	0.021		<0.2	1.90	10	<10	40	0.9	<2	7.3	<0.5	12	19	15
I311569		7.92	<0.005		<0.2	2.56	12	<10	40	0.7	<2	6.68	<0.5	14	29	24
I311570		4.36	<0.005		<0.2	2.67	7	<10	40	0.6	<2	4.29	<0.5	11	32	22
I311571		4.97	<0.005		<0.2	2.84	13	<10	40	0.6	<2	5.43	<0.5	15	34	36
I311572		7.18	<0.005		<0.2	2.65	7	<10	30	0.7	<2	4.40	<0.5	14	33	32
I311573		5.55	<0.005		<0.2	2.49	5	<10	30	0.5	<2	9.9	<0.5	14	27	32
I311574		6.12	<0.005		<0.2	1.86	15	<10	30	0.5	<2	11.0	<0.5	13	20	23
I311575		6.36	<0.005		<0.2	2.56	6	<10	50	1.0	2	5.11	<0.5	14	29	61
I311576		4.54	0.009		0.2	1.82	<2	<10	30	0.7	25	2.14	<0.5	32	19	296
I311577		6.40	<0.005		<0.2	2.43	8	<10	40	1.0	<2	2.87	<0.5	14	29	39
I311578		7.71	<0.005		<0.2	2.59	9	<10	30	0.9	<2	3.56	<0.5	13	31	26
I311579		4.87	<0.005		<0.2	2.54	22	<10	40	0.8	<2	4.25	<0.5	16	31	25
I311580		5.40	0.006		<0.2	1.90	18	<10	30	0.9	<2	3.82	<0.5	21	21	90
I311581		5.97	0.017		<0.2	0.74	14	<10	40	0.6	314	11.5	<0.5	28	6	217
I311582		5.94	0.015		<0.2	1.13	55	<10	40	0.9	<2	14.7	<0.5	10	10	11
I311583		5.29	0.030		<0.2	1.16	22	<10	30	0.5	<2	22.8	<0.5	5	11	6
I311584		4.21	0.039		<0.2	0.68	10	<10	40	<0.5	<2	21.4	<0.5	6	6	10
I311585		5.76	0.022		<0.2	0.49	14	<10	30	<0.5	<2	22.9	<0.5	4	5	8

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I312093		3.23	<10	2	0.13	<10	0.49	380	603	0.07	25	460	6	0.81	19	3
I312094		4.74	<10	<1	0.41	20	1.16	595	1	0.02	35	590	6	1.16	<2	2
I312095		4.19	<10	<1	0.35	20	1.56	554	1	0.02	32	600	3	0.71	<2	2
I312096		7.04	<10	<1	0.65	10	1.15	256	<1	0.02	34	600	14	3.58	<2	2
I312097		9.39	10	1	0.65	10	1.06	257	<1	0.02	39	560	2	4.26	<2	2
I312098		8.44	<10	<1	0.63	10	1.18	259	1	0.02	36	570	4	4.14	<2	2
I312099		12.25	<10	<1	0.51	10	1.03	140	<1	0.02	39	520	5	6.08	<2	2
I311553		13.20	<10	<1	0.58	10	0.65	137	1	0.02	63	400	135	10.00	6	2
I311554		5.84	<10	<1	0.57	10	1.14	255	<1	0.02	36	540	3	2.52	<2	2
I311555		6.14	10	<1	0.38	20	1.18	413	<1	0.03	56	550	4	1.76	<2	2
I311556		5.49	10	<1	0.45	10	1.15	310	<1	0.02	40	510	3	1.97	<2	2
I311557		5.00	10	<1	0.79	20	1.32	176	<1	0.02	38	510	2	1.35	<2	2
I311558		7.64	10	<1	0.50	30	1.05	268	<1	0.02	42	530	3	2.90	<2	2
I311559		4.86	10	<1	0.38	30	1.38	654	<1	0.03	39	510	2	1.07	<2	3
I311560		4.27	10	<1	0.43	30	1.33	562	1	0.02	37	500	<2	0.93	<2	2
I311561		4.15	<10	<1	0.42	40	1.38	580	1	0.03	38	540	2	0.68	<2	3
I311562		2.46	<10	<1	0.33	30	0.53	711	<1	0.02	16	510	3	1.00	<2	2
I311563		3.10	<10	<1	0.36	20	1.03	778	<1	0.03	28	490	2	0.59	<2	3
I311564		0.87	<10	<1	0.07	10	0.17	1045	1	0.02	5	90	6	0.27	<2	3
I311565		1.69	<10	<1	0.29	20	0.45	731	<1	0.03	14	420	5	0.59	<2	2
I311566		3.51	<10	<1	0.16	10	1.03	906	1	0.02	25	370	6	0.91	<2	3
I311567		4.23	10	<1	0.24	30	1.40	796	<1	0.02	34	500	4	0.80	<2	3
I311568		2.76	<10	<1	0.26	30	0.99	709	<1	0.02	27	490	4	0.62	<2	2
I311569		4.03	10	1	0.27	40	1.39	708	1	0.03	37	510	3	0.80	<2	3
I311570		4.14	10	<1	0.26	50	1.43	433	1	0.03	37	490	2	0.67	<2	2
I311571		4.65	10	<1	0.28	50	1.44	494	1	0.03	36	540	3	0.94	<2	3
I311572		4.34	10	<1	0.24	50	1.36	485	1	0.02	39	470	2	0.72	<2	2
I311573		3.98	10	<1	0.25	40	1.24	867	2	0.03	37	510	5	0.96	<2	3
I311574		3.99	<10	1	0.19	40	0.96	844	1	0.02	27	560	3	1.43	<2	3
I311575		4.63	10	<1	0.36	40	1.31	565	1	0.02	33	530	2	1.09	<2	2
I311576		8.94	<10	1	0.46	30	1.10	209	1	0.02	39	480	3	4.76	<2	2
I311577		4.24	10	<1	0.48	30	1.34	329	1	0.02	36	480	3	0.94	<2	2
I311578		4.34	10	<1	0.36	30	1.43	476	1	0.02	38	480	<2	0.59	<2	2
I311579		4.94	10	<1	0.34	50	1.28	495	1	0.02	45	460	<2	1.17	<2	2
I311580		4.63	<10	<1	0.47	30	1.03	320	1	0.02	44	460	3	1.74	<2	2
I311581		6.73	<10	<1	0.34	50	0.33	472	2	0.02	27	380	4	4.67	<2	2
I311582		2.42	<10	<1	0.26	30	0.86	547	4	0.02	32	340	5	1.24	<2	2
I311583		1.61	<10	1	0.17	20	1.19	497	6	0.01	16	230	7	0.53	2	3
I311584		1.48	<10	1	0.17	20	1.15	256	2	0.02	17	240	13	0.84	5	3
I311585		1.24	<10	1	0.15	20	1.42	228	6	0.01	13	170	14	0.55	5	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
I312093		46	<20	0.10	<10	<10	51	<10	50
I312094		120	<20	<0.01	<10	<10	9	<10	23
I312095		129	<20	0.01	<10	<10	9	<10	18
I312096		103	<20	0.01	<10	<10	9	<10	11
I312097		59	<20	0.02	<10	<10	10	<10	12
I312098		64	<20	0.02	<10	<10	9	<10	6
I312099		35	<20	0.01	<10	<10	8	<10	9
I311553		29	<20	0.01	<10	<10	8	<10	10
I311554		66	<20	0.01	<10	<10	9	<10	9
I311555		93	<20	0.01	<10	<10	13	<10	30
I311556		69	<20	0.01	<10	<10	11	<10	24
I311557		48	<20	0.04	<10	<10	14	<10	15
I311558		78	<20	0.02	<10	<10	11	<10	13
I311559		150	20	0.01	<10	<10	13	<10	22
I311560		161	20	0.01	<10	<10	12	<10	15
I311561		176	20	0.01	<10	<10	13	<10	14
I311562		268	20	<0.01	<10	<10	6	<10	5
I311563		249	<20	<0.01	<10	<10	11	<10	15
I311564		607	<20	<0.01	<10	<10	2	<10	4
I311565		419	<20	<0.01	<10	<10	6	<10	7
I311566		479	<20	<0.01	<10	<10	9	<10	24
I311567		217	<20	<0.01	<10	<10	13	<10	37
I311568		192	20	<0.01	<10	<10	9	<10	22
I311569		171	20	<0.01	<10	<10	14	<10	38
I311570		102	20	<0.01	<10	<10	14	<10	41
I311571		129	20	<0.01	<10	<10	15	<10	44
I311572		95	20	<0.01	<10	<10	15	<10	44
I311573		240	20	<0.01	<10	<10	15	<10	40
I311574		304	20	<0.01	<10	<10	10	<10	36
I311575		155	20	<0.01	<10	<10	15	<10	44
I311576		91	<20	0.01	<10	<10	11	<10	11
I311577		125	20	0.01	<10	<10	14	<10	24
I311578		144	20	0.01	<10	<10	15	<10	42
I311579		146	20	<0.01	<10	<10	15	<10	62
I311580		193	20	0.01	<10	<10	12	<10	16
I311581		394	20	<0.01	<10	<10	11	<10	8
I311582		510	20	<0.01	<10	<10	19	<10	8
I311583		1080	20	<0.01	<10	<10	32	<10	9
I311584		1205	20	<0.01	<10	<10	11	<10	7
I311585		1385	20	<0.01	<10	<10	16	<10	7

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311586		0.52	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	18.8	<0.5	<1	<1	1
I311587		0.22	6.75	6.48	0.8	1.14	12	<10	70	<0.5	<2	0.68	<0.5	7	29	54
I311588		5.22	<0.005		<0.2	0.25	27	<10	30	<0.5	<2	23.6	<0.5	2	4	4
I311589		8.53	0.012		<0.2	0.37	12	<10	40	<0.5	<2	20.5	<0.5	5	6	18
I311590		5.13	0.010		<0.2	0.16	8	<10	20	<0.5	<2	>25.0	<0.5	2	2	8
I311591		6.53	<0.005		<0.2	0.14	5	<10	20	<0.5	<2	>25.0	<0.5	1	1	4
I311592		6.72	<0.005		<0.2	0.19	8	<10	20	<0.5	<2	>25.0	<0.5	2	1	4
I311593		3.28	<0.005		<0.2	2.30	32	<10	60	1.0	<2	5.43	<0.5	14	25	25
I311594		4.14	0.005		0.5	0.88	12	<10	40	<0.5	<2	24.7	<0.5	4	8	11
I311595		5.55	<0.005		<0.2	2.80	15	<10	60	0.6	<2	3.27	<0.5	14	30	23
I311596		4.31	<0.005		<0.2	2.69	12	<10	70	0.6	<2	4.30	<0.5	12	28	25
I311597		5.95	<0.005		<0.2	2.82	5	<10	60	0.6	<2	3.12	<0.5	13	33	38
I311598		6.24	<0.005		<0.2	2.87	7	<10	70	0.7	<2	3.99	<0.5	13	33	22
I311599		6.46	<0.005		<0.2	2.58	10	<10	70	0.7	<2	5.78	<0.5	12	29	32
I312100		4.95	<0.005		<0.2	2.11	9	<10	50	0.7	<2	2.14	<0.5	20	26	70
I311551		2.71	0.041		0.4	0.51	198	<10	40	<0.5	188	0.57	<0.5	50	7	677
I311552		5.74	<0.005		<0.2	1.41	9	<10	50	0.6	21	0.37	<0.5	20	18	156
I311600		2.16	<0.005		<0.2	1.71	19	<10	40	0.6	<2	13.4	<0.5	13	19	16

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
I311586		0.38	<10	<1	0.01	<10	11.25	174	<1	0.01	1	160	<2	0.07	<2	<1
I311587		3.20	<10	2	0.13	<10	0.50	378	613	0.07	24	470	6	0.83	19	4
I311588		0.88	<10	<1	0.08	10	1.61	190	3	0.01	9	110	8	0.23	3	2
I311589		1.30	<10	<1	0.17	20	1.57	272	4	0.01	17	910	9	0.68	7	2
I311590		0.67	<10	<1	0.07	10	0.33	75	4	0.02	6	80	6	0.66	2	2
I311591		0.43	<10	1	0.05	<10	0.34	78	1	0.02	3	80	4	0.35	2	1
I311592		0.47	<10	1	0.06	10	0.32	55	2	0.01	3	70	5	0.35	<2	1
I311593		3.52	10	<1	0.29	50	1.31	93	1	0.02	37	3810	11	1.52	3	3
I311594		1.32	<10	<1	0.14	20	0.66	213	1	0.02	11	920	9	0.58	5	2
I311595		4.22	10	<1	0.24	40	1.48	260	<1	0.02	33	1320	4	0.32	<2	2
I311596		4.13	10	1	0.26	30	1.35	349	<1	0.02	34	1440	10	0.70	2	3
I311597		4.07	10	<1	0.28	40	1.42	265	<1	0.02	35	1990	10	0.19	<2	3
I311598		4.14	10	<1	0.26	40	1.45	299	<1	0.01	33	2230	13	0.21	<2	3
I311599		4.17	10	<1	0.25	30	1.33	433	<1	0.02	31	1880	109	0.94	<2	3
I312100		5.69	10	<1	0.56	30	1.25	367	<1	0.02	36	630	2	1.87	<2	2
I311551		12.90	<10	<1	0.31	<10	0.32	603	<1	0.01	46	370	179	>10.0	3	1
I311552		6.40	<10	<1	0.74	20	0.98	181	<1	0.01	22	490	8	3.45	4	2
I311600		2.60	<10	1	0.23	20	0.95	853	<1	0.02	28	410	5	0.37	<2	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 3-JAN-2012
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11247490

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
I311586		65	<20	<0.01	<10	<10	2	<10	17
I311587		49	<20	0.10	<10	<10	53	<10	48
I311588		1530	<20	<0.01	<10	<10	14	<10	7
I311589		1530	20	<0.01	<10	<10	13	<10	8
I311590		4050	20	<0.01	<10	<10	4	<10	38
I311591		4160	20	<0.01	<10	<10	2	<10	9
I311592		4240	20	<0.01	<10	<10	5	<10	20
I311593		263	20	<0.01	<10	<10	21	<10	129
I311594		1160	<20	<0.01	<10	<10	8	<10	37
I311595		139	20	<0.01	<10	<10	19	<10	91
I311596		210	20	<0.01	<10	<10	21	<10	86
I311597		134	20	<0.01	<10	<10	25	<10	86
I311598		184	20	<0.01	<10	<10	25	<10	95
I311599		323	20	<0.01	<10	<10	23	<10	122
I312100		75	20	0.02	<10	<10	12	<10	14
I311551		44	<20	<0.01	<10	<10	4	<10	18
I311552		33	<20	0.02	<10	<10	9	<10	9
I311600		394	<20	<0.01	<10	<10	9	<10	16

Comments: ***Corrected copy with additional analytes for ME-ICP41***