ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
This copy reported on
27-FEB-2012
Account: KETRIV

CERTIFICATE WH11230802

Project: Ketza River

P.O. No.: KR-11-1577

This report is for 96 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-NOV-2011.

The following have access to data associated with this certificate:

KETZA GENERIC ACCOUNT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **KETZA RIVER HOLDINGS LTD.**
ATTN: KETZA GENERIC ACCOUNT
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311767		0.63	<0.005		<0.2	0.02	<2	<10	10	<0.5	<2	17.9	<0.5	<1	1	<1
I311757		2.59	0.007		<0.2	0.17	778	<10	20	<0.5	<2	10.2	<0.5	5	4	6
I311758		4.86	0.094		1.5	0.84	2020	<10	40	0.6	<2	3.10	15.8	15	10	165
I311759		2.88	0.010		<0.2	0.35	707	<10	40	<0.5	<2	9.6	0.9	10	5	19
I311766		2.28	<0.005		<0.2	0.12	933	<10	10	<0.5	<2	14.6	<0.5	5	2	3
I311760		6.90	<0.005		<0.2	0.22	423	<10	20	<0.5	<2	17.5	<0.5	3	3	5
I311761		6.50	0.038		<0.2	0.26	414	<10	30	<0.5	2	18.2	<0.5	4	4	25
I311762		3.36	0.008		<0.2	0.21	306	<10	20	<0.5	<2	23.6	<0.5	2	2	19
I311763		7.52	0.433		1.7	0.27	>10000	<10	50	<0.5	295	8.3	<0.5	4	4	227
I311765		3.49	0.008		<0.2	0.52	1560	<10	50	<0.5	15	1.69	<0.5	6	2	44
I311768		5.93	<0.005		<0.2	0.05	132	<10	10	<0.5	<2	>25.0	<0.5	1	1	4
I311769		7.60	<0.005		<0.2	0.04	103	<10	10	<0.5	<2	>25.0	<0.5	1	1	1
I311770		5.47	<0.005		<0.2	0.04	133	<10	10	<0.5	<2	>25.0	<0.5	1	1	12
I311771		3.82	0.005		<0.2	0.05	272	<10	10	<0.5	<2	>25.0	<0.5	1	1	11
I311772		1.27	0.856		1.1	0.53	9720	<10	110	<0.5	56	6.57	<0.5	4	7	601
I311773		1.83	0.009		<0.2	0.04	208	<10	10	<0.5	<2	>25.0	<0.5	1	<1	7
I311774		5.63	<0.005		<0.2	0.01	22	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	2
I311775		6.61	<0.005		<0.2	0.02	18	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311776		4.79	<0.005		<0.2	0.01	91	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1
I311777		3.38	0.006		<0.2	0.51	349	<10	30	<0.5	<2	15.8	<0.5	7	1	2
I311778		2.85	<0.005		<0.2	0.20	131	<10	10	<0.5	<2	>25.0	<0.5	4	1	5
I311779		6.21	<0.005		<0.2	0.02	58	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311780		7.32	<0.005		<0.2	0.02	67	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311781		0.71	<0.005		<0.2	0.01	2	<10	10	<0.5	<2	16.7	<0.5	<1	<1	<1
I311782		0.22	6.37	6.71	0.9	1.29	17	<10	80	<0.5	<2	0.74	<0.5	7	32	61
I311783		7.94	0.018		<0.2	0.02	112	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1
I311784		6.55	<0.005		<0.2	0.02	126	<10	<10	<0.5	<2	>25.0	<0.5	2	1	1
I311785		7.69	<0.005		<0.2	0.02	224	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1
I311786		5.39	<0.005		<0.2	0.02	177	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	1
I311787		5.04	<0.005		<0.2	0.12	171	<10	10	<0.5	<2	>25.0	<0.5	5	1	1
I311788		7.43	<0.005		<0.2	0.03	42	<10	10	<0.5	<2	>25.0	<0.5	2	1	<1
I311789		6.80	<0.005		<0.2	0.04	67	<10	10	<0.5	<2	>25.0	<0.5	2	<1	<1
I311790		7.06	<0.005		<0.2	0.06	55	<10	10	<0.5	<2	>25.0	<0.5	2	1	<1
I311791		4.52	3.57	3.37	4.8	0.20	>10000	<10	40	<0.5	130	1.85	<0.5	<1	1	217
I311792		2.17	0.062		<0.2	0.06	695	<10	10	<0.5	4	>25.0	<0.5	3	1	8
I311793		6.43	0.030		<0.2	0.02	700	<10	<10	<0.5	2	>25.0	<0.5	1	<1	52
I311794		1.38	5.61	5.60	3.8	0.16	>10000	<10	20	<0.5	160	1.32	<0.5	<1	<1	608
I311795		4.63	2.98	3.88	3.3	0.08	8330	<10	10	<0.5	65	11.5	<0.5	<1	<1	264
I311796		5.12	0.016		<0.2	0.04	737	<10	<10	<0.5	<2	>25.0	<0.5	3	<1	23
I311797		4.60	<0.005		<0.2	0.05	78	<10	10	<0.5	<2	>25.0	<0.5	1	1	4

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
I311767		0.44	<10	1	0.01	<10	11.00	212	<1	0.02	3	180	<2	0.01	<2	<1
I311757		3.95	<10	<1	0.07	<10	1.23	1770	1	0.02	16	350	19	0.03	6	2
I311758		12.90	<10	<1	0.19	10	0.54	2910	2	0.02	43	770	706	0.09	65	7
I311759		4.29	<10	<1	0.18	10	1.72	1690	2	0.03	28	370	59	0.02	20	5
I311766		4.70	<10	<1	0.06	10	1.60	1385	1	0.02	23	250	10	0.02	2	2
I311760		2.86	<10	1	0.12	10	3.46	970	1	0.03	10	260	7	0.01	4	2
I311761		1.69	<10	<1	0.10	10	0.57	770	1	0.03	9	180	23	0.01	12	2
I311762		0.99	<10	<1	0.10	10	0.27	316	1	0.03	8	130	10	0.01	6	2
I311763		9.56	<10	1	0.09	<10	0.14	875	1	0.03	7	1060	23	0.08	318	2
I311765		2.85	<10	<1	0.33	20	0.04	421	2	0.03	3	2720	<2	0.26	19	1
I311768		0.63	<10	1	0.02	<10	0.95	487	<1	0.03	2	280	<2	0.03	<2	1
I311769		0.65	<10	1	0.02	<10	1.99	569	<1	0.03	3	230	3	0.03	3	1
I311770		0.57	<10	<1	0.01	<10	1.04	536	<1	0.03	3	150	<2	0.03	2	1
I311771		0.68	<10	1	0.02	<10	0.57	531	<1	0.03	3	160	3	0.01	3	1
I311772		25.1	<10	1	0.10	10	0.22	7600	3	0.03	17	300	82	0.05	93	3
I311773		0.88	<10	1	0.01	<10	0.55	1650	<1	0.03	2	90	<2	0.04	<2	1
I311774		0.53	<10	1	<0.01	<10	1.44	610	<1	0.03	1	80	<2	0.01	<2	<1
I311775		0.38	<10	<1	<0.01	<10	1.01	346	<1	0.03	<1	40	<2	0.01	2	<1
I311776		0.54	<10	1	<0.01	<10	0.85	518	<1	0.03	<1	40	<2	0.01	<2	<1
I311777		1.79	<10	<1	0.25	20	0.17	1110	2	0.03	5	3120	<2	0.10	3	2
I311778		1.13	<10	1	0.10	10	1.03	658	1	0.03	2	1390	<2	0.09	2	1
I311779		0.36	<10	1	0.01	<10	0.64	428	<1	0.03	1	100	<2	0.03	2	<1
I311780		0.43	<10	<1	0.01	<10	0.71	464	<1	0.03	1	60	<2	0.04	3	<1
I311781		0.37	<10	<1	0.01	<10	10.20	174	<1	0.03	<1	150	2	0.02	2	<1
I311782		3.38	<10	2	0.15	10	0.55	424	711	0.09	26	510	6	0.92	23	4
I311783		0.61	<10	1	0.01	<10	0.99	634	2	0.03	1	60	<2	0.05	2	1
I311784		0.64	<10	1	0.01	<10	0.45	1225	<1	0.04	2	60	<2	0.03	2	1
I311785		1.01	<10	<1	0.01	<10	0.33	886	<1	0.04	1	60	<2	0.03	<2	1
I311786		0.99	<10	<1	0.01	<10	0.28	623	<1	0.04	1	60	<2	0.04	<2	<1
I311787		0.95	<10	<1	0.06	<10	0.68	932	<1	0.04	4	550	<2	0.13	<2	1
I311788		0.43	<10	<1	0.01	<10	1.16	368	<1	0.04	3	50	<2	0.06	2	1
I311789		0.42	<10	1	0.02	<10	1.03	311	<1	0.04	3	60	<2	0.06	<2	1
I311790		0.41	<10	1	0.03	<10	0.99	564	<1	0.04	3	80	<2	0.06	2	1
I311791		34.4	<10	2	0.02	<10	0.18	6810	<1	0.03	1	200	14	0.15	140	2
I311792		2.45	<10	<1	0.03	<10	0.42	2950	<1	0.02	2	70	2	0.07	8	1
I311793		2.34	<10	<1	<0.01	<10	0.07	4400	<1	0.03	<1	10	<2	0.06	6	1
I311794		35.1	<10	1	0.03	<10	0.09	11050	<1	0.03	<1	340	9	0.41	131	1
I311795		23.3	<10	<1	0.02	20	0.42	12250	<1	0.03	<1	40	12	6.00	54	1
I311796		2.54	<10	1	0.02	10	0.77	3130	<1	0.04	2	60	2	1.03	4	1
I311797		1.13	<10	<1	0.02	<10	1.20	1555	<1	0.04	3	70	3	0.25	<2	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Zn-OG46 Zn % 0.001	As-OG46 As % 0.01
I311767		43	<20	<0.01	<10	<10	2	<10	13		
I311757		107	<20	<0.01	<10	<10	4	<10	266		
I311758		34	<20	<0.01	<10	<10	9	10	4140	0.494	
I311759		58	<20	<0.01	<10	<10	6	<10	316		
I311766		148	<20	<0.01	<10	<10	4	<10	247		
I311760		211	<20	<0.01	<10	<10	3	<10	49		
I311761		227	<20	<0.01	<10	<10	5	<10	61		
I311762		343	<20	<0.01	<10	<10	2	<10	36		
I311763		125	<20	<0.01	<10	<10	7	<10	90		1.68
I311765		68	<20	<0.01	<10	<10	5	<10	11		
I311768		528	<20	<0.01	<10	<10	2	<10	6		
I311769		427	<20	<0.01	<10	<10	2	<10	4		
I311770		368	<20	<0.01	<10	<10	2	<10	7		
I311771		425	<20	<0.01	<10	<10	2	<10	10		
I311772		113	<20	0.01	<10	<10	15	<10	159		
I311773		379	<20	<0.01	<10	<10	1	<10	3		
I311774		360	<20	<0.01	<10	<10	2	<10	2		
I311775		553	<20	<0.01	<10	<10	2	<10	2		
I311776		543	<20	<0.01	<10	<10	2	<10	2		
I311777		170	<20	<0.01	<10	<10	5	<10	4		
I311778		519	<20	<0.01	<10	<10	3	<10	7		
I311779		476	<20	<0.01	<10	<10	1	<10	2		
I311780		483	<20	<0.01	<10	<10	1	<10	2		
I311781		44	<20	<0.01	<10	<10	1	<10	15		
I311782		52	<20	0.11	<10	<10	60	10	54		
I311783		456	<20	<0.01	<10	<10	2	<10	2		
I311784		385	<20	<0.01	<10	<10	2	<10	4		
I311785		410	<20	<0.01	<10	<10	1	<10	4		
I311786		412	<20	<0.01	<10	<10	1	<10	6		
I311787		410	<20	<0.01	<10	<10	2	<10	2		
I311788		536	<20	<0.01	<10	<10	1	<10	2		
I311789		517	<20	<0.01	<10	<10	1	<10	3		
I311790		508	<20	<0.01	<10	<10	2	<10	2		
I311791		33	<20	<0.01	<10	<10	6	<10	18		1.78
I311792		262	<20	<0.01	<10	10	2	<10	4		
I311793		152	<20	<0.01	<10	<10	1	<10	2		
I311794		31	<20	<0.01	<10	<10	7	<10	7		3.06
I311795		66	<20	<0.01	<10	<10	5	<10	7		
I311796		450	<20	<0.01	<10	<10	2	<10	2		
I311797		549	<20	<0.01	<10	<10	2	<10	3		

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311798		1.80	0.559		1.2	0.08	883	<10	10	<0.5	35	17.1	<0.5	<1	<1	111
I311799		7.74	0.008		<0.2	0.04	75	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	14
I311800		9.65	<0.005		<0.2	0.06	105	<10	10	<0.5	<2	>25.0	<0.5	2	<1	2
I311801		6.57	0.020		<0.2	0.03	460	<10	<10	<0.5	2	>25.0	<0.5	<1	<1	116
I311802		3.97	0.019		<0.2	0.10	195	<10	10	<0.5	<2	>25.0	<0.5	2	1	5
I311803		6.90	<0.005		<0.2	0.08	18	<10	10	<0.5	<2	>25.0	<0.5	2	1	2
I311804		8.69	<0.005		<0.2	0.15	40	<10	20	<0.5	<2	>25.0	<0.5	3	2	4
I311805		7.52	<0.005		<0.2	0.21	32	<10	30	<0.5	<2	>25.0	<0.5	5	2	9
I311806		5.09	0.006		<0.2	0.27	21	<10	30	<0.5	<2	23.5	<0.5	6	2	9
I311807		0.69	<0.005		<0.2	0.02	<2	<10	10	<0.5	<2	16.5	<0.5	1	<1	<1
I311808		0.22	6.57	6.63	0.8	1.13	14	<10	110	<0.5	<2	0.67	<0.5	7	27	51
I311809		7.45	0.007		<0.2	0.33	24	<10	40	<0.5	<2	21.4	<0.5	8	2	12
I311810		5.81	0.010		<0.2	0.28	26	<10	30	<0.5	<2	23.7	<0.5	6	2	16
I311811		8.02	0.008		<0.2	0.44	17	<10	40	<0.5	<2	>25.0	<0.5	8	4	16
I311812		8.44	0.007		<0.2	0.36	16	<10	30	<0.5	<2	18.7	<0.5	6	3	12
I311813		5.66	0.007		<0.2	0.41	32	<10	30	<0.5	<2	20.9	<0.5	7	5	12
I311814		7.73	0.008		<0.2	0.76	9	<10	40	<0.5	<2	18.7	<0.5	8	8	19
I311815		7.03	<0.005		<0.2	0.19	18	<10	20	<0.5	<2	>25.0	<0.5	4	2	6
I311816		6.95	<0.005		<0.2	0.17	96	<10	20	<0.5	<2	>25.0	<0.5	4	1	7
I311817		1.78	<0.005		<0.2	0.04	272	<10	50	<0.5	<2	>25.0	<0.5	1	<1	1
I311818		0.61	<0.005		<0.2	0.02	5	<10	10	<0.5	<2	19.8	<0.5	1	<1	1
I311819		0.22	6.60	6.27	0.7	1.19	14	<10	90	<0.5	<2	0.70	<0.5	8	29	53
I311820		6.35	<0.005		<0.2	0.05	175	<10	10	<0.5	<2	>25.0	<0.5	1	<1	4
I311821		5.12	0.006		<0.2	0.12	88	<10	20	<0.5	<2	21.6	<0.5	2	1	5
I311822		5.72	0.005		<0.2	0.14	22	<10	20	<0.5	<2	24.0	<0.5	3	2	4
I311823		5.86	<0.005		<0.2	0.09	14	<10	10	<0.5	<2	>25.0	<0.5	3	1	3
I311824		6.64	0.006		<0.2	0.07	8	<10	10	<0.5	<2	>25.0	<0.5	2	1	3
I311825		5.06	<0.005		<0.2	0.07	14	<10	10	<0.5	<2	>25.0	<0.5	2	1	3
I311826		1.68	<0.005		0.2	0.05	35	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311827		5.39	0.017		0.3	0.19	1255	<10	20	<0.5	3	18.1	<0.5	4	3	9
I311828		3.78	0.020		1.1	0.02	4800	<10	<10	<0.5	2	15.0	3.1	2	2	5
I311829		7.46	<0.005		<0.2	0.13	46	<10	10	<0.5	2	>25.0	<0.5	3	1	4
I311830		7.78	<0.005		<0.2	0.16	33	<10	20	<0.5	<2	23.8	<0.5	4	2	4
I311831		6.57	0.017		<0.2	0.13	57	<10	20	<0.5	<2	24.1	<0.5	4	2	6
I311832		8.77	0.005		<0.2	0.12	43	<10	20	<0.5	<2	19.9	<0.5	4	2	5
I311833		7.44	0.005		<0.2	0.15	20	<10	20	<0.5	<2	24.1	<0.5	3	2	6
I311834		7.21	<0.005		<0.2	0.17	37	<10	20	<0.5	<2	25.0	<0.5	4	2	6
I311835		5.61	<0.005		<0.2	0.07	60	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311836		5.73	<0.005		<0.2	0.13	66	<10	20	<0.5	<2	22.9	<0.5	2	2	4
I311837		4.54	<0.005		<0.2	0.03	23	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
I311798		27.4	<10	<1	0.02	10	0.80	12600	<1	0.04	<1	60	5	>10.0	15	1
I311799		2.14	<10	<1	0.02	10	0.86	3040	<1	0.04	4	50	<2	0.79	<2	1
I311800		1.10	<10	<1	0.03	<10	1.02	1665	<1	0.04	2	70	2	0.42	<2	1
I311801		7.10	<10	<1	<0.01	<10	0.62	2910	<1	0.04	<1	70	<2	0.06	19	<1
I311802		2.56	<10	<1	0.05	10	1.10	2440	<1	0.04	4	140	<2	0.62	3	1
I311803		0.60	<10	1	0.04	<10	1.37	334	<1	0.04	5	160	2	0.30	<2	1
I311804		1.14	<10	1	0.08	10	1.69	465	<1	0.04	9	200	5	0.66	3	2
I311805		1.41	<10	1	0.12	10	1.74	360	<1	0.05	12	260	6	1.07	3	3
I311806		1.80	<10	<1	0.15	10	2.14	276	<1	0.05	15	280	5	1.08	4	3
I311807		0.38	<10	<1	0.01	<10	10.15	164	<1	0.04	1	130	<2	0.05	<2	<1
I311808		3.15	<10	2	0.13	<10	0.49	366	613	0.09	23	440	5	0.80	19	3
I311809		1.86	<10	<1	0.18	20	2.08	195	1	0.05	16	330	5	1.08	4	3
I311810		1.67	<10	<1	0.15	20	2.37	179	<1	0.05	14	350	3	0.90	2	3
I311811		2.13	<10	<1	0.20	20	2.49	273	<1	0.06	20	340	3	1.07	4	4
I311812		1.57	<10	1	0.15	20	1.71	312	<1	0.05	13	270	3	0.70	8	3
I311813		2.26	<10	1	0.16	20	2.32	482	<1	0.05	17	270	5	0.88	8	3
I311814		2.15	<10	1	0.17	20	1.92	228	<1	0.06	19	440	5	0.98	9	3
I311815		1.28	<10	1	0.10	10	2.20	263	<1	0.04	10	200	4	0.52	3	2
I311816		1.42	<10	<1	0.09	10	2.10	381	<1	0.04	7	190	3	0.33	4	3
I311817		1.82	<10	<1	0.02	<10	0.26	2240	<1	0.04	2	30	<2	0.04	5	1
I311818		0.42	<10	1	0.01	<10	12.10	203	<1	0.04	2	180	<2	0.03	<2	<1
I311819		3.31	<10	2	0.13	<10	0.51	383	626	0.09	24	460	4	0.84	20	4
I311820		1.42	<10	<1	0.02	<10	0.46	2160	1	<0.01	4	50	2	0.01	3	2
I311821		1.22	<10	<1	0.07	10	1.66	678	<1	<0.01	7	150	3	0.18	2	2
I311822		1.16	<10	<1	0.08	10	1.92	228	<1	0.01	7	180	2	0.37	<2	2
I311823		0.87	<10	<1	0.05	10	0.96	562	<1	<0.01	5	150	2	0.40	<2	2
I311824		0.63	<10	<1	0.04	10	1.32	337	<1	<0.01	4	160	<2	0.26	<2	1
I311825		0.66	<10	<1	0.04	10	0.88	442	<1	<0.01	5	200	<2	0.32	<2	2
I311826		1.60	<10	<1	0.03	<10	0.79	5970	<1	<0.01	2	50	2	0.11	<2	1
I311827		2.94	<10	<1	0.10	10	1.79	1960	<1	<0.01	8	280	10	0.51	2	4
I311828		1.00	<10	<1	0.01	10	0.10	1570	<1	<0.01	<1	20	178	0.30	3	2
I311829		0.88	<10	<1	0.07	10	0.91	369	<1	<0.01	5	180	5	0.31	2	2
I311830		1.16	<10	<1	0.09	10	1.23	339	<1	<0.01	6	150	4	0.52	2	2
I311831		1.24	<10	<1	0.08	10	1.44	262	<1	<0.01	8	160	3	0.51	2	2
I311832		1.32	<10	<1	0.07	<10	1.47	334	<1	<0.01	6	130	2	0.50	<2	2
I311833		1.24	<10	<1	0.08	10	1.98	169	<1	0.01	6	160	2	0.45	<2	3
I311834		1.21	<10	<1	0.09	10	1.51	253	<1	<0.01	7	190	2	0.42	2	3
I311835		1.07	<10	<1	0.03	<10	0.45	1320	<1	<0.01	2	40	6	0.08	2	2
I311836		1.52	<10	<1	0.07	<10	2.03	739	<1	<0.01	6	180	3	0.19	2	2
I311837		1.03	<10	<1	0.02	<10	0.48	1120	<1	<0.01	1	30	<2	0.02	<2	1

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Zn-OG46 Zn % 0.001	As-OG46 As % 0.01
I311798		183	<20	<0.01	<10	<10	5	<10	6		
I311799		420	<20	<0.01	<10	<10	1	<10	2		
I311800		574	<20	<0.01	<10	<10	2	<10	3		
I311801		418	<20	<0.01	<10	<10	3	<10	3		
I311802		580	<20	<0.01	<10	<10	2	<10	5		
I311803		669	<20	<0.01	<10	<10	1	<10	5		
I311804		590	<20	<0.01	<10	<10	2	<10	5		
I311805		779	<20	<0.01	<10	<10	3	<10	5		
I311806		634	<20	<0.01	<10	<10	2	<10	13		
I311807		46	<20	<0.01	<10	<10	1	<10	16		
I311808		47	<20	0.10	<10	<10	52	<10	46		
I311809		721	20	<0.01	<10	<10	3	<10	20		
I311810		908	<20	<0.01	<10	<10	3	<10	22		
I311811		1110	20	<0.01	<10	<10	3	<10	24		
I311812		599	<20	<0.01	<10	<10	3	<10	22		
I311813		661	20	<0.01	<10	<10	3	<10	30		
I311814		692	20	<0.01	<10	<10	4	<10	43		
I311815		822	<20	<0.01	<10	<10	2	<10	6		
I311816		826	<20	<0.01	<10	<10	2	<10	8		
I311817		426	<20	<0.01	<10	<10	1	<10	16		
I311818		53	<20	<0.01	<10	<10	1	<10	20		
I311819		49	<20	0.10	<10	<10	54	<10	49		
I311820		430	<20	<0.01	<10	10	<1	<10	13		
I311821		671	<20	<0.01	<10	10	1	<10	7		
I311822		948	<20	<0.01	<10	10	1	<10	6		
I311823		724	<20	<0.01	<10	10	1	<10	3		
I311824		889	<20	<0.01	<10	10	<1	<10	4		
I311825		808	<20	<0.01	<10	10	<1	<10	15		
I311826		200	<20	<0.01	<10	10	<1	<10	3		
I311827		120	<20	<0.01	<10	10	2	<10	12		
I311828		137	<20	<0.01	<10	<10	<1	<10	630		
I311829		965	<20	<0.01	<10	10	<1	<10	17		
I311830		810	<20	<0.01	<10	10	<1	<10	9		
I311831		801	<20	<0.01	<10	10	<1	<10	6		
I311832		546	<20	<0.01	<10	10	1	<10	6		
I311833		941	<20	<0.01	<10	10	1	<10	5		
I311834		772	<20	<0.01	<10	10	1	<10	6		
I311835		133	<20	<0.01	<10	10	<1	<10	15		
I311836		376	<20	<0.01	<10	10	1	<10	16		
I311837		120	<20	<0.01	<10	10	<1	<10	4		

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
I311838		7.85	<0.005		<0.2	0.08	46	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311839		4.06	0.020		<0.2	0.10	63	<10	10	<0.5	<2	>25.0	<0.5	2	1	3
I311840		7.40	<0.005		<0.2	0.05	17	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311841		5.61	<0.005		<0.2	0.17	65	<10	20	<0.5	<2	23.1	<0.5	4	2	5
I311842		6.40	<0.005		<0.2	0.07	36	<10	10	<0.5	<2	>25.0	<0.5	1	1	2
I311843		8.89	0.006		0.3	0.17	61	<10	20	<0.5	<2	24.0	<0.5	3	3	9
I311844		6.99	0.005		0.2	0.14	19	<10	20	<0.5	<2	23.0	<0.5	4	2	5
I311845		5.93	0.009		0.3	0.18	36	<10	20	<0.5	<2	23.2	0.7	3	2	4
I311846		0.72	<0.005		<0.2	0.02	<2	<10	10	<0.5	<2	18.1	<0.5	1	<1	1
I311847		0.22	6.41	6.49	0.8	0.94	11	<10	190	<0.5	<2	0.57	<0.5	6	24	44
I311848		4.05	0.013		0.3	0.14	89	<10	10	<0.5	<2	24.5	0.5	2	2	4
I311849		9.54	0.007		<0.2	0.16	46	<10	20	<0.5	<2	24.1	<0.5	3	2	5
I311850		8.70	<0.005		<0.2	0.15	52	<10	30	<0.5	<2	23.2	<0.5	4	2	7
I311851		11.37	<0.005		<0.2	0.16	10	<10	20	<0.5	<2	22.7	<0.5	2	2	5
I311852		8.80	0.005		<0.2	0.09	27	<10	10	<0.5	<2	>25.0	<0.5	2	1	2
I311853		7.20	0.006		<0.2	0.17	43	<10	20	<0.5	<2	23.9	<0.5	2	2	5

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
I311838		1.36	<10	<1	0.04	<10	1.05	1150	<1	<0.01	2	80	<2	0.10	<2	1
I311839		1.44	<10	<1	0.04	<10	0.75	1340	<1	<0.01	4	60	<2	0.31	5	1
I311840		1.04	<10	<1	0.03	<10	0.46	1250	<1	<0.01	1	50	<2	0.09	<2	1
I311841		1.67	<10	<1	0.09	<10	1.94	672	<1	<0.01	8	140	3	0.32	3	2
I311842		1.11	<10	<1	0.03	<10	0.65	1330	<1	<0.01	3	60	2	0.12	<2	2
I311843		1.84	<10	<1	0.09	<10	1.54	1100	<1	<0.01	6	150	9	0.35	3	3
I311844		1.28	<10	<1	0.08	10	1.64	361	<1	<0.01	7	180	4	0.46	2	3
I311845		1.25	<10	<1	0.08	10	1.71	1170	<1	<0.01	5	150	35	0.65	3	2
I311846		0.43	<10	<1	0.01	<10	11.65	207	<1	<0.01	<1	170	<2	<0.01	<2	<1
I311847		2.75	<10	2	0.11	<10	0.43	320	510	0.06	20	380	5	0.66	16	3
I311848		1.04	<10	<1	0.06	<10	0.93	1450	1	<0.01	4	110	47	0.34	6	2
I311849		1.06	<10	<1	0.08	10	1.40	477	<1	<0.01	7	160	7	0.41	4	3
I311850		1.14	<10	<1	0.08	10	1.47	290	<1	<0.01	7	150	3	0.41	4	3
I311851		1.03	<10	<1	0.09	10	2.00	175	<1	0.01	5	180	2	0.40	2	3
I311852		0.62	<10	1	0.04	<10	0.38	802	<1	<0.01	3	60	<2	0.18	4	2
I311853		0.84	<10	<1	0.06	<10	0.74	245	<1	<0.01	4	170	2	0.27	6	3

Comments: ***Corrected copy with additional analytes for ME-ICP41***

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **KETZA RIVER HOLDINGS LTD.**
900 - 688 W. HASTINGS
VANCOUVER BC V6B 1P1

Finalized Date: 11-DEC-2011
Account: KETRIV

Project: Ketza River

CERTIFICATE OF ANALYSIS WH11230802

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Zn-OG46 Zn % 0.001	As-OG46 As % 0.01
I311838		165	<20	<0.01	<10	10	<1	<10	9		
I311839		171	<20	<0.01	<10	10	1	<10	8		
I311840		131	<20	<0.01	<10	10	<1	<10	3		
I311841		317	<20	<0.01	<10	10	2	<10	11		
I311842		147	<20	<0.01	<10	10	<1	<10	8		
I311843		169	<20	<0.01	<10	10	1	<10	19		
I311844		548	<20	<0.01	<10	10	1	<10	6		
I311845		653	<20	<0.01	<10	10	1	<10	103		
I311846		45	<20	<0.01	<10	10	1	<10	13		
I311847		38	<20	0.08	<10	<10	45	<10	41		
I311848		271	<20	<0.01	<10	10	1	<10	69		
I311849		438	<20	<0.01	<10	10	1	<10	16		
I311850		420	<20	<0.01	<10	10	1	<10	17		
I311851		698	<20	<0.01	<10	10	1	<10	9		
I311852		202	<20	<0.01	<10	10	1	<10	18		
I311853		342	<20	<0.01	<10	10	2	<10	12		

Comments: ***Corrected copy with additional analytes for ME-ICP41***