ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, DIAMOND DRILLING AND GEOPHYSICAL SURVEYS

at the

NADALEEN TREND PROJECT
RACKLA GOLD PROPERTY

Sten 1-142,21-38, 39-54
Dale 1-12
T 748-1071, 2748, 2750, 2752, 2754, 2756,
2758, 2760, 2762, 2764, 2766, 2768,
2770, 2772, 2774, 2776, 2778, 2780,
2782, 2784, 2786, 2788-2870, 2871-3125
ST 1-431, 474-475, 516-517
JAM 1-32
EN 1-42, 73-102, 133-162

NTS 106C/01 & 02

Latitude 64°4′ N; Longitude 132°30′ W

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

ATAC RESOURCES LTD.

by

J. Lane, B.Sc., GIT
J. Carne, M.Sc.

April 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY AND CLIMATE	4
REGIONAL GEOLOGY	4
PROJECT GEOLOGY	6
DIAMOND DRILLING	9
RESULTS	11
GEOPHYSICAL SURVEY	16
DISCUSSION AND CONCLUSIONS	16
REFERENCES	18

APPENDICES

I STATEMENT OF QUALIFICATIONS

II GEOLOGICAL CROSS SECTION FIGURES 15-65

III GEOLOGICAL AND SAMPLE LOGS

IV SAMPLING AND ANALYTICAL PROCEDURES

V QA/QC RESULTS

VI CERTIFICATES OF ANALYSIS

VII GEOPHYSICAL REPORT BY PRECISION GEOSURVEYS INC.

FIGURES

No.	Description	Follows Page
1	Project Location	1
2	Claim Locations	In pocket
3	Tectonic Setting	5
4	Regional Stratigraphic Section	5
5	Regional Geology	5
6	Project Geology	6
7	Schematic Stratigraphy of the Osiris Area	8
8	Nadaleen Trend Drill Hole Locations	8
9	Pyramid Drill Hole Locations	8
10	Dale Drill Hole Locations	8
11	Amon and Isis Drill Hole Locations	8
12	Osiris and Isis East Drill Hole Locations	8
13	Conrad Drill Hole Locations	8
14	Ptah Drill Hole Locations	8
15	Section PY 11-001 – Pyramid Zone	Appendix II
16	Section PY 11-002 – Pyramid Zone	Appendix II
17	Section PY 11-003 and 004 – Pyramid Zone	Appendix II
18	Section PY 11-005 – Pyramid Zone	Appendix II
19	Section DL 11-001 – Dale Zone	Appendix II
20	Section DL 11-002 – Dale Zone	Appendix II
21	Section 7575E – Amon Zone	Appendix II

22	Section 7625E – Amon Zone	Appendix II
23	Section 7715E – Amon Zone	Appendix II
24	Section 7770E – Amon Zone	Appendix II
25	Section 8615E – Isis Zone	Appendix II
26	Section 2675N – Osiris Zone	Appendix II
27	Section 2600N – Osiris Zone	Appendix II
28	Section 2550N – Osiris Zone	Appendix II
29	Section 2500N – Osiris Zone	Appendix II
30	Section 2450N – Osiris Zone	Appendix II
31	Section 2350N – Osiris Zone	Appendix II
32	Section 2315N – Osiris Zone	Appendix II
33	Section 2275N – Osiris Zone	Appendix II
34	Section 2250N – Osiris Zone	Appendix II
35	Section 2200N – Osiris Zone	Appendix II
36	Section 2125N – Osiris Zone	Appendix II
37	Section 2070N – Osiris Zone	Appendix II
38	Section 2045N – Osiris Zone	Appendix II
39	Section 2020N – Osiris Zone	Appendix II
40	Section 2000N – Osiris Zone	Appendix II
41	Section 1950N – Osiris Zone	Appendix II
42	Section 9520E – Osiris Zone	Appendix II
43	Section 9430E – Osiris Zone	Appendix II
44	Section OS 11-33 – Osiris Zone	Appendix II

45	Section OS 11-65, 71 – Osiris Zone	Appendix II
46	Section OS 11-31 – Osiris Zone	Appendix II
47	Section OS 11-44, 48 – Osiris Zone	Appendix II
48	Section OS 11-47, 52 – Osiris Zone	Appendix II
49	Section 1840N – Isis East Zone	Appendix II
50	Section 9050E – Isis East Zone	Appendix II
51	Section OS 11-40 – Isis East Zone	Appendix II
52	Section 1650N – Isis East Zone	Appendix II
53	Section 9180E – Isis East Zone	Appendix II
54	Section OS 11-43 – Isis East Zone	Appendix II
55	Section 0250E – Conrad Zone	Appendix II
56	Section 0300E – Conrad Zone	Appendix II
57	Section 0360E – Conrad Zone	Appendix II
58	Section 0400E – Conrad Zone	Appendix II
59	Section 0450E – Conrad Zone	Appendix II
60	Section 0500E – Conrad Zone	Appendix II
61	Section 0550E – Conrad Zone	Appendix II
62	Section 0600E – Conrad Zone	Appendix II
63	Section 0650E – Conrad Zone	Appendix II
64	Section 0730E – Conrad Zone	Appendix II
65	Section OS 11-76, 81 – Conrad Zone	Appendix II

TABLES

I	Lithological Units	5
II	Rock Unit Descriptions	7
III	2011 Drill Hole Data	9
IV	Significant Drill Intervals	13
V	Standard Sample Parameters	Appendix IV

INTRODUCTION

The Nadaleen Trend project covers an area of anomalous gold and arsenic stream sediment geochemistry situated within a geological belt favorable for sediment hosted gold mineralization, 100 km along trend of ATAC Resources Ltd.'s highly prospective Tiger Zone. They are both part of the Rackla Gold Property which is wholly owned by ATAC.

This report describes work conducted on the east end of the Rackla Gold property at the Nadaleen Trend project between March 16 and October 23, 2011 by Archer, Cathro & Associates (1981) Limited on behalf of ATAC. Drilling began on May 29 while mapping occurred between June 3 and September 15, 2011. The authors directed this program and their Statement of Qualifications are in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Nadaleen Trend project consists of 1406 contiguous mineral claims, which are located in central Yukon at latitude 64°4′ north, and longitude 132°30′ west on NTS map sheets 106C/01 and 106C/02 (Figure 1). In June 2009 the initial 20 claims were staked; additional claims were then added that fall and the following summer. Collectively the project covers an area of approximately 28,300 hectares (283 sq km). The claims are all registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for ATAC. Specifics concerning claim registration are tabulated below while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date *
Sten 1-20	YC99501-YC99520	April 28,2021
21-38	YC99523-YC99540	April 28,2019
39-54	YD08485-YD08500	April 28,2019
55-142	YD10405-YD10492	April 28,2019
Dale 1-12	YD08533-YD08544	April 28, 2019
T 748-1071	YD22878-YD23201	March 1, 2017
2748	YD11578	March 1, 2017
2750	YD11580	March 1, 2017
2752	YD11582	March 1, 2017
2754	YD11584	March 1, 2017
2756	YD11586	March 1, 2017
2758	YD11588	March 1, 2017
2760	YD11590	March 1, 2017
2762	YD11592	March 1, 2017
2764	YD11594	March 1, 2017
2766	YD11596	March 1, 2017
2768	YD11598	March 1, 2017
2770	YD11600	March 1, 2017
2772	YD11602	March 1, 2017
2774	YD11604	March 1, 2017
2776	YD11606	March 1, 2017

ATAC RESOURCES LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION
NADALEEN TREND PROJECT

0 250 km

UTM ZONE 8, NAD 83, 106C/01 & 02

FILE: ...Nadaleen-F_1-Project_Location.wor | DATE: APRIL 2012



2778	YD11608	March 1, 2017
2780	YD11610	March 1, 2017
2782	YD11612	March 1, 2017
2784	YD11614	March 1, 2017
2786	YD11616	March 1, 2017
2788-2870	YD11618-YD11700	March 1, 2017
2871-2957	YD32901-YD32987	March 1, 2017
2858	YD32988	April 28, 2016
2959	YD32989	March 1, 2017
2860	YD32990	April 28, 2016
2961	YD32991	March 1, 2017
2862-3004	YD32992-YD33034	April 28, 2016
3005	YD33035	March 1, 2017
3006	YD33036	April 28, 2016
3007	YD33037	March 1, 2017
3008-3125	YD33038-YD33155	April 28, 2016
ST 1-431	YD26901-YD27331	April 28, 2016
474-475	YD27374-YD27375	April 28, 2017
516-517	YD27416-YD27417	April 28, 2017
JAM 1-32	YD08501-YD08532	April 28, 2016
EN 1-42	YD01401-YD01442	April 28, 2016
73-102	YD01473-YD01502	April 28, 2016
133-162	YD01533-YD01562	April 28, 2016

*Expiry dates include 2011 work which has been filed for assessment credit but not yet accepted.

The Nadaleen Trend project lies 180 km east-northeast of Mayo, the nearest supply centre. The closest road access is at the community of Keno City situated about 49 km by road northeast of Mayo and 150 km by air west-southwest of the property. Mayo and Keno City can be reached in all seasons by two wheel drive vehicles using the Yukon highway system.

Access to the project in 2011 was by fixed-wing aircraft to the Rackla airstrip, about 40 km to the west-northwest of the project and then by helicopter to the camp location; or to the newly constructed Stewart Airstrip 10 km south of the project and then by helicopter to the camp location. Daily access to work areas on the project was provided by a combination of three helicopters. Throughout the exploration season Fireweed Helicopters Ltd. supplied a combination of Eurocopter AS350 SD2, Hughes 500D and MD 520 N models. In addition, Horizon Helicopters provided a Eurocopter AS350 SD2. All machines were stationed out of the Nadaleen Trend camp.

HISTORY AND PREVIOUS WORK

The earliest recorded exploration within the Nadaleen Trend exploration area occurred when McIntyre Mines staked the Birkeland claims, then called Tom and Mom in 1974 on the northeastern corner of the Nadaleen Trend project, approximately 200 km east of Mayo. Mapping, geochemical soil sampling, trenching and 10 BQ and 22 Winkie holes were carried out

in 1975. The best results were 4.4% Zinc, 0.5% Lead and 2.7 g/t Silver over 1.8 m in DDH75-31 (Shearer, 1975). In 1978 McIntyre Mines entered a joint venture with Canadian Superior Exploration, Ltd. No further work was reported and the Birkeland claims expired.

In 1976 the Sian claims were staked approximately 37 km southwest of the Birkeland claims by McIntyre Mines following prospecting of geological targets. Mapping, geochemical soil sampling and EM, mag and SP geophysical surveys were carried out in 1977. Gold was tested for in 4 grab samples; however, results did not exceed the detection limit for gold (Birkeland, 1978). After entering a joint venture with Canadian Superior Exploration, detailed mapping, trenching and sampling was completed in 1979. Results of this work found low grade Lead and Zinc throughout a folded dolomite unit. One diamond drill hole was completed in 1980 but did not intersect any mineralization. No further work was recommended and in 1982 the Sian property passed to Serem Ltd, after which the claims were voided and no further exploration was reported.

The Star claims located approximately 12 km to the west of the Sian claims were staked by private prospectors and optioned to Prism Resources, Ltd in 1976. Mapping and soil geochemical testing completed by Prism Resources in 1977 had disappointing results and all claims were dropped. The Lee and Nod claims were staked to the south of the Leah claims in December of 1976 and were optioned to Tay River Mines. No work is on record for these claims and they were allowed to lapse (Deklerk and Traynor, 2005).

McIntyre Mines staked the Jam property in 1977, 4.2 km north of its Sian property. Soil and silt sampling in conjunction with mapping later that year found a favorable dolomite breccia host rock with associated zinc and lead sulphide mineralization. No further work was reported and the Jam claims lapsed (Deklerk and Traynor, 2005).

In 1976, the Black, Ida, Red and Eira claims, located approximately 8 km east of the Sian claims, were staked by the Ortell Syndicate (Precambrian Shield Resources Ltd, Giant Yellowknife Mines Ltd, Nemco Resources Ltd and Highwood Resources Ltd). In 1977, the Black and Ida claims were optioned by a joint venture between DeJour Mines Limited and Nova-Co Exploration Limited (Thompson, 1977). Mapping and geochemical sampling on the Ida claims later that year returned moderately anomalous zinc values, with erratic lead and silver support.

Also in 1977, prospecting and stream sediment sampling carried out on the Eira property by the Ortell Syndicate returned anomalous silver and zinc results, up to 2.4 ppm and 680 ppm respectively (Curry, 1977). This led to more detailed grid soil sampling and geological mapping. This work returned a number of moderate, non-coincident silver, zinc and lead anomalies.

In 2001, the Geological Survey of Canada completed a regional stream sediment sampling program (Heon, 2003), which included coverage of the current Nadaleen Trend project. Creeks draining the area of the Nadaleen Trend project returned strong gold and arsenic anomalies.

ATAC's initial interest in the area was to follow up a strong arsenic silt anomaly collected by the Geological Survey of Canada in 2001. Over a three day period in 2009, 89 stream sediment, one rock and nine soil samples were collected on the Sten claims, located 19 km west of the original

Birkeland claims. These samples returned a string of moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, additional claims were staked by ATAC.

Follow-up prospecting of the anomalous creek in the summer of 2010 led to the discovery of in situ gold mineralization occurring within a folded, deformed carbonate horizon now referred to as the Osiris Zone. A follow up soil grid consisting of 50 m line spacing and 50 m sample spacing was conducted over this carbonate horizon. Results from the soil grid yielded four distinct gold anomalies known as Osiris, Conrad, Isis and Isis East.

Drilling in the fall of 2010 defined three gold bearing zones (Lane 2011). The Osiris Zone returned the most significant gold grades yielding 65.20 m of 4.65 g/t Au in OS-10-01. Five more holes were drilled within the Osiris Zone with all but one (OS-10-05) intersecting significant gold mineralization. The Conrad Zone, one kilometer to the east was drilled to target a gold bearing trench. Assay results from this area included 8.03 g/t Au over 21.13 m in OS-10-08. A second hole drilled in the Conrad Zone intersected arsenic sulphide mineralization in a siliciclastic package (OS-10-09) with an averaged gold grade of 1.61 g/t over 39.76 m. Drilling in the Isis Zone one kilometer west of the Osiris Zone (OS-10-07) returned comparatively lower, albeit anomalous, gold grades averaging 0.92 g/t over 17.00 m.

GEOMORPHOLOGY AND CLIMATE

The Nadaleen Trend project is situated in the Selwyn Mountains and is drained by tributaries of the Nadaleen and Stewart rivers, which are both part of the Yukon River watershed. Local topography is alpine to subalpine and feature north- and south-trending rocky spurs and valleys that flank a main east-west trending ridge. Elevations range from approximately 1000 to 2000 m above sea level (asl).

Treeline in the vicinity of the project is at about 1500 m asl. Slopes above that elevation are unvegetated. The density and size of vegetation gradually increases on lower slopes, and the valley floors are well treed with mature black spruce. Understory vegetation typically consists of low shrubs and moss. Moderately steep, south facing slopes are well drained and are often lightly forested with poplar. Steep, north facing slopes are usually unvegetated. Outcrop is most abundant near ridge crests and in actively eroding creek beds. Hillsides are talus covered at higher elevations and are blanketed by glacial till at lower elevations. Soil development is moderate to poor in most areas.

The climate in the Nadaleen Trend project area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Rackla Gold Property at 1:250,000 scale in the early 1970s (Blusson, 1974). In 1999, Gordey and


Makepeace completed a compilation of Yukon-wide geology and updated the lithological unit names in the Rackla area. The Yukon Geological Survey completed mapping of 106C/03 and 106C/04 1:50,000 map sheets during 2010 and 2011 (Colpron, M., 2012, and Chakungal, J., Bennett, V., 2010).

The Rackla Gold Property straddles the boundary between the deep water dominantly clastic rocks of the Selwyn Basin to the south and the shallower water shelf strata of the Mackenzie platform to the north. The Dawson Fault, which juxtaposes rocks of Selwyn Basin against rocks of the Mackenzie Platform, is a crustal break that may date back to late Neo Proterozoic rifting and was reactivated as a north directed thrust in the Cretaceous (Macdonald, F.A. et al, 2010). The tectonic setting of the Rackla Gold Property is shown on Figure 3, while regional relationships and the importance of the Dawson Fault system are presented on Figure 4.

Regional scale property mapping was conducted during the 2011 field season. The distribution of lithologies and regional scale structures determined during this mapping program are shown Figure 5 and the stratigraphic units, are described in Table I.

Table I – Lithological Units (*after Gordey and Makepeace, 1999* and Turner, 2011)

Unit Name	Map Name	Terrane	Age	Description
Earn Group	DME		Devonian to Mississippian	Silvery-blue weathering black shale, argillite, cherty argillite and bedded chert; minor volcaniclastics and rare limestone.
Road River Group and Bouvette Formation	ODR		Ordovician to Devonian	Calcareous to non-calcareous sedimentary gravity flows; graded, sorted chert pebble conglomerates, lithoclastic floatstones, lithic arenites. Well bedded, fossiliferous limestone, thin bedded silty limestone, black chert, light banded chert, siliceous siltstone and argillite. Thick sequences of massive to bedded, reefal, variably fossiliferous limestone and minor siltstone, siliceous argillite and chert.
	Fault contacts			
Haywire Formation	OSH	Mackenzie Platform	Ordovician to Silurian	Medium to thick bedded, light grey to white dolostone, locally highly fossiliferous
Sekwi Formation	lCS	Mackenzie Platform	Lower Cambrian	Grey to bright orange weathering finely crystalline, massive to laminated dolostone; limestone, locally with stromatolite beds, white to purple bedded



ATAC RESOURCES LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING


NADALEEN TREND PROJECT

UTM ZONE 8, NAD 83, 10CC/01 & 02

FILE: ...2011/Nadaleen/Figures/F_3_Tectonic_Settings.wor | DATE: APRIL 2012

After Nelson and Colpron, 2007

after Abbott (1997)



ATAC RESOURCES LTD.


FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED.

REGIONAL STRATIGRAPHIC SECTION

NADALEEN TREND PROJECT

FILE:...Nadaleen/F_4-Regional_Strat_Sect	DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY
RACKLA GOLD PROPERTY

0 100 200 m
UTM ZONE 8W, NAD 83

FILE: ...2011/Rackla Gold/-F_5-RegionalGeo.WOR | DATE: APRIL 2012

LEGEND

Lithological Units

- DME — DEVONIAN-MISSISSIPPIAN EARN GROUP
- ORDOVICIAN-DEVONIAN ROAD RIVER GROUP
  - ODR — Conglomerate, arenites, lithic floatstones
  - ODR — Bedded fossiliferous limestone, chert, argillite
  - ODR — Massive fossiliferous limestone and lesser fine grained clastic rocks
- ODH — ORDOVICIAN-SILURIAN HAYWIRE FORMATION
- ICS — LOWER CAMBRIAN SEKWI FORMATION
- PCH — PRECAMBRIAN-LOWER CAMBRIAN HYLAND GROUP
- MESO-PROTEROZOIC PINGUICULA GROUP
  - mPP — Lime mudstone and dolostone
  - mPP — Siltstone
- PW — PROTEROZOIC WERNECKE SUPERGROUP

Structural Symbols

- Normal Fault
- Thrust Fault
- Strike-Slip Fault
- Contact
- Anticline, Plunging
- Anticline

- Claim boundary
- Airstrip
- Camp

				quartz sandstone, red mudstone, dark grey argillite and calcareous polymict conglomerate.
	Fault contacts			
Hyland Group	PCH	Selwyn Basin	Upper Proterozoic to Lower Cambrian	Dominantly terrigenous clastics. Distinctive, recessive, maroon weathering, interbedded maroon and apple-green shale; locally interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate. (Narchilla Fm) Grey weathering, dark grey to grey-white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; carbonate debrites. (Limestone member of Yusezyu Fm=Algae Formation?) Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit and quartz-pebble conglomerate "grits"; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble.(Yusezyu Fm)
	Unconformity?			
Pinguicula Group ?	mPP	Mackenzie Platform	Meso-Proterozoic	Pale to medium grey to yellowish-orange weathering lime-mudstone and dolo-mudstone with minor quartz silty layers and distinctive intraclast rudstones. (Ping B) Terigenous maroon, green or gray siltstone. (Ping A)
	Fault contacts			
Wernecke Supergroup?	PW	Mackenzie Platform	Proterozoic	Rusty weathering, grey, brown, tan, green and maroon siltstones, mudstones and minor coarser clastics.

PROJECT GEOLOGY

Detailed mapping in 2011 was carried out in the vicinity of the Osiris Zone. Lithologies have been broken into four clastic and carbonate stratigraphic successions, with faulted contacts obscuring most of the relationships between these successions. Table II describes the map units and Figure 6 shows their relative relationships.



OSIRIS AREA
628,000 mE
630,000 mE
7,112,000 mN
NADALEEN FAULT
MST
LST
LST1
SLT2
INT
LSTST
DMT1
DST2
SLC
DMT2
LST2
DOL1
SLT1
DST1
LEGEND
Mafic Intrusive
Diamictite
Siliciclastics
Conrad Limestone
Dolostone
Siltstone
Gritty Limestone and siltstone
Diamictite
Dolostone
Limestone
Siltstone
Mudstone
Contact
Fault
ATAC RESOURCES LTD.
FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROJECT GEOLOGY
RACKLA GOLD PROPERTY
0
500 m
1000 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_6-Osiris_Geology.WOR
DATE: APRIL 2012

Table II –Rock Unit Descriptions

Map Name	Tentative Regional Correlation	Rock Type	Descriptions
INT		Mafic Intrusive	Massive, fine grained to medium grained, weakly calcareous, greenish-grey-brown mafic intrusive.
DMT2	Hyland Group	Diamictite	Clasts of terrigenous and calcarcous material from sand to cobble to large boulders in a fine grained, lime mud matrix.
SLC	Hyland Group	Siliciclastics	Siltstones, mudstones and lesser sandstone and minor conglomerate from terrigenous sources.
LST2	Algae Formation of Yusezyu Formation of Hyland Group	Limestone	Light grey weathering, massive to silty laminated limestone. (Conrad Limestone).
Contact relationships faulted			
DST2	Hyland Group	Dolostone	Buff weathering, tan, massive to fine silt laminated crystalline dolostone.
SLT2	Hyland Group	Siltstone	Light to dark grey and brown siltstones.
LSTST	Hyland Group	Gritty Limestone and siltstone	Grey brown weathering calcareous sandstone to carbonate cemented coarse quartz grit often graded and cross laminated with interbedded siltstones.
DMT1	Hyland Group	Diamictite	Distinctive polymict conglomerate with fine grained silty to lime mud matrix and clasts from pebble to >1 m diametre boulders of limestone, siltstone, dolostone, and minor quartz arenite and chert.
Unconformity?			
DST1	Pinguicula Group Unit B	Dolostone	Grey to tan weathering, massive to brecciated in character.
LST1	Pinguicula Group Unit B	Limestone	Thinly laminated, grey weathering lime-mudstone and fine grained dolostone with interbedded lensoidal rudstone layers up to 2 m thick and lesser weakly calcareous to non-calcareous siltstone and minor fine quartz sandstone.
SLT1	Pinguicula Group Unit A	Siltstone	Maroon-brown-green-grey platey, non-calcareous siltstone.
Nadaleen Fault			

MST1	Wernecke Supergroup	Mudstone	Light green-grey-teal mudstone with minor sandstone to pebble conglomerate occasionally carbonate cemented.

North of the moderate to steeply dipping Nadaleen Fault Zone, defined on Figure 6, is a distinctive rusty brown weathering thick sequence of light green to teal, maroon and brown mudstones with minor interbedded quartz pebble conglomerate. Regionally this may correlate with the Mesoproterozoic **Wernecke Supergroup**; but locally, all contacts with other units are faulted and its stratigraphic relationship cannot be determined.


South of the Nadaleen Fault, on the east side of the project area, is a sequence of fine grained siliciclastic strata including siltstones and mudstones with lesser sandstone and minor conglomerate from terrigenous sources (Conrad Package). Interlayered with the clastics are lensoidal carbonate rich diamictites to carbonate boulder conglomerate up to several metres thick, interpreted as debrites. Within the siliciclastic sequence a thicker limestone unit referred to as the "Conrad Limestone" is a monotonous grey weathering lime mudstone with cone in cone calcite, and wispy fine quartz sand layers.


In the western portion of the Osiris Zone exploration area the oldest observed rocks are a distinctive maroon and green to grey and brown platey, non-calcareous terrigenous siltstone with minor sandstone (Figure 7). This is overlain through a gradational contact by a centimetrically to decimetrically layered, approximately 100 m thick sequence of interbedded lime-mudstone and dolo-mudstone with minor quartz silt to very fine sand component. The carbonate strata are pale to medium grey-weathering in general, with a conspicuously yellowish-orange weathering interval near its base as well as intermittently throughout the unit where silty intervals are present. Intraclastic rudstone lenses (10 cm to >1 m thick and tens to hundreds of metres wide) are a conspicuous component and consist of randomly oriented to imbricated, tabular to equant clasts in a carbonate mudstone matrix. Clast composition is almost exclusively the same as enclosing carbonate mudstones. At the Osiris Zone the top of the sequence is a grey to tan weathering massive to brecciated dolostone. This sequence is structurally repeated with the northern exposure referred to as the Osiris Horizon and the southern section referred to as the Isis Horizon.


The maroon and green siltstone and carbonate package described above strongly resembles strata of the Meso-Proterozoic (<1.3 Ga; >1.0 Ga) **Pinguicula Group**, exposed in its type section 70 km to the northwest. In the Osiris area they have tentatively been referred to as Pinguicula A (siltstone) and Pinguicula B (carbonates).


Overlying this stratigraphy is a basal polymict cobble conglomerate which grades upwards to grey brown weathering calcareous sandstone to carbonate cemented coarse quartz grit often graded and cross laminated with interbedded siltstones. This in turn is overlain by siltstones with minor sandstone component, a tan weathering crystalline dolostone and more fine grained clastic rocks. These non-fossiliferous rocks are tentatively correlated with late Proterozoic to Cambrian **Hyland Group**.


Figure 7 - Schematic Stratigraphy of the Osiris Area (Turner, 2011)















T.N.
2°
24°2'
Grid north
Magnetic north
Annual change
decreasing 27' W
610,000 mE
615,000 mE
620,000 mE
625,000 mE
630,000 mE
7,120,000 mN
7,115,000 mN
Pyramid
Dale
Ptah
Amon
Osiris
Isis
Conrad
Isis East
2010 Drill Collar
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
DRILL HOLE LOCATION
RACKLA GOLD PROPERTY
0 1 2 5 km
UTM ZONE 8W, NAD 83, 106C01/02
FILE: ...2011/Rackla Gold/RGP-F_8-DRILLHOLE.WOR
DATE: APRIL 2012



608,000 mE
608,200 mE
608,400 mE
608,600 mE
608,800 mE
609,000 mE
7,115,400 mN
7,115,200 mN
3,700 ft
3,800 ft
PY -11-005
PY -11-002
PY -11-004
PY -11-001
PY -11-003
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PYRAMID DRILL HOLE LOCATION
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C02
FILE: ...2011/Rackla Gold/RGP-F_9-PYR_DRILLHOLE.WOR
DATE: APRIL 2012


619,000 mE
619,200 mE
619,400 mE
619,600 mE
619,800 mE
620,000 mE
7,115,600 mN
7,115,400 mN
7,115,200 mN
DL -11-001
DL -11-002
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
DALE DRILL HOLE LOCATION
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C02
FILE: ...2011/Rackla Gold/RGP-F_10-DAL_DRILLHOLE.WOR
DATE: MARCH 2012


627,400 mE
627,600 mE
627,800 mE
628,000 mE
628,200 mE
628,400 mE
628,600 mE
7,113,000 mN
7,112,800 mN
7,112,600 mN
OS -11-024
OS -11-015
OS -11-012
OS -11-028
OS -11-034
OS -11-029
OS -11-018
OS -11-020
1,300 m
1,280 m
1,260 m
OS -10-007
OS -11-072
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
2010 Drill Collar
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
AMON AND ISIS DRILL HOLE LOCATIONS
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C01
FILE: ...2011/Rackla Gold/RGP-F_11-AMandIS_DRILLHOLE.WOR
DATE: APRIL 2012


629,000 mE
629,200 mE
629,400 mE
629,600 mE
7,112,600 mN
7,112,400 mN
7,112,200 mN
7,112,000 mN
7,111,800 mN
7,111,600 mN
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
OS -11-090
OS -11-085
OS -11-080
OS -11-089
OS -11-086
OS -11-088
1,590 m
1,600 m
1,630 m
OS -11-084
OS -11-083
OS -11-082
OS -11-077
OS -11-087
OS -11-079
OS -11-078
OS -11-041
OS -11-047
OS -11-052
OS -11-049
OS -11-053
OS -11-055
OS -11-057
OS -11-061
OS -11-065
OS -11-071
OS -11-048
OS -11-044
OS -11-056
OS -10-003
OS -10-006
OS -11-023
OS -11-031
OS -10-001
OS -10-002
OS -10-004
OS -10-005
OS -11-075
OS -11-064
OS -11-033
OS -11-068
OS -11-035
OS -11-026
OS -11-032
OS -11-037
OS -11-067
OS -11-040
OS -11-043
OS -11-046
OS -11-038
OS -11-073
2010 Drill Collar
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
OSIRIS AND ISIS EAST
DRILL HOLE LOCATIONS
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C01
FILE: ...2011/Rackla Gold/RGP-F_12-OSandISE_DRILLHOLE.WOR
DATE: APRIL 2012


630,000 mE
630,200 mE
630,400 mE
630,600 mE
630,800 mE
631,000 mE
7,112,600 mN
7,112,400 mN
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
1,360 m
1,340 m
1,320 m
OS -11-017
OS -11-014
OS -11-030
OS -11-036
OS -11-022
OS -11-042
OS -11-045
OS -11-010
OS -11-013
OS -11-019
OS -11-021
OS -11-025
OS -11-027
OS -11-051
OS -11-058
OS -11-059
OS -10-008
OS -11-011
OS -11-016
OS -11-050
OS -11-054
OS -11-062
OS -11-070
OS -11-069
OS -10-009
OS -11-060
OS -11-063
OS -11-074
OS -11-066
OS -11-081
OS -11-076
2010 Drill Collar
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CONRAD DRILL HOLE LOCATIONS
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C01
FILE: ...2011/Rackla Gold/RGP-F_13-CONRAD_DRILLHOLE.WOR
DATE: APRIL 2012


629,200 mE
629,400 mE
629,600 mE
629,800 mE
630,000 mE
7,113,800 mN
7,113,600 mN
1,420 m
1,430 m
1,440 m
PT -11-001
T.N.
3°
24°24'
Grid north
Magnetic north
Annual change
decreasing 27.2' W
2010 Drill Collar
2011 Drill Collar
ATAC RESOURCES LTD.
FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PTAH DRILL HOLE LOCATIONS
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C01
FILE: ...2011/Rackla Gold/RGP-F_14-PTAH_DRILLHOLE.WOR
DATE: APRIL 2012

This interlayered package of Pinguicula and Hyland Group stratigraphy has been folded and intruded by a mafic dyke set which is exposed on the ridge between the Conrad and Osiris Zones and in drill holes on the west side of Conrad and the north end of Osiris.

DIAMOND DRILLING

Drilling was conducted at the Amon, Conrad, Dale, Isis, Isis East, Osiris, Ptah and Pyramid, Zones (Figure 8) between May 29 and October 16, 2011 by Superior Diamond Drilling Ltd. of Peachland, BC. The work was completed using HQ, NQ and BTW equipment on five heli-portable Discovery II drills and one heli-portable Prospector drill. A total of 26,675.84 m of diamond drilling was completed in 89 holes. Each drill was set up on a platform of 8" x 8" timbers covered with 2" x 8" planks, which was constructed on a site prepared by hand.

Drill collar locations are plotted on Figures 9 to 14 and key data for the holes is listed in Table III. Appendix II contains Figures 15 to 65, which illustrate cross-sections showing the 2011 drill holes. Significantly mineralized intervals are listed in Table IV. Geological and sample logs are given in Appendix III, sampling and analytical procedures are provided in Appendix IV, QA/QC results are summarized in Appendix V and certificates of analysis are shown in Appendix VI.

Table III: 2011 Drill Hole Data

Zone	Hole	Northing (mN)	Easting (mE)	Elevation (m)	Azm	Dip	Depth (m)	Core Size
Amon	OS -11-012	7112982.39	627767.87	1346.14	0	-50	186.84	HQ
Amon	OS -11-015	7112982.39	627767.87	1346.14	180	-70	487.68	HQ-NQ
Amon	OS -11-018	7112898.06	627719.93	1307.77	180	-70	71.02	HQ
Amon	OS -11-020	7112898.06	627719.93	1307.77	0	-50	220.37	HQ
Amon	OS -11-024	7113000.24	627716.18	1330.55	180	-65	204.52	HQ
Amon	OS -11-028	7112903.48	627574.94	1260.00	0	-50	213.97	HQ
Amon	OS -11-029	7112903.48	627574.94	1260.00	0	-65	403.25	HQ-NQ
Amon	OS -11-034	7112904.00	627626.00	1276.45	0	-50	266.09	HQ
							2053.74	**Total**
Conrad	OS -11-010	7112590.69	630447.34	1486.54	180	-50	335.28	HQ-NQ
Conrad	OS -11-011	7112556.85	630359.89	1474.59	220	-70	166.12	HQ
Conrad	OS -11-013	7112591.14	630447.17	1486.69	180	-70	413.00	HQ-NQ
Conrad	OS -11-014	7112619.25	630307.92	1515.10	180	-50	176.78	HQ-NQ
Conrad	OS -11-016	7112542.20	630452.14	1450.95	180	-50	280.42	HQ-NQ
Conrad	OS -11-017	7112616.30	630308.04	1513.33	180	-70	173.74	HQ-NQ
Conrad	OS -11-019	7112584.23	630500.05	1463.11	180	-50	243.84	HQ-NQ
Conrad	OS -11-021	7112583.94	630499.98	1462.92	180	-85	170.69	HQ-NQ
Conrad	OS -11-022	7112612.29	630258.38	1508.80	180	-65	134.11	HQ
Conrad	OS -11-025	7112581.47	630500.72	1461.26	180	-67	263.96	HQ-NQ
Conrad	OS -11-027	7112581.45	630500.81	1461.25	0	-50	178.31	HQ
Conrad	OS -11-030	7112614.41	630409.63	1512.61	180	-50	406.91	HQ-NQ
Conrad	OS -11-036	7112614.65	630409.63	1512.70	180	-65	784.86	HQ-NQ
Conrad	OS -11-042	7112606.42	630362.84	1509.88	180	-50	393.19	HQ-NQ

Conrad	OS -11-045	7112606.51	630362.96	1509.70	180	-70	353.57	HQ-NQ
Conrad	OS -11-050	7112546.02	630543.26	1420.96	180	-60	552.30	HQ-NQ
Conrad	OS -11-051	7112621.14	630655.80	1420.97	180	-65	567.84	HQ-NQ
Conrad	OS -11-054	7112546.40	630544.35	1419.61	180	-75	682.45	HQ-NQ
Conrad	OS -11-058	7112550.06	630656.31	1396.19	180	-60	459.64	HQ-NQ
Conrad	OS -11-059	7112527.02	630726.01	1350.44	180	-60	567.84	HQ-NQ
Conrad	OS -11-060	7112255.23	630450.60	1401.14	0	-50	597.41	HQ-NQ
Conrad	OS -11-062	7112541.86	630597.81	1400.14	180	-60	427.70	HQ-NQ
Conrad	OS -11-063	7112239.93	630408.96	1394.64	0	-50	670.56	HQ-NQ
Conrad	OS -11-066	7112197.00	630655.00	1361.55	0	-50	684.89	HQ-NQ
Conrad	OS -11-069	7112326.91	630308.73	1420.03	0	-50	653.80	HQ-NQ
Conrad	OS -11-070	7112461.46	630259.25	1453.84	0	-60	597.41	HQ-NQ
Conrad	OS -11-074	7112200.06	630545.04	1420.40	0	-50	639.17	HQ-NQ
Conrad	OS -11-076	7112203.00	630876.00	1247.53	45	-50	406.91	HQ-NQ
Conrad	OS -11-081	7112203.00	630876.00	1247.53	0	-50	37.49	HQ
							12020.19	**Total**
Dale	DL -11-001	7115629.00	619074.00	1435.00	240	-50	320.95	BTW
Dale	DL -11-002	7114993.00	620073.00	1408.00	40	-70	327.66	BTW
							648.61	**Total**
Isis	OS -11-072	7112149.28	628613.98	1582.91	0	-50	346.97	HQ-NQ
							346.97	**Total**
Isis East	OS -11-038	7111657.67	629055.58	1556.68	90	-50	286.51	HQ-NQ
Isis East	OS -11-040	7111658.69	629055.10	1557.23	45	-50	202.08	HQ
Isis East	OS -11-043	7111655.13	629056.21	1555.22	135	-50	219.46	HQ
Isis East	OS -11-046	7111657.74	629055.59	1556.72	0	-50	85.95	HQ
Isis East	OS -11-067	7111838.01	628959.55	1623.72	90	-50	199.64	BTW
Isis East	OS -11-073	7111609.30	629178.59	1564.67	0	-50	178.92	BTW
							1172.56	**Total**
Osiris	OS -11-023	7112069.26	629287.60	1765.33	90	-50	236.22	HQ
Osiris	OS -11-026	7111958.89	629419.60	1736.93	270	-50	225.55	HQ
Osiris	OS -11-031	7112069.00	629287.94	1764.16	45	-50	179.75	HQ
Osiris	OS -11-032	7111950.12	629321.57	1709.15	270	-50	185.93	HQ
Osiris	OS -11-033	7112066.27	629287.83	1764.15	135	-50	370.33	HQ-NQ
Osiris	OS -11-035	7111952.92	629373.92	1723.29	270	-50	85.34	HQ
Osiris	OS -11-037	7111952.99	629373.95	1723.27	270	-55	187.76	HQ
Osiris	OS -11-039	7112128.65	629366.39	1758.85	270	-50	318.82	HQ-NQ
Osiris	OS -11-041	7112128.81	629366.36	1758.71	270	-75	367.28	HQ-NQ
Osiris	OS -11-044	7112080.75	629241.42	1757.00	45	-50	215.49	HQ-NQ
Osiris	OS -11-047	7112129.88	629365.74	1758.87	310	-50	222.81	HQ-NQ
Osiris	OS -11-048	7112080.61	629241.28	1757.04	45	-65	279.50	HQ-NQ
Osiris	OS -11-049	7112045.58	629428.48	1787.05	0	-90	217.70	HQ
Osiris	OS -11-052	7112129.79	629365.83	1758.83	310	-65	272.90	HQ-NQ
Osiris	OS -11-053	7112046.77	629429.3	1787.19	0	-70	165.61	HQ
Osiris	OS -11-055	7112043.58	629427.86	1787.05	270	-47	259.99	HQ-NQ
Osiris	OS -11-056	7112121.89	629350.72	1761.07	90	-50	156.36	HQ

Osiris	OS -11-057	7112043.58	629427.86	1787.05	270	-57	313.33	HQ-NQ
Osiris	OS -11-061	7112043.58	629427.86	1787.05	270	-65	462.69	HQ-NQ
Osiris	OS -11-064	7112024.53	629337.67	1759.46	270	-50	115.82	HQ
Osiris	OS -11-065	7112045.74	629428.08	1786.99	285	-50	261.52	HQ-NQ
Osiris	OS -11-068	7111997.87	629373.05	1751.28	270	-50	191.71	HQ
Osiris	OS -11-071	7112045.85	629428.35	1786.99	285	-57	267.61	HQ-NQ
Osiris	OS -11-075	7112024.44	629530.43	1801.29	0	-60	200.56	HQ
Osiris	OS -11-077	7112314.78	629219.53	1613.99	90	-45	145.33	BTW
Osiris	OS -11-078	7112204.00	629261.09	1676.55	90	-50	327.36	HQ-NQ
Osiris	OS -11-079	7112241.65	629253.77	1654.10	90	-50	295.05	HQ-NQ
Osiris	OS -11-080	7112549.14	629265.23	1502.84	270	-50	275.84	HQ
Osiris	OS -11-082	7112314.78	629219.53	1613.99	90	-60	250.28	BTW
Osiris	OS -11-083	7112356.43	629307.42	1572.00	270	-50	163.98	HQ
Osiris	OS -11-084	7112356.39	629308.02	1572.00	270	-80	310.29	HQ
Osiris	OS -11-085	7112597.03	629255.11	1498.75	270	-50	304.80	HQ
Osiris	OS -11-086	7112495.35	629330.64	1520.16	270	-50	183.79	HQ
Osiris	OS -11-087	7112276.12	629338.97	1633.99	270	-50	145.69	HQ
Osiris	OS -11-088	7112444.68	629335.65	1534.05	270	-50	273.40	HQ-NQ
Osiris	OS -11-089	7112552.22	629323.93	1510.46	270	-50	339.85	NQ
Osiris	OS -11-090	7112672.83	629106.32	1476.13	270	-50	235.04	HQ
							9011.28	**Total**
Ptah	PT -11-001	7113627.00	629594.00	1454.34	225	-70	682.75	HQ-NQ
							682.75	**Total**
Pyramid	PY -11-001	7115129.00	609086.00	1092.00	10	-50	233.48	BTW
Pyramid	PY -11-002	7115187.00	609024.00	1092.00	10	-70	230.12	BTW
Pyramid	PY -11-003	7115127.00	609136.00	1088.00	10	-60	30.48	BTW
Pyramid	PY -11-004	7115127.00	609136.00	1088.00	10	-65	61.87	BTW
Pyramid	PY -11-005	7115293.00	607990.00	1147.00	10	-50	183.79	BTW
							739.74	**Total**

RESULTS

In general, gold mineralization is hosted in relatively thick, variably folded packages defined as the Osiris and Isis Horizons and the interlayered limestone and siliciclastic Conrad Package. All of these units occur adjacent to fault zones. Mineralization in the Osiris and Isis Horizon is distinguished by highly variable quantities of the arsenic sulphide minerals orpiment and realgar, with lesser amounts of sooty fine-grained pyrite. Alteration consists of distal calcite flooding of the limestone with proximal decalcification.

The Osiris Horizon is between 100 and 200 m thick and is composed of interlayers of silty and muddy-limestone with individual debrite packages up to 45 m thick. Debrite textures within the horizon range widely with boulder to gravel sized, sub angular to sub rounded clasts that are matrix to clast supported. Decalcification is variable and is directly related to mineralization, with the more strongly decalcified limestone hosting better mineralization. Of the 37 holes that tested the Osiris Horizon, 23 intersected significant gold mineralization with OS-11-088 having

the highest grade (11.15 g/t gold over 6.27 m) and OS-11-084 having the thickest interval of mineralization (4.41 g/t gold over 44.20 m).

The Isis Horizon is thought to be a structural repeat of the Osiris Horizon and was the subject of six drill holes in 2011. The holes were drilled following up on a 450 m long gold in soil geochemical anomaly defined as the Isis East zone. The holes intersected a stratigraphically equivalent sequence of mudstones and silty-limestones containing variable debrite textures. Mineralization is hosted in decalcified limestone, similar to the Osiris Horizon, with associated realgar mineralization. Of the six holes drilled, OS-11-073 contained both the longest (3.13 g/t Au over 51.82 m) and highest grading (12.51 g/t Au over 10.76 m) intervals.

The Conrad Zone occurs at the contact of an undifferentiated but extensive mudstone package that is juxtaposed against a limestone and siliciclastic package. The Nadaleen Fault defines this contact and is a zone up to 50 m wide. It is characterized by protolith dependent brittle and brittle-ductile strain textures. In areas of very high brittle strain, rocks have been reduced to complete rubble. Mineralization is structurally controlled within dissolution seams occurring in strain zones thought to be related to the Nadaleen Fault. While the limestone package is the most significant host for the mineralization, gold also occurs in the siliciclastic package where strain textures are present. Intermediate intrusive dykes and sills, ranging from 15 cm to over 7 m thick, parallel the strike of the Nadaleen Fault. These intrusive intervals are variably mineralized and show evidence of significant sericite alteration. Of the 29 holes drilled at the Conrad Zone in 2011, OS-11-010 had the longest (3.15 g/t Au over 114.9 m) while OS-11-014 had the highest grade (20.55 g/t Au over 6.09 m) intervals.

The Amon Zone also occurs along the Nadaleen Fault, three kilometres to the west of the Conrad Zone. Amon is situated to the northeast of a 100 m by 30 m kill zone where a silt sample collected in 2009 returned 15.5% Arsenic (Eaton, 2010). Eight holes were drilled in the Amon Zone. They intersected a thick dolostone package that showed complex multiphase calcite and dolomite veining. Realgar and orpiment are abundant, occurring in veins and veinlets overprinting earlier phases of veining. Significant arsenic sulphide mineralization was also related to the Nadaleen Fault. The highest gold grade encountered was 0.83 g/t Au over 1.52 m in OS-11-034.

One geologic hole was drilled to test the thickness of the mudstone unit north of the Nadaleen Fault along the northwest trend of the Conrad Zone arsenic anomaly in what is referred to as the Ptah Zone. The hole never transitioned out of mudstone.

A soil geochemical pathfinder anomaly at the Dale Zone, which occurs 10 km west of Osiris, was tested by two holes. DL-11-001 encountered a pale greenish grey, variably oxidized siltstone unit underlain by variably solution collapse brecciated dolostone. DL-11-002 intersected a pale green mudstone on top of a thinly bedded limestone unit showing intraclast rudstones, characteristic of the Osiris carbonate package. Both holes intersected trace visible realgar, but neither were significantly mineralized.

The Pyramid Zone another soil geochemical pathfinder anomaly, is located 10 km to the northwest of the Dale Zone. Five holes were drilled after massive orpiment boulders and realgar

cobbles were found in soil. The drilling was hindered by rubbly and gougy conditions that the drill could not penetrate. Many of the holes were abandoned short of the projected target. PY-11-004 was the only hole to intersect significant realgar and orpiment mineralization; unfortunately this hole failed to reach its target depth.

Table IV: Significant Drill Intervals

Zone	Hole	From (m)	To (m)	Int. (m)	Au Grade (g/t)
CONRAD	OS-11-010	176.15	291.08	114.93	3.15
CONRAD	*incl.*	181.36	263.65	82.29	4.08
CONRAD	*incl.*	181.36	214.88	33.52	6.25
CONRAD	OS-11-011	114.75	129.54	14.79	1.64
CONRAD	OS-11-013	278.00	281.00	3.00	3.18
CONRAD	OS-11-014	86.87	99.06	12.19	10.54
CONRAD	*incl.*	89.92	96.01	6.09	20.55
CONRAD	OS-11-016	109.40	197.20	87.80	2.84
CONRAD	*incl.*	148.00	181.00	33.00	5.36
CONRAD	*incl.*	169.85	179.15	9.30	14.40
CONRAD	and	212.50	237.74	25.24	2.86
CONRAD	*incl.*	212.50	217.10	4.60	9.41
CONRAD	OS-11-017	88.39	100.58	12.19	2.61
CONRAD	*incl.*	94.49	100.58	6.09	4.40
CONRAD	OS-11-019	143.26	207.26	64.00	1.61
CONRAD	*incl.*	188.98	198.12	9.14	3.43
OSIRIS	OS-11-023	15.24	56.39	41.15	2.48
OSIRIS	*incl.*	38.10	53.34	15.24	4.90
CONRAD	OS-11-025	198.12	210.31	12.19	2.01
CONRAD	*incl.*	205.60	209.20	3.60	5.20
CONRAD	OS-11-030	179.83	252.98	73.15	3.05
CONRAD	*incl.*	219.26	234.70	15.44	8.40
CONRAD	and	304.80	343.20	38.40	4.31
CONRAD	*incl.*	312.00	322.08	10.08	10.53
CONRAD	*incl.*	333.50	343.20	9.70	5.34
OSIRIS	OS-11-031	39.62	71.63	32.01	4.25
OSIRIS	*incl.*	52.86	63.45	10.59	11.04
OSIRIS	OS-11-032	119.44	124.97	5.53	4.73
OSIRIS	OS-11-033	104.55	131.06	26.51	1.46
OSIRIS	*incl.*	126.65	131.06	4.41	4.04
CONRAD	OS-11-036	568.45	576.70	8.25	3.72
CONRAD	and	687.32	708.66	21.34	8.06

CONRAD	*incl.*	691.69	704.20	12.51	12.61
CONRAD	*incl.*	696.47	704.20	7.73	17.23
ISIS EAST	OS-11-038	39.01	48.16	9.15	2.76
OSIRIS	OS-11-039	73.46	91.95	18.49	3.49
OSIRIS	incl.	85.65	91.95	6.30	7.64
OSIRIS	and	152.70	155.75	3.05	4.76
ISIS EAST	OS-11-040	95.40	133.50	38.10	3.33
ISIS EAST	*incl.*	110.64	125.88	15.24	6.77
CONRAD	OS-11-042	144.00	155.45	11.45	2.83
CONRAD	and	197.05	207.26	10.21	2.54
CONRAD	and	216.41	222.50	6.09	5.19
CONRAD	and	295.66	300.60	4.94	3.61
CONRAD	OS-11-045	177.80	182.88	5.08	3.12
CONRAD	and	301.75	313.94	12.19	2.95
ISIS EAST	OS-11-046	12.80	20.00	7.20	1.79
OSIRIS	OS-11-047	91.50	97.23	5.73	3.46
OSIRIS	OS-11-049	1.87	28.60	26.73	1.83
CONRAD	OS-11-050	86.87	137.16	50.29	2.11
CONRAD	*incl.*	96.01	103.63	7.62	5.50
CONRAD	and	437.39	460.40	23.01	5.51
CONRAD	OS-11-051	259.99	275.23	15.24	6.92
CONRAD	*incl.*	261.00	272.19	11.19	9.17
CONRAD	and	403.25	421.54	18.29	3.73
CONRAD	*incl.*	406.30	415.44	9.14	6.95
OSIRIS	OS-11-052	106.07	121.31	15.24	3.40
OSIRIS	OS-11-053	0.41	31.39	30.98	3.09
OSIRIS	incl.	7.60	28.15	20.55	4.09
CONRAD	OS-11-054	125.55	137.16	11.61	5.90
CONRAD	*incl.*	125.55	131.06	5.51	11.37
CONRAD	and	420.00	429.77	9.77	9.83
CONRAD	*incl.*	423.67	428.10	4.43	17.68
CONRAD	and	509.02	519.89	10.87	2.50
OSIRIS	OS-11-055	1.42	27.54	26.12	6.08
OSIRIS	OS-11-057	1.75	23.77	22.02	4.14
OSIRIS	*incl.*	3.96	14.63	10.67	7.18
OSIRIS	and	179.22	183.79	4.57	3.73
OSIRIS	and	226.70	233.05	6.35	3.85
CONRAD	OS-11-058	147.22	188.37	41.15	7.33
CONRAD	*incl.*	163.98	177.70	13.72	16.23
CONRAD	and	215.80	218.00	2.20	10.15
CONRAD	and	350.20	352.96	2.76	10.94

CONRAD	OS-11-059	234.70	237.74	3.04	5.26
CONRAD	OS-11-060	207.26	222.50	15.24	5.55
CONRAD	*incl.*	213.36	219.46	6.10	10.48
CONRAD	and	490.73	496.82	6.09	2.79
CONRAD	*incl.*	493.78	496.82	3.04	4.64
OSIRIS	OS-11-061	3.96	26.82	22.86	2.77
OSIRIS	*incl.*	3.96	13.11	9.15	3.78
OSIRIS	and	390.98	395.63	4.65	4.59
CONRAD	OS-11-062	83.21	142.65	59.44	4.32
CONRAD	*incl.*	115.49	135.03	19.54	8.75
CONRAD	and	207.92	212.25	4.33	4.80
CONRAD	OS-11-063	237.74	259.08	21.34	3.20
CONRAD	*incl.*	240.79	249.94	9.15	6.63
OSIRIS	OS-11-065	3.96	23.77	19.81	2.77
OSIRIS	and	67.97	71.25	3.28	4.41
OSIRIS	and	184.65	189.40	4.75	4.92
CONRAD	OS-11-066	359.90	383.13	23.23	6.65
CONRAD	OS-11-069	541.02	550.16	9.14	7.29
CONRAD	*incl.*	543.18	548.00	4.82	13.32
CONRAD	OS-11-070	161.54	167.64	6.10	2.48
CONRAD	and	204.22	213.36	9.14	3.18
CONRAD	*incl.*	210.31	213.36	3.05	8.90
CONRAD	and	243.84	259.08	15.24	7.51
CONRAD	*incl.*	249.94	256.03	6.09	12.77
OSIRIS	OS-11-071	0.00	22.25	22.25	2.35
OSIRIS	*incl.*	12.00	20.47	8.47	3.93
OSIRIS	and	189.89	204.60	14.71	3.28
ISIS EAST	OS-11-073	17.37	69.19	51.82	3.13
ISIS EAST	*incl.*	57.00	67.76	10.76	12.51
CONRAD	OS-11-074	245.97	279.08	33.11	2.67
CONRAD	*incl.*	259.12	279.08	19.96	3.61
CONRAD	and	391.25	404.00	12.75	3.46
CONRAD	*incl.*	396.55	404.00	7.45	5.64
OSIRIS	OS-11-078	39.32	54.56	15.24	4.22
OSIRIS	*incl.*	40.84	48.46	7.62	7.63
OSIRIS	OS-11-079	10.06	25.30	15.24	1.59
OSIRIS	and	197.51	200.56	3.05	3.24
OSIRIS	OS-11-080	24.39	44.20	19.81	5.07
OSIRIS	*incl.*	32.00	44.20	12.20	8.03
OSIRIS	OS-11-082	4.57	7.62	3.05	4.82
OSIRIS	and	134.11	178.31	44.20	4.41

OSIRIS	*incl.*	160.02	175.26	15.24	6.83
OSIRIS	OS-11-083	39.01	48.20	9.19	3.74
OSIRIS	OS-11-085	246.89	254.51	7.62	8.37
OSIRIS	OS-11-086	81.69	90.83	9.14	3.96
OSIRIS	and	131.88	153.41	21.53	2.67
OSIRIS	OS-11-088	74.07	92.35	18.28	4.43
OSIRIS	*incl.*	76.94	83.21	6.27	11.15
OSIRIS	and	147.22	152.40	5.18	6.80
OSIRIS	OS-11-089	196.60	202.69	6.09	4.30

GEOPHYSICAL SURVEY

In July 2011 a combined airborne magnetic and radiometric geophysical survey was flown over the Pyramid target with the intention of gaining further understanding on the distribution of structures and lithologies occurring below glacial cover. Geochemical anomalies at the Pyramid target are widely dispersed by secondary mechanical processes. Geophysical surveys were used in hope of vectoring towards the source structures associated with the mineralized soil anomaly. Collection, processing and interpretation of the magnetic and radiometric data was carried out by Precision GeoSurveys Inc. A copy of Precision GeoSurveys report can be found in Appendix VII.

Results from the magnetic survey illustrate broad, curvilinear lineaments trending east-southeast. The distribution and trend of subsurface features defined by unique magnetic signatures coincide with the general trend of lithologies and structures in the area depicted by surface mapping. Total magnetic intensity and calculated vertical gradient both illustrate east-southeast trending features; total magnetic intensity appears to be more useful in defining the distribution of lithologic units while the calculated vertical gradient appears to characterize lineaments likely representative of structures.

DISCUSSION AND CONCLUSIONS

The Nadaleen Trend project lies at the boundary between Mackenzie Platform and Selwyn Basin, within geomorphological and geological settings that resemble those at the Carlin gold deposits in Nevada.

In 2010, soil sampling and prospecting at the Nadaleen Trend project identified the possible sources of the very high gold and arsenic values collected from silt samples in 2009. In addition, four mineralized showings were identified, and through drilling in 2010 and 2011 all were proven to contain moderate to significant gold mineralization.

Drill results from the Nadaleen Trend project warrant additional work to better assess the character and extent of the currently identified geochemical anomalies and mineralized showings, as well as to search for additional areas of economic interest. Soil sampling has proven to be a very effective technique at the Nadaleen Trend project and therefore an extensive soil sampling survey is recommended over a broader area. The survey should consist of closely

spaced contour and grid soil sampling, prospecting and detailed geological mapping to extend coverage beyond the 2011 work area. To accomplish this, widely spaced contour and grid soil sampling and prospecting should be completed, combined with stream sediment sampling and prospecting on creeks that have not been sampled to date.

Detailed mapping should be conducted around all geochemical anomalies. If mineralized showings are found, they should be extensively drill tested to define the source and extent of mineralization at depth. Fonseca (1998) stresses the importance of recognizing folds, faults and favourable carbonate strata, since they are the principal controls over the location of mineralization in gold-rich, carbonate-hosted replacement deposits. As such, particular emphasis should be placed on identifying these features.

An east-west trending arsenic sulphide bearing structure intersected during drilling (PY-11-01 and PY-11-04) is visible in the calculated vertical gradient grid data as a transitional lineament occurring between areas of high and low vertical magnetic gradient. Disruption of this structure towards the eastern end of the grid may be caused by a north trending cross structure inferred from surface mapping. This structural intersection should be considered a high priority target for future drilling. Results from the radiometric data appear to be spurious and fail to indicate any meaningful data regarding the distribution of subsurface material.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Julia Lane, B.Sc., GIT

Joan Carne, M.Sc.

REFERENCES

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basinOperation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O). Geological Survey of Canada, Open File 205, Scale 1:250,000.

Birkeland, A.O.,
1978 Mcintyre Mines Ltd., Apr/78. Assessment Report *#090309

Chakungal, J., Bennett, V.
2010 New bedrock geology of Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project. 2010 Yukon Exploration & Geology. Yukon Geological Survey.

Colpron, M.
2012. Preliminary geological map of Mount Ferrell (106C/3), southern Nadaleen map area. Yukon Geological Survey, Roundup 2012 Poster.

Curry, J.D.
1977 Geochemical survey and preliminary geology for parts of the Eira claim group; prepared for Ortell Syndicate.; Assessment Report #090254.

Deklerk, R. and Traynor, S. (compilers)
2005 Yukon MINFILE – a database of mineral occurrences (Map 106C). Yukon Geological Survey, website).

Eaton, S.
2010 Assessment report describing geochemistry sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Fonseca, A.L.
1998 Origin of Carbonate-Hosted Gold Rich Replacement Deposits and Related Mineralization Styles in the Ketza River Deposit, Yukon Territory: unpublished Masters of Science Thesis, University of British Columbia, p.109.

Gordey, S.P. and Makepeace, A.J. (comp.).
1999 Yukon bedrock geology in Yukon digital geology; Geological Survey of Canada Open File D3826 and Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1(D).

Heon, D. (compiler)
2003 Yukon regional geochemical database 2003 – stream sediment analyses. Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Lane, J.
2011 Assessment report describing Geochemical Sampling, Geological Mapping, Diamond Drilling and Geophysical Surveys at the Nadaleen Trend Project, Rackla Gold Property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

MacDonald, F. A., Halverson, G.P., Schmitz, M. D., Crowley, J.L., Cox, G, Smith, E. F., Strauss, J. V., and Roots, C. F.
2010 Timing and Geometry of the Multi-stage Breakup of Rodinia in the Yukon. Paper No. 263-2. 2010 GSA Annual Meeting

Nelson, J.L. and Colpron, M.
2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordilleran_metallogeny.pdf

Shearer, J.T.
1975 Mcintyre Mines Ltd., Assessment Report *#090080

Thompson, I.S.
1977 Geochemical report on Black 1-32 and Ida 1-32 claims; prepared for Dejour Mines Ltd.; Assessment Report #090255.

Turner, E.C.
2011 Lithostratigraphy of the Osiris Area. Report to ATAC Resources, August 26, 2011.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Julia Lane, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2008 with a B.Sc. in Earth and Ocean Science.

2. From 2006 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Ontario.

3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 157127).

4. I have personally participated in the fieldwork reported herein and have interpreted all data resulting from this work.

Julia Lane, B.Sc., GIT

STATEMENT OF QUALIFICATIONS

I, Joan Carne, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Burnaby, British Columbia, hereby certify that:

1. I graduated from Middlebury College, Vermont, USA in 1974 with a B.A. in Geology and Mathematics.

2. I graduated from the University of British Columbia in 1979 with a M.Sc. in Geology.

3. From 1977-1984, I was actively engaged in mineral exploration in Washington and Alaska, USA, Yukon Territory and British Columbia.

4. From 2011 to present, I have been actively engaged in mineral exploration in Yukon Territory.

5. I have personally participated in the fieldwork reported herein and have interpreted all data resulting from this work.

Joan Carne, M.Sc.

95902

QM01267

Statement of Expenditures
Group D
EN 1-42, 73-102, 133-162, Jam 1-32,
ST 474-475, 516-517 and T 748-1071 Mineral Claims
September 21, 2011




Expenses (including management fee)

Superior Diamond Drilling	$131,395.34
Eagle Mapping – LIDAR survey	18,705.60
Precision GeoSurveys	15,176.30
ALS Chemex	171,343.23
	$336,620.47

APPENDIX II

GEOLOGICAL CROSS SECTION FIGURES 15-65



ATAC RESOURCES LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PYRAMID PY 11- 001

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_15-Pyramid01.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PYRAMID PY 11- 002

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_16-Pyramid02.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 17

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PYRAMID PY 11- 003 and 004

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_17-Pyramid03,04.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PYRAMID PY 11- 005

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_18-Pyramid05.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


DALE DL 11-001

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_19-Dale11_001.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 20

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


DALE DL 11-002

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_20-Dale_DL_11_002.WOR DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 21

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


AMON SECTION 7575E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_21-AmonA7575E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 22

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


AMON SECTION 7625E


RACKLA GOLD PROPERTY


0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_22-AmonA7625E.WOR | DATE: APRIL 2012


7,112,700 mE
7,112,900 mE
7,113,100 mE
1,400 m
1,200 m
1,000 m
800 m
OS -11-018
OS -11-024
OS -11-020
LEGEND
Overburden
Siltstone
Dolostone
Strain Zone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 23
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
AMON SECTION 7715E
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_23-AmonA7715E.WOR
DATE: APRIL 2012


7,112,700 mE
7,112,900 mE
7,113,100 mE
1,400 m
1,200 m
1,000 m
800 m
OS -11-012
OS -11-015
LEGEND
Overburden
Siltstone
Dolostone
Strain Zone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 24
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
AMON SECTION 7770E
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_24-AmonA7770E.WOR
DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 25

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ISIS SECTION 8615E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_25-Isis_8615E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 26


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2675N

RACKLA GOLD PROPERTY

FILE: ...2011/Rackla Gold/-F_26-Osiris_2675N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 27


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2600N

RACKLA GOLD PROPERTY

FILE: ...2011/Rackla Gold/-F_27-Osiris2600N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 28

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 2550N

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_28-Osiris2550N.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 29

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2500


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_29-Osiris2500N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 30

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 2450N

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_30-Osiris2450N.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 31

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2350N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_31-Osiris2350N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 32


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 2315N

RACKLA GOLD PROPERTY

FILE: ...2011/Rackla Gold/-F_32-Osiris2315N.WOR

DATE: APRIL 2012


1,700 m
629,100 mE
629,300 mE
629,500 mE
OS -11-087
1,500 m
1,300 m
1,100 m
LEGEND
Overburden
Strain Zone
Fault Rock
Intrusive
Siltstones
Diamictite
Dolostone
Limestone
Mudstone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 33
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
OSIRIS SECTION 2275N
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_33-Osiris2275N.WOR
DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 34

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2250N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_34-Osiris2250N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 35

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2200N


RACKLA GOLD PROPERTY


0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_35-Osiris2200N.WOR

DATE: APRIL 2012


629,100 mE
629,300 mE
629,500 mE
1,700 m
1,500 m
1,300 m
1,100 m
OS -11-056
OS -11-039
OS -11-041
LEGEND
Overburden
Strain Zone
Fault Rock
Intrusive
Siltstones
Diamictite
Dolostone
Limestone
Mudstone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 36
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
OSIRIS SECTION 2125N
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_36-Osiris2125N.WOR
DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 37

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 2070N

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_37-Osiris2070N.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 38

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2045N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_38-Osiris2045N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 39

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2020N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_39-Osiris2020N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 40

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION 2000N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_41-Osiris2000N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 41

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 1950N

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_41-Osiris1950N.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 42

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 9520E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_42-Osiris9520E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 43

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION 9430E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F-43-Osiris9430E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 44

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION OS 11-33

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_44-Osiris_11_33.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 45

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION OS 11-65, 11-71

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_45-Osiris_OS_11_65_71.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 46

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION OS 11-31

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_46-Osiris_OS_11_31.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 47

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


OSIRIS SECTION OS 11-44,48

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_47-Osiris_11_44_48.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 48

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SECTION OS 11-47,52


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_47-Osiris_11_48_52.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 49

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ISIS EAST SECTION 1840N


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_49-IsisEast_1840N.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 50

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ISIS EAST SECTION 9050E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_50-IsisEast_9050E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 51

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ISIS EAST SECTION OS 11-40


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_51-IsisEast_OS11_38.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 52

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ISIS EAST SECTION 1650N

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_52-Isis East_1650N.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 53

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ISIS EAST SECTION 9180E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_53-IsisEast_9180E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 54

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ISIS EAST SECTION OS 11-43

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_54-IsisEast_OS11_43.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 55

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0250E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_55-ConradC0250E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 56

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0300E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_56-ConradC0300E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 57

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CONRAD SECTION 0350E


RACKLA GOLD PROPERTY


0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_57-ConradC0350E.WOR

DATE: APRIL 2012


1,500 m
7,112,300 mN
7,112,500 mN
7,112,700 mN
1,500 m
1,300 m
1,300 m
1,100 m
1,100 m
900 m
OS -11-030
OS -11-063
OS -11-036
LEGEND
Overburden
Fault Rock
Intrusive
Mudstone
Siliciclastic
Limestone
Dolostone
Strain Zone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 58
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CONRAD SECTION 0400E
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_58-ConradC0400E.WOR
DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 59

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0450E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_59-ConradC0450E.WOR | DATE: APRIL 2012



LEGEND

- Overburden
- Fault Rock
- Intrusive
- Mudstone
- Siliciclastic
- Limestone
- Dolostone
- Strain Zone
- Gold
  1 mm = 1 ppm

ATAC RESOURCES LTD.

FIGURE 60

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0500E


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_60-ConradC0500E.WOR | DATE: APRIL 2012


1,500 m
1,400 m
1,300 m
1,200 m
1,100 m
1,000 m
7,112,200mN
7,112,300mN
7,112,400mN
7,112,500mN
7,112,600mN
OS -11-050
OS -11-074
OS -11-054
LEGEND
Overburden
Fault Rock
Intrusive
Mudstone
Siliciclastic
Limestone
Dolostone
Strain Zone
Gold
1 mm = 1 ppm
ATAC RESOURCES LTD.
FIGURE 61
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CONRAD SECTION 0550E
RACKLA GOLD PROPERTY
0
100
200 m
UTM ZONE 8W, NAD 83, 106C/01
FILE: ...2011/Rackla Gold/-F_61-ConradC0550E.WOR
DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 62

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0600E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_62-ConradC0600E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 63

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CONRAD SECTION 0650E

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_63-ConradC0650E.WOR | DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 64

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CONRAD SECTION 0725E


RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_64-ConradC0725E.WOR

DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 65

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CONRAD DDH OS-11-76, 81

RACKLA GOLD PROPERTY

0 100 200 m

UTM ZONE 8W, NAD 83, 106C/01

FILE: ...2011/Rackla Gold/-F_65-Conrad11_76_81.WOR

DATE: APRIL 2012

APPENDIX III

GEOLOGICAL AND SAMPLE LOGS

NADALEEN TREND 2011 Core Logging Codes

Colour	
--	N/A
BG	beige
BK	black
BL	blue
BF	buff
BN	brown
BR	brass
GN	green
GY	grey
CR	cream
OL	olive
OR	orange
PK	pink
PU	purple
RD	red
SI	silver
TN	tan
TP	taupe
WH	white
YW	yellow

Shade	
--	N/A
LT	light
MD	medium
DK	dark

Mineral	
--	N/A
As	Arsenopyrite
Ak	Ankerite
Bi	Biotite
Cb	Carbonate
Cl	Chlorite
Cp	Chalcopyrite
Fl	Flourite
Gn	Galena
Gr	Graphite
He	Hematite
Li	Limonite
Py	Pyrite
Qz	Quartz
Se	Sericite
Si	Siderite
Sp	Sphalerite
Re	Realgar
Om	Orpiment
Cn	Carbon
Ci	Cinnabar
Un	Unknown
Ba	Barite
Ca	Calcite
Do	Dolomite
St	Stibnite

Texture	
---	Not Applicable
BL	Blebby
BN	Banded
BU	Bouma
BX	Breccia
CR	Crackled
DB	Debris flow
DI	Disseminated
BD	Bedded
RB	Rubbly
SD	Soft-Sediment Deformed
FR	Fractured
MA	Massive
RX	Recrystalized
FO	Foliated
PA	Patchy
PB	Pebbly
SN	Strained
MU	Mudstone
WK	Wackestone
PK	Packestone
GR	Grainstone
FL	Floatstone
RD	Rudstone
PO	Porphyritic

Unit	
-?-	Unknown
FLT	Fault
LST	Limestone
MBL	Marble
MX	Mineralized
OVB	Overburden
QV	Quartz Vein
SHL	Shale
MST	Mudstone
ARG	Argellite
DST	Dolostone
SED	Sedimentary Rock
CGL	Conglomerate
SLT	Siltstone
SST	Sandstone
INT	Intrusive
SLC	Siliciclastic
FLR	Fault Rock
DMT	Diamictite

Grain Size	
--	N/A
AN	Aphanitic
CG	Coarse
FG	Fine
MA	Massive
MG	Medium
VC	Very Coarse
VF	Very Fine

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	41.71	41.71	MST	FG	Variably oxidized, clayey to competent siltstone.							
						MD	GY	BD	OXI	3I	Py	0.01
						DK	GY	BD	OXI	3I	Py	0.01
41.71	320.95	279.24	DST	--	Dolostone interval displaying crackle breccia, solution breccia, zebra stripe as well as primary debrite textures. Oxidation is variable throughout the interval. Pyrite, realgar as well as orpiment occur at various localles. Decarbonitized material is found in association with arsenic oxide towards the end of the interval.							
						MD	GY	DB	OXI	2I	Py	0.1
						MD	GY	DB	OXI	2I	Re	0.01
						MD	GY	DB	OXI	2I	Om	0.01
						MD	GY	BX	OXI	2I	Py	0.1
						MD	GY	BX	OXI	2I	Re	0.01
						MD	GY	BX	OXI	2I	Om	0.01
						LT	OR	DB	OXI	2I	Py	0.1
						LT	OR	DB	OXI	2I	Re	0.01
						LT	OR	DB	OXI	2I	Om	0.01
						LT	OR	BX	OXI	2I	Py	0.1
						LT	OR	BX	OXI	2I	Re	0.01
						LT	OR	BX	OXI	2I	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	72.80	72.80	MST	VF	Pale green, bedded, terrigenous mudstone. Bedding is defined by dominant pale green layers interbedded with minor, dark grey siliciclastic layers composed of fine grained quartzose sand. Structural influence is evident toward the end of the interval and coincides with the appearance of trace realgar on fracture faces.							
						LT	GN	BD	---	--	Re	0.01
72.80	117.45	44.65	LST	--	Variably decarbonitized transition zone between upper pale green mudstones and lower buff grey limestone. Various breccias; some tectonically derived and some that appear debritic in origin are present. Bedded mud material is also displayed variably throughout and consists of interbedded carbonate and terrigenous mud. Decarbonitization and associated realgar mineralization is abundant and present within tectonically influenced breccias, as well as bedded mud. Breccia matricies appear susceptible to decarbonitization. Stratabound alteration and mineralization is displayed where presumably a carbonate mud layer was present in between two terrigenous mud layers. Some of the altered, bedded material is heavily folded, highly porous and sandy in competency.							
						MD	GY	BX	DCA	3I	Re	0.3
						MD	GY	BD	DCA	3I	Re	0.3
						MD	GY	DB	DCA	3I	Re	0.3

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
117.45	327.66	210.21	LST	--	Limestone interval containing bedded lime mud as well as floatstone and rudstone debrites. Lime mud consists of pale, buff grey, highly calcareous layers interbedded with minor, dark grey, carbonaceous layers. Bedding parallel diagenetic stylolites occur throughout. Debrites occur as intraclast rudstones and floatstones containing tabular to equant lime mud clasts that appear to have been derived from bedding planes. Contacts between debrites and mudstones generally appear conformable and often show evidence of soft sediment deformation. Material within this interval appears to representative of Pinguicula B stratigraphy and is texturally similar to Pinguicula B identified at Osiris.							
						LT	GY	BD	---	--	--	0
						LT	GY	DB	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.22	1.22	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.22	73.85	72.63	MST	VF	Very fine grained mudstone containing decimeter scale intervals with more limey layers (mm - cm thick layers). Unit also contains several cm thick, more massive, sandy sections with a mm scale, aligned dark grey component (may be siltstone fragments). Limey layers are fine to medium grained and some contain cross bedding or convoluted bedding. The top 20 meters of the unit contain packages of polymictic, matrix supported conglomerate. Conglomerate packages are 10s of centimeters thick and contain angular clasts that range from a few mm to a few cm in diameter. These conglomerate units are interpreted to represent debrites.							
						DK	GY	BD	---	--	--	0
						DK	GY	SD	---	--	--	0
73.85	132.00	58.15	FLR	CG	Heterogeneous clastic unit containing decimeter to several meter thick sections of pyrite bearing siltstone, conglomerate, limestone/limey mudstone, and terrigenous siliciclastic (sandstone). Some sections contain relict bedding fragments. They are generally hard and may fizz when scratched, indicating that they are dolomitic, silicic, or some combination of the two. Sub-parallel, mm scale dolomite veinlets typically form within these fragments, and are generally perpendicular to the interpreted bedding surface orientation (elongate axis of fragment). Strain fabrics are present in both the top and bottom of the interval. Realgar mineralization occur in the bottom 21 meters of the interval, particularly in areas with a moderately well developed strain fabric. Realgar can occur parallel to the strain fabric or in veinlets that crosscut the strain fabric. In some veinlets realgar occurs in association with calcite +/- quartz.							
						MD	GY	SN	---	--	Py	1
						MD	GY	BD	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BX	---	--	Py	1
						MD	GY	SN	---	--	Re	0.1
						MD	GY	BD	---	--	Re	0.1
						MD	GY	BX	---	--	Re	0.1
132.00	132.59	0.59	INT	FG	Light to beige grey, intermediate intrusive dyke/sill.							
						LT	GY	MA	---	--	--	0
						MD	BG	MA	---	--	--	0
132.59	133.45	0.86	FLR	FG	Heterogeneous clastic unit containing decimeter to several meter thick sections of pyrite bearing siltstone, conglomerate, limestone/limey mudstone, and terrigenous siliciclastic (sandstone). Some sections contain relict bedding fragments. They are generally hard and may fizz when scratched, indicating that they are dolomitic, silicic, or some combination of the two. Sub-parallel, mm scale dolomite veinlets typically form within these fragments, and are generally perpendicular to the interpreted bedding surface orientation (elongate axis of fragment). Strain fabrics are present in both the top and bottom of the interval. Realgar mineralization occur in the bottom 21 meters of the interval, particularly in areas with a moderately well developed strain fabric. Realgar can occur parallel to the strain fabric or in veinlets that crosscut the strain fabric. In some veinlets realgar occurs in association with calcite +/- quartz.							
						MD	GY	SN	---	--	Py	1
						MD	GY	BD	---	--	Py	1
						MD	GY	BX	---	--	Py	1
						MD	GY	SN	---	--	Re	0.01
						MD	GY	BD	---	--	Re	0.01
						MD	GY	BX	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
133.45	298.05	164.60	LST	MG	Medium to dark grey, fine to coarse grained limestone. In places that contain bedding, dark, softer, fine grained layers comprise up to 50% of the unit. These layers are dark grey to black, soft, and variably calcareous (organic-rich shale?). Carbonate layers range from fine grained to coarse grained and can contain mm scale, light grey clasts, cone-in-cone calcite, and beef calcite. All primary calcite in this unit appears recrystallized. Dark, clay-rich sections can form parallel to bedding or at an angle to bedding. These are variably interpreted to be shear bands or stylolites depending on their thickness and morphology. In places, soft black material (weakly calcareous) forms the matrix in a breccia containing tabular, grey calcareous clasts, soft black clasts, and angular coarse grained calcite (vein fragments). These textures indicate this unit has accommodated strain. Bedding in the unit is undulatory, and can change orientations within a single piece of core (folding). In places, seams of clay-rich material truncate bedding, and are interpreted to represent stylolites and/or shear fractures. Unit is variably brecciated & contains mosaic breccia & stockwork vein networks. Calcite veinlets and veins are most well defined in more competent limestone layers. In the upper part of the section, zones of decarbonitization are closely associated with intense brecciation and calcite veining (flooding).							
						DK	GY	---	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
298.05	335.28	37.23	SLC	CG	Bedded siltstone with conglomerate sections (non calcareous). Interval also contains <5% 10-30 cm thick calcareous layers. These layers fizz violently but are very hard: silicified limestone? Top of section tends to be more coarse grained than the bottom of the section. This unit contains: 1) 10's of cm thick sections of fine grained mudstone to siltstone (45%) that is finely laminated, and in places folded, 2) cm to 30 cm thick sections of clastic matrix supported granule to pebble conglomerate (20%)containing < 10 % rounded to subrounded silicic clasts (chert to SST), and 3) up to 1.5 m sections of strained material (30%) containing angular/irregularly shaped silicic/dolomitic fragments(relict bedding?) up to several cm across. In lower part of section, clasts contain 1 - 3 mm thick dolomite veins. Lower section contains cherty/silicic beds (can fizz slightly when scratched, and may suggest a slight carbonate component). Pyrite is extensive (1-2%?). Upper part of unit is more strained than lower part of unit.							
						DK	GY	SN	SIL	2I	Py	2
						DK	GY	BX	SIL	2I	Py	2

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.10	6.10	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
6.10	28.80	22.70	MST	VF	Mudstone unit with dolomite and calcite veining, as well as a later stage crackle breccia which has disturbed many primary textures. Oxidation alteration is present and overprints the veining events. (debris flow?)							
						MD	GY	CR	OXI	4I	--	0
						MD	BN	CR	OXI	4I	--	0
28.80	76.20	47.40	FLR	FG	Moderately clay altered, brecciated lime mudstone unit. Interval is defined by crackle breccia and mosaic breccia textures, and sections exhibiting clay alteration. Breccia clasts consist of lime-mud surrounded by a chemical calcite matrix. (debris flow?)							
						MD	GY	BX	CLY	3I	--	0
76.20	77.20	1.00	INT	FG	Fine grained, plagioclase phyric, apparent intermediate intrusive dyke/sill.							
						LT	GY	MA	SER	2I	--	0
						LT	GY	PO	SER	2I	--	0
						MD	BG	MA	SER	2I	--	0
						MD	BG	PO	SER	2I	--	0
77.20	114.75	37.55	LST	FG	Fine grained limestone with varying degrees of brecciation and bedding with intermittent decimetre scale sections of wackestone. Calcite and dolomite veins are present, along with crackle and mosaic breccia textures. Trace pyrite is found to both replace clasts in wackestone as well as disseminated mineralization within limestone beds.							
						MD	GY	BX	---	--	Py	0.01
						MD	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
114.75	166.12	51.37	SLC	FG	Matrix supported conglomerate hosting 0.2-1cm sub rounded/sub angular clasts of multiple lithologies. Thin white, non calcareous veinlets are found throughout conglomerate matrix (possible quartz/dolomite). Competent sections show evidence of brecciation and dissolution. Clay alteration is associated with realgar mineralization. Disseminated pyrite is found throughout.							
						DK	GY	DB	CLY	3I	Py	0.01
						DK	GY	BX	CLY	3I	Py	0.01
						DK	GY	DB	CLY	3I	Re	0.01
						DK	GY	BX	CLY	3I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	8.53	8.53	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
8.53	95.40	86.87	DST	MG	Crackle to mosaic brecciated, recrystallized dolostone. Breccia textures are present throughout, and range from a medium intense white crackle breccia to low displacement mosaic breccia with dolomite infill.							
						MD	GY	BX	---	--	Re	0.1
						MD	GY	BD	---	--	Re	0.1
						MD	GY	BX	---	--	Om	0.1
						MD	GY	BD	---	--	Om	0.1
						MD	GY	BX	---	--	Py	0.1
						MD	GY	BD	---	--	Py	0.1
95.40	171.45	76.05	SLT	VF	Massive, pale turquoise-blue mudstone with subtle bedding defined by variations in shade of color. Upper 50m of unit exhibit very fine black crackle breccia with minor amounts of mosaic breccia. Secondary calcite (+/- pink dolomite) occurs as veinlets, veins/lenses, and forms the matrix in brecciated areas.							
						LT	BL	CR	---	--	--	0
						LT	BL	MA	---	--	--	0
171.45	172.50	1.05	FLR	MG	Polylithic matrix supported conglomerate containing angular to sub-angular quartz and mudstone clasts that range from 1mm to 8cm in size. Conglomerate matrix consists of finely laminated, anastomosing, black, organic-rich layers that 'wrap around' clasts - shear zone.							
						LT	GY	DB	---	--	--	0
172.50	186.84	14.34	SLT	FG	Bedded, unaltered, undeformed sedimentary sequence containing massive, fine-sand quartz-rich beds interbedded with fine-sand calcareous beds, massive, very fine mud beds, fine, organic-rich layers and non-calcareous silts. Calcite veining is pervasive, and dolomite veins occur in places.							
						LT	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.95	0.95	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
0.95	57.00	56.05	MST	FG	Fine grained mudstone with some sections that contain medium to coarse grained, limey interbeds (cm scale).The top 33m of this section are intensely oxidized and, in places, altered to clay.							
						LT	GY	BD	---	--	--	0
						LT	GY	RB	---	--	--	0
						MD	GY	BD	---	--	--	0
						MD	GY	RB	---	--	--	0
						--	GN	BD	---	--	--	0
						--	GN	RB	---	--	--	0
						--	RD	BD	---	--	--	0
						--	RD	RB	---	--	--	0
57.00	189.20	132.20	FLR	--	Polylithic shear zone containing brittle and ductile strain features pervasively throughout.							
						MD	GY	SN	---	--	Py	0.1
189.20	413.00	223.80	LST	MG	Medium to dark grey, fine to coarse grained limestone. Carbonate layers range from fine grained to coarse grained and can contain mm scale, light grey clasts, cone-in-cone calcite, and beef calcite. Bedding can change orientations within a single piece of core (folding). Dark, clay-rich sections can form parallel to bedding or at an angle to bedding. These are variably interpreted to be shear bands or stylolites depending on their thickness and morphology. Realgar mineralization is noted variably throughout in occurrence with calcite veining or locally sheared material.							
						MD	GY	BX	CLY	2I	Py	0.5
						MD	GY	BX	CLY	2I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.52	1.52	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.52	41.50	39.98	MST	VF	Light grey, moderately fractured, bleached and variably oxidized non calcareous mudstone.							
						LT	GY	---	OXI	4I	--	0
						LT	GY	---	CLY	1I	--	0
						LT	GY	---	BLE	3I	--	0
						LT	BN	---	OXI	4I	--	0
						LT	BN	---	CLY	1I	--	0
						LT	BN	---	BLE	3I	--	0
41.50	96.01	54.51	FLR	FG	Clayey, rubbly variably oxidized shear zone displaying primarily brittle strain features along with, to a lesser degree ductile strain features throughout. Unit is pyrite rich at certain localles and appears to be composed of multiple lithologies.							
						MD	BN	FR	OXI	5I	Li	2
						MD	BN	RB	OXI	5I	Li	2
						MD	BN	FR	OXI	5I	Ca	10
						MD	BN	RB	OXI	5I	Ca	10
						MD	BN	FR	OXI	5I	He	2
						MD	BN	RB	OXI	5I	He	2
						MD	BN	FR	CLY	5I	Li	2
						MD	BN	RB	CLY	5I	Li	2
						MD	BN	FR	CLY	5I	Ca	10
						MD	BN	RB	CLY	5I	Ca	10
						MD	BN	FR	CLY	5I	He	2
						MD	BN	RB	CLY	5I	He	2
						MD	GY	FR	OXI	5I	Li	2
						MD	GY	RB	OXI	5I	Li	2
						MD	GY	FR	OXI	5I	Ca	10
						MD	GY	RB	OXI	5I	Ca	10
						MD	GY	FR	OXI	5I	He	2
						MD	GY	RB	OXI	5I	He	2
						MD	GY	FR	CLY	5I	Li	2
						MD	GY	RB	CLY	5I	Li	2
						MD	GY	FR	CLY	5I	Ca	10
						MD	GY	RB	CLY	5I	Ca	10

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	FR	CLY	5I	He	2
						MD	GY	RB	CLY	5I	He	2
						MD	OR	FR	OXI	5I	Li	2
						MD	OR	RB	OXI	5I	Li	2
						MD	OR	FR	OXI	5I	Ca	10
						MD	OR	RB	OXI	5I	Ca	10
						MD	OR	FR	OXI	5I	He	2
						MD	OR	RB	OXI	5I	He	2
						MD	OR	FR	CLY	5I	Li	2
						MD	OR	RB	CLY	5I	Li	2
						MD	OR	FR	CLY	5I	Ca	10
						MD	OR	RB	CLY	5I	Ca	10
						MD	OR	FR	CLY	5I	He	2
						MD	OR	RB	CLY	5I	He	2
96.01	176.78	80.77	SLC	FG	Massive to bedded, polymictic, weakly calcareous, quartz-pebble bearing floatstone to siltstone unit. Unit is variably pyritic throughout as well as variably sheared locally. Unit is interlayered with thinly bedded pyritic siltstone and the quartz-pebble floatstone.							
						DK	GY	DB	CLY	3I	Re	0.01
						DK	GY	BD	CLY	3I	Re	0.01
						DK	GY	DB	CLY	3I	He	0.1
						DK	GY	BD	CLY	3I	He	0.1
						DK	GY	DB	CLY	3I	Li	0.1
						DK	GY	BD	CLY	3I	Li	0.1
						DK	GY	DB	CLY	3I	Py	1
						DK	GY	BD	CLY	3I	Py	1
						DK	GY	DB	DCA	1I	Re	0.01
						DK	GY	BD	DCA	1I	Re	0.01
						DK	GY	DB	DCA	1I	He	0.1
						DK	GY	BD	DCA	1I	He	0.1
						DK	GY	DB	DCA	1I	Li	0.1
						DK	GY	BD	DCA	1I	Li	0.1
						DK	GY	DB	DCA	1I	Py	1
						DK	GY	BD	DCA	1I	Py	1
						DK	GY	DB	SIL	2I	Re	0.01
						DK	GY	BD	SIL	2I	Re	0.01
						DK	GY	DB	SIL	2I	He	0.1
						DK	GY	BD	SIL	2I	He	0.1
						DK	GY	DB	SIL	2I	Li	0.1
						DK	GY	BD	SIL	2I	Li	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GY	DB	SIL	2I	Py	1
						DK	GY	BD	SIL	2I	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.90	2.90	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
2.90	471.15	468.25	DST	VF	Recrystallized dolostone with several stages of dolomite and calcite veining. Variable amounts of decalcification and arsenic oxide alteration are present. Orpiment mineralization is predominant within this interval, with lesser amounts of realgar present sporadically throughout.							
						MD	GY	RB	OXI	1I	Om	0.1
						MD	GY	BD	OXI	1I	Om	0.1
						MD	GY	RB	OXI	1I	Re	0
						MD	GY	BD	OXI	1I	Re	0
						MD	GY	RB	OXI	1I	Py	0.01
						MD	GY	BD	OXI	1I	Py	0.01
						MD	GY	RB	CLY	1I	Om	0.1
						MD	GY	BD	CLY	1I	Om	0.1
						MD	GY	RB	CLY	1I	Re	0
						MD	GY	BD	CLY	1I	Re	0
						MD	GY	RB	CLY	1I	Py	0.01
						MD	GY	BD	CLY	1I	Py	0.01
						MD	GY	RB	ASO	2I	Om	0.1
						MD	GY	BD	ASO	2I	Om	0.1
						MD	GY	RB	ASO	2I	Re	0
						MD	GY	BD	ASO	2I	Re	0
						MD	GY	RB	ASO	2I	Py	0.01
						MD	GY	BD	ASO	2I	Py	0.01
						MD	GY	RB	DCA	3I	Om	0.1
						MD	GY	BD	DCA	3I	Om	0.1
						MD	GY	RB	DCA	3I	Re	0
						MD	GY	BD	DCA	3I	Re	0
						MD	GY	RB	DCA	3I	Py	0.01
						MD	GY	BD	DCA	3I	Py	0.01
471.15	487.68	16.53	SLT	FG	Fine, very fine grained turquoise blue bedded silt/mudstone. Pyrite mineralization disseminated throughout with concentration varying between beds - primary, also replacing quartz in very fine grained cherty layers. Occasional mosaic brecciation with dolomitic infill.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	BL	BD	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	8.63	8.63	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
8.63	22.50	13.87	MST	FG	Light teal to dark rusty brown, fine grained mudstone (Wernecke?). Unit is variably oxidized and clay altered. Very little of the remaining rock is competent, most is purely non-competent mud. Entire unit is a probable fault zone. Unit appears to retain a weak shear fabric throughout (where competent). Areas of rubble tend to show stronger oxidation. Locally, some of the more competent zones have minor calcite veinlets.							
						MD	GY	FR	OXI	3I	--	0
						MD	GY	RB	OXI	3I	--	0
						MD	GY	FR	CLY	3I	--	0
						MD	GY	RB	CLY	3I	--	0
						MD	GN	FR	OXI	3I	--	0
						MD	GN	RB	OXI	3I	--	0
						MD	GN	FR	CLY	3I	--	0
						MD	GN	RB	CLY	3I	--	0
						MD	BN	FR	OXI	3I	--	0
						MD	BN	RB	OXI	3I	--	0
						MD	BN	FR	CLY	3I	--	0
						MD	BN	RB	CLY	3I	--	0
22.50	67.45	44.95	FLR	FG	Light grey to dark black, variably oxidized, variably sheared heterolithic structurally derived interval. Unit shows strong shear fabric overprinting locally.							
						LT	GY	BX	CLY	1I	--	0
						LT	GY	SN	CLY	1I	--	0
						LT	GY	BX	OXI	1I	--	0
						LT	GY	SN	OXI	1I	--	0
						MD	GY	BX	CLY	1I	--	0
						MD	GY	SN	CLY	1I	--	0
						MD	GY	BX	OXI	1I	--	0
						MD	GY	SN	OXI	1I	--	0
						DK	BK	BX	CLY	1I	--	0
						DK	BK	SN	CLY	1I	--	0
						DK	BK	BX	OXI	1I	--	0
						DK	BK	SN	OXI	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
67.45	121.62	54.17	LST	FG	Medium grey, fine to medium grained limestone. Unit is well bedded locally, beds exist up to 6cm. Some coarser grained sandy beds appear to show gradation. Styolites are persistent throughout the unit, often found parallel to bedding. Beef calcite is also present locally, parallel to bedding. Minor shear zones are found frequently through the unit, often containing up to 5% realgar as well as clay alteration and DCA. Shears contain many lithic fragments which are often decalcified. Erratic calcite veinlets frequently cut the unit, up to 20% veins locally.							
						LT	GY	BD	---	--	--	0
						LT	GY	RB	---	--	--	0
						LT	GY	SN	---	--	--	0
						DK	GY	BD	---	--	--	0
						DK	GY	RB	---	--	--	0
						DK	GY	SN	---	--	--	0
121.62	121.92	0.30	INT	FG	Light beige to grey, fine grained apparent intermediate intrusive dyke/sill.							
						LT	GY	MA	SER	1I	--	0
						LT	GY	PO	SER	1I	--	0
						MD	BG	MA	SER	1I	--	0
						MD	BG	PO	SER	1I	--	0
121.92	212.57	90.65	LST	FG	Medium grey, fine to medium grained limestone. Unit is well bedded locally (beds up to 6cm). Some coarser grained sandy beds appear to show gradation. Styolites are persistent throughout the unit, often found parallel to bedding. Beef calcite is also present locally and found parallel to bedding. Minor shear zones are found frequently through the unit, often containing up to 5% realgar as well as clay alteration and DCA. Shears contain many lithic fragments which are often decalcified. Erratic calcite veinlets frequently cut the unit, up to 20% veins locally. Lower contact conformable and gradational over 30 m.							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
212.57	280.42	67.85	SLC	FG	Dark grey/black, fine to medium grained conglomerate with interbeds of fine grained siltstone. The conglomerate beds are generally matrix supported but can also be clast supported in few beds. Clast composition varies from quartz-rich fragments to cannibalized fragments of bedded siltstone. Numerous other unidentified fragments also exist. Clasts are subrounded to rounded with few being angular. Siltstone beds are generally fine grained with beds up to 2-3cm. Often there is graphite present along fracture surfaces. Small apparent shear/fracture zones exist within the unit, often with realgar, locally up to 20%. Few cross-cutting calcite veins exist within the unit.							
						DK	GY	BD	---	--	--	0
						DK	GY	SN	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.20	1.20	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.20	35.05	33.85	MST	VF	Moderately competent, light to medium grey, variably oxidized mudstone with minor areas of limey bedding. Oxidization mainly found on fracture surfaces and as a halo around both dolomite and calcite veins/veinlets. Calcite and dolomite veins/veinlets are pervasive through unit, being found as either whole veins or vein fragments, both appear to be cross cut by calcite. Calcite lenses are found ranging between 1-2cm throughout mudstone. 10-30cm zones of more heavily oxidized mudstone, appearing as rubble and slightly more calcareous (calcite on fracture surfaces), as well as showing a dark brownish colour (limonite or goethite?). Many vuggy thicker (1cm) calcite veins. No mineralization. Oxidization appears to be offset by hairline fractures.							
						LT	GY	BD	OXI	2I	--	0
						LT	GY	BD	OXI	3I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	BD	OXI	3I	--	0
35.05	42.67	7.62	LST	FG	Upper unit (35.05-40m) is extremely fractured/clay altered and is most likely a part of the Nadaleen fault zone. Trace clasts of both the upper mudstone and the lower limestone are weakly present due to extreme alteration, with variable effervescence through fault zone, making the lithology unit a limey mudstone. Limestone is angular, variable sized fragments occur in the fault zone around 40m.							
						MD	GY	FR	CLY	3I	--	0
						MD	GY	FR	CLY	4I	--	0
						MD	GY	FR	DCA	--	--	0
						DK	GY	FR	CLY	3I	--	0
						DK	GY	FR	CLY	4I	--	0
						DK	GY	FR	DCA	--	--	0
42.67	51.82	9.15	FLR	FG	Dark green grey, pervasively sheared, fault derived polylithic unit.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BX	---	--	--	0
						MD	GY	BD	---	--	--	0
						MD	GY	SN	---	--	--	0
						LT	GN	BX	---	--	--	0
						LT	GN	BD	---	--	--	0
						LT	GN	SN	---	--	--	0
51.82	58.00	6.18	MST	FG	Heavily oxidized, rubbly to competent mudstone interval displaying brittle and ductile strain features. Veins are composed of dolomite and calcite often exhibiting ductile deformation.							
						MD	BR	RB	OXI	4I	--	0
58.00	85.34	27.34	FLR	VF	Highly strained shear zone containing multiple lithologies. Evidence of dissolution as well as brittle-ductile strain features are evident throughout.							
						MD	GY	SN	---	--	Re	0.01
						MD	GY	SN	---	--	Om	0.01
						MD	GY	SN	---	--	Py	0.01
85.34	173.74	88.40	SLC	FG	This unit has intermittent terrigenous conglomerate as well as light grey to dark grey bedded siltstone, both which host different sizes and percentages of dolostone (60%), sandstone (30%) and limestone (10%), all which incounter different degrees of strain. ****BETWEEN 111.25-118.27, 70cm OF CORE WAS RECOVERED DUE TO DRILL/ HOLE PROBLEMS. ROCK FRAGMENTS RECOVERED CONTAIN TRACE Re.*****							
						MD	GY	DB	CLY	2I	Py	1
						MD	GY	BD	CLY	2I	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.96	5.96	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
5.96	71.02	65.06	SLT	FG	Faintly bedded, light blue-green mudstone with quartz arenite beds <1cm-15cm thick throughout. Quartz arenite bands appear primarily massive, with occasional dark banding -- bedding? visible. Slight bleaching around quartz Arenite bands to a light greenish-turquoise colour. Quartz-arenite bands follow bedding in mudstone with planar to undulatory contacts. Variable veining throughout quartz arenite - dark grey crackle seams, laminated dark seams, white-light grey veinlets with variable orientations. Dark silty layers seen between Quartz-arenite bands exhibiting soft sediment deformation. Very fine grained disseminated pyrite throughout, often seen as thin bands following bedding ~2-3mm thick. Slickensides present on numerous fracture surfaces with a light grey coating. Mid to dark grey clay coating seen throughout on fracture surfaces. Chlorite rich bands following bedding approx. 1cm thick visible at 50 and 54 m. Dark seams throughout mudstone unit - occasionally forming a breccia texture (crackle breccia?) - more pervasive at end of unit							
						LT	BL	BD	CLY	1I	Py	5
						LT	BL	BD	CLY	1I	Cl	1
						LT	GN	BD	CLY	1I	Py	5
						LT	GN	BD	CLY	1I	Cl	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	9.36	9.36	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
9.36	38.10	28.74	MST	--	Light green/grey/teal, fine grained mudstone. Unit is weakly bedded locally. Beds no more than 1cm in width where observed. Unit has abundant, small calcite veinlets throughout. Beds appear to range from silty to sandy. Unit is variably clay altered and oxidized throughout. Unit has much greater alteration in areas of increased fracturing/faulting. Much of the unit is heavy fault gouge. Bedding often appears largely tectonically disturbed.							
						MD	GN	BD	OXI	2I	--	0
						MD	GN	SN	OXI	2I	--	0
						MD	GN	RB	OXI	2I	--	0
						MD	GN	BD	CLY	2I	--	0
						MD	GN	SN	CLY	2I	--	0
						MD	GN	RB	CLY	2I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	BD	CLY	2I	--	0
						MD	GY	SN	CLY	2I	--	0
						MD	GY	RB	CLY	2I	--	0
38.10	83.82	45.72	MST	FG	Dark purply grey, fine grained, pyritic mudstone. Unit is strongly tectonically disturbed and locally clay altered.							
						MD	GY	BX	OXI	3I	--	0
						MD	GY	BD	OXI	3I	--	0
						MD	GY	SN	OXI	3I	--	0
						LT	PU	BX	OXI	3I	--	0
						LT	PU	BD	OXI	3I	--	0
						LT	PU	SN	OXI	3I	--	0
83.82	129.90	46.08	FLR	--	Massive fault/shear zone possibly overprinting a large heterolithic debris flow package. Unit appears to transcend or contain large fragments of multiple lithologies throughout.							
						MD	GY	SN	CLY	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
129.90	131.30	1.40	LST	MG	Light to medium grey, fine to medium grained bedded limestone.							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0
131.30	131.45	0.15	INT	FG	Light beige grey, fine grained, massive to porphyritic intermediate intrusive dyke/sill.							
						LT	GY	PO	SER	1I	--	0
						LT	GY	MA	SER	1I	--	0
						MD	BG	PO	SER	1I	--	0
						MD	BG	MA	SER	1I	--	0
131.45	243.84	112.39	LST	MG	Light to medium grey, fine to medium grained bedded limestone.							
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.05	3.05	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
3.05	7.01	3.96	SLT	FG	Well bedded mudstone with soft, turquoise blue layers interbedded with light cream beds. Strong oxide alteration throughout. Lower two metres marked by appearance of ~5cm thick massive dolomitic beds.							
						LT	BL	BD	OXI	2I	--	0
7.01	220.37	213.36	DST	MG	Pervasively dolomitic and recrystallized unit displaying wide range of textures including bedded, dolofloatstone to rudstone, crackle-mosaic breccia, and solution collapse. Orpiment mineralization is sporadically and sparsely present throughout as replacement of dolomitic/calcite veinlets and as crystalline coating on fractures surfaces. Pressure solution seams are common throughout, truncating clasts in conglomerate beds and following bedding planes. Upper contact with mudstone appears conformable.							
						MD	GY	BD	---	--	Om	0.01
						MD	GY	BX	---	--	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.51	5.51	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
5.51	57.00	51.49	MST	FG	Light grey/grey/brown, fine grained mudstone. Unit has strong oxidation throughout with some small zones of clay alteration.							
						MD	GY	BD	CLY	2I	--	0
						MD	GY	SN	CLY	2I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						MD	GN	BD	CLY	2I	--	0
						MD	GN	SN	CLY	2I	--	0
						MD	GN	BD	OXI	2I	--	0
						MD	GN	SN	OXI	2I	--	0
						MD	BN	BD	CLY	2I	--	0
						MD	BN	SN	CLY	2I	--	0
						MD	BN	BD	OXI	2I	--	0
						MD	BN	SN	OXI	2I	--	0
57.00	78.10	21.10	LST	MG	Medium grey, medium grained apparent limestone. Unit has been strongly sheared throughout, relict bedding found locally.							
						MD	GY	SN	---	--	--	0
						MD	GY	BD	---	--	--	0
						MD	BK	SN	---	--	--	0
						MD	BK	BD	---	--	--	0
78.10	141.45	63.35	FLR	MG	Medium to dark grey, medium grained heterolithic conglomerate/debrite.							
						MD	GY	DB	---	--	--	0
						MD	GY	FO	---	--	--	0
						MD	GY	SN	---	--	--	0
						DK	GY	DB	---	--	--	0
						DK	GY	FO	---	--	--	0
						DK	GY	SN	---	--	--	0
141.45	170.69	29.24	MST	FG	Medium grey/green, fine grained heavily strained mudstone.							
						MD	GY	SN	---	--	--	0
						MD	GN	SN	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.52	1.52	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.52	90.53	89.01	SLC	FG	Moderately competent non calcareous intermittent conglomerate/ siltstone unit with various degrees of oxidization and clay alteration. The conglomerate contains 0.2-1cm rounded/ subrounded quartz/ dolomite clasts that can vary between 5-60% of the package. The siltstone consists of alternating light grey and dark grey 0.2-1cm thick primary bedding/ banding, in which the majority appear undulating/ folded/ disrupted by dark thin wisps. Py is found strongly disseminated throughout the siltstone package (moderately disseminated through the conglomerate) and weakly replacing clasts. This interval displays strong strain features throughout.							
						MD	GY	DB	CLY	2I	Py	1
						MD	GY	DB	OXI	2I	Py	1
90.53	90.86	0.33	INT	FG	Light beige grey, fine grained, massive apparent intermediate intrusive dyke/sill.							
						LT	GY	MA	SER	1I	--	0
						LT	GY	PO	SER	1I	--	0
						MD	BG	MA	SER	1I	--	0
						MD	BG	PO	SER	1I	--	0
90.86	134.11	43.25	SLC	FG	Moderately competent non calcareous intermittent conglomerate/ siltstone unit with various degrees of oxidization and clay alteration. The conglomerate contains 0.2-1cm rounded/ subrounded quartz/ dolomite clasts that can vary between 5-60% of the package. The siltstone consists of alternating light grey and dark grey 0.2-1cm thick primary bedding/ banding, in which the majority appear undulating/ folded/ disrupted by dark thin wisps. Py is found strongly disseminated throughout the siltstone package (moderately disseminated through the conglomerate) and weakly replacing clasts.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	DB	CLY	2I	Py	1
						MD	GY	DB	OXI	2I	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.52	1.52	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.52	24.38	22.86	DST	MG	Very rubbly, recrystallized dolostone. Competent sections commonly show a solution collapse texture with dolomitic chemical infill, overprinted in lower half of unit by medium to intense white crackle brecciation. Upper ~3m is mildly oxidized with rust red coating on fractures, and the entire unit shows arsenic oxide on fractures as grungy green-yellow paste. A single occurrence of crystalline realgar replacing calcite in a fragment of a veinlet is noted.							
						MD	GY	RB	OXI	2I	Re	0.01
						MD	GY	BX	OXI	2I	Re	0.01
						MD	GY	BD	OXI	2I	Re	0.01
						MD	GY	RB	ASO	2I	Re	0.01
						MD	GY	BX	ASO	2I	Re	0.01
						MD	GY	BD	ASO	2I	Re	0.01
24.38	236.22	211.84	LST	FG	Well bedded limestone unit with dark non calcareous presumably organic rich mudstone interbeds, and occasional debritic beds of flat pebble rudstones between 10cm and 3m thick. Unit typically displays evidence of deformation as both folding and small scale faulting. Upper half of unit is de-calcified and brecciated to varying extents, with alteration typically accompanied by arsenic sulphide mineralization, and brecciation pervasively hosting arsenic oxide. A number of generations of calcite veining are present sporadically throughout, often hosting realgar mineralization in mineralized zones.							
						MD	GY	BD	DCA	2I	Re	0.02
						MD	GY	DB	DCA	2I	Re	0.02
						MD	GY	BX	DCA	2I	Re	0.02
						MD	GY	BD	ASO	2I	Re	0.02
						MD	GY	DB	ASO	2I	Re	0.02
						MD	GY	BX	ASO	2I	Re	0.02

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.35	3.35	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	99
3.35	204.52	201.17	DST	VF	Recrystallized dolostone unit with several stages of dolomite/calcite veining (and associated crackle breccias). Predominant mineralization is orpiment, relatively unaltered unit.							
						MD	GY	---	---	--	--	99

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.10	6.10	OVB	--	Casing							
						--	--	---	---	--	--	0
6.10	6.50	0.40	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
6.50	57.91	51.41	MST	FG	Light to medium teal/green/grey, fine grained mudstone. Unit has oxidation throughout as well as localized clay alteration, some places very strong. Some fractured and rubbly zones are also present throughout.							
						MD	GN	BD	OXI	2I	--	0
						MD	GN	SN	OXI	2I	--	0
						MD	GN	RB	OXI	2I	--	0
						MD	GN	BD	CLY	3I	--	0
						MD	GN	SN	CLY	3I	--	0
						MD	GN	RB	CLY	3I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	BD	CLY	3I	--	0
						MD	GY	SN	CLY	3I	--	0
						MD	GY	RB	CLY	3I	--	0
57.91	165.80	107.89	FLR	--	Large shear/fault zone across multiple lithologies. Very difficult to distinguish whether lithological contacts are primary or tectonic, possibly even large fragments within a sheared debris flow.							
						MD	GY	SN	CLY	2I	--	0
						DK	GY	SN	CLY	2I	--	0
165.80	168.20	2.40	LST	FG	Large limestone package, bedding present throughout, beef calcite. Strongly calcareous, numerous calcite veins throughout.							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0
168.20	168.90	0.70	INT	FG	Light beige grey, massive to porphyritic, fine to medium grained apparent intermediate intrusive dyke/sill.							
						LT	GY	MA	SER	1I	--	0
						LT	GY	PO	SER	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	BG	MA	SER	1I	--	0
						MD	BG	PO	SER	1I	--	0
168.90	263.96	95.06	LST	FG	Large limestone package, bedding present throughout, beef calcite. Strongly calcareous, numerous calcite veins throughout.							
						MD	GY	---	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.40	1.40	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.40	85.20	83.80	SLT	FG	Oxidized, clay altered, bedded, muddy siltstone with sandy layers. Oxidation intensity decreases down section. The most intense clay alteration is associated with pebbly and rubbly material and is interpreted as indicative of structural influence. The unit becomes progressively more brecciated and strained towards the bottom of the unit.							
						MD	GY	BD	CLY	1I	Py	0.1
						MD	GY	BD	OXI	1I	Py	0.1
						LT	GY	BD	CLY	1I	Py	0.1
						LT	GY	BD	OXI	1I	Py	0.1
85.20	102.45	17.25	DMT	MG	Polymictic floatstone with a few sections of polymictic rudstone. Floatstone contains angular to subrounded, mm to >10 cm clasts of various colored limestones in a fine grained, dark, calcareous matrix. Fractures in the middle of this unit have been mildly oxidized and some contain arsenic oxide.							
						LT	GY	DB	---	--	Py	0.5
						LT	GY	FL	---	--	Py	0.5
						LT	GY	RD	---	--	Py	0.5
						DK	GY	DB	---	--	Py	0.5
						DK	GY	FL	---	--	Py	0.5
						DK	GY	RD	---	--	Py	0.5
102.45	114.70	12.25	SLT	MG	Light to dark grey, variably crackle brecciated, massive to bedded siltstone. Interval also contains short sections of polymictic conglomerate (debrite). Realgar occurs in places within this interval, but is mostly fine grained and confined to veinlets and fracture surfaces.							
						LT	GY	BX	---	--	Re	0.01
						LT	GY	BD	---	--	Re	0.01
						LT	GY	BX	---	--	Py	0.1
						LT	GY	BD	---	--	Py	0.1
						MD	GY	BX	---	--	Re	0.01
						MD	GY	BD	---	--	Re	0.01
						MD	GY	BX	---	--	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BD	---	--	Py	0.1
						DK	GY	BX	---	--	Re	0.01
						DK	GY	BD	---	--	Re	0.01
						DK	GY	BX	---	--	Py	0.1
						DK	GY	BD	---	--	Py	0.1
114.70	180.50	65.80	DST	MG	Quartz bearing dolostone with siltstone interbeds containing cm to m thick intervals of floatstone and rudstone. Crackle breccia occurs throughout most of the interval. Trace amounts of realgar and orpiment (+/- calcite) form in veinlets and on fracture surfaces. The most intense realgar mineralization occurs in and surrounding pebbly, rubbly/sandy sections that show evidence of decalcification and silicification.							
						LT	GY	BD	---	--	Re	0.03
						LT	GY	BX	---	--	Re	0.03
						MD	GY	BD	---	--	Re	0.03
						MD	GY	BX	---	--	Re	0.03
						DK	GY	BD	---	--	Re	0.03
						DK	GY	BX	---	--	Re	0.03
						MD	TN	BD	---	--	Re	0.03
						MD	TN	BX	---	--	Re	0.03
180.50	191.80	11.30	SLT	FG	Teal to grey, bedded mudstone that contains a few cm to decimeter thick sections of conglomerate. Slickensides are visible on fracture surfaces, and can contain smeared out pyrite.							
						MD	GY	BD	---	--	Py	1
						MD	GN	BD	---	--	Py	1
191.80	193.55	1.75	SST	CG	Moderately calcareous, black and white speckled, coarse grained siliciclastic (coarse grained sand to granule size clasts). Rock is hard (silicic), and contains mm scale, dark grey to black, irregularly shaped fragments (likely lithics). White to grey crackle breccia (calcite infill) occurs throughout the interval.							
						LT	GY	MA	---	--	Py	0.5
						LT	GY	BX	---	--	Py	0.5
						MD	GY	MA	---	--	Py	0.5
						MD	GY	BX	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
193.55	203.60	10.05	DMT	CG	Floatstone interval containing a few decimeter thick bedded sections and cm thick bands of rudstone. Floatstone contains light to medium grey, several centimeter scale, mostly angular, limestone clasts within a variably calcareous, dark grey matrix.							
						LT	GY	FL	---	--	Py	0.5
						LT	GY	BD	---	--	Py	0.5
						MD	GY	FL	---	--	Py	0.5
						MD	GY	BD	---	--	Py	0.5
						DK	GY	FL	---	--	Py	0.5
						DK	GY	BD	---	--	Py	0.5
203.60	225.55	21.95	SLT	FG	Dark grey siltstone with variably calcareous, harder(silicic?), interbeds, with decimeter scale sections of matrix to clast supported, polymictic conglomerate. Polymictic conglomerate sections contain both carbonate and terrigenous clasts.							
						LT	GY	BD	---	--	Py	1
						LT	GY	FL	---	--	Py	1
						LT	GY	BX	---	--	Py	1
						MD	GY	BD	---	--	Py	1
						MD	GY	FL	---	--	Py	1
						MD	GY	BX	---	--	Py	1
						DK	GY	BD	---	--	Py	1
						DK	GY	FL	---	--	Py	1
						DK	GY	BX	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.20	2.20	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
2.20	108.50	106.30	MST	--	Fine grained mudstone/siltstone. Variably oxidized throughout.							
						DK	GY	MA	OXI	2I	--	0
						DK	GY	BD	OXI	2I	--	0
108.50	128.02	19.52	MST	--	Fine grained mudstone/siltstone, weakly bedded to massive, unaltered.							
						MD	GY	BD	---	--	--	0
						MD	GY	MA	---	--	--	0
						DK	GY	BD	---	--	--	0
						DK	GY	MA	---	--	--	0
						LT	GN	BD	---	--	--	0
						LT	GN	MA	---	--	--	0
128.02	178.31	50.29	MST	FG	Fine grained siltstone to mudstone. Locally bedded to massive.							
						MD	GN	BD	---	--	--	0
						MD	GN	MA	---	--	--	0
						MD	GY	BD	---	--	--	0
						MD	GY	MA	---	--	--	0
						MD	PU	BD	---	--	--	0
						MD	PU	MA	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.40	1.40	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.40	56.60	55.20	SLT	VF	Maroon mudstone with interbeds of green/grey mudstone. Latter half of unit is strictly green/grey mudstone with intervals of silicification and clay alteration.							
						MD	BN	BD	SIL	1I	--	0
						MD	BN	BD	CLY	1I	--	0
						MD	RD	BD	SIL	1I	--	0
						MD	RD	BD	CLY	1I	--	0
						MD	GY	BD	SIL	1I	--	0
						MD	GY	BD	CLY	1I	--	0
						MD	GN	BD	SIL	1I	--	0
						MD	GN	BD	CLY	1I	--	0
56.60	192.30	135.70	DST	VF	Recrystallized dolostone with several stages of dolomite veining, crackle breccia, and calcite veining/crackle breccia. Decalcification is present in dolostone to m scale intervals, orpiment and realgar mineralization is present throughout (predominantly vein hosted).							
						MD	GY	CR	ASO	1I	Re	0.01
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	CR	ASO	1I	Om	0.01
						MD	GY	BD	ASO	1I	Om	0.01
						MD	GY	CR	DCA	1I	Re	0.01
						MD	GY	BD	DCA	1I	Re	0.01
						MD	GY	CR	DCA	1I	Om	0.01
						MD	GY	BD	DCA	1I	Om	0.01
192.30	213.97	21.67	SLT	VF	Green/grey mudstone with several stages of dolomite veining. Plane parallel fractures and foliation/ conglomerate with preferentially aligned clasts indicate this unit has undergone strain. Unconformable contact with overlying dolostone also supports the notion that this may be a shear zone.							
						MD	GY	CR	CLY	1I	--	0
						MD	GN	CR	CLY	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.10	2.10	OVB	--	Overburden/casing.							
						--	--	---	---	--	--	0
2.10	98.48	96.38	SLT	VF	Medium green/ blue mudstone that is dark purple for the top half of the interval and has trace clay alteration and is moderately competent. The mudstone appears weakly bedded and has intermittent quartz rich sandstone packages as well as dolomitic clasts and dolomitic veins/ veinlets throughout.							
						MD	GN	BD	---	--	Py	0.1
						MD	GN	BD	---	--	Py	0.1
						--	--	BD	---	--	Py	0.1
						--	--	BD	---	--	Py	0.1
98.48	381.95	283.47	DST	VF	Medium grey slowly calcareous dolostone that contains sub parallel bedding, crackle and mosaic brecciation textures, calcite/ dolomite veinlets throughout and weak debris flow textures. Larger dolomite/ calcite veins experience 'zebra' textures and recrystallization. Pyrite/ Orpiment/ Realgar are found weakly throughout on fracture surfaces and weakly replacing calcite/ dolomite veinlets.							
						MD	GY	BX	---	--	--	0
						MD	GY	CR	---	--	--	0
						MD	GY	BD	---	--	--	0
381.95	403.25	21.30	SLT	VF	Bluish to grey with pervasive mild white crackle texture and frequent dolomite veinlets. Crackle reduces in intensity with depth. Evidence of brittle-semi ductile shearing at upper contact as intense black crackle brecciation, and a short ~15cm thick interval of soft, fine grained, black ?gouge developing a ?dextral shear fabric (382.45). Pyrite mineralization is sporadic, with majority appearing in two planar bands ~0.5cm thick, and disseminated in crackle breccia proximally.							
						LT	BL	MA	---	--	Py	0.5
						LT	GY	MA	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	7.20	7.20	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
7.20	77.00	69.80	MST	FG	Light green/grey/teal, fine-grained mudstone.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	MA	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						LT	GN	BD	OXI	2I	--	0
						LT	GN	MA	OXI	2I	--	0
						LT	GN	SN	OXI	2I	--	0
						DK	BN	BD	OXI	2I	--	0
						DK	BN	MA	OXI	2I	--	0
						DK	BN	SN	OXI	2I	--	0
77.00	96.38	19.38	LST	FG	Dark grey/brown, sheared limestone.							
						MD	GY	SN	OXI	2I	--	0
						MD	GY	SN	CLY	3I	--	0
						MD	GY	SN	DCA	1I	--	0
						LT	GN	SN	OXI	2I	--	0
						LT	GN	SN	CLY	3I	--	0
						LT	GN	SN	DCA	1I	--	0
						DK	BN	SN	OXI	2I	--	0
						DK	BN	SN	CLY	3I	--	0
						DK	BN	SN	DCA	1I	--	0
96.38	113.50	17.12	MST	FG	Light grey/blue mudstone.							
						MD	GY	MA	---	--	--	0
						MD	GY	BD	---	--	--	0
						MD	GY	SN	---	--	--	0
						LT	BL	MA	---	--	--	0
						LT	BL	BD	---	--	--	0
						LT	BL	SN	---	--	--	0
113.50	146.75	33.25	FLR	FG	Mudstone based shear zone. Several units appear to exist together within the unit. Strongly sheared throughout, with only small packages of transitional rocks.							
						MD	GY	SN	CLY	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
146.75	147.60	0.85	INT	FG	Intermediate to felsic intrusion (dyke?)							
						MD	BN	SN	---	--	--	0
						MD	BN	MA	---	--	--	0
						MD	BG	SN	---	--	--	0
						MD	BG	MA	---	--	--	0
147.60	173.28	25.68	LST	FG	Light grey limestone package. Variably sheared with occasional realgar. Locally sheared.							
						MD	GY	BD	---	--	--	0
						LT	GY	BD	---	--	--	0
173.28	173.77	0.49	INT	FG	Intermediate to felsic dyke/sill.							
						LT	BN	MA	---	--	--	0
						MD	BG	MA	---	--	--	0
173.77	364.85	191.08	LST	FG	Large limestone package, varied grain size throughout. Minor bedding, beef calcite, styolites as well as silty interbeds locally. Realgar mineralization locally.							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0
						DK	GY	BD	---	--	--	0
364.85	406.91	42.06	SLC	MG	Debris flow/turbidite unit. Variably clastic, very quartz-pebble rich.							
						DK	GY	---	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.05	3.05	OVB	--	Overburden, no recovery.							
						--	--	---	---	0I	--	0
3.05	18.60	15.55	DST	FG	Interbedded dolostone and black carbonaceous mudstone. Intermittently crackle to mosaic brecciated with dolomitic chemical infill.							
						MD	GY	BD	OXI	2I	Re	0.01
						MD	GY	BX	OXI	2I	Re	0.01
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	BX	ASO	1I	Re	0.01
18.60	179.75	161.15	LST	FG	Fine grained limestone interbedded with soft, dark ?carbonaceous layers. Bed thicknesses are commonly 2mm-2cm, but can be up to 20cm. Cross lamination is common throughout, as are lenticular beds. Rudstone beds of rounded to subrounded, commonly elongate clasts between 3mm-3cm wide and showing no obvious grading are common, and beds range in thickness from 2cm-1m. Intermittent mosaic brecciation with calcite chemical infill is also present throughout the unit. Intense realgar mineralization associated with moderate to intense decalcification and silicification is present between 52.9m - 62m, and intermittent silicification is present throughout. Arsenic oxide is pervasively present on fracture surfaces.							
						MD	GY	BD	ASO	1I	--	0
						MD	GY	DB	ASO	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	9.02	9.02	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
9.02	44.09	35.07	DMT	VF	Light to medium grey, bedded limestone with interbeds of medium grey floatstone and small dolomitized sections. Oxidation pervasive, discolouring the floatstone matrix to a mid-brown. Oxidation seen on fracture surfaces of bedded limestone.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FL	OXI	2I	--	0
						MD	BN	BD	OXI	2I	--	0
						MD	BN	FL	OXI	2I	--	0
44.09	82.40	38.31	SLT	VF	Medium green-grey bedded siltstone with very fine grained pyrite following beds, occasional rudstone layers throughout. Minor oxidation on fracture surfaces with moderate to intense clay alteration. Slickensides seen on fracture surfaces throughout. Strain zones with foliation seen locally throughout.							
						MD	GY	BD	OXI	1I	--	0
						MD	GY	RD	OXI	1I	--	0
						MD	GY	BD	OXI	1I	Py	0.1
						MD	GY	RD	OXI	1I	Py	0.1
						MD	GY	BD	CLY	2I	--	0
						MD	GY	RD	CLY	2I	--	0
						MD	GY	BD	CLY	2I	Py	0.1
						MD	GY	RD	CLY	2I	Py	0.1
						MD	GN	BD	OXI	1I	--	0
						MD	GN	RD	OXI	1I	--	0
						MD	GN	BD	OXI	1I	Py	0.1
						MD	GN	RD	OXI	1I	Py	0.1
						MD	GN	BD	CLY	2I	--	0
						MD	GN	RD	CLY	2I	--	0
						MD	GN	BD	CLY	2I	Py	0.1
						MD	GN	RD	CLY	2I	Py	0.1
82.40	161.15	78.75	LST	FG	Dark grey to medium green-grey bedded limestone/lime mudstone with calcareous sandstone and rudstone layers. Trace pyrite throughout, with minor clay alteration. Visible strain fabric seen throughout interval. May be Conrad sedimentary package.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GY	BD	CLY	1I	Py	0.1
						DK	GY	RD	CLY	1I	Py	0.1
						DK	GY	FL	CLY	1I	Py	0.1
						MD	GY	BD	CLY	1I	Py	0.1
						MD	GY	RD	CLY	1I	Py	0.1
						MD	GY	FL	CLY	1I	Py	0.1
161.15	185.93	24.78	SLT	VF	Light to medium greenish-grey bedded siltstone with coarser grained bands throughout. Trace pyrite throughout and minor oxidation and clay alteration.							
						LT	GY	BD	CLY	0I	Py	0.1
						LT	GY	BD	OXI	1I	Py	0.1
						MD	GY	BD	CLY	0I	Py	0.1
						MD	GY	BD	OXI	1I	Py	0.1
						MD	GN	BD	CLY	0I	Py	0.1
						MD	GN	BD	OXI	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.00	2.00	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
2.00	40.80	38.80	DST	FG	Light to dark grey, bedded to brecciated dolostone (to dolomudstone?). Realgar mineralization occurs in veinlets.							
						LT	GY	BD	OXI	2I	Re	0.5
						LT	GY	BX	OXI	2I	Re	0.5
						LT	GY	BD	OXI	2I	Py	0.5
						LT	GY	BX	OXI	2I	Py	0.5
40.80	58.50	17.70	SLT	FG	Light to dark grey, bedded to laminated siltstone and dolomudstone. Fracture surfaces throughout the section contain arsenic oxide, and trace amounts of realgar and orpiment occur near the bottom of the interval.							
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	BD	ASO	1I	Py	0.1
58.50	67.75	9.25	DST	MG	Medium to light grey, bedded (10%) to brecciated dolostone. Medium grey dolostone host rock contains sections of mosaic breccia (50%) and crackle breccia (85%). Realgar and orpiment bearing veinlets occur throughout the interval.							
						MD	GY	BX	---	--	Re	1
						MD	GY	BD	---	--	Re	1
						MD	GY	BX	---	--	Om	0.2
						MD	GY	BD	---	--	Om	0.2
67.75	80.75	13.00	LST	FG	Medium grey, bedded lime mudstone. Towards the bottom of the interval, unit becomes more muddy, more brecciated and more strained. Calcite veinlets and trace amounts of realgar are present throughout the interval.							
						LT	GY	BD	---	--	Re	0.05
						LT	GY	BX	---	--	Re	0.05
						LT	GY	SN	---	--	Re	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
80.75	107.00	26.25	SLT	FG	Bedded siltstone and dolomudstone. The percent mudstone increases down section from ~20% at the top of the interval to ~80% near the bottom of the section. Realgar +/- orpiment occur in calcite veinlets throughout the interval.							
						DK	GY	BD	---	--	Re	0.05
						DK	GY	BD	---	--	Py	0.1
107.00	131.06	24.06	LST	FG	Bedded lime mudstone with floatstone intervals (25%). The bottom of the interval contains dark grey, clay altered, calcareous tectonic(?) breccia containing up to 2.5% red, vitreous realgar.							
						LT	GY	BD	---	--	Re	2
						LT	GY	RD	---	--	Re	2
						LT	GY	BD	---	--	Om	0.5
						LT	GY	RD	---	--	Om	0.5
131.06	140.21	9.15	DST	FG	Medium grey, medium grained, bedded dolostone that has been mosaic brecciated throughout most of the interval. Orpiment coats dark grey clay bearing fracture surfaces while realgar predominately occurs within calcite veins. The amount of realgar and orpiment present decreases down section.							
						MD	GY	BD	---	--	Re	0.05
						MD	GY	BX	---	--	Re	0.05
						MD	GY	BD	---	--	Om	0.5
						MD	GY	BX	---	--	Om	0.5
140.21	158.50	18.29	SLT	FG	Dark grey, bedded siltstone containing 5-80% lighter colored beds.							
						DK	GY	BD	ASO	1I	Py	1
						DK	GY	BD	ASO	1I	Re	0.5
						DK	GY	BD	ASO	1I	Om	0.01
158.50	288.60	130.10	DST	MG	Light to med grey to tan, fine to medium grained bedded dolostone that is locally crackle to mosaic brecciated. Small amounts of orpiment, realgar and arsenic oxide occur in veinlets and on fracture surfaces.							
						LT	GY	BD	OXI	1I	Re	0.5
						LT	GY	BX	OXI	1I	Re	0.5
						LT	GY	BD	OXI	1I	Om	0.25
						LT	GY	BX	OXI	1I	Om	0.25
						LT	GY	BD	ASO	1I	Re	0.5
						LT	GY	BX	ASO	1I	Re	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	BD	ASO	1I	Om	0.25
						LT	GY	BX	ASO	1I	Om	0.25
288.60	306.40	17.80	LST	FG	Light to medium grained, bedded to strained lime mudstone with decimeter thick silicic intervals. ~1/3 of the interval contains light grey rudstone with tabular clasts up to 5 cm long.							
						MD	GY	BD	---	--	Py	0.05
						MD	GY	SN	---	--	Py	0.05
						MD	GY	RD	---	--	Py	0.05
306.40	326.00	19.60	MST	FG	Maroon to light green, pyrite-bearing, bedded siltstone.							
						LT	GN	BD	---	--	Py	2
						DK	RD	BD	---	--	Py	2
326.00	370.33	44.33	SLT	MG	Dark grey, fine to medium grained siltstone containing mm to decimeter thick intervals of lighter grey, fine to medium grained beds that are variably calcareous, dolomitic and silicic. Quartz and dolomite rich intervals resemble the calcareous intervals but do not fizz, suggesting possible silicification. Cm to dm scale folds occur throughout the interval. May be Conrad Sedimentary package?							
						MD	GY	BD	SIL	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	44.50	44.50	SLT	VF	Mudstone with intermittent beds/laminations of quartz rich layers and later quartz veinlets delineating a crackle breccia. Dm scale intervals of silicification are present.							
						MD	GY	BD	OXI	3I	--	0
						MD	GY	CR	OXI	3I	--	0
						MD	GY	BD	CLY	2I	--	0
						MD	GY	CR	CLY	2I	--	0
						MD	GY	BD	SIL	2I	--	0
						MD	GY	CR	SIL	2I	--	0
						LT	GN	BD	OXI	3I	--	0
						LT	GN	CR	OXI	3I	--	0
						LT	GN	BD	CLY	2I	--	0
						LT	GN	CR	CLY	2I	--	0
						LT	GN	BD	SIL	2I	--	0
						LT	GN	CR	SIL	2I	--	0
44.50	246.50	202.00	DST	VF	Extensively recrystallized dolostone with several stages of dolomite veining/sparry infill and two late stage calcite veining events (often defining a crackle breccia) which are host to the subsequent arsenic sulphide mineralization. Decalcification and arsenic oxide alteration are present sporadically throughout the unit.							
						MD	GY	CR	ASO	1I	Om	0.1
						MD	GY	RX	ASO	1I	Om	0.1
						MD	GY	CR	ASO	1I	Re	0.1
						MD	GY	RX	ASO	1I	Re	0.1
						MD	GY	CR	DCA	1I	Om	0.1
						MD	GY	RX	DCA	1I	Om	0.1
						MD	GY	CR	DCA	1I	Re	0.1
						MD	GY	RX	DCA	1I	Re	0.1
246.50	266.09	19.59	SLT	VF	Crackled mudstone with evidence of strain grading into a moderately strained mudstone supported conglomerate with rounded to angular quartz clasts.							
						MD	GY	FO	---	--	Py	0.01
						MD	GY	CR	---	--	Py	0.01
						LT	GN	FO	---	--	Py	0.01
						LT	GN	CR	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.80	5.80	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
5.80	15.53	9.73	SLT	VF	Medium green-grey siltstone with moderate to intense oxidation.							
						MD	GY	BD	OXI	3I	--	0
						MD	GN	BD	OXI	3I	--	0
15.53	52.95	37.42	DMT	FG	Light to medium blue-grey massive limestone interbedded with medium grey floatstone, with slight oxidation on fracture surfaces, and trace pyrite throughout. Large sections of dolostone are present interspersed within diamicite packages. These sections of dolostone appear to be large clasts within the diamictite package.							
						LT	GY	MA	OXI	1I	Py	0.1
						LT	GY	FL	OXI	1I	Py	0.1
						MD	GY	MA	OXI	1I	Py	0.1
						MD	GY	FL	OXI	1I	Py	0.1
						MD	BL	MA	OXI	1I	Py	0.1
						MD	BL	FL	OXI	1I	Py	0.1
52.95	65.25	12.30	SLT	FG	Interbedded layers of medium green-grey mudstone with medium-light blue-grey limestone.							
						MD	GN	BD	OXI	2I	Py	0.1
						MD	GY	BD	OXI	2I	Py	0.1
65.25	85.34	20.09	DMT	FG	Light to medium grey massive limestone with intervals of mudstone throughout. Large sections of dolostone are present interspersed within diamicite packages. These sections of dolostone appear to be large clasts within the diamictite package.							
						LT	GY	MA	ASO	1I	Om	0.01
						LT	GY	MA	ASO	1I	Py	0.1
						LT	GY	MA	OXI	1I	Om	0.01
						LT	GY	MA	OXI	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	MA	DOL	1I	Om	0.01
						LT	GY	MA	DOL	1I	Py	0.1
						MD	GY	MA	ASO	1I	Om	0.01
						MD	GY	MA	ASO	1I	Py	0.1
						MD	GY	MA	OXI	1I	Om	0.01
						MD	GY	MA	OXI	1I	Py	0.1
						MD	GY	MA	DOL	1I	Om	0.01
						MD	GY	MA	DOL	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	8.51	8.51	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
8.51	76.20	67.69	MST	FG	Teal grey/maroon colored non-calcareous mudstone.							
						DK	GY	BD	OXI	2I	--	0
						DK	GY	MA	OXI	2I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	MA	OXI	2I	--	0
						LT	BL	BD	OXI	2I	--	0
						LT	BL	MA	OXI	2I	--	0
76.20	198.50	122.30	FLR	MG	Large debris flow package. Unit ranges from floatstone to packstone. Highly varied clast composition, size, and distribution. Clasts range from 2-3m to as small as .2cm. Apparent varied bedding/shear fabric throughout, weakly pyritic locally.							
						LT	GY	BX	---	--	--	0
						LT	GY	SN	---	--	--	0
						DK	GY	BX	---	--	--	0
						DK	GY	SN	---	--	--	0
						MD	BK	BX	---	--	--	0
						MD	BK	SN	---	--	--	0
198.50	202.99	4.49	LST	FG	Light grey, fine grained limestone unit. Unit has abundant calcite veins throughout							
						MD	GY	BD	---	--	--	0
						MD	GY	SN	---	--	--	0
						LT	GY	BD	---	--	--	0
						LT	GY	SN	---	--	--	0
202.99	203.50	0.51	INT	FG	Small, fine grained intermediate intrusion. Probable dyke, chilled margins on upper and lower contacts.							
						LT	GY	MA	---	--	--	0
203.50	207.05	3.55	LST	FG	Light grey, fine grained limestone unit. Unit has abundant calcite veins throughout							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
207.05	214.11	7.06	INT	MG	Fine to coarse grained intermediate intrusive dyke. Unit has chilled margins on upper and lower contacts and coarsens inwards from the edges. Unit is porphyritic and locally pyritic.							
						LT	BG	MA	---	--	--	0
						MD	GY	MA	---	--	--	0
214.11	599.85	385.74	LST	FG	Large fine to medium grained limestone package. Abundant cross-cutting calcite veinlets throughout. Minor carbonaceous siltstone interbeds throughout. Minor realgar locally.							
						LT	GY	BD	---	--	Re	0.05
						MD	GY	BD	---	--	Re	0.05
599.85	603.75	3.90	INT	MG	Light to medium beige grey, porphyritic, fine to medium grained intermediate intrusive (andesite?) dyke/sill.							
						LT	GY	PO	SER	1I	--	0
						LT	GY	MA	SER	1I	--	0
						MD	BG	PO	SER	1I	--	0
						MD	BG	MA	SER	1I	--	0
603.75	784.86	181.11	LST	MG	Large fine to medium grained limestone package. Abundant cross-cutting calcite veinlets throughout. Minor carbonaceous siltstone interbeds throughout. Minor realgar locally.							
						LT	GY	BD	---	--	Re	0.05
						MD	GY	BD	---	--	Re	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.80	4.80	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
4.80	15.17	10.37	SLT	VF	Medium green-grey bedded siltstone with moderate to intense oxidation, and moderate clay alteration.							
						MD	GY	BD	OXI	3I	Py	0.1
						MD	GY	BD	CLY	2I	Py	0.1
						MD	GN	BD	OXI	3I	Py	0.1
						MD	GN	BD	CLY	2I	Py	0.1
15.17	42.70	27.53	DMT	FG	Medium to dark grey limestone floatstone with segments up to 1m of massive limestone clasts throughout, and slight oxidation on fracture surfaces.							
						MD	GY	FL	OXI	1I	Py	0.1
						DK	GY	FL	OXI	1I	Py	0.1
						MD	BL	FL	OXI	1I	Py	0.1
42.70	70.32	27.62	DST	FG	Light blue-grey massive to crackle dolostone. Occasional limestone and floatstone beds.							
						LT	GY	MA	OXI	1I	Py	0.1
						LT	GY	CR	OXI	1I	Py	0.1
						MD	GY	MA	OXI	1I	Py	0.1
						MD	GY	CR	OXI	1I	Py	0.1
						MD	BL	MA	OXI	1I	Py	0.1
						MD	BL	CR	OXI	1I	Py	0.1
70.32	100.06	29.74	SLT	VF	Medium green-grey bedded siltstone with minor oxidation on fracture surfaces and trace pyrite throughout.							
						MD	GY	BD	OXI	1I	Py	0.1
						MD	GY	BD	CLY	1I	Py	0.1
						MD	GN	BD	OXI	1I	Py	0.1
						MD	GN	BD	CLY	1I	Py	0.1
100.06	138.42	38.36	DMT	VF	Medium to dark grey limestone floatstone with segments of moderate dolomitization, sandy segments and massive limestone segments. Trace pyrite throughout overpringing clasts and mild clay alteration on fracture surfaces.							
						MD	GY	FL	CLY	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	FL	OXI	1I	Py	0.1
						DK	GY	FL	CLY	1I	Py	0.1
						DK	GY	FL	OXI	1I	Py	0.1
138.42	187.76	49.34	SLT	VF	Medium green-grey bedded siltstone with occasional sandier layers throughout.							
						LT	GN	BD	---	--	Py	0.1
						MD	GY	BD	---	--	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.78	6.78	OVB	--	Overburden							
						--	--	---	---	--	--	0
6.78	39.01	32.23	DMT	VF	Interbedded floatstone, rudstone, massive limestone, and laminated/bedded mudstone. Floatstone dominates this unit and two stages of calcite veining are present (early crackle and late plane parallel veinlets).							
						MD	GY	BD	OXI	4I	He	1
						MD	GY	CR	OXI	4I	He	1
						MD	GY	BD	OXI	4I	Py	0.01
						MD	GY	CR	OXI	4I	Py	0.01
						MD	OR	BD	OXI	4I	He	1
						MD	OR	CR	OXI	4I	He	1
						MD	OR	BD	OXI	4I	Py	0.01
						MD	OR	CR	OXI	4I	Py	0.01
						MD	BN	BD	OXI	4I	He	1
						MD	BN	CR	OXI	4I	He	1
						MD	BN	BD	OXI	4I	Py	0.01
						MD	BN	CR	OXI	4I	Py	0.01
39.01	67.00	27.99	SLT	VF	Laminated/bedded mudstone unit showing varying degrees of clay alteration and a late stage crackle breccia delineated by mm scale calcite veinlets.							
						DK	GY	---	ASO	1I	--	0
						DK	GY	---	CLY	1I	--	0
						DK	GY	---	OXI	1I	--	0
67.00	122.20	55.20	DST	VF	Recrystallized crackled (calcite/dolomite) and veined (calcite/dolomite) dolostone with minor amounts of laminated dolostone/mudstone interbeds throughout. Arsenic oxide alteration, oxidation, clay alteration, and decalcification are found in minor amounts throughout the interval. Realgar mineralization occurs along late stage calcite crackle breccia seams and dry fractures.							
						MD	GY	RX	ASO	1I	Re	0.1
						MD	GY	CR	ASO	1I	Re	0.1
						MD	GY	RX	ASO	1I	Py	0.01
						MD	GY	CR	ASO	1I	Py	0.01
						MD	GY	RX	OXI	1I	Re	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	CR	OXI	1I	Re	0.1
						MD	GY	RX	OXI	1I	Py	0.01
						MD	GY	CR	OXI	1I	Py	0.01
						MD	GY	RX	DCA	1I	Re	0.1
						MD	GY	CR	DCA	1I	Re	0.1
						MD	GY	RX	DCA	1I	Py	0.01
						MD	GY	CR	DCA	1I	Py	0.01
						MD	GY	RX	CLY	1I	Re	0.1
						MD	GY	CR	CLY	1I	Re	0.1
						MD	GY	RX	CLY	1I	Py	0.01
						MD	GY	CR	CLY	1I	Py	0.01
						DK	GY	RX	ASO	1I	Re	0.1
						DK	GY	CR	ASO	1I	Re	0.1
						DK	GY	RX	ASO	1I	Py	0.01
						DK	GY	CR	ASO	1I	Py	0.01
						DK	GY	RX	OXI	1I	Re	0.1
						DK	GY	CR	OXI	1I	Re	0.1
						DK	GY	RX	OXI	1I	Py	0.01
						DK	GY	CR	OXI	1I	Py	0.01
						DK	GY	RX	DCA	1I	Re	0.1
						DK	GY	CR	DCA	1I	Re	0.1
						DK	GY	RX	DCA	1I	Py	0.01
						DK	GY	CR	DCA	1I	Py	0.01
						DK	GY	RX	CLY	1I	Re	0.1
						DK	GY	CR	CLY	1I	Re	0.1
						DK	GY	RX	CLY	1I	Py	0.01
						DK	GY	CR	CLY	1I	Py	0.01
122.20	218.85	96.65	LST	VF	Bedded/laminated limestone with sparse interbeds of rudstone and bedded/laminated dolostone. Several stages of calcite veining are present and there is sparse disseminated pyrite throughout the unit.							
						LT	GY	BD	DCA	1I	Py	0.01
						LT	GY	CR	DCA	1I	Py	0.01
						MD	GY	BD	DCA	1I	Py	0.01
						MD	GY	CR	DCA	1I	Py	0.01
218.85	286.51	67.66	MST	VF	Three metres of green/grey laminated mudstone which transitions into a bedded maroon mudstone with small cm scale interbeds of the former. Trace amounts of disseminated pyrite are found throughout.							
						MD	GY	BD	---	--	Py	0.01
						MD	GN	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	BN	BD	---	--	Py	0.01
						MD	RD	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.34	1.34	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.34	94.84	93.50	LST	FG	Interbedded limestone and mudstone, planar bedding with occasional lenticular beds and cross laminations. Non-calcareous intervals up to 5m thick. Common intraclast rudstone beds 0.1-2.5m thick.							
						MD	GY	BD	---	0I	--	0
94.84	122.30	27.46	DST	--	Variably competent, light grey dolostone package. Bleaching of primary sedimentary features and the presence of a black crackle texture is common. Arsenic sulphide mineralization occurs on fracture faces throughout.							
						LT	GY	CR	---	--	Re	0.02
122.30	124.60	2.30	SLT	FG	Mudstone. Pale blueish green to dark grey with occasional fine bedding defined by subtle shade change.							
						DK	GN	BD	---	--	Py	0.05
						DK	GN	MA	---	--	Py	0.05
124.60	130.95	6.35	DMT	FG	Intraclast floatstone, ~30% clasts. Clasts are rounded-subangular limestone with very occasional tourquoise/blue mudstone, 1-10mm wide, lime mud matrix.							
						DK	GY	DB	---	--	--	0
130.95	133.70	2.75	SLT	FG	Very light grey limestone with bedding defined by 1-4mm carbonaceous interbeds.							
						DK	GN	BD	---	--	--	0
133.70	144.55	10.85	DMT	--	Intraclast floatstone, ~50% clasts, lime mud matrix. Clasts are subangular-subrounded, dominantly massive limestone with occasional bedded clasts, 0.1-20cm wide. Larger clasts often have internal calcite veinlets.							
						DK	GY	DB	---	--	--	0
144.55	148.50	3.95	SLT	FG	Interbedded grey quartzose sandstone and black to tourquoise/green very fine grained mudstone. Beds are defined by fine black laminae, and are 0.5-4cm thick. Locally intense chaotic calcite veinlets.							
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
148.50	318.82	170.32	LST	FG	Largely calcareous succession of dark green to black lime mudstone, medium grey lime siltstone, quartz rich lime sandstone, and quartz clastic floatstones. Coarser beds often show downhole fining trend, and occasional cross laminations. Occasional pyritic mudstone beds. Evidence of deformation between 150-200m as frequent sharp angle folds and occasional development of shear fabric. Appear to be the same sedimentary package as intersected in the Conrad zone.							
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.25	5.25	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
5.25	16.15	10.90	DMT	VF	90 % limestone (90 % floatstone, 10 % massive lime mudstone) interbedded with roughly 7 % massive dolomudstone and 3 % laminated mudstone. Two calcite veining events present, the latter defining a crackle breccia. Limonite alteration throughout interval.							
						LT	GY	BD	LIM	3I	--	0
						LT	GY	CR	LIM	3I	--	0
						MD	GY	BD	LIM	3I	--	0
						MD	GY	CR	LIM	3I	--	0
						MD	OR	BD	LIM	3I	--	0
						MD	OR	CR	LIM	3I	--	0
16.15	25.30	9.15	SLT	VF	Moderately fractured to rubbly laminated mudstone with sporadic sections of clay alteration and consistent limonite alteration throughout unit.							
						MD	GY	BD	LIM	2I	Py	0.01
						MD	GY	BD	CLY	2I	Py	0.01
						MD	BL	BD	LIM	2I	Py	0.01
						MD	BL	BD	CLY	2I	Py	0.01
25.30	134.50	109.20	DST	FG	Laminated to massive dolostone (70%) with interbeds of mudstone (25%) and limestone (5%). Several stages of dolomite/calcite veining are present. Extensive decalcification is present in latter half of the unit and is associated with realgar and orpiment mineralization. Disseminated pyrite can be found throughout the unit.							
						LT	GY	BD	LIM	1I	Om	0.01
						LT	GY	CR	LIM	1I	Om	0.01
						LT	GY	BD	LIM	1I	Re	0.05
						LT	GY	CR	LIM	1I	Re	0.05
						LT	GY	BD	LIM	1I	Py	0.01
						LT	GY	CR	LIM	1I	Py	0.01
						LT	GY	BD	HEM	1I	Om	0.01
						LT	GY	CR	HEM	1I	Om	0.01
						LT	GY	BD	HEM	1I	Re	0.05
						LT	GY	CR	HEM	1I	Re	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	BD	HEM	1I	Py	0.01
						LT	GY	CR	HEM	1I	Py	0.01
						LT	GY	BD	ASO	2I	Om	0.01
						LT	GY	CR	ASO	2I	Om	0.01
						LT	GY	BD	ASO	2I	Re	0.05
						LT	GY	CR	ASO	2I	Re	0.05
						LT	GY	BD	ASO	2I	Py	0.01
						LT	GY	CR	ASO	2I	Py	0.01
						MD	GY	BD	LIM	1I	Om	0.01
						MD	GY	CR	LIM	1I	Om	0.01
						MD	GY	BD	LIM	1I	Re	0.05
						MD	GY	CR	LIM	1I	Re	0.05
						MD	GY	BD	LIM	1I	Py	0.01
						MD	GY	CR	LIM	1I	Py	0.01
						MD	GY	BD	HEM	1I	Om	0.01
						MD	GY	CR	HEM	1I	Om	0.01
						MD	GY	BD	HEM	1I	Re	0.05
						MD	GY	CR	HEM	1I	Re	0.05
						MD	GY	BD	HEM	1I	Py	0.01
						MD	GY	CR	HEM	1I	Py	0.01
						MD	GY	BD	ASO	2I	Om	0.01
						MD	GY	CR	ASO	2I	Om	0.01
						MD	GY	BD	ASO	2I	Re	0.05
						MD	GY	CR	ASO	2I	Re	0.05
						MD	GY	BD	ASO	2I	Py	0.01
						MD	GY	CR	ASO	2I	Py	0.01
134.50	163.00	28.50	LST	VF	Interbeds of lime mudstone (60%) and mudstone (40%). Quartz and calcite veinlets are present. Silicification is observed adjacent to quartz veinlets within limestone beds. Disseminated pyrite is found throughout.							
						MD	GY	BD	SIL	2I	Py	0.01
163.00	187.00	24.00	DST	VF	Interbeds of laminated dolomudstone (70%) and rudstone/bedded lime mudstone (30%). Several sets of dolomite/calcite veining are present. Decalcification occurs sparsely in cm to dm scale intervals (not prominent within unit).							
						MD	GY	BD	DCA	1I	--	0
						MD	GY	CR	DCA	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
187.00	202.08	15.08	MST	VF	Laminated green-grey mudstone which unconformably transitions into a laminated maroon mudstone with cm scale interbeds of the former. Pyrite mineralization occurs as discrete bands of disseminated crystals within the green-grey mudstone intervals.							
						LT	GY	BD	OXI	1I	Py	0.01
						LT	GY	CR	OXI	1I	Py	0.01
						LT	GN	BD	OXI	1I	Py	0.01
						LT	GN	CR	OXI	1I	Py	0.01
						LT	RD	BD	OXI	1I	Py	0.01
						LT	RD	CR	OXI	1I	Py	0.01
						LT	BR	BD	OXI	1I	Py	0.01
						LT	BR	CR	OXI	1I	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	198.80	198.80	LST	FG	Interbedded limestone and mudstone, planar bedding with occasional lenticular beds and cross laminations. Non-calcareous intervals up to 5m thick. Common intraclast rudstone beds 0.1-2.5m thick.							
						MD	GY	BD	---	--	--	0
198.80	257.15	58.35	LST	FG	Succession of fine to medium grained limestones to siltstones and dark green mudstones with frequent fine black laminations. Bottom of unit characterised by intermittent pyritic siltstone beds and quartz rich sandstone beds. Lower half of unit is commonly intensely folded. Looks like Conrad sedimentary package?							
						DK	GN	BD	---	--	--	0
257.15	353.55	96.40	DST	FG	Pervasively recrystallized and black crackled, intermittently brecciated dolostone with occasional dolo-floatstone beds. Realgar mineralization associated with late stage calcite veinlets throughout, particularly in more brecciated intervals.							
						MD	GY	BD	---	--	--	0
353.55	367.28	13.73	DMT	FG	Intraclast floatstone variably calcareous mudstone-lime mudstone matrix. Clasts are subrounded - subangular, 0.1-20cm wide but typically 0.5-1cm wide, limestone with occasional dark green mudstone. ~1m zone at top of interval in which all clasts have been replaced by crystalline dolomite +/- calcite.							
						DK	GY	DB	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.45	4.45	OVB	--	overburden, no recovery							
						--	--	---	---	--	--	0
4.45	53.34	48.89	MST	FG	Light grey, fine grained, bedded mudstone. Locally clay altered and gouged.							
						LT	GY	BD	CLY	3I	--	0
						LT	GY	BD	OXI	4I	--	0
						MD	GY	BD	CLY	3I	--	0
						MD	GY	BD	OXI	4I	--	0
53.34	73.40	20.06	FLR	FG	Light to dark grey, heterolithic, fragmental, apparent fault breccia/sheared debris flow.							
						LT	GY	BX	OXI	3I	--	0
						LT	GY	RB	OXI	3I	--	0
						LT	GY	SN	OXI	3I	--	0
						LT	GY	BX	CLY	2I	--	0
						LT	GY	RB	CLY	2I	--	0
						LT	GY	SN	CLY	2I	--	0
73.40	82.30	8.90	MST	FG	Dark rusty grey/brown, fine grained mudstone. Unit is pervasively oxidized with localized clay alteration.							
						MD	GY	SN	OXI	4I	--	0
						MD	GY	SN	CLY	2I	--	0
						MD	BN	SN	OXI	4I	--	0
						MD	BN	SN	CLY	2I	--	0
82.30	107.40	25.10	FLR	MG	Medium to dark grey, fine to medium grained (matrix), heterolitic apparent debris flow/fault breccia. Unit has a strong overprinting fabric.							
						DK	GY	SN	OXI	1I	Py	1
						DK	GY	RB	OXI	1I	Py	1
						DK	GY	BX	OXI	1I	Py	1
						DK	GY	SN	CLY	1I	Py	1
						DK	GY	RB	CLY	1I	Py	1
						DK	GY	BX	CLY	1I	Py	1
						MD	GY	SN	OXI	1I	Py	1
						MD	GY	RB	OXI	1I	Py	1
						MD	GY	BX	OXI	1I	Py	1
						MD	GY	SN	CLY	1I	Py	1
						MD	GY	RB	CLY	1I	Py	1
						MD	GY	BX	CLY	1I	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
107.40	108.30	0.90	LST	FG	Medium to dark grey, fine to medium grained apparent recrystallized limestone.							
						MD	GY	SN	---	--	Py	1
						DK	GY	SN	---	--	Py	1
108.30	111.50	3.20	FLR	MG	Medium to dark grey, fine to medium grained (matrix), heterolithic apparent fault breccia. Unit has a strong overprinting fabric.							
						DK	GY	SN	CLY	1I	Py	2
						DK	GY	RB	CLY	1I	Py	2
						DK	GY	BX	CLY	1I	Py	2
						MD	GY	SN	CLY	1I	Py	2
						MD	GY	RB	CLY	1I	Py	2
						MD	GY	BX	CLY	1I	Py	2
111.50	114.00	2.50	DST	FG	Light grey, massive, mottled, fine grained apparent dolostone? (fragment within fault breccia?).							
						LT	BG	MA	DOL	2I	Re	1
						LT	BG	SN	DOL	2I	Re	1
						LT	GY	MA	DOL	2I	Re	1
						LT	GY	SN	DOL	2I	Re	1
114.00	118.45	4.45	FLR	MG	Medium to dark grey, fine to medium grained (matrix), heterolithic fault breccia. Unit has a strong overprinting fabric.							
						MD	GY	SN	CLY	1I	Py	2
						MD	GY	RB	CLY	1I	Py	2
						MD	GY	BX	CLY	1I	Py	2
						DK	GY	SN	CLY	1I	Py	2
						DK	GY	RB	CLY	1I	Py	2
						DK	GY	BX	CLY	1I	Py	2
118.45	119.40	0.95	INT	MG	Medium to dark grey, fine to medium grained possible intermediate intrusion?							
						DK	GY	SN	SER	1I	Py	1
						DK	GY	MA	SER	1I	Py	1
						MD	GY	SN	SER	1I	Py	1
						MD	GY	MA	SER	1I	Py	1
119.40	120.00	0.60	FLR	MG	Medium to dark grey, fine to medium grained (matrix), heterolithic fault breccia. Unit has a strong overprinting fabric.							
						DK	GY	SN	CLY	1I	Re	1
						DK	GY	BX	CLY	1I	Re	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	SN	CLY	1I	Re	1
						MD	GY	BX	CLY	1I	Re	1
120.00	120.90	0.90	INT	MG	Medium to dark grey, fine to medium grained possible intermediate intrusion?							
						MD	GY	SN	---	--	Py	1
						DK	GY	SN	---	--	Py	1
120.90	121.40	0.50	FLR	MG	Medium to dark grey, fine to medium grained (matrix), heterolithic debris flow/fault breccia. Unit has a strong overprinting fabric.							
						DK	GY	SN	CLY	1I	Py	1
						DK	GY	BX	CLY	1I	Py	1
						MD	GY	SN	CLY	1I	Py	1
						MD	GY	BX	CLY	1I	Py	1
121.40	123.44	2.04	INT	MG	Light to medium beige grey, fine to medium grained intermediate intrusive dyke/sill(?).							
						LT	GY	SN	SER	1I	--	0
						LT	GY	MA	SER	1I	--	0
						MD	BG	SN	SER	1I	--	0
						MD	BG	MA	SER	1I	--	0
123.44	128.50	5.06	LST	MG	Light to medium beige grey, fine to medium grained limestone.							
						LT	GY	BD	SIL	2I	Re	2
						LT	GY	SN	SIL	2I	Re	2
						LT	GY	BD	DOL	1I	Re	2
						LT	GY	SN	DOL	1I	Re	2
						LT	GY	BD	CLY	1I	Re	2
						LT	GY	SN	CLY	1I	Re	2
						MD	BG	BD	SIL	2I	Re	2
						MD	BG	SN	SIL	2I	Re	2
						MD	BG	BD	DOL	1I	Re	2
						MD	BG	SN	DOL	1I	Re	2
						MD	BG	BD	CLY	1I	Re	2
						MD	BG	SN	CLY	1I	Re	2
128.50	237.64	109.14	SLC	MG	Medium to dark grey, fine to medium grained quartz-pebble matrix supported conglomerate interbedded with pyritic silstone. Localized sections display strain and realgar mineralization.							
						DK	GY	SN	CLY	1I	Re	0.01
						DK	GY	RB	CLY	1I	Re	0.01
						DK	GY	BD	CLY	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GY	SN	CLY	1I	Py	1
						DK	GY	RB	CLY	1I	Py	1
						DK	GY	BD	CLY	1I	Py	1
						DK	BK	SN	CLY	1I	Re	0.01
						DK	BK	RB	CLY	1I	Re	0.01
						DK	BK	BD	CLY	1I	Re	0.01
						DK	BK	SN	CLY	1I	Py	1
						DK	BK	RB	CLY	1I	Py	1
						DK	BK	BD	CLY	1I	Py	1
237.64	279.37	41.73	LST	FG	Light to medium grey, fine to medium grained limestone.							
						LT	GY	BD	---	--	--	0
						MD	GY	BD	---	--	--	0
279.37	393.19	113.82	SLC	FG	Dark grey, fine to medium grained siltstone intercalated with minor zones of matrix-supported, quartz-pebble conglomerate. Both units are pyritic throughout.							
						DK	GY	BD	---	--	Py	5
						DK	GY	BD	---	--	Re	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.57	4.57	OVB	--	Overburden							
						--	--	---	---	--	--	0
4.57	46.60	42.03	SLT	VF	Highly fractured/rubbly laminated mudstone that contains intervals of gouge within the first third of the unit. Interbeds of laminated lime mudstone (sparse) and floatstone are present in the latter quarter of the unit. Limonite is present on most fracture surfaces.							
						MD	GY	BD	OXI	2I	--	0
						MD	OR	BD	OXI	2I	--	0
						MD	BN	BD	OXI	2I	--	0
46.60	67.46	20.86	DMT	VF	Interbedded floatstone (90%), rudstone (5%), and massive lime mudstone (5%). Calcite veining is present and unit is variably oxidized (limonite on fracture surfaces, staining of lithologies).							
						MD	GY	BD	OXI	1I	--	0
67.46	113.40	45.94	SLT	VF	Laminated to bedded mudstone (70%) interbedded with floatstone (12%), dolofloatstone (12%), and dolorudstone (6%). Unit is fractured into dm scale fragments and shows sparse dm sections of gouge. Limonite is present on fracture surfaces. Disseminated pyrite along beds/lamina within mudstone.							
						MD	GY	BD	OXI	1I	Py	0.01
113.40	156.00	42.60	DST	VF	Moderately fractured, laminated to massive dolostone (95%) interbedded with lime mudstone/rudstone (3%), dolorudstone (1%), and dolopackstone (1%). Several sets of dolomite and calcite veining are present. Moderate silicification throughout unit. Arsenic oxide alteration on fracture surfaces. Realgar and orpiment mineralization along calcite veinlets and dry fractures. Minor amounts of disseminated pyrite are found throughout.							
						MD	GY	CR	SIL	2I	Re	1
						MD	GY	BX	SIL	2I	Re	1
						MD	GY	RX	SIL	2I	Re	1
						MD	GY	CR	SIL	2I	Om	0.1
						MD	GY	BX	SIL	2I	Om	0.1
						MD	GY	RX	SIL	2I	Om	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	CR	SIL	2I	Py	0.01
						MD	GY	BX	SIL	2I	Py	0.01
						MD	GY	RX	SIL	2I	Py	0.01
						MD	GY	CR	ASO	1I	Re	1
						MD	GY	BX	ASO	1I	Re	1
						MD	GY	RX	ASO	1I	Re	1
						MD	GY	CR	ASO	1I	Om	0.1
						MD	GY	BX	ASO	1I	Om	0.1
						MD	GY	RX	ASO	1I	Om	0.1
						MD	GY	CR	ASO	1I	Py	0.01
						MD	GY	BX	ASO	1I	Py	0.01
						MD	GY	RX	ASO	1I	Py	0.01
156.00	164.59	8.59	LST	VF	Laminated to massive lime mudstone with calcite and dolomite veinlets. Realgar mineralization occurs along late stage calcite crackle breccia seams, calcite veins, and dry fractures. Sparse orpiment along dry fractures.							
						MD	GY	BD	SIL	2I	Re	0.1
						MD	GY	CR	SIL	2I	Re	0.1
						MD	GY	BD	SIL	2I	Om	0.01
						MD	GY	CR	SIL	2I	Om	0.01
164.59	219.46	54.87	DST	VF	Highly fractured dolostone with dolomite cemented mosaic breccia, dolomite veins, and calcite veinlets. Silicification is variable throughout unit. Limonite is present on most fracture surfaces. Sparse orpiment and realgar mineralization is found on fracture surfaces.							
						MD	GY	BX	SIL	1I	Re	0.01
						MD	GY	CR	SIL	1I	Re	0.01
						MD	GY	BX	SIL	1I	Om	0.01
						MD	GY	CR	SIL	1I	Om	0.01
						MD	GY	BX	OXI	3I	Re	0.01
						MD	GY	CR	OXI	3I	Re	0.01
						MD	GY	BX	OXI	3I	Om	0.01
						MD	GY	CR	OXI	3I	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.55	1.55	OVB	--	Overburden							
						--	--	---	---	--	--	0
1.55	42.05	40.50	DMT	--	60% light grey limestone with dark grey interbeds, and 40% polymictic floatstone containing 1-5 cm carbonate and mudstone clasts. Unit is highly oxidized and fractured at the top. Both oxidation intensity and fracture density decrease down section. Arsenic oxide is visible on some fracture surfaces.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FL	OXI	2I	--	0
42.05	64.62	22.57	LST	FG	Buff grey bedded lime mudstone characteristic of pinguicula b. This section may represent an amalgamation of large clasts within the surrounding diamictite lithologies or be structurally emplaced.							
						LT	GY	BD	---	--	--	0
64.62	83.00	18.38	DMT	--	Floatstone containing light to dark grey clasts in a dark to medium grey, fine grained, calcareous matrix							
						MD	GY	DB	---	--	--	0
83.00	134.00	51.00	LST	FG	Buff grey bedded lime mudstone characteristic of pinguicula b. This section may represent an amalgamation of large clasts within the surrounding diamictite lithologies or be structurally emplaced.							
						LT	GY	BD	OXI	1I	--	0
						LT	GY	BD	ASO	1I	--	0
134.00	138.70	4.70	DMT	--	Dark grey to slightly green siltstone and debrites with a non-calcareous, fine-grained, clastic matrix.							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	BD	---	--	Py	0.5
138.70	173.63	34.93	DST	FG	Light grey clasts with dark grey matrix, both consist of dolomite. There is scarce relict bedding parallel to the core axis and defined by variations in shades of grey. Fine grains of realgar occur along fracture surfaces.							
						LT	GY	RX	---	--	Re	0.01
						LT	GY	CR	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	MA	---	--	Re	0.01
173.63	215.49	41.86	LST	VF	Bedding, indicated by layers of dark grey silt, varies from 10 to 25 degrees to core axis.							
						LT	GY	BD	---	--	--	0
						LT	GY	MU	---	--	--	0
						DK	GY	BD	---	--	--	0
						DK	GY	MU	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.20	6.20	OVB	--	Overburden, no recovery							
						--	--	---	---	--	--	0
6.20	58.00	51.80	MST	--	Light grey, fine grained, bedded mudstone. Unit is locally clay altered and oxidized.							
						MD	GY	BD	CLY	2I	--	0
						MD	GY	MA	CLY	2I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	MA	OXI	2I	--	0
						MD	PU	BD	CLY	2I	--	0
						MD	PU	MA	CLY	2I	--	0
						MD	PU	BD	OXI	2I	--	0
						MD	PU	MA	OXI	2I	--	0
						LT	GY	BD	CLY	2I	--	0
						LT	GY	MA	CLY	2I	--	0
						LT	GY	BD	OXI	2I	--	0
						LT	GY	MA	OXI	2I	--	0
58.00	79.85	21.85	FLR	--	Dark grey to black, fine grained (matrix?), sheared fault breccia? Fabric is present throughout the unit.							
						DK	GY	SN	CLY	2I	Py	2
						DK	GY	BX	CLY	2I	Py	2
						MD	GY	SN	CLY	2I	Py	2
						MD	GY	BX	CLY	2I	Py	2
79.85	96.42	16.57	MST	FG	Medium to dark grey, greenish tinge locally, fine grained mudstone. Unit is brecciated throughout and is variably oxidized.							
						MD	GY	BD	OXI	1I	Py	1
						MD	GY	BX	OXI	1I	Py	1
						MD	GY	SN	OXI	1I	Py	1
96.42	170.80	74.38	FLR	--	Structurally derived, polylithic rock displaying various degrees of strain.							
						MD	GY	SN	CLY	1I	Py	0.1
						MD	GY	BX	CLY	1I	Py	0.1
						MD	GY	SN	CLY	1I	Re	0.01
						MD	GY	BX	CLY	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	SN	CLY	1I	Py	0.1
						LT	GY	BX	CLY	1I	Py	0.1
						LT	GY	SN	CLY	1I	Re	0.01
						LT	GY	BX	CLY	1I	Re	0.01
						DK	GN	SN	CLY	1I	Py	0.1
						DK	GN	BX	CLY	1I	Py	0.1
						DK	GN	SN	CLY	1I	Re	0.01
						DK	GN	BX	CLY	1I	Re	0.01
						DK	BK	SN	CLY	1I	Py	0.1
						DK	BK	BX	CLY	1I	Py	0.1
						DK	BK	SN	CLY	1I	Re	0.01
						DK	BK	BX	CLY	1I	Re	0.01
170.80	177.85	7.05	INT	MG	Medium to dark grey, massive to porphyritc apparent intermediate intrusive. Unit is strongly sheared and sericite altered.							
						MD	BG	MA	SER	1I	Re	2
						MD	BG	PO	SER	1I	Re	2
						MD	BG	SN	SER	1I	Re	2
						MD	BG	MA	SER	1I	Py	5
						MD	BG	PO	SER	1I	Py	5
						MD	BG	SN	SER	1I	Py	5
						MD	GY	MA	SER	1I	Re	2
						MD	GY	PO	SER	1I	Re	2
						MD	GY	SN	SER	1I	Re	2
						MD	GY	MA	SER	1I	Py	5
						MD	GY	PO	SER	1I	Py	5
						MD	GY	SN	SER	1I	Py	5
177.85	188.60	10.75	LST	FG	Light to medium grey, fine to medium grained limestone. Unit is locally interbedded with siltstone. Realgar is present within carbonaceous, sooty zones.							
						LT	GY	BD	---	--	Re	0.05
						LT	GY	SN	---	--	Re	0.05
						MD	GY	BD	---	--	Re	0.05
						MD	GY	SN	---	--	Re	0.05
188.60	189.50	0.90	INT	MG	Medium grey, massive to porphyritc apparent intermediate intrusive.							
						MD	GY	MA	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
189.50	215.70	26.20	LST	FG	Light to medium grey, fine to medium grained limestone. Unit is locally interbedded with siltstone. Realgar is present within carbonaceous, sooty zones.							
						MD	GY	BD	---	--	Re	0.05
						MD	GY	SN	---	--	Re	0.05
215.70	234.70	19.00	FLT	--	Dark black, fault gouge/breccia zone with abundant heterolithic fragments.							
						DK	GY	BX	DCA	2I	--	0
						DK	GY	SN	DCA	2I	--	0
						DK	BK	BX	DCA	2I	--	0
						DK	BK	SN	DCA	2I	--	0
234.70	353.57	118.87	SLC	MG	Dark grey to black, fine to medium grained matrix supported quartz-pebble conglomerate.							
						DK	GY	BD	---	--	Py	4
						DK	GY	BD	---	--	As	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.52	1.52	OVB	--	Overburden.							
						--	--	---	---	--	--	0
1.52	20.00	18.48	DMT	VF	Weakly competent, polylithic floatstone and lime mudstone unit. Calcite veining is present throughout the unit. Oxidation is variable throughout both lithologies and minor clay alteration can be found within floatstone interval.							
						LT	GY	FL	OXI	2I	--	0
						LT	GY	MA	OXI	2I	--	0
						LT	GY	FL	CLY	1I	--	0
						LT	GY	MA	CLY	1I	--	0
						MD	GY	FL	OXI	2I	--	0
						MD	GY	MA	OXI	2I	--	0
						MD	GY	FL	CLY	1I	--	0
						MD	GY	MA	CLY	1I	--	0
20.00	35.00	15.00	SLT	VF	Laminated to massive mudstone which contains both limonite and hematite on the majority of fracture surfaces. Calcite veinlets occur sporadically throughout the unit.							
						MD	GY	BD	OXI	1I	--	0
						MD	BL	BD	OXI	1I	--	0
35.00	74.00	39.00	DST	VF	Highly fractured to rubbly, laminated to massive dolostone. Several stages of dolomite and calcite veining. Limonite is present on fracture surfaces and unit is moderately silicified. Sparce decalcification and arsenic oxide alteration. Realgar is found along fracture surfaces and within decalcified interval.							
						MD	GY	BD	OXI	3I	Re	0.01
						MD	GY	CR	OXI	3I	Re	0.01
						MD	GY	BX	OXI	3I	Re	0.01
						MD	GY	BD	SIL	2I	Re	0.01
						MD	GY	CR	SIL	2I	Re	0.01
						MD	GY	BX	SIL	2I	Re	0.01
						MD	GY	BD	DCA	2I	Re	0.01
						MD	GY	CR	DCA	2I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BX	DCA	2I	Re	0.01
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	CR	ASO	1I	Re	0.01
						MD	GY	BX	ASO	1I	Re	0.01
74.00	85.95	11.95	MST	VF	Laminated/bedded mudstone which is variably massive and shows limonite alteration on fracture surfaces. Clay alteration is sporadic throughout the unit and pyrite can be found disseminated within lamina.							
						MD	GY	BD	OXI	1I	Py	0.1
						MD	GY	BD	CLY	1I	Py	0.1
						MD	BL	BD	OXI	1I	Py	0.1
						MD	BL	BD	CLY	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.22	1.22	OVB	--	No recovery							
						--	--	---	---	--	--	0
1.22	88.95	87.73	LST	FG	Interbedded limestone and mudstone, planar bedding with occasional lenticular beds and cross laminations. Non-calcareous intervals up to 5m thick. Common intraclast rudstone beds 0.1-2.5m thick.							
						MD	GY	BD	---	--	--	0
88.95	135.33	46.38	DST	FG	Rubbly to competent dolostone unit housing arsenic sulphide mineralization throughout. Bleaching appears to have largely distorted primary sedimentary features. A black crackle texture is present intermittently throughout.							
						MD	GY	BD	DCA	2I	Re	0.05
						MD	GY	BX	DCA	2I	Re	0.05
						MD	GY	BD	DCA	2I	Om	0.01
						MD	GY	BX	DCA	2I	Om	0.01
135.33	158.80	23.47	DMT	--	Diamictite interbedded with dark green and dark grey terrigenous siltstone.							
						DK	GY	DB	---	--	--	0
						DK	GY	BD	---	--	--	0
						MD	GN	DB	---	--	--	0
						MD	GN	BD	---	--	--	0
158.80	183.00	24.20	DST	--	Dolostone interval displaying debrite textures as well as various breccia textures throughout. Core is generally fractured and blocky containing arsenic sulphide mineralization throughout.							
						MD	GY	DB	---	--	Re	0.05
						MD	GY	BX	---	--	Re	0.05
183.00	222.81	39.81	DMT	FG	Mixed lithology succession of dark green mudstone with occasional pyritic siltstone interbeds, polymicitc floatstones, polymictic conglomerates with dark green mudstone and occasional quartzose sandstone intervals.							
						DK	GY	DB	---	--	--	0
						DK	GY	BD	---	--	--	0
						LT	GY	DB	---	--	--	0
						LT	GY	BD	---	--	--	0
						DK	GN	DB	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GN	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.13	2.13	OVB	--	Overburden							
						--	--	---	---	--	--	0
2.13	45.00	42.87	DMT	FG	~50% dark to medium grey, bedded limestone and 50% polymictic floatstone. Large bedded sections appear to be clasts within debrite. Floatstone sections can be 10's of meters thick, and are separated by bedded sections. The top on the unit is intensely oxidized and clay altered. Oxidation intensity decreases downsection. Arsenic oxide occurs on fracture surfaces beginning around 66 m.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FL	OXI	2I	--	0
						MD	GY	BD	CLY	1I	--	0
						MD	GY	FL	CLY	1I	--	0
						MD	GY	BD	ASO	1I	--	0
						MD	GY	FL	ASO	1I	--	0
45.00	98.20	53.20	LST	FG	Buff grey bedded lime mudstone characteristic of pinguicula b. This section may represent an amalgamation of large clasts within the surrounding diamictite lithologies or be structurally emplaced.							
						LT	GY	BD	---	--	--	0
98.20	157.30	59.10	DMT	--	~30% dark to medium grey, bedded limestone and70% polymictic floatstone. Large bedded sections appear to be clasts within debrite. Floatstone sections can be 10's of meters thick, and are separated by bedded sections. The top on the unit is intensely oxidized and clay altered. Oxidation intensity decreases downsection. Arsenic oxide occurs on fracture surfaces beginning around 66 m.							
						MD	GY	DB	---	--	--	0
157.30	182.18	24.88	DST	FG	Light grey, rubbly dolostone. Realgar, orpiment and arsenic oxide occur throughout the interval.							
						MD	GY	FR	ASO	1I	Re	1.3
						MD	GY	BD	ASO	1I	Re	1.3
						MD	GY	FR	ASO	1I	Om	0.5
						MD	GY	BD	ASO	1I	Om	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
182.18	279.50	97.32	LST	FG	Medium grey, fine to medium grained limestone interbedded with dark grey, less calcareous layers and dolomitic/silicic layers. Cross bedding is abundant in dolomitic/silicic layers. Realgar mineralization occurs between 197.01 and 208.08m.							
						MD	GY	BD	---	--	Re	3
						MD	GY	BD	---	--	Om	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.87	1.87	OVB	--	Overburden							
						--	--	---	---	--	--	0
1.87	28.60	26.73	DST	FG	Medium grey to medium tan dolostone containing <10% float stone intervals. Top of the section is highly fractured, rubbly and oxidized, with sort sections of decarbonitization. Realar and orpiment occur in calcite veins near the bottom of the interval.							
						MD	GY	BD	OXI	3I	Re	0.05
						MD	GY	FL	OXI	3I	Re	0.05
						MD	GY	FR	OXI	3I	Re	0.05
						MD	GY	BD	OXI	3I	Om	0.02
						MD	GY	FL	OXI	3I	Om	0.02
						MD	GY	FR	OXI	3I	Om	0.02
						MD	GY	BD	ASO	2I	Re	0.05
						MD	GY	FL	ASO	2I	Re	0.05
						MD	GY	FR	ASO	2I	Re	0.05
						MD	GY	BD	ASO	2I	Om	0.02
						MD	GY	FL	ASO	2I	Om	0.02
						MD	GY	FR	ASO	2I	Om	0.02
						MD	GY	BD	DCA	1I	Re	0.05
						MD	GY	FL	DCA	1I	Re	0.05
						MD	GY	FR	DCA	1I	Re	0.05
						MD	GY	BD	DCA	1I	Om	0.02
						MD	GY	FL	DCA	1I	Om	0.02
						MD	GY	FR	DCA	1I	Om	0.02
						MD	RD	BD	OXI	3I	Re	0.05
						MD	RD	FL	OXI	3I	Re	0.05
						MD	RD	FR	OXI	3I	Re	0.05
						MD	RD	BD	OXI	3I	Om	0.02
						MD	RD	FL	OXI	3I	Om	0.02
						MD	RD	FR	OXI	3I	Om	0.02
						MD	RD	BD	ASO	2I	Re	0.05
						MD	RD	FL	ASO	2I	Re	0.05
						MD	RD	FR	ASO	2I	Re	0.05
						MD	RD	BD	ASO	2I	Om	0.02
						MD	RD	FL	ASO	2I	Om	0.02
						MD	RD	FR	ASO	2I	Om	0.02

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	RD	BD	DCA	1I	Re	0.05
						MD	RD	FL	DCA	1I	Re	0.05
						MD	RD	FR	DCA	1I	Re	0.05
						MD	RD	BD	DCA	1I	Om	0.02
						MD	RD	FL	DCA	1I	Om	0.02
						MD	RD	FR	DCA	1I	Om	0.02
28.60	64.50	35.90	LST	FG	90% of the interval contains medium grey, bedded limestone containing mm to cm scale, light and dark limey layers. Ranges from 60% to 90% light layers (40%-10% dark layers). 10% contains medium grey, rudstone with cm scale carbonate clasts.							
						MD	GY	BD	ASO	1I	--	0
						MD	GY	BD	OXI	1I	--	0
64.50	69.90	5.40	DST	FG	Medium green to reddish siltstone containing lighter coloured dolostone layers. Fracture surfaces are mildly to moderately oxidized.							
						MD	GN	BD	OXI	2I	--	0
69.90	127.71	57.81	LST	FG	Medium to dark grey lime mud, interbedded with darker coloured, less limey siltstone layers.							
						MD	GY	BD	OXI	1I	--	0
						MD	GY	BD	ASO	1I	--	0
127.71	135.03	7.32	SLT	FG	Dark grey siltstone dominated interval containing 10-20%, mm scale dolostone interbeds.							
						DK	GY	BD	---	--	--	0
135.03	217.70	82.67	LST	FG	Medium grey, bedded lime mudstone with 20% - 90%, darker coloured silty layers. Mild intensity aresenic oxides can occur on fracture surfaces.							
						MD	GY	BD	ASO	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	7.25	7.25	OVB	--	Overburden.							
						--	--	---	---	--	--	0
7.25	51.50	44.25	MST	VF	Blue/grey mudstone overprinted with light orange oxidization which masks the majority of the mudstone features. Unit is mostly competent with pockets of highly fractured/clay/gouge sections. The orange oxidization appears associated with the calcite veins and veinlets, which appear randomly orientated throughout (the average orientation at 40 degrees to the core access). Calcite veinlets overprint and offset the mudstone at random orientations. Weak limonite and hematite staining on fracture surfaces. No visible mineralization.							
						LT	GY	MU	OXI	3I	--	0
						LT	GY	MU	CLY	1I	--	0
						LT	BL	MU	OXI	3I	--	0
						LT	BL	MU	CLY	1I	--	0
						MD	OR	MU	OXI	3I	--	0
						MD	OR	MU	CLY	1I	--	0
51.50	97.65	46.15	FLR	FG	Heavily sheared zone containing multiple lithologies. Ca & Qz crossing cutting veins throughout interval. Ductile strain fabric defined by small tear drop clasts - subrounded - rounded (.1 - 1cm). Interval should be re-analyzed to determine if any distinguishable siliciclastic or limestone material exists within.							
						LT	GY	DB	OXI	2I	--	0
						LT	GY	SN	OXI	2I	--	0
						MD	BR	DB	OXI	2I	--	0
						MD	BR	SN	OXI	2I	--	0
						LT	BL	DB	OXI	2I	--	0
						LT	BL	SN	OXI	2I	--	0
97.65	396.70	299.05	LST	MG	Dark blue to dark grey limestone with frequent bedding and variation in grain size.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	BL	BD	---	--	Re	1
						DK	BL	SN	---	--	Re	1
						DK	BL	MA	---	--	Re	1
						DK	BL	BD	---	--	Py	0.01
						DK	BL	SN	---	--	Py	0.01
						DK	BL	MA	---	--	Py	0.01
						MD	GY	BD	---	--	Re	1
						MD	GY	SN	---	--	Re	1
						MD	GY	MA	---	--	Re	1
						MD	GY	BD	---	--	Py	0.01
						MD	GY	SN	---	--	Py	0.01
						MD	GY	MA	---	--	Py	0.01
						DK	GY	BD	---	--	Re	1
						DK	GY	SN	---	--	Re	1
						DK	GY	MA	---	--	Re	1
						DK	GY	BD	---	--	Py	0.01
						DK	GY	SN	---	--	Py	0.01
						DK	GY	MA	---	--	Py	0.01
396.70	511.00	114.30	SLC	FG	Laminated pyritic black siltstone with zones of pyritic conglomerate with quartzose pebble conglomerate. Strain zones intermittently with sooty gouge and dissolution seams.							
						DK	BK	BD	---	--	Py	1
						DK	BK	SN	---	--	Py	1
						DK	BK	BX	---	--	Py	1
						DK	BK	CR	---	--	Py	1
						DK	BK	BD	---	--	Re	0.1
						DK	BK	SN	---	--	Re	0.1
						DK	BK	BX	---	--	Re	0.1
						DK	BK	CR	---	--	Re	0.1
						MD	GY	BD	---	--	Py	1
						MD	GY	SN	---	--	Py	1
						MD	GY	BX	---	--	Py	1
						MD	GY	CR	---	--	Py	1
						MD	GY	BD	---	--	Re	0.1
						MD	GY	SN	---	--	Re	0.1
						MD	GY	BX	---	--	Re	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	CR	---	--	Re	0.1
511.00	514.05	3.05	INT	MG	Intermediate(?) intrusion with green phenocrysts (possibly chlorite or epidote?) and white vesicles infilled with mainly dolomite quartz and some pyrite.							
						MD	GY	MA	---	--	Cl	0.1
						MD	GY	MA	---	--	Py	0.1
514.05	552.30	38.25	SLC	MG	Predominantly siliclastic quartz sandstone with dolomite veinlets and some sooty dissolution seams at variable densities.							
						MD	GY	DI	---	--	Py	2
						MD	GY	CR	---	--	Py	2
						MD	GY	DI	---	--	Re	0.1
						MD	GY	CR	---	--	Re	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.25	6.25	OVB	--	Overburden.							
						--	--	---	---	--	--	0
6.25	109.12	102.87	MST	VF	Highly fractured mudstone with extensive oxidation and variable clay alteration. Several calcite vein sets are present. Sparse disseminated pyrite is found within the mudstone. Unit displays pervasive strain features throughout.							
						MD	PU	BD	OXI	3I	--	0
						MD	PU	MA	OXI	3I	--	0
						MD	PU	BD	CLY	1I	--	0
						MD	PU	MA	CLY	1I	--	0
						MD	BL	BD	OXI	3I	--	0
						MD	BL	MA	OXI	3I	--	0
						MD	BL	BD	CLY	1I	--	0
						MD	BL	MA	CLY	1I	--	0
						MD	OR	BD	OXI	3I	--	0
						MD	OR	MA	OXI	3I	--	0
						MD	OR	BD	CLY	1I	--	0
						MD	OR	MA	CLY	1I	--	0
109.12	200.56	91.44	FLR	VF	Sheared polylithic unit with 0.1-1.0cm beds of medium gray very fine-grained mud with laminations of black silts/muds. Entire unit is nonreactive with HCl. Overall, beds are fragmented, deformed, and crosscut by calcitic and siliceous veinlets.							
						MD	GY	SN	CLY	1I	Py	0.01
						DK	GY	SN	CLY	1I	Py	0.01
200.56	234.65	34.09	SLC	VF	Dark gray very fine-grained mudstone with 0.5cm beds showing disseminated pyrite through the unit. Minor siliceous veinlets and black mud laminae. Clasts are siliceous and non-reactive with HCl. Other siliciclastic units include pebbly pyritic mudstones as well as sandstones.							
						DK	GY	BD	CLY	1I	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
234.65	236.10	1.45	INT	VF	Moderately clay altered, phorphyritic intermediate intrusive with a dark grey silica cemented crackle breccia.							
						LT	GY	PO	CLY	2I	--	0
						LT	GN	PO	CLY	2I	--	0
236.10	261.00	24.90	SLC	VF	Carbonaceous silty quartzose to dolomite pebble conglomerate with sparse mudstone clasts. Trace pyrite and realgar mineralization.							
						DK	GY	FO	---	--	Re	0.1
						DK	GY	FO	---	--	Py	0.01
						MD	GY	FO	---	--	Re	0.1
						MD	GY	FO	---	--	Py	0.01
261.00	512.98	251.98	LST	VF	Lime mudstone with pervasive calcite cemented mosaic and crackle breccia overprinting 0.5-1 cm beef calcite veinlets/veins. Dm scale carbonaceous intervals are present. Realgar mineralization along carbonaceous seams as well as calcite veinlets/veins.							
						MD	GY	BD	CLY	1I	Re	0.1
						MD	GY	BX	CLY	1I	Re	0.1
						MD	GY	BD	CLY	1I	Py	0.01
						MD	GY	BX	CLY	1I	Py	0.01
						MD	GY	BD	DCA	2I	Re	0.1
						MD	GY	BX	DCA	2I	Re	0.1
						MD	GY	BD	DCA	2I	Py	0.01
						MD	GY	BX	DCA	2I	Py	0.01
512.98	549.55	36.57	SLC	VF	Siltstone (70%) interbedded with dolostone (30%). Dark grey dolomite cemented crackle breccia and dolomite veinlets are present within dolostone units. Discontinuous dolomite veinlets are found within siltstone beds. Disseminated pyrite is found throughout.							
						MD	GY	BD	---	--	Py	0.01
549.55	558.70	9.15	DST	--	Light grey, possibly bleached dolostone unit containing a crackle breccia texture defined by thin, black seams.							
						LT	GY	BX	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
558.70	567.84	9.14	SLC	--	Heavily strained unit exhibiting brittle-ductile features that appears to represent a deformed version of the bedded pyritic siltstone within the siliciclastic unit. Fragments of dolostone appear to exist intermingled with sections of the siliclastic unit.							
						DK	GY	SN	---	--	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.80	0.80	OVB	--	No recovery							
						--	--	---	---	--	--	0
0.80	123.50	122.70	LST	FG	Interbedded limestone and mudstone, planar bedding with occasional lenticular beds and cross laminations. Non-calcareous intervals up to 5m thick. Common intraclast rudstone beds 0.1-2.5m thick.							
						MD	GY	BD	ASO	1I	--	0
123.50	178.10	54.60	DST	FG	pervasively brecciated largely rubbly dolostone, occasional competent sections show fine carbonaceous interbeds. Locally intense realgar mineralization in calcite and dolomite veinlets.							
						MD	GY	BX	---	--	Re	0.5
						MD	GY	BD	---	--	Re	0.5
						MD	GY	RB	---	--	Re	0.5
178.10	200.50	22.40	SLT	FG	Sheared dark green mudstone with interbeds and clasts of limestone, and black pyritic siltstone. Trace realgar on fracture faces.							
						MD	GY	BD	---	--	--	0
						MD	GY	SN	---	--	--	0
						DK	GN	BD	---	--	--	0
						DK	GN	SN	---	--	--	0
200.50	253.80	53.30	DST	FG	Bedded dolostone, upper portion is pervasively crackle brecciated. 3m dolo-floatstone bed near bottom of interval.							
						MD	GY	CR	---	--	Py	0.1
						MD	GY	BX	---	--	Py	0.1
						MD	GY	FL	---	--	Py	0.1
						MD	GY	BD	---	--	Py	0.1
						MD	GY	CR	---	--	Re	0.02
						MD	GY	BX	---	--	Re	0.02
						MD	GY	FL	---	--	Re	0.02
						MD	GY	BD	---	--	Re	0.02
253.80	256.40	2.60	SLT	VF	Bedding defined by black carbonaceous mudstone laminations, no sedimentary structure. Occasional bands of secondary pyrite cross-cutting bedding in irregular veinlets, 0.1-1cm wide and 100% pyrite.							
						DK	GN	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
256.40	272.90	16.50	DMT	FG	Polymictic floatstone, ~40-50% clasts with matrix of dark grey/black lime mudstone. Rounded-subangular clasts, 0.1-20cm wide, typically 0.1-1cm. Clasts are ~90% limestone 10% dark green mudstone.							
						DK	GY	DB	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.41	0.41	OVB	--	Overburden							
						--	--	---	---	--	--	0
0.41	15.90	15.49	DST	MG	Medium grey to tan, bedded dolostone containing interval of floatstone. Unit is rubbly and oxidized through much of the interval, and arsenic oxide occurs on fracture surfaces. Evidence of silicification and decarbonitization, and trace amounts of realgar, occur at the bottom of the interval.							
						MD	GY	RB	OXI	2I	Re	0.01
						MD	GY	BD	OXI	2I	Re	0.01
						MD	GY	FL	OXI	2I	Re	0.01
						MD	GY	RB	ASO	2I	Re	0.01
						MD	GY	BD	ASO	2I	Re	0.01
						MD	GY	FL	ASO	2I	Re	0.01
						MD	GY	RB	DCA	1I	Re	0.01
						MD	GY	BD	DCA	1I	Re	0.01
						MD	GY	FL	DCA	1I	Re	0.01
						MD	GY	RB	SIL	1I	Re	0.01
						MD	GY	BD	SIL	1I	Re	0.01
						MD	GY	FL	SIL	1I	Re	0.01
						MD	GN	RB	OXI	2I	Re	0.01
						MD	GN	BD	OXI	2I	Re	0.01
						MD	GN	FL	OXI	2I	Re	0.01
						MD	GN	RB	ASO	2I	Re	0.01
						MD	GN	BD	ASO	2I	Re	0.01
						MD	GN	FL	ASO	2I	Re	0.01
						MD	GN	RB	DCA	1I	Re	0.01
						MD	GN	BD	DCA	1I	Re	0.01
						MD	GN	FL	DCA	1I	Re	0.01
						MD	GN	RB	SIL	1I	Re	0.01
						MD	GN	BD	SIL	1I	Re	0.01
						MD	GN	FL	SIL	1I	Re	0.01
15.90	142.65	126.75	LST	MG	Light to dark grey lime mud with medium to dark grey siltstone interbeds. Unit is primarily limestone dominated but siltstone dominated intervals also exist. Silicification, decarbonitization and realgar mineralization occur in the top 20 meters of the interval.							
						MD	GY	FR	OXI	2I	Re	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BD	OXI	2I	Re	1
						MD	GY	FL	OXI	2I	Re	1
						MD	GY	FR	ASO	3I	Re	1
						MD	GY	BD	ASO	3I	Re	1
						MD	GY	FL	ASO	3I	Re	1
142.65	165.61	22.96	MST	FG	Grey to maroon, bedded mudstone.							
						MD	RD	BD	---	--	--	0
						MD	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.48	5.48	OVB	--	Overburden							
						--	--	---	---	--	--	0
5.48	40.00	34.52	MST	FG	blue/grey MST with a low to medium oxidation alteration occuring throughout, oxidation also propogates from fracture surfaces and is brown in colour. MST is intermitently either competent or rubbly with no clay present. Calcite and dolomite veins are present throughout unit.							
						MD	BL	FR	OXI	2I	--	0
40.00	87.70	47.70	FLR	VF	Highly strained mudstone with intermittent pockets of clasts supported conglomerates. Mudstone bedding/ features appear pulled/ broken/ discontinuous due to strain. Trace local pockets of strong realgar and DCA(?) mineralization.							
						MD	GY	SN	---	--	Py	0.01
						MD	GY	SD	---	--	Py	0.01
87.70	127.45	39.75	SLC	FG	Highly strained matrix supported dolomite conglomerate intermittent with pyritic bedded siltstone. Dolomite clasts vary between 1-4cm in size and between angular to sub rounded. Core is competent. Weak pyrite replacement takes place on random clasts .Siltstone and conglomerate fabric shows strain texture due to broken/ orientated clasts, and undulating/ broken siltstone bedding and fabric.							
						MD	GY	SN	---	--	Py	0.01
						MD	GY	BD	---	--	Py	0.01
						DK	GY	SN	---	--	Py	0.01
						DK	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
127.45	641.20	513.75	LST	FG	Bedded limestone with sections of dark grey silty sections (~30% - 40%) weakly intermittent in unit. These silty sections (carbon rich?) appear at decimeter intervals at very fine grained to medium grained and present microscale foliation. Bedding has parallel stylolite's in the limestone which cross cut the numerous randomly orientated calcite veins, some which appear vuggy. Core appears moderately competent with fractures containing clay gouge. Localized zone of realgar and orpiment replacement in calcite veins as well as appears weakly disseminated.							
						MD	GY	MA	---	--	Re	0.01
						MD	GY	MA	---	--	Om	0.01
						MD	GY	MA	---	--	Py	0.01
						LT	GY	MA	---	--	Re	0.01
						LT	GY	MA	---	--	Om	0.01
						LT	GY	MA	---	--	Py	0.01
641.20	642.70	1.50	INT	FG	Intermediate porphyritic intrusive with 1-2mm buff/ cream to light green rounded phenocrysts within a medium grey aphanitic groundmass. 1-2mm round amygdules are filled with dark grey calcite. The intrusive shows evidence of strain and contain white and dark grey calcite cemented crackle breccia.							
						MD	GY	PO	---	--	--	0
642.70	644.90	2.20	LST	VF	Interbedded siltsone and lime mudstone with irregular 0.1-0.2cm calcite veins/ veinlets.							
						MD	GY	---	---	--	--	0
644.90	646.18	1.28	INT	FG	Intermediate porphyritic intrusive with 1-2mm buff/ cream to light green rounded phenocrysts within a medium grey aphanitic groundmass. 1-2mm round amygdules are filled with dark grey calcite. The intrusive shows evidence of strain and contain white and dark grey calcite cemented crackle breccia.							
						MD	GY	PO	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
646.18	652.27	6.09	LST	VF	Bedded limestone with sections of dark grey silty sections (~30% - 40%) weakly intermittent in unit. These silty sections (carbon rich?) appear at decimeter intervals at very fine grained to medium grained and present microscale foliation. Bedding has parallel stylolite's in the limestone which cross cut the numerous randomly orientated calcite veins, some which appear vuggy. Core appears moderately competent with fractures containing clay gouge. Localized zone of realgar and orpiment replacement in calcite veins as well as appears weakly disseminated.							
						MD	GY	CR	---	--	--	0
						MD	GY	BD	---	--	--	0
652.27	682.45	30.18	SLC	VF	Finely bedded siltstone unit intermittent with 0.2-1cm rounded white 60% siliceous 40% dolomitic clast fine grained conglomerate. The clasts vary between 5-40% of the unit, always matrix supported, with weak disseminated pyrite mineralization throughout. The siltstone bedding appears planer/ weakly undulating, usually 0.2-2cm alternating light grey-dark grey bands with parallel pyrite seams. Pyrite is found replacing random dolomite/ quartz clasts as well as overprinting calcite veinlets. These calcite veinlets are randomly orientated and can be either 0-100% replaced by pyrite. Core is moderately competent, with local areas of moderate clay alteration weakening and fracturing the rock.							
						MD	GY	---	CLY	1I	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.42	1.42	OVB	--	No recovery							
						--	--	---	---	--	--	0
1.42	27.48	26.06	DST	MG	Massive dolostone conglomerate with calcite and dolomite veins and veinlets. Zones of heavy calcite breccia.							
						MD	BR	CR	OXI	2I	Re	0.01
						MD	BR	MA	OXI	2I	Re	0.01
						MD	BR	BX	OXI	2I	Re	0.01
						LT	BL	CR	OXI	2I	Re	0.01
						LT	BL	MA	OXI	2I	Re	0.01
						LT	BL	BX	OXI	2I	Re	0.01
						MD	GY	CR	OXI	2I	Re	0.01
						MD	GY	MA	OXI	2I	Re	0.01
						MD	GY	BX	OXI	2I	Re	0.01
						DK	GY	CR	OXI	2I	Re	0.01
						DK	GY	MA	OXI	2I	Re	0.01
						DK	GY	BX	OXI	2I	Re	0.01
27.48	93.60	66.12	LST	MG	Massive light grey lime-rudstone with calcite vein dispersion throughout.							
						LT	GY	DB	ASO	1I	Re	0.01
93.60	102.50	8.90	DST	FG	Dolostone with carbonaceous mudstone interbeds, locally intense dolomite +/- calcitye veinletting.							
						MD	GY	BD	ASO	1I	Re	0.01
102.50	177.30	74.80	LST	FG	Medium grey lime mudstone interbedded with dark grey mudstone beds 1-40mm thick. Calcite veins and veinlets are interspersed throughout.							
						MD	GY	BD	---	--	Py	0.01
						MD	GY	BD	---	--	Re	0.01
177.30	232.90	55.60	DST	FG	Intermittently brecciated dolostone, bedding defined by occasional fine black laminations and darker interbeds. Trace realgar, pyrite, and sphalerite.							
						MD	GY	BD	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
232.90	259.99	27.09	DMT	VF	Dark green mudstones, polymictic floatstones, polymictic conglomerates, and occasional black pyritic siltstones.							
						DK	GN	BD	---	--	Py	1
						DK	GN	DB	---	--	Py	1
						DK	GY	BD	---	--	Py	1
						DK	GY	DB	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.74	0.74	OVB	--	No recovery							
						--	--	---	---	--	--	0
0.74	83.20	82.46	LST	FG	Lime mudstone with bedding defined by laminations and fine interbeds of dark ?carbonaceous mudstone. Occasional cross lamination.							
						MD	GY	BD	ASO	1I	--	0
						MD	GY	BD	OXI	1I	--	0
83.20	156.36	73.16	MST	VF	Rusty red mudstone with medium blue reduction bands and bedding defined by subtle shade differences.							
						MD	BL	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.75	1.75	OVB	--	Overburden.							
						--	--	---	---	--	--	0
1.75	29.07	27.32	DST	FG	Fine-grained, crackle-brecciated dolostone with pervasive arsenic oxide alteration concentrated mainly along fractures. Decalcification, silicification, and realgar mineralization is intense and localized.							
						MD	GY	RX	ASO	3I	Re	1
						MD	GY	CR	ASO	3I	Re	1
29.07	233.05	203.98	LST	FG	Consistently bedded lime mudstone with bedding defined by interbeds and laminae of dark ?carbonaceous mudstone.Trace arsenic oxide alteration along fractures throughout.							
						MD	GY	BD	ASO	1I	--	0
233.05	280.20	47.15	DST	FG	Fine grained dolostone with bedding defined by black interbeds and laminations, and common intervals with significant amounts of secondary dolomite and associated pyrite. Occasional dolorudstone intervals. Pervasive mild to intense black crackle.							
						MD	GY	BD	---	--	Py	1
						MD	GY	DB	---	--	Py	1
						MD	GY	BD	---	--	Re	0.01
						MD	GY	DB	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	DB	---	--	Om	0.01
280.20	304.15	23.95	DMT	VF	Polymicitc floatstone, angular - subrounded clasts, typically 0.2-2cm wide but up to ?100cm.							
						MD	GY	DB	---	--	--	0
304.15	313.33	9.18	SLT	VF	Thinly bedded dark green mudstone with black pyritic siltstone and occasional limestone interbeds with a single 1m thick conglomerate bed.							
						DK	GN	BD	---	--	Py	0.02
						DK	GN	DB	---	--	Py	0.02
						DK	GN	BD	---	--	Re	0.01
						DK	GN	DB	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	10.83	10.83	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
10.83	64.05	53.22	MST	VF	Medium greenish grey highly oxidized fractured mudstone.							
						MD	GY	MA	CLY	2I	--	0
						MD	GY	MA	OXI	3I	--	0
						LT	BR	MA	CLY	2I	--	0
						LT	BR	MA	OXI	3I	--	0
64.05	91.39	27.34	FLR	FG	Deformed and rubbly black mudstone with grey sections and thin white interbeds.							
						DK	BK	BD	CLY	2I	--	0
						DK	BK	SN	CLY	2I	--	0
						DK	BK	RB	CLY	2I	--	0
						DK	BK	BX	CLY	2I	--	0
						DK	BK	MA	CLY	2I	--	0
						DK	BK	BD	OXI	2I	--	0
						DK	BK	SN	OXI	2I	--	0
						DK	BK	RB	OXI	2I	--	0
						DK	BK	BX	OXI	2I	--	0
						DK	BK	MA	OXI	2I	--	0
						DK	GY	BD	CLY	2I	--	0
						DK	GY	SN	CLY	2I	--	0
						DK	GY	RB	CLY	2I	--	0
						DK	GY	BX	CLY	2I	--	0
						DK	GY	MA	CLY	2I	--	0
						DK	GY	BD	OXI	2I	--	0
						DK	GY	SN	OXI	2I	--	0
						DK	GY	RB	OXI	2I	--	0
						DK	GY	BX	OXI	2I	--	0
						DK	GY	MA	OXI	2I	--	0
						MD	GY	BD	CLY	2I	--	0
						MD	GY	SN	CLY	2I	--	0
						MD	GY	RB	CLY	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BX	CLY	2I	--	0
						MD	GY	MA	CLY	2I	--	0
						MD	GY	BD	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	BX	OXI	2I	--	0
						MD	GY	MA	OXI	2I	--	0
91.39	123.70	32.31	SLC	FG	Laminated black and grey variably pyritic, highly strained mudstone.							
						DK	BK	SN	CLY	2I	Re	0.01
						DK	BK	RB	CLY	2I	Re	0.01
						DK	BK	BX	CLY	2I	Re	0.01
						DK	BK	BD	CLY	2I	Re	0.01
						DK	BK	SN	CLY	2I	Py	1
						DK	BK	RB	CLY	2I	Py	1
						DK	BK	BX	CLY	2I	Py	1
						DK	BK	BD	CLY	2I	Py	1
						MD	GY	SN	CLY	2I	Re	0.01
						MD	GY	RB	CLY	2I	Re	0.01
						MD	GY	BX	CLY	2I	Re	0.01
						MD	GY	BD	CLY	2I	Re	0.01
						MD	GY	SN	CLY	2I	Py	1
						MD	GY	RB	CLY	2I	Py	1
						MD	GY	BX	CLY	2I	Py	1
						MD	GY	BD	CLY	2I	Py	1
123.70	124.00	0.30	INT	VF	Aphanitic intermediate intrusive.							
						LT	GY	CR	---	--	--	0
124.00	177.70	53.70	SLC	FG	Predominantly interbedded poorly sorted sandstone with portions of laminated pyritic siltstone as well as pebbly mudstone. Unit displays strong brittle-ductile strain features throughout.							
						MD	GY	BD	CLY	1I	Py	0.01
						MD	GY	BX	CLY	1I	Py	0.01
						MD	GY	BD	CLY	1I	Re	0.01
						MD	GY	BX	CLY	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
177.70	321.25	143.55	LST	VF	Laminated to bedded lime mudstone with extensive calcite cemented crackle and mosaic breccia. Massive realgar interval between 215.8-218 m. Sparse realgar is found throughout the rest of the the unit. Carbonaceous seams are sporadic and range from 1-10 cm.							
						MD	GY	BD	---	--	Re	0.1
						MD	GY	BX	---	--	Re	0.1
321.25	459.64	138.39	SLC	VF	Heterogenous unit containing pyritic siltstone, sandstone and quartz granule to pebble conglomerate intervals. Realgar mineralization occurs at 350-351 m. Clay alteration in isolated ~1.5m interval.							
						MD	GY	BD	CLY	1I	Py	0.5
						MD	GY	DB	CLY	1I	Py	0.5
						MD	GY	BD	CLY	1I	Re	0.05
						MD	GY	DB	CLY	1I	Re	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	10.67	10.67	OVB	--	Overburden.							
						--	--	---	---	--	--	0
10.67	34.90	24.23	MST	VF	Mudstone begins as highly oxidized and appears light grey-blue in appearance but turns medium grey and highly foliated and strained as unit deepens. Strain is evident due to undulating/ broken/ ductile calcite and dolomite veinlets and sections of mudstone folitation. Pyrite mineralization replaces random clasts/ fragements of dolomite (?) as well is weakly disseminated in the mudstone matrix and bedding.							
						MD	GY	FO	OXI	2I	Py	0.5
						MD	GY	BD	OXI	2I	Py	0.5
						MD	GY	SN	OXI	2I	Py	0.5
34.90	79.25	44.35	FLR	--	Heavily strained polylithic shear zone. Foliation is developed to various degrees.							
						MD	GY	SN	OXI	1I	Py	0.01
						MD	GY	FO	OXI	1I	Py	0.01
79.25	465.50	386.25	SLC	MG	Intermittent bedded mudstone and medium grained sandstone. Occasional ?mild clay alteration							
						DK	GY	BD	CLY	1I	Py	0.5
						DK	GY	BD	CLY	1I	Re	0.01
						DK	GY	BD	CLY	1I	Om	0.01
465.50	466.34	0.84	INT	MG	Medium to dark grey igneous intrusive rock containing white and light green phenocrysts.							
						DK	GY	MA	---	--	Py	0.25
						DK	GY	CR	---	--	Py	0.25
						DK	GY	SN	---	--	Py	0.25
466.34	502.15	35.81	SLC	FG	Heterogenous unit containing pyritic siltstone and sandstone layers. Cm to dm intervals are strained.							
						DK	GY	BD	DCA	1I	Py	0.5
502.15	506.90	4.75	DST	FG	Light to medium grey, crackle brecciated dolomudstone.							
						LT	GY	CR	---	--	Py	0.5
						LT	GY	BX	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
506.90	567.84	60.94	SLC	FG	Light green grey, bedded, pyrite bearing siltstone. Dark grey siltstone, dolomite, and sandstone interbeds occur low in the section.							
						LT	GN	BD	---	--	Py	1
						LT	GN	CR	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.14	4.14	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
4.14	29.85	25.71	DST	--	Heavily oxidized, clayey and rubbly interval. The protolith is unidentifiable for the majority of material; oxidation and weathering has destroyed primary textures and left a clay/oxide residue. Competent relatively unweathered (unoxidized) sections reveal a silicified carbonate protolith.							
						DK	GY	---	OXI	4I	--	0
						DK	GY	---	SIL	4I	--	0
						MD	BR	---	OXI	4I	--	0
						MD	BR	---	SIL	4I	--	0
29.85	201.07	171.22	SLC	MG	Siliciclastic package containing sandstone, bedded pyritic silstone and massive pebbly mudstone lithologies. Mineralization, alteration and strain features vary throughout.							
						DK	BR	MA	OXI	4I	--	0
						DK	BR	RB	OXI	4I	--	0
201.07	597.41	396.34	LST	FG	Heavily calcite veined limestone package. Primary bedding textures are evident where vein density is low and are defined by cone in cone calcite as well as pale grey lime mud layers and dark grey, sooty layers composed predominantly of fine grained silt and organic material. Realgar mineralization as well as decarbonitized material is present throughout the interval. Realgar mineralization is associated with late stage, carbonaceous dissolution features as well as calcite veins. Dark, sooty bedding layers become more abundant with depth.							
						MD	GY	BD	DCA	2I	Re	0.1
						MD	GY	BX	DCA	2I	Re	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.70	1.70	OVB	--	No recovery							
						--	--	---	---	--	--	0
1.70	21.20	19.50	DST	FG	Pervasively brecciated and moderate to intensely oxidized dolorudstone with significant portions dominated by arsenic oxide. Clasts rounded-subrounded, typically 0.5-1.5cm wide.							
						LT	GY	DB	ASO	3I	Re	0.01
						LT	GY	BX	ASO	3I	Re	0.01
						LT	GY	RB	ASO	3I	Re	0.01
						LT	GY	DB	OXI	2I	Re	0.01
						LT	GY	BX	OXI	2I	Re	0.01
						LT	GY	RB	OXI	2I	Re	0.01
						LT	GY	DB	SIL	1I	Re	0.01
						LT	GY	BX	SIL	1I	Re	0.01
						LT	GY	RB	SIL	1I	Re	0.01
21.20	284.40	263.20	LST	FG	Lime mudstones with black interbeds of variably calcareous mudstone. Occasional flat pebble intraclast rudstones.							
						MD	GY	BD	---	--	--	0
						MD	GY	DB	---	--	--	0
284.40	370.90	86.50	DST	FG	Near pervasively crackle - mosaic brecciated dolostone. Typically bedded with bedding defined by fine black laminations, but frequently debritic, with dolorudstones and dolofloatstones. Pervasive trace arsenic sulphide mineralization.							
						LT	GY	BX	DCA	1I	Re	0.75
370.90	384.95	14.05	SLT	VF	Sheared dark green mudstone. Lower 1.5m is polylithic conglomerate with dark green mudstone matrix.							
						DK	GN	BD	CLY	1I	Py	0.5
						DK	GN	DB	CLY	1I	Py	0.5
						DK	GN	BD	CLY	1I	Re	0.05
						DK	GN	DB	CLY	1I	Re	0.05
384.95	399.85	14.90	DMT	MG	Polylithic floatstone, ~50-60% clasts in lime mud matrix. Clasts are rounded-subangular, limestone, dolostone and mudstone.							
						MD	GY	DB	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
399.85	439.75	39.90	SLT	VF	Dark green bedded mudstone, intermittently sheared, with occasional beds of polylithic conglomerate.							
						DK	GN	DB	---	--	Re	0.01
						DK	GN	BD	---	--	Re	0.01
439.75	462.69	22.94	LST	MA	Well bedded limestone, bedding defined by variations in grain size and shade, and occasional interbeds of dark green mudstone.							
						DK	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	9.60	9.60	OVB	--	Overburden							
						--	--	---	---	--	--	0
9.60	30.00	20.40	MST	FG	Blueish/green-grey mudstone containing a few cm scale sandstone layers. Interval is moderately to intensely oxidized.							
						MD	GY	RB	OXI	3I	--	0
						MD	GY	MA	OXI	3I	--	0
						MD	GY	BD	OXI	3I	--	0
						MD	GY	RB	CLY	1I	--	0
						MD	GY	MA	CLY	1I	--	0
						MD	GY	BD	CLY	1I	--	0
30.00	66.05	36.05	FLR	FG	Sheared, heterogenous siliciclastic unit with a few limestone intervals. Interval is variably strained, with large sections of cataclasite. Small amounts of realgar occur in veinlets, particularly near the bottom of the section.							
						MD	GY	SN	---	--	Re	0.1
						MD	GY	RB	---	--	Re	0.1
						MD	GY	FR	---	--	Re	0.1
						MD	GY	SN	---	--	Py	0.5
						MD	GY	RB	---	--	Py	0.5
						MD	GY	FR	---	--	Py	0.5
66.05	94.60	28.55	SLC	--	Heavily strained siliclastic unit containing pebbly mudstones and pyritic mudstones. Realgar mineralization occurs at isolated localles within.							
						DK	GY	SN	---	--	Re	0.01
						DK	GY	SN	---	--	Py	0.1
94.60	392.90	298.30	LST	MG	Medium grey, bedded limestone and siltstone. Limestone ranges from a lime mudstone to a packstone, and contains layers of cone-in-cone and beef calcite (mm to dm thick beds). Interval contains some sections of realgar mineralization, and dark gray to black sooty seams and breccias.							
						MD	GY	BD	---	--	Re	0.1
						MD	GY	BD	---	--	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
392.90	427.70	34.80	SLC	FG	Interbedded pyritic siltstone, sandstone and pebble conglomerate. The top of the interval contains realgar in shear bands and veins.							
						DK	GY	BD	---	--	Re	0.1
						DK	GY	BD	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	13.72	13.72	OVB	--	Overburden.							
						--	--	---	---	--	--	0
13.72	27.54	13.82	SLT	FG	Intensely oxidized and clay altered mudstone.							
						DK	GY	RB	CLY	4I	--	0
						DK	GY	PB	CLY	4I	--	0
						DK	GY	RB	OXI	4I	--	0
						DK	GY	PB	OXI	4I	--	0
27.54	34.60	7.06	DST	FG	Crackle brecciated, fine grained, dolomudstone. Interval is moderately oxidized.							
						LT	GY	CR	OXI	3I	--	0
						LT	GY	RB	OXI	3I	--	0
34.60	227.40	192.80	SLC	FG	Bedded siltstone/sandstone unit containing mm to cm scale sandstone and siltstone beds. Realgar occurs in a shear zone in the top 30 cm of the section.							
						MD	GY	BD	OXI	1I	Re	0.01
						MD	GY	RB	OXI	1I	Re	0.01
						MD	GY	SN	OXI	1I	Re	0.01
						MD	GY	BD	OXI	1I	Py	2
						MD	GY	RB	OXI	1I	Py	2
						MD	GY	SN	OXI	1I	Py	2
						MD	GY	BD	CLY	1I	Re	0.01
						MD	GY	RB	CLY	1I	Re	0.01
						MD	GY	SN	CLY	1I	Re	0.01
						MD	GY	BD	CLY	1I	Py	2
						MD	GY	RB	CLY	1I	Py	2
						MD	GY	SN	CLY	1I	Py	2
227.40	357.50	130.10	LST	MG	Medium grey, bedded to brecciated limemud to packstone, with silty/muddy layers. Calcite veining and dissolution seams occur throughout the interval. Realar and solution collapse breccias occur in m scale intervals.							
						MD	GY	BD	---	--	Re	0.05
						MD	GY	BX	---	--	Re	0.05
						MD	GY	SN	---	--	Re	0.05
						MD	GY	BD	---	--	Py	0.01
						MD	GY	BX	---	--	Py	0.01
						MD	GY	SN	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
357.50	363.33	5.83	SLC	FG	Light green/grey siltstone and dark grey quartz pebble conglomerate. Calcite veining occurs throughout the interval.							
						MD	GY	BD	---	--	--	0
363.33	477.40	114.07	LST	MG	Medium grey, bedded to brecciated limemud to packstone, with silty/muddy layers. Calcite veining and dissolution seams occur throughout the interval							
						MD	GY	BD	DCA	1I	--	0
						MD	GY	BX	DCA	1I	--	0
477.40	503.32	25.92	DST	MG	Medium to dark grey dolostone. White veinlets and mosaic breccia with calcite infill forms throughout the interval. Realgar froms in veinlets between XX and XX.							
						DK	GY	BX	DCA	2I	Re	0.25
						DK	GY	BX	DCA	2I	Om	0.02
503.32	616.85	113.53	LST	FG	Medium grey, bedded to brecciated limemudstone to packstone with beef calcite, cone-in-cone calcite, and variable amounts of interbedded siltstone. Parts of the interval are moderately decarbonated and contain realgar and trace orpiment in fractures.							
						MD	GY	BD	DCA	1I	Re	0.01
						MD	GY	BX	DCA	1I	Re	0.01
						MD	GY	BD	DCA	1I	Om	0.01
						MD	GY	BX	DCA	1I	Om	0.01
616.85	670.56	53.71	SLC	FG	Heterogenous siliciclastic containing siltstone, sandstone and conglomerate with disseminated pyrite throughout. Interval displays moderate to strong brittle-ductile strain features throughout.							
						DK	GY	BD	---	--	Py	0.5
						DK	GY	SN	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	9.39	9.39	OVB	--	No recovery							
						--	--	---	---	--	--	0
9.39	91.30	81.91	DST	FG	Brecciated dolostone							
						MD	GY	BD	---	--	--	0
						MD	GY	DB	---	--	--	0
						MD	GY	BX	---	--	--	0
91.30	97.33	6.03	SLT	VF	Dark green mudstone with black pyritic mudstone interbeds and laminations.							
						DK	GN	BD	---	--	Py	1
97.33	115.82	18.49	DMT	FG	Polylithic floatstone, ~40-60% clasts in dark grey-black lime muds matrix. Occasional short bedded, rudstone and wackestone intervals, possibly clasts.							
						DK	GY	DB	---	--	Py	0.01
						DK	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.55	1.55	OVB	--	No recovery							
						--	--	---	---	--	--	0
1.55	19.90	18.35	DST	FG	Dolorudstone, ~95% clasts with secondary dolomite matrix. Clasts are rounded - subrounded, 0.5-1.5cm wide, all dolostone. Arsenic oxide on fracture faces and in rubble.							
						LT	GY	DB	ASO	1I	--	0
						LT	GY	RB	ASO	1I	--	0
19.90	29.75	9.85	SLT	VF	Pervasively oxidized and folded light - dark brown mudstone mudstone with occasional interbeds of lime mudstone.							
						MD	BR	BD	OXI	2I	Re	0.01
						MD	GY	BD	OXI	2I	Re	0.01
29.75	192.40	162.65	LST	FG	Ping B, some mudstone							
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	DB	ASO	1I	Re	0.01
						MD	GY	BD	DCA	1I	Re	0.01
						MD	GY	DB	DCA	1I	Re	0.01
192.40	236.35	43.95	DST	FG	Various brecciated dolostones							
						MD	GY	BD	ASO	1I	Re	0.02
						MD	GY	BX	ASO	1I	Re	0.02
						MD	GY	DB	ASO	1I	Re	0.02
						MD	GY	BD	ASO	1I	Om	0.02
						MD	GY	BX	ASO	1I	Om	0.02
						MD	GY	DB	ASO	1I	Om	0.02
						MD	GY	BD	ASO	1I	Py	0.01
						MD	GY	BX	ASO	1I	Py	0.01
						MD	GY	DB	ASO	1I	Py	0.01
236.35	247.00	10.65	DMT	VF	Polylithic floatstone, ~40-60% clasts, lime-mud matrix. Clasts are angular - subrounded, 0.2-10cm wide, ~90% limestone with occasional light brown to dark green mudstone clasts.							
						DK	GY	DB	---	--	--	0
247.00	261.52	14.52	SLT	VF	Dark green finely laminated mudstone with 0.1-1m thick intervals of polylithic conglomerate.							
						DK	GN	DB	---	--	Py	0.5
						DK	GN	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	DB	---	--	Py	0.5
						MD	GY	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.55	4.55	OVB	--	Overburden							
						--	--	---	---	--	--	0
4.55	84.25	79.70	LST	MG	Dark to medium grey bedded limestone and siltstone.							
						DK	GY	BD	---	--	--	0
84.25	305.10	220.85	SLC	FG	Heterogeneous siliciclastic containing dark grey, laminated siltstone, pebble conglomerate and sandstone with a few dolostone layers. Dolomite and pyrite veins occur throughout.							
						DK	GY	BD	---	--	Py	0.3
305.10	680.75	375.65	LST	MG	Medium to dark grey, bedded to brecciated lime mudstone to wackestone. Interval contains a few dm- to m- thick intervals of realgar mineralization.							
						MD	GY	BD	---	--	Re	0.2
						MD	GY	BX	---	--	Re	0.2
						MD	GY	BD	---	--	Py	0.1
						MD	GY	BX	---	--	Py	0.1
680.75	684.89	4.14	SLC	CG	Heterogeneous siliciclastic unit containing polymictic conglomerate, sandstone and dolostone.							
						MD	GY	MA	---	--	Py	0.5
						MD	GY	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.57	4.57	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
4.57	46.14	41.57	DST	--	Variably oxidized dolostone interval displaying primary bedding and debrite textures. Zone subhedral sphalerite mineralization and trace amounts of associated pyrite mineralization occur. Sphalerite mineralization appear to be formed from chemical replacement.							
						MD	GY	BD	OXI	3I	Sp	0.1
						MD	GY	DB	OXI	3I	Sp	0.1
						MD	GY	BD	OXI	3I	Py	0.01
						MD	GY	DB	OXI	3I	Py	0.01
						LT	BR	BD	OXI	3I	Sp	0.1
						LT	BR	DB	OXI	3I	Sp	0.1
						LT	BR	BD	OXI	3I	Py	0.01
						LT	BR	DB	OXI	3I	Py	0.01
46.14	195.82	149.68	LST	--	Variably oxidized limestone interval representing a conformable section of Pinguicula B. Lime mudstone and well as intraclast rudstone and floatstone debrites are present. Realgar is found within a calcite vein at ~67 m proximal to heavily oxidized debrites. Weak to strong oxidation is present throughout 90% of the interval. The lower contact is gradational and conformable into Pinguicula A mudstones.							
						LT	GY	BD	OXI	3I	Re	0.01
						LT	GY	DB	OXI	3I	Re	0.01
195.82	199.64	3.82	MST	VF	Maroon and turquoise bedded terrigenous mudstone. Bedding planes are planar varying from continuous to discontinuous.							
						DK	RD	BD	---	0I	--	0
						LT	GN	BD	---	0I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.96	3.96	OVB	--	No recovery							
						--	--	---	---	--	--	0
3.96	11.80	7.84	LST	FG	Variously oxidized floatstone, dolofloatstone, and rudstones.							
						DK	GY	DB	OXI	2I	Re	0.01
11.80	83.90	72.10	DST	FG	Dolostone							
						MD	GY	BD	ASO	1I	Re	0.02
						MD	GY	BX	ASO	1I	Re	0.02
						MD	GY	BD	ASO	1I	Om	0.01
						MD	GY	BX	ASO	1I	Om	0.01
83.90	107.45	23.55	LST	FG	Bedded to debritic limestones							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	DB	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	DB	---	--	Om	0.01
107.45	137.75	30.30	DST	FG	Dolostone							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	DB	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	DB	---	--	Om	0.01
137.75	143.65	5.90	SLT	VF	Finely laminated dark green mudstone with bedding defined by feint light grey laminations and fine black pyritic mudstone interbeds. Trace realgar on an isolated fracture surface.							
						DK	GN	BD	---	--	Py	0.5
						DK	GN	BD	---	--	Re	0.01
143.65	184.22	40.57	DMT	VF	Polylithic floatstone, ~50% clasts in a very fine grained lime mudstone matrix. Clasts are rounded - subangular, and range in size from 0.1cm - ??3m.							
						DK	GY	DB	---	--	Py	0.1
184.22	191.71	7.49	SLT	MG	Siltstone exhibits bedding defined by alternating dark grey and medium green beds ranging from ~ 2cm to <1mm. Fine grained pyrite found as bands following bedding, blebs and disseminated throughout. Dolomite stringers < 1mm found pervasively througout (Minor).							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GN	BD	CLY	1I	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.88	0.88	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
0.88	38.24	37.36	DST	--	Light grey dolostone interval displaying various debrite textures along with minor bedding and crackle breccia textures. Realgar and orpiment mineralization occurs as a dry, earth variety hosted on fracture faces. Arsenic sulphide mineralization does not occur in association with altered material. Oxidation is confined to the upper poriton of the interval.							
						LT	GY	DB	OXI	1I	Re	0.01
						LT	GY	BD	OXI	1I	Re	0.01
						LT	GY	DB	OXI	1I	Om	0.01
						LT	GY	BD	OXI	1I	Om	0.01
38.24	45.95	7.71	SLC	FG	Slightly sandy, variably pyritic, dark grey, carbonaceous mudstone.							
						DK	GY	BD	---	0I	Py	0.1
45.95	68.02	22.07	DST	--	Dolomitized diamictite. The majority of the interval consists of dolofloatstones. Dolofloatstones are composed of dark generally subrounded silica clasts housed within a dolowackestone matrix.							
						MD	GY	DB	ASO	1I	Re	0.01
						MD	GY	DB	ASO	1I	Om	0.01
						MD	GY	DB	ASO	1I	Py	0.01
68.02	76.20	8.18	DMT	--	Terrigenous diamictite consisting of large (2-3cm diameter/length) clasts supported within a muddy, pebbly, sand matrix.							
						DK	GY	MA	---	--	--	0
						DK	GY	---	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
76.20	390.90	314.70	SLC	--	Dark grey, massive to bedded, variably sandy, variably pyritic mudstone. Sections of massive mudstone contain silica pebbles. In bedded sections bedding consists of light coloured, well sorted, siliclastic sand alternating with dark grey mud layers. Small localized metric scale shear zones contain realgar minerlaization. Lower contact is conformable and transitional into limestone. Sedimentary structures indicate stratigraphy is right way up.							
						DK	GY	DB	---	--	Py	0.1
						DK	GY	MA	---	--	Py	0.1
						DK	GY	BD	---	--	Py	0.1
						DK	GY	DB	---	--	Re	0.01
						DK	GY	MA	---	--	Re	0.01
						DK	GY	BD	---	--	Re	0.01
390.90	653.80	262.90	LST	FG	Variably calcite veined limestone interval. Primary bedding features are abundant consisting of lime mud, wackestone and dark, silty, carbonaceous layers. Bedding parallel stylolites as well as thicker dissolution seams occuring at low angles TCA occur variably throughout. Trace realgar mineralization and minor amounts of altered material occur in association with calcite veins and structurally derived features.							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	BX	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.52	1.52	OVB	--	No recovery							
						--	--	---	---	--	--	0
1.52	273.40	271.88	SLC	FG	mudstone, quartz clastic conglomerates							
						DK	GY	BD	---	--	Re	0.01
						DK	GY	BD	---	--	Py	1
273.40	479.34	205.94	LST	FG	Bedded limestones and siltstones							
						MD	GY	BD	---	--	Py	0.1
479.34	484.87	5.53	DST	FG	Fine grained DST with intervals of intermittent pitted and wackestone textures.							
						MD	GY	BD	---	--	--	0
484.87	559.68	74.81	LST	VF	Interbedded wackestone, packstone, medium grained limestone and silty Limestone. Wackestone and packstone is defined by a medium grey matrix and dark grey to black clasts < 1mm. Calcite veinlets/stringers found pervasively through out and are found to be randomly oriented.							
						MD	GY	BD	---	--	Py	0.01
559.68	568.70	9.02	DST	FG	Fine grained to medium grained massive dolostone. Crackle breccia textures and a zone of decalcification with relict dolostone clasts found within black sooty and weakly porous matrix.							
						MD	GY	MA	DCA	2I	Py	0.1
						MD	GY	CR	DCA	2I	Py	0.1
568.70	597.41	28.71	SLC	FG	Dominately mudstone with interbeds of conglomerates and sandstone. conglomerates and sandstone beds are composed mostly of Quartz along with dark grey clasts. Mudstone has pyrite bands and blebs which tends to follow bedding.							
						DK	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	20.47	20.47	DST	MG	Medium grey to tan, brecciated dolofloatstone. Realgar forms in veinlets below 15.2m.							
						MD	GY	BX	OXI	3I	Re	0.2
						MD	GY	CR	OXI	3I	Re	0.2
						MD	GY	RB	OXI	3I	Re	0.2
						MD	GY	FL	OXI	3I	Re	0.2
						MD	GY	RX	OXI	3I	Re	0.2
						MD	GY	BD	OXI	3I	Re	0.2
						MD	GY	BX	DCA	1I	Re	0.2
						MD	GY	CR	DCA	1I	Re	0.2
						MD	GY	RB	DCA	1I	Re	0.2
						MD	GY	FL	DCA	1I	Re	0.2
						MD	GY	RX	DCA	1I	Re	0.2
						MD	GY	BD	DCA	1I	Re	0.2
						MD	GY	BX	ASO	2I	Re	0.2
						MD	GY	CR	ASO	2I	Re	0.2
						MD	GY	RB	ASO	2I	Re	0.2
						MD	GY	FL	ASO	2I	Re	0.2
						MD	GY	RX	ASO	2I	Re	0.2
						MD	GY	BD	ASO	2I	Re	0.2
						MD	GY	BX	CLY	1I	Re	0.2
						MD	GY	CR	CLY	1I	Re	0.2
						MD	GY	RB	CLY	1I	Re	0.2
						MD	GY	FL	CLY	1I	Re	0.2
						MD	GY	RX	CLY	1I	Re	0.2
						MD	GY	BD	CLY	1I	Re	0.2
						MD	TN	BX	OXI	3I	Re	0.2
						MD	TN	CR	OXI	3I	Re	0.2
						MD	TN	RB	OXI	3I	Re	0.2
						MD	TN	FL	OXI	3I	Re	0.2
						MD	TN	RX	OXI	3I	Re	0.2
						MD	TN	BD	OXI	3I	Re	0.2
						MD	TN	BX	DCA	1I	Re	0.2
						MD	TN	CR	DCA	1I	Re	0.2
						MD	TN	RB	DCA	1I	Re	0.2
						MD	TN	FL	DCA	1I	Re	0.2
						MD	TN	RX	DCA	1I	Re	0.2
						MD	TN	BD	DCA	1I	Re	0.2

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	TN	BX	ASO	2I	Re	0.2
						MD	TN	CR	ASO	2I	Re	0.2
						MD	TN	RB	ASO	2I	Re	0.2
						MD	TN	FL	ASO	2I	Re	0.2
						MD	TN	RX	ASO	2I	Re	0.2
						MD	TN	BD	ASO	2I	Re	0.2
						MD	TN	BX	CLY	1I	Re	0.2
						MD	TN	CR	CLY	1I	Re	0.2
						MD	TN	RB	CLY	1I	Re	0.2
						MD	TN	FL	CLY	1I	Re	0.2
						MD	TN	RX	CLY	1I	Re	0.2
						MD	TN	BD	CLY	1I	Re	0.2
20.47	45.00	24.53	LST	FG	Light grey, bedded lime mudstone (Ping. B).							
						LT	GY	BD	ASO	1I	--	0
						LT	GY	RB	ASO	1I	--	0
						LT	GY	BD	OXI	1I	--	0
						LT	GY	RB	OXI	1I	--	0
45.00	59.70	14.70	DST	FG	Fine grained, bedded dolomudstone. Small amount of realgar occur in a fractured, rubbly zone between 53.05 and 53.08.							
						MD	GY	BD	ASO	1I	Re	0.1
						MD	GY	BD	OXI	1I	Re	0.1
59.70	85.00	25.30	LST	FG	Medium grey, fine grained, bedded lime mudstone with rudstone. Fracture surfaces contain arsenic oxide (green) and oxidation (reddish).							
						MD	GY	BD	ASO	1I	--	0
						MD	GY	BD	OXI	1I	--	0
85.00	99.50	14.50	SLT	VF	Red and green, intensely oxidized and clay altered, bedded siltstone.							
						MD	GN	BD	OXI	4I	--	0
						MD	GN	RB	OXI	4I	--	0
						MD	GN	BD	CLY	3I	--	0
						MD	GN	RB	CLY	3I	--	0
						MD	RD	BD	OXI	4I	--	0
						MD	RD	RB	OXI	4I	--	0
						MD	RD	BD	CLY	3I	--	0
						MD	RD	RB	CLY	3I	--	0
99.50	208.42	108.92	LST	FG	Bedded lime mudstone. Oxides coat fracture surfaces.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FR	OXI	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
208.42	238.97	30.55	DST	FG	Bedded to brecciated dolostone with floatstone intervals. Orpiment and realgar form on fracture surfaces.							
						MD	GY	BD	---	--	Py	0.01
						MD	GY	MA	---	--	Py	0.01
						MD	GY	BD	---	--	Re	0.01
						MD	GY	MA	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	MA	---	--	Om	0.01
238.97	267.61	28.64	DMT	MG	Heterogeneous siliciclastic containing conglomerate, sandstone and dolostone.							
						MD	GY	MA	---	--	Py	0.5
						MD	GY	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	8.53	8.53	OVB	FG	overburden is rubbly							
						--	--	---	---	--	--	1
8.53	135.24	126.71	DST	MG	Interbedded medium grained dolostone and dolo-floatstone. Both units exhibit crackle breccia textures. Realgar is found along fracture faces and within calcite veinlets. Arsenic oxide alteration is found within zones of this unit.							
						LT	GY	CR	ASO	1I	Re	0.05
						LT	GY	CR	ASO	1I	Om	0.01
						LT	GY	CR	OXI	2I	Re	0.05
						LT	GY	CR	OXI	2I	Om	0.01
135.24	156.36	21.12	FLR	VF	Top of interval for approximately 13 m is intensly clay altered. Clay is black in color with few rubbly relict clasts found intermittently. Bottom of interval is bedded to massive with interbeds of deformed mudtone and mudstone containing quartz blebs and siliclastics.							
						DK	GY	BD	CLY	3I	Py	0.01
						DK	GY	BD	CLY	3I	Re	0.01
156.36	346.97	190.61	DST	MG	Dominantly massive crackle brecciated dolostone with few interbeds of dark grey, fine grained dolostone. Few intermittent dark black clay alteration and DCA sections which may be associated with aresenic oxide alteration. Realgar and opiment found along fracture faces, infilling crackle breccia and vugs.							
						LT	GY	CR	CLY	1I	Om	0.01
						LT	GY	MA	CLY	1I	Om	0.01
						LT	GY	CR	CLY	1I	Re	0.01
						LT	GY	MA	CLY	1I	Re	0.01
						MD	GY	CR	CLY	1I	Om	0.01
						MD	GY	MA	CLY	1I	Om	0.01
						MD	GY	CR	CLY	1I	Re	0.01
						MD	GY	MA	CLY	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.58	4.58	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
4.58	17.37	12.79	DMT	--	Limestone inteval containing debrites and bedded to massive mudstone. Chemical and mechanical weathering features are abundant and represented by strong oxidation as well as mechanical grain size reduction leading to clayey, oxidized, fault breccias.							
						LT	GY	DB	OXI	4I	--	0
						LT	GY	BD	OXI	4I	--	0
						LT	GY	MA	OXI	4I	--	0
						LT	GY	FL	OXI	4I	--	0
						MD	BR	DB	OXI	4I	--	0
						MD	BR	BD	OXI	4I	--	0
						MD	BR	MA	OXI	4I	--	0
						MD	BR	FL	OXI	4I	--	0
17.37	61.92	44.55	DST	--	Dolostone interval containing bedded dolomud and dolofloatstones. Clastic component of dolofloatstones have simillar characteristics to dark grey soft layers interbedded with dolomud that appear resistent to dolomitization. Realgar and orpiment mineralization are found within the lower portion of the interval occuring in association with calcite veins and calcite filled fractures. Oxidative features are found pervasively throughout.							
						MD	GY	DB	OXI	3I	Py	0.01
						MD	GY	BD	OXI	3I	Py	0.01
						MD	GY	BX	OXI	3I	Py	0.01
						MD	GY	DB	OXI	3I	Re	0.01
						MD	GY	BD	OXI	3I	Re	0.01
						MD	GY	BX	OXI	3I	Re	0.01
						MD	GY	DB	OXI	3I	Om	0.01
						MD	GY	BD	OXI	3I	Om	0.01
						MD	GY	BX	OXI	3I	Om	0.01
						MD	BR	DB	OXI	3I	Py	0.01
						MD	BR	BD	OXI	3I	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	BR	BX	OXI	3I	Py	0.01
						MD	BR	DB	OXI	3I	Re	0.01
						MD	BR	BD	OXI	3I	Re	0.01
						MD	BR	BX	OXI	3I	Re	0.01
						MD	BR	DB	OXI	3I	Om	0.01
						MD	BR	BD	OXI	3I	Om	0.01
						MD	BR	BX	OXI	3I	Om	0.01
61.92	152.60	90.68	LST	--	Limestone interval displaying primary bedding and debritic textures. Contacts between different carbonate lithologies appear conformable. Bedding consists of light grey lime mud layers, light grey, slightly calcareous, siliciclastic layers and darker grey, soft, variably calcareous layers dominated by terrigenous mud. Realgar mineralization and decarbonitization is confined to the upper portion of the interval near the contact with the overlying dolostone lithology. The lower contact into maroon and turquoise bedded terrigenous mudstone is sharp occuring at ~35 degrees TCA.							
						MD	GY	BD	DCA	1I	Re	0.01
						MD	GY	DB	DCA	1I	Re	0.01
152.60	178.92	26.32	MST	FG	Soft terrigenous mudstone varying from marroon, pale green to dark grey in colour. The middle of the interval contains sheared dark grey mudstone. Shear fabrics are displayed in fragmental dolomite veinlets exhibiting ductile strain.							
						LT	GN	BD	---	--	--	0
						LT	GN	SN	---	--	--	0
						MD	GN	BD	---	--	--	0
						MD	GN	SN	---	--	--	0
						DK	GY	BD	---	--	--	0
						DK	GY	SN	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.20	3.20	OVB	--	Overburden.							
						--	--	---	---	--	--	0
3.20	24.00	20.80	LST	MG	Dark grey, rubbly, oxidized limestone.							
						MD	GY	FR	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	FL	OXI	2I	--	0
						MD	GY	FR	CLY	1I	--	0
						MD	GY	RB	CLY	1I	--	0
						MD	GY	FL	CLY	1I	--	0
24.00	25.45	1.45	DST	FG	Medium grey dolofloatstone.							
						MD	GY	FL	OXI	1I	--	0
						MD	GY	FR	OXI	1I	--	0
						MD	GY	FL	SIL	2I	--	0
						MD	GY	FR	SIL	2I	--	0
						MD	GY	FL	DCA	1I	--	0
						MD	GY	FR	DCA	1I	--	0
25.45	51.60	26.15	SLC	FG	Dark grey, bedded to laminated, fractured, oxidized siltstone. Oxidation intensity decreases downhole.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FR	OXI	2I	--	0
51.60	60.70	9.10	LST	FG	Dark grey, fine grained limestone with floatstone intervals. Limestone is crackle brecciated to strained.							
						DK	GY	MA	SIL	1I	Py	0.2
						DK	GY	FL	SIL	1I	Py	0.2
						DK	GY	BD	SIL	1I	Py	0.2
						DK	GY	SN	SIL	1I	Py	0.2
						DK	GY	CR	SIL	1I	Py	0.2
60.70	91.93	31.23	SLC	FG	Dark grey, bedded to laminated siltstone.							
						DK	GY	BD	CLY	1I	Py	0.2
						DK	GY	SN	CLY	1I	Py	0.2
91.93	101.80	9.87	DST	VF	Light grey to light blueish grey, very fine grained dolomudstone. Red, crystalline (and powdery orange) realgar forms in mm- to .5 cm- thick veins/veinlets. Small amounts of orpiment form in <1 mm thick veins and as blotchy coatings on fracture surfaces.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	CR	SIL	2I	Re	0.75
						LT	GY	BX	SIL	2I	Re	0.75
						LT	GY	BD	SIL	2I	Re	0.75
						LT	GY	CR	SIL	2I	Om	0.25
						LT	GY	BX	SIL	2I	Om	0.25
						LT	GY	BD	SIL	2I	Om	0.25
						LT	GY	CR	SIL	2I	Py	0.15
						LT	GY	BX	SIL	2I	Py	0.15
						LT	GY	BD	SIL	2I	Py	0.15
						LT	GY	CR	CLY	1I	Re	0.75
						LT	GY	BX	CLY	1I	Re	0.75
						LT	GY	BD	CLY	1I	Re	0.75
						LT	GY	CR	CLY	1I	Om	0.25
						LT	GY	BX	CLY	1I	Om	0.25
						LT	GY	BD	CLY	1I	Om	0.25
						LT	GY	CR	CLY	1I	Py	0.15
						LT	GY	BX	CLY	1I	Py	0.15
						LT	GY	BD	CLY	1I	Py	0.15
101.80	241.00	139.20	SLC	FG	Heterogeneous, pyrite-bearing siliciclastic unit containing siltstone, sandstone and pebble conglomerate dominated intervals. Realgar mineralization occurs between 108.55-116.10m.							
						DK	GY	BD	---	--	Re	0.1
						DK	GY	MA	---	--	Re	0.1
						DK	GY	BD	---	--	Py	1
						DK	GY	MA	---	--	Py	1
241.00	639.17	398.17	LST	FG	Medium grey, mm- to cm- scale bedded limestone and dark grey siltstone. Realgar mineralization occurs in m- scale brecciated sections in this interval.							
						MD	GY	BD	---	--	Py	0.5
						MD	GY	SN	---	--	Py	0.5
						MD	GY	BD	---	--	Re	0.2
						MD	GY	SN	---	--	Re	0.2

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.74	1.74	OVB	--	Overburden.							
						--	--	---	---	--	--	0
1.74	19.10	17.36	LST	MG	Dark grey, fine grained, bedded, crackle brecciated limestone.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	SN	OXI	2I	--	0
						MD	GY	BD	CLY	1I	--	0
						MD	GY	RB	CLY	1I	--	0
						MD	GY	SN	CLY	1I	--	0
19.10	23.10	4.00	DST	FG	Tan to medium grey, bedded dolostone.							
						MD	GY	BD	OXI	2I	--	0
						MD	GY	FR	OXI	2I	--	0
						MD	GY	RB	OXI	2I	--	0
						MD	GY	BD	CLY	1I	--	0
						MD	GY	FR	CLY	1I	--	0
						MD	GY	RB	CLY	1I	--	0
23.10	25.88	2.78	LST	FG	Medium grey, rudstone containing tabular lime mudstone clasts.							
						MD	GY	RD	---	--	--	0
25.88	28.35	2.47	DST	FG	Tannish to rusty-red, bedded siltstone and dolostone. Interval is fractured and pervasively oxidized.							
						LT	RD	BD	OXI	3I	--	0
						LT	RD	FR	OXI	3I	--	0
						LT	RD	BD	DCA	1I	--	0
						LT	RD	FR	DCA	1I	--	0
						MD	TN	BD	OXI	3I	--	0
						MD	TN	FR	OXI	3I	--	0
						MD	TN	BD	DCA	1I	--	0
						MD	TN	FR	DCA	1I	--	0
28.35	47.00	18.65	LST	FG	Bedded lime mudstone and siltstone with a few meter scale rudstone intervals. Fracture surfaces are oxidized.							
						MD	GY	RD	OXI	1I	--	0
						MD	GY	BD	OXI	1I	--	0
						MD	GY	FR	OXI	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
47.00	65.20	18.20	DST	FG	Medium grey to tan, bedded dolostone and siltstone. Interval can be intensely oxidized and rubbly. Dolostone-rich intervals can be intensely crackle brecciated.							
						DK	GY	BD	OXI	2I	--	0
						DK	GY	FR	OXI	2I	--	0
						DK	GY	RB	OXI	2I	--	0
						DK	GY	BD	CLY	1I	--	0
						DK	GY	FR	CLY	1I	--	0
						DK	GY	RB	CLY	1I	--	0
						MD	TN	BD	OXI	2I	--	0
						MD	TN	FR	OXI	2I	--	0
						MD	TN	RB	OXI	2I	--	0
						MD	TN	BD	CLY	1I	--	0
						MD	TN	FR	CLY	1I	--	0
						MD	TN	RB	CLY	1I	--	0
65.20	185.32	120.12	LST	FG	Medium grey, bedded lime mudstone and siltstone with rudstone intervals.							
						MD	GY	BD	OXI	1I	--	0
						MD	GY	RD	OXI	1I	--	0
						MD	GY	BD	ASO	1I	--	0
						MD	GY	RD	ASO	1I	--	0
185.32	200.56	15.24	MST	FG	Light grey to green and maroon, bedded siltstone (Ping A).							
						MD	RD	BD	OXI	2I	--	0
						LT	GN	BD	OXI	2I	--	0
						LT	GY	BD	OXI	2I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.10	6.10	OVB	MA	ovb							
						DK	GY	---	---	0I	--	0
6.10	146.79	140.69	SLC	VF	Interbedded siliclastic, limestone, mudstone and conglomerate. These lithostratigraphic units are found as debrites? With rip up clast and flow textuers (debrite?). Dominantly mudstone.							
						DK	GY	BD	---	0I	Py	0.01
146.79	199.41	52.62	LST	FG	Interbedded silty limestone, lime mudstone, pyritic mudstone and salt and pepper sandstone. Top of interval is more limestone rich and grades into more mudstone rich near the bottom of the interval							
						MD	GY	BD	CLY	1I	Py	0.05
						DK	GY	BD	CLY	1I	Py	0.05
199.41	225.18	25.77	SLC	VF	Interbedded terrigenous mudstone, silty limestone, lime mudstone and medium grained limestone. ~ 90% mudstone, ~ 5% silty limestone, ~ 3% medium grained limestone, and ~ 2% lime mudstone.							
						DK	GY	BD	---	0I	Py	0.05
						MD	GY	BD	---	0I	Py	0.05
225.18	281.98	56.80	LST	FG	Interbedded succesion of fine - medium grained limestones, variably calcareous lime-mudstones, and mudstones.							
						DK	GY	BD	---	--	Py	0.02
281.98	406.91	124.93	SLC	VF	Finely bedded/laminated pyritic siltstone, locally sheared.							
						MD	BK	BD	---	--	Py	0.8

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	8.70	8.70	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
8.70	32.80	24.10	DMT	--	Variably oxidized carbonate diamictite. Oxidation generally decreases in intensity with depth suggesting it is a supergene effect.							
						MD	GY	BD	OXI	3I	--	0
						MD	GY	FL	OXI	3I	--	0
32.80	100.00	67.20	DST	--	Dolostone lithology displaying primary bedding and well as hydrostatic and crackle breccia textures at certain locales. Realgar and orpiment occur throughout and are most abundant in localized shear zones. Arsenic as well as iron oxides occur on fracture faces in the upper portion of the interval.							
						MD	GY	BD	OXI	3I	Py	0.01
						MD	GY	DB	OXI	3I	Py	0.01
						MD	GY	BX	OXI	3I	Py	0.01
						MD	GY	BD	OXI	3I	Re	0.12
						MD	GY	DB	OXI	3I	Re	0.12
						MD	GY	BX	OXI	3I	Re	0.12
						MD	GY	BD	OXI	3I	Om	0.01
						MD	GY	DB	OXI	3I	Om	0.01
						MD	GY	BX	OXI	3I	Om	0.01
						MD	GY	BD	ASO	2I	Py	0.01
						MD	GY	DB	ASO	2I	Py	0.01
						MD	GY	BX	ASO	2I	Py	0.01
						MD	GY	BD	ASO	2I	Re	0.12
						MD	GY	DB	ASO	2I	Re	0.12
						MD	GY	BX	ASO	2I	Re	0.12
						MD	GY	BD	ASO	2I	Om	0.01
						MD	GY	DB	ASO	2I	Om	0.01
						MD	GY	BX	ASO	2I	Om	0.01
						MD	GY	BD	DCA	1I	Py	0.01
						MD	GY	DB	DCA	1I	Py	0.01
						MD	GY	BX	DCA	1I	Py	0.01
						MD	GY	BD	DCA	1I	Re	0.12
						MD	GY	DB	DCA	1I	Re	0.12
						MD	GY	BX	DCA	1I	Re	0.12
						MD	GY	BD	DCA	1I	Om	0.01
						MD	GY	DB	DCA	1I	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BX	DCA	1I	Om	0.01
100.00	145.33	45.33	LST	FG	Buff grey bedded lime mudstone. Bedding is defined by alternating light grey lime mud layers and darker grey, weakly to non calcareous layers compositionally dominated by clayey, terrigenous material.							
						LT	GY	BD	ASO	1I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	2.74	2.74	OVB	--	Overburden.							
						--	--	---	---	--	--	0
2.74	18.00	15.26	DMT	FG	Dark to medium grey polymictic floatstone with minor arsenic and iron oxides and trace realgar on fracture surfaces.							
						DK	GY	FL	ASO	1I	Py	0.2
						DK	GY	FR	ASO	1I	Py	0.2
						DK	GY	CR	ASO	1I	Py	0.2
						DK	GY	MA	ASO	1I	Py	0.2
						DK	GY	FL	ASO	1I	Re	0.02
						DK	GY	FR	ASO	1I	Re	0.02
						DK	GY	CR	ASO	1I	Re	0.02
						DK	GY	MA	ASO	1I	Re	0.02
						DK	GY	FL	OXI	1I	Py	0.2
						DK	GY	FR	OXI	1I	Py	0.2
						DK	GY	CR	OXI	1I	Py	0.2
						DK	GY	MA	OXI	1I	Py	0.2
						DK	GY	FL	OXI	1I	Re	0.02
						DK	GY	FR	OXI	1I	Re	0.02
						DK	GY	CR	OXI	1I	Re	0.02
						DK	GY	MA	OXI	1I	Re	0.02
18.00	40.84	22.84	DST	FG	Medium to light grey, fine to medium grained dolostone containing <15% muddy layers. Realgar and orpiment occur on fracture surfaces.							
						MD	GY	BD	OXI	1I	Re	0.05
						MD	GY	CR	OXI	1I	Re	0.05
						MD	GY	BX	OXI	1I	Re	0.05
						MD	GY	BD	OXI	1I	Py	0.5
						MD	GY	CR	OXI	1I	Py	0.5
						MD	GY	BX	OXI	1I	Py	0.5
						MD	GY	BD	OXI	1I	Om	0.02
						MD	GY	CR	OXI	1I	Om	0.02
						MD	GY	BX	OXI	1I	Om	0.02
40.84	74.60	33.76	SLT	FG	Bedded green/grey siltstone and dark grey calcareous siltstone and limestone. Realgar forms on fracture surfaces high in the section.							

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GY	BD	ASO	1I	Re	0.02
						MD	GN	BD	ASO	1I	Re	0.02
74.60	81.00	6.40	DMT	FG	Polymictic floatstone containing carbonate and siltstone clasts. Realgar mineralization occurs on fracture surfaces and in veinlets.							
						MD	GY	FL	---	--	Py	0.05
						MD	GY	FL	---	--	Re	0.5
81.00	142.08	61.08	DST	FG	Bedded dolostone that is variable crackle brecciated and mosaic brecciated. Realgar mineralization primarily occurs in veinlets but some disseminated realgar is also present.							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	CR	---	--	Re	0.01
						MD	GY	BX	---	--	Re	0.01
						MD	GY	FL	---	--	Re	0.01
						MD	GY	RD	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	CR	---	--	Om	0.01
						MD	GY	BX	---	--	Om	0.01
						MD	GY	FL	---	--	Om	0.01
						MD	GY	RD	---	--	Om	0.01
						MD	GY	BD	---	--	Py	0.1
						MD	GY	CR	---	--	Py	0.1
						MD	GY	BX	---	--	Py	0.1
						MD	GY	FL	---	--	Py	0.1
						MD	GY	RD	---	--	Py	0.1
142.08	238.80	96.72	LST	FG	Interval consists of bedded lime mudstone and siltstone with a few sandy layers. Realgar and orpiment mineralization occur at 146.60m abd 165.4m.							
						MD	GY	BD	---	--	Re	0.02
						MD	GY	BD	---	--	Om	0.01
238.80	273.25	34.45	SLT	FG	Dark grey, bedded to laminated, sooty siltstone containing a few decimeter sections of disseminated realgar mineralization.							
						DK	GY	BD	ASO	1I	Re	0.02
						DK	GY	DB	ASO	1I	Re	0.02
273.25	306.65	33.40	LST	FG	Medium grey, bedded lime mudstone and siltstone.							
						MD	GY	BD	---	--	Py	0.05
306.65	327.36	20.71	MST	FG	Bedded, maroon and grey/green siltstone (Ping. A).							
						LT	GN	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	RD	BD	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	7.62	7.62	OVB	--	Overburden, no recovery							
						--	--	---	---	--	--	0
7.62	34.87	27.25	DMT	FG	Medium grey to dark grey, intermittently rubbly to competent polylithic floatstone. Approximately 75% is rubbly and 25% competent up to ~ 20m. Rubbly sections are highly oxidized with minor realgar found as coarse grained to fine grained. Competent zones defined by polylithic floatstone with a mudstone matrix which may host coarse grained to fine grained realgar along fracture faces and within calcite veinlets. Near bottom of interval, approximately 1 - 2 m of interbedded wackestone and massive fine grained limestone. A dolostone bed?clast? Approximately 15 cm found interbedded with polylithic floatstone.							
						MD	GY	FL	DCA	1I	Re	0.05
						MD	GY	FL	ASO	1I	Re	0.05
						DK	GY	FL	DCA	1I	Re	0.05
						DK	GY	FL	ASO	1I	Re	0.05
34.87	39.05	4.18	SLT	VF	Bedded siltstone dark green to dark grey in color. Pyrite is found as blebs and bands parallel to bedding. Realgar along fracture faces and within pyrite blebs.							
						DK	GY	BD	---	--	Py	0.05
						DK	GY	BD	---	--	Py	0.05
39.05	98.26	59.21	DST	MG	Interbedded massive medium grained dolostone and bedded dolostone. Realgar is found along fracture faces and within calcite/dolomite veinlets which may be infilled with realgar. Interval with highly fractured and rubble (Fault?) exhibiting arsenic oxide alteration and fine grained realgar/orpiment.							
						MD	GY	MA	ASO	1I	Re	0.05
						MD	GY	BD	ASO	1I	Re	0.05
						MD	GY	FR	ASO	1I	Re	0.05
						MD	GY	RB	ASO	1I	Re	0.05
						MD	GY	MA	ASO	1I	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						MD	GY	BD	ASO	1I	Om	0.01
						MD	GY	FR	ASO	1I	Om	0.01
						MD	GY	RB	ASO	1I	Om	0.01
						MD	GY	MA	ASO	1I	Py	0.02
						MD	GY	BD	ASO	1I	Py	0.02
						MD	GY	FR	ASO	1I	Py	0.02
						MD	GY	RB	ASO	1I	Py	0.02
98.26	107.89	9.63	LST	VF	Interbedded lime mudstone/silty limestone and terrigenous mudstone. Tope of interval ~ 70% limestone and 30% terrigenous mudstone which grades into ~ 80% terrigenous mudstone and ~ 20% thinly bedded limestone. Trace realgar found along fracture faces and within calcite veinlets.							
						DK	GY	BD	---	--	Py	0.05
						DK	GY	BD	---	--	Re	0.01
						DK	GN	BD	---	--	Py	0.05
						DK	GN	BD	---	--	Re	0.01
107.89	124.58	16.69	DMT	VF	Polylithic floatstone. Matrix is terrigenous mudstone dark green to dark grey (~ 90% dark green and 10% dark grey). Clasts comprise limestone, medium grey and dark grey dolostone and calcite/dolomite (replacement or vein fragments?). Trace realgar found within calcite/dolomite veinlets.							
						DK	GN	FL	CLY	1I	Py	0.05
						DK	GN	FL	CLY	1I	Re	0.01
						DK	GY	FL	CLY	1I	Py	0.05
						DK	GY	FL	CLY	1I	Re	0.01
124.58	232.19	107.61	DST	MG	Interbedded massive medium grained, polylithic floatstone, rudstone and bedded dolostone.							
						MD	GY	BD	---	--	Re	0.1
						MD	GY	CR	---	--	Re	0.1
						MD	GY	BD	---	--	Om	0.1
						MD	GY	CR	---	--	Om	0.1
						MD	GY	BD	---	--	Py	0.01
						MD	GY	CR	---	--	Py	0.01
						DK	GY	BD	---	--	Re	0.1
						DK	GY	CR	---	--	Re	0.1
						DK	GY	BD	---	--	Om	0.1
						DK	GY	CR	---	--	Om	0.1
						DK	GY	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						DK	GY	CR	---	--	Py	0.01
232.19	295.05	62.86	MST	VF	Interbedded terrigenous mudstone/siltstone, silty limestone and brecciated dolostone. ~ 95% terrigenous mudstone/siltstone, ~ 3% brecciated dolostone and~ 2% silty limestone. Mudstone/siltstone is thinly bedded (mm to cm scale) and dark grey to dark green. Trace pyrite disseminated throughout. Silty limestone is dark grey and weakly calcareous ad generally found in cm scale thick beds. Brecciated dolostone is minor and found within intervals up to 10 cm. Crackle brecciated textures defined by dark grey seams and dark grey to medium grey dolostone and dolomite clasts (~ 1mm-2cm). Realgar and orpiment hosted in calcite veinlets and along fracture faces. Deformation features such as folding and offests present. Bottom of interval appears sheared and decarbonatized with black seams dissemianted throughout. Pyrite blebs within relict dolostone clasts.							
						DK	GY	BD	---	--	Py	0.01
						DK	GY	BX	---	--	Py	0.01
						DK	GY	BD	---	--	Om	0.01
						DK	GY	BX	---	--	Om	0.01
						DK	GY	BD	---	--	Re	0.01
						DK	GY	BX	---	--	Re	0.01
						DK	GN	BD	---	--	Py	0.01
						DK	GN	BX	---	--	Py	0.01
						DK	GN	BD	---	--	Om	0.01
						DK	GN	BX	---	--	Om	0.01
						DK	GN	BD	---	--	Re	0.01
						DK	GN	BX	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.32	1.32	OVB	--	No recovery.							
						--	--	---	---	--	--	0
1.32	12.19	10.87	OVB	--	Heavily oxidized conglomeratic material. The majority of material is dark brown, clayey oxide.							
						DK	BR	PB	OXI	5I	--	0
						DK	BR	RB	OXI	5I	--	0
12.19	26.47	14.28	MST	FG	Bedded terrigenous mudstone. Bedding is defined by soft medium grey and light green layers with minor red layers.							
						MD	GY	BD	OXI	1I	Re	0.01
						MD	GY	BD	CLY	1I	Re	0.01
						LT	GN	BD	OXI	1I	Re	0.01
						LT	GN	BD	CLY	1I	Re	0.01
26.47	147.88	121.41	LST	FG	Limestone interval dominated by bedded lime mudstone. Realgar mineralization and associated alteration occur near the top of the interval. Intraclast rudstone and floatstone debrites are present in the lower portion of the interval. Bedding is defined by light grey lime mud layer, sometimes containing a siliclastic component as well as darker grey, weakly to non calcareous layers compositionally dominated by terrigenous mud.							
						LT	GY	BD	DCA	1I	Re	0.01
						LT	GY	DB	DCA	1I	Re	0.01
147.88	226.90	79.02	DST	--	Dolostone interval displaying primary bedding as well as secondary textures related to dolomitization. Realgar mineralization is found throughout the interval, predominantly occuring within/on brittle fracture features. Midway through the interval a localized shear zone occurs containing realgar mineralization in association with dark, sooty, pyritic material.							
						LT	GY	BD	DCA	1I	Re	0.1
						LT	GY	BX	DCA	1I	Re	0.1
						LT	GY	SN	DCA	1I	Re	0.1
						LT	GY	BD	DCA	1I	Py	0.1
						LT	GY	BX	DCA	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	SN	DCA	1I	Py	0.1
226.90	243.00	16.10	DMT	FG	Massive to conglomeratic mudstone interval. Mudstone is dark grey/green in colour and generally non calcareous. Lime mud and dolomud clasts from the overlying interval occur supported within the mud matrix at varying localles throughout.							
						DK	GY	BD	---	--	--	0
						DK	GY	DB	---	--	--	0
						DK	GN	BD	---	--	--	0
						DK	GN	DB	---	--	--	0
243.00	275.84	32.84	SLT	FG	Pale green, generally bedded, weakly to non calcareous terrigenous mudstone.							
						MD	GN	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.12	4.12	OVB	--	No recovery							
						--	--	---	---	--	--	0
4.12	37.49	33.37	SLC	FG	variably altered fine sand and siltstones.							
						DK	GY	BD	OXI	1I	Py	0.05
						DK	GY	BD	SIL	1I	Py	0.05

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.57	4.57	OVB	--	Overburden, No Recovery.							
						--	--	---	---	--	--	0
4.57	36.92	32.35	DMT	--	Variably calcareous diamictite. Diamictite consists of light grey lime mud clasts as well as dark green clasts composed of soft, terrigenous mud.							
						MD	GY	DB	OXI	3I	--	0
36.92	140.46	103.54	DST	FG	Dolostone unit displaying primary bedding features similar to the underlying limestone package and containing various breccia textures. The upper portion of the interval contains both iron and arsenic oxides. White dolomite veins are common and often fragment bedding planes. Brassy (often oxidized) pyrite is found in association with dolomite veins. Realgar and orpiment mineralization occur throughout on fracture faces and most abundant within metric scale localized shear zones.							
						LT	GY	BD	OXI	2I	Om	0.01
						LT	GY	BX	OXI	2I	Om	0.01
						LT	GY	BD	OXI	2I	Py	0.01
						LT	GY	BX	OXI	2I	Py	0.01
						LT	GY	BD	OXI	2I	Re	0.02
						LT	GY	BX	OXI	2I	Re	0.02
140.46	250.28	109.82	LST	--	Bedded limestone interval containing massive to disseminated realgar mineralization and associated decarbonitized material at the start of the interval. Concentration of realgar mineralization decreases with depth. Bedding is defined by light grey, highly calcareous lime mud layers alternating with dark grey, weakly to non calcareous, terrigenous mud layers. Bedding plane morphology varies from planar to sinuous, irregular and lenticular.							
						LT	GY	BD	DCA	1I	Re	0.01
						LT	GY	BD	DCA	1I	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.52	6.52	OVB	FG	Overburden.							
						--	--	---	---	--	--	0
6.52	49.65	43.13	LST	FG	Bedded lime mudstone and siltstone. Realgar mineralization occurs near the bottom of the interval.							
						MD	GY	BD	---	--	--	0
						MD	GY	RD	---	--	--	0
49.65	115.25	65.60	DST	FG	Bedded dolostone with sections of dolorudstone and dolofloatstone. Realgar forms in veinlets near the top of the section.							
						MD	GY	RD	---	--	Re	0.5
						MD	GY	BD	---	--	Re	0.5
115.25	154.02	38.77	DMT	FG	Polymictic floatstone containing calcareous and siltstone clasts in a dark grey matrix.							
						DK	GY	FL	---	--	Py	0.1
						DK	GY	FL	---	--	Re	0.01
154.02	163.98	9.96	SLT	FG	Green, blue-green, to grey, bedded to laminated siltstone.							
						MD	GN	BD	---	--	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	7.93	7.93	OVB	--	Overburden.							
						--	--	---	---	--	--	0
7.93	144.17	136.24	LST	FG	Medium grey, bedded lime mudstone and siltstone. Arsenic and iron oxides occur on fracture surface. Iron oxide intensity decreases down hole.							
						MD	GY	BD	ASO	1I	Re	0.01
						MD	GY	BD	OXI	1I	Re	0.01
144.17	301.50	157.33	DST	FG	Medium to light grey, bedded dolostone and dolorudstone. Unit is variable mosaic and crackle brecciated, and realgar mineralization occurs in veinlets.							
						MD	GY	BD	---	--	Re	0.1
						MD	GY	RD	---	--	Re	0.1
						MD	GY	BX	---	--	Re	0.1
						MD	GY	CR	---	--	Re	0.1
301.50	310.29	8.79	DMT	FG	Polymictic floatstone containg carbonate, siltstone and sandstone clasts in a dark grey, variable calcareous matrix.							
						DK	GY	FL	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.31	1.31	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
1.31	47.03	45.72	MST	VF	Interbedded maroon and teal mudstone. Teal mudstone dominant near top of interval (0-28.5m ~95% teal and 5% maroon). From ~ 28.5-47.03m ~80% maroon and ~ 10% teal. Top of interval exhibits oxidation along fracture faces and define clay alteration.							
						MD	RD	BD	OXI	2I	--	0
						MD	RD	BD	CLY	1I	--	0
						MD	GN	BD	OXI	2I	--	0
						MD	GN	BD	CLY	1I	--	0
47.03	201.68	154.65	LST	FG	Interbedded silty limestone, lime mudstone and terrigenous mudstone. ~ 70% lime mudstone, ~25% silty limestone and ~ 5% terrigenous mudstone. Few zones of rudstone/floatstone found intermittently near the bottom of interval							
						MD	GY	BD	---	--	Py	0.01
						MD	GY	BD	---	--	Re	0.01
201.68	244.15	42.47	DST	FG	Light grey bedded dolomudstone. Bedding features are often irregular and highly disrupted. Bedding consists of light grey dolomud layers alternating with darker grey mud layers that appear resistant to dolomitization.							
						LT	GY	BD	DCA	1I	Re	0.05
						LT	GY	SN	DCA	1I	Re	0.05
						LT	GY	BX	DCA	1I	Re	0.05
244.15	304.80	60.65	DMT	--	Matrix to clast supported debrites occuring conformably within sections of dark coloured, green and grey terrigenous mudstone. Matrix supported debrites are dominant in the upper portion of the interval. Calcite filled dilational features housing realgar mineralization and isolated decarbonitization occur within the upper portion of the interval.							
						DK	GY	BD	DCA	1I	Re	0.01
						DK	GY	DB	DCA	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	3.96	3.96	OVB	--	Overburden, no recovery							
						--	--	---	---	--	--	0
3.96	82.89	78.93	MST	VF	Conformably interbedded teal and maroon siltstone (Ping A). Oxidation appears on fracture faces and as < 1mm bands parallel to bedding planes. Minor quartz veinlets found throughout (up to 2 cm thick).							
						LT	GN	BD	OXI	1I	--	0
82.89	183.79	100.90	LST	MG	Interbedded medium grained limestone, silty limestone, lime mudstone and terrigenous mudstone. ~ 60% medium grained limestone, 38% silty limestone/lime mudstone and ~ 2% terrigenous mudstone. An intermittent ~ 80 cm rubbly/clay altered zone hosting ~50% realgar.							
						MD	GY	BD	DCA	1I	Re	0.05
						MD	GY	BD	DCA	1I	Py	0.01
						DK	GY	BD	DCA	1I	Re	0.05
						DK	GY	BD	DCA	1I	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	5.19	5.19	OVB	--	Overburden.							
						--	--	---	---	--	--	0
5.19	118.60	113.41	DST	--	Medium grey, bedded, variably mosaic and crackle brecciated dolostone. Realgar typically forms on fracture surfaces.							
						MD	GY	BD	---	--	Re	0.05
						MD	GY	CR	---	--	Re	0.05
						MD	GY	BX	---	--	Re	0.05
118.60	145.69	27.09	DMT	FG	Dark grey polymictic floatstone containing limestone and siltstone clasts in a dark grey, variably calcareous matrix.							
						DK	GY	FL	ASO	1I	Re	0.01
						DK	GY	FL	ASO	1I	Py	0.1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	38.15	38.15	OVB	--	Overburden.							
						--	--	---	---	--	--	0
38.15	61.87	23.72	MST	FG	Maroon, grey/green, and medium grey, bedded siltstone.							
						MD	GN	BD	OXI	1I	--	0
						MD	RD	BD	OXI	1I	--	0
61.87	152.40	90.53	LST	FG	Medium grey, lime mudstone with dark grey siltstone interbeds and rudstone intervals. Realgar mineralization occurs in this unit.							
						MD	GY	BD	ASO	1I	Re	0.2
						MD	GY	RD	ASO	1I	Re	0.2
						MD	GY	FL	ASO	1I	Re	0.2
152.40	229.75	77.35	DST	FG	Variable crackle brecciated, bedded dolostone, dolorudstone and dolofloatstone							
						MD	GY	FL	---	--	Re	0.2
						MD	GY	RD	---	--	Re	0.2
						MD	GY	BD	---	--	Re	0.2
						MD	GY	CR	---	--	Re	0.2
						MD	GY	FL	---	--	Py	0.1
						MD	GY	RD	---	--	Py	0.1
						MD	GY	BD	---	--	Py	0.1
						MD	GY	CR	---	--	Py	0.1
229.75	253.65	23.90	DMT	FG	Polymictic floatstone containing mm- to dm-scale carbonate, siltstone and sandstone clasts in a variably calcareous, dark grey to dark green matrix.							
						DK	GY	FL	---	--	Py	0.5
253.65	273.40	19.75	SLT	FG	Dark grey, bedded to laminated siltstone containing mm- to cm- scale layers.							
						DK	GY	BD	---	--	Py	0.5
						DK	GY	FL	---	--	Py	0.5
						DK	GN	BD	---	--	Py	0.5
						DK	GN	FL	---	--	Py	0.5

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	16.76	16.76	OVB	--	Intensely oxidized, rubbly, clayey material.							
						DK	BR	RB	OXI	5I	--	0
16.76	98.56	81.80	MST	FG	Maroon and turquoise bedded terrigenous mudstone. Turquoise material is dominant in the upper portion of the interval. Localized decimetric scale shear zones occur within. Trace realgar occur on fracture faces towards the end of the interval.							
						LT	GN	BD	OXI	1I	Re	0.01
						LT	GN	SN	OXI	1I	Re	0.01
						DK	RD	BD	OXI	1I	Re	0.01
						DK	RD	SN	OXI	1I	Re	0.01
98.56	228.20	129.64	LST	--	Limestone interval dominated by bedded mudstone and debrite lithologies. Debrites consist of floatstones and rudstones that become more prominent towards the end of the interval. The majority of realgar mineralization occurs on fracture faces and within dilational features not associated with alteration. From 196.60-200.60 realgar mineralization occurs in association with sheared, variably decarbonitized material.							
						LT	GY	BD	DCA	1I	Re	0.01
						LT	GY	DB	DCA	1I	Re	0.01
						LT	GY	BD	DCA	1I	Om	0.01
						LT	GY	DB	DCA	1I	Om	0.01
228.20	243.00	14.80	DST	--	Dolostone interval displaying primary bedding as well as debrite textures. Bedding features are often fragmented, folded and distorted. In absence of primary textures material is bleached and contains high density black crackle seams that define a crackle breccia texture. Realgar mineralization and associated orpiment occur primarily on fracture faces.							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	DB	---	--	Re	0.01
						MD	GY	SN	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	DB	---	--	Om	0.01
						MD	GY	SN	---	--	Om	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
243.00	250.91	7.91	LST	--	Intraclast floatstone consisting of subrounded, tabular to equant, lime mud clasts surrounded by a dark, weakly to non calcareous mud matrix. Bedded features represent a high percentage of clasts found supported within dark mud matrix.							
						MD	GY	FL	---	--	--	0
250.91	282.48	31.57	DST	--	Dolostone interval containing bedded dolomud and a crackle breccia texture in absence of primary sedimentary features. Bedding is often fragmented and folded. Breccia texture consits of bleached material and the presence of high density, thin, black, crackle seams. The lower contact is shear displaying brittle-ductile strain features. Realgar mineralization occurs predominantly in brittle strain features.							
						MD	GY	BD	---	--	Re	0.01
						MD	GY	BX	---	--	Re	0.01
						MD	GY	SN	---	--	Re	0.01
						MD	GY	BD	---	--	Om	0.01
						MD	GY	BX	---	--	Om	0.01
						MD	GY	SN	---	--	Om	0.01
						MD	GY	BD	---	--	Py	0.01
						MD	GY	BX	---	--	Py	0.01
						MD	GY	SN	---	--	Py	0.01
282.48	339.85	57.37	DMT	--	Sedimentary unit consisting of bedded terrigenous mudstone interbedded with debrites. Mudstones consist of dark green and black fine grained terrigenous material with pyritic bands. Interbedded debrites contain mud matricies of variable dominancy surrounding lime mudstone, dolomudstone and terrigenous mudstone. Trace realgar occurs on fracture faces in the upper portion of the interval.							
						DK	GY	BD	---	--	Py	0.01
						DK	GY	DB	---	--	Py	0.01
						DK	GY	BD	---	--	Re	0.01
						DK	GY	DB	---	--	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	4.05	4.05	OVB	--	Overburden, no recovery.							
						--	--	---	---	--	--	0
4.05	67.20	63.15	LST	FG	Bedded lime mudstone and siltstone with floatstone and rudstone intervals. Realgar mineralization can be disseminated or can form in veinlets.							
						MD	GY	BD	OXI	3I	Py	0.5
						MD	GY	RD	OXI	3I	Py	0.5
						MD	GY	FL	OXI	3I	Py	0.5
						MD	GY	BD	OXI	3I	Re	0.1
						MD	GY	RD	OXI	3I	Re	0.1
						MD	GY	FL	OXI	3I	Re	0.1
						MD	GY	BD	CLY	1I	Py	0.5
						MD	GY	RD	CLY	1I	Py	0.5
						MD	GY	FL	CLY	1I	Py	0.5
						MD	GY	BD	CLY	1I	Re	0.1
						MD	GY	RD	CLY	1I	Re	0.1
						MD	GY	FL	CLY	1I	Re	0.1
67.20	73.80	6.60	INT	MG	Medium to light grey/green, fine to medium grained, plag-phyric intrusive. Trace realgar forms in veinlets.							
						MD	GN	MA	CLY	1I	Py	2
						MD	GN	MA	CLY	1I	Re	0.01
						MD	GY	MA	CLY	1I	Py	2
						MD	GY	MA	CLY	1I	Re	0.01
73.80	82.40	8.60	LST	FG	Medium to light grey, fine to very gine grained lime mudstone with <15% dark grey siltstone bads.							
						MD	GY	BD	---	--	Py	0.05
						MD	GY	SN	---	--	Py	0.05
82.40	122.10	39.70	INT	MG	Light, tannish green to dark green grey, pyrite bearing, highly strained intrusive.							
						MD	GN	MA	CLY	3I	Py	15
						MD	GN	SN	CLY	3I	Py	15

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
122.10	142.38	20.28	DMT	FG	Polymictic floatstone containing ~30-40% several mm- to dm- scale, angular to sub-rounded clasts in a dark grey to light green/grey calcareous matrix.							
						DK	GY	FL	---	--	Py	0.5
						DK	GY	BD	---	--	Py	0.5
						MD	GY	FL	---	--	Py	0.5
						MD	GY	BD	---	--	Py	0.5
142.38	161.08	18.70	SLT	FG	Dark grey to medium green/grey siltstone.							
						DK	GY	BD	---	--	Py	0.2
						DK	GY	RD	---	--	Py	0.2
						DK	GY	FL	---	--	Py	0.2
						MD	GN	BD	---	--	Py	0.2
						MD	GN	RD	---	--	Py	0.2
						MD	GN	FL	---	--	Py	0.2
161.08	171.00	9.92	LST	FG	Interval consists of dark grey lime mudstone interbedded with ~30% darker grey siltstone.							
						DK	GY	BD	---	--	--	0
						DK	GY	SN	---	--	--	0
171.00	176.17	5.17	SLT	FG	Dark grey, bedded siltstone that has been moderately to intensely strained.							
						DK	GY	SN	---	--	Py	0.2
						DK	GY	BD	---	--	Py	0.2
176.17	227.00	50.83	INT	MG	Light tan-grey to dark green, fine to medium grained igneous intrusive.							
						DK	GN	MA	CLY	2I	Py	2
						DK	GN	BX	CLY	2I	Py	2
						DK	GN	SN	CLY	2I	Py	2
						MD	GN	MA	CLY	2I	Py	2
						MD	GN	BX	CLY	2I	Py	2
						MD	GN	SN	CLY	2I	Py	2
227.00	235.04	8.04	SLT	FG	Dark to medium grey, bedded siltstone and limestone (+/- sandstone).							
						DK	GY	BD	---	--	Py	1

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.55	1.55	OVB	--	No Recovery							
						--	--	---	---	--	--	0
1.55	267.25	265.70	MST	VF	Massive to faintly bedded mudstone, frequently weakly calcareous with common wispy, often discontinuous beds of fine moderately calcareous sand.							
						LT	BL	MA	---	--	--	0
						LT	BL	BD	---	--	--	0
267.25	307.80	40.55	SLC	FG	Succesion of interbedded black pyritic siltstones, light to dark grey mudstones, and medium to coarse grained siliclastic sandstones and conglomerates. Upper ~40m shows steadily decreasing shearing.							
						MD	GY	BD	---	--	Py	0.02
						MD	GY	SN	---	--	Py	0.02
						MD	BK	BD	---	--	Py	0.02
						MD	BK	SN	---	--	Py	0.02
307.80	682.75	374.95	MST	VF	Pale blue massive to bedded mudstone.							
						MD	BL	MA	---	--	Py	0.01
						MD	BL	BD	---	--	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.58	1.58	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
1.58	7.92	6.34	OVB	VF	Medium brown to grey clay interval likley representing the transition from the B soil horizon into the regolithic C horizon.							
						MD	BR	MA	---	--	--	0
						MD	GY	MA	---	--	--	0
7.92	44.00	36.08	ARG	FG	Clay altered, heavily fractured bedded argillite. Bedding is defined by alternating light and dark grey layers with darker layers being more dominant. Lighter layers are rich in fine sand sized silica grains and significantly harder than darker layers.							
						MD	GY	BD	CLY	3I	--	0
						MD	GY	FR	CLY	3I	--	0
						DK	GY	BD	CLY	3I	--	0
						DK	GY	FR	CLY	3I	--	0
44.00	119.28	75.28	LST	--	Limestone material exhibiting various degrees of brecciation defined by a variably calcareous dark matrix surrounding subrounded to angular limestone, dolomitized limestone and iron rich? limestone grains. Un breccaited sections reveal a medium grey limestone protolith. A 5.48 m interval (55.07-60.55m) of soft black possibly decalcified material is present and contains euhedral relgar mineralization. Relgar mineralization appears late stage and is most evident at the upper contact, on fracture faces, in calcite veins and overprinting breccia matrix.							
						MD	GY	BX	DOL	2I	Re	0.01
						MD	GY	BX	DOL	2I	Py	0.01
						MD	GY	BX	DCA	1I	Re	0.01
						MD	GY	BX	DCA	1I	Py	0.01
						LT	OR	BX	DOL	2I	Re	0.01
						LT	OR	BX	DOL	2I	Py	0.01
						LT	OR	BX	DCA	1I	Re	0.01
						LT	OR	BX	DCA	1I	Py	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
119.28	134.52	15.24	CGL	--	Heavily strained conglomerate consisting of a soft black matrix surrounding light grey non calcareous clasts and bedding layers. Clasts are subrounded to angular ranging in size from 1mm-5cm. A ductile strain fabric defined by deformed, preferentially oriented clasts as well as banding is present at 30-40 degrees TCA. This unit and the soft black matrix appear to be the result of intense dissolution processes.							
						DK	GY	SN	---	--	--	0
						DK	BK	SN	---	--	--	0
134.52	192.85	58.33	LST	FG	Lime mudstone/limey mudstone material showing evidence of ductile strain as well as intense dissolution. Bedding is rarley evident and defined by planar, continuous alternating light and dark grey bands.							
						MD	GY	BD	---	--	--	0
						MD	GY	MA	---	--	--	0
						DK	GY	BD	---	--	--	0
						DK	GY	MA	---	--	--	0
192.85	233.48	40.63	MST	FG	Bedded mudstone unit. Bedding is defined by alternating light and dark grey layers with light grey layers being significantly harder and rich in primary silica. Upper contact is transition and largely deformed. Lower portion of the interval appears to be a debrite.							
						DK	GY	BD	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	9.33	9.33	OVB	--	No recovery.							
						--	--	---	---	--	--	0
9.33	9.44	0.11	CGL	--	Polylithic clast dominated conglomerate. Clasts range from rounded to angular and are composed predominantly of silica. Abundant pits housing rusty brown oxide material are present. It appears likley pyrite was a precursor to the pit filling oxide. A trace amount of fine grained anhedral pyrite is noted.							
						DK	OR	---	OXI	3I	Py	1
9.44	12.05	2.61	SLT	FG	Black clayey material housing pyrite as well as realgar mineralization sporadically throughout. One small competent piece reveals a dark grey siltstone with abundant pyrite as a likely protolith.							
						DK	BK	MA	CLY	4I	Py	1
						DK	BK	MA	CLY	4I	Re	0.05
						DK	GY	MA	CLY	4I	Py	1
						DK	GY	MA	CLY	4I	Re	0.05
12.05	71.63	59.58	LST	--	Brecciated limestone interval. Breccia textures consist of a calcareous black crackle matrix surrounding limestone and dolostone clasts. Massive medium grey lime mudstones are present as a minor phase. Weak realgar mineralization occurs throughout and is preferentially associated with calcite veins and veinlets. Most realgar mineralization is concentrated from 32.00-35.00m and associated with extremely rubbly, sometime porous, weakly calcareous possibly decalcified material.							
						MD	GY	BX	DOL	1I	Re	0.01
						MD	GY	RB	DOL	1I	Re	0.01
						MD	GY	MA	DOL	1I	Re	0.01
						LT	GY	BX	DOL	1I	Re	0.01
						LT	GY	RB	DOL	1I	Re	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
						LT	GY	MA	DOL	1I	Re	0.01
						LT	OR	BX	DOL	1I	Re	0.01
						LT	OR	RB	DOL	1I	Re	0.01
						LT	OR	MA	DOL	1I	Re	0.01
71.63	94.90	23.27	CGL	--	Conglomerate interval likely representing the result of intense dissolution processes. Interval exhibits ductile strain and has fine grained pyrite disseminated throughout.							
						DK	GY	SN	---	--	Py	1
						DK	GY	SN	---	--	Re	0.01
						DK	BK	SN	---	--	Py	1
						DK	BK	SN	---	--	Re	0.01
94.90	112.25	17.35	LST	--	Calcareous brecciated limestone containing rounded to angular clasts of varying size. Breccia ranges from matrix to clast dominated. Breccia matrix consists of black crackle seams and possible dissolution residue. A low percentage of clasts have been dolomitized and are light grey in colour.							
						MD	GY	BX	DOL	1I	--	0
112.25	131.06	18.81	CGL	--	Dissolution derived conglomerate. Texture defined by soft, dark grey matrix inferred to represent dissolution residue surrounding medium grey subrounded to subangular non calcareous clasts.							
						MD	GY	SN	---	--	--	0
						DK	GY	SN	---	--	--	0
131.06	143.78	12.72	-?-	--	No recoverable material.							
						--	--	---	---	--	--	0
143.78	230.12	86.34	MST	FG	Dark, non calcareous debrite mudstone exhibiting a mottled texture defined by lighter coloured clasts supported within a dark mud matrix.							
						DK	GY	DB	---	--	--	0
						DK	GY	SN	---	--	--	0
						DK	BK	DB	---	--	--	0
						DK	BK	SN	---	--	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	1.70	1.70	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
1.70	10.00	8.30	OVB	FG	Brown clay material representative of overburden.							
						MD	GY	---	---	0I	--	0
						DK	BR	---	---	0I	--	0
10.00	30.48	20.48	ARG	FG	Dark grey, massive to bedded argillite interval represented by clayey and rubbly material. Bedding is defined by alternating light and dark grey layers. Where present bedding is planar and continuous. Material has begun to devlop fissility.							
						DK	GY	RB	CLY	3I	--	0
						DK	GY	MA	CLY	3I	--	0

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	6.85	6.85	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
6.85	54.25	47.40	ARG	FG	Heavily fractured argillite. Interval ranges from bedded to massive. Thin, chaotic fracture seams are evident throughout. Material fractures in a platy fashion and has begun to develop fissility. The majority of this interval is represented by clayey and rubbly material.							
						DK	GY	BD	CLY	3I	--	0
						DK	GY	MA	CLY	3I	--	0
						DK	BK	BD	CLY	3I	--	0
						DK	BK	MA	CLY	3I	--	0
54.25	61.87	7.62	LST	--	Intensely altered, orpiment and realgar mineralized breccia.							
						DK	BK	BX	DCA	4I	Re	3
						DK	BK	BX	DCA	4I	Om	10
						DK	BK	BX	DCA	4I	Fl	0.01
						DK	BK	BX	SIL	3I	Re	3
						DK	BK	BX	SIL	3I	Om	10
						DK	BK	BX	SIL	3I	Fl	0.01
						LT	YW	BX	DCA	4I	Re	3
						LT	YW	BX	DCA	4I	Om	10
						LT	YW	BX	DCA	4I	Fl	0.01
						LT	YW	BX	SIL	3I	Re	3
						LT	YW	BX	SIL	3I	Om	10
						LT	YW	BX	SIL	3I	Fl	0.01

From (m)	To (m)	Interval (m)	Unit	Grain Size	Description	Shade	Colour	Texture	Alteration	Intensity	Mineral	Conc.
0.00	0.51	0.51	OVB	--	No Recovery.							
						--	--	---	---	--	--	0
0.51	0.91	0.40	OVB	FG	Rubbly clayey material representative of overburden.							
						--	--	---	---	--	--	0
0.91	153.50	152.59	LST	--	Variably dolomitized brecciated limestone package housing trace realgar mineralization in veinlets throughout.							
						MD	GY	BX	DOL	2I	Re	0.01
						MD	GY	BD	DOL	2I	Re	0.01
153.50	183.79	30.29	MST	FG	Terrigenous debrite unit defined by variably calcareous, angular to subrounded clasts surrounded by a dark grey to black carbonaceous mud matrix. Dolomitic, fragmental veins and veinlets are present throughout. Some clasts supported within the matrix exhibit bedding textures. Ductile strain is displayed by deformed, elongate,clasts, veins and pyritic blebs. Strain fabric is non pervasive and varies from 30-40 degrees TCA throughout.							
						DK	GY	DB	---	--	--	0
						DK	BK	DB	---	--	--	0

ATAC resources ltd.

Sample Results

DL -11-001

Dale

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-148	K300312	0.00	0.00	0.00	0.005	2.5	0.01	0.28	0.02	☐	☑	☐	NQ
11-148	K300317	0.00	0.00	0.00	2.660	567.0	4.57	106.50	3.64	☐	☐	☑	NT2
11-158	K300333	0.00	0.00	0.00	0.320	619.0	10.00	126.00	7.61	☐	☐	☑	NT1
11-158	K300340	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-158	K300346	0.00	0.00	0.00	2.400	589.0	4.34	112.00	3.98	☐	☐	☑	NT2
11-158	K300360	0.00	0.00	0.00	0.040	14.0	0.07	0.03	0.04	☐	☑	☐	NQ and End of Batch
11-165	K300366	0.00	0.00	0.00	2.630	607.0	5.07	108.50	3.60	☐	☐	☑	NT2
11-165	K300368	0.00	0.00	0.00	0.005	2.5	0.02	0.06	0.02	☐	☑	☐	NQ
11-165	K300385	0.00	0.00	0.00	8.090	1020.0	6.02	17.55	13.00	☐	☐	☑	NT3
11-165	K300393	0.00	0.00	0.00	0.005	14.0	0.20	0.03	0.02	☐	☑	☐	NQ
11-170	K300401	0.00	0.00	0.00	0.330	598.0	9.00	111.00	7.56	☐	☐	☑	NT1
11-170	K300403	0.00	0.00	0.00	0.005	9.0	0.11	0.06	0.05	☐	☑	☐	NQ
11-170	K300428	0.00	0.00	0.00	2.500	516.0	4.86	106.50	4.00	☐	☐	☑	NT2
11-170	K300433	0.00	0.00	0.00	0.005	2.5	0.02	0.05	0.03	☐	☑	☐	NQ + End of Batch 170

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-171	K300435	0.00	0.00	0.00	7.750	1020.0	5.53	17.25	13.75	☐	☐	☑	NT3
11-148	K300310	1.54	3.96	2.42	0.005	6.3	0.01	0.44	0.76	☐	☐	☐	
11-148	K300311	3.96	7.01	3.05	0.005	7.0	0.01	0.45	0.78	☐	☐	☐	
11-148	K300313	7.01	10.05	3.04	0.005	18.8	0.01	0.48	0.84	☐	☐	☐	
11-148	K300314	10.05	13.12	3.07	0.005	9.4	0.01	0.40	0.83	☐	☐	☐	
11-148	K300315	13.12	16.15	3.03	0.005	18.5	0.03	0.56	0.79	☐	☐	☐	
11-148	K300316	16.15	19.20	3.05	0.005	17.2	0.04	0.50	0.80	☐	☐	☐	
11-148	K300318	19.20	22.25	3.05	0.005	24.8	0.06	0.51	0.95	☐	☐	☐	
11-148	K300319	22.25	25.30	3.05	0.005	18.6	0.09	0.66	1.45	☐	☐	☐	
11-148	K300320	25.30	28.35	3.05	0.005	37.0	0.10	0.60	2.04	☐	☐	☐	
11-148	K300321	28.35	31.39	3.04	0.005	51.2	0.08	0.94	1.44	☐	☐	☐	
11-148	K300322	31.39	34.44	3.05	0.005	21.2	0.08	0.77	1.37	☐	☐	☐	
11-148	K300323	34.44	37.49	3.05	0.005	17.8	0.05	0.40	1.63	☐	☐	☐	
11-148	K300324	37.49	40.54	3.05	0.005	20.5	0.14	0.46	2.11	☐	☐	☐	End of Batch 148
11-158	K300325	40.54	41.71	1.17	0.005	19.9	0.14	0.38	1.86	☐	☐	☐	Start of Batch 158

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-158	K300326	41.71	43.58	1.87	0.005	10.0	0.09	0.10	0.56	☐	☐	☐	
11-158	K300327	43.58	46.11	2.53	0.005	66.0	0.65	0.24	2.62	☐	☐	☐	
11-158	K300336	46.11	48.16	2.05	0.005	68.0	1.32	0.36	2.85	☐	☐	☐	
11-158	K300328	48.16	49.68	1.52	0.005	40.0	1.13	0.19	0.75	☐	☐	☐	
11-158	K300329	49.68	52.73	3.05	0.005	57.0	1.05	0.35	0.34	☐	☐	☐	
11-158	K300330	52.73	55.78	3.05	0.005	396.0	2.59	0.59	0.91	☐	☐	☐	
11-158	K300331	55.78	58.83	3.05	0.005	308.0	1.43	0.41	1.50	☐	☐	☐	
11-158	K300332	58.83	61.87	3.04	0.005	1470.0	6.89	0.96	3.06	☐	☐	☐	
11-158	K300334	61.87	64.92	3.05	0.005	240.0	0.77	0.22	0.54	☐	☐	☐	
11-158	K300335	64.92	67.97	3.05	0.005	142.0	0.41	0.11	0.37	☐	☐	☐	
11-158	K300337	67.97	71.02	3.05	0.005	109.0	0.48	0.23	0.40	☐	☐	☐	
11-158	K300338	67.97	71.02	3.05	0.005	91.0	0.46	0.21	0.33	☑	☐	☐	Duplicate of 337
11-158	K300339	71.02	74.07	3.05	0.005	148.0	0.66	0.26	0.36	☐	☐	☐	
11-158	K300341	74.07	77.11	3.04	0.005	142.0	0.67	0.14	0.39	☐	☐	☐	
11-158	K300342	77.11	80.16	3.05	0.005	100.0	0.26	0.06	0.51	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-158	K300343	80.16	81.69	1.53	0.005	54.0	0.25	0.06	0.25	☐	☐	☐	No recovery between 81.69 and 83.21m
11-158	K300344	83.21	86.26	3.05	0.005	232.0	0.51	0.11	0.98	☐	☐	☐	
11-158	K300345	86.26	89.31	3.05	0.005	94.0	0.26	0.07	0.78	☐	☐	☐	
11-158	K300347	89.31	92.35	3.04	0.005	108.0	0.23	0.21	1.19	☐	☐	☐	
11-158	K300348	92.35	95.40	3.05	0.005	267.0	0.41	0.13	1.72	☐	☐	☐	
11-158	K300349	95.40	98.45	3.05	0.005	1440.0	4.81	0.42	2.34	☐	☐	☐	
11-158	K300350	98.45	101.50	3.05	0.010	846.0	1.34	0.44	4.72	☐	☐	☐	
11-158	K300351	101.50	104.55	3.05	0.005	1660.0	4.99	0.54	4.64	☐	☐	☐	
11-158	K300352	104.55	107.59	3.04	0.005	1100.0	1.69	0.31	3.73	☐	☐	☐	
11-158	K300353	107.59	110.64	3.05	0.010	1830.0	10.90	0.53	4.53	☐	☐	☐	
11-158	K300354	110.64	112.17	1.53	0.005	1260.0	3.45	0.25	2.21	☐	☐	☐	
11-158	K300355	112.17	113.69	1.52	0.005	3000.0	53.40	0.52	5.67	☐	☐	☐	
11-158	K300356	113.69	115.21	1.52	0.005	2120.0	13.10	1.39	3.85	☐	☐	☐	
11-158	K300357	115.21	116.74	1.53	0.005	4530.0	24.60	1.98	7.41	☐	☐	☐	
11-158	K300358	116.74	118.26	1.52	0.005	1620.0	35.80	0.66	2.48	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-158	K300359	118.26	121.31	3.05	0.005	904.0	10.15	0.37	2.06	☐	☐	☐	
11-165	K300361	121.31	124.36	3.05	0.010	918.0	2.68	0.66	2.57	☐	☐	☐	
11-165	K300362	124.36	127.41	3.05	0.010	1530.0	41.00	0.84	5.16	☐	☐	☐	
11-165	K300363	127.41	130.46	3.05	0.010	478.0	11.60	0.30	1.82	☐	☐	☐	
11-165	K300364	130.46	133.50	3.04	0.010	652.0	2.57	0.23	3.01	☐	☐	☐	
11-165	K300365	133.50	136.55	3.05	0.010	440.0	3.46	0.13	2.02	☐	☐	☐	
11-165	K300367	136.55	139.60	3.05	0.010	578.0	2.85	0.24	2.38	☐	☐	☐	
11-165	K300369	139.60	142.65	3.05	0.010	1120.0	2.63	0.55	4.19	☐	☐	☐	
11-165	K300370	142.65	145.69	3.04	0.005	520.0	2.64	0.22	1.97	☐	☐	☐	
11-165	K300371	145.69	148.74	3.05	0.005	527.0	1.46	0.45	2.60	☐	☐	☐	
11-165	K300372	148.74	151.79	3.05	0.005	528.0	0.69	0.44	2.57	☐	☐	☐	
11-165	K300373	151.79	154.84	3.05	0.005	590.0	0.60	0.37	1.51	☐	☐	☐	
11-165	K300374	154.84	157.89	3.05	0.005	462.0	0.81	0.26	1.87	☐	☐	☐	
11-165	K300375	157.89	160.93	3.04	0.005	492.0	1.09	0.33	2.47	☐	☐	☐	
11-165	K300377	160.93	167.03	6.10	0.005	307.0	0.83	0.32	1.44	☐	☐	☐	Sample 376 does not exist

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-165	K300378	167.03	170.08	3.05	0.005	1930.0	3.37	0.73	1.91	☐	☐	☐	
11-165	K300379	170.08	173.13	3.05	0.005	314.0	1.12	0.38	1.47	☐	☐	☐	
11-165	K300380	173.13	176.17	3.04	0.005	665.0	3.44	0.84	2.62	☐	☐	☐	
11-165	K300381	176.17	179.22	3.05	0.005	184.0	0.82	0.30	1.13	☐	☐	☐	
11-165	K300382	179.22	182.27	3.05	0.005	414.0	2.02	0.64	2.04	☐	☐	☐	
11-165	K300383	182.27	185.32	3.05	0.010	889.0	2.32	1.10	2.56	☐	☐	☐	
11-165	K300384	185.32	188.37	3.05	0.010	1640.0	2.29	4.68	2.54	☐	☐	☐	
11-165	K300386	188.37	191.41	3.04	0.005	437.0	0.91	1.44	1.31	☐	☐	☐	
11-165	K300387	188.37	191.41	3.04	0.005	512.0	2.09	1.83	1.30	☑	☐	☐	Duplicate of 386
11-165	K300388	191.41	194.46	3.05	0.005	587.0	1.40	1.50	1.96	☐	☐	☐	
11-165	K300389	194.46	197.51	3.05	0.005	128.0	1.30	0.34	0.46	☐	☐	☐	
11-165	K300390	197.51	200.56	3.05	0.005	158.0	1.65	0.43	0.60	☐	☐	☐	
11-165	K300391	200.56	203.61	3.05	0.005	678.0	5.50	1.14	2.16	☐	☐	☐	
11-165	K300392	203.61	206.65	3.04	0.005	2140.0	49.40	1.28	1.61	☐	☐	☐	
11-165	K300394	206.65	209.70	3.05	0.005	2740.0	3.79	2.75	5.11	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-165	K300395	209.70	212.75	3.05	0.005	1180.0	2.47	0.78	2.51	☐	☐	☐	
11-165	K300396	212.75	215.80	3.05	0.005	508.0	2.33	0.63	2.49	☐	☐	☐	
11-165	K300397	215.80	218.85	3.05	0.010	1260.0	5.25	2.07	3.69	☐	☐	☐	End of Batch 165
11-170	K300398	218.85	221.89	3.04	0.005	519.0	72.20	5.83	2.52	☐	☐	☐	Start of Batch 170
11-170	K300399	221.89	224.94	3.05	0.040	1800.0	20.60	6.04	6.80	☐	☐	☐	
11-170	K300400	224.94	226.10	1.16	0.005	1500.0	9.40	2.44	16.45	☐	☐	☐	
11-170	K300402	226.10	227.99	1.89	0.005	647.0	3.93	1.62	12.15	☐	☐	☐	
11-170	K300404	227.99	231.04	3.05	0.005	143.0	2.66	0.63	1.14	☐	☐	☐	
11-170	K300405	231.04	234.09	3.05	0.005	167.0	2.25	0.53	1.30	☐	☐	☐	
11-170	K300406	234.09	237.13	3.04	0.005	191.0	4.82	1.93	0.74	☐	☐	☐	
11-170	K300407	237.13	240.18	3.05	0.005	267.0	5.10	4.69	1.52	☐	☐	☐	
11-170	K300408	237.13	240.18	3.05	0.005	226.0	2.99	4.16	1.52	☑	☐	☐	Duplicate of 407
11-170	K300409	240.18	243.23	3.05	0.005	97.0	0.97	0.86	1.34	☐	☐	☐	
11-170	K300410	243.23	246.28	3.05	0.005	32.0	0.61	0.44	0.84	☐	☐	☐	
11-170	K300411	246.28	249.33	3.05	0.005	51.0	0.57	0.75	0.88	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-170	K300412	249.33	252.37	3.04	0.005	44.0	0.28	0.46	0.49	☐	☐	☐	
11-170	K300413	252.37	255.72	3.35	0.005	284.0	0.68	1.31	4.66	☐	☐	☐	
11-170	K300414	255.42	258.47	3.05	0.005	49.0	12.50	0.56	0.82	☐	☐	☐	
11-170	K300415	258.47	261.52	3.05	0.005	35.0	0.50	0.27	0.43	☐	☐	☐	
11-170	K300416	261.52	264.57	3.05	0.005	26.0	0.43	0.37	0.53	☐	☐	☐	
11-170	K300417	264.57	267.61	3.04	0.005	41.0	0.55	0.45	0.65	☐	☐	☐	
11-170	K300418	267.61	270.66	3.05	0.005	23.0	0.80	0.39	2.99	☐	☐	☐	
11-170	K300419	270.66	273.71	3.05	0.005	29.0	0.77	0.55	2.03	☐	☐	☐	
11-170	K300420	273.71	276.76	3.05	0.005	68.0	3.01	1.63	2.32	☐	☐	☐	
11-170	K300421	276.76	279.81	3.05	0.005	80.0	3.15	0.86	11.95	☐	☐	☐	
11-170	K300422	279.81	282.85	3.04	0.005	30.0	2.22	0.32	5.64	☐	☐	☐	
11-170	K300423	282.85	284.38	1.53	0.010	98.0	4.08	0.90	2.60	☐	☐	☐	
11-170	K300424	284.38	287.43	3.05	0.010	112.0	10.10	1.10	1.60	☐	☐	☐	
11-170	K300425	287.43	290.47	3.04	0.010	94.0	7.45	1.23	1.28	☐	☐	☐	
11-170	K300426	290.47	293.52	3.05	0.005	37.0	0.89	0.50	0.66	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-170	K300427	293.52	296.57	3.05	0.010	48.0	3.07	0.22	1.08	☐	☐	☐	
11-170	K300429	296.57	299.62	3.05	0.050	112.0	11.40	1.30	3.65	☐	☐	☐	
11-170	K300430	299.62	302.67	3.05	0.070	174.0	13.90	0.92	23.20	☐	☐	☐	
11-170	K300431	302.67	305.70	3.03	0.010	176.0	12.00	0.86	21.10	☐	☐	☐	
11-170	K300432	305.70	306.90	1.20	0.005	54.0	3.54	0.88	4.13	☐	☐	☐	
11-171	K300434	306.90	309.95	3.05	0.005	139.0	9.90	0.95	12.55	☐	☐	☐	Start of Batch 171
11-171	K300436	309.95	311.81	1.86	0.005	67.0	5.67	0.90	5.92	☐	☐	☐	
11-171	K300437	311.81	314.86	3.05	0.005	178.0	11.80	0.80	14.20	☐	☐	☐	
11-171	K300438	314.86	317.91	3.05	0.005	103.0	5.89	0.37	8.28	☐	☐	☐	
11-171	K300439	317.91	320.95	3.04	0.005	51.0	2.50	0.20	3.67	☐	☐	☐	
11-171	K300440	320.95	324.00	3.05	0.005	50.0	2.22	0.17	2.81	☐	☐	☐	

Sample Results

DL -11-002

Dale

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-171	K300446	0.00	0.00	0.00	0.320	622.0	8.30	121.50	8.49	☐	☐	☑	NT1
11-171	K300459	0.00	0.00	0.00	0.005	5.0	0.01	0.07	0.03	☐	☑	☐	NQ
11-171	K300466	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.01	☐	☑	☐	NQ
11-183	K300472	0.00	0.00	0.00	16.400	1260.0	5.77	161.50	4.05	☐	☐	☑	NT4
11-183	K300475	0.00	0.00	0.00	0.005	23.0	0.01	0.05	0.22	☐	☑	☐	NQ
11-183	K300493	0.00	0.00	0.00	0.350	616.0	9.60	111.50	8.58	☐	☐	☑	NT1
11-183	K300497	0.00	0.00	0.00	0.005	11.0	0.01	0.06	0.03	☐	☑	☐	NQ
11-192	K304509	0.00	0.00	0.00	0.350	612.0	9.00	116.00	8.31	☐	☐	☑	NT1
11-192	K304513	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-192	K304528	0.00	0.00	0.00	0.005	8.0	0.01	0.05	0.01	☐	☐	☐	
11-192	K304537	0.00	0.00	0.00	2.680	576.0	4.29	105.50	4.08	☐	☐	☑	NT2
11-197	K304547	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-171	K300441	1.52	4.57	3.05	0.005	14.4	0.04	0.35	0.96	☐	☐	☐	
11-171	K300442	4.57	7.62	3.05	0.005	31.0	0.04	0.79	0.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-171	K300443	7.62	10.67	3.05	0.005	51.6	0.03	1.02	0.82	☐	☐	☐	
11-171	K300444	10.67	13.72	3.05	0.005	18.0	0.01	0.64	0.71	☐	☐	☐	
11-171	K300445	13.72	16.77	3.05	0.005	14.1	0.01	0.49	0.72	☐	☐	☐	
11-171	K300447	16.77	19.81	3.04	0.005	14.3	0.02	0.74	0.74	☐	☐	☐	
11-171	K300448	19.81	21.33	1.52	0.005	13.8	0.01	0.55	0.70	☐	☐	☐	
11-171	K300449	21.33	24.38	3.05	0.005	11.5	0.01	0.55	0.69	☐	☐	☐	
11-171	K300450	21.33	24.38	3.05	0.005	11.6	0.02	0.55	0.70	☑	☐	☐	Duplicate of 449
11-171	K300451	24.38	27.43	3.05	0.005	15.4	0.01	0.55	0.75	☐	☐	☐	
11-171	K300452	27.43	30.48	3.05	0.005	21.0	0.01	0.60	0.76	☐	☐	☐	
11-171	K300453	30.48	33.53	3.05	0.005	18.1	0.01	0.59	0.75	☐	☐	☐	
11-171	K300454	33.53	36.58	3.05	0.005	18.9	0.02	0.58	0.72	☐	☐	☐	
11-171	K300455	36.58	39.62	3.04	0.005	23.6	0.02	0.56	0.68	☐	☐	☐	
11-171	K300456	39.62	42.67	3.05	0.005	20.6	0.01	0.49	0.65	☐	☐	☐	
11-171	K300457	42.67	45.72	3.05	0.005	20.0	0.01	0.45	0.69	☐	☐	☐	
11-171	K300458	45.72	48.77	3.05	0.005	17.3	0.01	0.45	0.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-171	K300460	48.77	51.82	3.05	0.005	30.1	0.02	0.48	0.70	☐	☐	☐	
11-171	K300461	51.82	54.86	3.04	0.005	39.3	0.02	0.53	0.67	☐	☐	☐	
11-171	K300462	54.86	57.91	3.05	0.005	57.5	0.03	0.58	0.68	☐	☐	☐	
11-171	K300463	57.91	60.96	3.05	0.005	106.0	0.02	0.59	0.73	☐	☐	☐	
11-171	K300464	60.96	62.90	1.94	0.005	90.5	0.02	0.47	0.81	☐	☐	☐	
11-171	K300465	62.90	64.01	1.11	0.005	150.5	0.02	0.65	0.78	☐	☐	☐	
11-171	K300467	64.01	67.05	3.04	0.005	163.5	0.02	0.63	0.69	☐	☐	☐	
11-171	K300468	67.05	70.10	3.05	0.005	831.0	0.03	0.79	1.23	☐	☐	☐	
11-171	K300469	70.10	72.80	2.70	0.005	1290.0	0.05	0.41	2.57	☐	☐	☐	End of Batch 171
11-183	K300470	72.80	73.95	1.15	0.010	4390.0	1.00	0.31	71.90	☐	☐	☐	Start of Batch 183
11-183	K300471	73.95	75.45	1.50	0.005	6540.0	1.61	0.37	155.50	☐	☐	☐	
11-183	K300473	75.45	76.65	1.20	0.005	3010.0	1.35	0.23	31.20	☐	☐	☐	
11-183	K300474	76.65	79.05	2.40	0.005	15550.0	9.50	0.54	201.00	☐	☐	☐	
11-183	K300476	79.05	81.45	2.40	0.010	4890.0	11.50	0.46	103.50	☐	☐	☐	
11-183	K300477	81.45	82.29	0.84	0.010	2500.0	5.03	0.38	52.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-183	K300478	82.29	83.95	1.66	0.010	4920.0	9.92	0.73	102.50	☐	☐	☐	
11-183	K300479	83.95	85.68	1.73	0.005	483.0	0.18	0.20	0.69	☐	☐	☐	
11-183	K300480	85.68	86.75	1.07	0.010	1460.0	0.50	0.31	1.90	☐	☐	☐	
11-183	K300481	86.75	88.39	1.64	0.010	1460.0	0.86	0.27	3.78	☐	☐	☐	
11-183	K300482	88.39	91.44	3.05	0.005	344.0	0.28	0.29	0.70	☐	☐	☐	
11-183	K300483	88.39	91.44	3.05	0.005	441.0	0.27	0.30	0.67	☑	☐	☐	Duplicate of 482
11-183	K300484	91.44	94.49	3.05	0.005	2610.0	0.45	1.69	12.75	☐	☐	☐	
11-183	K300485	94.49	97.54	3.05	0.005	75.7	0.37	0.26	0.55	☐	☐	☐	
11-183	K300486	97.54	100.58	3.04	0.005	53.9	0.27	0.32	0.71	☐	☐	☐	
11-183	K300487	100.58	103.63	3.05	0.010	72.1	0.50	0.37	0.83	☐	☐	☐	
11-183	K300488	103.63	106.68	3.05	0.010	115.5	0.60	0.36	0.81	☐	☐	☐	
11-183	K300489	106.68	109.73	3.05	0.005	49.0	0.27	0.23	0.36	☐	☐	☐	
11-183	K300490	109.73	112.78	3.05	0.005	47.0	0.29	0.26	0.47	☐	☐	☐	
11-183	K300491	112.78	115.82	3.04	0.005	113.0	0.45	0.30	0.85	☐	☐	☐	
11-183	K300492	115.82	117.45	1.63	0.020	404.0	0.45	0.39	1.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-183	K300494	117.45	118.87	1.42	0.010	50.0	0.25	0.26	0.79	☐	☐	☐	
11-183	K300495	118.87	121.92	3.05	0.005	26.0	0.16	0.12	0.21	☐	☐	☐	
11-183	K300496	121.92	124.97	3.05	0.005	17.0	0.06	0.14	0.18	☐	☐	☐	
11-183	K300498	124.97	128.02	3.05	0.010	28.0	0.12	0.17	0.23	☐	☐	☐	
11-183	K300499	128.02	131.06	3.04	0.010	38.0	0.13	0.23	0.24	☐	☐	☐	
11-183	K300500	131.06	134.11	3.05	0.005	19.0	0.09	0.20	0.18	☐	☐	☐	
11-183	K304501	134.11	137.16	3.05	0.010	31.0	0.08	0.19	0.20	☐	☐	☐	
11-183	K304502	137.16	140.21	3.05	0.005	22.0	0.05	0.14	0.16	☐	☐	☐	
11-183	K304503	140.21	143.26	3.05	0.005	21.0	0.05	0.14	0.12	☐	☐	☐	
11-183	K304504	143.26	144.78	1.52	0.010	18.0	0.10	0.14	0.15	☐	☐	☐	
11-183	K304505	144.78	147.83	3.05	0.010	24.0	0.06	0.14	0.15	☐	☐	☐	End of Batch 183
11-192	K304506	147.83	150.88	3.05	0.005	6.0	0.06	0.17	0.12	☐	☐	☐	Start of Batch 192
11-192	K304507	150.88	153.92	3.04	0.010	14.0	0.16	0.29	0.22	☐	☐	☐	
11-192	K304508	153.92	156.97	3.05	0.005	2.5	0.07	0.15	0.06	☐	☐	☐	
11-192	K304510	156.97	160.02	3.05	0.005	13.0	0.07	0.22	0.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-192	K304511	160.02	163.07	3.05	0.005	15.0	0.06	0.14	0.04	☐	☐	☐	
11-192	K304512	163.07	166.12	3.05	0.005	12.0	0.09	0.21	0.18	☐	☐	☐	
11-192	K304514	166.12	169.16	3.04	0.005	14.0	0.08	0.16	0.10	☐	☐	☐	
11-192	K304515	169.16	172.21	3.05	0.005	12.0	0.04	0.13	0.07	☐	☐	☐	
11-192	K304516	172.21	175.26	3.05	0.005	9.0	0.05	0.13	0.11	☐	☐	☐	
11-192	K304517	175.26	178.31	3.05	0.005	14.0	0.10	0.14	0.09	☐	☐	☐	
11-192	K304518	178.31	181.36	3.05	0.005	11.0	0.07	0.16	0.12	☐	☐	☐	
11-192	K304519	178.31	181.36	3.05	0.005	11.0	0.06	0.16	0.12	☑	☐	☐	Duplicate of 518
11-192	K304520	181.36	184.40	3.04	0.005	10.0	0.07	0.14	0.10	☐	☐	☐	
11-192	K304521	184.40	187.45	3.05	0.005	16.0	0.05	0.12	0.10	☐	☐	☐	
11-192	K304522	187.45	190.50	3.05	0.005	7.0	0.06	0.13	0.04	☐	☐	☐	
11-192	K304523	190.50	193.55	3.05	0.005	16.0	0.06	0.12	0.05	☐	☐	☐	
11-192	K304524	193.55	196.60	3.05	0.005	11.0	0.07	0.14	0.07	☐	☐	☐	
11-192	K304525	196.60	199.64	3.04	0.005	26.0	0.11	0.19	0.21	☐	☐	☐	
11-192	K304526	199.64	202.69	3.05	0.005	16.0	0.07	0.11	0.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-192	K304527	202.69	205.74	3.05	0.005	16.0	0.07	0.14	0.04	☐	☐	☐	
11-192	K304529	205.74	208.79	3.05	0.005	15.0	0.06	0.15	0.03	☐	☐	☐	
11-192	K304530	208.79	211.84	3.05	0.005	17.0	0.06	0.12	0.04	☐	☐	☐	
11-192	K304531	211.84	213.36	1.52	0.005	20.0	0.07	0.11	0.06	☐	☐	☐	
11-192	K304532	213.36	216.41	3.05	0.005	17.0	0.07	0.15	0.09	☐	☐	☐	
11-192	K304533	216.41	217.93	1.52	0.005	11.0	0.07	0.15	0.09	☐	☐	☐	
11-192	K304534	217.93	220.98	3.05	0.005	13.0	0.05	0.21	0.20	☐	☐	☐	
11-192	K304535	220.98	224.03	3.05	0.010	6.0	0.05	0.25	0.29	☐	☐	☐	
11-192	K304536	224.03	225.55	1.52	0.005	6.0	0.02	0.14	0.21	☐	☐	☐	
11-192	K304538	225.55	227.08	1.53	0.005	7.0	0.03	0.32	0.25	☐	☐	☐	
11-192	K304539	227.08	230.12	3.04	0.005	17.0	0.06	0.25	0.32	☐	☐	☐	
11-192	K304540	230.12	233.17	3.05	0.005	12.0	0.03	0.18	0.19	☐	☐	☐	
11-192	K304541	233.17	236.22	3.05	0.005	16.0	0.04	0.23	0.21	☐	☐	☐	End of Batch 192
11-197	K304542	236.22	239.27	3.05	0.010	2.5	0.04	0.19	0.23	☐	☐	☐	Start of Batch 197
11-197	K304543	239.27	242.32	3.05	0.005	7.0	0.03	0.19	0.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-197	K304544	242.32	245.36	3.04	0.005	2.5	0.03	0.19	0.12	☐	☐	☐	
11-197	K304545	245.36	248.41	3.05	0.005	6.0	0.06	0.23	0.21	☐	☐	☐	
11-197	K304546	248.41	251.46	3.05	0.010	2.5	0.05	0.24	0.31	☐	☐	☐	
11-197	K304548	251.46	254.51	3.05	0.010	2.5	0.04	0.24	0.33	☐	☐	☐	
11-197	K304549	254.51	257.56	3.05	0.010	5.0	0.02	0.18	0.17	☐	☐	☐	
11-197	K304550	257.56	260.60	3.04	0.005	2.5	0.03	0.17	0.13	☐	☐	☐	

Sample Results

OS -11-010

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-001	K296508	0.00	0.00	0.00	15.450	1240.0	5.56	147.00	3.37	☐	☐	☑	NT4 (GS-15B)
11-001	K296511	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-001	K296519	0.00	0.00	0.00	1.540	593.0	4.40	95.20	3.90	☐	☐	☑	NT2 (GS-3G)
11-001	K296528	0.00	0.00	0.00	0.005	2.5	0.02	0.03	0.04	☐	☑	☐	HQ
11-002	K296541	0.00	0.00	0.00	2.650	590.0	4.57	105.50	4.12	☐	☐	☑	NT2 (GS-3G)
11-002	K296551	0.00	0.00	0.00	0.330	602.0	9.90	119.00	7.77	☐	☐	☑	NT1 (GS-P3A)
11-002	K296557	0.00	0.00	0.00	0.005	9.0	0.02	0.11	0.03	☐	☑	☐	HQ
11-002	K296569	0.00	0.00	0.00	0.005	5.0	0.02	0.12	0.04	☐	☑	☐	HQ
11-003	K296577	0.00	0.00	0.00	0.010	75.0	0.05	0.44	0.35	☐	☑	☐	HQ
11-003	K296594	0.00	0.00	0.00	0.350	608.0	8.70	115.50	8.22	☐	☐	☑	NT1 (GS-P3A)
11-003	K296598	0.00	0.00	0.00	0.010	2.5	6.94	0.09	0.09	☐	☑	☐	HQ
11-003	K296603	0.00	0.00	0.00	2.770	608.0	4.20	106.00	4.16	☐	☐	☑	NT2 (GS-3G)
11-006	K296614	0.00	0.00	0.00	0.350	603.0	9.20	112.50	8.30	☐	☐	☑	NT1 (GS-P3A)
11-006	K296616	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-006	K296623	0.00	0.00	0.00	2.610	621.0	4.39	101.50	4.31	☐	☐	☑	NT2 (GS-3G)
11-006	K296633	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.03	☐	☑	☐	HQ
11-001	K296501	3.05	6.10	3.05	0.010	5.6	0.18	0.65	0.69	☐	☐	☐	
11-001	K296502	6.10	9.15	3.05	0.010	36.4	0.47	0.54	1.48	☐	☐	☐	
11-001	K296503	6.10	9.15	3.05	0.010	41.1	0.54	0.68	1.47	☑	☐	☐	Duplicate of 502
11-001	K296504	9.15	12.19	3.04	0.005	48.1	0.59	1.07	1.08	☐	☐	☐	
11-001	K296505	12.19	15.24	3.05	0.005	69.2	0.31	0.67	0.78	☐	☐	☐	
11-001	K296506	15.24	18.29	3.05	0.010	51.3	0.23	0.49	1.06	☐	☐	☐	
11-001	K296507	18.29	21.34	3.05	0.005	18.1	0.23	0.74	0.79	☐	☐	☐	
11-001	K296509	21.34	24.38	3.04	0.010	19.2	0.07	0.44	0.54	☐	☐	☐	
11-001	K296510	24.38	27.43	3.05	0.010	38.3	0.05	0.35	0.54	☐	☐	☐	
11-001	K296512	27.43	30.48	3.05	0.010	31.5	0.18	0.35	0.87	☐	☐	☐	
11-001	K296513	30.48	33.53	3.05	0.010	134.0	0.70	0.46	2.19	☐	☐	☐	
11-001	K296514	33.53	36.58	3.05	0.010	42.4	0.14	0.36	1.07	☐	☐	☐	
11-001	K296515	36.58	39.62	3.04	0.010	14.2	0.18	0.33	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-001	K296516	39.62	42.67	3.05	0.010	3.7	0.07	0.30	0.46	☐	☐	☐	
11-001	K296517	42.67	45.72	3.05	0.010	8.1	0.13	0.29	0.69	☐	☐	☐	
11-001	K296518	45.72	48.77	3.05	0.010	5.2	0.16	0.29	0.62	☐	☐	☐	
11-001	K296520	48.77	51.82	3.05	0.010	30.3	0.68	0.52	2.12	☐	☐	☐	
11-001	K296521	51.82	54.86	3.04	0.010	52.8	1.27	0.80	3.76	☐	☐	☐	
11-001	K296522	54.86	57.91	3.05	0.010	180.0	0.98	1.42	2.92	☐	☐	☐	
11-001	K296523	57.91	60.96	3.05	0.005	54.4	0.92	0.88	1.84	☐	☐	☐	
11-001	K296524	60.96	64.01	3.05	0.010	255.0	1.72	1.59	2.64	☐	☐	☐	
11-001	K296525	64.01	65.55	1.54	0.010	112.5	1.85	0.88	5.09	☐	☐	☐	
11-001	K296526	65.55	68.58	3.03	0.005	56.2	1.14	0.59	2.52	☐	☐	☐	
11-001	K296527	68.58	70.92	2.34	0.005	147.5	9.10	2.11	21.00	☐	☐	☐	
11-001	K296529	70.92	72.10	1.18	0.005	67.0	0.72	0.98	3.58	☐	☐	☐	
11-001	K296530	72.10	74.68	2.58	0.005	89.0	1.74	0.98	2.30	☐	☐	☐	
11-001	K296531	74.68	77.72	3.04	0.010	79.0	1.21	0.48	0.99	☐	☐	☐	
11-001	K296532	77.72	79.25	1.53	0.010	1910.0	7.61	5.32	8.97	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-001	K296533	79.25	82.30	3.05	0.020	3160.0	16.00	16.95	15.00	☐	☐	☐	
11-001	K296534	82.30	85.34	3.04	0.005	1310.0	1.81	6.28	2.59	☐	☐	☐	
11-001	K296535	85.34	88.39	3.05	0.005	111.5	0.74	0.52	2.85	☐	☐	☐	
11-001	K296536	88.39	91.44	3.05	0.005	183.0	1.29	3.41	2.58	☐	☐	☐	
11-002	K296537	91.44	94.49	3.05	0.005	211.0	1.62	1.22	2.80	☐	☐	☐	
11-002	K296538	94.49	97.54	3.05	0.005	87.3	1.19	0.54	3.05	☐	☐	☐	
11-002	K296539	97.54	100.58	3.04	0.005	163.5	2.19	0.97	3.67	☐	☐	☐	
11-002	K296540	100.58	102.20	1.62	0.005	260.0	2.28	0.98	4.21	☐	☐	☐	
11-002	K296542	102.20	103.38	1.18	0.010	634.0	0.90	1.89	0.62	☐	☐	☐	
11-002	K296543	103.38	106.43	3.05	0.050	343.0	2.03	1.43	5.46	☐	☐	☐	
11-002	K296544	106.43	108.20	1.77	0.005	58.9	0.87	0.55	5.33	☐	☐	☐	
11-002	K296545	108.20	110.27	2.07	0.005	83.6	1.10	0.94	4.47	☐	☐	☐	
11-002	K296546	110.27	111.75	1.48	0.005	210.0	0.31	0.53	1.49	☐	☐	☐	
11-002	K296547	111.75	113.72	1.97	0.005	130.5	1.54	1.67	2.86	☐	☐	☐	
11-002	K296548	111.75	113.72	1.97	0.005	126.5	1.64	1.77	2.86	☑	☐	☐	Duplicate of 547

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-002	K296549	113.72	116.77	3.05	0.090	1025.0	4.80	4.51	7.50	☐	☐	☐	
11-002	K296550	116.77	119.27	2.50	0.060	1010.0	5.46	4.46	5.36	☐	☐	☐	
11-002	K296552	119.27	121.92	2.65	0.010	1650.0	2.01	6.10	2.85	☐	☐	☐	
11-002	K296553	121.92	124.97	3.05	0.040	796.0	7.50	4.77	5.43	☐	☐	☐	
11-002	K296554	124.97	128.02	3.05	0.010	952.0	7.57	4.06	8.08	☐	☐	☐	
11-002	K296555	128.02	131.06	3.04	0.030	566.0	4.78	6.73	6.84	☐	☐	☐	
11-002	K296556	131.06	133.45	2.39	0.170	4960.0	7.20	15.80	13.70	☐	☐	☐	
11-002	K296558	133.45	136.50	3.05	0.005	366.0	0.91	0.62	1.29	☐	☐	☐	
11-002	K296559	136.50	139.55	3.05	0.005	375.0	0.15	0.67	0.81	☐	☐	☐	
11-002	K296560	139.55	142.60	3.05	0.005	836.0	0.52	0.93	1.43	☐	☐	☐	
11-002	K296561	142.60	145.65	3.05	0.020	901.0	3.46	3.51	4.07	☐	☐	☐	
11-002	K296562	145.65	148.70	3.05	0.020	2480.0	2.85	5.93	3.28	☐	☐	☐	
11-002	K296563	148.70	151.75	3.05	0.005	1070.0	2.14	2.20	2.38	☐	☐	☐	
11-002	K296564	151.75	154.80	3.05	0.005	638.0	2.71	2.05	3.90	☐	☐	☐	
11-002	K296565	154.80	157.85	3.05	0.010	978.0	2.30	2.07	3.29	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-002	K296566	157.85	160.90	3.05	0.050	444.0	2.04	2.15	3.69	☐	☐	☐	
11-002	K296567	160.90	163.95	3.05	0.020	307.0	1.28	1.57	2.97	☐	☐	☐	
11-002	K296568	163.95	167.00	3.05	0.070	1960.0	3.14	8.44	8.11	☐	☐	☐	
11-002	K296570	167.00	170.05	3.05	0.020	600.0	2.50	2.54	5.24	☐	☐	☐	
11-002	K296571	170.05	173.10	3.05	0.090	254.0	2.18	2.59	5.09	☐	☐	☐	
11-002	K296572	173.10	176.15	3.05	0.040	1920.0	1.43	4.38	4.51	☐	☐	☐	
11-003	K296573	176.15	179.20	3.05	0.430	5620.0	3.73	17.45	13.30	☐	☐	☐	
11-003	K296574	179.20	181.36	2.16	0.250	1670.0	2.71	6.83	8.53	☐	☐	☐	
11-003	K296575	181.36	184.30	2.94	8.340	9200.0	16.70	111.00	48.50	☐	☐	☐	
11-003	K296576	184.30	184.85	0.55	26.900	13500.0	39.20	135.00	121.50	☐	☐	☐	
11-003	K296578	184.85	186.00	1.15	10.150	5800.0	20.20	50.10	56.10	☐	☐	☐	
11-003	K296579	186.00	186.74	0.74	8.370	29900.0	28.60	71.30	73.20	☐	☐	☐	
11-003	K296580	186.74	187.46	0.72	8.180	3700.0	25.00	44.30	59.90	☐	☐	☐	
11-003	K296581	187.46	188.46	1.00	11.250	17900.0	31.00	116.00	84.20	☐	☐	☐	
11-003	K296582	188.46	190.54	2.08	5.500	2850.0	19.60	42.50	51.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-003	K296583	190.54	191.61	1.07	11.400	1540.0	35.80	64.40	89.50	☐	☐	☐	
11-003	K296584	191.61	194.66	3.05	6.520	1150.0	24.30	52.10	67.60	☐	☐	☐	
11-003	K296585	194.66	197.60	2.94	3.070	693.0	13.10	26.50	36.10	☐	☐	☐	
11-003	K296586	197.60	199.64	2.04	1.570	344.0	6.10	13.10	20.80	☐	☐	☐	
11-003	K296587	199.64	202.69	3.05	1.430	4370.0	3.78	15.55	12.50	☐	☐	☐	
11-003	K296588	199.64	202.69	3.05	1.270	6510.0	3.23	17.60	10.80	☑	☐	☐	Duplicate of 587
11-003	K296589	202.69	205.74	3.05	4.520	534.0	12.70	29.20	40.50	☐	☐	☐	
11-003	K296590	205.74	208.79	3.05	4.300	607.0	12.90	30.20	41.30	☐	☐	☐	
11-003	K296591	208.79	211.84	3.05	7.350	747.0	17.90	42.40	56.20	☐	☐	☐	
11-003	K296592	211.84	214.88	3.04	8.430	930.0	22.60	52.40	73.60	☐	☐	☐	
11-003	K296593	214.88	217.93	3.05	3.650	394.0	10.30	24.00	35.40	☐	☐	☐	
11-003	K296595	217.93	220.98	3.05	3.470	395.0	10.00	23.90	35.60	☐	☐	☐	
11-003	K296596	220.98	224.03	3.05	2.360	313.0	10.45	17.40	25.30	☐	☐	☐	
11-003	K296597	224.03	227.08	3.05	2.730	300.0	6.02	16.70	26.60	☐	☐	☐	
11-003	K296599	227.08	230.12	3.04	3.840	448.0	0.03	23.90	37.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-003	K296600	230.12	233.17	3.05	0.770	152.0	10.35	4.28	7.45	☐	☐	☐	
11-003	K296601	233.17	236.22	3.05	1.640	293.0	2.03	9.75	17.95	☐	☐	☐	
11-003	K296602	236.22	239.27	3.05	3.090	395.0	4.70	17.60	25.30	☐	☐	☐	
11-003	K296604	239.27	242.32	3.05	0.300	112.0	1.83	3.59	6.50	☐	☐	☐	
11-003	K296605	242.32	245.36	3.04	1.600	213.0	3.57	9.90	14.45	☐	☐	☐	
11-003	K296606	245.36	248.41	3.05	9.840	832.0	14.30	40.80	60.60	☐	☐	☐	
11-003	K296607	248.41	251.46	3.05	2.190	189.0	3.34	9.66	14.75	☐	☐	☐	
11-003	K296608	251.46	254.51	3.05	0.700	111.0	2.20	4.94	9.20	☐	☐	☐	
11-006	K296609	254.51	257.56	3.05	1.570	183.0	3.26	8.60	13.90	☐	☐	☐	
11-006	K296610	257.56	260.60	3.04	1.700	296.0	4.11	10.25	16.50	☐	☐	☐	
11-006	K296611	260.60	263.65	3.05	2.010	265.0	4.33	9.56	16.65	☐	☐	☐	
11-006	K296612	263.65	266.70	3.05	0.080	183.0	2.90	2.06	8.32	☐	☐	☐	
11-006	K296613	266.70	269.75	3.05	0.020	206.0	2.84	0.85	7.23	☐	☐	☐	
11-006	K296615	269.75	272.80	3.05	1.110	974.0	3.76	3.49	9.41	☐	☐	☐	
11-006	K296617	272.80	275.84	3.04	0.080	438.0	4.11	0.52	9.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-006	K296618	275.84	278.89	3.05	0.290	982.0	8.50	1.03	17.75	☐	☐	☐	
11-006	K296619	278.89	280.42	1.53	0.110	419.0	5.55	1.92	11.35	☐	☐	☐	
11-006	K296620	280.42	283.45	3.03	1.220	719.0	5.30	7.40	14.60	☐	☐	☐	
11-006	K296621	283.45	285.37	1.92	0.520	584.0	4.53	7.47	15.30	☐	☐	☐	
11-006	K296622	285.37	286.81	1.44	8.160	17250.0	16.70	62.00	67.70	☐	☐	☐	
11-006	K296624	286.81	288.04	1.23	0.420	700.0	2.69	3.50	8.19	☐	☐	☐	
11-006	K296625	288.04	291.08	3.04	0.900	934.0	3.36	4.32	10.65	☐	☐	☐	
11-006	K296626	291.08	294.13	3.05	0.130	345.0	1.89	1.55	5.11	☐	☐	☐	
11-006	K296627	294.13	297.18	3.05	0.005	55.0	0.42	0.27	1.14	☐	☐	☐	
11-006	K296628	297.18	298.05	0.87	0.005	154.0	1.19	0.41	4.33	☐	☐	☐	
11-006	K296629	298.05	300.23	2.18	0.020	458.0	3.25	0.67	10.70	☐	☐	☐	
11-006	K296630	300.23	303.28	3.05	0.110	262.0	2.30	1.85	7.21	☐	☐	☐	
11-006	K296631	303.28	306.32	3.04	0.220	670.0	3.12	4.96	10.85	☐	☐	☐	
11-006	K296632	306.32	309.37	3.05	0.050	340.0	3.55	2.51	12.20	☐	☐	☐	
11-006	K296634	309.37	312.42	3.05	0.310	577.0	2.90	3.84	9.99	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-006	K296635	312.42	315.47	3.05	0.005	73.0	1.31	0.42	5.34	☐	☐	☐	
11-006	K296636	315.47	318.52	3.05	0.005	113.5	0.96	0.38	3.49	☐	☐	☐	
11-006	K296637	315.47	318.52	3.05	0.005	127.5	1.08	0.43	4.14	☑	☐	☐	Duplicate of 636
11-006	K296638	318.52	321.56	3.04	0.005	73.0	0.98	0.36	3.22	☐	☐	☐	
11-006	K296639	321.56	324.61	3.05	0.005	193.0	1.29	1.08	3.54	☐	☐	☐	
11-006	K296640	324.61	327.66	3.05	0.010	290.0	1.10	1.62	4.73	☐	☐	☐	
11-006	K296641	327.66	330.71	3.05	0.120	535.0	1.35	1.83	4.76	☐	☐	☐	
11-006	K296642	330.71	333.23	2.52	0.005	40.3	0.74	0.40	3.80	☐	☐	☐	
11-006	K296643	333.23	335.28	2.05	0.005	81.9	0.49	0.41	2.76	☐	☐	☐	EOH

Sample Results

OS -11-011

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-004	K296007	0.00	0.00	0.00	16.800	1240.0	4.78	158.00	3.66	☐	☐	☑	NT4 (GS-15B)
11-004	K296023	0.00	0.00	0.00	0.005	5.0	0.01	0.45	0.02	☐	☑	☐	HQ
11-004	K296027	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	HQ
11-004	K296032	0.00	0.00	0.00	0.340	570.0	8.41	113.50	7.68	☐	☐	☑	NT1
11-005	K296041	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-005	K296047	0.00	0.00	0.00	7.800	938.0	5.72	18.45	13.00	☐	☐	☑	NT3 (GS-8B)
11-005	K296056	0.00	0.00	0.00	0.005	12.0	0.01	0.11	0.05	☐	☑	☐	HQ
11-068	K296489	0.00	0.00	0.00	0.350	644.0	9.70	116.00	8.16	☐	☐	☑	NT1
11-068	K296494	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ + EOH
11-004	K296001	13.72	16.76	3.04	0.005	45.3	0.18	0.35	1.33	☐	☐	☐	
11-004	K296002	16.76	19.81	3.05	0.010	19.4	0.06	0.25	0.70	☐	☐	☐	
11-004	K296003	19.81	22.86	3.05	0.005	18.5	0.16	0.29	0.80	☐	☐	☐	
11-004	K296004	22.86	25.91	3.05	0.005	46.3	0.13	0.43	0.97	☐	☐	☐	
11-004	K296005	25.91	28.80	2.89	0.005	39.4	0.14	0.37	0.98	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-004	K296006	28.80	31.85	3.05	0.040	120.0	2.74	3.08	7.24	☐	☐	☐	
11-004	K296008	31.85	34.90	3.05	0.005	42.3	0.30	0.95	2.19	☐	☐	☐	
11-004	K296009	34.90	37.20	2.30	0.005	51.9	0.20	0.84	1.96	☐	☐	☐	
11-004	K296010	37.20	39.50	2.30	0.005	83.2	0.32	1.12	2.62	☐	☐	☐	
11-004	K296011	39.50	42.05	2.55	0.005	63.0	0.33	0.39	1.10	☐	☐	☐	
11-004	K296012	39.50	42.05	2.55	0.005	98.0	0.39	0.47	1.53	☑	☐	☐	Duplicate
11-004	K296013	42.05	45.10	3.05	0.005	57.0	2.26	0.39	4.36	☐	☐	☐	
11-004	K296014	45.10	48.00	2.90	0.010	120.5	2.55	1.18	6.92	☐	☐	☐	
11-004	K296015	48.00	49.15	1.15	0.005	168.0	1.63	0.76	2.68	☐	☐	☐	
11-004	K296016	49.15	51.40	2.25	0.030	166.0	3.75	0.82	6.47	☐	☐	☐	
11-004	K296017	51.40	54.20	2.80	0.005	83.0	0.77	0.52	1.76	☐	☐	☐	
11-004	K296018	54.20	56.70	2.50	0.005	139.5	1.37	0.84	3.68	☐	☐	☐	
11-004	K296019	56.70	59.30	2.60	0.005	115.5	1.72	0.71	4.23	☐	☐	☐	
11-004	K296020	59.30	60.55	1.25	0.005	169.5	2.93	1.28	5.69	☐	☐	☐	
11-004	K296021	60.55	63.35	2.80	0.050	266.0	3.13	3.13	7.74	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-004	K296022	63.35	66.40	3.05	0.005	131.0	3.16	0.90	6.60	☐	☐	☐	
11-004	K296024	66.40	68.58	2.18	0.005	84.0	1.01	0.31	2.07	☐	☐	☐	
11-004	K296025	68.58	71.00	2.42	0.030	432.0	2.60	3.13	8.44	☐	☐	☐	
11-004	K296026	71.00	73.00	2.00	0.030	609.0	2.67	2.99	13.05	☐	☐	☐	
11-004	K296028	73.00	75.50	2.50	0.005	228.0	1.12	0.88	4.88	☐	☐	☐	
11-004	K296029	75.50	77.20	1.70	0.005	104.5	0.68	0.57	5.94	☐	☐	☐	
11-004	K296030	77.20	79.25	2.05	0.005	36.0	0.32	0.48	1.26	☐	☐	☐	
11-004	K296031	79.25	82.30	3.05	0.005	283.0	1.01	0.84	3.75	☐	☐	☐	
11-004	K296033	82.30	85.34	3.04	0.060	428.0	2.39	1.52	7.22	☐	☐	☐	
11-004	K296034	85.34	88.39	3.05	0.005	360.0	3.06	2.07	8.01	☐	☐	☐	
11-004	K296035	88.39	91.44	3.05	0.005	86.0	1.23	0.49	3.10	☐	☐	☐	
11-004	K296036	91.44	94.49	3.05	0.005	180.0	2.29	1.22	6.38	☐	☐	☐	
11-005	K296037	94.49	97.54	3.05	0.005	100.0	0.85	0.68	4.43	☐	☐	☐	
11-005	K296038	97.54	100.58	3.04	0.005	124.0	1.27	0.91	5.65	☐	☐	☐	
11-005	K296039	100.58	103.63	3.05	0.005	130.0	2.18	0.90	5.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-005	K296040	103.63	106.68	3.05	0.005	114.0	1.87	1.12	5.79	☐	☐	☐	
11-005	K296042	106.68	109.73	3.05	0.050	144.0	1.78	1.70	4.30	☐	☐	☐	
11-005	K296043	106.68	109.73	3.05	0.040	137.0	1.60	1.54	3.71	☑	☐	☐	Duplicate
11-005	K296044	109.73	112.78	3.05	0.005	164.0	2.46	1.07	4.52	☐	☐	☐	
11-005	K296045	112.78	114.75	1.97	0.240	763.0	3.03	5.80	7.61	☐	☐	☐	
11-005	K296046	114.75	116.75	2.00	4.480	16550.0	11.50	70.40	50.40	☐	☐	☐	
11-005	K296048	116.75	118.75	2.00	3.250	8360.0	10.60	44.20	40.40	☐	☐	☐	
11-005	K296049	118.75	120.40	1.65	0.750	835.0	4.48	7.25	13.15	☐	☐	☐	
11-005	K296050	120.40	123.44	3.04	0.480	1255.0	3.08	5.26	9.85	☐	☐	☐	
11-005	K296051	123.44	124.97	1.53	0.900	2070.0	5.70	13.65	17.75	☐	☐	☐	
11-005	K296052	124.97	126.57	1.60	0.610	2390.0	6.20	13.95	21.30	☐	☐	☐	
11-005	K296053	126.57	129.54	2.97	1.280	6480.0	8.00	27.40	20.50	☐	☐	☐	
11-005	K296054	129.54	132.59	3.05	0.070	320.0	2.15	3.78	6.22	☐	☐	☐	
11-005	K296055	132.59	135.64	3.05	0.130	357.0	2.81	7.02	8.97	☐	☐	☐	
11-005	K296057	135.64	138.68	3.04	0.100	375.0	2.88	7.39	9.24	☐	☐	☐	Jump in sample number end of hole OS-11-11

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-068	K296484	138.68	141.73	3.05	0.020	265.0	1.31	2.06	4.35	☐	☐	☐	
11-068	K296485	141.73	144.78	3.05	0.010	54.9	0.67	0.78	4.24	☐	☐	☐	
11-068	K296486	144.78	147.83	3.05	0.005	103.0	0.42	0.70	2.85	☐	☐	☐	
11-068	K296487	147.83	150.88	3.05	0.005	64.2	0.29	0.76	1.72	☐	☐	☐	
11-068	K296488	150.88	153.92	3.04	0.005	54.9	0.20	0.58	1.47	☐	☐	☐	
11-068	K296490	153.92	156.97	3.05	0.005	66.2	0.51	1.03	3.90	☐	☐	☐	
11-068	K296491	156.97	160.06	3.09	0.005	179.5	0.23	0.67	1.86	☐	☐	☐	
11-068	K296492	160.06	163.07	3.01	0.005	30.7	0.08	0.23	0.69	☐	☐	☐	
11-068	K296493	163.07	166.12	3.05	0.005	32.4	0.09	0.37	0.87	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-012

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-007	K297011	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-007	K297018	0.00	0.00	0.00	2.660	584.0	4.70	104.50	3.64	☐	☐	☑	NT2 (GS-3G)
11-007	K297023	0.00	0.00	0.00	7.920	988.0	5.85	17.55	11.75	☐	☐	☑	NT3 (GS-8B)
11-007	K297027	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-009	K297038	0.00	0.00	0.00	2.630	596.0	4.64	110.00	3.65	☐	☐	☑	NT2 (GS-3G)
11-007	K297001	8.53	11.58	3.05	0.020	161.0	2.99	0.80	1.14	☐	☐	☐	
11-007	K297002	11.58	14.63	3.05	0.005	89.0	0.72	0.10	0.24	☐	☐	☐	
11-007	K297003	14.63	17.68	3.05	0.020	801.0	11.50	0.39	2.10	☐	☐	☐	
11-007	K297004	17.68	20.73	3.05	0.010	264.0	2.28	0.67	2.30	☐	☐	☐	
11-007	K297005	20.73	23.77	3.04	0.010	198.0	1.67	1.10	1.92	☐	☐	☐	
11-007	K297006	23.77	26.82	3.05	0.040	367.0	2.02	1.18	3.72	☐	☐	☐	
11-007	K297007	26.82	29.87	3.05	0.100	142.0	6.40	1.02	2.15	☐	☐	☐	
11-007	K297008	26.82	29.87	3.05	0.110	212.0	5.89	1.08	1.97	☑	☐	☐	Duplicate of 007
11-007	K297009	29.87	32.92	3.05	0.005	56.0	1.02	0.27	1.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-007	K297010	32.92	35.97	3.05	0.005	99.0	1.32	0.10	2.10	☐	☐	☐	
11-007	K297012	35.97	39.01	3.04	0.005	182.0	1.19	1.24	2.17	☐	☐	☐	
11-007	K297013	39.01	42.06	3.05	0.005	84.0	1.42	0.13	3.02	☐	☐	☐	
11-007	K297014	42.06	45.11	3.05	0.005	50.0	1.50	0.14	4.22	☐	☐	☐	
11-007	K297015	45.11	48.16	3.05	0.005	107.0	1.55	0.12	3.84	☐	☐	☐	
11-007	K297016	48.16	50.98	2.82	0.005	44.0	0.55	0.11	1.27	☐	☐	☐	
11-007	K297017	50.98	52.73	1.75	0.005	8950.0	1.42	0.44	2.14	☐	☐	☐	
11-007	K297019	52.73	55.78	3.05	0.005	552.0	1.33	0.83	2.44	☐	☐	☐	
11-007	K297020	55.78	58.83	3.05	0.005	4320.0	1.81	0.43	3.36	☐	☐	☐	
11-007	K297021	58.83	60.35	1.52	0.005	213.0	2.42	0.19	2.88	☐	☐	☐	
11-007	K297022	60.35	60.85	0.50	0.010	21800.0	8.55	1.55	7.92	☐	☐	☐	
11-007	K297024	60.85	63.40	2.55	0.005	134.0	1.30	0.44	1.93	☐	☐	☐	
11-007	K297025	63.40	66.45	3.05	0.005	784.0	1.97	0.30	2.22	☐	☐	☐	
11-007	K297026	66.45	69.49	3.04	0.005	242.0	2.37	0.28	3.63	☐	☐	☐	
11-007	K297028	69.49	72.54	3.05	0.005	234.0	1.76	0.21	3.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-007	K297029	72.54	75.59	3.05	0.005	566.0	3.60	0.53	5.12	☐	☐	☐	
11-007	K297030	75.59	77.26	1.67	0.005	471.0	4.54	0.83	4.68	☐	☐	☐	
11-007	K297031	77.26	80.16	2.90	0.005	319.0	2.91	0.39	4.20	☐	☐	☐	
11-007	K297032	80.16	83.21	3.05	0.005	174.0	2.62	0.27	2.45	☐	☐	☐	
11-007	K297033	83.21	84.73	1.52	0.005	87.0	1.81	0.17	1.27	☐	☐	☐	
11-007	K297034	84.73	86.40	1.67	0.010	132.0	1.90	0.37	1.52	☐	☐	☐	
11-007	K297035	86.40	87.78	1.38	0.100	8340.0	6.92	9.34	17.05	☐	☐	☐	
11-007	K297036	87.78	90.83	3.05	0.110	1740.0	4.03	4.78	10.40	☐	☐	☐	End of Batch 7
11-009	K297037	90.83	92.35	1.52	0.030	3250.0	5.99	1.99	13.30	☐	☐	☐	Start of Batch 9
11-009	K297039	92.35	93.88	1.53	0.010	1200.0	3.60	0.43	7.44	☐	☐	☐	
11-009	K297040	93.88	95.40	1.52	0.005	85.9	0.70	0.61	1.69	☐	☐	☐	
11-009	K297041	95.40	98.45	3.05	0.010	33.0	0.27	0.38	1.04	☐	☐	☐	
11-009	K297042	95.40	98.45	3.05	0.010	32.7	0.30	0.39	1.16	☑	☐	☐	Duplicate of 041
11-009	K297043	98.45	101.50	3.05	0.010	63.1	0.54	0.45	1.45	☐	☐	☐	
11-009	K297044	101.50	104.55	3.05	0.010	15.7	0.08	0.35	0.56	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-009	K297045	104.55	107.59	3.04	0.020	9.9	0.06	0.36	0.60	☐	☐	☐	
11-009	K297046	107.59	110.64	3.05	0.010	10.4	0.07	0.39	0.56	☐	☐	☐	*chip samples for next interval*
11-009	K297047	171.60	173.13	1.53	0.005	27.0	0.11	0.67	0.47	☐	☐	☐	
11-009	K297048	173.13	176.17	3.04	0.010	24.9	0.06	0.59	0.47	☐	☐	☐	
11-009	K297049	176.17	179.22	3.05	0.005	10.6	0.04	0.54	0.44	☐	☐	☐	
11-009	K297050	179.22	182.27	3.05	0.010	7.9	0.04	0.44	0.57	☐	☐	☐	
11-009	K297051	182.27	185.32	3.05	0.010	3.6	0.03	0.34	0.46	☐	☐	☐	
11-013	K297086	185.32	186.84	1.52	0.010	13.7	0.06	0.37	0.48	☐	☐	☐	EOH

Sample Results

OS -11-013

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-008	K296650	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	HQ
11-008	K296658	0.00	0.00	0.00	0.320	589.0	9.70	114.00	7.74	☐	☐	☑	NT1
11-008	K296664	0.00	0.00	0.00	7.750	918.0	5.37	18.00	12.30	☐	☐	☑	NT3
11-008	K296673	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-010	K296687	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-010	K296692	0.00	0.00	0.00	0.340	547.0	9.30	99.20	8.02	☐	☐	☑	NT1
11-010	K296706	0.00	0.00	0.00	0.360	588.0	9.30	118.50	7.82	☐	☐	☑	NT1
11-010	K296712	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-012	K296720	0.00	0.00	0.00	2.600	561.0	4.69	104.00	3.89	☐	☐	☑	NT2
11-012	K296734	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.04	☐	☑	☐	HQ
11-012	K296738	0.00	0.00	0.00	0.005	5.0	0.01	0.05	0.01	☐	☑	☐	HQ
11-012	K296752	0.00	0.00	0.00	7.870	903.0	6.06	18.20	13.25	☐	☐	☑	NT3 - End batch 12
11-014	K296762	0.00	0.00	0.00	7.690	1060.0	6.20	19.45	14.05	☐	☐	☑	NT3
11-014	K296766	0.00	0.00	0.00	15.750	1270.0	6.30	157.50	3.68	☐	☐	☑	NT4

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-014	K296770	0.00	0.00	0.00	0.005	12.0	0.30	0.03	0.04	☐	☑	☐	NQ
11-014	K296775	0.00	0.00	0.00	0.005	2.5	0.05	0.03	0.02	☐	☑	☐	NQ
11-015	K296798	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-015	K296806	0.00	0.00	0.00	0.330	621.0	10.00	117.00	8.35	☐	☐	☑	NT1
11-015	K296810	0.00	0.00	0.00	2.320	589.0	4.97	103.50	3.96	☐	☐	☑	NT2
11-006	K296644	0.95	2.00	1.05	0.005	21.7	0.21	0.93	0.90	☐	☐	☐	
11-008	K296645	2.00	5.00	3.00	0.005	4.3	0.23	0.59	0.67	☐	☐	☐	
11-008	K296646	5.00	7.62	2.62	0.005	13.0	0.26	0.53	1.02	☐	☐	☐	
11-008	K296647	7.62	9.40	1.78	0.010	67.0	0.30	3.77	0.91	☐	☐	☐	
11-008	K296648	9.40	12.25	2.85	0.005	76.6	0.73	1.00	1.37	☐	☐	☐	
11-008	K296649	12.25	15.24	2.99	0.005	14.3	0.18	0.55	0.64	☐	☐	☐	
11-008	K296651	15.24	18.29	3.05	0.005	19.9	0.08	0.44	0.53	☐	☐	☐	
11-008	K296652	18.29	21.05	2.76	0.005	21.3	0.14	0.37	0.70	☐	☐	☐	
11-008	K296653	21.05	23.85	2.80	0.005	131.0	0.90	0.60	3.78	☐	☐	☐	
11-008	K296654	23.85	26.60	2.75	0.005	39.2	1.16	0.46	4.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-008	K296655	26.60	28.96	2.36	0.005	4.8	0.06	0.34	0.54	☐	☐	☐	
11-008	K296656	28.96	32.00	3.04	0.005	13.2	0.25	0.35	0.76	☐	☐	☐	
11-008	K296657	32.00	33.53	1.53	0.005	54.9	0.65	0.60	1.01	☐	☐	☐	
11-008	K296659	33.53	36.58	3.05	0.005	13.6	0.20	0.44	0.84	☐	☐	☐	
11-008	K296660	36.58	39.62	3.04	0.010	7.2	0.20	0.42	0.81	☐	☐	☐	
11-008	K296661	36.58	39.62	3.04	0.005	6.9	0.20	0.39	0.83	☑	☐	☐	Duplicate of 660
11-008	K296662	39.62	41.15	1.53	0.005	6.6	0.12	0.36	0.72	☐	☐	☐	
11-008	K296663	41.15	44.20	3.05	0.005	34.4	0.64	0.39	2.45	☐	☐	☐	
11-008	K296665	44.20	47.24	3.04	0.010	77.5	0.39	0.49	1.44	☐	☐	☐	
11-008	K296666	47.24	50.29	3.05	0.005	36.3	0.19	0.32	1.08	☐	☐	☐	
11-008	K296667	50.29	53.34	3.05	0.005	88.3	1.30	0.81	4.44	☐	☐	☐	
11-008	K296668	53.34	55.50	2.16	0.005	114.0	1.30	1.21	3.84	☐	☐	☐	
11-008	K296669	55.50	57.00	1.50	0.005	262.0	2.17	3.17	3.92	☐	☐	☐	
11-008	K296670	57.00	59.44	2.44	0.010	968.0	19.50	84.10	6.04	☐	☐	☐	
11-008	K296671	59.44	62.48	3.04	0.005	524.0	1.92	6.25	3.64	☐	☐	☐	*reaming from 59.44-60.50m

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-008	K296672	62.48	64.00	1.52	0.005	260.0	1.38	5.05	4.75	☐	☐	☐	
11-008	K296674	64.00	66.25	2.25	0.005	104.0	0.86	0.96	3.76	☐	☐	☐	
11-008	K296675	66.25	68.58	2.33	0.010	481.0	1.81	2.77	3.96	☐	☐	☐	
11-008	K296676	68.58	71.63	3.05	0.005	54.6	1.37	0.76	4.10	☐	☐	☐	
11-008	K296677	71.63	74.68	3.05	0.005	281.0	1.67	1.78	3.33	☐	☐	☐	
11-008	K296678	74.68	76.25	1.57	0.005	340.0	3.03	13.65	4.48	☐	☐	☐	
11-008	K296679	76.25	77.12	0.87	0.005	137.0	0.67	2.86	1.45	☐	☐	☐	
11-008	K296680	77.12	80.77	3.65	0.005	299.0	0.59	2.41	1.83	☐	☐	☐	End Batch 8
11-010	K296681	80.77	83.82	3.05	0.005	151.0	1.87	2.33	4.00	☐	☐	☐	Start Batch 10
11-010	K296682	83.82	86.87	3.05	0.005	39.6	0.41	0.62	1.60	☐	☐	☐	
11-010	K296683	86.87	89.92	3.05	0.005	107.5	0.86	0.74	2.92	☐	☐	☐	
11-010	K296684	89.92	92.96	3.04	0.005	442.0	0.83	1.59	2.75	☐	☐	☐	
11-010	K296685	92.96	96.01	3.05	0.005	33.0	0.26	0.32	1.01	☐	☐	☐	
11-010	K296686	96.01	99.06	3.05	0.005	31.6	0.28	0.36	1.55	☐	☐	☐	
11-010	K296688	99.06	102.11	3.05	0.005	32.7	0.18	0.34	0.98	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-010	K296689	102.11	105.16	3.05	0.005	91.0	0.23	0.36	1.43	☐	☐	☐	
11-010	K296690	105.16	108.20	3.04	0.005	259.0	0.48	0.52	3.59	☐	☐	☐	
11-010	K296691	108.20	111.25	3.05	0.020	62.5	0.08	0.36	0.79	☐	☐	☐	
11-010	K296693	111.25	114.30	3.05	0.005	13.6	0.06	0.65	0.95	☐	☐	☐	
11-010	K296694	114.30	117.35	3.05	0.005	17.5	0.06	0.43	0.87	☐	☐	☐	
11-010	K296695	117.35	120.40	3.05	0.005	31.9	0.07	0.41	0.92	☐	☐	☐	
11-010	K296696	120.40	123.44	3.04	0.005	26.7	0.07	0.36	0.70	☐	☐	☐	
11-010	K296697	123.44	126.49	3.05	0.005	30.2	0.12	0.37	0.82	☐	☐	☐	
11-010	K296698	126.49	129.54	3.05	0.005	57.7	0.10	0.33	0.95	☐	☐	☐	
11-010	K296699	129.54	132.59	3.05	0.005	56.1	0.12	0.32	0.90	☐	☐	☐	
11-010	K296700	129.54	132.59	3.05	0.005	55.8	0.12	0.34	1.00	☑	☐	☐	Duplicate of 699
11-010	K296701	132.59	135.64	3.05	0.010	31.1	0.18	0.33	0.84	☐	☐	☐	
11-010	K296702	135.64	138.68	3.04	0.005	77.6	0.74	0.59	3.67	☐	☐	☐	
11-010	K296703	138.68	141.73	3.05	0.005	22.8	0.36	0.38	1.62	☐	☐	☐	
11-010	K296704	141.73	144.78	3.05	0.005	21.4	0.70	0.33	2.99	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-010	K296705	144.78	147.83	3.05	0.005	114.0	1.70	1.00	1.89	☐	☐	☐	
11-010	K296707	147.83	150.88	3.05	0.005	141.0	2.29	1.63	3.38	☐	☐	☐	
11-010	K296708	150.88	153.50	2.62	0.010	378.0	1.88	2.34	5.18	☐	☐	☐	
11-010	K296709	153.50	155.00	1.50	0.005	10.0	0.18	0.16	0.34	☐	☐	☐	
11-010	K296710	155.00	156.97	1.97	0.005	9.0	0.06	0.17	0.22	☐	☐	☐	
11-010	K296711	156.97	160.02	3.05	0.005	6.0	0.05	0.16	0.40	☐	☐	☐	
11-010	K296713	160.02	163.07	3.05	0.005	6.0	0.03	0.17	0.26	☐	☐	☐	
11-010	K296714	163.07	164.45	1.38	0.005	6.0	0.02	0.14	0.38	☐	☐	☐	
11-010	K296715	164.45	166.12	1.67	0.005	18.0	0.10	0.43	0.96	☐	☐	☐	
11-010	K296716	166.12	169.16	3.04	0.005	19.4	0.30	0.82	1.15	☐	☐	☐	End Batch 10
11-012	K296717	169.16	172.21	3.05	0.005	42.1	0.33	0.83	1.80	☐	☐	☐	Start Batch 12
11-012	K296718	172.21	175.21	3.00	0.005	39.2	0.55	0.76	2.53	☐	☐	☐	
11-012	K296719	175.21	177.40	2.19	0.005	619.0	1.70	2.09	5.23	☐	☐	☐	
11-012	K296721	177.40	179.50	2.10	0.005	34.0	0.26	0.82	1.05	☐	☐	☐	
11-012	K296722	179.50	181.36	1.86	0.005	87.8	1.17	0.89	3.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-012	K296723	179.50	181.36	1.86	0.005	86.5	1.16	0.86	3.61	☑	☐	☐	Duplicate of 722
11-012	K296724	181.36	184.40	3.04	0.010	125.5	2.04	1.11	4.93	☐	☐	☐	
11-012	K296725	184.40	187.45	3.05	0.005	114.0	2.21	0.67	4.69	☐	☐	☐	
11-012	K296726	187.45	189.20	1.75	0.005	100.0	1.78	0.81	3.68	☐	☐	☐	
11-012	K296727	189.20	190.50	1.30	0.005	53.0	0.70	0.92	2.13	☐	☐	☐	
11-012	K296728	190.50	193.55	3.05	0.005	48.0	0.23	1.20	2.70	☐	☐	☐	
11-012	K296729	193.55	196.60	3.05	0.005	40.0	0.21	0.83	1.54	☐	☐	☐	
11-012	K296730	196.60	199.64	3.04	0.005	87.0	0.67	0.89	1.93	☐	☐	☐	
11-012	K296731	199.64	202.69	3.05	0.005	117.0	0.75	0.80	2.05	☐	☐	☐	
11-012	K296732	202.69	205.74	3.05	0.005	141.0	1.35	2.42	2.66	☐	☐	☐	
11-012	K296733	205.74	208.79	3.05	0.005	103.0	1.86	2.85	1.63	☐	☐	☐	
11-012	K296735	208.79	211.84	3.05	0.005	117.0	1.65	2.56	1.69	☐	☐	☐	
11-012	K296736	211.84	214.88	3.04	0.005	224.0	0.51	1.66	0.58	☐	☐	☐	
11-012	K296737	214.88	217.93	3.05	0.005	186.0	1.13	1.21	0.91	☐	☐	☐	
11-012	K296739	217.93	220.98	3.05	0.005	265.0	2.99	1.42	1.66	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-012	K296740	220.98	224.03	3.05	0.005	251.0	4.03	1.83	2.54	☐	☐	☐	
11-012	K296741	224.03	227.08	3.05	0.005	202.0	3.75	1.29	2.28	☐	☐	☐	
11-012	K296742	227.08	230.12	3.04	0.005	212.0	3.73	1.20	2.58	☐	☐	☐	
11-012	K296743	230.12	233.17	3.05	0.005	64.0	0.87	0.35	0.71	☐	☐	☐	
11-012	K296744	233.17	236.22	3.05	0.005	102.0	1.50	0.75	1.72	☐	☐	☐	
11-012	K296745	236.22	239.27	3.05	0.005	104.0	1.22	0.45	0.90	☐	☐	☐	
11-012	K296746	239.27	242.32	3.05	0.005	106.0	1.52	1.01	3.32	☐	☐	☐	
11-012	K296747	242.32	245.36	3.04	0.005	48.0	0.41	0.43	1.40	☐	☐	☐	
11-012	K296748	245.36	248.41	3.05	0.005	57.0	1.06	0.46	1.79	☐	☐	☐	
11-012	K296749	248.41	251.46	3.05	0.005	96.0	2.46	0.75	3.28	☐	☐	☐	
11-012	K296750	251.46	253.60	2.14	0.150	136.0	2.86	1.46	5.20	☐	☐	☐	
11-012	K296751	253.60	256.00	2.40	0.390	2370.0	2.38	4.81	4.78	☐	☐	☐	
11-014	K296753	256.00	257.56	1.56	0.090	67.0	1.80	1.40	4.14	☐	☐	☐	Start batch 14
11-014	K296754	257.56	260.60	3.04	0.005	27.0	0.19	0.19	0.73	☐	☐	☐	
11-014	K296755	260.60	263.65	3.05	0.005	34.0	0.40	0.31	0.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-014	K296756	263.65	266.70	3.05	0.005	42.0	0.82	0.48	2.20	☐	☐	☐	
11-014	K296757	266.70	269.75	3.05	0.005	39.0	0.53	0.65	0.99	☐	☐	☐	
11-014	K296758	269.75	272.80	3.05	0.005	59.0	0.53	0.29	0.69	☐	☐	☐	
11-014	K296759	272.80	275.84	3.04	0.005	37.0	0.60	0.29	1.28	☐	☐	☐	
11-014	K296760	275.84	278.00	2.16	0.140	1940.0	3.24	1.82	5.61	☐	☐	☐	
11-014	K296761	278.00	281.00	3.00	3.180	1830.0	11.70	4.77	19.05	☐	☐	☐	
11-014	K296763	281.00	284.00	3.00	0.230	2520.0	3.02	2.10	5.07	☐	☐	☐	
11-014	K296764	284.00	287.00	3.00	0.170	2260.0	6.14	0.89	7.10	☐	☐	☐	
11-014	K296765	287.00	290.00	3.00	0.120	423.0	5.51	0.57	6.06	☐	☐	☐	
11-014	K296767	290.00	292.00	2.00	0.060	3250.0	13.60	1.98	12.30	☐	☐	☐	
11-014	K296768	292.00	294.13	2.13	1.160	5570.0	40.90	4.36	37.90	☐	☐	☐	
11-014	K296769	294.13	297.18	3.05	0.090	72.0	1.94	0.28	2.39	☐	☐	☐	
11-014	K296771	297.18	300.23	3.05	0.010	108.0	4.00	0.49	7.63	☐	☐	☐	
11-014	K296772	300.23	303.28	3.05	0.100	93.0	2.29	1.21	4.21	☐	☐	☐	
11-014	K296773	303.28	306.32	3.04	0.005	31.0	0.46	0.16	2.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-014	K296774	306.32	309.37	3.05	0.005	19.0	0.30	0.68	0.95	☐	☐	☐	
11-014	K296776	309.37	312.42	3.05	0.005	24.0	0.29	1.27	0.33	☐	☐	☐	
11-014	K296777	312.42	315.57	3.15	0.010	14.0	0.21	0.41	0.18	☐	☐	☐	
11-014	K296778	315.57	318.52	2.95	0.005	21.0	0.30	1.82	0.21	☐	☐	☐	
11-014	K296779	318.52	321.56	3.04	0.005	21.0	0.38	2.13	0.28	☐	☐	☐	
11-014	K296780	321.56	324.61	3.05	0.005	17.0	0.24	0.19	0.47	☐	☐	☐	
11-014	K296781	324.61	327.66	3.05	0.010	39.0	0.67	0.46	1.59	☐	☐	☐	
11-014	K296782	327.66	330.71	3.05	0.030	69.0	1.48	0.70	2.16	☐	☐	☐	
11-014	K296783	330.71	333.76	3.05	0.005	48.0	0.43	0.23	0.97	☐	☐	☐	
11-014	K296784	333.76	336.80	3.04	0.005	30.0	0.20	0.30	0.96	☐	☐	☐	
11-014	K296785	336.80	339.85	3.05	0.005	29.0	0.36	0.37	0.79	☐	☐	☐	
11-014	K296786	336.80	339.85	3.05	0.005	29.0	0.31	0.32	0.64	☑	☐	☐	Duplicate of 785
11-014	K296787	339.85	342.90	3.05	0.005	33.0	0.47	0.34	1.26	☐	☐	☐	
11-014	K296788	342.90	345.95	3.05	0.005	46.0	0.81	0.49	1.45	☐	☐	☐	End batch 14
11-015	K296789	345.95	349.00	3.05	0.005	39.0	0.35	0.32	1.82	☐	☐	☐	Start batch 15

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-015	K296790	349.00	352.04	3.04	0.005	42.0	0.42	0.34	1.57	☐	☐	☐	
11-015	K296791	349.00	352.04	3.04	0.005	44.0	0.43	0.32	1.54	☑	☐	☐	Duplicate of 790
11-015	K296792	352.04	355.09	3.05	0.010	73.0	0.61	0.42	0.95	☐	☐	☐	
11-015	K296793	355.09	358.14	3.05	0.005	59.0	1.16	0.28	1.80	☐	☐	☐	
11-015	K296794	358.14	361.19	3.05	0.005	37.0	0.55	0.20	1.11	☐	☐	☐	
11-015	K296795	361.19	364.24	3.05	0.005	29.0	0.24	1.00	0.36	☐	☐	☐	
11-015	K296796	364.24	367.28	3.04	0.010	52.0	0.88	0.35	0.70	☐	☐	☐	
11-015	K296797	367.28	370.33	3.05	0.005	42.0	0.80	0.23	0.40	☐	☐	☐	
11-015	K296799	370.33	373.38	3.05	0.005	38.0	0.74	0.22	0.51	☐	☐	☐	
11-015	K296800	373.38	376.43	3.05	0.010	95.0	2.26	1.09	0.87	☐	☐	☐	
11-015	K296801	376.43	379.48	3.05	0.010	198.0	4.15	2.26	1.70	☐	☐	☐	
11-015	K296802	379.48	382.52	3.04	0.005	74.0	2.10	1.48	0.87	☐	☐	☐	
11-015	K296803	382.52	385.57	3.05	0.005	94.0	2.40	0.85	1.36	☐	☐	☐	
11-015	K296804	385.57	388.62	3.05	0.005	118.0	3.04	0.38	0.86	☐	☐	☐	
11-015	K296805	388.62	391.67	3.05	0.005	304.0	5.56	0.97	1.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-015	K296807	391.67	394.72	3.05	0.005	185.0	2.38	0.65	1.19	☐	☐	☐	
11-015	K296808	394.72	397.76	3.04	0.005	46.0	1.16	0.31	0.30	☐	☐	☐	
11-015	K296809	397.76	400.81	3.05	0.005	53.0	1.19	0.24	0.26	☐	☐	☐	
11-015	K296811	400.81	403.86	3.05	0.040	45.0	1.08	0.33	0.39	☐	☐	☐	
11-015	K296812	403.86	406.91	3.05	0.010	80.0	2.41	0.37	0.67	☐	☐	☐	
11-015	K296813	406.91	409.96	3.05	0.005	162.0	2.48	0.65	0.98	☐	☐	☐	
11-015	K296814	409.96	413.00	3.04	0.005	113.0	1.40	0.49	0.61	☐	☐	☐	EOH

Sample Results

OS -11-014

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-005	K296066	0.00	0.00	0.00	2.790	607.0	4.56	109.50	4.10	☐	☐	☑	NT2 (GS-3G)
11-011	K296076	0.00	0.00	0.00	0.330	604.0	9.14	109.00	7.71	☐	☐	☑	NT1
11-011	K296081	0.00	0.00	0.00	0.005	5.0	0.01	0.08	0.01	☐	☑	☐	HQ
11-011	K296096	0.00	0.00	0.00	0.080	55.0	0.18	0.64	0.70	☐	☑	☐	HQ
11-011	K296100	0.00	0.00	0.00	8.110	999.0	5.33	17.15	12.70	☐	☐	☑	NT3
11-018	K296114	0.00	0.00	0.00	2.700	575.0	4.37	108.00	4.05	☐	☐	☑	NT2
11-018	K296120	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-018	K296123	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-018	K296126	0.00	0.00	0.00	2.720	570.0	4.58	106.50	3.98	☐	☐	☑	NT2
11-005	K296058	1.52	3.05	1.53	0.005	13.6	0.11	0.53	0.53	☐	☐	☐	
11-005	K296059	3.05	6.10	3.05	0.005	154.5	0.49	0.69	1.93	☐	☐	☐	
11-005	K296060	6.10	9.14	3.04	0.005	20.5	0.34	0.48	1.52	☐	☐	☐	
11-005	K296061	9.14	12.19	3.05	0.005	95.7	0.74	0.59	2.27	☐	☐	☐	
11-005	K296062	12.19	15.24	3.05	0.005	37.6	0.50	0.35	2.08	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-005	K296063	15.24	18.29	3.05	0.005	59.9	0.51	0.40	2.03	☐	☐	☐	
11-005	K296064	18.29	21.34	3.05	0.005	39.1	0.19	0.33	0.74	☐	☐	☐	
11-005	K296065	21.34	24.38	3.04	0.005	39.8	0.20	0.39	0.67	☐	☐	☐	
11-005	K296067	24.38	25.91	1.53	0.005	22.4	0.08	0.40	0.45	☐	☐	☐	
11-005	K296068	25.91	28.96	3.05	0.005	22.1	0.13	0.35	0.52	☐	☐	☐	
11-005	K296069	28.96	32.00	3.04	0.010	59.1	0.62	0.52	2.98	☐	☐	☐	
11-005	K296070	32.00	35.05	3.05	0.010	58.0	0.87	0.47	4.34	☐	☐	☐	
11-005	K296071	35.05	37.10	2.05	0.005	59.2	0.70	0.40	1.65	☐	☐	☐	
11-005	K296072	37.10	39.62	2.52	0.010	162.0	0.37	0.66	1.42	☐	☐	☐	End of Batch 5
11-011	K296073	39.62	42.67	3.05	0.010	149.0	1.38	1.21	2.91	☐	☐	☐	Start of Batch 11
11-011	K296074	42.67	45.72	3.05	0.005	187.0	0.85	1.19	3.06	☐	☐	☐	
11-011	K296075	45.72	48.77	3.05	0.005	67.0	0.41	1.02	1.66	☐	☐	☐	
11-011	K296077	48.77	51.82	3.05	0.005	40.0	0.26	0.60	1.00	☐	☐	☐	
11-011	K296078	51.82	54.86	3.04	0.005	24.0	0.17	0.41	0.86	☐	☐	☐	
11-011	K296079	54.86	57.91	3.05	0.005	42.0	0.30	0.52	1.36	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-011	K296080	57.91	60.96	3.05	0.005	44.0	0.69	0.82	2.33	☐	☐	☐	
11-011	K296082	60.96	64.01	3.05	0.005	55.0	1.05	1.14	1.23	☐	☐	☐	
11-011	K296083	64.01	66.50	2.49	0.005	40.0	1.59	0.71	1.20	☐	☐	☐	
11-011	K296084	64.01	66.50	2.49	0.005	34.0	1.45	0.67	1.09	☑	☐	☐	Duplicate of 083
11-011	K296085	66.50	68.58	2.08	0.005	45.0	4.61	0.53	1.94	☐	☐	☐	
11-011	K296086	68.58	71.63	3.05	0.005	107.0	11.30	0.39	1.57	☐	☐	☐	
11-011	K296087	71.63	74.68	3.05	0.005	96.0	6.42	0.36	1.69	☐	☐	☐	
11-011	K296088	74.68	76.20	1.52	0.005	74.0	4.21	0.38	2.88	☐	☐	☐	
11-011	K296089	76.20	79.25	3.05	0.220	324.0	4.68	1.59	5.76	☐	☐	☐	
11-011	K296090	79.25	82.30	3.05	0.210	153.0	2.03	0.97	3.16	☐	☐	☐	
11-011	K296091	82.30	83.92	1.62	0.005	36.0	0.86	0.46	1.66	☐	☐	☐	
11-011	K296092	83.92	85.34	1.42	0.020	530.0	2.23	1.38	5.40	☐	☐	☐	
11-011	K296093	86.87	89.92	3.05	0.530	3300.0	6.61	11.30	10.85	☐	☐	☐	
11-011	K296094	89.92	91.44	1.52	50.500	35300.0	95.80	485.00	284.00	☐	☐	☐	
11-011	K296095	91.44	93.30	1.86	22.100	11850.0	51.00	153.00	200.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-011	K296097	93.30	94.49	1.19	0.890	3250.0	6.04	26.30	57.60	☐	☐	☐	
11-011	K296098	94.49	96.01	1.52	4.110	4800.0	15.20	45.60	99.30	☐	☐	☐	
11-011	K296099	96.01	99.06	3.05	0.540	2090.0	3.87	6.52	29.10	☐	☐	☐	
11-011	K296101	99.06	102.11	3.05	0.050	1565.0	2.68	2.95	17.65	☐	☐	☐	
11-011	K296102	102.11	105.16	3.05	0.005	999.0	1.59	1.36	30.70	☐	☐	☐	
11-011	K296103	105.16	108.20	3.04	0.005	100.0	1.89	0.49	22.70	☐	☐	☐	
11-011	K296104	108.20	111.25	3.05	0.020	396.0	1.38	0.91	5.27	☐	☐	☐	
11-011	K296105	111.25	114.30	3.05	0.005	108.0	1.87	0.43	3.02	☐	☐	☐	
11-011	K296106	114.30	117.35	3.05	0.030	333.0	2.14	1.78	3.97	☐	☐	☐	
11-011	K296107	117.35	120.40	3.05	0.170	1915.0	3.78	5.13	5.83	☐	☐	☐	
11-011	K296108	120.40	123.44	3.04	0.005	317.0	2.29	1.26	3.94	☐	☐	☐	End of batch 11
11-018	K296109	123.44	125.70	2.26	0.005	104.5	1.38	0.57	4.18	☐	☐	☐	Start of batch 18
11-018	K296110	127.01	130.06	3.05	0.020	82.9	1.70	0.68	3.74	☐	☐	☐	
11-018	K296111	130.06	133.11	3.05	0.005	133.5	1.29	0.56	4.77	☐	☐	☐	
11-018	K296112	133.11	136.16	3.05	0.005	127.5	0.83	0.83	4.24	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-018	K296113	136.16	138.75	2.59	0.040	175.5	1.27	1.08	5.42	☐	☐	☐	
11-018	K296115	138.75	141.00	2.25	4.290	13650.0	26.40	99.00	112.50	☐	☐	☐	
11-018	K296116	141.00	142.33	1.33	0.410	2400.0	8.10	15.30	21.60	☐	☐	☐	
11-018	K296117	142.33	145.00	2.67	0.010	149.0	0.90	0.71	2.08	☐	☐	☐	
11-018	K296118	145.00	146.30	1.30	0.005	83.1	0.49	0.24	1.49	☐	☐	☐	
11-018	K296119	146.30	148.00	1.70	0.100	537.0	1.46	2.62	4.42	☐	☐	☐	
11-018	K296121	148.00	149.35	1.35	0.130	446.0	3.26	4.81	6.74	☐	☐	☐	
11-018	K296122	149.35	152.40	3.05	0.070	562.0	2.82	4.14	8.91	☐	☐	☐	
11-018	K296124	152.40	155.45	3.05	0.110	405.0	1.74	2.81	5.05	☐	☐	☐	
11-018	K296125	155.45	158.50	3.05	0.140	409.0	3.14	5.87	8.67	☐	☐	☐	
11-018	K296127	158.50	161.54	3.04	0.100	341.0	2.40	3.61	6.66	☐	☐	☐	
11-018	K296128	161.54	164.59	3.05	0.005	130.5	1.67	0.69	3.70	☐	☐	☐	
11-018	K296129	164.59	167.64	3.05	0.005	119.5	0.74	0.49	3.02	☐	☐	☐	
11-018	K296130	167.64	170.69	3.05	0.040	386.0	0.86	1.57	3.18	☐	☐	☐	
11-018	K296131	170.69	173.74	3.05	0.080	495.0	0.96	1.57	2.85	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-018	K296132	173.74	176.78	3.04	0.010	156.0	1.39	0.82	3.07	☐	☐	☐	EOH

Sample Results

OS -11-015

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-009	K297056	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-009	K297060	0.00	0.00	0.00	0.340	606.0	9.70	127.50	6.81	☐	☐	☑	NT1
11-009	K297072	0.00	0.00	0.00	0.005	18.0	0.05	0.03	0.04	☐	☑	☐	NQ + End batch 9
11-013	K297084	0.00	0.00	0.00	2.610	640.0	4.57	111.00	4.02	☐	☐	☑	NT2
11-013	K297092	0.00	0.00	0.00	0.005	31.0	0.06	0.03	0.07	☐	☑	☐	HQ
11-013	K297102	0.00	0.00	0.00	0.010	13.0	0.05	0.05	0.04	☐	☑	☐	HQ
11-013	K297108	0.00	0.00	0.00	0.340	619.0	9.60	115.50	7.90	☐	☐	☑	NT1 + end of batch 13
11-016	K297127	0.00	0.00	0.00	0.005	7.0	0.01	0.09	0.05	☐	☑	☐	HQ
11-016	K297130	0.00	0.00	0.00	7.970	959.0	6.36	20.70	12.95	☐	☐	☑	NT3
11-016	K297139	0.00	0.00	0.00	0.005	11.0	0.04	0.17	0.06	☐	☑	☐	HQ
11-016	K297143	0.00	0.00	0.00	7.970	970.0	6.49	20.30	12.90	☐	☐	☑	NT3
11-017	K297152	0.00	0.00	0.00	0.005	6.0	0.01	0.16	0.02	☐	☑	☐	HQ
11-017	K297156	0.00	0.00	0.00	0.340	598.0	9.80	105.00	8.23	☐	☐	☑	NT1
11-017	K297161	0.00	0.00	0.00	0.005	10.0	0.01	0.14	0.02	☐	☑	☐	HQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-017	K297180	0.00	0.00	0.00	2.640	598.0	4.72	108.50	3.92	☐	☐	☑	NT2 - end of batch 17
11-019	K297195	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.04	☐	☑	☐	NQ
11-019	K297200	0.00	0.00	0.00	0.005	2.5	0.03	0.06	0.04	☐	☑	☐	NQ
11-019	K297202	0.00	0.00	0.00	0.360	629.0	10.10	111.00	7.05	☐	☐	☑	NT1
11-019	K297208	0.00	0.00	0.00	2.680	583.0	4.49	97.60	3.80	☐	☐	☑	NT2
11-022	K297224	0.00	0.00	0.00	0.005	5.0	0.01	0.06	0.01	☐	☑	☐	NQ
11-022	K297239	0.00	0.00	0.00	2.700	597.0	5.26	105.50	4.02	☐	☐	☑	NT2
11-022	K297246	0.00	0.00	0.00	2.770	575.0	5.26	99.70	3.91	☐	☐	☑	NT2
11-022	K297252	0.00	0.00	0.00	0.005	15.0	0.01	0.06	0.01	☐	☑	☐	NQ
11-023	K297258	0.00	0.00	0.00	2.420	603.0	4.36	106.50	4.08	☐	☐	☑	NT2
11-023	K297261	0.00	0.00	0.00	0.005	6.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-009	K297052	2.90	4.57	1.67	0.020	260.0	1.92	0.44	4.29	☐	☐	☐	
11-009	K297053	4.57	7.62	3.05	0.040	540.0	1.82	1.48	4.32	☐	☐	☐	
11-009	K297054	7.62	8.30	0.68	0.010	278.0	1.99	0.89	2.91	☐	☐	☐	
11-009	K297055	8.30	8.90	0.60	0.010	224.0	2.43	0.66	1.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-009	K297057	8.90	10.67	1.77	0.010	119.0	0.56	0.44	1.11	☐	☐	☐	
11-009	K297058	10.67	13.72	3.05	0.010	177.0	0.49	0.29	1.01	☐	☐	☐	
11-009	K297059	13.72	16.76	3.04	0.005	742.0	1.58	0.32	3.38	☐	☐	☐	
11-009	K297061	16.76	19.81	3.05	0.010	451.0	1.91	0.29	3.76	☐	☐	☐	
11-009	K297062	19.81	22.86	3.05	0.005	860.0	4.91	0.32	6.19	☐	☐	☐	
11-009	K297063	22.86	25.91	3.05	0.040	1790.0	5.40	1.54	9.52	☐	☐	☐	
11-009	K297064	25.91	28.96	3.05	0.030	431.0	4.54	1.03	4.49	☐	☐	☐	
11-009	K297065	28.96	32.00	3.04	0.010	1430.0	5.56	0.71	5.38	☐	☐	☐	
11-009	K297066	32.00	35.05	3.05	0.020	5070.0	1.90	1.47	2.28	☐	☐	☐	
11-009	K297067	35.05	38.10	3.05	0.020	1450.0	3.99	0.73	3.59	☐	☐	☐	
11-009	K297068	38.10	41.15	3.05	0.020	613.0	5.45	1.09	9.73	☐	☐	☐	
11-009	K297069	41.15	44.20	3.05	0.030	881.0	22.70	2.60	18.30	☐	☐	☐	
11-009	K297070	44.20	47.24	3.04	0.050	1080.0	18.20	1.56	14.90	☐	☐	☐	
11-009	K297071	47.24	50.29	3.05	0.010	12450.0	3.86	0.55	4.60	☐	☐	☐	
11-013	K297073	50.29	53.34	3.05	0.020	9330.0	3.90	0.48	4.35	☐	☐	☐	Start Batch 13

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-013	K297074	53.34	56.39	3.05	0.010	180.0	4.04	0.17	3.03	☐	☐	☐	
11-013	K297075	56.39	59.44	3.05	0.010	78.0	3.73	0.49	2.82	☐	☐	☐	
11-013	K297076	59.44	62.48	3.04	0.020	292.0	5.31	0.26	3.01	☐	☐	☐	
11-013	K297077	62.48	65.53	3.05	0.010	33.0	1.32	0.12	0.97	☐	☐	☐	*void from 65.53-67.06m
11-013	K297078	67.06	70.10	3.04	0.020	149.0	2.70	0.28	5.45	☐	☐	☐	
11-013	K297079	70.10	71.63	1.53	0.010	456.0	4.52	0.28	5.36	☐	☐	☐	
11-013	K297080	71.63	74.68	3.05	0.010	3420.0	6.71	0.35	8.35	☐	☐	☐	
11-013	K297081	74.68	77.72	3.04	0.010	738.0	2.36	0.11	2.31	☐	☐	☐	
11-013	K297082	77.72	80.77	3.05	0.010	422.0	3.69	0.11	4.43	☐	☐	☐	
11-013	K297083	80.77	81.90	1.13	0.005	64300.0	14.00	0.61	20.60	☐	☐	☐	
11-013	K297085	81.90	83.82	1.92	0.010	254.0	4.54	0.19	4.19	☐	☐	☐	
11-013	K297087	83.82	86.87	3.05	0.010	259.0	10.45	0.27	9.89	☐	☐	☐	
11-013	K297088	86.87	89.35	2.48	0.010	1710.0	8.36	0.51	8.15	☐	☐	☐	
11-013	K297089	89.35	89.92	0.57	0.020	35500.0	20.10	1.72	30.90	☐	☐	☐	
11-013	K297090	89.92	92.96	3.04	0.050	1510.0	15.30	1.35	15.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-013	K297091	92.96	94.49	1.53	0.070	5860.0	12.80	0.59	12.20	☐	☐	☐	
11-013	K297093	94.49	97.54	3.05	0.020	806.0	3.66	0.20	3.79	☐	☐	☐	
11-013	K297094	97.54	100.58	3.04	0.010	446.0	2.10	0.18	2.35	☐	☐	☐	
11-013	K297095	100.58	103.63	3.05	0.005	259.0	1.41	0.12	1.55	☐	☐	☐	
11-013	K297096	103.63	106.68	3.05	0.020	299.0	11.60	0.62	4.58	☐	☐	☐	
11-013	K297097	106.68	109.30	2.62	0.010	423.0	10.80	2.03	7.55	☐	☐	☐	
11-013	K297098	109.30	111.25	1.95	0.005	252.0	8.50	0.55	6.82	☐	☐	☐	
11-013	K297099	111.25	112.90	1.65	0.005	257.0	9.16	1.77	10.30	☐	☐	☐	
11-013	K297100	112.90	113.50	0.60	0.020	3110.0	13.70	3.09	13.25	☐	☐	☐	
11-013	K297101	113.50	114.30	0.80	0.010	550.0	10.40	1.84	6.86	☐	☐	☐	
11-013	K297103	114.30	117.35	3.05	0.030	3950.0	10.20	1.49	9.94	☐	☐	☐	
11-013	K297104	117.35	120.40	3.05	0.540	4510.0	46.20	6.56	38.00	☐	☐	☐	
11-013	K297105	120.40	121.70	1.30	0.480	1180.0	20.20	2.32	18.60	☐	☐	☐	
11-013	K297106	120.40	121.70	1.30	1.170	540.0	14.40	2.02	12.10	☑	☐	☐	Duplicate of 105
11-013	K297107	121.70	123.44	1.74	0.100	2350.0	1.68	0.29	1.72	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-016	K297109	123.44	125.10	1.66	0.380	217.0	2.15	0.40	1.91	☐	☐	☐	start of batch 16
11-016	K297110	125.10	126.40	1.30	0.760	15200.0	9.60	0.92	9.21	☐	☐	☐	
11-016	K297111	126.40	129.40	3.00	0.280	1020.0	9.90	0.34	10.95	☐	☐	☐	
11-016	K297112	129.40	131.06	1.66	0.090	625.0	6.51	0.55	5.04	☐	☐	☐	
11-016	K297113	131.06	134.11	3.05	0.050	12950.0	1.99	0.83	2.28	☐	☐	☐	
11-016	K297114	134.11	136.40	2.29	0.010	966.0	1.14	0.28	1.05	☐	☐	☐	
11-016	K297115	136.40	138.68	2.28	0.005	215.0	3.63	0.21	5.96	☐	☐	☐	
11-016	K297116	138.68	141.73	3.05	0.005	177.0	1.36	0.11	1.31	☐	☐	☐	
11-016	K297117	141.73	144.78	3.05	0.030	212.0	1.37	0.14	1.91	☐	☐	☐	
11-016	K297118	144.78	146.80	2.02	0.040	206.0	0.64	0.09	0.65	☐	☐	☐	
11-016	K297119	146.80	148.25	1.45	0.020	203.0	1.11	0.15	1.02	☐	☐	☐	
11-016	K297120	148.25	151.10	2.85	0.020	147.0	2.38	0.17	3.33	☐	☐	☐	
11-016	K297121	151.10	153.92	2.82	0.005	441.0	4.39	0.31	3.70	☐	☐	☐	
11-016	K297122	153.92	156.30	2.38	0.005	69.0	1.86	0.16	1.65	☐	☐	☐	
11-016	K297123	156.30	158.50	2.20	0.005	95.0	1.68	0.23	2.02	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-016	K297124	158.50	161.54	3.04	0.005	112.0	2.84	0.55	6.62	☐	☐	☐	
11-016	K297125	161.54	164.59	3.05	0.020	562.0	2.90	0.39	4.69	☐	☐	☐	
11-016	K297126	164.59	165.80	1.21	0.005	115.0	2.71	0.31	3.70	☐	☐	☐	
11-016	K297128	165.80	167.64	1.84	0.005	893.0	4.05	0.44	5.40	☐	☐	☐	
11-016	K297129	167.64	170.00	2.36	0.010	1740.0	7.40	2.83	16.35	☐	☐	☐	
11-016	K297131	170.00	172.40	2.40	0.040	442.0	4.78	0.70	5.62	☐	☐	☐	
11-016	K297132	170.00	172.40	2.40	0.020	444.0	4.40	0.91	6.66	☑	☐	☐	Duplicate of 131
11-016	K297133	172.40	173.74	1.34	0.005	476.0	1.84	0.26	2.24	☐	☐	☐	
11-016	K297134	173.74	175.85	2.11	0.005	1670.0	3.02	1.72	5.13	☐	☐	☐	
11-016	K297135	175.85	178.31	2.46	0.010	1260.0	2.90	0.87	3.78	☐	☐	☐	
11-016	K297136	178.31	179.83	1.52	0.020	6550.0	3.02	0.99	3.98	☐	☐	☐	
11-016	K297137	179.83	182.88	3.05	0.020	1220.0	4.49	1.08	4.68	☐	☐	☐	
11-016	K297138	182.88	185.93	3.05	0.020	1480.0	4.58	1.08	4.15	☐	☐	☐	
11-016	K297140	185.93	187.65	1.72	0.005	1020.0	2.07	0.45	1.87	☐	☐	☐	
11-016	K297141	187.65	190.10	2.45	0.010	437.0	6.15	4.11	7.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-016	K297142	190.10	190.94	0.84	0.110	1110.0	15.50	3.12	11.95	☐	☐	☐	
11-016	K297144	190.94	191.64	0.70	0.080	27900.0	12.50	1.29	10.10	☐	☐	☐	end batch 16
11-017	K297145	191.64	193.55	1.91	0.020	4900.0	3.71	0.72	3.16	☐	☐	☐	start batch 17
11-017	K297146	193.55	196.60	3.05	0.030	313.0	2.38	0.91	2.58	☐	☐	☐	
11-017	K297147	196.60	198.12	1.52	0.030	693.0	3.04	0.90	4.01	☐	☐	☐	
11-017	K297148	198.12	200.00	1.88	0.030	1260.0	4.39	0.80	5.22	☐	☐	☐	
11-017	K297149	200.00	201.70	1.70	0.520	5700.0	14.40	1.71	13.80	☐	☐	☐	
11-017	K297150	201.70	202.69	0.99	0.050	257.0	2.39	0.47	2.19	☐	☐	☐	
11-017	K297151	202.69	204.45	1.76	0.030	2430.0	2.66	0.62	2.68	☐	☐	☐	
11-017	K297153	204.45	207.26	2.81	0.010	205.0	1.61	0.41	1.77	☐	☐	☐	
11-017	K297154	207.26	210.31	3.05	0.010	102.0	1.93	0.38	2.32	☐	☐	☐	
11-017	K297155	210.31	213.36	3.05	0.020	216.0	1.38	0.21	1.88	☐	☐	☐	
11-017	K297157	213.36	216.41	3.05	0.020	1580.0	2.52	0.30	2.13	☐	☐	☐	
11-017	K297158	216.41	219.46	3.05	0.030	703.0	2.47	0.23	2.90	☐	☐	☐	
11-017	K297159	219.46	222.50	3.04	0.010	2040.0	3.33	0.31	5.13	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-017	K297160	222.50	225.55	3.05	0.010	115.0	1.72	0.21	2.86	☐	☐	☐	
11-017	K297162	225.55	228.60	3.05	0.130	2560.0	1.70	0.26	3.14	☐	☐	☐	
11-017	K297163	228.60	231.65	3.05	0.150	544.0	1.31	0.21	2.43	☐	☐	☐	
11-017	K297164	231.65	234.70	3.05	0.010	293.0	0.98	0.15	1.49	☐	☐	☐	
11-017	K297165	234.70	237.74	3.04	0.010	150.0	1.30	0.17	2.10	☐	☐	☐	
11-017	K297166	237.74	240.79	3.05	0.010	213.0	1.43	0.15	2.39	☐	☐	☐	
11-017	K297167	240.79	243.84	3.05	0.010	26.0	0.73	0.15	1.15	☐	☐	☐	
11-017	K297168	243.84	246.89	3.05	0.020	251.0	0.78	0.20	1.23	☐	☐	☐	
11-017	K297169	246.89	249.94	3.05	0.030	562.0	0.84	0.17	1.01	☐	☐	☐	
11-017	K297170	249.94	252.98	3.04	0.030	721.0	0.86	0.20	1.04	☐	☐	☐	
11-017	K297171	252.98	256.03	3.05	0.005	34.0	0.69	0.18	1.26	☐	☐	☐	
11-017	K297172	256.03	257.56	1.53	0.005	25.0	0.34	0.08	0.82	☐	☐	☐	
11-017	K297173	257.56	259.80	2.24	0.180	1440.0	1.21	0.12	1.14	☐	☐	☐	
11-017	K297174	259.80	262.13	2.33	0.060	461.0	6.11	0.12	4.59	☐	☐	☐	
11-017	K297175	262.13	265.18	3.05	0.030	631.0	0.55	0.17	0.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-017	K297176	265.18	268.22	3.04	0.020	36.0	0.86	0.26	1.41	☐	☐	☐	
11-017	K297177	265.18	268.22	3.04	0.020	28.0	0.78	0.25	1.35	☑	☐	☐	Duplicate of 176
11-017	K297178	268.22	269.50	1.28	0.230	53.0	1.11	0.22	1.67	☐	☐	☐	
11-017	K297179	269.50	271.13	1.63	0.580	1480.0	1.42	0.23	1.82	☐	☐	☐	end batch 17
11-019	K297181	271.27	274.32	3.05	0.060	209.0	4.51	0.74	4.46	☐	☐	☐	Start of Batch 19
11-019	K297182	274.32	277.37	3.05	0.020	48.0	0.84	0.15	1.23	☐	☐	☐	
11-019	K297183	277.37	280.42	3.05	0.020	49.0	0.60	0.15	1.00	☐	☐	☐	
11-019	K297184	280.42	283.46	3.04	0.005	19.0	1.06	0.08	2.27	☐	☐	☐	
11-019	K297185	283.46	286.51	3.05	0.005	26.0	0.65	0.07	1.00	☐	☐	☐	
11-019	K297186	286.51	289.56	3.05	0.005	42.0	0.93	0.15	1.44	☐	☐	☐	
11-019	K297187	289.56	292.61	3.05	0.005	33.0	1.31	0.09	2.04	☐	☐	☐	
11-019	K297188	292.61	295.66	3.05	0.005	18.0	0.58	0.09	1.28	☐	☐	☐	
11-019	K297189	295.66	298.70	3.04	0.060	37.0	2.28	0.10	3.20	☐	☐	☐	
11-019	K297190	298.70	301.75	3.05	0.080	212.0	5.25	0.20	9.29	☐	☐	☐	
11-019	K297191	298.70	301.75	3.05	0.040	194.0	4.17	0.21	8.51	☑	☐	☐	Duplicate of 190

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-019	K297192	301.75	304.80	3.05	0.160	1100.0	1.35	0.22	2.14	☐	☐	☐	
11-019	K297193	304.80	307.85	3.05	0.030	118.0	0.78	0.12	1.79	☐	☐	☐	
11-019	K297194	307.85	310.90	3.05	0.005	30.0	1.17	0.10	2.54	☐	☐	☐	
11-019	K297196	310.90	313.94	3.04	0.560	576.0	5.99	0.25	9.30	☐	☐	☐	
11-019	K297197	313.94	316.99	3.05	0.030	213.0	9.00	0.43	10.85	☐	☐	☐	
11-019	K297198	316.99	320.04	3.05	0.020	150.0	13.10	0.27	7.82	☐	☐	☐	
11-019	K297199	320.04	323.09	3.05	0.005	72.0	2.22	0.17	2.55	☐	☐	☐	
11-019	K297201	323.09	326.14	3.05	0.005	120.0	5.62	0.13	8.97	☐	☐	☐	
11-019	K297203	326.14	329.18	3.04	0.005	131.0	3.70	0.10	7.38	☐	☐	☐	
11-019	K297204	329.18	332.23	3.05	0.005	71.0	1.57	0.10	2.78	☐	☐	☐	
11-019	K297205	332.23	335.28	3.05	0.005	71.0	1.36	0.11	2.34	☐	☐	☐	
11-019	K297206	335.28	336.70	1.42	0.005	51.0	1.27	0.10	2.86	☐	☐	☐	
11-019	K297207	336.70	338.33	1.63	0.120	7120.0	1.41	0.53	3.68	☐	☐	☐	
11-019	K297209	338.33	340.00	1.67	0.050	357.0	4.49	0.30	6.89	☐	☐	☐	
11-019	K297210	340.00	341.38	1.38	0.050	192.0	3.54	0.26	4.64	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-019	K297211	341.38	344.42	3.04	0.030	391.0	3.25	0.50	7.70	☐	☐	☐	
11-019	K297212	344.42	347.47	3.05	0.030	171.0	2.03	0.34	7.89	☐	☐	☐	
11-019	K297213	347.47	350.52	3.05	0.005	203.0	0.98	0.23	2.46	☐	☐	☐	
11-019	K297214	350.52	353.57	3.05	0.070	533.0	1.30	0.20	2.77	☐	☐	☐	
11-019	K297215	353.57	356.62	3.05	0.005	47.0	0.82	0.12	1.75	☐	☐	☐	
11-019	K297216	356.62	359.66	3.04	0.005	28.0	0.66	0.12	1.43	☐	☐	☐	end batch 19
11-022	K297217	359.66	362.71	3.05	0.005	67.0	0.49	0.17	1.36	☐	☐	☐	start batch 22
11-022	K297218	362.71	365.76	3.05	0.005	30.0	0.44	0.19	1.31	☐	☐	☐	
11-022	K297219	365.76	368.81	3.05	0.050	1320.0	1.54	0.41	2.27	☐	☐	☐	
11-022	K297220	368.81	371.86	3.05	0.210	340.0	3.52	0.25	2.89	☐	☐	☐	
11-022	K297221	371.86	374.90	3.04	0.150	149.0	2.29	0.83	2.38	☐	☐	☐	
11-022	K297222	374.90	377.95	3.05	0.080	1800.0	0.93	0.44	1.59	☐	☐	☐	
11-022	K297223	377.95	381.00	3.05	0.005	49.0	0.68	0.34	1.17	☐	☐	☐	
11-022	K297225	381.00	384.05	3.05	0.040	243.0	1.98	2.51	3.31	☐	☐	☐	
11-022	K297226	384.05	387.10	3.05	0.010	766.0	4.88	0.89	17.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-022	K297227	387.10	390.14	3.04	0.005	66.0	3.76	0.28	18.30	☐	☐	☐	
11-022	K297228	390.14	393.19	3.05	0.005	135.0	1.06	0.12	1.75	☐	☐	☐	
11-022	K297229	390.14	393.19	3.05	0.005	294.0	1.15	0.14	1.83	☑	☐	☐	Duplicate of 228
11-022	K297230	393.19	396.24	3.05	0.005	2550.0	1.98	0.63	1.59	☐	☐	☐	
11-022	K297231	396.24	399.29	3.05	0.005	207.0	1.56	0.15	1.74	☐	☐	☐	
11-022	K297232	399.29	402.34	3.05	0.005	73.0	1.35	0.11	2.26	☐	☐	☐	
11-022	K297233	402.34	405.38	3.04	0.010	168.0	1.76	0.19	1.72	☐	☐	☐	
11-022	K297234	405.38	408.43	3.05	0.005	427.0	2.55	0.17	2.76	☐	☐	☐	
11-022	K297235	408.43	411.48	3.05	0.005	3760.0	8.65	1.39	5.00	☐	☐	☐	
11-022	K297236	411.48	414.53	3.05	0.005	1140.0	5.04	0.65	2.63	☐	☐	☐	
11-022	K297237	414.53	416.18	1.65	0.010	3860.0	3.40	1.01	3.10	☐	☐	☐	
11-022	K297238	416.18	417.58	1.40	0.060	21800.0	4.64	1.29	1.82	☐	☐	☐	
11-022	K297240	417.58	420.62	3.04	0.005	165.0	0.95	0.27	1.08	☐	☐	☐	
11-022	K297241	420.62	423.67	3.05	0.010	381.0	2.03	0.38	3.11	☐	☐	☐	
11-022	K297242	423.67	426.72	3.05	0.010	1780.0	3.18	0.22	1.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-022	K297243	426.72	429.77	3.05	0.040	914.0	0.75	0.17	1.29	☐	☐	☐	
11-022	K297244	429.77	432.82	3.05	0.020	1240.0	1.59	0.26	2.25	☐	☐	☐	
11-022	K297245	432.82	435.86	3.04	0.100	3840.0	2.83	0.30	2.82	☐	☐	☐	
11-022	K297247	435.86	438.91	3.05	0.060	4060.0	1.50	0.55	1.99	☐	☐	☐	
11-022	K297248	438.91	441.96	3.05	0.020	1540.0	2.23	0.49	2.68	☐	☐	☐	
11-022	K297249	441.96	445.01	3.05	0.020	9770.0	8.11	2.55	3.87	☐	☐	☐	
11-022	K297250	445.01	448.06	3.05	0.010	5010.0	1.99	0.53	1.13	☐	☐	☐	
11-022	K297251	448.06	451.10	3.04	0.005	1510.0	0.36	0.16	0.38	☐	☐	☐	
11-023	K297253	451.10	454.15	3.05	0.010	708.0	1.39	0.13	1.27	☐	☐	☐	start batch 23
11-023	K297254	454.15	457.20	3.05	0.030	1980.0	2.40	0.57	5.48	☐	☐	☐	
11-023	K297255	457.20	460.25	3.05	0.005	168.0	1.30	0.32	3.55	☐	☐	☐	
11-023	K297256	460.25	463.30	3.05	0.010	2060.0	1.23	0.54	0.82	☐	☐	☐	
11-023	K297257	463.30	466.34	3.04	0.010	3690.0	1.57	1.23	1.73	☐	☐	☐	
11-023	K297259	466.34	469.39	3.05	0.010	400.0	0.73	0.33	1.12	☐	☐	☐	
11-023	K297260	469.39	472.44	3.05	0.005	75.9	0.44	0.45	1.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-023	K297262	472.44	475.49	3.05	0.005	60.5	0.26	0.69	2.02	☐	☐	☐	
11-023	K297263	475.49	478.54	3.05	0.005	10.8	0.04	0.54	1.47	☐	☐	☐	
11-023	K297264	478.54	481.58	3.04	0.005	12.6	0.09	0.87	1.97	☐	☐	☐	
11-023	K297265	478.54	481.58	3.04	0.005	9.4	0.08	0.68	1.99	☑	☐	☐	Duplicate of 264
11-023	K297266	481.58	484.63	3.05	0.005	6.5	0.07	0.55	1.42	☐	☐	☐	
11-023	K297267	484.63	487.68	3.05	0.005	10.0	0.04	0.50	1.35	☐	☐	☐	EOH

Sample Results

OS -11-016

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-015	K296820	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-020	K296835	0.00	0.00	0.00	2.630	590.0	4.53	104.50	3.74	☐	☐	☑	NT2
11-020	K296847	0.00	0.00	0.00	0.340	610.0	10.00	119.00	7.09	☐	☐	☑	NT1
11-020	K296851	0.00	0.00	0.00	0.005	20.0	0.02	0.09	0.02	☐	☑	☐	NQ
11-020	K296858	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-021	K296871	0.00	0.00	0.00	2.760	602.0	4.87	108.00	3.93	☐	☐	☑	NT2
11-021	K296881	0.00	0.00	0.00	0.005	20.0	0.01	0.10	0.05	☐	☑	☐	NQ
11-021	K296886	0.00	0.00	0.00	15.600	1400.0	6.37	161.00	3.63	☐	☐	☑	NT4
11-021	K296890	0.00	0.00	0.00	0.005	7.0	0.02	0.08	0.04	☐	☑	☐	NQ
11-025	K296910	0.00	0.00	0.00	0.370	608.0	9.20	111.00	7.55	☐	☐	☑	NT1
11-025	K296915	0.00	0.00	0.00	0.005	8.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-025	K296920	0.00	0.00	0.00	7.840	1130.0	5.63	16.85	12.70	☐	☐	☑	NT3
11-025	K296925	0.00	0.00	0.00	0.005	22.0	0.02	0.08	0.04	☐	☑	☐	NQ
11-015	K296815	22.86	25.91	3.05	0.030	3440.0	18.90	13.85	22.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-015	K296816	25.91	28.04	2.13	0.020	1710.0	15.60	8.50	21.00	☐	☐	☐	
11-015	K296817	28.04	30.48	2.44	0.010	916.0	4.83	17.85	12.00	☐	☐	☐	
11-015	K296818	30.48	32.00	1.52	0.005	121.5	0.34	1.28	1.38	☐	☐	☐	
11-015	K296819	32.00	33.53	1.53	0.005	76.3	1.15	0.80	3.27	☐	☐	☐	
11-015	K296821	33.53	35.05	1.52	0.010	168.0	2.11	5.04	5.03	☐	☐	☐	
11-015	K296822	35.05	36.58	1.53	0.005	84.9	1.89	1.90	5.38	☐	☐	☐	
11-015	K296823	36.58	38.10	1.52	0.005	103.0	3.59	2.15	7.34	☐	☐	☐	
11-015	K296824	38.10	39.62	1.52	0.005	114.5	3.30	2.12	6.44	☐	☐	☐	end batch 15
11-020	K296825	39.62	41.15	1.53	0.010	649.0	2.14	3.82	3.31	☐	☐	☐	start batch 20
11-020	K296826	41.15	42.67	1.52	0.030	2230.0	4.15	8.97	7.80	☐	☐	☐	
11-020	K296827	42.67	44.20	1.53	0.010	236.0	2.69	2.48	3.34	☐	☐	☐	
11-020	K296828	44.20	45.72	1.52	0.010	205.0	3.45	2.16	4.46	☐	☐	☐	
11-020	K296829	45.72	47.24	1.52	0.020	766.0	4.48	2.63	5.85	☐	☐	☐	
11-020	K296830	47.24	48.77	1.53	0.010	297.0	4.63	2.64	5.64	☐	☐	☐	
11-020	K296831	48.77	50.29	1.52	0.010	215.0	4.65	1.78	6.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-020	K296832	50.29	52.14	1.85	0.060	533.0	7.80	4.77	7.05	☐	☐	☐	
11-020	K296833	52.14	53.34	1.20	0.020	3730.0	2.77	5.41	2.94	☐	☐	☐	
11-020	K296834	53.34	54.86	1.52	0.020	1365.0	5.54	3.32	2.46	☐	☐	☐	
11-020	K296836	54.86	56.39	1.53	0.040	923.0	9.70	4.45	3.80	☐	☐	☐	
11-020	K296837	56.39	57.91	1.52	0.020	241.0	9.20	2.29	3.70	☐	☐	☐	
11-020	K296838	57.91	60.00	2.09	0.010	792.0	13.80	4.62	5.67	☐	☐	☐	
11-020	K296839	60.00	62.18	2.18	0.010	258.0	3.74	1.44	2.03	☐	☐	☐	
11-020	K296840	62.18	64.01	1.83	0.040	833.0	14.90	4.08	7.45	☐	☐	☐	
11-020	K296841	62.18	64.01	1.83	0.020	1260.0	13.60	4.93	5.55	☑	☐	☐	Duplicate of 840
11-020	K296842	64.01	65.53	1.52	0.005	225.0	9.70	1.20	5.39	☐	☐	☐	
11-020	K296843	65.53	67.06	1.53	0.005	215.0	11.80	1.39	8.73	☐	☐	☐	
11-020	K296844	67.06	69.49	2.43	0.030	340.0	3.85	1.94	3.64	☐	☐	☐	
11-020	K296845	69.49	71.00	1.51	0.005	296.0	1.14	0.85	0.75	☐	☐	☐	
11-020	K296846	71.00	73.15	2.15	0.020	461.0	1.77	0.93	1.49	☐	☐	☐	
11-020	K296848	73.15	76.20	3.05	0.005	250.0	3.25	1.17	2.66	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-020	K296849	76.20	77.90	1.70	0.005	96.0	1.50	0.81	0.97	☐	☐	☐	
11-020	K296850	77.90	80.25	2.35	1.170	14650.0	13.50	38.00	11.30	☐	☐	☐	
11-020	K296852	80.25	81.50	1.25	0.110	6960.0	9.60	18.55	8.38	☐	☐	☐	
11-020	K296853	81.50	83.00	1.50	0.020	3730.0	3.16	7.70	3.27	☐	☐	☐	
11-020	K296854	83.00	85.34	2.34	0.005	2220.0	1.75	2.80	1.88	☐	☐	☐	
11-020	K296855	85.34	88.39	3.05	0.005	602.0	0.73	1.10	0.92	☐	☐	☐	
11-020	K296856	88.39	91.44	3.05	0.005	756.0	0.85	1.05	1.13	☐	☐	☐	
11-020	K296857	91.44	94.49	3.05	0.005	280.0	1.06	0.88	1.31	☐	☐	☐	
11-020	K296859	94.49	97.54	3.05	0.005	288.0	0.56	0.55	1.17	☐	☐	☐	
11-020	K296860	97.54	100.58	3.04	0.005	442.0	1.38	0.86	1.70	☐	☐	☐	End of batch 20
11-021	K296861	100.58	103.63	3.05	0.005	676.0	1.94	1.67	3.81	☐	☐	☐	Start of batch 21
11-021	K296862	103.63	106.68	3.05	0.030	723.0	2.22	2.95	4.65	☐	☐	☐	
11-021	K296863	106.68	109.40	2.72	0.070	821.0	2.64	2.75	5.42	☐	☐	☐	
11-021	K296864	109.40	110.40	1.00	3.080	478000.0	6.93	1045.00	26.20	☐	☐	☐	
11-021	K296865	110.40	111.05	0.65	0.240	1080.0	1.68	5.68	4.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-021	K296866	111.05	111.50	0.45	0.820	230000.0	3.45	802.00	13.95	☐	☐	☐	
11-021	K296867	111.50	112.70	1.20	0.580	4430.0	3.62	18.80	10.90	☐	☐	☐	
11-021	K296868	112.70	113.45	0.75	1.460	431000.0	4.03	798.00	17.25	☐	☐	☐	*jump in sample #*
11-021	K297738	113.45	114.00	0.55	0.830	18250.0	5.22	59.70	21.10	☐	☐	☐	*additional sample added later**
11-021	K296869	114.00	115.82	1.82	0.580	31700.0	4.97	89.90	31.90	☐	☐	☐	
11-021	K296870	115.82	118.87	3.05	0.830	2360.0	10.40	11.75	17.10	☐	☐	☐	
11-021	K296872	118.87	121.92	3.05	0.100	1000.0	8.54	2.88	17.40	☐	☐	☐	
11-021	K296873	121.92	124.97	3.05	1.260	971.0	7.66	11.15	17.90	☐	☐	☐	
11-021	K296874	124.97	128.02	3.05	1.200	323.0	5.60	8.77	17.25	☐	☐	☐	
11-021	K296875	128.02	131.06	3.04	2.930	6040.0	12.80	21.50	44.30	☐	☐	☐	
11-021	K296876	131.06	134.11	3.05	2.840	2650.0	11.10	35.70	41.60	☐	☐	☐	
11-021	K296877	134.11	137.16	3.05	1.400	601.0	5.69	13.00	18.60	☐	☐	☐	
11-021	K296878	137.16	140.21	3.05	1.310	1850.0	5.71	16.40	19.75	☐	☐	☐	
11-021	K296879	140.21	143.26	3.05	2.240	10250.0	6.33	36.00	21.90	☐	☐	☐	
11-021	K296880	143.26	146.30	3.04	2.370	2370.0	7.50	22.50	23.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-021	K296882	146.30	147.20	0.90	1.980	4020.0	4.18	18.60	13.60	☐	☐	☐	
11-021	K296883	147.20	148.00	0.80	1.210	204000.0	3.89	569.00	9.22	☐	☐	☐	
11-021	K296884	148.00	149.35	1.35	4.540	9790.0	17.80	49.00	31.90	☐	☐	☐	
11-021	K296885	149.35	150.00	0.65	3.170	56900.0	11.00	148.50	32.20	☐	☐	☐	
11-021	K296887	150.00	152.40	2.40	1.440	667.0	5.51	12.60	18.20	☐	☐	☐	
11-021	K296888	152.40	155.45	3.05	3.880	713.0	13.60	37.40	55.90	☐	☐	☐	
11-021	K296889	155.45	158.50	3.05	1.150	256.0	3.76	8.00	12.55	☐	☐	☐	
11-021	K296891	158.50	161.54	3.04	0.290	71.0	1.62	2.68	5.29	☐	☐	☐	
11-021	K296892	161.54	164.59	3.05	0.590	150.0	2.91	5.21	9.63	☐	☐	☐	
11-021	K296893	164.59	167.64	3.05	0.920	191.0	3.53	6.33	11.10	☐	☐	☐	
11-021	K296894	167.64	169.85	2.21	2.910	4280.0	6.40	24.20	20.90	☐	☐	☐	
11-021	K296895	169.85	172.00	2.15	9.050	1500.0	15.60	37.80	58.70	☐	☐	☐	
11-021	K296896	169.85	172.00	2.15	9.120	1670.0	16.20	40.10	60.50	☑	☐	☐	Duplicate of 895 + end of batch 21
11-025	K296897	172.00	173.74	1.74	16.400	4160.0	26.50	77.10	101.00	☐	☐	☐	Start of Batch 25
11-025	K296898	173.74	176.15	2.41	12.750	2350.0	24.30	71.30	93.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-025	K296899	176.15	179.15	3.00	18.400	1660.0	22.00	72.90	89.80	☐	☐	☐	
11-025	K296900	179.15	181.00	1.85	2.190	380.0	3.79	9.34	15.30	☐	☐	☐	
11-025	K296901	181.00	182.88	1.88	0.560	202.0	3.10	5.94	12.65	☐	☐	☐	
11-025	K296902	182.88	185.93	3.05	0.970	357.0	5.19	9.44	22.80	☐	☐	☐	
11-025	K296903	185.93	188.98	3.05	0.160	299.0	3.53	1.96	9.85	☐	☐	☐	
11-025	K296904	185.93	188.98	3.05	0.100	287.0	3.40	1.72	9.06	☑	☐	☐	Duplicate of 903
11-025	K296905	188.98	192.02	3.04	0.410	274.0	4.26	4.34	12.50	☐	☐	☐	
11-025	K296906	192.02	193.40	1.38	0.390	144.0	1.90	2.25	6.32	☐	☐	☐	
11-025	K296907	193.40	195.07	1.67	0.100	1380.0	3.90	3.14	12.65	☐	☐	☐	
11-025	K296908	195.07	197.20	2.13	2.800	745.0	4.72	9.55	16.70	☐	☐	☐	
11-025	K296909	197.20	200.10	2.90	0.230	1290.0	3.61	3.51	9.45	☐	☐	☐	
11-025	K296911	200.10	201.17	1.07	0.010	738.0	5.57	1.93	13.25	☐	☐	☐	
11-025	K296912	201.17	204.22	3.05	0.010	635.0	9.40	0.92	11.35	☐	☐	☐	
11-025	K296913	204.22	206.90	2.68	0.005	1500.0	7.27	1.64	8.66	☐	☐	☐	
11-025	K296914	206.90	209.00	2.10	0.010	417.0	5.73	0.41	8.46	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-025	K296916	209.00	210.31	1.31	0.010	460.0	6.64	0.40	9.62	☐	☐	☐	
11-025	K296917	210.31	212.50	2.19	0.410	2020.0	9.00	2.67	17.20	☐	☐	☐	
11-025	K296918	212.50	213.36	0.86	10.950	89300.0	32.60	150.50	86.30	☐	☐	☐	
11-025	K296919	213.36	215.00	1.64	9.410	63200.0	32.70	96.60	90.60	☐	☐	☐	
11-025	K296921	215.00	217.10	2.10	8.770	56800.0	21.40	71.10	69.90	☐	☐	☐	
11-025	K296922	217.10	219.46	2.36	2.120	11900.0	13.10	44.40	52.70	☐	☐	☐	
11-025	K296923	219.46	221.00	1.54	2.750	6710.0	14.00	30.20	49.70	☐	☐	☐	
11-025	K296924	221.00	222.50	1.50	3.470	12950.0	15.70	24.00	51.50	☐	☐	☐	
11-025	K296926	222.50	225.55	3.05	1.460	9240.0	8.80	12.15	25.80	☐	☐	☐	
11-025	K296927	225.55	228.60	3.05	0.270	1720.0	4.34	3.64	11.65	☐	☐	☐	
11-025	K296928	228.60	231.65	3.05	0.240	1540.0	5.89	2.41	15.20	☐	☐	☐	
11-025	K296929	231.65	234.70	3.05	2.180	6740.0	7.03	18.15	19.00	☐	☐	☐	
11-025	K296930	234.70	237.74	3.04	0.620	1150.0	5.12	6.56	15.15	☐	☐	☐	
11-025	K296931	237.74	240.79	3.05	0.100	336.0	2.88	2.25	6.15	☐	☐	☐	
11-025	K296932	240.79	243.84	3.05	0.005	123.0	1.10	0.67	3.30	☐	☐	☐	end of batch 25

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-026	K296933	243.84	246.89	3.05	0.010	84.2	0.66	0.58	3.24	☐	☐	☐	start batch 26
11-026	K296934	246.89	249.94	3.05	0.005	37.9	0.49	0.34	2.79	☐	☐	☐	
11-026	K296935	249.94	252.98	3.04	0.130	331.0	0.69	1.94	3.91	☐	☐	☐	
11-026	K296936	252.98	256.03	3.05	0.005	27.5	0.74	0.51	2.20	☐	☐	☐	
11-026	K296937	256.03	259.08	3.05	0.005	76.2	0.67	0.88	2.93	☐	☐	☐	
11-026	K296938	259.08	262.13	3.05	0.005	28.6	0.32	0.44	1.23	☐	☐	☐	
11-026	K296939	262.13	265.18	3.05	0.005	37.9	0.57	0.43	3.26	☐	☐	☐	
11-026	K296940	265.18	268.22	3.04	0.060	393.0	0.54	1.25	3.37	☐	☐	☐	
11-026	K296941	268.22	271.27	3.05	0.005	30.0	0.24	0.51	1.49	☐	☐	☐	
11-026	K296942	271.27	274.32	3.05	0.005	30.8	0.63	0.69	2.54	☐	☐	☐	
11-028	K296973	274.32	277.37	3.05	0.005	36.5	0.34	0.72	1.77	☐	☐	☐	
11-028	K296974	277.37	280.42	3.05	0.010	27.6	0.28	0.58	1.26	☐	☐	☐	EOH

Sample Results

OS -11-017

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-024	K296149	0.00	0.00	0.00	2.560	561.0	4.70	99.70	3.35	☐	☐	☑	NT2
11-024	K296164	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-024	K296168	0.00	0.00	0.00	0.005	2.5	0.05	0.03	0.02	☐	☑	☐	HQ
11-024	K296176	0.00	0.00	0.00	7.610	1020.0	6.19	20.10	12.40	☐	☐	☑	NT3
11-027	K296182	0.00	0.00	0.00	15.100	1280.0	6.70	158.50	3.36	☐	☐	☑	NT4
11-027	K296191	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-027	K296194	0.00	0.00	0.00	0.005	57.3	0.68	0.70	2.76	☐	☐	☑	NT1
11-018	K296133	1.20	3.05	1.85	0.005	7.9	0.19	0.43	0.65	☐	☐	☐	
11-018	K296134	3.05	4.57	1.52	0.005	5.0	0.17	0.38	0.69	☐	☐	☐	
11-018	K296135	4.57	7.62	3.05	0.005	213.0	1.14	0.72	2.71	☐	☐	☐	
11-018	K296136	7.62	10.67	3.05	0.005	23.9	0.63	0.35	1.67	☐	☐	☐	
11-018	K296137	10.67	13.72	3.05	0.005	61.0	0.51	0.34	1.78	☐	☐	☐	
11-018	K296138	13.72	16.76	3.04	0.010	45.9	0.36	0.33	1.27	☐	☐	☐	
11-018	K296139	16.76	19.81	3.05	0.005	32.7	0.28	0.35	1.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-018	K296140	19.81	21.34	1.53	0.005	31.3	0.22	0.28	0.96	☐	☐	☐	
11-018	K296141	21.34	24.38	3.04	0.010	21.8	0.14	0.25	0.87	☐	☐	☐	
11-018	K296142	24.38	25.91	1.53	0.005	26.8	0.21	0.26	1.22	☐	☐	☐	
11-018	K296143	24.38	25.91	1.53	0.005	26.4	0.21	0.27	1.10	☑	☐	☐	Duplicate of 142
11-018	K296144	25.91	28.96	3.05	0.005	5.6	0.08	0.31	0.75	☐	☐	☐	End of batch 18`
11-024	K296145	28.96	32.00	3.04	0.010	9.1	0.10	0.27	0.56	☐	☐	☐	Start batch 24
11-024	K296146	32.00	33.53	1.53	0.005	25.8	0.20	0.26	0.72	☐	☐	☐	
11-024	K296147	33.53	35.05	1.52	0.005	23.9	2.00	0.45	0.87	☐	☐	☐	
11-024	K296148	35.05	36.58	1.53	0.005	87.0	0.60	1.46	1.80	☐	☐	☐	
11-024	K296150	36.58	38.10	1.52	0.005	108.0	0.70	1.06	1.32	☐	☐	☐	
11-024	K296151	38.10	40.00	1.90	0.005	132.5	0.40	0.59	1.04	☐	☐	☐	
11-024	K296152	40.00	42.67	2.67	0.005	26.0	0.50	0.35	0.81	☐	☐	☐	
11-024	K296153	42.67	45.72	3.05	0.005	32.5	0.22	0.35	0.97	☐	☐	☐	
11-024	K296154	45.72	48.77	3.05	0.005	15.0	0.35	0.44	1.18	☐	☐	☐	
11-024	K296155	45.72	48.77	3.05	0.005	16.8	0.40	0.53	1.28	☑	☐	☐	Duplicate of 154

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-024	K296156	48.77	51.82	3.05	0.005	56.0	0.54	0.50	1.36	☐	☐	☐	
11-024	K296157	51.82	54.86	3.04	0.005	15.4	0.17	0.36	0.53	☐	☐	☐	
11-024	K296158	54.86	56.39	1.53	0.005	23.9	0.14	0.37	0.43	☐	☐	☐	
11-024	K296159	56.39	57.91	1.52	0.005	22.2	0.18	0.37	0.44	☐	☐	☐	
11-024	K296160	57.91	60.96	3.05	0.005	17.4	0.20	0.32	0.56	☐	☐	☐	
11-024	K296161	60.96	64.01	3.05	0.005	24.9	0.26	0.38	0.70	☐	☐	☐	
11-024	K296162	64.01	67.06	3.05	0.010	16.8	0.14	0.34	0.43	☐	☐	☐	
11-024	K296163	67.06	70.10	3.04	0.005	17.6	0.11	0.37	0.39	☐	☐	☐	
11-024	K296165	70.10	73.15	3.05	0.005	24.1	0.10	0.26	0.56	☐	☐	☐	
11-024	K296166	73.15	75.52	2.37	0.005	21.2	0.07	0.30	0.68	☐	☐	☐	
11-024	K296167	75.52	77.72	2.20	0.005	32.6	0.31	0.63	1.82	☐	☐	☐	
11-024	K296169	77.72	80.77	3.05	0.005	43.2	0.54	0.64	2.07	☐	☐	☐	
11-024	K296170	80.77	82.60	1.83	0.005	98.2	2.44	0.70	4.62	☐	☐	☐	
11-024	K296171	82.60	85.34	2.74	0.040	526.0	3.28	2.31	6.57	☐	☐	☐	
11-024	K296172	85.34	88.39	3.05	0.010	203.0	4.19	1.74	6.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-024	K296173	88.39	89.92	1.53	3.130	3940.0	15.40	38.40	38.90	☐	☐	☐	
11-024	K296174	89.92	91.44	1.52	0.030	198.0	2.02	3.00	3.48	☐	☐	☐	
11-024	K296175	91.44	92.96	1.52	0.090	234.0	1.94	2.84	4.16	☐	☐	☐	
11-024	K296177	92.96	94.49	1.53	0.010	122.0	1.78	2.07	3.59	☐	☐	☐	
11-024	K296178	94.49	95.30	0.81	2.930	3710.0	12.40	26.40	33.20	☐	☐	☐	
11-024	K296179	95.30	97.54	2.24	6.440	11200.0	24.00	67.30	71.70	☐	☐	☐	
11-024	K296180	97.54	99.06	1.52	5.620	5940.0	14.30	47.60	34.60	☐	☐	☐	End of Batch 24
11-027	K296181	99.06	100.58	1.52	0.970	1350.0	6.10	10.50	12.65	☐	☐	☐	Start Batch 27
11-027	K296183	100.58	103.63	3.05	0.010	350.0	4.14	1.70	4.92	☐	☐	☐	
11-027	K296184	103.63	106.68	3.05	0.005	335.0	3.32	0.86	5.35	☐	☐	☐	
11-027	K296185	106.68	109.73	3.05	0.005	80.0	2.63	0.44	5.97	☐	☐	☐	
11-027	K296186	109.73	111.25	1.52	0.005	74.6	0.96	0.35	7.18	☐	☐	☐	
11-027	K296187	111.25	118.87	7.62	0.190	1085.0	1.27	3.06	3.13	☐	☐	☐	*no core between 375 to 390 -- sample interval 7.62m
11-027	K296188	118.87	121.92	3.05	0.010	93.3	0.63	1.01	2.67	☐	☐	☐	
11-027	K296189	121.92	124.97	3.05	0.005	100.0	0.55	0.43	1.85	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-027	K296190	124.97	128.02	3.05	0.005	39.5	0.51	0.29	2.55	☐	☐	☐	
11-027	K296192	128.02	131.06	3.04	0.005	42.2	0.53	0.29	3.36	☐	☐	☐	
11-027	K296193	131.06	134.11	3.05	0.330	593.0	9.10	116.00	7.20	☐	☐	☐	
11-027	K296195	134.11	137.16	3.05	0.005	36.2	0.60	0.40	2.11	☐	☐	☐	
11-027	K296196	137.16	140.21	3.05	0.005	33.1	0.79	0.39	4.52	☐	☐	☐	
11-027	K296197	140.21	143.26	3.05	0.005	141.0	0.90	0.84	4.16	☐	☐	☐	
11-027	K296198	143.26	146.30	3.04	0.005	267.0	0.79	0.73	7.51	☐	☐	☐	
11-027	K296199	146.30	149.35	3.05	0.005	101.0	0.53	0.60	6.42	☐	☐	☐	
11-027	K296200	149.35	152.40	3.05	0.005	80.7	0.40	0.64	1.79	☐	☐	☐	
11-027	K296201	152.40	155.45	3.05	0.005	91.3	0.15	0.45	2.58	☐	☐	☐	
11-027	K296202	155.45	158.50	3.05	0.005	106.0	0.44	0.81	1.70	☐	☐	☐	
11-027	K296203	158.50	161.54	3.04	0.005	213.0	0.44	0.87	3.72	☐	☐	☐	
11-027	K296204	161.54	164.59	3.05	0.010	284.0	0.65	0.97	4.48	☐	☐	☐	
11-027	K296205	161.54	164.59	3.05	0.020	345.0	0.83	1.15	4.25	☑	☐	☐	Duplicate of 204
11-027	K296206	164.59	167.64	3.05	0.260	718.0	1.98	4.42	6.39	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-027	K296207	167.64	170.69	3.05	0.090	363.0	1.31	2.04	4.83	☐	☐	☐	
11-027	K296208	170.69	173.74	3.05	0.540	1425.0	1.90	8.56	7.46	☐	☐	☐	EOH

Sample Results

OS -11-018

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-023	K297268	6.20	8.53	2.33	0.005	144.0	0.19	0.53	1.07	☐	☐	☐	
11-023	K297269	8.53	11.58	3.05	0.005	77.4	0.32	0.51	1.01	☐	☐	☐	
11-023	K297270	11.58	14.63	3.05	0.050	158.0	0.30	0.52	1.28	☐	☐	☐	
11-023	K297271	14.63	17.68	3.05	0.005	2470.0	0.33	0.59	0.96	☐	☐	☐	
11-023	K297272	17.68	20.73	3.05	0.005	2650.0	0.27	1.35	0.61	☐	☐	☐	
11-023	K297273	20.73	23.77	3.04	0.005	734.0	0.16	0.47	0.63	☐	☐	☐	Rest of hole chip sampled

Sample Results

OS -11-019

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-026	K296948	0.00	0.00	0.00	0.370	604.0	9.40	114.50	8.04	☐	☐	☑	NT1
11-026	K296953	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-026	K296962	0.00	0.00	0.00	0.340	618.0	9.50	113.50	7.32	☐	☐	☑	NT1
11-026	K296968	0.00	0.00	0.00	0.005	6.0	0.02	0.03	0.03	☐	☑	☐	HQ
11-028	K296987	0.00	0.00	0.00	2.690	575.0	4.51	94.60	3.29	☐	☐	☑	NT2
11-028	K296995	0.00	0.00	0.00	0.005	9.0	0.01	0.07	0.04	☐	☑	☐	NQ
11-028	K297000	0.00	0.00	0.00	0.330	605.0	9.20	109.50	7.66	☐	☐	☑	NT1
11-028	K297504	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.04	☐	☑	☐	NQ + end batch 28
11-029	K297512	0.00	0.00	0.00	0.350	572.0	9.30	102.50	6.61	☐	☐	☑	NT1
11-029	K297517	0.00	0.00	0.00	0.010	10.0	0.04	0.11	0.11	☐	☑	☐	NQ
11-029	K297532	0.00	0.00	0.00	0.340	582.0	9.60	89.80	6.03	☐	☐	☑	NT1
11-029	K297539	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-026	K296943	9.36	12.19	2.83	0.010	43.1	0.15	0.42	0.76	☐	☐	☐	
11-026	K296944	9.36	12.19	2.83	0.005	45.3	0.16	0.39	0.77	☑	☐	☐	Duplicate of 943

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-026	K296945	12.19	15.24	3.05	0.005	8.8	0.02	0.32	0.38	☐	☐	☐	
11-026	K296946	15.24	18.29	3.05	0.010	9.1	0.08	0.25	0.46	☐	☐	☐	
11-026	K296947	18.29	21.34	3.05	0.005	5.9	0.05	0.28	0.29	☐	☐	☐	
11-026	K296949	21.34	24.38	3.04	0.040	4.8	0.08	0.33	0.31	☐	☐	☐	
11-026	K296950	24.38	27.43	3.05	0.010	12.3	0.09	0.31	0.47	☐	☐	☐	
11-026	K296951	27.43	30.48	3.05	0.010	4.4	0.12	0.24	0.60	☐	☐	☐	
11-026	K296952	30.48	32.00	1.52	0.010	153.5	0.35	0.61	1.90	☐	☐	☐	*no recovery from 32-33.53m
11-026	K296954	33.53	36.58	3.05	0.110	6190.0	16.70	22.50	37.00	☐	☐	☐	
11-026	K296955	36.58	38.10	1.52	0.010	1775.0	1.94	3.77	15.05	☐	☐	☐	
11-026	K296956	38.10	41.15	3.05	0.020	834.0	1.67	3.27	4.54	☐	☐	☐	
11-026	K296957	41.15	44.20	3.05	0.010	117.0	0.30	0.57	1.36	☐	☐	☐	
11-026	K296958	44.20	47.24	3.04	0.010	14.3	0.09	0.35	0.85	☐	☐	☐	
11-026	K296959	47.24	50.29	3.05	0.010	81.3	0.08	0.37	0.84	☐	☐	☐	
11-026	K296960	50.29	53.34	3.05	0.020	44.7	0.07	0.60	0.86	☐	☐	☐	
11-026	K296961	53.34	56.39	3.05	0.010	45.7	0.07	0.29	0.65	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-026	K296963	56.39	59.44	3.05	0.010	60.0	0.23	0.41	1.06	☐	☐	☐	
11-026	K296964	59.44	62.48	3.04	0.005	45.7	0.73	0.65	1.45	☐	☐	☐	
11-026	K296965	62.48	65.53	3.05	0.010	68.8	4.08	1.61	3.47	☐	☐	☐	
11-026	K296966	65.53	68.58	3.05	0.010	103.5	4.35	1.30	3.35	☐	☐	☐	
11-026	K296967	68.58	71.93	3.35	0.010	99.6	4.22	1.39	5.78	☐	☐	☐	
11-028	K296969	71.93	74.68	2.75	0.005	150.0	1.75	2.68	3.72	☐	☐	☐	start batch 28
11-028	K296970	74.68	77.72	3.04	0.010	1700.0	1.32	10.15	3.51	☐	☐	☐	
11-028	K296971	77.72	80.77	3.05	0.005	1555.0	1.72	14.60	5.79	☐	☐	☐	
11-028	K296972	80.77	83.82	3.05	0.010	464.0	6.90	4.31	12.65	☐	☐	☐	
11-028	K296975	83.82	86.87	3.05	0.010	509.0	6.90	4.74	13.80	☐	☐	☐	*973 and 974 in OS-11-16*
11-028	K296976	86.87	89.92	3.05	0.010	498.0	4.47	3.18	7.23	☐	☐	☐	
11-028	K296977	89.92	92.96	3.04	0.005	271.0	2.38	1.45	6.50	☐	☐	☐	
11-028	K296978	92.96	94.91	1.95	0.010	470.0	2.64	2.71	5.51	☐	☐	☐	
11-028	K296979	94.91	97.54	2.63	0.550	2460.0	7.60	14.95	20.10	☐	☐	☐	
11-028	K296980	97.54	99.06	1.52	0.040	701.0	3.06	5.47	6.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-028	K296981	99.06	100.58	1.52	0.030	164.5	4.02	3.27	7.62	☐	☐	☐	
11-028	K296982	99.06	100.58	1.52	0.040	195.5	4.02	3.50	8.99	☑	☐	☐	Duplicate of 981
11-028	K296983	100.58	102.00	1.42	0.030	445.0	4.43	4.24	7.40	☐	☐	☐	
11-028	K296984	102.00	103.90	1.90	0.020	1670.0	2.38	3.74	5.05	☐	☐	☐	
11-028	K296985	103.90	106.00	2.10	0.160	10950.0	3.52	14.85	7.09	☐	☐	☐	
11-028	K296986	106.00	107.25	1.25	0.200	12700.0	5.00	22.80	11.50	☐	☐	☐	
11-028	K296988	107.25	109.00	1.75	0.100	437.0	2.74	3.45	6.20	☐	☐	☐	
11-028	K296989	109.00	111.00	2.00	0.010	154.0	2.88	0.90	5.45	☐	☐	☐	
11-028	K296990	111.00	112.78	1.78	0.005	63.4	4.44	0.61	6.30	☐	☐	☐	
11-028	K296991	112.78	114.35	1.57	0.005	111.0	4.61	1.41	6.88	☐	☐	☐	
11-028	K296992	114.35	116.60	2.25	0.005	58.7	2.46	1.00	2.39	☐	☐	☐	
11-028	K296993	116.60	118.87	2.27	0.005	44.9	1.75	0.76	5.35	☐	☐	☐	
11-028	K296994	118.87	121.20	2.33	0.005	24.4	0.79	0.53	5.72	☐	☐	☐	
11-028	K296996	121.20	122.60	1.40	0.005	15.7	0.98	0.32	2.18	☐	☐	☐	
11-028	K296997	122.60	124.97	2.37	0.005	56.0	0.99	0.68	6.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-028	K296998	124.97	128.02	3.05	0.005	32.6	1.22	0.58	4.98	☐	☐	☐	
11-028	K296999	128.02	129.90	1.88	0.005	198.5	2.47	1.96	8.11	☐	☐	☐	
11-028	K297501	129.90	131.06	1.16	0.010	69.0	1.35	1.23	4.67	☐	☐	☐	*Jump in sample tag number*
11-028	K297502	131.06	134.11	3.05	0.180	341.0	1.45	1.46	4.37	☐	☐	☐	
11-028	K297503	134.11	137.16	3.05	0.020	356.0	0.79	0.85	2.18	☐	☐	☐	
11-029	K297505	137.16	140.21	3.05	0.020	420.0	1.24	1.29	2.85	☐	☐	☐	start batch 29
11-029	K297506	140.21	143.26	3.05	0.190	835.0	3.43	3.95	8.05	☐	☐	☐	
11-029	K297507	143.26	146.30	3.04	0.580	768.0	4.24	4.15	8.44	☐	☐	☐	
11-029	K297508	146.30	149.35	3.05	0.240	420.0	3.34	3.70	9.08	☐	☐	☐	
11-029	K297509	149.35	152.40	3.05	0.420	313.0	3.94	4.26	12.05	☐	☐	☐	
11-029	K297510	152.40	155.45	3.05	3.860	2480.0	5.70	17.25	22.70	☐	☐	☐	
11-029	K297511	155.45	158.50	3.05	1.190	172.0	3.45	3.44	9.17	☐	☐	☐	
11-029	K297513	158.50	161.54	3.04	0.580	206.0	2.45	4.44	7.63	☐	☐	☐	
11-029	K297514	161.54	164.59	3.05	0.950	918.0	1.72	4.65	8.15	☐	☐	☐	
11-029	K297515	164.59	167.64	3.05	1.020	634.0	2.44	5.28	6.77	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-029	K297516	167.64	170.69	3.05	0.170	326.0	1.31	2.55	4.23	☐	☐	☐	
11-029	K297518	170.69	173.74	3.05	4.300	1980.0	5.06	19.40	19.50	☐	☐	☐	
11-029	K297519	173.74	176.78	3.04	0.930	126.0	1.85	3.21	5.90	☐	☐	☐	
11-029	K297520	176.78	179.83	3.05	0.190	76.0	0.99	1.33	3.14	☐	☐	☐	
11-029	K297521	179.83	182.88	3.05	0.770	171.0	4.30	4.45	12.40	☐	☐	☐	
11-029	K297522	179.83	182.88	3.05	0.550	132.0	3.48	4.21	12.65	☑	☐	☐	Duplicate of 521
11-029	K297523	182.88	185.93	3.05	0.690	227.0	2.55	4.80	6.68	☐	☐	☐	
11-029	K297524	185.93	188.98	3.05	2.050	246.0	5.14	8.15	15.15	☐	☐	☐	
11-029	K297525	188.98	192.02	3.04	3.040	197.0	3.03	7.01	9.35	☐	☐	☐	
11-029	K297526	192.02	195.07	3.05	2.670	217.0	3.41	6.42	10.25	☐	☐	☐	
11-029	K297527	195.07	198.12	3.05	4.580	467.0	9.60	21.20	32.10	☐	☐	☐	
11-029	K297528	198.12	201.17	3.05	2.250	216.0	4.94	8.21	14.80	☐	☐	☐	
11-029	K297529	201.17	204.22	3.05	1.460	127.0	3.16	5.82	10.05	☐	☐	☐	
11-029	K297530	204.22	207.26	3.04	1.890	227.0	5.15	10.75	14.65	☐	☐	☐	
11-029	K297531	207.26	210.31	3.05	0.080	42.0	1.17	1.21	4.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-029	K297533	210.31	213.36	3.05	0.110	65.0	1.53	1.45	3.66	☐	☐	☐	
11-029	K297534	213.36	216.41	3.05	0.120	79.0	2.22	2.09	4.87	☐	☐	☐	
11-029	K297535	216.41	219.46	3.05	0.010	75.0	1.90	0.56	3.34	☐	☐	☐	
11-029	K297536	219.46	222.50	3.04	0.010	60.0	1.27	0.52	1.98	☐	☐	☐	
11-029	K297537	222.50	225.55	3.05	0.010	50.0	1.07	0.45	2.92	☐	☐	☐	
11-029	K297538	225.55	228.60	3.05	0.010	24.0	0.46	0.41	1.90	☐	☐	☐	
11-029	K297540	228.60	231.65	3.05	0.005	37.0	0.50	0.33	2.52	☐	☐	☐	end batch 29
11-030	K297541	231.65	234.69	3.04	0.005	61.0	0.55	0.52	4.08	☐	☐	☐	Start batch 30
11-030	K297542	234.69	237.74	3.05	0.005	14.0	0.10	0.23	0.66	☐	☐	☐	
11-030	K297543	237.74	240.79	3.05	0.005	50.0	0.62	0.43	7.52	☐	☐	☐	
11-030	K297544	240.79	243.84	3.05	0.005	32.0	0.36	0.28	1.71	☐	☐	☐	EOH

Sample Results

OS -11-020

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-023	K297278	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-023	K297288	0.00	0.00	0.00	2.750	596.0	4.65	105.50	3.55	☐	☐	☑	NT2 + end of batch 23
11-031	K297300	0.00	0.00	0.00	0.360	579.0	9.40	104.50	7.46	☐	☐	☑	NT1
11-031	K297302	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-031	K297308	0.00	0.00	0.00	0.005	12.0	0.01	0.03	0.03	☐	☑	☐	HQ
11-031	K297313	0.00	0.00	0.00	0.340	607.0	9.50	105.50	7.90	☐	☐	☑	NT1
11-032	K297326	0.00	0.00	0.00	2.610	645.0	4.43	114.00	3.88	☐	☐	☑	NT2
11-032	K297331	0.00	0.00	0.00	0.010	7.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-032	K297350	0.00	0.00	0.00	7.910	1060.0	5.61	18.15	12.65	☐	☐	☑	NT3
11-032	K297358	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	HQ
11-023	K297274	3.05	5.49	2.44	0.005	121.0	0.37	0.32	0.80	☐	☐	☐	
11-023	K297275	5.49	8.53	3.04	0.005	416.0	1.00	0.43	1.85	☐	☐	☐	
11-023	K297276	8.53	11.58	3.05	0.005	190.0	0.55	0.16	0.77	☐	☐	☐	
11-023	K297277	11.58	14.63	3.05	0.005	153.0	0.66	0.17	0.64	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-023	K297279	14.63	17.68	3.05	0.005	265.0	1.16	0.29	0.48	☐	☐	☐	
11-023	K297280	17.68	20.73	3.05	0.005	103.0	1.17	0.37	0.82	☐	☐	☐	
11-023	K297281	20.73	23.77	3.04	0.005	95.0	0.88	0.32	0.31	☐	☐	☐	
11-023	K297282	23.77	26.82	3.05	0.010	89.0	1.17	0.33	0.75	☐	☐	☐	
11-023	K297283	26.82	29.87	3.05	0.005	98.0	1.48	0.30	0.72	☐	☐	☐	
11-023	K297284	29.87	32.92	3.05	0.005	79.0	0.51	0.28	0.36	☐	☐	☐	
11-023	K297285	32.92	35.97	3.05	0.010	215.0	1.64	0.73	1.85	☐	☐	☐	
11-023	K297286	35.97	39.01	3.04	0.005	38.0	0.78	0.36	0.83	☐	☐	☐	
11-023	K297287	39.01	42.06	3.05	0.005	89.0	1.44	0.81	1.17	☐	☐	☐	
11-031	K297289	42.06	45.11	3.05	0.030	712.0	7.14	3.91	0.77	☐	☐	☐	start batch 31
11-031	K297290	45.11	46.63	1.52	0.130	329.0	3.15	2.11	2.12	☐	☐	☐	
11-031	K297291	46.63	48.16	1.53	0.005	403.0	4.82	0.67	9.12	☐	☐	☐	
11-031	K297292	48.16	49.68	1.52	0.010	270.0	5.87	0.69	0.93	☐	☐	☐	
11-031	K297293	49.68	51.21	1.53	0.005	72.0	2.88	0.30	1.74	☐	☐	☐	
11-031	K297294	51.21	52.73	1.52	0.010	143.0	2.02	0.75	2.53	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-031	K297295	52.73	54.25	1.52	0.020	114.0	3.28	2.30	2.65	☐	☐	☐	
11-031	K297296	54.25	57.30	3.05	0.005	52.0	1.76	0.25	1.11	☐	☐	☐	
11-031	K297297	57.30	60.35	3.05	0.010	409.0	1.23	0.18	0.96	☐	☐	☐	
11-031	K297298	60.35	63.40	3.05	0.005	45.0	1.08	0.09	0.52	☐	☐	☐	
11-031	K297299	63.40	66.45	3.05	0.030	99.0	1.82	0.13	1.76	☐	☐	☐	
11-031	K297301	66.45	69.49	3.04	0.010	1220.0	0.58	0.19	0.68	☐	☐	☐	
11-031	K297303	69.49	72.54	3.05	0.010	369.0	1.01	0.22	0.86	☐	☐	☐	
11-031	K297304	72.54	75.59	3.05	0.010	372.0	0.97	0.24	0.86	☐	☐	☐	
11-031	K297305	75.59	78.64	3.05	0.005	216.0	1.55	0.32	1.44	☐	☐	☐	
11-031	K297306	78.64	81.69	3.05	0.005	1170.0	0.49	0.20	0.75	☐	☐	☐	
11-031	K297307	81.69	84.73	3.04	0.010	3930.0	1.22	0.39	1.38	☐	☐	☐	
11-031	K297309	84.73	87.78	3.05	0.030	746.0	1.89	0.39	1.66	☐	☐	☐	
11-031	K297310	87.78	89.31	1.53	0.040	312.0	2.85	1.01	2.73	☐	☐	☐	
11-031	K297311	89.31	92.35	3.04	0.030	1320.0	4.39	0.50	2.25	☐	☐	☐	
11-031	K297312	92.35	95.40	3.05	0.020	1910.0	3.41	0.27	1.66	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-031	K297314	95.40	96.93	1.53	0.080	508.0	8.90	0.84	10.50	☐	☐	☐	
11-031	K297315	96.93	98.45	1.52	0.250	1330.0	13.50	1.79	17.85	☐	☐	☐	
11-031	K297316	98.45	101.50	3.05	0.120	7380.0	12.10	1.56	9.16	☐	☐	☐	
11-031	K297317	101.50	104.55	3.05	0.050	7050.0	1.83	0.65	3.96	☐	☐	☐	
11-031	K297318	104.55	107.59	3.04	0.030	917.0	2.33	0.59	3.76	☐	☐	☐	
11-031	K297319	107.59	110.64	3.05	0.010	267.0	0.78	0.17	1.44	☐	☐	☐	
11-031	K297320	107.59	110.64	3.05	0.010	244.0	0.66	0.16	1.27	☑	☐	☐	Duplicate of 319
11-031	K297321	110.64	113.69	3.05	0.010	128.0	0.51	0.09	1.03	☐	☐	☐	
11-031	K297322	113.69	116.74	3.05	0.010	148.0	0.53	0.08	0.93	☐	☐	☐	
11-031	K297323	116.74	119.78	3.04	0.080	652.0	0.79	0.08	0.93	☐	☐	☐	
11-031	K297324	119.78	121.31	1.53	0.090	3280.0	1.45	0.19	1.40	☐	☐	☐	end batch 31
11-032	K297325	121.31	122.83	1.52	0.080	1120.0	3.75	0.50	2.38	☐	☐	☐	start batch 32
11-032	K297327	122.83	124.36	1.53	0.010	2360.0	1.06	0.18	0.48	☐	☐	☐	
11-032	K297328	124.36	127.41	3.05	0.010	806.0	1.35	0.20	1.23	☐	☐	☐	
11-032	K297329	127.41	130.45	3.04	0.010	109.0	1.02	0.12	0.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-032	K297330	130.45	133.50	3.05	0.020	852.0	1.47	0.14	2.01	☐	☐	☐	
11-032	K297332	133.50	136.55	3.05	0.030	1270.0	1.44	0.17	1.50	☐	☐	☐	
11-032	K297333	136.55	139.60	3.05	0.010	400.0	0.69	0.09	0.81	☐	☐	☐	
11-032	K297334	139.60	142.65	3.05	0.010	150.0	0.51	0.07	0.82	☐	☐	☐	
11-032	K297335	139.60	142.65	3.05	0.010	76.0	0.42	0.06	0.63	☑	☐	☐	Duplicate of 334
11-032	K297336	142.65	145.69	3.04	0.005	721.0	0.52	0.09	0.94	☐	☐	☐	
11-032	K297337	145.69	148.74	3.05	0.005	697.0	0.87	0.13	1.07	☐	☐	☐	
11-032	K297338	148.74	151.79	3.05	0.020	668.0	1.68	3.20	1.77	☐	☐	☐	
11-032	K297339	151.79	154.84	3.05	0.060	11650.0	6.70	1.37	2.93	☐	☐	☐	
11-032	K297340	154.84	157.40	2.56	0.030	5620.0	1.23	0.28	1.05	☐	☐	☐	
11-032	K297341	157.40	158.50	1.10	0.070	2680.0	1.46	0.85	1.26	☐	☐	☐	
11-032	K297342	158.50	160.93	2.43	0.040	2360.0	0.94	0.47	1.12	☐	☐	☐	
11-032	K297343	160.93	162.46	1.53	0.110	753.0	13.40	1.09	14.05	☐	☐	☐	
11-032	K297344	162.46	163.98	1.52	0.050	2830.0	1.62	0.26	1.70	☐	☐	☐	
11-032	K297345	163.98	167.03	3.05	0.390	6980.0	2.99	0.43	3.06	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-032	K297346	167.03	170.08	3.05	0.190	1410.0	2.92	0.30	3.06	☐	☐	☐	
11-032	K297347	170.08	173.13	3.05	0.180	6160.0	8.85	0.41	12.15	☐	☐	☐	
11-032	K297348	173.13	174.65	1.52	0.010	6650.0	1.66	0.18	2.64	☐	☐	☐	
11-032	K297349	174.65	176.17	1.52	0.010	781.0	0.90	0.11	1.03	☐	☐	☐	
11-032	K297351	176.17	177.70	1.53	0.030	1070.0	1.02	0.16	1.09	☐	☐	☐	
11-032	K297352	177.70	180.75	3.05	0.070	9330.0	2.06	0.45	2.13	☐	☐	☐	
11-032	K297353	180.75	182.27	1.52	0.070	1310.0	1.44	0.23	1.68	☐	☐	☐	
11-032	K297354	182.27	185.31	3.04	0.010	1100.0	0.94	0.19	1.11	☐	☐	☐	
11-032	K297355	185.31	187.10	1.79	0.030	3530.0	2.26	0.31	2.11	☐	☐	☐	
11-032	K297356	187.10	189.89	2.79	0.005	180.0	3.56	0.28	6.73	☐	☐	☐	
11-032	K297357	189.89	192.94	3.05	0.010	384.0	2.22	0.20	5.16	☐	☐	☐	
11-032	K297359	192.94	195.99	3.05	0.005	92.5	1.03	0.41	5.43	☐	☐	☐	
11-032	K297360	195.99	199.03	3.04	0.005	110.5	0.44	0.35	2.82	☐	☐	☐	End batch 32
11-034	K297361	199.03	202.10	3.07	0.005	80.0	0.73	0.54	2.28	☐	☐	☐	Start batch 34
11-034	K297362	202.10	205.13	3.03	0.005	40.0	0.37	1.01	1.86	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-034	K297363	205.13	208.18	3.05	0.005	68.0	0.21	0.88	1.59	☐	☐	☐	
11-034	K297364	208.18	211.23	3.05	0.005	103.5	0.61	0.77	2.85	☐	☐	☐	
11-034	K297365	211.23	214.27	3.04	0.005	118.5	0.58	0.21	2.18	☐	☐	☐	
11-034	K297366	214.27	217.32	3.05	0.005	364.0	0.88	0.36	2.62	☐	☐	☐	
11-034	K297367	217.32	220.37	3.05	0.005	86.8	1.30	0.66	3.23	☐	☐	☐	

Sample Results

OS -11-021

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-030	K297547	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-030	K297554	0.00	0.00	0.00	0.350	606.0	9.00	117.50	8.06	☐	☐	☑	NT1
11-030	K297559	0.00	0.00	0.00	0.005	30.0	0.01	0.14	0.05	☐	☑	☐	HQ
11-030	K297570	0.00	0.00	0.00	7.490	950.0	5.80	19.90	13.50	☐	☐	☑	NT3
11-035	K297578	0.00	0.00	0.00	0.005	8.0	0.01	0.07	0.04	☐	☑	☐	NQ
11-035	K297591	0.00	0.00	0.00	0.350	623.0	9.40	117.00	7.64	☐	☐	☑	NT1
11-035	K297600	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-035	K297607	0.00	0.00	0.00	0.330	570.0	9.50	118.50	7.62	☐	☐	☑	NT1
11-030	K297545	5.51	7.62	2.11	0.005	11.3	0.20	0.34	0.52	☐	☐	☐	
11-030	K297546	7.62	10.67	3.05	0.005	23.6	0.10	0.30	0.62	☐	☐	☐	
11-030	K297548	10.67	13.72	3.05	0.005	27.0	0.10	0.32	0.54	☐	☐	☐	
11-030	K297549	13.72	16.76	3.04	0.005	9.6	0.04	0.31	0.39	☐	☐	☐	
11-030	K297550	13.72	16.76	3.04	0.005	8.4	0.05	0.29	0.39	☑	☐	☐	duplicate of K297549
11-030	K297551	16.76	19.81	3.05	0.005	43.9	0.03	0.29	0.39	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-030	K297552	19.81	22.86	3.05	0.005	4.5	0.05	0.26	0.34	☐	☐	☐	
11-030	K297553	22.86	25.91	3.05	0.005	5.8	0.10	0.28	0.43	☐	☐	☐	
11-030	K297555	25.91	28.96	3.05	0.005	5.2	0.20	0.38	0.47	☐	☐	☐	
11-030	K297556	28.96	31.30	2.34	0.005	22.2	0.21	0.31	1.01	☐	☐	☐	
11-030	K297557	31.30	33.53	2.23	0.005	938.0	1.64	2.64	7.98	☐	☐	☐	
11-030	K297558	33.53	35.60	2.07	0.180	19150.0	7.00	50.40	14.10	☐	☐	☐	
11-030	K297560	35.60	38.10	2.50	0.005	159.5	0.18	0.55	1.56	☐	☐	☐	
11-030	K297561	38.10	41.15	3.05	0.005	174.5	0.18	0.49	1.54	☐	☐	☐	
11-030	K297562	41.15	43.43	2.28	0.005	32.6	0.26	0.26	1.19	☐	☐	☐	
11-030	K297563	43.43	45.72	2.29	0.005	227.0	1.41	1.08	8.12	☐	☐	☐	
11-030	K297564	45.72	48.77	3.05	0.010	507.0	1.50	2.18	7.51	☐	☐	☐	
11-030	K297565	48.77	51.82	3.05	0.005	275.0	0.68	1.03	2.61	☐	☐	☐	
11-030	K297566	51.82	54.87	3.05	0.005	125.5	0.60	0.59	1.89	☐	☐	☐	
11-030	K297567	54.87	57.00	2.13	0.005	181.5	1.68	1.64	7.68	☐	☐	☐	
11-030	K297568	57.00	59.44	2.44	0.050	1015.0	7.60	18.35	6.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-030	K297569	59.44	62.48	3.04	0.005	351.0	3.95	6.51	4.50	☐	☐	☐	
11-030	K297571	62.48	65.53	3.05	0.005	83.0	2.13	1.39	3.41	☐	☐	☐	
11-030	K297572	65.53	68.58	3.05	0.005	460.0	2.78	4.13	3.18	☐	☐	☐	
11-030	K297573	68.58	71.63	3.05	0.020	348.0	3.04	5.21	5.95	☐	☐	☐	
11-030	K297574	71.63	74.68	3.05	0.030	335.0	3.42	5.50	6.58	☐	☐	☐	
11-030	K297575	74.68	76.20	1.52	0.050	624.0	3.40	6.50	5.90	☐	☐	☐	
11-030	K297576	76.20	79.25	3.05	0.005	85.0	1.71	0.93	4.35	☐	☐	☐	
11-035	K297577	79.25	82.30	3.05	0.005	121.5	1.24	1.18	3.88	☐	☐	☐	
11-035	K297579	82.30	85.36	3.06	0.005	209.0	1.79	3.22	4.16	☐	☐	☐	
11-035	K297580	85.36	88.40	3.04	0.030	313.0	1.70	4.04	4.65	☐	☐	☐	
11-035	K297581	88.40	91.44	3.04	0.005	62.5	3.69	1.80	11.50	☐	☐	☐	
11-035	K297582	91.44	94.49	3.05	0.005	63.3	2.17	1.65	12.95	☐	☐	☐	
11-035	K297583	94.49	97.54	3.05	0.005	34.4	0.54	0.60	5.23	☐	☐	☐	
11-035	K297584	97.54	100.58	3.04	0.005	45.3	1.39	0.76	5.03	☐	☐	☐	
11-035	K297585	100.58	103.63	3.05	0.005	70.7	1.97	5.93	2.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-035	K297608	103.63	106.68	3.05	0.300	304.0	3.43	13.65	6.11	☐	☐	☐	*sample meterage out of order*
11-035	K297586	106.68	109.73	3.05	0.150	352.0	5.39	21.50	8.76	☐	☐	☐	
11-035	K297587	109.73	112.78	3.05	0.390	359.0	7.87	14.65	16.75	☐	☐	☐	
11-035	K297588	112.78	115.82	3.04	0.570	1525.0	3.08	6.26	8.99	☐	☐	☐	
11-035	K297589	115.82	118.87	3.05	0.050	197.5	1.04	1.78	3.79	☐	☐	☐	
11-035	K297590	118.87	121.92	3.05	0.005	102.0	1.13	0.85	4.47	☐	☐	☐	
11-035	K297592	121.92	124.97	3.05	0.010	153.0	1.82	1.53	6.32	☐	☐	☐	
11-035	K297593	124.97	128.02	3.05	0.180	593.0	2.40	5.22	4.28	☐	☐	☐	
11-035	K297594	128.02	131.06	3.04	0.005	76.9	0.73	0.98	3.74	☐	☐	☐	
11-035	K297595	128.02	131.06	3.04	0.005	80.2	0.76	0.90	3.67	☑	☐	☐	
11-035	K297596	131.06	134.11	3.05	0.010	38.5	0.75	0.42	4.90	☐	☐	☐	
11-035	K297597	134.11	137.16	3.05	0.010	169.0	0.49	1.49	2.37	☐	☐	☐	
11-035	K297598	137.16	140.21	3.05	0.005	48.9	0.39	0.80	1.81	☐	☐	☐	
11-035	K297599	140.21	141.15	0.94	0.005	32.5	0.35	0.52	2.48	☐	☐	☐	
11-035	K297601	141.15	143.26	2.11	0.005	34.5	0.16	0.42	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-035	K297602	143.26	146.30	3.04	0.005	41.7	0.10	0.38	1.10	☐	☐	☐	
11-035	K297603	146.30	149.35	3.05	0.005	35.8	0.07	0.37	1.10	☐	☐	☐	
11-035	K297604	149.35	152.40	3.05	0.010	38.6	0.23	0.43	1.41	☐	☐	☐	
11-035	K297605	152.40	155.45	3.05	0.010	36.7	0.22	0.35	1.09	☐	☐	☐	
11-035	K297606	155.45	158.50	3.05	0.005	36.8	0.11	0.43	0.97	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-022

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-027	K296213	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.03	☐	☑	☐	HQ
11-036	K296228	0.00	0.00	0.00	2.650	613.0	4.58	103.00	4.20	☐	☐	☑	NT2
11-036	K296233	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.05	☐	☑	☐	HQ
11-036	K296244	0.00	0.00	0.00	0.010	2.5	0.01	0.06	0.11	☐	☑	☐	HQ
11-036	K296247	0.00	0.00	0.00	0.320	617.0	9.90	118.00	8.47	☐	☐	☑	NT1
11-038	K296256	0.00	0.00	0.00	2.460	603.0	4.54	102.50	4.00	☐	☐	☑	NT2
11-027	K296209	4.57	6.10	1.53	0.005	77.3	0.22	0.64	0.69	☐	☐	☐	
11-027	K296210	6.10	10.67	4.57	0.005	102.0	0.25	0.70	1.09	☐	☐	☐	
11-027	K296211	10.67	12.19	1.52	0.005	126.5	0.31	0.80	1.35	☐	☐	☐	*no recovery from 12.19 to 15.24
11-027	K296212	15.24	18.29	3.05	0.005	350.0	2.48	1.38	5.24	☐	☐	☐	
11-027	K296214	18.29	21.34	3.05	0.005	298.0	0.75	0.63	3.56	☐	☐	☐	
11-027	K296215	21.34	24.38	3.04	0.005	333.0	0.82	1.52	4.17	☐	☐	☐	
11-027	K296216	24.38	27.43	3.05	0.005	143.0	0.63	0.45	2.64	☐	☐	☐	End batch 27
11-036	K296217	27.43	30.48	3.05	0.010	267.0	0.96	0.81	2.98	☐	☐	☐	Start batch 36

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-036	K296218	30.48	33.53	3.05	0.010	339.0	0.97	0.46	2.33	☐	☐	☐	
11-036	K296219	33.53	36.58	3.05	0.080	217.0	2.11	1.24	4.69	☐	☐	☐	
11-036	K296220	36.58	39.62	3.04	0.010	120.5	1.00	0.67	2.49	☐	☐	☐	
11-036	K296221	39.62	42.67	3.05	0.010	153.5	0.28	0.57	2.88	☐	☐	☐	
11-036	K296222	39.62	42.67	3.05	0.010	236.0	0.30	0.65	2.94	☑	☐	☐	Duplicate of 221
11-036	K296223	42.67	45.72	3.05	0.010	196.0	1.34	0.93	3.81	☐	☐	☐	
11-036	K296224	45.72	48.77	3.05	0.010	285.0	1.13	2.07	3.42	☐	☐	☐	
11-036	K296225	48.77	51.82	3.05	0.040	1005.0	1.25	7.72	3.73	☐	☐	☐	
11-036	K296226	51.82	54.86	3.04	0.010	115.5	0.57	1.40	2.30	☐	☐	☐	
11-036	K296227	54.86	57.91	3.05	0.010	90.1	0.96	1.28	2.49	☐	☐	☐	
11-036	K296229	57.91	60.96	3.05	0.005	63.1	0.94	1.39	3.88	☐	☐	☐	
11-036	K296230	60.96	64.01	3.05	0.010	70.9	0.51	0.91	2.90	☐	☐	☐	
11-036	K296231	64.01	67.06	3.05	0.010	70.3	0.57	0.64	2.37	☐	☐	☐	
11-036	K296232	67.06	70.10	3.04	0.005	43.3	0.44	0.64	1.49	☐	☐	☐	
11-036	K296234	70.10	73.15	3.05	0.010	98.0	0.41	0.65	1.73	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-036	K296235	73.15	76.20	3.05	0.010	132.0	0.53	0.74	2.28	☐	☐	☐	
11-036	K296236	76.20	79.25	3.05	0.005	80.6	0.47	0.70	1.88	☐	☐	☐	
11-036	K296237	79.25	82.30	3.05	0.010	162.5	0.55	0.83	2.58	☐	☐	☐	
11-036	K296238	82.30	85.34	3.04	0.010	52.0	0.33	0.52	1.90	☐	☐	☐	
11-036	K296239	85.34	88.39	3.05	0.005	76.7	0.61	0.67	3.73	☐	☐	☐	
11-036	K296240	88.39	90.53	2.14	0.005	186.5	0.95	0.63	4.98	☐	☐	☐	
11-036	K296241	90.53	90.86	0.33	0.005	286.0	0.64	0.86	4.02	☐	☐	☐	
11-036	K296242	90.86	92.96	2.10	0.030	396.0	2.11	2.75	5.48	☐	☐	☐	
11-036	K296243	92.96	96.01	3.05	0.100	1415.0	3.14	6.21	12.85	☐	☐	☐	
11-036	K296245	96.01	99.06	3.05	0.005	212.0	1.34	1.48	5.42	☐	☐	☐	
11-036	K296246	99.06	102.11	3.05	0.010	353.0	0.62	1.16	3.32	☐	☐	☐	
11-036	K296248	102.11	105.16	3.05	0.005	79.6	0.27	0.89	1.81	☐	☐	☐	
11-036	K296249	105.16	108.20	3.04	0.005	130.5	0.22	0.71	1.33	☐	☐	☐	
11-036	K296250	108.20	111.25	3.05	0.005	95.6	0.19	0.55	1.01	☐	☐	☐	
11-036	K296251	111.25	114.30	3.05	0.005	42.0	0.21	0.44	1.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-036	K296252	114.30	117.35	3.05	0.005	98.8	0.14	0.45	1.04	☐	☐	☐	End of Batch 36
11-038	K296253	117.35	120.40	3.05	0.005	72.0	0.12	0.33	0.96	☐	☐	☐	Start of Batch 38
11-038	K296254	120.40	123.44	3.04	0.005	73.0	0.11	0.33	1.04	☐	☐	☐	
11-038	K296255	123.44	126.49	3.05	0.005	41.0	0.14	0.25	1.40	☐	☐	☐	
11-038	K296257	126.49	129.54	3.05	0.090	278.0	0.56	1.90	2.62	☐	☐	☐	
11-038	K296258	129.54	132.59	3.05	0.080	448.0	1.12	2.21	7.02	☐	☐	☐	
11-038	K296259	132.59	134.11	1.52	0.005	203.0	0.63	0.64	5.48	☐	☐	☐	EOH

Sample Results

OS -11-023

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-039	K298011	0.00	0.00	0.00	0.005	22.0	0.01	0.25	0.04	☐	☑	☐	HQ
11-039	K298015	0.00	0.00	0.00	7.560	941.0	5.93	17.65	11.85	☐	☐	☑	NT3
11-039	K298024	0.00	0.00	0.00	2.530	602.0	4.37	100.00	3.51	☐	☐	☑	NT2
11-039	K298027	0.00	0.00	0.00	0.020	19.0	0.11	0.24	0.29	☐	☑	☐	HQ
11-043	K298040	0.00	0.00	0.00	0.350	610.0	9.40	111.50	8.07	☐	☐	☑	NT1
11-043	K298044	0.00	0.00	0.00	0.020	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-043	K298054	0.00	0.00	0.00	0.380	592.0	9.90	106.00	7.58	☐	☐	☑	NT1
11-043	K298062	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-039	K298001	1.52	4.57	3.05	0.110	1040.0	2.21	9.03	3.04	☐	☐	☐	Start of Batch 39
11-039	K298002	4.57	7.62	3.05	0.010	525.0	1.09	2.46	0.91	☐	☐	☐	
11-039	K298003	7.62	10.67	3.05	0.030	750.0	2.14	1.99	1.15	☐	☐	☐	
11-039	K298004	10.67	12.65	1.98	0.030	269.0	5.63	1.51	1.03	☐	☐	☐	
11-039	K298005	12.65	15.24	2.59	0.180	1390.0	3.74	9.45	5.41	☐	☐	☐	
11-039	K298006	15.24	18.29	3.05	0.940	1940.0	4.62	12.10	10.10	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-039	K298007	18.29	21.34	3.05	0.150	840.0	3.34	11.35	4.68	☐	☐	☐	
11-039	K298008	21.34	24.38	3.04	2.960	4430.0	6.04	27.20	20.20	☐	☐	☐	
11-039	K298009	24.38	25.60	1.22	0.800	1630.0	1.83	9.15	5.04	☐	☐	☐	
11-039	K298010	25.60	26.72	1.12	3.240	67400.0	9.20	198.00	20.50	☐	☐	☐	
11-039	K298012	26.72	27.80	1.08	1.030	5550.0	3.36	23.90	10.15	☐	☐	☐	
11-039	K298013	27.80	29.25	1.45	0.590	1560.0	3.30	10.60	6.43	☐	☐	☐	
11-039	K298014	29.25	32.00	2.75	1.530	1980.0	3.88	9.88	8.36	☐	☐	☐	
11-039	K298016	32.00	33.53	1.53	0.160	1440.0	4.38	6.42	3.73	☐	☐	☐	
11-039	K298017	33.53	35.05	1.52	0.150	1750.0	4.69	16.30	10.20	☐	☐	☐	
11-039	K298018	35.05	38.10	3.05	0.680	1170.0	7.82	8.35	17.10	☐	☐	☐	
11-039	K298019	38.10	40.40	2.30	4.560	2050.0	31.70	34.90	84.00	☐	☐	☐	
11-039	K298020	40.40	42.10	1.70	6.650	27500.0	36.70	101.00	113.50	☐	☐	☐	
11-039	K298021	42.10	43.60	1.50	6.840	6790.0	40.80	71.10	124.00	☐	☐	☐	
11-039	K298022	43.60	45.10	1.50	0.330	914.0	6.30	6.87	14.30	☐	☐	☐	
11-039	K298023	45.10	47.24	2.14	1.010	1620.0	7.10	11.75	20.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-039	K298025	47.24	50.29	3.05	4.880	4270.0	29.60	52.80	103.00	☐	☐	☐	
11-039	K298026	50.29	51.82	1.53	13.800	30500.0	62.30	197.00	260.00	☐	☐	☐	
11-039	K298028	51.82	53.34	1.52	2.630	6300.0	9.10	28.50	31.10	☐	☐	☐	
11-039	K298029	53.34	56.39	3.05	0.560	294.0	2.69	4.79	9.38	☐	☐	☐	
11-039	K298030	56.39	59.44	3.05	0.160	305.0	1.89	2.54	5.08	☐	☐	☐	
11-039	K298031	59.44	62.48	3.04	0.250	343.0	2.16	3.51	8.00	☐	☐	☐	
11-039	K298032	62.48	65.53	3.05	0.080	167.0	0.91	1.30	2.52	☐	☐	☐	
11-039	K298033	62.48	65.53	3.05	0.080	175.0	1.01	1.54	2.90	☑	☐	☐	Duplicate of 032
11-039	K298034	65.53	67.06	1.53	0.060	168.0	0.63	0.89	1.76	☐	☐	☐	
11-039	K298035	67.06	68.58	1.52	0.090	184.0	0.67	2.02	2.87	☐	☐	☐	
11-039	K298036	68.58	71.63	3.05	0.010	83.0	0.38	0.65	0.98	☐	☐	☐	end batch 39
11-043	K298037	71.63	74.68	3.05	0.040	220.0	0.51	1.53	2.90	☐	☐	☐	start batch 43
11-043	K298038	74.68	77.72	3.04	0.270	419.0	1.61	3.91	6.06	☐	☐	☐	
11-043	K298039	77.72	80.77	3.05	0.030	72.0	0.21	0.52	0.94	☐	☐	☐	
11-043	K298041	80.77	83.82	3.05	0.080	187.0	0.43	1.41	1.96	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-043	K298042	83.82	86.87	3.05	0.050	90.0	0.24	0.88	0.66	☐	☐	☐	
11-043	K298043	86.87	89.92	3.05	0.030	240.0	0.10	0.38	0.42	☐	☐	☐	
11-043	K298045	89.92	92.96	3.04	0.040	36.0	0.15	0.33	0.61	☐	☐	☐	
11-043	K298046	92.96	96.01	3.05	0.020	38.0	0.21	0.32	0.95	☐	☐	☐	
11-043	K298047	96.01	99.06	3.05	0.020	31.0	0.12	0.19	0.40	☐	☐	☐	
11-043	K298048	99.06	102.11	3.05	0.010	30.0	0.08	0.16	0.31	☐	☐	☐	
11-043	K298049	99.06	102.11	3.05	0.010	28.0	0.09	0.18	0.35	☑	☐	☐	duplicate of 048
11-043	K298050	102.11	105.16	3.05	0.010	21.0	0.06	0.18	0.22	☐	☐	☐	
11-043	K298051	105.16	108.20	3.04	0.010	23.0	0.14	0.24	0.33	☐	☐	☐	
11-043	K298052	108.20	111.25	3.05	0.010	62.0	0.40	0.30	0.77	☐	☐	☐	
11-043	K298053	111.25	114.30	3.05	0.005	30.0	0.26	0.23	0.34	☐	☐	☐	
11-043	K298055	129.54	132.59	3.05	0.010	23.0	0.18	0.35	0.53	☐	☐	☐	Jump in meterage
11-043	K298056	132.59	135.64	3.05	0.010	12.0	0.07	0.23	0.16	☐	☐	☐	
11-043	K298057	150.88	153.92	3.04	0.010	22.0	0.04	0.28	0.25	☐	☐	☐	Jump in meterage
11-043	K298058	153.92	156.97	3.05	0.010	37.0	0.05	0.33	0.29	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-043	K298059	169.16	172.00	2.84	0.010	79.0	0.11	0.34	0.22	☐	☐	☐	Jump in meterage
11-043	K298060	172.00	173.45	1.45	0.010	269.0	0.10	0.50	0.19	☐	☐	☐	
11-043	K298061	173.45	174.95	1.50	0.010	311.0	0.10	3.20	0.22	☐	☐	☐	
11-043	K298063	174.95	176.78	1.83	0.005	286.0	0.12	1.03	0.23	☐	☐	☐	
11-043	K298064	176.78	178.31	1.53	0.010	284.0	0.07	0.88	0.14	☐	☐	☐	
11-043	K298065	178.31	181.36	3.05	0.010	110.0	0.07	0.47	0.21	☐	☐	☐	
11-043	K298066	195.07	198.12	3.05	0.010	41.0	0.05	0.30	0.25	☐	☐	☐	Jump in meterage
11-043	K298067	198.12	201.17	3.05	0.005	54.0	0.04	0.22	0.17	☐	☐	☐	
11-043	K298068	216.41	219.46	3.05	0.010	217.0	0.06	0.34	0.41	☐	☐	☐	Jump in meterage
11-043	K298069	219.46	222.50	3.04	0.010	135.0	0.04	0.26	0.29	☐	☐	☐	
11-043	K298070	222.50	225.55	3.05	0.010	175.0	0.04	0.22	0.41	☐	☐	☐	
11-043	K298071	225.55	228.60	3.05	0.010	128.0	0.04	0.22	0.36	☐	☐	☐	
11-043	K298072	228.60	231.65	3.05	0.010	46.0	0.06	0.21	0.30	☐	☐	☐	EOH + End batch 43

Sample Results

OS -11-024

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-034	K297372	0.00	0.00	0.00	0.005	2.5	0.02	0.08	0.02	☐	☑	☐	HQ
11-034	K297386	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.02	☐	☑	☐	HQ
11-034	K297390	0.00	0.00	0.00	2.630	658.0	4.61	111.50	4.31	☐	☐	☑	NT2
11-034	K297395	0.00	0.00	0.00	0.340	599.0	9.70	110.00	7.72	☐	☐	☑	NT1
11-034	K297368	3.35	6.40	3.05	0.005	80.0	0.71	0.27	1.14	☐	☐	☐	
11-034	K297369	6.40	9.45	3.05	0.010	196.0	2.59	0.72	0.68	☐	☐	☐	
11-034	K297370	9.45	12.50	3.05	0.005	287.0	3.04	0.35	0.87	☐	☐	☐	
11-034	K297371	12.50	15.54	3.04	0.005	188.0	1.16	0.51	0.68	☐	☐	☐	
11-034	K297373	15.54	18.89	3.35	0.010	313.0	2.74	0.60	0.88	☐	☐	☐	
11-034	K297374	18.89	21.64	2.75	0.005	494.0	2.06	0.42	1.56	☐	☐	☐	
11-034	K297375	21.64	24.69	3.05	0.020	666.0	3.67	0.50	2.09	☐	☐	☐	
11-034	K297376	24.69	27.74	3.05	0.030	684.0	3.33	0.37	4.49	☐	☐	☐	
11-034	K297377	27.74	30.78	3.04	0.020	736.0	5.93	0.49	9.82	☐	☐	☐	
11-034	K297378	30.78	32.31	1.53	0.010	338.0	3.01	0.34	5.08	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-034	K297379	32.31	34.20	1.89	0.080	4200.0	12.40	1.11	28.10	☐	☐	☐	
11-034	K297380	34.20	36.25	2.05	0.170	4200.0	18.10	2.32	29.70	☐	☐	☐	
11-034	K297381	36.25	38.40	2.15	0.030	625.0	1.55	0.36	2.28	☐	☐	☐	
11-034	K297382	38.40	41.45	3.05	0.030	1190.0	2.95	0.50	2.63	☐	☐	☐	
11-034	K297383	41.45	44.50	3.05	0.005	299.0	0.73	0.26	0.61	☐	☐	☐	
11-034	K297384	44.50	46.02	1.52	0.005	151.0	1.04	0.16	1.27	☐	☐	☐	
11-034	K297385	46.02	49.07	3.05	0.005	70.0	1.24	0.20	2.89	☐	☐	☐	
11-034	K297387	49.07	52.12	3.05	0.020	234.0	1.03	0.19	2.73	☐	☐	☐	
11-034	K297388	52.12	53.64	1.52	0.030	2440.0	1.28	0.33	5.68	☐	☐	☐	
11-034	K297389	53.64	56.69	3.05	0.010	144.0	1.45	0.23	1.82	☐	☐	☐	
11-034	K297391	56.69	59.74	3.05	0.020	233.0	3.68	0.35	3.90	☐	☐	☐	
11-034	K297392	59.74	62.79	3.05	0.010	152.0	1.71	0.28	2.12	☐	☐	☐	
11-034	K297393	62.79	65.84	3.05	0.020	410.0	2.62	0.42	2.71	☐	☐	☐	
11-034	K297394	65.84	68.88	3.04	0.060	476.0	5.77	0.92	2.36	☐	☐	☐	
11-034	K297396	65.84	68.88	3.04	0.080	330.0	6.36	1.34	2.29	☑	☐	☐	Duplicate of 394 and end of batch 34

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-040	K297397	68.88	71.93	3.05	0.050	512.0	4.77	1.41	5.07	☐	☐	☐	start batch 40
11-040	K297398	71.93	74.98	3.05	0.040	1440.0	3.98	1.53	3.42	☐	☐	☐	
11-040	K297399	99.36	102.41	3.05	0.070	7230.0	4.76	0.70	3.74	☐	☐	☐	Jump in meterage
11-040	K297400	122.22	125.27	3.05	0.090	574.0	3.46	0.17	5.77	☐	☐	☐	jump in meterage
11-040	K297401	143.56	146.61	3.05	0.005	205.0	0.42	0.06	0.53	☐	☐	☐	jump in meterage
11-040	K297402	164.90	167.94	3.04	0.005	175.0	1.03	0.09	1.49	☐	☐	☐	jump in meterage
11-040	K297403	201.47	204.52	3.05	0.005	183.0	0.70	0.14	1.00	☐	☐	☐	EOH + jump in meterage

Sample Results

OS -11-025

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-037	K297614	0.00	0.00	0.00	0.350	624.0	9.50	117.50	8.50	☐	☐	☑	NT1
11-037	K297633	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-037	K297639	0.00	0.00	0.00	2.710	598.0	4.37	110.00	4.10	☐	☐	☑	NT2
11-037	K297727	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	HQ + *after sample 647* *jump in sample number sequence*
11-041	K297651	0.00	0.00	0.00	0.005	8.0	0.01	1.03	0.06	☐	☑	☐	NQ
11-041	K297669	0.00	0.00	0.00	0.005	5.0	0.01	0.16	0.06	☐	☑	☐	NQ
11-041	K297676	0.00	0.00	0.00	0.340	642.0	12.30	107.00	7.67	☐	☐	☑	NT1
11-041	K297728	0.00	0.00	0.00	2.640	557.0	4.56	98.90	3.97	☐	☐	☑	NT2
11-042	K297687	0.00	0.00	0.00	0.005	20.0	0.01	0.06	0.04	☐	☑	☐	NQ
11-042	K297692	0.00	0.00	0.00	2.650	602.0	4.39	115.50	3.70	☐	☐	☑	NT2
11-074	K299586	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-035	K297609	6.50	9.14	2.64	0.005	44.4	0.13	0.43	0.83	☐	☐	☐	
11-035	K297610	9.14	12.19	3.05	0.005	47.2	0.09	0.36	0.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-035	K297611	12.19	15.24	3.05	0.005	22.2	0.04	0.29	0.48	☐	☐	☐	
11-035	K297612	15.24	18.29	3.05	0.005	36.7	0.05	0.32	0.41	☐	☐	☐	end batch 35
11-037	K297613	18.29	21.34	3.05	0.005	15.6	0.05	0.32	0.36	☐	☐	☐	start batch 37
11-037	K297615	21.34	24.38	3.04	0.005	29.2	0.08	0.63	0.50	☐	☐	☐	
11-037	K297616	24.38	25.91	1.53	0.005	7.5	0.07	0.39	0.47	☐	☐	☐	
11-037	K297617	25.91	28.64	2.73	0.005	10.6	0.14	0.32	0.79	☐	☐	☐	
11-037	K297618	28.64	30.48	1.84	0.005	1475.0	7.70	2.25	35.30	☐	☐	☐	
11-037	K297619	30.48	33.53	3.05	0.170	7380.0	8.30	20.00	26.50	☐	☐	☐	
11-037	K297620	33.53	35.05	1.52	0.005	785.0	3.08	2.71	8.55	☐	☐	☐	
11-037	K297621	35.05	36.85	1.80	0.005	2600.0	0.51	4.95	11.35	☐	☐	☐	
11-037	K297622	36.85	39.00	2.15	0.005	104.5	0.15	0.50	1.51	☐	☐	☐	
11-037	K297623	39.00	40.45	1.45	0.005	41.2	0.13	0.34	0.89	☐	☐	☐	
11-037	K297624	40.45	42.67	2.22	0.005	2340.0	0.60	7.85	2.32	☐	☐	☐	
11-037	K297625	42.67	45.72	3.05	0.005	215.0	0.48	1.27	2.58	☐	☐	☐	
11-037	K297626	42.67	45.72	3.05	0.005	214.0	0.49	1.16	2.64	☑	☐	☐	Duplicate of 625

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-037	K297627	45.72	48.77	3.05	0.005	135.5	0.26	0.71	1.71	☐	☐	☐	
11-037	K297628	48.77	50.29	1.52	0.005	748.0	0.15	1.84	1.96	☐	☐	☐	
11-037	K297629	50.29	53.34	3.05	0.005	71.3	0.22	0.56	1.20	☐	☐	☐	
11-037	K297630	53.34	56.39	3.05	0.005	111.5	0.50	0.63	2.61	☐	☐	☐	
11-037	K297631	56.39	57.91	1.52	0.005	129.5	7.40	1.88	9.24	☐	☐	☐	
11-037	K297632	57.91	60.96	3.05	0.005	126.0	5.00	2.36	6.81	☐	☐	☐	
11-037	K297634	60.96	62.48	1.52	0.005	167.0	2.18	3.08	2.87	☐	☐	☐	
11-037	K297635	62.48	65.53	3.05	0.005	141.0	0.99	5.54	3.68	☐	☐	☐	
11-037	K297636	65.53	68.58	3.05	0.005	330.0	6.28	14.85	11.10	☐	☐	☐	
11-037	K297637	68.58	71.63	3.05	0.005	249.0	4.57	3.10	11.55	☐	☐	☐	
11-037	K297638	71.63	74.68	3.05	0.005	116.0	3.62	1.53	11.25	☐	☐	☐	
11-037	K297640	74.68	77.72	3.04	0.005	170.5	3.27	1.61	8.10	☐	☐	☐	
11-037	K297641	77.72	79.25	1.53	0.005	252.0	7.02	2.96	15.25	☐	☐	☐	
11-037	K297642	79.25	80.77	1.52	0.030	1375.0	9.10	9.91	16.85	☐	☐	☐	
11-037	K297643	80.77	83.82	3.05	0.010	358.0	5.29	3.11	10.45	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-037	K297644	83.82	85.60	1.78	0.005	317.0	10.50	2.91	19.50	☐	☐	☐	
11-037	K297645	85.60	86.87	1.27	0.010	490.0	5.12	3.39	10.35	☐	☐	☐	
11-037	K297646	86.87	88.39	1.52	0.010	618.0	3.40	3.23	8.73	☐	☐	☐	
11-037	K297647	88.39	90.00	1.61	0.005	303.0	3.01	1.61	6.11	☐	☐	☐	*jump in sample number sequence*
11-041	K297648	90.00	92.96	2.96	0.040	309.0	2.26	2.10	9.91	☐	☐	☐	start batch 41
11-041	K297649	92.96	96.01	3.05	0.010	112.0	1.33	0.66	6.88	☐	☐	☐	
11-041	K297650	96.01	99.06	3.05	0.010	94.7	0.43	0.38	2.17	☐	☐	☐	
11-041	K297652	99.06	103.63	4.57	0.005	51.1	0.15	0.32	1.25	☐	☐	☐	*longer sample*
11-041	K297653	103.63	106.68	3.05	0.010	48.0	0.20	0.73	1.46	☐	☐	☐	
11-041	K297654	106.68	109.73	3.05	0.005	55.2	0.26	0.28	1.35	☐	☐	☐	
11-041	K297655	109.73	112.78	3.05	0.030	99.8	0.65	1.08	2.70	☐	☐	☐	
11-041	K297656	112.78	115.82	3.04	0.060	238.0	1.05	1.66	2.90	☐	☐	☐	
11-041	K297657	115.82	118.87	3.05	0.210	300.0	2.57	2.21	6.22	☐	☐	☐	
11-041	K297658	118.87	121.92	3.05	0.070	229.0	1.60	1.65	3.93	☐	☐	☐	
11-041	K297659	121.92	124.20	2.28	0.005	65.0	0.58	0.60	1.31	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-041	K297660	124.20	126.00	1.80	0.010	14.0	0.10	0.19	0.46	☐	☐	☐	
11-041	K297661	126.00	128.02	2.02	0.005	10.0	0.07	0.34	0.44	☐	☐	☐	
11-041	K297662	128.02	131.06	3.04	0.010	14.0	0.16	0.22	0.59	☐	☐	☐	
11-041	K297663	128.02	131.06	3.04	0.005	20.0	0.16	0.43	0.55	☑	☐	☐	Duplicate of 662
11-041	K297664	131.06	133.40	2.34	0.010	19.0	0.07	0.33	0.49	☐	☐	☐	
11-041	K297665	133.40	135.00	1.60	0.005	54.3	0.67	1.00	6.95	☐	☐	☐	
11-041	K297666	135.00	137.16	2.16	0.005	29.0	0.31	0.96	2.34	☐	☐	☐	
11-041	K297667	137.16	140.21	3.05	0.010	22.0	0.52	1.11	2.59	☐	☐	☐	
11-041	K297668	140.21	143.26	3.05	0.005	44.6	0.89	1.08	5.13	☐	☐	☐	
11-041	K297670	143.26	146.30	3.04	0.005	131.5	1.07	0.72	3.34	☐	☐	☐	
11-041	K297671	146.30	149.35	3.05	0.005	144.5	2.02	1.11	4.92	☐	☐	☐	
11-041	K297672	149.35	152.40	3.05	0.030	211.0	3.02	1.00	6.00	☐	☐	☐	
11-041	K297673	152.40	155.45	3.05	0.005	46.2	3.07	0.88	8.49	☐	☐	☐	
11-041	K297674	155.45	158.50	3.05	0.005	98.8	2.48	0.74	5.35	☐	☐	☐	
11-041	K297675	158.50	161.54	3.04	0.005	120.5	1.80	2.40	4.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-041	K297677	161.54	164.59	3.05	0.005	33.6	0.28	0.51	1.21	☐	☐	☐	
11-041	K297678	164.59	165.80	1.21	0.005	68.9	0.40	0.86	1.88	☐	☐	☐	
11-041	K297679	165.80	168.20	2.40	0.005	44.0	0.27	1.30	1.76	☐	☐	☐	
11-041	K297680	168.20	168.90	0.70	0.005	299.0	0.20	0.63	0.72	☐	☐	☐	
11-041	K297681	168.90	170.69	1.79	0.005	115.0	0.30	1.73	2.59	☐	☐	☐	
11-041	K297682	170.69	173.74	3.05	0.005	109.0	0.31	0.91	1.73	☐	☐	☐	End of Batch 41
11-042	K297683	173.74	176.78	3.04	0.005	51.0	0.13	0.69	0.84	☐	☐	☐	Start of Batch 42
11-042	K297684	176.78	179.83	3.05	0.005	136.0	0.26	1.39	1.60	☐	☐	☐	
11-042	K297685	179.83	182.88	3.05	0.005	132.0	0.57	1.05	1.13	☐	☐	☐	
11-042	K297686	182.88	185.93	3.05	0.005	79.0	0.14	0.53	1.12	☐	☐	☐	
11-042	K297688	185.93	188.98	3.05	0.010	83.0	0.30	0.59	1.57	☐	☐	☐	
11-042	K297689	188.98	192.02	3.04	0.010	169.0	2.25	1.59	3.12	☐	☐	☐	
11-042	K297690	192.02	195.07	3.05	0.050	383.0	2.09	2.40	5.35	☐	☐	☐	
11-042	K297691	195.07	198.12	3.05	0.030	101.0	1.97	1.64	3.77	☐	☐	☐	
11-042	K297693	198.12	201.17	3.05	0.560	205.0	3.36	5.91	8.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-042	K297694	201.17	204.22	3.05	0.670	201.0	3.64	6.34	9.28	☐	☐	☐	
11-042	K297695	204.22	205.60	1.38	0.850	346.0	4.88	6.95	12.50	☐	☐	☐	
11-042	K297696	205.60	207.26	1.66	6.260	21800.0	22.30	82.30	53.30	☐	☐	☐	
11-042	K297697	207.26	209.20	1.94	4.290	41800.0	18.60	110.00	46.90	☐	☐	☐	
11-042	K297698	209.20	210.31	1.11	0.750	3700.0	8.43	14.15	15.00	☐	☐	☐	
11-042	K297699	209.20	210.31	1.11	0.670	2970.0	8.20	14.10	15.25	☑	☐	☐	Duplicate of 698
11-042	K297700	210.31	213.36	3.05	0.260	3240.0	3.89	8.30	7.55	☐	☐	☐	
11-042	K297701	213.36	216.40	3.04	0.290	211.0	2.11	3.11	5.24	☐	☐	☐	
11-042	K297702	216.40	219.46	3.06	0.005	89.0	0.72	0.58	2.01	☐	☐	☐	
11-042	K297703	219.46	222.50	3.04	0.200	204.0	3.22	1.82	5.67	☐	☐	☐	end of sampling
11-074	K299579	222.50	225.55	3.05	0.010	126.0	2.69	1.31	4.24	☐	☐	☐	
11-074	K299580	225.55	228.60	3.05	0.005	64.0	0.82	0.34	1.33	☐	☐	☐	
11-074	K299581	228.60	231.65	3.05	0.005	75.0	1.09	0.53	2.14	☐	☐	☐	
11-074	K299582	231.65	234.70	3.05	0.005	75.0	0.97	0.67	3.27	☐	☐	☐	
11-074	K299583	234.70	237.74	3.04	0.005	92.0	0.77	0.47	3.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-074	K299584	237.74	240.74	3.00	0.005	77.0	0.58	0.28	1.17	☐	☐	☐	
11-074	K299585	240.74	243.84	3.10	0.005	51.0	0.33	0.19	0.82	☐	☐	☐	
11-074	K299587	243.84	246.89	3.05	0.005	70.0	1.05	0.27	0.81	☐	☐	☐	
11-074	K299588	246.89	249.94	3.05	0.005	63.0	0.80	0.35	0.65	☐	☐	☐	
11-074	K299589	249.94	252.98	3.04	0.005	38.0	0.44	0.29	0.72	☐	☐	☐	
11-074	K299590	252.98	256.03	3.05	0.005	48.0	0.64	0.31	0.87	☐	☐	☐	
11-074	K299591	256.03	259.08	3.05	0.005	24.0	0.39	0.17	0.40	☐	☐	☐	
11-074	K299592	259.08	262.13	3.05	0.005	42.0	0.94	0.36	0.52	☐	☐	☐	
11-074	K299593	262.13	263.96	1.83	0.005	72.0	1.17	0.41	0.62	☐	☐	☐	EOH

ATAC resources ltd.

Sample Results

OS -11-026

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-038	K296263	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-038	K296267	0.00	0.00	0.00	0.005	2.5	0.01	0.11	0.01	☐	☑	☐	HQ
11-038	K296275	0.00	0.00	0.00	0.340	619.0	9.70	105.50	8.26	☐	☐	☑	NT1
11-045	K296294	0.00	0.00	0.00	0.005	18.0	0.10	0.08	0.06	☐	☑	☐	HQ
11-045	K296298	0.00	0.00	0.00	0.370	649.0	10.00	115.50	8.12	☐	☐	☑	NT1
11-045	K296305	0.00	0.00	0.00	7.920	969.0	6.06	18.80	13.10	☐	☐	☑	NT3
11-045	K296311	0.00	0.00	0.00	0.005	18.0	0.03	0.09	0.04	☐	☑	☐	HQ
11-038	K296260	22.86	25.91	3.05	0.005	9.0	0.03	0.53	0.87	☐	☐	☐	
11-038	K296261	25.91	26.97	1.06	0.005	19.0	0.03	0.50	0.91	☐	☐	☐	
11-038	K296262	26.97	27.60	0.63	0.005	6.0	0.01	0.26	0.34	☐	☐	☐	
11-038	K296264	27.60	28.96	1.36	0.005	18.0	0.07	0.62	0.90	☐	☐	☐	
11-038	K296265	28.96	32.00	3.04	0.005	15.0	0.02	0.46	0.87	☐	☐	☐	
11-038	K296266	47.24	50.29	3.05	0.005	9.0	0.04	0.69	0.99	☐	☐	☐	
11-038	K296268	50.29	53.34	3.05	0.005	14.0	0.05	0.96	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-038	K296269	53.34	56.39	3.05	0.005	12.0	0.04	0.74	0.90	☐	☐	☐	
11-038	K296270	56.39	59.44	3.05	0.005	15.0	0.05	0.92	0.95	☐	☐	☐	
11-038	K296271	59.44	62.48	3.04	0.005	18.0	0.06	0.56	0.85	☐	☐	☐	
11-038	K296272	80.77	82.30	1.53	0.010	109.0	0.23	0.34	1.38	☐	☐	☐	
11-038	K296273	82.30	85.20	2.90	0.005	18.0	0.20	0.45	1.15	☐	☐	☐	
11-038	K296274	85.20	86.87	1.67	0.005	32.0	0.30	0.54	0.74	☐	☐	☐	
11-038	K296276	86.87	88.39	1.52	0.005	15.0	0.15	0.35	0.46	☐	☐	☐	
11-038	K296277	88.39	91.44	3.05	0.010	181.0	1.27	0.93	4.11	☐	☐	☐	
11-038	K296278	99.76	102.45	2.69	0.005	66.0	0.68	0.37	1.30	☐	☐	☐	
11-038	K296279	102.45	105.16	2.71	0.005	93.0	0.51	0.32	1.54	☐	☐	☐	
11-038	K296280	105.16	108.20	3.04	0.010	54.0	0.57	0.26	1.23	☐	☐	☐	
11-038	K296281	108.20	109.10	0.90	0.050	110.0	4.23	0.69	2.28	☐	☐	☐	
11-038	K296282	109.10	110.00	0.90	0.120	362.0	2.90	1.53	5.01	☐	☐	☐	
11-038	K296283	109.10	110.00	0.90	0.040	692.0	2.59	1.74	5.93	☑	☐	☐	duplicate of 282
11-038	K296284	110.00	112.78	2.78	0.100	87.0	1.60	0.72	1.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-038	K296285	112.78	114.30	1.52	0.030	92.0	1.90	0.69	2.33	☐	☐	☐	
11-038	K296286	114.30	117.35	3.05	0.060	275.0	21.30	1.15	2.62	☐	☐	☐	
11-038	K296287	117.35	118.87	1.52	0.020	178.0	12.30	1.22	2.57	☐	☐	☐	
11-038	K296288	118.87	120.60	1.73	0.060	33.0	5.38	0.89	1.58	☐	☐	☐	End of Batch 38
11-045	K296289	120.60	121.92	1.32	0.120	18500.0	11.00	22.20	5.38	☐	☐	☐	Start of Batch 45
11-045	K296290	121.92	123.44	1.52	0.350	13850.0	6.00	26.30	17.60	☐	☐	☐	
11-045	K296291	123.44	124.97	1.53	0.950	1650.0	8.00	8.37	13.80	☐	☐	☐	
11-045	K296292	124.97	126.49	1.52	0.450	383.0	5.00	4.44	9.95	☐	☐	☐	
11-045	K296293	126.49	129.39	2.90	0.060	673.0	2.80	2.38	3.29	☐	☐	☐	
11-045	K296295	129.39	130.59	1.20	0.440	445.0	8.00	4.89	4.86	☐	☐	☐	
11-045	K296296	130.59	132.59	2.00	0.560	1400.0	5.00	7.99	7.40	☐	☐	☐	
11-045	K296297	132.59	134.11	1.52	0.750	5400.0	6.60	14.75	12.05	☐	☐	☐	
11-045	K296299	134.11	135.64	1.53	0.070	259.0	3.80	3.80	5.39	☐	☐	☐	
11-045	K296300	135.64	138.68	3.04	0.070	120.0	2.41	2.69	2.11	☐	☐	☐	
11-045	K296301	138.68	139.50	0.82	0.160	32700.0	2.60	50.20	3.51	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-045	K296302	139.50	141.10	1.60	0.100	4350.0	1.72	9.13	1.81	☐	☐	☐	
11-045	K296303	141.10	141.85	0.75	0.020	603.0	2.56	3.67	1.90	☐	☐	☐	
11-045	K296304	141.85	143.26	1.41	0.030	1340.0	6.50	2.43	1.83	☐	☐	☐	
11-045	K296306	143.26	146.30	3.04	0.220	100.0	1.74	1.72	2.78	☐	☐	☐	
11-045	K296307	146.30	149.35	3.05	0.410	95.0	1.91	2.77	4.82	☐	☐	☐	
11-045	K296308	149.35	152.00	2.65	0.330	238.0	2.78	3.00	4.51	☐	☐	☐	
11-045	K296309	152.00	153.92	1.92	0.240	2100.0	2.11	4.11	2.96	☐	☐	☐	
11-045	K296310	153.92	155.45	1.53	0.680	1280.0	3.08	6.51	6.56	☐	☐	☐	
11-045	K296312	155.45	158.35	2.90	0.100	537.0	1.20	2.13	1.55	☐	☐	☐	
11-045	K296313	158.35	160.02	1.67	0.420	843.0	2.04	3.81	3.98	☐	☐	☐	
11-045	K296314	160.02	163.07	3.05	0.120	205.0	1.20	1.44	2.34	☐	☐	☐	
11-045	K296315	163.07	166.12	3.05	0.005	51.0	1.00	0.53	1.21	☐	☐	☐	
11-045	K296316	166.12	169.16	3.04	0.005	55.0	1.10	0.50	1.30	☐	☐	☐	
11-045	K296317	169.16	172.21	3.05	0.050	39.0	1.53	0.84	1.01	☐	☐	☐	
11-045	K296318	172.21	173.74	1.53	0.040	103.0	0.80	0.79	1.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-045	K296319	173.74	176.40	2.66	0.790	1150.0	1.79	3.50	3.77	☐	☐	☐	
11-045	K296320	173.74	176.40	2.66	0.900	657.0	2.00	2.84	3.92	☑	☐	☐	Duplicate of 319
11-045	K296321	176.40	178.31	1.91	0.760	1420.0	2.25	3.61	4.04	☐	☐	☐	
11-045	K296322	178.31	180.50	2.19	0.650	2030.0	2.21	3.91	3.52	☐	☐	☐	
11-045	K296323	180.50	182.88	2.38	0.010	266.0	2.19	1.27	5.72	☐	☐	☐	
11-045	K296324	182.88	185.92	3.04	0.010	170.0	1.98	1.01	3.03	☐	☐	☐	
11-048	K296325	191.80	193.55	1.75	0.005	19.0	0.24	0.13	0.68	☐	☐	☐	Jump in meterage
11-048	K296326	193.55	196.60	3.05	0.005	43.0	0.35	0.30	1.16	☐	☐	☐	
11-048	K296327	196.60	199.67	3.07	0.005	33.0	0.45	0.40	1.12	☐	☐	☐	
11-048	K296328	208.79	211.84	3.05	0.010	31.0	0.38	0.48	1.42	☐	☐	☐	Jump in meterage
11-048	K296329	211.84	214.88	3.04	0.005	31.0	0.23	0.89	1.58	☐	☐	☐	
11-048	K296330	214.88	217.93	3.05	0.005	139.0	0.43	1.40	2.67	☐	☐	☐	
11-048	K296331	217.93	220.98	3.05	0.005	46.0	0.13	0.49	0.77	☐	☐	☐	
11-048	K296332	220.98	224.03	3.05	0.005	19.8	0.06	0.46	0.82	☐	☐	☐	
11-048	K296333	224.03	225.55	1.52	0.005	17.6	0.04	0.36	0.86	☐	☐	☐	

Sample Results

OS -11-027

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-042	K297708	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-042	K297718	0.00	0.00	0.00	0.360	607.0	9.29	117.00	7.51	☐	☐	☑	NT1 and end of Batch 42
11-044	K297731	0.00	0.00	0.00	0.340	596.0	10.35	117.00	8.05	☐	☐	☑	NT1
11-044	K297736	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.01	☐	☑	☐	HQ
11-042	K297704	25.91	28.96	3.05	0.005	24.0	0.17	0.36	0.66	☐	☐	☐	
11-042	K297705	28.96	32.00	3.04	0.005	12.7	0.11	0.35	0.50	☐	☐	☐	
11-042	K297706	32.00	35.05	3.05	0.005	14.6	0.10	0.34	0.49	☐	☐	☐	
11-042	K297707	35.05	38.10	3.05	0.005	52.3	0.12	0.43	0.57	☐	☐	☐	
11-042	K297709	38.10	41.15	3.05	0.005	9.7	0.08	0.30	0.46	☐	☐	☐	
11-042	K297710	41.15	44.20	3.05	0.005	266.0	0.09	0.44	0.46	☐	☐	☐	
11-042	K297711	44.20	47.24	3.04	0.005	332.0	0.09	0.43	0.47	☐	☐	☐	
11-042	K297712	47.24	50.29	3.05	0.005	60.5	0.13	0.37	0.52	☐	☐	☐	
11-042	K297713	50.29	53.34	3.05	0.005	98.3	0.15	0.48	0.68	☐	☐	☐	Jump in meterage
11-042	K297714	59.00	61.70	2.70	0.005	18.3	0.22	0.43	0.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-042	K297715	61.70	62.10	0.40	0.060	1070.0	0.88	2.10	3.69	☐	☐	☐	
11-042	K297716	62.10	64.01	1.91	0.005	38.4	0.20	0.38	0.80	☐	☐	☐	Jump in meterage
11-042	K297717	85.34	88.39	3.05	0.005	11.1	0.05	0.27	0.41	☐	☐	☐	
11-044	K297719	88.39	91.44	3.05	0.005	8.4	0.07	0.33	0.38	☐	☐	☐	Start of Batch 44
11-044	K297720	91.44	94.49	3.05	0.005	36.8	0.17	0.27	0.82	☐	☐	☐	Jump in meterage
11-044	K297721	106.00	108.50	2.50	0.005	154.5	0.44	0.53	1.51	☐	☐	☐	
11-044	K297722	108.50	109.72	1.22	0.010	56.8	0.82	0.54	2.75	☐	☐	☐	
11-044	K297723	109.72	112.78	3.06	0.070	1230.0	2.56	3.26	5.70	☐	☐	☐	
11-044	K297724	112.78	115.40	2.62	0.010	918.0	2.12	2.01	5.46	☐	☐	☐	
11-044	K297725	115.40	117.35	1.95	0.010	130.0	0.87	0.80	1.89	☐	☐	☐	
11-044	K297726	117.35	120.05	2.70	0.005	77.0	0.90	1.32	1.57	☐	☐	☐	*jump in sample number*
11-044	K297729	120.05	121.92	1.87	0.010	27.4	0.26	0.97	1.14	☐	☐	☐	
11-044	K297730	121.92	124.97	3.05	0.005	38.8	0.20	0.42	1.02	☐	☐	☐	
11-044	K297732	124.97	126.70	1.73	0.005	54.0	0.20	1.10	0.85	☐	☐	☐	
11-044	K297733	126.70	128.02	1.32	0.005	28.8	0.33	1.13	0.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-044	K297734	128.02	131.06	3.04	0.010	9.5	0.10	0.53	1.07	☐	☐	☐	
11-044	K297735	160.02	163.07	3.05	0.010	3.1	0.17	0.38	0.68	☐	☐	☐	
11-044	K297737	163.07	166.12	3.05	0.010	4.1	0.20	0.46	0.76	☐	☐	☐	

Sample Results

OS -11-028

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-040	K297406	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-040	K297411	0.00	0.00	0.00	0.340	619.0	8.23	117.50	8.05	☐	☐	☑	NT1
11-040	K297426	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-040	K297431	0.00	0.00	0.00	0.350	609.0	9.40	117.00	8.33	☐	☐	☑	NT1
11-046	K297439	0.00	0.00	0.00	0.005	8.0	0.01	0.03	0.05	☐	☑	☐	HQ
11-046	K297445	0.00	0.00	0.00	7.170	1060.0	6.09	17.80	11.65	☐	☐	☑	NT3
11-046	K297458	0.00	0.00	0.00	0.005	9.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-046	K297464	0.00	0.00	0.00	0.350	596.0	10.20	110.50	7.43	☐	☐	☑	NT1
11-040	K297404	5.18	8.23	3.05	0.005	64.4	0.02	1.20	0.86	☐	☐	☐	
11-040	K297405	11.28	14.33	3.05	0.010	70.1	0.10	0.75	1.03	☐	☐	☐	Jump in meterage
11-040	K297407	23.47	26.52	3.05	0.005	27.9	0.01	0.52	0.73	☐	☐	☐	Jump in meterage
11-040	K297408	29.57	32.61	3.04	0.005	48.7	0.08	0.43	0.76	☐	☐	☐	Jump in meterage
11-040	K297409	37.19	40.23	3.04	0.005	2180.0	1.29	0.47	3.72	☐	☐	☐	Jump in meterage
11-040	K297410	40.23	43.28	3.05	0.005	158.0	0.40	0.39	1.57	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-040	K297412	43.28	46.33	3.05	0.005	550.0	0.51	0.49	0.92	☐	☐	☐	
11-040	K297413	46.33	49.38	3.05	0.005	507.0	7.41	0.65	0.78	☐	☐	☐	
11-040	K297414	49.38	52.43	3.05	0.005	634.0	2.54	0.43	1.89	☐	☐	☐	
11-040	K297415	52.43	55.47	3.04	0.005	1290.0	1.68	0.48	3.43	☐	☐	☐	
11-040	K297416	55.47	58.52	3.05	0.090	4520.0	2.59	1.00	3.08	☐	☐	☐	
11-040	K297417	58.52	61.57	3.05	0.005	506.0	1.51	0.41	1.45	☐	☐	☐	
11-040	K297418	61.57	63.09	1.52	0.010	691.0	1.28	0.34	1.13	☐	☐	☐	
11-040	K297419	63.09	66.14	3.05	0.005	4610.0	0.85	0.58	1.38	☐	☐	☐	
11-040	K297420	63.09	66.14	3.05	0.005	3700.0	1.05	0.36	1.57	☑	☐	☐	duplicate of 419
11-040	K297421	66.14	69.19	3.05	0.005	2230.0	0.27	0.21	0.42	☐	☐	☐	
11-040	K297422	69.19	72.24	3.05	0.020	1880.0	2.44	0.90	3.43	☐	☐	☐	
11-040	K297423	72.24	75.29	3.05	0.010	1500.0	10.10	0.90	2.26	☐	☐	☐	
11-040	K297424	75.29	78.33	3.04	0.005	1120.0	1.56	0.28	1.28	☐	☐	☐	
11-040	K297425	78.33	81.38	3.05	0.005	92.0	0.78	0.14	0.98	☐	☐	☐	
11-040	K297427	81.38	84.43	3.05	0.005	126.0	0.80	0.28	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-040	K297428	84.43	87.48	3.05	0.010	439.0	0.63	0.21	1.01	☐	☐	☐	
11-040	K297429	87.48	90.53	3.05	0.005	89.0	0.48	0.24	0.37	☐	☐	☐	
11-040	K297430	90.53	93.57	3.04	0.010	112.0	2.38	1.15	3.56	☐	☐	☐	
11-040	K297432	93.57	96.62	3.05	0.010	322.0	1.78	2.19	2.60	☐	☐	☐	end of batch 40 start batch 40
11-046	K297433	96.62	99.67	3.05	0.010	266.0	0.81	0.41	0.77	☐	☐	☐	start batch 46
11-046	K297434	99.67	102.72	3.05	0.010	139.0	0.66	0.50	0.85	☐	☐	☐	
11-046	K297435	102.72	105.76	3.04	0.005	234.0	0.25	0.25	0.28	☐	☐	☐	
11-046	K297436	105.76	108.81	3.05	0.005	58.0	1.20	0.31	1.83	☐	☐	☐	
11-046	K297437	108.81	111.86	3.05	0.005	149.0	0.74	0.48	1.18	☐	☐	☐	
11-046	K297438	111.86	114.91	3.05	0.010	563.0	1.83	0.65	1.53	☐	☐	☐	
11-046	K297440	114.91	117.96	3.05	0.040	1100.0	7.08	0.35	1.77	☐	☐	☐	
11-046	K297441	117.96	119.48	1.52	0.020	608.0	1.62	0.32	1.17	☐	☐	☐	
11-046	K297442	119.48	121.01	1.53	0.400	37400.0	15.80	6.28	12.75	☐	☐	☐	
11-046	K297443	121.01	122.53	1.52	0.300	10000.0	12.80	2.38	15.35	☐	☐	☐	
11-046	K297444	122.53	124.05	1.52	0.070	28400.0	154.50	7.38	4.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-046	K297446	124.05	125.58	1.53	0.020	2110.0	1.99	1.19	1.37	☐	☐	☐	
11-046	K297447	125.58	128.63	3.05	0.005	2960.0	1.11	0.34	0.83	☐	☐	☐	
11-046	K297448	128.63	131.67	3.04	0.005	1860.0	1.21	0.26	1.34	☐	☐	☐	
11-046	K297449	131.67	134.72	3.05	0.005	673.0	1.31	0.42	1.30	☐	☐	☐	
11-046	K297450	134.72	137.77	3.05	0.005	648.0	5.17	0.30	1.60	☐	☐	☐	
11-046	K297451	137.77	140.82	3.05	0.005	1190.0	1.91	0.40	2.46	☐	☐	☐	
11-046	K297452	140.82	143.87	3.05	0.010	4330.0	9.20	0.59	4.84	☐	☐	☐	
11-046	K297453	143.87	146.91	3.04	0.005	474.0	0.60	0.28	0.88	☐	☐	☐	
11-046	K297454	146.91	149.96	3.05	0.010	219.0	2.62	0.45	2.67	☐	☐	☐	
11-046	K297455	149.96	153.01	3.05	0.005	572.0	0.71	0.17	0.76	☐	☐	☐	
11-046	K297456	153.01	156.06	3.05	0.020	6130.0	4.27	1.28	3.56	☐	☐	☐	
11-046	K297457	156.06	159.11	3.05	0.005	829.0	1.66	0.38	1.71	☐	☐	☐	
11-046	K297459	159.11	162.15	3.04	0.020	5410.0	1.37	0.68	1.54	☐	☐	☐	
11-046	K297460	162.15	165.20	3.05	0.040	1670.0	1.69	0.50	2.10	☐	☐	☐	
11-046	K297461	162.15	165.20	3.05	0.030	2790.0	2.06	1.11	2.65	☑	☐	☐	Duplicate of 460

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-046	K297462	165.20	168.25	3.05	0.010	2560.0	2.51	0.61	2.99	☐	☐	☐	
11-046	K297463	168.25	171.30	3.05	0.005	289.0	2.58	0.60	2.86	☐	☐	☐	
11-046	K297465	171.30	174.35	3.05	0.010	850.0	1.58	0.72	1.67	☐	☐	☐	
11-046	K297466	174.35	177.39	3.04	0.010	683.0	4.62	1.34	2.21	☐	☐	☐	
11-046	K297467	177.39	180.44	3.05	0.005	1110.0	1.19	0.91	1.91	☐	☐	☐	
11-046	K297468	180.44	182.50	2.06	0.005	4430.0	2.20	0.58	3.04	☐	☐	☐	End of Batch 46
11-047	K297469	182.50	185.01	2.51	0.030	76900.0	141.00	6.13	14.65	☐	☐	☐	Start of Batch 47
11-047	K297470	185.01	188.05	3.04	0.050	187500.0	842.00	5.52	68.60	☐	☐	☐	
11-047	K297471	188.05	190.00	1.95	0.030	27800.0	32.00	0.85	23.80	☐	☐	☐	
11-058	K298621	190.00	192.30	2.30	0.040	4180.0	7.08	0.54	4.40	☐	☐	☐	*jump in sample number*
11-058	K298622	192.30	194.16	1.86	0.005	1200.0	3.19	0.35	6.40	☐	☐	☐	
11-047	K297472	194.16	197.21	3.05	0.010	243.0	0.65	0.20	1.09	☐	☐	☐	
11-047	K297473	201.78	204.82	3.04	0.010	325.0	0.72	0.28	1.80	☐	☐	☐	

Sample Results

OS -11-029

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-047	K297481	0.00	0.00	0.00	0.005	22.0	0.02	0.03	0.02	☐	☑	☐	HQ
11-047	K297483	0.00	0.00	0.00	7.950	928.0	5.48	18.05	12.90	☐	☐	☑	NT3
11-047	K297496	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-047	K298502	0.00	0.00	0.00	16.200	978.0	5.79	146.50	3.49	☐	☐	☑	NT4
11-051	K298507	0.00	0.00	0.00	0.010	6.0	0.01	0.06	0.02	☐	☑	☐	HQ
11-051	K298517	0.00	0.00	0.00	0.360	579.0	9.09	109.00	8.09	☐	☐	☑	NT1
11-051	K298531	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-051	K298537	0.00	0.00	0.00	7.820	968.0	5.63	17.45	12.70	☐	☐	☑	NT3
11-052	K298547	0.00	0.00	0.00	0.005	2.5	0.02	0.03	0.01	☐	☑	☐	HQ
11-052	K298556	0.00	0.00	0.00	0.330	606.0	8.80	116.00	8.20	☐	☐	☑	NT1
11-052	K298560	0.00	0.00	0.00	2.730	585.0	4.20	112.50	4.20	☐	☐	☑	NT2
11-052	K298570	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-055	K298587	0.00	0.00	0.00	0.005	8.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-055	K298597	0.00	0.00	0.00	0.330	641.0	9.61	115.50	8.67	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-055	K298609	0.00	0.00	0.00	0.005	53.0	0.61	0.03	0.02	☐	☑	☐	NQ
11-055	K298612	0.00	0.00	0.00	8.150	957.0	5.82	19.10	13.45	☐	☐	☑	NT3 / End of Batch 55
11-058	K298614	0.00	0.00	0.00	0.005	120.0	0.15	0.03	0.04	☐	☑	☐	NQ
11-047	K297474	20.73	23.77	3.04	0.005	65.0	0.14	0.78	0.84	☐	☐	☐	
11-047	K297475	23.77	26.82	3.05	0.005	64.0	0.10	0.67	0.69	☐	☐	☐	
11-047	K297476	43.59	46.63	3.04	0.005	74.2	0.70	0.61	3.88	☐	☐	☐	
11-047	K297477	46.63	48.70	2.07	0.005	900.0	1.15	0.84	3.89	☐	☐	☐	
11-047	K297478	48.70	51.21	2.51	0.010	988.0	0.85	0.41	1.80	☐	☐	☐	
11-047	K297479	51.21	54.25	3.04	0.005	696.0	1.18	0.44	0.72	☐	☐	☐	
11-047	K297480	54.25	57.30	3.05	0.010	2590.0	8.16	2.98	1.75	☐	☐	☐	
11-047	K297482	57.30	58.83	1.53	0.005	587.0	4.38	0.92	1.65	☐	☐	☐	
11-047	K297484	58.83	61.87	3.04	0.010	1030.0	0.61	0.63	1.33	☐	☐	☐	
11-047	K297485	61.87	64.92	3.05	0.005	65.4	0.14	0.35	0.83	☐	☐	☐	
11-047	K297486	64.92	67.97	3.05	0.005	727.0	0.18	1.12	0.94	☐	☐	☐	
11-047	K297487	67.97	71.02	3.05	0.005	46.4	0.14	0.50	1.06	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-047	K297488	67.97	71.02	3.05	0.005	49.9	0.14	0.47	1.05	☑	☐	☐	of k297487
11-047	K297489	71.02	74.01	2.99	0.005	45.5	0.09	0.35	0.86	☐	☐	☐	
11-047	K297490	74.01	77.11	3.10	0.005	37.9	0.17	0.37	1.08	☐	☐	☐	
11-047	K297491	77.11	80.16	3.05	0.010	28.9	0.09	0.52	1.06	☐	☐	☐	
11-047	K297492	80.16	83.21	3.05	0.005	25.0	0.10	0.29	0.90	☐	☐	☐	
11-047	K297493	83.21	86.26	3.05	0.005	39.0	0.51	0.22	1.07	☐	☐	☐	
11-047	K297494	86.26	89.31	3.05	0.005	128.0	0.22	0.20	0.58	☐	☐	☐	
11-047	K297495	89.31	92.35	3.04	0.010	107.0	0.51	0.21	1.17	☐	☐	☐	
11-047	K297497	92.35	95.40	3.05	0.010	150.0	0.82	0.18	1.21	☐	☐	☐	
11-047	K297498	95.40	98.45	3.05	0.010	459.0	0.61	0.27	1.18	☐	☐	☐	
11-047	K297499	98.45	101.50	3.05	0.005	105.0	0.48	0.18	0.84	☐	☐	☐	
11-047	K297500	101.50	103.02	1.52	0.010	313.0	2.20	3.68	3.60	☐	☐	☐	
11-047	K298501	103.02	106.07	3.05	0.010	494.0	1.74	0.73	2.46	☐	☐	☐	
11-047	K298503	106.07	109.12	3.05	0.020	319.0	1.78	0.30	2.85	☐	☐	☐	
11-047	K298504	109.12	112.17	3.05	0.010	156.0	0.48	0.15	0.57	☐	☐	☐	End of Batch 47

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-051	K298505	112.17	115.21	3.04	0.010	1180.0	0.66	0.22	0.74	☐	☐	☐	Start of Batch 51
11-051	K298506	115.21	118.26	3.05	0.010	942.0	0.61	0.39	0.84	☐	☐	☐	
11-051	K298508	118.26	121.31	3.05	0.010	188.0	0.62	0.86	0.92	☐	☐	☐	
11-051	K298509	121.31	124.36	3.05	0.010	333.0	2.07	1.35	2.76	☐	☐	☐	
11-051	K298510	124.36	127.41	3.05	0.005	109.0	0.53	0.15	0.47	☐	☐	☐	
11-051	K298511	127.41	130.45	3.04	0.005	18.0	0.19	0.08	0.28	☐	☐	☐	
11-051	K298512	130.45	133.50	3.05	0.010	1370.0	0.67	0.26	0.82	☐	☐	☐	
11-051	K298513	130.45	133.50	3.05	0.010	1570.0	0.85	0.37	0.89	☑	☐	☐	of k298512
11-051	K298514	133.50	136.55	3.05	0.005	104.0	0.68	0.44	0.97	☐	☐	☐	
11-051	K298515	136.55	139.60	3.05	0.005	216.0	0.64	0.27	0.74	☐	☐	☐	
11-051	K298516	139.60	142.65	3.05	0.010	275.0	4.06	0.97	2.08	☐	☐	☐	
11-051	K298518	142.65	145.69	3.04	0.010	2480.0	2.29	1.36	2.34	☐	☐	☐	
11-051	K298519	145.69	148.74	3.05	0.005	111.0	0.57	0.21	0.63	☐	☐	☐	
11-051	K298520	148.74	151.79	3.05	0.005	74.0	0.24	0.10	0.42	☐	☐	☐	
11-051	K298521	151.79	154.84	3.05	0.005	63.0	0.38	0.09	0.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-051	K298522	154.84	157.89	3.05	0.020	27.0	0.23	0.10	1.30	☐	☐	☐	
11-051	K298523	157.89	160.93	3.04	0.005	21.0	2.61	0.21	2.86	☐	☐	☐	
11-051	K298524	160.93	164.00	3.07	0.005	37.0	0.46	0.07	1.04	☐	☐	☐	
11-051	K298525	164.00	167.03	3.03	0.005	35.0	0.27	0.05	0.38	☐	☐	☐	
11-051	K298526	167.03	170.08	3.05	0.005	303.0	0.57	0.08	0.96	☐	☐	☐	
11-051	K298527	170.08	171.60	1.52	0.005	800.0	0.89	0.11	1.39	☐	☐	☐	
11-051	K298528	171.60	174.65	3.05	0.010	181.0	1.14	0.10	1.52	☐	☐	☐	
11-051	K298529	174.65	177.70	3.05	0.010	111.0	1.28	0.10	1.79	☐	☐	☐	
11-051	K298530	177.70	180.75	3.05	0.010	99.0	1.00	0.10	1.66	☐	☐	☐	
11-051	K298532	180.75	183.79	3.04	0.005	29.0	0.81	0.10	1.11	☐	☐	☐	
11-051	K298533	183.79	186.84	3.05	0.005	60.0	0.69	0.18	1.04	☐	☐	☐	
11-051	K298534	186.84	189.89	3.05	0.010	97.0	0.71	0.14	0.97	☐	☐	☐	
11-051	K298535	189.89	192.20	2.31	0.050	6530.0	4.03	1.93	3.09	☐	☐	☐	
11-051	K298536	192.20	194.46	2.26	0.090	4140.0	7.57	4.81	4.60	☐	☐	☐	
11-051	K298538	194.46	197.51	3.05	0.010	182.0	1.36	4.89	1.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-051	K298539	197.51	200.56	3.05	0.010	131.0	1.85	1.40	2.75	☐	☐	☐	
11-051	K298540	200.56	203.61	3.05	0.005	103.0	1.41	0.30	2.01	☐	☐	☐	End of Batch 51
11-052	K298541	203.61	206.65	3.04	0.010	304.0	1.14	0.37	1.77	☐	☐	☐	Start of Batch 52
11-052	K298542	206.65	209.70	3.05	0.005	156.0	1.27	0.42	1.67	☐	☐	☐	
11-052	K298543	209.70	212.75	3.05	0.005	81.0	0.88	0.77	1.43	☐	☐	☐	
11-052	K298544	212.75	215.80	3.05	0.005	44.0	0.88	0.24	1.43	☐	☐	☐	
11-052	K298545	215.80	218.85	3.05	0.010	58.0	0.76	0.11	1.26	☐	☐	☐	
11-052	K298546	218.85	221.89	3.04	0.010	505.0	2.21	0.27	1.99	☐	☐	☐	
11-052	K298548	221.89	224.94	3.05	0.020	404.0	0.65	0.18	0.81	☐	☐	☐	
11-052	K298549	224.94	227.99	3.05	0.010	271.0	0.59	0.30	0.77	☐	☐	☐	
11-052	K298550	227.99	231.04	3.05	0.010	374.0	0.68	0.38	0.84	☐	☐	☐	
11-052	K298551	231.04	234.09	3.05	0.010	1060.0	0.92	0.39	1.44	☐	☐	☐	
11-052	K298552	234.09	237.13	3.04	0.050	773.0	0.69	0.30	1.36	☐	☐	☐	
11-052	K298553	237.13	240.18	3.05	0.010	1360.0	0.67	0.57	1.11	☐	☐	☐	
11-052	K298554	240.18	243.23	3.05	0.010	317.0	0.44	0.30	0.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-052	K298555	243.23	246.28	3.05	0.010	425.0	0.63	0.43	0.95	☐	☐	☐	
11-052	K298557	246.28	249.33	3.05	0.005	188.0	0.28	0.10	0.50	☐	☐	☐	
11-052	K298558	249.33	250.55	1.22	0.010	75.0	1.00	0.36	2.28	☐	☐	☐	
11-052	K298559	250.55	252.37	1.82	0.005	355.0	0.20	0.08	0.33	☐	☐	☐	
11-052	K298561	252.37	254.40	2.03	0.010	123.0	2.04	0.77	1.14	☐	☐	☐	
11-052	K298562	254.40	256.95	2.55	0.005	33.0	0.70	0.11	1.37	☐	☐	☐	
11-052	K298563	256.95	260.00	3.05	0.005	173.0	4.31	0.23	3.27	☐	☐	☐	
11-052	K298564	260.00	261.52	1.52	0.010	522.0	1.34	0.64	1.18	☐	☐	☐	
11-052	K298565	261.52	263.35	1.83	0.010	919.0	0.59	0.22	0.70	☐	☐	☐	
11-052	K298566	261.52	263.35	1.83	0.005	913.0	0.41	0.21	0.46	☑	☐	☐	Duplicate of 565
11-052	K298567	263.35	264.85	1.50	0.010	236.0	1.00	0.97	0.90	☐	☐	☐	
11-052	K298568	264.85	266.50	1.65	0.005	89.0	0.33	0.22	0.57	☐	☐	☐	
11-052	K298569	266.50	269.14	2.64	0.005	86.0	0.37	0.30	0.61	☐	☐	☐	
11-052	K298571	269.14	272.19	3.05	0.005	309.0	0.32	0.26	0.47	☐	☐	☐	
11-052	K298572	272.19	275.23	3.04	0.010	409.0	0.88	0.45	0.65	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-052	K298573	275.23	278.28	3.05	0.005	1060.0	3.66	0.37	0.66	☐	☐	☐	
11-052	K298574	278.28	281.33	3.05	0.005	124.0	0.51	0.21	0.63	☐	☐	☐	
11-052	K298575	281.33	284.38	3.05	0.005	161.0	0.37	0.19	0.53	☐	☐	☐	
11-052	K298576	284.38	287.43	3.05	0.010	236.0	1.10	0.19	1.02	☐	☐	☐	end batch 52
11-055	K298577	287.43	290.47	3.04	0.010	54.0	0.28	0.20	0.66	☐	☐	☐	start batch 55
11-055	K298578	290.47	293.52	3.05	0.010	1300.0	0.38	0.24	0.69	☐	☐	☐	
11-055	K298579	293.52	296.57	3.05	0.005	162.0	0.57	0.24	0.74	☐	☐	☐	
11-055	K298580	296.57	299.62	3.05	0.010	360.0	0.49	0.71	0.87	☐	☐	☐	
11-055	K298581	299.62	302.67	3.05	0.010	1560.0	0.47	0.59	0.61	☐	☐	☐	
11-055	K298582	299.62	302.67	3.05	0.010	1530.0	0.38	0.70	0.54	☑	☐	☐	of k298581
11-055	K298583	302.67	305.71	3.04	0.030	328.0	0.63	0.25	1.04	☐	☐	☐	
11-055	K298584	305.71	308.76	3.05	0.020	2210.0	0.56	0.46	0.80	☐	☐	☐	
11-055	K298585	308.76	311.81	3.05	0.010	870.0	0.27	0.19	0.42	☐	☐	☐	
11-055	K298586	311.81	314.86	3.05	0.010	1420.0	0.28	0.18	0.50	☐	☐	☐	
11-055	K298588	314.86	317.91	3.05	0.050	2710.0	4.31	0.75	2.66	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-055	K298589	317.91	320.95	3.04	0.320	6400.0	18.40	2.61	12.70	☐	☐	☐	
11-055	K298590	320.95	324.00	3.05	0.280	9830.0	16.20	1.76	12.80	☐	☐	☐	
11-055	K298591	324.00	327.05	3.05	0.030	2450.0	0.76	0.20	1.31	☐	☐	☐	
11-055	K298592	327.05	330.10	3.05	0.110	1900.0	2.43	0.26	3.14	☐	☐	☐	
11-055	K298593	330.10	333.15	3.05	0.120	846.0	1.23	0.23	2.51	☐	☐	☐	
11-055	K298594	333.15	336.19	3.04	0.040	99.0	1.37	0.10	2.10	☐	☐	☐	
11-055	K298595	336.19	339.24	3.05	0.020	237.0	1.24	0.12	2.43	☐	☐	☐	
11-055	K298596	339.24	342.29	3.05	0.005	130.0	1.14	0.10	1.75	☐	☐	☐	
11-055	K298598	342.29	345.34	3.05	0.010	1320.0	1.87	0.49	2.07	☐	☐	☐	
11-055	K298599	345.34	348.39	3.05	0.160	5370.0	1.56	0.66	2.03	☐	☐	☐	
11-055	K298600	348.39	351.43	3.04	0.080	6570.0	1.88	1.04	1.30	☐	☐	☐	
11-055	K298601	351.43	354.48	3.05	0.010	4980.0	2.83	1.52	1.59	☐	☐	☐	
11-055	K298602	354.48	357.53	3.05	0.040	4070.0	1.52	0.82	1.67	☐	☐	☐	
11-055	K298603	357.53	360.58	3.05	0.110	5990.0	10.75	2.66	3.71	☐	☐	☐	
11-055	K298604	360.58	363.63	3.05	0.020	33300.0	11.20	1.45	1.58	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-055	K298605	363.63	366.67	3.04	0.030	4650.0	3.20	0.41	1.18	☐	☐	☐	
11-055	K298606	366.67	369.72	3.05	0.110	6880.0	7.25	0.91	4.90	☐	☐	☐	
11-055	K298607	369.72	372.77	3.05	0.140	16750.0	11.40	1.22	6.97	☐	☐	☐	
11-055	K298608	372.77	375.82	3.05	0.550	23700.0	311.00	1.45	10.55	☐	☐	☐	
11-055	K298610	375.82	378.87	3.05	0.110	24100.0	19.40	1.71	12.35	☐	☐	☐	
11-055	K298611	378.87	380.41	1.54	0.010	51500.0	240.00	1.88	24.20	☐	☐	☐	
11-058	K298613	380.41	382.08	1.67	0.080	101500.0	83.40	4.33	59.10	☐	☐	☐	Start of Batch 58
11-058	K298615	382.08	384.96	2.88	0.005	12150.0	17.50	1.42	26.00	☐	☐	☐	
11-058	K298616	384.96	388.01	3.05	0.005	3750.0	4.34	0.59	8.03	☐	☐	☐	
11-058	K298617	388.01	391.06	3.05	0.005	971.0	1.86	0.52	3.84	☐	☐	☐	
11-058	K298618	391.06	394.11	3.05	0.005	290.0	0.56	0.42	1.34	☐	☐	☐	
11-058	K298619	394.11	397.15	3.04	0.005	690.0	0.50	0.37	1.69	☐	☐	☐	
11-058	K298620	397.15	400.20	3.05	0.005	36.5	0.15	0.41	0.93	☐	☐	☐	EOH

Sample Results

OS -11-030

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-044	K297748	0.00	0.00	0.00	0.340	588.0	9.40	113.50	7.89	☐	☐	☑	NT1
11-044	K297754	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-053	K297761	0.00	0.00	0.00	0.340	614.0	8.70	107.50	8.12	☐	☐	☑	NT1
11-053	K297773	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-053	K297783	0.00	0.00	0.00	2.670	553.0	4.94	103.50	3.99	☐	☐	☑	NT2
11-053	K297789	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-057	K297799	0.00	0.00	0.00	0.005	32.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-057	K297811	0.00	0.00	0.00	15.450	1210.0	5.83	148.00	3.52	☐	☐	☑	NT4
11-057	K297816	0.00	0.00	0.00	0.010	8.0	0.03	0.06	0.04	☐	☑	☐	NQ
11-057	K297818	0.00	0.00	0.00	2.600	609.0	4.53	104.50	3.85	☐	☐	☑	NT2
11-059	K297832	0.00	0.00	0.00	0.330	578.0	9.64	113.00	8.07	☐	☐	☑	NT1
11-059	K297838	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.12	☐	☑	☐	NQ
11-059	K297851	0.00	0.00	0.00	2.550	616.0	4.45	106.00	4.10	☐	☐	☑	NT2
11-059	K297858	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.11	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-061	K297870	0.00	0.00	0.00	2.650	623.0	4.60	119.00	4.29	☐	☐	☑	NT2
11-061	K297877	0.00	0.00	0.00	0.005	2.5	0.01	0.14	0.01	☐	☑	☐	NQ
11-061	K297889	0.00	0.00	0.00	0.350	586.0	10.50	106.50	7.76	☐	☐	☑	NT1
11-061	K297895	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.01	☐	☑	☐	NQ
11-044	K297739	50.29	53.34	3.05	0.005	4.2	0.02	0.87	0.40	☐	☐	☐	
11-044	K297740	53.34	56.39	3.05	0.005	3.8	0.05	0.38	0.62	☐	☐	☐	
11-044	K297741	56.39	57.91	1.52	0.010	43.9	0.34	0.35	1.56	☐	☐	☐	
11-044	K297742	56.39	57.91	1.52	0.010	20.2	0.30	0.31	1.39	☑	☐	☐	
11-044	K297743	57.91	60.96	3.05	0.010	1000.0	2.35	1.75	9.60	☐	☐	☐	
11-044	K297744	60.96	64.01	3.05	0.010	27.2	0.18	0.48	1.02	☐	☐	☐	
11-044	K297745	64.01	66.20	2.19	0.005	50.7	0.19	0.51	0.98	☐	☐	☐	
11-044	K297746	66.20	69.25	3.05	0.005	169.5	0.90	1.14	2.92	☐	☐	☐	
11-044	K297747	69.25	70.60	1.35	0.005	187.0	0.53	0.49	2.47	☐	☐	☐	
11-044	K297749	70.60	73.15	2.55	0.010	935.0	3.12	4.64	6.69	☐	☐	☐	
11-044	K297750	73.15	74.68	1.53	0.010	436.0	3.16	3.26	4.75	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-044	K297751	74.68	77.72	3.04	0.010	719.0	6.47	9.97	11.35	☐	☐	☐	
11-044	K297752	77.72	79.25	1.53	0.010	1080.0	4.54	9.53	8.24	☐	☐	☐	
11-044	K297753	79.25	82.30	3.05	0.005	91.9	0.66	1.61	1.90	☐	☐	☐	*ream between 82.30-84.70m, not sampled
11-044	K297755	84.70	86.87	2.17	0.005	26.0	0.47	0.52	1.81	☐	☐	☐	
11-044	K297756	86.87	89.92	3.05	0.005	93.9	0.89	5.36	2.76	☐	☐	☐	
11-044	K297757	89.92	92.96	3.04	0.010	85.0	1.09	2.88	2.83	☐	☐	☐	end batch 44
11-053	K297758	92.96	94.49	1.53	0.005	52.0	0.30	0.45	2.24	☐	☐	☐	start batch 53
11-053	K297759	94.49	96.38	1.89	0.010	37.0	0.40	0.90	1.71	☐	☐	☐	
11-053	K297760	96.38	99.06	2.68	0.005	11.0	0.10	0.32	0.90	☐	☐	☐	
11-053	K297762	99.06	100.58	1.52	0.005	56.0	0.10	0.34	0.96	☐	☐	☐	
11-053	K297763	100.58	103.63	3.05	0.005	37.0	0.10	0.49	1.35	☐	☐	☐	
11-053	K297764	103.63	106.68	3.05	0.005	78.0	0.11	0.42	1.30	☐	☐	☐	
11-053	K297765	106.68	109.73	3.05	0.005	81.0	0.21	0.74	1.87	☐	☐	☐	
11-053	K297766	109.73	112.78	3.05	0.005	39.0	0.36	0.42	1.31	☐	☐	☐	
11-053	K297767	112.78	115.82	3.04	0.010	228.0	1.13	0.75	4.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-053	K297768	115.82	118.87	3.05	0.010	19.0	0.19	0.31	0.92	☐	☐	☐	
11-053	K297769	118.87	120.40	1.53	0.010	43.0	0.10	0.38	1.10	☐	☐	☐	
11-053	K297770	120.40	123.00	2.60	0.005	42.0	0.07	0.36	0.86	☐	☐	☐	
11-053	K297771	123.00	124.97	1.97	0.005	18.0	0.08	0.42	1.13	☐	☐	☐	
11-053	K297772	124.97	128.02	3.05	0.005	19.0	0.08	0.43	1.09	☐	☐	☐	
11-053	K297774	128.02	131.06	3.04	0.005	23.0	0.11	0.40	1.31	☐	☐	☐	
11-053	K297775	131.06	133.15	2.09	0.010	97.0	1.40	0.64	4.50	☐	☐	☐	
11-053	K297776	133.15	134.90	1.75	0.005	190.0	3.15	1.25	6.80	☐	☐	☐	
11-053	K297777	133.15	134.90	1.75	0.010	216.0	3.35	1.26	7.32	☑	☐	☐	Duplicate of 776
11-053	K297778	134.90	137.95	3.05	0.005	115.0	0.96	0.59	1.78	☐	☐	☐	
11-053	K297779	137.95	140.21	2.26	0.020	1585.0	3.08	3.67	7.49	☐	☐	☐	
11-053	K297780	140.21	143.26	3.05	0.210	5030.0	6.24	12.30	11.05	☐	☐	☐	
11-053	K297781	143.26	145.70	2.44	0.030	350.0	4.30	4.40	7.54	☐	☐	☐	
11-053	K297782	145.70	147.50	1.80	0.005	145.0	1.58	0.91	3.52	☐	☐	☐	
11-053	K297784	147.50	149.35	1.85	0.005	106.0	0.69	0.70	1.75	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-053	K297785	149.35	152.40	3.05	0.005	141.0	2.30	2.08	2.50	☐	☐	☐	
11-053	K297786	152.40	155.45	3.05	0.005	58.0	1.48	1.13	1.06	☐	☐	☐	
11-053	K297787	155.45	158.50	3.05	0.005	70.0	1.33	1.28	1.10	☐	☐	☐	
11-053	K297788	158.50	161.54	3.04	0.005	114.0	2.04	0.94	0.76	☐	☐	☐	
11-053	K297790	161.54	164.59	3.05	0.005	74.0	1.32	0.83	0.88	☐	☐	☐	
11-053	K297791	164.59	167.64	3.05	0.010	571.0	1.80	1.97	2.93	☐	☐	☐	
11-053	K297792	167.64	170.69	3.05	0.005	399.0	2.33	2.12	3.53	☐	☐	☐	
11-053	K297793	170.69	173.27	2.58	0.180	9830.0	6.08	5.05	11.10	☐	☐	☐	end batch 53
11-057	K297794	173.27	173.77	0.50	0.310	3680.0	8.70	2.35	18.60	☐	☐	☐	start batch 57
11-057	K297795	173.77	176.20	2.43	0.690	13200.0	9.90	11.20	24.30	☐	☐	☐	
11-057	K297796	176.20	177.75	1.55	1.490	23800.0	25.70	19.40	51.80	☐	☐	☐	
11-057	K297797	177.75	179.83	2.08	0.210	5890.0	5.40	2.53	10.05	☐	☐	☐	
11-057	K297798	179.83	181.50	1.67	1.230	59100.0	10.40	32.30	31.00	☐	☐	☐	
11-057	K297800	181.50	183.40	1.90	1.920	65300.0	11.40	79.30	34.40	☐	☐	☐	
11-057	K297801	183.40	185.00	1.60	1.580	60800.0	7.58	135.00	24.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-057	K297802	185.00	186.15	1.15	3.940	269000.0	23.30	614.00	71.30	☐	☐	☐	
11-057	K297803	186.15	188.40	2.25	6.880	185500.0	32.20	509.00	109.00	☐	☐	☐	
11-057	K297804	188.40	191.00	2.60	1.680	38300.0	10.10	74.90	28.80	☐	☐	☐	
11-057	K297805	191.00	193.25	2.25	0.810	13600.0	6.75	18.95	18.90	☐	☐	☐	
11-057	K297806	193.25	193.75	0.50	3.580	15000.0	31.80	41.10	83.80	☐	☐	☐	
11-057	K297807	193.75	195.07	1.32	1.190	61700.0	10.60	59.00	25.30	☐	☐	☐	
11-057	K297808	195.07	197.36	2.29	3.820	1580.0	16.80	26.00	51.60	☐	☐	☐	
11-057	K297809	197.36	198.60	1.24	1.360	27000.0	10.40	58.30	31.40	☐	☐	☐	
11-057	K297810	198.60	201.17	2.57	0.440	3300.0	2.84	10.60	9.39	☐	☐	☐	
11-057	K297812	201.17	204.22	3.05	0.350	1250.0	1.46	4.53	5.54	☐	☐	☐	
11-057	K297813	204.22	207.26	3.04	0.360	155.0	1.67	3.46	5.75	☐	☐	☐	
11-057	K297814	207.26	210.31	3.05	1.400	567.0	2.80	7.72	9.34	☐	☐	☐	
11-057	K297815	210.31	213.36	3.05	3.110	369.0	4.58	10.65	13.50	☐	☐	☐	
11-057	K297817	213.36	216.41	3.05	0.450	187.0	2.69	3.46	7.11	☐	☐	☐	
11-057	K297819	216.41	219.26	2.85	1.310	211.0	3.00	5.10	8.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-057	K297820	219.26	221.00	1.74	3.660	29800.0	6.34	65.10	19.65	☐	☐	☐	
11-057	K297821	221.00	222.50	1.50	4.020	9910.0	10.10	40.30	26.80	☐	☐	☐	
11-057	K297822	222.50	225.55	3.05	9.340	7680.0	20.40	72.60	58.90	☐	☐	☐	
11-057	K297823	225.55	228.60	3.05	10.450	2090.0	27.40	64.20	78.10	☐	☐	☐	
11-057	K297824	228.60	230.60	2.00	14.700	14850.0	25.40	90.30	77.10	☐	☐	☐	
11-057	K297825	230.60	232.00	1.40	5.140	3090.0	6.17	21.30	18.05	☐	☐	☐	
11-057	K297826	232.00	234.70	2.70	7.510	1570.0	10.50	36.40	41.40	☐	☐	☐	
11-057	K297827	232.00	234.70	2.70	7.720	1070.0	11.00	31.80	43.30	☑	☐	☐	Duplicate of 826
11-057	K297828	234.70	237.74	3.04	1.480	304.0	3.75	7.54	14.05	☐	☐	☐	
11-057	K297829	237.74	240.79	3.05	1.770	232.0	3.01	6.40	10.90	☐	☐	☐	end batch 57
11-059	K297830	240.79	243.84	3.05	0.040	46.0	1.40	1.44	4.11	☐	☐	☐	start batch 59
11-059	K297831	243.84	246.89	3.05	0.350	112.0	3.19	5.81	9.80	☐	☐	☐	
11-059	K297833	246.89	249.94	3.05	2.010	224.0	5.83	13.55	19.75	☐	☐	☐	
11-059	K297834	249.94	252.98	3.04	1.850	136.0	4.46	8.64	12.10	☐	☐	☐	
11-059	K297835	252.98	256.03	3.05	0.220	52.0	1.21	2.35	4.02	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-059	K297836	256.03	259.08	3.05	0.690	100.0	2.56	5.67	9.50	☐	☐	☐	
11-059	K297837	259.08	262.13	3.05	0.010	41.0	1.01	0.32	4.88	☐	☐	☐	
11-059	K297839	262.13	265.18	3.05	0.005	31.0	0.32	0.20	1.49	☐	☐	☐	
11-059	K297840	265.18	268.22	3.04	0.005	32.0	0.25	0.20	1.56	☐	☐	☐	
11-059	K297841	268.22	271.27	3.05	0.005	34.0	0.54	0.19	1.21	☐	☐	☐	
11-059	K297842	271.27	274.32	3.05	0.005	31.0	0.24	0.21	0.66	☐	☐	☐	
11-059	K297843	274.32	277.37	3.05	0.005	26.0	0.12	0.13	0.30	☐	☐	☐	
11-059	K297844	277.37	280.42	3.05	0.005	23.0	0.40	0.17	1.08	☐	☐	☐	
11-059	K297845	280.42	283.46	3.04	0.005	71.0	0.28	0.13	1.39	☐	☐	☐	
11-059	K297846	283.46	286.51	3.05	0.005	22.0	0.23	0.14	1.76	☐	☐	☐	
11-059	K297847	283.46	286.51	3.05	0.005	22.0	0.28	0.15	2.25	☑	☐	☐	Duplicate of 846
11-059	K297848	286.51	289.56	3.05	0.020	34.0	0.64	0.25	1.30	☐	☐	☐	
11-059	K297849	289.56	292.61	3.05	0.005	37.0	0.38	0.14	0.79	☐	☐	☐	
11-059	K297850	292.61	295.66	3.05	0.005	19.0	0.29	0.15	0.55	☐	☐	☐	
11-059	K297852	295.66	298.70	3.04	0.005	27.0	0.38	0.42	0.92	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-059	K297853	298.70	301.75	3.05	0.005	54.0	0.78	0.46	1.75	☐	☐	☐	
11-059	K297854	301.75	303.05	1.30	0.005	152.0	0.47	0.47	1.24	☐	☐	☐	
11-059	K297855	303.05	304.80	1.75	0.005	180.0	2.57	0.77	5.09	☐	☐	☐	
11-059	K297856	304.80	307.85	3.05	0.570	424.0	4.26	2.89	9.73	☐	☐	☐	
11-059	K297857	307.85	310.15	2.30	0.690	620.0	5.66	4.36	15.00	☐	☐	☐	
11-059	K297859	310.15	312.00	1.85	0.240	535.0	4.37	2.50	9.01	☐	☐	☐	
11-059	K297860	312.00	313.94	1.94	4.110	2090.0	12.60	19.15	30.40	☐	☐	☐	
11-059	K297861	313.94	316.55	2.61	4.900	1380.0	14.60	23.50	37.90	☐	☐	☐	
11-059	K297862	316.55	319.00	2.45	19.450	37900.0	40.20	129.50	130.00	☐	☐	☐	
11-059	K297863	319.00	320.50	1.50	13.250	2750.0	35.40	70.20	120.00	☐	☐	☐	
11-059	K297864	320.50	322.08	1.58	11.300	5940.0	24.80	65.60	86.80	☐	☐	☐	
11-059	K297865	322.08	323.09	1.01	0.810	593.0	4.25	9.32	12.40	☐	☐	☐	end batch 59
11-061	K297866	323.09	326.14	3.05	0.540	159.0	2.30	3.27	6.50	☐	☐	☐	start batch 61
11-061	K297867	326.14	329.18	3.04	0.010	65.0	3.13	0.40	4.32	☐	☐	☐	
11-061	K297868	329.18	332.00	2.82	0.005	50.0	0.90	0.12	2.92	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-061	K297869	332.00	333.50	1.50	0.930	3980.0	10.90	4.94	23.70	☐	☐	☐	
11-061	K297871	333.50	335.28	1.78	7.280	18800.0	23.60	26.40	44.60	☐	☐	☐	
11-061	K297872	335.28	338.33	3.05	3.620	1880.0	12.80	7.90	19.50	☐	☐	☐	
11-061	K297873	338.33	341.38	3.05	7.070	4590.0	33.90	6.03	40.40	☐	☐	☐	
11-061	K297874	341.38	343.20	1.82	3.420	2700.0	20.80	2.85	26.10	☐	☐	☐	
11-061	K297875	343.20	344.42	1.22	0.240	253.0	5.02	0.75	5.49	☐	☐	☐	
11-061	K297876	344.42	347.47	3.05	0.040	112.0	3.85	0.34	5.01	☐	☐	☐	
11-061	K297878	347.47	350.52	3.05	0.005	25.0	0.87	0.20	3.18	☐	☐	☐	
11-061	K297879	350.52	353.57	3.05	0.010	49.0	1.16	0.15	2.21	☐	☐	☐	
11-061	K297880	353.57	356.62	3.05	0.005	49.0	0.82	0.28	2.23	☐	☐	☐	
11-061	K297881	356.62	359.66	3.04	0.005	50.0	1.20	0.52	3.87	☐	☐	☐	
11-061	K297882	359.66	362.71	3.05	0.005	214.0	2.32	0.49	3.47	☐	☐	☐	
11-061	K297883	359.66	362.71	3.05	0.005	271.0	2.37	0.51	3.70	☑	☐	☐	
11-061	K297884	362.71	364.85	2.14	0.005	113.0	3.25	0.63	3.24	☐	☐	☐	
11-061	K297885	364.85	366.50	1.65	0.005	231.0	3.34	0.70	5.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-061	K297886	366.50	368.00	1.50	0.010	269.0	3.84	0.76	5.64	☐	☐	☐	
11-061	K297887	368.00	370.60	2.60	0.020	257.0	3.56	1.95	5.41	☐	☐	☐	
11-061	K297888	370.60	371.86	1.26	0.005	145.0	2.10	1.19	2.80	☐	☐	☐	
11-061	K297890	371.86	374.90	3.04	0.005	415.0	1.40	0.94	2.96	☐	☐	☐	
11-061	K297891	374.90	377.95	3.05	0.005	25.0	0.61	0.53	1.51	☐	☐	☐	
11-061	K297892	377.95	381.00	3.05	0.005	16.0	0.32	0.33	1.11	☐	☐	☐	
11-061	K297893	381.00	384.05	3.05	0.005	23.0	0.52	0.35	1.40	☐	☐	☐	
11-061	K297894	384.05	387.10	3.05	0.005	24.0	0.22	0.53	1.02	☐	☐	☐	
11-061	K297896	387.10	390.14	3.04	0.005	17.0	0.09	11.85	0.85	☐	☐	☐	
11-061	K297897	390.14	393.19	3.05	0.005	16.0	0.26	2.13	0.85	☐	☐	☐	
11-061	K297898	393.19	396.24	3.05	0.005	26.0	0.67	0.86	1.50	☐	☐	☐	
11-061	K297899	396.24	399.29	3.05	0.005	37.0	0.27	0.64	1.10	☐	☐	☐	
11-061	K297900	399.29	402.34	3.05	0.005	59.0	0.32	0.30	0.60	☐	☐	☐	
11-061	K297901	402.34	405.38	3.04	0.005	26.0	0.22	0.31	0.43	☐	☐	☐	
11-062	K297902	405.38	406.91	1.53	0.010	32.2	0.60	0.46	0.52	☐	☐	☐	EOH

Sample Results

OS -11-031

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-049	K298088	0.00	0.00	0.00	2.870	583.0	4.41	105.50	3.86	☐	☐	☑	NT2
11-049	K298094	0.00	0.00	0.00	8.100	1210.0	6.30	19.40	11.80	☐	☐	☑	NT3
11-049	K298099	0.00	0.00	0.00	0.020	73.0	0.70	0.19	0.24	☐	☑	☐	HQ
11-049	K298107	0.00	0.00	0.00	0.010	20.0	0.05	0.09	0.06	☐	☑	☐	HQ
11-050	K298113	0.00	0.00	0.00	0.340	586.0	10.00	116.00	7.91	☐	☐	☑	NT1
11-050	K298124	0.00	0.00	0.00	0.005	2.5	0.05	0.03	0.01	☐	☑	☐	HQ
11-049	K298073	3.05	6.10	3.05	0.030	628.0	2.44	5.24	2.40	☐	☐	☐	
11-049	K298074	6.10	9.14	3.04	0.080	673.0	6.40	2.91	1.30	☐	☐	☐	
11-049	K298075	9.14	12.19	3.05	0.160	1060.0	3.56	2.81	2.41	☐	☐	☐	
11-049	K298076	12.19	15.24	3.05	0.070	923.0	1.23	4.03	1.62	☐	☐	☐	
11-049	K298077	15.24	18.29	3.05	0.260	1240.0	1.67	7.48	3.12	☐	☐	☐	
11-049	K298078	18.29	19.81	1.52	0.350	1020.0	2.99	10.60	8.11	☐	☐	☐	
11-049	K298079	19.81	21.34	1.53	1.680	2070.0	6.76	14.75	23.80	☐	☐	☐	
11-049	K298080	21.34	24.38	3.04	0.290	609.0	2.10	7.17	7.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-049	K298081	24.38	27.43	3.05	0.040	871.0	3.40	8.87	7.24	☐	☐	☐	
11-049	K298082	27.43	30.48	3.05	0.030	954.0	2.52	9.66	4.75	☐	☐	☐	
11-049	K298083	30.48	33.53	3.05	0.030	298.0	1.21	2.73	2.48	☐	☐	☐	
11-049	K298084	33.53	36.58	3.05	0.030	241.0	1.43	2.37	1.77	☐	☐	☐	
11-049	K298085	33.53	36.58	3.05	0.040	257.0	0.83	2.79	1.92	☑	☐	☐	Duplicate of 085
11-049	K298086	36.58	39.62	3.04	0.320	806.0	4.84	7.14	7.45	☐	☐	☐	
11-049	K298087	39.62	41.15	1.53	1.490	1270.0	13.80	13.95	14.85	☐	☐	☐	
11-049	K298089	41.15	44.20	3.05	0.530	288.0	2.85	4.54	8.24	☐	☐	☐	
11-049	K298090	44.20	47.24	3.04	0.290	1130.0	1.83	6.45	6.20	☐	☐	☐	
11-049	K298091	47.24	50.29	3.05	0.490	1710.0	3.50	4.47	7.95	☐	☐	☐	
11-049	K298092	50.29	52.86	2.57	1.130	1520.0	12.20	15.70	26.00	☐	☐	☐	
11-049	K298093	52.86	54.86	2.00	6.040	219000.0	54.00	595.00	185.50	☐	☐	☐	
11-049	K298095	54.86	56.39	1.53	11.150	194500.0	52.10	433.00	94.10	☐	☐	☐	
11-049	K298096	56.39	57.91	1.52	11.900	210000.0	65.80	485.00	197.00	☐	☐	☐	
11-049	K298097	57.91	59.44	1.53	19.700	62800.0	79.80	257.00	271.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-049	K298098	59.44	60.96	1.52	15.600	20800.0	68.80	134.00	195.50	☐	☐	☐	
11-049	K298100	60.96	62.00	1.04	8.410	18300.0	31.00	114.50	114.00	☐	☐	☐	
11-049	K298101	62.00	63.45	1.45	4.900	14750.0	13.60	70.60	55.00	☐	☐	☐	
11-049	K298102	63.45	65.53	2.08	0.760	770.0	3.20	13.50	19.00	☐	☐	☐	
11-049	K298103	65.53	68.58	3.05	2.150	1140.0	5.60	23.50	29.00	☐	☐	☐	
11-049	K298104	68.58	71.63	3.05	0.620	599.0	2.50	11.35	12.05	☐	☐	☐	
11-049	K298105	71.63	74.68	3.05	0.160	253.0	0.80	2.51	3.37	☐	☐	☐	
11-049	K298106	74.68	77.72	3.04	0.070	606.0	0.70	3.45	4.18	☐	☐	☐	
11-049	K298108	77.72	80.77	3.05	0.020	236.0	0.10	1.25	0.85	☐	☐	☐	end of batch 49
11-050	K298109	80.77	83.82	3.05	0.005	73.0	0.10	0.40	0.62	☐	☐	☐	start batch 50
11-050	K298110	83.82	86.87	3.05	0.005	254.0	0.14	1.98	0.65	☐	☐	☐	
11-050	K298111	86.87	89.92	3.05	0.005	140.0	0.10	1.16	0.43	☐	☐	☐	
11-050	K298112	89.92	92.96	3.04	0.005	70.0	0.13	0.37	0.40	☐	☐	☐	
11-050	K298114	92.96	96.01	3.05	0.005	65.0	0.10	0.44	0.47	☐	☐	☐	
11-050	K298115	96.01	99.06	3.05	0.005	94.0	0.08	0.66	0.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-050	K298116	99.06	102.11	3.05	0.005	181.0	0.05	0.64	0.39	☐	☐	☐	
11-050	K298117	102.11	105.16	3.05	0.005	182.0	0.07	0.69	0.57	☐	☐	☐	
11-050	K298118	105.16	108.20	3.04	0.005	261.0	0.12	0.92	0.50	☐	☐	☐	
11-050	K298119	108.20	111.25	3.05	0.005	128.0	0.07	0.45	0.27	☐	☐	☐	
11-050	K298120	111.25	114.30	3.05	0.005	55.0	0.10	0.25	0.20	☐	☐	☐	
11-050	K298121	114.30	117.35	3.05	0.005	114.0	0.09	0.31	0.31	☐	☐	☐	
11-050	K298122	114.30	117.35	3.05	0.005	106.0	0.09	0.31	0.28	☑	☐	☐	Duplicate of 121
11-050	K298123	117.35	120.40	3.05	0.005	75.0	0.14	0.34	0.35	☐	☐	☐	
11-050	K298125	135.64	138.68	3.04	0.005	27.0	0.09	0.23	0.10	☐	☐	☐	Jump in meterage
11-050	K298126	138.68	141.73	3.05	0.005	67.0	0.07	0.33	0.16	☐	☐	☐	
11-050	K298127	156.97	160.02	3.05	0.010	29.0	0.09	0.37	0.36	☐	☐	☐	Jump in meterage
11-050	K298128	160.02	163.07	3.05	0.005	17.0	0.05	0.19	0.19	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-032

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-048	K296336	0.00	0.00	0.00	0.340	598.0	9.50	113.50	7.62	☐	☐	☑	NT1
11-048	K296340	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-048	K296351	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-048	K296357	0.00	0.00	0.00	2.590	561.0	4.61	106.50	3.72	☐	☐	☑	NT2
11-054	K296368	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-054	K296379	0.00	0.00	0.00	0.360	612.0	10.40	109.50	8.16	☐	☐	☑	NT1
11-054	K296388	0.00	0.00	0.00	0.005	2.5	0.01	0.16	0.04	☐	☑	☐	HQ
11-054	K296396	0.00	0.00	0.00	2.660	624.0	4.38	107.50	4.09	☐	☐	☑	NT2 + end of batch 54
11-056	K296400	0.00	0.00	0.00	7.880	1000.0	5.35	19.30	12.95	☐	☐	☑	NT3
11-064	K296467	0.00	0.00	0.00	0.005	2.5	0.05	0.08	0.05	☐	☑	☐	HQ
11-083	K299084	0.00	0.00	0.00	0.005	2.5	0.01	0.83	0.01	☐	☑	☐	HQ
11-083	K299089	0.00	0.00	0.00	0.005	22.0	0.04	0.61	1.07	☐	☐	☑	NT2
11-048	K296334	9.02	11.98	2.96	0.005	26.0	0.01	0.15	0.15	☐	☐	☐	
11-048	K296335	11.98	15.00	3.02	0.005	25.0	0.03	0.27	0.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-048	K296337	15.00	17.55	2.55	0.005	94.0	0.06	0.71	0.55	☐	☐	☐	
11-048	K296338	17.55	18.74	1.19	0.005	58.0	0.01	0.15	0.13	☐	☐	☐	
11-048	K296339	18.74	21.34	2.60	0.005	44.0	0.05	0.41	0.21	☐	☐	☐	
11-048	K296341	21.34	24.38	3.04	0.005	30.0	0.05	0.37	0.16	☐	☐	☐	
11-048	K296342	24.38	25.43	1.05	0.005	49.0	0.07	0.38	0.27	☐	☐	☐	
11-048	K296343	24.38	25.43	1.05	0.005	40.0	0.07	0.35	0.26	☑	☐	☐	Duplicate of 342
11-048	K296344	25.43	27.48	2.05	0.005	88.0	0.05	0.41	0.49	☐	☐	☐	
11-048	K296345	27.48	28.56	1.08	0.005	176.0	0.04	0.48	0.40	☐	☐	☐	
11-048	K296346	28.56	29.85	1.29	0.005	81.6	0.02	0.42	0.84	☐	☐	☐	
11-048	K296347	29.85	32.00	2.15	0.005	128.0	0.04	0.55	0.56	☐	☐	☐	
11-048	K296348	32.00	34.23	2.23	0.005	380.0	0.05	1.01	0.96	☐	☐	☐	
11-048	K296349	34.23	35.05	0.82	0.005	228.0	0.03	0.70	0.89	☐	☐	☐	
11-048	K296350	35.05	36.49	1.44	0.005	120.0	0.03	0.54	0.55	☐	☐	☐	
11-048	K296352	36.49	38.74	2.25	0.005	213.0	0.02	0.59	0.79	☐	☐	☐	
11-048	K296353	38.74	40.85	2.11	0.005	72.0	0.03	0.39	0.51	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-048	K296354	40.85	42.67	1.82	0.030	44.5	0.02	0.34	0.89	☐	☐	☐	
11-048	K296355	42.67	44.09	1.42	0.005	51.8	0.03	0.37	0.64	☐	☐	☐	
11-048	K296356	44.09	45.72	1.63	0.005	39.0	0.04	0.46	0.68	☐	☐	☐	
11-048	K296358	45.72	48.77	3.05	0.005	76.6	0.03	0.52	0.72	☐	☐	☐	
11-048	K296359	48.77	51.82	3.05	0.005	40.5	0.04	0.42	0.79	☐	☐	☐	
11-048	K296360	51.82	54.10	2.28	0.005	18.6	0.04	0.45	0.85	☐	☐	☐	end batch 48
11-054	K296361	54.10	56.20	2.10	0.005	47.4	0.06	0.76	1.27	☐	☐	☐	start batch 54
11-054	K296362	56.20	57.91	1.71	0.005	20.2	0.07	0.54	1.25	☐	☐	☐	
11-054	K296363	57.91	60.96	3.05	0.005	20.3	0.06	0.57	1.07	☐	☐	☐	
11-054	K296364	60.96	62.48	1.52	0.005	13.8	0.06	0.38	1.16	☐	☐	☐	
11-054	K296365	62.48	65.53	3.05	0.005	13.0	0.08	0.40	1.05	☐	☐	☐	
11-054	K296366	65.53	68.58	3.05	0.005	15.9	0.08	0.41	1.16	☐	☐	☐	
11-054	K296367	68.58	71.63	3.05	0.005	113.0	0.30	0.63	2.26	☐	☐	☐	
11-054	K296369	71.63	74.68	3.05	0.010	346.0	0.32	0.57	2.35	☐	☐	☐	
11-054	K296370	74.68	76.20	1.52	0.005	75.0	0.25	0.52	2.05	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-054	K296371	76.20	79.25	3.05	0.005	30.0	0.18	0.34	1.69	☐	☐	☐	
11-054	K296372	76.20	79.25	3.05	0.005	25.0	0.17	0.34	1.64	☑	☐	☐	Duplicate of 371
11-054	K296373	79.25	80.77	1.52	0.005	19.1	0.18	0.49	3.08	☐	☐	☐	
11-054	K296374	80.77	82.40	1.63	0.005	25.5	0.13	0.85	1.79	☐	☐	☐	
11-054	K296375	82.40	83.82	1.42	0.005	47.0	0.70	1.72	4.16	☐	☐	☐	
11-054	K296376	83.82	86.87	3.05	0.005	33.0	0.69	0.45	3.65	☐	☐	☐	
11-054	K296377	86.87	88.52	1.65	0.005	130.0	1.00	0.78	3.19	☐	☐	☐	
11-054	K296378	88.52	91.44	2.92	0.005	1555.0	4.48	6.38	16.90	☐	☐	☐	
11-054	K296380	91.44	93.36	1.92	0.005	43.0	0.42	0.60	1.79	☐	☐	☐	
11-054	K296381	93.36	96.01	2.65	0.005	53.0	0.12	0.64	1.52	☐	☐	☐	
11-054	K296382	96.01	97.54	1.53	0.005	234.0	0.28	0.83	2.21	☐	☐	☐	
11-054	K296383	97.54	99.16	1.62	0.005	97.0	0.28	0.59	2.43	☐	☐	☐	
11-054	K296384	99.16	100.58	1.42	0.005	253.0	0.75	1.18	4.74	☐	☐	☐	
11-054	K296385	100.58	103.30	2.72	0.005	395.0	0.70	1.05	4.16	☐	☐	☐	
11-054	K296386	103.30	105.16	1.86	0.005	557.0	1.23	1.85	8.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-054	K296387	105.16	108.20	3.04	0.005	692.0	1.63	2.14	7.29	☐	☐	☐	
11-054	K296389	108.20	109.73	1.53	0.005	292.0	1.79	1.64	5.41	☐	☐	☐	
11-054	K296390	109.73	111.47	1.74	0.005	1170.0	2.40	3.06	8.61	☐	☐	☐	
11-054	K296391	111.47	112.63	1.16	0.005	1865.0	2.61	4.09	11.15	☐	☐	☐	
11-054	K296392	112.63	114.30	1.67	0.005	1790.0	2.03	2.12	6.63	☐	☐	☐	
11-054	K296393	114.30	116.26	1.96	0.005	213.0	0.86	0.87	2.73	☐	☐	☐	
11-054	K296394	116.26	116.92	0.66	0.005	42.0	0.54	0.87	1.93	☐	☐	☐	
11-054	K296395	116.92	119.44	2.52	0.005	68.6	0.73	0.61	2.49	☐	☐	☐	
11-056	K296397	119.44	121.92	2.48	4.320	8140.0	10.80	41.10	70.30	☐	☐	☐	Start batch 56
11-056	K296398	121.92	123.44	1.52	4.970	2420.0	16.60	40.60	91.40	☐	☐	☐	
11-056	K296399	123.44	124.97	1.53	5.170	2590.0	13.00	43.40	79.20	☐	☐	☐	
11-056	K296401	124.97	128.02	3.05	0.005	113.0	1.12	0.95	2.40	☐	☐	☐	
11-056	K296402	128.02	131.06	3.04	0.005	186.5	1.04	1.00	3.54	☐	☐	☐	
11-056	K296403	131.06	134.11	3.05	0.005	123.5	0.66	0.89	3.39	☐	☐	☐	
11-056	K296404	134.11	137.16	3.05	0.005	34.8	0.18	0.61	1.55	☐	☐	☐	*jump in sample number*

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-083	K299077	137.16	140.21	3.05	0.005	26.0	0.15	0.52	1.65	☐	☐	☐	
11-083	K299078	140.21	143.26	3.05	0.005	20.0	0.14	0.48	1.38	☐	☐	☐	
11-064	K296464	143.26	144.78	1.52	0.005	39.0	0.39	0.64	1.69	☐	☐	☐	
11-056	K296405	144.78	147.83	3.05	0.005	311.0	0.60	1.49	3.17	☐	☐	☐	Jump in meterage
11-064	K296465	147.83	150.88	3.05	0.010	69.3	0.23	0.76	1.26	☐	☐	☐	
11-064	K296466	150.88	153.92	3.04	0.005	40.6	0.30	0.73	1.81	☐	☐	☐	
11-083	K299079	153.92	155.45	1.53	0.005	103.0	0.51	1.36	3.13	☐	☐	☐	
11-056	K296406	155.45	158.50	3.05	0.005	65.9	0.41	1.26	2.99	☐	☐	☐	
11-056	K296407	158.50	161.15	2.65	0.005	130.0	0.49	1.17	3.09	☐	☐	☐	
11-083	K299080	161.15	163.07	1.92	0.005	8.0	0.04	0.27	0.99	☐	☐	☐	
11-083	K299081	163.07	164.59	1.52	0.005	6.0	0.04	0.30	1.12	☐	☐	☐	
11-083	K299082	164.59	167.64	3.05	0.005	12.0	0.05	0.33	1.08	☐	☐	☐	
11-083	K299083	167.64	170.69	3.05	0.005	5.0	0.03	0.25	0.87	☐	☐	☐	
11-083	K299085	170.69	173.74	3.05	0.005	64.0	0.18	3.70	1.74	☐	☐	☐	
11-083	K299086	173.74	176.78	3.04	0.005	19.0	0.09	0.49	1.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-083	K299087	176.78	179.83	3.05	0.005	17.0	0.05	0.56	1.23	☐	☐	☐	
11-083	K299088	179.83	182.88	3.05	2.460	601.0	4.59	103.00	3.88	☐	☐	☐	
11-083	K299090	182.88	185.93	3.05	0.005	15.0	0.05	0.45	1.03	☐	☐	☐	EOH

Sample Results

OS -11-033

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-050	K298131	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-050	K298137	0.00	0.00	0.00	2.720	576.0	4.71	102.50	4.20	☐	☐	☑	NT2
11-060	K298149	0.00	0.00	0.00	0.005	18.0	0.03	0.23	0.02	☐	☑	☐	HQ
11-060	K298161	0.00	0.00	0.00	0.340	610.0	10.10	124.00	8.34	☐	☐	☑	NT1
11-060	K298164	0.00	0.00	0.00	0.005	18.0	0.02	0.10	0.02	☐	☑	☐	HQ
11-060	K298173	0.00	0.00	0.00	2.630	584.0	4.68	106.50	4.01	☐	☐	☑	NT2
11-073	K298192	0.00	0.00	0.00	0.010	7.0	0.02	0.07	0.06	☐	☑	☐	HQ
11-073	K298197	0.00	0.00	0.00	7.850	965.0	5.71	19.40	12.45	☐	☐	☑	NT3
11-073	K298208	0.00	0.00	0.00	0.010	2.5	0.03	0.03	0.02	☐	☑	☐	HQ
11-073	K298213	0.00	0.00	0.00	0.380	636.0	10.25	117.00	7.82	☐	☐	☑	NT1
11-079	K298221	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-079	K298231	0.00	0.00	0.00	0.340	633.0	9.10	123.50	8.66	☐	☐	☑	NT1
11-079	K298240	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-079	K298246	0.00	0.00	0.00	2.760	639.0	4.90	110.00	4.43	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-090	K298261	0.00	0.00	0.00	2.700	637.0	4.63	107.00	3.73	☐	☐	☑	NT2
11-090	K298271	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-090	K298275	0.00	0.00	0.00	0.005	2.5	0.01	0.33	0.02	☐	☑	☐	NQ
11-090	K298285	0.00	0.00	0.00	0.320	636.0	9.90	117.50	8.06	☐	☐	☑	NT1
11-050	K298129	2.00	4.57	2.57	0.050	423.0	1.39	2.99	1.31	☐	☐	☐	
11-050	K298130	4.57	7.62	3.05	0.110	839.0	2.24	6.28	3.23	☐	☐	☐	
11-050	K298132	7.62	10.67	3.05	0.050	425.0	1.79	4.23	2.14	☐	☐	☐	
11-050	K298133	10.67	13.72	3.05	0.005	641.0	1.23	5.29	1.93	☐	☐	☐	
11-050	K298134	13.72	15.24	1.52	0.010	420.0	2.64	9.64	2.52	☐	☐	☐	
11-050	K298135	15.24	16.76	1.52	0.010	233.0	0.84	3.80	0.66	☐	☐	☐	
11-050	K298136	16.76	17.50	0.74	0.010	256.0	1.11	3.30	0.68	☐	☐	☐	
11-050	K298138	17.50	19.81	2.31	0.010	638.0	6.14	2.64	2.72	☐	☐	☐	
11-050	K298139	19.81	22.56	2.75	0.030	1120.0	4.02	3.24	2.62	☐	☐	☐	
11-050	K298140	22.56	23.77	1.21	0.040	700.0	1.77	1.90	1.11	☐	☐	☐	
11-050	K298141	23.77	25.80	2.03	0.050	1120.0	3.64	4.01	1.93	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-050	K298142	25.80	27.74	1.94	0.040	885.0	3.02	3.60	1.92	☐	☐	☐	
11-050	K298143	27.74	28.96	1.22	0.060	6060.0	6.61	9.32	1.56	☐	☐	☐	
11-050	K298144	28.96	30.48	1.52	0.030	2220.0	5.72	8.64	1.32	☐	☐	☐	End batch 50
11-060	K298145	30.48	32.00	1.52	0.070	2090.0	2.40	8.91	1.36	☐	☐	☐	Start batch 60
11-060	K298146	32.00	33.53	1.53	0.070	1680.0	3.61	8.15	1.25	☐	☐	☐	
11-060	K298147	33.53	35.05	1.52	0.130	5790.0	7.50	21.80	3.30	☐	☐	☐	
11-060	K298148	35.05	36.58	1.53	0.130	3270.0	4.22	13.30	2.11	☐	☐	☐	
11-060	K298150	36.58	39.62	3.04	0.240	1290.0	2.18	10.95	2.47	☐	☐	☐	
11-060	K298151	39.62	40.80	1.18	0.080	2050.0	1.88	4.65	2.27	☐	☐	☐	
11-060	K298152	40.80	42.67	1.87	0.040	473.0	2.10	1.60	2.52	☐	☐	☐	
11-060	K298153	42.67	45.11	2.44	0.030	604.0	3.07	1.34	3.82	☐	☐	☐	
11-060	K298154	45.11	47.24	2.13	0.020	201.0	5.01	0.92	4.67	☐	☐	☐	
11-060	K298155	47.24	49.99	2.75	0.030	276.0	5.43	1.98	6.75	☐	☐	☐	
11-060	K298156	47.24	49.99	2.75	0.030	278.0	4.53	1.97	5.69	☑	☐	☐	Duplicate of 155
11-060	K298157	49.99	52.73	2.74	0.080	348.0	7.28	3.83	8.78	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-060	K298158	52.73	55.47	2.74	0.060	640.0	2.71	2.20	4.25	☐	☐	☐	
11-060	K298159	55.47	57.91	2.44	0.070	175.0	2.94	2.25	4.82	☐	☐	☐	
11-060	K298160	57.91	59.45	1.54	0.080	3230.0	2.89	8.35	4.81	☐	☐	☐	
11-060	K298162	59.45	60.96	1.51	0.020	436.0	3.77	2.51	1.69	☐	☐	☐	
11-060	K298163	60.96	62.48	1.52	0.050	5540.0	7.80	15.25	2.80	☐	☐	☐	
11-060	K298165	62.48	64.01	1.53	0.070	3850.0	2.93	8.50	2.34	☐	☐	☐	
11-060	K298166	64.01	65.53	1.52	0.040	5540.0	2.46	6.93	2.25	☐	☐	☐	
11-060	K298167	65.53	67.75	2.22	0.010	761.0	2.01	1.71	2.10	☐	☐	☐	
11-060	K298168	67.75	70.10	2.35	0.010	47.0	1.73	0.39	1.02	☐	☐	☐	
11-060	K298169	70.10	73.15	3.05	0.020	149.0	3.59	0.83	2.09	☐	☐	☐	
11-060	K298170	73.15	75.90	2.75	0.590	972.0	7.56	7.95	16.75	☐	☐	☐	
11-060	K298171	75.90	78.94	3.04	1.050	406.0	8.80	8.90	13.30	☐	☐	☐	
11-060	K298172	78.94	80.75	1.81	2.420	536.0	11.70	19.70	32.20	☐	☐	☐	
11-060	K298174	80.75	83.36	2.61	0.380	319.0	16.80	4.75	6.26	☐	☐	☐	
11-060	K298175	83.36	86.41	3.05	0.440	241.0	8.00	5.51	8.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-060	K298176	86.41	89.00	2.59	0.110	207.0	3.97	3.67	4.54	☐	☐	☐	
11-060	K298177	89.00	92.05	3.05	0.160	506.0	8.00	4.14	5.35	☐	☐	☐	
11-060	K298178	92.05	94.18	2.13	0.050	127.0	2.99	2.58	2.95	☐	☐	☐	
11-060	K298179	94.18	97.08	2.90	0.020	285.0	3.40	1.61	3.07	☐	☐	☐	
11-060	K298180	97.08	99.67	2.59	0.060	190.0	4.86	3.13	4.04	☐	☐	☐	end batch 60
11-073	K298181	99.67	102.12	2.45	0.080	450.0	12.10	5.17	7.69	☐	☐	☐	start batch 73
11-073	K298182	102.12	104.55	2.43	0.120	405.0	3.73	3.07	4.09	☐	☐	☐	
11-073	K298183	104.55	107.00	2.45	0.550	418.0	6.32	7.37	7.81	☐	☐	☐	
11-073	K298184	107.00	109.12	2.12	0.600	2540.0	9.70	9.72	14.30	☐	☐	☐	
11-073	K298185	109.12	111.25	2.13	1.170	13150.0	8.00	28.20	15.30	☐	☐	☐	
11-073	K298186	111.25	114.30	3.05	2.310	3420.0	13.70	22.90	31.40	☐	☐	☐	
11-073	K298187	114.30	116.50	2.20	0.610	406.0	5.68	7.15	11.80	☐	☐	☐	
11-073	K298188	116.50	118.87	2.37	0.720	9740.0	9.40	32.70	24.20	☐	☐	☐	
11-073	K298189	118.87	120.40	1.53	0.570	458.0	6.14	7.61	15.15	☐	☐	☐	
11-073	K298190	120.40	123.44	3.04	0.770	447.0	7.10	9.63	18.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-073	K298191	123.44	124.97	1.53	1.170	1320.0	9.30	18.10	26.80	☐	☐	☐	
11-073	K298193	124.97	126.65	1.68	0.360	201.0	2.73	4.86	6.31	☐	☐	☐	
11-073	K298194	126.65	128.02	1.37	5.830	23700.0	28.10	108.50	70.20	☐	☐	☐	
11-073	K298195	128.02	129.54	1.52	4.270	178000.0	22.50	381.00	44.70	☐	☐	☐	
11-073	K298196	129.54	131.06	1.52	2.190	3950.0	13.50	33.30	25.20	☐	☐	☐	
11-073	K298198	131.06	134.11	3.05	0.170	525.0	1.50	4.56	3.05	☐	☐	☐	
11-073	K298199	134.11	137.16	3.05	0.080	307.0	1.25	3.42	2.59	☐	☐	☐	
11-073	K298200	137.16	140.21	3.05	0.060	134.0	1.55	1.60	1.99	☐	☐	☐	
11-073	K298201	140.21	143.26	3.05	0.040	202.0	0.94	1.60	2.20	☐	☐	☐	
11-073	K298202	140.21	143.26	3.05	0.040	238.0	1.09	1.84	2.39	☑	☐	☐	Duplicate of 201
11-073	K298203	143.26	146.30	3.04	0.020	173.0	1.46	1.16	2.15	☐	☐	☐	
11-073	K298204	146.30	149.35	3.05	0.210	486.0	3.37	3.39	4.13	☐	☐	☐	
11-073	K298205	149.35	152.40	3.05	0.360	1220.0	118.00	8.06	6.91	☐	☐	☐	
11-073	K298206	152.40	155.45	3.05	0.130	1060.0	4.95	9.75	7.07	☐	☐	☐	
11-073	K298207	155.45	158.50	3.05	0.030	603.0	4.51	4.33	2.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-073	K298209	158.50	161.54	3.04	0.010	680.0	2.41	3.37	1.86	☐	☐	☐	
11-073	K298210	161.54	163.07	1.53	0.010	307.0	1.55	2.47	1.20	☐	☐	☐	
11-073	K298211	163.07	166.12	3.05	0.040	173.0	1.42	3.10	1.25	☐	☐	☐	
11-073	K298212	166.12	169.16	3.04	0.010	312.0	1.09	3.06	1.36	☐	☐	☐	
11-073	K298214	169.16	172.21	3.05	0.010	338.0	2.35	4.02	1.30	☐	☐	☐	
11-073	K298215	172.21	175.26	3.05	0.060	251.0	2.43	3.13	0.76	☐	☐	☐	
11-073	K298216	175.26	178.31	3.05	0.090	830.0	1.11	3.59	1.56	☐	☐	☐	End batch 73
11-079	K298217	178.31	181.36	3.05	0.060	334.0	0.84	2.30	0.84	☐	☐	☐	Start batch 79
11-079	K298218	181.36	184.40	3.04	0.005	107.0	0.61	0.68	0.73	☐	☐	☐	
11-079	K298219	184.40	187.45	3.05	0.005	89.0	0.53	0.39	0.89	☐	☐	☐	
11-079	K298220	187.45	190.50	3.05	0.010	95.0	0.64	0.34	0.75	☐	☐	☐	
11-079	K298222	190.50	193.55	3.05	0.130	211.0	1.27	4.06	2.20	☐	☐	☐	
11-079	K298223	193.55	196.60	3.05	0.340	624.0	5.29	3.30	3.06	☐	☐	☐	
11-079	K298224	196.60	199.64	3.04	0.220	4920.0	3.71	7.62	3.48	☐	☐	☐	
11-079	K298225	199.64	202.69	3.05	0.310	4360.0	2.36	5.66	2.45	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-079	K298226	202.69	203.91	1.22	0.400	290.0	3.08	4.47	4.63	☐	☐	☐	
11-079	K298227	203.91	206.96	3.05	0.480	626.0	5.57	4.42	3.69	☐	☐	☐	
11-079	K298228	206.96	210.01	3.05	0.440	506.0	4.09	4.38	4.14	☐	☐	☐	
11-079	K298229	210.01	211.84	1.83	0.600	803.0	3.48	4.31	6.02	☐	☐	☐	
11-079	K298230	211.84	214.88	3.04	0.280	342.0	3.55	3.24	4.20	☐	☐	☐	
11-079	K298232	214.88	217.93	3.05	0.130	206.0	1.76	1.43	2.23	☐	☐	☐	
11-079	K298233	217.93	220.98	3.05	0.090	707.0	5.80	2.12	2.56	☐	☐	☐	
11-079	K298234	220.98	223.42	2.44	0.310	447.0	5.39	3.55	6.37	☐	☐	☐	
11-079	K298235	223.42	226.47	3.05	0.100	1350.0	1.54	1.86	2.39	☐	☐	☐	
11-079	K298236	226.47	229.21	2.74	0.610	463.0	2.70	1.95	2.50	☐	☐	☐	
11-079	K298237	226.47	229.21	2.74	0.350	513.0	2.82	1.65	1.98	☑	☐	☐	duplicate of 236
11-079	K298238	229.21	232.26	3.05	0.560	287.0	4.33	2.08	3.94	☐	☐	☐	
11-079	K298239	232.26	235.31	3.05	0.010	41.0	0.66	0.36	1.29	☐	☐	☐	
11-079	K298241	235.31	238.35	3.04	0.010	48.0	0.63	0.54	1.76	☐	☐	☐	
11-079	K298242	238.35	239.27	0.92	0.005	48.0	0.53	0.39	1.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-079	K298243	239.27	242.32	3.05	0.030	421.0	1.04	0.75	1.16	☐	☐	☐	
11-079	K298244	242.32	245.36	3.04	0.130	99.0	2.26	1.04	2.18	☐	☐	☐	
11-079	K298245	245.36	248.41	3.05	0.010	89.0	0.82	0.55	1.27	☐	☐	☐	
11-079	K298247	248.41	251.46	3.05	0.010	427.0	2.03	1.07	2.00	☐	☐	☐	
11-079	K298248	251.46	254.51	3.05	0.010	37.0	1.13	0.51	1.34	☐	☐	☐	
11-079	K298249	254.51	257.56	3.05	0.020	164.0	1.20	0.91	1.20	☐	☐	☐	
11-079	K298250	257.56	260.60	3.04	0.060	130.0	1.28	1.09	1.32	☐	☐	☐	
11-079	K298251	260.60	263.65	3.05	0.010	42.0	1.78	0.53	1.43	☐	☐	☐	
11-079	K298252	263.65	266.70	3.05	0.010	83.0	2.11	0.84	1.46	☐	☐	☐	End of Batch 79
11-090	K298253	266.70	269.75	3.05	0.010	76.0	1.54	0.81	2.11	☐	☐	☐	Start of Batch 90
11-090	K298254	269.75	272.80	3.05	0.080	682.0	1.15	1.41	1.40	☐	☐	☐	
11-090	K298255	272.80	275.84	3.04	0.050	87.0	1.47	1.13	1.56	☐	☐	☐	
11-090	K298256	275.84	278.89	3.05	0.030	98.0	1.38	0.96	1.53	☐	☐	☐	
11-090	K298257	275.84	278.89	3.05	0.030	97.0	1.53	1.19	1.82	☑	☐	☐	Duplicate of 256
11-090	K298258	278.89	281.94	3.05	0.330	643.0	2.18	1.84	2.99	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-090	K298259	281.94	284.99	3.05	0.070	73.0	2.27	0.88	1.76	☐	☐	☐	
11-090	K298260	284.99	288.04	3.05	0.040	46.0	1.64	0.51	1.34	☐	☐	☐	
11-090	K298262	288.04	291.08	3.04	0.010	35.0	0.55	0.25	0.58	☐	☐	☐	
11-090	K298263	291.08	294.13	3.05	0.005	10.0	0.15	0.20	0.44	☐	☐	☐	
11-090	K298264	294.13	297.18	3.05	0.005	8.0	0.11	0.20	0.40	☐	☐	☐	
11-090	K298265	297.18	300.23	3.05	0.005	2.5	0.07	0.16	0.34	☐	☐	☐	
11-090	K298266	300.23	302.00	1.77	0.005	2.5	0.27	0.18	0.44	☐	☐	☐	
11-090	K298267	302.00	304.00	2.00	0.010	14.0	0.31	0.20	0.36	☐	☐	☐	
11-090	K298268	304.00	306.40	2.40	0.005	21.0	0.12	0.20	0.19	☐	☐	☐	
11-090	K298269	306.40	309.37	2.97	0.005	48.9	0.32	0.34	1.61	☐	☐	☐	
11-090	K298270	309.37	312.42	3.05	0.005	11.1	0.36	0.57	1.36	☐	☐	☐	
11-090	K298272	312.42	315.47	3.05	0.005	1.9	0.02	0.59	1.05	☐	☐	☐	
11-090	K298273	315.47	318.52	3.05	0.005	1.7	0.03	0.41	1.10	☐	☐	☐	
11-090	K298274	318.52	321.56	3.04	0.005	1.7	0.09	0.27	1.01	☐	☐	☐	
11-090	K298276	321.56	324.61	3.05	0.005	5.1	0.02	0.33	0.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-090	K298277	324.61	327.66	3.05	0.005	26.3	0.10	0.72	1.07	☐	☐	☐	
11-090	K298278	327.66	330.71	3.05	0.005	9.0	0.14	0.40	0.66	☐	☐	☐	
11-090	K298279	330.71	333.76	3.05	0.005	13.2	0.25	0.33	0.88	☐	☐	☐	
11-090	K298280	333.76	336.80	3.04	0.005	15.9	0.40	0.47	1.48	☐	☐	☐	
11-090	K298281	336.80	339.85	3.05	0.005	11.5	0.22	0.39	0.98	☐	☐	☐	
11-090	K298282	339.85	342.90	3.05	0.005	11.0	0.15	0.39	0.83	☐	☐	☐	
11-090	K298283	342.90	345.95	3.05	0.005	8.3	0.10	0.32	0.62	☐	☐	☐	
11-090	K298284	345.95	349.00	3.05	0.005	12.9	0.13	0.44	0.74	☐	☐	☐	
11-090	K298286	349.00	352.04	3.04	0.005	13.6	0.26	0.43	0.88	☐	☐	☐	
11-090	K298287	352.04	355.09	3.05	0.005	10.7	0.15	0.38	0.70	☐	☐	☐	
11-090	K298288	355.09	358.14	3.05	0.005	9.1	0.05	0.36	0.71	☐	☐	☐	End of Batch 90
11-097	K298289	358.14	361.19	3.05	0.005	5.4	0.02	0.25	0.64	☐	☐	☐	
11-097	K298290	361.19	364.24	3.05	0.005	9.9	0.02	0.41	0.65	☐	☐	☐	
11-097	K298291	364.24	367.28	3.04	0.005	6.0	0.02	0.21	0.52	☐	☐	☐	

Sample Results

OS -11-034

Amon

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-058	K298625	0.00	0.00	0.00	0.005	6.0	0.01	0.03	0.02	☐	☑	☐	HQ
11-058	K298628	0.00	0.00	0.00	0.350	622.0	10.10	113.50	8.18	☐	☐	☑	NT1
11-058	K298647	0.00	0.00	0.00	0.340	620.0	10.35	115.00	8.29	☐	☐	☑	NT1
11-063	K298652	0.00	0.00	0.00	0.005	29.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-063	K298671	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.01	☐	☑	☐	HQ
11-063	K298677	0.00	0.00	0.00	0.350	578.0	9.60	109.50	7.73	☐	☐	☑	NT1
11-063	K298682	0.00	0.00	0.00	0.330	561.0	9.50	104.50	7.32	☐	☐	☑	NT1
11-065	K298695	0.00	0.00	0.00	0.005	2.5	0.04	0.05	0.03	☐	☑	☐	HQ
11-065	K298700	0.00	0.00	0.00	0.340	617.0	10.05	111.00	7.41	☐	☐	☑	NT1
11-065	K298714	0.00	0.00	0.00	0.005	70.0	0.09	0.16	0.03	☐	☑	☐	HQ
11-065	K298717	0.00	0.00	0.00	2.690	612.0	4.95	112.50	3.86	☐	☐	☑	NT2
11-058	K298623	0.10	3.00	2.90	0.005	229.0	1.29	0.42	2.61	☐	☐	☐	
11-058	K298624	3.00	5.49	2.49	0.005	166.5	0.54	0.45	2.24	☐	☐	☐	
11-058	K298626	5.49	8.53	3.04	0.005	66.1	0.62	0.46	2.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-058	K298627	8.53	11.58	3.05	0.005	562.0	0.96	0.59	2.73	☐	☐	☐	
11-058	K298629	11.58	14.63	3.05	0.005	396.0	0.49	0.44	1.91	☐	☐	☐	
11-058	K298630	14.63	17.68	3.05	0.005	629.0	0.71	0.29	1.50	☐	☐	☐	
11-058	K298631	17.68	20.73	3.05	0.005	30.3	0.19	0.23	0.75	☐	☐	☐	
11-058	K298632	20.73	23.77	3.04	0.005	286.0	5.13	0.56	1.46	☐	☐	☐	
11-058	K298633	23.77	26.82	3.05	0.005	182.5	1.27	0.50	3.11	☐	☐	☐	
11-058	K298634	26.82	29.87	3.05	0.005	1700.0	0.69	1.08	2.22	☐	☐	☐	
11-058	K298635	29.87	32.92	3.05	0.005	162.0	0.24	0.51	1.00	☐	☐	☐	
11-058	K298636	32.92	35.97	3.05	0.005	58.4	0.14	0.45	1.19	☐	☐	☐	
11-058	K298637	35.97	39.01	3.04	0.005	44.9	0.22	0.34	1.28	☐	☐	☐	
11-058	K298638	35.97	39.01	3.04	0.005	38.0	0.24	0.25	1.07	☑	☐	☐	Duplicate of 637
11-058	K298639	39.01	42.06	3.05	0.005	127.0	0.21	0.31	0.97	☐	☐	☐	
11-058	K298640	42.06	45.11	3.05	0.005	54.0	0.21	0.21	0.62	☐	☐	☐	
11-058	K298641	45.11	48.16	3.05	0.010	179.0	1.08	0.51	1.71	☐	☐	☐	
11-058	K298642	48.16	51.21	3.05	0.080	9110.0	1.95	0.61	2.02	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-058	K298643	51.21	52.73	1.52	0.050	629.0	0.59	0.14	0.76	☐	☐	☐	
11-058	K298644	52.73	54.25	1.52	0.830	5560.0	8.38	0.89	8.87	☐	☐	☐	
11-058	K298645	54.25	57.30	3.05	0.080	930.0	1.34	0.31	1.43	☐	☐	☐	
11-058	K298646	57.30	60.35	3.05	0.060	2250.0	2.78	0.93	4.28	☐	☐	☐	
11-058	K298648	60.35	63.40	3.05	0.030	1240.0	1.43	0.35	0.79	☐	☐	☐	end batch 58
11-063	K298649	63.40	65.90	2.50	0.040	5280.0	7.05	0.73	1.52	☐	☐	☐	start batch 63
11-063	K298650	65.90	67.97	2.07	0.005	1160.0	0.59	0.16	0.17	☐	☐	☐	
11-063	K298651	67.97	70.62	2.65	0.060	27700.0	2.49	1.88	1.51	☐	☐	☐	
11-063	K298653	70.62	72.54	1.92	0.110	2760.0	5.10	4.21	3.98	☐	☐	☐	
11-063	K298654	72.54	75.59	3.05	0.005	479.0	1.37	0.20	0.84	☐	☐	☐	
11-063	K298655	75.59	78.64	3.05	0.005	72.0	1.07	0.38	1.69	☐	☐	☐	
11-063	K298656	78.64	81.69	3.05	0.005	225.0	0.38	0.13	0.56	☐	☐	☐	
11-063	K298657	81.69	84.73	3.04	0.005	35.0	0.50	0.33	0.90	☐	☐	☐	
11-063	K298658	84.73	87.78	3.05	0.005	21.0	0.17	0.15	0.42	☐	☐	☐	
11-063	K298659	87.78	90.55	2.77	0.005	39.0	0.32	0.21	0.48	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-063	K298660	90.55	92.35	1.80	0.005	76.0	0.14	0.05	0.24	☐	☐	☐	
11-063	K298661	92.35	93.88	1.53	0.005	133.0	0.10	0.05	0.13	☐	☐	☐	
11-063	K298662	93.88	96.93	3.05	0.005	210.0	0.14	0.09	0.27	☐	☐	☐	
11-069	K298765	96.93	99.97	3.04	0.030	710.0	0.48	0.20	0.88	☐	☐	☐	
11-063	K298663	99.97	103.02	3.05	0.005	419.0	0.31	0.12	0.37	☐	☐	☐	
11-063	K298664	103.02	106.07	3.05	0.005	38.0	0.20	0.08	0.26	☐	☐	☐	
11-063	K298665	106.07	109.12	3.05	0.005	40.0	0.15	0.07	0.23	☐	☐	☐	
11-063	K298666	109.12	112.16	3.04	0.005	60.0	0.58	0.08	0.97	☐	☐	☐	
11-063	K298667	112.16	115.21	3.05	0.005	30.0	0.50	0.12	1.01	☐	☐	☐	
11-063	K298668	115.21	118.26	3.05	0.005	69.0	0.49	0.25	0.76	☐	☐	☐	
11-063	K298669	118.26	121.31	3.05	0.005	1620.0	0.24	0.14	0.35	☐	☐	☐	
11-063	K298670	121.31	124.36	3.05	0.005	72.0	1.20	0.27	1.55	☐	☐	☐	
11-063	K298672	124.36	127.41	3.05	0.005	60.0	1.10	0.14	1.51	☐	☐	☐	
11-063	K298673	127.41	130.45	3.04	0.005	53.0	0.44	0.06	0.82	☐	☐	☐	
11-063	K298674	130.45	133.50	3.05	0.005	58.0	0.56	0.10	0.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-063	K298675	133.50	136.55	3.05	0.005	52.0	0.83	0.19	1.00	☐	☐	☐	
11-063	K298676	136.55	139.60	3.05	0.005	28.0	0.75	0.10	1.28	☐	☐	☐	
11-063	K298678	139.60	142.65	3.05	0.005	17.0	0.37	0.13	0.61	☐	☐	☐	
11-063	K298679	142.65	145.69	3.04	0.005	43.0	0.86	0.32	2.72	☐	☐	☐	
11-063	K298680	145.69	148.74	3.05	0.005	112.0	2.20	0.07	5.54	☐	☐	☐	
11-063	K298681	148.74	151.79	3.05	0.005	258.0	0.67	0.08	1.12	☐	☐	☐	
11-063	K298683	151.79	154.84	3.05	0.005	277.0	0.75	0.19	1.18	☐	☐	☐	
11-063	K298684	151.79	154.84	3.05	0.005	247.0	0.70	0.11	1.14	☑	☐	☐	Duplicate of 683 and end batch 65
11-065	K298685	154.84	157.89	3.05	0.010	238.0	0.91	0.13	1.86	☐	☐	☐	Start batch 65
11-065	K298686	157.89	160.93	3.04	0.005	58.0	0.82	0.14	1.97	☐	☐	☐	
11-065	K298687	160.93	163.98	3.05	0.010	265.0	2.50	0.21	4.67	☐	☐	☐	
11-065	K298688	163.98	167.03	3.05	0.030	492.0	2.39	0.58	2.16	☐	☐	☐	
11-065	K298689	167.03	170.08	3.05	0.010	119.0	1.62	0.56	1.53	☐	☐	☐	
11-065	K298690	170.08	173.13	3.05	0.010	89.0	1.40	0.49	1.46	☐	☐	☐	
11-065	K298691	173.13	176.17	3.04	0.040	107.0	2.20	0.38	1.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-065	K298692	176.17	179.22	3.05	0.050	179.0	3.67	0.59	2.33	☐	☐	☐	
11-065	K298693	179.22	182.27	3.05	0.030	156.0	3.81	0.50	2.22	☐	☐	☐	
11-065	K298694	182.27	185.32	3.05	0.020	724.0	2.17	0.32	2.50	☐	☐	☐	
11-065	K298696	185.32	188.36	3.04	0.030	540.0	2.82	0.44	3.42	☐	☐	☐	
11-065	K298697	188.36	191.41	3.05	0.030	370.0	1.52	0.52	1.35	☐	☐	☐	
11-065	K298698	191.41	194.46	3.05	0.010	1760.0	0.66	0.80	0.78	☐	☐	☐	
11-065	K298699	194.46	197.51	3.05	0.010	814.0	6.57	0.32	3.19	☐	☐	☐	
11-065	K298701	197.51	200.56	3.05	0.010	1460.0	1.32	0.70	1.70	☐	☐	☐	
11-065	K298702	200.56	203.61	3.05	0.005	1600.0	0.36	0.17	0.43	☐	☐	☐	
11-065	K298703	203.61	206.65	3.04	0.010	712.0	0.53	0.12	0.81	☐	☐	☐	
11-065	K298704	206.65	209.70	3.05	0.005	242.0	1.27	0.25	2.19	☐	☐	☐	
11-065	K298705	206.65	209.70	3.05	0.005	198.0	1.26	0.28	2.23	☑	☐	☐	Duplicate of 704
11-065	K298706	209.70	212.75	3.05	0.005	181.0	1.80	0.11	2.44	☐	☐	☐	
11-065	K298707	212.75	213.85	1.10	0.020	742.0	3.35	0.38	3.47	☐	☐	☐	
11-065	K298708	213.85	215.80	1.95	0.140	25700.0	30.10	1.56	31.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-065	K298709	215.80	218.85	3.05	0.210	23700.0	11.40	1.41	11.50	☐	☐	☐	
11-065	K298710	218.85	221.89	3.04	0.150	7090.0	10.85	1.01	7.96	☐	☐	☐	
11-065	K298711	221.89	224.94	3.05	0.060	30900.0	2.09	1.32	3.05	☐	☐	☐	
11-065	K298712	224.94	227.99	3.05	0.040	7070.0	3.88	0.68	6.31	☐	☐	☐	
11-065	K298713	227.99	231.04	3.05	0.150	43600.0	56.00	1.89	42.80	☐	☐	☐	
11-065	K298715	231.04	234.09	3.05	0.310	17950.0	17.00	2.36	7.39	☐	☐	☐	
11-065	K298716	234.09	237.13	3.04	0.760	10400.0	16.80	1.45	10.65	☐	☐	☐	
11-065	K298718	237.13	240.18	3.05	0.400	7260.0	9.40	1.43	32.60	☐	☐	☐	
11-065	K298719	240.18	243.23	3.05	0.005	18350.0	4.59	0.71	9.50	☐	☐	☐	
11-065	K298720	243.23	246.28	3.05	0.030	14300.0	2.02	0.64	5.39	☐	☐	☐	end batch 65
11-066	K298721	246.28	249.33	3.05	0.020	2130.0	2.69	0.37	8.51	☐	☐	☐	start batch 66
11-066	K298722	249.33	252.37	3.04	0.010	119.0	0.51	0.29	2.96	☐	☐	☐	
11-066	K298723	252.37	255.42	3.05	0.010	2200.0	1.31	0.33	5.91	☐	☐	☐	
11-066	K298724	255.42	258.47	3.05	0.005	287.0	0.82	0.30	4.14	☐	☐	☐	
11-066	K298725	258.47	261.52	3.05	0.005	173.0	0.37	0.38	2.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-066	K298726	261.52	264.57	3.05	0.010	92.0	0.24	0.47	2.20	☐	☐	☐	
11-066	K298727	264.57	266.09	1.52	0.010	73.0	0.14	0.40	1.89	☐	☐	☐	EOH

Sample Results

OS -11-035

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-056	K296410	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-056	K296420	0.00	0.00	0.00	0.360	597.0	9.40	110.50	7.30	☐	☐	☑	NT1
11-056	K296430	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.04	☐	☑	☐	HQ
11-056	K296408	5.80	7.62	1.82	0.005	15.6	0.09	0.90	0.89	☐	☐	☐	
11-056	K296409	7.62	10.67	3.05	0.005	14.6	0.13	1.42	1.06	☐	☐	☐	
11-056	K296411	10.67	13.72	3.05	0.005	31.3	0.28	2.24	1.32	☐	☐	☐	
11-056	K296412	13.72	15.53	1.81	0.010	301.0	0.67	1.52	2.43	☐	☐	☐	
11-056	K296413	15.53	18.29	2.76	0.005	238.0	0.60	0.96	0.70	☐	☐	☐	
11-056	K296414	18.29	21.34	3.05	0.005	54.0	0.36	0.68	0.61	☐	☐	☐	
11-056	K296415	33.53	35.73	2.20	0.005	27.0	0.30	0.37	0.53	☐	☐	☐	
11-056	K296416	33.53	35.73	2.20	0.005	84.0	0.38	0.41	0.53	☑	☐	☐	Duplicate of 415
11-056	K296417	35.73	38.10	2.37	0.005	16.0	0.20	0.42	0.71	☐	☐	☐	
11-056	K296418	42.88	44.13	1.25	0.005	26.0	0.82	0.21	0.57	☐	☐	☐	
11-056	K296419	44.13	47.17	3.04	0.005	54.0	1.40	0.22	0.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-056	K296421	47.17	49.76	2.59	0.005	76.0	2.95	8.19	1.76	☐	☐	☐	
11-056	K296422	49.76	51.82	2.06	0.010	94.0	1.44	1.16	1.14	☐	☐	☐	
11-056	K296423	51.82	52.95	1.13	0.005	160.0	1.27	1.74	1.03	☐	☐	☐	
11-056	K296424	52.95	54.50	1.55	0.010	625.0	4.01	1.67	4.06	☐	☐	☐	
11-056	K296425	54.50	55.51	1.01	0.005	53.0	0.58	0.85	0.83	☐	☐	☐	
11-056	K296426	55.51	57.17	1.66	0.005	46.0	0.53	0.48	0.41	☐	☐	☐	
11-056	K296427	57.17	59.44	2.27	0.005	70.0	9.20	0.79	1.56	☐	☐	☐	
11-056	K296428	59.44	62.48	3.04	0.005	84.0	19.40	0.77	1.77	☐	☐	☐	
11-056	K296429	62.48	65.25	2.77	0.005	263.0	1.38	0.72	1.29	☐	☐	☐	
11-056	K296431	72.76	74.89	2.13	0.005	30.0	0.11	0.14	0.31	☐	☐	☐	
11-056	K296432	74.89	77.72	2.83	0.005	40.0	0.19	0.30	0.83	☐	☐	☐	End batch 56

Sample Results

OS -11-036

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-062	K297908	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-062	K297923	0.00	0.00	0.00	0.330	599.0	9.20	116.00	7.73	☐	☐	☑	NT1
11-062	K297929	0.00	0.00	0.00	0.005	8.0	0.01	0.08	0.03	☐	☑	☐	HQ
11-062	K297935	0.00	0.00	0.00	0.340	594.0	9.30	114.50	8.42	☐	☐	☑	NT1
11-067	K297942	0.00	0.00	0.00	0.320	609.0	8.80	111.50	8.97	☐	☐	☑	NT1
11-067	K297948	0.00	0.00	0.00	0.005	6.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-067	K297963	0.00	0.00	0.00	0.330	621.0	8.90	111.00	8.79	☐	☐	☑	NT1
11-067	K297970	0.00	0.00	0.00	0.005	8.0	0.01	0.03	0.03	☐	☑	☐	NQ
11-070	K297978	0.00	0.00	0.00	0.005	2.5	0.05	0.05	0.02	☐	☑	☐	NQ
11-070	K297992	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.03	☐	☑	☐	NQ
11-070	K297999	0.00	0.00	0.00	0.320	628.0	9.50	121.00	8.56	☐	☐	☑	NT1
11-070	K299506	0.00	0.00	0.00	0.330	614.0	9.30	116.00	8.59	☐	☐	☑	NT1
11-071	K299512	0.00	0.00	0.00	2.550	605.0	4.32	104.50	4.37	☐	☐	☑	NT2
11-071	K299523	0.00	0.00	0.00	0.005	7.0	0.01	0.08	0.02	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-071	K299530	0.00	0.00	0.00	0.330	620.0	9.50	112.00	8.15	☐	☐	☑	NT1
11-071	K299539	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-072	K299548	0.00	0.00	0.00	0.320	631.0	9.10	115.50	6.31	☐	☐	☑	NT1
11-072	K299557	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-072	K299562	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	NQ
11-072	K299567	0.00	0.00	0.00	0.340	662.0	9.30	133.50	9.18	☐	☐	☑	NT1
11-074	K299602	0.00	0.00	0.00	0.330	597.0	9.60	113.00	8.18	☐	☐	☑	NT1
11-074	K299611	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-074	K299616	0.00	0.00	0.00	0.340	609.0	9.40	117.00	7.91	☐	☐	☑	NT1
11-075	K299626	0.00	0.00	0.00	2.580	584.0	4.32	110.00	3.95	☐	☐	☑	NT2
11-075	K299630	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-075	K299637	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-075	K299644	0.00	0.00	0.00	16.650	1200.0	6.03	159.00	3.56	☐	☐	☑	NT4
11-080	K299661	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-080	K299665	0.00	0.00	0.00	0.340	616.0	9.00	122.00	7.62	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-080	K299669	0.00	0.00	0.00	0.340	569.0	10.20	113.00	7.11	☐	☐	☑	NT1
11-080	K299675	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-082	K299692	0.00	0.00	0.00	0.330	594.0	9.40	110.50	8.07	☐	☐	☑	NT1
11-082	K299698	0.00	0.00	0.00	0.005	6.0	0.01	0.08	0.03	☐	☑	☐	NQ
11-082	K299703	0.00	0.00	0.00	16.250	1230.0	6.34	149.00	3.64	☐	☐	☑	NT4
11-082	K299717	0.00	0.00	0.00	0.005	7.0	0.01	0.05	0.02	☐	☑	☐	NQ
11-084	K299730	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-084	K299737	0.00	0.00	0.00	0.360	583.0	9.50	112.00	8.02	☐	☐	☑	NT1
11-062	K297903	8.51	10.67	2.16	0.005	25.9	0.20	0.37	0.50	☐	☐	☐	
11-062	K297904	10.67	13.72	3.05	0.005	6.5	0.10	0.34	0.45	☐	☐	☐	
11-062	K297905	13.72	16.76	3.04	0.005	13.2	0.10	0.48	0.59	☐	☐	☐	
11-062	K297906	16.76	19.81	3.05	0.005	16.4	0.27	0.78	0.76	☐	☐	☐	
11-062	K297907	19.81	22.86	3.05	0.040	408.0	1.54	1.94	4.17	☐	☐	☐	
11-062	K297909	22.86	25.91	3.05	0.020	794.0	1.85	6.28	3.92	☐	☐	☐	
11-062	K297910	25.91	28.96	3.05	0.005	12.2	0.20	0.35	1.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-062	K297911	28.96	32.00	3.04	0.010	104.5	0.63	0.49	1.52	☐	☐	☐	
11-062	K297912	32.00	35.05	3.05	0.005	3.1	0.03	0.29	0.44	☐	☐	☐	33.05-33.70 not sampled -- ream
11-062	K297913	35.05	38.10	3.05	0.005	3.6	0.04	0.32	0.39	☐	☐	☐	
11-062	K297914	38.10	41.15	3.05	0.005	7.3	0.05	0.31	0.42	☐	☐	☐	
11-062	K297915	41.15	44.20	3.05	0.005	2.4	0.05	0.31	0.45	☐	☐	☐	
11-062	K297916	44.20	48.77	4.57	0.005	5.5	0.07	0.31	0.63	☐	☐	☐	
11-062	K297917	48.77	51.82	3.05	0.005	18.3	0.14	0.37	0.94	☐	☐	☐	
11-062	K297918	51.82	54.86	3.04	0.010	479.0	2.30	1.25	5.03	☐	☐	☐	
11-062	K297919	51.82	54.86	3.04	0.010	505.0	2.70	1.25	4.97	☑	☐	☐	
11-062	K297920	54.86	57.91	3.05	0.005	326.0	0.73	0.98	5.29	☐	☐	☐	
11-062	K297921	57.91	60.96	3.05	0.005	27.5	0.26	0.52	1.07	☐	☐	☐	
11-062	K297922	60.96	64.01	3.05	0.005	156.5	0.30	0.68	1.33	☐	☐	☐	
11-062	K297924	64.01	67.06	3.05	0.005	56.6	0.08	0.53	0.69	☐	☐	☐	
11-062	K297925	67.06	70.10	3.04	0.005	108.0	0.21	1.10	1.21	☐	☐	☐	
11-062	K297926	70.10	73.15	3.05	0.010	350.0	1.43	2.63	3.51	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-062	K297927	73.15	76.20	3.05	0.010	263.0	1.65	2.65	3.22	☐	☐	☐	
11-062	K297928	76.20	79.25	3.05	0.005	499.0	2.26	3.28	6.27	☐	☐	☐	
11-062	K297930	79.25	82.30	3.05	0.005	171.0	0.70	0.70	2.57	☐	☐	☐	
11-062	K297931	82.30	85.34	3.04	0.005	434.0	0.50	1.19	2.49	☐	☐	☐	
11-062	K297932	85.34	88.39	3.05	0.005	242.0	0.38	0.56	1.77	☐	☐	☐	
11-062	K297933	88.39	91.44	3.05	0.005	311.0	0.57	0.67	2.26	☐	☐	☐	
11-062	K297934	91.44	94.49	3.05	0.005	18.2	0.22	0.38	1.28	☐	☐	☐	
11-062	K297936	94.49	97.54	3.05	0.005	36.2	0.40	0.71	2.11	☐	☐	☐	
11-062	K297937	97.54	100.58	3.04	0.005	18.6	0.29	0.48	1.16	☐	☐	☐	end batch 62
11-067	K297938	100.58	103.63	3.05	0.005	24.9	0.18	0.50	1.51	☐	☐	☐	Start batch 67
11-067	K297939	103.63	106.68	3.05	0.005	26.7	0.20	0.67	1.94	☐	☐	☐	
11-067	K297940	106.68	109.73	3.05	0.005	26.9	0.21	0.72	2.05	☐	☐	☐	
11-067	K297941	109.73	112.77	3.04	0.005	47.9	0.31	0.71	1.77	☐	☐	☐	
11-067	K297943	112.77	115.82	3.05	0.005	84.6	0.46	0.63	2.35	☐	☐	☐	
11-067	K297944	115.82	118.87	3.05	0.005	64.0	0.83	0.64	3.18	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-067	K297945	118.87	121.92	3.05	0.010	17.1	0.26	0.43	1.11	☐	☐	☐	
11-067	K297946	121.92	124.97	3.05	0.010	4.5	0.03	0.32	0.50	☐	☐	☐	
11-067	K297947	124.97	128.02	3.05	0.010	4.5	0.04	0.34	0.51	☐	☐	☐	
11-067	K297949	128.02	131.06	3.04	0.005	7.1	0.03	0.46	0.55	☐	☐	☐	
11-067	K297950	131.06	134.11	3.05	0.010	5.9	0.03	0.44	0.57	☐	☐	☐	
11-067	K297951	134.11	137.16	3.05	0.010	6.9	0.03	0.36	0.45	☐	☐	☐	
11-067	K297952	137.16	140.21	3.05	0.010	8.3	0.03	0.38	0.57	☐	☐	☐	
11-067	K297953	140.21	143.26	3.05	0.010	8.5	0.04	0.45	0.56	☐	☐	☐	
11-067	K297954	143.26	146.30	3.04	0.010	5.9	0.03	0.31	0.53	☐	☐	☐	
11-067	K297955	143.26	146.30	3.04	0.010	5.8	0.04	0.32	0.52	☑	☐	☐	Duplicate of 954
11-067	K297956	146.30	149.35	3.05	0.010	17.2	0.04	0.36	0.57	☐	☐	☐	
11-067	K297957	149.35	152.40	3.05	0.010	30.8	0.05	0.35	0.71	☐	☐	☐	
11-067	K297958	152.40	155.45	3.05	0.010	19.8	0.05	0.35	0.56	☐	☐	☐	
11-067	K297959	155.45	158.50	3.05	0.010	13.7	0.05	0.32	0.64	☐	☐	☐	
11-067	K297960	158.50	161.54	3.04	0.005	11.8	0.06	0.36	0.75	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-067	K297961	161.54	164.59	3.05	0.005	28.6	0.06	0.31	0.90	☐	☐	☐	
11-067	K297962	164.59	167.64	3.05	0.005	16.1	0.11	0.32	0.69	☐	☐	☐	
11-067	K297964	167.64	170.69	3.05	0.010	32.4	0.22	0.48	1.18	☐	☐	☐	
11-067	K297965	170.69	173.74	3.05	0.005	41.0	0.61	0.48	2.56	☐	☐	☐	
11-067	K297966	173.74	175.05	1.31	0.010	74.4	1.07	0.85	5.25	☐	☐	☐	
11-067	K297967	175.05	177.00	1.95	0.010	153.5	1.49	0.81	5.99	☐	☐	☐	
11-067	K297968	177.00	178.31	1.31	0.010	143.0	1.82	0.59	8.42	☐	☐	☐	
11-067	K297969	178.31	181.36	3.05	0.005	125.5	1.91	0.63	7.69	☐	☐	☐	
11-067	K297971	181.36	184.40	3.04	0.005	90.0	1.31	0.75	5.40	☐	☐	☐	
11-067	K297972	184.40	187.45	3.05	0.100	166.0	2.91	0.93	6.64	☐	☐	☐	
11-067	K297973	187.45	190.50	3.05	0.170	126.0	0.98	0.95	5.66	☐	☐	☐	end of batch 67
11-070	K297974	190.50	193.55	3.05	0.005	33.8	0.91	0.48	6.33	☐	☐	☐	start batch 70
11-070	K297975	193.55	196.60	3.05	0.005	55.9	0.89	0.89	9.76	☐	☐	☐	
11-070	K297976	196.60	198.50	1.90	0.005	63.9	0.81	0.69	8.12	☐	☐	☐	
11-070	K297977	198.50	201.00	2.50	0.005	69.0	0.36	1.20	3.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-070	K297979	201.00	202.99	1.99	0.005	90.0	0.13	0.48	0.58	☐	☐	☐	
11-070	K297980	202.99	203.50	0.51	0.005	100.0	0.50	0.72	2.06	☐	☐	☐	
11-070	K297981	203.50	205.00	1.50	0.005	111.0	0.31	0.44	0.95	☐	☐	☐	
11-070	K297982	205.00	207.05	2.05	0.005	108.0	0.05	0.16	0.15	☐	☐	☐	
11-070	K297983	207.05	208.79	1.74	0.005	112.0	0.78	0.50	2.20	☐	☐	☐	
11-070	K297984	208.79	211.84	3.05	0.005	130.0	0.20	0.43	1.88	☐	☐	☐	
11-070	K297985	211.84	214.11	2.27	0.005	115.0	1.19	0.37	4.70	☐	☐	☐	
11-070	K297986	214.11	214.88	0.77	0.005	363.0	0.02	0.25	0.13	☐	☐	☐	
11-070	K297987	214.88	217.93	3.05	0.005	82.0	0.52	0.66	1.21	☐	☐	☐	
11-070	K297988	217.93	220.98	3.05	0.005	243.0	1.58	1.61	3.19	☐	☐	☐	
11-070	K297989	220.98	224.03	3.05	0.005	166.0	2.65	2.19	6.88	☐	☐	☐	
11-070	K297990	224.03	225.80	1.77	0.005	52.0	0.25	0.72	2.18	☐	☐	☐	
11-070	K297991	225.80	227.08	1.28	0.005	140.0	0.92	2.10	7.46	☐	☐	☐	
11-070	K297993	227.08	229.00	1.92	0.005	142.5	1.35	2.07	6.35	☐	☐	☐	
11-070	K297994	229.00	230.12	1.12	0.005	49.0	0.42	0.58	0.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-070	K297995	230.12	233.10	2.98	0.005	35.0	0.36	0.40	0.55	☐	☐	☐	
11-070	K297996	233.10	235.00	1.90	0.005	176.0	3.03	1.65	4.19	☐	☐	☐	
11-070	K297997	235.00	237.00	2.00	0.005	267.0	4.13	2.35	4.68	☐	☐	☐	
11-070	K297998	237.00	238.70	1.70	0.010	147.0	2.32	0.97	5.89	☐	☐	☐	
11-070	K298000	238.70	239.27	0.57	0.005	107.0	2.23	1.34	3.63	☐	☐	☐	
11-070	K299501	239.27	242.32	3.05	0.005	51.0	0.74	0.56	2.11	☐	☐	☐	Jump in sample number
11-070	K299502	242.32	245.36	3.04	0.005	48.0	0.68	0.50	2.09	☐	☐	☐	
11-070	K299503	242.32	245.36	3.04	0.005	55.0	0.76	0.58	2.78	☑	☐	☐	Duplicate of 502
11-070	K299504	245.36	248.41	3.05	0.005	27.0	0.40	0.33	0.98	☐	☐	☐	
11-070	K299505	248.41	251.46	3.05	0.005	29.0	0.34	0.33	0.84	☐	☐	☐	
11-070	K299507	251.46	254.51	3.05	0.010	23.0	0.16	0.23	1.28	☐	☐	☐	
11-070	K299508	254.51	257.56	3.05	0.005	76.0	1.85	0.67	7.75	☐	☐	☐	
11-070	K299509	257.56	260.60	3.04	0.005	49.0	0.54	0.20	3.06	☐	☐	☐	end batch 70
11-071	K299510	260.60	263.65	3.05	0.005	40.0	0.42	0.65	3.90	☐	☐	☐	start batch 71
11-071	K299511	263.65	266.70	3.05	0.005	29.0	0.33	0.31	4.45	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-071	K299513	266.70	269.75	3.05	0.010	28.0	0.24	0.42	3.94	☐	☐	☐	
11-071	K299514	269.75	272.80	3.05	0.005	25.0	0.25	0.47	3.38	☐	☐	☐	
11-071	K299515	272.80	275.84	3.04	0.010	46.0	0.42	0.63	3.23	☐	☐	☐	
11-071	K299516	275.84	278.89	3.05	0.005	22.0	0.13	0.26	0.86	☐	☐	☐	
11-071	K299517	275.84	278.89	3.05	0.005	16.0	0.11	0.23	0.76	☑	☐	☐	Duplicate of 516
11-071	K299518	278.89	281.94	3.05	0.005	42.0	0.66	0.41	1.79	☐	☐	☐	
11-071	K299519	281.94	283.20	1.26	0.050	233.0	1.55	2.12	5.07	☐	☐	☐	
11-071	K299520	283.20	284.15	0.95	2.740	86600.0	4.62	167.00	19.10	☐	☐	☐	
11-071	K299521	284.15	284.99	0.84	0.010	126.0	1.89	0.75	4.79	☐	☐	☐	
11-071	K299522	284.99	288.04	3.05	0.005	123.0	1.63	0.52	3.38	☐	☐	☐	
11-071	K299524	288.04	291.08	3.04	0.005	43.0	0.88	0.32	2.97	☐	☐	☐	
11-071	K299525	291.08	294.13	3.05	0.005	77.0	1.43	0.32	3.37	☐	☐	☐	
11-071	K299526	294.13	297.18	3.05	0.005	123.0	2.23	0.59	4.34	☐	☐	☐	
11-071	K299527	297.18	300.23	3.05	0.005	137.0	1.43	0.37	2.03	☐	☐	☐	
11-071	K299528	300.23	303.28	3.05	0.005	86.0	1.80	0.39	3.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-071	K299529	303.28	306.32	3.04	0.020	259.0	1.62	0.90	4.27	☐	☐	☐	
11-071	K299531	306.32	309.37	3.05	0.005	15.0	0.17	0.36	2.18	☐	☐	☐	
11-071	K299532	309.37	312.42	3.05	0.005	8.0	0.16	0.20	2.39	☐	☐	☐	
11-071	K299533	312.42	315.47	3.05	0.005	9.0	0.11	0.31	1.05	☐	☐	☐	
11-071	K299534	315.47	318.52	3.05	0.005	14.0	0.14	0.20	0.52	☐	☐	☐	
11-071	K299535	318.52	321.56	3.04	0.005	11.0	0.26	0.20	0.24	☐	☐	☐	
11-071	K299536	321.56	324.61	3.05	0.005	14.0	1.00	0.19	0.20	☐	☐	☐	
11-071	K299537	324.61	327.66	3.05	0.005	14.0	0.51	0.21	0.22	☐	☐	☐	
11-071	K299538	327.66	330.71	3.05	0.005	17.0	0.62	0.13	0.15	☐	☐	☐	
11-071	K299540	330.71	333.76	3.05	0.005	18.0	0.46	0.17	0.46	☐	☐	☐	
11-071	K299541	333.76	336.80	3.04	0.090	82.0	1.54	1.26	2.74	☐	☐	☐	
11-071	K299542	336.80	339.85	3.05	0.010	24.0	0.48	0.32	0.70	☐	☐	☐	
11-071	K299543	339.85	342.90	3.05	0.005	23.0	0.24	0.24	0.47	☐	☐	☐	
11-071	K299544	342.90	345.95	3.05	0.005	20.0	0.45	0.16	0.23	☐	☐	☐	
11-071	K299545	345.95	349.00	3.05	0.005	34.0	0.68	0.20	0.34	☐	☐	☐	end batch 71

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-072	K299546	349.00	352.04	3.04	0.005	51.0	1.11	0.30	0.81	☐	☐	☐	start batch 72
11-072	K299547	352.04	355.09	3.05	0.005	67.0	0.95	0.42	0.57	☐	☐	☐	
11-072	K299549	355.09	358.14	3.05	0.005	25.0	0.17	0.44	0.17	☐	☐	☐	
11-072	K299550	358.14	361.19	3.05	0.005	20.0	0.22	0.34	0.25	☐	☐	☐	
11-072	K299551	361.19	364.24	3.05	0.005	32.0	0.69	0.46	0.42	☐	☐	☐	
11-072	K299552	361.19	364.24	3.05	0.005	33.0	0.75	0.43	0.43	☑	☐	☐	Duplicate of 551
11-072	K299553	364.24	367.28	3.04	0.005	26.0	0.73	0.26	0.29	☐	☐	☐	
11-072	K299554	367.28	370.33	3.05	0.005	22.0	0.58	0.16	0.29	☐	☐	☐	
11-072	K299555	370.33	373.38	3.05	0.010	21.0	0.90	0.30	0.57	☐	☐	☐	
11-072	K299556	373.38	376.43	3.05	0.005	18.0	0.94	0.23	0.39	☐	☐	☐	
11-072	K299558	376.43	379.48	3.05	0.005	18.0	0.31	0.24	0.25	☐	☐	☐	
11-072	K299559	379.48	382.52	3.04	0.005	15.0	0.26	0.17	0.17	☐	☐	☐	
11-072	K299560	382.52	385.57	3.05	0.005	30.0	0.99	0.17	0.19	☐	☐	☐	
11-072	K299561	385.57	388.62	3.05	0.005	27.0	0.52	0.16	0.16	☐	☐	☐	
11-072	K299563	388.62	391.67	3.05	0.005	28.0	0.76	0.15	0.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-072	K299564	391.67	394.72	3.05	0.005	31.0	0.53	0.17	0.17	☐	☐	☐	
11-072	K299565	394.72	397.76	3.04	0.005	22.0	0.22	0.14	0.16	☐	☐	☐	
11-072	K299566	397.76	400.81	3.05	0.005	26.0	0.27	0.22	0.22	☐	☐	☐	
11-072	K299568	400.81	403.86	3.05	0.005	20.0	0.14	0.24	0.20	☐	☐	☐	
11-072	K299569	403.86	406.91	3.05	0.005	68.0	0.22	0.24	0.35	☐	☐	☐	
11-072	K299570	406.91	409.96	3.05	0.005	36.0	0.16	0.17	0.22	☐	☐	☐	
11-072	K299571	409.96	413.00	3.04	0.005	27.0	0.29	0.18	0.21	☐	☐	☐	
11-072	K299572	413.00	416.05	3.05	0.005	20.0	0.12	0.13	0.16	☐	☐	☐	
11-072	K299573	416.05	419.10	3.05	0.005	19.0	0.12	0.12	0.18	☐	☐	☐	
11-072	K299574	419.10	422.15	3.05	0.005	24.0	0.30	0.16	0.40	☐	☐	☐	
11-072	K299575	422.15	425.20	3.05	0.010	61.0	1.11	0.36	0.82	☐	☐	☐	
11-072	K299576	425.20	428.24	3.04	0.005	37.0	0.62	0.24	0.58	☐	☐	☐	
11-072	K299577	428.24	431.29	3.05	0.005	41.0	0.97	0.47	0.77	☐	☐	☐	
11-072	K299578	431.29	434.34	3.05	0.005	20.0	0.16	0.33	0.05	☐	☐	☐	**jump in sample number
11-072	K299594	434.34	437.39	3.05	0.005	118.0	0.64	1.17	0.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-072	K299595	437.39	440.44	3.05	0.005	88.0	2.49	0.85	1.22	☐	☐	☐	
11-072	K299596	440.44	443.48	3.04	0.005	69.0	1.06	0.75	0.94	☐	☐	☐	end batch 72
11-074	K299597	443.48	446.53	3.05	0.005	50.0	1.20	0.48	0.74	☐	☐	☐	start batch 74
11-074	K299598	446.53	449.58	3.05	0.005	33.0	0.94	0.33	0.41	☐	☐	☐	
11-074	K299599	449.58	452.63	3.05	0.005	66.0	2.93	0.38	0.60	☐	☐	☐	
11-074	K299600	452.63	455.68	3.05	0.005	12.0	0.81	0.30	0.32	☐	☐	☐	
11-074	K299601	455.68	458.72	3.04	0.005	13.0	0.96	0.49	0.53	☐	☐	☐	
11-074	K299603	458.72	461.77	3.05	0.005	22.0	1.23	0.53	0.96	☐	☐	☐	
11-074	K299604	461.77	464.82	3.05	0.005	33.0	0.99	0.31	0.47	☐	☐	☐	
11-074	K299605	464.82	467.87	3.05	0.005	13.0	0.36	0.20	0.35	☐	☐	☐	
11-074	K299606	467.87	470.92	3.05	0.005	23.0	0.55	0.36	0.92	☐	☐	☐	
11-074	K299607	467.87	470.92	3.05	0.005	13.0	0.24	0.63	0.53	☑	☐	☐	Duplicate of 606
11-074	K299608	470.92	473.96	3.04	0.005	28.0	0.54	0.37	0.85	☐	☐	☐	
11-074	K299609	473.96	477.01	3.05	0.005	60.0	1.04	0.48	1.14	☐	☐	☐	
11-074	K299610	477.01	480.06	3.05	0.005	35.0	0.44	0.44	1.18	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-074	K299612	480.06	483.11	3.05	0.005	26.0	0.42	0.25	1.41	☐	☐	☐	
11-074	K299613	483.11	486.16	3.05	0.030	84.0	1.22	1.19	2.76	☐	☐	☐	
11-074	K299614	486.16	489.20	3.04	0.005	40.0	0.64	0.66	1.83	☐	☐	☐	
11-074	K299615	489.20	492.25	3.05	0.005	21.0	0.48	0.17	0.38	☐	☐	☐	
11-074	K299617	492.25	495.30	3.05	0.005	33.0	0.34	0.84	0.31	☐	☐	☐	end batch 74
11-075	K299618	495.30	498.35	3.05	0.005	76.0	1.00	4.25	1.85	☐	☐	☐	start batch 75
11-075	K299619	498.35	501.40	3.05	0.005	56.0	1.07	0.70	1.42	☐	☐	☐	
11-075	K299620	501.40	504.44	3.04	0.005	57.0	0.49	0.20	1.07	☐	☐	☐	
11-075	K299621	504.44	507.48	3.04	0.005	62.0	0.49	0.18	0.55	☐	☐	☐	
11-075	K299622	507.48	510.54	3.06	0.005	57.0	0.69	0.20	0.75	☐	☐	☐	
11-075	K299623	510.54	513.59	3.05	0.005	67.0	1.15	0.36	0.58	☐	☐	☐	
11-075	K299624	513.59	516.64	3.05	0.005	45.0	1.01	0.32	0.56	☐	☐	☐	
11-075	K299625	516.64	519.68	3.04	0.005	31.0	0.75	0.83	0.27	☐	☐	☐	
11-075	K299627	519.68	522.73	3.05	0.010	32.0	0.68	1.10	0.28	☐	☐	☐	
11-075	K299628	522.73	525.78	3.05	0.005	91.0	0.94	2.15	0.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-075	K299629	525.78	528.83	3.05	0.005	472.0	0.88	3.83	0.60	☐	☐	☐	
11-075	K299631	528.83	531.88	3.05	0.005	61.0	0.64	2.02	0.41	☐	☐	☐	
11-075	K299632	531.88	534.92	3.04	0.005	110.0	1.48	3.13	0.71	☐	☐	☐	
11-075	K299633	534.92	537.97	3.05	0.005	89.0	2.03	2.48	1.58	☐	☐	☐	
11-075	K299634	537.97	541.02	3.05	0.005	91.0	1.37	0.73	2.30	☐	☐	☐	
11-075	K299635	541.02	544.07	3.05	0.010	147.0	2.04	3.32	5.96	☐	☐	☐	
11-075	K299636	544.07	547.12	3.05	0.005	90.0	1.40	0.76	3.22	☐	☐	☐	
11-075	K299638	547.12	550.16	3.04	0.360	4250.0	4.11	24.10	17.50	☐	☐	☐	
11-075	K299639	550.16	553.21	3.05	0.760	17350.0	4.47	63.20	21.10	☐	☐	☐	
11-075	K299640	553.21	556.26	3.05	0.440	1360.0	2.11	12.35	11.05	☐	☐	☐	
11-075	K299641	556.26	559.31	3.05	0.250	946.0	5.63	12.20	17.05	☐	☐	☐	
11-075	K299642	559.31	562.36	3.05	0.210	1440.0	3.49	7.69	7.69	☐	☐	☐	
11-075	K299643	562.36	564.70	2.34	0.040	134.0	1.67	1.92	3.42	☐	☐	☐	
11-075	K299645	564.70	565.40	0.70	0.980	60100.0	5.04	164.50	9.18	☐	☐	☐	
11-075	K299646	565.40	568.45	3.05	0.170	974.0	2.26	5.82	4.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-075	K299647	568.45	570.45	2.00	3.240	1440.0	10.20	61.60	22.00	☐	☐	☐	
11-075	K299648	570.45	571.20	0.75	12.550	15450.0	17.00	80.30	38.90	☐	☐	☐	
11-075	K299649	571.20	572.35	1.15	0.310	377.0	1.73	3.94	3.41	☐	☐	☐	
11-075	K299650	571.20	572.35	1.15	0.220	318.0	1.51	3.33	2.77	☑	☐	☐	Duplicate of 649
11-075	K299651	572.35	573.85	1.50	8.520	9590.0	12.00	57.20	31.70	☐	☐	☐	
11-075	K299652	573.85	576.70	2.85	0.570	492.0	7.99	12.05	22.20	☐	☐	☐	
11-075	K299653	576.70	577.60	0.90	0.050	190.0	2.57	2.58	9.20	☐	☐	☐	end batch 75
11-080	K299654	577.60	580.64	3.04	0.020	76.0	1.11	1.02	4.82	☐	☐	☐	start batch 80
11-080	K299655	580.64	583.69	3.05	0.010	69.0	0.85	0.80	4.21	☐	☐	☐	
11-080	K299656	583.69	586.74	3.05	0.020	101.0	0.70	1.93	3.19	☐	☐	☐	
11-080	K299657	586.74	589.79	3.05	0.005	85.0	0.59	0.61	1.87	☐	☐	☐	
11-080	K299658	589.79	592.84	3.05	0.005	38.0	0.33	0.32	0.77	☐	☐	☐	
11-080	K299659	592.84	595.88	3.04	0.005	23.0	0.20	0.42	0.45	☐	☐	☐	
11-080	K299660	595.88	598.00	2.12	0.005	21.0	0.10	0.28	0.20	☐	☐	☐	
11-080	K299662	598.00	599.85	1.85	0.020	201.0	0.56	1.58	1.56	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-080	K299663	599.85	601.00	1.15	0.220	984.0	2.97	10.35	13.00	☐	☐	☐	
11-080	K299664	601.00	602.50	1.50	0.150	449.0	1.65	4.25	5.80	☐	☐	☐	
11-080	K299666	602.50	603.75	1.25	0.005	431.0	1.19	1.15	4.17	☐	☐	☐	
11-080	K299667	603.75	605.03	1.28	0.005	35.0	0.08	0.25	0.25	☐	☐	☐	
11-080	K299668	605.03	608.08	3.05	0.005	18.0	0.07	0.18	0.22	☐	☐	☐	
11-080	K299670	608.08	611.12	3.04	0.005	20.0	0.21	0.30	0.75	☐	☐	☐	
11-080	K299671	611.12	614.17	3.05	0.005	24.0	0.25	0.28	0.78	☐	☐	☐	
11-080	K299672	614.17	617.22	3.05	0.005	30.0	0.38	0.40	0.48	☐	☐	☐	
11-080	K299673	617.22	620.27	3.05	0.005	20.0	0.20	0.26	0.36	☐	☐	☐	
11-080	K299674	620.27	623.32	3.05	0.005	30.0	0.37	0.32	0.53	☐	☐	☐	
11-080	K299676	623.32	626.36	3.04	0.005	32.0	0.40	0.36	0.46	☐	☐	☐	
11-080	K299677	626.36	629.41	3.05	0.005	7.0	0.14	0.26	0.22	☐	☐	☐	
11-080	K299678	629.41	632.46	3.05	0.005	29.0	0.38	0.27	0.95	☐	☐	☐	
11-080	K299679	632.46	635.51	3.05	0.005	27.0	0.16	0.17	0.63	☐	☐	☐	
11-080	K299680	635.51	638.56	3.05	0.005	27.0	0.20	0.17	0.39	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-080	K299681	638.56	641.60	3.04	0.005	31.0	0.25	0.19	0.23	☐	☐	☐	
11-080	K299682	641.60	644.65	3.05	0.005	33.0	0.44	0.20	0.29	☐	☐	☐	
11-080	K299683	644.65	647.70	3.05	0.005	40.0	0.82	0.48	0.66	☐	☐	☐	
11-080	K299684	644.65	647.70	3.05	0.005	47.0	0.81	0.42	0.64	☑	☐	☐	Duplicate of 683
11-080	K299685	647.70	650.75	3.05	0.005	75.0	2.24	1.67	2.55	☐	☐	☐	
11-080	K299686	650.75	651.50	0.75	0.540	41100.0	23.70	80.10	22.10	☐	☐	☐	
11-080	K299687	651.50	653.80	2.30	0.005	933.0	2.54	5.55	4.02	☐	☐	☐	
11-080	K299688	653.80	656.84	3.04	0.005	91.0	1.61	1.48	2.07	☐	☐	☐	
11-080	K299689	656.84	659.89	3.05	0.010	38.0	0.74	0.59	0.71	☐	☐	☐	End of Batch 80
11-082	K299690	659.89	662.94	3.05	0.010	46.0	0.61	0.35	1.59	☐	☐	☐	Start of Batch 82
11-082	K299691	662.94	665.99	3.05	0.005	45.0	0.60	0.37	1.77	☐	☐	☐	
11-082	K299693	665.99	669.04	3.05	0.150	1080.0	2.03	5.68	5.70	☐	☐	☐	
11-082	K299694	669.04	672.08	3.04	0.005	77.0	1.23	1.06	2.18	☐	☐	☐	
11-082	K299695	672.08	675.13	3.05	0.005	83.0	1.97	1.15	3.26	☐	☐	☐	
11-082	K299696	675.13	678.18	3.05	0.005	74.0	2.12	1.07	3.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-082	K299697	678.18	681.23	3.05	0.005	139.0	3.32	1.56	8.90	☐	☐	☐	
11-082	K299699	681.23	684.28	3.05	0.100	210.0	1.42	3.51	6.00	☐	☐	☐	
11-082	K299700	684.28	687.32	3.04	0.080	664.0	1.73	4.15	7.27	☐	☐	☐	
11-082	K299701	687.32	690.37	3.05	1.310	4140.0	5.40	23.80	17.00	☐	☐	☐	
11-082	K299702	690.37	691.69	1.32	0.200	282.0	5.77	9.93	13.75	☐	☐	☐	
11-082	K299704	691.69	693.00	1.31	13.300	3780.0	13.30	47.40	42.90	☐	☐	☐	
11-082	K299705	693.00	694.50	1.50	3.670	2780.0	9.47	33.10	29.60	☐	☐	☐	
11-082	K299706	694.50	696.47	1.97	0.830	301.0	6.94	11.70	16.70	☐	☐	☐	
11-082	K299707	696.47	699.52	3.05	12.650	1680.0	12.20	31.50	32.30	☐	☐	☐	
11-082	K299708	699.52	701.40	1.88	12.150	44500.0	10.70	86.80	29.90	☐	☐	☐	
11-082	K299709	701.40	703.00	1.60	17.400	93400.0	30.30	163.50	81.10	☐	☐	☐	
11-082	K299710	703.00	704.20	1.20	36.600	63500.0	37.40	254.00	116.00	☐	☐	☐	
11-082	K299711	704.20	705.61	1.41	1.680	1040.0	2.57	8.25	6.25	☐	☐	☐	
11-082	K299712	705.61	708.66	3.05	2.480	296.0	2.00	5.92	5.14	☐	☐	☐	
11-082	K299713	708.66	711.71	3.05	0.250	151.0	1.16	3.29	3.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-082	K299714	708.66	711.71	3.05	0.310	184.0	1.17	3.62	4.18	☑	☐	☐	Duplicate of 713
11-082	K299715	711.71	714.76	3.05	0.100	70.0	0.70	2.39	3.02	☐	☐	☐	
11-082	K299716	714.76	717.80	3.04	0.030	32.0	0.33	1.15	1.08	☐	☐	☐	
11-082	K299718	717.80	720.85	3.05	0.050	3750.0	0.69	9.33	2.04	☐	☐	☐	
11-082	K299719	720.85	723.90	3.05	0.030	66.0	0.83	1.75	2.75	☐	☐	☐	
11-082	K299720	723.90	726.95	3.05	0.010	68.0	0.24	0.68	0.76	☐	☐	☐	
11-082	K299721	726.95	730.00	3.05	0.010	53.0	0.19	0.49	0.54	☐	☐	☐	
11-082	K299722	730.00	733.04	3.04	0.030	392.0	0.40	3.02	1.09	☐	☐	☐	
11-082	K299723	733.04	736.09	3.05	0.020	54.0	0.44	1.18	0.99	☐	☐	☐	
11-082	K299724	736.09	739.14	3.05	0.005	23.0	0.19	0.34	0.32	☐	☐	☐	
11-082	K299725	739.14	742.19	3.05	0.005	17.0	0.22	0.19	0.23	☐	☐	☐	End of Batch 82
11-084	K299726	742.19	745.24	3.05	0.005	34.0	0.92	0.53	0.92	☐	☐	☐	Start of Batch 84
11-084	K299727	745.24	748.28	3.04	0.005	15.0	0.36	0.40	0.33	☐	☐	☐	
11-084	K299728	748.28	751.33	3.05	0.005	26.0	0.75	1.14	0.68	☐	☐	☐	
11-084	K299729	751.33	754.38	3.05	0.005	34.0	0.95	0.69	0.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-084	K299731	754.38	757.43	3.05	0.005	55.0	1.26	0.59	0.97	☐	☐	☐	
11-084	K299732	757.43	760.48	3.05	0.005	36.0	0.30	0.53	0.96	☐	☐	☐	
11-084	K299733	760.48	763.52	3.04	0.005	26.0	0.23	0.48	0.61	☐	☐	☐	
11-084	K299734	763.52	766.57	3.05	0.005	36.0	0.35	0.82	0.82	☐	☐	☐	
11-084	K299735	766.57	769.62	3.05	0.005	15.0	0.22	0.27	0.40	☐	☐	☐	
11-084	K299736	769.62	772.67	3.05	0.005	21.0	0.45	0.57	0.98	☐	☐	☐	
11-084	K299738	772.67	775.72	3.05	0.005	12.0	0.36	0.54	1.09	☐	☐	☐	
11-084	K299739	775.72	778.76	3.04	0.005	26.0	0.56	0.36	0.78	☐	☐	☐	
11-084	K299740	778.76	781.81	3.05	0.005	41.0	0.48	0.46	0.73	☐	☐	☐	
11-084	K299741	781.81	784.85	3.04	0.005	2.5	0.06	0.14	0.25	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-037

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-064	K296438	0.00	0.00	0.00	2.750	578.0	4.49	103.00	3.92	☐	☐	☑	NT2
11-064	K296446	0.00	0.00	0.00	0.010	2.5	0.20	0.03	0.02	☐	☑	☐	HQ
11-064	K296449	0.00	0.00	0.00	7.930	1040.0	5.80	19.50	13.45	☐	☐	☑	NT3
11-068	K296477	0.00	0.00	0.00	0.005	2.5	0.01	0.17	0.01	☐	☑	☐	HQ
11-064	K296433	4.88	7.92	3.04	0.005	18.2	0.09	0.92	0.93	☐	☐	☐	
11-064	K296434	7.92	10.97	3.05	0.005	38.8	0.15	1.43	1.16	☐	☐	☐	
11-064	K296435	10.97	14.02	3.05	0.005	96.0	0.42	2.29	2.00	☐	☐	☐	
11-064	K296436	14.02	15.17	1.15	0.005	649.0	0.53	0.83	2.03	☐	☐	☐	
11-064	K296437	15.17	17.07	1.90	0.005	286.0	0.58	1.29	1.01	☐	☐	☐	
11-064	K296439	17.07	20.12	3.05	0.010	142.0	0.71	1.24	0.86	☐	☐	☐	
11-064	K296440	47.55	50.12	2.57	0.030	135.0	2.73	0.45	2.03	☐	☐	☐	
11-064	K296441	50.12	53.04	2.92	0.090	2730.0	3.30	2.33	5.90	☐	☐	☐	
11-064	K296442	53.04	54.42	1.38	0.010	41.0	0.70	0.18	0.73	☐	☐	☐	
11-064	K296443	54.42	56.55	2.13	0.030	545.0	186.50	0.53	2.39	☐	☐	☐	*reaming in 56.55-56.69, not sampled*

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-064	K296444	56.69	59.74	3.05	0.030	174.0	6.13	0.72	4.73	☐	☐	☐	
11-064	K296445	59.74	61.89	2.15	0.010	77.0	2.00	0.47	1.12	☐	☐	☐	
11-064	K296447	61.89	64.31	2.42	0.010	66.0	1.20	0.38	1.38	☐	☐	☐	
11-064	K296448	64.31	67.36	3.05	0.010	79.0	2.11	0.38	1.50	☐	☐	☐	
11-064	K296450	67.36	70.32	2.96	0.010	89.0	1.41	0.57	2.35	☐	☐	☐	
11-064	K296451	70.32	71.93	1.61	0.005	164.5	1.12	0.47	2.52	☐	☐	☐	
11-064	K296452	71.93	74.98	3.05	0.010	99.0	0.48	0.36	0.69	☐	☐	☐	
11-064	K296453	71.93	74.98	3.05	0.005	111.0	0.75	0.41	0.73	☑	☐	☐	Duplicate of 452
11-064	K296454	74.98	76.50	1.52	0.020	133.0	0.41	0.53	0.98	☐	☐	☐	
11-064	K296455	76.50	79.55	3.05	0.005	78.4	0.75	0.62	1.70	☐	☐	☐	
11-064	K296456	88.70	91.74	3.04	0.010	185.5	2.35	0.99	3.01	☐	☐	☐	
11-064	K296457	91.74	94.79	3.05	0.010	97.0	1.67	0.85	2.68	☐	☐	☐	
11-064	K296458	104.48	105.87	1.39	0.005	2.5	0.02	0.05	0.07	☐	☐	☐	
11-064	K296459	105.87	106.98	1.11	0.005	15.0	0.15	0.29	0.54	☐	☐	☐	
11-064	K296460	106.98	107.89	0.91	0.005	2.5	0.04	0.08	0.08	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-064	K296461	125.38	127.66	2.28	0.005	2.5	0.03	0.05	0.08	☐	☐	☐	
11-064	K296462	139.18	140.64	1.46	0.005	2.5	0.03	0.03	0.03	☐	☐	☐	
11-064	K296463	140.64	143.58	2.94	0.005	15.4	0.04	0.57	0.88	☐	☐	☐	*jump in sample number 464-466 in 11-32*
11-064	K296468	165.86	167.94	2.08	0.005	68.2	0.10	0.53	1.75	☐	☐	☐	End batch 64
11-068	K296469	167.94	169.47	1.53	0.010	57.1	0.20	0.94	1.69	☐	☐	☐	Start batch 68
11-068	K296470	169.47	172.52	3.05	0.005	27.0	0.10	0.66	0.76	☐	☐	☐	
11-068	K296471	169.47	172.52	3.05	0.005	18.0	0.08	0.59	0.73	☑	☐	☐	Duplicate of 470
11-068	K296472	172.52	174.35	1.83	0.005	42.0	0.11	0.68	1.50	☐	☐	☐	
11-068	K296473	174.35	177.09	2.74	0.005	39.2	0.15	0.79	2.31	☐	☐	☐	
11-068	K296474	177.09	178.61	1.52	0.005	94.4	0.14	0.67	2.49	☐	☐	☐	
11-068	K296475	178.61	180.14	1.53	0.005	42.4	0.12	0.74	1.25	☐	☐	☐	
11-068	K296476	180.14	181.66	1.52	0.005	46.1	0.16	1.00	2.04	☐	☐	☐	
11-068	K296478	181.66	184.71	3.05	0.005	32.0	0.04	0.42	0.92	☐	☐	☐	
11-068	K296479	184.71	187.76	3.05	0.005	25.0	0.04	0.48	0.97	☐	☐	☐	EOH

Sample Results

OS -11-038

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-066	K298733	0.00	0.00	0.00	0.005	5.0	0.01	0.06	0.05	☐	☑	☐	HQ
11-066	K298737	0.00	0.00	0.00	0.330	604.0	9.70	114.00	8.07	☐	☐	☑	NT1
11-066	K298749	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-066	K298754	0.00	0.00	0.00	2.600	602.0	4.43	102.00	3.99	☐	☐	☑	NT2
11-069	K298775	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.05	☐	☑	☐	HQ
11-069	K298777	0.00	0.00	0.00	0.310	637.0	10.10	125.50	8.44	☐	☐	☑	NT1
11-069	K298786	0.00	0.00	0.00	0.300	620.0	8.82	107.50	8.68	☐	☐	☑	NT1
11-069	K298791	0.00	0.00	0.00	0.005	2.5	0.01	0.13	0.01	☐	☑	☐	HQ
11-076	K298802	0.00	0.00	0.00	0.350	609.0	9.60	114.00	8.07	☐	☐	☑	NT1
11-076	K298805	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.01	☐	☑	☐	HQ
11-076	K298817	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-076	K298821	0.00	0.00	0.00	0.350	597.0	9.40	106.50	8.47	☐	☐	☑	NT1
11-066	K298728	6.78	8.53	1.75	0.005	97.0	0.16	0.80	2.94	☐	☐	☐	
11-066	K298729	8.53	11.58	3.05	0.005	56.0	0.08	0.39	1.62	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-066	K298730	11.58	14.63	3.05	0.020	259.0	0.09	0.62	10.20	☐	☐	☐	
11-066	K298731	14.63	17.68	3.05	0.050	407.0	0.06	0.51	15.65	☐	☐	☐	
11-066	K298732	17.68	20.73	3.05	0.020	334.0	0.11	0.64	9.90	☐	☐	☐	
11-066	K298734	20.73	23.77	3.04	0.030	618.0	0.12	0.55	13.05	☐	☐	☐	
11-066	K298735	23.77	26.82	3.05	0.060	1030.0	0.71	0.66	8.87	☐	☐	☐	
11-066	K298736	26.82	29.87	3.05	0.010	516.0	0.87	0.58	4.64	☐	☐	☐	
11-066	K298738	29.87	32.92	3.05	0.290	1140.0	3.30	0.82	12.85	☐	☐	☐	
11-066	K298739	32.92	35.97	3.05	0.140	300.0	1.29	0.25	4.08	☐	☐	☐	
11-066	K298740	35.97	39.01	3.04	0.250	779.0	3.08	0.55	11.10	☐	☐	☐	
11-066	K298741	39.01	42.06	3.05	5.040	3610.0	20.90	2.48	54.60	☐	☐	☐	
11-066	K298742	42.06	45.11	3.05	1.980	1825.0	10.20	1.74	37.90	☐	☐	☐	
11-066	K298743	45.11	48.16	3.05	1.250	1990.0	9.70	3.06	39.60	☐	☐	☐	
11-066	K298744	48.16	48.70	0.54	0.030	2470.0	4.80	1.58	21.90	☐	☐	☐	
11-066	K298745	48.70	51.21	2.51	0.070	263.0	4.21	0.47	5.58	☐	☐	☐	
11-066	K298746	48.70	51.21	2.51	0.080	215.0	5.18	0.40	4.90	☑	☐	☐	Duplicate of 745

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-066	K298747	51.21	54.25	3.04	0.070	289.0	3.27	0.42	4.65	☐	☐	☐	
11-066	K298748	54.25	57.30	3.05	0.090	336.0	2.24	0.92	5.00	☐	☐	☐	
11-066	K298750	57.30	60.35	3.05	0.040	352.0	1.71	0.66	6.07	☐	☐	☐	
11-066	K298751	60.35	63.40	3.05	0.005	249.0	3.72	0.62	5.60	☐	☐	☐	
11-066	K298752	63.40	66.45	3.05	0.010	177.0	1.20	0.81	8.49	☐	☐	☐	
11-066	K298753	66.45	67.00	0.55	0.070	1600.0	3.13	1.50	17.00	☐	☐	☐	
11-066	K298755	67.00	69.49	2.49	0.160	616.0	3.40	0.67	6.70	☐	☐	☐	
11-066	K298756	69.49	72.54	3.05	0.370	1030.0	11.50	2.37	11.00	☐	☐	☐	end batch 66
11-069	K298757	72.54	75.59	3.05	0.250	504.0	6.62	1.53	13.95	☐	☐	☐	start batch 69
11-069	K298758	75.59	78.64	3.05	0.070	399.0	1.76	0.69	5.66	☐	☐	☐	
11-069	K298759	78.64	81.69	3.05	0.610	6920.0	11.55	5.03	35.10	☐	☐	☐	
11-069	K298760	81.69	84.73	3.04	0.130	376.0	1.95	0.81	5.09	☐	☐	☐	
11-069	K298761	84.73	87.78	3.05	0.280	570.0	3.57	1.01	7.18	☐	☐	☐	
11-069	K298762	87.78	90.83	3.05	0.500	910.0	2.66	0.72	5.40	☐	☐	☐	
11-069	K298763	90.83	93.88	3.05	1.180	1740.0	6.24	2.19	19.75	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-069	K298764	93.88	96.93	3.05	1.000	884.0	4.59	2.00	17.70	☐	☐	☐	
11-069	K298766	96.93	99.97	3.04	0.640	826.0	3.47	0.88	9.94	☐	☐	☐	
11-069	K298767	99.97	103.02	3.05	0.770	470.0	5.29	0.71	7.66	☐	☐	☐	
11-069	K298768	103.02	106.07	3.05	2.450	2080.0	8.43	4.99	23.60	☐	☐	☐	
11-069	K298769	106.07	108.80	2.73	0.110	352.0	2.46	1.05	7.68	☐	☐	☐	
11-069	K298770	108.80	110.64	1.84	0.030	397.0	1.29	1.18	6.36	☐	☐	☐	
11-069	K298771	110.64	113.69	3.05	0.130	252.0	1.74	1.23	4.23	☐	☐	☐	
11-069	K298772	113.69	116.74	3.05	0.200	1670.0	3.25	1.11	7.51	☐	☐	☐	
11-069	K298773	116.74	119.79	3.05	0.700	4500.0	5.09	4.29	8.44	☐	☐	☐	
11-069	K298774	119.79	122.20	2.41	0.270	488.0	2.54	0.29	4.37	☐	☐	☐	
11-069	K298776	122.20	124.36	2.16	0.010	47.0	0.51	0.17	0.48	☐	☐	☐	
11-069	K298778	124.36	127.41	3.05	0.010	30.0	0.25	0.28	0.52	☐	☐	☐	
11-069	K298779	127.41	130.45	3.04	0.005	30.0	0.17	0.20	0.47	☐	☐	☐	
11-069	K298780	130.45	133.50	3.05	0.010	17.0	0.13	0.19	0.36	☐	☐	☐	
11-069	K298781	130.45	133.50	3.05	0.005	14.0	0.12	0.16	0.31	☑	☐	☐	Duplicate of 780

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-069	K298782	133.50	136.55	3.05	0.005	30.0	0.15	0.25	0.48	☐	☐	☐	
11-069	K298783	136.55	139.60	3.05	0.005	19.0	0.14	0.22	0.46	☐	☐	☐	
11-069	K298784	139.60	142.65	3.05	0.005	26.0	0.08	0.16	0.31	☐	☐	☐	
11-069	K298785	142.65	145.69	3.04	0.010	48.0	0.18	0.33	1.05	☐	☐	☐	
11-069	K298787	145.69	148.74	3.05	0.020	162.0	0.08	0.22	1.01	☐	☐	☐	
11-069	K298788	148.74	151.79	3.05	0.005	39.0	0.06	0.21	0.83	☐	☐	☐	
11-069	K298789	151.79	154.84	3.05	0.010	30.0	0.10	0.35	0.60	☐	☐	☐	
11-069	K298790	154.84	157.89	3.05	0.010	9.0	0.05	0.27	0.46	☐	☐	☐	
11-069	K298792	157.89	160.93	3.04	0.020	23.0	0.06	0.30	0.66	☐	☐	☐	end batch 69
11-076	K298793	160.93	163.98	3.05	0.005	18.0	0.09	0.40	0.55	☐	☐	☐	start batch 76
11-076	K298794	163.98	167.03	3.05	0.005	19.0	0.10	0.37	0.37	☐	☐	☐	
11-076	K298795	167.03	168.55	1.52	0.005	27.0	0.23	0.51	0.98	☐	☐	☐	
11-076	K298796	168.55	169.55	1.00	0.005	107.0	0.25	0.60	1.20	☐	☐	☐	
11-076	K298797	169.55	171.60	2.05	0.010	23.0	0.15	0.43	0.68	☐	☐	☐	
11-076	K298798	171.60	173.13	1.53	0.005	10.0	0.08	0.37	0.34	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-076	K298799	173.13	176.17	3.04	0.010	19.0	0.07	0.41	0.59	☐	☐	☐	
11-076	K298800	176.17	179.22	3.05	0.010	9.0	0.03	0.19	0.37	☐	☐	☐	
11-076	K298801	179.22	182.27	3.05	0.005	11.0	0.02	0.21	0.42	☐	☐	☐	
11-076	K298803	182.27	185.32	3.05	0.010	13.0	0.06	0.69	0.77	☐	☐	☐	
11-076	K298804	185.32	188.37	3.05	0.005	2.5	0.05	0.29	0.41	☐	☐	☐	
11-076	K298806	188.37	191.41	3.04	0.005	2.5	0.05	1.07	0.34	☐	☐	☐	
11-076	K298807	191.41	194.46	3.05	0.010	42.0	0.10	0.29	0.55	☐	☐	☐	
11-076	K298808	194.46	197.51	3.05	0.010	156.0	0.10	0.27	0.53	☐	☐	☐	
11-076	K298809	197.51	200.56	3.05	0.005	13.0	0.04	0.22	0.34	☐	☐	☐	
11-076	K298810	200.56	203.61	3.05	0.005	11.0	0.05	0.24	0.28	☐	☐	☐	
11-076	K298811	200.56	203.61	3.05	0.010	10.0	0.05	0.24	0.29	☑	☐	☐	Duplicate of 810
11-076	K298812	203.61	206.65	3.04	0.005	2.5	0.06	0.19	0.19	☐	☐	☐	
11-076	K298813	206.65	209.70	3.05	0.005	13.0	0.07	0.19	0.12	☐	☐	☐	
11-076	K298814	209.70	212.75	3.05	0.005	26.0	0.07	0.23	0.20	☐	☐	☐	
11-076	K298815	212.75	215.80	3.05	0.005	28.0	0.12	0.33	0.34	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-076	K298816	215.80	218.85	3.05	0.005	27.5	0.08	0.29	0.28	☐	☐	☐	
11-076	K298818	218.85	221.40	2.55	0.005	20.9	0.05	0.31	0.72	☐	☐	☐	
11-076	K298819	221.40	223.42	2.02	0.005	9.4	0.08	0.64	0.88	☐	☐	☐	
11-076	K298820	223.42	226.47	3.05	0.005	12.5	0.05	0.70	0.83	☐	☐	☐	
11-076	K298822	226.47	229.51	3.04	0.005	8.6	0.04	0.78	0.75	☐	☐	☐	
11-076	K298823	229.51	232.56	3.05	0.005	10.9	0.01	0.69	0.82	☐	☐	☐	
11-076	K298824	232.56	235.61	3.05	0.005	9.8	0.01	0.63	0.79	☐	☐	☐	
11-076	K298825	235.61	238.66	3.05	0.005	8.3	0.01	0.63	0.74	☐	☐	☐	
11-076	K298826	238.66	241.71	3.05	0.005	10.1	0.01	0.65	0.81	☐	☐	☐	
11-076	K298827	241.71	244.75	3.04	0.005	9.5	0.01	0.63	0.83	☐	☐	☐	
11-076	K298828	244.75	247.80	3.05	0.005	11.0	0.01	0.61	0.80	☐	☐	☐	end batch 76
11-078	K298829	247.80	250.85	3.05	0.005	9.1	0.01	0.53	0.86	☐	☐	☐	

Sample Results

OS -11-039

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-068	K296499	0.00	0.00	0.00	0.320	618.0	9.80	123.50	8.37	☐	☐	☑	NT1
11-077	K299009	0.00	0.00	0.00	0.350	578.0	8.30	118.50	7.95	☐	☐	☑	NT1
11-077	K299022	0.00	0.00	0.00	0.005	2.5	0.02	0.11	0.05	☐	☑	☐	HQ
11-077	K299025	0.00	0.00	0.00	0.350	616.0	8.70	109.00	8.06	☐	☐	☑	NT1
11-077	K299031	0.00	0.00	0.00	0.010	60.0	0.01	0.18	0.03	☐	☑	☐	HQ
11-081	K299049	0.00	0.00	0.00	2.500	580.0	4.61	107.00	4.15	☐	☐	☑	NT2
11-081	K299060	0.00	0.00	0.00	0.320	571.0	9.60	110.00	8.21	☐	☐	☑	NT1
11-081	K299065	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.03	☐	☑	☐	HQ
11-081	K299075	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-083	K299106	0.00	0.00	0.00	0.340	644.0	8.70	120.00	8.17	☐	☐	☑	NT1
11-083	K299111	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.03	☐	☑	☐	NQ
11-085	K299121	0.00	0.00	0.00	0.330	571.0	9.80	97.80	7.38	☐	☐	☑	NT1
11-068	K296480	1.34	3.35	2.01	0.020	351.0	0.37	4.54	2.09	☐	☐	☐	
11-068	K296481	3.35	6.40	3.05	0.010	466.0	0.30	6.08	1.85	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-068	K296482	6.40	9.45	3.05	0.030	721.0	0.40	6.77	0.89	☐	☐	☐	
11-068	K296483	9.45	12.50	3.05	0.020	727.0	0.29	3.74	0.70	☐	☐	☐	
11-068	K296495	12.50	15.54	3.04	0.020	355.0	0.20	1.79	0.40	☐	☐	☐	Jump in sample number
11-068	K296496	15.54	18.59	3.05	0.050	505.0	0.21	2.06	0.83	☐	☐	☐	
11-068	K296497	18.59	21.64	3.05	0.005	163.0	0.11	1.15	0.46	☐	☐	☐	
11-068	K296498	21.64	24.69	3.05	0.010	200.0	0.10	1.14	0.45	☐	☐	☐	
11-068	K296500	24.69	27.74	3.05	0.005	210.0	0.10	1.14	0.23	☐	☐	☐	
11-068	K299001	27.74	30.78	3.04	0.005	190.0	0.05	1.09	0.19	☐	☐	☐	
11-068	K299002	30.78	33.83	3.05	0.005	134.0	0.05	0.81	0.33	☐	☐	☐	
11-068	K299003	33.83	36.88	3.05	0.010	142.0	0.08	0.86	0.41	☐	☐	☐	
11-068	K299004	36.88	39.93	3.05	0.005	60.8	0.05	0.54	0.52	☐	☐	☐	end batch 68
11-077	K299005	39.93	42.98	3.05	0.005	142.0	0.11	0.94	0.60	☐	☐	☐	start batch 77
11-077	K299006	42.98	46.02	3.04	0.005	23.0	0.02	0.14	0.18	☐	☐	☐	
11-077	K299007	46.02	49.07	3.05	0.005	26.0	0.05	0.25	0.19	☐	☐	☐	
11-077	K299008	49.07	52.12	3.05	0.005	50.0	0.13	0.46	0.64	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-077	K299010	52.12	55.17	3.05	0.005	142.0	0.12	0.80	0.48	☐	☐	☐	
11-077	K299011	55.17	58.22	3.05	0.005	118.0	0.06	0.51	0.22	☐	☐	☐	
11-077	K299012	58.22	61.26	3.04	0.010	181.0	0.08	0.79	0.54	☐	☐	☐	
11-077	K299013	61.26	64.31	3.05	0.010	110.0	0.13	0.65	0.57	☐	☐	☐	
11-077	K299014	64.31	67.36	3.05	0.005	266.0	0.12	1.06	1.24	☐	☐	☐	
11-077	K299015	67.36	70.41	3.05	0.005	44.0	0.14	0.45	0.96	☐	☐	☐	
11-077	K299016	70.41	73.46	3.05	0.170	356.0	0.80	3.94	3.99	☐	☐	☐	
11-077	K299017	73.46	76.50	3.04	1.960	1560.0	5.00	34.30	35.80	☐	☐	☐	
11-077	K299018	76.50	79.55	3.05	1.260	521.0	5.00	18.50	24.80	☐	☐	☐	
11-077	K299019	79.55	82.60	3.05	0.730	343.0	3.46	13.40	12.15	☐	☐	☐	
11-077	K299020	82.60	85.65	3.05	1.420	1080.0	6.80	26.00	31.40	☐	☐	☐	
11-077	K299021	85.65	87.17	1.52	9.860	18600.0	21.10	155.00	110.50	☐	☐	☐	
11-077	K299023	87.17	88.30	1.13	9.710	80700.0	15.80	275.00	87.10	☐	☐	☐	
11-077	K299024	88.30	89.54	1.24	2.550	11150.0	3.84	27.20	15.05	☐	☐	☐	
11-077	K299026	89.54	91.95	2.41	7.890	43600.0	12.90	87.80	41.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-077	K299027	91.95	94.79	2.84	0.320	258.0	1.55	2.37	4.55	☐	☐	☐	
11-077	K299028	94.79	96.32	1.53	0.610	995.0	3.76	6.61	6.78	☐	☐	☐	
11-077	K299029	96.32	97.84	1.52	0.370	10450.0	1.68	30.90	6.91	☐	☐	☐	
11-077	K299030	97.84	99.36	1.52	0.120	3460.0	0.80	9.26	2.86	☐	☐	☐	
11-077	K299032	99.36	102.41	3.05	0.390	3140.0	1.38	8.47	3.95	☐	☐	☐	
11-077	K299033	102.41	105.46	3.05	0.020	134.0	0.78	1.54	1.67	☐	☐	☐	
11-077	K299034	102.41	105.46	3.05	0.030	83.0	0.90	1.53	1.67	☑	☐	☐	Duplicate of 033
11-077	K299035	105.46	108.51	3.05	0.100	328.0	1.02	2.23	1.54	☐	☐	☐	
11-077	K299036	108.51	111.56	3.05	0.030	97.0	0.33	0.44	0.79	☐	☐	☐	
11-077	K299037	111.56	114.60	3.04	0.020	63.0	0.27	0.48	0.64	☐	☐	☐	
11-077	K299038	114.60	117.65	3.05	0.030	354.0	0.37	0.85	0.83	☐	☐	☐	
11-077	K299039	117.65	120.70	3.05	0.070	90.0	0.74	1.05	1.25	☐	☐	☐	
11-077	K299040	120.70	122.22	1.52	0.040	95.0	0.36	0.68	0.87	☐	☐	☐	End of Batch 77
11-081	K299041	122.22	124.60	2.38	0.040	252.0	0.91	1.15	2.55	☐	☐	☐	Start of Batch 81
11-081	K299042	124.60	126.80	2.20	0.005	91.0	0.51	0.44	1.57	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-081	K299043	126.80	128.45	1.65	0.005	34.0	0.35	0.29	1.09	☐	☐	☐	
11-081	K299044	128.45	131.37	2.92	0.005	28.0	0.15	0.35	1.00	☐	☐	☐	
11-081	K299045	131.37	134.42	3.05	0.005	48.1	0.06	0.35	1.63	☐	☐	☐	
11-081	K299046	134.42	137.46	3.04	0.005	27.0	0.04	0.22	0.41	☐	☐	☐	
11-081	K299047	137.46	140.51	3.05	0.005	25.0	0.05	0.28	0.50	☐	☐	☐	
11-081	K299048	140.51	143.56	3.05	0.005	41.0	0.06	0.31	0.76	☐	☐	☐	
11-081	K299050	143.56	146.61	3.05	0.005	69.1	0.37	0.99	2.09	☐	☐	☐	
11-081	K299051	146.61	149.66	3.05	0.005	28.0	0.12	0.43	0.99	☐	☐	☐	
11-081	K299052	149.66	152.70	3.04	0.010	107.0	0.84	1.11	2.65	☐	☐	☐	
11-081	K299053	149.66	152.70	3.04	0.020	149.0	1.02	1.37	3.28	☑	☐	☐	Duplicate of 052
11-081	K299054	152.70	155.75	3.05	4.760	1030.0	8.20	21.40	33.90	☐	☐	☐	
11-081	K299055	155.75	158.80	3.05	0.005	25.0	0.20	0.36	0.99	☐	☐	☐	
11-081	K299056	158.80	161.85	3.05	0.040	43.6	0.11	0.44	1.35	☐	☐	☐	
11-081	K299057	161.85	164.90	3.05	0.005	43.3	0.12	0.50	1.29	☐	☐	☐	
11-081	K299058	164.90	167.94	3.04	0.005	32.7	0.06	0.32	0.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-081	K299059	167.94	170.99	3.05	0.005	25.0	0.07	0.31	0.57	☐	☐	☐	
11-081	K299061	170.99	174.04	3.05	0.005	45.9	0.22	0.59	1.06	☐	☐	☐	
11-081	K299062	174.04	177.09	3.05	0.005	56.0	0.32	0.42	1.44	☐	☐	☐	
11-081	K299063	177.09	178.61	1.52	0.005	227.0	1.40	1.43	2.59	☐	☐	☐	
11-081	K299064	178.61	180.14	1.53	0.010	986.0	2.54	3.08	6.17	☐	☐	☐	
11-081	K299066	180.14	183.18	3.04	0.005	184.5	0.77	0.82	1.18	☐	☐	☐	
11-081	K299067	183.18	186.23	3.05	0.005	236.0	1.13	0.98	2.93	☐	☐	☐	
11-081	K299068	186.23	187.76	1.53	0.005	378.0	1.05	1.17	1.99	☐	☐	☐	
11-081	K299069	187.76	190.80	3.04	0.005	60.6	0.69	0.75	1.72	☐	☐	☐	
11-081	K299070	190.80	193.85	3.05	0.005	250.0	0.50	0.59	1.75	☐	☐	☐	
11-081	K299071	193.85	196.90	3.05	0.005	135.0	0.27	0.55	1.35	☐	☐	☐	
11-081	K299072	196.90	199.95	3.05	0.005	116.0	0.23	0.63	1.18	☐	☐	☐	
11-081	K299073	199.95	203.00	3.05	0.005	38.0	0.16	0.43	0.76	☐	☐	☐	
11-081	K299074	203.00	206.04	3.04	0.005	30.0	0.12	0.33	0.57	☐	☐	☐	
11-081	K299076	206.04	209.09	3.05	0.005	34.0	0.13	0.40	0.66	☐	☐	☐	End of Batch 81

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-083	K299091	209.09	212.14	3.05	0.005	71.0	0.21	0.58	0.86	☐	☐	☐	Start of Batch 83 ** Jump in sample #
11-083	K299092	212.14	215.19	3.05	0.005	42.0	0.14	0.59	0.91	☐	☐	☐	
11-083	K299093	215.19	218.24	3.05	0.005	46.0	0.07	0.51	0.73	☐	☐	☐	
11-083	K299094	218.24	221.28	3.04	0.005	29.0	0.07	0.47	0.52	☐	☐	☐	
11-083	K299095	221.28	224.33	3.05	0.005	36.0	0.19	0.49	0.78	☐	☐	☐	
11-083	K299096	224.33	227.38	3.05	0.005	44.0	0.33	0.42	0.89	☐	☐	☐	
11-083	K299097	227.38	230.43	3.05	0.005	87.0	0.48	0.47	1.15	☐	☐	☐	
11-083	K299098	230.43	233.48	3.05	0.005	53.0	0.17	0.40	0.97	☐	☐	☐	
11-083	K299099	233.48	236.52	3.04	0.005	52.0	0.15	0.38	0.82	☐	☐	☐	
11-083	K299100	233.48	236.52	3.04	0.005	50.0	0.15	0.37	0.82	☑	☐	☐	Duplicate of 099
11-083	K299101	236.52	239.57	3.05	0.005	50.0	0.16	0.51	1.10	☐	☐	☐	
11-083	K299102	239.57	242.62	3.05	0.005	35.0	0.10	0.53	0.92	☐	☐	☐	
11-083	K299103	242.62	245.67	3.05	0.005	50.0	0.07	0.39	0.60	☐	☐	☐	
11-083	K299104	245.67	248.72	3.05	0.005	95.0	0.13	0.40	1.06	☐	☐	☐	
11-083	K299105	248.72	251.76	3.04	0.005	42.0	0.23	0.20	0.55	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-083	K299107	251.76	254.81	3.05	0.005	58.0	0.16	0.43	0.82	☐	☐	☐	
11-083	K299108	254.81	257.86	3.05	0.100	1575.0	1.31	1.50	3.03	☐	☐	☐	
11-083	K299109	257.86	260.91	3.05	0.005	161.0	0.26	0.83	1.44	☐	☐	☐	
11-083	K299110	260.91	263.96	3.05	0.005	45.0	0.07	0.48	0.67	☐	☐	☐	
11-083	K299112	263.96	267.00	3.04	0.005	21.0	0.07	0.53	0.68	☐	☐	☐	End of Batch 83
11-085	K299113	267.00	270.05	3.05	0.005	16.0	0.06	0.58	0.75	☐	☐	☐	Start of Batch 85
11-085	K299114	270.05	273.10	3.05	0.005	41.6	0.06	0.59	0.92	☐	☐	☐	
11-085	K299115	273.10	276.15	3.05	0.005	23.0	0.09	0.43	0.66	☐	☐	☐	
11-085	K299116	297.48	300.53	3.05	0.005	51.0	0.08	0.46	0.59	☐	☐	☐	Jump in meterage
11-085	K299117	300.53	303.58	3.05	0.005	54.0	0.13	0.51	0.68	☐	☐	☐	
11-085	K299118	303.58	306.63	3.05	0.005	40.0	0.10	0.49	0.65	☐	☐	☐	
11-085	K299119	306.63	309.68	3.05	0.005	34.8	0.11	0.51	0.77	☐	☐	☐	
11-085	K299120	309.68	312.72	3.04	0.005	32.6	0.06	0.38	0.76	☐	☐	☐	
11-085	K299122	312.72	315.77	3.05	0.005	15.9	0.05	0.57	0.64	☐	☐	☐	
11-089	K299173	315.77	318.82	3.05	0.005	19.0	0.03	3.42	0.53	☐	☐	☐	EOH

Sample Results

OS -11-040

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-078	K298831	0.00	0.00	0.00	0.005	2.5	0.10	0.03	0.02	☐	☑	☐	HQ
11-078	K298837	0.00	0.00	0.00	2.290	590.0	4.93	107.50	4.07	☐	☐	☑	NT2
11-078	K298846	0.00	0.00	0.00	0.340	611.0	9.70	119.00	8.06	☐	☐	☑	NT1
11-078	K298853	0.00	0.00	0.00	0.020	5.0	0.01	0.05	0.02	☐	☑	☐	HQ
11-086	K298866	0.00	0.00	0.00	0.010	2.5	0.01	0.10	0.01	☐	☑	☐	HQ
11-086	K298870	0.00	0.00	0.00	2.630	605.0	4.62	109.50	4.21	☐	☐	☑	NT2
11-086	K298882	0.00	0.00	0.00	0.330	610.0	9.60	121.00	8.40	☐	☐	☑	NT1
11-086	K298887	0.00	0.00	0.00	0.005	9.0	0.01	0.08	0.02	☐	☑	☐	HQ
11-087	K298904	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-078	K298830	5.25	7.01	1.76	0.020	317.0	0.16	0.39	9.05	☐	☐	☐	
11-078	K298832	7.01	10.06	3.05	0.010	257.0	0.10	0.44	6.37	☐	☐	☐	
11-078	K298833	10.06	13.11	3.05	0.010	337.0	0.08	0.43	6.46	☐	☐	☐	
11-078	K298834	13.11	16.15	3.04	0.010	640.0	0.10	0.65	7.38	☐	☐	☐	
11-078	K298835	16.15	19.20	3.05	0.010	397.0	0.20	0.64	2.93	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-078	K298836	19.20	22.25	3.05	0.005	112.5	0.16	0.45	2.36	☐	☐	☐	
11-078	K298838	22.25	25.30	3.05	0.005	94.3	0.75	1.24	5.10	☐	☐	☐	
11-078	K298839	25.30	28.35	3.05	0.070	447.0	3.09	0.85	4.31	☐	☐	☐	
11-078	K298840	28.35	31.39	3.04	0.090	293.0	1.42	0.42	2.55	☐	☐	☐	
11-078	K298841	31.39	34.44	3.05	0.300	446.0	2.83	0.67	4.29	☐	☐	☐	
11-078	K298842	34.44	37.49	3.05	0.150	661.0	2.23	0.66	4.39	☐	☐	☐	
11-078	K298843	37.49	40.54	3.05	0.170	230.0	2.33	0.56	4.96	☐	☐	☐	
11-078	K298844	40.54	43.49	2.95	0.070	161.0	1.09	0.50	2.93	☐	☐	☐	
11-078	K298845	43.49	46.63	3.14	0.030	98.0	1.43	0.55	2.11	☐	☐	☐	
11-078	K298847	46.63	49.68	3.05	0.010	89.0	0.60	0.46	1.74	☐	☐	☐	
11-078	K298848	49.68	52.73	3.05	0.010	72.0	1.49	0.70	2.31	☐	☐	☐	
11-078	K298849	52.73	55.78	3.05	0.030	269.0	1.74	0.63	2.46	☐	☐	☐	
11-078	K298850	55.78	58.82	3.04	0.240	528.0	2.51	1.35	7.29	☐	☐	☐	
11-078	K298851	58.82	61.87	3.05	0.100	165.0	1.29	0.39	2.79	☐	☐	☐	
11-078	K298852	61.87	64.92	3.05	0.240	190.0	2.18	1.06	3.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-078	K298854	64.92	67.97	3.05	0.330	408.0	2.26	0.98	5.38	☐	☐	☐	
11-078	K298855	67.97	71.02	3.05	0.630	777.0	3.48	1.92	9.13	☐	☐	☐	
11-078	K298856	71.02	74.07	3.05	0.540	746.0	7.94	4.52	18.10	☐	☐	☐	
11-078	K298857	74.07	77.11	3.04	0.570	683.0	4.29	1.22	5.61	☐	☐	☐	
11-078	K298858	77.11	80.16	3.05	0.010	106.0	0.66	0.72	1.67	☐	☐	☐	
11-078	K298859	77.11	80.16	3.05	0.020	111.0	0.65	0.72	1.59	☑	☐	☐	Duplicate of 858
11-078	K298860	80.16	83.21	3.05	0.040	444.0	1.70	1.01	5.88	☐	☐	☐	
11-078	K298861	83.21	86.26	3.05	0.040	84.0	1.45	0.34	3.94	☐	☐	☐	
11-078	K298862	86.26	89.31	3.05	0.070	116.0	2.39	0.46	3.84	☐	☐	☐	
11-078	K298863	89.31	92.35	3.04	0.120	464.0	2.76	0.55	6.02	☐	☐	☐	
11-078	K298864	92.35	95.40	3.05	0.110	541.0	7.40	0.97	11.45	☐	☐	☐	End of Batch 78
11-086	K298865	95.40	98.45	3.05	0.480	17400.0	8.10	7.21	16.15	☐	☐	☐	Start of Batch 86
11-086	K298867	98.45	101.50	3.05	1.200	11200.0	16.20	7.17	37.20	☐	☐	☐	
11-086	K298868	101.50	104.55	3.05	1.700	4680.0	21.00	3.56	59.00	☐	☐	☐	
11-086	K298869	104.55	107.59	3.04	0.470	564.0	15.20	2.56	43.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-086	K298871	107.59	110.64	3.05	1.510	1600.0	14.80	6.26	41.30	☐	☐	☐	
11-086	K298872	110.64	113.69	3.05	3.410	13150.0	40.80	29.70	105.50	☐	☐	☐	
11-086	K298873	113.69	116.74	3.05	2.940	14900.0	26.30	15.75	80.70	☐	☐	☐	
11-086	K298874	116.74	118.26	1.52	7.650	14500.0	35.30	18.40	100.50	☐	☐	☐	
11-086	K298875	118.26	119.79	1.53	12.850	9410.0	54.10	45.50	162.50	☐	☐	☐	
11-086	K298876	119.79	121.31	1.52	12.750	9300.0	52.60	28.00	145.50	☐	☐	☐	
11-086	K298877	121.31	122.83	1.52	4.550	5580.0	18.80	7.78	53.60	☐	☐	☐	
11-086	K298878	122.83	124.36	1.53	11.300	7780.0	41.10	9.47	132.00	☐	☐	☐	
11-086	K298879	124.36	125.88	1.52	5.830	5800.0	23.20	4.75	59.90	☐	☐	☐	
11-086	K298880	125.88	127.41	1.53	1.530	883.0	9.90	2.36	30.80	☐	☐	☐	
11-086	K298881	127.41	130.45	3.04	0.080	170.0	2.97	0.71	9.07	☐	☐	☐	
11-086	K298883	130.45	133.50	3.05	1.630	173.0	3.51	0.75	9.54	☐	☐	☐	
11-086	K298884	133.50	134.50	1.00	0.010	52.0	0.57	0.27	1.45	☐	☐	☐	
11-086	K298885	134.50	136.55	2.05	0.005	39.0	0.21	0.40	0.42	☐	☐	☐	
11-086	K298886	136.55	139.60	3.05	0.005	23.0	0.29	0.29	0.67	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-086	K298888	139.60	142.65	3.05	0.010	28.0	0.14	0.32	0.62	☐	☐	☐	
11-086	K298889	142.65	145.69	3.04	0.005	15.0	0.10	0.64	0.51	☐	☐	☐	
11-086	K298890	145.69	148.74	3.05	0.005	48.0	0.09	0.28	0.57	☐	☐	☐	
11-086	K298891	148.74	151.79	3.05	0.010	31.0	0.14	0.37	0.78	☐	☐	☐	
11-086	K298892	148.74	151.79	3.05	0.010	38.0	0.14	0.42	0.78	☑	☐	☐	Duplicate of 891
11-086	K298893	151.79	154.84	3.05	0.005	29.0	0.09	0.36	0.50	☐	☐	☐	
11-086	K298894	154.84	157.89	3.05	0.005	23.0	0.07	0.23	0.32	☐	☐	☐	
11-086	K298895	157.89	160.93	3.04	0.005	16.0	0.06	0.19	0.62	☐	☐	☐	
11-086	K298896	160.93	163.00	2.07	0.010	22.0	0.10	0.33	0.86	☐	☐	☐	
11-086	K298897	163.00	165.51	2.51	0.005	18.0	0.07	0.25	0.58	☐	☐	☐	
11-086	K298898	165.51	168.55	3.04	0.005	22.0	0.08	0.32	0.48	☐	☐	☐	
11-086	K298899	168.55	171.60	3.05	0.005	16.0	0.08	0.28	0.45	☐	☐	☐	
11-086	K298900	171.60	174.65	3.05	0.005	21.0	0.06	0.25	0.55	☐	☐	☐	End of Batch 86
11-087	K298901	174.65	177.70	3.05	0.005	25.0	0.09	0.42	0.70	☐	☐	☐	Start of Batch 87
11-087	K298902	177.70	180.75	3.05	0.005	28.0	0.08	0.31	0.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-087	K298903	180.75	183.79	3.04	0.005	30.0	0.10	0.30	0.59	☐	☐	☐	
11-087	K298905	183.79	186.84	3.05	0.005	67.9	0.14	0.54	0.66	☐	☐	☐	
11-087	K298906	186.84	189.89	3.05	0.005	11.5	0.02	0.54	0.96	☐	☐	☐	
11-087	K298907	189.89	192.94	3.05	0.005	13.0	0.02	0.46	0.88	☐	☐	☐	
11-087	K298908	192.94	195.99	3.05	0.005	10.0	0.02	0.44	0.82	☐	☐	☐	
11-087	K298909	195.99	199.03	3.04	0.005	13.6	0.04	0.66	0.94	☐	☐	☐	
11-087	K298910	199.03	202.08	3.05	0.005	7.3	0.02	0.54	0.88	☐	☐	☐	EOH

Sample Results

OS -11-041

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-085	K299123	0.00	3.05	3.05	0.090	539.0	0.57	5.39	2.36	☐	☐	☐	
11-085	K299124	0.00	3.05	3.05	0.080	482.0	0.61	4.86	2.25	☑	☐	☐	Duplicate of 123
11-085	K299132	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-085	K299136	0.00	0.00	0.00	0.330	584.0	10.10	105.50	7.84	☐	☐	☑	NT1
11-085	K299148	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	HQ and End of Batch 85
11-089	K299152	0.00	0.00	0.00	0.350	575.0	10.00	108.50	7.90	☐	☐	☑	NT1
11-089	K299155	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-089	K299169	0.00	0.00	0.00	2.520	567.0	5.02	99.90	3.81	☐	☐	☑	NT2
11-089	K299182	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	NQ
11-093	K299195	0.00	0.00	0.00	0.330	633.0	10.20	114.00	7.60	☐	☐	☑	NT1
11-093	K299200	0.00	0.00	0.00	7.880	1040.0	6.29	18.60	13.25	☐	☐	☑	NT3
11-093	K299202	0.00	0.00	0.00	0.005	9.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-093	K299207	0.00	0.00	0.00	0.005	30.0	0.01	0.09	0.06	☐	☑	☐	NQ
11-096	K299224	0.00	0.00	0.00	2.660	592.0	4.62	105.50	3.97	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-096	K299235	0.00	0.00	0.00	2.630	571.0	4.58	105.50	4.04	☐	☐	☑	NT2
11-096	K299240	0.00	0.00	0.00	0.005	32.0	0.03	0.09	0.04	☐	☑	☐	NQ
11-096	K299253	0.00	0.00	0.00	0.005	16.0	0.01	0.05	0.02	☐	☑	☐	NQ
11-102	K299263	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.05	☐	☑	☐	NQ
11-085	K299125	3.05	6.10	3.05	0.030	352.0	0.34	4.64	0.92	☐	☐	☐	
11-085	K299126	6.10	9.14	3.04	0.020	346.0	0.27	3.34	0.69	☐	☐	☐	
11-085	K299127	9.14	12.19	3.05	0.010	950.0	0.23	5.97	0.66	☐	☐	☐	
11-085	K299128	12.19	15.24	3.05	0.005	637.0	0.16	3.34	0.65	☐	☐	☐	
11-085	K299129	15.24	18.29	3.05	0.005	370.0	0.10	1.72	0.27	☐	☐	☐	
11-085	K299130	18.29	21.34	3.05	0.005	681.0	0.14	3.73	0.54	☐	☐	☐	
11-085	K299131	21.34	24.38	3.04	0.010	706.0	0.10	2.21	0.34	☐	☐	☐	
11-085	K299133	24.38	27.43	3.05	0.005	183.0	0.07	0.61	0.13	☐	☐	☐	
11-085	K299134	27.43	30.48	3.05	0.005	300.0	0.07	0.59	0.12	☐	☐	☐	
11-085	K299135	30.48	33.53	3.05	0.005	134.0	0.11	0.41	0.30	☐	☐	☐	
11-085	K299137	33.53	36.58	3.05	0.005	122.0	0.26	0.83	0.74	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-085	K299138	36.58	39.62	3.04	0.005	31.0	0.17	0.46	0.55	☐	☐	☐	
11-085	K299139	39.62	42.67	3.05	0.005	29.0	0.10	0.31	0.18	☐	☐	☐	
11-085	K299140	42.67	45.72	3.05	0.005	13.0	0.08	0.17	0.10	☐	☐	☐	
11-085	K299141	45.72	48.77	3.05	0.005	44.0	0.06	0.28	0.27	☐	☐	☐	
11-085	K299142	48.77	51.82	3.05	0.005	70.0	0.07	0.27	0.24	☐	☐	☐	
11-085	K299143	51.82	54.86	3.04	0.005	50.0	0.14	0.26	0.35	☐	☐	☐	
11-085	K299144	54.86	57.91	3.05	0.005	35.0	0.09	0.22	0.26	☐	☐	☐	
11-085	K299145	57.91	60.96	3.05	0.005	386.0	0.04	0.50	0.20	☐	☐	☐	
11-085	K299146	60.96	64.01	3.05	0.030	457.0	0.06	0.73	0.38	☐	☐	☐	
11-085	K299147	64.01	67.06	3.05	0.005	170.0	0.06	0.39	0.22	☐	☐	☐	
11-089	K299149	67.06	70.10	3.04	0.005	133.0	0.04	0.40	0.37	☐	☐	☐	Start of Batch 89
11-089	K299150	70.10	73.15	3.05	0.005	262.0	0.07	0.69	0.49	☐	☐	☐	
11-089	K299151	73.15	76.20	3.05	0.005	147.0	0.04	0.44	0.32	☐	☐	☐	
11-089	K299153	76.20	79.25	3.05	0.010	340.0	0.06	1.58	0.69	☐	☐	☐	
11-089	K299154	79.25	82.30	3.05	0.005	68.0	0.08	0.35	0.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-089	K299156	82.30	85.34	3.04	0.005	31.0	0.06	0.12	0.22	☐	☐	☐	
11-089	K299157	85.34	88.39	3.05	0.005	41.0	0.04	0.19	0.23	☐	☐	☐	
11-089	K299158	88.39	91.44	3.05	0.005	150.0	0.08	0.87	0.32	☐	☐	☐	
11-089	K299159	91.44	94.49	3.05	0.010	84.0	0.07	4.03	0.17	☐	☐	☐	
11-089	K299160	94.49	97.54	3.05	0.005	32.0	0.04	4.66	0.23	☐	☐	☐	
11-089	K299161	97.54	100.58	3.04	0.005	41.0	0.07	0.47	0.39	☐	☐	☐	
11-089	K299162	100.58	103.63	3.05	0.010	51.3	0.15	0.32	0.57	☐	☐	☐	
11-089	K299163	103.63	106.68	3.05	0.005	31.0	0.09	0.28	0.33	☐	☐	☐	
11-089	K299164	106.68	109.73	3.05	0.005	41.0	0.07	1.51	0.38	☐	☐	☐	
11-089	K299165	109.73	112.78	3.05	0.005	12.0	0.02	0.56	0.12	☐	☐	☐	
11-089	K299166	109.73	112.78	3.05	0.005	30.0	0.03	0.23	0.17	☑	☐	☐	Duplicate of 165
11-089	K299167	112.78	115.82	3.04	0.005	19.0	0.05	0.17	0.09	☐	☐	☐	
11-089	K299168	115.82	118.87	3.05	0.005	16.0	0.09	0.15	0.13	☐	☐	☐	
11-089	K299170	118.87	121.92	3.05	0.005	29.0	0.10	0.52	0.21	☐	☐	☐	
11-089	K299171	121.92	124.97	3.05	0.005	21.0	0.07	0.19	0.19	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-089	K299172	124.97	128.02	3.05	0.005	15.0	0.11	0.37	0.26	☐	☐	☐	
11-089	K299174	128.02	129.59	1.57	0.005	13.0	0.10	0.41	0.17	☐	☐	☐	
11-089	K299175	129.59	132.59	3.00	0.005	17.0	0.13	0.24	0.36	☐	☐	☐	
11-089	K299176	132.59	135.64	3.05	0.005	18.0	0.09	0.18	0.22	☐	☐	☐	
11-089	K299177	135.64	138.68	3.04	0.010	84.0	0.22	0.39	1.00	☐	☐	☐	
11-089	K299178	138.68	141.73	3.05	0.010	154.0	0.36	0.87	1.41	☐	☐	☐	
11-089	K299179	141.73	144.78	3.05	0.010	113.0	0.24	0.53	0.91	☐	☐	☐	
11-089	K299180	144.78	147.83	3.05	0.005	116.0	0.38	0.32	0.95	☐	☐	☐	
11-089	K299181	147.83	150.88	3.05	0.005	361.0	0.50	0.98	1.04	☐	☐	☐	
11-089	K299183	150.88	153.92	3.04	0.010	99.0	0.82	0.79	0.98	☐	☐	☐	
11-089	K299184	153.92	156.97	3.05	0.005	45.0	0.38	0.24	0.37	☐	☐	☐	End of Batch 89
11-093	K299185	156.97	160.02	3.05	0.010	93.0	0.50	2.53	0.87	☐	☐	☐	Start of Batch 93
11-093	K299186	160.02	163.07	3.05	0.050	175.0	0.94	1.54	2.34	☐	☐	☐	
11-093	K299187	163.07	166.12	3.05	0.030	82.0	0.29	1.07	0.78	☐	☐	☐	
11-093	K299188	166.12	169.16	3.04	0.020	109.0	0.11	0.43	0.67	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-093	K299189	169.16	172.21	3.05	0.005	15.0	0.03	0.27	0.11	☐	☐	☐	
11-093	K299190	172.21	175.26	3.05	0.005	24.0	0.03	0.17	0.07	☐	☐	☐	
11-093	K299191	175.26	178.31	3.05	0.005	40.0	0.05	0.24	0.18	☐	☐	☐	
11-093	K299192	175.26	178.31	3.05	0.005	32.0	0.05	0.22	0.19	☑	☐	☐	Duplicate of 191
11-093	K299193	178.31	181.36	3.05	0.005	18.0	0.05	0.17	0.14	☐	☐	☐	
11-093	K299194	181.36	184.40	3.04	0.005	35.0	0.04	0.15	0.17	☐	☐	☐	
11-093	K299196	184.40	187.45	3.05	0.005	36.0	0.10	0.28	0.34	☐	☐	☐	
11-093	K299197	187.45	190.50	3.05	0.005	31.0	0.10	0.17	0.20	☐	☐	☐	
11-093	K299198	190.50	192.90	2.40	0.005	41.0	0.35	0.28	0.42	☐	☐	☐	
11-093	K299199	192.90	193.85	0.95	0.010	510.0	2.09	2.28	1.59	☐	☐	☐	
11-093	K299201	193.85	194.59	0.74	0.470	48900.0	4.02	73.40	8.44	☐	☐	☐	
11-093	K299203	194.59	196.28	1.69	0.090	3460.0	0.88	4.96	1.77	☐	☐	☐	
11-093	K299204	196.28	197.45	1.17	0.310	17950.0	2.29	19.40	5.42	☐	☐	☐	
11-093	K299205	197.45	198.80	1.35	0.450	9590.0	6.86	13.35	18.35	☐	☐	☐	
11-093	K299206	198.80	199.75	0.95	0.010	643.0	2.53	1.66	6.23	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-093	K299208	199.75	200.65	0.90	0.005	562.0	2.09	3.32	3.65	☐	☐	☐	
11-093	K299209	200.65	202.69	2.04	0.005	191.5	0.55	0.48	2.06	☐	☐	☐	
11-093	K299210	202.69	205.74	3.05	0.005	137.0	0.41	0.49	1.77	☐	☐	☐	
11-093	K299211	205.74	208.79	3.05	0.005	67.8	0.60	0.44	2.53	☐	☐	☐	
11-093	K299212	208.79	211.84	3.05	0.005	61.0	0.30	0.37	1.49	☐	☐	☐	
11-093	K299213	211.84	214.88	3.04	0.005	40.0	0.07	0.18	0.61	☐	☐	☐	
11-093	K299214	214.88	217.93	3.05	0.005	37.0	0.08	0.24	0.65	☐	☐	☐	
11-093	K299215	217.93	220.98	3.05	0.005	40.0	0.05	0.28	0.66	☐	☐	☐	
11-093	K299216	220.98	224.03	3.05	0.005	17.0	0.03	0.20	0.46	☐	☐	☐	
11-093	K299217	224.03	227.08	3.05	0.005	25.0	0.05	0.46	0.62	☐	☐	☐	
11-093	K299218	227.08	230.12	3.04	0.005	24.0	0.04	0.41	0.64	☐	☐	☐	
11-093	K299219	230.12	233.17	3.05	0.010	24.3	0.05	0.42	0.73	☐	☐	☐	
11-093	K299220	233.17	236.22	3.05	0.005	37.2	0.07	0.58	0.89	☐	☐	☐	End of Batch 93
11-096	K299221	236.22	239.27	3.05	0.005	42.7	0.19	0.92	1.09	☐	☐	☐	Start of Batch 96
11-096	K299222	239.27	242.32	3.05	0.005	34.0	0.14	0.51	0.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-096	K299223	242.32	245.36	3.04	0.005	38.0	0.06	0.37	0.63	☐	☐	☐	
11-096	K299225	245.36	248.41	3.05	0.005	37.0	0.11	0.49	0.74	☐	☐	☐	
11-096	K299226	248.41	251.46	3.05	0.005	102.5	0.25	0.64	1.45	☐	☐	☐	
11-096	K299227	248.41	251.46	3.05	0.005	93.9	0.24	0.62	1.35	☑	☐	☐	Duplicate of 226
11-096	K299228	251.46	254.51	3.05	0.005	89.5	0.39	0.55	1.31	☐	☐	☐	
11-096	K299229	254.51	257.56	3.05	0.005	114.5	0.66	0.59	1.60	☐	☐	☐	
11-096	K299230	257.56	260.60	3.04	0.005	80.0	0.55	0.33	1.06	☐	☐	☐	
11-096	K299231	260.60	263.65	3.05	0.020	47.0	0.32	0.25	1.02	☐	☐	☐	
11-096	K299232	263.65	266.70	3.05	0.005	54.0	1.03	0.31	1.37	☐	☐	☐	
11-096	K299233	266.70	269.75	3.05	0.005	41.0	0.74	0.29	1.13	☐	☐	☐	
11-096	K299234	269.75	272.80	3.05	0.005	118.0	2.28	1.20	2.92	☐	☐	☐	
11-096	K299236	272.80	275.84	3.04	0.005	110.0	0.74	0.78	1.31	☐	☐	☐	
11-096	K299237	275.84	278.89	3.05	0.005	273.0	2.23	2.61	4.68	☐	☐	☐	
11-096	K299238	278.89	280.50	1.61	0.040	651.0	2.06	2.33	3.65	☐	☐	☐	
11-096	K299239	280.50	281.55	1.05	1.010	22800.0	17.80	31.20	34.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-096	K299241	281.55	283.00	1.45	0.400	8430.0	12.60	16.10	24.90	☐	☐	☐	
11-096	K299242	283.00	284.99	1.99	0.810	13050.0	12.30	23.00	25.00	☐	☐	☐	
11-096	K299243	284.99	288.09	3.10	0.730	11600.0	5.06	21.30	12.15	☐	☐	☐	
11-096	K299244	288.09	291.08	2.99	1.320	6960.0	4.82	13.90	12.85	☐	☐	☐	
11-096	K299245	291.08	294.13	3.05	0.990	5680.0	3.80	9.44	9.88	☐	☐	☐	
11-096	K299246	294.13	297.18	3.05	0.550	4020.0	3.64	8.27	9.61	☐	☐	☐	
11-096	K299247	297.18	300.23	3.05	0.440	5240.0	5.68	12.85	15.00	☐	☐	☐	
11-096	K299248	300.23	303.28	3.05	0.080	1390.0	1.76	3.13	3.25	☐	☐	☐	
11-096	K299249	303.28	306.32	3.04	0.050	955.0	1.81	2.39	2.40	☐	☐	☐	
11-096	K299250	306.32	309.37	3.05	0.010	93.0	0.93	0.46	1.43	☐	☐	☐	
11-096	K299251	309.37	312.42	3.05	0.030	928.0	0.62	1.77	1.26	☐	☐	☐	
11-096	K299252	312.42	315.47	3.05	0.020	3580.0	0.69	6.13	1.88	☐	☐	☐	
11-096	K299254	315.47	318.52	3.05	0.020	749.0	0.65	1.48	1.15	☐	☐	☐	
11-096	K299255	318.52	321.56	3.04	0.040	2960.0	0.93	3.36	1.44	☐	☐	☐	
11-096	K299256	321.56	324.61	3.05	0.050	2950.0	1.12	4.67	1.99	☐	☐	☐	End of Batch 96

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-102	K299257	324.61	327.66	3.05	0.070	2030.0	0.56	2.81	0.77	☐	☐	☐	Start of Batch 102
11-102	K299258	327.66	330.71	3.05	0.010	694.0	0.52	1.37	0.68	☐	☐	☐	
11-102	K299259	330.71	333.76	3.05	0.040	1100.0	1.45	2.56	1.50	☐	☐	☐	
11-102	K299260	333.76	336.80	3.04	0.005	346.0	0.45	0.84	0.83	☐	☐	☐	
11-102	K299261	336.80	339.85	3.05	0.005	63.0	0.36	0.62	0.60	☐	☐	☐	
11-102	K299262	339.85	342.90	3.05	0.005	116.0	0.61	0.64	1.56	☐	☐	☐	
11-102	K299264	342.90	345.95	3.05	0.050	718.0	1.33	1.42	2.69	☐	☐	☐	
11-102	K299265	345.95	349.00	3.05	0.020	650.0	1.22	1.70	1.90	☐	☐	☐	
11-102	K299266	345.95	349.00	3.05	0.030	680.0	1.53	1.60	2.42	☑	☐	☐	Duplicate of 265
11-102	K299267	349.00	352.04	3.04	0.020	227.0	3.32	1.27	3.38	☐	☐	☐	
11-102	K299268	352.04	355.09	3.05	0.005	62.0	0.38	0.38	1.13	☐	☐	☐	
11-102	K299269	355.09	358.14	3.05	0.005	11.0	0.02	0.07	0.16	☐	☐	☐	
11-102	K299270	358.14	361.19	3.05	0.005	25.0	0.05	0.23	0.60	☐	☐	☐	
11-102	K299271	361.19	364.24	3.05	0.005	75.0	0.08	0.32	0.83	☐	☐	☐	
11-102	K299272	364.24	367.28	3.04	0.005	30.0	0.07	0.25	0.49	☐	☐	☐	EOH

Sample Results

OS -11-042

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-084	K299744	0.00	0.00	0.00	0.370	622.0	8.80	120.50	7.90	☐	☐	☑	NT1
11-084	K299750	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	HQ
11-088	K299767	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-088	K299779	0.00	0.00	0.00	2.590	565.0	4.45	97.70	3.93	☐	☐	☑	NT2
11-088	K299785	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.07	☐	☑	☐	HQ
11-088	K299794	0.00	0.00	0.00	16.250	1220.0	6.05	147.00	3.55	☐	☐	☑	NT4
11-091	K299805	0.00	0.00	0.00	7.810	951.0	5.33	17.65	12.50	☐	☐	☑	NT3
11-091	K299811	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.03	☐	☑	☐	HQ
11-091	K299824	0.00	0.00	0.00	0.005	2.5	0.02	0.06	0.03	☐	☑	☐	NQ
11-091	K299831	0.00	0.00	0.00	2.590	557.0	4.30	99.80	3.87	☐	☐	☑	NT2
11-092	K299835	0.00	0.00	0.00	0.330	626.0	9.60	114.00	7.89	☐	☐	☑	NT1
11-092	K299847	0.00	0.00	0.00	0.005	7.0	0.01	0.05	0.03	☐	☑	☐	NQ
11-092	K299850	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-092	K299867	0.00	0.00	0.00	2.630	601.0	4.51	105.50	4.23	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-095	K299885	0.00	0.00	0.00	16.300	1340.0	4.62	156.00	3.64	☐	☐	☑	NT4
11-095	K299891	0.00	0.00	0.00	0.005	24.0	0.01	0.10	0.07	☐	☑	☐	NQ
11-095	K299894	0.00	0.00	0.00	0.330	635.0	9.30	117.00	8.11	☐	☐	☑	NT1
11-095	K299902	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-099	K299918	0.00	0.00	0.00	0.330	612.0	8.20	112.00	7.96	☐	☐	☑	NT1
11-099	K299922	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.01	☐	☑	☐	NQ
11-084	K299742	4.45	6.10	1.65	0.005	13.4	0.29	0.44	0.78	☐	☐	☐	
11-084	K299743	6.10	9.14	3.04	0.005	15.0	0.26	0.53	0.97	☐	☐	☐	
11-084	K299745	9.14	12.19	3.05	0.005	24.2	0.12	0.73	0.77	☐	☐	☐	
11-084	K299746	12.19	15.24	3.05	0.005	63.5	0.13	0.78	0.96	☐	☐	☐	
11-084	K299747	15.24	18.29	3.05	0.005	117.5	0.46	0.96	1.73	☐	☐	☐	
11-084	K299748	18.29	21.34	3.05	0.050	727.0	1.31	1.62	3.16	☐	☐	☐	
11-084	K299749	21.34	24.38	3.04	0.005	8.8	0.11	0.24	0.36	☐	☐	☐	
11-084	K299751	24.38	27.43	3.05	0.005	6.1	0.13	0.25	0.40	☐	☐	☐	
11-084	K299752	27.43	30.48	3.05	0.005	7.2	0.09	0.25	0.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-084	K299753	30.48	33.53	3.05	0.005	9.2	0.14	0.37	0.42	☐	☐	☐	
11-084	K299754	33.53	36.58	3.05	0.005	15.0	0.12	0.60	0.48	☐	☐	☐	
11-084	K299755	36.58	39.62	3.04	0.005	24.5	0.19	0.79	0.66	☐	☐	☐	
11-084	K299756	39.62	42.67	3.05	0.005	346.0	1.13	1.16	3.39	☐	☐	☐	
11-084	K299757	42.67	45.72	3.05	0.010	405.0	3.10	1.70	2.94	☐	☐	☐	
11-084	K299758	45.72	48.77	3.05	0.005	50.7	0.19	0.51	1.63	☐	☐	☐	
11-084	K299759	48.77	51.82	3.05	0.005	61.7	0.21	0.42	1.13	☐	☐	☐	
11-084	K299760	51.82	53.34	1.52	0.005	217.0	0.49	1.29	1.44	☐	☐	☐	
11-084	K299761	51.82	53.34	1.52	0.005	278.0	0.55	1.54	1.60	☑	☐	☐	Duplicate of 760 and End of Batch 84
11-088	K299762	53.34	56.39	3.05	0.010	301.0	1.18	1.72	3.09	☐	☐	☐	Start of Batch 89
11-088	K299763	56.39	59.44	3.05	0.005	59.5	0.91	0.59	3.39	☐	☐	☐	
11-088	K299764	59.44	62.48	3.04	0.005	40.0	0.25	0.47	1.42	☐	☐	☐	
11-088	K299765	62.48	65.53	3.05	0.005	35.1	0.32	0.68	1.65	☐	☐	☐	
11-088	K299766	65.53	68.58	3.05	0.010	20.4	0.11	0.49	1.23	☐	☐	☐	
11-088	K299768	68.58	71.63	3.05	0.005	13.8	0.08	0.41	1.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-088	K299769	71.63	73.40	1.77	0.005	44.4	0.17	0.69	1.80	☐	☐	☐	
11-088	K299770	73.40	74.68	1.28	0.005	50.1	0.07	0.36	0.84	☐	☐	☐	
11-088	K299771	74.68	77.72	3.04	0.005	20.2	0.16	0.35	0.89	☐	☐	☐	
11-088	K299772	77.72	80.77	3.05	0.005	25.3	0.17	0.33	1.02	☐	☐	☐	
11-088	K299773	77.72	80.77	3.05	0.005	22.6	0.16	0.32	0.93	☑	☐	☐	Duplicate of 772
11-088	K299774	80.77	82.30	1.53	0.005	47.7	0.54	0.39	2.69	☐	☐	☐	
11-088	K299775	82.30	83.82	1.52	0.020	286.0	1.10	1.72	4.28	☐	☐	☐	
11-088	K299776	83.82	85.34	1.52	0.005	75.8	1.32	1.36	5.28	☐	☐	☐	
11-088	K299777	85.34	88.39	3.05	0.030	97.5	0.74	1.04	5.02	☐	☐	☐	
11-088	K299778	88.39	91.44	3.05	0.020	47.6	0.25	0.88	4.19	☐	☐	☐	
11-088	K299780	91.44	94.49	3.05	0.020	116.0	1.69	1.30	4.83	☐	☐	☐	
11-088	K299781	94.49	97.54	3.05	0.005	134.5	2.31	0.67	6.03	☐	☐	☐	
11-088	K299782	97.54	100.58	3.04	0.005	92.1	0.70	0.39	1.84	☐	☐	☐	
11-088	K299783	100.58	103.63	3.05	0.005	42.4	0.82	0.24	2.87	☐	☐	☐	
11-088	K299784	103.63	105.16	1.53	0.005	98.9	5.76	1.03	9.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-088	K299786	105.16	107.40	2.24	0.490	4310.0	4.79	5.57	11.80	☐	☐	☐	
11-088	K299787	107.40	108.30	0.90	0.005	36.0	0.61	0.43	0.87	☐	☐	☐	
11-088	K299788	108.30	109.73	1.43	0.005	123.0	1.48	0.70	4.05	☐	☐	☐	
11-088	K299789	109.73	111.50	1.77	0.005	95.1	1.52	0.60	5.44	☐	☐	☐	
11-088	K299790	111.50	112.78	1.28	0.040	363.0	1.40	1.08	1.76	☐	☐	☐	
11-088	K299791	112.78	114.00	1.22	0.030	263.0	1.15	2.37	1.98	☐	☐	☐	
11-088	K299792	114.00	116.00	2.00	0.005	148.5	2.83	0.73	4.14	☐	☐	☐	
11-088	K299793	116.00	118.45	2.45	0.080	621.0	3.59	2.26	20.50	☐	☐	☐	
11-088	K299795	118.45	119.40	0.95	0.010	319.0	1.09	1.46	14.20	☐	☐	☐	
11-088	K299796	119.40	120.00	0.60	0.010	366.0	1.99	0.75	17.15	☐	☐	☐	
11-088	K299797	120.00	120.90	0.90	0.010	169.0	0.30	0.59	4.27	☐	☐	☐	End of Batch 88
11-091	K299798	120.90	121.40	0.50	0.005	303.0	1.81	1.36	31.60	☐	☐	☐	Start of Batch 91
11-091	K299799	121.40	123.44	2.04	0.005	321.0	2.33	1.29	21.60	☐	☐	☐	
11-091	K299800	123.44	124.97	1.53	0.710	8910.0	9.60	12.85	31.20	☐	☐	☐	
11-091	K299801	124.97	126.49	1.52	0.020	627.0	2.69	2.32	17.65	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-091	K299802	126.49	128.50	2.01	0.005	128.0	1.00	0.49	7.58	☐	☐	☐	
11-091	K299803	128.50	131.06	2.56	0.005	723.0	3.07	2.32	19.80	☐	☐	☐	
11-091	K299804	131.06	133.00	1.94	0.005	191.5	2.35	1.17	21.40	☐	☐	☐	
11-091	K299806	133.00	134.80	1.80	0.005	253.0	1.45	0.68	27.40	☐	☐	☐	
11-091	K299807	134.80	135.69	0.89	0.005	65.5	0.92	0.54	20.00	☐	☐	☐	
11-091	K299808	135.69	138.68	2.99	0.005	101.0	0.35	0.61	11.60	☐	☐	☐	
11-091	K299809	138.68	141.73	3.05	0.005	99.4	1.02	0.56	12.15	☐	☐	☐	
11-091	K299810	141.73	143.26	1.53	0.020	263.0	1.73	0.80	4.35	☐	☐	☐	
11-091	K299812	143.26	144.00	0.74	0.160	434.0	3.05	3.59	5.59	☐	☐	☐	
11-091	K299813	144.00	146.30	2.30	2.910	8100.0	8.60	34.60	28.30	☐	☐	☐	
11-091	K299814	146.30	148.50	2.20	0.080	336.0	2.99	3.30	6.23	☐	☐	☐	
11-091	K299815	148.50	150.88	2.38	3.640	7670.0	8.70	43.30	31.10	☐	☐	☐	
11-091	K299816	150.88	152.40	1.52	1.470	4870.0	8.00	39.00	30.40	☐	☐	☐	
11-091	K299817	152.40	153.92	1.52	1.910	2630.0	7.90	36.50	37.10	☐	☐	☐	
11-091	K299818	153.92	155.45	1.53	7.670	31100.0	20.10	155.00	95.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-091	K299819	155.45	156.97	1.52	0.740	1210.0	4.04	13.75	12.65	☐	☐	☐	
11-091	K299820	156.97	160.02	3.05	0.050	434.0	1.46	1.66	4.05	☐	☐	☐	
11-091	K299821	156.97	160.02	3.05	0.040	430.0	1.44	1.43	4.24	☑	☐	☐	Duplicate of 820
11-091	K299822	160.02	163.07	3.05	0.070	282.0	2.91	3.31	6.55	☐	☐	☐	
11-091	K299823	163.07	164.59	1.52	0.150	328.0	3.90	5.28	9.51	☐	☐	☐	
11-091	K299825	164.59	167.64	3.05	0.100	263.0	2.27	2.57	4.83	☐	☐	☐	
11-091	K299826	167.64	168.15	0.51	0.070	235.0	1.84	2.40	4.31	☐	☐	☐	
11-091	K299827	168.15	169.40	1.25	0.480	2390.0	2.78	11.25	9.77	☐	☐	☐	
11-091	K299828	169.40	170.69	1.29	0.220	522.0	3.11	7.34	11.00	☐	☐	☐	
11-091	K299829	170.69	173.74	3.05	1.130	1070.0	5.36	9.27	17.40	☐	☐	☐	
11-091	K299830	173.74	176.78	3.04	0.320	581.0	4.26	8.31	14.65	☐	☐	☐	
11-091	K299832	176.78	179.83	3.05	0.590	2320.0	4.19	5.91	10.30	☐	☐	☐	
11-091	K299833	179.83	182.88	3.05	0.080	474.0	2.19	2.80	4.70	☐	☐	☐	End of Batch 91
11-092	K299834	182.88	184.90	2.02	0.005	313.0	1.70	0.90	4.16	☐	☐	☐	Start of Batch 92
11-092	K299836	184.90	185.93	1.03	0.005	107.0	1.53	0.66	4.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-092	K299837	185.93	188.98	3.05	0.005	139.0	1.52	0.58	5.34	☐	☐	☐	
11-092	K299838	188.98	192.02	3.04	0.040	638.0	3.93	2.70	11.20	☐	☐	☐	
11-092	K299839	192.02	195.07	3.05	0.320	1220.0	6.74	7.84	18.40	☐	☐	☐	
11-092	K299840	195.07	197.05	1.98	0.130	3700.0	6.71	10.20	19.30	☐	☐	☐	
11-092	K299841	197.05	198.12	1.07	3.060	4210.0	11.40	23.30	35.50	☐	☐	☐	
11-092	K299842	198.12	200.52	2.40	0.350	550.0	4.04	4.62	9.45	☐	☐	☐	
11-092	K299843	200.52	201.90	1.38	12.950	14250.0	17.10	73.70	76.70	☐	☐	☐	
11-092	K299844	201.90	204.22	2.32	0.240	357.0	2.45	3.91	6.23	☐	☐	☐	
11-092	K299845	204.22	207.26	3.04	1.110	1165.0	2.65	4.09	8.01	☐	☐	☐	
11-092	K299846	207.26	210.31	3.05	0.005	102.0	1.10	1.03	4.54	☐	☐	☐	
11-092	K299848	210.31	213.36	3.05	0.005	88.5	0.59	0.69	2.58	☐	☐	☐	
11-092	K299849	213.36	215.19	1.83	0.005	58.1	1.68	0.55	6.46	☐	☐	☐	
11-092	K299851	215.19	216.41	1.22	0.005	103.0	1.11	0.61	2.87	☐	☐	☐	
11-092	K299852	216.41	219.46	3.05	3.020	1990.0	15.60	24.90	42.40	☐	☐	☐	
11-092	K299853	219.46	220.80	1.34	0.100	431.0	4.73	4.25	12.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-092	K299854	220.80	222.50	1.70	13.100	9870.0	30.20	106.50	124.00	☐	☐	☐	
11-092	K299855	222.50	225.55	3.05	0.180	617.0	5.29	4.87	16.15	☐	☐	☐	
11-092	K299856	225.55	227.30	1.75	0.005	136.5	1.53	0.56	3.97	☐	☐	☐	
11-092	K299857	225.55	227.30	1.75	0.005	159.0	1.59	0.60	4.03	☑	☐	☐	Duplicate of 856
11-092	K299858	227.30	229.35	2.05	0.005	107.0	1.51	0.70	4.37	☐	☐	☐	
11-092	K299859	229.35	231.65	2.30	0.005	181.5	2.43	1.70	6.78	☐	☐	☐	
11-092	K299860	231.65	234.70	3.05	0.005	192.0	2.17	1.01	6.44	☐	☐	☐	
11-092	K299861	234.70	237.64	2.94	0.005	270.0	0.95	0.96	3.42	☐	☐	☐	
11-092	K299862	237.64	239.00	1.36	0.005	84.0	0.36	0.64	1.27	☐	☐	☐	
11-092	K299863	239.00	240.79	1.79	0.010	345.0	0.76	0.51	2.03	☐	☐	☐	
11-092	K299864	240.79	243.84	3.05	0.005	118.0	1.20	0.54	2.29	☐	☐	☐	
11-092	K299865	243.84	246.89	3.05	0.005	50.0	1.52	0.50	2.50	☐	☐	☐	
11-092	K299866	246.89	249.94	3.05	0.005	33.0	1.12	0.43	2.10	☐	☐	☐	
11-092	K299868	249.94	252.98	3.04	0.005	20.0	0.63	0.50	1.78	☐	☐	☐	
11-092	K299869	252.98	256.03	3.05	0.005	20.0	0.61	0.30	1.18	☐	☐	☐	End of Batch 92

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-095	K299870	256.03	259.08	3.05	0.005	12.0	0.28	0.23	0.85	☐	☐	☐	Start of Batch 95
11-095	K299871	259.08	262.13	3.05	0.005	28.0	0.39	0.42	1.65	☐	☐	☐	
11-095	K299872	262.13	265.18	3.05	0.005	22.0	0.33	0.31	1.03	☐	☐	☐	
11-095	K299873	265.18	268.22	3.04	0.005	22.0	0.28	0.30	1.07	☐	☐	☐	
11-095	K299874	268.22	271.27	3.05	0.005	13.0	0.20	0.39	1.28	☐	☐	☐	
11-095	K299875	268.22	271.27	3.05	0.005	6.0	0.20	0.36	1.21	☑	☐	☐	Duplicate of 874
11-095	K299876	271.27	274.32	3.05	0.005	5.0	0.21	0.25	1.04	☐	☐	☐	
11-095	K299877	274.32	277.37	3.05	0.005	44.0	0.73	0.36	1.92	☐	☐	☐	
11-095	K299878	277.37	279.37	2.00	0.005	76.0	0.29	0.28	0.76	☐	☐	☐	
11-095	K299879	279.37	282.00	2.63	0.005	171.0	0.75	0.42	2.38	☐	☐	☐	
11-095	K299880	282.00	283.97	1.97	0.020	251.0	1.49	0.76	3.60	☐	☐	☐	
11-095	K299881	283.97	286.05	2.08	0.090	276.0	2.49	1.87	5.07	☐	☐	☐	
11-095	K299882	286.05	287.50	1.45	2.130	1220.0	9.30	10.70	22.80	☐	☐	☐	
11-095	K299883	287.50	289.56	2.06	0.550	697.0	4.80	5.23	11.80	☐	☐	☐	
11-095	K299884	289.56	292.61	3.05	0.340	509.0	4.93	4.69	9.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-095	K299886	292.61	295.00	2.39	0.610	894.0	4.36	5.46	10.35	☐	☐	☐	
11-095	K299887	295.00	295.66	0.66	2.130	5510.0	7.90	27.60	28.60	☐	☐	☐	
11-095	K299888	295.66	297.00	1.34	5.210	36700.0	9.20	87.00	31.80	☐	☐	☐	
11-095	K299889	297.00	298.70	1.70	4.990	17350.0	17.60	47.30	58.10	☐	☐	☐	
11-095	K299890	298.70	300.60	1.90	1.250	3510.0	8.50	12.00	23.40	☐	☐	☐	
11-095	K299892	300.60	301.75	1.15	0.050	395.0	2.03	1.97	5.57	☐	☐	☐	
11-095	K299893	301.75	304.15	2.40	0.010	295.0	2.30	1.12	5.52	☐	☐	☐	
11-095	K299895	304.15	307.20	3.05	0.020	344.0	1.80	1.44	4.49	☐	☐	☐	
11-095	K299896	307.20	309.00	1.80	0.010	105.5	1.22	0.75	8.26	☐	☐	☐	
11-095	K299897	309.00	310.90	1.90	0.300	684.0	1.44	2.64	6.36	☐	☐	☐	
11-095	K299898	310.90	313.94	3.04	0.010	278.0	0.80	1.30	5.85	☐	☐	☐	
11-095	K299899	313.94	316.99	3.05	0.220	819.0	1.71	3.36	6.59	☐	☐	☐	
11-095	K299900	316.99	320.04	3.05	0.010	283.0	1.07	1.11	3.73	☐	☐	☐	
11-095	K299901	320.04	323.09	3.05	0.010	244.0	1.47	1.15	5.07	☐	☐	☐	
11-095	K299903	323.09	326.00	2.91	0.440	1275.0	3.59	5.78	11.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-095	K299904	326.00	328.35	2.35	2.490	5040.0	7.00	18.65	21.20	☐	☐	☐	
11-095	K299905	328.35	329.18	0.83	0.110	1050.0	1.96	3.87	9.55	☐	☐	☐	End of Batch 95
11-099	K299906	329.18	332.23	3.05	0.005	218.0	0.36	0.76	3.85	☐	☐	☐	Start of Batch 99
11-099	K299907	332.23	335.28	3.05	0.040	643.0	0.85	1.85	4.57	☐	☐	☐	
11-099	K299908	335.28	338.33	3.05	0.005	32.9	0.25	0.34	2.78	☐	☐	☐	
11-099	K299909	338.33	341.38	3.05	0.005	32.6	0.25	0.49	1.66	☐	☐	☐	
11-099	K299910	341.38	344.42	3.04	0.005	129.0	0.45	0.90	4.82	☐	☐	☐	
11-099	K299911	344.42	347.47	3.05	0.120	620.0	0.75	2.15	4.24	☐	☐	☐	
11-099	K299912	347.47	350.52	3.05	0.130	883.0	1.31	3.25	4.72	☐	☐	☐	
11-099	K299913	350.52	353.57	3.05	0.010	261.0	1.01	1.29	3.07	☐	☐	☐	
11-099	K299914	353.57	356.62	3.05	0.005	88.0	0.20	0.30	0.83	☐	☐	☐	
11-099	K299915	356.62	359.66	3.04	0.040	468.0	0.70	1.50	2.49	☐	☐	☐	
11-099	K299916	359.66	362.71	3.05	0.010	150.5	0.43	0.75	2.61	☐	☐	☐	
11-099	K299917	362.71	365.76	3.05	0.005	30.2	0.15	0.40	1.24	☐	☐	☐	
11-099	K299919	365.76	368.81	3.05	0.005	28.6	0.13	0.70	1.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-099	K299920	368.81	371.86	3.05	0.005	35.6	0.11	0.68	1.12	☐	☐	☐	
11-099	K299921	371.86	374.90	3.04	0.005	47.5	0.10	0.46	0.95	☐	☐	☐	
11-099	K299923	374.90	377.95	3.05	0.005	35.0	0.09	0.63	1.05	☐	☐	☐	
11-099	K299924	377.95	381.00	3.05	0.005	36.3	0.07	0.60	0.91	☐	☐	☐	
11-099	K299925	381.00	384.05	3.05	0.005	45.5	0.12	0.50	1.20	☐	☐	☐	
11-099	K299926	384.05	387.10	3.05	0.005	58.4	0.33	0.56	1.68	☐	☐	☐	
11-099	K299927	384.05	387.10	3.05	0.005	62.7	0.39	0.65	1.99	☑	☐	☐	Duplicate of 926
11-099	K299928	387.10	390.14	3.04	0.005	104.5	0.13	0.66	0.98	☐	☐	☐	
11-099	K299929	390.14	393.19	3.05	0.005	48.6	0.10	0.62	1.09	☐	☐	☐	EOH

Sample Results

OS -11-043

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-087	K298914	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-087	K298918	0.00	0.00	0.00	0.330	607.0	9.50	111.50	7.92	☐	☐	☑	NT1
11-087	K298925	0.00	0.00	0.00	2.680	619.0	4.57	104.00	4.23	☐	☐	☑	NT2
11-098	K298944	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-098	K298950	0.00	0.00	0.00	2.680	569.0	4.51	98.10	3.86	☐	☐	☑	NT2
11-098	K298955	0.00	0.00	0.00	0.330	589.0	9.60	112.50	7.78	☐	☐	☑	NT1
11-098	K298970	0.00	0.00	0.00	0.005	23.0	0.02	0.03	0.04	☐	☑	☐	HQ
11-101	K298980	0.00	0.00	0.00	0.320	623.0	9.20	114.50	7.16	☐	☐	☑	NT1
11-101	K298984	0.00	0.00	0.00	0.020	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-101	K298993	0.00	0.00	0.00	0.005	8.0	0.01	0.05	0.03	☐	☑	☐	HQ
11-101	K299000	0.00	0.00	0.00	2.650	606.0	4.69	105.50	3.57	☐	☐	☑	NT2
11-087	K298911	4.57	6.10	1.53	0.010	401.0	0.31	0.76	6.47	☐	☐	☐	
11-087	K298912	6.10	9.14	3.04	0.005	308.0	0.16	0.72	3.66	☐	☐	☐	
11-087	K298913	9.14	12.19	3.05	0.005	125.0	0.25	0.62	3.03	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-087	K298915	12.19	15.24	3.05	0.010	380.0	0.35	0.76	3.74	☐	☐	☐	
11-087	K298916	15.24	18.29	3.05	0.020	433.0	0.38	0.74	3.66	☐	☐	☐	
11-087	K298917	18.29	21.34	3.05	0.020	507.0	0.38	0.91	4.67	☐	☐	☐	
11-087	K298919	21.34	24.38	3.04	0.010	181.0	0.05	0.59	2.96	☐	☐	☐	
11-087	K298920	24.38	27.43	3.05	0.005	79.3	0.02	0.30	1.64	☐	☐	☐	
11-087	K298921	27.43	30.48	3.05	0.005	106.0	0.20	0.98	1.69	☐	☐	☐	
11-087	K298922	30.48	33.53	3.05	0.010	293.0	0.18	1.12	5.24	☐	☐	☐	
11-087	K298923	33.53	36.58	3.05	0.005	122.0	0.08	0.62	3.24	☐	☐	☐	
11-087	K298924	36.58	39.62	3.04	0.010	317.0	0.03	0.43	4.12	☐	☐	☐	
11-087	K298926	39.62	42.67	3.05	0.010	278.0	0.03	0.52	4.59	☐	☐	☐	
11-087	K298927	42.67	45.72	3.05	0.005	156.5	0.03	0.51	4.04	☐	☐	☐	
11-087	K298928	45.72	48.77	3.05	0.005	217.0	0.03	0.57	2.75	☐	☐	☐	
11-087	K298929	48.77	51.82	3.05	0.010	335.0	0.06	0.46	1.85	☐	☐	☐	
11-087	K298930	51.82	54.86	3.04	0.005	246.0	0.06	0.40	1.74	☐	☐	☐	
11-087	K298931	54.86	57.91	3.05	0.010	241.0	0.06	0.42	2.48	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-087	K298932	57.91	60.96	3.05	0.010	303.0	0.06	0.41	2.13	☐	☐	☐	
11-087	K298933	57.91	60.96	3.05	0.010	346.0	0.06	0.41	2.05	☑	☐	☐	Duplicate of 932
11-087	K298934	60.96	64.01	3.05	0.005	14.0	0.05	0.23	0.54	☐	☐	☐	
11-087	K298935	64.01	67.06	3.05	0.005	28.0	0.05	0.22	0.69	☐	☐	☐	
11-087	K298936	67.06	70.10	3.04	0.005	181.0	0.14	0.25	1.16	☐	☐	☐	End of Batch 87
11-098	K298937	70.10	73.15	3.05	0.090	224.0	0.27	0.28	0.99	☐	☐	☐	Start of batch 98
11-098	K298938	73.15	76.20	3.05	0.010	47.0	0.12	0.06	0.10	☐	☐	☐	
11-098	K298939	76.20	79.25	3.05	0.060	471.0	0.54	0.43	2.42	☐	☐	☐	
11-098	K298940	79.25	82.30	3.05	0.005	135.0	0.59	0.52	2.47	☐	☐	☐	
11-098	K298941	82.30	85.34	3.04	0.030	168.5	0.73	0.55	2.81	☐	☐	☐	
11-098	K298942	85.34	88.39	3.05	0.010	56.0	0.50	0.49	2.36	☐	☐	☐	
11-098	K298943	88.39	91.44	3.05	0.005	97.5	0.65	1.17	2.96	☐	☐	☐	
11-098	K298945	91.44	94.49	3.05	0.010	180.5	0.50	1.11	4.24	☐	☐	☐	
11-098	K298946	94.49	97.54	3.05	0.005	176.0	0.46	0.60	5.81	☐	☐	☐	
11-098	K298947	97.54	100.58	3.04	0.005	47.0	0.37	0.70	6.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-098	K298948	100.58	103.63	3.05	0.005	54.1	0.54	0.61	5.62	☐	☐	☐	
11-098	K298949	103.63	106.68	3.05	0.320	340.0	1.62	1.24	7.73	☐	☐	☐	
11-098	K298951	106.68	109.73	3.05	0.010	47.2	0.44	0.99	4.10	☐	☐	☐	
11-098	K298952	109.73	112.78	3.05	0.010	161.0	3.69	0.94	3.61	☐	☐	☐	
11-098	K298953	112.78	115.82	3.04	0.020	100.0	0.74	0.82	2.74	☐	☐	☐	
11-098	K298954	115.82	118.87	3.05	0.160	1890.0	2.09	1.65	4.44	☐	☐	☐	
11-098	K298956	118.87	121.92	3.05	0.060	151.0	0.63	0.40	1.54	☐	☐	☐	
11-098	K298957	121.92	124.97	3.05	0.100	757.0	1.72	0.85	4.08	☐	☐	☐	
11-098	K298958	124.97	128.02	3.05	0.050	1540.0	1.20	1.47	3.45	☐	☐	☐	
11-098	K298959	128.02	131.06	3.04	0.060	775.0	1.31	0.80	3.05	☐	☐	☐	
11-098	K298960	131.06	134.11	3.05	0.090	457.0	1.82	0.77	3.51	☐	☐	☐	
11-098	K298961	134.11	137.16	3.05	0.120	274.0	2.35	0.51	2.44	☐	☐	☐	
11-098	K298962	137.16	140.21	3.05	0.250	21800.0	8.20	8.47	10.45	☐	☐	☐	
11-098	K298963	140.21	141.73	1.52	0.080	4820.0	4.76	2.46	13.90	☐	☐	☐	
11-098	K298964	141.73	143.26	1.53	0.320	19500.0	8.10	11.10	15.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-098	K298965	143.26	144.78	1.52	0.500	43600.0	22.70	15.90	42.90	☐	☐	☐	
11-098	K298966	144.78	146.30	1.52	0.870	33800.0	11.00	11.55	31.30	☐	☐	☐	
11-098	K298967	146.30	147.83	1.53	0.320	19700.0	4.18	5.15	13.70	☐	☐	☐	
11-098	K298968	147.83	149.35	1.52	0.660	9620.0	5.97	4.22	15.15	☐	☐	☐	
11-098	K298969	149.35	150.88	1.53	0.220	6450.0	5.04	4.11	10.80	☐	☐	☐	
11-098	K298971	150.88	152.40	1.52	0.180	3580.0	3.70	2.03	10.50	☐	☐	☐	
11-098	K298972	150.88	152.40	1.52	0.140	3830.0	3.19	1.99	8.84	☑	☐	☐	End of Batch 98 / Duplicate of 971
11-101	K298973	152.40	153.92	1.52	0.240	14850.0	10.10	6.62	26.90	☐	☐	☐	Start of Batch 101
11-101	K298974	153.92	156.00	2.08	0.030	1640.0	1.09	0.64	3.49	☐	☐	☐	
11-101	K298975	156.00	158.50	2.50	0.030	2080.0	1.83	0.95	4.34	☐	☐	☐	
11-101	K298976	158.50	161.54	3.04	0.020	4760.0	6.80	2.10	8.71	☐	☐	☐	
11-101	K298977	161.54	164.59	3.05	0.010	720.0	1.88	0.80	3.77	☐	☐	☐	
11-101	K298978	164.59	167.64	3.05	0.050	1440.0	2.85	2.16	6.53	☐	☐	☐	
11-101	K298979	167.64	170.69	3.05	0.060	220.0	0.80	0.70	2.53	☐	☐	☐	
11-101	K298981	170.69	173.74	3.05	0.020	172.0	0.99	1.29	2.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-101	K298982	173.74	176.78	3.04	0.030	105.0	0.52	1.07	1.51	☐	☐	☐	
11-101	K298983	176.78	179.83	3.05	0.010	36.0	0.57	0.92	0.99	☐	☐	☐	
11-101	K298985	179.83	182.88	3.05	0.070	198.0	0.80	0.97	0.89	☐	☐	☐	
11-101	K298986	182.88	185.93	3.05	0.050	248.0	0.50	0.57	1.45	☐	☐	☐	
11-101	K298987	185.93	188.98	3.05	0.050	259.0	0.34	0.77	2.45	☐	☐	☐	
11-101	K298988	188.98	192.02	3.04	0.030	97.0	0.18	0.61	1.29	☐	☐	☐	
11-101	K298989	192.02	195.07	3.05	0.020	36.0	0.53	1.75	1.55	☐	☐	☐	
11-101	K298990	195.07	198.12	3.05	0.010	84.0	0.55	1.51	2.06	☐	☐	☐	
11-101	K298991	198.12	201.17	3.05	0.060	214.0	0.44	0.99	1.47	☐	☐	☐	
11-101	K298992	201.17	204.22	3.05	0.070	342.0	0.40	0.81	1.81	☐	☐	☐	
11-101	K298994	204.22	207.26	3.04	0.070	250.0	0.41	0.67	1.48	☐	☐	☐	
11-101	K298995	207.26	210.31	3.05	0.040	149.0	1.09	0.40	1.45	☐	☐	☐	
11-101	K298996	210.31	213.36	3.05	0.010	24.0	0.55	0.37	1.54	☐	☐	☐	
11-101	K298997	210.31	213.36	3.05	0.020	26.0	0.50	0.51	1.57	☑	☐	☐	Duplicate of 996
11-101	K298998	213.36	216.41	3.05	0.020	67.0	0.60	0.53	1.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-101	K298999	216.41	217.93	1.52	0.020	317.0	0.57	1.44	1.70	☐	☐	☐	
11-101	K300501	217.93	219.46	1.53	0.020	36.0	0.43	0.42	1.07	☐	☐	☐	Jump in sample / EOH

Sample Results

OS -11-044

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-097	K298296	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-097	K298304	0.00	0.00	0.00	2.570	601.0	4.76	105.00	4.13	☐	☐	☑	NT2
11-097	K298312	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-097	K298318	0.00	0.00	0.00	0.330	599.0	9.50	116.00	8.21	☐	☐	☑	NT1
11-107	K298329	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-107	K298343	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-107	K298350	0.00	0.00	0.00	0.350	610.0	9.84	117.50	8.10	☐	☐	☑	NT1
11-107	K298354	0.00	0.00	0.00	2.770	607.0	4.79	104.50	4.09	☐	☐	☑	NT2
11-110	K298362	0.00	0.00	0.00	7.720	998.0	5.90	18.05	13.20	☐	☐	☑	NT3
11-110	K298370	0.00	0.00	0.00	0.005	2.5	0.01	0.11	0.02	☐	☑	☐	NQ
11-097	K298292	1.55	3.66	2.11	0.005	32.9	0.09	0.36	0.95	☐	☐	☐	
11-097	K298293	3.66	6.71	3.05	0.005	27.4	0.06	0.42	0.91	☐	☐	☐	
11-097	K298294	6.71	8.23	1.52	0.005	27.3	0.06	0.38	0.75	☐	☐	☐	
11-097	K298295	8.23	11.28	3.05	0.005	21.7	0.07	0.34	0.77	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-097	K298297	11.28	14.33	3.05	0.005	19.0	0.10	0.42	0.91	☐	☐	☐	
11-097	K298298	14.33	17.37	3.04	0.005	43.0	0.07	0.34	0.56	☐	☐	☐	
11-097	K298299	17.37	20.42	3.05	0.010	24.0	0.03	0.21	0.41	☐	☐	☐	
11-097	K298300	20.42	23.47	3.05	0.010	26.0	0.05	0.39	0.55	☐	☐	☐	
11-097	K298301	23.47	26.52	3.05	0.005	57.0	0.04	0.28	0.44	☐	☐	☐	
11-097	K298302	26.52	29.57	3.05	0.005	19.0	0.03	0.51	0.58	☐	☐	☐	
11-097	K298303	29.57	32.61	3.04	0.005	24.0	0.03	0.20	0.59	☐	☐	☐	
11-097	K298305	32.61	35.66	3.05	0.005	27.0	0.05	0.43	0.60	☐	☐	☐	
11-097	K298306	35.66	38.71	3.05	0.005	30.0	0.05	0.24	0.56	☐	☐	☐	
11-097	K298307	38.71	41.76	3.05	0.010	46.0	0.05	0.24	0.45	☐	☐	☐	
11-097	K298308	41.76	44.81	3.05	0.170	175.0	0.36	1.10	1.65	☐	☐	☐	
11-097	K298309	41.76	44.81	3.05	0.200	178.0	0.37	1.13	1.66	☑	☐	☐	duplicate of 308
11-097	K298310	44.81	47.85	3.04	0.005	38.0	0.13	0.31	0.75	☐	☐	☐	
11-097	K298311	47.85	50.90	3.05	0.020	31.0	0.16	0.30	0.74	☐	☐	☐	
11-097	K298313	50.90	53.95	3.05	0.020	43.0	0.29	0.45	0.97	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-097	K298314	53.95	57.00	3.05	0.020	28.0	0.24	0.44	0.75	☐	☐	☐	
11-097	K298315	57.00	60.05	3.05	0.020	56.0	0.28	0.49	1.33	☐	☐	☐	
11-097	K298316	60.05	63.09	3.04	0.010	33.0	0.20	0.34	1.04	☐	☐	☐	
11-097	K298317	63.09	66.14	3.05	0.010	58.0	0.29	0.44	1.54	☐	☐	☐	
11-097	K298319	66.14	69.19	3.05	0.005	61.0	0.40	0.43	0.94	☐	☐	☐	
11-097	K298320	69.19	72.24	3.05	0.005	70.0	0.33	0.35	1.18	☐	☐	☐	
11-097	K298321	72.24	75.29	3.05	0.005	56.0	0.26	0.31	1.17	☐	☐	☐	
11-097	K298322	75.29	78.33	3.04	0.010	81.0	0.29	0.40	1.21	☐	☐	☐	
11-097	K298323	78.33	81.38	3.05	0.005	30.0	0.14	0.22	0.53	☐	☐	☐	
11-097	K298324	81.38	84.43	3.05	0.005	21.0	0.10	0.14	0.39	☐	☐	☐	End of Batch 97
11-107	K298498	84.43	85.70	1.27	0.005	73.0	0.18	0.26	0.89	☐	☐	☐	Batch 107B
11-107	K298325	85.70	87.48	1.78	0.005	45.0	0.18	0.20	0.96	☐	☐	☐	Start of Batch 107
11-107	K298326	87.48	90.53	3.05	0.005	62.0	0.33	0.26	1.00	☐	☐	☐	
11-107	K298327	90.53	93.57	3.04	0.005	55.0	0.08	0.21	0.81	☐	☐	☐	
11-107	K298328	93.57	96.62	3.05	0.005	74.0	0.20	0.48	1.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-107	K298330	96.62	99.67	3.05	0.005	52.0	0.22	0.42	1.17	☐	☐	☐	
11-107	K298331	99.67	102.72	3.05	0.020	409.0	0.65	0.86	1.58	☐	☐	☐	
11-107	K298332	102.72	105.77	3.05	0.005	58.0	0.39	0.61	1.39	☐	☐	☐	
11-107	K298333	105.77	108.81	3.04	0.005	45.0	0.27	0.39	1.07	☐	☐	☐	
11-107	K298334	108.81	111.86	3.05	0.005	121.0	0.32	0.67	1.48	☐	☐	☐	
11-107	K298335	111.86	114.91	3.05	0.005	80.0	0.25	0.45	1.29	☐	☐	☐	
11-107	K298336	114.91	117.96	3.05	0.005	49.0	0.19	0.36	0.73	☐	☐	☐	
11-107	K298337	117.96	121.01	3.05	0.005	46.0	0.23	0.66	1.30	☐	☐	☐	
11-107	K298338	117.96	121.01	3.05	0.005	50.0	0.23	0.65	1.25	☑	☐	☐	Duplicate of 337
11-107	K298339	121.01	124.05	3.04	0.005	75.0	0.30	0.88	1.78	☐	☐	☐	
11-107	K298340	124.05	127.10	3.05	0.005	48.0	0.47	0.52	1.20	☐	☐	☐	
11-107	K298341	127.10	130.15	3.05	0.005	25.0	0.14	0.31	0.76	☐	☐	☐	
11-107	K298342	130.15	131.67	1.52	0.005	37.0	0.12	0.43	1.15	☐	☐	☐	
11-107	K298344	131.67	134.02	2.35	0.005	28.0	0.25	0.42	1.25	☐	☐	☐	
11-107	K298345	134.02	136.25	2.23	0.005	124.5	0.74	0.78	2.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-107	K298346	136.25	138.50	2.25	0.005	198.5	0.72	0.66	2.13	☐	☐	☐	
11-107	K298347	138.50	140.82	2.32	0.040	67.0	0.28	0.31	0.69	☐	☐	☐	
11-107	K298348	140.82	143.87	3.05	0.005	33.0	0.13	0.24	0.28	☐	☐	☐	
11-107	K298349	143.87	146.91	3.04	0.010	55.0	0.24	0.42	0.44	☐	☐	☐	
11-107	K298351	146.91	148.44	1.53	0.005	64.0	0.45	0.78	0.68	☐	☐	☐	
11-107	K298352	148.44	151.49	3.05	0.020	79.0	0.54	0.69	1.21	☐	☐	☐	
11-107	K298353	151.49	154.53	3.04	0.090	260.0	1.33	1.11	2.41	☐	☐	☐	
11-107	K298355	154.53	156.20	1.67	0.170	15050.0	1.13	27.30	3.65	☐	☐	☐	
11-107	K298356	156.20	158.10	1.90	0.990	134500.0	3.62	261.00	9.37	☐	☐	☐	
11-107	K298357	158.10	159.80	1.70	2.450	80500.0	10.70	115.50	22.20	☐	☐	☐	
11-107	K298358	159.80	161.00	1.20	0.510	19800.0	3.42	28.50	7.19	☐	☐	☐	
11-107	K298359	161.00	162.50	1.50	0.830	25000.0	5.11	34.20	11.25	☐	☐	☐	
11-107	K298360	162.50	163.58	1.08	1.060	9330.0	4.89	17.50	10.80	☐	☐	☐	End of Batch 107
11-110	K298361	163.58	166.73	3.15	0.390	7000.0	2.88	10.25	3.88	☐	☐	☐	Start of Batch 110
11-110	K298363	166.73	169.77	3.04	0.910	5240.0	3.99	9.04	5.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-110	K298364	169.77	172.82	3.05	0.550	10100.0	3.04	20.20	5.78	☐	☐	☐	
11-110	K298365	172.82	175.87	3.05	0.100	3950.0	1.62	5.80	2.30	☐	☐	☐	
11-110	K298366	175.87	178.92	3.05	0.005	51.0	0.19	0.20	0.39	☐	☐	☐	
11-110	K298367	178.92	181.97	3.05	0.005	46.0	0.21	0.27	0.56	☐	☐	☐	
11-110	K298368	181.97	185.01	3.04	0.005	27.0	0.12	0.11	0.22	☐	☐	☐	
11-110	K298369	185.01	188.05	3.04	0.005	92.0	0.41	0.29	0.76	☐	☐	☐	
11-110	K298371	188.05	191.11	3.06	0.005	68.0	0.23	0.30	0.49	☐	☐	☐	
11-110	K298372	191.11	194.16	3.05	0.005	87.0	0.18	0.33	0.57	☐	☐	☐	
11-110	K298373	191.11	194.16	3.05	0.005	89.0	0.19	0.30	0.57	☑	☐	☐	Duplicate of 372
11-110	K298374	194.16	197.21	3.05	0.005	69.0	0.22	0.26	1.04	☐	☐	☐	
11-110	K298375	197.21	200.25	3.04	0.005	84.0	0.17	0.32	0.71	☐	☐	☐	
11-110	K298376	200.25	203.30	3.05	0.005	40.0	0.10	0.22	0.46	☐	☐	☐	
11-110	K298377	203.30	206.35	3.05	0.005	19.0	0.07	0.22	0.48	☐	☐	☐	
11-110	K298378	206.35	209.40	3.05	0.005	75.0	0.13	0.31	0.64	☐	☐	☐	
11-110	K298379	209.40	212.45	3.05	0.005	27.0	0.06	0.16	0.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-110	K298380	212.45	215.49	3.04	0.005	76.0	0.12	0.29	0.58	☐	☐	☐	EOH

Sample Results

OS -11-045

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-099	K299932	0.00	0.00	0.00	2.680	621.0	4.20	110.50	3.96	☐	☐	☑	NT2
11-099	K299939	0.00	0.00	0.00	0.005	2.5	0.01	0.29	0.02	☐	☑	☐	NQ
11-103	K299950	0.00	0.00	0.00	0.360	595.0	10.35	117.50	7.82	☐	☐	☑	NT1
11-103	K299964	0.00	0.00	0.00	2.790	532.0	4.71	102.50	3.90	☐	☐	☑	NT2
11-103	K299968	0.00	0.00	0.00	0.005	2.5	0.40	0.10	0.01	☐	☑	☐	HQ
11-103	K299975	0.00	0.00	0.00	0.005	5.0	0.01	0.05	0.02	☐	☑	☐	NQ
11-105	K299993	0.00	0.00	0.00	0.005	9.0	0.02	0.11	0.11	☐	☑	☐	NQ
11-105	K300000	0.00	0.00	0.00	7.140	1040.0	5.60	18.95	12.95	☐	☐	☑	NT3
11-105	K301002	0.00	0.00	0.00	0.005	17.0	0.27	0.41	0.56	☐	☑	☐	NQ
11-105	K301011	0.00	0.00	0.00	2.390	623.0	4.33	107.00	4.05	☐	☐	☑	NT2
11-108	K301017	0.00	0.00	0.00	0.005	65.0	0.06	0.18	0.07	☐	☑	☐	NQ
11-108	K301027	0.00	0.00	0.00	7.840	986.0	5.63	19.45	12.05	☐	☐	☑	NT3
11-108	K301038	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.14	☐	☑	☐	NQ
11-108	K301047	0.00	0.00	0.00	0.350	599.0	9.92	117.00	7.85	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-108	K301049	0.00	0.00	0.00	0.005	5.0	0.01	0.18	0.08	☐	☑	☐	NQ + End of batch 108
11-109	K301064	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-099	K299930	6.20	7.62	1.42	0.010	26.7	0.13	0.36	0.51	☐	☐	☐	
11-099	K299931	7.62	10.67	3.05	0.005	5.2	0.19	0.37	0.59	☐	☐	☐	
11-099	K299933	10.67	13.72	3.05	0.020	178.5	0.79	1.68	3.11	☐	☐	☐	
11-099	K299934	13.72	16.76	3.04	0.005	4.6	0.11	0.44	0.60	☐	☐	☐	
11-099	K299935	16.76	19.81	3.05	0.010	26.7	0.32	0.55	0.98	☐	☐	☐	
11-099	K299936	19.81	22.86	3.05	0.005	3.2	0.03	0.27	0.53	☐	☐	☐	
11-099	K299937	22.86	25.91	3.05	0.005	25.5	0.50	0.30	1.97	☐	☐	☐	
11-099	K299938	25.91	28.96	3.05	0.020	1010.0	1.67	1.70	3.57	☐	☐	☐	
11-099	K299940	28.96	32.00	3.04	0.005	10.4	0.09	0.32	0.58	☐	☐	☐	
11-099	K299941	32.00	35.05	3.05	0.005	10.6	0.13	0.29	0.38	☐	☐	☐	End of batch 99
11-103	K299942	35.05	38.10	3.05	0.005	6.4	0.13	0.37	0.56	☐	☐	☐	
11-103	K299943	38.10	41.15	3.05	0.005	12.3	0.23	0.54	0.49	☐	☐	☐	
11-103	K299944	41.15	44.20	3.05	0.005	17.2	0.18	0.75	0.62	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-103	K299945	44.20	47.24	3.04	0.010	20.7	0.25	0.89	1.06	☐	☐	☐	
11-103	K299946	47.24	50.29	3.05	0.005	86.1	0.31	1.50	1.18	☐	☐	☐	
11-103	K299947	50.29	53.34	3.05	0.010	464.0	1.14	2.54	2.72	☐	☐	☐	
11-103	K299948	53.34	55.80	2.46	0.005	636.0	1.37	2.16	3.33	☐	☐	☐	
11-103	K299949	55.80	57.91	2.11	0.010	374.0	1.22	1.76	6.84	☐	☐	☐	
11-103	K299951	57.91	60.96	3.05	0.005	108.5	0.72	0.85	2.05	☐	☐	☐	
11-103	K299952	60.96	64.01	3.05	0.005	68.5	0.86	0.73	2.27	☐	☐	☐	
11-103	K299953	64.01	67.06	3.05	0.005	58.1	0.45	0.52	2.15	☐	☐	☐	
11-103	K299954	67.06	70.10	3.04	0.005	33.0	0.54	0.49	2.29	☐	☐	☐	
11-103	K299955	70.10	73.15	3.05	0.005	20.0	0.11	0.57	1.13	☐	☐	☐	
11-103	K299956	70.10	73.15	3.05	0.005	19.7	0.09	0.52	1.11	☑	☐	☐	Duplicate of 955
11-103	K299957	73.15	76.20	3.05	0.005	14.0	0.06	0.56	1.12	☐	☐	☐	
11-103	K299958	76.20	79.25	3.05	0.010	15.0	0.13	0.56	1.83	☐	☐	☐	
11-103	K299959	79.25	79.85	0.60	0.005	24.0	0.11	0.48	1.69	☐	☐	☐	
11-103	K299960	79.85	82.30	2.45	0.005	8.1	0.06	0.33	0.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-103	K299961	82.30	85.34	3.04	0.005	5.7	0.04	0.36	0.47	☐	☐	☐	
11-103	K299962	85.34	88.39	3.05	0.005	5.9	0.06	0.37	0.48	☐	☐	☐	
11-103	K299963	88.39	91.44	3.05	0.390	1170.0	1.84	2.49	5.17	☐	☐	☐	
11-103	K299965	91.44	94.49	3.05	0.005	29.3	0.22	0.62	1.40	☐	☐	☐	
11-103	K299966	94.49	96.42	1.93	0.005	12.4	0.13	0.39	0.85	☐	☐	☐	
11-103	K299967	96.42	97.54	1.12	0.005	29.9	6.50	0.73	1.82	☐	☐	☐	
11-103	K299969	97.54	100.58	3.04	0.005	126.5	0.50	0.88	2.19	☐	☐	☐	
11-103	K299970	100.58	103.63	3.05	0.005	46.8	0.30	0.69	1.92	☐	☐	☐	
11-103	K299971	103.63	106.68	3.05	0.005	95.1	0.30	0.74	1.82	☐	☐	☐	
11-103	K299972	106.68	109.73	3.05	0.005	46.6	0.20	0.37	1.67	☐	☐	☐	
11-103	K299973	109.73	112.78	3.05	0.005	20.7	0.10	0.39	0.87	☐	☐	☐	
11-103	K299974	112.78	115.82	3.04	0.005	29.1	0.12	0.45	1.19	☐	☐	☐	
11-103	K299976	115.82	118.87	3.05	0.005	30.6	0.15	0.59	1.28	☐	☐	☐	
11-103	K299977	118.87	121.92	3.05	0.005	54.2	0.48	0.46	2.23	☐	☐	☐	End of Batch 103
11-105	K299978	121.92	124.97	3.05	0.010	630.0	0.60	2.70	2.53	☐	☐	☐	Start of Batch 105

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-105	K299979	124.97	128.02	3.05	0.010	283.0	2.85	4.50	5.23	☐	☐	☐	
11-105	K299980	128.02	131.06	3.04	0.005	45.2	2.69	1.73	2.58	☐	☐	☐	
11-105	K299981	131.06	134.11	3.05	0.005	44.5	0.26	0.98	0.71	☐	☐	☐	
11-105	K299982	134.11	137.16	3.05	0.005	75.9	0.20	0.80	0.60	☐	☐	☐	
11-105	K299983	137.16	140.21	3.05	0.005	59.8	0.23	0.56	0.91	☐	☐	☐	
11-105	K299984	140.21	143.26	3.05	0.005	6.0	0.05	0.64	0.52	☐	☐	☐	
11-105	K299985	143.26	146.30	3.04	0.005	26.2	0.07	0.50	0.54	☐	☐	☐	
11-105	K299986	146.30	149.35	3.05	0.005	50.9	0.15	0.69	1.11	☐	☐	☐	
11-105	K299987	149.35	152.40	3.05	0.005	68.0	0.87	0.46	0.58	☐	☐	☐	
11-105	K299988	152.40	155.45	3.05	0.005	42.0	0.39	0.31	0.49	☐	☐	☐	
11-105	K299989	155.45	158.50	3.05	0.005	34.0	0.32	0.28	0.58	☐	☐	☐	
11-105	K299990	158.50	161.54	3.04	0.010	205.0	2.59	2.22	6.60	☐	☐	☐	
11-105	K299991	161.54	162.60	1.06	1.980	5180.0	6.82	16.95	22.20	☐	☐	☐	
11-105	K299992	162.60	164.59	1.99	0.430	497.0	3.19	5.02	8.47	☐	☐	☐	
11-105	K299994	164.59	167.64	3.05	1.080	832.0	5.21	7.85	13.10	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-105	K299995	167.64	170.69	3.05	0.140	730.0	3.00	3.08	7.53	☐	☐	☐	
11-105	K299996	170.69	172.70	2.01	0.005	312.0	2.43	1.77	5.54	☐	☐	☐	
11-105	K299997	172.70	174.20	1.50	0.005	326.0	2.20	1.46	6.11	☐	☐	☐	
11-105	K299998	174.20	176.56	2.36	0.090	6820.0	41.20	58.40	144.00	☐	☐	☐	
11-105	K299999	176.56	177.80	1.24	0.160	8960.0	55.00	72.00	183.50	☐	☐	☐	
11-105	K301001	177.80	180.35	2.55	5.750	4370.0	83.10	134.00	257.00	☐	☐	☐	Jump in samples
11-105	K301003	180.35	182.88	2.53	0.470	1940.0	44.30	49.40	110.50	☐	☐	☐	
11-105	K301004	182.88	185.93	3.05	0.010	478.0	13.40	9.23	34.60	☐	☐	☐	
11-105	K301005	182.88	185.93	3.05	0.005	396.0	10.90	7.05	26.60	☑	☐	☐	Duplicate of 004
11-105	K301006	185.93	188.98	3.05	0.005	90.0	0.99	0.55	4.98	☐	☐	☐	
11-105	K301007	188.98	192.02	3.04	0.010	225.0	3.38	5.20	16.95	☐	☐	☐	
11-105	K301008	192.02	195.07	3.05	0.090	517.0	9.78	16.70	45.30	☐	☐	☐	
11-105	K301009	195.07	198.12	3.05	0.300	455.0	8.11	14.55	35.20	☐	☐	☐	
11-105	K301010	198.12	201.17	3.05	0.280	281.0	5.40	6.13	15.90	☐	☐	☐	
11-105	K301012	201.17	204.22	3.05	0.240	264.0	4.87	5.80	14.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-105	K301013	204.22	207.26	3.04	0.050	145.0	2.29	3.09	7.09	☐	☐	☐	End of Batch 105
11-108	K301014	207.26	210.00	2.74	0.010	106.0	2.11	1.10	3.42	☐	☐	☐	Start of Batch 108
11-108	K301015	210.00	210.80	0.80	0.260	343.0	5.16	4.02	11.75	☐	☐	☐	
11-108	K301016	210.80	213.36	2.56	0.930	19450.0	11.90	50.60	17.70	☐	☐	☐	
11-108	K301018	213.36	215.65	2.29	3.290	7680.0	22.60	36.20	36.00	☐	☐	☐	
11-108	K301019	215.65	217.10	1.45	1.610	3140.0	20.30	10.40	26.30	☐	☐	☐	
11-108	K301020	217.10	219.46	2.36	0.430	1130.0	10.10	3.71	14.05	☐	☐	☐	
11-108	K301021	219.46	222.50	3.04	0.040	628.0	7.16	2.05	9.93	☐	☐	☐	
11-108	K301022	222.50	225.55	3.05	0.005	497.0	7.25	1.47	9.49	☐	☐	☐	
11-108	K301023	225.55	228.60	3.05	0.005	357.0	4.10	1.38	5.38	☐	☐	☐	
11-108	K301024	228.60	231.65	3.05	0.005	724.0	3.71	2.66	5.16	☐	☐	☐	
11-108	K301025	231.65	234.70	3.05	0.005	2080.0	4.41	4.17	7.24	☐	☐	☐	
11-108	K301026	234.70	237.74	3.04	0.005	563.0	3.26	1.97	7.50	☐	☐	☐	
11-108	K301028	237.74	240.79	3.05	0.005	196.5	1.35	0.83	3.13	☐	☐	☐	
11-108	K301029	240.79	243.84	3.05	0.005	431.0	1.30	0.74	4.03	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-108	K301030	243.84	246.89	3.05	0.005	332.0	1.69	1.38	3.17	☐	☐	☐	
11-108	K301031	246.89	249.94	3.05	0.005	56.9	1.05	0.59	3.63	☐	☐	☐	
11-108	K301032	249.94	252.98	3.04	0.005	47.8	0.85	0.53	3.09	☐	☐	☐	
11-108	K301033	249.94	252.98	3.04	0.005	58.4	1.04	0.56	3.94	☑	☐	☐	Duplicate of 032
11-108	K301034	252.98	256.03	3.05	0.005	119.5	0.77	0.62	2.92	☐	☐	☐	
11-108	K301035	256.03	259.08	3.05	0.005	289.0	2.23	1.45	5.45	☐	☐	☐	
11-108	K301036	259.08	262.13	3.05	0.150	1225.0	3.31	3.92	8.96	☐	☐	☐	
11-108	K301037	262.13	265.18	3.05	0.020	331.0	2.37	2.72	6.89	☐	☐	☐	
11-108	K301039	265.18	268.22	3.04	0.005	226.0	1.58	1.30	4.02	☐	☐	☐	
11-108	K301040	268.22	271.27	3.05	0.005	154.0	0.71	0.54	4.07	☐	☐	☐	
11-108	K301041	271.27	274.32	3.05	0.005	122.0	0.71	0.74	2.90	☐	☐	☐	
11-108	K301042	274.32	277.37	3.05	0.005	129.5	0.90	0.61	4.21	☐	☐	☐	
11-108	K301043	277.37	280.42	3.05	0.030	369.0	0.66	1.01	2.60	☐	☐	☐	
11-108	K301044	280.42	283.46	3.04	0.005	85.7	0.62	0.44	2.39	☐	☐	☐	
11-108	K301045	283.46	286.51	3.05	0.005	98.1	0.55	0.54	2.11	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-108	K301046	286.51	289.56	3.05	0.010	222.0	0.95	1.45	2.93	☐	☐	☐	
11-108	K301048	289.56	292.61	3.05	0.005	141.5	1.06	1.35	2.56	☐	☐	☐	
11-109	K301050	292.61	295.66	3.05	0.005	155.0	1.14	0.88	3.51	☐	☐	☐	
11-109	K301051	295.66	298.70	3.04	0.450	944.0	2.75	5.04	10.00	☐	☐	☐	Start of Batch 109
11-109	K301052	298.70	301.75	3.05	0.500	1120.0	3.64	7.71	13.45	☐	☐	☐	
11-109	K301053	301.75	304.80	3.05	0.970	543.0	3.11	7.15	12.30	☐	☐	☐	
11-109	K301054	304.80	307.85	3.05	1.900	1060.0	3.36	11.60	14.15	☐	☐	☐	
11-109	K301055	307.85	310.70	2.85	0.630	609.0	2.42	7.68	11.70	☐	☐	☐	
11-109	K301056	310.70	313.94	3.24	8.580	3880.0	7.31	43.40	41.80	☐	☐	☐	
11-109	K301057	313.94	316.99	3.05	0.005	199.0	0.98	1.50	3.42	☐	☐	☐	
11-109	K301058	316.99	320.04	3.05	0.460	1095.0	2.19	5.10	7.66	☐	☐	☐	
11-109	K301059	320.04	323.09	3.05	0.020	508.0	1.57	2.48	5.35	☐	☐	☐	
11-109	K301060	323.09	326.14	3.05	0.005	182.0	0.85	0.82	2.42	☐	☐	☐	
11-109	K301061	326.14	329.18	3.04	0.005	71.6	0.34	0.45	1.64	☐	☐	☐	
11-109	K301062	329.18	332.23	3.05	0.005	88.2	0.68	0.76	5.64	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-109	K301063	332.23	335.28	3.05	0.005	49.1	0.19	0.43	1.21	☐	☐	☐	
11-109	K301065	335.28	338.33	3.05	0.005	39.2	0.22	0.50	1.55	☐	☐	☐	
11-109	K301066	338.33	341.38	3.05	0.005	85.9	0.71	0.61	2.91	☐	☐	☐	
11-109	K301067	338.33	341.38	3.05	0.005	77.2	0.77	0.60	2.57	☑	☐	☐	Duplicate of 066
11-109	K301068	341.38	344.42	3.04	0.050	776.0	1.98	2.81	4.36	☐	☐	☐	
11-109	K301069	344.42	347.47	3.05	0.005	478.0	1.08	2.00	2.91	☐	☐	☐	
11-109	K301070	347.47	350.52	3.05	0.005	117.0	0.46	0.64	2.32	☐	☐	☐	
11-109	K301071	350.52	353.57	3.05	0.005	20.7	0.13	0.40	1.14	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-046

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-106	K300519	0.00	0.00	0.00	2.620	613.0	4.64	100.50	4.19	☐	☐	☑	NT2
11-106	K300523	0.00	0.00	0.00	0.005	7.0	0.02	0.07	0.03	☐	☑	☐	HQ
11-106	K300533	0.00	0.00	0.00	0.005	6.0	0.01	0.07	0.02	☐	☑	☐	HQ
11-106	K300535	0.00	0.00	0.00	0.340	630.0	8.73	119.50	8.32	☐	☐	☑	NT1
11-101	K300502	1.50	4.00	2.50	0.090	1560.0	0.50	0.79	15.05	☐	☐	☐	
11-101	K300503	4.00	6.71	2.71	0.010	492.0	0.10	0.25	5.88	☐	☐	☐	
11-101	K300504	6.71	9.75	3.04	0.030	171.0	0.20	0.30	5.91	☐	☐	☐	
11-101	K300505	9.75	12.80	3.05	0.080	1080.0	26.50	1.67	48.00	☐	☐	☐	
11-101	K300506	12.80	14.60	1.80	5.360	5190.0	200.00	16.15	348.00	☐	☐	☐	
11-101	K300507	14.60	17.37	2.77	0.270	3120.0	179.00	12.00	112.50	☐	☐	☐	
11-101	K300508	17.37	20.00	2.63	0.940	2160.0	15.40	4.79	34.60	☐	☐	☐	End of Batch 101
11-106	K300509	20.00	21.95	1.95	0.010	864.0	0.67	0.99	8.37	☐	☐	☐	Start of Batch 106
11-106	K300510	21.95	24.99	3.04	0.060	635.0	1.00	0.73	6.39	☐	☐	☐	
11-106	K300511	24.99	28.04	3.05	0.010	167.0	0.40	0.43	5.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-106	K300512	28.04	31.09	3.05	0.005	114.0	0.44	0.69	5.00	☐	☐	☐	
11-106	K300513	31.09	34.14	3.05	0.040	986.0	2.52	1.36	11.00	☐	☐	☐	
11-106	K300514	34.14	37.19	3.05	0.050	981.0	7.55	1.64	11.80	☐	☐	☐	
11-106	K300515	37.19	40.23	3.04	0.050	413.0	1.11	0.59	2.03	☐	☐	☐	
11-106	K300516	40.23	41.70	1.47	0.040	252.0	1.07	0.40	1.65	☐	☐	☐	
11-106	K300517	41.70	42.55	0.85	0.500	4660.0	12.10	2.36	14.15	☐	☐	☐	
11-106	K300518	42.55	43.28	0.73	0.260	1900.0	7.37	3.62	6.52	☐	☐	☐	
11-106	K300520	43.28	46.33	3.05	0.090	520.0	2.58	1.89	2.84	☐	☐	☐	
11-106	K300521	46.33	49.38	3.05	0.090	335.0	2.96	1.13	1.94	☐	☐	☐	
11-106	K300522	49.38	52.43	3.05	0.040	397.0	3.38	0.95	2.20	☐	☐	☐	
11-106	K300524	52.43	55.47	3.04	0.050	768.0	4.67	2.74	8.11	☐	☐	☐	
11-106	K300525	55.47	58.52	3.05	0.020	351.0	3.13	3.29	7.47	☐	☐	☐	
11-106	K300526	55.47	58.52	3.05	0.020	451.0	4.39	4.40	9.98	☑	☐	☐	Duplicate of 525
11-106	K300527	58.52	61.57	3.05	0.020	279.0	2.30	1.24	6.49	☐	☐	☐	
11-106	K300528	61.57	64.62	3.05	0.010	154.0	1.00	0.78	1.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-106	K300529	64.62	67.67	3.05	0.020	178.0	1.69	0.88	4.63	☐	☐	☐	
11-106	K300530	67.67	70.71	3.04	0.090	208.0	3.18	1.02	10.10	☐	☐	☐	
11-106	K300531	70.71	73.76	3.05	0.040	157.0	2.71	1.14	7.19	☐	☐	☐	
11-106	K300532	73.76	76.81	3.05	0.005	167.5	1.90	0.80	6.62	☐	☐	☐	
11-106	K300534	76.81	79.86	3.05	0.005	82.1	0.56	0.37	2.23	☐	☐	☐	
11-106	K300536	79.86	82.91	3.05	0.005	139.0	1.23	0.83	3.34	☐	☐	☐	
11-106	K300537	82.91	85.95	3.04	0.040	285.0	3.65	1.47	7.20	☐	☐	☐	

Sample Results

OS -11-047

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-102	K299279	0.00	0.00	0.00	0.360	599.0	9.47	110.50	7.83	☐	☐	☑	NT1
11-102	K299283	0.00	0.00	0.00	0.340	588.0	9.60	110.50	7.90	☐	☐	☑	NT1
11-102	K299291	0.00	0.00	0.00		2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-113	K299298	0.00	0.00	0.00	0.360	588.0	9.00	112.50	8.22	☐	☐	☑	NT1
11-113	K299309	0.00	0.00	0.00	0.010	17.0	0.01	0.07	0.02	☐	☑	☐	HQ
11-113	K299313	0.00	0.00	0.00	7.760	1020.0	6.01	18.35	13.45	☐	☐	☑	NT3
11-113	K299323	0.00	0.00	0.00	0.005	21.0	0.01	0.08	0.02	☐	☑	☐	HQ
11-114	K299341	0.00	0.00	0.00	2.640	693.0	4.97	117.50	4.74	☐	☐	☑	NT2
11-114	K299345	0.00	0.00	0.00	0.005	26.0	0.01	0.10	0.08	☐	☑	☐	NQ
11-114	K299349	0.00	0.00	0.00	0.320	710.0	9.59	135.00	9.49	☐	☐	☑	NT1
11-114	K299358	0.00	0.00	0.00	0.005	5.0	0.01	0.17	0.01	☐	☑	☐	NQ
11-102	K299273	1.22	4.27	3.05	0.005	515.0	0.44	9.57	1.66	☐	☐	☐	
11-102	K299274	4.27	7.32	3.05	0.050	679.0	0.67	11.95	1.67	☐	☐	☐	
11-102	K299275	7.32	10.36	3.04	0.020	852.0	0.39	4.18	1.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-102	K299276	10.36	13.41	3.05	0.010	397.0	0.14	1.36	0.65	☐	☐	☐	
11-102	K299277	13.41	16.46	3.05	0.005	271.0	0.09	0.95	0.30	☐	☐	☐	
11-102	K299278	16.46	19.51	3.05	0.005	293.0	0.08	1.11	0.28	☐	☐	☐	
11-102	K299280	19.51	22.56	3.05	0.005	261.0	0.09	1.59	0.41	☐	☐	☐	
11-102	K299281	22.56	25.60	3.04	0.005	144.0	0.07	0.98	0.24	☐	☐	☐	
11-102	K299282	25.60	28.65	3.05	0.005	128.0	0.06	0.96	0.16	☐	☐	☐	
11-102	K299284	28.65	31.70	3.05	0.005	186.0	0.08	1.48	0.34	☐	☐	☐	
11-102	K299285	31.70	34.75	3.05	0.005	85.0	0.07	0.67	0.33	☐	☐	☐	
11-102	K299286	34.75	37.80	3.05	0.005	57.0	0.06	0.62	0.47	☐	☐	☐	
11-102	K299287	37.80	40.84	3.04	0.005	213.0	0.06	1.05	0.83	☐	☐	☐	
11-102	K299288	40.84	43.89	3.05	0.005	307.0	0.08	1.71	0.85	☐	☐	☐	
11-102	K299289	43.89	46.94	3.05	0.005	78.0	0.10	0.76	0.47	☐	☐	☐	
11-102	K299290	46.94	49.99	3.05	0.005	54.0	0.06	0.40	0.17	☐	☐	☐	
11-102	K299292	49.99	53.04	3.05	0.005	86.0	0.11	0.63	0.60	☐	☐	☐	End of Batch 102
11-113	K299293	53.04	56.08	3.04	0.005	97.0	0.10	0.84	0.68	☐	☐	☐	Start of Batch 113

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-113	K299294	56.08	59.13	3.05	0.005	101.0	0.10	0.70	0.59	☐	☐	☐	
11-113	K299295	59.13	62.18	3.05	0.005	105.0	0.06	0.73	0.39	☐	☐	☐	
11-113	K299296	62.18	65.23	3.05	0.005	121.0	0.08	0.59	0.53	☐	☐	☐	
11-113	K299297	65.23	68.28	3.05	0.005	103.0	0.06	0.54	0.53	☐	☐	☐	
11-113	K299299	68.28	71.32	3.04	0.005	206.0	0.13	1.00	0.55	☐	☐	☐	
11-113	K299300	71.32	74.37	3.05	0.010	219.0	0.11	1.02	0.91	☐	☐	☐	
11-113	K299301	74.37	77.42	3.05	0.020	91.0	0.08	0.47	0.39	☐	☐	☐	
11-113	K299302	74.37	77.42	3.05	0.050	67.0	0.07	0.42	0.33	☑	☐	☐	Duplicate of 301
11-113	K299303	77.42	80.47	3.05	0.005	60.0	0.06	0.30	0.22	☐	☐	☐	
11-113	K299304	80.47	83.52	3.05	0.005	76.0	0.06	0.28	0.25	☐	☐	☐	
11-113	K299305	83.52	86.56	3.04	0.005	84.0	0.47	0.45	0.59	☐	☐	☐	
11-113	K299306	86.56	88.95	2.39	0.005	101.0	0.27	0.59	0.83	☐	☐	☐	
11-113	K299307	88.95	91.50	2.55	0.300	6720.0	1.86	8.90	2.87	☐	☐	☐	
11-113	K299308	91.50	92.66	1.16	2.430	20700.0	7.74	55.80	18.55	☐	☐	☐	
11-113	K299310	92.66	94.18	1.52	3.760	12000.0	9.80	43.10	33.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-113	K299311	94.18	95.71	1.53	3.340	10850.0	9.40	32.00	34.50	☐	☐	☐	
11-113	K299312	95.71	97.23	1.52	4.050	9270.0	13.10	35.70	46.30	☐	☐	☐	
11-113	K299314	97.23	100.28	3.05	1.160	1940.0	9.98	11.70	31.30	☐	☐	☐	
11-113	K299315	100.28	103.33	3.05	0.680	1630.0	3.19	4.34	5.80	☐	☐	☐	
11-113	K299316	103.33	104.85	1.52	1.400	23900.0	9.55	59.20	15.35	☐	☐	☐	
11-113	K299317	104.85	106.38	1.53	0.910	8350.0	4.93	19.70	9.29	☐	☐	☐	
11-113	K299318	106.38	107.90	1.52	0.110	770.0	1.31	3.37	3.53	☐	☐	☐	
11-113	K299319	107.90	109.42	1.52	0.020	94.0	1.34	1.02	1.43	☐	☐	☐	
11-113	K299320	109.42	110.95	1.53	0.210	3590.0	2.42	8.11	3.31	☐	☐	☐	
11-113	K299321	110.95	114.00	3.05	0.640	36100.0	3.00	52.70	6.28	☐	☐	☐	
11-113	K299322	114.00	117.04	3.04	0.670	16600.0	3.32	25.20	7.47	☐	☐	☐	
11-113	K299324	117.04	118.85	1.81	0.590	5620.0	3.75	11.60	9.16	☐	☐	☐	
11-113	K299325	118.85	121.00	2.15	0.220	4930.0	1.49	8.26	3.40	☐	☐	☐	
11-113	K299326	121.00	122.30	1.30	0.350	12100.0	3.05	16.05	7.31	☐	☐	☐	
11-113	K299327	122.30	124.66	2.36	0.350	4840.0	1.84	8.85	4.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-113	K299328	124.66	127.71	3.05	0.050	2100.0	0.44	3.46	1.10	☐	☐	☐	End of Batch 113
11-114	K299329	127.71	129.24	1.53	0.320	9860.0	0.80	14.00	2.44	☐	☐	☐	Start of Batch 114
11-114	K299330	129.24	132.28	3.04	0.030	208.0	0.28	0.77	0.77	☐	☐	☐	
11-114	K299331	132.28	135.33	3.05	0.005	147.0	0.68	0.58	2.50	☐	☐	☐	
11-114	K299332	135.33	138.10	2.77	0.005	129.5	0.31	0.83	2.36	☐	☐	☐	
11-114	K299333	138.10	139.90	1.80	0.005	109.0	0.10	0.44	0.90	☐	☐	☐	
11-114	K299334	139.90	142.95	3.05	0.005	135.0	0.08	0.34	0.55	☐	☐	☐	
11-114	K299335	142.95	146.00	3.05	0.005	127.0	0.04	0.48	0.85	☐	☐	☐	
11-114	K299336	142.95	146.00	3.05	0.005	121.0	0.04	0.40	0.71	☑	☐	☐	Duplicate of 335
11-114	K299337	146.00	149.05	3.05	0.005	50.0	0.04	0.33	0.64	☐	☐	☐	
11-114	K299338	149.05	152.09	3.04	0.005	55.0	0.06	0.39	0.84	☐	☐	☐	
11-114	K299339	152.09	153.62	1.53	0.450	591.0	0.54	1.34	2.84	☐	☐	☐	
11-114	K299340	153.62	156.67	3.05	0.030	1080.0	1.52	1.33	8.44	☐	☐	☐	
11-114	K299342	156.67	158.80	2.13	0.030	1315.0	10.20	2.63	12.55	☐	☐	☐	
11-114	K299343	158.80	161.10	2.30	0.130	2110.0	2.06	1.98	4.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-114	K299344	161.10	162.50	1.40	1.430	15950.0	26.90	30.90	66.40	☐	☐	☐	
11-114	K299346	162.50	164.90	2.40	0.290	4070.0	9.96	9.76	22.10	☐	☐	☐	
11-114	K299347	164.90	167.94	3.04	0.260	5910.0	4.37	6.36	8.52	☐	☐	☐	
11-114	K299348	167.94	170.99	3.05	0.080	702.0	1.08	1.12	2.04	☐	☐	☐	
11-114	K299350	170.99	174.04	3.05	0.005	64.0	0.31	0.47	1.14	☐	☐	☐	
11-114	K299351	174.04	177.09	3.05	0.005	134.0	0.96	0.76	2.56	☐	☐	☐	
11-114	K299352	177.09	180.14	3.05	0.010	1430.0	1.49	1.90	2.82	☐	☐	☐	
11-114	K299353	180.14	183.18	3.04	0.010	1680.0	1.40	2.56	3.40	☐	☐	☐	
11-114	K299354	183.18	186.23	3.05	0.005	238.0	1.66	1.22	4.00	☐	☐	☐	
11-114	K299355	186.23	189.28	3.05	0.005	64.0	0.60	0.34	1.28	☐	☐	☐	
11-114	K299356	189.28	192.33	3.05	0.005	35.0	0.27	0.30	1.32	☐	☐	☐	
11-114	K299357	192.33	195.38	3.05	0.005	39.0	0.09	0.28	0.71	☐	☐	☐	
11-114	K299359	213.66	216.71	3.05	0.005	108.5	0.13	0.61	1.67	☐	☐	☐	
11-114	K299360	216.71	219.76	3.05	0.005	142.0	0.44	0.58	2.49	☐	☐	☐	
11-114	K299361	219.76	222.81	3.05	0.005	411.0	0.65	0.70	3.12	☐	☐	☐	EOH

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-110	K298383	0.00	0.00	0.00	0.330	645.0	9.83	123.50	8.17	☐	☐	☑	NT1
11-110	K298389	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	HQ
11-112	K298400	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.03	☐	☑	☐	HQ
11-112	K298405	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-112	K298423	0.00	0.00	0.00	2.690	592.0	4.35	105.50	4.25	☐	☐	☑	NT2
11-112	K298426	0.00	0.00	0.00	0.330	582.0	8.70	110.50	7.94	☐	☐	☑	NT1
11-116	K298440	0.00	0.00	0.00	0.010	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-116	K298444	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-116	K298453	0.00	0.00	0.00	2.550	539.0	4.24	108.00	4.24	☐	☐	☑	NT2
11-116	K298459	0.00	0.00	0.00	7.720	913.0	5.17	18.75	13.20	☐	☐	☑	NT3
11-119	K298470	0.00	0.00	0.00	0.005	2.5	0.05	0.10	0.03	☐	☑	☐	NQ
11-119	K298480	0.00	0.00	0.00	2.460	589.0	4.50	118.00	4.23	☐	☐	☑	NT2
11-119	K298492	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-110	K298381	2.13	5.18	3.05	0.005	74.8	0.12	0.54	1.12	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-110	K298382	5.18	8.23	3.05	0.005	27.9	0.06	0.51	0.81	☐	☐	☐	
11-110	K298384	8.23	11.28	3.05	0.005	24.0	0.09	0.47	0.77	☐	☐	☐	
11-110	K298385	11.28	14.33	3.05	0.005	21.0	0.05	0.35	0.49	☐	☐	☐	
11-110	K298386	14.33	17.37	3.04	0.005	40.0	0.04	0.35	0.52	☐	☐	☐	
11-110	K298387	17.37	20.42	3.05	0.005	16.0	0.04	0.27	0.44	☐	☐	☐	
11-110	K298388	20.42	23.47	3.05	0.005	8.0	0.03	0.25	0.35	☐	☐	☐	
11-110	K298390	23.47	26.52	3.05	0.005	44.0	0.03	0.30	0.39	☐	☐	☐	
11-110	K298391	26.52	29.57	3.05	0.005	19.0	0.04	0.33	0.52	☐	☐	☐	
11-110	K298392	29.57	32.61	3.04	0.005	10.0	0.03	0.27	0.51	☐	☐	☐	
11-110	K298393	32.61	35.66	3.05	0.005	40.0	0.04	0.33	0.65	☐	☐	☐	
11-110	K298394	35.66	38.71	3.05	0.005	28.0	0.05	0.31	0.60	☐	☐	☐	
11-110	K298395	38.71	41.76	3.05	0.005	45.0	0.06	0.41	0.59	☐	☐	☐	
11-110	K298396	41.76	44.81	3.05	0.005	62.0	0.08	0.45	0.86	☐	☐	☐	End of Batch 110
11-112	K298397	44.81	47.85	3.04	0.005	38.0	0.12	0.47	0.89	☐	☐	☐	Start of Batch 112
11-112	K298398	47.85	50.90	3.05	0.010	25.0	0.20	0.35	0.73	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-112	K298399	50.90	53.95	3.05	0.020	44.0	0.25	0.55	0.84	☐	☐	☐	
11-112	K298401	53.95	57.00	3.05	0.070	83.0	0.40	0.95	1.30	☐	☐	☐	
11-112	K298402	57.00	60.05	3.05	0.050	67.0	0.30	0.68	1.14	☐	☐	☐	
11-112	K298403	60.05	63.09	3.04	0.030	81.0	0.40	0.79	1.65	☐	☐	☐	
11-112	K298404	63.09	66.14	3.05	0.070	81.0	0.54	1.39	2.54	☐	☐	☐	
11-112	K298406	66.14	69.19	3.05	0.020	84.0	0.33	0.77	1.74	☐	☐	☐	
11-112	K298407	69.19	72.24	3.05	0.040	187.0	0.51	0.97	2.12	☐	☐	☐	
11-112	K298408	72.24	75.29	3.05	0.010	66.0	0.23	0.49	1.21	☐	☐	☐	
11-112	K298409	75.29	78.33	3.04	0.010	71.0	0.20	0.56	1.18	☐	☐	☐	
11-112	K298410	78.33	81.38	3.05	0.010	51.0	0.24	0.53	1.48	☐	☐	☐	
11-112	K298411	81.38	84.43	3.05	0.030	74.0	0.21	0.53	1.55	☐	☐	☐	
11-112	K298412	84.43	87.48	3.05	0.010	45.0	0.10	0.34	1.21	☐	☐	☐	
11-112	K298413	87.48	90.43	2.95	0.005	21.0	0.06	0.29	0.79	☐	☐	☐	
11-112	K298414	90.43	93.57	3.14	0.010	32.0	0.05	0.29	0.88	☐	☐	☐	
11-112	K298415	93.57	96.62	3.05	0.005	30.0	0.05	0.33	1.02	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-112	K298416	96.62	99.67	3.05	0.005	70.0	0.09	0.38	0.81	☐	☐	☐	
11-112	K298417	99.67	102.72	3.05	0.005	82.0	0.15	0.46	0.91	☐	☐	☐	
11-112	K298418	99.67	102.72	3.05	0.005	58.0	0.13	0.32	0.82	☑	☐	☐	Duplicate of 417
11-112	K298419	102.72	105.77	3.05	0.005	35.0	0.10	0.36	0.93	☐	☐	☐	
11-112	K298420	105.77	108.81	3.04	0.005	98.0	0.17	0.53	1.11	☐	☐	☐	
11-112	K298421	108.81	111.86	3.05	0.010	148.0	0.20	0.56	0.86	☐	☐	☐	
11-112	K298422	111.86	114.91	3.05	0.010	115.0	0.13	0.83	0.78	☐	☐	☐	
11-112	K298424	114.91	117.96	3.05	0.005	89.0	0.19	1.23	1.87	☐	☐	☐	
11-112	K298425	117.96	121.01	3.05	0.005	67.5	0.08	0.41	1.39	☐	☐	☐	
11-112	K298427	121.01	124.05	3.04	0.005	64.0	0.09	0.47	0.77	☐	☐	☐	
11-112	K298428	124.05	127.10	3.05	0.005	52.0	0.12	0.48	1.63	☐	☐	☐	
11-112	K298429	127.10	130.15	3.05	0.030	36.0	0.07	0.29	0.77	☐	☐	☐	
11-112	K298430	130.15	133.20	3.05	0.005	29.0	0.05	0.19	0.36	☐	☐	☐	
11-112	K298431	133.20	136.25	3.05	0.005	19.0	0.09	0.31	0.49	☐	☐	☐	
11-112	K298432	136.25	139.29	3.04	0.005	34.0	0.12	0.30	0.47	☐	☐	☐	End of Batch 112

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-116	K298433	139.29	142.34	3.05	0.005	76.0	0.27	0.40	0.91	☐	☐	☐	Start of Batch 116
11-116	K298434	142.34	145.39	3.05	0.005	64.0	0.38	0.49	1.59	☐	☐	☐	
11-116	K298435	142.34	145.39	3.05	0.005	68.0	0.48	0.50	1.54	☑	☐	☐	Duplicate of 434
11-116	K298436	145.39	148.44	3.05	0.010	38.0	0.22	0.36	0.63	☐	☐	☐	
11-116	K298437	148.44	151.49	3.05	0.020	67.0	0.26	0.64	0.83	☐	☐	☐	
11-116	K298438	151.49	154.53	3.04	0.005	40.0	0.28	0.79	0.77	☐	☐	☐	
11-116	K298439	154.53	157.30	2.77	0.050	75.0	0.97	1.00	2.29	☐	☐	☐	
11-116	K298441	157.30	159.55	2.25	0.070	104.0	0.69	0.78	1.93	☐	☐	☐	
11-116	K298442	159.55	160.63	1.08	0.210	497.0	1.71	2.42	5.94	☐	☐	☐	
11-116	K298443	160.63	163.68	3.05	0.200	166.0	0.84	0.89	2.94	☐	☐	☐	
11-116	K298445	163.68	166.73	3.05	0.170	83.0	0.94	1.19	2.11	☐	☐	☐	
11-116	K298446	166.73	168.70	1.97	0.020	2330.0	1.47	2.16	1.35	☐	☐	☐	
11-116	K298447	168.70	169.77	1.07	0.010	514.0	3.24	1.76	2.33	☐	☐	☐	
11-116	K298448	169.77	171.08	1.31	0.010	131.0	2.23	0.85	1.42	☐	☐	☐	
11-116	K298449	171.08	172.82	1.74	0.010	979.0	3.98	1.79	2.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-116	K298450	172.82	175.87	3.05	0.020	544.0	1.69	1.35	1.41	☐	☐	☐	
11-116	K298451	175.87	178.92	3.05	0.020	1650.0	0.77	2.40	1.05	☐	☐	☐	
11-116	K298452	178.92	180.75	1.83	0.010	93.0	0.35	0.47	0.77	☐	☐	☐	
11-116	K298454	180.75	182.18	1.43	0.005	32.0	0.22	0.20	0.24	☐	☐	☐	
11-116	K298455	182.18	185.01	2.83	0.010	55.0	0.29	0.18	0.65	☐	☐	☐	
11-116	K298456	185.01	188.06	3.05	0.005	35.0	0.19	0.11	0.33	☐	☐	☐	
11-116	K298457	188.06	189.60	1.54	0.010	43.0	0.27	0.27	0.55	☐	☐	☐	
11-116	K298458	189.60	191.26	1.66	0.005	36.0	0.37	0.33	0.78	☐	☐	☐	
11-116	K298460	191.26	194.16	2.90	0.010	40.0	0.67	0.33	0.64	☐	☐	☐	
11-116	K298461	194.16	197.21	3.05	0.005	59.0	0.29	0.32	0.60	☐	☐	☐	
11-116	K298462	197.21	200.25	3.04	0.005	103.0	0.72	0.22	0.79	☐	☐	☐	
11-116	K298463	200.25	202.20	1.95	0.005	92.0	0.84	0.33	1.19	☐	☐	☐	
11-116	K298464	202.20	203.70	1.50	0.010	153.0	2.09	1.35	2.48	☐	☐	☐	
11-116	K298465	203.70	204.25	0.55	0.520	7180.0	5.19	22.70	14.35	☐	☐	☐	
11-116	K298466	204.25	206.01	1.76	1.310	95200.0	6.10	133.50	20.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-116	K298467	206.01	207.80	1.79	1.690	1490.0	7.10	16.05	22.90	☐	☐	☐	
11-116	K298468	207.80	209.40	1.60	0.360	488.0	2.50	4.78	7.85	☐	☐	☐	End of Batch 116
11-119	K298469	209.40	212.45	3.05	0.005	53.0	0.43	0.33	0.92	☐	☐	☐	Start of Batch 119
11-119	K298471	212.45	215.49	3.04	0.005	67.0	0.34	0.23	0.58	☐	☐	☐	
11-119	K298472	215.49	218.54	3.05	0.005	53.0	0.26	0.20	0.55	☐	☐	☐	
11-119	K298473	218.54	221.59	3.05	0.005	42.0	0.20	0.24	0.81	☐	☐	☐	
11-119	K298474	221.59	224.64	3.05	0.010	46.9	0.17	0.25	0.80	☐	☐	☐	
11-119	K298475	224.64	227.69	3.05	0.005	54.0	0.20	0.26	0.60	☐	☐	☐	
11-119	K298476	227.69	230.73	3.04	0.010	59.3	0.15	0.27	0.60	☐	☐	☐	
11-119	K298477	227.69	230.73	3.04	0.010	57.0	0.14	0.26	0.60	☑	☐	☐	duplicate of 476
11-119	K298478	230.73	233.78	3.05	0.005	25.0	0.05	0.18	0.47	☐	☐	☐	
11-119	K298479	233.78	236.83	3.05	0.005	29.3	0.05	0.16	0.38	☐	☐	☐	
11-119	K298481	236.83	239.88	3.05	0.005	8.0	0.05	0.24	0.24	☐	☐	☐	
11-119	K298482	239.88	242.93	3.05	0.005	14.0	0.05	0.17	0.26	☐	☐	☐	
11-119	K298483	242.93	245.97	3.04	0.005	24.0	0.05	0.18	0.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-119	K298484	245.97	249.02	3.05	0.010	30.2	0.06	0.19	0.47	☐	☐	☐	
11-119	K298485	249.02	250.50	1.48	0.005	37.0	0.06	0.21	0.42	☐	☐	☐	
11-119	K298486	250.50	253.00	2.50	0.010	23.0	0.07	0.25	0.40	☐	☐	☐	
11-119	K298487	253.00	255.12	2.12	0.005	14.0	0.10	0.11	0.15	☐	☐	☐	
11-119	K298488	255.12	258.17	3.05	0.005	31.0	0.10	0.16	0.34	☐	☐	☐	
11-119	K298489	258.17	261.21	3.04	0.005	18.0	0.03	0.09	0.13	☐	☐	☐	
11-119	K298490	261.21	263.13	1.92	0.005	19.0	0.04	0.07	0.11	☐	☐	☐	
11-119	K298491	263.13	264.26	1.13	0.005	23.0	0.11	0.16	0.36	☐	☐	☐	
11-119	K298493	264.26	267.31	3.05	0.005	26.0	0.33	0.14	0.30	☐	☐	☐	
11-119	K298494	267.31	270.36	3.05	0.010	76.0	0.74	0.35	0.64	☐	☐	☐	
11-119	K298495	270.36	273.41	3.05	0.005	42.0	0.29	0.26	0.46	☐	☐	☐	
11-119	K298496	273.41	276.45	3.04	0.005	65.0	0.42	0.46	0.77	☐	☐	☐	
11-119	K298497	276.45	279.50	3.05	0.005	46.0	0.54	0.42	0.69	☐	☐	☐	EOH

ATAC resources ltd.

Sample Results

OS -11-049

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-128	K301567	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-128	K301574	0.00	0.00	0.00	0.350	596.0	9.56	112.50	7.81	☐	☐	☑	NT1
11-133	K301581	0.00	0.00	0.00	0.005	11.0	0.02	0.13	0.10	☐	☑	☐	HQ
11-133	K301588	0.00	0.00	0.00	2.680	614.0	4.60	106.00	3.98	☐	☐	☑	NT2
11-133	K301604	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-133	K301609	0.00	0.00	0.00	0.370	639.0	10.05	117.50	8.41	☐	☐	☑	NT2
11-134	K301620	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-134	K301627	0.00	0.00	0.00	0.330	593.0	8.60	123.50	8.10	☐	☐	☑	NT1
11-134	K301637	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-134	K301642	0.00	0.00	0.00	2.660	522.0	4.16	112.50	4.21	☐	☐	☑	NT2
11-128	K301566	1.87	3.96	2.09	1.060	1000.0	3.97	7.18	7.61	☐	☐	☐	
11-128	K301568	3.96	6.40	2.44	1.560	995.0	4.68	8.36	8.77	☐	☐	☐	
11-128	K301569	6.40	8.54	2.14	4.210	4160.0	13.00	16.85	29.80	☐	☐	☐	
11-128	K301570	8.54	10.06	1.52	0.820	1800.0	4.92	5.94	13.15	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-128	K301571	10.06	11.58	1.52	0.500	1320.0	1.87	3.53	6.75	☐	☐	☐	
11-128	K301572	11.58	14.63	3.05	1.740	1580.0	4.40	6.96	8.79	☐	☐	☐	
11-128	K301573	14.63	17.68	3.05	1.010	561.0	3.22	9.37	10.40	☐	☐	☐	
11-128	K301575	17.68	20.73	3.05	0.500	403.0	2.25	8.42	7.41	☐	☐	☐	
11-128	K301576	20.73	22.25	1.52	0.350	492.0	1.56	5.07	5.97	☐	☐	☐	
11-128	K301577	22.25	23.77	1.52	1.700	1710.0	3.90	8.00	14.10	☐	☐	☐	End of Batch 128
11-133	K301578	23.77	25.30	1.53	7.070	7980.0	18.10	59.50	63.70	☐	☐	☐	Start of Batch 133
11-133	K301579	25.30	26.82	1.52	4.240	3730.0	13.60	30.80	48.30	☐	☐	☐	
11-133	K301580	26.82	28.60	1.78	0.890	2470.0	7.69	19.00	27.90	☐	☐	☐	
11-133	K301582	28.60	31.39	2.79	0.190	1370.0	1.55	7.96	8.71	☐	☐	☐	
11-133	K301583	31.39	34.44	3.05	0.050	428.0	0.40	4.72	2.33	☐	☐	☐	
11-133	K301584	34.44	35.97	1.53	0.005	394.0	0.56	5.32	2.15	☐	☐	☐	
11-133	K301585	35.97	38.10	2.13	0.005	1460.0	0.19	7.37	2.94	☐	☐	☐	
11-133	K301586	38.10	40.54	2.44	0.005	846.0	0.19	3.80	0.95	☐	☐	☐	
11-133	K301587	40.54	43.59	3.05	0.005	2760.0	0.49	11.40	3.39	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-133	K301589	43.59	46.63	3.04	0.030	1580.0	0.33	6.34	1.14	☐	☐	☐	
11-133	K301590	46.63	49.68	3.05	0.005	1050.0	0.61	2.54	0.94	☐	☐	☐	
11-133	K301591	49.68	52.73	3.05	0.010	182.0	0.24	0.52	0.26	☐	☐	☐	
11-133	K301592	52.73	55.78	3.05	0.010	564.0	0.14	1.11	0.45	☐	☐	☐	
11-133	K301593	55.78	58.83	3.05	0.005	329.0	0.07	0.64	0.32	☐	☐	☐	
11-133	K301594	58.83	61.87	3.04	0.005	351.0	0.08	0.91	0.21	☐	☐	☐	
11-133	K301595	61.87	64.50	2.63	0.005	267.0	0.18	0.99	0.66	☐	☐	☐	
11-133	K301596	64.50	67.20	2.70	0.005	153.0	0.10	0.43	0.66	☐	☐	☐	
11-133	K301597	67.20	69.90	2.70	0.150	234.0	0.27	0.59	0.79	☐	☐	☐	
11-133	K301598	69.90	72.54	2.64	0.110	403.0	0.17	0.82	0.48	☐	☐	☐	
11-133	K301599	72.54	75.59	3.05	0.005	285.0	0.07	0.78	0.32	☐	☐	☐	
11-133	K301600	72.54	75.59	3.05	0.005	209.0	0.06	0.48	0.28	☑	☐	☐	Duplicate of 599
11-133	K301601	75.59	78.64	3.05	0.005	273.0	0.08	0.65	0.32	☐	☐	☐	
11-133	K301602	78.64	81.69	3.05	0.005	212.0	0.06	0.48	0.26	☐	☐	☐	
11-133	K301603	81.69	84.73	3.04	0.005	164.0	0.07	0.41	0.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-133	K301605	84.73	87.78	3.05	0.005	127.0	0.07	0.35	0.23	☐	☐	☐	
11-133	K301606	87.78	90.83	3.05	0.005	121.0	0.10	0.39	0.38	☐	☐	☐	
11-133	K301607	90.83	93.88	3.05	0.005	71.0	0.08	0.27	0.32	☐	☐	☐	
11-133	K301608	93.88	96.93	3.05	0.005	165.0	0.09	0.40	0.29	☐	☐	☐	
11-133	K301610	96.93	99.97	3.04	0.010	30.2	0.19	0.45	0.59	☐	☐	☐	
11-133	K301611	99.97	103.02	3.05	0.005	52.0	0.08	0.26	0.17	☐	☐	☐	
11-133	K301612	103.02	106.07	3.05	0.005	28.0	0.09	0.28	0.22	☐	☐	☐	
11-133	K301613	106.07	109.12	3.05	0.010	97.0	0.11	0.37	0.27	☐	☐	☐	End of Batch 133
11-134	K301614	109.12	112.17	3.05	0.005	49.0	0.13	0.34	0.42	☐	☐	☐	Start of Batch 134
11-134	K301615	112.17	115.21	3.04	0.030	137.0	0.24	0.67	0.55	☐	☐	☐	
11-134	K301616	115.21	118.26	3.05	0.020	38.0	0.21	0.51	0.37	☐	☐	☐	
11-134	K301617	118.26	121.31	3.05	0.005	25.0	0.14	0.49	0.32	☐	☐	☐	
11-134	K301618	118.26	121.31	3.05	0.005	26.0	0.15	0.46	0.34	☑	☐	☐	Duplicate of 617
11-134	K301619	121.31	124.36	3.05	0.005	24.0	0.16	0.43	0.34	☐	☐	☐	
11-134	K301621	124.63	126.00	1.37	0.005	108.0	0.12	0.73	0.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-134	K301622	126.00	127.71	1.71	0.005	16.0	0.11	0.30	0.22	☐	☐	☐	
11-134	K301623	127.71	130.45	2.74	0.005	85.0	0.18	0.77	0.67	☐	☐	☐	
11-134	K301624	130.45	132.30	1.85	0.005	53.0	0.17	0.51	0.64	☐	☐	☐	
11-134	K301625	132.30	135.03	2.73	0.005	30.0	0.10	0.33	0.38	☐	☐	☐	
11-134	K301626	135.03	138.07	3.04	0.010	23.0	0.06	0.38	0.26	☐	☐	☐	
11-134	K301628	138.07	141.12	3.05	0.005	22.0	0.10	0.45	0.36	☐	☐	☐	
11-134	K301629	141.12	144.17	3.05	0.005	17.0	0.06	0.28	0.51	☐	☐	☐	
11-134	K301630	144.17	147.22	3.05	0.010	12.0	0.05	0.31	0.31	☐	☐	☐	
11-134	K301631	147.22	150.27	3.05	0.010	14.0	0.05	0.33	0.43	☐	☐	☐	
11-134	K301632	150.27	153.31	3.04	0.005	16.0	0.04	0.21	0.18	☐	☐	☐	
11-134	K301633	153.31	156.36	3.05	0.005	11.0	0.03	0.26	0.26	☐	☐	☐	
11-134	K301634	156.36	159.41	3.05	0.010	9.0	0.10	0.19	0.25	☐	☐	☐	
11-134	K301635	159.41	162.46	3.05	0.005	6.0	0.10	0.12	0.27	☐	☐	☐	
11-134	K301636	162.46	165.51	3.05	0.005	6.0	0.02	0.16	0.33	☐	☐	☐	
11-134	K301638	165.51	168.55	3.04	0.005	9.0	0.02	0.25	0.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-134	K301639	168.55	171.60	3.05	0.005	14.0	0.02	0.25	0.30	☐	☐	☐	
11-134	K301640	171.60	174.65	3.05	0.005	14.0	0.02	0.24	0.37	☐	☐	☐	
11-134	K301641	174.65	177.70	3.05	0.005	8.0	0.03	0.31	0.44	☐	☐	☐	
11-134	K301643	177.70	180.75	3.05	0.010	2.5	0.04	0.44	0.42	☐	☐	☐	
11-134	K301644	180.75	183.79	3.04	0.010	2.5	0.03	0.38	0.38	☐	☐	☐	
11-134	K301645	183.79	186.84	3.05	0.010	22.0	0.05	0.49	0.48	☐	☐	☐	
11-134	K301646	186.84	189.89	3.05	0.010	21.0	0.05	0.42	0.50	☐	☐	☐	
11-134	K301647	189.89	192.94	3.05	0.005	19.0	0.05	0.32	0.50	☐	☐	☐	
11-134	K301648	192.94	195.99	3.05	0.010	18.0	0.04	0.19	0.23	☐	☐	☐	
11-134	K301649	195.99	199.09	3.10	0.020	15.0	0.05	0.23	0.16	☐	☐	☐	End of Batch 134

ATAC resources ltd.

Sample Results

OS -11-050

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-109	K301075	0.00	0.00	0.00	0.005	6.0	0.01	0.03	0.01	☐	☑	☐	HQ
11-109	K301079	0.00	0.00	0.00	2.660	608.0	4.56	105.50	3.85	☐	☐	☑	NT2
11-109	K301083	0.00	0.00	0.00	0.330	629.0	9.60	119.50	8.01	☐	☐	☑	NT1
11-117	K301092	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-117	K301106	0.00	0.00	0.00	2.700	573.0	4.57	104.50	3.79	☐	☐	☑	NT2
11-117	K301111	0.00	0.00	0.00	0.010	18.0	0.06	0.21	0.16	☐	☑	☐	HQ
11-117	K301117	0.00	0.00	0.00	7.910	1020.0	5.96	18.10	12.30	☐	☐	☑	NT3
11-118	K301129	0.00	0.00	0.00	0.010	2.5	0.01	0.06	0.04	☐	☑	☐	HQ
11-118	K301139	0.00	0.00	0.00	2.770	547.0	4.13	107.50	3.82	☐	☐	☑	NT2
11-118	K301145	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-118	K301148	0.00	0.00	0.00	0.340	599.0	9.21	105.00	7.37	☐	☐	☑	NT1
11-118	K301157	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ + End of batch 118
11-121	K301162	0.00	0.00	0.00	0.360	616.0	9.08	123.00	8.61	☐	☐	☑	NT1
11-121	K301166	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-121	K301174	0.00	0.00	0.00	2.610	592.0	4.66	107.50	4.21	☐	☐	☑	NT2
11-121	K301181	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-124	K301194	0.00	0.00	0.00	0.350	679.0	9.50	128.50	9.22	☐	☐	☑	NT1 + Start of Batch 124
11-124	K301198	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	NQ
11-124	K301202	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-124	K301207	0.00	0.00	0.00	7.970	1100.0	6.31	23.30	15.15	☐	☐	☑	NT3
11-127	K301237	0.00	0.00	0.00	0.005	5.0	0.01	0.03	0.01	☐	☑	☐	NQ
11-127	K301241	0.00	0.00	0.00	7.750	1020.0	5.97	18.15	13.05	☐	☐	☑	NT3
11-127	K301256	0.00	0.00	0.00	0.010	30.0	0.01	0.11	0.03	☐	☑	☐	NQ
11-127	K301261	0.00	0.00	0.00	2.670	500.0	4.45	101.50	4.09	☐	☐	☑	NT2
11-130	K301271	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-130	K301284	0.00	0.00	0.00	0.370	640.0	1.30	114.00	7.87	☐	☐	☑	NT1
11-130	K301290	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-130	K301296	0.00	0.00	0.00	2.600	610.0	4.40	108.50	4.18	☐	☐	☑	NT2
11-109	K301072	7.25	9.14	1.89	0.005	59.5	0.05	0.43	0.73	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-109	K301073	9.14	12.19	3.05	0.010	44.3	0.05	0.44	0.58	☐	☐	☐	
11-109	K301074	12.19	15.24	3.05	0.005	54.6	0.04	0.37	0.52	☐	☐	☐	
11-109	K301076	15.24	18.29	3.05	0.005	18.6	0.04	0.33	0.57	☐	☐	☐	
11-109	K301077	18.29	21.34	3.05	0.010	24.2	0.04	0.34	0.60	☐	☐	☐	
11-109	K301078	21.34	24.38	3.04	0.010	21.7	0.03	0.31	0.48	☐	☐	☐	
11-109	K301080	24.38	27.43	3.05	0.010	49.4	0.03	0.40	0.59	☐	☐	☐	
11-109	K301081	27.43	30.48	3.05	0.005	20.4	0.07	0.43	0.78	☐	☐	☐	
11-109	K301082	30.48	33.53	3.05	0.010	90.9	0.11	0.45	1.04	☐	☐	☐	
11-109	K301084	33.53	36.58	3.05	0.010	47.9	0.24	0.47	1.66	☐	☐	☐	
11-109	K301085	36.58	39.62	3.04	0.130	227.0	2.26	2.77	4.81	☐	☐	☐	End of Batch 109
11-117	K301086	39.62	42.67	3.05	0.060	155.0	5.12	2.36	12.50	☐	☐	☐	Start of Batch 117
11-117	K301087	42.67	45.72	3.05	0.005	82.8	3.23	1.54	19.10	☐	☐	☐	
11-117	K301088	45.72	48.77	3.05	0.280	271.0	2.05	2.07	7.02	☐	☐	☐	
11-117	K301089	48.77	51.82	3.05	0.010	121.0	1.35	0.80	5.57	☐	☐	☐	
11-117	K301090	51.82	53.34	1.52	0.005	161.0	1.36	1.67	5.36	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-117	K301091	53.34	56.39	3.05	0.230	5150.0	5.68	11.85	16.00	☐	☐	☐	
11-117	K301093	56.39	59.44	3.05	0.440	1670.0	7.30	16.90	22.40	☐	☐	☐	
11-117	K301094	59.44	62.48	3.04	1.230	7410.0	8.14	38.40	32.30	☐	☐	☐	
11-117	K301095	62.48	65.53	3.05	0.640	6160.0	8.18	25.20	25.80	☐	☐	☐	
11-117	K301096	65.53	68.58	3.05	0.005	150.0	2.78	1.80	7.89	☐	☐	☐	
11-117	K301097	68.58	71.63	3.05	0.030	201.0	2.41	3.01	5.18	☐	☐	☐	
11-117	K301098	68.58	71.63	3.05	0.040	230.0	2.65	3.30	5.61	☑	☐	☐	Duplicate of 097
11-117	K301099	71.63	74.68	3.05	0.005	112.5	1.34	0.57	4.22	☐	☐	☐	
11-117	K301100	74.68	77.72	3.04	0.260	590.0	7.27	9.78	20.50	☐	☐	☐	
11-117	K301101	77.72	80.77	3.05	0.500	559.0	10.60	12.55	26.90	☐	☐	☐	
11-117	K301102	80.77	83.82	3.05	0.010	195.5	4.79	1.73	8.96	☐	☐	☐	
11-117	K301103	83.82	86.87	3.05	0.005	148.5	3.13	1.21	4.49	☐	☐	☐	
11-117	K301104	86.87	89.92	3.05	2.270	840.0	8.95	24.90	31.20	☐	☐	☐	
11-117	K301105	89.92	92.96	3.04	1.740	725.0	7.45	20.30	26.50	☐	☐	☐	
11-117	K301107	92.96	93.73	0.77	0.160	477.0	2.75	2.46	10.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-117	K301108	93.73	96.01	2.28	0.150	378.0	4.18	6.77	12.85	☐	☐	☐	
11-117	K301109	96.01	96.85	0.84	4.950	2710.0	10.70	39.90	43.50	☐	☐	☐	
11-117	K301110	96.85	97.65	0.80	19.050	39500.0	33.50	236.00	142.50	☐	☐	☐	
11-117	K301112	97.65	98.39	0.74	10.800	191500.0	23.90	585.00	95.50	☐	☐	☐	
11-117	K301113	98.39	100.58	2.19	3.850	12000.0	11.40	55.50	46.00	☐	☐	☐	
11-117	K301114	100.58	103.63	3.05	1.990	6930.0	7.90	31.10	29.50	☐	☐	☐	
11-117	K301115	103.63	106.10	2.47	0.720	1740.0	8.45	17.30	33.60	☐	☐	☐	
11-117	K301116	106.10	108.20	2.10	0.330	687.0	6.42	10.25	25.50	☐	☐	☐	
11-117	K301118	108.20	111.25	3.05	0.580	1820.0	5.58	12.75	18.30	☐	☐	☐	
11-117	K301119	111.25	114.30	3.05	0.720	460.0	5.24	10.80	18.35	☐	☐	☐	
11-117	K301120	114.30	117.35	3.05	2.070	1970.0	4.42	18.25	16.20	☐	☐	☐	
11-117	K301121	117.35	119.50	2.15	4.550	1610.0	9.18	29.80	30.00	☐	☐	☐	End of Batch 117
11-118	K301122	119.50	121.92	2.42	1.850	405.0	4.75	11.05	15.15	☐	☐	☐	Start of Batch 118
11-118	K301123	121.92	124.97	3.05	0.870	113.0	2.07	5.28	8.04	☐	☐	☐	
11-118	K301124	124.97	128.02	3.05	1.440	290.0	7.41	13.85	20.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-118	K301125	128.02	131.06	3.04	1.250	255.0	6.48	9.89	19.80	☐	☐	☐	
11-118	K301126	131.06	134.11	3.05	3.500	369.0	6.66	14.15	21.80	☐	☐	☐	
11-118	K301127	134.11	137.16	3.05	1.250	211.0	4.54	6.69	12.95	☐	☐	☐	
11-118	K301128	137.16	140.21	3.05	0.100	144.0	2.00	2.18	7.07	☐	☐	☐	
11-118	K301130	140.21	143.26	3.05	0.120	179.0	2.79	2.78	9.15	☐	☐	☐	
11-118	K301131	143.26	146.30	3.04	0.140	276.0	5.34	4.02	13.35	☐	☐	☐	
11-118	K301132	146.30	149.35	3.05	0.020	87.0	1.98	0.97	4.75	☐	☐	☐	
11-118	K301133	149.35	152.40	3.05	0.010	88.0	1.24	0.86	3.53	☐	☐	☐	
11-118	K301134	152.40	155.45	3.05	0.010	78.0	0.53	0.74	2.62	☐	☐	☐	
11-118	K301135	155.45	158.50	3.05	0.010	67.0	0.11	0.61	1.37	☐	☐	☐	
11-118	K301136	158.50	161.54	3.04	0.010	61.0	0.30	0.59	1.41	☐	☐	☐	
11-118	K301137	161.54	164.59	3.05	0.020	113.0	1.83	0.90	1.89	☐	☐	☐	
11-118	K301138	164.59	167.64	3.05	0.020	284.0	1.85	1.11	1.31	☐	☐	☐	
11-118	K301140	167.64	170.69	3.05	0.020	220.0	3.07	1.67	1.70	☐	☐	☐	
11-118	K301141	170.69	173.74	3.05	0.010	63.0	1.06	0.41	0.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-118	K301142	173.74	176.78	3.04	0.005	134.0	3.17	0.88	1.04	☐	☐	☐	
11-118	K301143	176.78	179.83	3.05	0.005	119.0	2.95	0.66	1.66	☐	☐	☐	
11-118	K301144	179.83	182.88	3.05	0.010	224.0	4.77	0.99	3.95	☐	☐	☐	
11-118	K301146	182.88	184.40	1.52	0.010	337.0	6.67	1.64	4.68	☐	☐	☐	
11-118	K301147	184.40	187.45	3.05	0.010	172.0	4.03	0.70	2.93	☐	☐	☐	
11-118	K301149	187.45	190.50	3.05	0.010	106.0	1.66	0.64	4.30	☐	☐	☐	
11-118	K301150	190.50	193.55	3.05	0.010	88.0	1.63	0.48	3.75	☐	☐	☐	
11-118	K301151	190.50	193.55	3.05	0.020	84.0	1.46	0.44	3.39	☑	☐	☐	Duplicate of 150
11-118	K301152	193.55	196.60	3.05	0.030	77.0	1.31	0.47	2.03	☐	☐	☐	
11-118	K301153	196.60	199.64	3.04	0.005	33.0	0.52	0.24	1.41	☐	☐	☐	
11-118	K301154	199.64	202.69	3.05	0.010	32.0	0.58	0.29	1.67	☐	☐	☐	
11-118	K301155	202.69	205.74	3.05	0.010	34.0	0.45	0.26	0.90	☐	☐	☐	
11-118	K301156	205.74	208.79	3.05	0.010	7.0	0.09	0.11	0.12	☐	☐	☐	
11-121	K301158	208.79	211.84	3.05	0.010	23.0	0.28	0.18	0.13	☐	☐	☐	Start of Batch 121
11-121	K301159	211.84	214.88	3.04	0.005	43.0	0.34	0.54	0.92	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-121	K301160	214.88	217.93	3.05	0.005	50.0	0.62	0.72	0.84	☐	☐	☐	
11-121	K301161	217.93	220.98	3.05	0.020	120.0	2.48	2.25	2.17	☐	☐	☐	
11-121	K301163	220.98	224.03	3.05	0.005	42.0	0.38	0.87	0.58	☐	☐	☐	
11-121	K301164	224.03	227.08	3.05	0.005	26.0	0.14	0.26	0.27	☐	☐	☐	
11-121	K301165	227.08	230.12	3.04	0.005	46.0	0.29	0.40	0.45	☐	☐	☐	
11-121	K301167	230.12	233.17	3.05	0.005	37.0	0.32	0.38	0.34	☐	☐	☐	
11-121	K301168	233.17	236.22	3.05	0.005	74.0	0.42	0.80	0.93	☐	☐	☐	
11-121	K301169	236.22	239.27	3.05	0.005	65.0	0.45	0.68	0.52	☐	☐	☐	
11-121	K301170	239.27	242.32	3.05	0.005	49.0	0.95	0.49	0.37	☐	☐	☐	
11-121	K301171	242.32	245.36	3.04	0.005	42.0	0.71	0.34	0.94	☐	☐	☐	
11-121	K301172	245.36	248.41	3.05	0.050	141.0	2.02	0.80	1.88	☐	☐	☐	
11-121	K301173	248.41	251.46	3.05	0.010	47.0	1.13	0.34	1.05	☐	☐	☐	
11-121	K301175	251.46	254.51	3.05	0.005	42.0	0.59	0.47	0.61	☐	☐	☐	
11-121	K301176	254.51	257.56	3.05	0.005	53.0	1.20	0.47	0.51	☐	☐	☐	
11-121	K301177	257.56	260.60	3.04	0.005	54.0	0.97	0.40	0.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-121	K301178	260.60	263.65	3.05	0.005	47.0	0.49	0.26	0.31	☐	☐	☐	
11-121	K301179	263.65	266.70	3.05	0.005	15.0	0.27	0.14	0.14	☐	☐	☐	
11-121	K301180	266.70	269.75	3.05	0.005	21.0	0.17	0.15	0.15	☐	☐	☐	
11-121	K301182	269.75	272.80	3.05	0.005	25.0	0.25	0.20	0.22	☐	☐	☐	
11-121	K301183	272.80	275.84	3.04	0.005	36.0	0.64	0.48	0.70	☐	☐	☐	
11-121	K301184	275.84	278.89	3.05	0.005	24.0	0.41	0.59	1.74	☐	☐	☐	
11-121	K301185	278.89	281.94	3.05	0.005	74.0	1.63	0.42	1.17	☐	☐	☐	
11-121	K301186	281.94	284.99	3.05	0.005	224.0	4.61	1.07	2.83	☐	☐	☐	
11-121	K301187	284.99	288.04	3.05	0.005	119.0	2.26	0.60	2.53	☐	☐	☐	
11-121	K301188	288.04	291.08	3.04	0.005	181.0	4.37	0.69	2.96	☐	☐	☐	
11-121	K301189	288.04	291.08	3.04	0.005	144.0	4.07	0.59	2.55	☑	☐	☐	Duplicate of 188
11-121	K301190	291.08	294.13	3.05	0.005	26.0	0.31	0.17	0.59	☐	☐	☐	
11-121	K301191	294.13	297.18	3.05	0.005	49.0	0.49	0.21	1.34	☐	☐	☐	
11-121	K301192	297.18	300.23	3.05	0.005	63.0	1.07	0.26	2.35	☐	☐	☐	
11-121	K301193	300.23	303.28	3.05	0.005	76.0	2.14	0.41	3.33	☐	☐	☐	End of Batch 121

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-124	K301195	303.28	306.32	3.04	0.005	48.0	0.85	0.42	1.68	☐	☐	☐	
11-124	K301196	306.32	309.37	3.05	0.005	40.0	0.24	0.29	1.05	☐	☐	☐	
11-124	K301197	309.37	312.42	3.05	0.005	45.0	0.58	0.32	0.60	☐	☐	☐	
11-124	K301199	312.42	315.47	3.05	0.005	27.0	0.30	0.23	0.20	☐	☐	☐	
11-124	K301200	315.47	318.52	3.05	0.005	19.0	0.11	0.17	0.11	☐	☐	☐	
11-124	K301201	318.52	321.56	3.04	0.010	29.0	0.29	0.26	0.22	☐	☐	☐	
11-124	K301203	321.56	324.61	3.05	0.005	25.0	0.26	0.27	0.26	☐	☐	☐	
11-124	K301204	324.61	327.66	3.05	0.010	16.0	0.15	0.19	0.14	☐	☐	☐	
11-124	K301205	327.66	330.71	3.05	0.005	40.0	0.36	0.32	0.25	☐	☐	☐	
11-124	K301206	330.71	333.76	3.05	0.005	17.0	0.20	0.26	0.11	☐	☐	☐	
11-124	K301208	333.76	336.80	3.04	0.005	57.0	0.50	0.63	0.73	☐	☐	☐	
11-124	K301209	336.80	339.85	3.05	0.005	29.0	0.16	0.28	0.27	☐	☐	☐	
11-124	K301210	339.85	342.90	3.05	0.005	28.0	0.17	0.32	0.24	☐	☐	☐	
11-124	K301211	342.90	345.95	3.05	0.005	39.0	0.38	0.48	0.33	☐	☐	☐	
11-124	K301212	345.95	349.00	3.05	0.005	45.0	0.64	0.56	0.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-124	K301213	349.00	352.04	3.04	0.005	24.0	0.28	0.25	0.17	☐	☐	☐	
11-124	K301214	349.00	352.04	3.04	0.005	23.0	0.26	0.23	0.15	☑	☐	☐	Duplicate of 233
11-124	K301215	352.04	355.09	3.05	0.005	35.0	0.17	0.30	0.25	☐	☐	☐	
11-124	K301216	355.09	358.14	3.05	0.005	28.0	0.29	0.20	0.19	☐	☐	☐	
11-124	K301217	358.14	361.19	3.05	0.005	24.0	0.27	0.22	0.30	☐	☐	☐	
11-124	K301218	361.19	364.24	3.05	0.005	12.0	0.18	0.17	0.20	☐	☐	☐	
11-124	K301219	364.24	367.28	3.04	0.005	20.0	0.34	0.17	0.19	☐	☐	☐	
11-124	K301220	367.28	370.33	3.05	0.010	12.0	0.16	0.12	0.22	☐	☐	☐	
11-124	K301221	370.33	373.38	3.05	0.010	28.0	0.37	0.54	0.36	☐	☐	☐	
11-124	K301222	373.38	376.43	3.05	0.005	30.0	0.36	2.42	0.25	☐	☐	☐	
11-124	K301223	376.43	379.48	3.05	0.005	13.0	0.13	0.15	0.12	☐	☐	☐	
11-124	K301224	379.48	382.52	3.04	0.005	25.0	0.27	0.31	0.26	☐	☐	☐	
11-124	K301225	382.52	385.57	3.05	0.005	10.0	0.16	0.12	0.16	☐	☐	☐	
11-124	K301226	385.57	388.62	3.05	0.005	26.0	0.43	0.31	0.60	☐	☐	☐	
11-124	K301227	388.62	391.67	3.05	0.005	8.0	0.15	0.20	0.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-124	K301228	391.67	394.72	3.05	0.005	9.0	0.27	0.21	0.36	☐	☐	☐	
11-124	K301229	394.72	396.70	1.98	0.005	57.0	0.98	0.38	2.02	☐	☐	☐	End of Batch 124
11-127	K301230	396.70	397.76	1.06	0.430	948.0	3.08	3.40	7.60	☐	☐	☐	Start of Batch 127
11-127	K301231	397.76	400.81	3.05	0.100	1180.0	3.18	1.45	9.45	☐	☐	☐	
11-127	K301232	400.81	402.55	1.74	0.720	803.0	5.15	8.60	12.40	☐	☐	☐	
11-127	K301233	402.55	403.86	1.31	0.240	1540.0	6.20	6.10	14.30	☐	☐	☐	
11-127	K301234	403.86	406.91	3.05	0.060	299.0	2.85	1.60	6.12	☐	☐	☐	
11-127	K301235	406.91	409.96	3.05	0.090	277.0	1.56	1.71	3.27	☐	☐	☐	
11-127	K301236	409.96	413.00	3.04	0.020	231.0	1.25	1.07	2.95	☐	☐	☐	
11-127	K301238	413.00	416.05	3.05	0.020	167.0	0.64	0.89	2.42	☐	☐	☐	
11-127	K301239	416.05	417.85	1.80	0.005	34.4	0.41	0.36	3.10	☐	☐	☐	
11-127	K301240	417.85	419.65	1.80	0.050	380.0	2.34	1.46	6.97	☐	☐	☐	
11-127	K301242	419.65	422.40	2.75	0.250	1615.0	4.77	5.83	11.25	☐	☐	☐	
11-127	K301243	422.40	425.45	3.05	0.250	2500.0	5.36	11.00	13.55	☐	☐	☐	
11-127	K301244	425.45	427.69	2.24	0.480	13600.0	6.32	35.40	15.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-127	K301245	427.69	429.00	1.31	0.990	1970.0	5.49	11.95	19.25	☐	☐	☐	
11-127	K301246	429.00	431.29	2.29	0.070	611.0	3.90	3.23	11.10	☐	☐	☐	
11-127	K301247	431.29	434.34	3.05	0.280	1115.0	5.46	4.87	11.40	☐	☐	☐	
11-127	K301248	434.34	437.39	3.05	0.710	748.0	4.46	6.86	11.15	☐	☐	☐	
11-127	K301249	437.39	439.30	1.91	2.970	13700.0	5.54	35.90	15.25	☐	☐	☐	
11-127	K301250	439.30	440.44	1.14	1.060	3460.0	6.27	18.95	21.60	☐	☐	☐	
11-127	K301251	440.44	443.48	3.04	0.360	500.0	3.05	7.77	11.20	☐	☐	☐	
11-127	K301252	440.44	443.48	3.04	0.390	531.0	3.21	8.49	11.95	☑	☐	☐	Duplicate of 251
11-127	K301253	443.48	446.53	3.05	5.980	2820.0	4.34	22.80	19.70	☐	☐	☐	
11-127	K301254	446.53	447.90	1.37	6.970	6290.0	5.52	33.30	19.00	☐	☐	☐	
11-127	K301255	447.90	450.68	2.78	16.700	54500.0	11.30	137.50	43.90	☐	☐	☐	
11-127	K301257	450.68	452.63	1.95	3.890	38500.0	5.59	76.30	15.70	☐	☐	☐	
11-127	K301258	452.63	455.68	3.05	6.010	9900.0	9.32	41.90	26.70	☐	☐	☐	
11-127	K301259	455.68	458.45	2.77	0.840	482.0	2.69	7.34	7.82	☐	☐	☐	
11-127	K301260	458.45	460.40	1.95	8.400	17050.0	11.00	68.60	39.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-127	K301262	460.40	461.77	1.37	0.030	251.0	1.38	2.50	3.48	☐	☐	☐	
11-127	K301263	461.77	464.82	3.05	0.060	402.0	1.38	2.33	3.49	☐	☐	☐	
11-127	K301264	464.82	467.87	3.05	0.310	658.0	3.24	6.68	8.52	☐	☐	☐	
11-127	K301265	467.87	470.92	3.05	0.280	1380.0	3.78	6.44	10.15	☐	☐	☐	End of Batch 127
11-130	K301266	470.92	473.96	3.04	0.470	1800.0	3.10	6.87	8.64	☐	☐	☐	Start of Batch 130
11-130	K301267	473.96	477.01	3.05	0.620	1340.0	2.72	9.09	8.12	☐	☐	☐	
11-130	K301268	477.01	480.06	3.05	0.350	635.0	1.89	4.70	6.09	☐	☐	☐	
11-130	K301269	480.06	483.11	3.05	0.020	234.0	0.44	2.34	1.23	☐	☐	☐	
11-130	K301270	483.11	486.16	3.05	0.005	91.3	0.49	0.91	2.77	☐	☐	☐	
11-130	K301272	486.16	489.20	3.04	0.005	126.0	0.79	1.03	5.10	☐	☐	☐	
11-130	K301273	489.20	492.25	3.05	0.040	276.0	0.85	2.95	3.19	☐	☐	☐	
11-130	K301274	492.25	495.30	3.05	0.160	2610.0	1.67	8.35	3.36	☐	☐	☐	
11-130	K301275	495.30	498.35	3.05	0.070	9690.0	2.02	29.40	3.13	☐	☐	☐	
11-130	K301276	498.35	500.08	1.73	0.860	8060.0	4.59	26.20	7.44	☐	☐	☐	
11-130	K301277	500.08	501.40	1.32	7.940	87300.0	39.00	184.00	70.10	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-130	K301278	500.08	501.40	1.32	9.410	69800.0	35.90	133.50	59.20	☑	☐	☐	
11-130	K301279	501.40	504.44	3.04	0.610	24200.0	7.80	54.40	9.66	☐	☐	☐	
11-130	K301280	504.44	507.49	3.05	0.080	2430.0	0.82	7.24	1.38	☐	☐	☐	
11-130	K301281	507.49	509.90	2.41	0.005	173.0	0.27	0.81	0.69	☐	☐	☐	
11-130	K301282	509.90	511.00	1.10	0.005	198.5	0.39	1.20	1.15	☐	☐	☐	
11-130	K301283	511.00	514.05	3.05	0.250	8160.0	3.59	21.50	6.09	☐	☐	☐	
11-130	K301285	514.05	515.61	1.56	0.070	1780.0	1.08	7.09	2.19	☐	☐	☐	
11-130	K301286	515.61	517.67	2.06	0.040	1950.0	1.07	8.28	1.30	☐	☐	☐	
11-130	K301287	517.67	520.20	2.53	0.005	131.0	0.15	1.06	0.63	☐	☐	☐	
11-130	K301288	520.20	522.73	2.53	0.005	234.0	0.21	1.01	1.02	☐	☐	☐	
11-130	K301289	522.73	525.78	3.05	0.005	130.5	0.44	0.99	2.58	☐	☐	☐	
11-130	K301291	525.78	528.83	3.05	0.005	486.0	0.59	1.51	2.80	☐	☐	☐	
11-130	K301292	528.83	531.88	3.05	0.005	60.7	0.10	0.72	0.84	☐	☐	☐	
11-130	K301293	531.88	534.92	3.04	0.005	54.8	0.07	0.35	0.90	☐	☐	☐	
11-130	K301294	534.92	537.97	3.05	0.005	27.4	0.12	0.47	0.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-130	K301295	537.97	541.02	3.05	0.005	66.3	0.40	0.71	0.97	☐	☐	☐	
11-130	K301297	541.02	544.07	3.05	0.005	106.5	0.57	0.88	1.62	☐	☐	☐	
11-130	K301298	544.07	547.12	3.05	0.005	112.5	0.55	0.82	1.77	☐	☐	☐	
11-130	K301299	547.12	550.16	3.04	0.005	43.0	0.58	0.53	1.20	☐	☐	☐	
11-137	K301467	550.16	550.50	0.34	0.005	94.1	0.71	0.62	1.23	☐	☐	☐	
11-137	K301359	550.50	552.30	1.80	0.005	70.5	0.80	0.82	1.37	☐	☐	☐	EOH

Sample Results

OS -11-051

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-123	K300549	0.00	0.00	0.00	0.340	590.0	9.76	110.00	8.30	☐	☐	☑	NT1
11-123	K300562	0.00	0.00	0.00	2.700	586.0	4.13	103.00	4.13	☐	☐	☑	NT2
11-123	K300575	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	HQ
11-123	K300579	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	HQ
11-129	K300588	0.00	0.00	0.00	0.310	577.0	9.10	106.00	8.19	☐	☐	☑	NT1
11-129	K300594	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-129	K300599	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	HQ
11-129	K300616	0.00	0.00	0.00	2.620	585.0	4.70	104.50	4.31	☐	☐	☑	NT2; End of Batch 129
11-136	K300625	0.00	0.00	0.00	0.340	589.0	9.20	115.50	7.85	☐	☐	☑	NT1
11-136	K300632	0.00	0.00	0.00	0.005	46.0	0.01	0.16	0.03	☐	☑	☐	NQ
11-136	K300637	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.04	☐	☑	☐	NQ
11-136	K300646	0.00	0.00	0.00	2.600	576.0	4.80	105.00	4.04	☐	☐	☑	NT2
11-138	K300661	0.00	0.00	0.00	0.005	52.0	0.01	0.27	0.01	☐	☑	☐	NQ
11-138	K300671	0.00	0.00	0.00	0.330	606.0	9.10	114.00	7.94	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-138	K300674	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-138	K300686	0.00	0.00	0.00	2.630	610.0	4.70	101.00	3.97	☐	☐	☑	NT2
11-141	K300704	0.00	0.00	0.00	0.320	609.0	8.98	113.00	7.71	☐	☐	☑	NT1
11-141	K300709	0.00	0.00	0.00	0.005	5.0	0.02	0.11	0.09	☐	☑	☐	NQ
11-141	K300719	0.00	0.00	0.00	2.640	617.0	4.36	109.00	4.38	☐	☐	☑	NT2
11-141	K300723	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-151	K300731	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-151	K300737	0.00	0.00	0.00	0.310	565.0	9.30	112.50	7.46	☐	☐	☑	NT1
11-151	K300753	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-151	K300760	0.00	0.00	0.00	2.560	575.0	4.47	112.50	3.99	☐	☐	☑	NT2 / End of Batch 151
11-106	K300538	6.25	8.00	1.75	0.005	331.0	0.35	1.40	3.18	☐	☐	☐	
11-106	K300539	8.00	10.06	2.06	0.005	74.7	0.01	1.08	4.70	☐	☐	☐	
11-106	K300540	10.06	13.11	3.05	0.010	390.0	1.06	1.98	6.23	☐	☐	☐	
11-106	K300541	13.11	16.15	3.04	0.005	294.0	0.67	1.36	5.37	☐	☐	☐	
11-106	K300542	16.15	17.68	1.53	0.005	53.1	0.72	0.90	5.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-106	K300543	17.68	20.73	3.05	0.005	86.7	0.16	0.52	1.48	☐	☐	☐	
11-106	K300544	20.73	23.77	3.04	0.005	53.0	0.12	0.63	1.14	☐	☐	☐	End of Batch 106
11-123	K300545	23.77	26.82	3.05	0.010	47.8	0.46	1.82	1.08	☐	☐	☐	Start of Batch 123
11-123	K300546	26.82	29.87	3.05	0.005	65.8	0.74	3.22	2.00	☐	☐	☐	
11-123	K300547	29.87	32.92	3.05	0.010	6.6	0.10	0.55	1.43	☐	☐	☐	
11-123	K300548	32.92	35.97	3.05	0.010	15.7	0.10	0.55	1.21	☐	☐	☐	
11-123	K300550	35.97	38.01	2.04	0.010	18.4	0.11	0.73	1.21	☐	☐	☐	
11-123	K300551	38.01	40.54	2.53	0.005	10.7	0.05	0.55	1.63	☐	☐	☐	
11-123	K300552	40.54	43.59	3.05	0.005	15.5	0.05	0.48	1.29	☐	☐	☐	
11-123	K300553	43.59	45.11	1.52	0.005	23.2	0.04	0.45	1.15	☐	☐	☐	
11-123	K300554	45.11	48.16	3.05	0.005	18.4	0.14	0.49	1.15	☐	☐	☐	
11-123	K300555	48.16	51.21	3.05	0.005	11.0	0.14	0.36	0.86	☐	☐	☐	
11-123	K300556	51.21	54.25	3.04	0.005	25.5	0.17	0.49	1.24	☐	☐	☐	
11-123	K300557	54.25	57.30	3.05	0.060	435.0	0.74	1.33	2.21	☐	☐	☐	
11-123	K300558	57.30	60.35	3.05	0.005	13.4	0.04	0.26	0.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-123	K300559	60.35	63.40	3.05	0.005	5.3	0.04	0.27	0.41	☐	☐	☐	
11-123	K300560	63.40	66.45	3.05	0.005	8.9	0.07	0.28	0.60	☐	☐	☐	
11-123	K300561	66.45	69.49	3.04	0.005	8.5	0.05	0.32	0.46	☐	☐	☐	
11-123	K300563	69.49	72.54	3.05	0.010	6.4	0.06	0.42	0.46	☐	☐	☐	
11-123	K300564	72.54	75.59	3.05	0.005	16.7	0.14	0.46	0.82	☐	☐	☐	
11-123	K300565	75.59	78.64	3.05	0.005	36.9	0.10	0.68	1.24	☐	☐	☐	
11-123	K300566	78.64	81.69	3.05	0.005	34.6	0.40	1.35	2.16	☐	☐	☐	
11-123	K300567	81.69	84.73	3.04	0.005	36.0	0.41	1.38	1.86	☐	☐	☐	
11-123	K300568	84.73	87.78	3.05	0.005	46.7	0.20	0.93	1.24	☐	☐	☐	
11-123	K300569	87.78	90.83	3.05	0.005	43.3	0.05	0.31	0.67	☐	☐	☐	
11-123	K300570	87.78	90.83	3.05	0.005	37.2	0.05	0.34	0.57	☑	☐	☐	Duplicate of 569
11-123	K300571	90.83	93.88	3.05	0.005	22.5	0.06	0.39	0.63	☐	☐	☐	
11-123	K300572	93.88	96.93	3.05	0.005	23.3	0.10	0.43	0.82	☐	☐	☐	
11-123	K300573	96.93	99.97	3.04	0.005	23.5	0.09	0.43	0.84	☐	☐	☐	
11-123	K300574	99.97	103.02	3.05	0.005	27.6	0.07	0.41	0.65	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-123	K300576	103.02	106.07	3.05	0.005	17.7	0.04	0.38	0.59	☐	☐	☐	
11-123	K300577	106.07	109.12	3.05	0.005	18.7	0.05	0.43	0.67	☐	☐	☐	
11-123	K300578	109.12	112.17	3.05	0.005	11.5	0.04	0.36	0.60	☐	☐	☐	
11-123	K300580	112.17	115.21	3.04	0.005	14.2	0.05	0.70	0.70	☐	☐	☐	End of batch 123
11-129	K300581	115.21	118.26	3.05	0.005	15.4	0.06	0.52	0.84	☐	☐	☐	Start of Batch 129
11-129	K300582	118.26	121.31	3.05	0.005	13.9	0.05	0.41	1.07	☐	☐	☐	
11-129	K300583	121.31	122.83	1.52	0.005	106.5	0.10	0.67	5.30	☐	☐	☐	
11-129	K300584	122.83	125.60	2.77	0.005	29.3	0.12	0.50	1.95	☐	☐	☐	
11-129	K300585	125.60	127.60	2.00	0.005	31.0	0.44	0.53	3.16	☐	☐	☐	
11-129	K300586	127.60	128.93	1.33	0.030	123.5	0.28	1.36	2.44	☐	☐	☐	
11-129	K300587	128.93	131.98	3.05	0.005	12.6	0.09	0.36	1.14	☐	☐	☐	
11-129	K300589	131.98	135.03	3.05	0.005	19.3	0.13	0.59	1.24	☐	☐	☐	
11-129	K300590	135.03	138.07	3.04	0.005	30.8	0.40	0.55	2.01	☐	☐	☐	
11-129	K300591	138.07	141.12	3.05	0.270	3930.0	2.80	26.40	4.08	☐	☐	☐	
11-129	K300592	141.12	144.17	3.05	0.080	844.0	1.92	6.94	5.13	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-129	K300593	144.17	147.22	3.05	0.030	304.0	0.67	1.80	2.39	☐	☐	☐	
11-129	K300595	147.22	150.27	3.05	0.030	241.0	0.44	2.61	2.53	☐	☐	☐	
11-129	K300596	150.27	153.31	3.04	0.005	29.2	0.30	0.77	1.39	☐	☐	☐	
11-129	K300597	153.31	156.36	3.05	0.005	72.1	0.31	0.61	1.75	☐	☐	☐	
11-129	K300598	156.36	159.41	3.05	0.190	519.0	0.71	2.93	3.77	☐	☐	☐	
11-129	K300600	159.41	162.46	3.05	0.005	137.5	0.52	1.83	3.31	☐	☐	☐	
11-129	K300601	162.46	165.51	3.05	0.005	36.7	0.15	0.49	2.01	☐	☐	☐	
11-129	K300602	165.51	168.58	3.07	0.005	33.2	0.08	0.44	1.48	☐	☐	☐	
11-129	K300603	168.58	171.60	3.02	0.005	42.7	0.10	0.60	1.48	☐	☐	☐	
11-129	K300604	171.60	174.65	3.05	0.005	7.0	0.07	0.29	1.38	☐	☐	☐	
11-129	K300605	174.65	177.70	3.05	0.005	22.3	0.09	0.36	1.54	☐	☐	☐	
11-129	K300606	177.70	180.75	3.05	0.005	26.0	0.26	0.65	2.00	☐	☐	☐	
11-129	K300607	180.75	183.79	3.04	0.005	31.6	0.21	0.49	1.87	☐	☐	☐	
11-129	K300608	183.79	186.84	3.05	0.010	181.5	0.77	0.88	6.09	☐	☐	☐	
11-129	K300609	186.84	189.89	3.05	0.005	265.0	1.76	0.97	8.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-129	K300610	189.89	192.94	3.05	0.220	669.0	2.32	3.13	7.35	☐	☐	☐	
11-129	K300611	192.94	195.99	3.05	0.140	457.0	2.28	2.02	6.21	☐	☐	☐	
11-129	K300612	195.99	199.03	3.04	0.160	445.0	1.09	1.63	2.85	☐	☐	☐	
11-129	K300613	195.99	199.03	3.04	0.200	481.0	1.10	1.84	2.89	☑	☐	☐	Duplicate of K300612
11-129	K300614	199.03	202.08	3.05	0.090	191.5	1.71	2.02	3.27	☐	☐	☐	
11-129	K300615	202.08	205.13	3.05	0.005	71.0	0.48	0.57	2.97	☐	☐	☐	
11-136	K300617	205.13	208.18	3.05	0.005	90.2	0.14	0.64	1.16	☐	☐	☐	Start of Batch 136
11-136	K300618	208.18	211.23	3.05	0.005	48.5	0.14	0.56	1.05	☐	☐	☐	
11-136	K300619	211.23	214.27	3.04	0.010	119.5	0.24	0.53	1.57	☐	☐	☐	
11-136	K300620	214.27	217.32	3.05	0.110	437.0	0.90	2.35	4.25	☐	☐	☐	
11-136	K300621	217.32	220.37	3.05	0.030	261.0	1.02	1.66	3.74	☐	☐	☐	
11-136	K300622	220.37	223.42	3.05	0.005	148.0	0.99	0.59	2.65	☐	☐	☐	
11-136	K300623	223.42	226.47	3.05	0.005	72.2	0.16	0.40	0.86	☐	☐	☐	
11-136	K300624	226.47	229.51	3.04	0.005	81.7	0.12	0.43	0.77	☐	☐	☐	
11-136	K300626	229.51	232.56	3.05	0.005	171.0	0.11	0.52	0.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-136	K300627	232.56	234.65	2.09	0.005	68.2	0.14	0.71	0.92	☐	☐	☐	
11-136	K300628	234.65	236.10	1.45	0.005	86.0	0.27	0.32	1.96	☐	☐	☐	
11-136	K300629	236.10	238.66	2.56	0.005	47.4	0.19	0.70	1.08	☐	☐	☐	
11-136	K300630	238.66	241.71	3.05	0.005	51.0	0.24	0.46	1.28	☐	☐	☐	
11-136	K300631	241.71	244.75	3.04	0.005	227.0	0.85	1.17	4.15	☐	☐	☐	
11-136	K300633	244.75	247.80	3.05	0.080	1725.0	4.54	12.75	12.95	☐	☐	☐	
11-136	K300634	247.80	250.85	3.05	0.020	336.0	2.74	2.65	8.21	☐	☐	☐	
11-136	K300635	250.85	253.90	3.05	0.030	194.5	3.49	3.81	8.51	☐	☐	☐	
11-136	K300636	253.90	256.95	3.05	0.920	769.0	4.95	19.30	13.60	☐	☐	☐	
11-136	K300638	256.95	259.99	3.04	0.180	414.0	4.05	8.44	8.25	☐	☐	☐	
11-136	K300639	259.99	261.00	1.01	0.590	1435.0	5.30	18.35	12.55	☐	☐	☐	
11-136	K300640	261.00	262.50	1.50	12.900	140000.0	18.70	452.00	51.00	☐	☐	☐	
11-136	K300641	262.50	264.25	1.75	4.630	378000.0	7.80	1000.00	16.05	☐	☐	☐	
11-136	K300642	264.25	266.10	1.85	12.450	116000.0	14.80	318.00	32.90	☐	☐	☐	
11-136	K300643	266.10	268.00	1.90	13.900	96700.0	20.90	231.00	42.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-136	K300644	268.00	269.14	1.14	7.570	2790.0	8.00	22.60	18.00	☐	☐	☐	
11-136	K300645	269.14	272.19	3.05	5.600	537.0	6.93	12.95	13.70	☐	☐	☐	
11-136	K300647	272.19	275.23	3.04	0.740	237.0	2.44	6.07	9.11	☐	☐	☐	
11-136	K300648	275.23	278.28	3.05	0.130	149.0	1.50	2.12	4.79	☐	☐	☐	
11-136	K300649	278.28	281.33	3.05	0.050	143.0	0.83	1.31	2.83	☐	☐	☐	
11-136	K300650	278.28	281.33	3.05	0.050	137.0	0.77	1.31	2.80	☑	☐	☐	Duplicate of 649
11-136	K300651	281.33	284.38	3.05	0.010	178.0	0.81	1.01	1.60	☐	☐	☐	
11-136	K300652	284.38	287.43	3.05	0.010	100.0	1.45	1.01	1.65	☐	☐	☐	End of batch 136
11-138	K300653	287.43	290.47	3.04	0.030	141.0	2.41	1.52	2.86	☐	☐	☐	Start of batch 138
11-138	K300654	290.47	293.52	3.05	0.005	83.0	0.79	0.57	1.03	☐	☐	☐	
11-138	K300655	293.52	296.57	3.05	0.010	112.0	0.89	0.59	1.17	☐	☐	☐	
11-138	K300656	296.57	298.00	1.43	0.020	2780.0	0.72	6.55	1.10	☐	☐	☐	
11-138	K300657	298.00	300.00	2.00	0.040	469.0	0.74	2.57	1.55	☐	☐	☐	
11-138	K300658	300.00	301.60	1.60	1.680	377000.0	5.80	1370.00	8.45	☐	☐	☐	
11-138	K300659	301.60	303.00	1.40	0.110	5480.0	0.78	14.90	1.07	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-138	K300660	303.00	305.71	2.71	0.030	117.0	1.31	1.82	1.51	☐	☐	☐	
11-138	K300662	305.71	308.76	3.05	0.020	129.0	2.11	1.94	2.43	☐	☐	☐	
11-138	K300663	308.76	311.81	3.05	0.010	53.0	1.24	1.10	1.20	☐	☐	☐	
11-138	K300664	311.81	314.86	3.05	0.010	68.0	1.41	1.28	1.30	☐	☐	☐	
11-138	K300665	314.86	317.91	3.05	0.005	69.0	1.08	1.33	1.00	☐	☐	☐	
11-138	K300666	317.91	320.95	3.04	0.010	731.0	1.54	3.61	2.16	☐	☐	☐	
11-138	K300667	320.95	324.00	3.05	0.290	14600.0	1.84	32.50	3.25	☐	☐	☐	
11-138	K300668	324.00	327.05	3.05	0.470	2260.0	2.30	8.93	4.26	☐	☐	☐	
11-138	K300669	327.05	330.10	3.05	0.060	306.0	1.09	1.21	1.67	☐	☐	☐	
11-138	K300670	330.10	333.15	3.05	0.010	62.0	1.54	0.93	2.88	☐	☐	☐	
11-138	K300672	333.15	336.19	3.04	0.005	41.0	0.48	1.08	1.44	☐	☐	☐	
11-138	K300673	336.19	339.24	3.05	0.005	69.0	1.53	2.29	3.53	☐	☐	☐	
11-138	K300675	339.24	342.29	3.05	0.005	26.0	0.33	0.31	0.70	☐	☐	☐	
11-138	K300676	342.29	345.34	3.05	0.005	58.0	0.70	0.45	2.40	☐	☐	☐	
11-138	K300677	345.34	348.39	3.05	0.005	46.0	0.40	0.43	3.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-138	K300678	348.39	351.43	3.04	0.020	43.0	0.49	0.32	2.41	☐	☐	☐	
11-138	K300679	351.43	354.48	3.05	0.005	28.0	0.19	0.15	0.94	☐	☐	☐	
11-138	K300680	354.48	357.53	3.05	0.005	37.0	0.48	0.27	2.31	☐	☐	☐	
11-138	K300681	357.53	360.58	3.05	0.005	31.0	0.37	0.25	0.95	☐	☐	☐	
11-138	K300682	357.53	360.58	3.05	0.005	25.0	0.35	0.26	0.96	☑	☐	☐	Duplicate of 381
11-138	K300683	360.58	363.63	3.05	0.010	30.0	0.55	0.36	1.27	☐	☐	☐	
11-138	K300684	363.63	366.67	3.04	0.005	18.0	0.27	0.18	0.67	☐	☐	☐	
11-138	K300685	366.67	369.72	3.05	0.005	33.0	0.46	0.30	1.02	☐	☐	☐	
11-138	K300687	369.72	372.77	3.05	0.005	28.0	0.59	0.66	0.52	☐	☐	☐	
11-138	K300688	372.77	375.82	3.05	0.005	73.0	0.90	1.67	1.14	☐	☐	☐	End of Batch 138
11-141	K300689	375.82	378.87	3.05	0.610	33.0	0.34	0.32	0.45	☐	☐	☐	Start of batch 141
11-141	K300690	378.87	381.91	3.04	0.005	40.0	0.45	0.41	2.07	☐	☐	☐	
11-141	K300691	381.91	384.96	3.05	0.005	23.0	0.21	0.27	0.79	☐	☐	☐	
11-141	K300692	384.96	388.01	3.05	0.005	37.0	0.21	0.22	0.39	☐	☐	☐	
11-141	K300693	388.01	391.06	3.05	0.050	70.0	1.11	0.42	0.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-141	K300694	391.06	394.11	3.05	0.010	69.0	1.15	0.38	0.95	☐	☐	☐	
11-141	K300695	394.11	397.15	3.04	0.005	36.0	0.61	0.20	0.90	☐	☐	☐	
11-141	K300696	397.15	400.20	3.05	0.010	151.0	0.48	0.56	1.64	☐	☐	☐	
11-141	K300697	400.20	403.25	3.05	0.010	112.0	1.56	0.54	5.07	☐	☐	☐	
11-141	K300698	403.25	404.40	1.15	0.470	42600.0	3.00	102.50	8.11	☐	☐	☐	
11-141	K300699	404.40	406.30	1.90	0.310	4580.0	1.84	15.55	5.93	☐	☐	☐	
11-141	K300700	406.30	409.35	3.05	2.700	18750.0	3.49	41.80	11.55	☐	☐	☐	
11-141	K300701	409.35	412.39	3.04	12.500	68200.0	9.43	236.00	33.50	☐	☐	☐	
11-141	K300702	412.39	415.44	3.05	5.680	3060.0	7.43	36.60	24.60	☐	☐	☐	
11-141	K300703	415.44	418.49	3.05	0.660	578.0	2.21	7.41	6.89	☐	☐	☐	
11-141	K300705	418.49	421.54	3.05	0.510	2670.0	6.31	6.48	12.45	☐	☐	☐	
11-141	K300706	421.54	424.58	3.04	0.170	1720.0	4.86	4.12	11.70	☐	☐	☐	
11-141	K300707	424.58	427.63	3.05	0.200	3280.0	6.48	14.45	17.10	☐	☐	☐	
11-141	K300708	427.63	430.68	3.05	0.470	710.0	5.27	13.50	16.45	☐	☐	☐	
11-141	K300710	430.68	433.73	3.05	0.170	351.0	5.22	10.45	15.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-141	K300711	433.73	436.78	3.05	0.130	166.0	2.26	3.60	6.86	☐	☐	☐	
11-141	K300712	436.78	439.83	3.05	0.030	103.0	1.06	0.58	2.80	☐	☐	☐	
11-141	K300713	436.78	439.83	3.05	0.020	65.0	1.08	0.40	2.77	☑	☐	☐	Duplicate of 712
11-141	K300714	439.83	442.87	3.04	0.020	66.0	0.81	0.40	1.80	☐	☐	☐	
11-141	K300715	442.87	445.92	3.05	0.020	60.0	0.88	0.49	1.74	☐	☐	☐	
11-141	K300716	445.92	448.97	3.05	0.005	64.0	0.54	0.38	1.14	☐	☐	☐	
11-141	K300717	448.97	452.02	3.05	0.010	77.0	1.95	0.61	4.28	☐	☐	☐	
11-141	K300718	452.02	455.07	3.05	0.870	457.0	2.54	5.67	7.67	☐	☐	☐	
11-141	K300720	455.07	458.11	3.04	0.210	306.0	3.12	1.81	7.96	☐	☐	☐	
11-141	K300721	458.11	461.16	3.05	0.010	74.0	0.72	0.37	2.88	☐	☐	☐	
11-141	K300722	461.16	464.21	3.05	0.010	72.0	1.14	0.40	2.04	☐	☐	☐	
11-141	K300724	464.21	467.26	3.05	0.005	50.0	0.36	0.25	0.67	☐	☐	☐	End of Batch 141
11-151	K300725	467.26	470.31	3.05	0.005	24.0	0.34	0.32	0.68	☐	☐	☐	Start of Batch 151
11-151	K300726	470.31	473.35	3.04	0.005	21.0	0.20	0.19	0.34	☐	☐	☐	
11-151	K300727	473.35	476.40	3.05	0.005	31.0	0.32	0.25	0.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-151	K300728	476.40	479.45	3.05	0.005	35.0	0.38	0.35	0.64	☐	☐	☐	
11-151	K300729	479.45	482.50	3.05	0.005	37.0	0.36	0.35	0.58	☐	☐	☐	
11-151	K300730	482.50	485.55	3.05	0.005	19.0	0.39	0.20	0.34	☐	☐	☐	
11-151	K300732	485.55	488.59	3.04	0.005	53.0	0.47	0.27	0.60	☐	☐	☐	
11-151	K300733	488.59	491.64	3.05	0.005	44.0	0.53	0.40	0.80	☐	☐	☐	
11-151	K300734	491.64	494.69	3.05	0.005	45.0	0.57	0.37	1.10	☐	☐	☐	
11-151	K300735	494.69	497.74	3.05	0.005	93.0	1.14	1.12	2.51	☐	☐	☐	
11-151	K300736	497.74	500.79	3.05	0.005	40.0	0.52	0.66	1.12	☐	☐	☐	
11-151	K300738	500.79	503.83	3.04	0.060	89.0	0.82	1.32	1.85	☐	☐	☐	
11-151	K300739	503.83	506.88	3.05	0.560	52300.0	0.90	112.50	2.74	☐	☐	☐	
11-151	K300740	506.88	509.93	3.05	0.210	3970.0	0.76	9.76	2.89	☐	☐	☐	
11-151	K300741	509.93	512.98	3.05	0.005	58.1	0.19	0.39	1.19	☐	☐	☐	
11-151	K300742	512.98	516.03	3.05	0.005	65.2	0.18	0.59	1.43	☐	☐	☐	
11-151	K300743	516.03	519.07	3.04	0.005	77.1	0.09	0.49	1.13	☐	☐	☐	
11-151	K300744	519.07	522.12	3.05	0.010	54.1	0.10	0.61	1.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-151	K300745	522.12	525.17	3.05	0.005	256.0	0.20	1.26	1.55	☐	☐	☐	
11-151	K300746	525.17	528.22	3.05	0.005	47.9	0.11	0.66	0.92	☐	☐	☐	
11-151	K300747	525.17	528.22	3.05	0.005	30.9	0.12	0.65	0.94	☑	☐	☐	duplicate of 746
11-151	K300748	528.22	531.26	3.04	0.005	11.4	0.09	0.45	0.83	☐	☐	☐	
11-151	K300749	531.26	534.31	3.05	0.005	8.8	0.12	0.36	0.67	☐	☐	☐	
11-151	K300750	534.31	537.36	3.05	0.005	23.6	0.22	0.70	1.12	☐	☐	☐	
11-151	K300751	537.36	540.41	3.05	0.005	15.7	0.09	0.40	0.94	☐	☐	☐	
11-151	K300752	540.41	543.46	3.05	0.005	18.6	0.13	0.48	1.40	☐	☐	☐	
11-151	K300754	543.46	546.51	3.05	0.005	38.0	0.34	0.61	1.05	☐	☐	☐	
11-151	K300755	546.51	549.55	3.04	0.005	19.0	1.34	0.71	2.10	☐	☐	☐	
11-151	K300756	549.55	552.60	3.05	0.005	18.7	0.24	0.57	1.17	☐	☐	☐	
11-151	K300757	552.60	555.65	3.05	0.110	319.0	0.17	1.16	1.20	☐	☐	☐	
11-151	K300758	555.65	558.70	3.05	0.005	2.5	0.03	0.20	0.32	☐	☐	☐	
11-151	K300759	558.70	561.75	3.05	0.005	6.2	0.11	0.57	0.84	☐	☐	☐	
11-155	K300761	561.75	564.79	3.04	0.005	9.9	0.15	0.62	1.09	☐	☐	☐	Start of Batch 155

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-155	K300762	564.79	567.84	3.05	0.005	10.6	0.09	0.40	0.89	☐	☐	☐	EOH

Sample Results

OS -11-052

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-114	K299362	0.00	2.44	2.44	0.310	887.0	1.55	9.56	4.23	☐	☐	☐	
11-122	K299366	0.00	0.00	0.00	2.670	597.0	4.84	111.00	4.24	☐	☐	☑	NT2
11-122	K299380	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-122	K299388	0.00	0.00	0.00	7.850	987.0	6.06	19.90	14.35	☐	☐	☑	NT3
11-122	K299391	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-126	K299406	0.00	0.00	0.00	0.030	53.0	0.10	0.34	0.44	☐	☑	☐	HQ
11-126	K299408	0.00	0.00	0.00	16.250	1240.0	6.62	152.50	3.56	☐	☐	☑	NT4
11-126	K299418	0.00	0.00	0.00	0.010	9.0	0.02	0.06	0.03	☐	☑	☐	HQ
11-126	K299427	0.00	0.00	0.00	8.140	1000.0	6.20	22.40	14.35	☐	☐	☑	NT3
11-132	K299438	0.00	0.00	0.00	2.400	588.0	4.26	105.00	3.75	☐	☐	☑	NT2
11-132	K299443	0.00	0.00	0.00	0.005	7.0	0.01	0.05	0.02	☐	☑	☐	NQ
11-132	K299464	0.00	0.00	0.00	0.370	601.0	8.74	111.00	7.25	☐	☐	☑	NT1
11-132	K299467	0.00	0.00	0.00	0.010	43.0	0.01	0.10	0.02	☐	☑	☐	NQ
11-142	K299475	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-114	K299363	2.44	5.49	3.05	0.010	454.0	0.34	7.81	1.08	☐	☐	☐	
11-114	K299364	5.49	8.33	2.84	0.010	255.0	0.18	4.14	0.48	☐	☐	☐	End of Batch 114
11-122	K299365	8.33	11.58	3.25	0.020	761.0	0.40	9.37	0.75	☐	☐	☐	Start of Batch 122
11-122	K299367	11.58	14.63	3.05	0.005	418.0	0.21	3.46	0.56	☐	☐	☐	
11-122	K299368	14.63	17.68	3.05	0.040	624.0	0.24	3.24	0.77	☐	☐	☐	
11-122	K299369	17.68	20.73	3.05	0.010	252.0	0.09	0.99	0.31	☐	☐	☐	
11-122	K299370	20.73	23.77	3.04	0.005	375.0	0.09	1.12	0.35	☐	☐	☐	
11-122	K299371	23.77	26.82	3.05	0.005	585.0	0.19	2.47	0.65	☐	☐	☐	
11-122	K299372	26.82	29.87	3.05	0.005	341.0	0.13	1.65	0.40	☐	☐	☐	
11-122	K299373	26.82	29.87	3.05	0.005	269.0	0.14	1.46	0.42	☑	☐	☐	Duplicate of 372
11-122	K299374	29.87	32.92	3.05	0.005	230.0	0.08	1.23	0.39	☐	☐	☐	
11-122	K299375	32.92	35.97	3.05	0.005	165.0	0.09	0.75	0.37	☐	☐	☐	
11-122	K299376	35.97	39.01	3.04	0.005	91.0	0.07	0.53	0.19	☐	☐	☐	
11-122	K299377	39.01	42.06	3.05	0.005	135.0	0.05	0.64	0.18	☐	☐	☐	
11-122	K299378	42.06	45.11	3.05	0.005	79.0	0.08	0.58	0.29	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-122	K299379	45.11	48.16	3.05	0.005	127.0	0.06	1.00	0.31	☐	☐	☐	
11-122	K299381	48.16	51.21	3.05	0.005	289.0	0.07	1.45	0.48	☐	☐	☐	
11-122	K299382	51.21	54.25	3.04	0.010	1270.0	0.12	3.53	1.33	☐	☐	☐	
11-122	K299383	54.25	57.30	3.05	0.005	352.0	0.05	1.05	1.20	☐	☐	☐	
11-122	K299384	57.30	60.35	3.05	0.010	370.0	0.06	1.04	0.90	☐	☐	☐	
11-122	K299385	60.35	63.40	3.05	0.005	457.0	0.10	1.12	1.19	☐	☐	☐	
11-122	K299386	63.40	66.45	3.05	0.005	242.0	0.12	0.75	0.84	☐	☐	☐	
11-122	K299387	66.45	69.49	3.04	0.010	409.0	0.09	1.03	1.36	☐	☐	☐	
11-122	K299389	69.49	72.54	3.05	0.005	63.0	0.10	0.49	0.73	☐	☐	☐	
11-122	K299390	72.54	75.59	3.05	0.005	324.0	0.10	1.05	0.55	☐	☐	☐	
11-122	K299392	75.59	78.64	3.05	0.005	9.0	0.09	0.21	0.21	☐	☐	☐	
11-122	K299393	78.64	81.69	3.05	0.005	68.0	0.11	0.46	0.42	☐	☐	☐	
11-122	K299394	81.69	84.73	3.04	0.005	148.0	0.10	0.71	0.68	☐	☐	☐	
11-122	K299395	84.73	87.78	3.05	0.005	322.0	0.09	1.09	1.03	☐	☐	☐	
11-122	K299396	87.78	90.83	3.05	0.005	88.0	0.07	0.54	0.55	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-122	K299397	90.83	93.88	3.05	0.005	270.0	0.09	1.05	0.75	☐	☐	☐	
11-122	K299398	93.88	96.93	3.05	0.005	78.0	0.12	0.44	0.24	☐	☐	☐	
11-122	K299399	96.93	99.97	3.04	0.005	92.0	0.18	0.78	0.55	☐	☐	☐	
11-122	K299400	99.97	103.02	3.05	0.005	111.0	0.37	0.74	1.24	☐	☐	☐	End of Batch 122
11-126	K299401	103.02	106.07	3.05	0.010	127.0	0.49	0.59	1.34	☐	☐	☐	Start of Batch 126
11-126	K299402	106.07	109.12	3.05	1.990	596.0	12.80	22.50	52.10	☐	☐	☐	
11-126	K299403	109.12	111.15	2.03	2.290	695.0	18.20	23.40	57.10	☐	☐	☐	
11-126	K299404	111.15	112.17	1.02	5.110	3350.0	24.40	59.20	97.20	☐	☐	☐	
11-126	K299405	112.17	113.69	1.52	8.460	29900.0	34.40	138.50	140.50	☐	☐	☐	
11-126	K299407	113.69	115.21	1.52	4.230	10001.6	20.10	96.50	79.40	☐	☐	☐	
11-126	K299409	115.21	117.28	2.07	4.960	45400.0	13.30	145.00	43.70	☐	☐	☐	
11-126	K299410	117.28	118.26	0.98	1.540	437000.0	4.21	1120.00	15.10	☐	☐	☐	
11-126	K299411	118.26	119.79	1.53	1.150	128000.0	7.25	370.00	25.90	☐	☐	☐	
11-126	K299412	119.79	121.31	1.52	2.010	85500.0	10.00	248.00	29.20	☐	☐	☐	
11-126	K299413	121.31	123.50	2.19	0.210	815.0	1.70	4.35	4.86	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-126	K299414	123.50	125.88	2.38	0.030	572.0	1.79	2.72	3.06	☐	☐	☐	
11-126	K299415	125.88	128.40	2.52	0.050	294.0	1.42	2.31	2.24	☐	☐	☐	
11-126	K299416	128.40	129.65	1.25	4.360	5340.0	13.20	27.00	33.40	☐	☐	☐	
11-126	K299417	129.65	131.98	2.33	1.340	436.0	8.34	9.07	18.10	☐	☐	☐	
11-126	K299419	131.98	134.20	2.22	0.580	2490.0	7.51	7.44	20.20	☐	☐	☐	
11-126	K299420	134.20	136.55	2.35	0.600	1120.0	1.99	3.78	3.91	☐	☐	☐	
11-126	K299421	136.55	138.07	1.52	0.400	1080.0	2.16	3.45	3.04	☐	☐	☐	
11-126	K299422	138.07	139.60	1.53	0.230	2860.0	9.41	5.14	3.99	☐	☐	☐	
11-126	K299423	139.60	141.12	1.52	0.200	6050.0	1.77	6.37	1.22	☐	☐	☐	
11-126	K299424	141.12	142.65	1.53	0.850	12200.0	3.50	16.85	5.20	☐	☐	☐	
11-126	K299425	142.65	144.17	1.52	1.010	53800.0	5.03	57.00	7.94	☐	☐	☐	
11-126	K299426	144.17	145.69	1.52	1.410	40900.0	7.07	42.60	7.60	☐	☐	☐	
11-126	K299428	145.69	147.22	1.53	1.530	50000.0	5.46	55.80	8.63	☐	☐	☐	
11-126	K299429	147.22	150.27	3.05	0.480	9940.0	2.45	13.35	3.81	☐	☐	☐	
11-126	K299430	150.27	153.31	3.04	0.410	9740.0	2.34	13.10	4.53	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-126	K299431	153.31	156.36	3.05	0.140	3350.0	1.81	4.94	2.20	☐	☐	☐	
11-126	K299432	156.36	159.41	3.05	0.100	4880.0	1.29	5.17	1.93	☐	☐	☐	
11-126	K299433	156.36	159.41	3.05	0.100	3960.0	1.16	4.17	1.83	☑	☐	☐	Duplicate of 432
11-126	K299434	159.41	162.46	3.05	0.060	5560.0	1.17	4.84	1.29	☐	☐	☐	
11-126	K299435	162.46	165.51	3.05	0.120	1240.0	2.18	2.57	1.95	☐	☐	☐	
11-126	K299436	165.51	168.55	3.04	0.070	909.0	1.82	1.93	2.13	☐	☐	☐	End of Batch 126
11-132	K299437	168.55	171.60	3.05	0.140	4530.0	1.91	5.21	2.64	☐	☐	☐	Start of Batch 132
11-132	K299439	171.60	174.65	3.05	0.040	5060.0	0.61	3.38	0.82	☐	☐	☐	
11-132	K299440	174.65	177.70	3.05	0.040	3140.0	0.72	2.63	1.32	☐	☐	☐	
11-132	K299441	177.70	179.00	1.30	0.005	108.0	0.64	0.31	0.66	☐	☐	☐	
11-132	K299442	179.00	181.00	2.00	0.010	554.0	1.27	0.77	2.29	☐	☐	☐	
11-132	K299444	181.00	182.81	1.81	0.005	154.0	0.47	0.41	1.51	☐	☐	☐	
11-132	K299445	182.81	184.65	1.84	0.010	325.0	0.46	0.35	6.35	☐	☐	☐	
11-132	K299446	184.65	186.84	2.19	0.005	287.0	0.45	0.60	2.98	☐	☐	☐	
11-132	K299447	186.84	189.89	3.05	0.010	98.0	0.23	0.40	1.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-132	K299448	189.89	192.94	3.05	0.005	93.3	0.21	0.53	2.24	☐	☐	☐	
11-132	K299449	192.94	195.99	3.05	0.010	92.0	0.21	0.59	1.98	☐	☐	☐	
11-132	K299450	195.99	199.03	3.04	0.005	90.0	0.08	0.42	1.33	☐	☐	☐	
11-132	K299452	199.03	202.08	3.05	0.005	92.0	0.16	0.28	1.25	☐	☐	☐	*no sample 451
11-132	K299453	202.08	205.13	3.05	0.020	86.0	0.16	0.24	0.37	☐	☐	☐	
11-132	K299454	205.13	208.18	3.05	0.010	30.0	0.33	0.23	0.37	☐	☐	☐	
11-132	K299455	208.18	211.23	3.05	0.010	76.0	0.84	0.49	1.00	☐	☐	☐	
11-132	K299456	211.23	214.27	3.04	0.010	45.0	0.46	0.53	0.87	☐	☐	☐	
11-132	K299457	211.23	214.27	3.04	0.010	42.0	0.46	0.50	0.75	☑	☐	☐	Duplicate of 456
11-132	K299458	214.27	217.32	3.05	0.010	29.0	0.32	0.42	0.37	☐	☐	☐	
11-132	K299459	217.32	220.37	3.05	0.005	36.0	0.19	0.29	0.41	☐	☐	☐	
11-132	K299460	220.37	223.42	3.05	0.010	25.0	0.15	0.24	0.36	☐	☐	☐	
11-132	K299461	223.42	224.20	0.78	0.005	41.0	0.68	0.34	0.80	☐	☐	☐	
11-132	K299462	224.20	226.47	2.27	0.080	442.0	3.01	1.09	4.69	☐	☐	☐	
11-132	K299463	226.47	229.51	3.04	0.460	652.0	1.27	1.65	3.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-132	K299465	229.51	230.99	1.48	0.430	42800.0	1.68	38.70	3.48	☐	☐	☐	
11-132	K299466	230.99	232.56	1.57	1.330	10450.0	3.04	12.95	6.32	☐	☐	☐	
11-132	K299468	232.56	235.61	3.05	0.700	2160.0	1.58	3.19	3.51	☐	☐	☐	
11-132	K299469	235.61	238.66	3.05	0.050	189.0	4.24	1.49	1.90	☐	☐	☐	
11-132	K299470	238.66	241.71	3.05	0.010	222.0	0.56	0.83	1.21	☐	☐	☐	
11-132	K299471	241.71	244.75	3.04	0.010	70.0	0.57	0.67	1.38	☐	☐	☐	
11-132	K299472	244.75	247.80	3.05	0.010	26.0	0.21	0.18	0.45	☐	☐	☐	End of Batch 132
11-142	K299473	247.80	250.85	3.05	0.020	2210.0	0.71	1.84	1.29	☐	☐	☐	Start of Batch 142
11-142	K299474	250.85	253.90	3.05	0.020	1680.0	0.65	1.62	1.40	☐	☐	☐	
11-142	K299476	253.90	256.95	3.05	0.005	164.0	0.91	0.83	2.26	☐	☐	☐	
11-142	K299477	256.95	260.00	3.05	0.005	55.0	0.34	0.40	1.10	☐	☐	☐	
11-142	K299478	260.00	263.04	3.04	0.005	17.0	0.08	0.31	0.72	☐	☐	☐	
11-142	K299479	263.04	266.09	3.05	0.005	11.0	0.04	0.15	0.34	☐	☐	☐	
11-142	K299480	266.09	269.14	3.05	0.005	23.0	0.04	0.24	0.59	☐	☐	☐	
11-142	K299481	269.14	272.19	3.05	0.005	19.0	0.04	0.25	0.63	☐	☐	☐	

Sample Results

OS -11-053

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-119	K298500	0.00	0.00	0.00	0.330	597.0	9.50	125.00	7.91	☐	☐	☑	NT1
11-120	K301547	0.00	0.00	0.00	0.005	2.5	0.01	0.11	0.01	☐	☑	☐	HQ
11-120	K301551	0.00	0.00	0.00	2.600	577.0	4.20	101.50	3.92	☐	☐	☑	NT2
11-125	K301508	0.00	0.00	0.00	7.580	1080.0	5.91	20.30	13.55	☐	☐	☑	NT3
11-125	K301518	0.00	0.00	0.00	0.005	28.0	0.01	0.12	0.05	☐	☑	☐	HQ
11-125	K301530	0.00	0.00	0.00	0.330	621.0	9.20	127.00	8.00	☐	☐	☑	NT1
11-125	K301537	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-119	K298499	0.41	2.44	2.03	0.570	407.0	2.69	4.66	3.14	☐	☐	☐	
11-119	K301501	2.44	3.96	1.52	0.820	745.0	2.75	7.07	6.18	☐	☐	☐	
11-119	K301502	3.96	5.49	1.53	0.940	1110.0	5.51	3.74	6.70	☐	☐	☐	
11-119	K301503	5.49	7.60	2.11	2.080	2000.0	5.42	7.29	11.40	☐	☐	☐	
11-119	K301504	7.60	10.06	2.46	4.450	12650.0	21.60	37.60	25.00	☐	☐	☐	
11-119	K301505	10.06	13.01	2.95	1.100	2060.0	5.28	8.15	7.82	☐	☐	☐	End of Batch 119
11-125	K301506	13.01	14.63	1.62	2.770	4920.0	6.70	21.30	22.20	☐	☐	☐	Start of Batch 125

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-125	K301507	14.63	15.90	1.27	5.940	14300.0	10.70	63.10	34.50	☐	☐	☐	
11-125	K301509	15.90	17.68	1.78	3.090	7990.0	7.30	36.20	20.10	☐	☐	☐	
11-125	K301510	17.68	20.73	3.05	2.280	2590.0	5.89	21.50	18.35	☐	☐	☐	
11-125	K301511	20.73	22.25	1.52	2.870	5130.0	7.00	43.50	36.00	☐	☐	☐	
11-125	K301512	22.25	24.65	2.40	2.070	2700.0	8.40	36.10	26.90	☐	☐	☐	
11-125	K301513	24.65	25.30	0.65	3.580	13700.0	11.80	93.00	84.20	☐	☐	☐	
11-125	K301514	25.30	26.48	1.18	16.300	125000.0	53.40	475.00	96.50	☐	☐	☐	
11-125	K301515	26.48	28.15	1.67	8.660	97400.0	39.50	226.00	28.40	☐	☐	☐	
11-125	K301516	28.15	29.87	1.72	1.460	6880.0	5.65	22.30	23.30	☐	☐	☐	
11-125	K301517	29.87	31.39	1.52	0.600	2230.0	2.88	10.65	11.85	☐	☐	☐	
11-125	K301519	31.39	34.44	3.05	0.120	2340.0	1.53	9.35	6.33	☐	☐	☐	
11-125	K301520	34.44	37.49	3.05	0.010	384.0	0.40	2.50	0.92	☐	☐	☐	
11-125	K301521	37.49	40.54	3.05	0.010	1970.0	0.42	5.82	0.97	☐	☐	☐	
11-125	K301522	40.54	43.59	3.05	0.005	986.0	0.20	2.26	0.80	☐	☐	☐	
11-125	K301523	43.59	46.63	3.04	0.005	461.0	0.08	1.05	0.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-125	K301524	46.63	49.68	3.05	0.005	582.0	0.07	1.44	0.65	☐	☐	☐	
11-125	K301525	46.63	49.68	3.05	0.010	566.0	0.06	1.21	0.57	☑	☐	☐	
11-125	K301526	49.68	52.73	3.05	0.005	427.0	0.09	0.82	0.38	☐	☐	☐	
11-125	K301527	52.73	55.78	3.05	0.005	515.0	0.10	1.29	0.41	☐	☐	☐	
11-125	K301528	55.78	58.83	3.05	0.005	475.0	0.10	0.95	0.35	☐	☐	☐	
11-125	K301529	58.83	61.87	3.04	0.005	322.0	0.16	0.70	0.61	☐	☐	☐	
11-125	K301531	61.87	64.92	3.05	0.005	358.0	0.11	1.04	0.38	☐	☐	☐	
11-125	K301532	64.92	67.97	3.05	0.005	522.0	0.17	1.20	0.55	☐	☐	☐	
11-125	K301533	67.97	71.02	3.05	0.005	284.0	0.13	0.55	0.29	☐	☐	☐	
11-125	K301534	71.02	74.07	3.05	0.005	306.0	0.09	0.69	0.26	☐	☐	☐	
11-125	K301535	74.07	77.11	3.04	0.005	323.0	0.12	0.90	0.39	☐	☐	☐	
11-125	K301536	77.11	80.16	3.05	0.010	924.0	0.09	0.93	0.55	☐	☐	☐	
11-125	K301538	80.16	83.21	3.05	0.005	178.0	0.04	0.25	0.20	☐	☐	☐	
11-125	K301539	83.21	86.26	3.05	0.005	171.0	0.06	0.31	0.28	☐	☐	☐	
11-125	K301540	86.26	89.31	3.05	0.005	450.0	0.03	0.36	0.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-125	K301541	89.31	92.35	3.04	0.005	56.0	0.02	0.16	0.21	☐	☐	☐	End of Batch 125
11-128	K301542	92.35	95.40	3.05	0.005	132.0	0.03	0.21	0.30	☐	☐	☐	Start of Batch 128
11-128	K301543	95.40	98.45	3.05	0.005	484.0	0.02	0.33	0.32	☐	☐	☐	
11-128	K301544	98.45	101.50	3.05	0.005	971.0	0.03	0.46	0.36	☐	☐	☐	
11-128	K301545	101.50	104.55	3.05	0.030	140.0	0.14	0.51	0.48	☐	☐	☐	
11-128	K301546	104.55	107.59	3.04	0.010	110.0	0.05	0.43	0.37	☐	☐	☐	
11-128	K301548	107.59	110.64	3.05	0.005	69.0	0.04	0.25	0.28	☐	☐	☐	
11-128	K301549	110.64	113.69	3.05	0.010	28.0	0.05	0.32	0.31	☐	☐	☐	
11-128	K301550	113.69	116.74	3.05	0.010	24.0	0.05	0.25	0.31	☐	☐	☐	
11-128	K301552	116.74	119.79	3.05	0.010	92.0	0.06	0.45	0.51	☐	☐	☐	
11-128	K301553	119.79	122.83	3.04	0.005	1180.0	0.10	1.31	0.46	☐	☐	☐	
11-128	K301554	122.83	125.88	3.05	0.005	981.0	0.09	0.44	0.38	☐	☐	☐	
11-128	K301555	125.88	128.93	3.05	0.005	2360.0	0.13	0.46	0.32	☐	☐	☐	
11-128	K301556	128.93	131.98	3.05	0.010	399.0	0.06	0.22	0.46	☐	☐	☐	
11-128	K301557	131.98	135.03	3.05	0.010	26.0	0.03	0.18	0.22	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-128	K301558	135.03	137.00	1.97	0.010	68.0	0.03	0.24	0.55	☐	☐	☐	
11-128	K301559	137.00	139.60	2.60	0.010	54.0	0.03	0.24	0.43	☐	☐	☐	
11-128	K301560	139.60	142.65	3.05	0.005	42.0	0.02	0.21	0.44	☐	☐	☐	
11-128	K301561	142.65	145.69	3.04	0.005	30.4	0.01	0.17	0.45	☐	☐	☐	
11-128	K301562	142.65	145.69	3.04	0.005	32.0	0.01	0.16	0.40	☑	☐	☐	Duplicate
11-128	K301563	145.69	148.74	3.05	0.005	34.7	0.01	0.28	1.23	☐	☐	☐	
11-128	K301564	148.74	151.79	3.05	0.005	52.9	0.03	0.50	0.95	☐	☐	☐	
11-128	K301565	151.79	154.84	3.05	0.005	52.2	0.09	0.55	0.92	☐	☐	☐	EOH

Sample Results

OS -11-054

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-135	K301315	0.00	0.00	0.00	2.560	597.0	4.64	99.30	4.41	☐	☐	☑	NT2
11-135	K301321	0.00	0.00	0.00	7.960	1060.0	6.27	19.60	15.35	☐	☐	☑	NT3
11-135	K301323	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.05	☐	☑	☐	HQ
11-135	K301334	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	HQ
11-137	K301341	0.00	0.00	0.00	0.350	568.0	9.00	107.50	8.32	☐	☐	☑	NT1
11-137	K301345	0.00	0.00	0.00	0.005	2.5	0.10	0.06	0.03	☐	☑	☐	HQ
11-137	K301354	0.00	0.00	0.00	0.010	28.0	0.04	0.11	0.04	☐	☑	☐	HQ
11-137	K301368	0.00	0.00	0.00	7.720	947.0	6.27	18.15	13.70	☐	☐	☑	NT3
11-139	K301387	0.00	0.00	0.00	2.710	602.0	4.56	102.00	4.07	☐	☐	☑	NT2
11-139	K301394	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-139	K301403	0.00	0.00	0.00	0.330	581.0	8.71	98.20	7.74	☐	☐	☑	NT1
11-139	K301407	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-140	K301425	0.00	0.00	0.00	8.010	999.0	5.89	19.00	12.95	☐	☐	☑	NT3
11-140	K301428	0.00	0.00	0.00	2.740	584.0	4.87	104.50	3.83	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-140	K301437	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-140	K301443	0.00	0.00	0.00	0.005	30.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-145	K301451	0.00	0.00	0.00	16.000	1040.0	6.47	155.00	3.73	☐	☐	☑	NT4
11-145	K301471	0.00	0.00	0.00	0.005	153.0	0.01	0.52	0.02	☐	☑	☐	NQ
11-145	K301475	0.00	0.00	0.00	0.020	104.0	0.22	0.34	0.03	☐	☑	☐	NQ
11-145	K301477	0.00	0.00	0.00	7.880	1110.0	6.45	18.45	12.95	☐	☐	☑	NT3
11-147	K301491	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-147	K302504	0.00	0.00	0.00	2.630	499.0	4.93	104.50	3.85	☐	☐	☑	NT2
11-147	K302508	0.00	0.00	0.00	7.810	880.0	6.38	18.90	13.05	☐	☐	☑	NT3
11-147	K302513	0.00	0.00	0.00	0.005	130.0	0.01	0.44	0.02	☐	☑	☐	NQ
11-149	K302527	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-149	K302534	0.00	0.00	0.00	2.610	577.0	4.99	90.50	3.89	☐	☐	☑	NT2
11-149	K302536	0.00	0.00	0.00	0.340	584.0	10.15	102.50	8.27	☐	☐	☑	NT1
11-149	K302546	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.12	☐	☑	☐	NQ
11-152	K302560	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-152	K302568	0.00	0.00	0.00	2.690	608.0	4.41	109.00	3.75	☐	☐	☑	NT2
11-152	K302572	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-130	K301300	5.48	7.62	2.14	0.005	70.7	0.05	0.43	0.74	☐	☐	☐	
11-130	K301301	7.62	10.67	3.05	0.005	32.4	0.03	0.34	0.53	☐	☐	☐	End of Batch 130
11-135	K301302	10.67	13.72	3.05	0.005	25.0	0.04	0.43	0.55	☐	☐	☐	Start of Batch 135
11-135	K301303	13.72	16.76	3.04	0.005	19.9	0.03	0.44	0.48	☐	☐	☐	
11-135	K301304	16.76	19.81	3.05	0.005	27.6	0.03	0.35	0.57	☐	☐	☐	
11-135	K301305	19.81	21.34	1.53	0.005	15.7	0.02	0.37	0.78	☐	☐	☐	
11-135	K301306	21.34	24.38	3.04	0.005	52.5	0.03	0.33	0.72	☐	☐	☐	
11-135	K301307	24.38	27.43	3.05	0.005	13.1	0.03	0.29	0.56	☐	☐	☐	
11-135	K301308	24.38	27.43	3.05	0.005	11.5	0.03	0.28	0.50	☑	☐	☐	Duplicate of 307
11-135	K301309	27.43	30.48	3.05	0.005	55.4	0.08	0.39	1.04	☐	☐	☐	
11-135	K301310	30.48	33.53	3.05	0.005	81.2	0.12	0.41	1.21	☐	☐	☐	
11-135	K301311	33.53	36.58	3.05	0.005	115.0	0.14	0.36	1.70	☐	☐	☐	
11-135	K301312	36.58	39.62	3.04	0.005	93.7	0.50	0.66	4.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-135	K301313	39.62	42.67	3.05	0.200	402.0	2.71	4.39	7.59	☐	☐	☐	
11-135	K301314	42.67	45.72	3.05	0.210	616.0	3.01	5.57	8.48	☐	☐	☐	
11-135	K301316	45.72	48.77	3.05	0.040	308.0	5.38	2.48	17.30	☐	☐	☐	
11-135	K301317	48.77	51.82	3.05	0.630	1240.0	11.30	18.15	30.40	☐	☐	☐	
11-135	K301318	51.82	53.34	1.52	0.820	1650.0	8.86	17.70	27.80	☐	☐	☐	
11-135	K301319	53.34	56.39	3.05	0.460	744.0	3.37	5.58	8.57	☐	☐	☐	
11-135	K301320	56.39	59.44	3.05	0.130	591.0	4.13	3.13	13.00	☐	☐	☐	
11-135	K301322	59.44	61.21	1.77	0.890	3210.0	5.20	16.65	22.00	☐	☐	☐	
11-135	K301324	61.21	64.01	2.80	0.040	418.0	2.85	3.73	15.15	☐	☐	☐	
11-135	K301325	64.01	67.06	3.05	0.005	157.0	2.44	0.69	9.14	☐	☐	☐	
11-135	K301326	67.06	70.10	3.04	0.030	642.0	2.39	3.16	7.00	☐	☐	☐	
11-135	K301327	70.10	73.15	3.05	0.010	258.0	2.22	1.08	8.88	☐	☐	☐	
11-135	K301328	73.15	76.20	3.05	0.350	980.0	2.99	3.78	12.40	☐	☐	☐	
11-135	K301329	76.20	77.72	1.52	0.410	1280.0	2.55	4.83	7.42	☐	☐	☐	
11-135	K301330	77.72	79.67	1.95	0.380	1090.0	3.32	5.55	12.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-135	K301331	79.67	82.30	2.63	0.210	974.0	3.08	4.92	10.10	☐	☐	☐	
11-135	K301332	82.30	85.34	3.04	0.020	155.0	2.56	1.01	3.22	☐	☐	☐	
11-135	K301333	85.34	87.70	2.36	0.140	240.0	0.93	1.74	2.98	☐	☐	☐	
11-135	K301335	87.70	89.92	2.22	0.830	6980.0	4.08	22.10	16.35	☐	☐	☐	
11-135	K301336	89.92	92.96	3.04	0.370	1295.0	3.24	9.53	11.85	☐	☐	☐	
11-135	K301337	92.96	96.01	3.05	2.970	986.0	5.80	20.70	24.70	☐	☐	☐	End of Batch 135
11-137	K301338	96.01	99.06	3.05	2.910	789.0	6.20	19.50	29.30	☐	☐	☐	Start of Batch 137
11-137	K301339	99.06	102.11	3.05	0.430	446.0	4.37	7.96	13.85	☐	☐	☐	
11-137	K301340	102.11	105.16	3.05	0.005	48.7	1.70	0.41	6.72	☐	☐	☐	
11-137	K301342	105.16	108.20	3.04	0.040	437.0	1.54	3.67	5.36	☐	☐	☐	
11-137	K301343	108.20	111.25	3.05	0.090	451.0	4.55	4.46	12.20	☐	☐	☐	
11-137	K301344	111.25	114.30	3.05	0.450	585.0	3.31	7.04	10.10	☐	☐	☐	
11-137	K301346	114.30	117.35	3.05	0.010	224.0	1.06	0.82	5.52	☐	☐	☐	
11-137	K301347	117.35	118.87	1.52	0.005	303.0	2.11	0.84	7.94	☐	☐	☐	
11-137	K301348	118.87	120.40	1.53	0.060	700.0	1.50	2.42	6.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-137	K301349	118.87	120.40	1.53	0.080	783.0	1.53	2.43	5.98	☑	☐	☐	Duplicate of 348
11-137	K301350	120.40	123.44	3.04	0.140	478.0	3.17	3.87	10.65	☐	☐	☐	
11-137	K301351	123.44	125.55	2.11	0.220	963.0	3.79	8.22	14.10	☐	☐	☐	
11-137	K301352	125.55	126.49	0.94	17.500	55200.0	25.80	211.00	108.50	☐	☐	☐	
11-137	K301353	126.49	127.45	0.96	24.100	57700.0	41.60	281.00	159.50	☐	☐	☐	
11-137	K301355	127.45	129.54	2.09	6.160	17600.0	11.20	71.50	40.00	☐	☐	☐	
11-137	K301356	129.54	131.06	1.52	6.690	9090.0	9.30	48.20	36.40	☐	☐	☐	
11-137	K301357	131.06	134.11	3.05	1.450	298.0	5.43	9.75	16.30	☐	☐	☐	
11-137	K301358	134.11	137.16	3.05	0.490	184.0	2.05	3.08	8.48	☐	☐	☐	
11-137	K301360	137.16	140.21	3.05	0.005	140.0	0.98	0.81	2.20	☐	☐	☐	
11-137	K301361	140.21	143.26	3.05	0.005	78.0	0.56	0.48	1.10	☐	☐	☐	
11-137	K301362	143.26	146.30	3.04	0.005	68.0	0.47	0.45	0.63	☐	☐	☐	
11-137	K301363	146.30	149.35	3.05	0.010	80.0	0.98	0.68	1.09	☐	☐	☐	
11-137	K301364	149.35	152.40	3.05	0.005	103.0	0.66	0.72	1.45	☐	☐	☐	
11-137	K301365	152.40	155.45	3.05	0.005	96.0	1.02	0.79	1.02	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-137	K301366	155.45	158.50	3.05	0.005	88.0	0.96	0.68	0.62	☐	☐	☐	
11-137	K301367	158.50	161.54	3.04	0.010	57.0	0.45	0.43	0.36	☐	☐	☐	
11-137	K301369	161.54	164.59	3.05	0.005	50.0	0.34	0.45	0.28	☐	☐	☐	
11-137	K301370	164.59	167.64	3.05	0.005	24.0	0.09	0.30	0.18	☐	☐	☐	
11-137	K301371	167.64	170.69	3.05	0.005	44.0	0.38	0.42	0.34	☐	☐	☐	
11-137	K301372	170.69	173.74	3.05	0.005	79.0	0.68	0.66	0.78	☐	☐	☐	
11-137	K301373	173.74	176.78	3.04	0.005	104.0	0.99	0.73	0.68	☐	☐	☐	End of batch 137
11-139	K301374	176.78	179.83	3.05	0.005	54.0	0.37	0.53	0.36	☐	☐	☐	Start of batch 139
11-139	K301375	179.83	182.88	3.05	0.005	74.0	1.03	0.59	0.33	☐	☐	☐	
11-139	K301376	182.88	185.93	3.05	0.005	51.0	0.32	0.51	0.30	☐	☐	☐	
11-139	K301377	185.93	188.98	3.05	0.005	65.0	0.76	0.63	0.35	☐	☐	☐	
11-139	K301378	188.98	192.02	3.04	0.005	165.0	1.50	0.94	0.56	☐	☐	☐	
11-139	K301379	192.02	195.07	3.05	0.005	105.0	0.94	0.53	0.45	☐	☐	☐	
11-139	K301380	195.07	198.12	3.05	0.005	59.0	0.52	0.47	0.46	☐	☐	☐	
11-139	K301381	198.12	201.17	3.05	0.005	54.0	0.43	0.50	0.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-139	K301382	201.17	204.22	3.05	0.010	97.0	1.39	1.08	1.69	☐	☐	☐	
11-139	K301383	201.17	204.22	3.05	0.010	63.0	0.95	0.74	1.13	☑	☐	☐	Duplicate of 382
11-139	K301384	204.22	207.26	3.04	0.010	86.0	1.28	0.70	1.89	☐	☐	☐	
11-139	K301385	207.26	210.31	3.05	0.010	94.0	1.29	0.59	1.65	☐	☐	☐	
11-139	K301386	210.31	213.36	3.05	0.010	68.0	1.14	0.47	1.55	☐	☐	☐	
11-139	K301388	213.36	216.41	3.05	0.040	182.0	1.30	0.67	1.93	☐	☐	☐	
11-139	K301389	216.41	219.46	3.05	0.040	86.0	1.37	0.79	2.32	☐	☐	☐	
11-139	K301390	219.46	222.50	3.04	0.110	378.0	3.43	1.88	5.31	☐	☐	☐	
11-139	K301391	222.50	225.55	3.05	0.005	73.0	1.06	0.38	1.64	☐	☐	☐	
11-139	K301392	225.55	228.60	3.05	0.100	77.0	1.13	0.54	1.80	☐	☐	☐	
11-139	K301393	228.60	231.65	3.05	0.020	95.0	1.29	0.55	2.37	☐	☐	☐	
11-139	K301395	231.65	233.66	2.01	0.040	136.0	2.54	1.36	4.04	☐	☐	☐	
11-139	K301396	233.66	235.00	1.34	0.320	223.0	2.02	1.85	3.12	☐	☐	☐	
11-139	K301397	235.00	237.00	2.00	0.330	10200.0	2.26	7.87	3.44	☐	☐	☐	
11-139	K301398	237.00	238.55	1.55	0.040	129.0	1.02	1.22	1.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-139	K301399	238.55	240.79	2.24	0.020	142.0	1.34	1.20	2.27	☐	☐	☐	
11-139	K301400	240.79	243.84	3.05	0.020	96.0	1.97	1.46	3.15	☐	☐	☐	
11-139	K301401	243.84	246.89	3.05	0.005	93.0	1.45	0.82	2.48	☐	☐	☐	
11-139	K301402	246.89	249.94	3.05	0.005	47.0	0.33	0.19	0.49	☐	☐	☐	
11-139	K301404	249.94	252.98	3.04	0.010	23.0	0.33	0.28	0.56	☐	☐	☐	
11-139	K301405	252.98	256.03	3.05	0.010	43.0	0.46	0.32	0.55	☐	☐	☐	
11-139	K301406	256.03	259.08	3.05	0.060	96.0	1.19	0.70	1.68	☐	☐	☐	
11-139	K301408	259.08	262.13	3.05	0.005	97.0	0.45	0.29	0.53	☐	☐	☐	
11-139	K301409	262.13	265.18	3.05	0.010	328.0	0.65	0.73	0.75	☐	☐	☐	End of batch 139
11-140	K301410	265.18	268.22	3.04	0.010	78.0	0.96	0.65	1.14	☐	☐	☐	Start of batch 140
11-140	K301411	268.22	271.27	3.05	0.030	761.0	0.94	1.25	0.90	☐	☐	☐	
11-140	K301412	271.27	274.32	3.05	0.005	34.0	0.66	0.43	0.43	☐	☐	☐	
11-140	K301413	274.32	277.37	3.05	0.005	299.0	1.17	0.93	0.54	☐	☐	☐	
11-140	K301414	277.37	280.42	3.05	0.005	47.0	0.69	0.42	0.36	☐	☐	☐	
11-140	K301415	280.42	283.46	3.04	0.005	32.0	0.81	0.36	0.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-140	K301416	283.46	286.51	3.05	0.005	31.0	0.62	0.29	0.39	☐	☐	☐	
11-140	K301417	286.51	289.56	3.05	0.005	19.0	0.61	0.25	0.42	☐	☐	☐	
11-140	K301418	289.56	292.61	3.05	0.005	17.0	0.33	0.16	0.29	☐	☐	☐	
11-140	K301419	289.56	292.61	3.05	0.005	22.0	0.37	0.19	0.34	☑	☐	☐	Duplicate of 418
11-140	K301420	292.61	295.66	3.05	0.005	32.0	0.53	0.30	0.34	☐	☐	☐	
11-140	K301421	295.66	298.70	3.04	0.005	52.0	0.73	0.35	0.54	☐	☐	☐	
11-140	K301422	298.70	301.75	3.05	0.005	41.0	0.70	0.32	0.43	☐	☐	☐	
11-140	K301423	301.75	304.80	3.05	0.005	173.0	0.84	0.97	0.72	☐	☐	☐	
11-140	K301424	304.80	307.85	3.05	0.005	13.0	0.25	0.17	0.41	☐	☐	☐	
11-140	K301426	307.85	310.90	3.05	0.005	42.0	0.31	0.24	0.40	☐	☐	☐	
11-140	K301427	310.90	313.94	3.04	0.005	33.0	0.35	0.29	0.35	☐	☐	☐	
11-140	K301429	313.94	316.99	3.05	0.005	56.0	0.82	0.56	0.47	☐	☐	☐	
11-140	K301430	316.99	320.04	3.05	0.005	29.0	0.12	0.27	0.12	☐	☐	☐	
11-140	K301431	320.04	323.09	3.05	0.005	44.0	0.11	0.39	0.12	☐	☐	☐	
11-140	K301432	323.09	326.14	3.05	0.005	53.0	0.11	0.21	0.11	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-140	K301433	326.14	329.18	3.04	0.005	22.0	0.06	0.12	0.06	☐	☐	☐	
11-140	K301434	329.18	332.23	3.05	0.005	41.0	0.10	0.23	0.17	☐	☐	☐	
11-140	K301435	332.23	335.28	3.05	0.005	32.0	0.14	0.31	0.33	☐	☐	☐	
11-140	K301436	335.28	338.33	3.05	0.005	54.0	0.22	0.39	0.70	☐	☐	☐	
11-140	K301438	338.33	341.38	3.05	0.005	34.0	0.13	0.12	0.18	☐	☐	☐	
11-140	K301439	341.38	344.42	3.04	0.005	102.0	0.81	0.59	0.98	☐	☐	☐	
11-140	K301440	344.42	347.47	3.05	0.010	58.0	0.89	0.76	1.21	☐	☐	☐	
11-140	K301441	347.47	350.52	3.05	0.040	703.0	3.34	3.26	5.05	☐	☐	☐	
11-140	K301442	350.52	353.57	3.05	0.005	1.7	1.92	27.80	2.86	☐	☐	☐	
11-140	K301444	353.57	356.62	3.05	0.005	132.0	1.52	1.11	2.16	☐	☐	☐	
11-140	K301445	356.62	359.66	3.04	0.005	52.0	1.13	0.31	1.40	☐	☐	☐	End of batch 140
11-145	K301446	359.66	362.71	3.05	0.005	55.0	1.38	0.94	1.74	☐	☐	☐	Start of batch 145
11-145	K301447	362.71	365.76	3.05	0.005	99.0	2.02	1.64	2.70	☐	☐	☐	
11-145	K301448	365.76	368.81	3.05	0.005	46.0	0.72	0.57	1.02	☐	☐	☐	
11-145	K301449	368.81	371.86	3.05	0.060	91.0	1.38	1.70	2.39	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-145	K301450	371.86	374.90	3.04	0.005	62.0	1.32	1.58	2.40	☐	☐	☐	
11-145	K301452	374.90	377.95	3.05	0.005	56.0	0.97	1.18	1.74	☐	☐	☐	
11-145	K301453	377.95	381.00	3.05	0.030	507.0	1.83	3.85	3.75	☐	☐	☐	
11-145	K301454	381.00	384.05	3.05	0.005	560.0	0.96	2.20	1.77	☐	☐	☐	
11-145	K301455	384.05	387.10	3.05	0.005	1510.0	1.30	4.45	2.22	☐	☐	☐	
11-145	K301456	384.05	387.10	3.05	0.005	1080.0	1.20	4.09	1.94	☑	☐	☐	
11-145	K301457	387.10	390.14	3.04	0.005	798.0	0.67	2.29	0.81	☐	☐	☐	
11-145	K301458	390.14	393.19	3.05	0.005	90.0	0.83	0.80	1.19	☐	☐	☐	
11-145	K301459	393.19	396.24	3.05	0.005	142.0	0.86	1.39	1.13	☐	☐	☐	
11-145	K301460	396.24	399.29	3.05	0.010	317.0	0.93	1.35	0.96	☐	☐	☐	
11-145	K301461	399.29	402.34	3.05	0.010	106.0	1.11	1.09	1.36	☐	☐	☐	
11-145	K301462	402.34	405.38	3.04	0.010	52.0	0.62	0.42	1.42	☐	☐	☐	
11-145	K301463	405.38	408.43	3.05	0.020	87.0	0.59	0.66	2.50	☐	☐	☐	
11-145	K301464	408.43	411.48	3.05	0.020	114.0	0.95	1.33	2.80	☐	☐	☐	
11-145	K301465	411.48	414.53	3.05	0.005	36.0	0.25	0.41	2.34	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-145	K301466	414.53	417.58	3.05	0.010	89.0	1.38	2.28	3.69	☐	☐	☐	
11-145	K301468	417.58	420.00	2.42	0.140	5660.0	2.59	22.40	7.33	☐	☐	☐	Sample 466 in os-11-50
11-145	K301469	420.00	422.00	2.00	3.130	31200.0	3.54	118.50	13.45	☐	☐	☐	
11-145	K301470	422.00	423.67	1.67	3.560	423000.0	5.66	1765.00	17.80	☐	☐	☐	
11-145	K301472	423.67	425.10	1.43	12.050	150000.0	23.90	517.00	85.30	☐	☐	☐	
11-145	K301473	425.10	426.72	1.62	13.600	99800.0	14.10	300.00	42.50	☐	☐	☐	
11-145	K301474	426.72	428.10	1.38	28.300	116000.0	15.50	359.00	55.50	☐	☐	☐	
11-145	K301476	428.10	429.77	1.67	3.320	69200.0	6.30	210.00	27.10	☐	☐	☐	
11-145	K301478	429.77	432.82	3.05	0.310	5390.0	5.71	18.65	23.40	☐	☐	☐	
11-145	K301479	432.82	435.86	3.04	0.150	967.0	2.49	3.93	7.60	☐	☐	☐	
11-145	K301480	435.86	438.91	3.05	0.070	240.0	2.29	1.93	5.24	☐	☐	☐	
11-145	K301481	438.91	441.96	3.05	0.020	96.0	0.87	0.60	2.19	☐	☐	☐	
11-145	K301482	441.96	445.01	3.05	0.010	122.0	0.88	0.46	2.94	☐	☐	☐	End of Batch 145
11-147	K301483	445.01	448.06	3.05	0.005	75.0	0.77	0.44	2.97	☐	☐	☐	Start of Batch 147
11-147	K301484	448.06	451.10	3.04	0.100	1400.0	2.39	4.60	5.72	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-147	K301485	451.10	454.15	3.05	0.010	68.0	0.89	0.69	1.96	☐	☐	☐	
11-147	K301486	454.15	457.20	3.05	0.020	72.0	0.94	0.89	2.37	☐	☐	☐	
11-147	K301487	457.20	460.25	3.05	0.030	128.0	1.59	1.07	3.42	☐	☐	☐	
11-147	K301488	460.25	463.30	3.05	0.010	61.0	1.19	0.63	2.38	☐	☐	☐	
11-147	K301489	463.30	466.34	3.04	0.040	70.0	0.93	1.17	2.01	☐	☐	☐	
11-147	K301490	466.34	469.39	3.05	0.140	122.0	1.51	1.90	2.92	☐	☐	☐	
11-147	K301492	469.39	472.44	3.05	0.010	76.0	1.74	1.11	2.22	☐	☐	☐	
11-147	K301493	472.44	475.49	3.05	0.290	131.0	2.70	3.07	4.01	☐	☐	☐	
11-147	K301494	475.49	478.54	3.05	0.010	49.0	0.95	0.47	1.40	☐	☐	☐	
11-147	K301495	478.54	481.58	3.04	0.005	48.0	1.17	0.25	1.63	☐	☐	☐	
11-147	K301496	481.58	484.63	3.05	0.005	41.0	0.70	0.19	1.12	☐	☐	☐	
11-147	K301497	484.63	487.68	3.05	0.005	61.0	0.50	0.21	1.40	☐	☐	☐	
11-147	K301498	487.68	490.73	3.05	0.030	112.0	1.13	1.05	1.87	☐	☐	☐	
11-147	K301499	490.73	493.78	3.05	0.040	110.0	1.14	1.50	1.71	☐	☐	☐	
11-147	K301500	490.73	493.78	3.05	0.030	108.0	1.20	1.45	1.80	☑	☐	☐	Duplicate of 499

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-147	K302501	493.78	496.82	3.04	0.010	137.0	0.91	1.09	1.41	☐	☐	☐	
11-147	K302502	496.82	499.87	3.05	0.005	91.0	0.65	0.56	1.07	☐	☐	☐	
11-147	K302503	499.87	502.92	3.05	0.005	102.0	0.55	0.36	1.24	☐	☐	☐	
11-147	K302505	502.92	505.97	3.05	0.010	64.0	0.67	0.64	1.06	☐	☐	☐	
11-147	K302506	505.97	509.02	3.05	0.070	104.0	0.67	1.09	1.12	☐	☐	☐	
11-147	K302507	509.02	512.06	3.04	0.880	3510.0	3.45	22.60	10.95	☐	☐	☐	
11-147	K302509	512.06	515.11	3.05	0.920	505.0	2.83	12.35	8.74	☐	☐	☐	
11-147	K302510	515.11	517.10	1.99	0.320	15650.0	1.50	49.40	2.97	☐	☐	☐	
11-147	K302511	517.10	518.16	1.06	6.490	228000.0	4.05	726.00	8.06	☐	☐	☐	
11-147	K302512	518.16	519.89	1.73	8.200	154500.0	4.70	510.00	11.95	☐	☐	☐	
11-147	K302514	519.89	521.21	1.32	0.550	34800.0	1.27	114.50	2.11	☐	☐	☐	
11-147	K302515	521.21	524.26	3.05	0.170	8510.0	2.50	38.40	3.14	☐	☐	☐	
11-147	K302516	524.26	527.30	3.04	0.040	133.0	1.19	1.60	2.49	☐	☐	☐	
11-147	K302517	527.30	530.35	3.05	0.030	78.0	0.51	0.60	2.02	☐	☐	☐	
11-147	K302518	530.35	533.40	3.05	0.050	295.0	0.90	1.82	3.05	☐	☐	☐	End of Batch 147

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-149	K302519	533.40	536.45	3.05	0.010	34.0	0.23	0.35	1.64	☐	☐	☐	Start of Batch 149
11-149	K302520	536.45	539.50	3.05	0.005	31.0	0.22	0.24	1.39	☐	☐	☐	
11-149	K302521	539.50	542.54	3.04	0.040	162.0	0.37	0.90	1.32	☐	☐	☐	
11-149	K302522	542.54	545.59	3.05	0.010	36.0	0.25	0.35	2.02	☐	☐	☐	
11-149	K302523	545.59	548.64	3.05	0.010	33.0	0.34	0.42	1.03	☐	☐	☐	
11-149	K302524	548.64	551.69	3.05	0.005	24.0	0.27	0.24	0.51	☐	☐	☐	
11-149	K302525	551.69	554.74	3.05	0.005	47.0	0.12	0.22	0.18	☐	☐	☐	
11-149	K302526	554.74	557.78	3.04	0.010	244.0	0.14	0.24	0.27	☐	☐	☐	
11-149	K302528	557.78	560.83	3.05	0.005	79.0	0.68	0.41	0.69	☐	☐	☐	
11-149	K302529	560.83	563.88	3.05	0.005	28.0	0.33	0.21	0.72	☐	☐	☐	
11-149	K302530	563.88	566.93	3.05	0.005	31.0	0.39	0.20	0.51	☐	☐	☐	
11-149	K302531	566.93	569.98	3.05	0.005	47.0	0.49	0.32	1.50	☐	☐	☐	
11-149	K302532	569.98	573.02	3.04	0.005	29.0	0.29	0.20	0.48	☐	☐	☐	
11-149	K302533	573.02	576.07	3.05	0.060	530.0	0.65	1.97	0.58	☐	☐	☐	
11-149	K302535	576.07	579.12	3.05	0.005	77.0	1.26	1.13	0.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-149	K302537	579.12	582.17	3.05	0.005	32.0	0.45	0.23	0.94	☐	☐	☐	
11-149	K302538	582.17	585.22	3.05	0.005	28.0	0.17	0.16	0.42	☐	☐	☐	
11-149	K302539	585.22	588.26	3.04	0.005	16.0	0.34	0.22	0.60	☐	☐	☐	
11-149	K302540	588.26	591.31	3.05	0.005	43.0	0.44	0.43	0.90	☐	☐	☐	
11-149	K302541	588.26	591.31	3.05	0.005	32.0	0.43	0.32	0.83	☑	☐	☐	Duplicate of 540
11-149	K302542	591.31	594.36	3.05	0.005	24.0	0.25	0.25	0.75	☐	☐	☐	
11-149	K302543	594.36	597.41	3.05	0.005	33.0	0.13	0.22	0.74	☐	☐	☐	
11-149	K302544	597.41	600.46	3.05	0.005	8.0	0.06	0.13	0.25	☐	☐	☐	
11-149	K302545	600.46	603.50	3.04	0.005	2960.0	2.86	13.30	5.11	☐	☐	☐	
11-149	K302547	603.50	605.25	1.75	0.005	154.0	2.17	2.82	2.95	☐	☐	☐	
11-149	K302548	605.25	607.10	1.85	2.420	2650.0	8.82	31.00	16.35	☐	☐	☐	
11-149	K302549	607.10	609.60	2.50	0.005	77.0	1.44	1.40	2.02	☐	☐	☐	
11-149	K302550	609.60	612.65	3.05	0.005	17.0	0.27	0.24	0.62	☐	☐	☐	
11-149	K302551	612.65	615.70	3.05	0.005	2.5	0.15	0.15	0.48	☐	☐	☐	
11-149	K302552	615.70	618.74	3.04	0.005	14.0	0.36	0.25	0.67	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-149	K302553	618.74	621.79	3.05	0.005	5.0	0.16	0.18	0.29	☐	☐	☐	
11-149	K302554	621.79	624.84	3.05	0.005	2.5	0.16	0.11	0.18	☐	☐	☐	End of Batch 149
11-152	K302555	624.84	627.89	3.05	0.005	17.0	0.17	0.17	0.28	☐	☐	☐	Start of Batch 152
11-152	K302556	627.89	630.94	3.05	0.005	27.0	0.49	0.31	1.05	☐	☐	☐	
11-152	K302557	630.94	633.98	3.04	0.005	2.5	0.12	0.12	0.35	☐	☐	☐	
11-152	K302558	633.98	637.03	3.05	0.005	5.0	0.23	0.22	1.15	☐	☐	☐	
11-152	K302559	637.03	640.08	3.05	0.010	40.0	0.26	0.27	0.42	☐	☐	☐	
11-152	K302561	640.08	641.20	1.12	0.460	1540.0	1.89	4.45	2.25	☐	☐	☐	
11-152	K302562	641.20	642.70	1.50	0.010	2520.0	1.03	3.71	2.57	☐	☐	☐	
11-152	K302563	642.70	644.90	2.20	0.005	111.0	0.98	1.38	1.10	☐	☐	☐	
11-152	K302564	644.90	646.18	1.28	0.005	80.0	0.50	0.47	1.52	☐	☐	☐	
11-152	K302565	646.18	649.22	3.04	0.005	64.0	0.06	0.30	0.25	☐	☐	☐	
11-152	K302566	649.22	652.27	3.05	0.005	95.0	0.80	1.04	1.30	☐	☐	☐	
11-152	K302567	652.27	655.32	3.05	0.005	68.5	0.21	0.37	0.98	☐	☐	☐	
11-152	K302569	655.32	658.37	3.05	0.005	175.5	0.69	1.02	2.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-152	K302570	658.37	661.42	3.05	0.005	76.0	0.10	0.39	0.73	☐	☐	☐	
11-152	K302571	661.42	664.46	3.04	0.005	62.7	0.13	0.43	0.73	☐	☐	☐	
11-152	K302573	664.46	667.51	3.05	0.005	59.5	0.12	0.40	0.67	☐	☐	☐	
11-152	K302574	667.51	670.56	3.05	0.005	191.0	0.74	0.64	2.08	☐	☐	☐	
11-152	K302575	670.56	673.61	3.05	0.005	58.4	0.68	0.42	1.83	☐	☐	☐	
11-152	K302576	673.61	676.66	3.05	0.005	78.2	0.75	0.58	2.02	☐	☐	☐	
11-152	K302577	676.66	679.70	3.04	0.005	48.8	0.33	0.46	1.15	☐	☐	☐	
11-152	K302578	679.70	682.45	2.75	0.020	186.5	0.42	0.72	1.70	☐	☐	☐	
11-152	K302579	679.70	682.45	2.75	0.005	154.0	0.39	0.66	1.78	☑	☐	☐	EOH / End of Batch 152, Duplicate of 578

Sample Results

OS -11-055

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-143	K301655	0.00	0.00	0.00	7.900	1000.0	6.32	19.40	13.00	☐	☐	☑	NT3
11-143	K301659	0.00	0.00	0.00	0.040	83.0	0.16	0.40	0.47	☐	☑	☐	HQ
11-143	K301664	0.00	0.00	0.00	0.005	7.0	0.10	0.06	0.05	☐	☑	☐	HQ
11-143	K301677	0.00	0.00	0.00	16.150	1260.0	7.02	156.00	3.62	☐	☐	☑	NT4
11-146	K301691	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	HQ
11-146	K301696	0.00	0.00	0.00	0.340	596.0	9.40	121.00	8.55	☐	☐	☑	NT1
11-146	K301703	0.00	0.00	0.00	16.350	1110.0	6.10	158.50	3.79	☐	☐	☑	NT4
11-146	K301709	0.00	0.00	0.00	0.005	5.0	0.02	0.12	0.07	☐	☑	☐	HQ
11-150	K301724	0.00	0.00	0.00	2.670	581.0	4.44	107.50	4.23	☐	☐	☑	NT2
11-150	K301733	0.00	0.00	0.00	0.330	602.0	9.60	123.00	8.24	☐	☐	☑	NT1
11-150	K301737	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-150	K301750	0.00	0.00	0.00	0.005	2.5	0.01	0.15	0.04	☐	☑	☐	NQ
11-143	K301650	1.42	3.96	2.54	1.170	2260.0	6.70	6.26	6.53	☐	☐	☐	
11-143	K301651	1.42	3.96	2.54	0.620	1320.0	3.86	4.01	3.88	☑	☐	☐	Duplicate of 650

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-143	K301652	3.96	7.01	3.05	28.300	24100.0	62.90	81.00	58.60	☐	☐	☐	
11-143	K301653	7.01	10.06	3.05	1.550	2940.0	5.30	9.67	10.80	☐	☐	☐	
11-143	K301654	10.06	13.11	3.05	1.570	2730.0	7.00	8.14	6.93	☐	☐	☐	
11-143	K301656	13.11	16.15	3.04	2.410	8190.0	5.52	20.50	13.05	☐	☐	☐	
11-143	K301657	16.15	19.20	3.05	1.510	1930.0	4.62	7.49	7.34	☐	☐	☐	
11-143	K301658	19.20	22.25	3.05	5.290	7220.0	17.40	35.90	42.40	☐	☐	☐	
11-143	K301660	22.25	25.30	3.05	1.940	1840.0	6.10	11.45	16.95	☐	☐	☐	
11-143	K301661	25.30	27.54	2.24	11.600	35200.0	45.50	189.50	86.30	☐	☐	☐	
11-143	K301662	27.54	29.87	2.33	0.310	1860.0	2.85	12.20	19.20	☐	☐	☐	
11-143	K301663	29.87	32.92	3.05	0.020	264.0	1.03	1.51	2.70	☐	☐	☐	
11-143	K301665	32.92	35.97	3.05	0.005	212.0	0.39	1.36	0.99	☐	☐	☐	
11-143	K301666	35.97	39.01	3.04	0.005	125.0	0.10	0.55	0.34	☐	☐	☐	
11-143	K301667	39.01	42.06	3.05	0.020	148.0	0.14	0.86	0.38	☐	☐	☐	
11-143	K301668	42.06	45.11	3.05	0.040	122.0	0.30	0.63	0.69	☐	☐	☐	
11-143	K301669	45.11	48.16	3.05	0.030	163.0	0.30	0.63	0.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-143	K301670	48.16	51.21	3.05	0.005	124.0	0.08	0.51	0.52	☐	☐	☐	
11-143	K301671	51.21	54.25	3.04	0.010	124.0	0.30	0.59	1.13	☐	☐	☐	
11-143	K301672	54.25	57.30	3.05	0.050	240.0	1.42	1.06	3.71	☐	☐	☐	
11-143	K301673	57.30	60.35	3.05	0.040	491.0	2.44	1.73	8.32	☐	☐	☐	
11-143	K301674	60.35	63.20	2.85	0.080	476.0	8.20	4.30	28.90	☐	☐	☐	
11-143	K301675	63.20	64.92	1.72	1.710	39600.0	54.60	81.10	204.00	☐	☐	☐	
11-143	K301676	64.92	66.60	1.68	1.050	22200.0	34.10	44.40	112.00	☐	☐	☐	
11-143	K301678	66.60	67.97	1.37	0.360	979.0	12.20	8.55	35.10	☐	☐	☐	
11-143	K301679	67.97	71.02	3.05	0.700	931.0	15.30	11.60	45.60	☐	☐	☐	
11-143	K301680	71.02	74.07	3.05	0.050	774.0	2.41	3.63	5.47	☐	☐	☐	
11-143	K301681	74.07	77.11	3.04	0.020	676.0	1.15	5.16	4.73	☐	☐	☐	
11-143	K301682	77.11	80.16	3.05	0.010	1200.0	0.95	6.31	3.70	☐	☐	☐	
11-143	K301683	80.16	83.21	3.05	0.010	401.0	0.36	1.51	1.59	☐	☐	☐	
11-143	K301684	83.21	86.26	3.05	0.010	984.0	0.84	2.73	3.01	☐	☐	☐	
11-143	K301685	86.26	89.31	3.05	0.010	434.0	1.00	1.63	2.85	☐	☐	☐	End of Batch 143

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-146	K301686	89.31	92.35	3.04	0.010	98.0	0.47	0.63	1.38	☐	☐	☐	Start of Batch 146
11-146	K301687	92.35	93.88	1.53	0.020	298.0	2.09	1.43	5.33	☐	☐	☐	
11-146	K301688	93.88	96.93	3.05	0.010	134.0	1.00	0.61	3.37	☐	☐	☐	
11-146	K301689	96.93	99.97	3.04	0.020	191.0	1.39	0.99	3.25	☐	☐	☐	
11-146	K301690	99.97	103.02	3.05	0.130	317.0	1.56	1.47	5.24	☐	☐	☐	
11-146	K301692	103.02	106.07	3.05	0.040	115.0	0.38	0.75	1.37	☐	☐	☐	
11-146	K301693	106.07	109.12	3.05	0.010	73.0	0.36	1.45	2.33	☐	☐	☐	
11-146	K301694	109.12	112.17	3.05	0.010	37.0	0.15	0.33	0.69	☐	☐	☐	
11-146	K301695	112.17	115.21	3.04	0.010	34.0	0.25	0.57	0.73	☐	☐	☐	
11-146	K301697	115.21	118.26	3.05	0.060	61.0	0.59	1.31	2.27	☐	☐	☐	
11-146	K301698	118.26	121.31	3.05	0.040	68.0	0.57	1.11	2.78	☐	☐	☐	
11-146	K301699	121.31	124.25	2.94	0.010	88.0	0.67	1.13	3.04	☐	☐	☐	
11-146	K301700	124.25	125.88	1.63	0.020	180.0	0.84	0.86	2.34	☐	☐	☐	
11-146	K301701	125.88	128.93	3.05	0.010	122.0	0.81	0.73	2.20	☐	☐	☐	
11-146	K301702	128.93	131.98	3.05	0.060	154.0	1.00	1.13	2.83	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-146	K301704	131.98	135.03	3.05	0.050	143.0	2.01	1.80	6.15	☐	☐	☐	
11-146	K301705	135.03	136.55	1.52	0.050	100.0	1.16	1.47	4.17	☐	☐	☐	
11-146	K301706	136.55	138.44	1.89	0.750	559.0	3.25	4.34	5.44	☐	☐	☐	
11-146	K301707	138.44	140.68	2.24	0.150	137.0	1.49	4.37	5.43	☐	☐	☐	
11-146	K301708	140.68	142.65	1.97	0.670	312.0	4.68	16.15	16.95	☐	☐	☐	
11-146	K301710	142.65	145.69	3.04	0.660	349.0	6.03	12.45	20.60	☐	☐	☐	
11-146	K301711	145.69	148.74	3.05	0.740	2430.0	10.20	19.40	25.00	☐	☐	☐	
11-146	K301712	148.74	150.27	1.53	0.920	588.0	11.30	21.90	28.80	☐	☐	☐	
11-146	K301713	150.27	151.79	1.52	1.880	3630.0	12.20	23.30	33.60	☐	☐	☐	
11-146	K301714	150.27	151.79	1.52	1.410	3420.0	10.20	20.40	29.30	☑	☐	☐	Duplicate of 713
11-146	K301715	151.79	153.95	2.16	0.590	403.0	10.70	8.94	16.75	☐	☐	☐	
11-146	K301716	153.95	155.85	1.90	0.320	203.0	2.93	5.76	8.96	☐	☐	☐	
11-146	K301717	155.85	157.89	2.04	0.220	178.0	3.25	5.07	8.13	☐	☐	☐	
11-146	K301718	157.89	160.93	3.04	0.050	122.0	4.10	1.52	3.29	☐	☐	☐	
11-146	K301719	160.93	162.46	1.53	0.010	1160.0	2.37	1.51	1.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-146	K301720	162.46	165.51	3.05	0.010	229.0	5.20	0.78	3.04	☐	☐	☐	
11-146	K301721	165.51	167.03	1.52	0.010	28.0	0.40	0.16	0.42	☐	☐	☐	End of Batch 146
11-150	K301722	167.03	170.08	3.05	0.680	301.0	2.18	1.05	1.30	☐	☐	☐	Start of Batch 150
11-150	K301723	170.08	173.13	3.05	0.070	135.0	1.71	1.17	2.69	☐	☐	☐	
11-150	K301725	173.13	176.17	3.04	0.030	110.0	1.29	0.49	1.63	☐	☐	☐	
11-150	K301726	176.17	177.20	1.03	0.010	121.0	1.43	0.60	1.45	☐	☐	☐	
11-150	K301727	177.20	179.22	2.02	0.020	798.0	1.93	1.28	1.79	☐	☐	☐	
11-150	K301728	179.22	182.27	3.05	0.010	314.0	1.45	0.93	1.29	☐	☐	☐	
11-150	K301729	182.27	185.32	3.05	0.005	63.0	1.76	0.60	0.94	☐	☐	☐	
11-150	K301730	185.32	188.37	3.05	0.005	51.0	1.38	0.64	0.92	☐	☐	☐	
11-150	K301731	188.37	191.41	3.04	0.005	33.0	1.48	0.42	1.06	☐	☐	☐	
11-150	K301732	191.41	194.46	3.05	0.020	86.0	2.01	1.01	1.40	☐	☐	☐	
11-150	K301734	194.46	197.51	3.05	0.010	54.0	1.35	0.93	1.24	☐	☐	☐	
11-150	K301735	197.51	200.56	3.05	0.005	42.0	0.96	0.57	1.20	☐	☐	☐	
11-150	K301736	200.56	203.61	3.05	0.005	29.0	0.60	0.38	0.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-150	K301738	203.61	206.65	3.04	0.005	20.0	0.65	0.46	0.65	☐	☐	☐	
11-150	K301739	206.65	209.70	3.05	0.010	44.0	1.55	0.74	1.40	☐	☐	☐	
11-150	K301740	209.70	212.75	3.05	0.010	25.0	1.04	0.59	0.92	☐	☐	☐	
11-150	K301741	212.75	215.80	3.05	0.005	15.0	0.66	0.34	0.45	☐	☐	☐	
11-150	K301742	215.80	218.85	3.05	0.005	22.0	0.37	0.38	0.41	☐	☐	☐	
11-150	K301743	218.85	221.89	3.04	0.010	11.0	0.42	0.38	0.53	☐	☐	☐	
11-150	K301744	221.89	224.94	3.05	0.020	28.0	0.64	0.55	0.79	☐	☐	☐	
11-150	K301745	224.94	227.99	3.05	0.005	26.0	0.29	0.39	0.51	☐	☐	☐	
11-150	K301746	224.94	227.99	3.05	0.005	36.0	0.32	0.39	0.55	☑	☐	☐	Duplicate of 745
11-150	K301747	227.99	231.04	3.05	0.005	26.0	0.25	0.50	0.31	☐	☐	☐	
11-150	K301748	231.04	234.09	3.05	0.010	84.0	0.84	0.83	1.87	☐	☐	☐	
11-150	K301749	234.09	237.13	3.04	0.005	116.0	1.40	0.68	3.04	☐	☐	☐	
11-150	K301751	237.13	240.18	3.05	0.005	18.0	0.18	0.21	0.56	☐	☐	☐	
11-150	K301752	240.18	243.23	3.05	0.005	65.0	0.36	0.51	1.51	☐	☐	☐	
11-150	K301753	243.23	246.28	3.05	0.005	24.0	0.19	0.28	0.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-150	K301754	246.28	249.33	3.05	0.180	390.0	1.24	1.12	3.31	☐	☐	☐	
11-150	K301755	249.33	252.37	3.04	0.005	374.0	0.87	1.09	3.15	☐	☐	☐	
11-150	K301756	252.37	255.42	3.05	0.020	280.0	0.38	0.62	2.04	☐	☐	☐	
11-150	K301757	255.42	258.47	3.05	0.005	47.0	0.69	0.64	2.10	☐	☐	☐	End of Batch 150
11-154	K301758	258.47	259.99	1.52	0.005	27.0	0.13	0.28	0.68	☐	☐	☐	Start of Batch 154 + EOH

ATAC resources ltd.

Sample Results

OS -11-056

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-142	K299493	0.00	0.00	0.00	0.330	663.0	8.20	116.50	8.78	☐	☐	☑	NT1
11-142	K299499	0.00	0.00	0.00	0.005	8.0	0.01	0.07	0.01	☐	☑	☐	HQ
11-142	K302005	0.00	0.00	0.00	2.550	631.0	4.31	113.50	4.63	☐	☐	☑	NT2
11-153	K302015	0.00	0.00	0.00	0.310	571.0	9.53	109.50	7.01	☐	☐	☑	NT1
11-153	K302021	0.00	0.00	0.00	0.020	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-142	K299482	0.74	2.44	1.70	0.005	226.0	0.18	0.93	0.46	☐	☐	☐	
11-142	K299483	2.44	5.49	3.05	0.005	372.0	0.32	1.65	0.49	☐	☐	☐	
11-142	K299484	5.49	8.53	3.04	0.020	691.0	0.51	3.11	1.00	☐	☐	☐	
11-142	K299485	8.53	11.58	3.05	0.010	290.0	0.18	1.27	0.44	☐	☐	☐	
11-142	K299486	11.58	14.63	3.05	0.010	506.0	0.19	2.63	0.71	☐	☐	☐	
11-142	K299487	14.63	17.68	3.05	0.005	626.0	0.27	3.58	0.61	☐	☐	☐	
11-142	K299488	17.68	20.73	3.05	0.005	341.0	0.12	2.13	0.46	☐	☐	☐	
11-142	K299489	20.73	23.77	3.04	0.005	365.0	0.15	2.12	0.42	☐	☐	☐	
11-142	K299490	23.77	26.82	3.05	0.005	662.0	0.12	5.83	0.46	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-142	K299491	26.82	29.87	3.05	0.005	960.0	0.06	4.13	0.41	☐	☐	☐	
11-142	K299492	29.87	32.92	3.05	0.005	423.0	0.10	1.75	0.28	☐	☐	☐	
11-142	K299494	32.92	35.97	3.05	0.005	574.0	0.09	4.05	0.60	☐	☐	☐	
11-142	K299495	35.97	39.01	3.04	0.010	625.0	0.05	7.96	0.67	☐	☐	☐	
11-142	K299496	35.97	39.01	3.04	0.010	738.0	0.05	7.32	0.59	☑	☐	☐	Duplicate of 495
11-142	K299497	39.01	42.06	3.05	0.005	305.0	0.03	5.54	0.45	☐	☐	☐	
11-142	K299498	42.06	45.11	3.05	0.005	514.0	0.03	6.00	0.48	☐	☐	☐	
11-142	K299500	45.11	48.16	3.05	0.005	200.0	0.02	1.66	0.43	☐	☐	☐	
11-142	K302001	48.16	51.21	3.05	0.005	60.0	0.03	0.31	0.42	☐	☐	☐	*jump in sample number*
11-142	K302002	51.21	54.25	3.04	0.005	37.0	0.03	0.37	0.46	☐	☐	☐	
11-142	K302003	54.25	57.30	3.05	0.005	37.0	0.04	0.40	0.42	☐	☐	☐	
11-142	K302004	57.30	60.35	3.05	0.005	245.0	0.03	1.62	0.23	☐	☐	☐	
11-142	K302006	60.35	63.40	3.05	0.005	157.0	0.05	0.64	0.31	☐	☐	☐	
11-142	K302007	63.40	66.45	3.05	0.010	105.0	0.06	0.51	0.29	☐	☐	☐	
11-142	K302008	66.45	69.49	3.04	0.005	118.0	0.05	0.60	0.32	☐	☐	☐	End of Batch 142

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-153	K302009	69.49	72.54	3.05	0.010	182.0	0.05	0.49	0.25	☐	☐	☐	
11-153	K302010	72.54	75.59	3.05	0.005	90.0	0.04	0.33	0.25	☐	☐	☐	
11-153	K302011	75.59	78.64	3.05	0.005	67.0	0.03	0.23	0.20	☐	☐	☐	
11-153	K302012	78.64	81.69	3.05	0.005	177.0	0.04	0.29	0.26	☐	☐	☐	
11-153	K302013	81.69	83.21	1.52	0.010	740.0	0.06	0.37	0.16	☐	☐	☐	
11-153	K302014	83.21	86.26	3.05	0.010	119.0	0.02	0.25	0.29	☐	☐	☐	
11-153	K302016	86.26	89.31	3.05	0.005	59.7	0.01	0.28	0.45	☐	☐	☐	
11-153	K302017	89.31	92.35	3.04	0.010	77.5	0.01	0.47	0.62	☐	☐	☐	
11-153	K302018	92.35	95.40	3.05	0.005	54.2	0.03	0.64	0.75	☐	☐	☐	
11-153	K302019	95.40	98.45	3.05	0.005	43.2	0.06	0.54	0.79	☐	☐	☐	
11-153	K302020	98.45	101.50	3.05	0.005	15.8	0.06	0.36	0.56	☐	☐	☐	
11-153	K302022	101.50	104.55	3.05	0.005	22.3	0.03	0.62	0.76	☐	☐	☐	
11-153	K302023	104.55	107.59	3.04	0.005	26.3	0.02	0.64	0.83	☐	☐	☐	
11-153	K302024	107.59	110.64	3.05	0.005	7.6	0.03	0.58	0.85	☐	☐	☐	
11-153	K302025	110.64	113.69	3.05	0.005	8.1	0.07	0.55	0.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-153	K302026	113.69	116.74	3.05	0.005	9.8	0.27	0.32	0.73	☐	☐	☐	
11-153	K302027	150.27	153.31	3.04	0.010	37.5	0.13	0.52	0.95	☐	☐	☐	
11-153	K302028	153.31	156.36	3.05	0.005	13.5	0.34	0.58	0.98	☐	☐	☐	

Sample Results

OS -11-057

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-154	K301763	0.00	0.00	0.00	7.830	1050.0	6.39	19.30	12.30	☐	☐	☑	NT3
11-154	K301774	0.00	0.00	0.00	0.370	598.0	9.50	107.00	7.87	☐	☐	☑	NT1
11-154	K301779	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.03	☐	☑	☐	HQ
11-154	K301786	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	HQ
11-156	K301796	0.00	0.00	0.00	7.900	1000.0	5.99	16.70	13.55	☐	☐	☑	NT3
11-156	K301803	0.00	0.00	0.00	2.660	598.0	4.89	105.00	4.00	☐	☐	☑	NT2
11-156	K301811	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-156	K301823	0.00	0.00	0.00	0.005	2.5	0.02	0.03	0.03	☐	☑	☐	HQ
11-157	K301839	0.00	0.00	0.00	0.010	17.0	0.03	0.11	0.10	☐	☑	☐	NQ
11-157	K301842	0.00	0.00	0.00	7.760	1010.0	5.58	18.65	12.65	☐	☐	☑	NT3
11-157	K301855	0.00	0.00	0.00	0.005	60.0	0.02	0.21	0.03	☐	☑	☐	NQ
11-157	K301859	0.00	0.00	0.00	16.050	1130.0	6.66	147.00	3.71	☐	☐	☑	NT4
11-163	K301870	0.00	0.00	0.00	2.680	567.0	5.14	101.00	4.02	☐	☐	☑	NT2
11-163	K301881	0.00	0.00	0.00	0.005	46.0	0.05	0.11	0.05	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-163	K301888	0.00	0.00	0.00	0.340	622.0	9.60	127.00	8.08	☐	☐	☑	NT1
11-154	K301759	1.75	2.44	0.69	0.410	1200.0	4.12	4.59	3.07	☐	☐	☐	
11-154	K301760	2.44	3.96	1.52	0.850	1940.0	3.30	6.45	5.86	☐	☐	☐	
11-154	K301761	3.96	5.92	1.96	4.040	3140.0	8.00	11.50	11.10	☐	☐	☐	
11-154	K301762	5.92	8.53	2.61	13.200	27300.0	28.50	80.00	61.10	☐	☐	☐	
11-154	K301764	8.53	10.06	1.53	1.720	3570.0	4.87	17.90	14.80	☐	☐	☐	
11-154	K301765	10.06	11.79	1.73	0.550	1440.0	1.80	4.27	6.48	☐	☐	☐	
11-154	K301766	11.79	13.48	1.69	14.400	101500.0	21.70	221.00	20.60	☐	☐	☐	
11-154	K301767	13.48	14.63	1.15	5.540	5910.0	11.50	17.15	14.65	☐	☐	☐	
11-154	K301768	14.63	16.15	1.52	0.510	1370.0	2.10	4.85	4.37	☐	☐	☐	
11-154	K301769	14.63	16.15	1.52	0.450	1530.0	2.02	5.16	4.25	☑	☐	☐	Duplicate of 768
11-154	K301770	16.15	19.20	3.05	0.440	1540.0	2.30	4.61	4.71	☐	☐	☐	
11-154	K301771	19.20	20.73	1.53	1.560	2230.0	4.75	8.65	12.50	☐	☐	☐	
11-154	K301772	20.73	23.77	3.04	2.740	3050.0	11.50	28.50	33.80	☐	☐	☐	
11-154	K301773	23.77	26.82	3.05	0.030	368.0	1.01	5.72	3.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-154	K301775	26.82	29.07	2.25	0.020	645.0	1.17	8.58	3.75	☐	☐	☐	
11-154	K301776	29.07	31.39	2.32	0.020	326.0	1.27	4.17	2.01	☐	☐	☐	
11-154	K301777	31.39	34.44	3.05	0.020	455.0	0.64	2.63	1.97	☐	☐	☐	
11-154	K301778	34.44	37.49	3.05	0.010	520.0	0.31	2.45	0.99	☐	☐	☐	
11-154	K301780	37.49	40.54	3.05	0.010	256.0	0.09	2.22	0.69	☐	☐	☐	
11-154	K301781	40.54	43.59	3.05	0.010	204.0	0.15	1.43	0.83	☐	☐	☐	
11-154	K301782	43.59	46.63	3.04	0.010	376.0	0.36	4.39	1.37	☐	☐	☐	
11-154	K301783	46.63	49.68	3.05	0.020	226.0	0.41	1.56	1.11	☐	☐	☐	
11-154	K301784	49.68	52.73	3.05	0.005	353.0	0.19	3.07	1.04	☐	☐	☐	
11-154	K301785	52.73	55.78	3.05	0.010	353.0	0.20	3.29	1.29	☐	☐	☐	
11-154	K301787	55.78	58.83	3.05	0.010	164.0	0.13	1.43	0.53	☐	☐	☐	
11-154	K301788	58.83	61.87	3.04	0.010	133.0	0.28	0.97	0.76	☐	☐	☐	
11-154	K301789	61.87	64.92	3.05	0.030	118.0	0.82	0.96	1.74	☐	☐	☐	
11-154	K301790	64.92	67.97	3.05	0.010	314.0	0.16	1.29	0.44	☐	☐	☐	
11-154	K301791	67.97	71.02	3.05	0.010	184.0	0.17	1.17	0.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-154	K301792	71.02	74.07	3.05	0.010	227.0	0.21	1.47	0.84	☐	☐	☐	
11-154	K301793	74.07	77.11	3.04	0.020	614.0	0.65	0.84	1.42	☐	☐	☐	End of Batch 154
11-156	K301794	77.11	78.64	1.53	0.020	892.0	1.66	3.31	3.90	☐	☐	☐	
11-156	K301795	78.64	80.16	1.52	0.010	1170.0	1.17	6.54	2.16	☐	☐	☐	
11-156	K301797	80.16	83.21	3.05	0.020	700.0	0.64	4.71	2.01	☐	☐	☐	
11-156	K301798	83.21	86.26	3.05	0.010	103.0	0.32	0.77	1.06	☐	☐	☐	
11-156	K301799	86.26	87.78	1.52	0.010	115.0	0.54	0.85	1.47	☐	☐	☐	
11-156	K301800	87.78	89.31	1.53	0.140	5370.0	2.94	6.14	10.15	☐	☐	☐	
11-156	K301801	89.31	90.83	1.52	0.800	9810.0	6.44	12.30	23.60	☐	☐	☐	
11-156	K301802	90.83	93.88	3.05	0.190	887.0	3.45	3.56	11.70	☐	☐	☐	
11-156	K301804	93.88	96.93	3.05	0.030	140.0	0.34	1.14	1.26	☐	☐	☐	
11-156	K301805	96.93	99.97	3.04	0.010	184.0	0.40	1.16	1.15	☐	☐	☐	
11-156	K301806	99.97	103.02	3.05	0.010	550.0	1.70	3.67	2.38	☐	☐	☐	
11-156	K301807	103.02	106.07	3.05	0.010	175.0	0.50	2.12	1.04	☐	☐	☐	
11-156	K301808	106.07	109.12	3.05	0.005	67.0	0.38	1.20	0.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-156	K301809	109.12	112.17	3.05	0.005	88.0	0.13	0.96	0.35	☐	☐	☐	
11-156	K301810	112.17	115.21	3.04	0.005	73.0	0.15	0.83	0.59	☐	☐	☐	
11-156	K301812	115.21	118.26	3.05	0.005	64.0	0.12	0.41	0.64	☐	☐	☐	
11-156	K301813	118.26	121.31	3.05	0.005	29.0	0.15	0.37	0.42	☐	☐	☐	
11-156	K301814	118.26	121.31	3.05	0.010	33.0	0.16	0.39	0.44	☑	☐	☐	Duplicate of 813 Duplicate of 813
11-156	K301815	121.31	124.36	3.05	0.010	48.0	0.21	0.61	0.44	☐	☐	☐	
11-156	K301816	124.36	127.41	3.05	0.005	27.0	0.14	0.44	0.33	☐	☐	☐	
11-156	K301817	127.41	130.45	3.04	0.020	48.0	0.25	0.43	0.48	☐	☐	☐	
11-156	K301818	130.45	133.50	3.05	0.030	96.0	0.78	0.96	1.23	☐	☐	☐	
11-156	K301819	133.50	136.55	3.05	0.010	134.0	0.69	1.20	0.96	☐	☐	☐	
11-156	K301820	136.55	139.60	3.05	0.010	68.0	0.62	0.57	1.13	☐	☐	☐	
11-156	K301821	139.60	142.40	2.80	0.340	2140.0	2.52	3.24	7.04	☐	☐	☐	
11-156	K301822	142.40	144.17	1.77	1.380	1780.0	6.50	8.90	21.00	☐	☐	☐	
11-156	K301824	144.17	147.22	3.05	0.650	826.0	4.64	4.42	12.70	☐	☐	☐	
11-156	K301825	147.22	150.27	3.05	0.010	42.0	0.34	0.24	0.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-156	K301826	150.27	153.31	3.04	0.005	16.0	0.16	0.16	0.47	☐	☐	☐	
11-156	K301827	153.31	156.36	3.05	0.010	34.0	0.17	0.25	0.67	☐	☐	☐	
11-156	K301828	156.36	159.41	3.05	0.005	32.0	0.14	0.17	0.45	☐	☐	☐	
11-156	K301829	159.41	162.46	3.05	0.020	72.0	0.44	0.44	0.99	☐	☐	☐	End of Batch 156
11-157	K301830	162.46	165.51	3.05	0.020	89.0	0.57	0.49	1.16	☐	☐	☐	Start of Batch 157
11-157	K301831	165.51	168.55	3.04	0.050	130.0	0.76	1.09	2.67	☐	☐	☐	
11-157	K301832	168.55	171.60	3.05	0.020	158.0	0.60	0.97	2.50	☐	☐	☐	
11-157	K301833	171.60	174.65	3.05	0.020	64.0	0.38	0.49	1.17	☐	☐	☐	
11-157	K301834	174.65	177.70	3.05	0.010	39.0	0.21	0.35	0.63	☐	☐	☐	
11-157	K301835	177.70	179.22	1.52	0.010	38.0	0.57	0.23	0.50	☐	☐	☐	
11-157	K301836	179.22	181.13	1.91	0.850	465.0	5.51	9.20	21.90	☐	☐	☐	
11-157	K301837	181.13	182.38	1.25	9.550	26100.0	27.20	126.00	101.00	☐	☐	☐	
11-157	K301838	182.38	183.79	1.41	2.480	3870.0	9.90	27.40	39.20	☐	☐	☐	
11-157	K301840	183.79	186.84	3.05	0.150	381.0	3.86	4.66	14.45	☐	☑	☐	HQ
11-157	K301841	186.84	189.89	3.05	0.030	153.0	0.81	1.12	2.55	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-157	K301843	189.89	192.94	3.05	0.030	112.0	0.59	0.87	1.80	☐	☐	☐	
11-157	K301844	192.94	194.46	1.52	0.050	92.0	0.57	0.77	1.20	☐	☐	☐	
11-157	K301845	192.94	194.46	1.52	0.140	80.0	0.80	1.19	1.87	☑	☐	☐	Duplicate of 844
11-157	K301846	194.46	197.51	3.05	0.200	104.0	0.89	0.60	1.11	☐	☐	☐	
11-157	K301847	197.51	200.56	3.05	0.170	264.0	1.67	2.40	5.46	☐	☐	☐	
11-157	K301848	200.56	203.61	3.05	0.010	120.0	0.81	0.61	1.52	☐	☐	☐	
11-157	K301849	203.61	206.65	3.04	0.005	86.0	0.38	0.30	0.88	☐	☐	☐	
11-157	K301850	206.65	209.70	3.05	0.230	314.0	1.73	3.55	6.21	☐	☐	☐	
11-157	K301851	209.70	212.75	3.05	0.005	34.0	0.25	0.35	0.47	☐	☐	☐	
11-157	K301852	212.75	215.80	3.05	0.050	135.0	0.80	1.42	2.38	☐	☐	☐	
11-157	K301853	215.80	218.10	2.30	0.460	956.0	4.70	9.50	16.55	☐	☐	☐	
11-157	K301854	218.10	219.20	1.10	1.670	232000.0	9.40	272.00	36.50	☐	☐	☐	
11-157	K301856	219.20	221.89	2.69	0.250	935.0	6.00	7.00	14.45	☐	☐	☐	
11-157	K301857	221.89	224.94	3.05	0.140	253.0	3.01	2.41	5.18	☐	☐	☐	
11-157	K301858	224.94	226.70	1.76	1.070	565.0	3.43	7.09	10.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-157	K301860	226.70	227.99	1.29	5.290	101500.0	15.90	153.00	37.40	☐	☐	☐	
11-157	K301861	227.99	229.45	1.46	1.310	60600.0	4.06	93.10	9.47	☐	☐	☐	
11-157	K301862	229.45	231.04	1.59	6.070	21700.0	14.00	57.30	45.00	☐	☐	☐	
11-157	K301863	231.04	233.05	2.01	3.020	20100.0	6.40	38.70	22.40	☐	☐	☐	
11-157	K301864	233.05	235.30	2.25	0.440	1870.0	2.38	5.80	5.09	☐	☐	☐	
11-157	K301865	235.30	237.13	1.83	1.780	15000.0	9.10	29.50	15.40	☐	☐	☐	End of batch 157
11-163	K301866	237.13	240.18	3.05	0.070	198.0	3.57	2.28	6.12	☐	☐	☐	Start of Batch 163
11-163	K301867	240.18	243.23	3.05	0.005	50.0	0.45	0.38	0.95	☐	☐	☐	
11-163	K301868	243.23	246.28	3.05	0.005	355.0	1.92	0.95	9.91	☐	☐	☐	
11-163	K301869	246.28	249.33	3.05	0.030	576.0	2.97	2.02	24.60	☐	☐	☐	
11-163	K301871	249.33	252.37	3.04	0.090	415.0	2.31	2.32	3.69	☐	☐	☐	
11-163	K301872	252.37	255.42	3.05	0.080	659.0	2.30	1.66	2.11	☐	☐	☐	
11-163	K301873	255.42	258.47	3.05	0.040	1020.0	1.21	1.13	1.94	☐	☐	☐	
11-163	K301874	258.47	261.52	3.05	0.005	91.0	1.07	0.92	2.49	☐	☐	☐	
11-163	K301875	258.47	261.52	3.05	0.005	81.0	1.02	0.88	2.54	☑	☐	☐	Duplicate of 874

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-163	K301876	261.52	264.57	3.05	0.005	43.0	0.49	0.48	0.93	☐	☐	☐	
11-163	K301877	264.57	267.61	3.04	0.020	36.0	0.54	0.71	0.69	☐	☐	☐	
11-163	K301878	267.61	270.66	3.05	0.005	23.0	0.27	0.60	0.50	☐	☐	☐	
11-163	K301879	270.66	273.71	3.05	0.030	248.0	1.18	1.30	2.12	☐	☐	☐	
11-163	K301880	273.71	276.76	3.05	0.230	4550.0	4.43	8.07	8.08	☐	☐	☐	
11-163	K301882	276.76	279.81	3.05	0.005	36.0	1.72	0.18	0.73	☐	☐	☐	
11-163	K301883	279.81	282.85	3.04	0.005	49.0	0.85	0.30	0.86	☐	☐	☐	
11-163	K301884	282.85	285.90	3.05	0.005	48.0	0.28	0.35	0.83	☐	☐	☐	
11-163	K301885	285.90	288.95	3.05	0.005	26.0	0.16	0.32	0.58	☐	☐	☐	
11-163	K301886	288.95	292.00	3.05	0.005	36.0	0.20	0.56	1.07	☐	☐	☐	
11-163	K301887	292.00	295.04	3.04	0.005	20.0	0.09	0.32	0.53	☐	☐	☐	
11-163	K301889	295.04	298.09	3.05	0.005	10.0	0.07	0.45	0.44	☐	☐	☐	
11-163	K301890	298.09	301.14	3.05	0.005	15.0	0.05	0.32	0.57	☐	☐	☐	
11-163	K301891	301.14	304.19	3.05	0.005	21.0	0.05	0.32	0.80	☐	☐	☐	
11-163	K301892	304.19	307.24	3.05	0.005	43.5	0.09	0.32	1.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-163	K301893	307.24	310.29	3.05	0.005	356.0	0.48	1.49	2.58	☐	☐	☐	
11-163	K301894	310.29	313.33	3.04	0.440	692.0	1.68	6.98	8.55	☐	☐	☐	EOH

Sample Results

OS -11-058

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-155	K300779	0.00	0.00	0.00	0.330	599.0	9.30	111.00	8.53	☐	☐	☑	NT1
11-155	K300784	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	HQ
11-155	K300789	0.00	0.00	0.00	7.710	1020.0	5.67	18.75	14.60	☐	☐	☑	NT3
11-155	K300793	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.03	☐	☑	☐	HQ
11-160	K300802	0.00	0.00	0.00	0.005	2.5	0.01	0.11	0.06	☐	☑	☐	HQ
11-160	K300805	0.00	0.00	0.00	0.310	563.0	9.43	108.50	7.87	☐	☐	☑	NT1
11-160	K300811	0.00	0.00	0.00	0.005	2.5	0.01	0.27	0.03	☐	☑	☐	HQ
11-160	K300825	0.00	0.00	0.00	2.640	607.0	4.40	109.00	3.74	☐	☐	☑	NT2
11-161	K300839	0.00	0.00	0.00	0.010	34.0	0.30	0.28	0.20	☐	☑	☐	HQ
11-161	K300846	0.00	0.00	0.00	2.650	591.0	4.61	105.50	3.80	☐	☐	☑	NT2
11-161	K300860	0.00	0.00	0.00	0.340	575.0	9.72	112.50	7.99	☐	☐	☑	NT1
11-161	K300865	0.00	0.00	0.00	0.005	2.5	0.01	0.12	0.02	☐	☑	☐	NQ
11-166	K300873	0.00	0.00	0.00	0.005	6.0	0.01	0.05	0.01	☐	☑	☐	NQ
11-166	K300881	0.00	0.00	0.00	0.320	619.0	8.80	117.50	9.09	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-166	K300893	0.00	0.00	0.00	2.650	636.0	4.25	105.00	4.21	☐	☐	☑	NT2
11-166	K300903	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-167	K300910	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-167	K300916	0.00	0.00	0.00	0.320	584.0	9.50	112.50	8.04	☐	☐	☑	NT1
11-167	K300931	0.00	0.00	0.00	0.010	2.5	0.01	0.05	0.02	☐	☑	☐	
11-167	K300935	0.00	0.00	0.00	2.640	639.0	4.77	108.00	4.26	☐	☑	☐	NQ
11-175	K300946	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-175	K300953	0.00	0.00	0.00	2.490	610.0	4.61	103.00	4.08	☐	☐	☑	NT2
11-155	K300763	10.83	11.58	0.75	0.005	13.3	0.36	0.29	0.96	☐	☐	☐	
11-155	K300764	11.58	14.63	3.05	0.005	8.5	0.20	0.78	0.81	☐	☐	☐	
11-155	K300765	14.63	17.68	3.05	0.005	8.5	0.06	0.34	0.69	☐	☐	☐	
11-155	K300766	17.68	20.73	3.05	0.005	16.1	0.04	0.36	0.89	☐	☐	☐	
11-155	K300767	20.73	23.77	3.04	0.005	23.7	0.09	0.33	1.15	☐	☐	☐	
11-155	K300768	23.77	26.82	3.05	0.005	11.2	0.04	0.33	0.70	☐	☐	☐	
11-155	K300769	26.82	29.87	3.05	0.005	10.8	0.04	0.37	0.56	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-155	K300770	29.87	32.92	3.05	0.005	12.7	0.05	0.42	1.22	☐	☐	☐	
11-155	K300771	32.92	35.97	3.05	0.005	23.3	0.08	0.54	1.39	☐	☐	☐	
11-155	K300772	35.97	39.01	3.04	0.005	49.3	0.37	1.36	2.97	☐	☐	☐	
11-155	K300773	39.01	42.06	3.05	0.005	35.9	0.20	0.47	1.29	☐	☐	☐	
11-155	K300774	42.06	45.11	3.05	0.005	15.2	0.09	0.45	1.09	☐	☐	☐	
11-155	K300775	42.06	45.11	3.05	0.005	12.6	0.09	0.37	1.05	☑	☐	☐	Duplicate of 774
11-155	K300776	45.11	48.16	3.05	0.005	15.7	0.05	0.31	0.70	☐	☐	☐	
11-155	K300777	48.16	51.21	3.05	0.005	62.7	0.12	0.41	1.34	☐	☐	☐	
11-155	K300778	51.21	54.25	3.04	0.005	14.2	0.05	0.27	0.51	☐	☐	☐	
11-155	K300780	54.25	57.30	3.05	0.005	17.9	0.10	0.45	0.50	☐	☐	☐	
11-155	K300781	57.30	60.35	3.05	0.005	11.3	0.05	0.41	0.92	☐	☐	☐	
11-155	K300782	60.35	63.40	3.05	0.010	10.8	0.07	0.38	0.83	☐	☐	☐	
11-155	K300783	63.40	64.05	0.65	0.005	42.3	0.15	0.39	1.33	☐	☐	☐	
11-155	K300785	64.05	66.45	2.40	0.005	31.4	0.44	1.11	2.31	☐	☐	☐	
11-155	K300786	66.45	69.49	3.04	0.050	655.0	0.96	1.70	5.86	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-155	K300787	69.49	72.54	3.05	0.005	115.0	0.97	1.82	7.32	☐	☐	☐	
11-155	K300788	72.54	75.59	3.05	0.050	534.0	1.41	4.16	5.40	☐	☐	☐	
11-155	K300790	75.59	78.64	3.05	0.030	270.0	1.72	2.05	4.78	☐	☐	☐	
11-155	K300791	78.64	81.69	3.05	0.070	373.0	2.29	2.13	7.21	☐	☐	☐	
11-155	K300792	81.69	83.53	1.84	0.220	501.0	2.63	4.26	9.39	☐	☐	☐	
11-155	K300794	83.53	86.26	2.73	0.130	541.0	4.10	3.36	10.45	☐	☐	☐	
11-155	K300795	86.26	89.31	3.05	0.620	2960.0	6.20	24.80	16.65	☐	☐	☐	
11-155	K300796	89.31	91.39	2.08	0.010	1920.0	6.30	16.30	8.24	☐	☐	☐	End of Batch 155
11-160	K300797	91.39	92.35	0.96	0.870	1630.0	5.87	18.50	17.10	☐	☐	☐	Start of Batch 160
11-160	K300798	92.35	95.40	3.05	0.010	83.0	2.27	1.60	8.32	☐	☐	☐	
11-160	K300799	95.40	98.45	3.05	0.050	253.0	4.16	5.82	10.50	☐	☐	☐	
11-160	K300800	98.45	101.50	3.05	0.010	162.5	2.84	1.03	7.02	☐	☐	☐	
11-160	K300801	101.50	104.55	3.05	0.005	75.2	1.74	0.48	3.86	☐	☐	☐	
11-160	K300803	104.55	107.59	3.04	0.005	125.0	1.87	0.81	4.92	☐	☐	☐	
11-160	K300804	107.59	110.64	3.05	0.005	122.0	1.58	0.67	4.69	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-160	K300806	110.64	113.69	3.05	0.005	128.5	0.35	0.57	2.47	☐	☐	☐	
11-160	K300807	113.69	116.74	3.05	0.050	134.0	0.23	0.76	1.48	☐	☐	☐	
11-160	K300808	116.74	119.79	3.05	0.005	36.3	0.07	0.56	0.86	☐	☐	☐	
11-160	K300809	119.79	122.83	3.04	0.005	41.3	0.06	0.53	0.81	☐	☐	☐	
11-160	K300810	122.83	123.70	0.87	0.005	30.2	0.08	0.43	0.88	☐	☐	☐	
11-160	K300812	123.70	124.00	0.30	0.005	26.5	0.08	0.23	0.84	☐	☐	☐	
11-160	K300813	124.00	125.88	1.88	0.005	47.5	0.06	0.57	0.94	☐	☐	☐	
11-160	K300814	125.88	128.93	3.05	0.005	171.5	0.11	0.85	1.32	☐	☐	☐	
11-160	K300815	128.93	131.98	3.05	0.005	66.0	0.15	0.36	1.46	☐	☐	☐	
11-160	K300816	128.93	131.98	3.05	0.005	68.2	0.15	0.40	1.40	☑	☐	☐	Duplicate of 815
11-160	K300817	131.98	135.03	3.05	0.010	80.5	0.10	0.65	1.01	☐	☐	☐	
11-160	K300818	135.03	138.07	3.04	0.005	114.0	0.43	0.77	2.08	☐	☐	☐	
11-160	K300819	138.07	141.12	3.05	0.030	397.0	0.70	1.32	3.02	☐	☐	☐	
11-160	K300820	141.12	144.17	3.05	0.150	596.0	0.85	1.73	3.59	☐	☐	☐	
11-160	K300821	144.17	147.22	3.05	0.180	358.0	1.82	1.91	5.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-160	K300822	147.22	150.27	3.05	3.220	1735.0	10.55	9.71	28.40	☐	☐	☐	
11-160	K300823	150.27	153.31	3.04	3.510	4560.0	14.40	10.95	35.00	☐	☐	☐	
11-160	K300824	153.31	156.36	3.05	2.530	1640.0	17.40	6.41	28.80	☐	☐	☐	
11-160	K300826	156.36	157.25	0.89	1.640	2160.0	22.30	7.56	25.50	☐	☐	☐	
11-160	K300827	157.25	159.41	2.16	2.200	20300.0	10.30	29.70	26.00	☐	☐	☐	
11-160	K300828	159.41	160.93	1.52	4.460	28000.0	13.70	52.50	44.20	☐	☐	☐	
11-160	K300829	160.93	162.46	1.53	3.150	10100.0	14.00	28.20	47.00	☐	☐	☐	
11-160	K300830	162.46	163.98	1.52	3.530	16050.0	14.00	46.40	50.80	☐	☐	☐	
11-160	K300831	163.98	165.51	1.53	10.850	52700.0	25.10	129.50	82.80	☐	☐	☐	
11-160	K300832	165.51	167.03	1.52	16.000	81400.0	27.40	178.50	87.00	☐	☐	☐	End of Batch 160
11-161	K300833	167.03	168.55	1.52	26.600	78400.0	52.30	225.00	165.00	☐	☐	☐	Start of Batch 161
11-161	K300834	168.55	170.08	1.53	18.750	15950.0	39.30	123.50	116.50	☐	☐	☐	
11-161	K300835	170.08	171.60	1.52	15.650	22400.0	39.90	137.00	114.00	☐	☐	☐	
11-161	K300836	171.60	173.13	1.53	14.500	47200.0	36.40	171.50	101.50	☐	☐	☐	
11-161	K300837	173.13	174.65	1.52	11.850	10450.0	35.90	111.50	101.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-161	K300838	174.65	176.17	1.52	15.450	17600.0	45.70	145.00	134.00	☐	☐	☐	
11-161	K300840	176.17	177.70	1.53	16.450	11750.0	41.60	119.50	115.00	☐	☐	☐	
11-161	K300841	177.70	179.22	1.52	2.370	602.0	6.30	14.00	17.35	☐	☐	☐	
11-161	K300842	179.22	180.75	1.53	4.790	1370.0	20.00	42.20	53.90	☐	☐	☐	
11-161	K300843	180.75	183.50	2.75	4.460	1180.0	16.00	24.50	38.30	☐	☐	☐	
11-161	K300844	183.50	185.32	1.82	1.300	650.0	7.24	10.95	17.05	☐	☐	☐	
11-161	K300845	185.32	188.37	3.05	0.710	209.0	2.85	3.67	6.36	☐	☐	☐	
11-161	K300847	188.37	191.41	3.04	0.060	143.0	2.32	1.60	5.95	☐	☐	☐	
11-161	K300848	191.41	194.46	3.05	0.160	175.0	2.03	2.10	5.42	☐	☐	☐	
11-161	K300849	194.46	197.51	3.05	0.050	249.0	1.61	2.45	5.38	☐	☐	☐	
11-161	K300850	197.51	200.56	3.05	0.010	1100.0	0.50	2.90	2.08	☐	☐	☐	
11-161	K300851	200.56	203.61	3.05	0.320	304.0	2.86	5.42	6.32	☐	☐	☐	
11-161	K300852	203.61	206.65	3.04	0.005	52.0	0.43	0.47	2.64	☐	☐	☐	
11-161	K300853	206.65	209.70	3.05	0.005	73.0	1.20	1.88	3.96	☐	☐	☐	
11-161	K300854	209.70	212.75	3.05	0.005	147.0	0.98	0.92	3.44	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-161	K300855	212.75	215.80	3.05	0.290	3760.0	2.23	9.24	5.54	☐	☐	☐	
11-161	K300856	212.75	215.80	3.05	0.410	2680.0	2.54	8.18	5.97	☑	☐	☐	Duplicate of 855
11-161	K300857	215.80	218.00	2.20	10.150	209000.0	9.30	437.00	25.90	☐	☐	☐	
11-161	K300858	218.00	218.85	0.85	0.040	450.0	1.87	2.70	4.18	☐	☐	☐	
11-161	K300859	218.85	221.89	3.04	0.005	1320.0	1.71	3.64	3.57	☐	☐	☐	
11-161	K300861	221.89	224.94	3.05	0.040	118.0	1.70	1.34	2.70	☐	☐	☐	
11-161	K300862	224.94	227.99	3.05	0.010	75.0	0.83	0.47	1.43	☐	☐	☐	
11-161	K300863	227.99	231.04	3.05	0.005	37.0	0.37	0.31	0.95	☐	☐	☐	
11-161	K300864	231.04	234.09	3.05	0.005	41.0	0.80	0.87	1.22	☐	☐	☐	
11-161	K300866	234.09	237.13	3.04	0.005	56.0	1.30	1.08	1.31	☐	☐	☐	
11-161	K300867	237.13	240.18	3.05	0.005	29.0	0.37	0.26	0.70	☐	☐	☐	
11-161	K300868	240.18	243.23	3.05	0.005	30.0	0.31	0.29	0.93	☐	☐	☐	End of Batch 161
11-166	K300869	243.23	246.28	3.05	0.005	9.0	0.11	0.24	0.78	☐	☐	☐	
11-166	K300870	246.28	249.33	3.05	0.005	15.0	0.11	0.28	0.58	☐	☐	☐	
11-166	K300871	249.33	252.37	3.04	0.005	23.0	0.28	0.46	0.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-166	K300872	252.37	255.42	3.05	0.005	13.0	0.22	0.34	0.52	☐	☐	☐	
11-166	K300874	255.42	258.47	3.05	0.005	16.0	0.31	0.50	0.51	☐	☐	☐	
11-166	K300875	258.47	261.52	3.05	0.005	23.0	0.38	0.48	0.50	☐	☐	☐	
11-166	K300876	261.52	264.57	3.05	0.005	13.0	0.24	0.24	0.33	☐	☐	☐	
11-166	K300877	264.57	267.61	3.04	0.005	13.0	0.20	0.22	0.58	☐	☐	☐	
11-166	K300878	267.61	270.66	3.05	0.005	22.0	0.51	0.21	0.76	☐	☐	☐	
11-166	K300879	270.66	273.71	3.05	0.005	29.0	0.31	0.31	1.48	☐	☐	☐	
11-166	K300880	273.71	276.76	3.05	0.005	51.0	0.71	0.63	2.52	☐	☐	☐	
11-166	K300882	276.76	279.81	3.05	0.005	23.0	0.22	0.25	0.93	☐	☐	☐	
11-166	K300883	279.81	282.85	3.04	0.005	9.0	0.13	0.17	0.25	☐	☐	☐	
11-166	K300884	282.85	285.90	3.05	0.005	25.0	0.29	0.28	0.40	☐	☐	☐	
11-166	K300885	285.90	288.95	3.05	0.005	58.0	0.34	0.40	0.40	☐	☐	☐	
11-166	K300886	288.95	292.00	3.05	0.005	35.0	0.33	0.49	0.32	☐	☐	☐	
11-166	K300887	292.00	295.05	3.05	0.010	36.0	0.32	1.89	0.30	☐	☐	☐	
11-166	K300888	295.05	298.09	3.04	0.005	42.0	0.47	1.74	0.62	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-166	K300889	298.09	301.14	3.05	0.005	36.0	0.41	0.35	1.72	☐	☐	☐	
11-166	K300890	301.14	304.19	3.05	0.005	56.0	1.21	0.93	2.69	☐	☐	☐	
11-166	K300891	304.19	307.24	3.05	0.005	41.0	1.15	0.32	4.86	☐	☐	☐	
11-166	K300892	307.24	310.29	3.05	0.005	23.0	0.57	0.21	4.88	☐	☐	☐	
11-166	K300894	310.29	313.33	3.04	0.130	101.0	1.81	2.07	6.52	☐	☐	☐	
11-166	K300895	313.33	316.38	3.05	0.010	30.0	0.84	0.57	3.06	☐	☐	☐	
11-166	K300896	316.38	319.43	3.05	0.530	264.0	1.89	2.09	5.67	☐	☐	☐	
11-166	K300897	319.43	321.25	1.82	0.020	73.0	1.17	0.66	2.48	☐	☐	☐	
11-166	K300898	319.43	321.25	1.82	0.010	61.0	1.11	0.54	2.35	☑	☐	☐	Duplicate of 897
11-166	K300899	321.25	322.48	1.23	0.005	266.0	0.47	0.89	2.27	☐	☐	☐	
11-166	K300900	322.48	325.53	3.05	0.010	321.0	0.51	1.22	3.14	☐	☐	☐	
11-166	K300901	325.53	328.57	3.04	1.400	1760.0	1.69	4.90	8.17	☐	☐	☐	
11-166	K300902	328.57	331.62	3.05	0.005	65.1	0.40	0.46	3.30	☐	☐	☐	
11-166	K300904	331.62	334.67	3.05	0.005	69.9	0.24	0.64	2.45	☐	☐	☐	End of Batch 166
11-167	K300905	334.67	337.72	3.05	0.005	75.7	0.18	0.57	1.77	☐	☐	☐	Start of Batch 167

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-167	K300906	337.72	340.77	3.05	0.005	81.4	0.21	0.48	1.14	☐	☐	☐	
11-167	K300907	340.77	343.81	3.04	0.005	63.4	0.24	0.53	1.01	☐	☐	☐	
11-167	K300908	343.81	346.86	3.05	0.005	116.0	0.38	0.63	2.33	☐	☐	☐	
11-167	K300909	346.86	349.00	2.14	0.150	463.0	0.98	2.92	3.92	☐	☐	☐	
11-167	K300911	349.00	350.20	1.20	0.240	669.0	2.59	11.85	6.67	☐	☐	☐	
11-167	K300912	350.20	351.50	1.30	20.000	51800.0	36.00	258.00	153.00	☐	☐	☐	
11-167	K300913	351.50	352.96	1.46	2.870	3910.0	3.29	17.85	14.25	☐	☐	☐	
11-167	K300914	352.96	356.01	3.05	0.010	255.0	0.69	2.14	4.73	☐	☐	☐	
11-167	K300915	356.01	359.05	3.04	0.005	124.0	0.27	0.91	1.78	☐	☐	☐	
11-167	K300917	359.05	362.10	3.05	0.005	67.1	0.12	0.55	0.87	☐	☐	☐	
11-167	K300918	362.10	365.15	3.05	0.010	416.0	0.24	1.51	1.87	☐	☐	☐	
11-167	K300919	365.15	368.20	3.05	0.005	132.0	0.12	1.12	1.16	☐	☐	☐	
11-167	K300920	368.20	371.25	3.05	0.005	65.7	0.11	0.43	0.87	☐	☐	☐	
11-167	K300921	371.25	374.29	3.04	0.005	58.3	0.19	0.49	0.94	☐	☐	☐	
11-167	K300922	374.29	377.34	3.05	0.005	79.1	0.17	0.52	1.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-167	K300923	374.29	377.34	3.05	0.005	62.3	0.17	0.45	1.23	☑	☐	☐	duplicate of 922
11-167	K300924	377.34	380.39	3.05	0.005	90.2	0.83	0.71	2.26	☑	☐	☐	
11-167	K300925	380.39	383.44	3.05	0.050	409.0	2.16	7.39	6.25	☐	☐	☐	
11-167	K300926	383.44	386.49	3.05	0.220	1640.0	0.86	3.34	3.44	☐	☐	☐	
11-167	K300927	386.49	389.53	3.04	0.005	461.0	1.08	5.43	2.96	☐	☐	☐	
11-167	K300928	389.53	392.58	3.05	0.050	1340.0	1.30	6.20	4.01	☐	☐	☐	
11-167	K300929	392.58	395.63	3.05	0.680	2950.0	3.73	9.07	9.66	☐	☐	☐	
11-167	K300930	395.63	398.68	3.05	0.390	1070.0	1.05	3.66	3.46	☐	☐	☐	
11-167	K300932	398.68	401.73	3.05	0.010	214.0	0.32	0.64	1.60	☐	☐	☐	
11-167	K300933	401.73	404.77	3.04	0.005	65.9	0.22	0.45	1.01	☐	☐	☐	
11-167	K300934	404.77	407.82	3.05	0.010	58.9	0.85	0.85	1.84	☐	☐	☐	
11-167	K300936	407.82	410.87	3.05	0.005	83.3	0.56	0.63	2.29	☐	☐	☐	
11-167	K300937	410.87	413.92	3.05	0.010	96.4	0.20	0.44	0.87	☐	☐	☐	
11-167	K300938	413.92	416.97	3.05	0.005	195.5	0.64	1.10	2.06	☐	☐	☐	
11-167	K300939	416.97	420.01	3.04	0.005	97.1	0.14	0.56	0.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-167	K300940	420.01	423.06	3.05	0.005	16.5	0.06	0.31	0.91	☐	☐	☐	end of batch 167
11-175	K300941	423.06	426.11	3.05	0.005	38.9	0.08	0.58	1.07	☐	☐	☐	start of batch 175
11-175	K300942	426.11	429.16	3.05	0.010	24.4	0.07	0.42	1.25	☐	☐	☐	
11-175	K300943	429.16	432.21	3.05	0.010	35.8	0.05	0.52	1.19	☐	☐	☐	
11-175	K300944	432.21	435.25	3.04	0.005	32.9	0.03	0.44	1.15	☐	☐	☐	
11-175	K300945	435.25	438.30	3.05	0.005	35.2	0.03	0.50	1.18	☐	☐	☐	
11-175	K300947	438.30	441.35	3.05	0.005	46.4	0.03	0.55	1.19	☐	☐	☐	
11-175	K300948	441.35	444.40	3.05	0.005	35.3	0.03	0.54	1.10	☐	☐	☐	
11-175	K300949	444.40	447.45	3.05	0.010	21.5	0.03	0.74	1.14	☐	☐	☐	
11-175	K300950	447.45	450.49	3.04	0.005	14.9	0.03	0.62	1.12	☐	☐	☐	
11-175	K300951	450.49	453.54	3.05	0.005	28.3	0.05	0.69	1.18	☐	☐	☐	
11-175	K300952	453.54	456.61	3.07	0.010	26.3	0.07	0.42	1.06	☐	☐	☐	
11-175	K300954	456.61	459.64	3.03	0.010	33.6	0.08	0.48	1.02	☐	☐	☐	EOH

Sample Results

OS -11-059

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-152	K302585	0.00	0.00	0.00	0.340	647.0	9.08	122.50	8.50	☐	☐	☑	NT1
11-159	K302597	0.00	0.00	0.00	7.710	905.0	5.92	17.15	12.30	☐	☐	☑	NT3
11-159	K302610	0.00	0.00	0.00	0.005	5.0	0.01	0.06	0.03	☐	☑	☐	HQ
11-159	K302614	0.00	0.00	0.00	16.350	1180.0	6.36	147.00	3.66	☐	☐	☑	NT4
11-159	K302620	0.00	0.00	0.00	0.005	13.0	0.01	0.07	0.14	☐	☑	☐	HQ
11-162	K302633	0.00	0.00	0.00	0.005	45.0	0.01	0.14	0.05	☐	☑	☐	NQ
11-162	K302646	0.00	0.00	0.00	2.640	586.0	4.51	110.00	4.19	☐	☐	☑	NT2
11-162	K302655	0.00	0.00	0.00	0.330	638.0	9.10	119.50	8.47	☐	☐	☑	NT1
11-162	K302659	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.02	☐	☑	☐	NQ
11-164	K302667	0.00	0.00	0.00	0.005	5.0	0.02	0.10	0.08	☐	☑	☐	NQ
11-164	K302673	0.00	0.00	0.00	0.310	648.0	9.40	116.00	8.28	☐	☐	☑	NT1
11-164	K302690	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-164	K302694	0.00	0.00	0.00	2.570	583.0	4.39	105.00	4.13	☐	☐	☑	NT2
11-169	K302703	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-169	K302707	0.00	0.00	0.00	2.660	618.0	3.99	110.00	3.90	☐	☐	☑	NT2
11-169	K302717	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-169	K302725	0.00	0.00	0.00	0.330	646.0	8.90	118.50	9.49	☐	☐	☑	NT1
11-172	K302749	0.00	0.00	0.00	0.330	607.0	8.93	116.00	8.06	☐	☐	☑	NT1
11-172	K302758	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.04	☐	☑	☐	NQ
11-172	K302764	0.00	0.00	0.00	2.650	565.0	4.82	106.50	4.35	☐	☐	☑	NT2
11-172	K302767	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	NQ
11-178	K302776	0.00	0.00	0.00	0.005	2.5	0.01	0.13	0.07	☐	☑	☐	NQ
11-178	K302792	0.00	0.00	0.00	2.700	571.0	4.94	108.50	4.09	☐	☐	☑	NT2
11-178	K302796	0.00	0.00	0.00	0.340	607.0	9.99	119.00	7.95	☐	☐	☑	NT1
11-178	K302801	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-152	K302580	10.67	13.72	3.05	0.005	9.5	0.04	0.43	0.72	☐	☐	☐	
11-152	K302581	13.72	16.76	3.04	0.005	27.6	0.06	0.49	0.91	☐	☐	☐	
11-152	K302582	16.76	19.81	3.05	0.010	32.6	0.15	0.39	1.39	☐	☐	☐	
11-152	K302583	19.81	22.00	2.19	0.010	168.0	0.54	0.70	3.01	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-152	K302584	22.00	24.38	2.38	0.320	1840.0	9.40	23.50	16.15	☐	☐	☐	
11-152	K302586	24.38	27.43	3.05	0.180	315.0	1.97	3.42	5.25	☐	☐	☐	
11-152	K302587	27.43	30.48	3.05	0.080	578.0	1.29	3.34	6.12	☐	☐	☐	
11-152	K302588	30.48	33.53	3.05	0.005	264.0	0.15	1.04	2.75	☐	☐	☐	
11-152	K302589	33.53	34.90	1.37	0.005	405.0	0.10	1.18	2.79	☐	☐	☐	
11-152	K302590	34.90	36.00	1.10	0.040	391.0	0.43	2.20	4.38	☐	☐	☐	End of Batch 152
11-159	K302591	36.00	38.10	2.10	0.005	99.9	0.23	1.01	3.22	☐	☐	☐	
11-159	K302592	38.10	41.15	3.05	0.005	94.2	0.20	0.60	1.78	☐	☐	☐	
11-159	K302593	41.15	44.00	2.85	0.005	13.8	0.08	0.38	1.40	☐	☐	☐	
11-159	K302594	44.00	45.72	1.72	0.005	22.4	0.20	0.54	1.65	☐	☐	☐	
11-159	K302595	45.72	48.77	3.05	0.005	28.2	0.28	0.38	1.94	☐	☐	☐	
11-159	K302596	48.77	50.55	1.78	0.005	77.0	0.22	0.40	1.59	☐	☐	☐	
11-159	K302598	50.55	52.00	1.45	0.005	29.0	0.15	0.43	1.61	☐	☐	☐	
11-159	K302599	52.00	54.00	2.00	0.005	32.3	0.05	0.29	1.00	☐	☐	☐	
11-159	K302600	54.00	55.13	1.13	0.005	24.1	0.06	0.42	0.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-159	K302601	55.13	57.91	2.78	0.005	16.1	0.08	0.37	1.28	☐	☐	☐	
11-159	K302602	57.91	59.44	1.53	0.010	28.5	0.28	0.41	1.34	☐	☐	☐	
11-159	K302603	57.91	59.44	1.53	0.005	34.8	0.27	0.42	1.22	☑	☐	☐	Duplicate of 602
11-159	K302604	59.44	61.50	2.06	0.150	379.0	1.17	1.44	2.50	☐	☐	☐	
11-159	K302605	61.50	62.90	1.40	0.090	156.5	1.51	1.81	2.91	☐	☐	☐	
11-159	K302606	62.90	65.58	2.68	0.040	289.0	1.75	1.71	4.61	☐	☐	☐	
11-159	K302607	65.58	68.58	3.00	0.010	137.5	1.30	1.68	5.08	☐	☐	☐	
11-159	K302608	68.58	70.10	1.52	0.260	550.0	2.41	3.78	6.21	☐	☐	☐	
11-159	K302609	70.10	73.15	3.05	0.910	2590.0	5.39	14.20	10.80	☐	☐	☐	
11-159	K302611	73.15	76.20	3.05	0.080	439.0	3.29	8.35	6.17	☐	☐	☐	
11-159	K302612	76.20	79.25	3.05	0.005	63.5	0.92	1.69	3.29	☐	☐	☐	
11-159	K302613	79.25	80.77	1.52	0.005	23.0	0.47	0.50	2.13	☐	☐	☐	
11-159	K302615	80.77	83.82	3.05	0.005	53.6	1.15	0.72	3.89	☐	☐	☐	
11-159	K302616	83.82	86.87	3.05	0.005	128.0	1.17	0.68	2.81	☐	☐	☐	
11-159	K302617	86.87	89.92	3.05	0.010	220.0	1.42	1.12	4.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-159	K302618	89.92	92.96	3.04	0.070	345.0	2.61	1.81	6.49	☐	☐	☐	
11-159	K302619	92.96	96.01	3.05	0.440	2760.0	7.49	11.85	19.50	☐	☐	☐	
11-159	K302621	96.01	97.54	1.53	0.120	456.0	6.96	6.87	18.15	☐	☐	☐	
11-159	K302622	97.54	100.58	3.04	0.850	2000.0	9.66	14.90	23.90	☐	☐	☐	
11-159	K302623	100.58	103.63	3.05	0.100	630.0	3.50	6.99	8.08	☐	☐	☐	
11-159	K302624	103.63	106.68	3.05	0.310	682.0	1.88	4.03	5.03	☐	☐	☐	
11-159	K302625	106.68	109.00	2.32	0.150	332.0	4.64	3.12	10.95	☐	☐	☐	
11-159	K302626	109.00	111.25	2.25	1.030	747.0	2.83	4.43	8.99	☐	☐	☐	End of Batch 159
11-162	K302627	111.25	113.25	2.00	0.380	447.0	2.99	4.69	9.52	☐	☐	☐	Start of Batch 162
11-162	K302628	113.25	115.82	2.57	0.090	290.0	1.60	2.50	4.53	☐	☐	☐	
11-162	K302629	115.82	118.87	3.05	0.570	581.0	2.35	3.44	9.11	☐	☐	☐	
11-162	K302630	118.87	121.00	2.13	0.030	163.0	2.48	1.66	7.71	☐	☐	☐	
11-162	K302631	121.00	122.50	1.50	0.040	182.5	2.23	2.00	6.79	☐	☐	☐	
11-162	K302632	122.50	124.00	1.50	2.990	21200.0	6.52	37.00	21.30	☐	☐	☐	
11-162	K302634	124.00	126.00	2.00	0.140	203.0	1.95	2.69	4.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-162	K302635	126.00	128.02	2.02	0.220	174.5	1.50	2.97	4.04	☐	☐	☐	
11-162	K302636	128.02	131.06	3.04	0.030	230.0	1.18	1.75	3.55	☐	☐	☐	
11-162	K302637	131.06	134.11	3.05	0.005	152.5	0.97	0.47	2.77	☐	☐	☐	
11-162	K302638	134.11	137.16	3.05	0.550	1100.0	4.72	3.72	12.80	☐	☐	☐	
11-162	K302639	137.16	140.21	3.05	0.520	810.0	4.18	4.98	9.84	☐	☐	☐	
11-162	K302640	140.21	143.26	3.05	0.880	1215.0	4.37	4.38	11.20	☐	☐	☐	
11-162	K302641	143.26	146.30	3.04	1.120	3350.0	4.88	15.35	16.30	☐	☐	☐	
11-162	K302642	146.30	149.35	3.05	0.550	5300.0	6.50	14.45	15.85	☐	☐	☐	
11-162	K302643	149.35	152.40	3.05	0.040	1040.0	1.69	3.00	4.78	☐	☐	☐	
11-162	K302644	149.35	152.40	3.05	0.030	1060.0	2.07	4.36	6.01	☑	☐	☐	Duplicate of 643
11-162	K302645	152.40	155.45	3.05	0.010	162.0	0.92	1.48	3.76	☐	☐	☐	
11-162	K302647	155.45	158.50	3.05	0.370	4890.0	5.89	10.85	13.25	☐	☐	☐	
11-162	K302648	158.50	161.54	3.04	0.330	7710.0	6.07	7.54	14.45	☐	☐	☐	
11-162	K302649	161.54	164.59	3.05	0.130	678.0	2.70	4.06	7.15	☐	☐	☐	
11-162	K302650	164.59	167.64	3.05	0.005	453.0	1.82	1.44	5.57	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-162	K302651	167.64	170.69	3.05	0.140	1855.0	2.09	6.08	5.77	☐	☐	☐	
11-162	K302652	170.69	173.74	3.05	0.060	721.0	0.79	2.84	2.07	☐	☐	☐	
11-162	K302653	173.74	176.78	3.04	0.005	145.5	0.40	0.64	1.97	☐	☐	☐	
11-162	K302654	176.78	179.83	3.05	0.005	157.5	0.55	0.97	2.28	☐	☐	☐	
11-162	K302656	179.83	182.88	3.05	0.005	172.5	1.42	1.40	5.67	☐	☐	☐	
11-162	K302657	182.88	185.93	3.05	0.005	82.8	0.18	0.49	1.16	☐	☐	☐	
11-162	K302658	185.93	188.98	3.05	0.010	130.0	0.90	0.83	2.72	☐	☐	☐	
11-162	K302660	188.98	192.02	3.04	0.010	113.0	2.01	1.14	4.98	☐	☐	☐	
11-162	K302661	192.02	195.07	3.05	0.005	187.5	1.73	1.22	7.09	☐	☐	☐	
11-162	K302662	195.07	198.12	3.05	0.090	311.0	1.93	3.25	5.33	☐	☐	☐	End of Batch 162
11-164	K302663	198.12	201.17	3.05	0.540	484.0	3.51	3.12	9.78	☐	☐	☐	Start of Batch 164
11-164	K302664	201.17	204.22	3.05	1.430	1620.0	5.10	3.69	12.90	☐	☐	☐	
11-164	K302665	204.22	207.26	3.04	1.710	1550.0	10.40	5.26	25.00	☐	☐	☐	
11-164	K302666	207.26	210.31	3.05	1.830	3100.0	13.00	8.23	33.20	☐	☐	☐	
11-164	K302668	210.31	213.36	3.05	0.800	1600.0	10.10	7.15	21.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-164	K302669	213.36	216.41	3.05	0.005	264.0	2.08	1.05	5.95	☐	☐	☐	
11-164	K302670	216.41	219.46	3.05	0.370	873.0	4.89	3.50	12.05	☐	☐	☐	
11-164	K302671	219.46	222.50	3.04	0.020	390.0	1.41	1.43	4.56	☐	☐	☐	
11-164	K302672	222.50	225.55	3.05	0.005	139.5	0.55	0.57	2.89	☐	☐	☐	
11-164	K302674	225.55	228.60	3.05	0.005	105.5	0.22	0.57	1.37	☐	☐	☐	
11-164	K302675	228.60	231.65	3.05	0.005	146.5	0.32	0.46	2.52	☐	☐	☐	
11-164	K302676	231.65	234.70	3.05	0.100	859.0	1.80	2.86	7.06	☐	☐	☐	
11-164	K302677	234.70	237.74	3.04	5.260	2790.0	4.67	13.05	17.40	☐	☐	☐	
11-164	K302678	237.74	240.79	3.05	0.060	299.0	1.19	1.25	3.77	☐	☐	☐	
11-164	K302679	240.79	243.84	3.05	0.005	172.5	0.90	0.63	4.85	☐	☐	☐	
11-164	K302680	243.84	246.89	3.05	0.005	103.5	0.71	0.71	4.52	☐	☐	☐	
11-164	K302681	246.89	249.94	3.05	0.050	5800.0	1.73	21.30	4.07	☐	☐	☐	
11-164	K302682	249.94	252.98	3.04	0.250	3490.0	1.39	12.35	4.43	☐	☐	☐	
11-164	K302683	252.98	256.03	3.05	0.010	131.0	0.35	1.87	1.36	☐	☐	☐	
11-164	K302684	256.03	259.08	3.05	0.990	5030.0	3.58	21.40	8.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-164	K302685	259.08	262.13	3.05	1.460	1840.0	3.95	10.60	10.60	☐	☐	☐	
11-164	K302686	259.08	262.13	3.05	2.370	2410.0	5.31	14.45	14.20	☑	☐	☐	Duplicate of 685
11-164	K302687	262.13	265.18	3.05	0.010	1240.0	1.20	7.26	2.76	☐	☐	☐	
11-164	K302688	265.18	268.22	3.04	0.005	130.5	0.29	0.67	1.84	☐	☐	☐	
11-164	K302689	268.22	271.27	3.05	0.005	123.0	0.23	0.55	1.60	☐	☐	☐	
11-164	K302691	271.27	274.32	3.05	0.005	92.1	0.36	0.65	1.45	☐	☐	☐	
11-164	K302692	274.32	277.37	3.05	0.005	89.6	0.19	0.50	1.09	☐	☐	☐	
11-164	K302693	277.37	280.42	3.05	0.005	164.0	0.60	0.85	3.04	☐	☐	☐	
11-164	K302695	280.42	283.46	3.04	0.005	91.9	0.15	0.48	1.29	☐	☐	☐	
11-164	K302696	283.46	286.51	3.05	0.005	85.0	0.29	0.60	2.59	☐	☐	☐	
11-164	K302697	286.51	289.56	3.05	0.050	384.0	0.73	2.22	2.40	☐	☐	☐	
11-164	K302698	289.56	292.61	3.05	0.005	98.0	0.19	0.52	1.11	☐	☐	☐	End of Batch 164
11-169	K302699	292.61	295.66	3.05	0.005	99.2	0.17	0.92	1.25	☐	☐	☐	Start of Batch 169
11-169	K302700	295.66	298.70	3.04	0.005	129.0	0.07	0.36	0.52	☐	☐	☐	
11-169	K302701	298.70	301.75	3.05	0.040	148.0	0.13	0.74	1.05	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-169	K302702	301.75	304.80	3.05	0.005	108.5	0.10	0.67	1.20	☐	☐	☐	
11-169	K302704	304.80	307.85	3.05	0.005	114.5	0.12	0.57	1.34	☐	☐	☐	
11-169	K302705	307.85	310.90	3.05	0.480	2570.0	1.68	11.15	7.86	☐	☐	☐	
11-169	K302706	310.90	313.94	3.04	0.410	2100.0	1.53	10.15	8.69	☐	☐	☐	
11-169	K302708	313.94	316.99	3.05	0.005	88.4	0.15	0.72	1.85	☐	☐	☐	
11-169	K302709	316.99	320.04	3.05	0.005	114.0	0.10	0.47	1.09	☐	☐	☐	
11-169	K302710	320.04	323.09	3.05	0.005	117.0	0.09	0.45	1.04	☐	☐	☐	
11-169	K302711	323.09	326.14	3.05	0.005	78.7	0.09	0.60	1.21	☐	☐	☐	
11-169	K302712	326.14	329.18	3.04	0.005	61.8	0.12	0.53	1.27	☐	☐	☐	
11-169	K302713	329.18	332.23	3.05	0.005	87.2	0.10	0.79	1.15	☐	☐	☐	
11-169	K302714	332.23	335.28	3.05	0.005	234.0	0.18	3.92	1.31	☐	☐	☐	
11-169	K302715	335.28	338.33	3.05	0.010	138.5	0.09	0.74	1.28	☐	☐	☐	
11-169	K302716	338.33	341.38	3.05	0.005	96.6	0.07	0.64	0.99	☐	☐	☐	
11-169	K302718	341.38	344.42	3.04	0.005	98.5	0.06	0.52	1.16	☐	☐	☐	
11-169	K302719	344.42	347.47	3.05	0.005	43.0	0.06	0.46	0.99	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-169	K302720	344.42	347.47	3.05	0.005	44.3	0.06	0.44	1.01	☑	☐	☐	Duplicate of 719
11-169	K302721	347.47	350.52	3.05	0.005	47.7	0.09	0.63	2.48	☐	☐	☐	
11-169	K302722	350.52	353.57	3.05	0.005	34.6	0.09	0.63	1.66	☐	☐	☐	
11-169	K302723	353.57	356.62	3.05	0.005	23.3	0.06	0.47	1.20	☐	☐	☐	
11-169	K302724	356.62	359.66	3.04	0.005	28.5	0.05	0.56	1.12	☐	☐	☐	
11-169	K302726	359.66	362.71	3.05	0.005	107.0	0.04	0.74	1.27	☐	☐	☐	
11-169	K302727	362.71	365.76	3.05	0.005	50.0	0.03	0.50	1.20	☐	☐	☐	
11-169	K302728	365.76	368.81	3.05	0.005	61.0	0.03	0.41	1.21	☐	☐	☐	
11-169	K302729	368.81	371.86	3.05	0.005	52.7	0.03	0.51	1.31	☐	☐	☐	
11-169	K302730	371.86	374.90	3.04	0.005	28.4	0.04	0.45	1.30	☐	☐	☐	
11-169	K302731	374.90	377.95	3.05	0.005	51.3	0.04	0.61	1.28	☐	☐	☐	
11-169	K302732	377.95	381.00	3.05	0.005	70.1	0.03	0.62	1.30	☐	☐	☐	
11-169	K302733	381.00	384.05	3.05	0.005	63.3	0.03	0.45	1.03	☐	☐	☐	
11-169	K302734	384.05	387.10	3.05	0.005	46.3	0.03	0.49	1.13	☐	☐	☐	End of Batch 169
11-172	K302735	387.10	390.14	3.04	0.010	18.0	0.03	0.49	1.07	☐	☐	☐	Start of Batch 172

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-172	K302736	390.14	393.19	3.05	0.010	59.0	0.05	0.66	1.08	☐	☐	☐	
11-172	K302737	393.19	396.24	3.05	0.005	29.6	0.04	0.52	1.08	☐	☐	☐	
11-172	K302738	396.24	399.29	3.05	0.005	165.5	0.35	0.98	2.33	☐	☐	☐	
11-172	K302739	399.29	402.34	3.05	0.005	112.5	0.13	0.64	0.82	☐	☐	☐	
11-172	K302740	402.34	405.38	3.04	0.005	71.1	0.07	0.44	0.55	☐	☐	☐	
11-172	K302741	402.34	405.38	3.04	0.010	75.2	0.07	0.40	0.55	☑	☐	☐	Duplicate of 741
11-172	K302742	405.38	408.43	3.05	0.070	250.0	0.59	2.53	2.69	☐	☐	☐	
11-172	K302743	408.43	411.48	3.05	0.550	950.0	1.70	9.28	6.70	☐	☐	☐	
11-172	K302744	411.48	414.53	3.05	0.170	483.0	1.08	6.12	5.32	☐	☐	☐	
11-172	K302745	414.53	417.58	3.05	0.010	100.5	0.35	0.75	1.72	☐	☐	☐	
11-172	K302746	417.58	420.62	3.04	0.030	105.5	0.32	0.79	1.50	☐	☐	☐	
11-172	K302747	420.62	423.67	3.05	0.005	41.6	0.17	0.53	0.99	☐	☐	☐	
11-172	K302748	423.67	426.72	3.05	0.030	313.0	0.36	1.11	1.59	☐	☐	☐	
11-172	K302750	426.72	429.77	3.05	0.030	175.5	0.21	0.95	0.82	☐	☐	☐	
11-172	K302751	429.77	432.82	3.05	0.340	400.0	1.69	2.50	4.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-172	K302752	432.82	434.20	1.38	0.010	82.0	1.64	0.64	3.38	☐	☐	☐	
11-172	K302753	434.20	436.15	1.95	0.010	189.5	3.13	0.76	9.45	☐	☐	☐	
11-172	K302754	436.15	437.50	1.35	0.005	90.0	2.22	0.52	5.69	☐	☐	☐	
11-172	K302755	437.50	438.91	1.41	0.010	164.5	4.98	0.83	11.30	☐	☐	☐	
11-172	K302756	438.91	440.65	1.74	0.150	205.0	4.76	4.36	10.60	☐	☐	☐	
11-172	K302757	440.65	441.96	1.31	0.760	448.0	4.01	5.89	11.95	☐	☐	☐	
11-172	K302759	441.96	444.60	2.64	0.870	881.0	5.00	13.60	13.40	☐	☐	☐	
11-172	K302760	444.60	446.55	1.95	2.380	961.0	2.97	10.00	9.70	☐	☐	☐	
11-172	K302761	446.55	448.05	1.50	0.850	1010.0	2.27	5.82	7.07	☐	☐	☐	
11-172	K302762	448.05	451.10	3.05	0.080	184.0	1.61	2.30	3.48	☐	☐	☐	
11-172	K302763	451.10	454.15	3.05	0.020	110.5	2.08	0.86	4.57	☐	☐	☐	
11-172	K302765	454.15	457.20	3.05	0.005	65.9	2.31	0.71	7.58	☐	☐	☐	
11-172	K302766	457.20	460.25	3.05	0.005	74.2	1.62	0.58	4.90	☐	☐	☐	
11-172	K302768	460.25	463.30	3.05	0.030	239.0	3.75	2.06	11.45	☐	☐	☐	
11-172	K302769	463.30	465.50	2.20	0.040	318.0	1.22	2.76	3.67	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-172	K302770	465.50	466.34	0.84	0.010	73.9	1.35	0.61	5.50	☐	☐	☐	End of Batch 172
11-178	K302771	466.34	469.40	3.06	0.005	21.8	1.60	0.64	4.65	☐	☐	☐	Start of Batch 178
11-178	K302772	469.40	472.44	3.04	0.005	7.6	0.51	0.55	2.49	☐	☐	☐	
11-178	K302773	472.44	475.49	3.05	0.005	15.7	0.65	0.59	3.86	☐	☐	☐	
11-178	K302774	475.49	478.54	3.05	0.005	7.8	0.63	0.61	3.95	☐	☐	☐	
11-178	K302775	478.54	481.58	3.04	0.005	28.6	1.27	0.59	9.29	☐	☐	☐	
11-178	K302777	481.58	484.63	3.05	0.050	174.0	5.27	2.32	14.45	☐	☐	☐	
11-178	K302778	484.63	485.95	1.32	0.390	367.0	6.31	6.87	15.65	☐	☐	☐	
11-178	K302779	485.95	486.50	0.55	0.540	230.0	3.04	3.87	8.87	☐	☐	☐	
11-178	K302780	486.50	489.00	2.50	0.140	93.6	1.67	1.37	3.96	☐	☐	☐	
11-178	K302781	486.50	489.00	2.50	0.170	94.1	1.65	1.52	3.92	☑	☐	☐	Duplicate of 780
11-178	K302782	489.00	490.73	1.73	0.080	69.8	1.55	3.02	2.80	☐	☐	☐	
11-178	K302783	490.73	493.78	3.05	0.010	44.7	1.04	1.00	2.45	☐	☐	☐	
11-178	K302784	493.78	496.82	3.04	0.030	47.1	1.75	1.95	3.69	☐	☐	☐	
11-178	K302785	496.82	499.87	3.05	0.060	76.4	1.98	2.90	3.98	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-178	K302786	499.87	502.15	2.28	0.005	72.7	2.23	1.25	5.30	☐	☐	☐	
11-178	K302787	502.15	504.30	2.15	0.005	16.0	0.15	1.37	0.70	☐	☐	☐	
11-178	K302788	504.30	506.90	2.60	0.020	26.0	0.19	2.23	0.81	☐	☐	☐	
11-178	K302789	506.90	509.95	3.05	0.005	17.7	0.10	0.74	1.01	☐	☐	☐	
11-178	K302790	509.95	512.06	2.11	0.005	9.3	0.20	0.73	1.10	☐	☐	☐	
11-178	K302791	512.06	515.11	3.05	0.005	30.5	0.16	0.66	1.10	☐	☐	☐	
11-178	K302793	515.11	518.16	3.05	0.005	16.7	0.13	0.95	1.02	☐	☐	☐	
11-178	K302794	518.16	521.21	3.05	0.005	11.4	0.15	0.69	1.04	☐	☐	☐	
11-178	K302795	521.21	523.20	1.99	0.005	6.6	0.18	0.26	0.50	☐	☐	☐	
11-178	K302797	523.20	524.90	1.70	0.005	50.1	1.26	0.55	2.74	☐	☐	☐	
11-178	K302798	524.90	526.75	1.85	0.040	125.0	2.72	2.79	5.43	☐	☐	☐	
11-178	K302799	526.75	528.20	1.45	0.030	141.5	3.53	2.69	6.88	☐	☐	☐	
11-178	K302800	528.20	531.00	2.80	0.005	98.4	2.46	0.63	8.42	☐	☐	☐	
11-178	K302802	531.00	533.40	2.40	0.005	39.5	1.10	0.52	4.85	☐	☐	☐	
11-178	K302803	533.40	536.45	3.05	0.005	8.4	0.85	0.56	3.54	☐	☐	☐	

Sample Results

OS -11-060

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-174	K303008	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-174	K303014	0.00	0.00	0.00	0.340	592.0	9.25	112.50	7.58	☐	☐	☑	NT1
11-174	K303027	0.00	0.00	0.00	0.005	6.0	0.01	0.08	0.05	☐	☑	☐	NQ
11-174	K303029	0.00	0.00	0.00	2.340	588.0	4.86	91.70	4.02	☐	☐	☑	NT2
11-177	K303045	0.00	0.00	0.00	2.550	605.0	4.80	115.00	3.69	☐	☐	☑	NT2
11-177	K303052	0.00	0.00	0.00	0.010	27.0	0.01	0.07	0.04	☐	☑	☐	HQ
11-177	K303062	0.00	0.00	0.00	0.330	612.0	9.00	115.00	7.75	☐	☐	☑	NT1
11-177	K303072	0.00	0.00	0.00	0.005	6.0	0.01	0.03	0.01	☐	☑	☐	HQ End of Batch 177
11-179	K303089	0.00	0.00	0.00	7.650	939.0	5.89	21.90	14.55	☐	☐	☑	NT3
11-179	K303093	0.00	0.00	0.00	0.010	164.0	0.22	0.05	0.04	☐	☑	☐	NQ
11-179	K303102	0.00	0.00	0.00	2.710	527.0	4.82	117.50	4.15	☐	☐	☑	NT2
11-179	K303107	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-185	K303118	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-185	K303122	0.00	0.00	0.00	7.690	1000.0	5.75	18.75	13.35	☐	☐	☑	NT3

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-185	K303138	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-185	K303142	0.00	0.00	0.00	0.330	603.0	9.19	125.50	8.67	☐	☐	☑	NT1
11-187	K303151	0.00	0.00	0.00	16.650	1040.0	5.96	159.00	3.42	☐	☐	☑	NT4
11-187	K303155	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.04	☐	☑	☐	NQ
11-187	K303159	0.00	0.00	0.00	7.780	914.0	5.91	19.45	12.95	☐	☐	☑	NT3
11-187	K303164	0.00	0.00	0.00	0.005	2.5	0.02	0.07	0.06	☐	☑	☐	NQ
11-190	K303184	0.00	0.00	0.00	16.150	1020.0	5.23	152.00	3.65	☐	☐	☑	NT4
11-190	K303187	0.00	0.00	0.00	0.010	6.0	0.01	0.08	0.04	☐	☑	☐	NQ
11-190	K303197	0.00	0.00	0.00	0.005	2.5	0.02	0.13	0.04	☐	☑	☐	NQ
11-190	K303202	0.00	0.00	0.00	7.890	917.0	5.68	19.10	11.80	☐	☐	☑	NT3
11-201	K303221	0.00	0.00	0.00	0.350	626.0	9.50	121.00	7.87	☐	☐	☑	NT1
11-201	K303227	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.01	☐	☑	☐	NQ
11-201	K303233	0.00	0.00	0.00	0.005	2.5	0.05	0.05	0.01	☐	☑	☐	NQ
11-174	K303001	4.14	4.57	0.43	0.020	55.2	0.77	0.96	3.38	☐	☐	☐	
11-174	K303002	4.57	6.10	1.53	0.005	267.0	1.60	1.24	4.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-174	K303003	6.10	7.62	1.52	0.005	65.7	1.92	1.40	4.54	☐	☐	☐	
11-174	K303004	7.62	9.14	1.52	0.005	67.8	1.45	1.12	3.74	☐	☐	☐	
11-174	K303005	9.14	10.67	1.53	0.005	861.0	3.19	1.57	6.30	☐	☐	☐	
11-174	K303006	10.67	13.72	3.05	0.005	110.5	0.76	1.13	2.62	☐	☐	☐	
11-174	K303007	13.72	16.76	3.04	0.005	97.7	0.43	0.75	1.50	☐	☐	☐	
11-174	K303009	16.76	19.81	3.05	0.005	218.0	0.61	0.64	0.93	☐	☐	☐	
11-174	K303010	19.81	22.86	3.05	0.040	276.0	1.40	1.30	1.49	☐	☐	☐	
11-174	K303011	22.86	25.91	3.05	0.010	1125.0	6.53	3.54	18.40	☐	☐	☐	
11-174	K303012	25.91	28.96	3.05	0.005	208.0	4.31	1.28	5.71	☐	☐	☐	
11-174	K303013	28.96	29.85	0.89	0.005	102.0	1.88	0.46	2.88	☐	☐	☐	
11-174	K303015	29.85	32.00	2.15	0.005	30.3	1.28	0.50	1.59	☐	☐	☐	
11-174	K303016	32.00	35.05	3.05	0.005	34.9	0.20	0.52	1.24	☐	☐	☐	
11-174	K303017	35.05	38.10	3.05	0.005	25.7	0.14	0.43	0.99	☐	☐	☐	
11-174	K303018	38.10	41.15	3.05	0.010	43.5	0.46	0.41	1.08	☐	☐	☐	
11-174	K303019	41.15	44.20	3.05	0.005	21.9	0.24	0.37	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-174	K303020	44.20	47.24	3.04	0.005	25.1	0.30	0.44	1.14	☐	☐	☐	
11-174	K303021	47.24	50.29	3.05	0.005	53.8	0.29	0.49	1.23	☐	☐	☐	
11-174	K303022	47.24	50.29	3.05	0.005	46.1	0.27	0.45	1.18	☑	☐	☐	Duplicate of 021
11-174	K303024	50.29	53.34	3.05	0.005	77.3	0.52	0.64	1.88	☐	☐	☐	
11-174	K303025	53.34	56.39	3.05	0.005	57.7	0.17	0.45	0.65	☐	☐	☐	
11-174	K303026	56.39	59.44	3.05	0.005	77.6	0.49	0.40	1.64	☐	☐	☐	
11-174	K303028	59.44	61.00	1.56	0.005	293.0	1.01	0.78	3.14	☐	☐	☐	
11-174	K303030	61.00	64.01	3.01	0.005	76.0	2.20	0.50	3.65	☐	☐	☐	
11-174	K303031	64.01	67.06	3.05	0.005	234.0	2.30	1.00	5.15	☐	☐	☐	
11-174	K303032	67.06	68.58	1.52	0.005	58.1	2.47	0.51	5.64	☐	☐	☐	
11-174	K303033	68.58	71.63	3.05	0.010	413.0	3.58	1.61	6.80	☐	☐	☐	
11-174	K303034	71.63	73.15	1.52	0.020	2620.0	4.51	2.79	7.43	☐	☐	☐	
11-174	K303035	73.15	74.67	1.52	0.020	1155.0	3.34	2.29	5.87	☐	☐	☐	
11-174	K303023	74.67	77.72	3.05	0.005	56.8	0.74	0.50	1.60	☐	☐	☐	
11-174	K303036	77.72	80.77	3.05	0.005	47.6	0.80	0.63	2.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-177	K303037	80.77	83.82	3.05	0.005	31.7	0.80	0.53	2.43	☐	☐	☐	
11-177	K303038	83.82	86.87	3.05	0.005	41.0	0.66	0.55	2.11	☐	☐	☐	
11-177	K303039	86.87	89.75	2.88	0.005	102.5	1.01	0.53	3.37	☐	☐	☐	
11-177	K303040	89.75	91.44	1.69	0.010	2000.0	2.66	3.11	5.73	☐	☐	☐	
11-177	K303041	91.44	92.96	1.52	0.280	14550.0	14.50	20.60	16.95	☐	☐	☐	
11-177	K303042	92.96	96.01	3.05	0.180	5070.0	4.99	5.78	12.05	☐	☐	☐	
11-177	K303043	96.01	97.02	1.01	0.130	1810.0	3.81	5.57	10.80	☐	☐	☐	
11-177	K303044	97.02	97.54	0.52	0.560	37800.0	20.40	42.90	38.80	☐	☐	☐	
11-177	K303046	97.54	100.58	3.04	0.280	5640.0	7.10	6.49	20.90	☐	☐	☐	
11-177	K303047	97.54	100.58	3.04	0.240	5500.0	6.68	6.85	19.90	☑	☐	☐	Duplicate of 046
11-177	K303049	100.58	103.63	3.05	0.005	111.5	2.07	0.68	4.61	☐	☐	☐	
11-177	K303050	103.63	106.68	3.05	0.005	55.0	0.79	0.43	4.37	☐	☐	☐	
11-177	K303051	106.68	109.73	3.05	0.080	1015.0	1.19	1.74	4.90	☐	☐	☐	
11-177	K303053	109.73	112.78	3.05	0.005	105.5	0.66	0.72	3.95	☐	☐	☐	
11-177	K303054	112.78	115.82	3.04	0.005	25.4	0.23	0.59	1.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-177	K303055	115.82	118.87	3.05	0.005	21.7	0.20	0.53	1.64	☐	☐	☐	
11-177	K303056	118.87	121.92	3.05	0.005	27.0	0.30	0.55	2.32	☐	☐	☐	
11-177	K303057	121.92	124.97	3.05	0.005	51.8	0.51	0.59	2.86	☐	☐	☐	
11-177	K303058	124.97	128.02	3.05	0.005	41.6	0.32	0.59	2.20	☐	☐	☐	
11-177	K303059	128.02	131.06	3.04	0.005	203.0	0.42	1.36	2.98	☐	☐	☐	
11-177	K303060	131.06	134.11	3.05	0.005	39.5	0.37	0.64	2.37	☐	☐	☐	
11-177	K303061	134.11	137.16	3.05	0.005	33.6	0.25	0.39	1.75	☐	☐	☐	
11-177	K303063	137.16	140.21	3.05	0.005	35.9	0.27	0.92	1.55	☐	☐	☐	
11-177	K303064	140.21	143.26	3.05	0.005	28.2	0.15	0.34	1.35	☐	☐	☐	
11-177	K303065	143.26	146.30	3.04	0.005	42.9	0.10	0.44	1.18	☐	☐	☐	
11-177	K303066	146.30	149.35	3.05	0.005	39.6	0.06	0.36	1.02	☐	☐	☐	
11-177	K303067	149.35	152.40	3.05	0.005	44.4	0.07	0.36	1.09	☐	☐	☐	
11-177	K303068	152.40	155.45	3.05	0.005	20.9	0.11	0.39	1.28	☐	☐	☐	
11-177	K303069	155.45	158.50	3.05	0.005	16.0	0.11	0.44	1.24	☐	☐	☐	
11-177	K303070	158.50	161.54	3.04	0.005	23.8	0.10	0.44	1.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-177	K303071	161.54	164.59	3.05	0.005	23.4	0.10	0.67	1.17	☐	☐	☐	
11-177	K303048	164.59	165.20	0.61	0.005	50.6	0.09	0.46	1.07	☐	☐	☐	
11-179	K303073	165.20	166.11	0.91	0.040	122.0	0.11	0.72	1.23	☐	☐	☐	
11-179	K303074	166.11	167.64	1.53	0.010	73.9	0.37	1.04	2.08	☐	☐	☐	
11-179	K303075	167.64	170.69	3.05	0.005	41.0	0.33	0.77	2.12	☐	☐	☐	
11-179	K303076	170.69	173.74	3.05	0.010	27.0	0.23	0.75	1.53	☐	☐	☐	
11-179	K303077	173.74	176.78	3.04	0.010	25.2	0.20	0.66	1.27	☐	☐	☐	
11-179	K303078	176.78	179.83	3.05	0.005	15.5	0.25	0.49	1.44	☐	☐	☐	
11-179	K303079	179.83	182.88	3.05	0.005	18.8	0.23	0.46	1.38	☐	☐	☐	
11-179	K303080	182.88	185.93	3.05	0.010	15.7	0.33	0.73	1.51	☐	☐	☐	
11-179	K303081	185.93	188.98	3.05	0.010	10.2	0.13	0.44	1.20	☐	☐	☐	
11-179	K303082	188.98	192.02	3.04	0.010	27.8	0.19	0.44	1.16	☐	☐	☐	
11-179	K303083	188.98	192.02	3.04	0.010	24.5	0.23	0.48	1.20	☑	☐	☐	Duplicate of 082
11-179	K303084	192.02	195.07	3.05	0.010	64.4	0.57	0.56	2.61	☐	☐	☐	
11-179	K303085	195.07	198.12	3.05	0.050	210.0	1.07	1.53	3.22	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-179	K303086	198.12	201.07	2.95	0.050	203.0	0.87	1.18	2.07	☐	☐	☐	
11-179	K303087	201.07	203.00	1.93	0.020	136.0	0.80	0.54	1.53	☐	☐	☐	
11-179	K303088	203.00	204.22	1.22	0.020	271.0	2.33	0.90	5.32	☐	☐	☐	
11-179	K303090	204.22	207.26	3.04	0.030	245.0	3.43	0.56	4.78	☐	☐	☐	
11-179	K303091	207.26	210.31	3.05	0.990	8920.0	11.30	0.83	14.30	☐	☐	☐	
11-179	K303092	210.31	213.36	3.05	3.950	113000.0	32.30	5.20	32.30	☐	☐	☐	
11-179	K303094	213.36	216.41	3.05	12.550	12600.0	82.50	3.10	75.40	☐	☐	☐	
11-179	K303095	216.41	219.46	3.05	8.400	3880.0	57.90	1.78	64.50	☐	☐	☐	
11-179	K303096	219.46	222.50	3.04	1.860	2240.0	18.00	2.18	26.50	☐	☐	☐	
11-179	K303097	222.50	225.55	3.05	0.010	61.0	1.31	0.35	1.74	☐	☐	☐	
11-179	K303098	225.55	228.60	3.05	0.010	43.0	0.94	0.24	0.64	☐	☐	☐	
11-179	K303099	228.60	231.65	3.05	0.005	34.0	0.52	0.20	0.86	☐	☐	☐	
11-179	K303100	231.65	234.70	3.05	0.005	38.0	1.14	0.18	1.03	☐	☐	☐	
11-179	K303101	234.70	237.74	3.04	0.005	51.0	1.04	0.18	1.15	☐	☐	☐	
11-179	K303103	237.74	240.79	3.05	0.050	86.0	1.96	0.98	2.45	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-179	K303104	240.79	243.84	3.05	0.020	61.0	1.76	0.41	2.14	☐	☐	☐	
11-179	K303105	243.84	246.89	3.05	0.005	68.0	0.69	0.24	0.99	☐	☐	☐	
11-179	K303106	246.89	249.94	3.05	0.010	48.0	1.34	0.23	0.48	☐	☐	☐	
11-179	K303108	249.94	252.98	3.04	0.005	29.0	0.47	0.13	0.18	☐	☐	☐	
11-185	K303109	252.98	256.03	3.05	0.010	49.0	0.94	0.21	0.29	☐	☐	☐	
11-185	K303110	256.03	259.08	3.05	0.005	41.0	0.66	0.15	0.20	☐	☐	☐	
11-185	K303111	259.08	262.12	3.04	0.005	33.0	0.44	0.18	0.24	☐	☐	☐	
11-185	K303112	262.12	265.17	3.05	0.005	28.0	0.63	0.19	0.36	☐	☐	☐	
11-185	K303113	262.12	265.17	3.05	0.005	29.0	0.46	0.15	0.25	☑	☐	☐	Duplicate of 112
11-185	K303114	265.17	268.22	3.05	0.005	25.0	0.62	0.23	0.47	☐	☐	☐	
11-185	K303115	268.22	271.27	3.05	0.005	69.0	1.06	0.25	0.75	☐	☐	☐	
11-185	K303116	271.27	274.32	3.05	0.005	59.0	0.47	0.16	0.35	☐	☐	☐	
11-185	K303117	274.32	277.38	3.06	0.005	31.0	0.12	0.22	0.20	☐	☐	☐	
11-185	K303119	277.38	280.41	3.03	0.005	39.0	0.34	0.35	0.39	☐	☐	☐	
11-185	K303120	280.41	283.46	3.05	0.005	21.0	0.11	0.20	0.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-185	K303121	283.46	286.51	3.05	0.005	37.0	0.86	0.31	0.75	☐	☐	☐	
11-185	K303123	286.51	289.56	3.05	0.010	51.0	1.35	0.34	0.86	☐	☐	☐	
11-185	K303124	289.56	292.61	3.05	0.005	32.0	0.52	0.19	0.42	☐	☐	☐	
11-185	K303125	292.61	295.66	3.05	0.010	32.0	0.63	0.24	0.51	☐	☐	☐	
11-185	K303126	295.66	298.70	3.04	0.005	103.0	0.88	0.52	0.86	☐	☐	☐	
11-185	K303127	298.70	301.75	3.05	0.010	176.0	3.90	1.23	2.08	☐	☐	☐	
11-185	K303128	301.75	304.80	3.05	0.010	140.0	3.02	0.87	1.55	☐	☐	☐	
11-185	K303129	304.80	307.85	3.05	0.005	81.0	1.60	0.55	1.23	☐	☐	☐	
11-185	K303130	307.85	310.90	3.05	0.020	50.0	0.19	0.23	0.19	☐	☐	☐	
11-185	K303131	310.90	313.94	3.04	0.005	69.0	0.55	0.37	0.50	☐	☐	☐	
11-185	K303132	313.94	316.99	3.05	0.005	19.0	0.43	0.16	0.35	☐	☐	☐	
11-185	K303133	316.99	320.04	3.05	0.005	44.0	0.99	0.26	1.01	☐	☐	☐	
11-185	K303134	320.04	323.09	3.05	0.005	29.0	0.91	0.26	0.86	☐	☐	☐	
11-185	K303135	323.09	326.14	3.05	0.010	29.0	0.72	0.23	0.66	☐	☐	☐	
11-185	K303136	326.14	329.18	3.04	0.005	29.0	0.79	0.18	0.48	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-185	K303137	329.18	332.23	3.05	0.070	71.0	1.95	0.85	1.83	☐	☐	☐	
11-185	K303139	332.23	335.29	3.06	0.010	104.0	3.78	1.06	3.18	☐	☐	☐	
11-185	K303140	335.29	338.33	3.04	0.005	48.0	0.98	0.59	0.61	☐	☐	☐	
11-185	K303141	338.33	341.38	3.05	0.005	379.0	2.28	3.56	0.90	☐	☐	☐	
11-185	K303143	341.38	344.42	3.04	0.010	109.0	2.13	2.79	1.23	☐	☐	☐	
11-185	K303144	344.42	347.47	3.05	0.010	25.0	0.39	0.29	0.63	☐	☐	☐	
11-187	K303145	347.47	350.52	3.05	0.005	30.0	0.64	0.52	0.71	☐	☐	☐	
11-187	K303146	350.52	353.57	3.05	0.005	62.0	1.44	0.95	1.52	☐	☐	☐	
11-187	K303147	353.57	356.61	3.04	0.005	143.0	2.22	1.03	2.06	☐	☐	☐	
11-187	K303148	353.57	356.61	3.04	0.005	130.0	2.19	1.05	2.31	☑	☐	☐	Duplicate of 147
11-187	K303149	356.61	359.66	3.05	0.005	59.0	1.04	0.47	1.32	☐	☐	☐	
11-187	K303150	359.66	362.71	3.05	0.005	29.0	0.22	0.34	0.58	☐	☐	☐	
11-187	K303152	362.71	365.76	3.05	0.280	2610.0	6.36	9.61	10.45	☐	☐	☐	
11-187	K303153	365.76	368.81	3.05	0.005	114.0	1.45	0.68	4.05	☐	☐	☐	
11-187	K303154	368.81	371.86	3.05	0.005	55.0	1.00	0.63	3.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-187	K303156	371.86	374.90	3.04	0.005	87.0	2.32	0.66	3.10	☐	☐	☐	
11-187	K303157	374.90	377.95	3.05	0.020	241.0	3.35	2.55	2.98	☐	☐	☐	
11-187	K303158	377.95	381.00	3.05	0.110	3080.0	3.07	7.91	3.92	☐	☐	☐	
11-187	K303160	381.00	384.05	3.05	0.005	200.0	3.38	1.64	5.00	☐	☐	☐	
11-187	K303161	384.05	387.10	3.05	0.290	538.0	3.72	4.08	6.95	☐	☐	☐	
11-187	K303162	387.10	390.14	3.04	0.005	120.0	1.22	0.55	1.44	☐	☐	☐	
11-187	K303163	390.14	393.19	3.05	0.010	3570.0	4.09	7.04	4.05	☐	☐	☐	
11-187	K303165	393.19	396.24	3.05	0.005	165.0	2.07	1.14	2.52	☐	☐	☐	
11-187	K303166	396.24	399.29	3.05	0.020	152.0	2.89	1.89	3.63	☐	☐	☐	
11-187	K303167	399.29	402.34	3.05	0.030	413.0	3.77	2.60	4.50	☐	☐	☐	
11-187	K303168	402.34	405.38	3.04	0.030	1880.0	1.84	3.69	2.32	☐	☐	☐	
11-187	K303169	405.38	408.43	3.05	0.020	2090.0	3.19	4.13	4.51	☐	☐	☐	
11-187	K303170	408.43	411.48	3.05	0.010	128.0	1.79	1.07	1.94	☐	☐	☐	
11-187	K303171	411.48	414.53	3.05	0.010	64.0	1.36	0.88	1.31	☐	☐	☐	
11-187	K303172	414.53	417.58	3.05	0.040	163.0	3.20	2.21	3.53	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-187	K303173	417.58	420.62	3.04	0.020	262.0	3.75	2.48	3.75	☐	☐	☐	
11-187	K303174	420.62	423.67	3.05	0.010	187.0	3.49	1.97	4.10	☐	☐	☐	
11-187	K303175	423.67	426.72	3.05	0.050	152.0	2.80	1.74	3.19	☐	☐	☐	
11-187	K303176	426.72	429.77	3.05	0.050	638.0	4.01	2.61	3.74	☐	☐	☐	
11-187	K303177	429.77	432.82	3.05	0.010	737.0	4.11	3.19	4.00	☐	☐	☐	
11-187	K303178	432.82	435.86	3.04	0.005	157.0	2.75	1.62	2.23	☐	☐	☐	
11-187	K303179	435.86	438.91	3.05	0.005	428.0	9.34	3.76	7.15	☐	☐	☐	
11-187	K303180	438.91	441.97	3.06	0.005	232.0	5.01	1.97	2.81	☐	☐	☐	End of Batch 187
11-190	K303181	441.97	445.01	3.04	0.005	439.0	8.30	3.84	5.43	☐	☐	☐	Start of Batch 190
11-190	K303182	445.01	448.06	3.05	0.010	307.0	7.66	3.69	5.94	☐	☐	☐	
11-190	K303183	448.06	451.10	3.04	0.005	568.0	12.30	8.20	9.27	☐	☐	☐	
11-190	K303185	451.10	454.15	3.05	0.010	397.0	9.46	6.52	7.32	☐	☐	☐	
11-190	K303186	454.15	457.20	3.05	0.030	561.0	10.40	8.38	10.05	☐	☐	☐	
11-190	K303188	457.20	460.25	3.05	0.100	1520.0	9.00	13.00	12.60	☐	☐	☐	
11-190	K303189	460.25	463.30	3.05	0.030	649.0	2.28	4.75	4.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-190	K303190	460.25	463.30	3.05	0.040	751.0	2.18	5.22	4.67	☑	☐	☐	Duplicate of 189
11-190	K303191	463.30	466.34	3.04	0.030	1380.0	1.34	8.41	3.42	☐	☐	☐	
11-190	K303192	466.34	469.39	3.05	0.200	600.0	4.08	11.90	12.50	☐	☐	☐	
11-190	K303193	469.39	472.44	3.05	0.150	456.0	8.54	9.66	11.60	☐	☐	☐	
11-190	K303194	472.44	475.49	3.05	0.310	512.0	8.63	10.80	11.35	☐	☐	☐	
11-190	K303195	475.49	478.54	3.05	0.010	339.0	5.42	4.24	4.18	☐	☐	☐	
11-190	K303196	478.54	481.58	3.04	0.010	619.0	9.71	6.76	6.84	☐	☐	☐	
11-190	K303198	481.58	484.63	3.05	0.030	300.0	4.26	2.34	4.15	☐	☐	☐	
11-190	K303199	484.63	487.68	3.05	0.005	168.0	3.03	0.98	3.34	☐	☐	☐	
11-190	K303200	487.68	490.73	3.05	0.020	194.0	1.29	1.00	2.77	☐	☐	☐	
11-190	K303201	490.73	493.78	3.05	0.950	2920.0	4.66	17.80	12.55	☐	☐	☐	
11-190	K303203	493.78	496.82	3.04	4.640	16800.0	8.72	70.00	26.20	☐	☐	☐	
11-190	K303204	496.82	499.87	3.05	0.020	172.0	1.02	1.00	3.63	☐	☐	☐	
11-190	K303205	499.87	502.92	3.05	0.005	29.0	0.20	0.49	0.92	☐	☐	☐	
11-190	K303206	502.92	505.97	3.05	0.005	13.0	0.30	0.61	1.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-190	K303207	505.97	509.02	3.05	0.005	113.0	0.81	0.77	1.50	☐	☐	☐	
11-190	K303208	509.02	512.06	3.04	0.005	213.0	0.81	0.95	1.30	☐	☐	☐	
11-190	K303209	512.06	515.11	3.05	0.005	33.0	0.64	0.57	0.87	☐	☐	☐	
11-190	K303210	515.11	518.16	3.05	0.005	92.0	0.53	0.45	0.62	☐	☐	☐	
11-190	K303211	518.16	521.21	3.05	0.005	77.0	0.58	0.80	0.83	☐	☐	☐	
11-190	K303212	521.21	524.26	3.05	0.005	23.0	0.41	0.84	0.88	☐	☐	☐	
11-190	K303213	524.26	527.30	3.04	0.010	97.8	0.60	1.45	1.40	☐	☐	☐	
11-190	K303214	527.30	530.35	3.05	0.005	244.0	1.36	0.95	1.18	☐	☐	☐	
11-190	K303215	530.35	533.40	3.05	0.005	140.0	1.08	0.58	1.34	☐	☐	☐	
11-190	K303216	533.40	536.45	3.05	0.005	42.0	0.88	0.41	1.30	☐	☐	☐	End of Batch 190
11-201	K303217	536.45	539.50	3.05	0.005	129.0	1.36	0.69	1.70	☐	☐	☐	Start of Batch 201
11-201	K303218	539.50	542.54	3.04	0.005	128.0	1.04	0.37	0.96	☐	☐	☐	
11-201	K303219	542.54	545.60	3.06	0.005	303.0	1.60	0.34	1.14	☐	☐	☐	
11-201	K303220	545.60	548.64	3.04	0.005	435.0	3.11	0.44	1.48	☐	☐	☐	
11-201	K303222	548.64	551.69	3.05	0.005	146.0	2.26	0.60	0.88	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-201	K303223	548.64	551.69	3.05	0.005	154.0	2.91	0.60	1.07	☑	☐	☐	Duplicate of 222
11-201	K303224	551.69	554.74	3.05	0.005	135.0	1.87	0.31	0.57	☐	☐	☐	
11-201	K303225	554.74	557.78	3.04	0.005	30.0	0.66	0.42	0.55	☐	☐	☐	
11-201	K303226	557.78	560.83	3.05	0.005	15.0	0.15	0.43	0.46	☐	☐	☐	
11-201	K303228	560.83	563.88	3.05	0.005	11.0	0.11	0.49	0.39	☐	☐	☐	
11-201	K303229	563.88	566.93	3.05	0.005	10.0	0.12	0.47	0.45	☐	☐	☐	
11-201	K303230	566.93	569.98	3.05	0.005	9.0	0.06	0.28	0.24	☐	☐	☐	
11-201	K303231	569.98	573.02	3.04	0.005	8.0	0.11	0.37	0.41	☐	☐	☐	
11-201	K303232	573.02	576.07	3.05	0.005	11.0	0.08	0.29	0.24	☐	☐	☐	
11-201	K303234	576.07	579.12	3.05	0.005	14.0	0.12	0.29	0.26	☐	☐	☐	
11-201	K303235	579.12	582.17	3.05	0.005	60.0	0.20	0.55	0.48	☐	☐	☐	
11-201	K303236	582.17	585.22	3.05	0.005	25.0	0.21	0.44	0.43	☐	☐	☐	
11-201	K303237	585.22	588.26	3.04	0.005	8.0	0.11	0.33	0.30	☐	☐	☐	
11-201	K303238	588.26	591.31	3.05	0.005	12.0	0.12	0.38	0.35	☐	☐	☐	
11-201	K303239	591.31	594.36	3.05	0.010	11.0	0.12	0.30	0.36	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-201	K303240	594.36	597.41	3.05	0.005	35.0	0.55	0.43	0.69	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-163	K301901	0.00	0.00	0.00	0.010	40.0	0.04	0.21	0.22	☐	☑	☐	NQ + End of Batch 163
11-168	K301909	0.00	0.00	0.00	0.320	644.0	8.90	119.00	8.92	☐	☐	☑	NT1
11-168	K301912	0.00	0.00	0.00	0.005	7.0	0.01	0.10	0.02	☐	☑	☐	HQ
11-168	K301931	0.00	0.00	0.00	2.620	627.0	4.22	106.50	3.78	☐	☐	☑	NT2
11-168	K301935	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	HQ
11-173	K301945	0.00	0.00	0.00	0.005	13.0	0.05	0.20	0.02	☐	☑	☐	HQ
11-173	K301960	0.00	0.00	0.00	0.040	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-173	K301962	0.00	0.00	0.00	2.500	644.0	4.53	110.00	4.17	☐	☐	☑	NT2
11-173	K301972	0.00	0.00	0.00	0.350	661.0	9.10	122.00	8.47	☐	☐	☑	NT1
11-176	K301977	0.00	0.00	0.00	0.360	627.0	10.30	106.50	8.53	☐	☐	☑	NT1
11-176	K301986	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.03	☐	☑	☐	NQ
11-176	K301998	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-176	K304009	0.00	0.00	0.00	2.520	622.0	4.53	107.00	4.02	☐	☐	☑	NT2
11-180	K304013	0.00	0.00	0.00	7.980	1010.0	5.70	17.90	13.50	☐	☐	☑	NT3

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-180	K304017	0.00	0.00	0.00	0.005	56.0	0.02	0.10	0.06	☐	☑	☐	NQ
11-180	K304034	0.00	0.00	0.00	0.340	623.0	9.81	116.50	8.24	☐	☐	☑	NT1
11-180	K304037	0.00	0.00	0.00	0.005	9.0	0.02	0.03	0.01	☐	☑	☐	NQ
11-180	K304043	0.00	0.00	0.00	0.005	9.0	0.02	0.03	0.02	☐	☑	☐	NQ
11-184	K304047	0.00	0.00	0.00	0.005	13.0	0.01	0.12	0.01	☐	☑	☐	NQ
11-184	K304054	0.00	0.00	0.00	2.690	593.0	4.63	103.00	4.12	☐	☐	☑	NT2
11-184	K304065	0.00	0.00	0.00	0.020	41.0	0.02	0.13	0.07	☐	☑	☐	NQ
11-184	K304078	0.00	0.00	0.00	0.350	615.0	9.37	113.50	8.12	☐	☐	☑	NT1
11-191	K304086	0.00	0.00	0.00	0.340	572.0	9.54	107.50	6.96	☐	☐	☑	NT1
11-163	K301895	1.70	3.96	2.26	0.320	1120.0	1.40	3.81	3.25	☐	☐	☐	
11-163	K301896	3.96	5.49	1.53	3.580	4520.0	9.40	25.80	30.90	☐	☐	☐	
11-163	K301897	5.49	7.01	1.52	7.150	7890.0	14.50	34.70	44.50	☐	☐	☐	
11-163	K301898	7.01	8.53	1.52	3.900	7130.0	8.70	23.60	27.90	☐	☐	☐	
11-163	K301899	8.53	11.58	3.05	1.600	3360.0	5.00	11.70	12.70	☐	☐	☐	
11-163	K301900	11.58	13.11	1.53	4.830	7560.0	12.60	38.50	46.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-168	K301902	13.11	16.15	3.04	0.780	1970.0	2.82	7.52	5.62	☐	☐	☐	
11-168	K301903	16.15	19.20	3.05	0.880	2120.0	3.02	6.71	5.79	☐	☐	☐	
11-168	K301904	19.20	21.15	1.95	2.630	2690.0	5.90	9.98	16.35	☐	☐	☐	
11-168	K301905	21.15	23.77	2.62	5.900	5400.0	13.70	59.70	43.90	☐	☐	☐	
11-168	K301906	23.77	26.82	3.05	1.010	1360.0	3.59	13.75	16.60	☐	☐	☐	
11-168	K301907	26.82	29.87	3.05	0.010	250.0	0.29	4.58	1.36	☐	☐	☐	
11-168	K301908	29.87	32.92	3.05	0.030	378.0	0.39	2.27	1.18	☐	☐	☐	
11-168	K301910	32.92	35.97	3.05	0.010	660.0	0.67	4.03	1.44	☐	☐	☐	
11-168	K301911	35.97	39.01	3.04	0.005	470.0	0.15	2.29	0.80	☐	☐	☐	
11-168	K301913	39.01	42.06	3.05	0.005	219.0	0.16	1.51	0.55	☐	☐	☐	
11-168	K301914	42.06	45.11	3.05	0.005	169.0	0.15	1.33	0.39	☐	☐	☐	
11-168	K301915	45.11	48.16	3.05	0.005	183.0	0.19	1.54	0.45	☐	☐	☐	
11-168	K301916	48.16	51.21	3.05	0.010	297.0	0.28	2.81	1.25	☐	☐	☐	
11-168	K301917	51.21	54.25	3.04	0.005	228.0	0.12	2.77	0.59	☐	☐	☐	
11-168	K301918	54.25	57.30	3.05	0.010	536.0	0.35	8.34	1.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-168	K301919	54.25	57.30	3.05	0.020	684.0	0.40	11.00	1.94	☑	☐	☐	Duplicate of 918
11-168	K301920	57.30	60.35	3.05	0.010	324.0	0.49	5.42	0.66	☐	☐	☐	
11-168	K301921	60.35	63.40	3.05	0.020	354.0	0.73	2.44	1.58	☐	☐	☐	
11-168	K301922	63.40	66.45	3.05	0.005	258.0	0.42	1.82	0.72	☐	☐	☐	
11-168	K301923	66.45	69.49	3.04	0.010	931.0	0.29	5.34	1.41	☐	☐	☐	
11-168	K301924	69.49	72.54	3.05	0.005	362.0	0.26	1.89	0.95	☐	☐	☐	
11-168	K301925	72.54	75.59	3.05	0.005	467.0	0.21	2.57	0.91	☐	☐	☐	
11-168	K301926	75.59	78.64	3.05	0.010	558.0	0.28	2.41	1.29	☐	☐	☐	
11-168	K301927	78.64	81.69	3.05	0.005	110.0	0.11	0.59	0.25	☐	☐	☐	
11-168	K301928	81.69	84.93	3.24	0.005	105.0	0.15	0.73	0.36	☐	☐	☐	
11-168	K301929	84.93	87.78	2.85	0.030	86.0	0.35	0.51	0.95	☐	☐	☐	
11-168	K301930	87.78	90.83	3.05	0.005	341.0	0.22	1.73	0.79	☐	☐	☐	
11-168	K301932	90.83	93.88	3.05	0.005	372.0	0.17	1.47	0.43	☐	☐	☐	
11-168	K301933	93.88	95.40	1.52	0.005	185.0	0.08	0.50	0.19	☐	☐	☐	
11-168	K301934	95.40	96.93	1.53	0.005	2330.0	0.84	6.56	1.44	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-168	K301936	96.93	98.45	1.52	0.005	736.0	0.40	1.74	0.40	☐	☐	☐	
11-168	K301937	98.45	101.50	3.05	0.005	801.0	0.60	2.10	1.36	☐	☐	☐	
11-173	K301938	101.50	104.55	3.05	0.020	110.0	0.25	0.40	0.47	☐	☐	☐	
11-173	K301939	104.55	107.59	3.04	0.010	121.0	0.22	0.41	0.32	☐	☐	☐	
11-173	K301940	107.59	110.64	3.05	0.010	79.0	0.48	0.58	1.19	☐	☐	☐	
11-173	K301941	107.59	110.64	3.05	0.010	54.0	0.42	0.53	1.09	☑	☐	☐	Duplicate of 940
11-173	K301942	110.64	113.69	3.05	0.010	99.9	0.67	0.97	2.25	☐	☐	☐	
11-173	K301943	113.69	116.30	2.61	0.010	162.0	0.87	0.66	2.51	☐	☐	☐	
11-173	K301944	116.30	117.85	1.55	0.320	8370.0	6.90	3.96	7.34	☐	☐	☐	
11-173	K301946	117.85	119.79	1.94	0.010	404.0	1.62	1.50	2.57	☐	☐	☐	
11-173	K301947	119.79	122.83	3.04	0.010	557.0	1.15	2.95	4.96	☐	☐	☐	
11-173	K301948	122.83	125.88	3.05	0.010	196.0	0.56	4.02	3.76	☐	☐	☐	
11-173	K301949	125.88	128.93	3.05	0.005	157.0	0.49	1.96	0.71	☐	☐	☐	
11-173	K301950	128.93	131.98	3.05	0.005	168.0	0.52	2.05	0.65	☐	☐	☐	
11-173	K301951	131.98	135.03	3.05	0.010	115.0	0.37	1.15	0.53	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-173	K301952	135.03	138.07	3.04	0.010	136.0	0.31	0.79	0.67	☐	☐	☐	
11-173	K301953	138.07	141.12	3.05	0.005	115.0	0.18	0.77	0.38	☐	☐	☐	
11-173	K301954	141.12	142.65	1.53	0.005	91.0	0.12	0.79	0.34	☐	☐	☐	
11-173	K301955	142.65	145.69	3.04	0.010	153.0	0.21	1.45	0.92	☐	☐	☐	
11-173	K301956	145.69	148.74	3.05	0.010	126.0	0.18	1.48	0.85	☐	☐	☐	
11-173	K301957	148.74	151.79	3.05	0.010	209.0	0.14	0.57	0.86	☐	☐	☐	
11-173	K301958	151.79	154.84	3.05	0.005	148.0	0.07	0.49	0.39	☐	☐	☐	
11-173	K301959	154.84	156.10	1.26	0.010	652.0	0.20	0.36	0.63	☐	☐	☐	
11-173	K301961	156.10	157.89	1.79	0.005	154.0	0.11	0.23	0.50	☐	☐	☐	
11-173	K301963	157.89	160.93	3.04	0.010	112.0	0.08	0.29	0.33	☐	☐	☐	
11-173	K301964	160.93	163.98	3.05	0.010	172.0	0.12	0.68	0.56	☐	☐	☐	
11-173	K301965	163.98	167.03	3.05	0.010	201.0	0.17	0.43	0.65	☐	☐	☐	
11-173	K301966	167.03	170.08	3.05	0.005	81.0	0.18	0.30	0.37	☐	☐	☐	
11-173	K301967	170.08	173.13	3.05	0.020	187.0	0.96	0.62	2.64	☐	☐	☐	
11-173	K301968	173.13	176.17	3.04	0.010	171.0	0.51	0.42	1.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-173	K301969	176.17	179.22	3.05	0.005	48.0	0.31	0.20	0.63	☐	☐	☐	
11-173	K301970	179.22	182.27	3.05	0.020	49.0	0.31	0.25	0.82	☐	☐	☐	
11-173	K301971	182.27	185.32	3.05	0.005	33.0	0.21	0.21	0.50	☐	☐	☐	
11-173	K301973	185.32	188.36	3.04	0.005	52.0	0.20	0.25	0.52	☐	☐	☐	
11-176	K301974	188.36	191.41	3.05	0.005	36.0	0.20	0.21	0.37	☐	☐	☐	
11-176	K301975	191.41	194.46	3.05	0.005	49.0	0.19	0.24	0.54	☐	☐	☐	
11-176	K301976	194.46	197.51	3.05	0.005	59.0	0.11	0.19	0.45	☐	☐	☐	
11-176	K301978	197.51	200.56	3.05	0.005	54.0	0.15	0.26	0.45	☐	☐	☐	
11-176	K301979	200.56	203.61	3.05	0.005	51.0	0.11	0.24	0.45	☐	☐	☐	
11-176	K301980	200.56	203.61	3.05	0.010	62.0	0.12	0.23	0.54	☑	☐	☐	Duplicate of 979
11-176	K301981	203.61	206.65	3.04	0.005	41.0	0.09	0.20	0.35	☐	☐	☐	
11-176	K301982	206.65	209.70	3.05	0.005	30.0	0.08	0.13	0.33	☐	☐	☐	
11-176	K301983	209.70	212.75	3.05	0.005	48.0	0.10	0.19	0.55	☐	☐	☐	
11-176	K301984	212.75	215.80	3.05	0.005	52.0	0.12	0.28	0.71	☐	☐	☐	
11-176	K301985	215.80	218.85	3.05	0.005	43.0	0.15	0.25	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-176	K301987	218.85	221.89	3.04	0.010	142.0	0.26	0.47	1.25	☐	☐	☐	
11-176	K301988	221.89	224.94	3.05	0.010	48.0	0.13	0.24	0.51	☐	☐	☐	
11-176	K301989	224.94	227.99	3.05	0.010	35.0	0.07	0.21	0.42	☐	☐	☐	
11-176	K301990	227.99	231.04	3.05	0.010	58.0	0.13	0.33	0.41	☐	☐	☐	
11-176	K301991	231.04	234.09	3.05	0.010	40.0	0.11	0.23	0.35	☐	☐	☐	
11-176	K301992	234.09	237.13	3.04	0.005	65.0	0.16	0.36	0.51	☐	☐	☐	
11-176	K301993	237.13	240.18	3.05	0.010	63.0	0.10	0.25	0.48	☐	☐	☐	
11-176	K301994	240.18	243.23	3.05	0.005	29.0	0.06	0.16	0.21	☐	☐	☐	
11-176	K301995	243.23	246.28	3.05	0.005	22.0	0.04	0.15	0.20	☐	☐	☐	
11-176	K301996	246.28	249.33	3.05	0.005	22.0	0.05	0.13	0.17	☐	☐	☐	
11-176	K301997	249.33	252.37	3.04	0.005	40.0	0.22	0.20	0.41	☐	☐	☐	
11-176	K301999	252.37	255.42	3.05	0.005	17.0	0.13	0.20	0.36	☐	☐	☐	
11-176	K302000	255.42	258.47	3.05	0.005	2.5	0.09	0.17	0.28	☐	☐	☐	
11-176	K304001	258.47	261.52	3.05	0.005	28.0	0.09	0.20	0.54	☐	☐	☐	
11-176	K304002	261.52	264.57	3.05	0.005	53.0	0.10	0.19	0.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-176	K304003	264.57	267.61	3.04	0.010	27.0	0.20	0.22	0.53	☐	☐	☐	
11-176	K304004	267.61	270.66	3.05	0.005	2.5	0.07	0.10	0.15	☐	☐	☐	
11-176	K304005	270.66	273.71	3.05	0.005	28.0	0.06	0.18	0.34	☐	☐	☐	
11-176	K304006	273.71	276.76	3.05	0.010	24.0	0.09	0.29	0.40	☐	☐	☐	
11-176	K304007	276.76	279.81	3.05	0.005	16.0	0.19	0.17	0.26	☐	☐	☐	
11-176	K304008	279.81	281.75	1.94	0.010	48.0	0.40	0.27	0.56	☐	☐	☐	
11-180	K304010	281.75	283.50	1.75	0.020	155.0	4.24	3.01	7.82	☐	☐	☐	
11-180	K304011	283.50	284.40	0.90	0.030	7850.0	5.19	9.38	10.65	☐	☐	☐	
11-180	K304012	284.40	285.90	1.50	0.050	7800.0	3.45	5.55	4.64	☐	☐	☐	
11-180	K304014	285.90	288.95	3.05	0.050	2700.0	1.92	3.37	3.36	☐	☐	☐	
11-180	K304015	288.95	292.00	3.05	0.550	3600.0	3.96	5.91	5.68	☐	☐	☐	
11-180	K304016	292.00	293.15	1.15	1.400	5330.0	5.12	9.51	9.17	☐	☐	☐	
11-180	K304018	293.15	294.80	1.65	1.740	98600.0	6.26	150.50	10.35	☐	☐	☐	
11-180	K304019	294.80	296.30	1.50	0.100	483.0	4.15	5.15	8.16	☐	☐	☐	
11-180	K304020	296.30	298.09	1.79	0.040	193.0	3.02	2.46	5.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-180	K304021	296.30	298.09	1.79	0.070	303.0	3.70	3.50	6.40	☑	☐	☐	Duplicate of 020
11-180	K304022	298.09	301.19	3.10	0.020	118.0	1.50	1.03	1.90	☐	☐	☐	
11-180	K304023	301.19	304.19	3.00	0.010	46.0	1.30	0.42	0.94	☐	☐	☐	
11-180	K304024	304.19	307.24	3.05	0.010	75.0	1.00	0.77	1.10	☐	☐	☐	
11-180	K304025	307.24	310.29	3.05	0.010	110.0	1.11	0.68	0.95	☐	☐	☐	
11-180	K304026	310.29	313.33	3.04	0.010	139.0	1.94	0.81	3.56	☐	☐	☐	
11-180	K304027	313.33	316.38	3.05	0.020	481.0	4.89	2.08	12.35	☐	☐	☐	
11-180	K304028	316.38	319.43	3.05	0.020	343.0	3.26	2.17	11.40	☐	☐	☐	
11-180	K304029	319.43	322.48	3.05	0.030	466.0	5.54	2.68	17.30	☐	☐	☐	
11-180	K304030	322.48	325.53	3.05	0.020	590.0	6.82	2.27	22.40	☐	☐	☐	
11-180	K304031	325.53	328.57	3.04	0.030	433.0	6.68	1.50	12.15	☐	☐	☐	
11-180	K304032	328.57	331.62	3.05	0.020	1310.0	2.34	1.59	1.51	☐	☐	☐	
11-180	K304033	331.62	334.67	3.05	0.010	86.0	1.01	0.68	0.81	☐	☐	☐	
11-180	K304035	334.67	337.72	3.05	0.020	219.0	1.25	1.10	1.06	☐	☐	☐	
11-180	K304036	337.72	340.77	3.05	0.040	1560.0	7.37	2.57	0.89	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-180	K304038	340.77	343.81	3.04	0.020	44.0	2.49	0.68	1.08	☐	☐	☐	
11-180	K304039	343.81	346.86	3.05	0.010	53.0	1.85	0.71	1.38	☐	☐	☐	
11-180	K304040	346.86	349.91	3.05	0.040	69.0	2.54	1.04	1.47	☐	☐	☐	
11-180	K304041	349.91	352.96	3.05	0.150	710.0	3.26	2.86	3.76	☐	☐	☐	
11-180	K304042	352.96	356.01	3.05	0.320	2490.0	4.02	6.07	7.17	☐	☐	☐	
11-180	K304044	356.01	359.05	3.04	0.030	196.0	1.74	1.78	3.05	☐	☐	☐	
11-180	K304045	359.05	362.10	3.05	0.060	554.0	1.25	1.88	2.46	☐	☐	☐	End of Batch 180
11-184	K304046	362.10	365.15	3.05	0.170	5930.0	1.37	8.63	2.30	☐	☐	☐	Start of Batch 194
11-184	K304048	365.15	368.20	3.05	0.030	334.0	1.60	2.92	4.18	☐	☐	☐	
11-184	K304049	368.20	370.95	2.75	0.030	243.0	2.22	2.30	3.13	☐	☐	☐	
11-184	K304050	370.95	372.85	1.90	0.070	353.0	3.05	2.75	7.68	☐	☐	☐	
11-184	K304051	372.85	374.29	1.44	0.040	489.0	5.90	2.74	11.45	☐	☐	☐	
11-184	K304052	374.29	376.05	1.76	0.110	210.0	2.59	2.42	5.04	☐	☐	☐	
11-184	K304053	376.05	377.34	1.29	0.450	667.0	4.59	4.29	8.22	☐	☐	☐	
11-184	K304055	377.34	378.45	1.11	0.450	3410.0	5.80	9.52	8.92	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-184	K304056	378.45	380.39	1.94	0.700	2470.0	5.25	7.94	10.25	☐	☐	☐	
11-184	K304057	380.39	383.44	3.05	0.080	1040.0	4.35	3.67	6.48	☐	☐	☐	
11-184	K304058	383.44	386.49	3.05	0.020	107.0	0.56	0.50	1.27	☐	☐	☐	
11-184	K304059	386.49	389.53	3.04	0.050	83.0	0.57	0.60	1.66	☐	☐	☐	
11-184	K304060	386.49	389.53	3.04	0.040	91.0	0.55	0.53	1.52	☑	☐	☐	Duplicate of 059
11-184	K304061	389.53	390.98	1.45	0.190	209.0	1.60	2.59	4.48	☐	☐	☐	
11-184	K304062	390.98	392.58	1.60	2.760	6550.0	3.10	11.75	9.45	☐	☐	☐	
11-184	K304063	392.58	393.52	0.94	7.800	4140.0	8.58	21.40	34.80	☐	☐	☐	
11-184	K304064	393.52	395.63	2.11	4.550	9860.0	6.40	24.60	18.50	☐	☐	☐	
11-184	K304066	395.63	398.68	3.05	0.280	138.0	1.12	1.52	4.20	☐	☐	☐	
11-184	K304067	398.68	401.73	3.05	1.830	3660.0	2.51	8.27	9.42	☐	☐	☐	
11-184	K304068	401.73	404.77	3.04	1.320	830.0	3.31	5.12	12.35	☐	☐	☐	
11-184	K304069	404.77	407.82	3.05	0.630	953.0	2.60	5.11	12.05	☐	☐	☐	
11-184	K304070	407.82	410.87	3.05	0.070	831.0	1.45	1.79	4.64	☐	☐	☐	
11-184	K304071	410.87	413.92	3.05	0.090	711.0	1.95	3.37	8.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-184	K304072	413.92	416.97	3.05	0.030	394.0	0.91	1.11	4.05	☐	☐	☐	
11-184	K304073	416.97	420.01	3.04	0.005	326.0	0.92	1.33	2.80	☐	☐	☐	
11-184	K304074	420.01	423.06	3.05	0.005	373.0	0.65	0.99	3.20	☐	☐	☐	
11-184	K304075	423.06	426.11	3.05	0.005	198.0	0.81	0.54	2.67	☐	☐	☐	
11-184	K304076	426.11	429.16	3.05	0.110	1110.0	1.68	4.21	7.84	☐	☐	☐	
11-184	K304077	429.16	432.21	3.05	0.020	682.0	0.77	1.74	3.56	☐	☐	☐	
11-184	K304079	432.21	435.25	3.04	0.010	58.0	0.16	0.38	1.52	☐	☐	☐	
11-184	K304080	435.25	438.30	3.05	0.005	57.1	0.13	0.28	1.22	☐	☐	☐	
11-184	K304081	438.30	441.35	3.05	0.005	165.5	0.27	0.55	2.31	☐	☐	☐	End of Batch 184
11-191	K304082	441.35	444.40	3.05	0.005	111.5	0.29	0.50	2.22	☐	☐	☐	Start of Batch 191
11-191	K304083	444.40	447.45	3.05	0.005	41.0	0.29	0.40	0.99	☐	☐	☐	
11-191	K304084	447.45	450.49	3.04	0.005	75.0	0.20	0.37	1.11	☐	☐	☐	
11-191	K304085	450.49	453.54	3.05	0.030	35.0	0.16	0.36	0.70	☐	☐	☐	
11-191	K304087	453.54	456.59	3.05	0.005	46.0	0.21	0.66	0.99	☐	☐	☐	
11-191	K304088	456.59	459.64	3.05	0.005	45.0	0.09	0.46	0.69	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-191	K304089	459.64	462.69	3.05	0.005	35.0	0.05	0.44	0.77	☐	☐	☐	

Sample Results

OS -11-062

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-175	K300968	0.00	0.00	0.00	0.330	604.0	9.50	115.50	7.87	☐	☐	☑	NT1
11-175	K300973	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-181	K300989	0.00	0.00	0.00	0.005	22.0	0.01	0.18	0.04	☐	☑	☐	HQ
11-181	K300993	0.00	0.00	0.00	2.700	532.0	4.84	107.00	3.77	☐	☐	☑	NT2
11-181	K303501	0.00	0.00	0.00	0.005	62.0	0.01	0.19	0.02	☐	☑	☐	HQ
11-181	K303506	0.00	0.00	0.00	16.200	1300.0	6.05	157.50	3.51	☐	☐	☑	NT3
11-186	K303519	0.00	0.00	0.00	0.020	81.0	0.05	0.30	0.14	☐	☑	☐	HQ
11-186	K303527	0.00	0.00	0.00	0.010	11.0	0.01	0.15	0.10	☐	☑	☐	HQ
11-186	K303530	0.00	0.00	0.00	7.160	997.0	5.25	17.85	13.00	☐	☐	☑	NT3
11-186	K303543	0.00	0.00	0.00	2.370	571.0	4.60	89.30	3.80	☐	☐	☑	NT2
11-188	K303554	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-188	K303566	0.00	0.00	0.00	7.630	963.0	5.52	17.90	13.30	☐	☐	☑	NT3
11-188	K303574	0.00	0.00	0.00	0.005	9.0	0.01	0.03	0.02	☐	☑	☐	NQ
11-188	K303583	0.00	0.00	0.00	2.550	573.0	4.58	103.00	4.04	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-193	K303598	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	NQ
11-193	K303601	0.00	0.00	0.00	2.570	586.0	4.50	110.50	3.38	☐	☐	☑	NT1
11-193	K303607	0.00	0.00	0.00	7.990	976.0	5.95	18.15	10.85	☐	☐	☑	NT3
11-193	K303616	0.00	0.00	0.00	0.005	5.0	0.01	0.09	0.02	☐	☑	☐	NQ
11-196	K303623	0.00	0.00	0.00	0.005	9.0	0.01	0.09	0.02	☐	☑	☐	NQ
11-196	K303635	0.00	0.00	0.00	2.640	608.0	4.53	117.00	4.07	☐	☐	☑	NT2
11-175	K300955	9.50	11.58	2.08	0.010	7.4	0.04	0.26	0.38	☐	☐	☐	
11-175	K300956	11.58	14.63	3.05	0.010	5.3	0.03	0.19	0.33	☐	☐	☐	
11-175	K300957	14.63	17.68	3.05	0.005	11.4	0.04	0.23	0.57	☐	☐	☐	
11-175	K300958	14.63	17.68	3.05	0.005	13.4	0.04	0.30	0.63	☑	☐	☐	Duplicate of 957
11-175	K300959	17.68	20.73	3.05	0.005	18.0	0.07	0.30	0.98	☐	☐	☐	
11-175	K300960	20.73	23.77	3.04	0.005	8.8	0.07	0.33	1.11	☐	☐	☐	
11-175	K300961	23.77	26.82	3.05	0.005	16.3	0.06	0.32	1.47	☐	☐	☐	
11-175	K300962	26.82	29.87	3.05	0.010	23.6	0.37	0.33	2.45	☐	☐	☐	
11-175	K300963	29.87	32.92	3.05	0.040	175.5	0.87	1.08	2.87	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-175	K300964	32.92	35.97	3.05	0.320	1050.0	2.51	3.81	6.24	☐	☐	☐	
11-175	K300965	35.97	39.01	3.04	0.040	379.0	3.19	2.01	9.09	☐	☐	☐	
11-175	K300966	39.01	42.06	3.05	0.080	673.0	2.81	3.88	11.55	☐	☐	☐	
11-175	K300967	42.06	45.11	3.05	0.240	1110.0	2.97	6.00	10.15	☐	☐	☐	
11-175	K300969	45.11	48.16	3.05	1.490	1690.0	4.22	11.40	15.00	☐	☐	☐	
11-175	K300970	48.16	51.21	3.05	0.010	605.0	1.77	1.47	4.93	☐	☐	☐	
11-175	K300971	51.21	54.25	3.04	0.070	267.0	2.05	3.39	6.79	☐	☐	☐	
11-175	K300972	54.25	55.78	1.53	0.080	3260.0	2.83	17.25	5.51	☐	☐	☐	
11-175	K300974	55.78	58.20	2.42	0.005	1520.0	1.94	9.23	4.52	☐	☐	☐	
11-175	K300975	58.20	60.35	2.15	0.005	211.0	0.82	0.77	3.62	☐	☐	☐	
11-175	K300976	60.35	62.60	2.25	0.005	189.0	0.94	1.36	4.41	☐	☐	☐	End of Batch 175
11-181	K300977	62.60	64.40	1.80	0.330	454.0	3.42	9.02	13.55	☐	☐	☐	Start of Batch 181
11-181	K300978	64.40	66.05	1.65	0.050	195.0	1.94	2.25	5.56	☐	☐	☐	
11-181	K300979	66.05	67.00	0.95	0.770	11150.0	11.55	33.30	39.90	☐	☐	☐	
11-181	K300980	67.00	67.97	0.97	0.120	503.0	4.29	7.39	11.35	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-181	K300981	67.97	71.02	3.05	0.300	1580.0	4.99	11.50	12.65	☐	☐	☐	
11-181	K300982	71.02	74.07	3.05	0.190	686.0	2.83	6.25	7.86	☐	☐	☐	
11-181	K300983	71.02	74.07	3.05	0.170	1180.0	2.47	6.58	7.26	☑	☐	☐	Duplicate of 982
11-181	K300984	74.07	77.11	3.04	0.005	109.0	2.15	1.11	7.50	☐	☐	☐	
11-181	K300985	77.11	80.16	3.05	0.170	335.0	3.91	5.86	13.05	☐	☐	☐	
11-181	K300986	80.16	83.21	3.05	0.220	1565.0	4.68	7.43	10.85	☐	☐	☐	
11-181	K300987	83.21	86.26	3.05	0.530	2540.0	4.87	12.00	11.35	☐	☐	☐	
11-181	K300988	86.26	89.31	3.05	2.240	1180.0	5.93	12.10	18.00	☐	☐	☐	
11-181	K300990	89.31	92.35	3.04	8.000	5570.0	14.40	44.50	46.20	☐	☐	☐	
11-181	K300991	92.35	94.60	2.25	0.810	921.0	12.80	8.37	25.70	☐	☐	☐	
11-181	K300992	94.60	96.93	2.33	0.090	116.0	1.24	1.63	2.69	☐	☐	☐	
11-181	K300994	96.93	98.45	1.52	0.940	13300.0	5.73	39.80	11.20	☐	☐	☐	
11-181	K300995	98.45	99.16	0.71	0.990	452.0	2.88	8.24	6.31	☐	☐	☐	
11-181	K300996	99.16	100.75	1.59	5.710	51400.0	13.50	128.50	31.30	☐	☐	☐	
11-181	K300997	100.75	102.72	1.97	3.480	54700.0	10.65	164.00	21.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-181	K300998	102.72	103.55	0.83	1.550	55700.0	2.90	150.50	7.66	☐	☐	☐	
11-181	K300999	103.55	105.42	1.87	1.540	28700.0	3.39	74.80	9.26	☐	☐	☐	
11-181	K301000	105.42	106.14	0.72	0.680	47500.0	1.76	147.00	4.63	☐	☐	☐	
11-181	K303502	106.14	107.59	1.45	1.820	16100.0	4.91	61.90	13.05	☐	☐	☐	
11-181	K303503	107.59	109.57	1.98	1.780	46000.0	4.31	122.00	10.30	☐	☐	☐	
11-181	K303504	109.57	110.50	0.93	0.630	2890.0	3.21	9.75	7.39	☐	☐	☐	
11-181	K303505	110.50	112.17	1.67	0.760	352.0	6.78	9.50	14.75	☐	☐	☐	
11-181	K303507	112.17	113.69	1.52	0.370	440.0	2.48	4.10	6.19	☐	☐	☐	
11-181	K303508	113.69	115.49	1.80	2.140	349.0	6.98	10.25	15.25	☐	☐	☐	
11-181	K303509	115.49	116.74	1.25	10.350	6350.0	26.60	68.60	77.40	☐	☐	☐	
11-181	K303510	116.74	118.54	1.80	2.730	9180.0	8.10	33.00	21.80	☐	☐	☐	
11-181	K303511	118.54	119.63	1.09	10.450	17600.0	26.60	85.10	79.40	☐	☐	☐	
11-181	K303512	119.63	120.51	0.88	0.350	252.0	2.35	4.02	5.92	☐	☐	☐	End of Batch 181
11-186	K303513	120.51	121.31	0.80	12.450	15550.0	30.90	85.40	94.20	☐	☐	☐	Start of Batch 186
11-186	K303514	121.31	123.30	1.99	11.350	23800.0	29.00	86.30	82.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-186	K303515	123.30	124.36	1.06	3.900	4200.0	11.30	23.80	29.80	☐	☐	☐	
11-186	K303516	124.36	125.88	1.52	8.800	57200.0	27.50	129.50	76.10	☐	☐	☐	
11-186	K303517	125.88	127.41	1.53	8.400	68800.0	28.60	139.50	65.50	☐	☐	☐	
11-186	K303518	127.41	128.70	1.29	20.700	26400.0	33.70	110.50	88.50	☐	☐	☐	
11-186	K303520	128.70	130.45	1.75	13.050	7450.0	29.60	80.30	80.20	☐	☐	☐	
11-186	K303521	130.45	131.98	1.53	5.650	3080.0	13.20	32.20	36.60	☐	☐	☐	
11-186	K303522	131.98	133.35	1.37	7.980	10600.0	19.70	61.10	55.10	☐	☐	☐	
11-186	K303523	133.35	135.03	1.68	5.640	4920.0	14.00	38.50	39.00	☐	☐	☐	
11-186	K303524	135.03	136.55	1.52	2.650	1050.0	14.10	25.70	34.10	☐	☐	☐	
11-186	K303525	136.55	138.07	1.52	2.910	800.0	12.20	22.20	28.50	☐	☐	☐	
11-186	K303526	138.07	139.60	1.53	3.740	2010.0	8.49	20.90	22.70	☐	☐	☐	
11-186	K303528	139.60	142.65	3.05	0.480	1680.0	6.01	8.92	13.25	☐	☐	☐	
11-186	K303529	142.65	145.69	3.04	0.100	202.0	6.75	1.21	12.80	☐	☐	☐	
11-186	K303531	145.69	148.75	3.06	0.010	163.0	4.28	0.55	6.18	☐	☐	☐	
11-186	K303532	148.75	150.27	1.52	0.005	155.0	4.19	0.34	4.51	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-186	K303533	150.27	151.79	1.52	0.020	217.0	6.74	1.50	7.86	☐	☐	☐	
11-186	K303534	151.79	154.84	3.05	0.040	195.0	4.42	1.44	5.99	☐	☐	☐	
11-186	K303535	154.84	157.89	3.05	0.005	106.0	3.22	0.36	3.78	☐	☐	☐	
11-186	K303536	157.89	160.93	3.04	0.005	55.0	2.15	0.44	3.21	☐	☐	☐	
11-186	K303537	160.93	163.98	3.05	0.005	15.0	0.32	0.17	0.74	☐	☐	☐	
11-186	K303538	163.98	166.10	2.12	0.005	26.0	0.51	0.19	0.51	☐	☐	☐	
11-186	K303539	163.98	166.10	2.12	0.005	30.0	0.57	0.19	0.57	☑	☐	☐	Duplicate of 538
11-186	K303540	166.10	168.07	1.97	0.005	61.0	1.52	0.42	1.01	☐	☐	☐	
11-186	K303541	168.07	170.08	2.01	0.005	123.0	2.13	1.73	0.96	☐	☐	☐	
11-186	K303542	170.08	173.13	3.05	0.005	135.0	3.23	1.20	1.55	☐	☐	☐	
11-186	K303544	173.13	176.17	3.04	0.010	135.0	3.47	0.95	2.65	☐	☐	☐	
11-186	K303545	176.17	179.22	3.05	0.010	145.0	4.06	1.47	2.57	☐	☐	☐	
11-186	K303546	179.22	181.10	1.88	0.005	77.0	1.36	0.90	1.32	☐	☐	☐	
11-186	K303547	181.10	183.00	1.90	0.005	52.0	0.88	0.37	0.69	☐	☐	☐	
11-186	K303548	183.00	185.32	2.32	0.005	69.0	1.92	0.69	1.37	☐	☐	☐	End of Batch 186

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-188	K303549	185.32	188.37	3.05	0.010	74.0	1.26	0.81	1.09	☐	☐	☐	Start of Batch 188
11-188	K303550	188.37	191.41	3.04	0.005	47.0	0.45	0.50	1.42	☐	☐	☐	
11-188	K303551	191.41	194.46	3.05	0.005	58.0	0.41	0.70	2.50	☐	☐	☐	
11-188	K303552	194.46	197.51	3.05	0.005	18.0	0.17	0.49	1.18	☐	☐	☐	
11-188	K303553	197.51	200.56	3.05	0.005	97.0	2.60	0.47	5.22	☐	☐	☐	
11-188	K303555	200.56	203.61	3.05	0.010	4040.0	13.80	1.29	19.10	☐	☐	☐	
11-188	K303556	203.61	206.65	3.04	0.010	12050.0	23.80	2.55	37.40	☐	☐	☐	
11-188	K303557	206.65	207.92	1.27	0.140	32000.0	12.60	2.01	16.60	☐	☐	☐	
11-188	K303558	206.65	207.92	1.27	0.140	38200.0	14.60	2.07	17.65	☑	☐	☐	Duplicate of 557
11-188	K303559	207.92	209.20	1.28	1.600	214000.0	34.40	19.75	44.50	☐	☐	☐	
11-188	K303560	209.20	210.50	1.30	1.270	17550.0	13.00	1.98	26.20	☐	☐	☐	
11-188	K303561	210.50	212.25	1.75	9.760	3970.0	43.70	10.40	107.50	☐	☐	☐	
11-188	K303562	212.25	214.00	1.75	0.180	326.0	3.18	0.61	6.90	☐	☐	☐	
11-188	K303563	214.00	215.80	1.80	0.010	80.0	0.89	0.18	2.22	☐	☐	☐	
11-188	K303564	215.80	218.85	3.05	0.010	144.0	2.13	0.35	5.88	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-188	K303565	218.85	221.89	3.04	0.005	95.0	0.92	0.49	4.97	☐	☐	☐	
11-188	K303567	221.89	224.94	3.05	0.010	59.0	0.70	0.56	3.97	☐	☐	☐	
11-188	K303568	224.94	227.98	3.04	0.020	39.0	0.32	0.39	2.88	☐	☐	☐	
11-188	K303569	227.98	231.04	3.06	0.005	59.0	0.86	0.46	3.48	☐	☐	☐	
11-188	K303570	231.04	234.09	3.05	0.010	1010.0	1.43	1.81	2.55	☐	☐	☐	
11-188	K303571	234.09	237.13	3.04	0.020	4500.0	1.52	3.99	3.33	☐	☐	☐	
11-188	K303572	237.13	240.18	3.05	0.005	60.0	0.90	0.31	2.06	☐	☐	☐	
11-188	K303573	240.18	243.23	3.05	0.005	57.0	0.29	0.25	1.01	☐	☐	☐	
11-188	K303575	243.23	246.28	3.05	0.010	27.0	0.34	0.22	0.94	☐	☐	☐	
11-188	K303576	246.28	249.33	3.05	0.005	22.0	0.24	0.21	0.62	☐	☐	☐	
11-188	K303577	249.33	252.37	3.04	0.020	31.0	0.27	0.25	0.93	☐	☐	☐	
11-188	K303578	252.37	255.42	3.05	0.005	24.0	0.17	0.27	1.05	☐	☐	☐	
11-188	K303579	255.42	258.47	3.05	0.010	31.0	0.59	0.27	1.36	☐	☐	☐	
11-188	K303580	258.47	261.52	3.05	0.020	34.0	0.47	0.22	0.82	☐	☐	☐	
11-188	K303581	261.52	264.57	3.05	0.010	22.0	0.21	0.15	0.46	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-188	K303582	264.57	267.61	3.04	0.005	44.0	0.38	0.39	0.92	☐	☐	☐	
11-188	K303584	267.61	270.66	3.05	0.005	27.0	0.23	0.47	0.66	☐	☐	☐	End of Batch 188
11-193	K303585	270.66	273.71	3.05	0.005	3890.0	2.30	1.51	1.93	☐	☐	☐	Start of Batch 193
11-193	K303586	273.71	276.76	3.05	0.005	37.0	0.50	0.22	0.52	☐	☐	☐	
11-193	K303587	276.76	279.81	3.05	0.005	37.0	0.27	0.59	0.45	☐	☐	☐	
11-193	K303588	279.81	282.85	3.04	0.005	58.0	0.41	0.88	0.71	☐	☐	☐	
11-193	K303589	282.85	285.90	3.05	0.005	38.0	0.30	0.73	0.49	☐	☐	☐	
11-193	K303590	282.85	285.90	3.05	0.005	38.0	0.30	0.65	0.45	☑	☐	☐	Duplicate of 589
11-193	K303591	285.90	288.95	3.05	0.005	37.0	0.24	0.48	0.33	☐	☐	☐	
11-193	K303592	288.95	291.99	3.04	0.005	41.0	0.30	0.49	0.45	☐	☐	☐	
11-193	K303593	291.99	295.05	3.06	0.005	77.0	0.80	0.77	0.92	☐	☐	☐	
11-193	K303594	295.05	298.10	3.05	0.005	22.0	0.27	0.27	0.19	☐	☐	☐	
11-193	K303595	298.10	301.14	3.04	0.005	52.0	0.77	0.44	0.36	☐	☐	☐	
11-193	K303596	301.14	304.19	3.05	0.005	48.0	1.23	0.46	0.27	☐	☐	☐	
11-193	K303597	304.19	307.24	3.05	0.005	46.0	0.88	0.37	0.26	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-193	K303599	307.24	310.29	3.05	0.005	19.0	0.20	0.37	0.10	☐	☐	☐	
11-193	K303600	310.29	313.33	3.04	0.005	39.0	0.47	0.45	0.24	☐	☐	☐	
11-193	K303602	313.33	316.38	3.05	0.005	15.0	0.37	0.41	0.21	☐	☐	☐	
11-193	K303603	316.38	319.43	3.05	0.005	22.0	0.42	0.35	0.23	☐	☐	☐	
11-193	K303604	319.43	322.48	3.05	0.005	70.0	0.88	0.49	0.38	☐	☐	☐	
11-193	K303605	322.48	325.53	3.05	0.005	30.0	0.39	0.28	0.18	☐	☐	☐	
11-193	K303606	325.53	328.57	3.04	0.005	12.0	0.15	0.20	0.11	☐	☐	☐	
11-193	K303608	328.57	331.62	3.05	0.005	2.5	0.12	0.20	0.14	☐	☐	☐	
11-193	K303609	331.62	334.67	3.05	0.005	2.5	0.08	0.16	0.05	☐	☐	☐	
11-193	K303610	334.67	337.72	3.05	0.005	2.5	0.02	0.08	0.01	☐	☐	☐	
11-193	K303611	337.72	340.77	3.05	0.005	18.0	0.09	0.21	0.15	☐	☐	☐	
11-193	K303612	340.77	343.81	3.04	0.005	56.0	0.63	0.57	0.73	☐	☐	☐	
11-193	K303613	343.81	346.86	3.05	0.005	47.0	0.37	0.41	0.75	☐	☐	☐	
11-193	K303614	346.86	349.91	3.05	0.005	48.0	0.72	3.31	1.74	☐	☐	☐	
11-193	K303615	349.91	352.96	3.05	0.005	45.0	0.47	0.43	1.12	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-193	K303617	352.96	356.01	3.05	0.005	52.0	0.28	0.61	0.60	☐	☐	☐	
11-193	K303618	356.01	359.05	3.04	0.005	43.0	0.13	0.20	0.43	☐	☐	☐	
11-193	K303619	359.05	362.10	3.05	0.005	29.0	0.14	0.24	0.45	☐	☐	☐	
11-193	K303620	362.10	365.15	3.05	0.005	67.0	0.35	0.46	0.81	☐	☐	☐	End of Batch 193
11-196	K303621	365.15	368.20	3.05	0.005	93.0	0.60	1.58	0.88	☐	☐	☐	Start of Batch 196
11-196	K303622	368.20	371.25	3.05	0.005	61.0	0.19	0.27	0.64	☐	☐	☐	
11-196	K303624	371.25	374.29	3.04	0.005	49.0	0.13	0.33	1.91	☐	☐	☐	
11-196	K303625	374.29	377.34	3.05	0.005	25.0	0.37	0.26	2.40	☐	☐	☐	
11-196	K303626	377.34	380.39	3.05	0.005	36.0	1.31	1.17	3.03	☐	☐	☐	
11-196	K303627	380.39	383.44	3.05	0.005	129.0	2.46	2.21	3.65	☐	☐	☐	
11-196	K303628	383.44	386.49	3.05	0.010	1360.0	2.51	7.62	4.19	☐	☐	☐	
11-196	K303629	386.49	389.53	3.04	0.005	204.0	2.73	2.50	3.94	☐	☐	☐	
11-196	K303630	389.53	391.02	1.49	0.005	205.0	3.08	4.49	3.45	☐	☐	☐	
11-196	K303631	391.02	392.90	1.88	0.005	2210.0	2.82	7.37	4.19	☐	☐	☐	
11-196	K303632	391.02	392.90	1.88	0.010	1980.0	2.77	7.90	4.15	☑	☐	☐	duplicate of 631

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-196	K303633	392.90	395.63	2.73	0.240	9420.0	8.63	21.30	16.15	☐	☐	☐	
11-196	K303634	395.63	398.68	3.05	0.220	14450.0	9.40	45.10	21.80	☐	☐	☐	
11-196	K303636	398.68	401.73	3.05	0.005	2890.0	2.05	12.80	5.26	☐	☐	☐	
11-196	K303637	401.73	404.77	3.04	0.020	610.0	2.06	3.02	6.44	☐	☐	☐	
11-196	K303638	404.77	407.82	3.05	0.290	1645.0	4.82	7.47	11.15	☐	☐	☐	

Sample Results

OS -11-063

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-182	K302812	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.03	☐	☑	☐	HQ
11-182	K302820	0.00	0.00	0.00	2.630	532.0	4.70	110.50	4.11	☐	☐	☑	NT2
11-182	K302829	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-182	K302838	0.00	0.00	0.00	0.330	644.0	10.60	115.50	8.35	☐	☐	☑	NT1
11-189	K302849	0.00	0.00	0.00	0.005	10.0	0.02	0.11	0.05	☐	☑	☐	HQ
11-189	K302861	0.00	0.00	0.00	2.590	586.0	4.70	102.00	3.88	☐	☐	☑	NT2
11-189	K302865	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	HQ
11-189	K302872	0.00	0.00	0.00	7.830	1020.0	5.98	19.55	12.85	☐	☐	☑	NT3
11-195	K302884	0.00	0.00	0.00	0.020	20.0	0.05	0.06	0.18	☐	☑	☐	NQ
11-195	K302891	0.00	0.00	0.00	7.920	938.0	5.95	16.35	11.95	☐	☐	☑	NT3
11-195	K302903	0.00	0.00	0.00	0.010	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-195	K302909	0.00	0.00	0.00	0.330	598.0	10.00	120.50	7.98	☐	☐	☑	NT1
11-198	K302920	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.01	☐	☑	☐	NQ
11-198	K302926	0.00	0.00	0.00	0.340	602.0	9.27	121.50	7.85	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-198	K302941	0.00	0.00	0.00	0.010	2.5	0.01	0.08	0.01	☐	☑	☐	NQ
11-198	K302945	0.00	0.00	0.00	7.830	977.0	5.86	18.05	13.40	☐	☐	☑	NT3
11-202	K302957	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-202	K302967	0.00	0.00	0.00	7.800	945.0	5.92	18.95	13.90	☐	☐	☑	NT3
11-202	K302970	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-202	K302983	0.00	0.00	0.00	0.350	623.0	9.84	113.00	8.62	☐	☐	☑	NT1
11-203	K302992	0.00	0.00	0.00	0.005	2.5	0.01	0.20	0.03	☐	☑	☐	NQ
11-203	K303000	0.00	0.00	0.00	2.680	607.0	4.27	106.50	4.45	☐	☐	☑	NT2
11-203	K305003	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.03	☐	☑	☐	NQ
11-203	K305011	0.00	0.00	0.00	0.340	619.0	9.13	116.50	8.77	☐	☐	☑	NT1
11-206	K305035	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-178	K302804	13.72	16.76	3.04	0.005	231.0	2.16	1.40	4.92	☐	☐	☐	
11-178	K302805	16.76	19.81	3.05	0.005	463.0	3.89	1.82	6.60	☐	☐	☐	
11-178	K302806	19.81	22.86	3.05	0.005	989.0	2.30	2.03	4.19	☐	☐	☐	End of Batch 178
11-182	K302807	22.86	25.91	3.05	0.005	443.0	1.20	1.37	2.93	☐	☐	☐	Start of Batch 182

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-182	K302808	25.91	28.96	3.05	0.010	887.0	3.51	2.38	3.81	☐	☐	☐	
11-182	K302809	28.96	32.01	3.05	0.005	1700.0	1.04	3.14	3.34	☐	☐	☐	
11-182	K302810	32.01	34.85	2.84	0.010	268.0	2.49	1.72	1.75	☐	☐	☐	
11-182	K302811	34.85	35.30	0.45	0.010	6020.0	15.50	14.15	17.75	☐	☐	☐	
11-182	K302813	35.30	36.58	1.28	0.005	207.0	2.76	0.62	5.90	☐	☐	☐	
11-182	K302814	36.58	39.62	3.04	0.005	274.0	1.54	0.57	3.05	☐	☐	☐	
11-182	K302815	39.62	42.67	3.05	0.005	114.0	1.02	0.58	3.59	☐	☐	☐	
11-182	K302816	42.67	45.72	3.05	0.005	37.1	0.51	0.61	2.05	☐	☐	☐	
11-182	K302817	45.72	48.77	3.05	0.005	44.8	0.28	0.75	1.13	☐	☐	☐	
11-182	K302818	48.77	51.82	3.05	0.005	61.7	0.15	0.49	1.06	☐	☐	☐	
11-182	K302819	51.82	54.86	3.04	0.005	28.0	0.19	0.47	1.07	☐	☐	☐	
11-182	K302821	54.86	57.91	3.05	0.005	28.4	0.19	0.58	0.86	☐	☐	☐	
11-182	K302822	57.91	60.96	3.05	0.005	19.5	0.23	0.40	1.22	☐	☐	☐	
11-182	K302823	60.96	64.01	3.05	0.005	45.6	0.82	0.49	2.16	☐	☐	☐	
11-182	K302824	64.01	67.06	3.05	0.005	189.5	1.03	0.65	3.15	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-182	K302825	67.06	70.10	3.04	0.005	61.0	1.79	0.57	3.07	☐	☐	☐	
11-182	K302826	67.06	70.10	3.04	0.005	58.0	1.70	0.57	2.80	☑	☐	☐	Duplicate of 825
11-182	K302827	70.10	73.15	3.05	0.005	76.9	1.14	0.48	2.86	☐	☐	☐	
11-182	K302828	73.15	76.20	3.05	0.005	37.1	0.95	0.43	1.95	☐	☐	☐	
11-182	K302830	76.20	79.25	3.05	0.010	357.0	1.82	1.03	2.68	☐	☐	☐	
11-182	K302831	79.25	82.30	3.05	0.005	258.0	4.80	1.52	8.67	☐	☐	☐	
11-182	K302832	82.30	85.34	3.04	0.070	276.0	4.61	2.20	11.00	☐	☐	☐	
11-182	K302833	85.34	88.39	3.05	0.010	130.5	3.06	0.92	7.17	☐	☐	☐	
11-182	K302834	88.39	91.44	3.05	0.010	140.0	4.08	1.08	9.08	☐	☐	☐	
11-182	K302835	91.44	94.49	3.05	0.040	439.0	3.91	2.71	8.60	☐	☐	☐	
11-182	K302836	94.49	97.54	3.05	0.040	578.0	2.53	2.53	5.62	☐	☐	☐	
11-182	K302837	97.54	100.58	3.04	0.005	21.3	0.73	0.51	1.63	☐	☐	☐	
11-182	K302839	100.58	103.63	3.05	0.005	21.2	0.39	0.56	1.69	☐	☐	☐	
11-182	K302840	103.63	106.68	3.05	0.005	29.3	0.70	0.56	2.75	☐	☐	☐	
11-182	K302841	106.68	109.73	3.05	0.005	24.4	0.61	0.60	2.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-182	K302842	109.73	112.78	3.05	0.005	35.1	0.19	0.54	0.99	☐	☐	☐	End of Batch 182
11-189	K302843	112.78	115.81	3.03	0.005	97.3	2.42	0.73	4.72	☐	☐	☐	
11-189	K302844	115.81	117.35	1.54	0.020	1700.0	3.50	6.60	7.66	☐	☐	☐	
11-189	K302845	117.35	120.40	3.05	0.005	98.6	0.21	0.50	1.32	☐	☐	☐	
11-189	K302846	120.40	121.92	1.52	0.005	368.0	1.22	1.55	4.80	☐	☐	☐	
11-189	K302847	121.92	123.44	1.52	0.010	51600.0	36.10	49.60	53.30	☐	☐	☐	
11-189	K302848	123.44	124.97	1.53	0.010	4920.0	5.80	12.80	14.60	☐	☐	☐	
11-189	K302850	124.97	128.02	3.05	0.040	2370.0	4.02	6.47	8.32	☐	☐	☐	
11-189	K302851	128.02	131.06	3.04	0.005	67.9	0.21	0.53	1.92	☐	☐	☐	
11-189	K302852	131.06	134.11	3.05	0.005	38.2	0.09	0.62	1.20	☐	☐	☐	
11-189	K302853	176.78	179.83	3.05	0.005	19.8	0.16	0.38	1.15	☐	☐	☐	
11-189	K302854	176.78	179.83	3.05	0.005	21.9	0.14	0.36	1.14	☑	☐	☐	duplicate of 853
11-189	K302855	179.83	182.88	3.05	0.005	57.5	0.48	0.89	3.18	☐	☐	☐	
11-189	K302856	182.88	185.93	3.05	0.005	23.9	0.07	0.59	0.94	☐	☐	☐	
11-189	K302857	185.93	188.98	3.05	0.005	15.4	0.07	0.47	1.05	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-189	K302858	188.98	192.02	3.04	0.005	32.7	0.25	0.67	1.09	☐	☐	☐	
11-189	K302859	192.02	195.07	3.05	0.005	47.3	0.26	0.57	1.22	☐	☐	☐	
11-189	K302860	195.07	198.12	3.05	0.030	242.0	0.43	1.44	2.25	☐	☐	☐	
11-189	K302862	198.12	201.17	3.05	0.005	18.2	0.24	0.57	1.23	☐	☐	☐	
11-189	K302863	201.17	204.22	3.05	0.010	13.8	0.24	0.51	1.11	☐	☐	☐	
11-189	K302864	204.22	207.26	3.04	0.010	18.5	0.34	0.50	1.41	☐	☐	☐	
11-189	K302866	207.26	210.31	3.05	0.005	26.1	0.43	0.56	1.71	☐	☐	☐	
11-189	K302867	210.31	213.36	3.05	0.005	43.0	0.98	0.54	1.73	☐	☐	☐	
11-189	K302868	213.36	216.41	3.05	0.005	29.7	0.66	0.50	1.35	☐	☐	☐	
11-189	K302869	216.41	219.46	3.05	0.005	47.4	1.01	0.51	2.25	☐	☐	☐	
11-189	K302870	219.46	222.50	3.04	0.005	133.5	0.95	0.59	2.74	☐	☐	☐	
11-189	K302871	222.50	225.55	3.05	0.070	834.0	4.47	3.64	7.79	☐	☐	☐	
11-189	K302873	225.55	227.40	1.85	0.005	1310.0	2.51	2.12	4.97	☐	☐	☐	
11-189	K302874	227.40	228.60	1.20	0.170	4830.0	4.94	5.74	8.41	☐	☐	☐	
11-189	K302875	228.60	231.65	3.05	0.020	175.0	2.83	0.79	4.26	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-189	K302876	231.65	234.70	3.05	0.010	97.0	3.11	0.45	5.14	☐	☐	☐	
11-189	K302877	234.70	237.74	3.04	0.020	80.0	2.84	0.35	3.92	☐	☐	☐	
11-189	K302878	237.74	240.79	3.05	0.690	9650.0	4.39	6.48	8.75	☐	☐	☐	End of Batch 189
11-195	K302879	240.79	243.25	2.46	1.080	350.0	6.38	3.81	12.25	☐	☐	☐	Start of Batch 195
11-195	K302880	243.25	245.00	1.75	4.490	4170.0	22.60	4.09	36.70	☐	☐	☐	
11-195	K302881	245.00	246.89	1.89	12.550	14750.0	51.40	1.49	72.80	☐	☐	☐	
11-195	K302882	246.89	248.30	1.41	16.100	24000.0	73.40	2.94	103.50	☐	☐	☐	
11-195	K302883	248.30	249.94	1.64	2.260	2610.0	12.90	0.73	16.10	☐	☐	☐	
11-195	K302885	249.94	252.98	3.04	0.020	148.0	3.41	0.62	5.05	☐	☐	☐	
11-195	K302886	252.98	256.03	3.05	0.060	172.0	2.83	0.96	4.43	☐	☐	☐	
11-195	K302887	256.03	257.60	1.57	2.330	8810.0	7.73	23.60	14.70	☐	☐	☐	
11-195	K302888	257.60	259.08	1.48	1.040	175.0	4.03	4.20	7.77	☐	☐	☐	
11-195	K302889	259.08	262.13	3.05	0.010	58.0	1.54	0.26	4.65	☐	☐	☐	
11-195	K302890	262.13	265.18	3.05	0.010	35.0	1.53	0.16	3.00	☐	☐	☐	
11-195	K302892	265.18	268.22	3.04	0.010	17.0	1.08	0.14	2.17	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-195	K302893	268.22	271.27	3.05	0.010	8.0	0.79	0.20	1.76	☐	☐	☐	
11-195	K302894	271.27	274.32	3.05	0.005	12.0	0.59	0.26	1.10	☐	☐	☐	
11-195	K302895	274.32	277.37	3.05	0.005	14.0	0.68	0.25	1.32	☐	☐	☐	
11-195	K302896	277.37	280.42	3.05	0.005	52.0	1.47	0.49	1.85	☐	☐	☐	
11-195	K302897	280.42	283.46	3.04	0.005	73.0	1.67	0.36	0.90	☐	☐	☐	
11-195	K302898	283.46	286.51	3.05	0.005	35.0	1.07	0.23	0.65	☐	☐	☐	
11-195	K302899	286.51	289.56	3.05	0.010	8.0	0.24	0.19	0.26	☐	☐	☐	
11-195	K302900	286.51	289.56	3.05	0.005	2.5	0.20	0.15	0.23	☑	☐	☐	duplicate of 899
11-195	K302901	289.56	292.61	3.05	0.010	5.0	0.10	0.16	0.15	☐	☐	☐	
11-195	K302902	292.61	295.66	3.05	0.005	17.0	0.45	0.37	0.73	☐	☐	☐	
11-195	K302904	295.66	298.70	3.04	0.010	2.5	0.16	0.20	0.23	☐	☐	☐	
11-195	K302905	298.70	301.75	3.05	0.010	6.0	0.28	0.15	0.21	☐	☐	☐	
11-195	K302906	301.75	304.80	3.05	0.010	19.0	0.79	0.20	0.29	☐	☐	☐	
11-195	K302907	304.80	307.85	3.05	0.010	67.0	0.34	0.23	0.40	☐	☐	☐	
11-195	K302908	307.85	310.90	3.05	0.010	9.0	0.21	0.13	0.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-195	K302910	310.90	313.94	3.04	0.005	38.0	0.40	0.47	0.33	☐	☐	☐	
11-195	K302911	313.94	316.99	3.05	0.010	2.5	0.14	0.18	0.16	☐	☐	☐	
11-195	K302912	316.99	320.04	3.05	0.005	10.0	0.28	0.22	0.26	☐	☐	☐	
11-195	K302913	320.04	323.09	3.05	0.005	2.5	0.15	0.23	0.32	☐	☐	☐	
11-195	K302914	323.09	326.14	3.05	0.005	39.0	0.24	0.45	0.32	☐	☐	☐	End of Batch 195
11-198	K302915	326.14	329.18	3.04	0.005	22.0	0.11	0.35	0.23	☐	☐	☐	Start of Batch 198
11-198	K302916	329.18	332.23	3.05	0.005	10.0	0.08	0.34	0.19	☐	☐	☐	
11-198	K302917	332.23	335.28	3.05	0.005	4.0	0.02	0.31	0.05	☐	☐	☐	
11-198	K302918	335.28	338.33	3.05	0.010	2.5	0.07	0.18	0.14	☐	☐	☐	
11-198	K302919	338.33	341.38	3.05	0.005	8.0	0.19	0.38	0.50	☐	☐	☐	
11-198	K302921	341.38	344.42	3.04	0.005	9.0	0.27	0.30	0.27	☐	☐	☐	
11-198	K302922	344.42	347.47	3.05	0.005	104.0	0.62	0.37	1.33	☐	☐	☐	
11-198	K302923	347.47	350.52	3.05	0.005	29.0	0.44	0.23	0.60	☐	☐	☐	
11-198	K302924	350.52	353.57	3.05	0.005	25.0	0.49	0.44	0.82	☐	☐	☐	
11-198	K302925	353.57	355.25	1.68	0.005	89.0	1.97	0.65	2.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-198	K302927	355.25	357.50	2.25	0.005	192.0	1.42	1.05	2.57	☐	☐	☐	
11-198	K302928	357.50	359.66	2.16	0.290	639.0	2.87	3.54	8.87	☐	☐	☐	
11-198	K302929	359.66	362.71	3.05	0.030	492.0	2.99	3.96	8.45	☐	☐	☐	
11-198	K302930	362.71	365.76	3.05	0.010	552.0	1.34	1.23	3.39	☐	☐	☐	
11-198	K302931	365.76	368.81	3.05	0.130	547.0	2.78	1.40	6.68	☐	☐	☐	
11-198	K302932	368.81	371.86	3.05	0.005	30.0	0.38	0.31	0.73	☐	☐	☐	
11-198	K302933	371.86	374.00	2.14	0.005	88.0	0.56	0.42	1.40	☐	☐	☐	
11-198	K302934	374.00	375.70	1.70	0.010	940.0	1.57	1.16	3.11	☐	☐	☐	
11-198	K302935	375.70	377.95	2.25	0.005	732.0	1.56	1.01	2.83	☐	☐	☐	
11-198	K302936	377.95	381.00	3.05	0.005	35.0	0.63	0.66	2.54	☐	☐	☐	
11-198	K302937	377.95	381.00	3.05	0.005	26.0	0.52	0.47	2.36	☑	☐	☐	Duplicate of 936
11-198	K302938	381.00	384.05	3.05	0.005	56.0	0.51	1.39	3.27	☐	☐	☐	
11-198	K302939	384.05	387.10	3.05	0.005	25.0	0.29	0.46	0.40	☐	☐	☐	
11-198	K302940	387.10	390.14	3.04	0.005	28.0	0.18	0.56	0.17	☐	☐	☐	
11-198	K302942	390.14	393.19	3.05	0.005	37.0	0.27	0.88	0.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-198	K302943	393.19	396.24	3.05	0.005	20.0	0.17	0.73	0.19	☐	☐	☐	
11-198	K302944	396.24	399.29	3.05	0.005	31.0	0.41	1.02	0.89	☐	☐	☐	
11-198	K302946	399.29	402.34	3.05	0.005	57.0	0.44	1.30	0.73	☐	☐	☐	
11-198	K302947	402.34	405.38	3.04	0.005	24.0	0.16	0.34	0.56	☐	☐	☐	
11-198	K302948	405.38	408.43	3.05	0.030	163.0	3.00	1.76	4.80	☐	☐	☐	
11-198	K302949	408.43	411.48	3.05	0.005	81.0	1.54	0.62	2.29	☐	☐	☐	
11-198	K302950	411.48	414.53	3.05	0.005	50.0	0.55	0.51	0.80	☐	☐	☐	End of Batch 198
11-202	K302951	414.53	417.58	3.05	0.005	62.0	0.62	0.56	0.31	☐	☐	☐	Start of Batch 202
11-202	K302952	417.58	420.62	3.04	0.005	46.0	0.33	0.70	0.22	☐	☐	☐	
11-202	K302953	420.62	423.67	3.05	0.005	74.0	1.28	0.80	0.48	☐	☐	☐	
11-202	K302954	423.67	426.72	3.05	0.005	99.0	1.77	1.10	1.00	☐	☐	☐	
11-202	K302955	426.72	429.77	3.05	0.005	52.0	0.36	0.60	0.79	☐	☐	☐	
11-202	K302956	429.77	432.82	3.05	0.005	49.0	0.63	0.48	0.61	☐	☐	☐	
11-202	K302958	432.82	435.86	3.04	0.005	71.0	1.16	0.60	1.19	☐	☐	☐	
11-202	K302959	435.86	438.91	3.05	0.005	43.0	0.28	0.53	0.86	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-202	K302960	438.91	441.96	3.05	0.005	96.0	1.36	0.97	1.49	☐	☐	☐	
11-202	K302961	441.96	445.01	3.05	0.005	88.0	0.96	0.84	1.03	☐	☐	☐	
11-202	K302962	445.01	448.06	3.05	0.005	86.0	1.21	1.31	2.87	☐	☐	☐	
11-202	K302963	448.06	451.10	3.04	0.005	27.0	0.35	0.33	1.32	☐	☐	☐	
11-202	K302964	451.10	454.15	3.05	0.080	218.0	2.43	3.12	5.36	☐	☐	☐	
11-202	K302965	454.15	457.20	3.05	0.090	87.0	1.69	1.60	3.48	☐	☐	☐	
11-202	K302966	457.20	460.25	3.05	0.005	101.0	2.51	0.92	2.60	☐	☐	☐	
11-202	K302968	460.25	463.30	3.05	0.010	70.0	1.18	0.45	2.25	☐	☐	☐	
11-202	K302969	463.30	466.34	3.04	0.010	157.0	2.33	1.99	2.42	☐	☐	☐	
11-202	K302971	466.34	469.39	3.05	0.010	111.0	2.19	1.88	2.59	☐	☐	☐	
11-202	K302972	469.39	472.44	3.05	0.005	167.0	3.96	3.43	3.92	☐	☐	☐	
11-202	K302973	472.44	475.49	3.05	0.030	305.0	2.21	2.40	2.62	☐	☐	☐	
11-202	K302974	472.44	475.49	3.05	0.030	270.0	2.27	2.43	2.68	☑	☐	☐	Duplicate of 973
11-202	K302975	475.49	477.40	1.91	0.060	303.0	7.73	6.06	8.02	☐	☐	☐	
11-202	K302976	477.40	479.65	2.25	0.170	605.0	7.99	9.36	11.20	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-202	K302977	479.65	481.58	1.93	0.090	2970.0	5.01	9.20	6.24	☐	☐	☐	
11-202	K302978	481.58	484.63	3.05	0.060	212.0	3.27	3.61	5.39	☐	☐	☐	
11-202	K302979	484.63	487.68	3.05	0.010	438.0	2.45	3.25	2.45	☐	☐	☐	
11-202	K302980	487.68	490.72	3.04	0.090	370.0	5.25	6.80	8.53	☐	☐	☐	
11-202	K302981	490.72	493.78	3.06	0.130	2680.0	6.06	9.02	11.35	☐	☐	☐	
11-202	K302982	493.78	496.82	3.04	0.120	1610.0	8.53	11.70	16.80	☐	☐	☐	
11-202	K302984	496.82	499.87	3.05	0.100	995.0	5.35	9.14	9.81	☐	☐	☐	
11-202	K302985	499.87	502.92	3.05	0.180	1880.0	6.79	10.75	12.80	☐	☐	☐	
11-202	K302986	502.92	505.97	3.05	0.220	3730.0	8.90	14.70	15.85	☐	☐	☐	End of Batch 202
11-203	K302987	505.97	509.02	3.05	0.070	1020.0	3.91	6.24	7.13	☐	☐	☐	Start of Batch 203
11-203	K302988	509.02	511.50	2.48	0.090	1970.0	3.38	6.67	6.49	☐	☐	☐	
11-203	K302989	511.50	513.30	1.80	0.060	2010.0	4.40	8.92	9.71	☐	☐	☐	
11-203	K302990	513.30	515.11	1.81	0.140	442.0	5.07	12.20	14.40	☐	☐	☐	
11-203	K302991	515.11	518.16	3.05	0.060	1520.0	3.22	4.78	4.43	☐	☐	☐	
11-203	K302993	518.16	521.21	3.05	0.010	220.0	2.20	2.01	2.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-203	K302994	521.21	524.26	3.05	0.005	241.0	2.02	2.18	2.08	☐	☐	☐	
11-203	K302995	524.26	527.30	3.04	0.010	61.0	0.50	0.75	1.31	☐	☐	☐	
11-203	K302996	527.30	530.35	3.05	0.010	82.0	0.34	0.51	0.95	☐	☐	☐	
11-203	K302997	530.35	533.40	3.05	0.005	75.0	0.38	0.55	1.00	☐	☐	☐	
11-203	K302998	533.40	536.45	3.05	0.005	125.0	0.78	0.55	1.85	☐	☐	☐	
11-203	K302999	536.45	539.50	3.05	0.010	257.0	0.68	1.08	2.46	☐	☐	☐	
11-203	K305001	539.50	542.54	3.04	0.010	191.0	0.57	0.83	1.80	☐	☐	☐	
11-203	K305002	542.54	545.59	3.05	0.005	107.0	0.63	0.58	1.34	☐	☐	☐	
11-203	K305004	545.59	548.64	3.05	0.005	44.0	0.55	0.50	0.88	☐	☐	☐	
11-203	K305005	548.64	551.69	3.05	0.020	16.0	0.15	0.44	0.70	☐	☐	☐	
11-203	K305006	551.69	554.74	3.05	0.005	2.5	0.03	0.14	0.08	☐	☐	☐	
11-203	K305007	554.74	557.78	3.04	0.005	37.0	0.86	0.38	0.47	☐	☐	☐	
11-203	K305008	557.78	560.83	3.05	0.005	167.0	2.21	0.60	0.73	☐	☐	☐	
11-203	K305009	560.83	563.88	3.05	0.005	112.0	1.42	0.27	0.30	☐	☐	☐	
11-203	K305010	563.88	566.93	3.05	0.005	22.0	0.41	0.25	0.24	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-203	K305012	566.93	569.98	3.05	0.005	12.0	0.28	0.43	0.36	☐	☐	☐	
11-203	K305013	569.98	573.02	3.04	0.005	2.5	0.11	0.36	0.36	☐	☐	☐	
11-203	K305014	573.02	576.07	3.05	0.005	6.0	0.12	0.41	0.41	☐	☐	☐	
11-203	K305015	573.02	576.07	3.05	0.005	7.0	0.11	0.40	0.39	☑	☐	☐	duplicate of 014
11-203	K305016	576.07	579.12	3.05	0.005	6.0	0.11	0.42	0.43	☐	☐	☐	
11-203	K305017	579.12	582.17	3.05	0.005	10.0	0.11	0.41	0.41	☐	☐	☐	
11-203	K305018	582.17	585.22	3.05	0.005	12.0	0.12	0.45	0.49	☐	☐	☐	
11-203	K305019	585.22	588.26	3.04	0.005	2.5	0.07	0.27	0.22	☐	☐	☐	
11-203	K305020	588.26	591.31	3.05	0.010	17.0	0.17	0.59	0.60	☐	☐	☐	
11-203	K305021	591.31	594.36	3.05	0.005	8.0	0.09	0.34	0.31	☐	☐	☐	
11-203	K305022	594.36	597.41	3.05	0.005	6.0	0.07	0.29	0.26	☐	☐	☐	End of Batch 203
11-206	K305023	597.41	600.46	3.05	0.005	5.0	0.10	0.37	0.32	☐	☐	☐	Start of Batch 206
11-206	K305024	600.46	603.50	3.04	0.005	2.5	0.08	0.28	0.24	☐	☐	☐	
11-206	K305025	603.50	606.55	3.05	0.005	2.5	0.06	0.23	0.17	☐	☐	☐	
11-206	K305026	606.55	609.60	3.05	0.010	14.0	0.19	0.61	0.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-206	K305027	609.60	612.65	3.05	0.010	16.0	0.28	0.73	0.66	☐	☐	☐	
11-206	K305028	609.60	612.65	3.05	0.005	17.0	0.29	0.75	0.67	☑	☐	☐	Duplicate of 027
11-206	K305029	612.65	614.30	1.65	0.010	11.0	0.16	0.56	0.48	☐	☐	☐	
11-206	K305030	614.30	616.85	2.55	0.005	11.0	0.18	0.44	0.40	☐	☐	☐	
11-206	K305031	616.85	618.74	1.89	0.010	24.1	0.46	1.00	1.04	☐	☐	☐	
11-206	K305032	618.74	621.79	3.05	0.010	28.2	0.46	1.03	1.04	☐	☐	☐	
11-206	K305033	621.79	624.84	3.05	0.005	9.8	0.64	0.61	0.99	☐	☐	☐	
11-206	K305034	624.84	627.89	3.05	0.005	14.5	0.58	0.81	0.96	☐	☐	☐	
11-206	K305036	627.89	630.94	3.05	0.005	11.4	0.08	0.41	0.62	☐	☐	☐	
11-206	K305037	630.94	633.98	3.04	0.005	9.0	0.21	0.66	0.69	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-064

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-153	K302035	0.00	0.00	0.00	2.690	599.0	4.40	106.50	3.96	☐	☐	☑	NT2
11-153	K302042	0.00	0.00	0.00	0.005	15.0	0.02	0.09	0.03	☐	☑	☐	HQ
11-194	K302047	0.00	0.00	0.00	0.350	630.0	9.75	114.00	8.39	☐	☐	☑	NT1
11-194	K302053	0.00	0.00	0.00	0.005	9.0	0.01	0.05	0.03	☐	☑	☐	HQ
11-194	K302069	0.00	0.00	0.00	7.910	1100.0	6.20	18.80	14.30	☐	☐	☑	std-nt3
11-153	K302029	9.39	12.19	2.80	0.060	568.0	2.68	1.88	1.88	☐	☐	☐	
11-153	K302030	12.19	15.24	3.05	0.060	963.0	2.42	3.11	3.34	☐	☐	☐	
11-153	K302031	15.24	18.29	3.05	0.070	938.0	1.85	2.05	2.57	☐	☐	☐	
11-153	K302032	15.24	18.29	3.05	0.080	1080.0	2.09	2.39	2.81	☑	☐	☐	Duplicate of 031
11-153	K302033	18.29	21.34	3.05	0.110	507.0	1.26	1.26	1.06	☐	☐	☐	
11-153	K302034	21.34	24.38	3.04	0.120	612.0	0.98	1.56	1.23	☐	☐	☐	
11-153	K302036	24.38	27.43	3.05	0.040	238.0	1.14	1.46	1.03	☐	☐	☐	
11-153	K302037	27.43	30.48	3.05	0.080	643.0	2.34	1.95	1.56	☐	☐	☐	
11-153	K302038	30.48	33.53	3.05	0.030	254.0	1.18	1.78	1.08	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-153	K302039	33.53	36.58	3.05	0.010	337.0	1.30	1.97	1.10	☐	☐	☐	
11-153	K302040	36.58	39.62	3.04	0.050	653.0	6.00	1.77	1.79	☐	☐	☐	
11-153	K302041	39.62	42.67	3.05	0.110	2840.0	3.43	3.35	1.70	☐	☐	☐	
11-153	K302043	42.67	45.72	3.05	0.220	1760.0	6.30	3.44	1.79	☐	☐	☐	
11-153	K302044	45.72	48.77	3.05	0.040	836.0	4.05	2.16	2.69	☐	☐	☐	End of Batch 153
11-194	K302045	48.77	51.82	3.05	0.040	572.0	1.33	0.94	1.52	☐	☐	☐	Start of Batch 194
11-194	K302046	51.82	54.86	3.04	0.040	760.0	1.54	0.89	1.59	☐	☐	☐	
11-194	K302048	54.86	57.91	3.05	0.120	541.0	0.95	0.73	1.07	☐	☐	☐	
11-194	K302049	57.91	60.96	3.05	0.080	928.0	0.60	0.87	0.57	☐	☐	☐	
11-194	K302050	60.96	64.01	3.05	0.140	716.0	0.99	0.93	1.62	☐	☐	☐	
11-194	K302051	64.01	67.06	3.05	0.380	858.0	2.86	1.30	4.69	☐	☐	☐	
11-194	K302052	67.06	70.10	3.04	0.490	440.0	2.79	0.79	3.77	☐	☐	☐	
11-194	K302054	70.10	73.15	3.05	0.060	764.0	1.36	0.66	0.86	☐	☐	☐	
11-194	K302055	73.15	76.20	3.05	0.070	185.0	0.80	0.59	1.17	☐	☐	☐	
11-194	K302056	76.20	79.25	3.05	0.070	127.0	0.82	0.50	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-194	K302057	79.25	82.30	3.05	0.120	402.0	1.20	1.24	2.15	☐	☐	☐	
11-194	K302058	82.30	85.34	3.04	0.090	422.0	1.20	1.00	1.74	☐	☐	☐	
11-194	K302059	85.34	88.39	3.05	0.080	237.0	0.62	1.03	1.46	☐	☐	☐	
11-194	K302060	85.34	88.39	3.05	0.080	296.0	0.65	1.02	1.40	☑	☐	☐	Duplicate of 059
11-194	K302061	88.39	91.30	2.91	0.190	254.0	1.85	2.54	4.97	☐	☐	☐	
11-194	K302062	91.30	92.96	1.66	0.340	391.0	5.60	4.09	13.70	☐	☐	☐	
11-194	K302063	92.96	96.01	3.05	0.040	125.0	1.75	1.29	3.53	☐	☐	☐	
11-194	K302064	96.01	97.33	1.32	0.005	78.2	1.26	0.88	2.37	☐	☐	☐	
11-194	K302065	97.33	100.31	2.98	0.005	50.0	0.55	0.31	1.04	☐	☐	☐	
11-194	K302066	100.31	102.11	1.80	0.005	33.0	0.16	0.25	0.84	☐	☐	☐	
11-194	K302067	102.11	105.16	3.05	0.005	31.0	0.07	0.23	0.65	☐	☐	☐	
11-194	K302068	105.16	108.20	3.04	0.005	23.0	0.07	0.27	0.71	☐	☐	☐	
11-194	K302070	108.20	111.25	3.05	0.005	22.0	0.07	0.28	0.65	☐	☐	☐	
11-194	K302071	111.25	114.30	3.05	0.005	16.0	0.07	0.26	0.54	☐	☐	☐	
11-194	K302072	114.30	115.82	1.52	0.005	28.0	0.06	0.27	0.59	☐	☐	☐	

Sample Results

OS -11-065

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-191	K304092	0.00	0.00	0.00	0.010	10.0	0.01	0.13	0.12	☐	☑	☐	HQ
11-191	K304111	0.00	0.00	0.00	2.690	513.0	4.76	114.50	4.20	☐	☐	☑	NT2
11-191	K304116	0.00	0.00	0.00	0.005	6.0	0.01	0.14	0.13	☐	☑	☐	HQ
11-200	K304119	0.00	0.00	0.00	0.005	17.0	0.20	0.12	0.21	☐	☑	☐	HQ
11-200	K304121	0.00	0.00	0.00	16.100	1060.0	6.00	151.50	3.53	☐	☐	☑	NT4
11-200	K304131	0.00	0.00	0.00	0.005	2.5	0.05	0.17	0.03	☐	☑	☐	HQ
11-200	K304139	0.00	0.00	0.00	0.330	598.0	9.24	117.50	7.62	☐	☐	☑	nt1
11-200	K304152	0.00	0.00	0.00	0.005	2.5	0.01	0.11	0.03	☐	☑	☐	HQ hq hq
11-204	K304161	0.00	0.00	0.00	2.750	576.0	5.02	106.50	3.63	☐	☐	☑	nt2
11-204	K304167	0.00	0.00	0.00	7.940	972.0	6.31	19.85	11.90	☐	☐	☑	nt3
11-204	K304170	0.00	0.00	0.00	0.010	99.0	0.07	0.29	0.18	☐	☑	☐	HQ
11-204	K304179	0.00	0.00	0.00	0.005	9.0	0.01	0.05	0.03	☐	☑	☐	HQ
11-208	K304191	0.00	0.00	0.00	0.320	603.0	9.00	106.50	7.71	☐	☐	☑	NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-208	K304198	0.00	0.00	0.00	0.005	7.0	0.01	0.06	0.03	☐	☑	☐	NQ
11-191	K304090	1.55	3.96	2.41	0.400	1300.0	1.48	6.15	3.77	☐	☐	☐	
11-191	K304091	3.96	7.01	3.05	6.410	7680.0	19.50	35.20	49.70	☐	☐	☐	
11-191	K304093	7.01	10.06	3.05	0.400	1080.0	1.59	4.77	4.17	☐	☐	☐	
11-191	K304094	10.06	13.11	3.05	0.800	1440.0	1.93	4.96	8.13	☐	☐	☐	
11-191	K304095	13.11	16.15	3.04	0.770	1870.0	2.68	7.82	5.83	☐	☐	☐	
11-191	K304096	16.15	19.20	3.05	2.890	2810.0	8.16	10.75	9.35	☐	☐	☐	
11-191	K304097	19.20	20.73	1.53	4.250	2350.0	10.25	13.35	18.55	☐	☐	☐	
11-191	K304098	19.20	20.73	1.53	3.980	2360.0	10.00	12.20	18.75	☑	☐	☐	Duplicate of 097
11-191	K304099	20.73	23.77	3.04	4.580	4940.0	13.60	42.80	58.20	☐	☐	☐	
11-191	K304100	23.77	26.82	3.05	0.040	894.0	1.42	7.47	8.46	☐	☐	☐	
11-191	K304101	26.82	29.87	3.05	0.010	996.0	0.41	9.25	3.86	☐	☐	☐	
11-191	K304102	29.87	32.92	3.05	0.005	552.0	0.33	2.40	1.06	☐	☐	☐	
11-191	K304103	32.92	35.97	3.05	0.010	441.0	0.19	1.75	0.80	☐	☐	☐	
11-191	K304104	35.97	39.01	3.04	0.010	771.0	0.14	3.06	1.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-191	K304105	39.01	42.06	3.05	0.010	303.0	0.18	1.82	0.84	☐	☐	☐	
11-191	K304106	42.06	45.11	3.05	0.010	303.0	0.49	2.50	1.24	☐	☐	☐	
11-191	K304107	45.11	48.16	3.05	0.010	285.0	0.46	2.66	1.17	☐	☐	☐	
11-191	K304108	48.16	51.21	3.05	0.005	583.0	0.13	3.22	0.95	☐	☐	☐	
11-191	K304109	51.21	54.25	3.04	0.005	410.0	0.14	3.07	0.95	☐	☐	☐	
11-191	K304110	54.25	57.30	3.05	0.010	528.0	0.83	5.20	1.08	☐	☐	☐	
11-191	K304112	57.30	60.35	3.05	0.010	189.0	1.12	1.21	1.36	☐	☐	☐	
11-191	K304113	60.35	63.60	3.25	0.010	370.0	1.85	1.39	3.51	☐	☐	☐	
11-191	K304114	63.60	66.45	2.85	0.210	1320.0	4.75	5.81	13.25	☐	☐	☐	
11-191	K304115	66.45	67.97	1.52	0.300	1930.0	5.56	6.08	23.30	☐	☐	☐	
11-191	K304117	67.97	69.20	1.23	0.650	3420.0	12.30	17.25	52.60	☐	☐	☐	End of Batch 191
11-200	K304118	69.20	70.40	1.20	9.880	30000.0	44.80	58.40	150.50	☐	☐	☐	
11-200	K304120	70.40	71.25	0.85	2.110	18950.0	11.00	23.80	49.50	☐	☐	☐	
11-200	K304122	71.25	74.07	2.82	0.010	271.0	0.40	1.01	1.41	☐	☐	☐	
11-200	K304123	74.07	77.11	3.04	0.010	395.0	0.20	1.37	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-200	K304124	77.11	80.16	3.05	0.005	874.0	0.20	3.43	2.02	☐	☐	☐	
11-200	K304125	80.16	83.21	3.05	0.005	410.0	0.10	2.62	0.81	☐	☐	☐	
11-200	K304126	83.21	86.26	3.05	0.005	87.0	0.05	1.47	0.38	☐	☐	☐	
11-200	K304127	83.21	86.26	3.05	0.005	86.0	0.05	1.54	0.42	☑	☐	☐	dublicate of k304125
11-200	K304128	86.26	89.31	3.05	0.005	52.0	0.10	1.09	0.30	☐	☐	☐	
11-200	K304129	89.31	92.35	3.04	0.005	142.0	0.60	3.90	1.01	☐	☐	☐	
11-200	K304130	92.35	93.88	1.53	0.005	98.8	0.80	0.99	1.81	☐	☐	☐	
11-200	K304132	93.88	96.93	3.05	0.010	360.0	0.70	1.03	1.01	☐	☐	☐	
11-200	K304133	96.93	99.97	3.04	0.010	219.0	0.61	0.87	0.93	☐	☐	☐	
11-200	K304134	99.97	103.02	3.05	0.005	113.0	0.18	0.35	0.49	☐	☐	☐	
11-200	K304135	103.02	106.07	3.05	0.005	95.0	0.09	0.17	0.20	☐	☐	☐	
11-200	K304136	106.07	109.12	3.05	0.005	77.0	0.21	0.18	0.26	☐	☐	☐	
11-200	K304137	109.12	112.16	3.04	0.020	113.0	0.39	0.38	0.76	☐	☐	☐	
11-200	K304138	112.16	115.21	3.05	0.005	58.0	0.41	0.36	0.84	☐	☐	☐	
11-200	K304140	115.21	118.26	3.05	0.010	115.0	0.66	0.44	1.13	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-200	K304141	118.26	121.31	3.05	0.010	180.0	0.96	0.97	2.58	☐	☐	☐	
11-200	K304142	121.31	124.36	3.05	0.005	57.0	0.65	0.47	1.82	☐	☐	☐	
11-200	K304143	124.36	127.41	3.05	0.010	46.6	0.62	0.40	1.43	☐	☐	☐	
11-200	K304144	127.41	130.45	3.04	0.010	54.0	0.73	0.39	1.06	☐	☐	☐	
11-200	K304145	130.45	133.50	3.05	0.010	53.0	0.50	0.29	0.71	☐	☐	☐	
11-200	K304146	133.50	136.55	3.05	0.010	55.0	0.59	0.36	0.85	☐	☐	☐	
11-200	K304147	136.55	139.60	3.05	0.010	61.0	0.48	0.51	0.64	☐	☐	☐	
11-200	K304148	139.60	142.65	3.05	0.070	85.0	1.12	1.07	3.00	☐	☐	☐	
11-200	K304149	142.65	145.69	3.04	0.050	106.0	0.74	1.72	2.81	☐	☐	☐	
11-200	K304150	145.69	148.79	3.10	0.010	81.0	0.39	0.74	1.59	☐	☐	☐	
11-200	K304151	148.79	151.79	3.00	0.020	596.0	0.52	1.61	1.50	☐	☐	☐	
11-200	K304153	151.79	154.84	3.05	0.130	87.0	1.11	1.78	3.58	☐	☐	☐	end of batch 200
11-204	K304154	154.84	157.89	3.05	0.050	133.0	0.87	1.48	2.58	☐	☐	☐	start of batch 204
11-204	K304155	157.89	160.93	3.04	0.010	83.0	0.53	0.52	1.55	☐	☐	☐	
11-204	K304156	160.93	163.98	3.05	0.040	186.0	1.63	1.45	4.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-204	K304157	163.98	167.03	3.05	0.140	294.0	2.39	2.23	6.28	☐	☐	☐	
11-204	K304158	163.98	167.03	3.05	0.080	244.0	1.74	1.61	4.84	☑	☐	☐	dublicate of 155
11-204	K304159	167.03	170.08	3.05	0.070	122.0	0.98	1.13	2.36	☐	☐	☐	
11-204	K304160	170.08	173.13	3.05	0.040	74.0	0.70	0.83	1.70	☐	☐	☐	
11-204	K304162	173.13	176.17	3.04	0.170	112.0	10.50	2.50	7.91	☐	☐	☐	
11-204	K304163	176.17	179.22	3.05	0.370	180.0	3.01	3.52	6.52	☐	☐	☐	
11-204	K304164	179.22	182.27	3.05	0.760	510.0	3.72	8.97	12.10	☐	☐	☐	
11-204	K304165	182.27	184.65	2.38	0.230	247.0	4.23	3.95	6.93	☐	☐	☐	
11-204	K304166	184.65	186.00	1.35	0.820	1060.0	5.60	6.33	13.30	☐	☐	☐	
11-204	K304168	186.00	187.00	1.00	8.320	44100.0	34.80	112.00	90.50	☐	☐	☐	
11-204	K304169	187.00	188.15	1.15	7.650	86200.0	26.40	210.00	79.70	☐	☐	☐	
11-204	K304171	188.15	189.40	1.25	4.110	144000.0	21.00	301.00	63.40	☐	☐	☐	
11-204	K304172	189.40	191.41	2.01	0.600	548.0	7.00	4.54	16.80	☐	☐	☐	
11-204	K304173	191.41	194.46	3.05	0.320	296.0	2.69	2.69	4.52	☐	☐	☐	
11-204	K304174	194.46	197.51	3.05	0.130	6470.0	2.31	13.70	1.88	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-204	K304175	197.51	200.56	3.05	0.020	685.0	2.24	2.43	1.93	☐	☐	☐	
11-204	K304176	200.56	203.61	3.05	0.020	95.0	3.65	0.91	1.58	☐	☐	☐	
11-204	K304177	203.61	206.65	3.04	0.020	120.0	20.70	0.84	3.57	☐	☐	☐	
11-204	K304178	206.65	209.70	3.05	0.020	3440.0	1.82	2.32	1.14	☐	☐	☐	
11-204	K304180	209.70	212.75	3.05	0.040	300.0	1.09	1.04	0.99	☐	☐	☐	
11-204	K304181	212.75	215.80	3.05	0.010	59.0	9.50	0.57	0.92	☐	☐	☐	
11-204	K304182	215.80	218.85	3.05	0.020	948.0	1.12	1.52	0.96	☐	☐	☐	
11-204	K304183	218.85	221.89	3.04	0.010	88.0	0.90	0.83	0.98	☐	☐	☐	
11-204	K304184	221.89	224.94	3.05	0.100	2820.0	2.37	4.49	2.57	☐	☐	☐	
11-204	K304185	224.94	227.99	3.05	0.180	11450.0	3.17	13.50	3.75	☐	☐	☐	
11-204	K304186	227.99	231.04	3.05	0.005	77.0	0.38	0.32	0.57	☐	☐	☐	
11-204	K304187	231.04	234.09	3.05	0.130	293.0	2.18	2.38	4.77	☐	☐	☐	
11-204	K304188	234.09	237.13	3.04	0.005	73.0	0.85	0.57	2.67	☐	☐	☐	
11-204	K304189	237.13	240.18	3.05	0.180	122.0	0.43	2.21	3.17	☐	☐	☐	End of Batch 204
11-208	K304190	240.18	243.23	3.05	0.005	61.0	0.11	0.27	0.73	☐	☐	☐	Start of Batch 208

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-208	K304192	243.23	246.28	3.05	0.005	51.0	0.11	0.32	0.62	☐	☐	☐	
11-208	K304193	246.28	249.33	3.05	0.005	60.4	0.10	0.36	0.91	☐	☐	☐	
11-208	K304194	249.33	252.37	3.04	0.005	41.1	0.09	0.37	0.80	☐	☐	☐	
11-208	K304195	252.37	255.42	3.05	0.005	82.3	0.33	0.53	1.57	☐	☐	☐	
11-208	K304196	255.42	258.47	3.05	0.640	2330.0	4.67	6.58	16.00	☐	☐	☐	
11-208	K304197	258.47	261.52	3.05	0.960	2450.0	4.49	8.17	15.65	☐	☐	☐	

Sample Results

OS -11-066

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-196	K303643	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-196	K303653	0.00	0.00	0.00	2.650	616.0	4.11	107.00	3.83	☐	☐	☑	NT1
11-199	K303671	0.00	0.00	0.00	2.670	604.0	4.55	103.50	3.96	☐	☐	☑	NT2
11-199	K303675	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-199	K303683	0.00	0.00	0.00	0.340	600.0	9.94	121.00	7.82	☐	☐	☑	NT1
11-199	K303690	0.00	0.00	0.00	0.005	7.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-205	K303698	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-205	K303714	0.00	0.00	0.00	2.660	609.0	4.44	101.00	4.01	☐	☐	☑	NT2
11-205	K303718	0.00	0.00	0.00	7.740	994.0	5.61	17.40	12.80	☐	☐	☑	NT3
11-205	K303727	0.00	0.00	0.00	0.005	44.0	0.01	0.16	0.04	☐	☑	☐	NQ
11-209	K303738	0.00	0.00	0.00	0.330	605.0	9.51	117.50	8.13	☐	☐	☑	NT1
11-209	K303746	0.00	0.00	0.00	15.150	1310.0	5.67	154.00	3.66	☐	☐	☑	NT4
11-209	K303750	0.00	0.00	0.00	0.010	17.0	0.01	0.19	0.12	☐	☑	☐	NQ
11-209	K303758	0.00	0.00	0.00	0.010	2.5	0.01	0.15	0.07	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-213	K303770	0.00	0.00	0.00	2.710	519.0	5.12	110.00	3.66	☐	☐	☑	NT2
11-213	K303776	0.00	0.00	0.00	0.005	2.5	0.03	0.06	0.06	☐	☑	☐	NQ
11-213	K303788	0.00	0.00	0.00	0.340	558.0	9.30	115.50	7.26	☐	☐	☑	NT1
11-213	K303797	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.02	☐	☑	☐	NQ
11-215	K303805	0.00	0.00	0.00	0.340	609.0	10.00	125.00	7.66	☐	☐	☑	NT1
11-215	K303820	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-215	K303824	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-215	K303831	0.00	0.00	0.00	2.640	570.0	4.20	101.00	3.88	☐	☐	☑	NT2
11-221	K303846	0.00	0.00	0.00	0.330	585.0	9.55	111.50	7.73	☐	☑	☐	NT1
11-221	K303849	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	NQ
11-221	K303859	0.00	0.00	0.00	2.500	597.0	4.53	103.50	4.08	☐	☐	☑	NT2
11-221	K303868	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-196	K303639	4.57	6.71	2.14	0.005	17.0	0.07	0.14	0.29	☐	☐	☐	
11-196	K303640	6.71	9.75	3.04	0.005	15.0	0.06	0.16	0.28	☐	☐	☐	
11-196	K303641	9.75	12.80	3.05	0.005	16.0	0.08	0.22	0.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-196	K303642	12.80	15.85	3.05	0.005	16.0	0.05	0.17	0.35	☐	☐	☐	
11-196	K303644	15.85	18.90	3.05	0.005	17.0	0.10	0.32	0.78	☐	☐	☐	
11-196	K303645	18.90	21.95	3.05	0.005	16.0	0.09	0.34	0.70	☐	☐	☐	
11-196	K303646	21.95	24.99	3.04	0.010	12.0	0.05	0.26	0.45	☐	☐	☐	
11-196	K303647	24.99	28.04	3.05	0.005	22.0	0.05	0.36	0.52	☐	☐	☐	
11-196	K303648	28.04	31.09	3.05	0.005	23.0	0.04	0.35	0.37	☐	☐	☐	
11-196	K303649	31.09	34.14	3.05	0.010	18.0	0.04	0.35	0.31	☐	☐	☐	
11-196	K303650	34.14	37.18	3.04	0.010	18.0	0.06	0.41	0.46	☐	☐	☐	
11-196	K303651	37.18	40.23	3.05	0.005	17.0	0.07	0.36	0.44	☐	☐	☐	
11-196	K303652	40.23	43.28	3.05	0.020	11.0	0.04	0.35	0.32	☐	☐	☐	
11-196	K303654	43.28	46.33	3.05	0.005	16.0	0.06	0.49	0.35	☐	☐	☐	
11-196	K303655	46.33	49.38	3.05	0.005	14.0	0.06	0.32	0.52	☐	☐	☐	
11-196	K303656	49.38	52.43	3.05	0.005	20.0	0.08	0.50	1.01	☐	☐	☐	End of Batch 196
11-199	K303657	52.43	55.47	3.04	0.005	33.0	0.15	0.39	1.43	☐	☐	☐	Start of Batch 199
11-199	K303658	55.47	58.52	3.05	0.010	19.0	0.16	0.35	1.34	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-199	K303659	58.52	61.57	3.05	0.010	14.0	0.20	0.34	1.33	☐	☐	☐	
11-199	K303660	61.57	64.62	3.05	0.020	9.0	0.07	0.17	0.63	☐	☐	☐	
11-199	K303661	61.57	64.62	3.05	0.005	8.0	0.08	0.18	0.70	☑	☐	☐	duplicate of 660
11-199	K303662	64.62	67.66	3.04	0.005	13.0	0.15	0.35	1.18	☐	☐	☐	
11-199	K303663	67.66	70.71	3.05	0.005	5.0	0.11	0.24	1.06	☐	☐	☐	
11-199	K303664	70.71	72.72	2.01	0.005	19.0	0.19	0.33	2.16	☐	☐	☐	
11-199	K303665	72.72	75.28	2.56	0.005	33.1	0.22	0.45	2.09	☐	☐	☐	
11-199	K303666	75.28	78.33	3.05	0.005	18.0	0.08	0.21	0.65	☐	☐	☐	
11-199	K303667	78.33	81.38	3.05	0.005	10.0	0.10	0.18	0.59	☐	☐	☐	
11-199	K303668	81.38	84.25	2.87	0.005	40.0	0.15	0.33	0.71	☐	☐	☐	
11-199	K303669	84.25	85.95	1.70	0.030	145.0	0.54	1.61	4.00	☐	☐	☐	
11-199	K303670	85.95	89.00	3.05	0.010	51.0	0.49	1.09	3.39	☐	☐	☐	
11-199	K303672	89.00	92.05	3.05	0.005	119.0	0.44	1.31	3.38	☐	☐	☐	
11-199	K303673	92.05	95.10	3.05	0.005	17.8	0.39	0.90	1.62	☐	☐	☐	
11-199	K303674	95.10	98.15	3.05	0.010	22.2	0.39	0.91	1.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-199	K303676	98.15	101.19	3.04	0.030	278.0	1.05	2.17	3.83	☐	☐	☐	
11-199	K303677	101.19	104.24	3.05	0.030	148.0	1.45	2.14	4.70	☐	☐	☐	
11-199	K303678	104.24	107.29	3.05	0.005	37.5	0.62	1.06	3.66	☐	☐	☐	
11-199	K303679	107.29	110.34	3.05	0.005	27.1	0.38	0.85	2.20	☐	☐	☐	
11-199	K303680	110.34	113.39	3.05	0.005	27.7	0.27	0.95	2.23	☐	☐	☐	
11-199	K303681	113.39	114.91	1.52	0.005	37.5	0.35	0.90	2.48	☐	☐	☐	
11-199	K303682	114.91	117.96	3.05	0.010	25.0	0.38	0.80	2.36	☐	☐	☐	
11-199	K303684	117.96	121.01	3.05	0.005	62.2	0.56	0.87	2.90	☐	☐	☐	
11-199	K303685	121.01	124.05	3.04	0.040	367.0	1.22	2.36	3.82	☐	☐	☐	
11-199	K303686	124.05	126.20	2.15	0.050	286.0	1.12	2.56	3.94	☐	☐	☐	
11-199	K303687	126.20	127.90	1.70	0.210	372.0	0.93	2.16	3.68	☐	☐	☐	
11-199	K303688	127.90	130.16	2.26	0.480	9560.0	2.95	15.75	14.20	☐	☐	☐	
11-199	K303689	130.16	132.65	2.49	0.160	289.0	2.20	2.20	2.93	☐	☐	☐	
11-199	K303691	132.65	134.70	2.05	0.130	220.0	2.85	3.34	3.98	☐	☐	☐	
11-199	K303692	134.70	136.25	1.55	0.150	410.0	5.58	6.68	8.61	☐	☐	☐	End of Batch 199

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-205	K303693	136.25	139.29	3.04	0.670	9700.0	7.11	19.45	16.75	☐	☐	☐	Start of Batch 205
11-205	K303694	139.29	142.34	3.05	0.020	212.0	1.56	1.55	3.31	☐	☐	☐	
11-205	K303695	142.34	145.39	3.05	0.005	67.6	0.63	0.43	1.87	☐	☐	☐	
11-205	K303696	145.39	148.44	3.05	0.005	37.7	0.21	0.47	1.15	☐	☐	☐	
11-205	K303697	148.44	151.49	3.05	0.005	81.5	0.19	0.42	1.19	☐	☐	☐	
11-205	K303699	151.49	154.53	3.04	0.005	66.5	0.11	0.42	1.04	☐	☐	☐	chip sampled from 145.53 to 191.11
11-205	K303700	191.11	194.16	3.05	0.005	73.8	0.22	0.66	0.92	☐	☐	☐	
11-205	K303701	194.16	197.21	3.05	0.005	64.9	0.28	0.76	1.41	☐	☐	☐	
11-205	K303702	197.21	200.25	3.04	0.005	40.5	0.16	0.52	1.09	☐	☐	☐	
11-205	K303703	197.21	200.25	3.04	0.005	48.8	0.21	0.66	1.35	☑	☐	☐	duplicate of 702
11-205	K303704	200.25	203.30	3.05	0.005	47.0	0.50	0.54	1.69	☐	☐	☐	
11-205	K303705	203.30	206.35	3.05	0.005	262.0	0.72	0.76	2.61	☐	☐	☐	
11-205	K303706	206.35	209.40	3.05	0.010	23.4	0.09	0.38	1.05	☐	☐	☐	
11-205	K303707	209.40	212.45	3.05	0.005	57.3	0.43	0.57	2.22	☐	☐	☐	
11-205	K303708	212.45	215.49	3.04	0.005	47.6	0.08	0.39	0.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-205	K303709	215.49	218.08	2.59	0.070	259.0	0.98	1.91	3.94	☐	☐	☐	
11-205	K303710	218.08	221.59	3.51	0.400	2240.0	2.61	6.57	6.69	☐	☐	☐	
11-205	K303711	221.59	223.47	1.88	0.640	5720.0	5.11	14.80	8.41	☐	☐	☐	
11-205	K303712	223.47	224.64	1.17	0.810	658.0	2.93	8.76	7.79	☐	☐	☐	
11-205	K303713	224.64	227.69	3.05	0.110	488.0	0.69	2.34	3.06	☐	☐	☐	
11-205	K303715	227.69	230.73	3.04	0.020	371.0	0.42	0.95	3.01	☐	☐	☐	chip sampled from 230.73 to 300.84
11-205	K303716	297.79	300.84	3.05	1.320	970.0	3.57	6.78	11.30	☐	☐	☐	
11-205	K303717	300.84	303.89	3.05	0.005	101.5	0.33	0.61	2.66	☐	☐	☐	
11-205	K303719	303.89	305.10	1.21	0.005	49.6	0.15	0.32	1.53	☐	☐	☐	
11-205	K303720	305.10	308.10	3.00	0.110	1050.0	1.55	3.10	4.44	☐	☐	☐	
11-205	K303721	308.10	309.98	1.88	0.010	172.0	1.59	1.59	2.66	☐	☐	☐	
11-205	K303722	309.98	313.03	3.05	0.005	55.0	0.71	0.38	3.35	☐	☐	☐	
11-205	K303723	313.03	316.08	3.05	0.005	17.0	0.30	0.19	2.49	☐	☐	☐	
11-205	K303724	316.08	319.13	3.05	0.005	53.0	1.57	0.79	2.94	☐	☐	☐	
11-205	K303725	319.13	320.52	1.39	0.050	17050.0	3.07	39.10	7.91	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-205	K303726	320.52	322.17	1.65	0.005	189.0	1.13	1.77	2.42	☐	☐	☐	
11-205	K303728	322.17	325.22	3.05	0.040	293.0	4.45	11.00	14.90	☐	☐	☐	End of Batch 205
11-209	K303729	325.22	328.27	3.05	0.005	45.0	0.93	1.18	2.97	☐	☐	☐	Start of Batch 209
11-209	K303730	328.27	331.32	3.05	0.030	61.0	1.03	1.46	2.07	☐	☐	☐	
11-209	K303731	331.32	334.37	3.05	0.020	63.0	1.07	0.91	2.45	☐	☐	☐	
11-209	K303732	334.37	337.41	3.04	0.030	26.0	0.62	0.53	2.19	☐	☐	☐	
11-209	K303733	334.37	337.41	3.04	0.030	26.0	0.66	0.58	2.26	☑	☐	☐	Duplicate of 732
11-209	K303734	337.41	340.46	3.05	0.060	28.0	0.66	1.23	1.65	☐	☐	☐	
11-209	K303735	340.46	343.51	3.05	0.020	30.0	0.45	0.49	1.73	☐	☐	☐	
11-209	K303736	343.51	346.56	3.05	0.010	46.0	0.53	0.29	1.63	☐	☐	☐	
11-209	K303737	346.56	349.61	3.05	0.070	77.0	0.67	0.81	3.78	☐	☐	☐	
11-209	K303739	349.61	352.65	3.04	0.080	5010.0	2.46	14.60	10.90	☐	☐	☐	
11-209	K303740	352.65	355.70	3.05	0.040	4040.0	2.61	10.45	10.80	☐	☐	☐	
11-209	K303741	355.70	358.75	3.05	0.040	69.0	0.40	0.72	4.71	☐	☐	☐	
11-209	K303742	358.75	359.90	1.15	0.590	6830.0	0.94	19.00	4.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-209	K303743	359.90	361.80	1.90	19.850	15550.0	11.30	99.40	65.10	☐	☐	☐	
11-209	K303744	361.80	364.84	3.04	2.170	659.0	2.00	10.50	11.05	☐	☐	☐	
11-209	K303745	364.84	366.75	1.91	3.830	966.0	5.42	21.70	23.50	☐	☐	☐	
11-209	K303747	366.75	368.80	2.05	2.740	1200.0	3.34	13.00	11.40	☐	☐	☐	
11-209	K303748	368.80	371.08	2.28	12.750	11100.0	16.70	113.50	81.00	☐	☐	☐	
11-209	K303749	371.08	371.85	0.77	8.780	5510.0	10.00	39.30	31.00	☐	☐	☐	
11-209	K303751	371.85	373.00	1.15	6.320	22900.0	6.35	103.00	17.90	☐	☐	☐	
11-209	K303752	373.00	375.00	2.00	1.570	1850.0	3.33	12.15	9.37	☐	☐	☐	
11-209	K303753	375.00	377.30	2.30	4.820	1420.0	8.35	22.00	18.75	☐	☐	☐	
11-209	K303754	377.30	380.30	3.00	4.990	781.0	5.58	17.65	17.80	☐	☐	☐	
11-209	K303755	380.30	383.13	2.83	8.780	955.0	8.58	24.20	21.90	☐	☐	☐	
11-209	K303756	383.13	386.18	3.05	0.480	102.0	1.54	3.69	4.44	☐	☐	☐	
11-209	K303757	386.18	389.22	3.04	0.230	59.0	1.32	2.44	5.26	☐	☐	☐	
11-209	K303759	389.22	392.28	3.06	0.110	44.0	0.76	1.56	3.19	☐	☐	☐	
11-209	K303760	392.28	395.33	3.05	0.010	32.0	0.41	0.26	1.73	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-209	K303761	395.33	398.37	3.04	0.010	28.0	0.36	0.25	1.97	☐	☐	☐	
11-209	K303762	398.37	401.42	3.05	0.005	29.0	0.53	0.18	1.40	☐	☐	☐	
11-209	K303763	401.42	404.47	3.05	0.020	53.0	1.03	0.46	2.56	☐	☐	☐	
11-209	K303764	404.47	407.52	3.05	0.040	51.0	0.82	0.38	3.19	☐	☐	☐	End of Batch 209
11-213	K303765	407.52	410.57	3.05	0.030	51.0	1.12	0.76	3.65	☐	☐	☐	
11-213	K303766	410.57	413.61	3.04	0.130	125.0	1.42	2.40	4.65	☐	☐	☐	
11-213	K303767	413.61	416.66	3.05	0.010	43.0	0.61	0.34	2.38	☐	☐	☐	
11-213	K303768	416.66	419.71	3.05	0.090	267.0	4.46	1.88	7.00	☐	☐	☐	
11-213	K303769	419.71	422.76	3.05	0.060	133.0	4.01	0.57	5.95	☐	☐	☐	
11-213	K303771	422.76	425.81	3.05	0.010	51.0	0.89	0.31	1.42	☐	☐	☐	
11-213	K303772	425.81	428.85	3.04	0.005	1860.0	16.20	0.85	17.55	☐	☐	☐	
11-213	K303773	428.85	431.90	3.05	0.005	1700.0	6.40	0.53	6.65	☐	☐	☐	
11-213	K303774	431.90	434.95	3.05	0.005	28.0	1.22	0.17	0.98	☐	☐	☐	
11-213	K303775	434.95	438.00	3.05	0.005	23.0	0.24	0.27	0.62	☐	☐	☐	
11-213	K303777	438.00	441.05	3.05	0.005	13.0	0.09	0.18	0.15	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-213	K303778	441.05	444.09	3.04	0.005	26.0	0.33	0.44	0.63	☐	☐	☐	
11-213	K303779	444.09	447.14	3.05	0.005	11.0	0.06	0.23	0.19	☐	☐	☐	
11-213	K303780	444.09	447.14	3.05	0.010	8.0	0.05	0.19	0.14	☑	☐	☐	Duplicate of 213
11-213	K303781	447.14	450.19	3.05	0.005	13.0	0.21	0.29	0.34	☐	☐	☐	
11-213	K303782	450.19	453.24	3.05	0.005	8.0	0.09	0.19	0.13	☐	☐	☐	
11-213	K303783	453.24	456.29	3.05	0.005	13.0	0.10	0.21	0.19	☐	☐	☐	
11-213	K303784	456.29	459.33	3.04	0.005	14.0	0.07	0.22	0.17	☐	☐	☐	
11-213	K303785	459.33	462.38	3.05	0.005	21.0	0.10	0.32	0.28	☐	☐	☐	
11-213	K303786	462.38	465.43	3.05	0.005	22.0	0.11	0.29	0.31	☐	☐	☐	
11-213	K303787	465.43	468.48	3.05	0.005	20.0	0.25	0.24	0.41	☐	☐	☐	
11-213	K303789	468.48	471.53	3.05	0.010	33.0	0.34	0.47	0.62	☐	☐	☐	
11-213	K303790	471.53	474.57	3.04	0.010	20.0	0.19	0.33	0.43	☐	☐	☐	
11-213	K303791	474.57	477.62	3.05	0.010	12.0	0.08	0.18	0.13	☐	☐	☐	
11-213	K303792	477.62	480.67	3.05	0.005	18.0	0.13	0.26	0.25	☐	☐	☐	
11-213	K303793	480.67	483.72	3.05	0.005	29.0	0.24	0.50	0.62	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-213	K303794	483.72	486.77	3.05	0.010	12.0	0.05	0.23	0.19	☐	☐	☐	
11-213	K303795	486.77	489.81	3.04	0.005	11.0	0.04	0.20	0.12	☐	☐	☐	
11-213	K303796	489.81	492.86	3.05	0.005	23.0	0.10	0.29	0.35	☐	☐	☐	
11-213	K303798	492.86	495.91	3.05	0.005	18.0	0.08	0.23	0.25	☐	☐	☐	
11-213	K303799	495.91	498.96	3.05	0.005	13.0	0.04	0.14	0.11	☐	☐	☐	
11-213	K303800	498.96	502.01	3.05	0.005	10.0	0.05	0.16	0.10	☐	☐	☐	End of Batch 213
11-215	K303801	502.01	505.05	3.04	0.005	28.0	0.09	0.23	0.24	☐	☐	☐	Start of Batch 215
11-215	K303802	505.05	508.10	3.05	0.005	16.0	0.05	0.18	0.14	☐	☐	☐	
11-215	K303803	508.10	511.15	3.05	0.005	23.0	0.10	0.25	0.24	☐	☐	☐	
11-215	K303804	511.15	514.20	3.05	0.010	85.0	0.17	0.46	0.48	☐	☐	☐	
11-215	K303806	514.20	517.25	3.05	0.010	80.0	0.12	0.69	0.42	☐	☐	☐	
11-215	K303807	517.25	520.29	3.04	0.005	34.0	0.09	0.53	0.27	☐	☐	☐	
11-215	K303808	520.29	523.34	3.05	0.005	27.0	0.08	0.48	0.25	☐	☐	☐	
11-215	K303809	523.34	526.39	3.05	0.005	66.0	0.19	0.73	0.50	☐	☐	☐	
11-215	K303810	523.34	526.39	3.05	0.010	60.0	0.19	0.68	0.48	☑	☐	☐	Duplicate of 809

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-215	K303811	526.39	529.44	3.05	0.010	49.0	0.10	0.41	0.25	☐	☐	☐	
11-215	K303812	529.44	532.49	3.05	0.005	83.0	0.17	0.56	0.59	☐	☐	☐	
11-215	K303813	532.49	535.53	3.04	0.005	26.0	0.12	0.43	0.51	☐	☐	☐	
11-215	K303814	535.53	538.58	3.05	0.005	32.0	0.21	0.60	0.89	☐	☐	☐	
11-215	K303815	538.58	541.63	3.05	0.005	57.0	0.29	0.60	0.97	☐	☐	☐	
11-215	K303816	541.63	544.68	3.05	0.005	123.0	0.93	0.68	1.08	☐	☐	☐	
11-215	K303817	544.68	547.73	3.05	0.005	195.0	1.27	0.92	1.04	☐	☐	☐	
11-215	K303818	547.73	550.77	3.04	0.050	386.0	2.21	1.60	1.49	☐	☐	☐	
11-215	K303819	550.77	553.82	3.05	0.005	40.0	1.00	0.37	0.77	☐	☐	☐	
11-215	K303821	553.82	556.87	3.05	0.005	18.0	0.38	0.64	0.77	☐	☐	☐	
11-215	K303822	556.87	559.92	3.05	0.010	5.0	0.18	0.52	0.54	☐	☐	☐	
11-215	K303823	559.92	562.97	3.05	0.005	16.0	0.14	0.36	0.46	☐	☐	☐	
11-215	K303825	562.97	566.01	3.04	0.005	25.0	0.15	0.46	0.62	☐	☐	☐	
11-215	K303826	566.01	569.06	3.05	0.005	24.0	0.17	0.50	0.75	☐	☐	☐	
11-215	K303827	569.06	572.11	3.05	0.005	19.0	0.14	0.36	0.44	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-215	K303828	572.11	575.16	3.05	0.005	22.0	0.57	0.45	0.53	☐	☐	☐	
11-215	K303829	575.16	578.21	3.05	0.005	18.0	0.24	0.35	0.42	☐	☐	☐	
11-215	K303830	578.21	581.25	3.04	0.005	9.0	0.04	0.11	0.18	☐	☐	☐	
11-215	K303832	581.25	584.30	3.05	0.005	19.0	0.12	0.41	1.02	☐	☐	☐	
11-215	K303833	584.30	587.35	3.05	0.005	24.0	0.13	0.49	1.66	☐	☐	☐	
11-215	K303834	587.35	590.40	3.05	0.005	11.0	0.10	0.34	1.14	☐	☐	☐	
11-215	K303835	590.40	593.45	3.05	0.010	26.0	0.29	0.48	1.45	☐	☐	☐	
11-215	K303836	593.45	596.49	3.04	0.005	92.0	0.39	0.63	1.55	☐	☐	☐	End of Batch 215
11-221	K303837	596.49	599.54	3.05	0.010	139.0	1.01	0.71	2.18	☐	☐	☐	Start of Batch 221
11-221	K303838	599.54	602.59	3.05	0.010	134.5	1.75	0.78	3.40	☐	☐	☐	
11-221	K303839	602.59	605.64	3.05	0.070	207.0	0.86	1.06	3.04	☐	☐	☐	
11-221	K303840	602.59	605.64	3.05	0.010	146.0	0.78	0.81	2.69	☑	☐	☐	Duplicate of 284
11-221	K303841	605.64	608.69	3.05	0.030	170.0	1.39	0.95	4.27	☐	☐	☐	
11-221	K303842	608.69	611.73	3.04	0.140	264.0	2.18	1.44	4.41	☐	☐	☐	
11-221	K303843	611.73	614.78	3.05	0.320	307.0	1.89	1.26	3.11	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-221	K303844	614.78	617.83	3.05	0.580	291.0	2.01	1.71	3.51	☐	☐	☐	
11-221	K303845	617.83	620.88	3.05	0.240	317.0	2.03	1.41	3.68	☐	☐	☐	
11-221	K303847	620.88	623.93	3.05	0.180	215.0	1.14	0.91	2.85	☐	☐	☐	
11-221	K303848	623.93	626.97	3.04	0.180	204.0	0.81	0.68	2.51	☐	☐	☐	
11-221	K303850	626.97	630.02	3.05	0.010	88.0	0.50	0.57	2.18	☐	☐	☐	
11-221	K303851	630.02	633.07	3.05	0.010	13.0	0.13	0.31	0.81	☐	☐	☐	
11-221	K303852	633.07	636.12	3.05	0.010	12.0	0.08	0.27	0.47	☐	☐	☐	
11-221	K303853	636.12	639.17	3.05	0.010	12.0	0.15	0.54	0.79	☐	☐	☐	
11-221	K303854	639.17	642.21	3.04	0.010	27.0	0.13	0.31	0.70	☐	☐	☐	
11-221	K303855	642.21	645.26	3.05	0.010	68.0	0.61	0.37	1.11	☐	☐	☐	
11-221	K303856	645.26	648.31	3.05	0.030	144.0	1.34	0.55	1.69	☐	☐	☐	
11-221	K303857	648.31	651.36	3.05	0.010	135.0	1.30	0.53	1.62	☐	☐	☐	
11-221	K303858	651.36	654.41	3.05	0.005	43.0	0.37	0.33	0.85	☐	☐	☐	
11-221	K303860	654.41	657.45	3.04	0.005	17.0	0.11	0.40	0.45	☐	☐	☐	
11-221	K303861	657.45	660.50	3.05	0.005	19.0	0.15	0.44	0.45	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-221	K303862	660.50	663.55	3.05	0.010	23.0	0.13	0.32	0.33	☐	☐	☐	
11-221	K303863	663.55	666.60	3.05	0.010	20.0	0.12	0.46	0.40	☐	☐	☐	
11-221	K303864	666.60	669.65	3.05	0.010	19.0	0.14	0.66	0.44	☐	☐	☐	
11-221	K303865	669.65	672.70	3.05	0.005	13.0	0.16	0.40	0.41	☐	☐	☐	
11-221	K303866	672.70	675.74	3.04	0.010	13.0	0.09	0.31	0.31	☐	☐	☐	
11-221	K303867	675.74	678.79	3.05	0.010	52.0	0.27	0.62	0.75	☐	☐	☐	
11-221	K303869	678.79	681.84	3.05	0.005	45.0	0.31	0.31	0.34	☐	☐	☐	
11-221	K303870	681.84	684.89	3.05	0.005	59.0	0.49	0.48	1.38	☐	☐	☐	

Sample Results

OS -11-067

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-197	K304553	0.00	0.00	0.00	0.340	638.0	9.30	125.00	8.55	☐	☐	☑	NT1
11-197	K304563	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.03	☐	☑	☐	NQ
11-197	K304575	0.00	0.00	0.00	2.640	585.0	4.40	100.50	3.94	☐	☐	☑	NT2
11-210	K304584	0.00	0.00	0.00	0.330	591.0	9.37	113.50	8.46	☐	☐	☑	NT1
11-210	K304590	0.00	0.00	0.00	0.010	2.5	0.01	0.09	0.03	☐	☑	☐	NQ
11-210	K304602	0.00	0.00	0.00	0.005	2.5	0.01	1.04	0.02	☐	☑	☐	NQ
11-210	K304607	0.00	0.00	0.00	2.510	599.0	4.72	106.50	4.45	☐	☐	☑	NT2
11-219	K304620	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-219	K304629	0.00	0.00	0.00	0.330	603.0	9.30	112.50	8.08	☐	☐	☑	NT1
11-197	K304551	4.57	6.09	1.52	0.010	119.0	0.72	2.16	4.55	☐	☐	☐	
11-197	K304552	6.09	7.62	1.53	0.010	122.0	0.91	1.37	3.02	☐	☐	☐	
11-197	K304554	7.62	10.67	3.05	0.050	259.0	0.77	0.63	1.79	☐	☐	☐	
11-197	K304555	10.67	13.72	3.05	0.020	288.0	0.52	0.46	1.66	☐	☐	☐	
11-197	K304556	13.72	16.76	3.04	0.010	132.0	0.44	0.49	1.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-197	K304557	13.72	16.76	3.04	0.010	178.0	0.46	0.48	1.71	☑	☐	☐	Duplicate of 556
11-197	K304558	16.76	19.81	3.05	0.005	97.0	0.38	0.27	2.15	☐	☐	☐	
11-197	K304559	19.81	22.86	3.05	0.005	69.0	0.40	0.30	1.58	☐	☐	☐	
11-197	K304560	22.86	25.91	3.05	0.010	52.0	0.56	0.30	1.56	☐	☐	☐	
11-197	K304561	25.91	28.96	3.05	0.010	70.0	0.35	0.55	1.87	☐	☐	☐	
11-197	K304562	28.96	32.00	3.04	0.020	230.0	0.58	0.57	2.00	☐	☐	☐	
11-197	K304564	32.00	35.05	3.05	0.040	100.0	0.66	0.29	1.62	☐	☐	☐	
11-197	K304565	35.05	38.10	3.05	0.010	38.0	0.39	0.25	1.09	☐	☐	☐	
11-197	K304566	38.10	41.15	3.05	0.020	59.0	0.39	0.26	1.36	☐	☐	☐	
11-197	K304567	41.15	44.20	3.05	0.030	127.0	1.12	0.28	2.58	☐	☐	☐	
11-197	K304568	44.20	46.14	1.94	0.010	106.0	1.84	0.14	0.99	☐	☐	☐	
11-197	K304569	46.14	47.24	1.10	0.010	164.0	0.79	0.18	2.03	☐	☐	☐	
11-197	K304570	47.24	50.29	3.05	0.020	188.0	1.61	0.25	1.86	☐	☐	☐	
11-197	K304571	50.29	53.34	3.05	0.010	131.0	1.08	0.26	1.92	☐	☐	☐	
11-197	K304572	53.34	56.39	3.05	0.005	50.0	0.43	0.24	1.21	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-197	K304573	56.39	59.44	3.05	0.010	105.0	1.34	0.24	2.42	☐	☐	☐	
11-197	K304574	59.44	62.48	3.04	0.010	194.0	4.70	0.42	10.10	☐	☐	☐	
11-197	K304576	62.48	65.53	3.05	0.010	391.0	9.80	0.68	27.40	☐	☐	☐	
11-197	K304577	65.53	67.37	1.84	0.010	736.0	21.20	2.09	62.80	☐	☐	☐	End of Batch 197
11-210	K304578	67.37	68.65	1.28	0.030	3720.0	49.50	4.87	105.00	☐	☐	☐	Start of Batch 210
11-210	K304579	68.65	70.13	1.48	0.010	1200.0	29.80	3.71	47.50	☐	☐	☐	
11-210	K304580	70.13	73.15	3.02	0.020	395.0	3.74	1.66	6.85	☐	☐	☐	
11-210	K304581	73.15	74.68	1.53	0.010	164.0	0.70	0.84	3.95	☐	☐	☐	
11-210	K304582	74.68	77.72	3.04	0.030	162.0	0.70	1.03	2.05	☐	☐	☐	
11-210	K304583	77.72	80.77	3.05	0.010	253.0	3.33	0.66	4.46	☐	☐	☐	
11-210	K304585	80.77	83.82	3.05	0.010	282.0	0.51	0.94	1.59	☐	☐	☐	
11-210	K304586	83.82	86.87	3.05	0.020	342.0	1.20	0.64	2.87	☐	☐	☐	
11-210	K304587	83.82	86.87	3.05	0.020	213.0	1.03	0.43	2.17	☑	☐	☐	Duplicate of 586
11-210	K304588	86.87	89.92	3.05	0.020	438.0	1.49	0.36	3.08	☐	☐	☐	
11-210	K304589	89.92	92.96	3.04	0.020	162.0	0.65	0.25	1.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-210	K304591	92.96	96.01	3.05	0.010	51.0	0.27	0.25	0.96	☐	☐	☐	
11-210	K304592	96.01	99.06	3.05	0.010	48.0	0.19	0.24	0.84	☐	☐	☐	
11-210	K304593	99.06	102.11	3.05	0.010	73.0	0.29	0.34	1.17	☐	☐	☐	
11-210	K304594	102.11	105.16	3.05	0.005	99.0	0.40	0.30	1.40	☐	☐	☐	
11-210	K304595	105.16	108.20	3.04	0.010	56.0	0.20	0.35	0.74	☐	☐	☐	
11-210	K304596	108.20	111.25	3.05	0.010	10.0	0.11	0.26	0.49	☐	☐	☐	
11-210	K304597	111.25	114.30	3.05	0.010	15.0	0.10	0.26	0.69	☐	☐	☐	
11-210	K304598	114.30	117.35	3.05	0.005	28.0	0.14	0.21	0.54	☐	☐	☐	
11-210	K304599	117.35	120.40	3.05	0.005	27.0	0.35	0.31	1.12	☐	☐	☐	
11-210	K304600	120.40	123.44	3.04	0.005	44.0	0.26	0.29	0.43	☐	☐	☐	
11-210	K304601	123.44	126.49	3.05	0.005	39.0	0.16	0.32	0.77	☐	☐	☐	
11-210	K304603	126.49	129.54	3.05	0.010	29.0	0.09	0.24	0.64	☐	☐	☐	
11-210	K304604	129.54	132.59	3.05	0.005	11.0	0.20	0.20	0.66	☐	☐	☐	
11-210	K304605	132.59	135.64	3.05	0.005	11.0	0.20	0.26	0.79	☐	☐	☐	
11-210	K304606	135.64	138.68	3.04	0.005	70.0	0.27	0.25	0.98	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-210	K304608	138.68	141.73	3.05	0.005	15.0	0.09	0.93	0.96	☐	☐	☐	
11-210	K304609	141.73	144.78	3.05	0.005	19.0	0.12	0.46	1.14	☐	☐	☐	
11-210	K304610	144.78	147.83	3.05	0.005	9.0	0.08	0.33	0.87	☐	☐	☐	
11-210	K304611	147.83	150.88	3.05	0.005	46.0	0.13	0.36	1.18	☐	☐	☐	
11-210	K304612	150.88	153.92	3.04	0.010	16.0	0.06	0.24	0.60	☐	☐	☐	
11-210	K304613	153.92	156.97	3.05	0.005	7.0	0.07	0.20	0.31	☐	☐	☐	End of Batch 210
11-219	K304614	156.97	160.02	3.05	0.005	9.0	0.05	0.22	0.51	☐	☐	☐	Start of Batch 219
11-219	K304615	156.97	160.02	3.05	0.005	10.0	0.06	0.21	0.49	☑	☐	☐	Duplicate of 614
11-219	K304616	160.02	163.07	3.05	0.005	10.0	0.06	0.28	0.52	☐	☐	☐	
11-219	K304617	163.07	166.12	3.05	0.010	8.0	0.07	0.26	0.55	☐	☐	☐	
11-219	K304618	166.12	169.16	3.04	0.010	7.0	0.03	0.17	0.51	☐	☐	☐	
11-219	K304619	169.16	172.21	3.05	0.005	11.0	0.04	0.23	0.52	☐	☐	☐	
11-219	K304621	172.21	175.26	3.05	0.005	10.0	0.03	0.20	0.39	☐	☐	☐	
11-219	K304622	175.26	178.31	3.05	0.005	6.0	0.04	0.19	0.34	☐	☐	☐	
11-219	K304623	178.31	181.36	3.05	0.010	2.5	0.05	0.25	0.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-219	K304624	181.36	184.40	3.04	0.005	6.0	0.03	0.17	0.38	☐	☐	☐	
11-219	K304625	184.40	187.45	3.05	0.005	6.0	0.04	0.22	0.37	☐	☐	☐	
11-219	K304626	187.45	190.50	3.05	0.005	17.0	0.04	0.18	0.28	☐	☐	☐	
11-219	K304627	190.50	193.55	3.05	0.010	26.0	0.05	0.25	0.44	☐	☐	☐	
11-219	K304628	193.55	195.82	2.27	0.010	16.0	0.03	0.26	0.52	☐	☐	☐	
11-219	K304630	195.82	199.64	3.82	0.005	17.5	0.03	0.40	0.76	☐	☐	☐	Ping A, did not make sense to slit into 2 samples

ATAC resources ltd.

Sample Results

OS -11-068

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-194	K302077	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.03	☐	☑	☐	NQ
11-207	K302090	0.00	0.00	0.00	2.680	595.0	4.56	105.00	4.08	☐	☐	☑	NT2
11-207	K302094	0.00	0.00	0.00	0.005	8.0	0.05	0.03	0.04	☐	☑	☐	HQ
11-207	K302104	0.00	0.00	0.00	0.340	592.0	9.28	112.50	8.70	☐	☐	☑	NT1
11-207	K302110	0.00	0.00	0.00	0.005	9.0	0.01	0.05	0.04	☐	☑	☐	HQ
11-218	K302122	0.00	0.00	0.00	0.005	14.0	0.01	0.08	0.02	☐	☑	☐	NQ
11-218	K302126	0.00	0.00	0.00	0.320	623.0	9.63	112.50	8.34	☐	☐	☑	NT1
11-194	K302073	3.96	7.01	3.05	0.040	324.0	0.61	1.22	2.21	☐	☐	☐	
11-194	K302074	7.01	10.06	3.05	0.340	587.0	1.83	1.64	6.00	☐	☐	☐	
11-194	K302075	10.06	13.11	3.05	0.770	1720.0	3.34	1.94	7.14	☐	☐	☐	
11-194	K302076	13.11	16.15	3.04	0.130	980.0	1.63	1.01	1.69	☐	☐	☐	
11-194	K302078	16.15	19.20	3.05	0.030	407.0	0.81	0.87	1.69	☐	☐	☐	
11-194	K302079	19.20	22.25	3.05	0.005	187.0	1.12	0.51	1.11	☐	☐	☐	
11-194	K302080	22.25	25.30	3.05	0.020	696.0	1.53	0.76	1.46	☐	☐	☐	End of Batch 194

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-207	K302081	25.30	28.35	3.05	0.130	228.0	1.72	0.91	2.40	☐	☐	☐	Start of Batch 207
11-207	K302082	28.35	31.39	3.04	0.080	256.0	1.37	1.28	2.31	☐	☐	☐	
11-207	K302083	31.39	34.44	3.05	0.020	288.0	2.34	1.44	1.76	☐	☐	☐	
11-207	K302084	34.44	37.49	3.05	0.020	298.0	1.07	0.98	1.20	☐	☐	☐	This sample bag ripped and some material spilled on the floor of the AC warehouse.
11-207	K302085	37.49	40.54	3.05	0.070	2500.0	4.77	2.60	2.55	☐	☐	☐	
11-207	K302086	37.49	40.54	3.05	0.090	2560.0	3.81	2.36	2.23	☑	☐	☐	Duplicate of 085
11-207	K302087	40.54	43.59	3.05	0.080	1480.0	4.31	2.03	2.40	☐	☐	☐	
11-207	K302088	43.59	46.63	3.04	0.040	856.0	2.36	1.91	1.40	☐	☐	☐	
11-207	K302089	46.63	49.68	3.05	0.020	862.0	9.60	1.10	1.11	☐	☐	☐	
11-207	K302091	49.68	52.73	3.05	0.020	1020.0	3.93	0.98	1.52	☐	☐	☐	
11-207	K302092	52.73	55.78	3.05	0.010	901.0	4.42	1.33	2.67	☐	☐	☐	
11-207	K302093	55.78	58.83	3.05	0.060	2060.0	7.70	2.25	1.79	☐	☐	☐	
11-207	K302095	58.83	61.87	3.04	0.020	2620.0	2.90	4.53	1.41	☐	☐	☐	
11-207	K302096	61.87	64.92	3.05	0.030	980.0	3.48	1.73	1.83	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-207	K302097	64.92	67.97	3.05	0.030	2140.0	2.52	2.04	1.29	☐	☐	☐	
11-207	K302098	67.97	71.02	3.05	0.020	987.0	3.83	1.44	1.18	☐	☐	☐	
11-207	K302099	71.02	74.07	3.05	0.010	555.0	1.12	0.95	0.80	☐	☐	☐	
11-207	K302100	74.07	77.11	3.04	0.005	181.0	0.79	0.97	0.79	☐	☐	☐	
11-207	K302101	77.11	80.16	3.05	0.005	160.0	1.32	1.37	0.92	☐	☐	☐	
11-207	K302102	80.16	83.21	3.05	0.050	480.0	1.53	2.24	1.40	☐	☐	☐	
11-207	K302103	83.21	86.26	3.05	0.040	527.0	1.56	1.59	1.76	☐	☐	☐	
11-207	K302105	86.26	89.31	3.05	0.010	235.0	0.50	1.67	1.48	☐	☐	☐	
11-207	K302106	89.31	92.35	3.04	0.005	150.0	0.31	0.84	0.92	☐	☐	☐	
11-207	K302107	92.35	95.40	3.05	0.090	1200.0	0.78	1.43	1.47	☐	☐	☐	
11-207	K302108	95.40	98.45	3.05	0.240	1420.0	1.89	3.15	3.29	☐	☐	☐	
11-207	K302109	98.45	101.50	3.05	0.230	1080.0	1.50	1.76	2.66	☐	☐	☐	
11-207	K302111	101.50	104.55	3.05	0.060	60.0	0.33	0.29	0.81	☐	☐	☐	
11-207	K302112	104.55	107.59	3.04	0.005	20.0	0.18	0.03	0.11	☐	☐	☐	
11-207	K302113	107.59	110.64	3.05	0.030	170.0	2.96	1.37	1.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-207	K302114	110.64	113.69	3.05	0.010	79.0	0.51	0.45	0.95	☐	☐	☐	
11-207	K302115	113.69	116.74	3.05	0.100	413.0	1.58	1.04	1.38	☐	☐	☐	
11-207	K302116	116.74	119.79	3.05	0.020	41.0	0.37	0.35	0.68	☐	☐	☐	End of Batch 207
11-218	K302117	119.79	122.83	3.04	0.030	75.0	0.78	0.50	1.35	☐	☐	☐	Start of Batch 218
11-218	K302118	122.83	125.88	3.05	0.080	82.0	0.77	0.66	1.53	☐	☐	☐	
11-218	K302119	125.88	128.93	3.05	0.040	37.0	0.35	0.45	0.77	☐	☐	☐	
11-218	K302120	128.93	131.98	3.05	0.140	1060.0	0.81	2.40	1.93	☐	☐	☐	
11-218	K302121	131.98	133.20	1.22	0.260	2360.0	1.04	4.96	1.69	☐	☐	☐	
11-218	K302123	133.20	136.25	3.05	0.130	2640.0	0.74	3.86	1.62	☐	☐	☐	
11-218	K302124	136.25	139.30	3.05	0.220	346.0	3.98	3.98	9.15	☐	☐	☐	
11-218	K302125	139.30	142.34	3.04	0.010	217.0	1.48	1.30	3.34	☐	☐	☐	
11-218	K302127	142.34	145.39	3.05	0.005	38.2	0.65	0.58	1.62	☐	☐	☐	
11-218	K302128	145.39	148.44	3.05	0.010	27.0	0.27	0.39	0.93	☐	☐	☐	
11-218	K302129	181.97	185.01	3.04	0.005	39.6	0.10	0.41	1.25	☐	☐	☐	
11-218	K302130	185.01	188.06	3.05	0.005	112.0	0.25	0.68	2.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-218	K302131	188.06	191.11	3.05	0.005	199.5	0.23	0.69	2.44	☐	☐	☐	
11-218	K302132	191.11	191.71	0.60	0.010	18.0	0.05	0.29	0.69	☐	☐	☐	

Sample Results

OS -11-069

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-201	K303246	0.00	0.00	0.00	2.470	614.0	4.30	103.00	3.99	☐	☐	☑	NT2
11-223	K303256	0.00	0.00	0.00	0.005	5.0	0.01	0.07	0.03	☐	☑	☐	NQ
11-223	K303260	0.00	0.00	0.00	0.370	570.0	9.40	107.00	7.63	☐	☐	☑	NT3
11-223	K303279	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.06	☐	☑	☐	NQ
11-223	K303283	0.00	0.00	0.00	2.640	510.0	4.15	102.00	4.21	☐	☐	☑	NT2
11-232	K303296	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.06	☐	☑	☐	NQ
11-232	K303301	0.00	0.00	0.00	0.340	590.0	9.40	115.50	7.34	☐	☐	☑	NT1
11-232	K303320	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.01	☐	☑	☐	NQ
11-232	K303323	0.00	0.00	0.00	2.600	630.0	4.53	108.50	3.74	☐	☐	☑	NT2
11-237	K303328	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.04	☐	☑	☐	NQ
11-237	K303332	0.00	0.00	0.00	0.330	598.0	9.30	114.00	8.04	☐	☐	☑	NT1
11-237	K303344	0.00	0.00	0.00	7.740	1020.0	5.35	18.75	13.10	☐	☐	☑	NT3
11-237	K303346	0.00	0.00	0.00	0.020	8.0	0.02	0.17	0.06	☐	☑	☐	NQ
11-241	K303368	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-241	K303373	0.00	0.00	0.00	0.330	592.0	9.50	112.00	7.01	☐	☐	☑	NT1
11-241	K303392	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.04	☐	☑	☐	NQ
11-241	K303396	0.00	0.00	0.00	7.380	1000.0	5.86	19.00	13.65	☐	☐	☑	NT3/ end of batch 241
11-245	K303399	0.00	0.00	0.00	15.050	1110.0	6.01	151.00	3.79	☐	☐	☑	NT4
11-245	K303406	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	Blank NQ
11-245	K303409	0.00	0.00	0.00	0.005	46.0	0.50	0.66	1.41	☑	☐	☐	Duplicate of K303408
11-245	K303426	0.00	0.00	0.00	0.330	594.0	8.67	114.00	7.19	☐	☐	☑	STN NT1
11-245	K303431	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	Blank NQ
11-201	K303241	0.88	3.05	2.17	0.005	237.0	0.37	0.94	0.66	☐	☐	☐	
11-201	K303242	3.05	4.57	1.52	0.005	1180.0	7.31	8.86	5.84	☐	☐	☐	
11-201	K303243	4.57	6.10	1.53	0.005	238.0	1.26	2.27	2.60	☐	☐	☐	
11-201	K303244	6.10	7.62	1.52	0.005	150.0	2.25	2.00	2.96	☐	☐	☐	
11-201	K303245	7.62	9.88	2.26	0.005	153.0	2.57	1.67	3.36	☐	☐	☐	
11-201	K303247	9.88	12.19	2.31	0.005	555.0	17.80	2.01	33.20	☐	☐	☐	
11-201	K303248	12.19	15.24	3.05	0.005	140.0	0.50	0.56	0.88	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-201	K303249	15.24	18.29	3.05	0.005	29.0	0.43	0.37	0.75	☐	☐	☐	
11-201	K303250	18.29	21.34	3.05	0.005	94.0	0.80	1.00	1.18	☐	☐	☐	
11-201	K303251	21.34	24.38	3.04	0.005	78.0	0.40	0.54	1.01	☐	☐	☐	
11-201	K303252	24.38	25.91	1.53	0.005	98.0	1.61	0.85	6.62	☐	☐	☐	End of Batch 201
11-223	K303253	25.91	28.96	3.05	0.005	99.4	4.01	1.32	10.35	☐	☐	☐	Start of Batch 223
11-223	K303254	28.96	30.48	1.52	0.005	329.0	1.31	3.39	2.55	☐	☐	☐	
11-223	K303255	30.48	33.53	3.05	0.010	749.0	0.60	1.99	0.99	☐	☐	☐	
11-223	K303257	33.53	36.58	3.05	0.005	58.0	0.32	0.59	0.76	☐	☐	☐	
11-223	K303258	36.58	38.24	1.66	0.005	33.0	0.30	0.43	0.81	☐	☐	☐	
11-223	K303259	38.24	41.18	2.94	0.005	62.8	1.36	0.87	3.45	☐	☐	☐	
11-223	K303261	41.18	44.20	3.02	0.005	25.3	0.56	0.76	1.28	☐	☐	☐	
11-223	K303262	44.20	45.95	1.75	0.005	268.0	1.28	1.25	1.83	☐	☐	☐	
11-223	K303263	45.95	48.77	2.82	0.005	373.0	0.84	1.15	1.13	☐	☐	☐	
11-223	K303264	48.77	51.82	3.05	0.010	577.0	1.24	1.39	1.55	☐	☐	☐	
11-223	K303265	48.77	51.82	3.05	0.005	409.0	1.04	1.17	1.66	☑	☐	☐	Duplicate of 264

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-223	K303266	51.82	54.86	3.04	0.005	65.0	0.79	0.67	1.52	☐	☐	☐	
11-223	K303267	54.86	57.91	3.05	0.005	69.0	1.00	0.40	1.15	☐	☐	☐	
11-223	K303268	57.91	60.96	3.05	0.010	99.0	1.50	0.90	1.32	☐	☐	☐	
11-223	K303269	60.96	64.01	3.05	0.005	93.0	1.07	1.07	1.22	☐	☐	☐	
11-223	K303270	64.01	65.53	1.52	0.005	58.0	1.61	2.43	1.82	☐	☐	☐	
11-223	K303271	65.53	68.02	2.49	0.010	41.0	0.96	0.31	1.63	☐	☐	☐	
11-223	K303272	68.02	70.10	2.08	0.005	40.0	0.52	0.32	1.18	☐	☐	☐	
11-223	K303273	70.10	73.15	3.05	0.005	30.5	1.27	0.46	3.10	☐	☐	☐	
11-223	K303274	73.15	76.20	3.05	0.005	95.4	2.35	1.84	3.13	☐	☐	☐	
11-223	K303275	76.20	79.25	3.05	0.005	117.0	2.59	2.15	3.92	☐	☐	☐	
11-223	K303276	79.25	82.30	3.05	0.005	51.9	1.42	0.49	1.83	☐	☐	☐	
11-223	K303277	239.27	242.32	3.05	0.005	189.5	0.98	1.35	3.63	☐	☐	☐	
11-223	K303278	242.32	245.36	3.04	0.030	509.0	1.96	4.64	5.92	☐	☐	☐	
11-223	K303280	245.36	248.41	3.05	0.030	704.0	1.48	3.45	5.13	☐	☐	☐	
11-223	K303281	248.41	251.46	3.05	0.020	669.0	1.19	2.72	5.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-223	K303282	251.46	254.51	3.05	0.005	174.0	0.40	0.48	3.33	☐	☐	☐	
11-223	K303284	254.51	257.56	3.05	0.005	68.0	0.12	0.47	1.01	☐	☐	☐	
11-223	K303285	257.56	260.60	3.04	0.005	77.2	0.30	0.71	1.60	☐	☐	☐	
11-223	K303286	260.60	263.65	3.05	0.050	312.0	0.67	1.02	3.53	☐	☐	☐	
11-223	K303287	263.65	266.70	3.05	0.120	350.0	0.70	1.68	3.04	☐	☐	☐	
11-223	K303288	266.70	269.75	3.05	0.005	280.0	1.21	1.25	4.30	☐	☐	☐	
11-232	K303289	269.75	272.80	3.05	0.030	1060.0	2.13	3.02	5.69	☐	☐	☐	
11-232	K303290	272.80	275.84	3.04	0.090	963.0	2.83	6.29	11.10	☐	☐	☐	
11-232	K303291	275.84	278.89	3.05	0.120	1925.0	4.69	8.35	12.00	☐	☐	☐	
11-232	K303292	278.89	281.94	3.05	0.005	7320.0	8.10	2.37	18.35	☐	☐	☐	
11-232	K303293	281.94	284.99	3.05	0.005	280.0	1.98	0.61	6.12	☐	☐	☐	
11-232	K303294	284.99	288.04	3.05	0.005	216.0	1.86	0.71	6.03	☐	☐	☐	
11-232	K303295	288.04	291.08	3.04	0.005	295.0	1.81	1.08	6.70	☐	☐	☐	
11-232	K303297	291.08	294.13	3.05	0.010	104.5	0.67	0.50	4.13	☐	☐	☐	
11-232	K303298	291.08	294.13	3.05	0.005	91.9	0.58	0.40	4.23	☑	☐	☐	Duplicate of 297

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-232	K303299	294.13	297.18	3.05	0.005	83.5	0.23	0.41	1.77	☐	☐	☐	
11-232	K303300	297.18	300.23	3.05	0.010	127.5	0.20	0.57	1.68	☐	☐	☐	
11-232	K303302	300.23	303.28	3.05	0.060	500.0	1.05	1.66	4.49	☐	☐	☐	
11-232	K303303	303.28	306.32	3.04	0.005	216.0	1.04	0.72	3.98	☐	☐	☐	
11-232	K303304	306.32	309.37	3.05	0.005	157.5	0.25	0.48	1.57	☐	☐	☐	
11-232	K303305	309.37	312.42	3.05	0.005	76.1	0.15	0.36	1.00	☐	☐	☐	
11-232	K303306	312.42	315.47	3.05	0.005	64.5	0.28	0.47	0.98	☐	☐	☐	
11-232	K303307	315.47	318.52	3.05	0.005	92.4	0.14	0.43	1.26	☐	☐	☐	
11-232	K303308	318.52	321.50	2.98	0.005	81.6	0.73	0.56	3.20	☐	☐	☐	
11-232	K303309	321.50	324.61	3.11	0.005	381.0	1.17	2.20	5.80	☐	☐	☐	
11-232	K303310	324.61	327.66	3.05	0.170	1910.0	2.94	12.35	5.36	☐	☐	☐	
11-232	K303311	327.66	330.71	3.05	0.110	3020.0	2.57	19.25	5.89	☐	☐	☐	
11-232	K303312	330.71	333.76	3.05	0.005	135.5	1.04	1.60	3.35	☐	☐	☐	
11-232	K303313	333.76	336.80	3.04	0.005	58.8	0.67	0.78	1.59	☐	☐	☐	
11-232	K303314	336.80	339.85	3.05	0.005	74.6	0.51	1.37	1.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-232	K303315	339.85	345.95	6.10	0.005	56.4	0.63	2.12	1.38	☐	☐	☐	
11-232	K303316	345.95	349.00	3.05	0.005	120.0	1.07	3.14	4.53	☐	☐	☐	
11-232	K303317	349.00	352.04	3.04	0.005	87.8	0.53	0.89	2.34	☐	☐	☐	
11-232	K303318	352.04	355.09	3.05	0.005	84.8	0.52	0.65	1.42	☐	☐	☐	
11-232	K303319	355.09	358.14	3.05	0.005	39.7	0.13	0.40	0.86	☐	☐	☐	
11-232	K303321	358.14	361.19	3.05	0.005	28.6	0.16	0.51	1.07	☐	☐	☐	
11-232	K303322	361.19	364.24	3.05	0.005	95.4	0.26	0.53	1.52	☐	☐	☐	
11-232	K303324	364.24	367.28	3.04	0.005	67.4	0.29	0.61	1.01	☐	☐	☐	End of Batch 232
11-237	K303325	367.28	370.33	3.05	0.005	50.1	0.12	0.43	1.20	☐	☐	☐	Start of Batch 237
11-237	K303326	370.33	373.20	2.87	0.005	220.0	0.50	0.94	3.61	☐	☐	☐	
11-237	K303327	373.20	375.00	1.80	0.005	3.6	0.06	0.37	0.85	☐	☐	☐	
11-237	K303329	375.00	376.43	1.43	0.005	4.8	0.08	0.38	0.83	☐	☐	☐	
11-237	K303330	376.43	379.47	3.04	0.005	25.2	0.21	0.55	1.13	☐	☐	☐	
11-237	K303331	379.47	382.53	3.06	0.020	223.0	0.47	1.13	3.69	☐	☐	☐	
11-237	K303333	382.53	385.57	3.04	0.010	139.0	0.46	1.05	2.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-237	K303334	385.57	388.62	3.05	0.005	88.5	0.45	0.90	3.18	☐	☐	☐	
11-237	K303335	388.62	390.90	2.28	0.005	36.6	2.50	0.67	1.41	☐	☐	☐	
11-237	K303336	390.90	391.67	0.77	0.005	49.0	0.56	0.64	1.99	☐	☐	☐	
11-237	K303337	391.67	394.72	3.05	0.005	21.0	0.22	0.68	2.03	☐	☐	☐	
11-237	K303338	394.72	397.76	3.04	0.010	45.0	0.30	0.75	2.45	☐	☐	☐	
11-237	K303339	397.76	400.81	3.05	0.005	45.0	0.29	0.70	3.34	☐	☐	☐	
11-237	K303340	400.81	403.86	3.05	0.005	44.0	0.80	0.46	4.23	☐	☐	☐	
11-237	K303341	400.81	403.86	3.05	0.005	35.0	0.63	0.38	3.15	☑	☐	☐	Duplicate of 340
11-237	K303342	403.86	406.91	3.05	2.530	253.0	2.90	5.26	7.81	☐	☐	☐	
11-237	K303343	406.91	407.50	0.59	2.210	351.0	5.14	7.58	12.60	☐	☐	☐	
11-237	K303345	407.50	409.36	1.86	1.070	337.0	2.25	4.42	6.86	☐	☐	☐	
11-237	K303347	409.36	409.96	0.60	7.180	20700.0	13.80	70.90	26.80	☐	☐	☐	
11-237	K303348	409.96	413.00	3.04	0.690	908.0	2.52	3.78	5.58	☐	☐	☐	
11-237	K303349	413.00	416.05	3.05	0.040	231.0	1.75	1.83	5.03	☐	☐	☐	
11-237	K303350	416.05	419.10	3.05	0.130	101.0	1.25	0.82	2.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-237	K303351	419.10	422.15	3.05	0.210	977.0	1.08	2.21	2.47	☐	☐	☐	
11-237	K303352	422.15	425.20	3.05	0.005	46.0	0.44	0.32	1.47	☐	☐	☐	
11-237	K303353	425.20	428.24	3.04	0.010	60.0	0.92	0.45	1.23	☐	☐	☐	
11-237	K303354	428.24	431.29	3.05	0.005	47.0	0.83	0.65	0.72	☐	☐	☐	
11-237	K303355	431.29	434.34	3.05	0.005	64.0	0.95	0.56	1.28	☐	☐	☐	
11-237	K303356	434.34	437.39	3.05	0.140	120.0	1.18	1.49	1.90	☐	☐	☐	
11-237	K303357	437.39	440.44	3.05	0.020	68.0	0.97	1.11	1.20	☐	☐	☐	
11-237	K303358	440.44	443.48	3.04	0.005	25.0	0.19	0.34	1.75	☐	☐	☐	
11-237	K303359	443.48	446.53	3.05	0.005	26.0	0.21	0.24	0.98	☐	☐	☐	
11-237	K303360	446.53	449.58	3.05	0.005	43.0	0.35	0.30	0.76	☐	☐	☐	End of Batch 237
11-241	K303361	449.58	452.63	3.05	0.005	47.0	0.31	0.44	1.30	☐	☐	☐	Start of Batch 241
11-241	K303362	452.63	455.68	3.05	0.005	65.0	0.43	0.52	1.13	☐	☐	☐	
11-241	K303363	455.68	458.72	3.04	0.005	48.0	0.41	0.44	0.44	☐	☐	☐	
11-241	K303364	458.72	461.77	3.05	0.005	20.0	0.17	0.36	0.50	☐	☐	☐	
11-241	K303365	458.72	461.77	3.05	0.005	16.0	0.15	0.33	0.44	☑	☐	☐	Duplicate of 364

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-241	K303366	461.77	464.82	3.05	0.005	23.0	0.24	0.30	0.41	☐	☐	☐	
11-241	K303367	464.82	467.87	3.05	0.010	86.0	0.94	0.74	1.02	☐	☐	☐	
11-241	K303369	467.87	470.92	3.05	0.030	112.0	0.80	0.66	1.24	☐	☐	☐	
11-241	K303370	470.92	473.96	3.04	0.010	122.0	1.26	0.86	2.32	☐	☐	☐	
11-241	K303371	473.96	477.01	3.05	0.160	119.0	1.62	2.10	2.78	☐	☐	☐	
11-241	K303372	477.01	480.06	3.05	0.260	1320.0	1.71	3.85	2.77	☐	☐	☐	
11-241	K303374	480.06	483.11	3.05	0.005	63.0	1.70	1.15	2.05	☐	☐	☐	
11-241	K303375	483.11	486.16	3.05	0.005	66.0	1.89	0.90	1.94	☐	☐	☐	
11-241	K303376	486.16	489.20	3.04	0.005	57.0	1.09	0.62	1.22	☐	☐	☐	
11-241	K303377	489.20	492.25	3.05	0.010	49.0	0.95	0.65	0.98	☐	☐	☐	
11-241	K303378	492.25	495.30	3.05	0.005	52.0	1.06	0.50	0.86	☐	☐	☐	
11-241	K303379	495.30	498.35	3.05	0.005	45.0	0.79	0.41	0.78	☐	☐	☐	
11-241	K303380	498.35	501.40	3.05	0.005	45.0	0.89	0.43	0.76	☐	☐	☐	
11-241	K303381	501.40	504.44	3.04	0.010	60.0	1.07	0.90	1.19	☐	☐	☐	
11-241	K303382	504.44	507.49	3.05	0.005	30.0	0.54	0.45	0.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-241	K303383	507.49	510.54	3.05	0.005	27.0	0.70	0.35	0.56	☐	☐	☐	
11-241	K303384	510.54	513.59	3.05	0.005	55.0	1.34	0.54	1.34	☐	☐	☐	
11-241	K303385	513.59	516.64	3.05	0.005	56.0	0.90	0.66	0.82	☐	☐	☐	
11-241	K303386	516.64	519.68	3.04	0.005	69.0	1.76	0.81	1.47	☐	☐	☐	
11-241	K303387	519.68	522.73	3.05	0.010	60.0	1.42	1.09	1.45	☐	☐	☐	
11-241	K303388	522.73	525.78	3.05	0.010	44.0	0.83	0.68	1.11	☐	☐	☐	
11-241	K303389	525.78	528.83	3.05	0.010	62.0	0.57	0.55	0.94	☐	☐	☐	
11-241	K303390	528.83	531.88	3.05	0.010	100.0	1.37	1.23	2.27	☐	☐	☐	
11-241	K303391	531.88	534.92	3.04	0.005	127.0	1.50	1.01	2.11	☐	☐	☐	
11-241	K303393	534.92	537.97	3.05	0.010	290.0	0.98	1.56	1.56	☐	☐	☐	
11-241	K303394	537.97	541.02	3.05	0.110	177.0	1.13	1.97	2.60	☐	☐	☐	
11-241	K303395	541.02	543.18	2.16	0.750	174.0	1.77	2.94	4.28	☐	☐	☐	
11-245	K303397	543.18	544.07	0.89	3.890	532.0	7.41	15.95	20.90	☐	☐	☐	Start of Batch 245
11-245	K303398	544.07	546.67	2.60	19.450	1900.0	29.80	70.30	88.70	☐	☐	☐	
11-245	K303400	546.67	548.00	1.33	7.640	820.0	10.70	23.70	32.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-245	K303401	548.00	550.16	2.16	0.390	265.0	4.24	3.55	9.22	☐	☐	☐	
11-245	K303402	550.16	553.21	3.05	0.020	264.0	3.75	1.17	6.31	☐	☐	☐	
11-245	K303403	553.21	556.26	3.05	0.010	175.0	2.14	0.94	3.83	☐	☐	☐	
11-245	K303404	556.26	559.31	3.05	0.010	155.0	0.90	0.66	1.71	☐	☐	☐	
11-245	K303405	559.31	562.36	3.05	0.010	60.0	0.62	1.13	1.76	☐	☐	☐	
11-245	K303407	562.36	565.40	3.04	0.005	36.0	0.35	0.50	1.38	☐	☐	☐	
11-245	K303408	565.40	568.45	3.05	0.005	39.0	0.49	0.69	1.33	☐	☐	☐	
11-245	K303410	568.45	571.50	3.05	0.005	52.0	0.40	1.23	1.01	☐	☐	☐	
11-245	K303411	571.50	574.55	3.05	0.005	37.0	0.20	0.71	0.94	☐	☐	☐	
11-245	K303412	574.55	577.60	3.05	0.005	20.0	0.15	0.60	0.94	☐	☐	☐	
11-245	K303413	577.60	580.64	3.04	0.005	13.0	0.12	0.36	0.61	☐	☐	☐	
11-245	K303414	580.64	583.70	3.06	0.005	7.0	0.09	0.41	0.31	☐	☐	☐	
11-245	K303415	583.70	586.74	3.04	0.005	8.0	0.12	0.55	0.43	☐	☐	☐	
11-245	K303416	586.74	589.79	3.05	0.005	8.0	0.10	0.52	0.36	☐	☐	☐	
11-245	K303417	589.79	592.84	3.05	0.010	12.3	0.17	0.75	0.64	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-245	K303418	592.84	595.88	3.04	0.005	8.0	0.11	0.47	0.42	☐	☐	☐	
11-245	K303419	595.88	598.93	3.05	0.005	11.0	0.12	0.61	0.51	☐	☐	☐	
11-245	K303420	598.93	601.98	3.05	0.005	7.0	0.12	0.54	0.46	☐	☐	☐	
11-245	K303421	601.98	605.03	3.05	0.005	8.0	0.08	0.44	0.35	☐	☐	☐	
11-245	K303422	605.03	608.08	3.05	0.005	13.0	0.10	0.47	0.37	☐	☐	☐	
11-245	K303423	608.08	611.12	3.04	0.005	9.0	0.11	0.51	0.45	☐	☐	☐	
11-245	K303424	611.12	614.17	3.05	0.005	12.0	0.12	0.56	0.55	☐	☐	☐	
11-245	K303425	614.17	617.22	3.05	0.005	8.0	0.14	0.50	0.51	☐	☐	☐	
11-245	K303427	617.22	620.27	3.05	0.005	2.5	0.11	0.58	0.41	☐	☐	☐	
11-245	K303428	620.27	623.32	3.05	0.005	6.0	0.05	0.27	0.20	☐	☐	☐	
11-245	K303429	623.32	626.36	3.04	0.005	11.0	0.07	0.33	0.28	☐	☐	☐	
11-245	K303430	626.36	629.41	3.05	0.010	2.5	0.06	0.32	0.24	☐	☐	☐	
11-245	K303432	629.41	632.46	3.05	0.005	7.0	0.05	0.21	0.19	☐	☐	☐	End of Batch 245
11-250	K303433	632.46	635.51	3.05	0.005	2.5	0.04	0.50	0.17	☐	☐	☐	Start of Batch 250
11-250	K303434	635.51	638.56	3.05	0.005	2.5	0.08	0.51	0.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-250	K303435	638.56	641.60	3.04	0.005	2.5	0.07	0.29	0.27	☐	☐	☐	
11-250	K303436	641.60	644.65	3.05	0.005	10.0	0.08	0.45	0.25	☐	☐	☐	
11-250	K303437	644.65	647.70	3.05	0.005	7.0	0.08	0.49	0.30	☐	☐	☐	
11-250	K303438	647.70	650.75	3.05	0.010	2.5	0.08	0.41	0.28	☐	☐	☐	
11-250	K303439	650.75	653.80	3.05	0.005	5.0	0.07	0.42	0.28	☐	☐	☐	EOH

Sample Results

OS -11-070

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-206	K305043	0.00	0.00	0.00	0.340	619.0	8.68	119.00	7.44	☐	☐	☑	NT1
11-206	K305049	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-206	K305054	0.00	0.00	0.00	2.340	628.0	4.57	110.50	3.87	☐	☐	☑	NT2
11-212	K305066	0.00	0.00	0.00	7.760	883.0	5.95	19.10	13.80	☐	☐	☑	NT3
11-212	K305068	0.00	0.00	0.00	0.005	8.0	0.01	0.07	0.04	☐	☐	☑	HQ End of Batch 212
11-212	K305078	0.00	0.00	0.00	15.750	1160.0	6.35	152.50	3.40	☐	☐	☑	NT4
11-212	K305094	0.00	0.00	0.00	0.010	13.0	0.02	0.16	0.05	☐	☑	☐	NQ; End of Batch 212
11-214	K305100	0.00	0.00	0.00	0.005	5.0	0.01	0.13	0.02	☐	☑	☐	NQ
11-214	K305108	0.00	0.00	0.00	2.600	590.0	5.05	105.50	3.61	☐	☐	☑	NT2
11-214	K305125	0.00	0.00	0.00	0.010	2.5	0.01	0.15	0.11	☐	☑	☐	NQ
11-214	K305128	0.00	0.00	0.00	0.340	600.0	9.30	122.50	7.45	☐	☐	☑	NT1
11-217	K305138	0.00	0.00	0.00	0.010	15.0	0.01	0.18	0.11	☐	☑	☐	NQ
11-217	K305141	0.00	0.00	0.00	7.830	903.0	5.36	18.60	13.55	☐	☐	☑	NT3
11-217	K305149	0.00	0.00	0.00	2.620	582.0	4.25	113.50	3.82	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-217	K305163	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ NQ
11-220	K305174	0.00	0.00	0.00	7.900	981.0	5.94	19.15	13.45	☐	☐	☑	
11-220	K305183	0.00	0.00	0.00	0.005	48.0	0.01	0.15	0.03	☐	☑	☐	NQ
11-220	K305189	0.00	0.00	0.00	2.670	606.0	4.82	108.50	3.95	☐	☐	☑	
11-220	K305200	0.00	0.00	0.00	0.010	2.5	0.01	0.12	0.02	☐	☑	☐	NQ
11-222	K305209	0.00	0.00	0.00	7.820	972.0	5.29	17.80	12.00	☐	☐	☑	
11-222	K305218	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	NQ
11-222	K305227	0.00	0.00	0.00	0.010	67.0	0.01	0.22	0.03	☐	☑	☐	NQ
11-222	K305235	0.00	0.00	0.00	2.630	624.0	4.33	113.50	4.39	☐	☐	☑	NT2
11-225	K305251	0.00	0.00	0.00	7.740	905.0	6.71	19.25	13.40	☐	☐	☑	
11-225	K305258	0.00	0.00	0.00	0.340	603.0	10.10	117.00	7.72	☐	☑	☐	NT1
11-225	K305263	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	Blank NQ
11-225	K305270	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	Blank NQ
11-206	K305038	1.52	4.57	3.05	0.005	25.9	0.11	0.46	0.90	☐	☐	☐	Start of Batch 206
11-206	K305039	4.57	7.62	3.05	0.005	25.8	0.13	0.43	0.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-206	K305040	7.62	10.67	3.05	0.005	36.6	0.09	0.46	0.75	☐	☐	☐	
11-206	K305041	10.67	13.72	3.05	0.010	49.4	0.17	0.46	0.94	☐	☐	☐	
11-206	K305042	13.72	16.76	3.04	0.005	30.6	0.21	0.55	1.01	☐	☐	☐	
11-206	K305044	16.76	19.81	3.05	0.005	29.6	0.10	0.37	0.72	☐	☐	☐	
11-206	K305045	19.81	22.86	3.05	0.005	30.3	0.09	0.35	0.78	☐	☐	☐	
11-206	K305046	22.86	25.91	3.05	0.010	45.9	0.07	0.32	0.83	☐	☐	☐	
11-206	K305047	25.91	28.96	3.05	0.005	34.8	0.05	0.24	0.68	☐	☐	☐	
11-206	K305048	28.96	32.00	3.04	0.005	57.2	0.11	0.31	1.01	☐	☐	☐	
11-206	K305050	32.00	35.05	3.05	0.005	46.1	0.08	0.22	1.10	☐	☐	☐	
11-206	K305051	35.05	38.10	3.05	0.005	74.0	0.17	0.26	1.15	☐	☐	☐	
11-206	K305052	38.10	41.15	3.05	0.005	178.5	0.35	0.43	2.34	☐	☐	☐	
11-206	K305053	41.15	44.20	3.05	0.005	288.0	1.25	0.89	2.75	☐	☐	☐	
11-206	K305055	44.20	47.24	3.04	0.010	329.0	3.19	1.98	5.53	☐	☐	☐	
11-206	K305056	47.24	50.29	3.05	0.050	1300.0	2.59	4.83	4.65	☐	☐	☐	
11-206	K305057	50.29	53.34	3.05	0.190	1345.0	3.74	6.27	6.31	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-206	K305058	53.34	56.39	3.05	0.080	423.0	4.55	3.12	7.65	☐	☐	☐	
11-212	K305059	56.39	59.44	3.05	0.030	303.0	4.03	1.77	6.25	☐	☐	☐	
11-212	K305060	59.44	62.48	3.04	0.030	162.5	3.99	1.31	8.31	☐	☐	☐	
11-212	K305061	62.48	65.53	3.05	0.005	96.9	3.30	0.76	6.37	☐	☐	☐	
11-212	K305062	65.53	68.58	3.05	0.030	312.0	5.25	2.02	14.65	☐	☐	☐	
11-212	K305063	68.58	71.63	3.05	0.005	149.0	3.22	0.46	10.65	☐	☐	☐	
11-212	K305064	71.63	74.68	3.05	0.005	183.5	4.18	0.81	11.15	☐	☐	☐	
11-212	K305065	74.68	76.00	1.32	0.010	155.0	2.12	0.55	13.70	☐	☐	☐	
11-212	K305067	76.00	77.40	1.40	0.290	4200.0	3.74	7.35	22.90	☐	☐	☐	
11-212	K305069	77.40	79.50	2.10	0.180	602.0	6.20	4.89	14.20	☐	☐	☐	
11-212	K305070	79.50	80.77	1.27	1.470	902.0	8.40	8.12	29.40	☐	☐	☐	
11-212	K305071	80.77	82.30	1.53	0.370	160.0	1.99	1.37	4.87	☐	☐	☐	
11-212	K305072	80.77	82.30	1.53	0.290	149.0	1.83	1.22	4.53	☑	☐	☐	Duplicate of 071
11-212	K305073	82.30	84.47	2.17	0.005	15.0	0.36	0.27	2.91	☐	☐	☐	
11-212	K305074	84.47	86.87	2.40	0.005	23.0	0.30	0.29	2.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-212	K305075	86.87	89.92	3.05	0.005	23.0	0.22	0.34	2.23	☐	☐	☐	
11-212	K305076	89.92	91.44	1.52	0.005	39.0	0.20	0.34	2.16	☐	☐	☐	
11-212	K305077	91.44	93.38	1.94	0.005	66.0	0.80	0.32	2.33	☐	☐	☐	
11-212	K305079	93.38	96.01	2.63	0.020	188.5	2.13	2.56	6.22	☐	☐	☐	
11-212	K305080	96.01	97.54	1.53	0.005	199.5	2.30	4.59	7.16	☐	☐	☐	
11-212	K305081	97.54	99.06	1.52	0.080	1960.0	4.03	7.08	14.40	☐	☐	☐	
11-212	K305082	99.06	100.58	1.52	0.260	1030.0	6.00	5.79	19.05	☐	☐	☐	
11-212	K305083	100.58	102.17	1.59	0.160	1570.0	5.50	4.88	16.65	☐	☐	☐	
11-212	K305084	102.17	105.16	2.99	0.010	407.0	6.50	2.06	13.05	☐	☐	☐	
11-212	K305085	105.16	108.20	3.04	0.005	227.0	4.59	1.83	9.84	☐	☐	☐	
11-212	K305086	108.20	111.25	3.05	0.280	780.0	6.31	5.47	19.10	☐	☐	☐	
11-212	K305087	111.25	114.30	3.05	0.010	106.5	2.05	0.65	8.08	☐	☐	☐	
11-212	K305088	114.30	117.35	3.05	0.010	45.3	0.83	0.75	4.94	☐	☐	☐	
11-212	K305089	117.35	120.60	3.25	0.010	119.5	0.95	0.88	5.92	☐	☐	☐	
11-212	K305090	120.60	123.44	2.84	0.020	195.5	1.19	1.35	4.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-212	K305091	123.44	125.27	1.83	0.050	842.0	2.16	3.27	7.36	☐	☐	☐	
11-212	K305092	125.27	128.02	2.75	1.260	1995.0	4.72	16.50	20.80	☐	☐	☐	
11-212	K305093	128.02	131.06	3.04	1.950	5840.0	11.40	28.90	33.30	☐	☐	☐	
11-214	K305095	131.06	134.11	3.05	2.590	6150.0	11.70	31.00	38.10	☐	☐	☐	
11-214	K305096	134.11	137.16	3.05	0.030	185.0	0.50	0.88	3.26	☐	☐	☐	
11-214	K305097	137.16	140.21	3.05	0.020	79.6	0.21	0.59	1.08	☐	☐	☐	
11-214	K305098	140.21	143.26	3.05	0.010	123.0	0.19	0.49	1.52	☐	☐	☐	
11-214	K305099	143.26	146.30	3.04	0.280	5580.0	2.85	16.80	7.14	☐	☐	☐	
11-214	K305101	146.30	149.35	3.05	0.030	389.0	1.07	2.74	2.98	☐	☐	☐	
11-214	K305102	149.35	152.40	3.05	0.040	540.0	1.75	3.32	3.33	☐	☐	☐	
11-214	K305103	152.40	155.45	3.05	0.040	214.0	2.16	2.14	5.46	☐	☐	☐	
11-214	K305104	155.45	158.50	3.05	0.530	3520.0	5.60	9.71	17.80	☐	☐	☐	
11-214	K305105	158.50	161.54	3.04	0.190	366.0	2.96	7.21	11.10	☐	☐	☐	
11-214	K305106	158.50	161.54	3.04	0.180	429.0	2.75	5.90	9.71	☑	☐	☐	Duplicate of 105
11-214	K305107	161.54	164.59	3.05	1.730	2770.0	6.64	22.50	25.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-214	K305109	164.59	167.64	3.05	3.230	6000.0	7.60	31.10	32.40	☐	☐	☐	
11-214	K305110	167.64	170.69	3.05	0.220	883.0	1.69	3.39	5.28	☐	☐	☐	
11-214	K305111	170.69	173.74	3.05	0.020	238.0	0.87	1.39	6.52	☐	☐	☐	
11-214	K305112	173.74	176.78	3.04	0.020	302.0	0.60	1.61	5.50	☐	☐	☐	
11-214	K305113	176.78	179.83	3.05	0.010	255.0	0.74	1.31	5.68	☐	☐	☐	
11-214	K305114	179.83	182.88	3.05	0.040	314.0	1.00	2.72	6.66	☐	☐	☐	
11-214	K305115	182.88	185.93	3.05	0.220	878.0	1.47	3.48	7.16	☐	☐	☐	
11-214	K305116	185.93	188.98	3.05	0.010	471.0	1.26	0.45	3.51	☐	☐	☐	
11-214	K305117	188.98	192.02	3.04	0.010	172.5	1.11	0.46	4.20	☐	☐	☐	
11-214	K305118	192.02	195.07	3.05	0.020	636.0	1.47	0.83	4.43	☐	☐	☐	
11-214	K305119	195.07	198.12	3.05	0.005	75.2	0.50	0.29	2.58	☐	☐	☐	
11-214	K305120	198.12	201.17	3.05	0.005	407.0	1.17	2.04	6.88	☐	☐	☐	
11-214	K305121	201.17	204.22	3.05	0.010	464.0	1.04	3.56	6.57	☐	☐	☐	
11-214	K305122	204.22	207.26	3.04	0.290	994.0	2.04	4.73	7.94	☐	☐	☐	
11-214	K305123	207.26	210.31	3.05	0.330	369.0	2.02	3.32	5.79	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-214	K305124	210.31	213.36	3.05	8.900	3910.0	1.20	39.40	47.70	☐	☐	☐	
11-214	K305126	213.36	216.41	3.05	0.010	184.5	0.43	1.12	1.92	☐	☐	☐	
11-214	K305127	216.41	219.46	3.05	0.005	111.5	0.43	1.04	1.50	☐	☐	☐	
11-214	K305129	219.46	222.50	3.04	0.180	1935.0	1.69	6.36	5.06	☐	☐	☐	
11-214	K305130	222.50	225.55	3.05	0.040	1150.0	1.37	3.72	4.88	☐	☐	☐	End of Batch 214
11-217	K305131	225.55	228.60	3.05	0.005	134.0	0.33	0.57	1.33	☐	☐	☐	End of Batch 217
11-217	K305132	228.60	231.65	3.05	0.005	91.5	0.30	0.46	1.08	☐	☐	☐	
11-217	K305133	231.65	234.70	3.05	0.005	108.5	0.34	0.48	1.17	☐	☐	☐	
11-217	K305134	234.70	237.74	3.04	0.005	70.1	0.37	0.51	1.41	☐	☐	☐	
11-217	K305135	237.74	240.79	3.05	0.005	75.9	0.61	0.73	1.17	☐	☐	☐	
11-217	K305136	240.79	243.84	3.05	0.005	192.5	0.61	1.78	2.32	☐	☐	☐	
11-217	K305137	243.84	246.89	3.05	7.780	13700.0	11.40	69.70	61.10	☐	☐	☐	
11-217	K305139	246.89	249.94	3.05	1.640	2820.0	3.60	20.30	13.35	☐	☐	☐	
11-217	K305140	249.94	252.98	3.04	7.880	12800.0	14.20	65.60	48.60	☐	☐	☐	
11-217	K305142	252.98	256.03	3.05	17.650	16250.0	18.60	109.50	110.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-217	K305143	256.03	259.08	3.05	2.620	2870.0	5.00	25.60	23.90	☐	☐	☐	
11-217	K305144	259.08	262.13	3.05	0.050	836.0	2.49	9.90	7.29	☐	☐	☐	
11-217	K305145	262.13	265.18	3.05	0.010	243.0	0.78	2.16	4.11	☐	☐	☐	
11-217	K305146	265.18	268.22	3.04	0.420	468.0	1.61	5.48	6.42	☐	☐	☐	
11-217	K305147	268.22	271.27	3.05	1.320	1885.0	3.11	19.00	9.25	☐	☐	☐	
11-217	K305148	271.27	274.32	3.05	0.010	2080.0	1.52	8.34	1.91	☐	☐	☐	
11-217	K305150	274.32	277.37	3.05	0.010	104.0	0.49	4.30	0.43	☐	☐	☐	
11-217	K305151	277.37	280.42	3.05	0.005	68.5	0.35	1.45	1.16	☐	☐	☐	
11-217	K305152	280.42	283.46	3.04	0.005	110.0	0.57	3.12	1.35	☐	☐	☐	
11-217	K305153	280.42	283.46	3.04	0.005	108.0	0.54	2.96	0.89	☑	☐	☐	Duplicate of 152
11-217	K305154	283.46	286.57	3.11	0.005	127.0	1.28	6.23	1.17	☐	☐	☐	
11-217	K305155	286.57	289.56	2.99	0.005	55.0	0.72	0.79	1.51	☐	☐	☐	
11-217	K305156	289.56	292.61	3.05	0.005	52.0	0.61	0.54	1.35	☐	☐	☐	
11-217	K305157	292.61	295.66	3.05	0.005	40.0	0.37	0.48	0.49	☐	☐	☐	
11-217	K305158	295.66	298.70	3.04	0.005	38.0	0.58	0.55	0.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-217	K305159	298.70	301.75	3.05	0.005	49.0	1.03	0.48	0.93	☐	☐	☐	
11-217	K305160	301.75	304.80	3.05	0.005	39.0	1.02	0.49	0.85	☐	☐	☐	
11-217	K305161	304.80	307.85	3.05	0.005	29.0	0.70	0.33	0.89	☐	☐	☐	
11-217	K305162	307.85	310.90	3.05	0.020	27.0	1.00	0.63	1.31	☐	☐	☐	
11-217	K305164	310.90	313.94	3.04	0.005	12.0	0.36	0.21	0.66	☐	☐	☐	
11-217	K305165	313.94	316.99	3.05	0.005	47.0	0.73	0.42	1.27	☐	☐	☐	
11-217	K305166	316.99	320.04	3.05	0.080	110.0	1.56	1.20	3.41	☐	☐	☐	
11-220	K305167	320.04	323.09	3.05	0.010	37.0	0.37	0.31	0.91	☐	☐	☐	Start of batch 220
11-220	K305168	323.09	326.14	3.05	0.010	41.0	0.50	0.63	0.98	☐	☐	☐	
11-220	K305169	326.14	329.18	3.04	0.020	34.0	0.61	0.64	1.16	☐	☐	☐	
11-220	K305170	329.18	332.23	3.05	0.010	42.0	0.51	0.63	0.99	☐	☐	☐	
11-220	K305171	332.23	335.28	3.05	0.010	46.0	0.82	0.88	1.20	☐	☐	☐	
11-220	K305172	335.28	338.33	3.05	0.010	22.0	0.33	0.71	0.69	☐	☐	☐	
11-220	K305173	338.33	341.38	3.05	0.005	22.0	0.34	0.42	0.72	☐	☐	☐	
11-220	K305175	341.38	344.42	3.04	0.010	169.0	0.67	0.87	1.41	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-220	K305176	344.42	347.47	3.05	0.005	44.0	0.73	0.47	1.30	☐	☐	☐	
11-220	K305177	347.47	350.52	3.05	0.010	1140.0	1.07	1.95	1.81	☐	☐	☐	
11-220	K305178	347.47	350.52	3.05	0.010	821.0	1.20	1.92	1.91	☑	☐	☐	Duplicate of K305177
11-220	K305179	350.52	353.57	3.05	0.010	97.0	1.26	1.07	2.44	☐	☐	☐	
11-220	K305180	353.57	356.62	3.05	0.010	2370.0	1.83	3.98	3.47	☐	☐	☐	
11-220	K305181	356.62	359.66	3.04	0.610	34400.0	1.99	94.50	4.29	☐	☐	☐	
11-220	K305182	359.66	362.71	3.05	0.010	226.0	2.67	2.57	4.04	☐	☐	☐	
11-220	K305184	362.71	365.76	3.05	0.010	170.0	5.85	4.58	5.58	☐	☐	☐	
11-220	K305185	365.76	368.81	3.05	0.005	66.0	0.96	0.88	1.25	☐	☐	☐	
11-220	K305186	368.81	371.86	3.05	0.010	153.0	2.30	0.99	3.94	☐	☐	☐	
11-220	K305187	371.86	374.90	3.04	0.130	315.0	3.22	2.26	6.64	☐	☐	☐	
11-220	K305188	374.90	377.95	3.05	0.030	132.0	1.74	0.88	4.47	☐	☐	☐	
11-220	K305190	377.95	381.00	3.05	0.050	139.0	1.80	1.39	3.89	☐	☐	☐	
11-220	K305191	381.00	384.05	3.05	0.020	67.0	1.09	0.86	1.86	☐	☐	☐	
11-220	K305192	384.05	387.10	3.05	0.010	56.0	0.92	0.44	1.57	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-220	K305193	387.10	390.04	2.94	0.005	56.0	1.01	0.60	3.79	☐	☐	☐	
11-220	K305194	390.04	393.19	3.15	0.050	76.0	1.19	1.08	1.79	☐	☐	☐	
11-220	K305195	393.19	396.24	3.05	0.005	47.0	0.88	0.34	1.66	☐	☐	☐	
11-220	K305196	396.24	399.29	3.05	0.010	18.0	0.20	0.26	1.59	☐	☐	☐	
11-220	K305197	399.29	402.34	3.05	0.030	57.0	0.51	0.42	2.51	☐	☐	☐	
11-220	K305198	402.34	405.38	3.04	0.005	72.0	1.01	0.52	1.74	☐	☐	☐	
11-220	K305199	405.38	408.43	3.05	0.005	39.0	0.49	0.33	1.52	☐	☐	☐	
11-220	K305201	408.43	411.48	3.05	0.005	37.0	0.61	0.38	1.44	☐	☐	☐	
11-220	K305202	411.48	414.53	3.05	0.040	1400.0	1.30	1.51	1.49	☐	☐	☐	Start of batch 222
11-222	K305203	414.53	417.58	3.05	0.005	65.0	0.64	0.37	1.23	☐	☐	☐	
11-222	K305204	417.58	420.62	3.04	0.010	33.0	0.40	0.26	0.67	☐	☐	☐	
11-222	K305205	420.62	423.67	3.05	0.005	20.0	0.41	0.27	0.65	☐	☐	☐	
11-222	K305206	423.67	426.72	3.05	0.005	16.0	0.10	0.22	0.32	☐	☐	☐	
11-222	K305207	426.72	429.77	3.05	0.005	17.0	0.22	0.23	0.18	☐	☐	☐	
11-222	K305208	429.77	432.82	3.05	0.005	22.0	0.36	0.20	0.18	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-222	K305210	432.82	435.86	3.04	0.010	32.0	0.49	0.23	0.29	☐	☐	☐	
11-222	K305211	435.86	438.91	3.05	0.005	36.0	0.58	0.22	0.60	☐	☐	☐	
11-222	K305212	438.91	441.96	3.05	0.005	49.0	0.54	0.28	0.65	☐	☐	☐	
11-222	K305213	441.96	445.01	3.05	0.005	44.0	0.74	0.37	0.87	☐	☐	☐	
11-222	K305214	445.01	448.06	3.05	0.005	49.0	0.87	0.33	1.13	☐	☐	☐	
11-222	K305215	448.06	450.86	2.80	0.010	197.0	1.23	0.93	1.74	☐	☐	☐	
11-222	K305216	448.06	450.86	2.80	0.010	205.0	1.26	0.99	1.79	☑	☐	☐	duplicate of K305215
11-222	K305217	450.86	453.86	3.00	0.010	581.0	2.08	1.57	2.89	☐	☐	☐	
11-222	K305219	453.86	456.86	3.00	0.010	677.0	2.59	3.78	2.77	☐	☐	☐	
11-222	K305220	456.86	459.00	2.14	0.010	58.0	1.08	0.71	1.01	☐	☐	☐	
11-222	K305221	459.00	461.65	2.65	0.020	87.0	0.89	0.66	0.72	☐	☐	☐	
11-222	K305222	461.65	463.30	1.65	0.010	44.0	1.10	0.52	1.26	☐	☐	☐	
11-222	K305223	463.30	466.34	3.04	0.010	22.0	0.41	0.23	0.52	☐	☐	☐	
11-222	K305224	466.34	469.39	3.05	0.005	34.0	0.55	0.24	1.09	☐	☐	☐	
11-222	K305225	469.39	471.48	2.09	0.080	290.0	1.64	3.92	3.77	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-222	K305226	471.48	472.44	0.96	0.160	40700.0	0.42	134.50	1.12	☐	☐	☐	
11-222	K305228	472.44	474.83	2.39	1.150	15300.0	3.76	53.50	9.55	☐	☐	☐	
11-222	K305229	474.83	477.83	3.00	0.050	163.0	1.83	2.47	2.99	☐	☐	☐	
11-222	K305230	477.83	479.34	1.51	0.020	135.0	1.34	1.93	1.83	☐	☐	☐	
11-222	K305231	479.34	482.00	2.66	0.300	149.0	2.03	3.28	3.94	☐	☐	☐	
11-222	K305232	482.00	484.87	2.87	0.080	108.0	0.97	1.48	1.84	☐	☐	☐	
11-222	K305233	484.87	487.68	2.81	0.010	25.0	0.36	0.32	0.71	☐	☐	☐	
11-222	K305234	487.68	490.73	3.05	0.010	31.0	0.15	0.20	0.21	☐	☐	☐	
11-222	K305236	490.73	493.78	3.05	0.010	23.0	0.07	0.34	0.20	☐	☐	☐	
11-222	K305237	493.78	496.82	3.04	0.005	21.0	0.08	0.30	0.23	☐	☐	☐	
11-222	K305238	496.82	499.87	3.05	0.005	7.0	0.09	0.21	0.12	☐	☐	☐	
11-225	K305239	499.87	502.92	3.05	0.005	33.0	0.07	0.25	0.16	☐	☐	☐	Start of Batch 225
11-225	K305240	502.92	505.97	3.05	0.005	24.0	0.10	0.23	0.12	☐	☐	☐	
11-225	K305241	505.97	509.02	3.05	0.005	58.0	0.35	0.72	0.52	☐	☐	☐	
11-225	K305242	509.02	512.06	3.04	0.005	20.0	0.11	0.26	0.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-225	K305243	512.06	515.11	3.05	0.005	19.0	0.11	0.30	0.22	☐	☐	☐	
11-225	K305244	515.11	518.16	3.05	0.005	25.0	0.11	0.39	0.27	☐	☐	☐	
11-225	K305245	515.11	518.16	3.05	0.005	26.0	0.12	0.40	0.30	☑	☐	☐	duplicate of K305244
11-225	K305246	518.16	521.21	3.05	0.005	18.0	0.08	0.36	0.24	☐	☐	☐	
11-225	K305247	521.21	524.26	3.05	0.005	10.0	0.17	2.06	0.43	☐	☐	☐	
11-225	K305248	524.26	527.30	3.04	0.005	11.0	0.13	0.52	0.38	☐	☐	☐	
11-225	K305249	527.30	530.35	3.05	0.005	12.0	0.14	0.51	0.41	☐	☐	☐	
11-225	K305250	530.35	533.40	3.05	0.005	9.0	0.13	0.46	0.36	☐	☐	☐	
11-225	K305252	533.40	536.45	3.05	0.005	12.0	0.16	0.55	0.42	☐	☐	☐	
11-225	K305253	536.45	539.50	3.05	0.005	12.0	0.12	0.45	0.39	☐	☐	☐	
11-225	K305254	539.50	542.54	3.04	0.005	13.0	0.10	0.45	0.34	☐	☐	☐	
11-225	K305255	542.54	545.59	3.05	0.005	15.0	0.21	0.70	0.65	☐	☐	☐	
11-225	K305256	545.59	548.64	3.05	0.005	8.0	0.10	0.64	0.46	☐	☐	☐	
11-225	K305257	548.64	551.69	3.05	0.010	14.0	0.11	0.47	0.37	☐	☐	☐	
11-225	K305259	551.69	554.74	3.05	0.005	17.0	0.13	0.60	0.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-225	K305260	554.74	557.78	3.04	0.005	11.0	0.07	0.29	0.29	☐	☐	☐	
11-225	K305261	557.78	559.68	1.90	0.005	16.0	0.05	0.21	0.27	☐	☐	☐	
11-225	K305262	559.68	561.29	1.61	0.005	27.6	0.15	0.96	0.80	☐	☐	☐	
11-225	K305264	561.29	563.88	2.59	0.005	23.0	0.01	0.33	0.06	☐	☐	☐	
11-225	K305265	563.88	566.93	3.05	0.005	29.0	0.05	0.26	0.16	☐	☐	☐	
11-225	K305266	566.93	568.70	1.77	0.005	31.7	0.03	0.51	0.16	☐	☐	☐	
11-225	K305267	568.70	569.98	1.28	0.005	38.0	0.11	1.43	0.43	☐	☐	☐	
11-225	K305268	569.98	573.02	3.04	0.005	98.0	0.19	1.91	0.74	☐	☐	☐	
11-225	K305269	573.02	576.07	3.05	0.005	363.0	0.29	1.99	0.94	☐	☐	☐	
11-225	K305271	576.07	579.12	3.05	0.005	202.0	0.39	2.73	0.86	☐	☐	☐	
11-225	K305272	579.12	582.17	3.05	0.005	65.1	0.25	2.54	0.79	☐	☐	☐	
11-225	K305273	582.17	585.22	3.05	0.005	198.0	0.70	2.67	1.38	☐	☐	☐	
11-225	K305274	585.22	588.26	3.04	0.005	32.8	0.33	2.05	0.67	☐	☐	☐	
11-226	K305275	588.26	591.31	3.05	0.005	157.5	0.64	2.28	1.97	☐	☐	☐	Start of Batch 226
11-226	K305276	591.31	594.36	3.05	0.005	17.7	0.11	1.41	0.55	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-226	K305277	594.36	597.41	3.05	0.005	14.0	0.12	1.27	0.60	☐	☐	☐	

Sample Results

OS -11-071

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-208	K304199	0.00	2.44	2.44	0.450	1560.0	1.73	7.25	4.56	☐	☐	☐	
11-208	K304207	0.00	0.00	0.00	2.530	563.0	4.35	115.00	3.80	☐	☐	☑	NT2
11-208	K304220	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ
11-211	K304236	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.02	☐	☑	☐	HQ
11-211	K304242	0.00	0.00	0.00	2.680	583.0	4.47	109.50	3.62	☐	☐	☑	NT2
11-211	K304246	0.00	0.00	0.00	0.320	618.0	8.55	121.50	7.39	☐	☐	☑	NT1
11-211	K304254	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	NQ
11-216	K304267	0.00	0.00	0.00	2.690	616.0	4.76	119.50	4.19	☐	☐	☑	NT2
11-216	K304281	0.00	0.00	0.00	0.005	19.0	0.01	0.10	0.04	☐	☑	☐	NQ
11-216	K304283	0.00	0.00	0.00	7.780	1070.0	5.70	20.20	13.60	☐	☐	☑	NT3
11-216	K304289	0.00	0.00	0.00	0.005	2.5	0.01	0.40	0.55	☐	☑	☐	NQ
11-208	K304200	2.44	4.95	2.51	3.730	4840.0	9.50	30.00	19.40	☐	☐	☐	
11-208	K304201	4.95	7.01	2.06	0.680	1000.0	2.01	3.87	4.58	☐	☐	☐	
11-208	K304202	7.01	10.06	3.05	0.930	1460.0	2.68	5.61	6.78	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-208	K304203	10.06	12.00	1.94	1.110	1730.0	2.32	4.89	8.52	☐	☐	☐	
11-208	K304204	12.00	14.30	2.30	7.080	6390.0	15.90	33.80	33.80	☐	☐	☐	
11-208	K304205	14.30	16.15	1.85	2.210	2020.0	5.56	6.49	7.19	☐	☐	☐	
11-208	K304206	16.15	19.20	3.05	2.650	2160.0	4.91	13.55	13.80	☐	☐	☐	
11-208	K304208	19.20	20.47	1.27	3.790	3640.0	10.60	50.70	39.40	☐	☐	☐	
11-208	K304209	20.47	22.25	1.78	1.230	1140.0	6.20	11.05	22.30	☐	☐	☐	
11-208	K304210	20.47	22.25	1.78	1.680	1390.0	7.70	13.20	24.20	☑	☐	☐	Duplicate of 209
11-208	K304211	22.25	25.30	3.05	0.010	390.0	0.38	3.06	2.83	☐	☐	☐	
11-208	K304212	25.30	28.35	3.05	0.020	829.0	0.51	5.21	2.22	☐	☐	☐	
11-208	K304213	28.35	31.39	3.04	0.010	241.0	0.19	1.32	0.70	☐	☐	☐	
11-208	K304214	31.39	34.44	3.05	0.005	325.0	0.10	1.29	0.46	☐	☐	☐	
11-208	K304215	34.44	37.49	3.05	0.005	305.0	0.08	1.27	0.44	☐	☐	☐	
11-208	K304216	37.49	40.54	3.05	0.010	235.0	0.05	1.77	0.86	☐	☐	☐	
11-208	K304217	40.54	43.59	3.05	0.060	768.0	0.65	4.21	1.46	☐	☐	☐	
11-208	K304218	43.59	45.00	1.41	0.040	827.0	1.34	10.35	2.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-208	K304219	45.00	46.63	1.63	0.010	522.0	0.69	4.53	1.38	☐	☐	☐	
11-208	K304221	46.63	49.68	3.05	0.010	273.0	0.68	3.26	1.03	☐	☐	☐	
11-208	K304222	49.68	52.73	3.05	0.010	385.0	0.54	4.21	0.85	☐	☐	☐	
11-208	K304223	52.73	54.25	1.52	0.040	617.0	0.92	3.08	1.46	☐	☐	☐	
11-208	K304224	54.25	57.30	3.05	0.005	220.0	0.35	1.89	0.94	☐	☐	☐	
11-208	K304225	57.30	59.95	2.65	0.010	287.0	0.49	3.88	1.08	☐	☐	☐	End of Batch 208
11-211	K304226	59.95	61.87	1.92	0.005	210.0	0.13	1.80	0.43	☐	☐	☐	Start of Batch 211
11-211	K304227	61.87	64.25	2.38	0.005	262.0	0.22	1.74	0.83	☐	☐	☐	
11-211	K304228	64.25	66.45	2.20	0.005	2320.0	0.78	9.91	3.09	☐	☐	☐	
11-211	K304229	66.45	69.49	3.04	0.005	530.0	0.50	3.28	1.05	☐	☐	☐	
11-211	K304230	69.49	72.54	3.05	0.005	1100.0	0.40	9.69	2.10	☐	☐	☐	
11-211	K304231	72.54	75.59	3.05	0.005	663.0	0.12	2.31	0.79	☐	☐	☐	
11-211	K304232	72.54	75.59	3.05	0.005	740.0	0.12	2.22	0.78	☑	☐	☐	Duplicate of 231
11-211	K304233	75.59	78.33	2.74	0.160	710.0	1.50	3.32	5.13	☐	☐	☐	
11-211	K304234	78.33	81.25	2.92	0.005	1400.0	0.45	3.51	2.09	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-211	K304235	81.25	83.21	1.96	0.005	93.0	0.18	0.91	0.35	☐	☐	☐	
11-211	K304237	83.21	85.00	1.79	0.005	175.0	0.76	3.68	2.06	☐	☐	☐	
11-211	K304238	85.00	87.78	2.78	0.005	149.0	0.69	1.03	1.22	☐	☐	☐	
11-211	K304239	87.78	90.83	3.05	0.005	119.0	0.83	0.85	1.49	☐	☐	☐	
11-211	K304240	90.83	93.87	3.04	0.005	77.5	0.39	0.67	1.41	☐	☐	☐	
11-211	K304241	93.87	96.93	3.06	0.005	99.6	0.71	1.28	1.37	☐	☐	☐	
11-211	K304243	96.93	99.50	2.57	0.005	615.0	0.34	1.27	0.93	☐	☐	☐	
11-211	K304244	99.50	101.50	2.00	0.005	349.0	0.13	0.26	0.45	☐	☐	☐	
11-211	K304245	101.50	104.55	3.05	0.005	253.0	0.09	0.34	0.24	☐	☐	☐	
11-211	K304247	104.55	107.59	3.04	0.005	382.0	0.08	0.69	0.21	☐	☐	☐	
11-211	K304248	107.59	110.64	3.05	0.005	112.0	0.17	0.34	0.30	☐	☐	☐	
11-211	K304249	110.64	113.69	3.05	0.005	167.0	0.12	0.26	0.17	☐	☐	☐	
11-211	K304250	113.69	116.74	3.05	0.005	118.0	0.28	0.37	0.42	☐	☐	☐	
11-211	K304251	116.74	119.79	3.05	0.010	120.0	0.91	0.42	1.69	☐	☐	☐	
11-211	K304252	119.79	122.83	3.04	0.010	86.0	0.63	0.43	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-211	K304253	122.83	125.88	3.05	0.005	83.0	0.54	0.31	0.77	☐	☐	☐	
11-211	K304255	125.88	128.93	3.05	0.020	151.0	0.76	0.43	1.38	☐	☐	☐	
11-211	K304256	128.93	131.98	3.05	0.005	102.0	0.54	0.36	0.78	☐	☐	☐	
11-211	K304257	131.98	135.03	3.05	0.005	29.0	0.18	0.17	0.26	☐	☐	☐	
11-211	K304258	135.03	138.07	3.04	0.005	26.0	0.19	0.22	0.42	☐	☐	☐	
11-211	K304259	138.07	141.12	3.05	0.005	38.0	0.24	0.25	0.47	☐	☐	☐	
11-211	K304260	141.12	144.17	3.05	0.005	31.0	0.25	0.26	0.41	☐	☐	☐	
11-211	K304261	144.17	147.22	3.05	0.010	148.0	0.92	0.69	2.19	☐	☐	☐	End of Batch 211
11-216	K304262	147.22	150.27	3.05	0.240	9280.0	3.62	8.32	9.29	☐	☐	☐	Start of Batch 216
11-216	K304263	150.27	151.79	1.52	0.010	42.0	0.16	0.27	0.32	☐	☐	☐	
11-224	K304299	151.79	154.84	3.05	0.005	27.0	0.15	0.29	0.26	☐	☐	☐	
11-224	K304300	154.84	156.36	1.52	0.010	49.0	0.15	0.46	0.38	☐	☐	☐	
11-216	K304264	174.65	177.70	3.05	0.100	159.0	0.64	1.09	1.55	☐	☐	☐	
11-216	K304265	177.70	180.74	3.04	0.050	213.0	1.11	1.53	3.15	☐	☐	☐	
11-216	K304266	180.74	183.79	3.05	0.620	781.0	3.87	7.44	13.85	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-216	K304268	183.79	186.84	3.05	0.200	255.0	2.02	3.57	6.82	☐	☐	☐	
11-216	K304269	186.84	189.89	3.05	0.940	509.0	6.00	11.00	18.70	☐	☐	☐	
11-216	K304270	189.89	192.93	3.04	2.100	888.0	19.20	34.80	66.40	☐	☐	☐	
11-216	K304271	192.93	195.98	3.05	4.630	1900.0	25.50	57.20	92.20	☐	☐	☐	
11-216	K304272	195.98	198.57	2.59	0.960	441.0	6.14	13.25	16.35	☐	☐	☐	
11-216	K304273	198.57	201.07	2.50	0.700	803.0	3.40	8.10	7.96	☐	☐	☐	
11-216	K304274	201.07	203.37	2.30	5.870	40000.0	22.20	139.00	54.90	☐	☐	☐	
11-216	K304275	201.07	203.37	2.30	5.280	46600.0	20.70	151.00	54.40	☑	☐	☐	Duplicate of 274
11-216	K304276	203.37	204.60	1.23	8.080	85400.0	22.70	169.00	54.90	☐	☐	☐	
11-216	K304277	204.60	206.13	1.53	0.140	493.0	1.63	2.67	3.35	☐	☐	☐	
11-216	K304278	206.13	208.42	2.29	0.340	903.0	10.40	4.11	4.07	☐	☐	☐	
11-216	K304279	208.42	211.22	2.80	0.470	710.0	1.97	2.45	2.92	☐	☐	☐	
11-216	K304280	211.22	214.27	3.05	0.210	1460.0	1.51	2.64	1.91	☐	☐	☐	
11-216	K304282	214.27	217.32	3.05	0.070	244.0	1.26	1.56	1.30	☐	☐	☐	
11-216	K304284	217.32	220.36	3.04	0.020	113.0	13.20	1.15	3.23	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-216	K304285	220.36	223.41	3.05	0.005	24.0	0.71	0.40	0.56	☐	☐	☐	
11-216	K304286	223.41	226.46	3.05	0.010	67.0	0.54	0.49	0.77	☐	☐	☐	
11-216	K304287	226.46	229.51	3.05	0.020	224.0	1.68	1.26	3.07	☐	☐	☐	
11-216	K304288	229.51	232.56	3.05	0.010	197.0	3.84	1.24	6.22	☐	☐	☐	
11-216	K304290	232.56	235.60	3.04	0.020	110.0	8.82	1.21	2.01	☐	☐	☐	
11-216	K304291	235.60	237.57	1.97	0.050	1990.0	1.48	1.89	1.65	☐	☐	☐	
11-216	K304292	237.57	239.07	1.50	0.080	813.0	1.40	1.43	2.29	☐	☐	☐	
11-216	K304293	239.07	241.70	2.63	0.030	398.0	7.08	2.72	8.08	☐	☐	☐	
11-216	K304294	241.70	244.75	3.05	0.005	89.0	0.54	0.29	1.29	☐	☐	☐	
11-216	K304295	244.75	247.80	3.05	0.005	25.0	0.17	0.25	0.95	☐	☐	☐	
11-216	K304296	247.80	250.85	3.05	0.005	31.0	0.20	0.65	2.25	☐	☐	☐	
11-216	K304297	250.85	253.90	3.05	0.005	27.0	0.11	0.62	1.58	☐	☐	☐	End of Batch 216
11-224	K304298	253.90	256.94	3.04	0.005	43.0	0.06	0.58	0.98	☐	☐	☐	Start of Batch 224
11-224	K304301	261.52	264.57	3.05	0.005	21.9	0.05	0.39	0.85	☐	☐	☐	
11-224	K304302	264.57	267.61	3.04	0.005	43.0	0.05	0.31	0.50	☐	☐	☐	EOH

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-218	K302143	0.00	0.00	0.00	0.005	30.0	0.01	0.06	0.04	☐	☑	☐	NQ
11-218	K302150	0.00	0.00	0.00	2.480	577.0	4.29	105.00	4.13	☐	☐	☑	NT2
11-228	K302157	0.00	0.00	0.00	0.340	600.0	9.30	118.00	8.06	☐	☐	☑	NT1
11-228	K302173	0.00	0.00	0.00	0.005	11.0	0.02	0.07	0.03	☐	☑	☐	Blank HQ
11-228	K302178	0.00	0.00	0.00	7.680	1020.0	5.71	22.50	15.15	☐	☐	☑	STD NT3
11-228	K302183	0.00	0.00	0.00	0.005	45.0	0.01	0.08	0.03	☐	☑	☐	Blank HQ
11-231	K302195	0.00	0.00	0.00	0.005	15.0	0.01	0.05	0.04	☐	☑	☐	Blank NQ
11-231	K302205	0.00	0.00	0.00	0.340	619.0	9.60	110.50	7.66	☐	☐	☑	STD NT1
11-231	K302210	0.00	0.00	0.00	0.010	9.0	0.02	0.07	0.04	☐	☑	☐	Blank NQ
11-231	K302222	0.00	0.00	0.00	2.500	597.0	4.75	105.00	4.10	☐	☐	☑	STD NT2
11-234	K302234	0.00	0.00	0.00	0.010	47.0	0.11	0.05	0.03	☐	☑	☐	Blank HQ
11-234	K302245	0.00	0.00	0.00	7.950	1040.0	5.96	18.25	13.50	☐	☐	☑	STD NT3
11-234	K302251	0.00	0.00	0.00	0.005	12.0	0.01	0.05	0.02	☐	☑	☐	Blank NQ
11-234	K302257	0.00	0.00	0.00	0.340	649.0	9.20	114.00	8.19	☐	☐	☑	STD NT1

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-247	K302268	0.00	0.00	0.00	2.380	580.0	4.69	105.50	3.98	☐	☐	☑	STD NT2
11-218	K302133	8.53	11.58	3.05	0.010	417.0	0.15	0.10	1.53	☐	☐	☐	
11-218	K302134	11.58	12.80	1.22	0.060	1080.0	0.27	0.16	2.55	☐	☐	☐	
11-218	K302135	12.80	14.63	1.83	0.030	491.0	0.17	0.08	1.08	☐	☐	☐	
11-218	K302136	14.63	17.68	3.05	0.040	483.0	0.39	0.16	1.59	☐	☐	☐	
11-218	K302137	17.68	20.73	3.05	0.010	280.0	0.08	0.09	0.84	☐	☐	☐	
11-218	K302138	20.73	23.77	3.04	0.090	485.0	0.81	0.17	1.36	☐	☐	☐	
11-218	K302139	23.77	26.82	3.05	0.060	849.0	0.48	0.17	1.40	☐	☐	☐	
11-218	K302140	26.82	29.87	3.05	0.170	2610.0	1.84	0.41	3.14	☐	☐	☐	
11-218	K302141	29.87	32.92	3.05	0.050	417.0	0.67	0.27	0.99	☐	☐	☐	
11-218	K302142	32.92	35.97	3.05	0.180	4420.0	1.95	0.32	3.29	☐	☐	☐	
11-218	K302144	35.97	39.01	3.04	0.020	489.0	0.25	0.18	0.85	☐	☐	☐	
11-218	K302145	39.01	42.06	3.05	0.100	627.0	1.87	0.16	1.69	☐	☐	☐	
11-218	K302146	42.06	45.11	3.05	0.010	736.0	0.12	0.13	0.48	☐	☐	☐	
11-218	K302147	42.06	45.11	3.05	0.005	414.0	0.10	0.09	0.38	☑	☐	☐	duplicate of K302146

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-218	K302148	45.11	48.16	3.05	0.040	521.0	0.50	0.12	0.76	☐	☐	☐	
11-218	K302149	48.16	51.21	3.05	0.060	1280.0	1.14	1.64	1.89	☐	☐	☐	
11-218	K302151	51.21	54.25	3.04	0.180	1340.0	2.45	2.12	5.17	☐	☐	☐	
11-218	K302152	54.25	57.30	3.05	0.170	2080.0	0.88	0.49	2.61	☐	☐	☐	
11-228	K302153	57.30	60.35	3.05	0.330	3390.0	11.80	8.85	7.87	☐	☐	☐	Start of Batch 228
11-228	K302154	60.35	63.40	3.05	0.090	915.0	0.68	0.51	2.36	☐	☐	☐	
11-228	K302155	63.40	66.45	3.05	0.020	859.0	0.18	0.32	0.33	☐	☐	☐	
11-228	K302156	66.45	69.49	3.04	0.010	671.0	0.14	0.32	0.29	☐	☐	☐	
11-228	K302158	69.49	72.54	3.05	0.100	572.0	1.32	2.07	2.53	☐	☐	☐	
11-228	K302159	72.54	75.59	3.05	0.040	1790.0	0.41	0.42	0.67	☐	☐	☐	
11-228	K302160	75.59	78.64	3.05	0.010	1590.0	0.49	0.30	0.31	☐	☐	☐	
11-228	K302161	78.64	81.69	3.05	0.010	758.0	0.10	0.26	0.25	☐	☐	☐	
11-228	K302162	81.69	84.73	3.04	0.040	1520.0	0.43	0.37	1.22	☐	☐	☐	
11-228	K302163	81.69	84.73	3.04	0.020	510.0	0.31	0.28	0.69	☑	☐	☐	duplicate of K302162
11-228	K302164	84.73	87.78	3.05	0.020	777.0	0.33	0.18	0.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-228	K302165	87.78	90.83	3.05	0.010	731.0	0.16	0.16	0.28	☐	☐	☐	
11-228	K302166	90.83	93.88	3.05	0.030	231.0	0.76	0.20	1.20	☐	☐	☐	
11-228	K302167	93.88	96.93	3.05	0.040	401.0	1.89	0.21	1.81	☐	☐	☐	
11-228	K302168	96.93	99.97	3.04	0.005	202.0	1.40	0.31	1.53	☐	☐	☐	
11-228	K302169	99.97	103.02	3.05	0.005	73.0	1.27	0.18	2.10	☐	☐	☐	
11-228	K302170	103.02	106.07	3.05	0.005	1090.0	2.92	0.23	4.06	☐	☐	☐	
11-228	K302171	106.07	107.59	1.52	0.005	376.0	1.87	0.15	2.36	☐	☐	☐	
11-228	K302172	107.59	110.64	3.05	0.005	448.0	1.95	0.18	2.75	☐	☐	☐	
11-228	K302174	110.64	113.69	3.05	0.005	704.0	1.05	0.18	1.65	☐	☐	☐	
11-228	K302175	113.69	116.74	3.05	0.005	526.0	1.12	0.17	1.13	☐	☐	☐	
11-228	K302176	116.74	119.79	3.05	0.005	1200.0	2.07	0.29	2.21	☐	☐	☐	
11-228	K302177	119.79	122.83	3.04	0.150	3100.0	6.43	0.31	4.75	☐	☐	☐	
11-228	K302179	122.83	125.88	3.05	0.050	3820.0	2.01	0.18	1.53	☐	☐	☐	
11-228	K302180	125.88	128.93	3.05	0.090	3950.0	1.68	0.17	2.25	☐	☐	☐	
11-228	K302181	128.93	131.98	3.05	0.350	14550.0	4.65	0.43	5.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-228	K302182	131.98	133.50	1.52	0.040	8890.0	4.81	0.40	2.21	☐	☐	☐	
11-228	K302184	133.50	135.24	1.74	0.080	5200.0	116.00	0.31	7.00	☐	☐	☐	
11-228	K302185	135.24	138.07	2.83	0.220	1220.0	24.20	0.84	37.40	☐	☐	☐	
11-228	K302186	138.07	141.12	3.05	0.005	883.0	8.07	0.85	20.30	☐	☐	☐	
11-228	K302187	141.12	144.17	3.05	0.005	242.0	3.47	0.81	10.35	☐	☐	☐	
11-228	K302188	144.17	147.22	3.05	0.005	381.0	7.30	0.88	22.30	☐	☐	☐	End of Batch 228
11-231	K302189	147.22	148.31	1.09	0.005	260.0	3.92	0.61	12.25	☐	☐	☐	Start of Batch 231
11-231	K302190	148.31	150.26	1.95	0.005	94.9	1.32	0.37	7.90	☐	☐	☐	
11-231	K302191	150.26	153.31	3.05	0.005	48.5	0.18	0.29	5.01	☐	☐	☐	
11-231	K302192	153.31	156.36	3.05	0.005	90.1	0.24	0.20	3.47	☐	☐	☐	
11-231	K302193	156.36	157.32	0.96	0.005	540.0	3.74	0.26	10.65	☐	☐	☐	
11-231	K302194	157.32	159.41	2.09	0.250	6450.0	2.91	0.36	5.19	☐	☐	☐	
11-231	K302196	159.41	162.46	3.05	0.010	2920.0	0.21	0.10	0.37	☐	☐	☐	
11-231	K302197	162.46	165.51	3.05	0.060	497.0	0.61	0.10	0.63	☐	☐	☐	
11-231	K302198	165.51	168.55	3.04	0.120	1120.0	2.83	1.75	2.95	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-231	K302199	168.55	171.60	3.05	0.050	2100.0	2.16	0.16	2.38	☐	☐	☐	
11-231	K302200	171.60	174.65	3.05	0.030	2010.0	0.93	0.15	1.16	☐	☐	☐	
11-231	K302201	174.65	177.70	3.05	0.060	7770.0	2.81	0.31	1.35	☐	☐	☐	
11-231	K302202	177.70	180.75	3.05	0.070	2940.0	4.38	0.55	2.04	☐	☐	☐	
11-231	K302203	180.75	183.79	3.04	0.050	9960.0	1.49	0.25	1.09	☐	☐	☐	
11-231	K302204	183.79	186.84	3.05	0.300	31400.0	10.50	0.80	5.27	☐	☐	☐	
11-231	K302206	186.84	189.89	3.05	0.450	7670.0	14.90	0.84	12.95	☐	☐	☐	
11-231	K302207	189.89	191.33	1.44	0.060	368.0	2.50	0.16	2.62	☐	☐	☐	
11-231	K302208	191.33	194.00	2.67	1.180	4090.0	24.10	1.06	53.00	☐	☐	☐	
11-231	K302209	194.00	195.99	1.99	0.940	437.0	10.40	0.57	18.00	☐	☐	☐	
11-231	K302211	195.99	198.51	2.52	0.890	4590.0	6.90	0.71	12.75	☐	☐	☐	
11-231	K302212	198.51	200.00	1.49	0.310	3160.0	2.54	0.28	3.68	☐	☐	☐	
11-231	K302213	200.00	202.08	2.08	0.140	1860.0	1.29	0.21	2.06	☐	☐	☐	
11-231	K302214	202.08	205.13	3.05	0.410	1680.0	5.54	0.41	12.05	☐	☐	☐	
11-231	K302215	202.08	205.13	3.05	0.350	2460.0	4.11	0.32	6.94	☑	☐	☐	Duplicate of K302214

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-231	K302216	205.13	208.18	3.05	0.040	480.0	0.68	0.14	1.14	☐	☐	☐	
11-231	K302217	208.18	211.23	3.05	0.040	185.0	1.24	0.07	1.01	☐	☐	☐	
11-231	K302218	211.23	214.27	3.04	0.070	170.0	1.67	0.68	3.80	☐	☐	☐	
11-231	K302219	214.27	217.32	3.05	0.060	191.0	0.91	0.44	1.71	☐	☐	☐	
11-231	K302220	217.32	220.37	3.05	0.100	2290.0	8.50	0.52	3.07	☐	☐	☐	
11-231	K302221	220.37	223.42	3.05	0.250	2750.0	4.51	0.57	4.43	☐	☐	☐	
11-231	K302223	223.42	226.47	3.05	0.040	2270.0	0.94	0.35	1.16	☐	☐	☐	
11-231	K302224	226.47	229.51	3.04	0.040	2970.0	0.89	0.13	1.02	☐	☐	☐	End of Batch 231
11-234	K302225	229.51	232.56	3.05	0.050	364.0	1.40	0.71	3.04	☐	☐	☐	Start of Batch 234
11-234	K302226	232.56	235.61	3.05	0.020	212.0	1.62	0.25	1.59	☐	☐	☐	
11-234	K302227	235.61	238.66	3.05	0.020	1380.0	1.81	0.29	1.77	☐	☐	☐	
11-234	K302228	238.66	241.70	3.04	0.005	660.0	1.21	0.64	1.42	☐	☐	☐	
11-234	K302229	241.70	244.75	3.05	0.010	453.0	0.51	0.21	1.00	☐	☐	☐	
11-234	K302230	244.75	247.80	3.05	0.140	3690.0	1.92	0.39	2.10	☐	☐	☐	
11-234	K302231	247.80	250.45	2.65	0.060	16550.0	3.75	0.84	1.55	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-234	K302232	250.45	252.00	1.55	1.600	58900.0	92.00	2.86	24.50	☐	☐	☐	
11-234	K302233	252.00	253.89	1.89	1.410	89000.0	69.20	5.09	32.90	☐	☐	☐	
11-234	K302235	253.89	256.94	3.05	0.120	9330.0	1.31	0.38	2.57	☐	☐	☐	
11-234	K302236	256.94	259.99	3.05	0.050	2060.0	1.08	0.18	2.05	☐	☐	☐	
11-234	K302237	259.99	263.04	3.05	0.140	4580.0	1.88	0.52	4.96	☐	☐	☐	
11-234	K302238	263.04	266.09	3.05	0.170	384.0	3.42	0.24	4.96	☐	☐	☐	
11-234	K302239	266.09	269.13	3.04	0.200	7200.0	50.70	2.25	12.25	☐	☐	☐	
11-234	K302240	269.13	272.19	3.06	0.150	6910.0	18.40	0.62	4.97	☐	☐	☐	
11-234	K302241	269.13	272.19	3.06	0.170	7580.0	21.40	1.39	8.66	☑	☐	☐	Duplicate of K302240
11-234	K302242	272.19	275.23	3.04	0.190	99.0	2.67	0.15	4.08	☐	☐	☐	
11-234	K302243	275.23	278.28	3.05	0.130	1460.0	1.88	0.17	3.43	☐	☐	☐	
11-234	K302244	278.28	281.33	3.05	0.040	2760.0	0.72	0.14	1.41	☐	☐	☐	
11-234	K302246	281.33	284.38	3.05	0.100	1410.0	1.11	0.20	2.23	☐	☐	☐	
11-234	K302247	284.38	287.43	3.05	0.010	30.0	0.10	0.07	0.28	☐	☐	☐	
11-234	K302248	287.43	290.47	3.04	0.050	399.0	6.05	0.28	6.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-234	K302249	290.47	293.52	3.05	0.150	2840.0	11.00	0.35	7.51	☐	☐	☐	
11-234	K302250	293.52	296.57	3.05	0.005	76.0	0.16	0.05	0.31	☐	☐	☐	
11-234	K302252	296.57	299.61	3.04	0.060	1740.0	2.59	0.18	3.59	☐	☐	☐	
11-234	K302253	299.61	302.67	3.06	0.110	933.0	4.39	0.17	4.03	☐	☐	☐	
11-234	K302254	302.67	305.71	3.04	0.030	104.0	6.61	0.46	13.90	☐	☐	☐	
11-234	K302255	305.71	308.76	3.05	0.320	13050.0	20.10	0.71	18.60	☐	☐	☐	
11-234	K302256	308.76	311.81	3.05	0.030	6010.0	4.21	0.23	2.91	☐	☐	☐	
11-234	K302258	311.81	314.86	3.05	0.120	1780.0	4.13	0.34	4.51	☐	☐	☐	
11-234	K302259	314.86	317.91	3.05	0.030	9180.0	7.86	0.35	5.11	☐	☐	☐	
11-234	K302260	317.91	320.95	3.04	0.060	2650.0	6.31	0.22	4.89	☐	☐	☐	End of Batch 234
11-247	K302261	320.95	324.00	3.05	0.080	1260.0	2.00	0.19	3.39	☐	☐	☐	Start of Batch 247
11-247	K302262	324.00	327.05	3.05	0.060	3800.0	1.66	0.22	3.46	☐	☐	☐	
11-247	K302263	327.05	330.10	3.05	0.005	138.0	2.83	0.06	0.61	☐	☐	☐	
11-247	K302264	330.10	333.15	3.05	0.005	488.0	0.24	0.06	0.44	☐	☐	☐	
11-247	K302265	333.15	336.19	3.04	0.005	1160.0	0.78	0.08	0.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-247	K302266	336.19	339.24	3.05	0.005	3520.0	1.07	0.11	0.55	☐	☐	☐	
11-247	K302267	339.24	342.29	3.05	0.010	4570.0	0.54	0.20	1.55	☐	☐	☐	
11-247	K302269	342.29	345.34	3.05	0.010	48.0	0.42	0.14	0.86	☐	☐	☐	
11-247	K302270	345.34	346.97	1.63	0.005	69.0	0.31	0.07	0.45	☐	☐	☐	

Sample Results

OS -11-073

Isis East

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-219	K304632	0.00	0.00	0.00	2.570	580.0	4.43	109.50	4.37	☐	☐	☑	NT2
11-219	K304647	0.00	0.00	0.00	0.010	23.0	0.02	0.07	0.08	☐	☑	☐	NQ
11-229	K304653	0.00	0.00	0.00	0.070	42.0	0.12	0.06	0.38	☐	☑	☐	NQ
11-229	K304657	0.00	0.00	0.00	7.840	1000.0	5.70	18.55	13.25	☐	☐	☑	NT3
11-229	K304676	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.03	☐	☑	☐	NQ
11-229	K304679	0.00	0.00	0.00	2.350	635.0	4.15	117.00	3.88	☐	☐	☑	NT2
11-230	K304689	0.00	0.00	0.00	0.360	615.0	9.50	112.50	8.34	☐	☐	☑	NT1
11-230	K304695	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-219	K304631	4.58	5.18	0.60	6.320	2730.0	66.80	2.64	101.00	☐	☐	☐	
11-219	K304633	5.18	8.23	3.05	0.770	519.0	7.00	0.47	15.45	☐	☐	☐	
11-219	K304634	8.23	11.28	3.05	0.090	524.0	0.83	0.46	5.88	☐	☐	☐	
11-219	K304635	11.28	14.33	3.05	0.120	816.0	1.14	0.78	7.05	☐	☐	☐	
11-219	K304636	14.33	17.37	3.04	0.240	1260.0	1.36	1.48	11.75	☐	☐	☐	
11-219	K304637	17.37	20.42	3.05	0.450	823.0	0.89	0.95	6.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-219	K304638	20.42	23.55	3.13	0.250	447.0	1.04	0.66	4.27	☐	☐	☐	
11-219	K304639	23.55	26.52	2.97	0.340	541.0	2.43	1.02	5.48	☐	☐	☐	
11-219	K304640	26.52	29.57	3.05	1.710	720.0	4.94	1.15	7.38	☐	☐	☐	
11-219	K304641	29.57	32.61	3.04	1.340	529.0	4.41	1.43	6.75	☐	☐	☐	
11-219	K304642	32.61	35.66	3.05	0.630	335.0	2.11	0.94	5.09	☐	☐	☐	
11-219	K304643	35.66	38.71	3.05	1.270	560.0	5.03	0.97	11.10	☐	☐	☐	
11-219	K304644	38.71	41.75	3.04	1.170	849.0	5.32	1.25	12.20	☐	☐	☐	
11-219	K304645	41.75	44.81	3.06	0.570	831.0	3.80	1.77	6.83	☐	☐	☐	
11-219	K304646	44.81	47.85	3.04	0.230	9210.0	4.51	4.76	6.39	☐	☐	☐	
11-219	K304648	47.85	50.90	3.05	0.420	1160.0	3.36	0.98	6.99	☐	☐	☐	
11-219	K304649	50.90	53.95	3.05	0.260	970.0	1.59	0.60	6.08	☐	☐	☐	
11-229	K304650	53.95	57.00	3.05	0.200	1270.0	1.21	0.35	6.03	☐	☐	☐	
11-229	K304651	57.00	60.05	3.05	8.350	3970.0	34.30	1.77	57.20	☐	☐	☐	
11-229	K304652	60.05	61.92	1.87	8.440	4620.0	29.20	2.14	70.30	☐	☐	☐	
11-229	K304654	61.92	63.09	1.17	11.250	2030.0	38.50	1.71	72.70	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-229	K304655	63.09	66.08	2.99	23.500	12000.0	82.90	3.04	151.00	☐	☐	☐	
11-229	K304656	66.08	67.10	1.02	2.770	417.0	12.10	1.08	19.25	☐	☐	☐	
11-229	K304658	67.10	67.76	0.66	10.750	48700.0	22.10	5.74	51.20	☐	☐	☐	
11-229	K304659	67.76	69.19	1.43	0.500	618.0	2.10	0.27	4.61	☐	☐	☐	
11-229	K304660	67.76	69.19	1.43	0.430	584.0	1.80	0.23	4.11	☑	☐	☐	Duplicate of 659
11-229	K304661	69.19	72.24	3.05	0.210	714.0	1.10	0.18	2.55	☐	☐	☐	
11-229	K304662	72.24	75.29	3.05	0.120	800.0	0.51	0.16	1.82	☐	☐	☐	
11-229	K304663	75.29	78.33	3.04	0.180	966.0	0.75	0.28	2.05	☐	☐	☐	
11-229	K304664	78.33	81.38	3.05	0.200	1860.0	0.66	0.44	3.00	☐	☐	☐	
11-229	K304665	81.38	84.43	3.05	0.130	736.0	0.63	0.22	1.98	☐	☐	☐	
11-229	K304666	84.43	87.48	3.05	0.090	512.0	0.58	0.25	2.15	☐	☐	☐	
11-229	K304667	87.48	90.53	3.05	0.020	159.0	0.21	0.28	1.02	☐	☐	☐	
11-229	K304668	90.53	93.57	3.04	0.005	176.0	0.11	0.20	1.03	☐	☐	☐	
11-229	K304669	93.57	96.62	3.05	0.010	295.0	0.17	0.32	1.26	☐	☐	☐	
11-229	K304670	96.62	99.67	3.05	0.010	464.0	0.15	0.27	1.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-229	K304671	99.67	102.72	3.05	0.010	212.0	0.09	0.28	1.05	☐	☐	☐	
11-229	K304672	102.72	105.77	3.05	0.005	191.0	0.10	0.33	1.08	☐	☐	☐	
11-229	K304673	105.77	108.81	3.04	0.010	222.0	0.13	0.38	1.11	☐	☐	☐	
11-229	K304674	108.81	111.86	3.05	0.010	327.0	0.13	0.52	1.22	☐	☐	☐	
11-229	K304675	111.86	114.91	3.05	0.010	217.0	0.04	0.26	1.44	☐	☐	☐	
11-229	K304677	114.91	117.96	3.05	0.010	342.0	0.04	0.38	1.87	☐	☐	☐	
11-229	K304678	117.96	121.01	3.05	0.005	30.0	0.04	0.34	0.94	☐	☐	☐	
11-229	K304680	121.01	124.05	3.04	0.005	62.0	0.10	0.42	0.71	☐	☐	☐	
11-229	K304681	124.05	127.10	3.05	0.005	35.0	0.18	0.52	1.07	☐	☐	☐	
11-229	K304682	127.10	130.15	3.05	0.005	64.0	0.12	0.24	0.72	☐	☐	☐	
11-229	K304683	130.15	133.20	3.05	0.005	14.0	0.08	0.31	0.53	☐	☐	☐	
11-229	K304684	133.20	136.25	3.05	0.005	8.0	0.05	0.25	0.45	☐	☐	☐	
11-229	K304685	136.25	139.29	3.04	0.005	2.5	0.04	0.25	0.47	☐	☐	☐	End of Batch 229
11-230	K304686	139.29	142.34	3.05	0.005	11.0	0.04	0.23	0.31	☐	☐	☐	Start of Batch 230
11-230	K304687	142.34	145.39	3.05	0.005	16.0	0.05	0.24	0.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-230	K304688	145.39	148.44	3.05	0.005	16.0	0.05	0.18	0.23	☐	☐	☐	
11-230	K304690	148.44	151.49	3.05	0.005	19.0	0.07	0.26	0.20	☐	☐	☐	
11-230	K304691	151.49	152.60	1.11	0.005	10.0	0.03	0.15	0.09	☐	☐	☐	
11-230	K304692	152.60	154.53	1.93	0.010	44.0	0.09	0.36	0.67	☐	☐	☐	
11-230	K304693	154.53	157.58	3.05	0.010	40.3	0.08	0.47	0.95	☐	☐	☐	
11-230	K304694	157.58	160.31	2.73	0.005	16.5	0.02	0.37	0.94	☐	☐	☐	
11-230	K304696	160.31	161.22	0.91	0.005	18.0	0.07	0.16	0.16	☐	☐	☐	
11-230	K304697	161.22	163.68	2.46	0.005	50.5	0.10	0.52	0.95	☐	☐	☐	
11-230	K304698	163.68	166.73	3.05	0.005	10.0	0.05	0.79	0.96	☐	☐	☐	
11-230	K304699	166.73	168.62	1.89	0.005	22.5	0.12	0.66	1.15	☐	☐	☐	
11-230	K304700	166.73	168.62	1.89	0.010	21.7	0.10	0.63	1.08	☑	☐	☐	Duplicate of 699
11-230	K304701	168.62	169.77	1.15	0.005	12.4	0.01	0.46	0.68	☐	☐	☐	
11-230	K304702	169.77	172.82	3.05	0.005	6.6	0.01	0.35	0.78	☐	☐	☐	
11-230	K304703	172.82	174.10	1.28	0.005	9.6	0.01	0.37	0.67	☐	☐	☐	
11-230	K304704	174.10	175.85	1.75	0.005	8.6	0.01	0.31	0.68	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-230	K304705	175.87	178.92	3.05	0.005	6.8	0.01	0.31	0.67	☐	☐	☐	

Sample Results

OS -11-074

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-227	K303880	0.00	0.00	0.00	0.005	9.0	0.01	0.08	0.01	☐	☑	☐	HQ
11-227	K303883	0.00	0.00	0.00	0.330	584.0	10.50	114.00	7.43	☐	☐	☑	NT1
11-227	K303900	0.00	0.00	0.00	2.670	537.0	4.80	107.00	4.40	☐	☐	☑	NT2
11-227	K303906	0.00	0.00	0.00	0.005	2.5	0.02	0.06	0.04	☐	☑	☐	HQ
11-235	K303915	0.00	0.00	0.00	0.005	15.0	0.01	0.12	0.05	☐	☑	☐	HQ
11-235	K303924	0.00	0.00	0.00	2.630	579.0	4.70	103.00	3.76	☐	☐	☑	NT2
11-235	K303934	0.00	0.00	0.00	0.340	596.0	9.50	126.00	7.75	☐	☐	☑	NT1
11-235	K303944	0.00	0.00	0.00	0.005	26.0	0.04	0.13	0.10	☐	☑	☐	NQ; End of Batch 235
11-238	K303954	0.00	0.00	0.00	0.330	590.0	9.40	113.50	8.08	☐	☐	☑	NT2
11-238	K303963	0.00	0.00	0.00	15.900	1040.0	6.51	142.50	3.47	☐	☐	☑	NT4
11-238	K303971	0.00	0.00	0.00	0.010	7.0	0.04	0.05	0.04	☐	☑	☐	NQ
11-238	K303979	0.00	0.00	0.00	0.005	16.0	0.20	0.10	0.15	☐	☑	☐	NQ
11-243	K303987	0.00	0.00	0.00	0.010	155.0	0.02	0.40	0.05	☐	☑	☐	NQ
11-243	K303991	0.00	0.00	0.00	16.050	1040.0	5.90	147.50	3.55	☐	☐	☑	NT4

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-243	K305502	0.00	0.00	0.00	2.680	582.0	4.72	114.00	3.73	☐	☐	☑	NT2
11-243	K305512	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	NQ
11-246	K305520	0.00	0.00	0.00	0.330	587.0	9.50	109.00	8.00	☐	☐	☑	NT1
11-246	K305532	0.00	0.00	0.00	16.150	1230.0	6.64	152.00	3.56	☐	☐	☑	NT4
11-246	K305544	0.00	0.00	0.00	0.005	10.0	0.01	0.09	0.02	☐	☑	☐	NQ
11-246	K305550	0.00	0.00	0.00	0.005	10.0	0.01	0.08	0.02	☐	☑	☐	NQ
11-248	K305560	0.00	0.00	0.00	2.650	622.0	4.30	102.50	4.21	☐	☐	☑	NT2
11-248	K305564	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.01	☐	☑	☐	NQ
11-248	K305577	0.00	0.00	0.00	0.360	580.0	9.23	113.00	7.79	☐	☐	☑	NT1
11-248	K305584	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.02	☐	☑	☐	NQ
11-251	K305604	0.00	0.00	0.00	2.750	571.0	4.65	83.20	3.98	☐	☐	☑	NT2
11-251	K305608	0.00	0.00	0.00	0.005	5.0	0.01	0.11	0.03	☐	☑	☐	NQ
11-251	K305613	0.00	0.00	0.00	0.320	595.0	9.60	97.30	8.20	☐	☐	☑	NT1
11-251	K305620	0.00	0.00	0.00	0.005	6.0	0.01	0.06	0.02	☐	☑	☐	NQ
11-221	K303871	3.20	5.18	1.98	0.005	9.0	0.02	0.09	0.08	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-221	K303872	5.18	8.23	3.05	0.005	8.0	0.03	0.09	0.12	☐	☐	☐	End of Batch 221
11-227	K303873	8.23	11.28	3.05	0.005	10.0	0.05	0.19	0.13	☐	☐	☐	Start of Batch 227
11-227	K303874	11.28	14.33	3.05	0.005	19.0	0.15	0.27	0.59	☐	☐	☐	
11-227	K303875	14.33	17.37	3.04	0.005	11.0	0.10	0.15	0.31	☐	☐	☐	
11-227	K303876	17.37	20.42	3.05	0.005	20.0	0.08	0.24	0.39	☐	☐	☐	
11-227	K303877	20.42	21.95	1.53	0.005	12.0	0.05	0.18	0.33	☐	☐	☐	
11-227	K303878	21.95	24.00	2.05	0.005	15.0	0.04	0.19	0.36	☐	☐	☐	
11-227	K303879	24.00	25.45	1.45	0.005	11.0	0.02	0.13	0.18	☐	☐	☐	
11-227	K303881	25.45	28.04	2.59	0.005	28.0	0.34	1.18	1.60	☐	☐	☐	
11-227	K303882	28.04	31.09	3.05	0.005	18.5	0.20	1.02	1.37	☐	☐	☐	
11-227	K303884	31.09	34.14	3.05	0.005	24.2	0.37	1.22	1.47	☐	☐	☐	
11-227	K303885	34.14	37.19	3.05	0.005	19.6	0.30	1.15	1.23	☐	☐	☐	
11-227	K303886	37.19	40.23	3.04	0.005	22.0	0.19	1.00	1.33	☐	☐	☐	
11-227	K303887	40.23	43.28	3.05	0.005	30.1	0.33	1.10	2.58	☐	☐	☐	
11-227	K303888	43.28	46.33	3.05	0.005	33.1	0.42	0.95	2.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-227	K303889	46.33	49.38	3.05	0.005	39.0	0.91	1.09	2.62	☐	☐	☐	
11-227	K303890	49.38	51.60	2.22	0.005	169.5	0.80	0.98	4.89	☐	☐	☐	
11-227	K303891	51.60	53.94	2.34	0.005	81.0	0.30	0.31	1.09	☐	☐	☐	
11-227	K303892	51.60	53.94	2.34	0.005	63.0	0.29	0.32	1.02	☑	☐	☐	Duplicate of 891
11-227	K303893	53.94	56.99	3.05	0.005	27.0	0.21	0.15	0.82	☐	☐	☐	
11-227	K303894	56.99	59.20	2.21	0.005	25.0	0.13	0.15	0.43	☐	☐	☐	
11-227	K303895	59.20	60.70	1.50	0.005	105.0	0.70	0.44	2.85	☐	☐	☐	
11-227	K303896	60.70	63.09	2.39	0.005	82.1	1.96	1.32	7.13	☐	☐	☐	
11-227	K303897	63.09	66.14	3.05	0.010	356.0	2.24	1.84	5.54	☐	☐	☐	
11-227	K303898	66.14	69.19	3.05	0.005	117.0	1.47	1.01	6.57	☐	☐	☐	
11-227	K303899	69.19	72.23	3.04	0.020	229.0	1.90	2.26	6.50	☐	☐	☐	
11-227	K303901	72.23	75.28	3.05	0.005	173.5	3.07	1.38	6.84	☐	☐	☐	
11-227	K303902	75.28	78.33	3.05	0.005	131.5	3.47	1.11	9.10	☐	☐	☐	
11-227	K303903	78.33	81.38	3.05	0.005	125.5	4.98	1.72	11.05	☐	☐	☐	
11-227	K303904	81.38	84.43	3.05	0.010	262.0	4.76	3.65	9.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-227	K303905	84.43	87.48	3.05	0.010	212.0	3.46	2.14	6.60	☐	☐	☐	
11-227	K303907	87.48	89.70	2.22	0.005	135.0	1.76	1.04	4.31	☐	☐	☐	
11-227	K303908	89.70	91.95	2.25	0.010	122.5	0.75	1.23	2.97	☐	☐	☐	End of Batch 227
11-235	K303909	91.95	93.57	1.62	0.040	1350.0	0.74	1.29	1.88	☐	☐	☐	Start of Batch 235
11-235	K303910	93.57	95.10	1.53	0.040	42900.0	0.92	42.00	1.91	☐	☐	☐	
11-235	K303911	95.10	96.62	1.52	0.050	10800.0	1.05	12.15	3.31	☐	☐	☐	
11-235	K303912	96.62	98.14	1.52	0.050	3720.0	1.72	6.67	4.15	☐	☐	☐	
11-235	K303913	98.14	101.19	3.05	0.005	715.0	1.15	2.06	2.15	☐	☐	☐	
11-235	K303914	101.19	101.80	0.61	0.005	143.0	1.40	0.73	2.07	☐	☐	☐	
11-235	K303916	101.80	104.24	2.44	0.005	159.0	4.26	1.22	7.19	☐	☐	☐	
11-235	K303917	104.24	107.28	3.04	0.100	489.0	4.60	5.09	8.93	☐	☐	☐	
11-235	K303918	107.28	108.55	1.27	0.290	1400.0	4.03	4.11	6.80	☐	☐	☐	
11-235	K303919	108.55	110.34	1.79	0.140	13000.0	2.58	23.30	4.21	☐	☐	☐	
11-235	K303920	110.34	113.38	3.04	0.380	1630.0	5.25	8.67	9.97	☐	☐	☐	
11-235	K303921	113.38	116.10	2.72	0.320	2960.0	3.46	7.16	7.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-235	K303922	116.10	117.96	1.86	0.060	563.0	4.07	5.48	5.92	☐	☐	☐	
11-235	K303923	117.96	121.01	3.05	0.110	495.0	2.31	3.20	4.97	☐	☐	☐	
11-235	K303925	121.01	124.05	3.04	0.005	33.8	0.64	0.64	2.60	☐	☐	☐	
11-235	K303926	124.05	127.10	3.05	0.005	163.5	0.90	0.93	2.82	☐	☐	☐	
11-235	K303927	127.10	130.15	3.05	0.005	68.9	0.96	0.62	3.06	☐	☐	☐	
11-235	K303928	130.15	133.20	3.05	0.170	1410.0	2.85	4.67	8.01	☐	☐	☐	
11-235	K303929	133.20	136.25	3.05	0.005	182.5	0.87	0.77	4.56	☐	☐	☐	
11-235	K303930	133.20	136.25	3.05	0.005	163.5	0.74	0.66	4.28	☑	☐	☐	Duplicate of 929
11-235	K303931	136.25	139.29	3.04	0.040	469.0	1.20	1.80	4.20	☐	☐	☐	
11-235	K303932	139.29	142.34	3.05	0.060	556.0	1.70	2.74	5.60	☐	☐	☐	
11-235	K303933	142.34	145.39	3.05	0.110	709.0	2.17	4.55	6.30	☐	☐	☐	
11-235	K303935	145.39	148.44	3.05	0.010	160.5	0.65	0.99	2.80	☐	☐	☐	
11-235	K303936	148.44	151.49	3.05	0.005	70.4	0.36	0.55	1.99	☐	☐	☐	
11-235	K303937	151.49	154.54	3.05	0.005	77.0	0.27	0.42	1.31	☐	☐	☐	
11-235	K303938	154.54	155.75	1.21	0.005	163.0	0.52	0.49	1.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-235	K303939	155.75	157.58	1.83	0.070	15700.0	9.04	19.60	15.50	☐	☐	☐	
11-235	K303940	157.58	158.65	1.07	0.240	9540.0	6.40	16.20	13.00	☐	☐	☐	
11-235	K303941	158.65	160.63	1.98	0.130	1450.0	3.68	4.57	9.25	☐	☐	☐	
11-235	K303942	160.63	163.35	2.72	0.520	15750.0	6.05	17.70	17.70	☐	☐	☐	
11-235	K303943	163.35	165.45	2.10	0.050	2290.0	3.36	7.60	9.51	☐	☐	☐	
11-238	K303945	165.45	166.73	1.28	0.020	414.0	2.02	2.47	7.56	☐	☐	☐	Start of Batch 238
11-238	K303946	166.73	169.77	3.04	0.010	278.0	1.61	1.63	6.14	☐	☐	☐	
11-238	K303947	169.77	172.82	3.05	0.005	51.1	0.71	0.63	4.56	☐	☐	☐	
11-238	K303948	172.82	175.87	3.05	0.005	44.1	0.16	0.53	1.35	☐	☐	☐	
11-238	K303949	172.82	175.97	3.15	0.005	42.7	0.18	0.49	1.69	☑	☐	☐	duplicate of 948
11-238	K303950	175.87	178.92	3.05	0.005	44.4	0.16	0.50	1.07	☐	☐	☐	
11-238	K303951	178.92	181.97	3.05	0.005	80.3	0.82	0.47	3.94	☐	☐	☐	chip sampling from 181.97 to 212.45
11-238	K303952	212.45	215.49	3.04	0.210	367.0	1.71	3.40	5.01	☐	☐	☐	
11-238	K303953	215.49	218.54	3.05	0.010	94.2	0.73	0.84	3.44	☐	☐	☐	
11-238	K303955	218.54	221.59	3.05	0.005	15.4	0.27	0.45	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-238	K303956	221.59	224.64	3.05	0.005	23.8	0.36	0.37	1.40	☐	☐	☐	
11-238	K303957	224.64	227.69	3.05	0.005	46.7	0.54	0.50	1.54	☐	☐	☐	
11-238	K303958	227.69	230.73	3.04	0.005	122.0	1.00	0.56	2.84	☐	☐	☐	
11-238	K303959	230.73	233.78	3.05	0.060	618.0	4.80	0.88	10.15	☐	☐	☐	
11-238	K303960	233.78	235.65	1.87	0.010	370.0	4.44	0.70	8.96	☐	☐	☐	
11-238	K303961	235.65	236.83	1.18	0.005	357.0	2.79	0.40	5.70	☐	☐	☐	
11-238	K303962	236.83	239.88	3.05	0.005	92.8	2.40	0.68	3.88	☐	☐	☐	
11-238	K303964	239.88	242.93	3.05	0.010	37.0	0.78	0.55	1.29	☐	☐	☐	
11-238	K303965	242.93	245.97	3.04	0.660	333.0	6.24	2.97	13.30	☐	☐	☐	
11-238	K303966	245.97	248.22	2.25	3.550	2100.0	21.10	11.05	39.60	☐	☐	☐	
11-238	K303967	248.22	249.35	1.13	4.300	53100.0	117.00	17.00	185.00	☐	☐	☐	
11-238	K303968	249.35	250.60	1.25	1.510	59700.0	123.50	9.07	194.00	☐	☐	☐	
11-238	K303969	250.60	252.07	1.47	0.020	213.0	5.91	0.29	5.97	☐	☐	☐	
11-238	K303970	252.07	255.12	3.05	0.010	107.0	3.70	0.25	4.55	☐	☐	☐	
11-238	K303972	255.12	257.00	1.88	0.610	22300.0	53.20	1.89	62.00	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-238	K303973	257.00	259.12	2.12	0.090	6400.0	11.00	0.52	15.75	☐	☐	☐	
11-238	K303974	259.12	261.21	2.09	1.320	5720.0	93.40	3.34	140.00	☐	☐	☐	
11-238	K303975	261.21	264.26	3.05	2.030	30400.0	81.80	14.40	201.00	☐	☐	☐	
11-238	K303976	264.26	267.31	3.05	4.510	44700.0	162.00	45.50	381.00	☐	☐	☐	
11-238	K303977	267.31	269.00	1.69	4.690	24300.0	69.50	19.90	154.00	☐	☐	☐	
11-238	K303978	269.00	270.30	1.30	5.990	44500.0	79.20	37.10	161.00	☐	☐	☐	
11-238	K303980	270.30	271.35	1.05	3.180	8960.0	36.10	20.50	59.70	☐	☐	☐	End of Batch 238
11-243	K303981	271.35	273.90	2.55	5.330	23800.0	35.10	64.20	94.00	☐	☐	☐	Start of Batch 243
11-243	K303982	273.90	274.68	0.78	1.450	74400.0	8.80	186.00	22.80	☐	☐	☐	
11-243	K303983	274.68	276.45	1.77	2.670	426000.0	8.10	842.00	19.65	☐	☐	☐	
11-243	K303984	276.45	277.45	1.00	1.030	75800.0	2.10	126.00	5.44	☐	☐	☐	
11-243	K303985	277.45	279.08	1.63	6.060	181500.0	18.10	298.00	37.20	☐	☐	☐	
11-243	K303986	279.08	280.75	1.67	0.600	42500.0	2.39	72.50	5.36	☐	☐	☐	
11-243	K303988	280.75	282.55	1.80	0.860	9100.0	2.85	22.50	6.29	☐	☐	☐	
11-243	K303989	282.55	285.60	3.05	0.680	346.0	2.42	8.09	4.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-243	K303990	285.60	288.65	3.05	0.020	116.0	2.48	0.97	6.27	☐	☐	☐	
11-243	K303992	288.65	291.69	3.04	0.640	9740.0	2.47	22.80	5.02	☐	☐	☐	
11-243	K303993	291.69	294.74	3.05	0.200	107.0	1.25	1.23	3.19	☐	☐	☐	
11-243	K303994	294.74	297.79	3.05	0.010	82.0	0.24	0.36	2.57	☐	☐	☐	
11-243	K303995	297.79	300.84	3.05	0.050	56.0	1.19	0.75	4.45	☐	☐	☐	
11-243	K303996	300.84	303.89	3.05	0.070	75.0	1.27	0.79	3.09	☐	☐	☐	
11-243	K303997	303.89	306.93	3.04	0.010	77.0	1.57	0.70	2.62	☐	☐	☐	
11-243	K303998	306.93	309.98	3.05	0.005	58.0	0.70	0.30	1.14	☐	☐	☐	
11-243	K303999	306.93	309.98	3.05	0.005	53.0	0.57	0.25	0.91	☑	☐	☐	duplicate of 998
11-243	K304000	309.98	313.03	3.05	0.020	34.0	0.99	0.48	1.63	☐	☐	☐	
11-243	K305501	313.03	316.08	3.05	0.070	78.0	1.50	1.37	2.40	☐	☐	☐	
11-243	K305503	316.08	319.13	3.05	0.200	3670.0	1.38	6.20	2.89	☐	☐	☐	
11-243	K305504	319.13	322.17	3.04	0.020	65.0	0.41	0.40	1.53	☐	☐	☐	
11-243	K305505	322.17	325.22	3.05	0.180	3530.0	0.79	5.77	1.78	☐	☐	☐	
11-243	K305506	325.22	328.27	3.05	0.530	3950.0	2.49	11.75	4.62	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-243	K305507	328.27	330.30	2.03	0.005	73.0	1.09	0.53	2.76	☐	☐	☐	
11-243	K305508	330.30	331.85	1.55	0.005	230.0	1.81	0.78	2.60	☐	☐	☐	
11-243	K305509	331.85	334.37	2.52	0.005	152.0	1.96	0.96	2.27	☐	☐	☐	
11-243	K305510	334.37	337.41	3.04	0.005	94.0	1.86	0.84	1.92	☐	☐	☐	
11-243	K305511	337.41	340.46	3.05	0.005	75.0	1.52	0.75	1.20	☐	☐	☐	
11-243	K305513	340.46	343.51	3.05	0.005	29.0	0.77	0.33	1.26	☐	☐	☐	
11-243	K305514	343.51	346.56	3.05	0.005	31.0	1.16	0.35	2.46	☐	☐	☐	
11-243	K305515	346.56	349.61	3.05	0.005	27.0	0.16	0.34	1.12	☐	☐	☐	
11-243	K305516	349.61	352.65	3.04	0.005	7.0	0.09	0.18	0.16	☐	☐	☐	End of Batch 243
11-246	K305517	352.65	355.70	3.05	0.005	26.0	0.25	0.13	0.19	☐	☐	☐	Start of Batch 246
11-246	K305518	355.70	358.75	3.05	0.010	13.0	0.09	0.17	0.05	☐	☐	☐	
11-246	K305519	358.75	361.80	3.05	0.005	15.0	0.12	0.15	0.12	☐	☐	☐	
11-246	K305521	361.80	364.85	3.05	0.010	36.0	0.39	0.56	0.40	☐	☐	☐	
11-246	K305522	364.85	367.89	3.04	0.005	25.0	0.19	0.77	0.16	☐	☐	☐	
11-246	K305523	367.89	370.94	3.05	0.005	17.0	0.14	0.14	0.13	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-246	K305524	370.94	373.99	3.05	0.005	30.0	0.79	0.33	0.51	☐	☐	☐	
11-246	K305525	373.99	377.04	3.05	0.005	102.0	1.79	1.68	0.91	☐	☐	☐	
11-246	K305526	377.04	380.08	3.04	0.010	63.0	0.78	0.68	0.34	☐	☐	☐	
11-246	K305527	380.08	383.13	3.05	0.005	55.0	0.11	0.26	0.18	☐	☐	☐	
11-246	K305528	380.08	383.13	3.05	0.010	34.0	0.04	0.16	0.11	☑	☐	☐	Duplicate of 527
11-246	K305529	383.13	386.18	3.05	0.010	72.0	0.18	0.29	1.15	☐	☐	☐	
11-246	K305530	386.18	389.23	3.05	0.005	39.0	0.35	0.33	2.26	☐	☐	☐	
11-246	K305531	389.23	391.25	2.02	0.030	100.0	0.76	0.35	1.51	☐	☐	☐	
11-246	K305533	391.25	394.20	2.95	0.650	8590.0	7.69	5.68	13.00	☐	☐	☐	
11-246	K305534	394.20	396.55	2.35	0.060	735.0	2.34	2.73	5.18	☐	☐	☐	
11-246	K305535	396.55	398.37	1.82	3.880	36500.0	25.20	58.90	58.10	☐	☐	☐	
11-246	K305536	398.37	400.00	1.63	7.740	27600.0	29.20	42.60	68.90	☐	☐	☐	
11-246	K305537	400.00	401.42	1.42	5.350	17650.0	20.10	27.60	44.50	☐	☐	☐	
11-246	K305538	401.42	404.00	2.58	5.720	29300.0	29.10	30.70	71.30	☐	☐	☐	
11-246	K305539	404.00	406.00	2.00	0.010	185.0	2.26	1.00	3.52	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-246	K305540	406.00	407.51	1.51	0.010	140.0	1.83	0.76	2.07	☐	☐	☐	
11-246	K305541	407.51	410.56	3.05	0.010	3010.0	1.00	3.70	1.55	☐	☐	☐	
11-246	K305542	410.56	413.61	3.05	0.005	43.0	0.23	0.33	0.37	☐	☐	☐	
11-246	K305543	413.61	416.66	3.05	0.005	61.0	0.77	0.53	0.66	☐	☐	☐	
11-246	K305545	416.66	419.71	3.05	0.010	118.0	0.92	0.58	1.36	☐	☐	☐	
11-246	K305546	419.71	420.40	0.69	0.010	404.0	0.80	2.39	1.90	☐	☐	☐	
11-246	K305547	420.40	421.00	0.60	0.060	173500.0	2.91	433.00	8.12	☐	☐	☐	
11-246	K305548	421.00	422.76	1.76	0.010	130.0	0.91	0.97	2.63	☐	☐	☐	
11-246	K305549	422.76	425.81	3.05	0.005	120.0	0.19	0.46	1.27	☐	☐	☐	
11-246	K305551	425.81	428.85	3.04	0.010	56.0	0.59	0.67	1.08	☐	☐	☐	
11-246	K305552	428.85	431.90	3.05	0.010	43.0	0.77	0.71	1.13	☐	☐	☐	End of Batch 246
11-248	K305553	431.90	434.95	3.05	0.010	26.0	0.40	0.43	0.97	☐	☐	☐	Start of Batch 248
11-248	K305554	434.95	438.00	3.05	0.005	22.0	0.20	0.29	0.46	☐	☐	☐	
11-248	K305555	438.00	441.05	3.05	0.005	49.0	0.28	0.38	0.41	☐	☐	☐	
11-248	K305556	441.05	444.09	3.04	0.005	59.0	0.70	0.70	0.72	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-248	K305557	444.09	447.14	3.05	0.010	69.0	0.91	0.93	1.78	☐	☐	☐	
11-248	K305558	447.14	450.19	3.05	0.005	16.0	0.10	0.17	0.25	☐	☐	☐	
11-248	K305559	450.19	453.24	3.05	0.005	8.0	0.03	0.13	0.06	☐	☐	☐	
11-248	K305561	453.24	456.29	3.05	0.005	10.0	0.03	0.19	0.05	☐	☐	☐	
11-248	K305562	456.29	459.33	3.04	0.005	26.0	0.09	0.44	0.21	☐	☐	☐	
11-248	K305563	459.33	462.38	3.05	0.005	45.0	0.16	0.63	0.73	☐	☐	☐	
11-248	K305565	462.38	465.43	3.05	0.005	11.0	0.05	0.22	0.26	☐	☐	☐	
11-248	K305566	465.43	468.48	3.05	0.005	27.0	0.12	0.31	1.05	☐	☐	☐	
11-248	K305567	468.48	471.53	3.05	0.005	33.0	0.54	0.60	1.45	☐	☐	☐	
11-248	K305568	471.53	474.57	3.04	0.005	39.0	0.59	0.74	1.18	☐	☐	☐	
11-248	K305569	474.57	477.62	3.05	0.170	151.0	1.40	1.88	4.91	☐	☐	☐	
11-248	K305570	477.62	480.67	3.05	1.250	552.0	3.91	5.78	13.80	☐	☐	☐	
11-248	K305571	480.67	483.72	3.05	0.810	397.0	1.36	3.60	6.49	☐	☐	☐	
11-248	K305572	480.67	483.72	3.05	0.650	344.0	1.89	3.67	7.19	☑	☐	☐	Duplicate of 571
11-248	K305573	483.72	486.76	3.04	0.410	1950.0	1.63	9.58	6.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-248	K305574	486.76	489.81	3.05	2.040	4940.0	2.62	16.30	6.99	☐	☐	☐	
11-248	K305575	489.81	492.86	3.05	0.010	39.0	0.45	0.40	1.54	☐	☐	☐	
11-248	K305576	492.86	495.91	3.05	0.010	42.0	0.47	0.50	1.36	☐	☐	☐	
11-248	K305578	495.91	498.96	3.05	0.030	54.0	0.70	0.80	2.16	☐	☐	☐	
11-248	K305579	498.96	502.01	3.05	0.040	61.0	0.68	0.85	2.18	☐	☐	☐	
11-248	K305580	502.01	505.05	3.04	0.030	47.0	0.51	0.72	1.39	☐	☐	☐	
11-248	K305581	505.05	508.10	3.05	0.010	38.0	0.33	0.47	0.89	☐	☐	☐	
11-248	K305582	508.10	511.15	3.05	0.020	44.0	0.42	0.54	1.27	☐	☐	☐	
11-248	K305583	511.15	514.20	3.05	0.010	51.0	0.30	0.42	1.12	☐	☐	☐	
11-248	K305585	514.20	517.25	3.05	0.005	78.0	0.29	0.28	1.13	☐	☐	☐	
11-248	K305586	517.25	520.29	3.04	0.020	72.0	0.57	0.48	1.57	☐	☐	☐	
11-248	K305587	520.29	523.34	3.05	0.005	35.0	0.28	0.33	0.79	☐	☐	☐	
11-248	K305588	523.34	526.39	3.05	0.010	36.0	0.32	0.44	0.74	☐	☐	☐	End of Batch 248
11-251	K305589	526.39	529.44	3.05	0.020	29.0	0.36	0.74	0.78	☐	☐	☐	Start of Batch 251
11-251	K305590	529.44	532.49	3.05	0.020	29.0	0.36	0.58	0.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-251	K305591	532.49	535.53	3.04	0.005	38.0	0.26	0.43	0.49	☐	☐	☐	
11-251	K305592	535.53	538.58	3.05	0.010	74.0	0.61	0.94	1.12	☐	☐	☐	
11-251	K305593	538.58	541.63	3.05	0.005	55.0	0.27	0.78	0.51	☐	☐	☐	
11-251	K305594	538.58	541.63	3.05	0.005	68.0	0.33	0.96	0.61	☑	☐	☐	Duplicate of 593
11-251	K305595	541.63	544.68	3.05	0.005	51.0	0.47	1.08	0.74	☐	☐	☐	
11-251	K305596	544.68	547.72	3.04	0.005	56.0	0.36	2.11	0.73	☐	☐	☐	
11-251	K305597	547.72	550.77	3.05	0.005	36.0	0.10	0.83	0.31	☐	☐	☐	
11-251	K305598	550.77	553.82	3.05	0.005	34.0	0.12	0.45	0.54	☐	☐	☐	
11-251	K305599	553.82	556.87	3.05	0.005	37.0	0.29	0.45	0.62	☐	☐	☐	
11-251	K305600	556.87	559.92	3.05	0.010	42.0	0.33	0.49	0.79	☐	☐	☐	
11-251	K305601	559.92	562.97	3.05	0.005	37.0	0.21	0.22	0.55	☐	☐	☐	
11-251	K305602	562.97	566.01	3.04	0.005	16.0	0.07	0.19	0.31	☐	☐	☐	
11-251	K305603	566.01	569.06	3.05	0.005	42.0	0.28	0.32	0.80	☐	☐	☐	
11-251	K305605	569.06	572.11	3.05	0.005	90.0	0.48	0.45	1.62	☐	☐	☐	
11-251	K305606	572.11	575.16	3.05	0.880	210.0	1.85	3.74	6.12	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-251	K305607	575.16	578.21	3.05	0.120	166.0	1.01	1.83	2.65	☐	☐	☐	
11-251	K305609	578.21	581.25	3.04	0.005	68.0	0.57	0.40	1.26	☐	☐	☐	
11-251	K305610	581.25	584.30	3.05	0.005	35.0	0.26	0.31	0.42	☐	☐	☐	
11-251	K305611	584.30	587.35	3.05	0.005	50.0	0.18	0.34	0.44	☐	☐	☐	
11-251	K305612	587.35	590.40	3.05	0.005	38.0	0.18	0.36	0.53	☐	☐	☐	
11-251	K305614	590.40	593.45	3.05	0.005	14.0	0.12	0.48	0.45	☐	☐	☐	
11-251	K305615	593.45	596.49	3.04	0.005	11.0	0.11	0.35	0.46	☐	☐	☐	
11-251	K305616	596.49	599.54	3.05	0.005	161.0	0.31	0.49	0.86	☐	☐	☐	
11-251	K305617	599.54	602.59	3.05	0.005	111.0	0.29	0.46	1.13	☐	☐	☐	
11-251	K305618	602.59	605.64	3.05	0.005	12.0	0.19	0.44	0.80	☐	☐	☐	
11-251	K305619	605.64	608.69	3.05	0.005	138.0	0.52	0.65	0.93	☐	☐	☐	
11-251	K305621	608.69	611.73	3.04	0.005	330.0	0.84	0.52	0.69	☐	☐	☐	
11-251	K305622	611.73	614.78	3.05	0.005	40.0	0.15	0.27	0.38	☐	☐	☐	
11-251	K305623	614.78	617.83	3.05	0.005	11.0	0.11	0.29	0.36	☐	☐	☐	
11-251	K305624	617.83	620.88	3.05	0.005	12.0	0.08	0.48	0.19	☐	☐	☐	End of Batch 251

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-253	K305625	620.88	623.93	3.05	0.005	224.0	0.08	0.62	0.23	☐	☐	☐	Start of Batch 253
11-253	K305626	623.93	626.97	3.04	0.005	76.0	0.03	0.29	0.10	☐	☐	☐	
11-253	K305627	626.97	630.02	3.05	0.005	35.0	0.04	0.28	0.14	☐	☐	☐	
11-253	K305628	630.02	633.07	3.05	0.005	29.0	0.05	0.32	0.17	☐	☐	☐	
11-253	K305629	633.07	636.12	3.05	0.005	22.0	0.05	0.35	0.21	☐	☐	☐	
11-253	K305630	636.12	639.17	3.05	0.005	18.0	0.08	0.39	0.31	☐	☐	☐	EOH

Sample Results

OS -11-075

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-224	K304307	0.00	0.00	0.00	2.670	581.0	4.86	100.50	3.73	☐	☐	☑	NT2
11-224	K304319	0.00	0.00	0.00	0.340	578.0	9.81	111.00	8.03	☐	☐	☑	NT1
11-224	K304328	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-224	K304331	0.00	0.00	0.00	0.010	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-236	K304345	0.00	0.00	0.00	0.005	8.0	0.01	0.06	0.01	☐	☑	☐	HQ
11-236	K304348	0.00	0.00	0.00	0.330	594.0	9.40	114.00	7.84	☐	☐	☑	NT1
11-236	K304356	0.00	0.00	0.00	0.005	6.0	0.01	0.05	0.01	☐	☑	☐	HQ
11-236	K304365	0.00	0.00	0.00	2.730	587.0	4.85	97.70	3.76	☐	☐	☑	NT2
11-240	K304381	0.00	0.00	0.00	2.680	585.0	4.68	106.50	4.10	☐	☐	☑	NT2
11-240	K304385	0.00	0.00	0.00	0.005	5.0	0.01	0.05	0.01	☐	☑	☐	HQ
11-224	K304303	1.74	3.96	2.22	0.005	20.0	0.23	0.27	0.91	☐	☐	☐	
11-224	K304304	3.96	5.55	1.59	0.005	19.0	0.15	0.46	0.51	☐	☐	☐	
11-224	K304305	5.55	6.25	0.70	0.005	14.1	0.05	0.53	0.95	☐	☐	☐	
11-224	K304306	6.25	8.53	2.28	0.005	21.0	0.64	0.98	1.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-224	K304308	8.53	10.65	2.12	0.010	187.5	0.12	0.45	1.43	☐	☐	☐	
11-224	K304309	10.65	13.11	2.46	0.010	48.0	0.22	0.40	0.39	☐	☐	☐	
11-224	K304310	13.11	16.15	3.04	0.020	48.0	0.37	0.54	0.35	☐	☐	☐	
11-224	K304311	16.15	19.10	2.95	0.005	27.0	0.23	0.37	0.32	☐	☐	☐	
11-224	K304312	16.15	19.10	2.95	0.005	32.0	0.43	0.37	0.32	☑	☐	☐	Duplicate of 311
11-224	K304313	19.10	20.73	1.63	0.005	60.0	0.32	0.48	0.37	☐	☐	☐	
11-224	K304314	20.73	23.10	2.37	0.010	93.0	0.34	0.52	0.62	☐	☐	☐	
11-224	K304315	23.10	25.88	2.78	0.005	24.0	0.10	0.16	0.24	☐	☐	☐	
11-224	K304316	25.88	28.35	2.47	0.020	137.0	0.50	0.86	1.03	☐	☐	☐	
11-224	K304317	28.35	31.39	3.04	0.005	35.0	0.18	0.25	0.37	☐	☐	☐	
11-224	K304318	31.39	34.44	3.05	0.005	47.0	0.08	0.23	0.23	☐	☐	☐	
11-224	K304320	34.44	35.97	1.53	0.005	69.0	0.17	0.32	0.34	☐	☐	☐	
11-224	K304321	35.97	37.95	1.98	0.005	115.0	0.19	0.30	0.39	☐	☐	☐	
11-224	K304322	37.95	40.54	2.59	0.020	229.0	0.52	0.75	1.17	☐	☐	☐	
11-224	K304323	40.54	43.59	3.05	0.010	78.0	0.42	0.41	1.11	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-224	K304324	43.59	45.11	1.52	0.020	729.0	0.50	0.78	1.14	☐	☐	☐	
11-224	K304325	45.11	47.00	1.89	0.010	235.0	0.51	0.59	0.91	☐	☐	☐	
11-224	K304326	47.00	49.68	2.68	0.050	307.0	0.94	1.44	1.80	☐	☐	☐	
11-224	K304327	49.68	52.73	3.05	0.250	1440.0	1.34	3.97	2.85	☐	☐	☐	
11-224	K304329	52.73	54.25	1.52	0.610	884.0	0.94	1.52	0.92	☐	☐	☐	
11-224	K304330	54.25	55.13	0.88	0.040	923.0	0.68	2.97	2.09	☐	☐	☐	
11-224	K304332	55.13	56.40	1.27	0.150	746.0	2.66	4.83	1.33	☐	☐	☐	
11-224	K304333	56.40	57.30	0.90	0.005	182.0	0.78	0.59	0.74	☐	☐	☐	End of Batch 224
11-236	K304334	57.30	60.35	3.05	0.120	472.0	0.80	1.79	2.50	☐	☐	☐	Start of Batch 236
11-236	K304335	60.35	63.40	3.05	0.010	712.0	0.23	2.53	1.07	☐	☐	☐	
11-236	K304336	63.40	65.20	1.80	0.005	303.0	0.17	0.80	0.46	☐	☐	☐	
11-236	K304337	65.20	67.97	2.77	0.005	460.0	0.29	1.44	0.68	☐	☐	☐	
11-236	K304338	67.97	71.02	3.05	0.510	1040.0	1.34	3.71	3.33	☐	☐	☐	
11-236	K304339	67.97	71.02	3.05	0.280	1030.0	0.96	2.41	3.08	☑	☐	☐	Duplicate of 338
11-236	K304340	71.02	72.56	1.54	0.005	162.0	0.34	0.62	0.78	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-236	K304341	72.56	74.06	1.50	0.005	78.0	0.11	0.48	0.33	☐	☐	☐	
11-236	K304342	74.06	75.85	1.79	0.010	235.0	0.10	0.98	0.29	☐	☐	☐	
11-236	K304343	75.85	78.64	2.79	0.010	596.0	0.19	2.21	0.72	☐	☐	☐	
11-236	K304344	78.64	81.69	3.05	0.010	127.0	0.08	0.71	0.31	☐	☐	☐	
11-236	K304346	81.69	84.73	3.04	0.010	392.0	0.13	1.04	0.49	☐	☐	☐	
11-236	K304347	84.73	87.78	3.05	0.010	118.0	0.20	0.75	0.60	☐	☐	☐	
11-236	K304349	87.78	90.83	3.05	0.010	404.0	0.09	1.20	0.40	☐	☐	☐	
11-236	K304350	90.83	93.88	3.05	0.010	85.0	0.09	0.42	0.35	☐	☐	☐	
11-236	K304351	93.88	96.93	3.05	0.010	411.0	0.11	0.81	0.63	☐	☐	☐	
11-236	K304352	96.93	99.97	3.04	0.020	354.0	0.19	1.46	0.81	☐	☐	☐	
11-236	K304353	99.97	103.02	3.05	0.030	823.0	0.20	2.55	1.07	☐	☐	☐	
11-236	K304354	103.02	106.07	3.05	0.020	625.0	0.27	1.21	1.08	☐	☐	☐	
11-236	K304355	106.07	109.12	3.05	0.010	420.0	0.15	1.00	0.54	☐	☐	☐	
11-236	K304357	109.12	112.17	3.05	0.010	133.0	0.10	0.43	0.40	☐	☐	☐	
11-236	K304358	112.17	115.21	3.04	0.010	534.0	0.18	0.92	0.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-236	K304359	115.21	118.26	3.05	0.010	107.0	0.09	0.33	0.35	☐	☐	☐	
11-236	K304360	118.26	121.31	3.05	0.010	390.0	0.07	0.69	0.31	☐	☐	☐	
11-236	K304361	121.31	124.36	3.05	0.010	353.0	0.05	0.80	0.39	☐	☐	☐	
11-236	K304362	124.36	127.41	3.05	0.010	198.0	0.06	0.52	0.42	☐	☐	☐	
11-236	K304363	127.41	130.45	3.04	0.010	154.0	0.38	0.51	0.93	☐	☐	☐	
11-236	K304364	130.45	133.50	3.05	0.010	59.8	0.25	0.43	0.64	☐	☐	☐	
11-236	K304366	133.50	136.55	3.05	0.010	95.0	0.09	0.87	0.43	☐	☐	☐	
11-236	K304367	136.55	139.60	3.05	0.010	264.0	0.07	0.76	0.36	☐	☐	☐	
11-236	K304368	139.60	142.65	3.05	0.010	156.5	0.10	0.66	0.45	☐	☐	☐	
11-236	K304369	142.65	145.69	3.04	0.010	23.0	0.14	0.29	0.41	☐	☐	☐	End of Batch 236
11-240	K304370	145.69	148.74	3.05	0.005	81.0	0.12	0.30	0.35	☐	☐	☐	Start of Batch 240
11-240	K304371	148.74	151.79	3.05	0.005	342.0	0.07	0.85	0.30	☐	☐	☐	
11-240	K304372	151.79	154.84	3.05	0.005	1560.0	0.04	0.96	0.22	☐	☐	☐	
11-240	K304373	154.84	157.89	3.05	0.005	921.0	0.06	0.83	0.33	☐	☐	☐	
11-240	K304374	157.89	160.93	3.04	0.010	136.0	0.05	0.54	0.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-240	K304375	157.89	160.93	3.04	0.010	92.0	0.06	0.46	0.30	☑	☐	☐	Duplicate of 374
11-240	K304376	160.93	163.98	3.05	0.010	277.0	0.09	0.64	0.38	☐	☐	☐	
11-240	K304377	163.98	167.03	3.05	0.005	42.0	0.05	0.22	0.20	☐	☐	☐	
11-240	K304378	167.03	170.08	3.05	0.005	35.0	0.05	0.26	0.24	☐	☐	☐	
11-240	K304379	170.08	173.13	3.05	0.005	86.0	0.04	0.24	0.23	☐	☐	☐	
11-240	K304380	173.13	176.17	3.04	0.005	82.0	0.04	0.21	0.19	☐	☐	☐	
11-240	K304382	176.17	179.22	3.05	0.010	146.0	0.03	0.31	0.23	☐	☐	☐	
11-240	K304383	179.22	182.27	3.05	0.005	139.0	0.05	0.25	0.18	☐	☐	☐	
11-240	K304384	182.27	183.79	1.52	0.005	163.0	0.07	0.36	0.20	☐	☐	☐	
11-240	K304386	183.79	185.32	1.53	0.010	166.5	0.03	0.43	0.34	☐	☐	☐	
11-240	K304387	185.32	188.37	3.05	0.005	40.4	0.01	0.28	0.60	☐	☐	☐	
11-240	K304388	188.37	191.41	3.04	0.005	46.2	0.01	0.56	0.72	☐	☐	☐	
11-240	K304389	191.41	194.46	3.05	0.005	15.6	0.01	0.55	0.69	☐	☐	☐	
11-240	K304390	194.46	197.51	3.05	0.005	29.0	0.09	0.47	0.81	☐	☐	☐	
11-240	K304391	197.51	200.56	3.05	0.020	14.0	0.10	0.46	0.98	☐	☐	☐	

Sample Results

OS -11-076

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-226	K305282	0.00	0.00	0.00	7.470	971.0	5.68	17.55	11.75	☐	☐	☑	NT3
11-226	K305298	0.00	0.00	0.00	0.350	605.0	9.90	116.00	7.85	☐	☐	☑	NT1
11-226	K305305	0.00	0.00	0.00	0.010	2.5	0.01	0.11	0.01	☐	☑	☐	HQ
11-226	K305309	0.00	0.00	0.00	0.010	6.0	0.01	0.08	0.01	☐	☑	☐	HQ HQ
11-233	K305316	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-233	K305332	0.00	0.00	0.00	2.580	578.0	3.84	104.50	3.88	☐	☐	☑	NT2
11-233	K305338	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	HQ
11-233	K305345	0.00	0.00	0.00	15.400	1220.0	5.46	154.50	3.48	☐	☐	☑	NT4
11-239	K305352	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	HQ
11-239	K305368	0.00	0.00	0.00	0.340	594.0	9.37	118.50	8.26	☐	☐	☑	NT1
11-239	K305372	0.00	0.00	0.00	2.700	591.0	4.64	113.00	4.12	☐	☐	☑	NT2
11-239	K305382	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-244	K305387	0.00	0.00	0.00	0.330	602.0	9.10	111.50	7.85	☐	☐	☑	NT1
11-244	K305391	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.02	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-244	K305401	0.00	0.00	0.00	2.560	603.0	4.69	109.50	3.61	☐	☐	☑	NT2
11-244	K305411	0.00	0.00	0.00	0.010	2.5	0.01	0.03	0.07	☐	☑	☐	NQ
11-252	K305422	0.00	0.00	0.00	0.350	622.0	9.50	121.00	8.28	☐	☐	☑	NT1
11-226	K305278	6.10	9.14	3.04	0.005	15.1	0.02	0.76	0.34	☐	☐	☐	
11-226	K305279	9.14	12.19	3.05	0.005	16.5	0.04	0.61	0.55	☐	☐	☐	
11-226	K305280	12.19	15.24	3.05	0.005	17.7	0.03	0.59	0.21	☐	☐	☐	
11-226	K305281	15.24	18.29	3.05	0.010	13.1	0.02	0.64	0.47	☐	☐	☐	
11-226	K305283	18.29	21.34	3.05	0.005	23.6	0.03	0.73	0.53	☐	☐	☐	
11-226	K305284	21.34	24.38	3.04	0.005	8.5	0.02	0.41	0.21	☐	☐	☐	
11-226	K305285	24.38	27.43	3.05	0.010	16.4	0.05	0.74	0.25	☐	☐	☐	
11-226	K305286	27.43	30.48	3.05	0.005	10.7	0.03	0.55	0.33	☐	☐	☐	
11-226	K305287	30.48	33.53	3.05	0.005	10.2	0.03	0.55	0.39	☐	☐	☐	
11-226	K305288	33.53	36.58	3.05	0.005	13.0	0.04	0.66	0.38	☐	☐	☐	
11-226	K305289	33.53	36.58	3.05	0.005	13.4	0.04	0.63	0.44	☑	☐	☐	duplicate of K305288
11-226	K305290	36.58	39.62	3.04	0.005	13.6	0.05	0.69	0.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-226	K305291	39.62	42.67	3.05	0.005	7.7	0.03	0.59	0.39	☐	☐	☐	
11-226	K305292	42.67	45.72	3.05	0.005	7.2	0.02	0.66	0.34	☐	☐	☐	
11-226	K305293	45.72	48.77	3.05	0.005	9.4	0.03	0.48	0.60	☐	☐	☐	
11-226	K305294	48.77	51.82	3.05	0.005	16.3	0.04	0.51	0.65	☐	☐	☐	
11-226	K305295	51.82	54.86	3.04	0.005	8.3	0.04	0.42	0.46	☐	☐	☐	
11-226	K305296	54.86	57.91	3.05	0.005	15.0	0.06	0.65	0.43	☐	☐	☐	
11-226	K305297	57.91	60.96	3.05	0.005	12.3	0.06	0.63	0.57	☐	☐	☐	
11-226	K305299	60.96	64.01	3.05	0.005	11.2	0.04	0.48	0.46	☐	☐	☐	
11-226	K305300	64.01	67.06	3.05	0.005	11.3	0.04	0.46	0.63	☐	☐	☐	
11-226	K305301	67.06	70.10	3.04	0.005	2.9	0.01	0.28	0.77	☐	☐	☐	
11-226	K305302	70.10	73.15	3.05	0.005	11.9	0.04	0.58	0.63	☐	☐	☐	
11-226	K305303	73.15	76.20	3.05	0.005	5.0	0.01	0.25	0.61	☐	☐	☐	
11-226	K305304	76.20	79.25	3.05	0.005	4.3	0.01	0.30	0.70	☐	☐	☐	
11-226	K305306	79.25	82.30	3.05	0.005	10.6	0.02	0.35	0.65	☐	☐	☐	
11-226	K305307	82.30	85.34	3.04	0.005	10.2	0.03	0.46	0.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-226	K305308	85.34	88.39	3.05	0.005	11.1	0.01	0.35	0.74	☐	☐	☐	
11-226	K305310	88.39	91.44	3.05	0.005	10.8	0.03	0.58	0.66	☐	☐	☐	End of Batch 226
11-233	K305311	91.44	94.48	3.04	0.005	16.4	0.05	0.65	0.68	☐	☐	☐	Start of Batch 233
11-233	K305312	94.48	97.53	3.05	0.010	17.1	0.03	0.48	0.64	☐	☐	☐	
11-233	K305313	97.53	100.58	3.05	0.005	29.2	0.06	0.44	0.74	☐	☐	☐	
11-233	K305314	100.58	103.63	3.05	0.005	16.6	0.05	0.93	0.54	☐	☐	☐	
11-233	K305315	103.63	106.68	3.05	0.005	16.6	0.02	0.94	0.35	☐	☐	☐	
11-233	K305317	106.68	109.72	3.04	0.005	24.6	0.03	1.12	0.66	☐	☐	☐	
11-233	K305318	109.72	112.77	3.05	0.005	22.5	0.04	1.09	0.77	☐	☐	☐	
11-233	K305319	112.77	115.82	3.05	0.005	24.3	0.03	1.25	0.46	☐	☐	☐	
11-233	K305320	115.82	118.87	3.05	0.005	9.5	0.02	0.84	0.68	☐	☐	☐	
11-233	K305321	118.87	121.92	3.05	0.005	14.0	0.09	0.62	0.55	☐	☐	☐	
11-233	K305322	121.92	124.97	3.05	0.005	7.6	0.04	0.51	0.52	☐	☐	☐	
11-233	K305323	121.92	124.97	3.05	0.005	6.5	0.03	0.50	0.61	☑	☐	☐	Duplicate of K305322
11-233	K305324	124.97	128.02	3.05	0.005	13.9	0.03	1.00	0.58	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-233	K305325	128.02	131.06	3.04	0.005	5.7	0.03	0.47	0.59	☐	☐	☐	
11-233	K305326	131.06	134.11	3.05	0.005	12.2	0.03	0.40	0.78	☐	☐	☐	
11-233	K305327	134.11	137.16	3.05	0.005	12.9	0.03	0.40	0.49	☐	☐	☐	
11-233	K305328	137.16	140.21	3.05	0.005	13.7	0.04	0.51	0.58	☐	☐	☐	
11-233	K305329	140.21	143.26	3.05	0.005	10.7	0.03	0.41	0.40	☐	☐	☐	
11-233	K305330	143.26	146.30	3.04	0.005	11.2	0.03	0.39	0.61	☐	☐	☐	
11-233	K305331	146.30	149.35	3.05	0.005	9.2	0.03	0.35	0.52	☐	☐	☐	
11-233	K305333	149.35	152.40	3.05	0.005	10.3	0.10	0.57	0.60	☐	☐	☐	
11-233	K305334	152.40	155.45	3.05	0.005	72.4	0.10	0.48	0.75	☐	☐	☐	
11-233	K305335	155.45	158.50	3.05	0.005	15.5	0.06	0.44	0.64	☐	☐	☐	
11-233	K305336	158.50	161.54	3.04	0.005	15.0	0.11	0.32	0.72	☐	☐	☐	
11-233	K305337	161.54	164.59	3.05	0.005	7.0	0.10	0.31	0.63	☐	☐	☐	
11-233	K305339	164.59	167.64	3.05	0.005	9.0	0.08	0.28	0.61	☐	☐	☐	
11-233	K305340	167.64	170.69	3.05	0.005	16.0	0.11	0.35	0.56	☐	☐	☐	
11-233	K305341	170.69	173.74	3.05	0.005	8.0	0.07	0.27	0.40	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-233	K305342	173.74	176.78	3.04	0.005	9.0	0.03	0.22	0.29	☐	☐	☐	
11-233	K305343	176.78	179.83	3.05	0.005	16.0	0.05	0.43	0.51	☐	☐	☐	
11-233	K305344	179.83	182.88	3.05	0.010	10.0	0.05	0.35	0.49	☐	☐	☐	
11-233	K305346	182.88	185.93	3.05	0.005	14.0	0.05	0.57	0.68	☐	☐	☐	End of Batch 233
11-239	K305347	185.93	188.98	3.05	0.005	9.0	0.04	0.30	0.52	☐	☐	☐	Start of Batch 239
11-239	K305348	188.98	192.02	3.04	0.005	13.0	0.03	0.23	0.38	☐	☐	☐	
11-239	K305349	192.02	195.07	3.05	0.005	9.0	0.03	0.33	0.39	☐	☐	☐	
11-239	K305350	195.07	198.12	3.05	0.005	6.0	0.03	0.27	0.37	☐	☐	☐	
11-239	K305351	198.12	201.17	3.05	0.005	13.0	0.04	0.33	0.61	☐	☐	☐	
11-239	K305353	201.17	204.22	3.05	0.005	14.0	0.05	0.36	0.68	☐	☐	☐	
11-239	K305354	204.22	207.26	3.04	0.005	14.3	0.06	0.49	0.67	☐	☐	☐	
11-239	K305355	207.26	210.31	3.05	0.005	23.7	0.08	0.65	0.96	☐	☐	☐	
11-239	K305356	210.31	213.36	3.05	0.005	24.0	0.05	0.50	0.94	☐	☐	☐	
11-239	K305357	210.31	213.36	3.05	0.005	20.0	0.05	0.47	0.80	☑	☐	☐	Duplicate of K305356
11-239	K305358	213.36	216.41	3.05	0.005	16.1	0.06	0.50	0.86	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-239	K305359	216.41	217.93	1.52	0.005	23.4	0.07	0.60	0.92	☐	☐	☐	
11-239	K305360	217.93	220.98	3.05	0.005	18.1	0.06	0.56	0.85	☐	☐	☐	
11-239	K305361	220.98	224.03	3.05	0.005	9.0	0.04	0.38	0.63	☐	☐	☐	
11-239	K305362	224.03	227.08	3.05	0.005	6.0	0.04	0.28	0.55	☐	☐	☐	
11-239	K305363	227.08	230.12	3.04	0.005	2.5	0.03	0.31	0.35	☐	☐	☐	
11-239	K305364	230.12	233.17	3.05	0.005	15.0	0.05	1.12	0.68	☐	☐	☐	
11-239	K305365	233.17	236.22	3.05	0.005	8.0	0.04	0.21	0.46	☐	☐	☐	
11-239	K305366	236.22	239.27	3.05	0.010	10.0	0.04	0.33	0.49	☐	☐	☐	
11-239	K305367	239.27	242.32	3.05	0.010	10.0	0.03	0.29	0.37	☐	☐	☐	
11-239	K305369	242.32	245.36	3.04	0.005	15.0	0.05	0.46	0.51	☐	☐	☐	
11-239	K305370	245.36	248.41	3.05	0.005	9.0	0.05	0.44	0.49	☐	☐	☐	
11-239	K305371	248.41	251.46	3.05	0.005	10.0	0.05	0.39	0.48	☐	☐	☐	
11-239	K305373	251.46	254.51	3.05	0.005	17.0	0.08	0.63	0.81	☐	☐	☐	
11-239	K305374	254.51	257.56	3.05	0.005	13.0	0.06	0.33	0.63	☐	☐	☐	
11-239	K305375	257.56	260.60	3.04	0.005	6.0	0.05	0.25	0.49	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-239	K305376	260.60	263.65	3.05	0.005	8.0	0.08	0.19	0.81	☐	☐	☐	
11-239	K305377	263.65	266.70	3.05	0.005	2.5	0.04	0.13	0.39	☐	☐	☐	
11-239	K305378	266.70	269.75	3.05	0.005	13.0	0.07	0.31	0.90	☐	☐	☐	
11-239	K305379	269.75	272.80	3.05	0.005	10.9	0.09	0.34	0.97	☐	☐	☐	
11-239	K305380	272.80	275.84	3.04	0.005	13.0	0.09	0.29	0.80	☐	☐	☐	
11-239	K305381	275.84	278.89	3.05	0.005	8.0	0.10	0.37	0.92	☐	☐	☐	
11-244	K305383	278.89	281.94	3.05	0.005	28.0	0.09	0.47	0.98	☐	☐	☐	Start of Batch 244
11-244	K305384	281.94	284.99	3.05	0.005	21.8	0.13	0.88	1.44	☐	☐	☐	
11-244	K305385	284.99	288.03	3.04	0.005	18.0	0.18	0.95	1.55	☐	☐	☐	
11-244	K305386	288.03	291.08	3.05	0.005	16.2	0.16	1.02	1.69	☐	☐	☐	
11-244	K305388	291.08	294.13	3.05	0.010	21.1	0.20	1.23	1.97	☐	☐	☐	
11-244	K305389	294.13	297.18	3.05	0.005	17.4	0.14	1.05	1.65	☐	☐	☐	
11-244	K305390	297.18	300.23	3.05	0.005	16.2	0.15	0.92	1.74	☐	☐	☐	
11-244	K305392	300.23	303.28	3.05	0.010	17.5	0.14	0.93	1.70	☐	☐	☐	
11-244	K305393	303.28	306.32	3.04	0.005	20.4	0.14	0.88	1.77	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-244	K305394	306.32	309.37	3.05	0.005	18.7	0.16	0.75	1.71	☐	☐	☐	
11-244	K305395	309.37	312.42	3.05	0.005	20.3	0.13	0.79	1.66	☐	☐	☐	
11-244	K305396	312.42	315.47	3.05	0.010	27.9	0.15	0.97	1.83	☐	☐	☐	
11-244	K305397	312.42	315.47	3.05	0.005	24.0	0.14	0.89	1.85	☑	☐	☐	Duplicate of K305396
11-244	K305398	315.47	318.52	3.05	0.005	14.1	0.14	0.76	1.48	☐	☐	☐	
11-244	K305399	318.52	321.56	3.04	0.005	17.5	0.21	0.78	1.54	☐	☐	☐	
11-244	K305400	321.56	324.61	3.05	0.005	41.2	0.28	0.87	2.07	☐	☐	☐	
11-244	K305402	324.61	327.66	3.05	0.005	32.6	0.27	1.12	1.79	☐	☐	☐	
11-244	K305403	327.66	330.71	3.05	0.005	29.2	0.26	0.97	1.78	☐	☐	☐	
11-244	K305404	330.71	333.76	3.05	0.005	78.1	0.29	1.17	2.44	☐	☐	☐	
11-244	K305405	333.76	336.80	3.04	0.005	18.4	0.19	0.83	1.37	☐	☐	☐	
11-244	K305406	336.80	339.85	3.05	0.005	17.9	0.17	0.86	1.56	☐	☐	☐	
11-244	K305407	339.85	342.90	3.05	0.010	16.0	0.15	0.88	1.72	☐	☐	☐	
11-244	K305408	342.90	345.95	3.05	0.005	14.6	0.15	0.82	1.41	☐	☐	☐	
11-244	K305409	345.95	349.00	3.05	0.010	14.8	0.14	0.69	1.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-244	K305410	349.00	352.04	3.04	0.005	25.7	0.13	1.05	2.20	☐	☐	☐	
11-244	K305412	352.04	355.09	3.05	0.005	20.2	0.12	0.86	1.76	☐	☐	☐	
11-244	K305413	355.09	358.14	3.05	0.010	15.8	0.11	0.88	1.50	☐	☐	☐	
11-244	K305414	358.14	361.19	3.05	0.005	12.8	0.11	0.74	1.33	☐	☐	☐	
11-244	K305415	361.19	364.24	3.05	0.005	12.8	0.10	0.78	1.40	☐	☐	☐	
11-244	K305416	364.24	367.38	3.14	0.005	16.3	0.11	0.89	1.45	☐	☐	☐	
11-244	K305417	367.38	370.33	2.95	0.010	16.9	0.11	0.89	1.37	☐	☐	☐	
11-244	K305418	370.33	373.38	3.05	0.005	11.4	0.08	0.76	1.31	☐	☐	☐	End of Batch 244
11-252	K305419	373.38	376.43	3.05	0.020	30.0	0.08	0.92	1.19	☐	☐	☐	Start of Batch 252
11-252	K305420	376.43	379.48	3.05	0.010	24.1	0.07	0.78	1.25	☐	☐	☐	
11-252	K305421	379.48	382.52	3.04	0.005	15.7	0.08	0.76	1.21	☐	☐	☐	
11-252	K305423	382.52	385.57	3.05	0.005	17.2	0.08	0.77	1.03	☐	☐	☐	
11-252	K305424	385.57	388.62	3.05	0.005	15.3	0.07	0.73	1.17	☐	☐	☐	
11-252	K305425	388.62	391.67	3.05	0.005	12.0	0.08	0.81	1.21	☐	☐	☐	
11-252	K305426	391.67	394.72	3.05	0.005	11.9	0.09	0.77	1.26	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-252	K305427	394.72	397.76	3.04	0.005	12.2	0.07	0.66	1.06	☐	☐	☐	
11-252	K305428	394.72	397.76	3.04	0.005	11.8	0.06	0.60	1.09	☑	☐	☐	Duplicate of K305427
11-252	K305429	397.76	400.81	3.05	0.005	7.6	0.04	0.36	1.01	☐	☐	☐	
11-252	K305430	400.81	403.86	3.05	0.005	9.6	0.02	0.41	0.87	☐	☐	☐	
11-252	K305431	403.86	406.91	3.05	0.005	9.2	0.02	0.35	0.92	☐	☐	☐	EOH

Sample Results

OS -11-077

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-230	K304711	0.00	0.00	0.00	2.700	504.0	4.61	93.90	3.85	☐	☐	☑	NT2
11-230	K304719	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-242	K304727	0.00	0.00	0.00	0.010	8.0	0.01	0.07	0.03	☐	☑	☐	NQ
11-242	K304733	0.00	0.00	0.00	7.800	1010.0	5.78	18.80	13.05	☐	☐	☑	NT3
11-242	K304749	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	NQ
11-242	K304755	0.00	0.00	0.00	0.350	627.0	9.40	119.50	8.34	☐	☐	☑	NT1
11-230	K304706	8.70	9.14	0.44	0.010	231.0	0.29	0.54	1.34	☐	☐	☐	
11-230	K304707	9.14	12.19	3.05	0.005	282.0	0.28	0.50	1.06	☐	☐	☐	
11-230	K304708	12.19	15.24	3.05	0.005	105.0	0.40	0.42	0.93	☐	☐	☐	
11-230	K304709	15.24	18.29	3.05	0.005	246.0	0.19	0.41	0.88	☐	☐	☐	
11-230	K304710	18.29	21.34	3.05	0.010	54.0	0.28	0.27	0.69	☐	☐	☐	
11-230	K304712	21.34	24.38	3.04	0.010	158.0	0.34	0.37	0.98	☐	☐	☐	
11-230	K304713	24.38	27.43	3.05	0.005	279.0	0.49	0.56	1.67	☐	☐	☐	
11-230	K304714	27.43	30.48	3.05	0.080	370.0	1.33	1.14	4.26	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-230	K304715	30.48	32.80	2.32	0.010	121.0	1.07	0.36	1.64	☐	☐	☐	
11-230	K304716	32.80	33.53	0.73	0.005	162.0	0.49	0.42	1.08	☐	☐	☐	
11-230	K304717	33.53	36.58	3.05	0.020	229.0	0.97	0.66	2.06	☐	☐	☐	
11-230	K304718	36.58	39.62	3.04	0.030	692.0	0.88	1.51	1.53	☐	☐	☐	
11-230	K304720	39.62	42.67	3.05	0.040	388.0	0.71	1.29	1.24	☐	☐	☐	
11-230	K304721	42.67	45.72	3.05	0.020	530.0	0.60	1.34	1.35	☐	☐	☐	
11-242	K304722	45.72	48.77	3.05	0.050	829.0	0.90	3.47	1.83	☐	☐	☐	Start of Batch 242
11-242	K304723	48.77	51.82	3.05	0.030	663.0	1.92	2.54	1.97	☐	☐	☐	
11-242	K304724	51.82	54.86	3.04	0.060	504.0	1.23	2.91	1.83	☐	☐	☐	
11-242	K304725	54.86	57.91	3.05	0.030	419.0	1.22	1.55	1.40	☐	☐	☐	
11-242	K304726	57.91	60.96	3.05	0.020	1580.0	0.64	2.66	1.04	☐	☐	☐	
11-242	K304728	60.96	64.01	3.05	0.050	864.0	0.76	2.48	1.37	☐	☐	☐	
11-242	K304729	64.01	67.06	3.05	0.080	1460.0	1.46	4.63	3.70	☐	☐	☐	
11-242	K304730	67.06	70.10	3.04	0.010	107.0	1.04	0.73	1.47	☐	☐	☐	
11-242	K304731	70.10	72.00	1.90	0.010	75.0	1.20	0.77	1.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-242	K304732	72.00	73.25	1.25	0.060	608.0	2.10	2.41	2.34	☐	☐	☐	
11-242	K304734	73.25	74.28	1.03	1.720	80300.0	8.30	88.10	15.95	☐	☐	☐	
11-242	K304735	74.28	76.20	1.92	0.410	16250.0	5.52	22.50	11.75	☐	☐	☐	
11-242	K304736	74.28	76.20	1.92	0.430	11650.0	5.82	18.45	12.75	☑	☐	☐	Duplicate of K304735
11-242	K304737	76.20	79.25	3.05	0.060	2690.0	1.11	4.65	1.97	☐	☐	☐	
11-242	K304738	79.25	82.07	2.82	0.110	19800.0	1.19	45.30	1.84	☐	☐	☐	
11-242	K304739	82.07	83.75	1.68	0.060	353.0	1.88	2.67	3.59	☐	☐	☐	
11-242	K304740	83.75	85.34	1.59	0.090	3420.0	0.92	5.80	1.48	☐	☐	☐	
11-242	K304741	85.34	88.39	3.05	0.130	16800.0	1.19	31.30	2.13	☐	☐	☐	
11-242	K304742	88.39	91.44	3.05	0.010	2560.0	0.70	4.47	0.79	☐	☐	☐	
11-242	K304743	91.44	94.49	3.05	0.020	688.0	1.32	2.76	2.52	☐	☐	☐	
11-242	K304744	94.49	97.54	3.05	0.010	166.0	2.94	1.17	1.68	☐	☐	☐	
11-242	K304745	97.54	100.00	2.46	0.010	111.0	0.84	0.73	0.81	☐	☐	☐	
11-242	K304746	100.00	100.58	0.58	0.010	82.0	0.93	0.60	0.80	☐	☐	☐	
11-242	K304747	100.58	103.63	3.05	0.010	89.0	0.36	0.39	0.94	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-242	K304748	103.63	106.68	3.05	0.010	145.0	1.09	0.63	0.93	☐	☐	☐	
11-242	K304750	106.68	109.73	3.05	0.020	390.0	1.64	1.13	1.08	☐	☐	☐	
11-242	K304751	109.73	112.78	3.05	0.010	96.0	0.28	0.29	0.82	☐	☐	☐	
11-242	K304752	112.78	115.82	3.04	0.010	60.0	0.24	0.20	0.66	☐	☐	☐	
11-242	K304753	115.82	118.87	3.05	0.010	57.0	0.19	0.25	0.54	☐	☐	☐	
11-242	K304754	118.87	121.92	3.05	0.010	42.0	0.12	0.21	0.50	☐	☐	☐	
11-242	K304756	121.92	124.97	3.05	0.010	163.0	0.29	0.55	0.90	☐	☐	☐	
11-242	K304757	124.97	128.02	3.05	0.010	50.0	0.12	0.36	0.48	☐	☐	☐	End of Batch 242
11-249	K304758	128.02	131.06	3.04	0.005	87.0	0.18	0.25	0.42	☐	☐	☐	Start of Batch 249
11-249	K304759	131.06	134.11	3.05	0.010	58.0	0.30	0.38	0.60	☐	☐	☐	
11-249	K304760	134.11	137.16	3.05	0.005	52.0	0.18	0.26	0.49	☐	☐	☐	
11-249	K304761	137.16	140.21	3.05	0.005	40.0	0.15	0.20	0.46	☐	☐	☐	
11-249	K304762	140.21	143.26	3.05	0.005	45.0	0.19	0.21	0.52	☐	☐	☐	
11-249	K304763	143.26	145.33	2.07	0.010	196.0	0.35	0.80	1.21	☐	☐	☐	End of OS-11-77

OS -11-078

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-240	K304393	0.00	0.00	0.00	0.340	581.0	9.20	121.50	8.13	☐	☐	☑	NT1
11-240	K304397	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.04	☐	☑	☐	HQ
11-254	K304419	0.00	0.00	0.00	0.320	601.0	8.68	115.00	8.10	☐	☐	☑	NT1
11-254	K304429	0.00	0.00	0.00	0.005	12.0	0.01	0.06	0.02	☐	☑	☐	HQ
11-254	K304432	0.00	0.00	0.00	2.750	578.0	4.15	93.40	3.95	☐	☑	☐	HQ
11-254	K304438	0.00	0.00	0.00	0.005	21.0	0.01	0.07	0.02	☐	☑	☐	HQ
11-258	K304447	0.00	0.00	0.00	2.670	587.0	4.02	105.50	4.02	☐	☐	☑	NT2
11-258	K304456	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ?
11-258	K304467	0.00	0.00	0.00	0.330	630.0	9.00	119.00	8.40	☐	☐	☑	NT1
11-258	K304474	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-268	K304488	0.00	0.00	0.00	0.320	575.0	9.60	115.00	8.03	☐	☐	☑	NT1
11-268	K304496	0.00	0.00	0.00	0.005	16.0	0.27	0.17	1.18	☐	☑	☐	NQ
11-268	K307004	0.00	0.00	0.00	2.330	580.0	4.59	105.50	3.99	☐	☐	☑	NT2
11-268	K307010	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.01	☐	☑	☐	NQ

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-240	K304392	2.74	5.79	3.05	0.005	55.0	0.21	0.43	1.22	☐	☐	☐	
11-258	K304442	5.79	8.84	3.05	0.005	54.0	0.21	0.41	1.17	☐	☐	☐	Start of Batch 258
11-240	K304394	8.84	11.89	3.05	0.005	239.0	0.34	0.61	1.50	☐	☐	☐	
11-240	K304395	11.89	14.94	3.05	0.005	350.0	1.70	0.77	3.61	☐	☐	☐	
11-240	K304396	14.94	17.98	3.04	0.050	418.0	4.59	1.74	10.65	☐	☐	☐	
11-240	K304398	17.98	21.03	3.05	0.070	2630.0	5.04	2.92	5.65	☐	☐	☐	
11-240	K304399	21.03	24.08	3.05	0.070	2910.0	1.28	3.53	2.45	☐	☐	☐	
11-240	K304400	24.08	27.13	3.05	0.010	240.0	2.23	1.63	4.88	☐	☐	☐	
11-240	K304401	27.13	30.18	3.05	0.140	1680.0	3.37	3.10	6.67	☐	☐	☐	
11-240	K304402	30.18	33.22	3.04	0.030	437.0	1.43	1.92	2.11	☐	☐	☐	
11-240	K304403	33.22	36.27	3.05	0.050	600.0	1.53	1.74	2.91	☐	☐	☐	
11-240	K304404	36.27	39.32	3.05	0.020	4110.0	1.10	4.76	2.51	☐	☐	☐	
11-240	K304405	39.32	40.84	1.52	0.800	7950.0	1.55	8.07	4.97	☐	☐	☐	End of Batch 240
11-254	K304406	40.84	42.37	1.53	20.900	17900.0	41.80	66.90	157.50	☐	☐	☐	Start of Batch 254
11-254	K304407	42.37	45.42	3.05	1.530	4630.0	16.80	26.20	74.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-254	K304408	45.42	48.46	3.04	7.060	26400.0	35.00	99.50	174.50	☐	☐	☐	
11-254	K304409	48.46	51.51	3.05	0.120	164.0	0.72	0.85	2.21	☐	☐	☐	
11-254	K304410	51.51	54.56	3.05	1.540	5070.0	11.10	24.20	45.80	☐	☐	☐	
11-254	K304411	54.56	57.61	3.05	0.020	307.0	0.98	1.59	4.72	☐	☐	☐	
11-254	K304412	57.61	60.66	3.05	0.005	74.8	0.28	0.53	1.62	☐	☐	☐	
11-254	K304413	60.66	63.70	3.04	0.005	223.0	0.89	1.42	4.66	☐	☐	☐	
11-254	K304414	63.70	66.75	3.05	0.005	45.0	0.19	0.28	1.02	☐	☐	☐	
11-254	K304415	63.70	66.75	3.05	0.005	53.0	0.20	0.30	1.10	☑	☐	☐	duplicate of 414
11-254	K304416	66.75	69.80	3.05	0.005	104.0	0.27	0.40	1.74	☐	☐	☐	
11-254	K304417	69.80	72.85	3.05	0.005	80.8	0.62	0.46	2.41	☐	☐	☐	
11-254	K304418	72.85	75.90	3.05	0.005	269.0	1.11	0.94	3.32	☐	☐	☐	
11-254	K304420	75.90	78.94	3.04	0.090	1700.0	1.38	1.94	3.42	☐	☐	☐	
11-254	K304421	78.94	81.00	2.06	0.490	19700.0	2.39	13.40	8.29	☐	☐	☐	
11-254	K304422	81.00	83.52	2.52	0.530	1080.0	2.55	1.69	8.07	☐	☐	☐	
11-254	K304423	83.52	86.56	3.04	0.040	105.0	0.78	0.66	1.19	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-254	K304424	86.56	89.61	3.05	0.030	209.0	0.74	0.65	0.95	☐	☐	☐	
11-254	K304425	89.61	92.66	3.05	0.180	402.0	1.08	1.53	2.38	☐	☐	☐	
11-254	K304426	92.66	94.18	1.52	0.140	5700.0	0.89	5.13	1.66	☐	☐	☐	
11-254	K304427	94.18	95.71	1.53	0.060	7880.0	2.83	7.11	1.76	☐	☐	☐	
11-254	K304428	95.71	98.76	3.05	0.020	153.0	0.70	0.70	1.18	☐	☐	☐	
11-254	K304430	98.76	101.80	3.04	0.005	223.0	1.44	0.54	0.81	☐	☐	☐	
11-254	K304431	101.80	104.85	3.05	0.030	103.0	0.65	1.11	1.14	☐	☐	☐	
11-254	K304433	104.85	107.90	3.05	0.030	73.0	0.59	0.93	1.02	☐	☐	☐	
11-254	K304434	107.90	110.95	3.05	0.030	188.0	0.71	0.93	0.99	☐	☐	☐	
11-254	K304435	110.95	114.00	3.05	0.010	217.0	0.44	0.81	0.90	☐	☐	☐	
11-254	K304436	114.00	117.04	3.04	0.030	99.0	1.64	0.82	1.85	☐	☐	☐	
11-254	K304437	117.04	120.09	3.05	0.050	4680.0	1.29	6.60	1.83	☐	☐	☐	
11-254	K304439	120.09	123.14	3.05	0.030	1010.0	1.73	2.37	1.50	☐	☐	☐	
11-254	K304440	123.14	126.19	3.05	0.010	91.0	1.63	0.72	0.92	☐	☐	☐	
11-254	K304441	126.19	129.24	3.05	0.010	349.0	3.44	1.09	0.72	☐	☐	☐	End of Batch 254

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-258	K304443	129.24	132.28	3.04	0.040	1120.0	0.77	2.16	0.94	☐	☐	☐	
11-258	K304444	132.28	135.33	3.05	0.010	58.0	0.45	0.65	0.87	☐	☐	☐	
11-258	K304445	135.33	138.38	3.05	0.010	112.0	0.60	0.37	0.78	☐	☐	☐	
11-258	K304446	138.38	139.90	1.52	0.010	316.0	0.51	0.62	0.35	☐	☐	☐	
11-258	K304448	139.90	142.08	2.18	0.010	142.0	0.83	0.63	0.87	☐	☐	☐	
11-258	K304449	142.08	144.48	2.40	0.005	42.0	0.21	0.19	0.36	☐	☐	☐	
11-258	K304450	144.48	147.52	3.04	0.550	1320.0	1.63	4.93	4.69	☐	☐	☐	
11-258	K304451	147.52	150.57	3.05	0.020	53.0	0.37	0.32	0.63	☐	☐	☐	
11-258	K304452	147.52	150.57	3.05	0.010	39.0	0.37	0.22	0.39	☑	☐	☐	duplicate of 451
11-258	K304453	150.57	153.62	3.05	0.020	48.0	0.39	0.55	0.64	☐	☐	☐	
11-258	K304454	153.62	156.67	3.05	0.610	212.0	1.85	4.25	5.89	☐	☐	☐	
11-258	K304455	156.67	159.70	3.03	0.010	268.0	0.27	0.47	0.64	☐	☐	☐	
11-258	K304457	159.70	162.76	3.06	0.005	150.0	0.21	0.45	0.64	☐	☐	☐	
11-258	K304458	162.76	164.29	1.53	0.010	79.0	0.37	0.61	1.15	☐	☐	☐	
11-258	K304459	164.29	165.81	1.52	0.580	35900.0	1.29	75.50	6.67	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-258	K304460	165.81	168.86	3.05	0.010	59.0	0.21	0.46	0.76	☐	☐	☐	
11-258	K304461	168.86	171.91	3.05	0.010	47.0	0.15	0.34	0.52	☐	☐	☐	
11-258	K304462	171.91	174.96	3.05	0.005	68.0	0.20	0.40	0.86	☐	☐	☐	
11-258	K304463	174.96	178.00	3.04	0.010	38.0	0.11	0.33	0.64	☐	☐	☐	
11-258	K304464	178.00	181.05	3.05	0.010	35.0	0.11	0.34	0.74	☐	☐	☐	
11-258	K304465	181.05	184.10	3.05	0.005	47.0	0.11	0.23	0.39	☐	☐	☐	
11-258	K304466	184.10	187.15	3.05	0.010	105.0	0.54	0.58	1.27	☐	☐	☐	
11-258	K304468	187.15	190.19	3.04	1.510	595.0	4.58	10.95	20.90	☐	☐	☐	
11-258	K304469	190.19	193.24	3.05	0.020	91.0	0.99	0.77	1.94	☐	☐	☐	
11-258	K304470	193.24	196.29	3.05	0.130	102.0	2.81	1.24	3.93	☐	☐	☐	
11-258	K304471	196.29	199.34	3.05	0.010	24.0	0.17	0.20	0.75	☐	☐	☐	
11-258	K304472	199.34	202.39	3.05	0.005	18.0	0.24	0.18	0.92	☐	☐	☐	
11-258	K304473	202.39	205.44	3.05	0.005	19.0	0.15	0.14	1.01	☐	☐	☐	
11-258	K304475	205.44	208.48	3.04	0.005	37.0	0.28	0.20	1.54	☐	☐	☐	
11-258	K304476	208.48	211.53	3.05	0.005	27.0	0.36	0.21	1.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-258	K304477	211.53	214.58	3.05	0.005	17.0	0.12	0.21	0.76	☐	☐	☐	End of Batch 258
11-268	K304478	214.58	217.63	3.05	0.005	18.0	0.12	0.18	0.56	☐	☐	☐	Start of Batch 268
11-268	K304479	217.63	220.68	3.05	0.005	42.0	0.23	0.34	1.12	☐	☐	☐	
11-268	K304480	220.68	223.72	3.04	0.005	30.0	0.27	0.29	1.32	☐	☐	☐	
11-268	K304481	223.72	226.77	3.05	0.005	27.0	0.35	0.26	1.22	☐	☐	☐	
11-268	K304482	226.77	229.82	3.05	0.005	22.0	0.21	0.26	1.04	☐	☐	☐	
11-268	K304483	229.82	232.87	3.05	0.005	38.0	0.26	0.22	0.87	☐	☐	☐	
11-268	K304484	229.82	232.87	3.05	0.005	35.0	0.24	0.20	0.94	☑	☐	☐	
11-268	K304485	232.87	235.92	3.05	0.860	844.0	4.64	7.74	20.00	☐	☐	☐	
11-268	K304486	235.92	238.96	3.04	0.080	2110.0	4.34	2.10	8.01	☐	☐	☐	
11-268	K304487	238.96	242.01	3.05	0.010	206.0	23.00	0.86	16.25	☐	☐	☐	
11-268	K304489	242.01	245.06	3.05	0.005	5610.0	92.90	3.17	57.70	☐	☐	☐	
11-268	K304490	245.06	248.11	3.05	0.005	1410.0	45.60	1.49	28.90	☐	☐	☐	
11-268	K304491	248.11	251.16	3.05	0.005	119.0	60.60	1.19	34.60	☐	☐	☐	
11-268	K304492	251.16	254.20	3.04	0.005	1400.0	147.50	6.59	134.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-268	K304493	254.20	257.25	3.05	0.005	5550.0	149.00	9.65	177.00	☐	☐	☐	
11-268	K304494	257.25	260.30	3.05	0.010	2870.0	150.50	20.70	305.00	☐	☐	☐	
11-268	K304495	260.30	263.35	3.05	0.020	5390.0	287.00	48.80	680.00	☐	☐	☐	
11-268	K304497	263.35	266.40	3.05	0.010	4350.0	271.00	42.50	610.00	☐	☐	☐	
11-268	K304498	266.40	269.44	3.04	0.030	4960.0	373.00	43.80	730.00	☐	☐	☐	
11-268	K304499	269.44	272.49	3.05	0.010	2870.0	188.00	23.10	355.00	☐	☐	☐	
11-268	K304500	272.49	275.54	3.05	0.005	72.0	2.37	0.33	3.83	☐	☐	☐	
11-268	K307001	275.54	278.59	3.05	0.005	421.0	6.26	0.55	8.05	☐	☐	☐	
11-268	K307002	278.59	281.64	3.05	0.005	572.0	16.30	0.92	12.80	☐	☐	☐	
11-268	K307003	281.64	284.68	3.04	0.005	102.0	1.20	0.37	3.31	☐	☐	☐	
11-268	K307005	284.68	287.73	3.05	0.005	49.0	0.41	0.36	1.18	☐	☐	☐	
11-268	K307006	287.73	290.78	3.05	0.005	23.0	0.18	0.18	0.45	☐	☐	☐	
11-268	K307007	290.78	293.83	3.05	0.005	30.0	0.14	0.24	0.86	☐	☐	☐	
11-268	K307008	293.83	296.88	3.05	0.005	26.0	0.09	0.20	0.78	☐	☐	☐	
11-268	K307009	296.88	299.92	3.04	0.005	26.0	0.40	0.19	0.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-268	K307011	299.92	302.97	3.05	0.005	23.0	0.16	0.27	0.67	☐	☐	☐	
11-268	K307012	302.97	306.02	3.05	0.005	50.0	0.21	0.47	0.72	☐	☐	☐	
11-268	K307013	306.02	309.08	3.06	0.050	236.0	0.84	0.97	2.04	☐	☐	☐	End of Batch 268
11-270	K307014	309.08	312.12	3.04	0.010	192.0	0.45	0.57	1.65	☐	☐	☐	Start of Batch 270
11-270	K307015	312.12	315.16	3.04	0.005	72.5	0.61	0.76	1.66	☐	☐	☐	Chip sampled from 315.16 to E.O.H.

Sample Results

OS -11-079

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-247	K302277	0.00	0.00	0.00	0.005	57.0	0.09	0.10	0.05	☐	☑	☐	Blank HQ
11-247	K302289	0.00	0.00	0.00	7.240	960.0	5.98	18.35	13.55	☐	☐	☑	STD NT3
11-247	K302294	0.00	0.00	0.00	0.005	15.0	0.02	0.10	0.06	☐	☑	☐	Blank HQ
11-256	K302304	0.00	0.00	0.00	2.570	643.0	4.92	112.50	4.03	☐	☐	☑	STD NT2
11-256	K302315	0.00	0.00	0.00	0.350	643.0	9.20	119.00	8.04	☐	☐	☑	STD NT1
11-256	K302322	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	Blank HQ
11-256	K302327	0.00	0.00	0.00	0.005	24.0	0.01	0.08	0.03	☐	☑	☐	Blank HQ
11-262	K302335	0.00	0.00	0.00	0.005	2.5	0.01	0.17	0.01	☐	☑	☐	Blank HQ
11-262	K302341	0.00	0.00	0.00	7.730	967.0	5.73	17.25	12.95	☐	☐	☑	STD NT3
11-262	K302352	0.00	0.00	0.00	0.005	10.0	0.01	0.10	0.01	☐	☑	☐	Blank HQ
11-262	K302362	0.00	0.00	0.00	0.340	591.0	8.60	115.50	7.55	☐	☐	☑	STD NT1
11-266	K302373	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.03	☐	☑	☐	Blank NQ
11-247	K302271	7.62	10.06	2.44	0.005	75.0	0.30	0.40	2.06	☐	☐	☐	
11-247	K302272	10.06	13.11	3.05	1.080	892.0	4.70	2.73	7.83	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-247	K302273	13.11	16.15	3.04	2.520	2860.0	9.70	9.07	27.40	☐	☐	☐	
11-247	K302274	16.15	19.20	3.05	0.660	4000.0	4.66	6.51	18.80	☐	☐	☐	
11-247	K302275	19.20	22.25	3.05	2.600	16250.0	6.43	13.45	19.55	☐	☐	☐	
11-247	K302276	22.25	25.30	3.05	1.090	37200.0	14.80	29.40	48.70	☐	☐	☐	
11-247	K302278	25.30	28.35	3.05	0.180	4070.0	3.65	3.54	9.75	☐	☐	☐	
11-247	K302279	28.35	31.39	3.04	0.070	1450.0	3.42	1.78	8.14	☐	☐	☐	
11-247	K302280	28.35	31.39	3.04	0.050	803.0	2.79	1.25	6.21	☑	☐	☐	Duplicate of K302280
11-247	K302281	31.39	32.92	1.53	0.010	195.0	3.12	0.67	4.39	☐	☐	☐	
11-247	K302282	32.92	34.87	1.95	0.200	2930.0	3.51	3.11	7.94	☐	☐	☐	
11-247	K302283	34.87	37.49	2.62	0.120	3130.0	6.64	4.18	8.67	☐	☐	☐	
11-247	K302284	37.49	39.05	1.56	0.120	940.0	10.50	4.76	19.20	☐	☐	☐	
11-247	K302285	39.05	42.06	3.01	0.060	727.0	9.20	4.11	11.45	☐	☐	☐	
11-247	K302286	42.06	45.11	3.05	0.190	9480.0	3.64	6.64	6.17	☐	☐	☐	
11-247	K302287	45.11	48.16	3.05	0.360	6800.0	2.55	5.53	4.77	☐	☐	☐	
11-247	K302288	48.16	51.21	3.05	0.080	403.0	1.24	1.49	2.14	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-247	K302290	51.21	54.25	3.04	0.440	759.0	1.73	2.90	3.68	☐	☐	☐	
11-247	K302291	54.25	57.30	3.05	0.140	861.0	1.07	2.63	1.69	☐	☐	☐	
11-247	K302292	57.30	60.35	3.05	0.580	984.0	3.70	5.88	5.94	☐	☐	☐	
11-247	K302293	60.35	63.40	3.05	0.260	1760.0	3.30	8.03	9.03	☐	☐	☐	
11-247	K302295	63.40	66.45	3.05	0.010	88.0	1.06	1.09	0.89	☐	☐	☐	
11-247	K302296	66.45	69.49	3.04	0.005	88.0	1.88	0.84	1.68	☐	☐	☐	End of Batch 247
11-256	K302297	69.49	72.54	3.05	0.040	5960.0	1.29	6.40	2.15	☐	☐	☐	Start of Batch 256
11-256	K302298	72.54	75.59	3.05	0.120	7430.0	0.70	8.49	1.12	☐	☐	☐	
11-256	K302299	75.59	78.64	3.05	0.100	3250.0	1.00	3.98	2.26	☐	☐	☐	
11-256	K302300	78.64	81.69	3.05	0.010	265.0	0.96	1.06	2.39	☐	☐	☐	
11-256	K302301	81.69	84.73	3.04	0.080	16300.0	0.76	22.80	1.58	☐	☐	☐	
11-256	K302302	84.73	87.78	3.05	0.190	240.0	1.42	1.60	4.90	☐	☐	☐	
11-256	K302303	87.78	90.83	3.05	0.060	286.0	0.90	1.06	1.87	☐	☐	☐	
11-256	K302305	90.83	93.88	3.05	0.070	237.0	1.20	1.11	2.54	☐	☐	☐	
11-256	K302306	93.88	94.95	1.07	0.005	67.0	0.51	0.38	0.83	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-256	K302307	94.95	96.93	1.98	0.140	611.0	5.99	2.83	12.80	☐	☐	☐	
11-256	K302308	94.95	96.93	1.98	0.080	575.0	5.09	2.23	9.41	☑	☐	☐	Duplicate of K302307
11-256	K302309	96.93	98.30	1.37	0.080	245.0	1.80	1.38	5.36	☐	☐	☐	
11-256	K302310	98.30	99.97	1.67	0.010	284.0	1.90	1.26	5.78	☐	☐	☐	
11-256	K302311	99.97	103.02	3.05	0.005	502.0	1.68	0.37	2.10	☐	☐	☐	
11-256	K302312	103.02	106.07	3.05	0.005	515.0	1.90	0.64	2.84	☐	☐	☐	
11-256	K302313	106.07	107.80	1.73	0.005	437.0	1.00	0.53	1.90	☐	☐	☐	
11-256	K302314	107.80	110.64	2.84	0.430	652.0	1.70	2.39	5.47	☐	☐	☐	
11-256	K302316	110.64	113.69	3.05	0.030	198.5	1.13	0.84	1.95	☐	☐	☐	
11-256	K302317	113.69	116.74	3.05	0.010	309.0	1.29	1.32	2.04	☐	☐	☐	
11-256	K302318	116.74	119.10	2.36	0.010	224.0	0.52	0.88	2.22	☐	☐	☐	
11-256	K302319	119.10	121.31	2.21	0.005	170.0	0.61	0.69	2.11	☐	☐	☐	
11-256	K302320	121.31	124.36	3.05	0.005	122.0	0.76	0.44	1.05	☐	☐	☐	
11-256	K302321	124.36	127.41	3.05	0.050	781.0	4.67	1.93	1.47	☐	☐	☐	
11-256	K302323	127.41	130.45	3.04	0.020	461.0	0.94	1.69	1.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-256	K302324	130.45	133.50	3.05	0.030	1060.0	6.30	2.66	1.88	☐	☐	☐	
11-256	K302325	133.50	136.55	3.05	0.010	152.0	0.93	1.15	1.43	☐	☐	☐	
11-256	K302326	136.55	139.60	3.05	0.360	8160.0	1.57	10.40	3.39	☐	☐	☐	
11-256	K302328	139.60	142.65	3.05	0.660	7180.0	5.70	20.40	28.30	☐	☐	☐	
11-256	K302329	142.65	145.69	3.04	0.060	1080.0	3.81	4.62	15.00	☐	☐	☐	
11-256	K302330	145.69	148.74	3.05	0.220	2550.0	1.60	6.86	3.58	☐	☐	☐	
11-256	K302331	148.74	151.79	3.05	0.100	2520.0	1.17	5.25	2.73	☐	☐	☐	
11-256	K302332	151.79	154.84	3.05	0.040	524.0	3.22	2.69	17.80	☐	☐	☐	
11-262	K302333	154.84	157.89	3.05	0.710	461.0	3.27	5.19	15.95	☐	☐	☐	New Batch!!
11-262	K302334	157.89	160.93	3.04	1.160	2060.0	7.99	15.10	25.90	☐	☐	☐	
11-262	K302336	160.93	163.98	3.05	0.520	940.0	4.39	10.30	15.20	☐	☐	☐	
11-262	K302337	163.98	167.03	3.05	0.170	520.0	3.91	7.30	19.55	☐	☐	☐	
11-262	K302338	167.03	170.08	3.05	0.120	638.0	5.70	9.40	42.10	☐	☐	☐	
11-262	K302339	170.08	173.13	3.05	0.040	382.0	1.23	1.97	7.32	☐	☐	☐	
11-262	K302340	173.13	176.17	3.04	0.005	239.0	1.28	1.06	9.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-262	K302342	176.17	179.22	3.05	0.310	911.0	2.63	3.59	13.60	☐	☐	☐	
11-262	K302343	179.22	182.27	3.05	0.020	987.0	6.28	3.30	26.60	☐	☐	☐	
11-262	K302344	182.27	185.32	3.05	0.010	166.0	1.30	0.91	3.69	☐	☐	☐	
11-262	K302345	185.32	188.37	3.05	0.130	501.0	2.46	3.90	7.39	☐	☐	☐	
11-262	K302346	188.37	191.41	3.04	0.020	111.0	0.92	0.91	3.42	☐	☐	☐	
11-262	K302347	188.37	191.41	3.04	0.010	115.0	1.08	0.90	3.92	☑	☐	☐	Duplicate of K302346
11-262	K302348	191.41	194.46	3.05	0.030	180.0	1.07	1.43	3.73	☐	☐	☐	
11-262	K302349	194.46	197.51	3.05	0.410	2030.0	2.08	5.42	7.01	☐	☐	☐	
11-262	K302350	197.51	200.56	3.05	3.240	4610.0	3.98	12.65	10.95	☐	☐	☐	
11-262	K302351	200.56	203.61	3.05	0.580	2640.0	2.10	7.05	5.77	☐	☐	☐	
11-262	K302353	203.61	206.65	3.04	0.270	455.0	1.46	3.49	4.98	☐	☐	☐	
11-262	K302354	206.65	209.70	3.05	0.440	311.0	2.22	7.93	10.35	☐	☐	☐	
11-262	K302355	209.70	212.75	3.05	0.040	277.0	1.33	1.41	9.54	☐	☐	☐	
11-262	K302356	212.75	215.80	3.05	0.030	206.0	1.38	1.26	8.33	☐	☐	☐	
11-262	K302357	215.80	218.85	3.05	0.130	257.0	1.71	3.90	9.38	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-262	K302358	218.85	221.89	3.04	0.270	747.0	2.03	7.77	12.35	☐	☐	☐	
11-262	K302359	221.89	224.94	3.05	0.590	4480.0	5.30	17.00	21.10	☐	☐	☐	
11-262	K302360	224.94	227.99	3.05	0.550	2170.0	4.02	9.80	10.45	☐	☐	☐	
11-262	K302361	227.99	231.04	3.05	0.190	2410.0	0.95	4.17	1.76	☐	☐	☐	
11-262	K302363	231.04	232.19	1.15	1.060	5230.0	2.64	9.83	6.10	☐	☐	☐	
11-262	K302364	232.19	234.09	1.90	0.650	2490.0	2.43	6.17	5.86	☐	☐	☐	
11-262	K302365	234.09	237.13	3.04	0.050	1760.0	4.36	2.45	2.31	☐	☐	☐	
11-262	K302366	237.13	240.18	3.05	0.010	116.5	1.01	0.58	1.37	☐	☐	☐	
11-262	K302367	240.18	243.23	3.05	0.010	53.0	0.61	0.32	0.95	☐	☐	☐	
11-262	K302368	243.23	246.28	3.05	0.005	28.0	0.25	0.24	0.62	☐	☐	☐	End of Batch 262
11-266	K302369	246.28	249.33	3.05	0.010	168.0	0.45	0.56	0.95	☐	☐	☐	Start of Batch 266
11-266	K302370	249.33	252.37	3.04	0.040	79.0	0.71	0.81	1.73	☐	☐	☐	
11-266	K302371	252.37	255.42	3.05	0.110	2840.0	1.12	5.12	3.37	☐	☐	☐	
11-266	K302372	255.42	256.55	1.13	0.260	532.0	1.33	2.37	3.62	☐	☐	☐	
11-266	K302374	256.55	258.47	1.92	0.160	401.0	1.97	3.01	5.01	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-266	K302375	258.47	261.52	3.05	0.020	285.0	1.14	1.43	2.82	☐	☐	☐	Chip to EOH

ATAC resources ltd.

Sample Results

OS -11-080

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-250	K303441	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.03	☐	☑	☐	HQ
11-250	K303444	0.00	0.00	0.00	0.340	603.0	9.20	114.00	6.98	☐	☐	☑	NT1
11-250	K303455	0.00	0.00	0.00	8.040	988.0	6.31	20.30	13.55	☐	☐	☑	NT3
11-250	K303461	0.00	0.00	0.00	0.010	12.0	0.01	0.11	0.04	☐	☑	☐	HQ HQ
11-257	K303473	0.00	0.00	0.00	0.350	590.0	9.10	121.00	8.00	☐	☐	☑	NT1
11-257	K303477	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.02	☐	☑	☐	HQ
11-257	K303486	0.00	0.00	0.00	2.680	595.0	4.46	111.50	4.18	☐	☑	☐	HQ
11-257	K303489	0.00	0.00	0.00	0.030	12.0	0.01	0.11	0.02	☐	☐	☑	NT2
11-261	K306014	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	HQ
11-261	K306018	0.00	0.00	0.00	2.590	617.0	4.76	103.50	4.07	☐	☐	☑	NT2
11-261	K306023	0.00	0.00	0.00	7.810	1030.0	5.77	18.30	13.35	☐	☐	☑	NT3
11-261	K306032	0.00	0.00	0.00	0.005	33.0	0.01	0.07	0.03	☐	☑	☐	HQ
11-250	K303440	1.32	3.05	1.73	0.120	569.0	1.12	1.60	2.28	☐	☐	☐	
11-250	K303442	3.05	6.10	3.05	0.110	549.0	0.88	1.52	1.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-250	K303443	6.10	9.14	3.04	0.010	484.0	0.14	0.97	0.85	☐	☐	☐	
11-250	K303445	9.14	12.19	3.05	0.020	566.0	0.14	1.07	0.91	☐	☐	☐	
11-250	K303446	12.19	15.24	3.05	0.030	1170.0	1.09	2.01	4.68	☐	☐	☐	
11-250	K303447	15.24	18.29	3.05	0.220	1440.0	1.58	2.66	4.83	☐	☐	☐	
11-250	K303448	15.24	18.29	3.05	0.220	1670.0	1.63	2.61	4.78	☑	☐	☐	Duplicate of K303448
11-250	K303449	18.29	21.34	3.05	0.570	695.0	1.40	3.56	4.78	☐	☐	☐	
11-250	K303450	21.34	24.39	3.05	0.810	820.0	2.86	5.54	4.44	☐	☐	☐	
11-250	K303451	24.39	26.47	2.08	0.630	985.0	3.35	5.14	4.57	☐	☐	☐	
11-250	K303452	26.47	28.96	2.49	0.120	235.0	1.34	3.53	2.27	☐	☐	☐	
11-250	K303453	28.96	32.00	3.04	0.260	205.0	1.31	2.35	3.16	☐	☐	☐	
11-250	K303454	32.00	33.53	1.53	13.800	30500.0	6.06	56.30	22.10	☐	☐	☐	
11-250	K303456	33.53	35.05	1.52	11.250	16650.0	6.05	40.30	20.00	☐	☐	☐	
11-250	K303457	35.05	36.58	1.53	16.550	29900.0	5.69	64.40	20.20	☐	☐	☐	
11-250	K303458	36.58	37.70	1.12	18.550	47700.0	6.23	80.30	20.90	☐	☐	☐	
11-250	K303459	37.70	39.62	1.92	2.220	1510.0	2.10	6.86	6.41	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-250	K303460	39.62	42.67	3.05	2.570	1950.0	3.85	11.05	14.90	☐	☐	☐	
11-250	K303462	42.67	44.20	1.53	1.010	1290.0	2.71	8.53	11.50	☐	☐	☐	
11-250	K303463	44.20	47.24	3.04	0.320	319.0	1.42	3.85	4.76	☐	☐	☐	
11-250	K303464	47.24	50.29	3.05	0.020	104.0	0.37	0.63	0.79	☐	☐	☐	
11-250	K303465	50.29	53.34	3.05	0.010	69.0	0.30	0.35	0.54	☐	☐	☐	
11-250	K303466	53.34	56.39	3.05	0.150	189.0	0.71	1.60	2.09	☐	☐	☐	
11-250	K303467	56.39	59.44	3.05	0.170	127.0	0.92	2.20	2.85	☐	☐	☐	
11-250	K303468	59.44	62.48	3.04	0.010	42.0	0.33	0.43	0.68	☐	☐	☐	End of B250
11-257	K303469	62.48	65.53	3.05	0.005	48.0	0.21	0.49	0.60	☐	☐	☐	Start of B257
11-257	K303470	65.53	68.58	3.05	0.005	31.0	0.08	0.29	0.34	☐	☐	☐	
11-257	K303471	68.58	71.63	3.05	0.005	35.0	0.07	0.30	0.28	☐	☐	☐	
11-257	K303472	71.63	74.68	3.05	0.280	519.0	0.12	1.14	0.72	☐	☐	☐	
11-257	K303474	74.68	77.72	3.04	0.005	33.0	0.10	0.33	0.32	☐	☐	☐	
11-257	K303475	77.72	80.77	3.05	0.005	28.0	0.09	0.28	0.40	☐	☐	☐	
11-257	K303476	80.77	83.82	3.05	0.005	32.0	0.09	0.30	0.54	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-257	K303478	83.82	86.87	3.05	0.005	23.0	0.09	0.25	0.33	☐	☐	☐	
11-257	K303479	86.87	89.92	3.05	0.005	32.0	0.13	0.25	0.41	☐	☐	☐	
11-257	K303480	89.92	92.96	3.04	0.005	64.0	0.14	0.32	0.43	☐	☐	☐	
11-257	K303481	92.96	96.01	3.05	0.005	45.0	0.18	0.38	0.67	☐	☐	☐	
11-257	K303482	92.96	96.01	3.05	0.005	35.0	0.18	0.39	0.63	☑	☐	☐	Duplicate of K303481
11-257	K303483	96.01	99.06	3.05	0.005	22.0	0.08	0.21	0.29	☐	☐	☐	
11-261	K306011	99.06	100.58	1.52	0.005	61.0	0.18	0.32	0.81	☐	☐	☐	
11-257	K303484	100.58	103.63	3.05	0.005	42.0	0.21	0.28	0.55	☐	☐	☐	
11-257	K303485	103.63	106.68	3.05	0.005	78.0	0.62	0.34	1.08	☐	☐	☐	
11-257	K303487	106.68	109.73	3.05	0.020	2680.0	1.64	3.70	3.67	☐	☐	☐	
11-257	K303488	109.73	112.78	3.05	0.430	453.0	3.12	5.19	8.86	☐	☐	☐	
11-257	K303490	112.78	115.82	3.04	0.540	7600.0	2.43	15.05	7.03	☐	☐	☐	
11-257	K303491	115.82	118.87	3.05	0.005	88.0	0.43	0.55	1.32	☐	☐	☐	
11-257	K303492	118.87	121.92	3.05	0.005	51.0	0.16	0.35	0.54	☐	☐	☐	
11-257	K303493	121.92	123.44	1.52	0.005	54.0	0.14	0.34	0.33	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-257	K303494	123.44	126.49	3.05	0.005	46.0	0.12	0.29	0.54	☐	☐	☐	
11-257	K303495	126.49	129.54	3.05	0.005	20.0	0.10	0.30	0.38	☐	☐	☐	
11-257	K303496	129.54	132.59	3.05	0.005	18.0	0.07	0.20	0.29	☐	☐	☐	
11-257	K303497	132.59	135.64	3.05	0.005	66.0	0.19	0.33	0.43	☐	☐	☐	
11-257	K303498	135.64	138.68	3.04	0.005	16.0	0.10	0.21	0.26	☐	☐	☐	
11-257	K303499	138.68	141.73	3.05	0.005	17.0	0.16	0.27	0.34	☐	☐	☐	
11-257	K303500	141.73	144.78	3.05	0.010	66.0	0.27	0.44	0.50	☐	☐	☐	
11-257	K306001	144.78	146.30	1.52	0.040	66.0	0.35	0.63	0.77	☐	☐	☐	
11-257	K306002	146.30	147.85	1.55	0.005	35.0	0.18	0.17	0.41	☐	☐	☐	
11-257	K306003	147.85	149.35	1.50	0.005	84.0	0.33	0.49	0.66	☐	☐	☐	
11-257	K306004	149.35	152.40	3.05	0.030	2980.0	0.48	4.24	0.99	☐	☐	☐	End of Batch 257
11-261	K306005	152.40	155.45	3.05	0.005	45.0	0.23	0.16	0.31	☐	☐	☐	
11-261	K306006	155.45	158.50	3.05	0.005	74.0	0.19	0.19	0.49	☐	☐	☐	
11-261	K306007	158.50	161.54	3.04	0.005	12.0	0.10	0.24	0.50	☐	☐	☐	
11-261	K306008	161.54	164.59	3.05	0.005	208.0	0.40	0.46	1.93	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-261	K306009	164.59	165.47	0.88	0.005	200.0	0.35	0.35	0.98	☐	☐	☐	
11-261	K306010	164.59	165.47	0.88	0.005	182.0	0.34	0.37	1.00	☑	☐	☐	Duplicate of K306009
11-261	K306012	165.47	167.64	2.17	0.005	128.0	0.30	0.35	0.72	☐	☐	☐	
11-261	K306013	167.64	170.69	3.05	0.005	579.0	0.53	0.99	1.06	☐	☐	☐	
11-261	K306015	170.69	173.74	3.05	0.005	106.0	0.71	0.98	1.65	☐	☐	☐	
11-261	K306016	173.74	175.75	2.01	0.005	47.0	0.47	0.62	0.73	☐	☐	☐	
11-261	K306017	175.75	176.78	1.03	0.070	19000.0	4.28	26.70	20.10	☐	☐	☐	
11-261	K306019	176.78	179.83	3.05	0.020	497.0	2.78	3.04	13.45	☐	☐	☐	
11-261	K306020	179.83	182.88	3.05	0.010	680.0	3.59	2.29	13.75	☐	☐	☐	
11-261	K306021	182.88	185.93	3.05	0.130	761.0	4.00	2.69	8.49	☐	☐	☐	
11-261	K306022	185.93	187.72	1.79	0.080	4140.0	2.95	4.53	8.50	☐	☐	☐	
11-261	K306024	187.72	190.50	2.78	0.010	174.0	1.63	0.62	4.62	☐	☐	☐	
11-261	K306025	190.50	193.55	3.05	0.020	2600.0	1.25	1.85	2.08	☐	☐	☐	
11-261	K306026	193.55	195.07	1.52	0.010	346.0	0.88	1.08	2.01	☐	☐	☐	
11-261	K306027	195.07	198.12	3.05	0.010	398.0	0.80	0.90	2.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-261	K306028	198.12	201.17	3.05	0.010	270.0	1.05	1.10	2.55	☐	☐	☐	
11-261	K306029	201.17	204.21	3.04	0.010	1240.0	0.99	1.50	2.51	☐	☐	☐	
11-261	K306030	204.21	207.26	3.05	0.030	2550.0	1.02	2.35	2.17	☐	☐	☐	
11-261	K306031	207.26	210.30	3.04	0.010	6420.0	0.60	4.74	1.15	☐	☐	☐	
11-261	K306033	210.31	213.36	3.05	0.020	5490.0	1.33	4.62	2.12	☐	☐	☐	
11-261	K306034	213.36	216.41	3.05	0.010	1740.0	0.49	1.55	1.20	☐	☐	☐	
11-261	K306035	216.41	219.46	3.05	0.030	2030.0	1.06	2.10	2.38	☐	☐	☐	
11-261	K306036	219.46	222.50	3.04	0.020	1320.0	0.84	1.55	1.49	☐	☐	☐	
11-261	K306037	222.50	225.55	3.05	0.030	331.0	1.13	1.31	2.19	☐	☐	☐	
11-261	K306038	225.55	226.90	1.35	0.130	916.0	2.72	2.58	5.18	☐	☐	☐	
11-261	K306039	226.90	228.60	1.70	0.005	440.0	1.53	0.98	2.71	☐	☐	☐	
11-261	K306040	228.60	231.65	3.05	0.370	1105.0	2.81	3.49	7.63	☐	☐	☐	
11-265	K306041	231.65	234.70	3.05	0.650	734.0	4.45	5.36	12.25	☐	☐	☐	
11-265	K306042	234.70	237.74	3.04	0.030	550.0	2.85	1.95	4.64	☐	☐	☐	
11-265	K306043	237.74	240.80	3.06	0.005	311.0	1.37	1.17	4.42	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-265	K306044	240.80	243.84	3.04	0.005	108.0	0.65	0.47	2.24	☐	☐	☐	

Sample Results

OS -11-081

Conrad

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-252	K305436	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-252	K305432	4.12	6.10	1.98	0.005	11.0	0.02	0.49	0.32	☐	☐	☐	
11-252	K305433	6.10	9.14	3.04	0.005	18.2	0.04	0.70	0.39	☐	☐	☐	
11-252	K305434	9.14	12.19	3.05	0.005	13.7	0.04	0.60	0.32	☐	☐	☐	
11-252	K305435	12.19	15.24	3.05	0.010	13.9	0.04	0.73	0.54	☐	☐	☐	
11-252	K305437	15.24	18.29	3.05	0.005	15.2	0.03	0.89	0.64	☐	☐	☐	
11-252	K305438	18.29	21.34	3.05	0.005	19.7	0.07	1.07	0.64	☐	☐	☐	
11-252	K305439	21.34	24.38	3.04	0.005	22.8	0.17	1.00	1.02	☐	☐	☐	
11-252	K305440	24.38	27.43	3.05	0.005	12.3	0.08	0.57	0.73	☐	☐	☐	
11-252	K305441	27.43	30.48	3.05	0.005	14.4	0.03	0.46	0.55	☐	☐	☐	
11-252	K305442	30.48	33.52	3.04	0.005	13.5	0.03	0.45	0.50	☐	☐	☐	
11-252	K305443	33.52	35.05	1.53	0.005	4.8	0.02	0.29	0.79	☐	☐	☐	
11-252	K305444	35.05	37.49	2.44	0.005	9.8	0.04	0.33	0.75	☐	☐	☐	

Sample Results

OS -11-082

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-249	K304765	0.00	0.00	0.00	0.320	594.0	9.00	120.50	8.42	☐	☐	☑	NT1
11-249	K304768	0.00	0.00	0.00	0.005	2.5	0.01	0.12	0.01	☐	☑	☐	NQ
11-249	K304786	0.00	0.00	0.00	2.690	614.0	4.54	109.00	4.13	☐	☐	☑	NT2
11-249	K304789	0.00	0.00	0.00	0.005	9.0	0.01	0.13	0.01	☐	☑	☐	NQ
11-255	K304804	0.00	0.00	0.00	2.510	550.0	4.24	110.50	4.13	☐	☐	☑	NT2
11-255	K304806	0.00	0.00	0.00	0.005	11.0	0.01	0.08	0.02	☐	☑	☐	NQ
11-255	K304821	0.00	0.00	0.00	0.330	631.0	9.20	123.50	8.09	☐	☐	☑	NT1
11-255	K304823	0.00	0.00	0.00	0.005	2.5	0.01	0.12	0.05	☐	☑	☐	NQ
11-259	K304830	0.00	0.00	0.00	16.200	1200.0	6.54	149.50	3.54	☐	☐	☑	NT4
11-259	K304833	0.00	0.00	0.00	0.005	66.0	0.01	0.17	0.03	☐	☑	☐	NQ
11-259	K304837	0.00	0.00	0.00	7.860	969.0	5.31	19.50	13.00	☐	☐	☑	NT3
11-259	K304840	0.00	0.00	0.00	0.005	38.0	0.01	0.14	0.04	☐	☑	☐	NQ
11-249	K304764	4.57	7.62	3.05	4.820	2780.0	4.63	6.86	15.20	☐	☐	☐	
11-249	K304766	7.62	10.67	3.05	0.030	265.0	0.61	1.33	3.04	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-249	K304767	10.67	12.19	1.52	0.005	48.4	0.22	0.43	1.37	☐	☐	☐	
11-249	K304781	12.19	15.24	3.05	0.005	52.8	0.13	0.33	1.02	☐	☐	☐	
11-249	K304769	15.24	18.29	3.05	0.005	87.0	0.16	0.39	0.74	☐	☐	☐	
11-249	K304770	18.29	19.81	1.52	0.005	23.0	0.15	0.31	0.53	☐	☐	☐	
11-249	K304771	19.81	22.86	3.05	0.005	60.0	0.21	0.32	0.81	☐	☐	☐	
11-249	K304772	19.81	22.86	3.05	0.005	76.0	0.22	0.32	0.77	☑	☐	☐	Duplicate of K304771
11-249	K304773	22.86	25.91	3.05	0.005	345.0	0.57	0.47	1.35	☐	☐	☐	
11-249	K304774	25.91	28.96	3.05	0.005	80.0	0.21	0.29	0.65	☐	☐	☐	
11-249	K304775	28.96	32.00	3.04	0.005	106.0	0.20	0.38	0.78	☐	☐	☐	
11-249	K304776	32.00	35.05	3.05	0.005	164.0	0.19	0.42	0.75	☐	☐	☐	
11-249	K304777	35.05	36.92	1.87	0.005	198.0	0.29	0.46	0.94	☐	☐	☐	
11-249	K304778	36.92	38.10	1.18	0.005	160.0	0.20	0.27	0.43	☐	☐	☐	
11-249	K304779	38.10	41.15	3.05	0.005	293.0	1.06	0.72	1.39	☐	☐	☐	
11-249	K304780	41.15	44.20	3.05	0.010	573.0	1.34	1.73	2.47	☐	☐	☐	
11-249	K304782	44.20	47.24	3.04	0.030	781.0	0.42	2.66	1.23	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-249	K304783	47.24	48.77	1.53	0.030	1720.0	1.16	3.11	1.65	☐	☐	☐	
11-249	K304784	48.77	51.82	3.05	0.050	4340.0	0.75	4.87	1.93	☐	☐	☐	
11-249	K304785	51.82	53.34	1.52	0.070	1080.0	0.74	2.76	1.23	☐	☐	☐	
11-249	K304787	53.34	56.39	3.05	0.050	1230.0	0.53	3.13	1.43	☐	☐	☐	
11-249	K304788	56.39	57.91	1.52	0.030	3750.0	0.63	3.86	0.72	☐	☐	☐	
11-249	K304790	57.91	60.96	3.05	0.020	824.0	0.39	1.50	0.72	☐	☐	☐	
11-249	K304791	60.96	64.01	3.05	0.040	1130.0	0.49	2.26	0.83	☐	☐	☐	
11-249	K304792	64.01	67.06	3.05	0.030	1820.0	0.38	1.72	0.42	☐	☐	☐	
11-249	K304793	67.06	70.10	3.04	0.010	374.0	0.32	0.79	0.55	☐	☐	☐	End of Batch 249
11-255	K304794	70.10	71.63	1.53	0.010	671.0	0.58	1.37	0.43	☐	☐	☐	Start of Batch 255
11-255	K304795	71.63	74.68	3.05	0.005	82.0	0.69	0.62	1.00	☐	☐	☐	
11-255	K304796	74.69	77.72	3.03	0.010	79.0	0.65	0.75	1.44	☐	☐	☐	
11-255	K304797	77.72	80.77	3.05	0.010	54.0	0.80	0.69	1.32	☐	☐	☐	
11-255	K304798	77.72	80.77	3.05	0.010	64.0	0.69	0.76	1.49	☑	☐	☐	Duplicate of K304797
11-255	K304799	80.77	82.30	1.53	0.005	266.0	0.43	0.73	0.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-255	K304800	82.30	85.34	3.04	0.010	858.0	0.62	2.03	0.93	☐	☐	☐	
11-255	K304801	85.34	88.39	3.05	0.020	141.0	1.71	1.23	1.43	☐	☐	☐	
11-255	K304802	88.39	91.44	3.05	0.010	120.0	1.04	0.88	1.27	☐	☐	☐	
11-255	K304803	91.44	93.32	1.88	0.010	136.0	1.31	0.86	1.27	☐	☐	☐	
11-255	K304805	93.32	94.49	1.17	1.230	24300.0	4.78	34.40	9.24	☐	☐	☐	
11-255	K304807	94.49	97.54	3.05	0.020	229.0	0.57	1.47	1.08	☐	☐	☐	
11-255	K304808	97.54	98.80	1.26	0.005	52.0	0.59	1.34	1.08	☐	☐	☐	
11-255	K304809	98.80	100.58	1.78	0.430	14400.0	1.76	16.70	3.28	☐	☐	☐	
11-255	K304810	100.58	103.63	3.05	0.240	18450.0	1.30	31.20	2.46	☐	☐	☐	
11-255	K304811	103.63	106.68	3.05	0.080	4150.0	1.71	7.53	3.53	☐	☐	☐	
11-255	K304812	106.68	109.73	3.05	0.030	1190.0	1.10	2.50	2.36	☐	☐	☐	
11-255	K304813	109.73	112.78	3.05	0.010	222.0	1.05	1.29	1.90	☐	☐	☐	
11-255	K304814	112.78	115.82	3.04	0.010	161.0	0.72	0.84	1.10	☐	☐	☐	
11-255	K304815	115.82	118.87	3.05	0.010	183.0	1.19	1.23	1.91	☐	☐	☐	
11-255	K304816	118.87	121.92	3.05	0.005	107.0	1.00	0.81	0.90	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-255	K304817	121.92	124.97	3.05	0.010	418.0	2.44	1.42	2.00	☐	☐	☐	
11-255	K304818	124.97	128.02	3.05	0.040	591.0	1.22	2.01	2.02	☐	☐	☐	
11-255	K304819	128.02	131.06	3.04	0.340	271.0	1.50	1.99	3.38	☐	☐	☐	
11-255	K304820	131.06	134.11	3.05	0.110	493.0	0.51	1.71	0.94	☐	☐	☐	
11-255	K304822	134.11	137.16	3.05	2.530	1850.0	4.05	10.55	14.85	☐	☐	☐	
11-255	K304824	137.16	139.30	2.14	3.430	3920.0	2.43	10.85	8.23	☐	☐	☐	
11-255	K304825	139.30	140.46	1.16	2.660	3910.0	2.08	9.31	6.79	☐	☐	☐	
11-255	K304826	140.46	143.26	2.80	0.430	1120.0	0.97	3.18	3.98	☐	☐	☐	
11-255	K304827	143.26	146.30	3.04	5.860	55600.0	3.90	60.30	15.20	☐	☐	☐	
11-255	K304828	146.30	149.35	3.05	0.200	2960.0	0.74	4.91	3.41	☐	☐	☐	
11-255	K304829	149.35	152.40	3.05	3.150	217000.0	2.73	286.00	11.60	☐	☐	☐	End of Batch 255
11-259	K304831	152.40	155.45	3.05	4.050	37700.0	6.71	69.60	23.10	☐	☐	☐	
11-259	K304832	155.45	158.50	3.05	5.940	27800.0	3.67	52.30	12.00	☐	☐	☐	
11-259	K304834	158.50	160.02	1.52	6.430	272000.0	4.26	494.00	7.50	☐	☐	☐	
11-259	K304835	160.02	162.00	1.98	9.260	117000.0	6.30	220.00	27.10	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-259	K304836	162.00	163.15	1.15	16.300	40200.0	6.39	65.30	22.90	☐	☐	☐	
11-259	K304838	163.15	166.12	2.97	1.190	448.0	2.40	5.03	8.23	☐	☐	☐	
11-259	K304839	166.12	166.75	0.63	0.300	1250.0	2.61	7.97	9.42	☐	☐	☐	
11-259	K304841	166.75	169.16	2.41	5.000	41400.0	14.80	140.00	61.40	☐	☐	☐	
11-259	K304842	169.16	172.21	3.05	5.770	13200.0	4.50	39.20	19.25	☐	☐	☐	
11-259	K304843	172.21	175.26	3.05	11.050	14500.0	7.00	63.80	36.50	☐	☐	☐	
11-259	K304844	172.21	175.26	3.05	9.790	10950.0	6.30	51.30	32.10	☑	☐	☐	Duplicate of K304843
11-259	K304845	175.26	178.31	3.05	1.060	1060.0	1.41	8.96	8.10	☐	☐	☐	
11-259	K304846	178.31	181.36	3.05	0.140	225.0	0.49	1.44	1.73	☐	☐	☐	
11-259	K304847	181.36	184.40	3.04	0.080	188.0	0.43	0.83	1.13	☐	☐	☐	
11-259	K304848	184.40	187.45	3.05	0.110	254.0	0.32	0.79	1.05	☐	☐	☐	
11-259	K304849	187.45	188.98	1.53	0.440	993.0	1.20	3.30	3.64	☐	☐	☐	
11-259	K304850	188.98	192.02	3.04	0.320	3140.0	1.20	7.34	3.71	☐	☐	☐	
11-259	K304851	192.02	195.07	3.05	0.080	220.0	0.53	1.20	1.90	☐	☐	☐	
11-259	K304852	195.07	198.12	3.05	0.020	105.0	0.26	0.39	0.59	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-259	K304853	198.12	201.17	3.05	0.010	54.0	0.14	0.18	0.28	☐	☐	☐	
11-259	K304854	201.17	202.69	1.52	0.010	117.0	0.11	0.24	0.27	☐	☐	☐	
11-259	K304855	202.69	205.74	3.05	0.010	47.0	0.26	0.22	0.31	☐	☐	☐	
11-259	K304856	205.74	208.79	3.05	0.010	46.0	0.13	0.17	0.32	☐	☐	☐	
11-259	K304857	208.79	210.31	1.52	0.005	86.0	0.30	0.30	0.58	☐	☐	☐	
11-259	K304858	210.31	213.36	3.05	0.005	67.0	0.25	0.41	0.55	☐	☐	☐	
11-259	K304859	213.36	216.41	3.05	0.005	45.0	0.23	0.54	0.55	☐	☐	☐	
11-259	K304860	216.41	219.46	3.05	0.010	60.0	0.30	1.00	0.77	☐	☐	☐	
11-259	K304861	219.46	222.50	3.04	0.005	53.0	0.20	0.38	0.46	☐	☐	☐	
11-259	K304862	222.50	225.55	3.05	0.005	56.0	0.16	0.32	0.50	☐	☐	☐	
11-259	K304863	225.55	228.60	3.05	0.005	35.0	0.11	0.20	0.45	☐	☐	☐	
11-259	K304864	228.60	231.65	3.05	0.005	64.0	0.25	0.43	0.91	☐	☐	☐	
11-259	K304865	231.65	234.70	3.05	0.110	124.0	0.29	0.90	1.20	☐	☐	☐	End of Batch 259
11-266	K304866	234.70	237.74	3.04	0.010	113.0	0.25	0.45	0.90	☐	☐	☐	
11-266	K304867	237.74	240.79	3.05	0.010	31.0	0.05	0.22	0.41	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-266	K304868	240.79	243.84	3.05	0.005	58.0	0.05	0.33	0.52	☐	☐	☐	
11-276	K304869	243.84	246.36	2.52	0.010	44.0	0.04	0.14	0.41	☐	☐	☐	
11-276	K304870	246.36	248.00	1.64	0.010	59.0	0.04	0.27	0.34	☐	☐	☐	
11-276	K304871	248.00	250.28	2.28	0.005	47.0	0.03	0.32	0.44	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-083

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-253	K305638	0.00	0.00	0.00	0.360	608.0	9.25	112.50	8.00	☐	☐	☑	NT1
11-253	K305646	0.00	0.00	0.00	0.005	35.0	0.02	0.03	0.01	☐	☑	☐	HQ
11-253	K305649	0.00	0.00	0.00	2.730	588.0	4.51	105.00	3.82	☐	☐	☑	NT2
11-253	K305654	0.00	0.00	0.00	0.005	85.0	0.01	0.08	0.01	☐	☑	☐	HQ
11-260	K305665	0.00	0.00	0.00	0.005	7.0	0.01	0.08	0.01	☐	☑	☐	HQ
11-260	K305668	0.00	0.00	0.00	0.350	576.0	9.60	116.00	7.81	☐	☐	☑	NT2
11-260	K305682	0.00	0.00	0.00	2.680	583.0	4.70	102.00	3.54	☐	☐	☑	NT1
11-260	K305690	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.01	☐	☑	☐	HQ
11-253	K305631	6.52	8.53	2.01	0.020	151.0	0.29	0.68	0.65	☐	☐	☐	
11-253	K305632	8.53	11.58	3.05	0.060	125.0	0.29	0.39	0.56	☐	☐	☐	
11-253	K305633	11.58	14.63	3.05	0.070	324.0	0.43	0.67	0.82	☐	☐	☐	
11-253	K305634	11.58	14.63	3.05	0.240	519.0	1.09	1.70	1.12	☑	☐	☐	Duplicate of 633
11-253	K305635	14.63	17.68	3.05	0.070	215.0	0.52	0.65	1.14	☐	☐	☐	
11-253	K305636	17.68	20.73	3.05	0.010	161.0	0.31	0.47	0.82	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-253	K305637	20.73	23.77	3.04	0.010	304.0	0.44	0.97	0.99	☐	☐	☐	
11-253	K305639	23.77	26.82	3.05	0.005	166.0	0.21	0.59	0.54	☐	☐	☐	
11-253	K305640	26.82	29.87	3.05	0.005	83.0	0.21	0.28	0.70	☐	☐	☐	
11-253	K305641	29.87	32.92	3.05	0.005	31.0	0.10	0.09	0.32	☐	☐	☐	
11-253	K305642	32.92	35.97	3.05	0.005	485.0	0.56	1.04	0.72	☐	☐	☐	
11-253	K305643	35.97	39.01	3.04	0.040	1020.0	1.81	1.64	0.82	☐	☐	☐	
11-253	K305644	39.01	42.06	3.05	5.730	10200.0	5.01	25.00	16.95	☐	☐	☐	
11-253	K305645	42.06	45.11	3.05	1.560	5440.0	1.94	11.05	5.82	☐	☐	☐	
11-253	K305647	45.11	46.85	1.74	1.100	4770.0	1.85	7.76	3.54	☐	☐	☐	
11-253	K305648	46.85	48.20	1.35	7.570	243000.0	5.39	270.00	11.60	☐	☐	☐	
11-253	K305650	48.20	49.68	1.48	0.130	2090.0	0.91	3.44	1.79	☐	☐	☐	
11-253	K305651	49.68	52.73	3.05	0.110	3060.0	0.67	2.82	1.32	☐	☐	☐	
11-253	K305652	52.73	55.78	3.05	0.140	18000.0	0.72	12.35	1.26	☐	☐	☐	
11-253	K305653	55.78	58.83	3.05	0.310	13450.0	0.58	15.60	1.32	☐	☐	☐	
11-253	K305655	58.83	61.87	3.04	0.290	8490.0	2.22	11.40	5.32	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-253	K305656	61.87	64.92	3.05	0.120	435.0	1.51	4.12	2.76	☐	☐	☐	
11-253	K305657	64.92	67.97	3.05	1.280	5570.0	1.07	8.62	2.94	☐	☐	☐	
11-253	K305658	67.97	71.02	3.05	0.020	346.0	0.99	0.96	1.43	☐	☐	☐	
11-253	K305659	71.02	74.07	3.05	0.010	92.0	1.42	0.51	1.07	☐	☐	☐	
11-253	K305660	74.07	77.11	3.04	0.070	2360.0	2.01	2.85	2.25	☐	☐	☐	End of Batch 253
11-260	K305661	77.11	80.16	3.05	0.020	268.0	0.76	1.33	1.33	☐	☐	☐	Start of Batch 260
11-260	K305662	80.16	83.21	3.05	0.020	232.0	1.71	1.75	1.75	☐	☐	☐	
11-260	K305663	83.21	86.26	3.05	0.010	207.0	0.96	1.27	0.96	☐	☐	☐	
11-260	K305664	86.26	89.31	3.05	0.010	233.0	0.80	1.58	1.02	☐	☐	☐	
11-260	K305666	89.31	92.35	3.04	0.010	182.0	0.80	1.47	1.10	☐	☐	☐	
11-260	K305667	92.35	95.40	3.05	0.060	507.0	1.10	1.55	1.79	☐	☐	☐	
11-260	K305669	95.40	98.45	3.05	0.020	105.0	1.34	1.24	1.62	☐	☐	☐	
11-260	K305670	98.45	101.50	3.05	0.410	6870.0	2.23	9.26	4.04	☐	☐	☐	
11-260	K305671	101.50	104.55	3.05	1.850	12450.0	3.04	17.75	5.89	☐	☐	☐	
11-260	K305672	104.55	107.59	3.04	0.730	12150.0	1.60	15.50	3.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-260	K305673	107.59	110.64	3.05	0.040	717.0	0.50	1.56	0.92	☐	☐	☐	
11-260	K305674	110.64	113.69	3.05	0.020	508.0	1.69	1.85	1.95	☐	☐	☐	
11-260	K305675	113.69	115.21	1.52	0.040	571.0	2.00	1.72	3.33	☐	☐	☐	
11-260	K305676	115.21	118.26	3.05	0.020	372.0	1.46	1.07	1.44	☐	☐	☐	
11-260	K305677	115.21	118.26	3.05	0.020	276.0	1.94	1.21	1.49	☑	☐	☐	Duplicate of 676
11-260	K305678	118.26	121.31	3.05	0.010	115.0	0.61	0.34	0.91	☐	☐	☐	
11-260	K305679	121.31	124.36	3.05	0.020	40.0	0.15	0.18	0.50	☐	☐	☐	
11-260	K305680	124.36	127.41	3.05	0.005	101.0	0.29	0.31	1.02	☐	☐	☐	
11-260	K305681	127.41	130.45	3.04	0.005	84.0	0.21	0.32	0.61	☐	☐	☐	
11-260	K305683	130.45	133.50	3.05	0.040	63.0	0.13	0.47	0.57	☐	☐	☐	
11-260	K305684	133.50	136.55	3.05	0.010	102.0	0.13	0.54	0.73	☐	☐	☐	
11-260	K305685	136.55	139.60	3.05	0.010	52.0	0.07	0.34	0.62	☐	☐	☐	
11-260	K305686	139.60	142.65	3.05	0.005	40.0	0.05	0.36	0.56	☐	☐	☐	
11-260	K305687	142.65	145.69	3.04	0.010	18.0	0.05	0.31	0.55	☐	☐	☐	
11-260	K305688	145.69	148.74	3.05	0.005	37.0	0.05	0.41	0.78	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-260	K305689	148.74	150.27	1.53	0.005	24.0	0.02	0.34	0.67	☐	☐	☐	
11-260	K305691	150.27	151.79	1.52	0.005	24.1	0.03	0.41	0.80	☐	☐	☐	
11-260	K305692	151.79	154.00	2.21	0.005	28.0	0.03	0.40	0.82	☐	☐	☐	
11-260	K305693	154.00	156.36	2.36	0.005	9.9	0.02	0.29	0.92	☐	☐	☐	
11-260	K305694	156.36	159.41	3.05	0.005	13.6	0.03	0.49	0.98	☐	☐	☐	
11-260	K305695	159.41	162.46	3.05	0.005	37.6	0.06	0.61	1.14	☐	☐	☐	
11-260	K305696	162.46	163.98	1.52	0.005	85.4	0.15	0.93	1.82	☐	☐	☐	EOH

OS -11-084

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-264	K305700	0.00	0.00	0.00	2.600	548.0	4.53	109.50	3.92	☐	☐	☑	NT2
11-264	K305708	0.00	0.00	0.00	0.005	6.0	0.01	0.05	0.02	☐	☑	☐	NQ
11-264	K305720	0.00	0.00	0.00	0.330	594.0	9.30	113.00	7.41	☐	☐	☑	NT1
11-264	K305729	0.00	0.00	0.00	0.005	2.5	0.04	0.07	0.05	☐	☑	☐	HQ
11-267	K305737	0.00	0.00	0.00	0.005	31.0	0.01	0.11	0.01	☐	☑	☐	HQ
11-267	K305753	0.00	0.00	0.00	0.320	590.0	8.90	124.00	7.42	☐	☐	☑	NT1
11-267	K305762	0.00	0.00	0.00	2.550	596.0	4.15	119.50	4.33	☐	☐	☑	NT2
11-267	K305767	0.00	0.00	0.00	0.005	34.0	0.01	0.18	0.03	☐	☑	☐	HQ
11-271	K305783	0.00	0.00	0.00	2.590	571.0	4.35	120.00	4.19	☐	☐	☑	NT2
11-271	K305786	0.00	0.00	0.00	0.005	45.0	0.03	0.31	0.10	☐	☑	☐	HQ
11-271	K305795	0.00	0.00	0.00	0.340	620.0	9.20	125.50	8.24	☐	☐	☑	NT1
11-271	K305803	0.00	0.00	0.00	0.005	77.0	0.01	0.19	0.02	☐	☑	☐	HQ
11-272	K305812	0.00	0.00	0.00	0.005	34.0	0.10	0.12	0.02	☐	☑	☐	HQ
11-272	K305818	0.00	0.00	0.00	0.330	621.0	8.50	119.00	8.27	☐	☐	☑	NT2

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-264	K305697	7.93	10.06	2.13	0.010	57.0	0.20	0.36	0.42	☐	☐	☐	
11-264	K305698	10.06	13.11	3.05	0.040	138.0	0.25	0.58	0.59	☐	☐	☐	
11-264	K305699	13.11	16.15	3.04	0.020	69.0	0.17	0.36	0.31	☐	☐	☐	
11-264	K305701	16.15	19.20	3.05	0.005	34.0	0.10	0.37	0.26	☐	☐	☐	
11-264	K305702	19.20	22.25	3.05	0.005	23.0	0.06	0.18	0.20	☐	☐	☐	
11-264	K305703	22.25	25.30	3.05	0.005	22.0	0.07	0.15	0.17	☐	☐	☐	
11-264	K305704	25.30	28.35	3.05	0.005	41.0	0.17	0.24	0.42	☐	☐	☐	
11-264	K305705	28.35	31.39	3.04	0.005	56.0	0.24	0.44	0.41	☐	☐	☐	
11-264	K305706	31.39	34.44	3.05	0.005	169.0	0.55	0.62	0.88	☐	☐	☐	
11-264	K305707	34.44	37.49	3.05	0.130	463.0	1.15	1.52	2.82	☐	☐	☐	
11-264	K305709	37.49	40.54	3.05	0.330	167.0	1.21	1.56	3.55	☐	☐	☐	
11-264	K305710	40.54	43.59	3.05	0.640	412.0	1.75	3.46	5.79	☐	☐	☐	
11-264	K305711	43.59	46.63	3.04	0.330	549.0	0.97	2.15	3.59	☐	☐	☐	
11-264	K305712	46.63	49.68	3.05	0.170	340.0	1.12	0.84	1.35	☐	☐	☐	
11-264	K305713	49.68	52.73	3.05	0.040	95.0	0.32	0.39	0.74	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-264	K305714	52.73	55.78	3.05	0.020	53.0	0.33	0.28	0.55	☐	☐	☐	
11-264	K305715	55.78	58.83	3.05	0.005	135.0	0.27	0.36	0.53	☐	☐	☐	
11-264	K305717	58.53	61.87	3.34	0.010	43.0	0.30	0.22	0.47	☑	☐	☐	Duplicate of 717
11-264	K305716	58.83	61.87	3.04	0.005	33.0	0.21	0.18	0.36	☐	☐	☐	
11-264	K305718	61.87	64.92	3.05	0.005	60.0	0.33	0.38	0.93	☐	☐	☐	
11-264	K305719	64.92	67.97	3.05	0.005	83.0	0.49	0.51	0.96	☐	☐	☐	
11-264	K305721	67.97	71.02	3.05	0.040	217.0	0.55	1.09	1.13	☐	☐	☐	
11-264	K305722	71.02	74.07	3.05	0.005	71.0	0.35	0.50	0.82	☐	☐	☐	
11-264	K305723	74.07	77.11	3.04	0.005	102.0	0.44	0.67	1.14	☐	☐	☐	
11-264	K305724	77.11	80.16	3.05	0.005	47.0	0.29	0.16	0.56	☐	☐	☐	
11-264	K305725	80.16	83.21	3.05	0.005	52.0	0.33	0.43	0.93	☐	☐	☐	
11-264	K305726	83.21	86.26	3.05	0.120	96.0	0.92	1.11	1.24	☐	☐	☐	
11-264	K305727	86.26	89.31	3.05	0.020	225.0	2.58	0.80	2.07	☐	☐	☐	
11-264	K305728	89.31	90.83	1.52	0.620	1435.0	27.50	10.00	21.80	☐	☐	☐	
11-264	K305730	90.83	92.35	1.52	1.140	5550.0	10.00	21.80	15.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-264	K305731	92.35	95.40	3.05	0.170	402.0	1.44	1.88	3.20	☐	☐	☐	
11-264	K305732	95.40	98.45	3.05	0.010	61.0	0.17	0.26	0.68	☐	☐	☐	End of Batch 264
11-267	K305733	98.45	101.50	3.05	0.010	42.0	0.20	0.31	0.65	☐	☐	☐	Start of Batch 267
11-267	K305734	101.50	103.02	1.52	0.060	211.0	0.71	1.75	1.64	☐	☐	☐	
11-267	K305735	103.02	104.55	1.53	0.290	9490.0	1.10	17.55	3.69	☐	☐	☐	
11-267	K305736	104.55	107.59	3.04	0.005	264.0	0.38	0.65	1.06	☐	☐	☐	
11-267	K305738	107.59	110.64	3.05	0.005	98.0	0.27	0.29	0.68	☐	☐	☐	
11-267	K305739	110.64	113.69	3.05	0.010	39.0	0.17	0.23	0.47	☐	☐	☐	
11-267	K305740	113.69	116.74	3.05	0.005	56.0	0.11	0.31	0.48	☐	☐	☐	
11-267	K305741	116.74	119.79	3.05	0.030	91.0	0.39	0.56	0.84	☐	☐	☐	
11-267	K305742	119.79	122.83	3.04	0.010	48.0	0.13	0.39	0.46	☐	☐	☐	
11-267	K305743	122.83	125.88	3.05	0.005	35.0	0.13	0.24	0.29	☐	☐	☐	
11-267	K305744	122.83	125.88	3.05	0.005	42.0	0.14	0.23	0.33	☑	☐	☐	Duplicate of 743
11-267	K305745	125.88	128.93	3.05	0.010	67.0	0.20	0.38	0.36	☐	☐	☐	
11-267	K305746	128.93	131.98	3.05	0.010	59.0	0.28	0.49	0.47	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-267	K305747	131.98	135.03	3.05	0.005	55.0	0.30	0.34	0.42	☐	☐	☐	
11-267	K305748	135.03	138.07	3.04	0.005	61.0	0.30	0.30	0.51	☐	☐	☐	
11-267	K305749	138.07	141.12	3.05	0.005	90.0	0.53	0.72	0.83	☐	☐	☐	
11-267	K305750	141.12	144.17	3.05	0.030	1770.0	0.93	2.82	1.30	☐	☐	☐	
11-267	K305751	144.17	147.22	3.05	0.090	6280.0	1.23	8.62	1.60	☐	☐	☐	
11-267	K305752	147.22	150.26	3.04	0.020	1720.0	0.59	2.74	1.34	☐	☐	☐	
11-267	K305754	150.26	153.31	3.05	0.040	2890.0	0.83	4.70	1.02	☐	☐	☐	
11-267	K305755	153.31	156.36	3.05	0.030	833.0	5.75	2.96	2.10	☐	☐	☐	
11-267	K305756	156.36	159.41	3.05	0.020	1270.0	1.45	4.26	1.84	☐	☐	☐	no sample 757
11-267	K305758	159.41	162.45	3.04	0.100	4830.0	2.57	12.05	5.07	☐	☐	☐	
11-267	K305759	162.45	165.51	3.06	0.010	255.0	0.97	1.37	1.02	☐	☐	☐	
11-267	K305760	165.51	168.55	3.04	0.100	2650.0	1.76	7.28	1.88	☐	☐	☐	
11-267	K305761	168.55	170.08	1.53	0.230	43500.0	1.51	44.50	2.02	☐	☐	☐	
11-267	K305763	170.08	171.60	1.52	0.180	4310.0	1.69	9.12	2.59	☐	☐	☐	
11-267	K305764	171.60	174.65	3.05	0.170	6660.0	1.42	15.90	2.13	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-267	K305765	174.65	177.69	3.04	0.130	3460.0	1.23	8.78	2.32	☐	☐	☐	
11-267	K305766	177.69	180.75	3.06	0.070	1720.0	0.54	4.76	0.90	☐	☐	☐	
11-267	K305768	180.75	183.79	3.04	0.020	704.0	1.20	2.43	2.26	☐	☐	☐	
11-267	K305769	183.79	186.84	3.05	0.200	1130.0	2.35	4.84	6.13	☐	☐	☐	End of Batch 267
11-271	K305770	186.84	189.89	3.05	0.170	13050.0	1.68	18.75	3.58	☐	☐	☐	Start of Batch 271
11-271	K305771	189.89	192.93	3.04	0.160	5090.0	4.03	15.60	6.68	☐	☐	☐	
11-271	K305772	192.93	195.98	3.05	0.320	23100.0	4.65	35.20	7.94	☐	☐	☐	
11-271	K305773	195.98	199.03	3.05	0.650	18150.0	7.80	36.80	11.00	☐	☐	☐	
11-271	K305774	199.03	202.08	3.05	0.180	19200.0	2.56	34.60	2.20	☐	☐	☐	
11-271	K305775	202.08	205.13	3.05	0.060	5310.0	0.80	14.10	1.72	☐	☐	☐	
11-271	K305776	205.13	208.18	3.05	0.190	31600.0	1.95	48.80	4.24	☐	☐	☐	
11-271	K305777	205.13	208.18	3.05	0.190	31800.0	1.75	48.60	3.76	☑	☐	☐	Duplicate of 776
11-271	K305778	208.18	211.23	3.05	0.150	3270.0	1.83	7.38	4.30	☐	☐	☐	
11-271	K305779	211.23	214.27	3.04	0.070	3780.0	1.34	10.35	2.91	☐	☐	☐	
11-271	K305780	214.27	217.32	3.05	0.120	7960.0	1.96	31.90	5.56	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-271	K305781	217.32	220.37	3.05	0.100	817.0	2.55	5.08	8.47	☐	☐	☐	
11-271	K305782	220.37	223.42	3.05	0.160	5310.0	4.25	19.80	20.20	☐	☐	☐	
11-271	K305784	223.42	226.47	3.05	0.120	5190.0	3.40	19.50	12.05	☐	☐	☐	
11-271	K305785	226.47	229.51	3.04	0.160	8490.0	4.28	32.20	15.85	☐	☐	☐	
11-271	K305787	229.51	232.56	3.05	0.080	6980.0	3.32	18.30	11.75	☐	☐	☐	
11-271	K305788	232.56	235.61	3.05	0.060	6700.0	2.40	15.75	6.34	☐	☐	☐	
11-271	K305789	235.61	238.66	3.05	0.030	2700.0	1.22	7.03	2.29	☐	☐	☐	
11-271	K305790	238.66	241.71	3.05	0.020	6270.0	0.92	14.95	1.60	☐	☐	☐	
11-271	K305791	241.71	244.75	3.04	0.130	6470.0	4.80	21.30	15.55	☐	☐	☐	
11-271	K305792	244.75	247.80	3.05	0.080	4850.0	3.26	14.45	9.81	☐	☐	☐	
11-271	K305793	247.80	250.85	3.05	0.110	5170.0	3.98	14.65	8.98	☐	☐	☐	
11-271	K305794	250.85	253.90	3.05	0.040	8000.0	0.88	16.90	1.90	☐	☐	☐	
11-271	K305796	253.90	256.95	3.05	0.020	2090.0	0.57	5.53	1.41	☐	☐	☐	
11-271	K305797	256.95	259.99	3.04	0.020	2080.0	0.55	5.22	1.68	☐	☐	☐	
11-271	K305798	259.99	263.04	3.05	0.020	3100.0	0.38	7.64	0.81	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-271	K305799	263.04	266.09	3.05	0.020	960.0	0.50	3.45	1.08	☐	☐	☐	
11-271	K305800	266.09	269.14	3.05	0.070	5250.0	0.50	13.20	1.37	☐	☐	☐	
11-271	K305801	269.14	272.19	3.05	0.100	8940.0	0.43	22.00	0.90	☐	☐	☐	
11-271	K305802	272.19	275.23	3.04	0.160	20300.0	1.78	47.90	3.68	☐	☐	☐	
11-271	K305804	275.23	278.28	3.05	0.200	32100.0	1.90	68.70	4.25	☐	☐	☐	
11-271	K305805	278.28	281.33	3.05	0.050	5240.0	1.07	17.70	1.98	☐	☐	☐	End of Batch 271
11-272	K305806	281.33	282.85	1.52	0.010	2550.0	0.95	6.12	0.96	☐	☐	☐	Start of Batch 272
11-272	K305807	282.85	284.38	1.53	0.010	264.0	0.89	1.64	1.55	☐	☐	☐	
11-272	K305808	284.38	287.38	3.00	0.010	2080.0	4.00	7.63	5.40	☐	☐	☐	
11-272	K305809	287.38	290.47	3.09	0.020	868.0	8.30	4.44	7.18	☐	☐	☐	
11-272	K305810	290.47	292.00	1.53	0.180	9710.0	2.13	19.90	4.07	☐	☐	☐	
11-272	K305811	292.00	295.05	3.05	0.300	19550.0	4.40	52.10	9.53	☐	☐	☐	
11-272	K305813	295.05	298.09	3.04	0.005	173.0	0.40	0.78	1.57	☐	☐	☐	
11-272	K305814	298.09	299.62	1.53	0.010	548.0	0.51	0.78	1.83	☐	☐	☐	
11-272	K305815	299.62	301.40	1.78	0.005	39.0	0.19	0.31	0.26	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-272	K305816	301.40	304.19	2.79	0.005	97.0	0.41	0.47	0.69	☐	☐	☐	
11-272	K305817	304.19	307.24	3.05	0.005	81.0	0.10	0.19	0.37	☐	☐	☐	
11-272	K305819	307.24	310.29	3.05	0.005	134.0	0.21	0.64	1.08	☐	☐	☐	EOH

ATAC resources ltd.

Sample Results

OS -11-085

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-265	K306048	0.00	0.00	0.00	7.290	994.0	5.36	18.80	13.55	☐	☐	☑	NT3
11-265	K306059	0.00	0.00	0.00	0.330	582.0	8.60	112.00	7.51	☐	☐	☑	NT1
11-265	K306061	0.00	0.00	0.00	0.005	8.0	0.01	0.11	0.02	☐	☑	☐	HQ
11-265	K306067	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.02	☐	☑	☐	HQ
11-273	K306081	0.00	0.00	0.00	2.660	635.0	4.97	108.50	4.02	☐	☐	☑	NT2
11-273	K306084	0.00	0.00	0.00	0.005	20.0	0.01	0.10	0.01	☐	☑	☐	HQ
11-273	K306095	0.00	0.00	0.00	0.005	21.0	0.01	0.10	0.02	☐	☑	☐	HQ
11-273	K306101	0.00	0.00	0.00	16.200	1420.0	5.84	163.00	4.06	☐	☐	☑	NT4
11-265	K306045	42.67	45.72	3.05	0.005	14.8	0.04	0.36	0.89	☐	☐	☐	
11-265	K306046	45.72	47.03	1.31	0.005	29.5	0.03	0.27	0.65	☐	☐	☐	
11-265	K306047	47.03	48.79	1.76	0.005	34.0	0.04	0.31	0.30	☐	☐	☐	
11-265	K306049	48.79	51.82	3.03	0.005	25.0	0.07	0.31	0.34	☐	☐	☐	
11-265	K306050	51.82	54.86	3.04	0.005	27.0	0.07	0.36	0.43	☐	☐	☐	
11-265	K306051	54.86	57.91	3.05	0.005	32.0	0.05	0.29	0.25	☐	☐	☐	Interval from 108.20 - 120.40 for zircons

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-265	K306052	131.11	134.11	3.00	0.005	57.0	0.51	0.42	0.74	☐	☐	☐	Interval from 108.20 - 120.40 for zircons
11-265	K306053	134.11	136.12	2.01	0.180	11400.0	2.51	11.20	6.04	☐	☐	☐	
11-265	K306054	134.11	136.12	2.01	0.120	21600.0	2.29	11.35	5.04	☑	☐	☐	Duplicate K306053
11-265	K306055	136.12	138.68	2.56	0.005	109.0	0.72	0.44	1.04	☐	☐	☐	
11-265	K306056	144.78	147.83	3.05	0.005	84.0	0.11	0.33	0.44	☐	☐	☐	
11-265	K306057	147.83	150.88	3.05	0.005	45.0	0.09	0.27	0.37	☐	☐	☐	
11-265	K306058	150.88	153.92	3.04	0.005	21.0	0.06	0.26	0.37	☐	☐	☐	
11-265	K306060	153.92	156.97	3.05	0.005	12.0	0.06	0.35	0.38	☐	☐	☐	
11-265	K306062	156.97	160.02	3.05	0.005	23.0	0.04	0.22	0.26	☐	☐	☐	
11-265	K306063	160.02	163.07	3.05	0.010	9.0	0.11	0.34	0.35	☐	☐	☐	
11-265	K306064	163.07	166.12	3.05	0.005	20.0	0.05	0.17	0.19	☐	☐	☐	
11-265	K306065	166.12	169.16	3.04	0.005	16.0	0.09	0.26	0.39	☐	☐	☐	
11-265	K306066	169.16	172.21	3.05	0.010	43.0	0.06	0.19	0.19	☐	☐	☐	
11-265	K306068	172.21	175.26	3.05	0.005	31.0	0.04	0.20	0.16	☐	☐	☐	
11-265	K306069	175.26	178.31	3.05	0.005	29.0	0.09	0.30	0.25	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-265	K306070	178.31	181.36	3.05	0.005	10.0	0.07	0.20	0.21	☐	☐	☐	
11-265	K306071	181.36	184.40	3.04	0.005	7.0	0.09	0.27	0.30	☐	☐	☐	
11-265	K306072	184.40	187.45	3.05	0.005	5.0	0.06	0.29	0.26	☐	☐	☐	
11-265	K306073	187.45	190.50	3.05	0.010	32.0	0.12	0.37	0.41	☐	☐	☐	
11-265	K306074	190.50	193.55	3.05	0.005	37.0	0.20	0.23	0.41	☐	☐	☐	
11-265	K306075	193.55	196.60	3.05	0.005	20.0	0.14	0.17	0.26	☐	☐	☐	
11-265	K306076	196.60	199.64	3.04	0.005	47.0	0.23	0.18	0.43	☐	☐	☐	End Batch 265
11-273	K306077	199.64	201.68	2.04	0.005	57.0	0.25	0.21	0.39	☐	☐	☐	Start of Batch 273
11-273	K306078	201.68	204.22	2.54	0.005	36.0	0.24	0.30	0.36	☐	☐	☐	
11-273	K306079	204.22	207.26	3.04	0.005	4200.0	0.34	2.65	0.45	☐	☐	☐	
11-273	K306080	207.26	210.31	3.05	0.005	1780.0	0.42	1.58	0.58	☐	☐	☐	
11-273	K306082	210.31	213.36	3.05	0.005	2030.0	0.70	1.83	0.69	☐	☐	☐	
11-273	K306083	213.36	216.41	3.05	0.060	12700.0	3.14	9.84	6.53	☐	☐	☐	
11-273	K306085	216.41	219.46	3.05	0.050	5200.0	10.50	3.51	19.90	☐	☐	☐	
11-273	K306086	216.41	219.46	3.05	0.040	4960.0	10.90	3.52	19.80	☑	☐	☐	Duplicate of K306085

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-273	K306087	219.46	222.50	3.04	0.100	2830.0	5.26	5.67	10.55	☐	☐	☐	
11-273	K306088	222.50	225.55	3.05	0.020	1910.0	6.44	1.29	7.13	☐	☐	☐	
11-273	K306089	225.55	228.60	3.05	0.005	3880.0	22.40	0.84	2.20	☐	☐	☐	
11-273	K306090	228.60	231.65	3.05	0.050	9990.0	3.14	9.56	3.94	☐	☐	☐	
11-273	K306091	231.65	234.70	3.05	0.080	6960.0	1.43	7.56	2.90	☐	☐	☐	
11-273	K306092	234.70	237.74	3.04	0.040	6310.0	1.30	4.88	2.77	☐	☐	☐	
11-273	K306093	237.74	240.79	3.05	0.010	1360.0	0.56	1.51	0.81	☐	☐	☐	
11-273	K306094	240.79	242.32	1.53	0.130	9020.0	3.72	12.80	7.92	☐	☐	☐	
11-273	K306096	242.32	244.15	1.83	0.290	7390.0	11.20	19.15	20.70	☐	☐	☐	
11-273	K306097	244.15	246.89	2.74	0.005	313.0	3.54	0.69	4.33	☐	☐	☐	
11-273	K306098	246.89	249.94	3.05	1.030	682.0	10.10	7.44	13.70	☐	☐	☐	
11-273	K306099	249.94	251.46	1.52	8.080	3060.0	11.50	28.40	46.70	☐	☐	☐	
11-273	K306100	251.46	252.98	1.52	16.400	22000.0	22.40	68.20	87.90	☐	☐	☐	
11-273	K306102	252.98	254.51	1.53	15.300	16200.0	21.90	61.20	89.90	☐	☐	☐	
11-273	K306103	254.51	257.56	3.05	0.010	180.0	1.46	0.66	3.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-273	K306104	257.56	260.60	3.04	0.040	226.0	0.29	0.61	1.19	☐	☐	☐	
11-273	K306105	260.60	263.65	3.05	0.005	127.5	0.22	0.45	1.11	☐	☐	☐	
11-273	K306106	263.65	266.70	3.05	0.010	304.0	0.63	0.93	1.64	☐	☐	☐	
11-273	K306107	266.70	269.75	3.05	0.020	285.0	0.57	1.32	2.57	☐	☐	☐	
11-273	K306108	269.75	272.80	3.05	0.005	81.3	0.13	0.54	1.41	☐	☐	☐	
11-273	K306109	272.80	275.84	3.04	0.005	24.7	0.05	0.39	1.02	☐	☐	☐	
11-273	K306110	275.84	278.89	3.05	0.005	74.0	0.15	0.54	1.59	☐	☐	☐	
11-273	K306111	278.89	281.94	3.05	0.005	44.9	0.08	0.35	1.03	☐	☐	☐	
11-273	K306112	281.94	284.99	3.05	0.005	17.2	0.08	0.38	0.99	☐	☐	☐	End of Batch 273
11-274	K306113	284.99	288.04	3.05	0.005	121.0	0.18	0.76	1.91	☐	☐	☐	Start of Batch 274
11-274	K306114	288.04	291.08	3.04	0.005	30.8	0.05	0.29	0.88	☐	☐	☐	
11-274	K306115	291.08	294.13	3.05	0.005	17.0	0.04	0.29	0.71	☐	☐	☐	
11-274	K306116	294.13	297.18	3.05	0.005	8.1	0.05	0.30	0.85	☐	☐	☐	
11-274	K306117	297.18	300.23	3.05	0.005	5.0	0.04	0.26	0.51	☐	☐	☐	
11-274	K306118	300.23	303.28	3.05	0.005	16.0	0.06	0.31	0.74	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-274	K306119	303.28	304.80	1.52	0.005	21.9	0.07	0.41	0.76	☐	☐	☐	EOH

Sample Results

OS -11-086

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-266	K302379	0.00	0.00	0.00	0.330	587.0	9.50	114.00	7.66	☐	☐	☑	NT1
11-266	K302385	0.00	0.00	0.00	0.005	9.0	0.01	0.13	0.06	☐	☑	☐	HQ
11-266	K302395	0.00	0.00	0.00	0.010	36.0	0.11	0.21	0.39	☑	☐	☐	Duplicate of K302394
11-266	K302399	0.00	0.00	0.00	2.590	596.0	4.18	107.50	4.05	☐	☐	☑	NT2
11-275	K302428	0.00	0.00	0.00	2.650	574.0	4.15	107.50	4.12	☐	☐	☑	NT2
11-276	K302408	0.00	0.00	0.00	0.005	11.0	0.01	0.03	0.04	☐	☑	☐	HQ
11-276	K302415	0.00	0.00	0.00	0.005	15.0	0.02	0.03	0.05	☐	☑	☐	HQ
11-276	K302419	0.00	0.00	0.00	7.860	967.0	5.59	18.00	12.85	☐	☐	☑	NT3
11-276	K302421	0.00	0.00	0.00	0.190	79.0	0.91	1.08	1.66	☑	☐	☐	Duplicate of K302420
11-266	K302376	3.96	7.01	3.05	0.080	465.0	0.69	2.08	1.25	☐	☐	☐	
11-266	K302377	7.01	10.06	3.05	0.090	703.0	0.71	2.36	1.05	☐	☐	☐	
11-266	K302378	10.06	13.11	3.05	0.090	969.0	0.40	2.93	1.32	☐	☐	☐	
11-266	K302380	13.11	16.15	3.04	0.010	173.0	0.09	0.84	0.61	☐	☐	☐	
11-266	K302381	31.39	34.44	3.05	0.005	93.9	0.03	0.82	0.97	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-266	K302382	75.59	78.64	3.05	0.005	30.8	0.20	0.68	1.35	☐	☐	☐	
11-266	K302383	78.64	81.69	3.05	0.170	634.0	0.77	5.30	3.48	☐	☐	☐	
11-266	K302384	81.69	82.89	1.20	17.200	5720.0	5.60	54.10	30.20	☐	☐	☐	
11-266	K302386	82.89	84.73	1.84	0.070	145.0	0.60	1.61	1.44	☐	☐	☐	
11-266	K302387	84.73	86.26	1.53	0.260	1240.0	0.47	7.93	1.90	☐	☐	☐	
11-266	K302388	86.26	87.78	1.52	5.310	78800.0	2.92	315.00	8.38	☐	☐	☐	
11-266	K302389	87.78	90.83	3.05	2.280	3290.0	1.32	16.10	3.55	☐	☐	☐	
11-266	K302390	90.83	93.88	3.05	0.020	139.0	0.18	0.74	0.46	☐	☐	☐	
11-266	K302391	93.88	95.24	1.36	0.005	91.0	0.15	0.41	0.49	☐	☐	☐	
11-266	K302392	95.24	96.93	1.69	0.005	63.0	0.14	0.32	0.59	☐	☐	☐	
11-266	K302393	96.93	99.97	3.04	0.005	41.0	0.12	0.27	0.61	☐	☐	☐	
11-266	K302394	99.97	103.02	3.05	0.005	38.0	0.11	0.23	0.40	☐	☐	☐	
11-266	K302396	103.02	106.07	3.05	0.170	214.0	0.75	1.49	1.82	☐	☐	☐	
11-266	K302397	106.07	109.03	2.96	0.980	833.0	1.43	7.22	4.90	☐	☐	☐	
11-266	K302398	109.03	110.64	1.61	0.110	137.0	0.70	2.55	1.69	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-266	K302400	110.64	113.69	3.05	0.550	3540.0	1.22	10.50	3.70	☐	☐	☐	
11-266	K302401	113.69	116.74	3.05	0.020	61.0	0.66	1.10	1.80	☐	☐	☐	End of Batch 266
11-276	K302402	116.74	119.79	3.05	0.090	127.0	0.65	1.58	1.69	☐	☐	☐	
11-276	K302403	119.79	122.83	3.04	0.720	17750.0	1.22	41.30	4.58	☐	☐	☐	
11-276	K302404	122.83	125.88	3.05	0.960	3800.0	1.08	17.70	4.04	☐	☐	☐	
11-276	K302405	125.88	128.93	3.05	0.450	162.0	0.72	3.88	2.79	☐	☐	☐	
11-276	K302406	128.93	131.88	2.95	0.780	2250.0	1.80	12.50	5.76	☐	☐	☐	
11-276	K302407	131.88	132.40	0.52	9.380	35900.0	11.50	112.00	46.30	☐	☐	☐	
11-276	K302409	132.40	135.03	2.63	0.800	310.0	3.11	7.23	6.76	☐	☐	☐	
11-276	K302410	135.03	136.55	1.52	17.850	2470.0	7.70	30.60	25.90	☐	☐	☐	
11-276	K302411	136.55	138.18	1.63	0.560	640.0	2.45	8.29	7.45	☐	☐	☐	
11-276	K302412	138.18	139.12	0.94	2.660	404.0	6.18	11.15	17.25	☐	☐	☐	
11-276	K302413	139.12	141.22	2.10	0.460	962.0	5.84	14.60	17.25	☐	☐	☐	
11-276	K302414	141.22	142.18	0.96	5.410	37600.0	9.60	107.50	33.70	☐	☐	☐	
11-276	K302416	142.18	144.17	1.99	0.880	473.0	1.88	5.34	5.24	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-276	K302417	144.17	147.22	3.05	0.290	173.0	1.75	3.35	5.24	☐	☐	☐	
11-276	K302418	147.22	150.27	3.05	0.005	84.0	0.50	0.48	1.16	☐	☐	☐	
11-276	K302420	150.27	152.56	2.29	0.180	133.0	0.89	1.20	1.69	☐	☐	☐	
11-276	K302422	152.56	153.41	0.85	12.700	14250.0	11.50	63.60	42.80	☐	☐	☐	
11-275	K302423	153.41	156.36	2.95	1.010	1645.0	2.67	9.41	8.63	☐	☐	☐	
11-275	K302424	156.36	159.81	3.45	0.510	1520.0	1.85	5.51	5.85	☐	☐	☐	
11-275	K302425	159.81	161.28	1.47	0.030	184.0	0.75	1.08	1.64	☐	☐	☐	
11-275	K302426	161.28	163.98	2.70	0.005	24.0	0.09	0.18	0.31	☐	☐	☐	
11-275	K302427	163.98	167.03	3.05	0.005	23.0	0.09	0.18	0.29	☐	☐	☐	
11-275	K302429	167.03	170.08	3.05	0.005	48.0	0.12	0.34	0.34	☐	☐	☐	
11-275	K302430	170.08	173.13	3.05	0.010	48.0	0.40	0.49	0.97	☐	☐	☐	
11-275	K302431	173.13	175.95	2.82	0.100	69.0	0.53	0.89	1.11	☐	☐	☐	
11-275	K302432	175.95	177.70	1.75	0.520	8470.0	3.27	12.20	9.32	☐	☐	☐	
11-275	K302433	177.70	179.22	1.52	0.090	1740.0	1.71	3.57	2.72	☐	☐	☐	
11-275	K302434	179.22	182.27	3.05	0.010	72.0	0.44	0.53	0.84	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-275	K302435	182.27	183.79	1.52	0.005	41.0	0.76	0.50	0.38	☐	☐	☐	

ATAC resources ltd.

Sample Results

OS -11-087

Osiris

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-270	K307020	0.00	0.00	0.00	2.610	599.0	4.88	107.50	4.01	☐	☐	☑	NT2
11-270	K307023	0.00	0.00	0.00	0.005	2.5	0.10	0.09	0.03	☐	☑	☐	HQ
11-270	K307042	0.00	0.00	0.00	0.330	620.0	10.00	120.50	8.34	☐	☐	☑	NT1
11-270	K307045	0.00	0.00	0.00	0.005	34.0	0.01	0.15	0.04	☐	☑	☐	HQ
11-275	K307060	0.00	0.00	0.00	8.010	975.0	5.18	19.15	13.10	☐	☐	☑	NT3
11-275	K307064	0.00	0.00	0.00	0.005	9.0	0.01	0.10	0.02	☐	☑	☐	HQ
11-270	K307016	5.19	7.01	1.82	0.050	568.0	2.41	7.31	3.01	☐	☐	☐	
11-270	K307017	7.01	10.06	3.05	0.005	158.0	1.51	0.50	2.20	☐	☐	☐	
11-270	K307018	10.06	13.11	3.05	0.005	128.0	1.17	0.60	1.32	☐	☐	☐	
11-270	K307019	13.11	16.15	3.04	0.030	273.0	3.10	0.61	1.21	☐	☐	☐	
11-270	K307021	16.15	19.20	3.05	0.050	142.0	0.79	1.12	1.37	☐	☐	☐	
11-270	K307022	19.20	22.25	3.05	0.380	760.0	0.94	2.24	1.43	☐	☐	☐	
11-270	K307024	22.25	25.30	3.05	0.230	375.0	2.26	2.38	2.65	☐	☐	☐	
11-270	K307025	25.30	28.35	3.05	0.310	1320.0	5.36	3.68	4.01	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-270	K307026	28.35	29.87	1.52	1.060	91900.0	6.97	179.50	7.03	☐	☐	☐	
11-270	K307027	29.87	31.39	1.52	0.270	5430.0	1.89	7.14	2.52	☐	☐	☐	
11-270	K307028	31.39	34.44	3.05	0.040	284.0	0.80	1.69	1.15	☐	☐	☐	
11-270	K307029	34.44	37.49	3.05	0.010	202.0	0.59	1.44	1.01	☐	☐	☐	
11-270	K307030	37.49	40.54	3.05	0.020	368.0	0.50	1.97	1.07	☐	☐	☐	
11-270	K307031	40.54	43.59	3.05	0.010	94.0	0.48	1.00	0.90	☐	☐	☐	
11-270	K307032	40.54	43.59	3.05	0.010	97.0	0.59	1.27	1.15	☑	☐	☐	Duplicate of 031
11-270	K307033	43.59	46.63	3.04	0.140	459.0	1.63	2.67	2.36	☐	☐	☐	
11-270	K307034	46.63	49.68	3.05	0.370	362.0	0.93	3.46	1.75	☐	☐	☐	
11-270	K307035	49.68	52.73	3.05	0.090	515.0	0.72	2.86	1.03	☐	☐	☐	
11-270	K307036	52.73	55.78	3.05	0.005	50.0	0.32	0.60	0.51	☐	☐	☐	
11-270	K307037	55.78	58.83	3.05	0.005	135.0	0.48	1.10	0.64	☐	☐	☐	
11-270	K307038	58.83	61.87	3.04	0.040	289.0	1.50	1.69	6.88	☐	☐	☐	
11-270	K307039	61.87	64.92	3.05	0.170	1500.0	1.28	4.04	2.26	☐	☐	☐	
11-270	K307040	64.92	67.97	3.05	0.290	15500.0	1.45	25.10	2.83	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-270	K307041	67.97	71.02	3.05	0.400	2010.0	3.05	6.87	5.33	☐	☐	☐	
11-270	K307043	71.02	74.07	3.05	0.430	11100.0	1.20	25.30	3.02	☐	☐	☐	
11-270	K307044	74.07	76.75	2.68	0.030	4930.0	0.70	6.72	0.87	☐	☐	☐	
11-270	K307046	76.75	79.35	2.60	0.030	1200.0	1.77	5.95	2.57	☐	☐	☐	
11-270	K307047	79.35	81.69	2.34	0.010	512.0	0.84	1.14	0.89	☐	☐	☐	
11-270	K307048	81.69	84.73	3.04	0.360	5260.0	7.60	11.35	15.60	☐	☐	☐	
11-270	K307049	84.73	87.78	3.05	0.370	4850.0	1.30	6.71	2.22	☐	☐	☐	End of Batch 270
11-275	K307050	87.78	90.83	3.05	0.090	3400.0	0.91	5.53	1.56	☐	☐	☐	Start of Batch 275
11-275	K307051	90.83	93.83	3.00	0.030	6440.0	0.76	8.67	1.43	☐	☐	☐	
11-275	K307052	93.83	96.92	3.09	0.040	2220.0	1.27	3.01	2.37	☐	☐	☐	
11-275	K307053	96.92	99.97	3.05	0.090	6510.0	1.44	6.50	2.31	☐	☐	☐	
11-275	K307054	99.97	103.02	3.05	0.120	7430.0	3.11	5.39	3.51	☐	☐	☐	
11-275	K307055	99.97	103.02	3.05	0.090	5720.0	1.79	4.02	2.66	☑	☐	☐	duplicate of 054
11-275	K307056	103.02	106.07	3.05	0.210	4050.0	1.79	5.08	3.77	☐	☐	☐	
11-275	K307057	106.07	109.12	3.05	0.010	131.0	0.74	0.88	1.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-275	K307058	109.12	112.16	3.04	0.060	8850.0	1.21	6.90	2.57	☐	☐	☐	
11-275	K307059	112.16	115.21	3.05	0.030	1950.0	0.82	2.49	2.29	☐	☐	☐	
11-275	K307061	115.21	116.73	1.52	2.320	7330.0	2.96	8.59	8.60	☐	☐	☐	
11-275	K307062	116.73	118.60	1.87	0.810	14400.0	3.86	15.55	7.82	☐	☐	☐	
11-275	K307063	118.60	121.31	2.71	0.150	245.0	2.92	1.82	4.86	☐	☐	☐	
11-275	K307065	121.31	124.35	3.04	0.005	79.0	0.35	0.36	0.83	☐	☐	☐	
11-275	K307066	124.35	127.40	3.05	0.005	48.0	0.42	0.32	0.79	☐	☐	☐	chip sampling beginning at 127.40m

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-272	K305824	0.00	0.00	0.00	2.730	594.0	4.16	99.70	3.95	☐	☐	☑	NT2
11-272	K305831	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.02	☐	☑	☐	HQ; End of Batch 272
11-277	K305840	0.00	0.00	0.00	0.010	71.0	0.01	0.27	0.04	☐	☑	☐	HQ
11-277	K305845	0.00	0.00	0.00	7.820	952.0	5.75	18.50	12.35	☐	☐	☑	NT3
11-277	K305856	0.00	0.00	0.00	16.950	1210.0	6.08	150.00	3.37	☑	☐	☐	NT4
11-277	K305866	0.00	0.00	0.00	0.005	104.0	0.01	0.24	0.07	☐	☑	☐	NQ
11-283	K305873	0.00	0.00	0.00	2.690	538.0	4.46	100.50	4.19	☐	☐	☑	NT2
11-283	K305881	0.00	0.00	0.00	0.005	11.0	0.01	0.07	0.02	☐	☑	☐	NQ
11-283	K305891	0.00	0.00	0.00	0.340	636.0	8.70	108.00	8.79	☐	☐	☑	NT1
11-283	K305898	0.00	0.00	0.00	0.005	27.0	0.01	0.06	0.02	☐	☑	☐	HQ
11-272	K305820	40.54	42.06	1.52	0.005	2960.0	0.26	3.59	2.19	☐	☐	☐	
11-272	K305821	42.06	45.11	3.05	0.005	1560.0	0.39	3.34	2.04	☐	☐	☐	
11-272	K305822	45.11	48.16	3.05	0.005	1130.0	0.15	2.11	1.52	☐	☐	☐	
11-272	K305823	48.16	51.21	3.05	0.005	543.0	0.08	1.36	1.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-272	K305825	51.21	54.25	3.04	0.005	323.0	0.08	1.18	1.27	☐	☐	☐	
11-272	K305826	54.25	57.30	3.05	0.005	80.0	0.03	0.44	1.22	☐	☐	☐	
11-272	K305827	57.30	60.35	3.05	0.005	38.2	0.04	0.32	1.08	☐	☐	☐	
11-272	K305828	60.35	61.87	1.52	0.005	78.0	0.14	0.35	1.42	☐	☐	☐	
11-272	K305829	61.87	64.92	3.05	0.005	94.0	0.40	0.78	0.68	☐	☐	☐	
11-272	K305830	64.92	67.97	3.05	0.005	162.0	0.40	1.00	1.05	☐	☐	☐	
11-277	K305832	67.97	71.02	3.05	0.070	1520.0	1.09	4.11	2.16	☐	☐	☐	Start of Batch 277
11-277	K305833	71.02	74.07	3.05	0.110	424.0	0.76	1.88	1.95	☐	☐	☐	
11-277	K305834	74.07	76.94	2.87	1.550	4300.0	4.60	18.95	21.70	☐	☐	☐	
11-277	K305835	76.94	78.64	1.70	4.450	25700.0	4.28	38.30	18.45	☐	☐	☐	
11-277	K305836	78.64	80.16	1.52	11.000	126000.0	9.10	137.00	24.20	☐	☐	☐	
11-277	K305837	80.16	81.69	1.53	5.270	87100.0	3.13	121.50	11.90	☐	☐	☐	
11-277	K305838	81.69	83.21	1.52	24.700	109500.0	8.40	142.00	38.40	☐	☐	☐	
11-277	K305839	83.21	86.26	3.05	1.340	2830.0	1.68	7.83	7.36	☐	☐	☐	
11-277	K305841	86.26	89.30	3.04	0.430	3270.0	1.06	8.39	4.32	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-277	K305842	89.30	92.35	3.05	0.420	2410.0	1.30	7.90	4.09	☐	☐	☐	
11-277	K305843	92.35	95.40	3.05	0.010	143.0	0.52	0.68	1.39	☐	☐	☐	
11-277	K305844	95.40	98.45	3.05	0.030	81.0	0.30	0.57	0.75	☐	☐	☐	
11-277	K305846	98.45	101.50	3.05	0.010	42.0	0.22	0.57	0.56	☐	☐	☐	
11-277	K305847	101.50	104.55	3.05	0.005	38.0	0.21	0.44	0.53	☐	☐	☐	
11-277	K305848	101.50	104.55	3.05	0.005	35.0	0.20	0.39	0.56	☑	☐	☐	Duplicated of 847
11-277	K305849	104.55	107.59	3.04	0.030	124.0	0.26	0.86	0.77	☐	☐	☐	
11-277	K305850	107.59	110.64	3.05	0.010	48.0	0.13	0.24	0.52	☐	☐	☐	
11-277	K305851	110.64	113.69	3.05	0.005	42.0	0.11	0.25	0.51	☐	☐	☐	
11-277	K305852	113.69	116.74	3.05	0.005	26.0	0.04	0.16	0.29	☐	☐	☐	
11-277	K305853	116.74	119.79	3.05	0.005	29.0	0.08	0.15	0.34	☐	☐	☐	
11-277	K305854	119.79	122.83	3.04	0.005	117.0	0.59	0.38	1.14	☐	☐	☐	
11-277	K305855	122.83	125.88	3.05	0.050	2130.0	2.65	6.20	6.85	☐	☐	☐	
11-277	K305857	125.88	128.93	3.05	0.420	4480.0	0.81	14.75	2.00	☐	☐	☐	
11-277	K305858	128.93	131.98	3.05	0.940	6840.0	8.85	16.20	12.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-277	K305859	131.98	135.03	3.05	0.620	1540.0	5.65	8.40	11.90	☐	☐	☐	
11-277	K305860	135.03	138.07	3.04	0.600	1260.0	10.20	10.80	27.40	☐	☐	☐	
11-277	K305861	138.07	141.12	3.05	0.090	253.0	2.00	1.09	2.84	☐	☐	☐	
11-277	K305862	141.12	144.17	3.05	0.030	118.0	0.52	0.45	1.00	☐	☐	☐	
11-277	K305863	144.17	147.22	3.05	0.370	43000.0	3.87	56.70	8.87	☐	☐	☐	
11-277	K305864	147.22	150.27	3.05	9.830	119000.0	12.40	196.50	26.70	☐	☐	☐	
11-277	K305865	150.27	152.40	2.13	2.470	11300.0	7.16	24.90	16.25	☐	☐	☐	
11-277	K305867	152.40	153.31	0.91	0.970	25100.0	1.70	40.40	3.19	☐	☐	☐	End of Batch 277
11-283	K305868	153.31	156.36	3.05	0.070	3270.0	0.80	4.87	1.70	☐	☐	☐	Start of Batch 283
11-283	K305869	156.36	159.41	3.05	0.070	795.0	1.22	2.20	3.14	☐	☐	☐	
11-283	K305870	159.41	162.46	3.05	0.100	493.0	0.92	1.36	2.99	☐	☐	☐	
11-283	K305871	162.46	165.51	3.05	0.140	2080.0	1.42	4.28	5.16	☐	☐	☐	
11-283	K305872	165.51	168.55	3.04	0.060	1840.0	0.97	3.86	3.59	☐	☐	☐	
11-283	K305874	168.55	171.60	3.05	0.180	13150.0	1.12	13.85	3.46	☐	☐	☐	
11-283	K305875	171.60	174.65	3.05	0.100	18250.0	1.43	21.10	4.37	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-283	K305876	174.65	177.70	3.05	0.090	14050.0	2.17	15.45	3.25	☐	☐	☐	
11-283	K305877	177.70	180.75	3.05	0.005	443.0	0.84	1.06	1.11	☐	☐	☐	
11-283	K305878	180.75	183.79	3.04	0.005	559.0	0.56	0.93	0.95	☐	☐	☐	
11-283	K305879	183.79	186.84	3.05	0.005	172.0	0.38	0.60	0.75	☐	☐	☐	
11-283	K305880	186.84	189.89	3.05	0.005	89.0	0.26	0.23	0.78	☐	☐	☐	
11-283	K305882	189.89	192.94	3.05	0.005	58.0	0.34	0.40	1.14	☐	☐	☐	
11-283	K305883	192.94	195.99	3.05	0.010	3560.0	0.60	2.88	1.41	☐	☐	☐	
11-283	K305884	192.94	195.99	3.05	0.010	3670.0	0.59	2.69	1.05	☑	☐	☐	Duplicate of 883
11-283	K305885	195.99	199.03	3.04	0.020	16200.0	0.67	14.25	1.02	☐	☐	☐	
11-283	K305886	199.03	202.08	3.05	0.030	8370.0	1.10	8.82	3.53	☐	☐	☐	
11-283	K305887	202.08	205.13	3.05	0.040	2670.0	2.29	5.74	24.50	☐	☐	☐	
11-283	K305888	205.13	208.18	3.05	0.010	1790.0	2.33	2.84	36.50	☐	☐	☐	
11-283	K305889	208.18	211.23	3.05	0.130	6850.0	1.08	6.19	4.11	☐	☐	☐	
11-283	K305890	211.23	214.27	3.04	0.020	2960.0	0.57	2.93	2.08	☐	☐	☐	
11-283	K305892	214.27	217.32	3.05	0.020	5210.0	0.45	4.48	1.61	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-283	K305893	217.32	220.37	3.05	0.030	4560.0	0.32	4.08	1.11	☐	☐	☐	
11-283	K305894	220.37	223.42	3.05	0.030	7650.0	0.39	5.77	1.13	☐	☐	☐	
11-283	K305895	223.42	226.47	3.05	0.010	4480.0	0.53	3.66	0.99	☐	☐	☐	
11-283	K305896	226.47	228.00	1.53	0.005	1330.0	0.14	1.29	0.28	☐	☐	☐	
11-283	K305897	228.00	229.75	1.75	0.020	6260.0	0.91	5.79	1.62	☐	☐	☐	
11-283	K305899	229.75	231.00	1.25	0.010	737.0	1.24	2.01	3.81	☐	☐	☐	
11-283	K305900	231.00	232.56	1.56	0.010	355.0	3.55	1.15	2.17	☐	☐	☐	EOH

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-274	K306121	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-274	K306125	0.00	0.00	0.00	0.350	590.0	9.60	108.50	8.36	☐	☐	☑	NT1
11-274	K306141	0.00	0.00	0.00	7.920	926.0	5.80	17.75	13.50	☐	☐	☑	NT3
11-274	K306146	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.02	☐	☑	☐	NQ
11-280	K306153	0.00	0.00	0.00	16.500	1230.0	6.01	158.00	3.13	☐	☐	☑	NT4
11-280	K306164	0.00	0.00	0.00	0.005	2.5	0.01	0.12	0.02	☐	☑	☐	NQ
11-280	K306169	0.00	0.00	0.00	0.370	559.0	9.50	112.00	7.50	☐	☐	☑	NT1
11-280	K306176	0.00	0.00	0.00	0.005	7.0	0.01	0.08	0.04	☐	☑	☐	NQ
11-282	K306189	0.00	0.00	0.00	2.530	579.0	4.26	103.50	4.11	☐	☐	☑	NT2
11-282	K306192	0.00	0.00	0.00	0.005	2.5	0.01	0.13	0.03	☐	☑	☐	NQ
11-282	K306199	0.00	0.00	0.00	0.350	612.0	9.40	103.50	8.41	☐	☐	☑	NT1
11-282	K306209	0.00	0.00	0.00	0.005	2.5	0.01	0.08	0.03	☐	☑	☐	NQ
11-274	K306120	2.60	3.05	0.45	0.005	40.6	0.13	0.69	0.63	☐	☐	☐	
11-274	K306122	3.05	4.57	1.52	0.005	20.7	0.06	0.69	0.63	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-274	K306123	4.57	7.62	3.05	0.005	25.0	0.12	0.30	0.50	☐	☐	☐	
11-274	K306124	7.62	10.67	3.05	0.005	33.0	0.05	0.51	0.34	☐	☐	☐	
11-274	K306126	10.67	13.72	3.05	0.005	150.0	0.08	0.64	0.45	☐	☐	☐	
11-274	K306127	13.72	16.76	3.04	0.020	111.0	0.15	0.50	0.50	☐	☐	☐	
11-274	K306128	16.76	19.81	3.05	0.005	36.5	0.05	0.56	0.93	☐	☐	☐	
11-274	K306129	19.81	22.86	3.05	0.005	11.8	0.03	0.53	0.95	☐	☐	☐	
11-274	K306130	22.86	25.91	3.05	0.005	15.2	0.02	0.50	0.88	☐	☐	☐	
11-274	K306131	25.91	28.96	3.05	0.005	10.5	0.02	0.48	0.95	☐	☐	☐	
11-274	K306132	25.91	28.96	3.05	0.005	10.2	0.02	0.49	0.90	☑	☐	☐	Duplicate
11-274	K306133	28.96	32.00	3.04	0.005	14.0	0.01	0.64	0.97	☐	☐	☐	
11-274	K306134	32.00	35.05	3.05	0.005	77.5	0.02	0.82	0.94	☐	☐	☐	
11-274	K306135	96.01	98.56	2.55	0.020	1170.0	1.63	3.09	2.43	☐	☐	☐	
11-274	K306136	98.56	100.00	1.44	0.005	55.0	0.30	0.55	1.05	☐	☐	☐	
11-274	K306137	100.00	102.11	2.11	0.005	38.0	0.19	0.19	0.48	☐	☐	☐	
11-274	K306138	102.11	105.16	3.05	0.005	34.0	0.29	0.27	0.78	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-274	K306139	105.16	108.20	3.04	0.005	33.0	0.21	0.27	0.77	☐	☐	☐	
11-274	K306140	108.20	111.25	3.05	0.005	20.0	0.19	0.25	0.62	☐	☐	☐	
11-274	K306142	111.25	114.30	3.05	0.005	630.0	0.38	1.35	0.86	☐	☐	☐	
11-274	K306143	114.30	117.35	3.05	0.005	65.0	0.51	0.43	0.97	☐	☐	☐	
11-274	K306144	117.35	120.40	3.05	0.010	119.0	0.71	0.98	1.70	☐	☐	☐	
11-274	K306145	120.40	123.44	3.04	0.300	371.0	1.55	5.39	6.12	☐	☐	☐	
11-274	K306147	123.44	126.49	3.05	0.005	119.0	0.63	0.62	1.45	☐	☐	☐	
11-274	K306148	126.49	129.54	3.05	0.005	57.0	0.30	0.35	0.91	☐	☐	☐	End of Batch 274
11-280	K306149	129.54	132.59	3.05	0.005	110.0	0.32	0.62	0.94	☐	☐	☐	
11-280	K306150	132.59	135.64	3.05	0.005	39.0	0.30	0.40	0.77	☐	☐	☐	
11-280	K306151	135.64	138.68	3.04	0.005	21.0	0.17	0.33	0.58	☐	☐	☐	
11-280	K306152	138.68	141.73	3.05	0.005	17.0	0.07	0.26	0.53	☐	☐	☐	
11-280	K306154	141.73	144.78	3.05	0.010	22.0	0.08	0.39	0.63	☐	☐	☐	
11-280	K306155	144.78	147.83	3.05	0.005	13.0	0.05	0.19	0.37	☐	☐	☐	
11-280	K306156	147.83	150.88	3.05	0.010	20.0	0.06	0.27	0.41	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-280	K306157	150.88	153.92	3.04	0.010	18.0	0.05	0.28	0.34	☐	☐	☐	
11-280	K306158	153.92	156.97	3.05	0.005	17.0	0.04	0.22	0.17	☐	☐	☐	
11-280	K306159	156.97	160.02	3.05	0.005	43.0	0.08	0.34	0.44	☐	☐	☐	
11-280	K306160	156.97	160.02	3.05	0.010	42.0	0.07	0.27	0.44	☑	☐	☐	Duplicate
11-280	K306161	160.02	163.07	3.05	0.010	42.0	0.06	0.28	0.37	☐	☐	☐	
11-280	K306162	163.07	166.12	3.05	0.005	21.0	0.03	0.18	0.26	☐	☐	☐	
11-280	K306163	166.12	169.16	3.04	0.005	31.0	0.09	0.32	0.48	☐	☐	☐	
11-280	K306165	169.16	172.21	3.05	0.010	28.0	0.10	0.31	0.40	☐	☐	☐	
11-280	K306166	172.21	175.26	3.05	0.005	26.0	0.13	0.33	0.39	☐	☐	☐	
11-280	K306167	175.26	178.31	3.05	0.005	41.0	0.46	0.50	1.03	☐	☐	☐	
11-280	K306168	178.31	181.36	3.05	0.040	115.0	0.67	1.56	1.41	☐	☐	☐	
11-280	K306170	181.36	184.40	3.04	0.040	265.0	0.85	1.54	1.45	☐	☐	☐	
11-280	K306171	184.40	187.45	3.05	0.020	42.0	0.35	0.58	0.66	☐	☐	☐	
11-280	K306172	187.45	190.50	3.05	0.010	52.0	0.42	0.47	0.80	☐	☐	☐	
11-280	K306173	190.50	193.55	3.05	0.005	45.0	0.16	0.16	0.46	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-280	K306174	193.55	196.60	3.05	0.005	96.0	0.48	0.33	0.71	☐	☐	☐	
11-280	K306175	196.60	199.64	3.04	0.490	1040.0	1.52	6.85	4.05	☐	☐	☐	
11-280	K306177	199.64	202.69	3.05	0.380	8500.0	1.00	25.60	2.18	☐	☐	☐	
11-280	K306178	202.69	205.74	3.05	0.010	63.0	0.16	0.29	0.45	☐	☐	☐	
11-280	K306179	205.74	208.79	3.05	0.010	33.0	0.13	0.28	0.49	☐	☐	☐	
11-280	K306180	208.79	211.84	3.05	0.010	39.0	0.40	0.51	0.51	☐	☐	☐	
11-280	K306181	211.84	214.88	3.04	0.010	47.0	0.39	0.53	0.70	☐	☐	☐	
11-280	K306182	214.88	217.93	3.05	0.010	46.0	0.50	0.34	0.68	☐	☐	☐	
11-280	K306183	217.93	220.98	3.05	0.770	11550.0	2.20	18.40	5.40	☐	☐	☐	
11-280	K306184	220.98	224.03	3.05	0.040	405.0	0.49	0.80	0.89	☐	☐	☐	Endof batch 280
11-282	K306185	224.03	227.08	3.05	0.005	309.0	0.17	0.47	0.37	☐	☐	☐	Start of Batch 282
11-282	K306186	227.08	228.20	1.12	0.005	33.0	0.34	0.24	0.64	☐	☐	☐	
11-282	K306187	228.20	230.12	1.92	0.010	60.0	0.42	0.31	0.90	☐	☐	☐	
11-282	K306188	230.12	233.17	3.05	0.010	2330.0	0.77	3.91	0.97	☐	☐	☐	
11-282	K306190	233.17	236.22	3.05	0.020	4010.0	1.84	5.09	1.69	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-282	K306191	236.22	239.27	3.05	0.005	361.0	0.64	0.59	0.85	☐	☐	☐	
11-282	K306193	239.27	242.32	3.05	0.010	49.0	0.28	0.35	0.74	☐	☐	☐	
11-282	K306194	242.32	243.00	0.68	0.005	53.0	1.54	0.36	0.88	☐	☐	☐	
11-282	K306195	243.00	245.36	2.36	0.010	26.0	0.22	0.32	0.76	☐	☐	☐	
11-282	K306196	243.00	245.36	2.36	0.010	20.0	0.23	0.30	0.70	☑	☐	☐	Duplicate
11-282	K306197	245.36	248.41	3.05	0.005	8.0	0.12	0.23	0.46	☐	☐	☐	
11-282	K306198	248.41	250.91	2.50	0.020	53.0	0.43	0.61	1.14	☐	☐	☐	
11-282	K306200	250.91	251.46	0.55	0.040	4820.0	0.45	6.22	1.04	☐	☐	☐	
11-282	K306201	251.46	254.51	3.05	0.010	5750.0	0.82	6.11	1.26	☐	☐	☐	
11-282	K306202	254.51	257.56	3.05	0.010	6690.0	0.53	7.28	1.24	☐	☐	☐	
11-282	K306203	257.56	260.60	3.04	0.010	6850.0	0.50	7.90	1.38	☐	☐	☐	
11-282	K306204	260.60	263.65	3.05	0.010	10400.0	0.97	11.05	1.38	☐	☐	☐	
11-282	K306205	263.65	266.70	3.05	0.005	151.0	1.26	0.85	1.53	☐	☐	☐	
11-282	K306206	266.70	269.75	3.05	0.005	77.0	1.31	0.42	0.49	☐	☐	☐	
11-282	K306207	269.75	272.80	3.05	0.010	818.0	0.64	1.09	1.10	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-282	K306208	272.80	275.10	2.30	0.010	333.0	0.75	0.90	1.28	☐	☐	☐	
11-282	K306210	275.10	275.84	0.74	0.010	600.0	4.07	2.23	3.79	☐	☐	☐	
11-282	K306211	275.84	278.89	3.05	0.005	181.0	1.94	1.14	3.45	☐	☐	☐	
11-282	K306212	278.89	281.94	3.05	0.060	2160.0	10.30	11.65	14.65	☐	☐	☐	
11-282	K306213	281.94	282.48	0.54	0.005	222.0	4.15	1.09	2.17	☐	☐	☐	
11-282	K306214	282.48	284.99	2.51	0.010	422.0	1.16	1.12	2.32	☐	☐	☐	
11-282	K306215	284.99	288.04	3.05	0.005	183.0	0.60	0.79	1.73	☐	☐	☐	
11-282	K306216	288.04	291.08	3.04	0.005	620.0	0.88	1.18	2.07	☐	☐	☐	
11-282	K306217	291.08	294.13	3.05	0.005	131.0	0.76	0.82	1.95	☐	☐	☐	
11-282	K306218	294.13	297.18	3.05	0.005	329.0	0.38	0.44	1.45	☐	☐	☐	
11-282	K306219	297.18	300.23	3.05	0.005	161.0	0.33	0.52	0.92	☐	☐	☐	
11-282	K306220	300.23	303.28	3.05	0.005	172.0	0.18	0.47	0.86	☐	☐	☐	End of Batch 282

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-275	K307069	0.00	0.00	0.00	0.005	2.5	0.01	0.07	0.02	☐	☑	☐	NQ
11-278	K307082	0.00	0.00	0.00	2.480	561.0	4.88	108.50	4.00	☐	☐	☑	NT2
11-278	K307092	0.00	0.00	0.00	0.005	2.5	0.01	0.12	0.01	☐	☑	☐	NQ
11-278	K307096	0.00	0.00	0.00	0.340	605.0	9.20	115.00	8.49	☐	☐	☑	NT1
11-279	K307112	0.00	0.00	0.00	0.010	26.0	0.01	0.06	0.03	☐	☑	☐	NQ
11-279	K307116	0.00	0.00	0.00	7.900	1010.0	5.81	18.55	14.05	☐	☐	☑	NT3
11-279	K307134	0.00	0.00	0.00	0.350	567.0	9.20	102.50	8.45	☐	☐	☑	NT1
11-279	K307137	0.00	0.00	0.00	0.010	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-281	K307147	0.00	0.00	0.00	2.600	592.0	4.28	109.50	3.62	☐	☐	☑	NT2
11-281	K307162	0.00	0.00	0.00	0.005	7.0	0.01	0.07	0.01	☐	☑	☐	NQ
11-281	K307166	0.00	0.00	0.00	0.005	2.5	0.01	0.09	0.01	☐	☑	☐	NQ
11-281	K307168	0.00	0.00	0.00	8.000	972.0	5.60	20.60	13.30	☐	☐	☑	NT3
11-275	K307067	4.05	5.49	1.44	0.040	483.0	0.32	1.51	1.01	☐	☐	☐	
11-275	K307068	5.49	8.53	3.04	0.005	344.0	0.24	0.80	0.80	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-275	K307070	8.53	11.58	3.05	0.005	302.0	0.39	0.88	1.26	☐	☐	☐	
11-275	K307071	11.58	14.63	3.05	0.040	232.0	0.22	0.67	0.90	☐	☐	☐	End of Batch 275
11-278	K307072	14.63	17.68	3.05	0.010	60.0	0.30	0.32	0.54	☐	☐	☐	Start of Batch 278
11-278	K307073	17.68	20.73	3.05	0.005	43.0	0.20	0.27	0.49	☐	☐	☐	
11-278	K307074	20.73	23.77	3.04	0.005	28.0	0.08	0.27	0.46	☐	☐	☐	
11-278	K307075	23.77	26.82	3.05	0.005	23.0	0.10	0.29	0.45	☐	☐	☐	
11-278	K307076	26.82	29.87	3.05	0.005	9.0	0.07	0.21	0.28	☐	☐	☐	
11-278	K307077	26.82	29.87	3.05	0.005	17.0	0.08	0.23	0.31	☑	☐	☐	Duplicate of 076
11-278	K307078	29.87	32.92	3.05	0.005	36.0	0.13	0.35	0.54	☐	☐	☐	
11-278	K307079	32.92	35.97	3.05	0.010	22.0	0.08	0.37	0.33	☐	☐	☐	
11-278	K307080	35.97	39.01	3.04	0.005	25.0	0.06	0.24	0.20	☐	☐	☐	
11-278	K307081	39.01	42.06	3.05	0.005	18.0	0.05	0.26	0.34	☐	☐	☐	
11-278	K307083	42.06	45.11	3.05	0.010	15.0	0.08	0.52	0.33	☐	☐	☐	
11-278	K307084	45.11	48.16	3.05	0.010	5.0	0.04	0.33	0.29	☐	☐	☐	
11-278	K307085	48.16	51.21	3.05	0.005	2.5	0.04	0.32	0.24	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-278	K307086	51.21	54.25	3.04	0.005	12.0	0.05	0.29	0.15	☐	☐	☐	
11-278	K307087	54.25	57.30	3.05	0.005	9.0	0.09	0.31	0.19	☐	☐	☐	
11-278	K307088	57.30	60.35	3.05	0.005	13.0	0.15	0.24	0.22	☐	☐	☐	
11-278	K307089	60.35	63.40	3.05	0.005	19.0	0.08	0.19	0.15	☐	☐	☐	
11-278	K307090	63.40	66.45	3.05	0.005	30.0	0.10	0.26	0.17	☐	☐	☐	
11-278	K307091	66.45	67.20	0.75	0.010	158.0	0.57	0.38	0.69	☐	☐	☐	
11-278	K307093	67.20	69.49	2.29	0.005	419.0	3.25	0.65	9.34	☐	☐	☐	
11-278	K307094	69.49	72.54	3.05	0.005	133.0	2.83	0.43	11.70	☐	☐	☐	
11-278	K307095	72.54	73.80	1.26	0.005	474.0	1.55	0.62	5.54	☐	☐	☐	
11-278	K307097	73.80	75.59	1.79	0.005	12.0	0.07	0.31	0.15	☐	☐	☐	
11-278	K307098	75.59	78.64	3.05	0.005	18.0	0.07	0.21	0.12	☐	☐	☐	
11-278	K307099	78.64	81.69	3.05	0.005	38.0	0.27	0.34	0.59	☐	☐	☐	
11-278	K307100	81.69	84.73	3.04	0.010	3970.0	4.90	0.80	16.65	☐	☐	☐	
11-278	K307101	84.73	87.85	3.12	0.010	374.0	2.08	1.75	7.00	☐	☐	☐	
11-278	K307102	87.85	90.83	2.98	0.550	4850.0	6.30	3.41	23.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-278	K307103	90.83	93.88	3.05	0.090	388.0	2.26	0.89	8.18	☐	☐	☐	
11-278	K307104	93.88	96.93	3.05	0.005	24.1	0.44	0.16	4.60	☐	☐	☐	
11-278	K307105	96.93	99.97	3.04	0.005	197.0	1.03	0.34	3.72	☐	☐	☐	End of Batch 278
11-279	K307106	99.97	101.94	1.97	0.010	68.0	0.81	0.64	1.96	☐	☐	☐	Start of Batch 279
11-279	K307107	101.94	103.02	1.08	0.005	141.0	3.59	0.66	3.08	☐	☐	☐	
11-279	K307108	103.02	105.60	2.58	0.090	688.0	4.66	1.43	4.80	☐	☐	☐	
11-279	K307109	105.60	107.03	1.43	0.050	36700.0	3.02	23.00	2.80	☐	☐	☐	
11-279	K307110	107.03	109.12	2.09	0.130	6110.0	5.50	3.50	5.19	☐	☐	☐	
11-279	K307111	109.12	111.06	1.94	0.090	1115.0	3.66	1.59	8.84	☐	☐	☐	
11-279	K307113	111.06	112.17	1.11	0.070	3000.0	3.03	2.92	3.21	☐	☐	☐	
11-279	K307114	112.17	113.95	1.78	0.030	7670.0	2.46	4.67	1.92	☐	☐	☐	
11-279	K307115	113.95	115.21	1.26	0.090	2010.0	1.45	2.48	3.38	☐	☐	☐	
11-279	K307117	115.21	116.89	1.68	0.350	1440.0	2.42	3.19	7.96	☐	☐	☐	
11-279	K307118	116.89	118.26	1.37	0.540	1750.0	1.77	2.76	7.06	☐	☐	☐	
11-279	K307119	118.26	120.15	1.89	0.220	647.0	0.90	0.89	3.27	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-279	K307120	120.15	122.10	1.95	0.090	727.0	1.47	0.62	4.02	☐	☐	☐	
11-279	K307121	122.10	124.36	2.26	0.005	47.0	0.17	0.23	0.98	☐	☐	☐	
11-279	K307122	124.36	127.41	3.05	0.005	32.0	0.08	0.17	0.45	☐	☐	☐	
11-279	K307123	127.41	130.45	3.04	0.005	50.0	0.05	0.30	0.44	☐	☐	☐	
11-279	K307124	130.45	133.50	3.05	0.005	96.0	0.07	0.20	0.40	☐	☐	☐	
11-279	K307125	133.50	136.55	3.05	0.010	20.0	0.05	0.17	0.43	☐	☐	☐	
11-279	K307126	133.50	136.55	3.05	0.005	20.0	0.05	0.20	0.48	☑	☐	☐	Duplicate of 125
11-279	K307127	136.55	139.60	3.05	0.005	53.3	0.17	0.39	0.97	☐	☐	☐	
11-279	K307128	139.60	142.65	3.05	0.005	54.4	0.21	0.39	0.80	☐	☐	☐	
11-279	K307129	142.65	145.69	3.04	0.005	59.1	0.12	0.50	1.12	☐	☐	☐	
11-279	K307130	145.69	148.74	3.05	0.005	15.5	0.06	0.33	0.98	☐	☐	☐	
11-279	K307131	148.74	151.79	3.05	0.005	52.7	0.08	0.46	1.09	☐	☐	☐	
11-279	K307132	151.79	154.84	3.05	0.005	22.1	0.11	0.45	1.13	☐	☐	☐	
11-279	K307133	154.84	157.87	3.03	0.005	29.9	0.18	0.50	1.26	☐	☐	☐	
11-279	K307135	157.87	160.93	3.06	0.005	22.1	0.11	0.49	1.12	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-279	K307136	160.93	163.98	3.05	0.005	28.0	0.10	0.27	0.53	☐	☐	☐	
11-279	K307138	163.98	167.03	3.05	0.005	38.0	0.19	0.21	0.51	☐	☐	☐	
11-279	K307139	167.03	170.08	3.05	0.005	27.0	0.06	0.14	0.41	☐	☐	☐	
11-279	K307140	170.08	171.00	0.92	0.005	14.0	0.01	0.13	0.51	☐	☐	☐	
11-279	K307141	171.00	172.50	1.50	0.005	35.9	0.06	0.15	0.71	☐	☐	☐	End of Batch 279
11-281	K307142	172.50	174.20	1.70	0.005	234.0	0.17	0.32	0.98	☐	☐	☐	Start of Batch 281
11-281	K307143	174.20	176.17	1.97	0.005	26.1	0.03	0.26	0.39	☐	☐	☐	
11-281	K307144	176.17	179.22	3.05	0.010	5.7	0.05	0.16	0.24	☐	☐	☐	
11-281	K307145	179.22	182.27	3.05	0.005	5.5	0.02	0.12	0.23	☐	☐	☐	
11-281	K307146	182.27	185.32	3.05	0.005	9.3	0.01	0.12	0.28	☐	☐	☐	
11-281	K307148	185.32	188.37	3.05	0.005	11.6	0.02	0.22	0.24	☐	☐	☐	
11-281	K307149	188.37	191.41	3.04	0.005	4.3	0.02	0.15	0.31	☐	☐	☐	
11-281	K307150	188.37	191.41	3.04	0.005	3.8	0.02	0.13	0.29	☑	☐	☐	Duplicate of 149 Duplicate of 149
11-281	K307151	191.41	194.46	3.05	0.005	11.0	0.05	0.14	0.27	☐	☐	☐	
11-281	K307152	194.46	197.51	3.05	0.005	2.5	0.14	0.17	0.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-281	K307153	197.51	200.56	3.05	0.005	9.0	0.10	0.15	0.43	☐	☐	☐	
11-281	K307154	200.56	203.61	3.05	0.005	14.2	0.24	0.11	1.00	☐	☐	☐	
11-281	K307155	203.61	206.65	3.04	0.005	2.3	0.02	0.12	0.33	☐	☐	☐	
11-281	K307156	206.65	209.70	3.05	0.005	1.7	0.02	0.14	0.35	☐	☐	☐	
11-281	K307157	209.70	212.75	3.05	0.005	1.8	0.02	0.13	0.28	☐	☐	☐	
11-281	K307158	212.75	215.80	3.05	0.005	1.9	0.02	0.11	0.28	☐	☐	☐	
11-281	K307159	215.80	218.85	3.05	0.005	7.0	0.03	0.11	0.31	☐	☐	☐	
11-281	K307160	218.85	221.89	3.04	0.010	269.0	0.34	0.36	2.06	☐	☐	☐	
11-281	K307161	221.89	224.94	3.05	0.005	21.3	0.03	0.21	0.32	☐	☐	☐	
11-281	K307163	224.94	226.98	2.04	0.010	52.1	0.03	0.21	0.34	☐	☐	☐	
11-281	K307164	226.98	227.99	1.01	0.005	69.9	0.05	0.27	0.43	☐	☐	☐	
11-281	K307165	227.99	231.04	3.05	0.005	26.9	0.07	0.65	0.56	☐	☐	☐	
11-281	K307167	231.04	235.04	4.00	0.010	26.8	0.05	0.76	0.68	☐	☐	☐	

Sample Results

PT -11-001

Ptah

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-252	K305447	0.00	0.00	0.00	2.690	601.0	4.61	95.20	3.77	☐	☐	☑	NT2
11-252	K305451	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-276	K305460	0.00	0.00	0.00	0.330	604.0	8.50	108.00	7.59	☐	☐	☑	NT1
11-278	K305467	0.00	0.00	0.00	0.005	2.5	0.01	0.10	0.04	☐	☑	☐	NQ
11-252	K305445	256.03	259.08	3.05	0.010	4.0	0.05	0.29	0.34	☐	☐	☐	1.55m - 249.94m chip sampled
11-252	K305446	259.08	262.13	3.05	0.010	9.5	0.06	0.36	0.36	☐	☐	☐	
11-252	K305448	262.13	265.18	3.05	0.010	7.8	0.07	0.49	0.37	☐	☐	☐	
11-252	K305449	265.18	268.22	3.04	0.010	15.6	0.04	0.62	0.52	☐	☐	☐	
11-252	K305450	268.22	271.27	3.05	0.005	29.3	0.19	1.69	0.83	☐	☐	☐	
11-252	K305452	271.27	274.32	3.05	0.005	24.7	0.06	1.12	0.64	☐	☐	☐	
11-252	K305453	274.32	277.37	3.05	0.005	25.7	0.05	0.98	0.57	☐	☐	☐	
11-252	K305454	277.37	280.42	3.05	0.005	15.1	0.03	0.62	0.34	☐	☐	☐	
11-276	K305455	280.42	283.46	3.04	0.005	27.4	0.04	0.77	0.42	☐	☐	☐	
11-276	K305456	283.46	286.51	3.05	0.005	44.4	0.08	0.77	0.50	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-276	K305457	286.51	289.56	3.05	0.005	57.4	0.39	1.72	0.72	☐	☐	☐	
11-276	K305458	289.56	292.61	3.05	0.005	70.8	0.32	1.66	0.49	☐	☐	☐	
11-276	K305459	292.61	295.66	3.05	0.005	34.5	0.15	0.93	0.40	☐	☐	☐	
11-276	K305461	295.66	298.70	3.04	0.005	22.1	0.06	0.68	0.37	☐	☐	☐	
11-276	K305462	298.70	301.75	3.05	0.005	19.8	0.06	0.68	0.35	☐	☐	☐	
11-276	K305463	301.75	304.80	3.05	0.005	16.5	0.06	0.73	0.36	☐	☐	☐	
11-276	K305464	304.80	307.85	3.05	0.005	16.2	0.05	0.65	0.34	☐	☐	☐	
11-276	K305465	307.85	310.90	3.05	0.005	27.2	0.11	1.08	0.60	☐	☐	☐	
11-276	K305466	310.90	313.94	3.04	0.005	23.0	0.08	0.99	0.68	☐	☐	☐	
11-278	K305468	313.94	316.99	3.05	0.005	12.5	0.08	0.70	0.48	☐	☐	☐	
11-275	K305469	316.99	320.04	3.05	0.005	12.3	0.05	0.52	0.44	☐	☐	☐	
11-272	K305470	320.04	323.09	3.05	0.005	8.7	0.05	0.48	0.35	☐	☐	☐	
11-272	K305471	658.37	661.42	3.05	0.005	3.3	0.02	0.46	0.69	☐	☐	☐	
11-272	K305472	661.42	664.46	3.04	0.005	6.8	0.11	0.42	0.57	☐	☐	☐	
11-272	K305473	664.46	667.51	3.05	0.005	3.7	0.06	0.30	0.28	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-272	K305474	667.51	670.56	3.05	0.010	4.5	0.04	0.34	0.40	☐	☐	☐	
11-272	K305475	670.56	673.61	3.05	0.005	3.8	0.05	0.32	0.36	☐	☐	☐	
11-272	K305476	670.56	673.61	3.05	0.005	3.6	0.04	0.32	0.36	☑	☐	☐	Duplicate of 475
11-272	K305477	673.61	676.66	3.05	0.005	2.8	0.04	0.32	0.37	☐	☐	☐	
11-272	K305478	676.66	679.70	3.04	0.005	2.3	0.02	0.24	0.27	☐	☐	☐	
11-272	K305479	679.70	682.75	3.05	0.005	28.8	0.07	0.34	0.40	☐	☐	☐	EOH

Sample Results

PY -11-001

Pyramid

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-094	K300010	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-094	K300016	0.00	0.00	0.00	0.320	653.0	9.70	119.50	8.20	☐	☐	☑	NT1
11-094	K300024	0.00	0.00	0.00	0.005	12.0	0.01	0.05	0.03	☐	☑	☐	NQ
11-094	K300031	0.00	0.00	0.00	2.690	610.0	4.95	102.00	4.08	☐	☐	☑	NT2
11-100	K300050	0.00	0.00	0.00	0.350	597.0	9.88	117.50	7.92	☐	☐	☑	NT1
11-100	K300055	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-100	K300067	0.00	0.00	0.00	7.460	983.0	6.18	17.85	12.40	☐	☐	☑	NT3
11-100	K300071	0.00	0.00	0.00	0.005	2.5	0.01	1.07	0.01	☐	☑	☐	NQ
11-104	K300084	0.00	0.00	0.00	0.005	2.5	0.01	0.05	0.01	☐	☑	☐	NQ
11-104	K300089	0.00	0.00	0.00	0.350	598.0	9.67	113.50	8.03	☐	☐	☑	NT1
11-104	K300098	0.00	0.00	0.00	2.690	599.0	4.66	108.50	4.12	☐	☐	☑	NT2
11-094	K300001	1.58	3.35	1.77	0.005	18.0	0.09	0.71	0.60	☐	☐	☐	Start of batch 94
11-094	K300002	3.35	6.40	3.05	0.005	10.0	0.02	0.65	0.77	☐	☐	☐	
11-094	K300003	6.40	7.92	1.52	0.005	9.0	0.02	0.60	0.85	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-094	K300004	7.92	10.97	3.05	0.005	9.0	0.01	0.54	1.01	☐	☐	☐	
11-094	K300005	10.97	14.02	3.05	0.005	9.0	0.02	0.68	0.95	☐	☐	☐	
11-094	K300006	14.02	17.07	3.05	0.005	11.0	0.02	0.72	0.99	☐	☐	☐	
11-094	K300007	17.07	20.12	3.05	0.005	11.0	0.01	0.70	0.97	☐	☐	☐	
11-094	K300008	20.12	23.16	3.04	0.005	12.0	0.02	0.69	0.91	☐	☐	☐	
11-094	K300009	23.16	26.21	3.05	0.005	17.0	0.02	0.89	1.34	☐	☐	☐	
11-094	K300011	26.21	29.26	3.05	0.005	15.0	0.04	0.64	1.60	☐	☐	☐	
11-094	K300012	29.26	32.31	3.05	0.005	11.0	0.02	0.64	1.28	☐	☐	☐	
11-094	K300013	32.31	35.36	3.05	0.005	11.0	0.02	0.69	1.32	☐	☐	☐	
11-094	K300014	35.36	38.40	3.04	0.005	13.0	0.02	0.71	1.32	☐	☐	☐	
11-094	K300015	38.40	41.45	3.05	0.005	36.0	0.06	0.66	1.42	☐	☐	☐	
11-094	K300017	41.45	44.00	2.55	0.005	969.0	1.11	1.32	4.30	☐	☐	☐	
11-094	K300018	44.00	46.02	2.02	0.010	850.0	1.63	0.36	1.16	☐	☐	☐	
11-094	K300019	46.02	49.07	3.05	0.005	427.0	2.88	1.09	1.56	☐	☐	☐	
11-094	K300020	49.07	52.12	3.05	0.005	287.0	8.41	2.36	1.53	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-094	K300021	52.12	55.07	2.95	0.005	1350.0	4.10	0.73	9.88	☐	☐	☐	
11-094	K300022	52.12	55.07	2.95	0.005	2500.0	6.31	1.20	10.60	☑	☐	☐	Duplicate of 021
11-094	K300023	55.07	56.69	1.62	0.005	2770.0	6.70	1.46	10.10	☐	☐	☐	
11-094	K300025	56.69	58.22	1.53	0.005	2550.0	17.40	11.15	35.70	☐	☐	☐	
11-094	K300026	58.22	60.55	2.33	0.005	162.0	0.42	0.89	2.94	☐	☐	☐	
11-094	K300027	60.55	62.79	2.24	0.005	2420.0	1.12	0.81	4.20	☐	☐	☐	
11-094	K300028	62.79	64.81	2.02	0.005	734.0	1.10	1.23	8.12	☐	☐	☐	
11-094	K300029	64.81	67.36	2.55	0.005	64.0	0.22	0.68	1.54	☐	☐	☐	
11-094	K300030	67.36	70.41	3.05	0.005	75.0	0.34	0.93	1.77	☐	☐	☐	
11-094	K300032	70.41	73.46	3.05	0.005	63.0	0.50	1.15	1.42	☐	☐	☐	
11-094	K300033	73.46	76.50	3.04	0.005	67.0	0.90	1.15	1.35	☐	☐	☐	
11-094	K300034	76.50	79.55	3.05	0.005	79.0	1.15	1.96	1.79	☐	☐	☐	
11-094	K300035	79.55	82.60	3.05	0.005	68.0	0.80	2.07	1.98	☐	☐	☐	
11-094	K300036	82.60	85.65	3.05	0.005	66.0	1.54	3.21	2.61	☐	☐	☐	End of Batch 94
11-100	K300037	85.65	88.70	3.05	0.005	54.0	0.86	1.23	1.40	☐	☐	☐	Start of Batch 100

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-100	K300038	88.70	91.74	3.04	0.005	62.0	0.77	0.94	2.14	☐	☐	☐	
11-100	K300039	91.74	94.79	3.05	0.005	30.0	0.51	0.87	1.36	☐	☐	☐	
11-100	K300040	94.79	97.84	3.05	0.005	107.0	0.49	1.06	2.58	☐	☐	☐	
11-100	K300041	97.84	100.89	3.05	0.005	76.0	0.85	0.55	1.80	☐	☐	☐	
11-100	K300042	97.84	100.89	3.05	0.005	70.0	0.83	0.59	1.52	☑	☐	☐	Duplicate of 041
11-100	K300043	100.89	103.94	3.05	0.005	47.0	0.23	0.32	0.33	☐	☐	☐	
11-100	K300044	103.94	106.98	3.04	0.005	72.0	0.31	2.18	0.49	☐	☐	☐	
11-100	K300045	106.98	110.03	3.05	0.005	94.0	0.35	0.49	0.93	☐	☐	☐	
11-100	K300046	110.03	113.08	3.05	0.005	93.0	0.24	0.68	1.28	☐	☐	☐	
11-100	K300047	113.08	116.13	3.05	0.005	21.0	0.33	0.71	1.06	☐	☐	☐	
11-100	K300048	116.13	117.65	1.52	0.005	40.0	0.34	1.25	0.85	☐	☐	☐	
11-100	K300049	117.65	119.28	1.63	0.005	161.0	0.32	0.44	1.09	☐	☐	☐	
11-100	K300051	119.28	122.10	2.82	0.005	276.0	0.40	2.05	3.21	☐	☐	☐	
11-100	K300052	122.10	124.00	1.90	0.005	74.0	0.13	1.21	1.62	☐	☐	☐	
11-100	K300053	124.00	125.27	1.27	0.005	44.0	0.13	1.24	1.74	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-100	K300054	125.27	128.32	3.05	0.005	17.0	0.11	0.73	1.62	☐	☐	☐	
11-100	K300056	128.32	131.37	3.05	0.005	12.0	0.09	0.61	1.28	☐	☐	☐	
11-100	K300057	131.37	133.00	1.63	0.005	17.0	0.10	0.79	1.53	☐	☐	☐	
11-100	K300058	133.00	134.52	1.52	0.005	19.0	0.11	0.70	1.49	☐	☐	☐	
11-100	K300059	134.52	137.46	2.94	0.005	6.0	0.06	0.31	0.39	☐	☐	☐	
11-100	K300060	137.46	140.51	3.05	0.005	31.0	0.16	0.89	2.27	☐	☐	☐	
11-100	K300061	140.51	143.56	3.05	0.005	31.0	0.14	1.09	1.79	☐	☐	☐	
11-100	K300062	143.56	146.61	3.05	0.005	26.0	0.12	0.88	1.34	☐	☐	☐	
11-100	K300063	146.61	149.66	3.05	0.005	36.0	0.17	1.05	1.79	☐	☐	☐	
11-100	K300064	149.66	152.70	3.04	0.005	21.0	0.08	5.39	1.03	☐	☐	☐	
11-100	K300065	152.70	155.75	3.05	0.005	11.0	0.01	3.33	0.60	☐	☐	☐	
11-100	K300066	155.75	158.80	3.05	0.005	11.0	0.02	1.56	0.57	☐	☐	☐	
11-100	K300068	158.80	161.85	3.05	0.005	19.0	0.03	1.95	0.85	☐	☐	☐	
11-100	K300069	161.85	164.90	3.05	0.005	12.0	0.03	1.58	0.87	☐	☐	☐	
11-100	K300070	164.90	167.64	2.74	0.005	13.0	0.04	1.56	0.97	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-100	K300072	167.64	169.47	1.83	0.005	14.0	0.03	1.15	1.02	☐	☐	☐	End of Batch 100
11-104	K300073	169.47	172.21	2.74	0.005	18.3	0.04	1.08	1.14	☐	☐	☐	Start of Batch 104
11-104	K300074	172.21	175.21	3.00	0.005	18.5	0.04	0.96	1.16	☐	☐	☐	
11-104	K300075	172.21	175.21	3.00	0.005	17.3	0.04	0.88	1.14	☑	☐	☐	Duplicate of 074
11-104	K300076	175.21	177.09	1.88	0.010	13.4	0.03	0.83	1.05	☐	☐	☐	
11-104	K300077	177.09	180.14	3.05	0.005	16.4	0.04	0.84	0.98	☐	☐	☐	
11-104	K300078	180.14	183.18	3.04	0.005	20.6	0.06	0.92	1.18	☐	☐	☐	
11-104	K300079	183.18	186.23	3.05	0.005	20.2	0.03	0.72	0.79	☐	☐	☐	
11-104	K300080	186.23	189.28	3.05	0.005	12.3	0.02	0.54	0.76	☐	☐	☐	
11-104	K300081	189.28	190.80	1.52	0.005	8.8	0.02	0.58	0.67	☐	☐	☐	
11-104	K300082	190.80	192.85	2.05	0.005	7.0	0.01	0.54	0.56	☐	☐	☐	
11-104	K300083	192.85	195.00	2.15	0.005	9.0	0.01	0.49	0.72	☐	☐	☐	
11-104	K300085	195.00	196.90	1.90	0.005	9.9	0.01	0.63	0.67	☐	☐	☐	
11-104	K300086	196.90	199.34	2.44	0.005	9.8	0.01	0.59	0.68	☐	☐	☐	
11-104	K300087	199.34	202.39	3.05	0.005	8.1	0.01	0.54	0.76	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-104	K300088	202.39	205.43	3.04	0.005	7.6	0.01	0.65	0.72	☐	☐	☐	
11-104	K300090	205.43	208.48	3.05	0.005	7.8	0.01	0.81	0.59	☐	☐	☐	
11-104	K300091	208.48	211.53	3.05	0.005	7.2	0.01	0.68	0.48	☐	☐	☐	
11-104	K300092	211.53	213.66	2.13	0.005	6.7	0.02	0.79	0.75	☐	☐	☐	
11-104	K300093	213.66	216.71	3.05	0.005	7.2	0.01	0.61	0.84	☐	☐	☐	
11-104	K300094	216.71	219.46	2.75	0.005	12.5	0.02	0.80	1.03	☐	☐	☐	
11-104	K300095	219.46	222.51	3.05	0.005	10.7	0.02	0.71	0.92	☐	☐	☐	
11-104	K300096	222.51	225.56	3.05	0.005	9.1	0.01	0.56	0.80	☐	☐	☐	
11-104	K300097	225.56	227.38	1.82	0.010	9.1	0.01	0.53	0.88	☐	☐	☐	
11-104	K300099	227.38	230.43	3.05	0.005	11.7	0.02	0.95	0.75	☐	☐	☐	
11-104	K300100	230.43	233.48	3.05	0.005	12.6	0.02	0.58	0.86	☐	☐	☐	End of Hole

Sample Results

PY -11-002

Pyramid

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-104	K300107	0.00	0.00	0.00	0.010	2.5	0.01	1.86	0.02	☐	☑	☐	NQ
11-111	K300116	0.00	0.00	0.00	0.005	16.0	0.09	0.03	0.10	☐	☑	☐	NQ
11-111	K300118	0.00	0.00	0.00	7.940	992.0	5.37	18.60	13.95	☐	☐	☑	NT3
11-111	K300135	0.00	0.00	0.00	0.005	2.5	0.03	0.05	0.07	☐	☑	☐	NQ
11-111	K300144	0.00	0.00	0.00	2.730	627.0	4.25	114.50	4.42	☐	☐	☑	NT2/ End of Batch 111
11-115	K300156	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.02	☐	☑	☐	NQ
11-115	K300159	0.00	0.00	0.00	0.340	608.0	9.66	116.50	8.28	☐	☐	☑	NT1
11-115	K300173	0.00	0.00	0.00	2.700	583.0	4.37	102.50	3.66	☐	☐	☑	NT2
11-115	K300177	0.00	0.00	0.00	0.005	2.5	0.05	0.03	0.01	☐	☑	☐	NQ
11-120	K300186	0.00	0.00	0.00	2.550	545.0	4.25	111.50	4.16	☐	☐	☑	NT2
11-120	K300192	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-104	K300101	9.33	9.44	0.11	0.005	59.9	0.02	0.18	1.30	☐	☐	☐	
11-104	K300102	9.44	12.05	2.61	0.010	4930.0	3.74	1.85	9.89	☐	☐	☐	
11-104	K300103	12.05	13.72	1.67	0.005	638.0	2.61	0.57	9.99	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-104	K300104	13.72	15.24	1.52	0.010	195.0	2.30	0.61	3.14	☐	☐	☐	
11-104	K300105	15.24	17.37	2.13	0.005	107.0	2.55	1.22	1.12	☐	☐	☐	
11-104	K300106	17.37	18.59	1.22	0.005	105.0	4.80	1.04	1.30	☐	☐	☐	
11-104	K300108	18.59	20.73	2.14	0.005	223.0	13.00	1.93	3.56	☐	☐	☐	End of Batch 104
11-111	K300109	20.73	21.95	1.22	0.010	135.0	13.30	2.69	3.47	☐	☐	☐	Start of Batch 111
11-111	K300110	21.95	24.38	2.43	0.010	86.0	3.73	1.26	1.61	☐	☐	☐	
11-111	K300111	24.38	26.82	2.44	0.010	88.0	2.33	0.99	1.73	☐	☐	☐	
11-111	K300112	26.82	28.65	1.83	0.005	64.0	1.22	1.63	2.36	☐	☐	☐	
11-111	K300113	28.65	30.00	1.35	0.010	59.0	1.11	1.46	1.82	☐	☐	☐	
11-111	K300114	30.00	31.95	1.95	0.010	122.0	5.53	1.41	2.61	☐	☐	☐	
11-111	K300115	31.95	33.53	1.58	0.010	7130.0	74.40	2.67	31.80	☐	☐	☐	
11-111	K300117	33.53	35.05	1.52	0.020	1010.0	227.00	0.82	5.76	☐	☐	☐	
11-111	K300119	35.05	38.10	3.05	0.020	324.0	7.02	1.89	8.06	☐	☐	☐	
11-111	K300120	35.05	38.10	3.05	0.030	392.0	8.82	2.27	11.90	☑	☐	☐	Duplicate of 119
11-111	K300121	38.10	41.15	3.05	0.040	69.0	5.89	1.70	2.16	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-111	K300122	41.15	43.89	2.74	0.050	80.0	11.50	1.44	2.55	☐	☐	☐	
11-111	K300123	43.89	46.02	2.13	0.140	614.0	29.60	2.00	12.60	☐	☐	☐	
11-111	K300124	46.02	49.07	3.05	0.060	166.0	9.56	2.08	2.86	☐	☐	☐	
11-111	K300125	49.07	52.12	3.05	0.005	93.0	2.38	1.58	1.51	☐	☐	☐	
11-111	K300126	52.12	54.25	2.13	0.005	98.0	1.05	0.77	2.38	☐	☐	☐	
11-111	K300127	54.25	56.69	2.44	0.005	61.0	1.02	0.89	2.00	☐	☐	☐	
11-111	K300128	56.69	59.44	2.75	0.005	100.0	1.27	1.86	1.18	☐	☐	☐	
11-111	K300129	59.44	62.33	2.89	0.005	72.0	1.67	1.09	0.90	☐	☐	☐	
11-111	K300130	62.33	64.00	1.67	0.010	90.0	1.68	4.28	0.98	☐	☐	☐	
11-111	K300131	64.00	65.84	1.84	0.005	86.0	3.42	3.86	0.80	☐	☐	☐	
11-111	K300132	65.84	68.58	2.74	0.005	359.0	4.75	4.88	9.77	☐	☐	☐	68.58-71.63 - sample was contaminated with oil. The sample was not quarted since all surrounding values were considered to contain insignificant mineralization.
11-111	K300134	71.63	74.68	3.05	0.005	474.0	2.72	3.82	13.10	☐	☐	☐	
11-111	K300136	74.68	77.00	2.32	0.020	152.0	0.29	1.04	3.92	☐	☐	☐	
11-111	K300137	77.00	79.25	2.25	0.005	69.3	0.13	1.01	2.23	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-111	K300138	79.25	82.30	3.05	0.005	64.2	0.12	0.89	2.19	☐	☐	☐	
11-111	K300139	82.30	85.00	2.70	0.005	62.3	0.12	0.92	1.96	☐	☐	☐	
11-111	K300140	85.00	86.87	1.87	0.005	90.2	0.15	0.83	2.00	☐	☐	☐	
11-111	K300141	86.87	89.00	2.13	0.005	84.7	0.62	0.85	2.52	☐	☐	☐	
11-111	K300142	89.00	92.00	3.00	0.005	156.5	0.54	0.90	3.68	☐	☐	☐	
11-111	K300143	92.00	94.90	2.90	0.005	425.0	0.78	1.15	7.89	☐	☐	☐	
11-115	K300145	94.90	97.54	2.64	0.005	47.0	0.10	0.54	1.96	☐	☐	☐	Start of Batch 115
11-115	K300146	97.54	100.58	3.04	0.005	490.0	0.77	2.09	4.36	☐	☐	☐	
11-115	K300147	100.58	103.63	3.05	0.005	410.0	0.98	0.91	6.82	☐	☐	☐	
11-115	K300148	103.63	106.68	3.05	0.005	375.0	0.61	1.03	2.92	☐	☐	☐	
11-115	K300149	103.63	106.68	3.05	0.005	381.0	0.54	0.98	2.85	☑	☐	☐	Duplicate of 148
11-115	K300150	106.68	109.20	2.52	0.005	42.0	0.12	0.31	0.90	☐	☐	☐	
11-115	K300151	109.20	112.25	3.05	0.005	126.0	0.27	0.36	0.24	☐	☐	☐	
11-115	K300152	112.25	114.30	2.05	0.005	228.0	0.20	1.54	2.43	☐	☐	☐	
11-115	K300153	114.30	117.35	3.05	0.005	109.5	0.06	0.89	1.71	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-115	K300154	117.35	120.09	2.74	0.005	147.5	0.08	0.84	2.14	☐	☐	☐	
11-115	K300155	120.09	123.00	2.91	0.005	37.2	0.04	0.56	1.37	☐	☐	☐	
11-115	K300157	123.00	124.97	1.97	0.005	33.4	0.07	0.92	1.70	☐	☐	☐	
11-115	K300158	124.97	128.02	3.05	0.005	18.0	0.06	0.83	1.45	☐	☐	☐	
11-115	K300160	128.02	131.06	3.04	0.005	138.0	1.05	1.72	3.84	☐	☐	☐	
11-115	K300161	144.78	147.83	3.05	0.005	96.1	0.34	1.08	2.02	☐	☐	☐	No recopvery between 131.06- 144.78m
11-115	K300162	147.83	149.96	2.13	0.005	19.0	0.06	0.98	1.13	☐	☐	☐	
11-115	K300163	149.96	150.88	0.92	0.005	17.0	0.06	0.96	1.15	☐	☐	☐	
11-115	K300164	150.88	153.92	3.04	0.005	11.3	0.04	0.94	1.17	☐	☐	☐	
11-115	K300165	153.92	155.45	1.53	0.005	12.8	0.05	0.96	1.21	☐	☐	☐	
11-115	K300166	155.45	158.50	3.05	0.005	17.1	0.04	1.03	1.22	☐	☐	☐	
11-115	K300167	158.50	161.54	3.04	0.005	19.2	0.04	1.12	1.38	☐	☐	☐	
11-115	K300168	161.54	164.59	3.05	0.005	19.1	0.04	1.01	1.24	☐	☐	☐	
11-115	K300169	164.59	167.64	3.05	0.005	20.8	0.04	0.97	1.22	☐	☐	☐	
11-115	K300170	167.64	170.69	3.05	0.005	35.6	0.05	0.98	1.18	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-115	K300171	170.69	173.74	3.05	0.005	30.0	0.04	0.97	1.16	☐	☐	☐	
11-115	K300172	173.74	176.78	3.04	0.005	28.3	0.04	1.12	1.42	☐	☐	☐	
11-115	K300174	176.78	179.00	2.22	0.005	32.4	0.05	1.05	1.16	☐	☐	☐	
11-115	K300175	179.00	181.05	2.05	0.005	89.4	0.09	1.24	1.18	☐	☐	☐	
11-115	K300176	181.05	184.00	2.95	0.005	36.7	0.06	1.05	1.08	☐	☐	☐	
11-115	K300178	184.00	185.93	1.93	0.005	32.2	0.08	1.02	1.29	☐	☐	☐	
11-115	K300179	185.93	188.98	3.05	0.005	32.9	0.08	1.13	1.22	☐	☐	☐	
11-115	K300180	188.98	192.02	3.04	0.005	29.9	0.08	1.00	1.18	☐	☐	☐	End of Batch 115
11-120	K300181	192.02	195.00	2.98	0.005	24.8	0.05	1.04	1.16	☐	☐	☐	Start of Batch 120
11-120	K300182	195.00	196.60	1.60	0.005	20.6	0.04	1.03	1.26	☐	☐	☐	
11-120	K300183	195.00	196.60	1.60	0.005	21.8	0.04	1.03	1.23	☑	☐	☐	Duplicate of 182
11-120	K300184	196.60	199.64	3.04	0.005	13.7	0.04	0.89	1.17	☐	☐	☐	
11-120	K300185	199.64	202.69	3.05	0.005	11.9	0.08	0.68	1.37	☐	☐	☐	
11-120	K300187	202.69	205.74	3.05	0.005	14.1	0.04	0.94	1.28	☐	☐	☐	
11-120	K300188	205.74	208.00	2.26	0.005	18.3	0.06	0.78	1.43	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-120	K300189	208.00	209.40	1.40	0.005	22.5	0.06	0.86	1.45	☐	☐	☐	
11-120	K300190	209.40	211.84	2.44	0.005	26.8	0.07	0.86	1.44	☐	☐	☐	
11-120	K300191	211.84	213.36	1.52	0.005	17.9	0.08	0.84	1.49	☐	☐	☐	
11-120	K300193	213.36	216.41	3.05	0.005	24.9	0.07	0.88	1.35	☐	☐	☐	
11-120	K300194	216.41	219.46	3.05	0.005	8.8	0.01	0.54	0.74	☐	☐	☐	
11-120	K300195	219.46	220.98	1.52	0.005	7.3	0.01	0.59	0.76	☐	☐	☐	
11-120	K300196	220.98	224.03	3.05	0.005	9.8	0.02	0.59	1.03	☐	☐	☐	
11-120	K300197	224.03	227.08	3.05	0.005	10.1	0.02	0.71	0.78	☐	☐	☐	
11-120	K300198	227.08	230.12	3.04	0.005	8.9	0.02	0.57	1.00	☐	☐	☐	EOH

Sample Results

PY -11-003

Pyramid

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-120	K300199	1.70	4.27	2.57	0.005	19.8	0.09	0.79	0.70	☐	☐	☐	
11-120	K300200	4.27	7.32	3.05	0.005	13.1	0.08	0.62	1.09	☐	☐	☐	
11-120	K300201	7.32	10.00	2.68	0.005	11.4	0.02	0.68	1.01	☐	☐	☐	
11-120	K300202	10.00	11.89	1.89	0.005	9.0	0.05	0.64	0.93	☐	☐	☐	
11-120	K300203	11.89	14.94	3.05	0.005	8.6	0.01	0.70	0.85	☐	☐	☐	
11-120	K300204	14.94	17.68	2.74	0.005	9.2	0.01	0.71	0.89	☐	☐	☐	
11-120	K300205	17.68	20.42	2.74	0.005	12.1	0.03	0.68	1.34	☐	☐	☐	
11-120	K300206	20.42	22.56	2.14	0.005	15.3	0.04	0.72	1.49	☐	☐	☐	
11-120	K300207	22.56	24.38	1.82	0.005	15.5	0.03	0.67	1.48	☐	☐	☐	
11-120	K300208	24.38	27.43	3.05	0.005	12.8	0.03	0.61	0.80	☐	☐	☐	
11-120	K300209	27.43	30.48	3.05	0.005	9.9	0.02	0.60	1.30	☐	☐	☐	EOH

ATAC resources ltd.

Sample Results

PY -11-004

Pyramid

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-128	K300211	0.00	0.00	0.00	0.320	613.0	9.73	110.00	7.39	☐	☐	☑	NT2
11-128	K300214	0.00	0.00	0.00	0.005	2.5	0.01	0.03	0.01	☐	☑	☐	NQ
11-131	K300230	0.00	0.00	0.00	0.010	2.5	0.01	0.06	0.01	☐	☑	☐	NQ
11-131	K300233	0.00	0.00	0.00	7.570	1040.0	5.48	18.50	12.50	☐	☐	☑	NT3
11-131	K300237	0.00	0.00	0.00	0.005	18.0	0.06	0.07	0.04	☐	☑	☐	NQ
11-120	K300210	6.85	8.52	1.67	0.005	10.7	0.02	0.59	0.88	☐	☐	☐	
11-120	K300212	8.52	11.58	3.06	0.005	8.0	0.03	0.61	0.94	☐	☐	☐	
11-120	K300213	11.58	14.63	3.05	0.005	11.2	0.01	0.76	0.95	☐	☐	☐	
11-120	K300215	14.63	17.68	3.05	0.005	10.3	0.01	1.06	1.03	☐	☐	☐	
11-120	K300216	17.68	20.73	3.05	0.005	12.6	0.03	0.62	1.37	☐	☐	☐	End of batch 120
11-131	K300217	20.73	22.25	1.52	0.005	16.5	0.04	0.63	1.27	☐	☐	☐	Start of batch 131
11-131	K300218	22.25	24.38	2.13	0.005	16.9	0.04	0.59	1.30	☐	☐	☐	
11-131	K300219	24.38	27.43	3.05	0.005	13.7	0.02	0.64	1.07	☐	☐	☐	
11-131	K300220	27.43	30.48	3.05	0.005	15.2	0.02	0.62	1.30	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-131	K300221	30.48	33.53	3.05	0.005	18.5	0.02	0.73	1.23	☐	☐	☐	
11-131	K300222	33.53	36.58	3.05	0.005	22.4	0.02	0.55	1.06	☐	☐	☐	
11-131	K300223	33.53	36.58	3.05	0.005	20.3	0.02	0.53	1.06	☑	☐	☐	Duplicate of 222
11-131	K300224	36.58	39.62	3.04	0.005	230.0	0.99	0.82	6.18	☐	☐	☐	
11-131	K300225	39.62	42.67	3.05	0.005	273.0	0.72	1.00	8.08	☐	☐	☐	
11-131	K300226	42.67	45.72	3.05	0.005	74.4	0.27	0.97	6.35	☐	☐	☐	
11-131	K300227	45.72	48.77	3.05	0.005	107.0	0.76	1.11	4.83	☐	☐	☐	
11-131	K300228	48.77	51.82	3.05	0.005	389.0	4.92	1.16	8.72	☐	☐	☐	
11-131	K300229	51.82	54.25	2.43	0.005	1060.0	11.00	1.23	18.15	☐	☐	☐	
11-131	K300231	54.25	55.78	1.53	0.005	22900.0	13.50	2.33	11.25	☐	☐	☐	
11-131	K300232	55.78	57.30	1.52	0.005	22200.0	32.60	2.20	9.02	☐	☐	☐	
11-131	K300234	57.30	58.82	1.52	0.005	28700.0	20.90	2.62	8.34	☐	☐	☐	
11-131	K300235	58.82	60.35	1.53	0.005	17550.0	18.40	3.79	31.30	☐	☐	☐	
11-131	K300236	60.35	61.87	1.52	0.010	193000.0	234.00	17.50	175.00	☐	☐	☐	

Sample Results

PY -11-005

Pyramid

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-131	K300245	0.00	0.00	0.00	0.330	611.0	8.90	117.50	7.73	☐	☐	☑	NT1
11-144	K300255	0.00	0.00	0.00	0.340	627.0	12.10	118.00	7.71	☐	☐	☑	NT1
11-144	K300257	0.00	0.00	0.00	0.005	62.0	1.86	0.90	0.10	☐	☑	☐	NQ
11-144	K300272	0.00	0.00	0.00	7.570	1020.0	5.77	19.80	13.10	☐	☐	☑	NT3
11-144	K300283	0.00	0.00	0.00	0.005	9.0	0.04	0.09	0.13	☐	☑	☐	NQ
11-148	K300294	0.00	0.00	0.00	0.005	2.5	0.01	0.06	0.10	☐	☑	☐	NQ
11-148	K300298	0.00	0.00	0.00	0.340	642.0	9.20	117.00	8.10	☐	☐	☑	NT1
11-131	K300238	0.51	0.91	0.40	0.005	132.0	0.71	1.02	0.60	☐	☐	☐	
11-131	K300239	0.91	3.81	2.90	0.005	210.0	2.25	1.89	0.47	☐	☐	☐	
11-131	K300240	3.81	5.49	1.68	0.010	6090.0	5.28	1.19	4.46	☐	☐	☐	
11-131	K300241	5.49	8.53	3.04	0.010	172.0	0.42	0.39	0.90	☐	☐	☐	
11-131	K300242	8.53	11.58	3.05	0.005	635.0	0.73	1.19	1.18	☐	☐	☐	
11-131	K300243	11.58	14.63	3.05	0.005	287.0	1.59	1.74	1.23	☐	☐	☐	
11-131	K300244	14.63	17.68	3.05	0.005	331.0	25.70	3.39	1.19	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-131	K300246	17.68	20.73	3.05	0.005	231.0	1.10	2.46	1.01	☐	☐	☐	
11-131	K300247	20.73	23.77	3.04	0.005	277.0	0.90	1.86	1.23	☐	☐	☐	
11-131	K300248	23.77	26.82	3.05	0.005	299.0	0.70	1.70	1.12	☐	☐	☐	
11-131	K300249	26.82	29.87	3.05	0.005	522.0	1.50	2.11	3.16	☐	☐	☐	
11-131	K300250	29.87	32.92	3.05	0.005	685.0	2.50	4.79	4.37	☐	☐	☐	
11-131	K300251	32.92	35.97	3.05	0.005	943.0	37.20	9.99	6.88	☐	☐	☐	
11-131	K300252	35.97	39.01	3.04	0.005	2600.0	43.30	13.20	15.60	☐	☐	☐	End of Batch 131
11-144	K300278	39.01	40.54	1.53	0.005	740.0	9.49	5.73	9.33	☐	☐	☐	
11-144	K300253	40.54	43.59	3.05	0.010	728.0	5.45	8.30	5.66	☐	☐	☐	
11-144	K300254	43.59	46.63	3.04	0.010	19300.0	326.00	285.00	15.95	☐	☐	☐	
11-144	K300256	46.63	49.68	3.05	0.005	5970.0	97.10	45.30	16.50	☐	☐	☐	
11-144	K300258	49.68	52.73	3.05	0.005	539.0	2.41	8.02	6.04	☐	☐	☐	
11-144	K300259	52.73	55.78	3.05	0.010	939.0	10.70	8.21	7.00	☐	☐	☐	
11-144	K300260	55.78	58.83	3.05	0.005	355.0	2.13	4.07	6.89	☐	☐	☐	
11-144	K300261	58.83	61.87	3.04	0.005	183.0	0.74	2.82	3.15	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-144	K300262	61.87	64.92	3.05	0.005	16850.0	205.00	201.00	13.10	☐	☐	☐	
11-144	K300263	64.92	66.46	1.54	0.005	86200.0	701.00	423.00	44.10	☐	☐	☐	no recovery between 66.46 and 67.97m
11-144	K300264	67.97	71.02	3.05	0.005	911.0	21.70	6.33	9.58	☐	☐	☐	no recovery between 71.02 to 75.59m
11-144	K300265	75.59	77.11	1.52	0.010	1120.0	7.32	7.73	6.61	☐	☐	☐	
11-144	K300266	77.11	80.16	3.05	0.005	412.0	1.86	2.03	4.65	☐	☐	☐	
11-144	K300267	80.16	83.21	3.05	0.010	843.0	1.30	9.22	7.96	☐	☐	☐	
11-144	K300268	83.21	86.26	3.05	0.005	646.0	2.30	6.36	8.14	☐	☐	☐	no recovery between 86.26 and 87.78m
11-144	K300269	87.78	90.83	3.05	0.010	224.0	4.94	2.40	8.00	☐	☐	☐	
11-144	K300270	90.83	92.35	1.52	0.005	278.0	15.10	1.77	6.73	☐	☐	☐	
11-144	K300271	92.35	93.88	1.53	0.005	8260.0	3.00	4.78	12.15	☐	☐	☐	
11-144	K300273	93.88	96.93	3.05	0.005	869.0	1.85	1.94	2.58	☐	☐	☐	
11-144	K300274	96.93	99.97	3.04	0.005	244.0	0.60	0.92	2.28	☐	☐	☐	
11-144	K300275	99.97	103.02	3.05	0.005	476.0	1.60	2.21	4.00	☐	☐	☐	
11-144	K300276	99.97	103.02	3.05	0.005	418.0	1.81	1.17	3.14	☑	☐	☐	Duplicate of 275
11-144	K300277	103.02	106.07	3.05	0.005	101.0	0.65	0.73	3.15	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-144	K300280	106.07	109.12	3.05	0.005	98.0	0.56	1.80	2.14	☐	☐	☐	
11-144	K300281	109.12	112.17	3.05	0.005	409.0	2.92	3.70	8.23	☐	☐	☐	
11-144	K300282	112.17	115.21	3.04	0.005	491.0	1.00	1.37	3.30	☐	☐	☐	
11-144	K300284	115.21	118.26	3.05	0.005	381.0	2.18	0.85	10.10	☐	☐	☐	
11-144	K300285	118.26	121.31	3.05	0.005	365.0	0.75	0.41	2.80	☐	☐	☐	
11-144	K300286	121.31	124.36	3.05	0.005	511.0	0.89	0.67	7.13	☐	☐	☐	
11-144	K300287	124.36	127.41	3.05	0.005	1280.0	8.10	9.37	38.20	☐	☐	☐	
11-144	K300288	127.41	130.45	3.04	0.005	1300.0	6.90	9.88	65.80	☐	☐	☐	End of Batch 144
11-148	K300289	130.45	133.50	3.05	0.005	5170.0	62.30	185.00	820.00	☐	☐	☐	
11-148	K300290	130.45	133.50	3.05	0.005	5830.0	77.00	253.00	870.00	☑	☐	☐	Duplicate of 289
11-148	K300291	133.50	136.55	3.05	0.005	254.0	1.80	1.18	5.62	☐	☐	☐	
11-148	K300292	136.55	139.60	3.05	0.005	489.0	2.11	0.96	2.77	☐	☐	☐	
11-148	K300293	139.60	142.65	3.05	0.005	2500.0	20.60	33.00	21.30	☐	☐	☐	
11-148	K300295	142.65	145.69	3.04	0.005	114.0	0.80	1.28	3.04	☐	☐	☐	
11-148	K300296	145.69	148.74	3.05	0.005	619.0	0.20	0.70	1.60	☐	☐	☐	

Batch	SampleID	From (m)	To (m)	Int. (m)	Au (g/t)	As (ppm)	Hg (ppm)	Sb (ppm)	Tl (ppm)	Dup	Blk	Std	Comments
11-148	K300297	148.74	151.79	3.05	0.005	977.0	0.70	0.56	1.86	☐	☐	☐	
11-148	K300299	151.79	153.50	1.71	0.005	740.0	1.31	1.41	1.53	☐	☐	☐	
11-148	K300300	153.50	156.36	2.86	0.005	884.0	1.19	1.08	10.85	☐	☐	☐	
11-148	K300301	156.36	159.41	3.05	0.005	119.5	0.76	1.00	6.65	☐	☐	☐	
11-148	K300302	159.41	162.46	3.05	0.005	59.8	0.45	0.85	2.69	☐	☐	☐	
11-148	K300303	162.46	165.51	3.05	0.005	68.7	0.42	0.88	1.66	☐	☐	☐	
11-148	K300304	165.51	168.55	3.04	0.005	75.7	0.57	1.11	1.37	☐	☐	☐	
11-148	K300305	168.55	170.08	1.53	0.005	60.3	0.58	0.75	1.49	☐	☐	☐	
11-148	K300306	170.08	173.13	3.05	0.005	78.0	0.83	0.80	1.39	☐	☐	☐	
11-148	K300307	173.13	176.17	3.04	0.005	101.5	0.54	0.76	1.13	☐	☐	☐	
11-148	K300308	176.17	179.22	3.05	0.005	67.7	0.42	0.97	0.88	☐	☐	☐	
11-148	K300309	179.22	182.27	3.05	0.005	119.0	0.53	1.03	0.86	☐	☐	☐	
11-144	K300279	182.27	183.79	1.52	0.010	92.6	0.36	1.18	0.97	☐	☐	☐	EOH

APPENDIX IV

SAMPLING AND ANALYTICAL PROCEDURES

2011 Core Geochemical Samples

Core was transported by helicopter from the drill sites to a logging area on the property where recovery was measured and geological and geotechnical logging was performed. Geologically and mineralogically favorable intervals from each hole were split in half using a diamond bladed core saw with one half sent for analysis and the other returned to the core box. All core is stored on the property.

Core samples were double bagged in plastic sample bags, grouped into batches of 36 and placed into rice bags for transport. Batches were flown out by helicopter to either the Rackla or Stewart airstrip then flown by fixed wing aircraft to Mayo. From Mayo the samples were transported by truck to Whitehorse escorted by a representative from Archer Cathro. The samples were submitted ALS in Whitehorse or further trucked to the Vancouver lab for preparation.

Core samples were dried and crushed to 70% minus 2 mm before a 250 g split was taken and pulverized to better than 85% minus 75 microns. To reduce contamination, equipment was twice washed with silica sand between samples. Splits of the pulverized fractions were routinely dissolved in four-acid "near-total" digestion and analyzed for 49 elements using the ME-MS61m method which includes combined inductively coupled plasma (ICP) with mass spectroscopy (MS) and atomic adsorption spectroscopy (AAS). Mercury was analyzed for using HG-CV41 methods by aqua regia digestion and atomic adsorption spectroscopy. Samples were analyzed for gold by fire assay finished with AAS (Au-AA26). Certificates of Analysis are found in Appendix VI.

APPENDIX V

QA/QC RESULTS

2011 QA/QC Results

During the field season, core samples were divided into batches, each containing 31 core samples, 2 blanks, 2 standards and 1 duplicate. A total of 614 blanks, 602 standards and 306 duplicates were inserted into the sample sequences. Blank samples each comprise 7 kg of landscaping marble obtained from a garden centre in Whitehorse. Samples of this material were randomly selected and analyzed prior to the field season define the baseline geochemical signature.

Four standards were chosen from CDN Resource Laboratories Ltd. prepared from matrix compatible material. Certificates for each of the standard samples occur in the following pages, while Table V summarizes the consensus and two standard deviation values for each of the standard samples used during the program.

Table V: Standard Sample Parameters

Sample	Consensus Value	2δ
NT-1	0.338 g/t Au	0.022
NT-2	2.59 g/t Au	0.18
NT-3	7.76 g/t Au	0.42
NT-4	15.98 g/t Au	0.71

Gold values from all blank samples were within acceptable range. Of the 283 batches analyzed in 2011, 21 contained standards that were out of acceptable range. All of these batches were reanalyzed by the laboratory to ensure results were accurate. Results from the reanalysis were typically showed little change in the values of non-standard values. A total of 306 duplicate samples, prepared from quarter core, were collected and analyzed throughout the program. In general there was little variation between the initial and duplicate samples.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-3G

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 2.59 ± 0.18 g/t (30g Fire Assay / ICP)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: March 10, 2010

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-3G was prepared using ore supplied by Barrick Gold Inc. from their Goldstrike Mine in Nevada, USA. It is Carlin Style Mineralization in the prolific Northern Carlin Trend in Northern Nevada, USA. The source material is from Devonian carbonates of the Popovich Formation. Gold is strongly associated with pyrite and other sulfides including the arsenic minerals orpiment and realgar.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
CDN-GS-3G-1	2.58	2.68	2.49	2.43	2.46	2.55	2.47	2.61	2.32	2.55	2.74	2.74	2.59	2.59	2.73
CDN-GS-3G-2	2.54	2.66	2.59	2.28	2.58	2.59	2.54	2.61	2.37	2.54	2.40	2.69	2.55	2.62	2.54
CDN-GS-3G-3	2.51	2.69	2.61	2.39	2.51	2.60	2.59	2.53	2.33	2.48	2.54	2.77	2.57	2.72	2.60
CDN-GS-3G-4	2.57	2.67	2.61	2.37	2.54	2.62	2.54	2.77	2.40	2.46	2.54	2.73	2.61	2.61	2.65
CDN-GS-3G-5	2.67	2.70	2.49	2.35	2.51	2.61	2.52	2.82	2.46	2.21	2.47	2.72	2.58	2.62	2.62
CDN-GS-3G-6	2.63	2.68	2.52	2.27	2.49	2.65	2.48	2.76	2.56	2.43	2.50	2.73	2.55	2.61	2.56
CDN-GS-3G-7	2.62	2.69	2.71	2.41	2.48	2.55	2.35	2.55	2.62	2.40	2.61	2.69	2.56	2.58	2.64
CDN-GS-3G-8	2.65	2.63	2.55	2.56	2.64	2.65	2.50	2.79	2.42	2.18	2.67	2.74	2.54	2.59	2.72
CDN-GS-3G-9	2.60	2.70	2.50	2.44	2.48	2.62	2.57	2.62	2.55	2.28	2.43	2.67	2.60	2.62	2.77
CDN-GS-3G-10	2.59	2.65	2.60	2.38	2.47	2.63	2.46	2.65	2.31	2.42	2.50	2.60	2.57	2.59	2.61
Mean	2.60	2.68	2.57	2.39	2.52	2.61	2.50	2.67	2.43	2.40	2.54	2.71	2.57	2.62	2.64
Std. Dev'n	0.0490	0.0227	0.0704	0.0830	0.0564	0.0371	0.0683	0.1049	0.1102	0.1300	0.1062	0.0480	0.0230	0.0406	0.0750
%RSD	1.89	0.85	2.74	3.47	2.24	1.42	2.73	3.93	4.53	5.43	4.18	1.77	0.89	1.55	2.84

Note: Data from Lab 4 was excluded for failing the t test.

APPROXIMATE CHEMICAL COMPOSITION:

	Percent			Percent			ppm
SiO2	45.1		Na2O	0.1		As	500
Al2O3	5.2		MgO	8.9		Sb	60
Fe2O3	2.7		K2O	1.1			
CaO	14.3		TiO2	0.2			
MnO	0.1		LOI	20.8			
Total S	1.4		Total C	5.9			
Sulphide S	0.9		Inorganic C	3.0			

REFERENCE MATERIAL: CDN-GS-3G

Statistical Procedures:


The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Acme Analytical Laboratories Ltd., Santiago, Chile
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
Alaska Assay Lab, Anchorage, Alaska, USA
ASA Argentina
ALS Chemex, North Vancouver, B.C., Canada
ALS Chemex, Nevada, USA
Assayers Canada Ltd., Vancouver, B.C., Canada
Bourlamaque Assay Laboratories, Quebec, Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
Labtium Inc., Finland
SGS, Toronto, Canada
SGS, Lima, Peru
TSL Laboratories Ltd., Saskatoon, SK, Canada

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by 

Duncan Sanderson, Certified Assayer of B.C.

Geochemist 

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-8B

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 7.76 ± 0.42 g/t (30g Fire Assay / AA / ICP finish
Gold concentration: 7.72 ± 0.32 g/t (30g Fire Assay / Gravimetric finish)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: October 15, 2010

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-8B was prepared using ore supplied by Barrick Gold Inc. from their Cortez Hills Mine in Nevada, USA. It is Carlin Style Mineralization in the prolific Northern Carlin Trend in Northern Nevada, USA. The source material is from Devonian carbonates of the Popovich Formation. Gold is strongly associated with oxidized pyrite and other sulfides including the arsenic minerals orpiment and realgar.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

ICP / AA	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
CDN-GS-8B-1		7.79	7.93	7.72	7.57	7.84	7.53	7.77	7.67	8.25	8.00	7.70	7.26	7.70	7.92
CDN-GS-8B-2		7.81	7.83	7.58	7.62	7.70	7.41	7.61	7.70	8.14	7.94	7.77	7.35	7.97	7.63
CDN-GS-8B-3		7.42	7.98	7.50	7.58	7.76	7.64	7.93	7.81	7.83	7.98	7.66	7.31	7.77	7.76
CDN-GS-8B-4		7.82	7.96	7.58	7.50	7.62	7.56	7.74	8.00	8.11	8.03	7.61	7.44	7.99	7.78
CDN-GS-8B-5		7.76	7.91	7.65	7.72	7.58	7.81	7.88	7.91	8.29	8.03	7.77	7.37	7.66	8.01
CDN-GS-8B-6		7.87	7.91	7.55	7.66	7.89	7.61	7.44	7.79	8.12	7.90	7.72	7.48	8.12	7.66
CDN-GS-8B-7		7.90	7.94	7.73	7.62	7.74	7.76	7.96	7.98	8.32	8.01	7.77	7.43	7.35	7.76
CDN-GS-8B-8		7.91	7.92	7.64	7.47	7.86	7.68	8.01	8.12	8.10	7.97	7.77	7.53	8.03	7.68
CDN-GS-8B-9		7.88	8.00	7.56	7.54	7.70	7.60	7.79	7.99	7.82	7.94	7.74	7.39	7.33	8.03
CDN-GS-8B-10		7.88	7.91	7.52	7.47	7.61	7.32	7.39	7.86	8.28	8.04	7.69	7.28	8.12	7.95
Mean		7.80	7.93	7.60	7.57	7.73	7.59	7.75	7.88	8.13	7.98	7.72	7.38	7.80	7.82
Std. Dev'n		0.1439	0.0468	0.0784	0.0802	0.1087	0.1484	0.2130	0.1433	0.1783	0.0465	0.0557	0.0875	0.2937	0.1480
%RSD		1.84	0.59	1.03	1.06	1.41	1.95	2.75	1.82	2.19	0.58	0.72	1.18	3.76	1.89

Gravimetric	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
CDN-GS-8B-1	7.75			7.67	8.00	7.83		7.87	7.96		7.82		7.67	7.70	7.33
CDN-GS-8B-2	7.88			7.61	7.98	7.90		7.88	7.66		7.85		7.87	7.40	7.73
CDN-GS-8B-3	7.51			7.56	7.47	7.96		7.85	7.56		7.85		7.43	7.57	8.00
CDN-GS-8B-4	7.61			7.62	8.02	7.93		7.75	7.85		7.85		7.80	7.37	8.00
CDN-GS-8B-5	7.95			7.73	7.88	7.80		7.80	7.68		7.68		7.83	7.90	7.80
CDN-GS-8B-6	7.71			7.59	8.13	7.73		7.70	7.69		7.89		7.27	7.53	7.93
CDN-GS-8B-7	7.61			7.61	7.76	7.78		7.87	7.61		7.85		7.03	7.67	8.07
CDN-GS-8B-8	7.58			7.52	7.70	7.75		7.79	7.77		7.78		7.57	7.43	7.93
CDN-GS-8B-9	7.44			7.59	7.88	7.87		7.66	7.67		7.82		7.67	7.70	7.73
CDN-GS-8B-10	7.44			7.58	7.86	7.84		7.85	7.50		7.75		7.67	7.40	7.60
Mean	7.65			7.61	7.87	7.84		7.80	7.70		7.81		7.58	7.57	7.81
Std. Dev'n	0.1759			0.0583	0.1887	0.0764		0.0770	0.1356		0.0617		0.2668	0.1737	0.2241
%RSD	2.30			0.77	2.40	0.97		0.99	1.76		0.79		3.52	2.30	2.87

Some laboratories did not report results by both gravimetric and AA / ICP finishes.

REFERENCE MATERIAL: CDN-GS-8B

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent			Percent			ppm
SiO2	50.5		Na2O	0.1		As	930
Al2O3	6.5		MgO	1.4		Sb	< 10
Fe2O3	2.1		K2O	1.9			
CaO	19.0		TiO2	0.4			
MnO	0.1		LOI	15.8			
Total S	1.3		Total C	5.6			
Sulphide S	1.1		Inorganic C	3.5			

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
Alaska Assay Laboratories, Fairbanks, Alaska, USA
ALS Chemex, North Vancouver, B.C., Canada
ALS Chemex, Nevada, USA
American Assay Laboratories, Nevada, USA
Assayers Canada Ltd., Vancouver, B.C., Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
Genalysis Lab Services, Australia
Inspectorate America Corporation, Richmond, B.C., Canada
Labtium Inc., Finland
OMAC Laboratories Ltd., Ireland
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Laboratories Ltd., Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by Duncan Sanderson

Duncan Sanderson, Certified Assayer of B.C.

Geochemist B W Smee

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-15B

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 15.98 ± 0.71 g/t (30g Fire Assay / Gravimetric finish)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: May 1, 2010

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-15B was prepared using ore supplied by Barrick Gold Inc. from their Goldstrike Mine in Nevada, USA. It is Carlin Style Mineralization in the prolific Northern Carlin Trend in Northern Nevada, USA. The source material is from Devonian carbonates of the Popovich Formation. Gold is strongly associated with pyrite and other sulfides including the arsenic minerals orpiment and realgar. 800kg of the -270 Barrick ore was blended with 46 kg of a high grade gold ore (also screened to -270).

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
SAMPLE	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-15B-1	16.17	15.95	16.60	16.4	15.95	15.7	15.5	15.6	15.77	16.3	16.07	16.4	15.49	16.09	16.29
GS-15B-2	16.40	16.25	15.90	15.7	16.18	15.5	15.5	15.6	16.10	16.2	15.70	15.8	15.55	15.63	16.59
GS-15B-3	16.46	15.70	16.30	16.5	16.11	15.6	15.6	16.0	16.12	15.9	15.67	16.4	15.11	16.10	16.79
GS-15B-4	16.49	16.00	16.30	15.8	15.75	15.4	15.9	15.8	15.35	16.0	15.67	16.5	14.96	16.23	15.12
GS-15B-5	16.61	16.25	15.83	16.4	16.03	15.3	16.0	15.0	15.64	16.1	15.70	16.1	14.93	16.00	15.79
GS-15B-6	16.62	15.90	16.20	16.6	15.89	15.6	16.0	14.7	15.35	16.3	16.13	16.4	15.83	16.13	15.80
GS-15B-7	16.38	15.85	15.77	16.4	16.25	15.9	16.0	15.2	15.98	15.9	15.93	16.3	15.43	15.93	16.09
GS-15B-8	16.41	16.00	16.23	16.6	16.01	15.5	16.1		15.36	16.5	16.03	16.2	15.23	16.40	15.79
GS-15B-9	16.24	15.80	15.80	16.6	16.04	15.4	15.9	15.4	16.13	16.6	16.03	16.4	15.57	16.19	15.63
GS-15B-10	16.47	15.90	16.47	15.9	16.23	15.7	15.7	15.4	15.43	16.3	15.70	16.3	15.97	15.52	16.49
Mean	16.43	15.96	16.14	16.29	16.04	15.56	15.82	15.41	15.72	16.21	15.86	16.28	15.41	16.02	16.04
Std. Dev'n	0.1421	0.1776	0.2962	0.3510	0.1566	0.1776	0.2251	0.4014	0.3393	0.2151	0.1911	0.2044	0.3492	0.2690	0.5083
%RSD	0.87	1.11	1.84	2.15	0.98	1.14	1.42	2.60	2.16	1.33	1.20	1.26	2.27	1.68	3.17

APPROXIMATE CHEMICAL COMPOSITION:

	Percent			Percent			ppm
SiO2	50.0		Na2O	0.1		As	1300
Al2O3	3.5		MgO	1.3		Sb	110
Fe2O3	5.0		K2O	0.5			
CaO	20.0		TiO2	0.2			
MnO	0.1		LOI	17.4			
Total S	2.0		Total C	5.3			
Sulphide S	1.4		Inorganic C	4.7			

REFERENCE MATERIAL: CDN-GS-15B

Statistical Procedures:


The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
Alaska Assay Lab, Anchorage, Alaska, USA
AGAT Laboratories, Mississauga, Ontario, Canada
ALS Chemex, North Vancouver, B.C., Canada
American Assay Laboratory, Nevada, USA
Assayers Canada Ltd., Vancouver, B.C., Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
International Plasma Laboratories, Richmond, B.C., Canada
Labtium Inc., Finland
SGS, Toronto, Canada
SGS, Lima, Peru
Skyline Assayers & Laboratories, Arizona, USA
TSL Laboratories Ltd., Saskatoon, SK, Canada

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by 

Duncan Sanderson, Certified Assayer of B.C.

Geochemist 

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-P3A

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 0.338 ± 0.022 g/t (30g Fire Assay / ICP)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: July 16, 2010

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-P3A was prepared using ore supplied by Barrick Gold Inc. from their Bald Mountain Mine in Nevada, USA. It is Carlin Style Mineralization in the prolific Battle Mountain-Eureka Trend in Northern Nevada, USA. The material is from breccias near the contact between the Mississippian Pilot Shale and the underlying Devonian Guilmette formation. Near the center of the system, micron-sized native Au occurs with base metal sulfides and sulfosalts. In peripheral deposits and in later stages of mineralization, Au is typically submicron in size and resides in pyrite or arsenopyrite.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 14 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14
Sample	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-P3A-1	0.349	0.354	0.330	0.32	0.348	0.335	0.340	0.276	0.291	0.36	0.36	0.334	0.37	0.335
GS-P3A-2	0.317	0.346	0.320	0.32	0.338	0.349	0.340	0.280	0.284	0.34	0.34	0.333	0.35	0.325
GS-P3A-3	0.326	0.345	0.351	0.32	0.340	0.338	0.350	0.295	0.272	0.34	0.34	0.331	0.34	0.327
GS-P3A-4	0.332	0.336	0.354	0.31	0.342	0.340	0.340	0.273	0.289	0.35	0.34	0.335	0.35	0.326
GS-P3A-5	0.336	0.332	0.333	0.31	0.340	0.347	0.330	0.289	0.274	0.35	0.32	0.340	0.33	0.343
GS-P3A-6	0.338	0.330	0.335	0.34	0.337	0.341	0.340	0.275	0.291	0.36	0.36	0.326	0.37	0.294
GS-P3A-7	0.332	0.339	0.329	0.32	0.335	0.345	0.340	0.289	0.268	0.37	0.33	0.341	0.33	0.292
GS-P3A-8	0.350	0.349	0.328	0.30	0.341	0.354	0.350	0.294	0.285	0.35	0.34	0.340	0.35	0.338
GS-P3A-9	0.330	0.342	0.330	0.30	0.333	0.350	0.350	0.286	0.321	0.35	0.33	0.333	0.35	0.295
GS-P3A-10	0.346	0.328	0.341	0.31	0.328	0.349	0.340	0.286	0.311	0.35	0.34	0.337	0.36	0.315
Mean	0.336	0.340	0.335	0.314	0.338	0.345	0.342	0.284	0.289	0.352	0.341	0.335	0.350	0.319
Std. Dev'n	0.0105	0.0086	0.0106	0.0108	0.0055	0.0061	0.0063	0.0079	0.0167	0.0092	0.0117	0.0047	0.0141	0.0191
%RSD	3.14	2.53	3.17	3.45	1.61	1.76	1.85	2.77	5.79	2.61	3.44	1.39	4.04	5.99

Note: Data from both Labs 8 and 9 was removed for failing the t test.

APPROXIMATE CHEMICAL COMPOSITION:

	Percent			Percent			ppm
SiO2	60.9		Na2O	0.5		As	560
Al2O3	11.2		MgO	0.2		Sb	50
Fe2O3	9.1		K2O	1.7			
CaO	0.6		TiO2	0.9			
MnO	< 0.1		LOI	13.6			
Total S	3.2		Total C	0.1			
Sulphide S	2.8		Inorganic C	0.1			

REFERENCE MATERIAL: CDN-GS-P3A

Statistical Procedures:


The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
AGAT Laboratories Ltd., Mississauga, Ontario, Canada
ALS Chemex, North Vancouver, B.C., Canada
ALS Chemex, Nevada, USA
American Assay Laboratories, Nevada, USA
Assayers Canada Ltd., Vancouver, B.C., Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
Genalysis Lab Services, Australia
Labtium Inc., Finland
OMAC Laboratories Ltd., Ireland
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Laboratories Ltd., Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by 

Duncan Sanderson, Certified Assayer of B.C.



Geochemist

Dr. Barry Smee, Ph.D., P. Geo.

APPENDIX VI

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

CERTIFICATE WH11113905

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11113905

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K296501		<0.01
K296502		0.01
K296503		<0.01
K296504		<0.01
K296505		<0.01
K296506		0.01
K296507		0.01
K296508		16.35
K296509		0.01
K296510		<0.01
K296511		<0.01
K296512		0.01
K296513		0.01
K296514		<0.01
K296515		<0.01
K296516		<0.01
K296517		<0.01
K296518		0.01
K296519		2.62
K296520		0.01
K296521		0.01
K296522		<0.01
K296523		<0.01
K296524		<0.01
K296525		0.01
K296526		0.01
K296527		<0.01
K296528		<0.01
K296529		<0.01
K296530		<0.01
K296531		<0.01
K296532		<0.01
K296533		0.03
K296534		<0.01
K296535		<0.01
K296536		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

CERTIFICATE WH11105291

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 2 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105291

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296537		2.82	<0.01	1.28	4.67	211	130	0.94	0.14	6.67	0.19	37.4	15.5	49	13.45	66.2
K296538		2.41	<0.01	0.09	3.85	87.3	150	0.96	0.13	6.91	0.11	40.8	8.7	26	11.15	29.1
K296539		2.10	<0.01	0.07	4.50	163.5	290	1.08	0.16	6.20	0.16	47.6	13.8	33	13.40	49.8
K296540		2.77	<0.01	0.07	4.68	260	150	1.11	0.17	9.46	0.13	52.0	12.1	37	14.45	35.2
K296541		0.26	2.65	0.94	3.24	590	860	0.73	0.28	7.99	2.26	49.9	6.8	50	4.20	43.2
K296542		1.89	0.01	0.02	0.51	634	70	0.26	0.02	23.2	0.15	12.30	2.8	5	1.18	4.3
K296543		5.72	0.05	0.07	7.65	343	280	2.30	0.30	2.50	0.09	86.2	16.7	57	29.8	35.6
K296544		3.42	<0.01	0.10	6.94	58.9	240	2.11	0.23	1.41	0.04	76.4	13.2	56	27.4	29.1
K296545		4.06	<0.01	0.06	6.96	83.6	280	1.97	0.25	1.44	0.05	76.8	13.4	58	25.4	34.9
K296546		3.38	<0.01	0.03	1.42	210	230	0.39	0.05	2.26	<0.02	17.05	3.0	22	4.47	6.5
K296547		4.33	<0.01	0.05	7.69	130.5	240	2.30	0.28	1.28	0.06	89.4	17.9	59	33.5	34.5
K296548		2.11	<0.01	0.06	7.41	126.5	230	2.22	0.27	1.30	0.03	86.5	17.0	57	32.8	32.4
K296549		6.37	0.09	0.06	7.46	1025	190	2.29	0.26	1.78	0.13	85.2	15.7	61	29.5	38.0
K296550		5.24	0.06	0.07	5.80	1010	150	1.67	0.28	3.98	0.09	61.7	15.2	48	22.6	44.1
K296551		0.26	0.33	0.33	6.21	602	1240	0.63	0.27	0.44	0.18	136.5	2.9	237	3.57	29.6
K296552		6.51	0.01	0.13	1.96	1650	70	0.79	0.09	16.20	0.07	21.3	7.3	18	8.27	18.2
K296553		5.94	0.04	0.05	6.41	796	180	1.85	0.30	3.76	0.13	62.9	17.7	62	30.2	59.1
K296554		7.83	0.01	0.09	5.72	952	220	1.71	0.22	4.91	0.18	58.3	14.9	59	24.7	45.1
K296555		7.14	0.03	0.06	8.79	566	250	2.91	0.40	1.22	0.04	95.9	14.3	74	37.2	25.2
K296556		4.66	0.17	0.06	7.10	4960	190	1.98	0.29	6.39	0.06	74.0	10.8	53	24.7	22.7
K296557		7.06	<0.01	0.01	0.12	9	20	0.05	0.01	20.9	0.05	1.52	0.7	3	0.32	3.9
K296558		6.77	<0.01	0.01	0.96	366	90	0.38	0.03	29.7	0.08	15.70	2.7	8	2.91	6.1
K296559		8.98	<0.01	0.01	0.58	375	80	0.26	0.03	31.9	0.05	11.15	2.0	6	1.82	5.5
K296560		7.72	<0.01	0.02	0.91	836	260	0.37	0.04	30.4	0.07	13.60	3.1	9	3.28	8.8
K296561		7.56	0.02	0.04	1.73	901	130	0.49	0.08	26.4	0.10	24.1	5.7	17	6.45	14.8
K296562		8.37	0.02	0.04	1.20	2480	80	0.31	0.05	29.1	0.10	16.10	3.7	11	4.01	9.9
K296563		6.38	<0.01	0.02	1.03	1070	70	0.31	0.05	33.1	0.19	18.90	3.5	10	3.07	9.1
K296564		1.78	<0.01	0.03	1.62	638	100	0.41	0.07	30.6	0.16	23.8	4.8	14	5.30	12.5
K296565		6.61	0.01	0.02	0.98	978	190	0.30	0.04	32.6	0.08	14.60	3.2	9	2.91	8.4
K296566		7.40	0.05	0.02	1.12	444	130	0.32	0.05	33.4	0.09	16.60	3.6	11	3.59	9.8
K296567		7.47	0.02	0.01	0.62	307	100	0.23	0.03	32.5	0.04	10.65	2.2	6	2.14	5.6
K296568		6.81	0.07	0.03	0.65	1960	80	0.18	0.03	34.1	0.09	11.50	2.3	6	2.11	5.6
K296569		7.09	<0.01	0.01	0.06	5	20	0.05	<0.01	20.9	0.05	1.06	0.6	2	0.12	1.8
K296570		7.14	0.02	0.03	0.77	600	90	0.27	0.01	33.5	0.16	12.45	2.4	8	2.32	8.2
K296571		8.23	0.09	0.03	0.76	254	120	0.22	0.04	35.1	0.09	12.45	2.6	7	1.99	6.4
K296572		7.60	0.04	0.01	0.58	1920	110	0.20	0.02	34.5	0.13	10.15	2.0	6	1.59	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105291

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296537		5.08	11.60	0.14	2.0	1.62	0.058	1.97	17.4	29.4	3.05	1060	16.55	0.03	7.3	28.4
K296538		3.75	9.52	0.13	1.9	1.19	0.040	1.66	19.0	32.9	3.29	735	1.31	0.02	6.4	14.5
K296539		3.92	11.55	0.16	2.2	2.19	0.053	1.93	22.4	27.2	2.87	722	2.39	0.02	8.4	22.2
K296540		3.39	11.55	0.14	2.2	2.28	0.048	2.10	25.9	11.0	2.45	740	1.22	0.03	7.9	22.7
K296541		2.13	7.71	0.13	1.7	4.57	0.029	0.98	31.0	34.6	2.53	277	19.20	0.03	7.2	51.4
K296542		1.51	1.29	0.06	0.2	0.90	0.009	0.23	5.6	1.3	6.89	1280	0.21	0.01	1.0	2.8
K296543		4.25	20.0	0.21	2.8	2.03	0.062	3.32	45.9	18.5	1.41	1070	0.98	0.05	9.9	35.7
K296544		3.47	17.75	0.19	2.7	0.87	0.055	2.96	41.1	27.8	0.77	532	0.48	0.06	9.4	31.6
K296545		3.99	17.85	0.20	2.6	1.10	0.053	2.94	41.1	29.1	0.81	930	0.60	0.05	9.2	31.0
K296546		1.65	3.28	0.08	0.6	0.31	0.012	0.55	8.7	39.3	0.90	1200	0.21	0.01	1.8	7.3
K296547		4.00	20.4	0.20	2.8	1.54	0.058	3.28	47.3	21.0	0.81	745	0.46	0.07	10.2	38.1
K296548		3.72	19.95	0.20	2.7	1.64	0.059	3.15	45.3	20.7	0.79	778	0.45	0.07	9.9	35.8
K296549		4.26	20.3	0.22	3.1	4.80	0.061	3.27	43.7	15.2	1.00	688	1.20	0.05	10.6	34.6
K296550		3.85	15.20	0.19	3.0	5.46	0.057	2.59	31.0	13.0	2.18	851	0.89	0.03	9.8	35.4
K296551		6.70	20.7	0.26	4.5	9.9	0.048	1.30	65.6	19.6	0.12	37	6.34	0.38	10.0	17.2
K296552		2.32	5.02	0.10	0.9	2.01	0.020	0.87	10.2	5.4	8.98	2320	1.97	0.02	3.4	25.0
K296553		4.57	17.20	0.21	3.4	7.5	0.063	2.92	31.3	14.0	2.09	695	0.97	0.03	10.3	42.2
K296554		4.43	14.80	0.18	3.0	7.57	0.057	2.53	29.0	14.3	2.66	691	1.61	0.03	9.2	33.5
K296555		4.35	25.1	0.22	3.2	4.78	0.069	4.18	50.1	18.8	0.93	394	0.38	0.04	14.3	36.3
K296556		3.98	18.00	0.21	2.7	7.2	0.053	3.20	39.9	13.8	3.46	616	0.42	0.03	10.7	25.6
K296557		0.47	0.30	<0.05	<0.1	0.02	0.005	0.04	0.7	1.2	12.85	200	0.14	0.01	0.2	2.3
K296558		1.02	2.46	0.09	0.4	0.91	0.012	0.43	8.1	3.1	2.12	572	0.45	0.01	2.5	1.4
K296559		0.52	1.45	0.10	0.2	0.15	0.007	0.26	5.6	2.8	0.79	380	0.40	0.01	1.0	1.6
K296560		0.70	2.25	0.10	0.3	0.52	0.010	0.41	7.0	4.4	0.94	534	0.62	0.01	1.5	3.5
K296561		1.32	4.41	0.11	0.8	3.46	0.019	0.69	11.6	8.0	2.60	420	1.03	0.01	2.6	8.2
K296562		0.95	3.00	0.10	0.5	2.85	0.016	0.49	7.9	5.1	2.04	405	0.68	0.01	1.8	4.9
K296563		0.82	2.61	0.11	0.4	2.14	0.013	0.43	9.6	3.4	0.70	355	0.57	0.01	1.6	4.3
K296564		0.98	3.92	0.11	0.7	2.71	0.016	0.71	12.0	6.3	0.69	182	0.91	0.02	2.2	6.5
K296565		0.73	2.38	0.10	0.4	2.30	0.011	0.42	7.5	3.6	0.57	309	0.42	0.01	1.6	3.8
K296566		0.74	2.71	0.11	0.4	2.04	0.011	0.49	8.8	4.5	0.44	225	0.58	0.01	1.7	4.6
K296567		0.44	1.54	0.10	0.2	1.28	0.006	0.26	5.3	3.0	0.32	207	0.28	0.01	1.1	2.4
K296568		0.45	1.63	0.12	0.2	3.14	0.009	0.28	5.9	3.1	0.34	313	0.35	0.01	1.1	2.6
K296569		0.47	0.17	0.06	<0.1	0.02	<0.005	0.01	0.5	0.9	12.65	217	0.10	<0.01	0.1	1.5
K296570		0.51	1.94	0.07	0.3	2.50	0.010	0.32	6.4	3.3	0.44	186	0.34	0.01	0.9	4.2
K296571		0.52	1.90	0.14	0.3	2.18	0.008	0.33	6.3	3.4	0.50	285	0.28	0.01	1.3	3.7
K296572		0.40	1.53	0.14	0.2	1.43	0.010	0.25	5.2	2.7	0.56	320	0.25	0.01	1.0	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105291

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296537		400	10.7	91.8	0.002	3.15	1.22	14.9	2	1.3	154.0	0.48	0.08	4.3	0.369	2.80
K296538		300	9.1	77.1	<0.002	2.13	0.54	8.3	1	1.3	131.5	0.43	<0.05	4.7	0.242	3.05
K296539		390	12.1	93.4	0.002	2.29	0.97	11.6	2	1.5	146.0	0.53	0.08	5.4	0.299	3.67
K296540		410	15.2	99.1	<0.002	1.81	0.98	10.3	2	1.5	266	0.53	0.05	7.1	0.268	4.21
K296541		890	36.5	52.5	0.023	1.55	105.5	5.4	4	2.5	75.4	0.45	0.17	6.2	0.169	4.12
K296542		300	10.6	11.9	<0.002	0.12	1.89	1.5	1	0.2	360	0.05	<0.05	1.2	0.025	0.62
K296543		910	19.6	172.0	0.002	3.94	1.43	15.8	2	2.3	116.0	0.78	0.06	13.2	0.332	5.46
K296544		1370	17.0	150.5	<0.002	3.17	0.55	13.7	2	2.0	134.0	0.73	0.05	11.8	0.322	5.33
K296545		1170	16.8	144.5	<0.002	3.69	0.94	13.7	2	1.9	136.0	0.69	0.06	11.8	0.311	4.47
K296546		410	4.4	32.0	<0.002	0.59	0.53	2.9	1	0.4	93.3	0.13	<0.05	2.6	0.063	1.49
K296547		1010	18.9	173.0	<0.002	3.77	1.67	15.4	2	2.2	92.4	0.80	0.07	13.9	0.342	2.86
K296548		1000	18.5	164.5	<0.002	3.46	1.77	15.1	2	2.1	90.2	0.76	0.07	13.2	0.329	2.86
K296549		590	17.5	160.0	0.004	3.94	4.51	16.9	2	2.3	100.5	0.84	0.06	13.6	0.381	7.50
K296550		480	14.7	128.0	<0.002	3.36	4.46	15.7	2	1.8	173.0	0.73	0.09	9.9	0.384	5.36
K296551		910	16.7	52.1	0.003	3.03	119.0	17.3	2	3.1	491	0.76	0.13	9.6	0.550	7.77
K296552		220	26.9	47.3	0.013	1.81	6.10	5.4	2	0.6	423	0.22	<0.05	2.9	0.129	2.85
K296553		430	18.7	144.5	0.002	4.07	4.77	19.7	2	1.9	181.0	0.76	0.11	9.6	0.459	5.43
K296554		370	17.8	125.5	0.006	4.00	4.06	16.9	2	1.8	221	0.68	0.06	8.9	0.424	8.08
K296555		310	26.0	200	<0.002	3.81	6.73	16.8	2	3.1	122.5	1.10	<0.05	18.6	0.363	6.84
K296556		330	18.7	160.5	<0.002	3.45	15.80	13.8	2	2.2	194.0	0.83	<0.05	14.2	0.301	13.70
K296557		210	1.8	1.8	0.002	0.03	0.11	0.2	1	0.2	49.9	<0.05	<0.05	<0.2	<0.005	0.03
K296558		540	2.4	22.6	0.002	0.29	0.62	2.5	2	0.3	1540	0.14	<0.05	1.5	0.071	1.29
K296559		230	2.3	13.8	<0.002	0.27	0.67	1.9	2	0.2	1585	0.06	<0.05	1.0	0.029	0.81
K296560		230	3.8	22.5	0.003	0.36	0.93	2.6	2	0.3	1490	0.10	<0.05	1.6	0.047	1.43
K296561		470	8.9	39.7	0.004	0.97	3.51	4.8	2	0.5	1285	0.18	<0.05	2.8	0.087	4.07
K296562		910	7.6	27.1	0.003	0.75	5.93	3.1	2	0.4	1405	0.11	<0.05	1.9	0.058	3.28
K296563		500	5.6	24.0	0.002	0.32	2.20	2.8	2	0.4	1460	0.10	<0.05	1.7	0.050	2.38
K296564		160	5.7	37.9	0.003	0.76	2.05	4.2	2	0.4	1875	0.15	<0.05	2.6	0.076	3.90
K296565		510	3.6	23.0	0.002	0.36	2.07	2.6	2	0.3	1675	0.10	<0.05	1.7	0.049	3.29
K296566		220	3.9	26.7	0.003	0.58	2.15	3.0	2	0.3	1840	0.10	<0.05	1.9	0.056	3.69
K296567		210	2.7	14.6	0.002	0.34	1.57	1.7	2	0.2	1825	0.06	<0.05	1.0	0.031	2.97
K296568		260	3.3	15.4	0.002	0.44	8.44	2.0	2	0.2	1665	0.06	<0.05	1.1	0.032	8.11
K296569		160	1.6	0.7	<0.002	0.01	0.12	0.2	1	0.2	56.2	<0.05	<0.05	<0.2	<0.005	0.04
K296570		210	3.9	14.3	0.002	0.47	2.54	2.3	1	0.4	1785	0.07	<0.05	1.2	0.038	5.24
K296571		390	3.6	17.1	<0.002	0.43	2.59	1.9	2	0.3	1660	0.08	<0.05	1.3	0.039	5.09
K296572		260	2.5	13.3	<0.002	0.40	4.38	1.8	2	0.2	1645	0.06	<0.05	1.0	0.029	4.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105291

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296537		1.2	114	13.8	18.6	77	77.6
K296538		1.4	60	1.6	16.7	56	71.0
K296539		1.6	81	1.6	19.1	60	84.9
K296540		2.3	71	1.9	18.2	67	82.5
K296541		8.8	228	28.3	20.7	209	68.5
K296542		2.1	7	0.5	5.7	91	12.5
K296543		3.1	89	2.5	22.3	95	94.9
K296544		3.1	70	1.3	20.9	82	89.9
K296545		2.8	70	1.3	19.9	89	86.2
K296546		0.6	14	0.4	5.4	24	22.9
K296547		2.8	78	2.7	21.9	115	93.1
K296548		2.7	75	2.8	21.3	69	91.3
K296549		2.9	116	6.4	21.2	88	97.7
K296550		1.9	105	5.1	19.3	54	98.1
K296551		7.9	165	21.7	16.0	43	173.5
K296552		5.9	78	1.4	8.1	23	34.3
K296553		2.0	130	4.9	21.8	67	109.5
K296554		2.6	125	1.6	18.9	88	101.5
K296555		2.8	89	4.0	20.2	66	104.5
K296556		2.7	77	6.3	17.2	63	88.5
K296557		0.7	2	0.1	0.9	16	0.6
K296558		1.8	17	0.9	12.1	20	17.2
K296559		1.6	9	0.4	10.3	8	10.2
K296560		2.1	15	0.4	10.9	10	15.6
K296561		3.3	28	1.2	18.3	17	30.0
K296562		2.8	18	0.8	14.1	15	21.7
K296563		2.2	16	0.7	13.1	39	17.8
K296564		2.7	24	1.0	17.0	36	23.8
K296565		2.5	15	0.7	14.0	13	17.2
K296566		2.6	17	0.6	13.6	13	18.5
K296567		2.0	9	0.4	10.8	5	10.2
K296568		2.2	10	0.4	11.3	13	10.2
K296569		0.6	2	0.1	0.8	16	<0.5
K296570		2.1	11	0.5	12.1	30	11.1
K296571		2.3	11	0.6	11.9	11	14.0
K296572		2.1	9	0.5	11.6	16	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105291

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

CERTIFICATE WH11105130

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105130

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296573		6.62	0.43	0.07	0.81	5620	90	0.20	0.04	34.2	0.06	12.75	3.7	8	2.26	11.6
K296574		5.66	0.25	0.06	0.56	1670	110	0.15	0.03	36.3	0.56	9.64	3.0	6	1.41	11.1
K296575		8.43	8.34	0.83	0.92	>10000	150	0.16	0.06	26.2	0.18	14.80	4.4	10	2.49	12.7
K296576		0.67	26.9	2.45	1.35	>10000	320	0.17	0.11	8.11	0.46	27.0	5.2	15	2.53	19.6
K296577		7.02	0.01	0.03	0.07	75	20	0.06	0.02	21.5	0.07	1.34	1.7	<1	0.15	2.7
K296578		2.65	10.15	1.19	1.29	5800	280	0.21	0.07	26.3	0.26	22.1	5.4	13	2.75	14.7
K296579		1.84	8.37	1.80	2.99	>10000	310	0.37	0.12	6.35	1.14	38.8	10.2	30	6.45	27.4
K296580		1.72	8.18	1.33	2.08	3700	170	0.26	0.09	23.2	0.51	23.9	6.3	20	4.31	14.5
K296581		2.58	11.25	2.03	1.79	>10000	360	0.23	0.10	12.00	0.82	33.8	7.1	23	3.40	19.1
K296582		5.24	5.50	1.14	1.22	2850	140	0.18	0.06	25.5	0.50	22.0	5.0	13	2.04	13.5
K296583		2.48	11.40	2.06	3.16	1540	380	0.36	0.15	9.30	1.42	54.2	11.4	34	4.62	33.6
K296584		7.72	6.52	1.06	1.63	1150	210	0.21	0.08	23.3	0.50	22.0	6.0	18	2.63	18.0
K296585		7.26	3.07	0.17	1.72	693	160	0.25	0.08	23.8	0.31	26.5	6.1	17	3.50	16.4
K296586		4.70	1.57	0.11	1.35	344	120	0.22	0.06	29.4	0.18	17.55	5.2	12	3.33	12.7
K296587		8.31	1.43	0.12	0.95	4370	120	0.20	0.04	29.9	0.18	13.75	4.5	41	2.42	9.7
K296588		4.34	1.27	0.09	0.91	6510	120	0.18	0.04	31.7	0.15	13.10	3.7	8	2.30	9.0
K296589		7.01	4.52	0.13	2.13	534	220	0.32	0.10	23.9	0.28	27.7	8.3	21	5.30	20.7
K296590		7.18	4.30	0.14	1.72	607	170	0.25	0.08	26.4	0.21	21.7	6.7	18	4.66	16.4
K296591		7.33	7.35	0.35	1.69	747	190	0.22	0.09	21.6	0.41	33.1	6.4	17	3.80	16.1
K296592		7.61	8.43	0.52	2.33	930	210	0.31	0.12	17.85	0.60	32.6	8.2	22	5.63	20.8
K296593		7.54	3.65	0.13	1.28	394	130	0.20	0.06	26.8	0.25	17.00	4.9	12	3.07	12.9
K296594		0.20	0.35	0.32	6.34	608	950	0.58	0.27	0.52	0.18	120.0	3.3	236	3.22	32.3
K296595		7.70	3.47	0.11	1.92	395	130	0.27	0.09	25.1	0.27	24.2	7.2	17	4.57	18.1
K296596		6.29	2.36	0.12	0.84	313	100	0.15	0.05	32.0	0.16	14.00	3.9	9	1.80	8.9
K296597		7.10	2.73	0.17	1.12	300	110	0.18	0.05	30.4	0.24	16.70	4.8	11	2.48	11.0
K296598		7.02	0.01	0.01	0.06	<5	10	0.07	0.02	20.4	0.06	1.45	1.3	5	0.19	4.9
K296599		7.08	3.84	0.11	1.64	448	130	0.25	0.07	29.0	0.36	21.9	6.1	15	3.65	15.5
K296600		7.79	0.77	0.06	0.68	152	110	0.16	0.03	31.7	0.14	10.95	3.0	6	1.60	6.4
K296601		7.17	1.64	0.13	1.87	293	110	0.33	0.09	28.2	0.11	24.1	7.0	15	5.74	15.7
K296602		7.66	3.09	0.18	2.05	395	110	0.31	0.09	27.8	0.17	23.8	7.8	16	4.98	16.1
K296603		0.20	2.77	1.09	3.34	608	880	0.68	0.30	8.51	2.24	44.0	7.8	52	3.61	43.6
K296604		7.29	0.30	0.03	0.57	112	80	0.13	0.03	36.1	0.06	9.74	2.7	5	1.12	6.0
K296605		7.59	1.60	0.12	0.95	213	110	0.17	0.04	32.5	0.31	15.45	3.2	9	2.07	11.6
K296606		7.61	9.84	0.54	4.15	832	180	0.54	0.18	14.90	0.60	48.4	11.8	38	9.79	35.0
K296607		7.84	2.19	0.12	1.06	189	100	0.18	0.05	30.8	0.28	13.15	3.3	10	2.50	9.3
K296608		7.32	0.70	0.06	0.96	111	110	0.21	0.04	32.6	0.09	13.15	3.2	9	2.80	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105130

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296573		0.56	2.08	0.07	0.4	3.73	0.015	0.34	7.6	4.6	0.26	766	0.56	0.01	1.5	5.3
K296574		0.45	1.50	0.07	0.3	2.71	0.008	0.24	5.5	2.9	0.45	607	0.37	0.01	1.2	3.6
K296575		1.04	2.46	0.07	0.4	16.7	0.042	0.36	8.5	6.3	0.19	1420	0.47	0.01	1.6	6.0
K296576		2.43	3.56	0.10	0.6	39.2	0.030	0.44	15.3	19.1	0.11	731	0.64	<0.01	1.9	8.7
K296577		0.45	0.45	0.16	<0.1	0.05	<0.005	0.03	0.7	2.1	13.05	204	0.12	<0.01	0.4	3.5
K296578		1.43	3.53	0.09	0.6	20.2	0.019	0.50	12.1	7.4	0.23	2600	0.60	0.01	2.3	7.2
K296579		1.94	7.90	0.11	1.3	28.6	0.060	1.13	21.7	21.2	0.21	575	1.29	0.01	5.6	15.1
K296580		1.38	5.26	0.08	1.0	25.0	0.034	0.86	13.6	8.5	0.23	1400	0.55	0.01	3.7	8.3
K296581		1.59	5.07	0.13	0.8	31.0	0.053	0.66	17.7	12.5	0.14	1240	0.77	0.01	3.0	12.5
K296582		0.97	3.32	0.09	0.5	19.6	0.019	0.48	11.9	7.0	0.14	1520	0.69	<0.01	2.1	7.6
K296583		2.40	8.46	0.19	1.4	35.8	0.020	1.23	29.2	14.8	0.21	871	2.59	0.01	4.9	20.9
K296584		1.25	4.36	0.08	0.7	24.3	0.017	0.65	12.7	7.9	0.19	1520	1.16	0.01	2.6	10.0
K296585		1.12	4.48	0.10	0.7	13.1	0.015	0.73	14.9	6.6	0.19	1370	0.94	0.01	2.8	9.7
K296586		0.85	3.46	0.07	0.6	6.10	0.010	0.56	10.6	5.4	0.21	1160	0.64	0.01	2.3	7.8
K296587		0.61	2.78	0.05	0.4	3.78	0.017	0.41	8.1	4.1	0.17	3800	0.88	0.01	1.8	22.7
K296588		0.57	2.73	0.06	0.4	3.23	0.018	0.40	7.7	3.9	0.18	3550	0.44	0.01	1.8	5.2
K296589		1.39	5.55	0.09	0.9	12.7	0.014	0.89	16.3	7.9	0.22	1180	1.00	0.01	3.6	13.7
K296590		1.20	4.70	0.08	0.8	12.9	0.018	0.73	12.8	6.5	0.22	4230	0.73	0.01	2.9	10.3
K296591		1.26	4.71	0.09	0.8	17.9	0.016	0.71	18.8	7.9	0.18	3070	0.78	0.01	2.8	9.9
K296592		1.65	6.19	0.09	1.0	22.6	0.018	0.99	18.7	10.6	0.22	2350	1.05	0.01	3.6	12.8
K296593		0.89	3.48	0.06	0.6	10.30	0.010	0.53	9.9	6.0	0.20	1940	0.50	0.01	2.2	7.2
K296594		6.68	19.85	0.31	4.1	8.7	0.049	1.35	65.3	17.6	0.12	42	6.62	0.38	11.1	18.2
K296595		1.25	5.19	0.07	0.8	10.0	0.015	0.82	15.2	7.1	0.22	3270	1.05	0.01	3.2	11.6
K296596		0.64	2.46	0.07	0.4	10.45	0.008	0.37	8.3	3.8	0.20	2270	0.47	0.01	1.6	5.4
K296597		0.77	2.95	0.08	0.5	6.02	0.012	0.49	9.7	4.4	0.20	1260	0.61	0.01	2.0	6.0
K296598		0.45	0.25	0.05	<0.1	6.94	<0.005	0.02	0.7	1.1	12.70	207	0.11	0.01	0.3	3.5
K296599		1.07	4.18	0.08	0.7	0.03	0.016	0.73	13.2	5.6	0.24	801	0.91	0.01	2.7	8.0
K296600		0.46	2.03	0.06	0.3	10.35	0.008	0.30	6.5	2.5	0.21	2800	0.27	0.01	1.3	3.1
K296601		1.20	4.67	0.08	0.8	2.03	0.016	0.80	15.5	5.6	0.31	1180	0.66	0.01	3.0	10.5
K296602		1.38	4.92	0.07	1.0	4.70	0.014	0.82	15.2	6.1	0.29	1360	0.91	0.01	3.6	9.6
K296603		2.18	7.65	0.12	1.7	4.20	0.029	1.02	30.6	35.9	2.64	290	19.35	0.03	7.7	57.3
K296604		0.38	1.71	0.07	0.3	1.83	0.011	0.23	5.7	2.1	0.18	2010	0.36	0.01	1.2	3.8
K296605		0.63	2.93	<0.05	0.5	3.57	0.012	0.40	8.4	3.4	0.20	1940	0.50	0.01	1.6	4.4
K296606		2.75	12.50	<0.05	2.1	14.3	0.027	1.76	28.2	15.2	0.33	1960	1.81	0.01	5.6	17.1
K296607		0.81	3.18	<0.05	0.6	3.34	0.012	0.47	7.4	3.9	0.21	2790	0.33	0.01	1.7	3.4
K296608		0.63	2.64	<0.05	0.5	2.20	0.011	0.44	7.5	3.5	0.24	776	0.19	0.01	1.6	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105130

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296573		170	5.4	18.7	0.002	0.83	17.45	2.7	2	0.2	1230	0.08	<0.05	1.4	0.040	13.30
K296574		860	3.8	12.4	<0.002	0.49	6.83	2.1	2	0.2	1530	0.06	<0.05	1.1	0.029	8.53
K296575		340	7.7	20.4	0.002	3.00	111.0	3.2	3	0.8	1030	0.09	0.11	1.6	0.045	48.5
K296576		980	17.0	26.7	0.002	3.66	135.0	1.5	3	1.3	716	0.12	0.22	2.5	0.061	121.5
K296577		190	1.4	1.4	<0.002	0.02	0.44	0.4	1	<0.2	48.4	<0.05	<0.05	0.2	<0.005	0.35
K296578		1020	10.2	28.4	0.002	1.94	50.1	8.1	3	0.5	1340	0.14	0.10	2.3	0.069	56.1
K296579		580	14.9	58.4	0.004	2.59	71.3	4.2	3	1.0	591	0.36	0.08	4.7	0.179	73.2
K296580		330	11.4	48.6	<0.002	1.75	44.3	6.9	3	0.6	860	0.22	0.06	3.3	0.107	59.9
K296581		1260	12.2	39.5	0.003	3.26	116.0	4.2	3	0.7	1010	0.19	0.10	3.4	0.093	84.2
K296582		360	5.3	26.7	0.002	1.23	42.5	6.7	3	0.4	717	0.12	0.05	2.1	0.063	51.4
K296583		1090	11.0	59.6	0.008	2.71	64.4	5.5	3	1.1	1100	0.32	0.11	5.5	0.169	89.5
K296584		810	7.1	36.8	0.004	1.48	52.1	8.7	3	0.5	1040	0.16	0.07	2.6	0.082	67.6
K296585		550	6.1	40.5	0.004	1.33	26.5	8.6	3	0.5	1160	0.17	0.06	2.8	0.088	36.1
K296586		150	6.5	32.4	0.002	0.96	13.10	6.1	3	0.4	1560	0.13	0.06	2.1	0.069	20.8
K296587		110	3.2	24.0	0.002	0.89	15.55	5.9	2	0.3	1540	0.10	<0.05	1.5	0.049	12.50
K296588		110	3.1	23.0	0.002	0.96	17.60	5.6	2	0.3	1700	0.09	0.05	1.4	0.047	10.80
K296589		430	7.8	51.0	0.004	1.71	29.2	4.9	3	0.6	1550	0.22	0.08	3.4	0.116	40.5
K296590		390	6.6	40.9	0.003	1.45	30.2	7.4	3	0.5	1130	0.17	0.06	2.7	0.095	41.3
K296591		620	9.2	40.3	0.003	1.54	42.4	8.4	3	0.6	981	0.17	0.06	3.0	0.088	56.2
K296592		550	12.8	51.7	0.004	1.98	52.4	7.3	3	0.7	728	0.23	0.08	3.7	0.116	73.6
K296593		760	7.2	31.1	0.002	1.08	24.0	6.5	2	0.4	1110	0.13	0.05	2.2	0.067	35.4
K296594		900	17.2	54.6	0.003	3.13	115.5	16.9	3	2.9	507	0.76	0.13	8.4	0.565	8.22
K296595		330	7.2	46.9	0.003	1.54	23.9	9.5	3	0.5	1090	0.20	0.07	3.2	0.100	35.6
K296596		440	9.5	21.2	0.002	0.77	17.40	8.3	3	0.3	1180	0.09	0.06	1.6	0.045	25.3
K296597		530	5.6	27.5	0.002	0.92	16.70	6.6	3	0.3	1260	0.12	<0.05	2.0	0.057	26.6
K296598		170	2.9	1.5	<0.002	0.01	0.09	0.4	1	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.09
K296599		670	8.6	40.3	0.004	1.34	23.9	6.8	2	0.5	1330	0.16	0.07	2.8	0.081	37.4
K296600		400	3.0	16.9	<0.002	0.49	4.28	5.1	2	0.2	1450	0.07	<0.05	1.2	0.034	7.45
K296601		170	6.0	43.3	0.002	1.37	9.75	6.3	2	0.6	1190	0.18	0.05	3.0	0.095	17.95
K296602		280	6.9	45.1	0.002	1.63	17.60	5.0	2	0.6	935	0.22	0.05	3.2	0.117	25.3
K296603		910	35.4	50.3	0.024	1.62	106.0	5.5	4	2.4	74.2	0.45	0.18	6.3	0.179	4.16
K296604		410	2.5	12.9	<0.002	0.42	3.59	4.0	2	0.2	1050	0.06	<0.05	0.9	0.028	6.50
K296605		410	5.5	23.0	0.002	0.74	9.90	4.6	2	0.4	1220	0.10	<0.05	1.5	0.048	14.45
K296606		480	15.5	92.0	0.005	3.26	40.8	7.5	2	1.6	705	0.44	0.10	6.5	0.217	60.6
K296607		380	4.9	26.9	<0.002	0.91	9.66	5.0	2	0.4	1270	0.11	<0.05	1.6	0.054	14.75
K296608		150	3.8	24.6	<0.002	0.68	4.94	3.1	2	0.3	1580	0.10	<0.05	1.4	0.050	9.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105130

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296573		2.2	12	0.8	13.9	8	15.3	
K296574		2.4	9	0.5	12.5	79	12.2	
K296575		3.3	13	0.9	14.0	12	16.7	3.51
K296576		5.9	22	1.4	19.9	22	22.6	2.34
K296577		1.0	3	0.1	1.0	18	0.5	
K296578		5.1	20	1.6	22.2	24	25.9	
K296579		5.0	51	3.7	32.9	119	49.6	1.270
K296580		3.8	33	2.4	18.8	53	39.5	
K296581		6.2	28	2.6	24.2	72	34.5	3.32
K296582		3.3	21	1.8	22.0	49	22.6	
K296583		7.4	56	3.9	29.7	138	56.0	
K296584		3.8	28	2.1	21.3	44	28.9	
K296585		3.8	28	2.0	20.3	34	30.6	
K296586		3.2	21	1.3	16.9	20	23.9	
K296587		2.7	16	1.1	16.4	19	17.4	
K296588		2.5	14	1.0	16.4	17	16.9	
K296589		4.7	33	2.5	31.4	30	37.1	
K296590		4.0	27	2.1	25.4	18	31.2	
K296591		5.5	26	2.2	37.4	40	30.4	
K296592		5.8	37	2.6	36.6	59	39.3	
K296593		3.8	19	1.6	20.0	23	24.0	
K296594		8.0	172	23.5	16.1	43	179.5	
K296595		4.3	30	2.3	25.8	28	33.0	
K296596		3.2	14	1.3	17.5	15	17.1	
K296597		4.0	17	6.2	18.8	31	21.2	
K296598		1.4	2	0.2	0.9	14	0.5	
K296599		5.3	24	2.2	21.0	57	28.9	
K296600		2.3	10	0.8	15.8	16	13.0	
K296601		2.6	27	1.7	15.6	24	33.3	
K296602		2.5	30	2.4	13.4	40	44.6	
K296603		9.1	240	28.6	21.5	215	70.5	
K296604		1.9	9	0.7	13.4	9	11.0	
K296605		2.3	14	1.3	13.7	35	16.1	
K296606		3.9	63	4.9	18.7	83	64.4	
K296607		2.1	15	1.2	10.7	28	18.4	
K296608		1.7	14	0.9	9.1	34	16.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105130

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

CERTIFICATE WH11105290

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 4 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105290

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296001		5.40	<0.01	0.47	6.54	45.3	170	1.78	0.22	7.79	0.25	60.9	29.5	62	35.3	129.5
K296002		9.25	0.01	0.46	7.43	19.4	260	1.60	0.22	3.92	0.29	57.7	32.6	78	38.7	160.0
K296003		8.24	<0.01	0.47	7.28	18.5	200	1.54	0.22	4.33	0.30	57.7	33.9	77	25.0	151.0
K296004		5.06	<0.01	0.52	7.61	46.3	200	1.77	0.24	3.29	0.36	64.5	33.4	79	33.3	163.0
K296005		3.25	<0.01	0.52	7.45	39.4	310	1.86	0.23	3.30	0.32	62.1	32.7	79	52.2	160.5
K296006		5.19	0.04	0.47	7.55	120.0	270	2.29	0.35	2.15	0.31	84.5	35.4	69	26.7	122.5
K296007		0.26	16.80	1.00	2.03	1240	210	0.39	0.55	15.15	0.67	33.9	3.7	36	2.60	61.0
K296008		9.64	<0.01	0.15	6.26	42.3	270	2.05	0.33	4.58	0.08	72.2	27.9	60	28.5	91.9
K296009		3.15	<0.01	0.11	6.72	51.9	260	2.26	0.35	5.73	0.11	81.7	25.5	60	28.2	90.6
K296010		1.23	<0.01	0.11	6.96	83.2	250	2.25	0.35	4.61	0.15	81.8	29.9	65	26.2	102.5
K296011		3.50	<0.01	0.06	3.99	63	210	1.05	0.16	18.95	0.09	44.7	12.0	29	13.75	34.8
K296012		2.15	<0.01	0.07	4.93	98	180	1.25	0.21	13.25	0.09	56.0	16.0	38	17.75	47.0
K296013		8.99	<0.01	0.12	6.45	57.0	180	1.21	0.21	4.60	0.32	54.1	28.2	63	24.8	132.5
K296014		9.31	0.01	0.13	6.30	120.5	150	1.35	0.20	4.67	0.30	54.4	28.3	62	28.6	125.5
K296015		2.54	<0.01	0.17	3.82	168	100	1.00	0.17	17.15	0.07	44.1	12.7	30	12.70	34.9
K296016		6.90	0.03	0.25	5.82	166.0	140	1.56	0.22	6.42	0.17	58.6	21.2	49	27.7	85.2
K296017		8.37	<0.01	0.04	2.12	83	70	0.70	0.07	21.6	0.11	28.3	4.0	18	9.17	11.3
K296018		5.66	<0.01	0.09	8.65	139.5	230	2.47	0.37	2.00	0.06	98.7	18.2	65	38.4	40.2
K296019		5.70	<0.01	0.11	7.01	115.5	190	1.98	0.25	2.31	0.04	80.3	13.7	53	26.9	29.6
K296020		3.40	<0.01	0.06	7.13	169.5	180	1.77	0.24	8.27	0.08	80.8	12.5	47	25.0	26.4
K296021		7.41	0.05	0.06	6.83	266	190	1.79	0.26	2.64	0.08	81.0	14.5	50	24.3	29.3
K296022		6.91	<0.01	0.11	5.36	131.0	160	1.56	0.24	6.05	0.17	57.5	15.5	49	20.4	48.5
K296023		7.05	<0.01	0.01	0.09	5	20	0.07	0.03	21.6	0.06	1.61	1.2	2	0.24	3.0
K296024		1.60	<0.01	0.08	1.87	84	100	0.83	0.07	20.2	0.24	23.7	4.1	13	6.98	8.5
K296025		5.06	0.03	0.08	4.40	432	140	1.04	0.16	13.05	0.06	51.7	7.5	32	15.00	13.6
K296026		4.95	0.03	0.14	6.32	609	220	0.98	0.10	9.49	0.21	102.0	18.9	23	23.8	19.7
K296027		6.98	<0.01	<0.01	0.07	<5	20	0.06	0.01	20.4	0.06	1.37	1.1	2	0.20	1.8
K296028		8.11	<0.01	0.13	6.16	228	210	1.45	0.16	9.72	0.19	87.7	17.0	32	22.7	32.2
K296029		5.16	<0.01	0.15	6.36	104.5	160	0.90	0.02	9.75	0.17	126.0	22.9	6	27.9	13.6
K296030		6.89	<0.01	0.03	1.29	36	90	0.38	0.06	28.1	0.03	18.10	4.1	12	3.98	9.1
K296031		11.55	<0.01	0.06	2.99	283	140	0.52	0.11	25.0	0.06	40.9	10.0	17	9.50	14.5
K296032		0.26	0.34	0.31	5.91	570	910	0.56	0.26	0.46	0.18	137.5	2.8	227	3.65	29.7
K296033		10.57	0.06	0.11	3.63	428	680	0.70	0.14	21.6	0.09	42.7	13.9	30	11.35	27.6
K296034		11.37	<0.01	0.05	3.12	360	130	0.59	0.13	23.7	0.08	35.2	10.8	27	11.15	21.2
K296035		10.70	<0.01	0.04	2.38	86	90	0.56	0.11	24.9	0.12	30.1	8.6	21	7.40	15.6
K296036		10.85	<0.01	0.04	4.64	180	180	1.00	0.18	17.60	0.06	54.1	14.3	36	17.00	29.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105290

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296001		6.45	19.15	0.20	3.7	0.18	0.095	2.17	29.3	164.0	2.21	1140	0.85	0.03	14.4	47.3
K296002		7.76	21.3	0.24	4.0	0.06	0.099	2.16	26.5	155.0	1.97	976	0.40	0.17	14.9	53.2
K296003		7.52	21.8	0.22	3.8	0.16	0.100	1.86	26.9	108.5	1.83	1110	0.42	0.05	14.9	54.7
K296004		7.69	22.6	0.24	4.1	0.13	0.109	2.38	29.9	129.0	1.84	1060	0.63	0.06	16.6	56.4
K296005		7.62	21.8	0.21	4.1	0.14	0.102	2.53	28.4	208	1.75	1030	0.80	0.14	15.4	54.1
K296006		5.18	22.5	0.22	3.9	2.74	0.079	3.36	41.9	27.3	1.32	1850	3.94	0.04	11.4	54.9
K296007		3.65	3.96	0.12	0.8	4.78	0.066	0.39	19.2	43.1	0.71	461	13.25	0.01	3.8	19.1
K296008		4.24	16.65	0.20	3.0	0.30	0.069	3.04	37.1	16.0	1.83	2380	0.99	0.04	9.8	46.8
K296009		4.25	18.45	0.21	3.3	0.20	0.077	3.22	42.1	20.7	1.20	1800	0.85	0.04	11.0	43.2
K296010		4.71	19.05	0.21	3.3	0.32	0.078	3.27	41.6	14.3	1.94	2700	1.88	0.04	10.6	49.1
K296011		2.59	8.96	0.13	1.5	0.33	0.039	1.70	23.9	14.2	1.22	1280	0.83	0.02	5.4	17.5
K296012		3.13	11.80	0.17	2.0	0.39	0.050	2.14	29.8	16.8	1.24	1380	1.14	0.03	7.1	24.5
K296013		7.38	17.80	0.22	3.4	2.26	0.095	2.10	25.0	103.0	2.27	1060	0.49	0.02	13.5	48.9
K296014		6.68	17.80	0.22	3.2	2.55	0.093	2.27	25.5	82.4	2.33	1140	1.74	0.02	13.4	49.6
K296015		2.52	8.89	0.13	1.5	1.63	0.039	1.63	24.0	7.7	2.82	1570	0.79	0.03	5.1	19.0
K296016		5.02	15.60	0.20	2.8	3.75	0.075	2.48	29.1	35.5	2.67	1330	1.08	0.03	11.3	36.2
K296017		1.63	4.91	0.09	0.9	0.77	0.019	0.94	14.5	8.5	3.81	605	0.36	0.02	3.4	6.3
K296018		4.71	23.4	0.24	2.9	1.37	0.072	3.78	51.1	20.4	1.19	604	0.88	0.05	12.2	36.8
K296019		3.74	17.80	0.20	2.5	1.72	0.061	3.00	42.1	16.3	1.08	886	0.47	0.06	9.7	28.3
K296020		3.66	17.35	0.18	2.4	2.93	0.057	3.09	42.1	10.5	1.75	742	1.22	0.05	9.7	25.0
K296021		4.45	17.50	0.20	2.4	3.13	0.052	2.89	41.8	13.3	1.08	995	0.82	0.05	9.4	30.5
K296022		4.23	14.00	0.18	2.7	3.16	0.059	2.36	28.5	11.4	2.99	947	1.60	0.03	9.6	36.1
K296023		0.44	0.37	0.22	<0.1	0.01	<0.005	0.04	0.8	1.2	12.70	191	0.18	0.01	0.4	0.9
K296024		2.12	4.49	0.10	0.6	1.01	0.020	0.81	11.7	6.0	4.50	1280	1.26	0.02	2.7	9.2
K296025		2.86	10.10	0.13	1.6	2.60	0.038	1.84	26.5	12.2	3.15	1420	0.61	0.03	9.3	16.1
K296026		4.32	14.75	0.22	3.0	2.67	0.066	2.70	51.1	15.4	1.79	1450	1.41	0.03	38.7	15.0
K296027		0.44	0.30	0.21	<0.1	0.01	<0.005	0.03	0.7	1.0	12.15	210	0.08	<0.01	0.4	1.3
K296028		4.12	14.65	0.19	2.8	1.12	0.065	2.56	43.7	21.7	2.40	911	0.99	0.04	26.6	19.4
K296029		4.50	15.00	0.22	3.4	0.68	0.077	2.36	59.5	47.4	1.76	1020	2.07	0.03	58.5	5.2
K296030		1.04	3.16	0.09	0.5	0.32	0.013	0.55	10.0	4.2	0.92	385	0.73	0.01	2.6	2.8
K296031		2.66	6.77	0.11	1.3	1.01	0.030	1.17	21.3	18.9	1.14	827	0.79	0.03	12.2	7.6
K296032		6.43	19.30	0.25	4.2	8.41	0.049	1.23	66.2	15.9	0.12	37	6.51	0.36	10.0	15.9
K296033		2.03	8.77	0.11	1.8	2.39	0.037	1.53	22.4	8.5	0.79	718	1.15	0.03	6.2	16.8
K296034		1.79	7.57	0.11	1.3	3.06	0.034	1.32	20.7	5.8	0.79	742	0.85	0.02	4.7	12.9
K296035		1.37	5.78	0.11	1.1	1.23	0.027	1.04	15.4	4.6	0.59	681	0.43	0.02	3.7	10.0
K296036		2.85	11.10	0.13	2.1	2.29	0.045	2.00	29.3	9.1	0.93	840	0.43	0.03	7.0	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105290

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296001		670	10.4	147.5	0.002	0.18	0.35	25.1	3	2.1	191.5	0.94	0.23	7.2	0.577	1.33
K296002		700	11.2	155.0	0.002	0.07	0.25	27.9	3	2.2	145.0	1.03	0.24	6.8	0.732	0.70
K296003		580	12.3	129.0	0.003	0.14	0.29	28.3	3	2.2	133.5	1.02	0.23	7.3	0.715	0.80
K296004		740	13.5	169.5	0.004	0.12	0.43	28.5	3	2.7	127.5	1.11	0.26	7.5	0.718	0.97
K296005		740	12.0	181.5	0.003	0.13	0.37	27.8	3	2.3	105.0	1.06	0.25	7.7	0.716	0.98
K296006		410	24.4	195.5	0.012	1.94	3.08	19.9	7	2.9	111.5	0.85	0.13	12.9	0.405	7.24
K296007		670	21.7	30.5	0.007	2.03	158.0	4.0	3	2.0	49.4	0.25	0.35	3.4	0.108	3.66
K296008		390	22.6	176.5	0.002	0.62	0.95	16.5	3	2.3	114.5	0.67	0.16	9.8	0.316	2.19
K296009		390	20.4	188.5	0.004	0.49	0.84	18.2	3	2.4	155.5	0.75	0.18	10.5	0.347	1.96
K296010		390	23.9	188.5	0.003	0.35	1.12	18.5	3	2.4	114.5	0.72	0.17	10.5	0.347	2.62
K296011		310	11.5	93.2	<0.002	0.75	0.39	9.6	2	1.1	580	0.36	0.07	5.1	0.189	1.10
K296012		350	14.3	120.0	0.002	0.72	0.47	12.4	3	1.5	421	0.46	0.08	6.8	0.242	1.53
K296013		590	10.9	153.5	0.004	7.30	0.39	25.9	3	1.9	118.5	0.85	0.23	5.8	0.618	4.36
K296014		590	10.8	156.0	0.004	6.69	1.18	24.9	3	2.1	134.0	0.82	0.22	5.8	0.588	6.92
K296015		480	10.6	85.9	0.002	1.40	0.76	9.3	1	1.1	368	0.34	0.07	5.3	0.179	2.68
K296016		500	13.3	141.0	0.002	4.25	0.82	18.1	2	2.0	146.5	0.71	0.14	7.1	0.427	6.47
K296017		390	10.2	54.2	<0.002	0.70	0.52	3.8	1	0.7	612	0.23	<0.05	3.8	0.100	1.76
K296018		650	21.6	185.5	<0.002	4.22	0.84	16.8	2	2.6	169.0	0.87	0.06	14.5	0.371	3.68
K296019		920	16.0	150.5	<0.002	3.19	0.71	13.4	2	2.0	104.0	0.68	0.06	11.4	0.310	4.23
K296020		560	15.9	150.5	0.005	3.21	1.28	12.3	2	2.2	238	0.68	<0.05	11.8	0.287	5.69
K296021		890	19.2	145.5	0.002	4.03	3.13	14.1	2	1.9	108.0	0.69	0.05	11.4	0.291	7.74
K296022		490	17.8	116.5	0.005	3.41	0.90	14.5	2	2.0	223	0.64	0.07	8.1	0.386	6.60
K296023		250	1.3	2.2	<0.002	<0.01	0.45	0.3	1	<0.2	49.4	<0.05	<0.05	<0.2	<0.005	0.02
K296024		260	8.9	45.0	0.005	0.86	0.31	4.0	1	0.5	647	0.18	<0.05	2.9	0.074	2.07
K296025		760	17.7	88.2	<0.002	1.92	3.13	7.4	1	1.2	414	0.58	<0.05	7.4	0.239	8.44
K296026		2720	10.8	136.0	0.002	3.18	2.99	13.1	2	1.5	321	2.05	0.05	7.3	0.884	13.05
K296027		200	1.1	1.6	<0.002	<0.01	<0.05	0.3	1	<0.2	41.8	<0.05	<0.05	<0.2	<0.005	0.03
K296028		1910	12.7	128.5	0.002	2.45	0.88	13.5	2	1.5	337	1.51	0.06	7.8	0.674	4.88
K296029		4340	4.5	118.0	0.002	2.90	0.57	13.1	2	1.2	337	3.13	<0.05	5.4	1.305	5.94
K296030		200	6.3	29.2	0.002	0.64	0.48	3.3	2	0.4	1235	0.15	<0.05	1.9	0.077	1.26
K296031		900	6.6	62.9	0.002	2.05	0.84	6.7	1	0.7	772	0.66	0.05	3.5	0.303	3.75
K296032		870	16.7	48.4	0.002	2.90	113.5	15.5	2	2.9	480	0.75	0.13	8.2	0.515	7.68
K296033		280	10.2	78.5	0.002	1.71	1.52	8.7	2	1.1	722	0.41	0.08	5.2	0.220	7.22
K296034		220	9.3	65.9	0.003	1.57	2.07	7.7	1	1.0	733	0.31	0.06	4.4	0.160	8.01
K296035		210	8.4	51.1	<0.002	1.12	0.49	5.8	1	0.7	778	0.25	0.06	3.6	0.128	3.10
K296036		230	12.5	99.7	<0.002	2.53	1.22	11.2	2	1.4	546	0.47	0.06	6.8	0.245	6.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105290

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296001		2.2	180	1.3	31.1	87	131.5
K296002		1.9	233	0.9	30.0	101	139.0
K296003		2.0	227	1.0	30.5	105	137.0
K296004		2.2	229	1.2	31.9	107	147.0
K296005		2.2	230	1.1	31.8	101	144.0
K296006		3.5	162	3.1	25.2	94	131.0
K296007		3.4	109	223	17.1	76	33.7
K296008		2.6	97	1.5	21.6	91	113.0
K296009		2.9	105	1.5	23.3	89	121.5
K296010		2.8	125	1.6	23.5	94	123.0
K296011		1.7	56	0.8	18.4	49	61.8
K296012		2.0	72	1.2	20.4	62	77.5
K296013		1.6	203	1.0	25.8	96	127.5
K296014		1.7	193	1.6	25.4	94	126.0
K296015		2.1	54	1.7	20.0	51	58.9
K296016		1.9	131	1.5	23.7	78	109.5
K296017		5.1	25	0.7	8.5	44	40.0
K296018		3.0	93	2.4	20.7	104	103.0
K296019		2.5	71	1.9	19.1	80	92.5
K296020		3.0	84	4.1	18.6	75	90.3
K296021		2.5	78	5.8	20.3	97	88.6
K296022		2.4	107	3.3	18.3	81	98.1
K296023		0.6	3	0.1	1.0	16	0.6
K296024		2.9	34	0.8	10.6	80	25.4
K296025		2.0	50	2.9	15.3	62	65.6
K296026		1.9	129	5.8	27.6	97	132.0
K296027		0.5	2	0.1	0.8	15	0.5
K296028		2.1	117	2.3	23.5	91	114.5
K296029		1.4	167	1.4	32.7	62	155.5
K296030		2.0	19	0.3	10.9	11	23.3
K296031		1.7	55	1.1	15.8	33	56.9
K296032		7.3	160	22.4	14.8	42	171.0
K296033		2.8	58	2.0	18.0	41	67.1
K296034		2.2	45	1.4	16.0	61	52.4
K296035		1.8	33	0.7	13.8	51	43.4
K296036		2.0	63	1.4	21.0	56	78.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105290

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

CERTIFICATE WH11105131

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 5

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105131

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296037		10.90	<0.01	0.04	4.22	100	160	1.06	0.18	21.6	0.09	45.7	13.5	32	12.75	24.3
K296038		10.93	<0.01	0.05	3.24	124	150	0.78	0.13	25.3	0.09	31.0	10.5	25	10.70	19.4
K296039		10.86	<0.01	0.04	2.58	130	130	0.56	0.11	28.8	0.09	21.9	8.7	20	8.25	15.2
K296040		9.77	<0.01	0.04	3.08	114	130	0.67	0.13	25.3	0.09	28.3	9.6	23	8.36	17.4
K296041		7.13	<0.01	0.02	0.08	<5	20	0.06	0.03	20.4	0.08	1.24	1.4	1	0.15	3.8
K296042		8.96	0.05	0.04	1.83	144	100	0.48	0.08	30.1	0.19	19.25	6.7	14	4.57	12.3
K296043		4.43	0.04	0.03	1.73	137	100	0.47	0.08	30.2	0.08	18.15	6.0	13	4.29	11.3
K296044		11.73	<0.01	0.04	3.23	164	160	0.78	0.14	23.6	0.10	31.0	10.3	26	8.14	20.0
K296045		7.34	0.24	0.07	3.66	763	120	0.76	0.16	21.4	0.09	34.9	10.7	30	9.15	25.1
K296046		7.38	4.48	0.41	7.11	>10000	250	1.76	0.24	1.25	0.26	74.3	20.4	85	34.6	54.3
K296047		0.24	7.80	0.48	3.59	938	160	0.83	0.60	11.85	4.05	47.8	5.7	101	7.38	35.3
K296048		5.38	3.25	0.17	8.50	8360	240	2.19	0.29	0.66	0.31	71.0	23.0	99	48.1	58.2
K296049		5.99	0.75	0.12	7.05	835	250	1.66	0.25	1.90	0.20	61.6	20.4	74	33.0	50.5
K296050		10.31	0.48	0.08	8.36	1255	370	2.32	0.22	1.45	0.08	67.4	20.8	88	29.1	44.3
K296051		5.63	0.90	0.88	8.62	2070	340	2.61	0.25	0.96	0.14	69.2	20.8	96	31.7	52.3
K296052		6.05	0.61	0.12	5.03	2390	260	0.88	0.18	3.08	0.14	42.7	14.2	53	11.00	36.8
K296053		10.80	1.28	0.10	6.66	6480	300	1.31	0.25	3.03	0.50	57.2	19.7	74	17.15	46.4
K296054		11.58	0.07	0.10	8.26	320	190	1.97	0.33	1.71	0.38	73.6	22.0	83	28.2	56.5
K296055		10.84	0.13	0.10	8.33	357	240	1.88	0.34	2.13	0.35	75.4	19.0	78	22.6	55.4
K296056		7.04	<0.01	0.01	0.13	12	20	0.06	0.02	21.2	0.07	1.64	1.2	1	0.32	2.3
K296057		10.85	0.10	0.13	9.05	375	250	2.25	0.38	1.96	0.43	83.7	23.6	84	27.0	63.2
K296058		1.64	<0.01	0.14	6.66	13.6	70	1.24	0.18	5.75	0.33	45.0	27.2	61	11.30	135.0
K296059		2.12	<0.01	0.16	7.34	154.5	140	1.52	0.20	4.05	0.28	48.3	30.3	70	12.60	147.5
K296060		0.86	<0.01	0.15	7.52	20.5	110	1.40	0.20	3.69	0.33	48.4	29.8	73	13.10	164.5
K296061		1.32	<0.01	0.17	7.59	95.7	200	1.33	0.21	3.84	0.27	50.3	27.8	76	10.90	150.0
K296062		1.75	<0.01	0.12	6.42	37.6	360	1.29	0.13	5.51	0.28	50.3	27.0	62	8.84	117.0
K296063		1.89	<0.01	0.13	7.02	59.9	130	1.46	0.18	4.88	0.26	45.9	25.7	67	9.46	131.5
K296064		8.33	<0.01	0.13	6.57	39.1	80	1.29	0.19	6.13	0.26	43.2	24.6	60	5.87	121.5
K296065		7.81	<0.01	0.15	7.03	39.8	360	1.59	0.18	5.05	0.27	44.9	28.7	66	6.60	150.5
K296066		0.26	2.79	1.01	3.43	607	870	0.73	0.30	8.22	2.42	44.4	7.1	58	4.03	41.0
K296067		3.44	<0.01	0.13	6.51	22.4	100	1.12	0.20	4.93	0.28	40.9	27.3	67	13.05	136.0
K296068		0.90	<0.01	0.11	6.68	22.1	110	1.04	0.14	5.58	0.30	39.1	24.0	69	12.90	121.5
K296069		2.89	0.01	0.11	6.20	59.1	80	1.25	0.16	4.86	0.24	45.8	28.5	69	10.25	122.0
K296070		3.26	0.01	0.10	7.19	58.0	140	1.88	0.20	3.88	0.24	53.4	33.5	77	8.20	179.5
K296071		3.57	<0.01	0.14	6.28	59.2	90	1.46	0.16	5.91	0.21	43.3	28.6	64	6.15	149.0
K296072		2.53	0.01	0.10	5.77	162.0	120	1.29	0.18	8.28	0.34	44.7	25.8	51	10.50	125.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105131

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296037		2.58	11.15	0.16	2.0	0.85	0.049	1.79	25.3	10.5	1.14	745	0.45	0.03	6.1	14.7
K296038		1.77	7.51	0.14	1.4	1.27	0.040	1.43	17.7	7.2	0.96	572	0.56	0.02	4.5	10.9
K296039		1.74	5.95	0.12	1.1	2.18	0.032	1.09	12.5	6.0	1.22	567	0.56	0.02	3.6	7.2
K296040		1.88	7.10	0.13	1.4	1.87	0.037	1.33	16.3	6.2	1.47	548	0.54	0.02	4.3	9.6
K296041		0.47	0.39	0.42	<0.1	0.01	0.006	0.03	0.6	1.1	12.35	215	0.11	<0.01	0.3	1.1
K296042		1.44	4.92	0.13	0.8	1.78	0.024	0.77	10.9	4.8	1.09	491	0.47	0.01	2.7	5.0
K296043		1.36	4.52	0.11	0.7	1.60	0.020	0.74	10.2	3.9	1.07	485	0.47	0.01	2.4	4.0
K296044		2.15	8.81	0.13	1.4	2.46	0.037	1.40	17.4	7.3	1.24	713	0.43	0.02	4.7	10.5
K296045		2.48	9.44	0.11	1.6	3.03	0.043	1.49	18.7	7.9	1.37	779	0.28	0.02	5.1	13.5
K296046		5.15	20.3	0.15	2.8	11.5	0.070	2.45	35.8	38.1	0.69	391	0.59	0.03	10.1	37.2
K296047		1.33	7.69	0.11	2.3	5.72	0.061	1.44	30.8	10.6	0.72	257	10.95	0.01	8.2	66.6
K296048		5.91	24.4	0.23	3.0	10.6	0.084	3.24	35.2	32.2	0.64	297	0.45	0.02	11.1	36.0
K296049		5.00	18.90	0.22	3.2	4.48	0.069	2.76	30.4	24.4	1.11	525	1.06	0.03	10.6	34.9
K296050		4.28	23.9	0.25	3.0	3.08	0.077	3.71	33.8	15.8	1.07	522	0.29	0.03	11.0	34.7
K296051		6.26	23.3	0.24	2.9	5.7	0.077	3.85	34.6	12.8	0.89	437	0.39	0.03	10.1	36.9
K296052		5.52	12.85	0.18	2.3	6.2	0.048	2.10	20.8	11.0	1.52	895	0.37	0.02	7.6	23.4
K296053		5.67	17.25	0.22	3.1	8.0	0.074	2.86	27.6	14.2	1.50	1240	0.93	0.02	10.6	33.0
K296054		5.14	22.3	0.24	3.7	2.15	0.088	3.69	35.4	17.0	1.09	538	0.92	0.03	12.9	38.2
K296055		5.31	21.9	0.25	3.9	2.81	0.085	3.62	36.4	11.7	1.31	650	0.89	0.03	12.6	34.4
K296056		0.45	0.44	0.34	<0.1	0.01	<0.005	0.05	0.8	1.3	12.60	189	0.06	0.01	0.4	0.8
K296057		6.36	24.5	0.27	4.3	2.88	0.093	3.94	41.0	13.7	1.28	658	0.85	0.03	14.5	40.6
K296058		7.13	18.50	0.21	3.0	0.11	0.092	1.48	19.5	78.0	3.34	1100	0.34	0.50	10.6	44.9
K296059		7.56	19.85	0.22	3.1	0.49	0.109	2.01	21.9	143.5	2.46	1180	0.38	0.16	11.8	48.3
K296060		7.25	19.50	0.23	3.1	0.34	0.108	2.09	22.1	134.5	2.64	1020	0.35	0.20	11.6	45.9
K296061		7.65	19.25	0.22	3.2	0.74	0.109	1.98	23.5	113.0	2.20	1050	0.28	0.21	11.6	47.4
K296062		6.90	16.85	0.21	2.7	0.50	0.085	1.86	22.9	106.0	2.64	1390	0.21	0.03	9.4	40.7
K296063		6.80	18.00	0.21	2.8	0.51	0.095	1.80	21.4	87.6	2.56	1030	0.24	0.02	10.7	43.6
K296064		6.13	17.15	0.21	2.9	0.19	0.091	1.45	20.3	43.6	3.28	962	0.23	0.03	10.9	42.0
K296065		6.80	18.70	0.22	2.8	0.20	0.101	1.58	20.4	37.4	2.83	859	0.26	0.02	10.9	47.4
K296066		2.20	8.77	0.16	1.8	4.56	0.029	1.04	27.5	33.4	2.56	280	18.15	0.03	7.6	51.0
K296067		6.26	17.60	0.20	2.8	0.08	0.092	1.17	19.0	40.9	3.11	884	0.27	0.49	10.8	44.6
K296068		6.66	16.25	0.20	2.5	0.13	0.083	0.94	18.2	38.5	3.82	1020	0.22	0.51	9.4	43.7
K296069		6.16	16.85	0.14	2.7	0.62	0.076	1.31	21.7	81.6	2.84	915	0.34	0.06	10.4	50.6
K296070		7.39	20.8	0.18	3.2	0.87	0.108	1.58	22.1	66.3	1.71	913	0.31	0.02	12.7	61.1
K296071		6.66	17.50	0.14	3.0	0.70	0.088	1.17	19.3	60.5	2.76	840	0.25	0.03	11.1	49.4
K296072		6.71	16.05	0.16	2.8	0.37	0.085	1.27	20.6	57.4	3.25	1100	0.42	0.04	11.9	45.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105131

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296037		260	11.2	83.3	<0.002	2.05	0.68	10.7	2	1.4	614	0.44	0.07	6.2	0.202	4.43
K296038		280	9.2	63.1	0.002	1.42	0.91	7.7	2	1.3	551	0.31	0.07	4.2	0.155	5.65
K296039		300	8.0	47.7	0.002	1.38	0.90	5.8	2	0.8	749	0.25	0.07	3.4	0.123	5.79
K296040		330	10.2	59.7	0.002	1.45	1.12	7.2	2	1.1	740	0.30	0.07	4.1	0.144	5.79
K296041		230	1.9	1.3	<0.002	0.02	0.06	0.3	1	0.2	42.6	<0.05	<0.05	<0.2	<0.005	0.02
K296042		160	6.3	33.5	<0.002	1.09	1.70	4.5	2	3.1	931	0.18	0.05	2.5	0.085	4.30
K296043		160	5.9	31.4	<0.002	0.98	1.54	4.3	2	1.1	897	0.16	0.05	2.3	0.078	3.71
K296044		250	11.8	60.2	<0.002	1.54	1.07	7.8	1	1.2	693	0.32	0.07	4.3	0.158	4.52
K296045		300	12.7	63.2	<0.002	2.04	5.80	8.9	1	1.6	556	0.36	0.06	4.7	0.179	7.61
K296046		320	17.5	142.5	0.002	5.64	70.4	19.4	2	2.1	160.5	0.74	0.07	12.2	0.421	50.4
K296047		4010	5.2	117.5	0.033	1.34	18.45	6.7	7	1.7	147.0	0.54	0.43	7.3	0.209	13.00
K296048		260	18.6	168.5	0.003	6.11	44.2	23.5	2	2.8	120.0	0.80	0.06	10.5	0.460	40.4
K296049		390	21.1	135.5	<0.002	4.74	7.25	19.3	2	2.5	121.0	0.78	0.05	9.3	0.473	13.15
K296050		350	17.3	175.5	0.002	3.59	5.26	21.0	2	3.2	123.0	0.81	<0.05	9.7	0.483	9.85
K296051		360	26.2	182.0	0.004	5.80	13.65	21.7	2	4.2	117.0	0.76	<0.05	9.6	0.438	17.75
K296052		340	15.3	91.9	<0.002	5.14	13.95	14.3	1	1.6	124.0	0.56	<0.05	6.4	0.384	21.3
K296053		520	18.7	128.0	<0.002	5.28	27.4	20.4	2	3.9	173.0	0.79	0.05	9.0	0.533	20.5
K296054		580	22.4	164.5	<0.002	4.88	3.78	22.4	2	2.7	106.0	0.98	0.06	11.0	0.598	6.22
K296055		550	18.7	165.5	<0.002	5.11	7.02	22.4	2	2.7	107.0	0.97	0.06	11.5	0.573	8.97
K296056		220	1.5	2.4	<0.002	0.02	0.11	0.3	1	<0.2	45.6	<0.05	<0.05	<0.2	0.005	0.05
K296057		590	24.5	187.5	<0.002	6.35	7.39	25.4	2	2.9	111.0	1.08	0.07	12.9	0.628	9.24
K296058		620	9.6	71.0	0.002	0.21	0.53	25.6	2	1.9	80.3	0.74	0.14	5.0	0.609	0.53
K296059		650	8.6	106.5	<0.002	0.15	0.69	28.0	2	2.2	71.7	0.83	0.17	5.0	0.682	1.93
K296060		680	10.2	108.5	0.002	0.21	0.48	27.6	2	3.1	80.8	0.85	0.18	4.9	0.718	1.52
K296061		680	7.8	93.8	0.002	0.53	0.59	26.8	3	2.8	122.5	0.86	0.18	5.3	0.719	2.27
K296062		560	5.3	88.2	<0.002	1.14	0.35	24.2	2	2.1	104.0	0.68	0.10	4.8	0.589	2.08
K296063		580	8.2	93.8	0.002	0.43	0.40	25.1	2	2.2	115.5	0.77	0.15	4.8	0.630	2.03
K296064		500	9.1	71.8	0.003	0.14	0.33	22.7	2	1.9	88.2	0.75	0.15	4.9	0.593	0.74
K296065		590	10.5	76.4	0.002	0.14	0.39	25.7	2	1.9	76.8	0.74	0.15	4.7	0.639	0.67
K296066		900	36.9	48.5	0.025	1.59	109.5	5.5	4	2.5	73.9	0.47	0.20	6.4	0.173	4.10
K296067		540	9.6	59.1	<0.002	0.09	0.40	25.0	2	1.8	64.7	0.75	0.15	4.8	0.634	0.45
K296068		520	8.3	48.7	0.002	0.12	0.35	24.3	2	1.7	84.3	0.65	0.11	4.1	0.644	0.52
K296069		480	10.1	78.2	0.002	1.17	0.52	26.4	2	1.6	134.0	0.69	0.09	6.0	0.643	2.98
K296070		630	11.5	93.1	<0.002	0.59	0.47	32.7	2	2.0	115.0	0.83	0.17	6.4	0.731	4.34
K296071		520	8.6	65.7	<0.002	0.11	0.40	27.7	2	1.6	129.0	0.72	0.13	5.4	0.641	1.65
K296072		540	9.8	67.9	<0.002	0.05	0.66	23.0	2	1.6	197.5	0.75	0.16	5.4	0.546	1.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105131

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296037		1.6	56	0.9	21.3	50	64.0	
K296038		1.9	45	0.7	15.6	41	47.2	
K296039		1.6	35	0.6	11.1	36	37.7	
K296040		1.7	41	0.7	14.2	38	45.5	
K296041		0.5	2	0.1	0.9	16	<0.5	
K296042		1.6	24	0.8	9.7	114	27.1	
K296043		1.5	22	0.6	9.3	24	24.4	
K296044		1.8	45	0.9	14.6	52	48.1	
K296045		1.7	52	1.8	15.0	45	52.1	
K296046		2.6	141	10.9	23.4	80	93.6	1.655
K296047		8.9	374	34.9	30.4	267	77.7	
K296048		2.0	164	9.7	22.1	128	94.2	
K296049		1.9	140	7.0	20.0	95	99.9	
K296050		1.8	168	9.4	20.8	64	93.1	
K296051		2.0	168	15.6	20.9	65	88.3	
K296052		1.3	108	9.2	14.4	62	71.5	
K296053		1.7	136	12.2	19.6	168	95.8	
K296054		2.1	162	9.3	22.7	153	113.5	
K296055		2.2	154	10.5	23.5	155	118.5	
K296056		0.4	3	0.1	0.9	16	0.6	
K296057		2.5	169	10.2	27.6	207	136.0	
K296058		1.3	207	0.9	24.7	98	95.4	
K296059		1.2	225	1.6	23.4	105	98.7	
K296060		1.2	232	1.1	23.2	101	99.0	
K296061		1.2	237	1.8	21.8	104	99.8	
K296062		1.0	205	1.7	20.9	89	83.1	
K296063		1.0	204	1.3	20.5	92	87.9	
K296064		1.1	194	1.6	20.5	90	95.4	
K296065		1.0	211	1.3	21.7	96	95.2	
K296066		8.4	233	28.4	20.5	216	67.3	
K296067		1.0	212	0.8	21.1	91	90.1	
K296068		0.9	198	0.9	19.6	96	79.1	
K296069		1.4	196	3.0	23.3	88	95.8	
K296070		1.5	238	2.7	27.3	95	117.0	
K296071		1.3	207	3.0	26.1	84	107.5	
K296072		1.4	178	2.5	26.5	89	103.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105131

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

CERTIFICATE WH11105132

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105132

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K296609		7.51	1.57	0.11	1.11	183	110	0.21	0.05	31.1	0.08	14.70	3.6	10	2.99	9.3
K296610		7.60	1.70	0.12	1.42	296	90	0.25	0.06	31.6	0.09	20.0	4.3	13	4.19	11.2
K296611		7.58	2.01	0.09	1.73	265	100	0.33	0.08	27.9	0.10	22.1	5.2	15	5.44	12.7
K296612		7.79	0.08	0.04	3.14	183	140	0.62	0.13	21.7	0.08	36.8	10.9	27	11.15	23.4
K296613		7.84	0.02	0.04	4.22	206	210	0.98	0.17	21.5	0.06	43.3	14.6	32	16.65	28.8
K296614		0.22	0.35	0.35	6.28	603	1150	0.52	0.28	0.50	0.19	126.0	3.0	239	3.47	32.6
K296615		7.94	1.11	0.03	4.05	974	130	0.94	0.16	21.5	0.08	36.8	12.9	35	14.80	26.7
K296616		7.04	<0.01	<0.01	0.07	<5	20	0.05	0.02	19.65	0.06	1.20	1.5	<1	0.17	2.5
K296617		7.97	0.08	0.05	5.19	438	140	1.19	0.17	17.40	0.02	42.1	13.0	47	20.7	33.7
K296618		7.61	0.29	0.03	3.08	982	100	0.65	0.13	26.7	0.08	33.0	10.1	24	10.45	20.8
K296619		4.08	0.11	0.04	4.91	419	150	0.90	0.20	19.10	0.06	47.3	17.1	36	20.2	34.3
K296620		8.09	1.22	0.03	2.02	719	110	0.38	0.09	28.1	0.10	25.6	6.4	17	8.09	15.7
K296621		5.01	0.52	0.02	1.06	584	80	0.25	0.05	31.8	0.06	14.65	3.5	10	4.09	9.0
K296622		2.82	8.16	0.07	5.27	>10000	220	0.76	0.23	11.05	0.36	50.9	15.2	48	21.4	45.1
K296623		0.22	2.61	1.01	3.30	621	820	0.62	0.32	8.17	2.23	44.0	7.0	52	3.82	43.8
K296624		2.97	0.42	0.03	2.47	700	140	0.50	0.08	26.7	0.03	22.2	6.7	23	7.58	18.9
K296625		7.71	0.90	0.02	1.88	934	80	0.44	0.07	30.2	0.03	18.05	5.5	19	5.89	15.2
K296626		7.11	0.13	0.02	2.29	345	90	0.58	0.08	28.6	0.02	20.6	6.8	22	7.09	16.5
K296627		7.35	<0.01	0.03	3.44	55	120	0.93	0.11	22.2	0.02	31.6	9.4	33	14.15	24.8
K296628		1.82	<0.01	0.07	4.85	154	120	1.33	0.15	14.55	<0.02	40.6	13.9	47	18.40	36.2
K296629		5.56	0.02	0.09	6.75	458	170	1.88	0.20	1.60	<0.02	56.7	18.6	76	36.8	49.4
K296630		7.28	0.11	0.07	6.01	262	140	1.81	0.18	3.93	0.02	52.5	17.3	64	34.9	43.6
K296631		7.70	0.22	0.12	6.53	670	190	1.53	0.22	2.68	0.12	58.5	19.7	69	29.1	45.3
K296632		7.45	0.05	0.10	8.35	340	220	2.50	0.26	0.98	0.02	71.2	25.1	95	48.7	62.9
K296633		7.03	<0.01	<0.01	0.10	5	20	0.07	0.03	21.8	0.06	2.15	1.5	<1	0.27	2.3
K296634		7.09	0.31	0.08	7.63	577	190	2.44	0.23	1.13	0.03	69.5	19.6	83	39.3	54.5
K296635		6.93	<0.01	0.08	7.17	73.0	230	1.97	0.22	1.28	0.05	65.0	23.0	78	35.4	54.3
K296636		6.74	<0.01	0.07	5.59	113.5	170	1.55	0.18	3.72	0.09	49.8	17.3	59	28.5	38.7
K296637		2.75	<0.01	0.09	6.32	127.5	160	1.85	0.20	3.74	0.07	56.9	19.8	67	30.7	44.8
K296638		7.35	<0.01	0.06	5.42	73.0	150	1.67	0.17	4.16	0.06	49.9	15.1	56	30.2	38.7
K296639		7.32	<0.01	0.08	5.33	193.0	160	1.66	0.17	1.94	0.08	46.8	18.7	57	23.8	41.3
K296640		6.96	0.01	0.07	7.83	290	190	3.16	0.24	1.43	0.02	79.4	22.5	87	43.0	54.6
K296641		7.29	0.12	0.05	7.60	535	190	2.79	0.22	1.37	0.05	65.0	25.3	80	37.3	48.8
K296642		6.21	<0.01	0.05	6.07	40.3	300	1.70	0.18	1.93	0.07	52.5	18.2	63	34.1	40.4
K296643		5.40	<0.01	0.05	7.47	81.9	190	2.05	0.23	1.52	0.03	62.8	23.8	82	49.2	54.8
K296644		2.70	<0.01	0.08	6.48	21.7	80	2.07	0.29	4.25	0.31	67.0	18.3	49	9.74	61.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105132

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296609		0.76	3.11	<0.05	0.6	3.26	0.011	0.49	8.4	3.8	0.24	1520	0.26	0.02	2.0	3.8
K296610		0.98	3.80	<0.05	0.8	4.11	0.016	0.63	11.3	4.1	0.30	1380	0.40	0.01	2.2	5.5
K296611		1.15	4.58	<0.05	1.0	4.33	0.018	0.79	12.9	5.1	0.35	1140	0.83	0.01	2.7	6.0
K296612		1.97	8.35	<0.05	1.9	2.90	0.034	1.43	19.8	7.6	0.81	652	1.27	0.02	5.0	13.2
K296613		2.52	11.40	<0.05	2.1	2.84	0.046	1.90	24.9	8.3	1.06	817	0.56	0.02	5.9	16.7
K296614		6.61	23.1	0.17	4.7	9.2	0.049	1.33	60.9	18.7	0.12	38	7.13	0.38	10.1	15.2
K296615		2.47	11.40	<0.05	1.9	3.76	0.047	1.82	20.5	8.3	1.22	849	0.68	0.02	5.3	14.6
K296616		0.44	0.37	0.15	<0.1	0.01	0.005	0.03	0.6	1.1	11.85	209	0.07	<0.01	0.4	2.9
K296617		2.99	14.30	<0.05	2.2	4.11	0.052	2.38	22.7	12.0	1.04	681	0.21	0.03	6.5	21.7
K296618		2.04	8.12	<0.05	1.5	8.5	0.036	1.40	18.9	5.7	0.63	675	0.81	0.02	4.2	11.0
K296619		2.88	13.40	<0.05	2.3	5.55	0.050	2.23	27.2	9.3	1.04	806	0.56	0.02	6.8	20.4
K296620		1.36	5.54	<0.05	1.2	5.30	0.023	0.92	14.6	5.3	0.34	1020	0.85	0.01	3.1	6.7
K296621		0.79	2.76	<0.05	0.6	4.53	0.013	0.44	8.4	3.9	0.38	480	0.38	0.01	1.8	4.5
K296622		3.72	15.90	<0.05	2.5	16.7	0.050	2.08	27.6	21.9	0.36	929	0.76	0.02	7.2	25.2
K296623		2.12	9.05	<0.05	1.9	4.39	0.029	1.01	27.4	38.4	2.57	280	19.40	0.03	7.0	47.4
K296624		1.89	6.62	<0.05	1.1	2.69	0.023	1.08	11.5	5.5	0.82	668	0.20	0.01	3.2	9.3
K296625		1.29	4.83	<0.05	0.8	3.36	0.023	0.81	9.7	3.7	0.54	806	0.16	0.01	2.6	7.6
K296626		1.56	5.88	<0.05	1.0	1.89	0.026	1.00	11.1	4.1	0.80	661	0.13	0.01	2.9	9.4
K296627		2.41	9.23	<0.05	1.6	0.42	0.035	1.51	16.4	9.3	1.22	951	0.27	0.02	4.5	14.9
K296628		2.92	13.25	<0.05	2.1	1.19	0.047	1.77	20.6	21.7	0.82	675	0.22	0.02	6.2	18.8
K296629		5.29	19.20	0.07	2.6	3.25	0.065	2.99	28.5	35.0	0.59	333	0.22	0.02	8.2	27.6
K296630		4.25	17.65	0.06	2.6	2.30	0.055	2.66	25.9	26.0	0.51	588	0.23	0.02	7.5	24.8
K296631		4.77	18.20	0.10	3.0	3.12	0.058	2.87	29.4	23.2	0.69	660	0.96	0.02	8.8	29.0
K296632		6.04	24.9	0.16	3.3	3.55	0.086	3.90	34.7	29.6	0.76	393	0.21	0.03	11.2	35.7
K296633		0.45	0.42	0.11	<0.1	0.01	0.005	0.04	1.1	1.5	13.25	197	0.19	<0.01	0.5	3.1
K296634		5.47	22.8	0.12	2.9	2.90	0.074	3.49	34.3	35.6	0.72	588	0.22	0.02	10.0	31.3
K296635		5.12	21.2	0.11	2.9	1.31	0.070	3.04	32.0	71.6	0.84	371	0.29	0.02	9.0	33.4
K296636		3.56	15.95	0.07	2.3	0.96	0.053	2.47	25.2	36.6	0.96	529	0.27	0.02	7.0	25.0
K296637		3.79	18.05	0.10	2.7	1.08	0.060	2.77	28.5	36.6	1.03	524	0.34	0.02	7.9	28.5
K296638		3.59	14.95	0.05	2.2	0.98	0.051	2.44	25.2	25.0	0.88	582	0.24	0.02	6.9	21.5
K296639		4.35	15.00	0.06	2.3	1.29	0.052	2.37	23.4	19.3	0.94	620	0.37	0.02	6.8	28.5
K296640		5.22	24.2	0.15	3.8	1.10	0.081	3.72	40.2	28.2	1.01	548	0.24	0.02	10.5	34.0
K296641		4.93	20.2	0.20	2.5	1.35	0.069	3.53	31.2	26.0	0.96	542	0.30	0.03	9.1	33.4
K296642		4.55	16.05	0.17	2.1	0.74	0.054	2.75	25.4	43.4	1.03	556	0.29	0.02	7.3	27.2
K296643		5.36	20.9	0.20	2.5	0.49	0.073	3.63	29.5	37.5	1.28	591	0.24	0.03	9.3	33.9
K296644		4.72	17.65	0.21	3.1	0.21	0.084	2.52	29.8	50.4	1.97	924	3.12	0.21	14.5	29.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105132

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296609		170	3.6	27.6	<0.002	0.83	8.60	4.1	2	0.4	1440	0.13	<0.05	1.7	0.060	13.90
K296610		160	4.4	30.1	0.002	1.12	10.25	4.6	1	0.4	1220	0.15	<0.05	2.0	0.076	16.50
K296611		140	5.6	38.0	0.002	1.25	9.56	4.9	2	0.5	1200	0.20	0.05	2.6	0.097	16.65
K296612		160	9.9	71.9	0.003	1.79	2.06	7.3	2	1.0	1010	0.37	0.06	5.1	0.192	8.32
K296613		240	11.7	95.3	0.002	2.14	0.85	10.1	2	1.4	629	0.46	0.08	6.2	0.224	7.23
K296614		890	16.9	51.6	0.003	3.09	112.5	16.0	3	3.0	499	0.81	0.13	8.9	0.556	8.30
K296615		320	11.7	93.5	0.003	1.77	3.49	9.8	2	1.3	698	0.42	0.05	5.3	0.207	9.41
K296616		170	1.0	1.4	<0.002	0.02	0.08	0.3	1	<0.2	39.5	<0.05	<0.05	0.3	<0.005	0.02
K296617		400	6.3	118.5	<0.002	2.19	0.52	12.4	1	1.8	714	0.49	<0.05	6.1	0.270	9.27
K296618		290	10.3	67.1	0.003	2.08	1.03	7.7	2	1.0	732	0.33	0.07	4.4	0.156	17.75
K296619		270	13.6	109.5	0.002	2.66	1.92	11.5	2	1.6	511	0.52	0.10	7.1	0.263	11.35
K296620		160	6.5	45.1	0.002	1.49	7.40	6.8	2	0.6	1080	0.23	<0.05	3.3	0.114	14.60
K296621		190	3.8	23.8	0.002	0.87	7.47	3.1	2	0.3	1250	0.12	<0.05	1.7	0.058	15.30
K296622		430	11.5	114.0	0.002	4.88	62.0	14.3	2	2.0	443	0.56	0.10	7.5	0.288	67.7
K296623		890	37.1	54.7	0.025	1.59	101.5	5.3	4	2.5	76.7	0.48	0.19	6.7	0.175	4.31
K296624		350	4.9	50.7	<0.002	1.33	3.50	6.2	1	0.8	847	0.24	<0.05	2.9	0.124	8.19
K296625		350	4.0	37.4	<0.002	1.05	4.32	5.9	2	0.6	675	0.18	<0.05	2.2	0.096	10.65
K296626		330	4.4	45.4	<0.002	0.80	1.55	6.1	1	0.7	788	0.21	<0.05	2.5	0.113	5.11
K296627		410	4.8	73.3	<0.002	1.11	0.27	8.9	2	1.1	590	0.34	<0.05	4.4	0.178	1.14
K296628		260	9.0	90.5	<0.002	2.28	0.41	12.7	2	1.9	387	0.47	<0.05	6.1	0.269	4.33
K296629		170	12.3	159.5	0.002	5.03	0.67	19.5	2	2.0	81.2	0.61	<0.05	8.9	0.378	10.70
K296630		180	12.3	147.0	0.002	4.05	1.85	17.2	2	1.7	128.0	0.60	<0.05	8.3	0.332	7.21
K296631		320	20.3	149.0	0.002	4.56	4.96	17.0	2	1.9	101.5	0.69	<0.05	9.4	0.390	10.85
K296632		220	16.0	204	0.002	5.98	2.51	25.5	2	2.7	75.4	0.86	<0.05	10.8	0.516	12.20
K296633		210	1.3	2.2	<0.002	0.02	<0.05	0.4	1	<0.2	47.4	<0.05	<0.05	<0.2	<0.005	0.03
K296634		220	11.0	187.5	0.002	5.36	3.84	22.9	2	2.5	75.8	0.75	<0.05	9.9	0.439	9.99
K296635		280	15.4	164.5	0.003	3.94	0.42	21.4	2	2.2	104.0	0.68	<0.05	9.7	0.389	5.34
K296636		160	14.2	129.5	0.003	2.54	0.38	16.0	2	1.7	108.0	0.53	<0.05	7.8	0.299	3.49
K296637		180	15.9	144.5	0.003	2.74	0.43	17.7	2	1.9	115.0	0.63	<0.05	8.8	0.341	4.14
K296638		180	10.1	128.5	0.002	2.86	0.36	15.2	2	1.6	132.5	0.52	<0.05	7.2	0.299	3.22
K296639		190	15.4	126.5	0.003	3.68	1.08	15.8	2	1.6	82.9	0.51	<0.05	7.2	0.304	3.54
K296640		260	14.0	228	0.002	4.75	1.62	26.6	2	2.5	83.4	0.82	<0.05	12.6	0.467	4.73
K296641		220	15.7	170.0	0.002	4.51	1.83	21.6	2	2.6	75.6	0.67	<0.05	10.3	0.413	4.76
K296642		230	13.4	132.0	0.002	3.46	0.40	17.1	2	1.8	98.1	0.54	<0.05	8.6	0.336	3.80
K296643		210	13.2	169.0	0.002	2.69	0.41	21.9	2	2.3	96.9	0.69	<0.05	9.8	0.423	2.76
K296644		540	15.7	105.5	<0.002	0.04	0.93	15.4	2	2.4	44.9	1.00	0.22	9.5	0.471	0.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105132

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296609		1.8	16	1.1	9.3	16	19.2	
K296610		2.1	20	1.8	12.3	16	23.6	
K296611		2.0	25	2.0	12.4	32	30.6	
K296612		2.3	49	2.5	16.4	40	61.6	
K296613		2.3	62	4.0	18.3	49	65.2	
K296614		7.4	170	24.7	15.3	43	175.0	
K296615		1.7	60	4.2	15.9	52	59.5	
K296616		0.4	3	0.1	0.8	14	<0.5	
K296617		1.8	82	5.8	17.1	43	69.9	
K296618		1.9	44	4.2	15.1	49	45.4	
K296619		2.4	74	5.6	19.3	55	74.5	
K296620		2.3	30	2.3	16.5	27	37.8	
K296621		1.8	15	2.1	10.4	13	19.3	
K296622		3.2	87	8.4	24.6	64	79.6	1.725
K296623		8.2	235	28.5	21.1	210	69.0	
K296624		1.5	36	3.3	10.5	27	33.3	
K296625		1.5	28	3.1	10.2	22	26.8	
K296626		1.4	35	2.1	10.5	24	31.4	
K296627		1.9	56	1.4	14.3	39	48.4	
K296628		1.6	88	7.1	16.2	36	69.1	
K296629		1.5	132	11.0	18.5	48	87.2	
K296630		1.6	118	6.7	17.7	37	82.0	
K296631		2.0	125	8.3	19.1	102	97.0	
K296632		1.8	175	11.9	23.5	65	109.0	
K296633		0.6	2	0.1	1.0	16	0.6	
K296634		1.7	154	10.5	21.6	62	97.6	
K296635		1.9	141	1.3	21.9	68	94.2	
K296636		1.5	108	2.9	16.7	73	77.0	
K296637		1.8	123	3.0	17.8	64	86.9	
K296638		1.4	104	1.6	16.7	61	75.6	
K296639		1.6	105	4.7	16.1	72	78.4	
K296640		2.2	167	7.8	26.4	60	124.5	
K296641		1.8	153	4.5	18.9	68	83.1	
K296642		1.7	117	0.9	16.3	71	72.9	
K296643		1.6	153	1.1	19.1	61	85.2	
K296644		2.2	124	1.4	23.3	81	114.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11105132

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

CERTIFICATE WH11107539

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11107539

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297001		1.72	0.02	0.58	0.23	161	860	0.16	0.02	20.3	0.51	4.98	0.9	3	0.29	4.2
K297002		6.25	<0.01	0.03	0.07	89	60	0.06	<0.01	20.4	0.15	1.72	0.7	1	0.07	1.5
K297003		3.76	0.02	0.09	0.33	801	300	0.16	<0.01	19.05	6.47	5.01	1.0	3	0.55	4.5
K297004		3.48	0.01	0.10	0.28	264	270	0.25	0.02	20.0	0.70	6.12	1.2	9	0.39	2.8
K297005		9.95	0.01	0.07	0.42	198	380	0.19	<0.01	19.30	0.28	6.32	1.0	4	0.63	2.2
K297006		9.74	0.04	0.08	0.28	367	4080	0.21	0.01	18.95	0.37	4.66	1.1	6	0.37	1.7
K297007		9.04	0.10	0.17	0.45	142	1030	0.25	<0.01	18.20	0.91	6.49	1.0	3	0.60	2.5
K297008		3.65	0.11	0.14	0.39	212	780	0.26	<0.01	18.75	0.73	6.20	0.9	3	0.51	2.2
K297009		10.83	<0.01	0.03	0.84	56	330	0.20	<0.01	17.85	0.14	11.75	1.4	7	1.81	2.4
K297010		11.43	<0.01	0.04	0.77	99	370	0.33	<0.01	19.15	0.15	14.15	1.6	7	1.70	3.8
K297011		7.02	<0.01	0.01	0.07	<5	50	0.05	0.01	20.3	0.05	1.77	1.4	1	0.16	1.9
K297012		10.60	<0.01	0.06	0.41	182	320	0.27	<0.01	20.0	0.19	7.80	1.2	4	0.64	2.8
K297013		10.99	<0.01	0.03	1.97	84	550	0.47	0.02	15.40	0.07	26.4	3.1	16	4.81	5.0
K297014		11.05	<0.01	0.07	3.92	50	250	0.85	0.07	10.25	0.37	51.6	5.8	31	9.45	8.8
K297015		11.13	<0.01	0.06	2.71	107	230	0.64	0.04	12.95	0.49	38.4	4.2	21	7.46	6.9
K297016		11.36	<0.01	0.02	0.57	44	70	0.29	<0.01	18.90	0.03	16.00	1.7	4	1.34	3.3
K297017		6.54	<0.01	0.02	0.68	8950	350	0.27	<0.01	18.20	0.23	15.15	2.1	4	1.27	4.9
K297018		0.21	2.66	0.96	3.09	584	830	0.76	0.22	8.06	2.31	49.3	6.8	53	3.86	39.0
K297019		11.36	<0.01	0.03	0.65	552	300	0.28	<0.01	19.10	0.36	12.00	1.9	4	1.29	3.9
K297020		11.41	<0.01	0.02	0.70	4320	240	0.34	0.01	19.45	0.27	15.80	2.3	4	1.31	5.0
K297021		4.72	<0.01	0.02	0.54	213	200	0.46	<0.01	19.35	0.67	12.85	1.7	4	1.04	3.4
K297022		2.28	0.01	0.08	0.49	>10000	960	0.17	0.03	20.1	2.79	12.45	1.4	8	0.74	4.0
K297023		0.21	7.92	0.40	3.30	988	160	0.63	0.63	11.25	3.99	42.0	5.0	92	7.02	29.9
K297024		8.93	<0.01	0.05	0.89	134	2360	0.27	0.05	19.20	0.15	14.70	2.4	7	1.84	5.7
K297025		12.34	<0.01	0.03	0.44	784	2150	0.22	0.02	20.6	1.00	12.85	1.5	4	0.61	3.6
K297026		9.72	<0.01	0.03	0.32	242	1260	0.25	0.02	19.80	1.47	14.50	1.6	5	0.44	3.6
K297027		7.04	<0.01	0.01	0.09	<5	30	0.08	0.02	19.85	0.05	2.40	1.4	1	0.30	1.4
K297028		12.32	<0.01	0.03	0.27	234	490	0.21	0.01	19.75	1.02	12.70	1.5	4	0.35	2.9
K297029		10.41	<0.01	0.08	0.27	566	610	0.17	0.02	19.65	6.70	13.85	1.5	3	0.38	4.1
K297030		6.46	<0.01	0.05	0.18	471	400	0.13	0.01	20.2	6.69	9.17	1.3	4	0.19	3.0
K297031		11.08	<0.01	0.05	0.28	319	120	0.17	0.02	19.80	3.51	14.35	1.4	4	0.41	4.1
K297032		11.70	<0.01	0.09	0.49	174	180	0.17	0.03	19.20	5.48	16.05	1.6	4	1.24	5.0
K297033		5.61	<0.01	0.08	0.65	87	100	0.26	0.03	19.10	3.61	15.35	1.8	5	1.59	5.0
K297034		6.32	0.01	0.11	0.60	132	90	0.25	0.04	18.85	6.28	16.75	1.8	5	1.55	5.5
K297035		5.32	0.10	0.11	2.97	8340	220	0.54	0.07	10.80	1.49	28.3	3.8	18	5.12	8.4
K297036		11.03	0.11	0.09	4.49	1740	170	0.71	0.10	5.77	0.09	45.8	5.2	31	8.78	9.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11107539

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297001		0.46	0.79	<0.05	0.1	2.99	0.006	0.09	3.1	1.7	11.75	1080	0.30	0.01	0.6	1.6
K297002		0.28	0.28	0.07	<0.1	0.72	<0.005	0.02	1.1	0.8	12.00	537	0.14	0.01	0.2	0.8
K297003		2.29	1.73	0.10	0.1	11.5	0.008	0.14	2.9	1.3	11.00	1060	0.66	0.01	0.4	2.6
K297004		0.53	0.96	0.06	0.1	2.28	<0.005	0.12	3.4	1.4	12.35	1380	0.33	0.01	0.4	3.0
K297005		0.46	1.17	0.06	0.3	1.67	<0.005	0.20	3.5	1.4	11.10	919	0.29	0.01	0.6	2.5
K297006		0.40	0.87	0.08	0.1	2.02	<0.005	0.12	2.3	1.5	11.75	772	0.36	0.01	0.4	2.5
K297007		0.53	1.17	0.06	0.3	6.40	<0.005	0.18	3.5	2.2	10.35	929	0.27	0.01	0.6	1.9
K297008		0.49	1.02	0.05	0.2	5.89	<0.005	0.16	3.4	2.0	10.70	895	0.20	0.01	0.6	1.9
K297009		0.45	1.92	0.06	0.4	1.02	<0.005	0.38	5.8	2.4	10.35	622	0.21	0.01	1.2	2.9
K297010		1.21	1.88	0.06	0.5	1.32	<0.005	0.36	8.2	3.3	10.75	1040	0.14	0.01	1.3	3.7
K297011		0.43	0.31	0.11	<0.1	0.01	<0.005	0.03	0.7	1.3	12.75	185	0.10	0.01	0.3	1.9
K297012		0.89	1.14	0.06	0.3	1.19	<0.005	0.18	4.5	1.6	11.60	1150	0.21	0.01	0.7	2.6
K297013		0.90	5.00	0.05	1.0	1.42	0.009	0.91	13.2	4.0	8.96	669	0.21	0.01	3.4	7.1
K297014		1.73	9.70	0.07	1.8	1.50	0.016	1.77	25.2	7.3	6.21	502	0.26	0.02	6.5	13.2
K297015		1.51	6.54	0.06	1.3	1.55	0.015	1.26	19.3	4.7	7.89	652	0.42	0.01	4.5	9.1
K297016		1.07	1.45	0.06	0.3	0.55	<0.005	0.28	10.8	2.7	10.85	1790	0.16	0.01	0.9	3.0
K297017		1.54	1.83	0.07	0.3	1.42	0.009	0.32	9.6	2.4	10.25	2000	0.11	0.01	1.2	3.9
K297018		2.07	7.61	0.11	1.7	4.70	0.022	0.97	30.2	40.1	2.51	270	18.20	0.03	6.5	51.5
K297019		1.38	1.59	<0.05	0.3	1.33	<0.005	0.31	7.9	2.1	10.90	2150	0.16	0.01	1.0	3.2
K297020		1.42	1.95	0.07	0.3	1.81	0.008	0.32	10.6	2.5	11.05	2170	0.13	0.01	1.2	4.2
K297021		1.16	1.49	0.05	0.3	2.42	<0.005	0.26	8.2	2.2	11.00	1600	0.20	0.01	1.0	3.1
K297022		1.33	1.27	0.08	0.2	8.55	0.023	0.20	8.1	1.6	11.55	1840	0.75	0.01	1.1	3.9
K297023		1.28	6.33	0.15	2.0	5.85	0.059	1.33	26.8	9.7	0.72	262	10.75	0.01	7.2	60.6
K297024		0.84	2.09	0.08	0.4	1.30	0.007	0.41	9.3	3.0	11.15	1580	0.67	0.01	2.3	5.7
K297025		1.10	1.11	0.07	0.2	1.97	0.005	0.18	9.0	1.6	12.15	1620	0.82	0.01	1.0	3.8
K297026		1.77	0.92	0.06	<0.1	2.37	0.005	0.13	8.5	1.3	11.95	1640	0.32	0.01	0.7	2.1
K297027		0.42	0.32	0.09	<0.1	0.01	<0.005	0.04	1.1	1.4	12.50	181	0.09	0.01	0.7	2.0
K297028		1.69	0.78	0.07	<0.1	1.76	<0.005	0.11	7.9	1.2	11.95	1580	0.26	0.01	0.6	1.7
K297029		2.23	0.93	0.07	<0.1	3.60	<0.005	0.11	8.1	1.1	11.75	1680	0.32	0.01	0.6	2.3
K297030		1.71	0.68	0.05	<0.1	4.54	<0.005	0.07	5.6	0.9	12.30	1190	0.32	0.01	0.4	2.1
K297031		2.19	0.97	0.09	0.1	2.91	<0.005	0.11	9.5	1.4	11.30	1960	0.26	0.01	0.7	3.4
K297032		2.68	1.34	0.09	0.2	2.62	0.012	0.21	10.0	2.0	10.75	2030	0.41	0.01	1.1	5.6
K297033		2.69	1.52	0.09	0.3	1.81	0.007	0.29	9.6	2.6	10.45	1880	0.20	0.01	1.4	4.2
K297034		2.96	1.52	0.10	0.3	1.90	0.010	0.26	9.9	2.5	10.20	2050	0.22	0.01	1.3	4.7
K297035		1.92	6.12	0.11	2.2	6.92	0.027	1.27	15.2	6.1	6.55	1360	0.42	0.01	4.5	9.3
K297036		1.66	10.20	0.13	2.9	4.03	0.023	2.12	21.7	7.3	3.38	724	0.35	0.02	6.8	12.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11107539

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297001		270	11.5	3.0	<0.002	0.04	0.80	0.6	1	2.2	176.0	<0.05	<0.05	0.5	0.009	1.14
K297002		130	2.2	0.7	<0.002	0.02	0.10	0.2	1	0.2	69.2	<0.05	<0.05	<0.2	<0.005	0.24
K297003		230	26.2	4.1	<0.002	0.78	0.39	0.6	4	0.2	149.5	<0.05	<0.05	0.4	0.009	2.10
K297004		230	44.7	4.3	<0.002	0.19	0.67	0.8	2	0.5	150.5	<0.05	<0.05	0.6	0.010	2.30
K297005		340	34.4	5.6	<0.002	0.24	1.10	0.6	2	0.3	135.5	<0.05	<0.05	0.8	0.016	1.92
K297006		360	55.5	3.8	<0.002	0.37	1.18	0.6	1	0.3	192.5	<0.05	<0.05	0.5	0.010	3.72
K297007		680	80.3	5.4	<0.002	0.33	1.02	0.6	2	0.7	285	0.05	<0.05	0.8	0.015	2.15
K297008		890	74.1	4.9	<0.002	0.31	1.08	0.6	1	0.4	252	<0.05	<0.05	0.7	0.013	1.97
K297009		290	45.3	10.7	<0.002	0.32	0.27	1.1	2	0.4	121.5	0.09	<0.05	1.7	0.033	1.60
K297010		680	26.1	10.7	<0.002	0.73	0.10	1.2	2	0.3	122.0	0.10	<0.05	1.7	0.034	2.10
K297011		290	1.7	1.3	<0.002	0.01	<0.05	0.4	1	<0.2	49.5	<0.05	<0.05	<0.2	<0.005	<0.02
K297012		370	154.0	5.4	<0.002	0.69	1.24	0.7	2	0.4	125.0	0.05	<0.05	0.9	0.018	2.17
K297013		310	29.4	25.3	<0.002	0.92	0.13	2.7	1	0.8	85.3	0.25	<0.05	4.5	0.088	3.02
K297014		440	55.4	50.1	<0.002	1.83	0.14	5.1	1	1.5	90.5	0.49	<0.05	8.8	0.175	4.22
K297015		450	43.4	35.8	<0.002	1.55	0.12	3.7	1	1.0	107.5	0.33	<0.05	6.1	0.119	3.84
K297016		720	17.1	8.4	<0.002	0.63	0.11	1.1	2	0.2	161.0	0.07	<0.05	1.3	0.022	1.27
K297017		570	24.0	9.6	<0.002	1.45	0.44	1.3	1	0.4	185.0	0.08	<0.05	1.5	0.029	2.14
K297018		860	35.2	47.4	0.022	1.53	104.5	5.1	4	2.5	71.2	0.42	0.20	6.5	0.167	3.64
K297019		430	29.2	8.4	<0.002	1.25	0.83	1.1	1	0.2	109.0	0.07	<0.05	1.3	0.027	2.44
K297020		390	60.9	10.5	<0.002	1.41	0.43	1.5	1	0.4	119.0	0.08	<0.05	1.6	0.029	3.36
K297021		340	19.3	8.2	<0.002	0.93	0.19	1.0	2	0.3	113.0	0.07	<0.05	1.2	0.024	2.88
K297022		410	22.0	7.0	<0.002	2.51	1.55	0.9	1	0.2	199.0	0.07	<0.05	1.2	0.022	7.92
K297023		4220	4.3	111.5	0.034	1.39	17.55	5.5	8	1.6	139.0	0.50	0.47	6.6	0.204	11.75
K297024		980	20.8	13.4	<0.002	0.77	0.44	1.3	1	0.3	212	0.15	<0.05	2.2	0.037	1.93
K297025		470	15.9	5.6	<0.002	0.94	0.30	0.9	1	0.3	160.5	0.06	<0.05	1.0	0.018	2.22
K297026		380	21.8	4.4	<0.002	1.08	0.28	0.8	1	0.2	137.0	0.05	<0.05	0.8	0.013	3.63
K297027		220	1.4	1.8	<0.002	0.02	<0.05	0.3	1	<0.2	46.6	<0.05	<0.05	<0.2	<0.005	0.02
K297028		370	20.0	4.0	<0.002	0.94	0.21	0.7	1	<0.2	99.1	<0.05	<0.05	0.6	0.010	3.20
K297029		580	62.5	4.0	<0.002	1.55	0.53	0.7	1	<0.2	132.0	<0.05	<0.05	0.7	0.010	5.12
K297030		410	136.0	2.6	<0.002	1.63	0.83	0.5	1	<0.2	125.0	<0.05	<0.05	0.4	0.006	4.68
K297031		550	49.1	4.2	<0.002	1.48	0.39	0.9	2	0.2	110.5	<0.05	<0.05	0.7	0.011	4.20
K297032		1070	39.6	7.2	<0.002	1.65	0.27	0.8	1	0.2	94.3	0.07	<0.05	1.2	0.020	2.45
K297033		740	20.2	9.8	<0.002	0.93	0.17	1.1	1	0.2	103.0	0.09	<0.05	1.5	0.026	1.27
K297034		1030	25.3	9.1	<0.002	1.27	0.37	0.9	2	0.2	107.0	0.09	<0.05	1.5	0.024	1.52
K297035		300	45.2	48.7	<0.002	1.85	9.34	3.2	1	1.3	121.0	0.33	<0.05	5.9	0.117	17.05
K297036		450	44.2	72.9	<0.002	1.80	4.78	5.3	1	1.6	125.5	0.52	<0.05	10.1	0.194	10.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11107539

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297001		1.2	2	1.2	3.2	346	5.0	
K297002		1.0	1	0.2	1.6	47	2.9	
K297003		1.3	3	0.3	2.9	2430	10.6	
K297004		1.6	5	0.5	4.0	165	6.9	
K297005		1.7	3	0.6	3.1	81	11.1	
K297006		1.8	2	0.4	2.9	68	7.1	
K297007		2.2	2	1.1	3.3	131	14.8	
K297008		2.1	3	1.0	3.4	97	11.0	
K297009		1.7	5	0.6	3.3	27	15.1	
K297010		3.1	6	0.6	5.0	65	17.9	
K297011		0.6	1	0.1	1.0	16	<0.5	
K297012		2.4	3	0.5	3.1	51	11.0	
K297013		2.1	14	0.8	5.7	24	34.8	
K297014		2.4	28	0.8	10.0	126	71.8	
K297015		2.4	19	1.0	8.4	178	46.5	
K297016		2.3	3	0.4	6.1	11	12.2	
K297017		2.6	4	0.8	6.4	157	10.8	
K297018		8.8	222	26.7	18.4	209	60.7	
K297019		2.0	4	0.8	5.0	116	13.8	
K297020		2.2	5	0.7	6.2	77	10.5	
K297021		2.2	4	0.7	5.2	204	10.6	
K297022		2.5	5	1.2	5.4	881	11.3	2.18
K297023		8.2	381	34.1	27.0	284	73.7	
K297024		3.3	6	1.0	9.3	40	14.7	
K297025		2.5	3	0.7	5.8	471	5.5	
K297026		2.2	1	0.4	5.6	441	5.3	
K297027		0.5	1	0.1	1.0	16	<0.5	
K297028		2.1	1	0.6	5.5	301	4.2	
K297029		2.8	1	0.9	6.8	1560	4.6	
K297030		2.0	1	0.6	4.8	1830	2.9	
K297031		3.3	3	0.7	7.3	941	5.1	
K297032		5.9	5	0.7	8.7	2280	6.5	
K297033		4.9	5	0.7	7.7	1150	9.5	
K297034		5.6	5	0.6	9.0	1940	9.0	
K297035		2.6	18	6.8	9.0	393	83.7	
K297036		2.1	30	7.1	11.6	24	110.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11107539

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

CERTIFICATE WH11115580

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 8 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11115580

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296645		6.94	<0.01	0.19	7.66	4.3	120	1.79	0.23	2.95	0.39	67.5	38.0	74	15.45	175.0
K296646		0.48	<0.01	0.17	6.94	13.0	120	1.63	0.26	2.66	0.26	64.5	28.1	67	12.55	149.0
K296647		2.25	0.01	4.79	6.24	67.0	420	1.81	0.24	3.86	0.34	73.2	17.7	50	11.55	62.8
K296648		5.96	<0.01	0.39	7.07	76.6	1430	1.89	0.25	2.24	0.32	74.9	23.6	66	13.50	111.0
K296649		9.25	<0.01	0.12	6.40	14.3	110	1.03	0.14	3.58	0.25	45.4	30.4	64	10.80	153.0
K296650		7.06	<0.01	0.01	0.09	<5	20	0.05	0.03	19.95	0.06	1.50	1.6	1	0.18	2.5
K296651		6.21	<0.01	0.18	6.42	19.9	360	1.05	0.15	4.62	0.26	51.2	28.6	62	9.16	143.5
K296652		5.36	<0.01	0.18	6.28	21.3	240	1.09	0.15	5.02	0.26	51.4	26.6	58	7.87	126.0
K296653		3.91	<0.01	0.11	6.11	131.0	650	1.01	0.14	4.64	0.25	45.3	27.1	66	11.10	132.0
K296654		7.84	<0.01	0.12	6.13	39.2	380	1.10	0.14	4.70	0.89	46.1	27.4	69	9.35	124.0
K296655		8.30	<0.01	0.10	5.98	4.8	120	1.20	0.14	5.19	0.24	48.7	28.1	57	12.05	121.5
K296656		7.49	<0.01	0.11	6.16	13.2	200	1.15	0.14	4.59	0.26	48.1	30.4	64	13.15	139.0
K296657		4.03	<0.01	0.12	6.48	54.9	240	1.19	0.15	3.09	0.24	46.1	31.1	73	15.45	158.5
K296658		0.22	0.32	0.37	6.10	589	630	0.61	0.23	0.46	0.19	144.0	2.9	232	3.56	29.6
K296659		7.07	<0.01	0.13	6.62	13.6	80	1.26	0.16	3.19	0.25	49.4	32.6	68	16.05	163.0
K296660		5.72	0.01	0.14	6.53	7.2	130	1.33	0.16	4.01	0.26	51.5	30.9	65	13.75	146.0
K296661		3.07	<0.01	0.15	6.51	6.9	110	1.14	0.17	3.91	0.27	51.4	32.5	65	13.80	149.0
K296662		5.83	<0.01	0.21	7.07	6.6	90	1.20	0.16	3.42	0.29	52.6	35.5	73	14.05	180.0
K296663		7.80	<0.01	0.13	6.82	34.4	900	1.36	0.19	2.46	0.24	56.6	28.3	75	14.50	143.0
K296664		0.22	7.75	0.44	3.32	918	150	0.66	0.51	11.45	3.80	44.9	5.3	89	7.26	30.0
K296665		4.58	0.01	0.12	6.85	77.5	630	1.14	0.16	3.39	0.27	44.8	26.5	69	14.80	128.0
K296666		8.90	<0.01	0.14	6.71	36.3	240	1.20	0.16	2.89	0.22	44.7	35.6	72	19.45	166.0
K296667		2.47	<0.01	0.12	7.00	88.3	210	1.04	0.20	3.26	0.10	58.4	18.7	73	13.10	98.7
K296668		3.27	<0.01	0.13	6.74	114.0	640	1.00	0.23	0.93	0.27	62.3	12.9	73	10.85	107.0
K296669		2.05	<0.01	0.14	5.96	262	250	1.27	0.17	4.45	0.34	54.7	21.6	57	11.05	71.4
K296670		5.09	0.01	0.24	5.47	968	200	1.15	0.22	5.72	2.26	62.9	19.3	52	11.70	120.5
K296671		2.33	<0.01	0.45	6.66	524	250	1.39	0.20	3.13	0.16	67.0	13.6	49	15.50	29.6
K296672		4.12	<0.01	0.09	8.10	260	290	1.82	0.27	0.81	0.04	86.0	17.7	63	19.40	30.1
K296673		7.04	<0.01	<0.01	0.10	<5	20	0.06	0.02	20.8	0.06	2.06	1.8	1	0.28	2.2
K296674		4.83	<0.01	0.08	7.45	104.0	450	1.66	0.22	1.22	<0.02	67.9	12.3	61	17.75	25.8
K296675		4.63	0.01	0.06	5.37	481	240	1.16	0.16	13.65	0.20	66.1	10.6	39	14.80	18.3
K296676		5.59	<0.01	0.09	7.05	54.6	400	1.61	0.22	2.52	0.02	76.3	14.6	55	18.35	27.7
K296677		4.77	<0.01	0.07	6.34	281	250	1.27	0.18	8.31	0.03	72.8	11.1	44	15.35	20.2
K296678		2.68	<0.01	0.08	5.98	340	220	1.15	0.22	8.45	0.12	71.3	20.1	48	11.75	52.0
K296679		2.00	<0.01	0.05	7.00	137.0	300	1.42	0.21	2.99	0.04	66.9	14.6	55	14.00	23.1
K296680		3.34	<0.01	0.04	6.83	299	290	1.64	0.20	5.65	0.07	75.9	13.2	50	16.00	28.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11115580

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296645		8.19	21.8	0.24	4.5	0.23	0.116	2.16	31.5	78.2	2.98	685	0.45	0.30	16.6	69.1
K296646		6.68	19.35	0.21	4.4	0.26	0.111	2.32	29.6	83.8	2.13	607	1.69	0.09	17.0	58.7
K296647		5.17	18.00	0.27	3.5	0.3	0.084	2.40	31.5	56.3	1.80	637	3.79	0.03	15.4	28.7
K296648		6.26	20.6	0.33	4.1	0.73	0.107	3.10	31.9	84.1	1.44	562	0.68	0.03	18.1	40.6
K296649		7.20	18.10	0.27	3.1	0.18	0.092	1.51	20.1	85.4	3.44	837	0.39	0.27	11.4	48.0
K296650		0.42	0.36	0.19	<0.1	<0.01	0.006	0.03	0.7	1.2	11.75	174	0.11	0.01	0.5	2.1
K296651		6.80	18.80	0.27	3.4	0.08	0.093	1.39	23.1	56.3	3.48	921	0.43	0.52	12.2	45.5
K296652		6.41	17.65	0.25	3.2	0.14	0.085	1.44	23.4	57.0	3.44	950	0.71	0.57	12.0	42.9
K296653		6.37	17.25	0.24	2.7	0.90	0.085	1.63	20.4	144.5	2.36	919	0.35	0.09	10.6	45.2
K296654		6.47	16.80	0.23	2.8	1.16	0.079	1.46	20.8	106.5	2.59	935	0.37	0.04	10.7	41.3
K296655		6.61	16.70	0.19	2.9	0.06	0.085	1.31	22.2	78.1	3.29	1010	0.33	0.47	10.9	41.0
K296656		7.03	17.75	0.19	2.9	0.25	0.092	1.26	21.2	115.5	3.08	929	0.39	0.50	11.0	44.7
K296657		7.22	19.00	0.27	2.9	0.65	0.098	1.64	19.6	174.5	2.83	727	0.45	0.39	11.6	51.3
K296658		6.70	20.0	0.29	3.9	9.7	0.048	1.30	69.0	18.5	0.13	37	6.90	0.38	10.5	15.1
K296659		7.50	19.45	0.29	3.2	0.20	0.101	1.65	21.8	119.0	3.05	744	0.39	0.47	12.5	51.7
K296660		7.40	17.35	0.19	3.0	0.2	0.090	1.55	22.6	101.0	3.14	941	0.38	0.48	11.7	45.1
K296661		7.42	18.95	0.28	3.2	0.2	0.094	1.55	22.5	96.7	3.16	911	0.42	0.44	12.6	48.1
K296662		8.21	21.0	0.32	3.6	0.12	0.108	1.48	23.0	87.3	3.12	835	0.42	0.62	13.4	54.7
K296663		7.05	19.45	0.28	3.2	0.64	0.100	1.87	23.8	106.0	1.58	677	0.40	0.12	14.6	44.8
K296664		1.31	7.11	0.14	2.0	5.37	0.060	1.38	28.9	9.0	0.68	250	11.70	0.01	8.0	55.2
K296665		7.12	17.40	0.21	2.8	0.39	0.086	2.04	19.3	131.5	1.71	984	0.35	0.18	11.7	41.8
K296666		7.51	19.95	0.29	2.9	0.19	0.102	1.78	18.5	176.5	2.29	718	0.30	0.31	12.6	54.1
K296667		6.16	20.3	0.26	3.8	1.3	0.087	2.29	26.4	199.5	0.56	409	0.46	0.04	16.0	30.2
K296668		7.33	19.45	0.28	3.4	1.3	0.098	2.83	28.1	100.5	0.56	385	7.69	0.03	16.5	20.9
K296669		4.86	16.25	0.22	2.9	2.17	0.075	2.57	24.7	71.4	2.27	1280	7.51	0.03	11.7	35.1
K296670		5.73	15.05	0.26	2.4	19.5	0.064	2.50	30.4	11.6	2.56	1350	5.20	0.03	9.1	30.9
K296671		3.64	17.65	0.20	2.5	1.92	0.056	3.02	33.9	19.3	1.68	539	0.64	0.08	10.7	26.5
K296672		4.20	22.0	0.23	3.1	1.38	0.064	3.35	43.6	53.2	0.69	324	0.39	0.05	13.1	34.5
K296673		0.43	0.40	0.20	<0.1	0.01	<0.005	0.04	1.0	1.3	12.35	179	0.15	0.01	0.5	2.5
K296674		4.31	18.60	0.18	2.3	0.86	0.057	3.72	33.8	42.5	0.88	394	0.21	0.05	10.2	27.3
K296675		2.63	13.60	0.15	1.8	1.81	0.044	2.41	33.4	13.4	1.27	1060	0.52	0.03	7.6	19.7
K296676		3.99	19.20	0.23	2.7	1.37	0.058	3.06	37.7	57.2	0.91	671	0.34	0.04	11.5	27.7
K296677		3.17	15.85	0.18	2.2	1.67	0.050	2.81	37.5	28.3	1.01	737	0.47	0.04	9.5	22.2
K296678		3.60	15.50	0.18	2.4	3.03	0.057	2.34	35.9	22.3	1.97	1340	2.58	0.03	8.8	33.0
K296679		3.70	15.60	0.16	2.7	0.67	0.055	3.20	33.7	19.3	1.28	675	0.25	0.05	10.1	23.6
K296680		3.20	18.25	0.21	2.8	0.59	0.058	3.15	38.6	19.2	1.34	563	0.21	0.05	11.5	25.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11115580

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296645		680	13.2	116.5	<0.002	0.14	0.59	31.1	3	2.3	51.3	1.01	0.24	7.8	0.760	0.67
K296646		590	11.9	132.0	<0.002	0.04	0.53	27.1	3	2.2	68.4	1.03	0.26	8.3	0.667	1.02
K296647		510	18.5	117.5	0.002	0.05	3.77	17.0	3	2.5	68.0	1.00	0.20	9.2	0.451	0.91
K296648		620	11.4	148.0	<0.002	0.09	1.00	23.1	3	2.7	118.5	1.14	0.28	8.9	0.625	1.37
K296649		590	8.6	82.6	0.002	0.16	0.55	28.4	3	1.8	61.6	0.72	0.15	4.5	0.668	0.64
K296650		200	1.4	1.6	<0.002	<0.01	0.07	0.3	1	<0.2	47.8	<0.05	<0.05	<0.2	0.005	<0.02
K296651		600	8.2	74.2	<0.002	0.06	0.44	27.7	3	2.0	82.9	0.76	0.14	5.4	0.649	0.53
K296652		580	8.6	72.9	<0.002	0.22	0.37	25.1	2	1.9	94.4	0.76	0.15	5.6	0.616	0.70
K296653		550	8.4	102.5	0.003	2.24	0.60	25.9	3	1.8	280	0.68	0.14	4.9	0.635	3.78
K296654		550	9.1	89.1	0.002	1.90	0.46	25.0	3	1.8	164.0	0.69	0.12	5.1	0.649	4.35
K296655		550	8.4	81.8	<0.002	0.07	0.34	25.5	3	1.9	78.5	0.71	0.11	5.3	0.644	0.54
K296656		550	8.1	76.6	0.002	0.13	0.35	27.2	3	1.8	120.0	0.70	0.12	5.0	0.679	0.76
K296657		590	9.1	99.5	0.003	0.27	0.60	29.9	3	1.9	163.5	0.73	0.16	4.6	0.711	1.01
K296658		880	15.8	45.1	0.003	3.02	114.0	15.9	3	3.0	510	0.74	0.13	8.9	0.538	7.74
K296659		630	8.6	102.5	0.003	0.09	0.44	30.8	3	2.0	85.1	0.78	0.16	5.0	0.702	0.84
K296660		610	8.8	92.9	<0.002	0.14	0.42	26.8	3	1.9	79.8	0.75	0.16	5.3	0.689	0.81
K296661		620	9.1	98.9	0.002	0.13	0.39	28.2	3	2.0	79.1	0.79	0.16	5.3	0.682	0.83
K296662		660	9.3	92.4	<0.002	0.08	0.36	33.2	3	2.1	101.0	0.83	0.18	5.3	0.780	0.72
K296663		580	8.2	114.0	0.002	1.17	0.39	28.5	4	2.2	268	0.93	0.21	5.9	0.748	2.45
K296664		3910	4.3	108.5	0.033	1.30	18.00	6.2	8	1.7	145.0	0.51	0.47	6.0	0.201	12.30
K296665		630	7.1	104.0	0.002	0.20	0.49	23.1	3	1.9	236	0.74	0.15	5.3	0.694	1.44
K296666		620	8.4	116.0	0.002	0.33	0.32	30.6	3	2.0	85.5	0.78	0.17	4.9	0.723	1.08
K296667		710	9.4	122.5	0.006	2.66	0.81	21.0	4	2.3	569	0.99	0.28	6.4	0.741	4.44
K296668		730	9.7	125.0	0.008	0.84	1.21	17.9	4	2.5	610	1.03	0.27	7.6	0.615	3.84
K296669		510	14.6	113.5	0.005	0.67	3.17	23.4	3	2.0	323	0.75	0.12	6.5	0.535	3.92
K296670		520	251	105.0	0.009	2.25	84.1	15.1	6	1.9	162.5	0.59	0.09	8.3	0.294	6.04
K296671		400	15.4	132.5	<0.002	2.65	6.25	13.6	2	2.1	108.0	0.74	<0.05	10.1	0.348	3.64
K296672		450	20.7	154.0	<0.002	4.05	5.05	14.8	2	2.7	187.5	0.93	0.05	13.4	0.423	4.75
K296673		220	1.8	2.2	<0.002	0.02	0.08	0.3	1	<0.2	53.4	<0.05	<0.05	<0.2	0.005	0.02
K296674		820	15.2	136.0	<0.002	4.23	0.96	12.0	1	2.2	73.9	0.75	<0.05	10.3	0.384	3.76
K296675		460	15.8	108.5	0.002	2.01	2.77	9.7	2	1.6	339	0.52	0.05	8.9	0.224	3.96
K296676		1290	22.9	128.5	<0.002	3.75	0.76	14.3	2	2.2	283	0.81	0.05	11.3	0.359	4.10
K296677		630	13.4	125.5	0.002	2.76	1.78	11.6	2	1.8	254	0.65	<0.05	10.6	0.294	3.33
K296678		700	20.6	101.0	0.004	2.67	13.65	13.5	3	1.8	237	0.60	0.08	9.5	0.270	4.48
K296679		560	11.1	123.5	<0.002	2.54	2.86	12.5	2	1.9	116.0	0.71	<0.05	10.8	0.404	1.45
K296680		1010	10.1	132.5	<0.002	2.47	2.41	13.5	2	2.3	216	0.81	<0.05	11.5	0.357	1.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11115580

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296645		2.1	238	0.9	33.2	124	160.5
K296646		2.1	204	1.1	31.3	105	160.0
K296647		2.3	115	22.0	25.8	76	118.0
K296648		2.4	167	3.3	27.9	90	142.0
K296649		1.1	220	0.7	24.7	90	103.0
K296650		0.6	2	0.1	1.0	12	0.7
K296651		1.3	210	1.1	29.1	85	117.0
K296652		1.2	199	1.0	26.6	87	110.0
K296653		1.0	211	1.9	23.0	84	92.0
K296654		1.1	208	2.4	23.9	78	96.2
K296655		1.2	208	0.7	25.9	85	101.0
K296656		1.2	216	0.8	25.6	89	100.5
K296657		1.1	232	0.9	25.4	90	98.1
K296658		7.1	163	22.9	14.7	39	155.0
K296659		1.1	232	0.8	27.0	97	110.0
K296660		1.2	224	0.7	25.8	94	102.5
K296661		1.2	223	0.8	27.4	95	110.0
K296662		1.3	256	0.8	29.9	107	122.0
K296663		1.3	238	1.3	25.1	88	111.5
K296664		7.4	359	33.5	28.0	254	70.3
K296665		1.3	211	1.1	22.8	94	99.3
K296666		1.1	235	0.9	23.6	98	101.0
K296667		1.8	226	3.2	25.3	73	133.5
K296668		2.0	186	5.4	22.8	63	122.5
K296669		1.6	149	4.8	23.2	74	98.3
K296670		2.4	109	5.7	20.0	580	82.0
K296671		2.5	73	6.9	16.9	95	86.2
K296672		2.8	86	6.6	18.7	84	104.5
K296673		0.6	2	0.1	1.1	13	0.8
K296674		2.2	83	2.7	14.9	84	78.2
K296675		2.2	49	2.2	16.4	73	61.9
K296676		2.6	79	2.2	19.4	78	90.1
K296677		2.4	61	2.6	17.9	60	76.1
K296678		2.6	85	5.0	19.3	68	80.7
K296679		2.0	84	5.2	16.8	89	92.2
K296680		2.2	75	6.9	19.8	56	96.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11115580

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

CERTIFICATE WH11110715

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 9 (Area B)

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110715

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297037		4.44	0.03	0.11	4.89	3250	960	0.75	0.12	6.83	0.05	50.7	6.5	32	14.00	11.5
K297038		0.26	2.63	0.91	3.14	596	870	0.61	0.30	7.93	2.30	47.4	6.5	53	3.80	46.8
K297039		5.21	0.01	0.12	4.54	1200	590	0.75	0.10	6.92	0.02	41.3	5.3	33	10.75	11.6
K297040		5.59	<0.01	0.08	5.14	85.9	660	1.14	0.12	7.46	0.09	55.4	7.6	40	17.10	18.3
K297041		10.90	0.01	0.07	7.04	33.0	520	1.21	0.21	3.48	0.30	46.0	29.2	74	25.5	157.0
K297042		5.68	0.01	0.07	7.13	32.7	500	1.23	0.23	3.61	0.39	46.6	29.4	75	25.8	161.0
K297043		10.83	0.01	0.06	6.64	63.1	390	1.04	0.20	4.10	0.36	44.9	27.1	70	16.90	146.5
K297044		11.25	0.01	0.08	6.75	15.7	420	1.11	0.21	4.26	0.32	46.9	27.9	72	12.65	155.5
K297045		11.76	0.02	0.02	7.32	9.9	440	1.44	0.28	3.11	0.24	60.4	25.2	76	14.30	145.0
K297046		12.04	0.01	0.06	7.23	10.4	110	1.17	0.24	3.31	0.32	52.4	30.5	76	14.55	162.0
K297047		5.37	<0.01	0.07	3.76	27	160	0.90	0.16	10.30	0.12	40.1	8.7	33	9.06	25.7
K297048		11.37	0.01	0.09	4.81	24.9	90	1.25	0.21	5.61	0.10	53.7	11.7	37	10.25	37.9
K297049		10.47	<0.01	0.08	4.84	10.6	90	1.15	0.22	5.37	0.36	54.4	12.4	36	10.60	35.3
K297050		12.36	0.01	0.01	7.82	7.9	130	1.94	0.35	2.05	0.31	74.9	26.6	71	13.15	135.0
K297051		12.08	0.01	0.01	7.29	3.6	120	1.89	0.30	2.47	0.22	64.1	25.9	78	12.05	165.0
K297052		1.42	0.02	0.12	0.25	260	470	0.12	0.02	20.3	0.31	4.44	1.1	3	0.23	3.0
K297053		2.24	0.04	0.18	0.22	540	3610	0.08	0.01	19.75	0.94	6.06	0.9	3	0.27	2.5
K297054		2.20	0.01	0.11	0.42	278	5030	0.18	0.02	19.65	0.22	11.85	1.3	4	0.61	2.7
K297055		0.77	0.01	0.16	0.58	224	4530	0.19	0.02	19.75	0.07	11.10	1.2	4	0.77	3.4
K297056		7.04	<0.01	0.01	0.09	5	30	0.08	0.03	21.5	0.05	1.38	1.2	1	0.21	1.9
K297057		4.43	0.01	0.28	0.25	119	2150	0.13	0.01	20.1	0.54	6.80	1.0	3	0.58	2.7
K297058		8.01	0.01	0.03	0.19	177	30	0.15	0.01	20.6	0.29	6.58	1.0	2	0.38	2.1
K297059		8.22	<0.01	0.10	1.02	742	60	0.40	0.04	19.50	0.28	17.10	2.3	8	3.57	6.2
K297060		0.25	0.34	0.31	6.19	606	2010	0.61	0.28	0.46	0.17	138.0	2.8	247	3.56	28.8
K297061		5.86	0.01	0.03	0.43	451	180	0.19	0.02	20.6	0.05	10.40	1.6	5	0.77	3.2
K297062		5.18	<0.01	0.05	0.36	860	180	0.22	0.02	19.85	0.03	8.41	1.4	4	0.50	2.9
K297063		5.30	0.04	0.06	0.44	1790	200	0.16	0.01	19.35	0.08	6.12	1.2	5	0.68	2.1
K297064		9.10	0.03	0.06	0.33	431	170	0.11	0.01	19.45	0.02	4.83	1.0	4	0.49	1.6
K297065		5.65	0.01	0.06	0.29	1430	420	0.13	0.01	18.00	0.81	6.90	1.1	4	0.38	2.4
K297066		8.08	0.02	0.02	0.22	5070	290	0.07	0.01	15.90	0.13	4.52	0.8	5	0.28	1.6
K297067		6.28	0.02	0.06	0.32	1450	300	0.11	0.02	16.70	0.27	6.74	1.0	5	0.41	2.8
K297068		10.48	0.02	0.16	0.36	613	390	0.14	0.02	18.80	0.85	9.26	1.3	6	0.46	4.3
K297069		5.52	0.03	0.45	0.35	881	320	0.12	0.02	17.00	1.85	7.71	1.0	3	0.37	4.3
K297070		6.77	0.05	0.29	0.35	1080	320	0.11	0.02	16.70	0.60	8.74	1.2	4	0.37	4.2
K297071		9.91	0.01	0.06	0.20	>10000	230	0.08	0.01	17.15	0.59	4.25	0.8	4	0.33	1.8
K297072		7.09	<0.01	<0.01	0.09	18	30	0.06	0.03	20.9	0.05	1.53	1.1	1	0.22	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110715

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297037		2.28	11.25	0.14	3.1	5.99	0.029	2.35	25.0	10.9	3.84	987	0.51	0.02	8.3	16.1
K297038		2.03	7.41	0.13	1.7	4.64	0.027	1.00	28.3	41.5	2.60	270	18.55	0.03	6.8	55.2
K297039		2.08	9.44	0.11	3.0	3.60	0.023	2.05	20.8	14.1	3.96	830	0.43	0.02	7.5	13.6
K297040		2.55	11.85	0.14	4.0	0.70	0.031	2.61	26.8	11.9	4.29	705	0.35	0.03	9.0	18.5
K297041		7.01	17.55	0.21	3.3	0.27	0.094	2.01	20.1	210	3.29	957	0.46	0.37	12.6	53.3
K297042		7.00	17.65	0.21	3.4	0.30	0.096	2.04	20.7	207	3.33	1020	0.49	0.39	13.0	52.9
K297043		6.61	16.15	0.20	3.1	0.54	0.086	1.90	18.9	132.0	2.96	1030	0.44	0.49	11.7	48.6
K297044		6.96	17.20	0.20	3.4	0.08	0.094	1.37	20.2	82.1	3.31	1100	0.40	0.79	12.2	50.4
K297045		7.03	19.25	0.23	3.8	0.06	0.106	1.75	27.2	58.0	3.02	804	0.35	0.67	18.3	51.6
K297046		7.53	18.80	0.23	3.6	0.07	0.104	1.53	22.7	70.1	3.51	1080	0.44	0.71	15.6	54.1
K297047		2.84	9.54	0.14	1.8	0.11	0.040	1.64	18.3	28.6	3.23	604	9.00	0.12	6.4	17.4
K297048		3.49	12.85	0.18	2.4	0.06	0.047	2.00	24.1	57.4	3.29	521	3.95	0.07	8.8	19.4
K297049		3.70	12.75	0.18	2.4	0.04	0.049	1.91	23.9	58.3	2.80	724	6.73	0.25	8.8	20.7
K297050		6.49	20.3	0.25	4.6	0.04	0.114	2.78	31.6	45.8	2.61	362	2.17	0.42	19.9	48.6
K297051		7.10	18.80	0.23	4.3	0.03	0.113	2.12	28.1	39.1	2.58	419	0.29	0.59	18.0	49.6
K297052		0.34	0.62	0.09	0.1	1.92	0.006	0.07	3.0	1.9	12.05	483	0.36	0.03	0.5	2.7
K297053		0.76	0.62	0.06	0.1	1.82	<0.005	0.09	4.7	1.2	11.90	501	0.27	0.01	0.5	1.7
K297054		0.56	1.06	0.07	0.2	1.99	<0.005	0.18	9.5	1.7	11.70	771	0.16	0.01	1.0	2.5
K297055		0.56	1.52	0.08	0.2	2.43	<0.005	0.25	8.4	2.6	11.60	881	0.23	0.01	1.0	2.1
K297056		0.44	0.30	0.11	<0.1	0.01	<0.005	0.03	0.7	2.0	12.80	195	0.53	0.01	0.4	2.2
K297057		0.43	0.71	0.09	0.1	0.56	<0.005	0.10	4.9	1.6	11.85	620	0.18	0.02	0.5	1.3
K297058		0.40	0.57	0.11	0.1	0.49	<0.005	0.07	5.2	1.3	12.30	766	0.10	0.02	0.5	1.4
K297059		0.73	2.62	0.09	0.4	1.58	0.006	0.47	12.5	4.5	11.50	863	0.23	0.02	2.0	3.7
K297060		6.37	19.50	0.22	3.8	9.7	0.047	1.41	65.7	20.6	0.13	32	6.00	0.41	9.1	15.7
K297061		0.36	1.14	0.08	0.2	1.91	<0.005	0.16	7.7	2.0	12.25	1010	0.11	0.02	0.9	2.9
K297062		0.50	1.02	0.08	0.2	4.91	<0.005	0.12	6.1	2.0	11.70	1310	0.13	0.02	0.8	2.8
K297063		0.42	1.17	0.08	0.2	5.40	0.005	0.18	3.5	2.1	11.60	559	0.41	0.02	0.9	1.7
K297064		0.32	0.87	0.10	0.2	4.54	<0.005	0.13	2.8	1.9	11.70	458	0.63	0.01	0.7	1.1
K297065		0.52	0.74	0.08	0.1	5.56	<0.005	0.08	4.6	1.5	10.85	454	0.48	0.01	0.6	1.6
K297066		0.39	0.52	0.07	0.1	1.90	<0.005	0.05	2.9	1.4	9.65	377	0.35	0.01	0.4	1.0
K297067		0.53	0.82	0.07	0.1	3.99	<0.005	0.10	4.2	1.5	10.10	555	0.45	0.01	0.7	1.5
K297068		1.86	0.96	0.06	0.2	5.45	<0.005	0.11	6.3	1.5	11.10	840	0.29	0.01	0.8	1.9
K297069		5.62	0.93	0.13	0.1	22.7	0.010	0.11	5.4	1.2	10.05	484	0.53	0.01	0.7	1.7
K297070		5.89	0.92	0.12	0.1	18.2	0.007	0.10	6.0	1.4	9.78	737	0.60	0.01	0.7	2.2
K297071		0.53	0.59	0.07	0.1	3.86	0.010	0.05	2.8	1.6	10.25	409	0.46	0.01	0.5	1.6
K297072		0.43	0.28	0.10	<0.1	0.05	<0.005	0.03	0.7	1.2	12.45	186	0.07	0.01	0.4	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110715

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297037		370	50.1	76.7	<0.002	2.04	1.99	6.0	1	1.4	152.5	0.62	<0.05	11.1	0.233	13.30
K297038		930	35.6	49.7	0.023	1.63	110.0	4.9	4	2.4	73.7	0.43	0.18	6.6	0.170	3.65
K297039		320	49.8	68.9	<0.002	1.90	0.43	5.1	1	1.5	128.5	0.56	<0.05	10.1	0.210	7.44
K297040		390	48.7	95.1	<0.002	2.07	0.61	7.4	2	1.7	169.0	0.67	<0.05	11.0	0.268	1.69
K297041		700	9.9	105.0	0.003	0.64	0.38	24.2	3	2.0	124.5	0.84	0.20	5.9	0.709	1.04
K297042		700	10.1	109.5	0.003	0.73	0.39	25.0	3	2.0	129.0	0.89	0.23	6.0	0.712	1.16
K297043		650	9.3	99.8	0.002	1.55	0.45	22.8	3	1.9	149.0	0.79	0.21	5.5	0.683	1.45
K297044		660	8.7	75.0	0.002	0.38	0.35	23.0	3	1.9	107.5	0.82	0.21	5.8	0.704	0.56
K297045		710	7.7	94.1	<0.002	0.29	0.36	22.9	3	2.5	95.8	1.11	0.29	8.0	0.703	0.60
K297046		790	11.4	80.0	0.002	0.34	0.39	24.4	3	2.2	75.0	0.96	0.25	6.8	0.745	0.56
K297047		340	12.0	69.6	<0.002	0.89	0.67	7.2	1	1.5	165.5	0.46	<0.05	6.1	0.239	0.47
K297048		420	13.4	87.7	0.002	0.90	0.59	9.8	2	2.0	112.5	0.62	0.05	8.0	0.313	0.47
K297049		440	18.6	89.1	0.005	0.81	0.54	10.0	2	2.0	74.7	0.62	0.07	8.1	0.303	0.44
K297050		760	14.7	126.5	0.004	0.44	0.44	22.4	4	2.8	55.2	1.27	0.34	10.5	0.671	0.57
K297051		740	10.8	96.6	<0.002	0.17	0.34	23.8	3	2.5	66.2	1.14	0.33	8.2	0.757	0.46
K297052		300	8.3	2.6	<0.002	0.03	0.44	0.7	1	<0.2	84.3	<0.05	<0.05	0.4	0.013	4.29
K297053		380	9.2	2.9	<0.002	0.13	1.48	0.7	1	<0.2	117.0	<0.05	<0.05	0.5	0.009	4.32
K297054		400	10.1	6.0	<0.002	0.17	0.89	1.1	1	0.2	159.0	0.06	<0.05	1.0	0.016	2.91
K297055		580	14.4	9.1	<0.002	0.16	0.66	1.1	1	0.2	241	0.06	<0.05	1.0	0.017	1.95
K297056		220	1.1	1.6	<0.002	0.01	<0.05	0.3	1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	<0.02
K297057		440	8.5	3.4	<0.002	0.09	0.44	0.7	1	<0.2	120.5	<0.05	<0.05	0.5	0.010	1.11
K297058		460	5.3	2.5	<0.002	0.03	0.29	0.6	1	<0.2	83.8	<0.05	<0.05	0.4	0.007	1.01
K297059		790	16.2	15.6	<0.002	0.05	0.32	2.0	1	0.3	85.1	0.13	<0.05	2.3	0.042	3.38
K297060		930	15.7	48.9	0.003	3.18	127.5	16.6	2	3.1	508	0.71	0.14	9.0	0.551	6.81
K297061		370	9.0	5.5	<0.002	0.04	0.29	1.1	1	0.2	123.0	0.05	<0.05	1.0	0.018	3.76
K297062		360	8.8	4.7	<0.002	0.25	0.32	1.0	1	<0.2	126.5	0.05	<0.05	0.8	0.014	6.19
K297063		280	18.0	6.8	<0.002	0.30	1.54	1.0	1	0.2	145.5	0.05	<0.05	0.8	0.020	9.52
K297064		270	14.9	5.1	<0.002	0.19	1.03	0.8	1	<0.2	115.0	<0.05	<0.05	0.7	0.016	4.49
K297065		460	13.3	2.9	<0.002	0.58	0.71	0.7	1	<0.2	189.5	<0.05	<0.05	0.6	0.011	5.38
K297066		330	5.0	1.9	<0.002	0.65	1.47	0.5	1	<0.2	133.5	<0.05	<0.05	0.4	0.007	2.28
K297067		380	16.9	3.5	<0.002	0.46	0.73	0.8	1	<0.2	150.0	<0.05	<0.05	0.7	0.015	3.59
K297068		470	35.5	3.9	<0.002	2.36	1.09	0.8	1	0.3	175.0	<0.05	<0.05	0.7	0.015	9.73
K297069		480	113.5	4.0	<0.002	7.76	2.60	0.7	1	0.2	180.5	<0.05	<0.05	0.6	0.012	18.30
K297070		410	90.6	3.5	<0.002	7.90	1.56	0.7	1	0.2	179.0	<0.05	<0.05	0.6	0.013	14.90
K297071		320	8.6	2.1	<0.002	1.48	0.55	0.5	1	<0.2	127.0	<0.05	<0.05	0.3	0.008	4.60
K297072		230	1.3	1.7	<0.002	0.02	<0.05	0.3	1	<0.2	47.3	<0.05	<0.05	<0.2	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110715

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297037		2.3	38	9.1	13.4	15	117.5	
K297038		8.8	227	28.5	20.9	219	66.0	
K297039		2.4	32	4.6	11.3	9	114.0	
K297040		2.6	46	2.8	15.7	38	154.5	
K297041		1.7	227	1.9	27.1	100	127.0	
K297042		1.7	231	2.0	28.7	101	131.0	
K297043		1.5	218	2.3	26.6	94	116.0	
K297044		1.6	224	0.8	27.8	101	128.0	
K297045		2.1	216	1.0	30.2	101	148.0	
K297046		1.9	232	0.9	29.9	105	143.0	
K297047		1.6	56	0.8	17.9	48	67.7	
K297048		2.1	75	1.2	20.2	60	90.3	
K297049		2.3	74	1.0	20.0	57	90.6	
K297050		2.9	186	1.3	30.2	110	171.5	
K297051		2.1	221	1.1	28.1	112	157.5	
K297052		1.4	4	0.5	3.1	97	4.1	
K297053		1.5	3	0.4	3.9	369	2.6	
K297054		1.9	3	0.6	5.5	134	5.0	
K297055		1.9	4	0.8	5.8	58	5.3	
K297056		0.7	2	0.1	0.9	17	<0.5	
K297057		1.8	2	0.3	4.2	142	3.4	
K297058		1.7	2	0.2	4.4	102	2.1	
K297059		2.7	8	1.2	7.3	139	12.9	
K297060		7.5	168	22.8	15.2	42	140.5	
K297061		2.0	3	0.6	4.5	29	6.0	
K297062		2.0	3	0.4	4.3	11	4.7	
K297063		1.2	5	0.5	2.9	35	7.2	
K297064		1.2	3	0.4	2.5	9	5.8	
K297065		1.8	2	0.4	3.3	268	4.3	
K297066		1.3	1	0.3	2.1	54	2.5	
K297067		1.9	2	0.5	3.0	94	4.0	
K297068		2.1	3	0.4	3.9	319	4.9	
K297069		1.9	3	0.5	3.3	643	6.8	
K297070		2.1	3	0.5	3.4	291	4.1	
K297071		1.5	1	0.3	2.3	213	2.6	1.245
K297072		0.6	2	0.1	0.9	16	2.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110715

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

CERTIFICATE WH11117641

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 10 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11117641

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296681		4.93	<0.01	0.34	8.02	151.0	330	2.58	0.42	3.81	0.13	86.1	16.9	63	27.3	38.3
K296682		5.51	<0.01	0.08	6.84	39.6	280	1.95	0.28	4.69	0.03	75.2	14.0	54	24.0	32.3
K296683		7.25	<0.01	0.09	7.37	107.5	300	2.32	0.32	3.57	0.07	83.4	15.2	58	25.3	29.0
K296684		7.95	<0.01	0.06	6.23	442	250	1.80	0.25	4.34	0.28	55.3	27.7	60	21.7	117.0
K296685		7.93	<0.01	0.09	6.33	33.0	160	1.80	0.25	3.11	0.34	51.9	31.3	66	26.0	145.5
K296686		6.23	<0.01	0.08	6.22	31.6	170	1.63	0.24	3.38	0.33	52.9	30.4	65	17.60	143.5
K296687		7.09	<0.01	0.02	0.08	<5	20	0.05	0.03	19.35	0.06	1.35	0.7	2	0.20	2.2
K296688		7.28	<0.01	0.25	6.14	32.7	150	1.37	0.22	3.49	0.32	47.4	31.0	69	19.35	141.0
K296689		7.17	<0.01	0.14	6.01	91.0	240	1.46	0.20	3.72	0.27	47.5	32.0	65	14.05	137.5
K296690		7.56	<0.01	0.11	5.85	259	820	1.14	0.23	3.68	0.29	48.4	29.4	66	13.05	137.0
K296691		8.15	0.02	0.08	5.92	62.5	240	1.58	0.22	3.39	0.34	46.0	30.7	63	33.5	143.0
K296692		0.27	0.34	0.31	5.29	547	920	0.58	0.26	0.41	0.17	124.0	2.6	218	3.25	27.5
K296693		8.00	<0.01	0.07	6.23	13.6	200	1.30	0.24	2.72	0.30	48.7	29.9	66	38.2	137.0
K296694		8.03	<0.01	0.07	6.36	17.5	190	1.48	0.24	2.78	0.32	49.4	32.1	67	38.0	142.0
K296695		7.85	<0.01	0.08	6.05	31.9	220	1.49	0.24	3.40	0.31	53.4	30.8	63	34.8	139.0
K296696		7.78	<0.01	0.08	4.59	26.7	370	1.03	0.18	5.13	0.20	44.5	17.1	44	16.40	61.8
K296697		8.28	<0.01	0.06	5.12	30.2	270	1.33	0.24	4.78	0.24	55.6	19.8	48	18.65	77.9
K296698		8.07	<0.01	0.07	6.20	57.7	220	1.60	0.24	3.57	0.34	47.4	31.1	67	26.1	151.0
K296699		8.44	<0.01	0.08	6.22	56.1	210	1.46	0.23	3.85	0.27	49.1	32.0	66	27.8	141.5
K296700		3.96	<0.01	0.08	6.39	55.8	210	1.51	0.25	3.91	0.30	51.0	34.6	65	29.3	146.5
K296701		9.02	0.01	0.14	6.18	31.1	170	1.32	0.20	3.42	0.25	53.3	29.8	67	32.5	132.0
K296702		11.27	<0.01	0.14	5.59	77.6	130	1.06	0.17	4.94	0.28	46.4	27.7	60	27.4	121.5
K296703		8.35	<0.01	0.17	6.61	22.8	250	1.59	0.21	4.22	0.32	55.2	34.2	74	39.5	147.5
K296704		6.41	<0.01	0.14	5.84	21.4	160	1.09	0.18	4.80	0.30	47.8	29.4	63	28.7	127.0
K296705		7.74	<0.01	0.10	3.83	114.0	160	0.91	0.15	9.01	0.14	48.1	11.1	32	10.40	33.7
K296706		0.21	0.36	0.34	5.92	588	370	0.66	0.29	0.48	0.18	151.5	2.9	239	3.83	33.3
K296707		7.72	<0.01	0.11	4.44	141.0	180	1.00	0.18	8.64	0.14	56.2	12.3	36	13.75	36.7
K296708		6.80	0.01	0.15	6.04	378	140	1.53	0.21	6.33	0.21	66.6	21.3	51	22.5	79.7
K296709		4.42	<0.01	0.04	1.28	10	420	0.42	0.04	29.4	0.16	17.85	2.9	14	3.80	9.2
K296710		4.93	<0.01	0.05	1.36	9	200	0.42	0.04	29.0	0.11	18.85	2.7	14	2.93	8.7
K296711		8.29	<0.01	0.07	2.59	6	380	0.83	0.06	20.4	0.12	34.6	5.1	27	9.50	18.1
K296712		7.04	<0.01	0.01	0.07	<5	20	<0.05	0.02	20.9	0.05	1.34	1.1	2	0.17	1.6
K296713		7.73	<0.01	0.07	1.62	6	270	0.48	0.05	26.6	0.14	22.1	3.1	20	4.55	8.7
K296714		3.69	<0.01	0.05	3.33	6	240	0.93	0.09	15.60	0.17	43.8	6.4	36	11.85	13.6
K296715		4.52	<0.01	0.09	5.26	18	270	1.42	0.19	10.20	0.16	68.1	10.8	53	26.0	31.6
K296716		7.89	<0.01	0.09	6.30	19.4	290	1.63	0.37	4.33	0.14	69.0	18.2	58	38.2	62.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11117641

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296681		3.93	25.6	0.21	2.8	1.87	0.077	4.01	43.1	20.6	0.96	518	0.72	0.06	11.0	39.8
K296682		3.96	18.20	0.19	2.6	0.41	0.057	3.09	37.7	77.2	1.28	713	0.37	0.05	8.6	28.7
K296683		4.34	20.6	0.19	2.8	0.86	0.066	3.44	40.6	34.5	1.25	759	0.44	0.05	10.0	31.7
K296684		5.95	17.75	0.18	3.5	0.83	0.088	2.31	27.0	99.9	2.30	947	0.52	0.03	12.2	43.4
K296685		6.94	18.50	0.18	3.3	0.26	0.101	1.91	22.8	168.5	2.85	885	0.52	0.03	13.7	49.1
K296686		7.20	19.05	0.17	3.5	0.28	0.098	1.84	25.5	117.5	2.92	820	0.50	0.03	13.6	50.9
K296687		0.44	0.29	0.08	<0.1	<0.01	0.005	0.03	0.6	1.7	12.10	181	0.17	0.01	0.2	1.7
K296688		6.81	18.05	0.17	3.2	0.18	0.092	1.62	22.1	123.5	2.86	930	0.73	0.03	12.1	51.2
K296689		6.66	18.70	0.15	3.2	0.23	0.095	1.58	21.8	90.9	2.98	1010	0.38	0.03	11.9	47.9
K296690		7.23	17.85	0.16	3.2	0.48	0.087	1.50	22.8	50.9	3.14	777	0.41	0.03	12.1	49.8
K296691		6.76	18.80	0.17	3.5	0.08	0.084	1.52	21.3	103.5	2.79	917	0.37	0.09	12.7	51.1
K296692		5.99	19.00	0.19	3.9	9.3	0.046	1.19	59.7	18.2	0.11	34	5.80	0.33	8.3	15.1
K296693		6.77	18.00	0.17	3.4	0.06	0.091	1.76	23.9	101.5	2.71	768	0.36	0.13	12.7	46.6
K296694		7.02	19.40	0.16	3.5	0.06	0.091	1.73	22.4	137.0	2.83	781	0.36	0.06	13.4	51.3
K296695		6.92	18.95	0.19	3.5	0.07	0.094	1.75	23.3	135.5	2.78	824	0.43	0.04	13.5	49.4
K296696		4.30	12.85	0.15	2.4	0.07	0.065	1.53	21.3	97.6	2.74	745	1.38	0.03	7.9	29.3
K296697		4.59	15.05	0.16	3.1	0.12	0.075	1.75	24.5	119.5	2.69	845	1.49	0.03	10.2	34.3
K296698		6.59	19.25	0.18	3.1	0.10	0.092	1.83	20.8	153.0	3.04	972	0.39	0.03	11.9	54.7
K296699		6.89	18.95	0.15	3.5	0.12	0.090	1.72	21.9	178.0	3.22	1090	0.31	0.03	12.0	51.5
K296700		7.06	19.75	0.18	3.6	0.12	0.093	1.81	23.5	186.0	3.31	1120	0.33	0.03	12.8	53.4
K296701		6.85	17.25	0.18	3.5	0.18	0.093	1.67	24.0	164.5	2.92	919	0.41	0.03	13.4	52.2
K296702		6.57	16.20	0.17	3.1	0.74	0.080	1.40	21.0	144.5	2.83	966	0.39	0.06	11.0	48.4
K296703		7.11	19.20	0.19	3.7	0.36	0.100	1.81	25.1	157.5	2.76	891	0.47	0.08	13.5	54.6
K296704		7.23	16.70	0.17	3.3	0.70	0.085	1.41	22.0	120.0	2.49	1050	0.32	0.10	11.3	49.3
K296705		3.21	10.25	0.09	2.3	1.70	0.047	1.63	21.2	28.6	4.21	793	0.99	0.03	6.5	18.2
K296706		6.71	19.65	0.22	4.4	9.3	0.056	1.34	70.7	19.1	0.13	35	6.74	0.38	9.5	17.1
K296707		3.35	12.20	0.11	2.6	2.29	0.051	1.93	25.4	16.6	4.18	872	1.31	0.03	7.7	20.0
K296708		5.28	16.20	0.17	3.0	1.88	0.073	2.67	31.7	15.9	2.85	900	0.92	0.03	11.1	37.8
K296709		0.62	3.31	<0.05	0.6	0.18	0.010	0.56	9.9	5.3	0.95	130	0.44	0.01	2.0	7.2
K296710		0.64	3.53	0.06	0.6	0.06	0.012	0.54	10.3	5.7	0.98	115	0.30	0.01	2.1	6.9
K296711		1.23	6.94	0.07	1.5	0.05	0.022	1.20	17.5	14.5	3.07	166	0.50	0.03	4.3	11.9
K296712		0.41	0.38	0.27	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.30	171	0.09	0.01	0.3	1.2
K296713		0.72	4.55	0.07	0.8	0.03	0.009	0.74	11.9	6.7	2.34	119	0.35	0.02	2.8	6.8
K296714		1.59	9.00	0.10	1.9	0.02	0.026	1.50	21.8	16.8	3.86	202	0.20	0.04	6.2	14.6
K296715		2.59	14.15	0.11	2.7	0.10	0.043	2.42	33.5	22.5	3.36	376	1.01	0.05	9.2	27.8
K296716		4.87	17.40	0.16	3.4	0.30	0.074	2.99	32.7	24.9	2.47	809	1.40	0.04	10.6	51.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11117641

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296681		440	25.6	150.5	<0.002	3.39	2.33	14.3	2	2.8	143.0	0.92	0.06	13.6	0.341	4.00
K296682		410	13.8	136.0	<0.002	1.34	0.62	12.6	1	2.0	141.0	0.75	<0.05	12.0	0.334	1.60
K296683		470	25.4	142.5	<0.002	2.94	0.74	13.8	1	2.4	118.0	0.79	0.07	12.6	0.366	2.92
K296684		610	11.9	118.0	0.002	3.43	1.59	22.0	2	2.0	135.0	0.90	0.22	7.1	0.565	2.75
K296685		670	10.9	116.5	0.003	0.53	0.32	25.2	2	2.0	113.0	0.95	0.31	6.2	0.644	1.01
K296686		650	10.2	120.5	0.002	0.81	0.36	25.7	2	2.0	129.0	0.94	0.33	6.1	0.625	1.55
K296687		240	1.4	1.5	<0.002	0.02	0.08	0.3	<1	0.2	44.7	<0.05	<0.05	<0.2	0.008	0.02
K296688		600	10.4	106.5	0.002	0.53	0.34	25.8	2	1.9	100.0	0.88	0.22	5.5	0.650	0.98
K296689		570	9.7	102.5	<0.002	0.62	0.36	25.4	2	1.9	127.5	0.84	0.27	5.3	0.635	1.43
K296690		890	9.5	94.8	0.002	1.76	0.52	24.4	2	2.0	363	0.90	0.31	5.7	0.576	3.59
K296691		580	10.2	107.0	0.003	0.32	0.36	26.5	2	1.9	110.0	0.93	0.33	5.3	0.602	0.79
K296692		790	16.1	45.6	0.002	2.67	99.2	13.5	1	2.7	444	0.69	0.17	9.0	0.484	8.02
K296693		660	10.0	113.0	0.002	0.32	0.65	23.8	2	2.0	81.3	0.95	0.32	5.8	0.631	0.95
K296694		630	10.0	117.5	0.004	0.33	0.43	25.1	2	1.9	84.1	0.98	0.31	5.7	0.642	0.87
K296695		640	10.6	126.5	0.003	0.33	0.41	25.1	3	2.0	104.5	0.95	0.30	6.0	0.606	0.92
K296696		410	11.4	91.7	<0.002	0.55	0.36	13.3	1	1.6	196.5	0.62	0.11	5.5	0.368	0.70
K296697		450	13.2	109.5	0.003	0.65	0.37	15.9	2	1.9	151.5	0.77	0.19	6.6	0.436	0.82
K296698		600	10.3	123.5	<0.002	0.31	0.33	26.0	2	2.1	127.5	0.86	0.25	5.5	0.634	0.95
K296699		620	10.7	122.0	0.002	0.31	0.32	27.5	2	2.0	125.5	0.91	0.23	5.9	0.630	0.90
K296700		640	11.2	127.0	0.002	0.33	0.34	28.8	2	2.0	131.5	0.97	0.28	6.3	0.644	1.00
K296701		610	11.2	109.5	<0.002	0.34	0.33	22.1	3	2.0	108.0	0.92	0.31	5.5	0.625	0.84
K296702		530	9.4	90.4	0.002	2.72	0.59	20.2	3	1.7	186.0	0.76	0.24	5.0	0.601	3.67
K296703		630	10.7	120.5	0.003	1.50	0.38	24.0	3	2.1	128.5	0.92	0.30	5.7	0.702	1.62
K296704		560	9.4	91.8	0.002	4.26	0.33	20.9	3	1.8	162.5	0.78	0.26	5.0	0.633	2.99
K296705		400	13.8	76.3	<0.002	1.47	1.00	7.9	2	1.5	187.5	0.48	0.06	5.7	0.255	1.89
K296706		880	16.7	45.8	0.003	2.98	118.5	13.5	2	3.0	490	0.74	0.17	9.4	0.532	7.82
K296707		400	14.0	89.9	<0.002	1.82	1.63	9.3	2	1.8	190.5	0.58	0.08	6.8	0.293	3.38
K296708		540	15.5	131.0	0.002	4.52	2.34	14.8	3	2.1	186.0	0.79	0.17	7.9	0.470	5.18
K296709		240	5.6	31.6	<0.002	0.16	0.16	1.8	2	0.4	1250	0.15	<0.05	2.6	0.053	0.34
K296710		210	5.8	31.9	<0.002	0.17	0.17	2.1	2	0.5	996	0.15	<0.05	2.7	0.057	0.22
K296711		350	7.2	61.8	<0.002	0.13	0.16	3.9	2	0.9	684	0.33	<0.05	5.9	0.117	0.40
K296712		220	1.3	1.5	<0.002	<0.01	<0.05	0.3	1	<0.2	48.4	<0.05	<0.05	<0.2	<0.005	0.02
K296713		190	5.5	45.5	<0.002	0.12	0.17	3.0	3	0.7	1020	0.21	<0.05	3.8	0.079	0.26
K296714		360	6.9	75.7	<0.002	0.05	0.14	5.5	3	1.2	467	0.48	<0.05	8.3	0.164	0.38
K296715		450	13.4	114.0	0.003	0.44	0.43	8.8	3	1.9	306	0.71	<0.05	12.1	0.261	0.96
K296716		510	27.1	138.0	<0.002	3.31	0.82	15.3	2	2.2	180.0	0.79	0.17	10.7	0.443	1.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11117641

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296681		3.6	78	3.3	16.9	82	95.8
K296682		2.7	76	1.3	17.7	76	82.1
K296683		2.7	81	1.8	18.3	80	93.7
K296684		2.1	171	3.0	25.8	89	109.0
K296685		2.0	198	1.0	26.3	95	122.0
K296686		2.0	194	1.8	26.3	93	120.5
K296687		0.5	2	0.1	0.9	15	<0.5
K296688		1.8	202	1.1	25.4	95	116.5
K296689		1.6	200	2.0	31.3	90	125.0
K296690		1.8	188	1.8	23.6	88	124.5
K296691		1.6	190	0.6	27.3	91	115.5
K296692		7.4	151	18.7	12.7	39	149.0
K296693		1.8	198	0.6	23.8	91	155.5
K296694		1.9	199	0.7	31.5	94	121.5
K296695		2.0	189	0.7	28.4	90	130.0
K296696		1.6	110	0.6	19.6	67	82.2
K296697		2.0	124	0.8	21.6	66	119.0
K296698		1.5	201	0.7	26.0	94	103.5
K296699		1.7	200	0.7	27.4	91	116.5
K296700		1.8	204	0.8	27.0	92	120.0
K296701		1.6	193	0.8	25.3	89	119.5
K296702		1.4	188	2.1	24.5	84	107.0
K296703		1.6	221	0.8	28.9	94	129.0
K296704		1.3	199	1.0	25.5	87	110.5
K296705		1.7	61	1.7	20.7	54	72.8
K296706		7.4	163	21.5	15.8	41	170.5
K296707		2.0	74	2.3	22.6	52	83.1
K296708		2.1	136	4.6	23.9	84	101.0
K296709		10.9	21	0.3	5.7	23	20.3
K296710		13.0	23	0.2	5.9	22	21.0
K296711		8.2	40	0.5	11.2	35	53.7
K296712		0.6	1	0.1	1.0	13	0.5
K296713		12.7	21	0.3	6.7	24	35.1
K296714		3.4	39	0.6	13.4	56	64.1
K296715		5.5	66	0.9	18.2	82	90.9
K296716		2.0	126	1.2	23.5	94	113.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11117641

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

CERTIFICATE WH11121172

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 11 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121172

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296073		7.75	<0.01	0.13	8.58	148.5	440	1.89	0.32	2.41	0.10	87.1	19.5	73	38.3	51.1
K296074		6.01	<0.01	0.13	9.59	187.0	360	1.96	0.38	0.15	<0.02	97.2	12.4	79	38.0	31.0
K296075		5.25	<0.01	0.10	7.62	67.2	430	2.31	0.31	3.10	0.11	61.7	19.4	80	25.2	54.0
K296076		0.21	0.32	0.36	5.49	604	350	0.54	0.27	0.41	0.19	113.5	2.9	244	3.06	33.4
K296077		3.41	<0.01	0.21	5.75	39.7	230	1.38	0.21	9.06	0.20	50.9	17.9	56	16.50	77.5
K296078		5.27	<0.01	0.11	5.75	24.3	170	1.17	0.19	8.85	0.16	51.7	19.6	57	16.40	75.7
K296079		2.17	<0.01	0.16	5.51	42	320	1.12	0.18	10.00	0.08	56.4	12.4	48	21.8	36.7
K296080		2.78	0.01	0.19	6.89	43.6	430	1.40	0.24	4.37	0.33	54.2	25.6	74	20.1	121.5
K296081		7.04	<0.01	<0.01	0.08	5	20	0.06	0.02	21.8	0.06	1.51	1.4	1	0.21	1.9
K296082		3.38	<0.01	0.16	6.38	54.7	480	1.72	0.30	5.34	0.17	66.1	26.7	64	24.2	90.7
K296083		4.36	<0.01	0.20	6.40	39.6	300	1.69	0.33	7.00	0.08	72.6	24.7	56	31.3	85.2
K296084		2.87	<0.01	0.31	5.92	34.4	380	1.60	0.30	7.07	0.06	63.9	23.1	54	30.0	77.1
K296085		1.12	<0.01	0.31	6.47	44.6	260	1.52	0.24	5.55	0.18	56.6	28.7	62	25.3	117.0
K296086		8.53	0.01	0.66	5.90	106.5	190	0.99	0.16	5.94	0.18	40.8	27.4	61	13.75	124.0
K296087		6.24	0.01	0.14	5.84	96.0	220	1.11	0.19	5.59	0.22	45.6	26.1	55	18.20	111.0
K296088		3.55	<0.01	1.59	6.70	73.6	240	1.28	0.21	4.92	0.25	50.0	30.2	67	24.8	133.0
K296089		4.27	0.22	0.56	6.02	324	170	1.45	0.22	6.14	0.27	51.8	28.9	60	26.0	112.5
K296090		4.48	0.21	0.06	2.36	153	70	0.60	0.09	22.7	0.03	28.0	5.7	19	7.06	11.5
K296091		0.39	0.01	0.09	2.36	36.2	60	0.58	0.09	2.61	0.02	28.2	3.5	37	7.16	13.2
K296092		3.31	0.02	0.45	7.02	530	190	1.98	0.24	3.92	0.13	78.6	13.0	53	22.0	31.4
K296093		4.80	0.54	>100	8.47	3300	260	2.40	0.33	1.77	0.16	93.3	18.3	64	26.3	619
K296094		3.03	49.2	2.40	5.60	>10000	370	0.66	0.23	0.44	1.32	59.9	13.3	55	10.95	38.3
K296095		4.12	21.4	2.71	6.79	>10000	390	0.85	0.15	0.46	0.44	94.2	17.8	49	16.00	35.0
K296096		6.94	0.07	0.02	0.09	55	20	0.07	0.02	21.7	0.05	1.59	1.2	1	0.23	1.9
K296097		3.47	0.86	4.97	6.33	3250	290	1.22	0.23	0.78	0.23	64.8	24.7	69	16.90	52.6
K296098		5.03	3.88	1.71	6.67	4800	280	1.70	0.26	0.16	0.58	79.0	10.8	71	19.50	53.5
K296099		7.53	0.50	0.24	6.35	2090	230	1.74	0.25	1.70	0.47	69.5	21.9	65	20.9	47.0
K296100		0.22	4.86	0.43	3.52	999	160	0.71	0.62	11.75	3.70	42.8	5.4	95	6.84	33.2
K296101		7.86	0.05	0.51	5.90	1565	260	1.56	0.21	1.49	0.24	58.4	18.6	78	17.70	79.8
K296102		7.17	<0.01	0.38	6.12	999	310	1.72	0.22	1.64	0.67	66.5	20.1	66	21.7	83.2
K296103		10.31	<0.01	0.21	5.89	99.9	350	1.50	0.21	2.77	0.11	58.6	17.2	62	23.3	51.0
K296104		4.66	0.02	1.49	4.19	396	190	0.94	0.14	5.61	0.07	40.5	12.1	47	14.10	39.8
K296105		9.76	<0.01	0.06	5.46	107.5	210	1.35	0.19	3.77	0.02	53.4	15.0	60	22.4	43.9
K296106		8.97	0.03	0.08	6.13	333	170	1.60	0.23	2.76	0.04	57.8	19.3	63	24.9	47.6
K296107		9.17	0.17	0.07	6.78	1915	180	2.06	0.28	1.88	0.06	63.3	22.1	71	29.6	51.8
K296108		7.92	<0.01	0.08	6.34	317	210	1.65	0.26	2.19	0.12	63.7	17.7	63	25.4	41.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121172

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296073		5.40	21.3	0.24	3.1	1.38	0.067	3.06	46.5	69.4	0.85	769	1.54	0.06	12.1	39.9
K296074		4.25	24.9	0.27	3.4	0.85	0.067	3.55	49.4	66.2	0.45	262	0.72	0.05	13.1	26.0
K296075		4.89	20.7	0.23	2.9	0.41	0.068	3.46	30.1	60.2	0.48	737	1.39	0.05	10.8	38.7
K296076		6.39	18.60	0.22	4.1	9.14	0.042	1.29	55.7	18.3	0.11	36	6.59	0.37	10.1	16.4
K296077		5.00	13.65	0.14	2.3	0.26	0.061	1.97	26.0	75.1	1.77	1200	1.27	0.03	9.4	34.0
K296078		5.38	14.25	0.16	2.4	0.17	0.062	1.70	26.4	68.3	1.65	1080	0.46	0.03	9.8	33.7
K296079		3.55	12.45	0.12	1.9	0.30	0.046	2.32	30.4	39.5	1.01	1090	1.27	0.04	7.3	23.4
K296080		6.53	17.10	0.20	2.7	0.69	0.081	2.29	28.0	103.0	0.90	1040	3.28	0.03	12.0	42.9
K296081		0.44	0.34	0.11	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.85	192	0.08	0.01	0.4	1.5
K296082		4.79	16.20	0.14	2.9	1.05	0.066	2.44	34.6	40.6	2.59	2380	5.92	0.04	9.5	47.2
K296083		4.39	16.25	0.13	3.0	1.59	0.063	2.60	38.5	39.3	2.71	2290	1.16	0.05	9.6	44.5
K296084		4.05	14.45	0.11	2.6	1.45	0.058	2.32	33.9	35.8	3.21	2460	0.96	0.05	8.5	41.4
K296085		5.95	16.80	0.17	3.0	4.61	0.080	1.89	28.8	148.5	2.34	1220	0.50	0.04	12.0	46.9
K296086		6.85	15.25	0.13	2.6	11.3	0.073	1.21	19.6	137.5	2.96	1020	0.45	0.04	10.0	47.0
K296087		6.15	15.70	0.16	2.7	6.42	0.071	1.81	22.5	107.5	2.83	1040	0.57	0.03	10.5	47.6
K296088		6.92	17.15	0.16	2.8	4.21	0.086	2.14	24.1	137.0	2.51	929	0.36	0.03	13.1	50.8
K296089		5.93	15.60	0.16	2.8	4.68	0.072	2.15	26.0	102.5	2.78	1480	1.69	0.03	11.4	46.9
K296090		1.76	5.24	0.05	0.9	2.03	0.018	1.04	14.4	4.1	3.06	786	0.47	0.02	3.1	9.8
K296091		2.13	5.64	0.06	0.8	0.86	0.015	0.98	14.2	14.1	1.03	1340	0.24	0.02	3.0	9.8
K296092		3.50	17.85	0.15	2.4	2.23	0.051	3.09	41.3	13.1	1.43	806	1.74	0.05	9.5	26.8
K296093		3.75	22.5	0.19	2.7	6.61	0.065	4.00	48.5	13.0	1.09	416	0.91	0.05	11.5	136.0
K296094		4.41	15.70	0.13	2.0	95.8	0.053	2.36	32.9	19.0	0.40	139	1.91	0.03	11.3	25.0
K296095		5.43	18.15	0.22	2.6	51.0	0.041	2.87	47.7	24.4	0.27	62	3.18	0.03	35.3	12.5
K296096		0.43	0.34	0.09	<0.1	0.18	<0.005	0.04	0.8	1.2	12.80	192	0.12	0.01	0.4	1.2
K296097		6.15	16.60	0.16	2.9	6.04	0.052	2.79	33.0	14.0	0.61	269	4.72	0.03	10.0	39.8
K296098		4.55	18.40	0.19	3.0	15.2	0.066	2.92	39.1	15.7	0.39	75	1.83	0.03	11.2	23.5
K296099		4.42	16.80	0.21	2.9	3.87	0.058	2.73	34.8	18.3	1.05	512	0.55	0.03	10.5	42.8
K296100		1.31	7.05	0.09	2.1	5.33	0.060	1.42	29.0	9.7	0.70	263	11.30	0.01	7.5	60.0
K296101		4.58	15.15	0.16	2.6	2.68	0.065	2.34	29.0	36.4	0.86	337	0.80	0.03	9.1	37.8
K296102		4.61	15.70	0.17	2.7	1.59	0.063	2.39	32.1	61.7	0.97	296	0.66	0.03	9.7	43.4
K296103		4.91	14.55	0.17	2.6	1.89	0.049	2.38	29.5	78.5	1.49	526	0.57	0.03	9.4	31.9
K296104		3.78	9.93	0.10	1.8	1.38	0.041	1.68	20.6	62.0	2.05	839	0.88	0.03	6.5	22.1
K296105		4.38	13.20	0.15	2.5	1.87	0.047	2.26	26.7	67.5	1.90	749	0.26	0.03	8.8	28.7
K296106		4.83	15.45	0.17	2.8	2.14	0.053	2.67	29.6	34.5	1.51	635	0.39	0.03	9.5	34.8
K296107		4.32	17.55	0.18	2.8	3.78	0.057	3.01	32.5	26.4	1.16	478	0.32	0.03	9.9	38.1
K296108		4.10	15.90	0.19	2.9	2.29	0.057	2.78	32.8	32.0	1.30	514	1.02	0.03	10.4	31.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121172

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296073		640	22.7	150.5	0.002	0.05	1.21	17.0	2	2.3	210	0.89	0.07	13.9	0.441	2.91
K296074		590	24.8	169.0	0.003	0.05	1.19	14.9	2	2.6	174.5	0.98	0.06	16.0	0.435	3.06
K296075		470	21.5	129.5	0.003	0.16	1.02	17.9	2	2.3	113.5	0.79	0.09	10.4	0.411	1.66
K296076		910	19.0	42.2	0.002	3.07	109.0	13.9	2	2.7	483	0.73	0.14	8.3	0.555	7.71
K296077		530	14.4	92.7	0.002	0.26	0.60	16.2	2	1.8	264	0.65	0.11	7.0	0.443	1.00
K296078		560	12.2	86.7	0.002	0.19	0.41	16.8	2	1.6	199.0	0.66	0.13	6.7	0.456	0.86
K296079		590	14.0	110.5	0.002	0.26	0.52	11.0	2	1.4	253	0.52	<0.05	8.4	0.308	1.36
K296080		640	15.9	125.5	0.004	0.20	0.82	20.5	3	1.8	284	0.78	0.19	7.5	0.553	2.33
K296081		230	1.4	1.5	<0.002	0.01	0.08	0.3	1	<0.2	50.0	<0.05	<0.05	<0.2	<0.005	<0.02
K296082		440	18.9	141.0	0.012	1.99	1.14	15.7	3	2.0	183.0	0.67	0.12	9.6	0.360	1.23
K296083		410	20.7	148.0	0.002	1.61	0.71	15.0	2	2.0	250	0.69	0.14	10.7	0.340	1.20
K296084		460	18.6	132.0	0.002	1.61	0.67	13.6	2	1.8	268	0.61	0.14	9.2	0.316	1.09
K296085		560	12.8	117.0	0.002	5.93	0.53	22.0	3	1.9	251	0.80	0.21	7.1	0.556	1.94
K296086		480	9.3	76.4	<0.002	6.97	0.39	22.6	3	1.5	159.5	0.65	0.17	4.8	0.596	1.57
K296087		500	10.5	121.5	0.003	5.93	0.36	21.2	2	1.7	140.0	0.69	0.18	5.5	0.536	1.69
K296088		690	11.4	146.5	<0.002	7.23	0.38	24.0	3	1.8	166.0	0.84	0.26	5.3	0.672	2.88
K296089		610	13.1	126.0	0.003	5.97	1.59	20.9	2	1.9	211	0.76	0.22	6.2	0.543	5.76
K296090		300	10.2	46.3	<0.002	1.23	0.97	3.8	2	0.7	765	0.23	<0.05	4.0	0.097	3.16
K296091		930	6.8	48.8	<0.002	1.15	0.46	4.5	1	0.6	85.0	0.22	<0.05	3.8	0.103	1.66
K296092		790	14.8	145.5	0.005	2.66	1.38	12.6	2	2.0	154.0	0.72	0.05	12.9	0.303	5.40
K296093		600	19.5	160.0	0.028	3.60	11.30	13.7	2	2.3	105.5	0.89	0.06	16.1	0.352	10.85
K296094		500	23.5	119.5	<0.002	5.93	485	8.4	2	1.7	131.0	0.74	0.33	9.6	0.364	284
K296095		2510	12.4	146.5	0.002	5.43	153.0	9.1	2	1.6	186.5	2.03	0.10	8.1	1.035	200
K296096		260	1.3	1.7	<0.002	0.03	0.64	0.3	1	<0.2	46.0	<0.05	<0.05	<0.2	0.006	0.70
K296097		730	35.4	137.5	<0.002	4.29	26.3	15.5	2	1.8	126.0	0.72	0.06	10.0	0.496	57.6
K296098		1000	22.1	149.5	<0.002	2.02	45.6	16.0	2	2.1	92.8	0.79	0.06	11.6	0.486	99.3
K296099		600	16.7	144.0	<0.002	4.03	6.52	16.2	2	1.9	86.4	0.77	0.05	10.3	0.448	29.1
K296100		4240	4.7	110.0	0.033	1.39	17.15	5.9	8	1.6	149.5	0.52	0.54	6.5	0.211	12.70
K296101		900	13.2	117.5	<0.002	3.76	2.95	15.9	2	1.8	78.7	0.65	0.05	9.1	0.438	17.65
K296102		840	12.9	121.5	<0.002	4.28	1.36	16.4	2	1.9	149.0	0.69	<0.05	9.4	0.458	30.7
K296103		480	11.2	123.5	<0.002	4.51	0.49	15.1	2	1.7	164.0	0.66	0.05	9.2	0.457	22.7
K296104		390	9.0	80.2	<0.002	2.42	0.91	10.9	1	1.2	151.0	0.46	<0.05	6.2	0.321	5.27
K296105		610	9.0	118.0	<0.002	3.25	0.43	13.9	2	1.5	126.0	0.63	<0.05	8.6	0.432	3.02
K296106		450	15.8	139.5	<0.002	4.48	1.78	15.2	2	1.7	107.5	0.68	0.05	9.5	0.444	3.97
K296107		400	19.1	156.5	<0.002	3.96	5.13	16.9	2	2.0	87.4	0.72	0.05	10.3	0.442	5.83
K296108		440	16.4	144.5	<0.002	3.62	1.26	14.9	2	2.0	98.7	0.83	0.06	10.7	0.435	3.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121172

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1	As- OG62 As % 0.001
K296073		2.9	112	3.5	20.1	91	113.0		
K296074		3.4	94	4.0	17.5	75	122.5		
K296075		2.4	128	2.5	17.7	91	107.0		
K296076		7.5	169	22.0	13.0	43	177.0		
K296077		2.1	134	2.0	19.4	88	90.3		
K296078		1.7	136	1.1	21.0	75	93.4		
K296079		2.1	73	1.3	18.1	62	70.9		
K296080		2.2	179	1.6	21.5	94	108.5		
K296081		0.7	3	0.2	0.9	18	0.9		
K296082		2.6	130	1.7	20.6	81	107.0		
K296083		2.7	101	2.0	22.0	95	113.0		
K296084		2.4	93	2.1	20.3	91	99.6		
K296085		1.9	174	1.8	24.8	90	116.5		
K296086		1.1	197	4.4	23.1	88	102.0		
K296087		1.3	171	1.1	22.4	81	101.5		
K296088		1.3	212	1.9	23.9	94	114.5		
K296089		1.8	171	5.3	22.5	91	107.5		
K296090		5.1	28	1.3	9.0	24	35.4		
K296091		0.9	22	1.3	10.6	52	29.8		
K296092		3.0	99	6.6	20.5	110	90.4		
K296093		3.3	123	2400	21.2	89	97.8	315	
K296094		3.2	88	18.4	13.2	96	80.4		3.53
K296095		1.7	169	21.6	24.1	66	107.0		1.185
K296096		0.7	3	0.3	0.9	15	0.9		
K296097		2.2	137	13.3	20.1	96	107.5		
K296098		2.5	126	8.4	23.6	66	114.0		
K296099		2.2	119	5.7	22.9	123	108.5		
K296100		7.9	384	33.6	27.6	281	77.5		
K296101		2.2	121	4.3	20.2	83	97.6		
K296102		2.0	128	2.2	22.2	77	102.0		
K296103		1.8	119	1.6	20.1	71	98.5		
K296104		1.3	81	8.5	15.7	55	68.2		
K296105		1.7	109	1.5	20.8	71	94.8		
K296106		1.9	114	2.9	19.7	86	101.0		
K296107		1.9	128	3.0	19.0	87	103.0		
K296108		2.2	113	3.2	20.1	107	107.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121172

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

CERTIFICATE WH11140423

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 11 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11140423

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K296073		0.01
K296074		<0.01
K296075		<0.01
K296076		0.33
K296077		<0.01
K296078		<0.01
K296079		<0.01
K296080		<0.01
K296081		<0.01
K296082		<0.01
K296083		<0.01
K296084		<0.01
K296085		<0.01
K296086		<0.01
K296087		<0.01
K296088		<0.01
K296089		0.22
K296090		0.21
K296091		<0.01
K296092		0.02
K296093		0.53
K296094		50.5
K296095		22.1
K296096		0.08
K296097		0.89
K296098		4.11
K296099		0.54
K296100		8.11
K296101		0.05
K296102		<0.01
K296103		<0.01
K296104		0.02
K296105		<0.01
K296106		0.03
K296107		0.17
K296108		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

CERTIFICATE WH11117642

Project: Rackla Gold (Nadaleen)

P.O. No.: Batch 12 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11117642

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296717		7.97	<0.01	0.11	7.32	42.1	570	2.79	0.26	1.97	0.29	91.9	15.6	61	38.1	34.0
K296718		7.82	<0.01	0.09	7.84	39.2	590	3.29	0.25	1.44	0.22	107.0	15.6	61	37.2	36.4
K296719		4.94	<0.01	0.11	7.48	619	280	2.43	0.32	2.68	0.22	83.5	17.1	65	27.7	44.7
K296720		0.26	2.60	0.90	3.03	561	760	0.67	0.29	8.04	2.17	48.4	6.4	53	3.95	40.2
K296721		5.38	<0.01	0.08	3.65	34	150	0.86	0.14	21.1	0.02	41.1	6.4	24	11.25	11.6
K296722		4.59	<0.01	0.16	6.49	87.8	450	1.88	0.28	3.85	0.09	84.9	13.9	60	24.9	28.3
K296723		1.99	<0.01	0.17	6.31	86.5	370	1.83	0.27	4.00	0.11	79.9	13.7	58	23.1	30.3
K296724		6.95	0.01	0.13	6.32	125.5	280	1.98	0.28	3.10	0.06	86.1	11.3	57	21.9	24.5
K296725		7.26	<0.01	0.07	5.25	114.0	190	1.34	0.17	3.69	0.08	49.2	13.5	60	17.60	37.8
K296726		4.96	<0.01	0.12	5.20	100.0	540	1.76	0.22	5.60	0.38	74.9	13.5	48	21.8	28.5
K296727		3.57	<0.01	0.05	1.64	53	210	0.54	0.06	29.7	0.38	25.6	5.9	19	6.95	15.4
K296728		7.75	<0.01	0.05	2.24	48	280	0.54	0.10	25.6	0.19	36.2	7.2	23	11.35	19.8
K296729		7.59	<0.01	0.05	1.91	40	170	0.40	0.07	27.5	0.19	29.9	6.3	21	8.97	17.5
K296730		7.74	<0.01	0.04	1.85	87	150	0.46	0.07	26.2	0.14	33.0	6.4	21	7.05	17.3
K296731		7.51	<0.01	0.04	1.66	117	120	0.40	0.08	27.4	0.14	27.5	5.1	17	5.17	14.0
K296732		8.19	<0.01	0.10	4.15	141	200	0.80	0.17	18.30	0.32	56.7	12.3	40	14.25	35.0
K296733		7.16	<0.01	0.09	3.36	103	240	0.68	0.15	21.5	0.28	49.6	10.5	34	10.10	28.6
K296734		7.18	<0.01	0.01	0.07	<5	20	0.06	0.02	21.2	0.06	1.44	1.1	1	0.19	1.0
K296735		7.12	<0.01	0.05	2.94	117	210	0.72	0.13	24.1	0.22	36.6	12.2	28	9.47	27.7
K296736		5.85	<0.01	0.01	1.39	224	180	0.36	0.06	30.0	0.05	22.5	6.0	12	3.83	14.0
K296737		8.60	<0.01	0.06	2.00	186	480	0.46	0.09	27.7	0.16	26.0	8.7	19	6.51	20.0
K296738		6.82	<0.01	0.01	0.06	5	10	0.06	0.02	20.7	0.06	1.32	1.6	1	0.15	1.4
K296739		7.31	<0.01	0.06	2.58	265	170	0.61	0.11	25.1	0.21	29.5	10.1	24	8.91	25.9
K296740		6.98	<0.01	0.06	3.21	251	440	0.79	0.14	22.9	0.25	41.6	13.0	30	12.55	32.6
K296741		6.99	<0.01	0.04	2.36	202	190	0.60	0.10	25.4	0.19	31.6	9.7	22	9.94	23.9
K296742		6.36	<0.01	0.04	2.52	212	180	0.65	0.11	23.5	0.23	34.3	10.1	24	11.00	25.6
K296743		7.35	<0.01	<0.01	0.66	64	140	0.29	0.03	32.4	0.05	11.55	2.9	7	2.40	7.0
K296744		11.18	<0.01	0.03	1.91	102	160	0.49	0.09	28.9	0.13	23.0	7.3	17	9.74	18.2
K296745		3.33	<0.01	0.01	1.01	104	120	0.32	0.05	31.7	0.09	15.00	4.3	10	5.51	10.2
K296746		7.70	<0.01	0.03	2.33	106	130	0.53	0.11	27.9	0.13	26.4	8.6	22	9.51	20.8
K296747		7.03	<0.01	0.01	1.02	48	240	0.32	0.04	31.6	0.07	17.35	4.3	10	4.14	10.3
K296748		6.98	<0.01	0.02	1.12	57	120	0.38	0.05	32.5	0.06	17.35	4.6	10	5.23	10.6
K296749		6.85	<0.01	0.02	0.99	96	100	0.29	0.05	32.5	0.06	16.40	4.4	9	4.23	9.8
K296750		5.79	0.15	0.02	0.74	136	90	0.24	0.04	33.2	0.06	14.30	3.3	7	2.68	7.2
K296751		4.90	0.39	0.01	0.60	2370	100	0.20	0.03	33.3	0.05	12.50	2.6	6	2.08	5.7
K296752		0.28	7.87	0.47	3.29	903	160	0.83	0.60	11.40	3.87	41.9	6.3	86	7.39	31.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11117642

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296717		4.38	23.0	0.17	3.1	0.33	0.066	3.69	43.0	24.6	1.83	581	3.12	0.05	11.3	36.3
K296718		4.24	25.2	0.20	3.4	0.55	0.070	3.98	49.6	25.5	1.39	532	3.39	0.06	12.4	36.3
K296719		4.81	21.2	0.20	3.2	1.70	0.068	3.48	40.6	28.2	1.33	555	2.54	0.05	11.2	37.8
K296720		2.07	7.36	0.10	1.8	4.69	0.024	0.99	28.8	38.3	2.50	258	18.80	0.04	6.5	52.2
K296721		1.87	8.20	0.06	1.3	0.26	0.028	1.70	22.2	6.2	0.59	484	0.59	0.03	4.6	13.3
K296722		4.02	17.25	0.17	3.7	1.17	0.059	3.16	41.3	17.1	1.04	487	0.65	0.05	10.6	34.9
K296723		4.17	16.45	0.18	3.6	1.16	0.057	3.08	40.0	17.2	0.98	493	0.62	0.04	10.1	35.3
K296724		3.44	17.10	0.14	3.5	2.04	0.056	3.02	42.0	21.6	1.05	620	0.42	0.04	11.4	28.0
K296725		4.33	12.25	0.10	2.6	2.21	0.047	2.46	23.3	20.9	1.58	478	0.51	0.03	7.7	26.8
K296726		3.29	14.15	0.14	3.2	1.78	0.049	2.49	35.6	17.3	2.24	595	1.04	0.04	9.5	27.0
K296727		1.56	3.98	<0.05	1.0	0.70	0.020	0.76	12.2	5.0	0.93	477	0.48	0.02	2.9	8.4
K296728		1.63	5.43	0.07	1.2	0.23	0.024	1.06	17.0	8.2	1.06	362	0.73	0.02	3.2	11.6
K296729		1.38	4.44	<0.05	1.1	0.21	0.021	0.89	14.1	6.2	0.72	347	0.56	0.02	2.8	9.2
K296730		1.28	4.74	0.07	1.0	0.67	0.030	0.78	14.8	7.9	1.11	431	0.61	0.01	2.7	8.8
K296731		1.09	4.04	0.07	1.0	0.75	0.022	0.75	13.2	5.4	0.81	369	0.66	0.01	2.5	6.5
K296732		2.23	10.15	0.10	2.2	1.35	0.043	1.90	27.8	13.0	1.04	237	2.59	0.03	5.7	21.6
K296733		1.99	8.05	0.09	1.8	1.86	0.034	1.55	24.3	9.6	1.24	266	2.13	0.02	4.7	18.3
K296734		0.43	0.36	0.29	<0.1	<0.01	<0.005	0.03	0.7	0.9	12.55	178	0.13	0.01	0.4	1.1
K296735		1.81	8.63	0.16	1.6	1.65	0.032	1.34	18.4	8.8	0.98	244	2.01	0.02	4.7	16.4
K296736		0.94	4.07	0.13	0.8	0.51	0.019	0.63	11.6	4.3	0.67	259	0.99	0.01	3.1	4.9
K296737		1.69	5.51	0.13	1.0	1.13	0.025	0.93	13.2	6.4	0.82	381	1.12	0.02	3.4	11.3
K296738		0.41	0.42	0.26	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.25	175	0.11	0.01	0.4	1.1
K296739		1.61	7.11	0.14	1.4	2.99	0.027	1.18	15.5	9.4	0.88	327	1.54	0.02	4.2	14.4
K296740		1.85	9.14	0.16	1.7	4.03	0.031	1.39	21.6	13.3	0.96	258	2.44	0.02	5.0	18.8
K296741		1.49	6.72	0.14	1.2	3.75	0.024	1.08	16.4	9.1	0.86	208	1.66	0.02	3.8	13.9
K296742		1.57	7.31	0.14	1.3	3.73	0.025	1.13	17.8	11.6	1.11	288	1.93	0.02	4.0	14.8
K296743		0.49	1.90	0.13	0.3	0.87	0.007	0.27	5.8	2.9	0.55	256	0.42	0.01	1.3	1.8
K296744		1.14	5.11	0.15	1.0	1.50	0.020	0.82	11.9	8.4	0.77	255	1.17	0.02	3.1	9.2
K296745		0.72	2.86	0.12	0.5	1.22	0.010	0.43	8.0	4.3	0.71	438	0.85	0.01	1.8	3.9
K296746		1.43	6.22	0.15	1.2	1.52	0.024	1.08	14.3	7.9	0.77	201	1.68	0.02	3.7	12.2
K296747		0.70	2.90	0.14	0.6	0.41	0.011	0.48	9.2	4.5	0.47	96	0.62	0.02	1.9	4.6
K296748		0.70	3.13	0.14	0.6	1.06	0.011	0.51	9.2	4.7	0.49	91	0.58	0.01	2.1	5.3
K296749		0.67	2.83	0.13	0.5	2.46	0.011	0.45	8.7	3.9	0.42	146	0.49	0.01	1.8	4.4
K296750		0.55	2.11	0.13	0.4	2.86	0.010	0.34	7.7	2.6	0.36	484	0.34	0.01	1.4	2.7
K296751		0.43	1.81	0.12	0.3	2.38	0.011	0.27	6.5	1.9	0.23	1250	0.34	0.01	1.2	1.7
K296752		1.30	7.35	0.19	2.1	6.06	0.063	1.40	27.8	9.3	0.68	252	11.20	0.01	7.5	62.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11117642

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296717		670	20.4	142.5	0.010	2.00	0.83	13.7	2	3.0	200	0.92	0.06	15.4	0.327	1.80
K296718		530	19.5	165.0	0.009	2.84	0.76	14.7	3	3.0	155.0	0.99	<0.05	18.0	0.339	2.53
K296719		970	21.5	150.5	0.005	4.39	2.09	15.0	3	2.9	214	0.89	0.06	13.7	0.375	5.23
K296720		850	36.9	46.1	0.022	1.50	104.0	4.5	4	2.4	68.5	0.45	0.24	6.5	0.164	3.89
K296721		260	11.1	69.2	<0.002	1.03	0.82	4.7	1	1.1	926	0.36	0.06	6.1	0.143	1.05
K296722		810	46.5	140.5	<0.002	3.04	0.89	10.4	2	2.3	166.5	0.81	0.07	14.0	0.322	3.59
K296723		1090	47.4	137.0	<0.002	3.26	0.86	10.5	2	2.1	166.5	0.78	0.07	13.6	0.313	3.61
K296724		440	27.1	142.0	<0.002	2.52	1.11	10.9	2	2.2	135.5	0.87	0.05	14.6	0.331	4.93
K296725		440	12.7	96.2	<0.002	3.30	0.67	11.9	2	1.5	154.5	0.57	0.05	7.7	0.444	4.69
K296726		520	31.0	116.0	0.002	1.89	0.81	10.1	2	2.3	241	0.71	<0.05	11.2	0.322	3.68
K296727		1140	10.9	36.1	0.002	1.11	0.92	4.3	2	0.6	1750	0.21	0.05	2.5	0.123	2.13
K296728		200	8.4	44.1	0.004	1.17	1.20	5.0	2	0.8	1490	0.25	0.07	3.6	0.134	2.70
K296729		560	7.8	42.7	0.002	1.07	0.83	4.4	2	0.7	1745	0.21	0.05	2.8	0.127	1.54
K296730		310	7.1	38.3	0.003	0.90	0.89	4.9	2	0.8	1465	0.20	0.06	2.8	0.122	1.93
K296731		790	5.8	36.6	0.003	0.73	0.80	4.2	2	0.7	1540	0.19	0.06	2.7	0.096	2.05
K296732		230	17.4	79.8	0.009	2.10	2.42	8.7	3	1.4	1530	0.46	0.11	6.5	0.228	2.66
K296733		220	13.8	62.3	0.008	1.68	2.85	7.0	3	1.1	1675	0.36	0.09	5.2	0.179	1.63
K296734		190	1.2	1.4	<0.002	0.01	<0.05	0.3	1	<0.2	49.3	<0.05	<0.05	<0.2	<0.005	0.04
K296735		280	10.7	62.2	0.007	1.57	2.56	8.8	3	1.0	1755	0.34	0.06	4.8	0.156	1.69
K296736		350	3.7	36.0	0.003	0.52	1.66	5.0	2	0.5	2330	0.20	<0.05	2.4	0.089	0.58
K296737		290	9.6	51.2	0.005	1.53	1.21	5.7	2	0.7	2020	0.24	0.05	3.4	0.110	0.91
K296738		230	1.2	1.5	<0.002	0.01	0.05	0.3	1	<0.2	49.9	<0.05	<0.05	<0.2	<0.005	<0.02
K296739		290	10.7	58.1	0.006	1.58	1.42	6.8	2	0.8	1110	0.31	0.05	4.2	0.146	1.66
K296740		400	10.9	69.8	0.008	1.88	1.83	9.1	2	1.0	1210	0.36	0.06	5.4	0.175	2.54
K296741		390	8.5	57.5	0.006	1.45	1.29	7.6	2	0.7	1860	0.27	0.05	4.0	0.127	2.28
K296742		310	8.1	58.6	0.006	1.49	1.20	7.9	3	0.8	1520	0.29	0.06	4.2	0.133	2.58
K296743		590	3.3	16.9	0.002	0.45	0.35	2.3	2	0.2	1770	0.07	<0.05	1.2	0.033	0.71
K296744		230	10.8	49.5	0.004	1.17	0.75	5.4	2	0.8	1400	0.21	0.05	3.4	0.100	1.72
K296745		240	7.7	26.1	0.004	0.61	0.45	2.9	2	0.4	1320	0.12	0.05	1.9	0.052	0.90
K296746		160	9.9	59.7	0.006	1.53	1.01	6.0	2	0.7	1550	0.26	0.05	4.1	0.124	3.32
K296747		90	4.2	27.5	0.003	0.69	0.43	3.3	2	0.3	1815	0.12	<0.05	1.9	0.055	1.40
K296748		150	4.2	30.9	0.003	0.74	0.46	3.2	2	0.4	1830	0.13	<0.05	2.1	0.061	1.79
K296749		150	4.7	26.8	0.002	0.69	0.75	3.1	2	0.3	1710	0.12	0.05	1.8	0.052	3.28
K296750		260	3.4	20.6	0.002	0.56	1.46	2.8	2	0.3	1645	0.09	<0.05	1.5	0.040	5.20
K296751		140	2.6	16.5	0.002	0.58	4.81	2.7	2	0.2	1550	0.07	<0.05	1.2	0.031	4.78
K296752		3940	4.5	114.0	0.037	1.30	18.20	6.6	9	1.7	142.5	0.54	0.49	6.5	0.203	13.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11117642

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296717		3.9	150	1.7	23.7	119	101.5
K296718		4.2	161	1.7	24.4	87	111.0
K296719		3.5	141	4.9	25.2	103	102.0
K296720		8.8	221	25.4	21.0	199	63.5
K296721		2.6	38	1.1	11.7	46	42.3
K296722		3.0	89	1.9	23.1	142	121.5
K296723		3.0	87	1.9	23.7	168	120.5
K296724		2.7	82	2.7	20.6	100	117.0
K296725		1.6	120	1.7	16.9	68	85.9
K296726		2.6	79	1.8	21.3	128	105.5
K296727		2.3	32	0.4	19.9	57	35.6
K296728		2.9	38	0.5	21.2	29	36.9
K296729		2.1	35	0.4	18.9	29	34.9
K296730		2.1	35	1.1	20.5	20	33.4
K296731		2.4	28	1.0	17.9	22	32.8
K296732		3.8	72	1.7	24.0	61	67.8
K296733		3.5	58	2.5	25.6	47	54.5
K296734		0.6	2	0.1	1.0	13	0.5
K296735		3.5	50	1.6	22.5	40	52.1
K296736		2.7	23	1.2	17.5	10	27.3
K296737		3.1	33	1.1	16.7	28	35.2
K296738		0.6	2	0.1	0.9	15	<0.5
K296739		2.6	43	1.2	17.6	38	45.5
K296740		3.3	55	1.5	19.9	49	54.0
K296741		3.5	39	1.2	20.1	34	41.5
K296742		3.7	43	1.2	22.4	42	43.8
K296743		2.1	11	0.3	11.1	8	13.3
K296744		2.6	29	0.6	16.1	30	32.8
K296745		1.9	16	0.5	9.7	19	18.5
K296746		3.0	37	1.0	14.5	29	38.1
K296747		2.2	16	0.4	12.0	12	18.2
K296748		2.8	17	0.4	13.2	9	20.1
K296749		2.5	14	0.5	12.7	9	17.4
K296750		2.2	11	0.6	12.8	10	13.9
K296751		2.2	9	0.5	12.9	5	11.0
K296752		7.8	368	35.6	27.1	259	73.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11117642

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

CERTIFICATE WH11110716

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 13 (Area B)

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110716

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297073		9.22	0.02	0.04	0.26	9330	350	0.14	0.03	20.2	0.15	6.56	1.1	4	0.40	4.2
K297074		10.54	0.01	0.04	0.23	180	230	0.13	0.02	19.85	0.25	5.83	1.1	3	0.18	1.8
K297075		12.00	0.01	0.04	0.36	78	370	0.20	0.03	19.90	0.04	7.82	1.2	4	0.44	1.7
K297076		9.45	0.02	0.03	0.26	292	260	0.16	0.02	20.7	0.08	7.11	1.2	3	0.33	1.8
K297077		4.93	0.01	0.03	0.20	33	180	0.09	0.02	17.80	0.02	5.85	1.0	4	0.25	1.7
K297078		4.47	0.02	0.17	0.45	149	290	0.18	0.03	20.0	0.06	11.30	1.4	5	0.80	4.3
K297079		5.64	0.01	0.11	0.41	456	160	0.16	0.03	19.40	0.07	10.40	1.4	5	0.65	3.5
K297080		5.51	0.01	0.30	0.49	3420	420	0.16	0.05	18.20	0.08	11.55	1.5	6	0.60	3.8
K297081		10.93	0.01	0.09	0.35	738	180	0.16	0.02	19.55	0.05	8.79	1.5	3	0.44	3.0
K297082		11.50	0.01	0.03	0.43	422	240	0.16	0.03	20.5	<0.02	11.05	1.7	4	0.55	2.8
K297083		3.51	<0.01	0.49	1.29	>10000	310	0.33	0.07	15.90	0.10	18.05	4.8	11	2.72	10.6
K297084		0.26	2.61	0.98	3.34	640	900	0.76	0.29	8.21	2.23	44.4	6.8	57	3.73	43.8
K297085		6.05	0.01	0.03	0.67	254	430	0.24	0.03	19.80	0.02	12.65	2.1	6	0.59	2.4
K297086		5.83	0.01	0.04	6.20	13.7	80	1.37	0.27	5.27	0.36	52.6	19.7	50	7.86	85.3
K297087		9.69	0.01	0.05	1.35	259	460	0.39	0.06	18.70	0.38	19.00	3.4	10	1.64	6.1
K297088		7.48	0.01	0.09	1.09	1710	770	0.36	0.04	18.85	0.04	15.75	2.8	8	1.26	3.4
K297089		2.40	0.02	0.49	1.81	>10000	240	0.47	0.08	16.90	0.20	21.1	4.3	13	3.27	9.9
K297090		10.26	0.05	0.25	1.03	1510	730	0.39	0.07	18.15	0.24	13.50	3.4	8	1.41	4.9
K297091		6.50	0.07	0.07	0.70	5860	390	0.30	0.04	18.45	0.04	12.15	2.4	5	0.96	4.5
K297092		7.04	<0.01	0.01	0.11	31	20	0.08	0.03	20.9	0.07	1.38	1.3	2	0.17	2.1
K297093		12.00	0.02	0.05	0.82	806	280	0.33	0.06	18.70	0.04	12.65	2.7	7	1.38	5.1
K297094		11.96	0.01	0.02	0.97	446	260	0.37	0.06	18.75	0.07	13.55	3.3	7	1.89	6.0
K297095		12.47	<0.01	0.02	0.78	259	320	0.28	0.05	18.80	0.04	12.80	2.6	6	1.29	4.3
K297096		9.63	0.02	0.20	1.01	299	170	0.34	0.06	17.70	9.02	16.35	3.4	4	2.29	9.6
K297097		7.91	0.01	1.06	1.04	423	480	0.27	0.05	17.30	1.50	21.1	3.2	4	1.40	9.6
K297098		7.26	<0.01	0.53	1.75	252	530	0.47	0.08	17.20	0.31	27.3	4.0	9	2.87	4.0
K297099		6.73	<0.01	0.43	0.22	257	120	0.09	0.02	17.15	0.53	6.65	1.1	<1	0.20	3.1
K297100		2.40	0.02	0.36	0.56	3110	310	0.20	0.02	17.35	3.34	8.69	1.5	4	0.45	4.5
K297101		2.73	0.01	0.31	0.79	550	480	0.33	0.03	18.70	3.27	13.15	2.3	7	1.06	2.6
K297102		7.04	0.01	0.01	0.06	13	10	0.06	0.02	20.6	0.13	1.12	1.2	1	0.11	3.2
K297103		9.40	0.03	0.42	0.66	3950	280	0.21	0.04	18.90	0.40	13.35	2.3	7	0.77	4.9
K297104		10.36	0.54	1.09	2.69	4510	260	0.57	0.12	13.65	3.85	34.5	7.0	22	3.70	18.2
K297105		4.97	0.48	0.89	3.95	1180	910	0.90	0.16	12.65	3.02	50.1	7.9	32	5.85	15.3
K297106		1.23	1.17	0.75	3.44	540	760	0.78	0.13	14.00	6.77	45.2	6.4	27	4.83	11.1
K297107		5.52	0.10	0.07	0.42	2350	160	0.23	0.02	19.30	0.09	7.22	1.5	5	0.55	2.4
K297108		0.26	0.34	0.29	6.40	619	630	0.59	0.27	0.50	0.18	127.5	2.7	232	3.41	31.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110716

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297073		0.49	0.72	<0.05	0.1	3.90	0.010	0.08	4.2	2.0	12.95	758	0.38	0.02	0.6	<0.2
K297074		0.79	0.65	<0.05	0.1	4.04	0.005	0.06	3.9	1.9	12.45	771	0.29	0.01	0.5	<0.2
K297075		0.40	0.98	0.09	0.2	3.73	<0.005	0.12	5.2	2.2	12.50	1070	0.16	0.01	0.7	<0.2
K297076		0.51	0.78	0.14	0.1	5.31	<0.005	0.09	4.9	1.9	13.10	850	0.21	0.02	0.6	<0.2
K297077		0.29	0.54	0.20	0.1	1.32	<0.005	0.07	4.1	1.5	11.10	474	0.22	0.01	0.5	<0.2
K297078		0.30	1.15	0.17	0.2	2.70	<0.005	0.15	9.1	2.7	12.60	547	0.45	0.02	0.9	<0.2
K297079		0.61	1.12	0.10	0.2	4.52	<0.005	0.16	7.7	2.5	12.15	1060	0.34	0.02	1.1	<0.2
K297080		0.54	1.19	0.09	0.2	6.71	0.007	0.15	8.4	2.6	11.35	739	0.83	0.01	1.0	<0.2
K297081		0.64	0.92	0.09	0.2	2.36	<0.005	0.12	6.4	2.3	12.25	851	0.53	0.01	0.8	<0.2
K297082		0.53	1.03	0.09	0.2	3.69	<0.005	0.14	8.3	2.3	12.85	714	0.55	0.02	0.9	<0.2
K297083		1.21	3.23	0.05	0.7	14.0	0.039	0.42	11.6	8.5	10.05	755	0.88	0.01	3.3	<0.2
K297084		2.20	7.53	0.07	1.7	4.57	0.027	1.02	27.4	49.2	2.68	291	19.30	0.03	7.1	49.4
K297085		0.67	1.52	0.07	0.3	4.54	0.005	0.19	8.7	4.0	12.40	956	0.24	0.02	1.4	<0.2
K297086		5.42	16.40	0.13	3.0	0.06	0.080	1.90	23.9	44.6	3.68	1060	0.70	0.49	13.2	30.7
K297087		1.22	3.09	<0.05	0.7	10.45	0.010	0.45	12.0	7.3	11.90	945	0.23	0.02	2.7	<0.2
K297088		0.72	2.44	0.07	0.5	8.36	0.009	0.35	10.5	5.4	11.85	1460	0.28	0.02	2.0	<0.2
K297089		1.17	4.16	0.06	0.8	20.1	0.029	0.61	14.1	7.5	10.80	1160	0.90	0.02	3.1	<0.2
K297090		0.92	2.51	0.06	0.4	15.3	0.009	0.41	9.7	4.3	11.60	1660	0.52	0.02	2.1	<0.2
K297091		1.05	1.80	<0.05	0.3	12.8	0.010	0.28	9.0	3.4	11.80	1700	0.50	0.02	1.4	<0.2
K297092		0.49	0.35	0.11	<0.1	0.06	<0.005	0.03	0.7	1.2	13.20	229	0.16	0.02	0.5	<0.2
K297093		0.83	2.04	0.06	0.3	3.66	0.006	0.36	8.9	3.4	11.95	1740	0.41	0.02	1.7	<0.2
K297094		1.14	2.45	0.06	0.4	2.10	0.014	0.43	9.5	3.9	11.90	1680	0.36	0.02	1.9	<0.2
K297095		0.73	1.88	0.05	0.3	1.41	0.008	0.32	9.1	3.1	12.00	1610	0.35	0.02	1.6	<0.2
K297096		2.55	3.43	0.10	0.3	11.6	0.026	0.45	10.8	4.1	10.75	1590	0.45	0.02	1.8	4.9
K297097		2.54	2.35	0.08	0.3	10.8	0.013	0.38	15.1	3.9	10.45	1480	1.42	0.02	1.5	4.0
K297098		1.75	4.18	0.08	0.8	8.50	0.013	0.73	14.0	8.7	10.75	1220	0.73	0.02	3.0	5.9
K297099		6.93	0.58	0.11	<0.1	9.16	0.007	0.08	4.4	1.4	10.45	684	0.31	0.01	0.4	1.0
K297100		4.54	1.56	0.05	0.2	13.7	0.013	0.17	5.5	2.5	10.95	1110	0.43	0.01	0.9	<0.2
K297101		0.67	2.02	<0.05	0.4	10.4	0.012	0.29	8.5	3.7	11.70	1160	0.41	0.02	1.5	<0.2
K297102		0.46	0.22	0.10	<0.1	0.05	0.011	0.02	0.6	1.0	13.10	222	0.07	<0.01	0.3	<0.2
K297103		1.64	1.60	0.05	0.4	10.2	0.014	0.21	8.5	3.0	11.95	860	0.37	0.02	1.5	<0.2
K297104		4.90	6.64	0.10	1.7	46.2	0.031	0.97	18.8	11.8	8.68	902	0.44	0.02	5.8	0.9
K297105		2.48	10.05	0.09	2.3	20.2	0.031	1.51	27.2	16.9	7.96	819	0.92	0.02	7.5	4.9
K297106		1.96	8.24	0.07	1.8	14.4	0.028	1.28	24.5	16.0	8.82	947	0.95	0.02	6.0	0.9
K297107		0.42	1.17	0.09	0.2	1.68	0.005	0.17	4.7	2.6	12.05	1460	0.77	0.01	0.9	<0.2
K297108		6.92	19.25	0.20	4.2	9.6	0.048	1.34	61.2	18.9	0.15	39	6.69	0.38	9.9	16.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110716

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297073		410	10.9	3.1	<0.002	1.11	0.48	0.8	1	<0.2	180.5	<0.05	<0.05	0.5	0.012	4.35
K297074		330	15.3	2.5	<0.002	0.79	0.17	0.7	1	<0.2	142.0	<0.05	<0.05	0.4	0.010	3.03
K297075		430	17.9	4.8	<0.002	0.17	0.49	0.9	1	<0.2	185.0	<0.05	<0.05	0.7	0.016	2.82
K297076		390	7.9	3.8	<0.002	0.22	0.26	0.8	1	<0.2	164.5	<0.05	<0.05	0.6	0.012	3.01
K297077		430	5.2	2.5	<0.002	0.06	0.12	0.6	1	<0.2	139.5	<0.05	<0.05	0.3	0.008	0.97
K297078		370	12.7	6.2	<0.002	0.11	0.28	1.3	1	<0.2	195.0	0.06	<0.05	0.7	0.018	5.45
K297079		560	11.7	6.4	<0.002	0.31	0.28	1.0	1	<0.2	123.0	0.07	<0.05	0.9	0.015	5.36
K297080		680	16.9	5.5	<0.002	0.64	0.35	0.8	1	<0.2	174.0	0.06	<0.05	1.1	0.019	8.35
K297081		450	10.4	4.6	<0.002	0.34	0.11	0.9	1	<0.2	159.0	0.05	<0.05	0.8	0.014	2.31
K297082		480	9.5	5.3	<0.002	0.38	0.11	1.0	1	0.2	192.0	0.06	<0.05	1.0	0.018	4.43
K297083		650	35.8	17.8	<0.002	6.23	0.61	2.2	1	0.4	312	0.22	<0.05	3.7	0.073	20.6
K297084		900	37.3	49.8	0.024	1.64	111.0	5.3	4	2.4	73.3	0.47	0.17	6.4	0.176	4.02
K297085		520	19.6	7.9	<0.002	0.59	0.19	1.5	1	0.2	290	0.09	<0.05	1.4	0.029	4.19
K297086		530	13.7	90.5	0.005	0.36	0.37	17.3	3	2.2	70.0	0.90	0.15	8.3	0.505	0.48
K297087		520	40.9	17.9	<0.002	1.26	0.27	2.7	1	0.4	332	0.19	<0.05	3.1	0.062	9.89
K297088		730	24.8	14.2	<0.002	0.80	0.51	2.2	1	0.4	436	0.13	<0.05	2.4	0.045	8.15
K297089		1750	60.3	24.5	<0.002	3.98	1.72	2.3	1	0.5	860	0.21	<0.05	3.3	0.067	30.9
K297090		720	36.1	16.1	<0.002	0.97	1.35	2.2	1	0.4	380	0.15	<0.05	2.2	0.041	15.90
K297091		430	17.7	10.4	<0.002	1.39	0.59	1.8	1	0.3	226	0.09	<0.05	1.5	0.027	12.20
K297092		210	1.4	1.6	<0.002	0.02	<0.05	0.4	1	<0.2	46.9	<0.05	<0.05	<0.2	0.005	0.07
K297093		490	19.8	13.7	<0.002	0.82	0.20	1.7	1	0.2	159.0	0.11	<0.05	1.9	0.033	3.79
K297094		440	31.7	16.5	<0.002	1.15	0.18	1.9	1	0.3	181.5	0.12	<0.05	2.2	0.040	2.35
K297095		450	19.8	11.8	<0.002	0.68	0.12	1.6	1	0.2	192.5	0.10	<0.05	1.7	0.032	1.55
K297096		330	123.0	15.5	<0.002	3.40	0.62	2.1	2	0.4	144.0	0.13	<0.05	2.5	0.040	4.58
K297097		500	108.5	12.5	<0.002	3.26	2.03	2.2	1	0.3	320	0.12	<0.05	2.3	0.038	7.55
K297098		450	68.4	26.7	<0.002	2.13	0.55	3.3	2	0.5	281	0.23	<0.05	4.4	0.087	6.82
K297099		190	130.5	2.6	<0.002	9.28	1.77	0.8	1	<0.2	101.5	<0.05	<0.05	0.6	0.011	10.30
K297100		480	188.5	6.7	<0.002	5.92	3.09	1.1	1	0.2	313	0.05	<0.05	1.0	0.020	13.25
K297101		470	93.8	11.6	<0.002	0.72	1.84	1.7	1	0.3	292	0.10	<0.05	1.8	0.038	6.86
K297102		200	2.1	1.1	<0.002	0.02	0.05	0.3	1	<0.2	41.4	<0.05	<0.05	<0.2	<0.005	0.04
K297103		360	113.5	8.5	<0.002	2.19	1.49	1.4	1	0.5	237	0.10	<0.05	1.7	0.036	9.94
K297104		890	333	33.6	<0.002	6.25	6.56	4.1	1	1.3	556	0.42	<0.05	6.7	0.161	38.0
K297105		810	82.7	52.8	<0.002	2.97	2.32	5.2	1	1.1	476	0.54	<0.05	9.0	0.216	18.60
K297106		660	72.1	44.5	<0.002	2.38	2.02	4.8	1	1.0	410	0.45	<0.05	7.4	0.174	12.10
K297107		140	9.8	6.7	<0.002	0.53	0.29	1.2	1	0.3	111.0	0.06	<0.05	0.6	0.020	1.72
K297108		910	17.0	46.4	0.003	3.13	115.5	15.2	2	2.8	477	0.81	0.12	9.1	0.556	7.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110716

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297073		2.4	3	0.5	4.1	61	4.8	
K297074		2.3	2	0.3	4.0	162	4.2	
K297075		2.4	3	0.4	4.9	12	6.1	
K297076		2.3	2	0.3	4.9	27	5.3	
K297077		1.8	1	0.3	4.4	5	3.6	
K297078		2.6	3	0.9	6.9	30	6.6	
K297079		2.7	4	0.6	7.1	36	7.7	
K297080		3.6	4	1.4	6.4	41	8.6	
K297081		2.6	2	0.8	5.9	26	6.0	
K297082		2.7	3	0.7	6.1	4	7.1	
K297083		5.3	8	4.3	9.5	53	28.9	6.43
K297084		8.5	230	27.9	23.5	218	66.7	
K297085		3.3	5	1.4	6.6	12	13.1	
K297086		2.1	130	1.1	26.9	86	118.5	
K297087		4.5	9	2.2	9.1	171	25.2	
K297088		3.7	7	1.9	8.1	12	19.0	
K297089		5.4	10	3.9	10.9	35	29.5	3.55
K297090		3.1	7	1.9	7.5	49	16.5	
K297091		2.5	5	0.9	5.9	29	11.5	
K297092		0.6	3	0.1	1.2	18	0.6	
K297093		2.5	5	0.9	7.1	22	13.6	
K297094		2.1	6	0.9	7.2	18	16.5	
K297095		2.0	5	0.6	6.8	13	12.8	
K297096		2.3	8	1.2	5.4	6330	14.9	
K297097		2.9	7	3.6	6.1	715	14.6	
K297098		2.7	14	3.6	8.4	124	35.3	
K297099		1.0	2	1.3	2.3	176	4.2	
K297100		1.5	4	1.9	4.7	1140	9.6	
K297101		1.8	6	1.6	6.1	772	16.8	
K297102		0.6	2	0.1	1.0	29	<0.5	
K297103		2.0	5	2.3	5.0	112	14.6	
K297104		3.5	19	8.2	13.1	1080	62.0	
K297105		4.5	27	6.8	17.5	593	81.4	
K297106		3.8	23	5.5	14.7	1310	67.1	
K297107		1.2	4	0.6	3.2	20	9.5	
K297108		7.7	169	24.2	16.4	43	169.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11110716

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

CERTIFICATE WH11118094

Project: Rackla Gold (Nadaleen)

P.O. No.: Batch 14- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118094

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296753		4.06	0.09	0.03	1.47	67	140	0.49	0.08	31.0	0.08	21.9	4.8	14	4.86	11.9
K296754		7.44	<0.01	0.01	0.48	27	130	0.21	0.03	34.7	0.05	10.60	2.3	5	1.53	5.6
K296755		7.32	<0.01	0.02	0.78	34	160	0.21	0.04	34.6	0.07	13.95	3.3	8	2.30	8.4
K296756		6.99	<0.01	0.02	1.41	42	150	0.36	0.07	32.1	0.08	24.0	5.2	12	4.85	13.2
K296757		7.24	<0.01	0.02	0.71	39	110	0.23	0.04	34.2	0.06	12.05	3.0	8	1.59	6.9
K296758		7.52	<0.01	0.01	0.39	59	100	0.16	0.02	35.7	0.07	7.31	2.1	9	0.77	4.5
K296759		7.63	<0.01	<0.01	0.67	37	390	0.19	0.03	34.1	0.03	11.70	2.8	6	1.98	6.5
K296760		5.63	0.14	0.02	1.17	1940	140	0.38	0.05	32.5	0.33	18.25	4.8	10	4.00	11.5
K296761		7.52	3.18	0.03	1.34	1830	100	0.31	0.06	31.3	0.18	19.40	4.9	12	4.29	12.5
K296762		0.23	7.69	0.56	3.67	1060	170	0.75	0.68	12.75	4.40	49.6	6.0	96	7.45	36.4
K296763		7.38	0.23	0.01	0.66	2520	80	0.19	0.03	36.0	0.05	10.30	2.7	6	1.70	6.3
K296764		7.45	0.17	0.02	0.84	2260	100	0.30	0.04	35.4	0.04	13.15	3.2	8	2.34	9.0
K296765		7.19	0.12	0.02	0.93	423	140	0.32	0.04	33.4	0.04	15.05	3.3	9	2.77	9.2
K296766		0.23	15.75	1.09	2.02	1270	310	0.41	0.61	15.05	0.68	35.8	4.2	37	2.38	65.2
K296767		5.08	0.06	0.03	2.27	3250	160	0.56	0.11	27.3	0.07	33.4	6.9	21	7.10	19.8
K296768		5.11	1.16	0.04	4.59	5570	180	0.93	0.24	18.65	0.11	53.5	15.2	43	12.90	40.3
K296769		7.26	0.09	0.01	0.56	72	100	0.25	0.03	34.7	0.03	9.20	2.4	5	1.36	5.6
K296770		7.05	<0.01	0.01	0.09	12	20	0.07	0.02	21.2	0.06	1.96	1.5	<1	0.23	1.9
K296771		7.56	0.01	0.03	3.80	108	220	1.19	0.18	21.7	0.08	51.3	12.6	33	15.25	33.0
K296772		7.39	0.10	0.04	1.14	93	120	0.45	0.06	33.0	0.04	20.5	4.2	10	3.18	10.4
K296773		7.69	<0.01	0.01	1.38	31	140	0.52	0.07	31.9	0.08	22.0	4.8	11	4.70	11.3
K296774		7.93	<0.01	0.03	0.94	19	180	0.25	0.05	34.5	0.04	15.95	3.5	8	2.87	8.8
K296775		7.05	<0.01	<0.01	0.09	<5	20	0.09	0.03	20.9	0.07	1.65	1.3	1	0.16	2.1
K296776		7.76	<0.01	0.02	0.82	24	120	0.18	0.04	35.3	0.07	14.25	2.7	7	2.20	10.7
K296777		8.62	0.01	0.01	0.54	14	100	0.18	0.03	35.8	0.04	10.25	1.9	5	1.46	5.7
K296778		7.36	<0.01	0.02	0.86	21	110	0.18	0.04	33.7	0.08	14.70	2.8	8	2.56	8.8
K296779		8.27	<0.01	0.02	1.04	21	110	0.20	0.05	33.7	0.11	17.10	3.3	9	3.87	10.0
K296780		8.16	<0.01	0.01	0.64	17	130	0.18	0.03	35.7	0.06	12.60	2.3	6	1.91	6.6
K296781		7.05	0.01	0.02	0.88	39	110	0.24	0.04	33.8	0.05	14.30	2.4	8	2.72	6.9
K296782		7.90	0.03	0.01	0.67	69	100	0.14	0.03	34.8	0.12	11.60	2.2	5	1.95	6.3
K296783		8.10	<0.01	0.01	0.56	48	180	0.15	0.03	35.1	0.05	10.95	2.0	5	1.51	5.6
K296784		6.87	<0.01	0.03	0.98	30	150	0.24	0.05	34.3	0.10	17.35	3.3	9	2.86	9.5
K296785		7.26	<0.01	0.02	0.77	29	110	0.23	0.04	34.6	0.05	14.60	2.6	7	2.27	7.7
K296786		3.82	<0.01	0.02	0.64	29	110	0.22	0.03	35.4	0.05	13.30	2.3	7	1.83	6.5
K296787		7.03	<0.01	0.03	1.13	33	120	0.23	0.05	33.4	0.11	19.90	3.7	11	3.61	11.3
K296788		7.42	<0.01	0.03	1.01	46	670	0.22	0.05	33.9	0.08	18.10	3.3	9	2.97	9.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296753		0.87	3.66	0.14	0.8	1.80	0.017	0.68	11.3	5.6	0.81	464	0.49	0.01	2.3	5.6
K296754		0.36	1.22	0.13	0.2	0.19	0.006	0.21	4.9	2.3	0.36	148	0.15	0.01	0.8	2.6
K296755		0.58	2.00	0.12	0.4	0.40	0.010	0.34	7.2	3.0	0.52	236	0.34	0.01	1.2	4.6
K296756		0.86	3.42	0.13	0.7	0.82	0.016	0.65	12.9	5.0	0.50	141	0.63	0.01	2.0	8.0
K296757		0.51	1.82	0.09	0.4	0.53	0.008	0.31	6.4	2.2	0.53	167	0.33	0.01	1.1	4.3
K296758		0.35	1.03	0.09	0.2	0.53	0.006	0.17	3.8	1.2	0.38	248	0.15	0.01	0.7	4.5
K296759		0.49	1.66	0.11	0.3	0.6	0.008	0.30	6.2	2.3	0.54	186	0.39	0.01	1.0	3.3
K296760		0.84	2.98	0.11	0.6	3.24	0.016	0.51	9.8	4.1	0.54	225	0.57	0.01	1.7	6.8
K296761		0.99	3.40	0.10	0.6	11.7	0.019	0.60	10.2	5.4	0.37	612	0.70	0.01	1.8	7.4
K296762		1.45	7.61	0.17	2.4	6.2	0.073	1.55	32.7	10.0	0.75	284	11.55	0.01	8.0	70.9
K296763		0.46	1.57	0.10	0.3	3.02	0.015	0.29	5.2	2.1	0.26	262	0.39	0.01	1.0	3.8
K296764		0.68	2.20	0.10	0.4	6.14	0.013	0.37	6.9	2.6	0.36	332	0.66	0.01	1.4	4.9
K296765		0.75	2.35	0.10	0.5	5.51	0.012	0.43	7.9	3.0	0.38	313	0.64	0.01	1.4	4.8
K296766		3.71	4.01	0.15	0.9	6.3	0.061	0.40	20.7	43.6	0.72	464	12.35	0.01	3.5	23.2
K296767		1.44	5.49	0.11	1.2	13.6	0.027	1.05	17.7	6.8	0.65	275	1.53	0.02	3.3	11.7
K296768		2.92	11.30	0.15	2.4	40.9	0.053	2.11	32.6	13.6	0.76	530	2.45	0.02	6.5	26.4
K296769		0.45	1.41	0.08	0.3	1.94	0.009	0.23	4.6	2.1	0.56	220	0.45	0.01	0.9	2.2
K296770		0.46	0.49	0.17	<0.1	0.3	<0.005	0.04	1.0	1.4	13.20	196	0.08	0.01	0.4	1.2
K296771		2.42	9.42	0.16	1.9	4.0	0.039	1.72	29.4	14.9	1.45	430	1.59	0.02	5.2	20.9
K296772		0.87	2.83	0.09	0.5	2.29	0.012	0.52	11.6	3.9	0.57	447	0.36	0.01	1.6	5.7
K296773		0.93	3.33	0.10	0.6	0.46	0.015	0.65	12.3	4.9	0.69	307	0.47	0.02	1.9	6.7
K296774		0.59	2.21	0.08	0.5	0.30	0.012	0.44	8.6	3.7	0.43	147	0.40	0.02	1.4	4.4
K296775		0.45	0.44	0.13	<0.1	<0.1	0.005	0.03	0.8	1.4	13.00	189	0.09	0.01	0.3	1.2
K296776		0.55	2.18	0.07	0.4	0.29	0.011	0.36	7.1	2.2	0.78	151	0.48	0.01	1.3	6.8
K296777		0.40	1.42	0.06	0.2	0.21	0.007	0.23	5.0	1.6	0.80	170	0.22	0.01	0.9	4.5
K296778		0.60	2.31	0.07	0.4	0.30	0.009	0.38	7.4	2.4	0.53	176	0.43	0.01	1.4	5.9
K296779		0.68	2.55	0.08	0.5	0.38	0.012	0.45	8.4	2.6	0.67	172	0.47	0.01	1.6	6.2
K296780		0.45	1.71	0.08	0.3	0.24	0.008	0.27	6.2	2.0	0.62	174	0.23	0.01	1.1	4.8
K296781		0.53	2.23	0.07	0.4	0.67	0.009	0.38	6.8	2.8	0.57	231	0.34	0.01	1.4	4.7
K296782		0.46	1.73	0.07	0.3	1.48	0.007	0.28	5.6	1.9	0.36	158	0.29	0.01	1.1	4.2
K296783		0.39	1.47	0.07	0.3	0.43	0.007	0.23	5.2	1.7	0.29	204	0.20	0.01	1.0	3.9
K296784		0.66	2.54	0.08	0.5	0.20	0.011	0.43	8.3	2.7	0.43	146	0.44	0.01	1.6	6.2
K296785		0.60	1.99	0.08	0.4	0.36	0.010	0.33	7.0	2.0	0.59	334	0.48	0.01	1.3	4.9
K296786		0.53	1.71	0.08	0.3	0.31	0.009	0.27	6.3	1.8	0.57	329	0.34	0.01	1.1	4.7
K296787		0.79	2.79	0.08	0.5	0.47	0.013	0.50	9.5	3.3	0.80	366	0.85	0.01	1.7	7.3
K296788		0.70	2.48	0.09	0.5	0.81	0.011	0.44	8.9	2.8	0.53	196	0.59	0.01	1.5	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296753		160	8.6	36.0	<0.002	0.87	1.40	4.0	3	0.5	1515	0.17	<0.05	2.9	0.078	4.14
K296754		550	3.5	10.4	<0.002	0.32	0.19	1.5	3	0.4	1980	0.05	<0.05	1.0	0.025	0.73
K296755		260	6.1	17.2	<0.002	0.55	0.31	2.2	3	0.3	1815	0.09	<0.05	1.5	0.041	0.68
K296756		180	5.6	31.7	0.002	0.99	0.48	3.5	3	0.5	2040	0.15	<0.05	2.8	0.072	2.20
K296757		290	4.7	14.9	<0.002	0.50	0.65	1.9	2	0.2	1820	0.07	<0.05	1.4	0.036	0.99
K296758		380	8.2	7.7	<0.002	0.29	0.29	1.2	2	0.3	2000	<0.05	<0.05	0.8	0.020	0.69
K296759		540	3.9	14.2	0.002	0.47	0.29	2.0	2	0.2	1895	0.07	<0.05	1.3	0.034	1.28
K296760		400	6.7	25.2	0.002	0.91	1.82	2.9	2	0.4	1710	0.13	<0.05	2.2	0.058	5.61
K296761		320	7.7	31.2	0.002	1.18	4.77	3.5	3	0.5	1155	0.14	<0.05	2.4	0.065	19.05
K296762		4400	5.1	116.5	0.037	1.45	19.45	6.8	9	1.7	154.0	0.60	0.58	7.5	0.224	14.05
K296763		160	3.3	14.7	<0.002	0.60	2.10	2.2	2	0.2	1225	0.06	<0.05	1.2	0.032	5.07
K296764		590	4.8	19.7	0.002	0.78	0.89	2.5	3	0.3	1430	0.09	<0.05	1.6	0.044	7.10
K296765		230	4.7	23.0	0.003	0.73	0.57	2.7	3	0.3	1595	0.10	<0.05	1.8	0.049	6.06
K296766		680	21.9	28.8	0.009	2.09	157.5	4.1	3	2.0	51.1	0.26	0.40	4.2	0.110	3.68
K296767		180	7.9	57.2	0.005	1.74	1.98	6.0	3	0.7	1405	0.24	<0.05	4.2	0.117	12.30
K296768		320	14.9	116.0	0.008	3.57	4.36	11.8	3	1.5	817	0.52	0.07	8.8	0.247	37.9
K296769		880	2.2	11.3	<0.002	0.41	0.28	1.9	2	0.2	1640	0.05	<0.05	1.0	0.028	2.39
K296770		220	1.3	1.8	<0.002	0.02	<0.05	0.4	2	<0.2	53.0	<0.05	<0.05	0.2	<0.005	0.04
K296771		240	11.9	89.4	0.005	2.38	0.49	10.1	3	1.2	1240	0.41	0.06	6.9	0.199	7.63
K296772		210	3.6	25.9	0.002	0.82	1.21	3.6	3	0.4	1615	0.11	<0.05	2.2	0.057	4.21
K296773		400	4.2	31.4	<0.002	0.85	0.16	3.7	3	0.4	1550	0.14	<0.05	2.5	0.067	2.16
K296774		310	4.1	20.8	<0.002	0.60	0.68	2.5	2	0.3	2010	0.10	<0.05	1.8	0.047	0.95
K296775		300	1.4	1.6	<0.002	0.01	<0.05	0.4	2	<0.2	52.6	<0.05	<0.05	<0.2	<0.005	0.02
K296776		300	5.0	14.5	0.002	0.55	1.27	2.1	2	0.3	1725	0.09	<0.05	1.7	0.042	0.33
K296777		340	3.4	9.2	<0.002	0.37	0.41	1.6	1	0.2	1680	0.05	<0.05	1.1	0.028	0.18
K296778		250	4.8	15.8	0.002	0.59	1.82	2.5	2	0.3	1730	0.09	<0.05	1.7	0.045	0.21
K296779		390	5.3	18.5	0.002	0.73	2.13	2.7	2	0.4	1825	0.11	<0.05	2.2	0.055	0.28
K296780		310	3.6	11.7	<0.002	0.43	0.19	2.1	1	0.2	1840	0.07	<0.05	1.3	0.034	0.47
K296781		280	3.8	16.4	<0.002	0.52	0.46	2.3	1	0.3	1785	0.09	<0.05	1.6	0.043	1.59
K296782		150	2.7	12.5	0.002	0.46	0.70	2.2	1	0.2	1670	0.07	<0.05	1.2	0.034	2.16
K296783		270	2.9	11.2	<0.002	0.38	0.23	1.9	2	0.2	1635	0.07	<0.05	1.1	0.030	0.97
K296784		220	4.9	19.2	<0.002	0.63	0.30	2.9	2	0.4	2110	0.11	<0.05	1.9	0.052	0.96
K296785		480	4.8	14.6	0.002	0.52	0.37	2.4	2	0.3	1770	0.09	<0.05	1.5	0.039	0.79
K296786		480	4.0	12.5	0.002	0.44	0.32	2.2	2	0.2	1765	0.07	<0.05	1.2	0.032	0.64
K296787		550	5.0	21.7	0.003	0.73	0.34	3.4	2	0.4	1760	0.12	<0.05	2.1	0.057	1.26
K296788		300	5.4	19.5	0.003	0.68	0.49	3.2	2	0.4	2110	0.11	<0.05	1.9	0.051	1.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118094

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296753		3.2	22	1.2	15.3	17	26.6
K296754		2.5	7	0.2	10.2	4	9.1
K296755		2.4	11	0.5	11.6	12	13.9
K296756		3.4	21	0.7	14.9	13	24.1
K296757		2.3	11	0.7	10.3	12	13.3
K296758		1.7	6	0.4	6.9	21	8.7
K296759		2.9	10	0.4	10.9	5	12.4
K296760		2.8	16	1.0	13.0	60	20.6
K296761		3.5	19	1.6	11.0	40	23.1
K296762		9.4	407	36.6	30.1	294	87.1
K296763		2.5	10	0.9	7.7	12	11.2
K296764		3.3	13	1.3	9.1	6	17.0
K296765		3.1	15	1.2	10.5	10	17.8
K296766		3.9	109	210	16.7	76	33.4
K296767		4.1	37	3.0	16.5	28	40.7
K296768		3.7	70	6.2	21.4	62	81.4
K296769		2.6	9	0.5	7.6	4	12.4
K296770		1.1	2	0.1	1.0	17	0.7
K296771		3.6	55	2.5	21.4	40	64.9
K296772		2.5	16	0.8	15.4	13	19.7
K296773		2.4	19	0.3	14.8	45	23.0
K296774		2.9	13	0.3	13.3	12	16.3
K296775		0.5	2	0.1	1.0	16	<0.5
K296776		2.6	12	0.4	11.2	15	14.4
K296777		2.0	9	0.2	10.0	6	9.3
K296778		2.4	13	0.6	12.1	14	15.0
K296779		3.0	17	0.6	12.1	18	17.8
K296780		2.2	10	0.2	11.4	7	11.9
K296781		2.2	14	0.6	11.2	8	14.1
K296782		1.9	10	0.8	9.5	18	10.4
K296783		1.8	9	0.5	10.4	6	10.4
K296784		2.6	15	0.5	12.7	13	16.5
K296785		2.2	13	0.6	10.7	5	14.3
K296786		2.1	11	0.5	10.6	4	12.0
K296787		2.7	19	0.7	12.5	13	19.3
K296788		2.5	17	0.8	13.2	12	17.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118094

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

CERTIFICATE WH11118095

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 15- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118095

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296789		7.42	<0.01	0.03	1.16	39	150	0.35	0.06	32.8	0.09	17.55	3.7	10	3.53	11.9
K296790		7.41	<0.01	0.04	1.48	42	180	0.42	0.07	32.2	0.11	19.65	4.5	11	5.36	14.8
K296791		3.36	<0.01	0.03	1.44	44	170	0.42	0.07	31.9	0.13	19.55	4.5	11	5.17	14.9
K296792		7.02	0.01	0.03	1.19	73	300	0.36	0.06	33.1	0.11	19.05	3.9	8	4.20	12.2
K296793		7.33	<0.01	0.02	0.89	59	110	0.28	0.05	33.3	0.07	14.75	3.1	7	2.81	9.1
K296794		6.82	<0.01	0.02	1.05	37	160	0.31	0.05	34.1	0.09	17.85	3.3	6	3.63	10.5
K296795		2.98	<0.01	0.03	0.45	29	110	0.21	0.03	36.0	0.03	9.66	1.7	1	1.10	6.3
K296796		7.49	0.01	0.04	0.91	52	140	0.30	0.05	35.0	0.06	15.10	3.0	6	2.62	9.2
K296797		7.02	<0.01	0.02	0.75	42	110	0.25	0.04	32.7	0.08	12.60	2.6	5	1.81	8.0
K296798		4.93	<0.01	0.01	0.09	<5	20	0.05	0.02	21.1	0.06	1.61	1.4	<1	0.23	1.8
K296799		7.11	<0.01	0.05	1.47	38	150	0.43	0.08	31.7	0.13	23.2	4.7	11	4.28	14.4
K296800		8.35	0.01	0.05	1.68	95	160	0.44	0.08	30.3	0.12	27.7	5.3	12	5.07	16.9
K296801		8.00	0.01	0.06	2.79	198	200	0.60	0.12	27.4	0.18	38.3	8.9	23	7.84	26.4
K296802		8.12	<0.01	0.06	2.24	74	230	0.59	0.10	28.1	0.21	32.7	7.2	18	7.64	21.9
K296803		3.93	<0.01	0.08	3.07	94	200	0.75	0.13	25.5	0.22	39.5	10.6	30	10.50	31.5
K296804		7.16	<0.01	0.06	2.46	118	1090	0.59	0.10	28.7	0.16	32.9	7.4	22	8.73	22.8
K296805		7.65	<0.01	0.10	4.09	304	250	0.81	0.15	21.0	0.21	49.6	13.4	40	13.80	42.6
K296806		0.22	0.33	0.39	6.50	621	1290	0.66	0.28	0.50	0.20	156.0	2.8	225	3.79	33.2
K296807		8.17	<0.01	0.06	2.98	185	430	0.59	0.13	26.3	0.17	33.5	9.1	27	10.25	26.1
K296808		8.21	<0.01	0.04	1.57	46	530	0.36	0.07	29.9	0.11	21.4	5.2	15	5.01	14.9
K296809		7.85	<0.01	0.03	1.34	53	210	0.36	0.06	33.0	0.12	18.50	4.4	12	3.72	12.3
K296810		0.22	2.32	0.99	3.13	589	840	0.82	0.45	7.83	1.92	48.2	6.6	48	3.87	40.0
K296811		6.82	0.04	0.06	2.43	45	300	0.54	0.12	28.3	0.18	33.0	7.8	23	7.80	22.1
K296812		7.52	0.01	0.07	2.90	80	240	0.64	0.13	26.3	0.18	36.9	9.8	30	9.70	27.0
K296813		7.89	<0.01	0.08	3.24	162	310	0.72	0.14	25.8	0.17	38.5	11.0	31	12.90	31.6
K296814		7.99	<0.01	0.06	2.41	113	210	0.52	0.11	27.5	0.14	29.9	7.3	21	9.05	20.5
K296815		3.72	0.03	0.39	5.77	3440	1270	0.99	0.28	4.48	0.14	54.3	14.7	57	9.79	49.8
K296816		8.49	0.02	0.36	6.84	1710	340	1.16	0.38	1.97	0.19	60.1	16.7	71	12.45	72.6
K296817		1.11	0.01	0.26	8.21	916	340	2.12	0.37	1.45	0.20	90.5	28.8	71	19.30	105.5
K296818		3.65	<0.01	0.15	9.59	121.5	460	3.01	0.39	1.22	0.05	107.0	17.8	70	29.0	31.2
K296819		3.74	<0.01	0.14	9.71	76.3	370	2.84	0.42	0.13	0.02	109.0	21.1	75	33.1	39.7
K296820		6.95	<0.01	0.01	0.08	<5	10	0.06	0.02	21.5	0.05	1.46	1.2	<1	0.19	1.5
K296821		3.14	0.01	0.16	9.43	168.0	370	2.97	0.42	0.24	0.07	108.5	11.7	79	28.6	31.5
K296822		7.64	<0.01	0.12	6.41	84.9	670	1.78	0.24	6.31	0.18	64.0	21.4	54	18.00	73.6
K296823		3.90	<0.01	0.19	7.06	103.0	240	1.92	0.30	5.61	0.27	69.1	33.7	63	19.20	120.0
K296824		2.74	<0.01	0.15	7.19	114.5	460	1.91	0.34	3.16	0.17	66.3	29.8	68	23.6	123.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296789		0.77	3.28	0.11	0.6	0.35	0.011	0.50	9.7	3.6	0.62	246	0.73	0.01	2.3	7.9
K296790		0.89	3.94	0.12	0.7	0.42	0.012	0.62	10.6	4.6	0.61	325	0.86	0.01	2.7	8.4
K296791		0.87	3.91	0.13	0.7	0.43	0.014	0.61	10.7	4.3	0.59	313	0.82	0.01	2.7	8.6
K296792		0.79	3.16	0.13	0.6	0.61	0.015	0.47	10.1	3.5	0.50	374	0.62	0.01	2.2	7.8
K296793		0.57	2.44	0.10	0.4	1.16	0.008	0.37	7.9	3.0	0.39	227	0.41	0.01	1.8	6.3
K296794		0.64	2.79	0.12	0.5	0.55	0.010	0.45	9.7	3.8	0.41	94	0.56	0.01	2.0	6.2
K296795		0.41	1.47	0.11	0.3	0.24	<0.005	0.17	4.9	2.4	0.60	307	0.33	0.01	1.2	3.7
K296796		0.62	2.43	0.12	0.4	0.88	0.008	0.38	8.0	2.8	0.71	285	0.57	0.01	1.8	6.4
K296797		0.56	2.01	0.12	0.4	0.80	0.007	0.31	6.7	2.2	0.82	516	0.54	0.01	1.5	4.9
K296798		0.43	0.42	0.29	<0.1	<0.01	<0.005	0.04	0.8	1.3	12.50	188	0.08	0.01	0.5	3.2
K296799		0.97	3.80	0.14	0.7	0.74	0.015	0.63	12.6	4.1	0.76	465	0.62	0.01	2.6	8.8
K296800		1.15	4.06	0.13	0.8	2.26	0.016	0.71	15.1	3.9	0.69	417	0.46	0.01	2.9	10.1
K296801		1.69	7.00	0.14	1.4	4.15	0.027	1.17	20.5	6.7	0.88	436	0.83	0.02	4.5	16.0
K296802		1.36	5.69	0.13	1.1	2.10	0.022	0.95	16.9	6.0	0.69	280	0.78	0.02	3.8	13.1
K296803		1.98	7.54	0.14	1.5	2.40	0.028	1.28	20.6	11.0	0.94	433	0.99	0.02	4.9	19.8
K296804		1.55	6.00	0.13	1.2	3.04	0.022	1.01	17.8	7.3	0.75	413	0.63	0.01	4.0	13.5
K296805		2.40	9.99	0.16	1.9	5.56	0.039	1.69	26.0	11.7	1.07	410	1.18	0.02	6.5	24.6
K296806		6.56	21.4	0.27	4.5	10.0	0.053	1.35	77.1	18.5	0.12	36	6.57	0.38	11.2	17.2
K296807		1.81	7.61	0.14	1.3	2.38	0.026	1.25	16.9	7.9	0.86	401	0.74	0.02	4.6	15.6
K296808		1.03	4.23	0.13	0.7	1.16	0.016	0.66	11.0	4.9	0.54	306	0.27	0.01	2.8	9.7
K296809		0.97	3.48	0.12	0.6	1.19	0.013	0.55	9.1	4.3	0.55	296	0.33	0.01	2.3	8.0
K296810		1.99	8.23	0.15	1.7	4.97	0.027	0.94	29.9	39.9	2.41	262	16.55	0.02	7.2	49.3
K296811		1.54	6.32	0.14	1.1	1.08	0.023	1.04	16.9	7.4	0.72	380	0.62	0.02	4.0	14.9
K296812		1.90	7.79	0.16	1.3	2.41	0.029	1.22	19.1	9.3	1.13	508	0.71	0.02	4.6	17.5
K296813		2.07	8.69	0.15	1.4	2.48	0.031	1.34	19.7	12.3	1.00	465	0.84	0.02	5.1	18.8
K296814		1.43	6.51	0.14	1.1	1.40	0.023	1.01	15.2	9.3	0.76	374	0.62	0.02	3.9	12.8
K296815		8.42	15.85	0.25	2.4	18.9	0.068	2.41	26.0	23.3	2.20	813	4.26	0.04	10.6	29.2
K296816		9.86	18.60	0.30	2.7	15.6	0.085	2.91	29.9	26.3	1.25	600	4.51	0.03	11.5	32.5
K296817		5.55	21.9	0.25	3.2	4.83	0.084	3.44	45.1	52.4	0.75	858	6.97	0.04	12.0	50.8
K296818		4.38	25.8	0.24	3.1	0.34	0.070	4.15	54.3	46.4	0.51	585	0.80	0.06	12.8	43.2
K296819		5.08	27.1	0.26	3.2	1.15	0.074	4.01	53.8	65.4	0.48	529	1.03	0.06	13.8	32.1
K296820		0.43	0.34	0.22	<0.1	<0.01	0.005	0.03	0.7	1.1	12.95	198	<0.05	<0.01	0.4	2.8
K296821		4.52	26.8	0.26	3.2	2.11	0.070	4.12	53.9	38.7	0.50	649	0.85	0.05	13.1	36.2
K296822		4.98	17.20	0.20	2.5	1.89	0.074	2.60	31.2	86.6	1.99	1420	0.57	0.03	11.6	38.7
K296823		6.87	19.75	0.25	3.2	3.59	0.094	2.73	32.9	108.5	1.69	1390	1.80	0.03	14.9	56.8
K296824		5.89	21.6	0.23	2.9	3.30	0.092	3.06	31.1	90.2	0.77	1760	1.62	0.03	14.3	50.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296789		330	6.1	28.5	0.003	0.64	0.32	3.4	2	0.3	1755	0.12	<0.05	2.3	0.058	1.82
K296790		520	6.2	35.5	0.003	0.80	0.34	3.9	2	0.4	1715	0.15	<0.05	2.8	0.074	1.57
K296791		640	6.0	34.8	0.003	0.75	0.32	4.0	2	0.4	1785	0.14	<0.05	2.8	0.072	1.54
K296792		660	4.3	27.2	0.002	0.71	0.42	3.7	2	0.3	2030	0.12	<0.05	2.4	0.061	0.95
K296793		250	3.9	22.7	0.002	0.55	0.28	2.6	2	0.2	1565	0.09	<0.05	1.8	0.045	1.80
K296794		260	4.1	25.9	0.002	0.61	0.20	3.0	2	0.3	2360	0.11	<0.05	2.1	0.053	1.11
K296795		560	3.0	10.5	0.002	0.26	1.00	1.7	2	0.2	1770	0.05	<0.05	1.0	0.023	0.36
K296796		520	3.5	22.0	0.002	0.54	0.35	2.8	2	0.3	1875	0.09	<0.05	1.8	0.044	0.70
K296797		280	2.8	17.4	0.003	0.44	0.23	2.3	2	0.2	1585	0.08	<0.05	1.5	0.037	0.40
K296798		220	1.6	2.0	<0.002	0.01	<0.05	0.3	1	<0.2	49.2	<0.05	<0.05	<0.2	<0.005	<0.02
K296799		440	5.2	35.4	0.003	0.82	0.22	4.0	2	0.4	2110	0.15	<0.05	2.9	0.076	0.51
K296800		180	5.3	39.6	0.003	0.96	1.09	4.9	2	0.5	1855	0.17	<0.05	3.1	0.090	0.87
K296801		300	8.7	55.8	0.004	1.57	2.26	7.0	2	0.8	1685	0.28	<0.05	5.1	0.156	1.70
K296802		670	7.1	47.6	0.004	1.21	1.48	5.5	2	0.7	1900	0.23	<0.05	4.0	0.124	0.87
K296803		440	8.9	62.8	0.004	1.71	0.85	8.1	2	0.9	2060	0.32	<0.05	5.3	0.201	1.36
K296804		650	6.5	50.4	0.003	1.39	0.38	6.5	2	0.7	2380	0.24	0.05	4.1	0.151	0.86
K296805		350	11.0	85.6	0.004	2.24	0.97	10.8	2	1.1	1475	0.41	<0.05	6.6	0.282	1.81
K296806		920	17.7	53.8	0.003	3.13	117.0	16.4	2	3.1	498	0.78	0.12	10.3	0.545	8.35
K296807		850	7.5	60.0	0.004	1.62	0.65	7.0	2	0.8	1960	0.31	<0.05	4.6	0.180	1.19
K296808		580	3.6	39.4	0.002	0.92	0.31	4.5	2	0.4	2120	0.17	<0.05	2.6	0.097	0.30
K296809		1060	3.1	33.4	0.002	0.84	0.24	3.6	2	0.4	2160	0.14	<0.05	2.2	0.078	0.26
K296810		850	35.2	51.7	0.024	1.49	103.5	5.3	4	2.4	70.6	0.47	0.23	6.6	0.166	3.96
K296811		490	6.8	54.0	0.004	1.36	0.33	6.0	2	0.7	2110	0.26	<0.05	4.2	0.133	0.39
K296812		250	7.2	62.6	0.004	1.54	0.37	8.1	2	0.8	1780	0.31	<0.05	4.6	0.181	0.67
K296813		450	7.8	68.9	0.004	1.80	0.65	9.1	2	0.9	1805	0.34	0.05	4.9	0.209	0.98
K296814		650	5.9	51.8	0.003	1.20	0.49	6.3	2	0.7	1710	0.25	<0.05	3.9	0.137	0.61
K296815		410	24.6	98.3	0.005	0.14	13.85	14.7	2	1.9	145.5	0.70	0.09	7.2	0.426	22.9
K296816		570	19.8	119.5	0.009	0.14	8.50	18.0	3	2.2	148.0	0.76	0.12	8.6	0.496	21.0
K296817		500	33.3	146.5	0.010	0.11	17.85	20.8	3	2.5	104.0	0.85	0.09	13.1	0.425	12.00
K296818		450	20.5	184.5	<0.002	0.12	1.28	16.6	2	2.7	67.8	0.97	0.05	16.0	0.407	1.38
K296819		500	22.9	178.0	0.002	0.19	0.80	18.1	2	2.8	71.2	1.05	0.05	16.4	0.439	3.27
K296820		220	<0.5	1.7	<0.002	0.01	<0.05	0.3	1	<0.2	45.4	<0.05	<0.05	<0.2	<0.005	<0.02
K296821		700	29.1	198.5	0.002	0.06	5.04	16.6	2	2.9	91.5	1.00	0.05	15.4	0.426	5.03
K296822		530	11.5	120.0	0.003	3.26	1.90	18.0	2	2.0	138.0	0.79	0.12	7.8	0.453	5.38
K296823		620	19.1	116.0	0.005	5.00	2.15	22.3	3	2.3	161.5	0.97	0.22	8.1	0.569	7.34
K296824		580	16.8	129.0	0.004	0.27	2.12	21.4	2	2.5	243	0.95	0.20	8.3	0.538	6.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118095

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296789		2.7	18	0.6	14.6	18	20.4
K296790		2.8	23	1.1	13.6	21	24.9
K296791		2.8	22	1.0	13.5	25	24.8
K296792		2.8	19	1.2	16.3	14	21.2
K296793		2.7	13	0.8	13.2	10	15.3
K296794		3.3	16	0.6	15.7	11	17.7
K296795		2.0	8	0.5	9.7	5	11.0
K296796		2.8	14	0.4	13.3	9	15.9
K296797		2.2	13	0.3	9.8	13	12.8
K296798		0.9	3	0.1	1.0	16	0.5
K296799		3.0	24	0.5	16.2	20	25.0
K296800		2.7	26	1.1	18.6	22	27.3
K296801		3.3	45	2.4	21.2	37	44.7
K296802		3.4	36	1.2	19.9	33	36.6
K296803		3.4	56	1.7	22.1	42	47.7
K296804		2.8	43	0.6	19.3	35	40.2
K296805		3.5	75	2.1	25.2	57	61.9
K296806		8.6	168	24.3	16.1	43	166.0
K296807		2.8	50	2.2	17.9	41	46.1
K296808		2.3	27	0.6	16.1	22	26.9
K296809		2.4	23	0.4	13.2	20	23.0
K296810		8.4	229	25.5	20.3	204	60.6
K296811		2.9	38	0.6	20.6	35	37.4
K296812		2.8	53	0.9	22.5	41	44.0
K296813		2.7	58	1.6	21.8	45	49.8
K296814		2.7	40	1.0	17.6	31	38.3
K296815		2.0	134	3.8	19.1	63	88.6
K296816		2.2	167	4.4	20.5	82	101.5
K296817		3.1	148	5.0	22.8	103	111.5
K296818		3.0	90	2.1	21.2	117	107.5
K296819		3.5	103	1.7	20.6	132	110.5
K296820		0.5	3	0.1	0.9	13	0.5
K296821		3.3	107	3.8	22.4	91	110.0
K296822		2.0	137	2.0	22.5	89	90.4
K296823		2.2	179	2.6	25.9	95	119.5
K296824		2.2	170	3.8	22.6	98	107.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118095

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

CERTIFICATE WH11112530

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 16

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112530

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297109		5.61	0.38	0.07	0.63	217	170	0.26	0.03	19.55	0.06	10.60	1.9	6	0.99	4.0
K297110		3.17	0.76	0.71	0.50	>10000	270	0.14	0.02	17.85	1.45	11.15	1.4	4	0.57	3.9
K297111		10.22	0.28	0.05	0.50	1020	270	0.20	0.03	18.05	0.50	12.10	2.1	4	0.68	4.6
K297112		6.44	0.09	0.04	0.26	625	90	0.24	0.01	18.80	2.31	9.19	1.8	3	0.36	3.4
K297113		11.30	0.05	0.02	0.29	>10000	150	0.23	0.01	19.35	0.02	7.38	1.4	3	0.40	2.5
K297114		8.56	0.01	0.02	0.23	966	120	0.19	0.01	19.20	0.21	8.18	1.4	4	0.32	2.2
K297115		9.34	<0.01	0.03	0.72	215	310	0.24	0.03	18.35	0.03	13.60	2.4	7	1.31	4.3
K297116		12.20	<0.01	0.02	0.39	177	180	0.19	0.01	19.20	0.02	6.78	1.5	4	0.60	2.5
K297117		12.37	0.03	0.02	0.42	212	100	0.20	0.02	19.05	0.03	7.13	1.6	4	0.80	2.8
K297118		7.05	0.04	0.01	0.20	206	70	0.16	0.01	19.90	0.02	3.62	1.0	3	0.27	1.4
K297119		6.46	0.02	0.02	0.32	203	50	0.17	0.01	19.30	<0.02	8.12	1.6	4	0.60	2.5
K297120		10.54	0.02	0.03	0.49	147	210	0.22	0.02	19.50	0.03	9.43	2.0	5	0.84	3.3
K297121		10.68	<0.01	0.04	0.90	441	490	0.33	0.04	18.45	0.04	14.40	2.7	9	1.34	5.0
K297122		8.03	<0.01	0.02	0.63	69	300	0.24	0.02	18.80	0.03	9.66	2.0	7	0.87	3.6
K297123		9.63	<0.01	0.03	0.95	95	130	0.37	0.05	18.05	0.04	17.75	3.1	9	2.51	5.6
K297124		11.53	<0.01	0.04	0.92	112	60	0.39	0.05	16.50	0.44	18.70	3.2	8	2.43	7.1
K297125		10.83	0.02	0.05	0.86	562	100	0.37	0.05	17.60	0.03	17.20	2.9	8	1.89	6.1
K297126		4.45	<0.01	0.03	0.85	115	90	0.39	0.05	17.70	0.06	18.15	3.2	6	1.85	6.4
K297127		7.05	<0.01	0.01	0.06	7	10	0.09	0.01	19.65	0.06	1.28	1.3	2	0.14	2.1
K297128		6.89	<0.01	0.06	0.79	893	170	0.31	0.04	16.75	0.44	15.05	2.8	7	1.14	5.3
K297129		4.18	0.01	0.18	1.05	1740	150	0.32	0.07	17.45	0.35	23.4	4.3	8	1.66	8.7
K297130		0.23	7.97	0.46	3.41	959	150	0.84	0.64	11.75	4.36	44.4	6.2	98	7.39	35.5
K297131		12.29	0.04	0.11	0.84	442	320	0.32	0.04	18.05	0.06	14.80	3.7	11	1.28	5.7
K297132		6.69	0.02	0.12	0.88	444	310	0.33	0.04	18.40	0.11	14.75	3.1	10	1.30	5.3
K297133		5.15	<0.01	0.03	0.34	476	280	0.19	0.01	19.55	0.05	9.56	1.8	5	0.43	2.5
K297134		7.70	<0.01	0.14	0.26	1670	80	0.15	0.02	17.95	0.04	7.62	1.4	4	0.37	2.4
K297135		9.38	0.01	0.10	0.11	1260	50	0.08	<0.01	19.05	0.10	5.04	1.0	3	0.11	1.5
K297136		5.59	0.02	0.13	0.24	6550	110	0.11	0.01	18.25	0.06	7.26	1.2	7	0.35	2.6
K297137		10.59	0.02	0.18	0.49	1220	420	0.18	0.02	19.20	0.48	8.93	1.7	6	0.57	4.1
K297138		10.28	0.02	0.16	0.69	1480	290	0.22	0.03	17.60	0.54	11.60	2.3	7	0.78	4.5
K297139		7.01	<0.01	0.01	0.08	11	20	0.08	0.02	20.1	0.06	1.42	1.3	2	0.15	1.5
K297140		7.12	<0.01	0.07	0.14	1020	80	0.11	0.01	18.95	0.37	3.39	1.0	2	0.15	1.6
K297141		9.13	0.01	0.34	0.85	437	340	0.34	0.04	17.45	1.18	16.45	3.3	8	1.31	5.7
K297142		2.17	0.11	0.69	0.68	1110	460	0.23	0.03	17.75	1.55	14.20	2.4	7	1.00	5.2
K297143		0.23	7.97	0.44	3.39	970	160	0.78	0.64	11.30	4.47	44.2	6.0	94	7.29	34.2
K297144		2.69	0.08	0.32	0.44	>10000	320	0.17	0.03	19.20	0.34	8.32	1.8	5	2.38	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112530

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297109		0.55	1.70	0.05	0.4	2.15	0.008	0.29	5.9	3.4	11.70	1390	1.10	0.02	1.2	2.4
K297110		3.24	1.38	0.08	0.2	9.6	0.030	0.11	6.8	4.3	10.45	1040	1.40	0.01	0.7	1.4
K297111		4.74	1.38	0.09	0.3	9.9	0.008	0.20	6.8	2.5	10.45	1240	0.91	0.01	1.0	2.8
K297112		2.17	1.08	<0.05	0.1	6.51	0.011	0.10	6.6	1.5	11.45	1360	0.28	0.01	0.5	3.0
K297113		0.31	1.05	0.27	0.1	1.99	0.016	0.11	5.9	1.9	11.85	717	0.22	0.02	0.5	2.3
K297114		0.32	1.00	0.46	0.1	1.14	<0.005	0.10	6.6	1.8	11.70	599	0.20	0.02	0.4	2.2
K297115		0.86	2.22	0.20	0.5	3.63	0.007	0.27	9.0	4.0	11.15	990	0.30	0.02	1.3	3.0
K297116		0.71	1.36	0.28	0.2	1.36	<0.005	0.14	4.4	2.6	11.55	661	0.40	0.02	0.6	2.0
K297117		0.49	1.39	0.24	0.3	1.37	<0.005	0.17	4.6	2.5	11.55	586	0.30	0.02	0.8	1.4
K297118		0.41	0.87	0.40	0.1	0.64	0.006	0.08	2.5	1.4	12.10	793	0.26	0.02	0.4	0.4
K297119		0.38	1.44	0.60	0.2	1.11	<0.005	0.14	6.2	2.0	11.75	562	0.38	0.02	0.6	1.6
K297120		0.55	1.81	0.48	0.3	2.38	<0.005	0.20	6.7	2.5	11.85	773	0.26	0.02	0.9	2.3
K297121		0.76	2.77	0.27	0.5	4.39	0.007	0.32	9.1	4.3	11.20	865	0.34	0.02	1.5	3.3
K297122		0.61	1.95	0.30	0.3	1.86	<0.005	0.20	6.2	3.2	11.35	800	1.03	0.02	1.0	2.5
K297123		0.83	3.16	0.23	0.6	1.68	0.010	0.43	11.8	5.0	10.95	736	0.24	0.02	1.8	4.0
K297124		2.15	2.84	0.09	0.5	2.84	0.008	0.43	13.9	3.8	10.05	938	0.26	0.02	1.9	3.4
K297125		1.35	2.63	0.09	0.5	2.9	0.009	0.39	12.2	4.0	10.60	955	0.26	0.02	1.6	3.1
K297126		1.07	2.59	0.15	0.4	2.71	0.008	0.38	13.6	3.5	10.65	1200	0.34	0.03	1.5	3.8
K297127		0.43	0.56	0.55	<0.1	0.01	0.005	0.02	0.6	0.9	12.05	199	0.08	0.01	0.3	2.0
K297128		0.98	2.31	0.19	0.4	4.05	0.007	0.29	11.1	3.7	10.00	1060	0.24	0.02	1.5	2.8
K297129		1.64	3.17	0.10	0.7	7.4	0.011	0.47	16.0	3.3	10.40	1200	0.53	0.02	2.2	4.9
K297130		1.33	7.90	0.18	2.3	6.36	0.064	1.42	30.2	9.6	0.69	267	11.55	0.01	7.5	62.9
K297131		0.72	2.56	0.21	0.6	4.78	0.007	0.32	9.6	3.7	10.85	990	0.77	0.02	1.7	3.8
K297132		0.76	2.75	0.28	0.6	4.4	0.009	0.33	9.6	4.1	11.00	952	0.73	0.02	1.7	3.9
K297133		0.33	1.31	0.57	0.2	1.84	<0.005	0.12	7.1	1.8	11.90	718	0.22	0.02	0.7	1.5
K297134		1.93	0.91	0.08	0.1	3.02	0.005	0.11	5.5	1.4	10.90	784	0.22	0.02	0.5	0.8
K297135		1.25	0.47	0.11	0.1	2.90	<0.005	0.03	3.3	0.8	11.55	687	0.20	0.01	0.3	0.3
K297136		1.01	0.95	0.16	0.1	3.02	0.009	0.09	4.5	1.6	10.90	1120	0.55	0.01	0.4	1.7
K297137		1.13	1.45	0.11	0.3	4.49	0.008	0.18	5.6	2.3	11.65	578	0.75	0.02	0.9	1.5
K297138		0.86	1.93	0.16	0.4	4.58	0.006	0.24	7.6	3.3	10.45	882	0.45	0.01	1.2	2.2
K297139		0.42	0.60	0.58	<0.1	0.04	<0.005	0.04	0.7	1.0	12.30	197	0.12	0.01	0.5	1.4
K297140		0.68	0.72	0.38	0.1	2.07	<0.005	0.05	2.3	0.9	11.55	565	0.29	0.01	0.3	0.5
K297141		2.88	2.63	0.08	0.5	6.15	0.010	0.37	9.7	3.2	10.35	732	1.36	0.02	1.5	4.4
K297142		2.11	2.19	0.06	0.5	15.5	0.009	0.28	9.3	2.3	10.65	624	0.74	0.01	1.3	3.0
K297143		1.31	7.70	0.16	2.4	6.49	0.066	1.43	29.6	9.2	0.69	263	11.85	0.01	7.7	61.8
K297144		0.63	1.27	<0.05	0.3	12.5	0.044	0.13	5.4	2.5	11.10	786	0.27	0.01	0.9	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112530

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297109		200	18.3	9.9	<0.002	0.48	0.40	1.8	2	0.2	144.5	0.09	<0.05	1.5	0.032	1.91
K297110		300	106.5	3.9	<0.002	4.79	0.92	0.8	1	0.2	176.5	0.05	<0.05	0.8	0.016	9.21
K297111		330	98.5	6.6	<0.002	5.94	0.34	1.4	1	0.2	229	0.07	<0.05	1.2	0.026	10.95
K297112		200	181.5	3.2	<0.002	2.65	0.55	0.8	1	0.2	115.0	<0.05	<0.05	0.6	0.013	5.04
K297113		240	7.1	3.2	<0.002	1.16	0.83	0.8	1	0.2	143.5	<0.05	<0.05	0.6	0.012	2.28
K297114		270	34.1	3.1	<0.002	0.31	0.28	0.7	1	<0.2	118.5	<0.05	<0.05	0.5	0.010	1.05
K297115		390	19.0	8.9	<0.002	0.81	0.21	1.4	2	0.3	215	0.10	<0.05	1.6	0.034	5.96
K297116		240	13.2	4.5	<0.002	0.63	0.11	0.8	2	0.2	163.5	<0.05	<0.05	0.8	0.017	1.31
K297117		220	12.1	6.0	<0.002	0.41	0.14	1.0	2	0.2	134.5	0.06	<0.05	0.9	0.020	1.91
K297118		140	5.3	2.7	<0.002	0.23	0.09	0.5	1	<0.2	116.0	<0.05	<0.05	0.4	0.009	0.65
K297119		410	7.6	4.7	<0.002	0.26	0.15	0.8	2	0.2	104.5	<0.05	<0.05	0.8	0.015	1.02
K297120		310	13.4	7.0	<0.002	0.50	0.17	1.2	2	0.2	160.5	0.06	<0.05	1.0	0.021	3.33
K297121		490	25.5	11.4	<0.002	0.82	0.31	1.9	2	0.3	290	0.11	<0.05	1.9	0.041	3.70
K297122		330	13.3	6.9	<0.002	0.47	0.16	1.3	2	0.2	214	0.08	<0.05	1.2	0.026	1.65
K297123		530	23.9	16.0	<0.002	0.89	0.23	2.1	2	0.3	137.0	0.13	<0.05	2.2	0.046	2.02
K297124		430	448	14.6	<0.002	2.54	0.55	2.0	2	0.5	106.0	0.14	<0.05	2.1	0.039	6.62
K297125		530	32.7	13.6	<0.002	1.62	0.39	1.9	2	0.3	154.0	0.11	<0.05	2.0	0.039	4.69
K297126		620	25.8	12.8	<0.002	1.13	0.31	2.0	2	0.3	145.0	0.11	<0.05	1.9	0.036	3.70
K297127		170	1.4	1.1	<0.002	<0.01	0.09	0.3	1	<0.2	49.7	<0.05	<0.05	<0.2	<0.005	0.05
K297128		390	22.7	9.7	<0.002	1.04	0.44	1.6	1	0.3	199.0	0.10	<0.05	1.6	0.031	5.40
K297129		390	5540	14.9	<0.002	1.88	2.83	2.2	2	0.4	176.0	0.15	<0.05	2.8	0.054	16.35
K297130		4130	5.9	104.5	0.037	1.31	20.7	6.1	10	1.9	151.5	0.52	0.62	6.4	0.206	12.95
K297131		390	45.0	11.0	<0.002	0.73	0.70	1.8	2	0.5	258	0.12	<0.05	2.0	0.044	5.62
K297132		390	214	11.4	<0.002	0.78	0.91	1.8	2	0.4	257	0.12	<0.05	2.1	0.043	6.66
K297133		420	10.3	3.8	<0.002	0.31	0.26	1.0	2	<0.2	217	<0.05	<0.05	0.7	0.015	2.24
K297134		270	562	3.5	<0.002	2.48	1.72	0.8	1	<0.2	123.5	<0.05	<0.05	0.6	0.011	5.13
K297135		180	41.8	1.2	<0.002	1.42	0.87	0.4	1	<0.2	110.5	<0.05	<0.05	0.3	<0.005	3.78
K297136		200	31.9	3.0	<0.002	1.13	0.99	0.7	1	0.2	142.0	<0.05	<0.05	0.5	0.010	3.98
K297137		400	36.4	5.9	<0.002	1.34	1.08	1.1	1	0.2	276	0.07	<0.05	1.1	0.023	4.68
K297138		320	49.8	7.7	<0.002	0.86	1.08	1.5	1	0.3	256	0.08	<0.05	1.4	0.030	4.15
K297139		200	1.5	1.4	<0.002	<0.01	0.17	0.3	1	<0.2	49.2	<0.05	<0.05	<0.2	<0.005	0.06
K297140		150	18.3	1.7	<0.002	0.70	0.45	0.4	1	<0.2	145.0	<0.05	<0.05	0.3	0.005	1.87
K297141		610	424	12.1	<0.002	3.47	4.11	1.8	1	0.4	237	0.11	<0.05	2.0	0.041	7.54
K297142		480	267	9.2	<0.002	2.61	3.12	1.6	1	0.3	311	0.09	<0.05	1.6	0.034	11.95
K297143		4090	4.3	104.0	0.036	1.32	20.3	6.4	10	1.8	151.5	0.52	0.57	6.4	0.205	12.90
K297144		310	31.8	5.4	<0.002	2.52	1.29	1.1	1	0.3	706	0.05	<0.05	1.0	0.020	10.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112530

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297109		1.5	6	0.8	3.6	19	13.3	
K297110		1.4	3	2.3	3.0	1000	7.0	1.520
K297111		1.7	4	1.7	3.8	345	9.8	
K297112		1.1	2	0.8	3.0	1360	5.1	
K297113		1.0	3	0.5	2.8	5	4.7	1.295
K297114		1.0	2	0.3	3.4	28	4.4	
K297115		1.7	6	1.0	4.9	11	16.0	
K297116		1.1	3	0.5	2.9	7	8.8	
K297117		1.2	3	0.5	3.1	6	10.5	
K297118		0.9	2	0.2	1.9	4	5.0	
K297119		1.0	3	0.4	4.0	2	7.0	
K297120		1.3	4	0.6	4.1	7	10.4	
K297121		2.1	7	1.4	5.5	15	18.2	
K297122		1.6	4	0.8	4.1	10	13.0	
K297123		1.9	8	0.9	7.1	13	20.5	
K297124		2.0	7	0.8	7.4	119	17.6	
K297125		2.0	7	1.3	6.8	8	17.9	
K297126		2.2	6	1.1	7.9	20	14.8	
K297127		0.6	2	0.1	0.9	15	0.5	
K297128		1.5	6	1.1	6.0	115	15.3	
K297129		2.4	7	1.8	7.9	65	25.6	
K297130		7.9	380	36.0	28.8	272	84.4	
K297131		2.2	7	1.7	5.1	15	20.6	
K297132		2.2	7	1.8	5.3	20	21.3	
K297133		1.2	3	0.7	4.1	7	7.7	
K297134		1.0	2	0.5	3.4	5	5.6	
K297135		0.6	1	0.5	2.4	14	2.2	
K297136		0.8	2	0.6	3.5	10	5.2	
K297137		1.5	4	1.1	4.0	74	11.2	
K297138		1.5	5	1.2	5.0	76	14.9	
K297139		0.6	2	0.1	1.0	14	<0.5	
K297140		0.6	2	0.4	1.9	62	2.6	
K297141		1.9	8	1.5	6.8	187	19.4	
K297142		1.8	6	2.8	5.0	409	16.2	
K297143		8.1	376	35.9	30.7	272	86.5	
K297144		1.3	4	2.7	3.1	61	8.2	2.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112530

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

CERTIFICATE WH11114110

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area 6- Batch 17

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114110

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297145		6.73	0.02	0.22	0.87	4900	300	0.27	0.08	18.60	1.83	15.90	3.1	5	1.16	6.7
K297146		11.72	0.03	0.22	0.91	313	330	0.32	0.07	18.25	0.66	18.45	2.7	7	1.09	7.4
K297147		5.05	0.03	0.13	0.72	693	260	0.26	0.07	18.65	0.06	13.55	2.2	6	0.91	6.0
K297148		7.42	0.03	0.14	0.67	1260	300	0.21	0.05	17.90	0.43	14.00	2.0	5	0.76	5.7
K297149		4.08	0.52	0.36	0.58	5700	580	0.20	0.04	17.50	0.61	8.21	1.5	5	0.63	5.0
K297150		5.70	0.05	0.08	0.63	257	320	0.32	0.05	18.50	0.12	12.45	1.7	4	0.70	5.7
K297151		6.35	0.03	0.12	0.65	2430	310	0.23	0.06	17.95	0.05	10.40	2.5	4	0.74	6.1
K297152		6.98	<0.01	0.01	0.08	6	20	0.05	0.03	20.9	0.04	1.13	0.7	3	0.14	2.9
K297153		9.26	0.01	0.13	0.62	205	220	0.26	0.04	18.15	0.06	9.88	1.7	8	0.82	5.6
K297154		12.09	0.01	0.09	1.24	102	300	0.34	0.08	18.75	0.09	14.25	3.3	16	1.85	7.1
K297155		10.76	0.02	0.06	0.99	216	160	0.39	0.08	18.00	0.02	15.10	3.1	9	1.97	7.9
K297156		0.21	0.34	0.34	6.32	598	1100	0.59	0.32	0.49	0.19	138.0	3.2	233	3.39	30.6
K297157		12.96	0.02	0.02	0.45	1580	110	0.24	0.03	19.35	0.40	9.97	1.2	5	0.68	4.6
K297158		11.63	0.03	0.02	0.94	703	120	0.34	0.08	18.55	<0.02	19.35	2.4	8	1.71	6.9
K297159		11.28	0.01	0.02	1.31	2040	80	0.42	0.11	16.55	0.04	21.6	4.1	9	3.64	8.8
K297160		11.71	0.01	0.03	1.84	115	60	0.65	0.15	16.45	<0.02	27.3	5.2	8	5.60	10.8
K297161		6.92	<0.01	0.01	0.08	10	20	0.07	0.02	20.1	0.05	1.30	0.6	2	0.17	3.9
K297162		11.45	0.13	0.03	0.90	2560	60	0.35	0.07	17.90	0.02	18.40	3.0	4	2.16	6.7
K297163		10.68	0.15	0.03	0.58	544	50	0.30	0.04	18.65	0.02	14.10	1.9	3	0.95	5.8
K297164		11.69	0.01	0.02	0.53	293	50	0.27	0.03	18.70	<0.02	10.35	1.3	2	0.81	4.1
K297165		11.25	0.01	0.04	0.75	150	60	0.33	0.06	18.50	<0.02	12.55	2.0	5	1.75	6.4
K297166		12.24	0.01	0.02	0.66	213	50	0.30	0.05	18.35	0.03	13.50	1.9	3	1.75	5.5
K297167		8.33	0.01	0.02	0.80	26	50	0.38	0.06	20.0	0.02	12.80	2.0	26	1.95	7.0
K297168		10.02	0.02	0.01	0.51	251	40	0.27	0.04	20.2	0.02	10.25	1.4	3	0.90	5.0
K297169		10.13	0.03	0.02	0.45	562	30	0.22	0.02	20.8	0.08	11.00	1.6	4	1.01	3.1
K297170		12.22	0.03	0.01	0.43	721	30	0.29	0.02	20.9	0.09	12.30	1.5	5	1.13	3.1
K297171		13.00	<0.01	0.01	0.79	34	60	0.35	0.03	19.60	0.06	16.10	2.4	6	4.80	4.6
K297172		5.89	<0.01	0.01	0.64	25	220	0.40	0.07	19.55	<0.02	14.40	2.1	1	1.92	4.0
K297173		8.30	0.18	0.03	0.57	1440	30	0.31	0.03	19.50	0.48	12.95	1.8	4	1.59	3.4
K297174		10.36	0.06	0.05	0.29	461	20	0.21	0.01	18.40	4.92	9.97	1.4	2	0.58	3.0
K297175		11.67	0.03	0.01	0.44	631	40	0.34	0.02	19.65	<0.02	9.24	1.5	1	1.12	2.7
K297176		11.44	0.02	0.02	0.56	36	30	0.26	0.03	19.40	0.05	11.45	1.8	3	1.51	4.2
K297177		5.06	0.02	0.02	0.51	28	30	0.23	0.02	19.40	0.06	10.85	1.9	4	1.34	3.9
K297178		5.11	0.23	0.02	0.71	53	50	0.28	0.03	19.70	0.06	8.91	2.2	9	1.12	5.3
K297179		5.13	0.58	0.07	0.39	1480	50	0.27	0.02	20.2	<0.02	7.25	1.5	8	0.60	3.4
K297180		0.21	2.64	0.98	3.25	598	850	0.87	0.29	7.94	2.15	43.5	7.5	59	3.53	44.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114110

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297145		0.67	2.19	0.08	0.4	3.71	0.011	0.38	11.5	2.6	11.50	1080	0.32	0.02	1.4	3.9
K297146		0.80	2.39	0.09	0.4	2.38	0.008	0.41	12.2	2.8	11.20	988	0.22	0.02	1.4	4.2
K297147		0.64	1.86	0.08	0.3	3.04	0.006	0.33	10.4	2.2	11.45	950	0.21	0.01	1.1	3.5
K297148		0.87	1.69	0.10	0.3	4.39	0.006	0.29	9.4	2.0	10.80	843	0.26	0.01	1.0	2.7
K297149		2.55	1.53	0.10	0.3	14.4	0.010	0.23	4.9	2.4	10.45	1140	0.45	0.01	0.7	2.4
K297150		0.55	1.70	0.09	0.3	2.39	0.011	0.27	8.9	2.2	11.20	1440	0.34	0.01	0.8	2.7
K297151		0.64	1.84	0.09	0.3	2.66	0.006	0.29	7.0	2.2	10.75	1600	0.46	0.01	0.9	3.0
K297152		0.42	0.20	0.05	<0.1	0.01	<0.005	0.03	0.5	0.9	13.20	202	0.62	0.01	0.2	2.1
K297153		0.54	1.65	0.07	0.3	1.61	0.006	0.29	6.6	2.1	11.10	1180	0.53	0.01	1.0	3.5
K297154		0.93	2.74	0.06	0.5	1.93	0.009	0.60	10.3	3.6	11.50	1220	0.57	0.02	1.6	7.5
K297155		0.62	2.73	0.09	0.4	1.38	0.007	0.48	10.4	3.7	11.05	1240	0.96	0.02	1.6	6.0
K297156		6.65	21.1	0.17	4.1	9.8	0.048	1.41	64.5	16.6	0.14	38	6.35	0.38	9.2	15.7
K297157		1.00	1.22	0.08	0.2	2.52	0.005	0.21	6.8	1.8	12.05	1560	0.46	0.02	0.6	2.9
K297158		0.74	2.45	0.09	0.4	2.47	0.009	0.45	13.1	3.4	11.45	1250	1.10	0.02	1.4	4.4
K297159		2.10	3.45	0.09	0.5	3.33	0.010	0.63	14.7	4.9	10.15	801	0.24	0.02	1.9	6.1
K297160		1.22	4.73	0.11	0.8	1.72	0.013	0.88	21.7	6.9	10.15	921	0.18	0.03	2.7	7.3
K297161		0.42	0.25	0.07	<0.1	0.01	0.005	0.04	0.6	1.1	12.65	198	0.08	0.01	0.3	2.1
K297162		1.13	2.36	0.12	0.4	1.70	0.007	0.42	12.7	3.4	10.95	1580	0.25	0.02	1.4	4.4
K297163		0.85	1.55	0.11	0.3	1.31	0.007	0.27	8.9	2.3	11.45	1840	0.34	0.01	0.9	3.0
K297164		0.76	1.25	0.07	0.2	0.98	0.005	0.25	6.6	1.7	11.50	1740	0.44	0.02	0.6	2.0
K297165		0.92	1.88	0.09	0.3	1.30	0.006	0.36	7.5	3.0	11.25	1740	0.55	0.02	1.1	3.4
K297166		1.57	1.56	0.09	0.3	1.43	<0.005	0.32	9.2	2.4	11.15	1180	0.32	0.02	0.9	3.2
K297167		0.51	2.08	0.11	0.3	0.73	0.005	0.39	8.9	2.9	12.40	1040	0.40	0.02	1.2	10.4
K297168		0.42	1.28	0.09	0.3	0.78	0.006	0.24	7.3	1.8	12.60	1100	0.26	0.02	0.8	2.1
K297169		0.34	1.41	0.17	0.2	0.84	0.006	0.21	6.7	2.1	12.50	786	0.24	0.02	0.9	1.3
K297170		0.55	1.19	0.10	0.2	0.86	0.005	0.21	7.5	1.6	12.50	1380	0.22	0.02	1.0	2.8
K297171		0.77	2.07	0.14	0.4	0.69	<0.005	0.39	10.0	2.9	11.65	1500	0.46	0.02	1.5	3.7
K297172		0.55	1.76	0.08	0.3	0.34	0.005	0.30	10.1	3.5	11.45	1460	0.14	0.02	1.2	0.5
K297173		0.67	1.76	0.14	0.3	1.21	0.008	0.27	7.7	2.6	11.60	1680	0.15	0.02	1.0	2.4
K297174		4.76	1.86	0.09	0.1	6.11	0.017	0.13	6.6	1.2	10.95	1440	0.22	0.01	0.6	1.6
K297175		0.41	1.29	0.12	0.2	0.55	<0.005	0.21	6.0	2.5	11.55	1240	0.21	0.02	0.9	<0.2
K297176		1.12	1.46	0.06	0.3	0.86	0.007	0.27	6.8	3.1	11.55	1410	0.37	0.01	1.0	3.1
K297177		1.10	1.41	0.08	0.2	0.78	0.007	0.25	6.4	1.7	11.60	1430	0.33	0.01	1.0	3.2
K297178		0.56	1.78	0.07	0.3	1.11	0.005	0.31	6.2	3.0	11.55	1700	0.42	0.02	1.2	3.5
K297179		0.62	1.09	0.06	0.2	1.42	0.005	0.16	5.3	2.1	12.00	1940	0.17	0.02	0.7	1.9
K297180		2.08	8.35	0.12	1.7	4.72	0.025	1.00	27.9	49.4	2.57	277	18.80	0.03	6.9	55.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114110

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297145		330	25.3	10.6	0.002	0.97	0.72	1.7	1	0.5	281	0.10	<0.05	1.9	0.037	3.16
K297146		400	57.7	11.7	<0.002	0.72	0.91	1.8	1	0.5	284	0.12	<0.05	2.0	0.039	2.58
K297147		340	48.5	8.9	0.002	0.65	0.90	1.4	1	0.4	203	0.09	<0.05	1.6	0.029	4.01
K297148		420	32.2	7.8	<0.002	0.92	0.80	1.4	1	0.4	226	0.08	<0.05	1.4	0.027	5.22
K297149		500	92.6	6.8	0.002	3.45	1.71	1.3	1	0.5	354	0.06	<0.05	1.0	0.022	13.80
K297150		340	13.7	8.5	0.002	0.40	0.47	1.4	1	0.5	247	0.06	<0.05	1.1	0.023	2.19
K297151		280	15.3	8.8	<0.002	0.61	0.62	1.4	1	0.6	423	0.08	<0.05	1.3	0.026	2.68
K297152		210	1.5	1.1	<0.002	0.01	0.16	0.2	1	0.2	40.0	<0.05	<0.05	<0.2	<0.005	0.02
K297153		260	22.2	8.1	0.002	0.50	0.41	1.3	1	0.4	179.5	0.08	<0.05	1.3	0.028	1.77
K297154		400	44.7	14.3	<0.002	0.96	0.38	2.0	1	0.5	200	0.12	<0.05	2.2	0.051	2.32
K297155		330	20.6	14.3	0.002	0.61	0.21	2.0	1	0.5	144.5	0.12	<0.05	2.1	0.041	1.88
K297156		920	18.7	48.1	0.005	3.08	105.0	15.6	2	3.1	527	0.74	0.16	9.2	0.536	8.23
K297157		300	19.3	5.7	0.002	1.06	0.30	0.9	1	0.3	105.5	0.05	<0.05	0.8	0.018	2.13
K297158		480	20.8	13.5	<0.002	0.71	0.23	1.8	1	0.4	103.5	0.11	<0.05	1.9	0.039	2.90
K297159		450	68.0	19.8	<0.002	2.47	0.31	2.3	1	0.6	76.2	0.15	<0.05	2.7	0.051	5.13
K297160		510	42.9	29.1	<0.002	1.23	0.21	3.5	1	0.7	78.7	0.22	0.06	4.0	0.073	2.86
K297161		210	1.4	1.4	0.003	0.01	0.14	0.2	1	0.2	41.7	<0.05	<0.05	<0.2	<0.005	0.02
K297162		420	32.3	12.4	<0.002	1.08	0.26	1.9	1	0.5	85.4	0.11	<0.05	1.9	0.036	3.14
K297163		400	20.0	7.9	0.002	0.58	0.21	1.5	1	0.4	84.8	0.07	<0.05	1.3	0.024	2.43
K297164		420	13.6	6.2	<0.002	0.60	0.15	1.0	1	0.3	76.5	0.05	<0.05	0.9	0.021	1.49
K297165		580	18.4	10.4	<0.002	0.57	0.17	1.5	1	0.5	81.0	0.09	<0.05	1.6	0.030	2.10
K297166		500	32.8	9.0	0.002	1.74	0.15	1.2	1	0.4	92.2	0.08	<0.05	1.3	0.026	2.39
K297167		530	16.7	11.0	<0.002	0.46	0.15	1.3	1	0.5	90.6	0.10	<0.05	1.7	0.033	1.15
K297168		400	12.3	6.8	<0.002	0.34	0.20	1.0	1	0.3	104.5	0.06	<0.05	1.1	0.021	1.23
K297169		480	13.9	7.8	<0.002	0.33	0.17	1.0	2	0.2	110.5	0.06	<0.05	1.0	0.019	1.01
K297170		490	23.2	6.8	<0.002	0.41	0.20	1.0	2	<0.2	98.1	0.08	<0.05	1.0	0.019	1.04
K297171		440	22.6	13.7	<0.002	0.65	0.18	1.6	2	0.3	105.0	0.10	<0.05	1.6	0.033	1.26
K297172		390	11.8	10.1	<0.002	0.40	0.08	1.3	2	0.2	95.3	0.08	<0.05	1.6	0.026	0.82
K297173		410	16.9	9.8	<0.002	0.57	0.12	1.2	2	0.2	90.5	0.07	<0.05	1.3	0.022	1.14
K297174		260	105.5	4.3	<0.002	6.15	0.12	0.8	1	0.2	72.3	<0.05	<0.05	0.6	0.012	4.59
K297175		350	11.9	6.9	<0.002	0.32	0.17	0.9	2	<0.2	96.9	0.06	<0.05	1.0	0.019	0.89
K297176		490	160.0	9.1	<0.002	1.28	0.26	1.1	2	0.2	99.4	0.08	<0.05	1.2	0.023	1.41
K297177		470	33.5	8.2	<0.002	1.24	0.25	1.1	2	0.2	101.5	0.06	<0.05	1.1	0.021	1.35
K297178		550	15.2	10.8	<0.002	0.57	0.22	1.2	1	0.2	116.5	0.08	<0.05	1.3	0.029	1.67
K297179		410	9.2	5.7	<0.002	0.48	0.23	0.7	1	<0.2	86.0	<0.05	<0.05	0.7	0.016	1.82
K297180		910	37.0	54.2	0.023	1.67	108.5	5.4	4	2.5	73.3	0.42	0.20	5.8	0.169	3.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114110

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297145		1.7	7	1.3	5.0	326	13.5
K297146		1.8	7	1.2	6.0	103	15.5
K297147		1.6	6	0.9	5.1	10	11.6
K297148		1.5	5	0.9	5.5	63	11.4
K297149		1.3	6	1.9	4.3	138	9.1
K297150		1.4	5	0.8	5.0	22	10.3
K297151		1.3	5	1.0	4.7	10	10.4
K297152		0.6	3	0.1	0.7	14	<0.5
K297153		1.2	5	0.8	3.6	11	10.9
K297154		1.5	9	1.0	5.3	19	15.4
K297155		1.7	7	0.9	5.5	7	15.5
K297156		7.8	166	22.9	15.5	43	165.5
K297157		1.7	4	0.5	4.7	245	6.7
K297158		2.1	7	1.0	6.7	5	13.4
K297159		1.6	9	1.2	6.7	19	16.0
K297160		2.1	13	1.2	8.9	8	23.9
K297161		0.6	2	0.1	0.8	13	<0.5
K297162		1.9	7	0.6	7.1	6	13.0
K297163		2.2	5	0.6	5.9	9	9.4
K297164		1.7	5	0.4	4.7	4	7.4
K297165		2.6	6	0.8	6.3	5	12.0
K297166		2.1	5	0.7	5.9	22	10.8
K297167		2.3	6	0.8	6.0	5	12.2
K297168		1.9	4	0.6	5.0	5	8.4
K297169		2.1	2	0.6	5.2	18	8.5
K297170		2.2	2	0.5	5.1	20	8.0
K297171		2.2	4	0.5	6.3	21	12.9
K297172		2.0	4	0.3	6.3	4	10.6
K297173		1.6	2	0.5	5.5	315	9.0
K297174		1.3	1	0.4	4.0	3110	4.8
K297175		1.8	3	0.4	4.5	4	8.5
K297176		1.7	2	0.5	5.8	24	8.4
K297177		1.6	2	0.4	5.5	24	7.9
K297178		2.2	5	0.6	5.8	14	12.1
K297179		1.8	3	0.7	4.2	4	6.6
K297180		8.9	229	28.1	19.9	215	67.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114110

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

CERTIFICATE WH11118099

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 18- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118099

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296109		4.72	<0.01	0.03	6.28	104.5	190	1.70	0.23	2.40	0.13	66.7	15.6	61	33.7	46.4
K296110		4.17	0.02	>100	6.30	82.9	270	1.71	0.23	1.97	0.10	68.6	20.4	68	29.3	458
K296111		7.88	<0.01	0.22	6.90	133.5	330	1.83	0.23	2.10	0.05	69.7	20.1	71	41.9	51.7
K296112		5.10	<0.01	0.94	6.00	127.5	230	1.63	0.22	2.04	0.06	61.8	19.8	64	41.4	51.8
K296113		6.16	0.04	0.05	6.26	175.5	180	1.63	0.23	1.51	0.05	67.3	19.2	63	24.5	53.6
K296114		0.21	2.70	1.04	3.22	575	890	0.79	0.32	8.13	2.30	47.7	7.1	50	3.99	44.9
K296115		5.60	4.29	0.14	4.75	>10000	370	0.87	0.17	1.88	0.39	49.0	16.5	54	13.75	48.6
K296116		3.11	0.41	0.16	5.25	2400	340	1.10	0.19	3.05	0.16	53.1	33.2	56	20.3	50.9
K296117		6.47	0.01	0.06	4.78	149.0	140	1.24	0.15	3.21	0.14	48.5	16.1	57	22.5	44.1
K296118		3.71	<0.01	0.02	2.42	83.1	60	0.53	0.06	2.92	0.07	26.6	8.2	40	10.05	23.9
K296119		3.93	0.10	0.06	1.88	537	60	0.40	0.05	4.37	0.07	22.5	10.1	35	5.78	20.2
K296120		4.93	0.01	0.01	0.06	<5	20	0.07	0.01	20.8	0.06	1.29	1.3	<1	0.21	1.3
K296121		3.01	0.13	0.06	6.58	446	230	1.54	0.20	1.84	0.21	66.5	25.5	72	20.9	53.6
K296122		6.64	0.07	0.03	6.59	562	390	1.64	0.25	1.56	0.22	66.3	17.0	66	20.5	55.6
K296123		4.93	<0.01	<0.01	0.08	<5	20	0.06	0.01	20.3	0.06	1.48	1.3	<1	0.20	1.7
K296124		7.30	0.11	0.03	2.15	405	120	0.46	0.06	3.34	0.06	26.0	10.2	37	5.76	21.8
K296125		7.26	0.14	0.06	7.10	409	230	1.79	0.26	1.65	0.32	73.9	23.2	70	21.3	64.4
K296126		0.22	2.72	1.07	3.12	570	850	0.72	0.30	7.84	2.21	46.9	6.6	47	4.03	41.8
K296127		8.15	0.10	0.03	6.49	341	170	1.70	0.25	2.11	0.04	70.9	19.0	64	21.5	55.1
K296128		7.24	<0.01	0.09	6.66	130.5	170	1.99	0.24	2.04	0.02	70.6	22.5	64	26.4	57.7
K296129		9.13	<0.01	0.03	6.17	119.5	180	1.92	0.23	3.55	0.03	64.5	17.8	59	26.4	52.3
K296130		7.68	0.04	0.03	6.53	386	220	1.86	0.24	4.23	0.03	68.1	17.4	55	25.4	52.4
K296131		7.69	0.08	0.04	5.85	495	210	1.57	0.21	2.79	0.03	61.0	17.9	57	19.75	47.8
K296132		7.91	0.01	0.09	6.29	156.0	260	1.90	0.22	2.15	0.05	62.8	19.6	65	22.2	51.8
K296133		3.48	<0.01	0.47	6.41	7.9	470	1.19	0.17	4.41	0.24	43.4	28.5	61	15.80	131.0
K296134		1.49	<0.01	0.14	7.09	5.0	200	1.17	0.15	4.82	0.25	45.6	31.5	67	17.60	161.5
K296135		1.73	<0.01	0.95	6.59	213	820	1.31	0.16	4.39	0.34	42.7	34.3	72	7.78	151.0
K296136		4.34	<0.01	0.12	6.71	23.9	100	1.36	0.15	4.64	0.24	43.8	32.6	68	5.16	149.5
K296137		3.92	<0.01	0.28	6.89	61.0	100	1.44	0.16	5.25	0.26	45.8	32.8	67	6.90	155.0
K296138		9.30	0.01	0.19	6.90	45.9	330	1.74	0.17	4.48	0.21	46.9	32.6	67	7.87	157.5
K296139		3.75	<0.01	0.17	6.53	32.7	470	1.58	0.15	5.10	0.24	44.8	30.1	63	7.61	149.0
K296140		5.57	<0.01	0.13	6.56	31.3	110	1.44	0.15	4.93	0.20	43.9	29.3	63	7.79	138.5
K296141		7.33	0.01	0.13	6.59	21.8	130	1.38	0.15	5.14	0.22	44.7	28.8	63	13.30	143.5
K296142		3.61	<0.01	0.14	6.77	26.8	70	1.47	0.17	5.44	0.23	47.7	28.6	64	12.40	138.5
K296143		1.80	<0.01	0.14	6.62	26.4	70	1.39	0.20	5.58	0.22	46.5	28.6	63	11.10	138.5
K296144		6.02	<0.01	0.15	6.67	5.6	150	1.30	0.18	5.40	0.21	45.9	30.3	66	14.45	144.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118099

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296109		4.67	16.60	0.14	2.9	1.38	0.066	2.65	32.8	41.0	1.31	505	0.41	0.03	10.1	29.7
K296110		4.23	17.45	0.14	2.9	1.7	0.066	2.70	33.8	50.2	1.14	411	0.75	0.03	10.4	112.5
K296111		5.53	18.60	0.17	2.8	1.29	0.071	2.80	34.2	49.7	1.29	492	0.45	0.03	9.8	33.8
K296112		5.21	16.90	0.16	2.7	0.83	0.066	2.39	30.5	38.1	1.19	561	0.44	0.02	9.6	36.2
K296113		5.16	16.95	0.16	3.1	1.27	0.064	2.67	32.5	28.7	0.93	469	0.33	0.02	10.2	37.8
K296114		2.10	8.17	0.10	1.7	4.37	0.027	0.98	29.2	38.8	2.53	276	19.50	0.03	7.0	54.5
K296115		4.73	12.85	0.13	2.3	26.4	0.059	1.87	23.6	17.7	0.96	846	0.56	0.02	7.7	30.4
K296116		6.17	15.70	0.15	2.5	8.1	0.055	2.14	25.4	17.6	1.49	875	3.90	0.02	8.8	63.7
K296117		4.58	13.25	0.14	2.4	0.90	0.051	2.11	23.7	25.1	1.43	760	0.42	0.02	8.2	33.2
K296118		2.84	6.31	0.06	1.5	0.49	0.025	0.87	12.8	35.3	1.08	648	0.34	0.01	4.3	17.0
K296119		3.58	5.14	0.08	1.1	1.46	0.023	0.80	10.9	8.9	1.64	1360	0.45	0.01	3.4	16.8
K296120		0.46	0.26	0.05	<0.1	0.01	<0.005	0.02	0.7	0.9	12.90	212	0.11	<0.01	0.4	2.4
K296121		4.77	18.10	0.15	3.1	3.26	0.059	2.96	31.7	15.7	1.06	597	1.54	0.02	10.7	39.1
K296122		4.49	18.10	0.15	3.2	2.82	0.066	2.97	32.3	16.0	1.00	386	1.06	0.02	11.2	36.0
K296123		0.40	0.31	0.05	<0.1	0.01	<0.005	0.03	0.7	1.2	12.50	184	<0.05	<0.01	0.4	2.3
K296124		3.22	5.85	0.08	1.3	1.74	0.022	0.92	12.7	12.3	1.23	983	0.39	0.01	3.8	18.0
K296125		5.38	19.85	0.19	3.5	3.14	0.071	3.19	35.8	16.4	1.06	427	2.15	0.03	12.3	42.8
K296126		2.02	7.61	0.09	1.7	4.58	0.029	0.94	29.0	38.6	2.44	266	18.80	0.03	6.7	51.0
K296127		5.70	17.60	0.19	3.2	2.40	0.067	2.90	34.3	15.6	1.19	462	0.34	0.02	11.0	38.4
K296128		5.21	17.90	0.16	3.3	1.67	0.071	2.94	34.4	29.0	1.20	535	0.32	0.03	10.9	37.8
K296129		4.86	16.85	0.17	3.0	0.74	0.065	2.79	31.1	35.5	1.81	763	0.31	0.03	10.9	33.9
K296130		4.54	17.75	0.17	3.1	0.86	0.068	2.96	32.7	30.5	2.17	909	0.24	0.03	11.8	33.1
K296131		4.58	15.30	0.15	2.8	0.96	0.061	2.58	29.5	30.5	1.46	697	0.29	0.02	9.7	32.7
K296132		4.79	16.70	0.19	3.3	1.39	0.064	2.81	31.0	40.3	1.26	473	0.31	<0.01	10.1	34.9
K296133		6.75	16.90	0.19	2.7	0.19	0.089	1.53	19.4	104.0	3.33	917	0.97	0.37	10.0	45.8
K296134		7.00	18.90	0.19	3.1	0.17	0.095	1.67	20.7	109.5	3.41	962	0.34	0.60	10.7	49.0
K296135		7.20	17.00	0.18	2.2	1.14	0.091	1.66	18.6	129.0	2.26	1260	0.41	0.02	9.7	55.1
K296136		6.62	18.20	0.18	2.6	0.63	0.090	1.41	19.9	110.5	2.62	946	0.24	<0.01	10.5	50.5
K296137		6.90	18.20	0.17	2.7	0.51	0.091	1.77	20.2	128.5	2.75	1040	0.26	<0.01	10.8	49.5
K296138		7.18	18.75	0.20	3.0	0.36	0.093	1.83	21.6	80.1	2.77	829	0.29	<0.01	11.0	50.7
K296139		6.57	17.80	0.18	3.2	0.28	0.089	1.71	21.0	89.3	2.65	872	0.31	0.02	10.5	46.4
K296140		6.57	17.35	0.17	2.6	0.22	0.083	1.63	20.4	84.0	2.87	864	0.31	<0.01	10.2	46.0
K296141		6.72	17.85	0.16	2.5	0.14	0.086	1.59	20.7	101.5	2.80	891	0.29	0.24	10.1	48.2
K296142		6.51	18.05	0.17	2.7	0.21	0.088	1.87	22.4	121.5	2.77	989	0.29	0.06	10.5	46.3
K296143		6.59	17.65	0.17	2.9	0.21	0.088	1.75	21.7	122.5	2.81	970	0.26	0.05	10.3	45.6
K296144		6.61	18.55	0.18	2.7	0.08	0.089	1.63	21.1	84.7	2.99	920	0.29	0.37	10.4	49.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118099

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296109		450	12.1	148.0	<0.002	4.20	0.57	16.0	2	2.2	102.0	0.72	<0.05	10.2	0.453	4.18
K296110		370	22.0	143.5	0.007	3.80	0.68	15.5	2	2.2	108.5	0.74	<0.05	10.1	0.456	3.74
K296111		340	15.1	160.0	0.002	5.33	0.56	19.1	2	2.2	141.0	0.71	<0.05	10.4	0.436	4.77
K296112		370	17.0	141.0	<0.002	5.39	0.83	17.1	2	2.4	109.0	0.67	<0.05	9.3	0.462	4.24
K296113		470	19.3	148.0	<0.002	5.37	1.08	17.0	2	2.2	96.1	0.75	<0.05	10.0	0.487	5.42
K296114		870	37.9	51.6	0.024	1.67	108.0	5.1	4	2.7	72.7	0.44	0.19	6.4	0.169	4.05
K296115		450	16.1	100.5	<0.002	4.97	99.0	12.8	2	2.1	190.0	0.55	0.06	7.2	0.411	112.5
K296116		490	82.0	114.0	0.002	6.03	15.30	15.7	2	2.2	256	0.62	<0.05	7.7	0.430	21.6
K296117		340	15.2	113.5	<0.002	3.87	0.71	14.6	2	1.6	95.0	0.56	<0.05	7.0	0.455	2.08
K296118		220	3.6	46.6	<0.002	1.56	0.24	7.5	2	0.8	79.5	0.29	<0.05	3.5	0.301	1.49
K296119		180	7.9	40.9	<0.002	1.88	2.62	7.2	2	0.7	120.5	0.23	<0.05	2.9	0.253	4.42
K296120		180	1.1	1.5	<0.002	0.01	<0.05	0.3	1	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	0.02
K296121		500	23.2	148.5	<0.002	4.78	4.81	17.8	2	2.2	107.0	0.76	0.05	9.0	0.567	6.74
K296122		470	8.9	150.0	<0.002	4.48	4.14	17.8	2	2.4	118.0	0.79	0.05	10.1	0.557	8.91
K296123		200	1.4	1.8	<0.002	0.01	<0.05	0.3	1	<0.2	49.5	<0.05	<0.05	<0.2	<0.005	0.03
K296124		180	6.4	46.5	<0.002	1.81	2.81	6.9	1	0.8	95.9	0.27	<0.05	3.3	0.281	5.05
K296125		510	25.8	169.0	<0.002	5.63	5.87	19.6	2	2.4	109.5	0.88	0.06	10.7	0.569	8.67
K296126		840	38.0	49.9	0.024	1.61	106.5	4.9	4	2.5	70.1	0.42	0.19	6.2	0.166	3.98
K296127		780	14.2	156.5	<0.002	6.01	3.61	18.5	2	2.2	109.5	0.80	0.05	10.3	0.535	6.66
K296128		480	19.6	157.5	<0.002	5.28	0.69	17.8	2	2.1	101.5	0.78	0.05	10.1	0.523	3.70
K296129		520	16.4	145.0	<0.002	4.51	0.49	16.4	2	2.0	129.5	0.77	<0.05	10.0	0.493	3.02
K296130		560	16.4	155.5	<0.002	3.88	1.57	17.2	2	2.1	156.5	0.80	<0.05	10.3	0.482	3.18
K296131		440	15.8	135.5	<0.002	4.27	1.57	15.6	2	1.9	156.5	0.68	<0.05	9.1	0.468	2.85
K296132		570	17.2	139.5	<0.002	4.51	0.82	17.8	2	1.9	117.5	0.75	<0.05	9.9	0.482	3.07
K296133		600	9.9	86.8	<0.002	0.24	0.43	24.1	2	1.7	59.4	0.68	0.15	5.0	0.582	0.65
K296134		620	9.8	95.1	0.002	0.23	0.38	28.2	2	1.7	67.3	0.74	0.15	5.0	0.695	0.69
K296135		570	10.1	89.4	<0.002	0.79	0.72	26.7	2	1.6	157.0	0.65	0.16	4.1	0.662	2.71
K296136		530	8.9	79.3	<0.002	0.87	0.35	28.3	3	1.7	108.5	0.73	0.16	4.6	0.675	1.67
K296137		580	10.0	99.6	<0.002	0.55	0.34	28.1	2	1.8	106.5	0.74	0.15	4.9	0.673	1.78
K296138		610	10.9	102.5	<0.002	0.33	0.33	29.0	3	1.8	117.5	0.77	0.17	5.4	0.685	1.27
K296139		570	9.5	100.5	<0.002	0.14	0.35	27.1	2	1.8	113.0	0.73	0.14	5.2	0.645	1.07
K296140		600	7.7	96.7	<0.002	0.18	0.28	26.0	2	1.7	115.0	0.70	0.13	5.0	0.630	0.96
K296141		620	8.5	94.2	0.002	0.07	0.25	26.3	2	1.7	92.7	0.69	0.12	5.0	0.624	0.87
K296142		600	8.2	110.0	<0.002	0.05	0.26	26.3	2	1.8	52.8	0.74	0.15	5.5	0.616	1.22
K296143		590	8.0	102.5	<0.002	0.05	0.27	25.7	2	1.8	56.9	0.74	0.14	5.5	0.616	1.10
K296144		620	8.6	95.4	<0.002	0.08	0.31	27.5	2	1.8	70.5	0.72	0.13	5.1	0.635	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118099

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1	As- OG62 As % 0.001
K296109		2.3	119	1.9	23.2	89	106.0		
K296110		2.3	122	660	22.8	80	108.5	310	
K296111		2.3	137	1.8	24.4	72	101.5		
K296112		2.0	131	3.9	21.2	77	100.0		
K296113		2.2	131	3.8	23.2	75	110.5		
K296114		8.8	226	28.2	22.5	207	67.7		
K296115		1.6	117	8.4	16.6	80	81.0		1.365
K296116		1.7	129	9.8	18.4	71	92.0		
K296117		1.5	126	2.3	18.2	93	89.9		
K296118		0.8	86	0.8	10.3	55	51.4		
K296119		0.6	68	2.1	10.7	41	40.1		
K296120		0.6	2	0.1	0.9	17	<0.5		
K296121		2.1	155	6.1	21.4	100	114.5		
K296122		2.2	146	6.2	23.1	116	117.0		
K296123		0.6	2	0.1	1.0	16	0.6		
K296124		0.7	77	2.4	10.6	39	45.0		
K296125		2.4	152	8.9	26.3	134	127.0		
K296126		8.6	225	28.4	21.6	203	65.2		
K296127		2.3	138	9.0	27.5	63	114.0		
K296128		2.2	137	2.8	24.2	67	114.5		
K296129		2.1	126	1.6	23.1	68	107.5		
K296130		2.2	119	5.1	24.1	58	112.0		
K296131		1.9	122	5.7	20.6	65	99.4		
K296132		2.0	132	3.7	21.2	72	107.0		
K296133		1.2	197	1.9	21.2	90	91.7		
K296134		1.2	233	1.1	23.9	96	107.5		
K296135		1.0	210	6.0	19.5	96	75.2		
K296136		1.0	215	1.5	20.2	94	87.6		
K296137		1.1	216	1.7	21.3	97	90.8		
K296138		1.2	225	1.2	22.9	96	102.5		
K296139		1.2	210	1.6	24.3	90	108.0		
K296140		1.1	205	1.0	21.6	90	90.2		
K296141		1.1	209	0.8	21.5	92	88.1		
K296142		1.1	209	1.0	22.1	91	92.4		
K296143		1.2	203	1.0	22.4	89	96.6		
K296144		1.1	210	0.8	22.5	92	92.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11118099

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

CERTIFICATE WH11112849

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area 6- Batch 19

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112849

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297181		8.08	0.06	0.05	0.30	209	30	0.14	0.01	18.30	2.44	7.36	1.4	2	0.51	4.0
K297182		7.72	0.02	0.02	0.37	48	30	0.19	0.01	19.80	0.18	8.62	1.2	2	0.70	3.0
K297183		6.02	0.02	0.01	0.41	49	30	0.19	0.01	20.0	0.19	11.50	1.5	3	0.80	4.2
K297184		7.37	<0.01	0.01	0.42	19	50	0.15	0.04	19.80	0.74	9.61	1.2	2	0.82	3.3
K297185		8.92	<0.01	0.01	0.43	26	30	0.20	0.01	19.80	0.02	9.97	1.2	3	0.86	3.4
K297186		7.45	<0.01	0.03	0.69	42	70	0.28	0.02	19.05	0.04	14.50	1.8	5	1.33	5.4
K297187		8.76	<0.01	0.02	0.31	33	40	0.16	<0.01	18.95	0.61	6.99	1.0	2	0.62	3.2
K297188		8.59	<0.01	0.01	0.78	18	100	0.31	0.03	19.15	0.03	15.10	2.0	4	2.17	4.9
K297189		8.49	0.06	0.02	0.46	37	60	0.23	0.01	18.25	0.13	10.90	1.2	3	1.13	3.1
K297190		9.04	0.08	0.03	0.34	212	30	0.18	<0.01	16.80	0.63	9.87	1.0	2	0.66	3.2
K297191		3.69	0.04	0.04	0.33	194	40	0.13	<0.01	16.25	0.54	9.67	1.0	2	0.64	3.1
K297192		8.44	0.16	0.03	0.48	1100	30	0.26	0.01	18.60	0.04	11.55	1.3	4	1.05	3.7
K297193		8.57	0.03	0.02	0.49	118	50	0.24	0.01	19.20	0.02	11.50	1.3	4	1.25	3.6
K297194		8.61	<0.01	0.03	0.83	30	50	0.29	0.02	17.85	0.69	13.35	2.3	5	2.85	6.0
K297195		4.92	<0.01	0.03	0.11	<5	20	<0.05	<0.01	20.0	0.06	1.61	0.9	1	0.19	2.5
K297196		9.36	0.56	0.04	0.70	576	70	0.18	0.02	16.30	1.10	12.60	1.9	4	1.63	5.3
K297197		9.06	0.03	0.04	0.39	213	30	0.20	0.02	15.30	3.86	8.04	1.5	4	0.56	4.0
K297198		8.79	0.02	0.04	0.57	150	110	0.18	0.03	16.75	1.54	11.10	2.0	6	0.97	4.0
K297199		8.33	<0.01	0.02	0.49	72	130	0.14	0.01	18.80	0.24	8.90	1.5	5	0.75	2.4
K297200		4.90	<0.01	0.01	0.07	<5	20	<0.05	0.01	22.0	0.05	1.29	1.1	1	0.15	2.7
K297201		8.71	<0.01	0.05	0.82	120	160	0.22	0.03	15.65	1.04	12.20	2.2	8	1.43	4.5
K297202		0.20	0.36	0.30	6.54	629	1230	0.52	0.25	0.48	0.18	125.5	2.9	236	3.58	31.6
K297203		8.36	<0.01	0.05	0.63	131	110	0.20	0.03	16.10	0.23	12.10	1.7	7	1.24	4.2
K297204		7.13	<0.01	0.03	0.92	71	100	0.24	0.04	18.65	<0.02	17.55	2.2	13	2.02	4.3
K297205		6.78	<0.01	0.04	0.80	71	90	0.31	0.04	18.95	<0.02	15.85	2.1	11	1.75	4.2
K297206		3.80	<0.01	0.05	1.00	51	80	0.34	0.04	18.60	0.03	17.85	2.4	11	2.65	5.2
K297207		4.57	0.12	0.02	0.33	7120	30	0.15	0.02	19.30	<0.02	8.24	1.3	4	0.52	2.6
K297208		0.20	2.68	1.03	3.03	583	840	0.82	0.30	7.85	2.10	52.6	6.2	51	3.72	42.1
K297209		4.30	0.05	0.04	1.03	357	120	0.42	0.05	18.35	0.13	19.25	2.6	9	1.56	5.3
K297210		3.80	0.05	0.02	0.69	192	310	0.27	0.03	19.30	0.05	13.30	1.9	6	0.73	3.7
K297211		7.70	0.03	0.04	0.37	391	70	0.19	0.02	18.70	0.14	10.65	1.4	3	0.59	3.8
K297212		7.48	0.03	0.03	0.47	171	70	0.24	0.03	19.10	0.23	13.05	2.0	3	0.93	3.8
K297213		7.39	<0.01	0.05	0.77	203	80	0.32	0.04	19.15	0.04	14.05	2.9	5	1.70	5.5
K297214		7.38	0.07	0.02	0.65	533	90	0.31	0.04	19.55	0.03	13.95	2.2	5	1.42	4.4
K297215		7.49	<0.01	0.01	0.45	47	60	0.35	0.02	20.3	0.19	13.35	1.7	3	1.05	3.0
K297216		7.97	<0.01	0.01	0.63	28	50	0.42	0.03	19.80	0.02	13.90	2.2	4	2.05	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112849

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297181		3.80	1.07	0.06	0.1	4.51	<0.005	0.14	5.2	1.4	11.35	1560	0.23	0.01	0.5	0.9
K297182		0.82	1.10	0.06	0.2	0.84	<0.005	0.17	6.6	2.0	12.30	1520	0.22	0.02	0.7	0.2
K297183		0.50	1.22	0.12	0.2	0.60	<0.005	0.19	8.8	2.1	12.40	1280	0.19	0.02	0.8	1.1
K297184		2.13	1.28	0.06	0.2	1.06	<0.005	0.18	6.7	2.2	12.25	1160	0.21	0.02	0.8	0.5
K297185		0.53	1.20	0.11	0.2	0.65	<0.005	0.19	6.9	2.7	12.30	1430	0.19	0.02	1.0	1.2
K297186		0.59	1.83	0.10	0.3	0.93	<0.005	0.31	11.0	3.2	11.85	1330	0.19	0.02	1.7	2.5
K297187		1.07	0.94	0.07	0.1	1.31	<0.005	0.13	5.3	1.6	11.75	1150	0.13	0.02	0.6	0.6
K297188		0.57	2.06	0.12	0.3	0.58	<0.005	0.36	11.9	4.2	11.90	1310	0.19	0.02	1.4	2.3
K297189		2.36	1.31	0.05	0.2	2.28	<0.005	0.21	7.4	2.4	11.20	1460	0.17	0.02	0.8	0.7
K297190		6.85	1.27	0.12	0.2	5.25	<0.005	0.15	6.7	1.6	10.25	1570	0.23	0.01	0.7	0.4
K297191		7.03	1.21	0.12	0.2	4.17	<0.005	0.14	6.3	1.6	9.91	1520	0.21	0.01	0.6	0.3
K297192		1.58	1.33	0.05	0.2	1.35	<0.005	0.21	7.7	2.5	11.45	1810	0.24	0.02	0.9	1.6
K297193		1.23	1.27	0.05	0.2	0.78	<0.005	0.23	7.5	2.3	11.75	1830	0.16	0.01	0.9	1.8
K297194		1.64	2.23	0.05	0.4	1.17	<0.005	0.39	8.5	4.1	10.80	1580	0.27	0.02	1.5	3.4
K297195		0.45	0.36	0.14	<0.1	0.01	<0.005	0.03	0.8	1.2	12.65	194	0.11	0.02	0.3	1.0
K297196		5.29	2.10	0.10	0.4	5.99	0.005	0.31	7.9	3.4	9.94	1500	0.50	0.01	1.3	2.3
K297197		12.85	1.54	0.15	0.2	9.0	0.005	0.16	5.4	1.6	9.41	991	1.01	0.02	0.7	<0.2
K297198		7.77	1.95	0.07	0.3	13.1	0.006	0.25	6.8	2.9	10.25	884	0.62	0.01	1.1	<0.2
K297199		2.02	1.29	<0.05	0.3	2.22	<0.005	0.21	5.2	2.7	11.40	693	0.97	0.02	0.9	<0.2
K297200		0.45	0.29	0.06	<0.1	0.03	<0.005	0.03	0.7	1.1	13.50	202	0.09	0.01	0.3	<0.2
K297201		8.07	2.51	0.08	0.5	5.62	0.007	0.35	7.3	4.0	9.55	797	0.48	0.02	1.4	<0.2
K297202		6.82	19.40	0.21	4.2	10.1	0.051	1.42	65.8	18.3	0.14	39	6.30	0.41	9.6	16.5
K297203		5.72	1.72	0.11	0.4	3.7	0.007	0.28	6.4	3.7	9.21	673	0.92	0.01	1.2	2.5
K297204		0.80	2.33	<0.05	0.5	1.57	0.007	0.42	8.9	5.2	10.85	785	0.47	0.02	1.7	3.0
K297205		0.59	2.03	0.05	0.5	1.36	0.005	0.38	8.0	4.8	11.10	887	0.33	0.02	1.4	2.2
K297206		0.91	2.44	<0.05	0.6	1.27	0.008	0.48	9.1	5.0	10.70	858	0.23	0.02	1.7	3.2
K297207		0.59	0.87	<0.05	0.3	1.41	0.011	0.14	4.2	2.1	11.40	1070	0.31	0.01	0.7	0.5
K297208		2.08	6.93	0.08	1.7	4.49	0.026	0.98	29.5	49.9	2.47	266	18.25	0.03	6.5	53.6
K297209		1.51	2.42	0.05	0.6	4.49	0.008	0.45	10.9	4.2	10.50	1020	0.93	0.01	1.8	4.0
K297210		1.08	1.48	0.05	0.3	3.54	0.005	0.26	7.5	3.2	11.25	1130	0.55	0.01	1.0	1.7
K297211		4.22	1.05	0.09	0.2	3.25	0.006	0.17	6.0	1.8	10.65	1420	0.41	0.01	0.7	1.4
K297212		3.22	1.70	0.08	0.2	2.03	0.006	0.21	7.8	2.2	10.90	1820	0.28	0.01	0.9	<0.2
K297213		1.04	2.18	0.07	0.3	0.98	0.006	0.35	8.9	3.7	11.00	1770	0.33	0.02	1.5	1.9
K297214		1.00	1.95	0.07	0.3	1.30	0.005	0.29	8.9	3.1	11.20	2000	0.30	0.01	1.3	1.1
K297215		0.81	1.41	0.08	0.2	0.82	<0.005	0.19	8.9	2.5	11.75	2140	0.19	0.02	0.9	0.3
K297216		0.63	1.96	0.11	0.3	0.66	0.005	0.28	9.6	3.8	11.30	1820	0.17	0.02	1.3	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112849

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297181		270	147.0	5.7	<0.002	4.73	0.74	0.8	1	<0.2	85.4	<0.05	<0.05	0.6	0.011	4.46
K297182		310	25.5	6.9	<0.002	0.76	0.15	0.9	1	<0.2	95.5	0.05	<0.05	0.9	0.015	1.23
K297183		450	16.9	7.9	<0.002	0.45	0.15	1.1	1	<0.2	104.0	0.07	<0.05	1.1	0.018	1.00
K297184		340	33.4	7.2	<0.002	2.65	0.08	1.0	1	0.2	108.0	0.05	<0.05	1.0	0.018	2.27
K297185		450	12.4	7.9	<0.002	0.30	0.07	0.9	1	0.2	94.5	0.08	<0.05	1.0	0.018	1.00
K297186		390	25.2	12.6	<0.002	0.54	0.15	1.5	1	0.2	110.5	0.13	<0.05	1.7	0.029	1.44
K297187		310	70.1	5.6	<0.002	1.16	0.09	0.7	1	<0.2	91.9	<0.05	<0.05	0.7	0.012	2.04
K297188		310	23.4	14.2	<0.002	0.50	0.09	1.5	1	0.2	110.5	0.10	<0.05	1.7	0.030	1.28
K297189		340	28.6	8.3	<0.002	2.82	0.10	0.9	1	0.2	97.0	0.06	<0.05	1.1	0.019	3.20
K297190		310	660	6.2	<0.002	8.44	0.20	0.7	1	0.2	85.8	<0.05	<0.05	0.8	0.014	9.29
K297191		290	410	6.2	<0.002	8.68	0.21	0.7	1	<0.2	91.3	<0.05	<0.05	0.8	0.013	8.51
K297192		490	30.9	9.2	<0.002	1.56	0.22	1.0	1	0.2	105.0	0.06	<0.05	1.2	0.020	2.14
K297193		470	28.9	9.2	<0.002	0.90	0.12	0.9	1	0.2	92.3	0.06	<0.05	1.2	0.020	1.79
K297194		500	53.7	16.3	<0.002	1.73	0.10	1.4	1	0.3	85.2	0.11	<0.05	2.0	0.035	2.54
K297195		210	2.3	1.9	<0.002	0.01	<0.05	0.3	1	<0.2	51.6	<0.05	<0.05	<0.2	0.006	0.04
K297196		440	304	13.6	<0.002	6.69	0.25	1.2	1	0.3	98.4	0.10	<0.05	1.7	0.030	9.30
K297197		220	411	6.9	<0.002	>10.0	0.43	0.8	1	0.2	88.0	<0.05	<0.05	0.8	0.017	10.85
K297198		240	183.5	10.9	<0.002	>10.0	0.27	1.2	2	0.3	129.0	0.07	<0.05	1.2	0.031	7.82
K297199		310	51.0	9.0	<0.002	2.41	0.17	1.0	2	0.2	139.5	0.07	<0.05	1.1	0.027	2.55
K297200		190	1.8	1.6	<0.002	<0.01	0.06	0.4	2	<0.2	48.9	<0.05	<0.05	<0.2	<0.005	0.04
K297201		280	112.0	14.8	<0.002	>10.0	0.13	1.4	1	0.3	125.5	0.11	<0.05	1.8	0.043	8.97
K297202		950	18.5	66.6	0.006	3.25	111.0	15.2	2	3.1	529	0.72	0.14	10.2	0.557	7.05
K297203		330	232	9.5	<0.002	7.11	0.10	1.2	1	0.2	106.0	0.09	<0.05	1.4	0.031	7.38
K297204		390	26.4	14.2	<0.002	0.72	0.10	1.9	2	0.3	104.0	0.13	<0.05	2.1	0.044	2.78
K297205		340	21.1	12.2	<0.002	0.50	0.11	1.6	2	0.3	104.0	0.11	<0.05	1.8	0.039	2.34
K297206		370	34.6	15.5	<0.002	0.80	0.10	2.0	2	0.3	98.6	0.13	<0.05	2.1	0.047	2.86
K297207		300	17.0	5.2	<0.002	0.81	0.53	0.9	2	<0.2	104.5	0.05	<0.05	0.8	0.017	3.68
K297208		850	39.7	48.8	0.024	1.49	97.6	5.3	4	2.2	65.4	0.49	0.18	6.3	0.165	3.80
K297209		540	46.5	14.8	<0.002	1.64	0.30	1.8	2	0.3	200	0.14	<0.05	2.3	0.049	6.89
K297210		420	29.1	8.0	<0.002	1.03	0.26	1.4	2	0.2	280	0.08	<0.05	1.3	0.027	4.64
K297211		380	310	5.4	<0.002	5.19	0.50	0.9	1	<0.2	132.5	0.05	<0.05	0.8	0.016	7.70
K297212		420	875	8.4	<0.002	3.47	0.34	0.9	1	0.2	112.0	0.05	<0.05	1.1	0.019	7.89
K297213		480	35.3	13.7	<0.002	0.90	0.23	1.4	1	0.2	118.5	0.09	<0.05	1.7	0.031	2.46
K297214		390	18.6	11.8	<0.002	0.85	0.20	1.4	1	0.2	122.0	0.08	<0.05	1.5	0.026	2.77
K297215		380	20.5	7.3	<0.002	0.56	0.12	1.1	1	<0.2	99.6	0.05	<0.05	0.9	0.017	1.75
K297216		360	15.4	11.5	<0.002	0.42	0.12	1.3	1	0.2	100.5	0.08	<0.05	1.4	0.025	1.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112849

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297181		1.2	3	0.4	3.8	1760	5.2
K297182		1.6	3	0.3	4.3	100	7.2
K297183		2.2	4	0.5	5.9	86	8.7
K297184		1.9	4	0.3	4.3	350	8.1
K297185		2.3	4	0.3	5.4	10	9.4
K297186		2.4	6	0.6	6.3	24	13.1
K297187		1.5	3	0.2	3.3	345	4.9
K297188		2.0	6	0.3	6.2	12	13.8
K297189		1.8	4	0.5	4.7	141	12.8
K297190		1.6	3	0.8	4.5	448	6.6
K297191		1.5	4	0.7	4.4	686	6.4
K297192		2.2	5	0.7	5.9	18	9.5
K297193		2.2	4	0.5	5.8	9	8.4
K297194		2.2	6	0.4	6.5	413	15.1
K297195		0.6	3	0.1	1.0	19	1.0
K297196		2.1	6	0.8	6.0	483	13.5
K297197		0.9	3	0.4	3.3	1750	7.1
K297198		0.9	4	0.9	3.9	815	12.8
K297199		1.0	3	0.6	3.4	122	13.8
K297200		0.5	2	<0.1	0.9	17	<0.5
K297201		1.1	7	1.2	4.0	695	17.7
K297202		7.6	173	22.8	15.6	46	178.5
K297203		1.1	5	0.9	4.0	201	12.4
K297204		1.2	7	0.9	5.4	7	18.0
K297205		1.3	7	0.7	5.0	4	16.2
K297206		1.4	7	0.7	5.3	15	19.5
K297207		0.8	3	0.5	3.7	2	8.6
K297208		8.5	224	23.8	20.5	200	57.3
K297209		2.3	8	1.1	6.5	71	21.7
K297210		1.5	5	0.8	5.2	33	11.4
K297211		1.7	3	0.5	4.5	178	6.9
K297212		1.8	4	0.6	5.9	147	8.7
K297213		2.1	6	0.7	6.8	9	12.6
K297214		2.0	6	0.7	6.2	10	10.2
K297215		1.9	4	0.5	5.3	79	7.5
K297216		1.9	5	0.6	5.8	3	10.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11112849

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

CERTIFICATE WH11118098

Project: Rackla Gold (Nadaleen)

P.O. No.: Batch 20- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118098

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K296825		1.11	0.01	0.21	7.83	649	530	1.66	0.28	0.20	0.36	73.0	30.8	86	22.1	180.5
K296826		4.01	0.03	0.18	8.39	2230	360	2.18	0.36	0.51	0.33	85.3	22.9	81	25.7	76.8
K296827		4.40	0.01	0.11	9.60	236	330	1.95	0.43	0.10	0.06	85.1	4.5	81	32.3	21.7
K296828		3.04	0.01	0.12	8.84	205	280	1.51	0.29	0.12	0.02	92.0	3.8	72	26.2	11.4
K296829		3.30	0.02	0.15	9.19	766	280	2.98	0.31	0.15	0.05	101.5	11.3	78	26.5	64.1
K296830		4.13	0.01	0.13	8.77	297	280	2.56	0.37	0.24	0.08	108.0	7.1	71	23.4	24.9
K296831		4.81	0.01	0.15	9.13	215	310	3.07	0.35	1.86	0.20	106.0	22.0	75	29.6	44.4
K296832		6.19	0.06	0.19	8.50	533	280	4.00	0.34	1.37	0.66	108.0	30.0	65	30.4	61.8
K296833		3.92	0.02	0.11	6.98	3730	220	2.79	0.42	4.68	0.20	73.4	21.5	51	25.6	83.4
K296834		4.80	0.02	0.11	4.56	1365	190	1.41	0.23	8.48	0.14	48.7	15.2	37	15.25	50.1
K296835		0.23	2.63	1.02	3.23	590	860	0.64	0.32	8.01	2.33	50.1	6.8	49	3.66	43.5
K296836		4.00	0.04	0.23	4.47	923	140	1.12	0.16	4.73	0.14	44.2	14.5	51	15.05	40.4
K296837		4.64	0.02	0.10	4.68	241	150	1.16	0.23	6.70	0.23	49.4	12.9	42	15.95	39.1
K296838		1.29	0.01	0.35	4.66	792	140	1.05	0.17	4.94	0.14	44.7	12.9	54	13.35	40.6
K296839		1.20	0.01	0.06	1.85	258	110	0.53	0.07	28.8	0.04	31.3	3.2	15	4.81	7.3
K296840		2.74	0.04	0.20	5.67	833	150	1.14	0.19	6.39	0.14	56.5	16.9	60	16.50	46.8
K296841		1.12	0.02	0.26	5.57	1260	150	1.17	0.19	6.72	0.11	55.6	15.6	62	16.05	45.3
K296842		4.23	<0.01	0.13	5.37	225	140	1.09	0.20	3.10	0.11	54.3	15.3	56	15.50	47.5
K296843		2.23	<0.01	0.16	6.44	215	160	1.36	0.27	2.39	0.17	66.6	17.7	63	18.75	54.3
K296844		6.77	0.03	0.04	1.68	340	100	0.35	0.07	30.7	0.07	23.3	3.9	13	5.09	8.5
K296845		3.66	<0.01	0.02	0.85	296	100	0.23	0.04	34.1	0.04	15.60	3.2	7	2.96	6.9
K296846		4.43	0.02	0.03	1.04	461	90	0.26	0.05	34.1	0.07	19.40	3.6	9	3.27	10.2
K296847		0.23	0.34	0.36	6.43	610	2950	0.56	0.26	0.49	0.19	136.0	2.9	226	3.16	31.8
K296848		7.93	<0.01	0.02	1.51	250	100	0.41	0.07	32.7	0.11	21.7	5.5	11	5.33	19.0
K296849		4.75	<0.01	<0.01	0.47	96	80	0.22	0.02	34.9	0.02	8.72	2.0	4	1.34	5.3
K296850		5.15	1.17	0.05	2.36	>10000	120	0.45	0.11	23.0	0.13	28.1	9.0	18	10.45	24.9
K296851		4.95	<0.01	0.01	0.10	20	20	0.06	0.02	20.7	0.06	1.66	1.6	<1	0.22	3.2
K296852		3.60	0.11	0.10	0.49	6960	50	0.19	0.04	24.7	0.04	10.65	2.5	4	0.85	3.1
K296853		3.80	0.02	<0.01	0.51	3730	50	0.18	0.02	28.2	0.02	9.98	2.4	2	1.23	4.7
K296854		5.39	<0.01	0.01	0.76	2220	110	0.24	0.03	34.7	0.17	11.65	3.0	5	2.90	8.8
K296855		7.28	<0.01	0.01	0.75	602	110	0.24	0.04	35.0	0.07	14.70	3.0	5	2.90	7.8
K296856		6.42	<0.01	0.01	0.75	756	80	0.22	0.03	33.8	0.18	14.35	2.9	4	2.77	7.5
K296857		7.63	<0.01	0.01	0.80	280	160	0.24	0.04	33.3	0.09	12.90	3.2	5	3.16	8.3
K296858		4.94	<0.01	<0.01	0.05	<5	20	0.06	0.02	20.5	0.06	1.13	1.4	<1	0.15	1.5
K296859		7.74	<0.01	<0.01	0.54	288	110	0.20	0.03	35.5	0.09	10.15	2.1	3	2.08	5.6
K296860		7.50	<0.01	<0.01	0.64	442	110	0.20	0.03	35.4	0.05	11.60	2.5	4	2.18	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118098

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296825		9.06	22.6	0.25	4.4	2.14	0.139	3.36	33.5	18.1	0.44	923	1.55	0.03	18.0	47.2
K296826		6.75	22.6	0.22	3.3	4.15	0.093	3.73	40.1	14.5	0.61	1040	2.64	0.04	12.0	35.9
K296827		2.45	27.5	0.19	3.2	2.69	0.060	4.52	39.8	19.1	0.54	69	1.25	0.05	12.9	12.6
K296828		2.26	24.3	0.20	2.7	3.45	0.051	3.91	46.6	20.5	0.44	106	0.47	0.06	11.4	10.0
K296829		5.05	25.0	0.24	2.7	4.48	0.115	3.95	50.1	18.8	0.42	252	0.60	0.06	11.4	23.9
K296830		2.35	24.6	0.21	3.1	4.63	0.069	3.93	54.1	18.4	0.46	281	0.63	0.08	11.8	18.2
K296831		5.12	25.8	0.25	3.3	4.65	0.083	4.06	49.1	16.3	0.99	869	3.12	0.05	12.7	46.0
K296832		5.37	24.9	0.26	3.5	7.8	0.084	3.96	49.7	13.6	1.12	842	3.20	0.04	13.0	75.5
K296833		5.27	18.75	0.21	3.3	2.77	0.099	3.16	34.4	11.5	2.77	1400	1.22	0.03	11.4	73.1
K296834		3.82	11.75	0.15	2.4	5.54	0.055	1.99	20.9	8.6	4.69	1180	0.70	0.02	7.5	35.6
K296835		2.15	8.09	0.15	1.6	4.53	0.026	0.97	29.4	36.3	2.54	282	18.30	0.03	6.8	52.1
K296836		4.25	11.55	0.15	2.3	9.7	0.047	2.01	19.5	9.0	2.44	925	0.94	0.02	7.2	29.6
K296837		4.35	12.20	0.17	2.2	9.2	0.052	2.14	21.8	8.6	3.30	915	0.82	0.03	7.3	30.6
K296838		3.87	11.85	0.15	2.3	13.8	0.047	1.98	20.2	14.1	1.76	550	0.68	0.10	7.2	27.9
K296839		0.97	4.34	0.10	1.0	3.74	0.017	0.84	14.4	4.0	0.61	155	0.14	0.01	3.2	7.4
K296840		4.56	14.85	0.17	2.8	14.9	0.056	2.43	26.7	12.6	1.39	471	0.72	0.03	9.1	35.1
K296841		4.69	14.45	0.18	2.7	13.6	0.053	2.39	26.0	12.7	1.41	458	0.71	0.03	8.7	32.2
K296842		4.52	14.50	0.18	2.7	9.7	0.056	2.32	25.8	14.6	1.39	526	0.67	0.03	9.1	30.3
K296843		4.97	17.10	0.19	3.2	11.8	0.069	2.86	31.4	13.5	1.18	447	0.90	0.03	10.8	38.8
K296844		1.05	4.30	0.09	0.7	3.85	0.017	0.76	11.5	3.1	0.93	326	0.33	0.01	2.8	7.4
K296845		0.72	2.13	0.08	0.4	1.14	0.010	0.38	7.4	2.8	0.89	224	0.27	0.01	1.4	6.0
K296846		0.72	2.66	0.09	0.5	1.77	0.013	0.45	9.5	2.8	0.44	170	0.45	0.01	1.6	6.8
K296847		6.87	20.9	0.25	4.1	10.0	0.049	1.36	61.8	17.0	0.12	36	6.55	0.39	10.0	16.4
K296848		0.94	4.20	<0.05	0.7	3.25	0.016	0.65	11.1	6.1	0.84	319	0.89	0.01	2.7	8.8
K296849		0.38	1.36	<0.05	0.2	1.50	0.007	0.19	4.3	2.0	0.69	328	0.19	0.01	1.0	2.6
K296850		1.76	6.54	0.08	1.2	13.5	0.039	0.79	14.2	12.8	4.23	686	1.50	0.01	3.8	14.6
K296851		0.43	0.40	0.09	<0.1	0.02	0.006	0.03	0.8	1.5	12.80	185	0.08	0.01	0.5	1.8
K296852		1.21	1.45	<0.05	0.2	9.6	0.026	0.11	5.1	3.8	8.56	955	0.29	0.01	0.9	4.1
K296853		0.71	1.55	0.05	0.3	3.16	0.013	0.19	4.9	3.0	5.22	678	0.29	0.01	1.1	2.6
K296854		0.71	2.12	<0.05	0.4	1.75	0.011	0.32	5.9	3.5	0.39	191	0.32	0.01	1.4	3.1
K296855		0.53	2.23	0.05	0.4	0.73	0.014	0.32	7.6	3.7	0.61	164	0.29	0.01	1.5	3.9
K296856		0.53	2.17	0.05	0.4	0.85	0.010	0.33	7.2	3.6	0.46	238	0.33	0.01	1.4	3.2
K296857		0.53	2.33	0.05	0.4	1.06	0.009	0.34	6.5	3.9	0.41	158	0.43	0.01	1.5	5.7
K296858		0.45	0.32	0.12	<0.1	0.01	<0.005	0.02	0.5	0.9	12.65	204	<0.05	<0.01	0.3	2.6
K296859		0.38	1.57	0.07	0.3	0.56	0.008	0.23	5.1	2.7	0.41	142	0.19	0.01	1.1	3.9
K296860		0.42	1.77	0.06	0.3	1.38	0.008	0.28	5.9	2.9	0.52	191	0.26	0.01	1.3	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118098

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296825		720	11.5	141.5	0.002	0.07	3.82	37.1	3	2.7	137.5	1.29	0.33	8.9	0.774	3.31
K296826		1330	18.7	169.5	0.003	0.15	8.97	24.6	2	3.4	139.0	0.98	0.12	14.2	0.463	7.80
K296827		550	20.8	202	<0.002	0.06	2.48	18.2	2	3.3	101.5	1.10	0.05	14.7	0.445	3.34
K296828		650	15.2	191.0	<0.002	0.12	2.16	19.5	1	2.6	118.5	0.95	0.06	16.3	0.394	4.46
K296829		1580	20.5	189.5	0.002	1.24	2.63	26.7	2	2.7	203	0.97	0.08	19.2	0.389	5.85
K296830		1220	28.0	191.0	0.002	0.15	2.64	22.0	2	2.8	103.5	0.98	0.08	17.3	0.406	5.64
K296831		760	21.7	175.5	0.010	0.51	1.78	20.2	3	3.7	99.8	1.09	0.06	18.0	0.383	6.21
K296832		600	24.7	171.5	0.012	3.54	4.77	21.5	3	3.1	104.0	1.09	0.06	17.8	0.437	7.05
K296833		830	20.2	141.0	0.004	3.15	5.41	24.4	2	2.5	256	0.92	0.14	13.5	0.438	2.94
K296834		460	23.0	91.7	0.004	2.70	3.32	15.3	3	1.5	357	0.62	0.07	8.4	0.329	2.46
K296835		870	38.0	50.2	0.024	1.60	104.5	6.1	4	2.6	75.7	0.47	0.17	7.3	0.170	3.74
K296836		380	14.1	88.1	0.004	2.64	4.45	15.0	2	1.4	215	0.55	<0.05	7.4	0.399	3.80
K296837		410	16.3	93.3	0.004	3.05	2.29	14.0	2	1.6	271	0.56	0.06	7.8	0.346	3.70
K296838		310	14.1	87.4	0.002	2.59	4.62	14.7	2	1.5	187.0	0.54	<0.05	7.7	0.396	5.67
K296839		250	8.2	36.3	<0.002	0.74	1.44	3.7	2	0.6	1360	0.24	<0.05	4.5	0.097	2.03
K296840		440	16.6	110.0	0.003	3.67	4.08	17.8	2	1.8	222	0.71	<0.05	9.8	0.474	7.45
K296841		420	17.6	108.0	0.002	3.11	4.93	17.4	2	1.7	251	0.68	0.05	9.7	0.473	5.55
K296842		460	13.9	108.0	0.002	3.03	1.20	18.4	2	1.8	148.0	0.70	<0.05	9.2	0.462	5.39
K296843		540	19.0	134.5	0.002	3.86	1.39	21.5	2	2.2	136.5	0.86	0.05	11.4	0.512	8.73
K296844		370	5.6	32.5	0.002	0.59	1.94	4.1	2	0.6	1280	0.20	<0.05	3.5	0.082	3.64
K296845		200	4.4	17.4	0.002	0.31	0.85	2.8	2	0.3	1835	0.09	<0.05	1.6	0.043	0.75
K296846		380	5.0	20.8	0.002	0.27	0.93	3.5	2	0.4	1990	0.11	<0.05	1.9	0.054	1.49
K296847		920	17.8	47.2	0.003	3.33	119.0	17.8	2	3.0	537	0.78	0.13	10.4	0.560	7.09
K296848		430	10.5	41.8	0.003	0.70	1.17	4.2	3	0.5	1510	0.15	<0.05	2.6	0.077	2.66
K296849		390	2.7	12.0	<0.002	0.21	0.81	1.6	2	0.2	1395	<0.05	<0.05	0.8	0.023	0.97
K296850		480	14.3	43.6	0.004	2.18	38.0	5.9	3	0.8	1205	0.23	0.06	3.8	0.119	11.30
K296851		210	1.4	2.0	<0.002	0.01	0.09	0.4	1	<0.2	53.9	<0.05	<0.05	<0.2	0.006	0.02
K296852		310	1.9	7.6	<0.002	0.65	18.55	1.7	2	0.2	734	0.05	<0.05	0.9	0.024	8.38
K296853		180	2.2	11.7	0.002	0.37	7.70	1.7	2	0.2	829	0.05	<0.05	0.9	0.027	3.27
K296854		210	5.5	20.5	0.002	0.21	2.80	2.6	2	0.3	1795	0.07	<0.05	1.1	0.045	1.88
K296855		370	4.4	20.2	0.002	0.28	1.10	2.4	2	0.3	1980	0.07	<0.05	1.4	0.038	0.92
K296856		460	4.0	20.3	0.002	0.26	1.05	2.5	2	0.3	1720	0.07	0.05	1.4	0.039	1.13
K296857		130	5.0	21.5	0.002	0.41	0.88	2.4	2	0.3	2030	0.08	<0.05	1.4	0.041	1.31
K296858		170	1.3	1.4	<0.002	0.01	<0.05	0.2	1	<0.2	48.6	<0.05	<0.05	<0.2	<0.005	0.02
K296859		420	3.2	13.9	<0.002	0.27	0.55	1.6	2	0.2	1810	0.05	<0.05	1.0	0.027	1.17
K296860		390	3.1	16.3	0.002	0.28	0.86	1.9	2	0.2	1700	0.06	<0.05	1.2	0.034	1.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118098

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296825		2.4	245	12.7	29.8	105	160.5	
K296826		3.4	182	8.6	27.1	93	115.0	
K296827		3.2	116	6.2	17.0	40	110.5	
K296828		2.1	82	7.3	13.2	23	91.7	
K296829		4.4	90	8.4	18.2	54	89.5	
K296830		3.0	93	6.9	19.8	50	106.0	
K296831		4.1	158	5.8	24.0	102	114.5	
K296832		4.4	161	7.4	30.5	193	116.5	
K296833		3.0	121	6.2	26.2	102	114.0	
K296834		2.5	99	4.6	17.8	64	84.1	
K296835		9.1	227	27.6	20.3	211	65.4	
K296836		1.5	112	6.0	16.5	73	82.8	
K296837		1.8	93	4.4	17.2	93	80.1	
K296838		1.8	110	5.4	16.3	66	82.5	
K296839		3.1	21	1.7	9.8	26	39.8	
K296840		2.2	134	6.9	18.5	77	101.0	
K296841		2.3	131	7.4	18.1	86	98.8	
K296842		1.9	123	5.5	19.1	68	98.2	
K296843		2.4	141	6.1	21.6	93	116.5	
K296844		2.1	21	1.8	13.5	60	25.4	
K296845		1.8	13	0.6	12.8	8	15.2	
K296846		2.5	17	0.7	15.5	11	19.3	
K296847		7.6	173	23.2	14.6	44	165.5	
K296848		2.7	22	1.4	19.0	19	31.4	
K296849		1.4	9	0.4	11.8	4	10.3	
K296850		3.8	35	3.0	19.5	21	46.9	1.465
K296851		0.5	3	0.1	1.2	16	0.9	
K296852		1.7	9	0.6	12.1	7	10.4	
K296853		2.0	9	0.6	11.8	4	10.6	
K296854		1.9	12	0.7	13.0	23	15.0	
K296855		2.3	12	0.4	15.6	10	15.4	
K296856		2.5	12	0.6	15.4	24	15.1	
K296857		2.3	13	0.4	14.8	17	15.1	
K296858		0.4	3	0.1	0.9	16	0.7	
K296859		2.0	9	0.2	12.4	10	11.2	
K296860		2.3	11	0.4	14.3	8	13.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11118098

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

CERTIFICATE WH11121175

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 21- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121175

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296861		7.88	<0.01	0.02	0.88	676	90	0.24	0.03	34.8	0.04	13.50	2.9	10	2.66	8.0
K296862		7.11	0.03	0.01	0.62	723	80	0.19	0.01	34.2	0.03	10.70	2.1	6	1.71	5.6
K296863		6.48	0.07	0.01	0.40	821	80	0.13	<0.01	33.0	0.03	7.10	1.6	4	1.02	3.7
K296864		2.33	3.08	0.11	0.51	>10000	60	0.13	0.04	6.46	0.09	6.78	2.1	6	2.38	8.1
K296865		1.38	0.24	0.01	0.37	1080	120	0.13	<0.01	35.5	0.03	6.02	1.4	5	0.86	3.8
K296866		1.61	0.82	0.04	0.29	>10000	40	0.05	0.02	16.30	0.09	4.51	1.1	2	1.31	8.2
K296867		2.31	0.58	0.04	0.81	4430	120	0.14	0.03	33.6	0.08	14.20	2.8	6	2.49	8.5
K296868		1.37	1.46	0.06	0.80	>10000	40	0.14	0.04	8.78	0.11	11.70	2.6	6	6.07	10.9
K296869		4.38	0.58	0.02	0.65	>10000	70	0.13	0.04	33.2	0.04	10.90	2.8	4	2.33	7.3
K296870		7.13	0.83	0.04	1.62	2360	90	0.25	0.06	30.0	0.11	25.3	5.9	9	5.50	14.6
K296871		0.26	2.76	1.03	3.24	602	850	0.61	0.29	8.22	2.30	49.5	6.5	52	3.89	44.2
K296872		8.28	0.10	0.04	2.40	1000	120	0.35	0.08	26.9	0.19	36.1	8.1	15	7.61	16.4
K296873		6.29	1.26	0.02	0.91	971	90	0.18	0.05	31.0	0.11	14.15	3.5	7	2.84	7.2
K296874		7.03	1.20	0.02	0.71	323	110	0.15	0.03	33.9	0.06	13.15	2.7	5	2.16	5.7
K296875		6.80	2.93	0.05	1.50	6040	90	0.20	0.07	31.4	0.16	21.3	4.4	13	3.32	11.3
K296876		7.47	2.84	0.04	1.39	2650	120	0.24	0.06	29.4	0.24	20.7	4.3	12	3.38	12.8
K296877		6.71	1.40	0.03	0.74	601	90	0.14	0.04	32.3	0.10	14.15	2.7	5	1.98	7.6
K296878		7.30	1.31	0.08	0.99	1850	90	0.16	0.05	31.2	0.27	16.50	3.4	8	2.96	9.4
K296879		8.03	2.24	0.21	0.69	>10000	70	0.11	0.03	32.4	0.20	12.80	2.5	5	1.80	6.2
K296880		7.19	2.37	0.34	0.79	2370	110	0.10	0.04	29.9	0.32	15.80	2.8	6	1.57	7.4
K296881		4.93	<0.01	0.01	0.06	20	20	0.05	0.02	21.4	0.06	1.38	1.3	<1	0.15	1.8
K296882		2.00	1.98	0.16	0.37	4020	70	0.10	0.02	31.6	0.10	8.73	1.7	2	0.71	4.2
K296883		1.97	1.21	0.13	0.32	>10000	80	0.06	0.02	20.5	0.22	20.7	1.3	2	0.56	5.1
K296884		3.32	4.54	0.48	1.52	>10000	150	0.16	0.07	21.9	8.09	19.80	5.2	13	3.21	15.6
K296885		1.60	3.17	0.50	2.21	>10000	180	0.24	0.10	17.25	1.04	31.3	6.4	20	4.91	18.9
K296886		0.27	15.60	0.95	2.11	1400	180	0.38	0.63	15.45	0.69	33.8	3.8	36	2.42	69.2
K296887		4.88	1.44	0.10	2.10	667	130	0.33	0.09	28.3	0.18	28.7	6.2	16	5.77	17.2
K296888		7.03	3.88	0.08	4.93	713	190	0.77	0.23	16.60	0.29	61.8	15.0	41	15.65	42.0
K296889		7.34	1.15	0.03	0.91	256	80	0.21	0.04	33.0	0.10	13.70	2.8	7	2.49	8.1
K296890		5.00	<0.01	0.01	0.05	7	20	0.05	0.02	21.3	0.06	1.12	1.3	<1	0.15	1.5
K296891		6.86	0.29	0.02	0.67	71	90	0.18	0.03	34.6	0.03	10.25	2.3	5	2.08	5.8
K296892		8.55	0.59	0.07	1.10	150	110	0.24	0.05	31.8	0.05	15.55	3.6	8	3.43	9.4
K296893		7.06	0.92	0.12	0.99	191	100	0.21	0.05	32.4	0.06	13.80	3.3	7	2.61	8.5
K296894		5.08	2.91	0.23	1.72	4280	130	0.25	0.08	28.6	0.15	24.1	5.5	15	3.81	14.2
K296895		5.06	9.05	0.43	3.95	1500	190	0.47	0.16	18.15	0.39	42.7	12.6	28	18.45	28.1
K296896		2.33	9.12	0.43	4.08	1670	310	0.52	0.18	17.30	0.40	45.0	13.0	30	18.70	29.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121175

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296861		0.65	2.28	0.11	0.4	1.94	0.008	0.39	7.2	3.8	0.63	236	0.53	0.02	1.4	2.9
K296862		0.48	1.65	0.09	0.3	2.22	0.007	0.28	5.7	2.6	0.52	296	0.32	0.01	1.0	1.4
K296863		0.33	1.06	0.09	0.2	2.64	<0.005	0.17	3.6	1.6	0.51	381	0.18	0.01	0.6	0.8
K296864		0.54	1.55	<0.05	0.2	6.93	0.107	0.20	3.6	2.6	0.06	232	0.30	0.01	0.8	3.1
K296865		0.28	1.03	0.11	0.2	1.68	<0.005	0.16	3.0	1.3	0.20	529	0.20	0.01	0.7	0.9
K296866		0.32	0.78	0.07	0.1	3.45	0.064	0.12	2.5	1.6	0.09	355	0.25	0.01	0.6	3.1
K296867		0.57	2.04	0.05	0.4	3.62	0.014	0.37	7.3	2.4	0.23	558	0.64	0.01	1.2	5.6
K296868		0.61	2.12	0.10	0.4	4.03	0.070	0.35	6.2	2.9	0.09	429	0.43	0.01	1.1	5.3
K296869		0.53	1.74	0.05	0.3	4.97	0.029	0.30	5.6	2.0	0.22	547	0.39	0.01	1.0	4.7
K296870		1.20	4.28	0.05	0.8	10.4	0.042	0.68	13.1	3.6	0.83	815	0.66	0.01	5.7	8.2
K296871		2.16	7.77	0.07	1.7	4.87	0.032	1.01	30.0	32.4	2.56	281	18.45	0.03	6.7	49.6
K296872		1.90	6.06	0.08	1.1	8.54	0.032	1.03	18.8	5.4	1.47	609	0.87	0.01	7.8	10.7
K296873		0.64	2.48	0.05	0.4	7.66	0.016	0.42	7.6	3.0	0.29	634	0.38	0.01	1.3	6.7
K296874		0.57	1.82	0.05	0.3	5.6	0.013	0.32	6.8	2.3	0.21	772	0.31	0.01	1.1	5.7
K296875		0.99	3.68	0.07	0.7	12.8	0.022	0.65	11.3	5.2	0.23	1040	0.81	0.01	2.1	7.6
K296876		0.94	3.62	0.06	0.7	11.1	0.017	0.61	10.7	5.6	0.22	1180	0.60	0.01	2.0	8.3
K296877		0.63	2.04	0.05	0.3	5.69	0.010	0.33	7.2	2.8	0.29	1240	0.34	0.01	1.1	5.4
K296878		0.66	2.55	0.06	0.5	5.71	0.030	0.45	8.7	3.7	0.24	1220	0.55	0.01	1.5	6.9
K296879		0.59	2.05	0.07	0.3	6.33	0.016	0.30	6.6	2.9	0.21	2920	0.39	0.01	1.1	5.1
K296880		0.61	2.30	0.05	0.4	7.5	0.009	0.34	7.8	4.2	0.18	3840	0.41	0.01	1.2	5.3
K296881		0.45	0.22	0.05	<0.1	0.01	0.007	0.03	0.7	0.7	12.70	193	0.09	<0.01	0.3	2.6
K296882		0.41	1.45	0.06	0.2	4.18	0.012	0.16	4.3	1.9	0.17	5650	0.16	0.01	0.7	3.4
K296883		0.30	1.36	0.09	0.2	3.89	0.052	0.12	9.3	3.7	0.07	4690	0.17	0.01	0.6	2.7
K296884		1.19	4.69	0.06	0.8	17.8	0.021	0.62	10.2	9.4	0.16	6060	1.20	0.01	2.3	9.4
K296885		1.50	6.17	0.08	1.1	11.0	0.042	0.95	16.8	9.1	0.20	4380	0.92	0.01	3.2	11.3
K296886		3.72	4.01	0.10	0.9	6.37	0.053	0.42	19.6	37.3	0.72	480	13.30	0.01	3.7	21.4
K296887		1.37	5.25	0.09	0.9	5.51	0.021	0.96	15.9	4.9	0.37	1380	0.77	0.01	2.9	11.1
K296888		3.05	13.35	0.12	2.3	13.6	0.032	2.32	35.6	12.4	0.42	1240	2.78	0.02	7.1	25.7
K296889		0.66	2.41	0.05	0.4	3.76	0.014	0.42	7.1	2.4	0.21	1940	0.55	0.01	1.4	5.9
K296890		0.49	0.21	0.08	<0.1	0.02	0.006	0.02	0.5	0.7	12.65	217	0.05	<0.01	0.2	2.8
K296891		0.49	1.61	0.06	0.3	1.62	0.012	0.31	5.4	2.0	0.23	1280	0.13	0.01	1.0	4.5
K296892		0.74	2.68	0.07	0.5	2.91	0.014	0.51	8.6	3.1	0.25	933	0.22	0.01	1.7	6.2
K296893		0.66	2.54	0.06	0.5	3.53	0.016	0.44	7.6	2.9	0.21	3050	0.17	0.01	1.5	5.5
K296894		1.20	4.29	0.08	0.9	6.4	0.015	0.76	13.8	5.0	0.22	3990	0.44	0.01	2.6	8.9
K296895		2.53	9.80	0.09	1.7	15.6	0.025	1.67	24.5	10.4	0.31	1590	0.83	0.02	5.3	17.5
K296896		2.66	10.55	0.11	1.9	16.2	0.022	1.75	25.8	10.7	0.32	1480	0.88	0.02	5.6	18.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121175

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296861		320	4.4	17.5	<0.002	0.40	1.67	2.4	2	0.3	1525	0.08	<0.05	1.4	0.045	3.81
K296862		210	2.8	12.0	<0.002	0.25	2.95	1.9	2	0.2	1485	0.05	<0.05	1.0	0.032	4.65
K296863		330	1.7	7.2	<0.002	0.20	2.75	1.2	2	<0.2	1320	<0.05	<0.05	0.6	0.019	5.42
K296864		710	3.4	9.6	<0.002	>10.0	1045	1.1	15	0.2	475	0.05	0.50	0.9	0.026	26.2
K296865		820	1.8	6.7	<0.002	0.33	5.68	2.2	2	<0.2	1495	<0.05	<0.05	0.6	0.019	4.27
K296866		150	2.9	6.3	<0.002	>10.0	802	1.4	8	0.2	482	<0.05	0.25	0.5	0.016	13.95
K296867		270	3.6	17.2	0.003	0.84	18.80	2.5	2	0.3	1520	0.08	<0.05	1.3	0.040	10.90
K296868		200	3.2	18.2	<0.002	>10.0	798	1.6	13	0.3	204	0.07	0.33	1.3	0.042	17.25
K296869		200	2.3	13.8	0.002	2.02	89.9	2.5	2	0.3	1130	0.06	0.05	1.2	0.032	31.9
K296870		610	5.5	31.2	0.003	1.06	11.75	4.4	2	0.6	913	0.31	0.05	2.5	0.161	17.10
K296871		920	34.1	50.7	0.022	1.60	108.0	4.5	4	2.5	73.3	0.41	0.20	6.5	0.171	3.93
K296872		750	7.8	45.5	0.002	1.72	2.88	5.4	1	0.7	951	0.43	<0.05	3.4	0.232	17.40
K296873		320	3.6	19.5	0.002	0.65	11.15	4.1	2	0.4	1120	0.09	<0.05	1.5	0.045	17.90
K296874		690	3.2	14.7	<0.002	0.56	8.77	4.5	1	0.2	1380	0.06	<0.05	1.3	0.035	17.25
K296875		820	6.4	31.2	0.003	1.42	21.5	5.4	2	0.5	1010	0.14	0.05	2.6	0.077	44.3
K296876		460	6.3	29.2	0.003	1.21	35.7	5.8	2	0.5	1170	0.13	0.05	2.5	0.073	41.6
K296877		440	3.6	16.0	<0.002	0.74	13.00	3.3	1	0.3	1260	0.07	<0.05	1.3	0.037	18.60
K296878		300	5.1	21.2	0.002	0.84	16.40	5.7	1	0.3	1240	0.10	<0.05	1.7	0.050	19.75
K296879		410	3.6	14.4	0.002	1.18	36.0	4.4	2	0.2	995	0.06	0.05	1.3	0.034	21.9
K296880		650	3.8	16.7	0.002	0.83	22.5	4.8	2	0.3	1040	0.07	<0.05	1.5	0.040	23.2
K296881		220	1.4	1.1	<0.002	0.02	0.10	0.2	1	<0.2	48.0	<0.05	<0.05	<0.2	<0.005	0.05
K296882		340	2.1	7.8	<0.002	0.66	18.60	4.0	1	<0.2	816	<0.05	<0.05	0.7	0.020	13.60
K296883		390	1.8	6.2	<0.002	>10.0	569	4.8	6	<0.2	357	<0.05	0.15	1.0	0.016	9.22
K296884		390	8.2	30.0	0.003	1.97	49.0	8.7	2	0.6	646	0.15	0.07	2.6	0.082	31.9
K296885		1970	9.2	45.1	0.004	4.46	148.5	7.0	3	0.7	696	0.21	0.09	4.1	0.113	32.2
K296886		700	20.9	26.1	0.008	2.17	161.0	3.7	2	2.1	48.1	0.24	0.42	3.9	0.113	3.63
K296887		240	11.3	42.3	0.003	1.56	12.60	5.5	2	0.6	1260	0.19	0.07	3.5	0.103	18.20
K296888		250	16.1	114.0	0.007	3.58	37.4	11.3	2	1.4	868	0.49	0.10	8.5	0.266	55.9
K296889		560	3.4	19.5	0.002	0.76	8.00	3.5	1	0.3	1340	0.09	<0.05	1.5	0.047	12.55
K296890		180	1.1	1.1	<0.002	0.02	0.08	0.2	1	0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.04
K296891		530	2.6	13.6	<0.002	0.53	2.68	2.3	1	0.2	1340	0.06	<0.05	1.1	0.035	5.29
K296892		190	4.2	22.6	0.002	0.86	5.21	3.0	1	0.3	1460	0.11	<0.05	1.8	0.058	9.63
K296893		270	3.4	20.0	<0.002	0.80	6.33	4.6	1	0.3	1290	0.09	<0.05	1.6	0.051	11.10
K296894		230	5.3	35.6	0.002	1.64	24.2	7.4	1	0.5	1020	0.17	0.05	2.9	0.094	20.9
K296895		380	11.6	78.9	0.003	3.05	37.8	6.9	1	1.2	789	0.34	0.08	6.0	0.200	58.7
K296896		370	12.3	83.3	0.004	3.18	40.1	7.5	1	1.2	755	0.38	0.08	6.4	0.210	60.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121175

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296861		2.1	13	0.8	12.2	7	13.7	
K296862		1.7	9	0.6	11.8	6	9.4	
K296863		1.5	5	0.5	8.9	5	6.2	
K296864		1.5	8	0.7	4.5	8	8.6	>30.0
K296865		2.3	6	0.4	9.7	3	7.6	
K296866		1.5	5	0.4	5.4	6	5.0	23.0
K296867		3.0	12	0.8	12.5	9	13.1	
K296868		1.9	13	0.9	5.8	13	11.9	>30.0
K296869		2.3	10	0.7	10.3	6	10.0	3.17
K296870		2.7	32	2.8	15.9	15	29.7	
K296871		9.3	231	27.2	19.6	219	60.8	
K296872		2.6	47	4.6	19.8	73	41.1	
K296873		2.5	14	1.0	14.5	19	14.1	
K296874		2.5	11	0.7	14.6	6	11.9	
K296875		4.3	24	2.0	17.2	22	24.8	
K296876		3.8	22	1.6	24.1	29	22.4	
K296877		2.7	12	0.7	14.1	9	12.3	
K296878		3.1	16	0.9	18.6	29	16.4	
K296879		2.6	11	0.7	14.1	22	11.5	1.025
K296880		3.1	12	1.0	15.0	32	13.5	
K296881		0.6	2	0.1	0.8	16	<0.5	
K296882		1.7	6	0.6	11.2	14	6.7	
K296883		1.2	5	0.5	27.9	16	5.8	20.4
K296884		4.4	24	1.9	19.7	795	24.6	0.979
K296885		4.9	32	2.5	21.3	179	37.9	5.69
K296886		3.8	111	220	16.5	79	30.9	
K296887		3.2	29	2.3	18.0	30	30.8	
K296888		4.1	80	5.4	24.1	60	78.0	
K296889		3.0	14	1.1	9.7	14	15.5	
K296890		0.6	2	0.1	0.7	18	<0.5	
K296891		2.1	9	2.1	8.2	5	11.7	
K296892		2.3	16	1.6	10.6	12	17.7	
K296893		2.4	14	2.0	10.3	10	16.5	
K296894		3.1	25	2.3	12.7	33	28.4	
K296895		3.1	59	3.8	16.6	69	58.0	
K296896		3.0	62	4.1	16.7	62	62.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121175

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

CERTIFICATE WH11132622

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 2 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132622

Sample Description	Method Analyte Units LOR	As- CON01 As % 0.01
K296864		47.8
K296868		43.1

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

CERTIFICATE WH11124939

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 21b

This report is for 1 Drill Core sample submitted to our lab in Whitehorse, YT, Canada on 6- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11124939

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297738		1.54	0.83	0.05	0.96	>10000	80	0.25	0.07	30.3	0.14	16.85	3.6	10	3.43	10.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11124939

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
K297738		0.65	2.81	0.08	0.5	5.22	0.025	0.45	7.6	3.8	0.20	374	0.77	0.01	1.5	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11124939

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297738		200	5.6	21.8	0.002	1.54	59.7	4.1	2	0.4	1475	0.09	0.08	1.7	0.049	21.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11124939

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297738		2.6	16	1.0	12.4	14	16.4	1.825

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11124939

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

CERTIFICATE WH11114111

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area 6- Batch 22

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114111

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297217		7.82	<0.01	0.01	0.65	67	40	0.45	0.04	20.3	0.03	15.40	2.4	5	2.51	4.5
K297218		8.35	<0.01	0.01	0.52	30	30	0.34	0.03	20.2	0.05	13.70	2.1	3	1.49	3.8
K297219		7.64	0.05	0.05	0.92	1320	50	0.40	0.05	18.65	0.07	14.15	3.2	6	2.66	5.2
K297220		7.60	0.21	0.06	0.35	340	30	0.23	0.02	19.45	0.39	10.50	1.7	3	0.75	2.5
K297221		7.71	0.15	0.15	0.59	149	40	0.30	0.03	19.70	0.93	13.00	2.4	5	1.13	3.9
K297222		7.84	0.08	0.07	0.55	1800	40	0.30	0.03	20.1	0.16	12.95	2.0	3	1.33	3.5
K297223		7.62	<0.01	0.07	0.53	49	50	0.28	0.03	19.80	0.28	12.60	2.0	3	1.26	3.3
K297224		4.93	<0.01	<0.01	0.06	5	20	<0.05	0.02	21.4	0.07	1.22	1.3	<1	0.14	1.2
K297225		7.96	0.04	0.20	0.56	243	70	0.22	0.04	19.45	0.78	13.95	2.6	3	1.05	4.3
K297226		8.21	0.01	0.20	0.17	766	40	0.13	0.01	16.55	0.22	7.35	1.1	1	0.28	3.1
K297227		9.01	<0.01	0.07	0.13	66	20	0.17	0.01	17.10	0.32	7.61	0.9	1	0.40	2.7
K297228		7.90	<0.01	0.02	0.84	135	50	0.38	0.04	19.95	0.03	15.45	2.7	6	3.55	4.5
K297229		3.62	<0.01	0.03	0.84	294	40	0.34	0.04	18.90	0.02	14.70	2.9	7	3.32	4.6
K297230		6.98	<0.01	0.03	0.48	2550	30	0.19	0.02	19.20	0.03	9.77	2.4	4	1.26	2.7
K297231		7.85	<0.01	0.03	0.70	207	60	0.26	0.03	18.45	<0.02	12.10	2.4	7	1.62	3.2
K297232		7.93	<0.01	0.04	0.65	73	30	0.20	0.03	18.50	0.04	11.80	2.2	6	1.85	3.5
K297233		8.02	0.01	0.03	0.70	168	70	0.18	0.03	18.95	0.02	12.05	2.5	6	1.55	3.3
K297234		7.84	<0.01	0.04	0.91	427	110	0.26	0.04	18.05	0.02	14.90	3.3	8	2.24	4.5
K297235		7.65	<0.01	0.19	0.40	3760	290	0.14	0.02	19.10	0.11	8.88	2.2	4	0.60	3.0
K297236		8.28	<0.01	0.08	0.58	1140	370	0.19	0.02	19.00	0.19	12.85	2.7	6	0.99	3.8
K297237		4.77	0.01	0.05	0.44	3860	140	0.17	0.03	19.80	0.17	9.79	2.2	4	0.63	3.4
K297238		3.46	0.06	0.04	0.40	>10000	100	0.20	0.02	18.85	0.05	6.95	2.6	4	1.12	3.0
K297239		0.21	2.70	1.06	3.23	597	870	0.74	0.31	7.85	2.29	50.2	6.8	58	3.93	46.7
K297240		7.55	<0.01	0.02	0.71	165	80	0.26	0.03	19.35	0.07	14.10	2.2	7	1.74	4.5
K297241		7.80	0.01	0.03	0.37	381	50	0.17	0.03	19.15	0.12	10.45	1.6	5	0.78	4.3
K297242		7.47	0.01	0.01	0.89	1780	130	0.33	0.04	18.90	0.13	15.40	1.9	6	2.78	2.8
K297243		7.66	0.04	0.01	0.59	914	50	0.24	0.03	18.80	0.03	11.30	1.4	8	1.67	2.9
K297244		7.50	0.02	0.06	0.40	1240	140	0.13	0.03	19.50	0.14	10.95	1.3	9	0.60	3.3
K297245		7.91	0.10	0.06	0.48	3840	70	0.17	0.02	18.65	0.15	10.20	1.1	7	0.95	2.4
K297246		0.21	2.77	0.95	3.04	575	830	0.79	0.31	7.50	2.26	47.8	6.2	54	3.78	41.0
K297247		7.51	0.06	0.05	1.00	4060	180	0.42	0.04	17.55	0.06	15.25	2.5	10	4.12	4.1
K297248		7.24	0.02	0.11	0.56	1540	80	0.19	0.03	18.95	0.02	10.60	2.4	11	1.36	3.7
K297249		6.40	0.02	0.24	0.48	9770	210	0.19	0.03	19.70	0.29	9.54	1.8	9	0.85	3.5
K297250		5.78	0.01	0.06	0.34	5010	290	0.16	0.02	18.70	0.16	7.65	1.2	8	0.62	2.3
K297251		6.65	<0.01	0.02	0.15	1510	460	0.09	0.01	20.2	0.02	4.06	0.8	7	0.26	1.1
K297252		4.93	<0.01	<0.01	0.05	15	20	0.05	0.03	20.9	0.06	1.32	1.1	5	0.15	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114111

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297217		0.65	2.03	0.10	0.3	0.49	0.005	0.29	11.8	3.4	11.70	1800	0.23	0.02	1.3	1.5
K297218		0.95	1.59	0.10	0.2	0.44	<0.005	0.23	9.5	2.3	11.60	1920	0.18	0.01	1.0	1.1
K297219		0.71	2.73	0.09	0.4	1.54	0.007	0.43	9.7	4.4	10.75	1690	0.32	0.01	1.8	2.7
K297220		2.05	1.13	0.08	0.2	3.52	0.006	0.15	7.3	2.0	11.25	1740	0.64	0.01	0.7	<0.2
K297221		0.88	1.86	0.09	0.3	2.29	0.006	0.26	9.0	2.4	11.40	1680	0.53	0.01	1.2	1.5
K297222		1.15	1.67	0.07	0.3	0.93	0.007	0.26	9.0	2.6	11.65	1820	0.36	0.02	1.0	0.7
K297223		0.61	1.69	0.11	0.3	0.68	<0.005	0.24	9.0	2.5	11.55	1680	0.43	0.02	1.0	0.8
K297224		0.48	0.35	0.19	<0.1	<0.01	<0.005	0.02	0.6	0.9	12.50	213	0.07	<0.01	0.3	0.7
K297225		1.57	1.77	0.08	0.3	1.98	0.006	0.25	9.6	2.1	11.20	1660	0.39	0.01	1.1	1.9
K297226		8.35	0.69	0.14	0.1	4.88	<0.005	0.07	5.0	0.9	9.49	1610	2.73	0.01	0.4	<0.2
K297227		8.94	0.56	0.16	0.1	3.76	<0.005	0.05	5.3	0.9	9.83	1530	3.95	0.01	0.4	<0.2
K297228		0.70	2.44	0.08	0.4	1.06	0.006	0.39	10.3	4.9	11.65	774	0.65	0.02	1.7	1.6
K297229		0.72	2.49	0.10	0.4	1.15	0.006	0.39	9.6	4.6	11.00	748	0.59	0.02	1.6	2.0
K297230		0.56	1.44	0.11	0.3	1.98	0.006	0.21	5.5	2.7	11.20	578	0.51	0.02	1.0	1.2
K297231		0.59	2.12	0.13	0.4	1.56	0.006	0.32	6.4	3.9	10.65	493	0.67	0.02	1.3	1.7
K297232		0.78	1.98	0.11	0.4	1.35	0.005	0.28	6.3	3.8	10.75	490	0.76	0.02	1.2	1.7
K297233		0.55	2.06	0.14	0.4	1.76	0.005	0.30	6.4	3.5	11.00	470	0.52	0.02	1.3	1.9
K297234		0.86	2.68	0.12	0.5	2.55	0.007	0.39	8.2	4.4	10.40	724	0.76	0.02	1.8	3.1
K297235		0.67	1.25	0.11	0.2	8.65	0.007	0.16	5.2	2.0	11.10	876	1.00	0.01	0.9	1.3
K297236		0.84	1.71	0.11	0.3	5.04	0.006	0.24	7.3	2.2	11.05	884	0.77	0.01	1.2	2.0
K297237		0.65	1.39	0.13	0.3	3.40	0.009	0.18	5.8	1.7	11.50	786	0.78	0.01	1.0	1.8
K297238		0.56	1.30	0.12	0.3	4.64	0.020	0.17	4.6	2.4	10.95	785	0.54	0.01	0.9	1.9
K297239		2.16	8.27	0.12	1.9	5.26	0.026	0.98	32.0	42.2	2.53	277	18.35	0.03	7.1	50.9
K297240		0.62	2.05	0.10	0.4	0.95	0.005	0.32	10.1	3.7	11.20	681	0.26	0.02	1.3	1.9
K297241		1.68	1.12	0.09	0.2	2.03	<0.005	0.16	7.6	1.6	11.05	896	0.22	0.01	0.8	1.3
K297242		0.60	2.64	0.11	0.4	3.18	0.008	0.41	10.8	5.4	11.00	716	0.12	0.02	1.6	1.4
K297243		0.56	1.79	0.13	0.3	0.75	<0.005	0.25	7.9	3.4	11.00	705	0.18	0.01	1.2	0.7
K297244		0.87	1.20	0.11	0.2	1.59	<0.005	0.16	8.2	1.8	11.30	1060	0.31	0.02	0.8	0.8
K297245		1.01	1.37	0.09	0.3	2.83	0.005	0.19	7.2	2.5	10.80	1060	0.35	0.01	0.9	0.5
K297246		2.07	7.90	0.14	1.7	5.26	0.025	0.93	30.1	43.0	2.41	265	17.70	0.03	6.5	47.3
K297247		0.87	2.68	0.10	0.6	1.50	0.011	0.47	9.4	5.3	10.10	899	0.66	0.02	1.8	2.9
K297248		0.68	1.59	0.12	0.4	2.23	<0.005	0.25	7.2	2.6	11.05	720	0.37	0.01	1.2	2.8
K297249		0.67	1.40	0.11	0.3	8.11	0.011	0.21	6.3	2.2	11.40	903	0.30	0.02	1.0	1.6
K297250		0.63	0.99	0.12	0.2	1.99	0.006	0.13	5.4	2.0	10.80	934	0.18	0.01	0.7	0.5
K297251		0.43	0.59	0.19	0.1	0.36	<0.005	0.06	2.9	1.2	11.85	782	0.17	0.01	0.3	0.2
K297252		0.47	0.32	0.23	<0.1	0.01	<0.005	0.02	0.6	0.9	12.20	208	0.05	<0.01	0.3	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114111

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297217		350	15.5	11.8	<0.002	0.47	0.17	1.3	1	0.2	97.8	0.08	<0.05	1.5	0.026	1.36
K297218		330	17.8	9.3	<0.002	0.64	0.19	1.1	1	0.2	103.0	0.06	<0.05	1.1	0.019	1.31
K297219		350	26.4	17.7	<0.002	0.64	0.41	1.5	1	0.3	119.5	0.11	<0.05	2.0	0.038	2.27
K297220		220	20.9	6.5	<0.002	2.22	0.25	0.8	1	<0.2	101.0	<0.05	<0.05	0.8	0.014	2.89
K297221		340	211	11.0	<0.002	0.82	0.83	1.1	1	0.2	133.0	0.07	<0.05	1.3	0.026	2.38
K297222		300	24.7	9.9	<0.002	1.12	0.44	1.0	1	0.2	101.0	0.06	<0.05	1.2	0.021	1.59
K297223		300	22.4	9.6	<0.002	0.42	0.34	1.0	1	0.2	104.0	0.06	<0.05	1.2	0.021	1.17
K297224		180	1.4	1.2	<0.002	<0.01	0.06	0.2	1	<0.2	44.7	<0.05	<0.05	<0.2	<0.005	<0.02
K297225		260	158.0	10.1	<0.002	1.52	2.51	1.0	1	0.2	98.7	0.06	<0.05	1.3	0.022	3.31
K297226		130	96.0	2.7	<0.002	>10.0	0.89	0.4	1	<0.2	67.2	<0.05	<0.05	0.4	0.006	17.70
K297227		120	62.2	1.9	<0.002	>10.0	0.28	0.3	1	<0.2	61.1	<0.05	<0.05	0.3	<0.005	18.30
K297228		460	18.8	16.4	<0.002	0.60	0.12	1.5	1	0.3	104.5	0.10	<0.05	1.9	0.038	1.75
K297229		460	19.5	16.1	<0.002	0.64	0.14	1.4	1	0.4	96.9	0.10	<0.05	1.9	0.038	1.83
K297230		420	15.1	8.6	<0.002	0.60	0.63	0.9	1	0.3	91.5	0.06	<0.05	1.1	0.022	1.59
K297231		380	44.9	13.0	<0.002	0.49	0.15	1.2	1	0.3	95.5	0.08	<0.05	1.6	0.034	1.74
K297232		330	2190	11.6	<0.002	0.81	0.11	1.1	1	0.3	81.6	0.08	<0.05	1.5	0.031	2.26
K297233		320	24.4	11.8	<0.002	0.50	0.19	1.1	1	0.3	91.7	0.08	<0.05	1.6	0.033	1.72
K297234		390	37.0	15.6	<0.002	0.77	0.17	1.6	1	0.4	109.0	0.11	<0.05	1.9	0.045	2.76
K297235		420	775	5.9	<0.002	0.61	1.39	0.8	1	0.3	168.5	0.05	<0.05	0.9	0.019	5.00
K297236		460	275	9.2	<0.002	0.70	0.65	1.0	1	0.3	198.5	0.08	<0.05	1.3	0.027	2.63
K297237		390	130.5	7.2	<0.002	0.65	1.01	0.8	1	0.2	143.5	0.06	<0.05	1.1	0.022	3.10
K297238		360	19.3	7.3	<0.002	1.50	1.29	0.7	1	0.3	97.8	0.05	<0.05	0.9	0.019	1.82
K297239		900	38.8	56.1	0.023	1.56	105.5	5.1	4	2.3	73.2	0.45	0.19	6.7	0.172	4.02
K297240		370	28.3	13.8	<0.002	0.39	0.27	1.4	1	0.2	91.8	0.08	<0.05	1.5	0.032	1.08
K297241		310	69.4	7.2	<0.002	1.77	0.38	0.8	1	0.2	86.1	0.05	<0.05	0.9	0.017	3.11
K297242		300	10.9	18.9	<0.002	0.47	0.22	1.8	1	0.3	87.4	0.11	<0.05	1.9	0.040	1.52
K297243		340	8.1	11.5	<0.002	0.41	0.17	1.2	1	0.2	98.0	0.08	<0.05	1.3	0.027	1.29
K297244		420	24.1	6.6	<0.002	0.72	0.26	0.8	1	<0.2	141.5	0.05	<0.05	1.0	0.017	2.25
K297245		310	36.7	8.2	<0.002	1.03	0.30	0.8	1	0.2	112.0	0.06	<0.05	1.1	0.022	2.82
K297246		850	36.0	52.5	0.022	1.48	99.7	4.7	4	2.5	69.5	0.43	0.19	6.6	0.162	3.91
K297247		240	69.1	21.8	<0.002	0.78	0.55	1.6	1	0.3	91.7	0.13	<0.05	2.3	0.047	1.99
K297248		260	281	10.7	<0.002	0.55	0.49	0.9	1	0.2	90.0	0.08	<0.05	1.4	0.030	2.68
K297249		240	1720	9.1	<0.002	1.00	2.55	1.0	1	0.2	142.5	0.06	<0.05	1.2	0.024	3.87
K297250		260	44.6	5.5	<0.002	0.61	0.53	0.6	1	0.2	113.0	<0.05	<0.05	0.8	0.016	1.13
K297251		150	21.9	2.6	<0.002	0.19	0.16	0.3	1	<0.2	88.5	<0.05	<0.05	0.3	0.006	0.38
K297252		190	1.5	1.3	<0.002	<0.01	0.06	0.2	1	<0.2	42.7	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114111

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297217		2.1	5	0.5	6.6	5	9.9	
K297218		1.9	5	0.5	5.8	8	8.1	
K297219		1.9	7	1.2	5.7	8	15.6	
K297220		1.1	3	0.5	3.7	430	6.2	
K297221		1.4	5	0.9	4.5	171	11.2	
K297222		1.6	4	0.5	5.0	33	9.5	
K297223		1.6	5	0.7	4.8	47	9.6	
K297224		0.4	2	0.1	0.8	14	<0.5	
K297225		1.4	4	0.7	4.9	108	11.7	
K297226		0.7	2	0.3	2.6	64	3.2	
K297227		0.9	2	0.2	2.4	87	2.3	
K297228		2.0	7	0.9	5.4	4	16.3	
K297229		1.9	7	0.9	5.2	3	16.1	
K297230		1.1	4	0.7	3.4	6	10.2	
K297231		1.2	6	0.8	4.1	<2	15.0	
K297232		1.2	6	0.6	3.9	9	14.4	
K297233		1.2	6	1.0	3.7	<2	13.8	
K297234		1.5	8	0.9	4.7	3	18.4	
K297235		1.1	4	0.7	3.3	14	9.0	
K297236		1.4	5	0.9	4.2	32	12.5	
K297237		1.2	5	0.7	3.2	20	9.6	
K297238		1.2	4	0.8	2.8	6	8.9	2.18
K297239		9.7	234	28.3	20.2	211	72.0	
K297240		2.2	6	0.8	5.2	9	14.3	
K297241		2.1	4	0.6	4.1	19	7.4	
K297242		1.7	8	1.0	5.2	15	16.0	
K297243		1.5	5	0.8	4.2	3	10.8	
K297244		2.1	4	0.6	4.2	27	7.2	
K297245		1.5	4	1.0	3.4	59	8.9	
K297246		9.5	222	26.6	19.1	202	67.6	
K297247		1.4	7	1.3	4.9	11	22.8	
K297248		2.2	5	0.9	3.2	<2	12.6	
K297249		1.9	4	0.9	3.0	60	10.4	
K297250		1.2	3	0.7	2.6	28	8.0	
K297251		1.0	2	0.2	1.6	2	3.6	
K297252		0.7	2	0.1	0.8	14	0.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11114111

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

CERTIFICATE WH11121174

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 23- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121174

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297253		7.68	0.01	0.06	0.26	708	330	0.13	0.03	17.45	0.07	5.77	1.5	4	0.41	3.0
K297254		8.23	0.03	0.15	0.60	1980	100	0.18	0.04	17.30	0.05	10.30	3.0	5	1.17	5.9
K297255		7.96	<0.01	0.06	0.28	168	100	0.09	0.03	18.25	0.10	7.88	1.5	3	0.40	2.8
K297256		8.35	0.01	0.04	0.25	2060	130	0.12	0.03	18.05	0.39	7.24	1.0	7	0.38	2.0
K297257		7.87	0.01	0.46	0.31	3690	100	0.15	0.04	17.25	0.66	7.36	2.8	5	0.50	3.4
K297258		0.26	2.42	0.99	3.36	603	860	0.80	0.27	7.93	2.20	49.0	6.8	52	4.13	43.9
K297259		8.37	0.01	0.03	1.48	400	230	0.58	0.08	14.60	0.08	23.0	6.1	9	4.67	5.4
K297260		7.85	<0.01	0.04	4.87	75.9	570	1.75	0.25	7.46	0.02	54.6	19.0	27	20.7	11.6
K297261		4.94	<0.01	<0.01	0.06	6	20	0.09	0.01	20.4	0.05	1.23	1.7	<1	0.15	1.8
K297262		7.45	<0.01	0.04	7.05	60.5	310	3.23	0.39	0.23	<0.02	80.0	28.1	50	43.1	44.9
K297263		7.42	<0.01	0.03	6.53	10.8	410	2.65	0.27	0.50	<0.02	81.4	11.9	45	48.0	6.0
K297264		7.58	<0.01	0.06	6.69	12.6	380	2.84	0.30	0.29	<0.02	77.2	16.9	46	52.4	9.6
K297265		3.68	<0.01	0.05	6.71	9.4	360	2.83	0.32	0.33	<0.02	79.1	16.9	47	54.1	9.9
K297266		6.88	<0.01	0.05	6.40	6.5	420	2.67	0.27	0.41	<0.02	79.5	16.2	44	63.0	9.5
K297267		7.14	<0.01	0.01	6.93	10.0	400	2.79	0.36	0.24	<0.02	84.8	7.2	49	69.9	4.4
K297268		3.51	<0.01	30.5	6.13	144.0	310	2.93	0.25	1.60	<0.02	83.3	18.6	46	32.4	36.0
K297269		7.01	<0.01	0.15	6.72	77.4	560	2.71	0.24	2.71	<0.02	68.3	13.8	46	29.7	7.4
K297270		9.98	0.05	<0.01	6.17	158.0	1150	2.38	0.26	1.63	<0.02	67.7	12.1	47	25.9	4.5
K297271		7.82	<0.01	<0.01	6.46	2470	540	2.21	0.20	1.62	<0.02	71.0	11.4	46	22.9	4.9
K297272		10.48	<0.01	<0.01	4.76	2650	310	1.75	0.18	1.67	0.03	56.9	12.8	40	16.40	12.7
K297273		9.36	<0.01	<0.01	4.79	734	200	1.74	0.24	1.52	<0.02	55.0	12.2	38	20.9	10.5
K297274		4.92	<0.01	0.55	4.13	121.0	250	1.57	0.19	8.52	0.02	48.0	7.1	27	17.55	12.6
K297275		7.68	<0.01	0.08	3.93	416	270	1.61	0.17	8.11	<0.02	42.5	11.2	25	15.25	19.1
K297276		12.22	<0.01	0.02	1.77	190	220	0.63	0.07	13.95	<0.02	22.7	5.3	12	5.63	7.1
K297277		10.09	<0.01	0.02	0.88	153	130	0.27	0.03	17.65	0.02	13.80	3.0	6	2.25	4.6
K297278		7.06	<0.01	0.02	0.07	<5	20	0.07	0.01	21.5	0.06	1.27	1.0	1	0.25	2.0
K297279		10.86	<0.01	0.04	0.41	265	110	0.18	0.11	18.15	0.05	8.25	1.7	4	0.76	2.8
K297280		9.18	<0.01	0.02	0.52	103	110	0.21	0.01	18.50	0.03	7.18	1.6	5	0.76	2.7
K297281		9.82	<0.01	0.02	0.23	95	100	0.13	<0.01	19.45	0.04	5.54	1.2	4	0.28	1.6
K297282		11.26	0.01	0.04	0.38	89	80	0.15	<0.01	19.90	0.05	6.67	1.4	4	0.50	2.3
K297283		7.87	<0.01	0.04	0.35	98	100	0.14	<0.01	19.65	0.16	6.85	1.5	5	0.46	2.5
K297284		7.18	<0.01	0.03	0.31	79	30	0.12	<0.01	20.3	0.10	5.30	1.1	2	0.41	1.9
K297285		9.47	0.01	0.07	0.35	215	90	0.18	<0.01	19.65	0.18	6.32	1.2	3	0.39	2.7
K297286		11.16	<0.01	0.04	0.35	38	50	0.21	<0.01	20.2	0.06	6.52	1.3	3	0.63	2.7
K297287		9.86	<0.01	0.17	0.19	89	40	0.20	<0.01	20.2	0.34	4.23	1.0	3	0.24	2.0
K297288		0.26	2.75	0.59	3.16	596	850	0.79	0.28	7.90	2.25	42.3	6.5	53	3.63	41.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121174

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297253		0.72	0.68	0.06	0.2	1.39	<0.005	0.11	4.1	1.4	10.80	816	0.45	0.01	0.4	3.3
K297254		3.39	1.51	0.09	0.3	2.4	0.006	0.27	6.9	2.8	10.60	1110	1.50	0.02	1.0	5.8
K297255		0.68	0.76	<0.05	0.1	1.3	<0.005	0.11	5.5	1.6	11.45	666	0.61	0.02	0.5	3.3
K297256		0.45	0.70	<0.05	0.1	1.23	0.005	0.09	5.1	1.5	11.30	664	0.23	0.01	0.5	4.2
K297257		0.49	0.81	0.05	0.2	1.57	0.008	0.12	5.4	1.6	10.70	740	0.29	0.01	0.5	5.1
K297258		2.12	7.63	0.08	1.8	4.36	0.026	1.02	29.8	41.7	2.55	275	16.60	0.03	7.0	50.2
K297259		1.46	4.03	<0.05	0.7	0.73	0.016	0.67	13.4	8.2	8.71	1060	0.13	0.01	2.8	6.2
K297260		3.43	12.60	0.13	2.0	0.44	0.040	2.39	28.0	22.5	4.58	677	0.27	0.03	7.8	21.0
K297261		0.46	0.34	<0.05	<0.1	<0.01	0.006	0.02	0.6	1.0	12.35	201	0.06	<0.01	0.4	2.3
K297262		5.47	19.45	0.19	2.8	0.26	0.059	3.64	39.6	41.8	0.78	51	0.38	0.05	11.4	31.9
K297263		3.57	17.95	0.14	2.9	0.04	0.063	3.59	39.6	40.3	0.82	75	0.34	0.04	11.7	14.7
K297264		6.17	18.55	0.22	2.8	0.09	0.056	3.63	38.3	39.4	0.75	56	0.35	0.04	11.3	19.2
K297265		5.92	18.15	0.21	2.8	0.08	0.058	3.70	38.9	38.7	0.77	59	0.31	0.04	11.4	19.0
K297266		5.22	17.30	0.19	2.8	0.07	0.062	3.66	39.3	36.7	0.79	72	0.35	0.05	11.1	17.8
K297267		2.03	19.20	0.15	3.0	0.04	0.057	4.01	41.5	42.8	0.80	52	0.20	0.05	12.6	12.1
K297268		3.42	18.05	0.18	2.6	0.19	0.050	3.08	38.9	39.8	1.23	513	20.2	0.04	10.7	17.3
K297269		2.65	19.05	0.16	2.7	0.32	0.049	3.23	34.4	40.2	2.05	290	1.68	0.04	11.4	15.4
K297270		4.48	17.95	0.16	2.8	0.30	0.044	2.97	33.0	35.1	1.34	346	0.83	0.04	10.5	15.6
K297271		2.37	19.10	0.14	2.7	0.33	0.045	3.26	35.2	35.1	1.29	369	0.44	0.04	10.8	17.7
K297272		2.49	13.65	0.13	2.8	0.27	0.037	2.34	28.5	19.9	1.03	509	0.42	0.03	8.9	16.2
K297273		2.75	13.85	0.13	2.6	0.16	0.039	2.42	27.7	17.2	1.00	587	0.28	0.03	8.7	16.5
K297274		2.31	11.20	0.14	1.9	0.37	0.034	1.86	25.6	30.4	5.23	720	1.22	0.02	7.1	11.6
K297275		3.20	11.25	0.12	1.9	1.00	0.030	1.81	24.7	27.2	4.96	728	0.38	0.02	7.1	15.6
K297276		1.21	5.17	0.09	0.9	0.55	0.016	0.77	13.8	12.5	8.15	713	0.24	0.02	3.4	5.7
K297277		0.80	2.40	0.09	0.5	0.66	0.007	0.40	8.4	5.1	10.35	614	0.14	0.02	1.6	2.4
K297278		0.44	0.33	0.21	<0.1	<0.01	<0.005	0.04	0.6	1.2	12.70	192	0.19	0.01	0.3	0.5
K297279		0.62	1.28	0.14	0.2	1.16	0.005	0.17	5.0	2.5	10.65	524	0.37	0.01	0.9	1.2
K297280		1.01	1.49	0.08	0.3	1.17	<0.005	0.24	4.0	2.4	10.95	585	0.65	0.01	0.9	1.0
K297281		0.64	0.72	0.12	0.1	0.88	<0.005	0.10	3.4	1.5	11.50	555	0.60	0.01	0.5	1.3
K297282		0.68	1.09	0.14	0.2	1.17	<0.005	0.17	3.8	1.8	11.75	786	0.65	0.02	0.7	1.1
K297283		1.11	0.99	0.10	0.2	1.48	<0.005	0.15	4.2	1.7	11.30	1140	0.26	0.02	0.6	1.9
K297284		0.67	0.86	0.13	0.2	0.51	<0.005	0.13	3.2	1.4	11.85	856	0.25	0.02	0.5	0.3
K297285		0.73	1.00	0.14	0.2	1.64	<0.005	0.14	4.1	1.7	11.45	1000	0.33	0.02	0.6	0.6
K297286		0.77	1.06	0.13	0.2	0.78	<0.005	0.15	3.9	1.9	11.85	1210	0.41	0.02	0.6	0.7
K297287		1.41	0.62	0.09	0.1	1.44	<0.005	0.08	2.6	1.0	11.75	1300	0.51	0.01	0.3	1.3
K297288		2.10	8.17	0.11	1.7	4.65	0.023	0.97	26.4	40.2	2.50	271	19.35	0.04	6.8	50.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121174

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297253		280	18.4	3.4	<0.002	0.46	0.13	0.5	1	0.2	89.5	<0.05	<0.05	0.5	0.012	1.27
K297254		460	181.0	8.3	0.002	3.90	0.57	1.2	1	0.3	111.5	0.07	<0.05	1.2	0.028	5.48
K297255		290	767	3.5	<0.002	0.51	0.32	0.7	2	<0.2	111.5	<0.05	<0.05	0.6	0.013	3.55
K297256		360	48.8	3.1	<0.002	0.41	0.54	0.6	2	<0.2	118.5	<0.05	<0.05	0.5	0.011	0.82
K297257		210	1090	3.9	<0.002	0.62	1.23	0.8	2	<0.2	123.5	<0.05	<0.05	0.6	0.015	1.73
K297258		930	36.0	46.0	0.022	1.57	106.5	5.5	4	2.5	73.2	0.44	0.18	6.4	0.175	4.08
K297259		340	24.7	23.4	<0.002	1.20	0.33	3.2	1	0.5	113.0	0.19	<0.05	3.3	0.069	1.12
K297260		320	23.0	84.6	<0.002	3.27	0.45	9.1	1	1.6	95.1	0.56	<0.05	8.6	0.224	1.87
K297261		180	1.7	1.0	<0.002	0.03	<0.05	0.3	1	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	<0.02
K297262		230	18.8	144.0	<0.002	5.23	0.69	14.5	1	2.6	73.5	0.80	0.07	13.5	0.334	2.02
K297263		280	12.6	144.5	<0.002	3.03	0.54	14.3	1	2.3	87.0	0.84	0.07	13.7	0.314	1.47
K297264		260	15.9	145.0	<0.002	5.97	0.87	13.8	2	2.6	72.7	0.77	0.08	13.1	0.316	1.97
K297265		280	15.0	146.5	<0.002	5.66	0.68	14.0	2	2.6	75.2	0.78	0.07	13.7	0.319	1.99
K297266		290	14.9	145.0	<0.002	4.90	0.55	13.9	2	2.5	70.1	0.78	0.07	12.9	0.314	1.42
K297267		300	8.4	155.5	<0.002	1.08	0.50	14.6	2	2.5	67.3	0.89	0.07	14.0	0.345	1.35
K297268		1830	10.1	116.5	<0.002	0.21	0.53	14.0	1	2.3	65.7	0.68	<0.05	12.0	0.298	1.07
K297269		280	10.3	109.5	<0.002	1.06	0.51	14.1	1	2.3	63.7	0.73	0.05	12.4	0.303	1.01
K297270		230	12.8	112.5	<0.002	3.73	0.52	12.9	1	2.3	74.8	0.66	<0.05	12.1	0.295	1.28
K297271		300	7.0	120.5	<0.002	1.19	0.59	13.7	1	2.4	91.6	0.68	0.06	12.9	0.301	0.96
K297272		250	6.0	89.0	<0.002	1.16	1.35	10.1	1	1.8	80.9	0.58	<0.05	10.9	0.256	0.61
K297273		220	7.6	94.9	<0.002	1.50	0.47	10.3	1	1.8	59.2	0.56	<0.05	10.8	0.248	0.63
K297274		500	17.4	75.7	<0.002	0.05	0.32	9.8	1	1.6	75.1	0.47	<0.05	8.2	0.202	0.80
K297275		370	29.9	74.0	<0.002	0.10	0.43	8.7	1	1.7	65.4	0.46	0.05	8.6	0.190	1.85
K297276		380	11.6	31.5	<0.002	0.58	0.16	4.0	1	0.8	115.0	0.21	<0.05	3.9	0.086	0.77
K297277		320	11.4	14.4	<0.002	0.44	0.17	1.9	2	0.4	104.0	0.10	<0.05	1.7	0.043	0.64
K297278		200	1.4	1.6	<0.002	0.01	<0.05	0.3	1	<0.2	48.1	<0.05	<0.05	<0.2	<0.005	<0.02
K297279		240	17.1	6.1	<0.002	0.26	0.29	1.1	1	0.2	98.1	0.05	<0.05	1.0	0.021	0.48
K297280		350	20.2	9.3	<0.002	0.74	0.37	1.2	2	0.2	101.0	0.05	<0.05	1.0	0.024	0.82
K297281		290	30.6	3.1	<0.002	0.30	0.32	0.6	1	<0.2	98.7	<0.05	<0.05	0.5	0.012	0.31
K297282		300	41.1	6.1	<0.002	0.35	0.33	0.8	1	<0.2	109.5	<0.05	<0.05	0.7	0.018	0.75
K297283		330	16.9	4.8	<0.002	0.34	0.30	0.8	1	<0.2	97.2	<0.05	<0.05	0.6	0.016	0.72
K297284		330	14.1	4.1	<0.002	0.16	0.28	0.6	1	<0.2	78.1	<0.05	<0.05	0.5	0.012	0.36
K297285		310	35.9	4.5	<0.002	0.46	0.73	0.7	1	<0.2	96.3	<0.05	<0.05	0.6	0.015	1.85
K297286		300	16.7	5.0	<0.002	0.40	0.36	0.7	1	<0.2	86.5	<0.05	<0.05	0.6	0.016	0.83
K297287		250	4190	2.5	<0.002	1.15	0.81	0.4	1	<0.2	94.1	<0.05	<0.05	0.3	0.008	1.17
K297288		870	36.6	49.6	0.022	1.54	105.5	5.3	4	2.4	71.6	0.39	0.21	6.2	0.166	3.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121174

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297253		1.2	2	0.6	2.7	58	6.2
K297254		1.7	5	0.9	4.6	14	11.2
K297255		1.1	3	0.4	2.8	12	4.4
K297256		1.1	2	0.5	2.7	65	4.7
K297257		2.3	4	1.5	2.7	112	5.3
K297258		8.5	233	27.1	19.4	211	63.9
K297259		1.3	14	1.2	6.7	18	24.1
K297260		1.4	44	2.0	12.4	28	67.5
K297261		0.4	3	0.1	0.7	18	<0.5
K297262		1.7	73	1.6	14.9	35	91.5
K297263		1.8	65	1.5	15.9	20	94.2
K297264		1.6	67	1.4	15.7	18	92.1
K297265		1.7	68	1.4	15.8	24	91.6
K297266		1.7	64	1.4	16.3	28	92.2
K297267		1.7	72	1.7	16.1	29	98.1
K297268		1.8	60	43.4	27.6	30	85.5
K297269		1.7	64	2.6	13.7	40	83.7
K297270		1.8	61	3.0	14.2	22	88.9
K297271		1.8	62	6.1	14.5	17	87.1
K297272		2.1	47	7.7	13.3	19	85.6
K297273		1.9	46	5.1	12.3	21	83.6
K297274		1.2	37	5.2	13.9	15	56.5
K297275		1.2	33	2.5	12.6	9	60.4
K297276		1.1	15	1.1	7.6	5	31.3
K297277		1.3	8	0.7	4.9	6	16.1
K297278		0.6	2	0.1	0.9	17	<0.5
K297279		0.9	4	0.6	3.1	8	7.9
K297280		0.9	6	0.9	3.2	5	9.7
K297281		0.8	3	0.5	2.4	10	5.4
K297282		0.8	4	0.6	2.7	10	7.8
K297283		0.8	3	0.4	3.0	27	7.8
K297284		0.7	3	0.3	2.7	20	6.6
K297285		1.0	3	0.4	2.7	28	7.1
K297286		1.0	3	0.4	3.0	40	7.4
K297287		0.8	2	0.3	2.1	106	4.0
K297288		8.4	223	28.7	19.5	209	55.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121174

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

CERTIFICATE WH11122919

Project: Rackla Gold (Nadaleen)

P.O. No.: BATCH 24

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122919

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K296145		8.53	0.01	0.07	6.36	9.1	110	1.17	0.17	5.76	0.30	43.8	30.2	67	11.95	142.5
K296146		3.73	<0.01	0.06	6.93	25.8	140	1.38	0.18	6.00	0.31	46.9	34.1	70	10.40	149.5
K296147		0.53	<0.01	0.09	7.34	23.9	100	1.57	0.19	4.93	0.21	47.6	34.4	77	5.66	152.5
K296148		0.59	<0.01	0.10	4.99	87.0	170	1.03	0.18	9.89	0.21	51.5	11.1	49	13.95	26.0
K296149		0.23	2.56	0.98	3.07	561	840	0.74	0.39	7.89	1.91	42.3	5.8	57	3.51	39.0
K296150		2.78	<0.01	0.07	8.26	108.0	460	2.06	0.31	2.40	0.06	81.2	13.4	78	21.8	30.2
K296151		2.54	<0.01	0.11	8.03	132.5	290	2.03	0.29	4.79	0.08	79.0	13.9	66	28.7	36.0
K296152		5.52	<0.01	0.04	2.58	26	160	0.67	0.09	22.8	0.05	28.3	4.3	20	7.08	10.1
K296153		6.42	<0.01	0.09	7.42	32.5	250	1.92	0.27	4.86	0.14	63.8	20.4	77	31.2	80.7
K296154		5.98	<0.01	0.10	6.54	15.0	160	1.86	0.25	4.83	0.21	51.9	23.9	70	27.1	99.6
K296155		3.91	<0.01	0.12	6.69	16.8	160	1.81	0.26	5.73	0.28	57.8	24.1	68	26.9	108.5
K296156		5.68	<0.01	0.12	5.89	56	440	1.49	0.22	12.05	0.09	62.3	12.9	50	20.1	31.9
K296157		6.90	<0.01	0.09	7.09	15.4	320	1.83	0.21	4.78	0.34	49.8	31.5	80	28.4	148.0
K296158		4.66	<0.01	0.09	6.84	23.9	230	1.71	0.22	3.75	0.36	52.4	29.1	81	18.05	147.0
K296159		1.57	<0.01	0.07	6.59	22.2	190	1.21	0.19	4.01	0.36	42.6	28.9	79	11.30	135.0
K296160		11.32	<0.01	0.05	6.00	17.4	160	1.29	0.17	4.72	0.38	43.4	26.1	68	12.50	120.5
K296161		10.54	<0.01	0.07	6.48	24.9	140	1.44	0.21	3.28	0.32	47.5	29.3	73	15.15	132.0
K296162		10.43	0.01	0.09	7.25	16.8	130	1.54	0.25	3.58	0.30	56.5	32.9	76	23.4	150.5
K296163		10.57	<0.01	0.09	6.29	17.6	240	1.33	0.21	3.83	0.33	51.0	29.4	68	21.3	134.0
K296164		7.42	0.01	0.01	0.08	<5	10	0.05	0.02	20.6	0.07	1.31	1.3	<1	0.24	2.5
K296165		10.54	<0.01	0.11	6.51	24.1	170	1.16	0.21	4.11	0.30	48.1	28.7	70	33.6	129.0
K296166		7.75	<0.01	0.08	6.78	21.2	570	1.48	0.24	3.11	0.24	54.2	29.0	70	33.5	137.5
K296167		7.13	<0.01	0.12	6.56	32.6	430	1.50	0.29	5.87	0.56	69.9	16.1	55	24.7	49.8
K296168		7.04	<0.01	<0.01	0.09	<5	20	0.06	0.02	20.9	0.06	1.68	1.3	1	0.21	2.1
K296169		9.09	<0.01	0.09	7.32	43.2	340	1.79	0.27	4.17	0.26	82.1	17.2	60	26.8	47.9
K296170		6.14	<0.01	0.11	7.79	98.2	330	1.74	0.30	4.16	0.30	77.0	26.2	67	55.7	102.5
K296171		7.06	0.04	0.14	6.48	526	310	1.36	0.23	4.57	0.31	51.0	28.7	66	31.4	135.5
K296172		7.95	0.01	0.11	6.66	203	220	1.65	0.30	4.78	0.23	72.0	18.7	51	49.5	60.7
K296173		4.44	3.13	0.10	8.12	3940	230	1.89	0.39	1.93	0.24	89.7	16.5	66	54.7	36.4
K296174		1.45	0.03	0.31	5.33	198.0	180	1.10	0.22	3.32	0.05	56.2	16.6	52	19.60	47.9
K296175		4.86	0.09	0.09	6.51	234	240	1.34	0.25	3.72	0.04	65.4	24.0	66	23.7	53.9
K296176		0.23	7.61	0.51	3.76	1020	170	0.71	0.68	11.70	4.33	48.9	5.8	99	8.28	35.1
K296177		4.48	0.01	0.07	5.83	122.0	220	1.04	0.23	5.31	0.05	60.7	17.9	53	24.1	48.3
K296178		2.96	2.93	0.10	5.52	3710	220	1.03	0.22	4.20	0.21	55.0	19.6	51	22.7	50.8
K296179		7.37	6.44	0.47	5.67	>10000	250	1.18	0.24	1.36	0.45	57.9	27.9	61	26.2	51.8
K296180		6.07	5.62	0.12	6.93	5940	230	1.58	0.26	1.13	0.40	72.2	27.4	77	43.6	58.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122919

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296145		6.71	17.70	0.14	2.7	0.1	0.077	1.33	20.4	77.4	3.18	1050	0.28	0.50	9.8	55.6
K296146		6.98	18.45	0.18	3.0	0.2	0.089	1.47	22.2	85.7	2.56	1070	0.27	0.37	10.4	56.4
K296147		6.65	19.55	0.16	2.8	2	0.086	1.57	23.0	68.5	2.43	993	0.37	0.02	10.0	61.8
K296148		4.20	12.25	0.13	1.8	0.6	0.042	1.96	27.0	37.5	1.88	1260	0.63	0.04	6.3	24.3
K296149		2.02	7.16	0.17	1.6	4.7	0.024	0.94	28.1	31.7	2.48	266	17.05	0.03	5.9	47.9
K296150		4.11	20.5	0.19	2.9	0.7	0.055	3.41	42.9	77.4	0.76	763	0.47	0.05	10.8	31.7
K296151		4.20	20.0	0.20	2.7	0.4	0.063	3.52	41.1	42.4	1.23	613	0.47	0.05	10.4	32.3
K296152		1.74	5.96	0.14	0.8	<1	0.019	1.04	13.4	11.1	1.94	641	0.34	0.02	2.9	10.2
K296153		5.50	19.30	0.16	2.8	0.22	0.081	2.96	32.6	125.5	1.88	751	0.71	0.04	10.6	39.1
K296154		6.04	17.15	0.16	2.9	0.35	0.088	2.40	24.9	194.0	2.56	926	0.78	0.04	12.1	43.2
K296155		6.49	17.30	0.18	3.2	0.4	0.083	2.46	26.8	192.5	2.76	1020	1.21	0.04	11.7	45.2
K296156		3.70	14.05	0.17	2.1	0.54	0.045	2.63	32.6	14.8	1.50	982	1.15	0.04	7.3	28.1
K296157		7.30	19.00	0.17	3.4	0.17	0.097	1.92	23.4	169.5	1.86	1180	0.43	0.02	13.0	55.4
K296158		7.38	19.30	0.19	3.5	0.14	0.097	1.82	23.3	118.5	1.56	1180	0.32	0.02	13.6	51.3
K296159		7.73	16.95	0.15	2.9	0.18	0.089	1.31	21.1	81.2	1.31	1370	0.34	0.02	12.3	50.9
K296160		6.86	16.30	0.15	2.8	0.20	0.074	1.22	19.3	113.0	3.11	1320	0.55	0.02	11.1	48.6
K296161		6.84	17.60	0.14	3.1	0.26	0.084	1.43	22.1	77.4	2.63	1020	0.43	0.02	13.1	54.7
K296162		7.40	22.1	0.16	4.0	0.14	0.112	1.76	24.5	91.5	2.93	1060	0.32	0.03	14.4	57.1
K296163		6.75	19.15	0.16	3.6	0.11	0.098	1.34	22.2	80.9	3.06	1070	0.32	0.05	13.3	50.1
K296164		0.46	0.34	0.20	<0.1	<0.01	0.005	0.03	0.6	1.0	12.55	211	<0.05	<0.01	0.3	<0.2
K296165		7.25	19.25	0.15	3.6	0.1	0.091	1.33	21.3	130.0	3.00	1100	0.23	0.49	12.3	50.8
K296166		6.65	20.1	0.16	3.8	0.07	0.103	1.77	23.6	129.5	2.55	931	0.27	0.25	14.2	49.2
K296167		4.83	18.00	0.12	2.9	0.31	0.062	2.59	32.3	44.9	3.14	701	2.11	0.04	9.0	43.4
K296168		0.46	0.37	0.23	<0.1	<0.1	0.005	0.03	0.8	1.1	12.70	194	0.32	<0.01	0.4	<0.2
K296169		4.06	19.85	0.14	3.1	0.54	0.069	3.08	38.3	33.3	2.45	595	2.39	0.04	10.0	38.4
K296170		5.75	22.3	0.15	3.9	2.44	0.090	2.41	34.9	51.5	2.23	758	1.36	0.03	12.8	49.2
K296171		6.89	19.35	0.16	3.4	3.28	0.095	2.17	22.9	55.7	2.31	1040	1.85	0.02	12.6	52.2
K296172		4.38	19.00	0.13	3.0	4.19	0.075	2.33	33.9	37.1	2.45	603	1.05	0.04	10.8	35.8
K296173		4.50	22.6	0.14	3.2	15.4	0.068	3.14	43.3	27.1	1.11	642	0.83	0.04	11.8	37.5
K296174		4.57	14.50	0.11	2.7	2.02	0.054	2.29	25.3	24.4	1.65	758	0.48	0.03	8.6	31.6
K296175		5.82	18.00	0.14	3.1	1.94	0.062	2.73	29.6	43.7	1.93	749	0.79	0.03	10.8	44.2
K296176		1.41	8.04	0.08	2.4	6.19	0.071	1.51	30.3	8.9	0.73	271	11.10	0.01	8.1	65.1
K296177		4.95	16.05	0.12	3.1	1.78	0.060	2.43	26.9	32.8	2.52	957	0.28	0.03	10.2	33.2
K296178		4.87	15.45	0.11	2.8	12.4	0.058	2.21	25.0	22.7	2.01	1410	0.35	0.03	9.6	33.0
K296179		4.36	16.70	0.11	2.9	24.0	0.064	2.30	26.9	16.3	0.83	734	0.31	0.02	8.8	41.2
K296180		5.43	20.9	0.11	2.9	14.3	0.072	2.89	33.5	19.2	0.79	513	0.42	0.03	10.3	43.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122919

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296145		580	10.3	75.4	<0.002	0.10	0.27	26.8	3	1.7	67.2	0.62	0.14	4.8	0.652	0.56
K296146		620	8.7	83.3	<0.002	0.09	0.26	27.7	2	1.9	70.7	0.67	0.18	5.2	0.688	0.72
K296147		610	8.4	84.0	0.002	0.48	0.45	26.8	2	2.0	60.9	0.66	0.13	5.2	0.715	0.87
K296148		660	14.8	85.8	<0.002	0.53	1.46	10.8	1	1.5	140.0	0.44	<0.05	7.5	0.243	1.80
K296149		860	36.3	45.6	0.023	1.48	99.7	4.5	3	2.3	70.2	0.39	0.23	6.1	0.161	3.35
K296150		600	16.9	134.5	0.002	1.08	1.06	13.8	1	2.4	134.0	0.80	0.06	13.7	0.401	1.32
K296151		520	18.1	133.0	<0.002	0.73	0.59	13.5	2	2.2	192.0	0.76	0.05	12.7	0.373	1.04
K296152		430	6.1	45.1	<0.002	0.83	0.35	4.6	2	0.7	772	0.21	<0.05	3.7	0.102	0.81
K296153		530	11.4	127.5	0.003	1.07	0.35	21.4	2	2.2	221	0.72	0.18	8.5	0.495	0.97
K296154		620	9.9	112.5	0.004	0.83	0.44	21.8	2	2.1	144.0	0.78	0.29	6.2	0.599	1.18
K296155		620	13.4	115.5	0.003	1.11	0.53	22.0	3	2.1	162.0	0.76	0.20	7.1	0.588	1.28
K296156		570	15.5	120.5	0.004	1.28	0.50	11.2	2	1.8	335	0.53	<0.05	9.6	0.267	1.36
K296157		670	10.6	120.0	0.005	0.27	0.36	26.4	3	2.0	145.5	0.81	0.28	5.9	0.715	0.53
K296158		610	10.7	116.5	0.004	0.22	0.37	26.5	2	2.1	107.5	0.86	0.37	5.8	0.692	0.43
K296159		560	10.2	82.1	0.002	0.38	0.37	25.0	2	1.8	101.5	0.78	0.30	5.1	0.686	0.44
K296160		510	9.1	79.0	0.004	1.16	0.32	22.4	2	1.7	114.5	0.70	0.21	4.7	0.617	0.56
K296161		600	10.3	83.6	0.003	1.12	0.38	24.4	2	2.0	100.0	0.84	0.30	5.5	0.658	0.70
K296162		710	12.5	132.5	0.002	0.61	0.34	29.0	3	2.2	87.5	0.92	0.26	7.2	0.699	0.43
K296163		580	11.1	99.9	0.002	0.69	0.37	26.0	3	1.9	98.0	0.80	0.23	6.1	0.652	0.39
K296164		180	1.3	1.9	<0.002	0.02	<0.05	0.3	1	<0.2	39.5	<0.05	<0.05	<0.2	<0.005	<0.02
K296165		610	11.0	97.5	0.002	0.62	0.26	26.0	3	1.8	114.5	0.80	0.22	6.1	0.655	0.56
K296166		660	10.8	130.0	0.002	0.78	0.30	28.1	3	2.1	130.5	0.88	0.27	7.0	0.645	0.68
K296167		440	23.8	143.0	0.004	4.15	0.63	15.9	2	2.1	202	0.66	0.08	11.3	0.346	1.82
K296168		210	1.3	1.8	<0.002	0.01	<0.05	0.4	1	<0.2	43.8	<0.05	<0.05	<0.2	<0.005	0.02
K296169		430	23.4	174.5	0.006	3.78	0.64	16.7	2	2.4	120.5	0.71	0.06	13.3	0.338	2.07
K296170		580	24.2	155.5	0.004	5.69	0.70	22.8	3	2.3	154.0	0.91	0.17	12.8	0.558	4.62
K296171		590	11.5	151.5	0.003	7.13	2.31	26.5	3	1.9	108.5	0.79	0.26	6.4	0.630	6.57
K296172		740	18.0	145.5	0.003	4.14	1.74	15.8	2	2.4	172.5	0.73	0.09	11.8	0.385	6.14
K296173		530	25.5	175.0	0.002	4.30	38.4	15.9	2	2.6	128.5	0.90	0.08	16.8	0.376	38.9
K296174		520	17.3	125.5	<0.002	3.88	3.00	15.2	2	1.6	108.5	0.60	<0.05	9.5	0.399	3.48
K296175		510	22.2	160.5	<0.002	5.46	2.84	18.1	2	2.4	139.5	0.75	0.05	11.3	0.493	4.16
K296176		4370	5.1	135.0	0.039	1.44	20.1	6.7	9	1.8	149.5	0.53	0.59	7.3	0.220	12.40
K296177		470	13.9	143.5	<0.002	3.92	2.07	15.3	2	2.2	157.5	0.71	<0.05	10.5	0.442	3.59
K296178		400	14.3	130.5	<0.002	4.03	26.4	16.2	2	2.6	182.0	0.62	0.06	9.8	0.408	33.2
K296179		390	14.4	134.5	<0.002	4.51	67.3	13.3	2	4.2	150.5	0.63	0.07	10.5	0.412	71.7
K296180		360	19.3	174.5	<0.002	5.44	47.6	17.9	2	3.3	115.5	0.70	0.10	11.4	0.450	34.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122919

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296145		1.1	218	0.7	24.1	95	86.0	
K296146		1.3	225	0.9	26.2	98	101.5	
K296147		1.3	231	1.6	22.0	105	93.0	
K296148		1.6	71	2.3	18.2	87	55.8	
K296149		8.4	222	24.7	19.3	198	51.3	
K296150		2.8	86	3.9	17.8	83	90.6	
K296151		2.5	83	1.8	16.8	76	85.9	
K296152		1.5	26	0.4	8.8	25	25.0	
K296153		1.8	158	1.4	22.3	85	90.3	
K296154		1.8	183	1.3	23.6	86	97.1	
K296155		2.1	184	1.4	26.3	99	101.0	
K296156		2.8	75	1.2	20.5	68	65.9	
K296157		1.8	227	1.2	26.9	102	147.5	
K296158		1.7	225	1.0	33.0	99	118.0	
K296159		1.6	216	0.8	24.3	95	99.8	
K296160		1.4	191	0.8	23.8	91	117.0	
K296161		1.6	212	0.9	23.6	96	107.5	
K296162		2.0	230	1.2	32.8	100	143.0	
K296163		1.7	200	1.0	29.2	88	126.5	
K296164		1.0	2	0.1	1.0	14	1.6	
K296165		1.7	208	0.8	28.8	97	123.5	
K296166		1.8	210	0.9	31.0	90	136.5	
K296167		3.1	118	1.5	19.8	216	94.4	
K296168		0.6	2	0.1	1.0	14	0.7	
K296169		3.2	124	1.5	21.8	108	102.0	
K296170		3.4	182	2.0	28.3	107	124.5	
K296171		1.8	203	3.8	27.9	91	123.5	
K296172		4.5	110	3.0	25.5	88	107.5	
K296173		3.3	98	5.5	21.7	99	106.0	
K296174		1.8	107	8.1	20.1	65	89.1	
K296175		2.2	130	3.3	23.3	69	111.0	
K296176		8.7	397	37.4	30.6	285	79.8	
K296177		2.0	114	3.0	23.3	65	101.5	
K296178		2.0	110	6.2	22.6	70	98.1	
K296179		2.1	117	8.7	21.8	94	93.0	1.120
K296180		2.2	140	6.8	23.1	81	103.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122919

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

CERTIFICATE WH11121177

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 25 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121177

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296897		3.71	16.40	0.76	5.83	4160	300	1.05	0.23	3.82	0.64	68.7	22.9	65	18.60	46.4
K296898		8.39	12.75	0.58	5.85	2350	280	0.92	0.26	2.99	0.60	69.0	18.1	63	13.55	39.0
K296899		6.43	18.40	0.79	5.12	1660	260	0.83	0.24	6.97	0.63	64.2	17.7	50	12.20	41.2
K296900		4.78	2.19	0.10	1.27	380	110	0.32	0.06	31.3	0.05	21.2	4.6	12	3.40	11.7
K296901		4.52	0.56	0.04	1.31	202	120	0.31	0.05	31.2	0.05	19.25	4.7	13	3.88	11.0
K296902		8.24	0.97	0.07	1.94	357	110	0.39	0.10	29.0	0.08	21.7	6.7	18	4.66	18.1
K296903		7.15	0.16	0.02	3.38	299	130	0.72	0.14	21.0	0.08	37.4	10.8	29	9.50	23.9
K296904		3.29	0.10	0.02	2.93	287	130	0.70	0.13	23.4	0.06	33.6	10.2	27	8.28	22.7
K296905		7.03	0.41	0.03	3.66	274	120	0.77	0.16	20.2	0.09	37.7	13.4	32	11.20	27.4
K296906		3.45	0.39	0.01	1.77	144	80	0.46	0.08	29.1	0.03	19.55	7.5	15	4.15	13.8
K296907		4.25	0.10	0.02	5.24	1380	150	1.12	0.22	16.90	0.05	52.1	20.2	42	15.15	40.8
K296908		5.27	2.80	0.04	4.84	745	140	0.94	0.21	13.80	0.09	51.7	17.8	40	12.65	35.6
K296909		7.14	0.23	0.04	4.00	1290	110	0.88	0.16	19.95	0.04	36.1	13.7	36	9.92	31.8
K296910		0.26	0.37	0.30	6.18	608	2160	0.54	0.26	0.47	0.17	133.0	2.7	230	3.18	29.8
K296911		2.95	0.01	0.07	5.65	738	150	1.58	0.21	4.23	0.07	53.9	22.7	64	19.00	43.8
K296912		7.55	0.01	0.07	6.94	635	220	1.74	0.29	3.56	0.13	73.3	13.8	64	20.4	36.7
K296913		6.49	<0.01	0.07	5.83	1500	200	1.27	0.23	7.70	0.11	62.1	14.8	53	16.10	36.0
K296914		5.54	0.01	0.02	2.75	417	130	0.71	0.12	26.1	0.04	29.1	10.4	23	7.55	21.7
K296915		4.99	<0.01	<0.01	0.06	8	20	0.06	0.02	21.4	0.06	1.30	1.2	<1	0.14	1.5
K296916		3.55	0.01	0.04	4.22	460	130	1.09	0.18	19.00	0.06	48.1	14.2	35	16.35	28.9
K296917		5.66	0.41	0.01	3.21	2020	100	0.68	0.13	23.1	0.05	34.9	11.9	25	9.48	23.1
K296918		2.06	10.95	0.03	3.24	>10000	250	0.50	0.17	1.87	0.52	48.9	11.1	36	9.33	29.1
K296919		3.85	9.41	0.03	3.91	>10000	280	0.55	0.21	0.62	0.49	53.4	14.7	42	8.99	39.0
K296920		0.26	7.84	0.51	3.44	1130	160	0.70	0.61	10.95	3.84	41.7	5.1	92	6.41	32.2
K296921		5.57	8.77	0.03	4.54	>10000	220	0.75	0.18	0.20	0.26	62.5	14.1	60	12.05	33.3
K296922		6.37	2.12	0.05	6.25	>10000	160	1.27	0.20	0.15	0.25	63.7	20.8	83	22.9	44.5
K296923		3.09	2.75	0.06	7.90	6710	190	2.21	0.25	0.08	0.21	78.1	27.0	101	40.6	56.5
K296924		4.06	3.47	0.07	5.88	>10000	220	1.45	0.24	0.17	0.30	66.9	19.7	73	28.4	44.0
K296925		4.97	<0.01	0.01	0.08	22	20	0.06	0.02	19.95	0.07	1.44	1.4	1	0.29	2.2
K296926		8.14	1.46	0.04	4.41	>10000	240	0.90	0.20	0.17	0.21	62.4	10.7	55	15.45	26.6
K296927		7.93	0.27	0.05	4.89	1720	230	1.00	0.21	1.60	0.11	59.6	12.0	48	14.00	27.4
K296928		7.50	0.24	0.08	5.04	1540	180	0.98	0.21	1.41	0.12	63.3	16.0	51	14.40	31.3
K296929		7.44	2.18	0.04	4.64	6740	230	0.90	0.19	0.46	0.15	55.6	13.9	47	13.70	28.3
K296930		7.60	0.62	0.05	5.17	1150	200	1.14	0.24	1.54	0.12	65.0	12.5	51	16.35	31.2
K296931		7.78	0.10	0.04	6.05	336	200	1.43	0.25	2.11	0.49	76.7	12.5	60	22.4	35.6
K296932		7.52	<0.01	0.05	5.40	123.0	170	1.55	0.22	2.45	0.09	60.6	15.3	56	21.5	38.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121177

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296897		4.23	19.20	0.14	2.4	26.5	0.047	2.77	34.7	18.7	0.38	406	1.00	0.02	8.7	33.8
K296898		4.48	17.80	0.13	2.6	24.3	0.043	2.71	33.2	13.8	0.34	302	0.90	0.03	9.8	30.0
K296899		3.79	15.70	0.12	2.4	22.0	0.037	2.36	33.7	15.8	0.37	585	0.95	0.02	8.1	28.0
K296900		0.88	3.59	0.06	0.6	3.79	0.013	0.60	11.1	5.0	0.23	1500	0.25	0.01	1.9	6.5
K296901		0.86	3.54	0.06	0.6	3.10	0.013	0.63	10.5	5.1	0.30	747	0.38	0.01	1.9	7.0
K296902		1.25	4.94	0.07	0.9	5.19	0.018	0.90	13.4	5.1	0.45	1110	1.26	0.01	3.1	9.0
K296903		2.04	8.39	0.09	2.0	3.53	0.029	1.57	20.2	8.4	0.76	531	1.23	0.02	5.8	14.4
K296904		1.93	7.39	0.12	1.7	3.4	0.027	1.37	18.0	7.4	0.76	502	1.21	0.02	5.2	13.7
K296905		2.24	9.19	0.11	1.9	4.26	0.031	1.70	20.6	7.6	0.99	875	0.97	0.02	6.0	18.0
K296906		1.22	4.58	0.08	0.8	1.9	0.017	0.82	10.7	4.0	0.54	802	0.37	0.02	2.8	8.1
K296907		3.13	13.80	0.14	2.3	3.9	0.048	2.46	31.2	11.2	1.05	873	0.81	0.03	8.1	26.6
K296908		2.78	12.75	0.14	2.3	4.72	0.041	2.27	29.4	9.5	0.78	1230	0.40	0.02	7.7	23.7
K296909		2.91	10.45	0.12	1.6	3.61	0.039	1.85	20.2	7.8	1.24	1190	0.55	0.02	5.7	21.3
K296910		6.58	19.25	0.23	4.3	9.2	0.046	1.34	65.8	18.8	0.12	33	6.71	0.37	10.5	16.0
K296911		6.69	14.60	0.21	2.3	5.57	0.048	2.55	27.1	15.5	0.60	454	1.18	0.02	8.4	37.6
K296912		4.17	17.55	0.16	3.2	9.4	0.064	3.23	36.4	16.1	1.24	412	0.70	0.03	12.6	28.7
K296913		4.03	14.50	0.14	2.8	7.27	0.053	2.70	31.8	12.8	1.44	707	0.80	0.03	9.8	32.1
K296914		1.90	7.21	0.11	1.2	5.73	0.025	1.28	16.5	5.6	0.97	607	0.98	0.02	4.3	14.9
K296915		0.49	0.22	<0.05	<0.1	0.01	<0.005	0.02	0.6	0.9	12.60	207	0.20	<0.01	0.3	<0.2
K296916		2.78	10.45	0.14	2.0	6.64	0.043	2.01	26.5	9.8	0.97	674	0.44	0.02	6.4	18.5
K296917		1.92	7.97	0.09	1.4	9.0	0.033	1.49	20.8	7.1	0.54	640	0.39	0.02	4.8	14.7
K296918		2.65	9.02	0.15	1.7	32.6	0.133	1.43	26.8	19.6	0.24	211	0.95	0.01	4.9	18.7
K296919		2.88	11.55	0.14	1.9	32.7	0.102	1.79	30.5	18.8	0.27	245	1.05	0.01	5.7	23.1
K296920		1.32	6.82	0.12	2.1	5.63	0.054	1.45	27.7	8.8	0.67	260	11.25	0.01	7.9	60.4
K296921		3.55	13.45	0.15	2.2	21.4	0.099	2.09	32.1	19.5	0.29	99	0.39	0.02	7.0	31.0
K296922		5.52	18.65	0.15	2.4	13.1	0.054	2.70	31.9	20.6	0.35	59	0.26	0.02	8.7	34.3
K296923		5.26	24.4	0.16	3.0	14.0	0.063	3.73	39.1	22.7	0.48	41	0.33	0.02	11.1	46.5
K296924		5.08	16.75	0.18	2.6	15.7	0.059	2.58	33.2	17.5	0.35	61	0.57	0.02	9.4	31.5
K296925		0.42	0.32	0.11	<0.1	0.02	<0.005	0.04	0.7	1.3	12.45	179	0.30	0.01	0.4	1.1
K296926		3.49	12.35	0.13	2.5	8.8	0.043	1.92	30.6	16.0	0.26	79	0.76	0.02	8.5	22.9
K296927		4.14	13.05	0.14	2.6	4.34	0.046	2.13	29.9	15.3	0.76	464	0.52	0.02	8.5	25.2
K296928		4.55	13.45	0.17	2.7	5.89	0.051	2.17	31.3	16.3	0.71	379	0.59	0.02	8.9	29.7
K296929		3.48	12.70	0.12	2.3	7.03	0.041	1.92	27.5	18.1	0.36	268	0.46	0.02	7.7	25.7
K296930		4.03	13.80	0.16	2.8	5.12	0.047	2.25	32.3	17.3	0.81	548	0.62	0.02	9.3	26.0
K296931		3.77	16.40	0.16	3.5	2.88	0.058	2.68	38.3	21.9	1.05	553	1.20	0.03	11.5	27.0
K296932		4.22	14.40	0.15	2.7	1.10	0.049	2.47	30.2	25.1	1.18	503	0.81	0.03	9.3	29.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121177

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296897		500	15.2	135.5	0.005	4.66	77.1	9.9	1	2.1	347	0.68	0.13	9.8	0.344	101.0
K296898		670	19.2	124.5	<0.002	4.85	71.3	9.2	2	2.2	253	0.73	0.10	10.9	0.391	93.3
K296899		540	20.9	108.0	0.003	4.22	72.9	7.7	2	1.8	465	0.60	0.13	9.3	0.313	89.8
K296900		190	5.4	28.7	0.002	1.02	9.34	4.4	2	0.4	1370	0.13	<0.05	2.4	0.069	15.30
K296901		150	4.3	29.6	<0.002	0.95	5.94	3.6	1	0.4	1550	0.13	<0.05	2.3	0.071	12.65
K296902		160	7.4	50.0	0.003	1.39	9.44	5.0	2	0.5	1205	0.18	0.05	3.2	0.101	22.8
K296903		150	10.7	85.2	0.002	2.00	1.96	7.6	2	0.9	889	0.37	0.05	5.7	0.202	9.85
K296904		150	9.8	77.6	0.002	1.88	1.72	7.0	2	0.8	1080	0.32	<0.05	5.3	0.175	9.06
K296905		210	11.6	92.4	0.003	2.03	4.34	8.7	2	1.0	679	0.37	0.06	6.2	0.208	12.50
K296906		190	5.4	45.2	<0.002	1.04	2.25	4.8	2	0.5	935	0.17	<0.05	2.8	0.091	6.32
K296907		280	15.4	121.5	0.002	2.89	3.14	12.8	2	1.5	532	0.51	0.11	8.4	0.274	12.65
K296908		260	13.5	110.5	<0.002	2.66	9.55	10.9	2	1.4	418	0.49	0.09	7.9	0.271	16.70
K296909		330	10.4	101.0	0.002	2.14	3.51	10.3	2	1.1	603	0.35	0.06	5.7	0.200	9.45
K296910		910	17.1	52.5	0.004	3.13	111.0	14.9	2	2.8	526	0.71	0.12	9.6	0.536	7.55
K296911		230	43.9	121.0	0.002	7.18	1.93	13.1	2	1.7	104.5	0.55	<0.05	8.8	0.350	13.25
K296912		740	26.0	150.0	<0.002	3.41	0.92	15.1	2	2.2	107.0	0.85	0.05	12.3	0.447	11.35
K296913		730	21.7	121.5	<0.002	3.42	1.64	12.7	2	1.8	278	0.66	<0.05	10.2	0.352	8.66
K296914		290	10.9	69.5	0.003	1.59	0.41	6.9	2	0.8	924	0.27	0.06	4.5	0.139	8.46
K296915		180	1.2	1.0	<0.002	0.02	<0.05	0.2	1	<0.2	49.3	<0.05	<0.05	<0.2	<0.005	<0.02
K296916		280	11.9	103.5	0.002	2.63	0.40	9.7	2	1.3	482	0.43	0.07	7.0	0.232	9.62
K296917		240	9.3	79.3	<0.002	2.06	2.67	8.6	2	0.9	604	0.30	0.07	5.0	0.162	17.20
K296918		350	12.8	79.5	0.003	6.43	150.5	3.5	3	1.2	245	0.34	0.13	5.8	0.188	86.3
K296919		340	18.4	98.4	0.004	5.42	96.6	4.0	2	1.4	241	0.39	0.12	7.1	0.215	90.6
K296920		4170	4.6	108.0	0.036	1.36	16.85	5.4	8	1.6	147.0	0.50	0.49	6.5	0.206	12.70
K296921		410	10.0	102.5	<0.002	5.73	71.1	6.8	2	1.6	144.0	0.49	0.08	7.9	0.278	69.9
K296922		190	13.2	139.5	0.002	5.99	44.4	11.9	2	2.0	70.5	0.59	0.05	9.4	0.378	52.7
K296923		210	27.7	195.5	0.002	5.41	30.2	17.8	2	2.3	64.8	0.75	0.05	12.2	0.473	49.7
K296924		360	21.6	131.0	<0.002	5.45	24.0	11.6	2	1.8	103.5	0.64	<0.05	10.2	0.379	51.5
K296925		190	1.2	1.4	<0.002	0.01	0.08	0.3	2	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.04
K296926		450	13.8	110.0	<0.002	3.55	12.15	7.0	2	1.6	131.0	0.59	0.06	9.4	0.330	25.8
K296927		450	19.3	107.5	<0.002	3.95	3.64	10.6	2	1.7	124.0	0.61	<0.05	9.4	0.313	11.65
K296928		460	28.8	105.0	<0.002	4.38	2.41	11.8	2	1.8	95.4	0.60	0.05	9.8	0.331	15.20
K296929		430	20.0	110.0	<0.002	3.37	18.15	9.0	2	2.1	125.0	0.55	0.05	8.7	0.292	19.00
K296930		500	17.3	111.0	<0.002	3.38	6.56	12.6	2	2.1	115.5	0.63	<0.05	10.2	0.344	15.15
K296931		640	18.3	129.5	<0.002	3.08	2.25	14.4	2	2.1	107.5	0.79	0.05	11.9	0.424	6.15
K296932		410	16.6	116.0	<0.002	3.44	0.67	13.9	2	1.9	84.7	0.64	<0.05	9.6	0.388	3.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121177

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296897		3.2	105	7.8	19.8	105	79.5	
K296898		2.9	100	9.0	21.9	118	89.0	
K296899		4.0	85	7.2	18.0	90	82.0	
K296900		2.4	18	1.8	13.1	12	22.0	
K296901		2.2	19	1.4	12.6	16	22.4	
K296902		2.9	28	1.8	13.9	23	35.4	
K296903		2.4	50	3.8	17.4	43	74.5	
K296904		2.4	43	3.4	16.6	33	63.8	
K296905		2.6	54	2.9	17.0	44	68.2	
K296906		1.9	26	1.1	13.2	18	30.5	
K296907		3.0	80	3.4	21.4	52	85.5	
K296908		2.4	74	4.6	19.5	55	83.7	
K296909		2.0	60	3.7	17.3	41	59.7	
K296910		7.5	164	22.4	14.8	41	174.5	
K296911		1.6	111	8.0	17.2	54	82.5	
K296912		2.7	111	9.3	24.4	92	114.0	
K296913		2.4	89	9.1	22.2	75	96.8	
K296914		2.1	41	2.9	15.0	32	44.7	
K296915		0.5	3	0.2	0.8	20	<0.5	
K296916		2.2	63	4.4	18.3	47	68.4	
K296917		2.3	46	4.0	16.9	43	50.9	
K296918		5.6	56	4.4	24.9	58	55.1	8.93
K296919		4.8	69	4.4	22.0	79	63.2	6.32
K296920		8.0	382	33.9	27.1	278	76.6	
K296921		3.1	92	7.3	26.0	51	71.3	5.68
K296922		1.9	133	10.6	24.1	47	80.9	1.190
K296923		2.2	170	15.9	25.4	62	103.0	
K296924		2.1	116	10.0	23.4	152	89.5	1.295
K296925		0.9	1	0.3	0.9	16	<0.5	
K296926		2.1	81	9.4	18.5	112	84.3	0.924
K296927		2.0	80	6.8	16.8	68	84.1	
K296928		2.1	84	6.5	18.3	77	91.7	
K296929		1.9	76	5.9	16.8	62	77.1	
K296930		2.1	86	6.6	18.9	74	91.6	
K296931		2.6	101	7.8	23.3	317	116.5	
K296932		2.0	102	3.0	18.0	71	94.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121177

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

CERTIFICATE WH11123195

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 26- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123195

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296933		7.24	0.01	0.07	6.21	84.2	170	1.74	0.26	2.25	<0.02	63.4	19.0	62	33.6	43.7
K296934		7.67	<0.01	0.04	5.81	37.9	190	1.53	0.20	3.00	0.02	63.6	14.4	64	31.9	43.5
K296935		8.47	0.13	0.02	4.84	331	160	0.99	0.19	3.35	0.04	56.1	10.4	54	14.80	34.9
K296936		8.62	<0.01	0.06	6.21	27.5	160	1.68	0.24	1.74	0.28	64.4	17.1	65	31.9	44.9
K296937		7.26	<0.01	0.08	6.37	76.2	190	1.88	0.22	1.55	0.11	65.1	20.2	66	36.4	47.6
K296938		8.27	<0.01	0.05	6.35	28.6	180	1.62	0.27	1.56	0.06	66.1	15.2	66	40.4	43.2
K296939		8.08	<0.01	0.05	6.17	37.9	220	1.64	0.24	1.91	0.05	65.0	15.9	64	33.2	43.1
K296940		7.83	0.06	0.06	5.71	393	300	1.53	0.23	2.87	0.04	62.4	13.6	58	23.4	37.0
K296941		8.03	<0.01	0.09	5.87	30.0	260	1.49	0.24	2.11	0.14	64.5	16.4	61	29.9	38.6
K296942		8.24	<0.01	0.11	6.24	30.8	500	1.50	0.24	2.71	0.26	64.1	16.2	62	30.2	42.5
K296943		6.97	0.01	0.06	6.48	43.1	310	1.06	0.16	5.45	0.23	44.5	25.0	64	8.10	132.5
K296944		3.54	<0.01	0.08	6.51	45.3	250	1.16	0.17	4.94	0.25	45.2	26.3	66	7.66	135.0
K296945		5.39	<0.01	0.06	6.40	8.8	510	0.99	0.16	6.04	0.17	43.8	27.3	64	5.97	121.5
K296946		7.11	0.01	0.08	6.45	9.1	170	1.03	0.16	4.98	0.17	44.8	26.7	61	8.20	127.5
K296947		6.76	<0.01	0.07	6.77	5.9	770	1.14	0.15	4.03	0.18	43.5	31.2	72	7.53	159.0
K296948		0.20	0.37	0.30	6.17	604	670	0.63	0.26	0.45	0.15	134.5	2.7	226	3.30	27.7
K296949		5.74	0.04	0.08	6.73	4.8	390	0.91	0.15	5.38	0.27	40.6	27.9	69	8.52	145.0
K296950		7.46	0.01	0.07	7.06	12.3	190	1.20	0.19	3.29	0.22	41.8	28.5	71	8.84	157.0
K296951		10.63	0.01	0.06	6.76	4.4	230	1.01	0.18	4.03	0.26	41.7	27.9	67	13.45	151.0
K296952		1.93	0.01	0.08	7.08	153.5	280	1.33	0.25	3.30	0.37	55.5	32.8	74	21.8	152.0
K296953		7.02	<0.01	0.02	0.09	<5	20	0.06	0.03	21.1	0.04	1.33	0.6	1	0.17	1.9
K296954		4.94	0.11	0.13	7.30	6190	980	0.93	0.21	0.20	0.11	52.7	11.2	83	19.60	73.3
K296955		4.04	0.01	0.10	7.14	1775	270	1.29	0.20	1.35	0.20	43.9	24.4	81	8.41	163.5
K296956		6.80	0.02	0.11	7.91	834	570	1.90	0.26	1.01	0.36	59.6	37.1	95	20.6	179.5
K296957		9.86	0.01	0.09	6.63	117.0	140	1.59	0.23	3.21	0.35	51.8	31.8	74	27.7	147.0
K296958		11.34	0.01	0.09	6.75	14.3	240	1.44	0.23	3.00	0.35	51.9	30.6	74	29.5	145.0
K296959		10.45	0.01	0.11	6.64	81.3	260	1.50	0.24	4.28	0.31	58.0	27.3	67	21.3	126.5
K296960		8.61	0.02	0.12	6.74	44.7	340	1.80	0.27	5.43	0.22	80.3	16.3	49	18.75	46.9
K296961		9.76	0.01	0.62	6.67	45.7	610	1.50	0.20	4.40	0.24	48.2	29.1	69	22.3	141.5
K296962		0.25	0.34	0.33	6.18	618	2620	0.59	0.27	0.47	0.19	141.0	2.9	242	3.65	30.3
K296963		9.37	0.01	0.24	6.60	60.0	620	1.53	0.21	4.23	0.17	50.6	24.8	65	19.75	116.0
K296964		8.26	<0.01	0.29	6.27	45.7	400	1.67	0.25	5.22	0.16	54.2	20.0	61	19.95	105.5
K296965		8.07	0.01	0.37	7.03	68.8	370	1.76	0.32	3.52	0.38	71.4	19.5	74	16.25	65.2
K296966		7.92	0.01	0.41	6.56	103.5	500	1.68	0.31	2.85	0.34	63.1	20.5	66	15.25	60.5
K296967		8.40	0.01	0.20	6.38	99.6	360	1.76	0.29	4.28	0.43	58.0	23.0	63	14.40	85.4
K296968		7.05	<0.01	0.01	0.11	6	70	0.05	0.12	21.0	0.07	1.81	1.2	3	0.25	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123195

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296933		4.47	15.45	0.14	2.6	0.66	0.059	2.76	26.7	21.2	1.27	484	0.36	0.02	8.4	32.4
K296934		5.08	14.45	0.17	2.5	0.49	0.061	2.50	26.5	39.8	1.69	703	0.28	0.02	8.4	26.5
K296935		5.14	11.35	0.17	2.2	0.69	0.050	2.05	22.3	18.6	1.46	827	0.26	0.01	7.0	21.1
K296936		4.88	15.60	0.18	2.6	0.74	0.061	2.76	26.6	23.9	1.24	431	0.58	0.02	7.6	31.5
K296937		4.82	17.30	0.18	2.6	0.67	0.063	2.84	28.2	22.3	1.20	385	0.68	0.01	8.4	35.8
K296938		5.18	16.60	0.17	2.7	0.32	0.064	2.79	28.1	38.4	1.52	391	0.54	0.02	8.7	30.0
K296939		5.35	15.40	0.19	2.6	0.57	0.054	2.67	27.1	34.7	1.30	511	0.46	0.02	8.2	27.7
K296940		4.67	14.00	0.19	2.6	0.54	0.064	2.47	25.4	27.2	1.49	699	0.35	0.02	8.4	24.9
K296941		4.17	14.30	0.16	2.5	0.24	0.055	2.60	25.3	30.4	1.61	462	0.34	0.02	7.8	29.0
K296942		5.36	14.70	0.16	2.8	0.63	0.053	2.72	26.8	49.3	1.86	693	0.55	0.02	8.2	31.1
K296943		6.49	15.75	0.14	2.0	0.15	0.076	1.34	15.7	61.1	2.47	1050	0.36	0.63	9.0	44.5
K296944		6.57	16.25	0.16	2.3	0.16	0.075	1.39	15.7	65.5	2.38	1010	0.42	0.54	9.2	46.5
K296945		6.53	16.60	0.16	2.2	0.02	0.072	0.92	15.5	48.3	2.74	1080	0.25	1.03	8.8	44.5
K296946		6.71	16.20	0.15	2.4	0.08	0.082	1.22	15.8	52.9	2.92	1000	0.30	0.73	9.5	43.6
K296947		7.49	17.15	0.13	2.9	0.05	0.088	0.98	14.7	54.9	3.31	910	0.37	1.01	9.0	51.6
K296948		6.49	18.20	0.23	3.9	9.4	0.042	1.29	54.1	17.2	0.12	36	6.45	0.37	8.8	14.8
K296949		7.24	16.15	0.12	1.8	0.08	0.074	0.87	14.2	50.0	3.20	1120	0.30	1.29	9.0	46.0
K296950		7.41	17.85	0.14	1.4	0.09	0.092	1.25	14.6	52.2	3.11	816	0.28	0.97	10.7	49.8
K296951		7.52	15.95	0.15	2.1	0.12	0.080	1.19	14.0	77.2	2.86	958	0.27	0.92	9.2	46.5
K296952		7.16	18.65	0.19	2.6	0.35	0.086	2.01	18.9	135.5	1.30	1010	0.49	0.24	12.8	57.7
K296953		0.43	0.21	0.09	<0.1	<0.01	0.005	0.03	0.5	1.3	12.35	184	0.14	<0.01	0.2	1.1
K296954		5.16	19.90	0.15	2.4	16.7	0.089	1.85	17.7	86.1	0.27	255	0.50	0.01	12.0	17.5
K296955		8.87	18.15	0.15	1.5	1.94	0.100	1.43	14.2	164.5	0.84	777	0.41	0.01	10.9	41.3
K296956		8.62	23.2	0.23	2.3	1.67	0.117	3.00	23.8	216	0.73	1200	0.54	0.02	15.7	55.9
K296957		7.28	19.65	0.24	2.4	0.30	0.099	2.19	21.9	234	2.72	919	0.53	0.11	14.5	47.6
K296958		7.22	18.95	0.23	2.5	0.09	0.097	1.85	22.4	151.5	2.96	922	0.44	0.40	14.3	47.2
K296959		6.41	18.70	0.22	2.8	0.08	0.092	1.94	25.6	95.9	2.50	1020	0.53	0.15	14.0	40.8
K296960		4.35	18.35	0.23	3.1	0.07	0.065	2.96	35.6	50.8	2.98	910	0.84	0.03	13.3	24.1
K296961		6.24	18.30	0.21	2.6	0.07	0.086	2.35	21.1	126.5	2.61	634	0.58	0.03	11.2	44.3
K296962		6.71	20.1	0.27	3.8	9.5	0.047	1.35	63.2	18.9	0.12	37	6.03	0.38	9.7	14.5
K296963		6.04	17.80	0.21	2.7	0.23	0.078	2.37	21.8	99.7	2.46	729	1.05	0.04	10.7	38.5
K296964		5.62	16.90	0.20	2.7	0.73	0.083	2.71	23.6	74.7	2.57	856	1.22	0.03	11.0	32.5
K296965		7.65	18.20	0.25	3.3	4.08	0.086	3.29	31.7	27.0	1.89	968	2.39	0.03	12.5	33.8
K296966		5.56	16.70	0.21	2.7	4.35	0.079	2.92	28.0	49.7	1.79	662	1.38	0.03	11.2	34.3
K296967		6.42	16.05	0.22	2.7	4.22	0.078	2.96	25.3	29.1	2.31	792	3.47	0.03	10.8	38.9
K296968		0.46	0.35	0.08	<0.1	0.02	<0.005	0.05	0.8	1.7	12.55	194	0.13	0.01	0.4	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123195

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296933		350	16.6	134.5	<0.002	3.25	0.58	15.8	1	2.0	83.4	0.64	<0.05	10.2	0.401	3.24
K296934		450	10.7	132.5	0.002	2.24	0.34	15.6	2	1.9	137.0	0.60	<0.05	9.0	0.433	2.79
K296935		1240	6.1	98.6	<0.002	4.41	1.94	12.4	1	1.5	137.0	0.53	<0.05	8.0	0.400	3.91
K296936		580	19.2	141.5	0.003	2.48	0.51	16.5	1	1.9	103.0	0.57	<0.05	9.6	0.389	2.20
K296937		290	21.5	151.5	0.005	2.74	0.88	18.2	1	2.0	89.1	0.63	0.06	10.1	0.395	2.93
K296938		410	11.7	150.5	<0.002	0.97	0.44	16.6	<1	2.0	83.2	0.63	<0.05	10.3	0.413	1.23
K296939		490	13.0	140.5	<0.002	3.19	0.43	15.8	1	1.8	107.5	0.63	<0.05	9.7	0.408	3.26
K296940		390	11.2	127.5	<0.002	3.98	1.25	14.1	1	1.8	127.5	0.61	<0.05	9.4	0.409	3.37
K296941		430	16.5	136.5	0.002	1.25	0.51	14.8	1	1.7	100.5	0.62	0.06	9.5	0.378	1.49
K296942		480	34.0	140.5	0.002	1.72	0.69	14.7	1	1.9	110.5	0.65	0.07	9.7	0.417	2.54
K296943		560	8.6	69.4	<0.002	0.02	0.42	22.3	2	1.6	68.8	0.67	0.15	4.9	0.655	0.76
K296944		600	8.4	74.4	<0.002	0.02	0.39	23.3	2	1.8	64.9	0.71	0.13	5.0	0.661	0.77
K296945		540	8.5	46.4	0.002	0.02	0.32	24.4	1	1.6	104.0	0.63	0.06	4.6	0.710	0.38
K296946		610	7.4	62.1	<0.002	0.02	0.25	24.0	1	1.6	77.8	0.70	0.11	4.8	0.678	0.46
K296947		610	7.6	47.5	<0.002	0.06	0.28	27.5	2	1.6	91.9	0.60	0.13	4.4	0.801	0.29
K296948		920	15.7	45.7	0.002	3.09	114.5	14.4	2	2.6	503	0.70	0.13	9.2	0.547	8.04
K296949		580	8.2	41.8	<0.002	0.14	0.33	24.7	2	1.6	102.5	0.60	0.14	3.9	0.769	0.31
K296950		650	8.0	46.1	<0.002	0.05	0.31	24.9	2	1.9	66.6	0.56	0.18	4.2	0.777	0.47
K296951		640	7.6	63.3	<0.002	0.12	0.24	23.3	2	1.6	108.0	0.69	0.12	4.2	0.738	0.60
K296952		630	9.7	121.5	<0.002	0.06	0.61	25.5	2	2.0	171.0	0.86	0.27	6.0	0.758	1.90
K296953		230	1.2	1.2	<0.002	<0.01	0.05	0.2	<1	<0.2	44.0	<0.05	<0.05	<0.2	<0.005	<0.02
K296954		820	8.7	122.5	0.002	0.11	22.5	21.5	2	2.2	544	0.84	0.21	4.9	0.931	37.0
K296955		690	8.7	85.2	<0.002	0.22	3.77	23.6	2	1.9	115.0	0.75	0.23	3.8	0.832	15.05
K296956		850	11.1	144.5	0.003	0.22	3.27	31.2	3	2.4	307	1.00	0.31	5.5	0.834	4.54
K296957		690	9.9	120.0	0.003	0.43	0.57	25.5	3	2.1	85.0	0.92	0.27	4.9	0.681	1.36
K296958		690	10.1	106.0	0.002	0.40	0.35	24.5	3	2.0	84.1	0.87	0.26	5.2	0.663	0.85
K296959		620	10.2	101.5	0.002	0.14	0.37	23.0	2	2.1	97.5	0.89	0.26	6.1	0.619	0.84
K296960		480	16.1	132.5	0.003	0.08	0.60	13.8	2	2.6	135.5	0.89	0.14	9.6	0.428	0.86
K296961		610	11.0	112.0	0.002	0.18	0.29	23.6	2	2.0	114.5	0.73	0.15	5.4	0.644	0.65
K296962		910	16.7	41.0	0.003	3.13	113.5	15.0	2	2.9	526	0.68	0.14	8.9	0.548	7.32
K296963		570	11.3	109.5	0.002	0.30	0.41	21.8	2	2.0	94.0	0.74	0.13	6.2	0.589	1.06
K296964		540	8.6	122.0	0.002	0.28	0.65	19.7	2	2.0	127.5	0.75	0.14	6.6	0.540	1.45
K296965		470	17.1	136.5	0.003	0.36	1.61	18.0	3	2.5	112.0	0.85	0.14	9.5	0.515	3.47
K296966		470	21.1	119.0	0.004	0.60	1.30	15.7	2	2.3	152.0	0.75	0.27	8.7	0.440	3.35
K296967		440	20.2	121.5	0.008	0.83	1.39	15.9	3	2.4	170.5	0.72	0.12	8.2	0.430	5.78
K296968		240	1.7	1.8	<0.002	0.01	<0.05	0.4	1	<0.2	51.5	<0.05	<0.05	<0.2	0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123195

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296933		2.2	113	2.2	16.5	46	98.1
K296934		1.9	122	1.3	18.2	52	100.0
K296935		1.9	108	5.3	22.5	51	87.1
K296936		2.3	123	1.5	17.9	128	89.1
K296937		2.3	130	2.8	17.4	86	101.5
K296938		2.2	122	1.1	18.1	72	96.6
K296939		2.3	118	1.1	19.6	76	92.7
K296940		2.2	112	3.2	17.2	61	93.0
K296941		2.1	109	1.1	15.8	95	90.0
K296942		2.3	118	1.2	17.2	131	99.0
K296943		1.1	208	0.8	21.4	93	75.4
K296944		1.2	215	1.0	20.2	93	83.4
K296945		1.1	223	0.7	20.1	92	86.7
K296946		1.2	231	0.7	20.5	96	97.1
K296947		1.2	268	0.6	22.8	105	109.0
K296948		7.9	167	21.5	13.3	43	171.5
K296949		1.0	249	0.6	19.0	102	70.3
K296950		1.1	256	0.7	17.9	106	68.9
K296951		1.0	240	0.7	17.8	108	66.6
K296952		1.6	241	0.9	24.8	117	104.0
K296953		1.1	3	0.1	0.8	16	<0.5
K296954		1.2	294	12.7	19.0	89	94.3
K296955		1.0	309	3.2	15.4	104	60.1
K296956		1.5	268	5.4	21.7	114	84.9
K296957		1.4	216	1.0	20.6	96	89.1
K296958		1.5	205	0.8	21.0	98	92.1
K296959		1.6	187	1.0	22.4	89	108.5
K296960		2.4	107	1.4	23.2	62	114.0
K296961		1.4	202	4.3	21.4	91	97.9
K296962		7.2	167	22.0	13.5	45	159.0
K296963		1.4	184	1.5	20.8	87	97.5
K296964		1.5	164	1.9	20.0	65	97.9
K296965		2.4	147	2.3	23.3	100	118.5
K296966		2.0	132	2.4	19.2	86	99.0
K296967		2.1	136	1.5	19.6	92	98.7
K296968		0.4	3	0.1	1.0	18	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123195

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11122971

Project: Rackla Gold (Nadaleen)

P.O. No.: BATCH 27 AREA B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122971

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296181		4.83	0.97	0.09	6.93	1350	230	1.49	0.26	2.76	0.08	68.4	26.1	69	32.4	57.6
K296182		0.22	15.10	1.07	2.09	1280	310	0.29	0.59	15.15	0.73	35.1	3.8	37	2.64	64.0
K296183		12.01	0.01	0.07	6.87	350	720	2.06	0.20	2.80	0.08	59.6	20.3	75	42.0	49.5
K296184		10.89	<0.01	0.08	6.56	335	420	1.65	0.21	2.99	0.13	65.0	18.6	69	32.1	46.2
K296185		10.88	<0.01	0.07	8.28	80.0	530	2.10	0.28	1.69	0.07	69.7	24.4	92	46.3	62.0
K296186		5.39	<0.01	0.06	8.30	74.6	420	2.02	0.29	1.00	0.03	73.1	25.1	96	48.7	62.7
K296187		1.75	0.19	0.13	2.62	1085	170	0.52	0.12	5.80	0.09	32.6	8.6	31	10.75	35.0
K296188		7.61	0.01	0.08	6.31	93.3	220	1.36	0.22	1.86	0.14	59.7	18.4	73	39.7	58.4
K296189		8.13	<0.01	0.09	8.16	100.0	210	1.86	0.26	1.69	0.07	75.9	24.3	99	65.1	60.8
K296190		8.06	<0.01	0.06	6.54	39.5	580	1.43	0.21	4.77	0.07	60.7	17.7	74	35.3	47.2
K296191		4.95	<0.01	0.01	0.10	<5	190	<0.05	0.03	20.6	0.09	1.53	1.4	1	0.45	1.7
K296192		8.13	<0.01	0.07	6.77	42.2	430	1.65	0.21	2.98	0.09	65.4	19.5	73	48.8	49.6
K296194		0.22	0.33	0.34	6.29	593	2680	0.54	0.28	0.46	0.17	137.0	2.9	232	3.55	32.7
K296193		8.02	<0.01	0.09	6.56	57.3	490	2.14	0.29	0.69	0.14	38.3	26.2	101	51.3	68.3
K296195		7.99	<0.01	0.07	7.96	36.2	240	2.02	0.28	1.03	0.03	73.1	24.7	94	54.8	64.5
K296196		7.87	<0.01	0.06	6.76	33.1	200	1.89	0.25	1.79	0.05	64.5	21.2	74	52.6	52.5
K296197		7.79	<0.01	0.09	8.57	141.0	260	2.80	0.30	0.54	0.07	78.4	29.0	99	71.4	66.6
K296198		7.14	<0.01	0.04	5.90	267	290	1.44	0.23	1.88	0.05	63.9	13.3	63	24.0	45.2
K296199		8.60	<0.01	<0.01	7.08	101.0	290	1.54	0.28	1.90	0.06	66.0	15.8	68	29.8	51.0
K296200		7.55	<0.01	0.01	7.24	80.7	230	1.90	0.28	1.04	0.05	66.2	22.5	80	49.7	53.8
K296201		7.52	<0.01	0.01	5.79	91.3	380	1.32	0.22	2.14	0.06	55.0	13.7	70	28.1	48.7
K296202		6.96	<0.01	0.01	6.95	106.0	920	1.89	0.28	2.30	0.39	69.1	15.6	74	35.2	44.0
K296203		7.78	<0.01	<0.01	5.51	213	260	1.44	0.23	2.87	0.07	57.4	14.4	57	24.1	41.6
K296204		8.78	0.01	0.09	5.02	284	210	1.20	0.22	3.79	0.09	52.5	13.0	54	20.5	47.7
K296205		4.23	0.02	0.03	5.12	345	210	1.07	0.18	3.81	0.06	46.5	15.6	55	18.75	37.8
K296206		7.88	0.26	0.01	5.47	718	170	1.25	0.21	3.07	0.06	57.0	16.3	58	20.0	48.0
K296207		7.91	0.09	0.10	6.33	363	190	1.98	0.26	2.81	0.03	69.3	18.6	68	26.1	55.5
K296208		7.86	0.54	0.09	5.38	1425	200	1.34	0.23	2.31	0.03	57.2	18.6	62	18.75	54.1
K296209		0.59	<0.01	0.26	6.81	77.3	170	1.29	0.17	3.55	0.33	45.3	33.1	88	7.27	140.0
K296210		0.42	<0.01	0.17	7.36	102.0	190	1.56	0.21	3.70	0.32	56.7	34.7	81	12.05	154.0
K296211		0.35	<0.01	0.17	6.84	126.5	230	1.65	0.22	3.50	0.34	56.5	29.5	83	12.55	133.0
K296212		9.94	<0.01	0.13	6.85	350	620	2.24	0.28	0.20	0.22	82.4	22.8	81	26.7	68.9
K296213		4.95	<0.01	<0.01	0.10	5	20	0.08	0.02	21.3	0.04	1.81	1.9	2	0.40	1.8
K296214		8.63	<0.01	0.13	5.54	298	330	1.87	0.19	0.43	0.13	57.8	21.4	76	20.6	58.1
K296215		8.67	<0.01	0.28	4.92	333	350	1.44	0.17	1.80	0.07	51.8	34.7	60	19.30	52.2
K296216		9.57	<0.01	0.09	5.25	143.0	380	1.81	0.18	3.32	0.13	55.9	18.6	58	22.7	56.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122971

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296181		4.90	19.55	0.11	3.3	6.1	0.071	2.79	30.4	33.3	1.53	601	0.28	0.03	10.6	41.3
K296182		3.58	4.32	0.06	1.0	6.7	0.065	0.41	19.1	37.4	0.70	450	13.40	0.01	3.7	19.6
K296183		4.40	20.2	0.11	2.4	4.14	0.066	2.90	27.6	32.6	1.59	376	0.26	0.03	8.0	37.0
K296184		4.43	18.50	0.12	2.8	3.32	0.073	2.77	29.6	38.9	1.54	423	0.40	0.03	9.5	34.0
K296185		6.05	24.3	0.17	3.0	2.63	0.083	3.57	30.6	47.5	1.12	513	0.25	0.03	10.6	41.7
K296186		5.82	25.0	0.15	3.0	0.96	0.087	3.72	32.8	44.8	0.88	366	0.24	0.03	11.1	39.6
K296187		3.29	7.04	<0.05	1.3	1.27	0.032	1.08	15.0	17.6	2.42	1110	0.41	0.02	3.9	14.8
K296188		4.57	17.55	0.10	2.5	0.63	0.061	2.81	27.7	28.9	1.14	474	0.30	0.02	8.0	28.2
K296189		5.97	23.1	0.15	3.0	0.55	0.077	3.67	35.9	41.4	1.44	478	0.35	0.03	10.4	41.3
K296190		4.63	18.10	0.11	2.4	0.51	0.065	2.90	28.3	28.7	1.35	554	0.36	0.02	8.2	31.6
K296191		0.48	0.35	0.19	<0.1	0.01	0.005	0.04	0.7	1.0	12.60	203	<0.05	<0.01	0.3	<0.2
K296192		4.81	19.55	0.12	2.6	0.53	0.071	2.96	30.6	35.4	1.20	443	0.44	0.02	8.5	35.8
K296194		6.67	21.5	0.19	4.2	9.1	0.047	1.33	61.6	16.9	0.13	35	6.08	0.38	9.5	16.8
K296193		5.16	24.6	0.12	3.0	0.68	0.085	3.76	17.9	34.1	0.96	257	0.34	0.03	10.6	45.3
K296195		5.84	22.8	0.15	2.7	0.60	0.076	3.60	34.0	31.6	1.32	408	0.36	0.03	10.2	38.9
K296196		4.98	18.80	0.14	2.8	0.79	0.064	3.00	30.3	42.2	1.10	499	0.23	0.03	8.5	33.7
K296197		5.35	24.9	0.15	3.2	0.90	0.088	4.09	36.2	33.2	1.00	227	0.34	0.03	10.9	48.6
K296198		5.80	14.85	0.16	3.1	0.79	0.053	2.60	29.7	35.1	1.06	474	0.26	0.03	8.9	29.5
K296199		5.44	16.95	0.20	3.1	0.53	0.070	3.08	32.0	38.7	1.21	473	0.27	0.03	10.8	34.0
K296200		4.99	17.85	0.21	2.9	0.40	0.071	3.25	32.3	45.0	1.63	322	0.40	0.03	10.4	41.8
K296201		4.75	14.10	0.18	2.6	0.15	0.060	2.53	26.5	42.7	1.89	502	0.40	0.03	8.7	30.3
K296202		4.93	17.65	0.20	3.2	0.44	0.072	3.12	33.9	30.0	1.94	489	0.81	0.03	10.6	32.2
K296203		3.96	13.80	0.19	2.7	0.44	0.058	2.45	27.6	32.0	1.60	620	0.45	0.03	9.1	30.4
K296204		4.16	13.65	0.12	2.4	0.65	0.057	2.22	26.1	31.3	1.77	798	0.69	0.03	9.4	29.0
K296205		4.37	11.30	0.14	2.3	0.83	0.046	2.29	24.3	31.1	1.79	809	0.46	0.03	7.5	28.6
K296206		4.33	14.00	0.17	2.7	1.98	0.055	2.43	27.0	16.3	1.53	964	0.44	0.02	9.1	31.5
K296207		4.69	19.70	0.13	3.1	1.31	0.069	2.86	32.9	27.7	1.51	671	0.34	0.03	11.1	39.3
K296208		4.53	18.65	0.10	3.0	1.90	0.057	2.39	27.2	22.8	1.20	723	0.38	0.02	9.5	35.4
K296209		7.37	23.1	0.15	2.6	0.22	0.092	1.20	19.4	96.6	1.74	1020	0.76	0.95	11.0	60.6
K296210		7.74	25.3	0.19	2.6	0.25	0.101	1.70	23.9	93.0	1.77	977	0.64	0.68	13.4	61.7
K296211		6.98	22.5	0.17	3.1	0.31	0.095	1.69	24.2	81.1	1.33	931	1.38	0.55	12.6	52.3
K296212		5.21	22.3	0.18	3.2	2.48	0.087	2.97	37.8	39.5	0.43	628	1.35	0.04	12.0	42.2
K296213		0.50	0.39	0.06	<0.1	0.01	<0.005	0.04	0.9	1.8	12.70	215	0.10	0.01	0.6	2.5
K296214		5.24	17.85	0.14	2.9	0.75	0.059	2.38	27.2	56.5	0.41	995	0.64	0.03	9.6	42.9
K296215		5.15	15.90	0.12	2.6	0.82	0.056	2.00	24.3	74.0	0.98	1160	0.57	0.03	8.7	43.4
K296216		4.35	16.50	0.12	2.7	0.63	0.058	2.15	26.0	80.6	1.74	941	0.34	0.03	9.6	37.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122971

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296181		420	16.8	166.5	<0.002	4.58	10.50	19.8	2	3.6	119.5	0.76	0.05	11.9	0.471	12.65
K296182		670	23.1	29.9	0.007	2.06	158.5	4.1	3	2.0	46.3	0.22	0.41	4.1	0.111	3.36
K296183		210	18.6	170.5	0.003	3.91	1.70	22.5	2	2.1	84.4	0.56	<0.05	10.0	0.352	4.92
K296184		300	15.4	165.5	0.002	3.64	0.86	20.0	2	2.2	129.5	0.64	<0.05	10.6	0.390	5.35
K296185		230	19.1	192.0	0.003	5.53	0.44	26.5	2	2.3	120.5	0.77	<0.05	11.3	0.460	5.97
K296186		280	17.0	212	0.003	5.27	0.35	26.0	2	2.4	89.5	0.80	<0.05	12.2	0.474	7.18
K296187		650	9.9	63.7	<0.002	2.30	3.06	8.1	1	1.9	100.0	0.24	<0.05	4.0	0.170	3.13
K296188		160	15.6	156.5	0.002	1.82	1.01	19.6	2	1.7	96.8	0.57	<0.05	10.0	0.364	2.67
K296189		340	18.6	214	0.003	1.66	0.43	25.1	2	2.2	106.5	0.70	<0.05	12.6	0.470	1.85
K296190		210	14.6	164.0	0.003	2.01	0.29	19.7	2	1.8	168.5	0.54	<0.05	9.9	0.354	2.55
K296191		180	1.5	2.3	<0.002	0.03	<0.05	0.3	1	<0.2	53.0	<0.05	<0.05	<0.2	<0.005	<0.02
K296192		210	13.7	179.0	0.002	3.03	0.29	21.9	2	2.0	125.0	0.57	<0.05	10.0	0.359	3.36
K296194		910	18.2	53.2	0.003	3.08	116.0	16.3	2	2.8	507	0.71	0.14	10.3	0.530	7.20
K296193		250	21.2	137.0	0.003	1.88	0.70	22.4	2	2.3	69.3	0.78	<0.05	6.6	0.486	2.76
K296195		250	18.3	207	0.003	1.47	0.40	25.5	2	2.2	84.4	0.70	<0.05	11.6	0.454	2.11
K296196		150	18.6	178.5	0.003	3.42	0.39	22.3	2	1.9	99.0	0.63	<0.05	10.5	0.381	4.52
K296197		280	34.6	230	0.004	3.42	0.84	28.2	2	2.5	72.8	0.83	<0.05	13.1	0.506	4.16
K296198		430	14.9	146.0	<0.002	5.64	0.73	16.3	1	1.7	180.0	0.71	<0.05	9.5	0.453	7.51
K296199		480	12.2	158.0	<0.002	5.03	0.60	17.9	2	2.2	174.5	0.75	0.05	10.6	0.522	6.42
K296200		410	24.9	176.0	<0.002	1.00	0.64	19.3	2	2.2	80.0	0.75	0.05	10.8	0.502	1.79
K296201		430	12.7	134.5	<0.002	0.57	0.45	15.1	1	1.8	93.5	0.63	<0.05	8.8	0.450	2.58
K296202		490	23.6	168.5	<0.002	1.03	0.81	18.3	2	2.3	118.0	0.75	0.06	10.9	0.492	1.70
K296203		520	13.2	130.0	<0.002	2.40	0.87	14.7	2	1.8	115.0	0.64	0.05	9.1	0.428	3.72
K296204		420	12.6	115.5	<0.002	3.13	0.97	14.1	1	1.7	120.5	0.65	<0.05	8.3	0.414	4.48
K296205		400	13.8	106.0	<0.002	3.37	1.15	12.2	1	1.8	118.5	0.54	<0.05	7.4	0.431	4.25
K296206		470	10.2	127.0	<0.002	3.71	4.42	16.5	1	2.1	106.0	0.63	0.06	8.7	0.474	6.39
K296207		470	13.6	155.5	<0.002	4.22	2.04	19.3	1	2.2	116.5	0.82	0.06	10.6	0.523	4.83
K296208		410	10.9	140.0	<0.002	4.07	8.56	19.0	1	2.1	118.5	0.72	0.06	9.5	0.467	7.46
K296209		510	9.3	67.7	<0.002	0.06	0.64	31.3	2	1.8	85.7	0.75	0.15	4.9	0.784	0.69
K296210		630	10.7	97.2	<0.002	0.05	0.70	31.4	2	2.1	87.4	0.92	0.21	5.8	0.766	1.09
K296211		600	11.5	96.8	0.002	0.03	0.80	28.2	2	2.0	96.8	0.86	0.18	7.0	0.731	1.35
K296212		690	15.7	165.5	0.002	0.11	1.38	22.8	1	2.2	194.0	0.86	0.08	12.0	0.528	5.24
K296213		190	1.3	2.6	<0.002	0.01	<0.05	0.4	<1	<0.2	48.6	<0.05	<0.05	<0.2	0.006	0.03
K296214		520	9.6	131.5	0.002	0.67	0.63	18.0	1	1.8	105.0	0.67	0.06	9.5	0.491	3.56
K296215		410	16.8	116.0	<0.002	3.19	1.52	16.1	1	1.6	120.5	0.60	0.06	8.4	0.445	4.17
K296216		620	11.2	122.5	<0.002	2.29	0.45	17.7	1	1.6	158.0	0.67	0.08	8.8	0.439	2.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122971

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296181		2.3	135	5.9	23.2	71	113.5
K296182		3.8	114	218	18.6	76	34.1
K296183		2.0	133	3.5	20.6	95	79.8
K296184		2.1	128	2.5	21.3	126	98.0
K296185		2.3	167	1.8	23.8	97	100.0
K296186		2.4	172	1.2	25.8	66	101.0
K296187		0.9	48	1.9	16.3	129	41.0
K296188		1.9	124	1.0	18.6	92	80.7
K296189		2.6	167	1.2	26.2	88	103.0
K296190		2.1	128	0.9	21.2	88	81.8
K296191		0.6	3	0.2	1.0	17	1.0
K296192		2.0	131	1.0	21.4	93	88.6
K296194		7.8	166	22.1	16.0	41	162.5
K296193		2.6	175	1.2	13.7	116	99.8
K296195		2.1	153	1.1	22.7	61	91.9
K296196		1.8	132	1.0	21.6	63	88.7
K296197		2.5	186	1.4	24.3	81	105.5
K296198		1.8	125	2.8	19.8	79	87.7
K296199		2.1	142	1.8	21.8	77	102.0
K296200		2.2	143	1.2	21.8	71	96.3
K296201		1.8	125	1.1	19.9	67	85.6
K296202		2.3	141	1.3	23.7	120	103.5
K296203		1.9	114	2.1	20.4	63	89.0
K296204		1.8	109	2.0	18.6	63	82.6
K296205		1.6	115	1.7	17.2	64	74.4
K296206		1.8	136	4.9	21.3	61	88.3
K296207		2.2	141	4.0	22.2	77	115.0
K296208		2.2	132	5.9	21.8	67	109.5
K296209		1.4	241	2.3	24.1	104	98.9
K296210		1.5	242	1.5	25.6	109	116.0
K296211		1.8	215	1.9	26.4	103	119.5
K296212		2.5	149	4.2	28.0	154	116.0
K296213		0.5	3	0.1	1.0	22	1.1
K296214		1.9	135	3.0	22.1	95	106.5
K296215		1.7	123	2.6	17.9	65	93.0
K296216		1.9	117	1.7	21.8	73	100.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11122971

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

CERTIFICATE WH11123196

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 28- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123196

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296969		7.54	<0.01	0.13	6.65	150.0	420	1.43	0.24	4.81	0.33	65.2	28.7	62	16.15	106.5
K296970		5.00	0.01	0.08	6.46	1700	580	1.05	0.19	4.92	0.28	49.6	27.2	68	11.00	126.5
K296971		1.38	<0.01	0.22	9.68	1555	590	1.87	0.33	1.06	0.30	68.7	32.4	105	16.85	202
K296972		5.25	0.01	0.13	7.21	464	310	1.47	0.34	2.70	0.40	74.3	23.4	75	14.00	75.1
K296973		7.84	<0.01	0.13	6.62	36.5	260	1.76	0.29	1.49	0.07	70.4	22.9	72	33.2	49.2
K296974		7.14	0.01	0.10	6.21	27.6	210	1.46	0.27	1.77	0.14	73.9	17.6	69	34.4	46.3
K296975		8.43	0.01	0.16	7.94	509	360	1.43	0.31	3.19	0.12	94.8	20.8	61	16.95	39.7
K296976		7.62	0.01	0.11	6.70	498	130	1.14	0.22	4.28	0.33	57.4	32.7	68	16.10	142.0
K296977		8.06	<0.01	0.27	5.67	271	190	1.24	0.18	5.74	0.32	52.1	27.2	57	16.80	105.0
K296978		5.64	0.01	0.11	6.12	470	120	1.23	0.18	5.11	0.29	50.9	29.3	63	16.85	117.0
K296979		2.33	0.55	0.14	4.76	2460	140	0.83	0.17	5.95	0.17	52.4	18.3	40	9.25	51.6
K296980		1.53	0.04	0.16	8.38	701	300	2.38	0.35	1.30	0.30	99.5	22.5	73	31.6	45.6
K296981		3.97	0.03	0.43	7.51	164.5	210	2.91	0.36	1.51	0.12	86.2	20.6	66	33.8	104.0
K296982		1.40	0.04	0.25	8.45	195.5	240	2.83	0.37	1.81	0.13	88.1	22.6	76	36.5	44.5
K296983		1.89	0.03	0.13	8.12	445	230	2.83	0.43	2.24	0.25	90.4	19.8	76	35.2	49.2
K296984		2.34	0.02	0.22	6.67	1670	230	1.88	0.28	1.46	0.04	88.6	15.5	58	27.2	28.3
K296985		3.59	0.16	0.17	6.37	>10000	170	1.70	0.22	10.25	0.06	77.5	10.9	46	19.95	21.8
K296986		2.25	0.20	0.08	6.42	>10000	160	1.67	0.25	8.19	0.14	81.0	13.3	52	20.4	30.2
K296987		0.23	2.69	0.93	3.10	575	850	0.71	0.28	7.96	1.86	43.8	6.1	56	3.51	38.6
K296988		4.66	0.10	0.07	8.72	437	280	2.47	0.31	1.75	0.11	111.0	17.6	68	38.7	34.2
K296989		4.29	0.01	0.09	8.06	154.0	330	2.64	0.26	2.20	0.26	97.6	16.4	72	34.7	43.5
K296990		4.60	<0.01	0.09	6.76	63.4	240	2.04	0.24	3.29	0.15	72.4	16.3	68	31.1	47.5
K296991		2.81	<0.01	0.12	5.36	111.0	330	1.42	0.22	5.13	0.22	58.0	15.4	65	19.35	40.9
K296992		3.98	<0.01	0.09	6.70	58.7	310	1.71	0.31	5.28	0.13	82.8	17.9	47	27.0	51.9
K296993		5.89	<0.01	0.16	5.82	44.9	270	1.37	0.23	1.91	0.32	63.3	17.6	67	20.5	49.4
K296994		5.26	<0.01	0.13	6.46	24.4	390	1.58	0.26	2.74	0.12	72.4	18.5	71	25.0	52.6
K296995		4.91	<0.01	0.02	0.10	9	20	0.08	0.03	21.0	0.06	1.48	0.7	2	0.21	3.9
K296996		5.79	<0.01	0.04	3.43	15.7	200	0.78	0.17	2.45	0.07	35.6	9.4	40	13.25	29.0
K296997		3.40	<0.01	0.13	6.44	56.0	370	1.61	0.26	2.38	0.20	73.9	16.4	71	23.5	50.6
K296998		8.04	<0.01	0.10	6.21	32.6	310	1.46	0.24	2.71	0.17	66.6	17.2	72	28.7	49.0
K296999		4.12	<0.01	0.10	7.92	198.5	320	2.34	0.28	3.01	0.22	94.9	15.9	66	32.2	38.9
K297000		0.21	0.33	0.33	6.15	605	1610	0.55	0.26	0.45	0.17	132.0	3.0	227	3.61	32.1
K297501		3.35	0.01	0.04	3.17	69	150	0.82	0.13	22.7	0.18	39.3	10.1	28	13.10	27.0
K297502		7.75	0.18	0.03	1.66	341	80	0.41	0.05	22.0	0.15	26.9	6.5	10	7.39	10.2
K297503		7.85	0.02	0.01	0.66	356	250	0.22	0.03	25.2	0.07	14.80	2.7	5	2.97	4.5
K297504		4.90	<0.01	0.01	0.05	<5	10	<0.05	0.03	20.5	0.06	1.28	1.4	1	0.14	7.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123196

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296969		5.93	19.40	0.21	3.1	1.75	0.087	2.66	31.3	95.2	2.23	1230	7.51	0.04	12.0	47.5
K296970		6.64	18.35	0.24	2.8	1.32	0.084	2.72	20.9	27.6	2.73	1370	7.22	0.04	10.5	44.4
K296971		8.04	27.9	0.25	2.9	1.72	0.120	4.34	31.0	22.2	0.97	728	2.36	0.04	17.3	61.5
K296972		5.68	20.4	0.25	4.0	6.9	0.097	3.30	35.6	13.3	1.67	1140	1.50	0.03	12.0	44.9
K296973		4.88	18.05	0.24	3.0	0.34	0.069	2.85	34.4	57.5	1.44	406	0.41	0.03	8.6	41.2
K296974		4.17	16.95	0.25	3.0	0.28	0.059	2.66	35.1	70.2	1.56	458	0.60	0.04	9.0	35.0
K296975		4.21	21.1	0.28	3.0	6.9	0.064	3.13	48.0	24.2	1.69	715	0.91	0.04	9.7	38.8
K296976		7.26	18.75	0.23	3.9	4.47	0.085	2.81	26.5	37.0	2.14	1220	0.39	0.02	12.2	51.6
K296977		5.73	16.10	0.20	3.0	2.38	0.077	2.18	22.1	125.5	2.68	1120	0.63	0.02	9.8	44.5
K296978		7.27	17.50	0.21	3.2	2.64	0.079	2.50	21.2	45.9	2.48	1160	0.29	0.02	10.3	50.5
K296979		4.22	12.75	0.22	2.4	7.6	0.045	1.94	23.0	18.9	2.94	1280	1.66	0.03	7.2	33.5
K296980		4.63	25.8	0.29	3.1	3.06	0.084	3.88	49.7	15.6	0.97	698	2.36	0.05	11.0	47.3
K296981		4.08	22.8	0.23	2.6	4.02	0.068	3.41	42.6	23.3	0.99	634	2.63	0.04	9.6	62.0
K296982		4.73	24.4	0.28	3.0	4.02	0.075	3.85	42.0	25.7	1.16	789	2.85	0.06	10.2	45.3
K296983		4.83	24.3	0.26	3.1	4.43	0.075	3.69	44.7	27.2	1.28	577	4.26	0.05	10.7	46.5
K296984		3.41	17.90	0.23	2.5	2.38	0.052	2.88	47.4	20.3	0.90	449	1.67	0.05	8.1	30.1
K296985		3.21	14.95	0.23	2.3	3.52	0.044	2.77	40.7	10.5	1.80	1230	0.81	0.05	7.1	23.0
K296986		3.34	16.65	0.24	2.5	5.00	0.049	2.77	40.8	10.8	1.98	1100	1.65	0.04	7.6	28.0
K296987		2.06	7.47	0.15	1.6	4.51	0.020	1.02	29.1	38.5	2.53	264	17.90	0.04	6.1	51.7
K296988		4.19	24.7	0.26	3.3	2.74	0.067	3.93	54.1	17.7	1.08	722	1.44	0.07	11.0	35.6
K296989		4.38	22.5	0.24	3.4	2.88	0.066	3.70	46.5	17.8	1.28	436	2.45	0.04	11.1	36.5
K296990		4.79	17.35	0.24	3.3	4.44	0.063	2.93	34.3	33.2	1.68	543	1.09	0.04	9.3	33.3
K296991		4.29	13.95	0.25	2.8	4.61	0.047	2.26	26.7	17.3	2.66	625	1.52	0.03	7.8	32.0
K296992		3.75	18.80	0.22	2.9	2.46	0.067	3.09	42.8	13.2	3.05	921	2.07	0.04	9.9	43.9
K296993		4.66	15.15	0.22	3.1	1.75	0.069	2.28	31.6	61.0	1.08	372	0.80	0.03	8.6	36.0
K296994		4.68	17.70	0.24	3.3	0.79	0.066	2.58	36.3	67.0	1.42	536	0.61	0.03	10.4	35.8
K296995		0.44	0.25	0.16	<0.1	0.01	<0.005	0.03	0.7	1.2	12.60	185	0.12	0.01	0.2	0.4
K296996		2.51	8.66	0.17	1.8	0.98	0.036	1.52	16.0	6.9	1.31	409	0.61	0.02	4.9	21.9
K296997		4.86	17.50	0.21	3.3	0.99	0.060	2.87	35.3	14.7	1.42	419	1.48	0.04	9.7	39.0
K296998		4.46	16.55	0.22	3.4	1.22	0.063	2.71	31.9	25.4	1.62	487	0.82	0.04	9.0	35.9
K296999		4.25	21.4	0.24	3.2	2.47	0.067	3.55	45.9	12.1	1.59	465	2.35	0.05	10.1	35.3
K297000		6.66	20.0	0.22	4.2	9.2	0.044	1.30	62.3	18.2	0.12	36	6.32	0.37	10.0	16.9
K297501		1.96	7.71	0.10	1.4	1.35	0.027	1.42	19.9	9.2	1.45	314	1.50	0.02	4.9	19.5
K297502		1.97	4.21	0.09	0.8	1.45	0.021	0.63	13.4	10.5	6.01	838	0.70	0.01	6.7	8.4
K297503		1.17	1.84	0.06	0.3	0.79	0.014	0.29	7.1	3.4	5.31	664	0.24	0.01	1.2	5.7
K297504		0.45	0.23	0.09	<0.1	0.01	<0.005	0.02	0.6	0.8	12.50	206	0.06	<0.01	0.3	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123196

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296969		540	18.0	132.0	0.004	2.25	2.68	23.0	4	2.6	258	0.80	0.19	7.8	0.533	3.72
K296970		660	12.2	113.5	<0.002	0.73	10.15	23.8	3	2.1	403	0.70	0.24	5.2	0.611	3.51
K296971		940	12.4	178.5	0.007	0.28	14.60	31.6	2	3.1	228	1.19	0.43	7.4	0.895	5.79
K296972		580	16.3	152.0	0.003	1.11	4.31	21.5	3	2.8	97.6	0.89	0.32	10.8	0.523	12.65
K296973		370	22.3	163.5	<0.002	1.75	0.72	18.0	2	2.1	109.0	0.66	0.08	10.5	0.421	1.77
K296974		410	22.2	162.5	<0.002	0.97	0.58	16.1	2	2.1	102.0	0.66	0.08	10.7	0.421	1.26
K296975		620	21.9	144.5	<0.002	3.75	4.74	14.4	2	3.1	196.0	0.72	0.10	13.7	0.353	13.80
K296976		660	12.1	139.5	0.003	7.78	3.18	24.6	3	2.1	138.0	0.84	0.27	5.9	0.685	7.23
K296977		540	11.7	120.5	<0.002	5.21	1.45	21.0	2	1.9	169.5	0.64	0.14	5.4	0.551	6.50
K296978		580	10.8	135.0	<0.002	7.54	2.71	23.2	2	1.9	146.5	0.68	0.22	5.2	0.606	5.51
K296979		430	13.6	84.4	0.002	3.20	14.95	13.0	2	1.8	186.0	0.53	0.07	6.2	0.337	20.1
K296980		760	18.1	185.5	0.003	4.68	5.47	16.7	2	3.9	119.5	0.83	0.06	15.4	0.364	6.42
K296981		1060	14.9	173.0	0.008	4.13	3.27	15.2	3	3.5	115.5	0.77	0.10	12.9	0.328	7.62
K296982		1070	17.7	175.5	0.002	4.74	3.50	15.5	2	3.8	130.0	0.83	0.06	14.2	0.372	8.99
K296983		1760	23.4	171.5	0.007	4.91	4.24	15.9	3	3.6	152.0	0.90	0.07	14.5	0.382	7.40
K296984		970	14.4	145.5	<0.002	3.32	3.74	11.9	2	2.1	110.0	0.64	0.06	12.2	0.293	5.05
K296985		610	15.0	127.5	<0.002	3.49	14.85	9.7	2	1.9	251	0.56	<0.05	11.0	0.264	7.09
K296986		560	17.6	129.5	0.005	3.68	22.8	11.3	3	2.3	197.0	0.63	<0.05	12.1	0.294	11.50
K296987		880	32.5	49.3	0.021	1.52	94.6	4.7	4	2.1	66.4	0.40	0.16	6.0	0.169	3.29
K296988		540	22.2	182.5	0.002	4.10	3.45	15.2	2	2.8	99.1	0.86	<0.05	17.2	0.374	6.20
K296989		680	20.4	152.5	0.003	4.13	0.90	16.2	2	2.8	148.0	0.85	<0.05	15.3	0.433	5.45
K296990		680	19.0	134.0	0.002	4.44	0.61	17.1	2	2.1	181.5	0.71	0.06	11.8	0.489	6.30
K296991		430	23.7	105.5	0.003	3.89	1.41	13.6	2	1.9	245	0.57	0.05	8.5	0.401	6.88
K296992		480	19.3	145.0	<0.002	3.29	1.00	14.9	2	2.3	273	0.70	0.09	12.5	0.377	2.39
K296993		420	25.8	118.0	<0.002	4.53	0.76	16.1	2	2.0	174.5	0.65	0.07	10.3	0.487	5.35
K296994		540	17.4	153.0	<0.002	4.24	0.53	17.6	1	2.3	221	0.73	<0.05	10.5	0.522	5.72
K296995		200	1.9	1.5	<0.002	0.02	0.07	0.2	1	<0.2	46.4	<0.05	<0.05	<0.2	0.005	0.04
K296996		280	10.8	73.7	0.002	2.17	0.32	8.5	1	1.1	164.0	0.36	<0.05	5.3	0.264	2.18
K296997		450	24.0	149.0	0.003	4.78	0.68	16.8	2	2.3	272	0.70	0.09	10.3	0.483	6.61
K296998		540	18.2	142.0	<0.002	3.14	0.58	16.8	2	2.1	179.5	0.73	<0.05	10.1	0.492	4.98
K296999		660	20.4	169.5	0.008	3.74	1.96	14.9	2	3.1	165.5	0.80	<0.05	14.7	0.384	8.11
K297000		910	17.3	46.4	0.003	3.06	109.5	15.4	2	2.8	495	0.79	0.14	9.4	0.543	7.66
K297501		270	9.7	70.1	0.005	1.54	1.23	7.2	2	0.9	1530	0.34	0.05	5.3	0.159	4.67
K297502		950	5.0	36.5	0.002	0.93	1.46	4.0	1	0.5	768	0.38	<0.05	2.3	0.178	4.37
K297503		570	2.7	16.0	0.002	0.13	0.85	1.9	1	0.2	944	0.07	<0.05	1.2	0.033	2.18
K297504		170	1.2	1.1	<0.002	0.01	0.09	0.2	1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123196

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296969		1.9	162	2.4	23.3	90	105.0	
K296970		1.2	199	8.0	21.7	80	90.2	
K296971		1.6	279	20.6	23.6	95	97.1	
K296972		2.3	156	5.6	30.1	90	131.5	
K296973		2.0	127	1.4	19.2	74	95.6	
K296974		2.1	113	1.2	19.1	86	101.5	
K296975		3.2	87	4.7	19.7	84	95.9	
K296976		1.6	212	7.4	25.7	101	117.5	
K296977		1.4	171	3.6	23.6	87	94.4	
K296978		1.2	198	4.3	23.8	96	105.0	
K296979		1.7	95	6.5	17.7	75	82.2	
K296980		4.0	155	4.4	24.6	153	107.0	
K296981		3.3	139	321	25.3	141	86.4	
K296982		3.5	157	6.5	25.6	102	90.9	
K296983		5.1	163	12.8	32.6	121	100.5	
K296984		2.5	65	6.8	18.2	66	78.7	
K296985		2.5	58	5.5	16.4	78	72.8	1.095
K296986		2.9	94	5.4	17.9	74	80.1	1.270
K296987		7.7	230	24.7	20.0	207	56.4	
K296988		3.4	112	4.5	21.1	90	106.0	
K296989		3.3	166	1.8	24.5	106	108.5	
K296990		2.5	147	1.6	22.3	85	107.0	
K296991		2.1	121	1.2	16.1	105	93.4	
K296992		2.3	100	1.7	20.2	39	104.0	
K296993		2.0	139	1.4	19.0	168	99.6	
K296994		2.1	137	1.5	23.5	90	112.0	
K296995		0.5	3	0.1	0.9	18	0.9	
K296996		1.1	70	0.6	11.1	36	58.4	
K296997		2.3	136	1.3	18.9	97	107.0	
K296998		2.1	141	1.2	20.4	100	102.0	
K296999		3.4	145	2.3	22.9	113	99.9	
K297000		7.6	169	24.5	15.1	44	172.0	
K297501		3.1	48	0.7	21.1	41	53.6	
K297502		2.1	36	0.8	15.4	37	35.3	
K297503		2.0	10	0.4	12.0	12	13.4	
K297504		0.7	2	0.1	0.8	17	<0.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123196

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

CERTIFICATE WH11121886

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 29 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121886

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297505		6.38	0.02	0.03	0.62	420	130	0.24	0.03	33.6	0.08	11.30	3.2	6	2.34	11.9
K297506		7.16	0.19	0.06	0.71	835	120	0.24	0.04	34.9	0.09	13.10	3.1	10	2.31	8.3
K297507		7.40	0.58	0.12	1.14	768	110	0.27	0.05	32.5	0.13	17.85	4.1	12	3.40	10.1
K297508		7.63	0.24	0.07	1.13	420	90	0.24	0.05	33.4	0.09	17.45	4.0	12	3.30	10.4
K297509		7.00	0.42	0.17	0.86	313	90	0.21	0.04	36.3	0.14	14.35	4.0	9	2.68	9.2
K297510		7.19	3.86	0.37	1.02	2480	140	0.18	0.05	29.9	0.25	18.90	4.1	10	2.52	9.8
K297511		7.01	1.19	0.19	0.90	172	140	0.23	0.04	33.4	0.27	15.05	3.6	9	2.48	8.8
K297512		0.20	0.35	0.23	6.10	572	1890	0.58	0.26	0.50	0.17	121.5	2.5	228	2.81	28.1
K297513		7.09	0.58	0.12	0.66	206	140	0.18	0.04	34.0	0.09	12.90	2.9	8	2.05	7.4
K297514		7.30	0.95	0.11	0.45	918	140	0.17	0.02	35.0	0.08	8.72	2.4	5	1.07	5.3
K297515		7.10	1.02	0.13	0.81	634	110	0.21	0.04	33.3	0.12	14.90	3.3	8	2.57	8.4
K297516		7.14	0.17	0.02	0.59	326	100	0.19	0.03	34.3	0.05	11.65	2.6	8	1.60	5.4
K297517		4.90	0.01	0.02	0.06	10	20	0.06	0.02	20.7	0.07	1.45	1.1	1	0.21	1.5
K297518		6.40	4.30	0.17	0.89	1980	100	0.21	0.04	31.5	0.20	17.40	4.0	9	3.13	7.2
K297519		7.05	0.93	0.06	0.36	126	90	0.13	0.02	35.3	0.18	6.09	1.9	4	0.78	4.6
K297520		7.01	0.19	0.01	0.36	76	90	0.13	0.02	35.1	0.05	7.12	1.7	4	0.80	4.0
K297521		7.00	0.77	0.06	2.88	171	170	0.62	0.11	25.2	0.28	33.8	7.7	29	8.99	23.5
K297522		3.62	0.55	0.05	2.38	132	160	0.65	0.12	26.9	0.23	36.5	8.4	25	9.41	24.8
K297523		7.33	0.69	0.03	1.30	227	160	0.37	0.05	32.7	0.17	17.85	4.3	14	3.32	11.7
K297524		7.22	2.05	0.15	2.14	246	170	0.45	0.10	29.1	0.32	31.6	7.8	21	6.25	22.2
K297525		7.13	3.04	0.09	0.55	197	110	0.24	0.03	31.8	0.15	10.70	2.6	5	1.35	6.3
K297526		8.50	2.67	0.08	0.63	217	90	0.15	0.03	31.9	0.13	11.20	2.5	7	1.44	7.0
K297527		8.11	4.58	0.26	3.48	467	180	0.68	0.17	21.2	0.35	45.5	11.4	34	9.99	34.6
K297528		8.15	2.25	0.12	1.73	216	130	0.32	0.07	28.2	0.19	21.8	5.2	18	4.17	14.9
K297529		7.69	1.46	0.08	1.17	127	120	0.33	0.06	31.8	0.14	17.50	4.3	12	2.90	12.7
K297530		6.97	1.89	0.11	1.72	227	120	0.37	0.08	30.4	0.18	23.7	5.9	17	4.68	15.9
K297531		7.80	0.08	0.02	0.73	42	110	0.22	0.03	33.5	0.05	12.05	2.9	8	2.21	7.1
K297532		0.21	0.34	0.26	6.20	582	1600	0.47	0.23	0.51	0.15	114.5	2.2	238	2.60	26.6
K297533		7.28	0.11	0.02	0.73	65	100	0.26	0.03	34.6	0.12	12.60	2.9	8	1.94	6.7
K297534		7.53	0.12	0.02	0.92	79	100	0.26	0.04	34.5	0.11	14.60	3.5	9	2.46	8.7
K297535		7.69	0.01	0.02	1.35	75	120	0.32	0.06	31.5	0.46	14.40	4.6	13	4.02	12.5
K297536		7.42	0.01	<0.01	0.62	60	110	0.14	0.02	35.6	0.03	8.47	2.0	6	1.24	5.0
K297537		7.36	0.01	0.02	0.94	50	120	0.23	0.05	33.8	0.09	14.90	3.7	9	2.40	9.5
K297538		7.43	0.01	0.01	0.51	24	110	0.20	0.03	34.4	0.06	9.51	2.4	5	1.62	5.8
K297539		4.91	<0.01	<0.01	0.06	<5	20	0.08	0.02	20.5	0.06	1.13	1.3	1	0.16	1.5
K297540		7.58	<0.01	<0.01	1.04	37	110	0.26	0.04	33.7	0.04	13.75	3.3	10	2.77	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121886

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297505		0.47	1.84	0.05	0.3	1.24	0.008	0.28	5.5	3.6	0.34	213	0.60	0.01	1.1	<0.2
K297506		0.49	1.93	0.05	0.3	3.43	0.010	0.31	5.7	3.5	0.31	698	0.43	0.01	1.2	<0.2
K297507		0.75	2.71	0.05	0.5	4.24	0.009	0.53	8.2	5.2	0.32	859	0.53	0.01	1.6	1.9
K297508		0.82	2.70	0.05	0.5	3.34	0.010	0.51	8.3	5.1	0.49	732	0.67	0.02	1.6	2.2
K297509		0.64	2.40	0.05	0.4	3.94	0.008	0.38	6.6	4.7	0.29	786	0.50	0.01	1.5	1.4
K297510		0.75	2.84	<0.05	0.5	5.70	0.011	0.45	8.5	6.4	0.21	1590	0.41	0.01	1.6	1.8
K297511		0.59	2.33	<0.05	0.4	3.45	0.007	0.41	7.1	4.2	0.26	714	0.59	0.01	1.4	0.2
K297512		6.60	18.70	0.20	3.8	9.3	0.039	1.37	55.3	19.7	0.12	37	6.26	0.38	9.0	15.4
K297513		0.48	1.78	<0.05	0.3	2.45	0.006	0.29	5.8	3.4	0.23	746	0.29	0.01	1.1	1.8
K297514		0.39	1.31	<0.05	0.2	1.72	0.006	0.19	3.9	2.9	0.24	1280	0.25	0.01	0.8	1.3
K297515		0.57	2.59	<0.05	0.4	2.44	0.010	0.35	7.0	4.3	0.26	3510	0.44	0.01	1.3	0.6
K297516		0.48	1.54	0.08	0.3	1.31	0.009	0.25	5.6	2.0	0.86	444	0.22	0.01	1.0	3.6
K297517		0.47	0.23	0.10	<0.1	0.04	0.005	0.02	0.7	1.4	12.80	238	0.07	<0.01	0.3	2.3
K297518		0.96	2.55	0.09	0.5	5.06	0.016	0.36	8.4	3.9	0.44	3290	0.39	0.01	1.4	5.9
K297519		0.54	0.97	<0.05	0.2	1.85	<0.005	0.14	2.6	1.6	0.54	1000	0.34	0.01	0.7	<0.2
K297520		0.53	0.84	<0.05	0.2	0.99	<0.005	0.16	3.0	1.3	0.66	660	0.27	0.01	0.6	<0.2
K297521		1.73	6.02	0.06	1.2	4.30	0.021	1.33	15.2	9.4	0.75	1180	1.68	0.02	3.5	12.2
K297522		1.52	6.54	0.07	1.2	3.48	0.025	1.07	16.4	10.9	0.75	1500	1.85	0.02	3.5	12.7
K297523		1.05	2.93	<0.05	0.6	2.55	0.011	0.57	8.0	5.3	0.62	1150	0.98	0.01	1.7	5.0
K297524		1.37	5.69	0.06	1.0	5.14	0.022	0.94	14.4	9.0	0.47	2880	1.52	0.01	3.2	11.4
K297525		0.57	2.25	<0.05	0.3	3.03	0.011	0.23	4.6	4.2	0.28	6760	0.44	0.01	0.9	1.4
K297526		0.62	1.95	<0.05	0.3	3.41	0.007	0.28	4.9	3.1	0.22	2930	0.42	0.01	1.0	1.8
K297527		2.08	9.44	0.07	1.6	9.6	0.028	1.61	22.0	13.0	0.37	1890	2.42	0.02	5.0	18.7
K297528		1.19	3.99	<0.05	0.7	4.94	0.014	0.79	10.2	5.1	0.34	1600	0.95	0.01	2.1	6.8
K297529		0.81	3.30	0.05	0.6	3.16	0.008	0.55	8.1	4.5	0.31	1240	0.87	0.01	1.8	5.4
K297530		1.13	4.49	0.05	0.8	5.15	0.011	0.79	11.4	7.0	0.30	1860	1.10	0.01	2.5	8.0
K297531		0.50	1.75	<0.05	0.4	1.17	0.005	0.30	5.5	3.3	0.33	210	0.40	0.01	1.1	1.5
K297532		6.77	16.75	0.17	3.5	9.6	0.036	1.38	51.4	19.0	0.13	38	5.65	0.38	8.0	13.6
K297533		0.52	1.88	<0.05	0.4	1.53	0.008	0.32	5.8	3.5	0.46	411	0.35	0.01	1.2	1.3
K297534		0.62	2.22	<0.05	0.4	2.22	0.009	0.37	7.2	4.2	0.45	284	0.54	0.01	1.4	2.5
K297535		0.87	3.25	<0.05	0.6	1.90	0.013	0.64	6.8	5.4	0.92	249	0.68	0.01	2.0	5.3
K297536		0.48	1.21	<0.05	0.2	1.27	<0.005	0.26	4.0	2.0	0.43	254	0.31	0.01	0.8	1.6
K297537		0.65	2.36	0.05	0.4	1.07	0.009	0.42	7.2	4.0	0.68	207	0.67	0.01	1.5	3.1
K297538		0.38	1.39	<0.05	0.3	0.46	0.006	0.22	4.5	2.8	0.35	208	0.28	0.01	0.9	1.0
K297539		0.45	0.36	0.09	<0.1	0.01	<0.005	0.02	0.5	1.0	12.75	199	0.07	<0.01	0.2	1.1
K297540		0.70	2.22	<0.05	0.4	0.50	0.008	0.50	6.9	3.8	0.55	233	0.49	0.01	1.4	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121886

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297505		90	6.4	15.3	<0.002	0.29	1.29	2.2	3	0.2	1835	0.06	<0.05	1.1	0.032	2.85
K297506		950	4.8	16.8	<0.002	0.31	3.95	2.7	3	0.2	1715	0.06	<0.05	1.2	0.036	8.05
K297507		260	5.4	24.5	0.002	0.59	4.15	4.0	2	0.3	1725	0.10	<0.05	1.7	0.065	8.44
K297508		150	6.6	23.3	0.002	0.66	3.70	3.8	2	0.3	1655	0.10	<0.05	1.8	0.059	9.08
K297509		310	5.8	19.4	<0.002	0.57	4.26	3.6	3	0.3	1710	0.09	<0.05	1.4	0.049	12.05
K297510		250	4.6	23.1	0.002	0.60	17.25	6.4	3	0.3	1520	0.10	<0.05	1.7	0.054	22.7
K297511		280	3.8	19.9	0.002	0.61	3.44	3.2	2	0.2	1910	0.08	<0.05	1.5	0.048	9.17
K297512		880	16.1	47.6	0.002	2.95	102.5	16.3	3	2.4	498	0.63	0.11	8.4	0.528	6.61
K297513		680	10.2	14.6	<0.002	0.40	4.44	3.0	2	0.2	1890	0.07	<0.05	1.2	0.036	7.63
K297514		490	2.8	9.2	<0.002	0.24	4.65	3.4	2	0.2	1575	<0.05	<0.05	0.8	0.024	8.15
K297515		300	3.8	18.9	<0.002	0.37	5.28	6.0	3	0.2	1475	0.08	<0.05	1.4	0.040	6.77
K297516		330	3.0	11.7	<0.002	0.25	2.55	1.9	2	0.2	1610	0.07	<0.05	1.1	0.032	4.23
K297517		180	1.1	1.4	<0.002	0.01	0.11	0.3	1	<0.2	59.8	<0.05	<0.05	<0.2	<0.005	0.11
K297518		460	6.4	17.3	0.002	0.60	19.40	5.2	2	0.3	1225	0.09	<0.05	1.6	0.045	19.50
K297519		620	3.4	6.7	<0.002	0.36	3.21	1.4	2	<0.2	1495	<0.05	<0.05	0.6	0.019	5.90
K297520		600	2.0	6.6	<0.002	0.30	1.33	1.4	2	<0.2	1680	<0.05	<0.05	0.6	0.019	3.14
K297521		890	8.0	55.2	0.006	1.73	4.45	6.9	2	0.6	1645	0.23	<0.05	3.8	0.162	12.40
K297522		310	8.0	57.6	0.005	1.39	4.21	7.8	3	0.7	1690	0.23	0.05	3.9	0.127	12.65
K297523		730	4.2	24.8	0.003	0.78	4.80	4.3	3	0.3	2100	0.11	<0.05	1.9	0.071	6.68
K297524		350	8.6	47.2	0.005	1.45	8.15	7.6	3	0.6	1605	0.20	0.05	3.6	0.116	15.15
K297525		860	3.4	11.9	<0.002	0.51	7.01	9.1	2	0.2	1510	0.05	<0.05	1.0	0.028	9.35
K297526		170	3.2	14.2	<0.002	0.58	6.42	6.4	2	0.2	1515	0.06	<0.05	1.0	0.033	10.25
K297527		330	15.2	84.1	0.008	2.37	21.2	9.8	3	0.9	1245	0.33	0.08	5.5	0.186	32.1
K297528		580	5.5	35.1	0.003	1.28	8.21	5.6	2	0.4	1525	0.14	<0.05	2.4	0.092	14.80
K297529		630	3.8	28.5	0.002	0.86	5.82	4.3	3	0.3	1455	0.11	<0.05	1.9	0.061	10.05
K297530		310	7.4	39.2	0.004	1.20	10.75	6.6	3	0.4	1320	0.16	<0.05	2.6	0.090	14.65
K297531		240	3.7	14.5	<0.002	0.50	1.21	2.3	2	0.2	1925	0.07	<0.05	1.2	0.038	4.07
K297532		890	14.7	42.1	0.002	3.01	89.8	13.9	2	2.2	505	0.56	0.11	7.8	0.544	6.03
K297533		250	4.5	15.5	<0.002	0.48	1.45	2.4	3	0.2	1395	0.07	<0.05	1.2	0.038	3.66
K297534		320	4.5	17.9	0.002	0.65	2.09	2.7	2	0.3	1340	0.09	<0.05	1.5	0.048	4.87
K297535		350	8.7	28.1	0.002	0.90	0.56	2.9	3	0.4	1095	0.13	<0.05	2.0	0.074	3.34
K297536		330	3.2	9.5	<0.002	0.45	0.52	1.6	2	<0.2	1560	<0.05	<0.05	0.8	0.031	1.98
K297537		370	5.7	19.7	0.002	0.64	0.45	2.8	3	0.3	1530	0.09	<0.05	1.6	0.048	2.92
K297538		490	2.8	10.7	<0.002	0.37	0.41	1.8	3	0.2	1515	0.05	<0.05	0.9	0.027	1.90
K297539		170	1.2	1.2	<0.002	0.01	<0.05	0.3	2	<0.2	43.6	<0.05	<0.05	<0.2	<0.005	0.03
K297540		360	3.2	19.8	<0.002	0.68	0.33	2.3	2	0.3	1475	0.09	<0.05	1.5	0.055	2.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121886

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297505		1.8	5	0.4	10.3	9	11.1
K297506		2.4	6	0.5	13.6	10	13.9
K297507		2.4	14	0.7	12.4	17	17.5
K297508		2.3	13	0.7	12.3	15	18.0
K297509		2.2	9	0.7	13.1	17	14.9
K297510		2.6	12	0.9	14.2	21	17.7
K297511		2.4	10	0.6	10.9	24	13.9
K297512		6.5	160	19.8	13.6	42	160.0
K297513		2.3	6	0.5	12.3	14	12.7
K297514		1.8	3	0.4	10.9	8	9.5
K297515		2.5	9	0.7	16.8	12	13.8
K297516		2.0	5	0.7	10.3	6	12.5
K297517		0.7	<1	0.1	0.9	16	<0.5
K297518		2.7	10	1.2	15.4	18	17.6
K297519		1.4	2	0.4	5.4	21	8.0
K297520		1.6	2	0.3	7.2	4	7.6
K297521		3.3	48	2.1	20.1	45	41.2
K297522		3.3	39	2.0	21.0	33	40.6
K297523		2.4	19	1.0	13.6	20	22.1
K297524		3.8	31	2.1	18.1	30	35.8
K297525		1.8	6	0.6	19.3	10	12.8
K297526		1.5	7	0.6	10.7	10	10.8
K297527		3.6	58	2.9	22.1	45	55.5
K297528		2.4	25	1.3	12.7	29	25.8
K297529		2.5	15	1.0	12.4	16	20.2
K297530		2.7	24	1.3	14.8	20	27.9
K297531		2.2	7	0.6	10.6	8	12.5
K297532		6.0	167	17.4	12.3	43	147.0
K297533		1.9	7	0.7	11.9	19	12.6
K297534		2.3	10	0.7	12.2	19	14.5
K297535		2.5	16	0.7	10.8	162	20.6
K297536		1.9	5	0.4	7.9	8	8.3
K297537		3.2	10	0.6	12.5	20	15.3
K297538		2.1	4	0.3	8.9	17	9.4
K297539		0.6	<1	0.1	0.7	17	<0.5
K297540		1.9	11	0.4	9.3	11	14.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121886

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

CERTIFICATE WH11121885

Project: Rackla Gold (Nadaleen)

P.O. No.: BATCH 30 - AREA B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11121885

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297541		7.91	<0.01	0.03	1.95	61	660	0.64	0.08	29.2	0.05	23.8	6.3	17	5.06	15.7
K297542		7.61	<0.01	0.01	0.61	14	90	0.18	0.03	34.4	0.03	9.31	2.9	9	1.64	7.3
K297543		7.76	<0.01	0.03	4.14	50	210	1.20	0.17	19.50	0.08	48.0	14.0	38	15.70	37.8
K297544		7.47	<0.01	0.01	1.08	32	130	0.38	0.05	32.5	0.08	16.70	4.2	12	3.23	10.5
K297545		3.38	<0.01	0.06	6.74	11.3	370	1.33	0.15	4.36	0.18	49.1	32.3	67	7.58	154.0
K297546		5.93	<0.01	0.07	6.59	23.6	140	1.38	0.16	4.52	0.20	47.4	32.5	64	10.65	153.5
K297547		7.02	<0.01	<0.01	0.11	<5	20	0.07	0.02	20.9	0.05	1.62	1.5	2	0.26	2.6
K297548		8.28	<0.01	0.08	6.83	27.0	150	1.51	0.15	5.32	0.24	49.2	31.7	65	10.50	158.5
K297549		8.38	<0.01	0.09	6.86	9.6	360	1.18	0.15	4.80	0.20	44.5	30.6	66	9.08	156.5
K297550		3.52	<0.01	0.11	6.75	8.4	290	1.27	0.16	4.54	0.19	49.6	29.7	68	9.59	148.0
K297551		7.18	<0.01	0.06	6.32	43.9	280	1.22	0.14	6.07	0.19	47.6	29.2	61	8.62	126.5
K297552		8.44	<0.01	0.07	6.60	4.5	200	1.23	0.15	4.95	0.20	49.3	31.9	64	9.57	130.5
K297553		7.87	<0.01	0.06	6.80	5.8	180	1.21	0.15	4.36	0.22	49.3	34.0	68	11.40	156.0
K297554		0.22	0.35	0.28	6.08	606	1970	0.64	0.23	0.46	0.14	145.0	2.8	232	3.66	27.6
K297555		8.95	<0.01	0.06	7.06	5.2	160	1.35	0.16	4.58	0.21	53.2	32.5	72	10.70	157.5
K297556		6.77	<0.01	0.07	6.27	22.2	810	1.19	0.13	5.18	0.26	42.1	29.3	75	9.53	137.5
K297557		3.53	<0.01	0.12	7.22	938	1130	1.20	0.17	1.25	0.15	52.4	22.5	89	16.10	121.5
K297558		5.59	0.18	0.10	7.12	>10000	620	1.55	0.19	0.43	0.22	50.2	33.3	86	23.2	191.0
K297559		7.06	<0.01	0.01	0.11	30	20	0.06	0.01	21.3	0.05	1.55	1.2	4	0.26	2.2
K297560		9.22	<0.01	0.06	6.73	159.5	390	1.50	0.16	4.05	0.23	44.8	33.6	70	21.6	172.5
K297561		9.05	<0.01	0.06	6.85	174.5	230	1.60	0.15	4.01	0.30	46.2	34.9	70	21.6	183.0
K297562		8.23	<0.01	0.10	6.19	32.6	330	1.24	0.14	4.73	0.22	40.8	30.6	62	22.0	144.0
K297563		5.80	<0.01	0.07	7.15	227	930	1.51	0.15	2.33	0.33	41.8	41.6	88	17.50	194.0
K297564		7.75	0.01	0.10	6.84	507	590	2.03	0.17	0.74	0.42	42.9	40.9	83	19.65	202
K297565		8.06	<0.01	0.08	7.22	275	260	2.55	0.22	2.80	0.33	61.3	35.3	76	28.9	137.5
K297566		6.22	<0.01	0.10	7.03	125.5	250	2.29	0.21	3.37	0.31	59.3	29.4	80	25.7	138.0
K297567		5.81	<0.01	0.08	7.30	181.5	280	1.66	0.22	1.72	0.36	62.0	36.7	83	14.20	158.0
K297568		8.24	0.05	0.09	5.75	1015	310	1.19	0.17	7.16	1.62	57.5	21.4	53	10.25	84.0
K297569		10.96	<0.01	0.04	5.88	351	240	1.49	0.19	8.63	0.13	62.7	16.7	48	11.40	69.5
K297570		0.22	7.49	0.41	3.58	950	160	0.83	0.55	12.35	3.49	47.5	5.6	92	7.95	31.5
K297571		10.73	<0.01	0.03	5.67	83	190	1.27	0.20	15.20	0.09	66.9	12.3	47	14.65	28.2
K297572		10.60	<0.01	0.03	4.79	460	180	1.00	0.16	17.00	0.52	53.0	10.2	41	10.30	22.8
K297573		9.21	0.02	0.05	4.20	348	150	0.78	0.13	18.20	0.04	47.1	8.2	35	11.40	15.0
K297574		9.16	0.03	0.03	2.52	335	90	0.54	0.08	21.4	0.22	26.3	5.0	26	5.94	9.7
K297575		4.23	0.05	4.41	2.69	624	100	0.53	0.08	23.5	0.04	26.4	5.3	22	6.66	16.9
K297576		6.96	<0.01	0.05	6.75	85	250	1.39	0.20	10.05	0.03	77.8	12.1	50	19.85	23.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11121885

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297541		1.28	4.86	0.12	0.8	0.55	0.016	0.91	13.9	6.6	0.78	374	0.84	0.02	2.6	10.0
K297542		0.46	2.05	0.05	0.3	0.10	0.006	0.28	4.7	2.4	0.36	185	0.29	0.01	1.1	<0.2
K297543		2.50	12.65	0.14	1.9	0.62	0.033	1.90	26.6	14.8	1.33	401	1.87	0.03	6.2	20.2
K297544		0.75	3.39	0.10	0.5	0.36	0.010	0.49	8.9	4.2	0.48	222	0.41	0.01	1.8	<0.2
K297545		7.20	21.5	0.19	2.3	0.2	0.076	1.49	21.9	64.2	3.38	854	0.38	0.49	11.6	56.4
K297546		6.90	20.7	0.17	2.6	0.1	0.076	1.47	21.0	77.0	3.32	862	0.31	0.59	11.6	54.7
K297547		0.46	0.46	0.05	<0.1	<0.01	<0.005	0.05	0.8	1.9	12.75	190	0.10	0.01	0.4	<0.2
K297548		7.00	21.0	0.19	2.0	0.1	0.084	1.38	21.5	59.3	3.21	944	0.34	0.64	11.1	54.4
K297549		7.07	19.95	0.17	2.1	0.04	0.080	1.20	19.4	60.5	3.66	871	0.27	1.13	10.8	54.9
K297550		6.76	19.95	0.18	2.8	<0.1	0.083	1.24	21.7	59.5	3.52	839	0.29	1.08	11.2	53.2
K297551		6.51	18.65	0.17	2.5	0.03	0.072	1.13	21.3	57.7	3.25	1160	0.29	0.98	10.6	47.1
K297552		7.27	19.80	0.21	3.0	<0.1	0.074	1.11	22.0	61.7	3.77	1120	0.30	0.94	11.1	49.9
K297553		7.76	19.95	0.20	2.7	0.1	0.086	1.19	21.0	79.0	3.46	966	0.32	0.82	11.2	53.9
K297554		6.61	19.40	0.28	4.3	9.0	0.041	1.31	67.8	19.8	0.12	35	5.75	0.37	9.9	14.9
K297555		7.71	19.85	0.24	2.2	0.2	0.088	1.21	23.0	78.9	3.21	982	0.33	1.00	13.9	54.6
K297556		6.91	17.65	0.18	2.0	0.21	0.076	1.06	18.7	126.0	2.53	1150	0.34	0.34	10.4	48.7
K297557		7.92	21.3	0.25	2.1	1.64	0.086	1.99	22.9	85.9	0.97	620	0.41	0.15	12.9	36.8
K297558		9.25	20.2	0.28	1.9	7.0	0.108	2.64	20.6	126.5	0.47	1700	0.35	0.03	12.4	49.4
K297559		0.48	0.40	<0.05	<0.1	0.01	<0.005	0.04	0.7	1.7	13.05	202	0.07	0.01	0.3	<0.2
K297560		7.18	19.35	0.21	1.9	0.18	0.094	2.11	18.0	142.5	2.35	1020	0.25	0.22	12.4	55.6
K297561		7.41	18.60	0.24	2.2	0.18	0.086	2.02	18.6	136.0	2.64	1300	0.25	0.32	11.5	65.1
K297562		6.79	17.20	0.22	1.9	0.26	0.078	1.99	17.0	167.5	3.08	1140	0.27	0.24	10.4	51.1
K297563		8.86	19.30	0.23	1.8	1.41	0.099	2.17	16.7	263	0.98	1300	0.30	0.02	10.9	74.3
K297564		9.09	18.30	0.25	1.7	1.5	0.099	2.41	17.1	251	0.49	1860	0.76	0.02	10.5	74.9
K297565		7.24	19.35	0.25	2.7	0.68	0.095	2.72	25.6	241	1.81	1300	2.13	0.03	16.6	54.4
K297566		7.46	18.70	0.27	2.7	0.6	0.096	2.63	25.5	207	1.39	1120	4.69	0.03	16.3	49.7
K297567		8.00	19.40	0.28	2.9	1.68	0.103	2.42	27.6	146.0	1.01	1130	0.69	0.02	16.6	68.1
K297568		5.61	15.05	0.20	2.6	7.6	0.066	2.45	26.1	16.6	3.18	1260	1.26	0.03	10.7	33.9
K297569		4.44	15.65	0.19	2.7	3.95	0.058	2.67	30.0	10.8	3.32	1000	0.66	0.03	10.3	26.5
K297570		1.42	7.72	0.13	2.3	5.80	0.059	1.47	29.6	10.2	0.73	279	10.20	0.01	8.0	58.8
K297571		2.95	14.20	0.14	1.9	2.13	0.037	2.57	33.6	10.3	1.80	675	0.83	0.03	7.2	20.9
K297572		3.20	12.20	0.11	1.6	2.78	0.035	2.08	26.2	13.7	1.44	604	0.85	0.02	5.9	17.8
K297573		1.94	10.65	0.11	1.5	3.04	0.026	1.80	24.0	9.7	1.34	558	0.42	0.02	5.7	12.3
K297574		1.65	6.05	0.07	1.0	3.42	0.016	1.02	12.4	6.6	1.95	502	0.38	0.02	3.5	5.6
K297575		1.44	6.53	0.08	0.9	3.4	0.019	1.00	12.9	8.7	1.38	611	0.42	0.02	3.5	6.7
K297576		3.42	17.30	0.14	2.4	1.71	0.045	2.81	39.3	26.4	1.73	394	0.35	0.04	9.4	22.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11121885

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297541		170	6.5	39.9	0.002	1.24	0.52	4.9	2	0.5	1395	0.18	<0.05	3.3	0.099	4.08
K297542		390	3.1	11.5	<0.002	0.41	0.23	2.1	2	0.2	1640	0.05	<0.05	1.0	0.030	0.66
K297543		280	12.5	84.2	0.005	2.42	0.43	11.4	3	1.1	1025	0.40	0.06	6.3	0.212	7.52
K297544		370	4.3	21.3	0.002	0.71	0.28	3.4	3	0.3	1665	0.10	<0.05	1.8	0.052	1.71
K297545		630	9.4	74.9	<0.002	0.04	0.34	30.7	2	1.7	69.8	0.71	0.14	4.6	0.646	0.52
K297546		600	10.2	79.5	<0.002	0.03	0.30	30.6	3	1.7	69.1	0.72	0.16	4.8	0.631	0.62
K297547		220	1.2	2.0	<0.002	0.01	<0.05	0.4	1	<0.2	46.0	<0.05	<0.05	<0.2	0.005	0.02
K297548		630	10.3	66.7	0.002	0.04	0.32	32.5	3	1.8	77.7	0.71	0.15	4.2	0.660	0.54
K297549		630	10.5	50.3	<0.002	0.03	0.31	30.8	2	1.6	84.2	0.69	0.14	4.1	0.681	0.39
K297550		600	10.4	59.6	<0.002	0.03	0.29	30.6	3	1.7	80.2	0.72	0.14	5.1	0.666	0.39
K297551		570	9.5	53.4	<0.002	0.03	0.29	28.6	2	1.6	103.0	0.65	0.13	4.7	0.650	0.39
K297552		600	9.9	52.2	<0.002	0.06	0.26	30.1	2	1.7	77.1	0.72	0.11	5.3	0.687	0.34
K297553		650	8.5	59.3	<0.002	0.07	0.28	33.4	3	1.7	81.1	0.69	0.14	4.5	0.726	0.43
K297554		900	17.9	42.5	0.002	3.09	117.5	17.0	3	2.7	518	0.72	0.12	9.3	0.528	8.06
K297555		650	9.8	63.1	<0.002	0.10	0.38	31.9	3	1.9	107.5	0.86	0.16	4.4	0.739	0.47
K297556		520	9.0	59.5	0.002	0.27	0.31	30.0	3	1.6	189.0	0.65	0.12	4.0	0.762	1.01
K297557		670	9.0	120.5	<0.002	0.41	2.64	29.1	3	2.0	347	0.80	0.21	4.6	0.809	7.98
K297558		840	11.3	156.0	<0.002	0.68	50.4	30.9	5	2.1	315	0.74	0.25	4.4	0.750	14.10
K297559		230	1.3	1.7	<0.002	0.01	0.14	0.4	2	<0.2	44.9	<0.05	<0.05	<0.2	0.006	0.05
K297560		630	8.6	126.5	0.002	0.13	0.55	31.8	3	1.8	191.5	0.76	0.19	3.9	0.708	1.56
K297561		640	9.8	128.5	0.002	0.16	0.49	34.0	3	1.7	152.0	0.72	0.18	4.2	0.709	1.54
K297562		590	9.1	123.5	0.002	0.16	0.26	29.3	3	1.6	150.5	0.64	0.13	4.0	0.644	1.19
K297563		670	8.5	143.5	<0.002	2.65	1.08	36.7	3	1.8	394	0.67	0.17	3.7	0.751	8.12
K297564		640	12.1	128.5	0.002	1.83	2.18	36.2	3	1.9	159.0	0.66	0.17	4.4	0.685	7.51
K297565		710	13.5	143.5	0.006	0.60	1.03	30.1	3	2.2	95.5	1.00	0.29	6.2	0.653	2.61
K297566		710	11.7	153.5	0.004	0.76	0.59	30.3	4	2.2	75.2	0.99	0.29	5.7	0.691	1.89
K297567		790	11.6	127.5	0.005	4.85	1.64	32.8	5	2.2	395	1.00	0.34	5.7	0.728	7.68
K297568		470	24.7	94.9	0.003	3.59	18.35	19.1	3	2.0	253	0.67	0.16	6.4	0.466	6.50
K297569		520	10.8	105.0	0.002	2.98	6.51	18.6	2	1.9	135.0	0.66	0.11	7.1	0.416	4.50
K297570		4320	4.9	111.0	0.037	1.42	19.90	7.1	9	1.6	150.0	0.51	0.55	6.1	0.211	13.50
K297571		560	17.9	107.5	0.002	2.37	1.39	11.3	2	1.5	282	0.48	0.05	8.9	0.230	3.41
K297572		570	67.2	81.0	<0.002	2.95	4.13	8.9	2	1.2	244	0.39	<0.05	7.5	0.193	3.18
K297573		500	10.6	75.4	<0.002	1.50	5.21	7.5	2	1.1	439	0.38	<0.05	6.9	0.173	5.95
K297574		480	8.7	41.6	<0.002	1.08	5.50	4.6	2	0.7	371	0.22	<0.05	4.2	0.104	6.58
K297575		450	7.3	42.4	<0.002	0.97	6.50	5.3	3	0.6	532	0.22	<0.05	4.3	0.106	5.90
K297576		620	18.2	122.5	<0.002	2.85	0.93	12.1	2	1.8	303	0.63	<0.05	10.9	0.289	4.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11121885

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297541		2.2	28	0.6	15.5	23	29.1	
K297542		1.9	9	0.2	7.6	9	11.9	
K297543		3.1	65	0.9	20.3	65	64.1	
K297544		2.1	16	0.3	13.2	33	19.7	
K297545		1.2	215	1.0	24.0	96	95.3	
K297546		1.1	214	1.0	24.5	95	104.5	
K297547		0.7	3	0.1	1.0	16	0.6	
K297548		1.0	232	1.0	22.3	97	75.1	
K297549		0.9	233	1.1	21.1	102	74.3	
K297550		1.2	229	1.1	24.0	99	108.0	
K297551		1.1	219	0.8	23.5	91	97.4	
K297552		1.3	234	0.8	25.1	103	109.0	
K297553		1.1	255	0.8	25.6	105	105.5	
K297554		7.6	168	24.9	15.0	43	174.0	
K297555		1.0	250	0.8	23.5	108	87.7	
K297556		1.0	241	1.1	20.8	94	74.2	
K297557		1.0	288	5.3	21.0	93	79.5	
K297558		1.0	269	8.3	19.3	106	70.7	1.915
K297559		0.4	3	0.1	0.9	17	0.8	
K297560		0.9	240	1.0	20.8	102	72.6	
K297561		1.0	252	0.9	25.1	114	81.7	
K297562		1.0	225	0.7	21.3	96	72.2	
K297563		0.9	264	2.7	22.5	113	65.6	
K297564		1.1	234	5.4	22.4	110	62.4	
K297565		1.8	209	1.3	23.8	108	114.0	
K297566		1.6	221	1.5	23.8	102	105.0	
K297567		1.6	235	3.4	24.5	108	120.5	
K297568		1.7	143	7.8	21.7	508	101.0	
K297569		2.0	125	4.4	25.2	67	107.0	
K297570		8.1	402	38.9	28.4	291	84.1	
K297571		3.0	61	1.4	18.1	93	69.3	
K297572		2.4	48	1.5	14.2	239	56.2	
K297573		2.3	37	1.9	12.4	43	56.7	
K297574		1.7	24	1.2	11.5	45	39.1	
K297575		1.9	26	33.7	10.2	27	36.9	
K297576		2.7	66	2.2	17.3	64	92.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11121885

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

CERTIFICATE WH11121176

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 31- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121176

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297289		5.19	0.03	0.34	0.41	712	170	0.19	0.02	18.55	0.71	8.19	3.3	2	0.43	4.0
K297290		3.18	0.13	0.13	0.63	329	240	0.20	0.03	19.25	0.28	10.55	2.6	4	0.89	4.6
K297291		6.06	<0.01	0.15	0.30	403	210	0.14	0.01	19.00	0.41	7.13	1.8	1	0.46	2.7
K297292		4.01	0.01	0.09	0.33	270	230	0.12	0.01	19.15	0.10	8.56	1.9	2	0.29	3.1
K297293		4.54	<0.01	0.04	0.36	72	150	0.14	0.01	19.60	0.11	8.20	1.9	2	0.34	2.6
K297294		5.36	0.01	0.09	0.41	143	140	0.21	0.02	19.70	0.13	9.20	2.1	4	0.60	3.2
K297295		4.53	0.02	0.20	0.39	114	140	0.17	0.02	18.80	0.77	9.13	2.4	5	0.44	3.9
K297296		10.76	<0.01	0.05	0.40	52	100	0.18	0.02	19.25	0.05	9.28	2.0	5	0.77	2.9
K297297		10.25	0.01	0.03	0.21	409	80	0.15	0.01	19.20	0.13	6.23	1.4	2	0.30	1.8
K297298		10.74	<0.01	0.02	0.27	45	70	0.19	0.01	20.0	0.04	7.00	1.4	2	0.43	2.1
K297299		4.75	0.03	0.03	0.24	99	110	0.12	0.01	20.0	0.12	6.31	1.6	2	0.40	2.3
K297300		0.20	0.36	0.32	5.81	579	550	0.58	0.25	0.45	0.17	131.5	2.8	233	3.48	29.3
K297301		11.93	0.01	0.01	0.14	1220	90	0.07	0.01	20.7	0.02	3.60	1.3	2	0.22	1.8
K297302		7.04	<0.01	0.01	0.06	<5	10	0.06	0.02	20.7	0.05	1.51	1.1	<1	0.15	1.8
K297303		12.04	0.01	0.03	0.05	369	50	0.10	<0.01	20.2	0.14	1.84	0.9	1	0.07	1.3
K297304		10.83	0.01	0.03	0.05	372	50	0.09	<0.01	20.5	0.14	1.87	1.0	1	0.07	1.1
K297305		10.21	<0.01	0.03	0.15	216	80	0.10	0.01	20.5	0.52	4.06	1.2	2	0.26	1.8
K297306		12.05	<0.01	0.02	0.05	1170	30	0.06	<0.01	20.0	<0.02	2.22	0.9	1	0.06	1.2
K297307		10.95	0.01	0.03	0.23	3930	160	0.10	0.01	20.2	0.05	5.76	1.3	2	0.37	1.9
K297308		7.04	<0.01	0.01	0.08	12	20	0.06	0.01	21.2	0.05	1.48	1.2	<1	0.22	1.6
K297309		11.82	0.03	0.07	0.46	746	80	0.15	0.02	19.35	0.14	8.88	1.8	4	0.83	2.7
K297310		2.44	0.04	0.29	1.05	312	100	0.28	0.04	16.60	0.22	17.70	2.8	10	1.80	6.0
K297311		12.23	0.03	0.10	0.19	1320	40	0.13	0.01	19.25	0.53	5.54	1.5	2	0.27	2.5
K297312		11.09	0.02	0.09	0.43	1910	50	0.21	0.02	20.3	0.05	10.15	1.9	4	1.00	3.2
K297313		0.20	0.34	0.33	5.99	607	490	0.62	0.27	0.46	0.17	140.5	3.0	243	3.68	30.5
K297314		6.52	0.08	0.09	0.34	508	40	0.11	0.01	16.10	2.86	9.41	2.2	4	0.70	5.5
K297315		6.21	0.25	0.26	0.23	1330	30	0.09	0.01	10.60	4.36	8.16	5.2	2	0.28	9.1
K297316		13.35	0.12	0.19	0.49	7380	100	0.21	0.03	15.75	2.51	10.30	2.5	4	0.88	5.8
K297317		12.89	0.05	0.06	0.60	7050	520	0.30	0.03	18.35	0.29	14.15	2.2	5	1.36	4.8
K297318		11.65	0.03	0.04	0.63	917	60	0.29	0.03	17.85	0.45	12.65	2.2	5	1.71	4.8
K297319		11.29	0.01	0.03	0.83	267	70	0.42	0.04	18.40	0.07	17.50	2.5	6	3.32	5.2
K297320		5.34	0.01	0.02	0.76	244	60	0.35	0.03	18.85	0.19	15.25	2.4	6	2.88	4.6
K297321		12.33	0.01	0.01	0.86	128	90	0.34	0.03	18.55	0.02	16.50	2.4	4	3.85	4.4
K297322		11.27	0.01	0.02	0.52	148	60	0.27	0.02	19.70	0.02	12.55	1.8	4	1.28	3.8
K297323		11.32	0.08	0.02	0.30	652	50	0.15	0.02	19.60	0.02	9.21	1.4	3	0.49	3.0
K297324		5.66	0.09	0.03	0.38	3280	250	0.13	0.02	19.20	0.02	12.70	1.7	3	0.58	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121176

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
K297289		1.54	1.09	0.06	0.2	7.14	0.005	0.17	5.2	1.3	10.75	1360	0.64	0.01	0.7	4.1
K297290		0.85	1.62	0.07	0.4	3.15	0.009	0.27	6.6	2.2	11.20	1300	0.52	0.02	1.1	3.5
K297291		1.31	0.87	0.06	0.2	4.82	<0.005	0.11	4.4	1.4	11.10	1340	0.41	0.01	0.5	2.5
K297292		1.69	0.82	0.06	0.2	5.87	<0.005	0.11	5.1	1.4	10.95	1420	0.56	0.01	0.7	2.6
K297293		1.19	0.91	0.07	0.2	2.88	<0.005	0.14	4.9	1.4	11.25	1300	0.30	0.02	0.6	2.5
K297294		0.76	1.31	0.05	0.3	2.02	<0.005	0.17	5.3	2.2	11.80	1110	0.34	0.02	0.7	2.5
K297295		0.99	1.26	0.05	0.3	3.28	<0.005	0.16	5.5	1.9	11.20	1140	0.37	0.01	0.6	2.4
K297296		0.68	1.28	0.05	0.3	1.76	<0.005	0.18	5.2	2.8	11.55	887	0.28	0.01	0.7	2.0
K297297		0.65	0.76	0.05	0.2	1.23	<0.005	0.09	3.6	1.5	11.45	1160	0.20	0.01	0.4	1.5
K297298		0.69	0.91	<0.05	0.2	1.08	<0.005	0.11	4.1	1.8	11.85	1440	0.26	0.02	0.5	1.5
K297299		0.61	0.80	0.05	0.1	1.82	<0.005	0.10	3.8	1.6	11.95	786	0.37	0.02	0.4	1.8
K297300		6.33	20.9	0.15	3.9	9.4	0.047	1.28	61.1	19.1	0.13	37	6.09	0.37	8.5	14.3
K297301		0.29	0.46	<0.05	0.1	0.58	<0.005	0.05	2.1	1.2	12.30	554	0.27	0.02	0.3	1.6
K297302		0.40	0.25	0.05	<0.1	0.01	<0.005	0.03	0.7	1.1	12.30	185	0.21	0.01	0.2	1.7
K297303		0.51	0.22	<0.05	<0.1	1.01	<0.005	0.02	1.1	0.8	11.95	698	0.54	0.01	0.1	1.2
K297304		0.51	0.28	0.06	<0.1	0.97	<0.005	0.02	1.1	0.9	12.10	704	0.52	0.01	0.1	1.0
K297305		0.64	0.57	0.05	0.1	1.55	<0.005	0.06	2.3	1.3	12.15	506	0.24	0.01	0.3	1.4
K297306		0.57	0.25	0.05	<0.1	0.49	<0.005	0.02	1.3	0.9	12.10	475	0.21	0.01	0.2	1.2
K297307		0.42	0.71	0.06	0.2	1.22	0.005	0.09	3.2	1.8	12.00	497	0.20	0.01	0.5	1.5
K297308		0.43	0.32	0.06	<0.1	0.01	<0.005	0.03	0.7	1.2	12.60	193	0.09	0.01	0.3	2.3
K297309		0.38	1.25	0.05	0.3	1.89	<0.005	0.21	4.8	2.3	11.65	514	0.27	0.02	0.8	2.2
K297310		0.87	3.01	0.05	0.6	2.85	0.006	0.48	9.4	4.2	9.83	808	0.80	0.01	1.8	4.1
K297311		1.10	0.64	0.05	0.1	4.39	<0.005	0.08	3.1	1.2	11.35	886	0.33	0.01	0.4	2.1
K297312		0.66	1.25	0.05	0.2	3.41	0.006	0.19	6.1	2.8	11.90	822	0.65	0.02	0.8	2.7
K297313		6.46	20.8	0.17	4.1	9.5	0.047	1.34	64.9	19.9	0.13	38	6.44	0.38	9.1	15.5
K297314		7.72	1.44	0.16	0.2	8.90	0.013	0.15	5.3	2.0	9.46	900	0.48	0.01	0.7	3.8
K297315		16.80	1.27	0.35	0.1	13.5	0.025	0.09	4.5	1.2	7.08	946	0.34	0.01	0.5	13.1
K297316		6.93	1.56	0.12	0.2	12.1	0.015	0.22	6.1	2.8	9.15	1480	0.47	0.01	0.9	3.9
K297317		2.21	1.82	0.06	0.3	1.83	0.012	0.28	9.1	3.8	10.85	1860	0.42	0.01	1.1	3.3
K297318		3.13	1.85	0.07	0.3	2.33	0.005	0.30	7.4	3.1	10.40	1680	0.16	0.01	1.1	3.2
K297319		1.10	2.39	0.05	0.4	0.78	0.006	0.41	11.3	4.1	10.75	1600	0.07	0.02	1.4	3.9
K297320		1.06	2.15	0.06	0.4	0.66	0.006	0.37	9.9	3.8	11.00	1600	0.07	0.02	1.2	3.6
K297321		0.56	2.33	0.05	0.4	0.51	0.008	0.43	10.6	4.7	11.05	809	0.19	0.02	1.5	3.4
K297322		0.38	1.44	0.05	0.2	0.53	0.005	0.25	8.3	2.6	11.80	896	0.28	0.02	0.9	2.6
K297323		0.44	0.89	0.05	0.2	0.79	<0.005	0.12	6.1	1.9	11.65	940	0.15	0.02	0.5	2.1
K297324		0.77	1.18	0.05	0.2	1.45	0.006	0.15	8.3	2.3	11.40	1040	0.18	0.02	0.7	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121176

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297289		320	247	5.6	<0.002	0.66	3.91	0.8	1	0.2	141.5	<0.05	<0.05	0.8	0.018	0.77
K297290		390	35.7	9.3	<0.002	0.30	2.11	1.1	1	0.3	145.0	0.07	<0.05	1.2	0.032	2.12
K297291		300	32.4	3.6	<0.002	0.74	0.67	0.6	1	0.2	146.0	<0.05	<0.05	0.6	0.013	9.12
K297292		310	25.3	3.3	<0.002	0.45	0.69	0.6	1	0.2	179.0	<0.05	<0.05	0.7	0.017	0.93
K297293		290	16.5	4.2	<0.002	0.43	0.30	0.7	1	<0.2	125.0	<0.05	<0.05	0.7	0.016	1.74
K297294		270	261	6.0	<0.002	0.52	0.75	0.9	1	0.2	105.5	0.05	<0.05	0.9	0.019	2.53
K297295		340	92.8	5.6	<0.002	0.78	2.30	0.9	1	0.2	109.5	<0.05	<0.05	0.8	0.017	2.65
K297296		280	31.5	6.1	<0.002	0.43	0.25	0.9	1	0.2	92.2	0.05	<0.05	0.9	0.020	1.11
K297297		190	7.7	2.8	<0.002	0.23	0.18	0.5	1	<0.2	86.4	<0.05	<0.05	0.5	0.010	0.96
K297298		270	8.4	3.5	<0.002	0.24	0.09	0.6	1	<0.2	80.3	<0.05	<0.05	0.6	0.013	0.52
K297299		300	16.8	3.2	<0.002	0.53	0.13	0.6	1	<0.2	104.0	<0.05	<0.05	0.6	0.012	1.76
K297300		890	16.0	46.8	0.003	2.99	104.5	14.9	2	2.9	453	0.70	0.12	9.5	0.516	7.46
K297301		380	4.1	1.8	<0.002	0.24	0.19	0.4	1	<0.2	80.0	<0.05	<0.05	0.3	0.008	0.68
K297302		250	1.4	1.2	<0.002	0.01	0.05	0.3	1	<0.2	43.9	<0.05	<0.05	<0.2	<0.005	<0.02
K297303		460	27.7	0.6	<0.002	0.40	0.22	0.2	1	<0.2	74.9	<0.05	<0.05	<0.2	<0.005	0.86
K297304		470	26.4	0.5	<0.002	0.41	0.24	0.2	1	<0.2	69.3	<0.05	<0.05	<0.2	<0.005	0.86
K297305		170	19.8	2.1	<0.002	0.63	0.32	0.4	1	<0.2	73.8	<0.05	<0.05	0.4	0.008	1.44
K297306		380	10.2	0.7	<0.002	0.60	0.20	0.2	1	<0.2	63.3	<0.05	<0.05	<0.2	<0.005	0.75
K297307		400	16.3	3.1	<0.002	0.56	0.39	0.5	1	<0.2	103.5	<0.05	<0.05	0.6	0.013	1.38
K297308		190	1.2	1.5	<0.002	0.02	<0.05	0.3	1	<0.2	42.9	<0.05	<0.05	<0.2	<0.005	0.03
K297309		350	24.2	7.2	<0.002	0.31	0.39	0.9	1	0.2	92.7	0.06	<0.05	1.0	0.023	1.66
K297310		460	42.2	17.3	<0.002	0.79	1.01	1.8	1	0.4	160.5	0.14	<0.05	2.4	0.054	2.73
K297311		230	28.9	2.7	<0.002	1.19	0.50	0.5	1	<0.2	79.2	<0.05	<0.05	0.5	0.009	2.25
K297312		400	20.4	7.1	<0.002	0.60	0.27	1.0	1	0.2	101.5	0.05	<0.05	1.1	0.020	1.66
K297313		900	16.8	49.8	0.003	3.07	105.5	15.5	2	2.9	468	0.75	0.13	10.2	0.539	7.90
K297314		170	153.0	5.1	<0.002	>10.0	0.84	0.8	1	0.2	70.3	<0.05	<0.05	0.8	0.016	10.50
K297315		90	335	3.0	<0.002	>10.0	1.79	0.6	1	0.3	61.8	<0.05	0.05	0.5	0.009	17.85
K297316		380	157.5	7.3	<0.002	9.23	1.56	1.0	1	0.2	92.2	0.06	<0.05	1.1	0.020	9.16
K297317		360	43.5	9.8	<0.002	2.62	0.65	1.3	1	0.2	108.5	0.08	<0.05	1.5	0.024	3.96
K297318		420	120.5	10.2	<0.002	3.35	0.59	1.1	1	0.2	85.7	0.08	<0.05	1.6	0.026	3.76
K297319		540	21.2	14.4	<0.002	0.70	0.17	1.6	1	0.3	86.1	0.11	<0.05	2.1	0.036	1.44
K297320		460	17.5	12.6	<0.002	0.63	0.16	1.5	1	0.3	85.0	0.09	<0.05	1.8	0.032	1.27
K297321		360	12.4	14.8	<0.002	0.53	0.09	1.6	1	0.3	76.2	0.11	<0.05	2.0	0.038	1.03
K297322		510	10.1	8.0	<0.002	0.34	0.08	1.0	1	0.2	81.9	0.06	<0.05	1.2	0.022	0.93
K297323		520	8.5	4.0	<0.002	0.30	0.08	0.6	1	<0.2	73.3	<0.05	<0.05	0.7	0.013	0.93
K297324		480	11.2	5.2	<0.002	0.61	0.19	0.8	1	0.2	125.5	0.05	<0.05	0.9	0.015	1.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121176

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297289		1.5	4	1.0	3.5	132	7.9
K297290		1.5	7	1.0	3.7	41	12.7
K297291		1.1	3	0.8	2.9	91	7.0
K297292		1.5	3	1.3	3.1	19	8.3
K297293		1.1	3	0.7	3.1	28	8.2
K297294		1.1	3	1.1	3.3	21	10.4
K297295		1.1	4	1.1	3.4	179	9.0
K297296		1.4	5	1.1	3.3	14	9.4
K297297		1.3	3	0.4	2.4	70	5.0
K297298		1.3	4	0.5	2.9	14	5.6
K297299		1.5	3	0.4	2.5	57	5.0
K297300		7.7	159	22.2	15.1	42	139.5
K297301		1.2	2	0.2	1.7	4	3.1
K297302		0.9	3	0.1	0.9	16	<0.5
K297303		1.1	1	0.2	1.4	58	1.3
K297304		1.0	1	0.2	1.4	59	1.2
K297305		1.1	2	0.3	1.7	136	3.3
K297306		0.8	1	0.1	1.4	4	1.4
K297307		1.2	3	0.4	2.4	11	5.1
K297308		1.1	3	0.1	0.9	15	<0.5
K297309		1.3	5	0.8	3.3	23	9.9
K297310		2.3	10	2.2	5.2	36	21.5
K297311		1.4	2	0.4	2.3	161	4.7
K297312		1.5	4	0.7	3.8	9	8.3
K297313		8.4	166	23.7	16.2	44	149.5
K297314		1.3	4	0.8	3.2	1610	6.3
K297315		0.9	3	0.7	2.9	3060	3.9
K297316		1.7	4	0.8	5.1	1170	7.5
K297317		2.3	6	0.9	6.2	117	9.5
K297318		2.2	5	0.9	5.6	245	10.6
K297319		2.7	6	1.0	7.2	19	13.5
K297320		2.3	6	0.8	6.4	38	11.9
K297321		2.1	8	1.1	6.6	16	14.5
K297322		2.6	4	0.7	6.0	7	8.1
K297323		2.5	3	0.4	5.0	8	5.2
K297324		2.6	3	0.5	5.3	12	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121176

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11123198

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 32- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123198

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297325		5.85	0.08	0.08	0.58	1120	300	0.20	0.03	20.2	0.21	13.70	2.8	6	0.69	5.3
K297326		0.25	2.61	1.07	3.45	645	930	0.76	0.36	8.27	2.45	47.6	6.7	56	3.69	42.8
K297327		5.25	0.01	0.04	0.20	2360	80	0.10	0.01	18.80	<0.02	4.76	1.1	3	0.20	1.6
K297328		12.12	0.01	0.03	0.44	806	150	0.15	0.02	20.4	0.36	10.45	1.8	4	0.51	3.8
K297329		11.09	0.01	0.01	0.60	109	250	0.17	0.03	20.2	0.11	12.50	2.1	5	0.77	4.1
K297330		10.62	0.02	0.02	0.68	852	290	0.17	0.03	20.2	0.02	13.95	2.3	6	1.07	4.4
K297331		7.03	0.01	0.01	0.08	7	20	0.05	0.02	21.3	0.06	1.35	1.5	1	0.14	1.8
K297332		11.04	0.03	0.02	0.48	1270	280	0.20	0.02	20.9	0.17	11.30	2.0	4	0.67	5.7
K297333		11.26	0.01	0.02	0.30	400	70	0.17	0.01	20.8	0.02	8.36	1.6	3	0.38	3.1
K297334		11.18	0.01	0.03	0.40	150	30	0.20	0.02	21.3	0.03	9.82	1.7	7	0.68	3.6
K297335		5.79	0.01	0.02	0.34	76	30	0.23	0.02	20.3	0.02	8.94	1.6	5	0.54	3.0
K297336		11.35	<0.01	0.02	0.35	721	60	0.21	0.02	20.3	<0.02	9.39	1.7	3	0.66	3.4
K297337		10.81	<0.01	0.03	0.32	697	150	0.13	0.02	20.6	0.02	7.70	1.6	3	0.43	2.6
K297338		10.13	0.02	0.06	0.24	668	150	0.12	0.02	20.9	0.28	6.07	1.4	4	0.24	2.2
K297339		11.52	0.06	0.08	0.30	>10000	1180	0.14	0.01	20.5	0.34	5.58	1.4	6	0.40	2.1
K297340		9.64	0.03	0.05	0.33	5620	40	0.17	0.01	20.2	0.12	6.10	1.4	4	0.44	2.2
K297341		4.35	0.07	0.09	0.35	2680	60	0.16	0.01	21.2	1.01	8.47	2.0	4	0.57	3.8
K297342		9.82	0.04	0.07	0.33	2360	170	0.17	0.02	21.4	0.34	9.06	1.8	4	0.44	3.0
K297343		6.03	0.11	0.26	0.48	753	240	0.14	0.02	16.45	27.9	11.30	2.4	4	0.52	7.4
K297344		5.83	0.05	0.02	0.33	2830	170	0.16	0.01	20.9	0.85	8.58	1.7	4	0.52	2.9
K297345		11.16	0.39	0.04	0.46	6980	490	0.20	0.02	20.4	0.39	11.60	2.0	4	0.59	3.5
K297346		10.96	0.19	0.06	0.70	1410	420	0.23	0.03	20.1	0.31	16.20	2.8	7	1.01	5.8
K297347		12.02	0.18	0.08	0.32	6160	180	0.12	0.01	19.40	0.26	9.17	1.5	4	0.49	3.6
K297348		6.08	0.01	0.02	0.30	6650	190	0.14	0.01	21.4	0.09	7.76	1.8	3	0.39	2.7
K297349		5.83	0.01	0.01	0.19	781	150	0.07	0.01	21.0	0.02	5.14	1.4	2	0.18	2.0
K297350		0.25	7.91	0.43	3.67	1060	170	0.81	0.64	12.40	4.07	43.6	5.5	98	6.98	32.8
K297351		5.42	0.03	0.02	0.22	1070	320	0.08	0.01	21.7	0.03	5.50	1.6	3	0.18	1.9
K297352		10.41	0.07	0.03	0.21	9330	250	0.18	0.02	20.4	0.02	6.05	0.7	2	0.24	2.0
K297353		5.86	0.07	0.04	0.18	1310	150	0.18	0.02	18.90	<0.02	7.08	0.7	2	0.20	2.6
K297354		10.68	0.01	0.04	0.13	1100	170	0.14	0.02	19.75	<0.02	4.26	0.4	1	0.11	1.6
K297355		8.74	0.03	0.04	0.08	3530	130	0.16	0.01	19.20	0.19	3.20	0.3	1	0.07	1.5
K297356		11.03	<0.01	0.10	3.69	180.0	510	0.58	0.08	8.93	0.90	35.6	4.3	24	7.85	6.2
K297357		11.70	0.01	0.10	3.77	384	330	0.59	0.08	8.75	0.88	34.6	4.9	26	6.57	6.6
K297358		7.00	<0.01	0.03	0.07	<5	20	0.05	0.03	20.3	0.06	1.37	0.6	1	0.15	1.8
K297359		12.30	<0.01	0.09	3.30	92.5	260	0.68	0.09	9.14	0.90	26.1	5.2	20	7.45	6.8
K297360		11.80	<0.01	0.15	3.50	110.5	580	0.55	0.07	9.08	1.82	30.2	4.1	22	7.81	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123198

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297325		0.74	1.41	0.05	0.3	3.75	0.005	0.24	9.5	2.0	12.05	971	0.19	0.02	1.0	7.6
K297326		2.12	8.03	0.09	1.9	4.43	0.030	1.01	28.7	37.2	2.69	288	19.20	0.04	6.9	55.3
K297327		0.49	0.62	0.07	0.1	1.06	0.005	0.07	3.6	1.4	11.35	911	0.16	0.02	0.4	<0.2
K297328		0.55	1.17	0.09	0.2	1.35	0.005	0.16	7.6	1.7	12.35	880	0.16	0.02	0.9	<0.2
K297329		0.61	1.50	0.07	0.3	1.02	0.005	0.20	9.1	2.6	12.20	755	0.32	0.02	1.2	<0.2
K297330		0.63	1.55	0.06	0.3	1.47	0.006	0.24	10.2	2.7	12.15	717	0.26	0.02	1.2	<0.2
K297331		0.44	0.41	0.15	<0.1	<0.01	<0.005	0.03	0.6	1.0	13.10	198	0.13	0.01	0.4	<0.2
K297332		0.66	1.33	0.09	0.2	1.44	0.006	0.17	8.2	2.1	12.60	968	0.24	0.02	0.9	<0.2
K297333		0.33	0.87	0.14	0.1	0.69	<0.005	0.11	6.6	1.3	12.50	921	0.14	0.02	0.6	<0.2
K297334		0.42	1.10	0.11	0.2	0.51	<0.005	0.16	7.1	2.1	12.70	863	0.20	0.02	0.7	<0.2
K297335		0.35	1.01	0.13	0.2	0.42	<0.005	0.14	6.5	1.9	12.15	807	0.15	0.02	0.6	<0.2
K297336		0.36	1.09	0.17	0.2	0.52	<0.005	0.15	6.5	2.2	12.15	913	0.20	0.02	0.7	<0.2
K297337		0.34	0.91	0.16	0.1	0.87	<0.005	0.12	5.5	1.4	12.45	784	0.14	0.02	0.6	<0.2
K297338		0.37	0.80	0.18	0.1	1.68	<0.005	0.09	4.3	1.1	12.55	834	0.15	0.02	0.5	<0.2
K297339		0.50	0.95	0.16	0.2	6.7	0.022	0.13	3.2	1.9	12.60	735	0.27	0.02	0.6	<0.2
K297340		0.41	0.96	0.14	0.2	1.23	0.009	0.14	3.9	1.3	12.15	720	0.33	0.02	0.6	<0.2
K297341		0.65	1.02	0.12	0.1	1.46	0.007	0.13	6.2	1.9	12.65	855	0.58	0.02	0.7	0.6
K297342		0.59	0.94	0.13	0.1	0.94	0.006	0.12	6.6	1.2	12.85	956	0.42	0.02	0.7	1.3
K297343		8.43	2.36	0.21	0.2	13.4	0.025	0.15	7.9	1.3	9.97	1440	0.50	0.01	1.0	3.5
K297344		0.81	0.87	0.05	0.1	1.62	0.008	0.12	6.9	1.0	12.65	1380	0.20	0.02	0.6	1.0
K297345		0.67	1.16	0.06	0.2	2.99	0.012	0.15	8.8	1.6	12.30	1740	0.17	0.02	0.9	1.5
K297346		0.97	1.75	0.07	0.3	2.92	0.007	0.27	11.3	2.1	12.00	1660	0.27	0.02	1.6	4.5
K297347		2.03	0.84	0.06	0.2	8.85	0.012	0.10	6.8	1.4	11.55	695	0.49	0.02	0.9	1.0
K297348		0.50	0.80	0.10	0.2	1.66	0.012	0.09	5.7	1.4	12.65	566	0.43	0.02	0.9	1.4
K297349		0.42	0.65	0.17	0.1	0.90	<0.005	0.06	3.9	1.0	12.40	518	0.40	0.01	0.5	0.8
K297350		1.35	6.77	0.11	2.3	5.61	0.066	1.42	28.7	8.9	0.76	280	11.15	0.01	7.4	66.0
K297351		0.29	0.66	0.19	0.1	1.02	<0.005	0.06	4.2	0.9	13.00	469	0.34	0.02	0.5	0.8
K297352		0.52	0.58	<0.05	0.1	2.06	<0.005	0.07	4.0	1.2	12.60	1100	0.18	<0.01	0.3	1.0
K297353		0.71	0.50	<0.05	0.1	1.44	<0.005	0.06	4.4	1.1	11.65	1400	0.12	<0.01	0.3	0.9
K297354		0.50	0.41	<0.05	0.1	0.94	0.005	0.04	2.7	1.0	12.25	791	0.14	<0.01	0.2	0.6
K297355		0.60	0.26	<0.05	<0.1	2.26	<0.005	0.02	1.9	1.4	11.85	989	0.07	<0.01	0.1	0.2
K297356		2.28	7.91	0.05	2.9	3.56	0.017	1.96	15.9	5.5	5.11	772	0.18	<0.01	5.0	9.0
K297357		2.85	7.84	0.06	2.6	2.22	0.017	1.56	15.2	7.9	4.98	812	0.22	<0.01	5.2	10.4
K297358		0.43	0.25	<0.05	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.70	186	0.09	<0.01	0.2	1.3
K297359		6.23	6.78	0.07	2.2	1.03	0.017	1.60	11.7	5.9	5.25	676	0.33	<0.01	4.6	11.4
K297360		2.51	7.06	0.06	2.5	0.44	0.020	2.05	13.2	5.5	5.13	809	0.20	<0.01	4.6	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123198

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297325		660	23.6	6.0	<0.002	0.58	0.50	1.1	1	0.3	177.0	0.07	<0.05	1.3	0.023	2.38
K297326		960	37.6	51.4	0.024	1.71	114.0	5.2	4	2.5	75.8	0.48	0.21	6.4	0.182	3.88
K297327		240	3.3	2.1	<0.002	0.34	0.18	0.5	1	<0.2	107.0	<0.05	<0.05	0.3	0.007	0.48
K297328		400	17.5	4.7	<0.002	0.55	0.20	0.8	1	0.2	128.5	0.06	<0.05	0.9	0.017	1.23
K297329		420	11.9	6.1	<0.002	0.48	0.12	1.1	1	0.2	145.5	0.08	<0.05	1.2	0.025	0.89
K297330		480	13.4	7.2	<0.002	0.67	0.14	1.3	1	0.2	173.5	0.08	<0.05	1.3	0.027	2.01
K297331		220	1.2	1.2	<0.002	<0.01	<0.05	0.3	<1	<0.2	49.5	<0.05	<0.05	0.3	<0.005	<0.02
K297332		520	36.6	5.4	<0.002	0.68	0.17	1.0	<1	0.2	185.0	0.06	<0.05	1.0	0.019	1.50
K297333		580	7.7	3.2	<0.002	0.27	0.09	0.7	1	<0.2	107.0	<0.05	<0.05	0.6	0.012	0.81
K297334		670	9.2	4.7	<0.002	0.30	0.07	0.8	1	<0.2	88.9	<0.05	<0.05	0.8	0.016	0.82
K297335		600	7.8	4.0	<0.002	0.25	0.06	0.7	<1	<0.2	81.7	<0.05	<0.05	0.7	0.014	0.63
K297336		610	8.3	4.3	<0.002	0.31	0.09	0.7	<1	<0.2	99.3	<0.05	<0.05	0.8	0.015	0.94
K297337		490	7.1	3.6	<0.002	0.27	0.13	0.6	1	<0.2	132.5	<0.05	<0.05	0.6	0.013	1.07
K297338		480	68.0	2.4	<0.002	0.28	3.20	0.5	<1	<0.2	148.0	<0.05	<0.05	0.5	0.008	1.77
K297339		330	36.8	4.5	<0.002	1.08	1.37	0.6	1	<0.2	124.5	<0.05	<0.05	0.6	0.014	2.93
K297340		540	5.5	4.8	<0.002	0.52	0.28	0.6	<1	<0.2	96.6	<0.05	<0.05	0.7	0.014	1.05
K297341		470	74.5	4.3	<0.002	0.54	0.85	0.7	<1	0.2	114.5	<0.05	<0.05	0.7	0.015	1.26
K297342		490	19.1	3.4	<0.002	0.60	0.47	0.7	1	<0.2	139.5	<0.05	<0.05	0.7	0.013	1.12
K297343		740	207	4.5	<0.002	>10.0	1.09	0.9	1	0.4	250	0.05	<0.05	0.9	0.018	14.05
K297344		360	10.8	3.4	<0.002	0.92	0.26	0.7	1	0.2	116.0	<0.05	<0.05	0.6	0.012	1.70
K297345		570	11.2	4.2	<0.002	0.96	0.43	0.8	<1	0.2	235	0.06	<0.05	1.0	0.017	3.06
K297346		680	21.7	7.9	<0.002	0.85	0.30	1.2	1	0.3	251	0.11	<0.05	1.7	0.030	3.06
K297347		340	15.9	3.0	<0.002	2.97	0.41	0.8	<1	0.2	147.5	0.06	<0.05	0.7	0.012	12.15
K297348		400	8.2	2.7	<0.002	0.91	0.18	0.7	1	<0.2	169.0	0.06	<0.05	0.8	0.013	2.64
K297349		400	6.9	1.7	<0.002	0.44	0.11	0.5	1	<0.2	136.0	<0.05	<0.05	0.4	0.007	1.03
K297350		4420	4.7	106.0	0.037	1.45	18.15	5.6	8	1.7	142.5	0.53	0.50	6.8	0.221	12.65
K297351		510	6.8	1.8	<0.002	0.30	0.16	0.7	1	<0.2	205	<0.05	<0.05	0.4	0.007	1.09
K297352		360	8.5	1.9	<0.002	0.85	0.45	0.6	<1	0.2	182.0	<0.05	<0.05	0.4	0.007	2.13
K297353		250	10.6	1.8	<0.002	0.34	0.23	0.6	<1	<0.2	131.5	<0.05	<0.05	0.4	0.008	1.68
K297354		300	5.7	1.1	<0.002	0.24	0.19	0.3	1	<0.2	140.5	<0.05	<0.05	0.3	0.005	1.11
K297355		270	5.8	0.6	<0.002	0.36	0.31	0.2	<1	<0.2	121.0	<0.05	<0.05	<0.2	<0.005	2.11
K297356		310	182.0	59.4	<0.002	2.04	0.28	3.8	1	0.9	113.5	0.39	<0.05	7.5	0.150	6.73
K297357		240	145.0	46.4	<0.002	2.56	0.20	3.9	1	1.0	101.5	0.39	<0.05	7.0	0.157	5.16
K297358		180	1.8	1.1	<0.002	0.01	0.06	0.2	<1	<0.2	49.4	<0.05	<0.05	<0.2	<0.005	0.03
K297359		210	183.5	47.0	<0.002	7.15	0.41	3.4	<1	0.8	88.8	0.38	<0.05	6.7	0.137	5.43
K297360		180	368	63.6	<0.002	2.22	0.35	3.3	1	0.8	103.0	0.37	<0.05	6.6	0.137	2.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123198

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Zn- OG62	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	Zn	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.001
K297325		3.2	5	0.7	5.5	54	7.8		
K297326		8.8	238	29.0	22.9	225	68.4		
K297327		1.1	2	0.3	2.8	2	3.4		
K297328		2.4	4	0.5	5.3	84	6.9		
K297329		2.4	5	0.6	5.9	41	10.0		
K297330		2.5	5	0.7	6.7	13	9.8		
K297331		0.7	3	0.1	1.0	18	<0.5		
K297332		2.5	4	0.6	5.8	79	7.2		
K297333		2.4	3	0.4	5.4	11	4.4		
K297334		2.7	4	0.4	5.7	21	6.8		
K297335		2.4	4	0.3	5.0	12	5.4		
K297336		2.7	3	0.5	5.2	4	6.5		
K297337		2.2	3	0.4	4.5	7	4.9		
K297338		2.1	2	0.4	3.8	54	3.4		
K297339		1.3	5	0.5	2.7	55	6.2		1.165
K297340		1.7	4	0.4	3.1	30	6.6		
K297341		2.2	4	0.5	4.7	315	5.1		
K297342		2.6	4	0.4	5.1	107	4.8		
K297343		2.9	5	1.2	6.1	>10000	6.3	1.040	
K297344		2.3	3	0.4	4.5	353	4.4		
K297345		2.8	4	0.7	5.4	162	6.1		
K297346		3.3	6	1.0	7.5	103	10.3		
K297347		2.0	3	0.6	4.1	106	5.3		
K297348		2.6	4	0.5	3.7	33	5.3		
K297349		2.2	2	0.3	3.2	10	2.7		
K297350		8.4	398	35.8	28.1	297	76.9		
K297351		2.5	2	0.4	3.1	14	2.8		
K297352		1.9	3	0.4	2.5	3	2.6		
K297353		2.0	2	0.4	2.6	4	2.8		
K297354		1.7	2	0.3	2.0	2	2.1		
K297355		1.4	2	0.3	1.7	63	1.2		
K297356		2.3	22	1.4	7.4	292	89.1		
K297357		1.9	23	1.9	7.1	192	88.3		
K297358		0.6	3	0.1	0.7	16	<0.5		
K297359		1.9	20	0.8	6.3	190	78.5		
K297360		1.7	20	0.9	6.5	362	92.4		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11123198

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

CERTIFICATE WH11121888

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 34 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121888

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297361		10.81	<0.01	0.09	3.85	80.0	480	0.58	0.08	8.77	3.18	30.9	4.2	30	9.17	5.0
K297362		12.07	<0.01	0.06	3.95	40.0	500	0.63	0.08	8.11	0.72	33.5	4.2	23	9.37	10.6
K297363		11.55	<0.01	0.11	3.91	68.0	470	0.56	0.08	6.88	0.28	34.9	4.3	22	8.44	7.1
K297364		11.54	<0.01	0.09	4.53	103.5	520	0.79	0.11	6.78	0.47	42.9	6.1	30	11.25	10.0
K297365		11.53	<0.01	0.06	3.92	118.5	440	0.53	0.06	7.67	0.04	32.8	4.6	23	7.40	6.1
K297366		10.88	<0.01	0.04	4.01	364	360	0.56	0.06	6.60	0.23	30.4	4.1	20	7.34	5.5
K297367		6.81	<0.01	0.06	4.89	86.8	590	0.72	0.08	5.18	0.03	40.5	4.7	31	12.85	7.1
K297368		0.99	<0.01	1.30	1.05	80	380	0.31	0.02	18.40	0.13	14.35	1.9	11	1.77	5.8
K297369		3.52	0.01	0.16	0.17	196	260	0.11	0.01	21.0	0.56	3.57	1.2	2	0.22	2.2
K297370		9.54	<0.01	0.65	0.34	287	780	0.16	0.06	21.7	0.12	9.00	2.4	3	0.42	4.9
K297371		9.89	<0.01	0.07	0.22	188	350	0.15	0.02	21.9	0.15	6.12	1.6	3	0.25	4.1
K297372		7.00	<0.01	<0.01	0.06	<5	20	0.05	0.01	22.9	0.07	1.23	1.2	<1	0.17	1.8
K297373		11.05	0.01	0.05	0.24	313	300	0.15	0.01	21.9	0.81	6.10	1.4	2	0.23	3.1
K297374		10.77	<0.01	0.04	0.22	494	2250	0.19	0.01	21.7	0.14	6.77	1.6	2	0.19	2.8
K297375		11.74	0.02	0.06	0.24	666	330	0.21	0.01	21.9	0.20	7.72	1.7	3	0.34	3.6
K297376		9.29	0.03	0.07	0.35	684	190	0.24	0.01	20.5	0.08	6.64	1.3	4	0.54	3.0
K297377		9.75	0.02	0.07	0.93	736	430	0.29	0.03	19.55	0.11	13.55	2.1	8	1.57	4.8
K297378		5.08	0.01	0.06	0.84	338	80	0.26	0.02	19.75	0.06	13.90	2.3	7	2.01	4.5
K297379		7.17	0.08	0.11	1.06	4200	340	0.32	0.03	18.05	0.46	15.20	2.6	9	2.04	5.4
K297380		4.23	0.17	0.17	0.61	4200	260	0.17	0.02	18.25	0.27	11.05	2.5	6	0.67	5.1
K297381		5.80	0.03	0.03	0.39	625	340	0.16	0.02	20.8	0.03	8.98	1.2	3	0.57	3.1
K297382		10.32	0.03	0.08	0.70	1190	480	0.33	0.03	20.5	0.07	15.35	1.7	5	1.26	5.5
K297383		8.55	<0.01	0.05	1.00	299	220	0.40	0.04	20.4	0.02	17.65	1.9	6	2.27	5.7
K297384		5.25	<0.01	0.02	1.17	151	100	0.48	0.04	19.95	<0.02	20.9	2.8	6	3.07	6.5
K297385		11.23	<0.01	0.05	1.07	70	120	0.43	0.04	20.1	0.03	18.05	2.9	7	2.68	10.0
K297386		7.01	<0.01	0.01	0.06	<5	20	0.05	0.01	22.3	0.07	1.26	1.2	<1	0.15	2.3
K297387		10.62	0.02	0.04	0.69	234	70	0.27	0.03	19.60	<0.02	12.10	2.0	4	1.42	4.7
K297388		5.99	0.03	0.03	0.75	2440	60	0.32	0.03	20.5	0.02	13.90	2.4	5	1.72	5.7
K297389		11.91	0.01	0.04	0.67	144	50	0.36	0.03	20.9	0.08	14.05	2.0	3	1.75	4.9
K297390		0.25	2.63	1.01	3.39	658	930	0.78	0.29	8.73	2.39	50.2	6.4	58	4.06	47.3
K297391		10.21	0.02	0.20	0.46	233	220	0.26	0.02	20.3	0.27	12.15	1.9	3	0.80	4.2
K297392		11.12	0.01	0.04	0.51	152	210	0.24	0.02	20.8	0.16	12.70	1.7	3	0.78	4.0
K297393		9.13	0.02	0.12	0.59	410	180	0.26	0.03	19.65	0.62	13.50	1.6	3	1.05	4.1
K297394		11.40	0.06	0.18	0.59	476	160	0.23	0.03	20.3	0.61	12.15	1.6	4	1.01	4.0
K297395		0.25	0.34	0.30	5.96	599	1230	0.60	0.24	0.48	0.19	136.0	2.4	233	3.36	31.9
K297396		4.83	0.08	0.16	0.60	330	190	0.26	0.04	20.7	0.80	12.30	2.0	4	0.96	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121888

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297361		1.80	8.15	0.07	2.5	0.73	0.014	2.28	15.4	5.8	5.02	670	0.22	0.03	5.6	8.3
K297362		1.49	8.42	0.12	2.6	0.37	0.019	2.43	17.3	7.6	4.82	528	0.31	0.04	5.8	9.3
K297363		1.45	8.25	0.12	2.3	0.21	0.019	2.50	18.1	6.1	4.03	550	0.23	0.04	5.7	9.0
K297364		1.99	10.55	0.14	2.8	0.61	0.022	2.71	22.2	7.5	3.97	546	0.37	0.04	7.4	13.3
K297365		1.29	8.10	0.10	2.4	0.58	0.014	2.26	17.3	7.2	4.57	465	0.22	0.04	5.5	8.8
K297366		1.21	8.23	0.10	2.6	0.88	0.016	2.04	16.2	9.8	3.90	456	0.25	0.03	5.4	8.0
K297367		1.61	10.45	0.12	3.2	1.30	0.016	2.94	21.9	7.0	3.11	397	0.24	0.04	7.3	10.8
K297368		0.86	2.18	0.07	0.5	0.71	0.008	0.47	8.4	3.6	11.10	1050	1.42	0.02	1.6	1.5
K297369		0.55	0.54	0.06	0.1	2.59	<0.005	0.07	2.3	1.1	12.75	786	0.65	0.01	0.4	<0.2
K297370		0.72	0.76	0.07	0.2	3.04	0.016	0.12	6.1	1.4	13.15	1220	0.61	0.01	0.7	5.3
K297371		0.55	0.53	0.06	0.1	1.16	0.009	0.09	4.1	1.0	13.25	1140	0.49	0.01	0.5	4.5
K297372		0.52	0.29	0.09	<0.1	0.02	0.005	0.02	0.6	1.0	14.10	234	0.41	<0.01	0.3	0.5
K297373		0.66	0.76	0.10	0.1	2.74	<0.005	0.10	4.7	1.0	13.20	1010	0.15	0.01	0.6	0.8
K297374		0.61	0.69	0.10	0.1	2.06	<0.005	0.07	4.8	1.0	13.20	1310	0.13	0.01	0.5	1.1
K297375		1.16	0.92	0.09	0.2	3.67	<0.005	0.09	5.0	1.3	13.15	1540	0.17	0.01	0.7	1.9
K297376		0.91	1.07	0.08	0.2	3.33	<0.005	0.14	4.5	1.7	12.35	1560	0.14	0.01	0.7	2.1
K297377		1.73	2.11	0.09	0.5	5.93	0.006	0.34	7.8	3.8	11.55	1600	0.20	0.02	1.7	4.4
K297378		2.39	1.90	0.08	0.5	3.01	0.007	0.38	7.8	3.0	11.35	1650	0.14	0.02	1.8	4.6
K297379		1.93	2.39	0.09	0.6	12.4	0.012	0.43	8.1	3.7	10.50	1380	0.25	0.01	2.1	5.3
K297380		5.42	1.36	0.13	0.3	18.1	0.011	0.15	6.8	2.4	10.85	1070	0.64	0.01	1.1	5.5
K297381		0.55	1.06	0.06	0.2	1.55	<0.005	0.16	6.3	1.9	12.65	1240	0.22	0.01	0.8	1.0
K297382		0.99	1.76	0.07	0.4	2.95	0.006	0.31	10.4	2.7	12.50	1640	0.30	0.01	1.5	3.0
K297383		0.90	2.43	0.09	0.5	0.73	0.007	0.47	12.1	4.1	12.40	1480	0.42	0.02	1.8	2.7
K297384		1.16	2.76	0.09	0.5	1.04	0.010	0.58	14.6	4.8	12.10	1520	0.29	0.02	2.0	4.1
K297385		1.89	2.62	0.10	0.6	1.24	0.009	0.53	11.0	5.2	12.05	1930	0.61	0.03	2.0	8.1
K297386		0.50	0.22	0.05	<0.1	0.01	<0.005	0.02	0.6	0.9	13.75	218	0.11	0.01	0.3	2.1
K297387		1.67	1.52	0.08	0.3	1.03	0.005	0.33	8.2	2.5	11.90	1880	0.30	0.02	1.1	3.4
K297388		1.70	1.80	0.08	0.4	1.28	0.008	0.37	9.3	2.8	12.30	2060	0.20	0.02	1.3	3.8
K297389		2.73	1.66	0.09	0.3	1.45	0.005	0.32	9.6	2.7	12.45	2090	0.28	0.02	1.2	2.9
K297390		2.31	7.23	0.13	2.0	4.61	0.029	1.07	31.3	40.9	2.79	299	19.50	0.03	7.1	51.9
K297391		3.50	1.25	0.10	0.2	3.68	<0.005	0.20	8.6	1.7	12.15	2100	0.57	0.01	1.0	2.2
K297392		1.76	1.23	0.07	0.3	1.71	0.005	0.22	9.3	1.7	12.50	2020	0.13	0.02	1.0	2.5
K297393		1.35	1.49	0.08	0.3	2.62	0.006	0.27	9.1	2.3	11.70	1910	0.13	0.01	1.1	2.2
K297394		1.41	1.38	0.08	0.3	5.77	0.005	0.27	8.1	2.1	12.00	1570	0.24	0.02	1.0	2.6
K297395		6.71	17.00	0.27	4.3	9.70	0.046	1.30	67.5	16.9	0.13	37	6.10	0.37	9.3	14.8
K297396		1.41	1.44	0.07	0.3	6.36	0.005	0.27	8.2	2.4	12.30	1680	0.23	0.02	1.1	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121888

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297361		200	413	66.6	<0.002	1.49	0.54	4.0	1	0.8	109.5	0.40	<0.05	7.0	0.147	2.28
K297362		190	128.5	81.6	<0.002	1.29	1.01	4.4	1	0.9	111.5	0.42	<0.05	8.0	0.158	1.86
K297363		320	59.7	82.4	<0.002	1.18	0.88	4.4	1	0.9	85.5	0.42	<0.05	8.1	0.155	1.59
K297364		360	208	90.7	<0.002	1.80	0.77	6.1	1	1.3	85.4	0.53	<0.05	10.1	0.197	2.85
K297365		190	49.9	71.3	<0.002	1.10	0.21	4.1	<1	1.1	83.6	0.39	<0.05	7.3	0.153	2.18
K297366		210	68.7	68.1	<0.002	1.03	0.36	4.1	<1	0.9	95.2	0.39	<0.05	7.1	0.145	2.62
K297367		220	57.0	89.9	<0.002	1.50	0.66	5.4	1	1.1	81.8	0.55	<0.05	9.8	0.213	3.23
K297368		320	12.3	15.4	<0.002	0.07	0.27	1.8	1	0.3	76.0	0.10	<0.05	1.8	0.047	1.14
K297369		400	15.3	2.7	<0.002	0.04	0.72	0.4	1	0.2	91.8	<0.05	<0.05	0.3	0.006	0.68
K297370		460	14.2	4.1	<0.002	0.06	0.35	0.7	1	0.4	196.5	0.05	<0.05	0.8	0.015	0.87
K297371		370	11.3	2.6	<0.002	0.03	0.51	0.5	1	0.2	134.0	<0.05	<0.05	0.5	0.010	0.68
K297372		210	1.4	1.6	<0.002	0.01	0.08	0.2	1	<0.2	41.1	<0.05	<0.05	<0.2	<0.005	0.02
K297373		310	15.0	3.6	<0.002	0.02	0.60	0.7	1	0.2	134.0	<0.05	<0.05	0.5	0.010	0.88
K297374		420	20.9	2.6	<0.002	0.08	0.42	0.6	1	0.2	207	<0.05	<0.05	0.5	0.009	1.56
K297375		500	16.0	3.6	<0.002	0.04	0.50	0.7	1	0.2	162.0	<0.05	<0.05	0.6	0.011	2.09
K297376		410	14.5	5.6	<0.002	0.03	0.37	0.8	1	<0.2	138.5	<0.05	<0.05	0.7	0.014	4.49
K297377		470	73.9	13.6	0.002	0.16	0.49	1.5	1	0.3	209	0.11	<0.05	1.9	0.039	9.82
K297378		270	86.2	14.5	0.002	0.80	0.34	1.5	1	0.3	89.2	0.12	<0.05	1.8	0.038	5.08
K297379		470	183.5	17.0	0.002	1.02	1.11	1.7	1	0.4	165.5	0.13	<0.05	2.1	0.046	28.1
K297380		980	152.5	5.9	0.002	5.34	2.32	1.1	1	0.3	442	0.06	<0.05	1.1	0.021	29.7
K297381		400	11.8	6.2	<0.002	0.06	0.36	0.9	1	<0.2	172.0	<0.05	<0.05	0.9	0.017	2.28
K297382		540	22.3	11.4	<0.002	0.13	0.50	1.4	1	0.2	227	0.10	<0.05	1.6	0.032	2.63
K297383		350	24.8	17.9	<0.002	0.17	0.26	1.9	1	0.3	136.0	0.12	<0.05	2.2	0.045	0.61
K297384		400	26.0	21.2	<0.002	0.57	0.16	2.2	1	0.3	103.0	0.13	<0.05	2.5	0.049	1.27
K297385		790	46.6	21.6	<0.002	1.47	0.20	1.7	1	0.3	113.0	0.13	<0.05	2.5	0.046	2.89
K297386		190	2.3	1.4	<0.002	0.01	0.09	0.3	<1	<0.2	41.2	<0.05	<0.05	<0.2	<0.005	0.02
K297387		470	26.7	11.2	<0.002	1.18	0.19	1.2	1	0.2	82.0	0.07	<0.05	1.4	0.028	2.73
K297388		480	27.1	13.3	<0.002	1.30	0.33	1.3	1	0.2	82.2	0.08	<0.05	1.7	0.032	5.68
K297389		390	72.6	11.6	<0.002	1.99	0.23	1.3	1	0.2	83.9	0.07	<0.05	1.4	0.026	1.82
K297390		940	41.9	54.2	0.023	1.71	111.5	5.3	4	2.5	67.2	0.44	0.21	6.8	0.185	4.31
K297391		340	67.8	7.3	<0.002	3.44	0.35	1.1	<1	0.2	106.5	0.06	<0.05	1.0	0.019	3.90
K297392		400	21.9	7.5	<0.002	1.02	0.28	1.0	1	0.2	106.5	0.06	<0.05	1.1	0.021	2.12
K297393		420	18.8	9.9	<0.002	0.46	0.42	1.1	1	0.2	105.0	0.06	<0.05	1.3	0.024	2.71
K297394		380	49.4	8.8	<0.002	0.69	0.92	1.0	1	0.2	128.0	0.07	<0.05	1.2	0.026	2.36
K297395		890	18.3	54.3	0.003	3.10	110.0	14.7	2	2.7	493	0.67	0.12	9.4	0.539	7.72
K297396		400	49.7	9.5	<0.002	0.61	1.34	1.2	1	0.3	130.0	0.06	<0.05	1.3	0.025	2.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121888

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297361		1.9	22	1.4	8.3	836	94.6
K297362		1.8	22	0.6	9.6	157	92.5
K297363		1.7	21	0.8	9.8	54	83.3
K297364		2.2	30	1.1	12.1	107	97.4
K297365		1.7	21	1.5	8.7	12	79.5
K297366		1.5	19	1.7	8.7	50	87.0
K297367		1.7	29	1.3	10.4	3	103.0
K297368		1.3	9	2.3	5.4	46	18.0
K297369		1.1	3	0.5	3.0	81	3.9
K297370		2.3	3	1.5	4.2	86	6.1
K297371		2.0	2	0.5	3.3	76	3.5
K297372		1.1	3	0.1	0.9	17	<0.5
K297373		1.6	3	0.4	3.9	114	3.9
K297374		2.0	3	0.6	4.0	79	3.8
K297375		2.4	3	1.3	5.2	88	5.7
K297376		2.1	4	0.8	4.5	54	6.9
K297377		2.7	8	1.7	6.0	80	17.8
K297378		2.1	8	1.3	5.5	32	16.4
K297379		2.8	9	1.7	6.2	165	22.0
K297380		3.3	6	1.3	6.0	167	11.3
K297381		2.0	4	0.8	4.9	17	8.6
K297382		2.8	6	1.1	6.7	44	12.8
K297383		2.2	8	1.5	7.1	11	18.5
K297384		2.3	9	0.9	8.4	7	18.2
K297385		2.9	8	0.7	10.2	12	18.0
K297386		0.6	2	0.1	0.9	18	<0.5
K297387		1.9	5	0.7	6.1	7	10.3
K297388		2.3	6	0.6	7.2	12	11.6
K297389		2.0	6	1.9	6.9	42	9.9
K297390		9.2	244	28.9	22.5	230	66.8
K297391		1.7	5	1.6	5.0	286	7.7
K297392		1.9	4	1.0	5.5	57	8.7
K297393		1.9	5	1.1	6.1	173	9.7
K297394		1.8	5	1.0	4.9	153	9.4
K297395		7.3	169	20.9	15.1	39	165.0
K297396		1.8	5	1.1	5.4	174	9.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11121888

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11126629

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 35 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126629

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297577		7.57	<0.01	0.08	8.14	121.5	360	1.82	0.31	1.15	<0.02	85.7	15.8	62	22.1	29.3
K297578		4.91	<0.01	0.01	0.14	8	20	0.07	0.02	20.0	0.03	2.09	1.2	2	0.33	0.8
K297579		7.31	<0.01	0.10	8.29	209	290	1.97	0.31	1.32	<0.02	90.0	16.1	64	23.8	29.9
K297580		8.13	0.03	0.14	7.64	313	310	1.75	0.24	2.77	0.03	75.6	19.6	58	19.10	30.0
K297581		8.76	<0.01	0.12	4.81	62.5	150	1.35	0.22	7.36	0.19	49.0	16.1	48	14.15	47.6
K297582		8.74	<0.01	0.12	5.50	63.3	200	1.60	0.23	6.50	0.28	60.7	19.7	55	19.60	59.6
K297583		8.58	<0.01	0.10	4.83	34.4	210	1.40	0.26	7.52	0.28	52.7	14.7	50	16.75	34.2
K297584		7.37	<0.01	0.12	4.93	45.3	170	1.30	0.21	7.40	0.21	51.2	14.7	46	13.70	36.7
K297585		7.30	<0.01	0.13	4.24	70.7	160	0.95	0.15	8.75	0.18	39.5	14.3	38	8.30	42.8
K297586		7.37	0.15	0.15	5.19	352	220	1.06	0.22	7.49	0.34	57.7	29.6	56	10.35	95.9
K297587		7.40	0.39	0.14	6.56	359	230	1.40	0.26	3.91	0.35	60.1	32.1	68	15.60	105.5
K297588		8.08	0.57	0.11	7.95	1525	370	1.66	0.29	3.89	0.08	90.4	23.0	59	19.75	36.7
K297589		7.53	0.05	0.05	8.25	197.5	360	2.19	0.35	1.81	0.03	81.3	15.4	69	26.6	33.1
K297590		7.61	<0.01	0.06	7.33	102.0	320	1.72	0.27	7.51	0.03	77.3	13.7	50	28.2	25.2
K297591		0.20	0.35	0.39	6.47	623	1200	0.67	0.23	0.46	0.18	144.5	2.9	251	3.60	31.0
K297592		7.19	0.01	0.13	8.02	153.0	380	2.10	0.27	3.92	0.06	82.8	17.0	60	28.4	33.2
K297593		7.54	0.18	0.09	4.31	593	150	1.18	0.14	12.40	1.58	51.2	8.9	31	15.95	19.7
K297594		7.22	<0.01	0.12	7.39	76.9	290	2.20	0.22	5.86	0.30	83.9	14.9	52	34.1	38.7
K297595		3.50	<0.01	0.12	7.39	80.2	270	2.24	0.23	5.80	0.17	80.7	16.1	54	34.8	42.4
K297596		7.76	0.01	0.10	6.23	38.5	140	1.43	0.26	4.62	0.21	64.6	26.2	58	25.1	108.0
K297597		7.87	0.01	0.10	4.86	169.0	180	1.27	0.22	6.69	0.16	66.6	14.2	37	19.80	35.1
K297598		7.58	<0.01	0.10	4.73	48.9	160	1.23	0.21	8.16	0.28	63.0	15.1	39	19.35	43.3
K297599		2.05	<0.01	0.14	5.91	32.5	150	1.60	0.22	5.42	0.26	58.4	24.1	59	32.3	116.0
K297600		4.91	<0.01	<0.01	0.06	<5	10	0.05	0.02	20.3	0.05	1.40	1.4	1	0.20	1.1
K297601		5.24	<0.01	0.12	5.69	34.5	180	1.42	0.18	5.22	0.29	50.9	29.9	60	18.25	122.0
K297602		7.92	<0.01	0.12	6.40	41.7	190	1.42	0.21	3.73	0.32	52.7	32.6	67	36.2	142.5
K297603		8.08	<0.01	0.12	6.03	35.8	220	1.33	0.20	3.96	0.33	51.7	32.8	65	38.7	136.0
K297604		8.28	0.01	0.11	6.50	38.6	180	1.61	0.22	3.59	0.36	53.7	35.1	71	24.6	150.0
K297605		8.18	0.01	0.10	6.20	36.7	170	1.49	0.21	3.93	0.31	51.5	32.2	66	15.90	140.0
K297606		8.10	<0.01	0.10	6.47	36.8	140	1.37	0.21	3.46	0.31	54.1	34.5	70	32.7	148.0
K297607		0.20	0.33	0.34	5.90	570	1070	0.63	0.27	0.42	0.15	142.5	3.0	231	3.82	28.9
K297608		7.36	0.30	0.14	4.12	304	200	0.97	0.18	9.48	0.25	50.9	19.5	40	9.26	58.6
K297609		5.03	<0.01	0.15	6.69	44.4	200	1.33	0.18	4.47	0.23	52.2	32.8	70	10.40	153.0
K297610		7.91	<0.01	0.09	6.34	47.2	260	1.13	0.16	4.97	0.25	46.2	31.5	70	8.97	141.0
K297611		8.36	<0.01	0.13	6.41	22.2	340	1.20	0.14	5.21	0.19	49.2	31.0	70	10.05	133.0
K297612		10.37	<0.01	0.11	6.24	36.7	250	1.20	0.17	5.33	0.23	50.7	32.8	65	11.40	129.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126629

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297577		4.28	22.0	0.15	2.8	1.24	0.063	3.60	49.9	28.8	0.82	661	0.45	0.05	12.1	34.5
K297578		0.50	0.41	0.11	<0.1	0.01	<0.005	0.05	1.2	1.1	11.95	207	0.11	<0.01	0.4	2.0
K297579		4.48	22.2	0.18	3.0	1.79	0.062	3.81	53.5	22.2	0.90	660	0.54	0.05	12.8	35.8
K297580		3.85	20.1	0.16	2.7	1.70	0.061	3.44	44.5	18.7	1.29	841	1.23	0.05	11.8	32.3
K297581		5.14	12.85	0.13	2.1	3.69	0.063	2.21	27.1	13.2	3.48	760	1.72	0.03	8.9	37.2
K297582		7.65	14.80	0.17	2.3	2.17	0.069	2.52	33.4	14.2	3.02	981	2.05	0.04	10.9	47.6
K297583		5.70	13.00	0.14	2.2	0.54	0.079	2.13	29.0	16.5	3.52	943	1.61	0.04	10.0	45.2
K297584		4.62	13.30	0.12	2.4	1.39	0.067	2.24	28.5	9.8	3.58	789	1.64	0.04	9.5	30.5
K297585		4.12	10.05	0.08	1.8	1.97	0.048	1.93	22.2	8.7	4.17	969	2.26	0.03	6.3	26.2
K297586		5.34	14.45	0.14	2.5	5.39	0.068	2.34	31.7	11.5	3.34	1380	6.41	0.03	9.8	51.0
K297587		5.26	18.00	0.15	2.8	7.87	0.069	3.04	34.2	9.3	2.03	736	12.75	0.04	10.3	53.0
K297588		4.49	21.4	0.17	2.8	3.08	0.063	3.52	53.3	11.9	1.58	1310	1.34	0.05	11.9	41.2
K297589		4.13	24.1	0.15	3.3	1.04	0.071	3.89	45.4	14.5	0.87	553	0.41	0.06	14.0	33.5
K297590		3.63	18.85	0.14	2.5	1.13	0.053	3.25	46.9	22.2	1.28	811	0.61	0.05	11.2	28.0
K297591		6.78	19.30	0.22	4.2	9.4	0.047	1.36	64.0	18.9	0.12	36	6.84	0.39	10.5	16.4
K297592		4.49	20.0	0.17	2.9	1.82	0.065	3.76	37.9	27.7	1.12	755	1.07	0.05	12.0	35.7
K297593		3.31	9.74	0.08	1.7	2.40	0.040	1.81	23.8	17.0	6.56	2080	4.56	0.03	6.0	18.5
K297594		3.71	17.75	0.14	2.8	0.73	0.062	3.30	37.9	20.6	2.01	931	1.67	0.04	10.7	29.6
K297595		3.78	18.20	0.15	2.9	0.76	0.066	3.38	36.1	24.1	1.88	915	1.66	0.04	11.1	31.4
K297596		6.02	20.0	0.18	2.9	0.75	0.095	1.78	35.9	131.5	1.99	1010	0.88	0.02	15.2	42.7
K297597		3.58	15.10	0.14	2.8	0.49	0.059	2.05	36.9	38.4	2.86	900	3.48	0.03	10.2	21.6
K297598		3.41	15.10	0.14	2.7	0.39	0.064	2.02	34.8	52.0	3.78	1120	3.02	0.04	10.7	23.9
K297599		5.77	19.40	0.18	2.7	0.35	0.090	1.91	31.6	192.0	3.47	918	16.05	0.03	13.7	44.3
K297600		0.46	0.31	0.16	<0.1	<0.01	<0.005	0.02	0.8	1.4	12.15	200	0.09	<0.01	0.4	3.0
K297601		6.10	18.70	0.17	2.7	0.16	0.095	1.38	26.5	141.5	3.45	910	1.71	0.04	13.2	48.7
K297602		6.82	20.9	0.17	2.8	0.10	0.102	1.55	28.4	186.5	2.96	876	0.43	0.42	15.0	53.5
K297603		6.54	20.1	0.19	2.8	0.07	0.098	1.51	26.3	175.0	3.04	929	0.45	0.48	14.5	52.5
K297604		7.04	21.6	0.19	2.6	0.23	0.103	1.67	28.7	132.5	2.69	861	0.44	0.06	15.5	58.3
K297605		6.53	20.1	0.17	2.8	0.22	0.100	1.34	27.4	93.5	2.71	821	0.40	0.04	14.6	51.6
K297606		6.80	21.2	0.19	3.1	0.11	0.101	1.41	28.2	145.5	3.07	881	0.51	0.51	15.5	54.5
K297607		6.31	21.4	0.20	4.4	9.5	0.047	1.23	77.9	20.6	0.12	35	6.79	0.37	10.9	16.0
K297608		4.20	11.85	0.11	2.1	3.43	0.053	1.84	27.4	13.5	4.61	1240	4.15	0.03	8.2	33.1
K297609		6.95	21.2	0.18	2.6	0.13	0.093	1.60	27.6	76.1	2.69	875	0.48	0.43	13.0	53.4
K297610		6.71	19.55	0.16	2.4	0.09	0.089	1.05	24.8	65.9	2.89	917	0.31	0.80	11.4	52.1
K297611		6.66	19.90	0.17	2.3	0.04	0.085	1.13	25.5	67.6	2.93	976	0.23	0.84	11.8	50.4
K297612		6.82	19.90	0.17	2.5	0.05	0.088	1.03	27.0	76.1	3.22	1120	0.36	0.95	12.6	51.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126629

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297577		460	22.6	176.0	<0.002	3.97	1.18	15.3	1	2.1	94.0	0.86	0.05	14.0	0.368	3.88
K297578		170	1.3	2.7	<0.002	0.05	0.07	0.4	1	<0.2	42.9	<0.05	<0.05	0.2	0.006	0.04
K297579		420	30.7	186.0	<0.002	4.04	3.22	16.0	2	2.1	70.2	0.93	0.05	14.8	0.391	4.16
K297580		680	16.8	168.0	<0.002	3.21	4.04	14.6	1	2.0	104.0	0.82	0.05	12.6	0.369	4.65
K297581		380	17.2	111.5	0.006	4.46	1.80	14.6	2	1.4	113.5	0.56	0.08	6.9	0.340	11.50
K297582		400	15.0	136.5	0.008	7.28	1.65	17.2	3	1.7	130.5	0.65	0.09	8.0	0.417	12.95
K297583		400	11.8	114.5	0.006	3.90	0.60	13.8	2	1.6	168.5	0.61	0.12	7.1	0.328	5.23
K297584		340	13.5	113.5	0.004	3.15	0.76	13.1	2	1.7	139.0	0.61	0.07	7.1	0.333	5.03
K297585		330	14.8	83.1	0.004	2.23	5.93	9.8	2	1.2	152.0	0.40	0.05	5.2	0.241	2.52
K297586		480	28.2	116.5	0.010	4.45	21.5	16.6	3	1.8	175.5	0.60	0.09	7.6	0.339	8.76
K297587		430	19.5	151.5	0.014	4.74	14.65	19.7	4	1.8	95.1	0.67	0.09	9.6	0.392	16.75
K297588		900	23.8	167.5	0.002	3.72	6.26	15.9	2	2.4	195.5	0.82	0.06	14.0	0.359	8.99
K297589		730	15.2	170.0	<0.002	3.80	1.78	16.4	1	2.4	104.0	0.95	0.07	14.2	0.403	3.79
K297590		670	24.3	155.0	<0.002	2.76	0.85	13.6	2	1.8	318	0.72	0.05	13.4	0.329	4.47
K297591		920	17.0	50.0	0.003	3.14	117.0	16.0	3	2.9	489	0.74	0.15	10.1	0.546	7.64
K297592		730	22.5	135.5	<0.002	4.05	1.53	14.3	3	2.5	181.5	0.87	0.06	13.4	0.366	6.32
K297593		420	98.8	82.8	0.005	2.54	5.22	8.7	2	1.4	196.5	0.44	<0.05	7.8	0.174	4.28
K297594		530	17.2	137.5	0.004	3.03	0.98	13.3	2	2.3	241	0.77	0.05	13.1	0.325	3.74
K297595		520	16.4	124.0	0.004	3.16	0.90	14.1	2	2.3	258	0.80	0.06	12.6	0.345	3.67
K297596		600	12.8	126.5	0.003	5.65	0.42	24.6	2	2.0	184.5	0.90	0.19	7.8	0.552	4.90
K297597		420	18.0	115.5	0.002	2.23	1.49	12.5	2	1.9	147.5	0.65	0.06	8.7	0.301	2.37
K297598		420	17.8	134.5	0.003	1.66	0.80	13.9	2	1.8	152.0	0.68	0.05	8.3	0.330	1.81
K297599		560	13.8	137.5	0.003	1.18	0.52	25.5	2	1.9	128.0	0.81	0.15	7.0	0.544	2.48
K297600		180	1.2	1.4	<0.002	0.01	0.06	0.3	1	<0.2	49.6	<0.05	<0.05	<0.2	<0.005	0.02
K297601		530	10.7	106.0	0.003	0.55	0.42	26.2	2	1.7	122.5	0.82	0.17	5.2	0.577	0.94
K297602		610	10.7	127.5	0.002	0.44	0.38	29.1	3	1.8	133.0	0.89	0.19	5.7	0.652	1.10
K297603		570	10.7	128.5	0.003	0.44	0.37	28.2	3	1.8	136.0	0.84	0.20	5.5	0.627	1.10
K297604		620	12.4	146.0	0.003	0.57	0.43	30.2	3	1.9	117.5	0.91	0.22	5.7	0.678	1.41
K297605		570	10.2	99.4	0.002	0.43	0.35	28.5	3	1.8	147.0	0.86	0.18	5.5	0.644	1.09
K297606		620	10.8	107.0	0.004	0.45	0.43	29.9	3	1.9	134.0	0.92	0.21	5.7	0.682	0.97
K297607		870	17.6	54.2	0.003	2.91	118.5	16.4	2	2.7	469	0.79	0.12	10.1	0.523	7.62
K297608		430	15.2	95.3	0.006	2.52	13.65	13.2	2	1.4	209	0.52	0.06	6.5	0.253	6.11
K297609		640	10.7	115.0	<0.002	0.03	0.43	30.1	2	1.7	71.0	0.78	0.13	6.0	0.673	0.83
K297610		580	9.3	71.8	<0.002	0.04	0.36	29.1	2	1.6	77.0	0.67	0.10	5.4	0.670	0.59
K297611		580	9.3	74.5	<0.002	0.02	0.29	29.0	2	1.6	99.1	0.71	0.09	5.5	0.710	0.48
K297612		580	10.9	70.8	<0.002	0.03	0.32	29.1	2	1.6	91.8	0.75	0.12	5.6	0.676	0.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126629

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297577		2.8	81	2.3	19.2	84	97.8
K297578		0.4	3	0.1	1.1	18	1.3
K297579		2.9	82	2.9	20.3	81	105.0
K297580		2.6	86	5.8	20.1	80	98.7
K297581		1.8	107	1.1	20.0	76	81.0
K297582		2.0	127	0.9	20.9	80	94.6
K297583		1.7	95	0.8	22.3	84	86.5
K297584		1.9	91	1.0	21.1	81	86.0
K297585		2.0	70	1.9	19.5	83	62.9
K297586		2.9	123	4.9	24.9	83	99.1
K297587		2.9	191	5.1	21.4	95	106.5
K297588		3.1	87	4.9	23.3	87	100.5
K297589		3.1	102	3.7	21.5	99	118.5
K297590		3.0	76	1.5	21.7	84	95.8
K297591		7.3	172	21.4	15.8	44	172.0
K297592		2.8	97	2.6	19.9	88	98.8
K297593		3.5	77	1.7	14.5	733	56.0
K297594		2.8	117	1.6	20.8	112	96.3
K297595		2.7	121	1.7	20.7	85	96.9
K297596		2.0	167	1.1	27.3	86	116.5
K297597		2.4	72	1.7	24.6	60	99.6
K297598		2.2	81	1.3	26.8	67	95.7
K297599		1.7	166	1.2	29.9	89	112.5
K297600		0.8	2	0.1	1.0	17	0.7
K297601		1.4	176	1.3	26.7	79	103.5
K297602		1.5	201	0.7	29.0	90	115.0
K297603		1.4	196	0.7	29.2	88	111.5
K297604		1.5	213	1.3	29.5	96	114.0
K297605		1.5	198	1.4	27.9	93	118.5
K297606		1.5	211	0.8	30.4	93	123.0
K297607		8.0	155	21.5	16.5	41	174.5
K297608		2.3	86	4.0	24.7	72	83.1
K297609		1.3	213	1.1	29.9	95	107.0
K297610		1.1	214	0.9	28.0	92	97.6
K297611		1.2	228	0.9	27.0	94	95.5
K297612		1.2	216	0.7	29.0	95	99.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126629

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

CERTIFICATE WH11126627

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 36 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126627

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296217		10.69	0.01	0.07	5.52	267	240	1.47	0.17	3.64	0.15	55.6	19.4	63	23.6	57.0
K296218		9.39	0.01	0.09	5.51	339	270	1.39	0.14	3.96	0.24	73.5	19.3	50	22.7	49.2
K296219		10.84	0.08	0.10	5.72	217	270	1.55	0.23	2.45	0.06	63.2	17.6	58	26.9	52.3
K296220		10.58	0.01	0.15	4.45	120.5	430	1.20	0.17	2.77	0.08	48.2	15.3	52	16.95	44.3
K296221		8.97	0.01	0.06	6.54	153.5	260	1.63	0.26	1.83	0.03	66.8	17.5	77	32.3	61.0
K296222		4.31	0.01	0.05	6.59	236	270	1.73	0.25	1.88	0.03	66.9	18.2	76	33.2	61.8
K296223		11.46	0.01	0.08	5.84	196.0	240	1.40	0.24	1.38	0.03	63.0	21.4	59	30.6	50.5
K296224		9.08	0.01	0.11	5.87	285	340	1.33	0.22	3.10	0.02	61.5	19.2	62	22.5	48.2
K296225		6.57	0.04	0.06	7.23	1005	370	1.63	0.31	1.97	0.03	77.4	20.5	63	28.1	60.3
K296226		10.43	0.01	0.06	6.13	115.5	260	1.51	0.26	1.75	0.03	65.4	18.7	54	29.0	48.6
K296227		7.59	0.01	0.08	6.60	90.1	210	1.75	0.28	1.39	0.10	70.3	19.9	60	29.9	55.0
K296228		0.25	2.65	0.92	3.31	613	890	0.55	0.31	8.35	2.17	47.8	6.4	51	3.77	44.9
K296229		8.37	<0.01	0.10	8.17	63.1	530	1.71	0.32	2.15	0.14	71.5	22.5	75	30.3	66.6
K296230		8.55	0.01	0.06	7.83	70.9	480	1.59	0.30	2.50	0.18	74.2	22.1	77	29.2	66.3
K296231		9.69	0.01	0.16	7.93	70.3	330	1.76	0.30	1.73	0.26	74.5	19.8	75	36.2	63.2
K296232		11.27	<0.01	0.08	7.43	43.3	830	1.73	0.29	2.11	0.14	73.1	20.8	71	42.5	62.3
K296233		7.01	<0.01	0.01	0.11	<5	40	0.07	<0.01	21.9	0.07	1.66	1.2	1	0.61	1.9
K296234		10.87	0.01	0.12	7.97	98.0	330	1.95	0.31	1.73	0.14	77.6	20.6	75	46.2	63.2
K296235		11.04	0.01	0.09	7.70	132.0	340	1.94	0.37	1.55	0.39	79.6	22.4	69	37.8	58.5
K296236		11.60	<0.01	0.07	7.86	80.6	260	2.12	0.32	1.46	0.12	75.9	19.6	75	46.8	64.7
K296237		11.00	0.01	0.08	8.17	162.5	270	2.02	0.31	1.66	0.15	77.6	21.3	71	37.1	65.8
K296238		10.72	0.01	0.07	7.92	52.0	290	2.02	0.30	1.93	0.13	75.3	18.0	75	46.1	73.8
K296239		12.21	<0.01	0.07	7.86	76.7	310	2.13	0.32	1.40	0.11	80.6	23.5	71	51.4	59.1
K296240		8.65	<0.01	0.06	7.82	186.5	360	1.91	0.30	1.76	0.11	75.4	18.1	72	36.5	72.8
K296241		1.22	<0.01	0.26	7.61	286	290	1.07	0.03	7.47	0.15	139.0	27.2	18	42.0	24.4
K296242		8.00	0.03	0.08	7.26	396	310	1.46	0.25	3.10	0.38	73.9	24.8	73	27.6	62.6
K296243		10.75	0.10	0.06	7.48	1415	370	1.49	0.28	2.82	0.21	77.9	18.8	85	27.3	68.4
K296244		7.01	0.01	0.01	0.08	<5	20	0.05	<0.01	22.0	0.07	1.46	1.2	2	0.23	1.1
K296245		11.97	<0.01	0.11	6.86	212	390	1.49	0.23	3.24	0.44	66.4	21.3	70	28.6	56.4
K296246		10.64	0.01	0.07	7.59	353	250	1.80	0.29	2.20	0.07	77.8	20.2	70	35.6	65.8
K296247		0.21	0.32	0.28	6.28	617	2040	0.59	0.26	0.47	0.18	140.0	2.9	231	3.60	33.5
K296248		12.67	<0.01	0.08	7.84	79.6	350	1.83	0.31	1.67	0.03	77.2	22.2	76	47.7	66.6
K296249		12.14	<0.01	0.07	7.74	130.5	300	1.94	0.31	1.59	0.03	77.4	22.1	74	39.1	65.0
K296250		11.60	<0.01	0.06	6.85	95.6	710	1.48	0.24	2.97	0.04	69.2	21.7	74	21.4	63.4
K296251		11.48	<0.01	0.07	7.30	42.0	260	1.69	0.28	2.50	0.04	74.5	22.1	75	30.8	67.7
K296252		12.21	<0.01	0.06	7.41	98.8	250	1.71	0.30	2.51	0.04	80.2	21.2	72	42.2	67.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126627

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296217		4.59	13.85	0.16	2.7	0.96	0.059	2.34	26.6	64.5	1.91	963	0.43	0.03	9.4	41.5
K296218		4.87	13.80	0.17	2.8	0.97	0.062	1.90	36.2	177.5	1.82	866	0.97	0.02	19.7	38.9
K296219		4.68	15.50	0.17	2.5	2.11	0.063	2.36	31.0	43.3	1.39	675	0.38	0.03	9.6	36.9
K296220		4.20	12.15	0.14	2.3	1.00	0.050	1.76	25.2	60.5	1.46	604	0.58	0.02	7.5	32.2
K296221		5.46	17.65	0.17	3.2	0.28	0.072	2.59	32.6	98.2	1.91	580	0.32	0.03	10.9	39.4
K296222		5.31	17.75	0.16	3.1	0.30	0.070	2.63	32.4	93.0	1.96	573	0.28	0.03	10.8	38.9
K296223		4.79	15.80	0.12	3.1	1.34	0.063	2.20	32.0	78.2	1.08	338	0.47	0.02	10.5	35.3
K296224		5.18	15.60	0.17	3.0	1.13	0.062	2.45	31.0	56.3	1.66	739	0.60	0.02	10.9	34.1
K296225		5.61	21.4	0.20	3.5	1.25	0.082	3.27	37.7	17.9	1.34	488	0.46	0.03	13.9	37.3
K296226		4.57	17.55	0.16	3.1	0.57	0.070	2.67	33.5	57.4	1.31	436	0.35	0.03	11.7	30.5
K296227		4.56	18.30	0.16	3.2	0.96	0.071	2.88	35.8	54.1	1.23	379	0.42	0.03	11.2	34.4
K296228		2.22	7.55	0.15	1.8	4.58	0.030	1.03	30.4	28.1	2.63	282	19.05	0.03	6.9	52.1
K296229		6.04	21.3	0.25	3.6	0.94	0.090	3.63	34.7	32.7	1.47	428	0.89	0.03	13.1	44.6
K296230		5.79	20.7	0.24	3.7	0.51	0.088	3.55	37.8	28.8	1.61	501	1.58	0.03	12.8	45.1
K296231		5.24	21.2	0.25	3.6	0.57	0.090	3.51	37.6	71.5	1.69	425	1.70	0.03	12.9	39.1
K296232		5.64	19.40	0.24	3.5	0.44	0.085	3.28	37.3	84.2	2.08	546	0.48	0.03	11.8	40.9
K296233		0.53	0.40	0.19	<0.1	<0.01	<0.005	0.05	0.8	1.4	13.40	226	0.23	0.01	0.4	2.7
K296234		5.81	21.9	0.27	3.5	0.41	0.090	3.61	38.4	72.4	2.02	419	0.47	0.03	12.3	43.3
K296235		6.01	21.4	0.27	3.5	0.53	0.094	3.53	39.8	48.3	1.81	391	0.51	0.03	12.1	45.1
K296236		5.76	21.6	0.25	3.6	0.47	0.089	3.54	38.2	73.6	1.95	415	0.50	0.03	12.3	40.9
K296237		6.10	22.2	0.26	3.5	0.55	0.091	3.72	39.0	36.9	1.77	405	0.56	0.03	12.1	43.1
K296238		5.83	21.3	0.26	3.5	0.33	0.091	3.55	37.4	71.1	2.18	529	0.50	0.03	12.3	36.0
K296239		6.00	22.6	0.28	3.6	0.61	0.091	3.48	40.7	71.5	1.72	386	0.49	0.03	12.1	46.1
K296240		5.83	21.9	0.25	3.4	0.95	0.087	3.49	37.7	36.5	1.25	457	0.59	0.03	12.5	37.6
K296241		7.10	16.15	0.39	3.5	0.64	0.094	3.17	66.7	22.5	2.96	2650	2.05	0.03	61.7	18.4
K296242		5.81	19.55	0.26	3.5	2.11	0.083	3.35	36.7	17.9	1.73	945	0.79	0.03	13.1	46.6
K296243		5.98	20.2	0.27	3.6	3.14	0.080	3.46	38.9	15.3	1.68	1180	0.95	0.03	12.9	47.9
K296244		0.52	0.31	0.21	<0.1	0.01	0.005	0.03	0.7	0.9	13.50	223	0.17	<0.01	0.3	2.6
K296245		5.61	17.70	0.23	3.2	1.34	0.075	3.14	33.2	28.7	1.75	890	0.52	0.03	11.9	40.3
K296246		5.44	20.3	0.25	3.6	0.62	0.086	3.50	39.0	34.9	1.78	611	0.36	0.03	13.1	40.0
K296247		6.87	20.2	0.30	4.4	9.9	0.053	1.36	68.5	17.0	0.13	39	6.47	0.37	9.9	17.2
K296248		5.71	20.8	0.26	3.6	0.27	0.086	3.52	38.0	79.6	2.13	536	0.41	0.04	13.3	41.8
K296249		5.80	20.8	0.26	3.5	0.22	0.087	3.49	38.8	85.2	2.10	550	0.51	0.04	13.3	41.7
K296250		5.47	18.00	0.25	3.2	0.19	0.076	3.10	34.3	53.7	2.49	739	0.30	0.03	11.5	40.1
K296251		5.65	19.35	0.26	3.4	0.21	0.080	3.23	36.9	102.5	2.44	695	0.32	0.03	12.3	41.9
K296252		5.55	20.0	0.27	3.7	0.14	0.083	3.26	39.5	92.3	2.56	685	0.34	0.04	12.8	41.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126627

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296217		510	13.8	122.0	<0.002	2.96	0.81	16.0	<1	1.7	139.0	0.65	0.05	8.8	0.466	2.98
K296218		1360	16.3	103.0	<0.002	3.63	0.46	15.8	1	1.5	247	1.19	<0.05	8.4	0.651	2.33
K296219		430	17.7	131.0	<0.002	4.19	1.24	15.9	<1	1.8	110.5	0.67	0.05	9.7	0.431	4.69
K296220		400	16.0	96.1	<0.002	3.27	0.67	13.1	<1	1.4	155.5	0.54	<0.05	7.6	0.369	2.49
K296221		490	12.1	144.0	<0.002	0.98	0.57	18.9	<1	2.0	120.5	0.80	0.06	10.8	0.518	2.88
K296222		530	13.2	143.0	<0.002	0.93	0.65	19.1	<1	2.0	121.0	0.77	0.05	10.9	0.521	2.94
K296223		390	16.5	117.5	<0.002	3.13	0.93	17.6	2	1.9	94.8	0.73	<0.05	10.0	0.445	3.81
K296224		640	14.4	126.5	<0.002	4.26	2.07	18.5	2	1.9	256	0.76	<0.05	9.0	0.460	3.42
K296225		580	12.8	165.0	<0.002	4.16	7.72	22.1	3	2.4	175.5	0.99	0.06	11.9	0.510	3.73
K296226		440	13.1	136.5	<0.002	3.04	1.40	18.1	2	2.2	153.5	0.80	<0.05	10.3	0.437	2.30
K296227		450	16.7	145.0	<0.002	2.93	1.28	19.8	2	2.3	115.0	0.82	<0.05	11.0	0.448	2.49
K296228		920	39.8	51.5	0.026	1.60	103.0	4.7	4	2.4	75.8	0.46	0.23	6.9	0.175	4.20
K296229		610	24.0	171.0	<0.002	5.87	1.39	19.2	2	2.6	208	0.99	0.06	11.5	0.562	3.88
K296230		560	18.9	187.0	<0.002	5.54	0.91	20.2	2	2.5	203	0.95	0.07	12.3	0.586	2.90
K296231		530	15.8	183.0	<0.002	2.78	0.64	20.1	2	2.5	133.0	0.95	0.06	12.5	0.579	2.37
K296232		560	18.5	181.5	<0.002	1.69	0.64	18.9	2	2.3	133.5	0.89	0.07	12.1	0.509	1.49
K296233		180	1.2	3.6	<0.002	0.02	0.06	0.5	1	<0.2	51.5	<0.05	<0.05	0.2	0.005	0.05
K296234		670	20.7	188.0	<0.002	1.90	0.65	20.7	2	2.6	123.5	0.93	0.06	12.2	0.522	1.73
K296235		690	23.5	193.5	<0.002	2.90	0.74	20.6	2	2.6	151.5	0.92	0.06	12.4	0.501	2.28
K296236		550	18.9	195.0	<0.002	1.87	0.70	21.1	2	2.6	105.5	0.94	0.06	12.4	0.519	1.88
K296237		560	20.7	198.0	<0.002	3.43	0.83	21.1	2	2.7	127.0	0.92	0.06	12.4	0.525	2.58
K296238		550	15.5	192.0	<0.002	1.57	0.52	21.2	2	2.6	121.5	0.93	0.06	11.9	0.535	1.90
K296239		520	23.7	203	<0.002	2.96	0.67	22.4	2	2.7	116.0	0.90	0.06	13.1	0.503	3.73
K296240		600	15.0	184.5	<0.002	5.64	0.63	20.6	2	2.6	164.5	0.92	0.06	11.9	0.531	4.98
K296241		5020	11.7	184.5	0.003	5.74	0.86	16.7	3	1.5	388	3.53	<0.05	7.5	1.565	4.02
K296242		610	27.4	178.5	<0.002	5.38	2.75	21.1	2	2.3	143.0	0.97	0.06	11.6	0.563	5.48
K296243		780	15.9	185.0	<0.002	5.75	6.21	21.9	2	2.4	154.5	0.96	0.07	12.1	0.559	12.85
K296244		170	<0.5	1.7	<0.002	0.03	0.06	0.4	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	0.11
K296245		590	30.4	166.0	<0.002	5.02	1.48	18.0	2	2.2	166.0	0.88	0.05	10.6	0.543	5.42
K296246		580	18.3	189.0	<0.002	3.06	1.16	20.2	2	2.6	140.0	0.99	0.07	12.4	0.577	3.32
K296247		930	16.7	49.8	0.003	3.12	118.0	15.4	2	3.0	520	0.76	0.15	9.6	0.543	8.47
K296248		590	16.4	188.5	<0.002	1.07	0.89	20.3	2	2.7	106.0	1.00	0.07	12.3	0.583	1.81
K296249		570	17.7	178.0	<0.002	0.66	0.71	20.3	2	2.6	116.0	1.00	0.08	12.4	0.577	1.33
K296250		570	15.0	151.5	<0.002	0.35	0.55	19.3	2	2.1	300	0.85	0.07	10.8	0.559	1.01
K296251		570	16.5	164.0	<0.002	0.55	0.44	20.5	2	2.4	150.0	0.88	0.08	11.7	0.579	1.28
K296252		590	17.9	178.0	<0.002	0.26	0.45	20.8	2	2.4	114.5	0.93	0.08	12.6	0.570	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126627

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296217		1.6	121	1.8	20.2	85	88.9
K296218		1.6	132	2.2	26.2	113	102.0
K296219		1.9	113	2.9	20.7	80	86.4
K296220		1.5	101	2.1	17.8	64	77.1
K296221		2.0	136	1.3	23.3	77	108.5
K296222		2.1	137	1.3	23.2	78	107.0
K296223		2.1	121	1.2	21.2	61	95.3
K296224		1.9	126	3.0	22.0	56	92.0
K296225		2.4	135	5.5	26.0	77	110.0
K296226		2.1	115	1.6	22.6	65	97.7
K296227		2.3	126	1.6	22.8	88	96.2
K296228		9.1	238	29.3	21.8	214	66.1
K296229		2.4	158	2.5	25.5	98	126.5
K296230		2.5	156	2.6	25.9	121	127.5
K296231		2.5	158	2.6	25.7	129	126.5
K296232		2.4	141	1.4	26.8	106	122.5
K296233		0.5	2	0.2	1.0	20	1.2
K296234		2.5	155	1.6	27.1	103	122.5
K296235		2.5	147	1.8	27.7	138	122.0
K296236		2.4	150	1.6	25.7	102	124.0
K296237		2.5	158	2.1	25.8	114	124.0
K296238		2.4	150	1.7	26.1	108	121.5
K296239		2.6	154	1.5	26.7	96	124.5
K296240		2.4	150	1.8	25.3	102	119.5
K296241		1.6	239	8.0	41.4	106	156.0
K296242		2.3	154	7.0	25.8	136	122.0
K296243		2.4	152	9.7	28.5	107	123.5
K296244		0.6	2	0.1	0.9	19	0.8
K296245		2.1	151	3.8	23.8	120	112.5
K296246		2.5	151	3.5	26.6	88	125.5
K296247		8.1	170	23.5	16.5	43	174.0
K296248		2.5	152	1.7	26.7	95	126.0
K296249		2.5	150	1.8	26.4	93	122.5
K296250		2.1	146	4.4	22.8	89	113.5
K296251		2.4	150	2.3	26.8	84	123.0
K296252		2.5	145	1.7	28.4	82	130.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126627

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

CERTIFICATE WH11126628

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 37- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126628

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297613		10.83	<0.01	0.11	6.71	15.6	520	0.97	0.14	5.22	0.27	46.7	33.7	69	10.15	164.0
K297614		0.21	0.35	0.28	6.42	624	2440	0.55	0.26	0.49	0.18	141.5	3.0	230	3.55	34.1
K297615		9.05	<0.01	0.12	6.93	29.2	360	1.06	0.18	5.11	0.30	52.6	30.6	65	9.96	150.0
K297616		5.22	<0.01	0.10	7.63	7.5	170	1.05	0.16	4.98	0.29	48.7	36.4	77	11.10	178.5
K297617		9.73	<0.01	0.10	6.62	10.6	260	1.05	0.16	5.06	0.34	48.1	30.0	70	12.60	141.0
K297618		5.62	<0.01	0.09	7.80	1475	470	0.68	0.20	0.90	0.06	55.2	6.0	79	7.77	63.5
K297619		8.15	0.17	0.11	7.45	7380	930	0.84	0.21	1.11	0.10	55.0	13.2	82	19.15	105.5
K297620		3.70	<0.01	0.07	7.93	785	320	0.83	0.21	0.11	0.03	51.3	7.0	86	6.48	88.5
K297621		5.87	<0.01	0.12	7.17	2600	660	1.15	0.17	1.67	0.25	44.3	35.6	84	11.90	231
K297622		7.28	<0.01	0.11	6.56	104.5	140	1.12	0.18	3.96	0.23	46.3	33.5	66	14.90	123.5
K297623		5.66	<0.01	0.10	7.05	41.2	240	1.14	0.18	4.13	0.22	46.3	35.5	70	17.25	141.5
K297624		7.18	<0.01	0.23	7.46	2340	1030	1.59	0.43	3.86	0.45	56.1	35.3	85	19.45	198.0
K297625		11.59	<0.01	0.24	6.84	215	300	1.54	0.29	4.23	0.39	61.0	26.6	69	21.0	133.5
K297626		5.28	<0.01	0.14	6.89	214	320	1.58	0.26	4.15	0.37	58.2	26.3	69	20.3	134.5
K297627		11.41	<0.01	0.60	6.69	135.5	360	1.47	0.22	4.65	0.40	55.8	27.8	64	22.5	136.0
K297628		4.25	<0.01	0.14	6.82	748	400	1.38	0.26	2.72	0.37	70.5	16.4	59	21.6	77.3
K297629		10.16	<0.01	0.20	6.76	71.3	280	1.40	0.22	5.88	0.27	56.7	24.4	59	16.95	125.0
K297630		10.36	<0.01	0.20	6.97	111.5	1210	1.51	0.44	3.54	0.18	56.0	25.9	74	14.95	136.5
K297631		5.71	<0.01	0.29	7.53	129.5	540	1.78	0.35	1.00	0.37	69.0	21.8	85	16.50	107.0
K297632		9.83	<0.01	0.18	5.18	126.0	340	1.11	0.23	6.31	0.28	58.8	16.9	50	10.85	50.8
K297633		4.90	<0.01	0.01	0.08	<5	20	<0.05	0.07	21.0	0.06	1.24	1.2	3	0.15	2.5
K297634		5.01	<0.01	0.13	7.04	167.0	700	1.93	0.27	5.19	0.13	82.7	13.9	54	15.25	38.9
K297635		3.45	<0.01	0.09	7.38	141.0	1050	2.06	0.27	7.42	0.08	90.8	14.7	50	16.60	32.8
K297636		11.41	<0.01	0.33	6.08	330	410	1.53	0.25	5.46	0.31	61.6	31.6	60	11.15	104.0
K297637		10.78	<0.01	0.19	6.35	249	210	1.56	0.25	9.38	0.35	67.3	25.1	58	13.10	82.3
K297638		11.33	<0.01	0.17	6.06	116	190	1.38	0.25	11.50	0.35	67.1	21.1	57	13.55	73.5
K297639		0.21	2.71	1.21	3.24	598	890	0.67	0.29	8.44	2.14	49.2	6.6	56	3.79	44.3
K297640		10.39	<0.01	0.20	7.36	170.5	270	1.60	0.35	5.25	0.18	85.3	24.9	58	18.75	70.5
K297641		6.51	<0.01	0.22	7.09	252	260	1.46	0.33	4.58	0.41	73.3	32.4	65	17.30	116.0
K297642		5.47	0.03	0.18	6.83	1375	210	0.96	0.20	3.45	0.30	53.3	31.9	72	15.30	151.5
K297643		12.01	0.01	0.11	6.40	358	200	1.18	0.23	4.42	0.28	59.1	25.0	66	15.45	121.0
K297644		4.50	<0.01	0.13	5.29	317	220	1.17	0.24	7.20	0.31	59.2	15.6	49	11.20	65.2
K297645		6.83	0.01	0.11	7.20	490	270	1.63	0.24	7.11	0.11	83.5	15.7	50	16.40	36.4
K297646		5.40	0.01	0.17	7.66	618	260	1.65	0.29	4.15	0.09	83.2	16.3	54	18.95	39.3
K297647		5.36	<0.01	0.13	7.99	303	260	1.97	0.30	4.18	0.11	92.7	17.3	60	23.8	41.4
K297727		6.98	<0.01	0.01	0.14	<5	20	<0.05	0.02	20.9	0.06	1.80	1.4	2	0.29	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126628

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297613		7.91	19.00	0.23	2.6	0.05	0.102	1.12	21.6	53.7	3.42	1120	0.47	0.85	10.4	57.4
K297614		7.03	20.5	0.28	4.4	9.5	0.053	1.39	70.1	16.9	0.13	41	6.44	0.38	9.8	17.0
K297615		7.42	19.10	0.24	3.0	0.08	0.100	1.23	24.1	48.7	3.09	1120	0.54	1.02	13.1	54.4
K297616		8.93	21.3	0.26	2.8	0.07	0.110	1.19	22.0	68.3	3.60	1140	0.36	1.17	11.7	63.4
K297617		7.16	17.70	0.23	2.4	0.14	0.092	1.29	21.9	88.9	2.52	1120	0.38	0.78	11.3	51.5
K297618		6.10	22.8	0.22	1.9	7.7	0.085	1.56	24.2	93.1	0.29	114	0.42	0.01	13.2	11.7
K297619		7.37	21.8	0.25	1.8	8.3	0.111	3.13	23.7	71.0	0.38	810	0.43	0.01	13.4	23.6
K297620		5.96	22.8	0.22	2.0	3.08	0.088	1.86	23.4	111.0	0.31	150	0.46	0.01	13.4	14.8
K297621		10.40	21.6	0.27	1.5	0.51	0.124	1.85	19.2	207	1.00	905	0.38	0.02	11.0	65.0
K297622		6.81	18.40	0.24	2.7	0.15	0.092	1.94	21.6	85.3	2.71	1020	0.51	0.22	10.8	51.8
K297623		7.64	20.0	0.25	2.6	0.13	0.098	1.69	20.5	115.0	3.39	1070	0.34	0.56	11.2	56.7
K297624		9.58	22.4	0.22	3.1	0.6	0.120	2.23	22.8	239	1.63	1520	1.27	0.03	15.8	66.6
K297625		6.81	20.6	0.22	3.4	0.48	0.095	2.51	26.3	136.5	2.45	1360	8.40	0.03	15.9	50.9
K297626		6.94	19.00	0.15	3.4	0.49	0.094	2.54	24.2	144.0	2.37	1360	9.00	0.03	15.0	48.9
K297627		6.85	19.55	0.20	3.2	0.26	0.099	2.20	24.5	143.5	2.59	1290	3.60	0.06	15.2	50.1
K297628		5.93	19.00	0.14	3.1	0.15	0.075	2.94	31.2	88.5	1.87	947	1.42	0.03	12.6	36.9
K297629		6.21	19.50	0.21	3.2	0.22	0.088	2.74	25.3	75.2	2.98	1000	1.32	0.03	12.9	44.2
K297630		6.55	20.5	0.19	3.3	0.5	0.097	2.70	24.5	94.1	1.80	741	0.59	0.03	13.5	49.7
K297631		9.61	21.9	0.24	3.3	7.4	0.130	3.39	30.8	34.4	0.86	621	2.47	0.04	13.0	53.7
K297632		8.46	14.50	0.23	2.5	5.0	0.068	2.41	26.6	25.9	3.16	887	3.16	0.04	9.7	41.1
K297633		0.47	0.57	0.28	<0.1	0.01	<0.005	0.03	0.6	1.1	12.35	196	0.09	0.01	0.4	5.7
K297634		5.50	17.85	0.12	2.6	2.18	0.060	3.30	39.0	20.1	2.59	691	1.44	0.04	9.9	32.3
K297635		3.66	19.00	0.15	2.9	0.99	0.056	3.41	44.7	23.7	1.27	624	1.05	0.04	10.2	28.2
K297636		5.15	17.45	0.17	2.9	6.28	0.065	2.88	29.0	11.8	2.47	787	10.75	0.04	9.7	56.0
K297637		4.31	17.05	0.18	2.7	4.57	0.060	2.97	32.2	11.1	1.63	612	8.89	0.03	8.9	47.8
K297638		3.94	16.10	0.15	2.5	3.62	0.055	2.87	31.9	8.8	1.53	628	7.14	0.03	8.3	43.3
K297639		2.26	8.31	0.11	1.8	4.37	0.028	1.02	28.8	39.9	2.64	283	19.30	0.04	7.4	54.1
K297640		4.48	20.5	0.20	3.1	3.27	0.065	3.52	42.0	11.9	2.21	1140	3.26	0.04	10.6	46.3
K297641		5.17	20.3	0.21	3.6	7.02	0.080	3.42	34.0	11.3	2.42	1100	7.75	0.03	12.1	58.6
K297642		7.68	20.3	0.23	3.2	9.1	0.088	3.03	23.5	22.0	1.82	906	0.51	0.02	13.6	58.8
K297643		8.00	18.90	0.19	3.4	5.29	0.091	2.94	26.2	18.5	2.33	767	1.78	0.02	12.4	48.9
K297644		6.83	14.45	0.13	2.7	10.5	0.072	2.46	26.5	11.4	3.87	788	1.87	0.03	9.8	36.6
K297645		4.45	18.70	0.14	2.6	5.12	0.058	3.22	41.7	23.4	2.20	1120	1.16	0.04	9.9	33.5
K297646		4.05	20.9	0.15	2.9	3.4	0.065	3.51	39.6	23.0	1.17	980	1.30	0.04	11.1	30.9
K297647		4.54	21.1	0.17	3.0	3.01	0.069	3.76	44.0	22.8	2.06	894	1.50	0.04	11.8	38.2
K297727		0.48	0.67	0.26	<0.1	0.01	<0.005	0.05	0.8	1.4	12.35	192	0.17	0.01	0.6	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126628

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297613		620	10.3	58.1	<0.002	0.07	0.32	26.5	2	1.8	108.0	0.70	0.16	4.8	0.773	0.36
K297614		940	17.5	50.0	0.003	3.19	117.5	15.3	2	3.0	532	0.76	0.16	10.0	0.553	8.50
K297615		610	9.4	65.8	0.002	0.11	0.63	25.2	2	2.0	103.5	0.89	0.18	5.8	0.709	0.50
K297616		700	9.4	66.5	<0.002	0.09	0.39	30.1	3	2.0	114.5	0.78	0.19	5.2	0.842	0.47
K297617		550	7.4	76.9	<0.002	0.12	0.32	24.3	2	1.8	169.0	0.77	0.18	5.2	0.737	0.79
K297618		750	9.7	105.5	<0.002	0.85	2.25	22.7	3	2.3	543	0.91	0.25	4.6	0.938	35.3
K297619		850	9.2	185.5	<0.002	1.01	20.0	24.4	3	2.4	401	0.92	0.30	5.0	0.813	26.5
K297620		620	9.0	132.0	<0.002	0.35	2.71	23.1	2	2.3	320	0.93	0.26	4.6	0.958	8.55
K297621		760	7.3	125.0	<0.002	0.19	4.95	28.1	3	1.9	137.5	0.75	0.23	4.0	0.761	11.35
K297622		590	12.8	129.5	<0.002	0.21	0.50	24.5	3	1.9	85.5	0.74	0.16	6.3	0.637	1.51
K297623		610	10.6	99.4	<0.002	0.26	0.34	26.8	2	1.9	104.0	0.78	0.16	5.7	0.710	0.89
K297624		800	14.6	131.0	0.003	0.15	7.85	28.9	3	2.4	226	1.02	0.30	6.5	0.741	2.32
K297625		670	13.7	168.0	0.007	0.63	1.27	23.2	4	2.4	93.0	0.98	0.28	7.4	0.647	2.58
K297626		670	13.7	164.5	0.006	0.54	1.16	22.3	3	2.3	88.3	0.98	0.25	7.3	0.654	2.64
K297627		650	11.5	149.5	0.005	0.44	0.71	23.0	3	2.2	103.5	0.95	0.25	6.6	0.647	1.71
K297628		510	17.9	170.5	0.003	0.03	1.84	17.4	2	2.5	121.5	0.84	0.11	9.6	0.512	1.96
K297629		580	12.2	155.5	0.002	0.21	0.56	21.3	3	2.2	92.0	0.85	0.18	7.2	0.608	1.20
K297630		610	13.3	149.5	0.002	0.51	0.63	23.7	3	2.3	97.3	0.94	0.18	7.4	0.672	2.61
K297631		600	19.6	169.5	0.006	0.37	1.88	24.9	4	2.7	256	0.88	0.23	10.5	0.572	9.24
K297632		410	14.9	121.5	0.007	5.90	2.36	14.1	3	1.9	241	0.64	0.12	7.2	0.383	6.81
K297633		180	1.8	1.7	<0.002	0.01	0.06	0.5	1	<0.2	45.7	<0.05	<0.05	0.4	<0.005	0.02
K297634		480	20.3	152.0	0.003	3.04	3.08	12.5	3	2.0	129.5	0.71	0.07	12.4	0.350	2.87
K297635		450	14.7	163.5	<0.002	1.95	5.54	12.9	2	2.0	172.5	0.74	0.05	14.4	0.327	3.68
K297636		460	17.5	142.5	0.009	4.16	14.85	15.6	4	2.0	189.5	0.66	0.09	9.6	0.347	11.10
K297637		1010	17.7	149.5	0.008	3.78	3.10	14.0	4	2.0	316	0.63	0.07	10.6	0.313	11.55
K297638		440	18.0	147.0	0.009	3.13	1.53	13.1	4	1.8	331	0.60	0.06	10.2	0.298	11.25
K297639		900	36.5	55.4	0.023	1.58	110.0	5.0	5	2.5	75.1	0.46	0.20	7.4	0.177	4.10
K297640		1390	22.5	170.0	0.004	3.41	1.61	15.0	4	2.5	126.5	0.76	0.08	12.9	0.346	8.10
K297641		580	20.8	166.5	0.010	4.37	2.96	18.9	4	2.4	112.5	0.83	0.13	10.6	0.444	15.25
K297642		630	9.7	148.5	<0.002	7.81	9.91	22.7	3	2.2	169.5	0.87	0.25	5.9	0.730	16.85
K297643		570	10.8	150.5	0.002	7.82	3.11	22.4	3	2.1	109.0	0.80	0.20	7.9	0.606	10.45
K297644		430	15.5	118.0	0.005	6.54	2.91	14.5	3	2.0	135.5	0.66	0.13	8.1	0.394	19.50
K297645		590	18.7	142.5	0.002	3.00	3.39	12.7	3	2.6	194.5	0.70	0.05	13.1	0.323	10.35
K297646		530	13.9	136.0	0.002	3.25	3.23	13.6	2	2.8	130.0	0.83	0.05	14.0	0.357	8.73
K297647		580	20.6	166.5	0.003	3.61	1.61	15.2	2	2.8	124.5	0.85	0.06	14.5	0.380	6.11
K297727		220	1.3	2.6	<0.002	0.02	<0.05	0.6	1	<0.2	49.4	<0.05	<0.05	0.5	0.010	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126628

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297613		1.1	254	0.7	26.7	105	97.4
K297614		8.1	172	23.6	16.5	44	173.5
K297615		1.3	235	0.9	27.1	105	115.0
K297616		1.2	288	0.8	28.6	117	106.5
K297617		1.2	227	0.8	24.3	96	98.7
K297618		1.0	302	8.0	18.1	58	67.7
K297619		1.0	273	10.2	17.4	72	65.7
K297620		1.0	311	4.8	17.1	75	72.5
K297621		0.9	269	2.0	20.1	128	55.1
K297622		1.4	210	0.9	23.7	100	99.3
K297623		1.3	246	1.2	23.9	105	105.0
K297624		1.7	241	3.2	28.0	143	124.5
K297625		1.9	194	1.7	28.2	101	127.5
K297626		1.9	196	1.6	25.8	104	123.5
K297627		1.7	190	4.4	26.5	94	121.0
K297628		2.2	146	1.6	25.8	87	111.5
K297629		1.8	180	1.2	25.6	90	113.5
K297630		1.5	205	1.4	25.1	88	117.5
K297631		2.1	181	1.9	24.0	94	120.5
K297632		1.9	115	1.4	19.7	78	89.5
K297633		0.8	2	0.1	0.8	17	0.5
K297634		2.7	85	2.0	19.4	83	91.2
K297635		3.0	74	3.1	20.8	80	98.4
K297636		3.2	168	4.3	20.8	92	104.0
K297637		3.5	150	1.7	19.8	106	95.0
K297638		3.4	139	1.3	18.6	113	87.6
K297639		9.4	231	29.1	21.7	217	71.3
K297640		3.3	110	2.3	24.3	112	104.5
K297641		3.0	184	3.5	24.1	96	125.0
K297642		1.5	227	15.8	26.6	99	121.0
K297643		1.8	188	5.6	25.5	95	123.5
K297644		2.0	117	3.8	21.2	79	96.5
K297645		3.1	81	6.2	19.9	105	90.2
K297646		3.0	97	6.5	18.5	81	97.1
K297647		3.2	105	3.8	20.1	102	103.0
K297727		0.5	2	0.1	1.1	17	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126628

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

CERTIFICATE WH11126720

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 38

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11126720

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296253		11.68	<0.01	0.03	6.65	71.8	180	1.68	0.27	2.40	0.05	70.2	17.8	66	42.5	58.8
K296254		11.91	<0.01	0.05	6.65	72.7	200	1.69	0.26	2.73	0.04	68.9	18.4	64	34.0	58.5
K296255		11.59	<0.01	0.04	6.20	41.4	340	1.50	0.23	3.47	0.08	60.1	16.1	64	35.1	61.7
K296256		0.23	2.46	1.13	3.26	603	900	0.72	0.34	8.37	2.18	47.8	6.4	49	4.03	44.8
K296257		11.16	0.09	0.05	4.62	278	220	0.80	0.17	3.93	0.05	46.2	14.5	47	14.40	41.8
K296258		11.12	0.08	0.05	5.53	448	360	1.15	0.20	3.21	0.05	54.1	17.0	53	24.8	52.0
K296259		5.55	<0.01	0.04	5.90	203	280	1.23	0.21	3.59	0.04	58.5	17.3	60	24.5	57.0
K296260		9.44	<0.01	0.04	10.30	9.4	360	2.42	0.45	0.24	<0.02	79.4	18.9	68	29.3	43.2
K296261		3.28	<0.01	0.04	9.68	18.5	350	2.54	0.43	0.22	0.03	72.8	18.5	70	26.9	44.1
K296262		1.92	<0.01	0.18	3.34	5.7	1090	0.75	0.13	3.10	0.04	44.7	7.9	25	7.99	15.3
K296263		7.04	<0.01	<0.01	0.06	<5	20	<0.05	0.05	22.0	0.06	1.39	1.0	<1	0.15	1.8
K296264		4.95	<0.01	0.07	9.88	17.9	380	2.69	0.43	0.20	0.10	81.9	18.3	68	27.4	43.2
K296265		9.24	<0.01	0.04	9.53	15.3	360	2.65	0.41	0.25	0.02	80.0	17.1	66	26.2	36.0
K296266		10.45	<0.01	0.03	9.56	8.8	330	2.56	0.40	0.34	<0.02	107.0	19.4	65	29.8	40.5
K296267		7.09	<0.01	<0.01	0.08	<5	10	0.06	0.03	21.3	0.06	1.41	1.1	<1	0.20	1.9
K296268		11.35	<0.01	0.10	9.17	13.7	300	2.34	0.39	0.28	<0.02	102.5	19.5	65	26.3	41.6
K296269		10.98	<0.01	0.04	8.77	11.7	330	2.26	0.37	0.38	<0.02	97.4	17.6	60	22.9	39.4
K296270		11.49	<0.01	0.05	9.26	14.7	340	2.42	0.38	0.32	0.03	103.0	18.7	66	21.0	41.5
K296271		10.62	<0.01	0.02	9.02	17.8	300	2.52	0.37	0.33	0.02	95.8	19.1	67	19.70	41.9
K296272		6.67	0.01	0.02	8.94	109.0	840	2.24	0.27	0.91	<0.02	91.0	14.5	66	21.2	32.0
K296273		9.08	<0.01	0.38	7.64	17.8	380	2.40	0.24	3.94	0.06	81.6	12.1	54	21.0	25.6
K296274		6.51	<0.01	0.08	3.02	32	130	0.93	0.10	16.60	0.13	36.1	5.1	21	7.62	11.8
K296275		0.23	0.34	0.32	6.40	619	460	0.56	0.30	0.50	0.17	150.0	2.8	208	3.74	32.9
K296276		5.21	<0.01	0.07	2.82	15	140	0.75	0.10	19.70	0.09	29.4	4.7	16	7.57	12.1
K296277		10.69	0.01	0.08	4.06	181	180	1.11	0.15	18.10	0.08	42.4	6.0	23	10.35	14.5
K296278		10.18	<0.01	0.05	3.74	66	140	1.37	0.15	18.45	0.06	43.7	6.3	27	12.05	13.5
K296279		11.24	<0.01	0.02	1.55	93	90	0.66	0.04	17.90	0.14	21.9	3.0	8	3.31	6.1
K296280		10.24	0.01	0.02	1.35	54	90	0.55	0.06	17.55	0.16	18.35	3.2	7	2.78	7.1
K296281		3.82	0.05	0.03	2.62	110	100	0.82	0.07	14.35	0.12	28.5	3.3	20	6.28	28.4
K296282		2.95	0.12	0.09	4.27	362	160	1.03	0.11	11.20	0.11	48.8	7.9	37	10.60	13.3
K296283		1.58	0.04	0.06	3.83	692	150	1.03	0.11	11.65	0.09	43.1	7.2	35	9.37	12.6
K296284		9.48	0.10	0.04	2.72	87	140	0.81	0.05	11.60	0.08	34.8	4.5	27	6.37	3.9
K296285		5.38	0.03	0.04	2.65	92	120	0.73	0.05	11.60	0.13	32.0	3.9	26	5.41	3.6
K296286		9.90	0.06	0.04	1.62	275	90	0.39	0.04	16.70	0.44	19.90	3.5	10	3.19	15.1
K296287		4.56	0.02	0.04	1.82	178	120	0.56	0.04	17.45	0.15	25.3	3.2	12	3.77	21.8
K296288		1.45	0.06	0.03	0.68	33	60	0.32	0.02	18.15	0.10	12.20	1.8	1	0.89	5.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11126720

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296253		5.23	16.70	0.16	3.4	0.12	0.072	2.90	35.5	99.9	2.36	644	0.27	0.04	11.1	38.0
K296254		5.32	16.80	0.16	3.4	0.11	0.072	3.05	35.1	56.1	2.48	706	0.31	0.04	10.8	41.1
K296255		5.28	15.55	0.14	3.2	0.14	0.066	2.79	30.9	72.3	2.38	859	0.35	0.03	9.8	38.6
K296256		2.18	7.44	0.12	1.8	4.54	0.027	1.04	30.9	37.7	2.61	280	18.60	0.04	6.7	56.8
K296257		4.89	10.75	0.11	2.4	0.56	0.045	2.06	23.4	17.5	1.75	1180	0.43	0.02	7.1	28.9
K296258		5.61	13.55	0.14	2.9	1.12	0.058	2.41	27.4	41.3	1.69	1200	0.33	0.02	8.9	36.8
K296259		5.81	14.65	0.16	3.1	0.63	0.067	2.41	29.8	81.6	1.75	1140	0.39	0.02	9.7	38.6
K296260		5.08	26.5	0.16	3.2	0.03	0.085	3.43	41.3	118.0	0.66	768	0.25	0.20	12.2	43.3
K296261		4.28	25.6	0.15	3.3	0.03	0.082	3.38	37.7	129.5	0.68	332	0.25	0.20	12.1	43.1
K296262		2.68	7.80	0.10	1.3	0.01	0.025	0.98	23.9	43.2	1.24	1340	0.25	0.08	3.8	17.3
K296263		0.49	0.22	<0.05	<0.1	<0.01	0.005	0.02	0.7	1.1	13.05	219	0.06	<0.01	0.2	1.3
K296264		4.38	25.5	0.14	3.3	0.07	0.076	3.42	42.9	126.5	0.51	415	0.43	0.20	12.1	42.4
K296265		5.26	24.3	0.19	3.1	0.02	0.076	3.25	41.2	125.0	0.76	869	0.32	0.19	11.3	40.6
K296266		5.60	24.6	0.21	3.2	0.04	0.078	3.35	59.4	164.0	1.41	781	0.21	0.17	12.2	43.0
K296267		0.46	0.25	<0.05	<0.1	<0.01	<0.005	0.03	0.7	1.5	12.65	197	0.40	0.01	0.2	1.4
K296268		4.96	24.1	0.16	3.2	0.05	0.080	3.23	56.7	173.5	1.45	525	0.41	0.16	11.8	42.8
K296269		4.79	22.1	0.18	2.9	0.04	0.070	2.89	54.6	157.5	1.33	863	0.83	0.16	11.1	40.8
K296270		4.75	23.9	0.18	3.2	0.05	0.077	3.26	57.1	153.0	1.31	710	0.69	0.17	11.7	43.7
K296271		5.49	23.2	0.17	3.2	0.06	0.073	3.25	51.4	150.0	1.50	850	0.36	0.15	11.9	44.3
K296272		4.33	22.8	0.17	3.2	0.23	0.076	3.36	50.4	239	1.31	507	0.20	0.10	11.7	40.3
K296273		3.68	19.20	0.16	3.2	0.20	0.063	2.84	45.0	164.5	2.57	806	0.97	0.07	10.9	34.0
K296274		1.57	7.15	0.08	1.9	0.30	0.027	1.38	19.9	9.4	4.58	1410	0.50	0.03	5.1	10.6
K296275		6.91	19.75	0.22	4.5	9.7	0.052	1.40	76.4	18.8	0.13	40	6.47	0.40	9.4	18.5
K296276		1.18	6.32	0.06	1.3	0.15	0.022	1.36	16.6	6.7	3.37	681	0.39	0.03	3.8	9.6
K296277		1.59	9.66	0.10	2.0	1.27	0.039	1.85	24.0	10.6	2.89	613	0.57	0.04	5.7	13.3
K296278		1.16	9.23	0.07	1.7	0.68	0.033	1.79	24.2	13.2	3.21	270	0.36	0.03	5.3	12.8
K296279		1.30	3.86	<0.05	1.0	0.51	0.017	0.74	11.8	6.9	8.25	716	0.27	0.03	2.4	5.1
K296280		1.42	3.27	0.05	0.8	0.57	0.022	0.64	9.9	6.6	7.86	554	0.25	0.02	2.0	5.3
K296281		1.35	6.18	0.06	1.6	4.23	0.020	1.28	15.7	10.1	6.98	524	0.33	0.02	4.1	7.3
K296282		1.96	10.55	0.10	2.9	2.90	0.028	1.93	23.5	15.4	5.42	514	0.42	0.03	7.0	16.4
K296283		1.84	9.61	0.09	2.7	2.59	0.026	1.77	20.7	14.4	5.54	503	0.39	0.03	6.0	13.2
K296284		1.82	6.95	0.09	2.3	1.6	0.019	1.29	16.6	11.3	6.78	441	0.36	0.02	4.7	9.1
K296285		1.56	6.74	0.09	2.4	1.90	0.021	1.25	15.4	11.3	6.76	274	0.34	0.02	4.6	8.4
K296286		0.90	4.16	0.09	1.1	21.3	0.015	0.74	10.1	6.9	9.60	402	0.21	0.02	2.7	5.2
K296287		0.97	4.62	0.09	1.4	12.3	0.013	0.84	12.7	8.0	9.27	461	0.25	0.02	3.0	4.9
K296288		0.63	1.71	0.09	0.8	5.38	0.006	0.31	6.1	3.3	9.77	507	0.22	0.02	1.2	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11126720

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296253		580	16.6	162.5	<0.002	0.23	0.33	19.9	2	1.9	91.7	0.78	0.06	11.6	0.539	0.96
K296254		560	16.8	163.5	<0.002	0.38	0.33	19.7	2	1.9	121.5	0.77	0.06	11.6	0.528	1.04
K296255		510	14.6	151.5	<0.002	1.15	0.25	18.3	2	1.7	173.0	0.70	0.05	10.6	0.523	1.40
K296256		890	39.2	58.3	0.022	1.57	102.5	5.4	4	2.3	72.9	0.41	0.21	7.2	0.172	4.00
K296257		410	14.8	102.0	<0.002	3.75	1.90	13.1	2	1.4	175.0	0.52	0.05	7.8	0.415	2.62
K296258		490	10.5	138.0	<0.002	5.16	2.21	18.0	2	1.7	263	0.64	0.05	9.0	0.512	7.02
K296259		470	12.3	139.5	<0.002	5.08	0.64	18.1	2	1.8	205	0.67	0.06	9.8	0.556	5.48
K296260		410	23.1	159.5	<0.002	0.08	0.53	18.4	1	2.7	125.5	0.92	0.07	16.3	0.419	0.87
K296261		380	36.4	155.5	<0.002	0.07	0.50	17.5	1	2.7	121.5	0.94	0.08	15.3	0.412	0.91
K296262		1090	15.7	57.2	<0.002	0.01	0.26	6.2	1	1.2	185.0	0.29	<0.05	6.5	0.138	0.34
K296263		160	1.3	1.3	<0.002	0.02	<0.05	0.3	1	<0.2	46.6	<0.05	<0.05	<0.2	<0.005	<0.02
K296264		450	59.1	163.5	<0.002	0.06	0.62	17.5	1	2.8	126.5	0.93	0.06	16.6	0.413	0.90
K296265		480	32.7	151.5	<0.002	0.09	0.46	17.3	2	2.6	121.5	0.88	0.07	15.9	0.395	0.87
K296266		550	18.5	178.0	<0.002	0.21	0.69	18.1	2	2.6	130.0	0.93	0.06	19.0	0.405	0.99
K296267		210	1.3	1.6	<0.002	0.01	0.11	0.4	1	<0.2	44.6	<0.05	<0.05	<0.2	<0.005	<0.02
K296268		450	22.5	164.5	<0.002	0.31	0.96	17.9	1	2.6	123.5	0.92	0.07	18.3	0.426	0.94
K296269		560	25.6	149.5	<0.002	0.50	0.74	16.7	2	2.5	126.0	0.85	0.05	17.6	0.391	0.90
K296270		650	24.5	161.5	<0.002	0.63	0.92	17.8	2	2.6	145.0	0.90	0.07	18.7	0.416	0.95
K296271		620	20.6	150.0	<0.002	0.23	0.56	17.4	2	2.5	139.5	0.90	0.08	17.0	0.433	0.85
K296272		1040	12.8	159.0	<0.002	1.35	0.34	17.6	1	2.4	572	0.89	0.07	16.3	0.441	1.38
K296273		1230	15.1	136.0	<0.002	1.14	0.45	15.3	2	2.2	190.0	0.82	<0.05	15.4	0.374	1.15
K296274		680	15.2	66.3	<0.002	0.21	0.54	5.6	2	0.9	365	0.35	<0.05	6.6	0.138	0.74
K296275		930	18.0	57.9	0.002	3.15	105.5	17.1	2	2.7	531	0.70	0.14	11.6	0.532	8.26
K296276		530	8.6	61.7	<0.002	0.14	0.35	4.9	2	0.8	665	0.27	<0.05	5.1	0.125	0.46
K296277		550	17.4	91.2	<0.002	0.46	0.93	7.4	2	1.2	556	0.40	0.05	7.9	0.178	4.11
K296278		1540	8.3	88.0	<0.002	0.41	0.37	7.5	2	1.1	334	0.36	0.05	7.5	0.164	1.30
K296279		570	3.8	31.0	<0.002	0.11	0.32	2.8	2	0.5	161.0	0.18	<0.05	3.6	0.066	1.54
K296280		330	4.2	25.6	<0.002	0.19	0.26	2.3	2	0.5	184.5	0.14	<0.05	3.0	0.058	1.23
K296281		500	6.4	51.4	<0.002	0.28	0.69	4.2	1	0.8	153.5	0.30	<0.05	5.9	0.117	2.28
K296282		780	9.9	73.1	<0.002	1.02	1.53	6.3	2	1.4	187.5	0.50	<0.05	8.4	0.184	5.01
K296283		700	8.7	65.6	<0.002	0.86	1.74	5.9	2	1.3	168.5	0.46	<0.05	7.9	0.166	5.93
K296284		550	6.6	47.3	<0.002	0.85	0.72	4.3	2	0.8	187.0	0.35	<0.05	5.9	0.124	1.59
K296285		480	6.5	46.0	<0.002	0.73	0.69	4.2	2	0.8	151.5	0.35	<0.05	5.5	0.121	2.33
K296286		500	5.5	25.4	<0.002	0.38	1.15	2.6	2	0.6	127.0	0.19	<0.05	3.4	0.072	2.62
K296287		720	5.1	27.2	<0.002	0.15	1.22	3.2	2	0.6	154.0	0.23	<0.05	4.0	0.083	2.57
K296288		560	3.9	10.0	<0.002	0.10	0.89	1.4	2	0.4	143.5	0.08	<0.05	1.8	0.030	1.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11126720

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296253		2.2	138	1.2	25.9	81	111.5
K296254		2.2	139	1.2	24.8	78	110.5
K296255		1.9	139	1.2	22.7	90	101.0
K296256		8.7	237	25.3	22.1	215	64.1
K296257		1.5	116	4.3	18.3	61	76.2
K296258		1.7	142	3.4	20.7	68	93.3
K296259		1.8	152	3.5	22.4	77	102.5
K296260		3.2	103	1.5	19.0	90	101.5
K296261		3.3	98	1.6	17.4	124	103.5
K296262		1.3	30	1.2	15.1	68	43.7
K296263		0.6	2	0.1	0.8	18	<0.5
K296264		3.4	100	1.6	18.7	237	101.5
K296265		3.2	97	1.5	19.3	96	97.4
K296266		3.1	96	1.5	22.8	95	101.5
K296267		0.6	2	0.1	0.9	16	<0.5
K296268		3.1	101	1.5	21.8	107	100.5
K296269		3.1	92	1.4	21.6	99	92.4
K296270		3.3	98	1.5	22.9	125	99.7
K296271		2.9	103	1.5	22.4	97	103.5
K296272		2.3	101	1.9	21.4	94	98.1
K296273		4.1	93	1.9	22.9	80	105.0
K296274		9.9	43	0.8	12.4	54	60.8
K296275		8.1	172	21.4	16.0	45	165.0
K296276		7.2	39	0.5	9.8	55	43.5
K296277		8.8	54	1.4	13.0	92	64.4
K296278		8.0	48	1.2	16.0	20	59.1
K296279		4.1	20	0.9	8.2	15	32.4
K296280		3.4	18	0.9	6.6	17	26.6
K296281		4.3	43	1.6	9.7	16	55.5
K296282		4.5	70	3.9	15.1	19	110.0
K296283		4.6	64	3.3	13.8	18	99.6
K296284		3.3	53	2.1	10.5	16	85.3
K296285		4.1	53	1.9	9.8	18	84.2
K296286		6.3	24	1.4	7.2	121	39.0
K296287		8.4	28	1.6	8.6	18	47.2
K296288		6.5	12	0.7	6.0	8	27.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11126720

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

CERTIFICATE WH11129846

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 39- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129846

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298001		5.41	0.11	0.26	2.14	1040	90	0.71	0.06	13.85	0.17	30.0	4.6	18	5.02	12.4
K298002		6.19	0.01	0.07	0.48	525	10	0.27	0.02	19.75	0.05	8.73	1.9	6	1.10	3.8
K298003		10.15	0.03	0.11	0.55	750	10	0.27	0.02	18.80	0.08	9.73	1.9	5	1.32	5.0
K298004		6.36	0.03	0.15	0.46	269	10	0.20	0.02	20.1	0.06	8.67	2.0	6	1.01	5.7
K298005		8.06	0.18	0.24	2.54	1390	130	0.71	0.07	16.70	0.15	35.6	4.3	22	6.46	20.1
K298006		8.64	0.94	0.68	2.96	1940	130	0.78	0.08	13.70	0.33	43.6	5.1	28	7.46	25.8
K298007		6.73	0.15	0.32	2.38	840	200	0.55	0.06	8.42	0.13	35.3	4.0	28	5.38	10.6
K298008		7.32	2.96	0.51	2.81	4430	120	0.75	0.07	9.78	0.11	38.0	4.3	26	6.09	14.3
K298009		3.31	0.80	0.10	0.60	1630	20	0.29	0.02	30.0	0.14	10.00	1.6	5	1.24	5.2
K298010		3.53	3.24	0.99	1.44	>10000	80	0.43	0.06	10.55	1.18	16.45	3.2	18	2.73	22.6
K298011		7.11	<0.01	0.05	0.08	22	20	0.05	0.03	22.1	0.07	1.24	1.6	<1	0.14	2.2
K298012		3.57	1.03	0.17	1.14	5550	30	0.37	0.03	27.6	0.39	16.15	2.5	10	2.48	8.0
K298013		4.92	0.59	0.12	1.12	1560	140	0.42	0.03	28.9	0.12	17.50	2.6	9	2.72	7.9
K298014		8.78	1.53	0.14	0.25	1980	<10	0.12	0.01	20.1	0.04	8.08	1.3	<1	0.46	2.3
K298015		0.23	7.56	0.43	3.30	941	120	0.79	0.56	10.80	3.73	44.8	5.4	88	6.82	31.7
K298016		6.35	0.16	0.11	0.72	1440	30	0.26	0.03	19.05	2.76	13.80	1.8	5	1.75	6.1
K298017		5.39	0.15	0.22	2.60	1750	150	0.91	0.07	21.0	0.17	36.0	5.2	22	8.47	18.0
K298018		9.64	0.68	0.11	0.72	1170	50	0.28	0.02	24.8	0.16	14.55	1.6	5	1.85	3.7
K298019		6.85	4.56	0.20	3.65	2050	280	0.86	0.09	12.50	0.50	29.8	7.2	37	9.93	23.6
K298020		5.74	6.65	0.09	0.59	>10000	60	0.51	0.02	18.05	0.36	9.12	1.0	10	1.03	10.1
K298021		5.65	6.84	0.17	3.22	6790	330	0.71	0.08	18.00	0.39	29.3	5.8	29	8.68	24.6
K298022		4.92	0.33	0.03	1.78	914	100	0.52	0.03	17.15	0.17	21.7	3.3	17	4.88	10.1
K298023		7.87	1.01	0.05	4.05	1620	210	1.05	0.08	11.70	0.10	45.9	7.3	45	13.60	19.5
K298024		0.23	2.53	0.78	3.24	602	880	0.76	0.28	8.10	2.44	45.2	7.3	54	3.99	46.9
K298025		12.74	4.88	0.08	3.27	4270	310	0.78	0.06	12.90	0.28	37.3	6.7	34	9.49	17.4
K298026		4.97	13.80	0.21	4.37	>10000	440	0.95	0.10	9.02	1.01	51.3	7.2	44	11.00	30.1
K298027		7.05	0.02	0.01	0.07	19	10	0.05	0.02	21.5	0.07	1.43	1.5	1	0.17	2.3
K298028		5.41	2.63	0.07	1.96	6300	170	0.42	0.03	25.9	0.32	21.4	2.5	20	5.35	10.3
K298029		11.02	0.56	0.03	1.35	294	80	0.43	0.02	25.7	0.24	17.35	3.3	13	3.81	7.6
K298030		10.72	0.16	0.03	3.60	305	130	0.96	0.07	11.40	0.14	42.1	7.3	34	11.00	19.3
K298031		9.78	0.25	0.04	3.03	343	140	0.82	0.06	10.70	0.05	35.4	5.7	29	9.03	14.7
K298032		9.87	0.08	0.02	2.57	167	120	0.85	0.04	19.70	0.04	31.4	4.2	21	8.82	11.4
K298033		4.97	0.08	0.04	2.42	175	110	0.73	0.04	20.1	0.05	30.8	3.9	21	8.01	11.1
K298034		4.53	0.06	0.02	4.61	168	180	1.95	0.09	17.75	0.03	49.6	10.0	36	21.8	20.0
K298035		4.61	0.09	0.06	1.50	184	100	0.49	0.03	28.6	0.15	20.3	3.1	14	5.29	10.1
K298036		11.09	0.01	0.02	3.43	83	140	1.13	0.06	21.0	0.04	38.9	6.1	28	13.30	14.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129846

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298001		0.96	6.06	0.11	2.0	2.21	0.016	1.06	14.6	14.1	8.28	321	1.00	0.02	3.5	9.9
K298002		0.27	1.34	0.09	0.3	1.09	<0.005	0.23	4.9	3.5	12.35	207	0.29	0.01	0.8	2.8
K298003		0.32	1.60	0.12	0.4	2.14	0.005	0.28	5.1	3.9	11.65	260	0.44	0.01	1.0	3.3
K298004		0.34	1.32	0.12	0.2	5.63	<0.005	0.22	4.8	3.0	12.15	278	0.39	0.01	0.8	4.7
K298005		1.03	6.80	0.15	1.7	3.74	0.018	1.25	16.6	14.8	6.02	484	1.95	0.02	4.3	11.2
K298006		1.32	8.16	0.14	2.1	4.62	0.024	1.46	20.1	15.8	4.71	437	2.80	0.02	5.1	14.2
K298007		1.21	5.98	0.12	3.2	3.34	0.017	1.16	16.0	12.4	4.36	279	4.38	0.02	4.4	11.1
K298008		1.12	7.34	0.12	3.1	6.04	0.018	1.40	17.3	15.0	5.58	1100	1.15	0.02	4.7	8.7
K298009		0.29	1.88	0.10	0.4	1.83	0.009	0.32	5.0	3.8	0.88	1490	0.38	0.01	1.2	3.4
K298010		1.00	4.02	0.10	0.6	9.2	0.058	0.70	8.9	18.0	0.58	897	1.29	0.01	2.2	8.6
K298011		0.46	0.26	0.10	<0.1	0.01	<0.005	0.03	0.6	1.1	13.60	193	0.18	0.01	0.4	3.4
K298012		0.47	3.16	0.09	0.6	3.36	0.012	0.60	8.3	6.4	1.20	809	0.74	0.01	2.0	5.1
K298013		0.40	3.18	0.10	0.6	3.30	0.010	0.58	9.2	4.9	0.60	499	0.61	0.01	2.0	5.6
K298014		0.69	0.96	0.11	0.2	3.88	<0.005	0.12	3.8	1.6	9.92	1180	0.27	0.01	0.5	2.3
K298015		1.28	7.12	0.19	2.1	5.93	0.058	1.39	26.9	9.5	0.68	248	10.30	0.01	7.2	57.9
K298016		0.83	2.61	0.09	0.4	4.38	0.027	0.36	6.3	3.4	9.77	650	0.50	0.01	1.3	3.5
K298017		0.82	6.89	0.12	1.9	4.69	0.017	1.29	17.6	15.7	2.05	577	0.75	0.01	4.6	11.0
K298018		0.56	2.11	0.10	0.6	7.82	0.009	0.36	7.0	4.1	4.40	1460	0.22	0.01	1.3	3.3
K298019		1.35	9.51	0.09	2.3	31.7	0.022	1.79	17.7	22.3	3.34	3150	1.94	0.02	5.7	16.2
K298020		0.83	1.71	0.05	0.4	36.7	0.033	0.27	5.4	7.7	3.91	3780	0.38	0.01	0.9	0.8
K298021		1.42	8.32	0.10	1.9	40.8	0.030	1.53	17.3	17.9	2.28	5770	1.02	0.02	5.0	12.5
K298022		1.20	4.44	0.09	1.2	6.3	0.017	0.86	11.4	10.4	7.11	1260	0.45	0.01	2.8	5.7
K298023		1.44	10.30	0.12	3.2	7.1	0.027	1.87	24.6	27.0	2.24	878	0.85	0.02	7.5	15.6
K298024		2.10	7.83	0.13	1.9	4.37	0.028	1.02	28.7	42.1	2.60	271	19.95	0.04	6.9	51.7
K298025		1.52	8.44	0.10	2.6	29.6	0.026	1.58	20.5	19.0	3.76	1730	1.17	0.02	5.8	13.0
K298026		2.00	11.95	0.15	4.1	62.3	0.062	2.10	28.9	25.2	3.04	1800	1.97	0.02	7.7	16.6
K298027		0.43	0.28	0.16	<0.1	0.11	0.005	0.03	0.7	1.3	13.10	192	0.11	0.01	0.3	3.0
K298028		0.68	4.67	0.07	1.5	9.1	0.019	0.94	12.8	9.4	0.92	987	0.22	0.01	3.2	4.3
K298029		0.99	3.22	0.06	0.9	2.69	0.015	0.67	9.4	6.1	3.24	650	0.40	0.01	2.1	5.4
K298030		1.61	9.15	0.13	3.1	1.89	0.028	1.67	21.8	20.6	5.54	479	0.90	0.02	6.0	30.1
K298031		1.49	7.17	0.10	2.4	2.16	0.019	1.31	18.8	19.2	4.52	472	0.65	0.02	4.4	10.3
K298032		1.22	5.87	0.10	1.6	0.91	0.018	1.17	16.8	16.3	2.47	362	0.56	0.02	3.4	7.8
K298033		1.15	5.57	0.09	1.6	1.01	0.017	1.11	16.2	14.8	2.46	371	0.58	0.02	3.3	7.8
K298034		1.60	10.60	0.13	1.6	0.63	0.030	2.35	27.2	29.2	1.70	258	0.61	0.02	6.0	19.6
K298035		0.70	3.63	0.08	0.8	0.67	0.012	0.74	11.8	8.2	1.27	233	0.73	0.01	2.3	5.6
K298036		1.37	8.15	0.11	1.6	0.38	0.024	1.67	20.7	20.5	1.93	252	0.60	0.02	4.7	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129846

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298001		360	9.3	38.4	<0.002	0.10	9.03	3.5	2	0.9	174.0	0.26	<0.05	5.1	0.097	3.04
K298002		100	5.0	7.7	<0.002	0.04	2.46	0.9	1	0.3	94.6	0.05	<0.05	1.0	0.021	0.91
K298003		140	6.5	9.5	<0.002	0.06	1.99	1.0	2	0.3	95.1	0.07	<0.05	1.3	0.025	1.15
K298004		190	6.8	7.4	<0.002	0.06	1.51	0.8	2	0.4	108.5	0.05	<0.05	1.0	0.020	1.03
K298005		770	11.2	44.9	0.002	0.09	9.45	3.9	2	0.9	248	0.32	<0.05	6.1	0.118	5.41
K298006		1060	13.6	54.2	0.006	0.22	12.10	4.7	3	1.1	423	0.39	<0.05	7.6	0.138	10.10
K298007		1180	14.2	39.8	0.004	0.12	11.35	3.5	2	0.8	151.0	0.33	<0.05	6.4	0.125	4.68
K298008		680	11.1	50.5	0.002	0.36	27.2	4.2	3	1.4	126.5	0.35	<0.05	7.0	0.134	20.2
K298009		150	5.0	11.7	<0.002	0.11	9.15	1.2	2	0.2	678	0.07	<0.05	1.5	0.028	5.04
K298010		580	14.8	28.1	0.002	3.55	198.0	1.4	4	1.6	146.5	0.16	<0.05	3.6	0.062	20.5
K298011		190	7.5	1.2	<0.002	0.01	0.25	0.3	1	<0.2	49.7	<0.05	<0.05	<0.2	<0.005	0.04
K298012		350	5.8	23.1	<0.002	0.60	23.9	2.0	2	0.4	499	0.14	<0.05	2.6	0.053	10.15
K298013		170	6.1	21.8	<0.002	0.15	10.60	2.1	2	0.4	570	0.14	<0.05	2.4	0.050	6.43
K298014		180	2.7	4.0	<0.002	0.07	9.88	0.6	2	<0.2	106.0	<0.05	<0.05	0.6	0.011	8.36
K298015		3990	4.4	111.0	0.033	1.33	17.65	5.7	8	1.6	139.0	0.49	0.49	6.4	0.202	11.85
K298016		150	4.2	12.8	<0.002	0.08	6.42	1.3	2	0.3	120.5	0.08	<0.05	1.6	0.031	3.73
K298017		520	11.4	48.3	<0.002	0.17	16.30	4.2	2	0.9	389	0.33	<0.05	6.3	0.121	10.20
K298018		250	3.5	12.5	<0.002	0.09	8.35	1.4	1	0.3	417	0.08	<0.05	1.7	0.032	17.10
K298019		600	11.7	70.5	<0.002	1.13	34.9	4.4	3	1.3	217	0.44	<0.05	7.4	0.163	84.0
K298020		410	4.6	12.3	<0.002	2.01	101.0	1.2	2	0.4	98.1	0.07	0.07	1.4	0.023	113.5
K298021		570	9.9	60.8	<0.002	1.56	71.1	4.4	3	1.2	262	0.39	<0.05	6.6	0.138	124.0
K298022		320	4.2	30.8	<0.002	0.39	6.87	3.1	2	0.6	137.5	0.21	<0.05	3.6	0.076	14.30
K298023		780	8.6	71.4	<0.002	0.94	11.75	6.8	2	1.4	165.0	0.54	<0.05	9.4	0.194	20.9
K298024		910	34.9	50.7	0.024	1.61	100.0	5.6	5	2.6	71.1	0.46	0.19	6.8	0.173	3.51
K298025		490	7.5	64.0	<0.002	1.13	52.8	5.2	3	1.2	276	0.43	<0.05	7.6	0.155	103.0
K298026		610	10.9	89.9	<0.002	3.19	197.0	5.3	4	2.4	323	0.59	0.10	11.5	0.212	260
K298027		210	1.5	1.3	<0.002	<0.01	0.24	0.3	1	<0.2	49.2	<0.05	<0.05	0.2	<0.005	0.29
K298028		310	4.8	36.7	<0.002	0.85	28.5	2.5	2	0.9	598	0.24	<0.05	4.1	0.089	31.1
K298029		220	5.3	28.5	<0.002	0.73	4.79	2.2	2	0.5	375	0.16	<0.05	2.7	0.056	9.38
K298030		530	13.4	62.6	<0.002	0.57	2.54	6.1	3	1.3	183.5	0.47	<0.05	8.5	0.162	5.08
K298031		470	7.4	48.4	<0.002	0.43	3.51	4.7	2	1.6	195.0	0.35	<0.05	6.5	0.122	8.00
K298032		350	4.9	44.2	<0.002	0.35	1.30	4.0	2	0.7	482	0.26	<0.05	4.8	0.092	2.52
K298033		330	5.2	41.5	<0.002	0.35	1.54	3.8	2	0.8	455	0.25	<0.05	4.7	0.088	2.90
K298034		470	5.5	87.5	<0.002	0.54	0.89	8.3	2	1.2	517	0.47	<0.05	8.4	0.163	1.76
K298035		270	6.5	32.6	<0.002	0.21	2.02	2.5	2	0.6	986	0.17	<0.05	2.9	0.058	2.87
K298036		410	5.4	63.7	<0.002	0.35	0.65	5.6	2	0.9	601	0.35	<0.05	6.5	0.128	0.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129846

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298001		9.1	31	2.0	9.1	162	66.8	
K298002		6.9	10	0.5	2.8	98	9.3	
K298003		7.7	12	0.8	3.2	89	13.9	
K298004		7.3	10	1.0	3.2	13	7.8	
K298005		13.0	41	2.1	11.2	63	57.7	
K298006		10.4	80	2.1	12.9	92	71.6	
K298007		6.9	95	1.6	11.5	19	112.0	
K298008		9.1	49	2.1	10.8	15	107.0	
K298009		13.4	11	0.8	4.1	32	15.7	
K298010		23.5	38	2.2	8.1	132	21.7	6.74
K298011		0.6	3	0.2	0.8	16	0.5	
K298012		16.7	24	1.2	5.6	40	22.1	
K298013		15.8	22	1.1	6.2	19	21.6	
K298014		5.7	8	0.5	3.1	8	6.7	
K298015		8.1	372	30.8	26.9	261	74.8	
K298016		9.3	20	0.7	4.3	1140	12.1	
K298017		17.6	53	1.9	10.9	47	66.1	
K298018		12.7	21	0.7	6.0	26	21.0	
K298019		17.7	72	3.7	8.6	72	77.1	
K298020		14.0	15	1.5	12.8	28	14.1	2.75
K298021		15.6	73	3.7	12.5	42	65.1	
K298022		6.2	31	1.3	7.6	51	41.9	
K298023		8.5	62	3.3	15.5	41	116.5	
K298024		9.3	232	28.0	20.1	217	68.6	
K298025		11.3	56	3.3	12.7	43	95.3	
K298026		11.4	68	5.9	16.1	95	141.5	3.05
K298027		0.8	2	0.1	0.9	17	0.6	
K298028		7.7	25	1.9	7.7	42	52.7	
K298029		8.8	21	1.1	6.1	52	32.3	
K298030		5.0	50	2.3	13.9	110	106.5	
K298031		6.5	36	1.9	11.2	18	85.4	
K298032		9.7	32	1.7	9.3	31	56.4	
K298033		10.3	31	1.6	9.4	32	54.8	
K298034		9.0	60	2.6	11.1	24	53.1	
K298035		12.4	29	1.0	5.9	35	26.4	
K298036		11.2	46	1.5	10.7	20	54.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129846

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- AUG- 2011
Account: RCM

CERTIFICATE WH11127777

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 40- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297397		9.66	0.05	1.12	0.59	512	190	0.20	0.06	19.95	0.15	9.89	2.0	6	0.91	6.1
K297398		13.18	0.04	0.22	0.36	1440	120	0.14	0.02	19.90	0.17	6.71	1.4	5	0.55	6.0
K297399		11.12	0.07	0.10	0.60	7230	240	0.19	0.01	18.35	0.18	8.90	1.6	7	0.99	4.2
K297400		11.60	0.09	0.08	1.49	574	250	0.42	0.04	15.80	0.23	14.90	3.3	13	2.87	6.5
K297401		11.78	<0.01	0.01	0.09	205	70	0.07	<0.01	20.4	0.02	4.04	0.7	2	0.08	2.1
K297402		10.88	<0.01	0.04	0.72	175	40	0.36	0.01	18.55	<0.02	10.15	1.8	7	2.63	3.9
K297403		11.02	<0.01	0.06	0.41	183	60	0.17	<0.01	20.2	0.02	7.07	1.4	4	0.76	2.9
K297404		10.32	<0.01	0.06	8.68	64.4	400	3.17	0.41	0.16	<0.02	98.4	23.0	62	58.1	11.6
K297405		6.34	0.01	0.13	8.38	70.1	1040	2.85	0.38	0.10	<0.02	84.9	22.7	68	49.9	11.4
K297406		7.10	<0.01	0.01	0.08	<5	20	0.08	<0.01	20.6	0.07	1.13	1.1	2	0.21	1.9
K297407		10.16	<0.01	0.04	7.51	27.9	320	2.39	0.38	0.20	<0.02	80.2	17.5	54	49.2	10.8
K297408		8.16	<0.01	0.03	5.72	48.7	250	2.06	0.28	0.46	<0.02	76.3	13.3	46	37.3	53.0
K297409		9.22	<0.01	0.23	5.77	2180	570	2.25	0.26	0.20	<0.02	78.6	12.5	42	31.0	8.4
K297410		10.46	<0.01	0.12	5.60	158.0	330	2.16	0.30	0.19	<0.02	73.1	12.1	44	29.7	7.1
K297411		0.30	0.34	0.35	6.36	619	2320	0.66	0.25	0.47	0.20	139.5	3.2	227	3.89	31.3
K297412		9.88	<0.01	1.53	2.94	550	320	1.05	0.19	0.95	<0.02	38.5	8.1	33	15.70	6.7
K297413		4.00	<0.01	0.68	2.16	507	130	0.74	0.16	2.28	0.02	32.2	14.3	32	10.95	302
K297414		4.60	<0.01	0.30	4.94	634	360	1.61	0.24	1.53	<0.02	60.1	16.0	38	26.4	91.4
K297415		6.08	<0.01	0.05	5.40	1290	910	1.82	0.27	0.44	<0.02	64.6	9.2	42	28.3	5.3
K297416		8.96	0.09	0.11	4.02	4520	480	1.09	0.16	9.75	<0.02	42.5	13.3	25	15.85	15.6
K297417		10.80	<0.01	0.08	3.37	506	250	0.97	0.13	12.40	0.03	36.0	9.1	20	13.20	14.0
K297418		6.34	0.01	0.07	1.74	691	950	0.45	0.06	14.05	0.04	24.6	7.2	12	4.96	11.2
K297419		8.46	<0.01	0.03	0.24	4610	2390	0.10	<0.01	17.45	0.03	5.37	2.4	3	0.53	1.9
K297420		4.52	<0.01	0.06	0.29	3700	2240	0.09	<0.01	17.10	0.02	6.64	2.9	4	0.65	2.3
K2987421		10.42	<0.01	0.01	0.18	2230	1790	0.09	<0.01	18.70	<0.02	4.07	1.1	3	0.28	1.0
K297422		11.98	0.02	0.13	0.50	1880	140	0.19	<0.01	18.90	0.38	8.49	1.8	5	0.69	3.6
K297423		9.42	0.01	0.12	0.58	1500	280	0.20	<0.01	19.05	0.11	9.82	2.1	6	0.80	3.9
K297424		11.80	<0.01	0.04	0.52	1120	280	0.21	<0.01	18.95	0.08	9.36	2.3	6	0.71	3.5
K297425		11.92	<0.01	0.02	0.46	92	140	0.20	<0.01	20.1	0.02	8.80	1.8	5	0.82	3.0
K297426		7.30	<0.01	0.01	0.07	5	20	0.05	0.03	21.2	0.07	1.56	1.1	<1	0.24	1.5
K297427		10.62	<0.01	0.03	0.30	126	120	0.16	0.01	19.90	0.04	7.27	1.7	2	0.60	1.8
K297428		8.74	0.01	0.03	0.18	439	110	0.10	0.01	19.85	0.06	4.62	1.2	1	0.36	1.1
K297429		11.32	<0.01	0.02	0.21	89	100	0.11	0.01	19.40	0.07	5.09	1.2	1	0.29	1.3
K297430		10.32	0.01	0.10	0.24	112	70	0.12	0.01	18.35	0.62	6.96	1.1	1	0.44	2.1
K297431		0.30	0.35	0.32	6.14	609	760	0.59	0.27	0.49	0.17	143.0	2.7	248	3.37	31.7
K297432		10.66	0.01	0.15	0.37	322	90	0.15	0.02	19.55	0.42	9.94	1.3	2	0.81	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127777

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297397		0.71	1.57	0.11	0.3	4.77	0.005	0.25	5.9	1.8	11.65	794	1.34	0.03	1.1	3.5
K297398		0.57	0.87	0.11	0.2	3.98	0.006	0.14	4.1	2.1	12.35	901	0.47	0.02	0.7	<0.2
K297399		1.01	1.42	0.08	0.3	4.76	0.014	0.24	5.0	3.2	11.40	674	1.16	0.02	1.0	0.4
K297400		3.24	3.67	0.09	0.9	3.46	0.011	0.68	8.6	6.3	9.81	723	0.76	0.02	2.5	3.4
K297401		0.62	0.25	0.19	0.1	0.42	<0.005	0.03	2.1	1.1	12.70	607	0.27	0.01	0.2	<0.2
K297402		0.60	1.76	0.13	0.5	1.03	0.006	0.35	5.5	4.6	11.55	565	0.81	0.02	1.4	<0.2
K297403		0.37	1.02	0.23	0.2	0.70	<0.005	0.19	4.2	2.2	12.65	487	0.22	0.02	0.7	<0.2
K297404		5.12	26.0	0.23	2.7	0.02	0.085	4.78	48.7	11.7	0.87	830	0.50	0.05	15.1	50.4
K297405		4.71	24.6	0.23	2.5	0.10	0.076	4.39	41.6	12.3	0.76	373	0.43	0.05	14.2	43.6
K297406		0.45	0.23	0.25	<0.1	<0.01	<0.005	0.03	0.6	1.0	12.95	218	0.09	<0.01	0.2	<0.2
K297407		4.11	21.4	0.22	2.7	0.01	0.066	4.12	38.0	11.9	0.76	166	0.34	0.04	13.0	30.1
K297408		2.67	16.80	0.18	2.6	0.08	0.048	2.99	36.8	22.5	0.64	302	0.34	0.04	9.4	21.2
K297409		2.74	17.25	0.19	2.7	1.29	0.053	2.93	40.8	22.2	0.45	54	0.40	0.03	9.7	19.9
K297410		2.44	16.65	0.18	2.7	0.40	0.053	2.76	38.9	24.9	0.46	63	0.29	0.03	9.6	19.1
K297411		6.55	22.5	0.24	4.6	8.23	0.052	1.40	68.5	20.7	0.13	36	6.81	0.40	10.6	17.2
K297412		1.77	8.44	0.13	1.5	0.51	0.030	1.40	20.6	13.3	0.56	267	0.61	0.02	5.0	10.5
K297413		1.54	6.18	0.12	1.3	7.41	0.028	1.04	15.6	9.3	1.10	767	1.62	0.01	3.9	11.3
K297414		2.33	14.25	0.18	2.3	2.54	0.049	2.44	31.5	21.5	1.07	432	0.36	0.03	8.6	17.2
K297415		2.83	15.80	0.17	2.5	1.68	0.049	2.72	32.3	24.8	0.57	111	0.25	0.03	8.9	14.8
K297416		1.80	10.70	0.13	1.9	2.59	0.035	1.97	22.4	21.6	5.82	886	0.19	0.03	6.7	11.0
K297417		1.80	8.30	0.12	1.6	1.51	0.024	1.67	21.6	20.3	7.51	1100	0.09	0.02	5.5	8.5
K297418		1.18	4.34	0.10	0.9	1.28	0.014	0.83	13.6	8.5	8.59	985	0.13	0.02	2.8	4.9
K297419		0.44	0.60	0.21	0.1	0.85	0.006	0.09	3.6	2.3	10.90	603	0.27	0.02	0.5	0.4
K297420		0.48	0.75	0.21	0.2	1.05	0.006	0.11	4.3	2.6	10.65	625	0.27	0.02	0.6	0.6
K2987421		0.32	0.57	0.34	0.1	0.27	0.007	0.07	2.4	1.6	11.70	551	0.43	0.02	0.4	<0.2
K297422		1.74	1.22	0.09	0.4	2.44	0.006	0.22	5.0	2.1	11.60	1050	0.63	0.01	0.9	0.5
K297423		0.89	1.42	0.12	0.4	10.10	0.006	0.24	6.0	2.5	11.70	1060	0.24	0.02	1.0	1.2
K297424		0.72	1.20	0.14	0.3	1.56	0.005	0.21	6.0	2.1	11.70	1200	0.11	0.02	0.9	0.8
K297425		0.81	1.09	0.15	0.3	0.78	<0.005	0.20	5.7	2.1	12.35	1320	0.20	0.02	0.8	1.3
K297426		0.44	0.32	0.12	<0.1	<0.01	<0.005	0.03	0.8	1.0	12.70	188	25.8	0.01	0.3	3.2
K297427		0.63	0.90	0.10	0.2	0.80	<0.005	0.13	4.7	1.3	12.05	889	0.17	0.01	0.6	2.8
K297428		0.64	0.59	0.08	0.1	0.63	<0.005	0.07	3.0	0.8	12.10	668	0.10	0.01	0.4	2.0
K297429		0.30	0.68	0.12	0.2	0.48	<0.005	0.09	3.2	1.1	11.60	610	0.15	0.01	0.5	1.9
K297430		3.66	0.85	0.11	0.2	2.38	0.005	0.10	4.2	1.2	11.10	794	0.22	0.01	0.5	2.0
K297431		6.82	19.20	0.25	4.4	9.4	0.049	1.34	71.2	16.1	0.14	36	6.44	0.39	9.4	16.0
K297432		2.38	1.00	0.09	0.2	1.78	<0.005	0.16	6.2	1.6	11.80	986	0.15	0.02	0.7	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127777

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297397		320	47.1	7.5	<0.002	0.39	1.41	1.2	1	0.2	136.0	0.09	<0.05	1.3	0.029	5.07
K297398		280	53.2	4.4	<0.002	0.50	1.53	0.8	1	<0.2	194.0	<0.05	<0.05	0.8	0.017	3.42
K297399		310	50.7	7.7	<0.002	1.65	0.70	1.1	1	0.2	155.5	0.07	<0.05	1.2	0.028	3.74
K297400		310	81.2	21.6	<0.002	4.01	0.17	2.4	1	0.4	111.5	0.19	<0.05	3.2	0.078	5.77
K297401		240	8.7	0.9	<0.002	0.52	0.06	0.3	1	<0.2	88.7	<0.05	<0.05	0.2	<0.005	0.53
K297402		420	16.2	11.5	<0.002	0.48	0.09	1.3	1	0.3	85.3	0.10	<0.05	1.6	0.041	1.49
K297403		460	8.5	5.9	<0.002	0.29	0.14	0.8	1	<0.2	95.6	0.05	<0.05	0.9	0.021	1.00
K297404		290	10.7	176.0	<0.002	<0.01	1.20	18.8	1	2.8	92.1	1.10	0.10	15.0	0.416	0.86
K297405		250	8.5	160.0	<0.002	0.02	0.75	17.0	1	2.6	145.0	1.03	0.07	14.1	0.386	1.03
K297406		170	1.0	1.2	<0.002	0.01	<0.05	0.3	1	<0.2	39.4	<0.05	<0.05	<0.2	<0.005	<0.02
K297407		290	11.1	161.5	<0.002	<0.01	0.52	15.1	1	2.4	92.1	0.95	0.09	13.0	0.329	0.73
K297408		240	9.3	129.5	<0.002	0.38	0.43	11.5	1	2.0	113.0	0.69	0.06	11.9	0.283	0.76
K297409		520	7.5	132.0	<0.002	1.83	0.47	11.1	1	2.1	138.5	0.76	0.09	12.6	0.291	3.72
K297410		410	9.4	123.5	<0.002	1.57	0.39	11.2	1	2.0	172.0	0.73	0.07	12.2	0.283	1.57
K297411		950	17.0	52.1	0.003	3.15	117.5	17.1	2	2.9	523	0.76	0.15	10.0	0.556	8.05
K297412		190	5.8	60.9	<0.002	1.01	0.49	6.1	1	1.1	72.1	0.38	<0.05	6.3	0.148	0.92
K297413		260	7.0	43.2	<0.002	0.74	0.65	4.9	1	0.9	67.5	0.29	<0.05	5.0	0.116	0.78
K297414		280	9.3	104.0	<0.002	1.50	0.43	9.8	1	2.4	114.0	0.64	<0.05	10.2	0.245	1.89
K297415		350	7.9	117.5	<0.002	1.92	0.48	10.4	1	2.1	93.4	0.69	0.05	11.2	0.267	3.43
K297416		390	13.2	74.2	<0.002	1.62	1.00	7.3	1	1.6	122.0	0.50	<0.05	7.9	0.191	3.08
K297417		390	25.3	57.3	<0.002	1.45	0.41	6.5	1	1.0	82.1	0.41	<0.05	7.0	0.159	1.45
K297418		260	20.6	28.0	<0.002	0.91	0.34	3.6	1	0.6	113.0	0.20	<0.05	3.7	0.080	1.13
K297419		260	18.9	2.9	<0.002	0.74	0.58	0.5	1	0.2	107.0	<0.05	<0.05	0.5	0.011	1.38
K297420		280	14.6	3.7	<0.002	0.68	0.36	0.6	1	0.2	125.5	<0.05	<0.05	0.7	0.016	1.57
K2987421		330	10.3	2.5	<0.002	0.38	0.21	0.4	1	<0.2	95.1	<0.05	<0.05	0.4	0.008	0.42
K297422		280	62.5	6.4	<0.002	2.09	0.90	0.9	1	0.2	147.5	0.06	<0.05	1.0	0.024	3.43
K297423		370	42.8	7.3	<0.002	0.88	0.90	1.0	1	0.2	195.0	0.07	<0.05	1.2	0.029	2.26
K297424		390	15.8	6.1	<0.002	0.42	0.28	0.9	1	0.2	210	0.06	<0.05	1.1	0.025	1.28
K297425		360	12.2	5.6	<0.002	0.44	0.14	0.8	1	0.2	118.5	0.06	<0.05	0.9	0.022	0.98
K297426		200	1.4	2.0	<0.002	<0.01	<0.05	0.3	1	<0.2	46.5	<0.05	<0.05	<0.2	<0.005	<0.02
K297427		310	13.1	5.0	<0.002	0.29	0.28	0.7	1	<0.2	129.0	<0.05	<0.05	0.7	0.016	0.94
K297428		210	10.4	2.7	<0.002	0.51	0.21	0.4	1	<0.2	110.0	<0.05	<0.05	0.4	0.009	1.01
K297429		250	15.9	3.3	<0.002	0.12	0.24	0.5	1	<0.2	106.5	<0.05	<0.05	0.5	0.011	0.37
K297430		250	112.0	3.9	<0.002	4.43	1.15	0.5	<1	<0.2	86.6	<0.05	<0.05	0.6	0.012	3.56
K297431		900	18.6	54.8	0.003	3.05	117.0	14.9	2	3.0	512	0.78	0.15	10.3	0.543	8.33
K297432		290	118.0	5.7	<0.002	2.58	2.19	0.7	1	0.2	108.0	0.05	<0.05	0.9	0.019	2.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127777

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297397		1.6	5	3.6	3.9	29	11.7
K297398		1.5	3	0.9	3.0	35	7.2
K297399		1.1	5	1.1	3.1	92	10.5
K297400		2.0	12	1.8	5.2	97	31.1
K297401		0.5	1	0.2	2.0	3	2.0
K297402		1.1	6	1.1	3.9	5	16.8
K297403		0.9	4	0.6	3.1	4	8.2
K297404		1.6	61	1.7	21.9	57	88.3
K297405		1.9	51	1.8	18.7	54	78.0
K297406		0.4	2	0.1	0.9	15	<0.5
K297407		2.1	83	1.5	18.0	40	83.4
K297408		2.5	65	1.8	14.8	29	79.9
K297409		1.8	59	6.9	19.0	23	83.6
K297410		2.0	60	4.5	16.9	23	82.3
K297411		7.9	170	22.2	16.6	44	171.5
K297412		1.0	29	3.9	8.8	13	50.5
K297413		1.7	20	4.7	8.7	14	43.4
K297414		2.1	47	6.2	13.9	19	79.6
K297415		2.1	54	9.3	14.4	20	77.6
K297416		1.8	37	6.4	12.7	12	56.6
K297417		2.0	31	4.3	12.2	17	51.6
K297418		2.4	15	2.4	8.5	14	29.3
K297419		1.1	2	0.5	2.2	8	4.4
K297420		1.2	3	0.7	2.4	4	5.6
K2987421		0.9	2	0.3	2.2	<2	3.5
K297422		1.2	4	0.9	3.7	84	11.5
K297423		1.4	5	1.2	3.7	18	13.0
K297424		1.6	6	0.8	3.7	16	11.6
K297425		1.7	4	0.5	4.1	6	9.3
K297426		0.6	3	0.2	0.9	10	<0.5
K297427		1.5	4	0.6	3.1	4	7.6
K297428		0.9	3	0.4	1.9	8	4.2
K297429		1.3	3	0.4	2.2	7	5.0
K297430		1.4	4	0.6	2.9	172	6.3
K297431		8.6	169	21.7	15.1	39	162.0
K297432		1.4	5	0.8	3.6	70	8.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127777

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

CERTIFICATE WH11127608

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 41- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127608

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297648		12.02	0.04	0.12	7.30	309	180	1.35	0.27	3.60	0.32	66.8	29.3	65	13.70	139.0
K297649		11.78	0.01	0.09	7.12	112.0	180	1.70	0.26	3.28	0.36	67.9	31.8	67	15.70	148.5
K297650		11.60	0.01	0.09	6.96	94.7	220	1.89	0.22	2.95	0.31	56.5	28.4	70	20.1	137.0
K297651		4.98	<0.01	0.01	0.06	8	20	0.05	0.04	20.7	0.06	1.22	0.6	<1	0.13	2.4
K297652		12.12	<0.01	0.08	6.23	51.1	240	1.27	0.19	5.09	0.20	47.9	26.4	61	20.4	116.0
K297653		7.58	0.01	0.08	6.56	48.0	170	1.47	0.20	4.68	0.21	49.8	27.2	65	19.15	129.0
K297654		8.30	<0.01	0.08	6.69	55.2	170	1.54	0.22	4.08	0.25	54.6	30.5	68	23.9	130.5
K297655		7.82	0.03	0.08	5.78	99.8	210	1.46	0.20	5.50	0.23	48.7	23.0	47	16.80	95.2
K297656		7.58	0.06	0.10	4.92	238	160	1.14	0.19	8.20	0.17	56.5	13.7	33	11.55	40.1
K297657		8.20	0.21	0.12	6.00	300	130	1.70	0.20	6.13	0.26	56.9	21.4	47	18.55	94.6
K297658		8.28	0.07	0.12	4.43	229	150	1.24	0.18	10.55	0.13	52.3	12.0	36	12.25	39.0
K297659		5.58	<0.01	0.10	3.92	65	200	1.17	0.12	17.55	0.41	47.8	6.8	34	12.25	17.0
K297660		4.50	0.01	0.10	1.62	14	200	0.47	0.06	31.5	0.12	19.30	2.9	16	5.27	11.1
K297661		5.32	<0.01	0.05	1.85	10	120	0.59	0.06	28.8	0.10	22.4	3.2	15	6.39	11.1
K297662		7.88	0.01	0.07	3.07	14	360	1.02	0.08	19.65	0.16	47.4	5.0	27	8.27	24.0
K297663		3.66	<0.01	0.07	3.04	20	370	1.01	0.08	20.1	0.17	40.0	5.1	27	8.64	21.1
K297664		5.84	0.01	0.04	3.23	19	190	1.08	0.09	21.6	0.14	36.4	4.9	30	9.65	13.1
K297665		4.00	<0.01	0.11	7.91	54.3	390	3.12	0.28	2.09	0.26	92.9	15.1	60	45.9	39.1
K297666		6.44	<0.01	0.09	8.30	29.0	620	3.33	0.29	1.22	0.19	96.9	16.4	67	56.2	38.6
K297667		8.56	0.01	0.08	8.32	22.0	310	3.10	0.30	1.58	0.14	103.5	16.5	71	54.5	38.9
K297668		8.44	<0.01	0.09	8.44	44.6	370	3.29	0.34	2.01	0.15	91.4	17.4	66	47.2	41.4
K297669		4.98	<0.01	0.01	0.07	5	20	0.05	0.02	21.3	0.06	1.33	0.7	<1	0.19	1.8
K297670		8.40	<0.01	0.08	8.76	131.5	260	2.91	0.35	1.76	0.08	98.8	17.7	65	36.2	42.6
K297671		8.20	<0.01	0.09	8.48	144.5	220	3.46	0.31	2.39	0.14	98.0	20.6	63	35.0	43.2
K297672		7.78	0.03	0.09	5.83	211	180	1.80	0.23	4.74	0.15	53.6	15.8	58	19.40	47.2
K297673		7.74	<0.01	0.12	6.81	46.2	230	2.10	0.26	3.05	0.17	72.0	18.8	74	29.2	57.3
K297674		7.60	<0.01	0.14	6.76	98.8	270	2.21	0.30	3.28	0.17	69.7	15.3	61	23.9	36.5
K297675		7.70	<0.01	0.17	6.39	120.5	250	1.95	0.27	2.74	0.09	67.9	18.2	65	18.20	41.1
K297676		0.30	0.34	0.30	6.28	642	460	0.63	0.27	0.48	0.18	134.5	3.0	232	3.34	30.9
K297677		8.12	<0.01	0.14	6.44	33.6	260	1.74	0.21	2.38	0.07	65.8	18.6	74	23.3	53.1
K297678		3.06	<0.01	0.10	7.89	68.9	330	2.17	0.30	2.96	0.11	86.8	19.7	67	30.1	51.4
K297679		6.20	<0.01	0.05	2.95	44	240	0.85	0.11	22.5	0.14	34.6	8.5	29	11.80	25.7
K297680		2.02	<0.01	0.04	5.29	299	450	0.60	0.04	13.95	0.18	96.3	22.0	12	34.5	12.8
K297681		4.84	<0.01	0.05	2.60	115	220	0.59	0.12	26.8	0.18	35.4	9.5	24	9.90	24.9
K297682		7.82	<0.01	0.05	2.23	109	180	0.51	0.09	25.4	0.09	24.8	7.8	23	7.87	19.6
K297728		0.30	2.64	0.92	3.08	557	830	0.71	0.29	8.00	2.19	44.6	6.3	51	3.70	39.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127608

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297648		7.13	19.75	0.25	3.9	2.26	0.106	2.54	30.3	113.0	1.82	1040	0.99	<0.01	14.3	51.7
K297649		7.62	21.1	0.29	4.2	1.33	0.117	2.60	33.0	111.5	2.04	959	1.03	<0.01	15.8	47.7
K297650		7.51	19.15	0.23	3.4	0.43	0.109	2.22	25.7	168.0	2.93	867	0.39	0.01	14.6	47.1
K297651		0.50	0.19	0.14	<0.1	<0.01	<0.005	0.02	0.6	1.4	13.05	211	0.19	<0.01	0.1	1.5
K297652		6.45	16.85	0.19	3.0	0.15	0.091	2.00	22.5	142.5	3.25	928	0.85	0.02	10.9	41.0
K297653		6.63	18.45	0.22	3.2	0.20	0.091	2.38	23.8	100.0	3.37	990	0.44	<0.01	11.1	46.9
K297654		7.28	19.30	0.22	3.4	0.26	0.097	2.29	25.1	123.5	3.22	918	0.32	0.01	12.5	47.7
K297655		5.94	15.85	0.25	3.1	0.65	0.073	2.19	24.3	112.5	2.96	1060	0.42	<0.01	10.1	35.8
K297656		3.63	12.75	0.21	3.2	1.05	0.062	2.13	26.6	17.1	3.80	1140	0.92	<0.01	8.1	19.8
K297657		6.05	16.50	0.22	3.5	2.57	0.073	2.41	26.9	53.8	2.87	1340	1.14	<0.01	10.6	36.7
K297658		3.27	11.55	0.27	2.7	1.60	0.047	2.05	25.4	13.3	3.71	941	1.06	<0.01	7.2	19.7
K297659		2.40	9.53	0.20	1.9	0.58	0.026	1.93	37.1	7.5	4.02	434	0.66	<0.01	5.6	15.6
K297660		0.81	3.85	0.20	0.8	0.10	0.015	0.77	11.4	4.6	1.13	127	0.62	<0.01	2.4	7.4
K297661		0.79	4.55	0.23	1.0	0.07	0.015	0.90	11.9	6.9	1.50	123	0.48	<0.01	2.6	8.1
K297662		1.41	7.95	0.26	1.9	0.16	0.020	1.52	20.7	10.9	3.90	209	0.64	<0.01	4.7	12.3
K297663		1.46	8.04	0.26	1.8	0.16	0.025	1.52	20.7	10.9	4.12	215	0.65	<0.01	4.9	12.2
K297664		1.39	7.82	0.25	1.7	0.07	0.025	1.52	18.2	10.2	3.42	232	0.29	<0.01	5.0	12.0
K297665		4.30	24.6	0.32	3.6	0.67	0.078	4.06	44.3	18.0	1.30	487	3.47	0.02	11.7	33.4
K297666		4.61	25.2	0.27	3.4	0.31	0.075	4.16	46.2	23.7	1.69	440	3.10	0.03	12.1	35.0
K297667		4.62	25.1	0.30	3.3	0.52	0.066	3.97	51.8	22.2	1.81	496	3.48	0.02	11.9	36.8
K297668		4.64	26.0	0.29	3.4	0.89	0.064	4.03	46.8	24.3	1.56	555	3.32	0.02	12.2	37.0
K297669		0.49	0.21	0.23	<0.1	<0.01	0.007	0.03	0.6	1.0	13.40	207	0.07	<0.01	0.1	1.9
K297670		4.56	24.8	0.30	3.2	1.07	0.077	4.30	52.7	19.9	1.14	458	1.21	0.03	11.9	34.4
K297671		4.37	26.7	0.21	3.1	2.02	0.076	3.97	46.5	20.9	1.29	507	1.83	0.03	12.5	41.4
K297672		4.64	15.55	0.17	2.7	3.02	0.063	2.58	25.1	28.1	1.99	634	0.88	0.01	9.4	31.7
K297673		5.20	18.65	0.26	3.5	3.07	0.079	3.04	37.0	52.9	1.63	432	0.80	0.01	11.4	38.5
K297674		4.18	18.55	0.18	3.0	2.48	0.063	3.14	34.2	19.3	1.64	510	1.52	0.02	11.0	34.6
K297675		4.40	17.55	0.18	3.1	1.80	0.064	2.89	31.8	45.6	1.32	506	0.60	0.02	10.7	36.4
K297676		7.04	21.4	0.24	4.1	12.3	0.047	1.37	63.4	20.5	0.13	39	6.21	0.37	10.1	17.5
K297677		4.61	17.15	0.25	3.3	0.28	0.066	2.77	33.6	86.9	1.88	458	0.54	0.01	10.2	33.1
K297678		5.13	21.2	0.30	3.4	0.40	0.074	3.40	43.8	43.2	1.89	554	1.01	0.02	13.6	34.6
K297679		2.16	6.93	0.22	1.7	0.27	0.033	1.36	17.4	9.4	1.26	478	0.68	<0.01	4.0	15.0
K297680		5.39	14.10	0.21	2.7	0.2	0.057	1.41	44.8	119.0	2.19	1020	1.44	1.33	41.1	10.3
K297681		1.97	6.89	0.10	1.1	0.30	0.028	1.16	16.1	8.9	1.23	444	0.92	<0.01	3.8	15.0
K297682		2.23	5.99	0.09	1.0	0.31	0.023	1.00	10.7	8.3	3.69	497	0.65	<0.01	3.4	12.8
K297728		1.98	6.90	0.12	1.6	4.56	0.025	1.00	28.1	36.6	2.51	256	17.60	0.03	6.8	49.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127608

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297648		690	18.7	145.0	0.002	7.12	2.10	25.8	3	2.4	301	0.99	0.29	7.9	0.692	9.91
K297649		730	12.3	176.5	0.004	5.89	0.66	28.2	3	2.6	180.5	1.02	0.35	8.0	0.700	6.88
K297650		690	11.6	153.0	0.002	0.74	0.38	25.2	2	2.2	90.0	0.90	0.25	6.2	0.704	2.17
K297651		170	1.3	1.2	<0.002	0.01	1.03	0.2	1	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	0.06
K297652		570	9.8	131.0	<0.002	0.56	0.32	22.2	2	2.0	114.0	0.74	0.23	5.8	0.605	1.25
K297653		580	10.3	157.5	0.002	0.38	0.73	24.3	2	2.2	96.2	0.76	0.18	6.2	0.627	1.46
K297654		620	10.9	160.0	<0.002	0.34	0.28	25.5	2	2.1	89.2	0.85	0.22	6.4	0.697	1.35
K297655		520	11.7	145.0	<0.002	3.09	1.08	19.4	1	1.9	115.0	0.73	0.21	6.1	0.549	2.70
K297656		530	16.4	109.0	<0.002	1.77	1.66	11.2	1	2.2	158.0	0.56	<0.05	7.5	0.330	2.90
K297657		520	14.6	138.5	<0.002	5.32	2.21	19.6	2	2.1	102.5	0.74	0.16	6.8	0.530	6.22
K297658		400	14.9	93.8	<0.002	2.04	1.65	10.0	1	1.8	226	0.52	0.06	6.8	0.300	3.93
K297659		520	18.7	86.7	<0.002	0.98	0.60	6.2	1	1.3	520	0.42	<0.05	8.1	0.196	1.31
K297660		280	7.8	36.8	<0.002	0.47	0.19	2.5	1	0.6	1280	0.19	<0.05	3.7	0.075	0.46
K297661		260	7.8	48.3	<0.002	0.34	0.34	2.9	1	0.6	1230	0.20	<0.05	4.1	0.080	0.44
K297662		480	9.4	76.7	<0.002	0.23	0.22	4.9	2	1.1	717	0.37	<0.05	6.9	0.144	0.59
K297663		470	9.1	84.4	<0.002	0.23	0.43	4.9	2	1.2	746	0.37	<0.05	6.8	0.142	0.55
K297664		340	7.1	80.3	<0.002	0.12	0.33	5.0	2	1.2	746	0.40	<0.05	7.2	0.159	0.49
K297665		760	18.6	161.0	0.015	3.92	1.00	14.1	2	3.2	137.0	0.96	<0.05	16.0	0.363	6.95
K297666		710	19.7	171.5	0.014	1.81	0.96	15.2	1	3.5	136.5	0.98	<0.05	16.5	0.374	2.34
K297667		920	19.6	181.5	0.009	1.93	1.11	15.5	2	3.5	150.0	0.96	<0.05	16.5	0.369	2.59
K297668		830	20.9	164.0	0.010	3.22	1.08	16.0	2	3.7	160.0	1.02	0.06	16.0	0.377	5.13
K297669		170	1.3	1.5	<0.002	0.02	0.16	0.2	<1	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	0.06
K297670		790	20.9	190.0	0.002	4.20	0.72	15.5	1	3.2	131.5	0.93	0.05	15.5	0.418	3.34
K297671		590	17.2	166.0	0.005	3.91	1.11	18.4	2	3.0	137.0	1.02	0.05	16.5	0.371	4.92
K297672		430	16.2	111.5	0.002	3.83	1.00	17.1	2	1.8	166.0	0.71	0.05	8.7	0.452	6.00
K297673		460	23.3	143.0	0.002	4.55	0.88	19.1	2	2.4	184.0	0.81	0.07	11.2	0.548	8.49
K297674		450	23.1	139.5	0.003	3.29	0.74	15.9	2	2.4	151.5	0.85	<0.05	12.4	0.391	5.35
K297675		720	25.7	125.5	<0.002	3.37	2.40	17.3	2	2.1	170.5	0.84	<0.05	11.4	0.450	4.50
K297676		920	18.0	44.8	0.002	3.12	107.0	17.2	2	2.8	528	0.76	0.12	9.6	0.564	7.67
K297677		550	15.3	145.0	<0.002	0.55	0.51	17.8	1	2.4	196.0	0.74	0.05	10.6	0.504	1.21
K297678		860	19.0	170.5	<0.002	1.18	0.86	19.7	1	2.9	171.5	0.96	0.07	12.8	0.517	1.88
K297679		360	13.2	63.2	0.002	1.26	1.30	7.3	1	0.8	1540	0.30	<0.05	4.5	0.203	1.76
K297680		3610	2.9	70.5	0.002	0.60	0.63	14.3	2	0.9	728	2.37	<0.05	4.9	1.120	0.72
K297681		650	10.0	49.2	0.004	1.60	1.73	7.5	2	0.7	1655	0.27	0.05	4.2	0.147	2.59
K297682		530	13.4	39.3	0.002	1.42	0.91	6.6	2	0.6	1420	0.23	<0.05	3.4	0.143	1.73
K297728		850	38.2	46.3	0.021	1.49	98.9	5.2	4	2.2	66.8	0.42	0.16	6.2	0.168	3.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127608

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297648		2.5	206	5.5	25.3	104	134.0
K297649		2.6	209	2.7	30.4	94	145.5
K297650		2.2	196	1.0	24.9	100	131.0
K297651		0.6	3	0.1	0.7	18	<0.5
K297652		1.7	178	0.9	24.2	85	113.0
K297653		1.6	185	1.1	24.8	94	106.5
K297654		1.7	206	1.1	27.1	106	115.5
K297655		1.8	159	1.6	22.3	81	111.5
K297656		2.3	76	2.6	21.9	60	88.3
K297657		2.0	151	2.6	24.0	85	104.5
K297658		2.3	67	4.1	19.5	55	83.2
K297659		6.3	44	0.9	13.6	257	67.4
K297660		18.2	30	0.3	6.1	29	27.5
K297661		18.1	28	0.3	6.2	28	28.4
K297662		9.2	46	0.8	11.6	48	63.0
K297663		9.0	45	0.8	12.0	47	68.3
K297664		10.0	41	0.8	10.4	42	55.7
K297665		4.5	168	1.9	25.3	99	103.5
K297666		4.5	153	2.0	24.7	99	109.0
K297667		4.6	148	2.0	27.1	97	104.5
K297668		4.5	154	2.3	26.2	88	106.0
K297669		0.5	3	0.1	0.8	17	<0.5
K297670		3.9	117	2.4	23.0	99	98.3
K297671		3.6	137	3.8	24.3	86	103.5
K297672		2.1	122	2.1	19.2	80	96.8
K297673		2.7	141	2.0	23.7	106	121.0
K297674		2.8	107	1.8	19.8	105	107.5
K297675		2.4	119	5.3	21.6	92	110.0
K297676		7.4	172	22.5	15.2	46	169.5
K297677		2.4	123	2.8	21.4	70	110.0
K297678		3.0	129	1.6	26.6	87	120.5
K297679		2.5	51	0.8	17.9	44	49.6
K297680		1.6	168	0.9	30.9	78	114.5
K297681		4.1	42	0.6	28.7	37	43.3
K297682		2.6	40	0.7	18.7	19	37.5
K297728		8.8	222	26.8	19.5	199	62.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11127608

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

CERTIFICATE WH11130641

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 42 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130641

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297683		8.08	<0.01	0.02	1.73	51	200	0.59	0.06	28.7	0.14	28.6	5.6	19	7.04	17.5
K297684		7.76	<0.01	0.03	3.64	136	270	1.08	0.13	20.6	0.23	43.4	11.6	40	15.55	38.0
K297685		6.92	<0.01	0.15	2.74	132	220	0.76	0.09	23.6	0.27	38.2	10.3	35	9.34	32.9
K297686		7.98	<0.01	0.03	2.01	79	260	0.61	0.06	29.7	0.17	28.5	6.2	23	9.11	20.0
K297687		5.00	<0.01	0.01	0.06	20	20	<0.05	<0.01	20.9	0.07	1.17	0.9	4	0.15	1.6
K297688		8.00	0.01	0.27	2.04	83	270	0.62	0.06	29.6	0.20	31.7	6.4	21	6.71	20.2
K297689		7.68	0.01	0.02	1.96	169	190	0.50	0.06	27.1	0.17	28.6	6.0	20	5.39	18.4
K297690		8.32	0.05	0.03	3.29	383	240	0.88	0.10	23.1	0.22	41.4	12.3	42	9.64	34.4
K297691		8.22	0.03	0.02	1.49	101	220	0.43	0.05	29.6	0.17	23.8	5.1	15	3.77	15.3
K297692		0.30	2.65	0.68	3.22	602	900	0.75	0.28	8.40	2.51	52.3	6.5	57	3.80	47.0
K297693		7.62	0.56	0.06	1.14	205	160	0.36	0.03	31.3	0.15	20.2	3.9	14	2.83	12.0
K297694		7.88	0.67	0.05	1.21	201	150	0.33	0.02	30.1	0.11	19.50	3.8	14	2.45	11.5
K297695		3.54	0.85	0.02	0.43	346	90	0.22	0.02	28.0	0.04	9.31	1.7	7	0.86	4.9
K297696		3.86	6.26	1.31	5.14	>10000	360	0.96	0.22	9.23	0.62	95.3	17.0	55	12.60	55.0
K297697		4.36	4.29	0.89	4.47	>10000	320	0.89	0.19	11.70	0.47	64.7	14.0	44	12.75	44.7
K297698		3.18	0.75	0.12	2.22	3700	210	0.47	0.07	26.7	0.24	31.3	6.4	24	5.36	20.5
K297699		1.54	0.67	0.09	2.04	2970	200	0.51	0.07	27.3	0.22	33.9	6.7	22	5.32	21.2
K297700		8.04	0.26	0.05	1.38	3240	180	0.35	0.03	29.6	0.13	17.55	3.8	15	3.17	11.7
K297701		7.92	0.29	0.02	1.97	211	180	0.53	0.06	28.1	0.20	28.7	6.3	20	5.52	19.3
K297702		7.30	<0.01	0.01	1.53	89	320	0.52	0.08	28.6	0.16	23.0	5.1	16	5.91	15.3
K297703		7.84	0.20	0.04	2.69	204	250	0.61	0.12	27.4	0.17	33.0	8.0	20	7.35	25.2
K297704		9.98	<0.01	0.06	7.07	24.0	170	1.18	0.19	4.91	0.28	50.2	36.4	59	14.30	162.5
K297705		11.06	<0.01	0.07	6.77	12.7	220	1.16	0.18	4.88	0.26	46.9	34.2	57	10.30	158.0
K297706		12.58	<0.01	0.14	7.21	14.6	340	1.23	0.20	4.92	0.28	50.4	36.0	65	10.30	171.0
K297707		6.16	<0.01	0.06	7.32	52.3	390	1.23	0.20	4.68	0.28	50.3	35.5	66	11.20	167.0
K297708		7.10	<0.01	0.02	0.10	<5	20	0.05	0.02	21.6	0.06	1.48	0.7	<1	0.22	2.8
K297709		8.90	<0.01	0.08	7.25	9.7	720	1.15	0.21	4.77	0.27	49.3	34.2	65	9.39	162.0
K297710		7.74	<0.01	0.38	6.83	266	1350	1.14	0.19	4.96	0.28	46.2	30.4	70	8.47	159.5
K297711		8.32	<0.01	0.08	7.06	332	110	1.31	0.19	5.05	0.28	53.0	32.3	63	8.79	167.0
K297712		11.52	<0.01	0.08	7.41	60.5	80	1.32	0.21	4.11	0.27	52.0	38.8	64	11.05	171.0
K297713		11.52	<0.01	0.07	7.25	98.3	120	1.25	0.20	4.23	0.27	49.9	34.7	63	12.80	167.0
K297714		9.52	<0.01	0.08	7.75	18.3	140	1.50	0.21	3.05	0.29	49.8	39.8	70	16.90	196.5
K297715		1.42	0.06	0.10	7.66	1070	170	1.44	0.20	3.03	0.29	49.2	38.8	78	30.6	181.0
K297716		7.40	<0.01	0.09	7.23	38.4	240	1.37	0.18	4.14	0.29	47.6	31.7	74	12.50	174.0
K297717		11.54	<0.01	0.10	6.76	11.1	350	1.26	0.17	5.12	0.24	43.9	27.9	71	8.18	158.0
K297718		0.30	0.36	0.32	6.27	607	840	0.63	0.29	0.48	0.19	131.0	2.8	238	3.49	31.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130641

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297683		1.19	4.34	0.12	0.9	0.13	0.017	0.79	13.9	8.2	0.74	454	0.57	0.02	2.5	6.3
K297684		2.33	8.74	0.15	2.0	0.26	0.036	1.62	21.6	16.2	1.42	539	1.17	0.03	5.2	18.8
K297685		1.97	7.48	0.14	1.5	0.57	0.030	1.23	18.4	10.7	1.22	507	1.07	0.03	4.3	19.8
K297686		1.39	4.68	0.11	1.0	0.14	0.019	0.93	13.8	8.9	0.70	374	0.60	0.02	2.8	8.7
K297687		0.49	0.22	0.19	<0.1	<0.01	<0.005	0.02	0.5	1.0	13.10	215	1.05	<0.01	0.2	0.9
K297688		1.37	4.96	0.18	1.1	0.30	0.019	0.94	14.7	8.2	0.93	335	0.75	0.02	3.0	8.4
K297689		1.40	4.55	0.13	1.1	2.25	0.017	0.90	14.2	7.0	0.70	405	0.64	0.02	2.9	8.2
K297690		2.33	8.24	0.15	1.7	2.09	0.032	1.51	21.2	11.3	0.96	531	0.73	0.02	4.8	19.2
K297691		1.07	3.75	0.12	0.9	1.97	0.014	0.68	12.4	5.6	0.76	373	0.71	0.02	2.3	6.7
K297692		2.22	7.65	0.14	2.1	4.39	0.026	1.02	31.6	42.1	2.62	284	19.00	0.03	7.0	53.5
K297693		0.78	3.00	0.13	0.7	3.36	0.015	0.53	10.5	4.3	0.59	1980	0.49	0.01	1.8	4.4
K297694		0.89	2.77	0.11	0.6	3.64	0.013	0.56	9.6	3.7	0.63	1100	0.38	0.01	1.7	3.7
K297695		0.77	1.13	0.12	0.2	4.88	0.011	0.16	4.5	1.9	3.14	1950	0.19	0.01	0.7	<0.2
K297696		3.56	13.55	0.22	3.0	22.3	0.058	2.26	47.7	19.0	2.32	754	1.43	0.02	7.7	30.8
K297697		2.62	12.70	0.18	2.8	18.6	0.077	2.08	33.0	15.3	0.94	669	1.05	0.02	7.5	25.2
K297698		1.57	4.94	0.11	1.2	8.43	0.019	1.01	15.2	6.0	0.59	814	0.60	0.02	3.0	9.4
K297699		1.51	4.98	0.14	1.2	8.20	0.022	0.93	16.6	6.1	0.58	740	0.55	0.02	3.2	10.2
K297700		1.01	2.73	0.10	0.6	3.89	0.011	0.64	8.5	4.0	0.56	536	0.46	0.01	1.8	4.8
K297701		1.30	4.61	0.14	1.1	2.11	0.018	0.90	14.2	6.2	0.79	595	0.70	0.01	2.9	8.1
K297702		1.09	3.62	0.07	0.8	0.72	0.013	0.71	11.6	6.1	0.68	403	0.59	0.01	2.2	7.5
K297703		1.56	7.07	0.09	1.2	3.22	0.023	1.18	17.1	8.1	0.71	589	0.65	0.02	3.6	13.8
K297704		7.22	20.1	0.13	2.6	0.17	0.099	1.71	22.6	117.5	3.25	1040	0.39	0.44	11.4	55.5
K297705		7.18	18.80	0.13	2.8	0.11	0.094	1.45	20.8	61.2	3.45	971	0.34	0.51	11.3	52.8
K297706		7.55	20.2	0.12	3.0	0.10	0.100	1.51	22.5	58.7	3.77	1000	0.36	0.59	11.7	56.4
K297707		7.64	20.0	0.12	3.1	0.12	0.101	1.56	22.4	77.1	3.64	1000	0.35	0.58	11.6	58.1
K297708		0.46	0.28	<0.05	<0.1	<0.01	0.005	0.03	0.7	1.4	13.00	190	0.07	0.01	0.3	1.5
K297709		7.63	19.20	0.13	2.9	0.08	0.103	1.40	22.2	56.3	3.75	1010	0.38	0.85	11.3	54.8
K297710		7.09	18.00	0.10	3.1	0.09	0.094	1.36	20.8	55.8	3.51	990	0.57	0.69	10.7	52.7
K297711		7.50	19.90	0.12	3.1	0.09	0.096	1.53	24.2	54.4	3.68	997	0.37	0.52	11.5	56.2
K297712		7.83	21.1	0.13	3.5	0.13	0.099	1.60	23.7	62.8	3.91	924	0.41	0.49	11.9	59.9
K297713		7.67	19.60	0.14	3.1	0.15	0.097	1.75	22.4	101.5	3.63	945	0.43	0.44	11.5	55.9
K297714		8.26	22.1	0.14	2.4	0.22	0.106	1.95	21.6	88.9	3.91	816	0.47	0.40	12.1	64.2
K297715		8.12	22.1	0.14	1.8	0.88	0.113	2.97	22.6	221	2.10	1180	0.77	0.02	12.5	59.1
K297716		7.72	20.9	0.19	2.3	0.20	0.101	1.71	20.7	86.2	2.99	982	0.40	0.34	11.6	52.4
K297717		7.10	18.85	0.18	2.4	0.05	0.091	1.30	19.1	43.4	3.79	1100	0.27	0.37	10.4	49.9
K297718		6.70	20.3	0.24	4.9	9.29	0.050	1.35	59.2	16.9	0.13	37	6.78	0.37	9.8	15.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130641

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297683		230	7.4	37.0	0.003	0.87	0.69	5.9	2	0.7	1730	0.17	0.05	2.9	0.094	0.84
K297684		270	11.9	74.6	0.004	1.94	1.39	9.8	2	1.4	1430	0.36	0.07	5.5	0.233	1.60
K297685		470	10.0	61.7	0.003	1.51	1.05	9.2	2	1.1	1715	0.27	0.07	4.4	0.187	1.13
K297686		580	7.2	40.9	0.003	1.06	0.53	5.7	2	0.7	2160	0.19	0.05	3.3	0.119	1.12
K297687		180	1.0	1.1	<0.002	0.01	0.06	0.3	1	<0.2	50.9	<0.05	<0.05	<0.2	<0.005	0.04
K297688		630	8.2	42.8	0.002	1.07	0.59	5.7	3	0.7	2160	0.20	0.07	3.6	0.109	1.57
K297689		450	6.0	39.5	0.002	1.15	1.59	5.4	2	0.7	1910	0.19	0.06	3.3	0.112	3.12
K297690		270	9.9	66.4	0.003	2.08	2.40	9.8	2	1.1	1755	0.31	0.06	5.0	0.237	5.35
K297691		300	6.0	31.3	0.002	0.89	1.64	4.2	2	0.5	2490	0.15	0.07	2.8	0.080	3.77
K297692		900	37.8	51.6	0.024	1.56	115.5	5.5	5	2.8	80.0	0.45	0.25	6.5	0.169	3.70
K297693		300	4.1	24.8	<0.002	0.72	5.91	3.6	2	0.4	1740	0.11	0.06	2.1	0.063	8.35
K297694		280	5.3	23.7	<0.002	0.87	6.34	3.5	2	0.4	1670	0.11	0.05	2.1	0.067	9.28
K297695		370	3.5	6.9	<0.002	0.42	6.95	1.7	2	0.2	1040	<0.05	<0.05	0.8	0.022	12.50
K297696		630	21.5	107.5	0.006	4.47	82.3	9.0	4	1.9	876	0.55	0.19	9.3	0.290	53.3
K297697		630	16.6	90.3	0.003	4.60	110.0	8.8	5	1.7	1015	0.52	0.18	8.3	0.263	46.9
K297698		410	8.0	42.6	0.002	1.60	14.15	6.2	2	0.7	1895	0.22	0.08	3.7	0.124	15.00
K297699		290	8.1	43.8	0.002	1.50	14.10	6.7	3	0.7	2040	0.21	0.08	3.9	0.113	15.25
K297700		650	4.7	23.7	0.002	1.05	8.30	3.3	2	0.4	1985	0.11	0.06	2.2	0.080	7.55
K297701		330	7.6	40.7	<0.002	1.10	3.11	5.5	3	0.7	1750	0.20	0.05	3.5	0.108	5.24
K297702		330	5.8	32.6	0.002	0.85	0.58	4.4	2	0.5	1775	0.15	<0.05	2.8	0.086	2.01
K297703		200	8.9	54.9	0.004	1.33	1.82	7.0	1	0.9	1880	0.25	0.08	3.7	0.149	5.67
K297704		670	9.7	93.1	<0.002	0.08	0.36	32.7	2	1.9	89.2	0.76	0.19	4.5	0.690	0.66
K297705		640	9.4	75.2	<0.002	0.08	0.35	29.9	2	1.8	81.4	0.71	0.15	4.9	0.657	0.50
K297706		680	10.1	75.9	<0.002	0.08	0.34	31.3	1	2.0	88.4	0.80	0.22	5.0	0.709	0.49
K297707		690	10.6	78.6	<0.002	0.09	0.43	32.3	2	2.0	90.0	0.77	0.19	5.2	0.715	0.57
K297708		220	1.4	1.6	<0.002	0.01	<0.05	0.3	<1	<0.2	47.5	<0.05	<0.05	<0.2	0.005	<0.02
K297709		670	9.3	66.7	<0.002	0.10	0.30	29.9	2	1.9	104.0	0.77	0.20	4.9	0.725	0.46
K297710		640	9.4	65.7	<0.002	0.09	0.44	29.0	2	1.9	103.5	0.73	0.23	4.8	0.682	0.46
K297711		660	9.7	74.3	<0.002	0.05	0.43	32.8	2	2.0	69.1	0.77	0.14	5.0	0.699	0.47
K297712		690	10.9	80.3	<0.002	0.10	0.37	33.9	2	2.1	63.8	0.81	0.24	5.3	0.725	0.52
K297713		680	11.6	88.9	<0.002	0.10	0.48	30.3	2	2.0	70.8	0.80	0.20	5.0	0.717	0.68
K297714		730	12.2	101.0	0.002	0.34	0.43	34.4	2	2.1	64.6	0.83	0.22	4.3	0.768	0.79
K297715		700	15.8	166.0	<0.002	0.51	2.10	34.1	3	2.2	344	0.81	0.24	3.8	0.781	3.69
K297716		680	10.4	89.9	<0.002	0.20	0.38	26.8	3	2.2	64.0	0.79	0.16	4.3	0.735	0.80
K297717		620	7.4	67.6	0.003	0.08	0.27	24.7	3	2.0	93.7	0.72	0.14	4.5	0.680	0.41
K297718		930	17.4	46.7	0.003	3.11	117.0	14.4	2	3.1	513	0.74	0.13	9.5	0.527	7.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130641

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297683		2.3	28	0.4	20.9	23	33.1	
K297684		2.7	66	0.8	23.9	51	65.0	
K297685		2.6	52	1.4	23.6	48	57.7	
K297686		2.5	34	0.5	19.1	31	37.5	
K297687		0.6	3	0.1	0.8	19	0.6	
K297688		3.0	32	3.5	21.2	28	39.0	
K297689		2.3	32	0.8	19.5	28	36.7	
K297690		2.6	65	1.1	24.6	45	59.5	
K297691		2.5	24	0.7	17.6	22	30.3	
K297692		8.3	232	29.3	22.7	214	72.8	
K297693		2.2	20	0.8	18.1	19	23.6	
K297694		2.1	20	1.1	16.2	15	22.7	
K297695		1.2	9	0.5	9.7	4	9.6	
K297696		5.3	94	4.7	25.0	81	98.0	2.18
K297697		4.3	78	3.8	27.7	64	89.2	4.18
K297698		2.9	36	1.3	24.2	33	40.3	
K297699		3.0	34	1.3	27.0	31	41.8	
K297700		2.0	23	0.7	12.9	20	23.5	
K297701		2.8	32	0.9	18.5	28	38.3	
K297702		2.3	25	0.4	15.9	23	29.4	
K297703		2.2	45	1.0	19.1	34	39.0	
K297704		1.1	227	0.7	26.2	101	96.6	
K297705		1.1	216	0.6	28.7	96	91.3	
K297706		1.2	234	1.0	27.4	104	108.0	
K297707		1.2	235	0.8	28.9	108	111.5	
K297708		0.7	3	0.1	1.0	16	0.5	
K297709		1.1	229	0.7	27.6	103	97.9	
K297710		1.2	221	2.3	26.5	98	98.2	
K297711		1.2	225	0.8	27.5	100	105.5	
K297712		1.2	237	0.7	26.8	108	111.0	
K297713		1.2	233	0.8	26.0	105	105.0	
K297714		1.0	258	0.7	23.6	110	75.9	
K297715		0.8	264	8.1	20.3	96	63.4	
K297716		1.0	251	0.8	22.2	109	73.9	
K297717		1.0	225	0.9	21.5	100	86.2	
K297718		7.5	166	23.8	15.4	44	168.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130641

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

CERTIFICATE WH11130479

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 43- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130479

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298037		10.84	0.04	0.08	1.40	220	290	0.35	0.03	28.7	0.11	17.20	2.7	14	4.34	8.0
K298038		10.82	0.27	0.07	1.70	419	690	0.41	0.03	23.7	0.07	20.7	3.1	15	5.77	7.6
K298039		10.70	0.03	0.03	1.00	72	160	0.32	0.03	29.9	0.18	13.50	2.0	11	3.00	5.1
K298040		0.27	0.35	0.35	6.26	610	1610	0.59	0.29	0.49	0.19	138.5	2.9	241	3.65	33.4
K298041		9.54	0.08	0.08	3.65	187	230	0.90	0.08	15.15	0.05	38.9	6.2	34	11.60	18.0
K298042		10.95	0.05	0.04	1.24	90	120	0.36	0.03	28.4	0.15	15.10	2.3	15	3.44	8.3
K298043		9.80	0.03	0.04	1.74	240	80	0.46	0.05	26.1	0.07	20.9	3.0	17	5.44	13.3
K298044		7.09	0.02	<0.01	0.08	<5	20	0.05	0.02	19.55	0.06	1.53	1.4	2	0.28	1.7
K298045		10.79	0.04	0.08	2.52	36	140	0.74	0.06	20.5	0.09	29.3	4.2	26	9.45	15.8
K298046		10.46	0.02	0.09	3.47	38	220	0.87	0.09	10.05	0.05	38.3	5.8	29	10.95	16.2
K298047		10.20	0.02	0.05	2.40	31	160	0.60	0.06	22.6	0.05	27.3	3.9	22	7.86	14.0
K298048		9.31	0.01	0.03	1.56	30	70	0.41	0.04	26.4	0.07	19.65	2.7	14	5.05	9.6
K298049		4.67	0.01	0.03	1.57	28	90	0.41	0.05	26.3	0.07	19.25	2.9	15	5.10	9.3
K298050		10.31	0.01	0.03	1.16	21	70	0.33	0.03	28.3	0.13	15.85	2.0	13	3.82	6.6
K298051		10.33	0.01	0.05	2.08	23	120	0.50	0.05	23.4	0.08	23.2	3.4	20	6.87	10.2
K298052		10.40	0.01	0.08	2.51	62	130	0.57	0.08	21.7	0.10	25.9	4.1	26	7.44	13.0
K298053		11.82	<0.01	0.04	1.25	30	220	0.34	0.04	28.4	0.16	17.10	2.2	13	3.39	6.8
K298054		0.27	0.38	0.33	6.10	592	1970	0.54	0.30	0.44	0.17	129.0	2.7	233	3.41	31.0
K298055		11.32	0.01	0.04	3.42	23	210	0.99	0.09	14.20	0.06	42.3	5.8	36	9.39	32.9
K298056		10.56	0.01	0.05	1.94	12	920	0.54	0.05	25.3	0.18	24.6	3.4	19	3.87	18.9
K298057		11.23	0.01	0.05	3.39	22	160	0.95	0.09	13.75	0.07	43.0	5.7	33	7.56	31.5
K298058		10.70	0.01	0.03	3.81	37	220	1.11	0.10	15.80	0.09	44.9	6.8	37	9.34	26.8
K298059		10.44	0.01	0.03	2.67	79	80	0.73	0.07	21.4	0.10	33.0	4.7	26	3.84	21.1
K298060		5.84	0.01	0.05	1.74	269	50	0.48	0.05	26.2	0.09	22.8	3.9	18	2.37	7.4
K298061		4.63	0.01	0.05	1.56	311	70	0.40	0.04	27.4	0.27	25.1	4.7	19	2.75	15.8
K298062		7.11	<0.01	<0.01	0.11	<5	30	0.09	0.02	22.8	0.06	1.51	1.4	1	0.35	1.5
K298063		6.24	<0.01	0.05	2.71	286	80	0.71	0.07	21.0	0.09	34.3	4.9	29	4.23	18.1
K298064		5.11	0.01	0.05	1.74	284	70	0.45	0.04	27.5	0.08	25.1	4.6	19	2.58	9.8
K298065		10.31	0.01	0.05	2.79	110	80	0.75	0.06	21.7	0.07	34.5	4.6	27	3.92	15.5
K298066		10.53	0.01	0.04	3.63	41	160	1.06	0.09	15.65	0.07	47.1	6.2	37	5.85	24.5
K298067		11.42	<0.01	0.02	2.47	54	140	0.81	0.07	23.1	0.23	33.0	4.5	28	3.48	19.0
K298068		9.42	0.01	0.02	3.45	217	110	1.05	0.11	18.70	0.06	39.2	6.3	32	3.88	26.2
K298069		10.79	0.01	0.01	2.61	135	100	0.71	0.09	23.6	0.08	32.0	4.4	24	2.73	16.7
K298070		11.90	0.01	0.01	2.58	175	90	0.69	0.07	22.8	0.06	30.4	4.1	24	2.97	16.0
K298071		12.48	0.01	0.02	2.71	128	130	0.84	0.08	22.8	0.07	32.1	4.6	27	3.31	17.6
K298072		11.27	0.01	0.04	2.81	46	130	0.91	0.09	22.6	0.18	35.2	4.9	29	4.73	16.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130479

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298037		0.67	3.23	0.08	0.4	0.51	0.010	0.70	9.9	5.8	1.09	216	0.53	0.01	2.1	6.7
K298038		0.70	3.91	0.08	0.5	1.61	0.012	0.83	11.9	7.5	1.12	235	0.48	0.01	2.3	7.6
K298039		0.48	2.34	0.08	0.5	0.21	0.007	0.51	7.9	4.1	1.01	166	0.33	0.01	1.7	4.5
K298040		6.45	19.00	0.28	4.3	9.4	0.048	1.31	69.3	17.4	0.12	37	6.94	0.37	10.1	16.2
K298041		1.33	8.28	0.12	2.2	0.43	0.025	1.99	21.3	17.9	2.84	212	0.78	0.03	5.8	13.8
K298042		0.59	2.95	0.08	0.6	0.24	0.010	0.65	9.0	5.6	1.46	152	0.58	0.01	2.1	6.3
K298043		0.79	4.06	0.09	0.7	0.10	0.014	0.87	12.6	8.7	1.81	188	0.20	0.01	2.8	7.4
K298044		0.43	0.32	0.14	<0.1	<0.01	<0.005	0.04	0.8	0.9	12.25	209	0.10	0.01	0.4	3.1
K298045		1.08	5.72	0.10	1.1	0.15	0.019	1.25	16.6	17.8	2.08	194	0.65	0.02	4.0	10.9
K298046		1.46	7.82	0.11	2.4	0.21	0.024	1.75	20.4	45.8	5.54	249	0.77	0.03	5.5	13.1
K298047		1.00	5.39	0.11	1.2	0.12	0.017	1.16	16.0	18.2	2.12	169	0.43	0.02	3.9	9.3
K298048		0.68	3.46	0.09	0.6	0.08	0.012	0.76	12.0	13.2	1.34	144	0.24	0.01	2.5	6.4
K298049		0.68	3.54	0.11	0.6	0.09	0.012	0.76	11.8	12.8	1.32	143	0.25	0.01	2.5	7.1
K298050		0.47	2.57	0.10	0.6	0.06	0.009	0.57	9.5	13.3	1.04	134	0.30	0.01	1.9	5.6
K298051		0.84	4.61	0.12	0.9	0.14	0.015	0.98	13.6	31.9	1.81	137	0.43	0.02	3.2	8.4
K298052		0.99	5.54	0.11	1.1	0.40	0.021	1.12	15.4	31.2	1.69	160	0.77	0.02	3.9	9.2
K298053		0.52	2.77	0.10	0.6	0.26	0.009	0.53	10.2	19.4	1.59	123	0.71	0.01	2.2	4.6
K298054		6.20	17.45	0.26	4.0	9.9	0.048	1.26	64.9	15.0	0.12	32	6.30	0.36	9.4	14.4
K298055		1.45	7.76	0.07	1.6	0.18	0.026	1.38	21.2	72.2	4.37	179	0.88	0.04	5.5	18.6
K298056		0.85	4.30	0.05	0.8	0.07	0.015	0.65	12.7	48.2	2.47	156	0.67	0.02	3.2	9.4
K298057		1.47	8.06	0.07	1.9	0.04	0.027	1.35	21.3	68.8	4.83	255	0.41	0.03	5.6	16.3
K298058		1.71	9.09	0.10	1.6	0.05	0.033	1.55	22.8	90.3	3.64	253	0.26	0.03	6.1	19.1
K298059		1.17	6.58	0.07	1.2	0.11	0.018	0.92	17.2	56.1	2.68	335	0.73	0.02	4.4	13.5
K298060		0.89	4.38	0.07	0.6	0.10	0.014	0.58	11.5	38.2	1.52	358	0.86	0.02	2.9	10.6
K298061		0.91	3.67	0.06	0.5	0.1	0.013	0.54	12.4	34.5	1.22	468	0.89	0.01	2.6	13.9
K298062		0.51	0.29	<0.05	<0.1	<0.01	0.005	0.05	0.7	1.6	14.30	241	0.07	0.01	0.3	3.2
K298063		1.21	6.25	0.06	1.2	0.12	0.021	0.95	17.5	54.1	2.82	405	1.00	0.02	4.3	14.0
K298064		0.86	3.91	0.05	0.7	0.07	0.014	0.56	12.1	29.3	1.49	498	0.76	0.02	2.8	12.4
K298065		1.32	6.18	0.06	1.1	0.07	0.020	0.94	17.3	57.0	2.50	381	0.65	0.02	4.5	13.3
K298066		1.55	8.26	0.07	1.8	0.05	0.029	1.34	23.4	28.6	3.60	490	0.58	0.03	6.1	18.2
K298067		1.13	5.64	0.06	1.1	0.04	0.021	0.81	16.5	35.1	2.33	707	0.56	0.02	4.1	14.8
K298068		1.80	7.92	0.06	1.3	0.06	0.028	1.12	20.1	36.4	3.19	893	0.37	0.03	5.6	17.5
K298069		1.24	6.00	0.05	1.0	0.04	0.020	0.89	16.5	60.6	2.22	1080	0.45	0.03	4.3	12.9
K298070		1.23	6.00	0.05	1.0	0.04	0.019	1.10	15.9	45.3	2.49	1090	0.40	0.03	4.2	12.7
K298071		1.20	6.37	0.07	1.1	0.04	0.020	1.10	16.4	38.9	2.40	1040	0.34	0.03	4.4	13.7
K298072		1.20	6.34	0.05	1.3	0.06	0.025	0.95	18.4	42.9	2.01	700	0.76	0.06	4.9	14.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130479

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298037		200	8.3	25.5	<0.002	0.18	1.53	2.2	2	0.3	1485	0.14	<0.05	2.9	0.048	2.90
K298038		230	6.2	31.2	<0.002	0.32	3.91	2.7	2	0.4	1425	0.16	<0.05	3.3	0.058	6.06
K298039		230	4.2	19.2	<0.002	0.21	0.52	1.6	2	0.3	1625	0.11	<0.05	2.1	0.040	0.94
K298040		910	19.6	47.4	0.003	3.12	111.5	15.6	2	2.9	521	0.84	0.13	10.2	0.543	8.07
K298041		430	9.5	75.8	<0.002	0.35	1.41	5.5	2	1.0	811	0.46	<0.05	8.3	0.160	1.96
K298042		140	6.1	25.6	<0.002	0.17	0.88	1.9	2	0.4	1320	0.14	<0.05	2.8	0.049	0.66
K298043		200	4.8	39.9	<0.002	0.11	0.38	2.8	2	0.5	776	0.19	<0.05	3.8	0.068	0.42
K298044		190	1.3	2.1	<0.002	0.01	0.08	0.3	1	<0.2	53.3	<0.05	<0.05	0.2	<0.005	0.02
K298045		340	6.8	65.2	<0.002	0.27	0.33	4.0	2	0.7	971	0.31	<0.05	5.7	0.104	0.61
K298046		370	9.8	80.8	<0.002	0.69	0.32	5.4	2	1.0	619	0.44	<0.05	8.0	0.151	0.95
K298047		340	6.8	54.9	<0.002	0.22	0.19	3.7	2	0.7	1245	0.29	<0.05	5.4	0.101	0.40
K298048		190	4.7	38.3	<0.002	0.16	0.16	2.4	2	0.4	1205	0.17	<0.05	3.4	0.059	0.31
K298049		180	4.7	39.0	<0.002	0.19	0.18	2.4	2	0.4	1225	0.17	<0.05	3.4	0.059	0.35
K298050		190	5.2	27.1	<0.002	0.15	0.18	1.7	2	0.3	1410	0.12	<0.05	2.6	0.045	0.22
K298051		290	6.2	44.7	<0.002	0.22	0.24	3.1	2	0.6	1445	0.23	<0.05	4.5	0.081	0.33
K298052		330	7.4	47.7	<0.002	0.40	0.30	3.8	2	0.9	1355	0.30	<0.05	5.6	0.105	0.77
K298053		210	6.2	24.6	<0.002	0.27	0.23	2.0	2	0.4	1430	0.15	<0.05	3.1	0.053	0.34
K298054		890	17.9	44.8	0.003	3.07	106.0	14.4	2	2.7	513	0.76	0.11	9.7	0.521	7.58
K298055		400	12.8	73.6	<0.002	0.61	0.35	5.6	2	1.0	787	0.44	<0.05	7.5	0.155	0.53
K298056		230	8.3	32.7	<0.002	0.24	0.23	3.1	2	0.6	1075	0.23	<0.05	4.0	0.084	0.16
K298057		360	9.1	64.0	<0.002	0.13	0.28	5.5	2	1.0	549	0.44	<0.05	7.6	0.156	0.25
K298058		400	8.4	72.4	<0.002	0.16	0.33	6.1	2	1.1	629	0.47	<0.05	7.9	0.170	0.29
K298059		320	9.8	44.7	<0.002	0.13	0.34	4.4	2	0.8	699	0.34	<0.05	5.7	0.117	0.22
K298060		190	7.7	29.5	<0.002	0.19	0.50	3.4	2	0.6	799	0.22	<0.05	3.5	0.074	0.19
K298061		230	7.7	26.0	0.003	0.49	3.20	3.3	2	0.6	898	0.19	<0.05	3.3	0.066	0.22
K298062		190	1.4	2.8	<0.002	0.02	0.05	0.3	1	<0.2	46.6	<0.05	<0.05	0.2	0.005	<0.02
K298063		380	10.4	44.9	0.002	0.17	1.03	4.9	2	0.9	717	0.33	<0.05	5.6	0.120	0.23
K298064		240	7.5	27.0	0.002	0.16	0.88	4.2	2	0.6	762	0.21	<0.05	3.6	0.075	0.14
K298065		350	9.1	45.3	<0.002	0.19	0.47	4.4	2	0.8	652	0.35	<0.05	5.6	0.123	0.21
K298066		420	10.4	66.4	<0.002	0.32	0.30	5.7	2	1.1	471	0.47	<0.05	8.2	0.171	0.25
K298067		370	9.8	40.8	<0.002	0.15	0.22	3.9	2	0.8	734	0.32	<0.05	5.4	0.111	0.17
K298068		330	8.4	57.0	<0.002	0.27	0.34	5.4	2	1.1	542	0.43	<0.05	7.1	0.151	0.41
K298069		240	7.3	45.1	<0.002	0.19	0.26	4.1	2	0.9	660	0.33	<0.05	5.6	0.115	0.29
K298070		260	7.6	57.8	<0.002	0.13	0.22	3.9	2	0.9	635	0.32	<0.05	5.1	0.116	0.41
K298071		250	8.0	57.6	<0.002	0.11	0.22	4.3	2	0.9	619	0.34	<0.05	5.5	0.120	0.36
K298072		330	10.9	52.9	<0.002	0.17	0.21	4.5	1	0.9	623	0.38	<0.05	6.2	0.127	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130479

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298037		13.9	25	0.7	5.2	37	18.3
K298038		10.0	28	0.9	5.8	21	20.5
K298039		7.7	16	0.4	5.0	16	20.5
K298040		7.5	164	24.1	16.0	44	170.5
K298041		8.6	50	1.7	13.8	29	86.1
K298042		13.8	18	0.5	5.4	34	24.0
K298043		9.8	23	0.6	8.2	22	32.2
K298044		2.5	2	0.1	0.9	19	0.8
K298045		12.0	41	0.8	10.2	45	44.0
K298046		5.6	49	1.1	12.1	46	86.2
K298047		11.7	33	0.7	9.5	35	43.1
K298048		10.8	23	0.4	6.9	25	24.6
K298049		10.8	22	0.4	6.8	27	24.7
K298050		12.6	18	0.3	5.9	27	24.2
K298051		11.6	30	0.4	7.6	30	37.0
K298052		13.0	38	0.7	9.0	40	42.8
K298053		14.5	20	0.5	5.9	29	24.2
K298054		7.0	160	21.7	14.7	42	161.0
K298055		7.0	48	0.8	12.5	50	59.0
K298056		12.7	30	0.4	7.5	38	29.4
K298057		6.3	45	0.6	13.4	53	69.1
K298058		5.1	49	0.7	13.4	55	56.7
K298059		9.6	38	0.6	10.8	43	42.1
K298060		12.6	29	0.4	7.8	24	23.6
K298061		18.6	25	0.4	8.8	70	24.1
K298062		0.8	3	0.1	1.0	18	0.6
K298063		17.8	40	0.6	10.5	37	48.4
K298064		20.1	32	0.4	11.3	17	34.0
K298065		10.6	41	0.6	11.1	37	40.2
K298066		7.5	47	0.7	13.6	54	66.8
K298067		10.9	35	0.5	10.7	39	41.8
K298068		9.4	46	0.6	11.3	50	48.6
K298069		10.9	37	0.6	9.7	42	37.0
K298070		9.4	35	0.7	9.2	41	37.0
K298071		9.0	35	0.7	9.5	40	38.9
K298072		12.8	37	0.5	10.9	42	48.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11130479

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

CERTIFICATE WH11135092

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 44- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135092

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K297719		11.03	<0.01	0.04	6.25	8.4	200	0.96	0.15	5.54	0.21	43.4	31.3	64	6.57	130.5
K297720		10.16	<0.01	0.08	6.18	36.8	110	1.19	0.16	5.34	0.25	44.7	31.5	63	4.90	128.0
K297721		9.43	<0.01	0.08	6.64	154.5	200	1.27	0.20	2.93	0.31	44.5	34.9	69	8.00	166.5
K297722		4.40	0.01	0.06	6.32	56.8	550	1.23	0.19	3.36	0.32	45.8	34.3	65	11.10	160.0
K297723		12.30	0.07	0.07	6.14	1230	190	1.06	0.22	4.40	0.29	46.6	29.0	59	11.45	142.0
K297724		6.16	0.01	0.11	5.37	918	110	1.03	0.21	5.41	0.20	49.6	17.7	43	10.40	71.0
K297725		4.14	0.01	0.08	3.14	130.0	80	0.58	0.14	7.89	0.08	36.1	8.4	21	3.46	24.9
K297726		10.32	<0.01	0.05	3.06	77.0	70	0.66	0.14	8.07	0.12	32.1	8.0	21	4.40	24.9
K297729		6.97	0.01	0.11	7.86	27.4	150	1.76	0.36	2.24	0.16	74.9	22.4	65	13.05	80.6
K297730		10.97	<0.01	0.06	6.40	38.8	110	1.56	0.29	2.04	0.13	57.3	24.8	61	10.30	94.3
K297731		0.26	0.34	0.32	6.16	596	910	0.60	0.28	0.46	0.18	147.0	3.2	242	3.52	32.3
K297732		6.71	<0.01	0.07	5.83	54.0	150	1.63	0.24	4.76	0.99	69.0	21.9	51	11.10	99.4
K297733		5.61	<0.01	0.10	4.57	28.8	160	0.94	0.20	7.57	1.21	59.2	11.9	27	7.77	36.0
K297734		11.46	0.01	0.06	8.31	9.5	450	2.67	0.34	1.06	0.32	86.9	25.5	70	25.5	94.4
K297735		11.52	0.01	0.08	7.39	3.1	140	1.76	0.26	2.38	0.23	63.7	29.8	72	15.20	134.5
K297736		7.01	<0.01	0.01	0.11	<5	10	0.08	0.03	21.2	0.07	1.65	0.7	<1	0.26	1.6
K297737		11.56	0.01	0.07	7.84	4.1	120	1.80	0.29	1.66	0.16	55.0	31.1	79	15.15	134.5
K297739		6.80	<0.01	0.11	6.52	4.2	270	0.98	0.19	5.85	0.24	47.8	32.8	68	9.21	141.5
K297740		2.59	<0.01	0.20	6.63	3.8	320	1.12	0.17	5.75	0.28	46.7	28.9	70	12.95	131.0
K297741		1.74	0.01	0.08	6.72	43.9	320	1.10	0.20	3.32	0.41	44.6	39.2	71	12.35	173.5
K297742		0.95	0.01	0.09	7.06	20.2	230	1.15	0.21	2.52	0.37	47.8	40.6	74	13.75	169.5
K297743		3.94	0.01	0.12	7.08	1000	190	0.92	0.20	2.63	0.15	46.1	23.1	75	12.80	104.5
K297744		5.79	0.01	0.11	7.11	27.2	80	1.19	0.22	3.22	0.41	47.2	42.3	72	20.7	197.0
K297745		6.62	<0.01	0.11	6.89	50.7	80	1.27	0.21	3.12	0.39	41.8	37.4	74	23.5	191.0
K297746		8.11	<0.01	0.14	5.66	169.5	370	1.15	0.27	4.10	0.38	54.6	14.5	46	10.80	51.5
K297747		4.20	<0.01	0.10	5.58	187.0	180	1.21	0.27	4.09	0.42	54.9	24.1	47	12.40	76.8
K297748		0.25	0.34	0.29	6.14	588	1590	0.60	0.26	0.46	0.17	143.0	3.1	242	3.41	30.9
K297749		6.75	0.01	0.11	8.00	935	320	1.23	0.32	0.21	0.12	57.8	28.8	87	18.25	150.5
K297750		3.28	0.01	0.07	7.04	436	300	1.29	0.32	0.12	0.29	72.7	28.0	69	12.50	113.0
K297751		7.52	0.01	0.12	7.93	719	380	1.58	0.35	0.84	0.41	76.5	34.7	83	15.20	122.5
K297752		3.70	0.01	0.10	7.33	1080	490	1.51	0.30	5.02	0.29	70.7	13.3	57	19.40	30.1
K297753		6.08	<0.01	0.07	7.79	91.9	510	1.91	0.30	3.68	0.05	83.6	16.1	61	26.3	29.4
K297754		6.90	<0.01	<0.01	0.08	<5	20	<0.05	0.02	20.3	0.07	1.34	1.2	<1	0.17	1.2
K297755		4.64	<0.01	0.05	3.51	26	150	0.84	0.11	21.4	0.04	38.4	6.9	28	10.50	12.5
K297756		5.71	<0.01	0.10	8.14	93.9	370	1.97	0.31	2.34	0.05	91.6	16.5	64	22.7	33.8
K297757		9.44	0.01	0.09	6.41	85.0	320	1.41	0.24	8.28	0.05	71.7	15.0	46	21.2	33.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135092

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297719		6.94	16.55	0.17	2.7	0.07	0.074	1.07	21.5	45.2	3.32	1040	0.20	0.56	8.8	48.4
K297720		6.75	16.60	0.16	2.5	0.17	0.077	0.92	21.4	47.5	3.24	1200	0.28	0.07	9.2	47.8
K297721		7.30	17.95	0.18	2.2	0.44	0.101	1.70	20.2	120.0	2.59	897	0.39	0.02	10.6	51.9
K297722		7.42	18.40	0.16	2.0	0.82	0.101	1.75	21.8	188.0	2.33	874	0.34	0.04	11.0	53.2
K297723		6.68	17.70	0.21	2.6	2.56	0.105	2.62	23.2	54.1	2.20	1040	0.77	0.02	12.6	46.7
K297724		5.86	14.15	0.18	2.6	2.12	0.070	2.28	25.2	80.1	2.74	770	0.56	0.06	10.8	29.5
K297725		3.95	7.73	0.16	1.7	0.87	0.042	1.07	15.7	37.4	3.83	835	0.33	0.02	5.4	11.7
K297726		3.87	7.55	0.15	1.6	0.90	0.038	1.16	13.6	64.1	3.91	838	1.77	0.02	5.3	11.8
K297729		5.42	21.9	0.21	4.7	0.26	0.114	3.45	31.1	66.4	1.98	361	0.53	0.03	19.2	40.3
K297730		5.69	17.90	0.20	3.3	0.20	0.100	2.43	25.5	55.7	1.87	419	0.36	0.03	15.6	42.9
K297731		6.67	21.0	0.25	4.5	10.35	0.054	1.32	72.8	20.3	0.12	39	6.45	0.37	10.1	17.7
K297732		5.60	16.40	0.19	3.0	0.20	0.087	2.42	25.9	60.9	2.73	1380	1.66	0.04	12.5	37.8
K297733		4.44	11.45	0.15	2.4	0.33	0.050	2.00	19.7	32.5	3.75	1930	33.5	0.04	7.5	20.5
K297734		6.10	23.8	0.24	4.3	0.10	0.120	3.30	38.2	38.4	1.78	259	0.76	0.11	25.1	47.8
K297735		6.68	21.0	0.23	4.5	0.17	0.115	2.41	29.8	51.3	2.47	671	0.43	0.46	17.1	49.8
K297736		0.46	0.33	0.11	<0.1	<0.01	0.005	0.04	0.9	1.5	13.00	197	0.08	0.01	0.3	1.9
K297737		7.49	22.3	0.20	2.8	0.20	0.113	2.50	21.7	49.0	2.55	552	4.62	0.59	18.8	55.6
K297739		6.98	18.20	0.19	2.8	0.02	0.093	1.16	24.5	64.0	3.53	1040	0.35	1.03	9.7	51.1
K297740		6.56	18.55	0.18	3.1	0.05	0.090	1.28	21.1	99.5	3.05	1140	0.36	1.06	10.4	46.8
K297741		8.24	19.70	0.17	2.4	0.34	0.096	1.30	21.3	172.5	2.38	994	0.27	0.58	11.1	60.4
K297742		8.20	20.9	0.18	2.6	0.30	0.113	1.30	22.8	179.0	2.60	880	0.34	0.62	11.5	64.9
K297743		6.43	20.8	0.19	3.2	2.35	0.082	1.93	22.4	162.0	0.62	576	0.39	0.05	11.9	33.8
K297744		8.45	21.3	0.20	2.6	0.18	0.117	1.51	24.8	156.5	2.60	862	0.29	0.51	13.0	67.0
K297745		7.83	19.10	0.18	2.2	0.19	0.110	1.66	18.7	140.5	2.33	799	0.43	0.38	12.5	59.4
K297746		4.99	15.85	0.19	2.9	0.90	0.080	2.51	25.8	40.5	2.04	1080	1.46	0.03	12.6	24.9
K297747		6.27	15.15	0.18	3.1	0.53	0.080	2.55	26.4	31.8	1.30	968	0.48	0.02	11.5	38.0
K297748		6.74	20.8	0.24	4.4	9.40	0.051	1.32	69.7	18.7	0.12	40	6.37	0.37	9.7	16.9
K297749		8.52	23.9	0.20	3.8	3.12	0.119	3.55	26.5	45.9	0.41	751	0.42	0.02	17.1	38.7
K297750		5.98	20.4	0.22	3.7	3.16	0.111	3.08	35.4	23.8	0.38	915	0.65	0.02	19.3	43.9
K297751		7.66	22.3	0.23	3.8	6.47	0.118	3.46	36.3	57.9	0.68	962	2.30	0.03	14.4	52.7
K297752		4.44	18.75	0.20	2.8	4.54	0.051	3.41	37.0	21.3	1.38	897	0.73	0.04	9.5	28.8
K297753		4.42	19.80	0.21	3.0	0.66	0.060	3.42	44.9	73.5	0.54	772	0.39	0.04	10.4	32.6
K297754		0.47	0.28	0.08	<0.1	0.01	<0.005	0.03	0.7	0.9	12.95	205	0.06	0.01	0.3	2.8
K297755		1.98	8.52	0.12	1.2	0.47	0.027	1.59	20.5	7.3	0.47	452	0.40	0.03	5.3	14.9
K297756		4.68	22.0	0.25	2.9	0.89	0.065	3.74	47.6	27.4	0.89	468	0.44	0.05	12.4	36.5
K297757		3.80	16.90	0.21	2.3	1.09	0.052	2.91	38.4	38.7	0.86	714	0.57	0.04	9.7	30.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135092

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297719		560	8.0	60.8	<0.002	0.02	0.33	24.8	2	1.6	92.7	0.65	0.07	5.1	0.679	0.38
K297720		540	7.8	56.3	<0.002	0.08	0.27	25.7	2	1.6	67.6	0.64	0.13	4.7	0.665	0.82
K297721		670	10.6	107.5	0.002	0.74	0.53	29.4	2	1.8	103.5	0.73	0.23	4.4	0.701	1.51
K297722		590	8.5	105.5	0.004	3.62	0.54	29.0	2	1.9	145.5	0.74	0.19	3.9	0.695	2.75
K297723		550	9.4	138.0	<0.002	6.32	3.26	24.9	2	1.9	215	0.82	0.21	4.8	0.659	5.70
K297724		400	19.0	106.5	0.002	4.82	2.01	15.2	1	1.9	91.3	0.76	0.09	6.8	0.494	5.46
K297725		410	14.7	49.9	<0.002	2.48	0.80	7.3	1	1.1	83.9	0.40	<0.05	5.0	0.203	1.89
K297726		320	13.5	56.6	0.002	2.30	1.32	7.0	1	1.2	88.3	0.37	<0.05	4.7	0.199	1.57
K297729		570	14.4	171.0	0.002	0.90	0.97	20.3	3	3.2	148.0	1.26	0.38	11.6	0.565	1.14
K297730		520	12.6	131.5	0.002	0.20	0.42	18.9	2	2.3	99.4	1.05	0.23	7.7	0.578	1.02
K297731		910	17.2	54.4	0.003	3.04	117.0	16.8	2	3.1	501	0.73	0.15	9.6	0.535	8.05
K297732		470	40.8	129.0	0.010	2.16	1.10	19.1	2	2.1	70.8	0.83	0.17	7.1	0.493	0.85
K297733		350	58.2	91.4	0.014	2.73	1.13	9.8	1	1.6	74.7	0.59	0.08	6.9	0.284	0.79
K297734		630	11.6	163.5	0.004	0.26	0.53	21.2	3	3.2	63.3	1.57	0.36	10.9	0.634	1.07
K297735		620	11.2	126.0	<0.002	0.15	0.38	27.1	2	2.5	68.0	1.13	0.26	8.3	0.688	0.68
K297736		310	1.5	2.3	<0.002	<0.01	0.09	0.4	<1	<0.2	50.0	<0.05	<0.05	0.2	0.006	<0.02
K297737		680	11.0	85.9	<0.002	0.20	0.46	24.4	2	2.7	45.7	1.21	0.33	5.9	0.735	0.76
K297739		580	10.2	68.1	<0.002	0.01	0.87	26.1	2	1.7	97.7	0.67	0.13	5.3	0.715	0.40
K297740		580	9.9	74.2	<0.002	0.03	0.38	27.4	2	1.9	139.0	0.67	0.14	5.4	0.716	0.62
K297741		680	8.1	81.7	<0.002	0.17	0.35	30.1	2	1.9	278	0.74	0.24	4.2	0.732	1.56
K297742		700	8.3	84.7	<0.002	0.18	0.31	32.0	3	2.1	228	0.78	0.20	4.5	0.764	1.39
K297743		570	10.3	116.0	<0.002	1.96	1.75	22.2	3	2.7	243	0.79	0.22	4.5	0.796	9.60
K297744		730	10.3	105.0	0.002	0.16	0.48	35.1	2	2.1	62.0	0.83	0.27	4.4	0.763	1.02
K297745		690	14.4	110.5	0.003	0.19	0.51	31.8	2	2.5	49.2	0.78	0.30	4.2	0.757	0.98
K297746		480	20.7	131.5	0.002	0.41	1.14	13.3	2	2.3	110.5	0.83	0.16	8.6	0.417	2.92
K297747		560	12.9	132.5	0.002	3.54	0.49	14.8	2	2.3	121.0	0.82	0.18	7.8	0.448	2.47
K297748		920	17.1	52.5	0.003	3.06	113.5	16.2	2	3.0	515	0.73	0.12	9.4	0.539	7.89
K297749		720	15.1	181.5	0.003	0.29	4.64	27.6	3	2.8	192.0	1.14	0.34	7.4	0.797	6.69
K297750		690	9.2	141.0	0.004	0.07	3.26	28.0	2	2.7	227	1.20	0.34	8.1	0.626	4.75
K297751		710	20.2	159.0	0.005	0.12	9.97	29.0	3	2.6	189.5	0.96	0.31	9.9	0.617	11.35
K297752		650	23.0	104.5	0.004	0.24	9.53	12.4	2	2.0	293	0.75	<0.05	11.1	0.339	8.24
K297753		650	21.6	157.0	0.002	0.16	1.61	14.1	1	2.2	123.0	0.79	<0.05	13.6	0.377	1.90
K297754		190	1.3	1.4	<0.002	<0.01	<0.05	0.3	1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	0.02
K297755		500	8.6	72.0	0.002	0.26	0.52	6.7	2	0.9	670	0.35	<0.05	6.0	0.146	1.81
K297756		500	23.4	157.0	<0.002	1.92	5.36	16.5	2	2.3	130.5	0.88	0.05	14.5	0.371	2.76
K297757		530	21.0	130.0	0.002	2.19	2.88	13.5	2	1.9	286	0.67	0.05	11.0	0.304	2.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135092

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297719		1.2	220	0.7	22.8	96	87.1
K297720		1.1	211	1.1	23.6	93	97.5
K297721		1.1	231	1.6	20.4	96	69.9
K297722		1.0	235	1.3	18.3	98	71.5
K297723		1.2	212	7.4	20.9	85	92.9
K297724		1.8	127	2.8	18.0	85	90.1
K297725		1.4	49	0.9	13.7	55	57.2
K297726		1.3	50	0.8	13.7	57	57.2
K297729		3.2	149	1.9	25.9	86	163.5
K297730		2.3	157	1.3	19.2	92	123.0
K297731		8.2	167	21.3	15.1	43	178.0
K297732		2.0	140	0.9	21.8	85	111.0
K297733		3.6	73	0.9	16.6	50	76.9
K297734		3.7	165	1.3	27.7	101	154.0
K297735		2.2	213	1.0	26.8	95	148.0
K297736		1.0	3	0.1	1.0	16	1.4
K297737		1.7	217	1.0	20.6	108	100.5
K297739		1.2	228	1.2	25.4	97	109.5
K297740		1.2	223	1.0	26.0	96	107.5
K297741		1.0	258	0.8	23.3	108	87.5
K297742		1.1	264	0.6	23.8	110	94.7
K297743		1.2	256	4.1	22.8	87	114.0
K297744		1.1	252	0.8	24.0	115	97.6
K297745		1.0	247	0.6	20.6	110	73.9
K297746		2.1	113	3.9	21.5	68	102.5
K297747		2.2	117	3.4	23.1	92	105.0
K297748		7.7	166	21.2	14.7	43	175.0
K297749		1.8	244	14.6	22.2	90	129.5
K297750		2.5	180	11.9	27.0	77	150.0
K297751		2.6	204	14.8	27.3	109	138.5
K297752		2.8	78	3.3	16.0	152	92.0
K297753		2.7	78	2.2	19.8	85	104.0
K297754		0.5	3	0.1	0.9	18	0.7
K297755		1.9	31	1.0	11.2	41	42.7
K297756		2.8	79	5.7	19.7	79	93.1
K297757		2.7	68	2.9	19.0	65	75.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135092

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

CERTIFICATE WH11132645

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 45 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132645

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296289		1.85	0.12	0.24	0.33	>10000	40	0.16	0.03	18.75	0.12	7.38	1.6	6	0.37	5.0
K296290		5.79	0.35	0.03	0.40	>10000	40	0.18	0.03	19.55	0.22	10.70	1.4	6	0.51	6.4
K296291		5.29	0.95	0.04	0.60	1650	60	0.13	0.02	19.00	0.86	10.30	1.3	4	0.65	4.1
K296292		5.08	0.45	0.10	0.96	383	70	0.30	0.04	18.90	0.27	16.60	2.0	10	1.83	10.1
K296293		10.07	0.06	0.27	1.92	673	100	0.62	0.07	16.05	0.11	26.5	3.6	18	4.37	15.0
K296294		7.25	<0.01	0.01	0.08	18	90	0.07	0.02	21.0	0.07	1.76	1.6	3	0.22	2.0
K296295		3.25	0.44	0.05	0.90	445	70	0.24	0.03	15.25	0.04	18.10	1.4	10	1.56	3.8
K296296		6.66	0.56	0.18	1.70	1400	90	0.41	0.05	12.05	0.05	19.70	2.6	14	2.81	7.7
K296297		4.92	0.75	0.11	1.75	5400	80	0.40	0.04	11.85	0.05	18.85	3.0	15	2.46	7.6
K296298		0.26	0.37	0.23	6.44	649	1370	0.64	0.30	0.50	0.17	144.0	3.0	245	3.41	32.9
K296299		5.00	0.07	0.16	1.79	259	80	0.48	0.05	11.75	0.04	20.5	3.1	17	2.96	8.2
K296300		7.86	0.07	0.09	0.99	120	70	0.32	0.04	16.70	0.09	16.30	1.9	9	1.98	6.7
K296301		1.95	0.16	0.01	0.52	>10000	40	0.18	0.03	18.40	0.23	9.70	1.2	6	0.65	4.1
K296302		5.41	0.10	0.03	0.38	4350	50	0.16	0.02	20.1	0.16	6.98	1.2	2	0.43	3.3
K296303		2.50	0.02	0.04	0.32	603	50	0.17	0.01	19.90	0.06	8.11	1.3	5	0.42	5.1
K296304		5.22	0.03	0.01	0.44	1340	50	0.20	0.02	19.90	0.33	11.30	1.8	6	0.53	13.6
K296305		0.26	7.92	0.39	3.52	969	160	0.88	0.65	11.25	4.21	46.9	5.8	95	7.10	35.7
K296306		12.33	0.22	<0.01	1.48	100	80	0.55	0.05	17.35	0.24	22.9	2.8	14	4.15	8.6
K296307		10.55	0.41	0.01	1.76	95	90	0.62	0.06	16.90	0.28	25.9	3.1	15	4.55	9.4
K296308		9.74	0.33	0.01	0.76	238	50	0.42	0.03	17.70	0.25	17.05	2.6	7	1.39	5.3
K296309		7.71	0.24	0.01	0.85	2100	70	0.44	0.03	18.00	0.14	16.70	2.1	7	1.56	4.6
K296310		5.33	0.68	0.07	0.83	1280	90	0.33	0.04	18.05	0.13	14.50	1.9	6	1.55	5.0
K296311		7.01	<0.01	0.02	0.10	18	20	0.07	0.02	20.9	0.06	1.95	1.6	1	0.22	1.9
K296312		9.98	0.10	0.02	0.49	537	100	0.27	0.02	19.30	0.09	11.05	1.8	4	0.92	4.9
K296313		5.97	0.42	0.01	1.05	843	80	0.43	0.04	18.65	0.18	16.85	2.3	10	2.39	7.8
K296314		10.89	0.12	<0.01	1.79	205	190	0.63	0.06	17.70	0.07	23.0	2.7	16	5.94	13.8
K296315		10.92	<0.01	<0.01	1.42	51	80	0.59	0.05	18.90	0.26	20.0	2.4	11	4.25	9.6
K296316		10.82	<0.01	0.39	1.37	55	80	0.54	0.04	19.05	0.11	17.30	3.1	10	3.90	10.4
K296317		10.68	0.05	0.01	0.94	39	50	0.38	0.03	19.20	0.17	13.80	2.6	7	2.38	6.6
K296318		4.88	0.04	0.01	0.53	103	30	0.26	0.03	18.70	0.04	9.82	2.0	6	1.41	4.2
K296319		10.71	0.79	0.07	0.85	1150	100	0.36	0.03	18.50	0.09	12.25	2.4	9	1.77	6.7
K296320		5.82	0.90	0.02	0.81	657	60	0.36	0.03	18.80	0.12	11.45	2.7	7	1.58	7.6
K296321		6.92	0.76	0.03	0.61	1420	50	0.32	0.02	18.85	0.16	10.20	2.8	6	0.95	7.4
K296322		8.90	0.65	0.03	0.66	2030	70	0.25	0.03	19.10	0.09	13.05	2.9	9	1.59	6.3
K296323		6.09	0.01	0.04	7.66	266	480	3.20	0.37	2.01	0.20	66.1	12.9	63	46.8	30.9
K296324		10.67	0.01	0.03	7.93	170.0	430	3.49	0.39	1.51	0.42	87.2	18.4	69	54.8	40.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132645

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296289		0.36	0.92	0.07	0.2	11	0.021	0.15	4.7	2.6	11.15	334	0.19	0.01	0.6	1.3
K296290		0.65	1.29	0.10	0.3	6	0.017	0.18	5.8	3.1	10.75	960	0.25	0.01	0.8	0.6
K296291		0.73	1.86	0.07	0.5	8	0.007	0.26	6.7	3.0	10.15	1420	0.18	0.01	1.1	2.3
K296292		0.88	2.61	0.11	0.8	5	0.008	0.44	9.2	5.6	9.82	612	0.56	0.01	1.6	2.1
K296293		0.84	4.85	0.11	1.4	2.8	0.013	0.90	14.8	11.1	8.41	314	2.68	0.02	3.2	7.7
K296294		0.48	0.50	0.19	<0.1	0.1	<0.005	0.04	0.8	1.5	12.95	202	0.31	0.01	0.4	1.4
K296295		0.85	2.21	0.11	1.6	8	0.010	0.42	8.9	4.6	8.75	519	0.97	0.01	1.5	1.4
K296296		0.85	4.03	0.12	2.8	5	0.011	0.74	10.0	8.9	7.07	476	1.57	0.02	2.7	4.8
K296297		0.90	4.22	0.11	2.6	6.6	0.015	0.74	9.1	8.5	7.01	489	2.36	0.02	2.6	5.6
K296298		6.86	22.0	0.24	4.3	10	0.049	1.39	66.9	20.0	0.14	37	6.61	0.41	9.1	17.1
K296299		0.89	4.35	0.08	3.3	3.8	0.011	0.77	10.3	9.5	6.91	303	1.39	0.02	3.0	5.3
K296300		0.55	2.41	0.11	1.1	2.41	0.006	0.40	9.2	6.7	9.60	279	0.71	0.02	1.7	2.2
K296301		0.31	1.38	0.16	0.4	2.60	0.031	0.20	6.3	2.8	11.05	313	0.25	0.01	0.9	0.5
K296302		0.29	1.09	0.05	0.3	1.72	0.006	0.14	4.6	2.3	12.10	325	0.45	0.02	0.7	1.7
K296303		0.27	1.15	0.21	0.3	2.56	<0.005	0.14	4.9	2.3	12.05	288	0.42	0.01	0.7	0.4
K296304		0.44	1.44	0.21	0.4	6.5	0.009	0.19	6.1	2.6	11.95	330	0.18	0.01	0.8	1.5
K296305		1.37	7.75	0.19	2.1	6.06	0.066	1.46	30.0	11.0	0.71	271	11.30	0.01	7.3	62.0
K296306		0.66	3.97	0.14	1.2	1.74	0.011	0.68	13.3	10.4	10.45	343	0.36	0.02	2.5	4.2
K296307		0.74	4.64	0.11	1.4	1.91	0.012	0.80	14.9	11.4	10.10	435	0.46	0.02	3.1	4.5
K296308		0.87	2.02	0.11	0.9	2.78	0.008	0.35	9.0	6.0	9.32	626	0.52	0.02	1.5	3.3
K296309		0.64	2.22	0.12	1.0	2.11	0.009	0.39	8.9	6.0	9.64	481	0.25	0.02	1.6	2.2
K296310		0.49	2.58	0.13	1.0	3.08	0.008	0.39	8.0	6.0	9.92	817	0.41	0.02	1.8	1.5
K296311		0.51	0.61	0.21	<0.1	0.03	<0.005	0.03	0.9	1.4	12.30	198	0.15	0.01	0.6	1.1
K296312		0.55	1.59	0.22	0.5	1.2	0.006	0.21	6.2	3.8	10.50	415	0.90	0.01	1.1	1.4
K296313		0.64	3.16	0.20	0.8	2.04	0.010	0.48	9.2	7.0	10.00	456	0.33	0.01	2.2	2.3
K296314		0.83	5.34	0.18	1.1	1.2	0.012	0.86	12.1	11.5	8.92	361	0.28	0.02	3.4	3.4
K296315		0.83	4.25	0.16	0.9	1.00	0.010	0.68	10.7	8.8	8.96	307	0.25	0.02	2.5	3.2
K296316		1.05	4.00	0.17	0.8	1.1	0.010	0.66	9.2	9.0	9.52	337	0.40	0.02	2.5	3.7
K296317		0.87	2.73	0.15	0.6	1.53	0.007	0.45	7.6	5.8	11.05	421	0.60	0.01	1.8	3.4
K296318		0.64	1.71	0.17	0.4	0.80	0.008	0.24	5.0	4.6	10.15	496	1.04	0.01	1.2	1.5
K296319		0.86	2.50	0.16	0.5	1.79	0.008	0.40	6.4	4.9	10.50	714	1.92	0.01	1.7	2.8
K296320		0.92	2.42	0.15	0.5	2.00	0.008	0.38	6.1	4.8	10.65	725	1.43	0.01	1.6	3.5
K296321		0.80	1.95	0.17	0.5	2.25	0.006	0.28	5.3	4.2	10.85	696	1.19	0.01	1.3	3.4
K296322		1.04	2.05	0.16	0.5	2.21	0.007	0.31	6.1	4.4	10.80	733	0.84	0.02	1.3	3.9
K296323		3.87	24.8	0.22	3.4	2.19	0.059	4.12	35.6	50.5	1.71	108	4.25	0.05	12.7	29.9
K296324		2.77	24.7	0.22	3.7	1.98	0.079	4.23	45.1	46.2	1.39	145	1.53	0.06	13.2	35.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132645

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296289		380	3.9	5.2	<0.002	1.11	22.2	0.8	2	<0.2	95.5	<0.05	<0.05	0.8	0.016	5.38
K296290		430	4.4	7.0	<0.002	0.85	26.3	1.0	2	0.4	106.5	0.05	<0.05	1.0	0.019	17.60
K296291		620	6.9	9.4	<0.002	0.14	8.37	1.4	2	0.3	129.5	0.08	<0.05	1.4	0.028	13.80
K296292		510	6.9	16.1	<0.002	0.16	4.44	1.9	2	0.4	146.0	0.11	<0.05	2.4	0.045	9.95
K296293		700	11.6	32.6	0.004	0.36	2.38	3.5	3	0.6	163.5	0.24	<0.05	4.7	0.089	3.29
K296294		210	1.5	1.8	<0.002	0.01	0.08	0.5	1	<0.2	49.0	<0.05	<0.05	0.2	<0.005	0.06
K296295		400	5.4	14.0	0.002	0.26	4.89	1.5	2	0.5	108.0	0.12	<0.05	2.4	0.043	4.86
K296296		510	8.9	25.2	0.003	0.34	7.99	2.8	2	0.6	129.5	0.21	<0.05	4.3	0.079	7.40
K296297		560	9.2	25.7	0.004	0.67	14.75	2.7	2	0.6	117.0	0.20	<0.05	4.1	0.074	12.05
K296298		940	19.5	56.5	0.003	3.22	115.5	16.9	2	2.9	539	0.73	0.12	10.0	0.564	8.12
K296299		610	9.4	27.6	0.003	0.22	3.80	2.9	2	0.6	128.0	0.25	<0.05	4.8	0.092	5.39
K296300		540	6.5	15.0	0.002	0.14	2.69	1.9	2	0.3	152.5	0.13	<0.05	2.6	0.049	2.11
K296301		480	4.2	8.3	<0.002	1.89	50.2	1.1	2	0.2	95.0	0.06	<0.05	1.3	0.024	3.51
K296302		470	3.1	5.3	<0.002	0.38	9.13	1.0	2	0.2	111.5	0.05	<0.05	0.8	0.016	1.81
K296303		560	2.6	4.9	<0.002	0.17	3.67	0.8	2	0.2	101.5	<0.05	<0.05	0.9	0.016	1.90
K296304		520	3.9	6.5	<0.002	0.38	2.43	1.0	2	0.2	115.0	0.05	<0.05	1.0	0.020	1.83
K296305		4220	4.8	129.5	0.034	1.37	18.80	6.9	9	1.7	149.5	0.51	0.51	6.9	0.217	13.10
K296306		510	6.5	27.1	<0.002	0.35	1.72	3.0	2	0.5	115.0	0.18	<0.05	3.7	0.069	2.78
K296307		590	9.0	31.0	<0.002	0.35	2.77	3.5	2	0.5	130.0	0.22	<0.05	4.4	0.084	4.82
K296308		570	4.5	13.3	<0.002	0.17	3.00	1.7	2	0.3	146.5	0.10	<0.05	2.2	0.038	4.51
K296309		610	4.3	14.3	<0.002	0.32	4.11	1.7	1	0.3	139.0	0.11	<0.05	2.4	0.043	2.96
K296310		530	3.9	13.7	<0.002	0.29	6.51	1.7	2	0.3	110.5	0.12	<0.05	2.1	0.040	6.56
K296311		220	1.3	1.5	<0.002	0.01	0.09	0.6	1	<0.2	44.2	<0.05	<0.05	<0.2	0.010	0.04
K296312		500	3.6	7.4	<0.002	0.37	2.13	1.1	2	0.2	117.5	0.06	<0.05	1.2	0.023	1.55
K296313		480	4.7	17.2	<0.002	0.40	3.81	2.2	2	0.4	127.5	0.13	<0.05	2.3	0.048	3.98
K296314		550	5.3	30.5	<0.002	0.51	1.44	3.3	2	0.7	118.5	0.21	<0.05	3.9	0.081	2.34
K296315		360	15.9	23.2	<0.002	0.42	0.53	2.7	2	0.5	146.5	0.16	<0.05	2.7	0.059	1.21
K296316		360	4.5	21.4	<0.002	0.72	0.50	2.6	2	0.6	132.0	0.16	<0.05	2.8	0.059	1.30
K296317		380	4.3	14.6	<0.002	0.64	0.84	1.9	2	0.3	109.5	0.11	<0.05	1.9	0.041	1.01
K296318		500	3.0	8.0	<0.002	0.40	0.79	1.2	2	0.2	80.5	0.07	<0.05	1.2	0.025	1.16
K296319		530	4.0	13.2	<0.002	0.74	3.50	1.7	2	0.3	87.9	0.10	<0.05	1.8	0.037	3.77
K296320		470	4.1	12.2	<0.002	0.76	2.84	1.6	2	0.3	83.9	0.09	<0.05	1.7	0.037	3.92
K296321		410	4.1	9.8	<0.002	0.73	3.61	1.4	2	0.3	82.4	0.07	<0.05	1.3	0.028	4.04
K296322		710	4.2	10.3	<0.002	0.64	3.91	1.7	2	0.3	76.8	0.08	<0.05	1.4	0.032	3.52
K296323		700	20.6	145.0	<0.002	3.41	1.27	14.7	2	2.7	70.2	0.89	0.08	12.0	0.396	5.72
K296324		470	25.5	187.5	0.003	1.94	1.01	17.3	2	2.9	96.2	0.92	0.08	14.2	0.424	3.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132645

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K296289		4.5	8	1.4	4.8	138	8.2	1.850
K296290		4.8	12	0.4	6.0	249	11.3	1.385
K296291		5.2	16	0.7	7.8	161	17.5	
K296292		7.2	22	1.1	7.8	97	26.3	
K296293		13.5	43	2.0	9.7	23	44.7	
K296294		1.1	3	0.1	1.0	17	0.8	
K296295		9.2	15	1.0	6.4	7	51.5	
K296296		12.3	25	1.7	9.2	6	98.2	
K296297		13.1	21	1.7	8.4	7	87.4	
K296298		8.7	170	20.9	16.0	44	165.0	
K296299		15.2	22	2.6	10.2	7	110.5	
K296300		11.0	18	1.4	8.1	14	36.7	
K296301		8.0	13	0.6	6.1	19	12.8	3.27
K296302		8.2	12	0.5	5.5	10	9.7	
K296303		5.6	10	0.4	4.9	3	11.2	
K296304		5.4	10	0.4	5.8	57	12.9	
K296305		9.1	382	31.9	29.5	279	73.7	
K296306		6.5	22	1.2	9.7	18	42.7	
K296307		7.2	22	1.4	10.4	21	50.2	
K296308		5.6	9	0.7	7.4	17	33.2	
K296309		7.7	12	0.7	7.8	9	34.4	
K296310		8.4	10	0.9	7.2	8	34.0	
K296311		0.5	3	0.2	1.0	16	0.6	
K296312		8.8	10	0.6	6.6	10	16.0	
K296313		9.7	18	1.0	6.9	37	27.6	
K296314		6.8	26	1.1	7.4	13	38.8	
K296315		5.3	18	0.9	6.3	94	29.3	
K296316		4.4	17	1.0	5.6	14	28.1	
K296317		4.5	13	0.9	4.8	34	20.0	
K296318		4.4	8	0.6	3.9	5	13.4	
K296319		4.1	14	0.8	4.2	14	18.1	
K296320		4.1	14	0.8	4.0	27	17.9	
K296321		4.3	11	0.8	4.1	20	16.8	
K296322		4.7	12	0.8	6.5	17	17.0	
K296323		3.9	112	3.9	17.8	59	113.0	
K296324		4.5	120	3.1	22.3	152	119.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11132645

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

CERTIFICATE WH11129847

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 46- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129847

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297433		9.60	0.01	0.08	0.21	266	100	0.13	0.02	20.2	0.27	6.78	1.0	6	0.37	1.9
K297434		6.45	0.01	0.03	0.43	139	570	0.20	0.01	20.1	0.07	9.63	1.7	5	0.97	2.9
K297435		10.91	<0.01	0.01	0.08	234	110	0.09	<0.01	20.2	0.04	2.69	1.0	2	0.11	2.6
K297436		11.72	<0.01	0.04	0.43	58	50	0.23	0.01	19.50	0.48	9.28	1.4	4	1.43	3.0
K297437		11.69	<0.01	0.04	0.52	149	80	0.20	0.01	19.05	0.08	9.26	1.6	5	1.40	3.6
K297438		11.49	0.01	0.05	0.63	563	550	0.23	0.01	19.75	0.37	11.50	1.9	6	1.44	3.6
K297439		7.04	<0.01	0.01	0.10	8	20	0.07	0.07	21.4	0.06	1.43	1.3	3	0.21	1.7
K297440		6.41	0.04	0.07	0.19	1100	830	0.12	<0.01	19.95	0.21	5.35	1.3	3	0.36	1.5
K297441		1.54	0.02	0.05	0.12	608	80	0.14	<0.01	19.55	0.02	3.31	1.3	2	1.69	1.7
K297442		4.92	0.40	0.27	0.80	>10000	120	0.25	0.03	14.65	1.88	15.60	2.5	8	3.07	7.5
K297443		4.48	0.30	0.24	0.53	>10000	300	0.22	0.01	18.50	0.38	10.75	1.5	6	5.10	5.1
K297444		4.27	0.07	0.12	0.16	>10000	230	0.14	0.02	17.95	1.25	6.26	1.1	3	1.21	3.2
K297445		0.22	7.17	0.28	3.42	1060	160	0.89	0.59	11.00	4.49	43.0	6.0	88	7.78	35.8
K297446		5.42	0.02	0.04	0.10	2110	3430	0.07	0.01	19.55	0.04	3.34	0.9	3	0.44	1.2
K297447		10.03	<0.01	0.03	0.12	2960	1370	0.08	<0.01	20.2	0.06	3.76	1.0	2	0.28	1.4
K297448		11.98	<0.01	0.02	0.10	1860	940	0.09	<0.01	20.0	<0.02	4.06	1.2	3	0.19	1.6
K297449		10.63	<0.01	0.03	0.10	673	250	0.10	<0.01	20.3	0.06	3.75	1.2	2	0.17	1.6
K297450		11.55	<0.01	0.04	0.09	648	510	0.13	<0.01	21.1	0.05	3.29	1.3	2	0.16	1.6
K297451		11.39	<0.01	0.04	0.07	1190	410	0.08	0.01	20.0	0.07	3.44	0.9	2	0.12	5.2
K297452		10.85	0.01	0.08	0.15	4330	410	0.13	0.01	19.65	0.66	5.89	1.3	4	0.29	3.3
K297453		12.44	<0.01	0.02	0.12	474	160	0.17	0.01	19.95	0.05	3.97	1.1	2	0.14	2.2
K297454		12.18	0.01	0.06	0.23	219	170	0.13	0.02	19.45	0.46	5.95	1.5	4	0.27	5.3
K297455		11.72	<0.01	0.01	0.08	572	180	0.14	0.01	19.05	0.09	2.82	0.9	2	0.08	1.4
K297456		11.03	0.02	0.08	0.36	6130	1420	0.15	0.01	17.35	0.62	7.41	1.6	9	0.83	3.0
K297457		12.11	<0.01	0.04	0.32	829	150	0.12	0.01	17.85	0.35	5.75	1.3	6	0.63	2.7
K297458		7.08	<0.01	<0.01	0.06	9	10	0.05	0.01	17.30	0.06	1.31	1.0	2	0.20	1.8
K297459		12.10	0.02	0.05	0.25	5410	390	0.08	0.01	17.35	0.04	5.02	1.3	5	0.35	2.1
K297460		9.01	0.04	0.08	0.50	1670	400	0.13	0.01	17.35	0.05	7.74	1.3	8	0.70	3.3
K297461		4.74	0.03	0.10	0.54	2790	500	0.14	0.02	17.50	0.15	8.09	1.3	9	0.83	3.5
K297462		11.33	0.01	0.08	0.73	2560	250	0.16	0.02	18.75	0.07	10.80	1.6	9	1.10	4.2
K297463		11.43	<0.01	0.06	0.99	289	120	0.20	0.03	17.45	0.27	13.25	1.9	12	1.79	4.8
K297464		0.22	0.35	0.32	6.12	596	1650	0.55	0.27	0.44	0.18	131.5	2.8	242	3.56	31.5
K297465		11.53	0.01	0.07	0.43	850	170	0.13	0.01	17.85	0.39	6.89	1.2	6	0.54	2.8
K297466		10.93	0.01	0.10	0.69	683	890	0.20	0.01	16.70	1.75	8.93	1.2	14	1.22	3.4
K297467		10.62	<0.01	0.09	1.18	1110	170	0.26	0.02	14.25	0.05	12.10	1.4	10	2.57	3.2
K297468		6.81	<0.01	0.05	1.17	4430	480	0.19	0.02	10.55	0.04	9.69	1.2	16	2.13	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129847

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297433		1.11	0.60	0.06	0.1	0.81	0.005	0.08	4.3	1.2	12.55	967	0.20	0.01	0.4	1.7
K297434		0.74	1.18	0.09	0.3	0.66	0.006	0.19	6.2	2.5	12.60	784	0.19	0.02	0.9	1.1
K297435		0.42	0.31	0.12	0.1	0.25	<0.005	0.03	1.6	1.1	12.65	547	0.36	0.01	0.2	0.4
K297436		1.92	1.20	0.08	0.3	1.20	0.006	0.20	5.7	2.7	12.15	709	0.46	0.01	0.8	0.7
K297437		1.23	1.35	0.07	0.3	0.74	0.006	0.24	5.6	3.0	11.80	601	0.48	0.02	1.0	1.1
K297438		0.55	1.60	0.11	0.4	1.83	0.005	0.29	7.0	3.1	12.35	657	0.44	0.02	1.2	1.6
K297439		0.45	0.33	0.13	<0.1	0.01	<0.005	0.04	0.7	1.6	13.40	194	0.09	0.01	0.4	2.2
K297440		0.72	0.60	0.12	0.1	7.08	0.006	0.07	3.5	1.5	12.55	588	0.80	0.02	0.4	0.9
K297441		1.38	0.39	0.07	0.1	1.62	<0.005	0.05	2.1	1.0	12.20	788	0.26	0.01	0.3	0.7
K297442		1.37	2.06	0.08	0.4	15.8	0.052	0.25	10.4	4.5	9.01	650	0.58	0.01	1.3	3.9
K297443		1.46	1.34	0.07	0.2	12.8	0.016	0.16	7.5	2.2	11.35	1240	0.36	0.01	0.9	2.7
K297444		0.61	0.70	0.07	0.1	>100	0.035	0.05	4.1	2.1	11.05	800	0.35	0.01	0.4	1.8
K297445		1.31	7.33	0.17	2.4	6.09	0.068	1.43	28.8	10.7	0.71	255	12.30	0.01	7.7	61.0
K297446		0.29	0.35	0.10	<0.1	1.99	<0.005	0.03	2.5	1.7	12.25	473	0.32	0.06	0.3	0.7
K297447		0.28	0.45	0.15	<0.1	1.11	0.005	0.03	2.7	1.1	12.75	452	0.40	0.03	0.3	1.5
K297448		0.31	0.44	0.16	0.1	1.21	<0.005	0.04	2.9	1.1	12.55	577	0.43	0.02	0.3	2.0
K297449		0.32	0.39	0.17	0.1	1.31	<0.005	0.03	2.7	0.9	12.75	564	0.52	0.01	0.3	2.0
K297450		0.26	0.42	0.20	0.1	5.17	<0.005	0.03	2.4	1.1	13.20	554	0.32	0.02	0.3	2.3
K297451		0.28	0.27	0.10	<0.1	1.91	<0.005	0.02	2.7	1.1	12.50	510	0.45	0.01	0.3	2.5
K297452		0.48	0.48	0.10	0.1	9.20	0.007	0.05	4.1	1.2	12.15	743	0.38	0.01	0.5	3.5
K297453		0.33	0.40	0.17	<0.1	0.60	<0.005	0.04	2.6	1.2	12.25	752	0.27	0.01	0.4	1.4
K297454		0.60	0.68	0.10	0.1	2.62	<0.005	0.08	4.5	1.1	12.00	860	0.51	0.01	0.6	3.3
K297455		0.24	0.34	0.19	<0.1	0.71	<0.005	0.02	2.1	0.9	11.90	560	0.38	0.01	0.3	1.7
K297456		0.47	0.94	0.12	0.2	4.27	0.008	0.13	4.8	1.7	10.80	600	0.79	0.01	0.8	4.8
K297457		0.52	0.81	0.11	0.2	1.66	<0.005	0.13	3.2	1.3	11.10	685	0.98	0.01	0.7	3.4
K297458		0.38	0.25	0.14	<0.1	0.01	<0.005	0.03	0.6	0.9	10.75	193	0.08	<0.01	0.3	2.7
K297459		0.37	0.71	0.16	0.2	1.37	0.006	0.09	2.9	1.1	10.85	604	0.73	0.01	0.6	2.8
K297460		0.42	1.19	0.12	0.3	1.69	0.005	0.20	4.4	1.4	10.75	655	0.21	0.01	1.0	4.4
K297461		0.49	1.29	0.12	0.3	2.06	0.005	0.22	4.8	1.5	10.80	696	0.22	0.01	1.0	3.8
K297462		1.57	1.60	0.07	0.4	2.51	0.007	0.29	6.0	2.0	11.20	1420	0.15	0.01	1.5	3.7
K297463		1.09	2.30	0.08	0.6	2.58	0.007	0.43	7.4	2.6	10.60	1040	0.14	0.01	2.1	5.3
K297464		6.32	18.00	0.26	4.0	10.2	0.050	1.27	66.4	17.6	0.13	35	6.62	0.36	9.7	15.8
K297465		0.67	0.97	0.06	0.2	1.58	<0.005	0.17	4.1	1.3	11.00	766	0.20	0.01	0.8	2.8
K297466		0.69	1.48	0.08	0.4	4.62	0.007	0.30	5.2	2.1	10.30	980	0.26	0.01	1.1	6.2
K297467		0.86	2.31	0.08	0.7	1.19	0.006	0.54	6.4	3.3	8.65	869	0.27	0.01	1.5	3.7
K297468		0.73	2.23	0.05	0.5	2.20	0.008	0.50	5.2	2.9	6.34	1290	0.34	0.01	1.2	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129847

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297433		490	20.0	3.1	<0.002	0.92	0.41	0.5	1	<0.2	99.4	<0.05	<0.05	0.4	0.009	0.77
K297434		370	24.9	7.7	<0.002	0.67	0.50	1.0	1	0.2	114.5	0.06	<0.05	0.9	0.022	0.85
K297435		730	8.8	1.3	<0.002	0.31	0.25	0.2	1	<0.2	91.7	<0.05	<0.05	0.2	<0.005	0.28
K297436		450	33.9	8.0	<0.002	2.35	0.31	0.9	1	0.2	89.8	0.06	<0.05	0.9	0.021	1.83
K297437		570	28.0	9.2	<0.002	1.34	0.48	1.1	1	0.2	108.5	0.07	<0.05	1.0	0.026	1.18
K297438		410	25.8	11.4	<0.002	0.51	0.65	1.2	2	0.2	120.0	0.08	<0.05	1.3	0.030	1.53
K297439		240	1.3	2.2	<0.002	0.01	<0.05	0.3	1	<0.2	46.1	<0.05	<0.05	<0.2	0.005	0.05
K297440		510	14.0	2.9	<0.002	0.77	0.35	0.5	1	<0.2	114.0	<0.05	<0.05	0.4	0.008	1.77
K297441		220	18.0	1.8	<0.002	1.53	0.32	0.3	1	<0.2	76.2	<0.05	<0.05	0.3	0.005	1.17
K297442		1260	148.5	10.4	<0.002	4.02	6.28	0.7	1	0.4	456	0.09	<0.05	1.6	0.030	12.75
K297443		880	55.8	6.8	<0.002	2.02	2.38	0.6	1	0.2	351	0.06	<0.05	1.0	0.018	15.35
K297444		480	44.4	2.1	<0.002	2.39	7.38	0.5	1	0.2	248	<0.05	<0.05	0.4	0.006	4.07
K297445		4170	4.4	115.5	0.037	1.38	17.80	6.8	10	1.8	145.0	0.54	0.57	6.7	0.204	11.65
K297446		330	29.6	1.5	<0.002	0.46	1.19	0.3	2	<0.2	86.1	<0.05	<0.05	0.2	<0.005	1.37
K297447		380	7.6	1.4	<0.002	0.43	0.34	0.3	2	<0.2	110.5	<0.05	<0.05	0.2	<0.005	0.83
K297448		350	6.4	1.5	<0.002	0.33	0.26	0.3	1	<0.2	99.9	<0.05	<0.05	0.2	<0.005	1.34
K297449		350	13.1	1.2	<0.002	0.25	0.42	0.3	1	<0.2	104.0	<0.05	<0.05	0.2	<0.005	1.30
K297450		320	9.6	1.1	<0.002	0.21	0.30	0.3	1	<0.2	133.5	<0.05	<0.05	0.2	<0.005	1.60
K297451		330	12.4	1.0	<0.002	0.27	0.40	0.4	1	<0.2	98.2	<0.05	<0.05	0.2	<0.005	2.46
K297452		420	25.2	2.0	<0.002	0.62	0.59	0.5	1	<0.2	117.0	<0.05	<0.05	0.4	0.006	4.84
K297453		230	14.7	1.6	<0.002	0.23	0.28	0.5	1	<0.2	118.0	<0.05	<0.05	0.3	<0.005	0.88
K297454		450	25.8	2.5	<0.002	0.45	0.45	0.6	1	<0.2	119.5	<0.05	<0.05	0.7	0.010	2.67
K297455		230	4.7	0.9	<0.002	0.15	0.17	0.4	1	<0.2	92.9	<0.05	<0.05	0.2	<0.005	0.76
K297456		370	53.2	4.5	<0.002	0.86	1.28	0.7	1	0.2	208	0.08	<0.05	0.9	0.014	3.56
K297457		430	27.0	4.3	<0.002	0.39	0.38	0.6	1	<0.2	102.0	<0.05	<0.05	0.9	0.013	1.71
K297458		190	1.1	1.4	<0.002	0.01	<0.05	0.3	1	<0.2	33.8	<0.05	<0.05	<0.2	<0.005	<0.02
K297459		300	11.3	3.2	<0.002	0.55	0.68	0.6	1	<0.2	127.0	<0.05	<0.05	0.6	0.010	1.54
K297460		390	14.3	6.3	<0.002	0.43	0.50	0.9	1	<0.2	109.5	0.06	<0.05	1.1	0.019	2.10
K297461		400	24.3	7.2	<0.002	0.56	1.11	0.9	1	<0.2	114.0	0.06	<0.05	1.2	0.020	2.65
K297462		370	24.9	9.2	<0.002	0.75	0.61	1.2	1	0.2	129.5	0.09	<0.05	1.6	0.028	2.99
K297463		420	39.1	13.4	<0.002	0.67	0.60	1.6	1	0.3	95.7	0.13	<0.05	2.1	0.041	2.86
K297464		890	17.8	45.2	0.003	3.08	110.5	14.6	2	2.8	508	0.77	0.12	9.8	0.528	7.43
K297465		260	30.3	5.5	<0.002	0.61	0.72	0.8	1	<0.2	108.0	0.05	<0.05	0.9	0.015	1.67
K297466		490	37.8	9.2	<0.002	0.54	1.34	0.9	1	0.2	106.0	0.07	<0.05	1.4	0.022	2.21
K297467		300	30.8	16.0	<0.002	0.68	0.91	1.2	1	0.2	90.0	0.11	<0.05	2.0	0.033	1.91
K297468		260	26.5	15.0	<0.002	0.74	0.58	1.1	1	0.2	54.6	0.09	<0.05	1.7	0.028	3.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129847

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
K297433		0.9	1	0.4	2.9	68	4.3		
K297434		1.4	4	0.7	3.6	13	9.4		
K297435		0.8	1	0.1	2.0	6	2.1		
K297436		1.0	3	0.6	3.6	198	9.7		
K297437		1.2	5	0.7	3.8	19	11.2		
K297438		1.3	5	1.0	4.2	53	13.4		
K297439		0.5	1	0.1	0.9	17	0.5		
K297440		1.0	1	0.7	2.6	41	4.3		
K297441		1.0	<1	0.5	1.5	7	3.3		
K297442		4.2	4	3.2	5.4	292	13.5	3.74	
K297443		3.5	3	2.0	4.9	62	8.2	1.000	
K297444		2.5	2	0.8	3.7	213	3.3	2.84	154.5
K297445		8.6	375	34.5	27.4	270	80.5		
K297446		1.9	1	0.4	2.5	6	1.8		
K297447		1.9	1	0.2	2.7	11	1.9		
K297448		2.0	1	0.3	2.8	3	2.0		
K297449		1.7	<1	0.3	2.5	8	2.0		
K297450		2.0	<1	0.3	2.3	9	1.9		
K297451		1.6	1	0.3	2.4	12	1.8		
K297452		2.2	2	0.5	3.6	148	3.1		
K297453		1.4	2	0.2	3.0	10	2.1		
K297454		2.2	3	0.4	3.8	162	4.0		
K297455		1.1	2	0.2	2.0	14	1.5		
K297456		2.5	2	0.9	3.6	122	8.9		
K297457		2.1	3	0.6	2.9	71	7.8		
K297458		0.6	2	0.1	0.7	15	<0.5		
K297459		1.6	3	0.5	2.6	9	6.2		
K297460		2.2	3	0.8	3.9	10	11.6		
K297461		2.2	4	0.9	3.9	23	12.3		
K297462		2.5	6	1.1	4.6	16	15.5		
K297463		2.6	8	1.2	5.5	47	21.5		
K297464		7.3	161	22.2	15.1	43	166.5		
K297465		1.7	3	0.6	3.5	79	10.0		
K297466		2.3	4	1.0	4.4	403	14.5		
K297467		1.9	5	1.3	4.3	10	25.0		
K297468		1.4	4	1.2	3.3	6	19.3		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11129847

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11133082

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 47 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133082

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297469		9.98	0.03	0.13	0.48	>10000	100	0.11	0.02	13.80	1.51	5.16	1.1	7	1.39	8.0
K297470		11.35	0.05	0.09	0.29	>10000	230	0.08	0.02	8.84	0.39	1.09	0.8	4	1.15	4.6
K297471		7.62	0.03	0.03	0.27	>10000	210	0.26	0.01	18.55	0.43	7.61	1.2	5	0.59	3.6
K297472		10.22	0.01	0.10	6.81	243	390	1.30	0.19	4.00	0.28	45.0	31.4	66	16.00	139.5
K297473		12.87	0.01	0.05	8.52	325	790	2.78	0.31	0.84	0.09	82.4	24.3	71	20.6	95.3
K297474		11.07	<0.01	<0.01	8.01	65.0	390	2.45	0.47	0.27	<0.02	77.4	19.9	67	53.9	10.0
K297475		10.47	<0.01	<0.01	7.50	64.0	380	2.20	0.41	0.17	<0.02	79.3	17.7	54	49.6	9.1
K297476		9.05	<0.01	<0.01	7.57	74.2	960	2.36	0.48	0.26	<0.02	76.0	17.4	60	46.6	10.9
K297477		13.61	<0.01	<0.01	7.66	900	1140	2.64	0.54	0.13	<0.02	91.4	19.0	59	48.4	15.6
K297478		8.18	0.01	0.16	2.98	988	1130	0.84	0.13	0.34	<0.02	36.9	7.5	40	11.40	5.5
K297479		12.76	<0.01	0.15	2.05	696	650	0.60	0.08	2.02	<0.02	27.4	7.5	34	6.98	38.5
K297480		10.60	0.01	3.79	3.21	2590	770	1.05	0.17	1.73	0.17	35.7	17.0	40	11.25	326
K297481		6.93	<0.01	0.03	0.06	22	20	0.06	0.01	19.90	0.06	1.15	1.2	1	0.15	1.7
K297482		5.36	<0.01	0.31	5.36	587	370	2.11	0.26	1.89	0.02	59.1	27.3	46	24.4	272
K297483		0.21	7.95	0.46	3.54	928	170	0.94	0.57	12.35	4.02	41.9	5.8	98	7.26	33.6
K297484		5.59	0.01	0.16	5.75	1030	820	2.21	0.24	0.88	<0.02	68.0	10.6	45	31.9	20.5
K297485		9.18	<0.01	0.01	6.40	65.4	400	2.63	0.32	0.40	<0.02	72.6	12.4	52	45.1	5.5
K297486		9.85	<0.01	0.07	5.69	727	250	2.12	0.26	1.13	0.03	60.7	11.3	43	31.2	8.3
K297487		10.01	<0.01	0.03	6.46	46.4	300	2.34	0.31	1.23	<0.02	75.2	8.6	51	47.5	4.8
K297488		5.00	<0.01	0.01	6.50	49.9	290	2.44	0.30	1.09	<0.02	72.7	9.0	50	46.7	5.4
K297489		10.89	<0.01	0.02	4.46	45.5	310	1.62	0.20	2.99	<0.02	51.8	8.2	38	31.5	4.3
K297490		11.14	<0.01	0.01	5.65	37.9	370	2.32	0.18	2.22	<0.02	62.3	7.9	45	43.5	3.6
K297492		11.11	<0.01	0.03	3.62	25	200	1.48	0.16	10.30	<0.02	44.9	11.8	25	29.0	10.3
K297493		11.72	<0.01	0.03	2.93	39	360	1.48	0.13	13.40	<0.02	33.1	9.0	20	14.30	29.6
K297494		11.80	<0.01	0.04	1.98	128	160	0.91	0.09	15.05	<0.02	23.7	4.1	14	7.89	7.7
K297495		11.73	0.01	0.03	2.64	107	140	1.03	0.11	15.25	<0.02	29.3	5.5	19	10.75	5.2
K297496		6.91	<0.01	<0.01	0.07	<5	10	0.07	0.01	20.0	0.05	1.19	1.2	2	0.17	1.2
K297497		11.04	0.01	0.04	1.55	150	470	0.62	0.07	15.65	0.22	19.70	4.0	11	5.59	6.4
K297498		11.43	0.01	0.05	2.48	459	490	0.87	0.09	13.90	0.03	28.0	5.5	18	7.60	9.7
K297499		10.32	<0.01	0.06	2.02	105	160	0.78	0.09	15.75	0.02	23.4	6.4	15	7.27	17.5
K297500		4.07	0.01	0.24	6.60	313	470	2.27	0.24	6.61	0.47	66.1	9.7	46	26.5	7.1
K298501		13.88	0.01	0.09	0.49	494	370	0.18	0.02	18.30	0.29	10.30	2.0	4	0.97	3.2
K298502		0.21	16.20	1.06	1.90	978	320	0.40	0.53	14.15	0.61	28.9	3.5	36	2.20	56.3
K298503		9.30	0.02	0.06	0.47	319	400	0.21	0.02	18.45	0.10	10.40	1.9	5	0.87	3.0
K298504		10.74	0.01	0.03	0.30	156	60	0.14	0.01	19.85	0.04	6.06	1.4	4	0.57	1.9
K297491		11.45	0.01	<0.01	6.59	28.9	290	2.53	0.45	2.25	<0.02	85.9	19.1	45	67.2	40.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133082

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297469		0.79	1.27	0.07	0.3	>100	0.068	0.20	1.8	5.0	8.06	775	0.92	0.01	0.8	1.2
K297470		0.93	0.91	0.06	0.1	>100	0.107	0.10	<0.5	5.4	5.13	763	0.45	<0.01	0.5	0.6
K297471		1.02	0.99	0.09	0.2	32.0	0.021	0.10	4.4	2.4	10.45	2050	0.28	0.01	0.7	2.6
K297472		6.25	20.9	0.18	2.8	0.65	0.093	2.01	18.7	193.5	3.19	1160	0.52	0.24	11.5	47.7
K297473		6.12	27.2	0.25	4.4	0.72	0.122	3.74	35.6	65.0	1.70	394	0.39	0.04	24.4	45.1
K297474		5.28	24.0	0.23	2.2	0.14	0.066	4.52	36.9	12.2	0.86	573	0.42	0.04	13.9	39.3
K297475		4.85	22.4	0.25	2.2	0.10	0.057	4.26	37.6	11.6	0.76	545	0.34	0.04	12.8	34.7
K297476		4.58	21.8	0.23	2.5	0.70	0.063	4.05	36.5	14.3	0.80	347	0.39	0.04	13.0	30.9
K297477		5.05	24.0	0.26	2.6	1.15	0.059	4.14	43.3	17.5	0.72	87	0.51	0.03	14.3	32.6
K297478		2.00	7.74	0.11	1.2	0.85	0.023	1.41	18.3	11.5	0.28	106	0.52	0.01	5.2	11.7
K297479		1.52	4.90	0.09	0.9	1.18	0.022	0.99	13.1	8.8	1.00	748	0.39	<0.01	3.5	8.2
K297480		2.20	7.76	0.11	1.4	8.16	0.030	1.50	17.9	14.1	0.99	533	4.08	<0.01	5.4	15.2
K297481		0.47	0.20	0.09	<0.1	0.02	<0.005	0.02	0.6	0.9	12.50	205	0.13	<0.01	0.3	0.9
K297482		2.99	14.25	0.15	2.2	4.38	0.042	2.52	30.0	24.8	1.31	532	0.89	0.01	9.7	26.1
K297483		1.38	7.24	0.14	2.0	5.48	0.060	1.47	27.2	10.7	0.73	269	11.80	<0.01	8.3	64.6
K297484		2.05	15.40	0.14	2.2	0.61	0.048	2.86	34.0	27.2	0.84	176	0.35	0.02	10.2	14.2
K297485		2.26	17.50	0.15	2.4	0.14	0.049	3.40	36.5	31.5	0.74	76	0.22	0.02	11.2	16.1
K297486		3.60	14.30	0.17	2.1	0.18	0.046	2.92	30.8	24.0	0.99	244	0.64	0.01	9.7	17.3
K297487		3.27	16.10	0.17	2.5	0.14	0.052	3.41	37.8	31.9	1.16	281	0.54	0.02	11.0	13.5
K297488		2.84	16.65	0.16	2.4	0.14	0.052	3.46	36.5	32.9	1.11	235	0.39	0.02	11.3	12.9
K297489		3.03	10.75	0.15	1.8	0.09	0.039	2.31	25.5	23.7	1.93	630	0.42	0.01	7.5	10.1
K297490		2.38	13.50	0.13	2.3	0.17	0.043	2.99	31.7	33.0	1.65	432	0.34	0.02	10.2	10.4
K297492		2.44	8.56	0.12	1.4	0.10	0.031	1.90	23.3	22.9	6.10	1240	0.20	0.01	6.4	11.9
K297493		2.26	7.13	0.10	1.2	0.51	0.024	1.45	18.7	18.6	7.93	1400	0.12	0.01	5.3	9.1
K297494		1.47	4.83	0.09	0.8	0.22	0.016	1.00	14.3	14.3	9.23	1300	0.09	<0.01	3.5	3.8
K297495		1.53	6.44	0.09	1.1	0.51	0.017	1.29	17.9	21.0	9.48	1200	0.10	<0.01	4.7	5.8
K297496		0.44	0.23	0.10	<0.1	<0.01	0.005	0.03	0.6	1.0	12.65	187	0.06	<0.01	0.4	1.3
K297497		1.36	3.79	0.08	0.7	0.82	0.013	0.77	12.0	12.4	9.69	1220	0.09	<0.01	2.8	4.0
K297498		1.44	5.93	0.09	1.1	0.61	0.016	1.17	17.6	16.2	8.58	1240	0.11	<0.01	4.3	6.5
K297499		1.15	4.88	0.07	0.9	0.48	0.013	0.99	14.1	12.5	9.76	1250	0.13	<0.01	3.7	5.1
K297500		2.38	16.75	0.13	2.6	2.20	0.047	3.30	38.0	39.8	4.34	586	0.24	0.02	12.4	14.5
K298501		1.52	1.20	0.06	0.3	1.74	0.005	0.22	5.8	2.1	11.30	966	0.46	<0.01	1.0	1.8
K298502		3.43	3.36	0.10	0.7	5.79	0.049	0.38	16.7	40.4	0.69	436	12.10	<0.01	3.5	18.9
K298503		1.15	1.05	0.06	0.3	1.78	0.005	0.20	5.9	2.2	11.35	1100	0.35	<0.01	0.9	1.8
K298504		0.60	0.70	0.07	0.1	0.48	<0.005	0.12	3.7	1.6	12.30	971	0.14	<0.01	0.7	1.2
K297491		2.86	16.80	0.25	2.8	0.09	0.052	3.61	43.5	42.6	1.78	335	0.33	0.02	10.8	19.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133082

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297469		180	63.3	7.0	<0.002	4.75	6.13	0.8	1	1.3	89.8	0.05	<0.05	0.7	0.017	14.65
K297470		200	25.8	4.6	<0.002	>10.0	5.52	0.7	2	0.4	29.3	<0.05	<0.05	<0.2	0.010	68.6
K297471		420	25.1	4.0	<0.002	2.06	0.85	1.2	1	0.2	148.0	<0.05	<0.05	0.6	0.011	23.8
K297472		640	8.8	99.3	<0.002	0.51	0.20	28.5	3	1.9	80.1	0.83	0.25	4.9	0.667	1.09
K297473		730	11.9	174.5	<0.002	0.58	0.28	24.2	4	3.5	204	1.76	0.43	11.3	0.648	1.80
K297474		250	9.6	173.0	<0.002	0.01	0.78	16.6	1	2.5	84.3	0.91	0.05	12.6	0.360	0.84
K297475		260	9.6	163.0	<0.002	0.01	0.67	15.1	2	2.3	80.3	0.87	0.06	12.1	0.344	0.69
K297476		260	11.0	158.5	<0.002	0.98	0.61	15.4	2	2.4	90.9	0.89	0.07	12.4	0.346	3.88
K297477		260	13.4	166.5	<0.002	2.56	0.84	16.7	2	2.6	110.5	0.96	0.07	13.7	0.343	3.89
K297478		380	4.9	57.0	<0.002	1.13	0.41	5.4	1	1.2	97.4	0.35	<0.05	5.8	0.148	1.80
K297479		330	3.7	36.1	<0.002	0.55	0.44	4.0	1	1.2	79.1	0.24	<0.05	4.3	0.104	0.72
K297480		250	10.6	54.9	<0.002	1.37	2.98	6.1	1	1.3	85.5	0.38	<0.05	6.3	0.160	1.75
K297481		180	1.0	1.0	<0.002	0.03	<0.05	0.2	1	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	0.02
K297482		260	17.3	104.0	<0.002	2.11	0.92	10.7	1	2.0	96.7	0.65	0.05	10.6	0.270	1.65
K297483		4360	4.4	115.5	0.035	1.40	18.05	6.7	9	1.7	149.5	0.51	0.51	6.0	0.215	12.90
K297484		280	8.7	122.0	<0.002	1.15	0.63	11.9	1	2.2	74.2	0.69	<0.05	11.4	0.286	1.33
K297485		270	8.1	143.0	<0.002	1.29	0.35	13.4	1	2.5	66.4	0.78	<0.05	12.9	0.315	0.83
K297486		360	13.3	117.0	<0.002	2.94	1.12	10.4	1	2.4	67.4	0.63	<0.05	10.5	0.272	0.94
K297487		280	10.4	138.0	<0.002	2.28	0.50	12.7	1	2.3	70.4	0.78	0.05	12.7	0.313	1.06
K297488		280	9.7	139.0	<0.002	2.04	0.47	13.0	1	2.4	64.3	0.78	0.05	12.6	0.318	1.05
K297489		510	9.1	92.9	<0.002	2.31	0.35	8.1	1	1.5	90.0	0.51	<0.05	8.3	0.208	0.86
K297490		270	9.6	120.0	<0.002	1.66	0.37	10.2	1	1.8	75.6	0.70	<0.05	10.8	0.271	1.08
K297492		840	9.1	76.0	<0.002	1.93	0.29	6.7	1	1.2	93.3	0.42	<0.05	6.5	0.169	0.90
K297493		500	12.3	57.8	<0.002	1.64	0.22	5.9	1	1.0	109.0	0.34	<0.05	5.4	0.139	1.07
K297494		390	10.5	35.0	<0.002	0.83	0.20	3.8	1	0.6	86.3	0.23	<0.05	3.9	0.097	0.58
K297495		700	13.8	49.2	<0.002	1.12	0.21	5.3	1	0.8	89.2	0.30	<0.05	4.9	0.133	1.17
K297496		220	1.1	1.2	<0.002	0.01	<0.05	0.3	1	<0.2	45.6	<0.05	<0.05	<0.2	0.007	<0.02
K297497		440	17.4	28.7	<0.002	0.99	0.18	2.9	1	0.6	103.0	0.18	<0.05	3.0	0.077	1.21
K297498		520	29.2	41.3	<0.002	1.04	0.27	4.5	1	0.8	142.5	0.29	<0.05	5.1	0.121	1.18
K297499		500	15.1	35.1	<0.002	0.69	0.18	3.8	1	0.6	94.2	0.23	<0.05	4.0	0.098	0.84
K297500		540	295	116.5	<0.002	2.14	3.68	13.0	1	2.1	89.8	0.78	<0.05	12.3	0.321	3.60
K298501		330	743	7.0	<0.002	1.42	0.73	0.9	1	0.2	152.5	0.05	<0.05	0.9	0.023	2.46
K298502		650	20.9	22.4	0.006	1.96	146.5	3.6	3	1.8	44.5	0.23	0.39	3.3	0.104	3.49
K298503		300	1135	5.8	<0.002	0.84	0.30	0.8	1	0.2	137.5	0.05	<0.05	0.9	0.022	2.85
K298504		350	9.4	3.8	<0.002	0.33	0.15	0.5	1	<0.2	100.5	<0.05	<0.05	0.5	0.015	0.57
K297491		440	21.1	141.5	<0.002	2.17	0.52	13.6	2	2.3	76.2	0.85	0.05	13.3	0.307	1.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133082

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
K297469		1.4	3	1.3	2.3	210	10.3	7.69	141.0
K297470		1.1	4	1.0	2.1	93	4.9	18.75	842
K297471		3.2	5	1.1	4.1	158	5.2	2.78	
K297472		1.4	215	1.4	27.2	98	99.9		
K297473		3.2	165	1.9	30.5	107	144.0		
K297474		1.4	58	1.8	16.5	51	72.5		
K297475		1.3	94	1.6	15.8	46	69.2		
K297476		2.3	80	1.8	16.1	44	76.4		
K297477		3.2	71	4.2	17.0	43	83.6		
K297478		1.2	31	4.9	9.0	12	44.1		
K297479		0.8	20	2.5	7.3	9	32.5		
K297480		1.2	29	12.5	8.6	37	46.5		
K297481		0.4	3	0.2	0.8	17	<0.5		
K297482		2.0	52	5.8	13.8	21	79.8		
K297483		7.7	396	35.3	29.1	286	73.7		
K297484		1.5	60	4.7	14.5	18	78.2		
K297485		1.7	68	1.7	15.2	19	83.3		
K297486		1.6	55	2.9	14.3	26	75.4		
K297487		1.7	66	1.7	15.2	19	85.0		
K297488		1.7	67	1.6	15.1	23	85.1		
K297489		1.5	43	1.1	13.6	11	61.3		
K297490		1.4	51	1.3	14.2	17	82.6		
K297492		1.1	34	0.8	13.9	15	51.2		
K297493		1.0	26	1.4	10.5	10	43.4		
K297494		0.8	18	1.7	7.8	6	29.4		
K297495		1.2	25	3.0	10.9	7	41.2		
K297496		0.4	3	0.1	0.8	14	<0.5		
K297497		0.9	15	1.9	7.0	73	26.9		
K297498		2.4	25	2.9	9.3	15	41.2		
K297499		3.4	23	1.6	8.8	9	34.4		
K297500		2.8	63	8.8	18.9	91	95.1		
K298501		0.9	5	0.8	3.9	104	9.6		
K298502		3.2	106	208	15.3	72	26.6		
K298503		0.9	5	1.0	3.4	47	9.7		
K298504		1.1	4	0.4	3.0	8	5.9		
K297491		2.0	61	1.6	16.2	20	96.3		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133082

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

CERTIFICATE WH11133081

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 48 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133081

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296325		6.29	<0.01	0.03	0.06	19	10	<0.05	0.02	19.85	<0.02	5.65	7.3	2	0.14	1.3
K296326		11.77	<0.01	0.05	2.56	43	150	0.90	0.10	21.6	0.10	27.8	5.9	20	9.29	8.7
K296327		10.02	<0.01	0.08	2.40	33	100	0.85	0.10	17.60	0.07	25.7	6.0	20	8.16	10.8
K296328		10.89	0.01	0.22	1.75	31	170	0.61	0.06	10.90	0.11	28.7	7.7	19	6.01	7.9
K296329		11.07	<0.01	0.19	2.59	31	210	0.85	0.09	11.30	0.09	32.1	14.5	24	12.90	11.5
K296330		10.86	<0.01	0.13	7.49	139.0	350	2.59	0.31	4.58	0.06	78.4	26.8	56	40.5	33.9
K296331		10.31	<0.01	0.11	3.63	46	200	1.16	0.14	12.25	0.04	36.9	9.1	27	16.30	23.0
K296332		10.77	<0.01	0.07	6.49	19.8	230	1.87	0.29	9.88	0.03	66.7	15.3	43	34.6	26.4
K296333		5.00	<0.01	0.10	7.37	17.6	260	2.12	0.34	6.54	0.03	72.7	13.7	53	45.6	28.6
K296334		6.14	<0.01	0.06	1.38	26	80	0.60	0.04	23.4	0.07	19.05	3.0	11	5.12	8.8
K296335		7.40	<0.01	0.09	3.07	25	130	0.89	0.11	21.3	0.04	32.4	5.1	25	10.55	6.1
K296336		0.54	0.34	0.34	6.11	598	2110	0.66	0.30	0.47	0.18	137.0	3.2	230	3.78	28.4
K296337		5.83	<0.01	0.12	3.42	94	220	0.96	0.13	19.60	0.06	35.6	8.1	26	12.00	11.6
K296338		3.72	<0.01	0.02	0.71	58	400	0.25	0.02	20.4	0.10	12.15	2.3	5	1.91	5.9
K296339		6.56	<0.01	0.10	0.98	44	420	0.29	0.03	27.7	0.04	13.40	3.6	9	2.73	4.8
K296340		6.20	<0.01	0.01	0.06	<5	20	0.08	0.02	20.2	0.07	1.28	1.4	<1	0.20	1.6
K296341		10.60	<0.01	0.10	0.58	30	700	0.18	0.02	28.0	0.04	9.01	3.3	6	1.22	4.3
K296342		3.17	<0.01	0.13	0.95	49	330	0.31	0.03	27.3	0.03	14.05	4.6	9	2.77	4.9
K296343		1.94	<0.01	0.12	0.87	40	410	0.30	0.03	27.4	0.03	13.85	4.6	8	2.56	4.4
K296344		6.60	<0.01	0.07	3.82	88	160	0.83	0.13	19.10	0.05	39.1	5.8	29	12.25	11.4
K296345		3.36	<0.01	0.04	2.70	176	160	0.73	0.10	19.50	0.08	29.8	5.0	19	9.72	10.7
K296346		3.86	<0.01	0.03	7.75	81.6	290	2.19	0.25	3.63	0.02	78.5	10.5	63	34.7	48.7
K296347		7.87	<0.01	0.07	4.56	128	170	1.13	0.17	16.50	0.05	47.9	7.8	32	16.75	26.6
K296348		6.56	<0.01	0.05	6.06	380	220	1.42	0.22	12.65	0.04	59.8	10.1	41	23.2	20.3
K296349		3.34	<0.01	0.03	7.81	228	290	2.42	0.33	2.55	0.03	66.8	14.4	71	37.1	30.2
K296350		3.56	<0.01	0.12	4.48	120	200	1.12	0.16	15.60	0.05	47.6	10.5	32	16.90	11.7
K296351		6.90	<0.01	<0.01	0.08	<5	20	0.06	0.02	19.80	0.06	1.28	1.4	1	0.57	1.5
K296352		8.35	<0.01	0.02	6.95	213	250	1.75	0.22	8.14	0.02	73.3	9.4	46	28.6	29.5
K296353		7.77	<0.01	0.06	4.10	72	150	0.98	0.15	16.85	0.05	44.2	8.8	29	15.10	14.2
K296354		7.18	0.03	<0.01	8.58	44.5	340	2.43	0.38	1.17	<0.02	83.0	12.1	70	43.2	42.5
K296355		5.36	<0.01	0.03	6.67	51.8	640	1.74	0.24	7.51	0.02	73.1	11.0	43	33.5	29.5
K296356		5.51	<0.01	0.07	5.76	39	200	1.39	0.24	11.50	0.03	61.0	14.4	39	24.2	16.4
K296357		0.20	2.59	1.06	3.11	561	780	0.68	0.29	7.72	2.13	48.5	6.6	52	3.84	42.7
K296358		12.34	<0.01	0.07	6.82	76.6	220	1.70	0.26	8.35	0.04	68.8	12.8	47	30.6	35.7
K296359		11.46	<0.01	0.04	7.21	40.5	220	1.77	0.27	7.24	0.02	74.1	12.0	49	31.8	29.8
K296360		8.24	<0.01	0.05	7.70	18.6	230	1.72	0.34	5.60	0.03	76.4	12.7	56	39.7	36.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133081

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296325		5.15	0.28	<0.05	<0.1	0.24	0.006	0.02	2.1	0.8	9.05	1020	0.09	0.01	0.3	12.6
K296326		1.80	7.03	<0.05	1.2	0.35	0.022	1.21	15.4	8.7	4.50	456	0.45	0.03	4.3	9.3
K296327		2.12	6.71	<0.05	1.2	0.45	0.021	1.15	14.2	9.0	6.94	510	1.01	0.03	4.1	10.7
K296328		2.35	4.44	<0.05	2.0	0.38	0.016	0.81	14.9	7.9	4.99	877	1.02	0.02	3.4	10.6
K296329		4.19	7.10	<0.05	2.0	0.23	0.023	1.22	16.7	11.4	5.21	709	2.65	0.03	4.7	18.5
K296330		5.41	22.3	0.16	3.1	0.43	0.078	3.60	42.5	29.4	1.77	406	0.84	0.04	12.1	43.5
K296331		3.51	9.71	0.05	2.0	0.13	0.032	1.74	19.7	11.1	5.63	924	0.85	0.03	5.6	13.6
K296332		3.24	18.05	0.08	2.8	0.06	0.057	3.21	36.4	24.5	2.31	506	0.51	0.05	10.0	26.1
K296333		3.53	21.3	0.14	3.0	0.04	0.068	3.66	39.7	34.0	2.17	551	0.56	0.05	11.4	27.9
K296334		1.57	4.04	<0.05	0.7	0.01	0.017	0.66	10.5	8.9	6.32	413	0.20	0.03	2.6	5.4
K296335		1.50	8.23	<0.05	1.4	0.03	0.026	1.45	17.6	17.4	2.20	400	0.53	0.03	4.9	9.8
K296336		6.48	21.4	0.19	4.1	9.5	0.053	1.32	65.8	19.8	0.12	35	6.74	0.36	10.4	16.4
K296337		1.64	9.80	<0.05	1.6	0.06	0.031	1.61	19.4	18.6	2.11	342	0.58	0.03	5.7	14.8
K296338		1.51	2.03	0.13	0.4	0.01	0.007	0.33	6.6	4.4	8.56	501	0.21	0.04	1.2	4.4
K296339		1.13	2.71	0.12	0.6	0.05	0.007	0.46	7.8	4.4	1.93	419	2.04	0.02	1.6	6.7
K296340		0.46	0.27	0.10	<0.1	<0.01	<0.005	0.02	0.7	1.0	12.35	202	0.09	<0.01	0.3	2.8
K296341		1.16	1.61	0.12	0.5	0.05	0.006	0.27	5.2	2.6	2.37	444	1.82	0.02	1.1	6.6
K296342		1.15	2.45	0.11	0.6	0.07	0.010	0.44	7.7	4.6	2.34	382	1.31	0.01	1.6	7.8
K296343		1.17	2.33	0.12	0.6	0.07	0.008	0.40	7.4	4.2	2.35	388	1.14	0.01	1.5	7.3
K296344		1.67	9.91	0.12	1.7	0.05	0.028	1.77	23.7	14.4	2.33	390	0.50	0.03	5.4	12.2
K296345		1.49	7.17	0.12	1.3	0.04	0.025	1.26	17.4	15.9	5.20	346	0.42	0.03	4.1	11.2
K296346		2.59	24.0	0.18	3.7	0.02	0.061	3.85	45.7	69.8	1.25	253	0.22	0.05	12.8	28.1
K296347		2.08	12.30	0.15	2.1	0.04	0.039	2.14	28.0	27.3	1.95	440	0.60	0.04	6.8	17.9
K296348		2.35	16.30	0.16	2.6	0.05	0.049	2.84	35.0	41.5	1.80	375	0.64	0.05	8.7	23.6
K296349		3.47	25.1	0.22	3.9	0.03	0.072	3.85	35.7	87.8	1.07	330	0.49	0.05	13.8	36.2
K296350		2.47	12.10	0.15	2.0	0.03	0.043	2.02	26.7	32.0	3.64	597	0.50	0.05	6.8	18.8
K296351		0.47	0.34	0.11	<0.1	<0.01	<0.005	0.04	0.7	1.2	12.15	202	0.07	<0.01	0.4	2.9
K296352		3.43	19.05	0.17	3.0	0.02	0.058	3.18	43.7	64.9	2.87	679	0.55	0.06	10.0	25.1
K296353		2.55	10.85	0.15	1.8	0.03	0.045	1.86	25.1	27.7	3.43	662	0.77	0.04	5.9	16.9
K296354		3.87	25.9	0.21	3.8	0.02	0.078	4.08	45.6	93.6	1.11	274	0.25	0.07	13.4	32.8
K296355		3.84	18.75	0.18	3.1	0.03	0.070	3.02	42.0	61.0	3.31	691	0.34	0.06	10.3	26.3
K296356		3.67	15.15	0.19	2.5	0.04	0.049	2.60	34.1	46.4	2.12	666	0.61	0.05	8.4	25.5
K296357		2.05	7.91	0.14	1.7	4.61	0.027	0.94	31.7	36.8	2.42	262	18.60	0.03	6.7	51.0
K296358		3.44	18.35	0.18	2.9	0.03	0.056	3.10	41.0	56.2	2.06	545	0.51	0.05	9.6	25.8
K296359		3.57	20.1	0.20	3.0	0.04	0.058	3.29	43.6	58.2	1.90	590	0.40	0.05	10.5	27.1
K296360		3.90	20.8	0.20	2.9	0.04	0.064	3.45	43.9	73.2	1.65	493	0.37	0.05	10.8	29.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133081

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296325		340	0.7	0.8	<0.002	0.08	0.13	0.3	1	<0.2	57.0	<0.05	<0.05	<0.2	<0.005	0.68
K296326		510	11.4	50.4	<0.002	0.34	0.30	5.3	1	0.9	299	0.29	<0.05	4.7	0.112	1.16
K296327		410	11.7	44.7	0.002	0.67	0.40	4.7	1	0.8	241	0.28	<0.05	4.9	0.106	1.12
K296328		1010	12.0	34.9	<0.002	0.32	0.48	3.0	2	0.7	169.5	0.24	<0.05	4.9	0.082	1.42
K296329		650	15.4	48.4	<0.002	2.68	0.89	5.0	2	0.8	176.0	0.33	<0.05	5.8	0.121	1.58
K296330		1350	22.0	162.5	<0.002	4.19	1.40	16.8	2	2.7	124.5	0.88	0.06	13.6	0.357	2.67
K296331		520	7.7	73.5	<0.002	0.33	0.49	7.0	1	1.1	199.5	0.39	<0.05	6.9	0.155	0.77
K296332		860	12.0	148.5	<0.002	0.16	0.46	13.4	2	2.0	320	0.71	0.06	11.6	0.287	0.82
K296333		560	10.6	168.0	<0.002	0.12	0.36	15.2	2	2.3	207	0.83	0.06	12.5	0.333	0.86
K296334		360	4.3	34.0	<0.002	0.03	0.15	3.0	1	0.5	485	0.16	<0.05	2.9	0.063	0.15
K296335		490	6.3	62.3	<0.002	0.03	0.27	6.4	1	1.0	589	0.35	<0.05	6.0	0.134	0.33
K296336		900	19.1	48.6	0.003	3.08	113.5	17.3	2	2.9	501	0.78	0.12	9.6	0.525	7.62
K296337		500	7.8	71.8	<0.002	0.06	0.71	7.3	1	1.2	710	0.39	<0.05	6.4	0.148	0.55
K296338		880	2.8	13.5	<0.002	0.03	0.15	1.4	1	0.3	241	0.08	<0.05	1.5	0.031	0.13
K296339		200	7.9	18.2	<0.002	0.07	0.41	1.7	1	0.4	1535	0.11	<0.05	2.1	0.041	0.21
K296340		180	1.3	1.4	<0.002	0.02	<0.05	0.2	1	<0.2	48.8	<0.05	<0.05	<0.2	<0.005	<0.02
K296341		140	8.8	9.9	<0.002	0.09	0.37	0.9	2	0.3	1665	0.07	<0.05	1.3	0.025	0.16
K296342		230	7.4	17.3	<0.002	0.11	0.38	1.8	2	0.3	1360	0.11	<0.05	2.1	0.040	0.27
K296343		210	7.3	15.7	<0.002	0.11	0.35	1.7	2	0.3	1395	0.10	<0.05	1.9	0.036	0.26
K296344		560	8.1	75.2	<0.002	0.05	0.41	6.2	1	1.3	635	0.39	<0.05	6.8	0.163	0.49
K296345		490	5.4	54.6	<0.002	0.04	0.48	4.9	1	0.9	465	0.28	<0.05	5.0	0.119	0.40
K296346		930	8.3	143.5	<0.002	0.06	0.42	14.8	1	2.9	105.0	0.95	0.06	13.5	0.395	0.84
K296347		580	7.7	97.2	<0.002	0.04	0.55	8.1	1	1.5	555	0.47	<0.05	8.5	0.202	0.56
K296348		600	9.6	128.5	<0.002	0.03	1.01	10.1	1	2.0	384	0.62	0.05	10.7	0.260	0.96
K296349		980	7.5	131.5	<0.002	0.02	0.70	16.1	1	3.0	93.3	0.99	0.07	12.2	0.424	0.89
K296350		610	11.2	96.5	<0.002	0.08	0.54	7.9	1	1.5	398	0.47	<0.05	8.2	0.192	0.55
K296351		170	1.3	2.6	<0.002	0.02	<0.05	0.3	1	<0.2	42.6	<0.05	<0.05	<0.2	<0.005	0.02
K296352		580	6.9	151.0	<0.002	0.05	0.59	12.0	1	2.3	188.0	0.71	0.08	12.3	0.301	0.79
K296353		630	9.2	84.1	<0.002	0.09	0.39	7.0	1	1.3	504	0.43	<0.05	7.4	0.175	0.51
K296354		670	6.8	186.5	<0.002	0.06	0.34	16.2	1	3.0	84.3	0.94	0.12	14.5	0.404	0.89
K296355		730	8.4	151.5	<0.002	0.05	0.37	12.4	1	2.2	133.5	0.74	0.08	12.4	0.300	0.64
K296356		580	11.8	125.0	<0.002	0.14	0.46	10.7	1	1.8	430	0.59	0.07	10.1	0.250	0.68
K296357		860	35.6	48.3	0.022	1.52	106.5	4.7	4	2.5	70.3	0.42	0.17	6.5	0.163	3.72
K296358		630	10.2	148.5	<0.002	0.18	0.52	11.8	1	2.1	260	0.69	0.07	12.0	0.296	0.72
K296359		610	9.9	157.0	<0.002	0.12	0.42	12.7	1	2.3	250	0.74	0.06	12.7	0.310	0.79
K296360		930	15.3	157.5	<0.002	0.15	0.45	13.5	1	2.3	226	0.74	0.07	12.5	0.324	0.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133081

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296325		2.0	2	<0.1	5.1	19	0.8
K296326		5.3	34	0.9	10.8	51	43.5
K296327		7.9	42	0.8	9.6	18	40.4
K296328		4.1	23	0.6	11.3	53	70.7
K296329		5.6	34	0.6	12.9	83	69.9
K296330		3.3	98	2.4	24.9	84	107.5
K296331		4.9	49	1.9	13.2	22	67.4
K296332		6.4	87	1.2	22.1	33	96.7
K296333		4.6	97	1.4	21.1	36	104.5
K296334		4.8	19	0.4	8.1	14	27.0
K296335		6.4	39	0.8	11.8	18	49.3
K296336		7.5	161	22.1	15.0	42	158.5
K296337		8.0	46	0.9	12.9	22	58.1
K296338		3.5	13	0.2	4.8	15	16.3
K296339		12.5	15	0.2	4.7	16	22.5
K296340		0.5	2	0.1	0.8	17	0.5
K296341		14.2	10	0.2	3.4	18	18.2
K296342		14.9	17	0.2	5.7	15	24.8
K296343		15.3	15	0.2	5.6	13	24.3
K296344		7.7	50	0.7	11.1	24	65.1
K296345		6.3	35	0.6	9.8	19	47.7
K296346		4.5	111	1.8	17.8	48	133.5
K296347		7.9	61	0.9	14.5	30	78.1
K296348		7.2	80	1.2	16.8	39	95.8
K296349		3.8	118	1.8	21.2	64	140.0
K296350		7.9	60	1.3	17.1	35	73.3
K296351		0.7	2	0.1	0.8	13	0.6
K296352		5.3	94	1.4	19.2	46	109.0
K296353		7.2	55	0.8	15.8	28	66.1
K296354		3.3	126	1.8	22.5	65	135.0
K296355		4.7	92	1.5	22.4	45	113.0
K296356		6.0	77	1.1	20.0	43	90.7
K296357		8.8	220	26.7	19.3	201	67.6
K296358		5.1	93	1.3	19.3	46	105.0
K296359		4.9	97	1.4	20.8	50	109.5
K296360		4.7	100	1.5	23.4	57	109.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133081

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11135091

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 49 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135091

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298073		10.85	0.03	0.17	1.84	628	100	0.68	0.05	15.60	0.20	21.8	3.2	17	4.83	7.7
K298074		9.58	0.08	0.15	0.58	673	50	0.27	0.02	19.20	2.47	9.42	1.9	7	1.37	5.9
K298075		11.18	0.16	0.18	0.49	1060	40	0.24	0.02	19.50	0.27	7.95	2.0	5	1.34	6.8
K298076		12.53	0.07	0.07	0.42	923	30	0.24	0.02	20.3	0.09	7.40	1.8	5	1.06	4.6
K298077		13.11	0.26	0.15	0.58	1240	50	0.24	0.02	20.6	0.09	9.79	2.3	6	1.49	5.6
K298078		5.50	0.35	0.25	2.90	1020	200	0.78	0.08	14.00	0.12	34.5	4.4	24	7.49	18.3
K298079		5.72	1.68	0.58	2.74	2070	180	0.83	0.08	15.20	0.25	34.3	4.9	25	6.86	26.0
K298080		10.73	0.29	0.52	2.47	609	150	0.59	0.07	9.71	0.28	32.1	4.3	30	5.59	14.9
K298081		9.67	0.04	0.58	3.36	871	260	0.76	0.10	8.56	0.20	38.8	5.8	41	8.08	15.1
K298082		8.31	0.03	0.17	2.11	954	110	0.50	0.06	17.15	0.23	22.8	3.5	23	4.22	10.2
K298083		11.31	0.03	0.07	0.49	298	90	0.16	0.02	34.9	0.13	6.87	1.2	6	1.00	4.8
K298084		11.21	0.03	0.15	0.34	241	190	0.14	0.01	33.8	0.27	6.64	1.0	4	0.87	3.2
K298085		4.81	0.04	0.16	0.37	257	340	0.18	0.01	35.0	0.24	7.83	1.1	4	1.03	2.7
K298086		9.43	0.32	0.09	1.05	806	410	0.39	0.03	29.1	0.19	18.20	2.0	11	2.78	7.2
K298087		5.42	1.49	0.15	0.76	1270	160	0.31	0.03	30.1	0.32	10.70	1.8	8	2.15	7.7
K298088		0.29	2.87	1.09	3.10	583	850	0.79	0.31	8.11	2.32	47.0	6.2	52	3.69	39.7
K298089		10.72	0.53	0.11	0.88	288	100	0.46	0.03	33.4	0.16	14.55	1.8	9	2.49	6.4
K298090		10.37	0.29	0.07	0.45	1130	60	0.25	0.02	34.2	0.16	9.26	1.3	5	1.47	4.1
K298091		11.46	0.49	0.05	0.38	1710	50	0.26	0.01	35.5	0.10	8.45	1.3	3	0.84	3.8
K298092		7.84	1.13	0.18	1.08	1520	130	0.40	0.04	29.3	0.14	18.50	2.5	11	2.35	11.8
K298093		8.52	6.04	1.00	0.97	>10000	100	0.18	0.07	5.02	2.69	36.4	1.8	18	1.98	10.8
K298094		0.29	8.10	0.53	3.36	1210	160	0.80	0.58	12.00	4.26	49.8	5.1	94	7.89	31.0
K298095		6.08	11.15	1.52	1.11	>10000	100	0.22	0.05	4.50	5.47	63.5	2.1	20	2.09	16.2
K298096		6.08	11.90	1.63	0.97	>10000	70	0.20	0.06	3.95	2.98	30.7	1.9	20	2.14	13.7
K298097		5.69	19.70	1.83	1.37	>10000	80	0.34	0.06	10.35	2.00	40.6	2.3	21	2.73	12.1
K298098		6.16	15.60	1.09	4.00	>10000	490	1.05	0.10	9.47	0.78	64.6	7.6	46	11.30	21.0
K298099		6.98	0.02	0.01	0.06	73	20	0.07	0.02	21.5	0.08	1.21	1.2	<1	0.17	1.6
K298100		4.16	8.41	0.86	3.83	>10000	430	0.80	0.09	9.79	0.62	46.8	5.3	39	13.70	24.2
K298101		5.63	4.90	0.46	0.83	>10000	130	0.25	0.03	27.0	0.43	10.95	1.4	11	1.98	6.0
K298102		7.84	0.76	0.08	2.38	770	130	0.95	0.05	24.4	0.11	33.4	4.5	25	9.44	14.2
K298103		12.54	2.15	0.09	3.33	1140	190	1.12	0.08	15.45	0.13	51.5	5.2	36	12.10	18.9
K298104		11.24	0.62	0.11	3.68	599	230	1.25	0.09	15.05	0.10	59.6	6.6	44	16.00	26.7
K298105		11.00	0.16	0.06	2.75	253	150	1.04	0.07	15.55	0.05	40.3	5.1	29	10.70	16.8
K298106		12.20	0.07	0.02	1.53	606	120	0.71	0.04	28.7	0.09	24.4	3.1	16	6.17	15.1
K298107		6.98	0.01	<0.01	0.08	20	20	0.07	0.02	21.2	0.05	1.57	1.7	1	0.22	1.8
K298108		11.87	0.02	0.11	3.50	236	360	1.19	0.09	11.30	0.05	47.6	6.2	33	15.20	18.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135091

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298073		0.76	4.01	0.08	1.4	2.44	0.013	0.90	11.8	12.4	9.19	285	0.98	<0.01	3.2	7.0
K298074		0.35	1.82	0.11	0.3	6.40	0.009	0.28	5.4	5.3	11.00	380	0.39	0.01	1.1	1.7
K298075		0.50	1.54	0.19	0.3	3.56	0.005	0.23	4.5	4.3	11.20	428	0.36	0.01	1.0	2.7
K298076		0.30	1.45	0.28	0.2	1.23	0.007	0.20	4.4	3.7	11.60	436	0.36	0.01	0.9	2.7
K298077		0.40	1.94	0.25	0.4	1.67	0.005	0.28	5.4	5.2	11.30	962	0.50	0.01	1.3	3.6
K298078		1.44	8.05	0.18	1.9	2.99	0.020	1.45	17.1	22.2	5.58	600	2.62	0.02	5.2	10.7
K298079		1.29	7.60	0.15	1.7	6.76	0.021	1.37	17.6	19.4	4.67	1570	2.32	0.02	5.2	12.5
K298080		1.32	6.94	<0.05	2.8	2.10	0.019	1.23	15.1	16.9	3.89	342	4.65	0.02	4.5	10.8
K298081		1.30	10.00	<0.05	3.7	3.40	0.024	1.68	17.7	22.7	4.41	278	5.33	0.02	6.2	13.9
K298082		1.04	6.20	<0.05	2.1	2.52	0.017	1.07	11.1	14.1	4.70	433	1.40	0.02	3.7	3.9
K298083		0.21	1.46	<0.05	0.3	1.21	0.005	0.25	3.9	3.4	0.49	196	0.31	0.01	1.0	<0.2
K298084		0.24	0.91	<0.05	0.2	1.43	0.005	0.17	3.7	2.3	0.54	132	0.43	<0.01	0.8	<0.2
K298085		0.24	0.92	<0.05	0.3	0.83	0.005	0.18	4.4	2.8	0.51	145	0.51	0.01	0.8	<0.2
K298086		0.51	2.46	<0.05	0.8	4.84	0.012	0.55	9.5	7.7	1.58	541	0.49	0.01	2.0	<0.2
K298087		0.36	1.90	<0.05	0.4	13.8	0.009	0.38	6.6	8.2	0.46	290	0.83	0.01	1.5	<0.2
K298088		2.15	7.42	0.05	1.8	4.41	0.030	0.98	26.9	44.7	2.52	278	18.80	0.03	6.7	49.3
K298089		0.32	2.08	<0.05	0.5	2.85	0.008	0.45	8.3	5.6	0.60	506	0.65	0.01	1.8	0.6
K298090		0.23	1.25	0.07	0.3	1.83	0.006	0.22	5.5	2.9	0.41	647	0.74	0.01	1.1	0.9
K298091		0.17	1.40	0.08	0.2	3.5	0.008	0.19	4.8	2.2	0.34	3450	0.42	0.01	1.1	2.9
K298092		0.45	2.84	<0.05	0.7	12.2	0.010	0.53	9.8	5.5	0.75	3000	0.69	0.01	2.2	4.4
K298093		0.79	2.65	<0.05	0.6	54.0	0.142	0.39	19.4	15.3	0.38	987	0.77	<0.01	1.6	4.6
K298094		1.33	6.39	<0.05	2.3	6.3	0.065	1.42	30.3	9.9	0.70	264	11.25	0.01	7.5	60.2
K298095		1.23	3.45	0.05	0.7	52.1	0.154	0.50	30.1	17.9	0.22	706	0.59	<0.01	2.0	5.4
K298096		1.50	2.75	<0.05	0.7	65.8	0.145	0.44	17.1	17.0	0.40	801	0.76	<0.01	1.7	5.4
K298097		1.82	3.68	<0.05	0.9	79.8	0.079	0.65	21.7	20.4	0.49	2300	0.63	0.01	2.1	4.8
K298098		1.98	9.42	<0.05	3.1	68.8	0.048	1.97	31.6	30.9	1.55	1040	0.65	0.01	6.4	17.3
K298099		0.47	0.25	<0.05	<0.1	0.7	<0.005	0.03	0.6	1.0	13.05	216	0.07	0.01	0.2	1.9
K298100		1.52	8.01	<0.05	2.8	31.0	0.043	1.56	23.7	29.0	1.55	1200	0.79	0.01	6.1	12.1
K298101		0.48	2.06	<0.05	0.5	13.6	0.030	0.41	6.1	10.2	0.51	2030	0.46	<0.01	1.5	1.2
K298102		0.86	5.45	<0.05	1.6	3.2	0.018	1.20	16.5	19.5	1.36	491	0.44	0.01	4.2	8.2
K298103		1.38	7.27	<0.05	2.8	5.6	0.027	1.69	25.1	22.3	3.14	751	0.54	0.02	6.4	11.1
K298104		1.48	8.06	0.05	2.8	2.5	0.025	1.87	29.7	23.8	3.05	423	0.71	0.02	7.7	14.6
K298105		1.31	5.95	<0.05	2.7	0.8	0.020	1.49	19.8	16.2	4.50	274	0.62	0.02	4.9	9.9
K298106		0.72	3.41	<0.05	1.0	0.7	0.012	0.86	12.6	8.0	1.51	203	0.17	0.01	2.9	6.7
K298107		0.44	0.51	0.32	<0.1	<0.1	<0.005	0.04	0.7	1.1	12.40	191	0.11	0.01	0.5	4.5
K298108		1.55	7.51	0.07	3.0	0.1	0.023	2.09	22.8	19.1	5.63	309	0.79	0.03	5.9	14.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135091

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298073		320	8.2	28.1	<0.002	0.06	5.24	2.9	2	0.5	138.5	0.21	<0.05	3.9	0.083	2.40
K298074		120	4.9	8.8	<0.002	0.09	2.91	1.3	2	0.4	113.0	0.07	<0.05	1.1	0.024	1.30
K298075		130	7.3	7.4	<0.002	0.07	2.81	1.1	2	0.7	97.2	0.06	<0.05	1.0	0.021	2.41
K298076		210	5.2	6.2	<0.002	0.14	4.03	1.0	2	0.2	83.5	0.05	<0.05	0.9	0.019	1.62
K298077		230	6.4	9.2	<0.002	0.24	7.48	1.5	2	0.3	91.7	0.07	<0.05	1.3	0.026	3.12
K298078		780	14.9	45.8	<0.002	0.89	10.60	5.0	3	1.0	165.5	0.35	<0.05	6.2	0.133	8.11
K298079		1000	12.5	45.6	0.003	0.86	14.75	5.0	3	1.0	295	0.34	<0.05	6.4	0.128	23.8
K298080		1450	15.2	46.5	0.006	0.35	7.17	4.3	2	0.8	166.5	0.36	<0.05	6.1	0.124	7.94
K298081		1170	17.9	65.2	0.024	0.23	8.87	5.6	4	1.1	146.0	0.48	<0.05	8.2	0.168	7.24
K298082		420	10.0	41.0	0.003	0.17	9.66	3.5	1	0.7	363	0.29	<0.05	5.1	0.101	4.75
K298083		230	4.6	9.8	<0.002	0.07	2.73	0.8	1	0.2	1225	0.06	<0.05	1.0	0.021	2.48
K298084		160	4.0	6.1	<0.002	0.11	2.37	0.6	1	0.2	1000	<0.05	<0.05	0.7	0.015	1.77
K298085		150	3.9	6.1	<0.002	0.10	2.79	0.7	<1	0.2	1010	0.05	<0.05	0.8	0.016	1.92
K298086		250	5.4	18.7	<0.002	0.14	7.14	2.0	1	0.4	515	0.14	<0.05	2.2	0.048	7.45
K298087		230	5.7	14.2	<0.002	0.12	13.95	1.1	1	0.9	872	0.10	<0.05	1.3	0.032	14.85
K298088		870	36.1	49.8	0.022	1.50	105.5	5.0	3	2.4	72.4	0.45	0.17	6.2	0.169	3.86
K298089		150	4.7	16.3	0.002	0.22	4.54	1.9	1	0.3	605	0.10	<0.05	1.6	0.039	8.24
K298090		110	3.7	8.2	0.002	0.22	6.45	1.3	1	0.2	840	0.05	<0.05	0.9	0.019	6.20
K298091		100	3.3	7.0	<0.002	0.21	4.47	1.3	1	0.2	776	<0.05	<0.05	0.8	0.016	7.95
K298092		200	7.3	19.8	0.002	0.44	15.70	2.5	1	0.4	595	0.13	<0.05	2.2	0.049	26.0
K298093		440	6.7	17.4	0.002	9.98	595	0.9	4	0.6	97.4	0.12	0.11	2.1	0.044	185.5
K298094		4060	4.4	110.0	0.036	1.32	19.40	6.0	8	1.7	139.0	0.54	0.54	5.8	0.207	11.80
K298095		510	8.9	21.6	0.002	>10.0	433	0.9	5	0.6	98.7	0.14	0.18	2.8	0.052	94.1
K298096		380	10.1	19.4	0.002	>10.0	485	0.9	4	0.6	48.4	0.12	0.21	2.3	0.043	197.0
K298097		490	10.7	26.4	0.002	4.24	257	1.2	3	0.9	67.4	0.16	0.25	3.1	0.056	271
K298098		680	9.3	76.7	0.002	2.14	134.0	4.5	2	1.5	280	0.51	0.10	8.4	0.186	195.5
K298099		190	<0.5	1.4	<0.002	<0.01	0.19	0.3	2	<0.2	49.4	<0.05	<0.05	<0.2	<0.005	0.24
K298100		720	10.2	62.5	0.002	1.81	114.5	5.2	2	1.4	291	0.46	0.06	7.6	0.172	114.0
K298101		350	4.4	16.0	<0.002	1.23	70.6	2.5	1	0.4	518	0.10	<0.05	1.5	0.035	55.0
K298102		400	5.4	47.3	0.002	0.32	13.50	4.4	1	0.8	495	0.30	<0.05	4.8	0.106	19.00
K298103		590	6.0	63.6	0.002	0.44	23.5	5.7	1	1.3	193.0	0.45	<0.05	7.4	0.162	29.0
K298104		680	6.5	68.5	<0.002	0.39	11.35	6.1	1	1.7	240	0.53	<0.05	8.2	0.183	12.05
K298105		440	6.0	53.7	<0.002	0.17	2.51	4.7	1	1.2	267	0.37	<0.05	6.4	0.135	3.37
K298106		280	3.9	32.2	<0.002	0.09	3.45	2.8	1	0.6	583	0.19	<0.05	3.3	0.070	4.18
K298107		200	1.2	1.5	<0.002	0.01	0.09	0.4	<1	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.06
K298108		550	8.3	73.4	<0.002	0.16	1.25	5.4	2	1.4	194.5	0.45	<0.05	8.1	0.164	0.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135091

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298073		8.6	26	1.6	7.3	92	51.2	
K298074		6.6	10	0.7	3.0	1020	10.5	
K298075		7.0	12	0.8	2.7	121	8.3	
K298076		7.3	8	0.7	2.8	21	7.3	
K298077		10.2	12	0.9	3.3	17	10.6	
K298078		12.3	44	2.4	11.5	46	61.7	
K298079		10.7	58	2.4	11.9	62	56.2	
K298080		7.1	100	1.9	13.1	45	104.0	
K298081		8.0	185	2.7	15.2	21	137.0	
K298082		11.6	38	1.5	9.6	57	77.0	
K298083		13.4	7	0.4	4.0	25	10.1	
K298084		13.3	9	0.3	2.9	25	8.5	
K298085		14.4	10	0.3	2.9	23	9.0	
K298086		13.5	20	0.8	6.6	29	26.7	
K298087		15.4	18	0.8	3.5	45	12.9	
K298088		8.9	228	27.6	21.2	213	67.7	
K298089		15.4	19	0.8	4.8	25	19.7	
K298090		17.4	11	0.5	3.8	29	11.8	
K298091		14.2	8	0.5	4.0	19	9.2	
K298092		18.2	21	1.4	7.8	26	26.5	
K298093		12.2	35	1.9	12.5	280	19.6	21.9
K298094		7.6	378	35.9	28.0	278	78.4	
K298095		15.3	38	2.2	14.4	596	24.2	19.45
K298096		16.4	39	2.5	15.6	272	21.0	21.0
K298097		19.8	35	3.9	52.0	179	29.0	6.28
K298098		13.6	70	4.7	46.9	84	100.5	2.08
K298099		0.6	2	0.1	0.9	20	0.5	
K298100		22.8	63	4.4	13.0	60	96.8	1.830
K298101		10.8	22	1.6	7.6	25	16.5	1.475
K298102		8.5	37	2.4	9.7	26	61.9	
K298103		5.4	54	3.2	14.4	31	96.5	
K298104		6.0	63	3.3	14.2	21	93.7	
K298105		6.6	45	2.4	11.9	15	93.4	
K298106		8.0	23	1.0	7.8	20	40.7	
K298107		0.7	2	0.2	0.9	16	0.6	
K298108		6.2	51	1.4	13.7	20	107.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135091

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

CERTIFICATE WH11135391

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- Batch 50

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11135391

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298109		10.68	<0.01	0.08	3.31	73	300	1.08	0.08	18.25	0.02	38.7	6.3	26	14.70	17.0
K298110		10.30	<0.01	0.15	2.57	254	610	0.70	0.07	23.5	0.15	28.9	3.9	26	9.03	16.5
K298111		11.18	<0.01	0.15	1.43	140	150	0.38	0.04	28.9	0.21	15.70	2.5	18	4.51	8.8
K298112		11.25	<0.01	0.11	2.36	70	470	0.71	0.05	25.5	0.08	27.6	4.1	21	11.10	12.4
K298113		0.21	0.34	0.31	5.97	586	1390	0.68	0.28	0.45	0.18	141.0	3.3	257	3.49	30.1
K298114		12.09	<0.01	0.10	2.53	65	680	0.85	0.07	18.80	0.08	31.0	4.0	26	9.38	12.4
K298115		12.23	<0.01	0.10	2.60	94	450	1.02	0.07	18.00	0.09	36.8	4.5	27	10.15	13.9
K298116		11.48	<0.01	0.04	2.17	181	150	0.84	0.06	23.5	0.04	24.1	3.5	17	7.10	13.7
K298117		11.44	<0.01	0.04	2.66	182	180	0.96	0.08	21.5	0.05	32.5	4.4	23	8.21	20.5
K298118		12.36	<0.01	0.04	2.18	261	400	0.66	0.06	17.95	0.06	28.2	3.5	18	4.47	8.2
K298119		12.00	<0.01	0.04	1.93	128	130	0.64	0.06	24.3	0.06	24.1	3.4	15	5.79	14.9
K298120		10.57	<0.01	0.03	1.31	55	460	0.44	0.05	26.9	0.09	16.20	2.3	10	3.95	7.5
K298121		10.81	<0.01	0.05	2.42	114	340	0.92	0.07	20.9	0.20	33.6	4.3	20	9.94	15.9
K298122		5.58	<0.01	0.04	2.44	106	290	0.89	0.07	21.9	0.10	30.7	4.0	21	8.99	13.8
K298123		11.61	<0.01	0.07	2.89	75	470	1.01	0.07	17.75	0.10	32.7	4.8	27	11.05	14.2
K298124		6.99	<0.01	0.02	0.08	<5	20	0.07	0.02	17.90	0.06	1.77	0.6	2	0.23	3.6
K298125		10.60	<0.01	0.02	0.99	27	70	0.32	0.02	28.4	0.38	16.85	1.7	9	1.75	4.7
K298126		10.32	<0.01	0.03	1.69	67	180	0.53	0.04	24.5	0.25	24.0	2.9	17	3.47	9.0
K298127		11.55	0.01	0.07	3.74	29	310	1.17	0.09	16.30	0.10	46.1	7.3	37	10.05	22.9
K298128		11.77	<0.01	0.02	2.03	17	300	0.57	0.05	25.4	0.08	30.4	3.6	21	3.85	10.9
K298129		2.77	0.05	0.28	1.07	423	70	0.40	0.03	17.20	0.14	19.70	2.5	10	2.00	5.4
K298130		4.88	0.11	0.52	1.16	839	80	0.39	0.04	20.9	0.67	20.3	2.5	13	2.37	7.8
K298131		6.93	<0.01	0.01	0.05	<5	10	0.05	0.10	20.6	0.06	1.35	1.1	2	0.16	2.4
K298132		8.33	0.05	0.16	1.68	425	100	0.51	0.05	15.20	0.55	24.9	3.3	14	4.10	8.1
K298133		5.61	<0.01	0.12	2.32	641	130	0.67	0.07	12.70	0.06	32.0	3.4	18	6.25	11.5
K298134		3.68	0.01	0.12	3.38	420	280	0.97	0.09	12.20	0.04	41.9	5.0	27	8.53	18.1
K298135		2.63	0.01	0.15	0.69	233	40	0.26	0.02	18.70	0.05	12.20	1.8	4	1.55	4.4
K298136		2.26	0.01	0.06	0.67	256	50	0.27	0.02	18.80	0.02	11.50	1.8	4	1.53	4.2
K298137		0.22	2.72	1.10	3.11	576	850	0.79	0.27	8.08	2.35	50.8	6.6	50	4.09	45.5
K298138		6.38	0.01	0.15	0.51	638	60	0.24	0.02	19.85	0.06	9.43	1.3	4	0.99	5.5
K298139		6.86	0.03	0.25	0.42	1120	80	0.25	0.02	20.7	0.18	9.40	1.4	12	0.90	4.6
K298140		3.59	0.04	0.18	0.32	700	40	0.18	0.01	19.80	0.07	9.23	1.2	3	0.71	2.8
K298141		4.96	0.05	0.24	0.63	1120	60	0.28	0.02	19.95	0.12	9.44	1.6	6	1.76	4.4
K298142		6.44	0.04	0.24	0.61	885	40	0.24	0.02	18.90	0.06	10.10	1.9	4	1.24	4.4
K298143		4.90	0.06	0.20	0.43	6060	50	0.20	0.02	19.95	0.07	6.96	1.6	4	0.68	3.1
K298144		5.85	0.03	0.19	0.45	2220	50	0.17	0.02	20.2	0.04	7.55	1.4	4	0.94	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11135391

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298109		1.28	8.40	0.08	1.2	0.1	0.030	1.78	19.2	19.2	1.81	194	0.63	0.02	4.2	16.3
K298110		1.02	5.97	0.07	1.1	0.14	0.021	1.44	14.7	13.1	1.72	215	0.90	0.02	3.5	13.4
K298111		0.56	3.43	0.06	0.5	0.1	0.013	0.76	8.6	7.7	0.89	164	0.71	0.01	1.8	9.3
K298112		0.88	5.90	0.06	0.7	0.13	0.017	1.31	14.4	16.0	1.31	190	0.60	0.01	2.9	12.3
K298113		6.24	20.8	0.16	4.1	10.0	0.046	1.29	63.0	18.9	0.12	38	6.73	0.35	9.7	27.0
K298114		1.10	6.26	0.07	1.6	0.10	0.015	1.45	15.0	16.5	3.16	180	0.93	0.02	4.0	13.1
K298115		1.01	7.62	0.07	1.7	0.08	0.021	1.48	18.3	18.2	1.80	152	0.68	0.02	4.7	14.3
K298116		0.89	5.44	0.06	0.9	0.05	0.014	1.15	12.6	17.5	2.11	145	0.29	0.02	3.2	9.0
K298117		1.05	6.90	0.06	1.2	0.07	0.016	1.44	17.0	26.3	1.83	159	0.18	0.02	4.2	12.3
K298118		0.95	5.47	0.06	1.5	0.12	0.015	1.18	13.6	13.8	3.11	198	0.58	0.02	3.3	8.6
K298119		0.81	4.95	0.07	0.8	0.07	0.012	0.99	12.7	29.4	1.48	134	0.33	0.02	2.9	8.6
K298120		0.54	3.48	0.06	0.7	0.1	0.009	0.65	8.7	22.6	1.22	119	0.42	0.01	1.9	6.2
K298121		1.00	6.73	0.08	1.1	0.09	0.015	1.16	16.2	68.2	1.69	137	0.50	0.02	3.7	12.2
K298122		0.99	6.11	0.07	1.0	0.09	0.018	1.17	15.0	62.1	1.65	140	0.45	0.02	3.4	11.7
K298123		1.22	6.76	0.07	1.4	0.14	0.019	1.42	16.5	77.9	2.46	153	0.69	0.03	4.0	12.5
K298124		0.37	0.30	0.05	<0.1	<0.1	0.005	0.04	0.8	1.7	11.45	173	0.10	0.01	0.2	2.8
K298125		0.41	2.36	0.05	0.6	0.09	0.007	0.44	8.4	16.1	1.65	100	1.72	0.16	1.7	3.7
K298126		0.77	4.54	0.07	0.9	0.07	0.012	0.65	11.7	31.6	2.81	138	0.87	0.21	2.8	7.6
K298127		1.65	10.30	0.11	1.7	0.09	0.026	1.49	22.6	83.4	3.30	188	0.76	0.34	6.2	19.2
K298128		0.92	5.61	0.09	1.1	0.05	0.018	0.72	15.0	42.9	1.76	165	0.52	0.28	3.7	9.6
K298129		0.58	3.10	0.09	1.1	1.39	0.009	0.54	9.5	7.6	8.92	613	0.78	0.01	1.8	7.3
K298130		0.68	3.29	0.09	1.2	2.24	0.009	0.58	9.4	7.0	6.32	540	0.80	0.01	2.1	7.1
K298131		0.52	0.24	0.09	<0.1	0.01	0.005	0.02	0.6	0.9	12.50	200	0.08	0.01	0.3	4.2
K298132		1.01	4.55	0.09	1.8	1.79	0.011	0.84	11.5	10.5	7.83	260	1.10	0.02	2.9	9.1
K298133		0.96	6.17	0.09	2.5	1.23	0.016	1.16	15.4	13.5	6.84	201	1.00	0.02	3.8	9.3
K298134		1.19	9.00	0.10	2.8	2.64	0.020	1.61	19.9	20.1	6.95	232	1.67	0.02	5.4	14.0
K298135		0.39	1.85	0.10	0.5	0.84	<0.005	0.33	6.2	4.8	11.20	159	0.40	0.02	1.2	3.9
K298136		0.38	1.87	0.12	0.4	1.11	0.006	0.32	5.9	4.8	11.30	173	0.41	0.02	1.1	4.3
K298137		2.08	8.25	0.12	1.6	4.71	0.025	1.00	27.4	39.5	2.53	261	19.10	0.04	6.4	54.0
K298138		0.28	1.52	0.13	0.3	6.14	0.005	0.24	5.3	3.2	11.85	305	0.23	0.01	0.9	3.0
K298139		0.35	1.28	0.14	0.2	4.02	<0.005	0.19	5.8	2.5	12.10	384	0.20	0.02	0.7	7.3
K298140		0.26	0.97	0.18	0.1	1.77	<0.005	0.13	5.5	2.1	11.55	371	0.14	0.02	0.6	2.4
K298141		0.25	1.66	0.15	0.4	3.64	<0.005	0.26	5.1	4.5	11.90	386	0.21	0.02	1.1	3.7
K298142		0.31	1.62	0.14	0.4	3.02	<0.005	0.25	5.0	3.9	11.30	291	0.44	0.02	1.1	4.4
K298143		0.25	1.26	0.17	0.2	6.61	0.005	0.18	3.6	2.6	11.60	626	0.23	0.02	0.8	4.8
K298144		0.28	1.28	0.13	0.2	5.72	<0.005	0.21	4.0	2.6	12.10	456	0.15	0.02	0.8	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11135391

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298109		360	5.5	67.7	<0.002	0.25	0.40	5.4	1	0.9	580	0.32	<0.05	6.0	0.129	0.62
K298110		440	8.3	49.0	<0.002	0.23	1.98	3.9	1	0.7	781	0.26	<0.05	4.8	0.109	0.65
K298111		250	9.9	27.0	<0.002	0.15	1.16	2.3	1	0.5	1295	0.14	<0.05	2.6	0.059	0.43
K298112		300	8.4	49.7	<0.002	0.22	0.37	3.8	1	0.6	1730	0.23	<0.05	4.2	0.091	0.40
K298113		890	18.0	49.5	0.003	3.16	116.0	16.6	1	2.8	485	0.70	0.11	9.1	0.554	7.91
K298114		290	7.5	55.9	<0.002	0.27	0.44	4.2	1	0.8	1185	0.28	<0.05	5.3	0.118	0.47
K298115		330	8.1	68.5	<0.002	0.18	0.66	4.9	1	1.0	721	0.33	<0.05	6.2	0.124	0.59
K298116		250	5.5	50.1	<0.002	0.10	0.64	3.6	1	0.8	898	0.25	<0.05	4.0	0.096	0.39
K298117		450	6.5	61.5	<0.002	0.20	0.69	4.6	1	0.9	732	0.32	0.05	5.5	0.123	0.57
K298118		270	7.1	43.6	<0.002	0.20	0.92	3.5	1	0.7	809	0.25	<0.05	4.9	0.099	0.50
K298119		230	5.6	41.8	<0.002	0.15	0.45	3.3	1	0.6	1055	0.21	<0.05	3.7	0.085	0.27
K298120		170	6.4	28.5	<0.002	0.15	0.25	2.2	1	0.4	1315	0.13	<0.05	2.5	0.056	0.20
K298121		390	7.5	53.9	<0.002	0.20	0.31	4.3	2	0.8	1195	0.28	<0.05	4.9	0.102	0.31
K298122		380	7.1	48.3	<0.002	0.19	0.31	3.9	1	0.7	1220	0.29	<0.05	4.7	0.104	0.28
K298123		380	8.1	56.5	0.003	0.34	0.34	4.4	2	0.8	1010	0.31	<0.05	5.4	0.135	0.35
K298124		200	1.6	1.8	<0.002	<0.01	<0.05	0.3	<1	<0.2	47.9	<0.05	<0.05	0.2	<0.005	<0.02
K298125		180	5.8	19.3	<0.002	0.14	0.23	1.6	2	0.3	1985	0.13	<0.05	2.3	0.045	0.10
K298126		280	5.6	30.7	<0.002	0.19	0.33	2.9	2	0.5	936	0.22	<0.05	3.7	0.078	0.16
K298127		500	9.7	75.8	<0.002	0.25	0.37	6.7	2	1.2	554	0.50	<0.05	8.3	0.174	0.36
K298128		300	6.2	36.7	<0.002	0.07	0.19	3.7	2	0.7	874	0.29	<0.05	4.8	0.099	0.19
K298129		240	7.7	19.9	0.002	0.04	2.99	2.2	1	0.3	155.5	0.14	<0.05	2.6	0.046	1.31
K298130		300	10.5	21.9	0.002	0.02	6.28	2.4	2	0.4	590	0.16	<0.05	3.0	0.053	3.23
K298131		160	1.2	1.3	<0.002	0.05	0.05	0.2	1	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	0.02
K298132		310	9.6	30.9	0.002	0.05	4.23	3.1	2	0.5	167.5	0.24	<0.05	4.2	0.079	2.14
K298133		420	9.5	39.9	<0.002	0.06	5.29	4.0	1	0.8	151.5	0.32	<0.05	5.8	0.114	1.93
K298134		630	11.6	60.6	0.002	0.13	9.64	5.8	2	1.1	220	0.46	<0.05	8.2	0.157	2.52
K298135		120	4.5	11.8	<0.002	0.11	3.80	1.3	1	0.2	89.4	0.09	<0.05	1.5	0.031	0.66
K298136		110	4.7	11.8	<0.002	0.07	3.30	1.3	1	0.2	98.5	0.08	<0.05	1.4	0.029	0.68
K298137		860	36.8	53.1	0.023	1.52	102.5	5.5	4	2.4	70.7	0.46	0.19	6.3	0.169	4.20
K298138		110	3.2	8.6	<0.002	0.03	2.64	0.9	1	0.2	117.5	0.06	<0.05	1.0	0.022	2.72
K298139		160	8.0	6.8	<0.002	0.03	3.24	0.8	1	0.2	145.0	0.05	<0.05	0.9	0.017	2.62
K298140		120	4.5	5.1	<0.002	0.02	1.90	0.7	1	<0.2	95.3	<0.05	<0.05	0.7	0.014	1.11
K298141		160	6.0	9.9	<0.002	0.03	4.01	1.2	1	0.2	100.0	0.09	<0.05	1.4	0.029	1.93
K298142		130	6.6	9.6	<0.002	0.09	3.60	1.2	1	0.2	95.1	0.08	<0.05	1.3	0.028	1.92
K298143		90	4.3	6.9	<0.002	0.38	9.32	0.9	1	0.2	113.0	0.06	<0.05	0.9	0.019	1.56
K298144		100	4.4	7.3	<0.002	0.16	8.64	0.8	1	0.2	104.5	0.06	<0.05	1.0	0.021	1.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11135391

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298109		10.0	45	0.9	9.5	19	42.3
K298110		12.6	45	0.9	7.8	50	34.3
K298111		14.7	33	0.4	4.4	47	15.6
K298112		12.6	39	0.4	6.7	33	23.0
K298113		8.1	164	22.7	15.3	43	158.5
K298114		9.8	41	0.6	8.9	27	66.1
K298115		9.6	37	0.8	10.5	32	59.9
K298116		9.4	28	0.4	7.4	22	31.8
K298117		7.4	38	0.6	10.0	29	39.7
K298118		9.3	30	0.6	9.1	32	48.1
K298119		11.8	29	0.4	6.8	32	27.3
K298120		14.0	21	0.2	4.8	21	22.9
K298121		12.4	36	0.4	8.8	53	35.3
K298122		12.2	37	0.4	8.2	38	33.0
K298123		9.8	43	0.5	9.4	50	44.6
K298124		0.9	2	0.1	1.0	15	<0.5
K298125		12.0	16	0.2	4.9	30	24.8
K298126		8.2	28	0.4	7.3	34	35.1
K298127		10.1	57	0.7	14.0	49	63.6
K298128		12.1	37	0.4	8.9	31	41.8
K298129		7.9	16	1.6	6.1	126	41.1
K298130		13.2	20	2.4	8.3	167	43.1
K298131		0.5	2	0.1	0.8	17	<0.5
K298132		10.2	24	1.2	8.3	183	64.0
K298133		9.3	32	1.3	10.5	64	86.1
K298134		13.2	46	2.6	12.4	31	96.2
K298135		7.6	12	0.9	3.4	11	17.0
K298136		7.9	13	0.6	3.2	3	14.5
K298137		8.9	229	28.0	20.0	204	66.5
K298138		5.1	9	0.7	2.8	37	9.9
K298139		8.5	13	0.8	3.1	85	6.8
K298140		7.6	10	0.6	3.1	44	5.6
K298141		9.7	16	1.2	2.8	55	12.7
K298142		8.7	13	1.1	2.8	11	12.9
K298143		9.5	10	0.7	2.7	14	9.5
K298144		6.9	10	0.7	2.4	10	8.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11135391

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- AUG- 2011
Account: RCM

CERTIFICATE WH11133146

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 51- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133146

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298505		11.94	0.01	0.05	0.24	1180	790	0.13	0.02	20.2	0.09	4.08	1.8	1	0.27	7.6
K298506		10.99	0.01	0.02	0.18	942	1300	0.06	0.01	19.65	0.03	3.57	1.1	1	0.18	2.4
K298507		6.89	0.01	<0.01	0.07	6	30	0.05	0.03	20.3	0.06	0.93	1.4	<1	0.30	2.3
K298508		10.70	0.01	0.03	0.20	188	370	0.11	0.01	19.60	0.08	3.65	1.1	1	0.19	2.2
K298509		11.84	0.01	0.15	0.30	333	470	0.08	0.01	19.35	0.05	4.58	1.2	1	0.38	2.5
K298510		10.57	<0.01	0.01	0.42	109	150	0.13	0.02	20.0	0.05	6.36	1.4	2	0.55	2.5
K298511		11.19	<0.01	<0.01	0.37	18	40	0.12	0.02	19.30	0.03	5.75	1.2	2	0.77	2.1
K298512		11.75	0.01	0.02	0.47	1370	110	0.11	0.03	19.35	0.08	7.10	1.4	2	0.83	3.1
K298513		5.60	0.01	0.03	0.43	1570	100	0.11	0.02	19.60	0.15	7.03	1.4	1	0.70	3.3
K298514		11.64	<0.01	0.03	0.57	104	210	0.37	0.02	19.20	0.11	10.70	2.5	3	1.33	3.6
K298515		11.33	<0.01	0.03	0.28	216	80	0.09	0.01	19.55	0.13	5.21	1.2	1	0.43	2.2
K298516		11.45	0.01	0.15	0.52	275	90	0.13	0.02	18.60	2.51	7.94	1.5	3	0.92	3.3
K298517		0.18	0.36	0.21	6.12	579	400	0.55	0.27	0.50	0.20	117.5	2.8	230	2.93	28.7
K298518		9.80	0.01	0.10	0.37	2480	580	0.11	0.02	18.55	0.04	6.04	1.8	3	0.65	2.9
K298519		11.64	<0.01	0.03	0.55	111	460	0.21	0.02	19.25	0.50	8.79	1.6	3	1.24	3.3
K298520		11.81	<0.01	0.01	0.41	74	80	0.16	0.02	18.80	0.02	6.60	1.3	4	0.95	3.4
K298521		11.52	<0.01	0.02	0.62	63	70	0.20	0.02	17.50	0.02	8.80	2.2	5	3.28	3.6
K298522		11.49	0.02	0.03	1.26	27	100	0.43	0.05	16.45	0.68	14.60	3.2	7	7.79	5.5
K298523		10.90	<0.01	0.06	0.97	21	90	0.32	0.04	15.55	4.46	12.30	2.4	7	7.04	5.9
K298524		11.91	<0.01	0.01	0.59	37	60	0.23	0.02	17.90	0.07	8.14	1.7	3	2.97	2.9
K298525		11.97	<0.01	0.01	0.19	35	120	0.13	0.01	20.0	0.02	5.04	1.3	1	0.62	1.5
K298526		11.71	<0.01	0.02	0.55	303	60	0.20	0.02	18.50	0.02	9.40	1.9	3	1.61	3.1
K298527		5.47	<0.01	0.02	0.75	800	100	0.25	0.03	18.50	0.02	11.40	2.2	4	2.51	4.9
K298528		11.87	0.01	0.01	0.82	181	60	0.26	0.03	18.05	<0.02	11.50	2.2	6	2.83	3.5
K298529		12.90	0.01	0.01	0.68	111	50	0.29	0.03	18.55	0.23	12.10	1.8	4	1.98	3.2
K298530		11.21	0.01	0.04	0.83	99	70	0.34	0.03	19.75	0.05	12.70	2.2	4	2.45	3.9
K298531		6.73	<0.01	<0.01	0.05	<5	30	<0.05	0.02	20.7	0.08	1.24	1.3	<1	0.13	2.2
K298532		11.85	<0.01	0.02	0.51	29	30	0.22	0.02	19.35	0.05	9.91	1.6	4	1.54	3.0
K298533		11.75	<0.01	0.03	0.35	60	30	0.20	0.01	18.95	0.22	6.97	1.5	1	1.19	2.8
K298534		11.68	0.01	0.02	0.34	97	60	0.15	0.02	19.60	0.02	8.19	1.5	1	0.95	2.4
K298535		9.55	0.05	0.12	0.23	6530	340	0.10	0.01	18.80	0.70	5.93	1.2	<1	0.34	2.1
K298536		8.08	0.09	0.24	0.67	4140	150	0.22	0.03	18.10	0.82	10.40	2.1	4	1.20	4.8
K298537		0.19	7.82	0.38	3.40	968	160	0.79	0.59	11.90	4.06	38.1	5.2	86	6.14	32.4
K298538		10.77	0.01	0.19	0.74	182	810	0.19	0.04	18.45	0.56	14.55	2.6	3	1.23	5.1
K298539		12.35	0.01	0.17	0.66	131	140	0.22	0.03	17.45	0.23	13.80	2.3	3	1.17	4.7
K298540		10.87	<0.01	0.04	0.87	103	280	0.21	0.03	16.10	0.04	14.60	2.2	4	1.51	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133146

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298505		0.31	0.68	0.06	0.1	0.66	<0.005	0.09	2.5	1.0	12.60	744	0.22	0.02	0.5	<0.2
K298506		0.36	0.55	0.11	0.1	0.61	<0.005	0.07	2.1	0.8	12.35	604	0.14	0.01	0.5	<0.2
K298507		0.47	0.29	0.16	<0.1	<0.01	<0.005	0.03	<0.5	0.8	12.70	211	0.09	0.01	0.4	<0.2
K298508		0.28	0.67	0.23	0.1	0.62	<0.005	0.08	2.2	0.9	12.20	553	0.24	0.01	0.5	<0.2
K298509		0.43	0.92	0.11	0.2	2.07	<0.005	0.12	2.7	1.1	12.15	536	0.22	0.01	0.7	<0.2
K298510		0.34	1.19	0.13	0.3	0.53	<0.005	0.17	3.7	1.5	12.55	591	0.26	0.01	0.9	<0.2
K298511		0.32	1.15	0.17	0.2	0.19	<0.005	0.17	3.3	1.6	12.10	521	0.22	0.01	0.8	<0.2
K298512		0.70	1.40	<0.05	0.3	0.67	<0.005	0.21	4.2	1.9	12.05	597	0.41	0.02	1.0	<0.2
K298513		0.66	1.27	<0.05	0.3	0.85	<0.005	0.19	4.1	1.8	12.20	692	0.47	0.02	0.9	<0.2
K298514		0.32	1.53	0.26	0.3	0.68	<0.005	0.25	6.5	2.8	12.00	426	0.22	0.01	1.2	2.6
K298515		0.51	0.84	0.12	0.2	0.64	<0.005	0.12	3.1	1.2	12.20	528	0.16	0.01	0.6	<0.2
K298516		1.25	1.54	<0.05	0.3	4.06	0.005	0.23	4.6	2.1	11.50	709	0.54	0.01	1.1	<0.2
K298517		6.46	22.0	0.13	4.4	9.09	0.046	1.32	56.2	16.1	0.15	36	6.34	0.38	10.0	18.1
K298518		0.70	0.99	<0.05	0.3	2.29	<0.005	0.16	3.4	1.7	11.50	735	0.36	0.01	0.8	<0.2
K298519		0.55	1.61	0.05	0.3	0.57	0.005	0.26	4.9	2.3	11.95	700	0.30	0.01	1.2	<0.2
K298520		0.38	1.20	0.13	0.3	0.24	<0.005	0.19	3.9	2.1	11.75	496	0.37	0.01	1.0	<0.2
K298521		0.59	1.73	0.05	0.4	0.38	<0.005	0.31	5.2	2.9	10.90	534	0.57	0.01	1.3	<0.2
K298522		1.19	3.57	<0.05	0.7	0.23	0.009	0.66	7.9	6.0	10.15	787	0.83	0.02	2.4	1.1
K298523		5.16	3.07	<0.05	0.5	2.61	0.009	0.49	6.8	4.3	9.64	684	0.55	0.02	1.9	0.7
K298524		0.90	1.59	<0.05	0.4	0.46	<0.005	0.30	4.5	3.3	11.05	522	0.74	0.02	1.2	<0.2
K298525		0.40	0.60	0.17	0.1	0.27	<0.005	0.08	2.9	1.2	12.45	583	0.49	0.01	0.5	<0.2
K298526		0.56	1.51	0.06	0.3	0.57	<0.005	0.25	5.0	2.7	11.50	542	0.54	0.02	1.0	<0.2
K298527		0.78	2.00	<0.05	0.4	0.89	0.005	0.36	6.0	3.4	11.50	673	0.74	0.02	1.5	<0.2
K298528		0.66	2.20	<0.05	0.4	1.14	0.006	0.39	6.3	3.5	11.25	594	0.46	0.02	1.6	<0.2
K298529		1.30	1.86	<0.05	0.4	1.28	0.006	0.32	6.4	3.2	11.40	977	0.32	0.01	1.3	<0.2
K298530		1.23	2.10	<0.05	0.5	1.00	0.007	0.40	7.1	3.4	12.15	1010	0.31	0.01	1.6	<0.2
K298531		0.47	0.24	0.20	<0.1	0.01	<0.005	0.02	0.6	0.8	12.95	209	0.05	<0.01	0.3	<0.2
K298532		0.72	1.25	0.05	0.3	0.81	<0.005	0.23	6.1	2.3	12.00	807	0.55	0.01	1.1	<0.2
K298533		1.22	0.86	<0.05	0.2	0.69	<0.005	0.16	4.4	1.8	11.75	771	0.42	0.01	0.8	<0.2
K298534		1.30	0.81	<0.05	0.2	0.71	<0.005	0.16	6.2	1.6	12.20	593	0.33	0.01	0.8	<0.2
K298535		1.36	0.57	<0.05	0.1	4.03	0.010	0.10	4.2	1.5	11.50	655	0.25	0.01	0.6	<0.2
K298536		1.44	1.59	<0.05	0.4	7.57	0.009	0.31	6.8	1.8	11.05	971	0.67	0.01	1.3	<0.2
K298537		1.31	7.76	<0.05	2.2	5.63	0.060	1.41	24.6	8.4	0.72	263	10.70	0.01	7.8	63.6
K298538		1.23	1.86	<0.05	0.3	1.36	0.005	0.33	11.0	2.2	11.30	747	0.11	0.02	1.4	<0.2
K298539		3.48	1.53	<0.05	0.3	1.85	0.005	0.28	9.1	2.0	10.50	1100	0.11	0.01	1.3	<0.2
K298540		3.39	1.95	<0.05	0.4	1.41	0.006	0.37	8.8	2.8	9.51	1350	0.08	0.01	1.4	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133146

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298505		290	9.7	3.3	<0.002	0.23	0.22	0.5	1	<0.2	123.0	<0.05	<0.05	0.5	0.011	0.74
K298506		270	18.8	2.5	<0.002	0.35	0.39	0.4	<1	<0.2	109.5	<0.05	<0.05	0.5	0.010	0.84
K298507		190	1.7	2.0	<0.002	0.01	0.06	0.3	<1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.02
K298508		280	63.8	2.8	<0.002	0.15	0.86	0.5	1	<0.2	148.0	<0.05	<0.05	0.4	0.010	0.92
K298509		230	960	4.6	<0.002	0.37	1.35	0.6	1	<0.2	141.5	<0.05	<0.05	0.7	0.015	2.76
K298510		370	12.3	6.0	<0.002	0.21	0.15	0.8	1	<0.2	162.5	0.05	<0.05	1.0	0.022	0.47
K298511		320	6.9	6.0	<0.002	0.17	0.08	0.7	<1	<0.2	109.5	0.05	<0.05	0.8	0.018	0.28
K298512		320	15.4	7.7	<0.002	0.75	0.26	0.9	1	0.2	119.5	0.05	<0.05	1.0	0.023	0.82
K298513		360	20.2	6.9	<0.002	0.65	0.37	0.8	1	<0.2	125.0	0.05	<0.05	0.9	0.021	0.89
K298514		410	11.1	7.4	<0.002	0.23	0.44	1.3	1	0.2	109.0	0.07	<0.05	1.2	0.029	0.97
K298515		540	17.8	4.5	<0.002	0.50	0.27	0.5	1	<0.2	108.5	<0.05	<0.05	0.6	0.013	0.74
K298516		310	439	8.5	<0.002	1.41	0.97	0.8	1	0.2	139.0	0.07	<0.05	1.1	0.027	2.08
K298517		890	17.7	45.8	0.003	3.02	109.0	15.2	2	2.9	499	0.70	0.13	10.2	0.533	8.09
K298518		190	62.4	5.7	<0.002	0.68	1.36	0.6	1	<0.2	103.5	0.05	<0.05	0.8	0.020	2.34
K298519		510	10.0	9.5	<0.002	0.32	0.21	1.0	1	0.2	108.5	0.07	<0.05	1.3	0.029	0.63
K298520		370	7.5	7.0	<0.002	0.26	0.10	0.7	1	<0.2	106.5	0.06	<0.05	0.9	0.023	0.42
K298521		280	14.9	11.7	<0.002	0.47	0.09	1.1	<1	0.2	88.6	0.08	<0.05	1.3	0.032	0.81
K298522		430	41.8	23.2	<0.002	1.23	0.10	2.2	1	0.4	78.5	0.16	<0.05	2.7	0.065	1.30
K298523		390	199.5	19.4	<0.002	6.64	0.21	1.4	<1	0.3	75.3	0.12	<0.05	2.0	0.049	2.86
K298524		560	30.3	11.3	<0.002	0.88	0.07	0.9	1	0.2	90.0	0.08	<0.05	1.2	0.032	1.04
K298525		510	7.4	3.2	<0.002	0.21	0.05	0.4	<1	<0.2	92.9	<0.05	<0.05	0.5	0.010	0.38
K298526		460	165.0	9.6	<0.002	0.45	0.08	0.8	1	0.2	85.7	0.06	<0.05	1.1	0.024	0.96
K298527		460	20.5	13.9	<0.002	0.66	0.11	1.3	1	0.3	96.7	0.09	<0.05	1.6	0.036	1.39
K298528		380	23.6	14.9	<0.002	0.66	0.10	1.3	1	0.3	82.8	0.10	<0.05	1.7	0.041	1.52
K298529		330	37.7	12.4	<0.002	1.46	0.10	1.1	1	0.3	84.8	0.08	<0.05	1.5	0.034	1.79
K298530		370	33.2	14.3	<0.002	1.38	0.10	1.3	1	0.3	94.6	0.10	<0.05	1.7	0.039	1.66
K298531		180	1.6	1.1	<0.002	0.02	0.05	0.2	<1	<0.2	49.1	<0.05	<0.05	<0.2	<0.005	0.02
K298532		510	18.3	8.2	<0.002	0.70	0.10	0.8	1	0.2	82.4	0.06	<0.05	1.0	0.025	1.11
K298533		380	24.2	5.5	<0.002	1.31	0.18	0.6	<1	<0.2	77.8	<0.05	<0.05	0.7	0.016	1.04
K298534		270	34.7	5.3	<0.002	1.49	0.14	0.7	<1	<0.2	88.3	<0.05	<0.05	0.7	0.014	0.97
K298535		380	87.8	3.4	<0.002	1.86	1.93	0.6	<1	<0.2	139.5	<0.05	<0.05	0.5	0.009	3.09
K298536		290	127.0	10.4	<0.002	1.81	4.81	1.1	<1	0.3	187.5	0.08	<0.05	1.4	0.032	4.60
K298537		4090	5.1	111.5	0.037	1.33	17.45	5.6	9	1.6	147.5	0.51	0.51	6.3	0.208	12.70
K298538		380	172.5	11.2	<0.002	1.26	4.89	1.3	1	0.2	158.5	0.08	<0.05	1.4	0.028	1.90
K298539		350	178.5	9.4	<0.002	3.65	1.40	1.1	<1	0.2	148.0	0.08	<0.05	1.3	0.025	2.75
K298540		430	44.8	11.8	<0.002	3.02	0.30	1.2	<1	0.3	152.0	0.09	<0.05	1.6	0.031	2.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133146

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298505		1.4	3	0.4	2.3	17	5.5
K298506		0.9	2	0.4	2.0	5	4.8
K298507		0.7	3	0.1	0.8	14	<0.5
K298508		0.8	3	0.3	2.2	12	5.1
K298509		0.9	3	0.9	2.2	6	7.7
K298510		1.1	4	0.6	3.1	10	11.7
K298511		0.9	5	0.4	2.9	6	9.1
K298512		1.0	5	0.7	3.4	13	11.6
K298513		0.9	5	0.6	3.4	24	10.0
K298514		1.4	6	0.8	3.2	16	11.5
K298515		0.9	3	0.4	2.9	13	6.0
K298516		1.8	6	1.2	3.3	818	12.4
K298517		8.3	165	22.1	15.8	46	181.5
K298518		1.1	4	1.0	2.4	10	9.6
K298519		2.1	7	0.9	3.8	87	12.8
K298520		1.7	5	0.7	3.0	5	10.5
K298521		1.0	6	0.6	3.5	8	13.5
K298522		1.4	10	0.4	5.7	564	25.6
K298523		1.1	9	0.3	4.6	1760	19.1
K298524		1.1	5	0.7	3.7	42	15.0
K298525		0.8	2	0.3	2.5	6	4.8
K298526		1.1	4	0.7	3.7	6	11.4
K298527		1.2	6	1.2	4.5	9	15.5
K298528		1.0	7	1.1	4.2	6	15.7
K298529		1.0	7	1.1	4.2	80	16.0
K298530		1.2	6	0.7	4.6	22	17.4
K298531		0.6	3	0.1	0.8	19	<0.5
K298532		1.2	5	0.4	3.9	11	11.5
K298533		1.0	4	0.3	2.8	98	7.6
K298534		0.9	3	0.4	3.3	6	6.1
K298535		0.8	3	0.4	3.3	120	4.5
K298536		1.5	6	1.5	3.9	117	14.5
K298537		8.0	376	34.8	28.8	274	80.9
K298538		1.6	5	0.9	5.6	75	10.2
K298539		1.5	5	0.7	5.2	30	10.2
K298540		1.7	6	0.9	5.8	15	12.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11133146

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

CERTIFICATE WH11135093

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 52- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135093

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298541		11.88	0.01	0.06	0.88	304	190	0.31	0.04	18.40	0.06	16.85	3.2	8	2.17	5.6
K298542		11.82	<0.01	0.06	0.72	156	120	0.28	0.03	18.50	0.06	16.90	2.9	5	1.52	5.2
K298543		12.20	<0.01	0.04	0.53	81	50	0.28	0.02	19.25	0.06	13.85	2.5	4	1.36	4.2
K298544		12.46	<0.01	0.04	0.64	44	50	0.33	0.03	18.65	0.29	15.75	2.6	6	2.05	4.6
K298545		12.78	0.01	0.05	1.01	58	60	0.56	0.04	18.30	0.03	16.70	2.9	6	4.93	5.2
K298546		12.19	0.01	0.04	1.05	505	90	0.39	0.04	18.25	0.04	17.65	2.9	7	3.24	5.3
K298547		6.91	<0.01	0.01	0.08	<5	20	0.05	0.02	19.75	0.06	1.45	1.1	<1	0.18	1.8
K298548		11.96	0.02	0.03	0.55	404	50	0.26	0.02	18.00	0.07	11.45	2.1	5	1.88	3.8
K298549		11.47	0.01	0.06	0.50	271	130	0.23	0.02	17.75	0.05	10.75	2.0	4	1.16	3.4
K298550		11.25	0.01	0.05	0.38	374	60	0.24	0.02	16.25	0.15	8.85	1.6	3	1.10	2.8
K298551		11.04	0.01	0.05	0.54	1060	60	0.31	0.03	20.1	0.08	13.05	2.5	4	1.55	4.5
K298552		9.77	0.05	0.05	0.43	773	80	0.27	0.02	19.70	0.12	11.40	2.3	6	1.28	3.9
K298553		11.54	0.01	0.07	0.48	1360	180	0.29	0.03	19.35	0.11	10.45	2.2	5	1.10	3.5
K298554		11.30	0.01	0.04	0.30	317	30	0.20	0.01	19.35	0.38	8.36	1.8	4	0.73	2.5
K298555		12.10	0.01	0.04	0.34	425	70	0.18	0.02	19.10	0.10	8.71	1.8	4	0.82	2.6
K298556		0.25	0.33	0.33	6.22	606	450	0.67	0.28	0.48	0.17	136.0	2.8	228	3.53	30.2
K298557		12.30	<0.01	0.04	0.27	188	20	0.18	0.01	18.70	0.11	8.36	1.1	1	0.93	1.4
K298558		4.85	0.01	0.06	0.39	75	30	0.21	0.02	18.10	0.33	10.55	1.9	3	1.32	4.0
K298559		6.99	<0.01	0.01	0.13	355	20	0.09	0.01	20.2	<0.02	4.09	0.9	<1	0.23	0.5
K298560		0.26	2.73	1.00	3.24	585	880	0.88	0.30	8.18	2.35	49.0	6.9	51	4.04	42.1
K298561		8.41	0.01	0.06	0.18	123	40	0.09	0.01	18.80	1.08	4.32	1.0	<1	0.29	1.4
K298662		10.02	<0.01	0.03	0.42	33	40	0.23	0.02	18.80	0.60	11.50	2.2	2	1.66	3.6
K298563		13.15	<0.01	0.09	0.21	173	40	0.15	0.01	19.40	5.98	7.80	1.4	<1	0.44	2.2
K298564		5.74	0.01	0.08	0.37	522	170	0.28	0.02	20.1	0.23	8.17	2.0	3	0.72	2.7
K298565		6.05	0.01	0.05	0.09	919	1170	0.10	<0.01	20.1	0.07	2.74	0.6	<1	0.11	1.0
K298566		3.21	<0.01	0.05	0.08	913	1020	0.09	<0.01	20.1	<0.02	2.59	0.6	<1	0.11	0.7
K298567		3.60	0.01	0.16	0.23	236	90	0.20	0.01	20.7	0.63	6.97	1.0	2	0.37	2.1
K298568		3.36	<0.01	0.06	0.22	89	40	0.16	0.01	20.7	0.05	6.66	1.0	1	0.63	1.9
K298569		7.63	<0.01	0.05	0.24	86	30	0.16	0.01	20.8	0.13	7.72	1.1	1	0.53	2.2
K298570		4.89	<0.01	0.01	0.05	5	40	0.05	0.02	20.9	0.07	1.26	1.2	<1	0.11	0.9
K298571		8.12	<0.01	0.03	0.15	309	30	0.12	0.01	21.4	0.06	4.83	0.9	<1	0.20	1.2
K298572		8.34	0.01	0.04	0.18	409	70	0.15	0.01	20.6	0.12	5.70	1.1	1	0.21	1.4
K288573		8.48	<0.01	0.04	0.19	1060	400	0.11	0.01	20.8	0.03	5.72	1.1	1	0.23	1.8
K298574		8.12	<0.01	0.02	0.26	124	60	0.23	0.01	20.7	0.07	7.55	1.3	1	0.40	2.5
K298575		8.44	<0.01	0.03	0.20	161	70	0.17	0.01	20.6	0.03	6.28	1.1	1	0.29	1.7
K298576		8.22	0.01	0.04	0.19	236	210	0.12	0.01	20.6	0.39	5.94	1.0	1	0.29	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135093

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298541		2.77	2.26	0.08	0.4	1.14	0.007	0.39	11.9	3.4	10.80	1480	0.16	0.02	1.7	4.5
K298542		2.95	1.94	0.06	0.3	1.27	0.005	0.34	10.1	2.5	10.60	1950	0.10	0.02	1.4	3.1
K298543		2.58	1.48	0.08	0.3	0.88	<0.005	0.25	8.8	2.2	11.35	1520	0.11	0.02	1.1	2.2
K298544		2.92	1.82	0.06	0.3	0.88	0.005	0.31	10.1	2.6	10.80	1760	0.08	0.01	1.2	3.2
K298545		2.27	2.51	0.05	0.4	0.76	0.007	0.50	10.5	4.6	10.55	1540	0.10	0.02	1.9	3.7
K298546		2.15	2.71	0.05	0.5	2.21	0.008	0.50	10.4	4.6	10.60	1640	0.09	0.02	2.2	3.8
K298547		0.41	0.31	0.13	<0.1	0.02	<0.005	0.03	0.7	1.1	12.50	182	0.17	0.01	0.3	2.7
K298548		1.21	1.51	<0.05	0.2	0.65	0.005	0.26	7.4	2.7	10.85	1220	0.09	0.01	1.2	2.1
K298549		0.80	1.33	<0.05	0.2	0.59	<0.005	0.23	7.6	2.1	10.80	1060	0.11	0.01	1.0	1.4
K298550		0.84	1.08	<0.05	0.2	0.68	<0.005	0.17	6.1	1.9	9.70	964	0.09	0.01	0.8	1.0
K298551		1.91	1.56	0.05	0.3	0.92	0.007	0.25	8.7	2.8	12.10	1510	0.14	0.02	1.2	2.2
K298552		1.53	1.27	<0.05	0.2	0.69	0.005	0.20	7.6	2.1	11.95	1640	0.10	0.01	1.0	2.6
K298553		0.77	1.31	0.05	0.2	0.67	0.006	0.22	7.5	2.3	11.85	1400	0.10	0.02	1.0	2.3
K298554		0.81	0.91	<0.05	0.1	0.44	<0.005	0.14	5.8	1.7	11.75	1270	0.10	0.01	0.7	1.3
K298555		0.72	0.97	0.05	0.1	0.63	<0.005	0.16	5.8	1.8	11.65	946	0.10	0.01	0.7	2.0
K298556		6.54	19.70	0.23	4.2	8.8	0.051	1.35	65.0	19.1	0.14	36	6.64	0.38	10.1	15.2
K298557		0.59	0.84	0.12	0.1	0.28	<0.005	0.12	5.4	1.6	11.70	720	0.20	0.01	0.6	2.4
K298558		3.47	1.12	0.08	0.2	1.0	<0.005	0.18	7.0	2.0	11.00	681	0.49	0.01	0.9	1.6
K298559		0.42	0.50	0.17	0.1	0.20	<0.005	0.05	2.7	0.9	12.75	609	0.45	0.01	0.4	2.1
K298560		2.11	7.82	0.09	1.8	4.2	0.032	1.00	29.5	44.3	2.62	280	19.75	0.03	7.4	51.8
K298561		1.35	0.65	0.11	0.1	2.04	<0.005	0.08	2.7	1.0	11.85	493	0.25	0.01	0.5	2.0
K298662		1.13	1.23	<0.05	0.2	0.70	0.005	0.20	8.0	2.2	11.60	909	0.16	0.01	0.9	2.2
K298563		0.92	1.67	0.15	0.1	4.31	0.014	0.09	5.3	1.1	12.20	642	0.27	0.01	0.6	3.7
K298564		0.46	1.08	0.07	0.2	1.34	<0.005	0.17	5.7	1.8	12.35	723	0.33	0.01	0.9	1.9
K298565		0.74	0.30	0.05	<0.1	0.59	<0.005	0.03	2.1	1.0	11.95	576	0.24	0.02	0.2	0.4
K298566		0.52	0.30	0.08	<0.1	0.41	<0.005	0.03	2.0	0.9	12.15	539	0.20	0.02	0.2	1.0
K298567		0.37	0.74	0.09	0.1	1.00	<0.005	0.09	5.2	1.2	12.45	822	0.42	0.01	0.5	2.2
K298568		0.22	0.66	0.11	0.1	0.33	<0.005	0.10	4.9	1.2	12.30	488	0.35	0.01	0.8	1.9
K298569		0.28	0.76	0.13	0.1	0.37	<0.005	0.11	6.5	1.2	12.50	555	0.39	0.01	0.6	2.5
K298570		0.45	0.27	0.14	<0.1	<0.01	0.005	0.02	0.6	0.8	12.50	196	0.08	<0.01	0.2	2.4
K298571		0.23	0.53	0.14	0.1	0.32	<0.005	0.06	3.9	0.9	12.75	555	0.23	0.01	0.4	2.2
K298572		0.20	0.58	0.16	0.1	0.88	<0.005	0.07	4.1	0.9	12.15	517	0.19	0.01	0.5	2.5
K288573		0.34	0.58	0.12	0.1	3.66	<0.005	0.08	4.2	0.9	12.35	746	0.20	0.01	0.5	2.1
K298574		0.29	0.82	0.13	0.1	0.51	0.005	0.11	5.9	1.0	12.30	932	0.22	0.01	0.6	3.1
K298575		0.30	0.68	0.14	0.1	0.37	<0.005	0.08	4.8	0.9	12.15	821	0.17	0.01	0.5	2.6
K298576		0.33	0.66	0.13	0.1	1.10	<0.005	0.08	4.6	0.9	12.20	749	0.15	0.01	0.6	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135093

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298541		340	33.7	12.9	<0.002	2.02	0.37	1.5	2	0.3	110.5	0.12	<0.05	1.8	0.039	1.77
K298542		450	34.3	10.7	<0.002	1.46	0.42	1.3	3	0.2	114.0	0.09	<0.05	1.6	0.031	1.67
K298543		460	93.8	8.1	<0.002	1.70	0.77	1.1	2	0.2	92.1	0.07	<0.05	1.1	0.023	1.43
K298544		430	32.6	9.9	<0.002	1.67	0.24	1.2	2	0.2	86.9	0.08	<0.05	1.4	0.028	1.43
K298545		400	20.6	16.9	<0.002	0.79	0.11	1.7	2	0.3	87.2	0.12	<0.05	2.2	0.043	1.26
K298546		420	27.6	16.8	<0.002	0.85	0.27	1.8	2	0.3	87.2	0.15	<0.05	2.2	0.044	1.99
K298547		200	1.7	1.4	<0.002	0.01	<0.05	0.2	1	<0.2	47.6	<0.05	<0.05	<0.2	<0.005	<0.02
K298548		390	18.3	8.6	<0.002	0.55	0.18	1.0	2	0.2	74.1	0.07	<0.05	1.2	0.024	0.81
K298549		480	15.4	7.5	<0.002	0.37	0.30	0.9	2	<0.2	91.0	0.06	<0.05	1.0	0.020	0.77
K298550		410	17.9	5.9	<0.002	0.36	0.38	0.8	2	<0.2	81.3	0.05	<0.05	0.8	0.016	0.84
K298551		560	35.6	8.4	<0.002	1.48	0.39	1.1	2	0.2	106.0	0.07	<0.05	1.2	0.024	1.44
K298552		480	21.1	6.7	<0.002	1.14	0.30	0.9	2	<0.2	91.9	0.05	<0.05	0.9	0.018	1.36
K298553		490	19.4	7.5	<0.002	0.68	0.57	1.0	2	0.2	104.0	0.06	<0.05	1.1	0.020	1.11
K298554		460	18.3	4.4	<0.002	0.38	0.30	0.7	2	<0.2	79.5	<0.05	<0.05	0.7	0.014	0.70
K298555		450	26.6	5.1	<0.002	0.35	0.43	0.7	2	<0.2	90.1	<0.05	<0.05	0.7	0.014	0.95
K298556		920	16.9	50.5	0.003	3.05	116.0	14.7	3	2.9	499	0.72	0.16	9.6	0.553	8.20
K298557		360	12.3	4.4	<0.002	0.40	0.10	0.6	1	<0.2	77.3	<0.05	<0.05	0.6	0.011	0.50
K298558		500	64.9	6.2	<0.002	4.26	0.36	0.8	1	<0.2	85.4	0.05	<0.05	0.9	0.017	2.28
K298559		280	4.5	2.1	<0.002	0.26	0.08	0.3	1	<0.2	90.1	<0.05	<0.05	0.3	0.006	0.33
K298560		900	37.7	54.4	0.023	1.57	112.5	5.0	5	2.6	75.0	0.47	0.21	6.4	0.176	4.20
K298561		300	62.5	3.0	<0.002	1.61	0.77	0.4	1	<0.2	83.7	<0.05	<0.05	0.4	0.008	1.14
K298662		410	206	6.6	<0.002	1.28	0.11	0.9	2	0.2	83.5	0.06	<0.05	1.0	0.018	1.37
K298563		330	551	3.3	<0.002	1.12	0.23	0.5	1	0.2	97.5	<0.05	<0.05	0.5	0.008	3.27
K298564		380	29.2	5.5	<0.002	0.34	0.64	0.8	2	0.2	128.5	0.05	<0.05	0.8	0.015	1.18
K298565		290	13.5	1.3	<0.002	0.78	0.22	0.3	1	<0.2	110.0	<0.05	<0.05	0.2	<0.005	0.70
K298566		280	5.9	1.1	<0.002	0.51	0.21	0.2	1	<0.2	103.0	<0.05	<0.05	<0.2	<0.005	0.46
K298567		450	42.3	3.5	<0.002	0.24	0.97	0.6	1	0.3	95.8	<0.05	<0.05	0.5	0.010	0.90
K298568		420	9.2	3.6	<0.002	0.18	0.22	0.5	1	<0.2	82.0	0.06	<0.05	0.5	0.009	0.57
K298569		390	12.1	4.1	<0.002	0.20	0.30	0.6	1	<0.2	92.7	<0.05	<0.05	0.6	0.010	0.61
K298570		160	1.2	1.2	<0.002	<0.01	<0.05	0.2	1	<0.2	44.9	<0.05	<0.05	<0.2	<0.005	<0.02
K298571		280	27.6	2.1	<0.002	0.13	0.26	0.4	1	<0.2	92.7	<0.05	<0.05	0.4	0.006	0.47
K298572		290	17.5	2.8	<0.002	0.16	0.45	0.4	1	<0.2	96.4	<0.05	<0.05	0.5	0.007	0.65
K288573		290	14.4	2.8	<0.002	0.22	0.37	0.5	1	<0.2	98.6	<0.05	<0.05	0.5	0.008	0.66
K298574		340	8.3	4.1	<0.002	0.17	0.21	0.6	1	<0.2	88.6	<0.05	<0.05	0.6	0.011	0.63
K298575		350	6.4	3.1	<0.002	0.14	0.19	0.5	1	<0.2	105.5	<0.05	<0.05	0.5	0.008	0.53
K298576		290	8.1	2.9	<0.002	0.24	0.19	0.4	1	<0.2	111.5	<0.05	<0.05	0.5	0.008	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135093

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298541		1.9	7	0.9	6.6	9	14.4
K298542		2.3	6	0.7	6.8	12	12.3
K298543		2.2	5	0.5	5.9	19	9.7
K298544		2.1	6	0.4	5.7	208	11.0
K298545		2.4	7	0.7	6.0	27	17.2
K298546		2.6	8	1.1	6.4	13	17.7
K298547		0.8	2	0.2	0.9	15	<0.5
K298548		1.9	5	0.6	5.2	24	8.8
K298549		2.1	4	0.6	5.3	8	8.4
K298550		1.9	4	0.5	4.2	19	6.2
K298551		2.9	6	0.6	6.0	46	10.0
K298552		2.5	4	0.4	5.2	24	6.1
K298553		2.6	5	0.6	5.4	15	7.4
K298554		2.2	4	0.3	4.3	34	5.4
K298555		2.1	3	0.4	4.3	15	5.2
K298556		7.9	167	21.3	14.8	41	178.5
K298557		1.6	3	0.2	4.0	56	4.4
K298558		2.2	4	0.3	4.9	148	6.8
K298559		1.2	2	0.3	2.1	3	3.4
K298560		9.2	230	26.6	21.0	206	71.4
K298561		1.2	3	0.2	2.2	344	4.3
K298662		2.3	4	0.3	4.9	399	7.4
K298563		1.6	2	0.2	4.0	3700	3.4
K298564		2.1	4	0.5	3.9	44	5.8
K298565		1.2	2	0.3	2.2	24	1.4
K298566		1.2	2	0.2	2.1	<2	1.3
K298567		2.3	3	0.9	4.5	76	4.0
K298568		2.9	3	0.5	4.2	4	5.0
K298569		2.6	3	0.3	4.8	14	4.2
K298570		0.7	2	0.2	0.8	12	<0.5
K298571		2.2	2	0.3	3.0	4	2.8
K298572		2.6	2	0.3	3.3	7	3.3
K288573		2.4	2	0.3	3.3	<2	3.5
K298574		2.8	3	0.3	4.1	7	4.4
K298575		2.4	2	0.3	3.7	<2	3.3
K298576		2.5	2	0.5	2.9	58	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135093

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11136142

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 53

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
WSH- 21	"Wash" crushers
SPL- 21	Split sample - riffle splitter
WSH- 22	"Wash" pulverizers
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11136142

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297758		4.74	<0.01	0.13	7.48	51.6	860	2.01	0.30	6.11	0.21	83.0	14.0	56	29.4	37.5
K297759		7.24	0.01	0.08	6.81	36.8	470	1.77	0.26	8.66	0.15	74.7	14.8	56	28.7	50.4
K297760		9.96	<0.01	0.16	7.53	11.1	250	1.37	0.25	3.03	0.27	60.8	31.9	80	45.9	164.0
K297761		0.30	0.34	0.30	6.23	614	210	0.65	0.30	0.50	0.18	135.5	3.2	238	3.48	32.2
K297762		6.12	<0.01	0.09	6.83	55.7	190	1.58	0.26	3.19	0.32	51.3	32.4	72	32.3	147.5
K297763		11.30	<0.01	0.10	6.86	36.8	240	1.57	0.26	4.52	0.34	57.2	32.9	74	31.3	139.5
K297764		12.26	<0.01	0.08	7.02	78.1	220	1.66	0.27	3.79	0.36	56.8	32.4	75	31.8	149.5
K297765		10.56	<0.01	0.08	6.72	81.2	220	1.66	0.27	4.15	0.37	53.4	28.2	68	25.8	123.5
K297766		10.00	<0.01	0.06	7.13	39.1	270	1.90	0.27	3.44	0.41	60.2	36.0	77	33.0	157.5
K297767		10.90	0.01	0.08	6.84	228	360	1.78	0.26	3.91	0.39	55.1	32.1	70	27.5	155.5
K297768		11.04	0.01	0.08	6.38	19.1	310	1.47	0.21	4.29	0.34	44.5	31.7	66	28.3	135.5
K297769		4.40	0.01	0.08	7.13	43.1	200	1.64	0.27	3.11	0.39	55.5	34.8	74	38.5	153.0
K297770		3.36	<0.01	0.16	6.39	42.4	180	1.45	0.24	3.52	0.30	46.9	31.0	65	33.0	131.0
K297771		4.10	<0.01	0.08	6.73	17.8	310	1.67	0.25	3.11	0.32	51.4	33.6	71	32.2	143.0
K297772		8.06	<0.01	0.07	6.62	19.3	230	1.72	0.25	3.00	0.43	53.0	32.5	69	36.9	144.5
K297773		4.96	<0.01	0.02	0.08	<5	30	0.07	0.02	20.8	0.06	1.25	0.9	1	0.36	1.8
K297774		8.06	<0.01	0.07	6.83	23.1	270	1.55	0.25	2.89	0.36	53.2	32.0	70	40.5	142.0
K297775		6.14	0.01	0.05	6.65	97.1	160	1.99	0.27	3.80	0.40	59.9	31.9	65	29.4	134.5
K297776		4.68	<0.01	0.08	6.08	189.5	170	1.74	0.25	5.99	0.16	61.1	19.8	54	25.4	72.8
K297777		1.86	0.01	0.10	6.48	216	190	1.94	0.28	5.55	0.21	68.2	22.7	55	28.6	89.6
K297778		7.88	<0.01	0.08	3.23	115	160	1.12	0.12	21.1	0.08	40.6	7.6	28	11.40	22.7
K297779		4.94	0.02	0.08	6.78	1585	250	2.12	0.32	4.16	0.15	67.3	17.7	57	26.9	55.2
K297780		8.04	0.21	0.09	7.57	5030	250	2.23	0.35	7.06	0.09	79.0	13.0	61	29.0	44.6
K297781		6.62	0.03	0.10	8.43	350	270	2.58	0.40	2.42	0.03	80.4	15.1	69	38.3	37.2
K297782		4.64	<0.01	0.01	5.06	145	140	0.50	0.04	13.90	0.14	93.9	15.5	10	20.7	9.2
K297783		0.30	2.67	0.97	3.16	553	860	0.82	0.30	8.01	2.19	46.5	6.8	56	3.52	42.5
K297784		4.72	<0.01	0.04	0.93	106	100	0.24	0.04	30.2	0.03	13.00	3.3	11	2.99	8.4
K297785		7.82	<0.01	0.06	2.48	141	170	0.66	0.13	22.4	0.05	28.6	8.5	26	8.82	21.2
K297786		7.60	<0.01	0.03	1.44	58	130	0.51	0.08	28.0	0.05	19.95	4.8	14	5.20	11.8
K297787		8.42	<0.01	0.03	1.71	70	170	0.48	0.09	28.8	0.15	21.1	5.9	17	5.50	16.7
K297788		7.34	<0.01	0.02	0.80	114	80	0.26	0.06	30.5	0.02	9.78	3.2	8	2.37	6.8
K297789		4.96	<0.01	0.01	0.05	<5	20	0.06	0.03	21.2	0.06	1.16	0.6	1	0.13	1.8
K297790		8.70	<0.01	0.07	1.35	74	130	0.34	0.05	30.2	0.03	21.7	4.4	10	4.83	7.8
K297791		7.74	0.01	0.05	1.25	571	90	0.38	0.07	30.5	0.03	15.25	5.0	13	4.04	10.8
K297792		8.50	<0.01	0.03	1.24	399	120	0.34	0.07	30.7	0.10	14.60	5.9	13	3.65	8.7
K297793		6.12	0.18	0.01	0.53	9830	100	0.19	0.03	33.5	0.04	9.28	2.6	9	1.83	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11136142

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297758		4.24	20.6	0.18	2.6	0.3	0.061	3.60	42.0	46.0	1.88	804	1.05	0.04	10.6	30.7
K297759		3.82	16.95	0.20	2.7	0.4	0.058	2.92	40.9	71.3	1.09	954	1.59	0.06	9.5	29.4
K297760		8.16	22.1	0.21	3.5	0.1	0.101	2.01	28.1	156.5	2.86	828	0.55	0.65	15.9	53.3
K297761		6.72	19.80	0.25	4.6	8.7	0.056	1.34	67.7	18.9	0.13	38	6.04	0.38	9.3	17.1
K297762		7.22	18.20	0.20	2.8	0.1	0.104	1.92	23.5	146.5	2.61	935	0.42	0.36	14.1	51.5
K297763		6.91	18.75	0.19	3.0	0.10	0.102	2.18	25.6	153.5	1.85	1060	1.41	0.15	13.2	54.8
K297764		7.22	19.10	0.20	3.1	0.11	0.113	2.18	24.7	147.5	1.89	958	0.80	0.07	14.7	53.7
K297765		6.34	17.30	0.16	3.3	0.21	0.096	2.38	25.3	85.3	2.16	1140	6.94	0.04	13.9	44.1
K297766		7.45	19.90	0.17	3.3	0.36	0.110	2.30	26.6	148.5	2.03	954	0.48	0.03	15.9	57.8
K297767		7.05	19.50	0.20	3.0	1.13	0.104	2.82	28.3	77.9	2.19	1090	0.60	0.02	14.5	57.4
K297768		7.04	17.00	0.17	2.4	0.19	0.093	1.89	20.3	124.0	3.05	1150	0.33	0.10	12.0	48.5
K297769		7.53	20.1	0.19	2.8	0.10	0.118	2.19	25.2	138.5	2.86	893	0.42	0.14	15.7	58.0
K297770		6.81	17.60	0.18	2.4	0.07	0.089	2.06	21.0	126.5	2.99	1020	1.33	0.14	12.0	50.7
K297771		7.19	18.70	0.18	2.4	0.08	0.105	2.60	24.0	195.0	3.15	899	0.38	0.05	14.6	53.9
K297772		7.11	18.75	0.18	2.7	0.08	0.099	2.30	24.6	155.0	3.04	920	0.49	0.11	14.9	53.3
K297773		0.50	0.23	0.12	<0.1	<0.01	0.009	0.03	0.6	1.6	12.75	212	0.44	<0.01	0.2	2.3
K297774		7.23	18.35	0.18	2.6	0.11	0.105	2.41	24.5	156.0	3.07	882	0.52	0.15	14.1	50.3
K297775		6.83	18.60	0.22	3.1	1.40	0.102	2.64	28.6	128.0	2.49	906	0.59	0.03	14.5	51.8
K297776		4.41	15.40	0.20	3.0	3.15	0.064	2.69	31.5	25.1	2.41	849	1.55	0.03	9.6	35.9
K297777		4.76	16.45	0.19	3.2	3.35	0.068	2.87	33.9	25.3	2.38	835	1.66	0.03	10.7	40.1
K297778		2.00	7.54	0.16	1.7	0.96	0.030	1.43	20.0	14.2	1.83	432	0.48	0.02	4.5	14.9
K297779		4.32	17.40	0.18	2.8	3.08	0.066	2.61	36.9	31.3	2.04	704	1.70	0.04	9.0	38.9
K297780		3.75	19.25	0.20	3.0	6.24	0.054	3.41	42.5	19.2	1.50	616	0.31	0.04	11.2	30.6
K297781		3.97	22.2	0.23	3.1	4.30	0.068	4.01	41.6	24.0	0.94	344	0.32	0.04	12.5	32.0
K297782		2.44	8.42	0.22	2.7	1.58	0.060	2.04	44.7	24.2	1.43	605	1.76	0.02	47.2	5.2
K297783		2.13	7.32	0.15	1.7	4.94	0.032	0.98	28.6	37.3	2.59	272	17.10	0.04	6.4	52.4
K297784		1.03	2.41	0.11	0.5	0.69	0.014	0.42	6.4	3.1	1.08	352	0.25	0.01	1.9	5.1
K297785		1.66	5.69	0.15	1.5	2.30	0.029	1.10	15.5	7.1	0.86	424	1.19	0.02	3.9	13.4
K297786		0.99	3.42	0.15	0.9	1.48	0.018	0.66	11.4	5.4	0.71	294	0.77	0.02	2.1	6.5
K297787		1.14	4.12	0.14	0.8	1.33	0.024	0.78	11.8	6.1	0.87	280	1.27	0.02	2.3	9.3
K297788		0.88	1.94	0.11	0.4	2.04	0.016	0.35	5.4	3.4	0.95	291	0.33	0.01	1.0	5.0
K297789		0.47	0.15	0.16	<0.1	0.01	0.009	0.02	0.5	0.9	12.90	208	<0.05	<0.01	0.1	1.9
K297790		0.90	2.90	0.17	0.7	1.32	0.019	0.58	10.9	5.1	0.78	304	0.51	0.02	5.3	6.4
K297791		1.04	3.10	0.16	0.6	1.80	0.018	0.57	8.1	4.1	0.90	357	0.59	0.01	1.6	8.3
K297792		0.98	3.11	0.15	0.6	2.33	0.018	0.55	7.6	4.0	0.77	364	0.64	0.01	1.5	8.9
K297793		0.49	1.30	0.14	0.2	6.08	0.016	0.22	4.7	2.7	0.59	271	0.27	0.01	0.8	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11136142

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297758		480	19.4	142.0	0.002	1.10	0.45	13.8	2	2.1	212	0.77	0.06	12.4	0.348	2.24
K297759		530	16.4	153.5	0.003	0.73	0.90	13.6	3	3.4	321	0.72	0.09	11.5	0.322	1.71
K297760		730	10.9	113.5	0.002	0.32	0.32	28.4	3	2.1	126.5	1.00	0.25	7.3	0.758	0.90
K297761		920	17.9	47.8	0.004	3.03	107.5	15.6	1	2.9	524	0.74	0.14	9.1	0.533	8.12
K297762		710	10.6	118.5	0.002	0.25	0.34	26.4	1	2.2	121.0	0.95	0.29	5.0	0.667	0.96
K297763		650	14.0	137.0	0.004	0.17	0.49	24.9	2	2.6	152.5	0.86	0.21	5.9	0.631	1.35
K297764		710	10.4	142.5	0.004	0.18	0.42	26.3	2	2.3	185.0	0.98	0.31	5.5	0.675	1.30
K297765		620	14.2	140.5	0.004	0.38	0.74	22.3	2	2.6	161.0	0.98	0.26	6.5	0.594	1.87
K297766		730	11.5	151.0	0.003	0.33	0.42	29.0	2	2.5	142.5	1.00	0.35	5.7	0.702	1.31
K297767		610	11.8	168.0	0.005	4.69	0.75	27.0	3	2.8	288	0.91	0.33	5.2	0.668	4.60
K297768		620	10.1	129.0	0.002	0.34	0.31	23.8	2	2.1	134.5	0.80	0.23	4.1	0.634	0.92
K297769		740	12.3	151.5	0.002	0.33	0.38	28.1	2	2.6	111.5	1.04	0.32	5.2	0.696	1.10
K297770		620	10.5	140.5	0.005	0.53	0.36	23.0	2	2.1	100.5	0.83	0.24	4.6	0.602	0.86
K297771		710	11.5	189.0	0.003	0.46	0.42	25.6	2	2.3	126.0	0.95	0.33	4.6	0.645	1.13
K297772		700	10.8	165.0	0.005	0.41	0.43	25.3	2	2.1	111.5	0.94	0.30	4.8	0.638	1.09
K297773		170	1.3	2.1	<0.002	0.02	<0.05	0.3	<1	<0.2	45.6	<0.05	<0.05	<0.2	<0.005	<0.02
K297774		720	11.3	164.0	0.004	0.45	0.40	24.3	2	2.2	91.4	0.94	0.34	4.8	0.649	1.31
K297775		680	13.0	162.0	0.004	4.63	0.64	24.6	2	2.2	114.5	0.95	0.30	5.6	0.617	4.50
K297776		510	15.8	132.5	0.004	3.49	1.25	14.7	2	2.9	145.0	0.68	0.10	8.5	0.386	6.80
K297777		540	18.4	147.5	0.003	3.93	1.26	15.8	2	4.2	130.5	0.80	0.12	9.2	0.419	7.32
K297778		920	12.3	69.7	<0.002	1.44	0.59	5.8	1	1.6	689	0.34	0.06	5.6	0.155	1.78
K297779		770	20.7	136.5	0.006	3.89	3.67	13.1	2	3.8	211	0.72	0.06	11.1	0.322	7.49
K297780		740	28.8	151.5	<0.002	3.44	12.30	12.3	1	4.6	333	0.90	<0.05	14.4	0.312	11.05
K297781		300	20.3	172.5	<0.002	3.38	4.40	13.7	1	4.3	161.0	0.95	<0.05	15.1	0.336	7.54
K297782		4080	2.8	106.0	0.003	1.33	0.91	9.9	<1	1.3	553	2.49	<0.05	4.6	1.165	3.52
K297783		900	38.0	48.2	0.024	1.54	103.5	4.9	4	2.4	70.3	0.40	0.20	5.9	0.167	3.99
K297784		410	2.9	17.8	<0.002	0.46	0.70	2.3	1	0.6	1235	0.12	<0.05	1.4	0.063	1.75
K297785		160	11.9	52.1	0.002	1.39	2.08	4.9	<1	1.3	937	0.27	<0.05	4.1	0.147	2.50
K297786		120	6.6	28.7	0.002	0.73	1.13	3.2	1	0.5	1365	0.16	<0.05	2.4	0.085	1.06
K297787		160	7.4	34.0	0.003	0.93	1.28	4.0	1	0.8	1050	0.16	0.06	2.6	0.090	1.10
K297788		140	2.3	15.3	<0.002	0.55	0.94	2.0	<1	0.3	1055	0.08	<0.05	1.2	0.040	0.76
K297789		180	1.3	1.0	<0.002	0.01	<0.05	0.2	<1	<0.2	46.1	<0.05	<0.05	<0.2	<0.005	0.02
K297790		520	4.0	24.4	<0.002	0.47	0.83	3.4	<1	0.4	1390	0.31	<0.05	1.6	0.171	0.88
K297791		150	7.1	24.6	0.002	0.93	1.97	3.0	<1	0.4	1070	0.12	<0.05	2.0	0.063	2.93
K297792		330	6.1	23.9	0.002	0.76	2.12	2.9	1	0.4	1060	0.10	<0.05	1.9	0.060	3.53
K297793		820	2.0	9.8	<0.002	0.89	5.05	1.7	1	0.3	1325	0.05	<0.05	0.8	0.029	11.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11136142

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297758		2.8	91	1.5	20.5	102	93.2
K297759		2.6	90	1.6	17.9	93	69.0
K297760		2.0	237	1.0	30.1	107	142.5
K297761		7.7	168	22.1	14.7	45	166.0
K297762		1.6	216	1.2	24.0	98	126.5
K297763		1.7	206	1.3	24.0	99	107.5
K297764		1.7	213	1.0	23.4	103	136.5
K297765		1.9	181	1.0	22.5	96	128.5
K297766		1.8	221	0.9	25.4	108	148.0
K297767		1.5	211	3.8	23.9	101	136.0
K297768		1.3	202	0.8	20.3	98	111.5
K297769		1.8	219	1.0	24.0	108	128.0
K297770		1.3	194	1.5	20.4	93	107.5
K297771		1.4	207	1.0	22.3	100	114.5
K297772		1.5	206	0.9	22.9	98	124.0
K297773		0.5	3	0.1	0.8	18	0.6
K297774		1.5	208	1.0	21.3	101	113.0
K297775		1.7	197	1.2	25.3	97	128.5
K297776		2.3	117	1.9	20.4	81	95.8
K297777		2.4	125	1.8	21.8	95	100.0
K297778		7.1	48	0.9	13.1	44	55.7
K297779		3.1	110	2.9	20.2	79	89.3
K297780		3.1	78	3.5	19.5	94	90.7
K297781		2.5	86	2.6	17.9	62	98.0
K297782		1.7	138	1.8	27.5	74	116.5
K297783		8.3	233	27.1	19.8	219	58.2
K297784		1.8	17	0.9	8.6	9	15.0
K297785		2.5	38	2.3	13.8	26	48.5
K297786		2.0	22	0.6	11.4	15	26.4
K297787		2.3	26	0.8	12.6	89	27.4
K297788		1.5	13	0.7	7.7	7	12.6
K297789		0.5	3	0.1	0.7	19	<0.5
K297790		1.7	32	1.0	11.4	14	24.2
K297791		1.6	20	0.7	9.3	14	18.5
K297792		2.1	19	1.0	12.3	19	18.9
K297793		1.7	11	0.6	10.2	7	9.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11136142

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

CERTIFICATE WH11135094

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 54- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135094

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296361		6.52	<0.01	0.11	8.18	47.4	240	2.22	0.34	3.63	0.02	80.3	22.3	62	45.6	45.6
K296362		3.92	<0.01	0.08	9.12	20.2	300	2.36	0.42	1.70	<0.02	93.5	17.7	68	40.8	27.0
K296363		10.65	<0.01	0.10	8.41	20.3	280	2.20	0.33	2.25	0.03	90.9	18.3	63	40.0	37.6
K296364		4.10	<0.01	0.09	8.68	13.8	240	2.41	0.36	0.87	<0.02	97.9	15.7	67	39.2	47.5
K296365		7.95	<0.01	0.09	8.38	13.0	310	2.22	0.40	1.18	<0.02	90.8	19.0	64	34.6	30.9
K296366		11.27	<0.01	0.05	8.99	15.9	250	2.70	0.42	0.62	<0.02	82.5	16.1	72	41.7	45.2
K296367		11.45	<0.01	0.09	8.52	113.0	290	2.56	0.36	3.48	<0.02	74.9	15.1	66	37.9	39.4
K296368		6.89	<0.01	<0.01	0.09	<5	20	0.05	0.04	20.8	0.06	1.64	1.7	1	0.27	1.9
K296369		12.29	0.01	0.09	7.64	346	250	1.98	0.31	9.32	<0.02	76.7	12.7	50	31.1	28.1
K296370		3.06	<0.01	0.23	7.84	75	950	1.97	0.33	10.55	0.02	85.1	18.2	46	30.4	24.7
K296371		10.60	<0.01	0.04	6.87	30	360	1.70	0.26	13.60	<0.02	76.9	10.3	44	31.5	28.5
K296372		4.70	<0.01	0.03	6.69	25	460	1.67	0.26	14.25	<0.02	77.9	9.5	43	31.7	32.2
K296373		4.93	<0.01	0.06	8.01	19.1	220	2.07	0.33	6.01	<0.02	84.5	13.0	57	45.7	23.8
K296374		6.18	<0.01	0.10	7.62	25.5	240	1.96	0.30	7.22	0.07	83.2	15.6	50	41.6	30.6
K296375		5.16	<0.01	0.20	5.58	47	160	1.30	0.23	12.45	0.47	58.7	13.5	48	21.4	36.2
K296376		11.40	<0.01	0.13	4.14	33	140	0.94	0.17	17.55	0.12	53.0	8.1	37	13.00	22.7
K296377		5.93	<0.01	0.20	3.02	130	110	0.79	0.13	16.65	0.06	48.9	8.4	28	8.69	30.7
K296378		10.40	<0.01	0.15	3.84	1555	310	0.94	0.17	4.53	0.02	83.7	9.4	35	8.20	24.3
K296379		0.26	0.36	0.36	6.24	612	610	0.62	0.26	0.54	0.18	151.0	3.2	237	3.92	33.7
K296380		7.47	<0.01	0.10	3.94	43	140	0.96	0.17	15.15	0.02	75.3	8.5	34	11.45	17.1
K296381		9.21	<0.01	0.09	5.53	53	190	1.36	0.23	11.95	0.02	84.0	9.7	43	18.15	22.6
K296382		5.63	<0.01	0.08	3.12	234	140	0.76	0.13	22.4	0.02	50.2	6.7	26	8.60	15.4
K296383		6.17	<0.01	0.10	4.17	97	150	1.02	0.18	18.60	0.02	60.1	8.2	34	11.35	22.4
K296384		5.54	<0.01	0.14	4.16	253	140	1.04	0.18	15.30	0.04	69.4	12.7	36	10.65	27.4
K296385		11.30	<0.01	0.05	5.20	395	160	1.31	0.21	17.00	<0.02	68.9	9.4	37	15.20	22.1
K296386		6.93	<0.01	0.08	7.84	557	240	2.43	0.35	3.88	<0.02	87.1	15.0	63	24.5	41.5
K296387		11.09	<0.01	0.09	4.52	692	150	1.11	0.19	12.35	0.03	77.9	11.2	42	10.80	31.2
K296388		6.89	<0.01	<0.01	0.08	<5	20	0.06	0.04	21.9	0.07	1.74	1.6	1	0.22	1.8
K296389		5.94	<0.01	0.17	5.40	292	200	1.50	0.24	4.54	0.02	103.0	11.7	56	11.45	31.0
K296390		6.24	<0.01	0.15	5.90	1170	230	1.58	0.26	4.99	0.03	105.5	14.3	58	13.15	46.0
K296391		4.81	<0.01	0.12	7.40	1865	250	2.23	0.31	1.93	0.02	95.5	14.4	71	15.25	55.5
K296392		7.28	<0.01	0.09	5.65	1790	190	1.54	0.23	5.35	<0.02	103.5	10.3	53	11.10	46.7
K296393		7.81	<0.01	0.08	6.80	213	240	2.12	0.29	2.06	<0.02	94.6	13.0	65	15.45	49.9
K296394		2.24	<0.01	0.17	1.30	42	60	0.53	0.09	17.40	<0.02	67.3	12.8	24	3.39	16.6
K296395		9.44	<0.01	0.07	7.20	68.6	250	2.20	0.32	3.40	<0.02	99.4	12.1	63	17.60	47.5
K296396		0.25	2.66	1.00	3.24	624	900	0.80	0.34	8.37	2.18	54.0	7.5	58	3.83	46.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296361		3.76	22.6	0.22	2.9	0.06	0.063	4.08	43.5	50.7	1.42	455	0.72	0.05	12.5	43.9
K296362		4.02	24.1	0.27	2.9	0.07	0.067	4.44	50.0	66.7	1.45	445	0.41	0.05	13.6	43.9
K296363		4.59	22.5	0.27	2.8	0.06	0.067	4.01	50.7	47.4	1.67	1140	0.44	0.05	12.3	36.3
K296364		4.56	25.8	0.26	2.9	0.06	0.065	4.37	53.7	51.4	1.22	690	0.35	0.05	13.3	37.7
K296365		5.60	23.6	0.29	2.8	0.08	0.078	4.00	47.2	60.5	1.29	1150	0.48	0.04	12.0	41.2
K296366		3.67	26.1	0.24	3.0	0.08	0.068	4.60	42.9	52.1	1.15	326	0.31	0.05	13.1	39.4
K296367		3.79	24.6	0.23	2.9	0.30	0.067	4.32	39.0	46.3	1.18	556	0.43	0.05	13.5	38.1
K296368		0.43	0.39	0.15	<0.1	<0.01	<0.005	0.04	0.8	1.2	12.35	180	0.11	0.01	0.4	4.2
K296369		3.45	20.5	0.19	2.3	0.32	0.058	3.74	43.1	29.5	1.14	659	0.23	0.05	10.9	30.2
K296370		3.26	22.2	0.20	2.2	0.25	0.056	3.79	47.5	23.4	1.08	710	0.38	0.05	11.8	38.7
K296371		2.78	17.60	0.16	2.3	0.18	0.055	3.35	42.5	25.8	1.15	673	0.15	0.05	9.6	23.1
K296372		2.64	17.80	0.17	2.2	0.17	0.054	3.26	42.5	25.6	1.14	650	0.14	0.04	9.9	22.7
K296373		3.91	21.8	0.22	2.7	0.18	0.069	3.96	46.1	48.8	1.36	467	0.24	0.05	12.2	30.5
K296374		4.29	20.1	0.21	2.4	0.13	0.053	3.66	47.6	43.6	1.35	487	0.56	0.05	10.9	35.2
K296375		3.31	15.55	0.15	2.0	0.70	0.054	2.73	34.2	13.9	1.25	569	1.16	0.03	8.6	41.9
K296376		2.40	11.15	0.14	1.9	0.69	0.032	2.00	28.4	9.1	0.83	351	0.80	0.03	7.4	20.8
K296377		3.40	7.96	0.15	1.5	1.00	0.031	1.46	24.7	7.0	3.71	975	0.79	0.03	5.7	23.4
K296378		3.23	10.20	0.16	2.4	4.48	0.034	1.84	41.5	11.6	1.75	551	0.44	0.03	7.8	20.2
K296379		6.86	21.4	0.28	4.3	10.40	0.048	1.38	74.6	18.8	0.13	38	6.30	0.39	11.1	18.4
K296380		1.94	10.75	0.15	2.4	0.42	0.037	1.95	37.8	11.0	0.81	334	0.27	0.03	8.2	18.1
K296381		2.26	14.25	0.17	3.1	0.12	0.041	2.73	42.9	26.1	1.09	296	0.21	0.04	10.2	22.4
K296382		2.00	8.14	0.14	1.7	0.28	0.026	1.53	26.1	8.9	0.74	377	0.27	0.03	6.3	15.4
K296383		2.97	10.50	0.16	2.2	0.28	0.035	2.04	30.9	12.2	0.80	323	0.41	0.03	7.5	19.4
K296384		3.04	10.30	0.15	2.1	0.75	0.035	2.03	35.4	11.2	1.26	509	0.33	0.03	7.3	30.7
K296385		2.10	12.95	0.14	2.2	0.70	0.044	2.52	36.5	11.8	1.14	595	0.18	0.03	8.6	19.1
K296386		2.89	22.6	0.20	3.5	1.23	0.060	4.09	44.5	23.3	0.97	280	0.30	0.05	14.0	32.6
K296387		2.55	11.80	0.17	2.3	1.63	0.038	2.17	39.3	11.3	1.30	722	0.47	0.03	8.6	24.3
K296388		0.49	0.36	0.15	<0.1	<0.01	0.006	0.03	0.9	1.1	13.20	213	0.07	<0.01	0.4	4.0
K296389		3.05	15.10	0.19	3.4	1.79	0.057	2.69	50.4	17.7	1.30	440	0.45	0.04	11.7	27.3
K296390		2.57	15.90	0.18	3.5	2.40	0.048	2.94	53.0	18.4	1.01	440	0.44	0.04	12.2	32.2
K296391		1.98	22.8	0.21	4.3	2.61	0.053	3.75	49.0	25.1	0.97	346	0.33	0.04	15.1	24.7
K296392		2.36	14.60	0.17	3.4	2.03	0.048	2.79	51.2	16.0	0.94	473	0.28	0.03	11.6	22.2
K296393		2.37	19.25	0.21	4.1	0.86	0.054	3.49	46.8	21.8	1.00	230	1.34	0.04	13.7	24.8
K296394		1.76	3.24	0.11	0.8	0.54	0.017	0.59	30.3	8.8	0.70	427	0.91	0.02	3.1	30.2
K296395		2.17	18.05	0.15	3.6	0.73	0.051	3.54	47.9	21.0	1.00	184	0.47	0.04	12.2	27.0
K296396		2.17	7.60	0.13	1.9	4.38	0.027	1.02	31.8	40.2	2.63	283	17.10	0.03	7.0	59.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296361		370	23.5	153.5	<0.002	0.86	0.76	16.2	2	2.3	158.0	0.89	0.08	13.7	0.351	1.27
K296362		340	19.2	166.0	<0.002	0.55	0.54	17.0	2	2.5	116.5	0.98	0.09	15.9	0.386	1.25
K296363		800	16.9	173.5	<0.002	0.26	0.57	16.4	2	2.2	116.0	0.86	0.09	14.2	0.350	1.07
K296364		360	15.5	182.0	<0.002	0.61	0.38	18.0	2	2.6	109.0	0.96	0.09	15.2	0.373	1.16
K296365		1500	22.3	152.0	<0.002	0.40	0.40	16.7	2	2.3	111.5	0.88	0.09	14.0	0.347	1.05
K296366		280	18.1	168.0	<0.002	0.31	0.41	17.0	2	2.6	92.7	1.00	0.09	14.2	0.383	1.16
K296367		320	17.7	139.0	<0.002	2.03	0.63	15.9	2	2.7	152.0	0.96	0.10	12.6	0.367	2.26
K296368		200	1.3	2.0	<0.002	0.01	<0.05	0.4	1	<0.2	49.2	<0.05	<0.05	<0.2	0.005	<0.02
K296369		370	12.8	140.0	<0.002	2.49	0.57	12.8	2	2.3	275	0.78	0.07	12.5	0.304	2.35
K296370		740	18.8	145.0	<0.002	2.39	0.52	13.6	2	2.2	337	0.81	0.07	13.0	0.300	2.05
K296371		760	8.6	150.0	<0.002	1.48	0.34	12.5	2	1.8	358	0.69	0.07	11.7	0.272	1.69
K296372		790	8.3	148.5	<0.002	1.43	0.34	12.8	2	1.8	356	0.67	0.07	10.9	0.266	1.64
K296373		360	16.3	161.0	<0.002	2.28	0.49	15.5	2	2.3	165.5	0.84	0.07	13.0	0.344	3.08
K296374		1860	32.6	161.5	<0.002	2.46	0.85	14.3	2	2.1	193.5	0.76	0.10	13.3	0.308	1.79
K296375		230	76.6	123.5	<0.002	2.38	1.72	10.9	2	1.6	292	0.56	0.05	10.3	0.233	4.16
K296376		140	36.4	95.3	<0.002	1.91	0.45	8.4	2	1.3	437	0.47	<0.05	7.7	0.191	3.65
K296377		120	31.6	65.4	<0.002	1.45	0.78	6.3	2	0.9	239	0.38	<0.05	6.0	0.164	3.19
K296378		150	31.2	84.1	<0.002	2.27	6.38	7.6	2	1.4	84.4	0.59	<0.05	9.1	0.309	16.90
K296379		910	18.5	49.9	0.003	3.08	109.5	17.7	2	2.9	530	0.79	0.14	10.2	0.546	8.16
K296380		650	18.5	90.5	<0.002	1.36	0.60	8.0	2	1.3	243	0.57	<0.05	8.9	0.257	1.79
K296381		200	16.8	125.5	<0.002	0.99	0.64	10.2	2	1.6	283	0.76	<0.05	11.7	0.315	1.52
K296382		1550	19.6	70.8	<0.002	1.35	0.83	6.3	2	0.9	382	0.40	<0.05	6.4	0.185	2.21
K296383		750	23.9	93.0	<0.002	2.44	0.59	7.8	2	1.3	391	0.52	<0.05	8.4	0.223	2.43
K296384		210	29.4	92.2	<0.002	2.45	1.18	8.0	2	1.4	296	0.51	<0.05	8.4	0.243	4.74
K296385		770	11.0	115.0	<0.002	1.18	1.05	9.5	2	1.7	455	0.58	<0.05	9.4	0.250	4.16
K296386		210	16.7	157.0	<0.002	2.05	1.85	14.1	2	3.4	112.0	1.03	0.07	13.7	0.380	8.04
K296387		810	23.9	98.8	<0.002	1.69	2.14	8.6	2	2.4	229	0.58	<0.05	9.4	0.275	7.29
K296388		160	1.4	1.9	<0.002	0.01	0.16	0.3	2	<0.2	48.7	<0.05	<0.05	<0.2	<0.005	0.04
K296389		370	33.6	124.0	<0.002	1.98	1.64	10.6	2	2.5	111.0	0.90	<0.05	12.3	0.372	5.41
K296390		230	31.5	129.0	<0.002	2.07	3.06	11.3	2	3.9	162.5	0.92	0.05	13.0	0.399	8.61
K296391		250	21.9	154.0	<0.002	1.36	4.09	14.1	2	5.5	127.5	1.12	0.06	15.3	0.432	11.15
K296392		340	16.6	123.0	<0.002	1.73	2.12	10.5	2	4.7	155.0	0.89	<0.05	12.5	0.397	6.63
K296393		370	12.8	146.5	<0.002	1.46	0.87	13.1	2	4.4	123.0	1.06	0.05	14.2	0.407	2.73
K296394		1400	20.0	35.2	<0.002	1.09	0.87	3.7	1	0.4	248	0.20	<0.05	3.6	0.174	1.93
K296395		380	13.3	159.0	<0.002	1.25	0.61	12.5	1	3.7	120.5	0.93	0.05	14.8	0.386	2.49
K296396		910	35.8	55.4	0.025	1.60	107.5	5.5	4	2.4	75.3	0.48	0.19	7.3	0.175	4.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135094

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296361		3.7	98	1.7	21.3	67	93.3
K296362		3.5	98	1.8	22.8	72	92.0
K296363		3.4	93	1.8	24.7	64	90.9
K296364		2.7	103	2.0	23.1	62	94.9
K296365		4.6	97	1.8	31.1	65	87.4
K296366		2.4	101	1.9	19.3	65	90.2
K296367		2.6	101	2.5	18.7	69	90.7
K296368		0.7	3	0.2	1.0	16	0.7
K296369		2.9	79	3.0	20.7	66	71.8
K296370		3.7	74	3.4	22.9	65	74.2
K296371		3.4	73	1.8	23.9	49	74.3
K296372		3.2	73	1.7	25.1	48	76.2
K296373		2.5	91	1.7	24.3	59	88.7
K296374		3.2	82	1.5	24.1	137	82.1
K296375		3.1	65	1.2	16.7	812	69.2
K296376		2.9	46	0.9	16.3	130	66.6
K296377		2.2	36	1.7	14.6	39	52.7
K296378		1.9	54	2.8	16.3	12	73.3
K296379		7.7	168	24.8	16.0	46	160.5
K296380		3.2	49	1.0	20.9	29	84.3
K296381		2.8	64	1.6	21.0	64	97.0
K296382		3.0	35	1.8	15.3	33	62.0
K296383		3.0	48	2.2	17.6	30	72.0
K296384		2.8	51	3.5	17.2	35	67.7
K296385		3.1	57	4.7	21.4	30	76.2
K296386		2.3	92	7.4	18.5	48	108.0
K296387		2.8	57	3.5	20.4	28	79.9
K296388		0.7	3	0.1	1.0	18	0.6
K296389		2.6	72	4.0	22.7	46	104.0
K296390		2.9	79	4.7	21.4	50	108.0
K296391		3.1	103	7.3	23.4	56	137.5
K296392		2.7	74	5.9	21.4	46	104.0
K296393		2.4	93	3.4	21.6	33	122.5
K296394		3.8	25	0.5	14.6	4	39.5
K296395		2.8	88	1.8	21.9	31	119.0
K296396		9.7	233	29.9	22.8	216	67.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11135094

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

CERTIFICATE WH11126385

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 55

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298577		8.18	0.01	0.02	0.28	54	40	0.15	0.02	19.80	0.04	7.19	1.4	4	0.60	3.5
K298578		7.46	0.01	0.02	0.25	1300	220	0.21	0.01	21.0	0.02	6.87	1.5	<1	0.42	3.2
K298579		8.28	<0.01	0.03	0.18	162	60	0.13	0.01	20.1	0.18	5.62	1.1	3	0.27	3.5
K298580		8.34	0.01	0.05	0.17	360	60	0.15	0.01	20.0	0.09	5.87	0.9	2	0.26	2.3
K298581		8.36	0.01	0.04	0.14	1560	170	0.18	0.01	21.1	0.08	4.62	1.3	5	0.17	2.4
K298582		3.80	0.01	0.04	0.12	1530	110	0.15	0.01	20.6	0.05	4.13	1.2	<1	0.13	2.3
K298583		8.46	0.03	0.05	0.35	328	70	0.19	0.02	20.6	0.08	8.10	1.5	4	0.90	3.8
K298584		8.28	0.02	0.04	0.24	2210	80	0.15	0.01	20.8	0.02	4.90	1.3	3	0.43	2.6
K298585		8.40	0.01	0.02	0.12	870	180	0.15	<0.01	21.0	0.03	3.19	1.0	2	0.14	1.8
K298586		8.44	0.01	0.02	0.13	1420	320	0.21	0.01	21.3	<0.02	3.91	1.3	2	0.18	2.0
K298587		5.00	<0.01	<0.01	0.05	8	20	0.07	0.02	22.1	0.07	1.31	1.6	2	0.12	2.1
K298588		8.38	0.05	0.07	0.13	2710	120	0.12	<0.01	20.7	5.68	4.20	0.9	3	0.19	2.6
K298589		9.14	0.32	0.43	0.13	6400	30	0.12	0.01	17.90	30.4	3.77	1.4	3	0.19	6.9
K298590		8.78	0.28	0.37	0.33	9830	30	0.12	0.01	16.70	27.0	6.46	1.0	7	0.64	5.4
K298591		8.22	0.03	0.02	0.34	2450	30	0.15	0.01	19.75	0.10	5.97	1.3	2	0.79	2.4
K298592		8.26	0.11	0.06	0.67	1900	50	0.25	0.02	18.40	0.05	9.31	1.8	5	1.91	4.8
K298593		8.12	0.12	0.06	0.75	846	40	0.27	0.02	19.45	0.04	10.80	1.7	7	3.09	4.8
K298594		8.38	0.04	0.06	1.13	99	60	0.33	0.03	18.35	0.05	13.10	2.4	8	9.72	6.0
K298595		8.02	0.02	0.05	0.83	237	50	0.29	0.02	17.50	0.28	10.95	1.8	8	4.26	4.3
K298596		7.96	<0.01	0.05	0.98	130	50	0.37	0.02	18.85	0.03	13.55	2.1	7	4.69	5.1
K298597		0.30	0.33	0.36	6.66	641	70	0.62	0.25	0.51	0.19	143.0	3.5	231	3.80	37.0
K298598		8.18	0.01	0.05	0.73	1320	130	0.28	0.02	18.75	0.05	10.95	1.8	7	2.42	4.6
K298599		8.48	0.16	0.04	0.38	5370	40	0.23	0.01	20.5	0.07	7.63	1.5	4	0.82	3.6
K298600		8.16	0.08	0.06	0.28	6570	130	0.13	0.01	20.5	0.04	5.33	1.3	6	0.53	2.8
K298601		8.14	0.01	0.12	0.40	4980	350	0.20	0.02	19.90	1.72	9.64	1.8	4	0.92	3.7
K298602		8.12	0.04	0.07	0.36	4070	130	0.19	0.02	19.80	0.10	9.72	1.7	5	0.92	3.3
K298603		8.18	0.11	0.20	0.38	5990	350	0.25	0.02	20.3	0.61	12.05	1.8	3	0.86	4.9
K298604		8.36	0.02	0.06	0.13	>10000	100	0.16	0.01	19.20	0.20	4.31	1.1	3	0.17	2.1
K298605		8.28	0.03	0.03	0.13	4650	270	0.15	<0.01	19.70	0.20	4.32	1.2	2	0.18	2.0
K298606		8.24	0.11	0.06	0.18	6880	150	0.22	0.01	20.8	1.60	6.61	1.4	3	0.24	2.8
K298607		7.86	0.14	0.08	0.19	>10000	90	0.21	0.01	19.90	0.05	6.46	1.3	4	0.21	3.0
K298608		8.56	0.55	0.12	0.19	>10000	470	0.22	0.01	19.30	0.06	7.12	1.3	4	0.17	3.9
K298609		4.98	<0.01	<0.01	0.06	53	20	0.05	0.02	20.9	0.07	1.40	1.3	1	0.12	1.6
K298610		8.02	0.11	0.11	0.26	>10000	300	0.20	0.01	19.20	0.28	8.79	1.5	3	0.34	5.2
K298611		4.16	0.01	0.02	0.11	>10000	40	0.12	<0.01	16.90	0.04	2.57	0.9	4	0.14	1.8
K298612		0.30	8.15	0.47	3.39	957	180	0.92	0.55	11.00	4.22	43.3	6.1	90	7.52	36.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126385

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298577		0.35	0.82	0.09	0.1	0.28	<0.005	0.12	5.3	1.3	12.30	896	0.18	0.02	0.6	2.8
K298578		0.37	0.72	0.06	0.1	0.38	<0.005	0.11	5.5	1.5	12.45	926	0.17	0.02	0.6	1.2
K298579		0.30	0.62	0.15	0.1	0.57	<0.005	0.08	4.1	0.9	12.50	924	0.20	0.01	0.5	2.2
K298580		0.33	0.50	0.07	0.1	0.49	0.006	0.07	4.0	1.2	12.40	808	0.20	0.01	0.3	1.8
K298581		0.29	0.45	0.07	0.1	0.47	<0.005	0.05	3.3	1.1	12.50	1050	0.18	0.01	0.4	3.1
K298582		0.29	0.39	0.08	0.1	0.38	<0.005	0.04	3.0	1.0	12.45	1000	0.15	0.01	0.3	0.9
K298583		0.47	1.04	0.14	0.2	0.63	<0.005	0.16	5.9	2.1	12.05	698	0.65	0.02	0.9	3.7
K298584		0.28	0.83	0.29	0.1	0.56	0.005	0.10	3.4	1.8	12.30	638	0.34	0.01	0.7	3.1
K298585		0.41	0.54	0.34	0.1	0.27	<0.005	0.05	2.0	1.1	12.30	825	0.96	0.01	0.4	2.1
K298586		0.45	0.62	0.36	0.1	0.28	<0.005	0.05	2.4	1.2	12.55	856	1.03	0.01	0.4	2.4
K298587		0.50	0.39	0.39	<0.1	<0.01	0.005	0.02	0.6	1.1	13.10	227	0.08	0.01	0.3	4.0
K298588		2.39	0.69	0.05	0.1	4.31	0.011	0.05	2.6	1.1	12.15	913	1.22	0.02	0.5	1.5
K298589		8.22	1.75	0.11	0.1	18.4	0.050	0.06	2.4	1.2	10.35	941	1.52	0.01	0.5	1.7
K298590		9.93	2.04	0.15	0.2	16.2	0.044	0.14	3.5	1.2	9.88	1020	0.75	0.02	0.8	4.3
K298591		0.62	0.84	0.07	0.2	0.76	<0.005	0.15	3.3	1.7	12.00	697	0.23	0.01	0.7	1.7
K298592		0.98	1.70	0.06	0.4	2.43	0.005	0.29	5.4	3.1	10.95	1480	0.13	0.02	1.3	3.3
K298593		1.38	2.03	<0.05	0.4	1.23	0.006	0.35	5.8	3.3	11.05	1660	0.12	0.02	1.7	4.8
K298594		1.33	2.97	0.05	0.6	1.37	0.008	0.56	7.0	5.4	10.50	1420	0.12	0.02	2.8	6.3
K298595		2.02	2.19	<0.05	0.5	1.24	0.007	0.39	5.8	4.2	9.88	1440	0.14	0.02	2.0	4.7
K298596		1.01	2.65	0.06	0.5	1.14	0.006	0.44	7.5	6.4	10.85	1210	0.16	0.02	2.3	5.0
K298597		7.05	24.7	0.22	4.5	9.61	0.054	1.45	65.9	24.8	0.14	41	7.39	0.41	12.4	20.6
K298598		1.16	2.04	0.05	0.4	1.87	0.006	0.34	6.0	4.3	10.70	1310	0.14	0.01	1.6	5.0
K298599		0.73	1.16	0.13	0.2	1.56	0.009	0.17	4.5	2.3	11.90	1100	0.19	0.01	0.9	3.5
K298600		0.42	0.97	0.26	0.2	1.88	0.009	0.12	3.2	1.8	12.10	1100	0.14	0.01	0.7	3.6
K298601		0.43	1.40	0.26	0.2	2.83	0.007	0.18	6.5	2.4	11.65	864	0.17	0.02	1.0	3.5
K298602		0.54	1.22	0.23	0.2	1.52	0.007	0.16	6.5	2.0	11.55	1100	0.17	0.01	0.9	4.3
K298603		0.86	1.27	0.13	0.2	10.75	0.010	0.17	8.1	2.3	11.80	1380	0.27	0.01	1.1	3.7
K298604		0.35	0.59	0.27	0.1	11.2	0.019	0.05	2.8	2.9	11.25	928	0.27	0.01	0.4	2.4
K298605		0.28	0.70	0.43	0.1	3.20	0.006	0.06	3.0	1.9	11.60	971	0.30	0.01	0.4	2.5
K298606		0.51	0.78	0.29	0.1	7.25	0.009	0.08	4.4	2.3	12.20	1680	0.18	0.01	0.5	3.0
K298607		0.67	0.78	0.20	0.1	11.4	0.012	0.07	4.3	2.3	11.60	1800	0.19	0.01	0.6	3.2
K298608		0.74	0.79	0.18	0.1	>100	0.017	0.06	4.5	2.9	11.15	2150	0.16	0.01	0.6	2.9
K298609		0.47	0.31	0.17	<0.1	0.61	0.009	0.02	0.7	0.9	13.10	220	<0.05	<0.01	0.3	2.3
K298610		0.81	0.94	0.14	0.1	19.4	0.017	0.11	5.6	2.7	11.15	1760	0.21	0.01	0.7	3.0
K298611		0.63	0.43	0.15	<0.1	>100	0.033	0.03	1.3	3.4	9.90	881	0.17	0.01	0.4	1.7
K298612		1.31	8.67	0.17	2.2	5.82	0.068	1.42	27.0	12.9	0.68	262	12.10	0.01	8.8	69.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126385

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298577		360	7.3	4.2	<0.002	0.19	0.20	0.7	1	0.2	86.2	<0.05	<0.05	0.7	0.011	0.66
K298578		480	5.3	3.7	<0.002	0.24	0.24	0.7	1	<0.2	79.4	<0.05	<0.05	0.5	0.010	0.69
K298579		380	9.0	2.7	<0.002	0.16	0.24	0.4	1	0.2	94.2	<0.05	<0.05	0.5	0.007	0.74
K298580		380	28.1	2.5	<0.002	0.20	0.71	0.3	1	<0.2	86.9	<0.05	<0.05	0.4	0.007	0.87
K298581		430	13.8	1.9	<0.002	0.20	0.59	0.4	1	<0.2	93.0	<0.05	<0.05	0.3	0.005	0.61
K298582		380	19.7	1.5	<0.002	0.19	0.70	0.4	1	<0.2	83.5	<0.05	<0.05	0.2	<0.005	0.54
K298583		350	12.5	6.2	<0.002	0.32	0.25	0.6	1	0.2	105.5	0.05	<0.05	0.8	0.014	1.04
K298584		260	8.2	4.2	<0.002	0.37	0.46	0.5	1	0.2	103.0	<0.05	<0.05	0.5	0.010	0.80
K298585		230	3.6	1.8	<0.002	0.24	0.19	0.3	1	<0.2	85.0	<0.05	<0.05	0.2	<0.005	0.42
K298586		240	3.2	1.9	<0.002	0.35	0.18	0.5	1	<0.2	82.5	<0.05	<0.05	0.3	0.005	0.50
K298587		170	1.2	1.0	<0.002	0.02	<0.05	0.2	1	<0.2	50.8	<0.05	<0.05	<0.2	<0.005	<0.02
K298588		240	29.8	2.1	<0.002	3.15	0.75	0.3	1	<0.2	91.5	<0.05	<0.05	0.3	0.005	2.66
K298589		310	96.4	2.3	<0.002	>10.0	2.61	0.3	2	0.3	89.3	<0.05	<0.05	0.3	0.005	12.70
K298590		360	103.0	6.0	<0.002	>10.0	1.76	0.5	2	0.3	84.6	<0.05	<0.05	0.7	0.012	12.80
K298591		320	11.3	4.9	<0.002	0.71	0.20	0.5	1	<0.2	83.5	<0.05	<0.05	0.7	0.013	1.31
K298592		540	20.6	10.1	<0.002	0.58	0.26	1.1	1	0.3	106.5	0.08	<0.05	1.4	0.027	3.14
K298593		450	29.3	14.7	<0.002	0.87	0.23	1.1	1	0.3	99.9	0.09	<0.05	1.5	0.032	2.51
K298594		400	57.3	23.3	<0.002	0.81	0.10	1.7	1	0.5	92.1	0.16	<0.05	2.1	0.050	2.10
K298595		510	46.5	15.8	<0.002	1.76	0.12	1.3	1	0.3	87.4	0.12	<0.05	1.6	0.036	2.43
K298596		460	44.2	18.7	<0.002	0.60	0.10	1.6	1	0.3	93.4	0.13	<0.05	2.0	0.043	1.75
K298597		960	18.3	54.1	0.002	3.30	115.5	16.7	2	3.3	546	0.81	0.13	9.9	0.586	8.67
K298598		390	54.9	14.1	<0.002	0.67	0.49	1.1	1	0.3	102.0	0.09	<0.05	1.4	0.030	2.07
K298599		400	17.1	8.1	<0.002	0.88	0.66	0.7	1	0.2	88.1	0.05	<0.05	0.8	0.017	2.03
K298600		240	8.7	6.0	<0.002	0.79	1.04	0.5	1	0.2	97.7	<0.05	<0.05	0.6	0.013	1.30
K298601		330	45.7	8.7	<0.002	0.78	1.52	0.9	1	0.2	115.0	0.05	<0.05	0.9	0.017	1.59
K298602		380	18.9	7.5	<0.002	0.70	0.82	0.8	1	0.2	105.0	0.05	<0.05	0.8	0.014	1.67
K298603		510	123.5	7.7	<0.002	1.26	2.66	1.0	1	0.2	159.5	0.06	<0.05	0.9	0.016	3.71
K298604		460	16.1	2.5	<0.002	1.89	1.45	0.5	1	<0.2	94.2	<0.05	<0.05	0.2	<0.005	1.58
K298605		400	7.2	2.7	<0.002	0.60	0.41	0.5	1	<0.2	78.3	<0.05	<0.05	0.3	0.005	1.18
K298606		370	18.9	3.6	<0.002	1.00	0.91	0.7	1	<0.2	90.5	<0.05	<0.05	0.4	0.006	4.90
K298607		400	15.2	3.5	<0.002	1.27	1.22	0.8	1	<0.2	83.2	<0.05	<0.05	0.4	0.007	6.97
K298608		390	22.7	3.4	<0.002	1.69	1.45	1.0	1	0.3	83.4	<0.05	<0.05	0.4	0.007	10.55
K298609		190	1.5	1.0	<0.002	0.01	<0.05	0.2	1	<0.2	52.6	<0.05	<0.05	<0.2	<0.005	0.02
K298610		460	41.2	5.0	<0.002	1.75	1.71	0.9	1	0.4	82.3	<0.05	<0.05	0.6	0.009	12.35
K298611		280	7.4	1.8	<0.002	3.16	1.88	0.5	1	<0.2	85.7	<0.05	<0.05	0.2	<0.005	24.2
K298612		4030	4.8	120.0	0.034	1.32	19.10	7.1	9	1.8	146.0	0.54	0.49	6.3	0.207	13.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126385

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Zn- OG62 Zn % 0.001	As- OG62 As % 0.001	Hg- CV42 Hg ppm 1
K298577		2.8	3	0.3	4.3	8	4.5			
K298578		2.2	2	0.3	4.0	6	3.7			
K298579		2.4	2	0.3	3.5	25	3.2			
K298580		2.7	2	0.3	3.2	11	2.8			
K298581		1.9	1	0.2	3.0	11	2.6			
K298582		1.7	1	0.2	2.7	9	2.0			
K298583		2.4	3	0.4	4.4	15	6.0			
K298584		1.6	3	0.4	3.5	3	4.6			
K298585		1.1	2	0.2	2.8	9	2.9			
K298586		1.1	3	0.2	2.6	2	3.5			
K298587		0.5	2	0.1	1.0	19	<0.5			
K298588		1.1	3	0.3	2.8	2570	3.1			
K298589		1.5	4	0.4	3.2	>10000	3.5	1.330		
K298590		1.7	5	0.5	4.0	>10000	7.7	1.260		
K298591		1.8	2	0.6	2.8	45	7.8			
K298592		2.7	5	1.0	4.7	18	13.8			
K298593		2.5	7	1.0	5.5	11	17.3			
K298594		2.5	10	0.8	6.2	18	22.4			
K298595		2.2	7	1.0	5.3	105	18.3			
K298596		2.5	9	1.0	6.4	11	20.7			
K298597		7.8	180	25.8	17.1	47	188.5			
K298598		2.4	7	1.2	5.2	17	14.0			
K298599		1.9	5	0.7	4.6	19	9.0			
K298600		1.2	3	0.5	3.2	12	7.4			
K298601		1.8	4	0.7	5.3	95	9.1			
K298602		1.8	4	0.7	5.0	22	6.8			
K298603		2.4	4	0.9	6.3	41	7.3			
K298604		1.9	2	0.3	3.7	5	2.3		3.33	
K298605		1.9	2	0.2	3.5	35	2.4			
K298606		2.3	2	0.4	3.7	181	3.1			
K298607		2.4	3	0.4	4.0	7	3.4		1.675	
K298608		2.3	3	0.6	4.1	7	3.3		2.37	311
K298609		0.6	3	0.1	1.0	18	<0.5			
K298610		2.4	4	0.6	4.7	48	3.9		2.41	
K298611		1.4	2	0.3	2.2	4	1.6		5.15	240
K298612		7.9	382	36.9	29.9	274	77.5			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11126385

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

CERTIFICATE WH11138518

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 56- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
WSH- 22	"Wash" pulverizers
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138518

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296397		10.25	4.32	0.08	4.61	8140	270	1.09	0.21	10.40	0.12	97.8	8.9	43	8.77	25.3
K296398		5.39	4.97	0.16	6.61	2420	430	1.62	0.29	2.99	0.20	102.0	15.0	58	11.50	36.1
K296399		5.79	5.17	0.10	7.15	2590	350	1.78	0.35	2.93	0.17	82.5	12.8	59	16.05	27.1
K296400		0.20	7.88	0.47	3.54	1000	180	0.74	0.67	11.85	4.21	43.7	5.6	93	7.22	34.0
K296401		11.38	<0.01	0.09	4.94	113.0	190	0.94	0.21	6.52	<0.02	86.3	7.7	44	7.86	22.2
K296402		10.67	<0.01	0.09	5.16	186.5	240	1.12	0.24	8.04	0.02	88.1	9.1	49	8.80	25.7
K296403		10.74	<0.01	0.26	4.98	123.5	170	1.05	0.23	9.31	<0.02	79.8	10.1	47	7.92	22.7
K296404		10.05	<0.01	0.09	3.67	34.8	150	0.81	0.15	9.21	<0.02	72.3	7.8	36	7.02	15.6
K296405		7.21	<0.01	0.13	3.49	311	150	0.90	0.16	12.65	0.02	63.3	11.3	34	6.17	19.6
K296406		11.74	<0.01	0.15	4.31	65.9	180	1.07	0.20	8.01	0.05	70.4	10.3	40	8.76	23.8
K296407		10.99	<0.01	0.11	6.37	130.0	290	1.64	0.27	5.49	0.15	74.5	14.2	56	13.75	36.6
K296408		3.71	<0.01	0.05	9.00	15.6	390	2.48	0.40	0.66	<0.02	71.2	18.7	73	22.1	34.7
K296409		7.66	<0.01	0.07	10.00	14.6	370	2.66	0.43	0.17	<0.02	92.0	23.1	75	25.9	45.7
K296410		6.94	<0.01	0.02	0.08	<5	20	0.06	0.02	21.7	0.08	1.35	0.7	2	0.19	4.2
K296411		9.69	<0.01	0.08	9.53	31.3	490	2.69	0.42	0.15	<0.02	75.7	22.7	75	23.0	47.2
K296412		4.40	0.01	0.11	9.53	301	610	2.03	0.36	0.22	0.02	87.7	7.4	76	21.5	21.3
K296413		8.10	<0.01	0.07	3.66	238	220	0.98	0.12	17.40	0.06	34.2	9.8	27	6.21	13.8
K296414		10.27	<0.01	0.10	3.52	54	160	1.05	0.13	19.60	0.09	37.4	9.1	27	7.79	17.8
K296415		8.62	<0.01	0.08	1.53	27	90	0.56	0.04	27.5	0.05	18.45	3.5	12	3.62	8.6
K296416		3.65	<0.01	0.10	1.38	84	140	0.48	0.04	28.0	0.05	16.00	3.3	11	3.08	9.0
K296417		9.82	<0.01	0.09	4.74	16	190	1.30	0.17	15.70	0.10	45.8	9.5	35	15.25	35.3
K296418		4.89	<0.01	0.04	1.23	26	220	0.42	0.05	21.8	0.12	12.65	2.4	9	2.49	14.0
K296419		11.46	<0.01	0.03	1.80	54	120	0.62	0.07	20.0	0.10	19.60	2.8	13	3.80	9.9
K296420		0.20	0.36	0.28	6.10	597	430	0.65	0.29	0.47	0.18	125.0	3.0	226	3.67	29.1
K296421		9.14	<0.01	0.11	4.27	76	210	0.86	0.14	17.45	0.13	43.7	6.4	31	9.13	19.7
K296422		8.48	0.01	0.04	1.10	94	70	0.42	0.06	20.9	0.08	13.25	3.2	10	2.87	8.5
K296423		4.38	<0.01	0.03	0.15	160	20	0.18	0.03	30.7	0.06	12.30	1.9	5	0.71	4.7
K296424		5.16	0.01	0.10	8.11	625	380	2.15	0.29	3.27	0.05	60.8	10.4	68	22.0	26.8
K296425		4.12	<0.01	0.03	0.51	53	40	0.25	0.04	26.2	0.06	13.50	1.8	7	2.31	7.0
K296426		4.85	<0.01	0.02	0.72	46	40	0.26	0.03	27.8	0.07	11.90	1.5	7	1.98	7.0
K296427		1.69	<0.01	0.03	3.79	70	130	1.13	0.13	14.40	0.26	44.0	4.2	25	12.90	13.4
K296428		0.43	<0.01	5.83	4.59	84	240	1.27	0.15	13.40	0.33	54.9	4.7	40	16.70	22.1
K296429		10.30	<0.01	0.50	6.73	263	440	1.72	0.25	8.54	0.12	58.8	10.6	51	19.75	25.8
K296430		6.88	<0.01	0.01	0.09	<5	20	0.06	0.04	20.5	0.05	1.59	1.0	1	0.21	2.4
K296431		8.06	<0.01	0.02	1.52	30	120	0.43	0.06	18.70	0.11	19.50	3.3	10	3.98	13.4
K296432		9.63	<0.01	0.03	4.83	40	220	1.28	0.18	16.95	0.03	50.0	5.7	32	14.15	25.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138518

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296397		3.36	11.40	0.18	2.4	10.8	0.054	2.10	49.6	14.5	1.86	696	0.38	0.03	8.6	21.3
K296398		3.41	17.35	0.20	3.2	16.6	0.047	3.10	52.9	21.4	1.02	622	0.67	0.04	10.9	43.2
K296399		2.40	20.2	0.17	3.5	13.0	0.041	3.50	45.4	19.8	0.85	425	0.42	0.04	11.8	28.3
K296400		1.37	7.80	0.18	2.1	5.35	0.054	1.49	27.6	9.1	0.71	274	11.55	0.01	7.8	62.7
K296401		2.51	13.20	0.20	2.8	1.12	0.036	2.08	41.6	20.9	1.49	464	0.29	0.03	8.8	17.9
K296402		2.44	14.35	0.22	2.8	1.04	0.046	2.31	44.8	16.6	1.08	375	0.38	0.03	9.7	21.7
K296403		2.77	12.85	0.15	2.5	0.66	0.043	2.06	41.4	19.1	1.42	425	0.36	0.03	8.5	22.7
K296404		3.71	9.31	0.15	1.8	0.18	0.035	1.68	36.4	11.4	2.76	621	0.28	0.03	6.3	18.1
K296405		4.39	8.85	0.16	1.6	0.60	0.027	1.61	29.9	9.1	2.48	898	0.51	0.03	5.5	28.2
K296406		3.72	11.40	0.16	2.1	0.41	0.038	2.02	35.2	18.7	2.13	867	0.62	0.03	6.9	25.0
K296407		3.87	17.15	0.20	2.7	0.49	0.050	2.69	37.9	39.4	1.73	922	0.69	0.04	9.5	28.9
K296408		4.24	25.8	0.19	3.0	0.09	0.062	3.42	33.8	144.0	0.49	2270	0.76	0.13	11.8	49.1
K296409		4.75	29.6	0.19	3.2	0.13	0.071	3.66	41.3	172.0	0.47	1720	0.31	0.13	13.3	58.5
K296410		0.50	0.21	0.13	<0.1	<0.01	<0.005	0.03	0.7	1.2	13.15	221	0.08	<0.01	0.2	1.6
K296411		4.45	28.6	0.20	3.2	0.28	0.071	3.43	33.7	156.5	0.43	779	0.56	0.12	13.2	44.2
K296412		2.68	28.9	0.24	3.7	0.67	0.064	3.74	44.8	180.0	0.45	192	0.47	0.10	14.1	18.1
K296413		2.97	8.80	0.11	1.5	0.6	0.028	1.60	17.7	27.6	4.47	2690	1.23	0.04	5.0	15.0
K296414		2.05	9.69	0.12	1.7	0.36	0.026	1.63	19.1	9.2	3.45	1260	0.76	0.04	5.3	13.2
K296415		1.00	4.09	0.10	0.8	0.30	0.015	0.70	9.7	5.6	2.57	322	1.33	0.02	2.3	7.4
K296416		1.01	3.33	0.10	0.6	0.38	0.011	0.63	8.8	5.4	2.53	330	1.44	0.02	2.0	7.3
K296417		2.20	12.45	0.17	2.1	0.20	0.034	2.34	24.7	14.8	3.26	282	0.46	0.04	6.6	20.3
K296418		1.21	3.09	0.09	0.6	0.82	0.012	0.57	6.9	4.2	8.80	314	0.21	0.03	1.8	5.0
K296419		1.48	4.56	0.11	0.9	1.40	0.014	0.83	10.0	7.5	7.85	476	0.27	0.02	2.6	6.2
K296420		6.61	20.5	0.22	4.3	9.4	0.046	1.34	62.5	16.7	0.13	38	6.31	0.37	9.8	16.0
K296421		1.32	10.75	0.11	1.8	2.95	0.032	1.91	23.2	12.3	4.06	248	0.88	0.04	5.3	13.4
K296422		1.40	3.48	0.11	0.6	1.44	0.008	0.52	7.2	5.1	8.92	351	0.28	0.03	1.9	6.0
K296423		0.76	1.20	0.09	0.2	1.27	0.010	0.06	4.8	1.6	0.82	285	0.38	0.01	0.5	3.1
K296424		2.69	20.0	0.15	3.0	4.01	0.054	4.15	30.9	30.5	1.79	94	0.38	0.06	11.2	23.9
K296425		0.69	2.71	0.12	0.6	0.58	0.008	0.23	6.6	4.3	5.60	332	0.18	0.01	1.6	3.9
K296426		0.93	2.04	0.09	0.4	0.53	0.007	0.34	5.8	3.7	2.95	329	0.09	0.01	1.1	3.2
K296427		1.53	9.72	0.18	1.5	9.2	0.028	1.74	23.2	20.9	6.93	362	0.20	0.04	5.1	11.0
K296428		2.24	12.40	0.22	1.9	19.4	0.028	2.04	31.4	25.3	6.45	321	2.01	0.04	6.7	13.5
K296429		1.87	15.65	0.17	2.7	1.38	0.045	3.31	32.4	18.9	1.68	162	0.40	0.05	8.6	20.1
K296430		0.41	0.27	0.05	<0.1	0.01	0.005	0.04	0.7	1.2	12.50	174	0.10	0.01	0.4	0.8
K296431		1.80	3.91	0.06	0.5	0.11	0.013	0.74	9.6	5.6	8.40	603	0.13	0.03	2.3	4.8
K296432		1.50	12.50	0.09	1.8	0.19	0.039	2.39	25.7	15.0	1.98	313	0.26	0.04	6.9	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138518

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296397		270	18.8	104.5	<0.002	1.83	41.1	7.1	2	1.5	202	0.59	<0.05	11.6	0.346	70.3
K296398		1680	39.1	158.0	<0.002	2.94	40.6	11.1	2	2.1	263	0.76	<0.05	15.9	0.333	91.4
K296399		380	20.5	136.0	<0.002	1.90	43.4	11.3	1	2.7	142.5	0.88	0.05	13.2	0.361	79.2
K296400		4240	4.8	105.5	0.034	1.39	19.30	5.9	9	1.9	143.5	0.51	0.55	6.1	0.213	12.95
K296401		330	11.6	82.3	<0.002	0.91	0.95	8.2	1	2.0	119.5	0.65	<0.05	10.0	0.315	2.40
K296402		340	21.2	92.3	<0.002	1.48	1.00	8.9	1	1.9	181.0	0.70	<0.05	10.9	0.320	3.54
K296403		420	22.7	75.7	<0.002	1.38	0.89	7.9	1	2.0	255	0.61	<0.05	9.9	0.310	3.39
K296404		150	13.4	64.5	<0.002	0.64	0.61	6.1	1	1.4	128.0	0.43	<0.05	6.9	0.251	1.55
K296405		370	27.9	58.7	<0.002	1.82	1.49	5.7	1	1.1	256	0.38	<0.05	6.3	0.215	3.17
K296406		200	32.6	77.2	<0.002	1.75	1.26	6.9	1	1.4	161.5	0.48	<0.05	8.0	0.255	2.99
K296407		590	37.1	111.5	<0.002	2.18	1.17	10.8	1	2.0	197.0	0.71	0.06	11.2	0.317	3.09
K296408		620	11.6	139.0	<0.002	0.03	0.90	15.9	1	2.9	136.0	0.90	<0.05	12.9	0.411	0.89
K296409		540	15.1	171.0	<0.002	0.04	1.42	18.1	1	3.3	164.0	1.00	0.06	14.5	0.436	1.06
K296410		190	1.1	1.2	<0.002	0.02	0.08	0.2	<1	<0.2	45.2	<0.05	<0.05	<0.2	<0.005	0.02
K296411		760	29.8	149.0	<0.002	0.04	2.24	16.8	1	4.4	290	0.97	0.10	14.0	0.409	1.32
K296412		870	20.8	171.5	<0.002	0.13	1.52	16.7	1	3.4	448	1.03	0.05	15.4	0.464	2.43
K296413		600	11.5	57.8	<0.002	0.09	0.96	5.6	<1	1.2	307	0.35	<0.05	5.4	0.157	0.70
K296414		530	9.8	64.7	<0.002	0.13	0.68	6.1	1	1.2	629	0.39	<0.05	5.9	0.153	0.61
K296415		450	13.3	24.3	<0.002	0.25	0.37	2.4	1	0.6	1285	0.16	<0.05	2.7	0.063	0.53
K296416		410	16.1	19.6	<0.002	0.30	0.41	2.0	1	0.6	1310	0.14	<0.05	2.4	0.056	0.53
K296417		720	20.5	86.1	<0.002	1.39	0.42	7.7	1	1.5	486	0.48	<0.05	7.2	0.221	0.71
K296418		620	4.5	18.7	<0.002	0.29	0.21	2.0	<1	0.5	223	0.14	<0.05	2.0	0.055	0.57
K296419		350	5.1	27.4	<0.002	0.10	0.22	2.8	<1	0.7	184.0	0.19	<0.05	2.9	0.079	0.63
K296420		910	17.2	44.5	0.002	3.05	110.5	14.1	2	3.2	497	0.70	0.09	8.7	0.532	7.30
K296421		660	18.0	59.9	<0.002	0.72	8.19	6.5	1	1.9	320	0.39	<0.05	6.0	0.187	1.76
K296422		230	5.4	21.0	<0.002	0.07	1.16	2.2	1	0.6	195.0	0.15	<0.05	2.3	0.050	1.14
K296423		1050	3.9	5.0	<0.002	0.42	1.74	1.0	<1	0.3	313	0.05	<0.05	0.6	0.006	1.03
K296424		700	14.2	100.5	<0.002	1.92	1.67	11.9	1	2.9	112.0	0.79	0.06	9.5	0.414	4.06
K296425		260	2.9	13.3	<0.002	0.10	0.85	2.1	<1	0.8	230	0.12	<0.05	1.8	0.029	0.83
K296426		570	3.5	11.8	<0.002	0.49	0.48	2.9	1	0.6	355	0.08	<0.05	1.4	0.033	0.41
K296427		2260	9.2	62.7	<0.002	0.85	0.79	6.7	1	1.1	166.5	0.36	<0.05	6.0	0.160	1.56
K296428		4220	10.0	79.4	<0.002	1.47	0.77	7.7	1	1.3	239	0.47	<0.05	8.2	0.203	1.77
K296429		610	16.1	114.0	0.002	0.63	0.72	10.3	1	2.2	160.0	0.62	<0.05	9.8	0.314	1.29
K296430		210	2.1	1.6	<0.002	0.01	<0.05	0.3	1	<0.2	44.6	<0.05	<0.05	<0.2	0.005	0.04
K296431		550	4.5	29.8	<0.002	0.08	0.14	2.9	1	0.7	153.5	0.16	<0.05	3.0	0.068	0.31
K296432		710	8.2	102.0	<0.002	0.23	0.30	10.0	1	1.3	268	0.50	<0.05	9.4	0.222	0.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138518

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296397		2.9	60	3.1	19.8	36	83.1
K296398		5.5	82	5.5	27.5	57	117.5
K296399		3.2	86	4.7	18.1	49	105.0
K296400		7.8	380	34.6	27.1	281	63.3
K296401		2.3	62	3.1	18.7	21	80.4
K296402		2.4	65	3.5	19.3	26	90.3
K296403		2.6	61	4.5	18.0	24	81.7
K296404		1.6	49	1.8	14.9	10	57.0
K296405		2.8	44	2.0	17.6	35	50.8
K296406		2.4	58	1.1	15.6	63	63.0
K296407		2.7	74	2.1	17.5	163	79.9
K296408		3.3	100	2.7	19.7	93	90.3
K296409		3.1	105	2.2	19.9	94	100.5
K296410		0.6	2	0.1	0.8	18	0.5
K296411		3.2	98	1.8	19.3	100	98.0
K296412		3.1	98	3.2	18.2	49	109.0
K296413		7.0	49	0.8	12.9	29	49.6
K296414		8.8	50	0.7	11.8	66	52.8
K296415		11.5	20	0.3	6.6	40	23.1
K296416		11.8	18	0.3	6.2	39	21.4
K296417		7.2	68	0.9	12.9	79	66.6
K296418		3.9	16	0.3	4.7	26	17.5
K296419		3.9	30	0.5	7.4	18	28.5
K296420		7.3	166	21.3	14.2	43	143.0
K296421		7.8	59	2.5	10.5	36	58.1
K296422		3.7	16	1.0	4.9	14	20.4
K296423		3.5	3	0.5	7.5	26	6.6
K296424		2.9	112	6.6	15.2	35	101.0
K296425		3.5	7	0.9	5.5	32	20.9
K296426		3.2	10	0.4	6.9	22	16.3
K296427		5.3	41	1.6	16.4	41	52.7
K296428		9.7	52	36.9	24.1	58	67.8
K296429		4.0	89	3.8	16.2	153	83.2
K296430		0.6	<1	0.1	1.0	15	0.6
K296431		5.3	20	0.8	7.8	13	25.0
K296432		6.0	60	1.6	15.9	15	68.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138518

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11138517

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 57- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138517

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297794		1.36	0.31	<0.01	7.23	3680	140	0.67	0.06	9.17	0.27	123.5	14.1	12	29.8	0.8
K297795		6.68	0.69	0.01	0.52	>10000	100	0.14	0.02	34.7	0.07	9.37	2.2	10	1.49	3.1
K297796		3.76	1.49	<0.01	2.23	>10000	150	0.28	0.08	18.85	0.47	37.6	7.1	20	5.56	11.0
K297797		5.20	0.21	0.01	0.50	5890	90	0.17	0.02	33.4	0.04	10.20	2.0	4	1.75	3.9
K297798		4.14	1.23	0.01	0.51	>10000	70	0.15	0.02	30.6	0.04	8.73	1.9	4	1.59	2.3
K297799		4.94	<0.01	0.01	0.07	32	20	0.05	0.03	20.3	0.08	1.18	1.0	1	0.14	1.8
K297800		5.01	1.92	0.03	0.26	>10000	50	0.10	0.01	30.0	0.09	6.30	1.3	2	0.62	1.7
K297801		3.89	1.58	0.05	0.71	>10000	80	0.19	0.03	27.1	0.10	11.90	2.8	12	2.13	4.4
K297802		2.44	3.94	0.56	1.50	>10000	80	0.25	0.08	7.67	0.48	19.75	5.3	18	3.95	13.2
K297803		5.33	6.88	1.58	1.50	>10000	100	0.22	0.10	10.20	0.82	25.9	5.1	29	3.85	15.2
K297804		5.77	1.68	0.07	1.05	>10000	120	0.25	0.05	30.1	0.10	18.35	3.7	17	2.63	9.7
K297805		5.69	0.81	0.01	0.96	>10000	90	0.25	0.04	33.7	0.08	17.15	3.4	13	2.87	7.8
K297806		1.46	3.58	0.01	3.24	>10000	150	0.49	0.16	9.94	0.18	35.3	10.7	45	7.82	21.2
K297807		3.29	1.19	0.02	0.79	>10000	90	0.24	0.04	29.6	0.07	14.75	2.8	20	2.31	7.1
K297808		5.67	3.82	0.02	1.24	1580	120	0.27	0.06	29.0	0.11	21.1	4.2	16	3.11	11.6
K297809		3.31	1.36	0.02	2.04	>10000	110	0.38	0.08	27.6	0.20	29.4	6.5	19	6.23	17.5
K297810		6.29	0.44	0.03	0.75	3300	130	0.19	0.03	34.0	0.36	13.25	2.9	11	2.50	7.0
K297811		0.22	15.45	1.11	1.97	1210	340	0.38	0.58	14.70	0.70	31.7	3.5	33	2.50	60.8
K297812		7.69	0.35	0.07	0.37	1250	110	0.10	0.06	33.5	0.04	6.87	1.5	4	0.99	5.1
K297813		7.33	0.36	0.05	0.54	155	130	0.18	0.02	36.0	0.05	9.73	2.3	3	1.64	6.1
K297814		7.69	1.40	0.12	0.55	567	110	0.17	0.02	34.5	0.16	8.90	2.3	4	1.34	6.2
K297815		7.60	3.11	0.20	0.67	369	130	0.14	0.03	30.5	0.25	17.55	2.4	4	1.31	6.9
K297816		4.89	0.01	0.01	0.06	8	20	0.07	0.02	21.1	0.05	1.25	2.1	<1	0.15	1.7
K297817		8.02	0.45	0.06	0.94	187	140	0.23	0.04	33.5	0.12	16.30	3.5	10	3.38	10.0
K297818		0.21	2.60	1.01	3.22	609	850	0.80	0.25	8.08	2.25	45.2	6.7	52	3.85	45.1
K297819		7.15	1.31	0.12	0.56	211	110	0.18	0.03	31.3	0.11	9.54	2.1	5	1.54	5.5
K297820		4.70	3.66	0.43	1.28	>10000	110	0.27	0.05	21.8	0.36	25.7	4.0	13	2.85	10.8
K297821		3.61	4.02	0.59	2.45	9910	160	0.36	0.09	18.45	0.47	38.7	7.0	25	5.56	17.6
K297822		7.50	9.34	0.25	3.37	7680	190	0.49	0.16	13.25	0.67	54.8	10.5	34	7.66	27.2
K297823		7.17	10.45	0.06	4.06	2090	220	0.58	0.15	12.00	0.67	43.4	14.0	46	8.18	29.0
K297824		4.58	14.70	0.22	4.79	>10000	210	0.83	0.22	6.01	0.67	50.1	20.4	54	13.20	42.2
K297825		3.20	5.14	0.11	1.78	3090	120	0.35	0.07	25.6	0.31	19.90	5.8	20	5.48	13.0
K297826		6.55	7.51	0.20	1.67	1570	140	0.42	0.08	27.1	0.23	21.8	5.7	18	5.02	13.8
K297827		3.27	7.72	0.21	1.62	1070	150	0.35	0.08	28.3	0.26	21.4	5.3	14	4.35	14.9
K297828		7.36	1.48	0.06	1.67	304	170	0.37	0.07	29.7	0.10	21.1	5.5	16	4.65	16.1
K297829		7.54	1.77	0.07	1.46	232	140	0.35	0.07	29.2	0.10	18.95	4.8	13	4.15	13.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138517

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297794		1.39	11.70	0.15	3.4	8.7	0.059	3.05	55.8	9.2	0.97	365	2.23	0.02	58.0	2.8
K297795		0.52	1.26	0.11	0.3	9.9	0.032	0.23	4.3	2.5	0.20	477	0.34	0.01	0.9	4.0
K297796		1.25	5.38	0.16	1.1	25.7	0.050	0.98	18.1	10.7	0.20	363	1.11	0.01	7.0	6.1
K297797		0.45	1.20	0.13	0.2	5.40	0.017	0.22	5.0	2.4	0.36	253	0.25	0.01	0.9	2.0
K297798		0.37	1.34	0.14	0.3	10.4	0.072	0.23	4.2	2.8	0.20	463	0.29	0.01	0.9	2.0
K297799		0.44	0.27	0.07	<0.1	0.01	<0.005	0.02	0.6	1.0	12.50	203	0.05	0.01	0.2	0.9
K297800		0.37	0.73	0.12	0.1	11.4	0.077	0.12	3.0	2.2	0.21	737	0.13	0.01	0.5	<0.2
K297801		0.72	1.79	0.12	0.3	7.58	0.063	0.33	6.1	3.8	0.42	351	0.38	0.01	1.0	1.7
K297802		1.11	4.27	0.14	0.8	23.3	0.217	0.68	11.1	9.3	0.15	227	0.75	0.01	2.1	7.7
K297803		1.38	4.18	0.15	0.7	32.2	0.174	0.67	13.6	10.3	0.15	220	0.94	0.01	2.1	11.1
K297804		0.74	2.54	0.11	0.5	10.1	0.050	0.49	9.9	5.2	0.22	671	0.61	0.01	1.5	2.4
K297805		0.67	2.25	0.13	0.5	6.75	0.036	0.46	9.2	4.3	0.24	741	0.56	0.01	1.4	1.4
K297806		1.70	8.58	0.16	1.5	31.8	0.041	1.44	18.4	16.2	0.27	302	1.78	0.01	4.1	20.0
K297807		0.56	2.00	0.13	0.4	10.6	0.084	0.36	7.4	3.9	0.20	809	0.50	0.01	1.2	4.3
K297808		0.90	2.86	0.12	0.6	16.8	0.021	0.56	11.6	6.5	0.22	739	0.60	0.01	1.7	3.1
K297809		1.24	4.69	0.16	1.0	10.4	0.042	0.95	16.4	7.5	0.26	732	0.93	0.01	2.9	5.9
K297810		0.53	1.83	0.15	0.4	2.84	0.029	0.35	7.0	3.3	0.26	465	0.56	0.01	1.2	1.0
K297811		3.52	4.03	0.11	0.9	5.83	0.053	0.40	18.0	44.2	0.71	451	12.30	0.01	3.5	20.6
K297812		0.29	1.06	0.06	0.2	1.46	0.006	0.16	3.5	1.6	0.24	807	0.20	0.01	0.7	<0.2
K297813		0.35	1.62	0.06	0.3	1.67	0.006	0.24	5.1	3.1	0.23	783	0.29	0.01	1.1	1.3
K297814		0.42	1.74	0.06	0.3	2.80	0.008	0.24	4.7	3.3	0.23	2540	0.36	0.01	1.1	1.9
K297815		0.50	2.05	0.07	0.3	4.58	0.007	0.26	8.7	6.9	0.16	1710	0.33	0.01	1.1	2.5
K297816		0.50	0.24	0.06	<0.1	0.03	<0.005	0.02	0.6	1.0	12.50	218	0.07	0.01	0.3	2.0
K297817		0.61	2.48	0.08	0.4	2.69	0.009	0.41	8.8	4.3	0.46	634	0.60	0.01	1.6	5.0
K297818		2.05	8.05	0.12	1.7	4.53	0.025	0.98	28.0	47.0	2.54	271	20.0	0.03	6.7	49.9
K297819		0.41	1.60	0.07	0.3	3.00	0.006	0.26	5.1	3.7	0.19	1420	0.31	0.01	1.0	2.8
K297820		0.88	3.20	0.15	0.6	6.34	0.037	0.55	13.5	9.3	0.16	2380	0.69	0.01	1.8	3.0
K297821		1.42	5.92	0.17	1.0	10.1	0.024	1.08	20.1	10.8	0.22	2190	1.12	0.01	3.1	9.7
K297822		2.39	8.70	0.21	1.6	20.4	0.027	1.48	29.3	13.8	0.27	1340	1.19	0.01	4.5	15.8
K297823		2.48	9.82	0.16	1.8	27.4	0.030	1.72	23.6	11.8	0.25	1400	0.59	0.02	5.3	20.5
K297824		3.38	12.60	0.20	2.3	25.4	0.044	2.18	29.6	16.9	0.33	1040	2.41	0.02	6.9	29.9
K297825		1.15	4.33	0.11	0.8	6.17	0.019	0.80	12.0	8.1	0.22	4740	0.76	0.01	2.4	6.0
K297826		1.52	4.40	0.12	0.8	10.5	0.021	0.77	12.5	7.2	0.24	5720	0.57	0.01	2.4	6.2
K297827		1.56	4.76	0.09	0.8	11.0	0.019	0.76	12.6	5.7	0.24	5980	0.55	0.01	2.4	7.5
K297828		1.11	4.38	0.08	0.8	3.75	0.013	0.79	12.6	4.6	0.52	2610	0.44	0.02	2.5	8.5
K297829		0.97	4.06	0.08	0.7	3.01	0.012	0.67	11.0	5.6	0.27	2630	0.36	0.01	2.2	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138517

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297794		6020	5.8	145.0	0.003	1.26	2.35	18.1	2	1.1	385	3.47	<0.05	7.4	1.755	18.60
K297795		900	1.8	11.9	0.002	1.22	11.20	7.6	1	0.3	1270	0.06	<0.05	1.0	0.029	24.3
K297796		1630	7.1	43.0	0.003	2.66	19.40	8.4	2	0.9	593	0.45	<0.05	3.6	0.232	51.8
K297797		290	2.6	10.8	<0.002	0.63	2.53	3.5	1	0.2	1250	0.06	<0.05	0.9	0.028	10.05
K297798		700	1.4	11.8	<0.002	3.56	32.3	6.5	1	0.3	1065	0.05	<0.05	0.9	0.025	31.0
K297799		170	3.0	1.0	<0.002	<0.01	0.06	0.3	1	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	0.02
K297800		530	1.1	5.9	<0.002	4.19	79.3	6.2	1	0.2	711	<0.05	<0.05	0.5	0.013	34.4
K297801		180	3.4	16.4	<0.002	3.98	135.0	2.8	2	0.2	1070	0.07	0.06	1.2	0.035	24.0
K297802		340	7.7	33.4	0.002	>10.0	614	3.2	8	0.5	236	0.17	0.22	2.6	0.082	71.3
K297803		560	12.5	30.7	0.002	>10.0	509	3.0	7	0.6	236	0.16	0.20	2.9	0.081	109.0
K297804		320	4.3	25.7	0.002	2.80	74.9	5.8	2	0.4	1300	0.11	0.05	1.7	0.053	28.8
K297805		250	4.2	22.1	0.002	1.43	18.95	6.8	2	0.4	1270	0.10	<0.05	1.6	0.050	18.90
K297806		1910	13.5	65.7	0.005	2.65	41.1	7.9	2	1.6	455	0.32	0.06	5.2	0.167	83.8
K297807		1120	3.9	18.8	0.002	3.93	59.0	5.7	2	0.4	1140	0.08	<0.05	1.4	0.040	25.3
K297808		510	6.2	28.1	0.002	1.13	26.0	8.0	2	0.5	1230	0.12	<0.05	2.1	0.062	51.6
K297809		670	9.4	39.4	0.003	2.86	58.3	6.5	2	0.6	978	0.20	0.06	3.4	0.110	31.4
K297810		140	3.7	17.2	0.002	0.71	10.60	2.8	1	0.3	1755	0.08	<0.05	1.3	0.040	9.39
K297811		670	24.6	24.6	0.006	2.00	148.0	3.8	2	2.0	44.8	0.25	0.36	3.7	0.109	3.52
K297812		360	4.9	7.8	<0.002	0.33	4.53	1.7	2	<0.2	1490	<0.05	<0.05	0.7	0.019	5.54
K297813		180	2.5	12.0	<0.002	0.40	3.46	2.4	2	0.2	1890	0.05	<0.05	0.9	0.027	5.75
K297814		420	3.0	11.6	0.002	0.51	7.72	6.7	2	0.2	1370	0.06	<0.05	0.9	0.027	9.34
K297815		680	3.7	12.7	0.002	0.64	10.65	8.2	2	0.2	1100	0.06	<0.05	1.2	0.031	13.50
K297816		170	1.2	1.1	<0.002	0.07	0.06	0.3	1	<0.2	43.1	<0.05	<0.05	<0.2	<0.005	0.04
K297817		270	4.8	18.9	0.002	0.72	3.46	3.5	2	0.3	1620	0.09	<0.05	1.6	0.048	7.11
K297818		900	35.0	47.6	0.025	1.59	104.5	5.4	4	2.5	69.1	0.43	0.20	6.2	0.173	3.85
K297819		340	4.6	13.8	0.002	0.44	5.10	4.0	2	0.2	1325	0.06	<0.05	1.2	0.029	8.00
K297820		490	4.8	28.6	0.002	2.47	65.1	6.1	2	0.4	867	0.12	0.05	2.1	0.065	19.65
K297821		290	7.0	45.7	0.003	2.16	40.3	8.0	2	0.7	836	0.23	0.06	3.8	0.122	26.8
K297822		620	12.9	66.8	0.004	3.16	72.6	8.0	2	1.1	729	0.35	0.10	5.6	0.177	58.9
K297823		400	11.7	74.5	<0.002	2.86	64.2	10.8	2	1.2	540	0.40	0.09	5.9	0.224	78.1
K297824		290	16.1	99.4	0.004	4.45	90.3	7.2	2	1.5	305	0.54	0.15	7.6	0.285	77.1
K297825		170	5.0	39.9	0.002	1.50	21.3	7.8	1	0.5	646	0.18	0.05	2.6	0.093	18.05
K297826		160	7.3	39.2	0.002	1.87	36.4	8.3	1	0.5	819	0.17	0.07	2.5	0.087	41.4
K297827		150	8.2	40.4	0.002	1.84	31.8	7.2	2	0.5	786	0.15	0.07	3.0	0.085	43.3
K297828		150	6.8	41.2	0.002	1.21	7.54	5.0	2	0.4	1245	0.16	<0.05	3.1	0.089	14.05
K297829		190	5.1	34.8	<0.002	1.11	6.40	4.7	2	0.4	1105	0.14	<0.05	2.8	0.077	10.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138517

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297794		1.9	256	11.8	35.0	80	152.0	
K297795		2.5	9	0.6	16.0	11	10.1	1.320
K297796		5.2	42	3.7	20.8	100	42.6	2.38
K297797		1.9	8	0.6	10.6	7	9.4	
K297798		2.1	8	0.5	13.7	5	9.0	5.91
K297799		0.5	3	0.1	0.8	17	<0.5	
K297800		1.4	5	0.3	11.1	2	5.3	6.53
K297801		1.9	11	0.6	11.6	6	11.1	6.08
K297802		3.5	26	1.6	19.2	35	26.2	26.9
K297803		4.1	26	1.8	37.7	68	25.2	18.55
K297804		2.5	17	1.2	16.8	12	18.0	3.83
K297805		2.7	15	0.9	19.2	14	16.2	1.360
K297806		7.3	53	3.5	22.0	22	48.6	1.500
K297807		2.8	14	0.9	17.4	8	14.6	6.17
K297808		3.4	19	1.5	17.9	16	20.8	
K297809		3.9	31	1.8	19.0	44	32.4	2.70
K297810		2.6	12	0.8	10.9	40	12.4	
K297811		3.3	109	223	16.9	74	26.7	
K297812		2.0	6	0.6	8.9	3	6.2	
K297813		2.3	9	0.5	11.6	6	9.7	
K297814		2.0	9	0.6	12.8	16	9.4	
K297815		2.2	11	0.9	16.1	25	11.6	
K297816		0.4	2	0.1	0.8	17	<0.5	
K297817		2.7	14	0.8	14.8	19	15.7	
K297818		8.0	229	28.3	19.8	209	59.4	
K297819		2.3	9	0.6	12.3	16	10.1	
K297820		2.8	20	1.5	17.0	50	20.8	2.98
K297821		3.5	37	2.3	16.8	58	36.3	
K297822		4.0	53	3.3	21.0	81	51.3	
K297823		2.8	67	4.5	17.3	93	62.3	
K297824		4.1	83	4.9	16.9	93	79.0	1.485
K297825		2.4	28	1.5	14.1	41	28.2	
K297826		2.3	26	1.5	14.8	26	27.6	
K297827		2.6	25	1.5	15.2	37	27.2	
K297828		2.4	24	1.4	12.9	24	26.7	
K297829		2.4	21	1.4	12.9	22	25.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138517

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11134830

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- Batch 58

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11134830

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298613		4.14	0.08	0.13	0.81	>10000	160	0.17	0.06	9.29	2.26	2.54	3.4	14	1.60	15.1
K298614		4.92	<0.01	<0.01	0.07	120	80	<0.05	0.02	21.1	0.06	1.30	1.3	<1	0.14	2.1
K298615		5.79	<0.01	0.12	5.32	>10000	2030	0.85	0.16	5.42	0.38	30.9	26.6	50	5.41	111.0
K298616		8.01	<0.01	0.09	6.15	3750	970	1.13	0.18	4.47	0.54	40.7	32.5	63	7.23	131.5
K298617		8.35	<0.01	0.10	6.19	971	640	1.23	0.17	4.13	0.56	39.5	32.4	63	7.96	135.5
K298618		6.68	<0.01	0.10	6.53	290	530	1.52	0.18	3.71	0.53	41.0	32.4	70	12.65	137.0
K298619		7.71	<0.01	0.09	6.36	690	5210	1.26	0.19	4.26	1.26	40.5	31.7	62	12.30	141.0
K298620		7.24	<0.01	0.11	6.39	36.5	300	1.22	0.19	3.79	0.50	43.9	32.8	65	16.35	142.5
K298621		8.16	0.04	0.05	0.45	4180	260	0.37	0.02	20.0	1.84	11.15	1.8	3	1.19	5.2
K298622		7.39	<0.01	0.10	6.56	1200	180	1.36	0.22	3.84	0.24	47.0	33.2	63	19.90	144.0
K298623		2.41	<0.01	0.60	6.06	229	430	1.79	0.35	0.20	<0.02	86.3	8.3	44	27.5	10.9
K298624		7.83	<0.01	0.08	5.07	166.5	560	1.56	0.32	0.22	<0.02	72.9	6.7	43	27.0	10.7
K298625		6.99	<0.01	0.01	0.10	6	20	0.06	0.02	20.9	0.06	1.68	1.4	<1	0.33	1.9
K298626		10.34	<0.01	0.07	5.85	66.1	430	2.04	0.35	0.15	<0.02	79.4	11.4	43	34.7	12.6
K298627		9.33	<0.01	0.16	5.85	562	630	2.45	0.41	0.11	0.02	78.2	12.1	45	32.8	29.7
K298628		0.22	0.35	0.34	6.33	622	950	0.69	0.30	0.47	0.17	143.5	3.1	230	4.05	33.6
K298629		8.43	<0.01	0.04	5.47	396	420	2.12	0.31	0.61	<0.02	69.5	11.9	44	26.1	18.3
K298630		8.38	<0.01	0.51	3.50	629	300	1.24	0.23	0.46	0.02	51.5	10.6	42	15.45	15.6
K298631		6.76	<0.01	0.03	3.73	30.3	290	1.26	0.16	1.62	<0.02	50.7	8.6	38	19.70	5.5
K298632		10.77	<0.01	0.18	4.13	286	200	1.48	0.28	1.84	<0.02	51.0	17.4	39	21.9	192.0
K298633		8.49	<0.01	0.42	6.32	182.5	400	2.33	0.36	0.95	<0.02	75.8	14.7	46	39.8	76.2
K298634		9.60	<0.01	0.11	6.00	1700	600	1.93	0.47	1.40	0.13	75.1	16.0	43	27.2	8.5
K298635		10.34	<0.01	0.05	6.21	162.0	360	2.42	0.25	2.00	0.02	75.9	11.6	42	40.2	6.4
K298636		10.70	<0.01	0.07	5.24	58.4	260	2.07	0.36	4.18	<0.02	64.4	18.4	34	40.8	86.1
K298637		10.98	<0.01	0.04	4.61	44.9	300	1.91	0.25	9.24	<0.02	54.5	15.1	26	35.5	36.9
K298638		4.26	<0.01	0.03	3.61	38	240	1.39	0.18	10.70	<0.02	46.2	12.4	19	27.0	29.5
K298639		10.78	<0.01	0.04	4.43	127.0	290	1.64	0.24	9.65	0.03	52.9	8.6	26	34.2	13.7
K298640		11.77	<0.01	0.05	1.45	54	80	0.57	0.08	12.65	0.04	21.6	5.9	15	8.32	9.7
K298641		11.06	0.01	0.10	0.41	179	50	0.13	0.03	18.25	0.04	8.93	2.2	1	0.97	3.8
K298642		10.77	0.08	0.03	0.29	>10000	110	0.11	0.01	18.80	<0.02	6.81	1.5	1	0.66	1.7
K298643		5.32	0.05	0.03	0.24	629	40	0.12	0.01	19.00	<0.02	5.16	1.3	2	0.29	2.2
K298644		5.37	0.83	0.18	0.70	5560	400	0.17	0.04	19.15	0.24	15.00	5.5	3	1.04	6.7
K298645		10.81	0.08	0.04	0.50	930	150	0.16	0.02	18.95	0.04	9.73	1.6	1	0.84	2.5
K298646		10.73	0.06	0.07	0.58	2250	180	0.21	0.03	18.35	0.14	11.55	1.9	<1	1.53	3.5
K298647		0.21	0.34	0.34	6.16	620	1180	0.70	0.30	0.49	0.19	144.0	3.0	225	4.01	33.4
K298648		11.78	0.03	0.02	0.21	1240	370	0.11	0.01	19.85	0.57	4.91	1.1	<1	0.33	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11134830

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298613		2.03	2.07	0.14	0.3	83.4	0.095	0.31	<0.5	4.1	5.22	1040	0.27	0.01	1.5	6.5
K298614		0.49	0.29	<0.05	<0.1	0.15	<0.005	0.03	0.6	1.2	12.95	221	0.12	0.01	0.3	2.4
K298615		7.20	15.10	0.20	1.3	17.5	0.083	2.28	12.4	13.2	2.59	1700	0.47	0.03	9.6	39.9
K298616		6.95	18.35	0.20	1.9	4.34	0.089	2.48	17.8	55.7	2.19	1480	0.44	0.02	11.3	48.2
K298617		7.67	18.70	0.20	1.7	1.86	0.086	2.49	17.3	84.9	2.43	1040	0.40	0.02	11.2	50.3
K298618		6.92	18.85	0.20	2.8	0.56	0.087	2.45	17.6	231	3.09	1080	0.40	0.03	11.4	48.7
K298619		6.68	18.25	0.20	1.5	0.50	0.084	2.11	17.2	230	3.09	1120	0.43	0.03	11.5	51.7
K298620		7.03	18.60	0.20	2.6	0.15	0.088	1.57	19.6	208	3.29	1020	0.43	0.35	11.6	53.0
K298621		1.13	1.33	<0.05	0.2	7.08	0.012	0.19	6.8	2.4	12.20	1570	0.23	0.01	0.9	5.0
K298622		6.82	19.20	0.18	2.8	3.19	0.092	2.02	20.8	167.0	2.79	1240	0.51	0.21	12.2	53.3
K298623		2.11	17.50	0.15	2.8	1.29	0.057	3.15	41.0	23.5	0.54	103	0.86	0.05	10.4	17.7
K298624		2.19	14.10	0.12	2.4	0.54	0.044	2.57	34.4	22.0	0.43	127	0.64	0.04	8.6	14.3
K298625		0.46	0.33	<0.05	<0.1	0.01	<0.005	0.04	0.8	1.5	13.25	190	0.48	0.01	0.4	3.5
K298626		3.15	16.25	0.12	2.6	0.62	0.056	3.13	38.6	28.7	0.52	155	0.43	0.05	9.4	20.9
K298627		3.78	15.65	0.15	2.6	0.96	0.055	3.12	40.2	20.3	0.51	256	0.74	0.04	9.2	22.9
K298628		7.04	20.8	0.23	4.3	10.10	0.048	1.33	68.5	19.9	0.13	37	7.06	0.40	10.3	17.3
K298629		3.50	14.55	0.13	2.6	0.49	0.057	2.88	36.0	20.9	0.68	474	0.62	0.03	8.9	22.5
K298630		2.51	8.90	0.09	2.0	0.71	0.029	1.65	23.9	15.2	0.34	158	0.48	0.02	5.7	13.1
K298631		2.33	9.79	0.10	1.9	0.19	0.036	1.85	24.6	17.6	0.94	511	0.34	0.03	6.3	12.3
K298632		2.38	10.90	0.11	1.9	5.13	0.036	1.98	25.5	16.9	1.13	549	0.76	0.03	6.8	18.0
K298633		3.43	16.75	0.14	2.6	1.27	0.052	3.27	38.5	25.4	0.90	253	0.34	0.04	10.1	19.8
K298634		3.14	16.00	0.13	2.6	0.69	0.056	3.01	38.1	26.0	1.14	321	0.46	0.03	9.3	20.8
K298635		3.08	15.95	0.15	2.8	0.24	0.052	3.20	39.2	31.0	1.58	473	0.69	0.03	10.1	13.3
K298636		2.81	13.40	0.14	2.2	0.14	0.044	2.83	34.2	30.2	2.76	582	0.33	0.04	8.5	20.3
K298637		2.31	11.35	0.10	2.0	0.22	0.033	2.43	30.7	31.2	5.80	975	0.19	0.03	7.5	19.3
K298638		2.09	8.60	0.06	1.6	0.24	0.032	1.90	25.2	24.8	6.77	1150	0.16	0.03	5.8	14.4
K298639		2.51	11.00	0.08	1.8	0.21	0.032	2.24	28.9	30.1	6.08	771	0.22	0.03	7.6	14.2
K298640		1.29	3.64	<0.05	0.8	0.21	0.012	0.70	12.7	10.1	8.35	694	0.34	0.02	2.5	6.7
K298641		0.84	1.14	<0.05	0.2	1.08	<0.005	0.17	6.0	2.3	11.35	725	0.54	0.01	0.8	3.2
K298642		0.56	0.94	<0.05	0.1	1.95	0.011	0.11	4.4	2.0	11.75	742	0.46	0.01	0.6	2.7
K298643		0.47	0.65	<0.05	0.1	0.59	<0.005	0.10	2.9	1.6	11.95	646	0.31	0.01	0.5	0.6
K298644		1.06	1.79	<0.05	0.5	8.38	0.013	0.23	8.5	2.9	11.90	1140	0.63	0.02	1.5	8.2
K298645		0.52	1.27	<0.05	0.3	1.34	<0.005	0.19	6.1	2.4	11.80	690	0.34	0.02	0.9	3.3
K298646		0.82	1.57	<0.05	0.3	2.78	0.006	0.24	7.2	3.2	11.30	878	0.17	0.02	1.1	3.2
K298647		6.86	21.1	0.22	4.1	10.35	0.050	1.30	70.3	19.5	0.14	37	7.25	0.39	10.3	17.2
K298648		0.32	0.62	<0.05	0.1	1.43	0.005	0.08	3.0	1.8	12.45	583	0.21	0.02	0.5	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11134830

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298613		340	27.4	12.3	<0.002	7.19	4.33	2.3	1	0.5	59.4	0.09	<0.05	0.3	0.065	59.1
K298614		200	<0.5	1.4	<0.002	0.01	<0.05	0.3	2	<0.2	49.6	<0.05	<0.05	<0.2	<0.005	0.04
K298615		500	10.0	101.5	0.002	6.06	1.42	22.7	2	1.6	326	0.66	0.14	3.0	0.549	26.0
K298616		570	12.5	126.5	0.002	6.36	0.59	27.9	3	1.8	265	0.78	0.17	4.1	0.667	8.03
K298617		580	9.1	129.5	0.002	5.14	0.52	26.6	2	1.9	168.0	0.76	0.16	3.8	0.661	3.84
K298618		580	8.9	128.5	0.002	0.31	0.42	27.2	2	1.8	146.5	0.79	0.15	5.0	0.687	1.34
K298619		560	13.3	116.5	0.002	0.51	0.37	27.5	3	1.7	274	0.75	0.17	4.0	0.678	1.69
K298620		580	9.9	93.0	0.002	0.24	0.41	28.3	3	1.7	74.2	0.71	0.18	5.2	0.694	0.93
K298621		500	30.8	8.7	<0.002	0.84	0.54	1.5	2	0.2	159.0	0.05	<0.05	0.9	0.023	4.40
K298622		610	11.5	117.5	0.002	1.78	0.35	29.2	3	1.8	78.8	0.81	0.20	5.8	0.676	6.40
K298623		430	9.8	147.0	<0.002	0.06	0.42	11.6	2	2.2	116.0	0.76	0.06	12.8	0.308	2.61
K298624		690	10.1	115.0	<0.002	0.06	0.45	9.9	2	2.2	108.0	0.63	<0.05	11.3	0.278	2.24
K298625		220	1.4	2.2	<0.002	0.01	<0.05	0.4	1	<0.2	49.7	<0.05	<0.05	0.2	0.005	0.02
K298626		260	11.5	141.0	<0.002	0.56	0.46	12.0	1	2.1	82.1	0.68	0.07	12.9	0.287	2.30
K298627		300	12.4	138.5	<0.002	0.21	0.59	13.0	1	2.3	96.0	0.71	0.09	13.4	0.299	2.73
K298628		920	19.5	47.9	0.003	3.17	113.5	17.2	2	2.8	504	0.78	0.13	9.8	0.556	8.18
K298629		400	11.7	122.0	<0.002	1.25	0.44	11.3	1	2.0	87.2	0.66	0.06	12.1	0.283	1.91
K298630		790	11.5	66.4	<0.002	1.31	0.29	7.2	1	1.4	77.3	0.46	<0.05	8.3	0.190	1.50
K298631		250	5.7	79.7	<0.002	1.06	0.23	8.3	1	1.3	82.2	0.51	<0.05	8.9	0.199	0.75
K298632		410	10.7	81.5	<0.002	1.15	0.56	8.5	2	1.6	80.8	0.51	<0.05	9.0	0.211	1.46
K298633		280	9.3	136.0	<0.002	2.17	0.50	12.7	1	2.4	66.0	0.78	0.06	13.9	0.321	3.11
K298634		430	18.9	119.5	<0.002	2.13	1.08	12.5	2	2.4	100.5	0.72	0.06	13.0	0.303	2.22
K298635		340	12.9	128.0	<0.002	2.30	0.51	12.3	1	2.2	69.8	0.79	0.05	13.9	0.317	1.00
K298636		480	12.5	111.5	<0.002	2.09	0.45	10.4	1	2.0	70.4	0.63	<0.05	11.1	0.266	1.19
K298637		530	18.7	93.5	<0.002	1.63	0.34	8.9	1	1.6	104.0	0.55	<0.05	10.0	0.229	1.28
K298638		520	14.9	72.0	<0.002	1.34	0.25	7.7	1	1.3	108.0	0.42	<0.05	7.9	0.175	1.07
K298639		400	33.5	86.7	<0.002	2.00	0.31	9.1	1	1.6	105.5	0.56	<0.05	9.9	0.212	0.97
K298640		320	28.4	29.8	<0.002	0.94	0.21	3.2	1	0.6	72.5	0.18	<0.05	3.5	0.073	0.62
K298641		330	109.0	6.8	<0.002	0.62	0.51	1.0	1	0.2	108.0	0.05	<0.05	0.9	0.018	1.71
K298642		370	21.0	4.9	<0.002	1.02	0.61	0.8	1	0.2	124.0	<0.05	<0.05	0.7	0.012	2.02
K298643		320	4.2	4.4	<0.002	0.27	0.14	0.7	1	<0.2	86.6	<0.05	<0.05	0.5	0.012	0.76
K298644		560	35.2	12.0	<0.002	1.21	0.89	1.4	2	0.3	371	0.10	<0.05	1.8	0.040	8.87
K298645		370	21.6	8.0	<0.002	0.38	0.31	1.0	1	0.2	180.5	0.06	<0.05	1.2	0.024	1.43
K298646		470	75.1	9.2	<0.002	0.64	0.93	1.2	1	0.2	171.0	0.07	<0.05	1.4	0.028	4.28
K298647		910	19.7	47.6	0.003	3.08	115.0	16.7	2	2.9	494	0.73	0.14	10.0	0.546	8.29
K298648		260	13.6	3.1	<0.002	0.26	0.35	0.5	1	<0.2	129.0	<0.05	<0.05	0.4	0.010	0.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11134830

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K298613		1.6	21	2.9	4.1	90	10.1	10.15
K298614		0.6	2	0.1	1.0	17	<0.5	
K298615		0.9	178	18.9	15.3	79	46.0	1.215
K298616		1.1	215	15.0	19.9	90	65.9	
K298617		0.9	216	8.4	19.0	91	58.1	
K298618		1.3	218	4.6	24.5	92	98.1	
K298619		1.0	219	4.9	19.0	99	57.4	
K298620		1.3	224	1.0	25.2	95	101.5	
K298621		2.4	10	0.9	6.1	778	8.3	
K298622		1.5	218	4.9	26.9	99	101.5	
K298623		2.0	75	4.5	18.2	24	94.5	
K298624		2.1	62	1.9	16.8	18	80.6	
K298625		0.8	2	0.1	1.0	17	0.6	
K298626		2.2	65	1.8	15.8	27	85.2	
K298627		2.4	62	3.6	15.9	33	84.8	
K298628		7.8	173	26.3	15.8	45	162.0	
K298629		2.2	58	2.5	16.8	29	86.0	
K298630		1.7	34	5.5	15.0	17	64.3	
K298631		1.2	38	1.4	11.2	17	60.9	
K298632		2.1	43	2.4	12.1	18	63.2	
K298633		2.0	61	6.0	14.9	24	87.8	
K298634		2.6	60	8.0	15.5	36	87.5	
K298635		1.8	61	2.7	15.8	21	89.5	
K298636		1.8	52	1.7	15.2	23	73.2	
K298637		1.7	41	1.4	15.3	12	68.3	
K298638		1.4	33	1.0	14.1	10	52.9	
K298639		1.3	39	1.3	14.3	18	62.4	
K298640		1.4	14	0.7	7.1	9	27.2	
K298641		1.5	4	0.7	3.6	10	6.7	
K298642		0.9	2	0.6	3.0	2	4.9	0.911
K298643		0.8	3	0.4	2.2	<2	3.8	
K298644		2.6	7	2.3	4.9	55	17.5	
K298645		1.3	5	1.1	3.8	11	12.2	
K298646		1.1	5	1.2	4.6	22	12.0	
K298647		7.5	168	25.2	15.9	44	161.5	
K298648		0.7	2	0.5	2.3	105	4.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11134830

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11138800

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 59- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
WSH- 22	"Wash" pulverizers
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138800

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297830		7.58	0.04	0.05	1.02	46	170	0.30	0.06	33.4	0.09	12.55	3.3	10	3.30	9.5
K297831		7.74	0.35	0.04	1.76	112	150	0.50	0.11	30.2	0.09	21.7	5.5	15	5.67	16.7
K297832		0.27	0.33	0.34	6.02	578	580	0.63	0.29	0.52	0.15	132.0	2.7	217	3.15	29.5
K297833		7.95	2.01	0.11	2.86	224	170	0.65	0.14	25.0	0.17	37.1	8.2	24	8.65	24.0
K297834		8.08	1.85	0.13	1.46	136	150	0.36	0.07	29.8	0.43	18.50	4.2	12	4.70	12.8
K297835		7.71	0.22	0.29	0.31	52	130	0.19	0.02	35.5	0.04	5.88	1.1	3	0.68	3.8
K297836		7.90	0.69	0.15	1.02	100	80	0.21	0.06	31.5	0.11	15.50	3.1	10	2.83	9.6
K297837		7.72	0.01	0.05	1.00	41	130	0.29	0.06	32.7	0.09	15.10	3.3	9	3.64	9.6
K297838		4.92	<0.01	0.02	0.08	<5	20	0.07	0.03	21.7	0.06	1.40	0.7	1	0.13	2.1
K297839		7.97	<0.01	0.02	0.38	31	140	0.15	0.03	36.4	0.04	5.99	1.3	4	0.83	3.9
K297840		7.97	<0.01	0.01	0.43	32	130	0.17	0.03	35.6	0.04	7.21	1.5	5	1.19	4.6
K297841		7.84	<0.01	0.02	0.61	34	180	0.21	0.04	35.5	0.04	10.05	1.9	6	1.99	6.1
K297842		7.93	<0.01	0.02	0.61	31	100	0.20	0.04	34.4	0.24	10.30	2.0	6	1.65	5.8
K297843		7.75	<0.01	0.02	0.43	26	100	0.19	0.03	35.9	0.05	6.98	1.4	5	1.28	4.3
K297844		7.54	<0.01	0.02	0.91	23	320	0.28	0.05	33.1	0.13	13.95	2.9	9	3.10	9.2
K297845		7.52	<0.01	0.02	0.93	71	110	0.27	0.05	32.9	0.12	13.40	2.9	10	2.81	12.4
K297846		7.33	<0.01	0.02	0.74	22	120	0.23	0.05	33.3	0.05	11.85	2.3	8	3.02	7.3
K297847		4.08	<0.01	0.03	0.90	22	120	0.36	0.06	33.2	0.09	14.00	3.0	9	4.13	9.3
K297848		8.00	0.02	0.02	0.71	34	110	0.25	0.04	34.3	0.06	11.20	2.3	8	2.41	6.7
K297849		7.14	<0.01	0.02	0.89	37	110	0.29	0.06	34.5	0.11	12.95	2.7	10	3.04	8.6
K297850		7.62	<0.01	0.02	0.64	19	90	0.24	0.04	35.0	0.04	10.50	2.1	7	1.86	6.3
K297851		0.26	2.55	1.05	3.22	616	880	0.77	0.35	8.54	2.01	47.4	6.2	53	3.60	43.4
K297852		7.41	<0.01	0.04	0.69	27	160	0.20	0.04	35.0	0.05	10.50	2.2	7	2.71	7.2
K297853		7.75	<0.01	0.04	1.34	54	230	0.45	0.06	31.7	0.49	17.45	4.1	12	4.53	12.5
K297854		3.01	<0.01	0.06	3.14	152	120	1.11	0.12	23.1	0.03	32.3	9.8	31	10.15	24.7
K297855		5.31	<0.01	0.09	6.69	180.0	220	2.22	0.30	4.24	0.13	72.0	15.1	58	27.4	46.4
K297856		7.76	0.57	0.08	6.52	424	200	2.13	0.28	4.54	0.15	69.5	15.8	56	22.0	46.8
K297857		6.07	0.69	0.03	5.90	620	170	1.77	0.26	10.20	0.06	61.9	17.2	53	19.15	42.8
K297858		4.93	<0.01	0.01	0.07	<5	20	0.06	0.02	20.8	0.06	1.15	0.7	1	0.16	1.3
K297859		4.75	0.24	0.03	2.61	535	110	0.85	0.12	25.5	0.05	27.1	10.6	22	6.81	23.4
K297860		4.67	4.11	0.03	4.17	2090	190	0.97	0.20	20.1	0.17	46.0	14.1	33	12.30	33.2
K297861		6.78	4.90	0.02	4.49	1380	160	0.87	0.22	19.50	0.16	46.5	16.1	36	11.20	34.7
K297862		6.18	19.45	0.07	4.92	>10000	320	0.73	0.26	6.12	0.75	61.7	17.8	47	11.05	47.2
K297863		3.98	13.25	0.08	7.00	2750	430	1.29	0.35	1.16	0.64	77.5	31.8	67	16.75	75.7
K297864		3.83	11.30	0.06	4.78	5940	210	0.70	0.24	5.40	0.45	63.6	14.7	42	9.37	38.4
K297865		2.85	0.81	0.02	2.59	593	160	0.56	0.14	23.3	0.08	32.7	7.6	22	7.47	19.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138800

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297830		0.66	2.75	0.06	0.4	1.40	0.015	0.46	6.8	4.5	0.39	251	0.24	0.02	1.3	6.1
K297831		1.18	4.56	0.07	0.8	3.19	0.013	0.83	10.4	6.5	0.45	396	1.19	0.02	2.5	10.2
K297832		6.70	19.30	0.18	4.1	9.64	0.045	1.34	62.2	18.5	0.12	36	6.33	0.37	9.4	15.4
K297833		1.82	7.24	0.10	1.2	5.83	0.028	1.35	18.9	9.4	0.54	1400	1.07	0.02	3.8	14.9
K297834		0.94	4.12	0.09	0.6	4.46	0.013	0.66	10.2	6.3	0.24	1900	0.69	0.01	1.9	7.8
K297835		0.26	0.90	0.05	0.1	1.21	0.006	0.13	2.7	1.6	0.21	942	0.24	0.01	0.4	1.9
K297836		0.63	2.74	0.06	0.4	2.56	0.011	0.46	8.3	4.3	0.24	1260	0.58	0.01	1.3	5.9
K297837		0.63	2.72	0.07	0.4	1.01	0.013	0.47	8.0	5.4	0.42	129	0.60	0.02	1.4	5.9
K297838		0.45	0.26	0.05	<0.1	0.01	0.007	0.02	0.7	1.4	12.90	204	0.09	0.01	0.3	1.8
K297839		0.28	1.02	0.06	0.1	0.32	0.005	0.16	2.9	1.9	0.32	206	0.19	0.01	0.5	2.1
K297840		0.32	1.09	0.05	0.1	0.25	0.007	0.18	3.5	2.4	0.44	144	0.24	0.01	0.6	2.5
K297841		0.40	1.48	0.06	0.2	0.54	0.006	0.28	5.0	3.3	0.39	119	0.36	0.02	0.8	3.5
K297842		0.43	1.59	0.05	0.2	0.24	0.007	0.27	5.2	3.2	0.59	159	0.44	0.02	0.8	3.3
K297843		0.32	1.10	0.05	0.1	0.12	0.007	0.20	3.5	2.5	0.54	184	0.28	0.01	0.6	2.6
K297844		0.60	2.34	0.06	0.4	0.40	0.010	0.43	7.2	5.3	0.50	149	0.54	0.02	1.3	5.2
K297845		0.59	2.35	0.05	0.3	0.28	0.009	0.44	6.4	4.7	0.66	171	0.50	0.01	1.2	5.3
K297846		0.52	1.88	0.07	0.3	0.23	0.008	0.33	5.9	4.1	0.49	147	0.45	0.01	1.0	4.8
K297847		0.60	2.33	0.06	0.3	0.28	0.016	0.41	7.0	5.3	0.51	150	0.44	0.01	1.2	5.4
K297848		0.47	1.83	0.06	0.2	0.64	0.008	0.33	5.6	3.6	0.52	186	0.36	0.01	0.9	4.1
K297849		0.55	2.31	<0.05	0.3	0.38	0.010	0.42	6.2	4.5	0.56	198	0.51	0.01	1.2	5.0
K297850		0.43	1.67	0.05	0.2	0.29	0.010	0.30	5.2	3.3	0.63	155	0.37	0.01	0.8	3.7
K297851		2.17	7.59	0.10	1.6	4.45	0.020	1.03	27.2	42.2	2.60	276	18.30	0.03	6.4	49.9
K297852		0.46	1.78	0.07	0.3	0.38	0.010	0.32	5.4	3.9	0.40	127	0.44	0.01	0.9	4.2
K297853		0.96	3.54	0.05	0.5	0.78	0.017	0.62	9.4	5.6	0.67	259	0.52	0.01	1.7	7.3
K297854		2.25	7.98	0.07	1.4	0.47	0.031	1.34	15.0	10.1	0.96	479	0.42	0.02	4.4	18.5
K297855		4.30	17.80	0.17	3.1	2.57	0.075	3.07	35.4	19.2	1.19	361	0.88	0.04	10.9	31.5
K297856		4.56	16.55	0.16	3.5	4.26	0.059	3.04	34.2	14.9	1.12	394	0.79	0.04	10.9	30.7
K297857		3.77	15.40	0.14	2.5	5.66	0.059	2.78	30.6	15.1	0.98	862	0.48	0.03	8.3	34.6
K297858		0.47	0.24	0.05	<0.1	<0.01	0.006	0.03	0.5	1.1	12.35	200	0.06	<0.01	0.2	1.8
K297859		2.15	6.57	0.08	0.9	4.37	0.027	1.23	12.3	5.3	1.38	1220	0.88	0.02	3.2	17.4
K297860		2.69	10.90	0.09	1.7	12.6	0.034	1.94	25.3	9.5	0.56	827	0.88	0.02	5.8	21.0
K297861		2.85	11.15	0.12	1.8	14.6	0.039	2.08	26.8	9.3	0.43	1020	0.60	0.02	5.8	22.2
K297862		3.64	12.95	0.15	2.1	40.2	0.038	2.17	35.5	16.6	0.36	375	2.01	0.02	6.4	26.9
K297863		5.12	20.0	0.16	3.5	35.4	0.046	3.12	41.8	25.9	0.48	345	3.09	0.03	9.8	46.6
K297864		3.52	12.75	0.11	2.7	24.8	0.021	2.08	35.0	19.5	0.33	648	1.93	0.02	7.2	22.0
K297865		1.63	6.52	0.08	1.5	4.25	0.024	1.26	16.3	7.7	0.47	1130	0.95	0.02	4.0	11.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138800

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297830		300	4.1	18.8	0.002	0.69	1.44	2.9	1	0.4	1695	0.11	0.05	1.7	0.055	4.11
K297831		320	5.6	33.4	0.004	1.27	5.81	4.7	1	0.6	1570	0.18	<0.05	2.9	0.094	9.80
K297832		890	15.4	40.8	0.003	2.96	113.0	16.6	2	2.8	507	0.71	0.15	9.2	0.526	8.07
K297833		200	8.3	58.4	0.005	1.97	13.55	8.7	1	0.9	1360	0.29	0.05	4.7	0.150	19.75
K297834		310	4.2	28.5	0.003	1.07	8.64	5.9	1	0.5	1480	0.14	0.10	2.4	0.073	12.10
K297835		380	1.2	5.5	<0.002	0.25	2.35	2.1	1	0.2	1690	<0.05	<0.05	0.5	0.017	4.02
K297836		130	2.9	19.7	0.002	0.71	5.67	3.6	<1	0.3	1175	0.10	0.08	1.7	0.052	9.50
K297837		130	3.5	19.3	0.002	0.68	0.32	2.5	1	0.4	1490	0.11	<0.05	1.8	0.054	4.88
K297838		180	0.7	0.9	<0.002	0.01	0.09	0.2	<1	<0.2	49.0	<0.05	<0.05	<0.2	<0.005	0.12
K297839		520	1.4	6.2	<0.002	0.27	0.20	1.2	1	0.2	1680	<0.05	<0.05	0.7	0.020	1.49
K297840		700	1.8	7.3	0.002	0.31	0.20	1.3	<1	0.2	1610	0.05	<0.05	0.8	0.023	1.56
K297841		230	2.0	10.9	0.002	0.40	0.19	1.7	1	0.2	1915	0.06	<0.05	1.1	0.032	1.21
K297842		330	2.4	10.2	0.003	0.39	0.21	1.8	1	0.2	1605	0.06	<0.05	1.0	0.031	0.66
K297843		380	1.2	7.7	0.002	0.29	0.13	1.4	1	0.2	1650	<0.05	<0.05	0.7	0.022	0.30
K297844		160	2.6	18.7	0.002	0.62	0.17	2.6	1	0.3	1655	0.10	<0.05	1.5	0.048	1.08
K297845		290	2.7	16.8	0.003	0.61	0.13	2.3	1	0.7	1525	0.09	<0.05	1.6	0.050	1.39
K297846		170	2.1	14.1	<0.002	0.51	0.14	2.3	1	0.3	1640	0.07	<0.05	1.3	0.038	1.76
K297847		180	2.6	17.2	0.004	0.61	0.15	2.7	1	0.3	1630	0.09	<0.05	1.6	0.048	2.25
K297848		370	2.0	13.1	0.002	0.47	0.25	2.0	1	0.3	1615	0.06	<0.05	1.2	0.037	1.30
K297849		390	2.6	16.8	0.002	0.55	0.14	2.5	1	0.3	1720	0.09	<0.05	1.5	0.046	0.79
K297850		270	1.8	11.7	0.002	0.41	0.15	1.8	1	0.3	1530	0.06	<0.05	1.1	0.033	0.55
K297851		880	36.4	44.9	0.023	1.54	106.0	5.3	3	2.3	82.4	0.44	0.20	6.1	0.173	4.10
K297852		340	3.1	12.8	0.002	0.45	0.42	1.8	1	0.3	1665	0.06	<0.05	1.3	0.037	0.92
K297853		220	5.6	24.4	<0.002	0.82	0.46	3.7	1	0.6	1660	0.14	0.06	2.1	0.067	1.75
K297854		420	8.7	62.1	<0.002	1.17	0.47	8.6	1	1.2	758	0.29	<0.05	4.5	0.183	1.24
K297855		640	25.7	149.5	0.002	3.20	0.77	16.8	1	3.5	185.0	0.78	<0.05	11.7	0.418	5.09
K297856		780	23.1	148.5	0.002	3.75	2.89	16.1	1	3.4	129.5	0.81	0.05	10.8	0.414	9.73
K297857		490	11.4	128.0	<0.002	3.26	4.36	17.1	<1	2.4	382	0.63	0.06	8.9	0.342	15.00
K297858		160	0.6	1.1	<0.002	0.02	0.07	0.2	<1	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	0.11
K297859		220	13.1	52.2	0.003	1.56	2.50	6.6	1	0.9	732	0.25	<0.05	3.9	0.131	9.01
K297860		320	12.2	90.8	0.005	2.91	19.15	12.5	1	1.5	535	0.42	0.11	6.3	0.223	30.4
K297861		270	12.5	93.5	0.003	3.07	23.5	12.0	1	1.5	516	0.45	0.12	7.1	0.237	37.9
K297862		460	16.0	102.0	0.008	5.56	129.5	6.9	1	1.9	520	0.49	0.15	8.0	0.268	130.0
K297863		320	22.0	148.5	0.007	5.27	70.2	9.1	2	2.6	266	0.76	0.18	12.0	0.418	120.0
K297864		340	16.7	99.6	0.003	4.06	65.6	6.3	1	1.7	294	0.55	0.09	8.2	0.286	86.8
K297865		140	8.3	53.2	0.003	1.62	9.32	7.2	1	0.9	692	0.32	0.06	4.6	0.162	12.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138800

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K297830		2.2	15	0.9	10.6	13	13.5	
K297831		2.6	27	1.9	11.4	21	25.7	
K297832		7.2	163	23.4	14.2	42	152.0	
K297833		2.4	44	2.5	20.1	38	43.1	
K297834		3.0	22	1.4	14.7	42	19.2	
K297835		1.8	5	0.3	9.0	3	4.6	
K297836		2.5	16	1.0	12.4	19	12.7	
K297837		2.8	15	0.7	13.8	16	13.6	
K297838		0.7	3	0.1	0.8	17	<0.5	
K297839		1.8	6	0.6	7.5	2	5.6	
K297840		2.3	6	0.3	8.4	3	6.1	
K297841		2.1	10	0.2	9.9	6	8.0	
K297842		1.9	10	0.2	11.1	44	7.7	
K297843		1.8	8	0.1	8.8	7	5.7	
K297844		2.3	14	0.3	12.5	24	12.4	
K297845		2.3	15	0.3	11.0	21	11.9	
K297846		2.1	12	0.2	12.0	6	9.6	
K297847		2.4	14	0.2	12.6	19	12.1	
K297848		2.1	11	0.4	11.1	10	9.5	
K297849		2.4	14	0.2	12.3	20	12.0	
K297850		2.0	10	0.2	10.9	6	8.4	
K297851		8.6	231	27.9	20.0	213	71.4	
K297852		2.3	12	0.3	10.1	7	9.0	
K297853		2.2	20	0.6	13.5	53	17.4	
K297854		1.8	50	1.6	13.5	32	50.0	
K297855		2.6	110	5.3	23.0	83	109.5	
K297856		2.5	107	8.4	24.3	83	101.5	
K297857		2.0	100	9.7	20.9	62	82.0	
K297858		0.8	2	0.1	0.8	17	<0.5	
K297859		1.8	35	3.9	12.5	29	29.9	
K297860		2.1	64	5.5	18.8	49	60.6	
K297861		2.8	69	5.3	18.8	50	62.3	
K297862		5.9	84	6.1	21.7	106	69.2	3.79
K297863		5.5	133	10.5	21.2	132	113.0	
K297864		5.1	76	6.1	16.3	67	86.2	
K297865		2.1	38	2.7	16.1	25	48.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138800

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

CERTIFICATE WH11142320

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 60- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142320

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298145		5.27	0.07	0.19	0.66	2090	50	0.25	0.04	20.3	0.08	5.97	2.1	7	1.43	13.0
K298146		6.25	0.07	0.19	0.42	1680	40	0.21	0.04	19.20	0.07	7.05	2.4	5	0.88	15.3
K298147		6.12	0.13	0.32	0.58	5790	60	0.28	0.05	18.10	0.15	5.86	1.8	6	1.26	11.9
K298148		9.07	0.13	0.26	0.58	3270	50	0.31	0.04	19.45	0.14	6.24	1.3	6	1.29	6.3
K298149		6.93	<0.01	0.03	0.05	18	20	0.07	0.13	20.2	0.07	0.96	0.5	1	0.12	5.9
K298150		9.20	0.24	0.50	1.08	1290	70	0.34	0.05	17.35	0.14	12.15	2.0	9	2.93	7.7
K298151		3.95	0.08	0.36	2.89	2050	120	0.92	0.10	12.85	0.05	27.4	4.4	25	10.10	22.2
K298152		7.79	0.04	0.35	3.15	473	190	1.01	0.11	12.30	0.09	32.7	4.7	30	11.80	29.5
K298153		7.52	0.03	0.61	2.15	604	180	0.66	0.09	14.05	0.18	25.1	4.0	21	6.71	22.7
K298154		8.65	0.02	0.81	3.61	201	130	0.94	0.12	10.80	0.29	33.4	5.5	37	13.05	28.0
K298155		8.73	0.03	0.65	3.73	276	170	1.03	0.13	7.04	0.21	45.2	7.0	46	12.45	20.8
K298156		4.44	0.03	0.56	3.27	278	160	0.88	0.13	7.11	0.18	45.7	8.1	41	10.45	32.6
K298157		9.90	0.08	1.17	4.54	348	230	1.24	0.14	8.14	0.15	44.0	9.6	54	14.25	27.8
K298158		9.54	0.06	0.25	2.31	640	110	0.68	0.06	14.00	0.05	25.1	4.7	22	6.22	13.5
K298159		10.95	0.07	0.19	2.10	175	130	0.57	0.06	13.60	0.06	24.2	4.0	18	5.15	13.1
K298160		5.65	0.08	0.21	1.83	3230	130	0.54	0.05	16.20	0.05	19.60	4.1	15	3.94	13.1
K298161		0.24	0.34	0.29	6.49	610	960	0.67	0.29	0.50	0.20	131.5	3.1	244	3.68	29.6
K298162		6.07	0.02	0.12	0.45	436	30	0.17	0.02	20.6	0.03	8.65	2.0	3	0.85	6.9
K298163		5.73	0.05	0.36	0.58	5540	50	0.24	0.03	20.5	0.06	9.22	2.4	6	1.17	7.7
K298164		6.91	<0.01	<0.01	0.05	18	40	0.05	0.02	21.4	0.06	1.10	1.2	<1	0.11	2.4
K298165		5.88	0.07	0.26	1.16	3850	70	0.38	0.03	18.25	0.04	13.30	2.9	9	2.85	11.2
K298166		5.85	0.04	0.17	1.04	5540	90	0.29	0.06	18.20	0.04	15.20	2.2	8	2.61	8.0
K298167		8.81	0.01	0.13	1.02	761	150	0.36	0.04	19.95	0.04	13.15	2.4	10	2.47	8.3
K298168		8.00	0.01	0.06	0.65	47	90	0.30	0.02	34.8	0.07	8.95	1.6	4	1.69	4.6
K298169		11.34	0.02	0.06	0.79	149	100	0.31	0.03	30.1	0.03	9.19	1.9	5	1.95	5.8
K298170		9.04	0.59	0.48	2.43	972	180	0.44	0.07	16.75	0.20	29.0	5.0	22	6.19	24.1
K298171		11.31	1.05	0.21	1.03	406	140	0.18	0.04	24.3	0.05	12.95	2.5	7	2.42	10.1
K298172		6.31	2.42	0.60	1.97	536	140	0.31	0.07	17.30	0.10	25.3	4.4	18	4.72	25.1
K298173		0.24	2.63	1.03	3.12	584	820	0.57	0.29	7.85	2.26	47.5	6.7	50	3.84	42.9
K298174		9.81	0.38	0.17	2.01	319	120	0.52	0.05	17.60	0.06	22.5	3.8	13	4.99	14.2
K298175		11.70	0.44	0.33	3.53	241	220	0.76	0.09	13.20	0.07	38.0	5.8	29	8.59	29.7
K298176		8.90	0.11	0.31	3.31	207	190	0.79	0.08	13.25	0.06	39.2	6.0	28	9.02	32.5
K298177		11.36	0.16	0.34	3.47	506	170	0.81	0.09	12.20	0.06	39.2	5.8	30	8.97	33.7
K298178		8.06	0.05	0.26	3.62	127	180	0.96	0.09	11.55	0.19	39.0	5.9	30	11.60	28.9
K298179		10.25	0.02	0.22	3.14	285	210	0.85	0.08	12.50	0.04	34.2	5.1	25	8.46	17.7
K298180		8.52	0.06	0.62	2.85	190	160	0.64	0.08	13.20	0.04	31.0	5.2	24	7.21	20.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142320

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298145		0.33	1.67	0.13	0.3	2.40	<0.005	0.30	3.6	4.5	12.85	312	0.23	0.02	1.0	3.4
K298146		0.33	1.12	0.16	0.2	3.61	0.007	0.18	4.6	2.8	12.05	398	0.17	0.01	0.6	2.8
K298147		0.34	1.56	0.18	0.3	7.5	0.005	0.25	3.8	3.9	11.25	522	0.36	0.01	0.9	3.8
K298148		0.37	1.41	0.17	0.3	4.22	0.005	0.26	3.9	4.0	11.70	646	0.42	0.01	0.8	3.6
K298149		0.44	0.18	0.18	<0.1	0.03	<0.005	0.02	0.5	1.0	12.85	197	0.06	<0.01	0.1	2.3
K298150		0.56	2.67	0.19	0.8	2.18	0.011	0.51	6.7	8.2	10.10	630	0.75	0.02	1.8	5.2
K298151		1.02	7.46	0.20	2.0	1.88	0.012	1.37	14.4	24.2	7.22	482	2.73	0.02	4.8	11.1
K298152		1.37	8.01	0.21	2.1	2.10	0.029	1.49	17.2	24.5	6.62	251	2.52	0.02	5.1	14.4
K298153		1.32	5.81	0.19	1.4	3.07	0.015	0.99	13.3	14.1	7.78	334	1.91	0.02	3.6	12.5
K298154		1.44	9.08	0.20	2.1	5.01	0.020	1.72	17.4	25.6	6.16	273	4.68	0.02	5.8	16.3
K298155		1.60	9.23	0.20	3.7	5.43	0.023	1.79	20.5	22.2	3.92	304	12.50	0.02	6.5	21.8
K298156		1.70	7.98	0.20	4.0	4.53	0.021	1.54	19.8	19.5	3.89	296	11.85	0.02	5.9	19.5
K298157		1.48	11.45	0.09	4.1	7.28	0.031	2.08	22.6	27.7	4.18	410	9.62	0.02	7.9	23.2
K298158		0.96	6.11	<0.05	2.5	2.71	0.016	1.11	12.9	13.8	7.53	575	1.64	0.02	4.0	4.6
K298159		0.88	5.32	<0.05	2.5	2.94	0.016	1.00	12.4	12.0	7.08	652	1.27	0.02	3.8	3.1
K298160		0.69	4.57	0.06	1.9	2.89	0.015	0.88	10.1	8.6	8.32	723	1.50	0.02	3.2	1.9
K298161		6.73	21.0	0.18	4.3	10.1	0.051	1.37	61.0	21.0	0.13	40	6.52	0.40	10.4	17.8
K298162		0.37	1.29	0.14	0.2	3.77	<0.005	0.21	5.1	2.7	12.15	394	0.54	0.01	0.9	<0.2
K298163		0.44	1.62	0.19	0.3	7.8	0.010	0.26	5.5	2.8	12.15	535	0.60	0.01	1.0	<0.2
K298164		0.45	0.36	0.41	<0.1	0.02	<0.005	0.02	0.5	0.8	13.00	208	0.07	<0.01	0.2	<0.2
K298165		0.59	3.18	0.17	0.8	2.93	0.013	0.55	6.4	6.8	10.55	502	0.60	0.02	1.9	<0.2
K298166		0.62	2.46	0.08	0.7	2.46	0.014	0.50	7.8	6.6	10.45	397	0.66	0.01	1.7	2.2
K298167		0.37	2.64	0.18	0.6	2.01	0.008	0.47	7.6	6.0	10.45	426	0.72	0.01	1.8	<0.2
K298168		0.19	1.70	0.11	0.3	1.73	0.005	0.31	5.5	3.3	0.70	251	0.51	0.01	1.2	<0.2
K298169		0.24	1.96	0.11	0.4	3.59	0.005	0.37	5.5	3.9	3.11	287	0.54	0.01	1.3	<0.2
K298170		1.02	6.54	0.09	1.8	7.56	0.022	1.17	14.9	9.5	5.18	989	3.01	0.02	4.1	11.7
K298171		0.48	3.06	0.07	0.7	8.8	0.017	0.50	7.1	4.4	4.66	4380	1.07	0.01	1.8	5.9
K298172		1.09	5.40	0.08	1.3	11.7	0.017	0.97	13.4	8.1	5.41	2400	2.14	0.01	3.3	11.7
K298173		2.02	7.85	0.13	1.7	4.68	0.027	0.96	28.1	34.1	2.46	261	18.25	0.03	6.6	53.1
K298174		0.78	5.06	0.06	1.4	16.8	0.017	0.97	11.7	11.7	7.32	1020	1.62	0.01	3.4	4.4
K298175		1.20	8.96	0.06	2.3	8.0	0.024	1.70	19.4	5.1	5.87	822	3.24	0.02	5.9	12.8
K298176		1.27	8.40	0.07	2.1	3.97	0.026	1.59	20.0	19.1	6.79	405	3.18	0.02	5.4	13.4
K298177		1.32	8.92	0.07	2.2	8.0	0.026	1.67	20.6	19.9	6.56	442	3.18	0.02	5.7	13.7
K298178		1.28	9.27	0.06	2.4	2.99	0.023	1.72	20.4	24.4	6.05	280	3.00	0.03	6.0	13.6
K298179		1.06	7.71	0.06	2.2	3.40	0.020	1.48	17.6	20.2	6.69	236	3.00	0.02	5.2	9.3
K298180		1.08	7.23	0.07	1.9	4.86	0.020	1.32	15.4	17.3	6.81	299	2.44	0.02	4.8	10.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142320

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298145		140	5.8	9.6	<0.002	0.25	8.91	1.1	<1	2.3	108.0	0.07	0.08	1.2	0.030	1.36
K298146		170	4.6	6.4	<0.002	0.23	8.15	0.8	1	2.9	106.5	0.05	0.06	0.8	0.019	1.25
K298147		260	6.6	8.4	<0.002	0.44	21.8	1.1	1	1.6	107.0	0.07	<0.05	1.2	0.025	3.30
K298148		220	6.7	8.3	<0.002	0.38	13.30	0.9	<1	0.6	83.9	0.07	<0.05	1.2	0.024	2.11
K298149		190	1.1	0.9	<0.002	0.01	0.23	0.2	1	<0.2	36.8	<0.05	<0.05	<0.2	<0.005	0.02
K298150		230	7.5	15.7	<0.002	0.42	10.95	1.6	2	0.8	89.5	0.14	<0.05	2.3	0.048	2.47
K298151		620	9.2	47.0	<0.002	0.81	4.65	4.4	2	2.0	125.5	0.34	<0.05	6.3	0.129	2.27
K298152		1080	12.7	49.5	0.003	0.93	1.60	5.0	3	1.6	147.0	0.43	<0.05	7.5	0.148	2.52
K298153		830	12.6	31.9	0.003	0.64	1.34	3.4	2	1.4	153.0	0.29	<0.05	5.2	0.100	3.82
K298154		1030	15.1	56.1	0.006	0.74	0.92	5.5	3	1.8	138.0	0.47	<0.05	7.7	0.161	4.67
K298155		1650	26.2	56.5	0.012	0.81	1.98	5.6	6	2.3	99.3	0.51	<0.05	9.0	0.191	6.75
K298156		1600	23.7	49.3	0.016	0.94	1.97	5.4	4	5.8	102.0	0.50	<0.05	8.2	0.172	5.69
K298157		1260	25.6	74.1	0.025	0.54	3.83	7.8	7	3.2	185.5	0.63	<0.05	10.4	0.222	8.78
K298158		460	10.2	37.7	0.003	0.36	2.20	4.1	3	1.8	203	0.30	<0.05	5.4	0.109	4.25
K298159		440	8.6	34.4	0.002	0.29	2.25	3.7	3	1.9	171.0	0.29	<0.05	5.0	0.099	4.82
K298160		410	8.2	29.6	0.003	0.58	8.35	3.1	3	1.9	129.5	0.25	<0.05	4.2	0.086	4.81
K298161		950	17.0	48.8	0.003	3.18	124.0	17.7	3	3.0	528	0.77	0.14	10.0	0.549	8.34
K298162		160	4.5	7.1	<0.002	0.23	2.51	1.0	2	0.8	120.5	0.06	<0.05	0.9	0.020	1.69
K298163		220	6.4	9.1	0.003	0.62	15.25	1.1	2	0.8	109.5	0.07	<0.05	1.2	0.024	2.80
K298164		180	1.2	0.9	<0.002	0.01	0.10	0.2	1	<0.2	44.0	<0.05	<0.05	<0.2	<0.005	0.02
K298165		310	5.0	19.5	0.002	0.51	8.50	2.2	2	1.9	105.5	0.14	<0.05	2.3	0.050	2.34
K298166		960	5.1	15.5	0.002	0.57	6.93	1.7	2	0.7	102.5	0.12	<0.05	2.1	0.045	2.25
K298167		250	7.0	16.6	<0.002	0.33	1.71	1.9	2	0.5	191.0	0.13	<0.05	2.2	0.045	2.10
K298168		120	4.8	11.0	<0.002	0.13	0.39	1.2	2	0.3	712	0.08	<0.05	1.3	0.026	1.02
K298169		120	4.2	13.5	0.002	0.18	0.83	1.4	2	0.4	532	0.09	<0.05	1.5	0.032	2.09
K298170		720	12.0	41.3	0.009	0.73	7.95	3.9	3	1.9	304	0.32	<0.05	5.9	0.112	16.75
K298171		320	6.4	17.7	0.003	0.44	8.90	1.9	2	0.7	178.0	0.13	<0.05	2.4	0.046	13.30
K298172		820	12.1	32.4	0.005	0.84	19.70	3.2	3	1.3	159.5	0.26	<0.05	5.1	0.091	32.2
K298173		860	34.3	46.3	0.022	1.53	106.5	4.9	4	2.5	72.2	0.45	0.18	6.6	0.166	4.01
K298174		550	9.2	34.3	0.003	0.62	4.75	3.4	3	0.9	156.0	0.27	<0.05	4.3	0.088	6.26
K298175		1090	12.9	56.8	0.003	0.91	5.51	5.9	3	1.6	198.5	0.46	<0.05	7.6	0.160	8.04
K298176		1230	13.8	54.5	0.003	0.84	3.67	5.7	3	1.0	172.5	0.45	<0.05	7.1	0.146	4.54
K298177		1200	14.2	56.3	0.003	0.91	4.14	6.0	3	1.1	154.5	0.47	<0.05	7.9	0.157	5.35
K298178		1060	14.2	60.4	0.003	0.94	2.58	6.2	4	1.1	134.0	0.49	<0.05	8.2	0.161	2.95
K298179		670	11.9	49.5	0.003	0.73	1.61	5.1	3	0.9	139.5	0.41	<0.05	6.6	0.137	3.07
K298180		690	12.0	43.7	0.004	0.59	3.13	4.7	3	0.9	198.5	0.38	<0.05	6.2	0.130	4.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142320

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298145		6.7	14	0.6	2.8	11	10.2
K298146		6.2	8	0.5	3.6	17	7.3
K298147		11.0	11	0.8	4.9	36	8.8
K298148		12.1	14	0.7	3.3	24	7.6
K298149		0.7	2	0.1	0.8	16	<0.5
K298150		11.9	19	1.8	4.9	32	22.3
K298151		10.8	45	2.0	11.4	11	63.0
K298152		10.0	50	1.9	14.6	22	63.1
K298153		8.0	58	1.2	10.4	23	43.0
K298154		7.5	110	1.5	12.1	53	66.0
K298155		8.6	219	1.9	16.2	27	137.0
K298156		7.7	194	1.7	15.9	33	122.0
K298157		9.3	480	3.0	15.5	15	141.5
K298158		5.6	52	1.5	10.3	9	86.7
K298159		5.9	39	1.4	9.9	11	88.9
K298160		10.8	35	1.3	8.7	9	63.2
K298161		8.0	174	24.2	16.2	45	171.5
K298162		11.2	10	0.5	3.7	4	8.2
K298163		16.1	19	0.6	3.6	6	9.1
K298164		0.6	3	0.1	0.8	18	<0.5
K298165		15.3	28	1.1	5.0	5	25.0
K298166		13.2	19	0.8	5.6	6	23.0
K298167		15.6	22	1.0	5.1	8	20.3
K298168		17.4	15	0.5	3.7	15	11.3
K298169		15.6	16	0.6	3.8	7	13.5
K298170		17.1	86	1.9	10.0	37	59.8
K298171		18.4	19	1.4	5.8	6	26.3
K298172		19.0	47	2.1	9.3	7	42.0
K298173		9.3	222	26.6	19.7	205	58.3
K298174		13.6	32	1.8	9.3	9	48.8
K298175		16.4	58	3.6	14.3	14	81.3
K298176		15.8	55	2.9	16.0	14	69.9
K298177		14.5	56	2.8	16.0	15	76.3
K298178		17.9	55	2.7	14.8	69	80.9
K298179		17.8	53	2.2	11.7	9	70.0
K298180		17.6	71	2.6	10.5	11	62.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142320

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

CERTIFICATE WH11138519

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 61- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
WSH- 22	"Wash" pulverizers
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138519

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297866		8.20	0.54	0.01	1.33	159	110	0.38	0.06	33.7	0.06	14.45	3.9	10	4.30	15.7
K297867		7.98	0.01	0.01	1.25	65	120	0.40	0.06	35.4	0.02	14.70	3.8	9	3.72	12.4
K297868		7.06	<0.01	0.02	0.72	50	140	0.27	0.04	35.7	0.03	9.24	2.1	6	2.23	7.1
K297869		4.46	0.93	0.05	5.75	3980	270	1.72	0.26	11.80	0.13	64.3	16.0	51	25.3	53.3
K297870		0.25	2.65	0.93	3.25	623	900	0.77	0.29	8.33	2.25	47.0	6.3	53	3.68	41.4
K297871		3.73	7.28	0.04	2.63	>10000	220	0.54	0.13	22.3	0.20	28.4	7.4	26	6.29	21.5
K297872		7.42	3.62	0.02	1.48	1880	150	0.33	0.07	31.4	0.09	15.10	4.1	13	3.62	13.2
K297873		7.78	7.07	0.05	2.91	4590	160	0.53	0.13	24.1	0.15	38.9	8.6	27	8.29	28.1
K297874		4.59	3.42	0.07	4.54	2700	160	1.06	0.18	19.15	0.07	50.3	14.7	37	17.45	39.2
K297875		3.31	0.24	0.05	4.27	253	140	1.29	0.18	20.5	0.05	49.2	15.9	34	16.45	39.7
K297876		8.06	0.04	0.03	2.33	112	690	0.83	0.10	30.6	0.04	25.2	7.7	17	8.13	20.8
K297877		4.92	<0.01	0.02	0.09	<5	20	0.20	0.02	22.1	0.08	1.13	0.6	<1	0.17	3.3
K297878		8.27	<0.01	0.03	2.23	25	150	0.51	0.09	27.6	0.04	29.8	5.8	20	9.82	15.2
K297879		7.74	0.01	0.02	1.24	49	130	0.31	0.05	31.9	0.03	17.65	3.5	11	5.48	10.7
K297880		7.98	<0.01	0.03	1.96	49	140	0.48	0.09	29.6	0.03	25.7	6.2	17	8.89	16.1
K297881		7.97	<0.01	0.03	4.43	50	150	1.13	0.18	19.45	0.05	52.1	13.7	35	19.15	31.0
K297882		7.74	<0.01	0.01	4.29	214	150	1.21	0.18	17.85	0.05	44.7	13.8	37	17.35	37.1
K297883		3.81	<0.01	0.02	4.29	271	160	1.15	0.17	18.05	0.07	43.5	13.1	37	17.40	36.2
K297884		5.24	<0.01	0.04	4.25	113	140	1.23	0.17	17.35	0.07	43.8	17.2	37	17.60	35.4
K297885		4.57	<0.01	0.12	6.47	231	160	1.89	0.21	2.64	0.04	61.8	22.1	71	28.1	66.1
K297886		4.03	0.01	0.13	7.56	269	180	2.51	0.24	2.37	0.02	68.1	22.1	81	40.2	68.5
K297887		5.89	0.02	0.11	6.10	257	150	1.85	0.19	2.63	0.02	58.0	20.1	64	25.0	51.4
K297888		3.64	<0.01	0.10	6.37	144.5	230	1.79	0.26	2.48	0.07	65.9	20.9	65	23.5	71.7
K297889		0.15	0.35	0.34	6.13	586	750	0.60	0.26	0.49	0.19	134.0	3.0	225	3.60	32.4
K297890		7.59	<0.01	0.08	5.93	415	450	1.39	0.24	2.44	0.08	62.8	18.1	61	22.8	64.3
K297891		8.13	<0.01	0.12	5.62	25.1	280	1.41	0.21	2.67	0.04	60.3	18.4	75	23.9	44.7
K297892		8.36	<0.01	0.08	5.65	15.8	250	1.41	0.20	2.29	0.09	58.1	13.5	69	26.9	43.4
K297893		8.15	<0.01	0.07	5.64	22.7	280	1.39	0.21	3.96	0.22	58.9	14.2	61	26.1	45.5
K297894		8.41	<0.01	0.07	5.81	23.8	220	1.61	0.22	2.26	0.42	62.3	16.0	74	31.2	42.5
K297895		4.91	<0.01	0.03	0.07	<5	20	0.06	0.02	20.2	0.06	1.46	1.2	<1	0.35	2.1
K297896		8.41	<0.01	0.62	5.85	16.5	190	1.95	1.20	2.73	0.21	62.0	14.0	71	33.4	68.5
K297897		7.81	<0.01	0.23	5.62	16.0	190	1.42	0.37	2.11	0.04	61.6	14.8	66	29.4	47.2
K297898		7.61	<0.01	0.17	6.34	26.1	620	1.69	0.28	1.98	0.63	67.2	17.4	67	28.4	50.1
K297899		7.41	<0.01	0.08	5.61	36.6	650	1.38	0.25	2.37	0.26	61.2	15.3	63	22.3	42.6
K297900		6.26	<0.01	0.06	2.45	59.4	370	0.46	0.12	3.30	0.09	29.0	6.9	41	5.11	24.3
K297901		6.65	<0.01	0.08	2.87	26.3	540	0.60	0.16	3.21	0.06	31.3	7.6	43	7.00	23.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138519

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297866		0.84	3.30	0.06	0.6	2.30	0.012	0.60	7.7	5.2	0.58	580	0.42	0.01	1.6	5.7
K297867		0.74	3.16	0.07	0.5	3.13	0.011	0.56	7.5	4.7	0.51	236	0.24	<0.01	1.6	5.5
K297868		0.59	1.80	0.05	0.3	0.90	0.008	0.32	4.5	2.8	0.40	188	0.35	<0.01	0.9	3.4
K297869		3.49	14.85	0.12	2.6	10.9	0.047	2.62	36.6	18.9	1.59	500	2.54	0.02	7.2	26.6
K297870		2.08	7.83	0.08	1.8	4.60	0.029	0.97	29.1	39.1	2.58	277	18.05	0.02	6.3	48.7
K297871		1.66	6.95	0.07	1.2	23.6	0.034	1.10	13.4	10.5	0.24	977	0.75	<0.01	3.2	12.2
K297872		0.92	3.85	0.06	0.7	12.8	0.024	0.65	8.0	5.6	0.24	904	0.70	<0.01	1.8	6.5
K297873		1.83	7.87	0.09	1.4	33.9	0.025	1.27	18.4	9.8	0.30	571	1.51	<0.01	3.8	14.4
K297874		2.68	12.00	0.11	2.1	20.8	0.039	2.02	27.1	11.5	0.80	665	1.40	0.01	5.9	20.8
K297875		2.54	11.50	0.11	1.9	5.02	0.041	1.94	29.1	10.1	1.16	856	0.54	0.02	5.6	19.8
K297876		1.54	5.67	0.07	1.0	3.85	0.021	1.03	13.0	5.9	0.85	435	0.89	0.01	2.8	10.8
K297877		0.47	0.26	0.07	<0.1	0.01	0.005	0.03	0.5	1.7	13.10	217	0.05	<0.01	0.1	1.6
K297878		1.30	5.10	0.06	1.1	0.87	0.020	0.97	15.5	6.9	0.85	324	0.75	0.02	3.5	8.9
K297879		0.75	3.00	<0.05	0.5	1.16	0.011	0.55	9.1	4.3	0.49	200	0.28	0.01	1.9	6.0
K297880		1.13	4.81	0.06	0.8	0.82	0.018	0.86	13.0	6.3	0.60	294	0.34	0.02	2.9	9.0
K297881		2.68	10.50	0.10	1.8	1.20	0.044	1.98	28.0	10.9	1.41	687	0.65	0.03	6.1	19.0
K297882		2.59	11.25	0.11	1.9	2.32	0.045	2.00	22.4	11.1	1.14	614	0.55	0.02	6.2	24.9
K297883		2.78	11.10	0.11	1.9	2.37	0.046	2.03	21.7	11.0	1.26	639	0.48	0.02	6.0	24.7
K297884		3.17	11.05	0.11	1.9	3.25	0.045	2.03	21.8	10.9	1.84	805	1.43	0.03	6.2	24.8
K297885		4.15	18.05	0.16	2.7	3.34	0.062	2.95	27.2	22.6	1.28	415	0.80	0.03	8.7	35.3
K297886		4.75	20.4	0.17	2.9	3.84	0.071	3.53	30.1	21.3	1.25	347	0.49	0.03	9.8	37.5
K297887		4.62	15.95	0.16	2.6	3.56	0.058	2.75	25.5	23.2	1.48	514	0.73	0.03	8.4	33.8
K297888		4.11	16.90	0.16	3.0	2.10	0.056	2.81	28.7	18.7	1.49	395	0.70	0.03	9.3	36.0
K297889		6.53	20.2	0.21	4.4	10.5	0.048	1.35	59.2	18.6	0.12	36	6.87	0.38	10.0	18.3
K297890		4.46	15.85	0.15	2.9	1.40	0.060	2.34	27.1	41.0	1.46	423	0.63	0.03	9.5	32.9
K297891		4.65	14.75	0.14	2.9	0.61	0.058	2.53	26.2	89.3	1.83	590	1.29	0.03	9.4	36.3
K297892		4.19	14.85	0.15	2.9	0.32	0.057	2.53	25.2	101.0	1.68	515	1.26	0.03	9.6	27.1
K297893		3.90	15.05	0.17	2.9	0.52	0.054	2.50	25.4	88.1	2.00	779	1.02	0.04	9.2	28.9
K297894		3.91	15.70	0.15	3.0	0.22	0.056	2.67	27.8	74.5	1.67	525	1.22	0.03	9.9	30.9
K297895		0.47	0.22	0.07	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.05	216	0.08	<0.01	0.3	0.8
K297896		4.16	16.10	0.14	3.2	0.09	0.067	2.65	26.6	81.9	1.92	663	1.19	0.04	10.4	29.6
K297897		4.33	15.50	0.15	2.9	0.26	0.054	2.39	26.4	80.5	1.70	500	0.84	0.03	9.4	30.7
K297898		4.51	17.55	0.16	3.0	0.67	0.067	2.74	29.5	67.3	1.48	449	1.04	0.03	9.8	33.9
K297899		4.15	15.25	0.15	2.8	0.27	0.053	2.27	26.9	80.9	1.53	588	1.95	0.03	9.2	31.5
K297900		2.57	6.48	0.08	1.5	0.32	0.023	0.77	12.8	38.0	1.40	850	1.61	0.02	4.2	14.0
K297901		2.65	7.76	0.09	1.7	0.22	0.030	0.96	13.9	37.4	1.33	755	1.79	0.02	4.8	14.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138519

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297866		150	3.8	24.5	0.002	0.88	3.27	3.4	1	1.1	1380	0.11	<0.05	2.0	0.067	6.50
K297867		210	4.1	22.2	0.002	0.79	0.40	2.9	1	0.7	1450	0.10	<0.05	1.9	0.064	4.32
K297868		430	2.4	12.2	0.003	0.64	0.12	1.8	1	0.3	1500	0.06	<0.05	1.1	0.036	2.92
K297869		320	16.0	113.0	0.010	3.92	4.94	13.2	2	2.9	644	0.53	0.06	9.1	0.302	23.7
K297870		900	34.7	48.7	0.024	1.57	119.0	4.9	4	2.3	70.3	0.43	0.19	6.1	0.175	4.29
K297871		1080	8.8	51.6	0.004	3.01	26.4	11.8	1	1.0	731	0.24	0.05	3.9	0.136	44.6
K297872		870	4.9	26.2	0.002	1.22	7.90	9.2	1	0.6	1200	0.13	<0.05	2.2	0.075	19.50
K297873		520	9.3	62.8	0.007	2.46	6.03	9.0	2	1.6	987	0.27	0.08	4.4	0.150	40.4
K297874		290	12.5	95.8	0.004	2.84	2.85	11.5	2	2.3	613	0.40	0.07	6.8	0.246	26.1
K297875		250	11.0	92.2	0.003	2.04	0.75	10.3	1	2.4	501	0.38	0.10	6.5	0.226	5.49
K297876		200	6.7	44.3	0.004	1.35	0.34	5.0	1	1.1	1180	0.20	0.05	3.4	0.121	5.01
K297877		190	1.2	1.3	<0.002	0.01	0.14	0.2	<1	0.2	45.9	<0.05	<0.05	<0.2	<0.005	<0.02
K297878		160	7.3	47.0	0.002	1.29	0.20	4.7	1	0.7	1300	0.24	<0.05	3.8	0.125	3.18
K297879		150	4.4	26.5	0.002	0.79	0.15	2.9	1	0.5	1650	0.12	<0.05	2.0	0.062	2.21
K297880		230	6.5	43.5	0.002	1.07	0.28	4.5	1	0.8	1430	0.21	<0.05	3.3	0.102	2.23
K297881		310	13.3	88.0	0.003	2.23	0.52	10.1	1	1.4	508	0.45	0.08	7.4	0.239	3.87
K297882		300	8.1	95.6	<0.002	2.03	0.49	11.8	2	1.8	531	0.40	0.07	7.0	0.226	3.47
K297883		290	7.7	89.1	<0.002	2.23	0.51	11.1	2	1.9	538	0.41	0.08	6.9	0.220	3.70
K297884		350	18.7	96.2	0.005	2.31	0.63	11.1	2	1.9	521	0.41	0.07	6.9	0.231	3.24
K297885		240	18.2	140.0	0.002	3.70	0.70	19.2	2	4.2	105.0	0.60	<0.05	10.0	0.377	5.76
K297886		270	20.6	165.0	0.002	4.32	0.76	22.3	2	4.4	130.5	0.69	<0.05	11.2	0.428	5.64
K297887		280	16.7	132.5	0.002	4.42	1.95	17.2	2	2.9	132.0	0.58	<0.05	9.6	0.368	5.41
K297888		350	23.4	135.0	<0.002	3.82	1.19	17.0	2	4.8	244	0.66	0.05	11.3	0.394	2.80
K297889		890	17.2	50.8	0.003	3.10	106.5	16.2	2	3.0	503	0.72	0.15	10.1	0.533	7.76
K297890		550	17.4	121.5	<0.002	4.25	0.94	16.1	2	3.9	325	0.66	0.06	10.6	0.407	2.96
K297891		440	20.7	135.5	<0.002	1.68	0.53	15.0	2	1.9	131.5	0.64	0.05	9.9	0.418	1.51
K297892		410	9.7	138.5	<0.002	0.81	0.33	15.1	2	1.9	110.5	0.65	0.05	9.9	0.426	1.11
K297893		790	14.5	131.0	<0.002	1.58	0.35	15.1	2	2.0	181.5	0.63	0.05	9.8	0.420	1.40
K297894		430	16.6	148.5	<0.002	0.62	0.53	15.5	2	2.1	100.5	0.65	0.05	10.3	0.415	1.02
K297895		160	2.0	2.0	<0.002	<0.01	0.08	0.4	2	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	<0.02
K297896		470	28.1	149.5	<0.002	0.29	11.85	16.0	2	2.8	101.5	0.70	0.07	10.3	0.444	0.85
K297897		390	16.5	136.5	<0.002	0.56	2.13	15.1	2	2.2	98.7	0.66	<0.05	10.1	0.419	0.85
K297898		520	16.8	149.0	<0.002	2.13	0.86	17.3	2	2.6	142.0	0.69	0.06	11.1	0.411	1.50
K297899		490	16.7	124.5	<0.002	1.48	0.64	15.2	2	2.3	179.5	0.66	0.05	10.4	0.383	1.10
K297900		340	6.8	42.9	<0.002	1.28	0.30	6.2	1	1.9	239	0.29	<0.05	5.3	0.202	0.60
K297901		330	8.5	52.7	<0.002	1.45	0.31	7.9	1	1.3	166.5	0.33	<0.05	5.7	0.222	0.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138519

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K297866		2.0	18	1.2	9.8	23	18.9	
K297867		2.0	16	1.1	10.1	10	17.2	
K297868		1.9	10	0.5	7.2	12	11.1	
K297869		3.5	92	7.1	22.3	81	82.4	
K297870		8.1	239	29.3	18.3	219	64.5	
K297871		5.0	38	3.9	22.7	47	37.5	1.880
K297872		3.7	21	2.1	13.0	15	22.5	
K297873		4.1	44	4.6	15.4	59	47.4	
K297874		2.9	70	6.3	17.7	55	71.2	
K297875		2.4	64	4.2	18.3	57	67.6	
K297876		2.3	35	1.9	11.8	25	31.7	
K297877		0.6	1	0.1	0.7	18	<0.5	
K297878		2.2	31	0.4	15.5	18	39.7	
K297879		2.1	18	0.3	11.5	15	19.0	
K297880		2.1	29	0.4	14.5	20	31.0	
K297881		2.3	66	0.7	19.4	48	60.8	
K297882		2.6	70	4.3	18.6	47	68.2	
K297883		2.4	69	4.4	18.4	81	65.4	
K297884		2.7	71	1.6	18.1	65	67.9	
K297885		2.2	131	4.0	18.4	51	93.0	
K297886		2.4	152	4.2	19.9	62	98.1	
K297887		2.0	120	6.1	17.3	55	90.0	
K297888		2.5	115	4.8	17.9	62	99.3	
K297889		8.5	166	23.1	14.7	42	172.5	
K297890		2.3	114	1.7	18.6	68	98.6	
K297891		2.2	113	1.1	19.1	63	100.5	
K297892		2.2	113	1.2	19.0	70	99.1	
K297893		2.1	117	1.1	20.9	107	97.4	
K297894		2.4	113	1.1	19.2	130	105.5	
K297895		0.7	2	0.1	0.9	19	0.7	
K297896		2.3	117	1.5	21.0	73	106.0	
K297897		2.2	113	1.2	19.1	53	97.5	
K297898		2.3	117	1.2	20.2	231	102.5	
K297899		2.3	104	1.3	20.5	151	94.7	
K297900		1.1	56	1.0	10.5	45	51.2	
K297901		1.2	64	0.7	12.4	35	58.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11138519

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11141033

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 62- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141033

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297902		3.67	0.01	0.12	2.16	32.2	300	0.35	0.19	2.06	0.09	24.8	7.4	26	4.23	23.0
K297903		7.29	<0.01	0.14	6.68	25.9	140	1.15	0.19	5.33	0.30	44.0	29.4	72	10.25	155.5
K297904		9.51	<0.01	0.14	6.72	6.5	70	1.11	0.21	4.77	0.28	46.9	31.3	69	11.05	164.0
K297905		5.37	<0.01	0.17	7.16	13.2	120	1.44	0.25	5.38	0.23	54.7	28.5	74	11.90	158.0
K297906		2.01	<0.01	0.10	4.28	16.4	230	1.04	0.19	8.28	0.18	47.3	10.9	31	8.91	30.2
K297907		5.03	0.04	0.19	7.37	408	550	1.65	0.26	1.63	0.24	61.4	26.9	77	17.40	142.5
K297908		7.03	<0.01	<0.01	0.10	<5	20	0.05	0.03	21.4	0.06	1.56	1.2	1	0.20	1.9
K297909		8.73	0.02	0.11	6.79	794	420	1.11	0.17	5.09	0.25	47.7	29.6	71	13.05	148.0
K297910		6.64	<0.01	0.13	6.77	12.2	190	1.31	0.23	4.54	0.20	49.4	28.6	67	17.10	155.0
K297911		6.00	0.01	0.12	6.96	104.5	570	1.46	0.23	4.62	0.23	57.1	27.1	67	11.80	138.0
K297912		7.44	<0.01	0.09	6.52	3.1	330	1.03	0.19	6.16	0.24	48.1	24.7	62	8.60	131.5
K297913		6.52	<0.01	0.11	6.49	3.6	410	1.07	0.15	6.03	0.26	45.7	25.2	66	8.76	137.5
K297914		6.49	<0.01	0.12	6.97	7.3	120	1.16	0.18	4.99	0.26	49.3	28.3	68	11.00	164.0
K297915		5.96	<0.01	0.12	7.12	2.4	100	1.19	0.18	4.37	0.28	51.6	29.3	70	13.90	160.0
K297916		8.58	<0.01	0.14	7.16	5.5	160	1.34	0.17	4.30	0.21	46.8	30.7	70	16.50	185.0
K297917		7.70	<0.01	1.15	7.01	18.3	290	1.49	0.20	5.01	0.20	52.2	26.8	69	19.45	143.5
K297918		9.58	0.01	0.26	7.21	479	900	1.28	0.17	3.86	0.24	49.6	29.7	83	17.05	151.5
K297919		3.69	0.01	0.20	7.01	505	880	1.32	0.16	4.21	0.25	49.3	29.3	82	17.40	154.5
K297920		8.52	<0.01	0.11	7.02	326	1710	1.14	0.18	2.34	0.26	44.5	35.6	92	12.60	177.5
K297921		9.28	<0.01	0.11	6.36	27.5	1300	1.27	0.19	5.67	0.30	44.6	25.6	59	13.80	123.5
K297922		10.05	<0.01	0.11	6.28	156.5	290	1.15	0.20	6.38	0.33	51.0	20.3	54	13.20	92.3
K297923		0.25	0.33	0.34	6.25	599	2810	0.67	0.27	0.47	0.17	146.0	2.7	239	3.55	37.2
K297924		10.19	<0.01	0.13	6.90	56.6	1050	1.26	0.17	3.21	0.25	45.8	37.3	81	15.80	178.5
K297925		10.03	<0.01	0.17	7.42	108.0	950	1.50	0.22	3.05	0.42	52.2	39.6	81	19.05	187.0
K297926		8.65	0.01	0.15	6.67	350	380	1.63	0.23	3.58	0.30	50.1	20.9	65	14.50	117.5
K297927		7.37	0.01	0.10	5.73	263	200	1.25	0.21	4.92	0.19	60.0	14.9	44	11.40	64.0
K297928		11.60	<0.01	0.12	7.00	499	1110	1.62	0.22	4.82	0.26	57.8	28.0	65	17.75	119.5
K297929		6.96	<0.01	<0.01	0.10	8	20	0.06	0.02	21.3	0.06	1.51	1.3	1	0.25	2.6
K297930		10.15	<0.01	0.10	6.90	171.0	290	1.69	0.21	9.41	0.04	77.8	12.1	51	22.4	26.8
K297931		9.35	<0.01	0.08	6.52	434	250	1.48	0.21	13.65	0.04	72.9	11.2	46	21.2	26.7
K297932		9.71	<0.01	0.21	6.87	242	270	1.47	0.22	8.54	0.06	70.2	11.9	49	22.6	32.6
K297933		10.85	<0.01	0.12	8.40	311	340	2.05	0.31	3.66	0.04	89.9	14.5	62	31.9	41.0
K297934		10.90	<0.01	0.08	8.17	18.2	320	2.09	0.29	5.07	0.02	89.5	13.8	60	37.9	33.0
K297935		0.25	0.34	0.35	6.04	594	1310	0.55	0.28	0.44	0.18	138.0	3.3	242	3.74	34.9
K297936		11.97	<0.01	0.01	7.71	36.2	300	1.70	0.29	5.98	0.05	89.8	16.0	52	33.1	30.2
K297937		11.28	<0.01	<0.01	8.45	18.6	320	2.10	0.33	1.95	0.03	91.5	16.2	61	37.8	32.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141033

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297902		2.71	5.35	0.09	1.4	0.6	0.043	0.57	12.9	35.7	0.79	573	0.47	0.02	3.3	13.9
K297903		7.20	16.20	0.19	2.8	0.2	0.092	1.30	21.3	71.8	2.97	1100	0.39	0.62	9.9	53.2
K297904		7.89	17.10	0.21	3.2	0.1	0.097	1.37	22.6	65.2	3.63	937	0.34	0.57	10.7	56.8
K297905		7.02	17.35	0.18	3.3	0.1	0.096	1.70	25.5	63.8	3.05	984	0.47	0.71	12.4	62.3
K297906		3.73	10.10	0.11	2.3	0.27	0.049	1.70	21.2	40.9	3.36	847	0.61	0.04	7.7	15.8
K297907		7.62	19.45	0.22	2.6	1.54	0.105	2.71	28.5	107.5	1.14	759	0.65	0.03	13.7	47.6
K297908		0.47	0.35	0.05	<0.1	<0.01	0.005	0.04	0.8	1.2	13.45	206	0.06	0.01	0.3	<0.2
K297909		7.58	17.10	0.17	2.8	1.85	0.098	2.55	23.0	94.3	2.50	1080	0.49	0.07	11.2	50.5
K297910		7.12	17.15	0.19	3.1	0.2	0.094	2.05	24.0	112.0	3.13	919	0.35	0.18	11.2	51.1
K297911		6.58	17.55	0.18	3.2	0.63	0.096	2.04	27.8	101.0	2.68	957	0.44	0.23	12.6	48.8
K297912		6.38	15.40	0.16	3.0	0.03	0.086	1.28	23.7	56.6	3.73	1000	0.32	1.16	10.3	46.0
K297913		6.67	15.70	0.16	2.9	0.04	0.088	1.22	22.6	50.6	3.81	961	0.29	1.08	10.1	48.0
K297914		7.07	17.30	0.18	3.3	0.05	0.095	1.42	23.8	54.6	3.90	856	0.27	0.91	11.5	53.5
K297915		7.29	17.55	0.17	3.4	<0.1	0.093	1.58	25.1	54.5	4.01	823	0.41	0.79	11.6	57.3
K297916		7.42	17.55	0.19	3.5	0.07	0.101	1.71	22.6	77.9	3.69	821	0.32	0.79	11.0	56.9
K297917		6.63	17.55	0.19	3.1	0.14	0.091	2.20	25.0	122.5	3.08	878	0.53	0.35	11.7	48.9
K297918		7.54	17.85	0.20	2.8	2.30	0.100	2.29	23.7	175.5	2.00	1200	0.37	0.12	11.1	52.3
K297919		7.59	17.40	0.18	2.6	2.70	0.092	2.19	23.7	171.0	2.13	1210	0.38	0.11	11.0	52.7
K297920		8.92	18.35	0.22	1.9	0.73	0.107	1.54	20.3	149.0	1.29	974	0.36	0.16	11.3	61.5
K297921		6.65	15.00	0.18	2.5	0.26	0.080	1.66	21.1	129.5	3.21	1100	0.95	0.42	10.2	44.0
K297922		5.60	14.55	0.16	2.7	0.30	0.077	2.08	24.1	71.0	2.69	1120	0.54	0.39	10.1	35.8
K297923		6.56	18.50	0.21	4.2	9.2	0.049	1.36	74.8	18.8	0.13	38	6.52	0.41	9.7	16.9
K297924		8.09	18.75	0.22	2.9	0.08	0.108	1.27	20.5	138.5	3.10	787	0.31	0.72	12.1	64.9
K297925		7.89	18.75	0.21	2.9	0.21	0.116	2.29	21.9	167.5	2.05	1170	0.43	0.36	14.1	69.2
K297926		5.77	17.10	0.18	2.8	1.43	0.094	2.71	22.2	95.5	1.70	894	3.61	0.05	12.7	38.3
K297927		5.04	13.55	0.16	2.8	1.65	0.074	2.65	28.8	13.7	2.13	1120	1.24	0.03	11.8	29.1
K297928		6.48	16.60	0.17	2.7	2.26	0.090	2.65	28.4	233	2.15	930	0.75	0.03	12.9	52.3
K297929		0.52	0.28	<0.05	<0.1	0.01	0.005	0.04	0.8	1.6	13.35	223	0.11	0.01	0.3	<0.2
K297930		3.25	15.75	0.13	2.6	0.7	0.057	3.10	41.7	40.0	1.24	678	0.53	0.05	9.5	25.1
K297931		2.87	13.60	0.13	2.1	0.5	0.047	2.86	40.3	13.1	1.35	611	0.55	0.04	7.7	21.9
K297932		3.53	14.95	0.13	2.7	0.38	0.055	2.98	38.4	37.5	1.16	498	0.59	0.05	9.3	25.3
K297933		4.29	20.1	0.16	3.0	0.57	0.068	3.77	47.3	41.6	1.26	473	0.59	0.06	11.8	38.5
K297934		4.11	19.00	0.15	3.0	0.22	0.067	3.62	47.0	71.8	1.08	601	0.42	0.06	11.0	31.3
K297935		6.82	22.9	0.25	4.2	9.3	0.051	1.34	64.5	18.5	0.12	36	6.37	0.38	9.7	18.7
K297936		4.03	21.4	0.19	2.5	0.40	0.062	3.51	45.3	46.5	1.24	650	0.56	0.05	10.8	32.6
K297937		3.97	24.8	0.21	2.9	0.29	0.067	3.80	45.7	92.5	1.03	484	0.36	0.06	11.9	33.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141033

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297902		210	26.8	30.0	<0.002	1.81	0.46	4.6	2	0.9	131.5	0.25	<0.05	4.3	0.182	0.52
K297903		590	13.0	64.4	<0.002	0.23	0.37	26.3	2	1.7	57.5	0.67	0.13	4.8	0.685	0.50
K297904		630	12.4	66.0	0.002	0.24	0.34	27.1	2	1.8	45.8	0.73	0.11	5.5	0.716	0.45
K297905		600	12.2	80.7	0.003	0.13	0.48	26.2	2	2.0	54.7	0.84	0.16	6.7	0.678	0.59
K297906		420	17.2	75.9	0.002	0.43	0.78	8.5	2	1.5	69.1	0.55	<0.05	6.7	0.278	0.76
K297907		630	15.0	135.5	<0.002	0.18	1.94	25.3	2	2.2	187.5	0.93	0.19	6.5	0.696	4.17
K297908		200	1.9	1.4	<0.002	<0.01	<0.05	0.4	1	<0.2	49.1	<0.05	<0.05	<0.2	0.007	0.02
K297909		620	8.8	113.5	<0.002	0.74	6.28	25.9	2	1.8	309	0.77	0.14	5.0	0.685	3.92
K297910		640	8.8	116.5	<0.002	0.02	0.35	25.5	2	1.8	108.5	0.76	0.14	5.4	0.684	1.07
K297911		650	11.4	113.0	<0.002	0.26	0.49	23.8	2	2.0	160.0	0.86	0.16	6.4	0.649	1.52
K297912		580	10.1	62.7	<0.002	0.03	0.29	23.2	2	1.7	99.2	0.72	0.13	5.6	0.648	0.44
K297913		570	8.9	59.4	<0.002	0.03	0.32	23.7	2	1.7	88.3	0.70	0.11	5.0	0.663	0.39
K297914		620	9.3	71.0	0.002	0.05	0.31	25.7	2	1.9	62.6	0.78	0.13	5.4	0.693	0.42
K297915		620	9.5	77.3	<0.002	0.08	0.31	25.6	2	1.9	55.2	0.79	0.16	5.7	0.690	0.45
K297916		670	9.5	87.5	0.003	0.05	0.31	27.2	2	1.8	57.2	0.75	0.14	5.2	0.724	0.63
K297917		610	11.1	122.5	0.002	0.08	0.37	24.0	2	1.9	94.9	0.80	0.15	6.0	0.658	0.94
K297918		640	10.3	126.0	<0.002	1.19	1.25	27.3	2	1.9	329	0.77	0.12	5.3	0.773	5.03
K297919		640	10.4	127.5	<0.002	1.24	1.25	26.9	2	1.9	325	0.73	0.12	5.0	0.758	4.97
K297920		670	8.6	96.5	<0.002	0.76	0.98	27.9	3	1.8	181.5	0.73	0.19	3.8	0.840	5.29
K297921		550	13.5	82.9	0.004	0.33	0.52	20.5	2	1.8	100.5	0.69	0.12	5.3	0.602	1.07
K297922		520	13.6	95.0	0.003	0.93	0.68	16.9	2	1.9	164.5	0.72	0.09	6.7	0.509	1.33
K297923		900	16.5	45.9	0.003	3.11	116.0	15.3	2	2.8	527	0.73	0.12	9.7	0.549	7.73
K297924		660	7.6	77.6	0.002	0.09	0.53	30.1	3	2.0	103.5	0.76	0.15	4.6	0.806	0.69
K297925		680	10.9	112.0	0.003	0.15	1.10	30.0	3	2.1	77.9	0.94	0.23	5.2	0.802	1.21
K297926		600	16.7	118.5	0.007	0.64	2.63	21.6	3	2.2	134.0	0.86	0.18	6.2	0.608	3.51
K297927		460	17.3	110.0	0.004	2.27	2.65	12.8	2	2.1	90.5	0.82	0.12	7.9	0.400	3.22
K297928		680	12.1	108.5	0.005	6.23	3.28	21.5	3	1.9	207	0.87	0.21	6.4	0.598	6.27
K297929		190	1.4	1.6	<0.002	0.01	0.08	0.4	2	<0.2	44.8	<0.05	<0.05	<0.2	0.006	0.03
K297930		630	14.1	137.0	0.002	1.84	0.70	11.2	2	1.9	325	0.70	<0.05	11.1	0.317	2.57
K297931		400	15.6	120.5	0.002	1.66	1.19	9.6	2	2.2	440	0.59	<0.05	10.4	0.261	2.49
K297932		610	13.0	135.5	<0.002	2.53	0.56	11.5	2	2.2	284	0.70	<0.05	10.7	0.336	1.77
K297933		520	21.4	152.0	<0.002	2.87	0.67	14.3	2	2.4	162.5	0.89	0.05	13.2	0.390	2.26
K297934		470	19.7	140.5	<0.002	1.50	0.38	12.8	2	2.2	196.0	0.84	<0.05	13.5	0.354	1.28
K297935		920	19.8	47.5	0.003	3.07	114.5	15.1	2	3.1	501	0.82	0.13	10.3	0.552	8.42
K297936		550	25.4	159.0	0.002	2.40	0.71	14.2	2	2.3	249	0.87	0.05	14.8	0.339	2.11
K297937		440	22.0	168.5	<0.002	1.26	0.48	15.4	1	2.6	109.0	0.96	0.05	15.8	0.386	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141033

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297902		1.0	48	0.8	8.3	43	46.0
K297903		1.2	224	1.1	24.4	101	100.0
K297904		1.4	238	1.0	25.6	114	118.0
K297905		1.6	216	1.4	25.3	108	121.0
K297906		2.0	63	1.1	20.0	59	79.2
K297907		1.7	220	5.7	21.3	95	93.9
K297908		0.7	4	0.3	1.0	15	0.8
K297909		1.3	223	16.4	24.8	81	104.0
K297910		1.3	223	1.0	26.3	98	112.5
K297911		1.4	212	1.2	26.4	95	118.0
K297912		1.3	202	0.9	24.5	91	103.5
K297913		1.2	211	0.9	25.2	92	105.5
K297914		1.3	225	0.9	26.9	98	117.0
K297915		1.4	224	1.0	26.5	104	119.5
K297916		1.3	241	0.9	27.4	104	125.5
K297917		1.5	211	5.1	25.9	94	112.5
K297918		1.3	251	5.0	23.8	104	105.0
K297919		1.2	243	4.5	23.1	106	98.2
K297920		0.9	287	2.1	20.8	112	71.9
K297921		1.4	181	1.0	21.3	89	91.2
K297922		1.7	146	1.7	20.8	98	95.3
K297923		7.7	165	22.8	14.5	42	168.0
K297924		1.2	268	1.0	26.7	114	112.0
K297925		1.3	256	3.1	26.2	114	105.0
K297926		1.6	181	4.8	22.0	89	97.2
K297927		2.0	102	4.8	21.5	80	103.0
K297928		1.9	184	17.7	22.0	96	92.6
K297929		0.6	4	0.3	0.9	15	1.1
K297930		2.7	66	2.2	18.5	91	92.4
K297931		2.9	55	1.4	15.8	68	72.7
K297932		2.5	71	2.6	17.0	88	90.2
K297933		2.9	84	2.6	17.9	81	101.5
K297934		3.2	74	1.6	17.5	83	101.0
K297935		8.6	170	24.2	16.1	40	153.5
K297936		3.5	71	1.5	20.1	78	86.5
K297937		3.2	79	1.7	19.3	81	99.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141033

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

CERTIFICATE WH11141034

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 63- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141034

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298649		11.01	0.04	0.08	0.30	5280	1550	0.12	0.02	19.40	0.08	5.88	1.2	3	0.50	8.7
K298650		7.55	<0.01	0.02	0.03	1160	10	0.05	<0.01	19.45	<0.02	0.86	0.8	<1	0.06	0.8
K298651		10.91	0.06	0.02	0.04	>10000	40	0.06	0.01	18.50	<0.02	1.23	0.8	<1	0.33	0.8
K298652		7.05	<0.01	<0.01	0.06	29	20	0.06	0.03	20.2	0.05	1.40	1.2	<1	0.16	1.1
K298653		7.49	0.11	0.10	0.15	2760	420	0.10	0.01	19.85	0.63	5.27	1.4	<1	0.18	1.9
K298654		12.20	<0.01	0.02	0.28	479	100	0.13	0.01	19.85	0.16	5.92	1.3	2	0.62	1.5
K298655		12.28	<0.01	0.07	0.55	72	50	0.21	0.02	18.75	0.25	10.55	1.9	2	1.23	3.1
K298656		12.02	<0.01	0.02	0.23	225	100	0.12	0.01	19.20	0.03	5.55	1.0	<1	0.36	1.2
K298657		12.17	<0.01	0.05	0.42	35	40	0.18	0.02	18.80	0.09	9.17	1.6	2	1.03	2.7
K298658		12.25	<0.01	0.04	0.29	21	40	0.18	0.01	21.9	<0.02	6.70	1.3	<1	0.68	1.7
K298659		11.79	<0.01	0.03	0.20	39	60	0.15	0.01	19.95	0.11	5.04	0.9	<1	0.46	1.1
K298660		7.35	<0.01	0.02	0.05	76	370	0.08	<0.01	20.9	<0.02	2.60	0.9	<1	0.05	0.6
K298661		5.87	<0.01	0.01	0.05	133	1480	0.09	<0.01	21.3	<0.02	1.52	0.9	<1	<0.05	0.2
K298662		11.96	<0.01	0.03	0.05	210	50	0.07	<0.01	20.6	<0.02	2.35	1.0	1	0.06	0.7
K298663		12.43	<0.01	0.03	0.10	419	40	0.07	<0.01	20.4	<0.02	3.02	0.9	<1	0.14	0.7
K298664		9.77	<0.01	0.01	0.21	38	30	0.11	0.01	19.90	<0.02	4.09	1.0	<1	0.43	0.9
K298665		10.72	<0.01	0.01	0.12	40	50	0.07	<0.01	20.8	0.02	3.75	0.9	<1	0.18	0.9
K298666		11.03	<0.01	0.03	0.61	60	30	0.24	0.02	18.85	<0.02	10.60	1.8	8	1.91	3.0
K298667		11.96	<0.01	0.02	0.69	30	70	0.23	0.02	17.75	<0.02	11.00	1.8	4	2.01	3.0
K298668		12.23	<0.01	0.08	0.34	69	70	0.13	0.01	18.25	0.03	6.99	1.2	5	0.73	1.8
K298669		11.66	<0.01	0.02	0.10	1620	1720	0.08	<0.01	19.65	<0.02	2.98	0.9	<1	0.13	0.5
K298670		11.70	<0.01	0.04	0.84	72	140	0.24	0.03	19.25	0.04	14.95	2.1	5	2.08	3.5
K298671		6.95	<0.01	0.01	0.06	<5	20	<0.05	0.02	20.8	0.06	1.37	1.3	<1	0.17	1.3
K298672		11.62	<0.01	0.03	0.84	60	40	0.36	0.04	18.80	0.03	13.55	2.2	4	3.08	3.7
K298673		12.23	<0.01	0.03	0.39	53	20	0.20	0.01	20.1	0.03	8.54	1.5	2	1.29	2.3
K298674		12.01	<0.01	0.02	0.33	58	20	0.17	0.01	20.3	0.04	7.59	1.4	1	1.00	2.0
K298675		11.84	<0.01	0.22	0.45	52	40	0.20	0.02	19.40	0.04	8.78	1.7	2	1.78	2.9
K298676		12.66	<0.01	0.06	0.48	28	20	0.24	0.02	18.65	0.10	9.47	1.7	3	2.68	2.8
K298677		0.24	0.35	0.29	6.07	578	510	0.60	0.26	0.49	0.18	133.5	2.7	221	3.56	31.2
K298678		12.52	<0.01	0.03	0.45	17	20	0.24	0.02	18.80	0.02	8.61	1.6	2	3.07	2.6
K298679		12.56	<0.01	0.04	0.58	43	40	0.24	0.03	18.75	0.70	13.10	2.2	2	2.50	3.9
K298680		12.92	<0.01	0.05	0.33	112	20	0.15	0.02	16.60	0.32	10.75	1.8	1	0.91	3.8
K298681		12.30	<0.01	0.01	0.53	258	50	0.22	0.03	18.60	<0.02	14.35	2.1	1	1.45	3.9
K298682		0.26	0.33	0.27	5.92	561	580	0.60	0.25	0.46	0.18	130.5	2.6	216	3.34	28.9
K298683		12.38	<0.01	0.02	0.77	277	90	0.35	0.04	18.75	<0.02	15.00	2.4	2	2.19	4.7
K298684		5.89	<0.01	0.01	0.77	247	90	0.35	0.04	19.40	<0.02	15.10	2.4	1	2.26	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141034

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298649		0.41	0.87	<0.05	0.2	7.05	0.010	0.12	3.6	2.3	11.75	687	0.36	0.03	0.7	5.6
K298650		0.32	0.29	0.10	<0.1	0.59	<0.005	0.01	0.5	0.9	11.85	662	0.19	<0.01	0.2	0.3
K298651		0.24	0.42	0.10	<0.1	2.49	0.029	0.01	0.7	1.5	11.25	875	0.15	<0.01	0.2	0.8
K298652		0.40	0.35	0.10	<0.1	0.01	<0.005	0.03	0.7	1.0	11.95	178	0.07	0.01	0.3	1.3
K298653		0.55	0.61	0.10	0.2	5.10	0.006	0.05	3.1	0.8	12.10	664	0.19	0.01	0.5	1.4
K298654		0.31	0.97	0.12	0.2	1.37	<0.005	0.13	3.5	1.6	12.00	487	0.10	0.01	0.6	1.5
K298655		1.12	1.21	<0.05	0.4	1.07	0.006	0.26	6.5	1.8	11.05	1010	0.16	0.01	0.9	1.4
K298656		0.61	0.60	<0.05	0.1	0.38	<0.005	0.10	3.2	1.3	11.40	919	0.05	0.01	0.4	0.2
K298657		0.83	0.94	<0.05	0.3	0.50	<0.005	0.20	5.5	1.6	11.10	933	0.15	0.01	0.8	1.5
K298658		0.46	0.76	0.07	0.2	0.17	0.005	0.14	4.0	1.4	13.15	853	0.19	0.02	0.6	0.8
K298659		0.40	0.63	<0.05	0.1	0.32	<0.005	0.09	3.0	1.4	12.00	861	0.25	<0.01	0.4	0.3
K298660		0.43	0.36	0.10	<0.1	0.14	<0.005	0.02	1.8	0.6	12.70	867	0.25	0.01	0.2	0.5
K298661		0.24	0.36	0.14	<0.1	0.10	<0.005	0.02	1.0	0.6	13.00	641	0.20	0.02	0.2	0.4
K298662		0.52	0.40	0.09	<0.1	0.14	<0.005	0.02	1.4	0.7	12.25	791	0.42	0.02	0.2	1.6
K298663		0.43	0.48	0.11	0.1	0.31	<0.005	0.04	1.7	0.8	12.35	636	0.10	0.02	0.3	0.7
K298664		0.36	0.71	0.14	0.1	0.20	<0.005	0.10	2.4	1.1	12.05	560	0.22	0.01	0.4	0.8
K298665		0.43	0.52	0.14	0.1	0.15	<0.005	0.05	2.1	0.7	12.65	574	0.20	0.01	0.3	0.9
K298666		0.62	1.57	<0.05	0.3	0.58	<0.005	0.30	6.1	3.0	11.35	749	0.41	0.01	1.1	2.2
K298667		0.62	1.69	<0.05	0.4	0.50	0.006	0.33	6.1	3.4	10.60	618	0.61	0.01	1.3	2.2
K298668		0.44	0.97	<0.05	0.3	0.49	<0.005	0.16	4.0	1.8	10.95	590	0.71	0.01	0.8	1.0
K298669		0.29	0.45	0.12	0.1	0.24	<0.005	0.04	1.9	1.1	11.90	594	0.36	0.02	0.3	0.7
K298670		0.58	2.09	0.05	0.5	1.20	0.006	0.40	8.2	3.5	11.65	616	0.40	0.01	1.5	2.7
K298671		0.42	0.35	0.12	<0.1	0.01	<0.005	0.03	0.7	1.0	12.35	186	<0.05	<0.01	0.3	2.0
K298672		0.62	2.15	<0.05	0.5	1.1	0.007	0.41	7.6	3.9	11.25	823	0.19	0.01	1.6	3.0
K298673		0.48	1.17	0.05	0.2	0.44	<0.005	0.19	5.1	2.1	12.10	731	0.44	0.01	0.8	1.5
K298674		0.55	1.00	0.07	0.2	0.56	<0.005	0.15	4.8	1.9	12.10	735	0.46	<0.01	0.7	1.6
K298675		0.54	1.29	0.06	0.2	0.83	<0.005	0.22	5.1	2.2	11.60	791	0.44	<0.01	0.9	2.3
K298676		0.91	1.30	<0.05	0.3	0.75	0.005	0.24	5.5	2.2	11.20	614	0.47	0.01	0.9	2.8
K298677		6.51	20.0	0.25	4.0	9.6	0.048	1.31	62.9	16.5	0.14	36	6.07	0.37	9.4	16.2
K298678		0.54	1.21	<0.05	0.3	0.37	<0.005	0.22	5.2	2.5	11.20	635	0.73	<0.01	0.9	1.7
K298679		2.86	1.49	<0.05	0.3	0.86	0.007	0.28	9.3	2.1	11.25	789	0.31	<0.01	1.1	2.6
K298680		7.00	0.94	0.05	0.2	2.2	0.006	0.15	7.6	1.2	9.88	1140	0.24	<0.01	0.7	2.2
K298681		1.35	1.44	<0.05	0.2	0.67	<0.005	0.25	9.8	2.2	11.10	1480	0.11	<0.01	1.1	1.7
K298682		6.47	19.10	0.23	3.9	9.5	0.046	1.30	62.9	16.9	0.13	36	6.12	0.35	9.0	14.8
K298683		0.90	2.02	<0.05	0.3	0.75	0.007	0.36	10.5	3.0	11.05	1990	0.09	<0.01	1.4	3.0
K298684		0.81	2.10	<0.05	0.3	0.70	0.006	0.37	10.6	3.2	11.45	2060	0.09	<0.01	1.4	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141034

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298649		300	29.7	5.6	<0.002	0.60	0.73	0.6	1	0.2	138.0	0.05	<0.05	0.7	0.016	1.52
K298650		110	1.4	0.4	<0.002	0.16	0.16	0.2	1	<0.2	55.6	<0.05	<0.05	<0.2	<0.005	0.17
K298651		170	20.8	0.4	<0.002	1.81	1.88	0.3	1	<0.2	75.6	<0.05	<0.05	<0.2	<0.005	1.51
K298652		170	1.4	1.2	<0.002	<0.01	<0.05	0.3	1	<0.2	47.5	<0.05	<0.05	<0.2	<0.005	<0.02
K298653		220	116.0	2.7	<0.002	0.62	4.21	0.5	1	<0.2	142.5	<0.05	<0.05	0.5	0.010	3.98
K298654		340	7.8	4.6	<0.002	0.21	0.20	0.6	1	<0.2	92.1	<0.05	<0.05	0.7	0.014	0.84
K298655		310	21.0	7.8	<0.002	0.88	0.38	1.0	1	0.2	113.0	0.06	<0.05	1.2	0.024	1.69
K298656		260	6.5	3.0	<0.002	0.29	0.13	0.5	1	<0.2	86.0	<0.05	<0.05	0.5	0.009	0.56
K298657		320	17.9	5.8	<0.002	0.54	0.33	0.9	1	0.2	85.5	0.05	<0.05	0.9	0.019	0.90
K298658		320	6.1	4.0	<0.002	0.22	0.15	0.6	1	<0.2	84.4	<0.05	<0.05	0.6	0.014	0.42
K298659		250	25.2	3.0	<0.002	0.19	0.21	0.4	1	<0.2	118.5	<0.05	<0.05	0.4	0.009	0.48
K298660		200	2.4	0.5	<0.002	0.21	0.05	0.2	1	<0.2	52.7	<0.05	<0.05	<0.2	<0.005	0.24
K298661		210	1.3	0.5	<0.002	0.11	0.05	0.2	1	<0.2	77.1	<0.05	<0.05	<0.2	<0.005	0.13
K298662		420	2.9	0.7	<0.002	0.21	0.09	0.2	1	<0.2	64.8	<0.05	<0.05	<0.2	<0.005	0.27
K298663		310	5.2	1.4	<0.002	0.19	0.12	0.3	1	<0.2	69.8	<0.05	<0.05	0.2	0.005	0.37
K298664		350	4.3	3.0	<0.002	0.19	0.08	0.4	1	<0.2	75.9	<0.05	<0.05	0.4	0.009	0.26
K298665		230	4.9	1.6	<0.002	0.22	0.07	0.3	1	<0.2	70.3	<0.05	<0.05	0.3	0.005	0.23
K298666		360	13.4	10.0	<0.002	0.44	0.08	1.1	1	0.2	72.9	0.08	<0.05	1.3	0.030	0.97
K298667		350	15.1	11.1	<0.002	0.44	0.12	1.2	1	0.3	69.7	0.09	<0.05	1.6	0.037	1.01
K298668		360	11.5	5.3	<0.002	0.23	0.25	0.6	1	0.2	86.3	0.05	<0.05	0.8	0.019	0.76
K298669		340	3.8	1.2	<0.002	0.24	0.14	0.3	1	<0.2	116.5	<0.05	<0.05	0.2	0.005	0.35
K298670		330	23.3	13.8	<0.002	0.50	0.27	1.5	1	0.3	107.5	0.11	<0.05	2.0	0.040	1.55
K298671		220	1.3	1.3	<0.002	<0.01	0.10	0.3	1	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	<0.02
K298672		340	21.1	14.7	<0.002	0.49	0.14	1.5	1	0.3	69.4	0.11	<0.05	2.0	0.041	1.51
K298673		370	14.6	6.4	<0.002	0.33	0.06	0.8	1	0.3	81.2	0.05	<0.05	1.0	0.019	0.82
K298674		380	11.6	5.1	<0.002	0.34	0.10	0.7	1	0.2	80.0	<0.05	<0.05	0.8	0.015	0.79
K298675		320	15.0	7.3	<0.002	0.39	0.19	0.9	1	0.3	85.9	0.06	<0.05	1.1	0.022	1.00
K298676		370	29.3	8.2	<0.002	0.91	0.10	0.9	1	0.3	75.8	0.06	<0.05	1.1	0.021	1.28
K298677		880	16.8	49.1	0.002	2.99	109.5	14.3	2	3.0	504	0.73	0.14	9.5	0.517	7.73
K298678		320	13.4	8.1	<0.002	0.36	0.13	0.9	1	0.3	79.9	0.06	<0.05	1.1	0.022	0.61
K298679		260	298	9.3	<0.002	3.39	0.32	1.2	1	0.2	82.0	0.07	<0.05	1.4	0.023	2.72
K298680		150	192.0	5.0	<0.002	8.72	0.07	0.8	1	0.2	66.0	<0.05	<0.05	0.8	0.013	5.54
K298681		280	24.9	8.1	<0.002	1.21	0.08	1.2	1	0.3	67.4	0.07	<0.05	1.4	0.021	1.12
K298682		870	16.3	46.9	0.003	2.88	104.5	14.1	2	2.8	493	0.71	0.12	9.2	0.506	7.32
K298683		370	11.9	11.7	<0.002	0.42	0.19	1.5	1	0.3	77.0	0.10	<0.05	1.9	0.030	1.18
K298684		400	11.4	11.9	<0.002	0.41	0.11	1.5	1	0.4	76.8	0.10	<0.05	1.8	0.030	1.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141034

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298649		0.9	3	0.7	2.3	18	5.9	
K298650		0.5	<1	0.1	0.7	<2	0.7	
K298651		0.5	<1	0.2	0.9	2	0.8	2.77
K298652		0.6	1	0.1	0.9	14	<0.5	
K298653		1.1	1	0.7	1.9	100	5.6	
K298654		0.9	2	0.4	2.4	39	6.3	
K298655		1.4	4	0.6	3.6	51	11.8	
K298656		0.9	3	0.4	2.5	7	5.1	
K298657		1.2	3	0.5	3.3	17	9.9	
K298658		1.4	3	0.4	3.0	5	7.4	
K298659		0.8	2	0.4	2.2	20	4.2	
K298660		0.7	<1	0.1	1.2	4	1.1	
K298661		0.7	<1	0.1	0.9	<2	1.1	
K298662		0.8	1	0.1	1.3	2	1.2	
K298663		0.7	1	0.2	1.7	2	2.4	
K298664		0.9	1	0.2	2.0	2	4.1	
K298665		0.6	1	0.2	1.8	3	2.4	
K298666		1.2	5	0.6	3.8	4	11.9	
K298667		1.1	5	0.7	3.5	7	14.2	
K298668		0.9	2	0.8	2.5	6	9.4	
K298669		0.5	<1	0.2	1.8	<2	2.2	
K298670		1.3	6	0.8	4.2	9	15.7	
K298671		0.7	1	0.1	0.8	15	<0.5	
K298672		1.1	7	0.9	4.3	8	16.5	
K298673		1.2	3	0.3	3.1	13	8.3	
K298674		1.2	2	0.4	2.9	14	7.0	
K298675		1.1	3	1.3	3.2	9	9.1	
K298676		0.9	4	0.4	3.3	60	9.0	
K298677		7.5	162	22.9	13.9	41	155.5	
K298678		1.4	3	0.3	3.0	5	10.3	
K298679		1.3	3	0.3	4.2	159	8.5	
K298680		1.1	2	0.5	3.6	158	5.1	
K298681		1.7	3	0.5	5.1	4	8.3	
K298682		7.1	158	22.0	13.3	42	151.0	
K298683		2.2	5	0.7	5.9	4	11.3	
K298684		2.2	5	0.6	6.2	3	11.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141034

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

CERTIFICATE WH11141035

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 64- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141035

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296433		7.26	<0.01	0.11	9.61	18.2	340	2.59	0.41	0.20	<0.02	93.8	20.6	75	23.7	45.4
K296434		8.34	<0.01	0.11	9.79	38.8	420	2.92	0.42	0.15	<0.02	103.5	23.2	77	24.0	52.0
K296435		9.11	<0.01	0.17	9.33	96.0	550	1.94	0.38	0.10	<0.02	105.0	13.6	74	18.15	29.7
K296436		4.57	<0.01	0.11	8.62	649	570	2.69	0.33	0.57	0.02	98.2	21.9	69	19.35	31.4
K296437		6.55	<0.01	0.11	3.62	286	230	0.92	0.13	15.10	0.08	41.2	12.2	27	6.93	23.2
K296438		0.22	2.75	0.98	3.07	578	840	0.61	0.30	7.92	2.06	46.0	6.6	51	3.60	42.0
K296439		9.79	0.01	0.12	3.32	142	170	0.89	0.11	18.10	0.15	35.1	11.5	28	6.91	18.0
K296440		9.54	0.03	0.04	1.05	135	70	0.33	0.04	20.3	0.09	15.95	3.2	8	1.93	9.0
K296441		10.83	0.09	0.07	1.01	2730	90	0.34	0.04	18.45	0.14	17.10	2.9	8	1.72	6.3
K296442		5.18	0.01	0.01	0.70	41	50	0.27	0.02	19.65	0.15	14.20	2.3	5	0.77	4.6
K296443		8.28	0.03	0.02	0.79	545	80	0.25	0.03	18.75	0.24	13.65	3.2	7	0.88	8.9
K296444		12.14	0.03	0.06	1.99	174	100	0.45	0.07	17.00	0.13	24.5	5.3	18	3.32	12.1
K296445		6.15	0.01	0.03	1.36	77	60	0.43	0.04	17.90	0.13	17.65	3.9	12	2.29	8.1
K296446		7.02	0.01	<0.01	0.07	<5	30	0.05	0.02	21.1	0.06	1.34	1.3	1	0.17	1.7
K296447		8.40	0.01	0.03	1.34	66	70	0.45	0.04	18.10	0.12	18.00	3.5	13	2.70	9.0
K296448		10.78	0.01	0.03	1.44	79	70	0.46	0.04	17.55	0.18	21.0	3.0	12	2.81	8.6
K296449		0.22	7.93	0.51	3.60	1040	170	0.74	0.67	12.65	3.95	46.4	6.1	96	7.11	35.3
K296450		8.28	0.01	0.04	1.19	89	90	0.38	0.04	18.30	0.17	18.40	4.1	10	2.67	8.7
K296451		6.51	<0.01	0.14	8.63	164.5	310	2.95	0.37	5.20	0.06	106.5	9.2	59	41.4	32.8
K296452		10.08	0.01	0.05	3.61	99	800	1.09	0.14	16.00	0.14	56.4	4.9	24	15.85	15.2
K296453		4.92	<0.01	0.06	3.48	111	740	1.06	0.15	16.00	0.14	52.9	5.7	24	14.55	20.3
K296454		4.58	0.02	0.08	5.57	133.0	750	1.47	0.21	9.95	0.13	67.5	6.9	37	26.8	16.9
K296455		11.58	<0.01	0.09	7.10	78.4	300	2.51	0.34	1.88	0.04	77.3	16.7	70	42.6	50.1
K296456		9.80	0.01	0.11	7.47	185.5	320	2.95	0.38	1.45	0.03	81.9	12.6	66	39.9	51.7
K296457		11.45	0.01	0.11	7.80	97.0	330	3.19	0.32	1.39	0.04	88.4	16.2	68	56.2	45.4
K296458		5.49	<0.01	0.01	0.31	<5	40	0.17	0.01	25.0	0.19	6.54	2.7	3	0.80	3.3
K296459		3.98	<0.01	0.07	4.05	15	150	1.04	0.11	16.25	0.07	44.0	7.4	30	16.60	17.4
K296460		3.70	<0.01	<0.01	0.64	<5	50	0.26	0.03	21.7	0.08	9.80	1.6	4	1.90	4.8
K296461		8.88	<0.01	0.02	0.11	<5	360	0.06	0.01	21.4	<0.02	6.26	12.4	1	0.29	1.6
K296462		5.75	<0.01	0.01	0.14	<5	10	0.05	0.01	21.4	0.02	3.11	3.2	1	0.25	2.9
K296463		10.04	<0.01	0.05	7.25	15.4	270	2.51	0.22	3.54	0.03	68.9	12.6	64	44.5	38.8
K296464		9.13	<0.01	0.05	4.65	39	170	1.22	0.14	14.85	<0.02	73.4	9.2	38	11.70	24.6
K296465		12.32	0.01	0.05	5.45	69.3	200	1.41	0.17	9.03	0.02	85.8	8.9	50	11.70	22.5
K296466		11.80	<0.01	0.05	6.77	40.6	230	2.05	0.23	3.86	<0.02	83.9	12.1	62	18.75	37.7
K296467		7.02	<0.01	0.01	0.18	<5	40	0.07	0.02	21.1	0.06	2.44	1.2	3	0.40	2.5
K296468		8.39	<0.01	0.04	7.14	68.2	470	2.50	0.22	3.69	0.02	60.9	14.9	65	31.6	39.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141035

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296433		5.00	29.3	0.24	3.3	0.09	0.076	3.46	41.3	173.0	0.47	2160	0.28	0.14	12.3	52.0
K296434		4.61	30.1	0.25	3.5	0.15	0.082	3.60	46.4	191.5	0.48	1440	0.32	0.13	12.8	49.6
K296435		4.47	27.9	0.25	3.5	0.42	0.067	3.37	49.6	223	0.41	257	0.76	0.10	12.7	23.1
K296436		3.87	27.0	0.24	3.8	0.53	0.077	3.42	46.5	203	0.64	769	0.18	0.07	13.1	44.8
K296437		2.80	9.36	0.13	1.7	0.58	0.034	1.49	20.4	36.8	4.79	2930	1.55	0.04	5.4	18.4
K296438		2.10	7.95	0.13	1.7	4.49	0.027	0.95	25.9	34.6	2.47	270	19.10	0.03	6.5	48.4
K296439		2.23	8.39	0.13	1.7	0.71	0.027	1.50	17.3	7.3	4.04	1460	1.46	0.04	5.0	15.7
K296440		1.07	2.66	0.10	0.6	2.73	0.014	0.47	6.8	5.1	8.59	400	0.17	0.03	1.7	5.0
K296441		1.20	2.72	0.10	0.6	3.3	0.015	0.42	7.2	5.9	8.94	708	0.39	0.03	1.7	4.9
K296442		1.14	1.93	0.10	0.4	0.7	0.010	0.32	6.2	3.9	9.65	585	0.20	0.03	1.2	2.7
K296443		1.15	2.19	0.10	0.5	>100	0.013	0.33	6.0	4.5	9.37	619	0.25	0.03	1.4	3.6
K296444		2.00	5.20	0.10	1.3	6.13	0.015	0.87	11.7	7.8	8.52	539	0.57	0.03	3.2	8.3
K296445		1.20	3.87	0.10	0.9	2.00	0.010	0.63	8.6	7.3	8.98	387	0.24	0.02	2.2	5.3
K296446		0.44	0.35	0.28	<0.1	0.2	<0.005	0.03	0.6	1.1	12.70	189	0.06	0.01	0.4	2.1
K296447		1.24	3.68	0.12	1.0	1.2	0.011	0.62	8.7	6.4	9.19	334	0.26	0.02	2.3	5.1
K296448		1.07	4.03	0.12	1.0	2.11	0.012	0.66	9.8	6.5	8.92	399	0.25	0.02	2.4	4.4
K296449		1.44	7.95	0.17	2.4	5.80	0.064	1.48	27.7	9.7	0.74	283	11.75	0.01	7.9	64.0
K296450		1.51	3.17	0.10	0.6	1.41	0.013	0.55	8.1	5.5	8.52	542	0.46	0.02	2.0	6.2
K296451		1.95	26.0	0.28	3.0	1.12	0.059	4.19	55.4	37.2	3.13	198	0.34	0.04	11.5	26.9
K296452		2.18	9.15	0.16	1.5	0.48	0.032	1.72	25.7	15.4	5.38	395	0.36	0.03	5.1	12.3
K296453		2.28	8.69	0.15	1.5	0.75	0.032	1.66	24.4	14.7	5.39	413	0.43	0.03	4.9	13.0
K296454		2.39	14.70	0.16	2.2	0.41	0.043	2.74	33.7	20.6	4.61	289	0.28	0.04	7.8	16.5
K296455		2.12	21.5	0.20	4.0	0.75	0.077	3.83	35.8	31.3	1.34	114	0.34	0.05	12.7	27.2
K296456		2.21	22.7	0.20	3.9	2.35	0.073	4.00	37.5	30.9	1.16	150	0.37	0.06	12.5	25.2
K296457		2.68	24.2	0.21	4.2	1.67	0.084	4.32	41.1	37.2	1.26	156	0.35	0.06	13.1	33.3
K296458		1.76	0.79	0.07	0.2	0.02	<0.005	0.14	3.3	2.6	7.35	545	0.10	0.03	0.7	3.4
K296459		1.77	10.40	0.09	1.9	0.15	0.034	1.95	26.5	10.4	3.68	336	0.72	0.03	6.0	15.1
K296460		0.96	1.63	<0.05	0.3	0.04	0.006	0.31	5.7	3.5	9.78	257	0.11	0.03	1.1	1.8
K296461		6.24	0.39	0.07	0.1	0.03	<0.005	0.04	3.2	0.7	8.15	1060	0.14	0.01	0.2	16.9
K296462		1.59	0.40	<0.05	0.1	0.03	<0.005	0.06	1.8	0.8	11.25	463	0.05	0.02	0.3	2.6
K296463		2.58	22.7	0.14	4.2	0.04	0.076	3.97	38.4	29.9	1.69	456	0.48	0.05	13.3	26.5
K296464		2.05	11.70	0.11	2.4	0.39	0.036	2.24	41.3	13.3	1.09	473	0.25	0.03	7.6	19.5
K296465		2.77	14.00	0.12	3.1	0.23	0.047	2.67	48.1	13.4	1.71	632	0.25	0.04	9.1	20.0
K296466		2.10	19.30	0.15	3.9	0.3	0.056	3.45	47.4	21.8	1.05	278	0.28	0.05	12.2	24.0
K296467		0.45	0.45	0.05	<0.1	<0.1	0.005	0.07	1.4	1.5	12.40	190	0.11	0.01	0.4	1.8
K296468		3.25	22.9	0.13	3.8	0.1	0.071	3.93	33.3	24.2	1.51	359	0.47	0.06	12.5	33.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141035

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296433		590	12.3	170.5	<0.002	0.03	0.92	19.0	2	3.4	142.0	0.94	0.08	14.4	0.435	0.93
K296434		580	13.7	178.0	<0.002	0.03	1.43	19.9	2	3.5	217	0.97	0.10	15.4	0.437	1.16
K296435		720	41.1	165.5	<0.002	0.27	2.29	17.4	2	3.0	366	0.98	0.09	16.0	0.427	2.00
K296436		820	9.3	170.0	<0.002	2.12	0.83	18.4	2	3.5	392	0.98	0.07	15.7	0.460	2.03
K296437		560	13.7	64.3	<0.002	0.21	1.29	6.1	1	2.0	304	0.37	<0.05	5.8	0.165	1.01
K296438		860	35.4	46.0	0.024	1.51	103.0	4.9	5	2.4	69.7	0.41	0.18	6.0	0.164	3.92
K296439		490	14.3	60.5	0.004	0.17	1.24	5.3	2	1.1	396	0.35	<0.05	5.7	0.151	0.86
K296440		780	5.3	19.5	<0.002	0.18	0.45	2.2	1	1.0	158.5	0.11	<0.05	1.8	0.048	2.03
K296441		890	3.7	16.5	<0.002	0.43	2.33	2.2	1	0.4	129.5	0.12	<0.05	1.9	0.046	5.90
K296442		860	2.1	11.7	<0.002	0.10	0.18	1.4	1	0.2	117.0	0.08	<0.05	1.3	0.031	0.73
K296443		610	3.0	13.0	<0.002	0.18	0.53	1.5	1	1.1	131.0	0.09	<0.05	1.5	0.034	2.39
K296444		690	8.9	29.0	<0.002	1.40	0.72	3.2	1	1.1	163.0	0.23	<0.05	3.8	0.089	4.73
K296445		320	4.9	23.6	<0.002	0.37	0.47	2.4	2	0.9	228	0.15	<0.05	2.6	0.060	1.12
K296446		190	1.2	1.2	<0.002	0.02	<0.05	0.3	1	<0.2	48.9	<0.05	<0.05	<0.2	<0.005	0.02
K296447		400	4.5	22.4	<0.002	0.63	0.38	2.3	1	0.9	172.0	0.16	<0.05	2.8	0.065	1.38
K296448		540	4.2	23.6	<0.002	0.23	0.38	2.5	1	0.7	178.5	0.17	<0.05	2.8	0.064	1.50
K296449		4380	4.8	113.0	0.038	1.43	19.50	6.5	13	1.7	152.5	0.53	0.58	6.6	0.220	13.45
K296450		530	4.4	21.4	<0.002	0.58	0.57	2.1	1	0.7	177.5	0.13	<0.05	2.1	0.051	2.35
K296451		850	13.0	158.0	<0.002	0.80	0.47	14.4	1	3.0	126.0	0.86	0.07	14.4	0.345	2.52
K296452		2770	11.2	70.7	<0.002	0.83	0.36	6.0	1	1.1	239	0.36	<0.05	6.0	0.155	0.69
K296453		2600	11.8	66.9	<0.002	0.89	0.41	5.8	1	2.4	254	0.35	<0.05	5.9	0.151	0.73
K296454		2130	13.1	115.5	<0.002	0.74	0.53	8.8	1	1.8	148.5	0.58	<0.05	9.4	0.252	0.98
K296455		410	10.6	146.0	<0.002	0.71	0.62	15.7	2	2.8	87.1	0.93	0.12	11.1	0.486	1.70
K296456		470	15.3	152.5	0.002	1.19	0.99	15.4	2	3.1	99.6	0.93	0.13	11.8	0.416	3.01
K296457		440	20.0	176.0	<0.002	1.60	0.85	16.3	2	3.1	93.1	0.99	0.09	12.5	0.432	2.68
K296458		640	1.8	5.6	<0.002	0.05	0.05	0.6	1	<0.2	370	<0.05	<0.05	0.5	0.014	0.07
K296459		640	12.4	97.7	<0.002	0.53	0.29	7.5	1	1.3	462	0.40	<0.05	7.2	0.178	0.54
K296460		320	2.8	14.2	<0.002	0.06	0.08	1.1	1	0.2	165.0	0.07	<0.05	1.3	0.029	0.08
K296461		190	3.1	1.9	<0.002	0.19	0.05	0.3	1	<0.2	75.5	<0.05	<0.05	0.2	<0.005	0.08
K296462		460	0.6	2.5	<0.002	0.02	<0.05	0.3	1	0.2	61.4	<0.05	<0.05	0.3	0.006	0.03
K296463		1590	8.9	130.5	<0.002	0.40	0.57	15.9	1	2.9	93.7	0.96	0.06	11.9	0.415	0.88
K296464		340	18.6	115.0	<0.002	1.11	0.64	7.7	1	2.5	346	0.54	0.05	10.0	0.264	1.69
K296465		290	17.5	120.0	<0.002	0.92	0.76	9.5	1	2.5	244	0.65	0.05	12.1	0.305	1.26
K296466		210	17.3	126.5	<0.002	1.06	0.73	12.0	1	5.1	120.0	0.88	0.05	13.8	0.377	1.81
K296467		210	1.4	3.6	<0.002	0.02	0.08	0.4	1	<0.2	47.3	<0.05	<0.05	0.3	0.009	0.05
K296468		730	8.4	120.0	<0.002	1.24	0.53	15.2	1	2.9	99.1	0.85	0.10	10.2	0.382	1.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141035

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Hg- CV42 Hg ppm 0.1
K296433		3.3	106	2.0	21.4	104	105.5	
K296434		3.0	105	2.2	21.8	94	108.5	
K296435		3.0	98	2.1	20.2	64	109.5	
K296436		2.6	97	4.9	23.4	108	118.5	
K296437		8.7	45	1.2	13.0	44	55.6	
K296438		8.3	222	27.3	19.3	206	58.6	
K296439		10.7	47	0.8	10.8	70	54.2	
K296440		3.1	15	0.9	7.3	16	19.3	
K296441		3.7	12	1.1	8.0	13	21.8	
K296442		2.7	9	0.4	6.5	10	14.0	
K296443		2.6	11	0.5	5.8	59	16.5	186.5
K296444		5.5	29	1.3	7.8	13	43.8	
K296445		3.7	22	0.8	5.6	15	29.1	
K296446		0.7	1	0.1	0.8	15	<0.5	
K296447		6.5	23	0.9	6.1	14	34.4	
K296448		6.2	23	0.9	6.9	47	32.5	
K296449		8.5	404	37.3	28.8	288	77.5	
K296450		3.6	17	1.2	7.7	23	21.5	
K296451		4.3	98	3.4	21.2	28	100.5	
K296452		4.3	39	1.8	24.7	30	50.8	
K296453		4.5	39	1.8	22.7	32	49.7	
K296454		3.9	59	3.0	23.5	44	74.2	
K296455		2.3	129	2.9	22.4	60	125.0	
K296456		2.0	120	4.1	21.4	35	120.0	
K296457		2.2	125	3.5	22.3	54	126.0	
K296458		4.7	6	0.1	3.0	14	6.8	
K296459		9.2	53	0.7	16.0	55	67.5	
K296460		3.2	10	0.2	4.0	11	12.9	
K296461		3.3	2	<0.1	3.9	26	1.9	
K296462		1.8	2	0.1	1.6	35	4.3	
K296463		3.3	108	1.7	26.1	23	134.5	
K296464		3.3	51	0.9	18.0	28	80.7	
K296465		3.1	67	1.8	20.5	27	101.5	
K296466		2.7	90	1.4	19.2	35	122.5	
K296467		0.9	3	0.1	1.1	17	1.5	
K296468		3.6	114	1.7	20.8	40	125.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141035

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11137304

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 65- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11137304

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298685		10.49	0.01	0.02	1.12	238	60	0.42	0.06	17.70	0.03	15.35	2.8	5	3.86	7.8
K298686		11.58	<0.01	0.02	1.25	58	90	0.50	0.05	18.05	0.03	16.90	2.9	8	4.73	8.6
K298687		13.34	0.01	0.07	0.78	265	90	0.31	0.03	15.40	0.03	12.75	2.0	5	2.28	6.6
K299688		12.19	0.03	0.13	0.52	492	220	0.22	0.02	19.20	0.41	12.25	1.7	4	0.64	6.0
K299689		11.44	0.01	0.10	0.41	119	410	0.15	0.02	19.85	0.13	11.30	1.3	3	0.51	5.2
K299690		11.66	0.01	0.08	0.31	89	190	0.13	0.01	19.10	0.21	9.42	1.3	3	0.39	4.0
K299691		10.75	0.04	0.08	0.32	107	160	0.15	0.02	18.70	0.33	9.75	1.3	5	0.37	4.0
K299692		11.59	0.05	0.12	0.34	179	290	0.14	0.02	19.00	1.16	9.60	1.4	4	0.38	5.0
K299693		11.49	0.03	0.13	0.24	156	130	0.09	0.01	18.40	0.48	7.16	1.2	3	0.34	4.5
K299694		11.78	0.02	0.07	0.26	724	90	0.09	0.01	19.90	0.04	7.92	1.2	3	0.41	3.8
K298695		6.91	<0.01	<0.01	0.05	<5	10	0.05	0.02	20.4	0.06	1.23	1.0	1	0.12	2.6
K298696		12.32	0.03	0.08	0.48	540	290	0.17	0.02	19.20	0.10	10.85	1.4	3	0.72	5.0
K298697		11.80	0.03	0.04	0.26	370	360	0.11	0.01	19.80	0.09	7.45	1.2	2	0.23	3.6
K298698		12.99	0.01	0.03	0.15	1760	1110	0.09	0.01	19.55	0.02	4.35	0.8	2	0.18	1.9
K298699		11.22	0.01	0.07	0.18	814	210	0.11	0.01	18.95	5.19	5.71	1.0	2	0.18	3.6
K298700		0.21	0.34	0.34	6.49	617	1090	0.58	0.28	0.49	0.19	149.5	2.6	239	3.45	35.5
K298701		11.94	0.01	0.08	0.38	1460	200	0.19	0.02	21.4	0.12	9.50	1.4	5	0.49	4.7
K298702		12.11	<0.01	0.01	0.07	1600	130	0.07	<0.01	20.6	0.03	3.40	0.7	2	0.07	1.6
K298703		12.24	0.01	0.02	0.20	712	340	0.09	0.01	20.8	<0.02	5.48	1.1	2	0.17	2.5
K298704		11.71	<0.01	0.03	0.62	242	140	0.22	0.02	18.90	0.07	10.10	1.3	6	1.15	3.6
K298705		5.89	<0.01	0.04	0.67	198	100	0.21	0.02	18.50	0.09	10.70	1.4	6	1.39	4.0
K298706		12.06	<0.01	0.06	0.93	181	120	0.24	0.03	17.45	0.56	12.75	1.7	8	2.18	5.0
K298707		3.87	0.02	0.06	0.39	742	130	0.15	0.02	18.85	0.14	7.19	1.0	4	0.72	3.7
K298708		7.91	0.14	0.21	0.29	>10000	200	0.14	0.01	16.90	1.41	7.34	0.8	4	0.47	4.7
K298709		10.32	0.21	0.08	0.15	>10000	230	0.10	0.01	18.10	0.60	4.20	0.6	3	0.83	2.4
K298710		11.14	0.15	0.08	0.17	7090	480	0.11	0.01	20.1	2.00	5.22	0.8	3	0.25	2.5
K298711		12.57	0.06	0.04	0.54	>10000	340	0.15	0.01	15.95	0.04	5.60	0.8	5	0.89	2.3
K298712		10.64	0.04	0.06	1.39	7070	420	0.25	0.02	14.85	0.05	15.65	1.4	11	2.23	4.9
K298713		10.71	0.15	0.06	1.54	>10000	180	0.25	0.03	11.30	2.61	17.60	1.5	12	2.47	3.8
K298714		6.91	<0.01	0.01	0.06	70	20	0.07	0.03	21.1	0.06	1.18	1.1	1	0.25	1.6
K298715		10.56	0.31	0.07	1.75	>10000	360	0.21	0.02	11.85	2.76	20.9	1.4	9	2.58	3.5
K298716		11.73	0.76	0.05	2.45	10000	360	0.39	0.06	10.95	3.42	29.2	3.7	16	4.65	13.0
K298717		0.22	2.69	1.23	3.26	612	880	0.65	0.32	7.81	2.32	53.3	7.0	53	3.76	44.8
K298718		11.97	0.40	0.06	2.93	7260	830	0.51	0.07	11.35	0.08	28.3	3.4	23	5.81	12.4
K298719		11.64	<0.01	0.07	4.37	>10000	390	0.70	0.10	6.45	0.05	42.9	5.8	28	9.47	12.2
K298720		9.50	0.03	0.07	2.93	>10000	270	0.50	0.07	12.55	0.08	29.3	4.9	18	6.23	14.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11137304

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298685		0.81	3.06	0.05	0.2	0.91	0.008	0.53	9.9	5.1	10.65	1820	0.09	0.02	1.9	4.0
K298686		1.00	3.19	0.05	0.3	0.82	0.008	0.61	9.9	5.6	10.85	1580	0.13	0.02	2.2	4.4
K298687		6.93	2.11	0.10	0.1	2.50	0.006	0.38	7.3	3.3	9.13	1060	0.22	0.01	1.5	2.5
K299688		0.76	1.38	<0.05	<0.1	2.39	<0.005	0.22	8.1	1.7	11.55	1530	0.10	0.01	1.0	1.5
K299689		0.75	0.95	<0.05	<0.1	1.62	<0.005	0.16	7.7	1.3	12.00	1320	0.10	0.02	0.7	2.5
K299690		0.80	0.87	<0.05	<0.1	1.40	<0.005	0.12	6.1	1.5	11.50	1240	0.10	0.01	0.7	1.3
K299691		0.88	0.93	<0.05	<0.1	2.20	<0.005	0.13	6.0	1.2	11.15	1130	0.12	0.01	0.6	1.5
K299692		0.90	0.96	<0.05	<0.1	3.67	0.006	0.14	6.0	1.4	11.55	928	0.26	0.01	0.7	1.4
K299693		0.70	0.71	<0.05	<0.1	3.81	<0.005	0.10	4.7	1.4	11.25	669	0.26	0.01	0.5	0.9
K299694		0.77	0.75	<0.05	<0.1	2.17	<0.005	0.11	5.2	1.1	12.15	966	0.31	0.01	0.6	0.9
K298695		0.45	0.18	0.05	<0.1	0.04	0.005	0.02	0.6	0.7	12.55	208	<0.05	<0.01	0.2	1.2
K298696		1.17	1.25	0.05	<0.1	2.82	<0.005	0.20	7.1	1.4	11.65	870	0.39	0.01	0.9	1.9
K298697		0.31	0.67	0.05	<0.1	1.52	<0.005	0.09	5.1	0.9	12.05	649	0.17	0.01	0.6	1.4
K298698		0.26	0.48	0.05	<0.1	0.66	<0.005	0.06	3.2	0.9	12.00	748	0.20	0.01	0.4	0.7
K298699		2.61	0.84	0.07	<0.1	6.57	0.007	0.07	3.8	0.6	11.55	908	0.19	0.01	0.5	0.9
K298700		6.75	19.50	0.17	3.9	10.05	0.049	1.42	72.2	17.5	0.14	38	6.22	0.41	9.6	16.6
K298701		0.39	1.01	<0.05	<0.1	1.32	<0.005	0.16	6.7	1.2	13.00	989	0.31	0.01	0.9	2.9
K298702		0.27	0.27	<0.05	<0.1	0.36	<0.005	0.02	2.6	0.6	12.65	663	0.33	0.01	0.3	0.7
K298703		0.26	0.59	0.05	<0.1	0.53	<0.005	0.08	3.7	0.7	12.75	606	0.23	0.01	0.5	1.5
K298704		0.84	1.38	0.06	0.1	1.27	<0.005	0.28	5.6	1.7	11.30	943	0.19	0.01	1.2	3.0
K298705		0.85	1.53	<0.05	0.1	1.26	<0.005	0.32	5.8	1.7	11.05	924	0.20	0.01	1.3	2.9
K298706		1.16	2.02	0.05	0.2	1.80	<0.005	0.44	6.6	2.0	10.30	1080	0.10	0.01	1.6	4.0
K298707		1.10	0.96	<0.05	<0.1	3.35	<0.005	0.17	4.3	1.1	11.15	1440	0.08	0.01	0.7	2.4
K298708		1.27	0.82	0.05	<0.1	30.1	0.020	0.11	4.1	1.8	10.05	1710	0.15	0.01	0.6	2.2
K298709		0.74	0.53	<0.05	<0.1	11.4	0.020	0.05	2.3	1.2	10.90	1300	0.13	0.01	0.3	1.8
K298710		0.74	0.65	<0.05	<0.1	10.85	0.011	0.07	3.0	0.8	12.25	1580	0.14	0.01	0.4	1.9
K298711		0.43	1.12	0.05	<0.1	2.09	0.022	0.24	2.6	1.7	9.61	809	0.25	0.01	0.6	1.8
K298712		0.81	2.75	0.05	0.5	3.88	0.009	0.64	7.6	3.2	8.74	1500	0.32	0.01	1.6	3.6
K298713		1.40	3.11	0.06	0.7	56.0	0.034	0.66	8.3	4.6	6.97	1460	0.29	0.01	2.0	3.2
K298714		0.47	0.18	0.06	<0.1	0.09	<0.005	0.03	0.5	1.1	12.60	214	0.06	<0.01	0.2	1.2
K298715		1.14	3.01	<0.05	0.8	17.0	0.024	0.73	10.2	3.5	7.11	1160	0.32	0.01	1.9	2.9
K298716		1.83	5.15	0.06	1.2	16.8	0.033	1.00	14.8	5.5	6.64	1260	0.35	0.01	3.7	8.1
K298717		2.13	8.07	0.11	1.6	4.95	0.032	1.03	32.2	34.4	2.59	283	19.00	0.03	7.3	53.0
K298718		1.55	6.46	0.09	2.0	9.4	0.019	1.32	13.9	6.0	7.02	1330	0.35	0.02	4.5	9.4
K298719		1.90	10.85	0.14	3.3	4.59	0.042	2.12	21.3	6.5	3.78	835	0.31	0.02	7.7	12.1
K298720		2.01	6.97	0.08	1.5	2.02	0.040	1.40	14.2	4.0	7.46	1400	0.37	0.02	4.8	7.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11137304

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298685		490	25.9	18.1	<0.002	0.62	0.13	2.1	1	0.3	89.1	0.13	<0.05	2.8	0.044	1.86
K298686		510	33.4	20.2	<0.002	0.78	0.14	2.3	1	0.7	100.0	0.15	<0.05	3.1	0.054	1.97
K298687		400	221	12.9	<0.002	8.98	0.21	1.5	1	0.3	95.1	0.10	<0.05	1.9	0.034	4.67
K299688		480	26.4	7.1	<0.002	0.60	0.58	1.1	1	0.4	195.5	0.06	<0.05	1.3	0.022	2.16
K299689		530	314	4.5	<0.002	0.44	0.56	0.8	1	0.3	243	0.05	<0.05	0.9	0.016	1.53
K299690		380	43.6	4.0	<0.002	0.44	0.49	0.8	1	0.2	154.0	<0.05	<0.05	0.7	0.013	1.46
K299691		480	26.5	4.4	<0.002	0.61	0.38	0.8	1	0.2	151.0	<0.05	<0.05	0.8	0.013	1.76
K299692		480	37.4	4.3	<0.002	0.92	0.59	0.8	1	0.3	216	<0.05	<0.05	0.9	0.014	2.33
K299693		390	30.3	3.1	<0.002	0.73	0.50	0.6	1	0.4	139.0	<0.05	<0.05	0.6	0.010	2.22
K299694		400	18.7	3.6	<0.002	0.61	0.32	0.6	1	0.3	114.0	<0.05	<0.05	0.6	0.011	2.50
K298695		170	1.7	0.9	<0.002	0.01	0.05	0.2	1	<0.2	41.7	<0.05	<0.05	<0.2	<0.005	0.03
K298696		550	54.3	6.1	<0.002	1.24	0.44	0.9	1	0.2	199.0	0.06	<0.05	1.1	0.018	3.42
K298697		450	26.8	2.9	<0.002	0.27	0.52	0.6	1	0.3	186.5	<0.05	<0.05	0.7	0.011	1.35
K298698		390	68.5	2.0	<0.002	0.29	0.80	0.4	1	<0.2	107.5	<0.05	<0.05	0.3	0.006	0.78
K298699		380	202	2.2	<0.002	3.59	0.32	0.4	1	0.2	108.0	<0.05	<0.05	0.4	0.008	3.19
K298700		980	21.2	47.4	0.002	3.23	111.0	16.3	2	2.7	550	0.74	0.10	11.2	0.572	7.41
K298701		720	26.4	5.1	<0.002	0.39	0.70	0.8	1	0.2	156.5	0.06	<0.05	1.0	0.016	1.70
K298702		270	4.9	0.8	<0.002	0.24	0.17	0.2	1	<0.2	91.7	<0.05	<0.05	<0.2	<0.005	0.43
K298703		330	4.3	2.9	<0.002	0.19	0.12	0.4	1	0.2	119.5	<0.05	<0.05	0.5	0.008	0.81
K298704		470	34.5	8.7	<0.002	0.42	0.25	0.9	1	0.2	99.1	0.07	<0.05	1.4	0.026	2.19
K298705		490	36.7	9.8	<0.002	0.42	0.28	1.0	1	0.2	97.6	0.08	<0.05	1.5	0.029	2.23
K298706		430	229	13.5	<0.002	0.70	0.11	1.3	1	0.2	72.9	0.10	<0.05	1.9	0.039	2.44
K298707		400	30.5	5.5	<0.002	0.50	0.38	0.6	1	<0.2	86.8	<0.05	<0.05	0.8	0.015	3.47
K298708		490	56.2	4.3	<0.002	2.38	1.56	0.7	1	0.2	156.5	<0.05	<0.05	0.7	0.011	31.6
K298709		500	23.1	1.7	<0.002	1.95	1.41	0.4	1	<0.2	128.5	<0.05	<0.05	0.3	0.006	11.50
K298710		580	99.7	2.2	<0.002	1.06	1.01	0.4	1	<0.2	127.0	<0.05	<0.05	0.4	0.006	7.96
K298711		330	20.2	7.0	<0.002	1.85	1.32	0.6	1	<0.2	103.5	<0.05	<0.05	0.8	0.015	3.05
K298712		760	38.5	18.9	<0.002	1.03	0.68	1.5	1	0.3	105.5	0.11	<0.05	2.5	0.044	6.31
K298713		440	97.7	23.2	<0.002	3.52	1.89	1.6	1	0.4	78.5	0.15	<0.05	3.1	0.050	42.8
K298714		170	1.4	1.7	<0.002	<0.01	0.16	0.3	2	<0.2	47.4	<0.05	<0.05	<0.2	<0.005	0.03
K298715		320	54.9	25.0	<0.002	1.98	2.36	1.3	1	0.5	141.5	0.15	<0.05	3.3	0.052	7.39
K298716		380	42.3	38.3	<0.002	2.31	1.45	3.6	1	0.8	199.0	0.26	<0.05	4.6	0.110	10.65
K298717		920	38.7	53.7	0.023	1.64	112.5	5.0	5	2.6	74.3	0.42	0.20	7.1	0.181	3.86
K298718		380	41.2	47.5	<0.002	1.77	1.43	3.5	1	1.2	117.0	0.36	<0.05	5.4	0.129	32.6
K298719		260	57.4	78.7	<0.002	2.51	0.71	5.9	1	2.2	97.5	0.56	<0.05	10.0	0.186	9.50
K298720		350	35.8	51.3	<0.002	1.93	0.64	4.7	1	1.8	151.0	0.34	<0.05	5.4	0.131	5.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11137304

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298685		2.2	6	1.0	7.4	8	16.2	
K298686		2.6	7	0.9	7.4	13	19.1	
K298687		2.0	5	1.0	5.3	7	12.1	
K299688		2.4	2	0.8	5.8	65	8.1	
K299689		2.2	1	0.8	4.7	28	5.3	
K299690		1.7	1	0.5	4.7	50	5.1	
K299691		2.1	1	0.6	4.9	84	5.3	
K299692		2.4	2	0.8	4.8	381	6.3	
K299693		1.8	<1	0.8	3.9	136	4.3	
K299694		1.7	<1	0.5	4.2	12	4.3	
K298695		0.5	<1	0.1	0.8	17	<0.5	
K298696		2.5	2	0.7	5.2	31	6.5	
K298697		2.4	<1	0.5	4.3	22	3.8	
K298698		1.4	<1	0.2	3.1	3	2.3	
K298699		1.6	<1	0.5	3.6	2650	2.9	
K298700		8.0	172	22.4	15.5	46	158.0	
K298701		3.0	1	0.6	6.5	28	5.7	
K298702		1.3	<1	0.1	2.8	14	1.3	
K298703		2.1	<1	0.3	3.5	5	3.2	
K298704		2.4	3	0.8	4.4	20	11.5	
K298705		2.5	4	0.8	4.6	21	13.1	
K298706		2.4	6	1.0	4.9	223	15.5	
K298707		2.4	2	0.6	4.2	44	7.0	
K298708		2.5	1	0.9	4.3	397	6.3	2.57
K298709		2.0	<1	0.6	2.9	228	3.3	2.37
K298710		2.2	<1	0.6	3.6	832	3.7	
K298711		1.7	1	0.7	2.5	16	9.1	3.09
K298712		2.8	6	1.7	6.2	17	24.9	
K298713		1.9	6	2.3	5.4	1050	34.2	4.36
K298714		0.4	2	0.1	0.8	19	<0.5	
K298715		1.7	6	2.8	5.2	1060	39.3	1.795
K298716		1.9	21	3.9	8.0	1420	49.5	1.040
K298717		9.7	244	29.9	21.2	218	63.6	
K298718		2.2	23	4.2	7.3	18	66.7	
K298719		2.2	29	5.1	12.4	13	106.5	1.835
K298720		1.9	27	4.0	8.5	29	59.9	1.430

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11137304

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11141036

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 66- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141036

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298721		11.55	0.02	0.15	6.25	2130	840	1.32	0.21	4.63	0.25	41.5	30.4	64	9.61	133.0
K298722		12.13	0.01	0.12	6.36	118.5	640	1.53	0.19	4.53	0.29	45.6	31.8	62	13.35	141.0
K298723		11.50	0.01	0.24	5.95	2200	1340	1.21	0.18	5.30	0.29	37.0	30.8	56	11.95	131.5
K298724		10.84	<0.01	0.13	6.34	287	880	1.39	0.19	3.87	0.25	42.9	31.4	65	13.15	141.5
K298725		11.86	<0.01	0.08	7.53	172.5	1790	2.20	0.30	2.20	0.38	84.8	22.1	62	13.45	87.2
K298726		10.88	0.01	0.09	7.83	92.3	540	2.45	0.37	1.51	0.55	93.5	22.6	62	13.95	74.7
K298727		5.74	0.01	0.09	8.15	72.6	400	2.81	0.36	1.25	0.29	94.6	21.9	65	15.30	76.8
K298728		4.00	<0.01	0.10	8.05	96.7	570	2.59	0.39	1.45	0.07	88.3	16.0	73	38.9	36.7
K298729		5.39	<0.01	0.06	4.58	56	190	1.38	0.19	16.50	0.04	51.6	10.7	32	19.15	12.5
K298730		10.47	0.02	0.07	6.00	259	280	1.59	0.24	12.25	0.08	63.2	12.6	43	26.0	22.1
K298731		10.34	0.05	0.05	8.12	407	380	2.58	0.36	2.34	0.03	72.3	13.3	70	35.3	39.1
K298732		11.19	0.02	0.15	6.99	334	350	1.85	0.34	10.25	0.03	72.1	20.6	51	26.2	25.9
K298733		6.96	<0.01	0.02	0.08	5	20	0.06	0.02	21.2	0.06	1.48	1.2	1	0.20	1.9
K298734		10.56	0.03	0.07	7.39	618	380	2.09	0.29	9.14	0.02	74.6	12.0	52	29.8	32.6
K298735		9.11	0.06	0.06	6.60	1030	670	2.19	0.29	5.51	0.02	56.9	9.2	59	28.5	21.9
K298736		10.98	0.01	0.05	6.79	516	300	2.24	0.23	10.65	0.06	71.6	9.2	51	28.4	27.9
K298737		0.24	0.33	0.34	6.16	604	1370	0.57	0.27	0.48	0.17	136.5	2.8	226	3.49	32.5
K298738		11.63	0.29	0.08	6.69	1140	280	2.31	0.25	10.50	0.09	68.0	11.8	42	26.8	27.0
K298739		11.10	0.14	0.07	2.59	300	240	0.85	0.10	24.2	0.04	26.0	6.3	19	7.65	6.3
K298740		10.20	0.25	0.09	4.08	779	210	1.21	0.15	19.00	0.06	40.4	9.0	30	10.70	17.1
K298741		7.35	5.04	0.10	7.45	3610	690	2.80	0.33	3.37	0.09	67.7	8.7	66	28.3	27.0
K298742		6.02	1.98	0.25	8.71	1825	480	2.59	0.38	0.15	0.03	87.7	6.5	76	45.4	24.9
K298743		7.87	1.25	0.02	9.22	1990	3010	2.68	0.42	0.27	0.04	63.1	13.8	83	44.7	38.5
K298744		3.36	0.03	0.08	7.81	2470	6390	2.42	0.32	4.74	0.08	76.2	22.2	61	37.5	52.4
K298745		8.40	0.07	0.03	7.73	263	1800	2.79	0.32	3.28	0.05	66.7	10.7	67	40.6	51.2
K298746		3.95	0.08	0.03	7.60	215	1280	2.49	0.30	5.97	0.09	70.5	9.1	50	38.6	57.3
K298747		9.76	0.07	0.02	8.15	289	850	3.22	0.39	2.19	0.02	75.8	10.6	71	44.0	38.0
K298748		11.23	0.09	0.12	7.67	336	1630	2.72	0.34	2.82	0.06	75.3	16.5	59	41.8	43.7
K298749		6.95	<0.01	<0.01	0.07	<5	20	0.07	0.02	21.0	0.06	1.30	1.3	1	0.22	1.1
K298750		9.66	0.04	0.04	8.01	352	430	2.98	0.34	1.71	0.05	75.9	20.6	65	45.4	39.6
K298751		10.84	<0.01	0.10	7.38	249	500	2.61	0.30	2.81	0.05	70.4	16.5	60	38.5	48.0
K298752		10.22	0.01	0.06	7.87	176.5	400	3.05	0.33	1.66	0.07	79.5	10.8	57	46.2	26.9
K298753		1.42	0.07	0.12	6.85	1600	650	2.93	0.27	4.30	0.11	76.8	9.2	52	38.4	30.5
K298754		0.26	2.60	0.99	3.13	602	840	0.76	0.29	7.98	2.22	47.5	6.5	52	3.80	42.5
K298755		9.07	0.16	0.05	1.25	616	130	0.48	0.05	15.80	0.48	18.70	2.8	12	3.48	7.7
K298756		10.10	0.37	0.06	2.24	1030	390	0.62	0.08	14.30	0.76	29.0	4.1	17	4.65	13.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141036

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298721		7.32	18.30	0.19	2.4	2.69	0.098	2.86	18.2	15.2	2.26	1700	0.51	0.03	11.8	52.0
K298722		7.43	19.10	0.19	3.1	0.51	0.098	2.50	20.5	128.0	2.64	1140	0.46	0.02	11.9	53.7
K298723		6.83	17.35	0.19	2.0	1.31	0.089	2.26	15.8	114.0	2.58	1370	0.40	0.03	10.7	56.0
K298724		7.58	18.75	0.19	2.9	0.82	0.090	2.63	18.8	88.8	1.97	1020	0.37	0.03	11.5	51.5
K298725		4.80	22.7	0.20	4.3	0.37	0.109	3.43	39.4	47.0	1.77	620	0.62	0.04	20.9	40.6
K298726		5.66	22.6	0.23	5.2	0.24	0.111	3.59	46.4	44.9	1.70	484	0.75	0.04	22.0	44.2
K298727		5.86	24.2	0.23	5.5	0.14	0.114	3.73	46.2	53.0	1.83	411	0.69	0.04	23.5	45.3
K298728		3.44	23.2	0.19	3.2	0.16	0.080	4.27	46.4	19.5	0.74	437	1.02	0.04	11.9	38.0
K298729		4.49	12.00	0.15	1.9	0.08	0.042	2.33	28.2	9.4	1.44	1540	0.34	0.03	6.6	19.5
K298730		3.16	16.00	0.14	2.7	0.09	0.058	3.07	35.5	13.6	2.23	733	0.43	0.04	8.9	25.3
K298731		3.63	24.7	0.19	3.9	0.06	0.080	4.55	36.6	19.7	0.96	413	0.36	0.05	13.8	38.3
K298732		4.08	18.70	0.18	3.1	0.11	0.066	3.55	40.0	14.6	1.28	529	0.52	0.04	10.2	34.1
K298733		0.44	0.30	0.07	<0.1	0.01	<0.005	0.04	0.8	1.1	12.55	189	0.08	<0.01	0.3	1.5
K298734		3.39	19.45	0.17	3.3	0.12	0.069	3.75	41.3	16.1	1.21	470	0.42	0.05	10.9	30.5
K298735		3.86	20.0	0.14	3.1	0.71	0.072	3.69	30.0	17.5	0.86	398	0.44	0.05	10.9	30.6
K298736		3.30	17.65	0.16	3.2	0.87	0.060	3.44	39.3	14.9	1.44	502	0.42	0.04	10.1	27.2
K298737		6.79	20.2	0.23	4.2	9.7	0.050	1.33	67.1	18.7	0.12	37	5.64	0.39	9.4	16.6
K298738		2.78	17.30	0.14	3.1	3.30	0.057	3.39	38.4	14.4	1.59	423	0.40	0.04	9.8	28.5
K298739		2.15	6.13	0.08	1.1	1.29	0.022	1.29	14.5	5.1	2.82	725	0.39	0.03	3.7	10.4
K298740		2.72	9.95	0.11	1.8	3.08	0.037	1.88	22.6	9.6	2.76	693	0.45	0.03	5.7	18.4
K298741		2.50	23.1	0.18	3.7	20.9	0.066	3.90	34.4	26.1	0.96	258	0.29	0.05	12.8	21.7
K298742		2.78	25.7	0.21	4.1	10.2	0.071	4.44	45.3	31.2	0.75	50	0.33	0.06	14.0	21.7
K298743		2.97	28.0	0.13	3.9	9.7	0.059	4.85	30.5	27.2	0.78	102	0.48	0.03	14.7	30.4
K298744		3.54	19.70	0.19	3.1	4.80	0.068	3.88	40.0	21.1	2.13	441	0.44	0.11	10.9	42.9
K298745		2.17	22.8	0.18	3.3	4.21	0.067	4.31	34.8	25.1	1.86	257	0.19	0.06	12.6	25.3
K298746		2.07	19.90	0.19	3.0	5.18	0.063	3.85	38.5	20.9	3.10	374	0.17	0.06	10.7	20.8
K298747		2.49	24.1	0.19	3.5	3.27	0.078	4.43	40.0	27.5	1.39	259	0.21	0.04	12.5	29.1
K298748		4.43	20.5	0.18	3.1	2.24	0.072	3.95	40.6	30.6	1.77	296	0.57	0.05	11.2	40.4
K298749		0.49	0.25	0.07	<0.1	0.01	0.005	0.03	0.7	1.0	12.35	208	<0.05	<0.01	0.3	2.3
K298750		2.64	22.6	0.18	3.3	1.71	0.073	4.35	39.3	31.8	1.42	210	0.31	0.04	12.0	30.7
K298751		3.08	19.60	0.17	3.2	3.72	0.071	3.98	37.1	29.1	1.75	329	0.48	0.04	11.1	31.7
K298752		3.24	20.7	0.20	3.0	1.20	0.069	4.17	41.7	40.7	1.48	252	0.20	0.04	11.1	29.2
K298753		3.42	18.20	0.20	3.2	3.13	0.056	3.58	42.6	45.1	2.61	407	0.19	0.04	10.2	19.0
K298754		2.13	7.66	0.12	1.8	4.43	0.027	0.97	30.8	38.5	2.52	270	16.50	0.04	6.6	51.2
K298755		1.27	3.23	0.08	0.9	3.40	0.019	0.59	9.9	8.0	7.91	717	0.16	0.02	2.2	4.5
K298756		1.43	5.58	0.09	1.6	11.5	0.019	1.03	16.1	10.1	7.67	748	0.21	0.02	3.5	9.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141036

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298721		600	13.1	156.5	0.003	6.80	0.37	27.3	2	1.8	129.0	0.79	0.21	5.2	0.649	8.51
K298722		600	11.0	160.5	<0.002	5.25	0.29	28.2	3	1.8	126.5	0.81	0.20	5.5	0.670	2.96
K298723		550	10.2	147.5	0.002	6.07	0.33	25.5	2	1.6	151.0	0.71	0.18	4.0	0.622	5.91
K298724		610	11.1	166.5	0.002	7.56	0.30	28.1	2	1.8	150.5	0.77	0.20	5.3	0.666	4.14
K298725		570	12.5	197.5	0.003	1.81	0.38	21.0	3	2.8	192.0	1.40	0.28	11.0	0.566	2.35
K298726		610	20.6	200	0.003	1.79	0.47	19.4	3	2.9	169.5	1.47	0.28	13.4	0.553	2.20
K298727		600	18.6	215	0.002	0.69	0.40	20.6	3	3.2	122.5	1.59	0.31	14.1	0.571	1.89
K298728		480	23.2	173.0	<0.002	0.06	0.80	16.1	2	2.5	70.7	0.90	0.08	14.9	0.389	2.94
K298729		1710	11.9	107.0	<0.002	0.53	0.39	9.3	1	1.3	312	0.47	<0.05	8.6	0.200	1.62
K298730		790	13.8	138.5	<0.002	0.10	0.62	12.9	2	1.8	212	0.67	0.06	11.7	0.271	10.20
K298731		980	10.0	151.0	0.002	0.05	0.51	16.9	2	2.9	89.4	1.05	0.09	13.7	0.435	15.65
K298732		780	15.4	161.5	<0.002	0.23	0.64	14.4	2	2.1	336	0.74	0.08	13.3	0.311	9.90
K298733		220	1.4	1.6	<0.002	<0.01	0.06	0.3	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	0.05
K298734		830	10.1	165.5	<0.002	0.08	0.55	14.9	1	2.3	243	0.83	0.06	13.9	0.351	13.05
K298735		930	7.1	114.5	<0.002	0.16	0.66	13.3	2	2.5	137.0	0.83	0.08	10.2	0.357	8.87
K298736		1080	7.2	157.0	<0.002	0.39	0.58	13.7	2	2.2	299	0.77	0.05	12.7	0.330	4.64
K298737		910	17.6	52.2	0.003	3.10	114.0	16.1	2	2.8	510	0.73	0.11	9.8	0.541	8.07
K298738		980	8.0	154.0	<0.002	0.17	0.82	13.1	2	2.0	344	0.74	0.05	12.4	0.315	12.85
K298739		520	5.0	53.8	0.002	0.22	0.25	4.9	1	0.8	485	0.27	<0.05	4.7	0.116	4.08
K298740		730	7.3	77.6	0.002	0.43	0.55	7.5	1	1.2	415	0.42	<0.05	7.5	0.184	11.10
K298741		640	12.3	133.0	<0.002	0.10	2.48	13.7	2	2.8	139.5	1.00	0.09	12.0	0.408	54.6
K298742		390	13.6	210	<0.002	0.23	1.74	17.1	2	3.0	121.0	1.07	0.09	15.4	0.454	37.9
K298743		420	12.6	166.5	<0.002	0.21	3.06	18.3	2	3.0	111.5	1.11	0.10	12.7	0.466	39.6
K298744		2230	15.8	126.5	<0.002	0.44	1.58	13.8	2	2.2	111.0	0.84	0.10	12.2	0.356	21.9
K298745		900	9.9	113.5	<0.002	0.41	0.47	14.2	2	2.6	79.7	0.96	0.08	11.7	0.406	5.58
K298746		1500	7.9	141.5	<0.002	0.28	0.40	13.3	2	2.3	92.5	0.84	0.09	12.2	0.346	4.90
K298747		1560	7.6	146.5	<0.002	0.64	0.42	17.0	2	2.7	80.0	1.00	0.16	13.7	0.449	4.65
K298748		1000	17.5	159.5	<0.002	2.99	0.92	15.2	2	2.5	94.8	0.85	0.05	13.5	0.384	5.00
K298749		170	1.3	1.5	<0.002	0.02	<0.05	0.3	1	<0.2	43.7	<0.05	<0.05	<0.2	<0.005	0.02
K298750		900	8.7	155.5	<0.002	1.30	0.66	15.9	2	2.7	81.2	0.95	0.05	13.4	0.408	6.07
K298751		1270	10.2	135.0	<0.002	1.57	0.62	13.9	2	2.4	98.5	0.89	0.05	12.4	0.388	5.60
K298752		580	11.9	167.5	<0.002	2.07	0.81	14.4	2	2.4	72.3	0.87	<0.05	13.8	0.376	8.49
K298753		1110	13.0	160.0	<0.002	2.05	1.50	14.0	3	2.1	93.8	0.81	0.05	13.7	0.351	17.00
K298754		870	38.8	53.5	0.024	1.54	102.0	5.1	4	2.3	70.5	0.44	0.18	6.7	0.171	3.99
K298755		1360	4.8	23.5	<0.002	0.25	0.67	2.8	2	0.4	175.0	0.15	<0.05	2.9	0.065	6.70
K298756		1000	8.4	39.7	<0.002	0.10	2.37	4.0	1	0.8	234	0.26	<0.05	4.8	0.114	11.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141036

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298721		1.4	205	18.2	22.1	94	95.8
K298722		1.5	213	2.0	25.9	95	117.0
K298723		1.2	189	8.9	19.7	90	76.9
K298724		1.4	211	12.0	23.2	98	107.5
K298725		3.4	151	3.8	28.1	94	161.5
K298726		4.2	137	3.7	31.3	98	188.5
K298727		4.2	147	2.9	31.7	105	200
K298728		3.5	105	3.2	24.9	68	114.0
K298729		5.0	58	1.2	20.5	28	72.6
K298730		5.1	80	1.4	21.1	32	95.0
K298731		4.3	118	2.6	23.2	53	139.0
K298732		9.3	95	1.9	22.6	43	110.0
K298733		0.8	3	0.2	0.9	17	0.5
K298734		7.0	102	2.7	24.0	50	119.0
K298735		5.2	104	6.4	20.1	43	111.5
K298736		6.9	95	5.4	23.3	59	113.5
K298737		8.0	167	22.6	14.7	45	172.0
K298738		7.7	93	4.8	21.7	102	109.5
K298739		8.1	37	2.1	9.4	25	43.2
K298740		8.0	56	3.6	13.7	36	66.8
K298741		5.6	118	10.5	22.5	204	131.5
K298742		4.3	129	10.1	20.4	82	143.0
K298743		4.7	136	8.9	18.4	84	125.0
K298744		5.0	101	4.5	28.0	41	109.5
K298745		2.4	108	4.6	20.4	33	119.5
K298746		2.9	94	3.4	23.1	30	106.0
K298747		3.4	128	7.2	25.1	26	120.0
K298748		3.0	99	4.3	23.8	45	109.5
K298749		0.4	2	0.1	0.8	19	<0.5
K298750		3.2	99	5.1	21.5	38	113.0
K298751		3.3	101	2.9	23.4	31	112.0
K298752		3.3	93	2.6	20.0	64	105.0
K298753		6.6	87	2.6	24.4	94	113.5
K298754		9.1	227	26.9	20.2	216	66.4
K298755		5.1	21	1.5	10.8	89	34.3
K298756		6.1	31	3.0	10.3	160	58.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141036

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

CERTIFICATE WH11141073

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 67- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141073

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297938		11.47	<0.01	0.08	8.16	24.9	350	2.01	0.32	1.83	0.06	89.1	14.5	58	33.7	30.1
K297939		11.82	<0.01	0.07	7.26	26.7	300	2.13	0.29	4.93	0.08	80.9	14.4	55	31.4	31.7
K297940		11.28	<0.01	0.07	8.28	26.9	370	2.49	0.33	2.54	0.04	92.5	16.0	62	36.9	34.2
K297941		12.39	<0.01	0.10	7.12	47.9	280	1.97	0.28	4.31	0.19	78.2	19.4	55	32.9	59.0
K297942		0.24	0.32	0.34	6.27	609	320	0.61	0.29	0.47	0.16	151.0	2.6	229	3.54	32.9
K297943		9.84	<0.01	0.11	7.46	84.6	380	2.31	0.31	4.91	0.12	91.8	14.3	52	28.0	40.1
K297944		11.45	<0.01	0.07	6.86	64.0	310	1.88	0.27	7.97	0.07	81.9	12.6	46	26.3	31.2
K297945		11.82	0.01	0.08	6.24	17.1	310	1.03	0.20	5.19	0.24	46.5	24.6	59	27.3	125.0
K297946		12.15	0.01	0.08	6.08	4.5	210	1.02	0.20	5.04	0.23	44.8	23.0	61	24.7	113.0
K297947		11.84	0.01	0.06	6.31	4.5	280	1.34	0.23	4.12	0.25	50.1	26.9	61	28.6	131.5
K297948		6.87	<0.01	0.02	0.16	6	20	0.40	0.03	20.1	0.06	1.48	0.8	3	0.41	2.4
K297949		11.02	<0.01	0.10	5.43	7.1	650	1.22	0.22	5.53	0.26	59.1	16.6	39	20.1	68.1
K297950		10.81	0.01	0.07	4.90	5.9	850	1.28	0.21	6.54	0.33	54.2	14.3	36	19.55	57.2
K297951		11.18	0.01	0.08	6.36	6.9	270	1.27	0.23	4.85	0.24	52.6	24.6	60	25.9	121.5
K297952		12.09	0.01	0.19	6.58	8.3	200	1.63	0.24	4.55	0.36	60.4	27.0	63	29.2	136.5
K297953		11.83	0.01	0.09	6.63	8.5	260	1.53	0.23	4.34	0.30	56.3	28.3	67	30.7	152.5
K297954		11.99	0.01	0.08	6.71	5.9	210	1.30	0.24	3.93	0.26	53.3	29.2	74	31.0	140.5
K297955		5.47	0.01	0.07	6.79	5.8	240	1.36	0.24	3.93	0.27	52.5	30.2	76	31.6	151.0
K297956		11.99	0.01	0.07	6.39	17.2	350	1.11	0.21	4.27	0.31	50.1	23.6	64	31.1	123.5
K297957		11.98	0.01	0.08	6.74	30.8	320	1.46	0.23	3.49	0.29	53.2	28.7	67	36.3	146.5
K297958		11.95	0.01	0.07	7.00	19.8	210	1.67	0.23	2.81	0.33	65.7	33.2	72	41.1	163.0
K297959		11.35	0.01	0.06	6.49	13.7	200	1.19	0.21	4.15	0.29	48.8	27.8	62	32.6	138.0
K297960		12.58	<0.01	0.06	6.46	11.8	210	1.31	0.21	4.01	0.29	47.6	28.8	67	36.3	147.0
K297961		12.41	<0.01	0.08	6.35	28.6	310	1.21	0.20	4.27	0.26	48.4	29.0	64	26.5	143.5
K297962		11.32	<0.01	0.07	6.21	16.1	230	1.19	0.20	4.11	0.28	45.4	28.5	65	30.7	144.0
K297963		0.23	0.33	0.31	6.17	621	410	0.65	0.29	0.47	0.19	155.5	2.7	235	3.65	30.9
K297964		12.21	0.01	0.07	6.61	32.4	260	1.55	0.22	3.79	0.40	57.4	31.1	69	20.1	153.0
K297965		11.42	<0.01	0.08	6.55	41.0	260	1.27	0.23	4.68	0.38	53.8	27.0	64	13.10	139.0
K297966		5.79	0.01	0.07	6.21	74.4	200	0.96	0.24	6.28	0.26	58.8	27.3	58	12.25	122.0
K297967		5.64	0.01	0.07	6.06	153.5	170	0.84	0.21	5.59	0.29	50.1	26.7	54	8.20	124.5
K297968		3.69	0.01	0.06	6.48	143.0	120	0.92	0.21	4.48	0.32	51.4	29.4	62	7.59	147.0
K297969		7.89	<0.01	0.07	7.37	125.5	150	1.51	0.25	3.70	0.26	67.9	25.7	63	18.65	124.0
K297970		4.93	<0.01	0.01	0.07	8	10	0.05	0.03	20.1	0.05	1.17	0.6	<1	0.19	2.4
K297971		8.48	<0.01	0.10	6.29	90.0	190	1.86	0.26	7.48	0.23	81.0	13.2	40	25.3	54.0
K297972		8.31	0.10	0.15	6.18	166.0	260	1.54	0.29	4.11	0.09	72.6	14.8	51	20.9	55.3
K297973		8.36	0.17	0.09	7.10	126.0	240	1.73	0.34	2.93	0.04	78.8	15.2	57	19.10	53.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141073

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297938		4.35	20.2	0.16	2.7	0.18	0.054	3.94	44.1	58.3	1.08	491	0.40	0.06	10.0	32.7
K297939		3.97	20.2	0.16	2.7	0.20	0.065	3.51	39.6	49.0	1.23	592	0.56	0.06	9.7	33.2
K297940		4.41	22.5	0.16	3.1	0.21	0.064	4.06	44.7	55.3	1.24	607	0.44	0.06	11.2	35.5
K297941		4.91	18.65	0.16	3.0	0.31	0.071	3.22	37.2	66.1	2.42	765	1.29	0.04	10.6	39.3
K297942		6.71	21.0	0.23	4.4	8.8	0.047	1.36	74.6	19.6	0.13	37	6.83	0.37	9.7	16.8
K297943		4.10	20.8	0.19	2.7	0.46	0.068	3.45	45.9	31.7	2.01	595	1.70	0.02	10.5	32.8
K297944		3.52	18.20	0.18	2.6	0.83	0.051	3.22	41.4	24.1	1.32	679	0.83	0.02	9.2	28.2
K297945		6.44	15.80	0.14	2.8	0.26	0.081	1.57	21.3	139.0	3.17	1040	0.79	0.61	9.5	46.7
K297946		6.33	16.35	0.12	2.7	0.03	0.073	1.35	21.2	110.0	3.52	1080	0.39	0.73	9.6	45.8
K297947		6.64	17.50	0.15	3.2	0.04	0.085	1.52	23.8	106.0	3.19	917	0.34	0.61	11.8	46.8
K297948		0.52	0.35	0.10	<0.1	<0.01	0.007	0.05	0.7	1.8	12.70	216	0.08	<0.01	0.3	3.5
K297949		4.41	14.80	0.15	3.0	0.03	0.072	1.68	28.0	72.9	3.04	727	2.56	0.27	9.3	29.9
K297950		4.01	12.70	0.14	2.8	0.03	0.057	1.64	26.3	38.1	2.80	845	1.40	0.26	8.6	26.7
K297951		6.15	16.90	0.15	2.9	0.03	0.086	1.55	25.0	84.4	3.45	1020	0.49	0.72	10.9	49.1
K297952		6.32	19.65	0.18	3.3	0.03	0.098	1.78	26.9	96.5	3.41	1020	0.56	0.54	12.3	57.6
K297953		6.98	18.80	0.17	3.3	0.04	0.104	1.67	24.7	106.0	3.06	800	0.38	0.46	12.9	53.4
K297954		7.30	18.85	0.12	3.3	0.03	0.094	1.55	24.8	130.0	3.55	1040	0.30	0.61	12.5	54.0
K297955		7.44	18.85	0.12	3.3	0.04	0.095	1.60	24.6	133.5	3.60	1040	0.29	0.58	12.4	54.4
K297956		6.56	16.45	0.13	2.9	0.04	0.084	1.66	23.2	118.0	3.32	1220	1.14	0.36	11.1	46.8
K297957		6.96	18.80	0.14	3.3	0.05	0.096	1.81	24.3	99.6	3.23	1000	0.79	0.33	13.2	53.4
K297958		7.70	21.7	0.16	3.4	0.05	0.107	1.66	28.3	128.0	3.27	853	0.37	0.50	15.3	60.9
K297959		6.95	17.80	0.15	3.1	0.05	0.087	1.42	22.2	144.5	3.37	957	0.55	0.36	11.8	51.1
K297960		6.71	18.15	0.12	3.1	0.06	0.086	1.46	21.1	138.0	3.18	899	0.31	0.37	11.2	51.7
K297961		6.69	17.15	0.14	2.8	0.06	0.095	1.60	22.0	134.0	3.19	848	0.40	0.06	10.8	51.0
K297962		6.85	17.40	0.14	2.9	0.11	0.090	1.33	21.0	109.5	3.29	908	0.33	0.04	10.8	47.6
K297963		6.67	20.9	0.20	4.5	8.9	0.049	1.34	75.5	19.6	0.13	38	6.52	0.37	9.8	17.1
K297964		6.94	19.35	0.13	3.0	0.22	0.090	1.43	22.7	107.0	3.15	893	0.42	0.01	12.6	52.8
K297965		6.54	18.30	0.13	3.2	0.61	0.086	1.54	25.5	60.5	2.72	1030	1.29	<0.01	12.5	49.6
K297966		6.05	15.25	0.15	3.0	1.07	0.061	1.72	26.9	50.8	2.78	1120	2.12	0.01	9.7	42.2
K297967		6.48	16.10	0.15	3.0	1.49	0.082	1.26	25.2	58.9	2.48	1000	0.84	0.01	10.3	43.5
K297968		7.73	17.80	0.16	3.5	1.82	0.091	1.11	24.8	79.1	1.93	939	0.36	<0.01	11.8	50.3
K297969		6.20	20.3	0.16	3.3	1.91	0.080	1.61	32.9	60.7	1.66	812	1.15	0.01	11.9	45.4
K297970		0.48	0.21	0.07	<0.1	<0.01	<0.005	0.02	0.6	1.2	12.70	207	0.07	<0.01	0.2	1.3
K297971		3.60	17.05	0.17	2.5	1.31	0.056	2.49	42.0	28.0	4.20	1080	3.19	0.01	8.7	34.8
K297972		4.03	15.75	0.15	3.6	2.91	0.052	2.66	34.1	19.2	2.00	708	1.13	0.02	9.5	33.4
K297973		3.87	18.80	0.16	3.2	0.98	0.055	3.05	40.7	58.3	1.05	646	0.73	0.02	10.6	30.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141073

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297938		410	23.8	172.0	0.004	2.15	0.50	13.9	1	2.4	85.0	0.81	0.07	13.6	0.393	1.51
K297939		510	24.8	154.0	0.003	2.20	0.67	14.3	1	2.5	193.5	0.74	0.05	12.4	0.363	1.94
K297940		680	22.3	169.5	0.003	2.02	0.72	15.7	1	2.6	126.5	0.91	0.07	14.0	0.423	2.05
K297941		560	20.7	163.0	0.006	1.96	0.71	16.2	2	2.4	143.0	0.79	0.10	10.3	0.439	1.77
K297942		970	18.1	49.8	0.003	3.18	111.5	15.4	2	3.0	512	0.73	0.16	11.2	0.554	8.97
K297943		730	17.5	148.0	0.007	2.72	0.63	14.5	1	2.8	183.5	0.76	0.07	14.9	0.350	2.35
K297944		520	17.1	141.0	0.002	3.06	0.64	12.1	1	2.2	315	0.67	0.06	12.4	0.327	3.18
K297945		600	10.5	83.5	0.005	1.26	0.43	21.4	1	1.7	154.0	0.67	0.15	6.0	0.590	1.11
K297946		560	9.5	82.2	0.002	0.37	0.32	22.3	1	1.8	144.5	0.64	0.17	5.7	0.593	0.50
K297947		640	10.7	90.4	<0.002	0.32	0.34	23.2	1	1.9	139.0	0.82	0.27	6.3	0.631	0.51
K297948		170	1.5	2.3	<0.002	0.03	0.06	0.3	<1	0.2	45.0	<0.05	<0.05	<0.2	0.008	0.02
K297949		480	16.1	94.6	<0.002	0.61	0.46	14.5	1	2.0	148.0	0.61	0.11	7.7	0.394	0.55
K297950		460	16.9	83.9	0.002	0.65	0.44	12.1	2	1.8	203	0.59	0.13	7.3	0.349	0.57
K297951		590	11.0	92.3	<0.002	0.41	0.36	22.0	2	2.1	126.5	0.69	0.19	6.4	0.591	0.45
K297952		630	11.3	112.5	0.006	0.42	0.38	24.8	2	2.3	121.0	0.79	0.20	7.3	0.609	0.57
K297953		690	11.2	106.0	0.003	0.31	0.45	26.0	2	2.1	163.5	0.87	0.25	6.3	0.658	0.56
K297954		710	10.1	99.1	<0.002	0.29	0.31	25.2	2	2.0	123.5	0.82	0.31	6.1	0.695	0.53
K297955		720	10.6	99.0	<0.002	0.29	0.32	25.2	2	2.0	120.5	0.86	0.26	6.3	0.701	0.52
K297956		610	9.5	99.2	0.004	0.53	0.36	21.9	2	2.0	132.0	0.74	0.22	6.4	0.585	0.57
K297957		670	9.8	108.5	0.005	0.40	0.35	25.4	1	2.2	101.5	0.88	0.25	6.3	0.664	0.71
K297958		720	10.2	110.0	<0.002	0.33	0.35	28.4	2	2.3	93.8	0.94	0.34	6.1	0.725	0.56
K297959		630	9.3	94.1	0.008	0.48	0.32	24.2	2	2.0	135.5	0.78	0.25	5.6	0.636	0.64
K297960		640	8.8	97.9	<0.002	0.40	0.36	25.2	2	1.9	108.5	0.78	0.19	5.5	0.671	0.75
K297961		610	8.8	106.0	<0.002	0.50	0.31	24.7	2	1.9	129.0	0.69	0.18	5.2	0.636	0.90
K297962		620	9.5	90.0	<0.002	0.39	0.32	25.3	2	1.9	106.0	0.70	0.20	5.3	0.667	0.69
K297963		970	17.1	51.6	0.002	3.15	111.0	15.4	1	3.0	506	0.73	0.17	11.1	0.557	8.79
K297964		680	11.1	93.8	0.003	0.69	0.48	25.8	2	2.0	97.8	0.81	0.26	6.0	0.695	1.18
K297965		660	11.4	86.1	0.003	3.32	0.48	23.0	2	2.1	124.0	0.83	0.24	6.3	0.656	2.56
K297966		530	13.4	90.0	0.002	5.40	0.85	17.9	1	7.2	276	0.69	0.18	7.5	0.495	5.25
K297967		570	10.7	68.5	<0.002	6.19	0.81	21.7	1	3.6	264	0.65	0.23	6.0	0.575	5.99
K297968		610	9.2	65.8	0.002	8.23	0.59	25.1	2	2.1	184.5	0.78	0.24	5.8	0.677	8.42
K297969		710	11.9	89.8	0.004	6.34	0.63	21.6	2	4.1	218	0.81	0.20	10.4	0.589	7.69
K297970		170	1.1	1.2	<0.002	0.02	<0.05	0.2	<1	<0.2	41.6	<0.05	<0.05	<0.2	<0.005	0.03
K297971		490	16.5	124.5	0.017	3.27	0.75	12.1	1	4.6	359	0.66	0.06	13.5	0.294	5.40
K297972		510	19.1	138.5	0.005	3.40	0.93	13.7	1	6.0	238	0.71	0.05	12.1	0.384	6.64
K297973		530	24.2	144.0	<0.002	3.32	0.95	12.8	1	7.7	172.0	0.80	0.08	14.7	0.368	5.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141073

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297938		2.8	85	1.4	15.8	105	95.4
K297939		2.9	79	1.5	17.5	87	95.9
K297940		3.1	97	1.6	19.1	87	112.5
K297941		2.5	123	1.4	27.1	90	107.5
K297942		8.3	169	24.5	14.3	44	170.5
K297943		3.5	108	2.6	21.5	93	98.3
K297944		2.9	79	1.8	17.9	77	90.2
K297945		1.4	186	1.0	21.5	92	99.9
K297946		1.4	188	0.8	20.8	94	95.5
K297947		1.6	198	0.8	24.5	91	107.0
K297948		0.4	4	0.1	0.9	16	0.8
K297949		2.1	115	0.9	21.3	83	95.2
K297950		2.0	97	0.9	19.0	76	88.0
K297951		1.5	184	0.9	22.7	94	108.5
K297952		1.7	190	1.0	27.2	100	119.5
K297953		1.6	204	0.8	27.9	102	116.0
K297954		1.5	223	0.8	25.8	99	111.5
K297955		1.6	226	0.8	25.5	104	114.5
K297956		1.6	185	0.9	22.5	88	102.5
K297957		1.7	209	0.9	24.6	98	119.5
K297958		1.7	229	0.8	28.8	108	131.5
K297959		1.5	205	0.7	24.7	91	101.0
K297960		1.4	216	0.8	22.4	95	102.0
K297961		1.3	205	0.9	25.5	93	99.3
K297962		1.4	215	0.8	22.0	89	108.0
K297963		8.4	170	24.3	14.9	44	177.5
K297964		1.6	219	0.9	25.0	98	119.5
K297965		1.8	205	0.9	23.1	95	104.0
K297966		2.0	163	1.7	22.3	87	93.9
K297967		1.7	182	3.8	23.3	88	104.5
K297968		1.7	214	3.0	23.7	94	119.0
K297969		4.0	197	2.1	23.7	94	114.0
K297970		0.5	3	0.1	0.7	17	0.6
K297971		3.7	110	1.9	18.6	100	89.3
K297972		2.6	112	2.4	20.0	75	102.0
K297973		2.7	99	2.9	19.0	104	106.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141073

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

CERTIFICATE WH11142029

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 68 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142029

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296469		5.88	0.01	0.16	5.86	57.1	230	1.78	0.21	9.99	0.03	53.3	14.3	39	25.0	39.5
K296470		12.57	<0.01	0.11	4.11	27	160	1.33	0.15	15.50	0.02	36.8	12.3	28	17.40	13.2
K296471		5.81	<0.01	0.08	4.41	18	150	1.33	0.17	14.60	0.03	39.4	10.3	28	18.35	25.4
K296472		6.07	<0.01	0.09	5.85	42	390	1.53	0.25	10.90	<0.02	56.2	14.1	37	24.3	10.7
K296473		8.99	<0.01	0.06	9.51	39.2	300	3.05	0.48	1.70	<0.02	76.9	19.2	65	59.0	36.7
K296474		5.71	<0.01	0.04	9.12	94.4	320	2.73	0.45	1.72	<0.02	67.4	17.2	61	54.6	37.4
K296475		5.73	<0.01	0.07	7.41	42.4	370	2.23	0.35	6.59	0.03	61.1	17.1	57	41.7	32.7
K296476		6.10	<0.01	0.08	8.25	46.1	280	2.22	0.34	8.74	0.05	72.0	18.3	56	51.5	33.9
K296477		6.97	<0.01	<0.01	0.09	<5	20	0.08	0.03	22.2	0.04	1.36	0.6	<1	0.31	2.2
K296478		12.80	<0.01	0.02	8.05	32	260	1.93	0.32	12.05	<0.02	76.7	11.2	42	55.4	26.5
K296479		11.57	<0.01	0.04	7.65	25	220	1.91	0.32	12.60	<0.02	71.6	11.7	38	53.0	26.7
K296480		3.39	0.02	0.04	1.10	351	60	0.33	0.03	24.5	0.02	15.60	2.6	7	2.31	5.5
K296481		10.55	0.01	0.09	1.51	466	80	0.61	0.05	28.1	0.03	18.95	3.8	11	4.79	11.4
K296482		10.59	0.03	0.10	2.71	721	150	0.90	0.05	16.15	0.04	30.3	4.4	28	8.49	17.0
K296483		12.44	0.02	0.10	2.86	727	300	0.84	0.07	16.40	0.15	33.3	5.6	23	9.99	15.8
K296484		10.79	0.02	0.06	8.36	265	260	2.40	0.35	1.52	0.21	77.2	28.0	70	27.5	62.9
K296485		10.57	0.01	0.05	8.10	54.9	470	2.15	0.34	1.76	0.36	67.9	26.2	69	25.2	64.6
K296486		15.05	<0.01	0.05	7.55	103.0	350	1.79	0.28	2.46	0.05	66.5	21.8	67	23.9	58.1
K296487		8.53	<0.01	0.05	8.02	64.2	200	2.47	0.34	1.29	0.23	75.5	27.8	78	32.7	64.4
K296488		6.39	<0.01	0.04	8.40	54.9	230	2.50	0.35	1.53	0.12	74.8	22.1	87	29.7	68.3
K296489		0.29	0.35	0.30	6.57	644	1080	0.60	0.29	0.49	0.16	125.0	3.0	224	3.49	30.3
K296490		9.20	<0.01	0.06	7.51	66.2	370	2.16	0.30	2.04	0.34	69.7	22.6	67	24.8	63.1
K296491		10.44	<0.01	0.11	5.99	179.5	180	1.62	0.21	4.11	0.04	56.3	17.7	61	17.65	55.8
K296492		10.52	<0.01	0.05	5.33	30.7	160	1.58	0.18	3.62	0.03	49.3	16.0	60	16.65	47.9
K296493		10.92	<0.01	0.09	6.43	32.4	430	1.89	0.23	3.56	0.02	60.6	19.9	67	23.7	52.5
K296494		6.97	<0.01	0.01	0.07	<5	20	0.07	0.03	21.0	0.06	1.23	1.2	2	0.19	1.8
K296495		9.67	0.02	0.06	1.33	355	140	0.54	0.04	30.4	0.14	16.50	3.2	9	3.75	10.3
K296496		8.74	0.05	0.04	1.72	505	840	0.66	0.05	27.2	0.12	18.40	2.8	11	6.13	8.7
K296497		10.74	<0.01	0.06	2.94	163	380	0.88	0.07	23.8	0.06	24.5	5.2	20	7.61	16.8
K296498		10.88	0.01	0.03	2.61	200	350	0.69	0.06	25.8	0.09	26.2	4.6	21	8.98	15.0
K296499		0.29	0.32	0.34	6.45	618	1790	0.57	0.28	0.61	0.17	129.5	3.1	224	3.58	30.5
K296500		9.86	<0.01	0.02	1.39	210	140	0.63	0.03	29.6	0.06	15.80	2.5	9	4.34	8.3
K299001		10.90	<0.01	0.02	1.13	190	180	0.34	0.03	29.5	0.09	12.20	1.8	6	3.09	6.0
K299002		11.10	<0.01	0.03	1.97	134	150	0.61	0.05	25.0	0.02	20.0	3.3	14	7.14	11.5
K299003		12.02	0.01	0.04	2.78	142	250	0.87	0.06	19.55	0.04	29.3	4.7	21	11.00	13.3
K299004		10.28	<0.01	0.04	3.75	60.8	640	1.17	0.08	9.89	0.03	41.7	5.7	28	18.15	19.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142029

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296469		3.85	14.20	0.11	2.4	0.2	0.047	2.73	28.9	16.6	4.08	838	0.70	0.05	7.8	22.7
K296470		3.32	9.96	0.10	1.6	0.1	0.036	1.89	20.4	11.4	3.99	830	0.48	0.03	5.5	19.3
K296471		3.15	10.45	0.14	1.7	0.08	0.033	2.03	21.6	12.2	4.05	812	0.46	0.04	5.5	17.5
K296472		4.76	13.80	0.12	2.0	0.11	0.038	2.78	28.2	13.8	4.04	942	0.39	0.04	7.3	19.5
K296473		3.81	26.8	0.14	2.8	0.15	0.055	4.77	39.8	22.8	1.06	398	0.58	0.05	12.7	37.3
K296474		3.84	27.8	0.15	2.6	0.14	0.067	4.53	34.3	26.7	0.90	530	0.43	0.04	12.6	36.9
K296475		3.17	21.4	0.13	2.3	0.12	0.059	3.94	32.5	19.9	1.43	573	0.47	0.05	10.4	30.4
K296476		3.94	20.7	0.15	2.1	0.16	0.046	3.94	41.7	23.2	1.75	587	0.72	0.05	10.0	38.7
K296477		0.44	0.24	0.07	<0.1	<0.01	<0.005	0.04	0.7	1.2	13.40	200	0.33	0.01	0.2	1.5
K296478		3.19	19.30	0.13	2.1	0.04	0.046	3.71	43.6	36.5	1.31	661	0.25	0.04	9.0	24.4
K296479		2.78	18.00	0.17	2.0	0.04	0.041	3.61	41.3	34.1	1.20	655	0.17	0.04	8.4	24.1
K296480		0.58	2.60	0.09	0.6	0.37	<0.005	0.56	8.4	4.8	3.55	269	0.73	0.01	1.6	4.6
K296481		0.60	3.52	0.09	0.7	0.3	<0.005	0.76	11.1	6.8	2.79	189	0.89	0.01	2.5	6.8
K296482		1.07	6.41	0.11	1.6	0.4	0.017	1.48	17.0	12.8	3.84	221	0.66	0.02	4.4	10.3
K296483		1.30	6.74	0.14	1.8	0.29	0.014	1.57	17.8	16.9	4.26	217	0.90	0.02	5.0	11.0
K296484		5.92	22.6	0.17	3.3	1.31	0.075	3.66	38.1	21.7	1.06	520	0.97	0.03	13.0	41.8
K296485		6.54	21.2	0.15	3.3	0.67	0.074	3.48	34.2	36.1	1.09	571	1.03	0.03	11.9	37.3
K296486		4.97	19.90	0.17	3.5	0.42	0.060	3.19	32.2	48.4	1.61	815	0.51	0.03	11.3	35.8
K296487		5.64	21.6	0.13	3.4	0.29	0.070	3.46	38.2	44.5	1.72	557	0.59	0.03	12.7	45.8
K296488		5.65	22.2	0.12	3.6	0.20	0.071	3.64	37.4	47.0	1.96	650	0.52	0.03	12.9	37.2
K296489		6.76	20.5	0.17	4.0	9.7	0.040	1.37	64.9	18.1	0.13	38	6.36	0.39	9.5	15.5
K296490		5.58	20.3	0.17	3.4	0.51	0.071	3.12	32.8	53.4	1.22	734	0.55	0.03	11.3	39.4
K296491		4.69	14.95	0.16	2.9	0.23	0.068	2.59	27.1	40.7	2.12	1010	0.46	0.03	9.7	35.3
K296492		4.34	13.25	0.16	2.6	0.08	0.054	2.27	23.4	52.2	2.24	839	0.28	0.03	8.4	31.8
K296493		4.50	16.45	0.18	3.1	0.09	0.065	2.81	29.4	33.7	2.42	716	0.34	0.03	10.3	37.5
K296494		0.48	0.21	0.09	<0.1	<0.01	<0.005	0.03	0.6	0.9	12.95	210	0.07	<0.01	0.2	3.0
K296495		0.60	3.11	0.08	0.7	0.2	0.007	0.70	9.5	7.5	1.90	146	0.45	0.01	2.0	5.6
K296496		0.78	4.17	0.10	0.7	0.21	0.006	0.94	10.5	10.2	1.71	189	0.43	0.01	2.4	6.1
K296497		1.24	6.75	0.14	1.0	0.11	0.011	1.29	14.6	13.2	1.85	241	0.69	0.27	3.7	10.4
K296498		1.07	6.14	0.13	0.9	0.1	0.010	1.40	14.4	15.8	1.60	167	0.48	0.02	3.5	9.9
K296499		6.61	20.9	0.22	3.9	9.8	0.038	1.35	65.7	18.6	0.13	37	6.22	0.39	9.7	15.6
K296500		0.55	3.42	0.09	0.5	0.1	0.005	0.77	9.3	8.7	1.07	123	0.26	0.01	1.9	4.9
K299001		0.44	2.64	0.10	0.5	<0.1	<0.005	0.64	7.3	6.7	0.88	108	0.27	0.01	1.5	3.7
K299002		0.81	4.71	0.08	0.9	0.05	0.006	1.09	11.6	12.5	1.59	133	0.23	0.02	2.9	7.4
K299003		1.18	6.57	0.10	1.4	0.08	0.010	1.58	15.7	17.8	3.62	197	0.62	0.03	4.2	10.6
K299004		1.47	9.18	0.14	2.4	0.05	0.019	2.25	20.6	37.4	5.44	254	0.56	0.04	5.9	13.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142029

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296469		760	10.5	110.0	<0.002	0.75	0.94	10.1	2	1.8	167.0	0.62	<0.05	9.0	0.261	1.69
K296470		500	9.4	76.7	0.003	0.31	0.66	7.1	2	1.2	376	0.43	0.07	6.2	0.176	0.76
K296471		560	8.6	83.1	<0.002	0.31	0.59	7.1	1	1.3	349	0.43	<0.05	6.6	0.191	0.73
K296472		720	11.2	114.0	<0.002	1.16	0.68	10.4	1	1.7	178.0	0.56	0.07	9.0	0.259	1.50
K296473		530	20.8	157.0	0.003	2.48	0.79	15.9	1	2.8	119.5	1.00	0.08	13.0	0.405	2.31
K296474		840	19.1	135.5	<0.002	2.50	0.67	15.6	1	3.4	128.5	0.94	0.08	11.9	0.384	2.49
K296475		540	25.3	99.6	<0.002	0.98	0.74	11.4	2	2.7	246	0.83	0.09	9.5	0.346	1.25
K296476		520	46.9	139.0	0.002	1.86	1.00	12.5	2	2.7	267	0.79	0.06	11.5	0.325	2.04
K296477		240	1.5	1.6	<0.002	0.01	0.17	0.2	1	<0.2	52.0	<0.05	<0.05	<0.2	<0.005	<0.02
K296478		390	12.7	154.5	<0.002	0.27	0.42	11.7	1	2.6	328	0.78	0.08	12.1	0.298	0.92
K296479		700	12.3	149.5	0.002	0.16	0.48	10.9	1	2.3	344	0.65	0.11	11.8	0.286	0.97
K296480		180	6.2	17.7	<0.002	0.16	4.54	1.7	2	0.5	823	0.13	<0.05	2.2	0.046	2.09
K296481		250	9.7	25.5	<0.002	0.20	6.08	2.3	2	1.0	734	0.21	<0.05	3.3	0.070	1.85
K296482		590	10.8	51.6	<0.002	0.20	6.77	4.1	2	1.7	382	0.35	<0.05	5.5	0.124	0.89
K296483		460	13.8	54.1	<0.002	0.34	3.74	4.1	2	1.6	466	0.34	<0.05	6.0	0.131	0.70
K296484		570	26.2	176.5	<0.002	6.20	2.06	22.4	1	2.8	125.5	1.02	0.10	11.8	0.609	4.35
K296485		540	21.9	164.0	0.002	6.65	0.78	21.7	1	2.6	232	0.94	0.05	11.4	0.595	4.24
K296486		580	15.4	155.0	<0.002	2.68	0.70	21.0	2	2.4	216	0.86	<0.05	10.3	0.568	2.85
K296487		550	20.8	176.0	<0.002	1.28	0.76	22.7	1	2.7	114.5	0.97	<0.05	11.7	0.586	1.72
K296488		580	13.5	179.5	<0.002	0.53	0.58	22.6	2	2.8	129.0	1.03	<0.05	12.0	0.627	1.47
K296489		930	17.8	46.3	0.007	3.28	116.0	15.9	2	2.9	522	0.75	0.14	8.9	0.566	8.16
K296490		500	21.4	166.5	0.002	4.90	1.03	20.6	1	2.4	205	0.89	<0.05	11.0	0.563	3.90
K296491		490	14.3	131.5	<0.002	2.53	0.67	17.3	1	2.0	143.0	0.77	0.05	9.3	0.476	1.86
K296492		430	11.8	120.0	<0.002	0.26	0.23	15.8	1	1.5	113.0	0.68	<0.05	8.0	0.435	0.69
K296493		500	16.1	147.0	<0.002	0.52	0.37	18.7	1	2.0	125.0	0.81	<0.05	9.8	0.494	0.87
K296494		200	1.3	1.5	<0.002	0.01	<0.05	0.2	1	<0.2	47.9	<0.05	<0.05	<0.2	0.009	<0.02
K296495		200	8.8	24.4	<0.002	0.15	1.79	2.1	2	1.3	1310	0.16	<0.05	2.6	0.058	0.40
K296496		200	7.4	33.4	<0.002	0.13	2.06	2.8	1	0.7	977	0.19	<0.05	3.3	0.073	0.83
K296497		340	7.4	44.5	0.004	0.19	1.15	4.7	2	1.7	808	0.29	<0.05	4.2	0.136	0.46
K296498		430	7.2	49.4	<0.002	0.14	1.14	3.7	1	1.1	854	0.26	<0.05	4.6	0.104	0.45
K296499		910	17.6	48.7	0.004	3.23	123.5	15.6	2	3.1	519	0.75	0.14	9.2	0.561	8.37
K296500		160	5.2	28.0	<0.002	0.06	1.14	2.2	1	0.6	1050	0.15	<0.05	2.4	0.055	0.23
K299001		130	4.9	23.8	<0.002	0.04	1.09	1.7	<1	0.5	1040	0.12	<0.05	2.0	0.046	0.19
K299002		250	6.6	47.0	<0.002	0.07	0.81	2.9	1	0.7	765	0.23	<0.05	3.6	0.083	0.33
K299003		300	7.5	64.5	0.003	0.12	0.86	4.2	3	1.0	601	0.31	0.05	5.2	0.118	0.41
K299004		400	9.0	89.6	<0.002	0.06	0.54	5.5	2	1.5	240	0.44	<0.05	7.8	0.169	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142029

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296469		6.7	79	1.6	18.1	34	86.6
K296470		8.9	56	0.8	13.1	28	60.8
K296471		7.9	58	0.9	13.0	28	63.6
K296472		5.1	78	2.1	19.8	29	78.0
K296473		2.7	107	2.7	20.0	44	103.0
K296474		2.7	106	2.6	21.0	46	94.9
K296475		3.3	95	1.6	16.5	76	87.6
K296476		3.5	88	1.4	19.6	171	84.8
K296477		0.7	2	0.1	0.9	19	<0.5
K296478		3.0	76	1.2	21.4	49	74.3
K296479		3.2	74	1.2	19.0	49	70.3
K296480		7.2	15	0.7	5.5	11	21.5
K296481		11.9	26	0.9	6.1	14	27.6
K296482		5.9	39	1.1	10.9	22	65.2
K296483		6.2	41	0.7	10.5	79	71.1
K296484		2.3	162	5.9	25.0	145	118.0
K296485		2.2	156	1.7	23.8	225	117.0
K296486		1.9	149	2.1	23.5	98	117.0
K296487		2.2	153	1.6	24.5	146	119.0
K296488		2.2	168	1.7	25.7	122	124.0
K296489		7.1	178	23.6	14.3	45	165.0
K296490		2.1	150	2.7	23.3	172	109.0
K296491		1.9	123	2.5	21.3	69	100.5
K296492		1.7	114	1.1	19.5	61	91.4
K296493		2.1	124	1.2	21.7	57	109.0
K296494		0.6	3	0.1	0.9	17	0.7
K296495		10.7	20	0.4	5.3	57	24.1
K296496		10.8	26	0.5	5.8	27	27.9
K296497		9.0	45	0.5	8.7	36	37.4
K296498		9.7	38	0.5	8.3	43	35.1
K296499		7.3	173	24.2	15.0	44	163.0
K296500		11.3	21	0.3	4.9	27	22.1
K299001		10.2	18	0.2	4.1	20	20.7
K299002		9.9	28	0.4	6.6	24	33.5
K299003		7.9	40	0.5	9.1	43	53.5
K299004		4.3	56	0.7	13.0	33	98.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142029

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11141972

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 69- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141972

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298757		10.39	0.25	0.04	1.00	504	100	0.55	0.03	19.90	0.14	14.90	2.0	12	2.24	4.7
K298758		8.92	0.07	0.10	0.63	399	40	0.27	0.02	20.9	0.07	8.55	2.7	6	1.52	6.0
K298759		11.37	0.61	0.14	0.54	6920	40	0.21	0.02	20.1	0.18	7.84	3.4	6	0.96	9.5
K298760		8.65	0.13	0.10	1.01	376	70	0.30	0.04	22.2	0.03	11.90	2.8	10	2.48	17.6
K298761		9.53	0.28	0.12	2.31	570	90	0.61	0.06	16.90	0.84	25.4	5.4	26	6.78	16.1
K298762		9.61	0.50	0.19	0.78	910	50	0.26	0.02	20.3	0.15	11.75	2.8	9	1.94	8.4
K298763		10.22	1.18	0.18	0.67	1740	50	0.20	0.02	20.1	0.12	10.70	2.4	8	1.40	7.9
K298764		10.33	1.00	0.14	1.81	884	60	0.48	0.05	17.60	0.18	19.30	3.1	17	4.79	11.0
K298765		11.29	0.03	0.03	0.07	710	30	0.07	<0.01	21.3	0.02	1.71	1.1	1	0.09	2.3
K298766		10.98	0.64	0.06	1.04	826	60	0.28	0.03	18.00	0.30	19.50	2.3	12	2.40	7.8
K298767		11.50	0.77	0.08	1.51	470	60	0.40	0.04	16.25	3.16	15.45	2.5	16	3.90	8.8
K298768		11.20	2.45	0.06	1.74	2080	80	0.44	0.05	18.80	0.06	19.00	3.7	16	4.04	11.8
K298769		10.04	0.11	0.06	1.52	352	170	0.52	0.04	20.4	0.03	17.40	3.8	14	4.80	8.3
K298770		7.21	0.03	0.05	4.14	397	370	1.18	0.09	20.2	0.05	40.2	6.6	35	15.00	35.1
K298771		9.75	0.13	0.08	4.09	252	200	1.07	0.10	13.75	0.02	38.4	6.4	36	15.15	20.7
K298772		11.14	0.20	0.07	2.32	1670	200	0.67	0.05	18.25	0.04	25.6	3.4	21	8.93	10.7
K298773		10.34	0.70	0.05	2.72	4500	90	0.80	0.07	16.00	0.04	27.8	4.0	27	10.95	12.3
K298774		9.67	0.27	0.08	3.17	488	120	0.90	0.11	16.10	0.17	24.0	4.6	31	15.95	11.5
K298775		6.93	<0.01	0.01	0.06	<5	20	0.08	0.01	22.5	0.06	1.25	1.6	1	0.19	1.3
K298776		7.26	0.01	0.05	1.05	47	120	0.34	0.03	31.8	0.88	15.65	2.1	11	3.88	5.8
K298777		0.25	0.31	0.34	6.60	637	240	0.67	0.30	0.51	0.20	132.0	3.3	257	3.64	32.8
K298778		11.25	0.01	0.06	2.17	30	130	0.60	0.05	28.7	0.06	25.4	4.1	22	8.61	9.8
K298779		11.55	<0.01	0.06	3.05	30	120	0.84	0.07	24.0	0.07	30.6	5.4	28	15.40	15.2
K298780		9.74	0.01	0.05	1.27	17	130	0.35	0.04	33.7	0.16	17.20	2.3	14	4.52	6.9
K298781		5.27	<0.01	0.05	1.16	14	240	0.34	0.03	32.9	0.20	16.70	2.2	13	4.20	6.6
K298782		10.88	<0.01	0.07	2.13	30	90	0.64	0.05	28.1	0.13	25.7	4.0	22	9.76	9.4
K298783		11.32	<0.01	0.05	2.82	19	250	0.86	0.07	25.4	0.07	31.0	4.8	27	14.65	13.1
K298784		12.11	<0.01	0.05	1.80	26	140	0.55	0.05	29.2	0.09	20.7	3.5	17	8.39	11.6
K298785		10.47	0.01	0.09	3.24	48	170	0.98	0.08	19.20	0.26	38.8	6.7	36	14.40	20.8
K298786		0.27	0.30	0.33	6.33	620	560	0.59	0.29	0.49	0.18	124.0	2.9	227	3.58	31.3
K298787		9.01	0.02	0.04	1.40	162	140	0.39	0.04	26.8	0.16	17.85	2.6	14	4.83	8.1
K298788		11.33	<0.01	0.05	2.12	39	140	0.63	0.05	26.2	0.17	22.6	3.8	20	7.87	12.2
K298789		12.97	0.01	0.07	3.70	30	190	1.13	0.08	22.8	0.16	38.5	6.9	35	14.10	21.4
K298790		11.71	0.01	0.03	3.03	9	140	0.94	0.09	22.6	0.12	31.5	5.7	29	10.50	21.5
K298791		7.19	<0.01	<0.01	0.07	<5	20	0.06	0.02	21.8	0.06	1.23	1.5	1	0.34	1.5
K298792		11.30	0.02	0.03	4.54	23	680	1.40	0.13	16.40	0.15	47.4	7.5	43	14.90	32.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141972

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298757		0.61	2.40	<0.05	0.7	6.62	0.012	0.45	8.5	7.7	11.25	809	0.17	0.02	1.6	1.9
K298758		0.34	1.74	0.26	0.4	1.76	0.006	0.27	4.8	3.6	12.50	306	0.54	0.02	1.2	2.2
K298759		2.06	1.42	<0.05	0.3	11.55	0.014	0.24	4.4	2.5	11.50	1300	0.61	0.02	1.0	5.7
K298760		1.04	2.62	<0.05	0.7	1.95	0.009	0.43	6.8	4.5	12.50	687	0.51	0.02	1.7	3.1
K298761		1.35	5.90	0.06	1.6	3.57	0.017	1.10	13.6	11.8	10.15	519	1.85	0.02	3.9	10.8
K298762		0.64	2.02	0.10	0.4	2.66	0.008	0.36	6.9	3.6	12.10	505	0.39	0.01	1.4	2.8
K298763		1.48	1.79	<0.05	0.4	6.24	0.011	0.29	5.8	2.9	11.50	1040	0.52	0.01	1.2	2.2
K298764		1.72	4.38	<0.05	1.2	4.59	0.016	0.89	10.6	7.4	9.99	812	1.01	0.02	2.9	4.9
K298765		0.65	0.31	0.20	<0.1	0.48	<0.005	0.02	1.0	0.6	12.85	650	0.52	0.01	0.3	<0.2
K298766		1.54	2.63	0.05	0.9	3.47	0.011	0.50	10.1	4.6	10.60	743	0.67	0.01	1.9	2.7
K298767		1.25	4.25	<0.05	1.1	5.29	0.016	0.73	7.5	5.6	9.64	515	0.93	0.01	2.5	3.8
K298768		1.26	4.39	<0.05	1.2	8.43	0.016	0.84	10.9	6.2	10.45	1310	0.44	0.02	3.0	5.7
K298769		1.50	3.88	<0.05	0.9	2.46	0.013	0.75	9.7	5.8	9.96	934	0.54	0.02	2.4	6.0
K298770		1.27	10.20	<0.05	2.2	1.29	0.025	2.10	21.5	14.8	2.97	1080	0.82	0.02	5.9	12.5
K298771		1.52	10.00	0.05	2.0	1.74	0.024	2.06	20.2	14.7	6.87	479	0.88	0.02	5.8	14.2
K298772		1.15	5.69	<0.05	2.0	3.25	0.017	1.22	13.4	8.5	6.25	692	0.78	0.02	3.7	5.0
K298773		1.06	7.19	0.06	1.8	5.09	0.022	1.45	15.0	10.2	7.65	569	0.78	0.02	4.6	6.7
K298774		1.18	8.14	<0.05	1.5	2.54	0.022	1.70	14.5	10.5	7.71	370	0.90	0.02	5.3	9.0
K298775		0.51	0.38	0.48	<0.1	0.01	0.007	0.02	0.6	0.9	13.45	230	0.07	<0.01	0.4	1.2
K298776		0.42	2.72	0.10	0.6	0.51	0.010	0.57	9.1	3.9	0.99	119	0.45	0.01	2.0	0.4
K298777		7.08	22.3	0.23	4.7	10.10	0.051	1.47	62.4	17.8	0.13	40	7.10	0.40	10.9	17.7
K298778		0.77	5.10	0.05	1.3	0.25	0.018	1.21	14.2	7.6	1.54	135	0.54	0.01	3.7	5.3
K298779		1.03	7.26	<0.05	1.5	0.17	0.021	1.72	17.0	13.5	2.15	149	0.47	0.02	4.8	8.7
K298780		0.47	3.01	0.09	0.6	0.13	0.009	0.71	9.9	4.1	1.00	118	0.46	0.01	2.3	1.2
K298781		0.47	2.70	0.07	0.6	0.12	0.009	0.65	9.6	3.9	1.04	114	0.47	0.01	2.1	0.3
K298782		0.66	5.16	0.09	1.1	0.15	0.016	1.20	14.9	9.6	1.17	116	0.72	0.01	3.6	5.8
K298783		0.94	6.69	0.08	1.6	0.14	0.021	1.64	16.9	14.9	2.00	140	0.49	0.02	4.7	7.7
K298784		0.62	4.50	0.06	0.8	0.08	0.010	1.02	11.9	10.4	1.65	120	0.52	0.02	3.1	6.3
K298785		1.27	8.36	0.10	1.6	0.18	0.024	1.86	21.1	23.9	3.03	159	1.05	0.03	5.8	15.9
K298786		6.94	21.2	0.24	4.4	8.82	0.047	1.37	57.6	18.9	0.13	37	6.12	0.39	10.1	16.0
K298787		0.58	3.62	0.07	0.7	0.08	0.011	0.78	10.0	7.3	2.33	152	0.35	0.02	2.6	4.0
K298788		0.58	5.42	0.08	1.0	0.06	0.014	1.21	12.6	11.0	2.11	140	0.50	0.02	3.7	7.5
K298789		1.31	9.45	0.09	1.6	0.10	0.025	2.08	21.4	23.1	3.39	195	0.85	0.03	6.3	16.5
K298790		1.14	7.80	0.08	1.4	0.05	0.021	1.70	18.0	16.9	2.69	208	0.33	0.03	5.3	13.0
K298791		0.48	0.44	0.21	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.80	209	0.24	<0.01	0.4	1.8
K298792		1.91	11.55	0.11	2.2	0.06	0.030	2.47	25.4	31.6	4.05	272	0.35	0.04	7.6	18.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141972

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298757		450	4.3	17.3	<0.002	0.13	1.53	1.8	1	0.4	184.5	0.12	<0.05	2.1	0.043	13.95
K298758		140	8.2	10.7	<0.002	0.15	0.69	1.2	1	0.4	112.5	0.08	<0.05	1.3	0.027	5.66
K298759		140	18.5	9.4	<0.002	2.25	5.03	1.2	2	0.4	110.0	0.07	<0.05	1.1	0.024	35.1
K298760		200	9.9	16.0	<0.002	0.59	0.81	1.8	2	1.8	148.5	0.12	<0.05	2.0	0.043	5.09
K298761		460	16.9	36.4	0.002	0.94	1.01	3.9	3	1.0	86.9	0.30	<0.05	4.8	0.100	7.18
K298762		260	9.7	14.1	<0.002	0.24	0.72	1.6	2	0.4	104.5	0.10	<0.05	1.6	0.033	5.40
K298763		210	8.5	11.4	0.002	0.44	2.19	1.6	2	0.5	95.1	0.08	<0.05	1.4	0.028	19.75
K298764		330	8.7	32.5	0.002	0.70	2.00	3.0	2	0.8	77.8	0.22	<0.05	3.6	0.078	17.70
K298765		360	11.0	0.8	<0.002	0.58	0.20	0.2	1	0.2	56.9	<0.05	<0.05	<0.2	<0.005	0.88
K298766		370	6.8	18.6	<0.002	0.78	0.88	1.8	1	0.6	85.0	0.13	<0.05	2.3	0.046	9.94
K298767		290	6.6	27.4	0.002	0.69	0.71	2.5	2	0.7	73.7	0.20	<0.05	3.1	0.065	7.66
K298768		280	10.6	32.4	0.002	0.82	4.99	3.0	2	1.1	119.5	0.23	<0.05	3.5	0.077	23.6
K298769		200	8.4	27.4	<0.002	0.77	1.05	2.6	2	0.6	143.5	0.17	<0.05	2.9	0.062	7.68
K298770		570	10.6	66.4	<0.002	0.86	1.18	6.3	2	4.3	407	0.45	<0.05	7.3	0.158	6.36
K298771		660	10.3	63.4	<0.002	0.74	1.23	6.2	2	1.3	163.5	0.45	<0.05	7.6	0.158	4.23
K298772		370	6.6	38.7	<0.002	0.45	1.11	3.6	2	0.9	215	0.28	<0.05	4.6	0.097	7.51
K298773		430	5.9	48.6	0.002	0.51	4.29	4.4	2	1.1	137.0	0.35	<0.05	5.5	0.117	8.44
K298774		450	6.9	55.4	0.002	0.38	0.29	4.6	1	1.4	126.5	0.41	<0.05	6.3	0.137	4.37
K298775		180	1.2	1.4	<0.002	0.01	<0.05	0.3	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.05
K298776		170	4.9	21.9	<0.002	0.20	0.17	1.8	1	0.5	879	0.13	<0.05	2.1	0.047	0.48
K298777		970	18.3	48.3	0.003	3.22	125.5	15.9	2	3.1	534	0.83	0.13	9.9	0.581	8.44
K298778		370	6.7	40.3	<0.002	0.37	0.28	3.5	2	0.7	647	0.28	<0.05	4.4	0.097	0.52
K298779		380	6.5	59.8	<0.002	0.34	0.20	4.8	2	0.9	488	0.37	<0.05	5.8	0.128	0.47
K298780		250	5.7	26.5	<0.002	0.18	0.19	2.2	2	0.4	1055	0.16	<0.05	2.5	0.056	0.36
K298781		230	5.1	24.4	<0.002	0.16	0.16	2.0	1	0.4	1045	0.14	<0.05	2.2	0.050	0.31
K298782		300	7.7	47.7	<0.002	0.28	0.25	3.5	2	0.7	1085	0.27	<0.05	4.4	0.092	0.48
K298783		380	6.8	55.4	<0.002	0.37	0.22	4.4	2	0.9	759	0.35	<0.05	5.8	0.123	0.46
K298784		240	5.9	34.3	<0.002	0.24	0.16	3.1	2	0.6	726	0.21	<0.05	4.0	0.079	0.31
K298785		540	12.8	63.7	<0.002	0.75	0.33	5.5	3	1.1	510	0.40	<0.05	7.5	0.149	1.05
K298786		930	18.5	46.1	0.003	3.10	107.5	16.7	2	2.9	489	0.77	0.13	8.9	0.556	8.68
K298787		200	6.2	25.7	<0.002	0.13	0.22	2.4	2	0.5	1140	0.16	<0.05	3.2	0.064	1.01
K298788		300	8.5	40.1	<0.002	0.22	0.21	3.6	2	0.7	679	0.25	<0.05	4.7	0.096	0.83
K298789		450	10.4	72.8	0.002	0.47	0.35	6.2	3	1.2	562	0.44	<0.05	7.9	0.164	0.60
K298790		350	7.0	61.0	<0.002	0.15	0.27	5.1	2	1.0	438	0.37	<0.05	6.4	0.135	0.46
K298791		200	1.3	1.7	<0.002	0.01	0.13	0.3	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	<0.02
K298792		490	9.1	90.6	<0.002	0.49	0.30	7.5	2	1.6	337	0.56	<0.05	9.5	0.206	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141972

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298757		6.6	15	1.1	5.7	34	25.9
K298758		10.9	13	1.0	3.2	24	13.6
K298759		14.1	12	1.1	3.4	53	11.4
K298760		11.6	18	1.5	5.1	14	25.3
K298761		11.2	35	2.1	9.7	170	51.8
K298762		8.3	21	1.1	4.8	41	15.3
K298763		11.8	21	1.0	4.2	59	13.5
K298764		14.0	34	2.0	7.7	60	40.0
K298765		0.8	1	0.1	1.4	5	1.4
K298766		11.2	23	1.0	7.5	26	30.3
K298767		17.1	32	1.5	6.7	1570	34.7
K298768		14.5	31	2.4	7.2	15	41.5
K298769		12.5	23	1.7	6.1	11	29.7
K298770		14.1	59	3.7	12.6	19	73.2
K298771		13.7	61	2.8	12.1	9	67.4
K298772		12.3	37	1.3	9.6	9	67.3
K298773		12.3	41	2.1	10.3	9	62.1
K298774		30.4	51	2.2	8.5	51	48.8
K298775		0.7	2	0.1	0.9	19	0.5
K298776		19.2	17	0.6	5.3	324	18.7
K298777		7.9	180	25.8	15.7	47	182.5
K298778		14.2	35	1.1	8.7	15	42.2
K298779		9.0	45	0.8	9.8	13	48.6
K298780		16.7	25	0.4	5.9	30	21.8
K298781		14.9	23	0.3	5.5	35	18.7
K298782		14.5	35	0.5	8.2	33	36.9
K298783		11.2	44	0.6	10.1	19	52.7
K298784		13.3	29	0.4	7.0	22	29.5
K298785		10.1	52	0.8	12.9	72	57.7
K298786		7.8	175	24.1	15.5	47	172.0
K298787		11.2	22	0.5	5.9	31	25.3
K298788		11.2	33	0.5	7.9	48	37.3
K298789		11.5	55	0.8	12.7	64	57.3
K298790		7.7	44	0.9	11.0	37	48.4
K298791		0.6	2	0.1	0.9	18	<0.5
K298792		5.6	58	2.0	15.6	43	74.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141972

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

CERTIFICATE WH11168721

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 69- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11168721

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K298757		0.26
K298758		0.08
K298759		0.62
K298760		0.12
K298761		0.30
K298762		0.50
K298763		1.16
K298764		0.96
K298765		0.02
K298766		0.65
K298767		0.88
K298768		2.46
K298769		0.11
K298770		0.04
K298771		0.12
K298772		0.25
K298773		0.72
K298774		0.30
K298775		<0.01
K298776		0.01
K298777		0.35
K298778		0.06
K298779		0.01
K298780		<0.01
K298781		0.01
K298782		<0.01
K298783		<0.01
K298784		0.01
K298785		<0.01
K298786		0.35
K298787		0.02
K298788		<0.01
K298789		<0.01
K298790		0.01
K298791		<0.01
K298792		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11141072

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 70- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141072

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K297974		8.11	<0.01	0.01	6.80	33.8	270	1.78	0.32	1.34	0.04	77.9	12.3	58	20.9	26.8
K297975		8.59	<0.01	0.06	6.58	55.9	280	1.90	0.31	2.37	0.06	83.1	13.3	58	20.9	29.0
K297976		5.28	<0.01	0.05	5.80	63.9	320	1.62	0.28	4.49	0.09	76.9	12.3	50	19.35	27.5
K297977		6.53	<0.01	0.02	1.97	69	160	0.42	0.08	27.8	0.52	27.4	6.9	17	7.73	20.3
K297978		4.92	<0.01	0.01	0.06	<5	20	0.07	0.02	20.6	0.06	1.41	1.3	<1	0.23	1.7
K297979		5.60	<0.01	0.01	1.28	90	100	0.26	0.06	29.8	0.08	24.1	4.2	9	4.66	12.2
K297980		1.33	<0.01	<0.01	6.78	100	180	0.47	0.03	10.35	0.24	118.0	18.5	6	18.60	7.7
K297981		3.94	<0.01	<0.01	0.85	111	100	0.24	0.04	32.0	0.04	17.55	2.9	5	2.73	6.2
K297982		4.71	<0.01	<0.01	0.37	108	70	0.10	0.02	33.4	0.15	14.00	1.5	<1	0.93	2.2
K297983		4.18	<0.01	<0.01	7.36	112.0	260	0.81	0.03	6.58	0.15	154.5	30.4	4	35.6	12.3
K297984		8.85	<0.01	<0.01	7.75	130.0	520	0.77	0.03	6.00	0.18	160.5	28.3	6	38.9	8.1
K297985		6.11	<0.01	<0.01	8.10	115.0	240	0.68	0.03	5.95	0.16	154.5	34.7	5	31.7	10.3
K297986		1.93	<0.01	<0.01	0.32	363	110	0.10	0.02	34.3	0.04	9.36	1.5	<1	0.81	2.5
K297987		8.05	<0.01	0.01	1.50	82	140	0.38	0.07	29.7	0.05	23.8	4.9	10	5.51	10.3
K297988		7.72	<0.01	0.02	2.43	243	150	0.50	0.11	26.2	0.10	32.9	7.3	19	7.28	18.3
K297989		8.01	<0.01	0.03	5.58	166	270	1.04	0.28	12.85	0.15	67.3	18.3	50	18.35	46.8
K297990		4.37	<0.01	0.01	1.95	52	140	0.55	0.10	29.7	0.06	30.9	6.4	15	6.99	15.5
K297991		3.37	<0.01	0.03	7.04	140.0	370	1.52	0.36	7.63	0.12	81.9	25.9	58	32.2	60.5
K297992		4.92	<0.01	<0.01	0.09	<5	20	0.07	0.02	20.6	0.07	1.61	1.4	<1	0.33	1.5
K297993		4.93	<0.01	0.04	6.69	142.5	560	1.45	0.34	8.37	0.14	79.9	24.4	55	28.3	57.3
K297994		3.30	<0.01	0.01	1.37	49	150	0.33	0.06	31.3	0.04	22.9	4.1	10	5.51	9.4
K297995		7.56	<0.01	0.01	0.79	35	130	0.24	0.03	33.0	0.06	13.60	2.5	5	2.59	6.2
K297996		4.73	<0.01	0.03	5.66	176	290	1.24	0.27	11.05	0.11	70.4	20.0	50	16.90	47.1
K297997		5.21	<0.01	0.03	5.22	267	250	1.14	0.26	11.60	0.11	68.6	18.5	45	17.70	42.8
K297998		4.25	0.01	0.02	5.70	147	300	1.37	0.29	10.60	0.09	71.6	20.4	50	21.9	49.3
K297999		0.24	0.32	0.29	6.36	628	2420	0.64	0.28	0.48	0.20	148.0	3.3	251	4.03	29.6
K298000		1.57	<0.01	0.02	2.58	107	180	0.67	0.12	25.8	0.12	36.1	8.1	21	9.85	19.1
K299501		7.35	<0.01	0.01	1.81	51	160	0.42	0.08	29.1	0.30	26.2	5.4	14	6.57	12.7
K299502		7.52	<0.01	0.01	1.42	48	110	0.39	0.06	31.4	0.07	24.9	4.6	10	4.67	10.4
K299503		3.44	<0.01	0.02	1.76	55	120	0.48	0.08	30.1	0.05	24.6	5.5	12	5.71	12.7
K299504		7.43	<0.01	<0.01	0.61	27	110	0.23	0.03	35.0	0.14	11.15	2.2	4	2.14	4.6
K299505		7.76	<0.01	0.01	0.58	29	90	0.24	0.03	33.5	0.07	13.55	2.0	2	1.93	4.0
K299506		0.24	0.33	0.29	6.30	614	1570	0.68	0.29	0.49	0.19	141.0	3.2	245	3.79	30.7
K299507		8.12	0.01	0.02	0.76	23	110	0.32	0.04	34.1	0.02	13.25	2.7	8	3.95	10.5
K299508		7.50	<0.01	0.04	3.20	76	200	0.84	0.16	23.5	0.07	40.4	9.4	27	12.70	34.2
K299509		7.38	<0.01	0.02	1.16	49	140	0.41	0.06	31.9	0.08	21.3	3.7	11	3.97	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141072

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K297974		3.72	19.60	0.18	3.0	0.91	0.057	2.95	40.1	71.6	0.72	365	0.39	0.04	10.7	31.9
K297975		3.65	19.35	0.21	2.9	0.89	0.059	3.10	40.6	26.2	0.97	533	0.42	0.04	11.5	34.0
K297976		3.50	16.45	0.19	2.9	0.81	0.053	2.75	37.8	22.6	1.26	493	0.43	0.04	9.9	27.8
K297977		1.49	5.37	0.09	0.9	0.36	0.021	0.90	13.8	5.2	1.01	394	0.63	0.01	3.0	9.7
K297978		0.47	0.27	0.07	<0.1	<0.1	<0.005	0.03	0.6	1.0	12.95	204	0.05	<0.01	0.3	0.6
K297979		1.20	3.53	0.08	0.6	0.13	0.016	0.59	10.6	4.2	1.16	504	0.53	0.01	2.2	4.1
K297980		1.34	10.60	0.20	2.7	0.5	0.075	1.74	53.3	90.7	1.39	546	1.91	0.02	50.7	3.1
K297981		0.89	2.46	0.06	0.4	0.31	0.012	0.37	8.4	2.7	0.96	421	0.30	0.01	1.5	1.9
K297982		1.01	1.00	0.06	0.2	0.05	0.007	0.16	6.3	1.8	1.21	495	0.21	0.01	0.8	<0.2
K297983		7.00	20.0	0.28	3.4	0.78	0.086	1.04	75.2	127.0	1.89	1460	1.92	1.97	59.8	8.2
K297984		5.11	19.75	0.26	4.0	0.20	0.093	1.84	77.4	132.5	1.59	1000	2.08	1.32	66.3	7.8
K297985		6.62	21.2	0.28	3.8	1.19	0.098	1.76	72.7	126.5	1.64	864	2.21	0.82	67.1	8.8
K297986		0.44	0.82	0.05	0.1	0.02	0.005	0.13	4.3	1.7	0.39	227	0.13	0.01	0.8	<0.2
K297987		1.09	4.01	0.07	0.7	0.52	0.018	0.70	11.8	4.7	0.69	350	1.05	0.01	2.3	5.9
K297988		1.56	6.29	0.09	1.1	1.58	0.029	1.12	17.4	6.4	0.80	341	1.36	0.02	3.5	10.9
K297989		3.38	15.65	0.18	2.6	2.65	0.069	2.62	38.9	14.7	2.00	479	2.11	0.03	8.2	31.8
K297990		1.50	5.03	0.09	0.9	0.25	0.021	0.90	17.5	5.9	1.30	604	0.65	0.02	2.8	8.4
K297991		4.11	19.60	0.21	3.1	0.92	0.080	3.29	46.9	24.4	1.72	462	3.24	0.04	10.3	42.2
K297992		0.47	0.35	0.09	<0.1	<0.01	0.006	0.04	0.7	1.2	12.95	200	0.12	0.01	0.4	0.9
K297993		3.88	19.80	0.20	3.1	1.35	0.079	3.14	44.5	24.5	1.68	425	3.16	0.04	9.7	39.6
K297994		0.88	3.45	0.07	0.7	0.42	0.016	0.63	11.5	4.6	0.61	238	0.82	0.02	2.1	4.6
K297995		0.55	1.96	0.07	0.4	0.36	0.012	0.36	6.5	2.9	0.50	184	0.60	0.01	1.3	1.7
K297996		3.56	15.60	0.18	2.6	3.03	0.063	2.65	40.0	18.1	2.02	440	2.36	0.03	7.9	32.4
K297997		3.29	14.70	0.18	2.4	4.13	0.059	2.43	39.5	16.2	2.09	433	2.70	0.03	7.3	29.8
K297998		3.61	16.30	0.18	2.6	2.32	0.067	2.67	41.3	18.7	1.92	443	2.29	0.03	8.1	34.3
K297999		6.85	21.8	0.26	4.5	9.5	0.055	1.38	70.6	20.4	0.13	37	6.47	0.39	10.0	18.1
K298000		1.69	6.41	0.10	1.2	2.23	0.033	1.18	20.8	7.5	1.30	612	0.87	0.02	3.6	12.3
K299501		1.24	4.38	0.08	0.8	0.74	0.024	0.84	14.5	5.8	0.92	391	0.52	0.02	2.5	6.8
K299502		0.96	3.52	0.08	0.7	0.68	0.020	0.66	13.4	4.3	0.70	311	0.43	0.01	2.1	4.6
K299503		1.14	4.44	0.09	0.8	0.76	0.024	0.81	13.3	5.4	0.84	333	0.63	0.01	2.5	6.1
K299504		0.49	1.50	0.06	0.3	0.4	0.007	0.28	5.7	2.5	0.46	558	0.64	0.01	1.1	0.3
K299505		0.44	1.41	0.06	0.3	0.34	0.007	0.26	6.5	2.8	0.51	211	0.14	0.01	0.9	<0.2
K299506		6.66	21.3	0.24	4.3	9.3	0.054	1.37	66.6	21.6	0.13	35	5.95	0.39	9.5	17.6
K299507		0.70	1.59	0.05	0.3	0.16	0.009	0.33	7.3	3.1	0.70	377	0.36	0.02	1.1	2.7
K299508		2.12	6.91	0.10	1.4	1.85	0.032	1.42	24.9	8.8	1.50	782	1.32	0.02	4.6	14.8
K299509		0.96	2.40	0.07	0.5	0.54	0.012	0.52	12.3	3.5	0.65	330	0.33	0.01	1.7	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141072

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K297974		290	22.9	154.0	<0.002	3.23	0.48	13.3	1	2.5	93.6	0.88	<0.05	16.1	0.325	6.33
K297975		400	29.4	159.5	0.002	3.07	0.89	13.0	2	2.6	127.0	0.93	<0.05	15.7	0.330	9.76
K297976		580	30.0	135.0	0.002	2.74	0.69	11.5	2	2.1	207	0.80	<0.05	14.1	0.315	8.12
K297977		380	9.0	42.5	0.003	1.08	1.20	5.4	2	0.7	1610	0.23	<0.05	3.5	0.121	3.38
K297978		170	1.4	1.6	<0.002	0.01	0.05	0.3	1	<0.2	42.3	<0.05	<0.05	<0.2	<0.005	0.02
K297979		520	3.4	29.0	0.004	0.51	0.48	4.2	2	0.5	1785	0.16	<0.05	2.4	0.076	0.58
K297980		5180	6.8	97.9	0.003	0.57	0.72	15.7	2	1.3	564	3.37	<0.05	6.5	1.550	2.06
K297981		200	4.9	17.7	0.002	0.33	0.44	2.4	2	0.3	1525	0.10	<0.05	1.6	0.051	0.95
K297982		310	11.3	9.0	<0.002	0.11	0.16	1.5	2	<0.2	1300	0.05	<0.05	0.7	0.019	0.15
K297983		5280	5.0	61.9	0.003	2.53	0.50	16.6	2	1.5	409	3.94	<0.05	7.1	1.630	2.20
K297984		5210	4.5	121.0	0.003	1.37	0.43	18.2	2	1.6	469	4.36	<0.05	7.8	1.645	1.88
K297985		5910	4.7	72.3	0.003	4.97	0.37	16.6	2	1.6	398	4.41	<0.05	6.8	1.790	4.70
K297986		230	1.7	6.2	<0.002	0.27	0.25	1.1	2	<0.2	1760	<0.05	<0.05	0.6	0.023	0.13
K297987		460	7.3	31.8	0.004	0.79	0.66	4.1	2	0.5	1660	0.17	<0.05	2.5	0.078	1.21
K297988		240	11.9	52.2	0.004	1.48	1.61	6.6	2	0.8	1375	0.27	<0.05	4.0	0.127	3.19
K297989		250	19.6	122.0	0.007	3.14	2.19	15.8	2	2.0	788	0.67	0.08	10.0	0.305	6.88
K297990		290	8.3	41.2	0.003	1.19	0.72	5.2	2	0.7	1485	0.22	0.05	3.4	0.100	2.18
K297991		310	26.8	147.0	0.010	4.01	2.10	18.1	3	2.4	554	0.87	0.11	12.4	0.396	7.46
K297992		160	1.3	2.2	<0.002	0.02	0.05	0.4	1	<0.2	44.7	<0.05	<0.05	0.2	0.005	0.03
K297993		270	25.5	144.0	0.010	3.79	2.07	17.2	2	2.3	614	0.82	0.09	12.3	0.370	6.35
K297994		450	4.7	28.9	0.004	0.76	0.58	4.3	2	0.5	1520	0.15	<0.05	2.3	0.071	0.91
K297995		470	3.2	16.7	0.003	0.48	0.40	2.2	2	0.3	1630	0.09	<0.05	1.3	0.040	0.55
K297996		230	19.6	122.0	0.007	3.35	1.65	16.3	2	1.9	674	0.67	0.08	10.0	0.311	4.19
K297997		240	18.6	111.5	0.007	2.96	2.35	14.7	2	1.9	558	0.63	0.07	9.5	0.281	4.68
K297998		260	20.2	125.5	0.008	3.40	0.97	16.6	2	2.0	670	0.67	0.08	10.2	0.314	5.89
K297999		940	20.7	53.5	0.003	3.18	121.0	17.7	2	3.2	519	0.86	0.13	10.7	0.563	8.56
K298000		230	8.8	54.6	0.003	1.53	1.34	6.6	2	0.9	1275	0.29	0.05	4.2	0.137	3.63
K299501		180	6.9	36.8	0.003	1.07	0.56	4.5	2	0.6	1360	0.20	<0.05	2.9	0.095	2.11
K299502		150	5.8	30.3	0.002	0.88	0.50	3.8	2	0.5	1255	0.16	<0.05	2.4	0.072	2.09
K299503		150	7.1	38.3	0.004	1.07	0.58	4.6	2	0.7	1200	0.20	<0.05	2.9	0.088	2.78
K299504		580	3.8	13.3	<0.002	0.40	0.33	1.8	2	0.3	1650	0.07	<0.05	1.1	0.032	0.98
K299505		880	3.8	12.4	<0.002	0.31	0.33	2.0	2	0.3	1810	0.06	<0.05	1.0	0.029	0.84
K299506		920	19.7	51.0	0.004	3.11	116.0	18.3	2	3.1	518	0.83	0.12	10.6	0.563	8.59
K299507		740	4.8	13.6	<0.002	0.45	0.23	2.0	2	0.2	1495	0.07	<0.05	1.3	0.038	1.28
K299508		210	10.0	63.2	0.003	2.05	0.67	7.4	2	1.0	1050	0.30	0.05	5.0	0.163	7.75
K299509		150	3.6	21.5	<0.002	0.81	0.20	3.3	2	0.4	1450	0.11	<0.05	1.9	0.059	3.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141072

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K297974		3.0	92	1.7	19.0	66	102.0
K297975		3.1	84	1.9	21.2	94	103.5
K297976		3.0	78	1.8	22.2	86	101.0
K297977		2.6	34	0.6	19.0	83	34.3
K297978		0.5	2	0.1	0.9	14	0.5
K297979		2.3	21	0.3	18.4	11	23.4
K297980		1.7	203	2.1	33.2	71	136.5
K297981		2.3	15	0.4	13.3	7	15.0
K297982		1.9	6	0.1	13.1	32	6.7
K297983		1.6	215	1.6	37.5	90	141.0
K297984		1.9	207	1.9	37.8	101	158.5
K297985		1.7	234	2.0	37.8	109	159.5
K297986		1.6	6	0.1	9.6	6	6.0
K297987		2.6	24	0.5	14.4	16	25.4
K297988		3.0	37	1.1	18.2	27	39.9
K297989		3.6	92	1.8	27.4	64	84.0
K297990		2.1	28	0.5	22.0	17	31.9
K297991		4.2	116	1.6	28.3	62	101.0
K297992		0.6	3	0.1	0.9	16	0.5
K297993		4.1	110	2.0	25.5	67	95.5
K297994		2.7	21	1.0	13.3	8	24.1
K297995		2.4	12	0.6	9.1	7	14.2
K297996		3.5	93	2.6	26.8	67	83.1
K297997		3.7	85	1.3	28.8	66	75.7
K297998		3.8	94	1.2	28.3	55	81.9
K297999		8.5	173	26.2	16.8	42	156.5
K298000		1.9	37	0.7	21.9	72	40.2
K299501		2.0	27	0.4	17.6	169	27.6
K299502		1.9	20	0.4	17.1	20	22.4
K299503		2.2	25	0.5	18.7	9	27.8
K299504		1.4	10	0.3	9.8	16	12.0
K299505		2.4	8	0.3	17.1	9	10.6
K299506		8.6	170	25.0	16.4	41	152.5
K299507		1.7	11	0.3	10.6	6	13.2
K299508		2.4	48	1.2	21.5	34	50.1
K299509		1.9	18	0.5	16.7	41	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11141072

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

CERTIFICATE WH11142027

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 71- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142027

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299510		8.31	<0.01	0.05	1.73	40	200	0.51	0.11	28.6	0.07	28.4	4.7	12	7.96	17.0
K299511		8.03	<0.01	0.03	2.44	29	180	0.68	0.12	24.8	0.05	35.8	7.0	19	11.65	21.3
K299512		0.24	2.55	1.00	3.21	605	890	0.75	0.31	8.20	2.21	52.7	6.2	50	4.00	43.1
K299513		8.00	0.01	0.06	2.62	28	200	0.66	0.14	23.9	0.05	34.8	7.0	20	9.74	21.2
K299514		7.70	<0.01	0.08	4.54	25	330	1.13	0.22	18.95	0.10	51.2	13.5	35	26.1	37.8
K299515		8.08	0.01	0.06	4.63	46	230	1.17	0.23	17.80	0.07	50.4	13.6	36	27.3	40.1
K299516		7.52	<0.01	0.02	0.78	22	100	0.23	0.04	34.7	0.04	11.85	3.0	4	3.57	7.8
K299517		3.50	<0.01	0.02	0.69	16	100	0.23	0.03	34.2	0.04	10.95	2.9	4	3.34	7.6
K299518		7.68	<0.01	0.01	0.49	42	140	0.20	0.03	34.8	<0.02	8.45	2.6	2	2.02	6.2
K299519		2.81	0.05	0.05	1.06	233	120	0.25	0.05	33.5	0.06	15.40	4.0	6	4.80	10.1
K299520		2.47	2.74	0.43	1.32	>10000	70	0.21	0.06	26.4	0.11	15.35	4.5	10	4.14	12.0
K299521		2.31	0.01	0.02	2.73	126	220	0.68	0.14	24.7	0.05	35.2	9.6	20	12.25	22.9
K299522		7.63	<0.01	0.02	2.44	123	620	0.60	0.12	26.7	0.04	29.7	7.9	22	11.50	20.5
K299523		4.91	<0.01	0.01	0.05	7	20	0.06	0.02	21.2	0.06	1.24	1.3	<1	0.23	1.8
K299524		7.76	<0.01	0.02	2.69	43	120	0.70	0.12	26.7	0.06	30.8	10.2	17	13.90	20.8
K299525		7.47	<0.01	0.03	2.96	77	120	0.66	0.13	24.9	0.05	32.3	10.5	19	10.25	22.4
K299526		7.65	<0.01	0.04	3.81	123	180	0.88	0.17	23.1	0.07	39.9	12.1	27	14.10	27.3
K299527		7.80	<0.01	0.02	2.16	137	130	0.58	0.10	30.4	0.09	26.4	8.3	14	7.75	17.0
K299528		7.75	<0.01	0.04	3.08	86	150	0.71	0.14	26.3	0.07	33.6	10.2	21	11.40	22.0
K299529		7.68	0.02	0.04	4.96	259	190	1.13	0.21	19.50	0.06	53.6	16.9	35	20.9	35.4
K299530		0.24	0.33	0.34	6.37	620	370	0.57	0.28	0.51	0.19	133.0	2.9	237	3.72	31.1
K299531		7.77	<0.01	0.03	3.50	15	140	0.77	0.16	24.3	0.05	39.1	12.7	24	14.95	26.0
K299532		8.40	<0.01	0.09	2.26	8	130	0.55	0.11	27.8	0.05	28.5	8.4	15	10.25	18.4
K299533		7.19	<0.01	0.05	2.77	9	500	0.59	0.12	23.5	0.07	32.9	11.1	21	15.60	22.8
K299534		8.17	<0.01	0.03	1.75	14	150	0.40	0.08	28.9	0.04	23.7	5.6	12	7.72	13.1
K299535		7.18	<0.01	0.01	1.37	11	220	0.35	0.07	29.6	0.03	18.30	4.8	9	6.73	11.6
K299536		7.00	<0.01	0.01	0.93	14	2350	0.28	0.05	32.0	0.02	13.40	3.6	6	4.23	8.8
K299537		7.86	<0.01	0.02	0.92	14	170	0.30	0.04	34.1	0.02	13.50	3.3	5	3.38	8.5
K299538		8.00	<0.01	0.01	0.36	17	860	0.17	0.02	34.8	0.03	6.53	1.9	1	0.86	4.3
K299539		4.93	<0.01	<0.01	0.05	<5	10	0.07	0.02	20.4	0.06	1.11	1.2	<1	0.15	1.7
K299540		7.89	<0.01	0.01	0.56	18	670	0.17	0.03	33.5	<0.02	8.88	2.4	3	1.84	5.5
K299541		7.40	0.09	0.03	1.44	82	150	0.35	0.07	31.0	0.06	18.50	4.5	11	4.37	12.3
K299542		8.11	0.01	0.02	0.57	24	180	0.19	0.03	34.8	0.02	11.05	2.3	3	1.77	5.6
K299543		7.16	<0.01	0.02	0.63	23	220	0.20	0.03	35.0	0.11	10.70	2.6	4	1.96	7.0
K299544		7.74	<0.01	0.01	0.40	20	670	0.20	0.02	34.8	0.02	8.29	2.0	2	1.19	4.7
K299545		7.55	<0.01	0.02	0.48	34	150	0.18	0.02	35.3	0.04	9.29	2.2	2	1.92	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142027

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299510		1.20	4.36	0.09	0.8	0.42	0.018	0.81	15.3	7.0	0.93	297	0.44	<0.01	2.3	8.3
K299511		1.87	6.46	0.13	1.1	0.33	0.024	1.11	20.3	8.6	1.38	433	0.86	<0.01	3.3	13.1
K299512		2.13	7.78	0.14	1.7	4.32	0.023	1.03	33.3	41.1	2.62	276	18.75	0.02	6.7	52.3
K299513		1.70	6.47	0.13	1.2	0.24	0.024	1.21	19.3	7.9	1.21	375	1.28	<0.01	3.4	12.9
K299514		2.69	12.15	0.13	1.8	0.25	0.046	2.03	29.3	15.5	1.45	376	2.02	0.03	6.5	23.6
K299515		2.81	12.35	0.11	1.9	0.42	0.044	2.05	28.5	18.0	1.36	420	2.36	0.03	6.7	23.7
K299516		0.56	2.10	0.05	0.1	0.13	0.009	0.35	6.1	3.4	0.45	209	0.48	0.01	1.2	4.9
K299517		0.49	1.91	0.05	0.1	0.11	0.007	0.31	5.6	3.2	0.42	200	0.45	0.01	1.1	5.1
K299518		0.47	1.37	0.05	<0.1	0.66	0.005	0.20	4.2	1.8	0.60	262	0.17	0.01	0.8	4.4
K299519		0.61	2.80	0.06	0.3	1.55	0.012	0.47	8.1	3.7	0.33	505	0.16	0.01	1.5	6.3
K299520		0.87	3.73	0.07	0.4	4.62	0.079	0.53	8.7	5.3	0.17	4170	0.19	0.01	1.9	7.5
K299521		1.85	7.44	0.08	1.2	1.89	0.034	1.24	20.0	5.0	1.73	592	0.46	<0.01	4.2	12.3
K299522		1.53	6.52	0.08	1.0	1.63	0.028	1.15	16.2	5.2	1.04	348	0.65	<0.01	3.9	11.3
K299523		0.46	0.25	0.05	<0.1	0.01	<0.005	0.02	0.6	0.9	12.60	212	0.10	<0.01	0.2	3.0
K299524		1.88	6.89	0.08	0.9	0.88	0.029	1.24	17.0	6.2	1.60	522	0.49	0.02	3.8	14.7
K299525		1.98	7.46	0.08	1.0	1.43	0.032	1.32	18.4	7.0	1.49	527	0.53	0.02	4.2	15.6
K299526		2.31	9.31	0.09	1.4	2.23	0.039	1.71	22.3	9.6	1.11	456	0.92	0.02	5.5	18.5
K299527		1.39	5.32	0.07	0.7	1.43	0.023	0.97	14.6	5.0	0.70	444	0.38	0.02	3.1	11.8
K299528		1.92	7.30	0.07	1.1	1.80	0.031	1.40	18.7	6.9	1.21	460	0.73	0.02	4.4	15.2
K299529		2.87	12.45	0.11	2.0	1.62	0.051	2.28	30.3	12.9	1.29	637	0.53	0.03	7.1	22.9
K299530		6.81	19.95	0.18	3.7	9.5	0.049	1.39	64.1	19.6	0.13	37	6.45	0.40	9.8	16.3
K299531		2.15	8.82	0.08	1.2	0.17	0.040	1.58	23.7	8.4	0.98	707	0.36	0.03	5.0	16.6
K299532		1.53	5.67	0.08	0.7	0.16	0.022	1.04	16.3	5.8	0.81	388	0.69	0.02	3.3	12.9
K299533		1.83	6.64	0.08	1.2	0.11	0.030	1.29	17.2	8.3	0.96	519	0.84	0.02	4.2	15.8
K299534		1.10	4.13	0.05	0.7	0.14	0.019	0.82	13.7	5.8	0.69	240	0.79	0.02	2.7	8.9
K299535		0.90	3.39	0.05	0.4	0.26	0.013	0.65	10.0	5.4	0.73	233	0.39	0.02	2.0	8.3
K299536		0.62	2.29	0.05	0.2	1.00	0.012	0.43	7.3	4.0	0.43	190	0.17	0.02	1.4	6.5
K299537		0.65	2.14	<0.05	0.2	0.51	0.012	0.42	7.2	3.6	0.63	194	0.13	0.01	1.4	6.4
K299538		0.32	0.92	0.05	<0.1	0.62	<0.005	0.14	3.2	1.2	0.66	150	0.13	0.01	0.6	3.7
K299539		0.45	0.25	0.07	<0.1	<0.01	<0.005	0.02	0.5	0.8	12.05	200	<0.05	<0.01	0.2	2.8
K299540		0.40	1.36	0.05	<0.1	0.46	0.007	0.25	4.6	2.2	0.45	154	0.17	0.01	0.8	4.4
K299541		0.94	3.36	0.05	0.4	1.54	0.015	0.66	9.9	4.2	0.60	406	0.93	0.02	2.0	8.5
K299542		0.41	1.46	0.05	0.1	0.48	0.007	0.25	5.6	2.6	0.38	269	0.28	0.01	0.9	4.2
K299543		0.52	1.52	0.06	<0.1	0.24	0.008	0.28	5.6	2.5	0.52	194	0.33	0.01	1.0	4.8
K299544		0.37	1.01	0.05	<0.1	0.45	<0.005	0.17	4.1	1.9	0.65	204	0.17	0.01	0.7	3.6
K299545		0.43	1.20	<0.05	<0.1	0.68	0.005	0.20	4.7	2.0	0.63	199	0.26	0.01	0.8	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142027

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299510		160	5.3	35.4	0.003	1.17	0.65	4.5	1	0.6	1175	0.16	<0.05	3.1	0.090	3.90
K299511		220	7.2	50.2	<0.002	1.64	0.31	5.9	1	0.9	1255	0.22	0.06	4.2	0.129	4.45
K299512		950	36.4	51.0	0.023	1.62	104.5	4.9	3	2.6	75.5	0.41	0.26	7.1	0.177	4.37
K299513		200	8.1	51.8	0.003	1.64	0.42	5.9	1	0.9	1205	0.25	<0.05	4.7	0.139	3.94
K299514		250	13.7	84.7	0.006	2.64	0.47	10.4	2	1.4	1150	0.49	0.06	7.5	0.240	3.38
K299515		250	14.8	87.7	0.007	2.76	0.63	10.7	2	1.4	992	0.51	0.05	7.6	0.248	3.23
K299516		200	4.6	14.7	<0.002	0.53	0.26	2.0	2	0.2	1425	0.08	<0.05	1.3	0.039	0.86
K299517		220	4.1	13.4	<0.002	0.47	0.23	2.0	2	0.2	1420	0.07	<0.05	1.2	0.034	0.76
K299518		800	3.5	8.6	<0.002	0.36	0.41	1.6	2	0.2	1615	0.05	<0.05	0.9	0.024	1.79
K299519		120	6.1	20.4	<0.002	0.68	2.12	2.5	2	0.3	1535	0.11	<0.05	1.8	0.051	5.07
K299520		170	6.5	24.6	<0.002	5.51	167.0	5.1	4	0.4	668	0.13	0.06	2.0	0.065	19.10
K299521		340	9.3	60.3	0.002	1.30	0.75	7.6	1	0.9	693	0.27	0.05	4.8	0.139	4.79
K299522		230	8.3	53.4	0.003	1.21	0.52	6.2	2	0.8	1015	0.25	<0.05	4.2	0.134	3.38
K299523		170	1.2	1.2	<0.002	0.01	0.08	0.3	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.02
K299524		300	8.1	54.8	0.002	1.25	0.32	6.6	2	0.8	687	0.27	0.06	4.3	0.136	2.97
K299525		280	8.9	57.2	0.002	1.36	0.32	7.1	2	1.0	693	0.30	0.06	4.8	0.149	3.37
K299526		260	12.1	73.0	0.005	1.87	0.59	8.7	2	1.2	824	0.40	0.06	6.0	0.203	4.34
K299527		210	7.4	42.5	<0.002	1.04	0.37	5.0	2	0.7	1045	0.22	0.05	3.6	0.110	2.03
K299528		260	9.4	59.7	0.003	1.48	0.39	6.7	2	0.9	928	0.32	<0.05	4.8	0.162	3.20
K299529		300	13.6	97.8	<0.002	2.32	0.90	11.2	2	1.6	538	0.55	0.08	8.1	0.270	4.27
K299530		930	18.1	47.1	0.003	3.09	112.0	15.3	2	2.9	515	0.75	0.12	9.8	0.555	8.15
K299531		240	9.9	68.3	<0.002	1.41	0.36	8.2	2	1.1	733	0.36	0.08	5.7	0.179	2.18
K299532		190	7.1	45.5	0.002	1.10	0.20	5.4	2	0.7	1050	0.23	<0.05	3.8	0.117	2.39
K299533		170	8.8	56.0	0.003	1.36	0.31	6.4	2	0.8	993	0.31	<0.05	4.7	0.165	1.05
K299534		130	6.1	34.2	0.002	0.91	0.20	4.1	2	0.5	1420	0.20	<0.05	3.1	0.102	0.52
K299535		140	5.3	27.8	<0.002	0.81	0.20	3.3	2	0.4	1480	0.15	<0.05	2.3	0.072	0.24
K299536		160	3.9	18.0	<0.002	0.66	0.19	2.3	2	0.3	1650	0.10	<0.05	1.6	0.049	0.20
K299537		170	3.8	16.9	<0.002	0.61	0.21	2.3	2	0.3	1625	0.09	<0.05	1.5	0.047	0.22
K299538		760	2.3	5.8	<0.002	0.30	0.13	1.1	2	<0.2	1605	<0.05	<0.05	0.6	0.019	0.15
K299539		160	1.1	0.9	<0.002	0.01	<0.05	0.2	2	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	<0.02
K299540		430	3.2	9.7	<0.002	0.41	0.17	1.4	2	0.2	1450	0.05	<0.05	1.0	0.028	0.46
K299541		390	6.1	25.6	0.003	0.95	1.26	3.2	2	0.5	1510	0.14	<0.05	2.4	0.075	2.74
K299542		430	3.7	10.4	<0.002	0.38	0.32	1.7	2	0.2	1865	0.06	<0.05	1.1	0.029	0.70
K299543		240	9.0	11.0	<0.002	0.46	0.24	1.5	2	0.2	1540	0.06	<0.05	1.1	0.033	0.47
K299544		340	3.2	7.0	<0.002	0.31	0.16	1.2	2	<0.2	1615	<0.05	<0.05	0.8	0.021	0.23
K299545		380	3.4	8.2	<0.002	0.35	0.20	1.3	2	0.2	1550	0.05	<0.05	0.9	0.024	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142027

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K299510		2.6	25	0.5	19.3	34	26.3	
K299511		2.5	37	0.5	19.6	30	39.8	
K299512		9.3	234	30.0	20.7	215	64.9	
K299513		3.0	41	0.5	18.2	28	38.7	
K299514		2.8	72	0.9	22.2	74	67.5	
K299515		3.1	75	0.9	21.9	47	67.5	
K299516		2.0	12	0.2	7.6	11	12.1	
K299517		2.0	10	0.2	7.6	15	11.8	
K299518		2.0	7	0.3	7.6	4	9.2	
K299519		2.3	13	0.7	9.3	19	15.4	
K299520		2.1	17	1.3	16.1	14	19.7	8.66
K299521		2.2	39	0.9	14.4	35	46.9	
K299522		2.0	38	0.6	11.4	29	41.4	
K299523		0.7	2	0.1	0.8	21	<0.5	
K299524		1.9	40	0.6	14.5	33	38.6	
K299525		1.9	45	0.7	14.6	40	40.1	
K299526		2.2	59	1.4	15.9	50	52.8	
K299527		2.3	31	1.7	13.4	68	30.1	
K299528		2.0	46	1.1	13.6	51	42.9	
K299529		2.4	76	2.1	19.6	60	70.3	
K299530		7.2	172	22.4	15.5	49	145.5	
K299531		2.3	52	0.6	17.6	43	49.0	
K299532		2.1	34	0.4	13.4	37	32.6	
K299533		2.4	47	0.5	14.6	39	46.9	
K299534		2.1	25	0.3	13.8	20	31.4	
K299535		1.9	19	0.3	11.5	19	21.2	
K299536		1.7	13	0.2	8.7	13	14.1	
K299537		1.7	13	0.2	9.8	13	13.4	
K299538		1.8	5	0.1	6.0	14	8.1	
K299539		0.5	2	0.1	0.7	19	<0.5	
K299540		1.8	7	0.2	6.9	6	8.9	
K299541		2.2	22	1.4	10.1	25	22.5	
K299542		2.1	8	0.3	11.3	5	9.4	
K299543		1.9	9	0.2	9.5	70	9.4	
K299544		1.6	7	0.2	9.7	7	6.7	
K299545		1.9	7	0.2	9.4	7	7.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142027

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11143570

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 72 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11143570

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299546		7.53	<0.01	0.02	0.59	51	190	0.18	0.04	31.6	0.08	12.40	2.3	6	1.86	6.3
K299547		7.42	<0.01	0.02	0.69	67	110	0.22	0.03	31.1	0.08	11.90	2.5	5	2.44	7.2
K299548		0.25	0.32	0.31	6.34	631	820	0.50	0.26	0.49	0.18	146.0	2.6	239	3.54	29.8
K299549		7.38	<0.01	0.02	0.78	25	100	0.17	0.03	31.4	0.55	13.15	2.6	7	2.39	7.6
K299550		7.22	<0.01	0.02	0.90	20	160	0.20	0.05	31.1	0.07	16.75	3.1	7	3.45	9.1
K299551		7.39	<0.01	0.03	0.82	32	130	0.30	0.05	31.1	0.16	20.5	3.7	7	3.60	11.4
K299552		3.50	<0.01	0.03	0.81	33	100	0.26	0.05	30.6	0.11	19.15	3.6	6	3.26	11.1
K299553		7.43	<0.01	0.02	0.71	26	140	0.35	0.04	31.8	0.11	15.40	3.2	6	2.53	9.6
K299554		7.37	<0.01	0.02	0.66	22	150	0.21	0.03	31.4	0.07	13.40	3.1	5	3.05	8.7
K299555		7.31	0.01	0.02	0.74	21	140	0.23	0.04	32.2	0.06	16.85	3.3	6	3.09	9.5
K299556		6.98	<0.01	0.02	0.94	18	150	0.26	0.05	31.2	0.10	20.0	3.7	10	3.80	10.3
K299557		4.90	<0.01	0.01	0.05	<5	10	0.07	0.01	19.50	0.08	1.58	1.3	<1	0.22	1.6
K299558		7.84	<0.01	0.01	0.63	18	110	0.25	0.04	32.8	0.07	15.90	2.8	6	2.84	7.7
K299559		8.02	<0.01	0.01	0.59	15	150	0.24	0.03	33.3	0.06	14.65	2.7	6	2.40	7.3
K299560		7.94	<0.01	0.02	0.85	30	210	0.27	0.05	32.1	0.13	20.4	3.6	7	3.11	9.8
K299561		7.73	<0.01	0.03	0.77	27	370	0.19	0.04	36.2	0.06	10.95	2.5	7	2.11	7.0
K299562		4.91	<0.01	0.01	0.07	<5	20	0.08	0.02	21.5	0.06	1.14	0.6	<1	0.25	1.9
K299563		7.63	<0.01	0.02	0.88	28	190	0.29	0.05	35.2	0.07	13.65	2.9	8	2.77	8.5
K299564		7.73	<0.01	0.01	0.85	31	140	0.29	0.05	34.7	0.09	13.95	3.0	7	2.44	8.6
K299565		7.51	<0.01	0.01	0.78	22	360	0.28	0.04	35.2	0.06	11.50	2.6	7	2.86	7.5
K299566		7.87	<0.01	0.01	0.80	26	220	0.29	0.04	37.4	0.06	13.90	2.8	7	2.97	8.5
K299567		0.26	0.34	0.34	6.94	662	290	0.77	0.32	0.53	0.17	160.5	3.2	258	3.73	35.6
K299568		7.40	<0.01	0.03	0.92	20	290	0.24	0.05	42.7	0.07	14.25	2.8	9	3.07	8.0
K299569		7.81	<0.01	0.02	1.28	68	320	0.30	0.07	31.8	0.06	19.05	3.8	11	4.23	11.0
K299570		7.98	<0.01	0.02	0.87	36	180	0.27	0.04	35.1	0.05	12.30	2.8	8	3.04	7.9
K299571		7.70	<0.01	0.01	1.02	27	170	0.28	0.05	36.1	0.09	14.20	3.2	9	3.87	9.3
K299572		7.51	<0.01	0.02	0.77	20	290	0.26	0.04	36.4	0.06	11.90	2.5	7	2.66	6.9
K299573		7.81	<0.01	0.03	0.78	19	210	0.27	0.04	36.4	0.06	11.55	2.5	8	2.59	7.1
K299574		8.44	<0.01	0.02	1.18	24	220	0.31	0.05	34.8	0.10	15.95	3.3	10	4.13	10.4
K299575		7.44	0.01	0.02	1.14	61	590	0.39	0.06	33.8	0.08	15.10	3.3	10	3.69	9.5
K299576		7.82	<0.01	0.03	1.34	37	160	0.46	0.06	31.8	0.17	18.15	4.7	13	3.71	13.9
K299577		8.25	<0.01	0.04	2.45	41	170	0.64	0.12	28.5	0.22	31.2	8.0	23	6.94	24.0
K299578		8.06	<0.01	0.01	0.23	20	100	0.15	0.01	37.5	0.08	3.83	0.9	5	0.31	2.5
K299594		8.18	<0.01	0.01	0.72	118	130	0.29	0.04	35.7	0.10	9.05	2.3	7	1.90	7.6
K299595		7.71	<0.01	0.04	4.35	88	240	1.21	0.19	22.1	0.31	47.3	12.4	39	15.45	39.9
K299596		8.30	<0.01	0.06	3.83	69	210	1.03	0.16	22.5	0.24	50.2	11.3	34	12.40	35.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11143570

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299546		0.47	1.61	<0.05	0.3	1.11	0.008	0.24	6.7	1.9	0.56	190	0.31	0.01	0.9	3.9
K299547		0.55	1.92	<0.05	0.3	0.95	0.009	0.28	6.7	2.4	0.42	244	0.42	0.01	0.9	4.4
K299548		6.69	20.1	0.13	4.3	9.1	0.050	1.37	74.1	15.8	0.12	35	6.31	0.39	9.0	15.3
K299549		0.65	2.16	<0.05	0.4	0.17	0.009	0.35	7.5	2.1	0.47	280	0.29	0.01	1.0	4.8
K299550		0.60	2.56	<0.05	0.5	0.22	0.012	0.41	9.6	3.3	0.44	179	0.39	0.01	1.3	5.7
K299551		0.66	3.13	0.06	0.5	0.69	0.014	0.37	10.8	3.8	0.87	368	0.75	0.01	1.5	7.4
K299552		0.65	2.90	0.05	0.5	0.75	0.012	0.36	10.1	3.5	0.84	350	0.70	0.01	1.4	7.2
K299553		0.63	2.33	0.05	0.4	0.73	0.010	0.31	8.1	3.0	0.93	554	0.66	0.01	1.3	6.6
K299554		0.52	2.12	<0.05	0.4	0.58	0.008	0.29	7.0	2.6	0.36	219	0.43	0.01	1.2	6.1
K299555		0.47	2.43	0.05	0.5	0.90	0.009	0.32	8.8	3.6	0.34	131	0.40	0.01	1.4	6.0
K299556		0.57	3.10	0.05	0.6	0.94	0.013	0.42	10.8	4.6	0.48	139	0.52	0.01	1.7	8.4
K299557		0.44	0.25	0.05	<0.1	0.01	<0.005	0.02	0.8	1.0	12.15	195	0.15	<0.01	0.2	3.2
K299558		0.42	2.15	0.06	0.4	0.31	0.010	0.28	8.2	3.6	0.52	144	0.36	0.01	1.2	6.0
K299559		0.40	1.94	0.05	0.4	0.26	0.006	0.26	7.6	3.5	0.48	142	0.34	0.01	1.1	6.4
K299560		0.52	2.85	0.05	0.5	0.99	0.013	0.37	10.8	4.1	0.42	112	0.51	0.01	1.6	6.5
K299561		0.47	1.77	0.09	0.3	0.52	0.010	0.32	5.5	3.3	0.37	145	0.36	<0.01	1.0	4.5
K299562		0.45	0.20	0.10	<0.1	<0.01	0.005	0.03	0.6	1.1	12.75	212	0.08	<0.01	0.2	1.7
K299563		0.59	2.04	0.10	0.4	0.76	0.007	0.35	6.9	3.9	0.44	163	0.43	<0.01	1.2	5.2
K299564		0.53	2.19	0.09	0.4	0.53	0.011	0.36	6.9	3.7	0.37	70	0.49	<0.01	1.2	4.9
K299565		0.54	1.85	0.11	0.3	0.22	0.011	0.32	5.8	4.0	0.39	202	0.37	<0.01	1.0	4.6
K299566		0.51	2.14	0.12	0.4	0.27	0.008	0.34	7.1	4.5	0.45	127	0.45	<0.01	1.1	4.8
K299567		6.99	22.3	0.20	4.6	9.3	0.059	1.45	79.1	20.8	0.13	40	7.26	0.38	10.6	18.1
K299568		0.56	2.03	0.09	0.4	0.14	0.008	0.39	7.3	4.9	0.74	193	0.44	<0.01	1.1	5.1
K299569		0.74	2.84	0.10	0.5	0.22	0.012	0.57	9.7	5.8	0.74	148	0.62	<0.01	1.6	6.9
K299570		0.55	1.96	0.10	0.4	0.16	0.009	0.37	6.5	4.1	0.66	191	0.41	<0.01	1.1	5.1
K299571		0.61	2.41	0.11	0.5	0.29	0.009	0.44	7.3	5.2	0.57	143	0.54	<0.01	1.3	5.5
K299572		0.49	1.73	0.10	0.3	0.12	0.008	0.32	6.0	3.7	0.40	121	0.35	<0.01	1.0	4.3
K299573		0.49	1.81	0.10	0.3	0.12	0.009	0.33	5.9	4.0	0.42	181	0.35	<0.01	1.0	4.8
K299574		0.69	2.54	0.11	0.5	0.30	0.013	0.50	8.2	5.3	0.51	140	0.57	<0.01	1.4	5.9
K299575		0.71	2.50	0.11	0.5	1.11	0.012	0.48	7.7	5.0	0.64	300	0.48	<0.01	1.4	6.3
K299576		0.86	3.28	0.11	0.6	0.62	0.011	0.58	9.3	5.5	0.81	294	0.91	<0.01	1.8	8.6
K299577		1.41	5.72	0.12	1.0	0.97	0.020	1.07	15.2	8.8	1.04	295	1.44	<0.01	3.1	15.2
K299578		0.39	0.50	0.09	0.1	0.16	<0.005	0.09	1.7	1.1	0.66	231	0.19	<0.01	0.3	3.1
K299594		0.65	1.68	0.09	0.3	0.64	0.009	0.30	4.4	2.9	0.79	378	0.55	<0.01	0.9	3.9
K299595		2.53	9.54	0.14	1.7	2.49	0.033	1.82	26.9	13.1	1.28	594	1.79	<0.01	5.4	22.6
K299596		2.18	9.02	0.15	1.5	1.06	0.039	1.62	24.6	12.1	1.31	551	1.69	<0.01	5.0	20.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11143570

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299546		380	4.4	11.3	<0.002	0.43	0.30	1.5	1	0.2	1495	0.06	<0.05	1.1	0.031	0.81
K299547		280	4.6	13.4	<0.002	0.48	0.42	1.6	1	0.3	1470	0.06	<0.05	1.1	0.035	0.57
K299548		930	16.3	49.0	0.002	3.12	115.5	13.2	1	3.0	525	0.69	0.11	9.4	0.539	6.31
K299549		530	5.2	15.1	<0.002	0.50	0.44	1.6	1	0.3	1600	0.07	<0.05	1.3	0.040	0.17
K299550		250	6.3	20.1	<0.002	0.56	0.34	2.2	1	0.3	1780	0.09	<0.05	1.7	0.046	0.25
K299551		320	6.5	22.8	0.003	0.53	0.46	2.7	2	0.4	1415	0.10	<0.05	1.8	0.041	0.42
K299552		260	6.4	21.9	0.002	0.50	0.43	2.8	2	0.4	1365	0.09	<0.05	1.7	0.038	0.43
K299553		300	3.7	18.4	0.002	0.51	0.26	2.4	2	0.4	1560	0.08	<0.05	1.5	0.036	0.29
K299554		190	2.6	17.4	<0.002	0.51	0.16	2.3	1	0.3	1715	0.08	<0.05	1.3	0.041	0.29
K299555		400	3.3	20.0	<0.002	0.47	0.30	2.2	2	0.3	1975	0.10	<0.05	1.6	0.039	0.57
K299556		150	4.0	27.3	0.002	0.58	0.23	3.0	1	0.4	1870	0.12	<0.05	2.0	0.046	0.39
K299557		170	1.2	1.5	<0.002	0.01	0.05	0.2	1	<0.2	60.6	<0.05	<0.05	<0.2	<0.005	<0.02
K299558		390	2.9	17.3	<0.002	0.43	0.24	2.2	2	0.3	1720	0.08	<0.05	1.5	0.033	0.25
K299559		350	2.9	16.1	<0.002	0.42	0.17	2.0	2	0.3	1835	0.07	<0.05	1.3	0.031	0.17
K299560		210	3.9	23.8	<0.002	0.53	0.17	2.9	2	0.4	1975	0.10	<0.05	1.9	0.042	0.19
K299561		360	2.6	14.0	<0.002	0.50	0.16	1.7	1	0.3	2020	0.07	<0.05	1.2	0.038	0.16
K299562		170	1.2	1.5	<0.002	<0.01	0.07	0.2	<1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	<0.02
K299563		500	3.2	15.6	0.003	0.65	0.15	2.3	1	0.3	2400	0.07	<0.05	1.3	0.046	0.17
K299564		250	3.1	16.8	<0.002	0.59	0.17	2.2	1	0.3	2110	0.08	<0.05	1.3	0.044	0.17
K299565		180	2.5	14.8	0.002	0.58	0.14	2.2	1	0.3	1940	0.07	<0.05	1.1	0.042	0.16
K299566		210	3.2	16.5	0.002	0.55	0.22	2.2	1	0.3	2040	0.08	<0.05	1.3	0.040	0.22
K299567		1000	20.0	53.0	0.003	3.45	133.5	17.2	2	3.2	579	0.80	0.12	11.0	0.594	9.18
K299568		300	3.2	16.1	0.003	0.62	0.24	2.3	1	0.3	2300	0.08	<0.05	1.3	0.046	0.20
K299569		140	4.5	23.8	0.002	0.85	0.24	2.8	1	0.4	1960	0.11	<0.05	2.0	0.063	0.35
K299570		420	3.0	15.5	<0.002	0.60	0.17	2.0	1	0.3	1610	0.08	<0.05	1.3	0.044	0.22
K299571		230	3.5	19.8	<0.002	0.69	0.18	2.4	1	0.3	1990	0.10	<0.05	1.5	0.051	0.21
K299572		300	2.7	13.4	<0.002	0.53	0.13	1.7	1	0.3	2170	0.07	<0.05	1.2	0.039	0.16
K299573		370	2.5	14.4	0.002	0.50	0.12	1.9	1	0.3	2070	0.07	<0.05	1.1	0.040	0.18
K299574		300	3.6	21.1	0.003	0.75	0.16	2.7	1	0.3	2090	0.10	<0.05	1.7	0.059	0.40
K299575		370	3.6	20.9	0.003	0.73	0.36	2.7	1	0.4	2060	0.10	<0.05	1.7	0.057	0.82
K299576		330	4.3	26.4	0.004	0.84	0.24	3.6	1	0.5	2030	0.13	<0.05	2.0	0.066	0.58
K299577		410	7.5	48.8	0.007	1.36	0.47	5.5	1	0.8	1780	0.22	<0.05	3.5	0.124	0.77
K299578		540	1.1	3.5	<0.002	0.15	0.33	0.6	1	<0.2	2390	<0.05	<0.05	0.3	0.012	0.05
K299594		500	2.8	12.1	0.003	0.44	1.17	1.6	1	0.3	2020	0.06	<0.05	1.0	0.037	0.20
K299595		330	12.2	80.9	0.006	2.36	0.85	9.6	2	1.4	1620	0.40	<0.05	5.9	0.234	1.22
K299596		320	10.7	78.6	0.006	2.02	0.75	9.1	2	1.3	1570	0.34	0.05	5.3	0.201	0.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11143570

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299546		2.3	9	0.3	11.8	14	10.1
K299547		2.0	10	0.4	9.0	13	11.3
K299548		8.1	171	21.0	14.4	46	157.5
K299549		2.1	11	0.2	10.4	78	12.5
K299550		2.8	12	0.2	12.4	10	15.6
K299551		3.1	13	0.5	14.4	17	16.7
K299552		2.9	12	0.4	14.2	16	16.5
K299553		2.4	13	0.3	10.8	11	14.6
K299554		2.3	10	0.4	11.5	8	14.0
K299555		3.0	11	0.5	13.7	6	15.7
K299556		3.4	13	0.6	15.8	13	18.3
K299557		0.4	1	0.1	1.0	18	<0.5
K299558		3.2	10	0.2	14.9	8	13.9
K299559		2.8	9	0.2	13.8	8	12.7
K299560		3.9	12	0.3	17.9	16	16.1
K299561		2.0	12	0.2	9.2	9	12.7
K299562		0.6	2	0.1	0.7	20	<0.5
K299563		2.6	15	0.2	12.8	10	13.8
K299564		2.4	14	0.2	12.9	12	14.8
K299565		1.9	13	0.2	10.3	21	12.9
K299566		2.5	13	0.2	12.6	10	13.6
K299567		8.6	189	27.1	15.6	49	191.5
K299568		2.6	15	0.2	13.7	13	13.5
K299569		2.9	20	0.3	14.5	13	17.5
K299570		2.2	14	0.2	10.3	10	13.3
K299571		2.4	16	0.2	11.8	13	15.4
K299572		2.1	12	0.2	9.5	9	11.9
K299573		2.1	13	0.2	10.6	9	11.9
K299574		2.6	19	0.3	12.4	17	16.9
K299575		2.3	18	0.5	11.1	15	17.3
K299576		2.4	22	0.4	11.8	26	21.8
K299577		2.9	41	0.6	15.5	36	40.0
K299578		1.4	5	0.2	3.9	5	5.4
K299594		1.8	13	0.7	6.9	12	12.4
K299595		3.2	74	1.4	22.7	82	64.4
K299596		3.0	64	1.1	23.9	60	62.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11143570

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11144450

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 73 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11144450

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298181		8.68	0.08	1.14	4.85	450	220	1.03	0.13	10.00	0.13	49.5	8.1	52	11.70	33.9
K298182		9.53	0.12	0.70	3.05	405	160	0.76	0.08	11.05	0.06	31.8	6.4	31	7.44	21.8
K298183		10.72	0.55	0.85	3.53	418	240	0.76	0.11	10.05	0.07	36.8	8.3	36	8.90	26.1
K298184		6.98	0.60	0.11	1.09	2540	120	0.29	0.04	27.0	0.06	14.05	3.5	8	2.44	13.9
K298185		7.02	1.17	0.10	0.91	>10000	120	0.24	0.03	24.4	0.07	10.85	2.4	5	1.34	6.0
K298186		10.86	2.31	0.24	1.28	3420	120	0.38	0.04	25.1	0.17	11.25	2.8	5	2.20	8.5
K298187		8.53	0.61	0.07	0.60	406	50	0.21	0.02	32.0	0.09	7.54	1.5	1	0.99	3.5
K298188		8.62	0.72	0.15	0.99	9740	80	0.20	0.03	30.1	0.18	12.00	2.6	9	1.84	9.3
K298189		5.69	0.57	0.10	0.92	458	60	0.19	0.03	30.8	0.04	11.10	1.7	7	1.61	5.1
K298190		10.07	0.77	0.16	1.31	447	70	0.33	0.05	30.2	0.09	14.55	2.5	11	2.66	7.6
K298191		5.55	1.17	0.28	1.48	1320	100	0.26	0.05	28.9	0.22	12.40	3.4	12	2.25	8.7
K298192		6.90	0.01	<0.01	0.06	7	20	<0.05	0.02	21.2	0.07	1.07	1.3	<1	0.15	1.3
K298193		5.59	0.36	0.09	0.57	201	60	0.11	0.02	32.0	0.18	8.04	1.8	7	1.00	4.0
K298194		4.81	5.83	0.91	3.32	>10000	320	0.52	0.11	6.40	0.96	24.0	6.6	40	6.38	24.4
K298195		4.87	4.27	0.71	2.42	>10000	270	0.46	0.10	3.29	0.86	14.45	5.9	34	5.64	23.8
K298196		5.33	2.19	0.42	1.72	3950	200	0.36	0.07	13.75	0.49	16.35	4.5	17	3.22	14.1
K298197		0.22	7.85	0.52	3.41	965	160	0.75	0.60	11.15	4.63	44.6	7.4	94	7.73	37.9
K298198		9.63	0.17	0.07	0.41	525	30	0.16	0.01	21.0	0.07	6.09	1.9	5	0.68	4.0
K298199		11.17	0.08	0.07	0.50	307	40	0.18	0.02	20.4	0.03	7.45	1.9	5	1.15	4.9
K298200		12.21	0.06	0.12	0.75	134	50	0.31	0.03	20.1	0.10	11.25	1.6	4	1.88	7.8
K298201		11.21	0.04	0.11	1.64	202	110	0.58	0.05	17.40	0.04	19.25	2.7	13	4.77	9.2
K298202		5.98	0.04	0.14	1.62	238	150	0.65	0.05	17.30	0.03	19.50	2.8	13	4.50	9.2
K298203		10.15	0.02	0.39	2.85	173	150	0.92	0.07	12.30	0.05	30.6	4.2	29	10.10	13.9
K298204		11.27	0.21	0.88	3.22	486	180	0.74	0.08	12.95	0.23	35.3	4.6	32	7.71	22.9
K298205		11.31	0.36	0.77	2.86	1220	200	0.75	0.09	13.45	0.13	36.3	4.8	25	6.92	21.7
K298206		10.84	0.13	0.27	3.88	1060	170	0.92	0.10	12.15	0.09	41.1	6.3	32	9.95	26.0
K298207		10.47	0.03	0.21	2.38	603	140	0.68	0.07	15.80	0.12	27.1	3.7	19	6.15	30.2
K298208		6.90	0.01	0.01	0.06	<5	20	0.09	0.02	21.4	0.06	1.18	1.1	<1	0.20	1.2
K298209		10.43	0.01	0.09	0.75	680	40	0.38	0.02	22.0	0.31	10.50	1.7	4	1.70	4.4
K298210		4.57	0.01	0.09	0.75	307	40	0.28	0.03	21.8	0.04	9.56	1.7	4	1.67	4.5
K298211		5.45	0.04	0.14	0.62	173	70	0.26	0.02	20.6	0.05	8.85	1.8	3	1.32	4.2
K298212		11.25	0.01	0.12	0.43	312	30	0.17	0.02	20.7	0.04	7.62	1.5	3	0.89	3.5
K298213		0.22	0.38	0.31	6.48	636	1200	0.61	0.28	0.51	0.17	134.0	2.7	255	3.45	28.5
K298214		11.84	0.01	0.12	0.62	338	40	0.22	0.02	22.0	0.07	8.76	1.7	6	1.29	5.4
K298215		11.61	0.06	0.10	0.51	251	30	0.23	0.02	21.0	0.08	6.64	1.9	3	1.02	5.5
K298216		11.63	0.09	0.07	0.40	830	30	0.18	0.02	21.4	0.04	8.23	1.4	2	0.65	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11144450

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298181		1.27	12.30	0.07	3.2	12.1	0.032	2.18	24.5	27.2	5.08	379	5.79	0.02	8.0	20.0
K298182		0.96	7.68	0.06	3.3	3.73	0.021	1.41	16.3	17.7	5.62	350	2.12	0.02	5.5	8.0
K298183		1.05	9.20	0.08	4.1	6.32	0.023	1.62	19.0	18.7	5.38	535	2.70	0.02	6.7	12.4
K298184		0.45	2.64	0.05	0.9	9.7	0.013	0.43	7.6	6.1	3.21	2140	0.89	0.01	2.0	<0.2
K298185		0.39	2.51	0.05	0.6	8.0	0.022	0.39	6.1	5.5	3.00	3950	0.55	0.01	1.5	<0.2
K298186		0.45	3.85	<0.05	0.8	13.7	0.015	0.60	6.7	7.9	1.12	10050	0.83	0.01	2.1	0.6
K298187		0.27	1.63	0.05	0.4	5.68	0.005	0.27	4.4	3.2	0.90	4140	0.42	0.01	1.1	<0.2
K298188		0.35	2.54	0.07	0.7	9.4	0.018	0.43	6.8	5.1	0.89	2160	1.23	0.01	1.8	<0.2
K298189		0.31	2.33	0.07	0.5	6.14	0.009	0.43	6.2	4.9	0.89	1860	0.77	0.01	1.6	<0.2
K298190		0.38	3.36	0.08	0.8	7.1	0.010	0.61	8.3	7.5	1.14	1380	1.00	0.01	2.3	0.8
K298191		0.50	3.75	0.05	0.9	9.3	0.011	0.64	7.3	6.7	0.65	3130	1.08	0.01	2.5	2.7
K298192		0.46	0.39	0.31	<0.1	0.02	<0.005	0.02	0.5	0.9	12.95	215	0.07	0.01	0.3	<0.2
K298193		0.19	1.55	0.06	0.4	2.73	0.006	0.25	4.8	2.4	0.59	1380	0.49	0.01	0.9	7.5
K298194		1.25	10.25	0.10	2.0	28.1	0.053	1.47	14.2	21.2	1.99	1920	3.09	0.02	5.2	15.0
K298195		1.06	8.26	0.09	1.3	22.5	0.261	1.10	8.6	17.5	0.98	866	3.03	0.01	4.1	14.1
K298196		0.56	5.52	0.07	1.0	13.5	0.022	0.79	9.5	11.2	7.19	1560	1.88	0.01	2.7	10.3
K298197		1.32	8.37	0.13	2.0	5.71	0.073	1.45	28.5	9.2	0.70	259	10.95	0.01	7.3	70.6
K298198		0.21	1.26	0.07	0.2	1.50	0.006	0.16	4.0	2.1	10.40	1320	0.52	0.01	0.7	4.9
K298199		0.31	1.45	0.08	0.3	1.25	0.009	0.23	4.7	2.8	9.66	1470	0.51	0.01	0.8	4.6
K298200		0.43	1.87	0.06	0.5	1.55	0.006	0.36	6.5	5.0	11.00	740	0.61	0.02	1.3	2.8
K298201		0.84	4.13	0.05	1.4	0.94	0.010	0.81	10.5	11.1	10.05	409	0.84	0.02	2.8	5.5
K298202		0.82	4.14	0.07	1.5	1.09	0.010	0.81	10.5	11.1	9.78	451	0.88	0.02	2.8	5.7
K298203		1.22	6.88	0.07	2.8	1.46	0.019	1.43	15.6	18.9	7.12	251	2.70	0.02	4.9	10.3
K298204		1.21	8.35	0.08	1.9	3.37	0.024	1.51	18.1	18.9	7.11	456	2.84	0.02	5.4	13.4
K298205		1.28	7.50	0.10	1.9	>100	0.026	1.36	18.8	18.5	7.28	686	2.32	0.02	5.1	12.5
K298206		1.19	9.59	0.10	2.6	4.95	0.024	1.87	21.9	25.4	6.73	435	2.55	0.03	6.5	14.8
K298207		0.89	5.75	0.07	1.7	4.51	0.016	1.07	14.2	16.1	8.39	281	1.74	0.02	4.0	9.9
K298208		0.48	0.23	<0.05	<0.1	0.03	0.005	0.03	0.6	1.4	13.15	215	0.09	0.01	0.2	0.6
K298209		0.51	2.00	0.05	0.4	2.41	0.010	0.33	5.9	7.2	12.50	298	0.53	0.02	1.3	2.5
K298210		0.42	1.77	0.08	0.3	1.55	0.007	0.33	5.5	5.2	12.85	334	0.56	0.02	1.2	3.3
K298211		0.49	1.64	0.06	0.3	1.42	0.005	0.28	5.3	4.2	12.05	625	0.63	0.01	1.1	3.9
K298212		0.41	1.16	0.07	0.2	1.09	0.006	0.20	4.4	3.2	12.40	386	0.37	0.01	0.7	2.9
K298213		7.04	21.4	0.19	4.4	10.25	0.050	1.43	64.7	19.7	0.14	39	6.32	0.41	10.2	15.6
K298214		0.43	1.56	0.05	0.2	2.35	<0.005	0.29	5.2	4.4	13.30	305	0.45	0.01	1.0	3.8
K298215		0.41	1.35	0.06	0.2	2.43	<0.005	0.25	4.2	3.6	12.80	356	0.59	0.01	0.8	4.2
K298216		0.41	1.13	0.06	0.2	1.11	<0.005	0.19	5.3	2.8	12.70	464	0.33	0.01	0.7	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11144450

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298181		1470	21.2	73.5	0.009	0.83	5.17	7.5	5	1.7	232	0.62	<0.05	10.9	0.221	7.69
K298182		460	14.8	48.5	0.003	0.46	3.07	5.1	3	3.7	204	0.42	<0.05	6.9	0.147	4.09
K298183		530	17.2	54.5	0.004	0.40	7.37	6.0	4	3.6	219	0.54	<0.05	8.6	0.180	7.81
K298184		210	6.4	15.1	0.004	0.43	9.72	2.1	2	2.2	505	0.14	<0.05	2.5	0.049	14.30
K298185		190	5.5	14.5	<0.002	0.98	28.2	1.6	2	0.5	379	0.10	<0.05	1.7	0.036	15.30
K298186		240	7.4	21.8	<0.002	0.59	22.9	2.1	2	0.7	266	0.15	<0.05	2.5	0.055	31.4
K298187		200	3.7	9.4	<0.002	0.19	7.15	1.3	2	0.2	535	0.07	<0.05	1.2	0.025	11.80
K298188		560	6.6	15.3	0.002	0.84	32.7	1.7	2	1.2	703	0.13	<0.05	2.2	0.045	24.2
K298189		170	4.8	14.7	<0.002	0.27	7.61	1.6	2	0.3	510	0.11	<0.05	1.9	0.039	15.15
K298190		240	7.6	22.9	0.002	0.32	9.63	2.3	2	0.4	517	0.16	<0.05	2.9	0.058	18.35
K298191		410	10.0	23.8	0.003	0.60	18.10	2.0	2	0.5	528	0.18	<0.05	2.8	0.063	26.8
K298192		180	1.3	1.1	<0.002	<0.01	0.07	0.3	1	<0.2	42.8	<0.05	<0.05	<0.2	<0.005	0.06
K298193		440	3.5	9.3	0.002	0.16	4.86	1.2	2	0.2	827	0.07	<0.05	1.2	0.025	6.31
K298194		1340	20.7	63.8	0.004	2.29	108.5	2.6	3	1.3	289	0.39	0.08	7.0	0.151	70.2
K298195		550	22.0	49.3	0.003	8.43	381	2.1	5	1.3	232	0.30	0.11	4.8	0.124	44.7
K298196		500	12.9	34.7	0.002	0.81	33.3	2.2	3	0.7	202	0.20	<0.05	3.6	0.076	25.2
K298197		4180	4.5	125.5	0.036	1.34	19.40	6.3	9	1.9	150.5	0.50	0.54	6.3	0.207	12.45
K298198		100	3.7	6.2	<0.002	0.14	4.56	0.9	2	0.2	115.5	0.05	<0.05	0.8	0.017	3.05
K298199		130	4.4	8.5	<0.002	0.15	3.42	0.9	2	0.2	121.0	0.06	<0.05	1.0	0.021	2.59
K298200		140	6.6	14.1	0.002	0.18	1.60	1.3	2	0.2	110.0	0.09	<0.05	1.6	0.032	1.99
K298201		290	9.3	32.0	<0.002	0.43	1.60	2.6	2	0.5	133.0	0.20	<0.05	3.7	0.074	2.20
K298202		300	9.6	31.6	<0.002	0.39	1.84	2.7	2	0.5	139.5	0.21	<0.05	3.8	0.075	2.39
K298203		790	14.1	55.9	0.002	0.61	1.16	4.4	3	0.8	156.5	0.37	<0.05	6.6	0.133	2.15
K298204		870	14.4	60.7	0.004	0.42	3.39	5.1	3	0.9	166.0	0.40	<0.05	7.1	0.139	4.13
K298205		810	15.0	56.5	0.002	0.46	8.06	4.7	3	0.9	183.5	0.38	<0.05	6.7	0.127	6.91
K298206		880	14.8	72.9	0.002	0.45	9.75	5.8	4	1.2	175.5	0.49	<0.05	8.6	0.176	7.07
K298207		490	11.2	40.2	<0.002	0.28	4.33	3.6	2	0.9	178.0	0.29	<0.05	5.1	0.105	2.61
K298208		180	1.1	1.6	<0.002	0.01	<0.05	0.2	1	<0.2	47.6	<0.05	<0.05	<0.2	<0.005	0.02
K298209		190	7.8	12.7	<0.002	0.10	3.37	1.3	2	0.3	118.0	0.10	<0.05	1.7	0.033	1.86
K298210		200	6.7	12.4	<0.002	0.08	2.47	1.3	2	0.3	94.9	0.09	<0.05	1.6	0.032	1.20
K298211		200	9.4	10.6	<0.002	0.12	3.10	1.1	1	0.2	104.5	0.07	<0.05	1.3	0.027	1.25
K298212		160	6.1	7.2	<0.002	0.07	3.06	0.8	2	0.2	95.8	0.05	<0.05	0.9	0.017	1.36
K298213		940	17.3	56.6	0.003	3.17	117.0	16.1	2	2.9	540	0.76	0.14	9.8	0.559	7.82
K298214		240	7.4	10.6	<0.002	0.04	4.02	1.0	1	0.2	116.0	0.07	<0.05	1.2	0.024	1.30
K298215		180	8.5	9.0	<0.002	0.06	3.13	0.9	1	0.2	94.7	0.06	<0.05	0.9	0.020	0.76
K298216		170	5.0	7.1	<0.002	0.27	3.59	0.8	1	0.2	117.0	0.05	<0.05	0.8	0.017	1.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11144450

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.1
K298181		11.1	150	4.8	15.4	23	116.0		
K298182		9.1	80	3.2	11.6	11	120.0		
K298183		11.9	90	4.3	12.9	12	140.5		
K298184		20.4	23	1.5	6.2	8	34.2		
K298185		15.6	17	1.3	5.7	9	19.7	1.315	
K298186		20.9	27	1.9	6.6	23	27.7		
K298187		11.2	14	0.7	4.2	9	13.8		
K298188		19.0	23	1.3	5.3	13	25.2		
K298189		18.3	18	1.0	5.0	7	19.0		
K298190		21.8	29	1.5	6.2	14	30.2		
K298191		22.1	31	1.7	5.4	25	30.2		
K298192		0.5	3	0.1	0.7	19	<0.5		
K298193		14.5	15	0.9	4.3	6	15.2		
K298194		49.1	71	4.6	7.2	71	67.8	2.37	
K298195		48.9	54	3.9	3.5	74	45.0	17.80	
K298196		29.9	38	2.6	3.9	40	32.6		
K298197		8.3	370	35.0	27.7	273	81.1		
K298198		11.4	10	0.9	2.5	6	6.7		
K298199		9.0	14	0.7	2.9	5	10.1		
K298200		8.2	18	0.8	3.9	29	17.6		
K298201		8.9	29	1.4	6.6	2	47.5		
K298202		9.2	30	1.4	6.7	2	47.6		
K298203		7.8	68	1.7	10.6	4	97.0		
K298204		8.4	97	2.3	10.5	29	58.6		
K298205		10.4	69	2.7	10.9	20	57.0		118.0
K298206		13.1	64	3.1	13.0	46	85.9		
K298207		11.9	41	1.7	8.5	45	49.7		
K298208		0.8	2	0.1	0.8	15	<0.5		
K298209		9.0	17	0.7	3.6	95	15.3		
K298210		7.7	18	0.7	3.3	11	10.8		
K298211		9.3	17	0.8	3.2	4	8.4		
K298212		5.9	15	0.5	3.0	13	5.5		
K298213		7.3	176	23.5	14.9	41	166.0		
K298214		6.1	20	0.7	3.2	21	7.5		
K298215		7.1	10	0.6	2.6	15	6.4		
K298216		7.1	8	0.5	3.1	3	5.9		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11144450

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11142028

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 74- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142028

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299579		7.15	0.01	0.04	2.85	126	340	0.67	0.13	26.7	0.26	47.7	7.8	25	7.92	25.1
K299580		7.31	<0.01	0.02	1.10	64	200	0.50	0.05	31.5	0.10	23.3	3.3	8	3.43	9.3
K299581		7.02	<0.01	0.03	1.69	75	140	0.59	0.07	30.1	0.15	30.5	4.8	15	5.23	14.8
K299582		7.16	<0.01	0.03	2.20	75	400	0.51	0.08	27.5	0.15	35.2	6.6	23	8.13	21.0
K299583		6.81	<0.01	0.04	2.60	92	240	0.61	0.10	26.2	0.19	39.8	6.8	26	9.51	22.6
K299584		7.02	<0.01	0.02	1.14	77	230	0.31	0.05	31.6	0.12	25.4	3.5	9	3.16	10.9
K299585		6.98	<0.01	0.01	0.85	51	270	0.25	0.03	33.9	0.11	17.10	2.4	5	2.48	7.2
K299586		4.90	<0.01	0.01	0.06	<5	10	0.06	0.02	20.4	0.07	1.65	1.1	<1	0.15	1.7
K299587		7.32	<0.01	0.02	1.18	70	180	0.37	0.05	31.7	0.12	26.3	3.3	8	4.45	9.9
K299588		6.83	<0.01	0.02	1.27	63	160	0.46	0.05	32.0	0.10	22.1	3.4	9	3.96	10.1
K299589		6.98	<0.01	0.03	1.91	38	200	0.63	0.10	29.6	0.15	35.0	4.9	17	6.28	14.7
K299590		7.93	<0.01	0.03	2.15	48	220	0.55	0.09	27.8	0.19	36.4	5.6	17	6.96	17.6
K299591		7.98	<0.01	0.01	0.85	24	280	0.44	0.03	31.6	0.11	18.85	2.5	5	2.67	6.8
K299592		6.58	<0.01	0.02	1.08	42	210	0.41	0.04	31.8	0.13	21.9	3.0	8	2.81	8.8
K299593		4.94	<0.01	0.04	1.50	72	160	0.44	0.05	30.5	0.12	24.5	3.8	14	4.12	11.4
K299597		7.88	<0.01	0.06	3.48	50	240	0.96	0.15	21.4	0.23	51.1	7.9	29	12.10	26.3
K299598		8.15	<0.01	0.03	2.10	33	190	0.63	0.09	28.2	0.19	37.2	5.3	17	7.34	16.5
K299599		7.57	<0.01	0.05	2.66	66	220	0.69	0.11	24.9	0.24	47.2	6.9	23	9.90	22.1
K299600		7.69	<0.01	0.02	1.48	12	180	0.60	0.06	27.1	0.17	34.2	4.6	13	7.44	13.7
K299601		7.83	<0.01	0.06	3.27	13	260	0.86	0.13	23.9	0.25	62.5	8.3	28	15.00	26.1
K299602		0.24	0.33	0.33	6.27	597	1630	0.71	0.27	0.48	0.20	155.5	2.6	235	3.43	28.9
K299603		8.01	<0.01	0.20	4.07	22	260	0.94	0.19	18.50	0.32	56.5	12.9	42	19.20	39.5
K299604		8.09	<0.01	0.10	1.74	33	180	0.44	0.08	30.2	0.18	29.3	5.3	17	7.51	16.6
K299605		8.02	<0.01	0.05	1.08	13	200	0.35	0.06	31.8	0.16	19.45	3.5	24	4.40	11.2
K299606		7.97	<0.01	0.03	1.64	23	900	0.48	0.08	29.0	0.16	27.0	5.2	17	6.08	15.5
K299607		3.65	<0.01	0.03	4.80	13	560	0.55	0.06	13.50	0.16	24.5	11.6	52	3.09	19.4
K299608		8.00	<0.01	0.04	1.91	28	230	0.50	0.08	28.7	0.16	27.5	5.9	20	6.02	18.1
K299609		8.27	<0.01	0.03	1.99	60	340	0.50	0.10	28.4	0.20	32.9	6.4	20	6.44	19.2
K299610		8.00	<0.01	0.04	1.81	35	180	0.61	0.08	28.6	0.16	28.9	5.8	19	5.29	17.9
K299611		4.91	<0.01	0.01	0.06	<5	20	0.08	0.02	20.9	0.06	1.13	0.8	1	0.19	1.7
K299612		8.19	<0.01	0.03	1.86	26	160	0.51	0.08	28.7	0.18	27.9	5.7	18	5.57	16.8
K299613		7.88	0.03	0.05	1.72	84	150	0.53	0.09	28.7	0.13	26.9	5.4	17	4.92	16.9
K299614		8.03	<0.01	0.03	1.60	40	170	0.38	0.08	30.3	0.11	24.3	4.7	16	4.74	14.6
K299615		7.70	<0.01	0.01	0.44	21	100	0.19	0.03	34.1	0.02	7.88	1.4	6	1.13	4.3
K299616		0.24	0.34	0.31	6.12	609	940	0.60	0.26	0.49	0.17	153.0	2.7	243	3.38	28.1
K299617		7.62	<0.01	0.02	0.48	33	100	0.16	0.03	34.1	0.03	8.54	1.5	5	1.24	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142028

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299579		1.78	6.25	0.12	1.3	2.69	0.032	1.26	21.7	8.0	1.02	351	0.93	0.02	4.1	13.5
K299580		0.87	2.13	0.08	0.5	0.82	0.014	0.49	10.2	4.1	0.54	356	0.46	0.01	1.8	4.3
K299581		1.31	3.19	0.10	0.9	1.09	0.021	0.75	13.8	5.8	0.60	405	0.42	0.02	2.6	7.1
K299582		1.62	4.42	0.11	1.1	0.97	0.027	0.96	15.6	8.0	0.63	341	0.55	0.02	3.3	11.2
K299583		1.79	5.15	0.11	1.2	0.77	0.029	1.11	18.2	10.9	0.81	373	0.76	0.02	3.8	12.4
K299584		0.86	2.24	0.08	0.5	0.58	0.014	0.49	10.5	3.6	0.48	321	0.25	0.01	1.8	4.4
K299585		0.76	1.52	0.07	0.4	0.33	0.011	0.35	7.2	3.5	0.36	336	0.24	0.01	1.4	1.7
K299586		0.46	0.23	0.11	<0.1	<0.01	<0.005	0.02	0.7	1.0	12.80	210	0.08	<0.01	0.4	1.5
K299587		0.91	2.22	0.11	0.6	1.05	0.013	0.52	11.6	4.6	0.61	312	0.38	0.01	1.9	4.1
K299588		0.99	2.48	0.10	0.6	0.8	0.015	0.57	10.2	5.6	0.57	604	0.22	0.01	1.9	4.4
K299589		1.23	3.69	0.11	0.9	0.44	0.021	0.85	15.7	8.0	0.70	384	0.53	0.02	2.9	7.4
K299590		1.35	4.16	0.11	1.0	0.64	0.025	0.95	16.6	8.3	0.91	363	0.52	0.02	3.2	8.9
K299591		0.70	1.69	0.09	0.4	0.39	0.008	0.37	7.5	3.6	0.57	271	0.24	0.01	1.5	2.6
K299592		0.78	2.02	0.08	0.6	0.94	0.014	0.45	8.8	3.6	0.57	246	0.30	0.01	1.7	4.1
K299593		1.05	2.70	0.09	0.7	1.17	0.018	0.66	10.5	4.9	0.57	300	0.31	0.01	2.3	4.7
K299597		2.10	6.86	0.14	1.5	1.20	0.037	1.52	24.0	12.0	1.17	464	1.31	0.03	4.8	15.2
K299598		1.32	4.03	0.11	1.0	0.94	0.024	0.92	17.4	8.1	0.79	352	0.75	0.02	3.0	8.3
K299599		1.48	5.32	0.14	1.2	2.93	0.034	1.12	22.0	10.8	0.66	200	0.92	0.02	3.9	12.3
K299600		1.00	3.18	0.10	0.8	0.81	0.022	0.74	16.1	9.1	0.59	168	0.72	0.02	2.6	6.5
K299601		1.94	6.25	0.15	1.5	0.96	0.037	1.43	28.7	14.6	1.01	285	0.79	0.03	4.7	14.2
K299602		6.81	18.60	0.28	4.1	9.6	0.055	1.36	69.4	18.3	0.12	34	6.49	0.39	9.8	16.3
K299603		2.56	10.55	0.11	2.3	1.23	0.041	1.88	26.1	17.2	1.22	260	1.98	0.03	5.5	24.3
K299604		1.15	4.39	0.07	0.9	0.99	0.021	0.79	12.9	6.8	0.53	187	0.72	0.02	2.2	10.7
K299605		0.81	2.75	0.06	0.6	0.36	0.012	0.50	8.6	4.5	0.50	167	0.62	0.02	1.5	10.0
K299606		1.13	4.26	0.06	0.9	0.55	0.014	0.76	12.2	6.5	0.64	352	0.78	0.02	2.2	9.4
K299607		2.90	10.95	0.07	1.3	0.24	0.032	0.81	10.3	11.2	1.31	587	0.70	1.41	3.0	37.4
K299608		1.27	4.64	0.06	1.0	0.54	0.018	0.87	11.1	6.6	0.65	300	0.49	0.02	2.5	11.1
K299609		1.27	5.11	0.07	1.1	1.04	0.022	0.91	13.2	6.7	0.62	267	0.64	0.02	2.6	11.9
K299610		1.23	4.81	0.07	1.0	0.44	0.020	0.82	12.6	6.0	0.52	268	0.66	0.02	2.5	10.9
K299611		0.47	0.18	0.05	<0.1	<0.01	0.006	0.03	0.5	1.0	13.05	220	0.09	<0.01	0.1	1.7
K299612		1.33	4.55	0.06	1.0	0.42	0.020	0.86	12.1	6.0	0.63	395	0.64	0.02	2.4	10.1
K299613		1.25	4.39	0.08	0.9	1.22	0.016	0.80	11.7	5.1	0.58	445	0.64	0.01	2.3	10.3
K299614		1.02	4.11	0.05	0.9	0.64	0.014	0.74	11.1	5.6	0.58	175	0.94	0.02	2.1	8.9
K299615		0.34	1.08	0.05	0.3	0.48	<0.005	0.19	3.7	1.9	0.35	171	0.24	0.01	0.6	3.2
K299616		6.76	19.80	0.13	4.8	9.4	0.052	1.33	66.4	17.0	0.13	39	6.31	0.38	9.0	15.9
K299617		0.35	1.24	0.05	0.3	0.34	<0.005	0.22	4.0	2.0	0.31	84	0.31	0.01	0.6	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142028

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299579		240	9.7	55.9	0.003	1.55	1.31	7.1	2	0.9	1850	0.32	0.06	4.6	0.159	4.24
K299580		170	3.9	21.7	0.002	0.60	0.34	3.1	2	0.4	2140	0.13	<0.05	1.8	0.063	1.33
K299581		1280	5.9	31.6	0.003	1.10	0.53	4.7	2	0.5	1735	0.20	<0.05	2.6	0.112	2.14
K299582		750	7.7	41.8	0.003	1.41	0.67	6.2	2	0.7	1765	0.25	0.05	3.2	0.154	3.27
K299583		390	7.9	49.2	0.002	1.55	0.47	6.5	2	0.8	1670	0.29	0.06	3.8	0.170	3.28
K299584		690	3.7	21.1	<0.002	0.74	0.28	3.3	2	0.4	1890	0.13	<0.05	1.9	0.068	1.17
K299585		430	3.0	15.6	<0.002	0.62	0.19	2.7	2	0.3	1420	0.10	<0.05	1.3	0.052	0.82
K299586		180	1.1	1.0	<0.002	0.01	0.05	0.4	1	<0.2	37.6	<0.05	<0.05	<0.2	<0.005	<0.02
K299587		510	4.2	23.6	0.002	0.76	0.27	3.6	2	0.4	2190	0.14	<0.05	1.9	0.068	0.81
K299588		220	3.8	23.3	<0.002	0.71	0.35	3.5	2	0.4	2070	0.13	<0.05	1.8	0.072	0.65
K299589		220	5.8	36.5	0.003	0.91	0.29	5.0	2	0.6	2050	0.22	0.05	3.0	0.111	0.72
K299590		210	6.9	40.7	0.003	1.06	0.31	5.1	2	0.7	1905	0.25	0.05	3.4	0.120	0.87
K299591		1100	2.9	17.1	0.002	0.51	0.17	3.0	2	0.3	2270	0.10	<0.05	1.3	0.047	0.40
K299592		2490	3.6	18.7	0.002	0.64	0.36	3.2	2	0.4	2500	0.12	<0.05	1.7	0.061	0.52
K299593		980	4.4	27.2	<0.002	0.88	0.41	4.0	2	0.4	1910	0.16	0.05	2.2	0.089	0.62
K299597		230	10.9	64.8	0.005	1.87	0.48	8.2	2	1.1	1700	0.38	0.05	5.3	0.190	0.74
K299598		390	6.8	39.7	0.004	1.12	0.33	5.1	2	0.7	2170	0.23	0.06	3.4	0.113	0.41
K299599		250	8.6	50.3	0.004	1.44	0.38	6.5	2	0.9	1795	0.30	0.05	4.3	0.148	0.60
K299600		160	5.4	34.1	0.002	0.86	0.30	5.1	2	0.6	2240	0.20	<0.05	2.7	0.097	0.32
K299601		280	10.9	66.4	0.005	1.72	0.49	9.4	2	1.1	2120	0.36	0.06	5.4	0.181	0.53
K299602		920	18.3	46.2	0.003	3.11	113.0	15.4	2	2.9	524	0.82	0.12	9.6	0.552	8.18
K299603		290	13.0	91.7	0.009	2.41	0.53	8.7	1	1.5	1790	0.41	0.06	6.6	0.250	0.96
K299604		160	5.5	39.5	0.004	1.05	0.31	4.1	1	0.6	2200	0.16	<0.05	2.7	0.097	0.47
K299605		630	3.7	23.5	<0.002	0.64	0.20	3.2	1	0.4	2500	0.11	<0.05	1.8	0.061	0.35
K299606		420	5.5	37.3	0.003	0.96	0.36	4.2	1	0.6	2140	0.17	<0.05	2.7	0.095	0.92
K299607		590	5.2	27.7	<0.002	0.48	0.63	12.1	1	0.8	1060	0.21	<0.05	2.2	0.293	0.53
K299608		370	5.7	39.7	0.003	1.12	0.37	4.6	1	0.7	1980	0.18	<0.05	2.8	0.118	0.85
K299609		390	6.8	43.0	0.002	1.11	0.48	5.3	2	0.7	1905	0.19	<0.05	3.1	0.117	1.14
K299610		280	5.8	38.3	0.002	1.11	0.44	5.1	1	0.7	1975	0.18	<0.05	2.8	0.111	1.18
K299611		160	1.1	1.2	<0.002	0.02	0.05	0.2	1	<0.2	46.5	<0.05	<0.05	<0.2	<0.005	<0.02
K299612		370	5.5	38.5	0.003	1.07	0.25	4.8	1	0.6	2010	0.18	<0.05	2.7	0.108	1.41
K299613		200	8.0	36.4	0.004	1.03	1.19	4.4	1	0.6	1710	0.16	<0.05	2.8	0.100	2.76
K299614		410	10.4	32.4	0.003	1.04	0.66	3.6	1	0.5	1880	0.17	<0.05	2.5	0.088	1.83
K299615		370	2.0	8.1	0.002	0.31	0.17	1.3	1	0.2	1655	<0.05	<0.05	0.7	0.023	0.38
K299616		930	16.3	46.5	0.003	3.13	117.0	14.5	2	3.0	531	0.68	0.13	9.0	0.556	7.91
K299617		150	1.9	9.1	<0.002	0.33	0.84	1.3	<1	0.2	1740	0.05	<0.05	0.8	0.026	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142028

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299579		3.7	49	1.3	25.6	36	49.1
K299580		1.7	18	0.3	13.3	13	20.9
K299581		2.0	30	0.6	18.1	22	37.4
K299582		2.5	42	1.0	21.2	26	43.4
K299583		2.6	47	2.0	19.1	34	47.2
K299584		2.0	20	1.4	16.4	10	24.0
K299585		1.3	19	0.9	22.6	11	16.9
K299586		0.5	2	0.1	0.8	12	<0.5
K299587		2.3	19	0.6	15.9	15	23.7
K299588		1.6	21	0.5	13.5	14	22.1
K299589		2.4	31	0.4	18.4	22	33.9
K299590		2.4	35	0.5	16.7	27	35.9
K299591		2.3	15	0.2	12.6	10	19.8
K299592		2.5	18	0.4	12.6	13	26.4
K299593		1.9	25	0.7	12.8	19	28.3
K299597		2.9	59	0.8	23.2	46	51.8
K299598		2.7	35	0.5	17.3	26	36.3
K299599		3.2	45	0.7	22.3	36	45.7
K299600		2.4	28	0.5	18.3	25	28.9
K299601		4.8	54	0.7	34.6	44	48.9
K299602		7.3	170	24.1	16.0	40	168.5
K299603		4.4	72	0.8	24.6	62	64.7
K299604		2.7	28	0.4	17.5	26	26.6
K299605		2.4	18	0.2	15.2	18	18.9
K299606		2.6	27	0.5	15.2	25	27.0
K299607		1.6	93	0.4	16.5	48	34.9
K299608		3.1	31	0.5	16.6	24	31.0
K299609		4.0	34	0.6	22.7	29	30.7
K299610		3.3	31	0.4	21.0	24	29.6
K299611		0.6	3	0.1	0.7	17	<0.5
K299612		2.5	31	0.4	18.4	31	30.2
K299613		2.6	28	0.6	15.8	21	28.3
K299614		3.1	25	0.4	13.9	18	25.7
K299615		2.1	7	0.2	8.6	4	8.4
K299616		8.1	167	21.8	14.5	44	166.5
K299617		2.2	8	0.4	9.8	6	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11142028

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

CERTIFICATE WH11145408

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 75 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
WSH- 22	"Wash" pulverizers
PUL- QC	Pulverizing QC Test
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11145408

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299618		7.77	<0.01	0.03	2.42	76	180	0.57	0.12	29.3	0.12	28.4	6.9	22	6.46	18.3
K299619		7.81	<0.01	0.04	1.00	56	110	0.26	0.06	33.6	0.10	13.00	2.9	9	2.44	8.3
K299620		7.16	<0.01	0.02	1.17	57	200	0.26	0.07	33.6	0.14	16.50	3.7	10	2.90	10.9
K299621		6.79	<0.01	0.01	0.53	62	130	0.20	0.03	36.0	0.03	7.71	1.6	4	1.20	6.8
K299622		7.29	<0.01	0.01	1.00	57	140	0.27	0.05	34.6	0.02	13.15	3.2	9	2.92	10.0
K299623		8.49	<0.01	0.01	0.97	67	120	0.31	0.05	35.2	0.03	12.05	3.0	8	2.68	10.5
K299624		8.29	<0.01	0.01	1.17	45	140	0.33	0.06	34.2	0.04	14.05	3.8	9	3.28	11.8
K299625		8.74	<0.01	0.02	0.77	31	150	0.25	0.04	34.3	0.02	12.10	2.4	7	1.88	8.2
K299626		0.26	2.58	0.96	3.19	584	800	0.79	0.29	8.09	2.13	45.7	6.5	51	3.76	40.9
K299627		6.95	0.01	0.04	0.68	32	120	0.26	0.03	34.3	0.02	10.85	2.2	6	1.58	7.6
K299628		7.20	<0.01	0.03	0.80	91	100	0.23	0.04	33.4	<0.02	11.20	2.5	7	1.53	8.4
K299629		7.21	<0.01	0.03	0.79	472	140	0.23	0.03	33.8	0.06	12.70	3.4	7	1.89	12.8
K299630		4.92	<0.01	<0.01	0.07	5	20	0.07	0.01	21.4	0.07	1.35	1.8	1	0.23	2.7
K299631		7.13	<0.01	<0.01	0.80	61	170	0.26	0.03	34.4	0.02	11.55	3.6	7	2.11	7.8
K299632		8.80	<0.01	0.01	1.23	110	180	0.24	0.06	32.3	0.03	16.95	4.6	11	3.08	12.5
K299633		8.40	<0.01	0.04	2.33	89	180	0.45	0.11	29.4	0.06	29.3	7.7	21	6.64	19.7
K299634		7.82	<0.01	0.01	1.32	91	130	0.30	0.06	33.6	0.03	20.2	4.9	12	3.72	11.0
K299635		7.07	0.01	0.03	1.39	147	100	0.31	0.06	32.0	0.03	19.20	5.2	13	3.86	13.3
K299636		6.89	<0.01	<0.01	1.21	90	90	0.33	0.05	32.2	0.02	17.15	4.5	11	3.46	11.3
K299637		4.93	<0.01	0.01	0.07	<5	20	0.05	0.11	21.5	0.06	1.38	1.8	1	0.27	3.7
K299638		7.02	0.36	0.36	2.30	4250	130	0.45	0.10	28.7	0.06	27.8	7.4	21	6.54	21.1
K299639		7.39	0.76	0.67	2.46	>10000	120	0.46	0.10	28.2	0.10	31.6	8.3	23	6.35	22.4
K299640		8.66	0.44	0.36	1.03	1360	80	0.21	0.04	33.8	0.04	14.65	4.0	9	2.41	10.0
K299641		8.36	0.25	0.30	1.74	946	110	0.39	0.08	32.5	0.11	24.1	5.9	22	4.32	16.6
K299642		8.52	0.21	0.24	0.86	1440	80	0.23	0.04	35.6	0.04	13.15	3.6	8	2.23	9.2
K299643		5.59	0.04	0.04	0.53	134	90	0.18	0.02	36.7	0.03	9.32	2.8	5	1.31	6.0
K299644		0.26	16.65	0.95	2.02	1200	370	0.38	0.51	14.00	0.68	34.8	4.0	37	2.34	64.3
K299645		2.05	0.98	0.55	0.94	>10000	90	0.17	0.04	29.8	0.82	15.50	3.9	9	2.82	19.8
K299646		7.02	0.17	0.11	0.70	974	100	0.21	0.03	35.4	0.03	11.75	3.2	7	1.76	7.6
K299647		4.79	3.24	1.81	2.17	1440	220	0.31	0.10	25.3	0.15	24.2	7.3	20	4.72	27.2
K299648		1.57	12.55	3.58	2.86	>10000	400	0.44	0.15	1.55	0.74	32.1	9.6	30	5.79	33.5
K299649		2.64	0.31	0.18	0.60	377	110	0.13	0.03	35.9	0.02	10.40	3.0	11	1.54	6.4
K299650		1.38	0.22	0.12	0.55	318	100	0.16	0.03	35.4	0.02	9.78	2.8	7	1.40	5.8
K299651		3.28	8.52	2.38	2.44	9590	310	0.36	0.11	19.05	0.27	29.9	7.2	25	5.19	27.8
K299652		7.08	0.57	0.36	3.78	492	170	0.72	0.18	20.4	0.35	53.1	12.1	33	11.90	33.9
K299653		2.89	0.05	0.08	2.00	190	160	0.49	0.08	29.0	0.05	30.9	6.5	18	6.25	16.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11145408

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299618		1.38	5.35	0.11	0.9	1.00	0.027	1.08	15.6	6.8	0.88	313	0.90	<0.01	2.9	12.2
K299619		0.57	2.16	0.11	0.4	1.07	0.011	0.44	6.8	3.4	0.54	153	0.50	<0.01	1.2	5.5
K299620		0.67	2.70	0.11	0.5	0.49	0.012	0.52	8.9	4.4	0.55	166	0.61	<0.01	1.6	6.2
K299621		0.37	1.14	0.09	0.2	0.49	0.006	0.20	4.0	2.5	0.47	201	0.27	<0.01	0.6	2.6
K299622		0.63	2.34	0.12	0.4	0.69	0.009	0.42	7.1	3.6	0.40	205	0.22	<0.01	1.3	5.2
K299623		0.60	2.13	0.10	0.4	1.15	0.007	0.42	6.4	3.5	0.42	184	0.18	<0.01	1.2	4.6
K299624		0.71	2.68	0.10	0.5	1.01	0.010	0.52	7.6	4.2	0.50	197	0.20	<0.01	1.5	5.7
K299625		0.54	1.80	0.10	0.3	0.75	0.007	0.34	6.8	3.1	0.38	101	0.13	<0.01	1.0	4.3
K299626		2.00	7.29	0.15	1.6	4.32	0.029	0.98	28.7	38.8	2.52	273	17.55	<0.01	6.4	52.0
K299627		0.49	1.62	0.10	0.3	0.68	0.009	0.31	6.1	2.6	0.36	102	0.14	<0.01	0.9	3.8
K299628		0.62	1.83	0.10	0.4	0.94	0.009	0.35	5.9	2.7	0.40	181	0.16	<0.01	1.0	4.2
K299629		0.69	1.81	<0.05	0.4	0.88	0.010	0.34	6.4	2.4	0.41	144	0.24	0.01	1.3	0.9
K299630		0.49	0.34	0.06	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.60	225	0.25	<0.01	0.4	0.4
K299631		0.55	1.92	0.05	0.4	0.64	0.007	0.35	5.8	2.9	0.34	101	0.18	0.01	1.4	1.1
K299632		0.77	2.80	<0.05	0.6	1.48	0.011	0.53	8.6	3.1	0.56	192	0.29	0.01	1.9	3.1
K299633		1.28	5.13	<0.05	1.1	2.03	0.021	1.02	15.5	6.3	0.82	202	0.69	0.02	3.4	7.9
K299634		0.88	2.87	<0.05	0.7	1.37	0.013	0.59	10.7	3.9	0.74	209	0.49	0.01	2.1	3.4
K299635		0.87	3.10	<0.05	0.8	2.04	0.013	0.61	10.5	3.8	0.76	496	0.42	0.01	2.2	3.5
K299636		0.77	2.73	<0.05	0.6	1.40	0.012	0.53	9.2	3.8	0.77	313	0.39	0.01	1.9	2.3
K299637		0.50	0.41	0.10	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.65	218	0.07	0.01	0.4	1.1
K299638		1.36	5.07	0.07	1.1	4.11	0.025	1.00	14.4	6.2	1.05	692	0.77	0.02	3.2	9.3
K299639		1.39	5.44	0.07	1.2	4.47	0.058	1.05	17.2	6.1	0.69	669	1.28	0.02	3.3	9.5
K299640		0.72	2.37	<0.05	0.5	2.11	0.013	0.45	7.9	3.0	0.45	884	0.32	0.01	1.7	2.5
K299641		1.15	3.84	<0.05	0.9	5.63	0.018	0.74	12.8	4.5	0.44	703	0.55	0.01	2.6	6.0
K299642		0.54	2.00	<0.05	0.4	3.49	0.011	0.37	6.5	2.2	0.28	617	0.24	0.01	1.5	2.4
K299643		0.37	1.32	<0.05	0.3	1.67	0.007	0.23	4.6	1.5	0.35	368	0.12	0.01	1.1	1.5
K299644		3.53	3.58	0.08	0.9	6.03	0.051	0.38	18.5	37.0	0.71	458	12.15	0.01	3.6	20.2
K299645		0.65	2.27	<0.05	0.5	5.04	0.128	0.38	7.7	2.6	0.19	738	0.32	0.01	1.6	3.9
K299646		0.48	1.70	0.05	0.4	2.26	0.009	0.30	5.8	2.5	0.33	486	0.12	0.01	1.3	2.3
K299647		1.35	5.12	0.05	1.1	10.2	0.017	0.94	12.3	8.3	0.26	2400	0.81	0.02	3.2	9.8
K299648		2.19	7.13	0.07	1.5	17.0	0.045	1.16	16.3	28.1	0.21	200	0.73	0.02	4.2	16.0
K299649		0.40	1.50	<0.05	0.3	1.73	0.006	0.27	5.2	2.2	0.29	804	0.19	0.01	1.1	2.6
K299650		0.36	1.45	<0.05	0.3	1.51	0.006	0.25	4.8	2.2	0.34	741	0.16	0.02	1.1	3.6
K299651		1.61	5.61	0.06	1.3	12.0	0.033	1.02	14.9	13.9	0.27	1590	1.88	0.02	3.5	11.8
K299652		2.28	8.79	0.10	1.9	7.99	0.041	1.73	28.5	12.0	1.14	983	2.06	0.03	5.4	18.7
K299653		1.33	4.52	0.06	0.9	2.57	0.020	0.88	16.3	5.9	0.98	546	0.81	0.02	2.8	9.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11145408

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299618		350	10.4	42.3	0.003	1.43	4.25	5.2	1	0.9	1410	0.21	<0.05	3.4	0.118	1.85
K299619		340	4.5	17.1	<0.002	0.66	0.70	2.1	1	0.4	1710	0.08	<0.05	1.4	0.049	1.42
K299620		190	4.1	21.8	0.003	0.80	0.20	2.5	1	0.5	1650	0.11	<0.05	1.9	0.059	1.07
K299621		410	1.9	8.0	0.002	0.38	0.18	1.3	1	0.4	1700	<0.05	<0.05	0.8	0.026	0.55
K299622		220	3.4	17.2	<0.002	0.71	0.20	2.3	1	0.5	1670	0.08	<0.05	1.5	0.052	0.75
K299623		260	3.2	16.6	<0.002	0.70	0.36	2.2	1	0.6	1790	0.08	<0.05	1.4	0.050	0.58
K299624		160	3.7	21.1	<0.002	0.78	0.32	2.7	<1	0.6	1940	0.11	<0.05	1.7	0.060	0.56
K299625		170	2.7	13.5	<0.002	0.54	0.83	2.3	1	0.5	2110	0.07	<0.05	1.1	0.041	0.27
K299626		880	38.4	45.9	0.021	1.56	110.0	4.7	4	2.3	73.5	0.42	0.14	6.0	0.167	3.95
K299627		140	2.3	12.4	<0.002	0.45	1.10	2.2	1	0.4	1810	0.07	<0.05	0.9	0.036	0.28
K299628		130	4.3	13.7	<0.002	0.56	2.15	2.1	1	0.4	1680	0.08	<0.05	1.2	0.041	0.63
K299629		170	6.5	16.4	<0.002	0.63	3.83	2.4	2	0.6	2030	0.08	<0.05	1.3	0.041	0.60
K299630		200	1.5	1.8	<0.002	0.01	<0.05	0.4	1	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	<0.02
K299631		120	4.1	17.5	<0.002	0.55	2.02	2.2	2	0.4	2010	0.08	<0.05	1.2	0.041	0.41
K299632		160	5.5	26.0	<0.002	0.80	3.13	3.0	2	0.7	1550	0.12	<0.05	1.9	0.062	0.71
K299633		140	10.3	49.5	0.002	1.36	2.48	4.5	2	0.8	1770	0.28	0.05	3.5	0.121	1.58
K299634		150	4.3	28.5	<0.002	0.89	0.73	3.3	2	0.5	1780	0.13	<0.05	2.1	0.068	2.30
K299635		170	5.8	30.8	<0.002	0.95	3.32	3.2	2	0.7	1320	0.14	<0.05	2.3	0.074	5.96
K299636		140	3.7	27.3	<0.002	0.79	0.76	2.8	2	0.6	1330	0.12	<0.05	1.9	0.063	3.22
K299637		200	1.4	1.8	<0.002	0.02	0.05	0.5	1	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	0.02
K299638		190	6.7	51.3	0.002	1.76	24.1	4.1	2	1.1	1250	0.21	0.05	3.6	0.115	17.50
K299639		180	7.5	55.5	0.003	2.58	63.2	4.8	3	1.1	1060	0.23	0.08	3.7	0.120	21.1
K299640		160	3.3	23.3	<0.002	0.91	12.35	2.7	2	0.5	1150	0.10	<0.05	1.6	0.053	11.05
K299641		180	5.7	38.0	0.002	1.41	12.20	3.9	2	0.9	1370	0.17	0.05	2.7	0.090	17.05
K299642		340	2.8	18.6	<0.002	0.69	7.69	2.5	2	0.5	1310	0.08	<0.05	1.4	0.043	7.69
K299643		280	2.1	11.3	<0.002	0.39	1.92	1.6	2	0.3	1500	0.05	<0.05	0.8	0.027	3.42
K299644		650	21.2	27.7	0.008	2.09	159.0	3.4	2	2.0	45.1	0.23	0.40	3.7	0.109	3.56
K299645		580	4.0	19.7	<0.002	3.94	164.5	3.1	5	1.8	1030	0.10	0.08	1.6	0.048	9.18
K299646		240	2.5	15.5	<0.002	0.60	5.82	2.3	2	0.4	1430	0.07	<0.05	1.1	0.036	4.70
K299647		710	6.8	49.3	0.003	1.81	61.6	5.0	2	1.8	1160	0.21	0.07	3.1	0.107	22.0
K299648		2430	10.4	60.0	0.002	2.98	80.3	1.8	3	2.1	1120	0.30	0.12	5.2	0.155	38.9
K299649		400	2.8	13.5	<0.002	0.48	3.94	2.4	2	0.3	1600	0.06	<0.05	1.0	0.031	3.41
K299650		370	2.1	12.3	<0.002	0.43	3.33	2.3	2	0.2	1600	0.05	<0.05	0.9	0.028	2.77
K299651		1300	7.9	56.0	0.005	2.44	57.2	4.0	3	1.7	1330	0.24	0.07	4.0	0.122	31.7
K299652		250	11.4	79.9	0.005	2.60	12.05	7.9	2	1.6	1070	0.39	0.08	6.5	0.197	22.2
K299653		160	5.9	45.8	0.002	1.40	2.58	4.7	2	0.7	1650	0.19	<0.05	3.2	0.096	9.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11145408

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299618		2.4	35	2.2	14.0	54	33.9	
K299619		2.2	16	0.6	10.7	24	14.0	
K299620		2.5	17	0.5	12.0	33	17.6	
K299621		1.7	9	0.2	8.3	8	8.8	
K299622		2.0	15	0.4	9.5	11	15.9	
K299623		1.9	14	0.4	8.1	16	15.0	
K299624		1.9	18	0.4	9.4	21	18.8	
K299625		1.6	12	0.4	11.5	7	13.3	
K299626		8.5	232	27.3	20.4	214	66.0	
K299627		1.4	12	0.7	11.5	12	12.0	
K299628		1.6	12	1.2	10.9	8	13.4	
K299629		1.6	13	1.1	11.5	19	14.6	
K299630		0.5	3	0.1	0.8	17	<0.5	
K299631		1.3	12	1.0	8.4	7	14.7	
K299632		1.7	18	1.7	10.9	17	22.5	
K299633		2.9	34	2.0	13.3	32	36.4	
K299634		2.0	20	0.9	13.2	15	22.5	
K299635		1.8	21	1.0	11.5	16	24.5	
K299636		1.6	18	0.4	10.1	17	21.4	
K299637		0.7	3	0.1	0.8	16	<0.5	
K299638		2.6	33	1.1	12.5	22	36.0	
K299639		2.5	36	1.5	13.3	54	37.8	1.735
K299640		1.6	15	0.7	9.5	11	17.7	
K299641		2.4	26	1.4	14.0	68	29.5	
K299642		2.0	12	0.6	8.2	10	14.7	
K299643		1.7	8	0.4	7.8	14	9.8	
K299644		3.2	110	208	15.6	81	31.6	
K299645		2.0	14	0.8	11.1	178	17.0	6.01
K299646		1.7	10	0.6	8.5	8	12.4	
K299647		4.4	31	2.0	17.7	26	35.1	
K299648		7.0	39	3.0	16.1	114	52.9	1.545
K299649		2.2	9	0.5	8.7	5	11.3	
K299650		2.0	9	0.5	8.1	4	10.3	
K299651		6.4	37	2.4	16.8	36	42.5	
K299652		2.9	58	2.9	19.4	212	63.4	
K299653		2.1	29	1.2	17.8	22	30.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11145408

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

CERTIFICATE WH11146386

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 76- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146386

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298793		11.52	<0.01	0.08	3.76	18	240	1.04	0.09	11.05	0.06	43.3	6.9	38	12.30	28.1
K298794		10.99	<0.01	0.08	2.65	19	180	0.99	0.06	19.80	0.13	36.1	4.7	26	8.24	11.0
K298795		4.55	<0.01	0.08	3.83	27	160	1.30	0.08	12.00	0.09	48.6	7.0	43	15.80	21.1
K298796		3.08	<0.01	0.12	3.82	107	1520	1.05	0.08	11.20	0.10	46.7	7.3	40	13.70	20.6
K298797		6.94	0.01	0.07	3.19	23	260	1.01	0.08	16.15	0.15	42.5	5.8	33	12.90	19.1
K298798		5.70	<0.01	0.05	2.53	10	1060	0.78	0.05	18.95	0.09	38.9	4.5	26	9.23	12.7
K298799		10.32	0.01	0.08	4.24	19	230	1.31	0.09	11.05	0.07	52.5	7.7	42	17.75	29.0
K298800		11.51	0.01	0.01	3.12	9	170	0.92	0.08	20.7	0.11	37.2	5.8	28	14.80	16.4
K298801		11.43	<0.01	0.02	3.67	11	790	1.05	0.10	17.30	0.11	42.5	6.6	36	15.75	23.4
K298802		0.28	0.35	0.34	6.33	609	2190	0.62	0.27	0.49	0.18	139.0	3.0	228	3.58	35.8
K298803		11.82	0.01	0.05	3.76	13	360	1.12	0.10	16.50	0.08	46.8	6.8	39	15.10	25.1
K298804		11.55	<0.01	0.03	3.39	<5	290	0.97	0.09	16.45	0.08	42.1	6.2	33	9.99	22.5
K298805		6.87	<0.01	0.01	0.07	<5	30	0.07	0.28	21.2	0.07	1.42	1.4	5	0.20	1.9
K298806		11.55	<0.01	0.05	2.51	<5	160	0.87	0.07	23.5	0.18	33.0	4.8	26	8.59	16.0
K298807		12.04	0.01	0.04	3.23	42	160	1.10	0.09	17.70	0.13	41.6	6.2	33	11.15	22.3
K298808		11.73	0.01	0.04	3.74	156	290	1.15	0.10	16.35	0.07	45.3	6.8	35	13.45	23.8
K298809		10.16	<0.01	0.02	2.96	13	170	0.91	0.08	21.2	0.07	36.8	5.7	29	8.69	18.0
K298810		11.32	<0.01	0.04	2.65	11	170	0.81	0.07	22.6	0.05	34.5	5.3	25	4.98	16.6
K298811		5.19	0.01	0.06	2.81	10	140	0.83	0.07	21.3	0.06	34.2	5.3	27	5.29	17.1
K298812		12.08	<0.01	0.03	2.12	<5	140	0.69	0.06	25.5	0.24	26.2	4.1	22	3.38	15.3
K298813		9.77	<0.01	0.06	1.38	13	50	0.51	0.04	28.7	0.32	19.35	3.1	18	1.47	9.1
K298814		11.96	<0.01	0.04	2.89	26	100	0.97	0.07	21.8	0.14	38.1	5.6	32	4.43	18.4
K298815		11.86	<0.01	0.26	4.16	28	120	1.30	0.12	15.75	0.48	55.9	8.5	49	4.45	33.0
K298816		10.15	<0.01	0.23	3.37	27.5	150	0.98	0.09	9.86	0.12	45.1	13.4	35	2.72	37.0
K298817		6.14	<0.01	<0.01	0.08	<5	30	0.05	0.02	20.7	0.08	1.46	1.4	2	0.25	1.9
K298818		8.25	<0.01	0.23	7.97	20.9	290	2.27	0.38	3.15	0.03	79.6	18.4	53	9.09	301
K298819		8.36	<0.01	0.05	9.11	9.4	440	2.71	0.34	0.39	0.02	100.5	12.9	64	12.35	51.0
K298820		11.48	<0.01	0.15	8.76	12.5	390	2.61	0.32	0.41	<0.02	92.6	15.4	79	12.05	84.3
K298821		0.27	0.35	0.30	6.10	597	2340	0.49	0.33	0.44	0.17	136.5	3.1	231	3.59	32.7
K298822		11.07	<0.01	0.09	8.37	8.6	530	2.55	0.36	0.32	<0.02	81.6	18.0	68	11.90	17.0
K298823		11.01	<0.01	0.11	8.88	10.9	390	2.60	0.36	0.28	<0.02	84.4	19.9	68	11.70	15.0
K298824		11.67	<0.01	0.07	8.24	9.8	440	2.67	0.34	0.27	<0.02	76.0	20.1	69	10.95	15.2
K298825		11.34	<0.01	0.08	8.68	8.3	380	2.48	0.34	0.29	<0.02	83.5	19.9	68	11.35	15.1
K298826		11.09	<0.01	0.08	8.72	10.1	360	2.66	0.36	0.30	<0.02	84.0	22.0	70	12.15	15.1
K298827		11.30	<0.01	0.07	9.05	9.5	340	2.87	0.36	0.33	<0.02	83.8	22.8	76	12.90	16.7
K298828		10.97	<0.01	0.07	8.26	11.0	310	2.67	0.34	0.31	<0.02	78.5	20.7	69	11.90	14.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146386

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298793		1.66	9.46	0.08	1.9	0.09	0.029	2.01	22.6	31.5	5.37	253	0.82	0.04	6.6	18.3
K298794		1.18	6.33	0.10	1.3	0.10	0.023	1.30	19.2	40.4	3.64	248	0.97	0.03	4.9	10.2
K298795		1.72	9.80	0.13	2.1	0.23	0.030	1.85	24.9	79.5	5.04	271	1.15	0.04	7.0	18.5
K298796		1.70	9.87	0.13	2.0	0.25	0.029	1.74	24.0	72.9	5.29	287	1.25	0.02	7.0	17.4
K298797		1.52	8.16	0.12	1.8	0.15	0.024	1.50	22.0	69.3	4.58	259	0.91	0.03	6.0	13.2
K298798		1.25	6.14	0.09	1.4	0.08	0.020	1.13	20.1	54.0	3.96	266	0.75	0.04	5.0	9.4
K298799		1.91	11.05	0.12	2.1	0.07	0.031	1.89	27.2	84.9	4.83	261	0.78	0.14	7.8	18.3
K298800		1.37	7.95	0.10	1.3	0.03	0.026	1.42	19.9	52.0	2.78	265	0.21	0.14	5.6	12.9
K298801		1.61	9.13	0.11	1.6	0.02	0.029	1.69	22.6	51.3	3.03	300	0.27	0.16	6.5	16.5
K298802		6.78	21.1	0.31	4.3	9.6	0.047	1.33	65.0	18.4	0.13	35	7.38	0.37	10.8	17.0
K298803		1.56	9.72	0.11	1.8	0.06	0.031	1.78	24.4	63.5	3.51	317	0.51	0.15	7.0	16.7
K298804		1.55	8.51	0.10	1.7	0.05	0.026	1.51	22.2	58.0	2.92	355	0.28	0.16	6.2	14.8
K298805		0.47	0.31	0.12	<0.1	<0.01	<0.005	0.02	0.7	1.3	12.65	207	0.09	<0.01	0.3	4.4
K298806		1.10	6.43	0.10	1.3	0.05	0.019	1.13	17.5	57.9	2.34	375	0.43	0.14	4.9	10.5
K298807		1.47	8.11	0.10	1.7	0.10	0.026	1.42	21.5	77.6	3.63	421	0.39	0.11	6.2	13.8
K298808		1.67	9.34	0.12	1.7	0.10	0.028	1.64	23.6	81.1	3.86	484	0.33	0.14	6.7	15.9
K298809		1.29	7.38	0.10	1.4	0.04	0.026	1.16	19.4	51.1	2.55	651	0.30	0.26	5.5	12.7
K298810		1.30	6.87	0.10	1.2	0.05	0.019	1.01	18.1	109.5	2.95	703	0.40	0.14	5.0	12.2
K298811		1.34	7.10	0.10	1.3	0.05	0.023	1.07	18.1	107.0	3.02	683	0.41	0.15	5.1	12.1
K298812		0.89	5.18	0.07	0.9	0.06	0.016	0.75	13.9	45.4	1.71	965	0.42	0.20	3.8	9.1
K298813		0.67	3.45	0.06	0.6	0.07	0.012	0.40	10.3	38.5	1.67	1220	0.52	0.19	2.6	6.5
K298814		1.31	7.42	0.10	1.4	0.07	0.025	0.87	19.9	51.4	2.43	1520	0.52	0.32	5.5	13.4
K298815		1.67	10.85	0.12	2.2	0.12	0.032	1.24	29.5	47.5	2.37	2010	0.95	0.48	8.3	19.3
K298816		1.37	9.17	0.10	2.1	0.08	0.027	1.15	22.8	35.9	5.64	4480	2.04	0.27	6.7	16.6
K298817		0.44	0.38	0.11	<0.1	<0.01	0.005	0.03	0.7	1.3	12.35	210	0.13	<0.01	0.4	2.5
K298818		2.63	21.4	0.21	3.0	0.05	0.065	3.15	40.1	57.6	3.01	1230	1.08	0.23	12.8	33.1
K298819		5.26	25.2	0.28	3.2	0.08	0.079	3.78	50.5	55.0	1.63	280	0.22	0.20	14.1	38.0
K298820		5.41	24.0	0.29	3.0	0.05	0.071	3.79	45.7	45.3	1.47	271	0.24	0.20	13.3	37.7
K298821		6.44	20.7	0.20	4.2	9.4	0.054	1.29	68.1	16.7	0.12	37	6.98	0.36	10.2	15.7
K298822		4.87	23.4	0.24	3.4	0.04	0.077	3.70	42.3	42.8	1.38	206	0.25	0.20	12.9	37.1
K298823		5.10	24.2	0.25	3.6	0.01	0.083	3.78	44.2	45.2	1.45	173	0.27	0.21	13.4	38.7
K298824		4.91	23.4	0.24	3.5	0.01	0.074	3.63	37.3	43.9	1.40	175	0.26	0.20	13.4	38.6
K298825		5.05	23.1	0.25	3.6	<0.01	0.077	3.70	42.6	46.2	1.43	189	0.39	0.21	13.2	37.0
K298826		5.13	23.7	0.25	3.6	<0.01	0.079	3.77	42.6	46.6	1.49	196	0.27	0.24	13.5	39.5
K298827		5.38	24.8	0.26	3.8	<0.01	0.080	3.92	41.8	49.4	1.57	218	0.29	0.26	14.3	41.9
K298828		5.07	23.0	0.29	3.6	<0.01	0.082	3.65	39.1	45.3	1.42	213	0.28	0.22	13.2	38.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146386

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298793		420	11.3	85.2	<0.002	0.40	0.40	6.3	3	1.4	209	0.50	<0.05	8.2	0.174	0.55
K298794		310	8.6	64.2	<0.002	0.33	0.37	3.9	2	0.9	502	0.31	<0.05	5.7	0.121	0.37
K298795		450	12.0	85.3	<0.002	0.96	0.51	5.7	4	1.3	294	0.49	<0.05	8.9	0.174	0.98
K298796		470	12.6	95.8	<0.002	0.73	0.60	5.7	3	1.3	310	0.49	<0.05	8.8	0.173	1.20
K298797		410	11.5	87.4	<0.002	0.75	0.43	4.9	3	1.1	334	0.43	<0.05	7.6	0.144	0.68
K298798		310	8.7	64.9	<0.002	0.35	0.37	3.8	3	0.9	383	0.31	<0.05	5.7	0.116	0.34
K298799		510	12.0	97.5	<0.002	0.34	0.41	6.5	3	1.5	277	0.56	<0.05	9.7	0.192	0.59
K298800		320	6.0	86.8	<0.002	0.08	0.19	4.7	2	1.1	409	0.38	<0.05	6.5	0.135	0.37
K298801		430	7.8	98.4	<0.002	0.14	0.21	5.5	2	1.3	421	0.44	<0.05	7.8	0.162	0.42
K298802		920	18.1	58.3	0.003	3.09	114.0	15.0	3	3.0	520	0.77	0.13	9.6	0.544	8.07
K298803		450	9.4	83.9	0.002	0.17	0.69	5.8	2	1.4	448	0.48	<0.05	8.5	0.168	0.77
K298804		380	7.5	89.5	<0.002	0.07	0.29	5.1	2	1.3	350	0.43	<0.05	7.3	0.154	0.41
K298805		180	1.4	1.6	<0.002	0.01	0.08	0.3	2	<0.2	47.4	<0.05	<0.05	0.2	<0.005	<0.02
K298806		350	7.6	70.7	<0.002	0.08	1.07	4.0	3	0.9	660	0.32	<0.05	5.8	0.113	0.34
K298807		370	7.9	85.6	<0.002	0.44	0.29	4.9	2	1.2	440	0.43	<0.05	7.5	0.148	0.55
K298808		370	7.9	96.6	<0.002	0.24	0.27	5.5	2	1.3	404	0.47	<0.05	7.9	0.165	0.53
K298809		340	7.6	69.9	<0.002	0.06	0.22	4.5	3	1.1	514	0.39	<0.05	6.4	0.131	0.34
K298810		280	8.0	58.7	<0.002	0.12	0.24	4.2	3	1.0	571	0.32	<0.05	6.0	0.119	0.28
K298811		310	7.6	61.0	<0.002	0.11	0.24	4.3	2	1.2	533	0.35	<0.05	6.1	0.124	0.29
K298812		270	8.8	41.0	<0.002	0.10	0.19	3.2	2	0.8	735	0.25	<0.05	4.5	0.093	0.19
K298813		200	9.0	21.8	<0.002	0.15	0.19	2.2	2	0.6	1300	0.15	<0.05	3.2	0.062	0.12
K298814		390	11.1	49.0	<0.002	0.17	0.23	4.6	2	1.1	663	0.38	<0.05	6.6	0.130	0.20
K298815		620	40.8	67.0	<0.002	0.29	0.33	6.5	3	1.6	583	0.60	<0.05	9.9	0.199	0.34
K298816		410	23.3	57.3	<0.002	0.24	0.29	5.3	3	1.3	222	0.49	<0.05	8.2	0.163	0.28
K298817		170	1.3	2.1	<0.002	0.01	<0.05	0.3	1	<0.2	47.2	<0.05	<0.05	<0.2	<0.005	<0.02
K298818		450	10.1	85.9	<0.002	0.09	0.31	13.4	2	2.5	122.0	0.93	0.06	12.5	0.375	0.72
K298819		450	16.1	179.5	<0.002	0.03	0.64	17.3	2	2.9	113.5	1.03	0.06	16.5	0.418	0.88
K298820		540	18.8	173.5	<0.002	0.01	0.70	16.3	2	2.7	118.0	0.94	0.07	15.2	0.428	0.83
K298821		890	18.3	48.8	0.003	3.04	106.5	15.2	2	2.8	522	0.80	0.12	10.5	0.522	8.47
K298822		490	18.9	163.5	<0.002	0.01	0.78	17.1	2	2.7	129.5	0.98	0.10	15.1	0.411	0.75
K298823		490	20.2	174.0	<0.002	0.01	0.69	18.2	2	2.8	143.0	1.02	0.09	16.0	0.432	0.82
K298824		530	20.8	156.5	<0.002	0.01	0.63	18.1	2	2.6	127.5	0.98	0.09	14.7	0.437	0.79
K298825		530	21.2	167.0	<0.002	0.01	0.63	18.3	1	2.6	142.5	0.98	0.08	15.1	0.449	0.74
K298826		470	22.8	165.5	<0.002	0.01	0.65	18.8	2	2.7	143.5	1.02	0.08	15.4	0.462	0.81
K298827		510	23.7	167.5	<0.002	0.01	0.63	19.5	2	2.8	148.0	1.07	0.10	15.8	0.492	0.83
K298828		550	22.7	156.0	<0.002	0.01	0.61	18.4	2	2.7	138.0	1.01	0.08	14.9	0.446	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146386

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298793		5.4	58	1.3	13.9	42	66.6
K298794		10.1	39	0.9	9.1	54	48.1
K298795		7.5	57	1.3	13.5	66	71.8
K298796		10.2	56	2.0	12.8	67	69.7
K298797		8.6	49	1.0	12.0	62	61.1
K298798		6.5	39	0.6	10.1	49	49.5
K298799		5.7	60	0.9	14.7	67	73.2
K298800		6.0	41	0.7	10.7	46	46.8
K298801		6.5	53	0.8	12.7	50	56.4
K298802		8.1	171	24.4	15.3	42	169.0
K298803		8.8	53	0.8	13.3	53	63.1
K298804		5.8	45	0.7	12.2	48	60.0
K298805		0.8	3	0.1	0.8	17	0.6
K298806		9.5	36	0.5	9.5	41	47.3
K298807		6.7	47	0.9	11.8	52	60.3
K298808		6.6	50	1.1	12.8	57	61.2
K298809		10.2	40	0.6	10.5	45	48.8
K298810		11.3	37	0.6	9.6	37	44.7
K298811		10.9	38	0.6	9.6	39	46.2
K298812		12.0	31	0.4	7.4	37	31.9
K298813		15.8	23	0.3	5.4	42	22.9
K298814		11.9	41	0.6	10.7	53	48.2
K298815		8.9	68	0.9	15.7	132	78.2
K298816		5.4	52	0.8	14.1	46	75.0
K298817		0.9	2	0.1	0.8	18	0.6
K298818		5.2	97	1.6	18.4	87	101.5
K298819		3.4	113	1.8	20.7	87	108.0
K298820		2.5	80	1.8	20.3	82	107.5
K298821		7.9	163	23.9	16.3	42	160.5
K298822		2.6	94	1.8	20.0	89	117.0
K298823		2.7	97	1.8	20.7	97	122.5
K298824		2.7	103	1.7	19.9	97	123.5
K298825		2.7	105	1.7	21.2	97	127.5
K298826		2.8	107	1.8	21.4	103	125.5
K298827		2.8	119	1.9	21.8	110	129.0
K298828		2.6	101	1.8	20.6	101	122.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146386

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

CERTIFICATE WH11146374

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 77- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146374

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299005		11.01	<0.01	0.09	3.25	142	320	1.22	0.07	17.30	0.05	42.7	6.2	33	17.75	20.4
K299006		11.87	<0.01	0.03	1.64	23	80	0.80	0.04	28.7	0.07	23.9	3.8	16	7.41	8.9
K299007		11.56	<0.01	0.03	1.13	26	200	0.57	0.03	29.9	0.10	17.95	2.7	13	3.85	6.4
K299008		10.94	<0.01	0.05	4.75	50	320	1.80	0.10	10.55	0.06	56.1	8.6	48	21.8	19.7
K299009		0.19	0.35	0.32	6.54	578	2090	0.73	0.26	0.49	0.18	150.0	3.3	237	3.55	29.4
K299010		10.59	<0.01	0.07	2.99	142	150	1.21	0.07	16.60	0.07	39.1	5.6	29	12.20	12.8
K299011		11.93	<0.01	0.06	0.73	118	560	0.33	0.02	33.0	0.10	18.95	1.8	7	3.01	3.9
K299012		10.55	0.01	0.11	1.09	181	140	0.45	0.02	31.9	0.17	16.30	2.6	11	4.57	7.0
K299013		9.62	0.01	0.13	2.28	110	430	0.90	0.05	25.1	0.22	30.2	4.8	20	12.80	13.0
K299014		9.60	<0.01	0.05	3.26	266	240	1.27	0.07	21.3	0.03	44.9	7.3	25	24.3	13.0
K299015		11.67	<0.01	0.09	3.97	44	180	1.53	0.09	13.55	0.04	49.8	9.1	31	30.1	13.9
K299016		6.60	0.17	0.08	3.66	356	450	1.31	0.08	9.14	0.05	47.9	5.5	40	15.85	14.9
K299017		8.85	1.96	0.09	3.01	1560	180	0.99	0.07	15.65	0.14	45.1	5.8	33	11.20	17.6
K299018		10.70	1.26	0.03	1.13	521	170	0.52	0.03	28.0	0.20	19.85	2.5	12	3.94	4.5
K299019		11.21	0.73	0.08	2.42	343	240	0.97	0.05	16.60	0.09	35.3	4.1	25	8.87	10.8
K299020		10.47	1.42	0.12	3.73	1080	510	1.29	0.08	11.60	0.10	50.8	6.6	37	14.65	19.6
K299021		5.66	9.86	1.63	1.91	>10000	120	0.72	0.06	11.00	2.15	16.60	3.4	24	4.23	15.1
K299022		6.88	<0.01	<0.01	0.08	<5	20	<0.05	0.03	20.6	0.06	1.56	1.2	2	0.18	2.3
K299023		4.15	9.71	1.44	2.06	>10000	120	0.63	0.06	10.55	0.82	40.0	4.1	23	4.01	18.0
K299024		4.67	2.55	0.35	0.68	>10000	40	0.39	0.02	24.9	0.41	20.4	1.6	6	1.34	7.1
K299025		0.19	0.35	0.33	6.18	616	680	0.59	0.27	0.49	0.17	150.0	2.9	237	3.51	32.1
K299026		8.46	7.89	1.23	1.57	>10000	90	0.44	0.04	15.05	1.89	32.1	3.5	18	3.98	18.6
K299027		10.53	0.32	0.06	0.38	258	40	0.14	0.01	34.2	0.17	12.00	1.1	5	1.01	3.7
K299028		5.50	0.61	0.23	1.19	995	100	0.55	0.03	20.2	0.18	16.35	3.2	11	3.31	8.4
K299029		4.81	0.37	0.10	0.83	>10000	60	0.43	0.02	18.15	0.04	13.70	2.9	8	2.26	6.2
K299030		5.72	0.12	0.10	0.85	3460	50	0.34	0.02	19.15	0.17	12.90	2.9	8	2.38	6.0
K299031		6.82	0.01	0.02	0.08	60	40	0.11	0.02	21.1	0.07	1.51	1.9	1	0.24	1.7
K299032		11.71	0.39	0.38	1.25	3140	70	0.38	0.04	16.80	0.13	20.2	2.5	11	3.56	11.8
K299033		10.28	0.02	0.20	1.49	134	70	0.47	0.04	16.35	0.16	21.3	3.1	10	4.41	11.1
K299034		4.98	0.03	0.24	1.66	83	70	0.43	0.04	16.80	0.21	21.4	3.2	11	4.43	11.3
K299035		11.48	0.10	0.05	1.42	328	120	0.34	0.04	18.80	0.15	17.95	1.9	6	3.51	7.8
K299036		12.31	0.03	0.02	0.86	97	60	0.23	0.03	16.80	0.08	17.00	1.7	3	1.78	3.7
K299037		12.27	0.02	0.05	1.15	63	70	0.33	0.03	18.15	0.06	16.80	2.0	5	2.90	5.4
K299038		9.71	0.03	0.03	1.05	354	80	0.29	0.03	18.50	0.06	16.95	1.8	3	2.69	5.1
K299039		11.71	0.07	0.06	0.74	90	70	0.23	0.03	19.90	0.14	12.80	2.0	2	1.52	4.3
K299040		5.78	0.04	0.04	0.97	95	90	0.36	0.03	18.80	0.09	17.10	2.6	6	2.52	17.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146374

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299005		1.37	8.81	0.07	1.9	0.11	0.024	1.97	22.5	38.3	2.63	184	0.73	0.04	5.8	12.2
K299006		0.71	4.47	<0.05	0.8	0.02	0.013	0.95	13.3	17.8	1.71	138	0.19	0.02	3.0	3.0
K299007		0.55	3.22	0.07	0.6	0.05	0.010	0.67	10.1	10.7	1.55	135	0.36	0.02	2.2	0.4
K299008		1.89	13.55	0.11	2.7	0.13	0.034	2.85	28.7	45.0	3.71	202	0.89	0.04	8.3	18.3
K299009		6.96	23.3	0.25	4.1	8.3	0.050	1.42	72.1	21.3	0.13	41	6.74	0.41	10.6	18.5
K299010		1.28	8.23	0.05	2.1	0.12	0.021	1.80	20.3	27.9	4.13	191	1.05	0.03	5.4	9.1
K299011		0.41	2.17	0.07	0.3	0.06	0.006	0.41	9.4	7.0	0.69	166	0.28	0.01	1.4	<0.2
K299012		0.52	3.05	0.08	0.4	0.08	0.008	0.61	9.3	10.3	0.87	159	0.48	0.01	2.0	0.2
K299013		0.97	6.36	0.08	1.0	0.13	0.015	1.39	16.1	18.7	1.69	205	0.88	0.02	3.9	6.7
K299014		1.36	8.81	0.08	1.4	0.12	0.023	1.92	23.2	28.8	1.84	203	0.54	0.03	5.1	13.0
K299015		1.60	10.65	0.09	1.9	0.14	0.025	2.40	25.1	33.0	4.89	285	1.11	0.03	5.9	15.3
K299016		1.48	9.87	0.08	3.0	0.80	0.027	2.28	24.0	20.4	4.68	295	0.99	0.04	6.7	12.4
K299017		1.35	8.45	0.07	2.3	5.0	0.023	1.81	22.7	18.9	3.37	535	0.64	0.03	5.9	11.5
K299018		0.53	3.20	0.06	1.0	5.0	0.012	0.67	11.0	8.0	1.44	639	0.21	0.01	2.3	<0.2
K299019		1.12	6.64	0.07	2.3	3.46	0.016	1.37	17.9	15.8	3.90	574	0.79	0.02	4.6	6.6
K299020		1.36	10.55	0.08	2.8	6.8	0.027	2.02	25.9	29.1	3.04	774	0.67	0.02	7.1	13.1
K299021		1.14	5.59	<0.05	1.0	21.1	0.032	0.97	10.1	25.1	0.82	3680	1.87	0.01	3.0	6.6
K299022		0.43	0.26	<0.05	<0.1	0.02	<0.005	0.03	0.7	1.3	12.45	186	0.11	0.01	0.3	2.2
K299023		1.35	6.31	<0.05	1.4	15.8	0.085	1.06	25.1	20.5	1.97	3150	0.98	0.01	3.5	7.6
K299024		0.29	2.89	<0.05	0.4	3.84	0.023	0.33	10.2	12.2	0.44	10700	0.18	0.01	1.3	<0.2
K299025		6.68	20.3	0.19	4.5	8.7	0.052	1.36	71.9	21.6	0.14	37	6.15	0.38	10.5	17.0
K299026		0.86	4.95	<0.05	1.0	12.9	0.055	0.76	18.7	20.6	0.80	4710	1.04	0.01	3.0	5.3
K299027		0.26	1.00	<0.05	0.3	1.55	0.008	0.17	6.5	2.0	0.78	614	0.21	0.01	0.9	1.9
K299028		0.55	3.56	0.10	0.8	3.76	0.010	0.47	9.0	8.6	8.55	1340	0.86	0.01	2.3	3.2
K299029		0.33	2.67	0.24	0.7	1.68	0.014	0.38	7.8	7.7	10.50	754	0.65	0.01	1.6	2.1
K299030		0.34	2.82	0.27	0.5	0.80	0.009	0.40	7.3	7.1	11.10	437	0.83	0.02	1.7	2.1
K299031		0.45	0.77	0.38	<0.1	<0.01	<0.005	0.04	0.7	1.7	12.55	202	0.13	0.01	0.5	<0.2
K299032		0.62	3.41	<0.05	1.0	1.38	0.014	0.61	10.7	6.9	9.91	511	1.26	0.02	2.3	4.6
K299033		0.69	4.03	0.07	1.3	0.78	0.012	0.74	11.5	7.5	9.58	225	1.59	0.02	3.0	5.6
K299034		0.70	4.27	0.07	1.3	0.90	0.013	0.84	11.4	7.8	10.25	240	1.73	<0.01	3.0	6.2
K299035		0.46	3.61	0.11	0.8	1.02	0.010	0.71	10.3	6.2	10.70	499	0.39	<0.01	2.3	2.6
K299036		0.64	2.06	0.08	0.9	0.33	0.008	0.42	8.9	4.3	10.00	373	0.25	<0.01	1.5	1.6
K299037		0.53	2.82	0.10	1.0	0.27	0.009	0.57	9.3	5.2	11.00	362	0.39	<0.01	2.2	2.3
K299038		0.52	2.59	0.10	0.8	0.37	0.011	0.50	9.0	4.7	10.75	437	0.23	<0.01	1.8	2.1
K299039		0.86	1.81	0.06	0.6	0.74	0.011	0.36	6.6	3.3	11.10	736	0.72	<0.01	1.4	2.1
K299040		1.21	2.31	<0.05	0.7	0.36	0.012	0.47	8.3	5.5	10.80	760	0.48	<0.01	1.8	8.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146374

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299005		520	8.1	89.6	0.002	0.16	0.94	6.4	2	1.1	490	0.41	<0.05	7.3	0.147	0.60
K299006		230	4.7	47.8	<0.002	0.08	0.14	3.5	2	0.6	766	0.18	<0.05	3.7	0.071	0.18
K299007		140	4.8	33.2	<0.002	0.13	0.25	2.4	2	0.4	1060	0.13	<0.05	2.5	0.050	0.19
K299008		490	8.4	124.5	<0.002	0.14	0.46	9.5	3	1.6	388	0.59	<0.05	10.5	0.218	0.64
K299009		940	16.7	50.7	0.003	3.15	118.5	19.6	3	3.0	533	0.75	0.14	9.6	0.559	7.95
K299010		360	8.9	72.3	0.002	0.18	0.80	6.0	2	1.0	474	0.38	<0.05	6.9	0.138	0.48
K299011		140	4.0	18.1	<0.002	0.06	0.51	1.8	2	0.2	1370	0.07	<0.05	1.5	0.028	0.22
K299012		200	7.2	27.0	<0.002	0.14	0.79	2.5	2	0.4	1480	0.11	<0.05	2.2	0.042	0.54
K299013		390	7.8	52.7	0.002	0.26	0.65	4.7	2	0.7	742	0.25	<0.05	4.7	0.092	0.57
K299014		400	5.9	79.5	0.002	0.25	1.06	6.7	2	1.0	622	0.34	<0.05	6.4	0.125	1.24
K299015		500	6.7	93.1	0.002	0.30	0.45	7.5	2	1.1	291	0.41	<0.05	7.8	0.157	0.96
K299016		590	9.0	84.5	0.002	0.31	3.94	7.0	3	1.2	164.0	0.49	<0.05	8.9	0.182	3.99
K299017		580	7.8	73.8	0.002	0.39	34.3	6.6	2	1.1	217	0.41	<0.05	7.3	0.144	35.8
K299018		250	4.6	30.1	<0.002	0.25	18.50	2.5	2	0.4	524	0.14	<0.05	2.8	0.053	24.8
K299019		400	5.5	53.3	<0.002	0.37	13.40	4.8	2	0.8	295	0.32	<0.05	5.8	0.114	12.15
K299020		600	6.8	79.4	0.002	0.55	26.0	7.6	2	1.3	161.5	0.50	<0.05	8.7	0.180	31.4
K299021		590	12.8	39.3	0.007	1.93	155.0	2.3	2	2.2	134.5	0.22	0.12	3.6	0.080	110.5
K299022		210	1.5	1.6	<0.002	0.01	0.11	0.2	1	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	0.05
K299023		440	10.5	40.7	0.002	4.85	275	4.0	3	0.8	97.9	0.25	0.17	4.8	0.089	87.1
K299024		250	2.6	15.2	<0.002	0.86	27.2	4.8	2	0.3	185.0	0.08	<0.05	1.3	0.028	15.05
K299025		920	18.5	51.8	0.003	3.10	109.0	14.5	2	2.9	507	0.82	0.13	10.8	0.547	8.06
K299026		520	7.7	33.8	0.004	2.78	87.8	2.2	2	0.6	106.0	0.19	<0.05	3.6	0.072	41.9
K299027		200	2.7	7.6	<0.002	0.17	2.37	0.7	1	<0.2	918	0.05	<0.05	0.9	0.017	4.55
K299028		280	8.2	23.1	0.003	0.54	6.61	2.8	2	0.5	210	0.15	<0.05	2.5	0.053	6.78
K299029		220	8.0	17.4	<0.002	0.83	30.9	2.1	2	0.3	109.5	0.10	<0.05	1.8	0.035	6.91
K299030		180	6.4	17.5	0.003	0.49	9.26	1.9	2	0.3	95.2	0.10	<0.05	1.8	0.036	2.86
K299031		200	1.3	1.9	<0.002	0.05	0.18	0.4	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	0.03
K299032		640	8.1	22.9	0.003	0.67	8.47	2.2	2	0.4	94.4	0.15	<0.05	2.6	0.055	3.95
K299033		630	8.5	27.7	0.003	0.57	1.54	2.4	2	0.5	100.0	0.20	<0.05	3.3	0.070	1.67
K299034		650	9.2	28.4	0.003	0.62	1.53	2.5	2	0.6	106.5	0.20	<0.05	3.3	0.076	1.67
K299035		470	11.8	24.4	<0.002	0.31	2.23	2.0	2	0.4	134.0	0.16	<0.05	2.6	0.060	1.54
K299036		680	3.8	13.9	<0.002	0.27	0.44	1.3	1	0.3	115.5	0.11	<0.05	2.0	0.039	0.79
K299037		610	4.4	19.2	<0.002	0.38	0.48	1.7	1	0.4	113.5	0.15	<0.05	2.4	0.057	0.64
K299038		450	4.4	17.0	<0.002	0.37	0.85	1.6	1	0.4	134.5	0.12	<0.05	2.0	0.047	0.83
K299039		550	4.4	11.5	<0.002	0.55	1.05	1.2	1	0.3	156.0	0.09	<0.05	1.4	0.035	1.25
K299040		1870	10.2	15.4	<0.002	1.05	0.68	1.8	1	0.3	125.5	0.11	<0.05	1.8	0.048	0.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146374

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299005		9.0	48	0.8	12.3	38	61.2	
K299006		10.1	25	0.4	7.0	27	27.9	
K299007		12.7	18	0.3	5.5	32	21.6	
K299008		5.2	72	1.0	15.7	43	92.0	
K299009		8.0	174	24.7	15.9	45	159.0	
K299010		9.0	50	0.7	11.2	28	69.9	
K299011		8.1	14	0.2	5.1	26	9.1	
K299012		12.0	26	0.3	4.3	41	12.9	
K299013		11.7	43	0.4	7.9	56	35.2	
K299014		10.6	47	0.6	10.5	28	44.9	
K299015		6.1	57	0.7	12.3	24	66.3	
K299016		5.1	61	2.5	14.9	22	102.5	
K299017		7.2	47	2.5	14.4	24	80.3	
K299018		6.5	17	1.1	6.9	10	32.7	
K299019		6.9	39	2.3	11.7	20	77.7	
K299020		7.1	58	3.8	14.9	17	95.7	
K299021		32.0	52	4.1	10.5	170	30.6	1.860
K299022		0.7	2	0.1	0.9	16	0.5	
K299023		18.0	44	2.5	19.2	64	44.0	8.07
K299024		11.0	22	2.2	16.5	37	12.2	1.115
K299025		8.4	170	24.3	16.0	45	171.5	
K299026		17.8	47	2.5	7.3	149	31.9	4.36
K299027		12.6	11	0.5	7.6	12	12.3	
K299028		20.3	25	1.9	6.9	32	27.4	
K299029		14.0	12	1.0	4.7	5	21.1	1.045
K299030		14.5	16	1.0	4.4	32	17.8	
K299031		0.7	3	0.1	0.9	16	<0.5	
K299032		13.3	47	1.2	7.4	17	39.1	
K299033		15.2	26	1.7	8.5	18	44.7	
K299034		15.0	28	1.8	8.8	38	45.5	
K299035		9.3	31	1.4	6.8	21	30.2	
K299036		3.5	12	0.8	7.3	7	31.4	
K299037		8.5	17	1.2	7.4	9	35.1	
K299038		7.6	19	1.1	6.5	10	27.3	
K299039		7.0	12	1.1	5.2	47	21.2	
K299040		7.4	16	1.1	11.7	12	22.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146374

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11150000

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 78- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150000

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298829		11.20	<0.01	0.01	8.07	9.1	380	2.32	0.30	0.30	<0.02	66.4	18.3	71	10.50	16.0
K298830		5.94	0.02	0.08	5.10	317	320	1.16	0.16	12.85	0.04	51.9	9.0	37	15.60	16.7
K298831		6.93	<0.01	<0.01	0.07	<5	10	0.06	0.01	20.8	0.06	1.30	1.4	<1	0.16	2.4
K298832		9.43	0.01	0.08	4.55	257	250	1.15	0.15	16.60	0.06	50.1	6.3	32	17.40	28.6
K298833		10.51	0.01	0.09	4.32	337	200	1.15	0.16	17.15	0.05	47.1	8.0	30	16.45	10.6
K298834		6.40	0.01	0.09	6.18	640	280	2.09	0.25	11.25	0.04	68.3	9.6	43	26.6	25.2
K298835		8.12	0.01	0.08	8.68	397	390	3.54	0.39	0.63	0.02	79.4	12.3	73	44.8	24.9
K298836		6.55	<0.01	0.06	7.63	112.5	360	2.66	0.33	4.13	0.04	85.9	13.0	62	41.8	18.0
K298837		0.26	2.29	1.22	3.18	590	850	0.85	0.33	7.98	2.32	49.3	7.5	54	3.97	41.3
K298838		7.28	<0.01	0.02	7.85	94.3	300	3.93	0.35	1.57	0.21	75.4	22.6	69	44.0	47.1
K298839		9.92	0.07	0.06	0.77	447	70	0.33	0.03	18.40	0.26	16.85	4.0	7	2.21	11.3
K298840		11.19	0.09	0.03	0.40	293	110	0.24	0.02	18.85	0.56	9.07	2.4	3	0.82	5.3
K298841		10.46	0.30	0.02	0.71	446	180	0.35	0.03	17.60	0.04	12.50	2.7	5	1.71	4.6
K298842		7.34	0.15	0.01	0.78	661	110	0.37	0.03	17.20	0.09	15.65	2.2	6	2.15	5.6
K298843		9.30	0.17	0.03	1.20	230	60	0.49	0.04	15.55	0.29	20.6	2.8	8	3.08	4.8
K298844		9.64	0.07	0.03	1.15	161	60	0.53	0.04	17.75	0.06	16.65	2.3	8	3.71	5.7
K298845		11.49	0.03	0.05	0.69	98	70	0.33	0.02	19.65	0.05	8.35	2.7	6	1.77	7.4
K298846		0.26	0.34	0.35	6.24	611	600	0.68	0.28	0.48	0.20	148.5	3.1	237	3.55	30.7
K298847		10.66	0.01	0.06	0.63	89	60	0.26	0.02	18.95	0.04	5.44	2.5	5	1.75	5.3
K298848		11.83	0.01	0.12	0.84	72	100	0.39	0.04	19.50	0.05	10.15	2.8	8	2.47	8.2
K298849		11.43	0.03	0.09	0.76	269	80	0.38	0.03	19.35	0.20	10.10	2.8	7	2.04	7.1
K298850		10.26	0.24	0.07	0.69	528	70	0.35	0.03	18.70	0.10	9.64	2.5	6	1.34	5.3
K298851		11.95	0.10	0.04	0.83	165	70	0.36	0.03	18.05	0.07	10.20	2.6	7	2.10	5.9
K298852		11.75	0.24	0.20	0.61	190	70	0.30	0.03	18.75	0.06	8.46	2.6	6	1.22	6.4
K298853		6.93	0.02	0.01	0.07	5	20	0.05	0.02	20.3	0.07	1.31	1.7	<1	0.14	1.9
K298854		10.70	0.33	0.15	1.42	408	80	0.50	0.04	17.20	0.06	18.60	3.7	15	3.76	11.0
K298855		10.66	0.63	0.16	1.14	777	100	0.42	0.04	17.45	0.06	16.50	3.4	11	2.56	9.2
K298856		10.91	0.54	0.18	0.92	746	110	0.36	0.03	18.25	0.10	15.65	3.6	10	1.91	8.2
K298857		11.17	0.57	0.07	0.36	683	50	0.16	0.02	18.25	0.06	5.75	2.3	3	0.59	5.1
K298858		11.84	0.01	0.06	0.42	106	50	0.23	0.02	19.20	<0.02	6.36	2.4	3	0.93	5.0
K298859		5.60	0.02	0.05	0.41	111	70	0.21	0.02	18.90	0.02	6.19	2.6	3	0.89	7.0
K298860		11.94	0.04	0.05	1.02	444	100	0.43	0.04	18.55	0.02	12.95	3.3	8	3.00	9.3
K298861		11.59	0.04	0.09	1.81	84	80	0.77	0.05	15.70	0.11	23.2	4.5	15	8.35	12.9
K298862		11.68	0.07	0.14	1.62	116	60	0.61	0.04	17.30	0.06	21.7	4.3	16	7.88	13.9
K298863		11.70	0.12	0.26	0.64	464	30	0.26	0.02	18.95	0.03	9.96	3.1	7	1.87	8.2
K298864		10.47	0.11	0.12	1.33	541	50	0.45	0.04	15.85	3.81	14.85	3.1	14	3.89	8.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150000

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298829		4.86	23.9	0.18	3.5	0.01	0.069	3.68	32.8	43.5	1.37	189	0.29	0.26	12.9	39.3
K298830		3.85	13.35	0.13	2.2	0.16	0.048	2.45	27.2	10.1	3.65	633	0.47	0.04	7.6	21.9
K298831		0.48	0.26	0.07	<0.1	0.1	<0.005	0.03	0.6	1.0	13.00	217	0.14	0.01	0.3	3.0
K298832		2.02	12.05	0.12	2.2	0.1	0.040	2.31	26.4	9.8	2.78	394	0.52	0.03	7.1	15.7
K298833		2.34	11.80	0.13	2.1	0.08	0.037	2.17	24.9	9.9	3.04	473	0.50	0.03	7.1	18.5
K298834		2.70	16.05	0.16	2.6	0.10	0.061	3.17	34.1	16.7	2.05	506	0.44	0.04	9.3	21.8
K298835		2.62	25.3	0.17	3.4	0.20	0.082	4.61	36.9	29.4	0.89	191	0.34	0.06	13.6	29.6
K298836		3.26	21.5	0.22	3.0	0.16	0.071	4.05	40.8	28.4	1.87	540	0.37	0.04	12.0	35.4
K298837		2.01	7.84	0.16	1.7	4.93	0.030	1.00	28.4	41.9	2.52	265	16.20	0.03	7.0	51.1
K298838		3.97	24.2	0.23	3.0	0.75	0.078	4.17	35.7	35.8	1.34	130	0.63	0.04	12.7	40.9
K298839		1.33	2.16	0.09	0.4	3.09	0.007	0.37	8.5	4.7	10.95	709	0.15	0.02	1.5	6.4
K298840		0.66	1.12	0.07	0.2	1.42	0.005	0.18	4.4	2.9	11.55	557	0.08	0.02	0.8	2.4
K298841		0.54	1.91	0.08	0.5	2.83	0.006	0.33	6.5	4.6	10.75	460	0.14	0.01	1.3	2.6
K298842		0.42	2.07	0.11	0.7	2.23	0.006	0.37	7.9	5.0	10.60	392	0.17	0.01	1.4	2.3
K298843		0.58	3.11	0.10	1.2	2.33	0.012	0.58	10.4	7.4	9.54	387	0.24	0.01	2.1	3.1
K298844		0.37	3.08	0.11	0.8	1.09	0.008	0.55	8.9	7.7	10.90	251	0.18	0.01	2.0	2.4
K298845		0.36	1.89	0.10	0.4	1.43	<0.005	0.31	4.5	4.7	11.90	275	0.33	0.01	1.2	3.0
K298846		6.57	21.0	0.22	4.0	9.7	0.051	1.38	67.2	19.9	0.14	36	6.01	0.39	9.8	16.2
K298847		0.32	1.65	0.08	0.4	0.60	<0.005	0.29	3.2	4.3	11.00	230	0.39	0.01	1.1	3.5
K298848		0.45	2.19	0.10	0.3	1.49	0.005	0.40	5.6	6.0	10.85	215	0.60	0.01	1.4	4.7
K298849		0.41	2.01	0.10	0.3	1.74	0.005	0.34	5.4	5.5	11.65	264	0.39	0.01	1.3	4.4
K298850		0.33	1.78	0.13	0.4	2.51	0.006	0.28	5.1	4.3	11.45	241	0.30	0.01	1.2	3.9
K298851		0.37	2.20	0.12	0.5	1.29	0.005	0.35	5.4	5.8	11.05	192	0.36	0.01	1.4	3.8
K298852		0.38	1.66	0.10	0.2	2.18	<0.005	0.27	4.9	3.1	11.50	346	0.44	0.01	1.0	4.1
K298853		0.42	0.35	0.13	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.65	190	0.07	0.01	0.3	1.9
K298854		0.62	3.78	0.11	0.8	2.26	0.012	0.63	9.8	8.8	10.50	310	0.55	0.01	2.5	7.2
K298855		0.75	3.10	0.10	0.7	3.48	0.010	0.52	8.9	6.7	10.45	533	0.49	0.01	1.9	5.8
K298856		1.27	2.49	0.09	0.5	7.94	0.008	0.40	8.9	5.4	10.80	634	0.75	0.01	1.7	6.8
K298857		0.77	1.05	0.09	0.3	4.29	<0.005	0.15	3.1	2.2	10.80	873	0.31	0.01	0.7	3.2
K298858		0.64	1.16	0.11	0.3	0.66	<0.005	0.19	3.4	2.8	11.65	450	0.45	0.01	0.8	2.8
K298859		0.64	1.16	0.11	0.3	0.65	<0.005	0.18	3.3	2.7	11.45	440	0.46	0.01	0.8	3.2
K298860		0.44	2.77	0.12	0.6	1.70	0.008	0.48	7.0	6.3	11.50	253	0.46	0.02	1.7	5.1
K298861		0.71	4.80	0.11	1.0	1.45	0.013	0.93	11.8	11.6	8.98	268	0.85	0.02	3.1	7.8
K298862		0.68	4.29	0.12	0.8	2.39	0.010	0.82	11.6	9.7	10.55	241	0.62	0.02	2.7	8.5
K298863		0.54	1.76	0.11	0.3	2.76	0.006	0.29	5.5	3.3	11.35	366	0.54	0.01	1.1	5.1
K298864		1.00	3.88	0.12	0.7	7.4	0.018	0.61	7.4	5.3	9.24	570	0.73	0.01	2.2	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150000

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298829		460	19.7	148.5	<0.002	0.01	0.53	17.3	1	2.6	137.5	1.11	0.05	12.2	0.444	0.86
K298830		580	6.1	103.0	0.002	0.10	0.39	10.2	1	1.6	197.0	0.61	<0.05	9.1	0.225	9.05
K298831		190	0.6	1.5	<0.002	<0.01	<0.05	0.4	1	<0.2	41.4	<0.05	<0.05	<0.2	<0.005	0.02
K298832		1150	5.4	99.2	<0.002	0.06	0.44	9.6	1	1.5	400	0.58	<0.05	8.6	0.213	6.37
K298833		670	5.8	95.1	<0.002	0.04	0.43	9.2	1	1.4	456	0.57	<0.05	8.3	0.194	6.46
K298834		670	9.3	125.5	<0.002	0.05	0.65	13.2	2	2.0	245	0.65	0.07	11.0	0.295	7.38
K298835		510	10.7	173.0	<0.002	0.13	0.64	19.9	2	2.9	71.2	0.97	0.11	14.0	0.431	2.93
K298836		1770	10.6	141.5	<0.002	1.02	0.45	17.8	2	2.6	106.5	0.86	0.16	13.5	0.383	2.36
K298837		880	38.3	53.8	0.022	1.52	107.5	5.7	4	2.4	76.7	0.44	0.22	6.7	0.170	4.07
K298838		1570	19.2	134.5	<0.002	3.07	1.24	19.6	2	2.8	91.7	0.90	0.18	12.6	0.431	5.10
K298839		1070	5.9	14.1	<0.002	0.29	0.85	1.7	2	0.4	94.1	0.08	<0.05	1.6	0.037	4.31
K298840		350	13.8	6.7	<0.002	0.06	0.42	0.9	2	0.2	70.3	0.05	<0.05	0.9	0.018	2.55
K298841		450	3.1	12.0	<0.002	0.11	0.67	1.4	1	0.3	98.1	0.08	<0.05	1.6	0.033	4.29
K298842		520	4.1	13.7	<0.002	0.11	0.66	1.6	1	0.4	96.7	0.10	<0.05	2.0	0.036	4.39
K298843		620	5.2	21.3	<0.002	0.29	0.56	2.1	2	0.5	97.2	0.15	<0.05	3.0	0.054	4.96
K298844		300	4.2	19.2	<0.002	0.09	0.50	2.1	2	0.4	114.5	0.14	<0.05	2.6	0.052	2.93
K298845		120	5.0	10.1	<0.002	0.07	0.55	1.3	1	0.3	146.0	0.08	<0.05	1.3	0.030	2.11
K298846		930	18.9	50.8	0.004	3.08	119.0	17.3	2	3.0	507	0.72	0.15	9.9	0.540	8.06
K298847		100	5.1	9.6	<0.002	0.09	0.46	1.1	1	0.3	115.0	0.07	<0.05	1.2	0.027	1.74
K298848		180	8.7	13.7	0.002	0.31	0.70	1.7	2	0.3	140.5	0.09	<0.05	1.6	0.036	2.31
K298849		140	6.5	11.4	<0.002	0.09	0.63	1.5	2	0.3	149.0	0.09	<0.05	1.5	0.033	2.46
K298850		140	6.6	9.6	<0.002	0.06	1.35	1.3	2	0.4	133.5	0.08	<0.05	1.4	0.030	7.29
K298851		130	5.6	11.7	<0.002	0.16	0.39	1.5	2	0.3	129.5	0.09	<0.05	1.6	0.036	2.79
K298852		160	7.1	9.6	<0.002	0.23	1.06	1.3	2	0.3	139.0	0.07	<0.05	1.1	0.025	3.81
K298853		220	1.2	1.2	<0.002	0.01	0.05	0.3	1	<0.2	43.9	<0.05	<0.05	<0.2	<0.005	0.02
K298854		330	8.6	22.1	<0.002	0.39	0.98	2.5	2	0.5	109.0	0.17	<0.05	3.0	0.064	5.38
K298855		220	7.0	17.7	<0.002	0.29	1.92	2.1	2	0.4	132.5	0.13	<0.05	2.5	0.051	9.13
K298856		200	8.8	13.8	<0.002	0.29	4.52	1.6	2	0.5	149.0	0.12	<0.05	2.0	0.042	18.10
K298857		210	6.7	5.2	<0.002	0.08	1.22	0.7	1	0.3	101.0	0.05	<0.05	0.8	0.017	5.61
K298858		170	5.9	6.1	<0.002	0.19	0.72	0.8	2	0.3	100.5	0.05	<0.05	0.9	0.019	1.67
K298859		180	5.8	5.8	<0.002	0.20	0.72	0.8	2	0.5	98.4	0.05	<0.05	0.9	0.018	1.59
K298860		180	6.9	16.0	<0.002	0.42	1.01	1.9	2	0.4	153.0	0.12	<0.05	2.1	0.044	5.88
K298861		310	9.8	32.9	<0.002	0.49	0.34	3.1	2	0.7	86.8	0.21	<0.05	3.8	0.080	3.94
K298862		450	11.6	29.3	<0.002	0.64	0.46	2.8	2	0.6	104.0	0.19	<0.05	3.6	0.073	3.84
K298863		200	8.7	9.8	<0.002	0.45	0.55	1.2	2	0.4	91.6	0.07	<0.05	1.4	0.028	6.02
K298864		280	8.4	21.7	0.002	0.65	0.97	2.3	2	0.5	103.0	0.16	<0.05	2.8	0.058	11.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150000

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298829		2.6	104	1.9	17.5	95	114.0
K298830		6.4	68	3.3	16.9	26	75.2
K298831		1.1	2	0.1	0.8	16	0.5
K298832		8.0	62	1.2	16.4	22	74.0
K298833		8.4	59	1.4	16.2	25	73.7
K298834		5.9	89	3.6	22.8	27	88.0
K298835		2.9	127	6.8	24.1	26	118.5
K298836		3.2	108	2.5	31.6	31	102.0
K298837		9.2	228	28.0	22.1	204	61.4
K298838		3.5	121	2.5	28.0	94	105.5
K298839		2.7	11	0.8	9.4	179	14.0
K298840		2.5	7	0.4	4.3	74	8.8
K298841		5.4	12	0.7	5.4	36	18.1
K298842		5.6	12	1.0	7.5	30	24.4
K298843		3.5	13	1.1	9.3	75	42.0
K298844		5.6	19	1.0	6.6	17	27.2
K298845		8.4	16	0.7	3.5	12	15.4
K298846		7.8	172	23.7	16.1	44	158.5
K298847		7.0	12	0.7	2.7	6	13.6
K298848		12.7	21	1.1	3.9	6	12.2
K298849		7.4	17	0.9	3.7	72	11.5
K298850		8.3	14	1.0	3.6	38	15.9
K298851		9.9	13	0.9	4.0	25	19.7
K298852		11.0	15	0.8	3.4	20	8.9
K298853		0.7	2	0.1	0.9	15	<0.5
K298854		10.9	26	1.3	6.7	18	29.6
K298855		10.1	27	1.5	5.8	14	23.6
K298856		14.3	26	1.5	5.2	49	17.5
K298857		6.2	9	0.7	2.5	38	8.2
K298858		7.6	10	0.7	2.6	4	10.4
K298859		7.4	10	0.7	2.6	4	10.1
K298860		14.8	17	1.3	4.6	7	20.8
K298861		12.3	29	2.2	7.3	31	35.7
K298862		13.9	26	1.8	7.9	18	29.3
K298863		13.4	27	1.1	3.7	10	11.1
K298864		15.6	28	1.9	5.8	1760	25.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150000

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

CERTIFICATE WH11173840

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11173840

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K298829		<0.01
K298830		0.01
K298831		<0.01
K298832		0.01
K298833		<0.01
K298834		0.01
K298835		<0.01
K298836		<0.01
K298837		2.68
K298838		<0.01
K298839		0.06
K298840		0.09
K298841		0.29
K298842		0.15
K298843		0.17
K298844		0.06
K298845		0.02
K298846		0.33
K298847		<0.01
K298848		<0.01
K298849		0.03
K298850		0.24
K298851		0.09
K298852		0.23
K298853		<0.01
K298854		0.33
K298855		0.64
K298856		0.55
K298857		0.57
K298858		0.01
K298859		0.01
K298860		0.03
K298861		0.05
K298862		0.07
K298863		0.12
K298864		0.11

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

CERTIFICATE WH11150003

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 79- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150003

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298217		12.08	0.06	0.03	0.51	334	40	0.22	0.03	19.80	0.21	8.07	1.1	5	0.88	5.4
K298218		12.59	<0.01	0.07	0.81	107	60	0.30	0.03	19.25	0.03	10.75	1.4	8	1.99	7.0
K298219		11.59	<0.01	0.03	1.14	89	60	0.46	0.04	18.05	0.11	12.50	1.9	9	3.43	9.1
K298220		11.70	0.01	0.03	1.00	95	50	0.47	0.03	18.45	0.03	13.55	2.0	8	3.12	9.0
K298221		6.91	0.01	0.02	0.07	<5	10	<0.05	0.05	21.3	0.06	1.33	0.8	2	0.25	4.6
K298222		6.06	0.13	0.07	0.96	211	90	0.27	0.03	19.40	0.04	12.15	2.9	7	2.47	14.5
K298223		6.17	0.34	0.06	0.70	624	40	0.19	0.02	19.40	0.06	9.84	2.6	4	1.52	6.8
K298224		7.27	0.22	0.09	0.82	4920	60	0.23	0.03	20.2	0.11	10.35	3.1	4	2.00	10.2
K298225		7.66	0.31	0.12	0.64	4360	50	0.20	0.02	19.40	0.03	9.91	2.6	4	1.32	7.0
K298226		3.94	0.40	0.17	0.96	290	60	0.24	0.03	19.10	0.04	14.05	2.1	4	2.34	5.3
K298227		4.90	0.48	0.07	1.74	626	100	0.37	0.05	16.70	1.38	22.7	2.9	11	3.98	10.7
K298228		6.02	0.44	0.11	2.03	506	120	0.44	0.06	14.25	0.27	28.4	3.4	13	4.41	13.0
K298229		5.02	0.60	0.27	1.63	803	80	0.36	0.04	14.65	0.07	22.6	3.9	14	2.70	11.2
K298230		6.88	0.28	0.25	2.95	342	220	0.55	0.08	13.60	0.06	31.1	6.3	26	5.76	24.7
K298231		0.25	0.34	0.34	6.38	633	2680	0.59	0.31	0.49	0.19	149.5	3.1	229	3.78	34.8
K298232		5.27	0.13	0.15	1.86	206	90	0.43	0.05	15.75	0.04	24.4	4.5	14	3.43	19.4
K298233		7.53	0.09	0.17	1.86	707	100	0.39	0.05	14.70	0.03	24.7	4.8	15	3.03	19.8
K298234		5.42	0.31	0.21	2.42	447	100	0.39	0.07	12.55	0.06	25.8	5.6	20	3.85	24.1
K298235		7.09	0.10	0.08	1.15	1350	70	0.25	0.03	14.50	0.08	18.70	2.2	8	1.66	6.5
K298236		5.52	0.61	0.11	1.33	463	100	0.25	0.03	14.40	0.61	19.55	1.9	10	1.92	4.3
K298237		3.09	0.35	0.09	1.20	513	70	0.23	0.03	13.25	0.04	18.00	3.1	9	1.68	11.4
K298238		7.27	0.56	0.57	3.17	287	150	0.68	0.09	14.50	0.22	37.7	6.1	26	9.17	19.2
K298239		7.47	0.01	0.09	2.99	41	130	0.94	0.09	13.20	0.12	36.5	4.4	20	11.80	19.6
K298240		4.91	<0.01	<0.01	0.06	<5	20	0.06	0.02	21.6	0.07	1.21	1.5	<1	0.20	2.1
K298241		7.48	0.01	0.42	1.45	48	100	0.44	0.05	18.90	0.30	23.7	3.6	12	5.16	13.2
K298242		2.27	<0.01	0.51	2.53	48	210	0.66	0.07	15.20	0.18	32.6	4.3	20	9.29	14.2
K298243		6.71	0.03	0.08	1.08	421	110	0.23	0.03	13.45	0.02	17.25	2.0	9	1.99	4.6
K298244		7.62	0.13	0.10	1.94	99	110	0.42	0.05	15.25	0.36	23.9	2.9	20	4.67	11.4
K298245		8.21	0.01	0.10	1.92	89	100	0.41	0.05	13.85	0.07	26.3	3.1	13	4.88	9.4
K298246		0.26	2.76	1.03	3.40	639	930	0.66	0.30	8.49	2.33	51.3	6.9	53	4.15	43.9
K298247		7.73	0.01	0.09	2.28	427	220	0.49	0.06	13.65	0.08	28.5	3.8	17	5.46	12.5
K298248		7.45	0.01	0.11	1.45	37	70	0.39	0.04	17.45	0.09	19.90	3.0	8	3.94	9.6
K298249		7.94	0.02	0.05	0.70	164	50	0.22	0.02	19.80	0.04	11.50	2.2	3	1.30	4.9
K298250		7.23	0.06	0.10	0.82	130	60	0.26	0.03	19.65	0.04	13.55	2.4	4	1.50	6.0
K298251		8.03	0.01	0.14	1.09	42	70	0.26	0.03	18.45	0.05	16.50	2.4	6	2.48	7.0
K298252		8.18	0.01	0.08	1.06	83	70	0.28	0.04	19.40	0.20	14.65	2.8	7	1.71	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150003

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298217		0.27	1.20	0.09	0.3	0.84	<0.005	0.24	5.0	2.8	11.95	413	0.25	0.02	0.7	<0.2
K298218		0.33	1.95	0.11	0.4	0.61	0.005	0.39	6.7	4.9	11.85	264	0.37	0.01	1.2	<0.2
K298219		0.45	2.56	0.12	0.7	0.53	0.007	0.55	7.4	6.5	11.15	244	0.34	0.02	1.5	1.3
K298220		0.45	2.50	0.14	0.6	0.64	0.005	0.48	8.0	6.4	11.30	236	0.33	0.01	1.5	0.9
K298221		0.48	0.21	0.12	<0.1	<0.01	<0.005	0.03	0.6	1.1	13.35	215	0.08	0.01	0.3	<0.2
K298222		0.39	2.39	<0.05	0.6	1.27	0.007	0.44	7.4	4.8	11.30	322	2.05	0.01	1.6	6.4
K298223		0.32	1.80	<0.05	0.4	5.29	0.008	0.31	6.1	3.4	11.65	446	0.74	0.01	1.2	5.2
K298224		0.31	2.20	0.05	0.5	3.71	0.020	0.38	6.5	3.8	12.05	411	0.99	0.01	1.4	5.1
K298225		0.31	1.81	0.09	0.4	2.36	0.018	0.29	6.2	3.1	11.70	490	0.86	0.01	1.1	4.3
K298226		0.47	2.51	0.06	0.6	3.08	0.009	0.41	8.5	5.0	11.40	618	0.39	0.02	1.7	4.0
K298227		0.44	4.68	0.07	1.3	5.57	0.018	0.74	13.3	7.6	9.59	790	0.80	0.02	3.1	6.1
K298228		0.73	5.06	<0.05	2.6	4.09	0.017	0.91	15.7	7.2	7.29	1020	1.05	0.02	3.6	6.7
K298229		0.80	3.96	<0.05	2.4	3.48	0.014	0.74	12.5	4.6	7.36	904	1.60	0.02	2.7	9.4
K298230		0.91	7.64	<0.05	4.4	3.55	0.017	1.38	17.9	7.3	7.27	609	2.34	0.02	5.6	13.6
K298231		6.87	21.7	0.23	4.4	9.1	0.054	1.40	77.9	18.5	0.13	40	6.37	0.37	10.7	19.9
K298232		0.84	4.63	<0.05	2.6	1.76	0.013	0.87	13.6	5.8	8.04	685	2.19	0.02	3.2	8.4
K298233		0.85	4.61	<0.05	2.8	5.8	0.014	0.82	13.9	5.7	7.73	497	1.54	0.02	3.3	9.0
K298234		0.97	5.64	<0.05	3.6	5.39	0.013	1.02	14.8	6.6	7.21	591	2.67	0.02	4.6	10.4
K298235		0.86	2.45	<0.05	2.1	1.54	0.012	0.53	10.4	3.6	7.72	452	1.17	0.02	2.0	4.0
K298236		0.85	2.86	<0.05	2.2	2.70	0.010	0.60	11.3	4.0	7.72	540	1.12	0.02	2.2	4.0
K298237		0.80	2.53	<0.05	2.0	2.82	0.010	0.54	10.5	3.8	7.49	459	1.06	0.02	2.0	4.3
K298238		0.94	7.88	<0.05	2.8	4.33	0.019	1.44	21.2	11.6	8.08	650	2.33	0.02	5.6	13.7
K298239		0.82	7.49	<0.05	2.2	0.66	0.023	1.44	20.8	11.9	7.17	170	1.03	0.02	5.3	9.7
K298240		0.47	0.41	0.12	<0.1	0.01	<0.005	0.02	0.7	0.8	12.80	218	0.06	<0.01	0.3	3.2
K298241		0.63	3.65	0.07	1.1	0.63	0.011	0.68	15.3	5.4	9.83	199	3.56	0.02	2.7	9.5
K298242		0.77	6.32	0.06	2.1	0.53	0.018	1.19	19.7	8.2	8.64	209	1.33	0.02	4.5	9.9
K298243		0.75	2.39	<0.05	2.2	1.04	0.009	0.49	9.6	4.1	7.68	323	1.07	0.01	2.1	3.8
K298244		0.69	4.74	<0.05	1.7	2.26	0.016	0.87	13.6	6.7	8.71	413	1.19	0.01	3.3	6.7
K298245		0.86	4.63	<0.05	2.6	0.82	0.014	0.89	14.7	6.3	7.99	283	1.29	0.02	3.2	6.9
K298246		2.25	7.91	0.05	1.8	4.90	0.031	1.05	34.7	30.0	2.67	291	17.65	0.02	7.3	56.3
K298247		0.83	5.68	<0.05	2.5	2.03	0.015	1.06	16.1	8.1	7.69	294	1.33	0.02	3.8	8.0
K298248		0.51	3.64	<0.05	1.3	1.13	0.011	0.67	11.8	5.3	10.00	251	0.76	0.01	2.5	6.6
K298249		0.42	1.76	0.06	0.5	1.20	0.006	0.31	7.6	3.3	11.65	394	0.53	0.01	1.2	3.8
K298250		0.42	2.15	0.09	0.5	1.28	0.006	0.37	9.4	3.7	11.60	414	0.53	0.01	1.4	5.5
K298251		0.52	2.77	0.09	0.8	1.78	0.008	0.50	10.3	4.8	10.95	310	0.37	0.01	1.8	4.7
K298252		0.50	2.74	0.09	0.7	2.11	0.007	0.50	9.3	3.7	11.30	308	0.97	0.01	1.8	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150003

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298217		90	4.0	7.7	<0.002	0.12	2.30	0.9	1	0.7	108.0	0.05	0.05	1.0	0.022	0.84
K298218		120	6.4	12.6	<0.002	0.20	0.68	1.3	1	0.6	97.0	0.08	0.05	1.7	0.036	0.73
K298219		210	7.2	17.6	<0.002	0.36	0.39	1.6	<1	0.6	84.2	0.12	<0.05	2.5	0.050	0.89
K298220		230	6.6	16.8	<0.002	0.23	0.34	1.7	1	0.7	116.5	0.10	<0.05	2.1	0.043	0.75
K298221		180	1.5	1.7	<0.002	0.01	<0.05	0.2	1	<0.2	44.6	<0.05	<0.05	<0.2	<0.005	0.02
K298222		170	10.2	15.8	<0.002	0.19	4.06	1.7	2	1.1	110.5	0.12	<0.05	2.1	0.042	2.20
K298223		140	7.6	10.9	<0.002	0.21	3.30	1.3	2	0.6	74.9	0.09	<0.05	1.6	0.030	3.06
K298224		160	7.9	13.8	0.004	0.45	7.62	1.5	2	1.4	84.8	0.11	<0.05	1.9	0.036	3.48
K298225		120	7.9	10.4	0.004	0.42	5.66	1.3	2	0.7	84.9	0.08	<0.05	1.4	0.027	2.45
K298226		140	7.3	15.7	<0.002	0.41	4.47	1.8	2	0.3	92.7	0.12	<0.05	2.0	0.040	4.63
K298227		380	8.0	30.4	<0.002	0.39	4.42	3.0	2	0.6	113.0	0.24	<0.05	4.2	0.075	3.69
K298228		800	9.5	35.0	<0.002	0.31	4.38	3.5	2	1.1	147.5	0.28	<0.05	5.3	0.090	4.14
K298229		880	9.0	25.4	0.002	0.31	4.31	2.6	3	1.1	139.0	0.21	<0.05	3.9	0.069	6.02
K298230		1030	15.9	48.6	0.007	0.22	3.24	4.6	3	2.4	174.0	0.44	<0.05	7.9	0.143	4.20
K298231		950	19.1	54.2	0.004	3.19	123.5	18.4	3	3.1	550	0.86	0.15	10.8	0.565	8.66
K298232		870	10.9	31.2	0.004	0.23	1.43	3.1	3	2.7	148.5	0.25	<0.05	4.5	0.082	2.23
K298233		950	10.1	29.0	0.003	0.25	2.12	3.1	3	2.9	144.0	0.28	<0.05	4.8	0.085	2.56
K298234		620	13.6	36.2	0.005	0.27	3.55	3.9	2	3.5	127.0	0.37	<0.05	6.2	0.118	6.37
K298235		440	6.5	17.0	0.002	0.25	1.86	1.7	2	1.1	149.0	0.16	<0.05	2.9	0.051	2.39
K298236		420	6.6	19.4	0.002	0.21	1.95	1.9	2	0.4	135.0	0.17	<0.05	3.1	0.059	2.50
K298237		390	5.7	17.6	0.002	0.18	1.65	1.8	2	2.1	128.5	0.16	<0.05	2.8	0.052	1.98
K298238		830	15.2	54.3	0.005	0.64	2.08	5.2	3	1.8	148.0	0.44	<0.05	7.6	0.146	3.94
K298239		680	10.1	57.0	0.002	0.49	0.36	5.0	2	1.0	134.5	0.42	<0.05	7.0	0.134	1.29
K298240		190	1.4	1.4	<0.002	0.01	0.05	0.4	2	<0.2	48.4	<0.05	<0.05	<0.2	<0.005	<0.02
K298241		790	12.2	24.6	0.007	0.49	0.54	2.6	3	0.5	133.5	0.21	<0.05	4.0	0.068	1.76
K298242		700	12.1	42.9	0.006	0.55	0.39	4.2	3	0.8	141.5	0.35	<0.05	6.2	0.117	1.42
K298243		530	6.9	16.2	0.002	0.32	0.75	1.8	2	0.3	106.0	0.16	<0.05	3.0	0.052	1.16
K298244		510	8.1	32.6	0.002	0.41	1.04	3.2	3	0.6	119.0	0.25	<0.05	4.5	0.086	2.18
K298245		750	8.8	31.4	<0.002	0.41	0.55	3.1	2	0.5	95.5	0.26	<0.05	4.8	0.084	1.27
K298246		930	40.4	56.0	0.027	1.63	110.0	5.6	5	2.5	76.3	0.50	0.20	7.1	0.181	4.43
K298247		740	11.1	38.5	<0.002	0.52	1.07	3.7	2	0.8	117.5	0.30	<0.05	5.5	0.103	2.00
K298248		430	9.8	24.5	0.003	0.42	0.51	2.5	2	0.5	138.0	0.20	<0.05	3.5	0.064	1.34
K298249		130	6.4	11.2	0.002	0.38	0.91	1.3	2	0.3	107.0	0.09	<0.05	1.5	0.029	1.20
K298250		150	7.3	13.2	0.004	0.38	1.09	1.5	2	0.3	117.0	0.11	<0.05	1.8	0.036	1.32
K298251		190	7.4	18.0	0.002	0.45	0.53	2.0	2	0.4	113.0	0.15	<0.05	2.5	0.047	1.43
K298252		180	10.0	16.8	0.005	0.41	0.84	1.9	2	0.6	131.0	0.14	<0.05	2.3	0.047	1.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150003

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298217		6.9	8	0.4	2.8	86	8.1
K298218		9.4	14	0.7	3.4	8	12.8
K298219		12.6	13	0.5	4.3	83	21.7
K298220		9.9	12	0.5	4.8	6	22.1
K298221		0.6	1	0.1	0.8	18	<0.5
K298222		10.6	14	1.0	4.0	24	19.8
K298223		9.1	13	0.7	3.0	13	13.2
K298224		13.6	16	0.9	3.4	29	16.4
K298225		11.2	18	0.8	3.1	6	11.9
K298226		10.2	24	0.9	4.4	8	19.4
K298227		13.9	30	1.5	7.7	427	48.1
K298228		12.4	26	1.5	11.7	40	91.0
K298229		9.8	20	1.8	9.5	9	86.1
K298230		16.4	40	2.6	14.3	9	160.5
K298231		7.9	177	22.4	16.0	46	171.0
K298232		9.8	27	1.3	10.2	8	93.5
K298233		11.7	25	1.6	10.5	7	96.8
K298234		11.6	31	2.2	11.3	8	126.0
K298235		7.8	14	0.7	7.1	18	70.1
K298236		9.1	18	1.0	7.7	107	73.9
K298237		8.5	16	0.9	7.0	7	66.9
K298238		16.1	91	2.4	13.7	25	100.0
K298239		9.4	50	1.2	12.4	20	77.1
K298240		0.7	2	0.1	0.8	18	1.5
K298241		13.9	44	0.6	8.7	34	37.9
K298242		13.8	84	0.8	11.0	22	76.1
K298243		6.9	13	0.5	7.4	4	77.0
K298244		14.4	35	1.3	8.3	137	60.2
K298245		10.7	24	1.0	10.2	16	88.5
K298246		8.9	249	26.3	21.7	223	66.3
K298247		12.7	32	1.4	10.8	15	90.8
K298248		17.4	26	1.2	7.0	12	46.7
K298249		15.7	13	0.7	3.9	8	15.6
K298250		20.9	19	0.9	4.4	6	16.6
K298251		16.8	28	0.8	5.2	9	26.7
K298252		18.9	21	0.9	4.8	43	22.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150003

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

CERTIFICATE WH11146384

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 80- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146384

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299654		8.00	0.02	0.04	1.09	76	130	0.40	0.05	32.8	0.04	15.55	3.6	9	3.13	11.9
K299655		8.51	0.01	0.02	1.02	69	140	0.28	0.06	33.6	0.05	14.40	3.3	8	2.86	10.1
K299656		7.63	0.02	0.06	0.44	101	110	0.18	0.02	36.4	0.02	6.87	1.8	3	1.28	5.0
K299657		7.17	<0.01	0.01	0.43	85	100	0.17	0.02	35.6	0.14	7.76	1.8	4	0.81	5.0
K299658		7.20	<0.01	<0.01	0.34	38	90	0.12	0.01	37.2	0.05	8.48	1.5	5	0.89	2.9
K299659		7.02	<0.01	<0.01	0.34	23	80	0.11	0.02	35.9	0.08	10.35	1.4	3	1.00	2.8
K299660		5.07	<0.01	<0.01	0.34	21	90	0.15	0.02	35.5	0.06	11.10	1.4	8	1.30	2.8
K299661		4.86	<0.01	0.01	0.10	<5	20	0.06	0.03	21.3	0.07	1.51	1.5	3	0.32	2.6
K299662		4.28	0.02	<0.01	1.60	201	90	0.32	0.06	31.5	0.44	27.9	4.4	16	5.86	12.0
K299663		3.21	0.22	<0.01	7.91	984	180	0.68	0.03	8.38	0.17	113.0	25.5	19	34.9	36.6
K299664		3.85	0.15	<0.01	8.12	449	170	0.67	0.03	8.14	0.17	91.0	27.5	20	34.5	31.5
K299665		0.24	0.34	0.20	6.64	616	1240	0.44	0.28	0.49	0.21	164.0	2.5	247	4.03	25.3
K299666		3.26	<0.01	<0.01	7.55	431	150	0.74	0.03	8.27	0.15	88.9	23.6	19	33.9	29.8
K299667		3.46	<0.01	<0.01	0.45	35	140	0.14	0.02	34.4	0.03	9.58	1.9	3	1.15	3.6
K299668		7.83	<0.01	<0.01	0.44	18	120	0.16	0.02	35.5	0.05	12.95	1.9	3	1.80	3.5
K299669		0.25	0.34	0.20	6.17	569	520	0.38	0.27	0.49	0.19	149.0	2.4	229	3.65	24.3
K299670		7.72	<0.01	<0.01	0.64	20	120	0.21	0.03	33.4	0.07	15.90	2.3	5	2.83	4.8
K299671		8.21	<0.01	<0.01	0.55	24	100	0.21	0.02	34.9	0.05	15.30	2.1	5	2.85	4.5
K299672		7.67	<0.01	<0.01	0.40	30	130	0.17	0.02	35.7	0.05	11.10	1.9	3	1.54	4.7
K299673		7.90	<0.01	<0.01	0.53	20	140	0.22	0.02	34.1	0.07	15.25	2.1	4	2.78	4.5
K299674		7.95	<0.01	<0.01	1.07	30	190	0.41	0.05	32.1	0.07	18.70	4.9	8	4.09	10.7
K299675		4.89	<0.01	0.01	0.10	<5	20	0.05	0.03	20.5	0.06	1.42	1.3	1	0.62	3.3
K299676		8.04	<0.01	0.03	1.09	32	210	0.23	0.06	33.4	0.05	17.05	3.9	10	3.83	9.7
K299677		7.28	<0.01	0.01	0.41	7	130	0.15	0.02	34.8	0.03	7.27	1.7	4	1.05	4.0
K299678		7.59	<0.01	0.01	0.68	29	120	0.14	0.03	34.6	0.53	12.05	2.5	6	1.41	6.3
K299679		7.74	<0.01	0.01	0.32	27	90	0.12	0.01	34.8	0.04	6.37	1.4	3	0.66	3.3
K299680		8.07	<0.01	0.01	0.31	27	210	0.12	0.01	34.6	0.04	6.03	1.5	3	0.78	3.1
K299681		7.62	<0.01	0.01	0.38	31	90	0.13	0.02	34.9	0.03	7.64	1.6	4	0.97	3.7
K299682		7.82	<0.01	0.01	0.48	33	90	0.16	0.02	33.5	0.03	9.26	1.8	5	1.12	4.3
K299683		7.84	<0.01	0.01	0.49	40	90	0.13	0.02	34.8	0.05	8.56	1.8	5	1.10	4.4
K299684		3.62	<0.01	0.01	0.49	47	90	0.14	0.02	34.0	0.04	7.95	1.8	5	1.08	4.5
K299685		7.78	<0.01	0.08	1.07	75	110	0.33	0.05	31.3	0.15	21.7	3.8	9	3.27	9.7
K299686		1.96	0.54	0.12	0.89	>10000	60	0.18	0.05	18.50	0.89	15.25	3.1	14	2.17	21.0
K299687		5.80	<0.01	0.03	0.91	933	130	0.23	0.05	32.1	0.09	12.60	3.0	9	2.09	7.9
K299688		7.92	<0.01	0.01	0.89	91	110	0.24	0.04	34.5	0.02	12.85	3.0	9	2.18	7.5
K299689		7.98	0.01	0.01	0.59	38	90	0.16	0.03	35.6	0.02	9.26	2.0	6	1.43	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146384

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299654		0.70	3.26	0.07	0.5	1.11	0.011	0.53	8.8	6.1	0.48	328	0.50	0.01	1.7	5.0
K299655		0.66	3.00	0.06	0.5	0.85	0.012	0.49	8.0	5.5	0.47	191	0.59	0.01	1.6	4.9
K299656		0.37	1.43	0.05	0.2	0.70	0.009	0.20	3.7	2.3	0.26	1900	0.30	0.01	0.8	2.4
K299657		0.35	1.30	<0.05	0.2	0.59	0.005	0.19	3.8	1.5	0.29	199	0.24	0.01	0.9	2.3
K299658		0.32	0.82	0.20	0.1	0.33	<0.005	0.14	3.9	0.7	0.34	174	0.15	0.01	0.6	1.5
K299659		0.34	0.83	0.18	0.1	0.20	<0.005	0.15	4.6	0.7	0.41	227	0.13	0.01	0.6	0.8
K299660		0.40	0.84	0.17	0.2	0.10	0.005	0.15	4.8	0.9	0.42	220	0.13	0.01	0.6	3.5
K299661		0.47	0.28	0.06	<0.1	<0.01	<0.005	0.04	0.7	1.3	12.70	210	0.11	0.01	0.4	4.1
K299662		0.82	2.81	0.22	0.7	0.56	0.012	0.71	13.5	3.2	0.65	360	0.68	0.01	2.7	4.9
K299663		5.87	13.10	0.28	3.7	2.97	0.065	3.25	53.9	9.0	1.86	1560	1.71	0.04	50.9	15.7
K299664		5.00	13.30	0.23	4.0	1.65	0.061	3.42	44.3	5.5	2.07	1300	1.67	0.04	53.4	14.7
K299665		6.98	15.45	0.30	3.9	9.0	0.040	1.43	74.4	11.0	0.13	38	6.15	0.39	9.2	13.1
K299666		6.23	12.15	0.24	2.5	1.19	0.056	3.11	42.0	17.6	1.58	855	1.50	0.04	44.5	15.0
K299667		0.50	0.83	0.08	0.2	0.08	<0.005	0.19	4.9	0.9	0.35	154	0.12	0.01	1.1	0.3
K299668		0.44	0.85	0.12	0.2	0.07	<0.005	0.19	6.2	1.5	0.46	162	0.15	0.01	0.8	0.8
K299669		6.53	14.95	0.30	3.7	10.2	0.041	1.31	68.2	10.1	0.12	35	5.75	0.36	8.6	12.1
K299670		0.42	1.10	0.08	0.3	0.21	0.006	0.28	7.7	1.9	0.37	108	0.25	0.01	0.9	1.9
K299671		0.41	1.06	0.13	0.2	0.25	0.006	0.25	7.4	1.5	0.40	166	0.26	0.01	0.9	2.9
K299672		0.30	0.91	0.17	0.2	0.38	<0.005	0.17	5.6	1.1	0.25	103	0.20	0.01	0.7	2.4
K299673		0.39	1.11	0.19	0.2	0.20	0.005	0.24	7.3	1.7	0.34	128	0.27	0.01	0.9	2.5
K299674		0.70	3.11	0.30	0.5	0.37	0.008	0.49	9.4	4.1	0.63	123	0.73	0.01	1.9	4.1
K299675		0.48	0.41	0.05	<0.1	<0.01	0.007	0.05	0.6	1.7	13.00	209	0.09	0.01	0.5	2.6
K299676		0.63	2.82	0.09	0.5	0.40	0.013	0.51	8.6	4.2	0.37	99	0.74	0.01	1.7	7.0
K299677		0.30	1.09	0.07	0.2	0.14	0.005	0.19	3.6	1.5	0.34	138	0.21	0.01	0.8	3.5
K299678		0.47	1.80	0.07	0.3	0.38	0.008	0.31	5.9	1.9	0.49	161	0.37	0.01	1.2	4.9
K299679		0.26	0.84	0.06	0.2	0.16	<0.005	0.14	3.0	1.0	0.60	150	0.17	0.01	0.6	3.2
K299680		0.26	0.87	0.07	0.2	0.20	<0.005	0.14	2.8	1.1	0.63	147	0.20	0.01	0.7	2.9
K299681		0.32	1.05	0.07	0.2	0.25	0.005	0.17	3.6	1.3	0.59	197	0.17	0.01	0.8	3.4
K299682		0.38	1.27	0.07	0.3	0.44	0.006	0.22	4.5	1.4	0.62	178	0.26	0.01	0.9	3.5
K299683		0.35	1.31	0.07	0.3	0.82	0.006	0.23	4.2	1.7	0.56	200	0.30	0.01	0.9	3.5
K299684		0.36	1.27	0.06	0.3	0.81	0.006	0.23	3.9	1.7	0.55	186	0.33	0.01	1.0	3.2
K299685		0.63	2.57	0.06	0.4	2.24	0.014	0.50	11.7	4.3	0.53	138	0.52	0.01	1.8	4.4
K299686		2.25	2.08	0.10	0.3	23.7	0.060	0.37	8.1	12.9	0.33	277	0.26	0.01	1.4	3.8
K299687		0.74	2.39	0.07	0.5	2.54	0.015	0.43	6.6	3.4	0.40	255	0.16	0.01	1.5	5.2
K299688		0.58	2.24	0.07	0.5	1.61	0.010	0.41	6.6	2.3	0.42	165	0.17	0.01	1.5	4.9
K299689		0.41	1.46	0.06	0.3	0.74	0.007	0.28	4.7	1.7	0.37	157	0.19	0.01	1.0	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146384

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299654		360	3.6	24.0	<0.002	0.67	1.02	3.2	2	0.5	1680	0.11	<0.05	2.1	0.056	4.82
K299655		230	3.5	21.5	0.002	0.68	0.80	2.8	2	0.5	1740	0.10	<0.05	1.9	0.053	4.21
K299656		200	1.9	9.4	<0.002	0.33	1.93	2.5	2	0.3	1700	<0.05	<0.05	0.9	0.023	3.19
K299657		1120	2.6	8.5	<0.002	0.34	0.61	1.5	2	0.2	1705	0.05	<0.05	0.9	0.024	1.87
K299658		330	1.7	4.6	<0.002	0.23	0.32	0.8	1	0.2	1760	<0.05	<0.05	0.6	0.017	0.77
K299659		340	1.3	4.5	<0.002	0.15	0.42	0.9	1	0.2	1695	<0.05	<0.05	0.6	0.017	0.45
K299660		310	1.0	4.4	<0.002	0.12	0.28	0.9	1	<0.2	1790	<0.05	<0.05	0.6	0.018	0.20
K299661		180	1.9	2.7	<0.002	<0.01	<0.05	0.3	1	<0.2	45.6	<0.05	<0.05	<0.2	<0.005	0.02
K299662		350	1.2	21.8	0.003	0.33	1.58	2.4	2	0.5	1305	0.19	<0.05	2.6	0.094	1.56
K299663		1940	5.2	89.7	0.002	3.34	10.35	14.2	3	2.2	344	2.84	<0.05	6.8	1.015	13.00
K299664		1910	5.0	94.3	<0.002	2.09	4.25	13.6	3	2.3	260	2.99	<0.05	7.3	1.035	5.80
K299665		930	18.0	38.7	0.003	3.19	122.0	12.0	2	3.0	525	0.72	0.14	10.3	0.555	7.62
K299666		1750	4.0	88.5	<0.002	5.24	1.15	12.0	2	1.8	446	2.47	<0.05	5.2	0.912	4.17
K299667		190	1.1	5.7	<0.002	0.23	0.25	0.9	1	0.2	1945	0.06	<0.05	0.7	0.029	0.25
K299668		270	1.0	5.9	<0.002	0.10	0.18	1.1	1	0.2	1850	<0.05	<0.05	0.7	0.021	0.22
K299669		860	16.7	39.5	0.003	2.92	113.0	11.0	2	2.9	491	0.67	0.14	9.3	0.522	7.11
K299670		230	2.3	9.2	<0.002	0.32	0.30	1.4	1	0.2	1810	0.06	<0.05	1.0	0.031	0.75
K299671		290	2.2	7.8	<0.002	0.37	0.28	1.4	1	0.2	1485	0.05	<0.05	0.8	0.027	0.78
K299672		120	1.7	6.0	<0.002	0.27	0.40	1.1	1	0.3	1795	<0.05	<0.05	0.6	0.019	0.48
K299673		220	2.0	7.8	<0.002	0.33	0.26	1.4	1	0.2	1765	0.05	<0.05	0.8	0.026	0.36
K299674		420	3.6	20.2	0.003	0.73	0.32	3.6	3	0.4	2070	0.10	<0.05	1.6	0.054	0.53
K299675		190	1.4	3.8	<0.002	0.01	0.06	0.3	1	<0.2	46.9	<0.05	<0.05	0.2	0.005	0.02
K299676		90	3.9	22.6	0.003	0.70	0.36	2.2	2	0.4	2240	0.11	<0.05	1.9	0.056	0.46
K299677		320	1.8	8.2	<0.002	0.27	0.26	1.0	2	0.2	1980	<0.05	<0.05	0.8	0.021	0.22
K299678		360	3.0	13.7	0.002	0.49	0.27	1.5	2	0.3	1915	0.07	<0.05	1.3	0.035	0.95
K299679		610	1.9	6.0	<0.002	0.21	0.17	0.8	2	0.2	1720	<0.05	<0.05	0.6	0.016	0.63
K299680		480	1.7	6.3	<0.002	0.21	0.17	0.8	2	0.2	1550	<0.05	<0.05	0.6	0.017	0.39
K299681		350	1.9	7.6	<0.002	0.27	0.19	1.0	2	0.2	1675	0.05	<0.05	0.7	0.021	0.23
K299682		310	2.0	9.5	<0.002	0.33	0.20	1.2	2	0.2	1660	0.05	<0.05	0.9	0.025	0.29
K299683		300	1.9	9.9	<0.002	0.33	0.48	1.2	2	0.2	1660	0.05	<0.05	0.8	0.027	0.66
K299684		290	1.8	9.8	<0.002	0.34	0.42	1.2	2	0.2	1645	0.05	<0.05	0.8	0.027	0.64
K299685		220	24.8	26.9	<0.002	0.74	1.67	2.9	2	0.4	1625	0.11	<0.05	1.9	0.054	2.55
K299686		380	53.9	20.4	<0.002	3.61	80.1	2.1	2	0.8	740	0.09	<0.05	1.5	0.045	22.1
K299687		180	8.9	18.3	<0.002	0.82	5.55	2.3	2	0.4	1725	0.09	<0.05	1.5	0.049	4.02
K299688		420	3.2	17.2	<0.002	0.61	1.48	2.0	2	0.4	1685	0.09	<0.05	1.4	0.048	2.07
K299689		470	2.3	10.8	<0.002	0.42	0.59	1.3	2	0.2	1515	0.06	<0.05	1.0	0.031	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146384

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299654		2.3	16	0.7	14.4	14	20.2	
K299655		2.7	15	0.6	13.0	11	17.8	
K299656		2.0	7	0.4	13.8	4	8.9	
K299657		3.1	8	0.3	10.8	39	10.8	
K299658		1.6	5	0.2	6.7	4	4.4	
K299659		1.8	5	0.2	6.3	15	4.7	
K299660		1.8	5	0.2	6.5	8	4.6	
K299661		0.5	3	0.1	1.0	11	0.5	
K299662		3.0	24	1.4	10.0	88	18.7	
K299663		1.6	202	11.0	24.4	87	151.0	
K299664		1.6	207	12.1	24.3	84	159.5	
K299665		7.4	170	22.2	12.5	45	149.0	
K299666		1.3	185	2.6	19.5	84	92.7	
K299667		1.0	7	0.2	4.5	4	6.3	
K299668		1.6	6	0.1	6.1	6	5.4	
K299669		7.0	161	20.8	11.9	41	138.5	
K299670		2.0	9	0.2	8.6	8	7.3	
K299671		1.6	8	0.2	6.1	7	6.2	
K299672		1.2	6	0.2	4.7	5	5.0	
K299673		1.5	8	0.2	6.0	8	6.2	
K299674		3.5	16	0.2	14.9	10	16.6	
K299675		1.2	3	0.3	1.0	14	<0.5	
K299676		2.9	18	0.4	12.4	11	18.0	
K299677		1.9	7	0.2	8.2	2	8.1	
K299678		2.8	11	0.4	13.0	230	12.5	
K299679		1.8	6	0.2	8.6	7	6.5	
K299680		1.6	6	0.2	7.4	7	6.7	
K299681		1.6	7	0.3	9.8	<2	8.0	
K299682		1.9	8	0.4	11.0	2	9.4	
K299683		1.8	9	0.4	9.5	4	9.8	
K299684		1.6	9	0.5	8.6	4	9.4	
K299685		2.9	17	1.2	16.6	19	18.0	
K299686		2.2	14	2.4	8.6	202	15.7	4.11
K299687		1.8	15	1.7	11.5	61	16.8	
K299688		1.9	14	1.4	9.5	6	16.2	
K299689		1.9	9	0.7	7.0	3	10.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146384

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

CERTIFICATE WH11146703

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Bacth 81- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146703

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299041		8.58	0.04	0.07	7.94	252	340	3.27	0.33	2.37	0.19	78.4	15.0	67	34.6	39.5
K299042		7.77	<0.01	0.08	4.68	91	330	1.51	0.16	15.60	0.08	54.3	7.5	33	18.30	17.6
K299043		5.36	<0.01	0.05	4.25	34	230	1.37	0.15	17.45	0.11	42.7	6.3	32	16.30	14.3
K299044		12.33	<0.01	0.09	1.62	28	240	0.55	0.06	29.7	0.14	21.1	5.3	13	6.15	8.2
K299045		11.53	<0.01	0.02	7.84	48.1	480	2.07	0.32	6.93	0.04	78.8	7.5	55	35.4	24.0
K299046		12.12	<0.01	0.04	3.31	27	170	0.90	0.12	21.7	0.06	35.2	5.6	24	13.65	8.4
K299047		11.04	<0.01	0.05	4.21	25	260	1.10	0.14	16.70	0.06	41.6	7.9	30	18.55	11.7
K299048		11.09	<0.01	0.03	6.80	41	260	1.71	0.24	10.95	0.03	67.8	9.6	45	32.3	28.9
K299049		0.22	2.50	1.10	3.36	580	880	0.77	0.32	8.45	2.29	51.7	7.0	56	4.12	46.0
K299050		11.58	<0.01	0.14	7.79	69.1	340	1.98	0.33	5.18	0.08	71.5	21.6	61	33.4	37.9
K299051		11.84	<0.01	0.04	5.51	28	390	1.25	0.21	10.65	0.02	79.7	8.3	38	20.1	16.9
K299052		10.41	0.01	0.04	5.94	107	220	1.47	0.23	11.55	<0.02	82.5	10.1	42	20.8	24.9
K299053		4.87	0.02	0.04	6.01	149	220	1.36	0.22	11.95	0.02	83.1	9.0	41	20.4	24.4
K299054		9.32	4.76	0.05	5.01	1030	220	1.19	0.20	15.15	0.08	73.1	9.6	37	13.85	14.1
K299055		12.15	<0.01	0.02	4.81	25	230	1.17	0.18	17.90	<0.02	62.7	7.6	32	14.15	16.5
K299056		11.87	0.04	0.04	7.47	43.6	290	1.73	0.29	8.25	0.02	93.2	10.9	53	24.8	35.0
K299057		12.03	<0.01	0.06	6.88	43.3	290	1.66	0.29	6.08	<0.02	96.3	10.0	53	23.7	31.0
K299058		11.48	<0.01	0.02	7.26	32.7	270	1.72	0.30	8.51	<0.02	88.8	9.2	52	28.4	26.2
K299059		11.86	<0.01	0.02	4.39	25	160	1.11	0.18	19.90	<0.02	54.9	6.5	30	14.20	15.4
K299060		0.25	0.32	0.31	6.56	571	700	0.54	0.26	0.50	0.17	142.5	2.8	239	3.60	31.7
K299061		11.86	<0.01	0.03	6.89	45.9	230	1.64	0.31	8.11	<0.02	101.5	9.3	49	26.6	23.7
K299062		12.17	<0.01	0.02	7.82	56.0	270	2.29	0.38	4.09	<0.02	90.1	9.5	59	29.9	28.3
K299063		5.97	<0.01	0.10	7.67	227	300	2.02	0.36	2.87	0.09	86.0	14.7	62	22.7	40.0
K299064		4.95	0.01	0.23	6.38	986	230	1.53	0.25	3.23	0.20	98.0	18.9	54	15.60	35.4
K299065		6.88	<0.01	0.01	0.08	<5	20	0.06	0.02	21.1	0.07	1.48	1.1	1	0.21	1.1
K299066		11.46	<0.01	0.07	6.61	184.5	250	2.13	0.25	5.77	0.04	91.8	8.1	50	19.70	30.3
K299067		12.05	<0.01	0.10	6.72	236	270	2.44	0.34	3.97	0.02	91.9	10.8	56	20.9	38.6
K299068		5.92	<0.01	0.11	7.15	378	330	2.46	0.34	4.46	<0.02	82.8	11.9	59	21.7	38.2
K299069		7.11	<0.01	0.14	6.43	60.6	240	2.23	0.32	3.17	0.03	79.1	13.5	61	20.1	32.6
K299070		8.87	<0.01	>100	6.66	250	310	2.21	0.33	2.68	<0.02	88.0	13.3	57	18.90	380
K299071		6.42	<0.01	0.32	7.05	135.0	230	2.28	0.34	3.99	<0.02	85.3	14.0	61	22.4	35.1
K299072		6.94	<0.01	0.22	6.16	116.0	230	1.62	0.29	7.90	0.03	83.5	12.5	51	19.80	34.4
K299073		7.21	<0.01	0.12	4.06	38	200	0.86	0.18	17.00	0.04	57.7	7.9	33	11.40	21.0
K299074		9.29	<0.01	0.10	3.56	30	190	0.78	0.15	16.90	0.02	59.9	8.3	28	10.90	17.7
K299075		4.92	<0.01	0.02	0.13	<5	20	0.07	0.04	19.85	0.05	2.37	1.4	1	0.64	2.9
K299076		7.53	<0.01	0.09	5.04	34	210	1.07	0.21	15.25	0.03	68.5	9.0	40	13.85	22.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146703

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299041		2.54	21.9	0.17	3.6	0.91	0.072	4.16	39.6	47.2	1.73	157	0.62	0.04	12.7	35.7
K299042		1.81	11.45	0.12	2.2	0.51	0.043	2.24	28.6	19.3	3.97	394	0.42	0.02	6.8	16.1
K299043		1.43	10.45	0.09	2.0	0.35	0.034	2.06	23.9	18.6	3.80	333	0.44	0.01	6.2	11.9
K299044		1.11	3.98	0.05	0.7	0.15	0.016	0.80	11.8	6.7	1.33	268	1.22	<0.01	2.6	6.8
K299045		2.28	20.1	0.13	3.4	0.06	0.066	3.94	42.6	24.5	2.17	228	0.35	0.04	11.6	22.0
K299046		1.57	7.96	0.05	1.5	0.04	0.026	1.63	19.0	9.4	3.00	351	0.33	0.01	4.9	9.5
K299047		2.11	10.35	0.07	1.9	0.05	0.034	2.08	23.3	11.8	3.51	359	0.54	0.02	6.0	14.9
K299048		2.62	17.30	0.11	2.9	0.06	0.055	3.36	36.7	18.1	2.38	452	0.44	0.03	9.6	22.8
K299049		2.19	8.19	0.09	1.9	4.61	0.028	1.05	32.4	40.1	2.69	280	19.50	0.02	7.4	56.2
K299050		3.95	20.5	0.14	2.8	0.37	0.058	4.08	38.2	20.0	2.00	512	0.61	0.03	10.8	39.4
K299051		2.75	13.15	0.11	2.3	0.12	0.040	2.66	41.6	14.6	1.87	375	0.41	0.01	8.1	18.0
K299052		2.32	14.50	0.10	2.7	0.84	0.044	2.87	43.3	16.2	1.03	338	0.25	0.01	9.2	22.6
K299053		2.37	14.35	0.10	2.7	1.02	0.044	2.90	43.7	16.1	1.08	355	0.23	0.01	9.1	21.0
K299054		2.72	12.10	0.11	2.3	8.2	0.041	2.45	37.1	12.0	1.07	396	0.31	0.01	7.8	22.6
K299055		2.22	11.35	0.08	2.2	0.20	0.035	2.35	33.8	11.0	1.05	366	0.21	0.01	7.2	15.5
K299056		2.84	17.80	0.13	3.1	0.11	0.052	3.66	49.8	17.4	1.12	460	0.26	0.02	11.4	27.6
K299057		2.81	17.05	0.15	3.0	0.12	0.053	3.48	48.5	16.5	1.22	288	0.28	0.02	11.2	25.5
K299058		2.81	18.75	0.12	3.0	0.06	0.053	3.70	47.8	19.3	1.06	298	0.16	0.02	11.5	24.3
K299059		1.77	10.35	0.06	2.0	0.07	0.032	2.15	29.8	9.6	0.77	324	0.19	0.01	6.8	13.9
K299060		6.89	20.0	0.22	4.4	9.6	0.048	1.40	68.3	16.7	0.13	38	6.46	0.38	10.1	17.4
K299061		2.56	16.65	0.16	3.1	0.22	0.053	3.41	52.6	17.1	0.98	396	0.19	0.02	11.0	21.5
K299062		2.68	20.7	0.15	3.2	0.32	0.060	4.09	45.2	18.6	1.13	246	0.14	0.02	12.5	27.1
K299063		2.85	19.65	0.17	3.4	1.40	0.066	3.73	43.4	23.0	0.88	266	0.57	0.02	12.1	37.1
K299064		3.22	15.15	0.16	3.0	2.54	0.059	2.88	49.5	20.8	1.08	332	1.31	0.01	10.0	49.1
K299065		0.47	0.23	<0.05	<0.1	<0.01	<0.005	0.03	0.8	1.0	13.00	208	0.11	<0.01	0.3	0.4
K299066		1.86	17.10	0.11	3.2	0.77	0.053	3.21	47.2	19.6	1.50	280	0.17	0.02	10.5	17.5
K299067		2.86	19.35	0.17	3.3	1.13	0.058	3.46	48.8	21.5	0.95	348	0.33	0.04	12.2	22.7
K299068		3.13	19.50	0.17	3.3	1.05	0.055	3.69	45.2	21.7	1.67	445	0.27	0.04	12.2	25.5
K299069		3.28	18.15	0.17	3.5	0.69	0.057	3.49	40.7	21.3	1.10	347	0.35	0.04	11.7	32.8
K299070		3.21	18.60	0.16	3.5	0.5	0.057	3.52	46.3	22.2	1.11	281	0.40	0.04	11.9	84.5
K299071		3.06	19.80	0.17	3.5	0.27	0.057	3.76	46.6	22.4	1.17	336	0.26	0.04	12.5	30.6
K299072		2.92	16.80	0.13	3.2	0.23	0.050	3.28	45.5	16.0	1.13	348	0.32	0.03	11.1	27.3
K299073		2.24	10.40	0.09	2.1	0.16	0.030	2.10	31.0	9.2	0.83	349	0.22	0.03	7.5	18.2
K299074		2.03	9.24	0.07	1.9	0.12	0.025	1.81	31.7	10.2	0.68	372	0.23	0.02	6.8	17.9
K299075		0.47	0.49	0.14	0.1	<0.01	0.005	0.07	1.3	1.4	11.55	197	0.08	0.01	0.5	2.6
K299076		2.29	12.45	0.08	2.5	0.13	0.036	2.50	37.3	11.1	0.95	295	0.29	0.03	9.0	21.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146703

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299041		790	23.8	154.5	0.003	1.69	1.15	16.6	2	2.5	81.9	0.98	0.09	13.7	0.401	2.55
K299042		660	15.5	96.2	0.002	0.92	0.44	9.7	2	1.5	351	0.52	0.05	8.6	0.207	1.57
K299043		590	10.8	87.6	<0.002	0.59	0.29	8.6	1	1.4	455	0.47	0.05	7.6	0.185	1.09
K299044		420	14.1	32.6	0.002	0.43	0.35	3.4	2	0.5	1825	0.19	<0.05	3.3	0.068	1.00
K299045		640	9.3	180.0	<0.002	0.48	0.35	16.6	1	2.6	232	0.91	0.10	14.1	0.354	1.63
K299046		520	7.0	69.6	<0.002	0.10	0.22	6.4	1	1.0	536	0.35	0.05	6.0	0.140	0.41
K299047		520	7.9	89.0	0.002	0.13	0.28	8.4	1	1.3	445	0.46	<0.05	7.5	0.181	0.50
K299048		610	10.0	151.5	<0.002	0.15	0.31	13.9	1	2.0	357	0.74	0.06	11.9	0.286	0.76
K299049		920	41.3	55.9	0.026	1.60	107.0	6.2	4	2.4	79.8	0.51	0.18	7.2	0.177	4.15
K299050		560	35.7	127.0	0.002	1.22	0.99	13.6	2	2.3	150.0	0.84	0.08	12.6	0.326	2.09
K299051		240	13.5	111.5	<0.002	0.49	0.43	9.5	1	1.4	191.5	0.63	<0.05	11.1	0.271	0.99
K299052		260	16.1	124.5	<0.002	0.85	1.11	10.7	1	1.5	221	0.72	0.05	12.3	0.295	2.65
K299053		270	13.9	126.0	<0.002	0.86	1.37	10.6	1	1.6	225	0.70	0.05	12.1	0.294	3.28
K299054		480	17.0	106.0	<0.002	1.22	21.4	9.3	1	1.3	358	0.60	<0.05	10.4	0.244	33.9
K299055		480	11.3	102.0	<0.002	0.42	0.36	8.5	1	1.2	429	0.55	<0.05	9.8	0.220	0.99
K299056		270	15.7	154.5	<0.002	0.63	0.44	12.4	1	1.9	238	0.87	0.05	15.0	0.339	1.35
K299057		420	16.5	129.0	<0.002	0.64	0.50	11.4	1	1.9	158.0	0.89	0.06	13.4	0.366	1.29
K299058		250	10.8	138.5	<0.002	0.22	0.32	12.0	1	2.0	308	0.88	0.05	13.8	0.328	0.87
K299059		300	11.3	92.8	<0.002	0.31	0.31	7.6	1	1.2	594	0.51	<0.05	8.8	0.199	0.57
K299060		920	18.7	50.1	0.003	3.14	110.0	17.3	2	2.7	510	0.79	0.13	10.3	0.543	8.21
K299061		500	13.1	146.0	<0.002	0.61	0.59	11.7	1	1.9	224	0.87	0.06	14.8	0.337	1.06
K299062		250	11.4	123.5	<0.002	0.95	0.42	12.2	1	2.3	148.0	0.96	0.06	13.8	0.360	1.44
K299063		610	27.9	123.5	<0.002	1.79	1.43	13.1	2	2.2	169.5	0.96	0.06	14.4	0.360	2.59
K299064		200	52.8	120.0	0.002	2.30	3.08	12.3	2	2.0	131.5	0.80	0.06	14.1	0.337	6.17
K299065		170	1.4	1.5	<0.002	0.01	0.05	0.3	1	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.03
K299066		700	13.5	137.0	<0.002	0.73	0.82	12.8	1	2.5	177.0	0.86	0.05	13.8	0.327	1.18
K299067		300	14.3	145.0	<0.002	2.03	0.98	13.6	2	2.7	124.5	0.92	0.06	13.2	0.365	2.93
K299068		490	17.6	149.0	<0.002	1.19	1.17	13.0	1	2.8	138.5	0.91	0.06	13.5	0.342	1.99
K299069		310	24.9	132.0	<0.002	1.64	0.75	12.7	1	2.2	111.5	0.91	<0.05	12.4	0.352	1.72
K299070		340	14.1	146.5	0.014	2.13	0.59	12.8	1	2.3	103.0	0.92	0.05	13.7	0.352	1.75
K299071		330	13.0	154.5	<0.002	1.77	0.55	13.5	1	2.2	127.5	0.96	0.05	13.6	0.367	1.35
K299072		300	17.8	143.0	<0.002	1.44	0.63	11.4	1	2.8	187.5	0.83	<0.05	12.5	0.322	1.18
K299073		200	19.2	87.4	<0.002	0.67	0.43	6.8	1	1.8	366	0.53	<0.05	8.4	0.207	0.76
K299074		240	17.0	80.4	<0.002	0.74	0.33	6.1	1	1.2	374	0.47	<0.05	7.7	0.206	0.57
K299075		160	1.6	4.3	<0.002	0.02	<0.05	0.4	1	<0.2	48.0	<0.05	<0.05	0.3	0.007	0.02
K299076		510	19.4	104.5	<0.002	0.87	0.40	8.1	1	1.6	356	0.63	<0.05	9.7	0.260	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146703

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1
K299041		5.3	111	7.6	24.7	36	126.5	
K299042		8.3	61	2.3	18.8	37	84.8	
K299043		7.9	55	1.2	15.1	32	79.1	
K299044		17.5	30	0.5	8.8	88	28.1	
K299045		5.9	107	2.0	23.6	27	124.0	
K299046		9.2	43	0.6	12.0	17	57.1	
K299047		7.8	55	0.8	13.7	23	72.4	
K299048		7.1	86	1.3	21.8	32	105.0	
K299049		9.6	236	31.1	23.6	217	73.3	
K299050		4.5	96	1.8	20.9	88	100.0	
K299051		2.9	58	1.1	18.0	42	83.5	
K299052		3.0	63	1.9	19.2	38	96.3	
K299053		3.0	62	2.1	19.7	41	94.5	
K299054		4.1	54	2.2	22.0	39	87.3	
K299055		3.1	48	1.1	18.6	43	81.3	
K299056		3.1	77	1.6	21.7	49	113.5	
K299057		3.4	78	1.7	19.5	36	107.0	
K299058		2.6	74	1.4	18.8	40	108.0	
K299059		3.3	44	0.8	15.7	34	74.5	
K299060		8.3	166	24.0	16.0	45	178.0	
K299061		3.1	73	1.5	22.0	39	106.5	
K299062		2.9	85	1.7	19.2	28	113.5	
K299063		2.9	93	3.6	21.0	108	118.0	
K299064		3.6	83	5.0	19.3	297	106.5	
K299065		0.4	1	0.1	0.8	17	0.6	
K299066		2.9	77	4.0	22.1	25	111.5	
K299067		3.0	88	3.6	20.9	52	106.0	
K299068		3.1	89	4.3	20.7	51	104.0	
K299069		3.1	91	1.6	20.0	87	106.0	
K299070		2.8	87	1380	19.5	53	107.5	332
K299071		2.8	90	2.5	19.9	45	106.5	
K299072		3.2	74	1.8	21.9	65	102.5	
K299073		3.0	44	1.4	16.1	72	66.7	
K299074		2.6	39	0.9	15.4	41	61.4	
K299075		0.5	2	0.1	1.2	13	1.2	
K299076		3.4	57	1.3	18.5	61	79.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146703

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

CERTIFICATE WH11146383

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 82- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146383

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299690		8.27	0.01	<0.01	1.21	46	150	0.25	0.12	34.3	0.06	15.05	4.0	11	4.17	10.1
K299691		8.22	<0.01	<0.01	0.98	45	120	0.26	0.05	33.9	0.04	12.30	3.6	8	3.59	8.7
K299692		0.21	0.33	0.07	6.38	594	1080	0.68	0.28	0.49	0.18	142.0	3.4	234	3.46	31.2
K299693		8.21	0.15	0.03	1.32	1080	100	0.26	0.06	32.8	0.06	15.75	4.6	13	3.63	11.4
K299694		8.05	<0.01	<0.01	2.40	77	130	0.56	0.10	26.1	0.08	27.6	7.6	22	7.65	16.9
K299695		7.25	<0.01	<0.01	3.14	83	150	0.83	0.13	23.7	0.14	37.2	11.6	28	11.65	27.1
K299696		7.36	<0.01	<0.01	2.58	74	120	0.78	0.10	26.7	0.20	29.4	10.8	24	9.55	27.0
K299697		7.14	<0.01	0.04	3.90	139	200	1.00	0.14	22.0	0.17	41.7	16.6	35	19.80	35.4
K299698		4.89	<0.01	<0.01	0.12	6	20	<0.05	0.04	21.2	0.09	1.39	1.5	1	0.41	3.0
K299699		7.57	0.10	0.03	0.82	210	60	0.26	0.04	32.7	0.05	11.10	3.3	7	2.14	6.1
K299700		7.33	0.08	<0.01	2.50	664	120	0.66	0.10	25.5	0.07	29.4	8.5	23	7.25	15.8
K299701		7.03	1.31	0.47	2.22	4140	110	0.44	0.08	27.5	0.14	24.1	9.6	22	5.94	20.7
K299702		3.23	0.20	0.03	2.63	282	130	0.49	0.12	28.2	0.10	29.9	11.0	28	5.71	24.3
K299703		0.20	16.25	1.03	2.07	1230	250	0.31	0.55	15.25	0.61	30.1	4.3	37	2.24	68.1
K299704		2.87	13.30	3.39	3.24	3780	170	0.53	0.14	18.05	0.76	38.3	14.8	31	6.86	33.7
K299705		3.84	3.67	2.32	2.60	2780	150	0.39	0.10	24.6	0.21	28.5	10.5	24	5.33	24.4
K299706		4.01	0.83	0.52	2.42	301	130	0.40	0.10	27.0	0.13	26.9	9.9	21	5.90	23.7
K299707		6.85	12.65	2.89	2.45	1680	110	0.36	0.10	18.35	0.70	30.2	10.1	22	4.13	26.4
K299708		4.60	12.15	2.01	2.26	>10000	90	0.27	0.10	10.90	0.45	26.3	6.8	24	3.54	17.7
K299709		3.90	17.40	1.67	2.75	>10000	90	0.25	0.13	1.26	0.38	36.6	9.7	33	4.21	24.8
K299710		2.95	36.6	10.20	3.94	>10000	190	0.36	0.19	9.93	0.60	50.2	13.7	45	6.24	42.5
K299711		3.44	1.68	0.74	1.03	1040	130	0.19	0.04	33.0	0.12	11.65	4.6	11	1.99	10.8
K299712		7.48	2.48	0.52	0.41	296	80	0.09	0.02	35.4	0.25	8.15	2.3	4	0.68	5.6
K299713		7.11	0.25	0.21	0.62	151	120	0.14	0.03	35.2	0.13	8.61	2.7	6	1.54	6.0
K299714		3.47	0.31	0.16	0.67	184	90	0.17	0.03	35.4	0.14	11.65	2.9	6	2.33	8.0
K299715		7.21	0.10	0.02	0.67	70	120	0.12	0.03	35.5	0.12	10.70	2.8	5	3.32	7.7
K299716		7.92	0.03	<0.01	0.38	32	120	0.08	0.02	37.4	0.08	7.01	1.6	4	1.03	4.1
K299717		4.80	<0.01	<0.01	0.06	7	20	<0.05	0.01	22.0	0.09	1.05	1.4	1	0.15	1.8
K299718		7.74	0.05	<0.01	0.59	3750	170	0.11	0.03	37.4	0.13	10.95	2.4	6	1.36	6.4
K299719		8.38	0.03	0.01	0.90	66	110	0.36	0.04	35.3	0.20	19.00	4.7	10	2.42	11.8
K299720		8.01	0.01	<0.01	0.36	68	130	0.22	0.02	35.7	0.10	8.31	2.5	5	0.94	5.6
K299721		7.55	0.01	<0.01	0.33	53	120	0.13	0.02	37.7	0.09	7.46	1.5	3	0.93	3.2
K299722		8.00	0.03	0.03	0.38	392	130	0.09	0.02	36.0	0.08	11.35	1.6	4	1.04	3.7
K299723		8.09	0.02	<0.01	0.61	54	120	0.12	0.03	35.8	0.09	12.60	2.1	5	1.87	5.3
K299724		8.09	<0.01	<0.01	0.28	23	80	0.06	0.01	35.8	0.07	7.61	1.3	9	0.83	2.6
K299725		7.88	<0.01	0.02	0.30	17	80	0.06	0.01	36.9	0.05	7.56	1.3	4	1.01	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146383

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299690		0.84	2.77	0.06	0.6	0.61	0.012	0.56	8.5	4.0	0.43	163	0.29	0.01	1.8	<0.2
K299691		0.65	2.39	0.05	0.5	0.60	0.010	0.46	7.1	3.3	0.44	143	0.22	0.01	1.5	<0.2
K299692		6.75	22.9	0.23	4.4	9.4	0.046	1.38	71.4	21.7	0.12	36	6.68	0.37	10.1	19.9
K299693		0.91	3.21	0.06	0.6	2.03	0.013	0.61	9.4	3.5	0.67	488	0.46	0.01	2.0	<0.2
K299694		1.54	5.79	0.08	1.4	1.23	0.022	1.12	15.7	5.8	0.84	411	0.65	0.02	3.8	4.9
K299695		2.02	7.81	0.10	1.8	1.97	0.028	1.46	21.1	8.3	0.89	564	1.02	0.02	4.9	11.5
K299696		1.76	6.56	0.09	1.2	2.12	0.032	1.21	16.9	7.1	0.93	424	0.95	0.02	3.7	10.5
K299697		2.51	9.92	0.13	1.8	3.32	0.039	1.82	23.7	12.1	1.03	527	1.28	0.02	5.4	24.8
K299698		0.51	0.35	0.09	<0.1	0.01	0.005	0.06	0.7	1.7	12.75	217	0.17	<0.01	0.3	<0.2
K299699		0.72	2.12	0.08	0.5	1.42	0.009	0.38	6.2	2.6	0.84	442	0.29	0.01	1.5	<0.2
K299700		1.56	6.12	0.08	1.5	1.73	0.024	1.17	16.3	7.2	0.77	535	0.66	0.02	4.1	6.0
K299701		1.81	5.22	0.07	1.1	5.40	0.022	1.03	14.0	6.6	0.68	996	0.88	0.02	3.1	8.7
K299702		1.75	6.35	0.09	1.2	5.77	0.023	1.22	18.2	6.5	0.77	746	0.98	0.02	3.5	13.0
K299703		3.68	4.00	0.09	0.9	6.34	0.054	0.41	17.7	42.9	0.70	449	13.35	0.01	3.6	19.9
K299704		2.66	8.49	0.10	1.6	13.3	0.025	1.48	22.6	17.4	0.79	1060	1.04	0.02	4.6	17.6
K299705		1.82	6.28	0.07	1.2	9.47	0.024	1.20	16.4	7.7	0.59	1520	0.69	0.02	3.6	10.2
K299706		1.69	5.85	0.08	1.1	6.94	0.021	1.12	15.6	5.8	0.80	1100	0.89	0.02	3.3	8.8
K299707		1.85	6.29	0.08	1.2	12.2	0.017	1.11	17.0	19.9	0.26	1260	0.95	0.01	3.4	11.2
K299708		1.79	6.02	0.09	1.2	10.7	0.051	1.02	14.9	20.2	0.23	809	0.65	0.01	3.4	8.5
K299709		2.42	7.51	0.11	1.5	30.3	0.088	1.24	20.4	30.6	0.18	230	1.02	0.01	3.8	15.1
K299710		4.09	10.70	0.15	2.0	37.4	0.080	1.75	25.9	18.5	0.35	3160	0.79	0.01	5.8	23.7
K299711		0.72	2.93	0.07	0.5	2.57	0.012	0.47	5.4	5.8	0.40	3960	0.21	0.01	1.6	<0.2
K299712		0.38	1.54	0.09	0.2	2.00	0.008	0.18	3.6	4.5	0.22	5010	0.17	0.01	0.7	<0.2
K299713		0.45	2.00	0.10	0.3	1.16	0.007	0.28	3.8	2.6	0.25	2530	0.26	0.02	1.0	<0.2
K299714		0.43	2.09	0.10	0.3	1.17	0.009	0.31	5.1	2.5	0.30	2820	0.33	0.01	1.0	<0.2
K299715		0.41	1.89	0.12	0.3	0.70	0.005	0.31	4.8	2.5	0.37	761	0.29	0.01	1.0	<0.2
K299716		0.25	1.03	0.11	0.1	0.33	<0.005	0.17	3.1	1.6	0.35	228	0.18	0.01	0.6	<0.2
K299717		0.48	0.50	0.26	<0.1	<0.01	<0.005	0.03	0.5	0.7	13.20	222	0.09	<0.01	0.3	0.6
K299718		0.40	1.55	0.19	0.2	0.69	0.008	0.27	4.9	1.7	0.42	490	0.24	0.01	0.9	<0.2
K299719		0.61	2.50	0.27	0.4	0.83	0.006	0.41	8.7	3.4	0.58	174	0.55	0.02	1.6	4.3
K299720		0.28	1.33	0.27	0.2	0.24	<0.005	0.16	3.7	1.7	0.43	120	0.21	0.02	0.9	1.0
K299721		0.25	0.73	0.15	0.1	0.19	<0.005	0.15	3.3	1.0	0.52	129	0.14	0.02	0.6	<0.2
K299722		0.38	0.82	0.14	0.2	0.40	<0.005	0.17	4.7	1.0	1.11	354	0.22	0.02	0.7	0.2
K299723		0.38	1.16	0.14	0.2	0.44	0.006	0.27	5.7	1.7	0.60	171	0.30	0.02	0.9	0.8
K299724		0.26	0.64	0.18	0.1	0.19	<0.005	0.12	3.2	0.8	0.97	162	0.13	0.01	0.5	2.6
K299725		0.28	0.69	0.17	0.1	0.22	<0.005	0.13	3.2	0.9	0.95	145	0.09	0.01	0.5	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146383

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299690		220	3.8	27.9	<0.002	0.84	0.35	3.4	2	0.4	1630	0.11	0.09	2.1	0.063	1.59
K299691		130	3.3	23.3	<0.002	0.60	0.37	2.9	2	0.3	1780	0.09	<0.05	1.7	0.051	1.77
K299692		890	16.7	54.1	0.003	3.03	110.5	21.5	3	2.7	508	0.67	0.14	11.3	0.535	8.07
K299693		150	5.7	31.4	<0.002	0.88	5.68	3.9	2	0.4	1220	0.11	<0.05	2.3	0.067	5.70
K299694		150	9.1	52.0	<0.002	1.32	1.06	6.6	2	0.7	882	0.25	<0.05	4.5	0.137	2.18
K299695		190	12.6	69.9	0.002	1.85	1.15	8.5	2	1.0	791	0.31	<0.05	5.7	0.181	3.26
K299696		180	10.6	57.7	0.003	1.33	1.07	8.5	3	0.7	857	0.24	0.05	4.2	0.137	3.89
K299697		220	10.4	81.7	0.003	2.18	1.56	9.4	3	1.1	729	0.36	0.07	5.2	0.212	8.90
K299698		190	1.3	3.6	<0.002	0.02	0.08	1.2	2	<0.2	44.8	<0.05	<0.05	<0.2	0.005	0.03
K299699		130	3.0	21.7	<0.002	0.57	3.51	2.8	2	0.3	910	0.09	<0.05	1.7	0.048	6.00
K299700		140	8.3	55.5	<0.002	1.40	4.15	7.1	2	0.6	887	0.27	<0.05	4.7	0.149	7.27
K299701		170	6.4	47.7	0.002	1.87	23.8	7.8	3	0.6	1195	0.19	0.06	3.6	0.118	17.00
K299702		200	7.4	55.0	0.002	1.62	9.93	8.8	2	0.6	1205	0.24	0.09	4.0	0.140	13.75
K299703		660	21.2	30.2	0.005	2.00	149.0	4.6	3	1.7	49.6	0.22	0.36	4.2	0.109	3.64
K299704		250	11.2	70.4	0.002	2.79	47.4	8.2	3	0.9	764	0.30	0.14	5.3	0.182	42.9
K299705		210	7.8	56.8	<0.002	1.94	33.1	7.9	2	0.6	1030	0.22	0.10	4.1	0.139	29.6
K299706		220	7.7	50.3	0.003	1.54	11.70	7.7	2	0.6	1160	0.21	0.07	3.9	0.125	16.70
K299707		220	9.0	53.7	0.004	2.05	31.5	7.1	3	0.6	661	0.22	0.12	4.2	0.133	32.3
K299708		200	8.1	49.6	0.002	3.79	86.8	5.8	3	0.6	291	0.22	0.10	4.3	0.125	29.9
K299709		280	15.2	60.5	0.002	6.37	163.5	3.5	3	0.9	74.0	0.26	0.11	4.8	0.153	81.1
K299710		790	30.2	82.7	0.002	7.27	254	8.6	5	1.4	215	0.37	0.34	7.2	0.259	116.0
K299711		310	5.5	21.1	<0.002	0.86	8.25	9.9	2	0.3	1195	0.10	<0.05	1.6	0.069	6.25
K299712		340	2.4	8.7	<0.002	0.44	5.92	10.4	2	0.2	1260	<0.05	<0.05	0.9	0.024	5.14
K299713		230	3.1	14.2	<0.002	0.52	3.29	2.5	2	0.2	1665	0.06	<0.05	1.1	0.034	3.90
K299714		280	3.6	15.3	<0.002	0.49	3.62	2.2	2	0.2	1465	0.06	<0.05	1.2	0.034	4.18
K299715		180	2.9	15.4	<0.002	0.43	2.39	1.5	2	0.2	2060	0.06	<0.05	1.1	0.034	3.02
K299716		190	1.6	7.6	<0.002	0.23	1.15	0.9	2	<0.2	2250	<0.05	<0.05	0.6	0.018	1.08
K299717		180	1.1	1.2	<0.002	<0.01	0.05	0.1	1	<0.2	46.0	<0.05	<0.05	<0.2	<0.005	0.02
K299718		270	2.3	11.7	<0.002	0.57	9.33	1.3	2	0.2	2450	0.06	<0.05	1.1	0.031	2.04
K299719		490	4.0	16.4	0.002	0.68	1.75	2.7	3	0.3	1620	0.09	<0.05	1.5	0.050	2.75
K299720		570	2.4	6.5	<0.002	0.28	0.68	1.5	2	<0.2	2010	<0.05	<0.05	0.6	0.020	0.76
K299721		520	2.3	5.0	<0.002	0.23	0.49	0.6	2	<0.2	2110	<0.05	<0.05	0.6	0.017	0.54
K299722		1310	6.1	5.5	<0.002	0.33	3.02	0.8	1	0.2	1880	<0.05	<0.05	0.7	0.020	1.09
K299723		230	4.5	9.1	<0.002	0.39	1.18	1.0	2	0.2	1875	0.06	<0.05	1.0	0.031	0.99
K299724		430	4.2	3.8	<0.002	0.19	0.34	0.6	1	<0.2	1520	<0.05	<0.05	0.5	0.014	0.32
K299725		230	4.3	4.2	<0.002	0.21	0.19	0.7	1	0.2	1405	<0.05	<0.05	0.4	0.015	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146383

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299690		2.2	16	0.8	10.4	28	21.2	
K299691		1.8	14	0.8	8.6	15	18.9	
K299692		8.5	162	22.0	15.5	43	178.0	
K299693		2.1	18	1.1	11.8	14	24.1	
K299694		2.0	31	2.2	16.2	22	47.3	
K299695		3.2	43	0.7	17.4	40	57.7	
K299696		3.2	39	0.5	18.1	45	43.8	
K299697		2.7	61	0.7	20.0	58	63.4	
K299698		0.7	5	0.1	1.0	17	<0.5	
K299699		1.7	12	0.5	8.8	7	20.1	
K299700		2.0	33	0.9	14.6	21	51.1	
K299701		2.6	33	1.9	16.2	32	39.7	
K299702		3.2	40	2.3	17.1	24	44.1	
K299703		3.9	108	219	16.3	77	33.0	
K299704		4.0	52	3.9	16.0	129	53.3	
K299705		3.2	40	2.7	19.7	40	44.7	
K299706		3.3	37	2.0	16.2	30	39.1	
K299707		4.3	41	2.9	15.9	86	41.9	
K299708		3.2	34	2.8	14.0	52	44.8	4.45
K299709		3.7	47	3.6	13.2	54	45.6	9.34
K299710		6.4	66	7.3	19.4	61	67.7	6.35
K299711		2.4	18	1.8	21.1	7	17.7	
K299712		1.6	8	0.6	14.5	18	7.8	
K299713		1.6	10	0.7	8.1	11	10.5	
K299714		2.2	10	0.8	11.5	10	10.0	
K299715		1.9	10	0.6	9.1	9	9.8	
K299716		1.5	6	0.4	7.0	5	5.5	
K299717		0.7	2	0.1	0.8	15	<0.5	
K299718		2.2	10	0.7	9.4	9	8.8	
K299719		2.4	14	0.8	13.1	15	13.1	
K299720		1.4	6	0.3	6.6	7	6.4	
K299721		1.5	6	0.2	4.8	5	4.8	
K299722		2.6	6	0.4	8.4	8	6.5	
K299723		1.5	10	0.6	6.2	7	7.4	
K299724		1.3	4	0.2	4.6	8	3.9	
K299725		1.1	5	0.3	3.8	3	3.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11146383

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
This copy reported on 8- SEP- 2011
Account: RCM

CERTIFICATE WH11150004

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 83- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150004

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299077		11.13	<0.01	0.08	4.61	26	240	0.96	0.20	15.80	0.02	61.8	8.5	33	10.30	16.9
K299078		11.17	<0.01	0.07	3.72	20	160	0.65	0.16	16.35	0.02	65.9	7.5	28	8.94	15.5
K299079		5.22	<0.01	0.13	6.39	103.0	240	1.44	0.31	3.52	<0.02	99.4	11.8	59	14.15	25.2
K299080		6.58	<0.01	0.04	8.39	7.7	240	2.32	0.33	1.03	0.02	84.3	13.8	67	28.4	38.7
K299081		6.12	<0.01	0.03	8.33	6.1	270	2.36	0.31	0.68	<0.02	92.8	14.8	64	31.9	32.0
K299082		10.50	<0.01	0.05	8.17	12.0	280	2.75	0.32	0.93	<0.02	83.7	17.1	60	28.1	31.7
K299083		11.80	<0.01	0.07	7.34	5.0	290	2.23	0.29	1.84	0.03	74.5	13.9	54	18.95	29.2
K299084		6.91	<0.01	0.01	0.07	<5	20	0.06	0.05	21.7	0.07	1.46	1.6	<1	0.24	1.7
K299085		10.51	<0.01	0.03	7.58	64.1	350	2.38	0.30	1.77	0.03	73.1	14.6	54	21.1	34.4
K299086		11.51	<0.01	0.08	9.33	19.4	400	2.81	0.33	0.46	<0.02	68.1	15.5	66	20.3	82.4
K299087		11.95	<0.01	0.09	9.30	16.6	370	2.98	0.37	0.23	0.02	53.8	16.9	68	21.9	55.0
K299088		11.45	<0.01	0.10	8.85	22.3	390	2.35	0.36	0.53	<0.02	75.1	18.8	62	17.40	26.0
K299089		0.24	2.46	1.03	3.20	601	870	0.79	0.46	7.99	2.28	46.4	6.9	47	4.01	40.9
K299090		10.84	<0.01	0.11	8.99	14.7	670	2.66	0.29	0.51	<0.02	69.1	17.1	67	17.55	20.8
K299091		6.50	<0.01	0.10	5.40	71	320	1.14	0.21	14.35	0.02	63.8	9.9	38	14.25	24.1
K299092		7.43	<0.01	0.12	6.50	42.4	270	1.59	0.30	9.77	<0.02	85.3	11.4	49	18.10	25.8
K299093		6.92	<0.01	0.12	4.01	46	180	0.86	0.19	17.45	0.02	67.5	7.4	32	9.69	17.2
K299094		7.77	<0.01	0.09	3.75	29	180	0.81	0.16	19.50	0.02	61.4	7.2	30	8.32	14.9
K299095		7.29	<0.01	0.08	3.55	36	150	0.70	0.15	17.90	0.02	66.3	7.4	30	7.81	29.9
K299096		7.56	<0.01	0.09	4.31	44	320	0.87	0.17	19.65	0.03	54.8	7.1	33	10.15	17.3
K299097		7.49	<0.01	0.10	4.20	87	210	0.85	0.18	18.15	0.02	55.8	7.6	31	9.64	18.8
K299098		7.84	<0.01	0.11	3.37	53	160	0.69	0.15	19.60	0.02	53.0	6.8	27	7.59	17.4
K299099		7.05	<0.01	0.08	3.35	52	180	0.78	0.14	23.1	0.02	44.7	6.2	25	8.18	15.0
K299100		2.98	<0.01	0.08	3.61	50	140	0.78	0.15	21.7	0.04	46.3	6.4	27	8.72	15.8
K299101		7.58	<0.01	0.13	4.46	50	230	0.95	0.19	16.80	0.04	63.4	8.1	36	11.00	19.0
K299102		7.13	<0.01	0.10	4.85	35	230	1.02	0.20	17.00	0.05	61.6	8.3	36	11.95	20.0
K299103		7.63	<0.01	0.05	3.37	50	410	0.69	0.14	23.4	0.03	43.3	5.9	25	7.77	13.4
K299104		6.96	<0.01	0.09	4.03	95	160	0.75	0.17	21.5	0.04	50.1	7.1	29	9.90	17.9
K299105		7.05	<0.01	0.08	1.13	42	70	0.31	0.05	29.2	0.08	21.4	3.0	11	2.96	6.6
K299106		0.24	0.34	0.36	6.46	644	2240	0.65	0.29	0.52	0.20	146.5	3.1	225	3.91	34.1
K299107		7.84	<0.01	0.09	3.21	58	190	0.60	0.12	21.9	0.19	34.2	5.3	25	6.32	13.1
K299108		7.93	0.10	0.11	7.75	1575	330	1.78	0.35	7.00	0.04	77.0	10.5	56	16.10	32.9
K299109		8.11	<0.01	0.10	7.53	161.0	310	1.94	0.33	4.86	0.04	80.5	10.8	57	15.40	33.3
K299110		7.36	<0.01	0.08	4.67	45	180	0.89	0.19	17.40	0.04	55.9	7.9	36	9.24	19.2
K299111		4.96	<0.01	0.01	0.71	<5	80	0.10	0.03	19.80	0.06	2.99	2.0	<1	0.30	3.7
K299112		7.68	<0.01	0.11	4.76	21	200	1.01	0.20	13.15	0.04	68.2	8.5	40	11.85	19.8

Comments: **CORRECTED COPY FOR Au- AA26, ME- MS61 AND Hg- CV41 ON SAMPLES K299088 AND K299089**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150004

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299077		2.52	10.80	0.06	2.1	0.15	0.039	2.19	35.3	8.2	2.06	423	0.31	0.03	7.1	21.7
K299078		1.96	8.94	0.05	1.8	0.14	0.032	1.78	36.6	7.6	1.05	388	0.33	0.03	6.4	19.1
K299079		2.55	15.70	0.21	2.9	0.51	0.039	2.98	55.3	28.0	1.08	400	0.74	0.04	10.5	30.3
K299080		4.63	21.4	0.24	3.4	0.04	0.074	3.48	47.5	151.5	1.63	715	0.30	0.05	12.6	35.4
K299081		4.57	21.9	0.23	3.5	0.04	0.070	3.43	54.2	145.5	1.51	612	0.17	0.05	12.8	36.0
K299082		4.51	21.8	0.23	3.7	0.05	0.072	3.35	47.7	135.0	1.55	863	0.29	0.05	11.9	36.3
K299083		4.21	19.15	0.24	3.6	0.03	0.064	2.99	41.7	128.0	1.82	1820	0.36	0.05	10.8	31.4
K299084		0.50	0.41	0.05	<0.1	<0.01	0.005	0.03	0.8	1.0	13.00	231	0.17	<0.01	0.3	2.7
K299085		3.96	20.5	0.19	3.8	0.18	0.065	3.21	41.3	114.0	1.44	1520	0.25	0.05	11.6	33.1
K299086		4.44	25.3	0.22	3.5	0.09	0.072	3.81	36.0	189.0	1.36	394	0.45	0.07	12.8	39.2
K299087		4.11	26.8	0.24	3.5	0.05	0.081	4.02	27.3	201	1.28	233	0.35	0.08	13.5	39.1
K299088		4.67	23.0	0.23	3.3	0.04	0.068	3.37	41.5	194.0	1.45	356	0.60	0.07	12.2	39.0
K299089		2.12	7.87	0.07	1.9	4.59	0.028	0.99	31.4	34.9	2.49	274	17.45	0.02	6.9	52.9
K299090		4.07	24.4	0.23	3.4	0.05	0.070	3.56	38.0	199.0	1.39	243	0.40	0.07	12.9	37.3
K299091		2.68	12.65	0.05	2.4	0.21	0.040	2.63	36.8	10.3	1.00	287	0.33	0.03	8.0	25.8
K299092		2.43	16.25	0.09	3.3	0.14	0.054	3.23	46.1	13.4	0.96	268	0.33	0.04	10.6	26.8
K299093		1.78	9.85	<0.05	2.3	0.07	0.034	1.96	37.6	10.8	0.70	320	0.35	0.02	7.4	16.7
K299094		1.74	9.06	<0.05	2.1	0.07	0.032	1.84	33.8	8.4	0.76	329	0.29	0.02	6.9	17.1
K299095		1.70	8.51	<0.05	2.0	0.19	0.029	1.73	36.1	7.7	0.75	317	0.41	0.02	6.6	15.9
K299096		1.93	9.88	<0.05	2.3	0.33	0.035	2.15	30.5	7.9	1.31	456	0.20	0.03	7.0	16.9
K299097		2.04	10.20	<0.05	2.4	0.48	0.040	2.06	30.9	7.7	1.36	398	0.21	0.03	7.0	19.2
K299098		1.74	8.29	<0.05	2.0	0.17	0.032	1.66	29.4	8.0	0.64	233	0.26	0.02	6.1	16.1
K299099		1.69	7.79	<0.05	1.7	0.15	0.028	1.64	25.1	7.6	0.62	263	0.22	0.02	5.8	15.0
K299100		1.65	8.49	<0.05	1.9	0.15	0.028	1.76	26.0	7.9	0.64	249	0.24	0.02	6.1	14.7
K299101		2.24	10.70	<0.05	2.5	0.16	0.040	2.18	34.6	9.6	0.81	190	0.36	0.03	7.6	20.2
K299102		2.11	11.75	<0.05	2.7	0.10	0.043	2.34	34.0	9.9	0.99	236	0.24	0.03	8.4	20.4
K299103		1.44	7.90	<0.05	1.8	0.07	0.025	1.65	23.6	6.7	0.72	248	0.23	0.02	5.9	13.3
K299104		1.65	9.61	<0.05	2.2	0.13	0.035	1.96	28.0	7.7	0.66	191	0.27	0.03	6.9	17.6
K299105		1.11	2.83	<0.05	0.6	0.23	0.009	0.55	12.0	2.6	1.14	292	0.32	0.02	2.1	7.2
K299106		6.98	21.8	0.25	4.7	8.7	0.051	1.41	77.1	17.5	0.13	41	6.72	0.37	10.5	18.5
K299107		2.57	7.39	<0.05	1.3	0.16	0.027	1.54	20.4	5.2	2.96	452	0.35	0.03	4.8	14.7
K299108		3.61	19.60	0.15	3.5	1.31	0.071	3.77	45.0	16.4	1.05	351	0.46	0.04	12.8	29.8
K299109		3.42	19.40	0.18	3.6	0.26	0.065	3.74	44.2	19.4	0.98	263	0.45	0.04	13.1	30.3
K299110		2.27	10.90	<0.05	2.3	0.07	0.036	2.23	32.4	9.0	0.89	305	0.38	0.03	7.7	19.3
K299111		0.70	1.53	<0.05	0.2	<0.01	0.009	0.12	1.6	1.8	11.95	260	0.16	0.25	0.8	2.6
K299112		2.41	11.50	<0.05	2.5	0.07	0.040	2.20	37.7	18.9	0.79	360	0.48	0.03	8.0	21.3

Comments: **CORRECTED COPY FOR Au- AA26, ME- MS61 AND Hg- CV41 ON SAMPLES K299088 AND K299089**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150004

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
K299077		220	19.8	101.0	<0.002	1.12	0.52	7.4	2	1.3	320	0.55	<0.05	9.7	0.216	1.65
K299078		220	16.0	82.7	<0.002	0.90	0.48	6.5	2	1.1	450	0.48	<0.05	8.6	0.231	1.38
K299079		200	26.8	132.0	<0.002	1.47	1.36	10.8	2	2.0	114.0	0.84	0.06	14.0	0.378	3.13
K299080		480	39.6	166.0	<0.002	0.05	0.27	17.6	2	2.5	114.5	1.02	0.06	15.5	0.439	0.99
K299081		510	13.5	185.0	<0.002	0.05	0.30	18.3	2	2.6	107.0	1.02	0.06	16.6	0.434	1.12
K299082		540	15.9	164.5	<0.002	0.31	0.33	17.4	2	2.4	127.5	0.94	0.06	15.7	0.409	1.08
K299083		450	13.5	147.5	<0.002	0.18	0.25	15.1	2	2.2	146.5	0.85	<0.05	14.0	0.378	0.87
K299084		180	1.2	1.6	<0.002	0.01	0.83	0.4	2	<0.2	50.4	<0.05	<0.05	<0.2	<0.005	<0.02
K299085		430	7.1	142.0	<0.002	1.81	3.70	15.6	2	2.3	250	0.92	0.05	13.5	0.384	1.74
K299086		480	9.9	161.5	<0.002	0.62	0.49	18.0	2	2.7	263	1.06	0.07	13.2	0.425	1.43
K299087		620	26.1	150.5	<0.002	0.18	0.56	18.4	2	2.8	188.0	1.07	0.06	11.4	0.437	1.23
K299088		610	25.3	139.5	<0.002	0.28	0.61	16.9	2	2.5	210	0.99	0.05	13.2	0.402	1.07
K299089		890	37.1	49.6	0.022	1.54	103.0	5.5	5	2.3	71.9	0.48	0.29	6.6	0.170	3.88
K299090		540	15.3	141.0	<0.002	0.15	0.45	17.6	2	2.6	275	1.03	0.07	12.7	0.421	1.03
K299091		170	23.3	105.0	<0.002	1.47	0.58	8.4	2	1.7	357	0.62	<0.05	10.3	0.262	0.86
K299092		290	22.0	132.5	<0.002	1.10	0.59	10.7	2	2.0	239	0.85	<0.05	14.0	0.340	0.91
K299093		200	14.7	80.9	<0.002	0.69	0.51	6.5	2	1.4	426	0.58	<0.05	9.2	0.271	0.73
K299094		400	12.6	76.6	<0.002	0.65	0.47	6.3	2	1.1	470	0.50	<0.05	8.2	0.243	0.52
K299095		240	14.0	71.2	<0.002	0.88	0.49	5.8	2	3.1	435	0.50	<0.05	8.2	0.259	0.78
K299096		350	17.0	83.6	<0.002	1.00	0.42	6.5	2	1.2	403	0.53	<0.05	9.2	0.219	0.89
K299097		380	18.3	85.6	<0.002	1.04	0.47	6.9	2	1.3	320	0.53	<0.05	9.4	0.210	1.15
K299098		250	13.4	71.0	<0.002	1.03	0.40	5.7	2	1.2	545	0.49	<0.05	7.9	0.210	0.97
K299099		400	11.5	68.5	<0.002	1.01	0.38	5.5	2	1.1	739	0.41	<0.05	7.0	0.176	0.82
K299100		420	11.7	72.2	<0.002	0.95	0.37	5.7	2	1.1	717	0.46	<0.05	7.3	0.189	0.82
K299101		170	15.8	89.9	<0.002	1.37	0.51	7.1	2	1.4	497	0.61	<0.05	9.9	0.253	1.10
K299102		200	16.2	97.3	<0.002	0.96	0.53	7.8	2	1.5	514	0.65	<0.05	10.6	0.243	0.92
K299103		150	11.1	67.3	<0.002	0.64	0.39	5.5	2	1.1	642	0.44	<0.05	7.4	0.167	0.60
K299104		170	15.8	79.0	<0.002	1.17	0.40	6.4	2	1.3	718	0.51	<0.05	8.5	0.198	1.06
K299105		710	16.1	21.5	<0.002	0.90	0.20	2.1	3	0.4	573	0.14	<0.05	2.5	0.074	0.55
K299106		950	17.9	50.4	0.004	3.22	120.0	17.8	3	3.0	546	0.82	0.14	10.7	0.567	8.17
K299107		410	23.4	60.2	<0.002	1.13	0.43	5.0	2	1.0	481	0.35	<0.05	5.9	0.144	0.82
K299108		260	22.1	145.0	<0.002	1.98	1.50	12.7	2	2.7	196.0	0.98	0.05	14.7	0.375	3.03
K299109		260	17.5	130.0	<0.002	1.48	0.83	12.7	3	2.6	152.5	1.02	0.05	14.4	0.390	1.44
K299110		670	16.7	87.4	<0.002	0.82	0.48	7.0	2	1.5	505	0.57	<0.05	9.1	0.253	0.67
K299111		200	1.6	4.6	<0.002	0.02	0.08	1.4	2	0.2	65.4	0.05	<0.05	0.4	0.028	0.03
K299112		250	19.0	89.1	<0.002	0.89	0.53	7.5	2	1.5	403	0.63	<0.05	10.2	0.280	0.68

Comments: **CORRECTED COPY FOR Au- AA26, ME- MS61 AND Hg- CV41 ON SAMPLES K299088 AND K299089**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150004

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299077		3.2	49	0.9	16.9	26	72.6
K299078		3.3	43	0.7	16.0	21	64.7
K299079		2.6	85	2.0	16.2	21	95.1
K299080		2.7	95	1.5	19.8	97	111.0
K299081		3.0	96	1.5	20.7	94	113.0
K299082		4.0	91	1.6	20.4	92	114.0
K299083		2.6	80	1.5	20.1	83	109.5
K299084		0.7	1	0.1	0.9	19	0.5
K299085		2.7	81	2.2	19.4	82	115.5
K299086		2.5	95	1.8	18.0	102	106.0
K299087		3.1	98	1.7	17.5	103	108.0
K299088		3.2	83	1.6	18.7	106	100.0
K299089		8.6	230	28.1	20.5	212	63.5
K299090		3.6	89	1.6	18.4	98	104.5
K299091		3.0	58	1.2	16.8	42	77.5
K299092		3.1	73	4.4	20.8	32	105.0
K299093		2.9	47	1.0	16.2	31	77.1
K299094		3.0	43	0.8	14.8	36	70.5
K299095		2.8	43	0.8	13.9	20	65.7
K299096		3.1	47	1.0	15.5	28	78.5
K299097		3.1	45	1.1	15.5	23	80.6
K299098		2.7	39	0.9	13.4	25	68.6
K299099		2.7	36	0.7	12.6	32	65.9
K299100		2.8	40	0.7	12.6	35	67.7
K299101		2.9	50	1.1	17.0	40	79.9
K299102		3.4	52	1.0	18.0	56	92.0
K299103		2.9	36	0.8	14.3	33	61.8
K299104		3.1	43	0.9	14.2	36	78.1
K299105		3.1	14	0.3	5.7	43	26.1
K299106		8.0	176	24.3	16.2	46	172.0
K299107		2.7	36	0.6	9.8	119	46.2
K299108		3.0	86	3.0	21.4	76	107.5
K299109		2.7	88	2.1	21.7	77	112.0
K299110		2.9	52	0.9	14.6	42	75.8
K299111		0.6	9	0.1	2.3	18	5.8
K299112		2.7	54	0.9	16.0	51	78.7

Comments: **CORRECTED COPY FOR Au- AA26, ME- MS61 AND Hg- CV41 ON SAMPLES K299088 AND K299089**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150004

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

CERTIFICATE WH11151060

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 84- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151060

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299726		7.77	<0.01	0.02	0.89	34	110	0.24	0.05	33.1	0.09	14.10	2.7	8	2.90	8.2
K299727		7.53	<0.01	0.02	0.26	15	90	0.15	0.02	35.5	0.05	6.19	1.1	3	0.51	3.4
K299728		7.83	<0.01	0.02	0.43	26	160	0.17	0.03	34.9	0.04	9.94	1.7	6	0.83	5.4
K299729		8.01	<0.01	0.10	0.75	34	100	0.23	0.04	35.1	0.04	11.85	2.4	7	1.81	7.8
K299730		4.91	<0.01	0.03	0.08	<5	20	0.06	0.02	21.4	0.05	1.38	0.7	1	0.19	1.4
K299731		7.68	<0.01	0.04	2.09	55	180	0.65	0.11	27.9	0.14	33.0	6.6	21	8.08	20.0
K299732		7.68	<0.01	0.04	2.57	36	150	0.68	0.12	26.5	0.19	36.7	8.1	26	11.10	23.1
K299733		7.57	<0.01	0.05	2.25	26	210	0.72	0.13	27.4	0.19	32.2	7.7	22	9.66	22.4
K299734		7.94	<0.01	0.07	4.25	36	200	1.15	0.22	18.25	0.29	57.5	14.0	42	32.6	40.9
K299735		7.69	<0.01	0.05	2.39	15	160	0.66	0.11	26.8	0.18	37.1	8.0	24	12.70	22.8
K299736		7.94	<0.01	0.07	5.25	21	230	1.43	0.25	15.80	0.33	66.1	16.7	50	33.6	48.0
K299737		0.26	0.36	0.33	5.97	583	1350	0.61	0.30	0.56	0.16	142.0	3.1	226	3.52	30.5
K299738		8.05	<0.01	0.07	4.17	12	440	1.14	0.21	19.05	0.22	54.3	13.5	39	35.8	38.2
K299739		6.43	<0.01	0.04	2.22	26	230	0.69	0.11	28.8	0.16	31.7	6.4	21	11.90	19.1
K299740		8.33	<0.01	0.04	1.62	41	220	0.53	0.09	30.2	0.10	25.9	5.1	17	5.85	15.3
K299741		8.59	<0.01	0.02	0.49	<5	180	0.24	0.03	33.6	0.07	10.65	1.9	5	1.52	5.8
K299742		1.68	<0.01	0.11	7.06	13.4	480	1.48	0.20	2.34	0.28	51.4	34.3	77	10.55	172.0
K299743		5.56	<0.01	0.09	6.19	15.0	3200	1.04	0.18	5.30	0.26	46.6	28.7	76	13.75	128.5
K299744		0.26	0.37	0.35	6.26	622	1300	0.65	0.31	0.50	0.16	146.5	3.0	238	3.44	30.0
K299745		6.29	<0.01	0.08	6.04	24.2	820	1.15	0.15	5.61	0.19	48.5	30.7	68	10.60	137.5
K299746		6.13	<0.01	0.10	6.63	63.5	430	1.30	0.19	5.04	0.19	52.6	32.4	74	14.70	135.5
K299747		3.66	<0.01	0.10	6.22	117.5	960	1.31	0.19	4.87	0.22	49.2	29.2	74	13.55	126.0
K299748		4.59	0.05	0.09	6.74	727	1740	1.23	0.19	4.16	0.29	48.3	30.1	85	14.80	149.0
K299749		9.98	<0.01	0.07	6.59	8.8	1400	1.10	0.18	4.95	0.28	46.4	32.9	68	10.05	154.5
K299750		6.84	<0.01	0.02	0.08	<5	20	0.07	0.29	20.3	0.06	1.37	0.9	<1	0.16	5.7
K299751		10.59	<0.01	0.07	6.96	6.1	310	1.26	0.19	4.11	0.27	53.2	38.6	69	10.90	180.5
K299752		8.18	<0.01	0.08	6.64	7.2	170	1.27	0.18	4.21	0.28	44.0	36.6	74	10.15	168.0
K299753		9.87	<0.01	0.12	6.28	9.2	100	1.12	0.17	4.57	0.32	45.3	30.7	75	11.90	144.0
K299754		7.62	<0.01	0.10	6.91	15.0	120	1.44	0.21	3.46	0.33	51.7	36.8	79	10.30	170.0
K299755		10.33	<0.01	0.10	6.34	24.5	120	1.45	0.25	4.42	0.29	53.1	27.1	60	13.70	118.0
K299756		8.99	<0.01	0.13	7.27	346	270	2.19	0.29	0.97	0.27	44.9	32.8	83	23.9	143.0
K299757		8.64	0.01	0.11	6.47	405	160	1.92	0.26	2.62	0.37	60.7	34.7	66	24.2	145.0
K299758		12.07	<0.01	0.07	6.72	50.7	320	2.10	0.32	1.96	0.21	66.1	19.1	67	17.75	74.8
K299759		10.57	<0.01	0.14	7.34	61.7	260	2.10	0.28	2.08	0.27	61.6	25.8	73	26.9	117.5
K299760		4.27	<0.01	0.12	6.94	217	4690	1.72	0.14	2.95	0.34	40.5	31.1	76	32.5	169.5
K299761		1.71	<0.01	0.13	6.82	278	8930	1.68	0.14	3.97	0.35	37.9	29.3	73	31.2	161.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151060

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299726		0.64	2.27	0.11	0.4	0.92	0.009	0.43	6.6	3.7	0.57	142	0.29	0.02	1.4	4.3
K299727		0.20	0.76	0.13	0.2	0.36	<0.005	0.12	2.8	1.5	0.42	113	0.22	0.02	0.4	1.8
K299728		0.33	1.22	0.13	0.2	0.75	0.007	0.19	4.5	2.0	0.55	114	0.22	0.02	0.7	3.1
K299729		0.64	1.83	0.13	0.4	0.95	0.008	0.36	5.6	2.6	1.44	330	0.36	0.02	1.0	4.7
K299730		0.50	0.23	0.15	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.75	221	0.06	0.01	0.2	2.1
K299731		1.41	5.26	0.17	0.9	1.26	0.019	1.01	15.8	8.1	0.76	345	0.56	0.02	2.9	11.9
K299732		1.75	6.55	0.16	1.6	0.30	0.025	1.23	17.4	10.5	0.80	402	0.56	0.02	3.6	13.9
K299733		1.55	5.97	0.15	1.0	0.23	0.023	1.07	16.1	9.6	0.81	429	0.73	0.02	3.2	13.6
K299734		2.68	11.25	0.20	2.0	0.35	0.043	2.06	28.1	22.2	1.28	271	1.22	0.04	6.2	25.4
K299735		1.59	6.25	0.16	1.2	0.22	0.023	1.14	17.5	11.1	0.75	330	0.58	0.02	3.3	13.9
K299736		2.97	14.00	0.18	2.6	0.45	0.050	2.57	32.8	23.0	1.19	342	1.26	0.03	7.5	28.6
K299737		6.79	19.95	0.22	4.4	9.5	0.045	1.33	65.2	18.3	0.14	46	6.19	0.37	9.4	16.7
K299738		2.45	10.85	0.16	2.0	0.36	0.038	2.01	27.9	20.3	1.12	405	1.23	0.03	5.9	23.4
K299739		1.48	5.54	0.15	1.1	0.56	0.020	1.05	14.6	9.2	0.70	368	0.61	0.02	2.9	11.4
K299740		1.21	4.03	0.14	0.8	0.48	0.016	0.78	12.0	6.1	0.88	396	0.54	0.02	2.2	9.0
K299741		0.64	1.32	0.13	0.3	0.06	0.005	0.22	4.8	2.4	0.42	245	0.22	0.01	0.7	3.2
K299742		7.96	20.7	0.15	3.5	0.29	0.091	1.74	24.1	109.0	3.10	882	0.39	0.59	11.1	56.7
K299743		6.78	17.35	0.17	2.8	0.26	0.071	1.77	20.1	107.0	2.56	988	0.36	0.70	9.3	50.0
K299744		7.14	20.6	0.21	4.5	8.8	0.051	1.40	72.0	17.8	0.14	41	6.50	0.39	9.9	16.2
K299745		6.91	18.60	0.16	2.8	0.12	0.078	1.51	21.0	113.0	3.04	972	0.37	0.64	9.7	49.9
K299746		7.36	19.40	0.15	3.2	0.13	0.082	2.01	23.9	161.0	2.17	1010	0.41	0.59	10.7	50.8
K299747		6.90	18.15	0.15	2.9	0.46	0.084	1.70	21.5	147.5	2.16	1240	0.36	0.61	9.9	47.2
K299748		8.23	18.65	0.17	2.7	1.31	0.087	1.66	20.3	135.5	2.01	1380	0.32	0.66	10.2	52.4
K299749		7.77	19.00	0.15	3.1	0.11	0.086	0.92	19.9	77.9	3.32	1110	0.27	1.21	9.9	52.6
K299750		0.46	0.25	0.10	<0.1	<0.01	<0.005	0.03	0.7	1.5	12.30	180	0.20	0.01	0.2	1.6
K299751		8.53	20.4	0.16	3.9	0.13	0.089	1.09	22.8	80.7	3.74	1000	0.30	0.90	11.2	57.3
K299752		8.00	19.45	0.16	3.3	0.09	0.093	0.93	19.2	78.2	3.45	1020	0.24	1.17	10.1	54.8
K299753		7.40	18.05	0.16	3.0	0.14	0.084	0.99	17.7	117.5	2.93	1040	0.24	1.03	9.8	51.2
K299754		8.09	21.3	0.19	3.5	0.12	0.109	1.19	28.7	109.0	3.07	886	0.38	0.97	12.0	60.7
K299755		6.69	18.40	0.16	3.1	0.19	0.087	1.58	22.8	107.0	3.06	921	0.84	0.69	10.6	44.7
K299756		7.82	21.9	0.17	2.4	1.13	0.108	2.78	16.4	207	0.77	810	0.50	0.04	13.9	53.5
K299757		7.52	19.55	0.18	3.1	3.10	0.094	2.21	21.6	160.0	1.17	1300	0.86	0.10	12.5	56.4
K299758		5.74	19.45	0.21	4.3	0.19	0.086	3.10	30.4	103.0	1.11	465	0.63	0.03	17.4	34.2
K299759		7.13	20.6	0.24	3.8	0.21	0.105	2.78	26.4	154.0	1.40	586	0.51	0.19	17.1	43.1
K299760		8.90	19.00	0.21	2.7	0.49	0.094	2.41	16.8	367	1.69	1320	0.30	0.11	10.6	51.5
K299761		8.61	17.35	0.20	1.6	0.55	0.088	2.33	15.3	328	1.92	1360	0.32	0.11	10.0	47.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151060

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299726		280	11.6	19.4	<0.002	0.66	0.53	2.1	2	0.4	1490	0.10	<0.05	1.6	0.050	0.92
K299727		200	2.7	5.3	<0.002	0.18	0.40	0.8	1	0.2	1695	<0.05	<0.05	0.5	0.014	0.33
K299728		220	4.7	8.3	<0.002	0.29	1.14	1.2	1	0.2	1890	<0.05	<0.05	0.9	0.024	0.68
K299729		280	7.5	14.5	<0.002	0.46	0.69	1.9	1	0.3	1380	0.07	<0.05	1.4	0.040	0.63
K299730		170	1.2	1.7	<0.002	0.01	<0.05	0.4	1	<0.2	47.9	<0.05	<0.05	<0.2	<0.005	0.02
K299731		220	8.4	45.2	0.003	1.20	0.59	6.0	1	0.7	1690	0.21	<0.05	3.5	0.119	0.97
K299732		240	7.2	57.2	0.002	1.46	0.53	6.5	1	0.8	1290	0.28	<0.05	4.2	0.166	0.96
K299733		220	6.6	50.0	0.003	1.21	0.48	6.0	1	0.7	1470	0.23	0.07	3.8	0.132	0.61
K299734		300	13.0	106.0	0.005	2.27	0.82	10.1	2	1.4	1070	0.44	0.06	7.4	0.258	0.82
K299735		190	7.0	58.2	0.003	1.37	0.27	6.7	1	0.8	1590	0.25	0.05	4.0	0.152	0.40
K299736		300	14.4	130.0	0.004	2.67	0.57	13.2	2	1.6	947	0.59	0.06	8.4	0.336	0.98
K299737		890	16.5	53.0	0.002	2.99	112.0	15.6	2	3.0	484	0.77	0.16	9.5	0.517	8.02
K299738		240	12.0	105.0	0.005	2.05	0.54	10.6	1	1.3	1315	0.44	0.07	7.1	0.254	1.09
K299739		290	6.5	55.3	0.002	1.12	0.36	5.6	1	0.7	2120	0.22	<0.05	3.7	0.125	0.78
K299740		330	5.1	34.5	<0.002	0.91	0.46	4.5	1	0.5	1960	0.18	<0.05	2.8	0.093	0.73
K299741		1130	2.0	10.7	0.002	0.29	0.14	2.4	1	0.2	2350	0.05	<0.05	1.0	0.028	0.25
K299742		670	10.2	99.8	0.002	0.13	0.44	30.2	2	1.9	69.0	0.79	0.22	5.5	0.726	0.78
K299743		540	8.8	106.5	<0.002	0.13	0.53	25.8	1	1.7	199.0	0.64	0.13	5.4	0.706	0.97
K299744		930	16.7	52.3	0.002	3.14	120.5	16.0	2	3.0	524	0.77	0.17	9.5	0.555	7.90
K299745		560	7.5	97.7	<0.002	0.12	0.73	27.2	1	1.8	186.5	0.68	0.10	5.1	0.677	0.77
K299746		620	10.1	109.0	<0.002	0.08	0.78	28.3	1	1.9	163.0	0.74	0.14	5.8	0.686	0.96
K299747		560	10.0	97.6	<0.002	0.22	0.96	27.1	2	1.8	193.0	0.72	0.17	5.5	0.684	1.73
K299748		580	10.3	94.2	<0.002	0.18	1.62	30.0	2	1.8	374	0.69	0.12	4.9	0.808	3.16
K299749		610	7.5	58.5	<0.002	0.17	0.24	29.8	2	1.7	395	0.70	0.18	5.0	0.735	0.36
K299750		230	1.3	1.3	<0.002	0.04	0.07	0.3	1	0.2	49.6	<0.05	<0.05	<0.2	<0.005	<0.02
K299751		700	7.9	62.2	0.002	0.15	0.25	31.2	2	2.0	119.0	0.80	0.23	5.3	0.744	0.40
K299752		600	7.3	56.5	0.002	0.11	0.25	31.8	2	1.8	89.5	0.69	0.16	4.3	0.774	0.37
K299753		540	7.8	56.7	0.002	0.14	0.37	28.6	1	1.6	90.0	0.67	0.15	4.4	0.714	0.42
K299754		680	9.1	73.9	<0.002	0.13	0.60	35.5	2	2.1	75.1	0.80	0.24	5.5	0.786	0.48
K299755		600	12.7	84.1	0.004	0.18	0.79	24.6	2	2.1	83.0	0.75	0.17	6.9	0.585	0.66
K299756		670	13.1	131.0	0.003	0.19	1.16	26.8	2	2.5	89.0	0.94	0.27	5.6	0.731	3.39
K299757		660	14.7	130.5	0.002	0.24	1.70	27.5	3	2.3	49.2	0.85	0.23	6.9	0.614	2.94
K299758		470	14.3	163.5	<0.002	0.08	0.51	17.3	2	2.6	64.1	1.22	0.33	9.8	0.579	1.63
K299759		750	14.2	135.0	0.002	0.12	0.42	22.9	3	2.6	58.6	1.09	0.27	8.0	0.690	1.13
K299760		710	7.3	108.0	<0.002	0.33	1.29	29.9	2	1.8	76.9	0.66	0.13	4.4	0.744	1.44
K299761		730	7.9	103.5	<0.002	0.46	1.54	27.4	2	1.7	94.0	0.64	0.13	3.7	0.707	1.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151060

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299726		2.1	13	1.0	8.4	14	13.2
K299727		1.4	5	0.3	5.3	4	4.5
K299728		1.9	8	0.6	8.5	4	6.9
K299729		2.4	12	0.9	9.8	5	10.6
K299730		0.6	3	0.1	0.9	15	<0.5
K299731		3.0	35	0.8	18.8	27	28.9
K299732		2.5	46	0.5	15.7	38	39.0
K299733		3.1	37	0.4	18.6	33	32.9
K299734		4.5	74	0.8	24.1	59	64.8
K299735		3.0	41	0.5	18.5	33	37.9
K299736		3.8	92	1.1	24.4	80	80.6
K299737		8.2	161	22.7	14.7	44	163.0
K299738		3.3	71	0.8	22.7	58	64.1
K299739		2.6	36	0.5	17.3	33	32.8
K299740		2.7	26	0.5	17.7	17	24.7
K299741		2.4	9	0.1	12.9	7	14.1
K299742		1.4	247	0.9	27.2	105	128.5
K299743		1.3	223	1.2	25.2	92	102.5
K299744		8.3	171	23.1	14.9	45	168.5
K299745		1.2	224	2.0	23.9	91	97.7
K299746		1.4	234	4.9	26.6	91	112.0
K299747		1.4	216	4.3	25.1	93	95.1
K299748		1.3	260	4.3	25.0	108	98.2
K299749		1.3	242	0.7	27.7	99	106.0
K299750		0.5	3	0.1	0.9	15	0.5
K299751		1.4	253	0.7	31.3	107	141.0
K299752		1.2	258	0.6	25.5	100	116.0
K299753		1.1	242	0.8	24.4	95	92.8
K299754		1.4	258	0.8	29.4	105	128.0
K299755		1.7	185	1.0	24.0	94	105.0
K299756		1.6	227	4.1	18.7	108	79.1
K299757		1.8	192	1.9	26.3	107	109.5
K299758		2.5	143	2.3	23.5	89	141.5
K299759		2.0	194	2.3	25.6	107	131.0
K299760		1.2	257	5.7	25.0	111	93.7
K299761		1.0	238	6.2	19.5	109	51.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151060

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11150001

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 85- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150001

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299113		7.48	<0.01	0.11	5.19	16	190	1.37	0.23	10.15	0.05	87.1	9.8	50	12.70	23.4
K299114		7.18	<0.01	0.11	6.44	41.6	380	1.69	0.29	5.32	0.02	97.7	10.1	58	13.70	26.3
K299115		7.52	<0.01	0.08	4.33	23	170	1.07	0.18	15.15	<0.02	72.9	7.8	38	8.73	16.3
K299116		7.77	<0.01	0.11	4.12	51	170	1.09	0.18	19.65	0.06	50.0	7.7	37	8.53	18.4
K299117		7.60	<0.01	0.11	4.62	54	180	1.19	0.20	16.70	0.06	61.5	8.7	42	8.90	20.4
K299118		7.09	<0.01	0.14	4.83	40	210	1.21	0.22	16.40	0.05	62.2	7.2	42	7.71	21.1
K299119		8.19	<0.01	0.17	6.25	34.8	370	1.50	0.28	8.67	0.04	82.8	9.9	46	11.40	26.1
K299120		7.82	<0.01	0.06	7.32	32.6	280	1.97	0.40	9.41	0.02	73.8	11.0	50	18.55	27.6
K299121		0.24	0.33	0.31	5.78	571	150	0.57	0.28	0.43	0.14	115.5	2.7	216	2.92	29.2
K299122		7.46	<0.01	0.11	6.07	15.9	240	1.48	0.27	8.55	0.02	78.0	8.8	47	10.05	25.9
K299123		11.89	0.09	0.11	1.49	539	80	0.45	0.04	21.8	0.05	19.95	2.5	13	3.49	6.7
K299124		5.33	0.08	0.10	1.60	482	70	0.48	0.04	21.4	0.06	21.2	2.8	14	3.76	7.0
K299125		11.20	0.03	0.07	1.40	352	70	0.47	0.04	21.2	0.07	18.60	2.3	13	3.80	5.8
K299126		11.60	0.02	0.06	1.33	346	100	0.48	0.04	26.0	0.15	18.50	2.3	12	3.48	6.8
K299127		11.49	0.01	0.14	1.65	950	140	0.60	0.05	26.7	0.28	18.80	2.9	17	5.76	9.8
K299128		10.63	<0.01	0.07	1.39	637	100	0.42	0.04	25.7	0.19	21.2	3.0	14	4.36	7.6
K299129		10.91	<0.01	0.07	0.93	370	950	0.34	0.02	28.2	0.26	15.70	1.8	11	2.87	6.4
K299130		11.16	<0.01	0.09	2.69	681	200	0.91	0.07	18.15	0.10	37.0	3.8	27	9.39	12.5
K299131		10.46	0.01	0.05	1.15	706	210	0.50	0.03	29.4	0.25	13.35	1.7	12	3.72	6.2
K299132		6.91	<0.01	0.02	0.09	<5	20	0.08	0.01	19.90	0.06	1.36	0.6	1	0.44	1.1
K299133		11.75	<0.01	0.05	0.61	183	270	0.26	0.02	32.4	0.26	9.24	1.2	7	1.37	3.9
K299134		11.59	<0.01	0.02	0.50	300	2840	0.20	0.01	33.1	0.27	9.61	1.0	6	1.17	2.7
K299135		11.20	<0.01	0.10	1.59	134	310	0.53	0.05	27.5	0.21	23.3	3.0	15	6.72	10.5
K299136		0.24	0.33	0.32	6.11	584	600	0.57	0.27	0.48	0.17	134.0	2.5	217	3.19	27.3
K299137		11.33	<0.01	0.19	5.23	122.0	260	1.59	0.13	7.81	0.03	59.0	9.1	52	28.3	23.4
K299138		11.70	<0.01	0.14	4.16	31	320	1.18	0.09	11.50	0.06	51.3	6.2	40	19.30	17.6
K299139		11.27	<0.01	0.04	1.36	29	130	0.44	0.03	28.1	0.06	21.0	2.4	15	4.26	6.2
K299140		11.40	<0.01	0.04	0.85	13	100	0.26	0.02	29.9	0.06	14.60	1.7	10	2.71	3.9
K299141		11.31	<0.01	0.11	2.26	44	120	0.70	0.05	22.1	0.04	31.3	3.2	21	11.15	10.6
K299142		11.54	<0.01	0.07	2.23	70	1300	0.65	0.06	24.2	0.04	27.9	3.4	21	10.55	10.7
K299143		10.94	<0.01	0.09	3.70	50	300	1.07	0.08	18.95	0.13	41.1	5.7	34	19.30	20.6
K299144		10.65	<0.01	0.06	2.58	35	130	0.68	0.06	22.8	0.06	27.4	3.5	20	12.45	8.4
K299145		11.57	<0.01	0.04	0.92	386	900	0.30	0.02	24.0	0.04	21.4	1.2	8	3.19	10.4
K299146		10.37	0.03	0.04	1.32	457	90	0.47	0.03	28.3	0.12	13.70	1.8	12	4.08	3.5
K299147		11.75	<0.01	0.04	0.96	170	100	0.24	0.02	28.5	0.27	12.05	1.5	8	2.50	3.4
K299148		6.92	<0.01	0.02	0.07	<5	10	0.07	0.01	19.75	0.06	1.12	0.6	1	0.14	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150001

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299113		2.33	13.10	0.12	2.6	0.06	0.045	2.42	40.8	29.7	0.84	322	0.33	0.03	9.5	22.6
K299114		1.98	16.80	0.15	3.3	0.06	0.053	3.10	45.5	22.8	1.33	240	0.37	0.04	11.8	24.2
K299115		1.78	10.45	0.12	2.2	0.09	0.034	2.06	33.9	16.1	0.67	270	0.28	0.03	7.6	16.4
K299116		1.80	10.10	0.11	1.8	0.08	0.034	1.90	24.0	24.0	0.70	230	0.26	0.03	6.7	16.9
K299117		1.93	11.35	0.13	2.0	0.13	0.037	2.13	29.1	25.8	0.68	224	0.29	0.04	7.6	20.1
K299118		2.25	11.30	0.19	2.5	0.10	0.033	2.22	30.7	26.3	0.91	270	0.32	0.04	7.7	18.5
K299119		3.13	14.50	0.21	3.1	0.11	0.041	2.83	43.1	41.8	1.30	454	0.35	0.05	10.0	25.4
K299120		2.89	17.35	0.22	2.6	0.06	0.040	3.21	43.2	52.5	1.68	479	0.33	0.05	9.4	25.6
K299121		6.07	18.55	0.22	4.4	9.8	0.033	1.26	56.7	17.8	0.12	35	5.76	0.35	9.5	15.2
K299122		2.58	14.40	0.20	3.5	0.05	0.035	2.74	41.2	56.0	1.05	259	0.26	0.04	10.1	22.0
K299123		0.57	3.29	0.17	1.3	0.57	0.006	0.76	9.6	6.9	3.16	257	0.64	0.01	2.7	5.4
K299124		0.58	3.62	0.21	1.3	0.61	0.005	0.81	10.2	7.5	3.49	265	0.72	0.01	2.7	6.1
K299125		0.70	3.33	0.22	1.1	0.34	0.007	0.74	10.1	7.3	4.41	229	0.58	0.01	2.5	4.8
K299126		0.47	3.24	0.22	1.0	0.27	0.008	0.72	10.0	6.9	1.67	148	1.23	0.01	2.4	4.8
K299127		0.58	3.84	0.17	1.1	0.23	0.015	0.92	11.0	8.4	1.02	127	1.64	0.01	2.9	6.8
K299128		0.67	3.22	0.22	1.0	0.16	0.005	0.82	10.8	8.0	1.76	155	0.46	0.01	2.3	5.6
K299129		0.42	2.16	0.25	0.7	0.10	0.006	0.57	9.2	5.5	1.03	133	0.43	0.01	1.6	4.0
K299130		0.92	6.10	0.28	2.0	0.14	0.012	1.66	18.1	22.4	2.87	172	0.79	0.03	4.7	9.7
K299131		0.56	2.73	0.26	0.6	0.10	0.010	0.66	8.0	8.6	1.56	121	0.38	0.01	1.7	4.0
K299132		0.40	0.30	0.34	<0.1	<0.01	0.013	0.04	0.7	1.5	12.80	186	0.09	0.01	0.3	1.5
K299133		0.30	1.42	0.25	0.3	0.07	0.015	0.35	5.9	3.9	0.80	88	0.28	0.01	0.9	2.7
K299134		0.24	1.26	0.24	0.3	0.07	0.013	0.29	5.8	3.4	0.51	108	0.28	0.01	0.9	2.0
K299135		0.72	3.77	0.31	0.7	0.11	0.021	0.88	11.6	16.7	1.01	115	0.65	0.02	2.5	7.3
K299136		6.26	18.40	0.26	4.6	10.1	0.052	1.29	63.9	17.5	0.12	35	5.92	0.36	9.2	13.9
K299137		2.19	12.80	0.25	2.9	0.26	0.038	3.06	31.5	69.1	3.54	181	1.23	0.05	8.0	22.8
K299138		1.83	9.90	0.28	2.6	0.17	0.026	2.37	26.2	83.1	3.21	176	1.04	0.04	6.5	15.9
K299139		0.72	3.15	0.19	0.7	0.10	0.006	0.64	10.8	40.8	1.28	124	0.35	0.01	2.0	5.5
K299140		0.49	1.96	0.21	0.5	0.08	<0.005	0.35	8.5	24.8	0.90	110	0.23	0.06	1.3	4.0
K299141		0.88	5.20	0.24	1.3	0.06	0.011	1.17	15.2	30.6	1.90	141	0.57	0.11	3.3	8.5
K299142		0.88	5.40	0.28	1.1	0.07	0.012	1.10	13.9	26.9	1.79	149	0.43	0.10	3.3	7.8
K299143		1.32	8.67	0.31	1.6	0.14	0.021	1.91	22.1	46.0	1.83	157	0.57	0.16	5.0	14.7
K299144		0.90	5.98	0.30	1.4	0.09	0.012	1.34	14.5	38.2	2.00	150	0.53	0.18	3.6	9.7
K299145		1.18	2.03	0.26	0.7	0.04	<0.005	0.49	9.5	21.6	4.22	212	0.20	0.02	1.2	2.8
K299146		0.47	2.90	0.24	0.8	0.06	0.007	0.71	8.2	20.1	1.25	129	0.32	0.01	1.7	4.3
K299147		0.35	2.10	0.24	0.7	0.06	0.005	0.53	7.0	15.1	1.05	110	0.52	0.01	1.3	3.4
K299148		0.45	0.26	0.30	<0.1	<0.01	0.006	0.03	0.6	1.1	12.70	219	0.07	<0.01	0.2	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150001

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299113		250	17.6	98.7	<0.002	0.77	0.58	8.7	2	1.9	287	0.70	<0.05	11.8	0.322	0.75
K299114		260	17.6	119.5	<0.002	0.75	0.59	10.7	2	2.2	150.0	0.91	<0.05	14.6	0.370	0.92
K299115		240	14.6	90.3	<0.002	1.04	0.43	6.8	1	1.3	580	0.57	<0.05	9.5	0.258	0.66
K299116		530	16.6	83.2	<0.002	0.98	0.46	6.6	1	1.2	942	0.48	<0.05	7.9	0.199	0.59
K299117		180	19.8	86.6	<0.002	1.23	0.51	7.4	2	1.3	879	0.55	<0.05	9.3	0.234	0.68
K299118		200	18.2	109.5	<0.002	1.28	0.49	7.8	1	1.5	824	0.57	<0.05	9.7	0.233	0.65
K299119		250	22.3	130.0	<0.002	1.86	0.51	9.8	1	2.1	303	0.77	0.05	13.2	0.322	0.77
K299120		1170	17.9	159.5	<0.002	1.20	0.38	10.9	1	2.0	383	0.71	0.10	13.1	0.277	0.76
K299121		850	15.3	49.6	0.003	2.86	97.8	15.0	1	2.7	448	0.71	0.14	7.9	0.510	7.38
K299122		190	15.5	133.0	<0.002	0.58	0.57	9.6	1	2.2	381	0.78	<0.05	12.9	0.299	0.64
K299123		220	7.0	27.3	<0.002	0.17	5.39	2.3	2	0.6	826	0.19	<0.05	3.5	0.067	2.36
K299124		240	7.3	29.5	<0.002	0.20	4.86	2.5	2	0.6	829	0.19	<0.05	3.7	0.071	2.25
K299125		220	6.1	27.9	<0.002	0.09	4.64	2.2	1	0.6	728	0.18	<0.05	3.3	0.066	0.92
K299126		210	7.1	28.9	<0.002	0.11	3.34	2.2	1	0.6	1145	0.17	<0.05	3.0	0.060	0.69
K299127		280	9.2	34.9	0.002	0.14	5.97	2.6	1	0.7	878	0.21	<0.05	3.9	0.076	0.66
K299128		230	8.7	31.1	<0.002	0.18	3.34	2.2	1	0.6	1160	0.18	<0.05	3.2	0.062	0.65
K299129		230	5.8	21.4	<0.002	0.17	1.72	1.5	1	0.5	1090	0.12	<0.05	2.2	0.040	0.27
K299130		440	10.5	64.7	<0.002	0.19	3.73	3.9	2	1.0	736	0.34	<0.05	6.2	0.120	0.54
K299131		160	6.0	25.5	<0.002	0.13	2.21	1.9	1	0.5	1210	0.14	<0.05	2.5	0.048	0.34
K299132		200	0.9	2.7	<0.002	<0.01	0.08	0.2	<1	0.2	47.3	<0.05	<0.05	<0.2	<0.005	0.02
K299133		110	4.8	12.9	<0.002	0.12	0.61	1.0	1	0.3	1785	0.07	<0.05	1.3	0.026	0.13
K299134		100	3.9	11.7	<0.002	0.15	0.59	0.8	1	0.3	1975	0.06	<0.05	1.2	0.022	0.12
K299135		220	5.8	41.9	0.002	0.18	0.41	2.6	1	0.7	1490	0.19	<0.05	3.4	0.068	0.30
K299136		890	16.4	50.0	0.003	2.92	105.5	14.6	1	2.9	485	0.76	0.11	9.4	0.520	7.84
K299137		650	12.7	156.5	<0.002	0.47	0.83	8.3	3	1.8	541	0.62	<0.05	11.3	0.236	0.74
K299138		510	9.1	123.5	<0.002	0.28	0.46	6.3	2	1.4	666	0.50	<0.05	9.2	0.186	0.55
K299139		200	5.4	33.1	<0.002	0.15	0.31	2.1	1	0.5	1435	0.17	<0.05	3.0	0.057	0.18
K299140		150	4.5	17.5	<0.002	0.14	0.17	1.3	1	0.4	1455	0.10	<0.05	1.9	0.036	0.10
K299141		300	5.5	60.1	0.002	0.10	0.28	3.5	1	0.8	900	0.25	<0.05	4.7	0.091	0.27
K299142		290	4.8	57.1	<0.002	0.17	0.27	3.5	1	0.8	1295	0.24	<0.05	4.4	0.089	0.24
K299143		670	7.8	91.9	<0.002	0.21	0.26	5.6	2	1.1	766	0.39	<0.05	7.2	0.145	0.35
K299144		320	6.9	65.5	<0.002	0.14	0.22	3.7	<1	0.8	889	0.27	<0.05	5.1	0.099	0.26
K299145		100	3.4	19.6	<0.002	0.07	0.50	1.4	1	0.4	982	0.09	<0.05	1.8	0.034	0.20
K299146		160	4.7	30.4	0.002	0.07	0.73	1.9	<1	0.5	1465	0.13	<0.05	2.5	0.050	0.38
K299147		140	4.3	21.8	<0.002	0.06	0.39	1.4	1	0.4	1360	0.10	<0.05	1.9	0.036	0.22
K299148		180	0.8	1.2	<0.002	0.01	0.06	0.2	<1	0.2	39.0	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150001

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299113		3.1	59	1.1	20.0	50	88.4
K299114		2.8	73	1.5	21.7	24	107.0
K299115		3.0	47	1.0	16.4	19	75.1
K299116		3.2	45	1.0	13.8	49	62.9
K299117		3.1	50	1.0	16.0	52	66.0
K299118		3.7	50	0.9	16.6	49	80.3
K299119		3.4	71	1.7	19.2	58	104.0
K299120		3.2	79	1.3	17.5	42	92.9
K299121		8.1	158	21.6	13.5	36	162.5
K299122		3.3	67	1.4	18.5	56	102.5
K299123		11.1	24	0.8	6.5	9	37.9
K299124		11.1	25	0.9	6.6	9	38.9
K299125		8.9	22	0.7	6.3	11	34.6
K299126		11.7	21	0.6	6.1	19	30.9
K299127		14.1	35	0.5	5.8	39	31.5
K299128		12.7	23	0.4	5.8	33	30.5
K299129		11.4	15	0.2	5.4	42	22.2
K299130		8.8	38	0.7	9.8	16	61.9
K299131		14.8	19	0.3	4.4	24	19.4
K299132		0.7	3	0.1	1.0	11	<0.5
K299133		15.9	11	0.2	3.2	31	10.0
K299134		14.0	8	0.1	3.6	32	11.5
K299135		14.5	30	0.3	6.3	32	24.2
K299136		8.9	162	22.6	14.0	38	166.5
K299137		10.6	79	0.9	16.4	42	93.2
K299138		8.8	61	0.7	13.8	41	86.2
K299139		14.1	22	0.3	6.0	23	21.0
K299140		15.0	13	0.2	4.8	17	14.5
K299141		11.1	35	0.4	8.5	19	43.3
K299142		11.5	33	0.4	7.3	17	32.4
K299143		13.4	54	0.6	10.7	41	50.3
K299144		15.4	37	0.4	8.0	22	48.2
K299145		9.5	14	0.2	5.6	8	19.3
K299146		15.1	20	0.3	4.5	21	23.7
K299147		15.3	16	0.2	4.1	16	22.3
K299148		0.6	3	0.1	0.8	10	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150001

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

CERTIFICATE WH11150002

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 86- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150002

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298865		9.66	0.48	0.09	2.27	>10000	150	0.54	0.06	12.70	4.04	21.3	2.1	24	5.35	7.4
K298866		6.92	0.01	<0.01	0.13	<5	40	<0.05	0.02	20.5	0.06	2.05	1.2	1	0.35	1.4
K298867		10.78	1.20	0.11	3.71	>10000	560	0.79	0.08	10.15	5.26	43.8	4.6	35	8.07	15.2
K298868		10.60	1.70	0.08	5.86	4680	870	1.29	0.15	6.29	0.06	66.6	9.7	47	13.90	24.6
K298869		10.78	0.47	0.07	4.21	564	440	0.98	0.11	8.09	0.11	47.3	5.9	37	8.74	18.0
K298870		0.26	2.63	1.05	3.13	605	870	0.68	0.30	7.97	2.32	50.2	7.1	50	4.18	43.4
K298871		10.74	1.51	0.08	1.94	1600	120	0.47	0.06	13.10	0.88	25.3	3.3	19	4.96	9.8
K298872		10.49	3.41	0.06	2.25	>10000	160	0.40	0.09	12.20	2.13	34.1	3.3	23	5.96	13.3
K298873		10.17	2.94	0.08	2.51	>10000	150	0.56	0.09	14.95	0.27	39.2	3.7	24	7.09	13.8
K298874		5.22	7.65	0.04	2.65	>10000	130	0.44	0.08	10.80	0.53	31.9	4.7	27	6.22	13.7
K298875		5.19	12.85	0.10	1.27	>10000	70	0.25	0.05	16.55	1.27	30.4	2.9	14	2.75	14.7
K298876		5.37	12.75	0.14	3.43	9300	280	0.67	0.11	5.56	0.63	55.2	6.6	38	6.69	24.0
K298877		5.25	4.55	0.09	4.89	5580	320	1.11	0.12	6.93	0.17	60.4	9.2	50	10.80	25.9
K298878		5.44	11.30	0.10	3.42	7780	230	0.64	0.11	7.55	0.23	43.1	6.1	34	6.93	24.8
K298879		5.25	5.83	0.18	3.02	5800	230	0.60	0.09	9.09	0.57	37.4	5.6	32	5.87	18.5
K298880		5.37	1.53	0.10	3.59	883	210	0.82	0.09	12.70	0.12	55.8	7.9	38	7.81	21.4
K298881		11.50	0.08	0.06	0.95	170	40	0.30	0.03	18.70	0.03	16.00	3.3	9	1.94	6.7
K298882		0.26	0.33	0.30	6.22	610	720	0.55	0.28	0.49	0.20	147.0	3.0	232	3.79	29.7
K298883		7.93	1.63	0.05	1.42	173	50	0.39	0.04	16.95	0.04	20.9	3.2	14	3.09	6.9
K298884		4.00	0.01	0.02	2.37	52	70	0.73	0.06	14.45	0.21	31.9	3.6	23	6.58	10.5
K298885		7.15	<0.01	0.02	1.62	39	90	0.58	0.04	26.3	0.13	23.6	3.1	16	4.51	9.6
K298886		11.19	<0.01	0.01	3.08	23	110	0.97	0.09	17.10	0.18	37.3	6.6	29	9.42	24.1
K298887		6.92	<0.01	0.01	0.07	9	30	0.05	0.02	20.4	0.06	1.43	1.2	1	0.39	1.7
K298888		11.06	0.01	<0.01	3.82	28	120	1.27	0.11	13.55	0.09	43.8	7.9	33	13.65	44.6
K298889		11.37	<0.01	0.01	2.96	15	220	0.87	0.08	13.15	0.06	39.2	5.6	28	9.24	21.1
K298890		11.99	<0.01	0.01	3.95	48	390	1.09	0.11	10.45	0.05	41.2	8.0	41	11.80	20.4
K298891		10.55	0.01	0.03	3.60	31	120	1.10	0.09	12.75	0.06	42.5	6.7	38	10.05	18.1
K298892		5.05	0.01	0.01	3.74	38	130	1.14	0.10	12.65	0.08	44.1	6.4	40	10.70	19.4
K298893		11.36	<0.01	<0.01	3.85	29	160	1.18	0.10	13.80	0.07	46.0	7.0	37	13.30	22.5
K298894		10.52	<0.01	<0.01	3.02	23	140	0.92	0.09	20.5	0.07	35.5	6.0	27	10.05	20.3
K298895		9.97	<0.01	0.04	2.80	16	110	0.95	0.08	20.7	0.09	34.5	6.1	28	8.21	21.3
K298896		7.87	0.01	0.04	4.36	22	240	1.30	0.14	15.00	0.12	48.7	10.1	41	13.20	38.0
K298897		9.51	<0.01	0.04	2.22	18	80	0.72	0.07	20.7	0.19	29.7	4.9	24	5.78	20.6
K298898		10.93	<0.01	0.02	3.48	22	120	1.08	0.10	17.60	0.10	43.0	6.9	34	9.21	22.0
K298899		10.29	<0.01	<0.01	3.99	16	130	1.27	0.11	16.25	0.19	47.0	9.2	39	10.25	21.8
K298900		8.50	<0.01	0.03	2.40	21	690	0.70	0.06	19.10	0.13	33.7	5.2	24	4.96	24.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150002

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298865		1.22	6.07	0.29	1.7	8.1	0.038	1.07	11.0	7.4	7.67	619	0.93	0.01	3.6	6.0
K298866		0.46	0.31	0.16	<0.1	0.01	<0.005	0.03	1.0	1.2	12.50	206	0.06	0.01	0.4	2.3
K298867		1.49	9.10	0.31	1.8	16.2	0.048	1.74	20.2	12.2	5.89	893	1.21	0.02	5.1	13.2
K298868		1.98	14.20	0.29	2.2	21.0	0.029	2.85	37.8	24.0	3.68	669	0.84	0.02	7.3	25.2
K298869		1.51	9.52	0.30	2.7	15.2	0.017	1.94	25.2	18.6	4.61	913	0.92	0.02	5.5	13.4
K298870		2.06	8.28	0.13	1.8	4.62	0.029	1.00	29.5	40.6	2.49	264	20.2	0.01	7.2	51.0
K298871		1.14	5.55	0.09	1.3	14.8	0.019	0.98	12.8	8.0	7.11	909	1.07	<0.01	3.4	6.3
K298872		1.47	6.27	0.08	1.3	40.8	0.031	1.08	16.9	8.8	6.75	1030	0.89	<0.01	3.9	6.5
K298873		1.47	6.70	0.10	1.4	26.3	0.029	1.23	21.2	8.8	7.18	1460	0.87	<0.01	4.4	8.3
K298874		1.78	7.61	0.08	1.3	35.3	0.031	1.35	17.6	8.7	5.38	3840	0.39	<0.01	4.3	11.7
K298875		2.28	3.80	0.10	0.6	54.1	0.026	0.63	15.1	4.4	7.92	4040	1.04	<0.01	2.4	6.5
K298876		2.00	9.90	0.09	1.8	52.6	0.033	1.71	30.4	15.4	2.70	1760	1.42	<0.01	6.0	16.0
K298877		1.79	13.75	0.12	3.1	18.8	0.038	2.48	31.2	21.4	3.55	1840	1.29	<0.01	8.2	21.9
K298878		1.93	9.78	0.10	1.8	41.1	0.030	1.71	22.9	15.3	3.42	2560	0.97	<0.01	5.7	14.3
K298879		1.40	8.34	0.08	1.9	23.2	0.029	1.51	19.8	13.0	3.79	2300	1.95	<0.01	5.5	12.5
K298880		2.20	9.80	0.10	2.1	9.9	0.025	1.74	29.1	16.0	7.35	1480	1.38	<0.01	6.9	16.0
K298881		2.75	2.70	0.08	0.6	2.97	0.010	0.46	8.4	3.6	9.39	1180	0.62	<0.01	1.8	6.2
K298882		6.72	21.4	0.20	4.5	9.6	0.050	1.38	69.0	19.0	0.14	38	7.16	0.37	10.0	15.5
K298883		2.44	3.91	0.09	0.9	3.51	0.014	0.71	10.6	5.1	9.02	986	0.62	<0.01	2.6	6.5
K298884		1.20	6.39	0.08	1.5	0.57	0.017	1.25	16.1	9.3	7.41	382	0.69	<0.01	4.3	6.7
K298885		0.60	4.50	0.08	0.9	0.21	0.012	0.85	12.6	5.9	2.35	189	0.57	<0.01	3.1	4.7
K298886		1.33	8.36	0.08	1.4	0.29	0.023	1.61	20.2	14.1	3.85	213	0.60	<0.01	5.3	14.0
K298887		0.46	0.35	0.16	<0.1	<0.01	0.005	0.03	0.7	1.1	12.35	207	0.10	0.01	0.3	2.3
K298888		1.68	10.40	0.12	1.9	0.14	0.032	2.02	23.3	20.0	5.06	280	0.36	<0.01	6.6	11.1
K298889		1.57	7.87	0.10	1.7	0.10	0.021	1.57	20.0	12.4	6.56	353	0.45	<0.01	5.1	8.6
K298890		1.66	10.60	0.09	2.2	0.09	0.031	2.07	22.3	15.1	5.14	321	0.63	<0.01	6.8	13.8
K298891		1.39	9.72	0.09	2.0	0.14	0.029	1.87	22.5	13.3	5.28	303	0.83	<0.01	6.3	13.7
K298892		1.43	10.30	0.09	2.1	0.14	0.030	1.95	23.3	13.9	5.62	314	0.91	<0.01	6.7	12.8
K298893		1.35	10.45	0.09	2.0	0.09	0.029	1.99	24.7	14.8	4.04	283	0.58	<0.01	6.9	15.8
K298894		1.06	8.18	0.09	1.4	0.07	0.023	1.60	19.2	10.7	2.88	270	0.29	<0.01	5.5	14.2
K298895		1.00	7.89	0.10	1.4	0.06	0.020	1.46	19.1	10.2	2.60	304	0.37	0.02	5.2	12.8
K298896		1.40	12.55	0.11	2.0	0.10	0.032	2.26	26.2	16.4	2.44	341	0.30	0.03	8.0	19.6
K298897		1.00	6.37	0.09	1.2	0.07	0.017	1.17	16.3	8.0	2.99	343	0.64	0.02	4.2	10.0
K298898		1.23	9.25	0.10	1.8	0.08	0.026	1.81	22.8	13.1	3.26	419	0.54	<0.01	6.2	14.2
K298899		1.31	10.55	0.09	2.1	0.08	0.029	2.01	25.3	17.3	3.39	479	0.39	0.01	7.0	14.2
K298900		1.11	6.32	0.10	1.5	0.06	0.018	1.21	16.6	9.8	3.52	595	0.52	<0.01	4.5	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150002

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298865		310	18.0	39.5	0.002	1.48	7.21	3.5	1	1.0	183.5	0.27	<0.05	4.8	0.100	16.15
K298866		170	1.2	2.4	<0.002	0.01	0.10	0.3	1	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	<0.02
K298867		650	29.6	65.9	<0.002	1.32	7.17	5.1	2	1.5	545	0.39	<0.05	6.8	0.147	37.2
K298868		970	10.9	118.0	<0.002	1.13	3.56	7.0	1	1.6	845	0.59	<0.05	10.6	0.220	59.0
K298869		550	8.7	75.0	<0.002	0.66	2.56	5.2	2	1.3	483	0.45	<0.05	8.0	0.166	43.2
K298870		860	35.9	51.7	0.024	1.52	109.5	5.6	4	2.6	76.0	0.47	0.20	6.8	0.169	4.21
K298871		270	7.0	36.5	<0.002	0.56	6.26	3.6	2	0.9	180.5	0.25	<0.05	4.3	0.086	41.3
K298872		380	9.8	40.6	0.002	1.46	29.7	4.3	2	1.3	259	0.30	<0.05	5.1	0.098	105.5
K298873		460	10.8	47.4	<0.002	1.40	15.75	4.4	2	1.1	234	0.34	<0.05	6.1	0.111	80.7
K298874		410	8.6	52.5	<0.002	1.58	18.40	6.1	2	1.3	185.5	0.33	<0.05	5.9	0.112	100.5
K298875		250	8.2	24.9	0.002	1.65	45.5	5.4	2	1.1	149.5	0.18	<0.05	3.3	0.060	162.5
K298876		610	14.4	68.3	<0.002	1.83	28.0	5.1	2	2.2	362	0.46	<0.05	8.8	0.158	145.5
K298877		610	10.4	95.9	<0.002	1.11	7.78	7.8	3	2.0	327	0.66	<0.05	11.2	0.227	53.6
K298878		410	11.9	68.1	0.002	1.72	9.47	5.6	2	1.9	285	0.45	<0.05	7.8	0.152	132.0
K298879		370	12.7	56.0	0.002	1.12	4.75	5.3	3	1.5	284	0.43	<0.05	7.4	0.144	59.9
K298880		460	14.9	65.7	0.002	1.08	2.36	5.7	3	1.5	270	0.53	<0.05	9.2	0.172	30.8
K298881		130	14.1	16.5	<0.002	0.73	0.71	1.8	2	0.5	114.0	0.13	<0.05	2.2	0.043	9.07
K298882		910	16.8	50.2	0.003	3.07	121.0	15.8	2	3.2	502	0.82	0.14	10.2	0.545	8.40
K298883		180	32.0	25.1	<0.002	0.61	0.75	2.5	2	0.6	122.5	0.19	<0.05	3.4	0.065	9.54
K298884		310	6.8	43.6	<0.002	0.31	0.27	4.0	2	1.0	164.5	0.34	<0.05	5.9	0.111	1.45
K298885		260	6.3	30.5	<0.002	0.17	0.40	2.9	2	0.7	526	0.22	<0.05	3.8	0.074	0.42
K298886		340	7.6	58.0	<0.002	0.49	0.29	5.3	2	1.2	320	0.41	<0.05	6.9	0.136	0.67
K298887		180	1.4	2.9	<0.002	0.01	0.08	0.2	1	<0.2	47.8	<0.05	<0.05	<0.2	<0.005	0.02
K298888		400	6.7	74.4	<0.002	0.45	0.32	6.6	2	1.5	180.5	0.53	<0.05	8.7	0.171	0.62
K298889		340	9.2	56.2	<0.002	0.21	0.64	5.1	2	1.2	139.5	0.41	<0.05	6.7	0.134	0.51
K298890		420	4.4	72.9	<0.002	0.20	0.28	6.7	2	1.5	131.0	0.55	<0.05	9.1	0.180	0.57
K298891		420	8.0	65.5	0.002	0.23	0.37	6.1	3	1.3	208	0.50	<0.05	8.8	0.167	0.78
K298892		450	6.7	69.0	0.002	0.20	0.42	6.4	3	1.4	191.0	0.52	<0.05	9.1	0.175	0.78
K298893		440	6.9	72.4	<0.002	0.19	0.36	6.5	3	1.5	232	0.53	<0.05	8.8	0.177	0.50
K298894		310	5.4	57.9	<0.002	0.14	0.23	5.3	2	1.3	359	0.41	<0.05	6.6	0.136	0.32
K298895		350	5.8	53.8	<0.002	0.12	0.19	5.0	3	1.2	356	0.36	<0.05	6.6	0.127	0.62
K298896		480	6.8	84.9	<0.002	0.43	0.33	7.7	2	1.9	213	0.55	<0.05	9.8	0.196	0.86
K298897		370	6.3	41.5	<0.002	0.42	0.25	4.0	2	1.2	552	0.28	<0.05	5.6	0.105	0.58
K298898		390	7.2	63.8	<0.002	0.37	0.32	6.3	2	1.4	385	0.49	<0.05	8.1	0.162	0.48
K298899		460	7.1	72.5	<0.002	0.24	0.28	7.0	2	1.8	269	0.54	<0.05	9.1	0.181	0.45
K298900		400	8.6	42.0	<0.002	0.36	0.25	4.2	2	1.7	362	0.34	<0.05	5.7	0.113	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150002

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298865		24.2	42	1.9	8.3	1940	62.6	1.740
K298866		0.8	2	0.1	0.9	17	1.2	
K298867		32.4	57	2.8	8.2	2060	63.1	1.120
K298868		20.1	80	4.1	9.8	11	70.0	
K298869		18.0	61	3.0	10.6	38	87.2	
K298870		8.8	231	30.2	20.3	210	68.9	
K298871		14.4	36	2.0	7.2	308	49.4	
K298872		21.7	39	3.1	7.8	760	47.2	1.315
K298873		23.5	39	3.4	8.8	54	52.8	1.490
K298874		17.8	48	3.2	7.3	139	45.2	1.450
K298875		19.1	32	2.5	9.1	312	22.9	0.941
K298876		30.6	64	4.9	8.2	103	61.9	
K298877		13.0	82	4.3	13.8	43	105.0	
K298878		21.3	59	3.9	8.2	24	64.8	
K298879		16.9	55	3.6	9.1	112	65.7	
K298880		12.3	60	3.1	12.4	30	77.7	
K298881		14.1	15	1.0	5.0	<2	21.8	
K298882		7.8	170	25.8	16.0	38	171.0	
K298883		14.7	21	1.3	6.3	2	32.6	
K298884		11.5	35	1.3	8.9	45	52.9	
K298885		14.7	25	0.7	7.6	22	32.8	
K298886		9.9	46	1.0	10.8	42	50.3	
K298887		0.4	2	0.1	0.9	18	0.5	
K298888		3.9	48	1.1	13.4	15	66.8	
K298889		3.7	39	0.8	11.7	10	59.9	
K298890		7.1	59	1.0	12.4	7	74.5	
K298891		7.2	56	0.9	13.0	15	68.9	
K298892		6.5	60	1.0	13.2	20	73.5	
K298893		7.0	52	0.9	13.5	11	71.9	
K298894		8.1	39	0.7	10.9	9	52.5	
K298895		10.6	39	0.7	11.3	27	49.2	
K298896		5.8	56	1.0	15.0	28	69.8	
K298897		6.8	34	0.5	9.8	12	44.3	
K298898		8.9	47	0.9	13.3	18	65.2	
K298899		6.5	53	1.1	14.6	44	73.2	
K298900		7.7	33	0.8	11.8	16	57.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150002

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

CERTIFICATE WH11151062

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 87 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151062

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298901		11.63	<0.01	0.14	4.25	25	210	1.15	0.13	11.35	0.05	50.8	6.3	46	12.80	24.2
K298902		12.12	<0.01	0.07	2.95	28	100	0.69	0.09	14.45	0.05	38.2	5.5	32	7.43	18.5
K298903		11.70	<0.01	0.12	2.86	30	210	0.66	0.08	14.65	0.05	38.3	8.2	33	6.09	17.4
K298904		6.86	<0.01	0.01	0.08	<5	20	0.05	0.02	20.9	0.07	1.75	1.3	1	0.19	2.0
K298905		11.36	<0.01	0.48	4.34	67.9	280	0.98	0.12	9.67	0.09	59.1	28.5	57	9.06	98.4
K298906		10.48	<0.01	0.06	8.39	11.5	1280	2.22	0.32	1.05	0.03	92.2	14.9	67	19.70	17.1
K298907		10.97	<0.01	0.04	8.37	13.0	560	2.32	0.32	0.31	<0.02	83.7	17.8	71	18.05	27.9
K298908		11.29	<0.01	0.05	8.18	10.0	1520	2.18	0.29	0.46	<0.02	100.5	16.1	66	15.40	21.1
K298909		12.21	<0.01	0.05	8.66	13.6	430	2.61	0.35	0.40	0.02	105.5	18.1	71	18.35	18.6
K298910		9.75	<0.01	0.06	7.92	7.3	470	2.25	0.32	0.63	0.02	85.5	16.5	65	15.55	20.6
K298911		0.70	0.01	0.10	8.35	401	400	2.34	0.46	0.52	0.03	41.3	7.3	77	37.7	30.7
K298912		0.41	<0.01	0.10	8.91	308	370	2.11	0.43	0.22	0.02	46.5	8.8	78	45.5	35.7
K298913		8.97	<0.01	0.25	8.38	125.0	330	2.51	0.43	0.20	0.09	53.4	15.3	73	42.6	32.9
K298914		6.76	<0.01	0.01	0.10	<5	20	0.05	0.14	20.9	0.06	1.77	1.3	1	0.39	2.1
K298915		10.42	0.01	0.22	8.56	380	430	2.20	0.41	0.14	0.11	61.0	12.1	73	44.5	39.1
K298916		9.94	0.02	0.17	8.48	433	380	3.13	0.39	0.24	0.09	60.1	13.7	75	45.1	28.8
K298917		8.78	0.02	0.08	7.94	507	490	2.59	0.39	1.72	0.02	61.1	15.4	71	38.8	30.7
K298918		0.21	0.33	0.34	6.13	607	2190	0.63	0.27	0.46	0.19	152.0	2.7	230	3.42	30.0
K298919		10.28	0.01	0.03	8.24	181.0	380	2.73	0.40	0.54	<0.02	49.6	9.9	73	38.5	77.2
K298920		11.76	<0.01	0.02	8.50	79.3	380	2.57	0.38	0.83	<0.02	56.1	9.5	75	39.7	35.4
K298921		9.67	<0.01	0.20	6.64	106	310	1.48	0.30	11.70	0.08	72.5	20.7	47	29.8	29.0
K298922		9.14	0.01	0.21	7.12	293	690	1.55	0.28	8.89	0.07	74.3	21.2	51	34.1	28.8
K298923		9.88	<0.01	0.13	7.70	122.0	390	1.81	0.31	6.53	0.03	80.5	15.3	58	36.4	29.2
K298924		10.66	0.01	0.08	7.27	317	410	1.63	0.26	10.10	0.05	78.6	9.3	52	40.3	21.7
K298925		0.20	2.68	1.03	3.24	619	890	0.65	0.30	8.25	2.33	53.7	6.4	55	4.13	43.8
K298926		12.18	0.01	0.05	8.17	278	390	2.23	0.34	3.55	0.05	79.2	9.7	67	52.2	17.8
K298927		8.44	<0.01	0.08	7.54	156.5	440	2.08	0.29	6.96	0.03	76.9	12.5	62	48.1	27.9
K298928		12.00	<0.01	0.09	7.18	217	360	1.62	0.28	9.12	0.04	81.2	12.1	52	39.5	43.0
K298929		9.00	0.01	0.12	4.17	335	350	0.89	0.15	19.45	0.05	46.8	8.3	31	18.65	14.6
K298930		11.68	<0.01	0.10	4.17	246	230	0.84	0.15	17.60	0.05	45.6	7.7	32	17.25	17.0
K298931		9.79	0.01	0.12	5.03	241	320	0.95	0.20	17.15	0.04	52.9	10.2	38	20.7	14.6
K298932		9.81	0.01	0.11	5.35	303	270	1.03	0.18	14.65	0.04	62.7	7.0	39	22.1	46.2
K298933		5.36	0.01	0.11	5.30	346	300	0.90	0.19	15.45	0.05	61.0	6.9	38	21.3	46.6
K298934		12.21	<0.01	0.10	3.52	14	140	0.73	0.13	19.45	0.04	39.6	5.5	25	16.05	7.4
K298935		11.35	<0.01	0.09	3.57	28	190	0.77	0.12	21.5	0.05	38.3	5.6	26	15.70	10.7
K298936		10.89	<0.01	0.07	5.92	181	260	1.17	0.15	13.00	0.05	65.4	7.4	41	31.3	18.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151062

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298901		1.89	11.95	0.13	2.1	0.09	0.032	2.06	25.6	13.3	5.92	754	0.55	0.04	7.8	17.2
K298902		1.85	7.77	0.12	1.4	0.08	0.023	1.40	19.9	9.2	7.97	1220	0.41	0.03	5.5	12.7
K298903		1.91	7.88	0.11	1.4	0.10	0.022	1.30	19.5	12.3	7.34	2360	0.54	0.02	5.5	11.5
K298904		0.44	0.34	0.18	<0.1	<0.01	<0.005	0.04	0.8	1.1	12.75	197	0.09	0.01	0.4	1.7
K298905		2.22	11.85	0.12	2.4	0.14	0.040	1.94	28.0	32.9	3.80	2490	2.74	0.04	8.3	22.2
K298906		4.27	24.8	0.20	3.5	0.02	0.078	3.71	43.5	65.0	1.61	245	0.20	0.06	13.1	37.3
K298907		4.46	26.2	0.21	3.4	0.02	0.079	3.79	38.5	83.3	1.42	151	0.24	0.09	13.7	41.1
K298908		4.67	24.6	0.24	3.3	0.02	0.077	3.50	49.9	99.8	1.50	171	0.26	0.06	12.9	36.0
K298909		4.79	26.1	0.23	3.5	0.04	0.086	3.93	51.9	74.5	1.36	235	0.25	0.09	13.7	42.1
K298910		4.70	24.2	0.16	3.3	0.02	0.081	3.65	39.9	56.6	1.28	262	0.25	0.08	12.5	34.2
K298911		3.28	29.4	0.16	3.0	0.31	0.073	4.86	17.1	19.9	0.77	84	0.71	0.04	13.5	21.9
K298912		4.04	28.4	0.20	3.1	0.16	0.071	4.97	19.8	18.8	0.71	73	0.47	0.04	13.1	20.8
K298913		3.75	27.3	0.20	3.2	0.25	0.079	4.45	22.2	18.8	0.65	281	0.59	0.04	12.8	32.5
K298914		0.49	0.37	0.16	<0.1	<0.01	<0.005	0.04	0.8	1.0	12.75	213	0.08	<0.01	0.4	1.9
K298915		3.40	25.9	0.19	3.3	0.35	0.081	4.57	26.2	20.5	0.66	269	0.75	0.04	12.8	31.4
K298916		2.85	27.0	0.19	3.3	0.38	0.070	4.64	26.0	22.2	0.70	312	0.90	0.04	13.1	32.8
K298917		3.68	25.3	0.20	3.1	0.38	0.073	4.57	26.7	21.0	0.70	324	0.85	0.04	12.6	36.0
K298918		6.67	20.9	0.24	4.1	9.5	0.053	1.33	69.4	18.0	0.12	36	6.58	0.37	9.7	16.0
K298919		3.56	26.7	0.18	3.5	0.05	0.083	4.66	20.3	22.0	0.71	229	0.36	0.05	13.2	31.4
K298920		4.23	26.5	0.19	3.5	0.02	0.086	4.77	23.3	22.5	0.77	323	0.31	0.06	13.3	32.2
K298921		2.97	18.20	0.16	2.6	0.20	0.057	3.41	37.5	12.8	1.55	510	0.65	0.04	9.9	31.2
K298922		3.48	19.15	0.17	2.7	0.18	0.065	3.70	37.5	13.8	2.24	569	0.59	0.05	10.4	33.4
K298923		4.28	21.1	0.19	2.9	0.08	0.071	4.00	40.7	16.6	1.55	547	0.54	0.05	11.4	30.7
K298924		3.77	19.90	0.18	2.8	0.03	0.063	3.73	40.0	24.1	1.16	528	0.54	0.04	11.1	25.5
K298925		2.19	8.32	0.13	1.8	4.57	0.029	1.02	31.0	35.8	2.57	281	19.30	0.03	7.4	52.9
K298926		4.44	23.5	0.21	3.3	0.03	0.076	4.35	38.1	30.1	1.19	439	0.43	0.05	12.8	32.0
K298927		3.35	22.7	0.19	3.2	0.03	0.074	4.22	37.7	25.5	1.19	343	0.37	0.05	12.4	33.0
K298928		3.46	20.2	0.19	3.0	0.03	0.065	3.75	40.8	18.4	1.57	406	0.43	0.05	11.4	27.9
K298929		2.59	10.95	0.13	1.8	0.06	0.034	2.13	23.7	8.4	2.34	498	0.64	0.03	6.5	16.3
K298930		2.47	10.80	0.12	1.8	0.06	0.039	2.14	22.8	7.9	2.56	445	0.47	0.03	6.6	15.9
K298931		2.06	12.80	0.13	2.2	0.06	0.041	2.58	26.0	8.5	1.87	337	0.54	0.03	7.8	20.5
K298932		1.95	14.05	0.13	2.3	0.06	0.043	2.75	33.1	8.6	1.99	316	0.43	0.03	8.1	16.6
K298933		1.95	13.65	0.13	2.2	0.06	0.041	2.70	31.8	8.5	1.99	319	0.45	0.03	8.0	16.4
K298934		1.65	9.13	0.11	1.5	0.05	0.029	1.81	20.1	6.5	2.65	389	0.45	0.03	5.4	11.9
K298935		1.80	9.21	0.11	1.5	0.05	0.028	1.82	19.6	6.4	3.19	438	0.35	0.04	5.5	12.1
K298936		3.16	16.15	0.15	2.5	0.14	0.055	3.07	33.0	13.0	2.45	358	0.45	0.03	9.1	18.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151062

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298901		420	14.6	75.3	<0.002	0.80	0.42	8.2	2	1.5	113.5	0.61	<0.05	9.7	0.194	0.70
K298902		340	14.4	49.5	<0.002	0.83	0.31	5.6	2	1.0	84.9	0.43	<0.05	6.6	0.134	0.49
K298903		380	25.7	48.0	<0.002	0.64	0.30	5.5	2	1.0	113.5	0.41	<0.05	6.8	0.129	0.59
K298904		190	1.6	1.6	<0.002	0.01	<0.05	0.3	1	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	<0.02
K298905		650	28.9	70.8	<0.002	0.53	0.54	8.4	3	1.5	208	0.66	<0.05	10.6	0.209	0.66
K298906		530	17.7	147.0	<0.002	1.61	0.54	19.3	1	2.5	123.5	1.09	0.06	15.6	0.435	0.96
K298907		430	14.5	142.5	<0.002	1.63	0.46	19.2	1	2.6	107.5	1.12	0.07	14.4	0.454	0.88
K298908		430	15.9	165.0	<0.002	1.40	0.44	19.5	1	2.5	156.5	1.05	0.07	17.4	0.424	0.82
K298909		570	20.7	188.5	<0.002	0.15	0.66	21.4	1	2.7	141.0	1.10	0.07	17.6	0.466	0.94
K298910		490	17.8	158.0	<0.002	0.01	0.54	19.1	1	2.5	142.0	1.03	0.05	14.7	0.424	0.88
K298911		270	26.3	91.2	<0.002	0.09	0.76	16.5	2	2.8	67.1	1.10	0.10	9.0	0.391	6.47
K298912		300	24.4	161.5	<0.002	0.22	0.72	15.6	2	2.7	71.5	1.06	0.09	9.9	0.411	3.66
K298913		360	31.2	160.0	<0.002	0.12	0.62	16.3	2	2.6	67.4	1.06	0.08	10.9	0.399	3.03
K298914		160	1.4	2.0	<0.002	0.02	<0.05	0.4	1	<0.2	39.2	<0.05	<0.05	<0.2	<0.005	0.02
K298915		310	31.3	167.0	<0.002	0.08	0.76	16.2	2	2.5	72.9	1.03	0.08	12.2	0.416	3.74
K298916		330	24.8	161.5	<0.002	0.07	0.74	17.2	2	2.7	72.0	1.08	0.08	12.3	0.411	3.66
K298917		350	22.3	149.0	<0.002	0.07	0.91	16.2	2	2.5	99.5	1.02	0.08	11.8	0.401	4.67
K298918		900	17.9	47.8	0.003	3.06	111.5	17.4	2	2.8	523	0.79	0.12	10.6	0.538	7.92
K298919		800	8.1	134.0	<0.002	0.01	0.59	18.9	1	2.8	73.9	1.08	0.11	10.6	0.424	2.96
K298920		680	8.4	152.5	<0.002	0.01	0.30	19.3	1	2.8	75.1	1.06	0.11	11.3	0.433	1.64
K298921		790	26.2	144.0	<0.002	0.04	0.98	14.1	1	1.8	266	0.75	0.07	13.1	0.304	1.69
K298922		1440	28.7	154.5	<0.002	0.17	1.12	15.0	1	2.0	160.5	0.78	0.07	13.6	0.328	5.24
K298923		1040	15.7	172.5	<0.002	0.15	0.62	16.8	2	2.1	208	0.85	0.07	14.2	0.360	3.24
K298924		1240	9.6	163.5	<0.002	0.01	0.43	15.6	1	2.2	236	0.85	0.06	14.3	0.341	4.12
K298925		910	40.0	51.6	0.022	1.56	104.0	6.0	4	2.4	70.2	0.51	0.18	7.2	0.175	4.23
K298926		1350	8.2	160.0	<0.002	0.06	0.52	18.3	1	2.6	103.5	1.02	0.06	14.1	0.417	4.59
K298927		980	10.9	150.0	<0.002	0.03	0.51	16.6	2	2.4	264	0.97	0.09	13.1	0.391	4.04
K298928		860	10.3	164.5	<0.002	0.04	0.57	15.6	1	2.2	303	0.87	0.07	14.1	0.340	2.75
K298929		540	9.0	85.6	<0.002	0.07	0.46	8.1	1	1.2	678	0.49	<0.05	8.3	0.183	1.85
K298930		580	9.4	84.3	<0.002	0.06	0.40	8.2	1	1.2	609	0.49	<0.05	8.4	0.185	1.74
K298931		590	9.5	102.0	0.002	0.05	0.42	9.6	1	1.4	656	0.58	0.05	9.8	0.227	2.48
K298932		700	7.9	109.5	<0.002	0.05	0.41	10.1	1	1.5	519	0.60	<0.05	9.9	0.244	2.13
K298933		720	7.8	108.0	<0.002	0.05	0.41	10.1	1	1.5	525	0.60	<0.05	9.8	0.237	2.05
K298934		720	6.7	72.9	<0.002	0.09	0.23	7.2	1	1.0	599	0.40	<0.05	6.8	0.155	0.54
K298935		610	7.5	72.3	<0.002	0.09	0.22	6.8	1	1.0	583	0.39	<0.05	6.9	0.154	0.69
K298936		640	7.4	133.5	<0.002	0.28	0.25	13.1	1	1.8	460	0.70	<0.05	11.4	0.291	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151062

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298901		6.2	58	1.2	14.0	15	73.1
K298902		10.4	40	0.6	9.9	13	53.1
K298903		11.1	43	0.6	10.3	17	51.7
K298904		0.6	2	0.1	0.9	17	0.6
K298905		8.8	82	0.9	18.8	31	80.0
K298906		3.0	98	1.5	21.4	78	118.0
K298907		2.5	97	1.5	18.7	81	115.5
K298908		2.6	92	1.5	22.2	80	114.5
K298909		3.0	108	1.7	24.2	80	123.5
K298910		2.5	92	1.6	20.7	75	113.0
K298911		3.6	113	2.2	10.8	43	104.5
K298912		3.4	116	2.1	10.8	58	106.5
K298913		4.0	109	3.2	13.4	136	111.0
K298914		0.6	2	0.1	0.9	15	0.7
K298915		4.3	111	4.2	15.4	106	115.0
K298916		3.8	113	5.1	15.8	71	113.0
K298917		4.2	110	3.1	14.9	47	107.5
K298918		8.0	166	20.9	15.5	43	160.0
K298919		4.1	126	1.9	16.4	49	120.0
K298920		3.8	133	1.8	17.6	53	121.0
K298921		7.0	88	1.3	21.2	44	93.9
K298922		6.3	99	1.4	24.4	41	103.5
K298923		6.8	108	1.5	24.7	44	111.5
K298924		7.7	99	1.6	24.7	42	103.5
K298925		9.1	236	26.4	20.9	219	65.2
K298926		4.6	116	1.9	24.1	51	115.5
K298927		5.6	115	1.6	23.9	48	114.0
K298928		6.9	101	1.4	24.3	46	110.0
K298929		11.6	57	0.9	14.7	31	67.8
K298930		9.4	58	0.9	15.6	28	65.9
K298931		8.8	70	1.0	16.6	29	78.7
K298932		7.9	75	1.2	16.4	27	87.5
K298933		8.1	74	1.2	16.3	27	85.3
K298934		7.7	48	0.6	13.1	18	57.2
K298935		7.7	48	0.7	12.5	20	56.6
K298936		7.8	76	1.3	19.2	28	90.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151062

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

CERTIFICATE WH11150179

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 88- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299762		6.56	0.01	0.09	8.33	301	540	1.99	0.32	2.16	0.08	63.4	15.9	69	24.9	35.5
K299763		9.70	<0.01	0.15	8.21	59.5	300	2.40	0.28	2.84	0.12	76.7	19.0	68	29.7	44.5
K299764		7.08	<0.01	0.11	5.75	40	300	1.40	0.20	13.30	0.10	59.7	13.2	42	21.4	27.6
K299765		10.28	<0.01	0.08	7.60	35.1	310	2.04	0.32	4.21	0.08	64.0	14.2	70	31.1	33.3
K299766		9.22	0.01	0.05	8.73	20.4	340	2.17	0.34	2.00	0.05	81.8	14.6	69	42.5	35.0
K299767		6.80	<0.01	<0.01	0.10	<5	20	0.06	0.02	20.6	0.05	1.33	1.1	1	0.35	0.8
K299768		10.65	<0.01	0.03	7.54	13.8	360	2.08	0.27	5.10	0.09	68.8	16.9	62	34.4	46.0
K299769		4.33	<0.01	0.07	7.65	44.4	270	1.84	0.32	5.37	0.12	73.8	20.6	63	26.0	52.0
K299770		5.03	<0.01	0.09	7.05	50.1	260	1.50	0.23	4.61	0.38	57.3	30.0	69	34.0	144.5
K299771		7.72	<0.01	0.07	6.55	20.2	250	1.49	0.20	4.47	0.38	46.2	31.6	73	16.10	137.0
K299772		9.61	<0.01	0.09	6.57	25.3	390	1.55	0.21	3.61	0.31	50.3	32.3	70	24.5	144.0
K299773		4.74	<0.01	0.08	6.55	22.6	390	1.43	0.22	3.90	0.32	47.6	30.2	70	22.5	140.5
K299774		3.48	<0.01	0.08	7.51	47.7	230	2.05	0.24	2.65	0.37	52.9	34.1	82	34.0	157.5
K299775		4.12	0.02	0.08	5.88	286	240	1.55	0.21	4.90	0.31	48.4	25.7	57	19.80	109.0
K299776		5.31	<0.01	0.14	6.64	75.8	310	1.90	0.32	3.04	0.30	65.6	32.3	65	22.5	109.5
K299777		10.86	0.03	0.12	7.32	97.5	370	2.12	0.31	2.47	0.40	68.2	32.4	76	34.5	133.0
K299778		10.25	0.02	0.09	6.09	47.6	260	1.77	0.25	4.56	0.40	51.5	26.9	62	25.1	111.5
K299779		0.17	2.59	0.96	3.06	565	820	0.75	0.32	7.85	2.17	44.5	6.5	49	3.63	41.4
K299780		10.98	0.02	0.07	6.79	116.0	200	2.25	0.39	4.26	0.14	73.3	29.8	54	23.5	95.5
K299781		8.72	<0.01	0.09	7.21	134.5	190	2.28	0.26	4.55	0.30	56.2	37.4	68	28.6	159.0
K299782		9.34	<0.01	0.10	6.34	92.1	220	1.49	0.21	3.66	0.31	50.5	31.0	69	26.4	132.5
K299783		10.04	<0.01	0.07	5.58	42.4	180	1.24	0.17	5.38	0.28	39.0	23.9	57	21.4	105.5
K299784		5.21	<0.01	0.07	5.66	98.9	120	1.70	0.23	5.55	0.22	51.7	27.7	54	22.8	101.0
K299785		6.82	<0.01	0.02	0.09	<5	20	0.08	0.02	19.30	0.07	1.18	0.8	2	0.40	2.1
K299786		6.65	0.49	0.07	5.24	4310	120	1.48	0.19	6.41	0.18	46.8	18.3	41	18.90	74.1
K299787		3.91	<0.01	0.05	0.42	36	20	0.38	0.03	27.3	0.05	13.40	1.1	5	1.12	3.3
K299788		4.74	<0.01	0.10	6.59	123.0	230	2.45	0.31	5.12	0.17	72.9	14.6	48	34.6	36.9
K299789		5.62	<0.01	0.13	7.30	95.1	250	2.24	0.32	3.06	0.09	76.1	14.8	52	31.0	35.3
K299790		4.12	0.04	0.09	1.47	363	130	0.77	0.07	15.00	1.05	15.60	4.6	12	6.01	12.8
K299791		3.11	0.03	0.08	1.30	263	80	0.77	0.06	17.10	0.61	16.05	4.2	8	4.83	12.3
K299792		7.58	<0.01	0.10	6.40	148.5	190	1.89	0.36	7.42	0.17	65.8	15.4	45	26.9	52.7
K299793		9.19	0.08	0.13	6.64	621	220	1.80	0.31	6.49	0.11	63.1	13.7	51	19.35	30.2
K299794		0.17	16.25	1.07	1.94	1220	240	0.36	0.53	14.45	0.64	30.8	3.6	35	2.21	60.4
K299795		3.23	0.01	0.09	0.79	319	40	0.87	0.04	18.15	0.09	8.90	3.0	8	2.43	6.7
K299796		1.94	0.01	0.11	7.36	366	230	2.04	0.32	7.86	0.10	75.4	14.9	51	25.5	41.4
K299797		3.10	0.01	0.05	0.44	169	30	0.62	0.02	17.45	0.02	6.48	1.6	6	1.18	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150179

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299762		4.27	23.3	0.17	3.2	1.18	0.067	3.95	31.2	37.0	0.52	741	0.80	0.03	11.6	35.7
K299763		4.63	21.3	0.22	3.2	0.91	0.064	3.73	40.3	32.2	0.69	514	1.07	0.03	10.5	45.9
K299764		3.35	13.90	0.15	2.2	0.25	0.048	2.50	31.2	21.1	0.89	866	0.69	0.02	7.3	26.4
K299765		4.59	21.8	0.20	3.3	0.32	0.069	3.83	30.8	43.3	0.67	669	0.75	0.03	11.4	30.2
K299766		4.65	23.1	0.22	3.3	0.11	0.071	3.88	41.3	83.4	0.75	712	0.46	0.03	12.0	34.4
K299767		0.49	0.31	0.08	<0.1	<0.01	0.005	0.04	0.6	1.2	12.60	211	0.08	<0.01	0.3	<0.2
K299768		4.54	21.2	0.18	3.2	0.08	0.068	3.37	35.4	91.3	1.11	623	1.07	0.02	11.8	35.5
K299769		4.17	21.7	0.19	3.1	0.17	0.074	3.63	37.3	33.9	1.00	903	1.18	0.03	10.7	39.7
K299770		7.33	19.90	0.21	4.3	0.07	0.106	2.09	28.2	142.5	1.83	879	0.72	0.03	16.0	50.5
K299771		7.52	19.65	0.18	3.2	0.16	0.096	1.48	22.0	87.8	2.07	1150	0.50	0.01	12.8	55.0
K299772		7.02	20.4	0.21	3.1	0.17	0.100	2.15	23.5	114.5	1.89	963	0.48	0.01	13.1	54.2
K299773		7.17	19.60	0.19	3.3	0.16	0.095	2.05	22.3	113.0	1.97	1000	0.42	0.01	12.7	52.5
K299774		7.84	21.7	0.20	3.7	0.54	0.107	2.93	26.1	165.5	1.62	979	0.43	0.01	15.5	57.9
K299775		6.25	17.20	0.16	3.2	1.1	0.082	2.62	24.9	28.2	2.66	1240	1.29	0.01	11.6	45.9
K299776		5.02	18.45	0.19	3.3	1.32	0.070	2.98	34.2	25.2	1.77	1560	3.58	0.03	9.1	52.5
K299777		6.12	22.0	0.21	3.8	0.74	0.097	2.99	33.0	93.9	1.52	1080	3.67	0.07	12.9	56.8
K299778		5.70	17.30	0.18	3.3	0.25	0.084	2.33	25.0	109.0	2.65	1390	3.65	0.02	10.0	49.5
K299779		2.06	7.87	0.16	2.0	4.45	0.027	0.97	27.8	38.9	2.47	261	18.50	0.03	6.3	51.0
K299780		4.06	19.65	0.19	3.3	1.69	0.075	3.23	43.3	17.9	2.24	1400	0.83	0.03	9.6	50.1
K299781		7.60	22.9	0.19	2.9	2.31	0.118	2.58	27.0	98.7	2.23	821	0.50	0.02	15.3	63.8
K299782		6.67	18.95	0.20	3.3	0.70	0.081	2.06	23.2	116.5	2.74	937	0.58	0.04	12.6	51.9
K299783		6.69	15.05	0.16	2.6	0.82	0.080	1.69	19.0	121.0	2.95	1050	0.49	0.05	9.4	45.3
K299784		5.20	16.25	0.20	2.8	5.76	0.076	2.29	27.1	52.5	2.61	1720	3.08	0.02	9.3	48.1
K299785		0.45	0.32	0.12	<0.1	0.01	0.005	0.04	0.6	1.7	12.20	197	0.06	<0.01	0.2	2.2
K299786		4.74	14.55	0.17	2.7	4.79	0.065	2.23	24.3	22.3	2.76	1890	0.86	0.01	8.8	32.9
K299787		0.59	1.17	0.15	0.3	0.61	0.010	0.20	6.3	1.4	2.87	325	0.12	<0.01	0.7	2.1
K299788		4.02	18.45	0.17	3.1	1.48	0.062	3.01	38.5	20.3	2.04	749	1.37	0.03	9.0	31.5
K299789		4.13	19.10	0.18	2.7	1.52	0.059	3.03	43.3	27.9	1.63	572	1.06	0.03	9.0	33.0
K299790		1.71	3.87	0.14	0.7	1.40	0.019	0.68	8.0	3.5	9.04	2030	3.57	<0.01	2.7	16.5
K299791		1.50	3.55	0.14	0.6	1.15	0.014	0.61	8.4	2.9	9.92	2340	3.30	<0.01	2.5	12.9
K299792		3.69	17.70	0.18	3.0	2.83	0.071	2.96	34.7	10.6	2.65	852	1.35	0.03	9.6	44.8
K299793		3.94	18.05	0.17	2.7	3.59	0.055	3.18	37.4	10.1	1.08	813	0.44	0.04	9.6	32.1
K299794		3.51	3.90	0.13	0.8	6.05	0.059	0.39	16.9	39.8	0.70	434	11.90	<0.01	3.0	20.9
K299795		1.82	2.08	0.15	0.3	1.09	0.007	0.35	4.8	3.3	8.88	1250	0.27	<0.01	0.9	5.9
K299796		3.72	19.65	0.22	2.6	1.99	0.060	3.34	41.9	23.1	1.30	710	0.47	0.05	9.9	34.9
K299797		1.28	1.29	0.14	0.2	0.30	0.005	0.20	3.4	3.0	9.98	929	0.12	<0.01	0.6	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150179

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299762		690	21.6	145.5	0.003	0.14	1.72	15.1	2	2.4	106.0	0.90	0.05	11.7	0.382	3.09
K299763		620	21.8	155.5	0.002	3.08	0.59	18.0	2	2.8	89.8	0.82	0.05	13.5	0.384	3.39
K299764		440	13.0	117.0	<0.002	0.47	0.47	12.2	2	1.5	461	0.54	0.05	9.5	0.259	1.42
K299765		600	25.8	136.0	0.002	0.27	0.68	14.9	3	2.4	156.0	0.91	<0.05	11.4	0.386	1.65
K299766		590	22.7	181.0	<0.002	0.23	0.49	16.4	2	2.5	96.9	0.91	0.06	14.6	0.395	1.23
K299767		190	1.5	2.2	<0.002	0.01	0.06	0.4	1	<0.2	41.7	<0.05	<0.05	<0.2	<0.005	0.02
K299768		680	16.5	145.0	0.002	0.21	0.41	16.5	2	2.3	221	0.92	0.07	11.3	0.410	1.04
K299769		460	20.0	148.0	0.003	0.20	0.69	16.6	2	2.3	155.5	0.86	0.07	11.5	0.357	1.80
K299770		720	10.9	138.0	0.004	0.14	0.36	28.6	3	2.1	217	1.08	0.29	7.1	0.677	0.84
K299771		550	10.1	94.7	0.002	0.17	0.35	26.3	2	1.9	150.5	0.86	0.24	5.4	0.682	0.89
K299772		670	11.1	146.0	0.002	0.08	0.33	27.2	2	2.2	169.0	0.86	0.31	5.5	0.650	1.02
K299773		660	11.1	134.5	0.002	0.08	0.32	25.9	3	2.1	173.5	0.87	0.22	5.7	0.651	0.93
K299774		790	11.5	181.0	0.002	0.35	0.39	28.0	2	2.4	81.1	1.13	0.29	6.1	0.750	2.69
K299775		580	11.7	132.5	0.003	2.54	1.72	21.1	4	1.9	132.0	0.80	0.22	6.0	0.527	4.28
K299776		390	22.1	161.0	0.009	2.82	1.36	17.9	4	2.3	150.0	0.70	0.11	10.5	0.362	5.28
K299777		580	19.2	184.5	0.011	1.15	1.04	23.7	5	2.6	152.0	0.94	0.22	9.5	0.542	5.02
K299778		500	15.1	141.5	0.006	1.47	0.88	20.4	3	2.0	132.0	0.71	0.16	7.2	0.484	4.19
K299779		860	37.5	47.3	0.023	1.48	97.7	4.9	4	2.4	68.3	0.42	0.29	6.0	0.163	3.93
K299780		340	26.0	172.0	0.002	3.13	1.30	17.8	2	2.5	121.0	0.72	0.19	11.2	0.350	4.83
K299781		700	11.9	137.0	0.002	7.67	0.67	29.0	3	2.4	169.5	0.98	0.28	5.8	0.696	6.03
K299782		620	11.1	149.5	0.002	1.23	0.39	24.6	3	2.1	112.5	0.85	0.24	5.5	0.612	1.84
K299783		500	9.8	109.0	0.004	3.72	0.24	20.3	3	1.7	123.0	0.67	0.15	5.0	0.556	2.87
K299784		420	14.9	130.5	0.007	4.61	1.03	17.7	3	2.0	141.0	0.67	0.20	7.2	0.418	9.20
K299785		160	1.3	2.4	<0.002	0.02	<0.05	0.4	<1	0.2	41.8	<0.05	<0.05	<0.2	0.005	0.07
K299786		490	14.4	115.5	<0.002	4.27	5.57	15.8	2	2.0	139.0	0.64	0.08	6.6	0.393	11.80
K299787		230	8.1	9.0	<0.002	0.33	0.43	1.0	1	0.2	778	0.05	<0.05	1.2	0.028	0.87
K299788		1350	17.7	146.0	0.003	3.28	0.70	13.4	2	2.5	159.5	0.76	0.06	12.4	0.316	4.05
K299789		590	20.5	145.5	0.002	3.55	0.60	13.3	2	2.6	184.0	0.74	0.05	13.1	0.343	5.44
K299790		220	11.8	27.9	0.014	0.92	1.08	3.0	2	0.5	358	0.20	<0.05	2.6	0.079	1.76
K299791		230	14.0	24.6	0.012	0.63	2.37	2.6	1	0.5	409	0.18	<0.05	2.7	0.063	1.98
K299792		460	23.4	134.0	0.002	3.26	0.73	14.0	2	2.6	274	0.76	0.11	11.6	0.359	4.14
K299793		420	24.2	121.5	<0.002	2.98	2.26	10.4	1	2.9	196.0	0.79	0.08	12.0	0.300	20.5
K299794		650	21.4	22.1	0.005	1.96	147.0	3.6	3	2.0	44.7	0.28	0.39	3.6	0.105	3.55
K299795		940	12.8	16.0	<0.002	0.45	1.46	1.5	1	0.9	358	0.07	<0.05	1.5	0.027	14.20
K299796		560	23.2	138.5	0.002	2.87	0.75	12.3	1	3.3	272	0.77	0.10	12.9	0.329	17.15
K299797		1470	12.8	8.6	<0.002	0.25	0.59	1.1	1	0.3	335	0.05	<0.05	0.9	0.018	4.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150179

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299762		2.8	94	5.3	17.0	126	107.5
K299763		2.8	107	2.3	24.0	112	106.5
K299764		2.1	64	1.6	18.9	76	80.0
K299765		2.6	99	1.6	17.2	94	110.5
K299766		2.8	99	1.7	20.9	98	113.5
K299767		0.5	2	0.1	0.9	15	0.7
K299768		2.5	103	2.3	21.2	99	108.0
K299769		2.7	98	1.6	20.0	94	106.5
K299770		2.3	211	1.1	30.8	102	157.0
K299771		1.6	213	1.1	22.8	100	130.5
K299772		1.5	206	1.1	23.9	94	124.5
K299773		1.5	208	1.1	24.6	94	129.5
K299774		1.8	235	1.3	26.8	106	133.5
K299775		1.8	163	5.9	22.2	84	120.5
K299776		2.8	145	1.6	21.1	90	119.5
K299777		2.7	200	1.4	22.4	99	143.5
K299778		2.6	183	1.1	20.7	94	115.5
K299779		8.0	222	28.4	18.4	200	66.4
K299780		3.0	111	2.5	20.9	99	122.5
K299781		1.7	221	2.5	23.5	98	113.5
K299782		1.6	196	1.8	23.6	88	121.5
K299783		1.4	177	1.4	19.7	87	108.5
K299784		2.1	145	1.5	20.2	80	130.0
K299785		0.4	2	0.2	0.8	15	0.8
K299786		1.7	119	3.5	19.2	80	98.2
K299787		1.9	5	0.4	4.0	30	12.8
K299788		4.2	104	2.3	23.0	91	99.8
K299789		2.7	93	2.2	18.0	85	93.4
K299790		3.8	48	2.4	6.3	303	24.6
K299791		2.8	29	2.1	5.9	184	22.6
K299792		3.0	103	4.9	18.8	75	107.5
K299793		2.8	79	5.1	16.3	110	94.6
K299794		3.2	104	229	14.5	74	29.6
K299795		1.6	9	1.1	6.3	50	15.5
K299796		3.2	90	4.3	17.2	100	92.8
K299797		1.4	5	0.4	4.0	14	15.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11150179

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

CERTIFICATE WH11151063

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 89 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299149		12.14	<0.01	0.10	2.29	133	210	0.75	0.06	23.8	0.10	24.4	3.8	20	8.34	14.1
K299150		10.23	<0.01	0.06	2.14	262	110	0.72	0.06	24.8	0.07	26.4	4.1	19	7.30	12.9
K299151		10.96	<0.01	0.05	1.85	147	100	0.63	0.05	26.3	0.06	17.40	2.9	17	5.58	12.0
K299152		0.16	0.35	0.31	5.83	575	510	0.58	0.26	0.51	0.16	127.0	2.8	217	3.25	30.2
K299153		11.12	0.01	0.06	2.68	340	160	0.91	0.07	22.1	0.06	28.2	3.7	26	9.18	18.2
K299154		12.42	<0.01	0.06	2.82	68	170	0.75	0.07	20.1	0.06	30.0	4.7	24	11.60	14.5
K299155		6.81	<0.01	0.04	0.08	<5	10	0.06	0.02	19.55	0.06	1.24	0.6	1	0.23	2.6
K299156		10.81	<0.01	0.06	1.98	31	320	0.75	0.05	25.6	0.05	20.9	3.9	16	10.60	15.4
K299157		11.40	<0.01	0.04	1.87	41	120	0.62	0.05	24.0	0.06	20.9	3.0	17	8.47	12.5
K299158		11.32	<0.01	0.04	2.42	150	170	0.85	0.06	22.2	0.06	32.0	4.9	23	11.15	14.6
K299159		11.96	0.01	0.04	1.17	84	470	0.41	0.04	28.9	0.06	19.45	2.7	12	4.48	6.6
K299160		11.72	<0.01	0.01	2.01	32	1730	0.64	0.06	14.60	0.07	33.1	3.1	20	7.14	14.7
K299161		11.35	<0.01	0.02	3.11	41	320	0.96	0.08	11.00	0.05	40.1	5.9	29	13.30	11.0
K299162		11.48	0.01	0.07	4.94	51.3	300	1.70	0.12	9.32	0.06	57.4	8.7	55	29.0	38.0
K299163		11.40	<0.01	0.06	2.71	31	200	0.95	0.06	15.25	0.06	35.8	5.4	26	13.00	13.0
K299164		11.17	<0.01	0.45	2.90	41	180	0.93	0.08	20.7	0.04	33.4	6.0	29	14.00	16.0
K299165		11.00	<0.01	0.01	1.09	12	340	0.44	0.03	30.7	0.08	16.30	2.4	11	3.91	10.5
K299166		5.61	<0.01	0.01	1.33	30	220	0.43	0.04	30.1	0.09	18.75	3.6	13	5.00	11.7
K299167		11.80	<0.01	0.02	0.54	19	100	0.23	0.02	32.1	0.15	10.70	1.6	5	1.86	3.4
K299168		11.28	<0.01	0.02	0.62	16	150	0.27	0.02	32.2	0.25	10.95	1.7	6	2.04	4.2
K299169		0.16	2.52	1.06	2.97	567	840	0.78	0.29	7.92	2.19	45.0	6.9	52	3.69	44.2
K299170		11.29	<0.01	0.04	1.17	29	150	0.37	0.03	26.0	0.09	17.55	2.9	11	3.09	5.2
K299171		11.36	<0.01	0.03	0.67	21	460	0.31	0.02	31.0	0.11	11.20	1.8	7	1.69	3.5
K299172		11.08	<0.01	0.05	1.20	15	670	0.39	0.03	29.4	0.09	17.60	3.0	11	4.16	6.2
K299173		7.33	<0.01	0.05	5.15	19	210	1.33	0.22	12.30	0.02	70.9	9.7	43	9.73	22.1
K299174		5.07	<0.01	0.11	0.76	13	90	0.26	0.02	32.4	0.10	13.20	2.0	8	2.56	5.0
K299175		6.65	<0.01	0.15	1.61	17	170	0.44	0.04	29.4	0.16	18.50	3.4	15	6.43	8.6
K299176		7.29	<0.01	0.15	0.72	18	120	0.20	0.03	32.8	0.20	11.10	2.1	8	2.97	5.3
K299177		7.46	0.01	0.08	2.47	84	600	0.75	0.06	23.5	0.13	29.4	4.5	23	10.85	15.1
K299178		8.02	0.01	0.04	4.03	154	310	1.37	0.10	15.10	0.03	47.4	7.8	36	20.4	19.4
K299179		6.45	0.01	0.04	3.63	113	290	1.18	0.08	19.15	0.03	44.9	7.7	31	19.50	16.9
K299180		7.87	<0.01	0.06	4.34	116	300	1.40	0.10	19.15	0.02	49.5	9.9	36	27.2	19.2
K299181		7.85	<0.01	0.07	3.22	361	240	1.13	0.09	13.40	0.04	42.6	5.9	32	13.70	15.0
K299182		4.84	<0.01	<0.01	0.07	<5	20	0.07	0.02	21.1	0.06	1.26	1.3	1	0.24	3.6
K299183		8.02	0.01	0.08	3.47	99	370	1.20	0.09	11.10	0.05	48.0	6.2	39	13.40	27.5
K299184		7.08	<0.01	0.04	1.73	45	140	0.73	0.04	24.5	0.10	23.7	3.2	18	5.63	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151063

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299149		0.80	5.90	0.15	1.2	0.04	0.017	1.33	14.3	35.2	1.33	132	0.28	0.02	3.3	9.4
K299150		0.85	5.48	0.15	1.0	0.07	0.017	1.18	14.5	48.9	1.46	131	0.39	0.01	3.0	10.6
K299151		0.79	4.84	0.17	0.9	0.04	0.014	0.98	11.1	41.4	1.62	133	0.23	<0.01	2.4	8.2
K299152		6.52	19.80	0.21	4.2	10.0	0.048	1.28	67.2	18.4	0.13	36	6.42	0.35	9.1	16.7
K299153		0.91	7.16	0.16	1.3	0.06	0.024	1.48	16.1	37.0	1.90	167	0.39	0.01	4.2	10.3
K299154		0.98	7.04	0.18	1.7	0.08	0.021	1.62	16.4	39.3	1.61	138	0.41	0.02	4.1	12.4
K299155		0.44	0.27	0.15	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.20	192	0.30	<0.01	0.2	1.8
K299156		0.88	5.25	0.16	0.8	0.06	0.017	1.03	12.4	46.8	1.50	126	0.29	0.03	2.7	9.5
K299157		0.83	4.82	0.17	1.1	0.04	0.013	0.99	12.4	47.7	1.84	137	0.27	0.05	2.9	7.9
K299158		1.08	6.72	0.10	1.5	0.08	0.019	1.33	16.6	53.0	2.50	149	0.61	0.09	4.4	7.4
K299159		0.65	3.24	0.09	0.7	0.07	0.010	0.64	10.5	27.3	1.59	130	0.49	0.02	2.1	2.5
K299160		1.06	5.56	0.12	2.2	0.04	0.020	1.21	15.7	54.1	4.69	212	0.63	0.04	3.7	5.9
K299161		1.47	8.97	0.11	2.9	0.07	0.025	1.91	19.7	49.7	6.13	243	1.03	0.05	5.8	10.9
K299162		2.06	14.70	0.15	2.7	0.15	0.037	2.83	29.9	99.4	3.94	200	1.11	0.05	8.4	21.3
K299163		1.26	7.59	0.11	2.1	0.09	0.019	1.73	18.3	30.0	2.47	160	0.69	0.05	5.0	9.2
K299164		1.21	8.39	0.11	1.7	0.07	0.022	1.77	18.0	30.7	2.04	148	0.48	0.03	5.3	10.7
K299165		0.53	3.12	0.09	0.5	0.02	0.009	0.64	9.6	6.4	0.98	125	0.07	0.01	2.0	1.9
K299166		0.62	3.83	0.10	0.6	0.03	0.011	0.80	11.0	7.9	1.08	128	0.10	0.01	2.5	4.3
K299167		0.32	1.56	0.09	0.3	0.05	0.005	0.32	6.2	4.0	1.07	104	0.40	0.01	1.1	<0.2
K299168		0.46	1.74	0.10	0.3	0.09	0.006	0.36	6.3	4.1	1.42	115	0.50	0.01	1.2	0.3
K299169		2.03	8.16	0.13	1.8	5.02	0.026	0.97	28.0	37.0	2.47	261	18.60	0.03	6.9	48.5
K299170		0.63	3.16	0.09	1.2	0.10	0.009	0.72	9.4	6.4	2.34	135	0.73	0.02	2.3	2.9
K299171		0.52	1.83	0.08	0.5	0.07	0.005	0.40	6.2	3.4	1.87	147	0.53	0.01	1.3	1.6
K299172		0.71	3.21	0.10	0.4	0.11	0.009	0.69	9.4	6.6	2.20	174	0.55	0.01	1.9	4.6
K299173		2.79	13.90	0.14	2.8	0.03	0.044	2.34	36.1	45.2	1.24	383	0.24	0.04	9.2	21.3
K299174		0.37	2.04	0.09	0.3	0.10	0.006	0.43	7.5	3.7	0.74	150	0.29	0.01	1.4	2.6
K299175		0.57	4.25	0.10	0.6	0.13	0.012	0.93	10.5	8.7	0.99	155	0.62	0.01	2.4	5.6
K299176		0.36	1.96	0.09	0.3	0.09	0.008	0.42	7.0	3.4	0.65	138	0.53	0.01	1.4	2.6
K299177		1.00	6.53	0.08	1.2	0.22	0.017	1.50	15.8	13.1	1.86	211	0.76	0.03	3.9	9.9
K299178		1.68	10.80	0.12	2.4	0.36	0.026	2.41	24.2	26.8	2.95	276	0.73	0.03	6.2	16.6
K299179		1.48	9.75	0.11	2.0	0.24	0.026	2.16	23.1	23.9	2.52	252	0.57	0.03	5.5	15.0
K299180		1.70	11.25	0.12	1.6	0.38	0.028	2.46	25.9	28.1	2.01	208	0.61	0.03	5.9	19.3
K299181		1.64	8.41	0.12	2.5	0.50	0.022	1.91	21.8	19.6	5.42	320	0.86	0.03	5.1	12.0
K299182		0.47	0.33	0.14	<0.1	<0.01	<0.005	0.03	0.6	1.0	12.90	205	0.07	<0.01	0.3	1.0
K299183		1.38	9.54	0.15	3.5	0.82	0.027	2.14	24.0	20.9	4.26	257	0.80	0.03	6.9	13.3
K299184		0.77	4.63	0.11	1.3	0.38	0.014	1.03	12.7	8.7	2.20	152	0.35	0.02	3.1	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151063

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299149		360	8.7	58.0	<0.002	0.09	0.40	3.5	1	0.8	1000	0.26	<0.05	4.8	0.096	0.37
K299150		240	6.8	51.0	<0.002	0.12	0.69	3.4	1	0.7	946	0.23	<0.05	4.4	0.087	0.49
K299151		200	5.9	37.0	<0.002	0.07	0.44	2.9	1	0.6	1025	0.20	<0.05	3.5	0.074	0.32
K299152		860	17.2	43.9	0.002	2.86	108.5	15.1	2	3.0	490	0.70	0.12	9.6	0.518	7.90
K299153		440	7.1	56.2	<0.002	0.09	1.58	4.4	2	1.0	1035	0.32	<0.05	5.6	0.116	0.69
K299154		390	8.7	58.9	<0.002	0.17	0.35	4.2	1	0.9	762	0.33	<0.05	5.9	0.121	0.37
K299155		180	1.5	1.4	<0.002	0.01	<0.05	0.2	1	<0.2	45.6	<0.05	<0.05	<0.2	<0.005	0.02
K299156		200	5.7	42.1	<0.002	0.10	0.12	3.1	1	0.7	872	0.21	<0.05	3.7	0.078	0.22
K299157		290	5.6	40.4	<0.002	0.06	0.19	2.9	1	0.7	690	0.22	<0.05	3.8	0.080	0.23
K299158		300	86.5	64.5	<0.002	0.15	0.87	4.7	3	0.8	691	0.30	<0.05	5.8	0.112	0.32
K299159		200	5.2	30.8	<0.002	0.13	4.03	2.4	2	0.4	890	0.14	<0.05	2.7	0.050	0.17
K299160		340	66.0	54.4	<0.002	0.09	4.66	4.3	2	0.6	516	0.25	<0.05	5.3	0.093	0.23
K299161		330	9.5	87.1	0.002	0.11	0.47	6.0	2	1.0	329	0.42	<0.05	8.0	0.149	0.39
K299162		780	12.1	130.5	<0.002	0.23	0.32	10.0	3	1.6	288	0.63	<0.05	11.4	0.223	0.57
K299163		470	8.2	77.3	<0.002	0.14	0.28	5.1	2	0.9	420	0.36	<0.05	6.6	0.127	0.33
K299164		440	458	78.6	<0.002	0.13	1.51	5.8	2	1.0	545	0.38	<0.05	7.1	0.133	0.38
K299165		200	8.3	27.7	<0.002	0.04	0.56	2.3	2	0.4	717	0.13	<0.05	2.4	0.046	0.12
K299166		240	3.6	34.6	<0.002	0.06	0.23	2.8	2	0.6	717	0.16	<0.05	3.0	0.059	0.17
K299167		90	4.7	13.0	<0.002	0.05	0.17	1.1	2	0.2	1055	0.06	<0.05	1.2	0.023	0.09
K299168		80	4.8	14.1	<0.002	0.09	0.15	1.3	2	0.3	1085	0.07	<0.05	1.3	0.026	0.13
K299169		850	38.0	54.0	0.024	1.46	99.9	5.8	4	2.3	76.9	0.45	0.17	6.5	0.164	3.81
K299170		170	6.0	27.7	<0.002	0.22	0.52	2.2	2	0.4	743	0.15	<0.05	3.1	0.056	0.21
K299171		170	5.8	14.4	<0.002	0.18	0.19	1.3	2	0.2	942	0.08	<0.05	1.6	0.029	0.19
K299172		200	5.8	26.0	<0.002	0.30	0.37	2.3	2	0.3	801	0.12	<0.05	2.5	0.045	0.26
K299173		290	739	116.0	<0.002	0.43	3.42	10.0	1	1.5	492	0.68	<0.05	11.7	0.269	0.53
K299174		150	11.6	16.0	<0.002	0.10	0.41	1.5	1	0.2	1450	0.08	<0.05	1.6	0.031	0.17
K299175		260	9.8	34.5	<0.002	0.13	0.24	3.0	2	0.5	1385	0.17	<0.05	3.3	0.062	0.36
K299176		160	7.0	15.8	<0.002	0.10	0.18	1.5	2	0.3	1010	0.09	<0.05	1.6	0.031	0.22
K299177		420	7.2	58.1	<0.002	0.21	0.39	4.3	2	0.7	655	0.27	<0.05	5.3	0.100	1.00
K299178		560	7.9	99.1	<0.002	0.30	0.87	7.0	2	1.0	370	0.46	<0.05	8.8	0.165	1.41
K299179		480	6.8	92.0	<0.002	0.23	0.53	6.4	2	1.0	488	0.39	<0.05	7.8	0.144	0.91
K299180		460	6.6	105.5	<0.002	0.31	0.32	7.6	2	1.1	563	0.43	<0.05	8.5	0.162	0.95
K299181		440	7.2	75.7	<0.002	0.15	0.98	5.7	2	0.9	268	0.38	<0.05	7.3	0.142	1.04
K299182		180	1.2	1.6	<0.002	0.01	0.07	0.3	1	<0.2	47.9	<0.05	<0.05	<0.2	<0.005	<0.02
K299183		550	8.3	85.9	<0.002	0.13	0.79	6.7	2	1.2	237	0.53	<0.05	9.6	0.183	0.98
K299184		290	4.7	39.6	<0.002	0.07	0.24	3.3	2	0.6	543	0.22	<0.05	4.2	0.080	0.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151063

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299149		11.5	30	0.4	7.4	29	40.1
K299150		12.5	28	0.5	7.3	33	35.6
K299151		11.5	31	0.4	5.6	29	28.9
K299152		7.4	156	23.6	13.6	42	168.5
K299153		9.9	38	0.6	8.3	29	48.0
K299154		10.9	34	0.5	9.0	36	57.9
K299155		0.8	2	0.1	0.8	15	0.7
K299156		11.4	28	0.3	5.9	40	27.7
K299157		9.3	27	0.4	6.8	24	36.9
K299158		11.3	35	0.5	10.9	36	53.5
K299159		12.8	18	0.3	6.7	31	22.3
K299160		6.1	27	0.4	11.7	52	76.4
K299161		5.5	46	0.6	13.9	37	98.4
K299162		9.7	89	0.9	18.4	61	88.5
K299163		9.1	37	0.6	14.0	36	71.1
K299164		9.2	41	0.6	11.7	28	62.5
K299165		8.9	16	0.2	6.1	12	16.8
K299166		9.5	20	0.3	6.9	14	21.0
K299167		16.2	9	0.2	4.1	28	11.2
K299168		15.9	11	0.2	4.1	38	11.4
K299169		8.9	220	26.5	22.2	202	63.9
K299170		13.0	18	0.6	7.0	24	42.3
K299171		7.7	12	0.2	4.1	12	17.1
K299172		9.8	20	0.3	5.2	22	16.2
K299173		3.4	58	1.2	20.6	55	94.3
K299174		14.0	17	0.2	4.3	25	11.3
K299175		17.6	34	0.3	5.2	35	19.1
K299176		15.9	24	0.2	3.7	35	11.2
K299177		12.4	39	1.2	8.8	32	41.2
K299178		9.2	57	2.4	13.8	21	81.1
K299179		10.9	52	1.8	12.8	22	67.8
K299180		10.4	59	1.8	12.6	24	54.5
K299181		7.1	48	1.8	13.2	21	85.7
K299182		0.6	2	0.1	0.8	17	0.5
K299183		5.2	55	2.2	16.3	20	114.5
K299184		8.5	27	1.0	7.8	15	42.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151063

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

CERTIFICATE WH11152783

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 90- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152783

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298253		7.33	0.01	0.12	1.56	76	90	0.44	0.04	15.45	0.11	16.05	2.4	15	2.76	7.3
K298254		6.62	0.08	0.04	1.31	682	80	0.40	0.03	16.65	0.13	19.85	2.1	13	2.34	8.0
K298255		6.80	0.05	0.19	1.60	87	90	0.54	0.04	17.65	0.13	20.1	2.9	14	3.31	13.5
K298256		7.04	0.03	0.24	1.40	98	100	0.55	0.04	18.70	0.12	20.5	3.5	13	3.91	12.6
K298257		3.41	0.03	0.27	1.51	97	100	0.59	0.04	18.75	0.11	21.1	3.9	15	4.16	14.2
K298258		7.76	0.33	0.15	1.43	643	90	0.44	0.04	17.85	0.04	19.25	3.1	14	2.92	11.3
K298259		7.65	0.07	0.29	1.25	73	90	0.43	0.04	19.55	0.16	15.45	3.1	13	2.70	14.6
K298260		6.69	0.04	0.06	0.63	46	50	0.23	0.02	20.6	0.04	10.30	1.8	7	1.13	5.1
K298261		0.25	2.70	0.98	3.20	637	830	0.83	0.29	7.94	2.38	48.2	6.8	55	3.69	43.5
K298262		7.97	0.01	0.06	2.47	35	620	0.80	0.06	21.5	0.06	31.2	4.5	25	6.41	13.9
K298263		7.93	<0.01	0.08	2.68	10	1710	0.81	0.06	19.35	0.08	32.5	4.8	27	6.95	15.4
K298264		7.82	<0.01	0.05	2.63	8	1200	0.77	0.06	21.2	0.10	32.0	4.6	29	6.33	16.2
K298265		6.47	<0.01	0.07	2.41	<5	310	0.80	0.06	23.8	0.37	28.7	4.3	27	6.12	14.8
K298266		4.10	<0.01	0.04	2.80	<5	310	0.97	0.07	21.0	0.29	34.2	5.1	31	6.19	17.3
K298267		4.58	0.01	0.08	1.40	14	200	0.53	0.04	28.8	0.47	18.00	2.8	16	2.34	8.4
K298268		5.17	<0.01	0.03	0.80	21	90	0.37	0.02	33.7	0.95	13.75	2.2	11	1.08	7.2
K298269		9.18	<0.01	0.08	7.18	48.9	790	1.94	0.25	4.67	0.26	82.1	12.9	72	19.70	50.9
K298270		7.50	<0.01	0.04	8.41	11.1	540	2.35	0.34	0.70	<0.02	89.2	17.5	72	33.6	29.4
K298271		4.91	<0.01	0.01	0.09	<5	20	0.05	0.02	21.3	0.07	1.52	1.1	1	0.21	1.6
K298272		7.43	<0.01	0.04	8.41	1.9	970	2.61	0.33	0.51	<0.02	90.3	16.5	73	36.5	19.4
K298273		7.61	<0.01	0.04	8.88	1.7	1040	2.38	0.32	0.56	<0.02	80.3	18.1	77	37.6	20.1
K298274		7.59	<0.01	0.06	8.72	1.7	1880	2.44	0.31	0.30	<0.02	68.5	16.8	78	30.6	38.5
K298275		4.91	<0.01	0.02	0.09	<5	20	0.08	0.03	21.9	0.06	1.48	1.4	1	0.38	2.2
K298276		7.59	<0.01	0.02	8.61	5.1	370	2.07	0.28	0.56	<0.02	61.5	18.2	77	18.50	39.1
K298277		6.13	<0.01	0.04	8.79	26.3	330	2.37	0.30	1.24	0.02	88.8	15.4	75	18.30	34.6
K298278		8.17	<0.01	0.05	5.26	9	260	1.32	0.17	10.10	0.02	64.2	11.1	47	10.45	24.9
K298279		7.91	<0.01	0.03	4.83	13.2	200	1.16	0.17	2.22	<0.02	67.2	9.6	49	8.87	23.0
K298280		7.51	<0.01	0.07	7.49	15.9	360	2.10	0.27	1.35	0.03	95.6	15.8	73	14.35	32.0
K298281		7.68	<0.01	0.05	6.65	11.5	260	1.82	0.24	1.93	<0.02	84.8	12.6	61	13.10	33.2
K298282		7.84	<0.01	0.04	7.19	11.0	270	1.94	0.25	2.44	0.03	83.9	13.5	60	14.55	32.2
K298283		8.07	<0.01	0.03	5.78	8.3	200	1.41	0.20	8.20	0.03	70.1	11.5	51	11.55	23.2
K298284		8.09	<0.01	0.05	6.68	12.9	290	1.73	0.23	2.60	0.05	82.8	14.3	59	14.25	28.4
K298285		0.26	0.32	0.32	6.19	636	330	0.63	0.25	0.50	0.17	142.5	3.0	247	3.74	31.4
K298286		8.13	<0.01	0.06	5.75	13.6	220	1.51	0.20	2.39	<0.02	78.0	11.0	62	10.45	29.0
K298287		7.92	<0.01	0.05	6.16	10.7	220	1.57	0.21	5.44	<0.02	77.8	12.1	58	12.95	26.4
K298288		7.66	<0.01	0.05	7.41	9.1	250	2.05	0.26	6.71	<0.02	82.0	15.2	62	19.35	30.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152783

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298253		0.81	3.89	<0.05	2.7	1.54	0.011	0.74	8.0	6.0	8.99	276	1.13	0.02	2.8	5.2
K298254		0.59	3.48	0.05	1.5	1.15	0.010	0.62	10.1	6.6	9.74	431	0.48	0.02	2.5	3.7
K298255		0.58	4.26	0.06	1.4	1.47	0.011	0.74	11.2	8.5	10.40	418	1.45	0.02	3.0	6.2
K298256		0.74	3.75	0.06	1.0	1.38	0.009	0.65	12.0	6.9	10.60	350	2.32	0.02	2.6	8.0
K298257		0.80	4.01	0.05	1.2	1.53	0.011	0.69	12.4	7.2	10.70	338	2.57	0.02	2.8	9.5
K298258		0.82	3.69	<0.05	1.1	2.18	0.011	0.64	10.6	5.9	9.58	581	1.24	0.02	2.5	6.6
K298259		0.70	3.39	0.05	0.7	2.27	0.008	0.57	8.6	4.9	10.35	282	1.40	0.01	2.2	7.1
K298260		0.50	1.75	0.05	0.4	1.64	0.006	0.27	6.0	3.1	11.50	322	0.48	0.01	1.2	3.2
K298261		2.26	7.78	0.08	1.8	4.63	0.029	1.00	29.6	34.4	2.66	287	17.85	0.03	6.6	55.1
K298262		0.98	6.36	0.05	2.0	0.55	0.018	1.14	17.0	11.5	3.38	207	0.49	0.02	4.4	9.1
K298263		1.32	6.86	0.05	1.7	0.15	0.020	1.25	17.8	13.4	3.75	223	0.71	0.02	4.2	11.1
K298264		1.33	6.80	0.05	1.3	0.11	0.021	1.16	17.7	28.6	3.04	226	0.73	0.03	4.4	10.8
K298265		1.15	6.40	<0.05	1.2	0.07	0.019	1.06	15.9	28.8	2.21	508	0.78	0.02	4.2	10.1
K298266		1.39	7.33	0.05	1.5	0.27	0.021	1.20	18.2	32.4	3.24	1120	0.36	0.03	4.9	12.2
K298267		0.70	3.81	<0.05	1.0	0.31	0.010	0.65	10.1	8.7	2.43	930	0.70	0.02	2.5	5.0
K298268		0.42	2.27	<0.05	0.4	0.12	0.008	0.36	7.7	5.6	1.12	1120	0.44	0.01	1.6	2.1
K298269		3.99	19.30	0.14	2.5	0.32	0.056	3.08	44.3	71.0	2.67	1720	0.61	0.05	11.4	43.2
K298270		4.81	23.0	0.18	3.2	0.36	0.073	3.85	45.4	83.6	1.33	416	0.48	0.07	11.8	40.5
K298271		0.45	0.33	0.08	<0.1	<0.01	<0.005	0.04	0.8	1.1	12.95	192	0.51	0.01	0.4	1.4
K298272		5.22	23.3	0.18	3.0	0.02	0.076	3.95	45.6	82.6	1.15	254	0.38	0.07	11.5	36.2
K298273		5.20	25.0	0.20	2.4	0.03	0.072	4.11	38.3	122.5	1.22	220	0.34	0.09	11.8	40.7
K298274		4.65	24.2	0.17	2.5	0.09	0.069	3.97	31.5	125.0	1.14	298	0.71	0.08	11.6	43.7
K298275		0.50	0.31	0.05	<0.1	<0.01	0.005	0.04	0.7	1.5	13.30	220	0.07	0.01	0.3	3.2
K298276		5.12	24.6	0.15	2.2	0.02	0.056	3.41	30.0	236	1.20	533	0.72	0.09	11.4	40.1
K298277		4.23	25.4	0.17	2.9	0.10	0.068	3.68	44.2	108.0	1.10	633	0.60	0.09	12.0	33.4
K298278		3.24	13.90	0.13	2.0	0.14	0.038	2.13	33.6	62.2	1.41	664	0.76	0.07	7.5	23.7
K298279		3.00	13.15	0.11	2.2	0.25	0.034	1.88	34.0	72.7	0.94	543	0.89	0.06	7.3	20.2
K298280		3.69	21.7	0.17	3.2	0.40	0.056	3.13	50.1	62.6	0.83	298	1.22	0.09	11.5	32.2
K298281		3.54	18.20	0.15	2.8	0.22	0.045	2.64	44.3	84.3	0.98	424	0.79	0.08	9.7	25.4
K298282		3.58	19.55	0.14	2.7	0.15	0.054	2.87	43.7	96.6	1.07	405	0.60	0.09	10.1	27.1
K298283		3.12	15.05	0.11	2.2	0.10	0.041	2.27	37.2	58.7	1.00	480	0.51	0.08	8.1	22.9
K298284		3.63	18.40	0.14	2.5	0.13	0.049	2.58	43.7	89.7	1.00	441	0.65	0.09	9.2	27.5
K298285		7.11	20.7	0.19	4.2	9.9	0.046	1.35	69.4	18.6	0.13	42	6.68	0.39	10.1	16.4
K298286		3.52	15.95	0.13	2.5	0.26	0.043	2.21	39.8	67.3	0.99	460	1.13	0.08	8.6	22.4
K298287		3.26	16.55	0.12	2.5	0.15	0.044	2.33	40.8	93.5	0.96	549	0.72	0.09	8.9	24.1
K298288		3.65	21.0	0.15	2.6	0.05	0.056	2.77	42.2	100.5	0.94	463	0.50	0.11	10.8	30.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152783

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298253		420	9.4	27.8	0.002	0.67	0.81	2.5	2	0.5	121.5	0.20	<0.05	3.7	0.076	2.11
K298254		870	6.2	24.4	<0.002	0.48	1.41	2.2	1	0.5	114.0	0.18	<0.05	3.2	0.064	1.40
K298255		720	8.4	30.2	0.003	0.46	1.13	2.8	2	0.6	119.0	0.21	<0.05	3.9	0.077	1.56
K298256		670	13.3	26.9	0.003	0.61	0.96	2.5	2	0.5	162.5	0.18	<0.05	3.4	0.067	1.53
K298257		680	12.1	28.6	0.004	0.70	1.19	2.6	3	0.6	158.5	0.20	<0.05	3.7	0.073	1.82
K298258		360	10.2	26.0	<0.002	0.60	1.84	2.4	2	0.6	166.0	0.18	<0.05	3.2	0.067	2.99
K298259		440	12.2	23.4	<0.002	0.49	0.88	2.1	2	0.7	164.0	0.15	<0.05	2.9	0.058	1.76
K298260		210	5.0	11.3	<0.002	0.24	0.51	1.1	1	0.3	135.5	0.08	<0.05	1.4	0.030	1.34
K298261		940	37.3	48.2	0.023	1.62	107.0	4.9	4	2.5	73.3	0.45	0.20	6.3	0.176	3.73
K298262		400	5.9	42.9	<0.002	0.24	0.25	4.0	2	0.9	329	0.31	<0.05	5.8	0.120	0.58
K298263		410	6.7	49.0	<0.002	0.30	0.20	4.3	2	1.1	394	0.30	<0.05	5.6	0.119	0.44
K298264		400	7.5	50.0	<0.002	0.29	0.20	4.2	2	1.0	414	0.31	<0.05	5.7	0.121	0.40
K298265		440	7.3	47.3	<0.002	0.21	0.16	4.0	2	0.9	508	0.29	<0.05	5.3	0.113	0.34
K298266		430	10.0	53.8	<0.002	0.33	0.18	4.6	2	1.1	442	0.34	<0.05	6.5	0.135	0.44
K298267		400	8.4	31.0	<0.002	0.14	0.20	2.4	2	0.5	687	0.17	<0.05	3.2	0.065	0.36
K298268		350	8.9	18.0	<0.002	0.10	0.20	1.4	2	0.3	876	0.10	<0.05	1.8	0.039	0.19
K298269		440	16.0	142.0	<0.002	2.56	0.34	12.1	1	2.4	195.5	0.86	<0.05	13.8	0.319	1.61
K298270		520	18.7	181.5	<0.002	0.16	0.57	15.4	1	2.7	254	0.92	0.07	14.6	0.436	1.36
K298271		210	1.2	1.9	<0.002	0.01	<0.05	0.2	1	<0.2	47.9	<0.05	<0.05	<0.2	<0.005	<0.02
K298272		740	19.3	190.5	<0.002	0.03	0.59	15.0	1	2.7	234	0.93	0.09	14.4	0.424	1.05
K298273		660	14.2	185.0	<0.002	0.03	0.41	14.4	1	2.7	238	0.94	0.05	13.3	0.404	1.10
K298274		660	10.6	163.5	<0.002	0.07	0.27	13.9	1	2.7	232	0.95	0.06	12.6	0.417	1.01
K298275		200	1.3	2.3	<0.002	0.01	0.33	0.3	2	<0.2	49.0	<0.05	<0.05	0.2	<0.005	0.02
K298276		610	34.5	109.0	<0.002	0.14	0.33	14.0	1	2.6	268	0.87	0.07	10.1	0.365	0.84
K298277		660	21.2	144.5	<0.002	1.03	0.72	17.0	2	2.8	232	0.93	0.05	13.3	0.405	1.07
K298278		430	16.2	96.6	<0.002	1.03	0.40	9.1	1	2.3	278	0.56	<0.05	9.2	0.251	0.66
K298279		580	14.6	85.8	<0.002	1.35	0.33	9.3	2	2.0	104.0	0.53	<0.05	9.3	0.241	0.88
K298280		830	22.9	143.0	<0.002	2.16	0.47	14.7	2	3.0	125.0	0.85	<0.05	14.0	0.376	1.48
K298281		630	18.3	123.5	<0.002	1.53	0.39	12.4	2	3.2	130.0	0.71	<0.05	12.4	0.320	0.98
K298282		470	18.7	123.0	<0.002	1.28	0.39	13.0	1	2.9	144.5	0.77	0.05	12.5	0.331	0.83
K298283		480	15.5	104.5	<0.002	1.14	0.32	9.9	1	1.9	318	0.59	<0.05	10.3	0.273	0.62
K298284		440	18.8	120.5	<0.002	1.35	0.44	12.3	1	2.3	139.5	0.70	0.05	11.7	0.308	0.74
K298285		960	16.1	48.8	0.003	3.18	117.5	15.6	2	3.0	520	0.74	0.15	9.1	0.565	8.06
K298286		800	17.5	103.0	<0.002	1.85	0.43	10.9	2	2.9	123.5	0.65	<0.05	10.9	0.289	0.88
K298287		560	17.6	110.0	<0.002	1.44	0.38	11.0	2	2.5	235	0.66	<0.05	11.0	0.286	0.70
K298288		420	17.8	111.5	<0.002	0.71	0.36	12.7	1	2.4	264	0.79	0.05	11.8	0.343	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152783

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298253		11.8	25	1.2	9.6	35	90.7
K298254		10.0	25	1.0	9.5	15	53.4
K298255		12.9	33	1.3	10.0	17	51.9
K298256		15.8	29	1.4	9.8	16	37.8
K298257		16.8	30	1.5	10.0	15	40.6
K298258		16.3	29	1.6	7.4	7	38.6
K298259		22.1	31	1.3	5.9	31	25.9
K298260		13.8	13	0.7	4.1	6	16.2
K298261		8.8	240	27.7	22.5	219	64.2
K298262		8.0	37	0.7	11.7	12	72.9
K298263		7.9	42	0.5	11.3	27	63.1
K298264		8.0	39	0.5	11.3	42	47.5
K298265		6.4	35	0.5	10.8	45	43.3
K298266		5.3	43	0.6	12.5	57	56.0
K298267		6.7	23	0.6	7.6	29	37.1
K298268		6.6	14	0.3	6.0	39	17.8
K298269		2.6	59	1.6	20.6	103	84.9
K298270		2.8	99	1.6	21.6	104	104.0
K298271		0.6	3	0.1	1.0	15	0.6
K298272		2.4	99	1.6	21.3	96	95.4
K298273		2.4	87	1.5	18.3	105	78.8
K298274		2.5	89	1.5	16.9	104	80.2
K298275		0.6	3	0.1	1.0	17	0.5
K298276		2.6	78	1.4	13.7	109	73.4
K298277		2.7	93	1.7	19.7	94	101.0
K298278		2.3	51	1.0	15.1	49	74.1
K298279		1.8	48	1.0	16.0	30	77.9
K298280		2.8	82	1.6	21.2	62	115.5
K298281		2.4	68	1.6	18.2	52	97.6
K298282		2.5	72	1.4	17.1	90	93.5
K298283		2.4	55	1.1	15.6	57	77.4
K298284		2.3	67	1.3	17.3	89	89.4
K298285		7.1	174	23.1	15.0	45	171.0
K298286		2.2	60	1.2	18.2	34	89.7
K298287		2.3	61	1.2	17.5	55	88.0
K298288		2.7	72	1.5	17.5	82	93.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152783

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

CERTIFICATE WH11152440

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Bacth 91- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152440

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299798		2.68	<0.01	0.08	6.63	303	240	1.65	0.16	7.27	0.23	95.7	29.3	29	28.0	19.3
K299799		6.45	<0.01	<0.01	6.79	321	180	0.83	0.03	6.47	0.24	137.5	32.5	8	24.7	11.7
K299800		5.85	0.71	<0.01	5.60	8910	300	0.98	0.18	9.40	0.11	70.6	18.5	39	17.60	33.4
K299801		4.65	0.02	0.04	4.96	627	180	1.28	0.18	11.20	0.07	54.7	21.3	44	16.95	39.0
K299802		7.09	<0.01	0.02	2.87	128	170	0.97	0.10	17.35	0.10	33.5	14.7	28	10.40	26.1
K299803		7.41	<0.01	0.07	6.76	723	220	1.88	0.27	4.25	0.20	75.8	28.2	61	29.1	51.5
K299804		6.15	<0.01	0.21	6.94	191.5	200	2.40	0.26	1.42	0.14	77.2	27.8	75	35.9	59.1
K299805		0.24	7.81	0.45	3.28	951	160	0.81	0.63	11.70	4.08	44.0	5.7	92	7.36	34.5
K299806		6.44	<0.01	0.08	7.74	253	240	2.92	0.29	0.94	0.19	80.4	26.7	86	45.0	61.9
K299807		3.07	<0.01	0.09	7.64	65.5	340	1.78	0.34	2.05	0.07	67.6	16.8	70	28.8	56.9
K299808		11.54	<0.01	0.06	7.32	101.0	280	1.66	0.30	2.21	0.10	68.7	18.5	65	29.8	58.6
K299809		11.63	<0.01	0.12	7.42	99.4	310	1.90	0.30	2.51	0.11	70.2	24.0	66	28.8	57.9
K299810		6.34	0.02	0.08	7.51	263	250	1.99	0.32	2.41	0.09	73.8	22.2	66	27.7	62.6
K299811		6.90	<0.01	0.02	0.08	<5	10	0.05	0.02	19.70	0.06	1.09	1.3	1	0.31	1.0
K299812		2.61	0.16	0.10	7.26	434	190	1.74	0.30	2.63	0.11	66.9	14.4	63	22.3	53.9
K299813		8.82	2.91	0.11	7.83	8100	210	2.10	0.35	1.30	0.26	74.6	25.9	72	26.3	64.3
K299814		7.70	0.08	0.10	7.34	336	180	1.90	0.30	2.43	0.10	68.6	23.1	64	25.8	57.6
K299815		8.92	3.64	0.11	7.77	7670	220	2.03	0.34	0.78	0.31	75.5	23.7	74	27.2	65.3
K299816		6.10	1.47	0.11	8.22	4870	200	1.97	0.36	1.11	0.21	84.2	36.4	79	30.5	66.0
K299817		5.48	1.91	0.11	7.88	2630	270	1.79	0.35	1.27	0.18	76.8	21.2	75	26.3	58.5
K299818		6.63	7.67	0.10	5.31	>10000	190	1.05	0.23	0.17	0.48	55.9	16.4	65	15.25	49.3
K299819		5.62	0.74	0.09	6.81	1210	200	1.74	0.29	3.08	0.09	65.6	17.3	59	24.4	51.2
K299820		11.85	0.05	0.08	7.39	434	190	2.30	0.31	2.80	0.02	65.6	21.6	66	30.5	58.4
K299821		5.68	0.04	0.09	7.25	430	200	2.20	0.31	2.90	0.02	64.4	18.2	68	29.3	60.0
K299822		10.94	0.07	0.09	6.52	282	220	1.98	0.27	2.81	0.20	64.1	17.9	61	24.6	52.4
K299823		5.78	0.15	0.07	6.85	328	200	1.98	0.30	2.41	0.11	69.2	18.0	66	27.2	56.8
K299824		4.87	<0.01	0.01	0.07	<5	20	0.06	0.02	20.4	0.06	1.11	1.3	1	0.21	1.1
K299825		6.81	0.10	0.12	6.97	263	190	2.04	0.30	2.39	0.10	66.4	20.4	64	30.2	53.8
K299826		1.48	0.07	0.09	7.11	235	180	1.96	0.29	2.14	0.12	67.7	13.2	66	27.4	57.8
K299827		3.22	0.48	0.10	6.69	2390	220	1.62	0.25	2.91	0.17	62.6	21.2	58	27.1	52.1
K299828		2.71	0.22	0.15	7.13	522	230	1.60	0.29	2.47	0.12	65.1	30.6	67	21.2	54.0
K299829		7.13	1.13	0.08	6.58	1070	260	1.54	0.29	3.62	0.13	57.5	15.6	57	18.95	47.7
K299830		4.25	0.32	0.10	6.57	581	210	1.56	0.26	3.68	0.14	63.0	12.0	57	19.75	48.6
K299831		0.24	2.59	1.03	2.99	557	800	0.68	0.29	7.55	2.02	42.4	6.7	50	3.77	41.6
K299832		4.43	0.59	0.10	6.22	2320	220	1.32	0.26	4.66	0.13	56.0	15.2	53	16.30	50.4
K299833		5.84	0.08	0.07	7.69	474	220	1.90	0.33	2.30	0.22	69.7	15.1	68	25.4	60.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152440

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299798		5.60	17.80	0.22	3.5	1.81	0.067	2.80	48.2	61.8	2.99	1650	1.37	0.04	36.8	25.1
K299799		6.43	18.35	0.27	4.2	2.33	0.084	2.77	66.5	76.1	1.94	1180	2.18	0.04	65.8	11.4
K299800		4.56	15.30	0.16	2.5	9.6	0.070	2.42	36.2	22.5	2.11	1600	0.53	0.03	16.1	30.1
K299801		3.77	13.85	0.15	2.3	2.69	0.052	2.22	28.5	17.6	2.28	1750	0.45	0.03	9.9	34.2
K299802		3.35	7.97	0.13	1.3	1.00	0.029	1.33	17.1	10.6	3.43	1620	0.20	0.02	4.2	20.5
K299803		5.26	18.90	0.21	2.9	3.07	0.066	3.03	39.0	31.3	2.01	995	0.38	0.03	9.6	42.6
K299804		4.93	20.6	0.21	3.3	2.35	0.074	3.11	39.0	44.8	0.94	293	0.46	0.03	10.3	42.6
K299805		1.32	7.51	0.13	2.3	5.33	0.061	1.43	29.4	9.2	0.68	255	11.65	0.01	7.6	58.9
K299806		5.12	23.2	0.21	3.4	1.45	0.086	3.48	40.9	55.7	0.82	225	0.32	0.03	10.9	44.1
K299807		6.07	22.5	0.21	3.1	0.92	0.076	3.38	33.8	44.7	1.27	501	0.59	0.04	13.0	31.7
K299808		4.97	21.0	0.20	3.1	0.35	0.077	3.33	32.6	43.8	1.70	534	0.60	0.03	12.8	35.8
K299809		5.20	21.9	0.21	3.1	1.02	0.075	3.36	34.2	36.2	1.50	561	0.77	0.03	13.1	42.3
K299810		5.23	23.3	0.22	3.4	1.73	0.083	3.50	35.9	17.2	1.45	569	0.51	0.03	13.7	39.8
K299811		0.46	0.32	0.07	<0.1	0.01	<0.005	0.03	0.5	1.1	12.35	211	0.07	<0.01	0.3	2.7
K299812		5.04	19.15	0.17	3.0	3.05	0.066	3.40	32.3	13.1	1.55	646	0.49	0.03	12.5	33.6
K299813		6.22	23.1	0.21	3.4	8.6	0.080	3.55	38.1	14.3	0.95	455	0.50	0.03	13.3	48.2
K299814		5.60	20.4	0.19	2.9	2.99	0.068	3.39	32.2	13.1	1.44	680	0.51	0.03	12.6	42.6
K299815		5.65	24.2	0.23	3.5	8.7	0.077	3.57	36.7	14.6	0.68	461	0.74	0.03	14.2	44.5
K299816		6.37	25.9	0.25	3.6	8.0	0.078	3.75	41.2	15.4	0.84	307	0.45	0.03	15.1	50.1
K299817		5.67	21.9	0.21	3.6	7.9	0.069	3.61	35.3	14.1	0.91	365	0.28	0.03	13.9	42.6
K299818		4.48	16.35	0.16	2.5	20.1	0.068	2.43	26.7	13.1	0.29	44	0.48	0.02	10.2	32.2
K299819		5.52	19.60	0.20	3.0	4.04	0.059	3.15	31.6	14.8	1.77	970	0.45	0.03	11.4	35.0
K299820		5.60	22.3	0.20	3.0	1.46	0.077	3.49	30.6	15.2	1.62	554	0.34	0.03	12.5	41.6
K299821		5.38	22.5	0.21	3.0	1.44	0.077	3.45	30.9	15.6	1.67	585	0.35	0.03	12.9	38.2
K299822		4.76	19.05	0.18	3.0	2.91	0.067	3.01	31.0	13.7	1.58	601	0.70	0.03	11.4	36.9
K299823		5.10	20.4	0.20	3.0	3.90	0.069	3.12	32.7	14.2	1.40	514	0.66	0.03	12.3	39.7
K299824		0.48	0.32	0.09	<0.1	0.02	<0.005	0.03	0.5	0.9	12.75	219	0.10	<0.01	0.3	2.9
K299825		5.09	18.95	0.18	3.0	2.27	0.063	3.18	31.8	18.1	1.38	569	0.49	0.03	11.5	38.7
K299826		4.59	20.2	0.18	3.1	1.84	0.065	3.28	31.6	15.2	1.32	618	0.55	0.03	12.4	35.8
K299827		4.91	18.65	0.17	2.8	2.78	0.061	2.96	30.3	16.5	1.53	984	0.64	0.03	11.5	35.0
K299828		7.01	19.35	0.19	3.0	3.11	0.063	3.29	30.0	14.3	1.47	622	0.51	0.03	11.8	46.8
K299829		5.59	18.65	0.17	2.7	5.36	0.068	3.05	29.7	11.9	1.93	1150	0.50	0.03	11.3	32.2
K299830		5.31	19.55	0.18	2.8	4.26	0.064	3.02	29.6	14.9	1.93	993	0.54	0.03	11.6	30.6
K299831		1.96	7.42	0.10	1.5	4.30	0.024	0.94	25.2	37.1	2.41	259	17.65	0.03	6.7	51.3
K299832		5.42	17.80	0.16	2.6	4.19	0.065	2.88	27.0	11.5	2.46	1160	0.49	0.03	10.7	34.3
K299833		4.75	22.4	0.18	3.1	2.19	0.079	3.64	32.8	14.0	1.41	621	0.70	0.03	14.0	36.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152440

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299798		2670	21.3	132.0	0.002	1.71	1.36	14.2	2	1.6	283	2.14	<0.05	9.8	0.863	31.6
K299799		4630	5.2	138.5	0.002	3.73	1.29	16.9	3	1.3	365	3.56	<0.05	7.1	1.465	21.6
K299800		1000	8.7	128.5	<0.002	3.44	12.85	14.6	2	1.7	376	1.00	0.05	8.8	0.455	31.2
K299801		720	11.3	113.5	0.003	1.96	2.32	13.6	2	1.8	252	0.66	<0.05	7.6	0.316	17.65
K299802		450	7.5	66.6	<0.002	1.07	0.49	8.4	1	0.9	339	0.29	<0.05	4.4	0.150	7.58
K299803		340	19.0	157.0	<0.002	3.54	2.32	19.4	2	2.3	138.0	0.72	0.05	11.9	0.365	19.80
K299804		310	30.5	172.0	0.002	4.52	1.17	22.9	2	2.4	77.2	0.76	<0.05	11.8	0.423	21.4
K299805		4010	4.7	118.5	0.036	1.28	17.65	6.7	8	1.7	143.0	0.53	0.48	6.7	0.203	12.50
K299806		310	20.4	197.0	0.002	4.79	0.68	26.4	2	2.5	95.9	0.79	0.05	12.9	0.450	27.4
K299807		570	7.2	159.5	<0.002	6.14	0.54	21.4	2	2.6	441	0.94	0.05	12.6	0.500	20.0
K299808		630	8.3	163.0	<0.002	2.68	0.61	20.1	2	2.5	181.5	0.89	0.05	11.8	0.496	11.60
K299809		580	20.5	166.5	<0.002	4.62	0.56	22.0	2	2.7	137.5	0.94	0.06	11.4	0.505	12.15
K299810		680	20.3	176.0	<0.002	5.08	0.80	22.9	2	2.6	129.0	0.98	0.06	12.8	0.517	4.35
K299811		170	1.1	2.2	<0.002	0.02	0.05	0.4	1	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	0.03
K299812		620	10.5	160.0	<0.002	4.85	3.59	21.3	2	2.4	86.0	0.88	0.05	11.6	0.505	5.59
K299813		600	19.7	191.0	<0.002	6.70	34.6	22.1	2	2.7	97.5	0.96	0.09	14.0	0.530	28.3
K299814		570	18.5	163.0	<0.002	5.53	3.30	20.1	2	2.3	77.9	0.86	0.06	11.6	0.509	6.23
K299815		570	16.4	182.5	<0.002	6.00	43.3	22.1	2	3.0	84.6	1.04	0.09	12.9	0.539	31.1
K299816		620	33.2	206	<0.002	6.69	39.0	24.9	3	3.2	88.8	1.05	0.11	14.1	0.567	30.4
K299817		590	16.3	183.0	<0.002	5.75	36.5	20.8	2	3.3	79.6	1.03	0.09	13.6	0.554	37.1
K299818		510	12.8	125.5	<0.002	5.74	155.0	10.7	2	3.2	76.5	0.70	0.24	9.2	0.414	95.5
K299819		520	15.6	161.0	<0.002	5.35	13.75	20.4	2	2.3	82.7	0.89	0.06	10.9	0.461	12.65
K299820		580	15.4	155.5	<0.002	5.41	1.66	21.2	2	2.6	84.8	0.91	0.06	10.7	0.513	4.05
K299821		570	13.7	150.0	<0.002	5.16	1.43	20.5	2	2.6	87.4	0.93	0.06	11.0	0.512	4.24
K299822		540	18.0	159.0	<0.002	4.41	3.31	18.9	2	2.3	90.6	0.83	0.06	11.2	0.462	6.55
K299823		540	17.3	161.0	<0.002	4.85	5.28	21.2	2	2.2	85.3	0.83	0.05	11.7	0.488	9.51
K299824		170	1.2	1.7	<0.002	0.02	0.06	0.3	1	<0.2	44.7	<0.05	<0.05	<0.2	<0.005	0.03
K299825		530	21.1	160.5	<0.002	4.91	2.57	20.6	2	2.4	81.2	0.86	0.05	12.2	0.482	4.83
K299826		610	9.0	163.5	<0.002	4.50	2.40	20.0	2	2.5	76.5	0.90	0.06	11.2	0.502	4.31
K299827		510	27.9	153.5	<0.002	4.53	11.25	18.4	2	2.8	124.5	0.79	0.05	10.5	0.451	9.77
K299828		550	40.6	161.5	<0.002	7.37	7.34	19.6	2	2.2	124.0	0.84	0.05	11.1	0.479	11.00
K299829		530	13.7	154.5	<0.002	5.18	9.27	20.4	2	2.2	164.5	0.76	0.05	10.6	0.438	17.40
K299830		500	12.0	155.0	<0.002	4.69	8.31	19.6	2	2.6	158.0	0.82	0.05	10.7	0.439	14.65
K299831		840	32.8	43.4	0.022	1.48	99.8	5.1	4	2.2	68.8	0.43	0.18	6.6	0.159	3.87
K299832		530	15.3	137.0	<0.002	4.62	5.91	18.2	2	2.3	152.5	0.77	0.05	10.1	0.423	10.30
K299833		560	15.7	177.5	<0.002	4.48	2.80	23.3	2	2.7	128.0	0.98	<0.05	11.8	0.517	4.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152440

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299798		2.6	130	4.1	34.1	161	123.0	
K299799		1.7	188	8.7	39.4	113	166.0	
K299800		1.8	85	8.0	24.8	63	86.3	
K299801		2.6	91	3.6	22.2	64	74.1	
K299802		2.0	47	1.3	17.1	44	40.9	
K299803		2.2	98	4.6	25.4	88	93.3	
K299804		2.5	135	3.6	26.2	59	103.0	
K299805		8.3	367	34.2	30.0	268	74.0	
K299806		2.4	151	3.1	26.7	66	105.5	
K299807		2.5	138	2.3	26.0	74	109.5	
K299808		2.2	133	2.1	25.8	91	107.0	
K299809		2.1	133	2.4	25.4	98	109.5	
K299810		2.3	137	4.1	28.0	88	117.5	
K299811		0.6	3	0.1	0.8	8	<0.5	
K299812		2.2	135	7.2	22.9	85	102.5	
K299813		2.6	145	11.4	27.0	95	118.0	
K299814		2.2	137	8.0	23.6	89	105.0	
K299815		2.5	146	12.9	27.4	111	121.0	
K299816		2.7	154	13.2	29.5	82	132.5	
K299817		2.5	149	11.2	26.7	61	119.5	
K299818		1.8	109	9.8	17.6	50	86.2	3.11
K299819		2.2	124	8.5	24.1	52	101.0	
K299820		2.1	137	3.4	23.8	60	106.5	
K299821		2.2	137	4.0	23.6	60	108.0	
K299822		2.1	121	8.1	22.6	130	99.0	
K299823		2.1	130	10.0	22.8	91	104.5	
K299824		0.9	3	0.1	0.8	9	0.5	
K299825		2.2	130	8.1	23.0	81	99.3	
K299826		2.2	132	8.5	24.1	88	106.0	
K299827		2.0	121	8.6	22.1	104	96.5	
K299828		2.1	128	8.0	22.0	84	102.0	
K299829		2.0	119	8.1	21.2	77	94.5	
K299830		2.0	119	8.5	21.6	79	96.5	
K299831		8.0	210	27.3	18.9	190	55.3	
K299832		1.8	112	7.5	20.2	75	91.1	
K299833		2.3	141	7.8	25.4	168	111.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152440

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11152780

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 92- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152780

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299834		4.29	<0.01	<0.01	8.51	313	260	2.27	0.35	3.18	0.12	82.6	19.3	73	29.2	60.5
K299835		0.20	0.33	0.30	6.55	626	770	0.59	0.28	0.50	0.18	150.0	2.9	238	3.68	31.8
K299836		2.61	<0.01	0.05	6.36	107.0	250	1.93	0.26	2.57	0.03	75.2	17.0	57	26.5	48.4
K299837		6.93	<0.01	0.07	7.00	139.0	240	1.89	0.29	2.67	0.03	81.5	17.8	64	26.7	53.6
K299838		6.40	0.04	0.09	4.26	638	150	0.98	0.17	2.49	0.02	54.6	13.2	39	13.80	26.1
K299839		7.11	0.32	0.08	2.68	1220	100	0.48	0.10	2.82	0.04	36.2	8.9	28	7.07	20.8
K299840		5.02	0.13	0.08	2.74	3700	110	0.50	0.13	3.13	0.04	34.3	10.3	25	6.78	22.2
K299841		2.18	3.06	0.06	5.59	4210	180	1.14	0.20	1.85	0.06	63.0	16.3	54	15.75	44.5
K299842		5.86	0.35	0.03	4.93	550	170	1.08	0.17	2.82	0.03	56.2	14.2	49	13.50	38.5
K299843		3.38	12.95	0.05	4.39	>10000	220	0.89	0.17	1.58	0.30	56.8	14.9	49	12.20	44.5
K299844		5.07	0.24	0.09	4.82	357	160	1.13	0.17	2.56	0.05	60.4	15.7	55	15.25	42.2
K299845		7.46	1.11	0.03	7.31	1165	250	2.00	0.28	2.85	0.13	76.8	19.5	66	24.1	58.0
K299846		7.67	<0.01	0.11	7.58	102.0	260	2.21	0.29	2.93	0.10	74.5	36.9	63	29.0	62.1
K299847		4.87	<0.01	<0.01	0.08	7	10	0.05	0.01	20.6	0.06	1.42	1.6	1	0.21	2.1
K299848		8.15	<0.01	0.12	7.59	88.5	260	2.54	0.29	2.34	0.20	75.6	19.4	68	31.7	58.4
K299849		4.81	<0.01	0.13	7.41	58.1	240	2.42	0.29	3.85	0.10	71.8	21.1	59	27.8	54.8
K299850		4.88	<0.01	<0.01	0.09	<5	10	0.05	0.06	22.3	0.07	1.72	1.7	1	0.21	2.6
K299851		2.96	<0.01	0.08	6.17	103.0	190	1.60	0.23	3.05	<0.02	66.0	16.6	58	20.0	45.5
K299852		7.16	3.02	0.05	2.99	1990	100	0.76	0.12	4.53	0.13	35.2	10.1	39	9.77	25.0
K299853		3.24	0.10	0.10	6.56	431	200	1.61	0.28	1.75	0.22	72.3	15.4	61	19.60	43.9
K299854		3.39	13.10	0.24	5.31	9870	220	1.24	0.23	1.26	0.42	64.5	13.2	57	16.45	34.6
K299855		7.32	0.18	0.07	6.86	617	240	2.30	0.30	2.89	0.20	80.5	16.5	65	23.0	41.7
K299856		4.22	<0.01	0.04	5.90	136.5	180	1.94	0.24	5.83	0.16	70.5	12.0	58	20.9	32.5
K299857		2.11	<0.01	0.04	5.76	159.0	170	1.88	0.25	5.41	0.15	71.8	12.6	58	20.7	36.1
K299858		4.84	<0.01	0.06	7.34	107.0	230	2.13	0.31	3.87	0.22	83.8	15.6	66	27.0	43.1
K299859		5.59	<0.01	0.06	7.90	181.5	250	2.60	0.34	2.43	0.18	75.1	16.6	75	27.9	42.8
K299860		6.20	<0.01	0.07	7.18	192.0	230	2.24	0.30	3.72	0.18	81.8	14.9	65	25.5	38.1
K299861		6.54	<0.01	0.06	6.16	270	200	1.67	0.25	5.14	0.17	70.1	15.9	59	22.4	38.7
K299862		3.47	<0.01	0.04	2.92	84	100	0.84	0.10	22.7	0.03	34.7	7.7	30	10.90	21.5
K299863		4.73	0.01	0.01	3.55	345	110	1.02	0.12	23.5	0.02	36.0	9.6	38	12.50	25.9
K299864		7.56	<0.01	0.04	5.60	118	180	1.56	0.24	11.80	0.04	63.4	18.2	45	22.7	42.1
K299865		7.47	<0.01	0.02	3.41	50	120	0.82	0.15	22.7	0.06	37.0	10.2	27	11.05	22.7
K299866		7.91	<0.01	0.03	3.56	33	130	0.86	0.16	23.9	0.08	41.3	11.0	28	14.85	26.4
K299867		0.23	2.63	0.99	3.17	601	880	0.70	0.30	8.23	2.38	48.8	7.0	56	4.17	45.5
K299868		7.69	<0.01	0.03	4.19	20	140	0.97	0.18	19.90	0.06	49.3	13.8	33	19.80	29.8
K299869		7.30	<0.01	0.01	2.72	20	110	0.68	0.12	26.8	0.07	35.6	9.3	24	12.65	19.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152780

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299834		5.41	21.4	0.17	3.8	1.70	0.087	3.79	42.4	19.0	1.82	674	0.69	0.04	14.4	42.1
K299835		6.94	19.50	0.19	4.4	9.6	0.049	1.37	73.0	17.3	0.13	41	6.44	0.39	10.6	17.7
K299836		4.44	16.85	0.14	3.3	1.53	0.062	2.77	40.3	27.0	1.37	557	0.36	0.03	12.2	32.8
K299837		4.80	17.85	0.16	3.6	1.52	0.068	3.04	42.3	28.9	1.43	514	0.46	0.04	12.9	37.1
K299838		3.37	10.75	0.12	2.4	3.93	0.040	1.80	28.4	20.9	1.12	812	0.31	0.02	7.5	25.3
K299839		3.00	6.10	0.09	1.6	6.74	0.025	1.08	17.7	15.5	1.09	949	0.32	0.02	4.3	15.6
K299840		3.69	6.34	0.09	1.4	6.71	0.032	1.06	16.9	23.4	1.06	1280	0.28	0.01	4.1	16.8
K299841		4.10	13.25	0.15	2.9	11.4	0.051	2.26	33.4	21.9	0.95	700	0.35	0.02	9.6	30.5
K299842		3.78	11.95	0.14	2.6	4.04	0.046	2.11	29.8	15.0	1.37	828	0.34	0.02	8.6	27.1
K299843		3.85	11.40	0.16	2.5	17.1	0.052	1.72	27.3	15.9	0.76	698	0.46	0.02	8.0	27.6
K299844		3.76	13.60	0.08	2.4	2.45	0.048	2.17	28.5	18.8	1.27	840	0.38	0.02	9.1	26.3
K299845		4.58	19.70	0.16	3.6	2.65	0.079	3.29	39.3	24.1	1.55	767	0.66	0.03	13.5	38.9
K299846		6.22	19.40	0.20	3.4	1.10	0.076	3.36	38.3	37.1	1.76	635	0.63	0.04	13.2	56.9
K299847		0.48	0.24	<0.05	<0.1	0.01	<0.005	0.03	0.7	0.9	12.65	224	0.07	0.01	0.2	2.5
K299848		5.30	20.3	0.22	3.3	0.59	0.087	3.45	37.4	36.8	1.91	496	0.60	0.04	12.3	35.6
K299849		5.36	19.85	0.23	3.2	1.68	0.089	3.30	35.7	29.2	2.28	368	0.50	0.04	12.2	39.1
K299850		0.46	0.33	<0.05	<0.1	0.01	<0.005	0.04	0.8	1.4	13.65	201	0.93	0.01	0.5	1.4
K299851		4.26	16.90	0.19	2.8	1.11	0.059	2.77	31.8	22.2	1.59	622	0.43	0.03	10.2	26.5
K299852		3.76	8.28	0.11	1.3	15.6	0.037	1.34	16.4	14.6	1.87	1240	0.43	0.02	5.2	17.1
K299853		4.25	17.50	0.17	2.7	4.73	0.068	2.92	33.4	21.4	1.01	358	0.65	0.03	10.6	31.7
K299854		4.01	14.40	0.17	2.4	30.2	0.061	2.27	29.1	20.9	0.70	353	0.99	0.03	8.8	26.7
K299855		4.26	19.40	0.14	2.9	5.29	0.075	3.16	36.9	32.0	1.13	480	1.03	0.04	11.5	33.3
K299856		3.60	16.00	0.13	2.6	1.53	0.070	2.62	32.4	24.6	1.37	503	0.78	0.04	10.0	23.5
K299857		3.73	16.50	0.14	2.6	1.59	0.076	2.56	33.0	23.3	1.32	497	0.83	0.04	10.3	25.3
K299858		4.40	19.75	0.19	3.1	1.51	0.082	3.45	39.5	19.1	1.47	401	1.22	0.04	12.6	32.3
K299859		4.54	22.9	0.19	3.0	2.43	0.088	3.84	33.6	17.1	1.18	359	0.77	0.05	13.0	36.9
K299860		4.41	19.75	0.20	3.0	2.17	0.079	3.36	38.3	16.2	1.28	402	0.72	0.04	11.4	30.7
K299861		4.24	15.80	0.17	2.7	0.95	0.069	2.81	33.1	16.0	1.24	419	0.83	0.04	10.1	29.8
K299862		1.97	7.35	0.08	1.3	0.36	0.032	1.33	16.9	7.7	0.99	492	0.42	0.02	4.4	12.4
K299863		1.96	9.17	0.10	1.2	0.76	0.042	1.65	18.1	9.1	1.17	536	0.28	0.02	4.8	17.6
K299864		3.76	14.75	0.14	2.1	1.20	0.062	2.60	29.9	13.8	2.74	965	0.68	0.03	7.8	29.3
K299865		2.13	8.47	0.10	1.2	1.52	0.039	1.50	20.1	7.5	1.13	669	0.53	0.14	4.6	14.2
K299866		2.24	9.10	0.11	1.3	1.12	0.045	1.69	22.4	9.4	1.24	569	0.97	0.03	5.1	15.6
K299867		2.12	8.25	0.12	1.5	4.51	0.030	1.02	27.1	42.2	2.59	274	20.4	0.04	7.1	54.5
K299868		2.53	10.70	0.13	1.7	0.63	0.051	1.93	26.6	12.2	1.16	680	0.61	0.03	6.1	18.6
K299869		1.71	6.67	0.09	1.0	0.61	0.033	1.27	19.4	7.9	0.92	571	0.43	0.02	3.9	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152780

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299834		650	19.5	170.0	<0.002	5.03	0.90	20.7	2	2.6	170.0	1.02	0.06	12.7	0.559	4.16
K299835		970	18.0	58.1	0.003	3.18	114.0	15.9	3	2.8	515	0.76	0.13	10.3	0.554	7.89
K299836		490	18.8	150.5	<0.002	3.90	0.66	15.9	2	2.3	128.0	0.83	0.05	11.7	0.424	4.33
K299837		720	14.1	156.0	<0.002	4.32	0.58	18.0	2	2.4	138.5	0.92	0.06	12.7	0.490	5.34
K299838		360	21.6	108.5	<0.002	2.18	2.70	10.0	2	1.7	85.7	0.54	<0.05	8.4	0.288	11.20
K299839		270	9.0	59.3	<0.002	1.64	7.84	6.1	2	1.1	95.6	0.33	<0.05	5.4	0.197	18.40
K299840		270	12.5	59.2	<0.002	2.30	10.20	6.0	2	1.5	94.0	0.31	<0.05	5.4	0.172	19.30
K299841		440	14.1	106.5	<0.002	3.51	23.3	12.3	2	2.6	96.5	0.68	0.05	9.6	0.414	35.5
K299842		420	10.7	99.4	<0.002	2.96	4.62	12.2	2	2.2	86.1	0.62	<0.05	8.5	0.377	9.45
K299843		380	12.4	91.3	<0.002	3.78	73.7	10.8	2	2.6	82.8	0.58	0.10	8.1	0.337	76.7
K299844		420	10.7	125.0	<0.002	3.04	3.91	14.4	2	3.2	95.9	0.66	<0.05	9.2	0.389	6.23
K299845		570	21.0	136.0	<0.002	4.06	4.09	19.4	2	2.8	136.0	0.96	0.05	11.5	0.510	8.01
K299846		560	47.2	135.0	<0.002	4.75	1.03	18.7	2	2.4	156.5	0.93	<0.05	11.0	0.510	4.54
K299847		160	1.4	1.7	<0.002	0.03	0.05	0.4	2	<0.2	44.0	<0.05	<0.05	<0.2	<0.005	0.03
K299848		610	24.2	169.0	<0.002	2.48	0.69	20.3	2	2.7	126.5	0.96	0.05	11.9	0.527	2.58
K299849		580	16.1	158.5	<0.002	5.22	0.55	19.4	2	2.5	175.5	0.94	0.07	11.6	0.514	6.46
K299850		210	1.5	1.7	<0.002	0.01	<0.05	0.2	1	0.3	52.9	<0.05	<0.05	<0.2	<0.005	0.02
K299851		500	11.7	143.0	<0.002	3.43	0.61	16.3	2	2.2	126.0	0.76	0.05	8.7	0.427	2.87
K299852		270	7.8	64.1	<0.002	2.37	24.9	9.3	2	1.4	94.3	0.38	<0.05	5.2	0.227	42.4
K299853		550	28.2	145.0	<0.002	3.71	4.25	16.0	2	3.6	103.5	0.83	<0.05	11.7	0.398	12.70
K299854		650	18.4	113.0	<0.002	3.75	106.5	11.5	2	2.4	128.0	0.68	0.21	9.6	0.341	124.0
K299855		720	24.6	161.0	<0.002	3.52	4.87	17.6	2	3.0	133.5	0.87	0.06	12.4	0.426	16.15
K299856		770	13.0	134.5	<0.002	2.38	0.56	14.9	2	2.3	181.0	0.76	0.05	10.5	0.373	3.97
K299857		760	14.3	134.0	<0.002	2.55	0.60	14.8	2	2.8	164.5	0.77	0.05	10.5	0.365	4.03
K299858		630	19.9	174.5	<0.002	3.30	0.70	17.8	2	3.2	111.0	0.96	0.06	13.0	0.463	4.37
K299859		700	27.0	163.5	0.002	3.80	1.70	18.8	2	3.3	100.0	1.03	0.05	11.6	0.474	6.78
K299860		740	24.3	170.0	<0.002	3.42	1.01	17.2	2	2.7	123.5	0.91	0.05	12.4	0.434	6.44
K299861		710	19.5	141.0	<0.002	3.27	0.96	14.5	2	2.5	146.0	0.79	0.05	10.5	0.399	3.42
K299862		430	8.6	61.9	0.002	0.98	0.64	6.7	2	1.2	586	0.33	<0.05	4.2	0.173	1.27
K299863		440	5.6	77.9	<0.002	1.06	0.51	8.9	2	1.4	570	0.35	<0.05	4.7	0.188	2.03
K299864		320	16.9	129.5	0.002	2.46	0.54	13.2	2	2.1	310	0.61	0.09	8.7	0.292	2.29
K299865		240	10.1	69.8	<0.002	1.45	0.50	7.9	2	1.2	737	0.34	0.08	4.8	0.177	2.50
K299866		310	10.6	80.7	0.005	1.67	0.43	8.3	2	1.4	761	0.39	0.08	5.4	0.187	2.10
K299867		900	36.3	50.4	0.024	1.54	105.5	5.5	5	2.6	75.1	0.48	0.20	6.6	0.172	4.23
K299868		260	11.9	97.9	0.002	1.93	0.50	9.9	2	1.6	521	0.47	0.09	6.5	0.223	1.78
K299869		210	8.1	60.5	0.002	1.28	0.30	6.3	2	1.0	851	0.30	0.07	4.2	0.142	1.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152780

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299834		2.7	152	3.8	26.6	104	119.5	
K299835		8.3	177	20.8	16.2	46	163.5	
K299836		2.6	109	1.4	23.8	52	108.0	
K299837		2.7	124	2.1	27.2	61	119.5	
K299838		1.9	75	3.4	16.8	41	81.3	
K299839		1.2	50	2.7	11.6	33	50.3	
K299840		1.2	49	1.8	12.0	33	47.7	
K299841		2.0	111	5.5	20.0	51	99.0	
K299842		1.8	97	4.5	18.2	45	88.6	
K299843		1.7	87	6.5	17.1	48	81.5	1.425
K299844		1.9	102	6.0	17.6	50	84.7	
K299845		2.5	137	8.1	24.9	100	116.0	
K299846		2.4	134	2.1	24.6	95	108.5	
K299847		0.5	2	0.1	0.8	14	0.6	
K299848		2.5	139	1.9	26.8	170	117.0	
K299849		2.5	137	1.5	25.9	88	114.5	
K299850		0.6	3	0.1	0.9	19	0.7	
K299851		1.9	112	2.4	19.7	48	100.5	
K299852		1.1	56	2.9	11.8	40	48.9	
K299853		2.5	104	6.1	20.9	110	92.8	
K299854		2.2	87	6.0	17.6	87	81.0	
K299855		2.7	114	6.5	23.7	102	103.0	
K299856		2.4	93	3.4	24.2	86	91.4	
K299857		2.4	92	3.5	23.8	84	90.5	
K299858		2.7	119	3.6	23.6	124	106.5	
K299859		2.6	132	9.1	21.5	114	103.5	
K299860		2.7	115	5.8	23.5	103	100.0	
K299861		2.3	103	4.3	22.7	96	91.0	
K299862		1.9	50	2.3	14.3	26	46.6	
K299863		2.1	58	3.3	14.2	39	47.8	
K299864		2.2	81	2.7	21.4	50	72.4	
K299865		1.9	50	1.6	15.7	47	45.7	
K299866		2.1	55	0.7	15.9	44	50.1	
K299867		8.3	232	30.7	20.1	212	59.4	
K299868		2.2	62	0.9	18.7	49	58.1	
K299869		2.1	39	0.6	15.1	45	39.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152780

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11152441

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 93- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152441

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299185		7.34	0.01	1.74	1.81	93	200	0.59	0.07	26.1	0.54	23.3	4.4	16	4.80	14.8
K299186		7.14	0.05	0.13	3.73	175	400	1.19	0.08	13.35	0.09	42.7	6.3	34	11.70	17.8
K299187		6.97	0.03	0.51	3.53	82	320	1.07	0.08	14.10	0.19	48.3	5.9	35	14.70	15.6
K299188		3.77	0.02	0.21	4.87	109	320	1.73	0.10	11.20	0.09	49.8	10.7	48	23.6	25.3
K299189		6.66	<0.01	0.18	0.30	15	340	0.15	0.01	32.8	0.17	6.93	1.8	4	0.66	2.1
K299190		6.52	<0.01	0.05	0.21	24	180	0.09	0.01	33.1	0.24	5.33	1.5	4	0.46	1.8
K299191		6.91	<0.01	0.07	1.16	40	120	0.41	0.03	30.2	0.29	13.60	3.0	12	4.78	7.2
K299192		3.25	<0.01	0.06	1.04	32	170	0.45	0.03	31.9	0.37	13.05	3.2	11	4.31	6.9
K299193		7.06	<0.01	0.05	0.82	18	100	0.37	0.03	32.6	0.25	9.73	2.3	8	2.66	5.3
K299194		4.80	<0.01	0.08	0.70	35	80	0.33	0.03	32.5	0.16	8.25	2.1	8	1.99	5.9
K299195		0.23	0.33	0.35	6.40	633	730	0.59	0.24	0.49	0.17	129.5	3.0	243	3.47	30.4
K299196		7.75	<0.01	0.08	1.43	36	190	0.51	0.05	26.9	0.27	15.80	3.1	14	4.75	8.7
K299197		7.74	<0.01	0.09	0.34	31	180	0.15	0.02	34.7	0.21	6.15	1.5	4	0.62	3.1
K299198		5.53	<0.01	0.14	1.20	41	140	0.49	0.04	31.7	0.27	13.45	3.2	13	3.18	7.7
K299199		1.89	0.01	1.65	2.48	510	180	0.67	0.08	26.4	0.79	27.9	6.3	39	11.80	22.3
K299200		0.23	7.88	0.44	3.57	1040	160	0.91	0.57	12.15	4.05	44.6	6.1	96	7.36	32.3
K299201		1.70	0.47	0.71	1.47	>10000	270	0.43	0.04	17.05	0.31	18.40	3.3	18	6.07	12.3
K299202		4.88	<0.01	0.02	0.07	9	20	0.08	0.02	20.5	0.07	1.33	1.2	1	0.22	1.2
K299203		3.39	0.09	0.10	0.53	3460	140	0.27	0.02	22.3	0.04	6.94	1.7	5	1.23	4.0
K299204		1.96	0.31	0.15	0.97	>10000	150	0.28	0.03	19.30	0.05	8.10	2.2	9	1.93	6.5
K299205		2.92	0.45	0.24	2.84	9590	250	0.78	0.08	16.50	0.06	27.7	5.0	20	6.97	18.8
K299206		2.58	0.01	0.21	7.66	643	490	1.93	0.29	3.92	0.03	69.1	12.3	57	23.5	38.8
K299207		4.88	<0.01	0.02	0.08	30	20	0.05	0.02	20.0	0.07	1.35	1.5	1	0.27	1.5
K299208		1.44	<0.01	0.50	8.82	562	490	2.64	0.36	1.18	0.03	72.2	43.7	77	30.4	61.9
K299209		4.83	<0.01	0.07	7.65	191.5	440	2.30	0.29	4.20	0.04	69.9	12.0	59	28.1	30.8
K299210		4.38	<0.01	0.01	8.29	137.0	560	2.83	0.38	2.30	0.04	70.0	13.5	67	36.1	33.4
K299211		5.59	<0.01	0.05	8.17	67.8	400	2.51	0.35	5.13	0.02	68.5	16.7	65	36.0	33.5
K299212		6.86	<0.01	0.05	6.81	61	340	1.66	0.23	12.75	0.02	67.9	12.8	42	26.1	23.1
K299213		6.72	<0.01	0.02	4.12	40	280	0.94	0.13	22.4	0.02	45.3	6.1	27	14.20	11.9
K299214		7.04	<0.01	0.97	6.09	37	210	1.44	0.23	16.65	0.02	58.9	9.5	36	23.3	23.7
K299215		6.84	<0.01	0.08	6.59	40	320	1.51	0.23	14.10	0.03	62.2	10.8	44	23.8	24.1
K299216		7.50	<0.01	0.03	4.40	17	350	0.98	0.16	19.60	<0.02	46.8	7.2	29	16.40	13.6
K299217		6.95	<0.01	0.07	5.25	25	800	1.19	0.18	12.90	0.03	66.8	9.4	38	19.15	14.9
K299218		7.64	<0.01	0.05	5.12	24	230	1.30	0.20	14.05	0.04	65.9	9.5	37	17.80	18.3
K299219		7.16	0.01	0.05	7.07	24.3	280	1.76	0.27	6.24	0.03	82.1	10.5	55	25.3	22.6
K299220		7.12	<0.01	0.09	7.72	37.2	260	2.46	0.33	2.77	0.02	91.9	15.3	66	32.9	32.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152441

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299185		0.71	4.37	0.06	1.2	0.50	0.037	0.94	12.7	8.0	1.54	205	0.29	0.01	3.0	10.3
K299186		1.45	9.12	0.09	3.0	0.94	0.026	2.01	21.8	22.2	4.64	249	0.50	0.03	6.1	14.7
K299187		1.60	8.53	0.10	2.6	0.29	0.029	1.97	25.0	24.3	5.08	247	0.60	0.03	6.3	14.1
K299188		1.41	12.70	0.06	3.2	0.11	0.034	2.80	26.1	34.0	2.37	160	1.28	0.04	9.0	22.5
K299189		0.41	0.86	<0.05	0.2	0.03	0.007	0.15	4.4	2.1	0.85	117	0.48	0.01	0.8	<0.2
K299190		0.43	0.63	<0.05	0.1	0.03	0.005	0.11	3.5	1.5	0.90	121	0.50	0.01	0.6	<0.2
K299191		0.38	2.94	<0.05	0.7	0.05	0.010	0.63	8.0	6.5	0.79	97	0.64	0.01	2.1	3.2
K299192		0.35	2.76	<0.05	0.6	0.05	0.011	0.57	7.7	6.1	0.76	98	0.76	0.01	2.1	2.9
K299193		0.32	2.15	<0.05	0.4	0.05	0.008	0.44	5.9	4.5	0.78	89	0.63	0.01	1.6	2.2
K299194		0.29	1.81	<0.05	0.3	0.04	0.008	0.36	5.3	3.3	0.56	86	0.47	0.01	1.4	0.6
K299195		6.83	20.6	0.25	4.6	10.2	0.050	1.33	62.2	17.6	0.12	38	6.42	0.38	10.2	17.5
K299196		0.52	3.51	<0.05	1.0	0.10	0.011	0.75	8.7	8.0	1.25	113	0.48	0.01	2.3	3.7
K299197		0.30	0.88	<0.05	0.2	0.10	0.005	0.17	4.1	1.6	0.80	101	0.47	0.01	0.8	<0.2
K299198		0.48	3.11	<0.05	0.7	0.35	0.012	0.61	8.0	5.7	1.11	112	0.60	0.01	2.3	4.6
K299199		0.79	6.42	<0.05	1.5	2.09	0.021	1.09	15.9	9.8	1.13	264	2.39	0.01	5.0	13.3
K299200		1.37	7.65	0.05	2.3	6.29	0.069	1.45	28.7	9.6	0.71	274	11.60	0.01	8.0	65.8
K299201		0.56	3.34	<0.05	0.9	4.02	0.095	0.34	10.3	8.8	9.28	507	1.57	0.01	2.5	6.2
K299202		0.47	0.24	<0.05	<0.1	0.01	<0.005	0.03	0.6	1.3	13.35	219	0.09	<0.01	0.3	2.5
K299203		0.33	1.49	<0.05	0.3	0.88	0.011	0.21	4.1	2.6	10.15	550	0.49	0.01	0.9	1.9
K299204		0.62	2.41	<0.05	0.7	2.29	0.039	0.34	4.7	4.6	10.60	776	0.61	0.01	1.6	3.6
K299205		1.39	7.02	<0.05	1.5	6.86	0.039	1.17	15.1	10.2	7.11	857	0.54	0.02	4.3	9.1
K299206		3.82	20.4	0.14	3.7	2.53	0.080	3.51	36.9	21.9	1.63	385	0.40	0.04	11.8	29.2
K299207		0.45	0.36	<0.05	<0.1	0.01	0.005	0.03	0.7	0.9	12.55	213	0.20	<0.01	0.4	1.4
K299208		5.94	23.5	0.17	3.9	2.09	0.077	4.20	39.9	21.2	0.91	168	3.37	0.05	12.5	100.0
K299209		4.03	20.6	0.10	3.1	0.55	0.075	3.82	35.6	20.2	1.47	518	0.28	0.05	11.3	26.7
K299210		2.97	24.5	0.16	3.2	0.41	0.072	4.57	36.9	24.9	1.16	301	0.37	0.04	12.5	34.6
K299211		3.88	22.9	0.11	2.9	0.60	0.066	4.40	35.6	36.1	0.94	534	0.45	0.04	11.9	37.7
K299212		3.50	16.55	0.07	2.2	0.30	0.051	3.33	38.6	17.5	1.11	682	0.39	0.03	8.6	28.0
K299213		2.25	9.82	<0.05	1.4	0.07	0.033	1.95	24.2	12.1	0.80	652	0.20	0.02	5.2	12.0
K299214		2.30	14.10	<0.05	1.8	0.08	0.036	2.90	33.5	13.1	1.16	459	0.30	0.03	7.2	20.2
K299215		2.48	15.70	<0.05	2.0	0.05	0.043	3.10	35.8	17.4	0.98	419	0.37	0.03	8.1	23.8
K299216		2.19	10.20	<0.05	1.6	0.03	0.033	2.09	25.0	17.5	0.84	545	0.22	0.02	5.6	14.8
K299217		2.30	12.50	<0.05	2.4	0.05	0.040	2.46	35.1	21.3	1.05	296	0.31	0.03	7.8	20.3
K299218		2.42	12.45	0.05	2.5	0.04	0.042	2.44	34.3	24.7	0.94	383	0.27	0.03	8.1	21.2
K299219		3.03	17.55	0.11	3.4	0.05	0.052	3.37	44.9	33.9	1.12	460	0.31	0.03	11.1	25.9
K299220		4.07	22.7	0.21	3.4	0.07	0.071	3.85	46.8	42.7	1.13	478	0.32	0.04	12.8	37.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152441

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299185		260	72.7	43.4	<0.002	0.12	2.53	3.1	2	0.7	608	0.21	<0.05	4.2	0.080	0.87
K299186		460	7.4	85.0	<0.002	0.17	1.54	6.2	3	1.1	308	0.44	<0.05	9.0	0.166	2.34
K299187		510	22.8	82.7	<0.002	0.11	1.07	6.0	2	1.1	264	0.44	<0.05	8.5	0.159	0.78
K299188		740	9.3	103.5	0.002	0.19	0.43	8.7	3	1.5	325	0.60	<0.05	9.8	0.229	0.67
K299189		170	7.1	5.3	0.003	0.06	0.27	0.8	2	0.2	1440	<0.05	<0.05	0.5	0.013	0.11
K299190		140	3.1	3.6	0.003	0.07	0.17	0.6	3	<0.2	1250	<0.05	<0.05	0.4	0.009	0.07
K299191		310	5.2	22.6	0.003	0.11	0.24	2.2	3	0.4	867	0.14	<0.05	2.2	0.052	0.18
K299192		300	4.8	20.4	0.003	0.11	0.22	2.1	3	0.4	1020	0.12	<0.05	1.9	0.046	0.19
K299193		150	4.4	15.4	0.002	0.09	0.17	1.6	3	0.3	783	0.09	<0.05	1.4	0.035	0.14
K299194		120	4.1	12.4	0.003	0.07	0.15	1.4	3	0.3	774	0.08	<0.05	1.2	0.029	0.17
K299195		940	16.4	47.9	0.004	3.16	114.0	16.1	3	3.0	517	0.73	0.15	9.1	0.551	7.60
K299196		260	4.6	26.3	0.003	0.14	0.28	2.4	2	0.5	665	0.16	<0.05	2.5	0.058	0.34
K299197		140	3.4	5.7	0.003	0.06	0.17	0.8	3	0.2	1170	<0.05	<0.05	0.6	0.014	0.20
K299198		350	4.7	21.2	0.003	0.17	0.28	2.2	3	0.4	1235	0.13	<0.05	2.3	0.053	0.42
K299199		480	12.3	42.2	0.005	0.58	2.28	4.3	5	0.8	583	0.30	<0.05	4.8	0.119	1.59
K299200		4300	4.6	115.0	0.037	1.40	18.60	6.3	10	1.7	148.5	0.51	0.54	6.1	0.214	13.25
K299201		470	9.7	17.0	0.004	2.65	73.4	2.4	4	0.4	506	0.17	<0.05	3.0	0.059	8.44
K299202		190	1.2	1.7	<0.002	0.01	0.06	0.4	2	<0.2	47.8	<0.05	<0.05	<0.2	<0.005	0.02
K299203		150	4.8	8.6	<0.002	0.35	4.96	1.2	3	0.2	224	0.06	<0.05	0.9	0.020	1.77
K299204		200	6.2	14.1	0.002	1.24	19.40	1.8	3	0.3	286	0.11	<0.05	1.8	0.040	5.42
K299205		350	6.1	50.0	0.002	0.89	13.35	5.5	2	0.8	353	0.29	0.05	4.2	0.123	18.35
K299206		660	10.5	139.5	<0.002	2.85	1.66	13.2	2	2.5	286	0.81	0.07	11.4	0.343	6.23
K299207		160	1.8	1.8	<0.002	0.02	0.09	0.3	2	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	0.06
K299208		430	63.7	187.5	0.004	5.52	3.32	16.4	4	3.0	91.6	0.93	0.09	14.3	0.399	3.65
K299209		700	10.0	147.5	<0.002	2.67	0.48	13.7	3	2.5	161.5	0.79	0.10	11.3	0.348	2.06
K299210		380	13.2	138.0	<0.002	1.37	0.49	13.8	3	2.7	127.5	0.92	0.10	12.7	0.369	1.77
K299211		400	17.3	127.5	<0.002	2.55	0.44	12.5	2	2.6	174.0	0.84	0.10	11.6	0.359	2.53
K299212		410	14.5	133.5	<0.002	1.87	0.37	10.4	2	1.8	340	0.60	0.06	10.3	0.265	1.49
K299213		770	7.4	76.1	0.002	0.51	0.18	6.4	2	1.1	614	0.36	0.06	6.0	0.153	0.61
K299214		510	11.8	110.5	<0.002	0.54	0.24	8.8	2	1.5	451	0.52	0.08	9.5	0.218	0.65
K299215		380	12.4	123.0	<0.002	0.36	0.28	9.6	2	1.7	405	0.57	0.07	10.4	0.244	0.66
K299216		810	7.2	83.0	0.002	0.16	0.20	7.0	2	1.2	481	0.40	0.05	6.7	0.174	0.46
K299217		340	12.8	99.1	<0.002	0.45	0.46	7.9	2	1.4	303	0.55	0.05	9.0	0.261	0.62
K299218		410	12.6	104.0	<0.002	0.30	0.41	7.9	2	1.5	414	0.57	0.05	9.3	0.248	0.64
K299219		450	12.9	137.0	0.002	0.28	0.42	10.5	3	2.1	187.5	0.82	0.07	13.2	0.326	0.73
K299220		1220	19.1	138.0	0.002	0.53	0.58	12.8	3	2.5	110.5	0.93	0.08	13.5	0.362	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152441

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299185		11.7	22	1.1	7.7	45	45.3	
K299186		7.2	52	2.3	14.0	22	109.5	
K299187		8.0	55	1.0	14.3	28	94.1	
K299188		8.3	78	1.1	16.4	20	113.0	
K299189		9.2	6	0.1	3.2	6	8.4	
K299190		8.8	3	0.1	2.7	15	5.5	
K299191		12.5	18	0.3	5.6	41	23.0	
K299192		12.7	16	0.3	5.7	52	21.6	
K299193		14.2	16	0.2	4.0	37	17.0	
K299194		13.9	19	0.3	3.3	29	12.3	
K299195		7.3	175	22.7	15.2	45	175.5	
K299196		11.9	27	0.5	5.9	36	36.1	
K299197		12.9	16	0.1	3.1	14	7.7	
K299198		11.3	25	0.5	6.3	14	26.8	
K299199		45.1	156	2.2	10.0	70	64.4	
K299200		8.0	404	36.4	29.5	287	82.2	
K299201		22.1	52	2.2	6.0	33	30.3	4.89
K299202		0.5	2	0.1	0.9	17	0.5	
K299203		28.2	20	0.6	7.4	4	14.1	
K299204		18.8	21	1.2	4.9	6	22.2	1.795
K299205		14.2	42	2.8	11.8	15	53.8	
K299206		6.5	104	5.9	20.9	41	128.5	
K299207		0.6	2	0.1	0.9	18	0.6	
K299208		6.9	136	4.3	20.8	41	132.0	
K299209		3.0	108	2.7	22.7	44	111.0	
K299210		2.2	102	2.4	19.4	53	105.5	
K299211		2.6	98	1.7	19.0	64	95.8	
K299212		3.1	71	1.2	20.0	56	75.2	
K299213		3.3	41	0.7	15.2	39	46.0	
K299214		3.0	57	14.0	15.8	56	62.8	
K299215		2.9	66	2.3	16.1	50	72.2	
K299216		3.3	47	0.8	16.0	32	57.0	
K299217		2.6	58	1.0	17.2	53	80.8	
K299218		2.8	55	1.3	18.1	67	87.6	
K299219		2.7	79	1.4	19.4	52	109.5	
K299220		2.9	92	1.6	21.3	46	118.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152441

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11152474

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D- Batch 94

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152474

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K300001		0.79	<0.01	25.5	6.19	17.9	840	1.68	0.20	0.37	0.26	63.3	18.7	109	5.23	60.3
K300002		3.73	<0.01	1.51	8.03	9.6	570	2.23	0.21	0.26	0.10	66.6	17.4	94	15.45	32.4
K300003		1.93	<0.01	1.26	8.35	9.3	490	2.49	0.25	0.86	0.13	77.9	17.6	99	23.8	33.8
K300004		4.52	<0.01	0.23	9.19	8.7	580	2.73	0.28	0.75	0.10	70.4	19.9	110	24.1	37.1
K300005		3.99	<0.01	0.29	9.07	9.1	550	2.46	0.34	1.06	0.10	75.8	19.3	106	26.2	33.8
K300006		3.39	<0.01	0.34	9.01	11.0	560	2.62	0.26	1.21	0.08	79.6	19.2	108	27.2	31.3
K300007		4.30	<0.01	0.11	8.82	10.6	530	2.65	0.26	1.11	0.07	71.4	19.4	102	29.0	28.5
K300008		4.74	<0.01	0.14	8.41	11.5	510	2.48	0.24	1.12	0.07	74.0	18.5	105	27.0	26.6
K300009		4.29	<0.01	0.08	8.76	16.6	570	2.65	0.25	0.79	0.10	77.0	19.9	106	30.3	29.8
K300010		4.88	<0.01	0.01	0.08	<5	20	0.06	0.06	21.8	0.07	1.34	1.4	2	0.55	1.8
K300011		4.97	<0.01	0.16	8.58	14.7	570	2.39	0.24	0.61	0.13	76.3	19.5	100	29.3	30.5
K300012		5.53	<0.01	0.31	8.50	11.0	530	2.61	0.25	0.84	0.13	76.4	19.6	104	27.6	29.1
K300013		5.39	<0.01	0.23	8.66	11.4	540	2.63	0.24	0.79	0.09	75.7	18.7	103	28.7	28.6
K300014		3.31	<0.01	1.14	8.52	12.9	530	2.74	0.25	0.67	0.10	79.1	19.5	101	28.5	28.6
K300015		4.68	<0.01	0.11	8.71	36.1	610	2.59	0.24	1.00	0.12	78.3	18.5	104	22.1	31.7
K300016		0.26	0.32	0.32	6.24	653	220	0.71	0.25	0.50	0.20	143.5	3.0	241	3.83	30.8
K300017		4.59	<0.01	0.52	8.39	969	610	2.25	0.24	0.94	0.16	81.4	18.3	98	17.85	32.7
K300018		2.90	0.01	0.05	0.19	850	50	0.18	0.01	23.9	0.26	1.79	1.2	7	0.37	1.5
K300019		3.72	<0.01	0.12	0.19	427	60	0.16	<0.01	23.2	0.97	1.63	1.3	4	0.33	2.4
K300020		4.99	<0.01	0.08	0.08	287	40	0.12	<0.01	23.6	0.49	0.97	1.2	6	0.10	1.3
K300021		4.75	<0.01	0.24	0.64	1350	170	0.27	0.02	25.0	0.35	4.19	1.6	10	0.91	3.8
K300022		2.64	<0.01	0.24	1.07	2500	280	0.40	0.03	23.5	0.50	6.05	2.2	17	1.44	5.2
K300023		1.94	<0.01	0.22	0.27	2770	60	0.16	0.01	22.7	0.90	1.65	1.5	3	0.34	6.3
K300024		4.87	<0.01	0.01	0.07	12	20	0.06	0.03	21.6	0.06	1.43	1.2	<1	0.19	3.0
K300025		2.24	<0.01	1.60	5.34	2550	890	1.55	0.18	8.62	3.19	58.0	8.1	69	59.5	24.0
K300026		4.38	<0.01	0.22	8.38	162.0	1040	3.02	0.26	0.74	0.11	73.7	14.1	96	49.4	32.6
K300027		3.63	<0.01	0.13	6.89	2420	930	1.72	0.20	2.62	0.09	71.9	14.0	67	24.4	23.8
K300028		3.45	<0.01	9.68	7.65	734	1060	1.97	0.22	2.97	0.18	70.6	13.0	69	31.1	38.7
K300029		3.74	<0.01	0.04	0.21	64	50	0.30	0.01	23.6	0.34	2.33	1.2	3	0.51	1.7
K300030		5.75	<0.01	0.15	0.28	75	60	0.29	0.01	24.3	0.47	3.27	1.4	1	0.41	2.3
K300031		0.25	2.69	1.03	3.17	610	860	0.65	0.29	7.97	2.27	46.7	6.1	47	4.12	41.9
K300032		5.34	<0.01	0.08	0.21	63	50	0.23	0.01	23.5	0.34	2.24	1.2	3	0.32	1.7
K300033		3.06	<0.01	0.08	0.21	67	40	0.25	0.01	23.1	0.46	2.23	1.1	<1	0.31	1.7
K300034		4.39	<0.01	0.12	0.23	79	50	0.24	0.01	24.4	1.14	2.31	1.0	3	0.33	2.3
K300035		5.31	<0.01	0.31	0.27	68	70	0.40	0.01	23.2	1.00	2.95	1.1	1	0.37	2.0
K300036		4.90	<0.01	0.31	0.28	66	70	0.41	0.01	23.7	2.78	3.15	1.2	4	0.40	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152474

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300001		4.65	16.95	0.14	2.6	0.09	0.060	1.55	31.7	54.7	1.05	611	2.25	0.54	10.4	53.9
K300002		4.99	21.7	0.16	2.6	0.02	0.068	2.08	31.5	72.4	1.06	461	0.78	0.40	11.4	56.7
K300003		4.72	23.1	0.15	2.7	0.02	0.074	2.22	37.9	89.3	1.23	503	1.05	0.37	12.5	56.7
K300004		5.25	26.8	0.15	2.9	0.01	0.080	2.59	31.5	91.4	1.41	506	0.59	0.41	13.8	65.4
K300005		5.36	24.3	0.17	2.7	0.02	0.078	2.50	35.7	86.9	1.48	558	2.17	0.39	13.1	60.2
K300006		5.15	24.8	0.17	2.9	0.02	0.078	2.46	38.3	83.8	1.46	500	0.84	0.41	13.2	61.2
K300007		5.00	24.0	0.15	2.8	0.01	0.075	2.45	33.5	79.8	1.45	509	0.53	0.38	13.1	58.4
K300008		4.89	22.7	0.17	2.6	0.02	0.070	2.34	35.6	79.5	1.41	511	0.77	0.35	12.5	57.2
K300009		4.98	24.9	0.16	2.8	0.02	0.081	2.59	37.7	79.4	1.40	471	1.10	0.35	13.2	61.1
K300010		0.50	0.29	0.06	<0.1	<0.01	<0.005	0.04	0.7	1.4	13.30	217	0.08	0.01	0.2	2.5
K300011		4.98	24.8	0.15	2.8	0.04	0.075	2.52	37.3	79.5	1.28	494	1.07	0.37	12.4	59.6
K300012		4.79	24.3	0.15	2.8	0.02	0.075	2.40	36.7	81.6	1.34	539	0.95	0.38	13.4	58.5
K300013		4.80	24.5	0.15	2.8	0.02	0.078	2.53	36.0	82.7	1.25	489	0.80	0.38	13.1	57.6
K300014		4.53	24.4	0.15	2.8	0.02	0.079	2.44	38.0	96.7	1.07	418	0.92	0.37	12.8	57.1
K300015		4.93	23.8	0.16	2.7	0.06	0.076	2.40	38.9	97.7	1.30	613	1.46	0.30	12.3	54.6
K300016		7.21	21.2	0.20	4.3	9.7	0.048	1.36	69.2	20.2	0.14	44	6.88	0.39	10.3	16.7
K300017		4.76	23.3	0.15	2.7	1.11	0.076	2.53	41.7	95.5	0.93	473	1.92	0.24	15.6	57.5
K300018		0.21	0.51	0.05	0.1	1.63	<0.005	0.05	0.9	2.1	11.00	163	0.59	0.02	0.3	2.1
K300019		0.16	0.54	0.07	0.1	2.88	<0.005	0.05	0.9	2.1	12.05	77	0.64	0.02	0.3	4.1
K300020		0.10	0.30	0.08	<0.1	8.41	<0.005	0.02	0.6	1.0	11.85	75	0.63	0.01	0.2	2.3
K300021		0.36	1.74	0.05	0.3	4.1	0.006	0.19	2.4	3.5	9.50	145	1.09	0.01	1.1	6.1
K300022		0.46	2.84	0.06	0.4	6.31	0.009	0.32	3.5	6.0	9.10	136	1.37	0.01	1.8	8.0
K300023		0.20	0.93	0.05	0.1	6.7	0.013	0.05	1.0	1.3	12.60	54	1.29	0.01	0.4	6.7
K300024		0.47	0.48	0.06	<0.1	0.01	<0.005	0.03	0.7	1.0	13.10	207	0.52	0.01	0.3	2.4
K300025		4.13	12.95	0.06	1.8	17.4	0.068	1.64	31.5	40.5	4.92	229	7.30	0.08	17.7	35.3
K300026		4.23	21.7	0.19	2.9	0.42	0.081	3.01	37.5	72.1	0.92	368	1.34	0.12	23.0	48.8
K300027		4.48	17.10	0.21	3.0	1.12	0.067	2.35	36.4	56.1	0.90	455	1.33	0.09	11.9	47.7
K300028		4.07	19.05	0.17	2.9	1.10	0.068	2.60	36.3	35.1	1.71	310	2.21	0.12	12.0	54.0
K300029		0.18	0.61	<0.05	0.1	0.22	<0.005	0.07	1.2	1.3	10.75	96	0.31	0.02	0.3	2.9
K300030		0.31	0.74	<0.05	0.1	0.34	<0.005	0.11	1.6	1.6	11.05	74	0.40	0.02	0.5	4.3
K300031		2.11	7.68	<0.05	1.7	4.95	0.026	0.99	29.9	33.8	2.49	273	17.50	0.02	6.7	55.4
K300032		0.17	0.69	0.08	0.1	0.5	<0.005	0.08	1.1	1.4	10.90	100	0.33	0.02	0.4	2.9
K300033		0.16	0.67	0.07	0.1	0.9	<0.005	0.08	1.1	1.4	10.75	155	0.23	0.02	0.3	1.6
K300034		0.18	0.74	<0.05	0.1	1.15	<0.005	0.09	1.2	1.4	10.50	259	0.32	0.02	0.4	2.5
K300035		0.18	0.89	0.09	0.1	0.8	<0.005	0.12	1.5	1.8	10.00	122	0.31	0.02	0.5	2.2
K300036		0.24	0.88	0.08	0.1	1.54	<0.005	0.12	1.6	1.7	10.45	320	0.36	0.02	0.5	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152474

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300001		760	16.2	95.9	<0.002	0.06	0.71	15.4	2	1.9	79.6	0.71	0.07	9.0	0.412	0.60
K300002		720	17.2	119.5	<0.002	0.03	0.65	16.5	1	2.7	73.2	0.79	<0.05	10.1	0.409	0.77
K300003		690	17.9	142.5	<0.002	0.45	0.60	18.0	1	2.8	84.9	0.85	0.05	11.5	0.424	0.85
K300004		800	21.8	128.5	<0.002	0.28	0.54	20.8	2	3.3	87.7	0.95	<0.05	11.1	0.484	1.01
K300005		860	18.8	135.0	<0.002	0.54	0.68	18.7	1	3.0	91.1	0.90	0.05	10.7	0.472	0.95
K300006		880	20.2	142.5	<0.002	0.74	0.72	18.9	2	3.0	92.7	0.95	0.05	11.2	0.457	0.99
K300007		840	18.2	131.0	<0.002	0.43	0.70	18.0	1	3.0	87.5	0.91	0.06	10.4	0.459	0.97
K300008		830	19.5	129.5	<0.002	0.47	0.69	17.4	1	2.8	91.4	0.87	0.06	10.4	0.439	0.91
K300009		780	20.7	150.5	<0.002	1.19	0.89	18.4	2	3.0	89.0	0.90	0.06	11.1	0.456	1.34
K300010		200	1.2	2.6	<0.002	0.01	<0.05	0.4	2	<0.2	44.8	<0.05	<0.05	0.2	<0.005	0.02
K300011		840	18.9	148.5	<0.002	1.65	0.64	18.5	2	2.9	89.4	0.88	0.05	11.3	0.458	1.60
K300012		760	18.7	141.0	<0.002	1.12	0.64	18.5	2	2.9	85.9	0.93	0.06	11.2	0.459	1.28
K300013		780	20.4	143.5	<0.002	1.34	0.69	18.8	2	3.0	93.1	0.91	0.06	11.1	0.476	1.32
K300014		740	19.6	150.5	<0.002	1.07	0.71	18.8	2	3.0	94.5	0.91	0.06	11.8	0.459	1.32
K300015		820	16.5	142.0	<0.002	1.03	0.66	18.7	2	2.8	134.5	0.86	0.06	11.3	0.445	1.42
K300016		970	17.6	49.1	0.003	3.19	119.5	16.0	2	3.2	525	0.76	0.14	9.3	0.571	8.20
K300017		950	26.0	144.0	0.002	3.03	1.32	16.8	2	2.8	329	1.00	0.05	11.3	0.458	4.30
K300018		20	7.4	2.3	<0.002	0.16	0.36	2.8	2	<0.2	155.0	<0.05	<0.05	0.3	0.008	1.16
K300019		40	27.5	2.5	0.002	0.14	1.09	2.1	2	0.2	179.0	<0.05	<0.05	0.3	0.008	1.56
K300020		30	38.4	0.8	0.002	0.07	2.36	2.3	2	<0.2	159.0	<0.05	<0.05	0.2	<0.005	1.53
K300021		160	8.2	8.4	0.004	0.41	0.73	7.0	2	0.3	254	0.07	<0.05	1.0	0.032	9.88
K300022		250	13.4	13.9	0.004	0.59	1.20	6.9	2	0.5	326	0.11	<0.05	1.5	0.052	10.60
K300023		50	59.9	2.4	0.005	0.31	1.46	2.3	2	0.2	140.0	<0.05	<0.05	0.3	0.010	10.10
K300024		210	1.7	1.2	<0.002	0.01	0.05	0.4	2	<0.2	47.5	<0.05	<0.05	<0.2	<0.005	0.03
K300025		900	190.0	99.4	0.016	3.05	11.15	9.6	2	1.7	335	1.01	0.05	7.1	0.297	35.7
K300026		1240	19.6	145.0	0.002	0.77	0.89	16.2	3	2.5	177.0	1.38	0.08	11.0	0.464	2.94
K300027		910	18.0	116.5	<0.002	3.91	0.81	14.4	3	2.3	368	0.84	0.05	11.4	0.417	4.20
K300028		1020	23.4	124.5	0.002	3.24	1.23	16.1	3	2.3	608	0.84	0.05	10.7	0.422	8.12
K300029		60	7.6	3.4	<0.002	0.05	0.68	0.6	2	<0.2	178.5	<0.05	<0.05	0.3	0.008	1.54
K300030		70	16.8	4.6	0.002	0.21	0.93	0.6	2	<0.2	210	<0.05	<0.05	0.4	0.012	1.77
K300031		900	36.9	50.7	0.022	1.53	102.0	5.0	4	2.3	71.1	0.43	0.20	6.4	0.168	4.08
K300032		60	14.1	3.3	<0.002	0.06	1.15	0.5	2	<0.2	172.5	<0.05	<0.05	0.3	0.010	1.42
K300033		60	18.3	3.5	<0.002	0.05	1.15	0.5	2	<0.2	186.0	<0.05	<0.05	0.3	0.009	1.35
K300034		30	40.0	3.8	<0.002	0.03	1.96	0.6	2	<0.2	177.5	<0.05	<0.05	0.3	0.009	1.79
K300035		60	47.5	4.7	0.003	0.10	2.07	0.7	2	<0.2	210	<0.05	<0.05	0.4	0.012	1.98
K300036		70	58.7	4.8	0.002	0.15	3.21	0.7	2	<0.2	188.0	<0.05	<0.05	0.4	0.012	2.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152474

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300001		2.3	134	113.5	18.9	131	95.6
K300002		2.3	136	7.7	16.2	141	90.3
K300003		2.5	142	6.5	18.0	128	97.4
K300004		2.8	168	2.5	17.7	149	105.0
K300005		2.5	157	2.6	18.7	138	99.7
K300006		2.5	151	2.7	18.6	132	100.5
K300007		2.5	149	1.9	17.3	129	98.2
K300008		2.4	144	2.1	18.0	134	95.3
K300009		2.6	159	1.7	18.3	131	101.5
K300010		0.5	3	0.1	0.8	15	0.5
K300011		2.7	167	1.8	17.6	142	97.5
K300012		2.6	149	5.6	18.2	145	99.2
K300013		2.6	156	2.5	18.3	131	97.8
K300014		2.5	154	6.9	17.9	131	96.7
K300015		2.6	156	1.9	17.3	143	95.4
K300016		7.3	177	24.1	15.3	46	175.0
K300017		2.9	176	6.4	18.6	130	97.7
K300018		1.8	15	0.4	4.7	46	2.6
K300019		3.8	21	0.5	3.4	142	2.3
K300020		3.1	14	0.2	3.3	73	1.4
K300021		5.5	31	1.4	6.3	70	9.5
K300022		6.1	40	2.2	6.2	91	16.0
K300023		4.2	20	0.6	2.2	127	3.2
K300024		0.5	2	0.1	0.9	18	<0.5
K300025		8.1	134	3.0	14.1	651	67.3
K300026		2.9	191	1.8	21.2	129	100.5
K300027		2.7	108	8.6	22.2	67	97.3
K300028		3.8	132	61.0	20.4	102	97.5
K300029		2.3	8	0.5	1.4	63	2.8
K300030		2.6	9	0.5	1.3	94	3.6
K300031		8.6	231	26.1	20.3	213	63.8
K300032		2.2	8	0.6	0.9	72	3.1
K300033		1.9	8	0.7	0.9	96	2.5
K300034		2.8	11	0.7	1.0	162	3.0
K300035		2.2	8	0.5	1.2	157	3.5
K300036		2.4	8	0.6	1.2	466	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152474

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

CERTIFICATE WH11152781

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 95- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152781

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299870		7.31	<0.01	0.02	2.34	12	110	0.64	0.09	27.1	0.05	27.4	10.2	19	8.85	18.5
K299871		7.40	<0.01	0.01	4.58	28	190	1.08	0.18	19.15	0.07	48.0	17.3	36	20.0	30.6
K299872		7.47	<0.01	0.03	2.97	22	160	0.84	0.13	22.3	0.08	32.6	11.5	24	11.05	24.6
K299873		7.18	<0.01	0.04	3.90	22	160	0.95	0.16	21.9	0.55	41.4	14.1	30	14.15	24.9
K299874		7.73	<0.01	0.05	4.06	13	200	0.92	0.18	21.5	0.15	40.4	14.4	31	14.45	27.9
K299875		3.56	<0.01	0.04	3.87	6	170	0.91	0.17	21.1	0.37	39.3	14.2	30	13.85	27.1
K299876		7.55	<0.01	0.03	3.08	5	140	0.75	0.13	24.7	0.04	32.7	11.4	23	9.83	20.7
K299877		7.83	<0.01	0.04	3.71	44	140	0.93	0.15	21.0	0.10	38.3	13.4	28	12.10	26.3
K299878		4.83	<0.01	0.04	2.48	76	140	0.67	0.08	21.3	<0.02	25.2	8.9	23	8.92	16.5
K299879		6.64	<0.01	0.07	6.63	171.0	180	1.80	0.23	3.75	0.14	74.6	14.6	65	31.6	42.0
K299880		4.66	0.02	0.13	6.06	251	190	1.75	0.23	4.37	0.18	67.9	12.6	56	23.7	33.2
K299881		5.40	0.09	0.16	6.58	276	200	2.16	0.26	2.58	0.23	74.2	12.2	59	26.6	34.5
K299882		3.86	2.13	0.13	5.62	1220	180	1.67	0.22	2.63	0.20	69.9	13.5	53	19.90	33.1
K299883		5.24	0.55	0.10	6.06	697	210	1.83	0.25	2.01	0.22	74.3	14.7	58	22.5	34.9
K299884		7.35	0.34	0.09	5.59	509	190	1.57	0.23	2.21	0.24	71.0	11.5	54	18.70	32.9
K299885		0.23	16.30	1.04	2.11	1340	430	0.38	0.55	14.10	0.66	32.4	4.3	37	2.34	64.3
K299886		6.50	0.61	0.08	6.18	894	230	1.36	0.24	3.07	0.58	72.0	12.1	59	19.70	37.4
K299887		1.16	2.13	0.14	6.76	5510	240	1.40	0.29	0.17	0.24	76.0	16.1	77	21.6	44.0
K299888		3.61	5.21	0.09	5.26	>10000	210	1.03	0.23	0.12	0.28	59.9	14.3	62	13.65	49.2
K299889		4.10	4.99	0.08	6.97	>10000	240	1.39	0.30	0.20	0.41	80.7	16.1	78	20.2	49.6
K299890		4.96	1.25	0.16	5.95	3510	220	1.50	0.23	1.68	0.43	70.0	14.0	58	19.70	40.5
K299891		4.89	<0.01	<0.01	0.07	24	20	0.06	0.01	20.4	0.07	1.37	1.3	<1	0.39	1.5
K299892		2.93	0.05	0.11	5.70	395	210	1.50	0.24	2.01	0.19	73.4	16.1	54	20.5	36.6
K299893		5.96	0.01	0.09	7.78	295	300	2.34	0.30	2.71	0.18	86.3	15.3	66	28.9	42.5
K299894		0.23	0.33	0.36	6.43	635	1090	0.64	0.27	0.46	0.18	145.5	3.1	239	3.63	30.0
K299895		7.51	0.02	0.13	6.25	344	240	2.02	0.25	2.85	0.27	71.4	15.0	55	27.0	40.3
K299896		3.80	0.01	0.10	8.11	105.5	230	2.71	0.32	2.34	0.02	84.8	21.6	70	34.0	61.2
K299897		5.42	0.30	0.09	8.08	684	200	2.52	0.30	2.59	0.03	80.6	21.0	69	31.4	57.3
K299898		8.25	0.01	0.09	7.83	278	200	2.39	0.29	2.95	0.03	82.1	21.8	67	33.2	54.4
K299899		7.07	0.22	0.09	7.07	819	180	2.13	0.28	2.76	0.08	75.4	22.9	61	30.1	58.0
K299900		8.24	0.01	0.07	7.43	283	200	2.29	0.28	2.66	0.06	79.5	19.5	65	27.4	59.6
K299901		7.96	0.01	0.10	7.80	244	210	2.49	0.30	2.55	0.04	81.9	20.1	67	27.3	58.1
K299902		4.94	<0.01	<0.01	0.08	<5	20	0.06	0.02	20.5	0.06	1.39	1.3	<1	0.29	1.5
K299903		7.30	0.44	0.07	6.65	1275	210	1.97	0.23	1.93	0.09	69.1	20.3	65	23.0	64.5
K299904		5.67	2.49	0.06	5.89	5040	240	1.25	0.23	1.53	0.38	65.1	16.6	58	15.90	54.2
K299905		2.45	0.11	0.10	5.52	1050	200	1.46	0.21	2.61	0.08	61.0	19.4	55	15.45	47.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152781

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299870		1.56	6.00	<0.05	1.1	0.28	0.024	1.05	15.3	5.3	0.77	555	0.46	0.02	3.6	11.8
K299871		2.76	11.60	<0.05	2.1	0.39	0.050	2.03	26.6	10.1	1.38	687	0.86	0.03	6.6	22.1
K299872		2.09	7.42	<0.05	1.4	0.33	0.033	1.34	19.3	5.2	1.66	766	0.71	0.02	4.4	13.7
K299873		2.41	8.87	0.10	1.7	0.28	0.044	1.74	24.4	8.0	1.82	801	0.82	0.03	5.6	18.2
K299874		2.76	9.16	0.10	1.8	0.20	0.041	1.80	23.8	9.3	1.44	626	1.26	0.03	5.9	20.0
K299875		2.58	9.00	0.10	1.7	0.20	0.044	1.71	23.3	9.1	1.31	589	1.17	0.03	5.7	20.0
K299876		1.96	7.05	0.08	1.3	0.21	0.031	1.36	19.0	6.8	1.20	660	0.43	0.02	4.3	14.4
K299877		2.87	8.53	0.11	1.6	0.73	0.038	1.66	23.3	7.7	1.84	707	1.04	0.02	5.3	18.3
K299878		2.55	5.80	0.06	1.0	0.29	0.023	1.07	13.9	8.1	2.07	815	0.29	0.02	3.4	13.1
K299879		3.84	17.10	0.17	3.2	0.75	0.068	2.93	37.3	21.4	1.21	369	0.60	0.03	10.7	28.0
K299880		3.83	14.80	0.14	2.9	1.49	0.067	2.70	34.3	19.4	1.38	527	0.96	0.03	10.2	26.8
K299881		3.65	16.75	0.17	3.2	2.49	0.062	2.95	37.9	18.7	1.26	551	0.96	0.03	11.1	26.3
K299882		3.36	13.95	0.15	3.0	9.3	0.055	2.49	35.2	15.2	0.94	649	0.57	0.03	10.1	25.6
K299883		3.82	15.10	0.16	3.2	4.8	0.056	2.69	37.8	16.5	0.98	564	0.71	0.03	11.1	28.9
K299884		3.52	14.20	0.15	3.0	4.93	0.051	2.49	35.5	15.4	0.93	519	0.82	0.03	10.1	24.4
K299885		3.61	3.88	0.09	0.9	4.62	0.057	0.41	19.7	43.4	0.73	469	13.15	0.02	3.8	22.9
K299886		3.51	15.60	0.15	3.1	4.36	0.059	2.74	36.6	16.5	0.93	599	1.13	0.03	10.8	26.5
K299887		5.97	17.85	0.20	3.2	7.9	0.066	2.96	39.4	16.6	0.39	54	1.70	0.03	11.3	38.5
K299888		4.71	13.95	0.15	2.6	9.2	0.125	2.23	30.6	15.8	0.28	42	1.10	0.02	8.5	29.2
K299889		4.91	18.95	0.18	3.4	17.6	0.092	3.07	40.7	15.6	0.39	39	0.91	0.03	12.3	32.3
K299890		3.93	15.65	0.16	3.0	8.5	0.056	2.65	35.8	14.7	0.41	316	1.29	0.03	10.2	29.0
K299891		0.46	0.33	0.18	<0.1	0.01	<0.005	0.03	0.7	1.1	12.80	205	<0.05	<0.01	0.3	2.0
K299892		4.27	15.00	0.17	3.1	2.03	0.062	2.53	36.9	19.7	1.04	422	0.78	0.03	10.3	29.3
K299893		4.51	20.3	0.20	3.7	2.30	0.073	3.42	44.0	21.6	1.38	443	0.93	0.04	12.9	32.9
K299894		6.83	20.2	0.22	4.5	9.3	0.050	1.36	72.5	18.9	0.12	36	7.07	0.40	10.2	17.3
K299895		4.24	15.60	0.17	3.0	1.80	0.067	2.62	36.2	31.4	1.37	574	0.88	0.03	10.4	29.4
K299896		5.30	21.1	0.20	3.6	1.22	0.084	3.39	42.9	30.6	1.42	605	0.26	0.04	13.5	39.8
K299897		5.38	20.3	0.21	3.5	1.44	0.083	3.57	40.0	18.2	1.54	725	0.22	0.04	13.4	38.0
K299898		5.62	19.60	0.22	3.7	0.80	0.082	3.42	41.2	23.0	1.63	792	0.24	0.04	13.3	39.0
K299899		5.60	17.50	0.20	3.2	1.71	0.074	3.02	38.3	19.0	1.50	819	0.37	0.03	11.7	38.0
K299900		5.03	18.80	0.21	3.5	1.07	0.075	3.24	39.9	19.6	1.54	593	0.32	0.04	12.6	37.5
K299901		5.32	19.70	0.21	3.7	1.47	0.079	3.42	41.4	17.8	1.52	611	0.22	0.04	13.0	38.1
K299902		0.49	0.30	0.16	<0.1	0.01	<0.005	0.03	0.7	1.1	12.90	223	0.09	0.01	0.3	1.3
K299903		4.61	17.95	0.16	3.1	3.59	0.058	2.85	34.8	17.4	1.19	544	0.39	0.03	9.8	33.0
K299904		4.48	16.30	0.16	3.0	7.0	0.064	2.55	32.6	12.1	0.98	658	0.66	0.03	10.0	30.8
K299905		5.12	14.15	0.16	2.8	1.96	0.064	2.41	30.9	12.5	1.36	787	0.89	0.03	9.3	33.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152781

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299870		210	6.7	52.9	0.002	1.08	0.23	5.9	3	0.9	866	0.22	0.06	3.3	0.122	0.85
K299871		320	12.5	105.0	0.004	2.08	0.42	10.6	3	1.5	550	0.43	0.10	6.8	0.241	1.65
K299872		260	9.9	66.1	0.002	1.42	0.31	7.0	3	1.0	618	0.30	0.08	4.2	0.153	1.03
K299873		280	12.3	83.8	0.002	1.74	0.30	8.9	2	1.1	649	0.36	0.06	6.4	0.203	1.07
K299874		310	12.8	89.6	0.006	2.13	0.39	9.4	2	1.1	703	0.38	0.06	6.9	0.209	1.28
K299875		300	12.0	86.4	0.005	2.01	0.36	9.1	2	1.1	675	0.37	0.06	6.4	0.199	1.21
K299876		280	8.5	66.6	<0.002	1.41	0.25	7.1	2	0.9	634	0.27	0.05	5.0	0.152	1.04
K299877		350	12.3	80.9	0.004	2.15	0.36	8.8	2	1.1	598	0.33	0.06	5.9	0.185	1.92
K299878		310	8.3	53.7	<0.002	0.76	0.28	6.5	2	0.7	627	0.21	<0.05	3.7	0.121	0.76
K299879		600	15.7	160.0	<0.002	2.70	0.42	16.7	2	2.4	122.0	0.75	<0.05	11.2	0.412	2.38
K299880		600	17.1	141.0	<0.002	2.73	0.76	13.3	2	2.1	119.0	0.71	0.05	10.6	0.376	3.60
K299881		530	15.7	159.0	<0.002	2.78	1.87	14.6	2	2.3	77.5	0.80	0.05	11.8	0.394	5.07
K299882		540	16.9	130.0	<0.002	3.06	10.70	11.9	2	1.9	80.3	0.70	0.05	10.4	0.372	22.8
K299883		540	17.3	142.5	<0.002	3.55	5.23	13.1	2	2.0	77.7	0.77	0.05	11.5	0.398	11.80
K299884		510	16.3	130.5	<0.002	3.22	4.69	13.4	2	2.2	81.3	0.72	0.05	10.5	0.367	9.80
K299885		690	22.0	26.5	0.007	2.12	156.0	3.9	3	1.9	45.8	0.24	0.36	3.9	0.113	3.64
K299886		510	18.4	139.5	<0.002	3.21	5.46	13.8	2	2.4	104.0	0.75	0.05	11.2	0.387	10.35
K299887		460	55.6	156.0	0.002	6.40	27.6	10.4	3	2.1	89.6	0.79	0.07	12.3	0.419	28.6
K299888		350	44.0	119.5	<0.002	6.42	87.0	8.7	3	4.4	96.2	0.61	0.09	9.3	0.329	31.8
K299889		590	21.5	163.5	<0.002	5.66	47.3	12.0	2	3.5	77.2	0.88	0.11	12.5	0.477	58.1
K299890		440	31.4	138.0	<0.002	4.05	12.00	12.7	2	3.0	59.5	0.71	0.06	10.4	0.376	23.4
K299891		180	1.3	2.2	<0.002	0.02	0.10	0.3	2	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.07
K299892		490	20.2	135.0	<0.002	3.92	1.97	13.6	2	2.8	76.9	0.72	0.05	11.8	0.374	5.57
K299893		730	27.6	167.5	<0.002	3.64	1.12	18.2	2	3.5	117.5	0.92	0.06	13.4	0.463	5.52
K299894		960	17.0	51.7	0.003	3.19	117.0	16.0	3	3.0	528	0.73	0.14	9.5	0.552	8.11
K299895		470	25.6	144.5	<0.002	3.47	1.44	14.5	2	3.7	99.9	0.74	<0.05	11.1	0.371	4.49
K299896		620	19.5	186.0	<0.002	5.10	0.75	20.6	2	3.9	131.5	0.93	0.08	12.9	0.534	8.26
K299897		660	18.3	184.0	<0.002	5.18	2.64	19.9	2	2.9	105.0	0.92	0.08	12.4	0.533	6.36
K299898		610	22.9	186.5	<0.002	5.31	1.30	19.7	2	2.9	116.5	0.92	0.07	12.7	0.517	5.85
K299899		570	21.7	164.0	<0.002	5.42	3.36	17.7	2	3.9	108.0	0.81	0.07	11.4	0.477	6.59
K299900		590	16.2	169.5	<0.002	4.76	1.11	18.7	2	3.9	116.0	0.88	0.07	11.9	0.505	3.73
K299901		610	16.5	177.0	<0.002	5.18	1.15	19.7	2	3.1	109.5	0.91	0.08	12.5	0.518	5.07
K299902		200	1.3	1.8	<0.002	0.02	<0.05	0.4	2	<0.2	42.1	<0.05	<0.05	<0.2	<0.005	0.02
K299903		460	17.9	152.5	<0.002	4.39	5.78	17.4	2	6.3	133.5	0.71	0.05	10.3	0.426	11.40
K299904		400	17.7	135.5	<0.002	4.46	18.65	15.4	3	4.6	132.0	0.71	0.10	10.0	0.413	21.2
K299905		420	20.4	114.0	<0.002	4.91	3.87	14.1	2	4.0	137.5	0.66	0.05	9.1	0.409	9.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152781

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299870		1.9	35	0.4	14.9	28	39.7	
K299871		2.2	70	0.8	19.0	63	75.4	
K299872		2.1	44	0.5	16.2	89	48.8	
K299873		2.5	57	0.7	19.5	657	61.3	
K299874		2.7	62	0.7	17.5	158	63.2	
K299875		2.6	61	0.7	16.9	410	61.5	
K299876		1.9	45	0.5	15.3	38	47.0	
K299877		2.3	56	0.7	16.9	88	56.0	
K299878		1.8	40	0.7	12.6	24	35.6	
K299879		2.2	116	3.6	23.9	107	106.5	
K299880		2.2	98	4.4	22.4	104	97.7	
K299881		2.5	103	7.5	22.3	126	107.5	
K299882		2.1	92	8.6	21.8	102	99.6	
K299883		2.4	98	9.4	22.5	132	107.0	
K299884		2.1	92	8.3	20.7	127	96.8	
K299885		3.6	115	216	17.5	82	32.6	
K299886		2.3	99	9.0	22.3	279	106.0	
K299887		2.5	115	11.9	24.6	87	109.0	
K299888		1.9	92	11.3	20.6	81	83.0	3.67
K299889		2.5	126	16.3	28.4	120	115.5	1.735
K299890		2.1	101	10.8	21.3	118	101.0	
K299891		0.4	3	0.1	0.9	19	0.6	
K299892		2.2	94	5.8	21.7	119	102.0	
K299893		2.8	124	6.1	27.7	111	123.5	
K299894		7.7	174	23.2	16.0	45	176.5	
K299895		2.3	98	4.0	22.1	134	101.0	
K299896		2.6	146	2.7	26.4	89	122.5	
K299897		2.4	144	6.9	26.1	80	118.5	
K299898		2.5	139	3.7	27.3	81	125.5	
K299899		2.2	129	7.2	24.0	79	109.0	
K299900		2.3	135	4.0	24.8	78	118.0	
K299901		2.4	140	4.8	26.4	76	121.5	
K299902		0.5	3	0.1	0.9	16	0.5	
K299903		2.0	127	8.2	22.6	69	101.5	
K299904		2.0	111	7.2	20.5	114	99.4	
K299905		1.8	111	4.8	18.8	69	91.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152781

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11152782

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 96- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152782

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299221		6.78	<0.01	0.13	7.72	42.7	270	2.39	0.35	2.85	0.14	85.6	14.9	64	26.7	29.1
K299222		6.65	<0.01	0.08	5.26	34	420	1.32	0.22	10.30	0.27	70.8	11.0	38	17.65	18.1
K299223		7.30	<0.01	0.06	5.24	38	330	1.29	0.22	16.50	<0.02	62.3	8.7	35	18.70	17.7
K299224		0.23	2.66	1.20	3.18	592	860	0.84	0.31	8.04	2.28	44.1	7.1	53	3.70	41.8
K299225		7.21	<0.01	0.06	5.97	37	370	1.62	0.26	11.15	0.02	69.6	9.9	43	23.1	22.4
K299226		7.11	<0.01	0.08	7.83	102.5	260	2.32	0.36	2.63	<0.02	87.3	12.9	62	28.5	31.2
K299227		2.94	<0.01	0.05	7.80	93.9	260	2.29	0.34	2.93	<0.02	78.9	13.2	62	27.7	28.9
K299228		8.76	<0.01	0.02	7.34	89.5	340	2.22	0.34	2.58	0.02	94.1	10.4	59	24.6	29.8
K299229		5.94	<0.01	0.03	7.41	114.5	250	2.27	0.32	4.66	0.02	73.5	10.3	58	25.4	27.8
K299230		6.92	<0.01	0.08	4.28	80	270	1.28	0.16	15.15	0.03	41.8	9.9	29	17.65	16.5
K299231		7.51	0.02	0.11	1.36	47	90	0.59	0.04	20.7	0.06	15.85	3.3	12	4.01	6.0
K299232		7.28	<0.01	0.11	1.52	54	120	0.69	0.05	21.9	0.06	16.45	3.8	12	4.49	17.0
K299233		6.95	<0.01	0.11	1.45	41	140	0.60	0.04	22.0	0.11	19.55	3.3	12	3.73	6.5
K299234		6.58	<0.01	0.12	0.97	118	90	0.41	0.03	20.9	0.68	12.65	3.6	9	2.45	8.9
K299235		0.23	2.63	1.06	3.19	571	850	0.83	0.89	7.93	2.28	44.9	7.2	52	3.72	41.2
K299236		7.51	<0.01	0.06	0.46	110	50	0.20	0.02	20.0	0.07	7.00	2.1	5	0.74	3.8
K299237		8.21	<0.01	0.11	0.53	273	50	0.23	0.02	19.80	0.03	7.13	3.4	5	0.99	7.2
K299238		3.66	0.04	0.07	0.56	651	60	0.23	0.02	19.40	0.07	8.15	2.6	6	0.76	4.8
K299239		2.68	1.01	0.13	0.45	>10000	80	0.19	0.02	17.75	0.20	5.97	1.9	6	0.98	4.7
K299240		4.89	<0.01	0.01	0.05	32	10	0.05	0.02	20.0	0.06	1.08	1.2	1	0.13	2.0
K299241		3.59	0.40	0.09	0.72	8430	60	0.29	0.02	19.55	0.10	10.40	2.0	7	0.98	6.0
K299242		4.51	0.81	0.08	0.68	>10000	70	0.24	0.02	18.05	0.05	8.73	2.4	6	1.01	5.6
K299243		7.91	0.73	0.08	0.73	>10000	100	0.26	0.02	18.45	0.04	9.28	2.2	7	1.26	5.1
K299244		7.21	1.32	0.09	0.64	6960	70	0.22	0.02	19.00	0.08	13.00	2.0	6	1.05	4.8
K299245		6.91	0.99	0.09	0.66	5680	40	0.28	0.02	19.05	0.03	9.64	2.3	6	1.38	5.2
K299246		7.47	0.55	0.11	0.46	4020	60	0.21	0.02	19.70	0.07	6.94	1.9	5	0.68	4.7
K299247		6.98	0.44	0.36	1.81	5240	90	0.59	0.07	17.00	0.09	18.00	4.4	16	4.68	20.4
K299248		7.74	0.08	0.40	0.91	1390	80	0.37	0.03	19.10	0.06	12.05	3.1	10	2.17	10.9
K299249		7.34	0.05	0.47	0.95	955	120	0.40	0.04	18.30	0.22	13.25	3.1	10	2.35	10.1
K299250		7.09	0.01	0.31	2.24	93	330	1.17	0.06	13.85	0.06	24.7	4.3	19	8.39	11.6
K299251		6.59	0.03	0.14	1.31	928	70	0.59	0.04	16.20	0.05	15.95	2.8	10	4.75	8.1
K299252		7.04	0.02	0.23	1.31	3580	70	0.57	0.04	17.05	0.25	17.00	3.6	12	4.88	9.1
K299253		4.92	<0.01	0.04	0.06	16	10	<0.05	0.03	20.6	0.06	1.09	1.4	1	0.20	2.5
K299254		7.34	0.02	0.08	0.55	749	400	0.21	0.03	19.25	0.08	8.77	1.8	7	1.55	6.3
K299255		7.07	0.04	0.02	1.02	2960	3610	0.41	0.03	16.60	0.13	16.65	2.2	8	2.56	4.4
K299256		6.20	0.05	0.03	1.28	2950	150	0.44	0.04	16.50	0.08	17.25	3.0	9	2.42	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152782

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299221		4.14	19.55	0.19	3.1	0.19	0.063	3.87	43.7	29.1	1.05	509	0.67	0.04	11.8	38.4
K299222		2.70	12.45	0.12	2.6	0.14	0.047	2.60	38.1	13.5	1.68	393	0.55	0.03	8.5	19.6
K299223		2.08	12.25	0.10	2.4	0.06	0.039	2.57	34.8	14.2	0.94	345	0.20	0.03	8.2	18.5
K299224		2.13	8.19	0.15	1.5	4.62	0.027	0.99	27.1	45.4	2.53	274	19.00	0.03	7.1	51.9
K299225		2.57	15.80	0.15	2.4	0.11	0.048	3.02	37.1	22.1	1.03	387	0.28	0.03	9.6	18.1
K299226		2.66	21.5	0.21	3.1	0.25	0.059	3.93	45.1	25.6	1.07	242	0.30	0.04	12.6	31.1
K299227		2.68	20.3	0.18	3.0	0.24	0.056	3.92	40.3	25.5	1.10	263	0.31	0.04	12.3	29.6
K299228		2.86	19.70	0.20	2.9	0.39	0.059	3.66	48.5	23.6	1.13	279	0.28	0.03	11.9	24.2
K299229		2.66	19.45	0.18	2.8	0.66	0.054	3.73	36.5	21.0	1.20	315	0.18	0.03	11.6	22.5
K299230		2.51	10.70	0.11	1.5	0.55	0.037	2.07	22.1	10.4	3.72	468	0.71	0.02	5.8	14.4
K299231		1.07	3.45	0.05	0.6	0.32	0.010	0.65	8.1	5.2	4.24	247	1.32	0.01	2.1	<0.2
K299232		0.99	3.55	0.06	0.8	1.03	0.013	0.75	8.2	5.5	3.39	221	0.99	0.01	2.3	5.1
K299233		0.83	3.37	0.07	0.6	0.74	0.013	0.72	9.5	5.5	2.57	173	1.11	0.01	2.1	4.2
K299234		1.40	2.49	<0.05	0.4	2.28	0.012	0.47	6.8	4.9	7.04	360	0.75	0.01	1.6	0.6
K299235		2.11	8.11	0.10	1.5	4.58	0.028	1.00	27.5	46.3	2.51	270	18.95	0.03	7.1	52.0
K299236		0.95	1.11	<0.05	<0.1	0.74	<0.005	0.21	3.9	2.9	11.45	642	0.39	0.01	0.8	<0.2
K299237		1.39	1.29	<0.05	0.1	2.23	0.005	0.25	4.0	3.2	11.45	630	0.44	0.02	0.9	1.1
K299238		1.18	1.36	<0.05	0.1	2.06	0.005	0.27	4.6	2.9	11.00	756	0.42	0.01	1.0	<0.2
K299239		1.05	1.18	<0.05	0.1	17.8	0.029	0.18	3.5	4.3	8.92	1260	0.48	0.01	0.7	<0.2
K299240		0.45	0.26	0.17	<0.1	0.03	<0.005	0.02	0.5	1.0	12.00	206	0.05	<0.01	0.2	<0.2
K299241		1.29	1.78	0.05	0.2	12.6	0.013	0.32	6.1	3.8	9.61	1210	0.41	0.01	1.2	<0.2
K299242		1.53	1.57	<0.05	0.3	12.3	0.019	0.29	4.9	4.3	10.30	979	0.42	0.02	1.1	<0.2
K299243		1.14	1.73	<0.05	0.4	5.06	0.018	0.34	5.2	4.6	10.35	880	0.43	0.02	1.2	<0.2
K299244		1.34	1.58	0.05	0.3	4.82	0.011	0.30	7.7	3.9	10.50	957	0.37	0.01	1.1	<0.2
K299245		1.18	1.63	0.05	0.3	3.80	0.010	0.30	5.7	4.3	10.85	857	0.51	0.02	1.2	<0.2
K299246		1.00	1.17	0.06	0.1	3.64	0.008	0.21	4.1	2.5	11.10	797	0.42	0.02	0.8	<0.2
K299247		1.25	4.52	0.07	0.6	5.68	0.015	0.87	10.3	10.5	9.79	580	1.52	0.02	2.8	6.8
K299248		0.60	2.40	0.10	0.2	1.76	0.007	0.44	7.2	5.0	10.60	864	1.88	0.01	1.5	2.3
K299249		0.42	2.51	0.18	0.3	1.81	0.008	0.46	7.7	5.6	10.70	239	2.11	0.02	1.6	1.8
K299250		0.84	5.55	0.13	1.1	0.93	0.016	1.12	12.9	18.5	8.90	187	1.52	0.02	3.7	5.8
K299251		0.54	3.29	0.08	0.8	0.62	0.009	0.64	9.2	10.2	9.66	161	1.19	0.02	2.3	2.7
K299252		0.59	3.40	0.12	0.7	0.69	0.012	0.65	9.5	9.1	10.05	198	2.19	0.02	2.3	3.6
K299253		0.48	0.38	0.23	<0.1	0.01	<0.005	0.02	0.5	1.0	12.30	209	0.07	<0.01	0.3	<0.2
K299254		0.40	1.49	0.22	0.2	0.65	0.005	0.26	5.5	3.6	11.40	234	0.33	0.01	1.0	<0.2
K299255		0.60	2.82	0.16	0.5	0.93	0.012	0.51	9.6	5.5	9.85	375	0.17	0.02	1.7	0.3
K299256		0.86	3.31	0.12	0.8	1.12	0.011	0.64	10.2	5.6	9.65	393	0.26	0.01	2.1	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152782

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299221		350	29.3	122.5	<0.002	1.03	0.92	12.0	2	2.3	101.0	0.85	0.06	13.2	0.347	1.09
K299222		390	15.9	112.5	<0.002	0.48	0.51	8.6	2	1.5	248	0.62	<0.05	10.7	0.258	0.63
K299223		460	12.3	111.0	<0.002	0.36	0.37	8.1	2	1.4	417	0.56	<0.05	9.9	0.236	0.63
K299224		910	38.3	52.4	0.022	1.54	105.5	6.2	5	2.4	74.3	0.42	0.19	6.2	0.169	3.97
K299225		320	14.1	132.5	<0.002	0.55	0.49	11.6	2	1.7	275	0.65	<0.05	11.5	0.291	0.74
K299226		270	18.8	159.0	<0.002	1.17	0.64	15.7	2	2.3	92.3	0.89	0.06	14.6	0.383	1.45
K299227		260	17.5	146.0	<0.002	1.17	0.62	14.5	2	2.2	94.1	0.87	0.05	13.3	0.382	1.35
K299228		330	13.0	153.0	<0.002	1.22	0.55	14.8	2	2.2	81.9	0.84	0.05	14.7	0.381	1.31
K299229		540	11.4	124.5	<0.002	1.14	0.59	13.1	2	2.1	127.0	0.83	0.05	11.7	0.362	1.60
K299230		640	10.0	80.5	<0.002	0.76	0.33	8.4	2	1.1	282	0.39	<0.05	7.0	0.174	1.06
K299231		500	8.0	25.5	0.002	0.46	0.25	2.6	3	0.4	624	0.15	<0.05	2.5	0.054	1.02
K299232		390	10.4	27.3	<0.002	0.53	0.31	2.6	3	0.5	685	0.16	<0.05	2.8	0.061	1.37
K299233		400	8.6	25.5	<0.002	0.59	0.29	2.9	4	0.5	952	0.15	<0.05	2.6	0.054	1.13
K299234		310	16.2	17.5	<0.002	1.20	1.20	1.9	3	0.4	512	0.11	<0.05	1.9	0.041	2.92
K299235		900	39.5	52.7	0.024	1.55	105.5	6.1	5	2.3	74.2	0.43	0.51	6.4	0.170	4.04
K299236		100	25.7	7.8	<0.002	0.43	0.78	0.9	2	0.2	135.0	0.05	<0.05	0.9	0.018	1.31
K299237		100	19.8	9.0	<0.002	1.07	2.61	1.1	2	0.2	116.5	0.06	<0.05	1.0	0.022	4.68
K299238		90	33.0	9.8	<0.002	0.70	2.33	1.1	2	0.2	138.5	0.06	<0.05	1.0	0.023	3.65
K299239		170	9.6	7.9	<0.002	2.26	31.2	1.0	2	0.2	96.3	<0.05	<0.05	0.7	0.015	34.8
K299240		200	1.6	1.1	<0.002	0.01	0.09	0.2	2	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	0.04
K299241		150	8.5	12.9	<0.002	1.18	16.10	1.2	3	0.3	115.0	0.08	<0.05	1.3	0.031	24.9
K299242		120	11.9	10.7	<0.002	1.71	23.0	1.2	3	0.3	97.9	0.08	<0.05	1.4	0.030	25.0
K299243		100	10.2	12.7	<0.002	1.37	21.3	1.3	2	0.2	88.3	0.08	<0.05	1.4	0.031	12.15
K299244		110	8.8	11.6	<0.002	0.97	13.90	1.1	3	0.2	102.0	0.08	<0.05	1.3	0.028	12.85
K299245		110	10.6	12.2	<0.002	0.90	9.44	1.2	3	0.2	84.9	0.08	<0.05	1.3	0.029	9.88
K299246		110	9.0	7.9	<0.002	0.73	8.27	0.9	3	0.2	92.8	0.05	<0.05	0.9	0.020	9.61
K299247		390	21.2	34.5	0.002	1.50	12.85	3.2	3	0.6	92.7	0.20	<0.05	3.4	0.076	15.00
K299248		340	11.8	17.5	0.005	0.64	3.13	1.8	3	0.3	100.0	0.10	<0.05	1.8	0.039	3.25
K299249		370	8.9	17.7	0.006	0.43	2.39	1.8	3	0.4	89.9	0.11	<0.05	2.0	0.042	2.40
K299250		480	9.5	42.9	0.003	0.66	0.46	3.9	3	0.7	90.4	0.25	<0.05	4.3	0.099	1.43
K299251		350	8.5	24.4	0.002	0.51	1.77	2.2	3	0.4	75.5	0.15	<0.05	2.6	0.059	1.26
K299252		530	9.5	26.1	0.004	0.62	6.13	2.3	3	0.4	100.0	0.16	<0.05	2.7	0.059	1.88
K299253		200	1.1	1.5	<0.002	0.01	0.05	0.4	2	<0.2	41.2	<0.05	<0.05	<0.2	<0.005	0.02
K299254		410	3.9	9.8	<0.002	0.42	1.48	1.0	2	0.2	95.7	0.07	<0.05	1.1	0.024	1.15
K299255		440	4.0	19.7	<0.002	0.70	3.36	1.9	2	0.4	121.0	0.12	<0.05	2.1	0.045	1.44
K299256		580	5.8	22.9	<0.002	0.86	4.67	2.1	2	0.4	110.5	0.15	<0.05	2.6	0.056	1.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152782

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299221		2.9	91	1.5	18.5	186	102.5	
K299222		2.7	60	1.1	18.6	372	88.2	
K299223		2.7	54	1.6	16.6	31	82.3	
K299224		8.6	228	27.0	21.9	210	62.7	
K299225		3.0	63	1.1	19.5	44	88.5	
K299226		2.3	92	1.5	20.3	27	110.0	
K299227		2.2	92	1.5	19.3	27	105.0	
K299228		2.5	90	1.6	21.5	62	105.0	
K299229		2.4	88	1.7	19.3	28	100.5	
K299230		10.0	56	1.1	16.5	20	57.1	
K299231		8.0	25	0.4	6.4	15	28.4	
K299232		9.3	24	0.8	6.1	15	30.2	
K299233		7.5	24	1.0	6.6	30	27.1	
K299234		10.9	17	1.0	5.3	204	20.9	
K299235		8.7	231	27.4	21.6	207	62.7	
K299236		10.1	11	0.6	2.9	10	8.0	
K299237		11.9	13	0.8	2.9	4	8.9	
K299238		11.2	12	0.7	3.4	11	11.1	
K299239		15.4	10	1.3	4.1	48	9.0	2.28
K299240		0.4	2	0.1	0.8	16	<0.5	
K299241		15.2	12	1.4	4.8	14	14.5	
K299242		13.0	12	1.1	3.3	4	16.1	1.305
K299243		12.5	12	1.2	3.4	4	17.4	1.160
K299244		11.3	11	1.2	4.1	10	14.6	
K299245		15.6	13	1.3	3.4	4	16.5	
K299246		13.8	13	1.0	2.7	8	9.1	
K299247		17.3	35	2.4	6.6	11	27.3	
K299248		15.4	42	1.5	5.3	4	14.8	
K299249		17.0	56	1.5	5.3	27	15.6	
K299250		9.7	50	1.1	8.9	11	44.7	
K299251		11.7	24	1.1	5.9	5	31.5	
K299252		14.8	26	1.4	6.7	24	29.6	
K299253		0.5	2	0.4	0.8	13	0.5	
K299254		8.7	23	0.7	4.3	12	10.9	
K299255		3.7	12	0.8	7.2	27	24.3	
K299256		6.3	15	1.2	7.5	10	32.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152782

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11156855

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 97- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156855

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298289		6.91	<0.01	0.07	8.15	5.4	280	2.01	0.30	8.12	0.05	87.4	12.1	55	14.45	29.9
K298290		7.38	<0.01	0.06	7.75	9.9	270	1.79	0.26	8.80	0.03	87.1	14.7	49	15.70	29.0
K298291		7.00	<0.01	0.04	6.99	6	220	1.58	0.23	12.70	0.02	78.5	9.8	41	14.95	24.6
K298292		3.80	<0.01	0.11	6.68	32.9	330	1.69	0.28	8.22	0.04	65.4	12.0	42	26.2	31.1
K298293		4.13	<0.01	0.10	8.18	27.4	280	1.98	0.33	7.18	0.04	75.9	13.0	56	33.0	20.6
K298294		2.62	<0.01	0.06	6.92	27.3	240	1.72	0.27	9.19	0.04	67.8	10.6	43	27.2	23.9
K298295		9.53	<0.01	0.07	6.54	21.7	250	1.72	0.22	9.96	0.03	66.7	9.3	42	26.3	36.5
K298296		6.90	0.01	<0.01	0.07	<5	20	0.06	0.02	21.1	0.07	1.36	1.0	1	0.18	1.3
K298297		9.57	<0.01	0.11	7.29	19	250	1.91	0.27	10.35	0.03	71.9	10.8	46	30.9	29.2
K298298		10.25	<0.01	0.08	4.41	43	200	1.23	0.15	16.20	0.06	46.6	6.6	31	18.35	21.3
K298299		10.44	0.01	0.06	3.50	24	150	0.87	0.10	19.35	0.05	37.1	5.6	24	14.10	21.5
K298300		10.06	0.01	0.09	3.66	26	260	0.89	0.12	19.40	0.06	39.7	8.7	25	14.10	10.2
K298301		10.89	<0.01	0.06	3.55	57	140	0.89	0.10	17.00	0.04	36.3	5.8	26	13.00	9.3
K298302		11.07	<0.01	0.07	4.23	19	180	0.98	0.13	19.35	0.06	42.2	5.6	31	16.40	13.3
K298303		10.82	<0.01	0.04	3.09	24	200	0.79	0.10	22.9	0.05	31.1	4.5	20	10.40	8.1
K298304		0.22	2.57	1.05	3.31	601	910	0.74	0.28	8.05	2.28	51.2	6.2	53	3.85	46.2
K298305		10.60	<0.01	0.04	2.85	27	140	0.66	0.08	24.3	0.04	30.1	5.1	18	9.63	7.7
K298306		11.20	<0.01	0.06	3.41	30	140	0.88	0.11	22.5	0.04	34.3	4.9	23	12.35	10.3
K298307		10.57	0.01	0.04	2.92	46	160	0.78	0.09	20.1	0.05	30.8	4.6	20	10.00	10.8
K298308		11.65	0.17	0.07	1.90	175	130	0.56	0.05	28.3	0.15	20.9	4.4	14	4.52	9.1
K298309		4.95	0.20	0.07	1.83	178	110	0.51	0.05	27.1	0.13	19.65	4.2	14	4.27	8.8
K298310		9.01	<0.01	0.06	0.85	38	190	0.28	0.02	32.1	0.26	11.95	1.8	7	2.03	5.5
K298311		10.50	0.02	0.06	0.78	31	60	0.24	0.02	35.3	0.27	11.35	1.5	6	1.85	4.8
K298312		6.91	<0.01	0.56	0.07	<5	20	<0.05	1.68	20.6	0.06	1.31	1.1	1	0.15	1.7
K298313		10.34	0.02	0.07	0.72	43	50	0.28	0.02	35.3	0.21	10.45	1.6	6	1.60	4.3
K298314		9.42	0.02	0.06	0.70	28	40	0.22	0.03	33.4	0.12	10.75	1.8	6	1.73	3.9
K298315		11.04	0.02	0.10	1.50	56	90	0.52	0.05	30.0	0.10	19.25	3.4	14	4.82	6.8
K298316		9.82	0.01	0.09	0.74	33	70	0.22	0.02	33.6	0.12	11.25	2.6	6	1.94	5.0
K298317		8.48	0.01	0.11	2.14	58	160	0.62	0.08	25.5	0.04	22.4	6.9	20	7.61	9.1
K298318		0.16	0.33	0.34	6.17	599	950	0.57	0.28	0.48	0.18	140.5	3.0	237	3.35	29.6
K298319		12.23	<0.01	0.07	3.73	61	190	1.00	0.14	20.7	0.07	36.2	5.9	32	13.35	17.5
K298320		10.80	<0.01	0.08	4.01	70	240	1.21	0.14	18.05	0.05	40.0	7.3	27	14.10	19.8
K298321		10.20	<0.01	0.07	3.02	56	200	0.92	0.11	21.0	0.05	29.8	5.1	23	9.76	10.4
K298322		10.44	0.01	0.04	4.21	81	220	1.24	0.15	14.60	0.08	41.6	6.1	32	13.20	16.1
K298323		5.00	<0.01	0.05	2.51	30	130	0.70	0.09	17.80	0.16	25.3	3.9	16	7.99	8.4
K298324		10.59	<0.01	0.05	0.69	21	100	0.20	0.02	26.7	0.19	9.54	2.4	6	1.66	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156855

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298289		3.77	18.80	0.14	2.6	0.02	0.067	2.69	41.4	80.5	1.22	528	0.53	0.11	10.6	29.1
K298290		3.59	18.25	0.14	2.5	0.02	0.057	2.61	41.1	94.6	1.18	560	0.49	0.12	10.2	30.3
K298291		3.56	15.65	0.12	2.4	0.02	0.049	2.30	37.1	81.1	1.14	584	0.42	0.13	9.2	22.6
K298292		3.47	15.90	0.12	2.3	0.09	0.067	3.15	32.1	26.4	2.13	725	0.60	0.05	9.1	27.6
K298293		4.38	19.65	0.16	2.9	0.06	0.063	3.89	37.5	31.1	2.29	812	0.43	0.06	11.4	30.9
K298294		3.57	16.30	0.14	2.6	0.06	0.058	3.28	33.3	25.2	2.53	632	0.34	0.05	9.6	26.0
K298295		3.56	15.90	0.13	2.6	0.07	0.058	3.08	32.3	23.1	2.80	634	0.48	0.05	9.6	24.2
K298296		0.48	0.23	<0.05	<0.1	<0.01	0.005	0.02	0.6	1.1	13.00	224	0.06	<0.01	0.3	1.7
K298297		3.11	17.45	0.12	3.0	0.10	0.061	3.43	35.8	26.6	2.59	505	0.97	0.05	10.4	26.7
K298298		2.05	10.15	0.07	1.9	0.07	0.037	2.11	22.9	13.7	3.17	440	0.48	0.04	6.7	16.4
K298299		1.92	7.77	0.09	1.5	0.03	0.029	1.62	17.9	11.0	4.18	474	0.41	0.03	5.0	13.8
K298300		1.97	8.44	0.08	1.6	0.05	0.033	1.69	18.8	11.8	4.33	412	0.46	0.04	5.3	16.7
K298301		2.21	7.82	0.09	1.7	0.04	0.026	1.63	17.6	11.6	4.62	456	0.49	0.03	5.2	13.1
K298302		1.57	9.67	0.09	1.7	0.03	0.028	1.94	20.8	13.4	3.00	325	0.39	0.04	6.0	14.2
K298303		1.30	6.85	0.07	1.3	0.03	0.024	1.42	15.1	9.5	3.77	333	0.32	0.03	4.4	10.6
K298304		2.08	7.59	0.09	1.7	4.76	0.029	0.97	28.3	46.5	2.58	279	17.40	0.04	7.3	55.7
K298305		1.38	6.33	0.07	1.2	0.05	0.019	1.32	14.9	8.9	2.68	441	0.73	0.03	4.2	11.4
K298306		1.29	7.63	0.06	1.4	0.05	0.026	1.58	17.0	10.9	2.49	324	0.42	0.03	4.9	11.1
K298307		1.69	6.74	0.07	1.2	0.05	0.025	1.36	14.8	10.9	5.23	507	0.28	0.03	4.5	10.3
K298308		1.15	4.42	0.07	0.8	0.36	0.016	0.88	10.9	6.5	2.45	451	1.70	0.02	3.0	11.7
K298309		1.16	4.16	0.06	0.8	0.37	0.014	0.84	10.5	6.1	2.52	453	1.66	0.02	2.9	11.7
K298310		0.62	1.89	0.05	0.3	0.13	0.007	0.39	6.6	2.8	1.12	185	2.48	0.01	1.4	5.6
K298311		0.46	1.76	0.05	0.3	0.16	0.006	0.36	6.4	3.0	0.89	131	2.01	0.01	1.4	3.5
K298312		0.45	0.26	0.06	<0.1	<0.01	<0.005	0.03	0.6	1.0	12.60	207	0.10	0.01	0.4	2.1
K298313		0.36	1.73	0.10	0.3	0.29	0.006	0.34	6.0	3.0	0.73	107	2.09	0.01	1.3	3.6
K298314		0.32	1.78	<0.05	0.3	0.24	0.005	0.33	6.2	2.8	0.56	100	1.05	0.01	1.3	<0.2
K298315		0.69	3.75	<0.05	0.6	0.28	0.012	0.73	10.0	6.9	1.02	150	1.46	0.01	2.7	3.9
K298316		0.38	1.80	<0.05	0.3	0.2	0.006	0.35	6.3	2.8	0.68	158	0.99	0.01	1.4	1.4
K298317		1.07	5.23	<0.05	0.9	0.29	0.015	1.05	11.4	7.1	2.23	219	0.76	0.02	3.4	11.9
K298318		6.59	20.9	0.19	3.9	9.5	0.048	1.33	62.1	15.7	0.12	36	6.39	0.37	10.1	16.2
K298319		1.13	9.27	<0.05	1.5	0.4	0.027	1.85	18.2	11.7	2.66	232	0.47	0.03	5.9	11.5
K298320		1.51	10.00	<0.05	1.8	0.33	0.033	1.99	20.1	12.6	4.11	318	0.52	0.03	6.4	11.0
K298321		1.07	7.26	<0.05	1.3	0.26	0.023	1.50	14.9	9.4	2.72	282	0.49	0.02	4.7	7.7
K298322		1.40	10.80	<0.05	1.7	0.29	0.032	2.07	20.5	14.5	3.65	390	0.34	0.03	6.6	9.8
K298323		1.06	6.39	<0.05	1.1	0.14	0.020	1.26	12.7	8.7	6.76	259	0.30	0.03	4.1	5.6
K298324		0.70	1.69	<0.05	0.3	0.10	0.006	0.34	5.0	3.3	6.13	209	0.49	0.02	1.3	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156855

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298289		410	14.8	128.0	<0.002	0.23	0.25	13.9	1	2.1	286	0.80	0.05	14.3	0.350	0.64
K298290		360	23.3	129.0	<0.002	0.46	0.41	12.8	1	2.0	321	0.75	0.05	13.0	0.323	0.65
K298291		380	14.5	110.5	<0.002	0.25	0.21	11.1	1	1.8	445	0.68	<0.05	11.9	0.301	0.52
K298292		970	11.8	135.0	<0.002	0.20	0.36	12.3	1	1.9	283	0.65	0.07	10.8	0.280	0.95
K298293		760	13.4	172.0	<0.002	0.25	0.42	14.1	1	2.3	250	0.79	0.08	12.7	0.358	0.91
K298294		670	13.8	143.5	<0.002	0.09	0.38	12.7	1	1.9	285	0.69	0.07	10.9	0.303	0.75
K298295		990	10.1	135.0	<0.002	0.06	0.34	12.2	1	1.8	275	0.68	0.06	11.0	0.281	0.77
K298296		190	1.3	1.3	<0.002	0.01	<0.05	0.2	1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	<0.02
K298297		830	11.4	154.0	<0.002	0.14	0.42	13.1	2	2.1	354	0.76	0.07	12.2	0.321	0.91
K298298		600	8.5	88.9	<0.002	0.06	0.34	7.7	1	1.3	527	0.46	<0.05	7.4	0.193	0.56
K298299		580	6.5	66.5	0.002	0.07	0.21	5.9	1	0.9	606	0.35	<0.05	5.6	0.146	0.41
K298300		730	9.2	68.1	<0.002	0.13	0.39	6.1	2	1.0	537	0.36	<0.05	6.0	0.152	0.55
K298301		520	8.3	64.2	<0.002	0.12	0.28	5.8	1	1.0	455	0.37	0.05	6.1	0.150	0.44
K298302		800	8.1	79.4	<0.002	0.10	0.51	7.0	1	1.2	638	0.42	0.05	6.9	0.178	0.58
K298303		540	5.6	57.4	<0.002	0.11	0.20	5.2	1	0.8	569	0.30	<0.05	4.9	0.129	0.59
K298304		920	38.0	51.6	0.023	1.63	105.0	5.3	4	2.4	74.2	0.45	0.20	6.8	0.175	4.13
K298305		560	6.4	52.0	0.002	0.19	0.43	4.9	2	0.8	927	0.28	<0.05	4.7	0.119	0.60
K298306		540	6.6	64.0	<0.002	0.14	0.24	5.9	1	0.9	664	0.34	<0.05	5.4	0.143	0.56
K298307		480	6.3	54.8	<0.002	0.15	0.24	5.0	1	0.8	583	0.30	<0.05	4.8	0.123	0.45
K298308		680	13.6	31.8	0.005	0.23	1.10	3.0	2	0.6	1210	0.20	<0.05	3.4	0.079	1.65
K298309		700	13.2	29.5	0.005	0.22	1.13	2.8	2	0.5	1150	0.19	<0.05	3.3	0.074	1.66
K298310		490	15.7	13.0	0.004	0.16	0.31	1.3	2	0.3	1480	0.09	<0.05	1.6	0.035	0.75
K298311		410	17.4	12.3	0.002	0.12	0.30	1.3	2	0.2	3170	0.08	<0.05	1.4	0.031	0.74
K298312		190	29.4	1.3	<0.002	0.01	<0.05	0.2	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	0.02
K298313		440	16.5	11.5	0.002	0.16	0.45	1.2	2	0.2	3300	0.08	<0.05	1.4	0.030	0.97
K298314		350	9.8	12.5	<0.002	0.14	0.44	1.4	2	0.3	2950	0.08	<0.05	1.5	0.029	0.75
K298315		390	11.6	27.9	0.002	0.38	0.49	2.7	2	0.5	1810	0.17	<0.05	3.5	0.063	1.33
K298316		330	6.9	12.6	0.002	0.18	0.34	1.4	2	0.3	2300	0.08	<0.05	1.6	0.031	1.04
K298317		410	8.2	42.2	<0.002	0.56	0.44	3.7	2	0.7	826	0.22	<0.05	4.0	0.091	1.54
K298318		900	14.8	47.4	0.003	2.99	116.0	16.4	2	3.0	497	0.75	0.13	9.7	0.537	8.21
K298319		520	7.1	76.3	<0.002	0.33	0.43	6.9	2	1.1	731	0.38	<0.05	6.6	0.162	0.94
K298320		610	7.1	79.6	<0.002	0.49	0.35	7.0	2	1.3	511	0.42	<0.05	7.4	0.176	1.18
K298321		440	5.9	59.7	<0.002	0.39	0.31	5.4	1	0.9	1050	0.31	<0.05	5.5	0.133	1.17
K298322		550	5.4	82.3	<0.002	0.40	0.40	7.6	2	1.4	360	0.46	<0.05	8.0	0.181	1.21
K298323		450	3.8	51.7	<0.002	0.22	0.22	4.6	1	0.8	305	0.26	<0.05	4.6	0.109	0.53
K298324		370	3.0	12.0	<0.002	0.11	0.14	1.2	2	0.2	1040	0.08	<0.05	1.4	0.030	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156855

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298289		3.0	70	1.4	19.8	102	91.2
K298290		3.1	64	1.4	19.5	70	88.6
K298291		2.7	59	1.3	18.7	67	82.5
K298292		4.6	85	1.6	25.4	48	85.6
K298293		4.5	107	1.6	24.4	56	105.5
K298294		5.2	92	1.3	22.8	46	92.3
K298295		6.0	88	1.3	23.5	41	94.9
K298296		0.7	3	0.1	0.9	20	<0.5
K298297		12.1	97	1.4	22.8	40	102.5
K298298		7.9	59	0.9	14.6	29	69.7
K298299		7.7	47	0.7	12.4	24	54.3
K298300		7.9	50	0.7	13.9	24	59.4
K298301		7.4	50	0.7	11.9	24	60.6
K298302		9.3	53	0.8	13.6	23	65.1
K298303		7.8	40	0.6	10.6	17	48.0
K298304		9.2	229	29.2	21.3	220	67.0
K298305		12.7	40	0.6	11.0	17	44.8
K298306		8.7	45	0.6	11.4	18	53.3
K298307		6.1	39	0.8	11.2	19	48.3
K298308		16.6	31	1.2	8.9	82	32.0
K298309		16.8	30	1.2	8.6	64	30.3
K298310		14.9	28	0.3	4.7	142	12.9
K298311		16.2	25	0.4	4.5	129	12.2
K298312		0.6	3	0.1	0.9	17	<0.5
K298313		17.1	24	0.7	4.3	96	11.5
K298314		17.9	22	0.7	4.3	48	10.4
K298315		17.0	33	1.2	6.5	42	21.7
K298316		16.5	18	0.6	4.5	30	11.0
K298317		18.0	35	1.0	7.9	15	32.3
K298318		7.5	169	23.7	14.9	43	158.0
K298319		9.6	51	1.2	11.6	32	55.6
K298320		12.3	54	1.3	12.9	19	65.4
K298321		9.5	41	1.4	10.1	13	46.3
K298322		6.3	57	2.1	13.3	20	64.2
K298323		5.6	33	0.8	8.0	13	41.5
K298324		8.8	14	0.3	3.8	12	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156855

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

CERTIFICATE WH11152442

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 98- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152442

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298937		11.52	0.09	0.07	4.70	224	190	1.34	0.18	11.00	0.04	44.8	8.4	33	16.80	12.3
K298938		12.29	0.01	0.02	0.50	47	60	0.22	0.02	19.55	0.06	6.22	3.1	4	1.32	8.0
K298939		11.35	0.06	0.01	7.25	471	350	2.72	0.26	5.33	0.02	57.6	8.7	57	34.2	14.8
K298940		10.00	<0.01	0.03	8.78	135.0	410	3.25	0.42	1.27	<0.02	87.0	15.0	69	46.9	32.9
K298941		10.36	0.03	0.02	8.41	168.5	360	3.35	0.38	1.72	<0.02	80.2	13.9	67	50.5	34.3
K298942		9.12	0.01	0.02	8.59	56.0	380	2.87	0.37	1.36	<0.02	86.5	13.2	66	56.5	30.4
K298943		10.78	<0.01	0.15	7.23	97.5	330	2.24	0.32	4.57	0.06	80.5	29.9	56	40.7	43.7
K298944		6.89	<0.01	0.01	0.09	<5	20	0.05	0.03	20.7	0.06	1.47	1.2	<1	0.26	1.9
K298945		8.61	0.01	0.09	7.37	180.5	380	2.54	0.32	4.58	0.04	84.1	23.6	56	37.7	52.1
K298946		9.74	<0.01	<0.01	7.72	176.0	400	2.79	0.36	4.50	0.04	84.0	8.7	60	44.1	30.7
K298947		10.28	<0.01	<0.01	7.86	47.0	420	2.85	0.38	2.17	0.02	68.8	17.7	70	48.3	48.6
K298948		11.48	<0.01	<0.01	7.69	54.1	360	2.94	0.39	2.91	0.05	71.0	10.3	71	48.6	24.2
K298949		12.06	0.32	0.02	6.07	340	250	2.47	0.21	5.97	0.47	72.9	18.2	46	25.5	23.0
K298950		0.22	2.68	1.02	3.06	569	820	0.77	0.30	7.60	2.13	45.5	6.5	50	3.67	41.9
K298951		10.68	0.01	0.02	5.51	47.2	250	2.01	0.18	8.07	0.46	65.3	9.2	40	24.4	14.1
K298952		10.56	0.01	0.03	6.64	161.0	300	2.88	0.30	4.81	0.20	72.1	23.4	48	32.9	117.5
K298953		10.95	0.02	0.04	1.15	100	80	0.64	0.04	16.55	0.08	17.70	4.3	9	4.57	7.9
K298954		9.72	0.16	0.03	0.73	1890	50	0.32	0.02	18.45	0.09	10.45	2.6	4	1.43	5.4
K298955		0.22	0.33	0.32	6.01	589	390	0.75	0.29	0.45	0.17	134.0	2.8	232	3.50	30.0
K298956		11.55	0.06	0.01	0.43	151	40	0.23	0.02	19.35	0.02	8.41	2.1	3	0.66	4.4
K298957		11.41	0.10	0.01	0.62	757	70	0.30	0.02	18.80	0.16	9.93	2.5	4	1.13	5.0
K298958		10.57	0.05	0.02	0.57	1540	40	0.30	0.02	18.95	0.02	10.40	2.1	4	1.20	17.5
K298959		10.74	0.06	0.02	0.61	775	80	0.31	0.02	17.90	0.18	11.55	2.0	5	1.08	4.0
K298960		10.52	0.09	0.02	0.78	457	140	0.31	0.02	16.85	0.10	13.95	2.0	6	1.48	4.2
K298961		11.16	0.12	0.01	0.86	274	90	0.37	0.03	16.35	0.13	15.95	1.8	5	1.93	5.6
K298962		9.46	0.25	0.02	1.00	>10000	140	0.37	0.03	14.60	0.32	16.65	2.1	9	1.69	5.7
K298963		4.81	0.08	0.02	0.66	4820	500	0.50	0.02	19.00	0.13	12.25	1.4	5	1.42	4.7
K298964		5.31	0.32	0.01	0.42	>10000	410	0.76	0.01	20.2	0.09	9.79	1.3	5	0.85	3.1
K298965		5.20	0.50	0.01	0.52	>10000	70	0.23	0.01	17.35	0.10	12.60	1.0	5	0.97	3.3
K298966		4.28	0.87	0.03	0.38	>10000	50	0.18	0.02	18.10	0.08	8.10	1.0	5	0.95	2.5
K298967		4.40	0.32	0.07	0.58	>10000	200	0.31	0.02	18.15	0.08	7.09	1.0	7	1.45	7.3
K298968		4.85	0.66	0.05	0.73	>10000	110	0.27	0.02	19.40	0.22	9.84	1.4	6	1.30	5.4
K298969		6.03	0.22	0.01	0.50	6450	50	0.25	0.02	20.0	0.05	7.82	1.4	4	1.00	2.7
K298970		6.80	<0.01	<0.01	0.06	23	10	0.05	0.02	20.0	0.05	1.19	1.1	<1	0.13	1.6
K298971		6.29	0.18	0.02	0.46	3580	30	0.23	0.02	19.70	0.03	7.58	1.4	3	1.04	7.4
K298972		2.34	0.14	0.02	0.42	3830	30	0.22	0.02	19.25	0.03	7.43	1.4	3	0.96	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152442

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298937		2.13	11.20	0.09	2.1	0.27	0.034	2.44	23.7	10.9	3.10	385	0.46	0.01	6.8	16.8
K298938		2.33	1.20	0.06	0.3	0.12	0.005	0.25	3.1	2.5	9.84	499	0.12	<0.01	0.8	4.0
K298939		2.42	19.70	0.11	3.3	0.54	0.067	4.01	29.8	26.1	2.13	247	0.26	0.03	11.5	23.7
K298940		2.87	23.6	0.17	3.7	0.59	0.074	4.61	44.6	29.5	1.17	157	0.64	0.03	13.1	35.3
K298941		3.01	22.3	0.16	3.5	0.73	0.073	4.41	40.6	30.6	1.31	163	0.47	0.03	12.6	34.7
K298942		3.08	22.0	0.16	3.3	0.50	0.072	4.46	44.1	28.6	1.17	141	0.57	0.03	12.3	35.3
K298943		3.41	17.70	0.18	3.1	0.65	0.075	3.75	39.6	24.2	2.36	289	1.23	0.03	10.7	38.6
K298944		0.42	0.27	<0.05	<0.1	<0.01	<0.005	0.04	0.7	1.5	13.10	181	0.18	<0.01	0.3	0.8
K298945		3.17	18.60	0.15	3.1	0.50	0.071	3.81	43.1	25.2	2.36	357	0.55	0.03	10.4	33.8
K298946		3.54	19.90	0.16	3.2	0.46	0.076	3.93	42.6	28.0	2.26	469	0.32	0.02	11.2	28.4
K298947		3.22	22.5	0.15	3.3	0.37	0.075	4.38	33.3	35.0	1.44	299	0.49	0.02	12.5	41.9
K298948		3.05	20.7	0.16	3.4	0.54	0.070	4.25	35.2	36.3	1.87	282	0.25	0.02	11.8	33.5
K298949		5.77	14.80	0.17	2.9	1.62	0.054	3.17	36.3	24.4	3.30	389	0.42	0.02	9.7	30.3
K298950		1.98	6.95	0.11	1.7	4.51	0.025	0.94	26.8	44.9	2.47	255	17.50	0.01	6.4	51.6
K298951		3.65	13.00	0.15	2.6	0.44	0.051	2.88	32.2	23.8	4.27	574	0.32	0.02	8.5	20.7
K298952		5.00	16.20	0.15	3.1	3.69	0.059	3.44	37.7	33.0	2.90	249	1.45	0.02	10.2	42.3
K298953		1.64	2.85	0.05	0.6	0.74	0.009	0.58	9.0	9.9	9.44	698	12.60	<0.01	1.8	7.3
K298954		0.67	1.83	<0.05	0.5	2.09	0.007	0.35	5.4	4.4	11.35	842	4.30	<0.01	1.2	2.3
K298955		6.55	18.80	0.18	4.2	9.6	0.047	1.29	61.9	23.2	0.13	35	6.37	0.35	9.5	17.1
K298956		0.85	1.10	<0.05	0.3	0.63	<0.005	0.20	4.0	3.0	11.85	808	0.34	<0.01	0.8	1.3
K298957		0.89	1.62	0.05	0.5	1.72	0.007	0.30	5.1	4.3	11.50	868	1.60	<0.01	1.1	2.3
K298958		0.69	1.42	<0.05	0.4	1.20	0.006	0.27	5.2	3.8	11.55	748	8.37	<0.01	1.0	1.4
K298959		0.58	1.59	0.05	0.5	1.31	0.005	0.29	5.9	4.5	10.90	623	2.64	<0.01	1.0	1.8
K298960		0.77	1.87	0.06	0.8	1.82	0.005	0.38	6.9	5.2	10.15	559	0.84	<0.01	1.3	2.5
K298961		0.62	2.09	0.05	0.9	2.35	0.007	0.43	7.9	5.8	9.80	605	0.38	<0.01	1.4	1.9
K298962		0.71	2.45	0.07	0.9	8.2	0.025	0.46	8.5	6.0	8.88	1080	0.49	<0.01	1.6	2.9
K298963		0.40	1.64	0.06	0.8	4.76	0.009	0.31	7.4	4.3	10.15	760	0.21	<0.01	1.1	1.8
K298964		0.35	1.16	0.06	0.3	8.1	0.018	0.19	5.8	2.9	9.12	1240	0.20	<0.01	0.8	1.2
K298965		0.74	1.49	<0.05	0.3	22.7	0.038	0.23	6.7	3.2	10.60	3320	0.34	<0.01	0.8	1.2
K298966		0.47	1.16	<0.05	0.1	11.0	0.029	0.17	4.6	3.0	11.10	2800	0.20	<0.01	0.6	0.8
K298967		0.37	1.62	<0.05	0.2	4.18	0.020	0.27	4.1	4.1	11.15	2710	0.22	<0.01	0.9	0.7
K298968		0.69	1.84	0.05	0.4	5.97	0.015	0.33	5.3	4.1	11.85	1440	0.17	<0.01	1.1	1.6
K298969		0.62	1.31	<0.05	0.2	5.04	0.007	0.22	4.3	3.4	12.15	1000	0.10	<0.01	0.8	1.6
K298970		0.40	0.24	0.06	<0.1	0.02	<0.005	0.03	0.5	1.1	12.70	182	0.05	<0.01	0.2	1.0
K298971		0.67	1.23	0.08	0.2	3.70	0.010	0.20	4.4	3.0	11.85	874	0.11	0.02	0.9	<0.2
K298972		0.70	1.13	0.09	0.2	3.19	0.011	0.18	4.3	2.6	11.65	786	0.10	0.02	0.8	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152442

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298937		740	7.2	92.8	<0.002	0.16	0.28	9.7	1	1.4	280	0.55	0.05	8.8	0.217	0.99
K298938		280	1.6	10.8	<0.002	0.01	0.06	1.1	2	0.2	150.0	0.06	<0.05	1.1	0.022	0.10
K298939		590	8.7	137.0	<0.002	0.54	0.43	14.5	2	2.4	108.5	0.94	0.05	11.1	0.366	2.42
K298940		470	13.5	207	<0.002	1.31	0.52	20.4	2	2.7	71.6	1.06	0.10	17.6	0.423	2.47
K298941		460	14.0	189.0	<0.002	1.40	0.55	19.3	2	2.5	80.2	1.01	0.08	16.0	0.406	2.81
K298942		370	11.8	204	<0.002	1.51	0.49	18.8	2	2.5	78.6	0.99	0.09	16.4	0.401	2.36
K298943		1400	23.7	169.5	0.003	1.77	1.17	16.1	2	2.1	94.2	0.85	0.08	14.6	0.338	2.96
K298944		260	1.3	2.0	<0.002	<0.01	<0.05	0.4	2	<0.2	50.3	<0.05	<0.05	<0.2	<0.005	0.02
K298945		1190	18.4	168.5	0.003	1.57	1.11	16.8	2	2.7	108.0	0.87	0.11	15.9	0.339	4.24
K298946		1900	6.6	158.5	<0.002	1.86	0.60	18.7	2	2.5	112.5	0.95	0.16	15.1	0.379	5.81
K298947		1740	11.0	141.5	<0.002	1.51	0.70	19.4	2	2.7	85.5	1.02	0.17	13.0	0.430	6.84
K298948		1670	12.7	139.0	<0.002	1.76	0.61	18.7	2	2.5	80.2	1.00	0.14	13.6	0.420	5.62
K298949		2500	18.9	137.0	<0.002	5.71	1.24	13.4	2	1.9	103.0	0.79	0.06	12.9	0.312	7.73
K298950		860	37.6	55.8	0.021	1.51	98.1	5.6	4	2.2	68.3	0.46	0.19	7.0	0.164	3.86
K298951		2160	14.2	120.5	<0.002	2.78	0.99	11.9	1	1.7	125.5	0.69	0.05	11.7	0.291	4.10
K298952		1610	23.0	147.5	<0.002	4.96	0.94	14.5	2	3.6	83.3	0.83	0.05	14.1	0.332	3.61
K298953		2520	11.6	24.0	<0.002	1.30	0.82	2.5	2	0.4	93.1	0.13	<0.05	2.5	0.050	2.74
K298954		750	6.1	13.9	<0.002	0.22	1.65	1.5	2	0.3	81.4	0.09	<0.05	1.8	0.033	4.44
K298955		910	18.0	55.4	0.003	2.99	112.5	18.3	2	2.9	478	0.79	0.15	10.7	0.536	7.78
K298956		660	2.8	7.7	<0.002	0.45	0.40	1.0	2	0.2	75.2	0.06	<0.05	1.2	0.019	1.54
K298957		740	4.6	11.5	<0.002	0.50	0.85	1.3	3	0.3	76.2	0.08	<0.05	1.5	0.028	4.08
K298958		720	4.6	10.6	<0.002	0.33	1.47	1.3	2	2.2	76.7	0.07	<0.05	1.5	0.027	3.45
K298959		930	6.6	11.3	<0.002	0.10	0.80	1.3	2	0.2	74.2	0.07	<0.05	1.6	0.027	3.05
K298960		760	4.0	13.7	<0.002	0.24	0.77	1.5	2	0.3	72.6	0.10	<0.05	2.1	0.036	3.51
K298961		770	4.7	15.9	<0.002	0.08	0.51	1.7	2	0.3	75.5	0.11	<0.05	2.5	0.038	2.44
K298962		1190	10.5	18.0	<0.002	1.32	8.47	1.8	2	0.3	111.0	0.12	<0.05	2.8	0.042	10.45
K298963		560	4.6	12.1	<0.002	0.39	2.46	1.4	2	0.2	131.0	0.09	<0.05	1.7	0.030	13.90
K298964		590	4.4	7.9	<0.002	1.37	11.10	1.1	2	0.2	125.0	0.06	<0.05	1.1	0.018	15.90
K298965		530	5.1	9.4	<0.002	2.79	15.90	1.1	2	0.4	133.0	0.06	<0.05	1.2	0.021	42.9
K298966		140	3.1	7.3	<0.002	1.95	11.55	0.9	2	0.3	77.5	<0.05	<0.05	0.8	0.014	31.3
K298967		200	3.7	11.4	<0.002	1.20	5.15	1.1	2	0.3	73.6	0.07	<0.05	1.2	0.023	13.70
K298968		200	5.7	13.7	<0.002	0.83	4.22	1.3	2	0.4	96.4	0.08	<0.05	1.6	0.030	15.15
K298969		120	3.4	9.2	<0.002	0.55	4.11	1.1	2	0.2	73.5	0.06	<0.05	1.1	0.021	10.80
K298970		180	1.2	1.2	<0.002	<0.01	<0.05	0.3	2	<0.2	44.3	<0.05	<0.05	<0.2	<0.005	0.04
K298971		90	3.3	7.8	<0.002	0.45	2.03	0.9	2	1.2	78.0	0.06	<0.05	0.9	0.019	10.50
K298972		80	3.1	7.1	<0.002	0.48	1.99	0.9	2	0.4	75.0	0.05	<0.05	0.8	0.017	8.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152442

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298937		6.7	64	2.7	14.5	22	75.8	
K298938		2.0	8	0.4	3.0	28	9.5	
K298939		3.5	105	4.0	19.5	28	112.0	
K298940		3.3	122	3.5	24.3	32	128.5	
K298941		3.3	115	4.0	25.0	35	122.0	
K298942		3.3	114	3.0	22.8	33	114.5	
K298943		7.3	100	1.7	32.1	32	107.0	
K298944		0.5	3	0.1	1.0	16	0.5	
K298945		4.6	95	4.3	27.7	33	108.0	
K298946		4.6	103	6.1	30.7	36	107.0	
K298947		3.4	118	2.6	26.5	36	114.0	
K298948		3.3	115	2.5	25.5	45	112.0	
K298949		4.0	81	6.1	29.5	62	97.5	
K298950		8.5	222	26.8	20.3	203	60.6	
K298951		3.4	81	1.9	27.8	73	93.6	
K298952		4.5	83	3.0	24.7	68	106.0	
K298953		5.0	17	0.9	10.8	16	23.4	
K298954		5.6	13	0.9	4.8	41	19.1	
K298955		7.7	165	22.2	15.4	43	163.5	
K298956		5.1	9	0.4	4.0	11	12.3	
K298957		6.6	10	0.6	4.7	56	16.5	
K298958		6.3	9	0.6	5.1	14	16.4	
K298959		5.2	11	0.6	6.3	37	18.2	
K298960		5.8	13	0.8	6.7	39	28.2	
K298961		4.0	13	0.7	7.5	37	34.4	
K298962		5.5	16	1.0	9.3	91	33.8	2.18
K298963		9.3	15	1.4	7.8	39	27.5	
K298964		8.9	12	1.6	6.1	28	11.5	1.950
K298965		16.5	14	0.9	4.1	22	10.7	4.36
K298966		18.0	13	0.7	2.7	35	5.9	3.38
K298967		23.0	17	1.3	3.0	25	9.1	1.970
K298968		12.7	16	1.0	3.1	64	13.6	0.962
K298969		9.6	12	0.8	2.5	19	8.6	
K298970		0.7	3	0.1	0.8	14	<0.5	
K298971		11.2	10	0.7	2.5	11	8.5	
K298972		10.6	9	0.6	2.4	8	7.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152442

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

CERTIFICATE WH11152784

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 99- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152784

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299906		7.84	<0.01	0.09	5.58	218	190	1.41	0.22	2.93	0.05	57.4	17.6	55	19.30	41.6
K299907		8.00	0.04	0.10	6.22	643	220	1.62	0.24	2.76	0.07	61.7	20.2	59	24.6	49.9
K299908		7.95	<0.01	0.08	6.90	32.9	230	1.91	0.27	2.67	0.03	68.5	17.4	65	29.0	54.1
K299909		8.50	<0.01	0.09	7.01	32.6	210	1.92	0.27	1.24	0.03	68.5	19.6	79	39.0	56.5
K299910		7.46	<0.01	0.08	7.42	129.0	290	1.86	0.30	1.47	0.03	71.8	21.5	67	33.9	54.9
K299911		7.26	0.12	0.07	7.65	620	370	2.01	0.31	1.82	0.06	78.8	23.0	68	27.7	52.6
K299912		8.52	0.13	0.10	8.00	883	290	2.35	0.34	2.03	0.14	69.2	28.9	69	29.8	53.7
K299913		8.07	0.01	0.09	6.84	261	250	2.14	0.29	1.36	0.14	64.8	20.9	62	29.5	46.0
K299914		6.71	<0.01	0.08	1.07	88.0	250	0.24	0.06	3.63	0.02	14.80	3.8	26	3.35	8.5
K299915		8.83	0.04	0.07	4.31	468	590	1.07	0.16	3.34	0.08	41.7	13.4	43	15.15	34.5
K299916		7.87	0.01	0.09	6.29	150.5	210	1.74	0.24	2.66	0.12	59.1	19.0	65	34.3	53.0
K299917		6.88	<0.01	0.09	6.60	30.2	200	1.70	0.24	2.18	0.19	62.4	22.7	75	31.0	58.5
K299918		0.25	0.33	0.33	6.24	612	690	0.57	0.27	0.46	0.18	139.5	3.2	227	3.56	29.3
K299919		7.64	<0.01	0.10	6.53	28.6	200	1.58	0.24	2.48	0.09	61.8	24.1	74	27.5	55.7
K299920		8.69	<0.01	0.11	6.77	35.6	190	1.89	0.26	2.33	0.10	73.2	22.9	76	34.9	60.1
K299921		8.44	<0.01	0.08	5.82	47.5	190	1.55	0.22	2.41	0.08	63.8	19.0	64	38.2	50.8
K299922		4.90	<0.01	0.01	0.09	<5	20	0.07	0.02	21.8	0.06	1.55	1.3	<1	0.35	1.9
K299923		8.28	<0.01	0.08	6.49	35.0	200	1.71	0.25	2.64	0.10	71.5	21.9	74	36.2	57.1
K299924		8.16	<0.01	0.09	6.19	36.3	190	1.67	0.24	4.90	0.08	67.0	20.3	60	36.9	52.1
K299925		7.94	<0.01	0.10	6.73	45.5	210	1.75	0.25	2.44	0.08	72.7	19.7	73	37.5	57.1
K299926		8.76	<0.01	0.09	6.94	58.4	340	1.82	0.26	2.44	0.16	75.8	20.5	68	30.6	61.2
K299927		3.35	<0.01	0.12	7.22	62.7	370	1.55	0.26	2.50	0.11	75.6	23.0	67	30.4	62.4
K299928		7.69	<0.01	0.09	5.75	104.5	170	1.45	0.22	3.22	0.13	62.1	18.4	60	34.1	50.3
K299929		8.35	<0.01	0.11	6.98	48.6	190	1.68	0.27	2.48	0.12	73.5	21.9	71	48.9	58.6
K299930		5.01	0.01	0.12	6.90	26.7	1410	1.04	0.17	5.09	0.26	48.2	33.6	65	9.98	161.0
K299931		6.37	<0.01	0.15	7.35	5.2	260	1.09	0.18	4.22	0.24	50.1	35.1	69	13.40	173.0
K299932		0.26	2.68	1.05	3.36	621	880	0.69	0.31	8.41	2.07	50.6	7.1	49	4.21	43.6
K299933		5.61	0.02	0.15	7.09	178.5	710	1.33	0.21	5.09	0.26	56.5	31.8	72	19.55	141.5
K299934		10.56	<0.01	0.10	6.36	4.6	380	0.93	0.15	6.17	0.21	46.1	30.5	58	14.60	140.0
K299935		9.66	0.01	0.11	6.91	26.7	880	1.06	0.16	5.03	0.17	49.5	32.2	63	16.25	144.0
K299936		10.10	<0.01	0.10	6.72	3.2	310	0.94	0.15	5.95	0.19	45.4	31.5	65	14.30	136.5
K299937		10.01	<0.01	0.09	6.32	25.5	280	1.00	0.16	5.26	0.19	45.7	29.7	60	16.65	131.0
K299938		8.70	0.02	0.14	6.73	1010	390	1.13	0.20	4.83	0.28	51.7	30.6	72	16.30	153.0
K299939		4.92	<0.01	0.06	0.11	<5	10	0.06	0.08	21.4	0.07	1.45	1.3	1	0.24	9.7
K299940		7.44	<0.01	0.13	7.47	10.4	530	1.08	0.19	4.13	0.24	49.3	34.8	73	13.40	180.5
K299941		11.04	<0.01	0.13	7.07	10.6	500	0.91	0.18	4.41	0.25	46.3	36.0	69	13.05	180.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152784

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299906		4.53	15.40	0.15	2.6	0.36	0.060	2.48	27.0	24.7	1.53	584	0.26	0.01	10.0	31.2
K299907		4.91	16.85	0.18	2.7	0.85	0.062	2.76	28.9	26.7	1.56	621	0.34	0.01	10.5	34.6
K299908		5.08	19.20	0.19	2.9	0.25	0.072	3.05	31.8	34.2	2.04	650	0.30	0.01	12.2	34.8
K299909		5.14	19.70	0.21	3.0	0.25	0.070	3.11	32.2	45.5	1.72	393	0.30	0.01	11.7	37.8
K299910		6.01	21.2	0.23	3.2	0.45	0.077	3.28	33.5	37.1	1.08	421	0.25	0.01	13.0	39.5
K299911		5.59	22.0	0.23	3.3	0.75	0.078	3.45	36.3	18.4	1.29	455	0.23	0.01	13.8	41.4
K299912		5.52	22.4	0.21	2.9	1.31	0.079	3.67	32.3	15.3	1.48	437	2.05	0.01	12.1	42.4
K299913		5.14	20.2	0.20	2.8	1.01	0.074	3.15	32.2	17.6	1.00	454	1.13	0.01	10.6	39.0
K299914		2.59	2.55	0.09	0.7	0.20	0.012	0.39	7.0	15.7	1.30	1160	0.26	<0.01	1.7	6.7
K299915		3.93	11.65	0.15	1.8	0.70	0.042	1.90	19.6	19.1	1.58	897	0.54	<0.01	7.3	23.9
K299916		4.97	17.50	0.18	2.7	0.43	0.062	2.78	27.8	60.5	1.84	630	0.52	0.01	11.5	36.1
K299917		5.06	18.40	0.20	2.9	0.15	0.067	2.92	29.3	80.9	2.20	760	0.63	0.01	11.8	40.0
K299918		6.76	20.9	0.22	3.8	8.2	0.046	1.34	67.1	18.5	0.13	38	6.64	0.36	10.4	16.9
K299919		5.20	17.90	0.18	2.9	0.13	0.063	2.91	28.8	84.1	2.30	696	0.52	0.01	11.6	41.1
K299920		5.14	17.50	0.17	3.4	0.11	0.073	2.88	35.1	91.9	2.36	660	0.51	0.04	11.5	43.0
K299921		4.47	14.95	0.13	2.9	0.10	0.059	2.46	30.6	92.0	2.18	625	0.38	0.03	9.8	35.6
K299922		0.47	0.27	<0.05	<0.1	<0.01	0.005	0.03	0.8	1.2	12.95	208	0.10	<0.01	0.2	1.7
K299923		5.15	16.70	0.15	3.4	0.09	0.067	2.45	33.4	93.1	2.39	775	0.51	0.03	11.1	39.1
K299924		4.56	16.00	0.15	3.2	0.07	0.062	2.36	31.8	72.6	3.74	652	0.42	0.03	10.6	35.6
K299925		5.16	17.30	0.16	3.5	0.12	0.070	2.67	34.6	92.9	2.37	687	0.47	0.03	11.4	39.1
K299926		4.74	18.15	0.18	3.5	0.33	0.068	2.68	35.9	92.0	2.08	624	0.59	0.03	12.0	38.7
K299927		5.09	18.15	0.18	3.6	0.39	0.068	2.76	36.7	79.5	2.07	633	0.60	0.03	12.3	42.4
K299928		4.46	14.70	0.14	3.0	0.13	0.057	2.17	29.8	74.2	2.28	762	0.48	0.03	10.0	35.4
K299929		5.01	17.90	0.16	3.4	0.10	0.072	2.90	35.9	66.3	2.38	674	0.77	0.04	11.9	39.5
K299930		7.06	18.10	0.17	3.0	0.13	0.085	1.18	22.6	47.1	3.71	1220	0.32	0.89	11.3	56.4
K299931		7.41	19.30	0.17	3.1	0.19	0.094	1.42	22.5	62.6	3.81	1040	0.35	0.79	11.9	59.7
K299932		2.09	7.73	0.11	1.8	4.20	0.029	0.99	30.8	26.8	2.66	281	17.90	0.03	7.3	54.8
K299933		6.68	19.05	0.18	3.1	0.79	0.087	2.60	25.6	85.3	1.77	1170	0.60	0.07	12.0	57.6
K299934		6.48	17.20	0.16	2.6	0.11	0.076	1.35	20.9	69.7	3.45	1020	0.22	0.72	9.8	51.1
K299935		6.79	18.40	0.18	2.5	0.32	0.081	1.74	22.0	162.0	3.37	925	0.25	0.57	10.5	52.7
K299936		6.73	17.80	0.15	2.9	0.03	0.085	1.18	20.7	65.7	3.65	1070	0.24	1.00	10.3	52.0
K299937		6.39	17.10	0.16	2.9	0.50	0.081	1.45	20.7	140.5	3.18	1010	0.27	0.51	10.1	50.9
K299938		7.04	18.30	0.16	2.7	1.67	0.085	2.12	23.6	80.8	1.73	1330	0.52	0.34	11.3	51.8
K299939		0.47	0.30	<0.05	<0.1	0.01	0.005	0.04	0.7	1.2	12.65	204	0.13	0.01	0.3	3.0
K299940		7.73	20.1	0.18	2.2	0.09	0.102	1.25	22.0	54.1	3.53	934	0.26	1.04	12.0	59.2
K299941		7.80	19.25	0.16	3.1	0.13	0.095	0.83	20.4	58.4	3.63	1070	0.28	1.16	11.0	57.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152784

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299906		560	13.9	117.0	<0.002	4.00	0.76	15.0	2	1.8	133.0	0.68	<0.05	8.6	0.436	3.85
K299907		500	18.9	132.0	<0.002	4.55	1.85	17.5	2	2.1	141.5	0.72	<0.05	9.7	0.452	4.57
K299908		640	7.9	153.0	<0.002	2.06	0.34	18.9	2	2.2	156.0	0.82	0.05	10.6	0.496	2.78
K299909		550	15.5	159.5	<0.002	0.88	0.49	20.0	2	2.2	101.0	0.81	<0.05	10.7	0.517	1.66
K299910		560	12.8	176.0	<0.002	5.56	0.90	20.4	2	2.4	130.0	0.88	0.05	11.7	0.539	4.82
K299911		550	12.2	179.0	<0.002	5.72	2.15	21.1	2	2.5	137.0	0.93	0.05	12.2	0.541	4.24
K299912		490	45.0	171.5	<0.002	5.46	3.25	21.9	2	2.5	130.5	0.81	0.05	11.2	0.483	4.72
K299913		480	23.4	165.5	<0.002	4.96	1.29	19.0	2	2.3	93.1	0.72	<0.05	10.8	0.414	3.07
K299914		120	4.9	20.0	<0.002	1.22	0.30	2.6	1	0.4	92.7	0.13	<0.05	2.5	0.099	0.83
K299915		360	12.3	92.9	<0.002	3.08	1.50	11.7	2	1.3	166.5	0.49	<0.05	6.1	0.337	2.49
K299916		490	15.0	149.0	<0.002	3.16	0.75	18.7	2	2.0	107.0	0.75	0.05	9.4	0.516	2.61
K299917		510	21.0	163.0	<0.002	0.40	0.40	19.6	2	1.9	90.2	0.78	0.05	9.6	0.550	1.24
K299918		920	17.1	46.1	0.002	3.10	112.0	16.1	2	2.9	529	0.74	0.13	9.7	0.540	7.96
K299919		520	17.3	163.5	<0.002	0.36	0.70	19.3	2	1.9	96.3	0.79	<0.05	9.5	0.543	1.20
K299920		540	20.3	184.5	<0.002	0.28	0.68	20.2	2	2.1	97.2	0.87	0.05	10.7	0.580	1.12
K299921		510	16.8	163.0	<0.002	0.18	0.46	17.5	2	1.8	81.6	0.74	0.05	9.2	0.513	0.95
K299922		170	1.3	1.6	<0.002	0.01	0.08	0.4	2	<0.2	45.7	<0.05	<0.05	<0.2	0.005	<0.02
K299923		530	19.2	163.0	<0.002	0.38	0.63	19.2	2	2.0	92.4	0.83	0.05	10.5	0.573	1.05
K299924		520	15.8	153.5	<0.002	0.25	0.60	17.6	2	1.9	86.6	0.79	0.05	9.8	0.523	0.91
K299925		530	18.5	168.5	<0.002	0.51	0.50	19.6	2	2.1	127.5	0.88	0.06	10.8	0.574	1.20
K299926		580	20.8	161.0	<0.002	1.89	0.56	20.2	2	2.2	380	0.89	0.06	11.1	0.583	1.68
K299927		610	21.1	164.5	<0.002	2.49	0.65	20.9	2	2.2	419	0.91	0.06	11.6	0.606	1.99
K299928		490	23.7	135.0	<0.002	1.20	0.66	16.4	3	1.8	133.0	0.73	0.06	9.3	0.500	0.98
K299929		560	29.6	189.5	<0.002	0.39	0.62	19.6	2	2.1	104.0	0.89	0.06	11.5	0.563	1.09
K299930		640	8.4	64.1	<0.002	0.27	0.36	28.4	3	2.1	199.5	0.75	0.14	5.3	0.709	0.51
K299931		700	10.2	78.3	<0.002	0.19	0.37	30.2	3	1.9	73.2	0.80	0.16	5.5	0.760	0.59
K299932		950	41.4	49.8	0.026	1.62	110.5	5.2	5	2.4	76.4	0.48	0.18	6.8	0.179	3.96
K299933		630	12.9	144.0	<0.002	0.67	1.68	26.5	3	2.6	103.0	0.85	0.17	7.1	0.687	3.11
K299934		600	9.6	88.7	<0.002	0.04	0.44	26.0	3	1.7	146.5	0.68	0.10	5.2	0.690	0.60
K299935		650	10.4	113.0	<0.002	0.22	0.55	27.3	3	2.0	216	0.71	0.10	5.5	0.717	0.98
K299936		590	10.1	76.2	<0.002	0.04	0.27	27.0	3	1.7	141.5	0.70	0.11	5.4	0.742	0.53
K299937		580	10.4	94.2	<0.002	1.29	0.30	25.3	3	1.7	202	0.70	0.12	5.4	0.676	1.97
K299938		640	13.6	123.0	<0.002	0.33	1.70	26.7	3	2.2	268	0.75	0.15	5.9	0.705	3.57
K299939		200	7.6	1.4	<0.002	0.02	0.29	0.4	2	<0.2	45.1	<0.05	<0.05	<0.2	0.007	0.02
K299940		720	9.9	61.8	<0.002	0.15	0.32	29.8	3	2.0	126.5	0.82	0.16	4.7	0.820	0.58
K299941		670	8.2	47.6	<0.002	0.17	0.29	29.8	3	2.4	130.0	0.77	0.17	4.8	0.794	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152784

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299906		1.8	114	3.3	20.5	62	90.9
K299907		2.0	120	3.1	21.4	68	95.0
K299908		2.1	128	1.5	25.5	62	106.0
K299909		2.1	143	1.6	24.3	57	106.5
K299910		2.2	139	3.0	25.5	75	115.0
K299911		2.2	135	8.0	25.9	88	120.5
K299912		2.2	148	9.2	24.1	139	106.0
K299913		2.1	125	4.1	24.2	108	103.5
K299914		0.5	27	0.7	5.8	10	21.1
K299915		1.3	94	2.9	14.9	54	63.0
K299916		1.9	138	2.0	22.6	86	102.5
K299917		2.0	148	2.0	23.5	125	104.5
K299918		7.3	168	23.5	15.4	45	159.5
K299919		2.0	147	1.4	23.5	84	103.5
K299920		2.2	152	1.3	25.6	92	110.5
K299921		1.9	136	1.2	22.9	78	95.5
K299922		0.4	2	0.1	0.9	18	0.8
K299923		2.1	145	1.4	25.2	92	109.0
K299924		2.1	136	1.3	23.8	73	105.0
K299925		2.2	142	1.5	25.9	82	111.5
K299926		2.3	151	1.6	26.1	112	114.5
K299927		2.3	154	1.7	25.6	96	117.0
K299928		1.9	130	1.2	22.6	93	97.0
K299929		2.3	138	1.4	25.6	113	113.5
K299930		1.3	230	0.8	27.5	103	106.0
K299931		1.3	249	0.8	27.7	107	107.5
K299932		9.0	238	29.8	22.2	221	61.9
K299933		1.6	221	6.3	27.9	95	107.0
K299934		1.2	229	0.8	25.6	97	90.9
K299935		1.2	242	1.5	24.5	103	86.3
K299936		1.2	247	0.7	26.8	102	99.9
K299937		1.2	219	1.0	26.3	95	97.3
K299938		1.2	233	3.9	25.0	95	95.5
K299939		0.6	3	0.2	1.0	20	0.9
K299940		1.1	275	0.8	24.8	113	74.8
K299941		1.1	267	0.8	28.7	108	105.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11152784

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11151926

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 100- Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151926

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300037		4.66	<0.01	0.28	0.31	54	60	0.24	0.01	22.9	1.25	3.58	1.4	5	0.54	16.0
K300038		4.73	<0.01	0.43	0.28	62	80	0.59	0.01	23.3	0.78	3.15	1.9	4	0.41	2.6
K300039		4.65	<0.01	0.10	0.10	30	30	0.18	<0.01	24.1	0.63	1.42	1.3	2	0.16	2.4
K300040		4.92	<0.01	0.25	0.19	107	50	0.48	0.01	23.7	0.40	2.46	1.4	3	0.24	3.5
K300041		3.38	<0.01	0.44	0.19	76	40	0.45	0.01	23.3	1.73	2.77	1.2	4	0.27	2.1
K300042		1.54	<0.01	0.42	0.20	70	40	0.49	0.01	23.8	1.58	2.80	1.3	4	0.28	21.2
K300043		5.37	<0.01	0.15	0.20	47	30	0.35	0.01	23.4	0.39	2.73	1.4	3	0.23	2.3
K300044		5.34	<0.01	0.26	0.12	72	30	0.46	0.01	23.8	0.74	1.87	1.2	3	0.13	2.0
K300045		5.38	<0.01	0.27	0.17	94	40	0.43	0.01	24.1	0.48	2.50	1.6	3	0.18	2.1
K300046		5.43	<0.01	0.29	0.22	93	40	0.36	0.01	24.0	0.35	2.93	1.5	5	0.36	2.3
K300047		1.44	<0.01	3.62	0.20	21	40	0.18	0.02	22.8	0.52	2.19	1.1	6	0.67	6.4
K300048		0.33	<0.01	0.92	0.65	40	170	0.29	0.02	19.30	0.44	7.35	2.1	11	1.86	4.7
K300049		2.31	<0.01	0.13	0.14	161	30	0.22	<0.01	22.7	0.46	1.61	1.0	6	0.32	1.5
K300050		0.20	0.35	0.33	6.01	597	320	0.60	0.27	0.49	0.20	148.5	2.8	237	3.52	29.1
K300051		4.57	<0.01	1.07	7.94	276	1120	2.36	0.25	0.89	0.48	93.3	15.3	108	51.4	36.1
K300052		3.15	<0.01	0.22	8.41	74.0	960	2.06	0.27	0.82	0.11	70.1	18.4	101	41.3	31.5
K300053		1.97	<0.01	0.18	8.64	44.0	800	1.95	0.28	1.27	0.10	87.2	20.6	93	37.1	30.2
K300054		5.14	<0.01	0.08	8.19	16.9	1050	2.23	0.27	0.65	0.12	81.9	18.4	94	36.9	31.9
K300055		4.91	<0.01	0.01	0.11	<5	30	0.07	0.02	19.90	0.06	1.81	1.3	1	0.48	1.7
K300056		5.20	<0.01	0.06	8.18	11.9	630	2.18	0.24	0.98	0.14	77.7	16.9	88	37.2	29.1
K300057		2.44	<0.01	0.13	7.62	17.0	610	2.08	0.24	2.99	0.41	72.9	15.0	84	37.3	29.0
K300058		2.39	<0.01	0.09	7.32	18.7	490	1.94	0.24	2.82	0.23	73.3	16.4	82	36.7	29.4
K300059		3.53	<0.01	0.04	3.27	5.9	190	0.70	0.06	8.25	0.12	34.1	5.4	26	8.83	9.7
K300060		5.57	<0.01	0.11	6.94	30.6	530	1.94	0.25	3.91	0.25	72.3	16.4	77	29.8	29.2
K300061		5.63	<0.01	0.60	6.35	30.6	540	1.77	0.23	6.09	0.30	69.4	15.4	67	27.3	28.0
K300062		5.44	<0.01	0.35	5.45	26.0	410	1.34	0.17	7.54	0.20	59.9	12.2	58	22.8	22.7
K300063		5.16	<0.01	0.11	6.99	36.3	390	1.96	0.27	4.13	0.35	69.9	16.6	79	30.9	30.8
K300064		4.62	<0.01	0.28	6.72	20.6	450	1.83	0.21	2.94	0.17	70.8	14.6	72	35.8	23.8
K300065		4.23	<0.01	0.13	6.52	10.7	390	1.83	0.18	1.03	0.07	76.0	15.2	76	19.85	25.5
K300066		5.41	<0.01	0.07	6.46	10.7	380	1.63	0.17	1.49	0.07	68.5	13.2	75	15.10	25.6
K300067		0.20	7.46	0.43	3.21	983	160	0.76	0.60	11.00	3.99	44.6	5.4	93	6.65	29.9
K300068		6.08	<0.01	0.19	7.39	19.4	510	1.90	0.24	0.94	0.10	85.6	13.2	96	25.2	27.5
K300069		5.74	<0.01	0.18	7.42	12.2	560	1.97	0.24	0.59	0.12	89.1	13.0	103	30.5	29.3
K300070		5.15	<0.01	0.11	8.11	12.8	680	2.21	0.24	0.76	0.13	83.8	14.0	100	33.6	33.6
K300071		4.94	<0.01	0.03	0.08	<5	20	0.05	0.02	20.5	0.07	1.62	1.0	<1	0.26	1.8
K300072		3.34	<0.01	0.06	8.23	14.3	650	2.49	0.26	0.57	0.11	86.4	14.9	111	39.1	35.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151926

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300037		0.23	0.80	0.06	0.1	0.86	<0.005	0.12	1.9	3.2	10.65	218	0.38	0.02	0.5	2.9
K300038		0.39	0.76	0.06	0.1	0.77	<0.005	0.12	1.6	2.9	10.65	128	0.45	0.02	0.5	4.1
K300039		0.13	0.30	0.08	<0.1	0.51	<0.005	0.04	0.8	1.2	11.10	256	0.23	0.02	0.2	1.6
K300040		0.21	0.55	0.07	0.1	0.49	<0.005	0.08	1.3	1.5	10.70	150	0.26	0.02	0.4	2.6
K300041		0.21	0.52	0.09	0.1	0.85	<0.005	0.08	1.4	1.6	10.55	414	0.39	0.02	0.4	2.2
K300042		0.20	0.57	0.08	0.1	0.83	<0.005	0.08	1.4	1.7	10.85	421	0.32	0.02	0.3	2.1
K300043		0.12	0.55	0.07	0.1	0.23	<0.005	0.08	1.4	1.4	11.05	78	0.30	0.02	0.4	2.1
K300044		0.12	0.35	0.09	<0.1	0.31	<0.005	0.05	1.0	1.1	11.25	173	0.27	0.02	0.2	1.9
K300045		0.23	0.46	0.07	0.1	0.35	<0.005	0.07	1.3	1.1	10.05	151	0.29	0.01	0.3	2.6
K300046		0.17	0.57	0.08	0.1	0.24	<0.005	0.09	1.5	1.3	10.50	82	0.41	0.02	0.4	2.8
K300047		0.10	0.54	0.08	0.1	0.33	<0.005	0.08	1.4	1.2	11.25	142	0.37	0.02	0.4	2.4
K300048		0.57	1.44	0.05	0.3	0.34	0.007	0.20	3.8	6.4	10.35	227	0.34	0.03	1.2	4.9
K300049		0.13	0.40	0.07	0.1	0.32	<0.005	0.06	1.2	1.0	11.10	290	0.28	0.01	0.3	1.8
K300050		6.81	19.15	0.16	4.3	9.88	0.049	1.31	71.2	18.1	0.14	40	6.44	0.38	9.9	15.8
K300051		4.41	20.3	0.17	3.0	0.40	0.080	2.90	47.4	73.8	0.99	203	1.65	0.15	22.5	44.0
K300052		4.56	21.4	0.14	2.4	0.13	0.080	2.78	32.1	121.5	1.20	374	1.36	0.21	14.5	54.5
K300053		5.40	21.0	0.15	2.8	0.13	0.079	2.74	42.4	132.5	1.47	589	2.72	0.24	12.7	57.9
K300054		4.71	22.1	0.16	2.9	0.11	0.082	2.79	38.5	133.5	1.20	449	0.89	0.23	12.9	56.7
K300055		0.48	0.33	<0.05	<0.1	<0.01	<0.005	0.04	0.9	1.9	12.20	202	0.08	0.01	0.3	1.4
K300056		4.47	20.3	0.15	2.8	0.09	0.075	2.63	38.1	104.0	1.17	444	1.15	0.25	11.9	51.8
K300057		4.15	19.05	0.15	2.6	0.10	0.066	2.44	36.2	80.1	1.45	391	8.94	0.27	12.0	46.2
K300058		4.06	18.65	0.14	2.8	0.11	0.073	2.36	36.1	85.3	1.33	358	11.15	0.23	12.2	45.3
K300059		2.79	6.44	0.09	1.3	0.06	0.025	0.83	17.0	45.6	2.72	529	3.03	0.10	5.4	12.0
K300060		4.19	17.30	0.13	2.5	0.16	0.066	2.37	35.7	68.9	1.23	767	13.25	0.20	11.2	42.9
K300061		4.01	15.45	0.14	2.5	0.14	0.058	2.12	35.0	53.8	1.38	1200	16.40	0.19	10.7	39.3
K300062		3.40	12.70	0.10	2.3	0.12	0.048	1.78	30.6	49.0	1.29	1140	12.75	0.37	9.3	30.8
K300063		4.53	17.25	0.14	2.6	0.17	0.069	2.41	34.9	53.9	1.44	935	21.3	0.36	11.5	43.5
K300064		4.01	16.40	0.12	2.5	0.08	0.060	2.08	35.4	78.8	1.27	734	7.94	0.26	11.0	39.5
K300065		3.73	15.95	0.14	2.7	0.01	0.056	1.83	36.9	124.0	0.97	336	0.86	0.22	10.7	41.6
K300066		3.80	14.75	0.12	2.6	0.02	0.048	1.79	33.7	98.7	1.11	429	0.74	0.17	9.9	38.1
K300067		1.36	6.41	0.10	2.1	6.18	0.066	1.39	29.4	8.8	0.69	265	11.05	0.01	7.2	58.0
K300068		4.27	18.40	0.13	2.6	0.03	0.068	2.23	43.5	83.0	0.95	405	1.40	0.21	21.6	37.2
K300069		4.51	18.40	0.16	2.7	0.03	0.072	2.35	45.5	76.6	0.88	333	1.44	0.20	26.5	35.9
K300070		4.32	21.5	0.16	2.9	0.04	0.080	2.46	45.6	83.6	0.97	374	2.18	0.24	26.4	39.6
K300071		0.47	0.25	0.07	<0.1	<0.01	0.005	0.03	0.8	1.1	12.55	209	0.06	0.01	0.3	1.5
K300072		3.62	23.8	0.17	3.0	0.03	0.083	2.60	47.7	87.5	0.94	206	1.50	0.24	25.7	39.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151926

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300037		50	37.8	6.0	<0.002	0.10	1.23	0.6	2	2.0	190.0	<0.05	<0.05	0.6	0.015	1.40
K300038		60	40.3	5.6	0.003	0.41	0.94	0.6	2	0.2	214	<0.05	<0.05	0.6	0.014	2.14
K300039		40	21.5	1.8	<0.002	0.04	0.87	0.3	2	0.2	179.5	<0.05	<0.05	0.2	0.005	1.36
K300040		50	58.7	3.5	0.002	0.18	1.06	0.4	2	0.3	171.0	<0.05	<0.05	0.4	0.009	2.58
K300041		50	78.1	3.4	<0.002	0.15	0.55	0.4	2	<0.2	187.0	<0.05	<0.05	0.4	0.009	1.80
K300042		60	77.4	3.7	<0.002	0.14	0.59	0.4	2	2.9	188.0	<0.05	<0.05	0.5	0.009	1.52
K300043		80	13.4	3.8	<0.002	0.10	0.32	0.4	2	0.2	176.0	<0.05	<0.05	0.4	0.009	0.33
K300044		50	134.0	2.0	<0.002	0.09	2.18	0.3	2	<0.2	175.5	<0.05	<0.05	0.3	0.006	0.49
K300045		70	21.0	3.0	0.002	0.24	0.49	0.4	2	<0.2	199.5	<0.05	<0.05	0.4	0.007	0.93
K300046		80	16.0	4.2	<0.002	0.17	0.68	0.5	2	0.2	196.5	<0.05	<0.05	0.5	0.010	1.28
K300047		70	21.3	3.8	<0.002	0.03	0.71	0.4	2	0.2	153.0	<0.05	<0.05	0.4	0.009	1.06
K300048		90	24.9	11.2	<0.002	0.34	1.25	1.4	2	0.2	115.5	0.07	<0.05	1.2	0.039	0.85
K300049		80	17.6	2.5	<0.002	0.08	0.44	0.3	2	<0.2	174.0	<0.05	<0.05	0.3	0.006	1.09
K300050		910	17.0	51.3	0.002	3.05	117.5	15.4	2	3.0	513	0.74	0.15	10.1	0.543	7.92
K300051		1090	52.5	175.5	<0.002	2.22	2.05	15.7	3	3.1	143.0	1.27	0.10	12.1	0.461	3.21
K300052		910	23.2	143.5	<0.002	1.14	1.21	17.3	2	2.7	176.0	0.91	0.08	10.8	0.414	1.62
K300053		1000	24.8	154.5	<0.002	1.57	1.24	17.8	2	2.8	150.5	0.87	0.05	12.7	0.454	1.74
K300054		810	21.9	156.5	<0.002	1.40	0.73	18.4	1	3.0	147.0	0.90	0.06	12.6	0.460	1.62
K300055		180	1.7	2.5	<0.002	0.02	<0.05	0.4	1	<0.2	44.1	<0.05	<0.05	0.3	0.005	0.02
K300056		820	17.5	155.5	<0.002	1.40	0.61	17.0	1	2.7	111.0	0.82	0.06	11.9	0.438	1.28
K300057		1280	18.2	131.0	0.005	1.78	0.79	15.0	2	2.7	132.5	0.83	0.05	10.9	0.410	1.53
K300058		1070	19.3	129.5	0.003	1.86	0.70	14.6	2	2.7	111.5	0.85	<0.05	11.3	0.411	1.49
K300059		490	7.3	48.0	<0.002	0.61	0.31	5.4	1	1.4	135.5	0.37	<0.05	4.6	0.174	0.39
K300060		1320	18.3	135.5	0.004	2.16	0.89	13.5	2	2.8	118.5	0.78	0.06	10.6	0.374	2.27
K300061		1520	30.6	139.5	0.006	2.13	1.09	12.1	2	2.3	128.5	0.74	0.05	10.3	0.346	1.79
K300062		1290	14.1	114.5	0.004	1.77	0.88	9.7	2	2.0	148.5	0.65	<0.05	8.8	0.307	1.34
K300063		1330	19.4	138.5	0.005	2.57	1.05	13.3	2	2.4	108.0	0.78	0.05	10.3	0.382	1.79
K300064		1030	21.7	137.5	0.002	1.21	5.39	13.0	2	2.3	114.0	0.76	0.05	10.7	0.381	1.03
K300065		790	19.1	120.5	<0.002	0.19	3.33	13.0	1	2.8	144.5	0.73	<0.05	11.5	0.387	0.60
K300066		690	13.3	110.0	<0.002	0.18	1.56	12.5	1	2.7	161.0	0.69	<0.05	10.5	0.380	0.57
K300067		4130	5.0	113.5	0.036	1.35	17.85	5.7	8	1.6	143.5	0.49	0.54	6.6	0.207	12.40
K300068		1130	23.0	147.5	<0.002	0.24	1.95	13.7	2	2.4	88.7	1.22	0.08	11.5	0.427	0.85
K300069		1410	20.3	161.0	<0.002	0.19	1.58	13.3	2	2.2	86.6	1.48	0.11	11.5	0.445	0.87
K300070		1360	22.5	142.5	0.002	0.42	1.56	16.0	2	2.4	92.9	1.65	0.06	12.5	0.483	0.97
K300071		170	3.1	1.6	<0.002	0.01	1.07	0.3	1	<0.2	47.9	<0.05	<0.05	<0.2	<0.005	<0.02
K300072		1140	15.7	162.0	0.002	0.29	1.15	17.5	2	2.5	92.0	1.64	0.09	13.2	0.467	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151926

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300037		2.8	9	0.6	1.2	121	4.3
K300038		2.6	9	0.5	1.1	152	4.0
K300039		1.8	5	0.3	0.6	121	1.4
K300040		3.8	10	0.4	1.1	83	2.7
K300041		3.7	10	0.4	1.0	261	2.8
K300042		3.8	9	0.6	1.0	246	2.9
K300043		3.6	9	0.3	1.0	69	2.8
K300044		3.3	8	0.3	0.8	119	1.8
K300045		4.1	11	0.4	1.1	88	3.0
K300046		3.5	10	0.8	1.6	64	2.9
K300047		1.7	7	17.8	2.5	72	2.3
K300048		1.0	13	6.5	3.8	83	10.7
K300049		2.0	8	0.3	2.9	71	1.8
K300050		8.0	166	23.0	15.1	42	166.5
K300051		3.5	217	3.7	22.9	211	101.5
K300052		2.9	178	1.4	17.7	119	79.7
K300053		3.4	146	1.5	22.6	125	95.4
K300054		2.9	151	1.5	20.3	148	94.8
K300055		0.5	3	0.1	0.9	14	1.1
K300056		2.9	145	1.3	20.3	137	92.0
K300057		4.9	151	1.4	21.9	115	86.8
K300058		5.6	124	1.3	20.7	96	92.2
K300059		1.6	30	0.7	15.3	37	38.9
K300060		5.7	108	1.3	23.1	98	83.4
K300061		6.9	96	4.6	23.9	103	81.3
K300062		5.6	76	2.5	21.6	69	76.3
K300063		7.2	111	1.4	22.7	125	84.4
K300064		4.3	101	2.2	20.8	96	85.7
K300065		2.4	103	1.6	19.3	99	91.8
K300066		2.3	101	1.4	17.0	101	86.6
K300067		8.0	379	33.0	26.4	276	70.5
K300068		2.7	172	1.5	20.4	120	89.7
K300069		2.7	195	1.5	21.8	137	89.7
K300070		3.2	210	1.7	23.3	137	98.0
K300071		0.6	3	0.1	1.0	14	0.6
K300072		3.5	253	1.7	23.3	129	98.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11151926

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

CERTIFICATE WH11156706

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 101 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156706

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298973		5.15	0.24	0.05	0.93	>10000	70	0.37	0.07	18.70	0.19	9.54	1.4	5	1.64	3.7
K298974		7.65	0.03	0.05	0.62	1640	160	0.36	0.05	20.9	0.14	7.67	1.3	3	1.17	4.9
K298975		8.96	0.03	0.10	0.61	2080	520	0.76	0.04	24.1	0.08	6.99	2.4	3	0.96	4.7
K298976		11.80	0.02	0.09	0.54	4760	540	0.84	0.03	23.4	1.57	7.55	2.1	3	0.97	4.9
K298977		11.47	0.01	0.04	0.28	720	120	0.61	0.02	23.6	0.12	5.36	1.3	<1	0.41	1.8
K298978		10.01	0.05	0.05	1.01	1440	760	0.52	0.03	20.4	0.10	10.95	2.4	5	2.00	8.1
K298979		10.55	0.06	0.04	0.96	220	110	0.42	0.03	20.8	0.08	10.35	1.8	5	2.10	6.9
K298980		0.26	0.32	0.31	6.33	623	240	0.64	0.29	0.49	0.19	138.0	2.7	238	3.50	33.4
K298981		11.54	0.02	0.06	1.44	172	240	0.64	0.07	19.70	0.45	15.15	2.4	10	3.26	11.2
K298982		11.07	0.03	0.09	0.65	105	40	0.33	0.02	21.0	0.48	8.74	1.5	5	1.36	4.1
K298983		11.26	0.01	0.08	0.45	36	30	0.24	0.02	21.2	0.39	7.09	1.5	2	0.82	2.8
K298984		6.92	0.02	<0.01	0.08	<5	30	0.09	0.02	22.0	0.06	1.29	1.1	<1	0.17	0.9
K298985		11.02	0.07	0.05	0.42	198	60	0.23	0.02	20.8	0.95	6.04	1.4	1	0.89	3.3
K298986		10.78	0.05	0.04	0.62	248	40	0.32	0.02	20.6	0.24	8.94	1.4	3	1.76	3.5
K298987		11.05	0.05	0.05	1.46	259	50	0.54	0.05	18.70	0.20	13.20	2.2	7	4.79	9.4
K298988		10.34	0.03	0.04	0.84	97	50	0.31	0.03	19.75	0.08	6.97	1.8	4	2.42	5.4
K298989		12.77	0.02	0.06	1.55	36	80	0.49	0.05	17.75	0.02	13.90	2.9	9	4.40	8.9
K298990		11.56	0.01	0.06	1.39	84	120	0.56	0.04	18.10	0.04	15.65	2.6	7	3.72	7.7
K298991		11.52	0.06	0.05	1.07	214	60	0.34	0.03	19.10	0.24	10.65	1.8	6	2.49	6.1
K298992		10.45	0.07	0.05	1.12	342	120	0.45	0.04	20.3	0.21	12.85	1.6	6	3.19	7.4
K298993		6.87	<0.01	0.01	0.09	8	20	0.06	0.06	21.7	0.07	1.34	1.2	<1	0.19	1.2
K298994		10.75	0.07	0.07	1.01	250	70	0.35	0.03	20.3	0.25	11.70	1.6	6	2.96	6.9
K298995		12.43	0.04	0.08	0.68	149	50	0.27	0.02	20.2	0.22	7.89	1.8	5	1.56	22.0
K298996		11.35	0.01	0.21	0.85	24	40	0.32	0.03	20.3	0.07	7.97	2.2	6	1.79	6.3
K298997		5.33	0.02	0.24	0.86	26	40	0.37	0.03	20.4	0.10	8.27	2.2	5	1.87	6.4
K298998		12.08	0.02	0.39	0.98	67	40	0.35	0.03	19.90	0.07	11.75	2.3	7	2.52	7.7
K298999		5.46	0.02	0.22	0.92	317	40	0.30	0.03	20.2	0.03	13.70	2.2	8	2.12	6.0
K299000		0.25	2.65	2.21	3.27	606	840	0.66	0.34	8.24	2.22	47.3	6.1	49	3.85	42.6
K300501		6.39	0.02	0.18	0.65	36	60	0.22	0.02	20.3	<0.02	10.60	1.7	4	1.75	4.7
K300502		10.11	0.09	0.14	2.23	1560	280	0.67	0.08	24.7	0.21	29.2	5.9	14	7.55	10.4
K300503		8.66	0.01	0.07	0.59	492	70	0.19	0.02	21.1	0.02	12.35	10.2	17	1.88	2.0
K300504		9.34	0.03	0.08	4.02	171	210	0.91	0.15	18.95	0.04	37.8	7.4	26	12.00	10.9
K300505		11.03	0.08	0.09	5.34	1080	440	1.25	0.18	13.80	0.06	52.0	7.1	35	15.65	17.1
K300506		6.38	5.36	0.14	6.29	5190	900	1.28	0.25	6.26	0.12	65.7	10.3	45	14.85	20.3
K300507		9.14	0.27	0.22	6.07	3120	990	1.52	0.22	7.08	0.13	59.7	9.2	41	14.20	36.8
K300508		9.42	0.94	0.18	4.69	2160	760	1.28	0.19	11.25	0.08	50.2	9.7	33	13.85	27.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156706

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298973		0.77	2.29	0.09	0.4	10.1	0.019	0.43	5.3	6.4	11.05	2480	0.16	0.02	1.5	1.2
K298974		0.25	1.34	0.09	0.3	1.09	0.009	0.28	4.4	4.7	11.80	524	0.22	0.02	1.0	0.6
K298975		0.35	1.43	0.12	0.3	1.83	0.008	0.27	3.9	4.1	8.97	1490	0.65	0.02	1.1	3.4
K298976		0.33	1.47	0.11	0.3	6.8	0.011	0.24	4.2	3.8	7.93	1460	0.60	0.01	1.0	3.4
K298977		0.35	0.70	0.11	0.1	1.88	<0.005	0.12	3.0	2.1	9.97	1290	0.34	0.01	0.5	1.5
K298978		0.76	2.29	0.11	0.4	2.85	0.009	0.45	6.2	6.3	10.95	727	0.51	0.02	1.5	4.9
K298979		0.50	2.03	0.08	0.8	0.8	0.008	0.44	5.8	5.3	11.15	616	0.86	0.02	1.6	4.0
K298980		6.91	18.10	0.22	4.4	9.2	0.049	1.34	66.1	20.6	0.14	37	6.29	0.39	9.9	14.1
K298981		0.57	3.10	0.08	1.3	0.99	0.008	0.66	8.4	9.1	10.40	200	0.65	0.02	2.5	3.4
K298982		0.39	1.44	0.12	0.4	0.52	0.005	0.30	5.1	4.3	12.60	250	0.47	0.02	1.1	2.2
K298983		0.31	1.07	0.14	0.3	0.57	<0.005	0.20	4.4	3.1	12.85	222	0.48	0.01	0.8	2.0
K298984		0.43	0.18	0.17	<0.1	0.01	<0.005	0.03	0.6	1.3	13.50	195	0.08	0.01	0.3	1.0
K298985		0.33	1.17	0.19	0.3	0.8	<0.005	0.20	3.5	2.7	12.75	202	0.28	0.01	0.8	1.6
K298986		0.35	1.39	0.16	0.4	0.50	0.005	0.30	5.0	4.6	12.60	197	0.18	0.01	1.0	1.6
K298987		0.41	3.29	0.16	0.8	0.34	0.011	0.72	7.1	10.8	11.50	166	0.36	0.02	2.3	3.5
K298988		0.33	1.89	0.17	0.4	0.18	0.005	0.41	4.1	5.7	12.20	173	0.35	0.01	1.3	2.8
K298989		0.55	3.33	0.15	0.9	0.53	0.009	0.77	7.3	9.9	10.90	185	0.56	0.02	2.4	5.4
K298990		0.42	3.11	0.15	0.8	0.55	0.008	0.68	8.4	10.6	11.05	186	0.41	0.02	2.1	4.3
K298991		0.38	2.43	0.17	0.5	0.44	0.007	0.52	5.8	7.4	11.75	183	0.26	0.02	1.7	2.8
K298992		0.53	2.47	0.15	0.5	0.4	0.009	0.54	7.2	7.9	12.20	266	0.18	0.02	1.7	2.6
K298993		0.46	0.25	0.17	<0.1	<0.01	0.005	0.03	0.6	1.2	13.40	202	0.11	0.01	0.3	1.8
K298994		0.39	2.24	0.17	0.5	0.41	0.005	0.49	6.7	6.4	12.40	225	0.26	0.01	1.6	3.3
K298995		0.33	1.55	0.16	0.3	1.09	0.006	0.33	4.6	4.2	12.45	257	0.35	0.01	1.1	3.3
K298996		0.45	1.78	0.17	0.4	0.55	0.005	0.41	4.4	4.6	12.15	271	0.53	0.02	1.3	4.4
K298997		0.46	1.79	0.19	0.4	0.5	0.005	0.41	4.7	4.7	12.25	267	0.59	0.02	1.4	4.6
K298998		0.84	2.03	0.14	0.5	0.6	0.007	0.46	6.2	4.9	11.75	387	0.84	0.02	1.7	5.5
K298999		0.49	1.89	0.13	0.5	0.57	0.006	0.43	7.4	4.4	11.70	321	0.45	0.02	1.6	4.9
K299000		2.13	6.67	0.17	1.7	4.69	0.028	0.99	29.3	35.7	2.61	277	18.80	0.04	7.0	46.3
K300501		0.88	1.29	0.10	0.3	0.43	0.005	0.29	5.4	3.5	11.90	496	0.41	0.02	1.1	3.8
K300502		2.47	4.42	0.12	0.8	0.5	0.027	1.05	14.5	5.0	3.06	806	0.71	0.02	2.9	12.7
K300503		8.05	1.22	0.16	0.2	0.1	0.015	0.28	5.6	1.4	6.82	991	0.42	0.01	1.0	21.5
K300504		2.42	7.95	0.12	1.7	0.2	0.033	1.95	20.4	6.6	3.23	473	0.32	0.03	5.4	14.0
K300505		2.19	11.35	0.13	2.4	26.5	0.045	2.57	28.2	10.9	2.41	416	0.39	0.04	7.3	15.8
K300506		3.48	14.20	0.16	2.9	>100	0.078	2.95	35.4	14.1	2.96	720	0.51	0.04	9.1	20.7
K300507		3.12	16.00	0.23	2.8	>100	0.107	2.83	33.0	15.6	3.50	549	0.77	0.05	8.3	22.8
K300508		2.92	12.50	0.20	2.2	15.4	0.046	2.25	26.5	13.2	4.49	699	0.62	0.04	6.5	21.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156706

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298973		230	8.6	16.2	<0.002	1.38	6.62	1.4	2	0.5	112.5	0.10	<0.05	1.8	0.039	26.9
K298974		120	8.8	9.8	<0.002	0.23	0.64	1.0	2	0.5	95.1	0.07	<0.05	1.3	0.026	3.49
K298975		160	7.4	9.5	0.002	0.33	0.95	1.0	3	0.3	142.0	0.07	<0.05	1.3	0.028	4.34
K298976		190	7.7	8.5	<0.002	0.55	2.10	1.0	3	0.2	150.0	0.07	<0.05	1.3	0.026	8.71
K298977		110	4.8	4.1	<0.002	0.20	0.80	0.5	2	<0.2	116.0	<0.05	<0.05	0.6	0.013	3.77
K298978		210	10.4	14.7	<0.002	0.74	2.16	1.4	2	0.3	135.5	0.11	<0.05	1.8	0.041	6.53
K298979		220	7.9	13.3	<0.002	0.32	0.70	1.3	3	0.3	146.0	0.11	<0.05	2.2	0.043	2.53
K298980		940	18.1	46.1	0.002	3.17	114.5	13.2	3	2.8	510	0.76	0.14	10.2	0.551	7.16
K298981		310	17.7	20.6	<0.002	0.30	1.29	2.1	3	0.4	194.0	0.18	<0.05	3.5	0.067	2.21
K298982		200	7.0	9.0	<0.002	0.21	1.07	0.9	3	0.2	103.0	0.08	<0.05	1.4	0.029	1.51
K298983		130	6.7	6.1	<0.002	0.25	0.92	0.6	2	0.2	101.5	0.05	<0.05	0.9	0.019	0.99
K298984		220	1.4	1.2	<0.002	0.01	0.05	0.2	2	<0.2	46.5	<0.05	<0.05	<0.2	<0.005	0.02
K298985		90	6.4	5.6	<0.002	0.15	0.97	0.6	2	0.2	93.1	0.05	<0.05	0.9	0.019	0.89
K298986		110	5.6	8.9	<0.002	0.13	0.57	0.9	2	0.2	83.7	0.07	<0.05	1.3	0.027	1.45
K298987		160	7.1	21.6	<0.002	0.22	0.77	1.9	2	0.5	83.1	0.16	<0.05	2.8	0.060	2.45
K298988		150	5.7	12.2	<0.002	0.25	0.61	1.1	2	0.3	87.3	0.09	<0.05	1.6	0.035	1.29
K298989		230	8.5	22.5	<0.002	0.48	1.75	1.9	3	0.5	94.8	0.17	<0.05	3.2	0.066	1.55
K298990		230	6.3	20.3	<0.002	0.34	1.51	1.8	2	0.4	111.5	0.16	<0.05	2.8	0.057	2.06
K298991		160	6.3	15.1	<0.002	0.16	0.99	1.4	2	0.3	85.5	0.11	<0.05	2.0	0.044	1.47
K298992		150	6.1	15.4	<0.002	0.10	0.81	1.5	2	0.4	102.5	0.12	<0.05	2.2	0.046	1.81
K298993		220	2.1	1.4	<0.002	0.01	0.05	0.3	2	<0.2	44.8	<0.05	<0.05	<0.2	0.005	0.03
K298994		220	8.4	14.1	<0.002	0.14	0.67	1.3	2	0.3	106.5	0.11	<0.05	2.0	0.042	1.48
K298995		160	6.6	9.4	<0.002	0.21	0.40	0.9	2	0.3	109.5	0.07	<0.05	1.4	0.028	1.45
K298996		240	8.9	11.3	<0.002	0.31	0.37	1.1	2	0.3	98.4	0.09	<0.05	1.7	0.036	1.54
K298997		260	11.0	11.7	<0.002	0.33	0.51	1.1	2	0.3	98.5	0.10	<0.05	1.8	0.036	1.57
K298998		330	12.6	13.3	<0.002	0.42	0.53	1.3	3	0.3	79.9	0.12	<0.05	2.2	0.044	1.80
K298999		300	12.5	12.4	<0.002	0.37	1.44	1.3	2	0.3	99.1	0.11	<0.05	2.1	0.042	1.70
K299000		910	37.6	47.3	0.039	1.62	105.5	3.9	5	2.4	68.0	0.45	0.23	6.7	0.172	3.57
K300501		210	8.4	8.4	<0.002	0.25	0.42	0.9	2	0.2	59.6	0.07	<0.05	1.3	0.027	1.07
K300502		680	12.7	35.4	<0.002	0.20	0.79	3.1	2	0.6	431	0.19	<0.05	3.8	0.086	15.05
K300503		510	1.7	9.4	<0.002	0.01	0.25	0.9	2	0.2	76.4	0.05	0.05	1.0	0.025	5.88
K300504		620	7.2	66.7	<0.002	0.08	0.30	5.3	2	1.1	489	0.39	0.06	6.8	0.172	5.91
K300505		760	7.6	82.0	<0.002	0.09	1.67	6.8	2	1.6	639	0.55	0.06	9.1	0.237	48.0
K300506		820	10.9	101.0	<0.002	0.03	16.15	7.7	2	2.6	640	0.67	0.08	11.2	0.294	348
K300507		840	9.0	112.5	<0.002	0.03	12.00	11.1	1	3.2	651	0.66	0.08	9.6	0.275	112.5
K300508		2130	9.3	88.1	<0.002	0.05	4.79	10.6	1	1.7	344	0.51	0.06	7.8	0.209	34.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156706

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.1
K298973		15.5	21	1.3	3.2	10	16.9	1.485	
K298974		16.1	16	1.0	3.0	10	11.8		
K298975		26.6	17	2.6	5.1	9	12.5		
K298976		25.2	12	3.1	4.0	484	11.3		
K298977		16.4	6	1.7	2.7	35	5.7		
K298978		23.1	15	1.6	4.4	25	16.8		
K298979		18.4	19	0.9	4.4	16	28.1		
K298980		8.0	172	22.9	15.7	39	170.0		
K298981		17.8	22	1.2	6.9	58	48.4		
K298982		15.4	17	1.0	3.8	57	15.4		
K298983		15.4	13	0.5	3.1	132	9.1		
K298984		0.6	3	0.1	0.9	13	<0.5		
K298985		8.5	11	0.6	2.5	234	10.8		
K298986		8.8	14	0.6	3.4	54	14.6		
K298987		11.7	21	1.0	4.7	77	28.8		
K298988		9.7	15	0.6	3.1	28	16.4		
K298989		13.7	26	0.9	5.1	6	31.7		
K298990		12.9	25	1.2	5.3	24	28.0		
K298991		8.2	17	0.9	3.9	59	19.9		
K298992		8.6	18	0.8	4.5	71	18.8		
K298993		0.5	3	0.1	0.9	13	0.5		
K298994		8.7	16	0.6	4.4	69	18.0		
K298995		9.3	15	0.5	3.0	48	11.8		
K298996		16.4	28	0.7	3.2	8	14.5		
K298997		16.9	28	0.7	3.3	9	14.9		
K298998		22.0	41	0.9	4.2	7	18.2		
K298999		22.7	31	1.0	4.5	3	19.4		
K299000		8.7	230	27.2	21.0	210	64.8		
K300501		21.2	24	0.6	3.8	<2	11.6		
K300502		4.7	26	1.4	12.5	214	30.3		
K300503		4.2	10	0.4	6.6	36	8.4		
K300504		7.5	55	1.1	12.9	25	59.7		
K300505		9.3	72	2.2	15.8	25	82.4		
K300506		16.5	90	4.9	15.5	26	100.0		200
K300507		13.3	82	3.7	14.6	28	91.6		179.0
K300508		14.8	67	2.8	19.2	32	73.0		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156706

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

CERTIFICATE WH11156854

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 102 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156854

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299257		7.29	0.07	0.05	0.92	2030	70	0.39	0.02	19.15	0.07	15.90	1.7	9	2.17	6.2
K299258		7.88	0.01	0.05	0.94	694	250	0.43	0.01	18.10	0.07	16.35	1.7	7	2.62	4.7
K299259		6.89	0.04	0.03	0.90	1100	70	0.32	0.02	18.85	0.05	15.90	1.7	6	2.38	5.2
K299260		7.21	<0.01	0.02	0.91	346	610	0.42	0.02	18.30	0.03	13.65	1.9	5	2.39	4.7
K299261		7.17	<0.01	0.03	0.74	63	70	0.38	<0.01	19.00	0.02	10.65	1.9	6	1.70	5.9
K299262		6.98	<0.01	0.04	1.35	116	90	0.57	0.04	18.10	0.06	18.35	2.8	10	5.65	9.3
K299263		4.88	<0.01	0.01	0.06	<5	20	0.05	<0.01	20.6	0.06	1.25	1.1	1	0.21	2.2
K299264		8.18	0.05	0.04	0.61	718	60	0.19	<0.01	18.90	0.07	10.25	1.9	6	1.26	6.4
K299265		8.82	0.02	0.06	2.39	650	140	0.92	0.06	15.70	0.24	24.6	3.2	15	7.74	9.7
K299266		3.81	0.03	0.04	2.53	680	130	0.93	0.11	15.60	0.22	33.4	3.6	19	8.72	15.0
K299267		8.14	0.02	0.07	5.95	227	380	1.97	0.27	8.85	0.11	68.6	13.1	47	25.8	32.4
K299268		8.34	<0.01	0.05	4.91	62	210	1.36	0.20	15.55	0.07	52.1	6.9	38	21.8	18.8
K299269		8.66	<0.01	0.02	0.79	11	2270	0.26	0.06	20.2	0.07	12.40	2.0	7	2.81	8.7
K299270		8.34	<0.01	0.05	3.38	25	150	0.83	0.13	17.85	0.10	35.7	4.7	27	18.50	13.3
K299271		8.27	<0.01	0.01	5.80	75	720	1.43	0.25	11.55	0.05	60.7	7.0	42	26.5	19.6
K299272		8.70	<0.01	0.04	3.36	30	180	0.85	0.12	18.00	0.05	38.2	5.6	25	16.35	16.7
K299273		9.12	<0.01	0.05	1.06	515	50	0.40	0.04	28.7	0.06	22.0	2.3	11	3.13	7.1
K299274		8.63	0.05	0.13	2.80	679	200	0.89	0.08	18.20	0.04	40.0	4.6	36	10.25	21.5
K299275		9.35	0.02	0.09	2.88	852	190	0.89	0.07	15.40	0.04	40.0	4.6	32	10.30	16.4
K299276		10.78	0.01	0.04	1.20	397	70	0.35	0.04	29.1	0.07	20.3	2.2	13	3.44	7.4
K299277		11.61	<0.01	0.02	0.64	271	390	0.23	0.03	32.2	0.18	12.85	1.5	7	1.89	5.6
K299278		11.42	<0.01	0.03	1.48	293	1380	0.45	0.05	28.2	0.04	25.6	2.5	15	5.91	10.0
K299279		0.25	0.36	0.32	6.09	599	610	0.62	0.29	0.51	0.20	140.5	2.8	242	3.55	34.5
K299280		10.20	<0.01	0.04	2.50	261	310	0.75	0.07	23.5	0.06	37.1	4.3	26	14.30	14.8
K299281		9.58	<0.01	0.04	1.55	144	200	0.44	0.04	27.8	0.07	25.8	2.8	15	8.24	8.7
K299282		9.16	<0.01	0.03	0.91	128	160	0.30	0.03	29.5	0.28	15.60	1.9	8	3.11	4.7
K299283		0.25	0.34	0.29	5.99	588	1010	0.65	0.30	0.50	0.18	144.0	2.8	237	3.62	32.1
K299284		7.40	<0.01	0.02	2.19	186	210	0.62	0.06	25.6	0.07	32.3	3.7	21	10.50	14.5
K299285		8.65	<0.01	0.04	2.33	85	460	0.64	0.06	23.7	0.06	36.0	4.3	23	11.85	12.5
K299286		8.19	<0.01	0.03	3.06	57	2240	0.94	0.08	10.45	0.09	42.9	4.3	33	14.95	16.3
K299287		10.71	<0.01	0.03	2.96	213	260	0.92	0.08	21.0	0.05	40.9	5.0	31	17.65	20.8
K299288		11.17	<0.01	0.05	2.91	307	980	0.89	0.08	19.40	0.07	42.3	4.9	30	18.25	16.6
K299289		11.26	<0.01	0.05	2.61	78	550	0.84	0.07	18.85	0.06	38.2	4.3	27	14.85	14.4
K299290		5.09	<0.01	0.05	0.70	54	1850	0.21	0.02	32.0	0.14	18.05	1.6	7	4.77	4.5
K299291		6.89	<0.01	<0.01	0.06	<5	20	0.05	0.03	20.6	0.06	1.46	1.3	1	0.17	2.0
K299292		17.15	<0.01	0.14	1.24	86	160	0.35	0.04	31.1	0.20	19.45	2.6	12	8.50	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156854

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299257		0.47	2.56	0.30	0.8	0.56	0.007	0.45	8.6	5.5	11.50	392	0.38	0.02	1.7	2.4
K299258		0.59	2.58	0.29	0.7	0.52	0.007	0.46	9.0	5.6	10.90	404	0.24	0.02	1.6	2.7
K299259		0.80	2.55	0.22	0.6	1.45	0.008	0.43	8.7	4.8	11.25	639	0.25	0.02	1.6	2.5
K299260		0.77	2.63	0.24	0.7	0.45	0.007	0.45	7.6	5.3	10.95	503	0.29	0.05	1.7	2.0
K299261		0.62	2.28	0.33	0.4	0.36	0.006	0.36	5.7	4.5	11.40	475	0.22	0.02	1.4	2.5
K299262		1.36	3.73	0.18	0.5	0.61	0.009	0.67	9.4	6.1	10.45	589	0.12	0.02	2.2	6.2
K299263		0.45	0.36	0.44	<0.1	<0.01	<0.005	0.02	0.6	0.8	12.60	204	<0.05	<0.01	0.3	1.1
K299264		1.49	1.69	0.14	0.2	1.33	<0.005	0.29	4.8	2.1	11.15	533	0.11	0.01	1.2	4.3
K299265		1.30	6.03	0.17	1.0	1.22	0.018	1.17	12.9	10.6	9.25	390	0.28	0.03	3.4	8.2
K299266		1.36	6.80	0.08	1.2	1.53	0.024	1.28	18.5	13.8	9.07	375	0.35	0.03	3.9	12.0
K299267		2.82	15.70	0.14	2.7	3.32	0.052	3.04	38.0	28.8	4.09	298	0.49	0.05	8.9	27.9
K299268		1.55	12.65	0.11	2.4	0.38	0.043	2.48	33.1	19.9	3.30	313	0.62	0.04	7.4	15.6
K299269		1.15	2.05	0.07	0.4	0.02	0.009	0.40	7.2	4.3	9.71	350	0.18	0.04	1.3	1.6
K299270		1.25	8.37	0.08	1.7	0.05	0.027	1.72	23.3	12.4	5.09	262	0.47	0.04	5.1	10.1
K299271		1.58	15.05	0.12	2.7	0.08	0.045	2.97	35.0	16.9	3.04	208	0.49	0.05	8.8	17.2
K299272		1.51	8.49	0.09	1.7	0.07	0.028	1.72	24.7	10.0	3.55	291	0.55	0.03	5.3	12.5
K299273		0.46	2.70	0.09	0.8	0.44	0.010	0.57	13.2	4.9	1.21	145	0.67	0.01	2.2	2.8
K299274		1.06	7.41	0.10	2.0	0.67	0.022	1.55	25.9	14.7	2.80	192	1.02	0.02	5.0	11.6
K299275		1.17	7.21	0.09	2.4	0.39	0.021	1.70	24.6	16.8	3.60	194	1.11	0.03	5.6	10.5
K299276		0.49	3.01	0.07	0.7	0.14	0.009	0.67	12.3	6.5	1.53	122	0.54	0.01	2.2	2.8
K299277		0.34	1.64	0.08	0.4	0.09	0.006	0.35	8.4	3.4	0.91	107	0.38	0.01	1.2	0.3
K299278		0.70	3.60	0.08	0.8	0.08	0.011	0.85	14.8	8.3	1.32	156	0.34	0.02	2.6	3.9
K299279		6.50	21.2	0.21	4.6	9.47	0.049	1.31	70.0	19.6	0.13	35	6.60	0.38	10.2	18.3
K299280		0.95	6.33	0.08	1.3	0.09	0.019	1.48	21.8	19.7	1.86	146	0.56	0.02	4.1	9.7
K299281		0.60	3.69	0.09	0.8	0.07	0.011	0.94	15.1	11.4	1.10	120	0.33	0.02	2.4	4.9
K299282		0.39	2.22	0.09	0.6	0.06	0.007	0.56	9.3	5.5	0.97	106	0.57	0.01	1.5	1.6
K299283		6.39	21.5	0.21	4.6	9.60	0.047	1.30	71.6	20.1	0.12	35	6.68	0.38	10.3	18.8
K299284		0.84	5.50	0.08	1.1	0.08	0.016	1.27	19.4	13.7	1.34	124	0.36	0.02	3.7	8.9
K299285		1.05	5.77	0.10	1.4	0.07	0.016	1.34	21.0	14.6	2.17	152	0.53	0.03	4.1	9.6
K299286		1.44	7.58	0.10	2.9	0.06	0.021	1.89	25.7	24.0	5.15	235	1.01	0.05	5.5	11.4
K299287		1.33	7.45	0.10	1.5	0.06	0.021	1.68	23.7	26.7	2.06	161	0.50	0.03	4.8	12.9
K299288		1.22	7.61	0.10	1.9	0.08	0.024	1.76	24.3	25.6	2.24	169	0.56	0.03	5.1	11.9
K299289		1.15	6.69	0.09	1.9	0.10	0.018	1.61	21.7	19.4	2.99	167	0.85	0.03	4.6	10.2
K299290		0.46	1.70	0.08	0.3	0.06	0.006	0.40	10.2	6.4	0.86	162	0.34	0.02	1.1	1.0
K299291		0.45	0.36	0.19	<0.1	<0.01	0.006	0.02	0.8	1.0	12.15	196	0.12	<0.01	0.3	1.1
K299292		0.48	3.02	0.11	0.5	0.11	0.012	0.72	12.0	9.6	0.75	154	0.56	0.01	1.9	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156854

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299257		480	4.6	17.6	<0.002	0.37	2.81	1.7	1	0.4	93.3	0.12	<0.05	2.3	0.044	0.77
K299258		490	5.2	17.7	<0.002	0.40	1.37	1.8	1	0.4	94.7	0.12	<0.05	2.5	0.045	0.68
K299259		450	5.1	17.2	<0.002	0.48	2.56	1.7	1	0.3	93.5	0.11	<0.05	2.2	0.043	1.50
K299260		330	4.1	18.0	<0.002	0.48	0.84	1.7	1	0.3	94.9	0.12	<0.05	2.3	0.044	0.83
K299261		350	4.0	14.9	<0.002	0.28	0.62	1.4	1	0.3	75.8	0.10	<0.05	1.7	0.034	0.60
K299262		640	13.0	29.1	<0.002	1.09	0.64	2.6	1	0.5	83.1	0.14	0.11	2.5	0.060	1.56
K299263		170	1.1	1.4	<0.002	0.01	0.05	0.3	1	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	0.05
K299264		390	13.3	11.2	<0.002	1.55	1.42	1.2	1	0.2	86.3	0.07	0.05	1.1	0.030	2.69
K299265		660	14.0	47.2	<0.002	1.13	1.70	4.1	1	0.7	93.9	0.23	<0.05	4.2	0.106	1.90
K299266		720	21.7	48.5	<0.002	1.16	1.60	4.9	1	0.8	96.8	0.30	<0.05	5.2	0.113	2.42
K299267		720	25.5	121.5	<0.002	2.04	1.27	11.9	2	1.8	104.5	0.70	0.05	11.8	0.279	3.38
K299268		720	15.4	92.9	0.002	0.67	0.38	9.4	2	1.4	164.0	0.58	0.05	9.8	0.220	1.13
K299269		380	4.2	14.3	<0.002	0.16	0.07	1.7	2	0.3	249	0.10	<0.05	1.8	0.035	0.16
K299270		520	10.7	62.6	<0.002	0.38	0.23	6.3	2	1.0	323	0.40	<0.05	7.1	0.151	0.60
K299271		560	11.4	113.5	<0.002	0.57	0.32	11.2	1	1.7	275	0.70	0.06	11.7	0.256	0.83
K299272		570	9.4	64.9	<0.002	0.39	0.25	6.5	2	1.0	561	0.40	<0.05	7.1	0.151	0.49
K299273		190	7.7	19.1	<0.002	0.12	9.57	2.0	3	0.4	1060	0.16	<0.05	3.1	0.050	1.66
K299274		710	12.0	51.3	<0.002	0.29	11.95	5.2	3	1.0	500	0.41	<0.05	7.8	0.132	1.67
K299275		450	12.1	58.8	<0.002	0.26	4.18	5.1	3	0.9	425	0.43	<0.05	8.0	0.139	1.25
K299276		180	7.6	22.9	<0.002	0.13	1.36	2.2	2	0.4	1260	0.16	<0.05	3.2	0.054	0.65
K299277		100	4.9	11.7	<0.002	0.06	0.95	1.2	2	0.2	1265	0.08	<0.05	1.7	0.028	0.30
K299278		180	4.8	29.3	<0.002	0.09	1.11	2.7	2	0.5	1020	0.19	<0.05	3.8	0.064	0.28
K299279		880	19.1	44.4	0.003	2.98	110.5	18.1	2	2.9	484	0.82	0.12	11.0	0.540	7.83
K299280		370	6.8	52.6	<0.002	0.11	1.59	4.4	2	0.8	671	0.31	<0.05	6.2	0.105	0.41
K299281		220	5.3	32.9	<0.002	0.09	0.98	2.7	2	0.4	969	0.18	<0.05	3.7	0.062	0.24
K299282		120	5.2	18.6	<0.002	0.05	0.96	1.6	2	0.3	1115	0.11	<0.05	2.2	0.035	0.16
K299283		860	19.8	43.7	0.003	2.94	110.5	18.6	2	2.9	477	0.85	0.13	11.5	0.534	7.90
K299284		300	8.1	46.3	<0.002	0.07	1.48	3.9	2	0.7	915	0.28	<0.05	5.5	0.092	0.34
K299285		320	8.2	49.6	<0.002	0.11	0.67	4.2	3	0.8	992	0.31	<0.05	6.4	0.104	0.33
K299286		370	10.1	65.7	<0.002	0.11	0.62	5.6	2	1.0	299	0.43	<0.05	8.7	0.142	0.47
K299287		400	7.9	64.1	<0.002	0.07	1.05	5.4	2	1.0	658	0.39	<0.05	7.4	0.128	0.83
K299288		340	7.9	62.8	<0.002	0.10	1.71	5.5	3	1.0	564	0.41	<0.05	7.7	0.132	0.85
K299289		310	8.2	57.7	<0.002	0.16	0.76	4.8	2	0.8	529	0.36	<0.05	6.8	0.119	0.47
K299290		140	4.5	13.8	<0.002	0.11	0.40	1.4	2	0.2	1030	0.08	<0.05	1.7	0.026	0.17
K299291		160	1.2	1.1	<0.002	0.01	<0.05	0.3	2	<0.2	50.6	<0.05	<0.05	<0.2	<0.005	<0.02
K299292		220	11.2	24.6	<0.002	0.09	0.63	2.4	2	0.4	1230	0.15	<0.05	3.0	0.048	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156854

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299257		9.6	17	0.9	7.5	9	30.3
K299258		7.7	17	0.9	7.2	16	28.8
K299259		6.8	16	0.9	6.9	7	23.9
K299260		5.4	15	1.0	5.5	4	26.1
K299261		2.8	12	0.8	4.8	2	20.0
K299262		2.6	17	0.7	7.3	18	19.5
K299263		0.6	2	0.1	0.8	16	0.5
K299264		2.1	9	0.7	5.0	20	10.4
K299265		2.4	28	1.8	10.4	90	35.5
K299266		3.3	30	1.9	11.5	70	43.7
K299267		3.3	82	2.2	21.5	56	89.2
K299268		7.1	64	1.0	17.4	43	79.6
K299269		4.7	10	0.2	4.4	11	15.2
K299270		9.8	48	0.7	11.9	33	59.8
K299271		7.0	77	1.2	17.2	45	87.8
K299272		9.7	45	0.7	13.6	35	59.8
K299273		11.5	17	0.8	6.1	11	27.6
K299274		8.4	46	1.5	14.3	19	69.5
K299275		7.2	42	0.9	12.3	15	83.0
K299276		13.1	18	0.4	5.7	14	27.0
K299277		14.0	10	0.2	3.7	21	13.5
K299278		10.6	22	0.4	7.1	15	26.9
K299279		8.1	166	22.7	16.5	43	168.5
K299280		11.2	39	0.6	9.9	22	45.0
K299281		13.3	23	0.4	6.6	27	27.9
K299282		12.8	14	0.2	4.4	36	21.8
K299283		8.3	165	23.2	16.6	43	169.5
K299284		12.1	29	0.4	8.9	34	40.7
K299285		11.8	33	0.4	9.8	37	49.9
K299286		5.1	44	0.6	13.9	38	95.5
K299287		9.2	46	0.5	11.5	43	51.5
K299288		8.3	42	0.6	11.8	26	66.2
K299289		8.9	41	0.5	10.4	25	64.0
K299290		8.1	10	0.2	4.5	27	10.7
K299291		0.5	1	0.2	0.8	17	<0.5
K299292		15.1	28	0.2	4.8	56	16.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156854

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

CERTIFICATE WH11156761

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch103 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156761

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299942		8.52	<0.01	0.08	7.14	6.4	80	1.12	0.20	3.98	0.30	57.2	31.2	67	13.75	168.0
K299943		9.96	<0.01	0.09	6.96	12.3	110	1.10	0.16	4.47	0.32	51.0	32.7	74	15.35	153.5
K299944		10.33	<0.01	0.12	7.56	17.2	110	1.17	0.21	3.59	0.28	58.1	34.5	73	15.60	186.0
K299945		8.91	0.01	0.13	7.57	20.7	170	1.20	0.21	3.28	0.31	57.9	35.9	76	19.95	187.5
K299946		8.64	<0.01	0.11	7.20	86.1	300	1.19	0.22	3.29	0.27	55.2	32.6	75	18.10	172.0
K299947		8.80	0.01	0.13	7.19	464	1270	1.86	0.21	2.21	0.36	58.1	35.8	73	24.0	166.5
K299948		7.49	<0.01	0.12	8.27	636	170	1.85	0.39	0.18	0.15	79.9	19.4	72	18.20	98.4
K299949		4.11	0.01	0.11	7.39	374	180	1.54	0.25	3.05	0.39	76.7	30.9	66	26.2	140.0
K299950		0.25	0.36	0.31	6.07	595	630	0.67	0.27	0.44	0.18	148.0	2.8	224	3.56	30.8
K299951		11.11	<0.01	0.07	7.35	108.5	320	1.79	0.25	7.05	0.10	83.7	15.5	52	25.4	36.9
K299952		7.71	<0.01	0.06	7.15	68.5	350	2.09	0.28	6.57	0.05	79.0	13.7	53	28.7	26.0
K299953		8.74	<0.01	0.12	7.93	58.1	340	2.32	0.32	2.60	0.03	83.0	15.1	58	32.2	30.7
K299954		7.72	<0.01	0.07	8.21	33.0	290	2.19	0.29	3.25	0.06	92.9	17.1	59	35.8	51.0
K299955		9.29	<0.01	0.08	8.23	20.0	420	2.19	0.32	2.99	0.36	91.5	15.7	58	39.3	34.8
K299956		4.73	<0.01	0.06	8.53	19.7	410	2.04	0.30	2.87	0.25	84.9	15.1	67	35.5	34.9
K299957		9.42	<0.01	0.04	7.60	14.0	300	2.00	0.27	6.55	0.21	84.7	13.3	54	31.6	36.8
K299958		8.04	0.01	0.05	5.44	15	250	1.35	0.18	14.15	0.07	65.8	10.5	40	23.1	23.3
K299959		1.86	<0.01	0.06	4.67	24	290	1.20	0.14	15.70	0.09	63.3	9.1	38	18.15	22.7
K299960		7.39	<0.01	0.07	6.76	8.1	300	1.53	0.22	4.01	0.28	58.5	30.1	68	51.3	140.5
K299961		10.54	<0.01	0.03	6.12	5.7	200	1.18	0.19	4.90	0.29	52.3	27.6	66	37.7	128.5
K299962		11.03	<0.01	0.04	6.17	5.9	290	1.28	0.20	5.07	0.33	54.5	28.2	63	38.5	130.0
K299963		11.09	0.39	0.05	6.40	1170	180	1.50	0.21	5.24	0.31	56.2	28.6	61	32.0	129.5
K299964		0.22	2.79	0.96	3.17	532	860	0.69	0.29	8.05	2.28	49.7	6.9	52	3.98	42.1
K299965		10.81	<0.01	0.06	6.43	29.3	220	1.49	0.21	4.27	0.31	54.8	30.4	70	45.0	132.0
K299966		6.76	<0.01	0.04	6.05	12.4	210	1.23	0.19	4.28	0.29	52.6	28.3	70	44.6	121.0
K299967		4.01	<0.01	0.04	5.93	29.9	440	1.59	0.25	5.99	0.21	70.5	14.3	47	23.1	56.3
K299968		6.99	<0.01	<0.01	0.06	<5	20	0.05	0.01	20.7	0.07	1.41	1.3	<1	0.22	1.9
K299969		9.24	<0.01	0.06	5.16	126.5	290	1.46	0.21	6.37	0.14	61.3	12.6	36	19.75	35.0
K299970		9.68	<0.01	0.08	4.77	46.8	750	1.22	0.19	7.42	0.12	60.9	11.7	34	16.40	32.9
K299971		6.40	<0.01	0.06	5.18	95.1	290	1.18	0.22	6.97	0.13	62.3	12.7	38	18.00	32.6
K299972		6.99	<0.01	0.08	6.24	46.6	240	1.26	0.19	5.11	0.21	52.6	27.6	62	19.85	125.5
K299973		7.08	<0.01	0.05	7.08	20.7	180	1.62	0.22	2.73	0.32	55.1	32.0	74	27.2	175.5
K299974		6.93	<0.01	0.06	6.85	29.1	210	1.54	0.22	2.98	0.37	60.5	30.7	73	29.8	146.0
K299975		4.90	<0.01	<0.01	0.09	5	20	0.05	0.01	21.0	0.06	1.61	1.5	1	0.24	2.7
K299976		6.80	<0.01	0.05	5.68	30.6	260	1.37	0.19	6.49	0.37	55.5	21.7	53	23.9	96.2
K299977		6.73	<0.01	0.06	7.40	54.2	400	1.74	0.25	3.54	0.19	72.8	23.1	66	36.5	85.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156761

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299942		7.66	18.15	0.20	3.5	0.13	0.103	1.11	27.9	82.1	3.34	1010	0.30	1.07	12.0	55.5
K299943		7.70	17.30	0.23	3.0	0.23	0.100	0.98	23.7	159.5	3.12	1050	0.29	1.11	10.9	54.8
K299944		7.86	19.65	0.22	3.8	0.18	0.115	1.43	27.5	141.0	2.90	836	0.34	1.10	13.3	59.8
K299945		7.99	19.20	0.24	3.6	0.25	0.108	1.87	26.5	188.0	2.49	1000	0.35	0.88	13.1	61.2
K299946		7.50	18.65	0.23	3.3	0.31	0.105	2.58	24.9	178.0	1.71	812	0.29	0.29	13.0	57.0
K299947		8.22	18.80	0.24	3.1	1.14	0.110	2.29	26.2	193.5	1.18	1140	0.42	0.23	13.2	62.2
K299948		6.57	21.5	0.25	4.0	1.37	0.115	3.92	34.9	26.2	0.51	498	0.45	0.04	20.9	35.1
K299949		7.39	19.15	0.27	3.4	1.22	0.114	2.99	39.0	129.5	1.52	1180	0.52	0.03	17.3	54.1
K299950		6.30	18.45	0.26	4.0	10.35	0.050	1.31	71.7	19.1	0.12	37	5.96	0.37	10.1	16.9
K299951		3.98	16.60	0.17	2.5	0.72	0.056	3.24	47.3	88.7	1.61	700	0.62	0.05	10.3	31.7
K299952		3.61	18.20	0.17	2.7	0.86	0.064	3.40	43.1	93.1	0.90	418	0.38	0.05	11.1	30.4
K299953		3.98	19.70	0.20	2.7	0.45	0.067	3.82	43.8	56.6	0.81	515	0.34	0.05	11.4	33.0
K299954		4.78	19.40	0.20	2.8	0.54	0.072	3.55	50.9	96.9	1.15	644	0.42	0.05	11.9	36.9
K299955		4.28	20.0	0.21	2.8	0.11	0.061	3.64	48.7	71.0	1.71	754	0.70	0.06	11.6	36.5
K299956		4.29	22.7	0.22	2.7	0.09	0.061	3.68	42.5	58.4	1.86	730	0.72	0.06	11.8	34.6
K299957		3.95	18.80	0.19	3.1	0.06	0.066	3.42	48.9	51.9	3.35	776	0.90	0.05	10.8	38.8
K299958		2.95	12.95	0.14	2.0	0.13	0.045	2.48	38.0	11.3	2.65	749	0.71	0.05	6.9	23.9
K299959		3.06	10.90	0.15	1.9	0.11	0.041	2.06	34.0	15.4	2.03	686	1.14	0.05	6.0	23.5
K299960		7.30	18.70	0.24	3.9	0.06	0.105	2.11	27.8	198.5	2.73	759	0.39	0.34	14.2	51.4
K299961		6.96	16.90	0.22	3.5	0.04	0.088	1.43	24.6	123.5	2.98	924	0.32	0.61	12.2	49.1
K299962		7.06	17.15	0.21	3.6	0.06	0.098	1.38	26.4	127.5	2.92	851	0.33	0.65	13.2	49.8
K299963		7.08	17.50	0.24	3.6	1.84	0.098	2.55	26.7	61.0	2.64	1440	0.28	0.04	13.0	48.7
K299964		2.09	7.51	0.14	1.8	4.71	0.028	0.98	31.4	35.2	2.55	265	19.10	0.04	6.9	54.9
K299965		7.11	18.05	0.24	3.6	0.22	0.100	1.63	26.4	142.0	3.09	985	0.31	0.56	13.0	61.1
K299966		6.82	16.75	0.22	3.5	0.13	0.089	1.51	25.3	137.5	2.96	960	0.34	0.48	12.6	50.3
K299967		3.93	15.45	0.16	3.8	6.5	0.073	2.63	36.6	43.3	3.01	629	2.53	0.04	12.3	25.7
K299968		0.48	0.23	0.06	<0.1	0.4	<0.005	0.02	0.7	1.2	13.05	210	0.06	<0.01	0.2	1.9
K299969		3.49	13.55	0.16	3.0	0.5	0.056	2.29	31.3	35.9	3.10	696	2.34	0.03	9.0	21.0
K299970		3.56	12.55	0.15	2.8	0.3	0.050	2.08	29.4	31.4	3.49	658	1.75	0.04	8.3	20.4
K299971		3.57	13.60	0.15	3.0	0.3	0.059	2.25	32.4	52.6	3.46	634	2.12	0.04	9.0	21.0
K299972		6.75	17.40	0.21	3.5	0.2	0.088	1.82	25.0	115.0	3.16	850	0.50	0.03	11.7	46.6
K299973		7.72	19.70	0.25	4.1	0.1	0.109	2.10	26.1	129.5	2.80	726	0.43	0.03	14.8	59.3
K299974		7.41	19.25	0.24	4.1	0.12	0.103	2.10	29.2	128.0	2.94	857	0.50	0.03	15.8	54.9
K299975		0.44	0.28	0.06	<0.1	<0.01	<0.005	0.03	0.8	1.5	13.25	185	0.11	0.01	0.3	4.9
K299976		5.78	15.50	0.19	3.4	0.15	0.085	2.19	26.6	71.4	4.02	1080	2.12	0.03	11.4	38.7
K299977		5.61	20.2	0.23	3.6	0.48	0.085	2.81	40.0	94.5	2.19	724	0.96	0.04	12.4	45.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156761

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299942		640	7.8	65.7	0.002	0.18	0.37	29.0	3	2.0	83.8	0.86	0.18	6.5	0.756	0.56
K299943		600	10.9	58.9	0.002	0.30	0.54	29.6	3	1.8	105.0	0.77	0.16	5.2	0.788	0.49
K299944		760	10.3	81.6	<0.002	0.22	0.75	32.2	3	2.2	96.3	0.92	0.22	6.5	0.813	0.62
K299945		740	10.4	97.2	0.002	0.10	0.89	31.6	3	2.1	101.0	0.92	0.23	6.4	0.818	1.06
K299946		680	7.7	125.5	<0.002	0.07	1.50	31.3	3	2.8	189.5	0.90	0.20	6.5	0.782	1.18
K299947		690	14.0	124.0	<0.002	0.63	2.54	30.5	4	2.8	151.5	0.90	0.21	7.1	0.749	2.72
K299948		710	15.1	183.0	0.004	1.61	2.16	22.4	4	4.5	110.5	1.49	0.34	12.7	0.663	3.33
K299949		710	11.4	157.5	0.007	6.22	1.76	27.4	4	2.9	240	1.19	0.33	8.1	0.708	6.84
K299950		890	19.8	52.4	0.003	2.99	117.5	16.4	3	2.9	478	0.79	0.13	10.3	0.542	7.82
K299951		520	17.3	149.5	<0.002	1.70	0.85	13.8	2	2.9	213	0.79	0.06	13.1	0.349	2.05
K299952		480	14.9	123.5	<0.002	2.38	0.73	12.3	2	2.2	226	0.90	0.05	12.3	0.340	2.27
K299953		490	21.3	141.0	<0.002	2.51	0.52	13.9	2	2.4	119.0	0.89	0.06	13.8	0.367	2.15
K299954		500	19.3	154.0	<0.002	2.86	0.49	17.1	3	2.5	138.0	0.91	0.10	14.2	0.430	2.29
K299955		540	28.4	142.5	<0.002	1.18	0.57	14.7	2	2.4	131.5	0.92	0.07	14.3	0.363	1.13
K299956		520	19.3	145.5	<0.002	1.15	0.52	15.3	1	2.4	118.5	0.87	0.06	12.8	0.376	1.11
K299957		720	18.5	174.5	<0.002	0.94	0.56	13.4	2	2.5	183.5	0.86	0.06	13.8	0.334	1.12
K299958		540	13.5	121.5	<0.002	1.58	0.56	9.2	2	1.6	465	0.57	<0.05	9.9	0.219	1.83
K299959		2890	13.1	109.5	<0.002	1.25	0.48	8.4	2	1.5	531	0.48	<0.05	8.6	0.194	1.69
K299960		660	11.4	146.0	<0.002	0.27	0.33	25.6	2	2.2	153.0	1.01	0.24	6.2	0.660	0.71
K299961		590	10.3	103.5	<0.002	0.28	0.36	23.7	2	2.0	164.5	0.85	0.19	5.7	0.655	0.47
K299962		620	11.2	96.1	<0.002	0.27	0.37	23.5	2	2.1	207	0.92	0.26	5.8	0.632	0.48
K299963		650	11.0	145.0	<0.002	6.51	2.49	24.4	2	2.2	119.0	0.93	0.30	6.1	0.636	5.17
K299964		880	38.1	51.7	0.023	1.57	102.5	5.1	4	2.6	76.7	0.47	0.17	6.5	0.170	3.90
K299965		640	10.5	112.5	<0.002	0.75	0.62	25.3	2	2.0	132.0	0.94	0.23	6.0	0.662	1.40
K299966		620	10.6	105.0	<0.002	0.51	0.39	24.3	2	2.0	133.0	0.90	0.22	5.7	0.659	0.85
K299967		530	18.4	142.0	<0.002	1.82	0.73	13.9	2	2.5	146.0	0.91	0.10	9.4	0.427	1.82
K299968		170	1.2	1.3	<0.002	<0.01	0.10	0.4	2	<0.2	50.7	<0.05	<0.05	<0.2	<0.005	<0.02
K299969		420	18.3	115.5	<0.002	2.23	0.88	10.7	2	2.4	149.5	0.69	0.05	8.1	0.317	2.19
K299970		430	17.1	111.0	<0.002	1.99	0.69	9.9	2	2.2	193.0	0.64	<0.05	7.6	0.303	1.92
K299971		440	18.9	116.5	<0.002	1.98	0.74	10.6	2	2.4	195.0	0.72	0.06	8.6	0.308	1.82
K299972		610	10.8	122.5	<0.002	1.82	0.37	23.7	2	2.1	185.0	0.84	0.17	5.9	0.604	1.67
K299973		670	10.2	143.5	0.002	0.34	0.39	28.1	2	2.4	111.5	1.05	0.25	6.0	0.699	0.87
K299974		720	11.2	142.0	0.002	0.49	0.45	26.0	3	2.4	126.0	1.11	0.28	6.7	0.677	1.19
K299975		230	1.4	1.7	<0.002	<0.01	0.05	0.5	2	<0.2	53.0	<0.05	<0.05	<0.2	<0.005	0.02
K299976		560	12.6	134.0	<0.002	1.34	0.59	18.8	2	2.2	234	0.84	0.18	6.2	0.496	1.28
K299977		520	22.4	155.0	0.002	2.71	0.46	19.5	2	2.6	125.5	0.94	0.14	10.7	0.506	2.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156761

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299942		1.5	255	0.7	30.7	109	120.5
K299943		1.2	268	0.9	27.4	106	109.5
K299944		1.5	275	2.3	32.4	110	136.0
K299945		1.5	271	4.7	31.9	111	127.5
K299946		1.5	256	7.8	28.9	104	118.0
K299947		1.6	246	4.3	29.8	110	118.5
K299948		3.1	177	8.5	26.0	87	143.0
K299949		2.1	216	6.5	28.1	92	126.0
K299950		8.1	164	23.3	16.0	43	159.0
K299951		3.3	84	1.6	20.2	97	93.3
K299952		3.0	73	2.8	17.2	87	93.9
K299953		2.9	81	2.5	18.0	100	96.2
K299954		3.1	110	1.9	21.3	85	102.0
K299955		3.1	86	1.6	19.7	214	95.9
K299956		3.1	87	1.4	18.3	147	100.0
K299957		3.3	93	1.4	21.5	108	102.0
K299958		2.7	53	1.1	15.9	57	65.8
K299959		3.0	61	1.0	25.3	64	65.5
K299960		1.7	210	0.9	30.0	98	135.0
K299961		1.6	208	0.8	27.3	96	120.5
K299962		1.7	202	0.8	29.5	97	128.0
K299963		1.6	208	6.1	28.3	89	128.5
K299964		9.1	231	28.2	22.0	215	67.5
K299965		1.6	218	0.9	28.3	98	126.0
K299966		1.6	209	0.9	28.1	94	125.0
K299967		2.8	104	1.2	25.9	71	126.0
K299968		0.5	3	0.1	0.9	17	0.6
K299969		2.4	80	1.4	22.3	68	103.5
K299970		2.2	74	1.3	22.4	59	92.2
K299971		2.5	75	1.4	22.5	65	96.5
K299972		1.5	200	1.2	26.8	94	122.0
K299973		1.8	225	1.0	29.9	103	145.0
K299974		2.1	215	0.9	29.9	100	144.5
K299975		0.9	3	0.1	1.0	16	0.8
K299976		2.0	153	0.9	25.6	91	113.5
K299977		2.5	141	1.3	25.4	86	122.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156761

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11158273

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 104- Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158273

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300073		5.63	<0.01	0.13	8.60	18.3	630	2.49	0.27	0.98	0.12	85.9	18.4	108	34.2	35.3
K300074		5.58	<0.01	0.17	8.76	18.5	610	2.55	0.28	0.92	0.13	82.5	18.7	109	34.4	35.8
K300075		2.41	<0.01	0.14	8.83	17.3	630	2.65	0.28	0.91	0.11	88.9	17.6	113	36.2	35.3
K300076		3.25	0.01	0.15	8.68	13.4	710	2.62	0.28	0.48	0.10	91.1	16.7	121	38.0	37.3
K300077		5.75	<0.01	0.19	8.07	16.4	720	2.21	0.25	1.73	0.11	81.8	17.4	101	29.4	32.7
K300078		5.50	<0.01	0.16	8.61	20.6	660	2.53	0.26	1.80	0.12	79.7	19.8	94	27.3	32.3
K300079		5.31	<0.01	0.12	6.12	20.2	870	1.58	0.16	2.96	0.08	65.3	17.6	66	14.30	22.9
K300080		6.54	<0.01	0.09	7.34	12.3	860	2.09	0.20	1.44	0.05	74.4	18.5	79	17.05	24.4
K300081		2.46	<0.01	0.11	7.11	8.8	580	1.95	0.18	1.30	0.04	72.2	15.9	80	14.45	23.3
K300082		3.70	<0.01	0.14	6.15	7.0	450	1.65	0.16	2.46	0.05	67.8	15.4	69	12.85	19.6
K300083		3.66	<0.01	0.10	7.98	9.0	820	2.26	0.23	1.13	0.06	79.2	19.1	87	15.90	26.2
K300084		4.92	<0.01	0.01	0.09	<5	20	0.07	0.01	21.0	0.06	1.32	1.4	1	0.20	1.6
K300085		3.18	<0.01	0.12	7.15	9.9	510	1.91	0.20	1.19	0.09	77.7	17.8	79	14.25	27.1
K300086		4.34	<0.01	0.24	7.16	9.8	430	2.00	0.20	1.75	0.07	75.4	18.1	80	15.60	27.3
K300087		4.57	<0.01	0.28	7.88	8.1	460	2.45	0.22	1.01	0.07	84.1	19.0	86	20.8	25.7
K300088		4.86	<0.01	0.12	7.52	7.6	400	2.22	0.20	1.51	0.09	80.8	18.5	82	19.35	23.9
K300089		0.23	0.35	0.37	6.30	598	1450	0.64	0.27	0.55	0.20	130.0	3.2	238	3.32	31.7
K300090		5.28	<0.01	0.12	6.47	7.8	350	1.89	0.16	1.42	0.06	72.0	15.5	77	16.20	18.8
K300091		5.15	<0.01	0.07	5.55	7.2	410	1.57	0.13	1.68	0.07	68.9	13.0	71	12.45	17.0
K300092		3.36	<0.01	0.09	7.67	6.7	720	2.10	0.21	1.15	0.09	77.0	17.5	86	14.35	26.9
K300093		4.66	<0.01	0.07	8.38	7.2	650	2.62	0.25	1.02	0.06	79.4	17.0	92	18.35	29.0
K300094		3.29	<0.01	0.20	8.25	12.5	490	2.66	0.28	0.58	0.06	60.5	22.5	96	22.5	35.3
K300095		4.55	<0.01	0.10	8.68	10.7	500	2.60	0.25	0.45	0.08	79.0	20.2	91	24.5	32.8
K300096		4.48	<0.01	0.07	7.95	9.1	430	2.27	0.22	0.52	0.12	73.8	19.1	83	20.7	32.0
K300097		3.38	0.01	0.09	8.75	9.1	480	2.71	0.26	0.51	0.06	79.2	19.5	93	21.7	32.2
K300098		0.24	2.69	1.36	3.28	599	880	0.77	0.30	8.17	2.22	46.3	7.4	53	3.74	42.5
K300099		4.84	<0.01	0.12	7.53	11.7	410	2.06	0.21	1.09	0.07	71.1	20.2	86	15.15	27.4
K300100		5.36	<0.01	0.60	8.23	12.6	480	2.26	0.25	1.15	0.09	86.8	17.8	92	19.75	36.5
K300101		0.20	<0.01	0.04	2.11	59.9	80	0.24	0.08	0.30	0.07	31.6	9.0	41	0.84	27.7
K300102		2.76	0.01	1.63	7.55	4930	550	1.84	0.27	0.76	0.21	83.5	16.3	101	14.75	36.7
K300103		1.41	<0.01	0.13	0.12	638	30	0.14	0.01	24.3	0.53	1.52	1.0	5	0.20	2.6
K300104		1.20	0.01	0.09	0.17	195	40	0.13	0.01	24.1	0.32	2.06	1.0	5	0.23	1.8
K300105		0.23	<0.01	0.34	0.17	107	100	0.13	0.01	21.6	0.91	1.71	1.1	5	0.43	2.1
K300106		1.30	<0.01	0.44	0.11	105	830	0.12	0.01	22.8	2.32	1.27	0.9	4	0.17	1.5
K300107		4.96	0.01	0.01	0.07	<5	30	0.05	0.03	20.8	0.06	1.32	1.2	1	0.18	1.9
K300108		1.02	<0.01	0.35	0.44	223	490	0.22	0.01	22.2	1.72	3.84	1.1	9	3.32	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158273

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300073		4.24	22.9	0.17	2.9	0.04	0.071	2.59	43.6	93.4	1.10	440	4.23	0.26	21.5	44.7
K300074		4.13	23.5	0.18	2.9	0.04	0.075	2.69	41.5	104.0	1.12	375	4.04	0.27	20.4	46.5
K300075		3.96	23.6	0.19	3.1	0.04	0.076	2.73	44.9	105.5	1.10	379	3.55	0.27	21.5	44.9
K300076		3.51	24.0	0.20	2.9	0.03	0.074	2.78	46.8	96.1	0.90	224	1.64	0.25	25.8	41.9
K300077		4.32	20.9	0.20	3.0	0.04	0.066	2.46	41.6	83.0	1.32	819	3.72	0.23	21.9	40.3
K300078		4.44	22.1	0.22	3.0	0.06	0.069	2.61	39.7	91.8	1.26	599	4.47	0.27	15.7	50.1
K300079		3.69	15.25	0.17	2.5	0.03	0.052	1.55	31.4	79.4	1.35	741	3.34	0.15	10.3	42.3
K300080		3.93	18.65	0.19	2.7	0.02	0.061	2.08	35.6	120.5	1.20	422	0.66	0.23	11.9	46.6
K300081		3.71	17.90	0.19	2.8	0.02	0.056	1.98	34.8	92.9	1.09	406	0.72	0.19	11.9	42.5
K300082		3.62	15.90	0.19	2.6	0.01	0.047	1.62	32.5	129.0	1.31	705	0.64	0.28	11.0	39.6
K300083		4.08	20.7	0.20	2.9	0.01	0.063	2.18	38.2	139.5	1.09	329	0.63	0.25	13.0	48.6
K300084		0.44	0.48	0.39	<0.1	<0.01	<0.005	0.03	0.6	1.5	12.60	190	0.13	0.01	0.4	1.4
K300085		3.98	18.50	0.20	2.9	0.01	0.061	1.92	36.7	128.0	1.07	362	0.77	0.19	11.9	45.3
K300086		4.30	18.75	0.21	2.9	0.01	0.060	2.00	36.2	97.2	1.23	636	0.74	0.33	12.0	47.3
K300087		4.24	20.7	0.20	3.1	0.01	0.064	2.24	40.4	117.5	1.09	343	0.75	0.42	13.3	50.9
K300088		4.11	19.65	0.23	3.0	0.01	0.061	2.16	38.6	105.0	1.25	492	0.62	0.51	12.9	48.1
K300089		6.80	20.1	0.23	4.0	9.67	0.046	1.36	62.0	20.6	0.17	42	6.81	0.38	10.1	16.8
K300090		3.55	16.50	0.18	3.0	0.01	0.054	1.75	34.4	87.5	1.07	481	0.69	0.60	12.1	40.7
K300091		3.11	13.60	0.19	2.7	0.01	0.042	1.43	32.4	72.0	0.95	594	0.55	0.49	10.2	33.6
K300092		3.98	19.80	0.22	2.8	0.02	0.067	2.09	37.2	83.1	1.15	503	0.73	0.33	12.2	47.7
K300093		4.13	22.4	0.21	2.9	0.01	0.069	2.39	38.1	110.5	1.17	478	0.65	0.34	13.1	50.1
K300094		4.71	24.0	0.22	2.8	0.02	0.074	2.71	27.3	121.5	1.02	390	1.05	0.46	13.4	58.7
K300095		4.57	22.6	0.22	2.8	0.02	0.071	2.54	38.8	119.0	1.03	369	1.02	0.45	12.7	55.1
K300096		4.26	20.7	0.21	2.6	0.01	0.070	2.23	35.7	101.0	1.04	406	0.94	0.45	11.9	51.6
K300097		4.42	23.1	0.23	2.8	0.01	0.073	2.53	37.6	110.5	1.07	400	0.81	0.48	13.1	54.7
K300098		2.12	8.01	0.14	1.7	4.66	0.027	1.01	27.5	40.8	2.56	274	20.4	0.03	7.2	51.9
K300099		4.48	19.20	0.20	2.7	0.02	0.061	2.07	34.4	76.6	1.23	687	0.93	0.39	11.6	49.6
K300100		4.43	22.6	0.18	2.9	0.02	0.077	2.40	42.5	94.8	1.39	440	0.96	0.43	13.6	58.4
K300101		2.85	5.64	0.12	1.8	0.02	0.019	0.29	16.2	22.8	0.38	389	0.29	0.65	4.2	22.5
K300102		6.20	19.75	0.24	2.7	3.74	0.075	2.28	40.9	38.4	0.52	58	1.81	0.08	23.1	59.7
K300103		0.17	0.41	0.09	<0.1	2.61	0.005	0.04	0.8	0.9	10.20	114	0.37	0.01	0.4	4.0
K300104		0.16	0.56	0.13	0.1	2.30	<0.005	0.06	1.0	1.1	10.45	130	0.25	0.01	0.5	3.4
K300105		0.16	0.57	0.16	0.1	2.55	<0.005	0.05	0.8	1.1	12.35	91	0.37	0.02	0.5	3.5
K300106		0.11	0.37	0.16	<0.1	4.80	<0.005	0.03	0.6	0.8	11.85	128	0.35	0.02	0.4	2.6
K300107		0.46	0.28	0.12	<0.1	0.01	<0.005	0.03	0.6	1.0	12.55	203	0.08	0.01	0.4	2.5
K300108		0.28	1.22	0.12	0.2	13.0	0.005	0.15	1.9	2.7	10.75	371	0.47	0.02	0.8	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158273

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300073		1180	16.4	172.0	0.003	0.86	1.08	16.7	2	2.6	102.5	1.23	0.08	11.9	0.441	1.14
K300074		1180	18.5	170.0	0.002	0.95	0.96	17.2	2	2.7	106.5	1.19	0.08	12.0	0.449	1.16
K300075		1170	16.3	179.5	0.003	0.83	0.88	17.4	3	2.8	107.0	1.24	0.09	12.2	0.461	1.14
K300076		1090	10.7	188.0	0.003	0.24	0.83	16.7	3	2.7	112.5	1.46	0.11	11.8	0.463	1.05
K300077		1210	16.2	160.0	0.002	0.66	0.84	15.3	3	2.5	114.0	1.27	0.08	11.3	0.423	0.98
K300078		1120	20.3	162.5	0.002	1.34	0.92	17.0	2	2.8	104.5	1.01	0.07	12.0	0.437	1.18
K300079		1030	17.3	93.3	<0.002	0.84	0.72	12.3	2	2.6	131.5	0.72	<0.05	10.0	0.353	0.79
K300080		990	13.0	127.0	<0.002	0.44	0.54	15.1	2	2.8	109.5	0.79	<0.05	11.2	0.402	0.76
K300081		820	17.8	119.5	<0.002	0.25	0.58	13.5	2	2.3	105.0	0.82	<0.05	11.3	0.412	0.67
K300082		790	12.2	98.0	<0.002	0.19	0.54	12.0	2	2.2	99.6	0.72	<0.05	10.5	0.357	0.56
K300083		750	16.3	128.0	<0.002	0.16	0.49	15.6	2	2.6	127.0	0.88	0.05	12.4	0.435	0.72
K300084		220	1.2	1.6	<0.002	<0.01	0.05	0.3	1	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	<0.02
K300085		710	19.7	121.5	<0.002	0.19	0.63	14.2	2	2.4	185.0	0.81	<0.05	11.6	0.404	0.67
K300086		740	23.5	125.5	<0.002	0.24	0.59	14.4	2	2.4	93.1	0.81	0.05	11.2	0.406	0.68
K300087		830	17.0	143.0	<0.002	0.15	0.54	15.7	2	2.6	96.2	0.89	0.05	12.9	0.447	0.76
K300088		870	19.1	136.0	<0.002	0.24	0.65	15.0	2	2.5	83.7	0.89	0.05	11.9	0.430	0.72
K300089		930	18.7	45.3	0.003	3.08	113.5	15.5	2	3.0	527	0.72	0.13	9.7	0.550	8.03
K300090		790	16.7	109.0	<0.002	0.27	0.81	12.9	2	2.1	82.3	0.84	<0.05	11.3	0.411	0.59
K300091		900	13.0	85.9	<0.002	0.22	0.68	10.4	2	1.8	82.4	0.72	<0.05	9.9	0.357	0.48
K300092		770	18.2	128.5	<0.002	0.22	0.79	15.4	2	2.5	94.8	0.82	<0.05	11.9	0.419	0.75
K300093		780	13.3	148.0	<0.002	0.21	0.61	17.0	2	2.7	104.0	0.88	0.05	12.4	0.444	0.84
K300094		620	25.0	137.0	<0.002	0.96	0.80	17.3	2	2.9	82.7	0.90	0.05	9.9	0.460	1.03
K300095		640	20.2	170.0	<0.002	0.78	0.71	17.6	2	2.8	88.3	0.86	0.05	12.1	0.438	0.92
K300096		630	15.7	147.5	<0.002	0.47	0.56	16.3	2	2.6	82.0	0.83	0.05	11.1	0.412	0.80
K300097		720	13.1	154.5	<0.002	0.34	0.53	17.7	2	2.8	82.8	0.89	0.05	12.0	0.451	0.88
K300098		910	36.8	47.9	0.025	1.56	108.5	5.2	4	2.5	73.8	0.45	0.18	6.5	0.172	4.12
K300099		730	26.0	127.0	<0.002	0.79	0.95	14.8	2	2.4	82.5	0.77	<0.05	11.2	0.404	0.75
K300100		710	17.6	164.0	<0.002	0.44	0.58	16.7	1	2.6	93.3	0.95	<0.05	13.4	0.441	0.86
K300101		180	15.8	16.1	<0.002	0.05	0.18	5.7	1	0.8	30.5	0.30	<0.05	7.7	0.318	1.30
K300102		1450	30.5	124.0	0.002	6.01	1.85	12.6	3	2.1	508	1.35	0.09	11.7	0.430	9.89
K300103		30	14.2	1.9	0.004	0.07	0.57	1.5	1	<0.2	150.0	<0.05	<0.05	0.2	0.005	9.99
K300104		30	28.3	2.9	0.003	0.03	0.61	1.8	1	<0.2	139.0	<0.05	<0.05	0.3	0.008	3.14
K300105		40	29.9	2.7	<0.002	0.02	1.22	1.5	1	<0.2	124.5	<0.05	<0.05	0.2	0.008	1.12
K300106		20	193.5	1.5	<0.002	0.05	1.04	0.6	1	<0.2	119.0	<0.05	<0.05	<0.2	0.005	1.30
K300107		610	5.8	1.5	<0.002	0.01	1.86	0.2	1	<0.2	42.2	<0.05	<0.05	<0.2	<0.005	0.02
K300108		90	66.4	7.3	<0.002	0.04	1.93	0.8	1	0.2	179.0	<0.05	<0.05	0.6	0.018	3.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158273

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300073		3.7	221	1.7	23.1	129	104.0
K300074		3.7	218	1.7	23.1	140	102.5
K300075		3.7	230	1.7	24.2	135	110.5
K300076		3.3	270	1.8	22.6	134	103.5
K300077		3.6	209	1.6	23.8	129	108.0
K300078		3.8	174	1.5	22.8	120	102.5
K300079		2.8	95	1.3	19.6	91	85.3
K300080		2.5	116	1.5	19.8	105	92.2
K300081		2.5	111	1.5	18.5	95	96.1
K300082		2.3	89	1.7	18.8	82	90.3
K300083		2.6	124	1.7	18.7	104	101.5
K300084		0.4	4	0.1	0.8	16	0.5
K300085		2.5	111	1.5	18.5	130	98.0
K300086		2.4	112	2.4	20.9	105	99.9
K300087		2.7	122	2.8	21.9	111	110.0
K300088		2.6	115	1.6	22.4	118	105.5
K300089		7.4	172	23.6	14.0	46	161.0
K300090		2.5	96	1.5	20.8	95	103.0
K300091		2.2	81	1.2	20.8	89	91.9
K300092		2.6	121	1.5	18.5	128	100.0
K300093		2.6	136	1.6	19.5	109	98.5
K300094		2.5	152	1.7	16.6	114	94.8
K300095		2.5	140	1.5	20.1	127	95.5
K300096		2.4	127	1.4	18.3	145	88.9
K300097		2.6	143	1.6	19.1	110	94.3
K300098		8.7	235	30.2	19.6	213	61.7
K300099		2.4	121	1.4	19.5	107	94.8
K300100		3.0	139	4.2	20.5	124	102.0
K300101		1.1	85	0.8	7.0	52	63.2
K300102		3.5	177	13.0	25.1	208	99.7
K300103		5.1	13	0.3	2.7	73	1.8
K300104		3.4	15	0.4	2.9	88	2.7
K300105		1.6	14	1.2	1.3	137	2.7
K300106		3.1	12	0.2	1.5	184	1.7
K300107		0.6	2	0.1	0.9	14	<0.5
K300108		3.7	17	0.8	1.9	307	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158273

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

CERTIFICATE WH11156707

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 105- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156707

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299978		7.10	0.01	0.08	8.93	630	380	2.43	0.34	2.76	0.07	98.1	18.0	61	36.1	48.9
K299979		7.41	0.01	0.10	7.00	283	160	1.49	0.21	4.56	0.26	55.1	29.8	62	16.80	150.0
K299980		5.98	<0.01	0.11	6.97	45.2	130	1.46	0.20	4.25	0.32	53.7	28.5	62	12.45	144.5
K299981		7.19	<0.01	0.10	6.54	44.5	610	1.44	0.19	5.44	0.31	53.6	25.8	61	28.0	122.5
K299982		7.22	<0.01	0.11	7.02	75.9	200	1.61	0.20	3.85	0.29	54.2	29.3	68	29.1	147.0
K299983		6.82	<0.01	0.09	6.52	59.8	250	1.55	0.20	3.88	0.32	50.4	28.1	64	27.2	136.0
K299984		7.34	<0.01	0.10	6.72	6.0	220	1.29	0.20	3.74	0.30	52.2	29.5	65	37.5	146.0
K299985		7.31	<0.01	0.10	6.24	26.2	290	1.12	0.18	4.75	0.31	46.7	25.2	59	33.4	124.5
K299986		7.21	<0.01	0.09	5.48	50.9	340	1.22	0.18	6.35	0.22	50.9	19.5	47	25.1	81.8
K299987		7.37	<0.01	0.08	3.18	68	410	1.01	0.11	20.3	2.72	41.8	6.2	21	14.80	15.0
K299988		7.16	<0.01	0.08	2.39	42	210	0.70	0.05	21.7	0.10	31.0	3.8	19	8.01	10.5
K299989		7.05	<0.01	0.06	2.23	34	370	0.71	0.05	21.7	0.14	30.1	3.5	19	5.76	10.9
K299990		7.29	0.01	0.10	7.70	205	250	2.02	0.27	7.39	0.23	90.4	13.0	52	23.8	31.0
K299991		2.75	1.98	0.10	6.58	5180	200	1.42	0.26	3.56	0.18	74.4	16.0	56	17.85	44.7
K299992		4.90	0.43	0.08	7.14	497	210	1.72	0.31	2.20	0.10	88.2	12.0	59	23.0	34.4
K299993		4.78	<0.01	0.01	0.07	9	20	0.06	0.02	21.2	0.07	1.59	1.3	<1	0.21	2.2
K299994		7.74	1.08	0.13	6.69	832	250	1.66	0.30	2.94	0.13	93.3	10.8	58	19.10	27.5
K299995		7.93	0.14	0.08	7.40	730	270	1.59	0.33	8.97	0.11	82.5	12.1	49	22.1	29.0
K299996		4.86	<0.01	0.10	5.84	312	460	0.69	0.04	10.95	4.40	124.0	20.0	7	18.25	12.5
K299997		3.46	<0.01	0.08	4.26	326	210	0.40	0.06	21.5	0.24	81.9	12.5	8	9.24	9.4
K299998		5.95	0.09	0.19	7.13	6820	160	0.81	0.03	3.32	0.23	125.0	28.4	7	24.2	14.0
K299999		2.67	0.16	0.34	7.50	8960	370	0.68	0.06	2.55	0.28	124.0	33.5	11	16.95	17.0
K300000		0.22	7.14	0.45	3.54	1040	160	0.80	0.61	12.05	4.19	50.1	5.3	91	7.51	30.6
K301001		6.45	5.75	0.96	6.53	4370	380	0.99	0.32	1.12	0.46	88.7	20.2	57	16.45	52.0
K301002		4.86	<0.01	0.01	0.08	17	20	0.08	0.04	21.2	0.07	1.83	1.3	<1	0.42	1.4
K301003		5.85	0.47	0.25	5.88	1940	290	0.92	0.28	12.00	0.22	81.8	16.0	48	18.10	42.1
K301004		7.29	0.01	0.06	2.23	478	170	0.42	0.10	29.9	0.16	35.3	5.7	17	6.38	14.6
K301005		3.68	<0.01	0.04	1.48	396	140	0.35	0.06	31.2	0.64	27.7	4.2	10	4.61	10.1
K301006		7.22	<0.01	0.04	1.95	90	190	0.36	0.05	30.4	0.07	39.1	6.6	8	5.93	10.0
K301007		7.14	0.01	0.03	0.70	225	110	0.18	0.03	34.9	0.04	14.95	2.9	4	2.00	5.2
K301008		6.94	0.09	0.10	0.86	517	90	0.21	0.04	34.5	0.08	18.75	3.1	6	2.33	6.9
K301009		7.58	0.30	0.12	0.90	455	110	0.26	0.04	34.2	0.07	22.5	3.0	6	2.57	6.9
K301010		7.00	0.28	0.08	0.92	281	100	0.19	0.04	34.7	0.09	20.8	2.8	6	2.30	7.0
K301011		0.23	2.39	0.94	3.28	623	890	0.78	0.28	8.25	2.26	52.2	6.4	51	3.90	40.9
K301012		7.12	0.24	0.09	1.30	264	100	0.34	0.06	33.0	0.13	27.8	4.0	9	3.24	10.4
K301013		7.04	0.05	0.04	0.91	145	100	0.27	0.04	33.8	0.07	18.35	3.0	11	2.66	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156707

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299978		4.80	22.4	0.22	3.1	0.60	0.073	3.32	48.4	75.1	1.51	673	0.67	0.05	12.8	36.8
K299979		7.33	18.55	0.24	3.4	2.85	0.092	1.92	27.1	115.5	2.17	944	0.73	0.03	13.5	51.0
K299980		6.43	18.25	0.22	3.4	2.69	0.090	1.56	25.6	90.4	2.59	853	0.65	0.03	12.9	49.3
K299981		6.54	16.90	0.21	3.3	0.26	0.086	1.59	25.6	152.0	3.49	1090	0.83	0.48	12.1	43.1
K299982		7.11	18.15	0.22	3.5	0.20	0.093	1.57	25.2	137.5	3.07	1030	0.38	0.32	12.9	49.3
K299983		6.63	17.40	0.21	3.3	0.23	0.090	1.41	23.9	116.5	2.72	1080	0.33	0.31	12.4	47.3
K299984		6.92	17.85	0.23	3.4	0.05	0.088	1.46	24.7	164.0	3.34	1020	0.34	0.77	12.9	48.6
K299985		6.45	15.70	0.19	3.1	0.07	0.079	1.35	22.5	160.5	3.21	1160	0.39	0.68	11.3	42.4
K299986		4.82	14.05	0.19	2.7	0.15	0.064	1.65	24.9	107.0	3.14	740	0.64	0.43	9.8	32.5
K299987		1.76	7.47	0.09	1.4	0.87	0.022	1.50	21.3	6.4	3.63	323	0.56	0.02	4.8	8.7
K299988		0.99	5.22	0.08	1.5	0.39	0.015	1.07	15.5	10.3	2.11	172	0.56	0.02	3.6	6.4
K299989		0.97	4.89	0.08	1.3	0.32	0.014	1.00	15.4	13.0	2.70	169	0.59	0.02	3.4	6.2
K299990		3.91	18.90	0.16	2.7	2.59	0.060	3.38	43.0	16.5	1.61	576	2.71	0.04	10.4	30.4
K299991		4.35	16.70	0.18	2.8	6.82	0.066	2.82	36.3	17.4	1.39	1060	1.43	0.03	10.2	33.3
K299992		3.87	16.75	0.20	3.3	3.19	0.056	3.16	45.8	16.7	0.97	793	0.77	0.04	11.4	31.7
K299993		0.48	0.21	0.06	<0.1	0.02	<0.005	0.03	0.8	1.0	12.90	215	0.14	<0.01	0.2	<0.2
K299994		3.60	16.20	0.16	3.4	5.21	0.055	3.11	45.9	16.0	0.80	1100	0.37	0.04	11.6	29.0
K299995		3.73	16.45	0.15	2.5	3.00	0.063	3.43	45.3	13.0	1.03	865	0.50	0.05	11.1	27.6
K299996		4.19	11.65	0.19	2.6	2.43	0.073	2.42	55.8	38.8	1.91	1080	1.62	0.03	50.6	6.0
K299997		2.34	6.60	0.14	2.2	2.20	0.043	1.45	44.4	19.9	1.28	954	1.08	0.02	32.7	3.5
K299998		6.66	16.95	0.26	3.0	41.2	0.086	2.94	55.7	78.6	0.46	435	2.13	0.02	67.3	8.7
K299999		3.55	13.95	0.23	3.6	55.0	0.102	2.96	53.9	48.2	0.26	111	2.45	0.02	71.2	11.5
K300000		1.34	6.43	0.12	2.1	5.60	0.066	1.46	36.0	9.3	0.70	274	10.35	0.01	7.7	61.0
K301001		4.72	16.10	0.22	3.0	83.1	0.061	2.75	50.5	26.3	0.48	231	2.91	0.02	11.9	36.9
K301002		0.47	0.27	0.06	<0.1	0.27	<0.005	0.04	0.9	1.3	12.90	221	0.09	<0.01	0.3	<0.2
K301003		3.42	13.70	0.16	2.8	44.3	0.053	2.71	48.4	16.8	0.51	727	2.50	0.03	8.6	28.9
K301004		1.40	4.66	0.09	1.0	13.4	0.025	1.00	20.5	5.9	0.42	632	0.86	0.01	2.9	7.1
K301005		1.05	3.31	0.08	0.7	10.90	0.024	0.66	16.4	4.3	0.43	607	0.59	0.01	2.1	4.8
K301006		1.23	3.85	0.08	0.9	0.99	0.022	0.83	20.7	12.4	0.81	279	0.73	0.02	8.5	3.8
K301007		0.52	1.58	0.05	0.3	3.38	0.009	0.31	7.9	2.7	0.27	519	0.35	0.01	1.3	1.0
K301008		0.68	1.90	0.06	0.4	9.78	0.014	0.37	10.0	2.5	0.26	1200	0.42	0.01	1.4	1.9
K301009		0.66	2.00	0.07	0.4	8.11	0.014	0.38	11.7	3.2	0.21	1070	0.39	0.01	1.3	2.4
K301010		0.63	1.99	0.06	0.4	5.40	0.013	0.41	10.7	2.9	0.23	1100	0.35	0.01	1.3	2.7
K301011		2.11	7.12	0.12	1.7	4.33	0.030	1.02	34.7	40.2	2.57	285	17.75	0.03	7.1	52.0
K301012		0.85	2.92	0.07	0.6	4.87	0.018	0.56	14.6	4.0	0.28	890	0.63	0.01	1.9	4.0
K301013		0.63	1.97	0.06	0.4	2.29	0.011	0.41	9.8	3.1	0.34	380	0.38	0.01	1.3	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156707

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299978		490	22.3	153.0	0.002	3.03	2.70	17.5	3	3.2	157.5	0.94	0.10	15.3	0.444	2.53
K299979		680	10.5	101.0	0.002	7.24	4.50	26.9	3	2.2	213	0.89	0.28	6.5	0.691	5.23
K299980		620	10.6	84.6	0.003	4.53	1.73	25.0	3	2.1	122.5	0.85	0.26	6.3	0.722	2.58
K299981		590	11.0	93.8	0.003	0.83	0.98	23.2	3	2.0	166.0	0.82	0.19	6.3	0.644	0.71
K299982		670	10.1	97.4	0.003	0.62	0.80	26.5	3	2.0	127.5	0.88	0.23	6.2	0.711	0.60
K299983		620	9.7	91.4	0.003	0.77	0.56	25.5	3	2.0	139.0	0.82	0.24	5.9	0.661	0.91
K299984		640	9.7	94.4	0.002	0.33	0.64	26.7	3	1.9	150.0	0.86	0.25	5.9	0.685	0.52
K299985		590	8.8	83.5	0.002	0.35	0.50	22.8	3	1.8	169.0	0.76	0.19	5.3	0.629	0.54
K299986		490	13.0	87.2	0.002	1.05	0.69	17.1	3	1.8	198.0	0.66	0.13	6.4	0.476	1.11
K299987		480	15.3	70.6	<0.002	0.74	0.46	5.6	2	1.1	711	0.37	<0.05	6.0	0.152	0.58
K299988		390	7.0	47.4	<0.002	0.36	0.31	3.3	3	0.8	901	0.27	<0.05	5.0	0.103	0.49
K299989		350	6.8	45.1	<0.002	0.23	0.28	3.2	3	0.8	981	0.26	<0.05	4.9	0.097	0.58
K299990		680	17.7	146.0	0.008	3.71	2.22	12.4	3	3.0	329	0.85	<0.05	15.5	0.318	6.60
K299991		570	19.8	128.0	0.004	4.18	16.95	15.6	2	2.5	222	0.76	0.07	12.0	0.416	22.2
K299992		420	21.2	157.5	0.002	3.53	5.02	13.5	2	2.4	114.0	0.93	0.06	15.9	0.382	8.47
K299993		180	1.7	1.6	<0.002	0.01	0.11	0.3	2	<0.2	47.3	<0.05	<0.05	<0.2	<0.005	0.11
K299994		790	25.5	156.0	<0.002	3.42	7.85	12.3	2	2.4	150.5	0.97	0.06	16.4	0.345	13.10
K299995		460	23.4	134.5	<0.002	3.27	3.08	11.4	2	2.5	387	0.87	0.09	13.7	0.334	7.53
K299996		3950	55.9	106.5	0.002	2.38	1.77	10.8	3	1.3	673	3.05	0.05	5.9	1.195	5.54
K299997		2870	7.7	71.3	<0.002	1.53	1.46	8.7	3	0.8	1035	1.94	<0.05	4.5	0.836	6.11
K299998		5380	5.3	132.5	0.002	7.78	58.4	7.4	3	1.7	1685	4.28	0.07	5.7	1.725	144.0
K299999		6280	7.7	110.0	0.003	4.19	72.0	8.9	4	1.8	1080	4.54	0.08	6.1	1.930	183.5
K300000		4220	5.2	117.5	0.036	1.37	18.95	6.0	9	1.7	145.5	0.57	0.51	7.4	0.214	12.95
K301001		770	30.3	134.0	0.007	5.18	134.0	6.8	3	2.6	626	0.88	0.13	12.5	0.425	257
K301002		200	1.8	2.7	<0.002	0.02	0.41	0.3	3	<0.2	49.1	<0.05	<0.05	<0.2	<0.005	0.56
K301003		330	21.5	124.5	0.006	4.03	49.4	12.5	3	2.0	613	0.68	0.11	11.0	0.329	110.5
K301004		340	8.8	44.3	0.003	1.57	9.23	4.8	3	0.7	1460	0.24	<0.05	4.0	0.113	34.6
K301005		290	6.1	30.8	<0.002	1.13	7.05	4.3	3	0.5	1470	0.16	<0.05	2.8	0.073	26.6
K301006		830	4.9	36.8	0.002	0.95	0.55	4.5	3	0.5	1715	0.50	<0.05	2.9	0.246	4.98
K301007		460	3.5	14.9	<0.002	0.49	5.20	2.4	3	0.3	1450	0.09	<0.05	1.3	0.042	16.95
K301008		570	5.4	17.5	0.002	0.72	16.70	4.8	3	0.4	1150	0.10	<0.05	1.7	0.046	45.3
K301009		380	4.4	18.3	<0.002	0.71	14.55	4.7	3	0.3	1390	0.09	<0.05	1.8	0.046	35.2
K301010		220	4.2	18.1	<0.002	0.66	6.13	3.7	3	0.3	1380	0.09	<0.05	1.7	0.047	15.90
K301011		910	37.5	54.7	0.026	1.59	107.0	5.2	5	2.4	73.0	0.49	0.18	7.4	0.177	4.05
K301012		160	6.4	26.5	0.002	0.91	5.80	4.2	3	0.4	1360	0.14	0.06	2.5	0.066	14.30
K301013		150	5.5	18.7	<0.002	0.60	3.09	2.2	3	0.3	1565	0.10	<0.05	1.7	0.048	7.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156707

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299978		2.9	110	2.5	20.8	89	99.1
K299979		1.7	224	1.8	27.2	105	115.5
K299980		1.6	214	1.3	26.3	101	114.5
K299981		1.6	201	1.0	26.9	95	109.0
K299982		1.6	231	0.8	27.7	104	117.5
K299983		1.5	215	0.7	26.7	98	109.5
K299984		1.5	220	0.7	27.5	98	114.5
K299985		1.4	201	0.7	24.0	91	100.5
K299986		1.8	142	0.8	23.1	88	91.5
K299987		9.2	40	0.6	11.4	1850	47.0
K299988		10.1	37	0.4	8.4	34	50.9
K299989		9.5	34	0.5	8.5	38	44.8
K299990		5.1	133	3.2	21.8	96	88.2
K299991		2.7	134	6.8	20.6	80	89.7
K299992		2.8	102	5.5	21.8	85	111.0
K299993		0.7	3	0.1	0.9	17	2.2
K299994		3.0	91	5.4	24.2	109	108.5
K299995		3.2	90	4.0	19.4	104	85.8
K299996		1.5	157	2.1	30.5	548	102.5
K299997		2.0	113	2.9	25.0	54	93.3
K299998		1.5	215	11.3	28.1	118	123.5
K299999		2.2	265	14.2	38.0	113	151.0
K300000		8.8	383	36.3	30.5	287	74.8
K301001		6.2	123	5.9	43.0	81	101.0
K301002		0.7	3	0.1	1.1	18	0.8
K301003		4.0	99	3.1	31.7	75	93.4
K301004		2.9	33	1.3	19.3	64	31.6
K301005		2.4	22	0.8	19.4	281	24.3
K301006		2.7	45	3.0	17.2	27	36.0
K301007		2.4	12	0.7	10.5	10	11.9
K301008		3.1	14	0.7	14.6	13	13.7
K301009		2.8	15	0.7	16.1	8	14.0
K301010		2.6	14	0.8	15.9	15	14.2
K301011		9.4	239	28.4	22.3	217	64.0
K301012		3.4	20	1.5	18.4	20	21.5
K301013		2.5	14	0.9	11.9	14	14.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156707

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

CERTIFICATE WH11158637

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 1076- Area B

This report is for 1 Drill Core sample submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298498		4.31	<0.01	0.16	0.78	73	90	0.22	0.02	32.2	0.06	13.75	3.3	10	2.64	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298498		0.42	1.66	0.05	0.4	0.18	0.007	0.39	8.8	3.0	0.85	188	0.82	0.01	1.3	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method / Analyte / Units / LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
K298498		340	8.2	16.3	<0.002	0.16	0.26	1.4	2	0.3	2370	0.09	<0.05	1.9	0.035	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298498		19.0	21	0.3	6.1	9	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

CERTIFICATE WH11156856

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 107 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156856

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298325		5.60	<0.01	0.11	0.66	45	50	0.22	0.02	33.4	0.09	12.05	3.1	5	2.35	11.4
K298326		11.64	<0.01	0.11	1.39	62	120	0.47	0.06	30.0	0.06	18.80	3.9	10	5.51	12.0
K298327		10.50	<0.01	0.09	0.61	55	40	0.26	0.02	33.1	0.12	10.80	2.1	4	2.22	4.8
K298328		10.90	<0.01	0.06	1.11	74	80	0.43	0.04	32.7	0.08	16.50	3.0	8	4.37	6.4
K298329		6.88	<0.01	0.01	0.05	5	20	<0.05	0.02	20.3	0.05	1.19	1.3	<1	0.16	2.3
K298330		10.76	<0.01	0.09	1.50	52	330	0.51	0.05	30.0	0.20	23.1	3.5	12	6.56	8.3
K298331		10.25	0.02	0.09	1.07	409	380	0.35	0.03	30.9	0.31	16.65	3.4	8	3.43	12.3
K298332		11.55	<0.01	0.07	0.93	58	70	0.31	0.03	33.2	0.19	14.70	2.5	7	2.84	5.8
K298333		11.84	<0.01	0.07	0.78	45	310	0.33	0.03	33.6	0.24	12.80	2.1	6	2.35	5.5
K298334		11.35	<0.01	0.06	1.72	121	170	0.51	0.06	28.2	0.15	20.3	4.0	14	5.73	11.7
K298335		11.06	<0.01	0.06	3.78	80	170	1.08	0.13	18.45	0.04	42.7	5.8	26	15.60	10.7
K298336		10.56	<0.01	0.04	1.12	49	90	0.37	0.04	30.7	0.12	16.90	2.7	8	4.10	5.8
K298337		9.81	<0.01	0.41	1.31	46	90	0.39	0.04	31.0	0.19	21.3	3.6	11	4.76	7.8
K298338		5.29	<0.01	0.08	1.59	50	80	0.55	0.05	30.0	0.19	22.7	4.0	12	6.11	8.1
K298339		11.00	<0.01	0.11	1.51	75	120	0.44	0.05	29.5	0.15	22.5	4.3	12	5.31	8.0
K298340		11.74	<0.01	0.08	2.20	48	190	0.66	0.08	25.3	0.16	27.1	4.9	15	8.54	22.0
K298341		11.39	<0.01	0.09	1.13	25	220	0.33	0.03	26.2	0.04	18.20	3.5	8	3.80	6.9
K298342		4.92	<0.01	0.13	1.67	37	260	0.44	0.05	22.3	0.04	24.0	4.8	12	6.76	9.3
K298343		6.85	<0.01	0.01	0.06	<5	60	0.07	0.02	21.2	0.07	1.30	1.2	<1	0.16	1.8
K298344		8.96	<0.01	0.17	1.63	28	560	0.45	0.05	23.4	0.07	24.3	4.7	13	6.48	10.3
K298345		8.18	<0.01	0.13	7.15	124.5	1730	2.09	0.28	7.11	0.06	76.9	12.4	53	33.6	26.9
K298346		8.65	<0.01	0.05	8.02	198.5	1640	2.52	0.34	4.46	0.04	71.7	10.4	61	40.3	36.1
K298347		10.11	0.04	<0.01	0.54	67	3190	0.23	0.02	20.2	0.04	10.45	1.7	4	1.04	3.0
K298348		12.08	<0.01	0.01	0.47	33	120	0.22	0.02	19.05	0.03	9.08	1.7	2	0.91	5.2
K298349		12.72	0.01	0.01	0.84	55	80	0.29	0.03	18.80	0.04	12.70	1.8	4	2.45	4.5
K298350		0.20	0.35	0.32	6.20	610	1060	0.54	0.29	0.53	0.17	149.0	2.6	236	3.68	32.8
K298351		7.24	<0.01	0.01	0.68	64	140	0.25	0.03	18.80	0.16	11.50	1.9	4	1.67	5.9
K298352		5.87	0.02	0.01	0.68	79	1960	0.23	0.03	18.90	0.14	13.40	1.6	3	1.68	3.5
K298353		8.42	0.09	0.01	0.87	260	230	0.38	0.03	19.50	0.07	16.65	2.0	4	2.93	5.2
K298354		0.21	2.77	0.94	3.15	607	950	0.62	0.32	8.21	2.25	52.2	6.4	53	4.16	43.7
K298355		5.70	0.17	0.03	1.64	>10000	110	0.36	0.06	18.05	0.05	26.0	2.3	12	5.32	10.2
K298356		4.31	0.99	0.20	0.93	>10000	230	0.26	0.04	14.75	0.16	22.5	1.8	7	2.19	8.1
K298357		4.99	2.45	0.53	0.87	>10000	160	0.19	0.04	15.95	0.40	20.4	2.4	8	2.22	12.7
K298358		3.02	0.51	0.13	0.87	>10000	240	0.28	0.03	19.10	0.07	14.00	2.0	8	1.79	7.4
K298359		4.06	0.83	0.15	0.67	>10000	170	0.20	0.02	19.00	0.11	14.30	1.9	6	1.37	6.8
K298360		3.10	1.06	0.18	0.86	>10000	150	0.35	0.03	19.45	0.11	17.65	2.5	8	1.65	10.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156856

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298325		0.39	1.69	0.05	0.3	0.18	0.009	0.34	7.0	3.6	0.75	179	0.90	0.01	1.2	4.4
K298326		0.58	3.51	0.06	0.7	0.33	0.015	0.73	10.3	6.3	1.22	186	0.88	0.02	2.3	6.5
K298327		0.33	1.57	0.07	0.3	0.08	0.006	0.31	6.3	3.5	0.51	145	0.79	0.01	1.1	2.4
K298328		0.68	2.94	0.07	0.5	0.20	0.011	0.54	8.9	7.5	0.89	185	0.68	0.01	2.0	4.7
K298329		0.44	0.23	0.08	<0.1	<0.01	0.005	0.02	0.6	1.1	12.15	197	0.06	<0.01	0.2	1.0
K298330		0.99	3.93	0.11	0.6	0.22	0.011	0.78	12.2	9.4	1.66	209	1.22	0.02	2.6	7.5
K298331		1.11	2.73	0.07	0.5	0.65	0.009	0.54	9.0	5.0	1.24	257	0.91	0.01	1.9	6.5
K298332		0.55	2.47	0.08	0.4	0.39	0.008	0.48	8.3	4.2	0.82	188	1.08	0.01	1.6	5.2
K298333		0.47	2.03	0.08	0.4	0.27	0.008	0.41	7.4	3.4	0.70	163	1.41	0.01	1.4	3.8
K298334		0.88	4.28	0.08	1.0	0.32	0.014	0.88	10.7	6.5	1.92	275	1.46	0.01	2.9	7.4
K298335		1.31	9.41	0.09	2.0	0.25	0.032	1.95	21.7	14.8	3.46	339	0.75	0.03	5.9	12.3
K298336		0.64	2.77	0.06	0.5	0.19	0.012	0.57	8.8	5.6	1.87	286	0.61	0.01	1.8	3.8
K298337		0.79	3.36	0.07	0.6	0.23	0.014	0.69	11.4	6.6	1.37	258	1.22	0.01	2.2	7.0
K298338		0.83	4.06	0.08	0.7	0.23	0.013	0.83	12.1	8.2	1.65	266	1.10	0.01	2.8	7.3
K298339		0.90	3.85	0.07	0.7	0.30	0.014	0.79	11.9	6.8	1.43	258	1.35	0.01	2.5	9.1
K298340		1.30	5.42	0.08	1.1	0.47	0.016	1.14	14.5	7.8	2.67	267	0.92	0.02	3.4	9.8
K298341		1.38	2.84	0.07	0.8	0.14	0.009	0.59	9.2	5.4	3.72	325	0.95	0.02	2.0	6.8
K298342		1.65	4.14	0.09	1.2	0.12	0.014	0.88	12.1	7.7	5.02	325	1.41	0.02	2.9	10.7
K298343		0.47	0.21	0.06	<0.1	<0.01	<0.005	0.02	0.6	0.9	12.60	204	0.06	<0.01	0.2	1.3
K298344		1.55	4.08	0.08	1.2	0.25	0.013	0.85	12.2	8.3	5.13	324	1.69	0.02	2.8	10.1
K298345		2.07	18.75	0.13	3.5	0.74	0.059	3.67	38.6	24.1	2.60	179	0.72	0.06	11.5	33.0
K298346		2.05	23.4	0.12	3.5	0.72	0.070	4.28	36.6	31.9	2.65	135	0.91	0.06	13.0	27.0
K298347		0.90	1.46	<0.05	0.4	0.28	0.006	0.28	5.2	2.9	10.95	726	0.10	0.03	1.1	2.1
K298348		0.80	1.27	0.06	0.4	0.13	<0.005	0.24	4.6	3.1	10.90	585	0.26	0.01	0.9	2.5
K298349		0.64	2.23	0.07	0.7	0.24	0.009	0.43	6.6	4.8	11.00	464	0.69	0.01	1.5	2.5
K298350		6.96	20.4	0.22	4.3	9.84	0.050	1.36	71.2	17.0	0.15	36	5.94	0.39	10.1	16.9
K298351		0.79	1.90	0.05	0.5	0.45	0.006	0.34	5.9	3.8	10.60	515	0.31	0.01	1.3	2.9
K298352		0.83	1.78	0.06	0.6	0.54	0.006	0.35	6.6	3.6	10.45	672	0.13	0.02	1.2	2.0
K298353		0.67	2.29	0.07	0.7	1.33	0.010	0.45	8.1	4.7	10.65	948	0.17	0.01	1.5	2.8
K298354		2.13	7.68	0.12	1.7	4.79	0.032	1.03	30.3	36.0	2.56	267	16.10	0.04	7.1	53.0
K298355		0.57	4.20	0.10	1.1	1.13	0.027	0.84	13.8	5.8	10.30	607	0.54	0.01	3.0	4.3
K298356		0.52	2.58	0.11	0.8	3.62	0.142	0.45	11.7	3.5	8.32	828	0.22	0.01	1.9	3.0
K298357		0.52	2.67	0.08	0.5	10.70	0.086	0.37	11.4	3.8	9.25	4150	0.75	0.01	1.5	4.3
K298358		0.43	2.38	0.06	0.4	3.42	0.023	0.39	8.0	4.5	11.15	813	0.38	0.01	1.5	3.6
K298359		0.44	1.84	0.08	0.4	5.11	0.027	0.31	8.1	3.7	11.15	995	0.29	0.01	1.1	3.4
K298360		0.45	2.35	0.07	0.6	4.89	0.013	0.39	9.6	5.0	11.45	1110	0.41	0.01	1.6	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156856

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298325		270	8.7	12.0	<0.002	0.17	0.20	1.5	2	0.3	2150	0.08	<0.05	1.5	0.029	0.96
K298326		340	10.1	27.7	<0.002	0.28	0.26	2.7	3	0.6	1840	0.15	<0.05	2.8	0.061	1.00
K298327		300	8.3	11.1	<0.002	0.16	0.21	1.3	3	0.3	2070	0.07	<0.05	1.3	0.026	0.81
K298328		260	12.0	20.7	<0.002	0.45	0.48	2.2	3	0.4	1950	0.14	<0.05	2.5	0.047	1.38
K298329		170	1.1	1.0	<0.002	0.01	<0.05	0.3	2	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	<0.02
K298330		440	19.2	28.3	0.002	0.57	0.42	2.7	3	0.6	1900	0.18	<0.05	3.3	0.065	1.17
K298331		370	33.7	19.8	<0.002	0.61	0.86	2.1	3	0.4	1730	0.13	<0.05	2.3	0.045	1.58
K298332		390	17.1	16.9	<0.002	0.28	0.61	1.8	3	0.4	1995	0.11	<0.05	2.1	0.040	1.39
K298333		400	16.6	14.0	<0.002	0.23	0.39	1.5	3	0.3	2360	0.10	<0.05	1.7	0.034	1.07
K298334		520	12.4	33.0	0.002	0.31	0.67	3.1	2	0.6	1200	0.21	<0.05	3.6	0.075	1.48
K298335		560	9.7	77.6	<0.002	0.49	0.45	6.4	2	1.3	614	0.44	<0.05	7.2	0.167	1.29
K298336		480	7.7	21.3	<0.002	0.35	0.36	2.1	3	0.4	1465	0.13	<0.05	2.4	0.049	0.73
K298337		450	16.1	24.5	0.002	0.47	0.66	2.4	3	0.5	1940	0.16	<0.05	2.9	0.056	1.30
K298338		400	15.0	30.4	<0.002	0.42	0.65	2.8	3	0.6	1890	0.19	<0.05	3.6	0.068	1.25
K298339		470	19.1	28.1	0.002	0.54	0.88	2.7	3	0.5	1785	0.19	<0.05	3.4	0.065	1.78
K298340		470	30.3	42.5	<0.002	0.58	0.52	3.7	3	0.8	1105	0.25	<0.05	4.3	0.096	1.20
K298341		310	9.1	20.6	<0.002	0.36	0.31	1.9	3	0.4	1245	0.15	<0.05	2.7	0.051	0.76
K298342		410	13.0	30.5	<0.002	0.50	0.43	2.7	3	0.6	911	0.22	<0.05	4.1	0.077	1.15
K298343		180	1.3	1.1	<0.002	0.01	<0.05	0.2	2	<0.2	50.0	<0.05	<0.05	<0.2	<0.005	<0.02
K298344		450	16.7	29.3	<0.002	0.42	0.42	2.6	3	0.6	833	0.21	<0.05	3.9	0.075	1.25
K298345		830	28.2	144.5	0.004	1.35	0.78	11.9	2	2.4	168.0	0.83	0.07	13.2	0.360	2.89
K298346		520	23.1	131.5	<0.002	1.34	0.66	12.9	2	2.8	90.1	0.97	0.07	11.6	0.379	2.13
K298347		840	3.5	9.4	<0.002	0.34	0.31	1.0	2	0.2	117.5	0.07	<0.05	1.3	0.026	0.69
K298348		350	2.6	8.3	<0.002	0.25	0.24	0.8	2	0.6	92.7	0.06	<0.05	1.2	0.022	0.28
K298349		370	3.4	15.6	<0.002	0.25	0.42	1.5	2	0.5	96.2	0.11	<0.05	2.1	0.039	0.44
K298350		930	18.2	47.4	0.003	3.06	117.5	14.2	2	3.1	523	0.76	0.13	10.2	0.546	8.10
K298351		360	8.8	12.5	<0.002	0.30	0.78	1.2	2	0.6	114.5	0.09	<0.05	1.7	0.030	0.68
K298352		430	6.3	11.9	<0.002	0.30	0.69	1.2	2	0.4	131.5	0.09	<0.05	1.7	0.033	1.21
K298353		340	4.7	16.3	<0.002	0.37	1.11	1.5	2	0.4	111.0	0.11	<0.05	2.0	0.039	2.41
K298354		890	39.6	49.2	0.021	1.55	104.5	4.7	5	2.6	73.5	0.46	0.18	6.7	0.171	4.09
K298355		460	6.5	30.0	<0.002	1.13	27.3	2.5	2	1.3	92.6	0.22	<0.05	4.2	0.078	3.65
K298356		320	4.8	20.4	<0.002	6.62	261	1.8	3	1.3	101.5	0.14	0.06	2.6	0.046	9.37
K298357		290	10.8	15.9	<0.002	4.08	115.5	2.8	2	1.8	164.5	0.11	<0.05	2.1	0.037	22.2
K298358		200	8.2	15.0	<0.002	1.34	28.5	1.6	2	0.7	173.5	0.11	<0.05	2.0	0.036	7.19
K298359		130	5.3	11.1	<0.002	1.55	34.2	1.5	2	0.8	149.5	0.08	<0.05	1.4	0.028	11.25
K298360		190	6.8	14.6	<0.002	0.83	17.50	1.9	2	1.2	202	0.11	<0.05	2.1	0.040	10.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156856

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298325		15.9	18	0.2	6.0	26	15.1	
K298326		14.8	28	0.4	7.4	18	30.7	
K298327		14.5	19	0.2	5.0	46	12.3	
K298328		14.0	19	0.9	5.6	43	25.2	
K298329		0.5	1	<0.1	0.8	16	<0.5	
K298330		15.1	34	0.6	7.5	80	24.5	
K298331		14.0	25	0.7	6.2	262	18.4	
K298332		17.0	24	0.6	5.4	126	15.6	
K298333		16.9	23	0.4	5.0	142	14.0	
K298334		15.0	32	1.1	8.2	84	37.1	
K298335		9.7	52	1.6	13.8	13	71.7	
K298336		9.9	18	0.7	6.4	38	22.7	
K298337		14.7	30	3.3	7.3	91	27.0	
K298338		14.7	30	1.0	7.5	85	27.7	
K298339		17.1	33	1.1	7.1	74	24.7	
K298340		13.7	31	1.1	8.7	227	39.8	
K298341		11.9	16	0.3	6.5	25	30.5	
K298342		9.5	23	0.3	8.0	19	46.0	
K298343		0.7	1	<0.1	0.8	16	<0.5	
K298344		11.8	26	0.4	8.1	52	45.1	
K298345		10.2	104	2.9	23.5	29	122.5	
K298346		4.2	111	5.4	19.1	24	125.0	
K298347		5.0	9	0.4	4.9	3	17.7	
K298348		5.4	7	0.3	3.7	3	15.7	
K298349		8.8	15	0.7	5.0	5	24.7	
K298350		7.8	171	21.6	16.1	44	164.5	
K298351		7.0	11	0.6	4.6	18	20.7	
K298352		8.0	12	0.5	5.3	15	21.1	
K298353		7.4	16	0.6	5.9	8	26.1	
K298354		8.8	233	25.6	21.5	214	66.9	
K298355		10.3	37	1.2	6.7	7	41.6	1.505
K298356		8.0	16	0.8	8.8	16	30.3	13.45
K298357		16.3	21	1.9	3.6	33	16.9	8.05
K298358		14.2	13	1.0	3.1	8	13.5	1.980
K298359		10.7	11	0.8	2.9	10	11.5	2.50
K298360		14.0	14	1.2	3.7	11	19.2	0.933

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156856

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

CERTIFICATE WH11158637

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 1076- Area B

This report is for 1 Drill Core sample submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298498		4.31	<0.01	0.16	0.78	73	90	0.22	0.02	32.2	0.06	13.75	3.3	10	2.64	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298498		0.42	1.66	0.05	0.4	0.18	0.007	0.39	8.8	3.0	0.85	188	0.82	0.01	1.3	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method / Analyte / Units / LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
K298498		340	8.2	16.3	<0.002	0.16	0.26	1.4	2	0.3	2370	0.09	<0.05	1.9	0.035	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298498		19.0	21	0.3	6.1	9	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158637

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

CERTIFICATE WH11156853

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 108 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156853

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301014		7.52	0.01	0.02	0.61	106	80	0.22	0.03	34.3	0.05	13.05	2.5	7	1.39	7.4
K301015		2.28	0.26	0.02	0.49	343	70	0.15	0.02	32.9	0.04	13.30	2.0	5	1.02	3.7
K301016		6.93	0.93	0.30	1.67	>10000	110	0.32	0.07	29.4	0.47	18.60	6.5	15	4.73	17.1
K301017		4.91	<0.01	<0.01	0.09	65	20	0.06	0.02	20.3	0.06	1.60	1.1	2	0.21	2.7
K301018		6.31	3.29	0.48	1.67	7680	100	0.37	0.08	24.5	0.75	21.4	6.3	16	4.14	15.4
K301019		3.68	1.61	0.07	4.42	3140	180	0.90	0.18	3.93	0.13	51.0	9.7	41	17.25	48.3
K301020		6.11	0.43	0.06	4.94	1130	210	1.00	0.21	7.13	0.12	55.9	11.2	46	16.70	42.5
K301021		8.25	0.04	0.05	5.22	628	180	1.29	0.19	5.76	0.16	58.7	11.9	55	16.40	41.6
K301022		8.36	<0.01	0.09	6.57	497	220	1.76	0.25	2.52	0.16	75.0	14.9	61	24.0	51.8
K301023		8.22	<0.01	0.08	6.37	357	170	1.99	0.22	2.57	0.15	66.4	19.0	62	25.8	66.4
K301024		8.72	<0.01	0.09	6.20	724	180	1.79	0.19	6.43	0.12	61.0	17.2	61	19.20	44.4
K301025		7.83	<0.01	0.05	8.02	2080	180	2.49	0.23	1.50	0.06	70.7	26.0	91	52.2	76.4
K301026		7.31	<0.01	0.09	7.18	563	210	2.21	0.23	2.12	0.06	70.5	23.0	73	63.8	63.4
K301027		0.27	7.84	0.34	3.49	986	160	0.79	0.57	11.15	4.49	45.1	5.8	94	7.79	34.5
K301028		8.30	<0.01	0.11	6.23	196.5	210	1.91	0.22	2.77	0.02	72.0	18.1	55	21.3	58.0
K301029		9.44	<0.01	0.07	7.83	431	220	2.36	0.29	2.40	0.02	74.4	17.6	73	23.8	61.2
K301030		7.72	<0.01	0.16	6.37	332	220	1.88	0.23	3.26	0.03	72.6	30.4	56	19.25	51.4
K301031		7.30	<0.01	0.13	6.21	56.9	220	1.76	0.23	2.68	0.03	66.3	18.7	60	18.10	53.9
K301032		8.16	<0.01	0.06	6.22	47.8	370	1.80	0.20	2.87	0.02	65.3	16.8	58	18.05	44.4
K301033		3.56	<0.01	0.09	6.07	58.4	380	1.76	0.22	2.87	0.02	63.6	19.3	60	17.70	47.8
K301034		8.60	<0.01	0.06	6.26	119.5	260	1.88	0.21	3.36	0.02	67.7	15.7	58	19.10	46.2
K301035		7.48	<0.01	0.08	6.20	289	290	1.82	0.21	2.83	0.03	62.7	21.1	57	16.70	46.2
K301036		7.68	0.15	0.09	5.59	1225	220	1.37	0.19	3.55	0.03	56.2	17.2	55	11.85	45.2
K301037		7.63	0.02	0.08	8.06	331	260	2.24	0.28	2.54	0.04	78.8	20.6	71	19.95	58.3
K301038		6.93	<0.01	0.03	0.07	<5	10	0.06	<0.01	21.0	0.08	1.38	1.1	1	0.18	1.6
K301039		7.68	<0.01	0.13	7.52	226	270	2.23	0.27	2.31	0.02	77.9	23.0	63	20.5	52.9
K301040		8.23	<0.01	0.08	7.13	154.0	240	2.16	0.25	2.19	0.02	74.3	18.9	69	22.3	58.8
K301041		8.34	<0.01	0.08	5.92	122.0	200	1.68	0.20	2.90	0.10	61.6	25.9	59	16.40	52.5
K301042		8.01	<0.01	0.08	7.81	129.5	260	2.30	0.27	2.29	0.03	68.5	19.9	74	21.2	60.8
K301043		7.67	0.03	0.08	7.87	369	220	2.54	0.28	2.56	0.04	80.7	23.4	67	24.0	59.5
K301044		8.37	<0.01	0.06	7.95	85.7	230	2.45	0.27	2.54	0.29	75.7	16.7	67	22.0	60.0
K301045		8.36	<0.01	0.05	7.66	98.1	240	2.47	0.26	2.49	0.08	74.0	20.6	68	22.7	58.6
K301046		7.90	0.01	0.05	6.24	222	190	1.80	0.31	2.89	0.03	64.9	17.8	60	16.65	47.9
K301047		0.27	0.35	0.20	6.24	599	500	0.62	0.25	0.46	0.20	128.0	2.9	228	3.61	31.9
K301048		8.28	<0.01	0.07	4.31	141.5	140	1.10	0.15	2.17	0.04	48.2	12.8	49	11.50	32.5
K301049		6.98	<0.01	0.01	0.08	5	20	0.06	<0.01	20.7	0.06	1.25	1.1	1	0.18	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156853

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301014		0.46	1.67	0.05	0.3	2.11	0.007	0.26	6.1	2.1	0.43	328	0.30	0.02	1.0	2.2
K301015		0.61	1.48	0.05	0.3	5.16	0.008	0.22	6.3	1.4	0.66	746	0.22	0.01	0.8	0.3
K301016		1.36	4.76	0.08	0.8	11.9	0.035	0.64	8.7	5.3	0.80	1040	1.02	0.01	2.3	7.7
K301017		0.43	0.27	0.05	<0.1	0.06	0.005	0.03	0.7	1.2	11.85	187	0.32	0.01	0.3	<0.2
K301018		1.76	4.50	0.08	0.8	22.6	0.027	0.64	10.4	7.6	1.38	1000	0.46	0.01	2.2	6.7
K301019		3.39	11.20	0.11	2.5	20.3	0.044	1.47	24.5	20.5	0.89	1060	0.43	0.02	6.9	18.5
K301020		3.29	12.65	0.11	2.7	10.1	0.054	1.77	27.6	22.3	1.02	881	0.63	0.02	7.9	20.4
K301021		3.57	13.50	0.11	2.8	7.16	0.055	1.96	29.1	42.2	1.01	577	0.63	0.03	8.1	23.6
K301022		4.17	17.10	0.15	3.3	7.25	0.068	2.58	36.3	37.3	1.17	317	1.19	0.03	10.7	29.5
K301023		4.27	18.25	0.19	2.7	4.10	0.061	2.60	33.4	30.3	1.25	442	0.57	0.03	9.2	28.9
K301024		3.96	17.20	0.20	2.5	3.71	0.057	2.59	30.6	31.7	1.06	405	0.61	0.03	8.9	27.8
K301025		4.31	23.6	0.24	2.9	4.41	0.079	3.20	36.7	57.3	0.97	219	0.21	0.02	9.7	35.3
K301026		4.81	20.2	0.24	3.3	3.26	0.068	2.72	35.7	48.4	1.18	380	0.45	0.03	10.6	34.3
K301027		1.33	7.64	0.21	2.2	5.63	0.060	1.44	29.6	9.4	0.70	265	11.75	0.01	7.6	59.6
K301028		4.44	17.10	0.21	2.9	1.35	0.061	2.72	35.3	23.3	1.47	485	0.38	0.03	10.3	29.7
K301029		5.63	21.9	0.23	3.4	1.30	0.077	3.58	35.1	26.6	1.52	482	0.27	0.04	12.6	33.9
K301030		6.02	17.45	0.28	3.0	1.69	0.065	2.76	34.7	26.1	1.64	710	0.53	0.03	10.2	43.4
K301031		4.69	16.75	0.24	3.1	1.05	0.058	2.62	33.2	57.9	1.41	522	0.35	0.03	10.6	30.7
K301032		4.31	16.45	0.21	3.0	0.85	0.057	2.59	32.8	59.2	1.45	536	0.38	0.03	10.6	28.4
K301033		4.75	16.65	0.21	3.1	1.04	0.055	2.62	31.5	61.5	1.45	531	0.37	0.03	10.3	30.1
K301034		4.42	16.80	0.23	3.2	0.77	0.058	2.79	33.9	42.3	1.68	603	0.47	0.03	10.7	24.3
K301035		5.44	16.35	0.24	2.9	2.23	0.057	2.79	31.5	23.6	1.46	482	0.74	0.03	10.2	31.0
K301036		4.64	15.35	0.23	2.7	3.31	0.052	2.46	28.2	11.7	1.64	660	0.40	0.03	9.2	25.6
K301037		5.37	23.4	0.27	3.6	2.37	0.072	3.72	38.8	13.0	1.53	462	0.23	0.04	13.6	37.2
K301038		0.48	0.36	0.34	<0.1	<0.01	<0.005	0.03	0.7	0.9	12.80	209	0.06	<0.01	0.4	1.4
K301039		5.23	21.3	0.28	3.6	1.58	0.072	3.46	38.2	19.8	1.43	415	0.40	0.03	12.3	36.7
K301040		5.02	19.75	0.24	3.6	0.71	0.068	3.28	37.1	41.2	1.29	400	0.40	0.03	12.3	33.0
K301041		5.43	16.05	0.22	2.9	0.71	0.056	2.57	30.3	40.3	1.44	534	0.49	0.03	9.9	34.7
K301042		5.67	22.0	0.23	3.4	0.90	0.073	3.66	31.9	28.6	1.41	510	0.27	0.04	12.9	35.7
K301043		5.52	23.5	0.27	3.6	0.66	0.081	3.57	39.7	23.9	1.57	543	0.37	0.04	13.7	38.7
K301044		5.19	22.7	0.25	3.6	0.62	0.077	3.62	37.3	29.0	1.49	534	0.58	0.04	13.3	31.6
K301045		5.23	21.8	0.26	3.4	0.55	0.072	3.46	37.0	27.3	1.48	532	0.40	0.04	13.0	36.2
K301046		4.19	17.20	0.22	3.0	0.95	0.059	2.87	31.9	21.0	1.48	563	0.35	0.03	10.6	28.2
K301047		6.67	21.0	0.27	4.4	9.92	0.044	1.33	63.7	19.2	0.13	36	6.90	0.38	9.7	15.4
K301048		3.10	11.60	0.19	2.3	1.06	0.037	1.87	24.3	29.4	0.88	405	0.31	0.02	7.0	20.0
K301049		0.45	0.35	0.35	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.60	213	0.08	<0.01	0.3	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156853

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301014		380	5.9	11.6	<0.002	0.35	1.10	1.9	2	0.3	1435	0.07	<0.05	1.2	0.031	3.42
K301015		450	2.9	10.0	<0.002	0.39	4.02	1.6	2	0.2	1450	0.05	<0.05	0.9	0.024	11.75
K301016		420	11.8	28.9	0.003	2.17	50.6	3.8	3	1.1	1050	0.17	0.08	2.7	0.077	17.70
K301017		190	1.5	1.6	<0.002	0.02	0.18	0.3	2	<0.2	50.3	<0.05	<0.05	<0.2	<0.005	0.07
K301018		350	11.3	28.8	0.002	1.68	36.2	5.0	3	0.9	778	0.16	0.07	2.7	0.081	36.0
K301019		380	16.7	76.8	<0.002	3.16	10.40	11.5	2	4.0	377	0.57	<0.05	7.9	0.276	26.3
K301020		460	19.1	89.0	<0.002	2.91	3.71	12.4	2	3.4	399	0.65	<0.05	8.8	0.303	14.05
K301021		420	19.6	96.4	<0.002	3.14	2.05	13.4	2	3.1	243	0.65	<0.05	8.9	0.319	9.93
K301022		500	31.9	129.0	<0.002	3.75	1.47	15.8	2	4.3	237	0.87	<0.05	11.6	0.414	9.49
K301023		330	13.9	129.5	<0.002	3.94	1.38	17.0	2	5.3	138.5	0.65	<0.05	10.2	0.393	5.38
K301024		370	20.2	112.5	<0.002	3.61	2.66	14.4	2	3.1	153.5	0.59	<0.05	8.7	0.366	5.16
K301025		220	14.9	154.5	0.002	3.85	4.17	22.3	2	5.5	119.5	0.73	<0.05	10.8	0.460	7.24
K301026		430	20.2	148.5	<0.002	4.47	1.97	17.3	2	4.1	151.5	0.77	<0.05	11.7	0.449	7.50
K301027		4060	4.8	117.0	0.031	1.37	19.45	6.0	9	1.8	144.0	0.49	0.58	6.8	0.213	12.05
K301028		1050	15.9	140.5	<0.002	4.10	0.83	15.0	2	4.1	125.0	0.73	0.05	10.6	0.426	3.13
K301029		560	12.4	158.0	<0.002	5.62	0.74	19.0	2	3.2	97.7	0.88	0.08	11.8	0.547	4.03
K301030		1010	41.6	139.0	<0.002	5.65	1.38	16.3	2	3.0	141.5	0.71	<0.05	10.3	0.431	3.17
K301031		510	15.3	133.0	<0.002	4.11	0.59	15.1	2	3.1	136.0	0.75	<0.05	11.1	0.448	3.63
K301032		480	11.3	133.5	<0.002	3.50	0.53	14.5	2	2.1	158.0	0.68	0.05	10.3	0.433	3.09
K301033		480	13.8	129.0	<0.002	4.08	0.56	14.6	2	2.4	158.5	0.72	<0.05	10.6	0.439	3.94
K301034		570	14.7	139.0	<0.002	3.51	0.62	15.0	2	2.5	131.0	0.75	0.05	11.3	0.447	2.92
K301035		540	20.5	133.0	<0.002	4.98	1.45	15.0	2	2.3	108.0	0.70	0.05	10.4	0.431	5.45
K301036		510	10.2	115.0	<0.002	3.68	3.92	13.6	2	2.6	161.5	0.63	<0.05	9.3	0.399	8.96
K301037		570	14.6	170.5	<0.002	5.12	2.72	20.5	2	2.9	94.0	0.91	0.08	12.4	0.548	6.89
K301038		180	1.2	1.9	<0.002	0.02	0.05	0.4	1	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	0.14
K301039		680	17.3	166.5	<0.002	5.05	1.30	17.6	2	2.7	83.4	0.90	0.05	13.5	0.510	4.02
K301040		790	13.3	162.0	<0.002	4.73	0.54	16.8	2	2.9	84.3	0.87	0.06	12.7	0.535	4.07
K301041		530	26.3	126.5	<0.002	4.91	0.74	14.3	2	2.7	108.5	0.68	0.05	10.3	0.441	2.90
K301042		580	16.7	142.0	<0.002	5.48	0.61	18.6	2	2.7	111.5	0.90	0.07	11.3	0.560	4.21
K301043		570	20.2	181.0	<0.002	5.20	1.01	20.0	2	2.9	113.0	0.93	0.07	13.0	0.535	2.60
K301044		610	24.3	160.0	<0.002	4.81	0.44	20.0	2	2.9	108.5	0.92	0.05	12.1	0.547	2.39
K301045		570	15.1	167.5	<0.002	4.83	0.54	19.4	2	2.7	88.5	0.85	0.06	12.4	0.526	2.11
K301046		510	13.0	139.5	<0.002	3.50	1.45	15.8	1	2.4	94.8	0.73	<0.05	10.8	0.456	2.93
K301047		890	17.4	48.7	0.002	3.08	117.0	15.0	2	3.2	476	0.71	0.12	10.1	0.542	7.85
K301048		370	12.5	84.8	<0.002	2.31	1.35	10.6	1	1.8	82.6	0.51	<0.05	7.8	0.339	2.56
K301049		180	1.1	1.5	<0.002	0.02	0.18	0.4	1	<0.2	40.8	<0.05	<0.05	0.2	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156853

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301014		2.4	9	0.7	13.0	8	11.1	
K301015		2.0	7	0.6	12.3	5	9.1	
K301016		3.2	27	1.7	14.6	80	26.7	1.945
K301017		0.6	1	0.1	0.9	15	8.8	
K301018		2.7	30	1.6	14.3	111	26.4	
K301019		1.8	71	8.4	16.3	55	78.2	
K301020		2.1	80	7.3	20.3	64	86.5	
K301021		2.1	88	6.3	19.6	86	88.4	
K301022		2.6	109	7.4	22.2	100	108.5	
K301023		1.8	124	6.1	20.7	133	93.6	
K301024		1.9	114	5.4	17.8	74	84.5	
K301025		1.8	164	7.8	15.8	69	93.6	
K301026		2.2	131	6.4	21.3	63	110.5	
K301027		7.5	393	35.0	30.0	283	76.5	
K301028		2.1	113	4.8	27.6	58	100.5	
K301029		2.2	148	4.7	23.3	66	112.0	
K301030		2.1	112	3.8	28.4	59	101.5	
K301031		2.1	115	2.7	22.0	55	105.0	
K301032		2.0	109	1.8	21.6	52	105.0	
K301033		2.1	109	1.9	21.0	61	105.5	
K301034		2.1	115	3.8	23.6	50	106.5	
K301035		1.9	109	6.3	21.1	61	98.0	
K301036		1.7	102	7.2	19.2	63	91.8	
K301037		2.3	148	9.2	25.3	70	124.0	
K301038		0.4	2	0.2	0.9	18	0.8	
K301039		2.4	135	6.0	25.1	70	118.5	
K301040		2.3	138	3.4	26.2	63	120.0	
K301041		1.8	114	3.2	21.2	89	97.0	
K301042		2.2	150	3.2	22.7	70	113.0	
K301043		2.4	142	4.2	26.1	73	127.0	
K301044		2.2	146	2.7	25.1	174	119.5	
K301045		2.2	137	1.4	25.1	87	119.0	
K301046		1.9	122	5.1	21.3	58	103.0	
K301047		7.1	169	22.0	15.1	43	167.5	
K301048		1.4	88	4.4	15.1	48	78.3	
K301049		0.5	2	0.1	0.9	14	0.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156853

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

CERTIFICATE WH11160063

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 109 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160063

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301050		7.20	<0.01	0.10	5.82	155.0	240	1.51	0.19	2.92	0.04	65.2	16.1	57	13.95	45.2
K301051		8.21	0.42	0.11	6.59	944	220	1.53	0.24	3.11	0.05	68.4	16.8	59	16.95	51.8
K301052		7.54	0.47	0.09	6.67	1120	180	1.61	0.23	2.67	0.12	70.1	17.4	62	18.25	53.6
K301053		6.88	0.90	0.13	6.66	543	180	1.85	0.24	2.18	0.32	70.4	19.6	65	22.1	58.2
K301054		7.05	1.79	0.08	7.30	1060	200	1.91	0.26	3.33	0.10	76.0	19.0	67	24.1	58.6
K301055		6.65	0.60	0.09	5.77	609	170	1.37	0.20	2.93	0.18	65.1	16.1	55	17.75	48.6
K301056		8.26	8.05	0.15	7.60	3880	210	1.79	0.27	1.78	0.29	77.2	18.5	84	21.4	59.3
K301057		7.54	0.01	0.07	7.14	199.0	180	1.90	0.24	3.67	0.02	72.3	18.0	65	23.1	56.7
K301058		5.98	0.43	0.12	6.42	1095	160	1.66	0.22	3.20	0.17	68.0	15.7	57	19.25	46.8
K301059		7.85	0.02	0.09	5.95	508	200	1.56	0.21	3.62	0.06	66.0	15.3	53	23.4	46.6
K301060		6.36	<0.01	0.09	6.63	182.0	220	1.88	0.23	2.82	0.07	68.4	17.3	62	22.7	51.4
K301061		6.94	<0.01	0.07	7.20	71.6	240	1.79	0.26	2.70	0.04	73.3	16.6	67	22.1	58.2
K301062		6.60	<0.01	0.08	7.17	88.2	310	1.79	0.25	2.52	0.08	72.6	20.9	69	23.8	51.9
K301063		8.25	<0.01	0.08	5.97	49.1	270	1.48	0.18	3.03	0.04	60.1	17.4	63	18.75	43.8
K301064		4.88	<0.01	<0.01	0.08	<5	20	0.06	0.02	20.1	0.06	1.29	1.3	<1	0.28	3.2
K301065		7.68	<0.01	0.08	7.06	39.2	330	1.96	0.25	2.71	0.11	71.3	17.4	68	27.1	52.7
K301066		7.87	<0.01	0.14	6.82	85.9	190	1.84	0.23	3.16	0.07	69.1	19.4	63	24.8	48.7
K301067		3.88	<0.01	0.13	5.87	77.2	160	1.64	0.19	2.62	0.08	59.7	20.0	53	21.2	44.6
K301068		7.40	0.04	0.11	6.62	776	170	1.80	0.22	3.72	0.10	65.7	15.5	61	19.90	50.1
K301069		7.79	0.01	0.08	5.65	478	160	1.36	0.18	3.16	0.06	58.0	15.4	54	17.70	42.6
K301070		6.70	<0.01	0.07	6.58	117.0	200	1.64	0.22	2.56	0.05	67.8	19.4	64	21.4	51.7
K301071		7.35	<0.01	0.05	6.20	20.7	190	1.65	0.20	2.62	0.05	62.7	15.7	64	22.5	46.6
K301072		5.66	<0.01	0.14	7.82	59.5	180	1.66	0.26	3.09	0.37	65.8	33.7	78	23.5	163.5
K301073		4.73	<0.01	0.09	7.72	44.3	220	1.47	0.23	3.35	0.36	59.7	28.6	75	18.20	148.5
K301074		6.94	<0.01	0.16	6.79	54.6	540	1.15	0.18	5.78	0.33	47.3	30.9	66	19.55	149.5
K301075		6.89	<0.01	<0.01	0.08	6	20	0.06	0.02	20.3	0.07	1.41	1.5	<1	0.33	2.3
K301076		8.26	<0.01	0.12	6.92	18.6	160	1.26	0.18	4.92	0.22	46.8	30.4	71	28.1	147.0
K301077		7.12	<0.01	0.12	7.53	24.2	160	1.44	0.22	3.23	0.35	52.9	31.3	77	26.1	154.0
K301078		8.46	<0.01	0.13	7.19	21.7	120	1.34	0.22	3.50	0.34	50.8	31.9	77	18.35	148.0
K301079		0.20	2.06	1.02	3.23	608	870	0.67	0.26	7.95	2.27	48.0	6.3	51	3.93	44.1
K301080		10.47	<0.01	0.14	7.49	49.4	160	1.33	0.22	3.06	0.25	54.0	32.3	81	19.80	146.0
K301081		9.36	<0.01	0.13	7.12	20.4	190	1.44	0.23	3.37	0.45	60.0	28.3	67	25.2	131.5
K301082		8.99	<0.01	0.14	7.42	90.9	140	1.55	0.22	3.15	0.44	55.8	33.2	73	25.0	162.5
K301083		0.26	0.28	0.31	6.53	629	1100	0.61	0.24	0.47	0.17	141.0	2.8	242	3.63	33.8
K301084		7.81	<0.01	0.14	7.32	47.9	140	1.45	0.27	2.82	0.40	59.2	31.0	75	18.95	154.0
K301085		5.66	0.11	0.12	5.47	227	160	1.08	0.19	7.46	0.67	49.8	20.1	43	14.20	75.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160063

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301050		3.68	15.40	0.19	2.8	1.14	0.055	2.55	31.9	24.4	1.26	487	0.38	0.03	10.8	0.2
K301051		4.76	17.45	0.15	3.0	2.75	0.069	2.94	33.6	15.9	1.44	1020	0.38	0.03	11.0	33.7
K301052		4.81	17.95	0.15	3.2	3.64	0.065	2.95	34.3	13.6	1.27	1040	0.50	0.03	11.1	36.2
K301053		4.31	18.15	0.15	3.1	3.11	0.066	2.97	35.1	14.6	1.25	669	0.42	0.02	11.0	36.6
K301054		5.20	19.50	0.16	3.4	3.36	0.074	3.24	37.0	18.7	1.76	982	0.31	0.03	12.7	38.9
K301055		4.41	15.50	0.13	2.7	2.42	0.061	2.54	31.8	18.7	1.47	955	0.69	0.03	10.1	32.8
K301056		5.11	20.5	0.19	3.5	7.31	0.063	3.38	38.1	15.3	1.14	884	0.35	0.03	12.7	44.4
K301057		4.96	18.45	0.16	3.3	0.98	0.073	3.15	35.2	17.6	1.97	796	0.28	0.03	12.3	37.2
K301058		4.54	16.65	0.15	2.9	2.19	0.061	2.80	33.4	19.3	1.64	1000	1.00	0.03	10.7	32.6
K301059		4.71	15.40	0.19	2.7	1.57	0.060	2.61	31.6	28.4	1.79	696	0.40	0.03	9.9	30.4
K301060		4.79	16.95	0.18	3.0	0.85	0.073	2.91	33.5	36.9	1.55	534	0.41	0.03	11.1	35.7
K301061		4.53	18.85	0.18	3.5	0.34	0.077	3.16	36.0	27.4	1.55	510	0.47	0.03	12.1	36.2
K301062		6.11	18.60	0.19	3.2	0.68	0.077	3.10	36.0	41.1	1.40	498	0.45	0.03	12.2	45.0
K301063		4.58	14.80	0.16	2.6	0.19	0.066	2.45	30.0	90.4	1.82	669	0.32	0.03	9.5	34.5
K301064		0.49	0.37	0.09	<0.1	<0.01	0.007	0.03	0.6	1.1	12.55	217	0.09	0.01	0.3	1.6
K301065		4.87	18.65	0.13	3.2	0.22	0.071	3.11	34.9	47.7	2.07	544	0.53	0.03	11.4	35.9
K301066		5.02	17.45	0.16	3.2	0.71	0.070	3.02	33.3	39.4	1.72	600	0.37	0.03	11.1	32.4
K301067		4.59	15.30	0.13	2.7	0.77	0.068	2.53	30.4	35.0	1.42	514	0.36	0.03	9.7	32.6
K301068		4.77	17.15	0.16	3.0	1.98	0.068	2.91	33.4	15.7	1.78	788	0.44	0.03	11.0	34.2
K301069		4.84	14.20	0.12	2.5	1.08	0.059	2.40	29.3	23.6	1.64	755	0.32	0.02	9.1	29.7
K301070		5.33	16.70	0.14	2.9	0.46	0.067	2.77	34.0	45.0	1.45	524	0.34	0.03	10.7	38.3
K301071		4.80	15.50	0.15	2.9	0.13	0.069	2.66	31.3	40.8	1.95	638	0.34	0.03	10.1	32.6
K301072		7.89	22.3	0.24	4.2	0.05	0.124	1.81	31.9	74.3	2.24	932	0.65	0.39	18.8	60.4
K301073		7.51	20.1	0.20	3.6	0.05	0.111	1.84	28.5	71.6	2.33	998	0.83	0.46	16.4	55.4
K301074		7.15	18.95	0.18	3.1	0.04	0.104	1.47	23.0	83.4	2.32	1080	0.40	0.42	13.0	55.1
K301075		0.49	0.42	0.14	<0.1	<0.01	0.006	0.03	0.7	1.3	12.75	219	0.07	0.01	0.4	2.1
K301076		7.38	19.05	0.16	2.9	0.04	0.096	1.66	22.4	94.9	2.70	1040	0.36	0.43	12.2	53.2
K301077		8.47	20.8	0.18	2.8	0.04	0.112	1.73	23.2	130.0	2.77	1180	0.57	0.60	15.0	56.2
K301078		8.10	20.2	0.20	2.8	0.03	0.111	1.40	22.5	76.9	2.48	1220	0.50	0.60	14.9	55.8
K301079		2.13	7.79	0.07	1.7	4.56	0.029	0.99	30.2	37.2	2.51	280	17.70	0.03	6.9	52.9
K301080		8.08	20.6	0.18	3.0	0.03	0.109	1.51	24.3	71.0	2.37	1190	0.50	0.75	15.8	58.3
K301081		6.77	20.2	0.21	3.3	0.07	0.112	1.89	28.9	84.1	2.51	1100	0.73	0.60	16.5	51.1
K301082		7.75	21.2	0.22	3.1	0.11	0.115	1.99	26.6	118.0	2.58	1100	0.84	0.31	16.6	59.9
K301083		6.93	20.8	0.27	4.3	9.6	0.053	1.38	70.0	18.8	0.13	44	6.38	0.38	10.4	17.4
K301084		7.33	20.7	0.21	3.6	0.24	0.116	2.30	28.1	130.0	1.82	1080	0.72	0.03	17.0	54.1
K301085		5.97	14.55	0.18	2.4	2.26	0.070	2.12	24.5	72.6	3.47	1780	0.66	0.02	11.1	39.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160063

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301050		490	16.7	119.5	<0.002	2.57	0.88	15.6	2	2.2	132.5	0.84	<0.05	10.6	0.426	3.51
K301051		530	14.9	136.5	<0.002	4.41	5.04	18.4	2	2.2	113.0	0.86	0.05	11.4	0.462	10.00
K301052		520	16.6	144.0	<0.002	4.75	7.71	19.0	2	2.3	101.0	0.89	0.06	11.4	0.474	13.45
K301053		430	20.1	147.5	<0.002	4.00	7.15	19.3	3	2.4	106.0	0.84	0.07	11.9	0.469	12.30
K301054		600	15.6	162.0	<0.002	4.87	11.60	19.8	3	2.3	117.5	0.98	0.07	12.4	0.526	14.15
K301055		580	19.7	122.5	<0.002	4.02	7.68	17.0	2	2.0	118.0	0.75	<0.05	10.2	0.439	11.70
K301056		580	19.5	165.0	<0.002	5.23	43.4	18.9	3	2.4	117.0	0.97	0.11	13.4	0.554	41.8
K301057		610	15.8	151.0	<0.002	4.56	1.50	19.7	3	2.3	115.0	0.92	0.06	12.6	0.515	3.42
K301058		440	20.6	132.5	<0.002	4.06	5.10	16.9	2	2.2	120.0	0.83	0.05	11.4	0.446	7.66
K301059		780	16.9	124.5	<0.002	4.20	2.48	15.7	3	2.0	160.0	0.77	0.05	10.3	0.433	5.35
K301060		560	17.0	140.0	<0.002	4.48	0.82	18.7	3	2.2	138.5	0.83	0.05	11.8	0.482	2.42
K301061		590	15.0	148.0	<0.002	4.04	0.45	20.1	3	2.5	141.5	0.98	0.05	12.7	0.517	1.64
K301062		550	21.2	146.0	<0.002	5.83	0.76	19.6	3	2.5	132.0	0.90	0.06	12.3	0.517	5.64
K301063		460	16.9	119.5	<0.002	1.01	0.43	16.3	3	1.9	136.0	0.72	0.05	9.6	0.456	1.21
K301064		170	1.3	2.0	<0.002	0.05	0.05	0.3	2	<0.2	41.7	<0.05	<0.05	0.3	<0.005	0.02
K301065		540	17.7	149.0	<0.002	1.20	0.50	18.6	3	2.4	135.0	0.91	<0.05	12.5	0.491	1.55
K301066		520	21.0	146.0	<0.002	4.27	0.61	17.7	2	2.1	113.0	0.89	<0.05	12.0	0.486	2.91
K301067		430	19.1	127.0	<0.002	3.82	0.60	15.6	3	2.0	95.2	0.74	<0.05	9.9	0.419	2.57
K301068		520	14.9	143.5	<0.002	4.27	2.81	17.8	3	2.3	127.5	0.85	0.05	11.0	0.486	4.36
K301069		480	14.4	118.0	<0.002	4.45	2.00	15.5	3	2.0	127.5	0.70	<0.05	9.6	0.433	2.91
K301070		530	18.4	138.0	<0.002	4.40	0.64	18.2	3	2.4	130.0	0.79	<0.05	11.2	0.492	2.32
K301071		470	13.5	132.5	<0.002	0.73	0.40	16.7	2	2.1	119.5	0.78	<0.05	10.4	0.463	1.14
K301072		810	12.9	98.7	0.003	0.14	0.43	31.6	5	2.5	85.4	1.28	0.31	8.3	0.748	0.73
K301073		760	12.2	88.8	0.003	0.11	0.44	27.5	4	2.3	78.5	1.17	0.28	7.5	0.724	0.58
K301074		630	10.8	78.3	0.002	0.12	0.37	28.6	3	2.0	218	0.93	0.22	5.7	0.685	0.52
K301075		180	1.4	2.0	<0.002	0.04	<0.05	0.5	2	<0.2	46.3	<0.05	<0.05	<0.2	0.005	<0.02
K301076		650	10.7	89.0	<0.002	0.20	0.33	28.0	3	2.0	110.0	0.87	0.22	5.5	0.687	0.57
K301077		780	11.5	98.5	<0.002	0.20	0.34	30.1	4	2.3	82.7	1.04	0.30	6.1	0.732	0.60
K301078		750	11.8	79.6	<0.002	0.10	0.31	29.6	4	2.2	86.8	1.01	0.28	6.1	0.732	0.48
K301079		900	35.8	57.0	0.023	1.57	105.5	5.3	5	2.5	71.2	0.47	0.20	6.5	0.172	3.85
K301080		760	10.8	81.7	0.002	0.13	0.40	29.0	4	2.3	74.0	1.09	0.28	6.5	0.767	0.59
K301081		710	13.0	108.5	0.005	0.25	0.43	26.5	4	2.4	82.2	1.18	0.26	7.6	0.648	0.78
K301082		760	12.3	124.0	0.007	0.34	0.45	30.3	4	2.3	78.5	1.12	0.29	6.5	0.724	1.04
K301083		960	16.8	56.8	0.003	3.22	119.5	16.6	3	3.1	551	0.80	0.16	10.4	0.563	8.01
K301084		700	12.3	143.5	0.005	0.19	0.47	30.4	2	2.3	95.9	1.08	0.26	7.1	0.719	1.66
K301085		490	14.8	109.5	0.003	0.69	2.77	18.3	2	1.8	119.5	0.72	0.12	6.1	0.424	4.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160063

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301050		2.2	112	5.3	21.6	50	102.5
K301051		2.1	122	5.7	22.3	61	99.8
K301052		2.2	123	7.6	22.7	84	102.5
K301053		2.2	129	6.5	20.9	96	102.5
K301054		2.4	136	5.7	25.2	70	113.5
K301055		1.9	113	4.6	21.0	88	91.0
K301056		2.5	145	8.1	24.8	80	115.5
K301057		2.3	133	4.9	24.3	71	107.0
K301058		2.2	117	7.8	20.3	87	98.1
K301059		1.9	109	6.4	23.1	68	88.4
K301060		2.2	124	3.2	22.0	87	100.5
K301061		2.3	135	1.8	23.1	79	112.5
K301062		2.3	134	1.4	23.4	80	107.0
K301063		1.8	116	1.0	19.8	70	89.3
K301064		1.0	2	0.1	0.8	12	0.7
K301065		2.4	127	1.2	22.4	97	104.0
K301066		2.4	126	1.2	22.2	81	103.0
K301067		1.9	106	1.0	19.6	70	87.2
K301068		2.1	121	4.6	21.7	79	100.0
K301069		1.7	110	4.3	19.4	61	82.9
K301070		2.0	127	2.4	22.0	77	98.9
K301071		1.9	119	1.2	20.4	68	90.6
K301072		2.3	232	1.0	31.9	108	150.0
K301073		2.0	223	0.9	28.1	103	133.0
K301074		1.4	219	1.0	27.4	96	109.5
K301075		0.6	2	0.1	0.9	14	0.7
K301076		1.3	221	0.8	26.4	99	101.5
K301077		1.4	234	0.9	26.4	104	133.5
K301078		1.4	235	0.9	26.8	100	115.5
K301079		8.1	229	23.4	20.4	209	61.7
K301080		1.7	236	1.1	25.9	105	118.0
K301081		2.3	196	0.9	26.8	92	120.5
K301082		1.7	229	0.9	26.6	107	123.5
K301083		7.6	173	20.8	15.8	43	163.5
K301084		2.1	228	1.6	28.0	100	135.5
K301085		4.0	126	1.6	23.2	184	86.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160063

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

CERTIFICATE WH11173849

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 109 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11173849

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301050		<0.01
K301051		0.45
K301052		0.50
K301053		0.97
K301054		1.90
K301055		0.63
K301056		8.58
K301057		<0.01
K301058		0.46
K301059		0.02
K301060		<0.01
K301061		<0.01
K301062		<0.01
K301063		<0.01
K301064		<0.01
K301065		<0.01
K301066		<0.01
K301067		<0.01
K301068		0.05
K301069		<0.01
K301070		<0.01
K301071		<0.01
K301072		<0.01
K301073		0.01
K301074		<0.01
K301075		<0.01
K301076		<0.01
K301077		0.01
K301078		0.01
K301079		2.66
K301080		0.01
K301081		<0.01
K301082		0.01
K301083		0.33
K301084		0.01
K301085		0.13

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

CERTIFICATE WH11156857

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 110 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298361		8.18	0.39	0.18	0.47	7000	60	0.27	0.02	20.2	0.29	10.40	1.8	6	0.98	6.5
K298362		0.19	7.72	0.44	3.45	998	160	0.83	0.69	11.65	4.05	47.4	5.5	94	7.55	37.4
K298363		9.14	0.91	0.19	0.66	5240	80	0.27	0.03	19.60	0.48	12.80	1.8	8	1.14	7.4
K298364		8.50	0.55	0.17	0.84	>10000	140	0.29	0.02	21.5	0.19	15.40	2.1	8	1.63	7.3
K298365		7.75	0.10	0.09	0.74	3950	130	0.26	0.03	28.7	0.06	10.85	1.6	7	1.52	6.7
K298366		7.86	<0.01	0.06	0.70	51	180	0.31	0.03	32.1	0.10	12.30	1.7	7	2.01	6.0
K298367		7.64	<0.01	0.03	0.77	46	280	0.31	0.03	31.0	0.14	13.90	1.7	8	2.40	5.8
K298368		7.91	<0.01	0.05	0.77	27	120	0.31	0.02	31.5	0.11	14.25	1.8	9	2.90	5.4
K298369		8.39	<0.01	0.06	4.30	92	190	1.26	0.11	16.10	0.03	49.6	8.1	37	22.1	21.8
K298370		4.83	<0.01	0.03	0.08	<5	20	0.05	0.04	22.1	0.06	1.13	0.6	<1	0.43	1.5
K298371		7.60	<0.01	0.08	4.69	68	320	1.37	0.12	18.00	<0.02	49.3	9.1	33	26.9	18.1
K298372		7.65	<0.01	0.08	5.55	87	200	1.84	0.14	15.85	0.03	49.8	12.1	40	32.3	22.2
K298373		3.81	<0.01	0.08	5.55	89	200	1.79	0.14	16.50	0.02	57.6	12.8	41	34.6	22.1
K298374		8.10	<0.01	0.08	4.61	69	530	1.40	0.11	19.85	0.02	50.3	8.2	33	25.8	17.1
K298375		6.75	<0.01	0.11	6.37	84	300	1.97	0.14	14.60	0.02	57.5	12.6	44	38.4	24.3
K298376		8.22	<0.01	0.09	3.57	40	350	1.08	0.09	24.7	0.02	36.2	5.9	26	18.05	11.4
K298377		7.99	<0.01	0.07	3.38	19	1010	0.94	0.11	17.50	0.05	34.0	4.8	26	11.70	15.7
K298378		8.16	<0.01	0.11	4.84	75	480	1.52	0.14	12.75	0.04	42.7	7.9	39	21.6	14.1
K298379		7.09	<0.01	0.07	1.92	27	300	0.71	0.07	28.9	0.03	29.3	3.7	15	6.42	5.9
K298380		6.18	<0.01	0.09	4.52	76	240	1.40	0.11	20.5	0.02	43.7	7.5	32	19.20	15.8
K298381		5.43	<0.01	0.08	7.03	74.8	250	1.97	0.32	9.73	0.03	67.4	14.9	45	29.2	21.1
K298382		10.42	<0.01	0.08	7.32	27.9	260	2.24	0.32	9.75	0.02	68.9	13.5	46	32.9	17.6
K298383		0.21	0.33	0.33	6.51	645	90	0.77	0.29	0.51	0.18	124.5	3.0	235	3.59	30.9
K298384		10.36	<0.01	0.06	6.76	24	250	1.80	0.27	10.90	0.04	57.1	11.6	39	29.7	14.4
K298385		9.92	<0.01	0.05	4.82	21	210	1.32	0.18	17.05	0.05	42.9	7.6	30	19.55	18.9
K298386		11.81	<0.01	0.06	4.43	40	170	1.20	0.17	18.50	0.05	39.0	6.7	26	17.05	8.6
K298387		10.36	<0.01	0.07	3.23	16	120	0.99	0.12	21.6	0.09	33.2	5.1	20	12.45	21.2
K298388		10.58	<0.01	0.05	2.91	8	230	0.89	0.12	19.85	0.05	28.0	4.5	18	11.25	7.2
K298389		6.90	<0.01	0.01	0.09	<5	30	0.07	0.08	22.5	0.06	1.10	0.7	<1	0.26	2.2
K298390		11.33	<0.01	0.05	2.75	44	160	0.95	0.11	21.0	0.05	27.7	5.1	18	12.00	9.4
K298391		10.14	<0.01	0.07	4.11	19	250	1.12	0.15	20.2	0.05	35.8	6.0	26	15.75	17.2
K298392		10.56	<0.01	0.07	3.20	10	220	0.96	0.12	24.2	0.07	30.0	5.1	21	11.60	7.5
K298393		12.08	<0.01	0.06	4.00	40	290	1.16	0.16	21.4	0.04	36.0	5.3	26	14.75	13.6
K298394		11.21	<0.01	0.08	4.07	28	190	1.18	0.16	21.0	0.06	37.6	6.0	25	17.35	14.6
K298395		11.77	<0.01	0.06	4.12	45	200	1.16	0.15	20.8	0.05	36.8	5.3	27	14.90	11.5
K298396		11.89	<0.01	0.07	4.14	62	240	1.28	0.16	20.3	0.07	38.7	5.5	26	13.40	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156857

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298361		0.35	1.47	0.19	0.2	2.88	0.012	0.22	7.0	3.3	11.95	696	0.57	0.01	0.8	2.5
K298362		1.33	7.58	0.14	2.4	5.90	0.061	1.45	36.5	10.2	0.70	255	11.75	0.01	7.9	69.1
K298363		0.32	2.07	0.11	0.3	3.99	0.012	0.32	8.0	3.8	10.05	2560	0.49	0.01	1.1	2.5
K298364		0.41	2.42	0.11	0.5	3.04	0.015	0.41	9.3	4.2	7.73	2140	0.55	0.01	1.5	3.1
K298365		0.31	1.87	0.10	0.4	1.62	0.010	0.37	7.1	3.2	2.10	711	0.43	0.01	1.2	1.9
K298366		0.36	1.76	0.09	0.3	0.19	0.006	0.36	8.3	3.4	0.83	74	0.54	0.01	1.3	1.6
K298367		0.32	1.98	0.10	0.5	0.21	0.006	0.40	9.1	4.2	0.84	86	0.41	0.01	1.5	1.0
K298368		0.34	1.91	0.10	0.6	0.12	0.006	0.42	9.1	4.7	1.11	86	0.25	0.01	1.5	1.7
K298369		1.62	10.75	0.12	2.0	0.41	0.029	2.41	32.0	26.2	2.85	204	0.60	0.02	6.3	19.8
K298370		0.47	0.27	<0.05	<0.1	<0.01	0.007	0.04	0.6	1.4	13.75	220	0.08	<0.01	0.2	1.7
K298371		1.74	11.60	0.09	1.3	0.23	0.033	2.66	26.5	32.4	2.04	207	0.45	0.01	5.5	22.7
K298372		2.05	13.00	0.10	1.7	0.18	0.033	3.14	27.5	37.3	2.35	221	0.47	0.01	6.3	26.7
K298373		2.08	13.60	0.12	1.7	0.19	0.037	3.16	31.3	39.6	2.36	226	0.69	0.01	6.4	28.0
K298374		1.73	11.00	0.11	1.6	0.22	0.029	2.61	25.2	30.8	2.12	220	0.52	0.01	5.3	21.5
K298375		2.31	15.95	0.12	1.6	0.17	0.040	3.61	31.0	46.6	2.56	226	0.58	0.01	7.4	28.6
K298376		1.39	8.18	0.10	1.3	0.10	0.022	2.01	19.3	21.7	2.03	210	0.55	0.01	4.1	16.1
K298377		1.64	7.63	0.08	2.0	0.07	0.020	1.97	17.2	19.5	4.99	302	0.80	0.02	4.1	12.9
K298378		2.08	11.45	0.12	2.8	0.13	0.024	2.89	23.2	29.9	6.43	346	1.18	0.02	6.0	19.6
K298379		1.02	4.52	0.08	0.6	0.06	0.013	1.06	14.0	10.4	1.48	194	0.37	<0.01	2.3	10.0
K298380		1.64	10.85	0.11	1.4	0.12	0.030	2.58	22.7	28.7	1.99	197	0.58	<0.01	5.1	20.1
K298381		4.18	17.45	0.13	2.6	0.12	0.059	3.45	37.8	24.9	2.11	694	0.44	0.02	8.6	33.9
K298382		3.74	18.70	0.13	2.8	0.06	0.056	3.55	38.3	25.5	2.31	701	0.34	0.03	9.3	29.1
K298383		6.95	21.3	0.16	4.4	9.83	0.053	1.38	62.2	18.7	0.14	38	6.09	0.39	9.7	17.7
K298384		3.42	16.60	0.11	2.9	0.09	0.049	3.28	31.6	20.7	2.82	612	0.33	0.03	8.7	24.3
K298385		2.73	11.60	0.07	1.9	0.05	0.038	2.35	24.1	14.6	3.53	559	0.27	0.02	6.1	16.9
K298386		2.37	10.50	0.07	1.6	0.04	0.032	2.14	21.5	11.1	4.41	605	0.28	0.02	5.3	15.2
K298387		1.90	8.14	0.10	1.4	0.04	0.026	1.59	17.1	9.0	4.65	543	0.32	0.01	4.1	12.4
K298388		2.62	6.87	0.07	1.1	0.03	0.021	1.41	14.8	8.6	6.33	720	0.30	0.01	3.8	10.4
K298389		0.50	0.24	0.06	<0.1	<0.01	0.005	0.04	0.5	1.4	13.35	222	0.06	<0.01	0.2	2.0
K298390		2.30	6.45	0.09	1.1	0.03	0.022	1.34	13.7	9.6	5.70	574	0.35	0.01	3.7	11.8
K298391		1.71	9.38	0.09	1.7	0.04	0.034	1.98	20.6	11.7	3.94	334	0.42	0.02	5.1	14.7
K298392		1.60	7.56	0.10	1.3	0.03	0.023	1.56	15.7	9.5	3.11	378	0.39	0.01	4.2	12.1
K298393		1.57	8.89	0.09	1.6	0.04	0.026	1.94	19.3	11.2	3.08	314	0.44	0.01	4.7	13.3
K298394		1.47	9.77	0.10	1.7	0.05	0.027	1.99	20.5	13.0	3.33	297	0.36	0.02	5.2	13.6
K298395		1.57	9.22	0.09	1.7	0.06	0.027	2.01	20.2	12.8	3.62	284	0.42	0.01	5.0	12.3
K298396		1.41	9.78	0.11	1.7	0.08	0.031	2.00	21.3	13.3	3.39	265	0.39	0.01	5.4	12.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156857

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298361		130	5.1	7.0	<0.002	0.65	10.25	1.5	2	0.5	129.0	0.06	<0.05	1.0	0.020	3.88
K298362		4030	5.3	103.0	0.036	1.35	18.05	7.3	9	1.7	144.0	0.60	0.50	7.5	0.206	13.20
K298363		150	6.8	10.4	<0.002	0.56	9.04	2.4	2	0.7	110.0	0.09	<0.05	1.6	0.028	5.91
K298364		180	6.3	13.2	<0.002	0.86	20.2	2.1	2	0.6	175.5	0.12	<0.05	2.2	0.038	5.78
K298365		200	4.9	11.4	<0.002	0.46	5.80	1.4	2	0.3	559	0.08	<0.05	1.7	0.030	2.30
K298366		130	6.1	11.4	<0.002	0.30	0.20	1.5	2	0.3	720	0.09	<0.05	1.8	0.031	0.39
K298367		240	4.1	12.8	<0.002	0.19	0.27	1.6	2	0.3	1010	0.10	<0.05	2.1	0.034	0.56
K298368		190	3.8	13.7	<0.002	0.10	0.11	1.6	2	0.3	1310	0.11	<0.05	2.1	0.035	0.22
K298369		460	8.4	79.7	<0.002	0.26	0.29	8.1	2	1.4	451	0.50	<0.05	10.1	0.168	0.76
K298370		210	1.2	2.4	0.002	0.01	0.11	0.2	1	0.3	50.9	<0.05	<0.05	<0.2	<0.005	0.02
K298371		490	5.9	98.5	<0.002	0.28	0.30	7.1	1	1.3	655	0.37	<0.05	7.1	0.170	0.49
K298372		560	6.5	113.0	<0.002	0.30	0.33	7.9	2	1.4	583	0.49	<0.05	8.4	0.199	0.57
K298373		570	6.5	118.5	<0.002	0.30	0.30	8.2	2	1.6	605	0.46	<0.05	8.7	0.201	0.57
K298374		490	6.3	93.0	0.002	0.30	0.26	6.7	1	1.5	686	0.40	<0.05	6.9	0.166	1.04
K298375		640	7.2	132.0	0.002	0.34	0.32	9.4	2	1.7	544	0.50	<0.05	9.6	0.227	0.71
K298376		400	6.0	70.2	0.002	0.22	0.22	4.9	2	1.1	812	0.30	<0.05	5.5	0.129	0.46
K298377		440	6.8	63.6	0.002	0.23	0.22	4.5	2	1.1	507	0.30	<0.05	5.6	0.132	0.48
K298378		670	8.5	93.3	<0.002	0.26	0.31	6.5	2	1.4	284	0.46	<0.05	8.0	0.190	0.64
K298379		260	4.0	36.0	<0.002	0.14	0.16	2.9	1	0.7	926	0.17	<0.05	3.0	0.069	0.37
K298380		460	7.4	89.1	<0.002	0.28	0.29	6.5	2	1.3	713	0.36	<0.05	7.0	0.172	0.58
K298381		870	15.6	141.5	<0.002	0.54	0.54	12.2	1	2.2	355	0.61	0.07	11.0	0.311	1.12
K298382		670	12.0	153.0	<0.002	0.11	0.51	13.4	1	2.4	327	0.67	0.09	10.9	0.328	0.81
K298383		980	17.6	48.6	0.003	3.28	123.5	15.9	2	3.3	524	0.69	0.13	8.6	0.598	8.17
K298384		630	10.2	138.0	<0.002	0.07	0.47	11.4	2	2.2	287	0.62	0.05	9.8	0.301	0.77
K298385		730	7.9	95.5	0.002	0.05	0.35	7.7	1	2.0	353	0.45	0.08	7.0	0.215	0.49
K298386		570	7.3	85.3	<0.002	0.08	0.35	7.1	1	1.4	416	0.37	0.05	6.1	0.193	0.52
K298387		540	7.1	63.6	0.002	0.07	0.27	5.5	1	1.1	546	0.27	<0.05	4.6	0.146	0.44
K298388		480	6.0	54.7	<0.002	0.09	0.25	4.6	<1	1.1	415	0.25	<0.05	4.3	0.133	0.35
K298389		190	1.3	1.6	<0.002	0.02	0.07	0.3	1	0.3	44.1	<0.05	<0.05	<0.2	<0.005	0.02
K298390		490	6.9	49.9	<0.002	0.10	0.30	4.6	1	1.1	457	0.25	<0.05	4.4	0.125	0.39
K298391		630	7.7	76.0	0.002	0.12	0.33	6.5	1	1.4	557	0.37	0.05	6.1	0.188	0.52
K298392		600	6.3	59.5	<0.002	0.14	0.27	5.2	2	1.2	662	0.29	0.05	4.6	0.144	0.51
K298393		590	7.3	73.6	<0.002	0.13	0.33	6.3	1	1.3	652	0.35	0.07	6.0	0.183	0.65
K298394		560	8.3	80.1	<0.002	0.13	0.31	6.5	2	1.4	633	0.37	0.07	6.2	0.184	0.60
K298395		650	7.7	75.0	<0.002	0.28	0.41	6.4	1	1.4	604	0.38	0.06	6.1	0.183	0.59
K298396		620	10.4	78.0	<0.002	0.17	0.45	6.5	1	1.5	611	0.38	<0.05	6.2	0.189	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156857

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298361		12.0	12	0.6	2.9	31	7.4	
K298362		8.7	386	35.1	30.3	270	80.6	
K298363		16.1	15	1.0	3.3	52	11.1	
K298364		16.1	17	1.3	6.0	16	18.5	1.010
K298365		18.3	15	0.6	4.9	7	13.8	
K298366		18.4	14	0.3	3.8	17	12.2	
K298367		14.5	15	0.4	4.9	7	19.6	
K298368		13.2	17	0.2	4.8	4	21.0	
K298369		9.7	58	0.7	13.0	25	70.1	
K298370		0.4	3	0.1	0.8	19	<0.5	
K298371		7.9	62	0.6	11.3	34	45.0	
K298372		7.5	72	0.7	12.0	37	48.7	
K298373		7.7	73	0.7	13.3	38	61.0	
K298374		10.7	61	0.6	11.8	33	52.5	
K298375		6.9	83	0.7	12.9	39	54.4	
K298376		13.2	49	0.5	9.8	27	43.6	
K298377		8.8	48	0.5	10.7	26	64.9	
K298378		7.9	74	0.7	12.3	32	71.8	
K298379		13.4	30	0.3	7.3	21	21.7	
K298380		10.7	63	0.6	10.2	25	47.1	
K298381		4.8	92	1.5	25.5	51	82.5	
K298382		4.9	100	1.4	21.6	43	86.1	
K298383		7.7	181	24.6	15.1	44	158.0	
K298384		5.0	93	1.3	20.1	38	81.3	
K298385		5.0	65	1.0	14.1	30	60.1	
K298386		6.4	60	0.8	12.3	25	52.6	
K298387		7.2	47	0.6	10.1	22	113.5	
K298388		5.9	41	0.6	9.9	22	40.7	
K298389		1.0	2	0.1	0.7	13	<0.5	
K298390		8.8	40	0.6	10.0	20	38.5	
K298391		8.3	57	0.7	11.3	21	54.0	
K298392		8.4	46	0.6	10.4	17	43.6	
K298393		8.0	56	0.8	11.0	18	49.2	
K298394		8.1	56	0.8	11.3	17	55.1	
K298395		7.2	58	1.0	11.2	19	51.5	
K298396		9.2	57	1.7	11.9	28	56.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11156857

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11158272

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 111- Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158272

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300109		0.74	0.01	1.22	0.48	135	1630	0.30	0.03	21.2	4.35	5.62	1.2	7	4.41	4.1
K300110		3.84	0.01	0.09	0.16	86	110	0.20	0.01	22.9	0.41	1.77	1.3	4	0.28	2.8
K300111		2.87	0.01	0.08	0.13	88	30	0.18	<0.01	23.9	0.42	1.70	1.1	3	0.27	1.3
K300112		3.36	<0.01	0.06	0.11	64	40	0.12	<0.01	21.6	0.35	1.42	1.0	2	0.25	0.8
K300113		2.34	0.01	0.04	0.10	59	20	0.12	<0.01	23.5	0.27	1.29	1.3	2	0.14	1.6
K300114		2.61	0.01	0.19	0.29	122	80	0.23	0.01	22.2	0.63	3.02	1.5	4	0.33	1.6
K300115		3.29	0.01	0.10	0.15	7130	70	0.11	0.01	20.3	0.21	1.59	1.3	3	0.24	0.9
K300116		4.95	<0.01	0.01	0.07	16	20	0.07	0.02	20.4	0.07	1.30	1.5	1	0.36	1.4
K300117		1.30	0.02	0.14	0.18	1010	80	0.12	0.01	20.7	0.21	1.67	1.3	4	0.45	1.3
K300118		0.25	7.94	0.52	3.43	992	160	0.81	0.67	10.75	3.90	49.4	5.5	92	7.77	32.7
K300119		4.06	0.02	0.20	0.45	324	2280	0.22	0.02	20.2	0.59	4.40	1.7	6	1.56	2.1
K300120		1.60	0.03	0.27	0.60	392	2680	0.24	0.02	20.4	0.79	6.33	1.9	8	3.07	2.8
K300121		4.77	0.04	0.14	0.25	69	410	0.17	0.01	20.3	0.39	3.03	1.2	4	0.48	1.9
K300122		3.07	0.05	0.35	0.30	80	190	0.17	0.02	20.1	1.64	3.59	1.3	5	0.72	1.8
K300123		3.05	0.14	0.28	0.51	614	190	0.23	0.03	19.80	0.31	6.20	1.7	7	0.84	2.7
K300124		3.04	0.06	0.22	0.42	166	1530	0.19	0.02	20.8	0.65	3.88	1.8	6	0.78	1.9
K300125		2.28	<0.01	0.18	0.20	93	1810	0.17	0.02	22.2	0.30	2.14	1.3	4	1.20	1.5
K300126		3.25	<0.01	0.14	0.22	98	50	0.26	0.01	22.7	0.31	2.72	1.3	4	0.34	1.1
K300127		3.77	<0.01	0.29	0.22	61	100	0.21	0.01	23.9	0.41	2.84	1.3	4	0.66	1.7
K300128		4.44	<0.01	0.20	0.25	100	50	0.21	0.01	24.5	0.35	2.89	1.3	4	0.48	1.5
K300129		3.43	<0.01	0.19	0.18	72	40	0.14	0.01	23.8	1.00	1.94	1.1	3	0.54	1.2
K300130		1.98	0.01	0.29	0.27	90	70	0.21	0.01	22.5	0.89	2.73	1.4	5	0.46	1.4
K300131		2.17	<0.01	0.17	0.15	86	40	0.17	0.01	23.5	1.38	1.58	1.3	4	0.24	0.9
K300132		2.63	<0.01	0.23	3.20	359	610	0.80	0.09	15.95	1.09	31.9	5.9	34	19.50	6.9
K300133		5.12														
K300134		4.90	<0.01	0.69	8.92	474	1290	2.32	0.29	0.94	0.86	94.6	16.9	96	54.2	34.7
K300135		4.99	<0.01	0.01	0.09	<5	20	0.05	0.02	20.7	0.06	1.51	1.5	1	0.31	1.2
K300136		3.98	0.02	0.18	8.75	152.0	1240	2.35	0.26	0.61	0.14	83.4	18.3	96	49.0	34.3
K300137		4.02	<0.01	0.20	8.48	69.3	1100	2.28	0.26	0.61	0.10	86.9	16.7	102	56.8	36.7
K300138		5.22	<0.01	0.21	8.57	64.2	840	2.39	0.27	0.52	0.09	87.6	16.5	102	59.1	33.4
K300139		4.73	<0.01	0.24	8.37	62.3	840	2.41	0.26	0.52	0.11	82.3	15.1	107	64.5	34.3
K300140		3.24	<0.01	0.18	7.81	90.2	970	2.19	0.24	0.85	0.11	80.6	17.3	89	52.5	29.7
K300141		3.75	<0.01	0.27	7.87	84.7	840	2.25	0.23	1.28	0.15	76.4	18.0	85	48.4	29.9
K300142		4.65	<0.01	0.14	8.93	156.5	1130	2.42	0.26	0.81	0.20	74.2	21.0	91	56.1	41.6
K300143		4.21	<0.01	0.30	8.41	425	1120	2.65	0.24	2.24	0.27	72.0	19.2	80	51.4	35.4
K300144		0.25	2.73	1.12	3.43	627	930	0.78	0.30	8.45	2.28	47.8	7.6	53	3.92	44.3

Comments: Sample #25 (K300133) contains oil in it. No Prep or Analysis to be done for this sample

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158272

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300109		0.25	1.41	<0.05	0.2	13.3	0.013	0.17	3.0	2.7	11.40	238	0.36	0.02	1.1	2.3
K300110		0.16	0.44	<0.05	0.1	3.73	<0.005	0.06	0.9	1.1	11.85	112	0.24	0.02	0.5	1.1
K300111		0.12	0.35	0.06	<0.1	2.33	<0.005	0.04	0.9	1.0	11.50	100	0.24	0.02	0.4	0.5
K300112		0.10	0.32	0.08	<0.1	1.22	<0.005	0.03	0.8	0.8	10.90	98	0.16	0.01	0.4	0.6
K300113		0.09	0.29	0.09	<0.1	1.11	<0.005	0.03	0.7	0.7	11.75	94	0.31	0.01	0.4	1.3
K300114		0.18	0.83	0.09	0.1	5.53	<0.005	0.12	1.5	1.6	11.05	114	0.31	0.02	0.7	3.0
K300115		0.07	0.44	0.11	<0.1	74.4	<0.005	0.05	0.8	1.2	11.75	77	0.27	0.01	0.4	2.0
K300116		0.46	0.30	0.09	<0.1	0.09	<0.005	0.04	0.7	1.1	12.60	211	0.09	0.01	0.4	1.0
K300117		0.07	0.55	0.11	0.1	>100	<0.005	0.06	0.9	1.5	12.15	104	0.40	0.02	0.5	1.2
K300118		1.28	7.32	0.13	2.3	5.37	0.066	1.49	33.5	9.6	0.70	264	11.95	0.01	7.9	64.4
K300119		0.32	1.25	0.08	0.2	7.02	<0.005	0.16	2.4	2.2	11.35	165	0.47	0.02	1.0	4.5
K300120		0.40	1.73	0.09	0.3	8.82	0.005	0.22	3.5	2.7	11.50	174	0.49	0.02	1.3	5.7
K300121		0.16	0.72	0.10	0.1	5.89	<0.005	0.08	1.6	2.2	11.25	445	0.23	0.02	0.6	2.3
K300122		0.19	0.83	0.12	0.1	11.5	0.006	0.09	1.9	2.3	10.90	147	0.38	0.02	0.7	3.0
K300123		0.27	1.21	0.11	0.2	29.6	<0.005	0.16	3.2	3.8	9.30	280	0.40	0.01	1.0	3.5
K300124		0.32	1.13	0.09	0.2	9.56	<0.005	0.16	2.1	2.2	10.85	162	0.42	0.02	0.9	5.0
K300125		0.17	0.58	0.11	0.1	2.38	<0.005	0.06	1.2	1.1	11.00	90	0.32	0.02	0.5	2.4
K300126		0.12	0.65	0.13	0.1	1.05	<0.005	0.10	1.4	1.6	10.40	73	0.28	0.02	0.6	1.9
K300127		0.11	0.63	0.15	0.1	1.02	<0.005	0.08	1.5	1.3	10.10	145	0.27	0.02	0.6	2.2
K300128		0.17	0.74	0.14	0.1	1.27	<0.005	0.10	1.5	1.2	9.53	152	0.30	0.02	0.7	2.0
K300129		0.12	0.58	0.16	0.1	1.67	<0.005	0.07	1.0	0.8	9.68	264	0.21	0.02	0.6	1.1
K300130		0.18	0.82	0.16	0.1	1.68	<0.005	0.10	1.4	1.3	11.25	152	0.32	0.02	0.7	2.7
K300131		0.20	0.54	0.16	0.1	3.42	<0.005	0.06	0.8	0.7	10.70	257	0.28	0.02	0.5	2.3
K300132		1.49	7.11	0.12	1.2	4.75	0.027	1.32	16.6	4.9	7.53	276	0.68	0.03	6.7	17.9
K300133																
K300134		4.34	21.9	0.23	3.1	2.72	0.086	3.65	49.3	15.5	0.99	327	1.43	0.06	20.7	52.9
K300135		0.46	0.26	0.07	<0.1	0.03	<0.005	0.03	0.8	0.7	12.75	209	<0.05	<0.01	0.4	1.8
K300136		4.52	23.1	0.19	2.9	0.29	0.076	3.46	41.2	21.2	1.01	444	1.55	0.06	19.1	50.7
K300137		4.46	22.6	0.22	3.3	0.13	0.075	3.31	43.1	26.8	1.04	478	1.30	0.07	23.0	43.8
K300138		4.36	22.9	0.21	2.8	0.12	0.076	3.32	43.3	35.2	0.96	428	1.50	0.08	24.1	43.1
K300139		4.06	22.0	0.20	2.7	0.12	0.075	3.25	40.5	25.4	0.88	360	1.52	0.08	28.7	37.6
K300140		4.28	20.6	0.21	3.1	0.15	0.067	3.03	39.3	46.8	1.13	490	1.85	0.07	16.9	47.1
K300141		4.15	20.2	0.23	2.9	0.62	0.066	3.06	37.4	43.4	1.28	455	1.08	0.08	13.0	50.2
K300142		4.78	23.3	0.20	2.8	0.54	0.076	3.51	35.5	27.9	1.15	468	2.05	0.08	13.0	62.5
K300143		4.32	21.5	0.21	3.0	0.78	0.070	3.32	34.7	21.3	1.36	387	1.92	0.08	13.8	56.1
K300144		2.20	8.24	0.10	1.8	4.25	0.028	1.05	28.7	40.5	2.67	284	21.4	0.03	7.5	53.8

Comments: Sample #25 (K300133) contains oil in it. No Prep or Analysis to be done for this sample

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158272

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300109		140	141.5	8.7	<0.002	0.11	2.69	1.1	2	0.4	220	0.05	<0.05	0.8	0.023	3.47
K300110		50	39.9	2.6	0.002	0.05	1.26	0.4	1	0.3	129.5	<0.05	<0.05	0.3	0.007	1.61
K300111		50	18.6	1.9	<0.002	0.05	0.99	0.3	1	<0.2	154.0	<0.05	<0.05	0.2	0.005	1.73
K300112		50	34.0	1.7	0.002	0.04	1.63	0.2	1	<0.2	127.0	<0.05	<0.05	0.2	0.005	2.36
K300113		40	30.9	1.5	0.003	0.06	1.46	0.2	1	0.2	127.5	<0.05	<0.05	<0.2	<0.005	1.82
K300114		100	22.8	4.9	<0.002	0.03	1.41	0.6	1	0.2	148.5	<0.05	<0.05	0.5	0.013	2.61
K300115		60	10.0	2.2	<0.002	0.38	2.67	0.3	1	<0.2	133.5	<0.05	<0.05	0.2	0.006	31.8
K300116		180	2.4	2.3	<0.002	0.02	<0.05	0.4	1	<0.2	42.0	<0.05	<0.05	<0.2	<0.005	0.10
K300117		60	7.1	2.7	<0.002	0.08	0.82	0.4	1	<0.2	141.0	<0.05	<0.05	0.3	0.008	5.76
K300118		4200	6.0	117.0	0.039	1.37	18.60	6.6	8	1.8	148.5	0.60	0.52	7.5	0.203	13.95
K300119		120	22.3	6.6	<0.002	0.20	1.89	0.7	1	0.3	183.5	0.06	<0.05	0.9	0.024	8.06
K300120		160	29.3	9.5	0.002	0.23	2.27	0.8	2	0.4	235	0.08	<0.05	1.2	0.033	11.90
K300121		100	28.7	3.5	0.002	0.04	1.70	0.5	1	0.2	169.0	<0.05	<0.05	0.5	0.012	2.16
K300122		90	29.5	3.8	<0.002	0.04	1.44	0.6	1	0.2	171.0	<0.05	<0.05	0.6	0.015	2.55
K300123		180	21.1	6.6	0.003	0.08	2.00	1.0	2	0.3	243	0.06	<0.05	0.9	0.026	12.60
K300124		100	27.6	6.7	<0.002	0.08	2.08	0.7	1	0.2	176.5	0.05	<0.05	0.6	0.020	2.86
K300125		60	24.2	3.0	<0.002	0.08	1.58	0.4	1	<0.2	143.5	<0.05	<0.05	0.3	0.008	1.51
K300126		70	17.9	3.8	0.002	0.10	0.77	0.5	1	<0.2	193.0	<0.05	<0.05	0.4	0.010	2.38
K300127		60	21.9	3.5	0.003	0.06	0.89	0.5	1	<0.2	178.5	<0.05	<0.05	0.3	0.010	2.00
K300128		70	34.0	4.1	0.002	0.06	1.86	0.6	1	0.2	164.0	<0.05	<0.05	0.4	0.012	1.18
K300129		60	25.8	2.8	<0.002	0.04	1.09	0.5	1	<0.2	138.0	<0.05	<0.05	0.4	0.009	0.90
K300130		80	64.6	4.2	<0.002	0.03	4.28	0.7	1	0.2	166.0	<0.05	<0.05	0.4	0.013	0.98
K300131		40	101.0	2.3	<0.002	0.05	3.86	0.5	1	<0.2	157.5	<0.05	<0.05	0.2	0.007	0.80
K300132		380	69.3	53.7	0.004	1.63	4.88	5.8	2	1.0	156.0	0.47	<0.05	4.7	0.162	9.77
K300133																
K300134		1160	72.5	167.0	0.003	3.14	3.82	16.2	3	3.1	207	1.49	0.08	13.3	0.498	13.10
K300135		180	1.5	1.5	<0.002	0.03	0.05	0.3	1	<0.2	44.0	<0.05	<0.05	<0.2	0.005	0.07
K300136		1070	18.8	171.0	0.002	1.39	1.04	17.1	2	2.8	82.9	1.17	0.07	12.2	0.465	3.92
K300137		1160	17.7	169.0	0.002	0.41	1.01	16.3	3	2.9	131.5	1.36	0.08	12.0	0.459	2.23
K300138		1190	14.6	170.5	0.002	0.44	0.89	16.2	2	2.7	90.4	1.36	0.08	12.0	0.470	2.19
K300139		1380	19.1	169.5	0.003	0.22	0.92	14.8	3	2.6	87.1	1.56	0.09	11.0	0.470	1.96
K300140		950	16.8	159.5	0.002	0.50	0.83	15.7	2	2.6	79.4	1.05	0.06	12.2	0.423	2.00
K300141		850	20.1	154.0	<0.002	0.80	0.85	15.9	2	2.6	81.9	0.87	0.05	11.9	0.429	2.52
K300142		950	19.1	170.5	0.002	2.09	0.90	18.8	2	2.8	79.8	0.84	0.06	11.8	0.471	3.68
K300143		950	23.7	165.5	0.002	4.22	1.15	17.5	2	2.6	106.5	0.91	0.07	11.4	0.445	7.89
K300144		950	40.6	50.5	0.026	1.64	114.5	5.4	4	2.6	77.6	0.47	0.19	6.8	0.178	4.42

Comments: Sample #25 (K300133) contains oil in it. No Prep or Analysis to be done for this sample

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158272

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Hg- CV42 Hg ppm 0.1
K300109		3.1	18	1.7	2.5	632	7.8	
K300110		2.8	11	0.3	1.5	133	2.3	
K300111		2.3	8	0.3	1.3	120	1.9	
K300112		2.0	7	0.2	0.9	73	1.6	
K300113		2.7	9	0.2	1.0	58	1.4	
K300114		4.4	13	0.5	2.8	156	4.2	
K300115		2.3	8	0.3	0.9	552	2.0	
K300116		0.7	3	0.1	0.9	20	<0.5	
K300117		1.5	10	0.4	0.7	152	2.4	227
K300118		9.2	373	38.3	30.4	277	78.3	
K300119		3.3	12	1.5	1.3	184	7.0	
K300120		3.9	14	2.3	1.4	216	9.4	
K300121		3.7	12	0.9	0.8	97	3.6	
K300122		3.6	13	1.2	0.8	102	4.8	
K300123		4.2	17	1.7	2.6	90	8.0	
K300124		3.7	13	2.0	1.2	119	5.9	
K300125		3.8	10	1.2	1.3	119	3.0	
K300126		3.1	8	0.5	1.1	76	3.0	
K300127		3.4	10	1.9	2.3	96	3.5	
K300128		3.4	11	0.6	3.8	156	3.7	
K300129		3.9	8	0.5	3.3	203	2.8	
K300130		3.7	12	1.0	2.6	221	3.7	
K300131		3.1	11	0.9	3.0	221	2.7	
K300132		4.1	62	1.5	10.6	295	40.3	
K300133								
K300134		3.8	187	5.0	24.9	306	109.0	
K300135		0.7	3	0.1	0.9	17	0.9	
K300136		3.0	181	1.6	22.3	140	102.5	
K300137		2.9	189	1.7	23.7	129	113.0	
K300138		2.8	193	1.8	22.1	120	102.5	
K300139		2.7	215	1.8	20.7	129	112.0	
K300140		3.0	144	1.6	22.1	121	103.5	
K300141		2.8	135	2.6	21.2	125	100.5	
K300142		3.1	179	1.7	22.0	156	101.5	
K300143		3.5	164	2.5	23.3	151	104.0	
K300144		9.1	246	31.3	20.5	220	64.5	

Comments: Sample #25 (K300133) contains oil in it. No Prep or Analysis to be done for this sample

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11158272

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

CERTIFICATE WH11160065

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 112- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160065

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298397		10.97	<0.01	0.08	1.31	38	100	0.49	0.02	29.6	0.21	19.15	3.3	10	4.37	8.2
K298398		10.82	0.01	0.05	0.83	25	70	0.30	<0.01	32.8	0.31	14.00	2.1	7	2.68	6.4
K298399		11.54	0.02	0.06	0.73	44	60	0.28	<0.01	33.3	0.28	12.75	1.8	6	2.22	5.3
K298400		6.97	<0.01	<0.01	0.10	<5	30	0.06	<0.01	21.3	0.06	1.57	1.6	10	0.57	3.6
K298401		11.60	0.07	0.04	0.53	83	80	0.22	<0.01	34.7	0.17	10.45	1.6	5	1.56	4.1
K298402		11.49	0.05	0.07	1.20	67	90	0.37	<0.01	32.1	0.16	19.45	2.7	10	3.57	6.9
K298403		12.09	0.03	0.07	2.07	81	190	0.63	0.03	28.2	0.13	27.5	4.4	15	7.13	10.4
K298404		11.84	0.07	0.11	2.04	81	150	0.62	0.03	29.6	0.12	26.2	4.3	15	6.10	10.3
K298405		6.97	<0.01	<0.01	0.07	<5	10	<0.05	<0.01	21.8	0.06	1.52	1.5	1	0.24	2.0
K298406		10.69	0.02	0.13	1.05	84	70	0.35	<0.01	33.0	0.14	18.65	2.6	9	3.19	6.2
K298407		11.13	0.04	0.14	1.05	187	80	0.30	<0.01	33.0	0.06	15.90	3.2	10	2.91	6.4
K298408		12.10	0.01	0.13	0.99	66	90	0.33	<0.01	33.1	0.04	17.40	4.0	8	3.14	7.5
K298409		11.89	0.01	0.10	0.82	71	90	0.25	<0.01	34.2	0.05	16.20	3.3	12	2.42	9.8
K298410		11.70	0.01	0.13	0.87	51	120	0.28	<0.01	32.1	0.11	14.85	3.1	14	2.95	7.2
K298411		11.47	0.03	0.12	0.85	74	120	0.25	<0.01	33.4	0.07	14.35	2.6	7	2.76	5.6
K298412		11.93	0.01	0.13	0.74	45	90	0.32	0.03	32.0	0.21	12.40	1.9	7	2.75	6.4
K298413		11.75	<0.01	0.14	0.75	21	110	0.33	0.03	31.9	0.23	12.75	1.9	8	3.16	5.7
K298414		13.12	0.01	0.12	0.70	32	80	0.28	0.02	32.1	0.13	12.85	2.5	7	2.83	5.1
K298415		11.62	<0.01	0.27	0.83	30	90	0.32	0.03	31.8	0.19	15.20	2.5	9	3.26	6.6
K298416		12.00	<0.01	0.12	2.10	70	220	0.70	0.08	24.9	0.07	26.7	3.8	16	11.15	10.9
K298417		12.21	<0.01	0.08	2.61	82	350	0.86	0.09	24.4	0.08	32.8	5.1	20	13.90	14.8
K298418		5.40	<0.01	0.09	2.37	58	250	0.84	0.09	25.0	0.09	29.7	4.5	18	12.50	12.1
K298419		9.99	<0.01	0.04	1.18	35	240	0.46	0.04	30.1	0.13	19.50	3.0	9	5.91	6.3
K298420		11.26	<0.01	0.10	1.15	98	110	0.49	0.04	30.0	0.27	19.75	3.4	10	4.94	7.4
K298421		12.03	0.01	0.11	1.32	148	120	0.47	0.05	28.4	0.18	18.80	3.6	11	4.95	13.5
K298422		12.18	0.01	0.07	3.33	115	170	1.12	0.12	20.0	0.07	40.7	5.8	24	13.20	44.1
K298423		0.29	2.69	1.06	3.12	592	870	0.82	0.31	8.05	2.35	51.0	6.9	54	4.33	42.1
K298424		12.53	<0.01	0.20	3.80	89	160	1.30	0.16	16.25	0.07	44.4	12.5	32	18.25	22.7
K298425		11.48	<0.01	0.06	7.54	67.5	440	2.71	0.37	3.38	0.02	67.9	12.5	61	38.2	73.2
K298426		0.29	0.33	0.42	5.95	582	1420	0.67	0.29	0.46	0.20	148.0	3.0	229	3.86	33.7
K298427		12.06	<0.01	0.11	4.84	64	240	1.51	0.20	15.25	0.03	54.3	10.1	33	23.5	16.9
K298428		11.35	<0.01	0.09	5.39	52	220	1.76	0.23	14.70	0.04	56.9	9.1	36	25.3	25.9
K298429		11.10	0.03	0.07	2.58	36	510	0.83	0.10	20.1	0.11	31.0	5.4	17	9.25	11.4
K298430		11.86	<0.01	0.04	2.34	29	390	0.80	0.10	19.35	0.12	29.8	5.2	16	13.10	12.6
K298431		7.50	<0.01	0.11	3.99	19	230	1.12	0.14	18.85	0.07	38.2	6.4	26	18.40	13.9
K298432		8.19	<0.01	0.05	4.11	34	220	1.10	0.14	18.25	0.06	38.1	6.8	27	15.65	16.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160065

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298397		0.86	3.12	<0.05	0.6	0.12	0.012	0.64	12.2	5.8	1.49	278	2.06	0.01	2.2	7.6
K298398		0.53	2.07	0.08	0.4	0.2	0.007	0.39	8.4	4.0	0.96	155	2.52	0.01	1.6	<0.2
K298399		0.39	1.97	0.07	0.4	0.25	0.007	0.34	8.0	3.6	0.65	108	2.41	0.01	1.5	<0.2
K298400		0.48	0.33	0.10	<0.1	<0.01	<0.005	0.05	0.7	1.6	12.50	222	0.12	0.01	0.4	4.4
K298401		0.33	1.42	0.09	0.3	0.4	0.007	0.24	6.6	2.6	0.59	138	1.54	0.01	1.2	<0.2
K298402		0.58	3.11	0.10	0.5	0.3	0.010	0.59	11.0	6.2	0.93	153	1.20	0.01	2.2	2.0
K298403		0.97	5.21	0.09	0.9	0.40	0.017	0.98	14.7	12.0	1.82	210	1.42	0.01	3.6	6.1
K298404		0.84	5.20	0.10	0.9	0.54	0.016	0.97	14.5	10.2	1.33	207	1.58	0.01	3.5	6.6
K298405		0.48	0.26	0.10	<0.1	<0.01	0.005	0.03	0.7	1.0	12.95	221	0.08	<0.01	0.4	0.9
K298406		0.49	2.63	0.10	0.5	0.33	0.010	0.50	10.6	4.3	0.73	165	1.20	0.01	2.0	3.2
K298407		0.56	2.49	0.09	0.5	0.51	0.008	0.49	9.4	3.7	0.80	199	1.34	0.01	1.9	3.5
K298408		0.56	2.55	0.10	0.5	0.23	0.010	0.47	10.1	3.4	1.02	179	1.16	0.01	1.9	5.1
K298409		0.47	2.01	0.08	0.4	0.2	0.009	0.39	9.7	2.8	0.74	213	0.90	0.01	1.6	5.6
K298410		0.40	2.11	0.09	0.4	0.24	0.008	0.41	8.8	3.1	0.69	173	1.21	0.01	1.7	7.0
K298411		0.42	2.02	0.09	0.4	0.21	0.006	0.40	8.7	3.0	0.74	152	1.11	0.01	1.6	3.7
K298412		0.38	2.05	0.06	0.4	0.1	0.009	0.37	7.2	4.2	0.60	121	1.25	0.01	1.3	5.1
K298413		0.36	2.06	0.10	0.4	0.06	0.009	0.39	7.4	4.6	0.66	94	1.26	0.01	1.3	5.5
K298414		0.34	1.91	0.12	0.4	<0.1	0.007	0.36	7.4	4.1	0.61	115	1.03	0.01	1.3	6.6
K298415		0.37	2.32	0.13	0.4	0.05	0.010	0.42	8.7	4.7	0.69	98	1.40	0.02	1.5	7.8
K298416		0.74	5.78	0.15	1.0	0.09	0.023	1.09	14.1	9.0	2.19	189	0.68	0.02	3.4	8.8
K298417		0.91	7.04	0.13	1.2	0.15	0.025	1.35	17.0	10.8	1.74	201	0.83	0.02	4.1	11.9
K298418		0.87	6.36	0.12	1.1	0.13	0.025	1.22	15.5	9.5	1.74	201	0.59	0.02	3.7	11.5
K298419		0.74	3.22	0.11	0.5	0.1	0.012	0.59	10.2	7.5	1.40	225	0.64	0.01	2.0	8.1
K298420		0.73	3.15	0.14	0.5	0.17	0.012	0.59	10.9	5.3	1.11	203	1.62	0.01	2.1	10.5
K298421		0.76	3.58	0.05	0.6	0.2	0.015	0.69	10.4	4.3	1.22	242	1.22	0.01	2.2	9.4
K298422		1.38	8.97	0.12	1.5	0.13	0.032	1.69	21.0	9.0	2.68	293	0.56	0.03	5.1	13.8
K298423		2.09	8.11	0.15	1.7	4.35	0.030	1.02	29.9	33.6	2.51	265	18.30	0.04	7.0	52.8
K298424		2.09	10.30	0.15	2.0	0.19	0.041	1.93	22.5	11.5	3.72	392	2.81	0.03	6.1	25.0
K298425		1.85	22.9	0.29	3.4	0.08	0.069	4.20	31.8	23.8	1.14	137	0.16	0.06	12.7	35.5
K298426		6.41	20.6	0.30	4.1	8.7	0.050	1.31	67.4	15.2	0.12	37	6.39	0.39	10.1	16.7
K298427		1.73	12.90	0.14	2.1	0.09	0.046	2.49	27.7	13.3	2.68	304	0.62	0.04	7.3	26.4
K298428		1.54	14.65	0.14	2.4	0.12	0.048	2.84	30.5	15.0	2.61	264	0.46	0.04	8.2	19.9
K298429		1.17	6.79	0.12	1.2	0.07	0.024	1.33	15.7	7.0	4.91	276	0.37	0.03	4.0	11.2
K298430		1.14	6.40	0.12	1.1	0.05	0.023	1.21	15.1	8.8	5.73	287	0.28	0.03	3.9	10.8
K298431		1.52	9.37	0.16	1.8	0.09	0.030	2.02	20.3	16.0	3.67	330	0.71	0.03	5.9	12.2
K298432		1.73	9.33	0.16	1.9	0.12	0.030	2.01	20.5	13.4	3.40	323	0.53	0.03	5.8	12.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160065

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298397		570	17.7	29.7	0.005	0.18	0.47	2.3	2	0.6	1290	0.14	<0.05	3.0	0.058	0.89
K298398		450	16.3	15.3	0.004	0.17	0.35	1.5	3	0.5	2420	0.10	<0.05	1.8	0.036	0.73
K298399		390	19.1	13.9	0.002	0.18	0.55	1.4	3	0.4	3400	0.10	<0.05	1.6	0.031	0.84
K298400		190	1.6	3.3	<0.002	0.01	0.05	0.4	2	0.2	54.6	<0.05	<0.05	<0.2	<0.005	0.03
K298401		320	16.3	10.3	0.002	0.12	0.95	1.0	3	0.3	3270	0.07	<0.05	1.2	0.022	1.30
K298402		440	16.7	23.6	0.002	0.27	0.68	2.2	3	0.5	2650	0.16	<0.05	2.8	0.051	1.14
K298403		440	16.8	37.8	0.002	0.54	0.79	3.6	3	1.0	1815	0.27	<0.05	4.8	0.089	1.65
K298404		460	15.3	37.5	0.002	0.58	1.39	3.4	3	0.9	1855	0.26	<0.05	4.7	0.087	2.54
K298405		190	1.5	1.6	<0.002	0.02	<0.05	0.4	2	<0.2	51.4	<0.05	<0.05	<0.2	<0.005	0.02
K298406		520	9.0	19.4	0.003	0.27	0.77	1.9	3	0.5	1590	0.13	<0.05	2.3	0.046	1.74
K298407		460	10.1	18.7	0.003	0.25	0.97	1.7	3	0.5	1475	0.13	<0.05	2.3	0.045	2.12
K298408		420	8.8	19.9	0.003	0.28	0.49	1.7	3	0.5	1800	0.13	<0.05	2.2	0.043	1.21
K298409		390	6.9	15.6	0.003	0.24	0.56	1.6	3	0.7	2170	0.10	<0.05	1.7	0.036	1.18
K298410		450	8.7	16.6	0.002	0.24	0.53	1.5	3	0.5	1470	0.11	<0.05	1.9	0.038	1.48
K298411		370	8.7	16.1	0.002	0.24	0.53	1.4	3	0.4	2130	0.11	<0.05	1.8	0.037	1.55
K298412		320	9.0	13.4	<0.002	0.22	0.34	1.3	1	0.5	1980	0.09	<0.05	1.5	0.033	1.21
K298413		320	9.9	14.3	<0.002	0.23	0.29	1.3	2	0.5	2560	0.09	<0.05	1.5	0.033	0.79
K298414		310	8.6	13.2	<0.002	0.19	0.29	1.2	2	0.4	3200	0.09	<0.05	1.5	0.033	0.88
K298415		360	11.8	15.6	<0.002	0.22	0.33	1.5	2	0.4	3090	0.10	<0.05	1.8	0.038	1.02
K298416		410	7.8	46.2	<0.002	0.22	0.38	3.8	2	0.9	1380	0.23	<0.05	3.7	0.095	0.81
K298417		490	11.5	56.4	<0.002	0.37	0.46	4.9	2	1.0	1240	0.29	<0.05	4.6	0.118	0.91
K298418		390	10.8	51.4	<0.002	0.35	0.32	4.5	2	0.9	1210	0.26	<0.05	4.3	0.105	0.82
K298419		220	13.5	22.3	<0.002	0.33	0.36	2.2	2	0.5	1600	0.14	<0.05	2.6	0.051	0.93
K298420		480	14.3	21.8	0.002	0.36	0.53	2.2	2	0.5	1575	0.13	<0.05	2.5	0.050	1.11
K298421		500	7.7	27.7	0.002	0.19	0.56	2.5	2	0.5	885	0.14	<0.05	2.4	0.059	0.86
K298422		640	8.0	68.9	<0.002	0.20	0.83	6.2	1	1.2	599	0.35	0.05	5.9	0.149	0.78
K298423		880	38.4	49.3	0.023	1.54	105.5	5.3	4	2.7	73.0	0.44	0.22	6.5	0.172	4.25
K298424		640	25.7	79.7	0.008	0.36	1.23	7.0	3	1.5	412	0.43	0.06	7.2	0.178	1.87
K298425		610	6.7	134.0	<0.002	0.42	0.41	14.5	1	3.0	117.0	0.91	0.12	10.8	0.390	1.39
K298426		890	17.1	46.3	0.002	2.98	110.5	15.8	2	3.1	487	0.71	0.17	9.1	0.529	7.94
K298427		630	9.3	105.0	<0.002	0.22	0.47	9.1	1	1.7	459	0.52	0.06	8.3	0.216	0.77
K298428		610	9.8	118.5	<0.002	0.31	0.48	10.2	1	1.9	434	0.56	0.07	9.1	0.246	1.63
K298429		430	8.0	53.2	<0.002	0.16	0.29	4.9	1	1.0	395	0.28	<0.05	4.7	0.116	0.77
K298430		440	7.7	50.4	<0.002	0.13	0.19	4.5	1	0.9	422	0.26	0.05	4.5	0.106	0.36
K298431		840	8.7	71.1	<0.002	0.24	0.31	6.6	2	1.2	551	0.42	<0.05	7.0	0.176	0.49
K298432		540	8.1	69.4	<0.002	0.23	0.30	6.6	2	1.1	513	0.42	0.05	7.0	0.176	0.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160065

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K298397		17.4	33	0.6	7.2	103	19.2
K298398		17.9	29	0.3	5.4	118	15.7
K298399		18.0	24	0.6	5.2	110	14.0
K298400		0.5	2	0.1	1.1	15	0.9
K298401		16.0	18	0.5	4.4	68	10.7
K298402		17.3	29	1.0	7.0	71	20.6
K298403		15.9	40	1.4	9.1	73	34.4
K298404		18.2	41	1.6	8.7	57	33.9
K298405		0.5	2	0.1	1.0	13	<0.5
K298406		17.5	35	0.8	6.8	57	18.2
K298407		17.6	32	0.7	6.5	21	18.8
K298408		17.1	27	0.6	6.9	8	18.7
K298409		14.8	25	0.5	6.6	15	15.7
K298410		16.4	28	0.7	6.1	30	16.7
K298411		17.4	27	0.6	6.0	18	17.0
K298412		15.8	22	0.5	4.8	43	14.0
K298413		15.9	22	0.2	4.6	52	12.4
K298414		15.1	18	0.2	4.7	32	13.7
K298415		17.2	23	0.2	5.0	51	14.3
K298416		10.8	33	0.6	8.3	20	36.0
K298417		10.5	41	0.9	9.9	37	43.0
K298418		10.9	37	0.8	8.9	38	37.2
K298419		12.9	18	0.6	5.2	60	17.2
K298420		15.9	30	0.6	5.8	120	18.7
K298421		12.5	29	0.8	6.5	110	22.0
K298422		8.7	48	1.8	11.7	22	52.7
K298423		8.6	233	26.2	20.2	207	63.3
K298424		14.6	64	1.6	14.2	21	65.7
K298425		3.7	117	2.8	18.4	23	116.0
K298426		7.2	163	20.9	14.7	43	158.5
K298427		6.8	66	1.5	16.4	17	72.5
K298428		9.7	76	2.0	15.1	42	87.4
K298429		7.6	36	1.0	9.5	35	46.2
K298430		6.3	32	0.5	8.5	26	40.7
K298431		7.7	56	1.1	14.6	52	66.8
K298432		7.0	56	0.8	13.5	45	68.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160065

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

CERTIFICATE WH11160064

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 113 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160064

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299293		10.96	<0.01	0.08	3.11	97	390	0.89	0.08	21.6	0.11	35.2	6.5	27	24.8	16.5
K299294		10.90	<0.01	0.05	3.59	101	210	1.07	0.08	21.4	0.03	40.6	7.9	28	32.6	16.2
K299295		11.01	<0.01	0.05	2.27	105	670	0.67	0.06	17.05	0.05	31.4	4.3	21	10.40	10.6
K299296		10.11	<0.01	0.04	2.17	121	1990	0.68	0.06	23.8	0.09	26.3	4.8	20	8.80	8.1
K299297		11.54	<0.01	0.05	2.38	103	730	0.81	0.06	18.75	0.08	30.2	4.6	21	10.40	11.7
K299298		0.22	0.36	0.33	6.11	588	1730	0.65	0.29	0.46	0.18	134.5	3.1	234	3.41	31.6
K299299		10.41	<0.01	0.10	3.52	206	470	1.12	0.08	15.85	0.08	38.4	8.8	37	14.40	12.7
K299300		9.48	0.01	0.07	3.73	219	280	1.22	0.08	11.55	0.06	49.7	6.7	39	18.15	17.4
K299301		10.74	0.02	0.05	2.33	91	370	0.81	0.05	24.5	0.10	29.6	5.3	21	12.65	12.6
K299302		4.96	0.05	0.05	2.11	67	340	0.73	0.04	27.4	0.10	26.5	3.5	21	10.80	11.8
K299303		11.48	<0.01	0.04	0.84	60	140	0.35	0.03	31.1	0.22	12.40	2.8	7	3.15	6.5
K299304		10.70	<0.01	0.04	0.61	76	150	0.26	0.02	33.5	0.26	9.66	2.3	5	1.88	4.4
K299305		11.39	<0.01	0.08	1.30	84	110	0.51	0.04	29.7	0.38	17.40	3.2	12	4.20	10.8
K299306		7.26	<0.01	0.10	0.93	101	120	0.42	0.03	31.3	0.16	12.25	2.9	8	3.31	7.4
K299307		10.15	0.30	0.24	0.65	6720	50	0.26	0.02	20.8	0.21	12.00	2.7	6	1.67	6.8
K299308		4.00	2.43	0.30	0.94	>10000	150	0.30	0.03	17.85	0.74	15.60	4.4	10	1.93	8.9
K299309		6.91	0.01	<0.01	0.06	17	30	0.06	0.02	20.9	0.06	1.09	1.2	<1	0.17	1.4
K299310		5.21	3.76	0.58	2.16	>10000	170	0.55	0.06	13.70	0.37	28.2	5.8	23	5.09	12.4
K299311		5.57	3.34	0.55	2.74	>10000	250	0.62	0.07	9.90	0.18	34.4	5.8	30	6.10	11.4
K299312		4.21	4.05	1.03	3.89	9270	410	0.83	0.10	9.44	0.52	46.0	8.9	38	9.35	25.6
K299313		0.22	7.76	0.47	3.53	1020	160	0.86	0.66	12.15	4.04	44.9	6.4	94	7.23	35.1
K299314		11.47	1.16	0.43	2.39	1940	170	0.75	0.07	17.25	1.12	29.7	5.1	21	5.75	19.2
K299315		10.94	0.68	0.16	0.62	1630	50	0.23	0.02	19.50	0.10	9.07	2.7	5	1.35	4.9
K299316		6.04	1.40	0.38	1.03	>10000	80	0.26	0.03	17.75	0.84	17.05	3.4	9	1.90	10.2
K299317		5.82	0.91	0.24	0.45	8350	80	0.23	0.02	19.10	0.37	7.51	2.6	5	0.75	4.7
K299318		5.66	0.11	0.09	0.59	770	60	0.23	0.02	20.3	0.03	8.73	3.1	5	1.26	4.7
K299319		3.46	0.02	0.07	0.91	94	80	0.32	0.03	18.55	0.04	11.60	3.2	7	2.16	6.6
K299320		5.39	0.21	0.13	0.59	3590	160	0.26	0.02	20.7	0.42	9.68	3.2	5	1.35	4.8
K299321		11.47	0.64	0.14	0.66	>10000	130	0.30	0.02	19.05	0.12	11.75	3.1	6	1.34	5.5
K299322		11.41	0.67	0.16	0.84	>10000	130	0.26	0.02	18.10	0.05	11.70	3.4	8	1.55	8.0
K299323		6.91	<0.01	0.01	0.09	21	20	0.12	0.02	20.8	0.05	1.14	1.3	1	0.18	1.6
K299324		6.36	0.59	0.22	0.98	5620	130	0.30	0.03	17.80	0.03	14.90	3.1	8	1.76	7.7
K299325		5.64	0.22	0.12	1.53	4930	130	0.43	0.04	16.05	0.05	18.95	3.5	11	3.84	9.4
K299326		4.97	0.35	0.78	2.56	>10000	220	0.66	0.08	13.70	0.21	30.8	7.1	24	5.60	18.8
K299327		9.24	0.35	0.24	1.20	4840	170	0.35	0.03	17.35	0.12	18.45	4.4	9	2.77	9.9
K299328		9.82	0.05	0.04	0.52	2100	70	0.23	0.02	19.30	0.07	9.60	2.6	4	1.16	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160064

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299293		1.20	7.73	0.17	1.3	0.10	0.022	1.88	18.2	23.0	2.09	234	0.68	0.03	4.5	14.5
K299294		1.36	8.81	0.15	1.2	0.10	0.026	2.06	21.1	27.8	1.66	192	0.50	0.03	4.8	19.6
K299295		1.14	5.65	0.15	1.6	0.06	0.016	1.40	15.3	14.8	3.68	232	0.49	0.03	3.8	10.0
K299296		0.89	5.58	0.13	1.2	0.08	0.016	1.31	13.4	11.6	2.10	160	0.31	0.02	3.6	9.0
K299297		0.93	6.06	0.15	1.8	0.06	0.017	1.47	15.1	12.6	3.07	175	0.44	0.03	4.2	10.1
K299298		6.55	21.5	0.32	3.9	9.0	0.050	1.30	63.6	18.8	0.12	38	6.72	0.37	10.0	17.6
K299299		1.33	8.73	0.13	2.0	0.13	0.024	2.01	20.3	19.2	4.24	197	0.40	0.03	5.7	14.7
K299300		1.41	9.56	0.16	2.5	0.11	0.025	2.22	25.6	24.3	3.09	193	0.64	0.03	7.3	16.5
K299301		0.79	6.02	0.13	1.3	0.08	0.019	1.36	15.0	16.7	1.46	126	0.48	0.02	4.1	10.7
K299302		0.74	4.87	0.06	1.4	0.07	0.015	1.29	14.7	18.4	1.39	128	0.56	0.02	3.9	6.1
K299303		0.47	2.10	0.11	0.4	0.06	0.007	0.45	7.0	5.6	1.48	102	0.31	0.01	1.4	5.6
K299304		0.25	1.57	0.10	0.3	0.06	0.005	0.32	5.7	3.5	0.79	77	0.29	<0.01	1.2	3.5
K299305		0.51	3.37	0.12	0.7	0.47	0.009	0.67	9.3	7.7	1.36	99	0.45	0.01	2.3	4.7
K299306		0.36	2.45	0.11	0.4	0.27	0.006	0.46	7.2	5.6	1.47	89	0.53	0.01	1.6	4.2
K299307		0.51	1.80	0.12	0.3	1.86	0.020	0.31	7.1	5.2	10.40	813	0.76	0.01	1.1	3.3
K299308		0.57	2.98	0.14	0.4	7.74	0.050	0.45	8.7	6.1	10.30	3520	0.75	0.01	1.6	5.9
K299309		0.46	0.20	0.07	<0.1	0.01	<0.005	0.02	0.5	1.0	12.35	203	0.05	<0.01	0.2	1.1
K299310		1.03	6.12	0.14	1.6	9.8	0.035	1.05	14.3	12.7	8.07	1560	1.48	0.01	4.0	11.1
K299311		1.19	7.55	0.16	2.8	9.4	0.041	1.32	17.0	14.9	5.49	1040	3.66	0.02	4.9	11.5
K299312		1.52	10.55	0.16	2.4	13.1	0.044	1.88	22.8	19.0	4.85	1640	4.79	0.02	6.8	18.1
K299313		1.36	7.90	0.19	2.0	6.01	0.065	1.43	28.7	10.1	0.71	277	11.05	0.01	7.8	68.7
K299314		1.03	6.30	0.12	1.3	9.98	0.023	1.17	14.9	15.9	4.77	1520	1.99	0.01	3.9	9.5
K299315		0.38	1.82	0.12	0.3	3.19	0.009	0.29	4.8	4.4	10.85	1300	0.35	0.01	1.1	2.8
K299316		0.57	3.07	0.15	0.7	9.55	0.067	0.45	8.6	7.1	9.73	1490	0.51	0.01	1.8	7.4
K299317		0.38	1.46	0.11	0.2	4.93	0.023	0.20	4.0	4.1	11.05	912	0.38	0.01	0.8	2.2
K299318		0.32	1.68	0.12	0.3	1.31	0.005	0.23	4.9	4.5	11.85	527	0.32	0.01	1.0	2.2
K299319		0.58	2.44	0.14	0.6	1.34	0.007	0.37	6.3	6.8	10.70	271	0.36	0.01	1.5	4.2
K299320		0.29	1.76	0.15	0.3	2.42	0.017	0.22	5.4	4.0	10.95	902	0.37	0.01	1.0	3.7
K299321		0.32	2.01	0.15	0.4	3.00	0.090	0.25	6.5	4.7	10.90	629	0.41	0.01	1.2	3.2
K299322		0.42	2.44	0.15	0.5	3.32	0.044	0.33	6.3	6.1	10.50	688	0.60	0.01	1.4	6.8
K299323		0.46	0.27	0.08	<0.1	0.01	0.005	0.02	0.5	1.5	12.35	206	<0.05	<0.01	0.2	1.1
K299324		0.52	2.93	0.16	0.6	3.75	0.021	0.40	8.0	7.3	10.60	661	0.77	0.01	1.7	5.7
K299325		0.57	4.31	0.15	1.1	1.49	0.020	0.71	9.8	8.4	9.52	399	0.56	0.01	2.7	5.0
K299326		0.82	7.09	0.14	1.4	3.05	0.041	1.11	16.0	13.3	7.94	640	2.97	0.01	4.2	13.8
K299327		0.66	3.20	0.14	0.7	1.84	0.020	0.54	9.7	6.6	10.00	489	2.03	0.01	2.1	6.7
K299328		0.31	1.53	0.15	0.3	0.44	0.008	0.23	5.7	3.4	11.55	423	0.25	0.01	1.0	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160064

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299293		470	7.6	74.3	<0.002	0.15	0.84	4.9	1	0.8	592	0.33	<0.05	6.1	0.121	0.68
K299294		400	5.9	88.7	<0.002	0.13	0.70	5.8	1	0.9	620	0.36	<0.05	6.5	0.129	0.59
K299295		430	6.0	52.6	<0.002	0.06	0.73	3.7	2	0.7	358	0.28	<0.05	4.8	0.102	0.39
K299296		340	5.7	52.5	<0.002	0.12	0.59	3.8	3	0.7	601	0.26	<0.05	4.6	0.094	0.53
K299297		340	6.1	57.9	<0.002	0.08	0.54	4.0	2	0.8	433	0.32	<0.05	5.3	0.111	0.53
K299298		900	17.5	52.0	0.003	3.00	112.5	16.7	1	3.0	509	0.74	0.15	9.4	0.528	8.22
K299299		490	6.5	79.1	<0.002	0.08	1.00	5.8	2	1.1	380	0.42	<0.05	7.4	0.157	0.55
K299300		640	7.3	88.6	<0.002	0.12	1.02	6.5	2	1.1	214	0.49	<0.05	8.6	0.180	0.91
K299301		420	5.3	53.9	<0.002	0.14	0.47	4.0	3	0.8	802	0.29	<0.05	4.8	0.103	0.39
K299302		390	4.6	48.5	<0.002	0.11	0.42	3.4	3	0.7	880	0.26	<0.05	4.6	0.098	0.33
K299303		240	3.4	16.8	<0.002	0.09	0.30	1.6	2	0.3	1005	0.10	<0.05	1.7	0.036	0.22
K299304		200	4.1	11.7	<0.002	0.10	0.28	1.3	2	0.3	1250	0.07	<0.05	1.3	0.027	0.25
K299305		330	10.8	23.9	<0.002	0.26	0.45	2.3	2	0.4	900	0.16	<0.05	2.7	0.057	0.59
K299306		200	6.2	17.2	<0.002	0.22	0.59	1.8	2	0.4	712	0.11	<0.05	1.9	0.040	0.83
K299307		270	6.1	11.8	<0.002	0.65	8.90	1.4	2	0.3	114.0	0.08	<0.05	1.4	0.028	2.87
K299308		260	7.8	18.4	<0.002	1.44	55.8	2.5	2	0.6	109.5	0.11	<0.05	2.0	0.041	18.55
K299309		160	1.1	1.2	<0.002	<0.01	0.07	0.3	2	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.02
K299310		420	14.5	42.6	0.002	1.42	43.1	4.2	3	0.9	117.0	0.30	<0.05	4.9	0.103	33.9
K299311		810	14.9	51.6	0.009	1.34	32.0	4.9	2	1.1	189.0	0.38	<0.05	6.3	0.132	34.5
K299312		1290	16.2	74.4	0.006	1.49	35.7	7.1	3	1.8	227	0.51	<0.05	8.5	0.176	46.3
K299313		4240	4.9	107.0	0.037	1.36	18.35	6.9	9	1.8	145.0	0.55	0.58	6.4	0.209	13.45
K299314		710	13.4	44.4	0.002	0.69	11.70	4.4	2	0.9	281	0.31	<0.05	5.4	0.104	31.3
K299315		160	7.0	11.1	<0.002	0.35	4.34	1.8	2	0.3	95.7	0.07	<0.05	1.2	0.026	5.80
K299316		290	9.9	20.1	<0.002	1.67	59.2	2.9	3	0.4	119.0	0.13	<0.05	2.3	0.046	15.35
K299317		130	10.5	7.7	<0.002	0.75	19.70	1.7	2	0.3	124.5	0.06	<0.05	0.9	0.020	9.29
K299318		130	6.0	8.7	<0.002	0.32	3.37	1.3	2	0.3	124.0	0.07	<0.05	1.2	0.025	3.53
K299319		230	11.1	13.2	<0.002	0.57	1.02	1.7	2	0.3	114.0	0.10	<0.05	1.8	0.039	1.43
K299320		200	8.4	8.3	<0.002	0.41	8.11	1.3	2	0.4	192.5	0.07	<0.05	1.2	0.024	3.31
K299321		180	7.7	10.2	<0.002	1.99	52.7	1.4	2	0.3	168.5	0.08	<0.05	1.4	0.028	6.28
K299322		240	9.4	12.5	<0.002	1.21	25.2	1.9	2	0.4	144.5	0.09	<0.05	1.8	0.036	7.47
K299323		180	1.1	1.2	<0.002	<0.01	0.08	0.3	1	<0.2	42.9	<0.05	<0.05	<0.2	<0.005	0.02
K299324		260	9.6	16.0	0.002	0.79	11.60	2.2	2	0.4	139.5	0.12	<0.05	2.2	0.045	9.16
K299325		410	6.3	27.1	<0.002	0.71	8.26	2.7	2	0.6	123.0	0.20	<0.05	3.4	0.071	3.40
K299326		710	12.8	43.6	0.009	1.27	16.05	4.3	3	1.2	177.5	0.32	<0.05	5.5	0.114	7.31
K299327		570	9.8	20.5	0.004	0.74	8.85	2.3	3	0.6	159.0	0.15	<0.05	2.7	0.053	4.68
K299328		480	2.9	8.4	<0.002	0.29	3.46	1.1	2	0.3	123.0	0.07	<0.05	1.2	0.024	1.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160064

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299293		10.0	45	0.5	9.8	42	50.6	
K299294		10.4	47	0.5	10.1	24	41.7	
K299295		6.7	33	0.4	9.7	19	60.8	
K299296		7.6	33	0.6	8.1	22	43.2	
K299297		6.5	34	0.6	10.2	17	70.9	
K299298		7.6	165	23.4	15.4	45	151.5	
K299299		6.0	56	0.9	12.4	23	75.8	
K299300		5.3	60	0.7	14.8	25	92.5	
K299301		8.4	35	0.5	9.4	13	51.6	
K299302		9.5	32	0.5	8.6	13	52.0	
K299303		8.6	15	0.3	4.6	20	17.0	
K299304		10.9	14	0.2	3.7	15	12.0	
K299305		12.1	26	0.5	5.9	57	26.1	
K299306		15.2	20	0.5	4.1	28	15.9	
K299307		15.7	13	0.8	4.1	28	11.9	
K299308		18.8	18	1.4	3.5	69	15.3	2.07
K299309		0.5	1	0.1	0.7	17	<0.5	
K299310		15.4	45	2.4	7.8	39	61.4	1.200
K299311		9.7	97	2.8	11.8	22	102.5	1.085
K299312		13.7	137	3.6	12.5	94	87.4	
K299313		8.0	385	36.3	28.5	281	71.9	
K299314		17.2	46	2.4	10.5	313	47.2	
K299315		9.9	12	0.7	3.1	16	11.4	
K299316		15.1	19	1.8	9.3	84	23.9	2.39
K299317		13.7	10	1.0	3.0	43	8.6	
K299318		15.1	11	0.9	3.1	4	10.7	
K299319		14.2	11	1.1	4.4	9	20.9	
K299320		31.9	13	1.1	5.1	123	18.0	
K299321		15.5	12	1.1	3.6	17	13.4	3.61
K299322		13.3	12	1.4	4.3	9	17.6	1.660
K299323		0.7	1	0.1	0.8	15	<0.5	
K299324		14.5	16	1.5	4.8	5	21.4	
K299325		11.0	33	1.6	6.7	7	39.9	
K299326		17.8	100	3.1	9.9	19	49.4	1.210
K299327		12.4	24	1.4	7.3	13	25.0	
K299328		7.7	14	0.7	5.5	6	13.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11160064

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE WH11163914

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 114- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163914

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299329		4.78	0.32	0.10	0.69	9860	60	0.28	0.05	18.55	0.06	12.30	1.9	6	1.65	7.4
K299330		11.33	0.03	0.02	0.80	208	110	0.31	0.04	19.20	0.04	14.50	1.8	6	2.29	5.7
K299331		9.77	<0.01	0.07	2.38	147	200	0.89	0.10	16.00	0.24	28.1	6.0	16	12.05	26.6
K299332		10.10	<0.01	0.08	8.22	129.5	340	2.82	0.37	1.50	0.17	85.2	14.2	69	44.4	36.1
K299333		5.95	<0.01	0.08	4.99	109	370	1.53	0.18	19.15	0.11	59.1	9.8	30	27.7	25.7
K299334		10.90	<0.01	0.06	4.30	135	180	1.32	0.14	19.00	0.08	48.6	8.0	27	22.6	19.6
K299335		10.88	<0.01	0.11	7.61	127.0	530	2.22	0.29	8.34	0.03	74.8	13.6	46	35.8	69.6
K299336		5.30	<0.01	0.05	6.44	121	630	1.65	0.23	10.90	0.04	62.0	13.5	41	27.6	27.8
K299337		11.04	<0.01	0.05	3.15	50	360	0.80	0.13	17.30	0.05	33.0	9.9	21	10.50	15.1
K299338		10.36	<0.01	0.06	6.57	55	270	1.67	0.25	10.75	0.03	65.1	13.3	39	24.7	29.3
K299339		5.75	0.45	0.20	7.43	591	380	1.84	0.32	11.50	0.04	71.9	17.2	44	24.5	27.7
K299340		10.85	0.03	0.07	7.78	1080	390	1.72	0.32	18.90	0.02	84.8	14.3	45	20.9	37.3
K299341		0.25	2.64	1.05	3.63	693	980	0.79	0.35	9.08	2.60	55.2	8.1	54	4.45	47.1
K299342		5.25	0.03	0.08	7.08	1315	490	1.36	0.30	9.22	<0.02	88.3	14.4	44	17.35	30.4
K299343		3.90	0.13	0.03	0.23	2110	30	0.14	0.01	22.8	0.08	5.89	1.3	3	0.34	2.2
K299344		2.84	1.43	0.15	5.20	>10000	310	0.96	0.24	11.90	0.16	67.9	9.4	36	10.15	25.9
K299345		4.93	<0.01	0.01	0.08	26	20	0.06	0.02	22.2	0.07	1.64	1.6	1	0.23	1.4
K299346		4.09	0.29	0.18	0.50	4070	50	0.20	0.03	20.7	0.15	10.25	3.5	7	0.92	15.0
K299347		5.78	0.26	0.04	1.09	5910	60	0.45	0.04	19.65	0.08	18.90	2.5	9	2.49	7.5
K299348		8.79	0.08	0.02	0.90	702	50	0.37	0.04	19.70	0.03	16.20	2.0	6	2.66	4.2
K299349		0.25	0.32	0.33	7.17	710	1110	0.68	0.31	0.54	0.22	157.0	3.6	248	4.16	33.4
K299350		8.39	<0.01	0.02	0.93	64	130	0.39	0.04	19.85	0.02	16.95	2.3	5	3.84	4.6
K299351		8.57	<0.01	0.02	0.88	134	410	0.41	0.04	18.95	0.03	14.10	3.1	8	2.77	7.1
K299352		8.27	0.01	0.03	0.71	1430	250	0.30	0.03	20.5	0.02	12.10	2.7	7	1.82	6.3
K299353		8.28	0.01	0.05	1.96	1680	570	0.75	0.08	17.90	0.03	24.7	4.0	13	8.14	10.5
K299354		7.86	<0.01	0.08	8.57	238	400	3.46	0.38	1.19	0.34	94.9	20.0	68	48.3	39.8
K299355		7.85	<0.01	0.05	3.89	64	170	1.09	0.14	17.30	0.11	39.5	6.8	26	16.30	15.6
K299356		8.12	<0.01	0.12	2.39	35	170	0.62	0.07	22.2	0.17	27.4	5.6	19	8.26	10.2
K299357		7.88	<0.01	0.08	2.25	39	100	0.58	0.08	29.8	0.15	23.8	5.0	16	8.96	8.9
K299358		4.92	<0.01	0.01	0.07	5	20	0.07	0.04	22.2	0.07	1.52	1.4	<1	0.17	4.2
K299359		8.03	<0.01	0.09	9.01	108.5	400	2.85	0.42	9.03	0.03	80.7	20.1	66	44.5	40.3
K299360		7.80	<0.01	<0.01	9.01	142.0	330	2.70	0.44	2.28	0.02	93.9	16.8	61	46.2	30.2
K299361		7.90	<0.01	<0.01	9.59	411	310	3.16	0.48	0.76	<0.02	94.7	17.8	68	50.6	39.2
K299362		4.17	0.31	0.21	1.31	887	70	0.42	0.03	25.8	0.12	21.5	3.3	12	3.36	7.6
K299363		9.47	0.01	0.04	1.33	454	60	0.52	0.04	28.8	0.05	20.9	3.0	12	3.64	6.2
K299364		10.92	0.01	0.04	0.75	255	100	0.28	0.02	33.6	0.04	17.10	2.4	8	2.19	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163914

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299329		0.57	1.77	0.05	0.6	0.80	0.015	0.35	6.7	3.8	11.00	617	0.85	0.01	1.3	1.7
K299330		0.69	1.97	0.05	0.6	0.28	0.008	0.40	7.5	4.3	11.20	490	0.30	0.01	1.4	1.0
K299331		1.49	5.63	0.07	1.2	0.68	0.021	1.20	14.5	11.2	9.12	592	1.52	0.02	3.4	10.9
K299332		2.86	21.5	0.14	3.7	0.31	0.078	4.49	43.7	32.0	1.31	94	1.01	0.05	12.7	29.9
K299333		1.96	14.10	0.12	2.6	0.10	0.045	2.46	33.6	23.6	4.79	433	0.56	0.03	8.4	18.1
K299334		1.48	11.25	0.09	2.1	0.08	0.038	2.15	26.8	15.9	3.20	376	0.52	0.02	6.7	14.6
K299335		3.96	22.5	0.22	3.2	0.04	0.078	3.84	42.0	28.6	2.61	541	0.55	0.03	12.1	28.6
K299336		4.22	16.25	0.17	2.8	0.04	0.058	3.26	34.6	19.9	3.46	729	0.58	0.04	9.3	23.6
K299337		3.65	8.28	0.15	1.5	0.04	0.032	1.56	17.9	8.1	6.51	981	0.50	0.03	4.8	13.6
K299338		3.38	17.05	0.16	3.0	0.06	0.055	3.34	36.3	16.2	3.19	668	0.38	0.04	9.7	23.1
K299339		3.79	19.30	0.18	3.1	0.54	0.061	3.71	40.5	14.7	2.12	764	0.54	0.04	10.7	29.5
K299340		3.35	19.75	0.18	3.0	1.52	0.057	3.83	48.6	12.1	1.27	449	0.33	0.04	11.0	27.8
K299341		2.38	9.21	0.14	2.1	4.97	0.036	1.11	34.0	41.6	2.96	316	21.2	0.03	8.4	58.5
K299342		2.89	18.10	0.16	3.4	10.2	0.055	3.33	49.2	13.5	1.17	388	0.40	0.03	11.5	27.6
K299343		0.88	0.69	0.07	0.1	2.06	0.008	0.08	3.8	2.0	12.45	1320	0.16	0.01	0.5	0.9
K299344		2.38	13.60	0.15	2.8	26.9	0.049	2.34	37.3	10.2	5.23	962	0.55	0.03	8.7	20.4
K299345		0.48	0.31	0.10	<0.1	0.01	0.005	0.03	0.8	1.1	13.85	225	0.09	0.01	0.4	1.9
K299346		1.81	1.43	0.08	0.2	9.96	0.009	0.21	6.7	2.3	12.45	660	0.32	0.01	1.0	6.3
K299347		1.14	2.89	0.07	1.0	4.37	0.013	0.52	11.1	5.4	11.30	920	0.50	0.02	2.1	3.4
K299348		0.77	2.43	0.08	0.9	1.08	0.011	0.43	9.4	5.5	11.75	746	0.43	0.02	1.8	2.5
K299349		7.66	24.6	0.26	5.3	9.59	0.062	1.51	79.9	20.5	0.15	43	7.91	0.43	12.0	19.3
K299350		0.92	2.47	0.09	0.7	0.31	0.009	0.45	9.5	5.6	12.05	517	0.29	0.02	1.7	3.7
K299351		1.24	2.40	0.07	0.7	0.96	0.006	0.42	7.4	5.3	11.45	519	0.96	0.02	1.7	5.1
K299352		1.26	1.96	0.08	0.6	1.49	0.009	0.33	6.6	4.2	12.40	620	0.52	0.02	1.3	4.4
K299353		1.79	5.05	0.11	1.0	1.40	0.018	0.95	13.3	11.7	10.60	584	0.34	0.03	3.3	8.7
K299354		2.91	25.7	0.17	4.4	1.66	0.088	4.51	52.1	36.8	1.28	73	1.26	0.06	14.5	44.3
K299355		2.83	9.70	0.12	1.8	0.60	0.034	1.88	22.1	13.5	5.74	626	0.53	0.03	5.8	14.9
K299356		2.14	5.74	0.09	1.3	0.27	0.020	1.16	15.3	8.7	5.25	496	1.89	0.02	3.9	11.9
K299357		1.08	5.43	0.09	1.0	0.09	0.018	1.11	13.9	6.0	2.29	272	1.13	0.02	3.5	8.3
K299358		0.45	0.30	0.11	<0.1	<0.01	0.005	0.03	0.7	1.2	13.90	209	0.09	0.01	0.4	2.0
K299359		4.66	27.1	0.20	4.0	0.13	0.090	4.87	44.3	28.2	2.44	779	0.59	0.06	14.6	37.6
K299360		4.01	26.0	0.19	3.1	0.44	0.081	4.65	50.7	22.5	1.34	527	0.36	0.04	12.9	35.8
K299361		3.81	29.6	0.18	3.4	0.65	0.076	5.11	50.9	22.7	0.92	344	0.47	0.04	14.6	40.8
K299362		0.65	3.25	0.09	0.9	1.55	0.012	0.67	11.8	6.0	3.51	584	0.53	0.01	2.5	5.3
K299363		0.51	3.20	0.09	1.1	0.34	0.011	0.70	11.9	6.4	1.67	156	0.53	0.01	2.7	4.6
K299364		0.70	1.87	0.07	0.5	0.18	0.008	0.40	10.0	3.1	1.91	187	0.46	0.01	1.7	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163914

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299329		500	4.7	11.5	<0.002	0.77	14.00	1.4	2	0.5	108.0	0.10	<0.05	1.8	0.033	2.44
K299330		440	4.6	13.3	<0.002	0.22	0.77	1.5	2	0.4	112.0	0.11	<0.05	1.9	0.036	0.77
K299331		690	22.2	45.5	0.003	0.91	0.58	4.5	2	2.6	109.5	0.28	<0.05	4.7	0.107	2.50
K299332		750	29.0	174.0	<0.002	1.98	0.83	15.4	2	3.2	76.1	1.09	0.08	15.0	0.438	2.36
K299333		720	19.7	124.0	0.003	0.90	0.44	10.3	1	2.2	473	0.55	0.06	9.7	0.213	0.90
K299334		610	11.6	96.4	0.002	0.26	0.34	7.7	1	1.4	620	0.43	<0.05	7.6	0.186	0.55
K299335		870	10.7	130.0	0.002	0.12	0.48	14.3	2	2.9	245	0.81	0.11	11.6	0.353	0.85
K299336		790	9.4	139.5	<0.002	0.16	0.40	13.4	2	2.3	282	0.73	0.06	11.4	0.302	0.71
K299337		570	6.5	66.3	<0.002	0.17	0.33	6.9	1	1.3	307	0.36	<0.05	5.8	0.139	0.64
K299338		630	9.9	145.0	<0.002	0.23	0.39	12.8	2	2.2	307	0.77	0.05	11.7	0.294	0.84
K299339		750	14.8	161.5	<0.002	1.93	1.34	14.4	2	2.8	395	0.84	0.06	12.9	0.328	2.84
K299340		530	14.9	156.0	<0.002	1.84	1.33	13.9	2	3.5	511	0.84	0.05	14.6	0.331	8.44
K299341		1000	41.9	58.3	0.027	1.83	117.5	6.3	5	2.8	82.0	0.57	0.18	7.6	0.199	4.74
K299342		390	16.5	135.5	<0.002	1.67	2.63	11.8	2	3.0	267	0.92	0.05	14.0	0.346	12.55
K299343		170	1.9	3.4	<0.002	0.25	1.98	1.0	2	<0.2	94.1	<0.05	<0.05	0.5	0.010	4.14
K299344		510	20.8	92.3	<0.002	3.08	30.9	7.0	2	1.9	260	0.67	0.05	10.4	0.263	66.4
K299345		190	1.5	1.8	<0.002	0.01	0.10	0.5	1	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.08
K299346		440	12.9	7.9	<0.002	2.04	9.76	1.2	2	0.3	89.2	0.06	<0.05	1.3	0.022	22.1
K299347		540	8.4	18.9	<0.002	0.88	6.36	2.1	2	0.4	124.5	0.15	<0.05	2.7	0.050	8.52
K299348		500	4.3	16.2	<0.002	0.30	1.12	1.9	2	0.3	86.5	0.13	<0.05	2.4	0.043	2.04
K299349		1050	20.2	58.3	0.004	3.68	135.0	19.4	3	3.5	552	0.99	0.13	11.3	0.651	9.49
K299350		390	6.2	16.6	<0.002	0.62	0.47	1.9	2	0.3	73.2	0.13	<0.05	2.3	0.044	1.14
K299351		440	8.0	15.9	<0.002	1.15	0.76	1.8	2	0.3	264	0.12	<0.05	2.0	0.043	2.56
K299352		520	6.8	12.4	<0.002	1.00	1.90	1.4	2	0.3	83.5	0.09	<0.05	1.7	0.033	2.82
K299353		730	10.3	41.3	<0.002	1.70	2.56	3.7	2	0.6	81.1	0.23	<0.05	3.8	0.089	3.40
K299354		670	35.5	203	0.003	2.44	1.22	18.1	2	3.1	70.2	1.17	0.08	16.1	0.458	4.00
K299355		540	10.5	79.8	<0.002	0.93	0.34	7.2	1	1.2	251	0.45	<0.05	6.9	0.173	1.28
K299356		560	10.3	44.2	0.002	0.50	0.30	4.4	2	0.7	592	0.30	<0.05	4.8	0.106	1.32
K299357		410	9.6	45.7	<0.002	0.22	0.28	4.3	2	0.7	1680	0.26	<0.05	4.0	0.100	0.71
K299358		240	1.4	1.4	<0.002	0.01	0.17	0.4	2	<0.2	49.2	<0.05	<0.05	<0.2	<0.005	<0.02
K299359		820	18.9	140.0	0.002	0.87	0.61	16.6	2	3.2	324	1.17	0.08	13.4	0.430	1.67
K299360		420	17.5	166.5	<0.002	2.34	0.58	16.2	2	3.0	121.5	1.04	0.09	15.6	0.391	2.49
K299361		380	20.6	200	<0.002	2.82	0.70	16.1	2	3.2	115.0	1.20	0.07	16.6	0.442	3.12
K299362		210	6.9	25.1	<0.002	0.18	9.56	2.5	4	0.5	1230	0.18	<0.05	3.1	0.059	4.23
K299363		220	7.5	25.6	<0.002	0.13	7.81	2.5	3	0.5	1440	0.20	<0.05	3.4	0.065	1.08
K299364		180	5.6	15.0	<0.002	0.12	4.14	1.6	3	0.3	1070	0.11	<0.05	1.9	0.036	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163914

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299329		8.7	12	0.9	6.2	<2	21.6	
K299330		7.8	14	0.6	5.9	<2	20.3	
K299331		8.2	33	0.9	9.7	115	41.9	
K299332		4.8	123	2.0	24.4	106	125.5	
K299333		11.5	64	1.3	19.3	48	93.4	
K299334		9.8	56	0.9	15.1	56	72.2	
K299335		5.8	106	1.7	23.2	37	107.5	
K299336		6.6	90	1.5	21.1	28	93.8	
K299337		5.9	42	0.8	13.2	25	53.1	
K299338		6.7	91	1.5	21.1	31	101.0	
K299339		7.4	97	3.8	23.8	34	108.0	
K299340		5.4	82	6.9	24.2	50	103.0	
K299341		10.1	267	33.6	24.0	238	79.3	
K299342		5.4	78	8.8	21.4	39	117.5	
K299343		8.4	6	0.6	3.5	12	4.5	
K299344		13.1	63	9.2	14.6	30	97.4	1.595
K299345		0.6	3	0.1	1.0	9	0.6	
K299346		15.8	19	1.5	3.9	34	8.8	
K299347		8.9	18	1.6	7.9	5	37.5	
K299348		9.8	16	1.2	7.5	<2	31.9	
K299349		9.2	199	29.1	19.2	43	203	
K299350		8.0	18	0.7	6.2	<2	26.3	
K299351		8.6	14	1.1	5.7	<2	25.8	
K299352		6.0	12	0.8	5.0	<2	21.1	
K299353		5.2	25	1.9	9.0	<2	38.0	
K299354		6.6	135	2.7	26.6	178	145.0	
K299355		6.9	51	0.9	14.0	53	64.8	
K299356		11.3	37	0.5	9.9	56	46.1	
K299357		13.9	31	0.5	8.4	82	39.1	
K299358		0.5	2	0.1	1.0	9	0.5	
K299359		5.6	131	2.2	27.3	53	136.5	
K299360		2.7	104	3.6	23.4	51	109.5	
K299361		2.8	114	4.4	21.8	59	111.5	
K299362		9.9	21	1.3	6.9	11	32.4	
K299363		11.0	21	0.9	6.9	8	38.9	
K299364		11.2	14	0.4	5.0	4	18.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163914

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE WH11173841

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 115- Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11173841

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300145		<0.01
K300146		<0.01
K300147		<0.01
K300148		<0.01
K300149		<0.01
K300150		<0.01
K300151		<0.01
K300152		<0.01
K300153		<0.01
K300154		<0.01
K300155		<0.01
K300156		<0.01
K300157		<0.01
K300158		<0.01
K300159		0.34
K300160		<0.01
K300161		<0.01
K300162		<0.01
K300163		<0.01
K300164		<0.01
K300165		<0.01
K300166		<0.01
K300167		<0.01
K300168		<0.01
K300169		<0.01
K300170		<0.01
K300171		<0.01
K300172		<0.01
K300173		2.70
K300174		<0.01
K300175		<0.01
K300176		<0.01
K300177		<0.01
K300178		<0.01
K300179		<0.01
K300180		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE WH11173841

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 115- Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11173841

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300145		<0.01
K300146		<0.01
K300147		<0.01
K300148		<0.01
K300149		<0.01
K300150		<0.01
K300151		<0.01
K300152		<0.01
K300153		<0.01
K300154		<0.01
K300155		<0.01
K300156		<0.01
K300157		<0.01
K300158		<0.01
K300159		0.34
K300160		<0.01
K300161		<0.01
K300162		<0.01
K300163		<0.01
K300164		<0.01
K300165		<0.01
K300166		<0.01
K300167		<0.01
K300168		<0.01
K300169		<0.01
K300170		<0.01
K300171		<0.01
K300172		<0.01
K300173		2.70
K300174		<0.01
K300175		<0.01
K300176		<0.01
K300177		<0.01
K300178		<0.01
K300179		<0.01
K300180		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

CERTIFICATE VA11162758

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 116

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162758

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298433		8.40	<0.01	0.11	3.89	76	330	1.14	0.12	17.45	0.06	42.6	6.9	29	14.40	15.3
K298434		7.84	<0.01	0.14	5.69	64	490	1.71	0.17	13.00	0.06	52.4	8.8	43	21.7	23.1
K298435		3.66	<0.01	0.12	5.46	68	360	1.74	0.17	12.95	0.06	52.0	8.7	40	22.8	23.6
K298436		8.22	0.01	0.12	3.41	38	190	0.78	0.13	18.85	0.09	40.2	5.0	26	10.65	14.4
K298437		8.08	0.02	0.17	3.83	67	220	0.79	0.13	19.45	0.12	42.2	5.6	30	12.70	11.8
K298438		8.34	<0.01	0.39	4.49	40	250	1.03	0.17	16.70	0.24	48.0	5.2	34	17.40	14.1
K298439		7.50	0.05	0.21	4.75	75	310	1.12	0.16	14.70	0.18	53.7	6.9	34	18.25	14.9
K298440		4.96	0.01	0.02	0.08	<5	20	<0.05	0.02	20.6	0.06	1.50	1.4	1	0.20	1.5
K298441		6.16	0.07	0.05	1.22	104	120	0.52	0.07	18.05	0.04	22.1	3.5	9	4.70	5.9
K298442		3.14	0.21	0.14	6.49	497	230	1.90	0.26	7.25	0.08	74.3	11.1	48	34.2	37.5
K298443		8.00	0.20	0.03	0.84	166	60	0.35	0.05	20.1	0.07	13.20	1.9	6	2.82	5.2
K298444		4.96	<0.01	0.01	0.13	<5	40	0.05	0.03	20.9	0.06	1.29	1.5	4	0.28	1.6
K298445		8.22	0.17	0.05	1.08	83	70	0.45	0.05	19.35	0.05	18.45	2.0	8	3.26	5.3
K298446		4.24	0.02	0.11	1.04	2330	110	0.32	0.03	19.25	0.03	14.30	2.2	9	3.14	6.4
K298447		2.28	0.01	0.11	1.40	514	120	0.53	0.05	18.35	0.13	14.45	3.0	11	3.28	8.6
K298448		2.78	0.01	0.10	0.92	131	60	0.43	0.03	19.30	0.04	8.55	2.6	5	2.34	6.2
K298449		3.70	0.01	0.12	0.58	979	60	0.27	0.02	20.2	0.02	6.96	1.9	4	1.40	6.2
K298450		6.56	0.02	0.09	0.58	544	50	0.31	0.02	20.2	0.04	7.02	1.8	4	1.36	6.3
K298451		7.86	0.02	0.13	1.01	1650	460	0.37	0.04	19.25	0.05	12.20	2.5	8	2.66	8.2
K298452		4.16	0.01	0.09	0.88	93	60	0.26	0.03	20.5	0.03	9.03	1.9	7	2.27	6.1
K298453		0.30	2.55	1.00	3.12	539	880	0.93	0.31	8.04	2.28	45.7	7.2	52	3.72	41.6
K298454		4.60	<0.01	0.05	0.54	32	230	0.18	0.02	21.2	0.26	8.45	1.3	3	1.35	4.0
K298455		8.40	0.01	0.11	1.80	55	100	0.73	0.06	25.5	0.05	21.9	3.3	14	5.94	11.0
K298456		8.76	<0.01	0.14	1.12	35	220	0.53	0.04	30.4	0.20	15.95	2.6	10	3.83	10.0
K298457		4.06	0.01	0.08	1.74	43	240	0.63	0.05	26.3	0.12	19.20	3.3	15	5.03	10.1
K298458		3.90	<0.01	0.06	0.86	36	110	0.36	0.03	34.1	0.06	9.91	1.6	6	2.14	6.0
K298459		0.30	7.72	0.44	3.37	913	160	0.77	0.61	11.10	4.28	41.2	5.6	92	6.82	33.1
K298460		7.22	0.01	0.09	3.28	40	250	0.99	0.09	12.00	0.07	38.1	5.7	30	11.60	13.7
K298461		6.90	<0.01	0.07	3.27	59	150	0.95	0.08	12.60	0.05	35.3	5.0	25	10.10	10.1
K298462		7.20	<0.01	0.08	4.51	103	190	1.53	0.10	16.95	0.06	47.1	9.2	34	21.5	18.4
K298463		4.98	<0.01	0.09	5.28	92	290	1.64	0.12	12.95	0.06	54.3	9.7	39	25.4	19.1
K298464		2.98	0.01	0.12	3.83	153	220	1.18	0.09	12.85	0.05	46.2	12.1	32	14.05	31.9
K298465		2.08	0.52	0.14	3.41	7180	170	0.85	0.09	11.50	0.07	37.7	4.4	29	11.10	10.8
K298466		1.90	1.31	0.24	3.61	>10000	220	0.55	0.06	7.91	0.07	22.8	5.9	23	4.25	13.4
K298467		3.66	1.69	0.17	3.00	1490	210	0.82	0.07	12.00	0.09	33.6	4.4	25	9.51	7.1
K298468		4.58	0.36	0.10	2.78	488	380	0.75	0.07	12.65	0.08	32.5	4.5	24	9.60	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162758

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298433		1.82	9.42	0.10	1.7	0.27	0.034	1.92	22.5	11.2	4.73	380	0.62	0.03	6.2	14.1
K298434		1.56	14.05	0.11	2.4	0.38	0.047	2.82	29.1	19.9	2.98	341	0.52	0.04	8.7	19.1
K298435		1.47	13.05	0.10	2.3	0.48	0.046	2.76	28.8	18.6	2.75	335	0.47	0.04	8.5	19.6
K298436		1.41	8.21	0.09	1.6	0.22	0.033	1.69	21.1	7.8	4.28	305	0.46	0.03	4.8	10.8
K298437		1.91	8.94	0.08	1.7	0.26	0.034	1.91	23.5	7.6	2.71	321	0.42	0.03	5.4	12.8
K298438		1.65	10.70	0.09	1.9	0.28	0.041	2.24	26.1	10.2	3.12	316	0.40	0.03	6.4	11.6
K298439		2.37	11.20	0.11	1.9	0.97	0.045	2.39	29.0	10.9	3.85	1400	0.39	0.03	6.6	15.6
K298440		0.43	0.40	0.32	<0.1	<0.01	0.005	0.03	0.7	0.9	12.60	196	0.11	0.01	0.4	1.2
K298441		1.89	3.04	0.09	0.7	0.69	0.019	0.61	10.5	6.2	7.95	1320	0.30	0.02	2.0	4.1
K298442		2.17	17.00	0.14	2.7	1.71	0.059	3.28	40.3	26.1	3.40	445	0.36	0.04	9.4	25.0
K298443		0.83	2.36	0.10	0.6	0.84	0.011	0.41	7.1	4.1	9.30	1050	0.19	0.01	1.5	1.8
K298444		0.48	0.53	0.40	<0.1	<0.01	<0.005	0.06	0.6	1.1	12.75	212	0.12	0.01	0.4	2.2
K298445		0.60	3.03	0.15	0.8	0.94	0.011	0.52	10.3	5.1	9.89	658	0.19	0.01	1.9	2.4
K298446		0.35	2.61	0.21	0.6	1.47	0.007	0.45	8.0	4.9	11.10	271	0.94	0.02	1.9	3.1
K298447		0.41	3.67	0.21	0.7	3.24	0.009	0.64	8.7	12.7	10.65	201	0.78	0.02	2.4	6.5
K298448		0.28	2.61	0.31	0.5	2.23	0.005	0.44	5.2	10.7	11.45	187	0.51	0.02	1.6	4.6
K298449		0.30	1.75	0.32	0.3	3.98	0.005	0.27	4.4	6.1	11.80	268	0.34	0.01	1.0	3.6
K298450		0.35	1.75	0.34	0.3	1.69	<0.005	0.27	4.7	5.7	11.90	297	0.39	0.01	1.0	3.9
K298451		0.56	2.86	0.25	0.6	0.77	0.008	0.49	7.7	7.9	10.90	288	0.60	0.01	1.8	4.6
K298452		0.71	2.38	0.23	0.4	0.35	0.005	0.43	5.5	5.5	10.90	357	0.67	0.01	1.5	3.6
K298453		2.06	7.89	0.18	1.9	4.24	0.025	0.99	29.5	51.9	2.51	267	19.00	0.03	7.2	55.8
K298454		0.82	1.51	0.16	0.3	0.22	<0.005	0.27	5.2	3.6	10.50	357	0.45	0.01	1.0	2.2
K298455		0.66	4.55	0.10	1.1	0.29	0.013	0.95	12.0	12.1	2.57	159	0.89	0.01	3.1	7.5
K298456		0.47	3.01	0.12	0.7	0.19	0.010	0.59	9.6	7.7	1.14	105	0.34	0.01	2.0	7.2
K298457		0.66	4.65	0.20	1.3	0.27	0.011	0.91	10.6	11.0	2.92	131	0.77	0.01	2.9	6.5
K298458		0.26	2.34	0.20	0.4	0.37	0.006	0.45	6.6	4.1	0.61	87	0.50	0.01	1.5	2.4
K298459		1.30	7.55	0.23	2.3	5.17	0.062	1.45	28.0	10.7	0.68	256	11.10	0.01	7.6	64.7
K298460		1.50	8.76	0.17	2.8	0.67	0.022	1.84	20.3	18.7	5.83	309	0.81	0.03	5.7	13.2
K298461		1.52	8.46	0.17	2.7	0.29	0.019	1.81	19.3	17.7	6.16	331	0.87	0.03	5.0	11.7
K298462		1.72	11.50	0.16	1.9	0.72	0.026	2.58	26.4	29.4	2.19	197	0.83	0.02	6.0	21.9
K298463		2.10	13.20	0.17	2.1	0.84	0.032	2.96	30.2	32.7	2.26	193	0.63	0.02	6.8	25.4
K298464		3.02	9.89	0.15	2.1	2.09	0.026	2.11	25.1	19.4	4.58	330	0.75	0.02	5.5	28.7
K298465		1.65	8.45	0.14	3.1	5.19	0.025	1.71	20.3	18.4	6.03	559	0.86	0.02	5.3	11.3
K298466		2.03	7.99	0.14	2.0	6.1	0.069	0.87	11.9	12.9	3.28	736	0.86	0.85	3.1	9.6
K298467		1.56	7.59	0.13	2.9	7.1	0.017	1.62	17.9	15.2	6.09	592	0.93	0.02	4.8	10.3
K298468		1.48	6.96	0.14	2.7	2.5	0.017	1.54	16.9	14.8	5.52	616	0.71	0.02	4.3	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162758

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298433		710	15.4	78.9	<0.002	0.88	0.40	6.9	1	1.3	349	0.43	<0.05	6.8	0.171	0.91
K298434		610	13.7	120.0	0.002	0.72	0.49	9.8	2	2.0	267	0.63	0.05	9.6	0.262	1.59
K298435		630	13.1	116.0	0.002	0.63	0.50	9.1	1	1.9	274	0.58	0.05	9.0	0.254	1.54
K298436		780	13.9	74.4	<0.002	0.58	0.36	5.7	1	1.2	426	0.38	<0.05	5.5	0.149	0.63
K298437		540	27.0	82.7	<0.002	1.27	0.64	6.2	1	1.3	485	0.42	<0.05	6.2	0.168	0.83
K298438		550	55.9	99.9	<0.002	0.75	0.79	7.3	1	1.5	401	0.48	<0.05	6.9	0.198	0.77
K298439		770	29.3	105.5	<0.002	1.52	1.00	8.1	1	1.5	267	0.49	0.06	7.5	0.212	2.29
K298440		190	2.4	1.5	<0.002	0.01	0.05	0.3	1	<0.2	45.0	<0.05	<0.05	<0.2	<0.005	<0.02
K298441		290	6.2	24.9	<0.002	0.40	0.78	2.3	1	0.5	203	0.15	<0.05	2.4	0.053	1.93
K298442		600	21.3	148.5	0.003	1.50	2.42	12.1	2	2.1	101.0	0.73	0.06	11.4	0.326	5.94
K298443		360	5.5	17.3	<0.002	0.40	0.89	1.4	1	0.4	129.5	0.11	<0.05	1.7	0.039	2.94
K298444		170	2.8	2.2	<0.002	0.01	0.05	0.4	1	<0.2	41.4	<0.05	<0.05	<0.2	0.006	0.02
K298445		370	8.6	22.2	<0.002	0.41	1.19	2.1	1	0.5	142.5	0.14	<0.05	2.5	0.052	2.11
K298446		230	7.8	17.2	<0.002	0.41	2.16	1.7	1	0.4	178.5	0.14	<0.05	2.1	0.048	1.35
K298447		190	10.7	24.1	<0.002	0.38	1.76	2.6	2	0.4	164.5	0.16	<0.05	3.1	0.062	2.33
K298448		160	6.6	16.8	<0.002	0.22	0.85	1.8	1	0.3	133.0	0.10	<0.05	2.0	0.039	1.42
K298449		170	4.9	10.4	<0.002	0.29	1.79	1.2	1	0.2	128.0	0.06	<0.05	1.3	0.025	2.42
K298450		220	6.5	10.0	<0.002	0.35	1.35	1.2	1	0.2	121.0	0.07	<0.05	1.2	0.025	1.41
K298451		220	6.3	18.3	<0.002	0.48	2.40	1.9	2	0.5	131.5	0.12	<0.05	2.3	0.046	1.05
K298452		150	4.5	15.6	0.002	0.17	0.47	1.7	2	0.4	133.5	0.10	<0.05	1.8	0.038	0.77
K298453		880	39.3	48.1	0.023	1.50	108.0	5.9	4	2.5	72.2	0.44	0.21	6.8	0.170	4.24
K298454		110	2.7	9.6	<0.002	0.09	0.20	1.0	1	0.3	131.5	0.06	<0.05	1.1	0.024	0.24
K298455		330	13.7	34.7	0.002	0.35	0.18	3.1	2	0.7	423	0.21	<0.05	3.8	0.080	0.65
K298456		290	6.1	22.9	0.002	0.30	0.11	2.0	2	0.5	1000	0.13	<0.05	2.3	0.050	0.33
K298457		340	6.6	33.3	0.002	0.29	0.27	3.1	2	0.7	737	0.20	<0.05	4.0	0.077	0.55
K298458		140	4.1	16.3	0.003	0.13	0.33	1.5	2	0.4	897	0.10	<0.05	1.7	0.037	0.78
K298459		4060	4.7	112.5	0.035	1.29	18.75	6.7	8	1.7	145.0	0.49	0.56	6.5	0.205	13.20
K298460		510	8.5	62.5	0.002	0.34	0.33	5.7	2	1.2	231	0.41	<0.05	8.2	0.158	0.64
K298461		450	7.1	61.2	0.002	0.32	0.32	5.5	2	1.0	264	0.36	<0.05	7.1	0.140	0.60
K298462		490	8.7	92.9	<0.002	0.74	0.22	7.4	2	1.2	460	0.43	<0.05	8.7	0.170	0.79
K298463		550	10.3	107.5	<0.002	1.10	0.33	8.8	2	1.4	395	0.51	<0.05	10.1	0.198	1.19
K298464		440	14.2	73.6	<0.002	1.73	1.35	6.4	2	1.2	316	0.40	<0.05	7.6	0.159	2.48
K298465		490	9.1	60.4	<0.002	1.02	22.7	5.3	2	1.0	323	0.38	<0.05	7.5	0.150	14.35
K298466		420	5.9	31.7	<0.002	5.06	133.5	8.6	5	0.8	228	0.22	0.05	3.8	0.165	20.5
K298467		390	8.1	57.7	0.002	0.63	16.05	5.0	2	1.0	226	0.34	<0.05	6.6	0.133	22.9
K298468		400	7.0	52.5	<0.002	0.42	4.78	4.4	2	0.9	259	0.31	<0.05	6.2	0.123	7.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162758

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298433		7.6	53	1.4	13.9	43	59.6	
K298434		8.8	76	2.3	17.1	31	84.5	
K298435		8.2	73	2.1	17.2	36	82.5	
K298436		8.9	47	1.3	12.8	51	56.7	
K298437		8.7	51	1.7	12.7	86	63.0	
K298438		6.5	59	0.9	14.0	70	71.3	
K298439		6.6	65	1.8	16.7	57	71.2	
K298440		0.4	2	0.1	0.9	18	0.6	
K298441		5.4	18	0.9	10.5	16	26.7	
K298442		5.0	92	5.2	20.4	42	102.0	
K298443		5.9	14	0.7	5.3	12	21.8	
K298444		0.9	3	0.1	0.9	19	<0.5	
K298445		8.9	18	1.0	7.2	8	32.8	
K298446		16.4	18	1.1	4.4	7	20.2	
K298447		18.6	21	1.3	4.0	20	24.9	
K298448		14.4	14	0.8	3.2	6	15.8	
K298449		11.4	11	0.6	2.7	2	9.1	
K298450		12.3	11	0.6	3.0	6	8.9	
K298451		15.0	22	0.9	4.4	8	21.8	
K298452		14.9	22	0.7	3.6	6	13.0	
K298453		9.3	231	25.5	20.1	207	69.2	
K298454		9.2	14	0.4	3.3	56	8.6	
K298455		17.3	32	0.5	8.3	17	38.9	
K298456		11.4	33	0.3	6.0	16	24.3	
K298457		14.4	35	0.7	7.3	19	45.8	
K298458		20.3	21	0.4	4.3	12	15.8	
K298459		8.1	375	31.4	27.7	273	78.1	
K298460		8.1	54	1.0	12.3	29	100.5	
K298461		7.6	47	0.9	11.1	17	91.1	
K298462		11.8	64	0.7	11.9	59	66.3	
K298463		10.6	71	0.8	12.8	62	71.4	
K298464		8.3	55	1.0	12.2	35	75.4	
K298465		7.3	46	1.7	11.6	20	107.5	
K298466		4.4	56	1.5	11.8	24	68.3	9.52
K298467		7.2	41	1.5	11.5	16	101.5	
K298468		6.3	38	1.1	11.1	26	95.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162758

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE WH11162948

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 117 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162948

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301086		7.32	0.06	0.11	5.09	155.0	270	1.12	0.22	8.59	0.35	49.3	18.3	45	12.70	56.2
K301087		4.22	<0.01	0.11	5.54	82.8	210	1.23	0.25	7.74	0.27	53.4	18.9	56	15.60	64.5
K301088		5.03	0.28	0.06	4.80	271	190	0.82	0.16	16.90	0.06	50.6	9.8	36	13.30	19.5
K301089		2.19	0.01	0.09	6.14	121.0	250	1.17	0.23	9.62	0.07	63.4	15.7	50	19.45	35.5
K301090		5.22	<0.01	0.04	9.90	161.0	370	2.24	0.42	0.44	<0.02	80.8	22.4	77	28.5	40.8
K301091		8.65	0.23	0.13	8.67	5150	300	1.61	0.30	6.02	0.14	91.3	19.3	65	26.9	51.7
K301092		6.88	<0.01	<0.01	0.13	<5	30	<0.05	0.03	21.5	0.06	1.58	1.3	1	0.20	2.5
K301093		8.85	0.44	0.20	7.36	1670	180	1.28	0.27	2.36	0.51	64.3	36.7	78	18.20	156.5
K301094		8.38	1.23	0.25	5.85	7410	180	0.98	0.20	5.41	0.35	48.6	27.4	59	12.10	111.5
K301095		10.44	0.64	0.14	8.57	6160	290	2.06	0.33	3.25	0.30	78.4	21.9	69	26.8	62.7
K301096		10.70	<0.01	0.06	8.11	150.0	250	2.51	0.34	3.00	0.18	68.0	17.9	67	30.9	44.6
K301097		9.12	0.03	0.08	8.10	201	220	2.33	0.31	2.00	0.07	75.6	16.9	66	30.7	37.6
K301098		5.30	0.04	0.10	7.98	230	220	2.24	0.31	2.03	0.09	71.8	17.3	67	29.5	47.7
K301099		9.67	<0.01	0.05	7.15	112.5	200	1.94	0.27	2.05	0.03	75.3	15.6	57	28.2	33.5
K301100		10.85	0.26	0.05	7.68	590	250	1.94	0.27	5.19	0.10	78.1	16.2	56	29.2	36.2
K301101		11.04	0.50	0.17	6.18	559	220	1.46	0.24	1.86	0.22	60.5	17.8	73	21.5	61.3
K301102		11.05	0.01	0.08	6.76	195.5	210	1.87	0.36	3.43	0.13	66.7	19.8	65	29.0	71.2
K301103		10.27	<0.01	0.04	6.03	148.5	170	1.69	0.36	5.37	0.05	60.5	17.7	53	26.9	61.0
K301104		8.84	2.27	0.57	6.42	840	180	1.44	0.24	2.12	0.28	67.1	19.0	75	26.0	63.4
K301105		10.96	1.74	0.39	5.69	725	170	1.34	0.20	2.36	0.24	59.2	16.3	63	22.2	54.4
K301106		0.27	2.70	1.03	3.16	573	860	0.67	0.29	8.00	2.07	45.4	6.9	52	3.82	44.3
K301107		2.77	0.16	0.05	6.86	477	300	1.39	0.15	4.51	0.10	97.4	22.7	43	28.9	32.4
K301108		8.45	0.15	0.09	8.12	378	250	1.99	0.33	2.33	0.22	84.4	19.3	71	32.7	56.2
K301109		3.66	4.95	1.31	6.36	2710	220	1.41	0.23	2.08	0.33	65.4	18.0	67	23.8	54.9
K301110		2.83	19.05	8.54	4.45	>10000	310	0.72	0.22	6.97	1.59	55.4	14.1	44	11.90	46.9
K301111		6.95	0.01	0.01	0.10	18	20	0.05	0.02	21.4	0.07	1.30	1.2	1	0.44	1.9
K301112		2.78	10.80	3.80	3.67	>10000	160	0.64	0.18	8.44	0.72	44.2	11.5	37	12.65	38.0
K301113		8.21	3.85	1.32	2.37	>10000	170	0.42	0.10	26.9	0.25	32.2	7.3	23	8.16	20.7
K301114		10.30	1.99	0.77	2.14	6930	190	0.38	0.08	30.0	0.29	31.2	6.7	19	7.34	19.1
K301115		8.17	0.72	0.21	3.64	1740	200	0.63	0.15	21.5	0.26	41.8	11.0	31	10.90	32.6
K301116		8.64	0.33	0.07	3.32	687	180	0.58	0.14	23.7	0.22	40.3	10.3	28	10.30	30.4
K301117		0.27	7.91	0.48	3.48	1020	160	0.62	0.57	11.95	3.91	43.1	5.7	95	7.31	34.1
K301118		11.48	0.58	0.44	1.91	1820	90	0.29	0.07	28.4	0.20	22.0	6.4	16	5.98	17.2
K301119		10.94	0.72	0.22	0.70	460	80	0.17	0.03	31.5	0.11	11.80	3.0	6	2.54	6.9
K301120		10.05	2.07	0.74	0.90	1970	110	0.21	0.04	32.6	0.12	13.45	3.7	9	2.99	10.4
K301121		7.69	4.55	1.64	1.93	1610	130	0.23	0.08	29.5	0.28	25.8	7.3	18	6.08	21.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162948

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301086		6.16	13.05	0.13	2.3	5.12	0.067	2.35	22.2	11.0	3.97	1380	1.13	0.03	8.9	36.7
K301087		5.52	14.45	0.14	2.7	3.23	0.072	2.57	24.7	16.9	2.95	815	1.27	0.03	9.6	38.9
K301088		2.60	11.70	0.09	1.7	2.05	0.034	2.21	27.2	5.8	2.21	879	0.55	0.03	6.1	16.8
K301089		3.84	16.05	0.12	2.4	1.35	0.053	2.84	33.6	16.4	1.75	862	0.56	0.03	8.6	28.1
K301090		5.11	28.9	0.17	3.4	1.36	0.067	4.78	39.9	19.6	0.61	451	0.47	0.05	13.4	42.6
K301091		4.42	23.4	0.19	3.2	5.68	0.072	3.99	49.1	13.9	1.66	995	2.17	0.04	11.9	38.3
K301092		0.47	0.40	0.07	<0.1	<0.01	<0.005	0.05	0.8	1.0	12.95	199	0.15	0.01	0.4	<0.2
K301093		8.04	22.6	0.20	4.4	7.3	0.095	3.27	30.9	18.3	1.22	952	1.43	0.02	17.0	61.9
K301094		5.84	17.25	0.14	3.1	8.14	0.062	2.58	23.2	19.3	2.09	1750	0.72	0.02	12.3	42.9
K301095		4.72	22.8	0.16	2.9	8.18	0.077	3.99	36.7	18.3	1.42	1380	2.97	0.04	12.6	42.5
K301096		4.85	22.1	0.15	2.7	2.78	0.069	3.78	31.2	28.1	1.52	1020	2.63	0.04	11.1	36.7
K301097		3.99	21.0	0.14	2.7	2.41	0.065	3.75	36.1	19.7	1.08	772	1.27	0.05	11.4	34.3
K301098		3.93	20.8	0.15	2.7	2.65	0.061	3.68	34.5	19.2	1.07	766	1.28	0.05	11.5	34.5
K301099		3.73	18.60	0.13	2.5	1.34	0.053	3.23	37.8	19.3	1.03	687	0.66	0.05	10.0	30.6
K301100		3.84	19.60	0.16	2.7	7.27	0.055	3.54	38.2	14.9	1.44	1060	0.67	0.05	10.9	31.4
K301101		4.82	16.75	0.14	3.1	10.6	0.055	2.81	28.1	19.2	1.05	535	1.27	0.03	10.6	38.6
K301102		4.72	18.15	0.16	3.2	4.79	0.075	3.15	30.9	18.8	1.97	648	1.43	0.03	11.8	47.2
K301103		4.37	15.95	0.16	2.9	3.13	0.075	2.93	28.4	11.7	3.01	964	1.20	0.03	10.6	47.7
K301104		5.09	17.30	0.17	3.3	8.95	0.060	2.94	31.2	19.7	1.14	633	1.33	0.02	11.8	38.2
K301105		4.77	15.30	0.16	2.9	7.45	0.057	2.59	27.3	21.4	1.16	708	1.17	0.02	11.1	32.6
K301106		2.11	7.48	0.10	1.7	4.57	0.023	1.01	26.5	36.2	2.49	274	18.05	0.03	7.0	50.7
K301107		5.85	16.60	0.16	3.3	2.75	0.068	2.92	46.1	29.5	1.69	1570	1.46	0.02	34.7	23.5
K301108		4.90	21.6	0.18	3.3	4.18	0.070	3.76	41.4	15.4	1.34	760	1.85	0.04	12.7	40.3
K301109		4.51	17.20	0.16	3.0	10.7	0.054	2.91	30.5	14.2	1.00	688	1.10	0.03	10.4	36.2
K301110		3.40	12.20	0.16	2.1	33.5	0.053	1.91	26.9	21.5	0.28	811	2.07	0.02	6.6	24.7
K301111		0.49	0.29	0.06	<0.1	0.06	<0.005	0.05	0.6	0.9	13.00	225	0.08	<0.01	0.3	<0.2
K301112		2.57	9.33	0.15	1.7	23.9	0.121	1.64	22.4	9.6	0.28	677	1.85	0.02	5.5	19.8
K301113		1.84	5.51	0.08	1.2	11.4	0.026	1.08	15.9	4.8	0.53	1520	0.78	0.02	3.4	7.5
K301114		1.36	4.88	0.07	1.0	7.9	0.023	0.97	15.0	4.5	0.35	951	0.94	0.02	3.2	6.1
K301115		2.23	8.58	0.11	1.6	8.45	0.029	1.66	20.4	7.4	0.87	1260	1.59	0.02	5.1	15.8
K301116		2.20	7.86	0.09	1.5	6.42	0.029	1.52	19.9	6.5	0.99	1340	1.50	0.02	4.8	14.2
K301117		1.36	6.95	0.09	2.1	5.96	0.059	1.50	27.0	7.5	0.70	271	11.20	0.01	7.9	60.1
K301118		1.13	5.00	0.05	0.8	5.58	0.028	0.85	11.1	5.0	0.60	9260	0.87	0.01	3.0	5.8
K301119		0.91	1.98	<0.05	0.3	5.24	0.008	0.32	5.0	1.6	1.35	2160	0.43	0.01	1.0	<0.2
K301120		0.82	2.60	0.07	0.4	4.42	0.011	0.41	5.7	2.4	0.31	4080	0.78	0.01	1.3	1.0
K301121		1.46	5.11	0.08	0.9	9.18	0.017	0.83	11.1	5.0	0.31	2360	1.24	0.01	2.8	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162948

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301086		370	17.4	97.3	0.004	1.50	2.36	14.0	3	1.9	119.0	0.64	0.13	7.4	0.345	12.50
K301087		450	14.8	106.0	0.004	4.01	1.54	16.0	3	1.9	152.5	0.70	0.11	8.4	0.413	19.10
K301088		560	11.5	107.5	<0.002	1.42	2.07	9.1	2	1.3	519	0.42	<0.05	8.5	0.201	7.02
K301089		490	14.1	141.0	<0.002	2.95	0.80	14.9	2	1.6	299	0.60	0.05	10.8	0.315	5.57
K301090		340	19.3	184.0	<0.002	5.28	1.67	20.2	1	3.0	58.3	0.97	0.06	16.2	0.432	5.36
K301091		650	21.1	176.5	0.004	3.86	11.85	19.9	3	3.0	186.5	0.84	0.06	16.4	0.388	16.00
K301092		250	1.4	1.9	<0.002	0.02	<0.05	0.5	1	<0.2	49.0	<0.05	<0.05	<0.2	0.009	0.02
K301093		750	13.2	159.5	0.004	8.66	16.90	30.3	3	2.4	117.5	1.08	0.34	8.3	0.734	22.4
K301094		590	20.2	123.5	0.003	5.30	38.4	21.9	3	2.2	165.5	0.78	0.20	6.3	0.578	32.3
K301095		870	23.2	147.0	0.004	4.26	25.2	18.7	3	3.3	150.0	0.93	0.11	13.0	0.426	25.8
K301096		1580	15.7	138.0	0.005	4.54	1.80	16.3	2	3.2	130.5	0.86	0.07	11.5	0.349	7.89
K301097		1220	16.9	127.5	0.003	3.70	3.01	15.5	2	2.5	143.0	0.84	0.06	12.6	0.374	5.18
K301098		1200	17.8	128.5	0.003	3.64	3.30	15.2	2	3.6	142.5	0.82	0.05	12.4	0.372	5.61
K301099		680	17.8	123.5	<0.002	3.40	0.57	13.9	2	2.2	98.7	0.70	0.05	12.7	0.315	4.22
K301100		480	18.2	144.5	0.002	3.39	9.78	14.6	2	2.2	138.5	0.78	0.07	12.3	0.355	20.5
K301101		430	20.3	129.0	0.003	4.69	12.55	17.5	2	2.7	108.0	0.73	0.06	10.0	0.504	26.9
K301102		520	24.1	125.0	0.002	4.62	1.73	19.8	2	2.7	153.5	0.79	0.12	10.4	0.505	8.96
K301103		520	20.1	129.5	<0.002	3.86	1.21	16.3	2	2.0	198.0	0.71	0.14	9.9	0.425	4.49
K301104		460	19.3	134.0	0.002	4.90	24.9	18.1	2	3.0	147.5	0.79	0.07	10.4	0.549	31.2
K301105		490	15.9	136.5	0.002	4.32	20.3	16.1	2	2.1	153.0	0.76	0.06	9.1	0.501	26.5
K301106		890	38.0	48.0	0.023	1.56	104.5	5.5	4	2.3	70.5	0.44	0.20	6.4	0.169	3.79
K301107		2410	11.4	140.0	<0.002	5.01	2.46	17.1	2	1.9	319	1.98	<0.05	9.0	0.948	10.25
K301108		920	21.9	165.0	0.003	4.59	6.77	19.3	2	2.9	160.5	0.92	0.09	14.5	0.455	12.85
K301109		510	16.4	127.5	0.002	4.33	39.9	17.0	2	2.1	146.5	0.74	0.09	10.3	0.476	43.5
K301110		770	18.1	104.0	0.007	5.55	236	8.0	4	1.5	581	0.47	0.39	8.6	0.242	142.5
K301111		190	1.3	2.7	<0.002	0.02	0.21	0.4	2	<0.2	44.8	<0.05	<0.05	<0.2	0.005	0.16
K301112		310	13.7	83.4	0.006	>10.0	585	8.4	8	1.2	440	0.37	0.39	6.0	0.205	95.5
K301113		280	8.5	51.0	0.003	2.44	55.5	7.4	2	0.7	1725	0.24	0.10	3.8	0.128	46.0
K301114		360	7.5	46.9	0.003	1.75	31.1	5.3	2	0.6	2300	0.22	0.07	3.3	0.116	29.5
K301115		230	10.7	76.5	0.005	2.27	17.30	9.2	2	1.1	1620	0.36	0.08	5.6	0.192	33.6
K301116		310	10.4	70.9	0.005	2.09	10.25	8.2	2	1.0	1480	0.32	0.06	5.3	0.175	25.5
K301117		4180	4.7	111.5	0.035	1.37	18.10	6.5	8	1.7	144.5	0.51	0.50	6.4	0.211	12.30
K301118		240	7.0	38.6	0.003	1.25	12.75	5.5	2	0.6	926	0.20	0.05	2.8	0.108	18.30
K301119		800	4.9	14.2	0.002	0.63	10.80	2.6	2	0.3	1605	0.07	<0.05	1.1	0.035	18.35
K301120		760	5.9	18.7	0.002	0.87	18.25	5.2	3	0.3	1790	0.09	<0.05	1.4	0.046	16.20
K301121		570	10.3	37.9	0.004	1.65	29.8	5.4	3	0.7	1400	0.19	0.08	3.1	0.099	30.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162948

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301086		2.0	103	1.7	18.3	85	84.2	
K301087		2.0	122	2.0	18.6	73	95.8	
K301088		2.8	49	1.6	14.5	66	54.4	
K301089		2.6	77	2.1	20.5	66	76.2	
K301090		3.4	97	4.8	18.9	73	102.5	
K301091		4.2	116	4.6	23.8	96	102.5	
K301092		0.8	4	0.1	1.0	17	0.6	
K301093		2.7	232	9.9	33.6	117	143.5	
K301094		2.0	176	12.8	24.7	79	103.5	
K301095		3.8	160	13.0	22.9	113	98.4	
K301096		4.4	149	3.7	25.6	96	87.5	
K301097		3.2	101	4.7	21.1	85	89.6	
K301098		3.1	102	4.7	20.8	76	89.0	
K301099		2.5	69	1.6	17.8	83	83.2	
K301100		2.9	88	4.8	18.0	80	90.0	
K301101		2.4	148	5.5	19.4	91	102.0	
K301102		2.3	143	2.2	21.5	68	108.0	
K301103		2.0	116	1.8	20.1	35	99.2	
K301104		2.5	148	6.0	21.6	110	109.5	
K301105		2.1	132	5.2	20.0	104	98.0	
K301106		9.0	226	31.1	19.7	207	59.7	
K301107		1.9	158	6.5	27.2	91	122.0	
K301108		3.6	138	5.4	24.5	119	109.0	
K301109		2.5	140	6.6	19.9	95	97.3	
K301110		7.6	81	5.0	23.9	157	70.3	3.95
K301111		0.5	3	0.1	0.8	16	0.7	
K301112		3.3	66	3.6	17.2	84	55.3	19.15
K301113		2.4	39	2.1	18.4	43	37.9	1.200
K301114		3.2	35	1.9	18.4	41	32.5	
K301115		3.2	60	2.9	20.9	56	52.2	
K301116		2.9	53	2.6	20.7	44	50.5	
K301117		8.3	382	35.8	27.1	285	72.7	
K301118		2.4	33	1.9	15.9	27	29.5	
K301119		2.8	12	0.6	13.9	12	13.2	
K301120		2.6	16	0.7	14.8	13	16.7	
K301121		3.1	33	1.9	14.1	31	30.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162948

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE WH11162946

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 118 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162946

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301122		8.68	1.84	0.49	1.04	405	90	0.26	0.06	31.5	0.15	15.60	4.7	10	3.54	11.7
K301123		11.45	0.80	0.19	0.73	113	110	0.24	0.30	31.8	0.08	11.30	3.4	7	2.56	6.9
K301124		11.31	1.40	0.66	3.49	290	230	0.62	0.15	25.3	0.38	31.9	12.6	32	10.50	29.6
K301125		11.97	1.22	0.38	2.96	255	190	0.61	0.12	24.0	0.31	39.8	11.2	27	9.55	27.1
K301126		11.03	3.37	0.36	1.92	369	140	0.43	0.08	27.9	0.57	27.6	7.5	17	6.34	17.8
K301127		11.34	1.24	0.17	1.62	211	140	0.33	0.06	30.8	0.24	26.4	5.8	15	4.83	14.5
K301128		11.10	0.08	0.03	0.83	144	120	0.34	0.04	33.0	0.09	14.95	3.3	8	2.46	7.1
K301129		6.89	<0.01	<0.01	0.06	<5	20	0.05	0.02	20.8	0.07	1.40	1.5	1	0.22	1.7
K301130		11.55	0.11	0.04	1.46	179	160	0.45	0.06	31.0	0.14	25.9	5.6	14	4.50	13.2
K301131		11.18	0.12	0.07	3.46	276	170	0.71	0.16	24.5	0.32	41.0	10.4	34	10.10	33.0
K301132		10.87	<0.01	0.03	1.39	87	150	0.42	0.07	30.3	0.12	23.1	4.8	15	4.21	14.7
K301133		11.81	<0.01	0.03	1.86	88	160	0.48	0.09	29.6	0.23	27.5	5.7	20	5.23	17.1
K301134		11.95	0.01	0.05	1.96	78	180	0.48	0.09	30.7	0.35	27.1	5.5	21	5.60	19.2
K301135		11.66	<0.01	0.04	1.78	67	160	0.41	0.09	31.6	0.21	25.3	5.3	19	5.03	18.0
K301136		12.00	<0.01	0.03	1.44	61	150	0.36	0.07	31.6	0.13	24.1	4.7	16	3.83	14.8
K301137		11.74	0.01	0.05	1.73	113	130	0.36	0.08	30.2	0.17	25.9	5.4	18	4.09	17.5
K301138		11.23	<0.01	0.04	1.58	284	150	0.39	0.07	30.8	0.22	21.2	5.0	17	4.05	15.4
K301139		0.25	2.16	1.05	3.30	547	890	0.74	0.32	8.26	2.19	48.1	6.6	55	3.89	45.6
K301140		12.60	<0.01	0.07	2.84	220	220	0.60	0.13	25.2	0.29	34.0	8.4	27	7.43	25.9
K301141		11.79	<0.01	0.02	1.10	63	170	0.32	0.06	32.5	0.15	17.45	3.5	12	3.74	10.7
K301142		11.59	<0.01	0.08	2.40	134	170	0.62	0.12	24.4	0.13	33.2	7.1	22	8.25	22.6
K301143		12.19	<0.01	0.05	2.54	119	190	0.60	0.12	28.7	0.19	31.0	7.2	24	7.32	21.4
K301144		11.62	<0.01	0.08	4.12	224	550	1.00	0.18	19.40	0.28	46.2	11.7	38	12.55	35.5
K301145		6.90	<0.01	0.01	0.11	<5	20	0.08	0.02	20.4	0.06	1.73	1.4	2	0.23	2.0
K301146		6.01	<0.01	0.08	3.79	337	620	0.74	0.17	23.9	0.33	42.3	10.8	37	10.40	33.9
K301147		8.44	<0.01	0.06	3.69	172	220	0.88	0.18	22.1	0.27	44.4	10.5	35	12.90	32.8
K301148		0.25	0.34	0.35	6.11	599	430	0.61	0.29	0.47	0.18	134.5	3.0	232	3.41	30.6
K301149		8.26	<0.01	0.07	3.98	106	210	1.12	0.18	19.60	0.28	46.3	14.0	37	15.95	37.8
K301150		7.56	<0.01	0.05	2.20	88	190	0.57	0.10	28.3	0.27	30.6	7.8	22	6.83	20.7
K301151		3.09	<0.01	0.04	2.08	84	180	0.55	0.09	29.5	0.25	26.7	7.2	20	6.39	18.8
K301152		8.02	0.01	0.02	0.65	77	330	0.25	0.03	34.3	0.06	11.00	2.6	7	2.03	6.5
K301153		8.51	<0.01	0.03	1.21	33	580	0.39	0.06	32.7	0.09	17.70	4.1	11	4.57	11.0
K301154		8.18	<0.01	0.03	1.73	32	280	0.46	0.08	32.3	0.11	24.3	5.7	17	7.19	14.8
K301155		8.09	<0.01	0.03	1.57	34	250	0.37	0.08	32.0	0.10	23.0	5.2	15	5.54	13.7
K301156		8.01	<0.01	0.01	0.36	7	280	0.16	0.02	33.9	0.03	7.46	1.6	4	1.09	3.6
K301157		7.69	<0.01	0.01	0.05	<5	20	0.05	0.02	20.5	0.06	1.24	1.2	1	0.22	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162946

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301122		0.83	2.77	0.10	0.5	4.75	0.017	0.45	7.1	4.3	0.27	2990	0.47	0.01	1.6	2.2
K301123		0.61	2.02	0.11	0.4	2.07	0.009	0.32	5.2	2.7	0.42	1460	0.39	0.01	1.2	0.5
K301124		2.00	8.68	0.13	1.6	7.41	0.028	1.56	15.7	9.2	0.61	2510	2.43	0.02	4.8	15.4
K301125		1.84	7.88	0.12	1.4	6.48	0.031	1.35	19.6	8.1	0.73	1250	1.80	0.02	4.4	13.9
K301126		1.46	5.38	0.12	0.9	6.66	0.020	0.88	13.7	5.3	0.44	2240	1.37	0.01	2.9	8.0
K301127		1.17	4.01	0.13	0.8	4.54	0.020	0.73	12.4	4.1	0.38	1780	1.20	0.01	2.4	5.3
K301128		0.83	2.14	0.11	0.4	2.00	0.011	0.38	7.2	2.6	0.48	993	0.56	0.01	1.4	1.1
K301129		0.45	0.46	0.33	<0.1	0.01	<0.005	0.03	0.6	1.2	13.05	194	0.13	0.01	0.3	0.6
K301130		1.09	3.71	0.15	0.7	2.79	0.016	0.65	12.0	4.0	0.51	877	0.87	0.01	2.2	4.4
K301131		2.04	8.15	0.12	1.5	5.34	0.035	1.51	20.6	8.2	0.77	858	2.10	0.02	4.9	18.4
K301132		1.11	3.48	0.09	0.7	1.98	0.017	0.63	11.3	3.4	0.61	575	1.02	0.01	2.3	7.9
K301133		1.26	4.22	0.08	0.8	1.24	0.020	0.86	13.8	4.4	0.76	419	1.25	0.02	2.7	9.2
K301134		1.20	4.50	0.10	0.9	0.53	0.022	0.90	13.2	4.3	0.85	446	1.06	0.02	3.0	9.9
K301135		1.10	4.17	0.09	0.8	0.11	0.019	0.82	12.4	4.1	0.69	380	1.04	0.02	2.8	9.4
K301136		1.07	3.40	0.09	0.7	0.30	0.016	0.67	11.5	3.3	0.87	309	0.97	0.02	2.4	7.2
K301137		1.24	4.04	0.09	0.8	1.83	0.019	0.80	12.5	3.5	0.80	345	1.29	0.01	2.7	8.6
K301138		1.19	3.85	0.08	0.7	1.85	0.016	0.73	10.9	3.3	0.77	368	1.06	0.01	2.5	8.3
K301139		2.11	7.56	0.13	1.7	4.13	0.028	1.05	28.4	37.9	2.61	275	19.00	0.03	7.3	53.2
K301140		1.75	6.67	0.12	1.2	3.07	0.029	1.23	18.0	6.6	0.82	408	1.19	0.02	4.1	14.4
K301141		0.83	2.58	0.06	0.5	1.06	0.012	0.50	8.5	3.0	0.57	326	0.54	0.01	1.9	5.5
K301142		1.50	6.00	0.11	1.2	3.17	0.029	1.08	17.3	6.4	0.78	428	1.13	0.02	3.8	12.8
K301143		1.47	5.84	0.11	1.2	2.95	0.026	1.14	16.8	6.0	0.81	280	1.14	0.02	3.8	12.4
K301144		2.45	9.62	0.15	1.9	4.77	0.042	1.79	23.8	11.2	1.27	513	1.64	0.02	5.8	21.0
K301145		0.46	0.36	0.06	<0.1	<0.01	0.005	0.05	0.8	1.0	12.70	201	0.10	0.01	0.5	3.1
K301146		2.24	9.28	0.13	1.7	6.67	0.040	1.69	22.2	8.3	1.31	619	1.16	0.02	5.5	19.8
K301147		2.13	8.89	0.14	1.7	4.03	0.039	1.65	23.9	9.8	1.29	533	1.66	0.02	5.3	18.9
K301148		6.89	20.9	0.26	3.7	9.21	0.047	1.35	63.9	18.0	0.12	36	6.54	0.38	10.2	16.9
K301149		2.69	10.70	0.14	1.7	1.66	0.037	1.78	23.3	12.9	1.24	509	1.98	0.03	6.2	23.4
K301150		1.37	5.82	0.09	1.0	1.63	0.022	1.00	14.8	7.8	0.96	341	1.72	0.02	3.5	12.0
K301151		1.24	5.41	0.07	0.9	1.46	0.021	0.94	12.9	7.2	0.93	349	1.63	0.02	3.3	10.9
K301152		0.61	1.77	<0.05	0.3	1.31	0.007	0.27	5.3	2.7	0.51	417	0.42	0.01	1.2	3.5
K301153		0.83	3.19	0.05	0.5	0.52	0.013	0.54	8.8	5.2	0.72	272	0.82	0.02	1.9	6.0
K301154		1.08	4.55	0.05	0.8	0.58	0.015	0.80	12.3	7.5	0.67	149	0.84	0.02	2.7	9.6
K301155		1.04	4.10	0.05	0.7	0.45	0.015	0.70	11.6	5.4	0.56	142	0.58	0.02	2.6	8.7
K301156		0.43	0.77	<0.05	0.2	0.09	<0.005	0.14	3.8	1.2	0.54	355	0.16	0.01	0.7	<0.2
K301157		0.47	0.27	0.07	<0.1	<0.01	0.005	0.02	0.6	0.7	12.75	212	0.05	<0.01	0.2	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162946

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301122		530	9.0	25.1	<0.002	0.83	11.05	4.2	3	0.4	1680	0.11	0.07	1.9	0.056	15.15
K301123		450	4.7	17.8	<0.002	0.52	5.28	2.9	3	0.3	1630	0.08	<0.05	1.3	0.036	8.04
K301124		1340	18.5	80.6	0.008	2.08	13.85	8.0	3	1.2	1340	0.35	0.07	5.5	0.184	20.8
K301125		370	17.3	76.9	0.009	1.76	9.89	7.8	3	1.0	1640	0.32	0.07	5.2	0.160	19.80
K301126		370	11.9	48.0	0.005	1.40	14.15	6.4	4	0.7	1440	0.19	0.06	3.2	0.099	21.8
K301127		490	6.9	38.0	0.005	1.09	6.69	4.8	3	0.6	1720	0.17	<0.05	2.7	0.087	12.95
K301128		200	3.7	20.9	0.002	0.55	2.18	2.6	3	0.4	1850	0.09	<0.05	1.5	0.044	7.07
K301129		240	1.4	1.7	<0.002	<0.01	0.06	0.4	2	<0.2	51.6	<0.05	<0.05	<0.2	<0.005	0.04
K301130		540	5.7	36.1	0.004	0.95	2.78	4.2	3	0.5	2040	0.16	<0.05	2.7	0.076	9.15
K301131		410	11.1	71.9	0.008	2.20	4.02	7.3	3	1.0	1440	0.37	0.05	5.7	0.190	13.35
K301132		360	5.9	30.9	0.004	0.88	0.97	4.2	2	0.5	2040	0.16	<0.05	2.5	0.074	4.75
K301133		200	9.0	37.8	0.005	1.03	0.86	5.0	2	0.6	2080	0.19	<0.05	3.1	0.095	3.53
K301134		1160	7.0	39.5	0.005	1.00	0.74	4.5	2	0.6	1870	0.21	<0.05	3.2	0.101	2.62
K301135		1090	6.7	35.7	0.005	0.94	0.61	4.1	2	0.7	1980	0.20	<0.05	2.9	0.093	1.37
K301136		1980	7.0	29.8	0.003	0.81	0.59	4.2	2	0.4	2390	0.15	<0.05	2.6	0.074	1.41
K301137		2320	10.3	34.9	0.004	1.12	0.90	4.5	2	0.5	2160	0.18	<0.05	3.0	0.092	1.89
K301138		370	8.8	31.4	0.002	1.02	1.11	3.9	2	0.5	2070	0.16	<0.05	2.7	0.084	1.31
K301139		920	37.8	50.1	0.026	1.59	107.5	5.5	4	2.4	74.0	0.52	0.17	6.5	0.179	3.82
K301140		310	12.7	54.8	0.005	1.72	1.67	6.8	2	0.9	1780	0.30	<0.05	4.6	0.154	1.70
K301141		660	4.3	22.9	0.003	0.65	0.41	2.7	2	0.4	2080	0.12	<0.05	2.1	0.058	0.42
K301142		220	12.1	50.9	0.005	1.37	0.88	6.3	2	0.8	1720	0.30	0.05	4.4	0.128	1.04
K301143		200	8.3	50.1	0.005	1.39	0.66	5.6	2	0.8	2100	0.28	<0.05	4.4	0.132	1.66
K301144		220	13.9	83.2	0.005	2.34	0.99	9.8	2	1.3	1070	0.46	0.05	6.6	0.222	3.95
K301145		320	1.4	2.0	<0.002	0.02	<0.05	0.3	1	<0.2	45.4	<0.05	<0.05	<0.2	0.006	0.02
K301146		280	11.9	76.7	0.005	2.03	1.64	9.1	2	1.2	1760	0.41	0.06	5.9	0.203	4.68
K301147		300	11.5	79.3	0.007	1.83	0.70	9.6	2	1.2	1390	0.41	0.05	6.1	0.197	2.93
K301148		900	16.0	46.3	0.003	3.05	105.0	16.2	3	2.9	511	0.70	0.13	9.0	0.541	7.37
K301149		330	11.5	83.3	0.007	2.31	0.64	10.2	3	1.5	1170	0.39	0.06	5.9	0.223	4.30
K301150		1650	6.8	46.9	0.006	1.21	0.48	5.6	3	0.6	1815	0.22	<0.05	3.6	0.120	3.75
K301151		1320	6.3	43.4	0.005	1.06	0.44	5.0	3	0.6	1805	0.22	<0.05	3.2	0.113	3.39
K301152		540	3.6	13.3	0.002	0.44	0.47	2.1	2	0.2	1830	0.07	<0.05	1.1	0.034	2.03
K301153		320	4.6	26.0	0.003	0.72	0.24	3.3	2	0.4	2050	0.12	<0.05	2.0	0.060	1.41
K301154		230	5.6	37.2	0.003	1.06	0.29	4.4	2	0.5	2380	0.17	<0.05	2.9	0.093	1.67
K301155		230	5.1	33.3	0.003	1.07	0.26	4.1	2	0.5	2520	0.16	<0.05	2.6	0.082	0.90
K301156		540	1.7	7.2	<0.002	0.27	0.11	1.1	2	<0.2	2160	<0.05	<0.05	0.7	0.019	0.12
K301157		170	1.4	1.4	<0.002	0.02	<0.05	0.2	2	<0.2	54.5	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162946

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301122		2.5	15	1.3	14.3	17	19.4
K301123		1.9	10	0.7	9.1	10	13.6
K301124		4.8	58	2.8	17.9	55	49.4
K301125		4.2	51	2.8	20.3	45	48.8
K301126		3.1	31	1.6	15.7	78	31.1
K301127		3.2	25	1.4	16.1	34	26.5
K301128		1.8	12	0.7	10.5	13	15.6
K301129		0.7	1	0.1	0.9	16	<0.5
K301130		3.1	23	1.3	17.9	23	25.2
K301131		4.4	59	2.8	24.0	53	49.1
K301132		3.2	25	0.9	20.0	20	22.7
K301133		3.1	33	0.6	17.6	36	27.0
K301134		3.2	35	0.6	18.1	39	31.9
K301135		3.3	31	0.5	16.6	24	29.6
K301136		3.7	26	0.4	20.2	18	26.4
K301137		4.6	29	1.0	20.1	25	32.3
K301138		2.8	28	0.9	14.0	35	24.6
K301139		8.6	244	29.6	21.3	224	59.6
K301140		3.4	48	2.1	20.9	48	40.4
K301141		2.4	19	0.5	13.1	16	18.6
K301142		3.0	40	1.0	19.7	19	38.6
K301143		2.9	40	1.0	17.2	33	36.2
K301144		3.3	68	2.0	23.9	60	57.9
K301145		0.5	3	0.2	1.0	15	0.5
K301146		3.2	63	2.0	25.8	61	54.2
K301147		3.2	63	1.6	25.2	56	53.0
K301148		7.0	168	22.7	14.8	43	156.0
K301149		3.3	70	1.9	24.2	60	59.7
K301150		4.5	39	1.3	22.1	32	40.9
K301151		4.1	36	1.2	18.9	30	36.2
K301152		1.9	11	0.9	9.8	7	11.6
K301153		2.3	20	0.4	13.0	16	17.9
K301154		3.0	28	0.4	16.4	20	25.0
K301155		3.0	24	0.4	17.3	17	24.0
K301156		1.7	6	0.2	7.6	5	7.3
K301157		0.8	2	0.2	0.8	18	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11162946

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

CERTIFICATE WH11181208

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11181208

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301122		1.85
K301123		0.87
K301124		1.44
K301125		1.25
K301126		3.50
K301127		1.25
K301128		0.10
K301129		0.01
K301130		0.12
K301131		0.14
K301132		0.02
K301133		0.01
K301134		0.01
K301135		0.01
K301136		0.01
K301137		0.02
K301138		0.02
K301139		2.77
K301140		0.02
K301141		0.01
K301142		<0.01
K301143		<0.01
K301144		0.01
K301145		0.01
K301146		0.01
K301147		0.01
K301148		0.34
K301149		0.01
K301150		0.01
K301151		0.02
K301152		0.03
K301153		<0.01
K301154		0.01
K301155		0.01
K301156		0.01
K301157		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

CERTIFICATE WH11193060

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193060

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301122		1.86
K301123		0.82
K301124		1.47
K301125		1.26
K301126		3.53
K301127		1.23
K301128		0.09
K301129		<0.01
K301130		0.11
K301131		0.14
K301132		<0.01
K301133		<0.01
K301134		<0.01
K301135		<0.01
K301136		<0.01
K301137		<0.01
K301138		<0.01
K301139		2.59
K301140		<0.01
K301141		<0.01
K301142		<0.01
K301143		0.01
K301144		<0.01
K301145		<0.01
K301146		<0.01
K301147		<0.01
K301148		0.38
K301149		<0.01
K301150		<0.01
K301151		<0.01
K301152		0.01
K301153		<0.01
K301154		<0.01
K301155		<0.01
K301156		<0.01
K301157		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

CERTIFICATE WH11167457

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 119 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167457

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K298469		8.30	<0.01	0.05	2.73	53	1200	1.00	0.10	18.30	0.04	35.9	3.6	22	10.20	12.1
K298470		4.90	<0.01	0.02	0.08	<5	20	0.13	0.06	20.0	0.09	1.39	0.6	<1	0.44	1.7
K298471		8.27	<0.01	0.08	3.42	67	230	1.16	0.10	21.0	0.02	40.6	5.3	27	16.65	11.9
K298472		8.20	<0.01	0.07	2.86	53	130	1.03	0.09	22.0	0.02	33.8	3.9	21	13.60	10.6
K298473		8.35	<0.01	0.07	3.39	42	610	1.06	0.11	16.45	0.05	37.8	4.2	26	12.45	14.1
K298474		8.09	0.01	0.06	4.81	46.9	300	1.41	0.12	8.97	0.04	56.2	4.9	47	19.15	30.1
K298475		8.35	<0.01	0.07	4.29	54.0	390	1.15	0.12	8.27	0.06	54.5	5.1	40	17.25	15.5
K298476		7.59	0.01	0.08	4.49	59.3	340	1.18	0.14	7.80	0.05	55.8	5.7	45	18.95	20.4
K298477		3.15	0.01	0.09	4.74	57.0	410	1.37	0.13	7.85	0.04	58.4	5.7	46	20.5	14.3
K298478		7.64	<0.01	0.03	3.51	25	280	0.96	0.09	10.55	0.07	47.7	3.6	33	14.60	28.9
K298479		8.26	<0.01	0.05	3.33	29.3	270	0.98	0.09	9.89	0.07	41.8	4.5	31	15.95	11.9
K298480		0.21	2.46	1.06	3.19	589	860	0.90	0.33	8.04	2.31	48.4	6.3	49	3.93	40.0
K298481		8.60	<0.01	0.03	1.73	8	430	0.49	0.07	12.65	0.10	39.5	3.6	18	6.74	7.2
K298482		8.15	<0.01	0.05	1.35	14	350	0.44	0.06	14.15	0.08	35.0	3.5	14	4.58	7.7
K298483		8.09	<0.01	0.03	2.58	24	470	0.87	0.09	11.90	0.07	36.3	3.6	21	9.34	14.3
K298484		8.38	0.01	0.02	3.53	30.2	640	1.07	0.11	8.99	0.06	47.6	4.8	33	14.05	27.0
K298485		4.31	<0.01	0.06	3.07	37	730	0.91	0.09	11.00	0.05	44.5	5.2	31	12.35	37.8
K298486		6.47	0.01	0.09	2.78	23	310	0.83	0.09	11.55	0.07	39.0	4.8	30	12.25	10.4
K298487		5.62	<0.01	0.02	1.19	14	130	0.43	0.05	28.1	0.19	16.95	1.8	10	4.13	5.4
K298488		7.50	<0.01	0.06	2.66	31	1530	0.86	0.09	22.9	0.15	27.3	4.8	23	9.95	17.9
K298489		7.43	<0.01	0.01	1.18	18	300	0.46	0.05	27.1	0.09	14.60	2.1	9	4.38	6.3
K298490		4.64	<0.01	0.01	1.29	19	270	0.50	0.05	27.9	0.21	17.60	1.8	11	5.44	6.9
K298491		2.59	<0.01	0.06	2.62	23	260	0.89	0.08	12.30	0.04	32.7	3.5	22	11.25	14.4
K298492		4.89	<0.01	0.01	0.05	<5	20	<0.05	<0.01	20.0	0.06	1.22	1.3	<1	0.18	1.4
K298493		7.33	<0.01	0.06	2.38	26	230	0.77	0.03	13.95	0.27	32.8	3.8	23	10.45	18.2
K298494		7.17	0.01	0.08	3.76	76.0	230	1.19	0.05	9.85	0.11	45.6	7.1	42	12.45	20.6
K298495		7.43	<0.01	0.04	3.45	42	170	1.33	0.07	10.60	0.07	45.7	5.7	31	13.20	9.0
K298496		7.99	<0.01	0.08	3.50	65	150	1.14	0.08	11.30	0.04	42.3	6.3	31	11.60	10.9
K298497		7.93	<0.01	0.04	1.65	46	140	0.60	0.05	22.0	0.06	21.4	3.9	14	4.96	13.5
K298499		2.07	0.57	0.13	1.05	407	50	0.28	0.03	14.05	0.07	20.4	1.9	7	2.13	4.8
K298500		0.21	0.33	0.35	6.27	597	1890	0.62	0.27	0.49	0.20	147.0	3.3	221	3.93	34.0
K301501		5.19	0.82	0.26	1.24	745	70	0.36	0.04	14.65	0.06	18.45	2.6	10	2.98	6.5
K301502		5.14	0.94	0.34	0.25	1110	30	0.16	0.02	19.75	0.58	8.66	1.3	3	0.48	4.7
K301503		7.48	2.08	0.43	0.90	2000	80	0.25	0.03	18.45	0.12	14.95	2.1	5	2.16	6.7
K301504		6.93	4.45	0.97	1.94	>10000	120	0.40	0.06	14.35	2.58	32.1	5.2	15	3.44	15.1
K301505		10.39	1.10	0.34	0.42	2060	30	0.13	0.03	19.55	0.45	9.97	2.0	4	0.71	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167457

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K298469		1.29	6.50	0.06	1.8	0.43	0.020	1.58	17.5	14.4	3.45	261	0.59	0.03	3.7	9.9
K298470		0.47	0.22	<0.05	<0.1	<0.1	<0.005	0.04	0.7	1.6	12.50	212	0.05	<0.01	0.2	1.9
K298471		1.28	8.31	0.08	1.3	0.34	0.024	1.93	21.2	20.5	1.87	194	0.52	0.02	4.2	15.3
K298472		1.17	6.77	0.06	1.3	0.26	0.017	1.66	18.0	16.6	1.89	186	0.66	0.02	3.8	11.8
K298473		1.36	7.75	0.05	1.8	0.2	0.018	1.94	19.9	18.6	4.07	249	1.06	0.03	4.4	12.0
K298474		1.59	12.00	0.09	3.8	0.17	0.028	2.88	29.0	24.7	4.69	247	0.49	0.04	8.0	14.1
K298475		1.52	10.35	0.09	3.8	0.2	0.028	2.70	27.0	21.8	4.54	238	0.53	0.04	7.2	13.3
K298476		1.54	11.05	0.10	3.8	0.15	0.031	2.84	27.9	23.7	4.03	219	0.52	0.04	7.9	14.3
K298477		1.57	11.40	0.11	3.8	0.14	0.025	2.96	29.2	23.9	4.06	221	0.53	0.04	8.0	14.9
K298478		1.48	8.63	0.10	3.1	0.05	0.023	2.21	23.9	18.5	5.47	279	0.40	0.04	6.1	10.5
K298479		1.40	8.18	0.07	2.9	<0.1	0.020	2.13	21.5	18.8	5.58	264	0.53	0.04	5.8	9.8
K298480		2.08	7.68	0.09	1.7	4.5	0.023	1.01	30.0	39.3	2.53	266	18.45	0.04	6.7	50.3
K298481		1.45	4.04	0.08	1.9	<0.1	0.012	1.15	17.7	11.6	4.77	270	0.32	0.03	3.3	6.9
K298482		1.39	3.06	0.06	1.6	<0.1	0.012	0.91	16.3	9.4	4.42	278	0.38	0.03	2.5	7.0
K298483		1.39	6.41	0.07	2.7	<0.1	0.020	1.62	19.3	15.3	6.44	329	0.57	0.03	4.1	8.2
K298484		1.43	8.55	0.08	2.9	0.06	0.019	2.18	23.1	21.4	4.58	240	0.34	0.04	5.9	10.9
K298485		1.84	7.27	0.08	2.6	0.06	0.020	1.84	21.7	16.3	4.86	283	0.44	0.03	5.1	11.9
K298486		1.62	6.64	0.07	2.4	0.07	0.017	1.71	19.6	14.2	4.34	251	0.49	0.03	4.9	10.8
K298487		0.41	2.84	<0.05	0.8	0.1	0.010	0.68	9.9	5.7	1.14	126	0.10	0.01	1.9	3.5
K298488		0.70	6.31	0.07	1.7	0.1	0.018	1.50	14.9	13.0	1.91	133	0.26	0.03	4.2	9.8
K298489		0.42	2.96	0.05	1.0	0.03	0.011	0.68	8.6	6.1	1.10	111	0.13	0.01	1.9	5.1
K298490		0.43	3.14	0.05	0.7	0.04	0.009	0.72	10.5	7.0	1.47	128	0.12	0.01	1.9	3.4
K298491		1.12	6.44	0.06	2.4	0.11	0.028	1.48	16.3	17.1	6.44	205	0.34	0.03	4.6	8.0
K298492		0.44	0.30	0.28	<0.1	<0.01	<0.005	0.02	0.6	0.7	12.45	205	0.10	<0.01	0.3	2.0
K298493		1.34	6.11	0.08	1.7	0.33	0.019	1.34	16.9	12.7	7.83	261	0.54	0.02	4.1	6.8
K298494		1.75	10.00	0.06	2.7	0.74	0.027	1.95	23.8	20.6	5.21	210	0.49	0.02	6.8	14.6
K298495		1.32	10.45	0.08	3.1	0.29	0.029	1.82	23.9	33.7	5.50	224	0.45	0.02	6.2	11.5
K298496		1.40	10.35	0.08	3.0	0.42	0.027	1.71	22.3	31.5	5.76	233	0.69	0.02	6.3	12.9
K298497		0.80	4.95	0.05	1.3	0.54	0.014	0.84	11.2	11.3	3.13	168	0.35	0.01	3.1	7.1
K298499		0.67	2.78	0.11	1.9	2.69	0.012	0.50	9.6	8.7	8.04	764	0.54	0.02	1.9	4.3
K298500		6.49	23.6	0.24	4.3	9.5	0.053	1.33	70.2	26.5	0.14	36	6.40	0.39	10.8	18.5
K301501		0.76	3.60	0.08	1.7	2.75	0.013	0.59	9.1	10.4	9.05	817	0.54	0.02	2.4	6.4
K301502		0.70	0.81	0.07	0.3	5.51	0.007	0.10	4.9	3.1	11.60	1070	0.29	0.02	0.5	2.2
K301503		0.60	2.90	0.11	0.6	5.42	0.008	0.42	8.2	7.2	10.30	2790	0.45	0.01	1.6	4.4
K301504		0.90	5.41	0.10	1.3	21.6	0.020	0.80	16.7	12.1	7.98	3890	0.41	0.01	3.0	15.0
K301505		0.77	1.37	0.16	0.5	5.28	0.007	0.18	5.2	3.3	11.20	1390	0.51	0.02	1.0	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167457

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K298469		360	6.3	52.2	<0.002	0.22	0.33	4.2	1	1.0	503	0.27	<0.05	5.4	0.109	0.92
K298470		180	1.6	2.3	<0.002	0.01	0.10	0.3	<1	<0.2	41.4	<0.05	<0.05	0.2	<0.005	0.03
K298471		390	5.6	62.9	<0.002	0.23	0.23	5.3	1	0.9	621	0.33	<0.05	5.9	0.127	0.58
K298472		330	5.0	54.2	<0.002	0.21	0.20	4.4	1	0.8	632	0.28	<0.05	5.0	0.111	0.55
K298473		420	6.2	64.6	0.002	0.20	0.24	5.2	1	1.0	399	0.32	<0.05	6.1	0.135	0.81
K298474		740	9.2	96.5	<0.002	0.13	0.25	7.7	2	1.8	207	0.59	<0.05	10.7	0.237	0.80
K298475		700	8.6	86.9	<0.002	0.13	0.26	6.6	3	1.5	184.0	0.59	<0.05	9.4	0.217	0.60
K298476		700	9.0	95.2	<0.002	0.13	0.27	7.0	2	2.0	172.0	0.61	<0.05	10.4	0.230	0.60
K298477		730	8.7	95.3	<0.002	0.14	0.26	7.3	2	1.6	171.5	0.63	<0.05	10.6	0.242	0.60
K298478		510	7.0	74.4	<0.002	0.05	0.18	5.5	2	1.3	202	0.44	<0.05	7.8	0.179	0.47
K298479		430	6.4	70.9	<0.002	0.09	0.16	5.3	1	1.2	178.0	0.43	<0.05	7.7	0.170	0.38
K298480		900	37.7	46.5	0.025	1.58	118.0	5.1	4	2.4	70.7	0.42	0.21	6.0	0.173	4.23
K298481		600	5.3	37.3	<0.002	0.05	0.24	2.9	2	0.6	252	0.24	<0.05	4.4	0.092	0.24
K298482		630	6.0	28.0	<0.002	0.07	0.17	2.2	2	0.5	267	0.19	<0.05	3.6	0.069	0.26
K298483		430	5.7	52.6	0.002	0.07	0.18	3.9	1	0.9	236	0.31	<0.05	5.4	0.118	0.33
K298484		600	6.9	72.3	<0.002	0.10	0.19	5.7	1	1.4	210	0.46	<0.05	7.9	0.174	0.47
K298485		700	6.6	59.1	<0.002	0.12	0.21	4.9	2	1.3	211	0.38	<0.05	6.9	0.151	0.42
K298486		680	7.1	56.2	0.002	0.11	0.25	4.4	2	1.1	216	0.37	<0.05	6.4	0.137	0.40
K298487		230	3.0	20.9	<0.002	0.05	0.11	2.0	1	0.4	461	0.14	<0.05	2.4	0.054	0.15
K298488		490	6.7	47.4	0.002	0.13	0.16	4.2	1	0.9	515	0.32	<0.05	5.5	0.125	0.34
K298489		150	4.5	20.9	<0.002	0.10	0.09	1.9	1	0.4	604	0.14	<0.05	2.3	0.053	0.13
K298490		230	3.2	22.2	<0.002	0.05	0.07	2.1	1	0.5	561	0.15	<0.05	2.5	0.058	0.11
K298491		410	5.8	46.7	<0.002	0.12	0.16	4.4	2	1.0	158.0	0.34	<0.05	5.6	0.126	0.36
K298492		150	1.2	1.2	<0.002	<0.01	<0.05	0.2	1	<0.2	42.1	<0.05	<0.05	<0.2	<0.005	<0.02
K298493		330	4.8	46.7	<0.002	0.14	0.14	4.0	2	1.0	142.0	0.30	<0.05	5.3	0.109	0.30
K298494		630	10.4	69.6	<0.002	0.88	0.35	6.2	2	1.6	176.5	0.50	<0.05	8.6	0.180	0.64
K298495		530	7.1	66.7	<0.002	0.29	0.26	6.9	3	1.6	163.5	0.44	<0.05	7.4	0.162	0.46
K298496		490	8.7	62.8	<0.002	0.41	0.46	6.9	3	2.1	173.5	0.45	<0.05	7.7	0.161	0.77
K298497		210	5.8	30.1	<0.002	0.42	0.42	3.2	3	0.8	387	0.20	<0.05	3.7	0.073	0.69
K298499		470	7.1	16.6	<0.002	0.04	4.66	2.4	2	0.3	109.0	0.13	<0.05	2.7	0.046	3.14
K298500		880	17.1	50.3	0.003	3.01	125.0	17.6	3	3.4	500	0.73	0.13	9.0	0.534	7.91
K301501		360	8.0	21.1	<0.002	0.04	7.07	2.7	2	0.5	87.1	0.17	<0.05	3.1	0.056	6.18
K301502		160	3.7	3.5	<0.002	0.03	3.74	0.7	2	0.2	69.2	<0.05	<0.05	0.6	0.011	6.70
K301503		260	4.8	16.0	<0.002	0.06	7.29	2.4	2	0.5	102.5	0.10	<0.05	1.9	0.035	11.40
K301504		570	10.6	30.1	<0.002	0.05	37.6	3.7	3	1.2	111.0	0.20	<0.05	3.7	0.072	25.0
K301505		230	4.4	6.4	<0.002	0.06	8.15	1.0	4	0.3	90.0	0.06	<0.05	1.1	0.019	7.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167457

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K298469		8.2	39	0.5	10.2	15	56.3	
K298470		0.5	4	0.1	0.7	16	<0.5	
K298471		11.0	48	0.5	9.1	13	39.1	
K298472		10.4	41	0.4	8.6	13	41.3	
K298473		10.6	54	0.5	9.1	18	61.5	
K298474		4.8	77	0.8	16.2	18	114.5	
K298475		4.5	64	0.7	15.5	20	109.0	
K298476		4.0	69	0.8	16.1	20	113.0	
K298477		4.1	73	0.8	17.0	21	112.5	
K298478		3.4	48	0.6	13.9	20	97.8	
K298479		3.3	50	0.6	12.6	19	87.7	
K298480		8.1	232	26.0	19.9	207	56.8	
K298481		3.3	34	0.4	11.3	18	60.7	
K298482		4.5	31	0.3	10.2	15	49.5	
K298483		3.8	42	0.5	10.7	18	74.3	
K298484		3.5	55	0.6	13.5	18	150.0	
K298485		4.8	57	0.6	13.4	16	81.3	
K298486		5.5	62	0.5	12.2	16	72.0	
K298487		3.4	18	0.2	5.5	8	23.8	
K298488		9.9	38	0.4	8.9	19	52.1	
K298489		9.6	19	0.2	5.0	13	28.7	
K298490		4.3	20	0.2	5.3	51	21.9	
K298491		5.0	40	0.4	10.6	10	75.0	
K298492		0.5	2	0.2	0.7	16	<0.5	
K298493		6.1	42	0.5	9.5	34	59.6	
K298494		5.3	59	2.0	13.8	29	98.6	
K298495		4.7	52	1.4	16.0	15	108.0	
K298496		6.2	53	1.8	15.5	10	105.5	
K298497		12.1	26	0.9	8.6	11	49.3	
K298499		4.3	15	2.7	8.8	13	69.7	
K298500		7.3	165	23.0	16.7	43	168.5	
K301501		4.9	19	1.9	7.8	9	59.9	
K301502		5.7	6	0.4	3.0	55	11.2	
K301503		6.7	19	1.0	5.4	15	19.8	
K301504		10.7	33	2.5	8.3	283	43.5	1.265
K301505		6.1	11	0.6	4.3	33	17.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167457

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

CERTIFICATE VA11162757

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D - Batch 120

This report is for 38 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
EXTRA- 01	Extra Sample received in Shipment
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162757

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300181		4.94	<0.01	0.15	7.78	24.8	820	1.94	0.24	0.43	0.10	93.4	14.1	102	51.9	32.3
K300182		2.82	<0.01	0.11	8.24	20.6	680	2.14	0.27	0.45	0.09	102.5	14.1	104	58.0	33.1
K300183		1.28	<0.01	0.13	7.97	21.8	640	2.09	0.25	0.42	0.12	97.9	14.5	104	56.2	33.0
K300184		5.08	<0.01	0.08	7.90	13.7	690	2.27	0.25	0.53	0.12	100.5	12.6	99	52.1	31.1
K300185		5.20	<0.01	0.02	8.61	11.9	550	2.23	0.26	0.56	0.11	90.8	17.5	92	42.5	32.3
K300186		0.28	2.55	1.02	3.11	545	870	0.80	0.32	7.99	2.34	53.8	6.7	54	4.07	42.4
K300187		5.02	<0.01	0.05	8.16	14.1	650	2.43	0.25	0.66	0.14	91.5	15.9	106	50.0	31.6
K300188		3.46	<0.01	0.11	8.61	18.3	820	2.43	0.27	0.92	0.13	93.9	17.1	97	46.1	33.6
K300189		2.14	<0.01	0.10	8.20	22.5	940	1.93	0.26	1.60	0.12	88.7	18.2	85	42.0	28.5
K300190		4.70	<0.01	0.05	7.90	26.8	1180	2.28	0.25	2.05	0.11	89.0	18.9	84	39.2	29.6
K300191		2.48	<0.01	0.08	8.76	17.9	590	2.36	0.26	1.07	0.20	88.0	19.1	91	41.0	33.5
K300192		4.98	<0.01	<0.01	0.10	<5	20	0.07	0.02	22.0	0.06	1.71	1.5	2	0.22	14.2
K300193		5.84	<0.01	0.12	7.84	24.9	460	2.11	0.23	2.24	0.15	86.5	17.0	78	38.0	28.2
K300194		5.54	<0.01	0.12	6.76	8.8	430	1.59	0.18	1.43	0.04	76.6	14.2	76	23.9	19.7
K300195		2.82	<0.01	0.60	5.80	7.3	390	1.31	0.16	1.91	0.04	71.4	11.8	70	17.75	23.6
K300196		5.76	<0.01	0.09	7.93	9.8	460	1.98	0.24	0.88	0.06	84.4	17.4	86	32.5	29.7
K300197		6.08	<0.01	0.13	7.08	10.1	490	1.75	0.17	1.17	0.05	64.5	16.1	78	29.3	26.2
K300198		4.78	<0.01	0.12	8.47	8.9	550	2.38	0.23	0.66	0.11	77.8	17.8	89	33.6	32.9
K300199		2.44	<0.01	1.23	7.16	19.8	750	1.99	0.20	0.60	0.27	66.4	17.2	85	8.26	41.4
K300200		0.70	<0.01	0.92	9.00	13.1	560	2.43	0.24	1.41	0.14	73.9	13.3	89	26.3	35.0
K300201		2.48	<0.01	0.36	8.82	11.4	530	2.74	0.24	0.61	0.11	76.6	19.4	95	24.7	32.9
K300202		1.86	<0.01	0.47	8.34	9.0	480	2.50	0.23	0.90	0.10	77.1	17.8	84	23.0	34.9
K300203		2.18	<0.01	0.35	8.38	8.6	480	2.35	0.22	1.43	0.08	76.6	18.0	84	24.6	33.3
K300204		1.12	<0.01	0.15	7.93	9.2	480	2.59	0.21	0.97	0.07	74.2	19.0	81	23.9	32.0
K300205		3.86	<0.01	0.23	8.58	12.1	570	2.66	0.24	0.87	0.07	78.7	21.1	88	28.8	35.0
K300206		2.62	<0.01	0.21	8.75	15.3	570	2.58	0.24	1.05	0.14	83.9	20.4	88	29.8	38.8
K300207		1.38	<0.01	0.22	8.89	15.5	560	2.66	0.25	0.68	0.13	80.5	21.7	93	30.3	35.6
K300208		3.10	<0.01	1.86	7.04	12.8	630	2.03	0.38	1.23	0.18	64.0	15.5	83	16.80	40.2
K300209		3.40	<0.01	0.61	8.43	9.9	560	2.72	0.22	0.79	0.09	79.2	19.0	91	27.4	33.0
K300210		0.68	<0.01	0.19	7.81	10.7	530	2.23	0.23	0.71	0.27	70.0	16.8	82	17.40	38.7
K300211		Not Recvd														
K300212		1.46	<0.01	0.13	9.08	8.0	530	2.77	0.25	0.91	0.12	79.8	20.0	91	25.8	35.5
K300213		2.48	<0.01	0.25	8.96	11.2	540	2.76	0.23	1.17	0.07	79.8	17.9	90	30.1	30.3
K300214		Not Recvd														
K300215		1.86	<0.01	0.29	9.22	10.3	590	3.12	0.28	0.77	0.08	83.4	20.8	94	30.1	177.0
K300216		2.08	<0.01	1.57	8.74	12.6	610	2.76	0.23	0.97	0.17	78.2	20.0	89	30.4	39.1
K301551		0.30	2.60	1.07	3.08	577	850	0.77	0.24	7.83	1.97	42.7	6.7	50	3.64	41.6
K301547		6.98	<0.01	0.01	0.06	<5	20	0.05	0.01	20.6	0.06	1.30	1.5	1	0.19	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162757

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300181		3.52	20.3	0.17	3.0	0.05	0.075	2.60	51.4	125.5	0.77	201	1.60	0.19	27.4	41.1
K300182		3.80	21.3	0.17	3.3	0.04	0.075	2.74	56.5	132.5	0.83	243	1.61	0.20	29.3	40.3
K300183		3.63	21.6	0.18	3.0	0.04	0.077	2.70	53.1	133.5	0.81	224	1.57	0.20	29.2	42.7
K300184		4.68	21.0	0.20	3.1	0.04	0.078	2.62	53.6	135.5	0.89	393	1.52	0.20	30.2	38.5
K300185		4.47	23.0	0.19	3.0	0.08	0.079	2.74	48.6	147.0	1.09	390	0.96	0.25	15.9	58.4
K300186		2.07	8.08	0.05	2.0	4.25	0.027	0.99	34.8	41.0	2.49	268	18.65	0.03	7.3	55.7
K300187		4.09	22.3	0.19	3.0	0.04	0.078	2.70	50.1	126.5	1.04	363	1.31	0.20	21.6	49.4
K300188		4.28	23.4	0.20	3.1	0.06	0.080	2.84	50.3	126.0	1.14	412	2.32	0.24	19.0	54.2
K300189		4.73	21.0	0.22	3.3	0.06	0.075	2.52	47.8	124.0	1.33	534	3.85	0.22	14.5	57.7
K300190		4.50	20.3	0.20	3.3	0.07	0.075	2.47	48.0	115.5	1.41	567	5.24	0.20	16.0	53.8
K300191		4.83	22.9	0.18	3.1	0.08	0.083	2.96	46.3	103.0	1.19	376	2.00	0.26	13.9	64.9
K300192		0.46	0.50	0.13	<0.1	<0.01	0.008	0.04	0.9	1.6	13.15	191	0.11	0.01	0.5	0.5
K300193		4.11	20.3	0.22	3.3	0.07	0.069	2.44	46.0	130.0	1.27	592	6.71	0.22	13.1	53.5
K300194		3.66	16.10	0.17	3.0	0.01	0.057	1.93	40.3	112.0	1.08	470	0.50	0.19	11.0	44.0
K300195		3.48	13.95	0.09	2.6	0.01	0.051	1.63	34.0	92.9	1.12	708	0.55	0.17	9.9	40.9
K300196		4.46	19.65	0.13	2.8	0.02	0.067	2.43	42.0	124.0	1.15	447	0.80	0.24	12.3	58.0
K300197		4.33	17.65	0.16	2.5	0.02	0.059	2.00	32.3	109.0	1.15	681	0.76	0.22	10.8	49.5
K300198		4.65	23.2	0.19	2.6	0.02	0.078	2.43	38.4	135.0	1.26	523	0.80	0.28	12.7	59.5
K300199		4.44	19.50	0.19	2.4	0.09	0.065	1.80	33.9	68.2	1.05	447	1.23	0.50	11.7	52.3
K300200		4.51	23.2	0.20	2.5	0.08	0.081	2.47	35.9	88.6	1.45	850	0.93	0.34	12.0	51.5
K300201		4.71	23.9	0.22	2.6	0.02	0.082	2.41	37.0	94.1	1.25	484	0.78	0.34	12.7	63.8
K300202		4.59	21.9	0.24	2.5	0.05	0.073	2.20	39.4	83.4	1.29	566	0.72	0.34	12.2	57.9
K300203		4.84	22.2	0.24	2.5	0.01	0.079	2.16	37.5	81.8	1.43	669	1.14	0.35	12.0	57.4
K300204		4.25	22.8	0.25	2.5	0.01	0.070	2.12	36.5	79.0	1.28	460	0.91	0.29	12.3	57.6
K300205		4.43	22.9	0.23	2.6	0.03	0.077	2.39	38.9	81.7	1.22	503	0.83	0.35	13.0	61.6
K300206		4.37	24.6	0.24	2.6	0.04	0.086	2.48	42.9	95.3	1.18	598	1.14	0.39	13.4	62.8
K300207		4.36	24.9	0.24	2.7	0.03	0.085	2.50	39.9	101.0	1.09	404	1.04	0.41	13.0	66.3
K300208		4.53	18.55	0.23	2.4	0.03	0.070	1.83	31.9	87.6	1.21	931	2.62	0.34	10.4	48.7
K300209		4.53	22.9	0.22	2.6	0.02	0.080	2.51	39.0	112.5	1.13	421	0.78	0.35	12.4	58.6
K300210		4.81	20.7	0.22	2.4	0.02	0.078	2.00	34.9	94.8	1.27	675	0.96	0.30	11.6	55.8
K300211																
K300212		5.18	25.1	0.26	2.6	0.03	0.081	2.37	39.6	91.9	1.39	588	0.61	0.36	13.2	65.8
K300213		4.65	24.1	0.25	2.7	0.01	0.083	2.44	39.6	86.7	1.40	481	0.78	0.31	13.5	60.2
K300214																
K300215		4.72	25.3	0.25	2.8	0.01	0.085	2.45	41.3	97.5	1.38	419	0.78	0.35	14.4	65.6
K300216		4.79	23.3	0.25	2.6	0.03	0.084	2.45	39.4	89.3	1.29	700	0.86	0.34	12.3	62.9
K301551		2.03	7.50	0.18	1.6	4.20	0.027	0.96	26.4	36.3	2.49	270	17.50	0.03	6.9	52.1
K301547		0.46	0.38	0.31	<0.1	<0.01	0.005	0.02	0.6	1.0	12.60	210	0.18	<0.01	0.3	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162757

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300181		1230	18.4	171.5	0.002	0.21	1.04	14.5	3	2.4	141.0	1.46	0.09	12.2	0.457	1.16
K300182		1270	17.1	188.5	0.002	0.18	1.03	15.6	3	2.6	143.5	1.59	0.10	13.4	0.483	1.26
K300183		1250	16.7	181.5	0.002	0.19	1.03	15.4	3	2.5	137.5	1.56	0.10	12.6	0.468	1.23
K300184		1390	16.6	178.5	0.002	0.16	0.89	15.5	3	2.5	138.5	1.63	0.09	12.7	0.458	1.17
K300185		830	20.3	179.0	<0.002	1.05	0.68	18.5	2	2.9	112.5	0.98	0.06	13.3	0.458	1.37
K300186		870	38.1	56.2	0.023	1.51	111.5	5.8	4	2.6	76.7	0.46	0.21	7.2	0.171	4.16
K300187		990	16.0	186.5	0.002	0.56	0.94	17.4	3	2.6	108.5	1.23	0.09	12.3	0.439	1.28
K300188		1110	21.7	186.5	0.002	1.04	0.78	18.8	3	2.9	118.0	1.14	0.07	13.6	0.461	1.43
K300189		1250	23.1	168.0	0.002	1.48	0.86	18.1	3	2.8	138.0	0.92	0.06	13.3	0.435	1.45
K300190		1280	22.5	171.0	0.002	1.45	0.86	17.7	3	2.9	164.5	0.99	0.07	12.7	0.411	1.44
K300191		1000	25.3	184.0	<0.002	1.65	0.84	19.3	2	3.0	102.0	0.90	0.06	13.2	0.472	1.49
K300192		230	1.4	1.8	<0.002	0.05	<0.05	0.4	1	<0.2	51.1	<0.05	<0.05	<0.2	0.006	<0.02
K300193		1300	19.7	168.5	0.003	1.12	0.88	16.9	2	2.8	100.0	0.88	<0.05	12.9	0.425	1.35
K300194		690	15.7	126.5	<0.002	0.28	0.54	13.4	2	2.4	82.7	0.74	<0.05	11.7	0.392	0.74
K300195		710	16.5	102.0	<0.002	0.49	0.59	12.0	1	1.8	85.9	0.70	<0.05	11.2	0.364	0.76
K300196		830	19.4	156.0	<0.002	0.58	0.59	17.2	1	2.5	89.8	0.85	0.05	13.2	0.449	1.03
K300197		680	20.8	127.5	<0.002	0.97	0.71	14.4	2	2.5	80.6	0.79	<0.05	10.9	0.387	0.78
K300198		820	13.5	159.5	<0.002	0.56	0.57	17.8	2	3.1	100.5	0.92	0.06	13.0	0.443	1.00
K300199		780	15.3	123.0	<0.002	0.11	0.79	16.8	2	2.4	106.0	0.81	0.06	10.6	0.416	0.70
K300200		790	17.6	158.0	<0.002	0.52	0.62	18.5	2	2.9	143.0	0.88	0.05	11.7	0.434	1.09
K300201		740	18.1	154.0	<0.002	0.58	0.68	19.7	2	3.1	101.5	0.96	0.06	12.0	0.429	1.01
K300202		670	18.1	156.5	<0.002	0.48	0.64	18.4	2	2.9	82.2	0.87	0.05	12.3	0.422	0.93
K300203		790	17.9	144.0	<0.002	0.42	0.70	18.0	2	2.8	91.0	0.87	0.05	12.2	0.422	0.85
K300204		750	18.4	145.5	<0.002	0.42	0.71	18.1	2	3.0	86.2	0.84	0.05	11.7	0.410	0.89
K300205		820	18.7	163.5	<0.002	1.39	0.68	19.0	2	3.3	100.0	0.91	0.05	12.5	0.434	1.34
K300206		870	20.9	165.0	<0.002	2.07	0.72	19.3	2	3.5	101.5	0.93	0.06	12.7	0.442	1.49
K300207		910	20.1	161.0	<0.002	2.03	0.67	19.4	2	3.2	100.5	0.91	0.05	12.6	0.452	1.48
K300208		680	14.2	121.0	<0.002	0.65	0.61	16.6	2	2.4	90.8	0.75	0.06	10.5	0.361	0.80
K300209		730	17.5	167.5	<0.002	1.52	0.60	18.7	2	2.9	88.6	0.92	0.05	12.1	0.434	1.30
K300210		730	16.2	138.5	<0.002	0.79	0.59	17.9	2	2.6	96.6	0.80	0.05	11.7	0.398	0.88
K300211																
K300212		840	18.0	161.0	<0.002	0.41	0.61	20.0	2	3.1	81.3	0.91	0.05	12.4	0.449	0.94
K300213		860	18.7	157.0	<0.002	0.44	0.76	18.7	2	3.1	91.1	0.96	0.05	12.2	0.451	0.95
K300214																
K300215		750	26.9	166.0	<0.002	0.52	1.06	20.7	2	11.0	93.4	0.98	0.07	13.3	0.468	1.03
K300216		910	18.0	169.5	<0.002	1.64	0.62	19.5	2	3.0	94.2	0.87	0.06	12.5	0.435	1.37
K301551		860	32.9	48.1	0.021	1.48	101.5	5.0	4	2.4	68.9	0.45	0.17	6.4	0.167	3.92
K301547		200	1.2	1.3	<0.002	0.01	0.11	0.3	1	<0.2	49.5	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162757

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300181		3.1	219	1.6	23.9	134	105.5
K300182		3.3	221	1.7	25.9	128	117.0
K300183		3.1	217	1.6	24.5	132	108.0
K300184		3.1	204	1.6	26.1	142	110.5
K300185		3.0	170	1.5	23.1	145	103.0
K300186		9.4	230	29.2	22.4	206	64.5
K300187		3.2	219	1.6	23.8	152	106.5
K300188		3.5	187	2.4	25.2	141	108.0
K300189		3.8	148	1.8	26.5	128	112.0
K300190		4.2	146	1.6	27.1	113	102.5
K300191		3.3	162	1.7	24.0	158	107.5
K300192		0.5	4	0.1	1.0	17	0.5
K300193		4.6	125	2.2	28.0	106	111.0
K300194		2.5	105	2.5	21.0	88	101.5
K300195		2.4	85	7.1	20.1	70	78.0
K300196		2.8	127	2.0	22.5	105	87.0
K300197		2.1	113	1.5	19.1	105	83.4
K300198		2.4	139	1.5	21.2	168	90.9
K300199		2.3	143	8.1	19.9	134	83.6
K300200		2.3	152	6.4	17.1	118	84.9
K300201		2.3	148	3.4	18.5	139	89.8
K300202		2.2	131	3.6	18.2	126	88.9
K300203		2.2	133	3.0	19.7	138	86.4
K300204		2.2	130	1.7	18.4	119	86.7
K300205		2.4	149	2.0	19.7	123	89.1
K300206		2.6	153	1.9	19.7	149	91.8
K300207		2.5	160	2.2	19.8	154	93.6
K300208		2.0	119	16.0	17.8	163	77.8
K300209		2.2	141	5.8	18.4	140	84.5
K300210		2.2	126	2.3	18.4	205	81.5
K300211							
K300212		2.3	149	1.7	20.2	166	91.3
K300213		2.3	149	2.8	20.4	132	91.9
K300214							
K300215		2.5	151	2.8	20.4	138	100.0
K300216		2.3	152	13.7	20.3	209	87.8
K301551		7.4	222	26.1	18.9	212	56.3
K301547		0.5	2	0.1	0.9	18	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11162757

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

CERTIFICATE WH11163810

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 121 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163810

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301158		8.04	0.01	0.02	0.36	23	150	0.23	0.02	36.7	0.04	6.98	1.2	4	0.89	3.8
K301159		8.35	<0.01	0.05	1.33	43	180	0.48	0.08	33.2	0.10	18.35	3.9	11	4.85	12.3
K301160		7.86	<0.01	0.08	1.19	50	230	0.42	0.07	31.8	0.04	19.70	3.8	11	4.09	12.6
K301161		8.06	0.02	0.10	2.52	120	210	0.62	0.12	28.9	0.10	28.6	7.5	22	7.17	24.4
K301162		0.19	0.36	0.33	6.23	616	300	0.60	0.29	0.51	0.21	156.0	3.1	237	3.90	35.2
K301163		7.89	<0.01	0.05	1.03	42	170	0.39	0.06	34.0	0.14	15.50	3.3	9	2.83	10.6
K301164		8.03	<0.01	0.02	0.75	26	240	0.29	0.05	34.5	0.09	14.10	2.5	7	2.41	7.5
K301165		8.24	<0.01	0.05	1.68	46	190	0.52	0.09	30.5	0.15	23.7	5.4	16	5.79	17.1
K301166		6.86	<0.01	0.02	0.07	<5	10	0.07	0.02	20.9	0.06	1.18	0.6	<1	0.26	2.3
K301167		8.32	<0.01	0.03	1.27	37	150	0.41	0.06	31.0	0.13	19.25	4.3	12	4.94	14.3
K301168		8.24	<0.01	0.06	3.82	74	270	1.09	0.18	21.5	0.25	54.4	11.8	36	14.95	37.3
K301169		7.95	<0.01	0.06	2.17	65	210	0.53	0.12	27.7	0.13	34.9	6.8	19	7.46	24.0
K301170		8.03	<0.01	0.03	1.60	49	210	0.43	0.07	31.0	0.10	25.7	5.6	15	5.03	16.6
K301171		8.10	<0.01	0.03	1.68	42	190	0.41	0.08	30.8	0.14	26.0	5.5	15	5.99	17.1
K301172		8.10	0.05	0.03	1.94	141	180	0.47	0.09	28.7	0.12	31.0	6.5	19	5.71	18.7
K301173		7.53	0.01	0.04	2.16	47	190	0.53	0.10	26.0	0.16	35.6	7.5	21	9.28	22.2
K301174		0.19	2.61	1.02	3.19	592	850	0.71	0.32	8.26	2.03	53.3	6.3	54	4.00	40.9
K301175		8.07	<0.01	0.02	1.60	42	290	0.42	0.08	29.4	0.14	28.4	5.2	14	7.41	15.4
K301176		8.14	<0.01	0.04	2.36	53	250	0.50	0.11	29.4	0.17	38.6	7.4	25	8.97	21.2
K301177		8.10	<0.01	0.03	2.56	54	280	0.57	0.12	26.2	0.17	40.5	8.5	25	11.70	24.7
K301178		8.02	<0.01	0.02	1.03	47	210	0.31	0.08	34.9	0.14	21.2	3.7	10	3.13	10.7
K301179		8.14	<0.01	<0.01	0.49	15	140	0.18	0.03	34.9	0.07	11.15	2.0	3	1.19	5.5
K301180		8.13	<0.01	0.01	0.58	21	120	0.19	0.03	34.2	0.07	12.10	2.3	5	2.03	6.3
K301181		6.86	<0.01	0.01	0.06	<5	20	<0.05	0.02	21.8	0.05	1.52	1.6	<1	0.17	2.1
K301182		8.15	<0.01	0.01	0.58	25	230	0.22	0.03	34.6	0.07	11.45	2.3	3	1.57	6.3
K301183		8.23	<0.01	0.04	1.87	36	250	0.44	0.09	21.5	0.13	29.5	6.1	16	8.98	17.3
K301184		7.88	<0.01	0.05	3.18	24	200	0.79	0.16	23.1	0.20	46.8	9.5	27	15.85	28.0
K301185		8.27	<0.01	0.03	2.29	74	180	0.53	0.12	26.3	0.16	34.4	6.7	20	9.16	20.7
K301186		7.78	<0.01	0.07	4.03	224	210	0.76	0.21	18.40	0.27	53.9	11.5	35	12.70	37.2
K301187		8.59	<0.01	0.06	3.23	119	210	0.88	0.16	22.7	0.23	47.8	9.6	29	12.25	30.8
K301188		8.54	<0.01	0.05	3.33	181	200	0.77	0.17	23.4	0.22	47.5	10.6	30	10.65	33.1
K301189		3.32	<0.01	0.04	2.95	144	200	0.71	0.15	24.9	0.21	43.8	9.2	27	9.20	29.6
K301190		8.44	<0.01	0.02	0.82	26	120	0.23	0.05	33.2	0.11	15.00	2.9	6	2.20	9.1
K301191		7.87	<0.01	0.01	1.11	49	180	0.27	0.06	33.5	0.10	18.40	3.6	9	3.57	11.0
K301192		8.11	<0.01	0.03	1.46	63	190	0.36	0.07	31.4	0.15	22.7	4.6	15	4.80	14.3
K301193		7.94	<0.01	0.05	2.72	76	190	0.64	0.14	26.0	0.23	38.6	8.0	24	7.92	24.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163810

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301158		0.37	0.98	0.08	0.2	0.28	0.006	0.15	3.3	2.2	0.55	344	0.25	0.01	0.5	1.6
K301159		0.85	3.48	0.09	1.1	0.34	0.014	0.61	9.1	6.2	0.62	233	0.81	0.02	1.8	7.1
K301160		0.77	3.48	0.11	0.6	0.62	0.014	0.55	9.7	4.8	0.41	290	0.75	0.01	1.6	7.2
K301161		1.35	6.83	0.11	1.2	2.48	0.024	1.12	14.6	8.5	0.61	401	1.77	0.02	3.3	14.7
K301162		6.70	22.5	0.15	4.5	9.08	0.050	1.35	68.7	20.9	0.13	40	7.02	0.37	10.3	18.0
K301163		0.67	2.68	0.08	0.5	0.38	0.009	0.47	7.5	4.1	0.57	271	0.61	0.01	1.4	5.5
K301164		0.53	2.15	0.09	0.4	0.14	0.008	0.34	6.6	3.6	0.54	157	0.57	0.01	1.1	4.5
K301165		1.07	4.47	0.11	0.8	0.29	0.015	0.77	11.6	7.8	0.88	366	1.17	0.02	2.2	9.8
K301166		0.46	0.23	0.11	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.50	209	0.07	0.01	0.2	1.5
K301167		0.94	3.60	0.12	0.6	0.32	0.016	0.58	9.2	6.0	0.83	254	0.93	0.02	1.7	8.2
K301168		2.36	9.94	0.11	1.9	0.42	0.034	1.69	22.6	15.4	1.21	512	1.88	0.03	5.1	22.4
K301169		1.53	5.58	0.13	1.1	0.45	0.027	0.96	16.0	9.2	0.86	436	1.01	0.02	3.4	11.2
K301170		1.20	4.01	0.12	0.9	0.95	0.020	0.71	10.8	6.9	0.57	354	0.53	0.02	2.7	8.1
K301171		1.22	4.22	0.13	0.9	0.71	0.020	0.76	11.1	6.9	0.59	331	0.55	0.02	2.7	8.1
K301172		1.59	4.82	0.13	0.9	2.02	0.025	0.85	14.0	7.0	1.03	602	0.73	0.02	3.0	10.2
K301173		1.62	5.51	0.13	1.1	1.13	0.028	0.94	16.3	9.8	0.78	357	0.65	0.03	3.3	11.9
K301174		2.17	7.55	0.14	1.8	4.66	0.032	0.99	29.1	45.5	2.56	270	18.10	0.03	6.9	49.9
K301175		1.14	4.00	0.10	0.8	0.59	0.019	0.73	12.7	7.6	0.68	291	0.50	0.02	2.6	7.8
K301176		1.55	5.92	0.13	1.2	1.20	0.025	1.06	17.6	10.6	0.80	360	0.69	0.03	3.9	13.5
K301177		1.70	6.48	0.13	1.2	0.97	0.030	1.16	19.2	12.0	0.82	277	0.60	0.02	3.8	14.3
K301178		0.79	2.63	0.08	0.5	0.49	0.014	0.45	9.8	5.3	0.77	450	0.40	0.02	1.6	4.3
K301179		0.54	1.36	0.09	0.2	0.27	0.006	0.21	5.0	2.3	0.66	472	0.20	0.01	1.0	1.9
K301180		0.54	1.54	0.09	0.3	0.17	0.007	0.25	5.4	2.8	0.60	593	0.20	0.01	1.2	3.0
K301181		0.49	0.30	0.19	<0.1	<0.01	<0.005	0.03	0.6	0.9	13.10	213	0.10	<0.01	0.4	2.7
K301182		0.71	1.47	0.11	0.3	0.25	0.007	0.24	5.2	2.4	0.58	230	0.20	0.01	1.1	3.3
K301183		1.18	4.74	0.12	0.9	0.64	0.021	0.83	14.1	6.6	0.60	291	0.63	0.02	2.9	9.9
K301184		2.17	7.98	0.16	1.5	0.41	0.038	1.39	23.0	13.1	1.32	611	1.42	0.03	4.8	16.4
K301185		1.57	5.60	0.13	1.1	1.63	0.026	0.99	16.2	7.9	0.89	540	0.96	0.02	3.5	11.5
K301186		2.47	10.30	0.17	1.9	4.61	0.044	1.75	26.8	11.1	1.19	485	1.94	0.03	5.9	21.2
K301187		2.25	8.07	0.17	1.5	2.26	0.034	1.40	22.7	10.5	1.38	657	1.41	0.03	4.9	17.8
K301188		2.21	8.38	0.16	1.6	4.37	0.037	1.45	22.9	11.3	1.33	538	2.02	0.03	4.9	18.5
K301189		1.94	7.16	0.15	1.4	4.07	0.030	1.30	21.0	9.9	1.08	515	1.65	0.03	4.3	15.6
K301190		0.72	2.08	0.09	0.4	0.31	0.010	0.37	6.7	2.8	0.62	369	0.62	0.01	1.5	4.4
K301191		0.81	2.76	0.11	0.5	0.49	0.013	0.51	8.5	3.8	0.70	323	0.65	0.01	1.9	5.7
K301192		0.94	3.61	0.12	0.7	1.07	0.015	0.66	10.6	5.2	0.86	353	1.13	0.02	2.3	8.8
K301193		1.59	6.48	0.15	1.3	2.14	0.030	1.19	18.3	9.0	0.94	254	1.68	0.02	3.9	14.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163810

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301158		380	1.9	7.2	<0.002	0.22	0.18	1.1	1	0.4	1990	0.05	<0.05	0.6	0.018	0.13
K301159		440	6.6	27.5	0.004	0.79	0.54	3.3	1	0.5	1935	0.14	<0.05	2.3	0.067	0.92
K301160		420	10.0	25.2	0.003	0.72	0.72	3.4	1	0.7	1775	0.12	<0.05	2.0	0.060	0.84
K301161		410	17.4	52.9	0.005	1.42	2.25	6.0	2	0.9	1555	0.24	<0.05	3.9	0.120	2.17
K301162		920	18.9	50.2	0.004	3.08	123.0	17.3	1	3.3	503	0.72	0.18	9.5	0.544	8.61
K301163		480	4.9	21.1	0.002	0.59	0.87	2.4	1	0.5	1810	0.10	<0.05	1.7	0.051	0.58
K301164		1150	3.0	16.1	<0.002	0.46	0.26	2.4	1	0.4	2400	0.07	<0.05	1.3	0.038	0.27
K301165		460	6.8	36.5	0.005	0.95	0.40	4.3	1	0.6	1820	0.17	<0.05	2.7	0.086	0.45
K301166		300	1.3	1.6	<0.002	0.01	0.07	0.3	<1	0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.02
K301167		330	4.8	29.0	0.003	0.76	0.38	3.5	1	0.6	1815	0.12	<0.05	2.1	0.067	0.34
K301168		720	15.4	87.4	0.008	1.96	0.80	9.5	2	1.2	1400	0.39	<0.05	6.1	0.208	0.93
K301169		270	12.1	48.5	0.004	1.18	0.68	5.8	2	0.8	1670	0.25	0.05	4.0	0.119	0.52
K301170		760	8.5	34.9	0.002	0.96	0.49	4.5	2	0.6	1905	0.19	<0.05	2.9	0.101	0.37
K301171		620	7.1	36.9	0.002	0.96	0.34	4.3	2	0.5	2080	0.19	<0.05	3.0	0.102	0.94
K301172		180	6.1	41.0	0.003	1.14	0.80	6.3	2	0.6	1675	0.21	0.05	3.3	0.116	1.88
K301173		970	6.7	48.5	0.003	1.25	0.34	6.8	2	0.7	1690	0.25	0.05	3.8	0.135	1.05
K301174		880	37.3	49.9	0.023	1.55	107.5	5.1	4	2.5	75.9	0.49	0.21	7.0	0.171	4.21
K301175		360	5.4	37.0	0.003	0.91	0.47	4.4	2	0.5	2050	0.18	<0.05	3.0	0.091	0.61
K301176		670	7.4	52.2	0.003	1.27	0.47	6.0	2	0.8	1910	0.28	<0.05	4.3	0.138	0.51
K301177		240	7.9	56.6	0.003	1.45	0.40	7.3	2	0.8	1980	0.28	0.05	4.5	0.162	0.50
K301178		400	3.7	21.5	0.002	0.63	0.26	2.7	2	0.4	2350	0.12	0.05	2.1	0.057	0.31
K301179		320	1.9	10.3	<0.002	0.29	0.14	1.5	2	0.2	1800	0.05	<0.05	1.0	0.026	0.14
K301180		160	2.2	12.2	<0.002	0.33	0.15	1.6	2	0.2	1650	0.06	<0.05	1.1	0.032	0.15
K301181		180	1.2	1.3	<0.002	0.02	<0.05	0.3	1	<0.2	56.6	<0.05	<0.05	<0.2	<0.005	<0.02
K301182		310	2.1	11.3	0.002	0.42	0.20	2.0	2	0.3	2360	0.07	<0.05	1.1	0.031	0.22
K301183		160	7.4	40.3	0.003	0.98	0.48	4.7	2	0.6	1435	0.21	<0.05	3.3	0.106	0.70
K301184		250	10.3	68.1	0.006	1.61	0.59	8.2	2	1.1	1410	0.36	0.07	5.8	0.171	1.74
K301185		250	7.6	46.2	0.004	1.18	0.42	5.9	2	0.8	1785	0.26	0.05	4.1	0.124	1.17
K301186		180	13.8	83.8	0.008	2.14	1.07	9.1	2	1.5	1030	0.48	0.08	7.2	0.221	2.83
K301187		300	10.9	67.1	0.006	1.72	0.60	8.4	2	1.1	1260	0.37	0.07	6.0	0.173	2.53
K301188		280	11.1	66.2	0.009	1.83	0.69	8.4	2	1.1	1450	0.38	0.07	5.9	0.178	2.96
K301189		280	9.7	59.2	0.007	1.60	0.59	7.3	2	1.1	1565	0.34	0.05	5.3	0.159	2.55
K301190		400	3.2	17.1	0.003	0.47	0.17	2.3	2	0.4	2000	0.09	<0.05	1.6	0.044	0.59
K301191		370	4.0	23.1	0.004	0.67	0.21	2.7	2	0.4	1985	0.12	<0.05	2.0	0.056	1.34
K301192		570	5.0	30.6	0.004	0.89	0.26	3.5	2	0.6	1730	0.16	0.05	2.6	0.074	2.35
K301193		200	8.7	55.5	0.006	1.46	0.41	6.4	2	0.8	1615	0.29	0.05	4.9	0.141	3.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163810

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301158		1.7	7	0.1	8.9	4	7.9
K301159		2.7	21	0.3	12.4	20	21.4
K301160		2.8	20	0.4	13.3	5	19.2
K301161		3.5	41	1.6	15.7	12	37.0
K301162		8.3	174	24.8	16.4	45	181.5
K301163		2.6	17	0.5	10.4	16	16.8
K301164		3.1	13	0.2	14.4	10	16.0
K301165		3.0	30	0.4	14.8	24	27.5
K301166		0.8	2	0.1	0.8	13	<0.5
K301167		2.5	23	0.4	11.6	18	21.4
K301168		3.8	67	0.9	22.6	53	61.4
K301169		3.0	38	0.5	19.9	26	38.8
K301170		2.7	29	0.5	15.9	18	32.0
K301171		2.7	30	0.6	15.0	22	30.6
K301172		2.3	37	1.3	20.8	26	31.9
K301173		2.9	42	0.7	22.2	30	40.0
K301174		9.4	229	26.8	21.1	209	64.0
K301175		2.8	27	0.4	17.6	22	27.1
K301176		3.1	40	0.5	21.8	34	42.2
K301177		3.0	51	0.5	22.1	38	39.7
K301178		2.5	19	0.3	15.0	16	18.3
K301179		1.6	9	0.1	9.3	8	9.8
K301180		1.5	11	0.1	9.4	8	10.3
K301181		0.6	3	0.1	0.9	17	0.5
K301182		1.6	11	0.2	12.2	8	11.2
K301183		2.3	33	0.4	15.6	27	31.0
K301184		3.2	55	0.9	24.1	46	52.2
K301185		2.7	39	1.3	19.0	32	37.6
K301186		3.5	69	3.4	25.4	62	63.6
K301187		3.4	56	2.5	25.3	48	52.8
K301188		3.8	59	4.2	23.6	47	53.1
K301189		3.7	53	3.6	22.2	43	46.7
K301190		2.3	15	0.3	11.7	12	15.7
K301191		2.5	19	0.3	10.8	15	19.3
K301192		2.8	25	0.5	11.5	27	24.8
K301193		3.6	46	0.9	18.3	39	42.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163810

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE WH11167455

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 122 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167455

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299365		11.18	0.02	0.16	2.83	761	150	0.71	0.06	21.0	0.11	40.0	4.9	36	11.85	18.5
K299366		0.20	2.67	1.17	3.24	597	900	0.65	0.28	8.58	2.20	51.2	6.9	55	3.90	40.5
K299367		11.63	<0.01	0.19	3.03	418	340	0.71	0.07	11.50	0.05	40.4	4.3	32	10.85	24.0
K299368		11.18	0.04	0.15	2.70	624	290	0.83	0.08	13.25	0.12	39.3	4.3	28	10.25	17.9
K299369		11.53	0.01	0.06	0.82	252	120	0.31	0.04	30.7	0.09	13.40	1.7	8	2.63	6.8
K299370		9.50	<0.01	0.08	0.94	375	1350	0.39	0.05	30.4	0.10	12.30	2.2	15	3.49	7.5
K299371		11.55	<0.01	0.19	4.30	585	310	1.61	0.14	11.85	0.06	51.5	7.1	43	23.5	29.5
K299372		11.45	<0.01	0.09	2.90	341	230	1.00	0.08	21.6	0.06	35.8	4.9	29	13.55	14.9
K299373		4.30	<0.01	0.09	3.03	269	290	1.05	0.08	21.3	0.07	38.4	5.0	31	14.50	15.7
K299374		11.83	<0.01	0.09	2.69	230	160	0.91	0.09	20.8	0.03	31.4	4.1	24	11.45	13.8
K299375		11.40	<0.01	0.06	2.72	165	150	0.85	0.07	24.4	0.09	31.9	4.6	25	17.90	17.9
K299376		11.08	<0.01	0.04	1.55	91	680	0.41	0.05	27.8	0.06	19.00	2.4	14	7.02	7.8
K299377		11.85	<0.01	0.03	1.23	135	360	0.28	0.04	30.1	0.14	17.00	2.0	11	5.44	8.2
K299378		12.67	<0.01	0.03	2.37	79	720	0.73	0.06	25.0	0.04	29.3	4.1	20	12.85	14.8
K299379		11.36	<0.01	0.05	2.55	127	960	0.74	0.08	24.5	0.06	32.3	4.2	24	18.10	16.7
K299380		6.91	<0.01	0.02	0.08	<5	30	0.08	0.04	22.0	0.07	1.50	0.7	<1	0.37	1.9
K299381		11.22	<0.01	0.07	3.58	289	1000	1.03	0.11	13.80	0.05	44.6	5.5	34	22.4	19.6
K299382		11.19	0.01	0.10	4.78	1270	510	1.55	0.12	10.60	0.05	63.9	8.4	49	29.5	35.8
K299383		10.66	<0.01	0.06	2.31	352	250	0.72	0.07	23.4	0.06	29.3	3.6	22	13.50	14.1
K299384		10.80	0.01	0.04	2.11	370	220	0.75	0.07	25.7	0.09	24.9	3.3	18	8.04	15.8
K299385		13.44	<0.01	0.05	3.30	457	430	1.15	0.10	19.20	0.07	37.9	5.0	31	16.50	22.9
K299386		10.37	<0.01	0.08	3.05	242	160	0.94	0.09	17.00	0.07	41.9	4.8	27	12.55	13.2
K299387		11.10	0.01	0.09	3.21	409	190	0.96	0.09	13.10	0.07	41.7	4.8	30	11.90	14.5
K299388		0.21	7.85	0.48	3.56	987	160	0.90	0.69	11.10	4.27	49.5	5.4	92	7.70	36.3
K299389		11.38	<0.01	0.06	3.85	63	190	1.24	0.11	15.30	0.16	46.0	5.9	39	21.3	19.7
K299390		11.67	<0.01	0.18	1.47	324	370	0.52	0.05	30.3	0.22	21.6	2.5	13	8.37	8.9
K299391		6.89	<0.01	0.03	0.06	<5	20	<0.05	0.03	21.4	0.06	1.29	0.6	<1	0.16	2.4
K299392		11.07	<0.01	0.18	0.80	9	110	0.21	0.05	33.5	0.32	12.35	1.6	8	3.98	6.6
K299393		11.73	<0.01	0.12	2.43	68	1020	0.81	0.07	25.1	0.26	31.3	4.5	20	15.45	14.0
K299394		12.42	<0.01	0.10	3.71	148	200	1.24	0.10	19.75	0.03	44.5	7.3	29	25.0	17.7
K299395		10.67	<0.01	1.14	2.99	322	250	0.94	0.09	21.0	0.06	38.6	4.9	26	14.90	17.3
K299396		11.15	<0.01	0.12	3.64	88	570	0.96	0.09	10.10	0.05	49.9	4.1	36	14.05	19.3
K299397		9.45	<0.01	0.11	3.60	270	730	1.03	0.10	13.15	0.08	50.9	5.8	36	13.85	16.3
K299398		12.62	<0.01	0.04	1.32	78	920	0.52	0.05	28.3	0.17	19.35	2.1	12	4.13	9.6
K299399		10.52	<0.01	0.06	2.52	92	610	0.84	0.07	18.20	0.10	32.9	4.0	24	6.65	15.3
K299400		11.41	<0.01	0.08	3.77	111	370	1.23	0.09	10.55	0.05	46.5	4.2	38	13.00	16.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167455

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299365		1.18	6.29	0.10	1.6	0.40	0.022	1.68	22.5	12.5	2.75	171	0.89	0.01	4.7	11.4
K299366		2.21	7.77	0.13	1.7	4.84	0.027	1.04	32.3	33.2	2.66	276	18.85	0.01	6.9	47.8
K299367		1.40	7.35	0.11	2.7	0.21	0.023	1.93	18.4	13.8	4.85	210	0.68	0.04	5.2	12.6
K299368		1.14	6.93	0.13	2.0	0.24	0.017	1.65	18.4	16.6	3.67	181	0.97	0.03	4.9	12.1
K299369		0.44	2.06	0.11	0.5	0.09	0.008	0.48	7.0	4.9	1.07	115	0.33	0.01	1.3	4.8
K299370		0.62	2.38	0.11	0.4	0.09	0.007	0.54	6.7	5.6	0.81	130	1.59	0.01	1.4	5.8
K299371		2.04	11.40	0.14	2.1	0.19	0.035	2.60	22.9	32.3	3.05	192	0.89	0.03	6.7	21.9
K299372		1.31	7.48	0.13	1.4	0.13	0.021	1.69	17.6	21.5	2.40	163	0.83	0.02	4.3	14.2
K299373		1.35	7.74	0.12	1.5	0.14	0.021	1.77	17.4	23.9	2.51	171	0.76	0.03	4.5	14.5
K299374		1.05	6.65	0.14	1.5	0.08	0.023	1.57	15.0	18.6	2.41	155	0.79	0.02	3.9	11.3
K299375		1.09	6.77	0.14	1.0	0.09	0.022	1.46	15.8	34.2	1.67	144	0.44	0.07	3.8	13.4
K299376		0.69	3.71	0.11	0.9	0.07	0.011	0.80	9.3	20.5	1.55	127	0.40	0.09	2.1	7.0
K299377		0.51	3.03	0.12	0.7	0.05	0.009	0.64	8.5	24.6	1.05	116	0.29	0.05	1.8	5.3
K299378		1.06	6.10	0.12	1.2	0.08	0.020	1.09	14.1	40.9	1.72	151	0.39	0.16	3.5	11.8
K299379		1.03	6.36	0.13	1.4	0.06	0.017	1.35	15.7	47.7	1.92	150	0.39	0.11	4.1	12.0
K299380		0.48	0.27	0.10	<0.1	<0.01	0.006	0.04	0.7	1.4	13.45	223	0.09	<0.01	0.3	1.7
K299381		1.48	9.27	0.14	2.4	0.07	0.023	2.02	19.9	70.7	4.59	225	0.78	0.08	5.6	16.4
K299382		1.98	12.90	0.17	2.6	0.12	0.036	2.69	27.6	129.5	3.58	214	0.86	0.04	7.9	25.1
K299383		1.01	5.92	0.14	1.1	0.05	0.019	1.22	14.8	62.7	1.79	163	0.33	0.03	3.5	10.6
K299384		0.89	5.55	0.14	0.9	0.06	0.016	1.14	12.7	28.5	2.01	156	0.21	0.02	3.1	9.7
K299385		1.36	8.19	0.19	1.8	0.10	0.022	1.92	18.1	31.2	2.64	186	0.53	0.04	4.9	14.4
K299386		1.35	7.83	0.15	2.0	0.12	0.024	1.78	18.4	24.9	4.16	199	1.00	0.03	4.9	13.5
K299387		1.44	7.84	0.14	2.4	0.09	0.021	1.95	18.6	26.4	5.02	232	0.90	0.03	4.9	13.8
K299388		1.32	7.71	0.19	2.2	6.06	0.067	1.47	27.9	10.0	0.70	270	10.90	0.01	7.5	68.3
K299389		1.47	9.85	0.16	2.2	0.10	0.027	2.35	20.2	33.3	2.76	193	0.40	0.03	5.8	17.3
K299390		0.66	3.97	0.10	0.5	0.10	0.009	0.81	10.5	13.6	1.12	184	0.55	0.02	2.1	7.0
K299391		0.48	0.20	0.12	<0.1	<0.01	<0.005	0.02	0.6	1.0	13.10	218	0.06	<0.01	0.2	2.0
K299392		0.42	2.11	0.13	0.3	0.09	0.012	0.48	6.9	6.5	0.80	157	0.66	0.01	1.2	4.5
K299393		0.96	6.04	0.17	1.3	0.11	0.019	1.49	15.1	18.8	1.66	213	0.63	0.03	3.6	12.9
K299394		1.41	9.67	0.17	1.4	0.10	0.023	2.22	21.0	26.6	1.92	200	0.53	0.03	4.8	19.3
K299395		1.25	7.55	0.17	1.4	0.09	0.025	1.74	17.3	18.8	2.65	236	0.81	0.02	3.9	14.2
K299396		1.51	8.59	0.14	3.2	0.07	0.024	2.29	21.4	20.5	5.26	293	0.62	0.04	6.0	12.9
K299397		1.41	9.40	0.15	2.7	0.09	0.024	2.24	22.0	20.0	3.85	233	0.69	0.04	6.2	15.7
K299398		0.59	3.48	0.12	0.8	0.12	0.014	0.78	9.9	6.5	1.42	146	0.14	0.01	2.1	5.7
K299399		1.12	6.31	0.15	1.9	0.18	0.017	1.44	15.8	10.1	4.14	201	0.42	0.02	4.0	10.1
K299400		1.49	9.77	0.15	3.4	0.37	0.023	2.23	21.1	19.9	5.44	237	0.64	0.03	6.2	12.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167455

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299365		720	12.9	63.5	<0.002	0.37	9.37	4.3	3	1.1	647	0.37	<0.05	7.0	0.134	0.75
K299366		920	39.3	55.4	0.027	1.61	111.0	5.3	4	2.6	72.0	0.46	0.23	7.1	0.178	4.24
K299367		510	13.0	66.7	<0.002	0.17	3.46	4.4	2	1.7	302	0.41	<0.05	7.0	0.149	0.56
K299368		460	12.4	63.9	<0.002	0.23	3.24	4.4	3	1.5	382	0.35	<0.05	6.4	0.126	0.77
K299369		140	7.0	17.5	<0.002	0.12	0.99	1.4	1	0.4	1355	0.10	<0.05	1.9	0.037	0.31
K299370		140	7.4	19.1	0.002	0.22	1.12	1.5	1	0.6	1460	0.12	<0.05	2.0	0.041	0.35
K299371		490	16.4	102.5	<0.002	0.73	2.47	7.2	2	1.8	494	0.50	<0.05	9.2	0.196	0.65
K299372		350	8.9	65.9	<0.002	0.14	1.65	4.8	1	1.1	862	0.33	<0.05	6.1	0.127	0.40
K299373		380	9.0	69.3	<0.002	0.17	1.46	5.0	1	1.1	843	0.34	<0.05	6.4	0.133	0.42
K299374		360	7.1	62.5	<0.002	0.11	1.23	4.3	2	1.0	749	0.31	<0.05	5.7	0.117	0.39
K299375		440	7.2	68.8	<0.002	0.15	0.75	4.4	1	1.0	930	0.29	<0.05	5.3	0.110	0.37
K299376		200	6.2	37.7	<0.002	0.11	0.53	2.4	1	0.6	1665	0.16	<0.05	3.0	0.062	0.19
K299377		200	5.5	29.5	<0.002	0.06	0.64	1.9	1	0.5	1800	0.13	<0.05	2.5	0.049	0.18
K299378		270	7.5	51.9	<0.002	0.10	0.58	4.0	1	0.9	1180	0.28	<0.05	4.6	0.103	0.29
K299379		390	8.3	64.5	<0.002	0.13	1.00	4.1	1	1.0	1000	0.29	<0.05	5.5	0.114	0.31
K299380		200	1.5	2.0	<0.002	0.02	0.05	0.3	<1	0.2	50.8	<0.05	<0.05	<0.2	<0.005	<0.02
K299381		390	9.9	93.5	<0.002	0.12	1.45	5.7	1	1.4	478	0.44	<0.05	8.0	0.164	0.48
K299382		680	11.5	133.0	<0.002	0.20	3.53	8.2	3	2.0	481	0.61	<0.05	10.3	0.220	1.33
K299383		360	7.3	54.8	<0.002	0.07	1.05	3.8	<1	1.0	754	0.28	<0.05	5.1	0.102	1.20
K299384		320	6.3	47.8	<0.002	0.05	1.04	3.5	1	0.9	888	0.25	<0.05	4.2	0.089	0.90
K299385		380	8.5	78.1	<0.002	0.12	1.12	5.2	2	1.5	814	0.37	<0.05	6.9	0.151	1.19
K299386		370	9.3	74.3	0.002	0.19	0.75	4.9	1	1.2	597	0.40	<0.05	6.7	0.139	0.84
K299387		360	9.3	72.2	<0.002	0.14	1.03	4.9	1	1.2	594	0.40	<0.05	7.2	0.151	1.36
K299388		4230	5.1	120.0	0.044	1.38	19.90	6.4	7	2.0	155.0	0.53	0.68	6.5	0.214	14.35
K299389		600	9.0	92.9	<0.002	0.17	0.49	6.2	1	1.4	796	0.51	<0.05	8.6	0.178	0.73
K299390		260	9.8	32.5	<0.002	0.13	1.05	2.5	1	0.6	1625	0.15	<0.05	2.9	0.057	0.55
K299391		190	1.6	1.0	<0.002	0.01	0.05	0.2	<1	0.2	50.4	<0.05	<0.05	<0.2	<0.005	<0.02
K299392		200	9.3	18.0	<0.002	0.10	0.21	1.4	1	0.5	1335	0.09	<0.05	1.6	0.034	0.21
K299393		390	9.6	57.3	0.002	0.19	0.46	4.0	1	0.9	805	0.25	<0.05	5.0	0.099	0.42
K299394		430	7.1	88.4	<0.002	0.16	0.71	5.9	1	1.3	623	0.39	<0.05	6.8	0.143	0.68
K299395		380	6.0	64.1	0.002	0.13	1.09	4.6	1	1.1	619	0.31	<0.05	5.7	0.116	1.03
K299396		590	9.9	82.6	<0.002	0.15	0.54	5.5	1	1.3	219	0.48	<0.05	8.8	0.180	0.55
K299397		580	9.3	87.2	0.002	0.17	1.05	6.0	2	1.4	322	0.46	0.05	8.3	0.178	0.75
K299398		240	4.3	28.9	<0.002	0.07	0.44	2.3	1	0.6	657	0.16	<0.05	2.8	0.060	0.24
K299399		400	6.2	49.9	<0.002	0.10	0.78	4.0	1	1.0	409	0.30	<0.05	5.8	0.118	0.55
K299400		520	8.0	86.2	<0.002	0.13	0.74	6.1	2	1.4	219	0.50	<0.05	9.1	0.190	1.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167455

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299365		8.5	47	0.9	12.1	38	49.6
K299366		8.2	238	31.5	19.8	213	55.4
K299367		5.1	40	0.7	12.3	22	94.0
K299368		6.3	40	0.8	11.0	27	71.3
K299369		12.7	13	0.3	4.2	18	16.2
K299370		13.2	17	2.7	4.3	19	14.2
K299371		7.6	67	1.0	13.9	38	76.5
K299372		10.2	46	0.6	9.9	37	46.4
K299373		10.1	47	0.6	10.5	43	50.3
K299374		9.7	43	0.5	9.5	29	50.8
K299375		11.2	42	0.5	9.0	33	36.5
K299376		13.0	23	0.3	5.8	23	29.9
K299377		12.2	19	0.2	5.5	20	24.7
K299378		12.1	33	0.4	8.7	34	43.5
K299379		11.5	36	0.5	9.7	35	47.2
K299380		0.6	3	0.1	0.9	19	0.6
K299381		7.6	51	0.7	12.3	51	85.1
K299382		8.1	77	0.9	17.1	61	97.2
K299383		10.1	35	0.5	9.1	38	39.7
K299384		8.8	27	0.4	8.0	32	31.9
K299385		8.4	50	0.7	11.1	41	59.0
K299386		8.9	46	0.6	11.3	35	72.0
K299387		8.6	54	0.7	11.6	32	82.3
K299388		8.2	379	37.0	29.2	275	82.2
K299389		5.9	60	0.7	13.6	33	78.6
K299390		13.4	29	0.3	5.9	53	20.8
K299391		0.5	2	0.1	0.8	21	<0.5
K299392		14.8	26	0.1	4.0	58	12.4
K299393		11.9	39	0.4	8.8	60	45.5
K299394		9.8	50	0.6	10.2	31	47.4
K299395		9.6	41	5.6	10.2	27	47.7
K299396		5.3	56	1.0	14.5	31	106.0
K299397		5.7	55	1.0	14.8	28	99.9
K299398		7.0	19	0.5	6.5	51	29.5
K299399		6.8	40	0.8	10.7	20	71.2
K299400		5.3	56	1.4	14.5	19	115.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167455

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

CERTIFICATE WH11165356

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 123 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165356

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300545		5.16	0.01	0.11	4.87	47.8	90	1.48	0.19	4.31	0.29	51.5	12.1	36	13.45	45.3
K300546		5.07	<0.01	0.11	6.06	65.8	100	1.87	0.26	4.58	0.42	60.8	15.5	49	15.65	59.9
K300547		6.67	0.01	0.08	8.92	6.6	120	3.15	0.40	0.99	0.14	92.2	26.5	82	27.1	121.0
K300548		7.93	0.01	0.08	7.03	15.7	180	2.22	0.31	3.29	0.24	80.1	18.0	59	18.00	80.8
K300549		0.20	0.34	0.34	6.10	590	510	0.62	0.29	0.45	0.18	146.0	2.9	235	3.32	30.2
K300550		5.06	0.01	0.10	6.62	18.4	150	1.74	0.30	3.95	0.39	68.9	15.7	51	14.45	43.0
K300551		4.51	<0.01	0.10	8.38	10.7	230	2.74	0.38	0.71	0.16	85.3	25.9	82	24.9	129.5
K300552		8.66	<0.01	0.14	6.87	15.5	490	2.02	0.33	0.99	0.24	66.2	22.9	67	17.35	97.0
K300553		3.93	<0.01	0.08	6.61	23.2	960	1.77	0.32	1.22	0.22	70.4	21.6	61	16.20	87.2
K300554		9.34	<0.01	0.10	7.68	18.4	390	1.81	0.29	1.99	0.33	62.4	33.5	76	17.75	151.0
K300555		9.07	<0.01	0.08	7.23	11.0	270	1.23	0.16	3.39	0.31	43.8	34.6	73	13.00	177.0
K300556		8.00	<0.01	0.09	7.25	25.5	170	1.56	0.18	2.74	0.30	51.8	43.0	76	17.35	183.0
K300557		9.95	0.06	0.08	6.96	435	1130	1.38	0.18	3.66	0.26	51.5	33.8	71	18.15	160.5
K300558		8.73	<0.01	0.05	6.32	13.4	480	1.21	0.17	6.03	0.25	47.7	27.7	57	10.60	133.5
K300559		9.79	<0.01	0.07	6.47	5.3	260	1.27	0.17	5.80	0.24	46.6	28.4	60	12.25	135.5
K300560		9.23	<0.01	0.08	6.59	8.9	230	1.31	0.18	4.91	0.28	48.4	31.4	64	17.50	155.0
K300561		8.71	<0.01	0.09	6.60	8.5	220	1.20	0.18	4.33	0.24	48.6	31.7	67	11.80	151.5
K300562		0.22	2.70	1.04	3.18	586	860	0.80	0.28	7.95	2.09	46.7	6.5	52	3.57	40.0
K300563		9.69	0.01	0.11	6.95	6.4	200	1.42	0.19	4.06	0.26	51.4	33.4	72	10.95	159.0
K300564		9.34	<0.01	0.10	7.22	16.7	550	1.44	0.21	3.49	0.27	48.0	31.9	75	15.55	169.0
K300565		8.37	<0.01	0.10	7.55	36.9	130	2.20	0.32	3.09	0.42	76.8	24.1	64	19.25	97.6
K300566		6.58	<0.01	0.15	5.05	34.6	130	1.41	0.20	6.38	0.15	62.3	11.2	34	12.25	30.0
K300567		9.47	<0.01	0.10	4.66	36.0	260	1.08	0.18	6.65	0.17	50.6	10.7	31	10.60	28.9
K300568		10.76	<0.01	0.09	6.36	46.7	150	1.20	0.23	5.00	0.29	58.6	24.2	56	13.00	91.0
K300569		11.50	<0.01	0.08	7.05	43.3	110	1.39	0.23	3.08	0.25	52.7	32.8	77	15.75	140.5
K300570		5.07	<0.01	0.08	6.79	37.2	90	1.32	0.22	3.06	0.26	51.7	33.3	75	15.25	139.5
K300571		11.82	<0.01	0.08	7.50	22.5	180	1.55	0.25	3.00	0.28	61.1	32.6	79	19.00	147.5
K300572		11.71	<0.01	0.08	6.75	23.3	880	1.45	0.20	4.02	0.40	53.4	33.1	68	19.40	144.5
K300573		12.01	<0.01	0.08	6.69	23.5	230	1.31	0.19	4.34	0.37	62.7	33.2	66	17.25	151.5
K300574		11.29	<0.01	0.09	6.82	27.6	170	1.29	0.20	4.18	0.28	50.1	32.7	69	17.65	150.5
K300575		6.88	<0.01	0.02	0.07	<5	20	0.05	0.02	20.2	0.06	1.24	0.7	<1	0.24	2.1
K300576		11.67	<0.01	0.07	6.38	17.7	440	1.26	0.18	5.44	0.28	46.0	28.6	63	17.60	134.5
K300577		11.70	<0.01	0.17	7.02	18.7	180	1.70	0.22	3.26	0.51	59.6	32.7	68	23.9	128.0
K300578		12.41	<0.01	0.09	7.13	11.5	210	1.44	0.19	4.00	0.28	46.5	34.3	72	21.5	177.0
K300579		6.90	<0.01	0.03	0.07	<5	20	0.05	0.05	20.9	0.06	1.31	0.7	<1	0.22	5.5
K300580		12.60	<0.01	0.09	7.20	14.2	250	1.61	0.21	3.74	0.41	50.8	40.4	72	29.1	166.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165356

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300545		5.12	12.40	0.17	2.6	0.46	0.053	2.00	22.5	38.1	1.95	753	4.43	0.04	8.9	23.7
K300546		5.95	15.85	0.17	3.4	0.74	0.077	2.55	26.9	45.2	2.36	830	2.71	0.04	12.4	29.9
K300547		6.86	24.8	0.21	5.3	0.10	0.138	3.57	40.2	53.2	1.58	230	0.49	0.10	23.9	51.0
K300548		5.62	19.70	0.19	4.5	0.10	0.095	2.88	35.5	49.0	1.85	555	0.77	0.08	16.6	35.8
K300549		6.58	19.70	0.20	4.5	9.76	0.051	1.32	74.1	18.0	0.12	37	6.45	0.38	9.5	16.2
K300550		4.78	17.45	0.19	3.5	0.11	0.066	3.02	31.0	36.9	2.01	747	1.15	0.05	11.6	26.1
K300551		7.13	24.1	0.24	5.8	0.05	0.127	3.77	41.3	60.3	1.11	256	0.53	0.09	22.8	52.0
K300552		6.31	18.95	0.18	4.3	0.05	0.099	2.79	30.7	36.9	1.24	308	0.51	0.29	17.3	44.1
K300553		5.98	18.45	0.17	3.8	0.04	0.105	2.55	31.2	32.5	1.42	397	0.57	0.25	16.1	39.6
K300554		7.36	22.1	0.19	4.5	0.14	0.113	2.37	73.3	50.2	2.52	705	0.51	0.55	15.7	56.7
K300555		8.03	19.05	0.16	3.7	0.14	0.092	1.47	21.1	67.1	3.65	950	0.37	0.67	10.5	60.2
K300556		8.07	19.75	0.18	3.4	0.17	0.097	1.78	24.6	109.0	2.70	1120	0.53	0.50	10.8	64.7
K300557		7.35	19.20	0.14	3.5	0.74	0.085	2.31	24.9	121.0	2.44	1080	0.47	0.24	10.9	56.2
K300558		6.09	16.90	0.13	3.0	0.04	0.083	1.54	22.4	53.6	3.19	970	0.28	0.71	10.4	47.0
K300559		6.34	17.05	0.16	3.2	0.04	0.074	1.35	22.7	45.5	3.60	941	0.31	0.87	9.7	49.1
K300560		6.71	18.35	0.16	3.1	0.07	0.090	1.48	23.3	91.3	3.40	894	0.28	0.83	10.8	54.6
K300561		7.00	18.30	0.15	3.4	0.05	0.088	1.23	22.8	54.9	3.28	937	0.34	0.89	10.6	52.8
K300562		2.07	7.19	0.16	1.8	4.13	0.022	0.98	29.4	36.0	2.51	269	17.95	0.04	6.5	50.0
K300563		7.27	18.95	0.15	3.9	0.06	0.090	1.29	24.2	53.0	3.12	919	0.33	1.03	11.3	55.7
K300564		7.77	19.65	0.17	3.4	0.14	0.106	1.56	22.0	74.5	2.97	909	2.95	0.85	12.2	54.1
K300565		5.70	20.2	0.20	4.2	0.10	0.097	2.46	40.0	51.9	2.46	897	10.05	0.89	17.8	41.1
K300566		3.81	13.25	0.16	2.9	0.40	0.053	1.94	30.8	14.2	2.70	1420	16.60	0.89	8.8	18.7
K300567		3.97	11.35	0.15	2.6	0.41	0.049	1.80	24.5	18.2	2.52	1520	14.85	0.75	7.5	17.2
K300568		6.42	17.00	0.14	3.2	0.20	0.078	1.63	28.9	51.6	2.84	1540	7.93	0.95	11.6	39.2
K300569		8.29	19.70	0.17	3.7	0.05	0.102	1.23	29.4	79.4	3.20	1120	0.50	0.95	13.7	55.3
K300570		8.05	18.80	0.17	3.7	0.05	0.094	1.15	25.8	71.7	3.11	1100	0.48	0.92	13.0	54.7
K300571		8.04	20.4	0.17	4.9	0.06	0.098	1.55	27.9	66.4	3.16	1020	0.45	0.96	15.3	53.8
K300572		7.31	19.20	0.16	3.6	0.10	0.098	1.51	26.6	156.5	3.09	1020	0.51	0.65	14.0	55.3
K300573		6.97	18.35	0.15	3.7	0.09	0.088	1.35	26.7	72.7	3.23	1170	0.47	0.85	12.1	53.0
K300574		7.40	18.20	0.16	4.0	0.07	0.087	1.31	23.2	77.9	3.30	1040	0.35	0.79	11.9	52.9
K300575		0.48	0.22	0.12	<0.1	<0.01	<0.005	0.02	0.6	1.3	12.60	208	0.06	0.01	0.2	1.6
K300576		6.83	17.10	0.16	3.4	0.04	0.082	1.41	22.0	93.6	3.23	1020	0.30	0.61	10.9	48.4
K300577		6.97	20.3	0.16	4.0	0.05	0.101	1.81	29.4	85.7	3.28	805	0.58	0.59	14.6	52.2
K300578		8.07	19.70	0.14	3.6	0.04	0.093	1.56	22.8	99.4	3.73	949	0.32	0.54	11.4	59.6
K300579		0.49	0.19	0.11	<0.1	<0.01	0.005	0.03	0.7	1.1	13.05	213	0.16	<0.01	0.2	1.6
K300580		7.33	21.7	0.24	3.5	<0.1	0.092	1.93	22.5	85.2	3.37	866	0.43	0.57	12.8	64.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165356

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300545		420	27.5	101.0	0.002	0.08	1.82	11.0	1	1.8	32.5	0.66	0.14	7.7	0.331	1.08
K300546		660	28.3	128.5	0.003	0.08	3.22	14.6	1	2.2	44.4	0.89	0.17	9.5	0.433	2.00
K300547		680	16.0	189.5	<0.002	0.10	0.55	24.5	2	3.4	30.2	1.59	0.48	12.3	0.748	1.43
K300548		570	17.4	159.5	<0.002	0.07	0.55	18.2	2	3.0	37.4	1.18	0.34	11.2	0.540	1.21
K300549		900	17.2	48.0	0.003	3.06	110.0	15.3	1	3.0	514	0.73	0.13	9.9	0.549	8.30
K300550		600	23.4	146.5	0.002	0.15	0.73	13.9	1	2.6	41.1	0.88	0.13	11.2	0.429	1.21
K300551		710	15.8	216	<0.002	0.02	0.55	25.8	2	3.2	64.3	1.52	0.47	11.8	0.788	1.63
K300552		580	16.1	151.5	<0.002	0.03	0.48	19.4	2	2.6	62.2	1.20	0.37	9.6	0.632	1.29
K300553		540	12.7	137.0	<0.002	0.05	0.45	17.8	1	2.6	96.0	1.06	0.32	9.5	0.554	1.15
K300554		680	13.2	133.5	0.002	0.10	0.49	28.0	1	2.7	52.3	1.01	0.34	8.3	0.723	1.15
K300555		670	8.7	80.0	0.002	0.14	0.36	29.2	2	1.8	73.3	0.76	0.21	5.1	0.748	0.86
K300556		680	11.1	101.0	<0.002	0.03	0.49	31.6	2	2.0	67.5	0.77	0.23	5.6	0.738	1.24
K300557		660	9.6	132.5	<0.002	0.17	1.33	28.8	2	2.1	205	0.75	0.17	5.8	0.704	2.21
K300558		600	9.6	85.6	<0.002	0.05	0.26	24.0	1	1.9	99.7	0.71	0.18	5.8	0.609	0.59
K300559		600	9.3	68.4	0.002	0.11	0.27	24.1	2	1.8	108.5	0.73	0.10	5.9	0.623	0.41
K300560		600	8.5	82.5	0.002	0.07	0.28	27.0	2	1.9	87.4	0.71	0.18	5.5	0.659	0.60
K300561		620	8.8	66.8	<0.002	0.09	0.32	27.0	1	1.9	85.7	0.72	0.19	5.7	0.688	0.46
K300562		900	37.2	49.5	0.022	1.60	103.0	4.7	3	2.4	69.2	0.48	0.21	6.3	0.174	4.13
K300563		640	9.8	66.6	<0.002	0.12	0.42	28.4	1	2.0	81.0	0.79	0.23	6.0	0.746	0.46
K300564		690	10.6	80.5	<0.002	0.17	0.46	28.2	2	2.1	72.1	0.85	0.23	5.8	0.762	0.82
K300565		660	20.3	128.0	0.008	0.25	0.68	20.7	2	2.9	50.8	1.22	0.33	10.7	0.615	1.24
K300566		370	20.3	93.1	0.009	0.54	1.35	10.5	1	2.1	73.7	0.63	0.07	8.6	0.323	2.16
K300567		340	20.2	86.4	0.008	0.59	1.38	9.3	1	2.0	100.5	0.56	0.05	7.5	0.291	1.86
K300568		620	17.1	82.7	0.008	0.38	0.93	20.3	2	2.2	134.5	0.82	0.24	8.0	0.539	1.24
K300569		800	10.7	66.8	0.003	0.17	0.31	27.9	2	2.1	82.8	0.94	0.32	6.4	0.745	0.67
K300570		760	10.4	65.2	0.003	0.17	0.34	27.1	2	2.0	83.9	0.86	0.27	5.9	0.736	0.57
K300571		800	12.0	79.4	0.002	0.26	0.39	27.9	2	2.4	76.3	1.02	0.29	7.0	0.766	0.63
K300572		660	11.0	89.6	0.003	0.39	0.43	26.6	2	2.2	122.5	0.86	0.29	6.1	0.681	0.82
K300573		640	10.0	71.2	0.004	0.36	0.43	26.6	2	2.0	94.7	0.80	0.25	5.8	0.685	0.84
K300574		660	10.6	73.6	0.002	0.31	0.41	26.0	2	2.1	92.3	0.84	0.25	6.0	0.705	0.65
K300575		180	1.2	1.4	<0.002	<0.01	0.06	0.2	<1	0.2	41.0	<0.05	<0.05	<0.2	<0.005	<0.02
K300576		610	10.3	78.8	0.002	0.29	0.38	24.1	1	1.7	168.0	0.75	0.24	5.4	0.650	0.59
K300577		640	14.6	103.0	0.002	0.40	0.43	25.6	2	2.2	70.4	0.95	0.24	7.6	0.667	0.67
K300578		700	12.2	87.2	0.002	0.31	0.36	29.6	2	2.1	80.5	0.78	0.21	5.8	0.754	0.60
K300579		200	1.4	1.5	<0.002	0.01	0.06	0.2	<1	0.2	42.1	<0.05	<0.05	<0.2	<0.005	<0.02
K300580		640	22.0	91.6	0.014	0.65	0.70	31.7	2	2.0	74.2	0.91	0.19	5.8	0.733	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165356

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300545		2.0	84	1.1	19.1	77	81.4
K300546		3.0	113	1.7	23.5	87	108.0
K300547		3.6	197	1.7	29.2	111	185.0
K300548		2.7	138	1.5	27.0	88	144.0
K300549		7.4	167	23.3	14.6	43	166.0
K300550		2.8	104	1.4	23.8	76	110.5
K300551		3.3	209	1.5	37.8	111	198.5
K300552		2.5	168	1.5	24.7	93	142.5
K300553		2.4	143	1.2	23.0	93	126.0
K300554		2.0	222	1.1	27.2	110	133.5
K300555		1.3	249	0.7	25.0	110	107.5
K300556		1.4	242	0.8	29.2	116	116.5
K300557		1.4	230	3.2	27.3	101	121.0
K300558		1.2	196	0.8	26.3	87	107.0
K300559		1.4	204	0.8	24.0	92	105.5
K300560		1.3	214	0.7	27.0	97	124.0
K300561		1.3	226	0.8	33.2	99	103.0
K300562		8.5	233	28.5	19.4	211	62.5
K300563		1.4	246	0.8	29.7	103	116.0
K300564		1.5	253	0.9	25.3	109	130.0
K300565		2.8	162	1.3	29.7	92	168.5
K300566		2.2	72	1.2	21.2	71	92.3
K300567		1.9	66	0.9	19.7	68	78.6
K300568		1.9	155	1.0	27.3	87	105.5
K300569		1.7	236	1.0	27.9	105	126.0
K300570		1.5	231	1.0	28.2	103	124.5
K300571		1.9	237	0.9	28.1	108	125.5
K300572		1.8	210	0.9	30.0	101	136.0
K300573		1.5	214	0.8	28.0	97	119.0
K300574		1.5	222	0.8	27.4	101	116.5
K300575		0.5	3	0.1	0.8	18	0.5
K300576		1.4	207	0.7	28.2	97	118.0
K300577		2.0	204	0.9	27.8	102	136.0
K300578		1.5	243	0.9	27.5	114	116.0
K300579		0.6	4	0.1	0.8	19	<0.5
K300580		1.7	240	1.0	27.4	101	124.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165356

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

CERTIFICATE WH11163915

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 124- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163915

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301194		0.21	0.35	0.31	6.87	679	940	0.72	0.31	0.51	0.20	154.0	3.3	241	4.05	31.4
K301195		8.17	<0.01	0.03	1.72	48	190	0.51	0.08	32.2	0.22	26.7	6.4	16	4.97	16.3
K301196		7.90	<0.01	0.03	1.44	40	490	0.41	0.06	33.3	0.11	21.9	5.4	14	4.01	12.8
K301197		7.20	<0.01	0.01	1.14	45	300	0.31	0.06	35.1	0.09	17.15	4.6	11	3.59	9.9
K301198		4.85	<0.01	0.01	0.07	<5	20	0.07	0.28	21.4	0.07	1.24	1.1	1	0.15	1.7
K301199		7.44	<0.01	0.01	0.69	27	150	0.22	0.03	34.3	0.05	11.10	2.7	7	1.80	6.3
K301200		7.68	<0.01	0.01	0.44	19	120	0.18	0.02	36.8	0.03	8.36	1.8	5	1.07	4.3
K301201		7.67	0.01	0.01	0.94	29	120	0.25	0.04	33.8	0.06	12.55	3.0	9	2.48	7.1
K301202		4.85	<0.01	<0.01	0.05	<5	20	<0.05	0.02	21.2	0.07	1.18	1.2	1	0.14	1.1
K301203		7.72	<0.01	0.01	0.82	25	160	0.17	0.04	33.6	0.06	13.20	3.2	8	2.83	7.9
K301204		7.68	0.01	0.01	0.60	16	260	0.14	0.03	37.2	0.07	9.83	2.2	6	1.83	5.2
K301205		7.67	<0.01	0.01	1.10	40	320	0.27	0.05	39.6	0.10	16.55	4.0	10	3.43	9.2
K301206		7.81	<0.01	0.01	0.52	17	180	0.26	0.03	39.7	0.05	12.00	2.2	4	1.63	4.7
K301207		0.21	7.97	0.54	3.98	1100	190	0.91	0.65	13.95	5.34	50.4	6.2	100	8.77	35.2
K301208		8.14	<0.01	0.02	1.80	57	280	0.33	0.07	35.2	0.20	22.2	6.0	17	7.67	15.3
K301209		7.37	<0.01	0.02	0.99	29	170	0.26	0.05	34.4	0.07	15.15	3.6	9	4.05	9.0
K301210		7.63	<0.01	0.01	1.13	28	180	0.22	0.05	37.0	0.07	15.30	3.8	11	3.36	9.4
K301211		7.73	<0.01	0.01	1.40	39	330	0.19	0.06	37.0	0.17	18.80	4.7	13	4.23	11.6
K301212		8.04	<0.01	0.02	1.22	45	250	0.21	0.05	37.6	0.10	17.25	3.9	12	4.41	10.5
K301213		8.34	<0.01	0.01	0.72	24	160	0.22	0.03	39.5	0.10	12.35	2.6	7	3.02	5.9
K301214		3.44	<0.01	0.01	0.65	23	150	0.22	0.03	37.3	0.05	11.50	2.2	6	2.73	5.3
K301215		7.89	<0.01	0.01	1.04	35	370	0.20	0.04	38.2	0.08	15.45	3.2	10	4.14	8.0
K301216		8.50	<0.01	0.10	0.74	28	130	0.15	0.03	36.3	0.06	12.05	2.3	7	2.04	5.9
K301217		8.09	<0.01	0.03	1.06	24	180	0.21	0.05	35.7	0.11	15.50	3.5	10	5.56	8.9
K301218		8.37	<0.01	0.02	1.06	12	130	0.19	0.05	34.8	0.22	16.50	3.4	10	5.73	8.4
K301219		8.26	<0.01	0.02	1.07	20	160	0.18	0.05	37.6	0.09	17.15	3.2	10	4.18	7.8
K301220		8.12	0.01	0.01	0.76	12	160	0.16	0.03	36.0	0.08	13.40	2.4	7	4.31	6.1
K301221		8.04	0.01	0.02	1.09	28	170	0.26	0.05	42.6	0.18	17.50	3.5	10	4.31	9.0
K301222		8.17	<0.01	0.02	1.00	30	120	0.23	0.04	34.9	0.10	16.45	3.2	9	3.73	8.1
K301223		7.88	<0.01	0.01	0.51	13	110	0.13	0.02	36.9	0.03	9.55	1.7	5	1.75	4.3
K301224		8.29	<0.01	0.02	0.88	25	150	0.20	0.04	41.3	0.99	15.25	3.2	8	2.75	7.5
K301225		7.99	<0.01	0.02	0.63	10	140	0.14	0.03	34.1	0.04	10.85	2.1	6	2.30	5.2
K301226		8.16	<0.01	0.03	2.46	26	210	0.56	0.11	29.0	0.06	31.0	7.2	22	14.05	17.5
K301227		8.32	<0.01	0.01	0.75	8	120	0.16	0.04	33.8	0.03	11.55	2.5	7	2.73	6.1
K301228		8.31	<0.01	0.02	1.29	9	150	0.28	0.06	30.8	0.05	20.6	4.2	12	6.45	10.0
K301229		5.71	<0.01	0.02	2.50	57	160	0.60	0.11	26.7	0.08	28.6	9.7	23	9.31	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163915

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301194		7.33	23.1	0.24	4.8	9.5	0.061	1.45	77.9	20.1	0.14	40	7.34	0.41	11.3	17.9
K301195		1.11	4.27	0.09	0.9	0.85	0.018	0.77	13.4	5.4	0.87	294	1.21	0.02	2.8	9.2
K301196		0.99	3.60	0.08	0.7	0.24	0.015	0.64	11.3	4.2	0.67	339	0.79	0.02	2.3	7.0
K301197		0.71	2.88	0.07	0.6	0.58	0.013	0.51	9.2	4.2	0.61	163	0.67	0.01	1.9	5.2
K301198		0.46	0.27	0.23	<0.1	<0.01	<0.005	0.02	0.6	1.5	12.95	211	0.16	<0.01	0.2	1.9
K301199		0.46	1.98	0.09	0.3	0.30	0.007	0.30	5.4	4.6	0.50	130	0.27	0.01	1.0	3.0
K301200		0.30	1.26	0.13	0.2	0.11	<0.005	0.18	3.8	3.2	0.49	149	0.16	0.01	0.7	1.7
K301201		0.54	2.73	0.13	0.5	0.29	0.010	0.43	6.3	6.5	0.53	201	0.34	0.02	1.4	3.2
K301202		0.46	0.41	0.58	<0.1	<0.01	<0.005	0.02	0.6	1.3	12.90	213	0.05	<0.01	0.3	1.6
K301203		0.50	2.53	0.23	0.4	0.26	0.007	0.37	6.5	5.9	0.36	112	0.34	0.02	1.3	3.5
K301204		0.40	1.74	0.19	0.3	0.15	0.005	0.25	4.7	4.2	0.37	109	0.22	0.02	0.9	1.7
K301205		0.69	3.11	0.16	0.5	0.36	0.011	0.50	8.7	7.6	0.53	131	0.63	0.02	1.6	3.9
K301206		0.35	1.42	0.21	0.2	0.20	0.007	0.21	5.9	3.8	0.35	179	0.28	0.02	0.9	1.2
K301207		1.50	8.66	0.27	2.7	6.31	0.072	1.63	32.8	11.9	0.81	297	12.80	0.01	8.8	64.6
K301208		1.00	5.11	0.18	0.9	0.50	0.017	0.81	11.9	10.0	0.54	142	1.10	0.02	2.6	7.4
K301209		0.62	2.84	0.18	0.5	0.16	0.010	0.44	7.8	6.3	0.39	155	0.71	0.02	1.5	3.4
K301210		0.70	3.15	0.19	0.6	0.17	0.012	0.50	7.7	6.4	0.46	186	0.43	0.02	1.7	3.8
K301211		0.85	3.84	0.16	0.7	0.38	0.014	0.62	9.6	6.7	0.46	125	0.97	0.02	2.1	5.1
K301212		0.75	3.33	0.17	0.6	0.64	0.012	0.56	8.6	5.4	0.49	216	0.65	0.02	1.8	4.3
K301213		0.47	1.94	0.18	0.4	0.28	0.005	0.36	6.0	4.1	0.42	214	0.27	0.02	1.1	1.5
K301214		0.42	1.79	0.21	0.3	0.26	0.007	0.28	5.6	3.7	0.38	207	0.24	0.01	1.0	1.5
K301215		0.63	2.69	0.15	0.4	0.17	0.010	0.46	7.8	5.5	0.46	109	0.50	0.02	1.6	3.1
K301216		0.49	1.86	0.09	0.4	0.29	0.009	0.32	6.0	3.3	0.59	178	0.31	0.01	1.1	1.8
K301217		0.67	2.81	0.22	0.5	0.27	0.011	0.49	8.2	5.5	0.58	178	0.61	0.02	1.6	3.5
K301218		0.63	2.78	0.19	0.5	0.18	0.011	0.49	8.5	5.4	0.56	159	0.47	0.02	1.6	3.6
K301219		0.61	2.70	0.20	0.5	0.34	0.009	0.50	8.4	5.2	0.53	142	0.40	0.02	1.6	3.2
K301220		0.47	1.99	0.23	0.4	0.16	0.007	0.34	6.5	4.3	0.58	150	0.31	0.02	1.2	2.1
K301221		0.69	2.80	0.22	0.6	0.37	0.013	0.50	8.9	5.7	0.79	235	0.61	0.02	1.7	3.6
K301222		0.64	2.58	0.22	0.5	0.36	0.010	0.46	8.7	4.3	0.66	175	0.57	0.01	1.5	3.3
K301223		0.36	1.33	0.23	0.3	0.13	0.006	0.22	4.9	2.6	0.58	165	0.22	0.01	0.9	0.9
K301224		0.57	2.27	0.23	0.4	0.27	0.008	0.40	7.8	4.2	0.75	188	0.48	0.02	1.5	2.6
K301225		0.40	1.74	0.26	0.3	0.16	0.007	0.28	5.6	3.4	0.37	142	0.36	0.01	1.1	1.6
K301226		1.43	6.25	0.19	1.3	0.43	0.025	1.13	17.7	10.6	0.79	276	1.43	0.02	3.6	9.8
K301227		0.46	2.03	0.20	0.4	0.15	0.007	0.34	5.9	3.5	0.40	148	0.35	0.01	1.3	2.5
K301228		0.86	3.33	0.20	0.7	0.27	0.014	0.60	11.2	5.9	0.45	198	0.19	0.01	2.0	4.6
K301229		1.78	6.34	0.15	1.3	0.98	0.029	1.14	15.1	7.5	1.20	415	0.48	0.02	3.8	11.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163915

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301194		1000	19.6	55.3	0.003	3.56	128.5	18.2	3	3.4	531	0.90	0.13	11.2	0.621	9.22
K301195		1520	6.4	37.0	0.006	1.00	0.42	4.7	3	0.5	2190	0.20	<0.05	3.3	0.093	1.68
K301196		440	4.7	30.1	0.003	0.87	0.29	4.6	2	0.5	2000	0.16	<0.05	2.6	0.080	1.05
K301197		410	4.2	24.4	0.003	0.78	0.32	3.0	2	0.4	1650	0.13	<0.05	2.1	0.060	0.60
K301198		170	1.7	1.1	<0.002	<0.01	0.07	<0.1	1	<0.2	53.1	<0.05	<0.05	<0.2	<0.005	0.02
K301199		220	2.7	12.9	<0.002	0.44	0.23	1.5	1	0.3	1750	0.07	<0.05	1.4	0.035	0.20
K301200		1210	2.0	8.4	<0.002	0.26	0.17	1.0	1	0.2	1900	<0.05	<0.05	1.0	0.023	0.11
K301201		190	3.7	18.4	0.002	0.51	0.26	2.0	1	0.4	1880	0.09	<0.05	1.9	0.047	0.22
K301202		180	1.3	1.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	56.1	<0.05	<0.05	<0.2	<0.005	<0.02
K301203		410	3.3	16.9	0.002	0.51	0.27	1.8	1	0.3	2130	0.08	<0.05	1.7	0.044	0.26
K301204		500	2.3	11.1	<0.002	0.35	0.19	1.3	1	0.2	2260	0.05	<0.05	1.2	0.031	0.14
K301205		110	3.9	21.4	0.002	0.66	0.32	2.4	1	0.4	2250	0.10	<0.05	2.1	0.056	0.25
K301206		120	2.1	9.6	<0.002	0.29	0.26	1.5	1	0.2	2330	0.05	<0.05	1.0	0.026	0.11
K301207		4690	5.6	115.5	0.042	1.53	23.3	7.2	10	2.1	166.0	0.57	0.65	7.5	0.239	15.15
K301208		350	6.2	35.5	0.004	1.08	0.63	3.3	1	0.6	2280	0.18	<0.05	3.2	0.095	0.73
K301209		160	3.7	20.1	0.002	0.62	0.28	2.3	1	0.3	2010	0.10	<0.05	1.9	0.052	0.27
K301210		790	4.0	21.1	<0.002	0.70	0.32	2.5	1	0.4	2260	0.10	<0.05	2.1	0.061	0.24
K301211		230	5.0	26.5	0.003	0.90	0.48	2.9	1	0.5	2410	0.14	<0.05	2.5	0.074	0.33
K301212		210	4.3	23.0	0.003	0.75	0.56	2.7	1	0.4	2300	0.11	<0.05	2.2	0.065	0.37
K301213		610	2.6	16.7	<0.002	0.43	0.25	1.8	1	0.2	2320	0.07	<0.05	1.3	0.037	0.17
K301214		570	2.4	12.5	<0.002	0.38	0.23	1.7	1	0.3	2170	0.06	<0.05	1.2	0.033	0.15
K301215		180	3.7	18.8	0.002	0.63	0.30	2.3	1	0.3	2440	0.10	<0.05	1.0	0.054	0.25
K301216		370	3.0	12.7	<0.002	0.48	0.20	1.8	1	0.3	1800	0.07	<0.05	1.3	0.038	0.19
K301217		270	4.0	19.6	0.002	0.72	0.22	2.5	1	0.4	1990	0.10	<0.05	1.8	0.055	0.30
K301218		310	3.7	19.8	<0.002	0.67	0.17	2.5	1	0.4	1830	0.10	<0.05	1.9	0.055	0.20
K301219		430	3.9	19.2	<0.002	0.63	0.17	2.4	1	0.4	2000	0.10	<0.05	1.9	0.055	0.19
K301220		330	2.8	14.1	<0.002	0.47	0.12	1.9	1	0.3	1780	0.07	<0.05	1.3	0.039	0.22
K301221		330	3.9	19.6	0.002	0.73	0.54	2.7	1	0.4	2160	0.10	<0.05	1.9	0.057	0.36
K301222		290	5.0	18.0	0.002	0.67	2.42	2.5	1	0.4	1660	0.09	<0.05	1.8	0.052	0.25
K301223		300	2.2	8.4	<0.002	0.35	0.15	1.4	1	0.2	1580	0.05	<0.05	1.0	0.026	0.12
K301224		440	4.0	14.8	<0.002	0.58	0.31	2.1	1	0.4	1910	0.08	<0.05	1.6	0.046	0.26
K301225		430	2.6	11.3	<0.002	0.41	0.12	1.7	1	0.2	1800	0.07	<0.05	1.2	0.032	0.16
K301226		310	8.0	45.0	0.004	1.43	0.31	5.6	1	0.9	1630	0.24	<0.05	4.1	0.127	0.60
K301227		310	3.0	13.3	<0.002	0.48	0.20	1.9	1	0.3	1590	0.07	<0.05	1.3	0.038	0.21
K301228		160	4.7	23.9	<0.002	0.92	0.21	3.8	1	0.4	1700	0.13	<0.05	2.3	0.068	0.36
K301229		210	14.0	45.5	<0.002	1.37	0.38	6.2	1	0.9	1220	0.25	0.05	4.1	0.138	2.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163915

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301194		8.9	189	27.6	17.9	41	189.5
K301195		3.7	29	0.6	16.6	18	36.3
K301196		3.3	24	0.4	17.1	13	25.9
K301197		2.9	18	0.3	13.6	9	20.9
K301198		0.5	2	0.1	1.0	17	<0.5
K301199		2.6	10	0.3	12.6	6	10.8
K301200		2.6	6	0.2	11.5	3	9.6
K301201		2.5	14	0.3	12.6	7	15.1
K301202		0.6	2	0.1	1.0	17	<0.5
K301203		3.1	12	0.2	14.3	6	14.2
K301204		2.5	9	0.2	12.8	7	11.1
K301205		2.8	16	0.4	14.5	13	16.7
K301206		2.1	8	0.2	12.8	4	8.3
K301207		8.7	440	44.6	32.8	314	82.2
K301208		3.7	27	0.5	15.3	28	29.0
K301209		2.9	15	0.2	13.9	8	15.7
K301210		2.9	17	0.3	14.8	9	18.8
K301211		3.3	22	0.3	14.8	22	22.5
K301212		3.1	19	0.4	14.2	13	19.1
K301213		2.4	10	3.3	13.1	11	12.6
K301214		2.3	9	0.2	12.7	6	11.6
K301215		2.6	14	0.3	13.7	11	12.0
K301216		2.2	11	0.4	12.5	10	12.0
K301217		2.4	16	0.3	12.6	24	16.5
K301218		2.5	16	0.3	13.3	38	16.9
K301219		2.9	16	0.3	14.4	12	16.1
K301220		2.4	11	0.2	13.3	10	12.1
K301221		2.7	16	0.4	14.4	19	17.3
K301222		2.4	15	0.6	13.1	19	15.5
K301223		2.0	7	0.1	10.2	5	8.2
K301224		2.7	13	0.3	13.8	124	13.7
K301225		2.3	9	0.2	10.2	8	10.6
K301226		2.7	36	0.6	16.9	24	38.4
K301227		2.3	10	0.2	8.3	6	13.0
K301228		2.3	18	0.3	14.5	15	20.8
K301229		2.2	36	1.1	14.9	45	39.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11163915

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE WH11167456

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 125 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167456

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301506		4.57	2.77	0.55	2.64	4920	240	0.53	0.06	15.45	0.46	24.0	4.2	22	5.23	33.2
K301507		3.58	5.94	1.12	3.27	>10000	490	0.98	0.08	1.64	0.43	28.6	6.2	30	6.53	26.9
K301508		0.21	7.58	0.43	3.73	1080	170	0.83	0.64	12.90	4.39	44.1	6.1	98	7.65	39.0
K301509		4.07	3.09	0.81	4.08	7990	240	0.84	0.09	6.03	0.37	50.7	5.6	36	9.49	26.8
K301510		9.34	2.28	0.37	1.27	2590	70	0.36	0.03	18.50	0.12	15.45	2.4	11	2.88	9.2
K301511		4.20	2.87	0.44	3.48	5130	150	0.81	0.07	15.00	0.28	32.0	5.2	33	9.08	12.8
K301512		7.82	2.07	0.48	2.87	2700	150	0.59	0.06	22.0	0.19	29.1	5.9	25	6.78	14.7
K301513		2.32	3.58	0.82	2.49	>10000	140	0.52	0.06	5.60	0.94	21.3	6.8	27	5.08	13.6
K301514		1.54	16.30	4.88	0.67	>10000	40	0.10	0.05	3.56	6.07	22.0	3.6	12	1.96	18.8
K301515		6.59	8.66	3.30	1.59	>10000	70	0.24	0.05	10.15	5.14	26.4	2.9	21	3.15	21.8
K301516		6.20	1.46	0.19	2.76	6880	110	0.49	0.08	23.5	0.11	28.7	4.6	27	6.94	17.5
K301517		5.26	0.60	0.09	1.31	2230	80	0.28	0.04	31.9	0.11	16.25	2.3	14	3.27	12.1
K301518		6.88	<0.01	<0.01	0.05	28	20	0.05	0.02	20.9	0.06	1.09	1.1	<1	0.12	1.8
K301519		8.00	0.12	0.04	2.14	2340	90	0.44	0.06	27.6	0.06	27.0	4.0	22	6.88	13.3
K301520		10.42	0.01	0.09	3.76	384	200	1.00	0.08	19.00	0.05	40.4	6.2	40	15.20	22.3
K301521		9.66	0.01	0.05	4.02	1970	190	1.00	0.11	10.55	0.08	44.9	6.3	40	12.65	20.8
K301522		9.96	<0.01	0.03	1.45	986	100	0.32	0.04	28.5	0.06	20.3	2.9	14	3.90	7.9
K301523		11.09	<0.01	0.04	2.11	461	370	0.49	0.05	28.0	0.05	24.1	4.1	19	7.30	12.1
K301524		10.79	<0.01	0.03	0.96	582	570	0.24	0.03	32.3	0.14	12.15	2.8	10	2.34	5.9
K301525		4.49	0.01	0.03	1.01	566	1140	0.23	0.03	32.2	0.11	12.10	2.4	10	2.30	5.6
K301526		12.03	<0.01	0.02	2.44	427	780	0.54	0.06	26.4	0.06	27.4	4.5	23	6.82	12.7
K301527		11.63	<0.01	0.04	2.87	515	480	0.70	0.07	24.1	0.08	31.2	5.1	28	8.11	17.0
K301528		10.39	<0.01	0.05	2.33	475	550	0.48	0.06	26.7	0.07	28.4	4.3	24	5.20	11.4
K301529		12.14	<0.01	0.09	3.93	322	450	0.93	0.10	16.55	0.11	43.0	7.2	39	12.60	20.0
K301530		0.22	0.33	0.31	6.45	621	3530	0.52	0.29	0.49	0.18	136.5	3.0	256	3.42	32.1
K301531		12.55	<0.01	0.04	1.63	358	240	0.37	0.04	26.1	0.21	20.5	3.3	17	4.18	9.8
K301532		11.72	<0.01	0.09	3.45	522	370	0.84	0.08	14.40	0.16	45.0	5.9	39	8.24	20.0
K301533		11.76	<0.01	0.09	1.56	284	2010	0.33	0.04	25.8	0.16	22.8	3.0	18	3.03	11.0
K301534		11.39	<0.01	0.06	1.40	306	110	0.33	0.04	28.3	0.21	19.20	2.8	15	2.56	7.4
K301535		12.59	<0.01	0.05	2.08	323	220	0.50	0.05	26.1	0.30	26.1	4.0	23	5.01	10.7
K301536		11.51	0.01	0.07	4.29	924	250	0.95	0.09	14.75	0.07	48.0	7.6	46	12.75	24.7
K301537		6.89	<0.01	<0.01	0.06	<5	20	0.05	0.02	22.3	0.07	1.32	1.2	<1	0.15	1.7
K301538		12.27	<0.01	0.04	1.74	178	870	0.49	0.04	27.8	0.17	20.6	3.7	18	5.31	11.5
K301539		11.53	<0.01	0.07	3.00	171	550	0.74	0.07	20.9	0.16	35.9	5.7	31	9.86	16.1
K301540		11.93	<0.01	0.04	1.91	450	420	0.50	0.05	26.1	0.09	22.2	3.6	19	5.77	11.0
K301541		12.15	<0.01	0.01	3.04	56	470	0.78	0.07	22.9	0.10	30.8	5.2	28	9.93	18.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167456

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301506		0.87	6.86	<0.05	1.6	6.7	0.022	1.23	12.8	14.2	3.92	3070	0.95	0.01	4.0	8.6
K301507		1.20	7.96	0.08	1.6	10.7	0.026	1.31	16.1	31.8	0.83	1010	1.09	0.01	4.1	12.4
K301508		1.41	7.79	0.07	2.2	5.91	0.068	1.49	27.6	9.9	0.75	288	11.80	0.01	8.0	64.9
K301509		1.34	10.25	0.07	2.8	7.30	0.026	1.88	24.9	24.3	2.64	1380	0.78	0.02	6.6	13.4
K301510		0.94	3.61	0.07	0.8	5.89	0.012	0.60	8.2	8.6	8.94	1980	0.48	0.01	2.0	5.4
K301511		1.27	9.15	0.08	2.3	7.0	0.023	1.64	17.4	17.0	7.26	1780	0.40	0.02	5.8	9.6
K301512		0.90	7.19	0.08	0.9	8.4	0.016	1.33	15.8	15.3	1.34	1620	0.49	0.01	3.7	13.1
K301513		1.12	6.55	0.08	1.5	11.8	0.024	1.13	11.1	25.8	1.98	1540	0.87	0.01	3.5	15.1
K301514		1.03	2.68	0.12	0.6	53.4	0.143	0.25	13.1	24.1	0.63	797	0.83	0.01	1.3	7.6
K301515		0.98	5.09	0.09	0.8	39.5	0.088	0.76	15.5	20.3	1.12	1380	0.66	0.01	2.5	3.6
K301516		1.09	6.99	0.06	1.3	5.65	0.022	1.47	16.3	10.8	1.87	786	0.46	0.02	4.2	6.2
K301517		0.52	3.29	0.05	0.6	2.88	0.009	0.69	10.0	4.5	0.62	774	0.13	0.01	2.1	<0.2
K301518		0.47	0.22	0.06	<0.1	0.01	<0.005	0.02	0.5	0.9	12.60	210	0.05	<0.01	0.2	<0.2
K301519		0.88	5.29	0.06	1.1	1.53	0.016	1.14	15.4	9.4	1.16	485	0.34	0.01	3.5	3.3
K301520		1.57	9.30	0.07	1.8	0.40	0.025	2.15	22.0	20.7	2.20	247	0.75	0.03	5.9	12.4
K301521		1.50	10.05	0.08	2.8	0.42	0.024	2.24	23.8	22.1	5.00	270	0.69	0.03	6.7	12.0
K301522		0.72	3.59	0.07	0.8	0.20	0.012	0.80	11.3	6.8	1.21	218	0.28	0.01	2.3	1.5
K301523		0.92	5.06	0.06	0.9	0.08	0.013	1.19	13.9	11.1	1.41	154	0.33	0.02	3.1	3.9
K301524		0.49	2.48	0.06	0.4	0.07	0.008	0.55	7.3	4.6	0.88	135	0.57	0.01	1.5	1.6
K301525		0.52	2.44	0.06	0.4	0.06	0.006	0.57	7.2	4.6	0.93	133	0.39	0.01	1.5	<0.2
K301526		1.11	6.01	0.07	1.0	0.09	0.018	1.39	15.5	14.6	1.74	153	0.49	0.02	3.7	6.1
K301527		1.22	7.06	0.07	1.3	0.10	0.017	1.60	17.5	17.9	2.26	169	0.48	0.02	4.4	7.7
K301528		1.01	5.73	0.06	1.0	0.10	0.017	1.25	15.9	13.4	1.63	153	0.64	0.02	3.6	5.4
K301529		1.71	10.00	0.10	1.9	0.16	0.030	2.24	22.7	30.9	2.99	187	1.15	0.04	6.3	14.3
K301530		6.93	22.1	0.21	4.6	9.2	0.048	1.42	67.1	16.8	0.13	38	6.79	0.39	10.7	17.1
K301531		0.77	4.02	0.06	0.9	0.11	0.013	0.91	11.5	14.2	2.21	150	0.78	0.02	2.8	3.1
K301532		1.51	8.83	0.10	2.3	0.17	0.023	2.06	23.9	32.0	3.88	205	1.14	0.04	6.4	11.5
K301533		0.63	3.84	0.06	1.2	0.13	0.010	0.91	13.0	8.2	1.86	174	0.80	0.02	3.0	1.9
K301534		0.58	3.43	0.07	0.9	0.09	0.011	0.82	10.7	8.0	1.91	132	0.55	0.02	2.6	0.6
K301535		0.93	5.14	0.08	1.2	0.12	0.015	1.14	14.3	18.9	2.89	171	0.80	0.02	3.7	4.2
K301536		1.98	11.25	0.12	2.2	0.09	0.031	2.28	25.5	52.3	5.79	228	0.85	0.04	7.0	14.4
K301537		0.48	0.30	0.08	<0.1	<0.01	<0.005	0.03	0.6	0.8	13.30	213	0.05	<0.01	0.2	<0.2
K301538		0.81	4.41	0.08	0.7	0.04	0.012	0.73	11.8	24.4	2.03	165	0.59	0.07	2.8	3.4
K301539		1.40	7.65	0.08	1.4	0.06	0.017	1.36	19.2	54.7	4.38	209	0.77	0.08	5.0	9.6
K301540		0.86	4.71	<0.05	0.9	0.03	0.015	0.78	12.1	19.0	2.45	189	0.62	0.15	3.7	7.1
K301541		1.39	7.28	<0.05	1.2	0.02	0.023	1.29	16.2	29.1	2.41	206	0.20	0.18	5.1	11.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167456

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301506		550	10.1	51.3	<0.002	0.20	21.3	4.2	3	0.9	305	0.30	<0.05	5.1	0.112	22.2
K301507		680	12.3	52.0	<0.002	0.10	63.1	3.4	3	1.0	146.0	0.32	<0.05	5.7	0.124	34.5
K301508		4310	5.1	120.0	0.040	1.47	20.3	7.0	10	1.9	156.5	0.55	0.58	7.1	0.220	13.55
K301509		900	14.7	69.8	<0.002	0.28	36.2	5.8	5	1.2	147.5	0.50	<0.05	9.3	0.187	20.1
K301510		380	5.4	23.8	<0.002	0.34	21.5	2.7	4	0.4	124.0	0.14	<0.05	2.7	0.054	18.35
K301511		480	9.4	59.3	<0.002	0.28	43.5	6.4	5	1.1	142.5	0.42	<0.05	7.7	0.155	36.0
K301512		400	10.3	58.0	<0.002	0.42	36.1	5.4	3	0.8	749	0.29	<0.05	5.2	0.102	26.9
K301513		610	9.9	48.8	<0.002	1.06	93.0	4.0	6	0.8	97.7	0.26	0.05	4.9	0.102	84.2
K301514		290	10.1	12.9	0.002	7.44	475	1.8	30	0.9	55.6	0.10	0.08	2.1	0.036	96.5
K301515		310	6.2	35.0	<0.002	5.53	226	3.2	3	1.1	82.5	0.18	<0.05	4.1	0.067	28.4
K301516		320	6.0	64.0	<0.002	0.60	22.3	4.7	3	0.9	451	0.30	<0.05	5.8	0.114	23.3
K301517		270	3.9	29.1	<0.002	0.14	10.65	2.5	3	0.5	723	0.14	<0.05	2.8	0.056	11.85
K301518		190	1.1	1.2	<0.002	0.01	0.12	0.3	2	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	0.05
K301519		340	5.7	50.0	<0.002	0.05	9.35	4.2	2	0.7	581	0.24	<0.05	5.0	0.090	6.33
K301520		500	7.6	91.6	<0.002	0.16	2.50	6.5	2	1.2	417	0.41	<0.05	8.4	0.159	0.92
K301521		430	8.5	95.5	<0.002	0.06	5.82	6.6	2	1.6	238	0.46	<0.05	9.8	0.179	0.97
K301522		190	4.3	33.7	<0.002	0.06	2.26	3.4	2	0.5	750	0.16	<0.05	3.4	0.060	0.80
K301523		280	5.3	51.2	<0.002	0.10	1.05	3.7	2	0.6	891	0.22	<0.05	4.4	0.082	0.87
K301524		140	5.3	23.1	<0.002	0.06	1.44	2.0	2	0.3	1580	0.10	<0.05	1.9	0.038	0.65
K301525		140	5.0	23.6	<0.002	0.08	1.21	1.8	2	0.3	1775	0.10	<0.05	2.0	0.040	0.57
K301526		360	7.5	63.8	<0.002	0.15	0.82	4.3	3	0.7	1105	0.25	<0.05	5.2	0.096	0.38
K301527		430	7.0	77.0	<0.002	0.13	1.29	5.1	3	0.9	974	0.31	<0.05	6.4	0.117	0.41
K301528		310	5.9	60.8	<0.002	0.14	0.95	4.2	2	0.9	1175	0.25	<0.05	5.2	0.096	0.35
K301529		460	10.3	112.5	<0.002	0.30	0.70	7.1	3	1.2	711	0.45	<0.05	9.0	0.169	0.61
K301530		940	18.3	57.6	0.002	3.30	127.0	20.1	2	3.0	553	0.76	0.13	11.2	0.574	8.00
K301531		230	7.3	47.0	<0.002	0.15	1.04	3.0	2	0.6	1415	0.19	<0.05	4.0	0.072	0.38
K301532		620	11.0	96.7	<0.002	0.26	1.20	6.4	3	1.2	795	0.43	<0.05	9.1	0.165	0.55
K301533		490	7.7	39.8	0.002	0.20	0.55	2.9	4	0.6	1485	0.20	<0.05	4.1	0.074	0.29
K301534		240	8.1	36.8	<0.002	0.13	0.69	2.5	3	0.5	2160	0.18	<0.05	3.6	0.064	0.26
K301535		330	9.0	57.6	<0.002	0.20	0.90	3.8	4	0.7	1955	0.25	<0.05	5.3	0.097	0.39
K301536		540	9.8	127.0	<0.002	0.19	0.93	8.1	3	1.4	681	0.50	<0.05	10.3	0.194	0.55
K301537		160	1.3	1.4	<0.002	0.01	<0.05	0.3	2	<0.2	49.4	<0.05	<0.05	<0.2	<0.005	<0.02
K301538		240	6.2	42.9	<0.002	0.21	0.25	3.4	3	0.6	896	0.19	<0.05	3.9	0.075	0.20
K301539		370	9.0	79.0	<0.002	0.27	0.31	5.6	3	1.0	692	0.34	<0.05	6.9	0.132	0.28
K301540		240	6.9	37.3	<0.002	0.12	0.36	3.0	3	0.7	746	0.25	<0.05	4.5	0.086	0.17
K301541		320	5.7	58.5	<0.002	0.06	0.16	4.6	3	1.0	695	0.39	<0.05	6.4	0.137	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167456

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301506		14.0	50	2.6	9.6	122	53.6	
K301507		26.9	62	5.1	9.6	67	54.0	1.430
K301508		8.5	404	37.7	29.6	297	77.4	
K301509		12.3	85	4.1	13.3	62	97.7	
K301510		6.5	30	1.4	7.4	16	28.7	
K301511		11.0	58	3.2	10.4	66	77.1	
K301512		12.9	50	2.5	9.3	38	32.2	
K301513		12.9	42	1.9	8.0	212	51.7	1.370
K301514		5.8	13	1.1	10.8	460	19.5	12.50
K301515		11.4	24	1.4	32.4	622	27.9	9.74
K301516		15.7	38	1.9	10.6	23	41.7	
K301517		15.6	21	1.2	7.2	15	18.7	
K301518		0.9	3	0.1	0.8	20	0.9	
K301519		15.1	35	2.3	10.1	23	36.4	
K301520		9.1	63	1.3	13.1	50	57.7	
K301521		6.3	62	1.6	14.0	48	91.8	
K301522		12.9	24	0.5	8.2	28	26.5	
K301523		13.4	30	0.4	8.0	30	27.3	
K301524		13.8	17	0.2	4.2	31	13.3	
K301525		13.1	18	0.3	4.3	29	14.6	
K301526		13.6	37	0.4	8.6	41	33.5	
K301527		11.4	45	0.5	10.1	38	40.7	
K301528		12.2	39	0.5	9.0	38	33.7	
K301529		9.6	57	0.7	13.6	56	63.7	
K301530		9.1	175	23.7	16.9	45	167.5	
K301531		13.4	26	0.3	6.9	45	30.1	
K301532		7.4	54	0.7	14.7	57	74.0	
K301533		10.6	25	0.4	9.3	24	41.6	
K301534		12.4	22	0.3	6.4	31	28.1	
K301535		12.0	34	0.4	8.8	51	41.1	
K301536		8.8	66	0.9	15.1	59	71.6	
K301537		0.5	2	0.1	1.0	21	<0.5	
K301538		14.8	29	0.3	6.8	38	24.1	
K301539		12.6	46	0.5	11.5	61	47.1	
K301540		12.8	29	0.4	7.3	33	34.0	
K301541		4.9	37	0.6	9.4	47	44.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167456

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE WH11167458

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 126 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167458

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299401		11.51	0.01	0.10	4.42	127	350	1.60	0.10	11.25	0.07	54.8	6.7	42	16.90	23.8
K299402		10.28	1.99	0.25	4.45	596	480	1.17	0.10	11.70	0.14	55.1	7.2	43	13.50	21.7
K299403		5.43	2.29	0.19	5.02	695	480	1.20	0.10	9.87	0.16	55.5	6.9	45	14.50	27.9
K299404		4.16	5.11	0.50	3.02	3350	380	0.57	0.07	15.80	0.43	26.7	5.7	29	6.82	14.3
K299405		5.41	8.46	0.82	2.77	>10000	390	0.50	0.08	9.11	0.91	23.5	4.0	29	5.55	17.6
K299406		6.91	0.03	0.01	0.08	53	30	0.05	0.02	21.6	0.08	1.23	1.4	<1	0.35	1.9
K299407		5.74	4.23	0.42	1.55	>10000	140	0.36	0.05	19.60	0.42	15.40	2.5	16	2.97	9.1
K299408		0.19	16.25	1.07	1.98	1240	400	0.42	0.88	14.25	0.70	33.1	3.8	34	2.55	63.4
K299409		7.13	4.96	0.55	0.71	>10000	60	0.23	0.03	18.65	1.23	11.60	1.5	11	1.24	9.2
K299410		4.14	1.54	0.20	0.23	>10000	20	0.11	0.10	9.60	0.28	4.61	0.6	4	0.49	6.8
K299411		5.64	1.15	0.38	1.39	>10000	90	0.43	0.06	14.65	0.65	10.65	2.5	15	3.01	11.4
K299412		5.66	2.01	0.65	2.15	>10000	140	0.57	0.07	11.50	1.09	21.4	3.4	25	5.08	17.6
K299413		8.00	0.21	0.11	1.47	815	140	0.42	0.05	21.8	0.11	19.90	2.2	13	4.49	7.5
K299414		9.10	0.03	0.16	1.11	572	120	0.41	0.04	20.5	0.06	17.00	3.1	11	3.09	8.8
K299415		8.81	0.05	0.12	0.84	294	120	0.29	0.03	20.3	0.06	12.70	2.3	8	1.69	5.8
K299416		4.55	4.36	1.66	3.33	5340	760	0.83	0.10	9.57	0.47	36.0	5.3	35	8.47	23.0
K299417		8.13	1.34	0.99	2.83	436	190	0.66	0.09	14.15	0.30	35.5	4.8	27	8.14	21.6
K299418		6.88	0.01	0.01	0.05	9	20	<0.05	<0.01	19.45	0.06	1.16	1.1	<1	0.12	1.8
K299419		8.24	0.58	0.32	2.44	2490	200	0.76	0.07	18.15	0.07	31.8	4.0	23	6.35	18.4
K299420		9.40	0.60	0.27	0.53	1120	60	0.23	0.02	20.3	0.07	9.24	1.7	6	1.13	4.5
K299421		5.73	0.40	0.25	0.44	1080	40	0.21	0.02	19.30	0.07	9.35	1.7	5	0.88	5.0
K299422		5.47	0.23	0.20	0.35	2860	40	0.13	0.02	20.2	0.10	7.24	1.3	4	0.46	8.0
K299423		5.42	0.20	0.18	0.13	6050	20	0.11	0.01	19.85	0.21	3.94	1.1	3	0.14	2.7
K299424		5.99	0.85	0.27	0.54	>10000	70	0.23	0.03	18.60	0.15	8.28	1.7	7	0.93	5.6
K299425		4.72	1.01	0.25	0.49	>10000	120	0.21	0.02	16.95	0.26	10.80	1.6	7	0.85	4.9
K299426		5.46	1.41	0.37	0.60	>10000	140	0.25	0.03	16.90	0.68	11.00	1.7	8	0.75	6.2
K299427		0.19	8.14	0.50	3.38	1000	160	1.17	0.63	11.75	4.26	55.7	5.6	98	8.35	32.8
K299428		4.67	1.53	0.43	0.93	>10000	90	0.26	0.04	16.30	0.30	15.35	2.3	12	3.45	9.9
K299429		10.87	0.48	0.21	0.45	>10000	50	0.19	0.02	19.20	0.20	9.48	1.6	7	0.72	4.4
K299430		7.14	0.41	0.27	0.79	9740	80	0.31	0.03	18.70	0.13	12.10	2.3	11	1.87	6.8
K299431		10.32	0.14	0.29	0.51	3350	70	0.22	0.02	20.7	0.18	9.05	1.7	7	1.11	4.5
K299432		9.85	0.10	0.22	0.64	4880	70	0.27	0.03	19.70	0.13	8.30	2.1	8	1.64	6.8
K299433		3.97	0.10	0.20	0.65	3960	60	0.25	0.03	20.0	0.09	7.76	2.0	8	1.58	5.6
K299434		10.32	0.06	0.21	0.48	5560	40	0.19	0.02	20.0	0.05	7.76	1.5	6	0.85	3.7
K299435		7.44	0.12	0.18	0.47	1240	50	0.21	0.02	19.65	0.07	8.15	1.6	6	0.91	4.8
K299436		7.47	0.07	0.34	0.80	909	60	0.33	0.03	20.5	0.05	9.13	2.1	9	1.79	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167458

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299401		1.56	10.75	0.18	2.9	0.49	0.033	2.32	28.2	24.5	3.73	222	0.71	0.03	7.8	15.0
K299402		1.42	11.05	0.15	2.9	12.8	0.028	2.11	28.0	24.2	2.13	849	0.54	0.02	7.8	15.1
K299403		1.44	12.60	0.15	3.1	18.2	0.031	2.46	28.0	24.2	2.33	1160	0.45	0.02	8.1	13.8
K299404		1.03	7.68	0.11	1.4	24.4	0.022	1.41	14.9	14.8	1.10	1790	1.00	0.01	4.6	12.9
K299405		1.29	7.09	0.12	1.1	34.4	0.050	1.25	13.8	19.2	0.99	1620	0.97	0.01	4.0	9.5
K299406		0.48	0.36	0.06	<0.1	0.1	<0.005	0.03	0.6	1.1	13.50	230	0.08	<0.01	0.3	1.2
K299407		0.95	4.00	0.09	0.9	20.1	0.032	0.73	8.6	10.6	2.56	3650	0.83	0.01	2.3	4.1
K299408		3.57	3.57	0.11	0.7	6.62	0.060	0.39	19.0	38.2	0.70	448	12.60	0.01	3.5	19.9
K299409		0.59	1.87	0.05	0.4	13.3	0.046	0.33	7.3	9.1	0.59	2250	0.65	<0.01	1.2	3.2
K299410		0.19	0.74	0.08	0.1	4.21	0.276	0.11	2.6	3.3	0.10	2030	0.23	<0.01	0.6	1.3
K299411		0.50	3.75	0.06	0.6	7.25	0.111	0.68	6.6	11.3	0.43	3230	0.93	0.01	2.2	5.6
K299412		0.78	5.46	0.08	1.0	10.00	0.080	1.05	13.1	17.5	1.37	1620	1.66	0.01	3.5	8.1
K299413		0.61	3.41	0.05	0.7	1.70	0.015	0.73	10.5	7.5	6.21	694	0.49	0.01	2.3	5.2
K299414		0.69	2.61	0.05	0.6	1.79	0.011	0.52	9.5	6.2	9.99	256	0.94	0.01	2.0	6.6
K299415		0.50	1.87	0.06	0.4	1.42	0.009	0.37	6.8	4.7	11.10	287	0.66	0.01	1.4	4.9
K299416		1.20	7.93	0.10	2.1	13.2	0.025	1.50	17.8	20.4	5.46	1200	6.21	0.02	5.7	14.5
K299417		1.40	6.71	0.08	1.5	8.34	0.021	1.42	18.3	12.7	6.46	671	3.02	0.02	4.8	12.4
K299418		0.42	0.23	0.19	<0.1	0.02	<0.005	0.02	0.6	0.7	12.20	194	0.07	<0.01	0.3	1.4
K299419		1.19	6.41	0.10	1.6	7.51	0.020	1.21	16.5	16.7	4.04	607	2.32	0.01	4.4	10.6
K299420		0.34	1.53	0.09	0.3	1.99	0.005	0.25	5.3	3.4	10.95	1160	0.68	0.01	1.1	3.5
K299421		0.46	1.34	0.09	0.2	2.16	<0.005	0.20	5.3	2.9	11.10	940	0.65	0.01	0.9	3.6
K299422		0.46	1.02	0.08	0.1	9.41	0.006	0.15	4.0	2.2	11.60	1060	0.62	0.01	0.6	2.7
K299423		0.61	0.43	0.08	0.1	1.77	0.007	0.05	2.4	1.7	12.00	537	0.70	0.01	0.4	2.3
K299424		0.35	1.56	0.09	0.3	3.50	0.013	0.23	4.7	3.7	11.15	1240	0.71	0.01	1.2	3.5
K299425		0.34	1.42	0.07	0.3	5.03	0.032	0.20	6.1	3.3	10.05	1650	0.97	0.01	0.9	3.4
K299426		0.46	1.70	0.07	0.3	7.07	0.032	0.23	6.0	5.1	9.83	1830	0.98	0.01	1.0	3.7
K299427		1.30	7.26	0.12	2.4	6.20	0.076	1.40	35.8	15.9	0.68	266	12.45	0.01	7.6	66.4
K299428		0.54	2.80	0.07	0.6	5.46	0.037	0.41	8.3	6.2	9.56	2370	1.25	0.01	1.8	6.3
K299429		0.29	1.35	0.08	0.2	2.45	0.013	0.20	5.2	2.7	11.50	1400	0.62	0.01	0.9	3.5
K299430		0.35	2.21	0.09	0.4	2.34	0.010	0.36	6.9	4.8	11.15	910	1.00	0.01	1.5	5.6
K299431		0.39	1.37	0.09	0.2	1.81	0.008	0.23	5.1	3.1	12.30	728	0.66	0.01	1.0	3.4
K299432		0.52	1.71	0.09	0.3	1.29	0.006	0.30	4.8	4.3	11.45	543	0.76	0.01	1.2	4.5
K299433		0.54	1.65	0.07	0.3	1.16	0.008	0.30	4.5	3.8	11.75	545	0.70	0.01	1.2	4.4
K299434		0.27	1.17	0.09	0.2	1.17	0.007	0.20	4.7	2.9	11.85	487	0.46	0.01	0.9	2.8
K299435		0.34	1.25	0.09	0.3	2.18	0.006	0.20	4.8	2.6	11.50	819	0.59	0.01	0.9	3.4
K299436		0.36	2.01	0.10	0.5	1.82	0.006	0.35	5.4	4.5	11.20	412	0.69	0.01	1.5	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167458

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299401		640	7.8	91.3	<0.002	0.20	0.59	7.0	3	1.3	240	0.56	<0.05	10.3	0.212	1.34
K299402		820	7.7	86.2	<0.002	0.42	22.5	6.9	3	1.3	304	0.56	<0.05	10.1	0.215	52.1
K299403		790	8.7	96.9	<0.002	0.43	23.4	7.9	3	1.4	321	0.61	<0.05	11.6	0.239	57.1
K299404		480	8.4	57.9	0.003	0.93	59.2	5.4	2	1.0	324	0.34	<0.05	5.7	0.128	97.2
K299405		610	11.6	52.7	0.003	2.48	138.5	3.5	3	1.0	246	0.30	0.11	5.4	0.114	140.5
K299406		180	1.2	2.5	<0.002	0.01	0.34	0.2	2	<0.2	48.8	<0.05	<0.05	<0.2	<0.005	0.44
K299407		300	8.8	33.6	0.002	1.66	96.5	3.3	3	0.6	154.5	0.17	0.11	3.1	0.064	79.4
K299408		680	24.0	23.6	0.007	2.07	152.5	3.3	3	1.9	44.7	0.25	0.46	3.9	0.109	3.56
K299409		310	11.3	12.6	0.002	2.89	145.0	1.1	2	0.3	320	0.08	0.07	1.9	0.028	43.7
K299410		70	3.9	4.4	<0.002	>10.0	1120	0.7	8	<0.2	58.4	<0.05	0.18	0.7	0.010	15.10
K299411		330	9.6	26.1	0.002	6.55	370	0.9	3	0.5	110.5	0.16	0.08	2.7	0.057	25.9
K299412		520	12.5	39.6	0.003	4.62	248	2.1	3	0.7	109.0	0.26	0.08	4.6	0.094	29.2
K299413		220	7.8	25.4	<0.002	0.35	4.35	2.1	2	0.5	168.5	0.17	<0.05	3.3	0.062	4.86
K299414		290	10.7	17.8	0.002	0.50	2.72	1.5	2	0.4	206	0.14	<0.05	2.7	0.050	3.06
K299415		170	32.7	11.9	0.002	0.32	2.31	1.2	2	0.3	207	0.10	<0.05	1.9	0.036	2.24
K299416		1100	16.8	53.8	0.009	1.27	27.0	4.3	3	1.1	379	0.45	<0.05	8.3	0.156	33.4
K299417		830	14.8	46.6	0.003	0.87	9.07	3.9	3	1.0	234	0.38	<0.05	7.1	0.129	18.10
K299418		180	1.3	1.0	<0.002	<0.01	0.06	0.3	1	<0.2	40.2	<0.05	<0.05	<0.2	<0.005	0.03
K299419		660	11.3	48.1	0.002	0.87	7.44	4.4	3	0.8	362	0.33	<0.05	6.1	0.110	20.2
K299420		180	6.9	9.7	<0.002	0.29	3.78	1.3	2	0.2	102.0	0.07	<0.05	1.3	0.024	3.91
K299421		160	10.5	7.9	<0.002	0.36	3.45	1.2	2	0.2	92.5	0.06	<0.05	1.2	0.020	3.04
K299422		220	9.6	5.7	<0.002	0.35	5.14	0.9	2	0.2	106.0	<0.05	<0.05	0.7	0.011	3.99
K299423		150	5.7	1.9	<0.002	0.67	6.37	0.4	2	<0.2	77.3	<0.05	<0.05	0.3	0.005	1.22
K299424		200	8.6	9.8	<0.002	0.92	16.85	1.3	2	0.2	120.0	0.08	<0.05	1.5	0.026	5.20
K299425		290	6.2	8.2	<0.002	2.85	57.0	1.6	2	0.2	181.0	0.06	<0.05	1.2	0.021	7.94
K299426		370	7.6	9.5	<0.002	2.33	42.6	2.1	2	0.3	197.0	0.06	<0.05	1.2	0.020	7.60
K299427		4050	4.9	119.5	0.038	1.32	22.4	6.7	9	1.9	141.0	0.58	0.59	7.3	0.207	14.35
K299428		290	18.2	18.3	0.002	2.91	55.8	2.7	3	0.4	138.5	0.13	<0.05	2.3	0.043	8.63
K299429		200	6.0	7.7	<0.002	0.75	13.35	1.4	2	0.2	114.0	0.06	<0.05	1.0	0.019	3.81
K299430		240	9.5	14.6	0.002	0.83	13.10	1.7	2	0.3	115.5	0.11	<0.05	1.8	0.036	4.53
K299431		170	6.0	8.6	<0.002	0.40	4.94	1.2	2	0.2	136.0	0.06	<0.05	1.2	0.023	2.20
K299432		200	8.8	11.6	<0.002	0.52	5.17	1.2	2	0.2	117.0	0.08	<0.05	1.5	0.029	1.93
K299433		200	7.5	11.2	<0.002	0.47	4.17	1.2	2	0.2	119.0	0.08	<0.05	1.4	0.028	1.83
K299434		120	4.3	7.5	<0.002	0.41	4.84	0.9	2	0.2	107.5	0.06	<0.05	1.0	0.020	1.29
K299435		130	6.8	8.2	<0.002	0.27	2.57	1.0	2	0.2	138.5	0.06	<0.05	1.1	0.020	1.95
K299436		190	6.6	14.4	<0.002	0.28	1.93	1.6	2	0.2	136.5	0.10	<0.05	1.9	0.037	2.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167458

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	As- CON01
	Analyte	U	V	W	Y	Zn	Zr	As	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.01
K299401		5.0	71	1.5	15.1	24	106.0		
K299402		6.4	66	2.4	15.8	32	111.5		
K299403		7.2	74	2.9	16.8	49	117.5		
K299404		14.9	53	2.4	12.1	58	54.0		
K299405		23.5	59	2.9	7.1	91	40.1	2.99	
K299406		0.6	2	0.1	0.8	19	<0.5		
K299407		16.2	34	2.2	8.6	36	33.7	1.630	
K299408		3.4	108	211	16.1	78	28.6		
K299409		17.0	17	1.7	10.6	91	14.5	4.54	
K299410		7.2	6	0.9	5.9	18	4.1	>30.0	43.7
K299411		25.4	32	3.0	4.5	56	21.6	12.80	
K299412		35.8	53	3.6	9.5	103	35.0	8.55	
K299413		18.5	24	1.6	6.9	29	28.9		
K299414		20.0	22	1.5	5.5	8	20.8		
K299415		11.4	18	1.3	3.7	11	15.3		
K299416		21.0	106	5.4	8.7	56	72.6		
K299417		13.4	86	2.5	10.4	39	54.0		
K299418		0.5	1	0.1	0.7	16	<0.5		
K299419		17.2	42	2.3	12.4	22	58.3		
K299420		16.1	13	0.8	3.0	12	10.2		
K299421		15.2	12	0.8	3.1	9	7.5		
K299422		11.1	10	0.5	3.0	9	4.9		
K299423		7.0	5	0.7	1.8	26	2.6		
K299424		14.5	12	1.3	2.7	15	10.9	1.220	
K299425		16.6	14	1.1	3.4	26	9.4	5.38	
K299426		14.7	15	1.2	3.7	62	9.3	4.09	
K299427		9.3	369	38.7	30.9	271	79.8		
K299428		20.5	21	1.9	4.0	31	19.1	5.00	
K299429		11.7	10	1.0	2.6	35	8.0	0.994	
K299430		20.8	19	1.6	3.4	25	13.2		
K299431		14.6	14	1.9	3.2	51	8.6		
K299432		16.0	18	0.9	3.1	36	11.7		
K299433		15.9	18	0.9	3.0	23	11.2		
K299434		11.6	11	1.4	3.1	7	8.5		
K299435		14.4	13	1.0	3.3	9	8.6		
K299436		19.2	16	2.7	4.1	8	16.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167458

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

CERTIFICATE WH11165355

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 127 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165355

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301230		3.46	0.43	0.01	7.07	948	200	1.83	0.29	6.67	0.12	73.4	21.3	57	26.8	55.2
K301231		8.94	0.10	0.02	7.47	1180	200	1.93	0.30	4.57	0.06	64.6	24.3	69	31.4	57.0
K301232		4.81	0.72	0.03	6.40	803	210	1.59	0.23	0.86	0.11	57.3	26.0	75	30.3	54.4
K301233		3.87	0.24	0.10	5.67	1540	180	1.59	0.24	1.27	0.06	56.8	17.8	63	21.5	49.3
K301234		8.14	0.06	0.03	5.81	299	190	1.45	0.25	3.04	0.03	57.1	15.3	59	19.95	45.9
K301235		6.89	0.09	0.05	5.44	277	180	1.37	0.23	3.42	0.04	56.6	16.1	53	19.10	42.3
K301236		8.52	0.02	0.03	5.82	231	190	1.75	0.24	3.69	0.03	58.0	16.8	55	24.0	45.4
K301237		4.88	<0.01	<0.01	0.07	5	20	0.06	0.06	20.1	0.06	1.31	1.3	1	0.17	1.8
K301238		8.16	0.02	0.03	5.93	167.0	200	1.59	0.25	3.98	0.03	59.5	15.6	58	26.9	42.7
K301239		4.92	<0.01	0.01	6.69	34.4	230	1.78	0.30	2.07	0.02	68.0	18.8	63	32.7	45.4
K301240		4.91	0.05	0.02	6.46	380	210	1.83	0.29	2.34	0.03	65.9	17.5	64	29.1	51.0
K301241		0.22	7.75	0.46	3.39	1020	160	0.66	0.67	11.50	4.09	41.2	6.2	89	7.30	33.1
K301242		7.31	0.25	0.06	6.17	1615	170	2.11	0.24	1.23	0.36	57.4	25.4	70	32.1	53.6
K301243		7.99	0.25	0.06	6.01	2500	160	1.68	0.25	1.10	0.91	58.1	18.3	67	25.4	46.5
K301244		5.57	0.48	0.01	8.83	>10000	220	3.23	0.27	0.08	0.26	73.3	28.1	109	42.7	62.7
K301245		3.50	0.99	0.04	7.92	1970	200	2.54	0.29	0.62	0.13	74.2	25.0	90	30.8	62.4
K301246		6.35	0.07	0.01	7.90	611	210	2.66	0.28	1.12	0.03	72.0	22.6	84	32.1	57.4
K301247		7.44	0.28	0.04	5.80	1115	250	1.93	0.25	1.23	0.49	57.8	23.1	64	22.5	51.5
K301248		7.63	0.71	0.07	4.52	748	160	1.16	0.20	1.99	0.13	47.0	14.4	49	15.00	38.1
K301249		4.61	2.97	0.07	5.96	>10000	240	1.44	0.26	1.52	0.24	59.8	18.8	67	21.7	54.3
K301250		3.10	1.06	0.02	6.61	3460	230	1.57	0.28	3.18	0.15	64.2	16.9	58	21.7	52.6
K301251		8.08	0.36	0.03	7.20	500	240	1.77	0.33	3.30	0.09	72.1	23.4	61	24.7	55.3
K301252		3.86	0.39	0.04	7.05	531	230	1.83	0.33	3.22	0.11	71.6	24.0	61	24.1	55.9
K301253		8.28	5.98	0.24	6.24	2820	220	1.42	0.29	2.73	0.18	61.8	19.0	58	19.05	51.8
K301254		3.89	6.97	0.08	6.11	6290	210	1.32	0.28	0.74	0.22	62.0	22.1	69	16.55	55.5
K301255		7.49	16.70	0.22	6.62	>10000	250	1.36	0.31	0.13	0.36	69.3	21.8	71	15.70	55.9
K301256		4.90	0.01	<0.01	0.06	30	20	0.06	0.07	21.6	0.06	1.09	1.3	<1	0.12	2.0
K301257		4.60	3.89	0.05	2.61	>10000	90	0.41	0.11	0.12	0.11	27.2	11.2	57	4.70	29.0
K301258		7.66	6.01	0.19	4.23	9900	140	0.74	0.19	0.96	0.16	41.1	15.9	58	11.25	41.9
K301259		7.52	0.84	0.18	6.46	482	190	1.86	0.26	1.49	0.16	61.5	20.7	71	21.6	50.0
K301260		5.32	8.40	0.16	4.02	>10000	190	0.87	0.17	1.37	0.30	40.0	14.3	50	10.90	38.1
K301261		0.20	2.67	1.08	3.19	500	870	0.74	0.29	8.25	2.22	45.4	6.8	52	3.72	42.8
K301262		3.70	0.03	0.13	7.04	251	190	1.97	0.27	2.04	0.44	66.9	18.8	73	24.3	60.9
K301263		8.32	0.06	0.04	5.12	402	130	1.25	0.20	2.35	0.06	49.8	18.9	63	15.90	49.8
K301264		8.48	0.31	0.03	7.33	658	220	1.70	0.28	1.60	0.08	67.5	24.6	84	24.6	65.3
K301265		8.01	0.28	0.11	3.90	1380	130	0.83	0.13	2.03	0.04	40.9	14.2	55	9.06	39.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165355

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301230		4.12	19.20	0.20	2.6	3.08	0.067	3.31	37.9	17.5	2.90	1220	0.57	0.03	10.0	41.9
K301231		4.99	20.6	0.25	2.4	3.18	0.076	3.47	32.6	22.9	1.75	725	0.32	0.03	9.9	39.7
K301232		4.96	19.40	0.24	2.6	5.15	0.057	2.90	28.7	38.8	0.83	382	0.21	0.02	8.9	37.4
K301233		4.43	16.20	0.22	2.6	6.20	0.054	2.72	27.5	12.8	0.87	318	0.21	0.02	9.3	33.5
K301234		4.71	15.75	0.22	2.9	2.85	0.057	2.79	27.8	12.6	1.66	663	0.21	0.03	10.4	31.0
K301235		4.11	15.10	0.23	2.7	1.56	0.057	2.61	27.2	16.5	1.82	721	0.26	0.03	10.1	30.2
K301236		4.41	16.15	0.25	2.8	1.25	0.061	2.83	28.4	16.9	1.93	733	0.29	0.03	11.1	32.7
K301237		0.48	0.49	0.26	<0.1	<0.01	0.005	0.03	0.7	1.3	12.65	207	0.50	0.01	0.2	2.1
K301238		4.38	16.10	0.19	2.8	0.64	0.061	2.87	29.0	16.5	2.23	825	0.22	0.03	10.8	29.6
K301239		4.84	19.00	0.24	3.2	0.41	0.064	3.20	33.2	23.2	1.67	368	0.23	0.04	12.1	34.9
K301240		5.23	17.95	0.23	3.1	2.34	0.066	3.04	32.1	16.1	1.38	487	0.23	0.03	11.3	34.6
K301241		1.36	7.66	0.16	2.1	5.97	0.066	1.45	27.2	10.0	0.70	261	11.10	0.01	7.8	63.4
K301242		4.15	18.20	0.22	2.8	4.77	0.059	3.00	28.5	14.7	0.92	381	1.37	0.02	9.1	43.0
K301243		4.66	17.25	0.21	2.8	5.36	0.059	2.89	29.3	13.7	0.85	429	0.65	0.02	9.4	34.0
K301244		4.52	29.2	0.30	3.1	6.32	0.095	4.44	35.4	21.3	0.70	30	0.22	0.03	12.2	49.5
K301245		5.52	24.9	0.30	3.1	5.49	0.069	3.79	37.0	18.3	0.78	212	0.24	0.03	11.7	44.8
K301246		4.77	23.8	0.29	3.1	3.90	0.076	3.79	35.3	18.4	0.99	318	0.21	0.03	11.5	40.8
K301247		4.13	18.10	0.26	2.9	5.46	0.062	2.67	28.9	17.6	0.87	379	1.08	0.02	9.3	41.0
K301248		4.19	12.80	0.20	2.2	4.46	0.042	2.01	23.8	15.9	1.08	761	0.59	0.02	7.4	26.2
K301249		5.11	17.50	0.22	2.9	5.54	0.077	2.68	29.2	19.4	0.96	682	0.78	0.02	10.4	37.4
K301250		4.33	19.70	0.26	3.1	6.27	0.056	3.20	31.3	12.6	1.89	1360	0.22	0.03	11.8	33.9
K301251		4.95	21.1	0.28	3.4	3.05	0.057	3.47	35.4	13.6	1.91	1220	0.22	0.03	12.7	38.9
K301252		5.23	21.1	0.27	3.4	3.21	0.059	3.42	34.7	13.1	1.85	1210	0.22	0.03	12.8	41.3
K301253		4.62	18.45	0.24	3.0	4.34	0.047	3.02	30.1	12.2	1.65	1660	0.21	0.03	11.3	36.2
K301254		5.17	19.65	0.28	3.3	5.52	0.059	2.87	29.9	15.3	0.64	380	0.32	0.02	11.9	42.7
K301255		5.05	21.8	0.28	3.2	11.3	0.168	3.17	33.9	13.1	0.38	30	0.24	0.02	12.3	42.6
K301256		0.48	0.23	0.08	<0.1	0.01	0.005	0.02	0.5	1.0	12.75	210	0.10	<0.01	0.2	1.1
K301257		2.15	7.88	0.13	1.5	5.59	0.100	1.17	13.5	13.3	0.15	40	0.27	0.01	5.0	22.1
K301258		3.57	12.60	0.17	2.2	9.32	0.056	1.88	20.7	16.0	0.58	316	0.34	0.02	7.6	30.1
K301259		4.85	17.50	0.13	3.1	2.69	0.061	2.94	31.1	17.5	1.00	481	0.63	0.02	10.6	40.8
K301260		3.99	11.50	0.20	1.9	11.0	0.068	1.79	19.9	13.7	0.76	765	0.40	0.02	6.7	27.9
K301261		2.12	7.59	0.09	1.7	4.45	0.031	0.97	27.5	41.8	2.57	270	16.75	0.03	6.9	52.8
K301262		4.78	19.05	0.15	3.3	1.38	0.076	3.22	33.5	30.9	1.30	557	0.47	0.03	12.4	39.6
K301263		4.62	14.55	0.22	2.6	1.38	0.052	2.32	24.4	34.3	1.28	568	0.30	0.02	9.3	37.6
K301264		5.25	21.6	0.28	3.8	3.24	0.064	3.27	32.9	35.7	1.10	398	0.42	0.02	13.4	48.0
K301265		3.81	10.15	0.15	2.2	3.78	0.033	1.57	20.4	17.1	0.97	575	0.42	0.01	6.3	27.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165355

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301230		440	10.6	139.5	<0.002	2.81	3.40	19.2	1	2.4	233	0.75	0.08	11.3	0.371	7.60
K301231		320	14.3	135.5	0.002	4.30	1.45	20.7	1	2.5	154.0	0.72	<0.05	10.2	0.405	9.45
K301232		210	16.7	135.5	0.002	3.57	8.60	20.4	1	2.3	86.9	0.64	<0.05	8.9	0.407	12.40
K301233		400	16.2	127.5	0.002	4.27	6.10	16.8	1	1.7	63.6	0.71	<0.05	9.0	0.422	14.30
K301234		500	12.0	126.0	<0.002	4.19	1.60	17.7	1	1.9	100.0	0.77	0.05	9.5	0.475	6.12
K301235		660	14.0	117.0	<0.002	3.42	1.71	16.1	1	1.8	110.5	0.72	<0.05	9.1	0.435	3.27
K301236		500	15.8	131.5	<0.002	3.58	1.07	16.9	1	1.9	103.0	0.77	<0.05	9.4	0.454	2.95
K301237		170	1.3	1.5	<0.002	0.03	<0.05	0.3	2	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	<0.02
K301238		550	13.2	130.5	<0.002	2.38	0.89	17.1	1	1.9	96.7	0.78	<0.05	9.7	0.459	2.42
K301239		550	13.0	153.5	<0.002	2.51	0.36	19.3	1	2.2	73.7	0.90	0.05	11.3	0.491	3.10
K301240		560	14.8	146.5	<0.002	4.95	1.46	20.1	1	2.0	82.4	0.84	0.06	10.6	0.488	6.97
K301241		4230	4.7	98.6	0.034	1.36	18.15	6.8	8	1.7	144.0	0.53	0.56	6.2	0.207	13.05
K301242		270	32.8	143.0	0.002	3.78	5.83	21.4	1	2.0	62.8	0.66	<0.05	9.2	0.408	11.25
K301243		300	26.0	136.5	<0.002	4.54	11.00	20.1	1	1.8	61.2	0.68	0.05	9.6	0.423	13.55
K301244		200	21.4	217	0.003	4.58	35.4	33.0	1	2.4	57.1	0.91	<0.05	11.8	0.536	15.60
K301245		300	20.4	182.5	0.002	5.29	11.95	27.6	1	2.3	71.5	0.85	<0.05	11.6	0.522	19.25
K301246		360	17.3	179.0	0.002	4.29	3.23	26.3	1	2.4	82.5	0.82	<0.05	11.5	0.499	11.10
K301247		300	24.3	127.0	0.002	3.84	4.87	19.2	1	1.8	136.5	0.67	<0.05	9.4	0.387	11.40
K301248		320	15.1	90.5	<0.002	3.80	6.86	14.8	1	1.6	95.3	0.56	<0.05	7.4	0.324	11.15
K301249		510	18.1	121.0	<0.002	5.54	35.9	19.6	1	2.0	144.0	0.75	0.06	9.8	0.464	15.25
K301250		540	7.7	140.0	<0.002	3.95	18.95	23.0	1	2.1	121.0	0.87	0.08	10.7	0.501	21.6
K301251		570	15.7	158.0	<0.002	4.35	7.77	22.7	1	2.3	125.5	0.94	0.08	12.1	0.515	11.20
K301252		550	15.9	154.0	<0.002	4.73	8.49	22.6	1	2.2	126.0	0.93	0.07	11.7	0.507	11.95
K301253		500	13.3	129.5	<0.002	4.46	22.8	22.4	1	2.0	93.0	0.84	0.09	10.5	0.484	19.70
K301254		450	15.3	126.5	<0.002	5.16	33.3	16.5	1	2.0	61.7	0.84	0.07	10.8	0.548	19.00
K301255		490	12.7	138.5	<0.002	6.89	137.5	12.4	2	2.2	73.5	0.89	0.20	11.4	0.527	43.9
K301256		170	1.1	1.0	<0.002	<0.01	0.11	0.3	1	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.03
K301257		260	5.0	56.6	<0.002	3.31	76.3	4.8	2	0.9	28.7	0.35	0.07	4.6	0.292	15.70
K301258		360	10.5	76.4	<0.002	3.72	41.9	12.1	1	1.5	57.0	0.54	0.08	7.1	0.386	26.7
K301259		480	20.6	151.0	<0.002	4.73	7.34	20.0	2	2.0	76.8	0.82	0.05	10.9	0.496	7.82
K301260		370	11.2	79.5	<0.002	4.50	68.6	15.3	2	1.3	84.0	0.48	0.10	6.4	0.327	39.7
K301261		890	37.0	48.8	0.023	1.52	101.5	5.8	4	2.4	68.8	0.46	0.16	6.5	0.170	4.09
K301262		570	29.1	166.5	<0.002	4.63	2.50	22.3	1	2.3	74.4	0.91	0.06	11.6	0.573	3.48
K301263		480	12.2	101.0	<0.002	4.42	2.33	17.6	1	1.6	80.1	0.68	0.05	8.3	0.502	3.49
K301264		650	14.8	149.0	<0.002	5.34	6.68	22.8	1	2.2	118.0	0.96	0.06	11.7	0.681	8.52
K301265		290	10.8	76.8	<0.002	3.60	6.44	11.5	<1	1.4	97.7	0.46	<0.05	6.6	0.394	10.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165355

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301230		2.3	93	6.6	23.2	106	95.4	
K301231		1.8	125	5.4	20.1	67	87.6	
K301232		1.6	140	5.9	19.6	64	94.3	
K301233		1.8	123	9.9	20.2	75	94.9	
K301234		1.9	125	6.2	20.4	69	101.5	
K301235		1.9	110	4.5	21.0	64	97.3	
K301236		1.9	114	3.0	20.7	71	105.0	
K301237		0.5	2	0.1	0.9	17	<0.5	
K301238		2.0	116	2.7	21.1	66	103.0	
K301239		2.3	126	1.6	23.9	77	116.0	
K301240		2.2	132	6.3	23.9	72	108.5	
K301241		7.8	395	33.7	27.4	282	78.0	
K301242		2.0	141	10.4	19.6	131	102.5	
K301243		2.1	131	10.3	19.7	220	99.6	
K301244		1.9	203	16.3	25.7	81	108.0	1.360
K301245		2.0	175	13.0	25.4	65	109.0	
K301246		2.0	171	9.0	24.8	64	110.5	
K301247		2.2	128	7.1	19.4	183	103.0	
K301248		1.6	97	5.1	16.0	60	76.5	
K301249		1.9	130	8.4	22.2	101	106.0	1.370
K301250		2.1	129	11.1	23.0	72	110.0	
K301251		2.3	134	10.6	24.7	72	117.5	
K301252		2.2	133	10.4	25.2	69	119.0	
K301253		2.0	126	10.5	21.5	60	107.5	
K301254		2.0	144	18.1	23.8	64	118.0	
K301255		2.2	142	19.6	25.7	44	112.0	5.45
K301256		0.6	1	0.1	0.8	17	0.7	
K301257		0.9	80	7.3	11.5	22	57.1	3.85
K301258		1.4	107	7.2	14.7	46	81.8	
K301259		2.2	134	7.0	19.4	69	101.5	
K301260		1.3	93	5.8	14.7	56	70.5	1.705
K301261		8.8	228	27.5	18.8	207	59.5	
K301262		2.2	147	5.5	22.0	268	111.0	
K301263		1.6	139	4.7	18.5	52	93.9	
K301264		2.3	185	8.1	25.2	56	135.0	
K301265		1.2	109	7.6	13.7	31	77.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165355

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

CERTIFICATE WH11165354

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 128 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165354

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301542		11.10	<0.01	0.03	3.57	132	290	1.15	0.09	17.25	0.10	39.2	5.2	31	9.85	15.8
K301543		11.20	<0.01	0.04	3.62	484	240	1.12	0.09	15.50	0.10	40.1	5.1	32	8.75	22.3
K301544		11.00	<0.01	0.03	4.31	971	590	1.32	0.10	14.45	0.08	45.6	6.5	41	11.55	23.5
K301545		10.85	0.03	0.06	4.16	140	290	1.79	0.10	11.40	0.08	43.2	8.0	45	11.05	26.7
K301546		11.16	0.01	0.07	4.31	110	240	1.85	0.11	12.00	0.07	45.3	8.6	46	13.85	30.4
K300214		4.89	<0.01	0.01	0.07	<5	20	0.07	0.02	21.6	0.06	1.11	1.4	1	0.22	1.6
K301548		11.85	<0.01	0.05	3.34	69	180	1.43	0.09	19.55	0.09	34.6	7.1	32	10.65	22.7
K301549		13.61	0.01	0.07	3.70	28	230	1.58	0.09	17.70	0.10	37.9	7.7	40	11.25	23.9
K301550		11.97	0.01	0.05	4.00	24	220	1.37	0.10	17.35	0.08	39.1	7.1	42	13.15	24.4
K300211		0.26	0.32	0.38	6.21	613	580	0.71	0.27	0.50	0.18	119.0	3.2	244	3.22	33.3
K301552		12.08	0.01	0.06	3.26	92	190	1.23	0.09	20.1	0.07	32.9	7.0	36	6.40	19.7
K301553		10.97	<0.01	0.06	3.72	1180	300	1.29	0.08	14.85	0.54	40.0	7.5	43	6.12	25.3
K301554		10.66	<0.01	0.06	2.99	981	110	1.05	0.08	21.1	0.14	31.8	6.3	33	4.01	17.8
K301555		11.25	<0.01	0.04	3.28	2360	130	1.08	0.10	20.4	0.08	32.9	6.9	33	3.90	26.2
K301556		10.95	0.01	0.06	2.86	399	110	1.06	0.08	23.8	0.10	30.7	6.3	30	3.52	22.6
K301557		10.78	0.01	0.07	2.26	26	110	0.94	0.07	25.1	0.22	25.7	5.4	23	3.28	16.2
K301558		7.15	0.01	0.09	4.80	68	170	1.77	0.12	12.25	0.17	48.4	12.2	51	7.67	40.7
K301559		14.81	0.01	0.13	3.74	54	130	1.48	0.09	15.50	0.22	38.9	14.7	40	5.85	27.5
K301560		11.59	<0.01	0.08	3.99	42	180	1.65	0.11	15.30	0.23	40.5	11.7	42	6.44	18.1
K301561		12.13	<0.01	0.16	4.84	30.4	210	1.70	0.14	9.37	0.16	48.3	8.8	47	9.20	133.5
K301562		5.68	<0.01	0.18	4.41	32	190	1.75	0.15	10.00	0.17	45.6	8.7	41	8.50	142.5
K301563		11.86	<0.01	0.09	7.47	34.7	220	2.18	0.22	3.68	0.17	75.0	13.7	65	15.40	137.0
K301564		10.64	<0.01	0.03	7.79	52.9	310	2.04	0.27	2.99	0.16	77.5	13.5	70	16.45	17.8
K301565		11.31	<0.01	0.03	8.08	52.2	500	2.37	0.28	1.26	0.06	84.1	18.0	72	15.80	33.5
K301566		4.77	1.06	0.57	1.48	1000	100	0.37	0.03	13.15	0.08	18.45	2.8	15	2.90	7.5
K301567		6.87	<0.01	0.01	0.08	<5	20	0.07	0.04	21.0	0.06	1.26	1.2	1	0.25	1.6
K301568		7.31	1.56	0.43	1.51	995	90	0.44	0.04	12.75	0.10	19.75	2.4	16	3.04	6.7
K301569		5.77	4.21	0.82	0.70	4160	60	0.20	0.02	13.00	1.04	18.40	2.0	9	1.24	5.3
K301570		4.50	0.82	0.31	0.37	1800	30	0.16	0.01	21.3	0.24	7.90	1.7	4	0.53	2.8
K301571		4.66	0.50	0.23	0.17	1320	10	0.10	0.01	19.70	0.11	6.53	1.2	3	0.21	1.9
K301572		10.93	1.74	0.49	0.70	1580	60	0.23	0.03	17.10	0.15	12.50	1.9	8	1.17	4.5
K301573		10.69	1.01	0.34	2.19	561	100	0.60	0.05	11.85	0.06	22.0	4.0	22	4.76	9.4
K301574		0.26	0.35	0.35	6.07	596	500	0.66	0.27	0.48	0.18	123.0	2.9	238	3.36	32.0
K301575		10.06	0.50	0.20	1.95	403	90	0.56	0.05	13.35	0.06	21.5	3.8	20	4.12	9.2
K301576		4.05	0.35	0.11	0.99	492	60	0.31	0.03	15.40	0.06	14.70	2.1	12	2.07	4.3
K301577		5.60	1.70	0.18	0.85	1710	50	0.23	0.03	19.35	0.12	10.20	2.4	9	1.79	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165354

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301542		1.60	8.40	0.12	1.6	0.03	0.028	1.53	20.8	51.8	3.16	220	0.36	0.10	5.5	15.2
K301543		1.60	8.42	0.07	1.7	0.02	0.030	1.67	21.1	72.1	4.66	262	0.38	0.04	5.4	14.3
K301544		1.96	10.10	0.08	1.7	0.03	0.031	1.94	24.0	63.1	3.57	249	0.34	0.05	6.4	19.1
K301545		1.95	11.20	0.14	2.1	0.14	0.033	1.91	26.9	157.0	5.36	288	0.49	0.04	7.6	17.9
K301546		1.97	11.80	0.14	2.3	0.05	0.035	1.93	28.3	85.5	4.75	296	0.58	0.14	8.0	18.7
K300214		0.48	0.28	0.14	<0.1	<0.01	0.005	0.04	0.6	1.8	13.05	207	0.07	0.01	0.4	1.6
K301548		1.44	8.70	0.11	1.6	0.04	0.024	1.39	21.7	49.9	2.78	296	0.28	0.17	6.1	14.5
K301549		1.60	9.54	0.11	1.7	0.05	0.030	1.41	23.6	64.0	2.73	367	0.61	0.32	6.6	16.8
K301550		1.77	9.52	0.08	1.7	0.05	0.029	1.50	25.1	57.3	2.29	363	0.25	0.32	6.8	16.7
K300211		6.75	20.3	0.23	4.3	9.73	0.044	1.38	65.7	20.4	0.13	35	6.54	0.40	10.4	16.8
K301552		1.39	8.12	0.09	1.5	0.06	0.023	1.21	21.0	39.7	2.47	475	0.41	0.08	6.1	14.9
K301553		1.75	9.59	0.12	2.1	0.10	0.030	1.42	24.5	60.7	3.60	578	0.52	0.04	7.0	17.1
K301554		1.34	7.40	0.09	1.6	0.09	0.023	1.02	19.9	28.5	2.61	706	0.53	0.03	5.5	13.1
K301555		1.45	8.11	0.11	1.5	0.13	0.026	1.02	21.3	25.2	2.25	974	0.34	0.03	5.9	15.3
K301556		1.31	7.12	0.09	1.4	0.06	0.021	0.87	19.5	19.0	1.96	1390	0.34	0.02	5.5	13.3
K301557		1.02	5.73	0.10	1.0	0.03	0.018	0.74	16.4	29.0	1.86	1740	0.46	0.07	4.3	10.6
K301558		1.83	12.80	0.12	2.3	0.03	0.037	1.85	29.6	44.6	3.04	1720	0.28	0.04	8.9	24.7
K301559		1.41	9.72	0.11	1.8	0.03	0.029	1.62	24.1	24.7	3.51	2720	0.44	0.04	6.9	19.4
K301560		1.50	10.40	0.11	2.0	0.02	0.029	1.73	25.3	31.0	3.50	2720	0.39	0.04	7.3	18.7
K301561		2.15	12.60	0.12	2.2	0.01	0.036	2.02	30.4	60.5	4.29	2800	0.44	0.06	8.9	23.5
K301562		2.05	11.30	0.12	2.0	0.01	0.033	1.85	28.4	52.5	4.54	3030	0.43	0.05	8.0	21.5
K301563		3.24	19.85	0.18	2.9	0.01	0.053	3.12	47.7	76.1	2.97	1360	0.20	0.05	13.6	48.8
K301564		4.39	20.0	0.20	2.7	0.03	0.051	3.37	48.0	69.7	2.66	752	0.15	0.05	13.6	45.9
K301565		4.57	21.5	0.20	3.3	0.09	0.066	3.36	52.4	101.0	1.85	497	0.26	0.06	12.8	37.7
K301566		0.81	3.45	0.09	2.3	3.97	0.012	0.72	10.3	9.2	7.50	1070	0.86	0.02	2.6	5.1
K301567		0.47	0.28	0.11	<0.1	0.01	<0.005	0.03	0.7	1.4	12.40	205	0.08	0.01	0.3	2.2
K301568		0.74	3.75	0.08	2.6	4.68	0.016	0.77	11.0	10.5	6.89	1120	0.76	0.02	2.8	5.5
K301569		0.99	1.86	0.07	1.1	13.0	0.010	0.33	10.8	16.1	7.19	1570	0.39	0.01	1.4	4.1
K301570		0.79	1.06	0.08	0.3	4.92	0.006	0.19	5.0	3.2	10.60	1930	0.22	0.01	0.8	3.4
K301571		0.71	0.53	0.11	0.2	1.87	<0.005	0.07	4.4	2.0	11.55	807	0.23	0.01	0.4	2.5
K301572		0.75	1.79	0.10	1.0	4.40	0.008	0.35	7.5	5.4	9.52	1480	0.65	0.02	1.3	3.8
K301573		0.87	5.23	0.09	3.0	3.22	0.015	1.10	12.4	12.3	6.81	710	1.27	0.02	4.0	7.6
K301574		6.63	19.80	0.22	4.3	9.56	0.047	1.36	68.5	20.6	0.13	36	6.65	0.38	10.3	15.2
K301575		0.87	4.80	0.09	2.8	2.25	0.015	0.99	12.4	10.6	7.57	616	0.98	0.02	3.7	7.2
K301576		0.70	2.16	0.08	1.9	1.56	0.007	0.49	8.7	6.8	8.34	595	0.69	0.02	2.0	3.5
K301577		0.95	2.30	0.10	0.5	3.90	0.011	0.42	5.6	5.1	9.85	1860	0.53	0.01	1.6	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165354

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301542		410	8.0	73.6	<0.002	0.05	0.21	5.4	2	1.1	434	0.45	<0.05	7.3	0.170	0.30
K301543		400	7.8	75.1	<0.002	0.07	0.33	5.3	2	1.1	359	0.46	<0.05	7.4	0.173	0.32
K301544		450	8.1	87.9	<0.002	0.15	0.46	6.3	4	1.3	329	0.51	<0.05	8.5	0.202	0.36
K301545		460	9.6	95.0	<0.002	0.06	0.51	7.7	3	1.4	349	0.54	<0.05	9.9	0.193	0.48
K301546		490	10.2	103.0	<0.002	0.09	0.43	8.0	4	1.5	318	0.59	<0.05	10.3	0.199	0.37
K300214		190	1.2	2.5	<0.002	<0.01	<0.05	0.3	1	<0.2	45.1	<0.05	<0.05	<0.2	<0.005	<0.02
K301548		350	7.7	73.9	<0.002	0.07	0.25	6.0	2	1.1	465	0.44	<0.05	7.7	0.151	0.28
K301549		480	10.6	74.8	<0.002	0.20	0.32	6.5	3	1.2	477	0.49	<0.05	8.5	0.168	0.31
K301550		410	7.5	76.0	<0.002	0.09	0.25	6.3	2	1.4	465	0.52	<0.05	8.7	0.180	0.31
K300211		930	17.6	49.9	0.003	3.09	110.0	16.9	2	2.8	485	0.74	0.12	9.9	0.549	7.39
K301552		340	7.2	59.7	<0.002	0.57	0.45	5.9	2	1.1	493	0.42	<0.05	7.4	0.150	0.51
K301553		510	11.3	69.0	<0.002	0.65	1.31	6.6	3	1.2	414	0.49	<0.05	9.1	0.177	0.46
K301554		330	8.4	48.8	<0.002	0.62	0.44	5.2	2	1.0	607	0.39	<0.05	7.2	0.139	0.38
K301555		330	7.3	49.3	<0.002	0.99	0.46	5.7	2	1.1	539	0.41	<0.05	7.3	0.149	0.32
K301556		340	10.2	43.2	<0.002	0.91	0.22	5.2	2	1.0	533	0.37	<0.05	6.8	0.132	0.46
K301557		230	10.1	39.7	<0.002	0.14	0.18	4.2	2	0.8	609	0.29	<0.05	5.4	0.103	0.22
K301558		530	11.2	99.0	<0.002	0.23	0.24	8.6	2	1.7	315	0.63	<0.05	11.5	0.220	0.55
K301559		420	17.2	85.6	<0.002	0.10	0.24	6.5	3	1.3	352	0.49	<0.05	8.6	0.171	0.43
K301560		410	19.4	90.5	<0.002	0.06	0.21	6.9	3	1.4	308	0.52	<0.05	9.4	0.184	0.44
K301561		430	14.3	101.5	<0.002	0.04	0.17	8.2	2	1.6	170.5	0.63	<0.05	11.3	0.224	0.45
K301562		400	19.5	93.7	<0.002	0.04	0.16	7.5	2	1.5	175.0	0.57	<0.05	10.2	0.196	0.40
K301563		460	5.4	154.0	<0.002	0.11	0.28	12.7	2	2.3	112.0	0.98	<0.05	17.2	0.327	1.23
K301564		480	9.6	153.0	<0.002	0.04	0.50	12.5	1	2.2	149.5	0.98	<0.05	16.9	0.328	0.95
K301565		470	16.4	170.5	<0.002	0.12	0.55	15.5	2	2.6	283	0.93	0.06	17.1	0.397	0.92
K301566		560	10.0	24.8	<0.002	0.02	7.18	2.6	2	0.5	117.5	0.20	<0.05	4.1	0.069	7.61
K301567		180	1.6	1.8	<0.002	0.01	<0.05	0.3	1	<0.2	42.3	<0.05	<0.05	<0.2	<0.005	0.02
K301568		560	10.3	26.8	<0.002	0.03	8.36	2.6	2	0.5	79.5	0.22	<0.05	4.7	0.075	8.77
K301569		340	9.3	11.9	<0.002	0.02	16.85	1.1	2	0.3	56.3	0.10	<0.05	2.1	0.035	29.8
K301570		360	4.7	6.3	<0.002	0.02	5.94	1.2	1	0.2	71.8	0.05	<0.05	0.9	0.017	13.15
K301571		390	3.0	2.5	<0.002	0.02	3.53	0.5	2	<0.2	61.1	<0.05	<0.05	0.5	0.008	6.75
K301572		630	6.2	12.1	<0.002	0.06	6.96	1.4	2	0.3	84.8	0.08	<0.05	1.8	0.032	8.79
K301573		630	13.3	37.5	<0.002	0.10	9.37	3.3	2	0.7	90.5	0.30	<0.05	6.2	0.107	10.40
K301574		900	18.0	51.2	0.002	3.00	112.5	15.1	2	2.9	481	0.75	0.14	10.0	0.537	7.81
K301575		550	12.0	34.3	<0.002	0.09	8.42	3.1	3	0.6	91.3	0.28	<0.05	5.7	0.097	7.41
K301576		410	6.9	16.3	<0.002	0.06	5.07	1.6	2	0.3	89.0	0.15	<0.05	3.1	0.050	5.97
K301577		210	4.7	14.0	<0.002	0.12	8.00	2.4	2	0.3	101.0	0.11	<0.05	1.9	0.041	14.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165354

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301542		5.7	52	0.6	12.2	55	56.2
K301543		6.4	50	0.6	12.8	59	64.4
K301544		6.9	61	0.7	14.2	70	64.3
K301545		5.0	61	0.9	16.8	63	78.8
K301546		5.4	62	0.8	17.4	69	81.5
K300214		0.4	2	0.1	0.9	16	0.5
K301548		7.2	44	0.7	13.2	49	57.8
K301549		9.0	55	0.7	14.4	56	62.7
K301550		6.3	56	0.7	13.1	59	58.0
K300211		7.5	170	22.4	16.2	44	178.0
K301552		9.6	46	0.7	12.2	53	57.4
K301553		8.8	52	0.9	15.2	59	77.8
K301554		14.4	41	0.8	12.1	48	58.4
K301555		10.8	42	0.9	11.7	55	54.2
K301556		12.2	38	0.7	11.9	47	53.6
K301557		11.6	31	0.5	9.5	44	39.2
K301558		5.8	69	0.9	17.5	83	85.6
K301559		6.7	52	0.8	15.0	77	67.7
K301560		5.6	52	0.8	15.5	78	72.8
K301561		5.9	58	0.9	17.8	74	80.4
K301562		4.9	53	0.8	17.1	73	73.9
K301563		2.6	56	1.2	20.6	106	104.0
K301564		1.9	43	1.2	20.2	96	96.8
K301565		3.8	88	1.5	23.1	106	116.5
K301566		5.4	23	3.1	9.2	15	82.9
K301567		0.5	2	0.1	0.9	18	0.5
K301568		6.2	23	1.9	10.0	12	89.6
K301569		6.8	12	1.3	4.9	157	40.0
K301570		7.8	14	0.7	3.9	46	10.9
K301571		3.8	8	0.3	3.0	30	5.3
K301572		5.8	15	0.8	5.6	20	33.7
K301573		5.4	35	1.7	11.0	8	109.5
K301574		7.7	165	23.1	16.2	43	176.0
K301575		5.6	30	1.7	10.7	9	100.0
K301576		5.8	15	0.9	7.4	7	66.0
K301577		7.4	19	1.1	3.9	26	21.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165354

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11167450

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 129 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167450

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300581		12.52	<0.01	0.11	7.43	15.4	330	1.86	0.25	3.24	0.32	58.2	36.4	72	29.6	130.0
K300582		12.03	<0.01	0.11	7.05	13.9	280	1.87	0.29	3.75	0.19	73.4	19.7	55	27.7	65.2
K300583		5.81	<0.01	0.14	6.65	106.5	200	1.64	0.24	5.23	0.44	60.7	22.4	54	21.9	80.1
K300584		11.76	<0.01	0.13	6.64	29.3	470	1.76	0.22	5.02	0.19	52.2	24.8	62	22.6	113.0
K300585		7.69	<0.01	0.06	5.11	31	160	1.25	0.21	18.40	0.12	57.8	10.6	39	17.85	29.3
K300586		4.69	0.03	0.08	5.27	123.5	110	1.16	0.18	8.08	0.26	40.5	20.9	52	16.20	86.9
K300587		11.65	<0.01	0.11	6.89	12.6	200	1.35	0.23	2.81	0.42	46.3	31.1	74	28.1	142.0
K300588		0.26	0.31	0.32	6.09	577	1390	0.57	0.27	0.46	0.18	135.0	2.6	231	3.47	28.9
K300589		11.04	<0.01	0.11	6.70	19.3	130	1.32	0.23	2.80	0.36	44.3	29.2	71	24.7	129.0
K300590		10.56	<0.01	0.11	6.54	30.8	150	1.37	0.21	2.85	0.26	43.6	27.8	72	18.70	122.0
K300591		10.84	0.27	0.10	6.25	3930	160	0.99	0.21	5.07	0.31	41.6	25.9	58	9.99	118.5
K300592		12.04	0.08	0.09	6.76	844	180	1.36	0.24	4.55	0.23	48.5	28.4	66	11.55	126.5
K300593		11.68	0.03	0.10	6.52	304	170	1.67	0.23	3.68	0.39	52.8	27.8	64	28.2	124.0
K300594		6.93	<0.01	<0.01	0.08	<5	20	0.08	0.02	20.7	0.07	1.28	1.3	1	0.24	3.7
K300595		11.33	0.03	0.07	7.81	241	480	2.37	0.31	2.49	0.09	69.1	17.5	64	21.5	51.1
K300596		11.50	<0.01	0.07	8.35	29.2	370	2.55	0.31	0.52	0.04	89.4	17.9	72	30.2	43.0
K300597		11.11	<0.01	0.08	8.13	72.1	300	2.51	0.31	0.68	0.02	81.4	17.0	66	26.8	33.1
K300598		11.28	0.19	0.09	8.22	519	300	2.42	0.31	1.65	0.24	93.8	20.1	62	20.6	42.8
K300599		6.91	<0.01	<0.01	0.08	<5	20	0.06	0.02	20.6	0.06	1.33	1.3	1	0.21	1.6
K300600		11.48	<0.01	0.10	7.73	137.5	490	2.29	0.29	1.56	0.27	82.8	22.7	61	23.9	42.6
K300601		10.94	<0.01	0.07	8.39	36.7	340	2.68	0.31	0.58	0.02	92.8	16.7	68	32.1	38.4
K300602		11.19	<0.01	0.05	8.96	33.2	430	2.89	0.32	0.47	0.02	90.5	17.1	74	43.8	38.2
K300603		11.25	<0.01	0.09	8.54	42.7	290	2.38	0.32	2.19	<0.02	99.2	16.0	65	36.5	32.7
K300604		11.29	<0.01	0.09	9.06	7.0	490	2.56	0.31	0.50	<0.02	85.7	18.2	72	43.4	43.3
K300605		11.08	<0.01	0.08	9.10	22.3	390	2.60	0.33	0.48	0.02	78.2	16.9	79	34.9	35.6
K300606		11.13	<0.01	0.07	9.27	26.0	390	2.59	0.35	1.22	0.03	98.6	16.1	74	32.0	35.1
K300607		11.31	<0.01	0.09	7.69	31.6	440	2.07	0.30	6.69	0.03	78.9	14.8	55	23.8	27.2
K300608		12.49	0.01	0.12	7.77	181.5	280	2.16	0.31	4.67	0.14	80.5	20.2	59	22.6	56.7
K300609		10.59	<0.01	0.11	6.53	265	160	1.43	0.20	4.89	0.27	47.6	29.5	61	17.60	134.0
K300610		10.50	0.22	0.13	5.87	669	130	1.37	0.18	5.13	0.30	41.7	26.5	57	19.80	129.5
K300611		11.18	0.14	0.10	5.01	457	110	1.44	0.16	11.90	0.22	43.9	20.1	46	15.35	88.6
K300612		11.38	0.16	0.06	6.59	445	210	1.99	0.23	8.75	0.11	75.0	12.0	50	21.2	32.8
K300613		6.21	0.20	0.07	6.36	481	190	2.06	0.23	8.38	0.11	75.7	13.2	51	21.2	43.5
K300614		12.59	0.09	0.09	6.39	191.5	240	1.93	0.24	6.47	0.26	66.9	15.9	50	22.6	53.3
K300615		11.64	<0.01	0.09	6.48	71.0	200	1.90	0.25	2.25	0.07	66.3	19.1	67	31.0	53.3
K300616		0.30	2.62	1.20	3.17	585	860	0.76	0.29	8.09	2.26	47.3	6.9	53	4.12	42.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167450

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300581		7.22	21.1	0.22	3.8	0.06	0.095	2.27	27.3	72.0	3.18	648	1.43	0.48	16.1	56.4
K300582		4.96	19.55	0.22	4.0	0.05	0.080	2.89	35.5	107.0	2.73	591	0.82	0.24	17.4	36.2
K300583		5.27	18.10	0.21	3.2	0.10	0.071	2.93	28.9	104.5	3.12	685	1.06	0.04	12.7	43.0
K300584		5.13	18.85	0.20	3.1	0.12	0.088	2.90	25.4	111.5	2.95	562	0.98	0.04	11.1	38.8
K300585		2.44	12.90	0.10	1.5	0.44	0.038	2.23	30.7	32.9	1.77	777	1.11	0.04	6.1	21.3
K300586		5.36	14.15	0.14	2.5	0.28	0.068	2.17	19.4	85.5	3.54	1000	2.40	0.07	9.6	34.1
K300587		7.66	19.70	0.22	3.2	0.09	0.099	2.12	20.9	120.0	3.04	1030	0.57	0.41	14.3	49.5
K300588		6.56	19.90	0.24	4.0	9.1	0.048	1.32	69.2	14.8	0.13	36	6.20	0.37	9.5	15.0
K300589		7.61	19.20	0.21	3.0	0.13	0.094	2.18	20.2	112.0	3.11	1040	0.49	0.35	13.5	48.2
K300590		7.63	18.30	0.20	2.8	0.40	0.093	2.01	19.1	109.5	2.75	1060	0.45	0.29	12.9	46.5
K300591		6.12	17.45	0.18	2.9	2.80	0.092	2.78	19.3	11.3	2.24	1710	0.41	0.03	12.4	43.5
K300592		7.21	19.20	0.20	3.2	1.92	0.099	3.00	22.6	14.2	2.06	1320	0.41	0.03	13.9	47.6
K300593		6.82	18.60	0.21	3.3	0.67	0.094	2.60	25.2	105.5	2.71	1100	1.91	0.11	14.3	45.5
K300594		0.46	0.41	0.26	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.20	202	0.07	<0.01	0.4	2.3
K300595		4.94	22.9	0.19	3.2	0.44	0.076	3.87	34.1	25.7	1.42	720	0.32	0.05	12.6	34.5
K300596		4.65	23.6	0.22	3.5	0.30	0.075	3.91	49.2	39.1	1.44	489	0.41	0.05	12.5	35.1
K300597		4.34	22.9	0.21	3.3	0.31	0.070	3.88	43.5	20.3	1.05	583	0.19	0.05	12.4	35.8
K300598		4.29	23.2	0.22	3.2	0.71	0.074	3.87	50.8	12.3	1.06	755	2.37	0.05	12.2	36.3
K300599		0.46	0.42	0.27	<0.1	<0.01	<0.005	0.03	0.7	0.9	12.20	198	<0.05	<0.01	0.3	1.8
K300600		5.67	21.8	0.22	3.2	0.52	0.068	3.56	45.7	23.1	0.94	1180	3.85	0.04	11.7	40.6
K300601		4.36	23.1	0.21	3.3	0.15	0.074	3.90	50.5	31.8	1.08	540	0.20	0.05	12.3	35.5
K300602		4.40	25.8	0.24	3.4	0.08	0.077	4.25	46.7	55.9	1.28	559	0.33	0.06	13.0	38.6
K300603		4.49	22.8	0.25	3.0	0.10	0.063	3.95	53.4	38.7	1.55	1020	0.30	0.05	11.3	33.6
K300604		4.62	25.1	0.23	3.0	0.07	0.067	4.31	44.6	53.3	1.35	529	0.29	0.06	12.8	40.3
K300605		4.49	24.6	0.22	3.1	0.09	0.069	4.36	39.4	48.5	1.27	509	0.26	0.06	12.5	36.1
K300606		4.70	24.9	0.24	3.3	0.26	0.073	4.23	53.4	37.7	1.32	597	0.42	0.06	12.4	34.7
K300607		3.94	20.2	0.21	2.8	0.21	0.061	3.55	42.4	26.7	1.22	782	0.35	0.05	10.8	28.2
K300608		4.64	21.2	0.22	3.0	0.77	0.075	3.63	42.1	13.7	2.19	839	1.55	0.04	11.6	35.0
K300609		6.86	18.70	0.21	3.2	1.76	0.092	2.17	23.6	102.5	2.59	891	0.40	0.03	12.3	47.5
K300610		6.15	16.80	0.18	3.2	2.32	0.085	2.20	20.5	58.1	2.34	1530	0.31	0.02	11.2	42.5
K300611		4.75	14.05	0.15	2.5	2.28	0.070	2.19	22.0	7.3	1.77	1220	0.46	0.02	9.5	32.6
K300612		3.06	17.00	0.15	2.9	1.09	0.055	3.06	39.9	10.3	2.85	625	0.61	0.03	10.3	28.0
K300613		3.02	16.80	0.16	2.9	1.10	0.051	2.99	40.7	10.3	2.77	622	0.59	0.03	9.9	28.1
K300614		3.91	17.05	0.16	2.8	1.71	0.057	2.94	35.1	10.4	3.54	1400	2.35	0.03	9.9	31.5
K300615		4.91	17.80	0.19	3.2	0.48	0.069	2.88	33.2	34.1	1.46	500	0.58	0.03	10.7	34.1
K300616		2.09	8.11	0.10	1.8	4.70	0.030	1.00	30.3	33.6	2.51	268	18.25	0.03	7.1	51.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167450

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300581		670	19.6	124.5	0.006	0.88	0.52	27.1	4	2.1	71.9	0.92	0.19	8.3	0.669	0.84
K300582		590	14.6	156.5	0.002	0.44	0.41	17.9	3	2.5	101.5	1.08	0.17	10.7	0.501	1.07
K300583		490	22.5	155.0	0.002	1.36	0.67	18.3	3	2.8	131.0	0.77	0.10	8.8	0.492	5.30
K300584		550	13.0	155.5	0.003	1.15	0.50	23.2	3	2.3	118.0	0.76	0.12	7.3	0.567	1.95
K300585		2490	20.0	113.0	<0.002	2.00	0.53	9.3	3	1.8	489	0.43	<0.05	9.6	0.189	3.16
K300586		670	16.1	119.5	0.005	1.93	1.36	18.9	3	1.5	181.0	0.62	0.14	6.0	0.424	2.44
K300587		670	11.9	144.5	0.004	0.36	0.36	28.9	4	1.9	74.6	0.92	0.25	6.1	0.703	1.14
K300588		890	17.9	49.0	0.002	2.96	106.0	15.8	3	2.8	510	0.72	0.11	10.2	0.530	8.19
K300589		700	10.2	145.5	<0.002	0.28	0.59	27.2	4	1.9	75.1	0.88	0.22	6.3	0.660	1.24
K300590		680	9.2	123.5	<0.002	1.32	0.55	25.4	3	1.8	104.5	0.81	0.23	5.9	0.647	2.01
K300591		640	14.7	119.0	<0.002	4.98	26.4	24.7	3	1.9	145.0	0.79	0.24	5.7	0.613	4.08
K300592		700	9.7	134.5	<0.002	6.34	6.94	27.6	4	2.0	170.0	0.88	0.27	6.6	0.671	5.13
K300593		650	12.9	140.0	0.015	2.38	1.80	24.9	4	2.0	112.0	0.91	0.22	6.9	0.613	2.39
K300594		170	1.6	1.7	<0.002	0.02	0.06	0.3	2	<0.2	47.4	<0.05	<0.05	<0.2	0.005	0.02
K300595		480	17.3	123.0	<0.002	2.89	2.61	16.8	2	2.5	136.5	0.95	0.09	11.2	0.442	2.53
K300596		580	27.4	192.0	<0.002	0.24	0.77	18.0	2	2.6	73.1	0.97	0.07	15.3	0.437	1.39
K300597		590	17.5	184.5	<0.002	1.88	0.61	16.3	2	2.6	68.0	0.97	0.06	13.6	0.423	1.75
K300598		670	43.5	190.0	<0.002	4.00	2.93	16.2	3	2.5	77.4	0.94	0.07	15.4	0.400	3.77
K300599		170	1.3	1.6	<0.002	0.02	<0.05	0.3	2	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	0.02
K300600		520	42.2	192.5	<0.002	5.42	1.83	16.7	2	2.4	106.5	0.87	0.06	14.6	0.401	3.31
K300601		590	17.0	210	<0.002	1.69	0.49	17.4	2	2.6	80.9	0.95	0.06	15.1	0.432	2.01
K300602		550	22.8	214	<0.002	0.32	0.44	18.0	2	2.7	76.9	1.00	0.05	15.0	0.439	1.48
K300603		500	18.4	200	<0.002	0.58	0.60	15.6	2	2.4	97.8	0.86	0.05	15.8	0.391	1.48
K300604		530	24.4	210	<0.002	0.57	0.29	16.5	2	2.5	75.2	0.97	0.06	14.1	0.411	1.38
K300605		540	17.4	200	<0.002	0.51	0.36	15.7	2	2.6	70.6	0.97	0.06	13.4	0.414	1.54
K300606		620	26.0	206	<0.002	1.38	0.65	16.9	3	2.7	100.0	0.99	0.05	16.4	0.437	2.00
K300607		390	22.2	151.0	<0.002	1.69	0.49	12.7	2	2.1	216	0.81	<0.05	13.7	0.356	1.87
K300608		570	20.2	171.5	0.004	3.64	0.88	17.4	3	3.1	131.0	0.84	0.09	13.2	0.403	6.09
K300609		620	10.2	156.5	0.002	5.06	0.97	26.3	4	2.0	180.0	0.78	0.21	6.2	0.637	8.43
K300610		550	9.1	137.0	<0.002	6.05	3.13	24.6	3	2.7	149.5	0.73	0.20	5.5	0.596	7.35
K300611		520	12.7	126.5	<0.002	4.85	2.02	18.4	3	1.9	296	0.60	0.14	6.1	0.460	6.21
K300612		500	15.1	159.5	<0.002	2.14	1.63	11.9	3	2.0	232	0.77	<0.05	14.4	0.304	2.85
K300613		490	15.2	153.0	<0.002	2.13	1.84	11.6	3	3.2	238	0.76	<0.05	13.8	0.295	2.89
K300614		490	21.0	139.5	0.005	3.38	2.02	15.0	3	3.6	279	0.71	<0.05	11.7	0.379	3.27
K300615		520	19.3	159.5	<0.002	3.06	0.57	18.3	2	2.4	116.5	0.80	<0.05	10.9	0.507	2.97
K300616		880	39.4	53.0	0.022	1.51	104.5	5.5	5	2.4	76.2	0.45	0.18	6.6	0.172	4.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167450

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300581		2.6	201	1.2	31.2	105	147.5
K300582		3.0	130	1.3	29.3	81	144.0
K300583		2.2	141	1.2	26.5	90	120.0
K300584		1.8	179	1.2	25.4	91	114.5
K300585		3.2	52	0.8	18.3	108	58.2
K300586		1.8	149	2.6	23.2	67	97.4
K300587		1.5	228	0.8	27.5	95	123.0
K300588		7.6	163	22.8	15.3	42	165.5
K300589		1.5	212	0.9	26.3	97	114.5
K300590		1.5	201	1.1	25.5	94	113.0
K300591		1.4	199	19.0	24.2	83	110.5
K300592		1.6	219	18.0	26.4	88	124.0
K300593		2.0	193	4.0	27.2	88	127.0
K300594		0.5	4	0.1	1.0	16	0.8
K300595		2.4	109	9.5	19.2	82	107.5
K300596		2.8	101	1.8	22.8	103	117.0
K300597		2.7	90	3.1	19.4	88	112.0
K300598		3.0	89	6.5	22.8	115	112.0
K300599		0.6	3	0.1	0.9	16	0.6
K300600		2.7	89	4.4	21.9	159	110.5
K300601		2.7	99	2.4	21.5	91	110.0
K300602		3.1	101	1.8	20.9	89	115.0
K300603		3.0	87	2.2	21.1	79	105.5
K300604		2.9	96	1.6	18.9	87	102.0
K300605		2.8	93	1.6	17.6	91	101.0
K300606		3.1	98	1.8	20.9	95	112.5
K300607		3.2	75	1.6	18.2	74	100.0
K300608		3.0	126	2.3	22.2	86	108.5
K300609		1.7	211	3.6	26.9	91	123.5
K300610		1.5	196	6.8	25.4	85	117.5
K300611		2.2	145	6.6	22.8	74	102.0
K300612		4.0	79	3.6	21.3	78	104.5
K300613		3.8	77	3.6	20.9	81	100.5
K300614		3.0	115	5.3	21.2	100	101.0
K300615		2.2	138	1.7	23.3	82	114.0
K300616		8.7	230	31.2	22.0	206	68.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167450

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE WH11169070

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 130 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301266		7.75	0.47	0.06	5.05	1800	190	1.09	0.17	2.19	0.06	50.1	16.9	59	15.15	50.3
K301267		8.18	0.62	0.04	5.15	1340	220	1.04	0.18	2.90	0.14	50.9	16.2	53	16.45	53.1
K301268		8.31	0.35	0.06	7.37	635	320	1.88	0.27	1.42	0.24	72.8	18.4	74	26.1	62.4
K301269		7.00	0.02	0.07	3.49	234	130	0.85	0.14	2.35	0.15	39.7	14.1	39	10.10	36.3
K301270		8.31	<0.01	0.06	5.91	91.3	380	1.40	0.22	3.40	<0.02	58.2	15.1	59	17.65	55.8
K301271		4.90	<0.01	0.01	0.07	<5	20	0.07	0.03	22.0	0.06	1.36	1.6	2	0.20	4.2
K301272		7.74	<0.01	0.08	6.59	126.0	390	2.06	0.26	3.19	<0.02	82.0	19.7	58	23.8	60.6
K301273		7.76	0.04	0.04	5.83	276	200	1.51	0.20	2.76	0.02	58.1	21.1	55	19.10	55.6
K301274		7.93	0.16	0.05	4.51	2610	180	0.95	0.16	3.11	0.05	46.1	14.6	44	10.95	57.1
K301275		6.06	0.07	0.07	2.44	9690	150	0.39	0.08	2.59	0.07	25.9	11.3	45	4.14	48.0
K301276		4.17	0.86	0.09	3.21	8060	140	0.56	0.12	3.41	0.07	31.9	12.7	37	6.35	46.8
K301277		3.13	7.94	0.19	1.48	>10000	100	0.26	0.10	1.17	1.29	15.05	5.5	33	2.81	54.7
K301278		1.61	9.41	0.22	1.53	>10000	90	0.27	0.11	1.13	1.23	15.10	10.8	28	2.81	103.0
K301279		7.46	0.61	0.13	3.39	>10000	140	0.65	0.13	2.81	0.55	34.2	16.7	44	7.42	58.0
K301280		7.35	0.08	0.05	3.21	2430	100	0.59	0.10	2.42	0.08	32.5	13.9	52	6.93	62.3
K301281		5.97	<0.01	0.05	2.94	173.0	100	0.54	0.09	3.23	0.04	28.3	11.2	51	6.87	44.6
K301282		2.54	<0.01	0.04	3.68	198.5	190	0.64	0.09	3.30	0.06	37.5	17.5	48	10.45	37.9
K301283		8.31	0.25	0.23	7.37	8160	260	0.94	0.04	6.02	0.19	85.9	29.2	22	19.30	43.3
K301284		0.22	0.37	0.31	6.53	640	370	0.62	0.27	0.51	0.18	138.5	3.1	251	3.72	33.7
K301285		4.12	0.07	0.08	5.49	1780	200	1.39	0.20	3.21	0.10	52.8	16.5	53	19.70	49.0
K301286		5.42	0.04	0.06	3.05	1950	90	0.64	0.10	1.96	0.26	29.4	13.0	48	8.31	35.9
K301287		7.04	<0.01	0.05	1.96	131.0	70	0.37	0.08	2.54	0.03	21.5	7.7	38	4.15	20.1
K301288		5.93	<0.01	0.05	2.62	234	100	0.53	0.11	3.56	0.05	29.2	10.4	39	6.69	43.2
K301289		7.79	<0.01	0.10	6.56	130.5	320	1.85	0.24	2.31	0.14	62.9	21.4	69	21.9	62.0
K301290		4.89	<0.01	<0.01	0.07	<5	20	0.08	0.02	21.5	0.08	1.24	1.6	1	0.32	1.2
K301291		8.20	<0.01	0.16	7.59	486	260	2.10	0.29	2.40	0.04	71.9	24.8	73	23.2	59.8
K301292		8.36	<0.01	0.07	6.02	60.7	170	1.52	0.20	2.05	<0.02	52.9	19.3	75	21.7	52.9
K301293		8.64	<0.01	0.07	6.45	54.8	200	1.53	0.23	2.43	<0.02	61.9	18.9	74	34.6	58.0
K301294		8.53	<0.01	0.11	6.76	27.4	200	1.59	0.24	2.28	0.02	65.2	23.6	78	40.3	61.3
K301295		8.54	<0.01	0.14	5.90	66.3	180	1.53	0.21	1.61	0.03	54.3	19.7	71	28.1	52.2
K301296		0.22	2.60	1.08	3.36	610	900	0.73	0.28	8.74	2.43	48.1	7.0	57	4.24	46.3
K301297		8.31	<0.01	0.10	6.82	106.5	220	2.17	0.22	0.98	0.07	58.6	23.7	84	43.3	55.9
K301298		8.25	<0.01	0.11	7.39	112.5	250	2.29	0.21	1.73	0.12	67.1	25.4	87	42.0	54.8
K301299		7.35	<0.01	0.12	6.32	43.0	260	1.51	0.20	2.19	0.09	59.9	19.7	70	26.3	52.8
K301300		5.65	<0.01	0.19	7.91	70.7	290	2.10	0.27	2.31	0.34	79.3	34.0	72	23.6	136.0
K301301		7.43	<0.01	0.11	6.87	32.4	210	1.54	0.19	3.42	0.24	54.5	33.0	71	21.1	141.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169070

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301266		3.68	12.90	0.12	2.7	3.10	0.043	2.12	23.1	15.4	1.13	659	0.33	0.02	8.8	28.3
K301267		3.90	13.30	0.11	2.4	2.72	0.043	2.21	23.6	15.4	1.39	957	0.54	0.02	8.5	27.3
K301268		4.62	19.95	0.15	3.5	1.89	0.070	3.31	33.7	24.3	0.96	401	0.70	0.03	12.1	36.1
K301269		3.24	8.61	0.09	1.8	0.44	0.030	1.53	18.2	13.9	1.01	520	0.56	0.02	6.0	19.8
K301270		3.77	14.90	0.17	2.8	0.49	0.057	2.66	27.1	20.9	1.77	567	0.28	0.03	9.8	26.8
K301271		0.49	0.48	0.36	<0.1	<0.01	0.005	0.03	0.6	0.9	13.15	207	0.13	<0.01	0.4	2.1
K301272		4.89	20.1	0.21	3.3	0.79	0.080	2.88	40.8	32.9	1.81	595	0.30	0.02	12.6	34.8
K301273		4.59	14.85	0.14	2.8	0.85	0.055	2.69	27.2	21.9	1.53	622	0.30	0.03	10.3	31.8
K301274		3.23	11.65	0.11	2.2	1.67	0.035	1.96	21.7	14.7	1.44	909	0.35	0.02	7.8	22.1
K301275		3.16	6.01	0.08	1.3	2.02	0.036	1.07	12.1	7.5	1.04	476	0.38	0.01	3.9	17.6
K301276		4.05	8.46	0.09	1.6	4.59	0.047	1.45	14.9	7.4	1.43	878	0.28	0.02	5.2	19.6
K301277		3.65	3.88	0.06	0.7	39.0	0.151	0.62	6.7	23.3	0.55	352	0.21	0.01	2.4	8.7
K301278		4.05	4.05	<0.05	0.8	35.9	0.141	0.64	6.8	23.6	0.54	359	0.17	0.01	2.4	9.1
K301279		4.58	8.98	0.08	1.6	7.80	0.076	1.45	15.6	14.1	1.25	635	0.52	0.02	5.4	22.7
K301280		3.07	8.64	0.09	1.7	0.82	0.032	1.46	14.8	10.8	1.00	409	0.31	0.02	5.3	22.6
K301281		2.79	7.46	0.07	1.6	0.27	0.028	1.32	13.8	10.6	1.23	512	0.28	0.02	4.8	18.3
K301282		3.89	9.41	0.09	1.9	0.39	0.036	1.48	17.1	25.8	1.30	654	0.49	0.02	10.8	24.0
K301283		8.35	18.75	0.22	3.1	3.59	0.088	3.06	40.9	33.8	2.12	1320	1.81	0.03	53.7	19.5
K301284		7.35	20.6	0.24	4.4	1.3	0.052	1.46	63.4	19.4	0.14	40	6.48	0.40	9.9	17.2
K301285		4.34	14.90	0.16	2.5	1.08	0.056	2.42	24.1	32.8	1.36	676	0.39	0.03	9.3	29.0
K301286		3.45	7.81	0.10	1.6	1.07	0.038	1.31	13.7	13.7	0.81	333	0.30	0.01	5.0	23.1
K301287		2.39	4.98	0.05	1.1	0.15	0.019	0.84	10.4	10.8	0.90	428	0.28	0.01	3.0	11.1
K301288		2.85	6.71	0.07	1.4	0.21	0.027	1.16	13.4	15.3	1.40	616	0.35	0.01	4.2	16.0
K301289		5.83	17.95	0.20	3.0	0.44	0.071	2.93	28.3	41.1	1.72	472	0.70	0.03	11.0	39.2
K301290		0.48	0.50	0.38	<0.1	<0.01	0.005	0.03	0.6	1.0	12.80	210	0.09	<0.01	0.4	1.7
K301291		5.45	19.25	0.20	3.5	0.59	0.079	3.51	32.5	32.1	1.82	498	0.49	0.04	11.3	41.8
K301292		5.19	15.05	0.20	2.8	0.10	0.060	2.71	24.0	44.5	2.12	479	0.34	0.03	9.2	34.5
K301293		5.72	16.60	0.20	3.2	0.07	0.071	2.82	27.3	107.5	2.55	563	0.21	0.04	10.6	36.4
K301294		5.83	17.15	0.24	3.2	0.12	0.070	2.94	29.6	153.5	2.60	517	0.26	0.04	11.0	39.6
K301295		5.10	14.95	0.21	2.5	0.40	0.061	2.63	24.5	94.0	1.87	410	0.37	0.03	8.7	35.1
K301296		2.25	8.11	0.10	1.8	4.4	0.029	1.08	27.7	36.8	2.72	282	19.45	0.04	7.1	54.5
K301297		4.85	18.20	0.20	3.0	0.57	0.068	3.20	28.1	67.6	1.47	309	0.52	0.03	8.7	45.1
K301298		5.57	20.9	0.23	3.1	0.55	0.073	3.37	31.5	96.2	1.93	504	0.42	0.03	10.7	41.5
K301299		5.51	16.90	0.24	2.8	0.58	0.068	2.69	27.6	115.0	2.12	599	0.56	0.03	10.3	33.9
K301300		7.03	24.7	0.30	4.6	0.05	0.129	2.05	34.6	59.3	1.80	670	0.94	0.60	22.5	55.8
K301301		7.94	20.6	0.29	3.5	0.03	0.104	1.44	23.8	78.5	2.69	937	0.46	0.44	15.2	54.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169070

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301266		470	9.3	96.3	<0.002	3.33	6.87	14.9	2	2.4	143.5	0.61	<0.05	8.3	0.449	8.64
K301267		440	15.1	99.3	<0.002	3.23	9.09	15.6	2	2.4	170.0	0.59	<0.05	8.2	0.407	8.12
K301268		650	16.2	136.5	<0.002	4.52	4.70	21.8	2	2.9	159.5	0.86	0.05	11.9	0.534	6.09
K301269		350	35.7	65.7	<0.002	2.43	2.34	8.4	2	2.4	88.6	0.43	<0.05	6.6	0.269	1.23
K301270		560	9.2	110.0	<0.002	2.75	0.91	14.4	2	3.8	220	0.77	0.06	10.0	0.431	2.77
K301271		170	1.2	1.7	<0.002	0.02	<0.05	0.3	2	<0.2	47.3	<0.05	<0.05	<0.2	0.005	0.02
K301272		630	8.3	152.5	0.002	4.60	1.03	18.3	2	3.3	233	0.86	0.08	11.9	0.488	5.10
K301273		500	10.8	121.0	<0.002	4.22	2.95	15.8	2	2.9	118.5	0.70	0.05	9.6	0.435	3.19
K301274		360	10.5	83.5	<0.002	2.17	8.35	12.8	2	4.2	131.5	0.54	<0.05	7.6	0.347	3.36
K301275		220	11.4	37.3	<0.002	1.72	29.4	7.2	2	3.3	101.0	0.32	<0.05	3.8	0.275	3.13
K301276		300	12.4	56.0	<0.002	2.55	26.2	9.0	2	3.4	122.5	0.40	<0.05	5.4	0.275	7.44
K301277		150	23.0	31.2	<0.002	2.60	184.0	5.4	5	3.0	68.4	0.18	0.14	2.4	0.127	70.1
K301278		150	23.4	31.7	<0.002	2.81	133.5	5.6	4	8.2	66.0	0.18	0.15	2.5	0.127	59.2
K301279		280	35.1	57.6	<0.002	2.79	54.4	10.2	2	3.2	114.5	0.41	<0.05	5.6	0.288	9.66
K301280		270	9.9	53.9	<0.002	2.00	7.24	9.6	2	4.8	82.4	0.41	<0.05	4.9	0.353	1.38
K301281		270	6.4	46.4	<0.002	1.18	0.81	8.2	2	2.8	131.5	0.38	<0.05	4.7	0.335	0.69
K301282		500	6.7	55.7	<0.002	2.62	1.20	10.8	2	1.3	254	0.73	<0.05	5.1	0.446	1.15
K301283		1900	9.7	110.5	<0.002	6.25	21.5	18.1	3	1.8	378	3.23	<0.05	7.1	1.040	6.09
K301284		960	17.4	46.7	0.003	3.24	114.0	16.1	3	3.0	543	0.82	0.14	10.3	0.573	7.87
K301285		500	13.5	93.8	<0.002	2.88	7.09	13.9	2	2.5	171.5	0.69	0.05	9.1	0.408	2.19
K301286		250	14.8	49.0	<0.002	2.50	8.28	9.1	2	1.6	72.2	0.38	<0.05	4.9	0.336	1.30
K301287		200	6.1	31.0	<0.002	0.96	1.06	5.0	2	0.8	75.1	0.23	<0.05	3.6	0.223	0.63
K301288		260	8.1	45.6	<0.002	1.26	1.01	7.9	2	3.0	123.5	0.34	<0.05	4.5	0.256	1.02
K301289		510	19.3	136.0	<0.002	3.38	0.99	18.5	3	2.3	176.5	0.83	0.05	10.2	0.537	2.58
K301290		180	1.2	2.3	<0.002	0.02	<0.05	0.3	2	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	<0.02
K301291		560	23.4	154.0	<0.002	3.30	1.51	20.1	2	2.4	165.0	0.91	0.05	11.7	0.551	2.80
K301292		460	13.7	117.0	<0.002	0.48	0.72	16.8	2	1.7	108.5	0.72	<0.05	8.4	0.517	0.84
K301293		500	11.0	134.0	<0.002	0.22	0.35	18.3	2	2.0	96.5	0.83	0.05	10.2	0.544	0.90
K301294		540	11.5	145.0	<0.002	0.19	0.47	19.0	3	2.0	84.4	0.86	0.06	10.5	0.570	0.87
K301295		400	19.1	121.0	<0.002	0.88	0.71	16.2	2	1.8	77.2	0.69	<0.05	8.9	0.451	0.97
K301296		930	39.0	48.5	0.026	1.62	108.5	5.2	5	2.6	75.5	0.50	0.18	6.9	0.182	4.18
K301297		260	28.2	152.5	0.002	1.39	0.88	20.5	3	2.0	77.1	0.74	<0.05	10.2	0.440	1.62
K301298		350	27.1	160.5	0.002	1.48	0.82	23.3	3	2.3	100.0	0.80	<0.05	10.4	0.525	1.77
K301299		500	15.9	117.0	<0.002	0.78	0.53	18.3	2	3.4	126.0	0.74	0.05	9.3	0.507	1.20
K301300		830	12.1	109.0	0.003	0.08	0.43	29.1	4	3.1	88.2	1.43	0.37	9.3	0.711	0.74
K301301		670	10.4	90.1	0.002	0.12	0.34	29.4	4	2.2	92.7	0.98	0.24	6.2	0.692	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169070

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301266		1.8	117	8.3	17.4	40	86.4	
K301267		1.7	110	8.5	16.8	86	78.7	
K301268		2.4	146	7.6	24.5	127	112.0	
K301269		1.4	67	3.4	12.7	76	56.7	
K301270		2.1	110	3.3	17.2	47	94.0	
K301271		0.7	3	0.1	0.8	17	0.7	
K301272		2.6	123	5.1	23.5	58	108.0	
K301273		2.0	110	5.6	19.0	53	89.2	
K301274		1.6	94	7.6	14.7	43	72.4	
K301275		0.8	78	5.0	8.1	34	43.4	
K301276		1.1	76	5.3	12.4	29	54.3	
K301277		0.5	40	3.4	5.4	318	24.9	8.73
K301278		0.5	39	3.6	5.6	295	25.6	6.98
K301279		1.1	80	7.2	11.0	162	54.1	2.42
K301280		1.0	102	5.0	10.5	43	58.1	
K301281		1.1	96	2.3	9.8	33	52.3	
K301282		1.1	120	4.9	12.0	54	69.5	
K301283		1.5	215	19.8	24.0	102	156.5	
K301284		7.9	180	24.6	14.2	46	171.5	
K301285		1.8	106	7.4	16.8	66	85.9	
K301286		1.0	96	5.3	9.3	159	54.2	
K301287		0.7	65	1.9	6.7	27	36.8	
K301288		0.9	72	3.2	9.6	32	46.5	
K301289		2.1	148	4.1	19.8	103	104.5	
K301290		0.4	2	0.1	0.8	18	0.5	
K301291		2.3	152	4.8	20.4	65	113.5	
K301292		1.7	142	2.0	17.5	53	92.8	
K301293		2.0	144	1.6	19.4	58	103.5	
K301294		2.1	153	1.3	20.2	65	107.0	
K301295		1.8	130	1.3	16.0	55	85.8	
K301296		9.1	246	30.1	19.0	218	66.0	
K301297		2.0	150	1.1	15.5	68	92.0	
K301298		2.1	164	2.2	20.1	98	104.5	
K301299		1.9	134	2.3	20.1	81	95.0	
K301300		2.9	206	1.3	31.6	105	168.5	
K301301		1.6	217	0.9	27.3	103	128.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169070

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

CERTIFICATE WH11169049

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 131 - Area D

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300217		1.13	<0.01	0.25	8.22	16.5	570	2.20	0.28	1.05	0.12	85.5	17.7	88	24.6	35.5
K300218		1.33	<0.01	0.72	8.29	16.9	530	2.24	0.27	1.12	0.13	82.3	17.9	84	26.3	38.6
K300219		2.71	<0.01	0.88	7.96	13.7	600	2.26	0.44	1.43	0.08	80.4	17.8	88	24.9	39.7
K300220		3.49	<0.01	0.07	8.71	15.2	610	2.71	0.49	0.81	0.11	85.5	20.2	94	29.0	46.6
K300221		4.82	<0.01	0.06	8.71	18.5	620	2.53	0.30	0.92	0.07	73.4	20.4	97	23.8	43.6
K300222		2.56	<0.01	0.49	7.22	22.4	630	1.89	0.23	1.78	0.10	76.4	16.3	80	15.95	35.8
K300223		1.19	<0.01	0.34	7.54	20.3	620	1.99	0.23	1.66	0.14	76.5	16.5	80	16.80	45.7
K300224		3.87	<0.01	1.52	8.96	230	360	2.12	0.31	0.67	0.17	81.7	22.1	90	19.85	43.8
K300225		5.62	<0.01	0.07	8.96	273	660	2.21	0.33	1.22	0.26	82.4	19.4	111	24.5	47.9
K300226		5.33	<0.01	0.07	8.96	74.4	250	2.63	0.34	0.71	0.26	75.4	19.5	115	25.6	51.2
K300227		4.91	<0.01	0.07	9.11	107.0	270	2.47	0.35	0.67	0.26	77.4	20.1	112	27.7	56.4
K300228		3.96	<0.01	0.10	8.69	389	580	1.91	0.33	0.93	0.29	75.3	18.9	110	24.9	54.7
K300229		1.92	<0.01	0.15	8.52	1060	510	1.55	0.32	0.59	0.23	70.3	18.2	112	21.3	44.5
K300230		4.89	0.01	0.01	0.07	<5	20	0.06	0.03	21.0	0.06	1.26	0.6	<1	0.22	1.5
K300231		0.99	<0.01	0.37	4.29	>10000	820	0.58	0.17	0.11	0.56	40.4	9.1	99	6.05	26.2
K300232		1.70	<0.01	2.09	3.38	>10000	1270	0.58	0.13	1.30	0.47	37.0	8.2	81	4.69	60.7
K300233		0.26	7.57	0.43	3.48	1040	160	0.81	0.64	11.85	3.84	46.1	5.3	95	7.35	33.7
K300234		0.56	<0.01	1.90	2.16	>10000	1960	0.37	0.09	0.13	1.09	25.8	5.2	64	4.03	28.2
K300235		1.26	<0.01	0.46	0.48	>10000	240	0.17	0.05	0.06	1.14	8.95	3.9	41	1.60	102.0
K300236		2.10	0.01	1.05	0.30	>10000	90	0.13	0.03	0.26	2.07	2.55	2.4	29	1.39	22.2
K300237		4.90	<0.01	0.01	0.07	18	20	0.05	0.04	21.2	0.06	1.15	0.6	<1	0.27	2.1
K300238		0.69	<0.01	1.49	1.61	132	200	0.52	0.05	18.65	0.70	17.05	2.7	17	1.53	34.4
K300239		2.98	<0.01	0.78	0.43	210	90	0.21	0.01	21.9	3.05	5.75	2.2	5	0.55	5.1
K300240		3.07	0.01	0.25	0.20	6090	630	0.18	0.01	21.3	0.47	3.05	1.9	3	0.32	37.4
K300241		5.34	0.01	0.06	0.27	172	70	0.14	0.01	22.1	0.25	3.64	1.7	3	0.57	11.9
K300242		4.84	<0.01	0.13	0.43	635	120	0.28	0.02	22.2	0.29	5.26	1.6	5	0.65	8.3
K300243		4.59	<0.01	0.39	0.42	287	190	0.22	0.02	22.4	1.13	5.83	1.8	5	0.58	10.4
K300244		1.52	<0.01	2.23	0.37	331	130	0.25	0.01	21.8	20.3	5.07	2.1	4	0.41	18.1
K300245		0.26	0.33	0.34	6.16	611	1260	0.59	0.29	0.46	0.19	147.5	2.8	240	3.66	32.5
K300246		3.24	<0.01	0.36	0.48	231	140	0.19	0.02	21.9	3.60	6.68	2.0	5	0.98	11.0
K300247		4.33	<0.01	0.14	0.61	277	120	0.31	0.02	22.1	1.49	8.64	2.4	7	1.30	12.6
K300248		4.14	<0.01	0.12	0.70	299	120	0.27	0.03	21.6	0.81	10.70	3.4	8	0.98	10.0
K300249		4.97	<0.01	0.11	0.79	522	150	0.31	0.04	21.2	0.57	10.35	2.6	11	1.25	11.0
K300250		2.64	<0.01	0.55	0.63	685	140	0.23	0.02	21.9	5.31	7.33	1.6	7	1.28	6.6
K300251		5.15	<0.01	6.19	0.69	943	90	0.32	0.03	22.1	24.8	8.55	1.8	4	1.23	17.5
K300252		4.13	<0.01	5.97	0.94	2600	90	0.34	0.04	22.2	41.8	7.22	2.3	9	2.49	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169049

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300217		4.76	22.5	0.20	3.1	0.04	0.082	2.26	41.2	83.6	1.16	508	1.09	0.33	12.9	55.6
K300218		4.71	22.4	0.20	2.9	0.04	0.081	2.31	40.7	83.7	1.20	616	1.17	0.34	12.0	57.6
K300219		4.45	22.5	0.22	2.8	0.02	0.081	2.24	38.7	94.9	1.16	861	1.36	0.35	12.3	53.7
K300220		4.33	26.0	0.22	3.0	0.02	0.090	2.60	40.9	115.0	1.05	392	1.00	0.32	14.4	61.7
K300221		4.83	24.6	0.23	2.9	0.02	0.082	2.52	37.6	102.5	1.17	527	0.89	0.35	13.4	61.5
K300222		4.10	19.40	0.20	2.8	0.02	0.071	1.89	37.8	78.4	1.22	878	0.85	0.25	11.1	47.5
K300223		4.19	19.65	0.20	2.7	0.02	0.077	1.98	37.2	78.0	1.20	809	0.80	0.27	11.1	47.2
K300224		7.28	25.4	0.13	3.2	0.99	0.086	2.53	39.9	82.1	0.70	386	1.05	0.27	12.4	62.4
K300225		5.52	24.7	0.25	3.1	0.72	0.092	2.40	38.7	49.5	0.65	347	1.54	0.17	14.1	68.0
K300226		5.69	25.4	0.23	3.2	0.27	0.094	2.61	36.0	60.1	0.58	226	1.77	0.18	14.2	70.4
K300227		5.31	25.9	0.23	3.3	0.76	0.091	2.71	36.4	59.6	0.56	192	1.03	0.18	14.5	73.2
K300228		5.50	24.4	0.23	3.2	4.92	0.097	2.31	38.0	44.7	0.38	132	1.33	0.14	14.0	72.4
K300229		6.23	23.1	0.21	3.1	11.0	0.089	1.97	35.5	41.4	0.49	95	1.90	0.10	13.3	66.9
K300230		0.49	0.22	0.08	<0.1	0.01	<0.005	0.03	0.7	1.1	13.20	213	0.08	0.01	0.2	1.7
K300231		3.24	11.25	0.16	1.5	13.5	0.070	0.55	28.8	34.7	0.10	44	3.58	0.03	6.6	42.7
K300232		2.81	8.77	0.14	1.1	32.6	0.060	0.45	25.1	28.1	0.69	84	3.24	0.03	5.0	39.2
K300233		1.36	7.52	0.12	2.3	5.48	0.064	1.48	33.2	9.2	0.70	267	11.25	0.01	7.6	61.4
K300234		2.17	5.88	0.11	0.8	20.9	0.047	0.33	20.5	17.4	0.08	71	3.58	0.01	3.5	30.3
K300235		0.72	1.56	0.06	0.3	18.4	0.029	0.13	10.3	4.3	0.04	41	2.20	0.01	1.1	13.7
K300236		0.46	1.14	0.08	0.2	>100	0.209	0.08	3.0	2.9	0.03	22	2.03	<0.01	0.8	11.0
K300237		0.49	0.21	0.11	<0.1	0.06	<0.005	0.03	0.6	1.2	13.20	215	0.20	0.01	0.2	2.0
K300238		0.80	4.17	0.14	0.6	0.71	0.007	0.49	9.1	11.4	9.93	209	0.36	0.13	2.6	7.4
K300239		0.24	1.23	0.13	0.2	2.25	<0.005	0.19	2.8	2.9	11.80	174	0.39	0.02	0.7	1.7
K300240		0.15	0.70	0.23	0.1	5.28	0.008	0.07	1.7	1.5	11.60	132	0.22	0.01	0.4	1.5
K300241		0.13	0.77	0.13	0.1	0.42	<0.005	0.10	1.7	1.8	11.65	118	0.15	0.02	0.5	2.0
K300242		0.21	1.26	0.19	0.2	0.73	<0.005	0.20	2.4	2.7	11.25	137	0.18	0.02	0.8	1.8
K300243		0.22	1.17	0.20	0.1	1.59	0.005	0.19	2.7	1.9	11.40	194	0.31	0.01	0.6	2.3
K300244		0.26	1.21	0.18	0.1	25.7	<0.005	0.15	2.4	2.3	11.15	500	0.28	0.02	0.6	2.2
K300245		6.61	21.3	0.24	4.5	8.9	0.054	1.36	68.2	18.7	0.12	34	6.73	0.37	10.3	17.3
K300246		0.25	1.30	0.11	0.2	1.1	0.005	0.20	3.2	3.0	10.95	250	0.30	0.02	0.8	2.4
K300247		0.29	1.77	0.16	0.2	0.9	0.005	0.27	4.1	4.4	10.55	201	0.30	0.02	1.1	2.8
K300248		0.33	1.84	0.14	0.2	0.7	0.006	0.29	5.0	4.1	10.80	162	0.47	0.02	1.1	4.3
K300249		0.33	2.25	0.15	0.3	1.5	0.005	0.32	4.9	4.7	10.70	211	2.12	0.02	1.3	4.6
K300250		0.30	1.62	0.16	0.2	2.5	0.007	0.21	3.5	4.4	9.91	387	0.45	0.02	0.9	2.7
K300251		0.46	2.03	<0.05	0.2	37.2	<0.005	0.28	3.9	4.9	9.53	1010	1.00	0.02	1.0	4.0
K300252		0.71	2.30	<0.05	0.3	43.3	0.005	0.32	3.3	6.7	9.05	1000	0.67	0.02	1.3	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169049

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300217		920	25.3	144.0	<0.002	1.92	0.63	19.3	2	3.0	96.0	0.90	0.05	13.1	0.435	1.27
K300218		920	23.2	142.5	<0.002	1.90	0.59	19.5	2	3.2	93.8	0.86	0.05	12.4	0.416	1.30
K300219		730	21.3	137.5	<0.002	1.37	0.64	19.0	2	3.5	86.4	0.88	<0.05	11.9	0.411	1.07
K300220		760	21.7	164.0	<0.002	1.55	0.62	20.9	2	4.5	119.5	1.01	0.06	12.9	0.456	1.30
K300221		700	25.4	130.0	<0.002	1.25	0.73	19.8	2	4.0	120.0	0.98	0.05	11.3	0.449	1.23
K300222		830	17.0	116.0	<0.002	0.92	0.55	16.8	2	3.4	199.5	0.81	0.05	11.5	0.376	1.06
K300223		790	16.1	119.5	<0.002	0.91	0.53	17.1	2	4.2	171.5	0.81	0.05	11.3	0.388	1.06
K300224		800	21.5	163.5	<0.002	6.89	0.82	19.9	2	3.0	329	0.84	0.05	12.3	0.453	6.18
K300225		1230	24.4	132.0	<0.002	5.75	1.00	22.2	3	2.8	474	0.99	0.09	12.8	0.504	8.08
K300226		1130	25.4	137.5	<0.002	5.97	0.97	21.1	3	3.1	308	0.98	0.10	12.1	0.519	6.35
K300227		840	25.0	141.5	<0.002	5.56	1.11	21.5	2	3.1	395	1.00	0.09	12.3	0.526	4.83
K300228		850	24.7	119.5	<0.002	5.87	1.16	20.3	3	3.4	581	0.98	0.08	12.1	0.502	8.72
K300229		1220	24.4	95.1	<0.002	6.81	1.23	16.4	3	2.8	805	0.95	0.11	11.4	0.489	18.15
K300230		190	1.4	1.5	<0.002	0.01	0.06	0.3	<1	0.2	46.1	<0.05	<0.05	<0.2	<0.005	<0.02
K300231		1130	13.4	38.1	0.012	4.26	2.33	6.9	3	1.4	723	0.46	0.08	5.9	0.244	11.25
K300232		900	12.0	30.5	0.010	3.84	2.20	5.6	4	5.6	568	0.35	0.06	4.4	0.177	9.02
K300233		4190	5.0	103.5	0.038	1.36	18.50	6.4	9	1.7	142.5	0.55	0.52	6.7	0.210	12.50
K300234		920	11.2	22.6	0.013	3.28	2.62	3.4	4	2.0	602	0.23	<0.05	3.1	0.126	8.34
K300235		390	58.3	8.5	0.006	1.30	3.79	0.6	3	11.7	223	0.07	<0.05	0.8	0.029	31.3
K300236		490	37.8	5.2	0.006	>10.0	17.50	0.3	5	2.1	79.5	<0.05	<0.05	0.2	0.017	175.0
K300237		180	1.4	1.8	<0.002	0.01	0.07	0.3	<1	0.2	46.3	<0.05	<0.05	<0.2	<0.005	0.04
K300238		170	30.0	24.9	<0.002	0.02	1.02	3.0	1	4.3	199.0	0.17	<0.05	2.2	0.094	0.60
K300239		40	127.5	9.7	<0.002	0.02	1.89	1.0	2	0.5	165.5	0.05	<0.05	0.7	0.019	0.47
K300240		50	35.3	3.9	<0.002	0.35	1.19	0.5	2	4.7	172.0	<0.05	<0.05	0.3	0.009	4.46
K300241		60	14.3	5.3	<0.002	0.02	0.39	0.6	2	1.3	179.0	<0.05	<0.05	0.4	0.011	0.90
K300242		40	27.0	9.3	<0.002	0.13	1.19	0.9	2	1.0	185.5	0.05	<0.05	0.7	0.020	1.18
K300243		40	97.1	8.7	<0.002	0.12	1.74	0.9	2	1.2	202	<0.05	<0.05	0.6	0.017	1.23
K300244		70	159.5	6.8	<0.002	0.14	3.39	0.8	2	1.8	212	<0.05	<0.05	0.5	0.015	1.19
K300245		900	19.0	56.9	0.003	3.08	117.5	17.3	3	3.0	521	0.81	0.13	10.1	0.545	7.73
K300246		40	45.1	9.6	<0.002	0.03	2.46	1.1	2	1.3	216	0.05	<0.05	0.7	0.021	1.01
K300247		50	22.0	13.1	<0.002	0.03	1.86	1.4	2	1.5	205	0.07	<0.05	1.1	0.030	1.23
K300248		50	11.8	12.9	<0.002	0.02	1.70	1.3	2	1.1	150.5	0.07	<0.05	1.1	0.032	1.12
K300249		50	16.0	13.8	0.007	0.06	2.11	1.6	3	1.2	182.0	0.08	<0.05	1.1	0.035	3.16
K300250		50	74.0	9.5	<0.002	0.02	4.79	1.2	2	0.6	227	0.05	<0.05	0.8	0.025	4.37
K300251		50	693	10.9	0.003	0.15	9.99	1.6	2	1.8	212	0.07	<0.05	0.9	0.032	6.88
K300252		50	844	13.0	0.002	0.11	13.20	2.1	1	1.2	158.0	0.10	<0.05	1.4	0.045	15.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169049

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
K300217		3.2	139	3.0	22.2	154	111.0		
K300218		3.0	137	7.3	20.6	133	106.0		
K300219		2.6	129	11.0	20.5	119	101.5		
K300220		2.9	147	2.1	21.0	127	106.5		
K300221		2.8	147	1.6	18.2	115	100.0		
K300222		2.6	116	6.0	18.6	115	99.1		
K300223		2.5	120	5.8	18.9	140	96.5		
K300224		2.9	162	15.4	20.0	161	97.0		
K300225		3.6	197	2.6	26.8	185	110.0		
K300226		3.7	208	1.7	25.3	190	113.0		
K300227		3.6	221	1.9	24.1	205	115.0		
K300228		3.4	211	5.3	22.8	196	114.0		
K300229		4.4	188	8.5	28.1	186	108.5		
K300230		0.6	3	0.1	0.9	15	<0.5		
K300231		3.5	112	8.1	14.5	136	57.8	2.29	
K300232		3.0	84	15.3	11.1	118	42.6	2.22	
K300233		8.4	378	35.3	28.6	279	80.4		
K300234		3.3	64	10.8	9.2	124	30.2	2.87	
K300235		2.8	21	1.1	4.0	114	9.7	1.755	
K300236		3.1	18	1.1	3.9	224	6.3	19.30	234
K300237		0.4	4	0.1	0.9	14	<0.5		
K300238		2.0	30	7.8	4.3	118	20.8		
K300239		1.5	6	1.0	1.7	243	6.0		
K300240		1.2	4	0.6	1.0	53	2.7		
K300241		1.7	5	0.3	1.1	69	3.3		
K300242		1.4	7	0.7	1.7	60	5.9		
K300243		2.5	7	0.5	1.8	161	5.1		
K300244		1.3	7	0.6	1.5	3260	4.8		
K300245		8.1	162	24.6	16.2	43	174.5		
K300246		1.7	8	0.6	1.9	210	6.1		
K300247		1.7	9	0.7	2.5	211	8.8		
K300248		2.0	11	0.9	3.0	176	9.8		
K300249		3.6	17	1.4	2.7	164	9.6		
K300250		2.9	12	2.1	2.3	272	7.1		
K300251		2.7	9	2.4	3.1	2340	8.8		
K300252		2.7	15	3.0	2.8	4580	10.8		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169049

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11173927

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B - Batch 132

This report is for 35 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173927

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299437		6.88	0.14	0.63	0.64	4530	70	0.25	0.02	19.25	0.08	9.89	2.1	6	1.69	6.7
K299438		0.28	2.40	0.94	3.11	588	860	0.71	0.29	7.90	2.11	46.5	6.0	49	3.63	41.1
K299439		9.46	0.04	0.07	0.74	5060	140	0.33	0.02	19.40	0.05	13.00	2.0	3	1.74	4.5
K299440		9.82	0.04	0.33	0.72	3140	60	0.40	0.03	19.65	0.03	11.45	2.5	4	2.87	6.0
K299441		2.14	<0.01	0.07	0.83	108	100	0.46	0.03	20.9	0.04	11.80	2.3	4	2.04	5.8
K299442		3.72	0.01	0.20	7.28	554	410	1.48	0.29	8.00	0.05	82.5	11.3	44	24.1	34.4
K299443		4.98	<0.01	0.01	0.06	7	20	<0.05	0.03	21.0	0.05	1.35	1.8	<1	0.27	2.4
K299444		4.64	<0.01	0.12	6.45	154	400	1.55	0.26	10.20	0.02	67.6	12.9	46	22.2	31.9
K299445		4.18	0.01	0.09	4.66	325	810	1.25	0.16	16.70	0.03	50.3	9.6	31	17.20	18.0
K299446		5.08	<0.01	0.14	8.72	287	620	2.34	0.38	2.05	<0.02	74.5	16.5	65	32.5	43.6
K299447		8.46	0.01	0.09	7.01	98	1420	1.69	0.27	12.40	<0.02	76.2	13.1	41	26.3	30.0
K299448		7.02	<0.01	0.10	9.54	93.3	480	2.84	0.40	1.28	<0.02	98.9	16.7	74	42.5	43.9
K299449		7.34	0.01	0.11	7.65	92	660	1.97	0.28	10.60	0.02	85.5	16.9	48	32.6	34.2
K299450		7.42	<0.01	0.08	7.04	90	400	1.65	0.26	13.45	0.02	82.3	13.8	43	29.3	28.0
K299452		10.22	<0.01	0.06	4.28	92	620	1.12	0.16	13.05	0.04	48.5	8.1	25	16.45	17.6
K299453		8.44	0.02	0.03	0.74	86	100	0.34	0.03	19.75	0.04	13.65	2.2	5	2.04	6.1
K299454		7.54	0.01	0.02	0.58	30	40	0.29	0.02	18.60	0.04	11.70	1.8	4	1.11	4.0
K299455		6.56	0.01	0.14	1.59	76	80	0.52	0.04	15.60	0.12	24.1	3.2	11	4.60	12.7
K299456		8.02	0.01	0.17	1.08	45	60	0.37	0.03	17.35	0.13	18.35	3.2	7	2.92	9.3
K299457		2.72	0.01	0.19	1.18	42	70	0.42	0.03	17.55	0.10	18.30	3.3	8	3.25	9.1
K299458		8.20	0.01	0.02	0.64	29	50	0.23	0.02	19.50	0.25	11.85	2.2	4	1.29	5.0
K299459		8.00	<0.01	0.02	0.97	36	70	0.28	0.03	16.50	0.07	17.70	2.4	5	2.32	4.2
K299460		8.08	0.01	0.01	0.74	25	60	0.30	0.03	18.90	0.04	14.90	2.3	4	2.25	4.8
K299461		3.48	<0.01	0.02	0.87	41	130	0.36	0.03	18.15	0.09	15.45	2.3	3	2.64	6.5
K299462		4.68	0.08	0.10	6.84	442	270	1.85	0.25	6.87	0.02	74.6	11.8	45	22.1	30.3
K299463		7.58	0.46	0.07	0.68	652	60	0.29	0.02	19.30	0.06	10.45	2.2	4	1.71	6.5
K299464		0.30	0.37	0.34	6.10	601	1330	0.58	0.26	0.45	0.16	136.5	2.8	227	3.24	32.6
K299465		4.34	0.43	0.37	1.30	>10000	80	0.42	0.05	16.05	0.21	16.55	3.4	12	3.98	13.0
K299466		4.56	1.33	0.63	3.21	>10000	150	0.98	0.09	11.45	0.11	38.0	5.5	31	10.15	25.0
K299467		5.00	0.01	<0.01	0.07	43	20	0.05	0.02	20.5	0.05	1.34	1.7	<1	0.17	1.6
K299468		9.12	0.70	0.18	0.97	2160	50	0.44	0.03	17.15	0.04	14.90	2.9	6	3.09	9.8
K299469		8.52	0.05	0.21	1.07	189	50	0.47	0.03	19.05	0.10	16.10	2.8	7	3.63	15.0
K299470		8.56	0.01	0.03	1.16	222	1230	0.45	0.03	18.20	0.05	17.00	2.3	5	4.02	5.3
K299471		8.84	0.01	0.16	0.73	70	40	0.38	0.04	19.35	0.34	13.40	1.4	5	2.49	9.2
K299472		8.50	0.01	0.02	0.83	26	50	0.40	0.04	19.35	0.05	15.20	2.0	5	2.94	8.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173927

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299437		0.40	1.44	0.08	0.4	1.91	0.012	0.21	5.6	5.5	11.05	539	0.49	0.01	1.1	<0.2
K299438		2.09	7.22	0.14	1.8	4.26	0.027	0.93	28.7	45.3	2.47	275	16.30	0.03	6.3	47.2
K299439		0.71	1.79	0.07	0.6	0.61	0.013	0.32	6.9	5.3	10.85	636	0.27	0.01	1.3	<0.2
K299440		0.83	1.87	0.07	0.6	0.72	0.013	0.31	6.3	4.9	9.90	713	0.35	0.01	1.4	<0.2
K299441		1.47	2.08	0.07	0.4	0.64	0.009	0.36	6.3	5.1	6.85	683	0.21	0.01	1.3	<0.2
K299442		2.73	17.65	0.18	3.1	1.27	0.054	3.26	46.2	32.2	2.68	446	0.49	0.03	9.3	25.9
K299443		0.47	0.45	0.13	<0.1	<0.01	0.009	0.02	0.7	1.1	12.85	212	<0.05	<0.01	0.4	<0.2
K299444		3.37	15.90	0.17	2.9	0.47	0.058	3.11	36.8	22.3	3.39	578	0.49	0.04	8.8	21.8
K299445		2.77	10.80	0.14	2.1	0.46	0.041	2.22	27.3	15.3	3.11	578	0.46	0.03	6.3	11.9
K299446		3.61	24.1	0.21	2.9	0.45	0.075	4.59	38.0	34.5	0.84	295	0.43	0.03	11.7	39.5
K299447		3.63	16.25	0.18	2.1	0.23	0.049	3.41	43.6	23.2	1.36	656	0.29	0.03	8.1	25.6
K299448		3.32	25.3	0.24	3.1	0.21	0.073	4.99	53.2	40.6	0.91	254	0.36	0.04	12.2	40.1
K299449		3.84	18.35	0.21	2.5	0.21	0.055	3.74	47.6	29.1	1.27	733	0.59	0.03	9.3	33.2
K299450		3.05	17.00	0.19	2.3	0.08	0.054	3.43	45.8	23.6	1.05	489	0.37	0.03	8.7	26.7
K299452		2.28	9.85	0.14	1.7	0.16	0.030	1.98	27.3	14.5	6.85	389	0.34	0.02	5.4	13.8
K299453		0.46	1.96	0.11	0.6	0.16	0.007	0.35	8.4	4.1	11.45	253	0.21	0.01	1.4	<0.2
K299454		0.33	1.60	0.13	0.5	0.33	0.005	0.26	7.1	3.8	11.00	213	0.15	0.01	1.2	<0.2
K299455		0.69	3.97	0.11	1.3	0.84	0.012	0.77	13.2	10.2	9.05	205	0.82	0.01	2.8	2.3
K299456		0.50	2.80	0.12	0.8	0.46	0.010	0.51	10.5	7.7	10.35	220	1.20	0.01	2.0	1.2
K299457		0.54	3.03	0.12	0.9	0.46	0.008	0.56	10.5	8.6	10.40	222	1.33	0.02	2.0	1.4
K299458		0.37	1.83	0.15	0.5	0.32	0.006	0.30	7.3	4.3	11.70	264	0.19	0.01	1.2	<0.2
K299459		0.70	2.43	0.10	1.1	0.19	0.008	0.47	9.7	6.8	9.84	303	0.27	0.01	1.8	<0.2
K299460		0.46	2.06	0.14	0.6	0.15	0.008	0.35	8.1	5.5	11.30	329	0.28	0.01	1.4	<0.2
K299461		0.67	2.33	0.10	0.6	0.68	0.009	0.41	8.3	5.6	10.70	439	0.23	0.01	1.5	<0.2
K299462		2.92	16.90	0.19	2.8	3.01	0.055	3.20	41.1	28.3	2.92	418	0.61	0.03	8.9	25.1
K299463		0.80	1.77	0.08	0.6	1.27	0.008	0.31	6.1	5.2	11.05	700	0.49	0.02	1.3	<0.2
K299464		6.55	19.75	0.26	4.2	8.74	0.047	1.29	66.6	21.1	0.12	37	5.74	0.37	9.3	16.9
K299465		0.73	3.15	0.11	0.8	1.68	0.068	0.62	9.8	10.2	9.26	617	0.98	0.01	2.1	3.4
K299466		1.07	7.80	0.13	2.2	3.04	0.034	1.53	20.2	22.8	6.48	1230	3.02	0.02	5.2	11.4
K299467		0.46	0.47	0.13	<0.1	<0.01	<0.005	0.02	0.7	1.3	12.45	213	0.08	<0.01	0.4	<0.2
K299468		0.93	2.50	0.10	0.7	1.58	0.012	0.46	8.3	8.2	9.62	740	1.28	0.02	1.7	1.9
K299469		0.73	2.68	0.09	0.6	4.24	0.008	0.51	9.7	8.6	10.65	678	0.43	0.02	1.9	<0.2
K299470		0.86	2.91	0.09	0.9	0.56	0.010	0.57	9.8	8.7	10.00	570	0.21	0.02	2.0	<0.2
K299471		0.77	2.05	0.06	1.1	0.57	0.014	0.37	6.8	4.6	10.35	421	0.23	0.02	1.3	3.7
K299472		0.65	2.31	0.08	0.6	0.21	0.008	0.43	8.2	5.2	10.50	434	0.21	0.02	1.8	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173927

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299437		170	5.0	9.1	<0.002	0.43	5.21	1.3	1	0.4	171.5	0.08	<0.05	1.4	0.028	2.64
K299438		860	37.3	51.5	0.025	1.49	105.0	4.9	3	2.9	70.2	0.49	0.19	7.1	0.164	3.75
K299439		420	3.4	12.9	<0.002	0.54	3.38	1.5	1	0.5	228	0.10	<0.05	1.8	0.033	0.82
K299440		400	4.4	13.6	<0.002	0.63	2.63	1.6	1	0.6	158.0	0.10	<0.05	1.7	0.035	1.32
K299441		410	3.7	15.5	<0.002	0.38	0.31	2.1	1	0.7	284	0.09	<0.05	1.6	0.033	0.66
K299442		480	14.0	138.5	<0.002	1.22	0.77	12.3	1	2.3	196.5	0.81	0.06	14.0	0.288	2.29
K299443		150	1.2	1.7	<0.002	0.01	0.05	0.3	1	<0.2	48.0	<0.05	<0.05	<0.2	<0.005	0.02
K299444		630	9.5	136.5	<0.002	0.70	0.41	12.2	1	2.1	215	0.74	0.07	11.7	0.274	1.51
K299445		580	8.2	94.8	<0.002	0.67	0.35	8.8	1	1.4	485	0.53	0.05	8.3	0.192	6.35
K299446		410	19.2	142.0	<0.002	2.42	0.60	14.8	2	2.8	121.0	0.99	0.10	13.9	0.358	2.98
K299447		660	14.7	140.5	<0.002	1.57	0.40	11.6	1	2.3	339	0.69	0.07	12.4	0.256	1.54
K299448		390	19.2	187.5	<0.002	1.87	0.53	16.2	2	3.1	86.4	1.07	0.12	18.0	0.394	2.24
K299449		490	20.8	159.5	<0.002	2.00	0.59	13.1	1	2.1	304	0.79	0.08	14.0	0.288	1.98
K299450		420	14.9	146.0	<0.002	1.17	0.42	11.9	1	2.0	436	0.74	0.08	12.7	0.267	1.33
K299452		540	8.7	82.4	<0.002	1.02	0.28	7.1	1	1.4	155.0	0.45	<0.05	7.9	0.167	1.25
K299453		460	4.7	13.7	<0.002	0.29	0.24	1.6	1	0.3	163.5	0.10	<0.05	1.8	0.032	0.37
K299454		570	3.8	10.1	<0.002	0.18	0.23	1.2	1	0.2	138.0	0.08	<0.05	1.5	0.025	0.37
K299455		580	7.7	31.2	0.002	0.43	0.49	2.9	2	0.5	109.0	0.22	<0.05	4.0	0.071	1.00
K299456		500	7.2	20.6	0.002	0.37	0.53	2.1	2	0.4	108.5	0.15	<0.05	2.9	0.048	0.87
K299457		490	7.7	21.6	0.002	0.37	0.50	2.2	2	0.6	105.0	0.16	<0.05	3.0	0.070	0.75
K299458		470	7.2	11.4	<0.002	0.28	0.42	1.3	1	0.4	117.0	0.09	<0.05	1.6	0.028	0.37
K299459		550	4.6	18.0	<0.002	0.45	0.29	1.7	1	0.6	102.5	0.13	<0.05	2.8	0.043	0.41
K299460		440	4.8	14.4	<0.002	0.33	0.24	1.6	1	0.4	102.0	0.10	<0.05	2.0	0.033	0.36
K299461		400	5.0	17.0	<0.002	0.38	0.34	1.8	1	0.4	116.0	0.11	<0.05	2.0	0.038	0.80
K299462		550	12.5	143.5	<0.002	1.37	1.09	12.7	1	2.0	117.5	0.77	0.05	13.3	0.289	4.69
K299463		160	7.0	12.4	0.002	0.47	1.65	1.4	1	<0.2	101.0	0.09	<0.05	1.7	0.029	3.17
K299464		900	17.0	52.2	0.003	3.01	111.0	16.0	2	2.8	521	0.78	0.13	10.8	0.526	7.25
K299465		380	11.3	25.6	0.006	2.47	38.7	2.5	3	0.5	66.0	0.17	<0.05	3.1	0.054	3.48
K299466		910	15.4	62.5	0.009	1.24	12.95	5.3	3	0.9	96.8	0.44	<0.05	8.0	0.143	6.32
K299467		170	1.4	1.3	<0.002	0.01	0.10	0.3	1	<0.2	48.0	<0.05	<0.05	<0.2	<0.005	0.02
K299468		370	11.4	18.4	0.003	0.50	3.19	1.8	2	0.4	91.1	0.12	<0.05	2.4	0.041	3.51
K299469		560	9.9	21.3	0.002	0.33	1.49	2.0	2	0.4	95.3	0.14	<0.05	2.8	0.046	1.90
K299470		460	6.6	22.5	<0.002	0.34	0.83	2.1	1	0.5	109.0	0.14	<0.05	3.1	0.051	1.21
K299471		410	7.4	12.4	<0.002	0.53	0.67	1.4	<1	0.4	107.0	0.09	0.08	1.8	0.035	1.38
K299472		420	6.1	20.3	<0.002	0.26	0.18	1.6	1	0.3	104.5	0.11	<0.05	2.3	0.040	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173927

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K299437		12.9	11	5.5	3.3	14	12.9	
K299438		8.6	227	27.5	20.2	210	61.9	
K299439		11.8	13	0.9	5.5	7	21.0	
K299440		11.6	12	2.2	6.1	5	32.1	
K299441		12.0	13	1.2	6.9	19	19.5	
K299442		10.4	79	6.1	19.4	57	108.0	
K299443		0.5	2	0.1	0.8	18	<0.5	
K299444		8.9	86	2.9	19.9	25	102.0	
K299445		9.4	60	1.5	16.2	38	71.2	
K299446		3.5	102	2.5	18.2	42	98.0	
K299447		3.6	68	1.2	20.2	44	72.4	
K299448		2.8	113	1.8	20.5	46	102.5	
K299449		3.6	80	1.4	22.1	47	83.1	
K299450		3.1	73	1.2	20.5	55	77.0	
K299452		5.3	46	1.2	13.3	17	59.6	
K299453		7.1	14	0.7	7.0	5	19.2	
K299454		7.0	11	0.5	6.6	3	18.4	
K299455		11.3	26	1.2	8.6	15	46.9	
K299456		11.3	24	0.9	7.0	15	28.3	
K299457		11.2	27	1.0	6.8	11	29.3	
K299458		6.7	12	0.5	6.1	29	18.5	
K299459		4.7	10	0.6	7.8	6	40.8	
K299460		7.7	13	0.5	6.3	5	22.0	
K299461		6.7	16	0.6	5.9	24	21.9	
K299462		8.7	82	4.8	19.8	31	101.0	
K299463		11.1	16	1.0	4.6	17	20.9	
K299464		7.5	166	22.2	15.2	43	169.0	
K299465		15.5	51	1.7	5.9	34	28.4	4.28
K299466		15.1	100	3.3	12.3	22	76.2	1.045
K299467		0.5	2	0.1	0.9	18	<0.5	
K299468		11.9	19	0.9	5.6	6	25.9	
K299469		10.8	37	1.0	6.5	20	24.2	
K299470		6.1	16	0.8	7.5	7	34.8	
K299471		7.3	14	0.6	5.2	71	22.9	
K299472		8.2	15	0.6	6.1	9	25.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173927

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE WH11169079

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 133 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169079

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301578		5.53	7.07	0.76	3.04	7980	220	0.48	0.08	11.05	0.44	30.9	4.0	32	6.34	9.1
K301579		5.24	4.24	0.23	3.44	3730	280	0.70	0.08	10.50	0.13	36.7	5.1	29	8.82	13.8
K301580		6.59	0.89	0.13	5.69	2470	270	1.41	0.12	8.35	0.09	62.3	8.9	46	18.20	27.9
K301581		6.90	<0.01	0.01	0.07	11	20	0.05	0.02	20.8	0.07	1.41	1.3	1	0.23	1.9
K301582		8.66	0.19	0.06	2.33	1370	110	0.44	0.06	24.5	0.03	28.9	3.7	19	7.53	7.8
K301583		11.23	0.05	0.05	3.90	428	180	0.88	0.08	19.45	0.04	44.4	6.1	30	16.50	14.7
K301584		4.37	<0.01	0.09	3.17	394	360	0.65	0.07	21.1	0.03	35.9	4.5	26	14.95	18.2
K301585		7.12	<0.01	0.15	0.89	1460	70	0.19	0.02	33.3	0.08	13.55	2.0	9	3.71	5.9
K301586		9.80	<0.01	0.10	1.05	846	100	0.26	0.02	31.5	0.03	15.15	2.2	10	3.92	5.4
K301587		10.39	<0.01	0.09	2.98	2760	130	0.66	0.06	28.4	0.03	29.8	5.0	20	10.85	14.9
K301588		0.22	2.68	0.92	3.19	614	870	0.73	0.34	8.27	2.24	43.6	6.5	50	3.80	42.0
K301589		10.82	0.03	0.06	0.91	1580	190	0.26	0.02	33.9	0.09	12.45	1.9	5	3.13	4.5
K301590		12.04	<0.01	0.03	0.75	1050	60	0.21	0.02	34.1	0.19	10.05	1.6	5	2.23	3.8
K301591		11.57	0.01	0.02	0.96	182	60	0.35	0.03	32.8	0.17	11.40	1.7	7	2.91	4.7
K301592		11.37	0.01	0.04	2.18	564	200	0.63	0.06	27.2	0.07	21.8	4.1	16	8.04	13.9
K301593		11.99	<0.01	0.04	2.24	329	600	0.59	0.06	28.0	0.08	24.1	3.6	16	10.45	14.1
K301594		11.32	<0.01	0.06	0.85	351	270	0.23	0.03	34.6	0.26	12.30	2.0	6	2.69	4.8
K301595		9.61	<0.01	0.12	4.43	267	210	1.38	0.10	15.35	0.07	45.7	7.1	42	28.2	27.5
K301596		9.99	<0.01	0.11	4.38	153	330	1.59	0.10	10.50	0.07	50.2	7.6	38	24.0	21.9
K301597		10.32	0.15	0.08	3.77	234	480	1.59	0.09	11.45	0.05	40.7	6.0	30	14.40	15.7
K301598		9.95	0.11	0.04	1.84	403	370	0.66	0.05	28.6	0.04	21.4	3.0	13	5.19	8.9
K301599		11.75	<0.01	0.04	2.19	285	230	0.63	0.06	27.6	0.06	24.0	3.7	16	11.10	11.3
K301600		5.46	<0.01	0.03	1.98	209	230	0.53	0.05	28.3	0.05	22.0	3.3	14	9.89	10.3
K301601		11.86	<0.01	0.04	2.34	273	440	0.63	0.06	26.8	0.04	22.0	4.2	17	11.40	12.0
K301602		10.00	<0.01	0.02	1.89	212	180	0.53	0.05	30.6	0.10	21.3	3.5	14	10.25	11.9
K301603		11.37	<0.01	0.05	1.42	164	250	0.39	0.04	32.0	0.23	14.10	2.6	9	4.90	6.7
K301604		6.90	<0.01	<0.01	0.06	<5	20	0.05	0.05	22.4	0.06	1.14	1.0	<1	0.14	1.2
K301605		11.27	<0.01	0.03	1.64	127	230	0.49	0.04	29.7	0.05	18.60	3.1	12	8.29	7.9
K301606		11.23	<0.01	0.04	3.30	121	210	0.79	0.07	23.8	0.14	34.4	5.5	27	18.95	19.2
K301607		11.25	<0.01	0.05	2.57	71	200	0.73	0.06	24.0	0.04	27.7	4.4	20	12.55	11.5
K301608		10.88	<0.01	0.05	2.34	165	380	0.65	0.06	26.9	0.10	26.7	3.8	18	10.30	11.8
K301609		0.23	0.37	0.32	6.48	639	1240	0.63	0.28	0.50	0.19	127.0	2.8	234	3.59	30.6
K301610		11.78	0.01	0.09	4.92	30.2	290	1.49	0.11	9.50	0.12	48.8	8.2	45	24.9	25.4
K301611		11.39	<0.01	0.03	1.26	52	2480	0.33	0.03	30.0	0.16	15.35	2.5	8	2.52	7.5
K301612		10.86	<0.01	0.05	1.61	28	500	0.51	0.04	27.7	0.17	19.40	2.9	12	4.67	8.5
K301613		10.94	0.01	0.04	2.19	97	440	0.60	0.05	23.6	0.14	26.6	3.4	16	7.09	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169079

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301578		1.40	7.52	0.06	3.5	18.1	0.036	1.41	16.9	10.1	3.49	2970	0.46	0.01	5.5	5.9
K301579		1.18	8.23	<0.05	3.6	13.6	0.026	1.65	19.8	12.2	4.63	2280	1.01	0.02	5.4	6.0
K301580		1.84	14.45	0.09	3.2	7.69	0.037	2.79	32.2	23.7	4.32	1210	0.81	0.02	8.1	15.7
K301581		0.47	0.29	0.08	<0.1	0.02	<0.005	0.03	0.7	0.8	12.95	216	0.06	<0.01	0.3	<0.2
K301582		0.92	5.07	<0.05	1.3	1.55	0.022	1.17	15.7	8.0	1.34	670	0.37	0.01	3.4	3.0
K301583		1.53	8.84	<0.05	1.7	0.40	0.025	2.00	24.0	16.5	2.14	334	0.55	0.02	5.3	10.9
K301584		1.30	6.63	0.05	1.6	0.56	0.022	1.63	20.0	12.7	2.43	346	0.68	0.02	4.5	6.5
K301585		0.44	1.82	<0.05	0.4	0.19	0.010	0.44	8.4	2.5	0.61	240	0.41	0.01	1.4	<0.2
K301586		0.52	2.15	<0.05	0.4	0.19	0.009	0.54	8.8	3.2	0.75	223	0.31	0.01	1.5	<0.2
K301587		1.04	6.75	0.08	0.8	0.49	0.019	1.58	16.7	12.0	1.19	290	0.66	<0.01	3.8	11.3
K301588		2.14	7.52	0.10	1.7	4.60	0.030	1.01	27.9	38.2	2.60	268	19.15	0.01	7.3	52.0
K301589		0.57	2.20	0.06	0.5	0.33	0.007	0.49	7.2	3.7	1.18	273	0.44	<0.01	1.5	1.7
K301590		0.48	1.70	0.05	0.4	0.61	0.006	0.40	6.0	2.7	1.13	199	0.26	<0.01	1.3	0.9
K301591		0.41	2.19	0.06	0.5	0.24	0.007	0.55	7.0	3.8	1.21	128	0.24	<0.01	1.6	1.7
K301592		0.94	5.14	0.09	0.9	0.14	0.016	1.22	13.0	9.9	1.82	153	0.21	<0.01	3.5	7.7
K301593		0.89	5.19	0.09	1.0	0.07	0.016	1.31	13.9	11.1	1.53	149	0.39	<0.01	3.8	7.9
K301594		0.45	1.98	0.07	0.3	0.08	0.007	0.49	8.0	3.4	0.64	126	0.53	<0.01	1.5	3.0
K301595		2.00	11.00	0.11	1.9	0.18	0.032	2.66	25.1	32.3	2.89	190	0.93	0.01	7.4	19.7
K301596		2.07	11.00	0.12	2.7	0.10	0.030	2.64	26.3	42.9	5.44	248	0.76	0.01	7.5	19.2
K301597		1.70	9.32	0.11	2.6	0.27	0.025	2.03	21.6	34.1	6.27	396	0.80	<0.01	6.4	14.0
K301598		0.98	4.28	0.08	0.8	0.17	0.013	0.94	12.4	10.3	2.14	340	0.48	<0.01	3.0	5.8
K301599		0.94	5.05	0.07	1.0	0.07	0.015	1.21	14.0	29.1	1.71	136	0.34	<0.01	3.7	7.5
K301600		0.87	4.49	0.08	0.9	0.06	0.013	1.09	12.8	28.0	1.66	134	0.34	<0.01	3.3	6.8
K301601		1.02	5.27	0.09	0.9	0.08	0.015	1.26	12.7	29.3	1.86	128	0.47	<0.01	3.5	8.8
K301602		0.81	4.29	0.09	0.7	0.06	0.011	1.00	12.6	21.2	1.25	118	0.31	<0.01	3.0	7.0
K301603		0.62	3.16	0.06	0.6	0.07	0.009	0.73	8.5	12.2	1.33	110	0.49	<0.01	2.1	4.4
K301604		0.49	0.21	0.06	<0.1	<0.01	0.005	0.02	0.6	0.8	13.65	213	0.16	<0.01	0.2	1.0
K301605		0.78	3.79	0.09	0.6	0.07	0.009	0.85	10.7	29.4	1.57	130	0.49	0.07	2.6	6.3
K301606		1.40	7.41	0.11	1.2	0.10	0.021	1.68	19.6	49.9	1.99	161	0.45	0.17	4.8	13.5
K301607		1.14	5.90	0.09	1.1	0.08	0.019	1.32	15.4	60.4	2.52	157	0.60	0.11	4.1	9.6
K301608		1.06	5.36	0.07	1.0	0.09	0.014	1.12	15.3	62.1	1.85	146	0.70	0.14	3.8	8.3
K301609		7.20	20.2	0.20	4.3	10.05	0.050	1.41	60.3	17.7	0.13	36	6.98	0.38	10.8	16.6
K301610		2.12	12.15	0.11	2.4	0.19	0.034	2.61	26.3	112.5	4.15	176	1.04	0.23	8.2	21.6
K301611		0.67	2.84	0.07	0.5	0.08	0.009	0.55	8.9	52.9	1.92	122	0.47	0.01	2.2	4.1
K301612		0.69	3.73	0.08	0.8	0.09	0.010	0.76	11.1	36.9	2.27	127	0.75	0.13	2.8	5.3
K301613		0.95	4.88	0.09	1.4	0.11	0.016	1.07	14.7	52.0	3.27	152	0.71	0.21	4.0	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169079

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301578		540	11.7	50.5	<0.002	0.66	59.5	4.9	4	1.1	162.0	0.44	<0.05	8.1	0.153	63.7
K301579		530	9.4	60.8	<0.002	0.36	30.8	5.8	3	1.0	187.0	0.45	<0.05	8.3	0.152	48.3
K301580		770	10.7	92.0	<0.002	0.94	19.00	9.0	3	1.5	179.0	0.67	<0.05	11.6	0.227	27.9
K301581		170	1.5	1.6	<0.002	0.01	0.13	0.3	2	<0.2	48.9	<0.05	<0.05	<0.2	<0.005	0.10
K301582		270	4.6	44.3	<0.002	0.25	7.96	3.4	2	0.6	499	0.26	<0.05	4.9	0.087	8.71
K301583		460	7.2	76.4	<0.002	0.35	4.72	5.7	1	1.0	534	0.43	<0.05	7.9	0.145	2.33
K301584		530	6.5	59.3	<0.002	0.22	5.32	4.3	2	0.9	519	0.36	<0.05	6.7	0.123	2.15
K301585		200	5.1	14.9	<0.002	0.04	7.37	1.3	2	0.3	987	0.10	<0.05	1.9	0.035	2.94
K301586		180	5.8	18.4	<0.002	0.05	3.80	1.5	2	0.3	1340	0.11	<0.05	2.2	0.040	0.95
K301587		340	10.2	57.6	<0.002	0.04	11.40	4.3	2	0.7	1510	0.27	<0.05	4.8	0.102	3.39
K301588		880	36.4	52.4	0.022	1.50	106.0	5.1	4	2.4	72.6	0.44	0.21	6.2	0.175	3.98
K301589		200	4.0	17.3	<0.002	0.05	6.34	1.5	2	0.3	940	0.10	<0.05	1.7	0.038	1.14
K301590		300	3.2	14.2	<0.002	0.03	2.54	1.2	2	0.3	1450	0.09	<0.05	1.4	0.032	0.94
K301591		300	3.2	19.7	<0.002	0.06	0.52	1.4	2	0.3	1285	0.10	<0.05	1.8	0.041	0.26
K301592		260	6.7	48.5	<0.002	0.07	1.11	3.3	2	0.8	579	0.25	<0.05	4.0	0.092	0.45
K301593		340	6.0	53.0	<0.002	0.11	0.64	3.4	2	0.8	731	0.25	<0.05	4.4	0.097	0.32
K301594		190	4.6	19.3	<0.002	0.09	0.91	1.4	2	0.3	1025	0.10	<0.05	1.7	0.038	0.21
K301595		620	9.8	107.5	<0.002	0.32	0.99	6.9	2	1.4	370	0.51	<0.05	9.0	0.195	0.66
K301596		520	9.9	102.5	<0.002	0.15	0.43	7.4	2	1.4	311	0.56	<0.05	9.7	0.205	0.66
K301597		390	8.5	91.3	<0.002	0.47	0.59	6.2	3	1.2	374	0.45	<0.05	8.1	0.173	0.79
K301598		210	5.9	42.6	<0.002	0.16	0.82	2.7	2	0.6	866	0.20	<0.05	3.4	0.077	0.48
K301599		290	5.8	57.7	<0.002	0.09	0.78	3.3	2	0.7	831	0.24	<0.05	4.3	0.094	0.32
K301600		260	5.5	51.0	<0.002	0.10	0.48	3.0	2	0.6	829	0.22	<0.05	3.8	0.084	0.28
K301601		240	6.2	58.7	<0.002	0.14	0.65	3.4	2	0.7	901	0.25	<0.05	4.1	0.095	0.32
K301602		310	5.4	45.5	<0.002	0.11	0.48	2.8	2	0.6	1255	0.21	<0.05	3.5	0.077	0.26
K301603		180	5.8	31.3	<0.002	0.14	0.41	2.1	2	0.4	1275	0.14	<0.05	2.4	0.056	0.21
K301604		180	1.2	1.2	<0.002	0.01	<0.05	0.2	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	<0.02
K301605		220	5.8	39.4	<0.002	0.15	0.35	2.4	2	0.5	1180	0.16	<0.05	2.9	0.066	0.23
K301606		590	7.7	77.6	<0.002	0.20	0.39	4.7	2	1.0	872	0.34	<0.05	6.0	0.131	0.38
K301607		330	6.2	61.0	<0.002	0.17	0.27	3.8	2	0.8	962	0.28	<0.05	5.0	0.110	0.32
K301608		300	5.5	52.5	<0.002	0.19	0.40	3.6	2	0.8	1320	0.26	<0.05	4.6	0.100	0.29
K301609		950	17.7	52.4	0.003	3.09	117.5	16.1	2	3.1	525	0.76	0.14	8.7	0.579	8.41
K301610		580	10.6	108.5	<0.002	0.42	0.45	7.6	3	1.6	492	0.60	<0.05	10.0	0.225	0.59
K301611		150	4.5	22.8	<0.002	0.22	0.26	1.9	2	0.4	1720	0.14	<0.05	2.4	0.054	0.17
K301612		230	6.1	35.1	<0.002	0.18	0.28	2.5	2	0.5	1495	0.18	<0.05	3.4	0.072	0.22
K301613		300	8.0	48.8	<0.002	0.25	0.37	3.2	3	0.7	1355	0.26	<0.05	4.7	0.102	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169079

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301578		8.5	49	3.4	11.2	46	105.5
K301579		7.1	50	2.6	12.2	14	110.5
K301580		7.1	80	4.3	15.1	26	96.5
K301581		0.4	2	0.2	0.8	18	0.6
K301582		12.5	34	1.7	8.5	10	37.9
K301583		9.3	54	1.7	10.8	16	53.8
K301584		9.1	47	1.3	9.3	13	50.9
K301585		14.9	28	0.6	4.3	17	13.4
K301586		12.0	22	0.5	4.0	13	13.1
K301587		10.9	51	0.9	7.9	17	28.7
K301588		8.7	240	29.5	20.6	219	59.8
K301589		9.2	18	0.4	4.6	15	16.8
K301590		8.9	15	0.3	4.3	6	15.6
K301591		6.6	17	0.3	4.3	7	16.7
K301592		9.0	34	0.4	7.5	16	29.2
K301593		11.2	37	0.4	8.1	36	33.8
K301594		12.3	19	0.2	4.1	60	11.9
K301595		8.7	77	0.8	14.4	60	66.7
K301596		5.7	82	0.9	15.3	56	88.6
K301597		5.6	58	1.8	12.9	44	88.6
K301598		11.7	31	1.0	6.7	37	26.9
K301599		11.4	36	0.4	7.7	29	35.0
K301600		10.7	32	0.3	6.9	28	30.2
K301601		13.3	37	0.4	6.8	34	30.3
K301602		11.6	30	0.3	6.9	30	23.7
K301603		14.5	27	0.2	4.6	32	20.5
K301604		0.6	3	0.1	0.8	18	<0.5
K301605		14.5	28	0.3	5.5	26	21.9
K301606		11.5	52	0.5	10.5	51	39.6
K301607		10.8	44	0.4	8.5	30	37.9
K301608		12.3	41	0.4	8.4	37	34.0
K301609		8.1	182	23.9	15.5	47	166.0
K301610		7.6	78	0.8	14.6	68	78.0
K301611		12.3	21	0.3	4.9	34	18.0
K301612		11.6	29	0.3	6.1	36	27.3
K301613		10.0	34	0.4	8.1	37	46.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169079

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

CERTIFICATE VA11173778

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 134

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301614		12.16	<0.01	0.10	3.21	49	180	1.07	0.06	16.30	0.12	49.1	5.5	30	13.25	16.4
K301615		11.30	0.03	0.17	3.83	137	240	1.21	0.07	15.85	0.18	54.3	6.9	40	17.80	27.4
K301616		10.50	0.02	0.11	1.94	38	1930	0.64	0.05	22.8	0.24	31.3	3.7	25	6.64	19.1
K301617		12.14	<0.01	0.06	1.46	25	620	0.42	0.03	27.7	0.27	23.1	2.7	14	4.34	9.2
K301618		5.66	<0.01	0.06	1.45	26	590	0.46	0.03	26.8	0.33	23.3	2.8	16	4.36	9.3
K301619		10.96	<0.01	0.06	1.57	24	90	0.47	0.03	26.6	0.26	24.5	3.1	15	4.89	8.6
K301620		7.00	<0.01	0.01	0.06	<5	<10	0.08	0.01	21.4	0.07	1.36	1.6	<1	0.15	2.7
K301621		5.40	<0.01	0.09	1.16	108	180	0.38	0.03	24.3	0.15	19.70	2.3	11	2.53	6.7
K301622		6.50	<0.01	0.04	0.62	16	60	0.21	0.02	30.9	0.58	12.70	1.4	7	0.98	4.5
K301623		10.24	<0.01	0.10	3.89	85	230	1.49	0.09	10.95	0.19	47.8	7.7	39	8.50	24.8
K301624		7.00	<0.01	0.09	3.93	53	80	1.35	0.09	10.50	0.07	51.8	7.7	41	9.33	26.7
K301625		10.34	<0.01	0.03	2.56	30	110	1.05	0.07	21.0	0.09	32.3	4.7	26	5.68	17.9
K301626		10.96	0.01	0.05	2.06	23	170	0.88	0.05	25.2	0.15	22.8	3.8	20	3.61	13.1
K301627		0.30	0.33	0.33	6.10	593	630	0.67	0.27	0.50	0.21	135.5	3.1	207	3.63	31.3
K301628		12.26	<0.01	0.08	3.03	22	470	1.14	0.08	16.85	0.21	39.1	6.1	30	7.72	19.6
K301629		11.82	<0.01	0.07	4.37	17	220	1.51	0.11	10.60	0.08	52.7	7.5	38	15.60	28.0
K301630		11.74	0.01	0.07	2.76	12	500	1.01	0.06	20.5	0.09	39.4	4.8	28	7.16	12.5
K301631		11.74	0.01	0.11	3.96	14	200	1.30	0.10	13.00	0.09	46.9	7.2	37	11.95	25.1
K301632		11.72	<0.01	0.08	1.46	16	780	0.57	0.05	27.1	0.11	20.4	3.0	15	2.71	10.1
K301633		11.08	<0.01	0.06	2.29	11	1930	0.92	0.06	22.6	0.10	28.6	4.1	21	4.96	17.9
K301634		11.92	0.01	0.05	2.70	9	300	1.00	0.08	22.7	0.10	32.1	5.3	23	6.02	17.6
K301635		11.78	<0.01	0.03	3.25	6	150	1.13	0.08	20.2	0.12	39.7	5.5	28	6.76	23.2
K301636		11.78	<0.01	0.03	3.43	6	110	1.25	0.09	17.55	0.13	41.7	5.9	30	6.86	12.5
K301637		7.00	<0.01	0.01	0.07	<5	10	0.06	0.02	20.6	0.07	1.37	0.6	<1	0.13	1.9
K301638		11.82	<0.01	0.04	3.45	9	200	1.33	0.09	12.55	0.10	43.2	6.5	32	6.76	20.1
K301639		11.78	<0.01	0.05	3.09	14	1010	1.14	0.09	19.40	0.15	38.5	6.0	27	5.98	17.8
K301640		11.58	<0.01	0.04	4.00	14	250	1.44	0.12	15.70	0.09	48.3	7.5	37	8.16	19.7
K301641		11.48	<0.01	0.05	4.66	8	260	1.74	0.12	10.55	0.14	55.4	8.5	42	9.57	27.9
K301642		0.30	2.66	1.06	3.10	522	840	0.77	0.30	7.90	2.53	49.5	7.2	51	3.99	43.3
K301643		11.96	0.01	0.06	4.44	<5	440	1.53	0.11	10.40	0.12	55.8	7.9	39	9.35	27.4
K301644		11.70	0.01	0.05	4.00	<5	220	1.45	0.10	11.85	0.11	50.5	7.5	36	7.71	27.4
K301645		12.42	0.01	0.08	4.14	22	200	1.45	0.10	11.35	0.08	51.6	8.1	38	8.22	25.3
K301646		11.42	0.01	0.06	4.64	21	200	1.69	0.10	11.05	0.09	55.3	8.4	41	9.95	33.3
K301647		12.34	<0.01	0.04	4.30	19	290	1.42	0.12	15.15	0.09	52.4	8.1	37	8.96	26.8
K301648		12.62	0.01	0.04	2.49	18	110	0.84	0.07	23.2	0.09	29.1	4.6	23	4.32	16.9
K301649		12.04	0.02	0.04	2.00	15	120	0.70	0.05	24.3	0.11	25.8	3.9	18	2.89	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173778

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301614		1.30	8.61	0.19	2.3	0.13	0.025	1.56	26.0	84.7	4.17	187	1.24	0.26	6.5	13.2
K301615		1.55	10.40	0.17	2.5	0.24	0.030	1.92	29.9	92.0	4.14	192	1.48	0.26	7.1	18.6
K301616		0.80	5.33	0.10	1.8	0.21	0.018	1.05	18.2	24.8	1.96	142	1.86	0.14	4.2	12.5
K301617		0.61	3.84	0.08	1.2	0.14	0.012	0.83	13.1	10.6	1.93	145	1.15	0.15	3.2	7.9
K301618		0.68	3.75	0.07	1.2	0.15	0.009	0.83	12.9	10.5	2.09	152	1.09	0.15	3.2	8.6
K301619		0.67	4.18	0.06	1.2	0.16	0.013	0.84	13.7	12.2	2.18	144	0.81	0.14	3.3	7.9
K301620		0.49	0.47	0.24	<0.1	<0.01	0.005	0.02	0.7	1.0	12.65	214	0.06	<0.01	0.4	4.6
K301621		0.79	2.98	0.06	1.0	0.12	0.011	0.65	8.9	8.5	4.05	305	0.58	0.02	2.0	5.7
K301622		0.44	1.58	0.05	0.5	0.11	0.006	0.31	6.2	3.6	1.64	156	0.41	0.01	1.0	3.7
K301623		1.63	10.85	0.08	2.6	0.18	0.034	1.98	20.3	36.0	5.45	206	0.98	0.03	6.7	21.7
K301624		1.77	10.95	0.11	2.4	0.17	0.035	1.98	22.1	42.4	5.68	214	1.26	0.04	6.8	21.3
K301625		1.05	6.80	0.08	1.3	0.1	0.024	1.25	13.8	41.7	2.60	164	0.44	0.02	4.3	12.5
K301626		0.93	5.35	0.07	1.0	0.06	0.021	0.92	10.8	92.8	2.52	171	0.64	0.02	3.4	9.9
K301627		6.41	19.90	0.16	4.9	8.6	0.061	1.33	59.8	18.9	0.13	32	6.42	0.38	9.7	17.0
K301628		1.42	7.98	0.09	1.4	0.1	0.032	1.35	17.1	97.5	4.05	187	0.74	0.07	4.9	16.0
K301629		1.83	10.95	0.12	2.4	0.06	0.038	1.96	23.3	152.5	3.87	185	0.37	0.23	7.1	20.0
K301630		1.21	7.15	0.09	1.7	0.05	0.021	1.11	16.7	56.5	2.71	200	0.70	0.31	4.8	13.5
K301631		1.57	10.35	0.08	2.1	0.05	0.037	1.76	20.4	90.8	3.61	192	0.72	0.30	6.6	20.7
K301632		0.75	3.85	0.09	0.8	0.04	0.012	0.59	9.8	40.1	2.81	193	0.91	0.11	2.5	7.6
K301633		1.00	5.95	0.09	1.2	0.03	0.020	0.98	12.6	58.3	2.83	196	0.55	0.19	3.7	10.8
K301634		1.10	6.84	0.07	1.3	0.1	0.024	1.13	15.1	53.6	2.42	207	0.24	0.26	4.4	12.9
K301635		1.48	8.56	0.10	1.6	0.1	0.029	1.31	17.6	54.8	2.92	211	0.16	0.28	5.4	15.7
K301636		1.59	8.28	0.07	1.7	0.02	0.026	1.41	18.0	60.4	3.50	220	0.30	0.26	5.6	15.6
K301637		0.45	0.16	0.07	<0.1	<0.01	0.006	0.02	0.6	1.1	12.35	204	0.06	0.01	0.2	1.8
K301638		1.40	9.14	0.12	2.1	0.02	0.036	1.58	18.5	75.0	5.09	239	0.41	0.24	6.0	16.0
K301639		1.36	7.92	0.10	1.6	0.02	0.030	1.36	16.8	53.9	3.33	266	0.68	0.23	5.3	14.8
K301640		1.78	10.10	0.09	2.1	0.02	0.034	1.69	21.6	68.6	3.76	254	0.24	0.30	6.4	18.9
K301641		2.08	11.90	0.13	2.5	0.03	0.036	2.01	25.8	84.0	4.51	265	0.47	0.29	7.8	22.8
K301642		2.06	7.66	0.10	1.9	4.16	0.027	0.99	25.5	39.3	2.50	273	17.15	0.03	6.9	54.6
K301643		1.84	11.45	0.11	2.7	0.04	0.040	1.95	25.6	86.0	3.75	268	0.49	0.34	7.5	21.1
K301644		1.86	10.85	0.11	2.1	0.03	0.041	1.67	23.1	83.3	5.29	281	0.59	0.26	7.0	20.7
K301645		1.88	10.70	0.12	2.1	0.05	0.029	1.79	24.5	82.6	5.08	290	1.04	0.30	7.0	20.9
K301646		2.00	11.85	0.13	2.4	0.05	0.042	1.96	25.7	90.3	4.33	302	0.57	0.36	7.8	22.5
K301647		1.84	11.30	0.09	2.1	<0.1	0.041	1.78	23.9	73.9	3.71	298	0.39	0.37	7.2	21.5
K301648		1.06	6.14	0.08	1.1	0.04	0.018	0.93	12.9	41.9	2.03	291	0.22	0.31	3.9	12.0
K301649		0.91	5.04	0.08	1.1	<0.1	0.017	0.68	11.6	36.8	2.33	298	0.53	0.36	3.4	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173778

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301614		480	9.2	80.0	0.003	0.30	0.34	5.3	3	1.1	648	0.41	<0.05	7.9	0.147	0.42
K301615		820	11.0	98.3	0.003	0.45	0.67	6.4	5	1.4	922	0.49	<0.05	9.2	0.177	0.55
K301616		680	10.3	48.0	0.002	0.41	0.51	3.5	2	0.9	1870	0.27	<0.05	5.2	0.090	0.37
K301617		340	11.2	35.4	0.002	0.42	0.49	2.5	2	0.5	1490	0.18	<0.05	3.6	0.064	0.32
K301618		330	11.2	35.4	0.002	0.47	0.46	2.5	2	0.5	1500	0.19	<0.05	3.7	0.065	0.34
K301619		260	12.8	37.7	0.002	0.40	0.43	2.8	3	0.6	1760	0.20	<0.05	4.2	0.071	0.34
K301620		180	1.2	1.2	0.002	0.03	<0.05	0.3	<1	<0.2	52.5	<0.05	<0.05	<0.2	<0.005	<0.02
K301621		190	6.8	23.9	<0.002	0.21	0.73	2.1	4	0.6	975	0.16	<0.05	2.7	0.056	0.38
K301622		210	4.5	11.5	0.002	0.31	0.30	1.2	2	0.4	1200	0.08	<0.05	1.4	0.029	0.22
K301623		500	9.8	84.9	0.002	0.67	0.77	7.6	4	1.6	659	0.54	<0.05	9.0	0.187	0.67
K301624		500	10.1	88.1	<0.002	0.57	0.51	7.6	4	1.6	628	0.51	<0.05	9.2	0.188	0.64
K301625		340	6.3	54.8	<0.002	0.23	0.33	4.8	2	1.1	877	0.33	<0.05	5.8	0.120	0.38
K301626		250	6.6	37.4	0.002	0.17	0.38	3.8	2	0.9	991	0.26	<0.05	4.2	0.094	0.26
K301627		900	16.7	46.4	0.002	3.04	123.5	17.3	1	3.1	522	0.80	0.07	9.7	0.544	8.10
K301628		380	9.5	61.6	<0.002	0.26	0.45	5.5	4	1.3	622	0.33	<0.05	6.7	0.141	0.36
K301629		540	9.7	92.7	0.002	0.11	0.28	7.6	3	1.8	400	0.59	<0.05	9.6	0.208	0.51
K301630		350	6.7	54.4	0.003	0.15	0.31	5.1	1	1.2	704	0.36	<0.05	6.0	0.133	0.31
K301631		470	9.4	82.5	<0.002	0.14	0.33	7.2	3	1.6	463	0.52	<0.05	8.5	0.188	0.43
K301632		190	6.6	26.1	0.002	0.15	0.21	2.7	1	0.7	989	0.19	<0.05	3.2	0.068	0.18
K301633		280	7.2	44.4	0.002	0.15	0.26	4.2	3	1.0	833	0.28	<0.05	4.7	0.105	0.26
K301634		300	6.9	54.3	0.002	0.08	0.19	4.9	2	1.1	741	0.34	<0.05	5.7	0.124	0.25
K301635		360	6.6	60.3	<0.002	0.04	0.12	5.9	2	1.4	518	0.43	<0.05	7.0	0.150	0.27
K301636		360	7.1	62.9	<0.002	0.05	0.16	6.2	2	1.4	411	0.44	<0.05	7.2	0.159	0.33
K301637		140	1.3	1.0	<0.002	0.01	<0.05	0.2	<1	0.3	44.4	<0.05	<0.05	<0.2	<0.005	0.02
K301638		380	7.8	71.2	<0.002	0.05	0.25	6.4	2	1.4	365	0.44	<0.05	7.6	0.165	0.30
K301639		340	6.2	60.9	<0.002	0.10	0.25	5.6	1	1.2	700	0.40	<0.05	6.5	0.144	0.30
K301640		420	8.3	77.8	0.002	0.05	0.24	7.1	3	1.5	483	0.54	<0.05	8.9	0.189	0.37
K301641		540	10.3	92.9	<0.002	0.07	0.31	8.3	3	1.7	332	0.61	<0.05	9.9	0.220	0.44
K301642		880	39.1	48.6	0.030	1.56	112.5	5.5	4	2.4	71.0	0.48	0.21	6.3	0.172	4.21
K301643		560	10.9	86.7	<0.002	0.07	0.44	8.0	3	1.7	341	0.61	<0.05	9.9	0.213	0.42
K301644		400	8.1	79.5	0.002	0.07	0.38	7.7	2	1.7	327	0.51	<0.05	8.8	0.189	0.38
K301645		450	9.7	78.9	<0.002	0.14	0.49	7.5	3	1.6	297	0.54	<0.05	8.7	0.196	0.48
K301646		560	11.0	92.9	<0.002	0.11	0.42	8.3	4	1.9	304	0.57	<0.05	9.9	0.216	0.50
K301647		490	9.5	81.3	<0.002	0.10	0.32	7.8	2	1.7	405	0.56	<0.05	9.1	0.199	0.50
K301648		240	5.9	41.8	<0.002	0.05	0.19	4.4	2	1.0	621	0.31	<0.05	5.0	0.113	0.23
K301649		230	7.5	31.2	<0.002	0.13	0.23	3.6	2	0.9	746	0.25	<0.05	4.2	0.092	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173778

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301614		8.4	45	0.6	13.4	47	77.7
K301615		9.1	55	0.7	17.2	62	83.7
K301616		12.9	28	0.4	12.6	52	61.3
K301617		14.7	20	0.3	7.7	41	42.0
K301618		14.9	20	0.3	7.6	41	41.0
K301619		16.0	25	0.3	7.6	37	40.8
K301620		0.4	<1	0.1	0.8	18	0.5
K301621		9.0	18	0.4	6.0	13	29.3
K301622		6.3	12	0.2	4.2	36	13.7
K301623		6.6	62	1.4	13.9	53	77.6
K301624		5.3	63	1.0	14.0	49	72.8
K301625		9.0	40	0.5	9.0	35	39.2
K301626		12.4	36	0.5	6.9	38	28.9
K301627		7.8	166	25.4	14.8	41	159.0
K301628		8.8	47	0.6	10.4	58	49.3
K301629		6.0	65	0.9	14.3	60	70.0
K301630		8.5	50	0.6	11.0	36	49.2
K301631		7.5	64	0.8	12.5	57	65.4
K301632		13.6	27	0.4	6.3	26	24.2
K301633		10.2	34	0.5	8.2	34	36.1
K301634		8.8	39	0.5	9.0	42	39.5
K301635		4.8	40	0.8	10.6	47	49.5
K301636		5.7	51	0.8	11.0	48	53.3
K301637		0.7	2	0.1	0.7	16	<0.5
K301638		7.6	49	0.7	12.4	52	72.6
K301639		4.6	40	0.7	10.9	47	50.7
K301640		5.9	56	0.8	12.9	60	61.3
K301641		4.8	69	1.0	15.9	67	76.3
K301642		9.1	228	31.3	19.2	206	59.6
K301643		5.2	65	1.0	15.8	66	78.1
K301644		5.4	60	0.9	13.7	61	67.1
K301645		6.1	64	0.8	13.5	66	65.9
K301646		5.7	65	0.9	15.2	68	73.7
K301647		7.0	59	0.9	14.3	64	63.7
K301648		8.2	35	0.5	7.7	36	31.0
K301649		10.9	28	0.5	7.5	34	34.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173778

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11164059

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 135 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164059

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301302		9.93	<0.01	0.14	6.74	25.0	190	1.30	0.22	3.88	0.29	49.7	31.0	74	21.7	145.5
K301303		11.43	<0.01	0.15	7.16	19.9	300	1.23	0.21	4.68	0.23	48.4	31.1	75	22.2	153.0
K301304		11.11	<0.01	0.15	6.77	27.6	190	1.34	0.21	5.21	0.24	51.1	30.0	68	27.6	135.0
K301305		6.02	<0.01	0.12	7.61	15.7	230	1.87	0.30	2.29	0.33	89.4	22.8	65	33.1	84.9
K301306		8.84	<0.01	0.06	6.85	52.5	370	1.34	0.22	4.48	0.29	48.8	31.8	67	26.9	145.0
K301307		12.29	<0.01	0.05	7.08	13.1	130	1.41	0.24	3.44	0.30	49.8	33.0	77	27.2	141.0
K301308		5.70	<0.01	0.03	7.11	11.5	150	1.30	0.24	3.67	0.30	50.1	33.2	73	25.5	140.0
K301309		10.19	<0.01	0.05	8.10	55.4	200	1.75	0.26	3.54	0.30	54.7	35.6	82	22.2	165.0
K301310		7.74	<0.01	0.05	6.99	81.2	230	1.59	0.26	2.70	0.42	54.7	31.5	69	15.30	135.0
K301311		9.49	<0.01	0.13	8.32	115.0	390	2.06	0.37	1.60	0.41	83.5	32.5	75	21.7	144.0
K301312		7.45	<0.01	0.05	7.98	93.7	210	2.23	0.32	1.94	0.33	66.0	34.5	77	24.6	155.0
K301313		10.08	0.20	0.06	5.44	402	210	1.35	0.20	7.80	0.25	56.7	19.0	41	15.40	51.4
K301314		10.86	0.21	0.07	5.27	616	330	1.14	0.20	8.02	0.15	53.8	21.9	36	14.30	48.2
K301315		0.34	2.56	1.01	3.16	597	860	0.69	0.30	8.02	2.23	45.7	7.0	50	3.97	45.3
K301316		11.50	0.04	0.07	6.05	308	200	1.34	0.28	7.84	0.31	61.4	16.8	50	16.65	68.6
K301317		11.33	0.63	0.22	4.10	1240	150	0.79	0.16	10.80	0.24	39.4	13.7	37	8.50	51.5
K301318		4.47	0.82	0.08	3.28	1650	240	0.58	0.15	14.05	0.15	37.7	11.0	26	6.28	27.0
K301319		12.18	0.46	0.06	5.69	744	200	1.10	0.20	10.45	0.20	55.0	17.5	45	14.55	55.9
K301320		11.28	0.13	0.07	7.58	591	180	1.47	0.24	4.20	0.31	52.5	34.1	73	22.6	164.0
K301321		0.33	7.96	0.43	3.64	1060	170	0.72	0.66	12.55	4.34	46.1	6.3	93	8.04	38.2
K301322		6.88	0.89	0.07	7.80	3210	310	1.49	0.31	4.07	0.20	80.0	25.5	59	20.6	62.2
K301323		7.44	<0.01	<0.01	0.07	<5	20	0.07	0.02	22.2	0.07	1.48	1.4	<1	0.18	1.9
K301324		11.22	0.04	0.02	6.98	418	140	1.43	0.23	3.88	0.37	55.8	30.8	65	20.3	141.5
K301325		12.71	<0.01	0.03	7.27	157.0	170	1.46	0.26	5.76	0.33	60.0	30.7	63	18.90	131.0
K301326		11.37	0.03	0.04	5.56	642	130	1.14	0.19	6.28	0.24	44.4	25.2	47	16.85	99.9
K301327		12.25	0.01	0.02	6.86	258	120	1.37	0.22	4.96	0.30	51.9	34.2	65	20.3	140.5
K301328		11.86	0.35	0.08	5.50	980	130	1.04	0.21	6.24	0.24	47.6	25.6	48	14.10	100.5
K301329		6.10	0.41	0.03	4.45	1280	130	0.98	0.19	9.43	0.13	48.6	13.8	30	12.40	33.7
K301330		7.76	0.38	0.04	5.54	1090	110	1.21	0.18	7.49	0.21	45.7	22.8	44	17.35	85.9
K301331		10.46	0.21	0.06	6.55	974	180	1.45	0.25	8.83	0.12	74.5	17.4	48	18.60	49.2
K301332		11.43	0.02	0.09	3.41	155	130	0.81	0.11	17.60	9.87	36.8	9.4	25	12.15	18.8
K301333		9.88	0.14	0.05	1.32	240	60	0.40	0.04	29.1	0.15	18.40	3.8	11	3.09	8.1
K301334		6.91	<0.01	<0.01	0.06	<5	20	0.05	0.03	20.9	0.08	1.20	1.4	<1	0.15	1.7
K301335		8.42	0.83	0.15	8.42	6980	230	2.12	0.33	2.91	0.27	94.1	18.5	60	25.5	42.3
K301336		11.69	0.37	0.05	8.89	1295	260	2.32	0.34	3.83	0.24	92.3	20.0	63	26.0	41.2
K301337		12.03	2.97	0.20	8.56	986	250	2.29	0.41	2.67	0.32	77.4	22.6	71	25.1	48.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164059

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301302		7.15	20.1	0.17	3.4	0.04	0.095	1.43	21.6	114.5	2.79	1060	0.48	0.41	13.6	51.3
K301303		7.44	21.0	0.18	3.4	0.03	0.096	1.65	21.4	106.5	2.62	941	0.41	0.39	13.0	52.1
K301304		7.01	20.5	0.18	3.4	0.03	0.091	1.68	22.6	108.5	2.70	1040	0.40	0.33	13.2	50.0
K301305		5.75	22.8	0.22	4.5	0.02	0.101	2.56	41.2	79.5	2.00	396	0.56	0.29	20.8	41.4
K301306		6.87	19.45	0.23	3.0	0.03	0.100	1.89	23.7	134.5	2.56	964	0.48	0.39	13.5	53.4
K301307		7.67	20.9	0.23	2.8	0.03	0.112	1.46	23.3	81.4	2.97	1200	0.55	0.97	15.1	56.0
K301308		7.74	20.8	0.22	2.9	0.03	0.108	1.41	23.1	80.7	2.96	1260	0.50	1.00	15.3	55.9
K301309		8.61	22.9	0.24	3.1	0.08	0.122	1.94	25.5	77.1	2.23	1270	0.74	0.27	16.7	61.6
K301310		6.90	20.8	0.24	3.0	0.12	0.108	1.96	26.1	58.9	1.68	990	2.38	0.03	17.0	51.2
K301311		7.06	24.9	0.27	4.1	0.14	0.146	2.77	41.5	89.3	1.69	550	0.64	0.03	24.0	55.3
K301312		7.13	24.2	0.28	3.3	0.5	0.134	3.47	32.2	113.0	1.03	937	0.58	0.03	23.6	68.4
K301313		4.44	14.95	0.21	2.5	2.71	0.062	2.42	28.5	15.2	4.09	1370	3.99	0.03	10.1	35.8
K301314		4.18	14.30	0.17	2.4	3.01	0.056	2.44	27.1	9.2	4.17	1240	0.84	0.02	10.1	33.8
K301315		2.00	7.85	0.12	1.7	4.64	0.030	0.99	29.2	34.3	2.55	273	18.75	0.03	7.3	53.5
K301316		5.66	15.55	0.20	2.9	5.38	0.080	2.75	30.9	11.3	4.18	837	1.40	0.03	11.5	32.4
K301317		6.95	10.55	0.19	1.9	11.3	0.052	1.81	19.9	7.4	5.30	1420	1.91	0.03	7.0	29.0
K301318		3.05	8.39	0.12	1.1	8.86	0.043	1.34	20.1	8.1	3.41	3590	1.16	0.02	4.4	21.0
K301319		4.35	14.40	0.15	2.3	3.37	0.066	2.52	28.9	11.0	3.91	1910	1.28	0.03	8.9	32.1
K301320		7.91	21.3	0.23	2.9	4.13	0.111	3.07	26.4	60.0	1.86	1510	0.46	0.02	15.0	57.7
K301321		1.37	7.95	0.14	2.3	6.27	0.073	1.52	32.6	9.1	0.74	282	12.65	0.01	8.9	67.0
K301322		4.75	22.6	0.21	3.0	5.2	0.074	3.48	41.7	15.7	1.44	1440	1.93	0.03	13.1	43.8
K301323		0.49	0.28	0.12	<0.1	<0.01	0.005	0.03	0.8	0.9	13.95	228	0.11	<0.01	0.3	3.4
K301324		7.45	19.50	0.22	3.2	2.85	0.109	2.79	27.9	52.1	1.88	1440	0.52	0.02	15.8	53.2
K301325		6.91	20.6	0.20	3.2	2.44	0.111	3.06	30.4	49.5	2.73	1380	0.89	0.02	16.0	54.7
K301326		5.45	14.95	0.16	2.5	2.39	0.079	2.27	22.2	35.4	3.01	1630	0.95	0.02	10.1	40.9
K301327		7.24	20.3	0.20	2.9	2.22	0.103	2.53	25.7	75.0	2.34	1400	0.35	0.02	14.8	52.7
K301328		5.29	15.30	0.17	2.6	2.99	0.085	1.95	23.9	44.6	2.97	1520	0.77	0.02	11.3	39.5
K301329		2.99	11.80	0.12	2.4	2.55	0.053	1.91	24.2	14.9	4.51	1220	1.14	0.02	8.1	21.1
K301330		5.03	14.50	0.15	2.5	3.32	0.071	2.32	23.0	12.2	3.41	1800	0.86	0.02	10.1	37.4
K301331		3.96	16.25	0.15	3.2	3.08	0.061	3.00	39.6	10.4	1.71	1080	0.82	0.03	11.4	32.8
K301332		1.62	8.42	0.09	1.7	2.56	0.028	1.63	20.9	5.7	2.53	557	1.27	0.02	5.6	16.5
K301333		0.60	3.36	0.07	0.7	0.93	0.012	0.60	11.5	2.6	1.23	920	0.51	0.01	2.4	7.4
K301334		0.45	0.29	0.18	<0.1	0.01	0.005	0.02	0.6	0.8	13.05	214	0.09	<0.01	0.3	3.3
K301335		3.96	23.9	0.20	3.1	4.08	0.075	3.82	49.6	11.6	1.32	1340	4.42	0.04	12.4	37.6
K301336		4.26	24.9	0.20	3.3	3.24	0.077	4.12	48.0	12.3	2.07	995	3.30	0.04	13.1	40.0
K301337		4.72	24.7	0.21	3.0	5.8	0.079	4.02	40.5	13.7	1.29	1190	2.98	0.04	12.8	43.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164059

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301302		660	10.2	85.0	0.002	0.17	0.43	26.7	4	2.0	88.9	0.87	0.20	6.0	0.689	0.55
K301303		680	10.2	96.4	0.002	0.13	0.44	28.0	3	2.0	125.5	0.84	0.18	6.1	0.702	0.48
K301304		650	10.8	102.5	0.002	0.14	0.35	26.7	3	2.1	112.5	0.83	0.19	6.3	0.641	0.57
K301305		560	9.9	144.0	0.003	0.12	0.37	19.8	3	2.9	69.7	1.34	0.25	10.7	0.562	0.78
K301306		650	13.1	119.0	0.002	0.15	0.33	27.3	3	2.1	111.0	0.91	0.22	6.4	0.686	0.72
K301307		770	12.3	92.9	<0.002	0.20	0.29	28.4	3	2.4	72.9	1.02	0.29	6.2	0.717	0.56
K301308		760	11.8	89.0	<0.002	0.16	0.28	28.3	3	2.2	80.9	1.04	0.27	6.1	0.717	0.50
K301309		810	13.3	125.5	<0.002	0.13	0.39	30.9	3	2.5	86.6	1.14	0.33	6.4	0.812	1.04
K301310		610	12.8	121.5	0.002	0.15	0.41	26.3	3	2.5	87.7	1.17	0.33	6.9	0.680	1.21
K301311		890	14.3	182.5	<0.002	0.11	0.36	27.0	4	3.3	66.9	1.71	0.48	9.6	0.763	1.70
K301312		780	12.0	198.5	0.004	1.62	0.66	28.6	4	3.0	77.2	1.52	0.43	7.6	0.766	4.37
K301313		430	17.6	118.5	0.003	2.79	4.39	14.0	2	2.3	123.5	0.74	0.07	8.2	0.365	7.59
K301314		410	15.8	110.5	0.003	2.86	5.57	12.8	2	2.2	151.5	0.71	0.08	7.9	0.362	8.48
K301315		900	37.2	50.2	0.023	1.56	99.3	4.9	4	2.6	70.8	0.49	0.20	6.9	0.170	4.41
K301316		510	16.0	127.5	0.004	5.18	2.48	16.9	3	2.1	130.5	0.86	0.19	9.2	0.450	17.30
K301317		340	19.4	78.1	0.004	6.32	18.15	11.5	3	1.6	151.0	0.51	0.11	5.8	0.308	30.4
K301318		2400	13.5	57.9	0.002	2.81	17.70	7.4	2	1.6	392	0.34	<0.05	5.8	0.134	27.8
K301319		900	17.9	119.0	0.003	3.63	5.58	13.8	2	2.2	198.5	0.64	0.09	8.3	0.345	8.57
K301320		730	11.5	184.0	0.003	8.67	3.13	27.6	3	2.5	88.1	1.02	0.30	6.2	0.778	13.00
K301321		4440	5.5	127.0	0.039	1.45	19.60	6.7	9	1.9	154.0	0.63	0.58	7.7	0.219	15.35
K301322		660	20.4	144.5	0.003	4.91	16.65	17.1	3	3.4	167.0	0.99	0.12	12.3	0.418	22.0
K301323		180	1.5	1.7	<0.002	0.02	0.09	0.3	1	<0.2	50.0	<0.05	<0.05	<0.2	<0.005	0.05
K301324		690	11.3	173.0	0.002	7.97	3.73	26.1	3	2.3	113.5	1.06	0.31	6.5	0.686	15.15
K301325		710	12.6	192.0	0.003	6.53	0.69	23.8	3	2.8	119.0	1.08	0.26	8.1	0.629	9.14
K301326		510	11.2	132.0	0.003	5.10	3.16	18.2	2	2.4	114.5	0.71	0.15	5.9	0.489	7.00
K301327		700	11.2	167.0	<0.002	7.38	1.08	27.0	3	2.6	153.5	0.98	0.28	6.0	0.703	8.88
K301328		510	13.0	123.5	<0.002	4.99	3.78	18.8	2	2.6	187.0	0.76	0.17	6.1	0.517	12.40
K301329		400	17.1	95.4	<0.002	1.58	4.83	9.5	2	2.4	197.0	0.61	<0.05	7.4	0.278	7.42
K301330		480	11.7	118.5	<0.002	4.56	5.55	15.8	2	2.6	170.0	0.71	0.14	6.0	0.471	12.20
K301331		430	20.4	153.0	<0.002	3.46	4.92	13.0	2	2.8	270	0.86	0.09	12.8	0.373	10.10
K301332		400	14.7	73.0	<0.002	0.77	1.01	5.4	2	1.8	574	0.41	<0.05	7.1	0.159	3.22
K301333		220	6.2	37.9	<0.002	0.27	1.74	2.4	2	0.8	1140	0.17	<0.05	3.0	0.058	2.98
K301334		180	1.4	1.4	<0.002	0.01	<0.05	0.2	1	<0.2	46.3	<0.05	<0.05	<0.2	<0.005	0.03
K301335		620	20.6	181.0	0.008	4.23	22.1	15.2	2	3.7	169.5	1.00	0.06	16.9	0.338	16.35
K301336		730	21.7	169.0	0.009	4.41	9.53	16.1	3	3.9	157.5	1.10	0.06	16.2	0.369	11.85
K301337		1270	20.6	182.0	0.006	4.72	20.7	16.8	3	3.9	165.0	1.02	0.09	14.4	0.378	24.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164059

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301302		1.6	219	0.9	28.7	100	124.0
K301303		1.6	229	0.8	28.3	102	127.0
K301304		1.7	207	0.8	29.4	95	125.5
K301305		2.4	158	0.9	29.4	90	158.5
K301306		1.6	218	1.0	28.4	103	110.5
K301307		1.4	231	0.9	27.3	101	106.5
K301308		1.5	229	0.9	28.6	104	108.5
K301309		1.6	255	1.5	28.6	113	118.5
K301310		1.9	209	1.4	25.0	95	113.0
K301311		2.8	217	1.2	30.4	111	162.5
K301312		2.1	230	1.6	30.7	108	127.0
K301313		2.5	96	3.6	24.3	92	88.4
K301314		2.4	97	3.4	22.3	63	86.2
K301315		9.4	226	28.1	21.3	217	65.1
K301316		2.1	131	2.3	24.6	73	102.5
K301317		1.4	90	4.5	17.0	44	65.8
K301318		3.7	42	3.4	23.3	41	44.0
K301319		2.9	100	3.5	24.0	83	79.4
K301320		1.6	249	4.4	26.5	113	113.0
K301321		9.4	402	38.6	32.6	294	83.4
K301322		3.3	124	5.8	22.1	94	105.5
K301323		0.5	<1	0.1	1.1	20	0.6
K301324		1.9	219	6.3	27.7	105	121.0
K301325		2.0	199	2.3	28.1	103	121.5
K301326		1.5	155	4.2	23.5	83	90.7
K301327		1.5	234	3.5	27.1	103	110.0
K301328		1.7	157	5.0	23.4	89	94.3
K301329		2.2	64	2.4	23.2	66	81.3
K301330		1.6	139	4.5	23.2	86	88.4
K301331		3.3	103	3.7	23.4	79	112.5
K301332		8.5	43	1.1	14.1	1380	63.6
K301333		12.6	20	0.8	7.7	29	28.9
K301334		0.9	<1	0.1	1.0	19	0.5
K301335		5.2	148	5.8	25.3	105	107.0
K301336		4.6	161	6.7	25.8	103	108.0
K301337		4.7	158	7.3	28.7	113	102.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164059

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE VA11173779

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 136

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173779

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K300617		11.86	<0.01	0.09	6.92	90.2	240	1.89	0.28	2.28	0.04	70.6	19.5	73	40.3	56.7
K300618		10.62	<0.01	0.06	5.85	48.5	210	1.54	0.22	2.31	0.05	60.5	16.5	67	37.3	48.2
K300619		11.66	0.01	0.08	5.43	119.5	240	1.48	0.20	2.25	0.02	54.6	17.1	68	28.7	45.1
K300620		11.24	0.11	0.10	5.63	437	250	1.44	0.21	3.05	0.04	56.9	16.9	62	18.75	47.3
K300621		11.00	0.03	0.10	5.38	261	320	1.32	0.19	2.75	0.14	52.4	16.2	61	15.05	45.9
K300622		10.08	<0.01	0.07	4.89	148.0	330	1.16	0.17	3.30	0.11	46.1	15.0	53	13.70	39.5
K300623		11.34	<0.01	0.06	6.28	72.2	250	1.72	0.23	3.16	0.07	59.7	17.8	71	27.6	50.4
K300624		11.40	<0.01	0.06	6.71	81.7	330	1.94	0.24	2.40	0.20	62.7	19.0	78	29.4	57.9
K300625		0.28	0.34	0.31	6.08	589	1200	0.56	0.25	0.48	0.17	134.5	2.7	240	3.44	28.3
K300626		11.36	<0.01	0.05	7.18	171.0	230	2.13	0.27	1.87	<0.02	70.5	20.1	75	38.4	56.6
K300627		7.50	<0.01	0.09	6.77	68.2	240	1.97	0.26	2.03	0.09	67.7	21.9	73	29.8	54.3
K300628		5.20	<0.01	0.06	6.59	86.0	360	1.14	0.04	6.63	0.10	123.5	25.0	15	9.28	12.9
K300629		9.98	<0.01	0.07	6.24	47.4	280	1.78	0.23	1.55	0.09	63.0	19.1	73	25.0	48.9
K300630		11.66	<0.01	0.07	6.36	51.0	400	1.68	0.21	1.65	0.11	61.8	17.3	74	25.6	55.3
K300631		7.26	<0.01	0.16	6.19	227	330	2.02	0.24	2.58	0.05	64.7	22.7	62	27.3	52.5
K300632		4.94	<0.01	0.01	0.08	46	20	0.05	0.02	19.95	0.07	1.41	1.4	<1	0.27	1.9
K300633		6.36	0.08	0.20	8.10	1725	300	2.57	0.37	1.79	0.24	90.2	20.8	63	28.8	50.8
K300634		7.98	0.02	0.45	8.31	336	310	2.84	0.36	2.19	0.17	86.8	20.0	62	34.9	46.0
K300635		7.34	0.03	0.17	8.48	194.5	240	2.58	0.39	1.78	0.16	87.4	19.6	62	32.4	45.6
K300636		7.66	0.92	0.39	8.49	769	240	2.11	0.39	1.92	0.35	98.8	19.6	61	29.3	46.2
K300637		4.96	<0.01	0.01	0.07	<5	10	<0.05	0.02	20.2	0.07	1.43	1.7	<1	0.19	2.5
K300638		7.00	0.18	0.20	7.18	414	320	1.54	0.29	3.13	0.21	84.5	18.4	55	27.3	43.7
K300639		2.54	0.59	0.39	8.34	1435	260	1.85	0.35	1.88	0.24	93.1	18.0	58	32.4	43.0
K300640		4.24	12.90	5.92	3.95	>10000	230	0.78	0.19	0.29	1.46	55.7	11.1	39	10.45	30.2
K300641		4.18	4.63	1.55	1.14	>10000	50	0.16	0.07	0.38	0.78	19.85	3.9	12	2.93	13.2
K300642		4.78	12.45	3.01	2.23	>10000	140	0.27	0.11	7.11	1.10	34.6	8.0	24	4.96	26.2
K300643		4.52	13.90	3.30	3.11	>10000	280	0.49	0.17	0.19	2.54	42.7	11.8	35	7.32	39.7
K300644		2.82	7.57	1.21	1.19	2790	100	0.14	0.05	22.0	0.57	23.2	3.5	11	2.27	12.3
K300645		7.26	5.60	0.87	1.13	537	120	0.19	0.05	27.1	0.63	20.5	3.3	9	2.58	10.8
K300646		0.30	2.60	0.99	2.94	576	810	0.75	0.31	7.67	2.28	46.1	6.4	46	3.86	40.2
K300647		7.34	0.74	0.27	0.70	237	90	0.19	0.03	29.6	0.12	14.55	2.4	5	2.29	6.9
K300648		6.84	0.13	0.06	0.52	149	80	0.15	0.03	31.2	0.10	9.97	1.8	3	1.53	5.0
K300649		7.18	0.05	0.04	0.49	143	90	0.15	0.02	31.6	0.11	9.81	1.7	3	1.42	5.0
K300650		3.42	0.05	0.04	0.43	137	80	0.16	0.02	32.2	0.13	9.83	1.6	2	1.25	4.6
K300651		6.94	0.01	0.02	0.50	178	90	0.16	0.03	32.1	0.09	10.95	1.7	3	1.24	5.2
K300652		7.60	0.01	0.02	0.70	100	110	0.22	0.04	31.4	0.07	11.40	2.2	5	1.94	6.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173779

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300617		5.04	19.25	0.17	3.4	0.14	0.072	3.15	36.9	70.6	2.16	500	0.38	0.04	11.9	36.0
K300618		4.70	16.05	0.15	3.0	0.14	0.059	2.65	31.5	69.4	1.95	646	0.32	0.04	9.7	32.5
K300619		4.60	15.10	0.15	2.9	0.24	0.056	2.37	28.3	88.0	1.78	547	0.28	0.03	9.5	32.2
K300620		4.63	15.65	0.15	3.0	0.90	0.057	2.61	29.2	38.9	1.56	754	0.41	0.03	10.2	32.4
K300621		4.35	14.85	0.14	2.8	1.02	0.054	2.30	27.2	88.2	1.45	570	0.45	0.03	9.4	31.3
K300622		3.90	13.25	0.12	2.5	0.99	0.051	1.86	24.2	73.8	1.82	556	0.46	0.03	8.0	28.8
K300623		4.84	17.20	0.15	3.2	0.16	0.063	2.42	30.7	72.3	2.48	586	0.46	0.22	10.6	35.4
K300624		5.54	18.10	0.16	3.3	0.12	0.067	2.49	32.8	79.5	2.18	719	0.61	0.04	11.6	37.4
K300625		6.82	20.3	0.22	4.4	9.2	0.048	1.34	70.1	19.0	0.13	37	6.65	0.39	10.2	16.3
K300626		5.81	20.1	0.16	3.6	0.11	0.079	2.83	36.5	115.0	2.26	554	0.30	0.04	13.0	38.9
K300627		5.32	19.10	0.17	3.4	0.14	0.070	2.88	35.3	114.0	2.10	595	0.50	0.04	12.4	38.1
K300628		7.55	17.35	0.25	3.5	0.27	0.076	0.70	64.8	116.5	2.79	1650	1.78	0.04	58.8	11.9
K300629		4.80	17.25	0.15	3.0	0.19	0.058	2.75	33.5	88.9	1.67	405	0.39	0.03	9.8	36.6
K300630		4.94	16.75	0.21	2.6	0.24	0.059	2.78	30.4	95.5	1.70	427	0.34	0.03	8.9	32.2
K300631		5.06	18.70	0.18	2.3	0.85	0.067	2.92	31.9	48.1	1.47	693	0.37	0.03	9.8	34.1
K300632		0.48	0.37	0.22	<0.1	0.01	<0.005	0.03	0.7	1.1	11.70	202	0.09	0.01	0.3	2.4
K300633		4.81	24.8	0.19	2.8	4.54	0.086	3.82	45.3	20.7	1.29	826	2.65	0.04	12.4	39.6
K300634		4.57	24.7	0.20	2.6	2.74	0.081	3.86	43.6	20.4	1.37	811	2.34	0.05	12.3	39.3
K300635		4.79	25.4	0.20	2.7	3.49	0.083	3.98	43.5	17.7	1.17	864	2.06	0.05	12.9	41.0
K300636		4.71	25.7	0.23	2.9	4.95	0.075	3.94	48.9	12.0	1.23	1280	4.18	0.04	13.4	41.6
K300637		0.50	0.36	0.27	<0.1	0.01	<0.005	0.03	0.7	0.8	12.15	207	0.06	<0.01	0.3	2.7
K300638		4.56	20.6	0.18	2.8	4.05	0.067	3.29	42.0	12.4	1.58	874	2.09	0.04	11.9	35.9
K300639		4.66	24.5	0.20	2.7	5.3	0.069	3.85	44.3	10.9	1.18	1200	3.15	0.05	12.5	37.2
K300640		2.87	12.35	0.13	1.5	18.7	0.113	1.63	26.0	30.5	0.27	120	1.45	0.02	7.2	20.9
K300641		1.05	3.40	0.09	0.5	7.8	0.239	0.52	9.4	15.7	0.11	57	0.47	<0.01	1.8	7.0
K300642		1.92	6.69	0.10	0.9	14.8	0.096	0.99	16.5	17.8	0.31	314	1.06	0.01	3.6	13.1
K300643		2.52	9.48	0.10	1.5	20.9	0.081	1.35	21.0	29.3	0.28	118	1.30	0.01	4.9	20.7
K300644		0.97	3.12	<0.05	0.5	8.0	0.011	0.53	10.9	10.2	0.19	1140	0.39	0.01	1.6	5.4
K300645		0.85	3.10	<0.05	0.5	6.93	0.008	0.54	9.6	5.8	0.35	707	0.45	0.01	1.7	4.9
K300646		2.05	7.33	0.05	1.6	4.80	0.024	0.96	28.0	36.1	2.37	258	17.55	0.03	7.1	47.4
K300647		0.72	1.94	<0.05	0.4	2.44	0.008	0.33	7.3	2.7	0.78	829	0.27	0.01	1.3	2.9
K300648		0.44	1.44	0.05	0.3	1.50	0.006	0.24	4.9	1.8	0.45	558	0.23	0.01	1.1	1.9
K300649		0.43	1.34	0.06	0.2	0.83	0.006	0.23	4.7	1.8	0.59	374	0.24	0.01	1.0	1.7
K300650		0.42	1.23	0.08	0.2	0.77	0.006	0.20	4.6	1.7	0.63	362	0.23	0.01	1.0	1.7
K300651		0.34	1.30	0.10	0.2	0.81	0.006	0.24	5.1	2.0	0.40	119	0.29	0.01	1.1	1.7
K300652		0.48	1.78	0.10	0.3	1.45	0.007	0.33	5.5	3.0	0.48	129	0.25	0.01	1.4	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173779

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300617		540	16.7	202	<0.002	0.45	0.64	19.7	2	2.2	138.5	0.83	0.06	12.2	0.517	1.16
K300618		520	14.6	171.5	<0.002	0.39	0.56	16.3	2	1.9	135.0	0.69	0.05	10.4	0.443	1.05
K300619		460	13.0	149.5	<0.002	1.30	0.53	15.8	2	1.8	145.0	0.67	0.05	9.8	0.473	1.57
K300620		430	13.9	143.0	<0.002	3.86	2.35	16.5	2	1.9	170.0	0.70	0.05	9.6	0.488	4.25
K300621		340	12.7	123.5	<0.002	3.69	1.66	15.4	2	2.0	173.5	0.66	<0.05	9.0	0.478	3.74
K300622		390	17.0	110.5	<0.002	2.73	0.59	13.7	2	1.5	170.0	0.54	<0.05	8.1	0.387	2.65
K300623		490	15.0	149.0	<0.002	0.45	0.40	17.7	2	2.0	181.5	0.74	0.05	11.1	0.501	0.86
K300624		510	18.5	149.0	<0.002	0.32	0.43	19.3	2	2.1	100.5	0.80	<0.05	10.9	0.570	0.77
K300625		900	16.7	57.7	0.003	3.06	115.5	15.9	3	2.9	501	0.73	0.13	9.7	0.545	7.85
K300626		590	14.9	186.0	<0.002	0.37	0.52	20.8	2	2.4	113.0	0.91	0.07	12.3	0.565	0.91
K300627		550	20.5	182.5	<0.002	0.75	0.71	19.9	2	2.3	102.0	0.85	0.05	11.7	0.533	0.92
K300628		4030	6.3	44.9	0.002	1.26	0.32	15.0	3	1.3	287	3.06	<0.05	6.8	1.345	1.96
K300629		430	20.6	161.0	<0.002	0.79	0.70	17.9	2	1.9	94.6	0.69	0.05	11.0	0.449	1.08
K300630		340	16.0	146.0	<0.002	0.95	0.46	18.2	2	1.8	101.5	0.66	0.05	9.6	0.420	1.28
K300631		260	15.1	150.0	0.002	4.34	1.17	19.1	2	2.2	195.0	0.63	<0.05	9.4	0.392	4.15
K300632		150	1.2	1.6	<0.002	0.02	0.16	0.3	1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	0.03
K300633		770	17.9	194.5	0.005	4.70	12.75	18.0	3	3.9	264	0.93	0.09	14.5	0.372	12.95
K300634		790	17.3	189.5	0.006	4.28	2.65	17.0	3	4.0	167.0	0.92	0.08	14.1	0.365	8.21
K300635		800	17.8	188.0	0.006	4.63	3.81	17.3	3	4.0	152.5	0.94	0.08	14.4	0.372	8.51
K300636		660	20.9	188.0	0.007	4.54	19.30	18.2	3	3.7	165.5	0.98	0.09	15.9	0.369	13.60
K300637		180	1.0	1.3	<0.002	0.05	0.07	0.3	1	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.04
K300638		680	19.3	156.0	0.006	3.95	8.44	16.4	3	2.9	219	0.84	0.06	13.6	0.392	8.25
K300639		620	20.5	172.0	0.006	4.45	18.35	16.8	3	3.5	173.5	0.95	0.07	15.4	0.353	12.55
K300640		610	15.6	77.4	0.004	8.65	452	5.2	9	1.5	177.0	0.49	0.29	7.3	0.231	51.0
K300641		220	4.0	25.4	0.002	>10.0	1000	1.2	21	0.4	47.3	0.12	0.45	2.3	0.066	16.05
K300642		460	8.5	49.3	0.003	7.05	318	3.7	8	0.8	406	0.23	0.18	3.9	0.125	32.9
K300643		830	12.0	69.0	0.005	6.50	231	2.3	7	1.1	654	0.35	0.18	5.9	0.184	42.7
K300644		480	3.9	24.0	0.002	1.22	22.6	6.5	2	0.4	1160	0.10	0.06	2.3	0.053	18.00
K300645		570	3.9	23.8	<0.002	0.98	12.95	3.9	2	0.4	1635	0.10	0.05	2.0	0.053	13.70
K300646		830	35.5	46.3	0.021	1.48	105.0	5.1	4	2.5	70.5	0.43	0.18	6.6	0.164	4.04
K300647		810	3.3	15.7	<0.002	0.55	6.07	2.6	2	0.3	1640	0.07	<0.05	1.3	0.035	9.11
K300648		240	3.3	11.1	<0.002	0.42	2.12	1.8	2	0.2	1555	0.05	<0.05	1.0	0.027	4.79
K300649		200	3.2	10.5	<0.002	0.36	1.31	1.6	2	0.2	1555	0.05	<0.05	0.9	0.025	2.83
K300650		170	2.9	9.5	<0.002	0.35	1.31	1.5	2	0.2	1555	0.05	<0.05	0.9	0.022	2.80
K300651		290	2.2	10.6	<0.002	0.39	1.01	1.6	2	0.2	1735	0.05	<0.05	1.0	0.026	1.60
K300652		270	4.4	14.6	<0.002	0.50	1.01	1.9	2	0.3	1680	0.08	<0.05	1.4	0.038	1.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173779

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	As- CON01
	Analyte	U	V	W	Y	Zn	Zr	As	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.01
K300617		2.5	138	1.3	24.8	69	121.5		
K300618		2.1	120	1.1	22.2	63	105.5		
K300619		2.0	128	1.4	19.9	54	101.5		
K300620		2.0	134	3.8	20.3	57	107.5		
K300621		1.9	137	3.4	17.7	109	100.5		
K300622		1.6	109	1.5	16.7	76	86.1		
K300623		2.2	133	1.2	22.0	79	113.5		
K300624		2.3	154	1.3	24.2	126	120.0		
K300625		8.1	169	23.4	15.1	44	175.0		
K300626		2.5	148	1.4	26.3	72	126.0		
K300627		2.4	143	1.4	24.3	84	121.0		
K300628		1.6	183	1.9	34.8	102	158.0		
K300629		2.2	130	1.3	20.5	70	105.5		
K300630		1.8	124	1.2	18.5	70	84.9		
K300631		1.7	130	1.4	18.3	58	87.5		
K300632		0.6	2	0.1	0.9	14	0.5		
K300633		4.1	153	3.5	23.9	104	102.5		
K300634		3.7	150	3.1	23.0	84	93.1		
K300635		3.6	152	3.6	22.6	84	97.0		
K300636		4.1	154	5.7	24.0	103	103.5		
K300637		0.4	2	0.1	0.9	15	0.5		
K300638		3.3	138	5.0	23.1	95	99.5		
K300639		3.8	146	5.0	22.2	91	96.2		
K300640		3.9	79	3.9	24.9	125	53.2	14.00	
K300641		3.5	22	0.9	11.4	57	17.3	>30.0	37.8
K300642		5.3	42	1.9	15.3	92	32.3	11.60	
K300643		7.4	59	2.8	15.3	185	49.5	9.67	
K300644		4.4	19	0.9	14.1	47	18.4		
K300645		3.5	18	0.8	12.9	46	18.6		
K300646		8.4	217	26.3	19.4	197	59.5		
K300647		1.8	12	0.5	12.0	10	13.3		
K300648		1.9	8	0.4	8.5	9	9.7		
K300649		1.8	8	0.5	8.7	10	8.7		
K300650		1.8	7	0.4	8.7	13	7.8		
K300651		2.0	8	0.6	9.4	6	8.2		
K300652		2.0	11	0.8	8.6	3	11.2		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173779

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

CERTIFICATE WH11167452

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 137- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167452

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301338		12.80	2.91	0.45	8.47	789	260	2.37	0.36	1.46	0.26	74.0	21.1	77	26.3	44.0
K301339		10.60	0.43	0.21	6.76	446	180	1.74	0.27	2.29	0.26	63.0	16.4	77	25.2	55.3
K301340		12.61	<0.01	0.13	5.94	48.7	180	1.86	0.21	3.71	0.11	53.0	17.0	62	24.7	56.1
K301341		0.22	0.35	0.33	6.15	568	200	0.73	0.29	0.47	0.18	133.5	2.9	232	3.36	33.8
K301342		12.69	0.04	0.07	6.45	437	180	1.80	0.26	3.45	0.15	63.3	18.9	71	20.2	62.6
K301343		12.80	0.09	0.10	6.73	451	190	2.07	0.29	1.98	0.22	64.5	20.0	75	24.2	60.3
K301344		13.19	0.45	0.14	5.47	585	170	1.46	0.23	2.41	0.24	53.3	15.7	65	21.4	49.2
K301345		6.92	<0.01	0.01	0.07	<5	30	<0.05	0.02	20.0	0.05	1.27	1.0	1	0.20	1.3
K301346		12.29	0.01	0.06	5.61	224	190	1.66	0.19	3.54	0.10	65.3	18.7	54	23.1	44.9
K301347		6.36	<0.01	0.08	5.69	303	240	1.90	0.22	2.46	0.11	57.9	18.6	59	22.6	51.5
K301348		5.76	0.06	0.06	6.18	700	140	2.00	0.17	5.00	0.12	85.0	21.2	48	23.9	41.8
K301349		2.76	0.08	0.08	6.08	783	150	1.88	0.16	5.19	0.12	77.8	22.0	43	22.9	42.0
K301350		12.23	0.14	0.10	8.20	478	240	3.29	0.38	2.19	0.24	84.4	20.0	68	32.2	50.7
K301351		7.83	0.22	0.28	8.90	963	250	2.89	0.40	1.74	0.21	84.5	23.4	72	34.8	48.8
K301352		4.34	17.50	10.70	4.99	>10000	200	0.96	0.23	5.53	0.98	68.1	16.7	49	18.90	46.2
K301353		4.44	24.1	18.50	4.92	>10000	160	1.09	0.27	4.40	1.62	58.3	19.1	60	21.7	60.3
K301354		6.90	0.01	0.01	0.05	28	30	0.05	0.03	20.2	0.07	1.26	1.1	1	0.12	1.5
K301355		7.75	6.16	2.93	2.30	>10000	140	0.50	0.11	25.2	0.39	29.9	7.7	24	9.30	25.4
K301356		6.20	6.69	2.70	2.24	>10000	110	0.50	0.08	24.7	0.34	23.8	8.8	29	13.05	27.9
K301357		12.07	1.45	0.31	2.49	298	140	0.60	0.10	24.4	0.17	27.1	8.5	22	10.95	24.4
K301358		11.94	0.49	0.16	2.40	184	150	0.70	0.11	28.5	0.16	33.5	7.6	22	9.97	28.9
K301359		5.17	<0.01	0.12	6.67	70.5	390	1.87	0.28	2.00	0.17	67.8	19.6	77	27.3	58.9
K301360		11.56	<0.01	0.04	1.25	140	90	0.37	0.05	25.3	0.48	17.90	4.0	11	4.95	14.1
K301361		12.11	<0.01	0.02	1.18	78	110	0.39	0.05	27.2	0.05	21.0	3.9	11	5.60	10.3
K301362		11.86	<0.01	0.02	1.53	68	110	0.54	0.06	30.7	0.13	24.0	4.1	13	7.17	13.1
K301363		11.45	0.01	0.03	1.63	80	210	0.46	0.07	29.8	0.16	23.5	5.5	16	6.57	17.1
K301364		11.85	<0.01	0.04	2.80	103	270	0.83	0.12	25.0	0.17	33.5	8.8	25	11.85	28.0
K301365		6.34	<0.01	0.03	2.44	96	220	0.72	0.10	26.0	0.18	30.5	8.4	25	8.75	26.1
K301366		8.45	<0.01	0.04	2.26	88	220	0.56	0.10	26.9	0.15	30.2	7.6	21	7.32	23.2
K301367		8.23	0.01	0.04	1.53	57	190	0.52	0.07	31.3	0.14	25.0	5.1	14	4.95	16.0
K301368		0.22	7.72	0.50	3.48	947	150	0.88	0.65	11.10	4.41	45.6	5.3	90	7.24	34.4
K301369		8.18	<0.01	0.03	1.56	50	180	0.55	0.07	30.1	0.18	26.8	5.1	15	6.33	15.0
K301370		7.80	<0.01	0.03	1.04	24	180	0.43	0.05	31.4	0.11	18.85	3.8	10	4.52	11.4
K301371		8.41	<0.01	0.04	1.73	44	160	0.48	0.08	29.4	0.17	31.2	6.1	22	6.55	19.4
K301372		8.53	<0.01	0.05	3.86	79	190	0.93	0.16	19.05	0.24	48.5	12.1	34	15.55	36.2
K301373		7.78	<0.01	0.04	3.18	104	200	0.78	0.13	21.9	0.20	38.2	11.1	32	12.55	32.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167452

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301338		4.48	24.9	0.18	2.8	6.2	0.061	3.91	36.7	17.4	0.96	718	3.67	0.04	11.5	42.7
K301339		5.23	19.40	0.16	3.3	4.37	0.069	3.11	32.2	20.3	1.20	645	1.80	0.03	11.5	40.7
K301340		4.69	16.40	0.15	2.9	1.70	0.065	2.61	26.3	39.0	1.66	695	0.75	0.03	10.1	34.0
K301341		6.59	21.6	0.42	4.3	9.0	0.046	1.34	65.5	18.4	0.12	38	6.75	0.38	10.0	17.3
K301342		4.87	18.70	0.36	3.1	1.54	0.072	3.03	31.0	22.0	1.68	906	0.86	0.03	11.2	40.0
K301343		4.81	19.40	0.35	3.6	4.55	0.075	3.22	32.3	16.0	1.18	656	1.93	0.03	11.3	45.6
K301344		4.22	15.55	0.31	2.8	3.31	0.055	2.56	26.5	20.5	1.18	816	1.27	0.02	9.3	35.9
K301345		0.47	0.40	0.20	<0.1	0.1	0.005	0.03	0.6	1.2	12.60	215	0.21	<0.01	0.3	2.2
K301346		4.90	15.50	0.31	3.0	1.06	0.061	2.27	32.3	51.4	1.54	881	1.01	0.02	15.4	31.1
K301347		4.35	16.20	0.28	2.8	2.11	0.059	2.18	28.7	56.4	1.24	577	0.70	0.02	9.7	35.0
K301348		5.67	16.95	0.32	3.1	1.5	0.070	2.54	42.2	55.4	2.03	1550	1.41	0.03	25.4	26.5
K301349		5.77	16.20	0.31	2.9	1.53	0.068	2.52	39.1	51.3	2.12	1620	1.16	0.03	24.9	26.7
K301350		4.76	24.2	0.31	3.0	3.17	0.075	3.58	43.3	21.3	1.23	850	2.59	0.05	11.7	42.3
K301351		5.05	26.1	0.31	3.1	3.79	0.080	3.87	43.8	20.4	1.03	1000	2.63	0.05	11.9	45.7
K301352		3.75	14.80	0.31	2.3	25.8	0.052	2.19	35.6	22.1	0.39	805	2.03	0.02	10.1	30.1
K301353		4.48	15.00	0.28	2.4	41.6	0.054	2.25	30.7	25.3	0.37	686	1.95	0.02	7.9	36.4
K301354		0.47	0.22	0.06	<0.1	0.04	<0.005	0.02	0.6	1.1	13.25	213	0.13	<0.01	0.2	2.4
K301355		1.73	6.43	0.21	0.9	11.2	0.027	1.03	16.4	9.1	0.43	2030	0.83	0.02	3.5	14.5
K301356		1.73	6.21	0.17	0.9	9.3	0.030	0.99	12.6	10.1	0.40	6110	0.46	0.01	3.2	15.7
K301357		1.82	6.59	0.15	1.0	5.43	0.021	1.14	14.2	8.5	0.58	983	0.95	0.02	3.6	15.6
K301358		1.62	6.31	0.14	0.9	2.05	0.029	1.10	18.0	8.8	1.05	691	1.45	0.02	3.5	16.4
K301359		5.26	18.35	0.23	3.3	0.80	0.074	3.00	33.6	102.0	1.96	490	0.80	0.03	11.0	39.2
K301360		1.50	3.42	0.12	0.4	0.98	0.018	0.57	8.7	5.6	6.31	665	0.59	0.01	1.8	7.5
K301361		1.39	3.28	0.11	0.3	0.56	0.016	0.54	10.0	5.5	3.32	378	0.61	0.01	1.7	7.3
K301362		1.00	4.24	0.12	0.5	0.47	0.016	0.70	11.3	7.6	0.54	482	0.32	0.02	2.3	8.1
K301363		1.17	4.41	0.10	0.6	0.98	0.018	0.73	11.2	6.2	0.66	343	0.66	0.02	2.6	10.6
K301364		1.79	7.40	0.13	1.1	0.66	0.028	1.26	17.2	10.5	0.91	481	1.02	0.02	4.0	16.4
K301365		1.70	6.31	0.13	1.1	1.02	0.026	1.10	15.8	8.9	0.89	439	0.73	0.02	3.5	15.8
K301366		1.48	6.05	0.12	0.9	0.96	0.023	1.02	16.1	7.4	0.79	407	0.63	0.02	3.4	14.3
K301367		1.09	4.10	0.11	0.5	0.45	0.017	0.70	12.7	5.7	0.81	328	0.62	0.02	2.3	9.9
K301368		1.31	7.49	0.15	2.0	6.27	0.064	1.46	29.3	10.5	0.69	268	11.35	0.01	7.4	62.4
K301369		1.06	4.22	0.13	0.6	0.34	0.016	0.70	13.1	7.1	0.87	343	0.60	0.02	2.4	9.8
K301370		0.89	2.96	0.12	0.3	0.09	0.012	0.48	9.2	4.7	0.53	322	0.35	0.01	1.7	7.4
K301371		1.34	4.53	0.11	0.6	0.38	0.020	0.77	16.2	6.1	0.73	329	0.48	0.02	2.6	12.7
K301372		2.27	10.65	0.13	1.9	0.68	0.042	1.82	24.8	14.4	0.96	329	0.69	0.03	6.1	22.1
K301373		2.02	8.51	0.13	1.3	0.99	0.034	1.43	20.9	11.7	0.88	361	0.84	0.02	4.6	20.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167452

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301338		1050	19.4	162.0	0.006	4.33	19.50	16.7	3	3.3	106.0	0.87	0.09	14.2	0.383	29.3
K301339		430	19.4	142.0	0.006	4.82	7.96	20.5	3	2.3	120.5	0.77	0.07	11.4	0.512	13.85
K301340		550	14.6	127.0	<0.002	3.75	0.41	18.7	2	1.9	162.0	0.68	<0.05	9.4	0.486	6.72
K301341		920	17.4	47.2	0.003	3.03	107.5	17.7	2	3.0	513	0.81	0.16	10.8	0.534	8.32
K301342		510	16.3	154.0	<0.002	4.03	3.67	21.4	2	2.2	171.5	0.84	0.08	10.9	0.537	5.36
K301343		400	20.0	166.5	0.006	4.48	4.46	21.8	2	2.2	111.5	0.89	0.08	12.3	0.516	12.20
K301344		430	16.7	133.0	0.002	3.59	7.04	17.3	2	1.8	164.0	0.73	0.07	10.2	0.459	10.10
K301345		180	1.2	1.8	<0.002	0.01	0.06	0.2	1	<0.2	47.0	<0.05	<0.05	<0.2	<0.005	0.03
K301346		970	14.1	132.5	<0.002	4.07	0.82	16.8	2	1.8	182.5	1.07	0.06	9.6	0.566	5.52
K301347		540	17.9	118.0	<0.002	4.04	0.84	17.8	2	2.0	160.0	0.74	0.06	9.9	0.447	7.94
K301348		1790	12.4	142.0	0.002	4.66	2.42	17.6	2	1.9	243	1.67	0.06	9.4	0.762	6.16
K301349		1820	13.8	136.5	<0.002	4.75	2.43	16.5	2	2.0	250	1.59	0.05	8.9	0.759	5.98
K301350		1180	20.1	183.0	0.005	4.54	3.87	19.1	2	3.4	152.5	0.96	0.08	15.9	0.376	10.65
K301351		1000	19.6	197.5	0.005	5.01	8.22	19.3	2	3.8	151.5	1.03	0.10	16.0	0.375	14.10
K301352		880	17.7	121.5	0.006	6.67	211	8.4	4	1.8	409	0.73	0.30	9.5	0.335	108.5
K301353		420	19.0	125.0	0.006	7.55	281	9.0	5	1.7	259	0.59	1.01	9.6	0.343	159.5
K301354		190	0.5	1.1	<0.002	0.01	0.11	0.3	2	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.04
K301355		560	7.7	53.7	0.003	2.74	71.5	5.8	2	0.8	1690	0.25	0.12	4.0	0.135	40.0
K301356		170	6.4	51.2	0.002	2.35	48.2	8.3	2	0.7	1130	0.23	0.09	3.0	0.183	36.4
K301357		170	7.2	54.3	0.003	1.75	9.75	7.4	1	0.8	2050	0.26	0.06	4.1	0.160	16.30
K301358		210	10.4	52.7	0.005	1.47	3.08	7.2	2	0.8	1730	0.26	0.06	4.4	0.127	8.48
K301359		490	27.6	134.0	<0.002	0.95	0.82	19.6	2	2.5	167.0	0.88	0.07	11.8	0.516	1.37
K301360		720	7.2	30.7	0.002	0.60	0.81	3.5	1	0.6	1000	0.13	<0.05	2.3	0.065	2.20
K301361		150	6.9	29.1	0.002	0.54	0.48	3.5	1	0.4	1570	0.12	<0.05	2.4	0.058	1.10
K301362		580	5.9	40.8	<0.002	0.82	0.45	4.4	1	0.5	1190	0.17	<0.05	2.5	0.085	0.63
K301363		420	8.8	41.3	0.002	0.95	0.68	4.7	1	0.6	2130	0.18	<0.05	2.9	0.096	1.09
K301364		230	10.0	57.3	0.004	1.44	0.72	7.1	2	1.0	1610	0.31	0.05	4.7	0.168	1.45
K301365		340	8.4	60.4	0.003	1.39	0.79	7.1	2	0.8	1890	0.27	<0.05	4.3	0.162	1.02
K301366		970	9.9	52.0	0.003	1.25	0.68	6.1	2	0.7	1980	0.24	0.05	4.0	0.133	0.62
K301367		750	5.9	38.3	0.003	0.90	0.43	4.5	2	0.5	2490	0.16	<0.05	2.9	0.083	0.36
K301368		4190	4.9	113.0	0.036	1.36	18.15	6.4	8	1.8	150.5	0.55	0.60	7.3	0.204	13.70
K301369		1420	6.4	41.0	0.002	0.92	0.45	4.8	2	0.5	2120	0.17	<0.05	3.0	0.087	0.28
K301370		810	4.0	26.7	<0.002	0.69	0.30	3.6	1	0.3	2460	0.11	<0.05	2.0	0.058	0.18
K301371		300	5.9	42.4	0.002	1.03	0.42	5.4	2	0.6	2620	0.19	<0.05	3.3	0.092	0.34
K301372		320	11.5	81.7	0.003	2.07	0.66	10.3	2	1.2	1440	0.47	0.06	7.0	0.231	0.78
K301373		270	9.4	65.3	0.002	1.93	0.73	8.7	2	1.0	1500	0.35	0.06	5.4	0.214	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167452

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301338		4.1	162	7.4	22.6	94	92.5	
K301339		2.9	150	6.5	20.6	101	109.5	
K301340		2.0	137	1.3	19.5	79	97.8	
K301341		8.1	165	23.4	15.8	42	161.0	
K301342		2.2	145	5.5	23.4	90	109.5	
K301343		3.1	152	6.4	22.0	102	117.0	
K301344		2.2	131	5.1	19.6	107	95.3	
K301345		0.5	3	0.1	0.9	16	0.5	
K301346		2.0	130	2.0	22.5	74	104.0	
K301347		2.0	125	1.9	20.8	78	98.3	
K301348		1.9	148	5.3	26.6	88	112.0	
K301349		1.8	145	5.3	25.6	88	112.0	
K301350		4.4	152	4.1	27.6	101	102.5	
K301351		4.3	151	5.9	26.4	104	100.5	
K301352		6.1	100	7.1	23.4	109	79.2	5.52
K301353		6.5	108	7.3	35.7	129	83.8	5.77
K301354		0.7	2	0.1	0.8	18	<0.5	
K301355		3.4	41	2.3	22.2	44	40.8	1.760
K301356		1.7	50	3.0	19.2	44	36.7	0.909
K301357		1.8	45	2.4	16.3	36	41.7	
K301358		3.0	42	0.8	21.0	28	40.0	
K301359		2.4	148	3.8	23.1	96	108.0	
K301360		2.2	21	0.4	14.7	77	22.2	
K301361		2.7	21	0.3	17.9	7	17.9	
K301362		1.8	24	0.4	15.4	20	26.3	
K301363		2.9	27	0.4	17.4	24	28.6	
K301364		2.5	48	0.7	19.1	37	45.3	
K301365		2.8	47	0.7	20.8	37	41.7	
K301366		3.1	40	0.5	20.6	26	41.5	
K301367		3.2	26	0.3	19.0	21	28.0	
K301368		8.9	371	33.0	28.8	271	72.8	
K301369		3.5	26	0.4	20.1	21	32.5	
K301370		2.3	19	0.2	16.7	12	21.4	
K301371		3.0	30	0.3	26.3	24	28.4	
K301372		3.3	64	0.8	27.1	53	61.7	
K301373		2.8	61	0.6	21.5	47	51.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167452

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

CERTIFICATE WH11165353

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 137 Area B

This report is for 1 Drill Core sample submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165353

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301467		0.70	<0.01	0.09	6.06	94.1	210	1.44	0.25	2.04	0.12	57.7	14.1	74	17.85	60.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165353

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301467		5.55	14.60	0.20	2.6	0.71	0.061	2.58	26.8	134.0	1.99	462	0.49	0.04	9.1	33.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165353

Sample Description	Method Analyte Units LOR	ME- MS61 P ppm 10	ME- MS61 Pb ppm 0.5	ME- MS61 Rb ppm 0.1	ME- MS61 Re ppm 0.002	ME- MS61 S % 0.01	ME- MS61 Sb ppm 0.05	ME- MS61 Sc ppm 0.1	ME- MS61 Se ppm 1	ME- MS61 Sn ppm 0.2	ME- MS61 Sr ppm 0.2	ME- MS61 Ta ppm 0.05	ME- MS61 Te ppm 0.05	ME- MS61 Th ppm 0.2	ME- MS61 Ti % 0.005	ME- MS61 Tl ppm 0.02
K301467		430	19.9	116.5	<0.002	0.97	0.62	16.3	2	3.8	134.0	0.75	0.06	8.6	0.535	1.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165353

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301467		1.9	153	3.1	19.1	95	94.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165353

Method	CERTIFICATE COMMENTS
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE VA11173929

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B - Batch 138

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300653		6.94	0.03	0.05	1.18	141	190	0.27	0.06	31.9	0.13	20.2	4.6	13	3.08	13.1
K300654		7.04	<0.01	0.02	0.65	83	170	0.24	0.03	33.8	0.10	11.90	2.6	6	1.60	7.1
K300655		7.12	<0.01	0.01	0.63	112	140	0.24	0.03	34.1	0.07	9.92	2.8	6	1.75	6.9
K300656		3.30	<0.01	0.02	0.31	2780	100	0.14	0.02	35.0	0.06	6.53	1.7	4	0.63	4.1
K300657		4.70	0.02	0.10	0.41	469	140	0.17	0.02	34.0	0.06	8.40	2.1	4	0.91	5.5
K300658		3.82	1.66	2.46	1.37	>10000	130	0.25	0.08	4.97	0.95	18.40	5.2	15	2.56	15.7
K300659		2.84	0.08	0.26	0.31	5480	110	0.12	0.03	34.5	0.08	5.96	1.5	5	0.58	3.1
K300660		5.88	0.01	0.05	0.50	117	120	0.16	0.02	33.6	0.10	9.20	2.3	5	0.98	5.9
K300661		4.90	<0.01	0.01	0.06	52	20	0.06	0.02	20.5	0.07	1.18	1.4	1	0.13	1.9
K300662		7.02	0.02	0.03	0.85	129	130	0.20	0.04	32.0	0.10	13.30	3.4	7	1.65	8.8
K300663		7.12	0.01	0.01	0.43	53	100	0.18	0.02	33.9	0.07	8.18	2.1	5	0.80	5.0
K300664		6.90	0.01	0.01	0.57	68	120	0.18	0.03	33.9	0.08	11.25	2.7	6	1.12	6.6
K300665		6.96	<0.01	0.01	0.31	69	90	0.14	0.01	33.1	0.11	6.39	1.7	3	0.59	3.7
K300666		7.08	0.01	0.02	0.69	731	130	0.16	0.03	32.8	0.07	12.60	3.0	7	1.36	7.4
K300667		7.06	0.28	0.27	0.44	>10000	120	0.13	0.02	33.2	0.08	8.07	2.1	5	0.83	5.0
K300668		7.30	0.42	0.30	0.55	2260	100	0.13	0.03	34.6	0.08	9.32	2.5	6	0.92	9.6
K300669		7.30	0.02	0.02	0.48	306	130	0.18	0.02	35.0	0.07	8.17	2.5	6	0.95	6.6
K300670		7.10	<0.01	0.01	0.89	62	440	0.28	0.04	33.4	0.07	12.30	3.7	9	3.01	9.2
K300671		0.20	0.22	0.26	6.21	606	810	0.86	0.26	0.51	0.19	128.5	3.6	233	3.12	30.0
K300672		7.24	<0.01	<0.01	0.34	41	90	0.16	0.02	35.3	0.03	6.65	2.0	3	0.59	3.5
K300673		7.22	<0.01	0.01	1.53	69	150	0.38	0.07	32.2	0.22	19.15	6.5	14	4.91	15.3
K300674		4.90	<0.01	<0.01	0.05	<5	10	0.08	0.02	20.9	0.07	1.08	1.7	1	0.10	1.2
K300675		7.10	<0.01	<0.01	0.37	26	80	0.17	0.02	35.3	0.05	6.07	2.0	4	0.64	3.9
K300676		7.38	<0.01	0.02	1.29	58	170	0.23	0.07	31.8	0.19	19.85	4.9	13	3.95	14.7
K300677		7.24	0.01	0.03	1.70	46	160	0.37	0.08	31.0	0.20	19.30	6.6	17	6.31	19.3
K300678		7.18	0.02	0.01	1.36	43	190	0.38	0.06	32.6	0.15	19.70	5.7	14	3.42	13.8
K300679		7.14	<0.01	<0.01	0.57	28	120	0.29	0.03	34.6	0.09	9.10	2.6	6	1.28	5.9
K300680		6.60	<0.01	0.02	1.13	37	150	0.31	0.05	32.6	0.14	16.75	5.0	12	2.94	12.3
K300681		7.04	0.01	<0.01	0.54	31	90	0.19	0.03	34.6	0.13	7.68	2.4	5	1.05	5.5
K300682		3.52	<0.01	<0.01	0.53	25	110	0.19	0.03	35.0	0.13	7.76	2.4	5	1.03	5.6
K300683		6.98	0.01	<0.01	0.57	30	100	0.19	0.03	34.8	0.05	9.76	2.4	6	1.17	5.4
K300684		6.94	<0.01	<0.01	0.62	18	140	0.23	0.03	34.8	0.07	10.10	2.9	7	1.68	6.7
K300685		7.04	<0.01	0.02	1.35	33	210	0.26	0.06	32.4	0.19	19.50	5.4	13	4.95	13.7
K300686		0.20	2.59	1.01	3.24	610	880	0.81	0.28	8.27	2.19	44.9	8.0	53	3.42	47.1
K300687		6.86	0.01	0.02	0.76	28	150	0.22	0.03	33.9	0.11	12.05	3.2	8	1.65	7.7
K300688		6.62	<0.01	0.01	0.91	73	140	0.23	0.04	33.2	0.14	13.45	3.6	9	1.86	9.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173929

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300653		0.71	3.40	0.06	0.6	2.41	0.013	0.54	9.7	5.6	0.64	197	0.46	0.01	1.8	2.2
K300654		0.40	1.84	0.08	0.3	0.79	0.007	0.29	5.6	3.3	0.48	75	0.23	0.01	1.1	<0.2
K300655		0.43	1.77	0.08	0.3	0.89	0.007	0.27	4.7	3.3	0.53	128	0.19	0.01	1.1	<0.2
K300656		0.25	1.00	0.11	0.2	0.72	0.008	0.13	3.0	1.6	0.40	79	0.17	<0.01	0.7	<0.2
K300657		0.30	1.30	0.10	0.2	0.74	0.005	0.18	4.0	2.0	0.39	110	0.21	<0.01	0.9	<0.2
K300658		0.95	4.30	0.13	0.7	5.80	0.162	0.60	9.5	14.1	0.16	133	0.58	<0.01	2.2	8.9
K300659		0.24	0.82	<0.05	0.2	0.78	0.013	0.14	2.7	1.1	0.35	484	0.21	0.01	0.5	1.2
K300660		0.32	1.53	0.07	0.3	1.31	0.006	0.23	4.4	2.0	0.39	147	0.25	<0.01	0.9	<0.2
K300661		0.46	0.52	0.21	<0.1	0.01	<0.005	0.02	0.6	1.1	12.80	204	0.07	<0.01	0.3	2.1
K300662		0.47	2.48	0.13	0.4	2.11	0.009	0.39	6.5	3.3	0.42	147	0.34	<0.01	1.4	2.8
K300663		0.29	1.34	0.11	0.2	1.24	0.006	0.19	3.8	1.6	0.49	192	0.24	<0.01	0.8	1.0
K300664		0.36	1.70	0.09	0.3	1.41	0.006	0.26	5.1	2.1	0.60	110	0.27	<0.01	1.1	1.9
K300665		0.29	1.06	0.11	0.2	1.08	0.005	0.14	2.8	1.9	0.44	83	0.18	<0.01	0.7	0.4
K300666		0.45	2.00	0.09	0.3	1.54	0.006	0.31	6.1	2.4	0.51	89	0.34	<0.01	1.2	2.3
K300667		0.30	1.42	0.10	0.2	1.84	0.015	0.19	3.7	1.9	0.39	304	0.21	<0.01	0.9	1.1
K300668		0.34	2.04	0.05	0.3	2.30	0.014	0.24	4.4	3.1	0.32	1280	0.28	<0.01	1.0	6.0
K300669		0.31	1.67	0.06	0.2	1.09	0.007	0.21	4.1	2.5	0.47	287	0.24	<0.01	1.0	4.0
K300670		0.52	3.05	0.07	0.4	1.54	0.010	0.41	6.2	4.6	0.60	125	0.33	<0.01	1.6	4.0
K300671		6.45	26.8	0.27	4.7	9.1	0.053	1.33	62.8	27.0	0.13	37	6.69	0.36	10.3	20.3
K300672		0.25	1.13	0.06	0.2	0.48	0.005	0.15	3.2	1.5	0.44	86	0.24	<0.01	0.8	2.0
K300673		0.83	5.00	0.06	0.7	1.53	0.014	0.72	10.2	8.3	0.74	110	0.56	<0.01	2.5	10.0
K300674		0.45	0.33	0.26	<0.1	<0.01	<0.005	0.02	0.5	1.1	13.00	205	0.12	<0.01	0.3	3.0
K300675		0.27	1.31	0.11	0.2	0.33	<0.005	0.16	3.0	1.9	0.57	145	0.18	<0.01	0.9	3.0
K300676		0.93	3.32	0.08	0.6	0.70	0.017	0.60	10.5	4.3	0.85	122	0.62	<0.01	2.1	4.7
K300677		0.91	4.46	0.07	0.8	0.40	0.017	0.80	10.6	5.7	0.75	146	0.59	<0.01	2.6	7.9
K300678		0.79	4.28	0.07	0.6	0.49	0.013	0.64	10.1	6.0	0.66	108	0.54	<0.01	2.2	8.0
K300679		0.40	1.84	0.08	0.3	0.19	0.006	0.26	4.7	2.5	0.64	204	0.30	<0.01	1.1	4.0
K300680		0.72	3.50	0.08	0.5	0.48	0.012	0.52	8.7	4.7	0.71	187	0.46	<0.01	2.0	8.0
K300681		0.38	1.75	0.07	0.3	0.37	0.005	0.24	3.9	1.9	0.74	143	0.22	<0.01	1.0	5.0
K300682		0.35	1.71	0.09	0.3	0.35	0.006	0.24	3.9	1.7	0.69	142	0.21	<0.01	1.1	7.0
K300683		0.38	1.67	0.10	0.3	0.55	0.006	0.26	4.9	1.6	0.75	148	0.24	<0.01	1.1	5.0
K300684		0.42	1.87	0.10	0.3	0.27	0.006	0.27	5.1	1.9	0.56	145	0.32	<0.01	1.2	6.0
K300685		0.79	3.99	0.11	0.6	0.46	0.013	0.62	10.3	4.7	0.68	95	0.68	<0.01	2.2	0.8
K300686		2.04	9.43	0.14	1.8	4.70	0.028	1.03	28.4	35.5	2.64	270	18.85	0.02	7.1	60.0
K300687		0.48	2.21	0.09	0.3	0.59	0.007	0.33	6.2	2.5	0.74	158	0.48	<0.01	1.4	6.0
K300688		0.64	2.68	0.10	0.5	0.90	0.011	0.41	7.2	2.8	0.68	129	0.33	<0.01	1.7	6.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173929

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300653		300	5.3	26.3	0.003	0.79	1.52	3.7	3	0.4	2190	0.12	0.05	1.8	0.061	2.86
K300654		350	2.3	13.8	<0.002	0.41	0.57	2.5	3	0.2	2740	0.06	<0.05	0.9	0.031	1.03
K300655		410	2.3	12.9	<0.002	0.45	0.59	2.3	2	0.2	2190	0.06	<0.05	0.9	0.037	1.17
K300656		270	1.4	6.4	<0.002	0.38	6.55	1.2	2	<0.2	2030	<0.05	0.05	0.5	0.016	1.10
K300657		220	1.8	8.9	<0.002	0.31	2.57	1.5	2	0.2	2250	<0.05	0.06	0.6	0.021	1.55
K300658		960	4.8	32.2	0.002	>10.0	1370	2.7	24	0.5	532	0.15	0.65	2.5	0.075	8.45
K300659		350	1.7	6.6	0.002	0.45	14.90	1.7	2	<0.2	2070	<0.05	<0.05	0.6	0.016	1.07
K300660		670	2.2	11.2	0.002	0.34	1.82	1.8	2	0.2	2180	0.05	<0.05	0.8	0.025	1.51
K300661		180	1.1	1.2	<0.002	0.02	0.27	0.2	2	<0.2	49.8	<0.05	<0.05	<0.2	<0.005	<0.02
K300662		330	3.0	19.1	0.002	0.55	1.94	2.5	2	0.3	2020	0.09	<0.05	1.2	0.044	2.43
K300663		320	1.6	9.5	<0.002	0.31	1.10	1.5	2	0.2	1850	<0.05	<0.05	0.7	0.021	1.20
K300664		670	2.1	12.7	0.002	0.40	1.28	1.8	2	0.2	1930	0.06	<0.05	1.0	0.029	1.30
K300665		240	1.7	7.2	<0.002	0.24	1.33	1.2	2	<0.2	1850	<0.05	<0.05	0.5	0.014	1.00
K300666		650	3.8	15.1	0.002	0.52	3.61	2.1	2	0.2	2130	0.07	<0.05	1.1	0.033	2.16
K300667		540	1.5	9.8	<0.002	1.01	32.5	1.7	3	0.2	2030	0.05	0.07	0.7	0.022	3.25
K300668		470	3.9	14.1	<0.002	0.52	8.93	4.8	2	0.2	1480	0.05	<0.05	1.1	0.029	4.26
K300669		310	2.4	11.8	<0.002	0.34	1.21	2.5	2	0.2	2090	<0.05	<0.05	0.9	0.025	1.67
K300670		400	3.7	23.7	0.002	0.56	0.93	3.6	2	0.3	2170	0.09	<0.05	1.6	0.049	2.88
K300671		910	17.2	58.6	0.002	3.10	114.0	26.6	2	2.9	508	0.79	0.12	9.1	0.547	7.94
K300672		150	2.3	8.1	<0.002	0.23	1.08	2.2	2	<0.2	1875	<0.05	<0.05	0.7	0.017	1.44
K300673		170	4.8	39.2	0.002	1.00	2.29	5.5	2	0.5	1805	0.15	<0.05	2.6	0.087	3.53
K300674		170	1.4	1.1	<0.002	0.01	0.05	0.4	1	<0.2	52.7	<0.05	<0.05	<0.2	<0.005	0.02
K300675		770	1.7	9.1	<0.002	0.26	0.31	1.7	2	<0.2	1875	<0.05	<0.05	0.7	0.020	0.70
K300676		190	4.5	27.3	0.002	1.10	0.45	4.1	2	0.5	2520	0.14	<0.05	2.6	0.076	2.40
K300677		200	5.4	37.0	0.003	1.07	0.43	3.8	2	0.6	1940	0.16	<0.05	3.0	0.093	3.20
K300678		160	4.4	33.1	0.002	0.91	0.32	5.3	2	0.4	2780	0.13	<0.05	2.5	0.076	2.41
K300679		170	2.1	13.3	<0.002	0.38	0.15	2.4	2	0.2	2040	0.06	<0.05	1.1	0.029	0.94
K300680		150	4.9	27.9	0.002	0.82	0.27	4.5	2	0.4	2170	0.11	<0.05	2.2	0.066	2.31
K300681		3090	2.2	12.6	<0.002	0.35	0.25	2.5	2	0.2	1795	0.05	<0.05	1.0	0.026	0.95
K300682		2940	2.0	12.6	<0.002	0.30	0.26	2.5	2	0.2	1800	0.05	<0.05	1.0	0.027	0.96
K300683		310	2.5	12.4	<0.002	0.41	0.36	2.4	2	0.2	1985	0.05	<0.05	1.1	0.029	1.27
K300684		2840	2.4	13.9	<0.002	0.45	0.18	2.7	2	0.2	2520	0.06	<0.05	1.2	0.033	0.67
K300685		140	4.4	31.1	0.003	0.92	0.30	4.6	2	0.4	2700	0.14	<0.05	2.6	0.076	1.02
K300686		890	36.2	54.9	0.023	1.60	101.0	7.1	4	2.3	75.3	0.45	0.15	6.7	0.174	3.97
K300687		190	2.5	16.3	<0.002	0.50	0.66	2.8	2	0.3	2280	0.07	<0.05	1.4	0.041	0.52
K300688		350	4.3	19.7	<0.002	0.67	1.67	3.3	2	0.3	2250	0.09	<0.05	1.8	0.055	1.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173929

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	As- CON01 As % 0.01
K300653		3.1	21	1.2	15.7	14	16.4		
K300654		1.8	13	0.6	10.1	8	9.5		
K300655		1.5	13	0.6	7.8	7	9.7		
K300656		1.3	7	0.3	5.8	3	5.5		
K300657		1.5	8	0.5	7.8	3	7.3		
K300658		3.2	24	1.8	15.0	55	21.6	>30.0	37.7
K300659		1.4	5	0.3	6.1	9	5.8		
K300660		1.7	10	0.6	9.0	7	8.9		
K300661		0.8	3	0.1	0.8	18	<0.5		
K300662		1.9	14	1.0	9.8	9	13.0		
K300663		1.4	8	0.5	6.9	5	7.1		
K300664		2.2	10	0.7	9.5	5	9.1		
K300665		1.2	6	0.4	6.5	28	5.2		
K300666		2.4	12	0.9	10.0	9	10.9		
K300667		1.7	9	0.5	7.7	6	7.7	1.460	
K300668		2.1	11	0.6	15.4	4	10.6		
K300669		1.9	10	0.4	11.9	4	9.5		
K300670		2.2	15	0.8	12.4	4	16.5		
K300671		7.3	169	24.4	18.5	41	183.0		
K300672		1.7	7	0.5	9.6	<2	7.3		
K300673		2.8	25	1.8	14.1	20	26.4		
K300674		0.7	2	0.1	0.9	13	<0.5		
K300675		1.7	8	0.4	8.4	<2	9.0		
K300676		3.1	24	0.5	14.8	17	20.5		
K300677		2.4	30	0.5	11.0	17	27.1		
K300678		3.2	24	0.8	18.5	14	23.3		
K300679		1.8	11	0.3	11.5	6	10.8		
K300680		2.9	20	0.7	17.0	13	20.4		
K300681		1.7	11	0.4	9.7	11	13.9		
K300682		1.7	11	0.4	9.6	13	14.0		
K300683		2.5	11	0.5	12.5	<2	10.5		
K300684		2.1	13	0.5	10.8	7	14.2		
K300685		3.1	24	1.0	17.4	17	22.4		
K300686		8.8	236	29.2	22.9	213	69.2		
K300687		2.3	15	0.8	13.5	7	13.3		
K300688		2.5	17	1.5	14.4	25	17.4		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173929

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

CERTIFICATE VA11190785

Project: Rackla Gold (Nadaleen)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11190785

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300653		0.03
K300654		<0.01
K300655		0.01
K300656		0.02
K300657		0.04
K300658		1.68
K300659		0.11
K300660		0.03
K300661		<0.01
K300662		0.02
K300663		0.01
K300664		0.01
K300665		<0.01
K300666		0.01
K300667		0.29
K300668		0.47
K300669		0.06
K300670		0.01
K300671		0.33
K300672		<0.01
K300673		<0.01
K300674		<0.01
K300675		<0.01
K300676		<0.01
K300677		<0.01
K300678		0.02
K300679		<0.01
K300680		<0.01
K300681		<0.01
K300682		<0.01
K300683		0.01
K300684		<0.01
K300685		<0.01
K300686		2.63
K300687		<0.01
K300688		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

CERTIFICATE WH11169048

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 139 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169048

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301374		8.42	<0.01	0.01	1.70	54	190	0.55	0.09	30.6	0.17	26.9	5.6	14	8.43	19.1
K301375		8.45	<0.01	0.01	1.69	74	160	0.43	0.08	31.1	0.20	24.6	5.1	13	6.39	16.5
K301376		8.49	<0.01	0.02	1.53	51	180	0.47	0.08	29.6	0.13	30.1	5.3	15	6.78	18.4
K301377		8.16	<0.01	0.02	1.65	65	170	0.47	0.08	29.1	0.12	23.6	5.1	13	6.53	16.5
K301378		7.12	<0.01	0.03	2.26	165	160	0.56	0.08	25.8	0.16	27.4	9.9	26	8.40	27.2
K301379		7.89	<0.01	0.01	1.04	105	130	0.37	0.05	31.8	0.07	20.3	3.8	9	2.99	12.3
K301380		7.87	<0.01	<0.01	0.57	59	100	0.22	0.03	33.4	0.09	14.00	2.4	3	1.73	7.1
K301381		8.10	<0.01	<0.01	0.41	54	170	0.18	0.02	34.1	0.09	10.80	1.9	2	1.15	5.3
K301382		8.15	0.01	0.01	0.89	97	190	0.27	0.04	35.6	0.14	16.70	3.7	8	2.32	11.9
K301383		3.39	0.01	<0.01	0.56	63	190	0.19	0.03	34.9	0.10	11.60	2.5	4	1.38	7.4
K301384		8.05	0.01	<0.01	0.80	86	180	0.28	0.05	33.4	0.11	18.90	3.3	6	2.80	9.8
K301385		8.17	0.01	<0.01	0.74	94	120	0.28	0.04	33.6	0.09	15.95	2.8	6	2.39	8.5
K301386		8.17	0.01	<0.01	0.66	68	140	0.27	0.04	33.6	0.10	14.65	2.7	4	2.25	8.4
K301387		0.22	2.71	1.04	3.24	602	890	0.80	0.35	8.16	2.33	51.5	6.6	52	4.40	44.6
K301388		8.59	0.04	<0.01	0.76	182	180	0.25	0.04	34.2	0.08	13.65	2.9	6	2.41	9.3
K301389		8.28	0.04	<0.01	0.63	86	150	0.23	0.04	35.2	0.11	13.45	2.5	3	1.74	7.8
K301390		8.51	0.11	0.01	1.48	378	160	0.38	0.07	31.2	0.19	25.7	5.7	12	4.65	18.2
K301391		8.37	<0.01	<0.01	0.60	73	90	0.31	0.03	34.9	0.07	12.30	2.4	4	1.85	7.4
K301392		8.56	0.10	<0.01	0.57	77	90	0.26	0.03	34.7	0.07	11.70	2.4	4	1.82	7.6
K301393		7.95	0.02	<0.01	0.63	95	120	0.32	0.04	34.5	0.09	14.80	2.7	4	2.58	8.6
K301394		4.88	<0.01	<0.01	0.05	<5	10	0.05	0.02	21.1	0.06	1.51	2.1	<1	0.20	1.3
K301395		5.52	0.04	0.01	1.30	136	170	0.40	0.07	31.0	0.14	25.8	5.1	11	4.77	16.3
K301396		3.07	0.32	0.01	1.07	223	170	0.34	0.06	33.0	0.10	19.50	4.1	9	3.11	13.4
K301397		5.56	0.33	0.01	0.84	>10000	140	0.23	0.04	33.1	0.08	16.25	3.3	7	1.78	11.5
K301398		4.20	0.04	0.01	0.42	129	80	0.10	0.02	35.0	0.07	7.28	1.5	4	0.63	4.2
K301399		5.85	0.02	<0.01	0.77	142	140	0.23	0.04	34.4	0.12	14.10	2.9	5	1.86	9.2
K301400		8.19	0.02	<0.01	1.08	96	160	0.30	0.06	32.1	0.14	18.00	3.9	8	3.31	12.6
K301401		8.18	<0.01	<0.01	0.81	93	100	0.24	0.04	34.1	0.11	17.25	3.4	6	2.59	10.7
K301402		8.34	<0.01	<0.01	0.19	47	80	0.18	0.02	36.4	0.05	4.71	1.2	<1	0.38	3.1
K301403		0.23	0.33	0.32	5.96	581	1460	0.62	0.29	0.44	0.16	124.5	2.6	226	3.76	35.0
K301404		8.35	0.01	<0.01	0.18	23	90	0.17	0.01	36.3	0.06	4.88	1.2	<1	0.35	2.8
K301405		8.47	0.01	<0.01	0.23	43	150	0.14	0.02	36.5	0.07	4.74	1.3	<1	0.54	3.2
K301406		8.50	0.06	<0.01	0.60	96	290	0.25	0.04	35.0	0.09	10.15	2.4	3	1.47	7.5
K301407		4.90	<0.01	0.02	0.06	<5	20	<0.05	0.03	21.8	0.06	1.39	2.5	<1	0.36	1.4
K301408		8.20	<0.01	<0.01	0.22	97	310	0.14	0.02	36.4	0.05	5.38	1.4	1	0.52	3.5
K301409		8.39	0.01	0.01	0.35	328	110	0.16	0.02	34.7	0.07	7.83	1.5	1	1.10	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169048

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301374		1.24	4.33	0.09	0.9	0.37	0.020	0.78	16.4	7.2	0.69	240	0.70	0.02	3.0	7.0
K301375		1.08	4.02	0.09	0.8	1.03	0.019	0.78	14.8	5.9	0.86	357	0.65	0.02	2.7	5.6
K301376		1.06	4.05	0.09	0.8	0.32	0.018	0.70	17.6	5.4	0.93	309	0.59	0.01	2.8	6.1
K301377		1.17	4.09	0.09	0.8	0.76	0.021	0.75	14.6	5.6	0.76	310	0.54	0.01	2.7	6.6
K301378		1.75	5.55	0.13	1.1	1.50	0.026	1.00	15.8	6.1	0.70	375	0.46	0.01	3.7	15.6
K301379		0.83	2.80	0.09	0.5	0.94	0.012	0.46	10.4	3.4	0.73	433	0.35	0.01	2.1	3.2
K301380		0.52	1.64	0.09	0.3	0.52	0.008	0.26	7.2	2.6	1.00	278	0.26	0.01	1.5	<0.2
K301381		0.35	1.14	0.08	0.3	0.43	0.005	0.18	5.3	1.9	0.56	100	0.16	0.01	1.2	<0.2
K301382		0.66	2.28	0.09	0.5	1.39	0.009	0.40	8.2	3.5	0.61	124	0.25	0.02	2.0	2.0
K301383		0.44	1.51	0.07	0.3	0.95	0.007	0.25	5.7	2.5	0.58	107	0.19	0.02	1.5	<0.2
K301384		0.61	2.10	0.09	0.4	1.28	0.009	0.36	9.3	3.3	0.60	162	0.35	0.01	1.8	0.4
K301385		0.54	1.91	0.09	0.3	1.29	0.008	0.32	8.1	3.0	0.63	230	0.28	0.01	1.6	1.6
K301386		0.48	1.78	0.09	0.3	1.14	0.008	0.29	7.6	3.2	0.62	193	0.34	0.01	1.6	1.4
K301387		2.16	7.54	0.13	1.9	4.56	0.032	1.00	31.7	40.4	2.55	283	18.65	0.03	7.8	56.9
K301388		0.55	1.87	0.08	0.3	1.30	0.008	0.34	6.9	3.7	0.53	135	0.32	0.02	1.6	1.3
K301389		0.52	1.66	0.07	0.3	1.37	0.007	0.27	6.8	2.5	0.49	189	0.33	0.01	1.5	0.8
K301390		0.92	3.74	0.10	0.7	3.43	0.015	0.67	13.8	5.6	0.58	311	0.62	0.01	2.9	6.6
K301391		0.49	1.63	0.09	0.3	1.06	0.006	0.27	6.3	3.0	0.85	397	0.22	0.01	1.6	0.4
K301392		0.46	1.54	0.08	0.3	1.13	0.008	0.24	6.0	2.8	0.74	461	0.20	0.01	1.4	0.8
K301393		0.58	1.70	0.07	0.3	1.29	0.009	0.27	7.5	3.0	0.66	196	0.28	0.01	1.6	2.8
K301394		0.46	0.73	0.08	<0.1	0.01	0.005	0.02	0.7	1.0	12.75	214	0.08	<0.01	0.6	2.1
K301395		0.85	3.54	0.09	0.7	2.54	0.014	0.59	13.5	5.4	0.66	156	0.39	0.01	2.8	7.3
K301396		0.71	3.04	0.09	0.5	2.02	0.014	0.48	10.2	4.4	0.52	297	0.28	0.01	2.4	5.3
K301397		0.75	2.26	0.09	0.4	2.26	0.020	0.37	8.3	2.6	0.70	516	0.40	0.01	1.8	2.6
K301398		0.35	0.95	<0.05	0.2	1.02	0.007	0.18	3.5	1.5	0.40	194	0.22	0.01	0.6	1.3
K301399		0.45	2.04	0.08	0.4	1.34	0.009	0.35	7.2	3.2	0.39	128	0.24	0.01	1.8	2.9
K301400		0.61	2.96	0.08	0.5	1.97	0.011	0.50	9.3	5.2	0.49	127	0.30	0.01	2.3	5.1
K301401		0.53	2.22	0.08	0.4	1.45	0.009	0.36	9.2	3.3	0.76	142	0.38	0.01	2.0	4.2
K301402		0.19	0.75	0.09	0.1	0.33	<0.005	0.08	2.2	0.9	0.54	200	0.12	0.01	1.0	0.8
K301403		6.48	18.45	0.18	4.1	8.71	0.052	1.28	61.3	17.3	0.12	37	6.30	0.36	9.5	17.1
K301404		0.19	0.65	0.09	0.1	0.33	<0.005	0.07	2.3	1.0	0.59	145	0.12	0.01	1.1	<0.2
K301405		0.20	0.85	0.08	0.1	0.46	<0.005	0.09	2.2	1.3	0.61	95	0.13	0.01	1.1	0.3
K301406		0.37	1.78	0.09	0.3	1.19	0.005	0.25	4.8	2.2	0.79	386	0.26	0.01	1.6	3.7
K301407		0.48	0.96	0.11	<0.1	<0.01	<0.005	0.03	0.7	1.2	13.15	216	0.06	<0.01	0.7	3.7
K301408		0.21	1.07	0.08	0.1	0.45	<0.005	0.08	2.5	0.9	0.55	228	0.13	0.01	1.1	2.9
K301409		0.24	0.89	0.07	0.2	0.65	<0.005	0.14	3.7	2.3	0.45	114	0.14	0.01	0.9	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169048

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301374		220	7.5	50.7	0.002	0.96	0.53	4.9	2	0.6	2400	0.19	<0.05	4.0	0.091	0.36
K301375		280	8.2	46.5	0.002	0.89	0.59	3.9	2	0.6	1870	0.18	<0.05	3.6	0.092	0.33
K301376		320	9.7	43.2	0.003	0.87	0.51	4.7	2	0.5	1870	0.17	0.05	3.5	0.083	0.30
K301377		160	8.5	42.7	0.002	0.88	0.63	4.4	2	0.5	2200	0.18	<0.05	3.5	0.090	0.35
K301378		240	9.5	47.9	0.002	1.68	0.94	7.6	2	0.7	1625	0.23	<0.05	3.8	0.189	0.56
K301379		330	5.7	28.1	0.002	0.68	0.53	3.7	2	0.4	1725	0.11	<0.05	2.4	0.059	0.45
K301380		130	3.1	16.1	<0.002	0.37	0.47	2.2	2	0.2	1565	0.06	<0.05	1.4	0.029	0.46
K301381		1120	2.1	11.0	0.002	0.28	0.50	1.9	2	0.2	2570	0.05	<0.05	1.1	0.021	0.60
K301382		1440	3.8	24.2	0.002	0.70	1.08	3.0	2	0.3	2780	0.10	<0.05	2.0	0.058	1.69
K301383		1350	2.5	14.7	0.002	0.41	0.74	2.4	2	0.2	2800	0.06	<0.05	1.3	0.035	1.13
K301384		340	4.5	22.1	0.003	0.56	0.70	2.9	2	0.3	2100	0.09	<0.05	2.1	0.044	1.89
K301385		230	4.4	19.0	<0.002	0.47	0.59	2.7	2	0.3	1830	0.07	<0.05	1.8	0.037	1.65
K301386		170	3.3	17.2	0.003	0.44	0.47	2.4	2	0.2	2100	0.07	<0.05	1.7	0.034	1.55
K301387		910	39.6	56.7	0.022	1.56	102.0	5.7	5	2.8	80.1	0.49	0.18	8.3	0.174	4.07
K301388		210	4.0	18.9	<0.002	0.57	0.67	2.7	2	0.3	2520	0.07	<0.05	1.7	0.047	1.93
K301389		180	3.1	15.8	<0.002	0.53	0.79	2.5	2	0.2	2300	0.06	<0.05	1.6	0.031	2.32
K301390		180	7.1	41.9	0.003	1.06	1.88	4.0	2	0.5	1820	0.16	<0.05	3.4	0.088	5.31
K301391		190	3.1	16.0	<0.002	0.40	0.38	2.2	2	0.2	1585	0.06	<0.05	1.5	0.032	1.64
K301392		310	3.2	14.5	<0.002	0.39	0.54	2.0	2	0.2	1495	0.06	<0.05	1.3	0.029	1.80
K301393		220	4.2	16.4	0.002	0.46	0.55	2.5	2	0.2	1855	0.06	<0.05	1.6	0.033	2.37
K301394		180	1.6	1.7	<0.002	0.01	<0.05	0.4	1	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	0.02
K301395		670	7.9	38.1	0.002	0.89	1.36	4.5	2	0.4	2160	0.15	<0.05	3.3	0.076	4.04
K301396		410	6.6	31.2	0.002	0.74	1.85	3.9	2	0.3	2140	0.12	<0.05	2.6	0.063	3.12
K301397		680	7.0	21.0	0.002	1.17	7.87	3.0	2	0.3	1655	0.09	<0.05	1.9	0.046	3.44
K301398		200	3.1	7.4	0.002	0.28	1.22	1.1	2	<0.2	1750	<0.05	<0.05	0.7	0.022	1.38
K301399		150	3.8	20.6	<0.002	0.47	1.20	2.7	2	0.3	2010	0.08	<0.05	1.9	0.039	2.27
K301400		160	5.3	30.4	0.002	0.66	1.46	3.3	2	0.4	2130	0.11	<0.05	2.5	0.058	3.15
K301401		530	3.4	21.3	0.002	0.53	0.82	2.9	2	0.3	1760	0.08	<0.05	2.1	0.041	2.48
K301402		810	1.1	4.4	<0.002	0.13	0.19	1.0	2	<0.2	1730	<0.05	<0.05	0.5	0.010	0.49
K301403		870	18.9	47.9	0.003	2.96	98.2	15.5	3	3.0	488	0.74	0.13	10.8	0.524	7.74
K301404		1050	1.1	4.4	<0.002	0.14	0.28	1.1	2	<0.2	1960	<0.05	<0.05	0.5	0.010	0.56
K301405		960	1.2	5.8	0.002	0.16	0.32	1.2	2	<0.2	2250	<0.05	<0.05	0.6	0.011	0.55
K301406		1490	2.7	14.8	<0.002	0.37	0.70	1.6	2	0.2	1800	0.06	<0.05	1.4	0.029	1.68
K301407		170	1.5	2.7	<0.002	0.01	0.05	0.5	2	<0.2	52.1	<0.05	<0.05	<0.2	<0.005	0.02
K301408		900	1.3	4.7	0.002	0.18	0.29	1.0	2	<0.2	1740	<0.05	<0.05	0.6	0.012	0.53
K301409		220	2.5	7.0	<0.002	0.25	0.73	1.4	1	0.2	1845	<0.05	<0.05	0.6	0.018	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169048

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301374		2.6	30	0.3	18.9	27	33.5	
K301375		2.6	29	0.3	16.0	28	29.4	
K301376		3.1	25	0.3	22.9	18	29.4	
K301377		2.3	29	0.4	17.2	21	29.6	
K301378		2.4	47	0.8	21.4	31	43.5	
K301379		2.2	19	0.8	15.9	11	21.8	
K301380		1.9	11	0.6	11.9	8	11.9	
K301381		2.5	8	0.4	12.2	6	12.5	
K301382		2.9	16	1.3	15.8	13	23.8	
K301383		2.5	11	0.8	13.0	9	16.6	
K301384		3.0	14	0.9	15.0	10	16.3	
K301385		2.6	12	0.8	12.9	9	13.7	
K301386		2.6	12	0.6	12.1	10	12.7	
K301387		9.4	231	26.5	23.0	211	70.1	
K301388		2.3	15	0.7	12.1	12	14.0	
K301389		2.7	11	0.6	12.6	11	12.0	
K301390		3.5	25	1.6	18.1	23	28.2	
K301391		1.6	12	0.5	9.5	8	12.3	
K301392		1.5	11	0.5	10.1	8	11.5	
K301393		2.3	12	0.6	13.7	7	12.3	
K301394		0.5	2	0.1	1.0	17	<0.5	
K301395		3.7	21	1.3	20.9	16	27.6	
K301396		3.1	18	1.3	17.5	12	23.2	
K301397		2.3	16	0.8	13.6	9	17.8	1.020
K301398		1.4	6	0.5	6.5	12	6.5	
K301399		2.5	12	0.9	10.4	12	14.2	
K301400		2.8	17	1.2	12.9	15	19.5	
K301401		2.7	14	0.6	12.1	12	15.6	
K301402		1.4	4	0.2	5.3	2	6.5	
K301403		7.8	163	20.3	16.4	41	160.0	
K301404		2.0	4	0.2	6.2	3	6.6	
K301405		2.3	5	0.2	6.9	4	6.7	
K301406		3.0	11	0.5	10.1	5	14.0	
K301407		0.7	2	0.1	0.9	17	<0.5	
K301408		1.9	6	0.3	6.1	3	7.0	
K301409		1.6	7	0.4	7.4	4	5.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11169048

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

CERTIFICATE WH11165352

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 140 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165352

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301410		8.20	0.01	0.01	0.50	78	110	0.18	0.08	36.0	0.13	9.31	2.3	5	1.16	5.2
K301411		8.31	0.03	0.01	0.39	761	110	0.17	0.03	35.8	0.08	6.11	1.9	4	0.81	3.9
K301412		8.54	<0.01	0.01	0.38	34	120	0.17	0.04	34.9	0.08	7.11	1.9	4	1.06	4.0
K301413		8.22	<0.01	0.02	0.47	299	160	0.16	0.04	35.5	0.12	8.85	2.4	5	0.85	5.4
K301414		8.13	<0.01	0.01	0.31	47	110	0.15	0.03	36.9	0.09	5.86	1.8	3	0.64	3.7
K301415		8.36	<0.01	0.09	0.43	32	140	0.17	0.03	35.7	0.11	7.67	2.1	4	0.96	5.3
K301416		8.52	<0.01	0.02	0.47	31	150	0.20	0.04	35.9	0.11	8.20	2.3	5	1.09	5.4
K301417		8.11	<0.01	0.02	0.49	19	140	0.21	0.03	35.1	0.10	8.80	2.6	5	1.06	5.8
K301418		8.66	<0.01	0.02	0.45	17	240	0.23	0.03	35.9	0.10	7.54	2.3	5	1.30	5.2
K301419		3.47	<0.01	0.02	0.54	22	150	0.22	0.04	36.5	0.13	9.25	2.7	5	1.61	6.0
K301420		8.31	<0.01	0.01	0.40	32	130	0.16	0.03	35.3	0.12	7.19	2.1	4	0.77	4.6
K301421		8.33	<0.01	0.02	0.62	52	260	0.21	0.04	34.3	0.11	9.84	3.0	6	1.59	6.6
K301422		8.29	<0.01	0.01	0.42	41	140	0.16	0.03	35.5	0.09	7.52	2.2	5	0.96	4.7
K301423		8.26	<0.01	0.01	0.46	173	120	0.21	0.02	35.6	0.12	7.78	2.3	5	1.13	5.0
K301424		8.52	<0.01	0.02	0.42	13	110	0.16	0.03	35.2	0.10	7.40	2.2	4	1.24	4.7
K301425		0.19	8.01	0.44	3.55	999	170	0.81	0.59	11.45	4.03	42.7	6.3	89	7.42	31.9
K301426		8.46	<0.01	0.01	0.40	42	120	0.19	0.03	35.4	0.11	7.70	2.2	4	1.11	4.6
K301427		8.87	<0.01	0.02	0.66	33	160	0.22	0.03	33.8	0.13	10.40	3.4	7	1.90	7.2
K301428		0.19	2.74	0.97	3.12	584	860	0.77	0.27	7.92	2.20	44.6	7.5	47	3.90	39.5
K301429		8.15	<0.01	0.03	0.91	56	220	0.23	0.04	33.4	0.16	13.55	4.1	9	4.29	9.5
K301430		8.33	<0.01	0.02	0.47	29	110	0.22	0.03	34.5	0.10	9.27	2.5	5	1.48	5.5
K301431		8.59	<0.01	0.02	0.55	44	110	0.21	0.03	34.9	0.10	10.30	2.8	5	1.46	6.4
K301432		8.44	<0.01	0.02	0.55	53	160	0.22	0.03	35.5	0.12	9.46	2.7	6	1.41	6.2
K301433		8.82	<0.01	0.01	0.28	22	110	0.15	0.01	35.3	0.08	5.73	1.7	3	0.72	3.3
K301434		8.32	<0.01	0.02	0.64	41	140	0.22	0.03	36.2	0.11	11.35	2.9	6	2.17	6.4
K301435		8.38	<0.01	0.02	0.69	32	170	0.26	0.04	33.7	0.12	12.35	3.2	7	2.12	7.2
K301436		8.22	<0.01	0.02	1.05	54	130	0.30	0.04	33.7	0.15	16.35	4.3	9	3.41	10.1
K301437		4.87	<0.01	0.01	0.10	<5	20	0.08	0.03	21.7	0.06	1.36	1.8	2	0.37	2.0
K301438		8.15	<0.01	<0.01	0.09	34	60	0.12	0.01	36.5	0.04	2.60	1.1	1	0.15	1.4
K301439		8.08	<0.01	0.01	0.42	102	100	0.19	0.02	35.5	0.07	8.01	2.3	4	1.41	4.7
K301440		8.07	0.01	0.02	0.56	58	140	0.18	0.02	35.0	0.10	10.55	2.8	6	1.49	6.0
K301441		7.74	0.04	0.03	1.37	703	180	0.30	0.06	32.8	0.17	19.75	6.0	14	3.68	13.9
K301442		8.40	<0.01	0.01	0.48	>10000	90	0.17	0.02	35.5	0.10	8.69	2.5	5	1.08	5.8
K301443		4.86	<0.01	0.01	0.13	30	30	0.08	0.02	21.0	0.05	1.46	2.2	3	0.44	2.1
K301444		8.44	<0.01	0.01	0.45	132	100	0.13	0.03	37.8	0.09	10.90	2.0	5	1.17	6.5
K301445		8.37	<0.01	0.02	0.53	52	150	0.18	0.03	35.3	0.10	12.80	2.3	5	1.82	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165352

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301410		0.34	1.31	0.06	0.2	0.96	0.007	0.20	3.8	2.4	0.53	163	0.24	0.01	0.8	3.0
K301411		0.27	1.01	0.08	0.2	0.94	0.005	0.15	2.5	1.7	0.66	159	0.18	0.01	0.7	3.0
K301412		0.25	1.03	0.08	0.2	0.66	<0.005	0.16	3.0	1.9	0.46	167	0.18	0.01	0.7	2.0
K301413		0.32	1.28	0.08	0.2	1.17	0.007	0.18	3.8	1.6	0.38	93	0.21	0.01	0.9	3.0
K301414		0.20	0.91	0.11	0.2	0.69	0.005	0.12	2.5	1.2	0.33	64	0.16	0.01	0.6	<0.2
K301415		0.27	1.21	0.10	0.2	0.81	0.005	0.18	3.3	1.9	0.39	67	0.27	0.02	0.8	2.0
K301416		0.30	1.34	0.10	0.2	0.62	0.005	0.20	3.6	2.3	0.40	56	0.24	0.01	0.8	2.0
K301417		0.33	1.41	0.05	0.2	0.61	0.007	0.21	3.8	2.2	0.51	80	0.18	0.01	0.8	0.7
K301418		0.30	1.33	0.11	0.2	0.33	0.005	0.18	3.2	2.2	0.50	132	0.13	0.01	0.8	2.0
K301419		0.35	1.58	0.11	0.3	0.37	0.006	0.22	3.9	2.6	0.53	144	0.15	0.01	1.0	2.0
K301420		0.26	1.16	0.13	0.2	0.53	0.005	0.16	3.1	1.6	0.38	86	0.11	0.01	0.7	3.0
K301421		0.42	1.72	0.11	0.3	0.73	0.007	0.27	4.2	2.5	0.47	91	0.16	0.01	1.0	0.7
K301422		0.33	1.22	0.11	0.2	0.70	0.005	0.18	3.1	1.8	0.42	97	0.17	0.01	0.7	<0.2
K301423		0.27	1.32	0.12	0.2	0.84	0.005	0.19	3.3	1.7	0.35	127	0.22	0.01	0.8	<0.2
K301424		0.28	1.22	0.13	0.2	0.25	0.006	0.18	3.2	1.9	0.36	118	0.20	0.01	0.8	<0.2
K301425		1.35	7.77	0.20	2.2	5.89	0.062	1.48	25.4	9.4	0.71	268	11.05	0.01	7.3	65.9
K301426		0.29	1.19	0.14	0.2	0.31	<0.005	0.14	3.2	2.2	0.42	96	0.18	0.01	0.8	<0.2
K301427		0.42	1.88	0.12	0.3	0.35	0.006	0.27	4.5	2.6	0.55	119	0.23	0.01	1.1	1.8
K301428		2.02	7.93	0.15	1.7	4.87	0.024	0.98	25.3	35.0	2.49	264	18.05	0.03	6.4	54.6
K301429		0.57	2.53	0.10	0.4	0.82	0.010	0.37	6.0	3.8	0.58	129	0.41	0.01	1.4	3.1
K301430		0.30	1.40	0.10	0.2	0.12	0.005	0.20	3.9	2.1	0.50	213	0.26	0.01	0.8	0.5
K301431		0.36	1.59	0.14	0.3	0.11	0.006	0.24	4.3	2.1	0.52	135	0.25	0.01	0.9	1.6
K301432		0.34	1.59	0.14	0.3	0.11	0.005	0.23	4.1	2.5	0.48	55	0.24	0.01	1.0	2.1
K301433		0.23	0.86	0.14	0.1	0.06	<0.005	0.11	2.4	1.4	0.66	133	0.11	0.01	0.6	<0.2
K301434		0.42	1.87	0.16	0.3	0.10	0.005	0.27	5.0	2.9	0.54	136	0.26	0.01	1.0	2.0
K301435		0.49	2.00	0.12	0.3	0.14	0.007	0.30	5.4	3.1	0.53	111	0.39	0.01	1.1	3.1
K301436		0.63	2.97	0.14	0.5	0.22	0.010	0.46	7.4	4.8	0.53	155	0.26	0.01	1.6	4.1
K301437		0.47	0.46	0.25	<0.1	<0.01	<0.005	0.04	0.6	1.3	13.15	215	0.06	0.01	0.4	2.6
K301438		0.21	0.42	0.16	0.1	0.13	<0.005	0.03	1.0	0.6	0.62	132	0.05	0.01	0.4	0.3
K301439		0.40	1.26	0.14	0.2	0.81	<0.005	0.17	3.6	1.7	0.63	241	0.18	0.01	0.8	2.2
K301440		0.39	1.56	0.14	0.3	0.89	0.006	0.24	4.7	2.0	0.50	86	0.26	0.01	0.9	2.8
K301441		0.85	3.70	0.12	0.6	3.34	0.014	0.62	9.0	5.1	0.62	320	0.56	0.01	2.0	7.6
K301442		0.32	1.40	0.12	0.2	1.92	0.018	0.20	3.7	1.6	0.31	260	0.22	0.01	0.9	2.4
K301443		0.48	0.50	0.24	<0.1	<0.01	<0.005	0.06	0.6	1.3	12.75	211	0.09	0.01	0.3	4.7
K301444		0.30	1.16	0.08	0.2	1.52	0.007	0.19	5.0	1.5	0.28	207	0.28	0.01	0.8	1.3
K301445		0.36	1.38	0.11	0.3	1.13	0.005	0.23	5.9	2.4	0.45	86	0.19	0.01	1.0	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165352

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301410		160	4.0	9.5	<0.002	0.32	0.65	1.4	2	0.2	1870	0.05	<0.05	0.8	0.026	1.14
K301411		610	2.3	7.2	<0.002	0.29	1.25	1.0	2	0.2	1975	<0.05	<0.05	0.6	0.020	0.90
K301412		120	2.7	7.4	<0.002	0.24	0.43	1.0	2	0.2	1935	<0.05	<0.05	0.6	0.019	0.43
K301413		570	3.2	8.9	<0.002	0.36	0.93	1.2	2	0.2	2540	0.05	<0.05	0.8	0.026	0.54
K301414		260	2.1	5.9	<0.002	0.20	0.42	0.9	2	<0.2	2060	<0.05	<0.05	0.5	0.016	0.36
K301415		240	2.4	8.4	<0.002	0.28	0.36	1.1	2	0.2	2120	0.05	<0.05	0.7	0.023	0.38
K301416		360	2.7	9.4	<0.002	0.31	0.29	1.3	2	0.2	2480	0.05	<0.05	0.8	0.024	0.39
K301417		340	2.4	10.4	<0.002	0.33	0.25	1.2	3	0.2	2430	0.05	<0.05	0.8	0.025	0.42
K301418		580	2.4	8.8	<0.002	0.30	0.16	1.2	2	0.2	2300	0.05	<0.05	0.7	0.025	0.29
K301419		650	2.6	10.8	<0.002	0.36	0.19	1.5	2	0.2	2590	0.05	<0.05	0.8	0.029	0.34
K301420		370	2.3	7.4	<0.002	0.27	0.30	1.0	2	0.2	2310	<0.05	<0.05	0.6	0.021	0.34
K301421		210	2.6	12.5	<0.002	0.45	0.35	1.8	2	0.2	2160	0.06	<0.05	0.9	0.036	0.54
K301422		430	1.8	8.3	<0.002	0.33	0.32	1.4	2	0.2	2340	<0.05	<0.05	0.6	0.024	0.43
K301423		220	1.8	9.1	<0.002	0.30	0.97	1.1	2	0.2	2160	0.05	<0.05	0.7	0.023	0.72
K301424		310	2.2	8.4	<0.002	0.28	0.17	1.1	2	0.2	2240	<0.05	<0.05	0.6	0.023	0.41
K301425		4260	4.7	105.0	0.037	1.40	19.00	6.0	10	1.8	152.5	0.51	0.54	6.0	0.216	12.95
K301426		630	2.0	6.8	<0.002	0.28	0.24	1.3	2	0.2	2220	<0.05	<0.05	0.6	0.022	0.40
K301427		620	2.3	12.1	<0.002	0.46	0.29	1.7	2	0.3	2390	0.07	<0.05	1.0	0.038	0.35
K301428		870	36.0	44.4	0.025	1.53	104.5	4.7	5	2.4	73.1	0.44	0.19	5.8	0.170	3.83
K301429		200	3.4	17.1	<0.002	0.61	0.56	2.2	2	0.3	1915	0.10	<0.05	1.4	0.052	0.47
K301430		120	2.0	9.2	<0.002	0.29	0.27	1.3	2	0.2	2060	0.05	<0.05	0.8	0.023	0.12
K301431		390	2.4	10.8	<0.002	0.37	0.39	1.4	2	0.2	2180	0.06	<0.05	0.9	0.030	0.12
K301432		390	2.2	10.7	<0.002	0.34	0.21	1.3	2	0.2	2640	0.05	<0.05	0.9	0.029	0.11
K301433		360	1.1	5.3	<0.002	0.18	0.12	0.7	2	<0.2	2130	<0.05	<0.05	0.4	0.014	0.06
K301434		130	2.1	12.4	<0.002	0.41	0.23	1.7	2	0.2	2170	0.06	<0.05	1.0	0.034	0.17
K301435		140	3.6	13.7	<0.002	0.49	0.31	1.8	3	0.3	2010	0.07	<0.05	1.1	0.036	0.33
K301436		240	5.1	21.0	<0.002	0.66	0.39	2.4	2	0.4	1800	0.11	<0.05	1.6	0.056	0.70
K301437		200	1.3	2.2	<0.002	0.01	<0.05	0.3	2	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	0.02
K301438		460	0.7	1.3	<0.002	0.06	0.12	0.3	2	<0.2	1560	<0.05	<0.05	<0.2	<0.005	0.18
K301439		210	2.0	8.0	<0.002	0.29	0.59	1.3	2	0.2	1700	<0.05	<0.05	0.6	0.022	0.98
K301440		190	2.0	11.0	<0.002	0.38	0.76	1.7	3	0.2	2260	0.06	<0.05	0.9	0.030	1.21
K301441		310	4.3	28.1	<0.002	1.00	3.26	3.2	2	0.4	2000	0.14	<0.05	1.9	0.083	5.05
K301442		400	1.9	9.8	<0.002	1.22	27.8	1.2	3	0.2	1585	0.05	<0.05	0.8	0.026	2.86
K301443		170	1.3	2.5	<0.002	0.02	0.06	0.4	1	<0.2	44.7	<0.05	<0.05	<0.2	0.006	0.02
K301444		230	2.2	10.3	<0.002	0.34	1.11	1.5	2	0.2	1700	0.05	<0.05	0.9	0.024	2.16
K301445		300	1.9	12.6	<0.002	0.39	0.31	1.8	2	0.2	2290	0.06	<0.05	1.1	0.029	1.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165352

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301410		1.8	8	0.6	9.4	10	8.3	
K301411		1.6	7	0.4	6.4	5	7.7	
K301412		1.4	6	0.4	7.1	5	6.2	
K301413		2.0	8	0.7	8.3	8	8.9	
K301414		1.3	6	0.4	6.1	5	5.5	
K301415		1.5	8	0.4	6.8	6	7.4	
K301416		1.7	9	0.3	8.0	8	7.9	
K301417		1.5	8	0.3	8.0	7	8.6	
K301418		1.4	9	0.2	7.0	7	7.9	
K301419		1.6	9	0.2	8.1	9	9.7	
K301420		1.4	8	0.2	6.8	9	7.2	
K301421		1.5	11	0.3	7.8	9	10.3	
K301422		1.4	9	0.2	6.9	7	7.5	
K301423		1.4	8	0.3	7.1	7	7.7	
K301424		1.6	8	0.2	7.5	6	7.8	
K301425		7.6	395	32.6	26.8	282	75.9	
K301426		1.6	8	0.3	7.5	7	8.1	
K301427		1.8	11	0.3	8.4	9	10.7	
K301428		7.9	227	24.2	18.6	209	62.1	
K301429		1.9	15	0.5	11.3	13	14.5	
K301430		1.6	9	0.2	8.5	7	7.2	
K301431		1.9	9	0.3	9.2	7	9.8	
K301432		1.8	9	0.1	8.1	8	9.1	
K301433		1.3	6	0.1	6.3	4	5.4	
K301434		1.9	11	0.2	10.1	9	9.6	
K301435		1.9	12	0.2	10.5	9	10.9	
K301436		2.0	15	0.4	10.6	12	15.3	
K301437		0.4	3	0.1	0.8	13	<0.5	
K301438		0.9	3	0.1	3.9	<2	3.3	
K301439		1.4	8	0.3	9.2	5	7.3	
K301440		1.8	10	0.6	10.5	8	9.6	
K301441		2.1	23	1.7	12.6	20	20.8	
K301442		1.8	8	0.7	8.1	6	8.1	1.715
K301443		0.4	3	0.1	0.8	13	<0.5	
K301444		1.8	7	0.7	9.0	6	8.1	
K301445		2.1	9	0.7	9.6	8	10.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11165352

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE VA11173777

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- Batch 141

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173777

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300689		8.38	0.61	0.02	0.72	33	120	0.26	0.03	33.7	0.09	13.10	2.7	7	1.97	7.4
K300690		8.56	<0.01	0.07	3.25	40	180	0.60	0.13	22.2	0.20	41.9	11.5	34	14.40	34.7
K300691		8.28	<0.01	0.04	2.20	23	160	0.50	0.10	28.8	0.19	35.6	7.2	21	9.38	21.6
K300692		8.48	<0.01	0.03	1.28	37	130	0.33	0.06	31.9	0.14	22.1	4.5	13	3.41	13.5
K300693		8.76	0.05	0.05	2.23	70	160	0.44	0.10	29.5	0.16	31.1	7.3	21	6.83	22.8
K300694		8.28	0.01	0.04	1.99	69	160	0.44	0.08	29.3	0.16	27.4	7.0	21	5.85	21.5
K300695		8.96	<0.01	0.03	1.37	36	130	0.29	0.05	32.2	0.12	20.9	4.9	14	3.25	15.1
K300696		8.24	0.01	0.02	1.22	151	130	0.31	0.06	33.1	0.13	21.1	4.4	12	2.98	12.8
K300697		8.20	0.01	0.06	2.75	112	190	0.65	0.14	27.0	0.20	38.7	8.5	25	7.94	26.4
K300698		3.20	0.47	0.35	2.74	>10000	600	0.53	0.13	23.8	0.22	39.4	8.8	29	7.26	29.2
K300699		5.36	0.31	0.39	0.90	4580	130	0.23	0.04	33.5	0.11	17.30	3.3	9	1.43	9.7
K300700		8.70	2.70	2.07	2.33	>10000	150	0.47	0.11	27.1	0.25	35.1	7.7	23	5.86	24.8
K300701		8.22	12.50	9.19	4.96	>10000	200	0.77	0.28	8.74	0.80	71.6	16.9	51	10.80	55.9
K300702		8.58	5.68	4.06	3.66	3060	150	0.56	0.17	18.70	0.34	47.6	12.6	35	9.04	38.7
K300703		8.30	0.66	0.85	1.20	578	140	0.27	0.05	33.2	0.12	18.85	4.5	12	2.44	12.5
K300704		0.30	0.32	0.33	6.01	609	2120	0.57	0.26	0.49	0.20	135.5	2.8	226	3.35	31.8
K300705		8.54	0.51	0.08	1.85	2670	150	0.34	0.08	29.2	0.18	27.6	6.5	18	3.59	20.0
K300706		8.02	0.17	0.03	0.90	1720	90	0.18	0.04	32.7	0.09	15.60	3.6	9	1.28	10.1
K300707		8.50	0.20	0.10	1.39	3280	110	0.26	0.06	31.6	0.09	20.5	5.1	14	2.12	13.9
K300708		7.64	0.47	0.15	1.11	710	110	0.20	0.05	32.1	0.11	16.85	4.0	11	1.77	11.1
K300709		4.96	<0.01	0.02	0.39	5	80	0.14	0.12	21.4	0.07	2.18	2.3	11	1.50	1.7
K300710		8.70	0.17	0.09	1.50	351	140	0.27	0.07	32.0	0.13	23.9	5.2	14	2.75	13.9
K300711		7.74	0.13	0.04	0.74	166	90	0.18	0.04	33.5	0.06	12.15	2.7	7	1.37	6.6
K300712		4.06	0.03	0.06	0.51	103	80	0.17	0.03	34.5	0.05	9.99	2.5	5	0.94	5.4
K300713		2.12	0.02	0.05	0.52	65	80	0.16	0.03	34.0	0.06	10.05	2.3	5	0.95	5.5
K300714		6.86	0.02	0.03	0.51	66	80	0.14	0.02	32.8	0.10	9.65	2.1	5	1.00	5.0
K300715		7.20	0.02	0.10	0.61	60	100	0.17	0.03	35.4	0.05	10.55	2.6	6	1.15	6.6
K300716		3.10	<0.01	0.06	0.39	64	110	0.24	0.02	34.5	0.04	7.81	2.1	5	0.76	4.7
K300717		7.80	0.01	0.02	1.19	77	110	0.40	0.06	32.6	0.08	22.2	4.6	12	2.90	11.3
K300718		6.54	0.87	0.09	1.07	457	100	0.32	0.05	33.6	0.11	17.15	4.9	11	2.32	11.3
K300719		0.30	2.64	1.02	3.33	617	880	0.90	0.28	8.35	2.36	54.4	7.8	53	4.11	45.9
K300720		8.76	0.21	0.07	3.23	306	270	0.86	0.14	25.0	0.23	44.1	12.0	29	7.71	31.1
K300721		8.46	0.01	0.03	1.87	74	150	0.62	0.09	30.8	0.17	27.4	6.9	17	6.41	18.7
K300722		8.42	0.01	0.03	1.64	72	140	0.49	0.08	31.9	0.13	24.6	5.8	15	4.78	15.2
K300723		4.94	0.01	0.01	0.07	<5	20	0.06	0.02	22.1	0.06	1.45	1.6	1	0.26	2.1
K300724		8.30	<0.01	0.03	1.02	50	140	0.22	0.05	32.0	0.12	15.95	3.7	10	3.78	10.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173777

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300689		0.58	1.86	0.05	0.3	0.34	0.008	0.31	6.5	3.0	0.79	298	0.25	0.01	1.2	2.4
K300690		2.04	8.72	0.09	1.6	0.45	0.032	1.46	21.6	13.5	1.01	259	0.77	0.03	4.8	21.1
K300691		1.49	5.74	0.08	1.1	0.21	0.023	0.99	17.6	8.7	0.77	333	0.55	0.02	3.6	11.9
K300692		0.90	3.38	0.07	0.6	0.21	0.012	0.58	10.3	4.7	0.67	338	0.45	0.02	2.0	6.2
K300693		1.42	5.83	0.08	1.1	1.11	0.024	0.98	15.3	7.4	0.74	307	0.66	0.02	3.4	12.0
K300694		1.37	5.10	0.07	1.0	1.15	0.020	0.89	13.4	6.7	0.64	405	0.50	0.02	3.0	11.3
K300695		0.96	3.45	0.06	0.7	0.61	0.015	0.61	9.2	4.4	0.59	283	0.37	0.02	2.2	6.7
K300696		0.90	3.23	0.06	0.6	0.48	0.014	0.55	10.0	4.4	0.62	384	0.42	0.02	2.0	5.9
K300697		1.75	7.24	0.06	1.3	1.56	0.027	1.21	19.8	9.2	0.98	403	1.16	0.02	4.1	14.8
K300698		1.76	7.36	0.10	1.3	3.00	0.055	1.20	20.6	8.0	0.89	704	1.57	0.02	4.2	16.6
K300699		0.71	2.46	0.06	0.5	1.84	0.015	0.39	8.1	2.4	0.43	777	0.39	0.01	1.5	4.2
K300700		1.54	6.25	0.09	1.1	3.49	0.031	0.98	17.5	7.5	0.42	642	1.06	0.02	3.5	13.4
K300701		3.51	14.80	0.15	2.4	9.43	0.090	2.19	38.2	15.9	0.38	1840	2.83	0.02	7.6	33.7
K300702		2.35	10.45	0.10	1.8	7.43	0.034	1.64	24.3	11.5	0.72	3480	1.76	0.02	5.5	23.4
K300703		0.83	3.24	0.06	0.6	2.21	0.011	0.53	9.0	3.8	0.43	1390	0.76	0.01	1.9	6.0
K300704		6.69	21.0	0.18	4.2	8.98	0.045	1.28	64.5	20.4	0.12	38	5.91	0.38	9.5	17.8
K300705		1.26	4.79	0.06	0.9	6.31	0.018	0.82	13.7	5.4	0.73	290	1.12	0.01	2.7	10.8
K300706		0.64	2.38	0.05	0.4	4.86	0.018	0.40	7.5	2.9	0.30	635	0.49	0.01	1.3	4.8
K300707		0.89	3.67	0.06	0.7	6.48	0.019	0.63	10.4	4.4	0.29	693	0.77	0.01	2.1	7.1
K300708		0.72	2.92	0.06	0.5	5.27	0.016	0.49	8.2	3.0	0.19	734	0.45	0.01	1.7	5.5
K300709		0.51	1.05	0.30	<0.1	0.02	0.005	0.21	1.0	4.2	13.15	219	0.14	0.01	0.6	6.4
K300710		0.94	3.77	0.05	0.7	5.22	0.012	0.68	11.9	4.0	0.31	308	0.73	0.01	2.2	7.6
K300711		0.49	1.87	0.05	0.3	2.26	0.010	0.33	5.8	2.3	0.33	405	0.24	0.01	1.2	2.3
K300712		0.37	1.33	0.06	0.3	1.06	0.006	0.23	4.8	1.7	0.32	147	0.22	0.01	0.9	2.1
K300713		0.37	1.31	0.05	0.2	1.08	0.006	0.23	4.7	1.7	0.31	128	0.19	0.01	0.9	2.0
K300714		0.49	1.29	0.05	0.2	0.81	0.005	0.23	4.6	1.6	1.39	250	0.22	0.01	0.8	1.7
K300715		0.48	1.48	0.05	0.3	0.88	0.008	0.27	5.1	1.9	0.35	147	0.30	0.01	1.0	2.6
K300716		0.35	1.14	0.06	0.2	0.54	0.005	0.18	3.8	1.9	0.37	310	0.45	0.01	1.0	1.3
K300717		0.78	3.49	0.08	0.6	1.95	0.012	0.57	10.9	4.4	0.68	196	0.63	0.01	2.2	4.4
K300718		0.75	3.22	0.08	0.5	2.54	0.019	0.48	8.8	3.4	0.44	2260	0.81	0.01	2.0	4.6
K300719		2.18	8.98	0.14	1.9	4.36	0.033	1.05	31.8	53.1	2.75	283	20.5	0.03	8.2	54.7
K300720		1.98	9.25	0.13	1.5	3.12	0.033	1.44	22.8	10.2	1.04	761	1.68	0.02	5.4	17.4
K300721		1.18	5.31	0.11	0.9	0.72	0.018	0.86	13.7	8.0	0.88	314	1.44	0.02	3.2	9.2
K300722		1.03	4.75	0.08	0.8	1.14	0.016	0.76	12.5	6.1	0.83	297	1.10	0.02	2.9	7.4
K300723		0.49	0.29	0.14	<0.1	0.01	<0.005	0.03	0.7	0.9	13.85	217	0.14	<0.01	0.4	2.6
K300724		0.70	2.55	0.06	0.6	0.36	0.013	0.46	8.5	4.0	0.45	215	0.62	<0.01	2.0	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173777

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300689		390	2.7	15.2	<0.002	0.41	0.32	2.2	2	0.2	2130	0.08	<0.05	1.2	0.036	0.45
K300690		220	11.4	70.6	0.004	2.03	0.41	9.0	2	0.9	1630	0.36	0.06	5.2	0.216	2.07
K300691		320	7.4	48.3	0.003	1.26	0.27	6.3	3	0.6	1905	0.26	<0.05	3.8	0.129	0.79
K300692		770	5.3	27.5	0.002	0.78	0.22	3.8	2	0.4	1890	0.14	<0.05	2.4	0.072	0.39
K300693		210	7.6	48.1	0.003	1.28	0.42	5.8	2	0.6	1880	0.25	<0.05	3.8	0.128	0.84
K300694		490	6.9	41.9	0.003	1.21	0.38	5.6	2	0.6	1800	0.21	0.05	3.2	0.128	0.95
K300695		910	4.6	28.6	0.002	0.77	0.20	4.0	2	0.4	1910	0.15	<0.05	2.3	0.085	0.90
K300696		590	4.9	26.2	0.002	0.69	0.56	3.7	2	0.4	1860	0.14	<0.05	2.3	0.069	1.64
K300697		180	9.6	58.5	0.007	1.52	0.54	7.3	3	0.9	1855	0.33	0.06	4.9	0.146	5.07
K300698		270	11.5	59.5	0.006	3.55	102.5	7.7	6	0.9	1625	0.32	0.12	4.8	0.146	8.11
K300699		1210	3.9	18.6	0.002	0.78	15.55	3.4	3	0.3	2080	0.10	0.05	1.7	0.048	5.93
K300700		350	10.6	49.5	0.005	2.41	41.8	5.5	3	0.8	1655	0.27	0.07	4.2	0.124	11.55
K300701		360	27.6	111.0	0.010	6.81	236	9.5	7	1.7	449	0.61	0.23	9.5	0.272	33.5
K300702		290	16.4	80.1	0.007	2.60	36.6	10.7	3	1.2	776	0.42	0.12	6.2	0.202	24.6
K300703		690	5.0	25.7	0.003	0.80	7.41	4.3	3	0.4	2090	0.13	0.05	2.1	0.062	6.89
K300704		880	18.8	49.6	0.004	2.99	113.0	16.6	2	2.9	493	0.79	0.14	9.1	0.529	7.71
K300705		280	7.1	39.1	0.005	1.31	6.48	4.8	3	0.6	1810	0.20	0.05	3.2	0.095	12.45
K300706		690	4.2	19.5	0.002	0.74	4.12	4.0	2	0.4	1155	0.09	<0.05	1.6	0.044	11.70
K300707		470	6.7	30.5	0.003	1.15	14.45	4.8	3	0.5	1035	0.15	0.05	2.4	0.071	17.10
K300708		360	4.5	23.5	0.002	0.83	13.50	4.7	2	0.4	1285	0.12	0.05	2.0	0.055	16.45
K300709		280	1.5	10.7	<0.002	<0.01	0.11	0.8	1	0.2	48.8	<0.05	<0.05	0.2	0.013	0.09
K300710		240	6.2	31.3	0.003	1.02	10.45	3.8	3	0.5	1625	0.16	0.06	2.7	0.076	15.60
K300711		440	3.4	16.2	<0.002	0.49	3.60	2.3	2	0.3	1470	0.08	<0.05	1.3	0.037	6.86
K300712		190	2.7	11.2	0.002	0.34	0.58	1.6	2	0.2	1805	0.06	<0.05	1.0	0.026	2.80
K300713		160	2.8	11.2	<0.002	0.34	0.40	1.5	2	0.2	1820	0.05	<0.05	0.9	0.027	2.77
K300714		340	5.6	10.2	0.002	0.33	0.40	1.5	2	0.2	1405	0.05	<0.05	0.9	0.025	1.80
K300715		220	3.8	12.6	<0.002	0.46	0.49	1.8	2	0.2	1850	0.07	<0.05	1.1	0.034	1.74
K300716		100	1.9	7.5	<0.002	0.28	0.38	1.3	1	0.2	1775	<0.05	<0.05	0.8	0.022	1.14
K300717		620	7.4	23.4	0.002	0.77	0.61	3.6	2	0.4	1640	0.12	<0.05	2.5	0.065	4.28
K300718		220	5.1	21.0	0.002	0.82	5.67	3.0	2	0.4	1495	0.11	<0.05	2.1	0.059	7.67
K300719		910	36.8	51.4	0.026	1.67	109.0	6.0	4	2.6	77.7	0.51	0.20	7.0	0.186	4.38
K300720		400	12.5	63.0	0.006	2.05	1.81	9.1	2	1.1	1395	0.35	0.06	5.8	0.183	7.96
K300721		400	7.1	36.7	0.005	1.16	0.37	5.2	2	0.6	1840	0.19	<0.05	3.5	0.101	2.88
K300722		460	5.8	33.0	0.004	1.05	0.40	4.5	2	0.5	1630	0.18	<0.05	3.2	0.087	2.04
K300723		190	1.4	1.7	<0.002	0.01	<0.05	0.3	1	<0.2	48.2	<0.05	<0.05	<0.2	<0.005	0.03
K300724		260	5.6	26.0	0.002	0.68	0.25	2.8	2	0.4	2020	0.11	<0.05	1.8	0.054	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173777

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300689		1.6	10	0.4	10.7	10	12.6	
K300690		2.9	59	0.7	21.7	45	52.8	
K300691		2.7	35	0.6	21.8	32	39.0	
K300692		2.5	20	0.4	15.1	18	24.5	
K300693		2.8	35	0.9	18.4	30	37.2	
K300694		2.4	34	0.7	15.4	30	35.6	
K300695		2.8	22	0.7	14.5	20	25.9	
K300696		2.6	19	0.5	14.7	17	24.3	
K300697		2.9	43	1.2	18.6	38	44.5	
K300698		3.0	46	2.4	21.3	40	46.1	4.26
K300699		2.6	14	0.9	16.2	13	20.7	
K300700		3.1	37	2.9	17.5	37	39.3	1.875
K300701		5.2	88	7.8	19.8	96	81.6	6.82
K300702		3.3	63	5.2	22.0	59	60.6	
K300703		2.7	18	1.9	12.4	16	23.8	
K300704		7.9	161	22.5	14.7	42	160.0	
K300705		3.1	30	3.0	15.5	27	30.8	
K300706		2.4	15	1.4	15.2	14	17.6	
K300707		3.0	21	2.0	13.8	16	24.1	
K300708		2.9	17	1.6	14.3	17	19.8	
K300709		0.6	7	0.2	1.2	14	0.7	
K300710		3.5	22	1.9	14.5	17	24.5	
K300711		2.1	10	1.1	11.8	8	13.4	
K300712		2.0	7	0.9	10.1	5	9.4	
K300713		2.0	7	0.8	10.0	7	9.3	
K300714		1.8	7	0.6	8.6	18	9.3	
K300715		2.0	8	1.1	9.6	7	11.1	
K300716		1.5	9	0.6	7.5	5	8.4	
K300717		3.7	18	1.3	16.6	14	23.4	
K300718		2.3	16	2.4	12.9	17	20.7	
K300719		9.2	240	30.2	22.0	223	74.1	
K300720		3.5	55	5.2	22.2	47	59.2	
K300721		3.3	31	0.6	14.9	29	33.7	
K300722		3.4	25	1.3	15.5	23	30.8	
K300723		0.5	2	<0.1	0.9	15	0.6	
K300724		2.3	17	0.5	13.5	15	20.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173777

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

CERTIFICATE VA11173985

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 142

This report is for 44 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
EXTRA- 01	Extra Sample received in Shipment
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K299473		8.56	0.02	0.01	0.62	2210	40	0.35	0.02	20.8	0.05	10.15	2.6	1	1.28	5.8
K299474		8.78	0.02	0.02	0.85	1680	60	0.40	0.03	26.4	0.22	15.35	3.4	3	3.25	8.8
K299475		4.98	<0.01	<0.01	0.05	<5	20	0.07	0.03	22.2	0.06	2.25	2.0	<1	0.13	2.2
K299476		8.20	<0.01	0.09	7.32	164.0	320	2.74	0.33	3.09	0.15	65.0	14.3	55	31.2	36.4
K299477		8.68	<0.01	0.09	5.67	55	240	1.67	0.22	15.30	0.06	57.1	9.4	37	21.5	26.6
K299478		8.38	<0.01	0.06	4.26	17	200	1.14	0.15	19.20	0.06	45.0	7.8	26	16.50	16.8
K299479		9.18	<0.01	0.01	2.29	11	150	0.71	0.06	15.60	0.08	26.8	4.5	20	8.14	13.9
K299480		8.52	<0.01	0.08	3.50	23	190	0.92	0.12	19.45	0.06	36.3	6.3	22	15.30	22.2
K299481		8.58	<0.01	0.06	4.33	19	210	1.08	0.15	17.65	0.05	42.9	9.1	28	22.5	18.1
K299482		7.06	<0.01	0.04	1.14	226	90	0.43	0.03	31.1	0.09	15.10	3.4	8	3.15	6.5
K299483		9.06	<0.01	0.06	2.38	372	100	0.79	0.06	24.2	0.08	29.2	5.3	20	7.72	15.1
K299484		7.14	0.02	0.09	3.96	691	170	1.22	0.08	17.65	0.06	43.4	7.4	34	13.35	19.7
K299485		7.04	0.01	0.02	0.88	290	210	0.33	0.02	33.3	0.18	13.10	2.7	6	2.81	6.8
K299486		8.74	0.01	0.03	1.31	506	70	0.44	0.03	27.3	0.15	16.70	2.7	13	3.90	10.5
K299487		8.84	<0.01	0.07	2.43	626	140	0.70	0.05	20.9	0.19	29.4	4.3	25	9.03	17.8
K299488		7.58	<0.01	0.04	1.42	341	150	0.41	0.03	24.5	0.28	17.70	2.5	13	4.21	7.8
K299489		11.16	<0.01	0.04	2.43	365	150	0.76	0.06	23.4	0.09	23.9	4.6	22	9.45	12.2
K299490		9.84	<0.01	0.04	3.49	662	220	1.04	0.08	14.40	0.07	35.9	5.8	37	12.40	20.8
K299491		9.40	<0.01	0.02	2.92	960	150	0.91	0.06	21.6	0.10	30.4	4.2	28	9.97	18.1
K299492		8.38	<0.01	0.04	2.12	423	150	0.69	0.05	26.0	0.19	23.1	3.8	19	6.48	12.5
K299493		0.28	0.33	0.31	6.60	663	950	0.59	0.28	0.48	0.18	133.5	3.0	236	3.50	34.8
K299494		7.50	<0.01	0.06	4.10	574	220	1.15	0.09	14.45	0.09	41.6	7.0	40	13.40	23.7
K299495		6.86	0.01	0.05	3.94	625	200	1.18	0.09	18.30	0.08	41.9	6.1	37	14.35	25.9
K299496		3.52	0.01	0.04	3.61	738	170	1.01	0.08	18.55	0.07	37.3	6.2	35	12.60	22.7
K299497		5.34	<0.01	0.01	3.92	305	180	1.19	0.09	18.95	0.10	38.1	6.4	34	11.45	25.1
K299498		8.96	<0.01	0.02	4.06	514	310	1.19	0.09	18.85	0.10	40.0	7.0	33	11.90	29.0
K299499		6.98	<0.01	<0.01	0.01	8	20	0.05	0.01	16.45	0.06	0.09	1.3	1	0.38	2.3
K299500		11.76	<0.01	0.03	3.80	200	300	1.10	0.09	14.55	0.08	40.4	6.4	35	13.75	24.9
K299501		Not Recvd														
K299502		Not Recvd														
K299503		Not Recvd														
K299504		Not Recvd														
K299505		Not Recvd														
K299506		Not Recvd														
K299507		Not Recvd														
K299508		Not Recvd														
K302001		10.36	<0.01	0.02	4.21	60	230	1.25	0.10	15.95	0.09	43.6	7.5	40	15.40	24.9
K302002		12.00	<0.01	0.04	4.69	37	290	1.39	0.11	12.35	0.08	49.6	8.0	46	16.70	28.0
K302003		11.84	<0.01	0.02	4.56	37	250	1.26	0.11	13.65	0.07	46.3	7.6	42	15.75	30.0
K302004		10.32	<0.01	0.04	2.70	245	160	0.77	0.07	24.6	0.13	27.5	5.0	24	7.91	17.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K299473		0.70	2.13	0.13	0.4	0.71	0.008	0.30	5.2	4.8	12.15	532	0.13	0.02	1.2	4.0
K299474		0.90	2.66	0.09	0.4	0.65	0.010	0.42	7.0	5.5	7.94	546	0.15	0.02	1.6	6.5
K299475		0.50	0.67	0.23	<0.1	<0.01	<0.005	0.02	1.0	1.2	13.50	217	0.06	<0.01	0.4	3.2
K299476		3.55	23.5	0.18	3.2	0.91	0.066	3.96	31.7	35.4	1.39	135	0.77	0.05	11.9	33.6
K299477		2.05	15.70	0.10	2.4	0.34	0.047	2.87	29.9	18.6	3.05	316	0.49	0.04	8.1	19.2
K299478		1.72	10.65	0.10	1.8	0.08	0.037	2.17	22.5	11.8	3.50	317	0.41	0.03	6.0	14.2
K299479		1.98	5.88	0.06	1.5	0.04	0.019	1.17	13.0	8.5	7.25	404	0.30	0.02	3.9	9.8
K299480		1.51	8.66	0.07	1.7	0.04	0.025	1.79	18.6	11.0	4.04	288	0.49	0.03	5.0	12.1
K299481		1.63	10.85	0.08	1.9	0.04	0.037	2.23	22.0	12.9	2.90	290	0.36	0.04	6.2	14.4
K299482		0.50	2.84	<0.05	0.6	0.18	0.007	0.61	8.1	5.7	1.06	129	0.27	0.01	1.8	6.3
K299483		1.11	6.22	0.06	1.1	0.32	0.016	1.30	15.0	13.1	1.96	170	0.47	0.02	3.7	11.7
K299484		1.53	9.98	0.07	2.1	0.51	0.028	2.19	21.8	21.1	2.47	193	0.90	0.02	6.2	17.6
K299485		0.40	2.33	<0.05	0.4	0.18	0.007	0.49	7.3	4.7	0.93	132	0.21	0.01	1.6	5.3
K299486		0.62	3.14	0.05	0.7	0.19	0.010	0.71	10.8	7.8	3.91	175	0.63	0.01	2.2	6.0
K299487		0.98	5.93	0.06	1.6	0.27	0.018	1.37	17.7	14.3	3.75	179	0.69	0.02	4.1	10.7
K299488		0.64	3.24	0.05	1.1	0.12	0.010	0.85	11.0	7.7	3.08	154	0.61	0.02	2.5	5.2
K299489		0.94	6.03	0.05	1.3	0.15	0.017	1.35	15.3	15.3	3.42	169	0.52	0.02	4.1	10.7
K299490		1.41	8.74	0.07	2.0	0.12	0.025	1.93	21.3	20.3	5.16	210	0.79	0.03	5.5	14.5
K299491		1.07	7.14	0.06	1.4	0.06	0.020	1.57	18.6	16.8	3.11	197	0.40	0.02	4.7	11.5
K299492		0.93	5.15	0.06	1.0	0.1	0.015	1.11	14.1	13.6	2.50	196	0.63	0.02	3.5	9.7
K299493		6.89	21.1	0.21	4.2	8.2	0.050	1.38	72.3	17.4	0.12	35	7.12	0.38	9.9	19.1
K299494		1.73	9.91	0.07	2.1	0.09	0.027	2.14	24.1	30.6	4.20	248	0.77	0.04	6.5	19.6
K299495		1.51	9.41	<0.05	2.0	0.05	0.031	1.95	25.3	48.7	3.15	232	0.64	0.03	6.2	16.5
K299496		1.43	8.93	0.06	1.9	0.05	0.024	1.80	22.6	45.1	2.95	224	0.55	0.03	5.9	16.4
K299497		1.43	9.62	0.06	1.8	0.03	0.028	1.72	23.1	48.4	3.03	241	0.31	0.03	6.4	17.7
K299498		1.63	9.92	0.07	1.8	0.03	0.029	1.67	23.8	40.1	2.69	264	0.36	0.03	6.4	19.8
K299499		0.45	0.28	0.07	<0.1	<0.01	<0.005	0.03	<0.5	0.9	12.10	216	0.08	<0.01	0.3	2.5
K299500		1.58	9.53	0.06	2.2	0.02	0.028	1.67	23.6	39.4	4.71	299	0.45	0.10	6.0	16.4
K299501																
K299502																
K299503																
K299504																
K299505																
K299506																
K299507																
K299508																
K302001		1.82	10.30	0.07	1.9	0.03	0.031	1.78	26.0	44.1	3.48	279	0.28	0.12	6.7	19.5
K302002		2.09	11.95	0.08	2.3	0.03	0.035	2.01	29.4	53.5	4.56	323	0.52	0.14	7.4	22.6
K302003		1.89	11.20	0.07	2.0	0.04	0.032	1.87	27.5	53.6	3.69	321	0.39	0.18	7.0	21.2
K302004		1.12	6.58	0.06	1.2	0.03	0.017	0.95	16.9	34.3	2.15	349	0.46	0.20	4.4	12.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K299473		510	3.1	11.4	<0.002	0.40	1.84	1.5	2	0.2	87.1	0.08	<0.05	1.3	0.030	1.29
K299474		950	5.8	17.6	<0.002	0.70	1.62	2.2	2	0.3	150.0	0.09	0.07	1.4	0.038	1.40
K299475		200	1.1	1.1	<0.002	0.02	<0.05	0.5	1	<0.2	46.0	<0.05	<0.05	0.2	<0.005	<0.02
K299476		720	21.1	123.0	<0.002	2.87	0.83	16.6	2	2.5	109.5	0.87	0.09	10.9	0.370	2.26
K299477		720	11.5	113.0	<0.002	0.83	0.40	11.4	2	1.6	426	0.61	0.05	9.0	0.249	1.10
K299478		740	9.0	79.9	0.002	0.40	0.31	7.9	1	1.2	596	0.44	<0.05	6.6	0.185	0.72
K299479		380	6.2	44.2	<0.002	0.09	0.15	4.2	2	0.7	231	0.28	<0.05	4.7	0.103	0.34
K299480		520	6.2	75.3	<0.002	0.12	0.24	6.5	2	1.0	628	0.37	<0.05	5.2	0.152	0.59
K299481		550	6.7	86.4	<0.002	0.15	0.25	8.2	2	1.3	541	0.47	<0.05	6.7	0.187	0.63
K299482		150	5.3	22.7	0.002	0.14	0.93	2.2	2	0.3	1020	0.11	<0.05	2.0	0.045	0.46
K299483		340	6.9	49.5	<0.002	0.25	1.65	4.4	2	0.7	640	0.26	<0.05	4.4	0.097	0.49
K299484		480	15.0	75.8	0.002	0.25	3.11	6.7	2	1.2	498	0.47	<0.05	7.5	0.173	1.00
K299485		130	4.5	17.9	<0.002	0.08	1.27	1.9	2	0.3	1375	0.10	<0.05	1.6	0.037	0.44
K299486		200	9.2	29.4	<0.002	0.20	2.63	2.1	2	0.4	911	0.16	<0.05	3.1	0.056	0.71
K299487		480	11.0	49.4	<0.002	0.31	3.58	4.0	3	0.8	625	0.32	<0.05	5.7	0.108	0.61
K299488		230	10.6	35.1	<0.002	0.20	2.13	2.2	2	0.5	1030	0.18	<0.05	3.3	0.063	0.46
K299489		280	9.0	50.9	<0.002	0.31	2.12	3.8	2	0.7	720	0.32	<0.05	5.3	0.108	0.42
K299490		410	8.8	76.6	<0.002	0.25	5.83	5.7	3	1.2	353	0.46	<0.05	7.9	0.159	0.46
K299491		370	7.6	62.1	<0.002	0.05	4.13	4.8	2	0.9	539	0.37	<0.05	6.4	0.129	0.41
K299492		250	7.7	46.4	<0.002	0.11	1.75	3.4	3	0.6	786	0.26	<0.05	4.8	0.091	0.28
K299493		940	18.9	49.7	0.003	3.19	116.5	16.0	2	3.1	521	0.81	0.14	9.9	0.588	8.78
K299494		490	10.4	103.5	<0.002	0.15	4.05	6.5	3	1.2	383	0.53	<0.05	9.1	0.186	0.60
K299495		460	9.3	104.5	<0.002	0.10	7.96	6.1	3	1.3	422	0.53	<0.05	9.0	0.181	0.67
K299496		430	8.2	95.3	<0.002	0.10	7.32	5.8	2	1.1	436	0.48	<0.05	8.2	0.165	0.59
K299497		420	7.5	84.6	<0.002	0.03	5.54	6.4	2	1.2	427	0.50	<0.05	8.5	0.175	0.45
K299498		460	8.9	80.5	<0.002	0.03	6.00	6.5	2	1.2	415	0.50	<0.05	8.4	0.177	0.48
K299499		190	1.4	2.7	<0.002	<0.01	0.07	0.5	1	<0.2	39.4	<0.05	<0.05	<0.2	<0.005	<0.02
K299500		410	8.5	81.2	<0.002	0.04	1.66	6.0	2	1.3	308	0.51	<0.05	8.5	0.170	0.43
K299501																
K299502																
K299503																
K299504																
K299505																
K299506																
K299507																
K299508																
K302001		410	8.2	89.9	<0.002	0.04	0.31	6.7	2	1.3	385	0.55	<0.05	9.1	0.185	0.42
K302002		500	9.8	99.1	<0.002	0.06	0.37	7.6	3	1.6	298	0.63	<0.05	10.2	0.215	0.46
K302003		490	9.9	92.1	<0.002	0.05	0.40	7.3	3	1.4	340	0.57	<0.05	9.6	0.202	0.42
K302004		320	8.9	47.5	<0.002	0.06	1.62	4.4	2	0.9	632	0.34	<0.05	5.7	0.117	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K299473		4.9	10	0.6	4.4	16	15.8
K299474		4.1	12	0.6	7.6	82	15.5
K299475		0.5	3	0.1	0.7	17	<0.5
K299476		3.9	108	2.0	20.1	77	112.5
K299477		7.3	76	1.2	16.4	47	84.3
K299478		8.1	57	0.8	13.6	41	61.3
K299479		5.6	32	0.5	8.9	16	52.7
K299480		8.6	47	0.6	10.6	17	56.4
K299481		7.0	56	0.8	12.3	18	62.0
K299482		10.6	18	0.6	4.4	25	22.5
K299483		9.5	38	1.1	7.8	36	36.7
K299484		7.5	61	2.0	11.4	34	69.2
K299485		10.2	13	0.5	4.2	24	14.7
K299486		9.7	20	0.5	6.6	34	26.8
K299487		8.3	35	0.5	11.5	46	53.7
K299488		9.5	19	0.3	7.2	38	38.6
K299489		9.3	33	0.5	9.3	29	46.3
K299490		6.1	52	0.8	13.1	52	66.5
K299491		7.8	43	0.6	11.5	54	50.7
K299492		11.5	32	0.5	8.8	50	34.8
K299493		7.8	178	23.1	16.2	49	170.0
K299494		7.4	57	0.9	15.3	60	71.2
K299495		8.4	57	0.9	14.3	47	68.5
K299496		7.9	54	0.8	13.6	45	62.7
K299497		6.9	47	0.9	14.1	53	65.5
K299498		7.4	56	0.9	15.1	57	65.6
K299499		0.6	2	0.1	<0.1	14	<0.5
K299500		6.6	48	0.7	14.5	59	73.1
K299501							
K299502							
K299503							
K299504							
K299505							
K299506							
K299507							
K299508							
K302001		6.1	53	0.8	15.4	70	67.6
K302002		5.8	67	0.8	17.5	78	76.6
K302003		5.9	59	0.8	16.2	69	70.2
K302004		10.7	37	0.5	10.3	45	40.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302005		0.28	2.55	1.04	3.45	631	930	0.74	0.33	8.37	2.34	47.8	6.9	56	4.01	45.8
K302006		11.38	<0.01	0.05	3.71	157	180	1.08	0.08	20.0	0.14	37.6	6.3	35	10.80	23.6
K302007		10.90	0.01	0.04	3.91	105	170	1.03	0.10	19.90	0.08	39.0	7.2	36	11.70	24.3
K302008		11.76	<0.01	0.05	3.95	118	150	1.15	0.10	18.75	0.10	41.6	7.2	39	12.85	20.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
K302005		2.21	8.18	0.08	1.8	4.31	0.031	1.03	33.0	39.1	2.62	290	19.65	0.03	6.9	57.5
K302006		1.66	8.85	0.06	1.5	0.05	0.026	1.23	22.4	60.6	2.74	406	0.67	0.24	5.8	18.0
K302007		1.68	9.78	0.06	1.6	0.06	0.028	1.23	23.7	56.3	2.29	486	0.30	0.33	6.2	19.8
K302008		1.67	9.56	0.07	1.9	0.05	0.028	1.42	24.4	50.0	3.59	617	0.49	0.23	6.3	17.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302005		930	39.8	53.4	0.025	1.63	113.5	5.3	5	2.6	79.9	0.51	0.20	7.1	0.182	4.63
K302006		470	11.1	62.8	<0.002	0.14	0.64	6.0	3	1.2	555	0.47	<0.05	7.7	0.161	0.31
K302007		440	8.1	64.7	<0.002	0.08	0.51	6.2	2	1.3	466	0.50	<0.05	8.2	0.166	0.29
K302008		430	10.5	71.6	<0.002	0.14	0.60	6.2	2	1.3	508	0.51	<0.05	8.7	0.178	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302005		9.0	239	29.5	22.7	229	66.5
K302006		9.3	51	0.7	13.4	62	53.3
K302007		8.7	52	0.7	14.0	63	53.8
K302008		8.8	51	0.7	14.6	63	65.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173985

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

CERTIFICATE VA11173987

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 143

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173987

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301650		7.80	1.17	0.38	0.25	2260	20	0.12	0.01	19.80	0.22	5.70	0.8	4	0.39	6.9
K301651		3.60	0.62	0.21	0.24	1320	20	0.09	0.01	19.40	0.11	5.87	1.3	3	0.29	6.4
K301652		8.68	28.3	3.57	0.55	>10000	50	0.18	0.05	4.80	2.67	27.3	3.0	13	1.26	11.2
K301653		11.18	1.55	0.28	0.23	2940	20	0.10	0.01	20.7	0.20	6.61	1.6	2	0.27	4.2
K301654		11.54	1.57	0.28	0.22	2730	20	0.11	0.01	20.7	0.46	5.23	1.5	2	0.26	3.3
K301655		0.30	7.90	0.45	3.48	1000	160	0.79	0.64	11.25	4.20	45.1	6.0	94	6.81	38.2
K301656		10.34	2.41	0.26	0.23	8190	20	0.10	0.01	19.60	0.19	6.05	1.4	2	0.26	3.0
K301657		12.08	1.51	0.24	0.17	1930	10	0.12	0.01	21.0	0.29	6.77	1.4	1	0.20	4.3
K301658		10.22	5.29	0.62	0.51	7220	40	0.19	0.02	19.20	1.69	15.10	2.2	6	0.74	6.7
K301659		6.98	0.04	0.01	0.05	83	20	0.05	0.02	20.9	0.06	1.23	1.5	<1	0.12	3.0
K301660		10.04	1.94	0.16	0.48	1840	40	0.15	0.02	19.90	0.07	10.65	1.5	3	0.92	6.8
K301661		5.64	11.60	0.88	0.64	>10000	70	0.13	0.05	9.33	0.43	9.93	1.1	10	1.24	13.8
K301662		9.60	0.31	0.07	0.81	1860	60	0.30	0.02	32.9	0.28	9.69	1.6	9	2.55	4.9
K301663		12.08	0.02	0.02	0.27	264	50	0.15	0.01	34.6	0.19	7.00	0.8	3	0.52	4.9
K301664		6.98	<0.01	0.01	0.05	7	20	0.05	0.01	21.2	0.06	1.21	1.5	<1	0.12	1.9
K301665		11.94	<0.01	0.03	0.44	212	60	0.20	0.01	35.1	0.20	8.57	1.0	5	1.09	5.6
K301666		11.56	<0.01	0.02	0.29	125	40	0.15	0.01	35.5	0.18	5.99	0.9	4	0.59	5.7
K301667		11.80	0.02	0.08	0.78	148	50	0.26	0.02	33.8	0.08	10.90	1.2	10	2.72	6.5
K301668		11.82	0.04	0.01	0.23	122	40	0.13	0.01	35.0	0.19	5.40	0.6	3	0.46	5.0
K301669		11.98	0.03	0.01	0.27	163	40	0.16	0.01	32.9	0.17	5.32	1.1	4	0.56	2.2
K301670		11.84	<0.01	0.01	0.28	124	50	0.15	0.01	34.4	0.20	5.46	0.7	4	0.58	2.4
K301671		12.06	0.01	<0.01	0.26	124	50	0.15	0.01	35.2	0.25	5.56	0.7	3	0.55	2.6
K301672		11.56	0.05	0.01	0.29	240	40	0.17	0.01	33.5	0.18	5.72	0.8	3	0.61	3.3
K301673		12.62	0.04	0.01	0.39	491	40	0.18	0.01	34.3	0.21	6.68	0.7	3	0.81	2.0
K301674		10.52	0.08	0.01	0.41	476	40	0.17	0.01	34.1	0.19	7.20	0.9	3	0.90	3.1
K301675		7.02	1.71	0.29	2.04	>10000	100	0.69	0.06	15.55	0.56	14.20	3.2	26	5.73	20.0
K301676		6.28	1.05	0.32	3.11	>10000	130	0.83	0.09	14.85	0.27	19.25	4.4	36	8.45	23.4
K301677		0.28	16.15	0.92	2.02	1260	260	0.35	0.53	15.05	0.63	32.1	3.7	37	2.25	64.5
K301678		4.84	0.36	0.04	0.57	979	60	0.20	0.02	30.1	0.21	7.66	1.0	6	1.26	5.5
K301679		11.14	0.70	0.04	0.56	931	40	0.17	0.02	28.3	0.14	9.09	0.9	5	1.33	4.6
K301680		11.08	0.05	0.02	1.15	774	70	0.37	0.03	30.0	0.07	15.10	2.4	12	3.93	4.6
K301681		10.98	0.02	0.02	1.22	676	70	0.36	0.03	30.7	0.10	16.00	3.1	13	4.65	5.3
K301682		10.22	0.01	0.04	1.72	1200	100	0.46	0.04	27.9	0.10	21.2	3.1	19	6.51	9.0
K301683		11.50	0.01	0.02	0.61	401	70	0.19	0.02	32.8	0.12	9.98	1.2	7	1.66	2.6
K301684		10.34	0.01	0.05	1.14	984	80	0.31	0.03	29.0	0.12	14.40	2.3	13	3.16	7.0
K301685		11.34	0.01	0.05	1.24	434	70	0.40	0.03	28.3	0.07	16.25	1.9	13	3.50	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173987

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301650		0.85	0.67	0.16	0.2	6.7	<0.005	0.09	3.2	3.5	12.10	752	0.30	0.02	0.3	1.9
K301651		0.73	0.68	0.05	0.2	3.86	<0.005	0.08	3.2	3.5	11.85	670	0.30	0.02	0.5	<0.2
K301652		1.98	1.73	<0.05	0.5	62.9	0.033	0.19	13.1	42.2	1.44	2120	0.61	0.01	0.9	9.8
K301653		0.99	0.79	<0.05	0.2	5.3	0.005	0.09	3.7	2.9	11.95	1970	0.26	0.02	0.5	<0.2
K301654		0.69	0.84	0.12	0.1	7.0	0.008	0.09	3.0	3.5	12.50	1120	0.21	0.03	0.5	<0.2
K301655		1.34	7.71	0.09	2.3	6.32	0.062	1.41	28.9	12.4	0.72	263	10.55	0.01	7.7	66.7
K301656		0.73	0.87	0.08	0.1	5.52	0.007	0.09	3.4	4.0	11.45	2000	0.33	0.02	0.6	<0.2
K301657		1.05	0.73	<0.05	0.1	4.62	<0.005	0.07	4.0	2.5	11.35	2580	0.23	0.02	0.5	<0.2
K301658		1.09	1.82	<0.05	0.3	17.4	0.012	0.21	8.0	5.8	10.20	3740	0.38	0.01	1.0	1.2
K301659		0.45	0.37	0.36	<0.1	0.16	<0.005	0.02	0.6	0.9	13.20	225	0.07	<0.01	0.3	<0.2
K301660		0.70	1.53	0.12	0.2	6.1	0.006	0.22	6.3	3.5	10.70	3730	0.48	0.01	0.8	2.3
K301661		0.70	2.12	<0.05	0.3	45.5	0.028	0.25	6.4	25.3	5.05	3770	0.55	0.01	1.1	1.0
K301662		0.46	2.25	0.06	0.4	2.85	0.007	0.40	6.0	5.4	0.64	458	1.25	0.01	1.4	<0.2
K301663		0.34	0.77	0.07	0.2	1.03	<0.005	0.13	4.5	1.2	0.74	253	0.34	0.01	0.7	<0.2
K301664		0.47	0.40	0.45	<0.1	0.1	<0.005	0.02	0.6	0.8	13.45	219	<0.05	<0.01	0.3	1.0
K301665		0.27	1.24	0.16	0.3	0.39	<0.005	0.21	5.3	2.3	0.71	203	0.21	0.01	1.0	<0.2
K301666		0.37	0.82	0.08	0.2	0.10	<0.005	0.14	4.1	1.4	0.87	171	0.09	0.01	0.8	<0.2
K301667		0.27	2.17	0.16	0.4	0.14	0.006	0.39	6.8	3.9	0.62	135	0.29	0.01	1.5	<0.2
K301668		0.17	0.70	0.16	0.2	0.3	<0.005	0.11	3.7	1.2	0.61	139	0.11	0.01	0.7	<0.2
K301669		0.58	0.75	0.08	0.2	0.3	<0.005	0.13	3.6	1.2	1.22	244	0.10	0.01	0.7	<0.2
K301670		0.25	0.78	0.09	0.2	0.08	<0.005	0.13	3.7	1.2	0.73	109	0.24	0.01	0.7	<0.2
K301671		0.23	0.77	0.12	0.2	0.3	<0.005	0.13	3.8	1.1	0.71	333	0.08	0.01	0.7	<0.2
K301672		0.60	0.89	0.05	0.2	1.42	<0.005	0.14	3.9	1.1	1.50	1760	0.11	0.01	0.8	<0.2
K301673		0.21	1.18	0.09	0.3	2.44	<0.005	0.19	4.4	1.3	0.62	2000	0.14	0.01	0.9	<0.2
K301674		0.30	1.22	0.11	0.3	8.2	0.005	0.19	4.5	1.6	0.68	1570	0.14	0.01	0.9	<0.2
K301675		1.68	5.32	0.05	1.0	54.6	0.040	0.99	8.8	11.2	2.71	2950	1.70	0.01	3.3	7.8
K301676		1.27	8.10	0.06	1.6	34.1	0.029	1.52	11.6	15.4	1.97	2700	2.01	0.02	4.9	11.2
K301677		3.53	4.00	0.05	0.9	7.02	0.050	0.39	18.6	37.0	0.73	455	11.60	0.01	3.5	19.9
K301678		0.29	1.60	0.05	0.3	12.2	0.006	0.28	4.6	2.6	0.49	1960	0.16	0.01	1.1	<0.2
K301679		0.33	1.52	0.07	0.5	15.3	0.006	0.26	5.4	2.5	0.50	1600	0.12	0.01	1.1	0.2
K301680		0.46	2.93	0.12	0.7	2.41	0.009	0.59	9.1	4.4	0.96	839	0.12	0.01	2.0	2.3
K301681		0.48	3.10	0.12	0.7	1.15	0.009	0.63	9.6	4.7	0.89	611	0.15	0.01	2.1	3.2
K301682		0.61	4.32	0.12	1.2	0.95	0.012	0.84	11.6	7.6	1.26	463	0.21	0.01	3.1	4.8
K301683		0.36	1.56	0.15	0.5	0.36	0.005	0.31	6.2	2.0	1.06	285	0.25	0.01	1.3	<0.2
K301684		0.64	2.83	0.13	0.8	0.84	0.010	0.55	8.1	3.9	1.73	495	0.46	0.01	2.0	3.0
K301685		0.73	3.09	0.12	0.8	1.00	0.009	0.62	9.1	4.3	2.21	408	0.37	0.01	2.1	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173987

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301650		280	3.8	2.9	<0.002	0.02	6.26	0.5	1	0.2	59.7	<0.05	<0.05	0.4	0.010	6.53
K301651		260	4.3	4.2	<0.002	0.02	4.01	0.7	1	<0.2	61.0	<0.05	<0.05	0.5	0.009	3.88
K301652		500	38.9	15.0	<0.002	0.42	81.0	0.6	3	0.7	55.2	0.06	0.05	1.5	0.022	58.6
K301653		170	5.9	5.1	<0.002	0.07	9.67	0.9	1	<0.2	79.5	<0.05	<0.05	0.6	0.010	10.80
K301654		170	3.5	4.6	<0.002	0.05	8.14	0.8	1	0.2	68.4	<0.05	<0.05	0.5	0.009	6.93
K301655		4150	4.6	129.5	0.036	1.35	19.40	7.2	10	1.7	146.5	0.57	0.51	7.4	0.207	13.00
K301656		190	4.0	5.0	<0.002	0.26	20.5	0.8	2	<0.2	64.7	<0.05	<0.05	0.5	0.010	13.05
K301657		160	4.3	3.6	<0.002	0.09	7.49	0.9	2	0.2	75.3	<0.05	<0.05	0.4	0.007	7.34
K301658		210	7.7	11.0	<0.002	0.33	35.9	2.8	2	0.3	94.1	0.06	<0.05	1.1	0.020	42.4
K301659		190	1.2	1.4	<0.002	0.01	0.40	0.3	1	<0.2	48.3	<0.05	<0.05	<0.2	<0.005	0.47
K301660		110	3.1	11.1	<0.002	0.07	11.45	2.5	2	0.2	85.1	0.05	<0.05	1.0	0.019	16.95
K301661		210	9.3	15.5	<0.002	1.86	189.5	3.3	5	0.5	64.1	0.08	0.11	1.6	0.027	86.3
K301662		210	3.4	22.9	<0.002	0.30	12.20	1.6	2	0.3	1080	0.09	<0.05	1.6	0.032	19.20
K301663		160	1.7	6.7	<0.002	0.19	1.51	0.6	2	<0.2	971	<0.05	<0.05	0.6	0.011	2.70
K301664		160	0.9	1.3	<0.002	0.01	0.06	0.3	1	<0.2	48.6	<0.05	<0.05	<0.2	<0.005	0.05
K301665		190	2.4	11.2	<0.002	0.08	1.36	0.9	2	0.2	1260	0.05	<0.05	1.0	0.018	0.99
K301666		220	4.3	6.7	<0.002	0.06	0.55	0.6	2	<0.2	1350	<0.05	<0.05	0.6	0.012	0.34
K301667		230	8.1	20.3	<0.002	0.10	0.86	1.5	2	0.3	957	0.09	<0.05	1.7	0.033	0.38
K301668		160	1.9	5.3	<0.002	0.05	0.63	0.5	1	<0.2	1320	<0.05	<0.05	0.5	0.010	0.69
K301669		180	1.5	6.2	<0.002	0.04	0.63	0.6	1	<0.2	1310	<0.05	<0.05	0.6	0.011	0.81
K301670		190	2.3	6.7	<0.002	0.07	0.51	0.6	1	<0.2	1460	<0.05	<0.05	0.6	0.012	0.52
K301671		180	1.7	6.3	<0.002	0.05	0.59	0.6	2	<0.2	1390	<0.05	<0.05	0.6	0.011	1.13
K301672		210	1.6	6.9	<0.002	0.06	1.06	0.6	1	<0.2	1240	<0.05	<0.05	0.6	0.012	3.71
K301673		260	1.9	9.4	<0.002	0.06	1.73	0.8	2	0.2	1390	0.05	<0.05	0.9	0.017	8.32
K301674		200	1.8	9.9	<0.002	0.12	4.30	1.0	2	0.2	1200	0.05	<0.05	0.9	0.017	28.9
K301675		640	15.9	47.6	<0.002	2.91	81.1	1.9	3	1.0	125.5	0.25	<0.05	4.5	0.087	204
K301676		760	9.4	72.2	<0.002	1.78	44.4	3.6	3	1.1	198.5	0.40	<0.05	6.6	0.135	112.0
K301677		670	20.0	34.3	0.007	2.05	156.0	4.1	3	1.9	45.4	0.26	0.36	3.9	0.108	3.62
K301678		250	2.6	14.5	<0.002	0.18	8.55	1.3	2	0.2	942	0.06	<0.05	1.1	0.022	35.1
K301679		190	2.8	13.8	<0.002	0.21	11.60	1.0	2	0.3	716	0.07	<0.05	1.3	0.024	45.6
K301680		140	3.2	32.2	<0.002	0.08	3.63	2.0	2	0.4	458	0.14	<0.05	2.5	0.050	5.47
K301681		150	2.7	33.6	<0.002	0.10	5.16	2.1	2	0.4	399	0.15	<0.05	2.6	0.051	4.73
K301682		390	4.4	45.3	<0.002	0.12	6.31	2.9	2	0.5	617	0.23	<0.05	4.1	0.079	3.70
K301683		130	3.3	15.5	<0.002	0.08	1.51	1.1	2	0.2	725	0.08	<0.05	1.4	0.026	1.59
K301684		160	5.0	28.1	0.002	0.22	2.73	1.9	2	0.4	577	0.14	<0.05	2.6	0.050	3.01
K301685		160	4.2	31.9	<0.002	0.22	1.63	2.0	2	0.4	446	0.15	<0.05	2.6	0.052	2.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173987

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301650		4.2	8	0.6	3.6	39	6.4	
K301651		4.4	7	0.5	3.7	21	8.3	
K301652		16.5	11	2.2	13.9	270	14.2	2.41
K301653		6.2	8	0.6	3.4	26	5.2	
K301654		5.1	7	0.5	2.9	54	4.5	
K301655		8.6	388	34.9	32.5	279	79.6	
K301656		6.9	7	0.8	2.6	27	5.1	
K301657		6.3	7	0.5	2.9	35	3.7	
K301658		8.5	14	1.8	4.5	365	11.5	
K301659		0.5	2	0.1	0.9	19	<0.5	
K301660		5.4	22	0.5	3.9	7	7.8	
K301661		9.2	28	2.1	2.8	65	11.7	3.52
K301662		10.1	24	0.7	5.5	21	13.4	
K301663		6.6	12	0.2	3.7	3	7.5	
K301664		0.6	2	0.1	0.9	19	<0.5	
K301665		7.3	13	0.3	4.3	7	11.0	
K301666		8.1	17	0.2	3.6	4	7.8	
K301667		7.9	38	0.4	5.0	9	14.2	
K301668		7.6	11	0.1	3.0	6	6.0	
K301669		7.3	12	0.1	3.0	4	6.7	
K301670		7.4	10	0.1	3.1	8	6.9	
K301671		7.2	9	0.2	3.0	16	6.9	
K301672		7.1	10	0.3	3.2	7	7.5	
K301673		7.8	13	0.4	3.4	5	10.0	
K301674		7.1	10	0.4	3.9	5	9.4	
K301675		18.6	60	2.9	5.1	129	34.9	3.96
K301676		18.4	78	3.2	7.1	51	51.4	2.22
K301677		3.4	111	214	17.5	78	30.4	
K301678		9.4	13	0.7	4.9	5	11.5	
K301679		8.2	13	0.7	4.6	5	17.2	
K301680		5.1	15	0.8	5.6	7	26.0	
K301681		7.5	16	0.8	6.0	9	26.7	
K301682		12.5	26	1.0	8.2	12	42.4	
K301683		12.3	15	0.4	3.9	23	16.1	
K301684		14.7	21	1.0	5.8	32	30.3	
K301685		12.3	20	0.9	6.0	26	27.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173987

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

CERTIFICATE VA11173982

Project: Rackla Gold (Nadaleen)

P.O. No.: Area D Batch 144

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Pb- OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173982

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300253		5.18	0.01	0.92	0.39	728	50	0.17	0.02	22.8	10.70	6.03	1.7	5	0.44	3.9
K300254		1.14	0.01	>100	0.44	>10000	140	0.16	0.10	13.20	320	3.36	4.0	7	0.62	82.0
K300255		0.20	0.34	0.37	6.37	627	1580	0.59	0.28	0.49	0.24	149.0	2.9	235	3.58	34.1
K300256		1.60	<0.01	16.15	0.31	5970	180	0.14	0.11	17.45	113.0	3.38	1.5	4	0.34	17.0
K300257		4.82	<0.01	0.35	0.06	62	20	0.05	0.02	20.1	0.92	1.08	1.3	1	0.21	1.7
K300258		2.56	<0.01	0.74	0.13	539	30	0.08	0.01	22.3	17.70	1.28	1.0	3	0.10	2.3
K300259		1.88	0.01	1.87	0.07	939	30	0.08	0.01	22.7	9.70	0.86	1.1	2	0.06	2.9
K300260		3.00	<0.01	0.48	0.16	355	40	0.13	0.01	23.2	5.51	2.52	1.3	4	0.18	1.7
K300261		4.14	<0.01	0.21	0.09	183	30	0.10	0.01	23.4	3.36	1.13	1.2	2	0.09	1.4
K300262		4.34	<0.01	>100	0.16	>10000	80	0.19	0.02	19.50	140.0	1.60	1.7	3	0.21	58.2
K300263		0.40	<0.01	>100	0.12	>10000	170	0.29	0.04	10.95	691	1.89	5.3	4	0.20	271
K300264		0.96	<0.01	2.66	0.14	911	50	0.10	0.01	24.4	11.55	1.50	0.9	2	0.11	3.1
K300265		0.20	0.01	3.18	0.09	1120	60	0.10	0.01	22.6	9.92	1.14	1.0	3	0.13	4.8
K300266		3.80	<0.01	1.37	0.06	412	20	0.07	0.01	22.9	1.94	0.64	1.1	1	<0.05	2.3
K300267		2.94	0.01	0.43	0.09	843	250	0.10	0.01	22.1	7.55	0.98	1.2	2	0.11	1.8
K300268		2.78	<0.01	0.32	0.14	646	50	0.12	0.01	22.1	2.67	2.39	1.3	3	0.47	2.3
K300269		4.46	0.01	0.47	0.08	224	110	0.07	0.01	21.9	1.55	0.76	1.2	2	0.09	1.2
K300270		1.64	<0.01	0.55	0.06	278	20	0.06	<0.01	22.1	2.17	0.44	1.0	2	0.06	1.2
K300271		2.42	<0.01	0.21	0.06	8260	20	0.06	<0.01	21.2	0.34	0.80	1.0	2	0.07	1.3
K300272		0.18	7.57	0.48	3.53	1020	160	0.82	0.61	12.25	4.01	44.7	5.6	96	7.57	35.8
K300273		5.38	<0.01	0.18	0.07	869	40	0.05	0.01	22.5	0.94	0.74	1.0	2	0.07	1.2
K300274		5.16	<0.01	0.13	0.49	244	70	0.19	0.02	22.4	0.26	5.36	1.2	5	0.73	2.0
K300275		5.12	<0.01	0.17	0.12	476	40	0.09	0.01	22.1	1.08	1.85	1.2	2	0.15	1.2
K300276		1.84	<0.01	0.14	0.14	418	40	0.13	0.01	23.1	1.01	2.22	1.3	3	0.22	1.3
K300277		5.18	<0.01	0.09	0.39	101	60	0.18	0.01	21.7	0.22	3.89	1.3	5	0.66	1.9
K300278		2.38	<0.01	1.17	0.43	740	60	0.24	0.01	22.6	5.63	5.45	1.6	5	0.56	2.0
K300279		2.02	0.01	0.28	7.66	92.6	690	2.46	0.27	0.46	0.10	87.1	14.3	111	59.6	35.7
K300280		4.90	<0.01	0.07	0.15	98	40	0.12	<0.01	24.1	0.32	2.08	1.1	3	0.21	5.0
K300281		4.70	<0.01	0.62	0.13	409	40	0.14	<0.01	23.0	1.97	1.66	1.0	2	0.17	1.9
K300282		5.24	<0.01	0.11	0.22	491	60	0.21	<0.01	23.9	0.49	2.11	1.2	3	0.32	1.9
K300283		6.88	<0.01	0.01	0.12	9	30	0.12	<0.01	22.5	0.07	2.08	1.4	1	0.89	2.0
K300284		4.40	<0.01	0.24	0.37	381	660	0.17	<0.01	31.2	0.58	4.19	1.3	5	0.62	2.8
K300285		3.56	<0.01	0.13	0.39	365	180	0.21	<0.01	26.5	0.43	4.46	1.2	5	0.47	2.4
K300286		5.36	<0.01	0.12	0.21	511	1060	0.16	<0.01	26.6	0.24	2.37	1.2	3	0.33	1.9
K300287		4.36	<0.01	1.68	0.20	1280	2580	0.14	<0.01	25.9	10.40	1.83	1.2	3	0.28	2.4
K300288		4.70	<0.01	1.30	0.62	1300	1980	0.23	0.01	24.9	4.68	7.01	2.0	8	1.11	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173982

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300253		0.23	1.22	0.32	0.2	5.45	0.005	0.13	3.1	2.7	10.40	310	0.94	<0.01	0.9	2.4
K300254		0.71	2.12	0.11	0.2	>100	0.032	0.15	1.8	5.5	7.21	673	4.74	<0.01	0.7	8.9
K300255		7.08	20.4	0.20	4.4	12.1	0.049	1.37	68.7	16.6	0.13	39	6.94	0.39	10.1	17.9
K300256		0.43	1.23	0.28	0.1	97.1	0.011	0.09	1.7	4.7	9.92	619	1.03	<0.01	0.5	3.9
K300257		0.45	0.45	0.41	<0.1	1.86	<0.005	0.03	0.5	1.0	12.55	197	0.06	<0.01	0.3	2.0
K300258		0.20	0.63	0.49	<0.1	2.41	<0.005	0.03	0.7	0.8	10.70	430	0.14	<0.01	0.3	1.6
K300259		0.23	0.58	0.59	<0.1	10.7	<0.005	0.02	<0.5	0.9	11.20	588	0.22	<0.01	0.3	1.9
K300260		0.12	0.75	0.59	0.1	2.13	<0.005	0.06	1.3	1.3	11.25	433	0.23	<0.01	0.5	1.5
K300261		0.09	0.62	0.66	<0.1	0.74	<0.005	0.02	0.6	0.8	11.50	302	0.16	<0.01	0.3	1.3
K300262		0.62	0.97	0.28	0.1	>100	0.020	0.04	0.8	1.3	10.50	1140	2.03	<0.01	0.4	5.3
K300263		1.52	8.06	0.12	0.1	>100	0.115	0.05	1.1	1.2	5.98	1100	15.65	<0.01	0.3	20.4
K300264		0.22	0.46	0.11	<0.1	21.7	<0.005	0.03	0.7	0.9	11.30	665	0.29	0.02	0.3	0.9
K300265		0.16	0.55	0.48	<0.1	7.32	<0.005	0.03	0.6	0.7	12.30	265	0.45	<0.01	0.3	2.0
K300266		0.06	0.50	0.62	<0.1	1.86	<0.005	0.01	<0.5	0.7	12.00	147	0.14	<0.01	0.3	1.8
K300267		0.18	0.66	0.67	<0.1	1.30	<0.005	0.03	0.5	0.7	12.60	164	0.20	<0.01	0.3	1.7
K300268		0.16	0.75	0.67	0.1	2.30	<0.005	0.04	1.2	0.9	12.40	217	0.22	<0.01	0.5	2.8
K300269		0.11	0.53	0.60	<0.1	4.94	<0.005	0.02	<0.5	1.0	12.10	347	0.12	<0.01	0.3	1.6
K300270		0.12	0.50	0.54	<0.1	15.1	<0.005	0.01	<0.5	1.4	12.25	398	0.10	<0.01	0.2	1.5
K300271		0.10	0.39	0.46	<0.1	3.00	0.009	0.01	0.5	1.1	11.50	239	0.26	<0.01	0.2	2.2
K300272		1.36	7.22	0.19	2.5	5.77	0.072	1.46	31.3	10.0	0.73	263	11.40	<0.01	8.7	66.7
K300273		0.07	0.45	0.51	<0.1	1.85	<0.005	0.02	<0.5	0.8	12.15	190	0.22	<0.01	0.3	1.4
K300274		0.19	1.32	0.54	0.2	0.60	<0.005	0.19	2.8	2.6	11.75	169	0.32	<0.01	1.1	2.6
K300275		0.07	0.71	0.70	0.1	1.60	<0.005	0.04	1.0	1.0	11.95	122	0.20	<0.01	0.4	1.9
K300276		0.08	0.78	0.73	0.1	1.81	<0.005	0.05	1.2	1.1	12.50	126	0.22	<0.01	0.5	2.4
K300277		0.16	1.21	0.63	0.2	0.65	<0.005	0.16	2.1	2.0	11.70	103	0.34	<0.01	0.9	2.9
K300278		0.60	1.19	0.28	0.2	9.49	<0.005	0.15	2.7	2.9	9.85	1700	0.46	<0.01	1.0	3.3
K300279		3.07	19.15	0.26	3.2	0.36	0.076	2.35	48.4	105.5	0.71	137	1.39	0.18	27.5	43.0
K300280		0.10	0.36	0.06	0.1	0.56	<0.005	0.05	1.0	1.3	12.25	153	0.26	0.02	0.2	0.7
K300281		0.11	0.38	0.08	<0.1	2.92	<0.005	0.05	0.8	1.2	12.05	341	0.21	0.01	0.2	0.2
K300282		0.14	0.59	0.10	0.1	1.00	<0.005	0.08	1.0	1.7	11.45	277	0.32	0.02	0.5	0.4
K300283		0.49	0.40	0.09	<0.1	0.04	0.005	0.06	0.9	2.2	13.20	214	0.08	0.01	0.5	1.0
K300284		0.23	0.90	0.06	0.2	2.18	0.006	0.14	1.9	1.8	6.15	1090	0.59	0.02	0.8	1.3
K300285		0.16	0.81	0.07	0.2	0.75	<0.005	0.13	2.0	2.8	10.10	429	0.35	0.02	1.3	1.1
K300286		0.11	0.56	0.08	0.1	0.89	<0.005	0.07	1.1	1.2	9.59	518	0.33	0.02	0.6	0.8
K300287		0.12	0.55	0.09	0.1	8.1	<0.005	0.06	0.9	1.5	10.50	411	0.32	0.03	0.4	0.9
K300288		0.43	1.51	0.07	0.3	6.9	0.010	0.23	3.4	3.6	9.76	507	1.10	0.03	1.8	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173982

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300253		50	79.4	7.3	0.002	0.04	8.30	1.0	2	0.3	190.0	0.05	<0.05	0.7	0.020	5.66
K300254		50	>10000	8.0	<0.002	0.17	285	0.8	12	0.7	107.0	<0.05	<0.05	0.6	0.017	15.95
K300255		940	25.0	46.9	0.003	3.00	118.0	16.8	2	3.1	543	0.74	0.14	10.7	0.547	7.71
K300256		80	2200	4.9	<0.002	0.03	45.3	0.6	3	0.2	163.0	<0.05	<0.05	0.4	0.010	16.50
K300257		180	98.9	1.8	<0.002	0.02	0.90	0.2	1	<0.2	45.4	<0.05	<0.05	<0.2	<0.005	0.10
K300258		30	105.0	1.5	<0.002	0.01	8.02	0.6	1	<0.2	145.5	<0.05	<0.05	0.2	0.006	6.04
K300259		30	260	0.9	<0.002	0.02	8.21	0.4	2	<0.2	137.5	<0.05	<0.05	<0.2	<0.005	7.00
K300260		40	40.1	2.9	<0.002	0.02	4.07	0.7	1	<0.2	169.0	<0.05	<0.05	0.3	0.008	6.89
K300261		40	22.9	1.3	<0.002	0.02	2.82	0.4	1	<0.2	156.5	<0.05	<0.05	<0.2	<0.005	3.15
K300262		80	>10000	1.9	<0.002	0.08	201	0.5	8	<0.2	145.0	<0.05	<0.05	0.2	0.007	13.10
K300263		130	>10000	1.5	<0.002	0.14	423	0.7	41	0.4	122.5	<0.05	<0.05	0.2	0.005	44.1
K300264		40	411	1.1	<0.002	0.01	6.33	0.5	2	<0.2	156.0	<0.05	<0.05	<0.2	0.006	9.58
K300265		30	653	1.2	<0.002	0.01	7.73	0.3	2	<0.2	142.0	<0.05	<0.05	<0.2	<0.005	6.61
K300266		20	118.0	0.7	<0.002	0.01	2.03	0.3	2	<0.2	144.0	<0.05	<0.05	<0.2	<0.005	4.65
K300267		30	104.0	1.3	<0.002	0.02	9.22	0.2	2	<0.2	141.5	<0.05	<0.05	<0.2	<0.005	7.96
K300268		50	63.3	2.0	<0.002	0.02	6.36	0.3	1	<0.2	161.0	<0.05	<0.05	0.2	0.007	8.14
K300269		20	107.5	0.8	<0.002	0.02	2.40	0.2	1	<0.2	132.5	<0.05	<0.05	<0.2	<0.005	8.00
K300270		20	82.3	0.5	<0.002	0.03	1.77	0.1	2	<0.2	117.0	<0.05	<0.05	<0.2	<0.005	6.73
K300271		30	38.3	0.6	<0.002	0.48	4.78	0.1	2	0.2	130.5	<0.05	<0.05	<0.2	<0.005	12.15
K300272		4150	4.8	120.5	0.038	1.38	19.80	6.9	9	1.8	151.5	0.56	0.52	6.9	0.216	13.10
K300273		30	54.5	0.9	0.002	0.08	1.94	0.2	1	<0.2	140.0	<0.05	<0.05	<0.2	<0.005	2.58
K300274		70	16.1	8.8	<0.002	0.17	0.92	0.8	1	0.2	182.0	0.06	<0.05	0.7	0.026	2.28
K300275		40	30.0	2.0	0.002	0.08	2.21	0.3	2	<0.2	152.5	<0.05	<0.05	0.2	0.006	4.00
K300276		50	13.3	2.4	0.002	0.07	1.17	0.3	2	<0.2	168.0	<0.05	<0.05	0.2	0.007	3.14
K300277		50	9.9	7.5	0.002	0.16	0.73	0.7	1	0.2	151.5	<0.05	<0.05	0.5	0.019	3.15
K300278		40	453	7.3	0.005	0.05	5.73	1.1	2	0.2	172.0	0.05	<0.05	0.7	0.021	9.33
K300279		1120	15.4	164.0	0.002	0.20	1.18	16.1	3	2.4	184.0	1.57	0.10	12.5	0.452	0.97
K300280		60	19.0	2.3	0.002	0.04	1.80	0.3	2	<0.2	167.0	<0.05	<0.05	0.3	0.007	2.14
K300281		40	94.9	1.9	0.002	0.07	3.70	0.3	2	<0.2	148.0	<0.05	<0.05	0.2	0.006	8.23
K300282		50	29.6	3.3	0.003	0.13	1.37	0.5	2	<0.2	169.5	<0.05	<0.05	0.3	0.010	3.30
K300283		200	2.7	4.4	<0.002	0.01	0.09	0.5	2	0.2	48.8	<0.05	<0.05	0.3	<0.005	0.13
K300284		80	23.2	5.6	0.004	0.26	0.85	1.3	2	0.2	179.0	0.05	<0.05	1.0	0.020	10.10
K300285		70	13.4	5.2	0.002	0.16	0.41	0.8	2	<0.2	233	0.08	<0.05	0.7	0.016	2.80
K300286		80	16.2	3.0	0.002	0.15	0.67	0.7	2	<0.2	200	<0.05	<0.05	0.4	0.010	7.13
K300287		60	213	2.6	<0.002	0.34	9.37	0.5	2	<0.2	212	<0.05	<0.05	0.3	0.008	38.2
K300288		190	152.5	9.6	0.008	0.67	9.88	1.0	2	0.2	305	0.15	<0.05	1.3	0.034	65.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173982

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1	Pb- OG62 Pb % 0.001	Zn- OG62 Zn % 0.001	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
K300253		2.4	8	1.4	2.6	1370	5.8					
K300254		4.9	11	7.8	1.8	>10000	5.8	165	3.83	3.14	1.930	326
K300255		8.0	175	24.0	15.7	51	162.0					
K300256		1.5	7	1.8	1.5	>10000	3.1			1.145		
K300257		0.6	3	0.1	0.9	84	<0.5					
K300258		1.6	5	0.6	1.9	647	1.2					
K300259		1.7	4	0.3	1.7	1240	1.2					
K300260		2.6	7	0.7	2.5	358	2.6					
K300261		2.6	5	0.3	1.7	245	1.2					
K300262		4.8	19	2.8	3.1	>10000	2.2	160	2.37	2.06	1.685	205
K300263		13.7	21	11.6	4.6	>10000	2.5	329	7.28	15.15	8.62	701
K300264		2.5	6	0.5	1.4	912	1.2					
K300265		1.5	5	4.6	0.7	1500	1.2					
K300266		2.0	3	3.3	0.7	486	0.6					
K300267		1.2	4	0.7	0.6	1010	1.3					
K300268		2.2	7	0.9	0.9	950	2.2					
K300269		1.6	4	0.2	0.7	314	0.8					
K300270		1.3	4	0.1	0.5	630	0.7					
K300271		2.2	5	0.2	0.6	150	0.7					
K300272		8.2	388	36.3	31.7	281	80.9					
K300273		4.3	7	0.2	0.4	125	0.8					
K300274		2.9	10	0.8	1.1	134	6.3					
K300275		2.0	5	0.2	0.6	277	1.7					
K300276		2.0	5	0.3	0.6	273	2.0					
K300277		2.4	8	0.5	0.9	65	4.7					
K300278		2.1	7	1.9	2.2	705	5.3					
K300279		3.2	225	1.7	25.5	131	104.5					
K300280		2.2	4	0.4	0.7	127	2.7					
K300281		1.9	3	0.4	0.5	395	1.7					
K300282		3.5	5	0.4	2.1	208	3.0					
K300283		0.6	2	0.1	1.1	19	<0.5					
K300284		10.0	12	2.6	6.1	105	5.8					
K300285		5.3	9	0.8	2.0	64	6.4					
K300286		5.0	9	0.7	2.3	47	3.4					
K300287		4.2	6	0.6	1.6	1700	3.0					
K300288		8.2	13	3.0	2.3	1200	10.9					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173982

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE VA11173776

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B - Batch 145

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173776

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301446		8.56	<0.01	0.01	0.71	55	150	0.20	0.04	31.7	0.13	13.70	3.1	8	2.24	8.5
K301447		8.26	<0.01	0.02	0.84	99	140	0.19	0.05	31.3	0.09	13.30	3.7	8	2.54	9.5
K301448		8.48	<0.01	0.01	0.39	46	150	0.17	0.02	34.3	0.08	8.22	2.0	5	0.96	5.4
K301449		8.56	0.06	0.01	0.57	91	110	0.19	0.03	33.3	0.09	10.00	2.6	6	1.41	6.7
K301450		8.52	<0.01	0.01	0.55	62	130	0.19	0.03	33.3	0.08	9.72	2.8	7	1.34	6.9
K301451		0.30	16.00	1.11	1.94	1040	520	0.39	0.58	15.60	0.66	31.1	4.0	36	2.29	62.1
K301452		8.16	<0.01	0.01	0.41	56	90	0.14	0.02	33.7	0.05	7.21	2.0	4	0.78	4.9
K301453		8.40	0.03	0.03	0.66	507	130	0.20	0.04	32.6	0.08	10.50	2.9	7	1.20	8.4
K301454		8.44	<0.01	<0.01	0.48	560	140	0.16	0.03	33.3	0.04	7.89	2.2	6	0.99	5.7
K301455		7.48	<0.01	0.02	0.75	1510	130	0.20	0.04	32.0	0.05	10.60	3.2	8	1.66	8.9
K301456		2.66	<0.01	0.02	0.67	1080	120	0.17	0.03	31.2	0.05	9.69	2.9	7	1.42	7.8
K301457		7.42	<0.01	<0.01	0.30	798	110	0.13	0.02	34.5	0.03	5.32	1.7	4	0.65	4.2
K301458		7.58	<0.01	0.02	0.50	90	130	0.19	0.03	33.0	0.03	8.22	2.4	5	1.31	6.2
K301459		7.84	<0.01	0.01	0.52	142	120	0.16	0.02	35.1	0.04	7.60	2.2	6	1.19	8.6
K301460		7.92	0.01	0.01	0.60	317	130	0.16	0.03	34.7	0.04	9.44	2.5	6	1.55	7.6
K301461		7.62	0.01	0.03	0.98	106	110	0.22	0.04	33.9	0.04	12.75	3.7	10	2.55	10.7
K301462		8.02	0.01	0.02	0.94	52	100	0.31	0.04	33.1	0.06	13.20	3.8	10	3.23	10.3
K301463		8.20	0.02	0.04	1.55	87	130	0.45	0.07	31.0	0.13	22.2	5.5	17	5.67	17.7
K301464		8.12	0.02	0.06	1.93	114	140	0.55	0.08	29.3	0.15	23.6	7.2	22	6.35	22.1
K301465		8.18	<0.01	0.06	1.54	36	110	0.47	0.07	31.9	0.14	21.6	5.8	17	4.99	18.8
K301466		5.28	0.01	0.06	1.41	89	110	0.42	0.07	30.7	0.12	19.85	5.3	16	3.90	17.6
K301468		6.62	0.14	0.10	2.08	5660	110	0.46	0.08	29.2	0.24	24.3	7.6	25	5.48	23.9
K301469		5.34	3.13	0.86	1.67	>10000	90	0.31	0.07	28.8	0.23	22.3	6.1	20	3.55	20.0
K301470		5.36	3.56	4.62	1.02	>10000	50	0.15	0.07	0.87	0.54	11.60	3.5	14	2.10	12.6
K301471		4.96	<0.01	0.01	0.07	153	20	0.09	0.03	20.9	0.06	1.37	1.3	2	0.36	1.3
K301472		4.22	12.05	16.85	1.56	>10000	100	0.22	0.13	0.48	1.35	38.4	6.1	25	2.79	21.6
K301473		4.60	13.60	6.89	1.45	>10000	90	0.23	0.09	0.87	1.75	32.4	5.7	27	2.44	17.8
K301474		3.78	28.3	7.05	1.08	>10000	50	0.16	0.09	0.97	2.03	36.2	5.2	23	1.65	15.9
K301475		4.98	0.02	0.01	0.06	104	10	0.06	0.02	21.2	0.07	1.30	1.1	2	0.26	1.3
K301476		4.44	3.32	1.99	2.50	>10000	130	0.48	0.11	21.8	0.25	32.7	8.7	28	6.84	23.7
K301477		0.30	7.88	0.41	3.51	1110	170	0.77	0.58	12.45	4.07	41.7	5.4	97	6.94	31.6
K301478		8.44	0.31	0.15	4.60	5390	210	0.76	0.17	19.45	0.25	50.6	14.1	47	11.30	40.5
K301479		8.20	0.15	0.08	2.36	967	150	0.48	0.08	28.0	0.16	26.9	7.9	28	5.52	20.9
K301480		8.24	0.07	0.05	2.40	240	160	0.54	0.09	28.6	0.16	31.9	7.9	25	5.04	21.3
K301481		8.30	0.02	0.03	1.17	96	140	0.37	0.05	32.8	0.12	17.75	4.0	11	3.37	10.8
K301482		8.30	0.01	0.03	1.74	122	150	0.45	0.07	31.7	0.18	24.4	5.7	17	4.37	15.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173776

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301446		0.47	2.21	0.11	0.4	1.38	0.007	0.33	6.1	3.7	0.51	71	0.25	0.01	1.5	3.3
K301447		0.60	2.42	0.11	0.4	2.02	0.009	0.39	6.1	3.7	0.40	132	0.28	0.01	1.7	4.3
K301448		0.30	1.16	0.10	0.2	0.72	0.005	0.17	3.7	1.9	0.37	124	0.24	0.01	1.0	1.5
K301449		0.42	1.67	0.10	0.3	1.38	0.006	0.26	4.5	2.3	0.48	215	0.23	0.01	1.2	2.6
K301450		0.39	1.62	0.11	0.3	1.32	0.006	0.24	4.3	2.5	0.38	116	0.19	0.01	1.3	3.6
K301451		3.77	3.87	0.16	0.9	6.47	0.052	0.41	17.0	45.9	0.72	448	12.65	0.01	3.7	22.4
K301452		0.30	1.15	0.10	0.2	0.97	0.005	0.18	3.1	1.4	0.41	158	0.13	0.01	0.9	1.7
K301453		0.48	1.88	0.10	0.3	1.83	0.009	0.30	4.7	2.3	0.42	216	0.23	0.01	1.3	3.3
K301454		0.35	1.34	0.09	0.2	0.96	0.007	0.22	3.5	2.1	0.43	95	0.19	0.02	1.1	2.3
K301455		0.50	2.11	0.09	0.4	1.30	0.011	0.36	4.7	3.0	0.53	126	0.32	0.01	1.4	4.1
K301456		0.46	1.79	0.10	0.3	1.20	0.009	0.31	4.3	2.7	0.53	106	0.26	0.01	1.3	3.8
K301457		0.26	0.84	0.09	0.2	0.67	0.006	0.13	2.2	1.4	0.43	103	0.17	0.02	0.8	1.3
K301458		0.36	1.38	0.09	0.3	0.83	0.005	0.23	3.5	2.5	0.41	78	0.32	0.01	1.1	2.6
K301459		0.35	1.35	<0.05	0.3	0.86	0.006	0.23	3.6	2.2	0.48	93	0.41	0.02	0.9	3.2
K301460		0.43	1.58	0.05	0.3	0.93	0.006	0.28	4.5	2.7	0.54	144	0.42	0.02	1.1	3.7
K301461		0.65	2.48	0.06	0.5	1.11	0.010	0.45	6.3	3.8	0.62	181	0.52	0.02	1.7	5.7
K301462		0.72	2.46	0.07	0.5	0.62	0.009	0.42	6.5	4.4	0.57	235	0.51	0.02	1.7	6.2
K301463		1.15	3.99	0.07	0.8	0.59	0.014	0.70	10.8	6.9	0.95	371	0.92	0.02	2.5	10.0
K301464		1.36	5.15	0.07	1.0	0.95	0.019	0.88	11.8	6.7	0.87	367	0.98	0.02	3.1	13.1
K301465		1.22	4.07	0.08	0.8	0.25	0.015	0.71	10.5	5.5	0.91	354	1.07	0.02	2.6	10.7
K301466		1.37	3.77	0.07	0.7	1.38	0.013	0.65	9.9	4.1	0.80	412	1.73	0.02	2.3	10.7
K301468		1.55	5.32	0.08	1.0	2.59	0.024	0.95	12.1	5.3	0.85	562	1.29	0.02	3.2	14.5
K301469		1.23	4.52	0.08	0.9	3.54	0.045	0.78	10.9	5.3	0.37	990	1.04	0.01	2.6	11.7
K301470		0.81	3.01	0.19	0.6	5.66	0.355	0.46	5.8	16.2	0.08	53	0.49	0.01	1.7	7.5
K301471		0.47	0.25	0.06	<0.1	0.01	0.005	0.03	0.6	1.1	12.30	202	0.06	0.01	0.3	1.5
K301472		1.79	4.68	0.15	0.8	23.9	0.153	0.65	17.2	41.2	0.12	107	0.74	0.01	2.3	11.6
K301473		1.40	4.34	0.11	0.8	14.1	0.094	0.62	15.3	48.4	0.10	173	0.56	0.01	2.1	10.4
K301474		1.51	3.22	0.14	0.6	15.5	0.115	0.42	17.1	48.5	0.06	121	0.39	<0.01	1.6	8.3
K301475		0.48	0.23	0.06	<0.1	0.22	0.005	0.03	0.6	1.0	12.45	217	0.11	<0.01	0.2	1.3
K301476		1.76	6.84	0.11	1.3	6.3	0.087	1.13	17.7	8.5	0.52	1450	0.84	0.02	4.0	15.0
K301477		1.40	7.36	0.12	2.2	6.45	0.062	1.50	29.1	9.9	0.72	268	11.55	0.01	7.9	61.5
K301478		2.85	11.50	0.12	2.1	5.71	0.047	2.09	28.1	10.9	1.07	1250	1.28	0.03	6.6	24.9
K301479		1.73	5.71	0.08	1.1	2.49	0.023	1.11	14.5	5.4	0.68	627	0.56	0.02	3.5	13.6
K301480		1.66	5.77	0.08	1.1	2.29	0.021	1.11	16.8	5.2	0.74	374	0.67	0.02	3.5	13.3
K301481		0.90	2.98	0.06	0.6	0.87	0.010	0.54	9.4	3.5	0.61	404	0.43	0.01	1.9	6.4
K301482		1.18	4.33	0.08	0.9	0.88	0.016	0.79	12.6	4.8	0.74	382	0.53	0.02	2.9	9.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173776

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301446		280	3.1	16.4	0.002	0.47	0.94	2.3	2	0.2	2120	0.08	<0.05	1.6	0.040	1.74
K301447		300	5.0	19.1	0.002	0.60	1.64	2.6	2	0.3	1865	0.09	<0.05	1.7	0.051	2.70
K301448		520	1.9	8.5	<0.002	0.30	0.57	1.4	2	0.2	2270	<0.05	<0.05	0.9	0.022	1.02
K301449		340	2.2	13.2	<0.002	0.44	1.70	1.7	2	0.2	1770	0.06	<0.05	1.2	0.033	2.39
K301450		420	2.4	12.7	<0.002	0.41	1.58	1.9	3	0.2	1965	0.06	<0.05	1.1	0.035	2.40
K301451		650	21.8	25.7	0.008	1.98	155.0	3.9	3	1.9	46.0	0.26	0.35	3.9	0.110	3.73
K301452		320	2.0	9.2	<0.002	0.29	1.18	1.4	2	<0.2	1815	<0.05	<0.05	0.8	0.021	1.74
K301453		330	5.1	15.0	<0.002	0.51	3.85	2.3	3	0.2	1955	0.07	<0.05	1.2	0.037	3.75
K301454		340	2.1	10.9	0.002	0.35	2.20	1.8	2	0.2	2090	0.05	<0.05	0.9	0.027	1.77
K301455		570	3.6	17.0	<0.002	0.57	4.45	2.3	2	0.3	1825	0.08	<0.05	1.4	0.043	2.22
K301456		580	3.2	14.9	0.002	0.52	4.09	2.1	2	0.2	1810	0.07	<0.05	1.2	0.038	1.94
K301457		340	1.6	6.8	0.002	0.28	2.29	1.0	2	<0.2	1865	<0.05	<0.05	0.6	0.017	0.81
K301458		550	2.5	11.2	0.002	0.36	0.80	1.6	2	0.2	2020	0.05	<0.05	0.9	0.029	1.19
K301459		620	2.7	12.8	0.002	0.35	1.39	1.5	2	0.2	1835	0.05	<0.05	0.9	0.029	1.13
K301460		880	2.4	15.4	0.003	0.40	1.35	1.8	2	0.2	2040	0.06	<0.05	1.0	0.034	0.96
K301461		830	3.4	25.6	0.002	0.58	1.09	2.7	2	0.3	1570	0.10	<0.05	1.6	0.060	1.36
K301462		850	3.4	24.5	0.003	0.64	0.42	2.9	3	0.3	1755	0.10	<0.05	1.6	0.063	1.42
K301463		1120	5.3	41.0	0.005	0.90	0.66	4.5	3	0.5	1875	0.16	<0.05	2.6	0.093	2.50
K301464		990	6.9	51.7	0.005	1.07	1.33	5.7	2	0.6	1615	0.20	<0.05	3.1	0.128	2.80
K301465		940	6.7	40.4	0.006	0.84	0.41	4.6	3	0.5	1825	0.16	<0.05	2.5	0.095	2.34
K301466		1080	6.9	37.2	0.005	0.99	2.28	4.8	3	0.5	1765	0.15	<0.05	2.4	0.083	3.69
K301468		980	6.3	53.6	0.007	1.61	22.4	5.9	3	0.6	1510	0.20	<0.05	3.1	0.147	7.33
K301469		1080	6.1	44.7	0.005	2.87	118.5	5.6	4	0.5	1425	0.17	0.10	2.7	0.105	13.45
K301470		1130	6.4	27.7	0.002	>10.0	1765	1.4	29	0.4	30.2	0.11	0.71	1.9	0.069	17.80
K301471		170	1.7	2.0	<0.002	0.01	0.52	0.3	2	<0.2	44.0	<0.05	<0.05	0.2	<0.005	0.02
K301472		780	18.6	39.6	0.003	8.30	517	1.4	11	0.6	101.5	0.16	0.40	3.1	0.096	85.3
K301473		570	9.8	38.0	0.002	5.62	300	1.3	9	0.6	90.9	0.15	0.29	3.1	0.087	42.5
K301474		520	10.6	26.7	<0.002	6.37	359	0.8	12	0.7	105.5	0.11	0.38	2.7	0.062	55.5
K301475		160	1.6	1.9	<0.002	0.01	0.34	0.3	2	<0.2	42.8	<0.05	<0.05	<0.2	<0.005	0.03
K301476		410	8.4	62.7	0.003	5.02	210	7.2	8	0.7	986	0.27	0.25	4.3	0.158	27.1
K301477		4240	4.4	125.5	0.036	1.40	18.45	6.1	9	1.7	150.0	0.51	0.54	6.6	0.217	12.95
K301478		300	11.8	104.0	0.005	2.96	18.65	12.0	3	1.2	1060	0.45	0.10	7.0	0.285	23.4
K301479		800	6.2	54.5	0.003	1.63	3.93	6.2	2	0.7	1430	0.23	0.05	3.6	0.162	7.60
K301480		220	6.8	58.0	0.003	1.56	1.93	6.0	3	0.7	1735	0.24	<0.05	3.9	0.152	5.24
K301481		250	3.7	31.1	0.003	0.77	0.60	3.4	2	0.4	1940	0.11	<0.05	2.2	0.065	2.19
K301482		640	5.3	43.4	0.002	1.05	0.46	4.6	2	0.5	1830	0.18	<0.05	3.2	0.104	2.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173776

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	As- CON01 As % 0.01
K301446		2.6	11	1.2	10.9	11	14.6		
K301447		2.5	13	1.9	9.8	11	17.3		
K301448		1.9	7	0.8	8.0	6	9.0		
K301449		1.9	9	1.0	8.0	9	12.3		
K301450		2.1	9	1.1	8.1	8	13.2		
K301451		3.7	109	236	16.1	77	35.9		
K301452		1.8	6	0.7	6.9	6	8.0		
K301453		2.3	11	1.2	9.0	11	13.2		
K301454		2.0	7	0.8	7.2	7	10.2		
K301455		2.1	12	1.2	8.1	9	15.4		
K301456		1.9	10	1.0	7.6	9	13.4		
K301457		1.8	4	0.5	5.2	4	7.0		
K301458		2.2	7	0.7	7.0	7	10.0		
K301459		2.3	8	0.7	6.9	8	9.5		
K301460		2.9	10	0.7	8.8	8	11.1		
K301461		2.7	16	0.9	10.0	14	18.4		
K301462		2.5	18	0.6	10.9	15	18.8		
K301463		3.4	32	0.6	17.2	23	29.3		
K301464		3.2	40	1.0	17.1	28	34.7		
K301465		3.3	33	0.8	16.5	23	28.9		
K301466		2.9	33	1.2	15.6	14	27.4		
K301468		3.1	47	3.3	17.5	32	37.7		
K301469		3.3	34	2.3	17.6	27	31.2	3.12	
K301470		2.7	20	1.7	11.3	36	19.7	>30.0	42.3
K301471		0.6	2	0.1	0.9	14	<0.5		
K301472		4.9	31	2.7	12.6	85	27.0	15.00	
K301473		4.2	30	2.1	12.3	125	25.5	9.98	
K301474		2.9	21	1.9	11.1	142	19.8	11.60	
K301475		0.6	2	0.1	0.9	14	<0.5		
K301476		2.8	47	3.9	20.7	42	47.4	6.92	
K301477		8.5	397	35.5	28.6	289	83.9		
K301478		3.5	84	4.7	26.7	64	75.1		
K301479		2.4	45	2.3	18.4	34	43.8		
K301480		3.1	42	1.9	19.9	35	39.5		
K301481		2.6	19	1.2	15.5	18	20.9		
K301482		3.0	29	2.0	17.4	27	34.1		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173776

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

CERTIFICATE VA11203180

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B, Batch 146

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11203180

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301686		0.01
K301687		0.02
K301688		0.01
K301689		0.02
K301690		0.13
K301691		<0.01
K301692		0.04
K301693		0.01
K301694		0.01
K301695		0.01
K301696		0.34
K301697		0.06
K301698		0.04
K301699		0.01
K301700		0.02
K301701		0.01
K301702		0.06
K301703		16.35
K301704		0.05
K301705		0.05
K301706		0.75
K301707		0.15
K301708		0.67
K301709		<0.01
K301710		0.66
K301711		0.74
K301712		0.92
K301713		1.88
K301714		1.41
K301715		0.59
K301716		0.32
K301717		0.22
K301718		0.05
K301719		0.01
K301720		0.01
K301721		0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

CERTIFICATE VA11203182

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 146

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11203182

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301830		0.02
K301831		0.05
K301832		0.02
K301833		0.02
K301834		0.01
K301835		0.01
K301836		0.85
K301837		9.55
K301838		2.48
K301839		0.01
K301840		0.15
K301841		0.03
K301842		7.76
K301843		0.03
K301844		0.05
K301845		0.14
K301846		0.20
K301847		0.17
K301848		0.01
K301849		<0.01
K301850		0.23
K301851		<0.01
K301852		0.05
K301853		0.46
K301854		1.67
K301855		<0.01
K301856		0.25
K301857		0.14
K301858		1.07
K301859		16.05
K301860		5.29
K301861		1.31
K301862		6.07
K301863		3.02
K301864		0.44
K301865		1.78

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

CERTIFICATE VA11173928

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 147

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301483		7.56	<0.01	0.07	2.99	75	160	0.77	0.12	21.4	0.18	39.1	11.0	32	11.95	29.9
K301484		7.24	0.10	0.09	3.31	1400	170	0.69	0.15	19.80	0.21	44.5	11.5	34	11.20	32.7
K301485		7.18	0.01	0.02	0.78	68	130	0.30	0.04	30.1	0.12	15.50	2.5	5	2.39	7.5
K301486		7.06	0.02	0.02	0.70	72	110	0.27	0.03	30.4	0.12	14.40	2.2	5	2.21	7.0
K301487		7.32	0.03	0.03	1.19	128	150	0.41	0.05	28.5	0.12	21.3	3.3	9	4.66	10.1
K301488		7.20	0.01	0.02	1.00	61	130	0.35	0.05	30.2	0.15	19.65	2.9	7	4.38	9.6
K301489		6.82	0.04	0.02	0.55	70	100	0.21	0.03	32.6	0.10	10.70	1.8	3	1.84	5.5
K301490		6.84	0.14	0.03	0.63	122	110	0.26	0.03	31.1	0.11	12.20	2.0	4	1.70	6.2
K301491		4.88	<0.01	0.02	0.05	<5	20	0.06	0.02	19.70	0.06	1.23	1.1	1	0.17	4.5
K301492		7.18	0.01	0.02	1.43	76	180	0.31	0.06	27.6	0.16	19.60	4.6	13	4.19	17.6
K301493		7.12	0.29	0.06	1.34	131	130	0.26	0.06	27.3	0.14	21.6	5.1	14	3.25	17.6
K301494		6.92	0.01	0.02	0.90	49	150	0.23	0.04	29.8	0.09	18.20	3.5	9	3.22	10.8
K301495		7.18	<0.01	0.02	1.48	48	160	0.30	0.05	27.5	0.16	19.00	6.1	14	5.04	17.7
K301496		7.04	<0.01	0.02	0.95	41	130	0.29	0.04	29.5	0.14	14.60	3.9	9	4.34	12.0
K301497		7.14	<0.01	0.02	0.85	61	150	0.23	0.03	30.8	0.13	13.90	3.4	8	3.06	10.6
K301498		7.12	0.03	0.02	0.56	112	120	0.20	0.03	30.5	0.10	10.25	2.3	6	1.47	6.9
K301499		7.38	0.04	0.03	0.54	110	90	0.15	0.02	31.9	0.10	9.45	2.2	5	1.36	6.3
K301500		3.54	0.03	0.03	0.58	108	90	0.14	0.03	31.5	0.09	9.84	2.3	6	1.43	7.6
K302501		7.08	0.01	0.01	0.52	137	120	0.20	0.02	31.4	0.10	9.85	2.1	5	1.19	6.7
K302502		7.38	<0.01	0.02	1.11	91	170	0.25	0.04	30.4	0.16	17.20	3.7	10	3.82	12.1
K302503		7.22	<0.01	0.03	1.24	102	130	0.27	0.05	29.0	0.13	19.75	4.5	11	3.88	13.9
K302504		0.20	2.63	0.99	3.10	499	820	0.67	0.28	7.70	1.94	47.4	6.9	50	3.76	45.6
K302505		7.14	0.01	0.02	0.87	64	130	0.38	0.04	29.5	0.10	16.65	3.3	8	2.86	10.0
K302506		7.08	0.07	0.03	0.83	104	120	0.24	0.04	30.4	0.09	12.10	3.0	9	3.45	8.2
K302507		7.56	0.88	1.00	3.84	3510	190	0.85	0.17	19.35	0.28	46.4	12.9	36	14.75	38.8
K302508		0.20	7.81	0.42	3.40	880	150	0.85	0.59	10.80	3.74	44.7	5.9	91	7.26	35.8
K302509		7.24	0.92	0.65	2.85	505	190	0.71	0.13	23.1	0.23	38.3	9.9	27	10.55	31.1
K302510		4.40	0.32	0.39	1.45	>10000	150	0.38	0.06	27.5	0.19	24.2	5.5	14	4.03	16.3
K302511		3.14	6.49	3.77	1.71	>10000	80	0.36	0.09	10.85	0.77	22.1	6.7	20	4.98	22.5
K302512		4.38	8.20	5.95	3.07	>10000	130	0.61	0.14	10.25	0.84	49.4	11.7	36	8.40	38.3
K302513		4.88	<0.01	0.01	0.06	130	60	0.06	0.02	21.7	0.06	1.46	1.1	<1	0.20	5.8
K302514		3.04	0.55	0.33	0.60	>10000	100	0.34	0.03	28.7	0.10	9.52	2.3	6	1.34	8.1
K302515		6.82	0.17	0.09	1.86	8510	250	0.52	0.08	26.0	0.15	31.2	6.5	19	6.53	19.4
K302516		6.98	0.04	0.03	1.73	133	190	0.48	0.07	27.4	0.18	29.2	6.0	17	5.35	18.6
K302517		7.08	0.03	0.02	2.06	78	160	0.67	0.09	24.8	0.15	32.2	7.1	19	7.09	20.6
K302518		8.16	0.05	0.04	3.46	295	170	0.80	0.14	20.3	0.20	45.0	13.6	38	12.45	37.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173928

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301483		2.20	7.54	0.07	1.5	0.77	0.033	1.36	19.8	9.7	0.75	375	0.70	0.03	5.2	16.9
K301484		2.30	8.38	0.08	1.6	2.39	0.038	1.50	23.0	9.2	0.84	469	0.96	0.02	5.5	18.5
K301485		0.63	1.98	0.06	0.4	0.89	0.009	0.36	8.4	2.7	0.58	359	0.37	0.01	1.6	3.1
K301486		0.56	1.76	0.07	0.4	0.94	0.007	0.31	7.4	2.7	0.61	331	0.25	0.01	1.5	3.2
K301487		0.83	2.94	0.07	0.6	1.59	0.013	0.56	11.4	4.7	0.81	430	0.30	0.02	2.2	4.6
K301488		0.67	2.50	0.08	0.5	1.19	0.012	0.46	9.8	4.1	0.50	232	0.31	0.01	2.0	3.9
K301489		0.41	1.40	0.11	0.3	0.93	0.007	0.24	5.4	2.2	0.41	281	0.25	0.01	1.3	2.2
K301490		0.48	1.56	0.10	0.3	1.51	0.007	0.26	6.0	2.4	0.38	452	0.21	0.01	1.3	2.3
K301491		0.44	0.31	0.07	<0.1	<0.01	0.005	0.02	0.6	1.2	12.00	192	0.15	0.01	0.2	2.3
K301492		0.84	4.22	0.05	0.7	1.74	0.016	0.65	9.9	6.1	0.51	121	0.42	0.02	2.3	6.8
K301493		0.90	3.88	0.07	0.7	2.70	0.014	0.58	10.5	4.4	0.60	551	0.33	0.01	2.1	7.5
K301494		0.63	2.58	0.07	0.4	0.95	0.010	0.39	9.0	3.5	0.57	120	0.29	0.01	1.5	4.1
K301495		1.00	4.14	0.06	0.7	1.17	0.016	0.67	9.4	6.1	0.43	99	0.40	0.02	2.5	9.6
K301496		0.68	2.77	0.07	0.5	0.70	0.009	0.42	7.1	3.6	0.60	224	0.37	0.01	1.6	5.6
K301497		0.54	2.44	0.07	0.4	0.50	0.010	0.36	6.9	3.4	0.49	83	0.39	0.01	1.4	4.3
K301498		0.44	1.69	0.07	0.3	1.13	0.006	0.24	5.0	2.0	0.55	197	0.33	0.01	1.0	3.3
K301499		0.34	1.66	0.08	0.3	1.14	0.007	0.23	4.6	2.1	0.38	351	0.25	0.01	0.9	2.4
K301500		0.36	1.73	0.08	0.3	1.20	0.005	0.24	4.9	2.2	0.38	343	0.27	0.01	1.0	3.0
K302501		0.39	1.48	0.07	0.3	0.91	0.005	0.20	4.6	1.8	0.60	239	0.29	0.01	0.8	2.5
K302502		0.70	3.13	0.08	0.5	0.65	0.012	0.49	8.3	4.3	0.56	265	0.41	0.01	1.9	5.2
K302503		0.78	3.59	0.08	0.6	0.55	0.013	0.52	9.9	4.3	0.62	225	0.44	0.02	1.9	7.0
K302504		2.05	8.23	0.11	1.7	4.93	0.027	0.97	28.6	34.8	2.47	260	18.70	0.03	7.2	54.1
K302505		0.65	2.54	0.06	0.5	0.67	0.009	0.36	8.7	3.3	0.82	280	0.30	0.01	1.4	4.5
K302506		0.60	2.48	0.07	0.5	0.67	0.009	0.36	6.3	3.0	0.71	342	0.26	0.01	1.4	3.7
K302507		2.36	10.95	0.12	1.8	3.45	0.035	1.66	24.3	9.9	0.98	2900	1.95	0.02	5.7	22.9
K302508		1.33	8.01	0.12	2.1	6.38	0.063	1.41	29.7	9.2	0.68	258	11.25	0.01	8.0	65.4
K302509		1.94	8.39	0.09	1.3	2.83	0.032	1.24	19.4	7.8	0.99	2220	1.43	0.02	4.4	17.3
K302510		0.95	4.34	0.08	0.7	1.50	0.023	0.65	12.3	3.8	0.71	569	0.61	0.01	2.2	8.3
K302511		1.20	5.47	0.13	0.8	4.05	0.148	0.76	11.9	12.8	0.26	650	0.35	0.01	2.6	11.7
K302512		2.12	9.68	0.15	1.5	4.7	0.119	1.31	24.8	15.0	0.47	4040	0.73	0.01	4.7	20.8
K302513		0.50	0.28	<0.05	<0.1	<0.01	0.007	0.02	0.7	0.9	13.30	230	0.09	0.01	0.3	2.2
K302514		0.54	1.77	0.05	0.3	1.27	0.027	0.24	4.6	2.4	0.52	1130	0.21	0.01	0.9	2.6
K302515		1.27	5.38	0.08	1.0	2.50	0.025	0.78	15.8	6.9	0.60	660	0.48	0.02	3.1	10.1
K302516		1.21	4.79	0.08	0.9	1.19	0.018	0.76	13.9	6.0	0.82	456	0.57	0.02	2.7	9.6
K302517		1.45	5.78	0.08	1.0	0.51	0.021	0.93	16.1	6.7	0.68	399	0.55	0.02	3.4	11.8
K302518		2.29	9.67	0.11	1.6	0.90	0.036	1.52	23.4	10.3	0.89	500	0.88	0.03	5.4	23.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173928

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301483		270	8.4	63.1	0.002	2.06	0.44	8.7	2	1.1	1415	0.35	<0.05	4.7	0.241	2.97
K301484		250	9.9	69.9	0.004	2.30	4.60	9.2	2	1.2	1265	0.36	0.06	5.4	0.240	5.72
K301485		190	2.8	16.7	0.002	0.53	0.69	2.5	2	0.3	2090	0.09	<0.05	1.6	0.043	1.96
K301486		560	2.5	14.2	<0.002	0.48	0.89	2.4	2	0.3	1785	0.08	<0.05	1.4	0.040	2.37
K301487		220	3.7	25.0	0.002	0.76	1.07	3.7	2	0.4	1495	0.13	<0.05	2.3	0.068	3.42
K301488		360	3.4	21.4	<0.002	0.64	0.63	3.3	2	0.4	1915	0.11	<0.05	2.0	0.057	2.38
K301489		160	2.0	11.0	<0.002	0.38	1.17	1.9	2	0.2	1755	0.06	<0.05	1.1	0.031	2.01
K301490		470	2.1	11.9	<0.002	0.48	1.90	2.5	2	0.2	2080	0.07	<0.05	1.2	0.034	2.92
K301491		170	2.0	1.3	<0.002	0.01	<0.05	0.3	2	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	<0.02
K301492		140	4.2	36.5	<0.002	0.91	1.11	4.1	2	0.5	1880	0.15	0.06	2.4	0.084	2.22
K301493		320	4.4	32.1	<0.002	0.96	3.07	4.6	3	0.5	1725	0.14	0.06	2.5	0.080	4.01
K301494		170	3.0	21.1	<0.002	0.58	0.47	3.6	2	0.3	2210	0.10	0.05	1.8	0.051	1.40
K301495		120	4.2	35.3	<0.002	1.14	0.25	4.3	2	0.5	2220	0.17	0.05	2.4	0.114	1.63
K301496		210	3.0	22.4	<0.002	0.73	0.19	2.9	2	0.3	1780	0.10	0.05	1.7	0.061	1.12
K301497		270	2.7	19.2	<0.002	0.60	0.21	3.0	2	0.3	2260	0.10	<0.05	1.6	0.048	1.40
K301498		490	2.0	12.7	<0.002	0.48	1.05	2.2	2	0.2	1870	0.06	<0.05	1.1	0.030	1.87
K301499		160	1.9	12.5	<0.002	0.37	1.50	1.9	2	0.2	1350	0.05	<0.05	1.0	0.029	1.71
K301500		140	2.2	13.5	<0.002	0.42	1.45	1.9	2	0.2	1425	0.06	<0.05	1.1	0.031	1.80
K302501		1340	1.9	10.4	<0.002	0.39	1.09	1.9	2	0.2	2000	0.05	<0.05	1.0	0.026	1.41
K302502		310	3.6	26.5	<0.002	0.74	0.56	3.3	2	0.4	1630	0.12	<0.05	2.0	0.065	1.07
K302503		450	4.5	28.5	0.002	0.78	0.36	3.9	3	0.4	1790	0.13	0.05	2.4	0.066	1.24
K302504		870	37.0	56.7	0.025	1.50	104.5	5.6	4	2.4	73.1	0.45	0.20	6.6	0.166	3.85
K302505		490	2.9	19.4	0.002	0.59	0.64	3.4	3	0.3	1785	0.10	<0.05	1.7	0.048	1.06
K302506		1010	2.6	18.9	<0.002	0.51	1.09	2.7	2	0.3	1955	0.09	<0.05	1.6	0.051	1.12
K302507		320	11.7	94.1	0.007	2.56	22.6	11.2	3	1.2	1030	0.41	0.08	6.6	0.211	10.95
K302508		4130	4.7	130.5	0.037	1.32	18.90	7.0	9	1.8	142.5	0.52	0.60	6.8	0.202	13.05
K302509		320	9.3	68.4	0.006	1.82	12.35	9.8	3	1.0	1505	0.30	0.07	5.1	0.156	8.74
K302510		1520	4.8	34.9	0.002	1.59	49.4	4.7	4	0.5	2140	0.15	0.07	2.6	0.076	2.97
K302511		730	8.0	44.3	<0.002	>10.0	726	3.3	19	0.5	679	0.18	0.33	2.7	0.108	8.06
K302512		310	12.6	79.2	0.003	8.84	510	8.1	13	1.0	518	0.31	0.27	5.0	0.199	11.95
K302513		170	2.5	1.5	<0.002	0.01	0.44	0.3	1	<0.2	54.1	<0.05	<0.05	<0.2	<0.005	0.02
K302514		1760	2.2	13.0	<0.002	2.03	114.5	2.3	4	0.2	1535	0.06	0.08	1.1	0.033	2.11
K302515		560	5.7	42.7	0.002	1.64	38.4	6.3	3	0.7	1680	0.22	0.08	3.4	0.107	3.14
K302516		1620	5.4	41.4	0.003	1.09	1.60	5.4	3	0.6	1830	0.18	0.05	3.2	0.099	2.49
K302517		350	6.3	50.2	0.003	1.20	0.60	6.2	3	0.7	1605	0.24	0.07	3.8	0.121	2.02
K302518		290	10.0	82.9	0.003	2.13	1.82	10.1	3	1.2	1400	0.36	0.09	5.7	0.229	3.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173928

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301483		2.3	63	1.3	21.6	43	48.6	
K301484		2.7	69	2.5	23.6	47	46.5	
K301485		1.8	13	1.1	11.3	10	14.2	
K301486		2.0	11	1.2	11.8	9	14.5	
K301487		1.8	20	1.9	14.7	17	19.7	
K301488		2.3	16	1.6	14.3	14	16.9	
K301489		1.7	9	0.9	8.4	5	9.3	
K301490		1.8	10	1.0	10.3	8	11.6	
K301491		0.6	2	0.1	0.9	14	<0.5	
K301492		2.1	23	1.8	14.0	22	23.5	
K301493		2.7	22	2.0	16.2	17	23.2	
K301494		2.8	16	1.2	16.9	14	14.9	
K301495		2.0	25	3.3	13.2	23	25.8	
K301496		2.0	16	1.9	12.2	14	16.2	
K301497		2.6	15	1.3	12.6	13	14.4	
K301498		2.3	10	0.8	10.9	9	11.1	
K301499		2.1	8	0.8	10.0	8	8.8	
K301500		2.0	8	0.8	9.5	8	9.0	
K302501		2.9	9	0.7	12.4	8	12.1	
K302502		2.5	17	1.4	14.9	18	18.9	
K302503		3.0	19	1.6	16.5	19	21.1	
K302504		9.2	221	27.5	21.1	197	63.1	
K302505		2.5	15	1.2	17.6	13	17.1	
K302506		2.2	14	1.1	11.3	10	17.5	
K302507		3.4	68	5.6	23.1	59	60.3	
K302508		8.6	376	36.1	29.5	267	76.0	
K302509		3.4	51	4.2	25.3	43	47.3	
K302510		3.5	24	1.8	23.3	24	28.5	1.565
K302511		2.7	36	2.8	11.9	71	31.5	22.8
K302512		3.2	63	6.7	17.9	78	50.7	15.45
K302513		0.8	2	0.1	0.9	18	<0.5	
K302514		2.2	10	1.4	10.6	11	15.5	3.48
K302515		2.9	32	2.0	23.4	27	33.4	
K302516		3.5	29	1.4	23.4	26	33.1	
K302517		2.6	35	0.8	22.6	29	36.6	
K302518		3.3	66	1.7	26.4	51	55.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173928

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE VA11173983

Project: Rackla Gold (Nadaleen)

P.O. No.: Area D- Batch 148

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173983

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300289		6.66	<0.01	36.5	0.53	5170	1080	0.15	0.03	26.8	87.2	4.91	1.3	4	0.90	11.9
K300290		3.06	<0.01	36.2	0.50	5830	680	0.17	0.03	27.4	106.0	4.43	1.4	4	0.85	13.5
K300291		4.94	<0.01	0.30	0.78	254	820	0.36	0.03	25.5	0.48	7.59	2.1	11	1.34	4.2
K300292		4.32	<0.01	0.41	0.16	489	2160	0.12	<0.01	27.1	3.06	1.26	0.8	<1	0.14	2.0
K300293		3.98	<0.01	5.90	0.19	2500	3090	0.11	0.01	24.7	24.5	2.14	1.1	<1	0.34	2.7
K300294		4.90	<0.01	0.01	0.10	<5	30	0.09	0.02	22.3	0.06	1.35	1.3	<1	0.59	5.8
K300295		3.06	<0.01	0.05	0.13	114	2180	0.09	<0.01	25.5	0.64	1.21	0.9	1	0.14	1.0
K300296		5.30	<0.01	0.04	0.09	619	810	0.12	0.01	24.4	0.10	0.96	0.9	<1	0.13	1.4
K300297		5.38	<0.01	0.12	0.18	977	1970	0.12	0.01	29.5	0.31	2.74	1.2	<1	0.37	1.8
K300298		0.18	0.34	0.33	6.26	642	1790	0.65	0.28	0.49	0.22	139.5	3.1	244	3.53	29.9
K300299		3.04	<0.01	0.33	0.13	740	4700	0.08	0.01	33.4	0.80	1.75	0.9	1	0.27	1.4
K300300		4.96	<0.01	0.29	8.41	884	1920	2.17	0.31	3.53	0.28	79.0	20.6	82	44.4	33.8
K300301		5.66	<0.01	0.07	8.36	119.5	990	2.45	0.29	4.88	0.28	78.0	20.8	84	55.3	34.2
K300302		5.46	<0.01	0.06	8.26	59.8	920	2.57	0.28	2.94	0.17	67.3	18.0	86	61.6	30.2
K300303		5.20	<0.01	0.08	8.01	68.7	830	2.34	0.25	1.37	0.15	82.2	19.5	94	57.2	34.5
K300304		5.70	<0.01	0.23	7.92	75.7	860	2.39	0.27	0.91	0.15	87.4	18.9	103	52.6	38.4
K300305		3.02	<0.01	0.12	7.55	60.3	700	2.28	0.24	0.91	0.19	77.9	17.4	85	50.3	37.1
K300306		5.84	<0.01	0.20	7.67	78.0	750	2.18	0.25	1.17	0.12	79.5	18.6	85	43.6	36.6
K300307		5.68	<0.01	0.13	7.07	101.5	810	2.37	0.24	1.63	0.10	82.0	17.3	85	47.2	28.8
K300308		5.42	<0.01	0.26	7.58	67.7	890	2.55	0.27	0.65	0.11	93.9	15.4	98	62.0	36.6
K300309		5.26	<0.01	0.27	7.84	119.0	960	2.12	0.26	0.81	0.11	93.4	15.1	105	54.5	34.6
K300310		3.22	<0.01	0.09	7.41	6.3	430	2.06	0.32	0.06	0.02	81.3	10.8	64	22.0	33.1
K300311		4.88	<0.01	0.08	7.33	7.0	390	2.04	0.30	0.09	<0.02	62.8	10.6	65	24.0	22.7
K300312		4.90	<0.01	0.01	0.09	<5	20	0.07	0.02	21.0	0.06	1.46	1.4	1	0.30	1.5
K300313		5.08	<0.01	0.11	7.71	18.8	410	2.08	0.30	0.11	<0.02	79.7	11.6	70	25.7	24.8
K300314		3.24	<0.01	0.07	7.56	9.4	370	2.17	0.26	0.12	<0.02	82.9	9.2	66	23.2	24.0
K300315		4.58	<0.01	0.05	7.30	18.5	320	2.13	0.28	0.14	<0.02	80.6	9.6	63	18.55	23.4
K300316		4.36	<0.01	0.06	7.32	17.2	370	2.11	0.27	0.22	0.02	77.9	9.8	63	19.80	23.0
K300317		0.18	2.66	1.02	3.09	567	850	0.64	0.32	8.07	2.33	51.0	6.6	52	4.01	42.3
K300318		4.34	<0.01	0.06	7.16	24.8	470	2.12	0.30	0.24	0.02	79.8	9.9	61	22.6	33.8
K300319		4.80	<0.01	0.15	8.09	18.6	370	2.32	0.39	0.03	0.03	98.0	8.9	68	30.3	36.4
K300320		3.96	<0.01	0.17	8.11	37.0	720	2.90	0.37	0.08	0.11	99.9	6.7	64	37.2	37.6
K300321		5.48	<0.01	0.29	4.62	51.2	730	1.84	0.20	0.16	0.11	51.8	14.2	48	13.75	28.1
K300322		5.66	<0.01	0.12	5.16	21.2	240	1.89	0.23	0.65	0.10	51.3	13.0	42	19.05	24.0
K300323		4.16	<0.01	0.12	7.83	17.8	510	2.82	0.35	0.09	0.09	70.9	8.7	64	41.3	26.9
K300324		5.84	<0.01	0.20	8.92	20.5	430	2.83	0.40	0.38	0.08	102.5	16.1	70	40.5	26.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173983

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300289		0.35	1.33	0.05	0.2	62.3	0.008	0.19	2.3	1.5	8.03	727	0.61	<0.01	0.8	3.8
K300290		0.36	1.48	0.07	0.2	77.0	0.006	0.18	2.0	1.8	7.95	749	0.61	<0.01	0.8	2.8
K300291		0.42	1.80	0.08	0.3	1.8	0.006	0.31	3.6	3.6	8.92	421	0.90	0.03	1.5	5.9
K300292		0.07	0.34	0.10	<0.1	2.11	<0.005	0.03	0.6	0.9	11.15	349	0.18	<0.01	0.2	<0.2
K300293		0.20	0.65	0.11	0.1	20.6	<0.005	0.06	1.0	1.3	10.15	773	0.32	0.01	0.3	1.2
K300294		0.50	0.37	0.10	<0.1	0.01	<0.005	0.05	0.6	1.0	13.60	219	0.09	<0.01	0.3	0.5
K300295		0.07	0.38	0.15	<0.1	0.8	<0.005	0.03	0.5	0.7	11.20	339	0.13	<0.01	0.2	<0.2
K300296		0.08	0.34	0.15	<0.1	0.2	<0.005	0.02	<0.5	0.7	12.15	208	0.22	<0.01	0.2	<0.2
K300297		0.14	0.62	0.16	0.1	0.7	<0.005	0.06	1.2	0.7	9.20	517	1.12	<0.01	0.5	1.3
K300298		7.04	21.6	0.20	4.2	9.2	0.051	1.37	59.3	16.2	0.13	37	6.62	0.37	9.3	17.5
K300299		0.15	0.45	<0.05	0.1	1.31	<0.005	0.04	0.7	0.6	5.26	1060	0.60	0.02	0.3	<0.2
K300300		4.52	22.7	0.17	3.0	1.19	0.073	2.67	35.0	67.7	0.84	753	17.85	0.15	12.5	56.5
K300301		4.66	22.3	0.14	2.7	0.76	0.073	2.62	35.7	96.7	1.38	1280	16.55	0.19	12.1	52.9
K300302		4.33	23.1	0.14	2.7	0.45	0.077	2.77	29.2	100.5	1.29	713	6.56	0.20	13.6	50.6
K300303		4.36	21.2	0.15	2.9	0.42	0.067	2.49	38.5	128.0	1.05	450	3.03	0.16	14.8	54.4
K300304		4.18	23.3	0.17	3.2	0.57	0.079	2.39	42.7	118.5	0.92	378	1.85	0.22	20.1	53.9
K300305		4.28	21.8	0.15	2.9	0.58	0.076	2.37	35.8	137.0	0.99	374	1.44	0.17	13.1	55.2
K300306		4.40	22.7	0.18	3.0	0.83	0.075	2.27	37.7	134.5	1.05	462	1.59	0.21	15.4	55.3
K300307		4.06	21.2	0.16	3.0	0.54	0.071	2.11	38.7	123.5	1.10	477	1.83	0.15	15.7	48.6
K300308		4.55	23.3	0.19	3.0	0.42	0.081	2.29	44.5	118.5	0.82	330	1.38	0.17	29.3	37.0
K300309		4.08	22.4	0.16	3.0	0.53	0.077	2.33	44.4	115.5	0.83	290	1.56	0.18	28.5	40.1
K300310		4.20	22.5	0.17	3.2	0.01	0.074	3.79	40.1	19.3	0.60	391	0.24	0.05	11.9	31.2
K300311		3.76	23.1	0.20	3.3	0.01	0.069	3.92	28.7	18.8	0.61	321	0.36	0.05	12.2	29.4
K300312		0.47	0.44	0.08	<0.1	<0.01	<0.005	0.05	0.7	1.4	12.70	198	0.05	<0.01	0.3	0.5
K300313		4.24	23.9	0.17	3.6	0.01	0.080	4.02	38.9	18.7	0.65	348	0.56	0.05	12.9	30.2
K300314		3.15	23.8	0.21	3.5	0.01	0.063	3.86	40.4	18.4	0.61	161	0.17	0.05	12.9	26.1
K300315		2.77	22.2	0.19	3.5	0.03	0.064	3.57	39.2	18.6	0.57	103	0.25	0.04	12.5	28.3
K300316		3.38	21.5	0.17	3.3	0.04	0.064	3.59	39.2	17.2	0.56	355	0.26	0.05	11.7	28.0
K300317		2.08	8.32	0.10	1.8	4.57	0.030	0.98	28.7	34.7	2.50	261	16.95	0.03	7.3	51.7
K300318		2.78	22.0	0.16	3.2	0.06	0.064	3.53	39.4	20.6	0.53	291	0.23	0.05	12.0	25.1
K300319		3.11	25.6	0.17	3.5	0.09	0.056	3.98	46.9	18.3	0.62	53	0.36	0.05	14.8	24.0
K300320		3.34	25.0	0.20	3.1	0.10	0.064	3.97	50.3	18.6	0.61	50	0.54	0.05	14.5	20.4
K300321		1.81	11.95	0.12	2.2	0.08	0.025	2.17	24.2	10.3	0.31	59	0.88	0.04	7.3	43.5
K300322		5.44	14.55	0.15	2.2	0.08	0.045	2.58	22.8	11.7	0.54	123	0.20	0.04	8.3	34.5
K300323		2.89	24.8	0.15	3.0	0.05	0.062	3.94	33.2	18.1	0.61	50	0.28	0.04	14.0	24.5
K300324		4.63	26.5	0.22	2.8	0.14	0.061	4.34	48.5	16.4	0.76	206	0.32	0.05	14.9	41.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173983

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300289		110	8410	7.2	0.002	1.59	185.0	1.0	2	0.2	210	0.05	<0.05	0.7	0.025	820
K300290		90	9610	7.2	0.002	1.79	253	1.0	3	0.2	205	0.05	<0.05	0.7	0.023	870
K300291		130	35.0	12.1	0.003	0.48	1.18	1.8	2	0.2	277	0.10	<0.05	1.4	0.039	5.62
K300292		30	22.8	1.2	<0.002	0.16	0.96	0.6	2	<0.2	147.5	<0.05	<0.05	0.2	<0.005	2.77
K300293		70	852	2.6	0.002	0.58	33.0	0.4	2	<0.2	165.5	<0.05	<0.05	0.3	0.008	21.3
K300294		200	2.4	2.9	<0.002	0.02	0.06	0.4	2	<0.2	43.2	<0.05	<0.05	<0.2	<0.005	0.10
K300295		40	19.2	1.2	<0.002	0.10	1.28	0.5	5	<0.2	147.0	<0.05	<0.05	0.2	<0.005	3.04
K300296		20	12.4	0.9	<0.002	0.12	0.70	0.4	2	<0.2	124.0	<0.05	<0.05	<0.2	<0.005	1.60
K300297		100	9.3	2.5	0.003	0.25	0.56	1.2	2	<0.2	241	<0.05	<0.05	0.4	0.012	1.86
K300298		920	17.0	50.3	0.003	3.00	117.0	17.2	2	3.0	528	0.74	0.13	8.9	0.557	8.10
K300299		40	59.2	1.7	0.003	0.30	1.41	3.7	2	<0.2	144.0	<0.05	<0.05	0.3	0.006	1.53
K300300		1500	22.4	142.0	0.005	4.11	1.08	16.8	2	2.9	1305	0.92	0.05	11.0	0.441	10.85
K300301		1410	20.6	148.5	0.006	3.20	1.00	17.0	3	2.9	819	0.92	<0.05	10.7	0.425	6.65
K300302		1110	23.2	119.5	0.003	1.77	0.85	15.7	2	2.9	410	0.97	0.05	9.3	0.434	2.69
K300303		980	17.5	145.5	<0.002	1.00	0.88	16.6	2	2.8	270	0.99	0.05	11.3	0.459	1.66
K300304		1040	22.7	159.0	0.003	1.10	1.11	17.8	3	3.0	275	1.27	0.09	12.4	0.438	1.37
K300305		830	18.9	152.5	<0.002	1.40	0.75	17.6	2	2.6	216	0.92	0.07	12.2	0.429	1.49
K300306		950	23.6	147.0	<0.002	1.46	0.80	17.6	3	3.0	245	0.97	0.06	11.8	0.410	1.39
K300307		1010	16.7	142.5	<0.002	0.69	0.76	16.7	3	3.0	246	1.05	0.06	12.0	0.382	1.13
K300308		1420	17.4	157.5	0.003	0.18	0.97	15.6	3	2.9	234	1.70	0.11	12.1	0.434	0.88
K300309		1260	19.0	149.5	0.002	0.24	1.03	15.2	3	2.7	240	1.71	0.10	11.8	0.449	0.86
K300310		190	12.5	181.5	<0.002	0.01	0.44	14.6	2	2.4	107.0	0.89	0.08	15.7	0.315	0.76
K300311		170	13.0	174.5	<0.002	0.01	0.45	14.8	2	2.6	94.2	0.93	0.08	14.7	0.327	0.78
K300312		160	1.3	2.4	<0.002	0.01	0.28	0.3	3	<0.2	48.4	<0.05	<0.05	<0.2	<0.005	0.02
K300313		180	13.5	191.5	<0.002	0.03	0.48	15.5	2	2.8	99.7	0.99	0.06	16.3	0.339	0.84
K300314		170	10.6	187.5	<0.002	0.01	0.40	15.2	2	2.7	121.5	0.98	0.06	16.4	0.332	0.83
K300315		160	11.3	166.5	<0.002	0.03	0.56	14.2	2	2.5	103.0	0.95	0.06	15.5	0.334	0.79
K300316		700	10.0	165.5	<0.002	0.12	0.50	13.9	2	2.5	116.5	0.89	0.08	15.5	0.322	0.80
K300317		850	38.3	58.4	0.023	1.47	106.5	5.2	5	2.6	74.1	0.50	0.20	6.8	0.162	3.64
K300318		1090	14.0	167.5	<0.002	0.13	0.51	15.5	2	2.6	141.0	0.94	0.06	15.3	0.303	0.95
K300319		230	44.7	175.0	<0.002	1.74	0.66	15.2	2	3.1	105.5	1.19	<0.05	19.3	0.330	1.45
K300320		250	52.1	177.0	<0.002	1.73	0.60	16.7	2	3.1	134.5	1.14	<0.05	18.4	0.313	2.04
K300321		90	28.1	88.7	0.004	1.10	0.94	8.2	2	1.8	59.7	0.58	<0.05	10.7	0.192	1.44
K300322		150	37.3	106.0	<0.002	4.77	0.77	9.2	2	1.9	100.5	0.65	<0.05	9.9	0.205	1.37
K300323		180	23.8	160.0	<0.002	1.61	0.40	14.3	2	3.0	105.5	1.07	0.05	16.1	0.306	1.63
K300324		450	97.8	166.0	<0.002	4.07	0.46	15.5	2	3.4	139.0	1.14	<0.05	19.3	0.334	2.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173983

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Zn- OG62 Zn % 0.001
K300289		9.4	18	2.1	2.7	>10000	5.9	1.270
K300290		9.4	18	2.1	2.8	>10000	5.7	1.480
K300291		13.4	20	1.6	3.3	96	10.5	
K300292		9.3	13	0.4	1.8	553	1.4	
K300293		8.4	10	0.8	1.4	4360	2.2	
K300294		0.4	4	0.1	0.9	21	<0.5	
K300295		6.1	9	0.4	1.7	297	1.3	
K300296		3.4	7	0.2	1.1	30	0.9	
K300297		7.3	13	1.1	4.6	74	3.3	
K300298		7.3	177	25.0	14.8	47	162.5	
K300299		9.9	20	0.8	9.8	188	2.3	
K300300		6.7	136	8.3	22.9	106	102.0	
K300301		6.1	125	1.6	25.0	125	92.1	
K300302		3.3	139	1.6	19.8	112	90.9	
K300303		3.2	175	1.6	21.8	139	104.0	
K300304		3.5	199	1.8	25.9	112	113.5	
K300305		3.1	152	1.4	22.5	137	105.5	
K300306		3.1	157	1.5	23.4	108	107.5	
K300307		3.2	139	1.6	24.9	113	103.5	
K300308		3.1	203	1.8	28.1	128	108.5	
K300309		3.0	210	1.7	24.9	128	103.5	
K300310		2.5	103	1.7	22.9	37	111.5	
K300311		2.7	106	1.6	20.9	36	115.0	
K300312		0.4	3	0.1	0.9	14	0.6	
K300313		2.8	109	1.6	24.2	37	121.0	
K300314		2.7	106	1.6	22.5	33	121.0	
K300315		2.6	101	1.6	23.3	32	120.0	
K300316		2.5	102	1.6	22.7	35	110.0	
K300317		9.1	223	28.7	22.2	199	65.0	
K300318		2.9	99	2.4	25.4	60	110.0	
K300319		2.5	86	1.8	19.2	70	112.5	
K300320		2.8	75	1.7	19.4	61	104.5	
K300321		2.9	52	1.0	15.2	60	70.9	
K300322		2.0	48	1.1	17.1	109	72.9	
K300323		2.5	75	1.6	16.0	156	100.5	
K300324		2.7	80	1.7	22.0	87	95.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173983

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

CERTIFICATE VA11173980

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 149

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173980

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K302519		8.36	0.01	0.01	1.44	34	180	0.39	0.06	31.3	0.17	21.2	6.0	15	4.49	13.7
K302520		8.66	<0.01	0.01	1.06	31	150	0.32	0.04	32.1	0.15	15.60	4.3	11	2.95	10.1
K302521		8.58	0.04	0.02	1.25	162	150	0.38	0.05	29.9	0.12	18.25	4.9	12	3.17	12.7
K302522		8.16	0.01	0.02	1.60	36	220	0.38	0.07	30.1	0.18	23.1	6.3	16	4.91	15.5
K302523		8.02	0.01	0.01	1.36	33	200	0.33	0.06	31.6	0.14	18.55	5.1	13	4.64	11.9
K302524		7.64	<0.01	0.01	0.80	24	230	0.26	0.03	33.8	0.05	11.60	3.6	9	3.06	6.5
K302525		7.74	<0.01	0.01	0.76	47	140	0.25	0.03	32.3	0.07	12.70	3.3	8	2.11	7.1
K302526		8.34	0.01	0.01	0.62	244	120	0.23	0.02	32.6	0.07	10.55	2.6	6	1.25	5.6
K302527		5.00	<0.01	<0.01	0.09	<5	10	0.10	0.02	21.2	0.05	1.00	1.7	2	0.33	1.4
K302528		8.02	<0.01	0.01	0.76	79	160	0.16	0.03	32.5	0.30	12.95	3.3	7	1.75	8.1
K302529		8.02	<0.01	<0.01	0.50	28	130	0.16	0.02	34.0	0.10	9.23	2.2	5	1.38	5.4
K302530		7.78	<0.01	<0.01	0.37	31	120	0.12	0.02	37.6	0.06	5.34	1.8	4	0.73	4.1
K302531		8.20	<0.01	0.02	1.42	47	160	0.27	0.06	30.9	0.15	22.7	5.3	14	4.50	14.3
K302532		8.06	<0.01	<0.01	0.61	29	120	0.21	0.03	33.9	0.08	8.99	2.5	6	1.68	6.1
K302533		8.26	0.06	0.03	0.39	530	110	0.12	0.02	33.9	0.08	6.76	1.8	4	0.84	3.7
K302534		0.30	2.61	0.96	3.06	577	830	0.61	0.32	7.92	2.31	45.8	7.3	51	4.06	42.6
K302535		8.14	<0.01	0.02	1.11	77	130	0.20	0.03	31.7	0.07	17.90	3.9	11	4.28	9.7
K302536		0.30	0.34	0.34	6.00	584	990	0.49	0.24	0.50	0.21	138.0	3.1	227	3.86	36.9
K302537		8.30	<0.01	0.01	1.32	32	120	0.26	0.04	31.1	0.09	18.85	4.0	12	5.74	8.5
K302538		8.00	<0.01	0.01	1.52	28	120	0.33	0.04	29.4	0.08	16.55	3.4	14	4.79	6.5
K302539		8.20	<0.01	0.01	1.64	16	140	0.32	0.05	30.8	0.09	21.8	5.1	15	7.09	12.5
K302540		8.04	<0.01	0.05	2.62	43	590	0.49	0.15	29.8	0.17	30.2	8.1	24	9.50	27.7
K302541		3.58	<0.01	0.04	2.40	32	510	0.45	0.12	30.3	0.20	29.5	7.5	22	8.95	22.4
K302542		8.46	<0.01	0.01	1.06	24	150	0.32	0.06	32.8	0.07	14.75	3.5	9	3.36	9.9
K302543		7.86	<0.01	0.01	0.90	33	120	0.32	0.05	33.2	0.04	13.95	2.8	8	2.49	7.1
K302544		8.34	<0.01	<0.01	0.26	8	110	0.16	0.02	36.4	0.02	5.12	1.5	3	0.53	3.2
K302545		7.94	<0.01	<0.01	2.72	2960	180	0.49	0.06	30.5	0.13	30.8	8.1	13	7.21	13.4
K302546		5.00	<0.01	0.01	0.08	<5	20	0.05	0.03	22.1	0.06	1.34	1.1	<1	0.28	2.0
K302547		4.74	<0.01	0.02	2.09	154	160	0.37	0.05	32.6	0.18	21.4	6.9	7	6.49	10.5
K302548		5.50	2.42	1.49	3.13	2650	310	0.54	0.14	25.8	0.29	37.7	11.7	27	6.49	27.8
K302549		6.16	<0.01	0.02	1.10	77	120	0.35	0.05	34.2	0.08	15.60	4.0	6	3.12	8.8
K302550		8.60	<0.01	0.01	0.51	17	200	0.20	0.02	37.8	0.04	8.79	2.1	1	1.39	4.5
K302551		8.32	<0.01	0.01	0.75	<5	140	0.19	0.03	36.2	0.07	13.25	3.0	4	2.51	12.4
K302552		8.22	<0.01	0.01	1.57	14	150	0.37	0.07	32.0	0.12	20.8	5.1	10	5.42	12.0
K302553		8.34	<0.01	<0.01	1.13	5	120	0.33	0.05	34.3	0.06	15.25	3.1	7	3.25	6.2
K302554		8.08	<0.01	0.01	0.55	<5	100	0.15	0.03	36.4	0.04	10.65	2.3	2	1.53	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173980

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302519		1.01	4.18	0.09	0.7	0.23	0.015	0.65	11.7	3.8	0.98	220	0.54	<0.01	2.3	2.5
K302520		0.71	3.06	0.10	0.5	0.22	0.012	0.47	8.2	2.8	0.88	365	0.35	<0.01	1.8	0.7
K302521		0.94	3.68	0.09	0.6	0.37	0.014	0.56	10.0	3.2	1.25	427	0.32	<0.01	2.1	2.0
K302522		0.93	4.54	0.10	0.8	0.25	0.016	0.72	12.7	4.2	0.70	166	0.49	<0.01	2.6	4.7
K302523		0.84	3.77	0.09	0.6	0.34	0.016	0.63	9.4	3.6	0.72	215	0.37	<0.01	2.2	2.3
K302524		0.70	2.16	0.08	0.4	0.27	0.010	0.35	5.8	2.4	0.66	401	0.26	<0.01	1.5	0.6
K302525		0.91	2.23	0.08	0.4	0.12	0.006	0.34	6.5	2.4	0.92	310	0.33	<0.01	1.4	<0.2
K302526		0.87	1.70	0.07	0.3	0.14	0.007	0.27	5.4	1.4	0.81	337	0.21	<0.01	1.2	2.0
K302527		0.48	0.42	0.25	<0.1	<0.01	<0.005	0.03	0.5	1.0	13.15	211	0.06	<0.01	0.4	0.8
K302528		0.54	2.13	0.12	0.4	0.68	0.020	0.33	6.3	2.0	0.60	135	0.31	<0.01	1.4	<0.2
K302529		0.31	1.41	0.10	0.2	0.33	0.007	0.22	4.6	1.6	0.46	63	0.28	<0.01	1.1	4.0
K302530		0.34	1.09	0.12	0.2	0.39	<0.005	0.15	2.7	1.0	0.57	169	0.20	<0.01	1.0	3.0
K302531		0.88	3.83	0.12	0.7	0.49	0.014	0.64	11.7	4.2	0.73	130	0.51	<0.01	2.2	5.3
K302532		0.38	1.61	0.10	0.3	0.29	0.007	0.26	4.7	1.8	0.52	120	0.23	<0.01	1.2	<0.2
K302533		0.31	1.11	0.12	0.2	0.65	0.007	0.16	3.4	1.1	0.50	327	0.15	<0.01	0.9	5.0
K302534		2.05	7.64	0.20	1.8	4.99	0.031	1.00	28.4	32.4	2.46	256	16.90	0.04	7.0	58.0
K302535		0.69	3.19	0.11	0.6	1.26	0.017	0.52	10.2	3.8	0.70	225	0.66	0.01	2.3	6.9
K302536		6.73	20.9	0.36	4.6	10.15	0.055	1.31	67.2	15.3	0.12	36	6.26	0.38	10.4	19.4
K302537		0.79	3.60	0.08	0.7	0.45	0.018	0.63	10.6	4.8	0.67	257	0.33	0.02	2.5	6.8
K302538		0.71	4.00	0.07	0.8	0.17	0.019	0.75	9.3	6.3	1.24	533	0.33	0.02	2.7	5.7
K302539		0.87	4.16	0.08	0.8	0.34	0.019	0.77	11.8	6.6	0.71	240	0.52	0.02	2.9	10.3
K302540		1.41	6.48	0.09	1.1	0.44	0.028	1.19	15.8	11.6	0.74	165	1.45	0.03	3.6	12.6
K302541		1.29	5.96	0.09	1.1	0.43	0.023	1.09	15.5	10.7	0.64	152	1.27	0.03	3.4	11.0
K302542		0.69	2.65	0.07	0.5	0.25	0.011	0.49	7.7	4.9	0.58	158	0.50	0.02	1.7	2.8
K302543		0.56	2.21	0.07	0.4	0.13	0.010	0.42	6.8	4.0	0.56	224	0.22	0.02	1.5	1.1
K302544		0.20	0.69	0.07	0.1	0.06	<0.005	0.11	2.2	1.4	0.29	100	0.08	0.01	0.7	<0.2
K302545		1.29	6.56	0.07	1.2	2.86	0.023	1.21	13.7	6.5	0.84	262	0.57	<0.01	9.1	5.0
K302546		0.49	0.24	0.05	<0.1	0.01	<0.005	0.03	0.6	1.0	13.50	211	0.05	<0.01	0.3	<0.2
K302547		0.87	4.97	0.08	0.9	2.17	0.019	0.94	10.0	4.1	0.54	222	0.55	<0.01	7.6	2.9
K302548		1.82	8.33	0.09	1.3	8.82	0.021	1.36	18.3	11.6	0.69	288	1.79	<0.01	4.1	14.9
K302549		0.75	2.87	0.07	0.5	1.44	0.011	0.50	7.7	4.1	0.38	107	0.49	<0.01	1.6	1.5
K302550		0.37	1.30	0.06	0.2	0.27	0.005	0.21	3.9	1.9	0.33	131	0.18	<0.01	0.8	<0.2
K302551		0.51	1.91	0.07	0.3	0.15	0.009	0.34	6.0	2.8	0.38	76	0.40	<0.01	1.1	<0.2
K302552		0.93	4.00	0.07	0.7	0.36	0.016	0.73	9.7	6.2	0.69	211	0.69	<0.01	2.1	4.5
K302553		0.57	2.88	0.07	0.5	0.16	0.012	0.54	6.6	4.9	0.83	313	0.27	<0.01	1.7	0.5
K302554		0.39	1.31	0.05	0.2	0.16	0.007	0.25	4.8	1.7	0.48	124	0.21	<0.01	0.7	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173980

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302519		520	4.6	31.9	0.002	0.86	0.35	5.0	2	0.5	2560	0.14	<0.05	2.7	0.078	1.64
K302520		510	3.6	24.2	0.002	0.61	0.24	3.6	2	0.4	2060	0.11	<0.05	2.1	0.058	1.39
K302521		470	3.8	28.9	<0.002	0.76	0.90	4.4	2	0.4	1745	0.12	<0.05	2.3	0.072	1.32
K302522		200	5.2	35.3	0.002	0.98	0.35	4.6	2	0.5	2460	0.18	<0.05	3.2	0.093	2.02
K302523		470	5.9	31.5	<0.002	0.80	0.42	4.6	2	0.5	2630	0.14	<0.05	2.6	0.074	1.03
K302524		250	4.4	17.1	<0.002	0.49	0.24	2.5	2	0.3	1860	0.08	<0.05	1.6	0.044	0.51
K302525		790	2.0	16.1	<0.002	0.23	0.22	2.6	2	0.2	2450	0.08	<0.05	1.5	0.044	0.18
K302526		430	2.1	11.8	<0.002	0.27	0.24	2.3	2	0.2	2110	0.06	<0.05	1.2	0.035	0.27
K302527		160	1.3	2.1	<0.002	0.01	<0.05	0.5	1	<0.2	43.1	<0.05	<0.05	<0.2	<0.005	<0.02
K302528		540	3.5	15.0	<0.002	0.53	0.41	2.6	2	0.3	2360	0.07	<0.05	1.4	0.045	0.69
K302529		250	1.9	10.1	<0.002	0.35	0.21	1.7	2	0.2	2110	0.05	<0.05	1.0	0.027	0.72
K302530		620	1.4	7.3	<0.002	0.33	0.20	1.6	2	0.2	2290	<0.05	<0.05	0.7	0.020	0.51
K302531		670	4.7	29.6	0.002	1.00	0.32	4.8	2	0.4	2180	0.14	<0.05	2.7	0.077	1.50
K302532		680	2.2	12.3	<0.002	0.41	0.20	2.1	2	0.2	2010	0.06	<0.05	1.1	0.033	0.48
K302533		260	1.8	7.5	<0.002	0.30	1.97	1.6	1	0.2	1745	<0.05	<0.05	0.8	0.020	0.58
K302534		860	38.7	52.8	0.023	1.50	90.5	5.5	5	2.6	72.7	0.50	0.21	7.5	0.168	3.89
K302535		100	4.3	29.4	0.003	0.67	1.13	3.1	3	0.5	1610	0.15	<0.05	2.2	0.059	0.95
K302536		890	20.8	52.9	0.004	2.99	102.5	16.5	4	3.4	500	0.86	0.14	11.7	0.534	8.27
K302537		100	5.5	33.6	0.002	0.79	0.23	3.5	3	0.5	1330	0.17	<0.05	2.5	0.067	0.94
K302538		110	5.3	38.3	<0.002	0.60	0.16	4.0	3	0.6	984	0.18	<0.05	2.7	0.079	0.42
K302539		130	5.8	39.3	0.003	0.87	0.22	3.8	3	0.6	1580	0.20	0.05	2.9	0.085	0.60
K302540		130	12.6	50.7	0.005	1.53	0.43	6.1	3	0.8	1935	0.28	<0.05	4.9	0.135	0.90
K302541		140	9.1	46.6	0.006	1.46	0.32	5.9	3	0.6	1995	0.27	0.05	4.6	0.123	0.83
K302542		120	4.7	21.7	0.003	0.63	0.25	3.1	2	0.3	1915	0.13	<0.05	2.2	0.055	0.75
K302543		270	4.3	18.2	0.002	0.45	0.22	2.6	3	0.3	1770	0.11	<0.05	1.9	0.047	0.74
K302544		330	1.6	5.0	<0.002	0.12	0.13	0.9	2	<0.2	1990	<0.05	<0.05	0.6	0.014	0.25
K302545		550	6.1	54.2	<0.002	1.05	13.30	6.2	2	0.6	1795	0.55	<0.05	2.6	0.213	5.11
K302546		170	2.0	2.0	<0.002	0.01	0.08	0.3	2	<0.2	46.6	<0.05	<0.05	<0.2	<0.005	0.12
K302547		420	3.3	41.7	0.002	0.67	2.82	5.2	2	0.5	1810	0.43	<0.05	1.9	0.172	2.95
K302548		470	9.3	70.2	0.006	2.11	31.0	6.2	3	1.0	1710	0.31	0.20	4.3	0.161	16.35
K302549		80	3.3	25.1	<0.002	0.73	1.40	2.8	2	0.4	1865	0.11	<0.05	1.5	0.058	2.02
K302550		250	1.8	10.3	<0.002	0.32	0.24	1.5	2	0.2	2070	0.05	<0.05	0.7	0.026	0.62
K302551		150	2.7	16.1	<0.002	0.47	0.15	2.1	2	0.3	2430	0.07	<0.05	1.1	0.039	0.48
K302552		120	4.9	34.2	0.002	0.90	0.25	3.9	2	0.5	1815	0.15	<0.05	2.2	0.080	0.67
K302553		290	3.6	25.0	<0.002	0.48	0.18	2.9	2	0.4	1620	0.11	<0.05	1.6	0.056	0.29
K302554		260	1.8	10.7	<0.002	0.35	0.11	1.5	2	0.2	1825	0.05	<0.05	0.8	0.028	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173980

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302519		3.1	25	0.4	20.6	21	26.9
K302520		2.4	19	0.3	14.1	14	19.6
K302521		2.2	23	0.6	19.3	17	23.6
K302522		3.2	27	0.5	18.9	20	28.4
K302523		3.0	23	0.4	19.4	19	23.0
K302524		1.8	14	0.3	10.8	7	13.7
K302525		2.4	14	0.4	13.0	12	14.2
K302526		1.8	12	0.7	10.8	8	11.0
K302527		0.4	3	0.1	0.9	10	<0.5
K302528		2.5	14	0.7	12.1	37	14.0
K302529		2.0	9	0.2	8.9	5	8.3
K302530		1.6	8	0.2	6.7	2	8.7
K302531		3.2	26	0.3	18.5	17	23.0
K302532		1.8	11	0.2	8.3	5	11.1
K302533		1.8	8	0.2	8.5	6	6.9
K302534		8.5	224	27.8	20.8	204	74.0
K302535		1.9	17	0.5	14.0	8	24.6
K302536		8.0	164	24.5	15.3	43	187.0
K302537		1.7	20	0.4	13.6	17	27.7
K302538		1.1	24	0.5	12.0	18	30.5
K302539		1.9	24	0.4	12.9	14	31.4
K302540		4.2	38	0.6	15.7	26	36.9
K302541		4.3	36	0.5	16.2	35	34.6
K302542		2.5	16	0.3	11.7	4	16.9
K302543		2.9	14	0.3	13.2	<2	15.1
K302544		1.9	5	0.1	7.6	<2	5.4
K302545		2.8	50	1.7	17.2	31	45.7
K302546		0.4	3	0.1	0.8	16	<0.5
K302547		1.6	42	1.2	14.1	27	34.7
K302548		4.9	51	1.9	14.8	44	42.9
K302549		1.5	18	0.5	11.3	14	16.7
K302550		1.5	9	0.2	9.8	7	8.7
K302551		2.4	13	0.2	13.1	15	10.6
K302552		2.3	26	0.4	13.1	21	22.6
K302553		1.9	19	0.3	12.4	13	17.3
K302554		1.7	10	0.1	10.0	5	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173980

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

CERTIFICATE VA11177770

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 150

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177770

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301722		7.24	0.68	0.32	0.83	301	80	0.29	0.03	28.9	0.14	14.05	2.0	9	2.54	7.9
K301723		7.42	0.07	0.16	1.02	135	90	0.38	0.03	28.8	0.09	16.00	2.3	11	2.92	7.2
K301724		0.28	2.67	1.09	3.08	581	850	0.83	0.29	7.90	2.27	47.8	6.5	52	4.12	43.0
K301725		6.98	0.03	0.11	1.04	110	120	0.36	0.03	27.7	0.09	16.40	2.3	11	2.70	7.9
K301726		2.42	0.01	0.07	1.30	121	100	0.47	0.04	25.5	0.07	19.70	2.6	13	3.45	7.6
K301727		5.38	0.02	0.12	0.85	798	80	0.27	0.03	19.15	0.11	14.10	2.1	9	1.77	5.4
K301728		7.56	0.01	0.10	0.59	314	50	0.21	0.02	19.75	0.12	10.00	1.8	8	1.18	4.6
K301729		7.34	<0.01	0.08	0.46	63	30	0.20	0.02	19.40	0.05	8.19	1.6	5	1.07	4.2
K301730		7.98	<0.01	0.08	0.52	51	40	0.24	0.02	19.30	0.12	8.42	1.9	6	1.19	5.3
K301731		7.92	<0.01	0.05	0.75	33	50	0.35	0.02	18.05	0.02	10.35	2.1	6	1.80	5.6
K301732		7.06	0.02	0.08	1.33	86	100	0.41	0.04	17.30	0.02	19.80	3.0	10	3.09	10.1
K301733		0.28	0.33	0.35	6.19	602	1480	0.62	0.26	0.50	0.21	134.0	2.9	237	3.84	33.0
K301734		7.46	0.01	0.11	0.85	54	70	0.33	0.03	18.85	0.07	8.44	2.4	7	2.13	7.1
K301735		8.30	<0.01	0.10	0.91	42	80	0.38	0.03	17.70	0.08	8.26	2.4	8	2.81	6.8
K301736		8.14	<0.01	0.07	0.61	29	50	0.33	0.02	18.30	0.16	10.10	2.1	6	1.87	5.4
K301737		4.98	<0.01	<0.01	0.07	<5	10	0.07	0.02	19.05	0.07	1.25	1.2	1	0.48	1.7
K301738		7.62	<0.01	0.15	0.98	20	70	0.43	0.04	18.55	0.13	11.75	1.1	8	2.47	7.8
K301739		7.98	0.01	0.22	1.70	44	230	0.43	0.05	13.70	0.10	18.65	2.2	16	3.97	8.3
K301740		7.30	0.01	0.26	1.20	25	70	0.43	0.04	16.75	0.18	14.90	2.0	11	3.19	9.4
K301741		7.38	<0.01	0.03	0.66	15	120	0.23	0.03	17.65	0.29	9.76	0.6	7	1.44	3.3
K301742		6.86	<0.01	0.06	0.86	22	40	0.37	0.03	17.10	0.06	12.10	1.3	6	2.43	4.5
K301743		8.28	0.01	0.03	0.93	11	50	0.40	0.03	18.30	0.03	12.95	1.0	6	2.34	4.6
K301744		7.02	0.02	0.02	0.90	28	60	0.37	0.04	18.80	0.05	13.80	1.8	5	2.14	4.9
K301745		7.98	<0.01	0.01	0.78	26	60	0.31	0.03	19.75	0.03	10.85	2.2	5	1.41	5.2
K301746		3.60	<0.01	0.01	0.75	36	50	0.26	0.03	19.50	0.03	10.90	2.1	4	1.32	4.7
K301747		7.84	<0.01	0.02	0.43	26	40	0.24	0.03	20.4	0.04	7.90	1.4	5	0.62	3.7
K301748		7.26	0.01	0.05	3.88	84	200	1.20	0.13	13.50	0.06	38.1	4.5	27	10.70	11.7
K301749		7.44	<0.01	0.12	7.19	116.0	460	2.75	0.28	7.09	0.12	67.9	13.6	52	25.1	33.4
K301750		4.94	<0.01	0.04	0.10	<5	20	0.09	0.02	21.3	0.05	1.05	0.5	1	0.51	3.2
K301751		7.58	<0.01	0.04	2.38	18	180	0.77	0.07	20.8	0.08	21.0	3.0	17	6.29	6.2
K301752		6.92	<0.01	0.08	3.62	65	240	1.03	0.12	18.05	0.04	32.8	4.8	28	8.89	8.9
K301753		8.06	<0.01	0.05	5.33	24	770	1.60	0.21	11.40	0.04	45.9	7.8	38	19.05	14.0
K301754		7.72	0.18	0.04	8.40	390	270	2.57	0.33	4.69	0.02	66.7	12.5	61	28.3	48.9
K301755		7.16	<0.01	0.05	8.62	374	270	2.71	0.36	7.00	0.02	71.3	13.2	58	33.8	39.1
K301756		6.72	0.02	0.04	8.59	280	490	2.29	0.36	7.88	<0.02	86.7	10.7	55	32.8	28.1
K301757		8.12	<0.01	0.10	7.93	47.0	380	2.19	0.34	7.74	0.03	69.4	16.1	61	29.9	30.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177770

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
K301722		0.44	1.96	<0.05	0.5	2.18	0.006	0.43	8.2	5.7	0.95	166	0.97	<0.01	1.5	2.3
K301723		0.46	2.54	0.05	0.6	1.71	0.008	0.53	9.1	6.4	1.19	261	0.81	<0.01	1.8	2.8
K301724		2.16	7.70	0.10	1.6	4.44	0.030	1.01	29.4	41.9	2.51	269	18.50	0.03	6.9	47.4
K301725		0.46	2.52	0.05	0.6	1.29	0.010	0.55	9.3	5.4	0.98	139	0.71	<0.01	1.9	2.8
K301726		0.62	3.24	0.06	0.9	1.43	0.011	0.66	10.7	8.2	2.76	249	0.77	<0.01	2.3	4.1
K301727		0.62	2.13	0.06	0.5	1.93	0.008	0.40	7.2	5.2	10.10	332	0.72	<0.01	1.5	3.4
K301728		0.40	1.56	0.07	0.4	1.45	0.005	0.30	5.7	4.1	11.15	345	0.69	<0.01	1.0	2.6
K301729		0.32	1.18	0.09	0.2	1.76	<0.005	0.21	4.9	3.8	11.55	239	0.44	0.01	0.8	1.8
K301730		0.37	1.40	0.07	0.2	1.38	<0.005	0.26	5.2	4.0	11.55	254	0.51	<0.01	0.9	2.6
K301731		0.39	1.92	0.08	0.5	1.48	0.007	0.38	6.1	5.6	11.10	230	0.44	0.01	1.3	2.7
K301732		0.69	3.33	0.06	0.9	2.01	0.010	0.68	10.7	8.3	10.20	285	0.69	0.01	2.3	4.9
K301733		7.01	20.6	0.18	3.8	9.60	0.053	1.38	65.0	19.2	0.15	38	6.73	0.40	9.9	15.6
K301734		0.43	2.17	0.05	0.4	1.35	0.006	0.42	4.9	5.7	11.35	238	0.73	<0.01	1.4	3.9
K301735		0.44	2.32	0.06	0.5	0.96	0.007	0.46	4.5	6.8	11.00	187	0.61	0.01	1.5	4.1
K301736		0.43	1.55	0.07	0.3	0.60	0.006	0.30	5.9	5.0	11.35	208	0.43	0.01	1.1	2.9
K301737		0.47	0.24	0.07	<0.1	<0.01	0.005	0.03	0.6	1.1	11.85	203	0.09	<0.01	0.2	1.7
K301738		0.40	2.12	<0.05	0.8	0.65	0.008	0.48	6.9	6.3	11.05	266	0.30	0.02	1.4	4.6
K301739		0.75	3.44	0.07	1.8	1.55	0.007	0.80	10.2	9.7	8.06	288	1.06	0.02	2.3	6.5
K301740		0.62	2.64	0.09	0.8	1.04	0.007	0.59	8.6	7.3	9.53	230	1.54	0.01	1.6	5.8
K301741		0.58	1.43	0.06	0.5	0.66	0.006	0.31	5.6	4.3	9.99	339	0.11	0.01	0.8	1.4
K301742		0.57	1.80	0.06	0.8	0.37	0.005	0.42	6.8	5.6	10.20	276	0.21	0.01	1.2	2.9
K301743		0.44	1.95	0.09	0.6	0.42	0.012	0.46	7.1	5.4	10.95	389	0.15	0.01	1.2	2.6
K301744		0.66	2.24	0.06	0.5	0.64	0.008	0.42	7.0	5.2	10.80	515	0.18	0.01	1.4	2.8
K301745		0.74	1.99	0.07	0.5	0.29	0.006	0.37	5.5	4.4	11.65	527	0.25	0.01	1.3	3.6
K301746		0.64	1.93	0.08	0.5	0.32	0.006	0.35	5.5	4.5	11.55	521	0.18	0.01	1.2	3.3
K301747		0.68	1.16	0.10	0.4	0.25	<0.005	0.21	4.1	3.5	12.00	650	0.16	0.02	0.7	2.6
K301748		2.12	8.23	0.08	1.5	0.84	0.023	1.97	19.4	18.0	7.09	466	0.52	0.03	4.2	11.6
K301749		2.57	18.25	0.17	2.7	1.40	0.053	3.55	34.8	32.7	2.31	202	1.22	0.04	9.4	27.1
K301750		0.51	0.24	0.07	<0.1	<0.01	0.006	0.05	0.5	1.3	12.95	214	0.06	0.01	0.2	1.8
K301751		1.53	4.59	0.07	1.4	0.18	0.021	1.17	11.2	8.3	5.44	361	0.22	0.03	2.5	7.3
K301752		2.60	7.70	0.08	1.5	0.36	0.031	1.78	17.5	9.3	3.96	547	0.53	0.03	4.1	11.3
K301753		4.00	11.40	0.08	2.1	0.19	0.050	2.69	25.3	13.3	4.27	587	0.39	0.03	5.9	20.7
K301754		3.28	22.3	0.20	2.6	1.24	0.059	4.17	34.2	23.9	2.04	452	0.38	0.04	10.7	28.0
K301755		3.85	22.0	0.20	2.1	0.87	0.067	4.23	37.6	24.2	1.81	565	0.44	0.04	10.2	30.3
K301756		3.60	21.6	0.22	2.0	0.38	0.055	4.28	45.6	17.9	2.61	562	0.35	0.04	9.9	21.5
K301757		3.85	20.9	0.20	2.2	0.69	0.059	4.07	34.9	20.2	1.37	652	0.51	0.04	9.9	38.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177770

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301722		210	6.0	15.2	0.002	0.30	1.05	1.5	2	0.4	716	0.10	<0.05	1.9	0.039	1.30
K301723		240	6.6	18.7	<0.002	0.29	1.17	1.7	2	0.4	883	0.13	<0.05	2.5	0.048	2.69
K301724		870	39.3	50.8	0.025	1.56	107.5	5.1	4	2.5	70.3	0.45	0.24	6.9	0.172	4.23
K301725		280	6.0	19.2	<0.002	0.28	0.49	1.7	2	0.4	677	0.13	<0.05	2.4	0.049	1.63
K301726		210	7.6	23.2	<0.002	0.37	0.60	2.2	2	0.5	549	0.16	<0.05	3.0	0.061	1.45
K301727		350	5.5	13.3	<0.002	0.27	1.28	1.4	2	0.3	128.0	0.10	<0.05	1.9	0.039	1.79
K301728		330	5.0	9.7	0.002	0.26	0.93	1.1	2	0.2	114.0	0.07	<0.05	1.3	0.026	1.29
K301729		100	5.8	7.0	<0.002	0.20	0.60	0.8	2	0.2	87.4	0.06	<0.05	1.0	0.020	0.94
K301730		150	5.7	8.7	<0.002	0.27	0.64	1.0	2	0.2	94.9	0.06	<0.05	1.1	0.022	0.92
K301731		110	4.5	12.5	<0.002	0.29	0.42	1.3	2	0.3	109.0	0.09	<0.05	1.6	0.035	1.06
K301732		270	10.3	22.8	<0.002	0.58	1.01	2.2	2	0.5	110.0	0.17	<0.05	3.1	0.062	1.40
K301733		930	17.7	50.3	0.004	3.21	123.0	15.6	2	3.1	507	0.73	0.14	9.5	0.560	8.24
K301734		180	9.5	14.1	0.002	0.39	0.93	1.4	2	0.3	116.5	0.11	<0.05	1.8	0.039	1.24
K301735		190	9.7	15.7	0.002	0.41	0.57	1.5	2	0.3	92.5	0.11	<0.05	2.0	0.041	1.20
K301736		120	6.3	10.0	<0.002	0.30	0.38	1.1	2	0.2	92.0	0.08	<0.05	1.3	0.027	0.81
K301737		170	1.2	2.0	<0.002	0.01	<0.05	0.3	2	<0.2	40.9	<0.05	<0.05	<0.2	<0.005	0.02
K301738		270	5.5	13.0	<0.002	0.26	0.46	1.4	<1	0.3	98.7	0.10	<0.05	1.8	0.046	0.65
K301739		530	7.2	21.3	0.003	0.49	0.74	2.2	1	0.5	110.5	0.17	<0.05	3.2	0.077	1.40
K301740		600	6.0	15.8	0.005	0.30	0.59	1.8	1	0.4	104.5	0.12	<0.05	2.3	0.055	0.92
K301741		630	1.8	8.4	<0.002	0.14	0.34	1.1	<1	0.2	92.1	0.06	<0.05	1.2	0.029	0.45
K301742		510	3.4	11.2	<0.002	0.38	0.38	1.3	<1	0.3	68.5	0.09	<0.05	1.7	0.040	0.41
K301743		500	3.7	12.9	<0.002	0.29	0.38	1.4	<1	0.3	77.2	0.09	<0.05	1.6	0.042	0.53
K301744		370	4.0	17.2	<0.002	0.39	0.55	1.7	2	0.3	94.3	0.11	<0.05	1.9	0.042	0.79
K301745		530	3.8	14.6	<0.002	0.43	0.39	1.4	2	0.2	79.2	0.10	<0.05	1.7	0.038	0.51
K301746		510	3.7	14.0	<0.002	0.39	0.39	1.4	2	0.2	82.3	0.09	<0.05	1.6	0.036	0.55
K301747		550	2.6	6.6	<0.002	0.25	0.50	0.8	<1	0.2	72.5	<0.05	<0.05	0.9	0.020	0.31
K301748		2010	8.6	63.8	<0.002	1.82	0.83	5.7	<1	0.9	106.5	0.31	<0.05	5.4	0.174	1.87
K301749		620	22.7	148.5	0.003	1.79	0.68	13.8	2	2.1	128.0	0.77	0.07	12.2	0.340	3.04
K301750		180	1.1	2.4	<0.002	0.01	0.15	0.2	<1	0.3	38.7	<0.05	<0.05	<0.2	0.005	0.04
K301751		500	7.7	33.8	<0.002	0.48	0.21	3.4	1	0.6	353	0.19	<0.05	3.3	0.103	0.56
K301752		540	5.9	60.3	<0.002	0.48	0.51	5.9	1	1.0	370	0.30	<0.05	5.1	0.157	1.51
K301753		670	6.8	91.4	<0.002	0.36	0.28	8.8	1	1.4	184.0	0.45	<0.05	7.8	0.242	0.87
K301754		800	12.1	142.0	<0.002	1.07	1.12	14.4	2	2.3	117.5	0.85	0.09	11.2	0.370	3.31
K301755		330	16.6	139.0	<0.002	1.60	1.09	13.6	2	2.3	163.5	0.79	0.08	11.5	0.341	3.15
K301756		1360	9.7	161.5	<0.002	0.87	0.62	13.8	2	2.2	142.0	0.79	0.10	13.4	0.319	2.04
K301757		350	28.9	130.5	<0.002	1.80	0.64	13.1	2	2.1	291	0.77	0.07	11.1	0.338	2.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177770

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301722		18.8	20	1.0	4.7	11	18.1
K301723		21.9	24	1.0	5.5	7	23.6
K301724		9.2	225	30.3	20.5	206	62.2
K301725		14.8	20	0.8	5.6	10	23.0
K301726		18.6	22	1.3	6.8	11	32.5
K301727		12.4	19	1.0	4.6	24	18.9
K301728		11.8	13	0.7	3.7	6	12.2
K301729		14.5	12	0.7	2.6	<2	6.8
K301730		15.5	16	0.7	2.9	10	7.4
K301731		12.5	12	0.7	3.4	<2	17.3
K301732		11.4	24	1.5	6.1	<2	32.9
K301733		7.7	168	24.7	15.9	41	157.5
K301734		17.8	19	1.1	3.0	4	13.8
K301735		17.8	18	1.1	3.0	5	17.7
K301736		17.2	13	0.8	3.1	51	11.2
K301737		0.6	2	0.1	0.8	9	<0.5
K301738		9.6	16	0.6	4.2	55	28.3
K301739		9.1	35	1.0	6.5	14	60.6
K301740		8.9	27	0.7	5.8	23	26.0
K301741		5.3	18	0.3	5.7	88	16.5
K301742		4.2	11	0.5	5.5	6	28.2
K301743		5.9	18	0.6	5.0	5	20.9
K301744		7.7	16	0.8	5.4	8	19.1
K301745		5.4	13	0.7	4.7	3	17.8
K301746		5.5	13	0.7	4.7	3	17.2
K301747		5.3	7	0.3	4.3	4	13.3
K301748		5.2	49	1.9	13.6	14	51.9
K301749		6.5	93	2.6	20.9	98	86.5
K301750		0.3	2	0.1	0.6	14	0.5
K301751		5.4	32	0.5	6.6	44	31.3
K301752		6.6	49	1.1	9.8	46	50.5
K301753		5.3	71	1.0	13.7	27	71.5
K301754		3.8	102	4.0	22.2	32	86.3
K301755		2.7	87	3.5	19.7	65	72.3
K301756		3.7	84	2.7	27.5	37	67.3
K301757		3.5	90	1.4	20.8	72	73.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177770

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

CERTIFICATE VA11193062

Project: Rackla Gold (Nadaleen)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11193062

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300725		<0.01
K300726		<0.01
K300727		<0.01
K300728		<0.01
K300729		<0.01
K300730		<0.01
K300731		<0.01
K300732		<0.01
K300733		<0.01
K300734		<0.01
K300735		<0.01
K300736		<0.01
K300737		0.31
K300738		0.06
K300739		0.56
K300740		0.21
K300741		<0.01
K300742		<0.01
K300743		<0.01
K300744		0.01
K300745		<0.01
K300746		<0.01
K300747		<0.01
K300748		<0.01
K300749		<0.01
K300750		<0.01
K300751		<0.01
K300752		<0.01
K300753		<0.01
K300754		<0.01
K300755		<0.01
K300756		<0.01
K300757		0.11
K300758		<0.01
K300759		<0.01
K300760		2.56

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE VA11173986

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 151

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173986

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300725		7.40	<0.01	0.06	1.28	24	140	0.32	0.10	30.9	0.21	19.40	4.6	9	5.58	20.6
K300726		7.10	<0.01	<0.01	0.76	21	120	0.34	0.05	32.5	0.10	12.30	2.6	5	2.50	8.7
K300727		7.42	<0.01	0.03	1.03	31	170	0.26	0.07	32.0	0.09	15.65	3.3	7	3.58	10.4
K300728		7.22	<0.01	0.03	1.28	35	120	0.40	0.07	28.6	0.15	18.60	3.9	9	4.71	13.0
K300729		7.10	<0.01	0.01	1.10	37	90	0.39	0.08	29.4	0.08	17.45	3.8	7	4.69	11.1
K300730		7.16	<0.01	<0.01	0.70	19	80	0.19	0.03	34.0	0.05	9.69	2.2	7	1.36	7.9
K300731		4.96	<0.01	0.01	0.06	<5	10	<0.05	0.02	20.7	0.06	0.90	1.1	1	0.16	2.8
K300732		6.80	<0.01	0.01	0.79	53	80	0.20	0.04	32.8	0.05	11.35	2.6	8	1.53	7.5
K300733		6.98	0.01	<0.01	0.91	44	120	0.26	0.04	32.6	0.07	13.05	2.8	9	2.11	7.9
K300734		7.10	<0.01	<0.01	1.25	45	130	0.28	0.06	32.0	0.08	17.05	3.7	12	3.20	10.1
K300735		6.96	<0.01	0.01	1.97	93	130	0.33	0.09	28.5	0.13	25.5	5.7	18	4.56	15.9
K300736		6.98	<0.01	<0.01	0.80	40	80	0.16	0.04	33.5	0.06	12.10	2.7	8	1.83	7.3
K300737		0.30	0.18	0.25	5.93	565	340	0.51	0.26	0.46	0.16	117.5	2.6	225	2.71	25.4
K300738		7.14	0.11	0.02	0.93	89	90	0.22	0.05	33.6	0.05	14.05	3.0	10	1.83	8.4
K300739		7.22	0.53	0.13	0.69	>10000	110	0.31	0.04	30.7	0.07	8.87	3.3	7	1.23	9.3
K300740		7.50	0.22	0.04	3.71	3970	200	0.82	0.16	20.7	0.08	41.9	12.9	32	18.40	26.0
K300741		7.62	<0.01	<0.01	7.72	58.1	260	1.90	0.31	7.48	0.06	87.7	14.6	66	35.6	40.4
K300742		7.80	0.01	<0.01	8.18	65.2	280	2.19	0.39	3.73	0.03	81.0	23.4	71	37.6	55.6
K300743		8.12	<0.01	<0.01	6.92	77.1	240	1.94	0.27	8.19	0.08	78.1	14.4	50	47.9	39.4
K300744		7.82	<0.01	<0.01	7.85	54.1	280	2.13	0.31	6.19	0.07	91.4	18.5	67	45.9	52.0
K300745		7.44	0.01	0.01	6.77	256	230	1.88	0.25	4.27	0.05	75.3	21.8	74	31.0	44.5
K300746		7.52	<0.01	<0.01	6.55	47.9	210	1.62	0.25	2.41	0.09	71.9	15.4	70	37.5	48.2
K300747		3.70	<0.01	0.01	6.38	30.9	210	1.57	0.25	2.35	0.11	70.7	15.5	70	37.6	46.6
K300748		7.64	<0.01	0.02	6.61	11.4	260	1.50	0.25	3.02	0.06	76.8	16.3	71	34.4	50.0
K300749		8.30	<0.01	0.03	5.38	8.8	200	1.33	0.18	3.95	0.06	57.5	14.0	59	25.3	35.6
K300750		7.98	<0.01	0.08	6.16	23.6	490	1.95	0.18	1.87	0.44	65.1	24.3	77	42.1	44.0
K300751		7.66	<0.01	0.04	5.71	15.7	200	1.97	0.17	4.07	0.16	60.1	16.0	67	31.2	36.7
K300752		7.40	<0.01	0.04	9.27	18.6	510	2.67	0.39	4.21	0.17	106.5	24.9	84	46.7	63.4
K300753		5.02	<0.01	<0.01	0.08	<5	20	0.07	0.02	21.3	0.06	1.36	1.5	1	0.71	2.3
K300754		7.46	<0.01	0.03	6.15	38	180	1.35	0.27	13.40	0.05	67.9	16.5	47	20.0	45.1
K300755		7.28	<0.01	0.02	6.33	19	200	1.32	0.29	11.75	0.15	72.0	21.5	51	20.5	44.6
K300756		7.96	<0.01	0.01	8.34	18.7	280	2.19	0.33	7.23	0.06	102.5	22.8	69	34.7	56.9
K300757		7.76	0.11	0.04	5.96	319	200	1.58	0.22	10.25	0.08	71.7	17.5	51	22.5	42.5
K300758		7.72	<0.01	0.01	2.39	<5	160	0.88	0.07	15.70	0.28	27.4	8.4	21	7.85	22.7
K300759		7.82	<0.01	0.03	6.37	6.2	210	1.70	0.25	9.23	0.20	69.8	20.7	49	29.8	47.4
K300760		0.30	2.51	0.96	3.09	575	780	0.60	0.32	8.08	2.21	47.3	6.0	55	3.56	39.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173986

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300725		0.79	3.16	0.06	0.6	0.34	0.017	0.61	10.3	5.5	0.45	155	0.76	0.02	1.7	7.8
K300726		0.54	1.91	0.07	0.4	0.20	0.012	0.35	6.4	3.5	0.41	220	0.49	0.01	1.0	4.6
K300727		0.66	2.31	0.07	0.5	0.32	<0.005	0.49	8.4	4.1	0.40	92	0.68	0.01	1.3	5.9
K300728		0.86	3.07	0.12	0.6	0.38	0.015	0.60	10.3	4.6	0.64	289	0.85	0.01	1.6	7.4
K300729		0.85	2.86	0.09	0.5	0.36	<0.005	0.52	8.8	4.2	1.75	301	0.81	0.01	1.5	6.6
K300730		0.44	1.88	<0.05	0.3	0.39	0.007	0.29	4.5	1.8	0.54	297	0.40	0.04	1.0	<0.2
K300731		0.45	0.29	0.06	<0.1	<0.01	<0.005	0.03	<0.5	0.9	12.80	207	0.07	<0.01	0.3	<0.2
K300732		0.60	2.25	<0.05	0.4	0.47	0.008	0.35	5.6	1.9	0.80	364	0.50	0.01	1.2	0.3
K300733		0.66	2.52	<0.05	0.4	0.53	0.010	0.42	6.4	2.6	0.75	288	0.51	0.01	1.3	0.6
K300734		0.82	3.33	<0.05	0.6	0.57	0.014	0.57	8.5	3.5	0.61	282	0.56	0.01	1.9	1.8
K300735		1.13	5.35	0.05	0.9	1.14	0.021	0.89	12.5	4.7	0.69	167	1.21	0.02	2.8	6.0
K300736		0.53	2.17	<0.05	0.4	0.52	0.009	0.35	5.8	2.3	0.42	187	0.53	0.01	1.3	<0.2
K300737		6.19	20.1	0.17	3.9	9.3	0.044	1.25	55.0	15.0	0.12	36	6.14	0.35	8.7	13.8
K300738		0.61	2.56	<0.05	0.4	0.82	0.009	0.41	6.9	2.3	0.44	513	0.61	0.01	1.5	0.6
K300739		0.46	2.09	0.07	0.3	0.90	0.046	0.27	4.2	3.5	0.42	2260	0.29	0.01	1.3	5.8
K300740		2.90	10.05	0.07	1.7	0.76	0.044	1.58	21.5	10.7	1.57	1620	0.93	0.02	5.0	15.5
K300741		3.62	22.3	0.15	3.0	0.19	0.072	3.64	43.9	16.1	2.46	1060	0.61	0.03	10.3	32.9
K300742		4.62	23.8	0.17	2.8	0.18	0.081	4.09	39.0	17.7	1.98	757	0.87	0.03	11.0	42.3
K300743		4.29	19.10	0.15	2.5	0.09	0.067	3.29	39.6	18.3	3.76	1210	0.50	0.03	8.9	30.9
K300744		4.02	21.8	0.19	3.0	0.10	0.081	3.69	46.2	22.6	2.91	1100	0.38	0.03	10.2	39.0
K300745		4.06	19.80	0.16	2.8	0.2	0.075	3.23	37.0	31.1	1.97	717	0.26	0.03	9.0	40.2
K300746		4.24	17.95	0.16	3.1	0.11	0.070	2.89	33.8	99.4	1.82	395	0.43	0.05	10.4	31.7
K300747		4.17	17.45	0.15	3.1	0.12	0.071	2.84	33.4	95.9	1.78	388	0.46	0.05	9.9	31.1
K300748		4.53	17.25	0.18	3.1	0.09	0.070	2.82	36.5	110.0	2.11	525	0.35	0.04	10.4	32.9
K300749		3.92	13.85	0.14	2.3	0.12	0.055	2.30	26.7	114.0	1.61	458	0.33	0.03	7.2	26.3
K300750		3.92	17.55	0.15	2.3	0.22	0.073	2.88	31.2	108.0	1.13	369	0.32	0.02	7.2	34.5
K300751		2.96	15.20	0.13	2.3	0.09	0.059	2.56	28.6	42.6	0.95	306	0.38	0.02	6.7	24.2
K300752		5.28	24.4	0.23	3.2	0.13	0.089	4.46	52.1	46.5	1.85	592	0.59	0.03	11.5	45.9
K300753		0.48	0.34	0.06	<0.1	<0.01	<0.005	0.04	0.6	1.3	13.25	215	0.07	0.01	0.4	1.0
K300754		3.71	15.70	0.16	2.2	0.34	0.057	2.83	34.7	11.4	2.22	976	0.66	0.03	7.4	25.7
K300755		3.40	17.55	0.13	3.0	1.34	0.072	2.99	37.1	9.5	1.84	994	1.63	0.03	8.7	28.1
K300756		4.02	22.5	0.21	3.0	0.24	0.085	3.95	52.6	18.6	2.17	757	1.18	0.04	10.9	40.9
K300757		4.25	15.85	0.17	2.2	0.17	0.060	2.78	36.4	15.1	3.78	2230	0.44	0.03	7.5	30.6
K300758		3.30	6.43	0.08	0.9	0.03	0.026	1.10	13.3	9.1	6.92	2040	0.18	0.02	3.3	14.3
K300759		3.50	16.70	0.15	2.3	0.11	0.060	2.98	36.3	14.1	4.55	1380	0.52	0.03	7.8	35.9
K300760		2.03	7.74	0.10	1.7	4.47	0.027	0.97	28.4	33.9	2.54	271	17.40	0.03	6.4	46.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173986

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300725		120	23.7	26.4	<0.002	0.80	0.32	3.6	2	0.4	1890	0.14	<0.05	2.3	0.068	0.68
K300726		120	2.8	15.5	<0.002	0.46	0.19	2.2	1	0.4	1970	0.07	<0.05	1.3	0.041	0.34
K300727		260	4.1	19.8	<0.002	0.61	0.25	2.7	3	0.4	2430	0.10	<0.05	1.8	0.055	0.50
K300728		140	6.4	24.4	<0.002	0.82	0.35	3.2	2	0.5	1780	0.12	<0.05	2.1	0.065	0.64
K300729		460	4.8	22.9	<0.002	0.75	0.35	2.9	1	0.5	1440	0.11	<0.05	2.0	0.056	0.58
K300730		370	3.0	15.5	<0.002	0.39	0.20	1.7	2	0.2	1585	0.06	<0.05	1.1	0.034	0.34
K300731		180	2.6	1.8	<0.002	0.01	<0.05	0.3	2	<0.2	45.7	<0.05	<0.05	<0.2	<0.005	<0.02
K300732		650	2.8	18.9	<0.002	0.49	0.27	2.2	2	0.3	1530	0.08	<0.05	1.3	0.038	0.60
K300733		170	2.9	22.3	0.002	0.60	0.40	2.6	2	0.3	1830	0.09	<0.05	1.5	0.045	0.80
K300734		340	4.1	31.2	0.002	0.84	0.37	3.2	2	0.4	1680	0.13	<0.05	2.1	0.064	1.10
K300735		260	6.0	45.0	0.003	1.28	1.12	4.0	3	0.6	1685	0.20	<0.05	3.3	0.099	2.51
K300736		260	2.8	19.2	0.002	0.55	0.66	2.0	2	0.3	1705	0.08	<0.05	1.3	0.042	1.12
K300737		870	15.2	50.4	0.002	2.88	112.5	15.2	3	2.6	472	0.68	0.11	9.3	0.517	7.46
K300738		210	4.5	22.4	0.002	0.64	1.32	2.1	2	0.3	1625	0.10	<0.05	1.6	0.050	1.85
K300739		530	3.3	14.7	0.003	3.19	112.5	3.2	5	0.2	1570	0.06	0.05	1.5	0.034	2.74
K300740		330	13.8	87.9	0.003	2.16	9.76	9.6	2	1.3	726	0.37	0.07	5.8	0.192	2.89
K300741		460	8.7	191.0	0.002	1.38	0.39	19.2	2	2.5	261	0.81	<0.05	13.1	0.386	1.19
K300742		350	16.9	157.5	0.002	3.40	0.59	18.7	2	2.7	166.5	0.88	0.05	12.7	0.401	1.43
K300743		480	8.1	173.5	<0.002	2.62	0.49	15.1	2	2.3	209	0.70	<0.05	11.6	0.318	1.13
K300744		520	9.5	192.5	<0.002	2.39	0.61	20.0	2	2.6	191.5	0.80	<0.05	12.7	0.389	1.27
K300745		460	17.9	162.0	<0.002	2.39	1.26	19.7	2	2.4	167.5	0.69	<0.05	9.9	0.399	1.55
K300746		480	13.5	154.5	<0.002	0.91	0.66	18.3	2	2.2	116.5	0.79	0.05	10.4	0.473	0.92
K300747		470	13.3	149.0	<0.002	0.91	0.65	18.1	2	2.1	105.5	0.77	0.05	10.2	0.464	0.94
K300748		500	11.4	145.5	<0.002	0.35	0.45	18.3	2	2.2	134.5	0.79	<0.05	10.6	0.484	0.83
K300749		320	9.7	112.5	<0.002	0.38	0.36	15.1	2	1.6	154.0	0.54	<0.05	7.8	0.336	0.67
K300750		230	19.5	144.5	0.002	0.94	0.70	19.8	2	2.2	117.5	0.56	<0.05	8.5	0.344	1.12
K300751		190	9.2	129.5	<0.002	0.55	0.40	17.2	2	2.1	192.0	0.51	<0.05	7.9	0.305	0.94
K300752		310	14.2	171.0	0.002	2.44	0.48	23.3	2	3.2	222	0.90	0.09	14.7	0.433	1.40
K300753		160	1.5	3.3	<0.002	0.01	<0.05	0.4	1	<0.2	40.7	<0.05	<0.05	<0.2	<0.005	0.02
K300754		310	17.2	135.5	<0.002	2.02	0.61	13.8	2	1.9	503	0.57	0.09	10.0	0.264	1.05
K300755		340	26.1	145.5	0.005	2.46	0.71	15.4	3	2.2	402	0.66	0.14	10.3	0.336	2.10
K300756		420	14.7	186.0	0.002	1.93	0.57	20.3	2	2.9	278	0.84	0.06	14.1	0.395	1.17
K300757		420	10.9	134.5	<0.002	1.74	1.16	14.5	2	1.9	214	0.58	0.05	9.7	0.282	1.20
K300758		420	4.3	50.5	<0.002	0.22	0.20	6.0	1	0.9	478	0.24	<0.05	3.6	0.121	0.32
K300759		440	12.6	141.0	<0.002	0.99	0.57	14.5	2	2.0	231	0.61	0.05	10.2	0.288	0.84
K300760		870	34.0	50.0	0.023	1.52	112.5	5.1	5	2.4	68.2	0.45	0.21	6.3	0.167	3.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173986

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300725		2.4	21	0.8	12.6	19	19.1	
K300726		1.9	14	0.4	9.8	14	11.7	
K300727		2.5	17	0.8	12.2	13	14.8	
K300728		2.2	22	0.9	11.1	18	18.3	
K300729		2.5	19	0.6	11.2	8	17.9	
K300730		2.1	10	0.8	9.3	5	11.4	
K300731		0.4	2	0.1	0.8	14	<0.5	
K300732		2.0	14	1.0	11.1	7	13.9	
K300733		2.1	16	0.8	13.9	12	14.2	
K300734		2.2	19	0.8	13.0	14	20.7	
K300735		3.2	31	1.5	14.6	20	32.5	
K300736		2.4	14	0.6	12.8	8	13.3	
K300737		7.3	159	21.9	14.3	41	161.0	
K300738		2.8	15	0.9	12.5	4	15.0	
K300739		2.6	11	0.6	12.7	8	10.2	5.23
K300740		2.6	56	1.4	21.2	57	58.9	
K300741		2.2	90	2.0	27.8	67	104.5	
K300742		2.1	98	2.2	21.4	70	96.3	
K300743		1.6	76	2.3	21.3	57	84.3	
K300744		1.8	106	2.9	24.5	65	101.5	
K300745		1.8	125	4.8	22.1	69	96.8	
K300746		2.1	128	2.0	21.1	88	104.0	
K300747		2.0	125	1.8	20.3	97	97.5	
K300748		2.1	127	1.4	21.3	70	102.5	
K300749		1.6	97	1.0	18.9	66	74.8	
K300750		1.7	127	1.1	16.4	173	81.1	
K300751		1.4	101	1.0	14.4	102	78.8	
K300752		2.6	117	1.8	21.1	173	104.0	
K300753		0.7	2	0.1	0.9	15	<0.5	
K300754		2.3	70	1.2	20.6	77	73.1	
K300755		2.7	99	1.2	20.6	155	97.7	
K300756		2.3	96	1.8	23.7	80	103.5	
K300757		1.8	73	2.7	23.0	62	73.8	
K300758		1.0	31	0.7	12.3	34	32.6	
K300759		1.9	74	1.5	20.2	66	75.3	
K300760		8.3	225	28.0	19.4	206	61.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173986

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

CERTIFICATE VA11175587

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 152

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11175587

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302555		7.22	<0.01	0.01	0.77	17	150	0.21	0.04	35.2	0.08	12.60	2.7	4	2.49	6.9
K302556		7.40	<0.01	0.03	2.51	27	190	0.45	0.12	28.7	0.18	31.2	7.7	18	8.97	20.4
K302557		7.16	<0.01	0.01	0.66	<5	140	0.19	0.03	35.7	0.05	10.70	2.3	2	2.30	5.9
K302558		7.00	<0.01	0.02	1.32	5	150	0.32	0.06	33.6	0.10	18.90	4.1	8	8.20	10.8
K302559		7.34	0.01	<0.01	0.60	40	120	0.19	0.02	36.9	0.03	9.57	2.2	1	1.66	5.0
K302560		5.02	<0.01	<0.01	0.06	<5	10	0.05	0.01	22.0	0.05	1.02	1.3	<1	0.36	1.6
K302561		2.82	0.46	0.03	2.12	1540	210	0.40	0.06	29.4	0.08	22.9	6.5	10	4.15	12.9
K302562		3.78	0.01	<0.01	7.79	2520	240	0.91	0.04	7.49	0.15	86.1	26.5	15	21.5	31.5
K302563		5.34	<0.01	0.06	5.74	111	650	1.68	0.23	12.55	0.07	60.2	19.5	44	23.5	37.8
K302564		3.60	<0.01	0.02	6.47	80	510	0.71	0.06	11.45	0.10	69.1	26.2	19	27.2	34.3
K302565		7.50	<0.01	0.03	2.30	64	120	0.48	0.11	23.9	0.04	28.4	7.5	17	7.17	16.3
K302566		7.24	<0.01	0.05	4.73	95	230	1.13	0.20	17.00	0.11	50.6	18.0	38	16.35	34.7
K302567		7.90	<0.01	0.02	7.28	68.5	250	2.18	0.26	6.97	0.04	74.8	17.0	64	31.3	45.6
K302568		0.28	2.69	1.04	3.23	608	910	0.72	0.67	8.33	2.41	46.0	7.3	52	3.95	42.1
K302569		7.40	<0.01	0.11	6.82	175.5	270	2.11	0.23	2.42	0.02	65.9	23.1	68	29.4	44.5
K302570		7.76	<0.01	0.06	6.32	76.0	280	1.50	0.23	2.57	<0.02	63.0	16.4	70	26.5	54.6
K302571		7.72	<0.01	0.11	5.93	62.7	220	1.49	0.22	3.52	0.02	61.5	16.4	63	24.9	49.3
K302572		5.02	<0.01	0.01	0.08	<5	10	0.16	0.06	21.6	0.05	1.32	1.0	1	0.25	2.3
K302573		7.80	<0.01	0.13	6.10	59.5	220	1.69	0.22	3.66	<0.02	66.8	17.0	64	26.7	48.5
K302574		7.66	<0.01	0.14	5.59	191.0	320	1.39	0.21	2.71	0.02	56.9	15.4	56	17.90	47.6
K302575		7.58	<0.01	0.12	6.49	58.4	320	2.07	0.21	1.08	0.02	60.6	20.9	71	24.5	54.9
K302576		7.46	<0.01	0.12	6.43	78.2	450	2.01	0.22	1.83	0.02	61.7	22.6	63	27.3	51.4
K302577		7.44	<0.01	0.08	6.44	48.8	590	1.68	0.24	2.99	0.02	59.8	16.5	60	22.9	51.3
K302578		6.90	0.02	0.07	7.08	186.5	370	2.04	0.27	4.98	0.02	71.6	18.6	60	28.1	56.5
K302579		3.30	<0.01	0.07	6.94	154.0	390	2.06	0.28	4.87	0.03	69.7	18.9	59	26.3	54.7
K302580		9.12	<0.01	0.13	7.72	9.5	190	1.61	0.26	3.86	0.37	55.8	39.9	74	20.6	164.0
K302581		5.18	<0.01	0.10	7.82	27.6	160	1.85	0.28	3.45	0.38	61.4	40.4	76	19.40	172.0
K302582		5.86	0.01	0.07	7.19	32.6	140	1.48	0.24	3.82	0.40	52.4	35.8	72	28.4	153.5
K302583		1.18	0.01	0.11	7.98	168.0	250	2.90	0.26	3.17	0.92	61.0	55.4	83	28.0	223
K302584		5.04	0.32	0.37	8.11	1840	310	2.57	0.39	0.63	0.63	83.2	44.1	80	20.9	163.5
K302585		0.30	0.34	0.39	6.55	647	820	0.62	0.30	0.48	0.23	154.0	3.3	230	3.70	35.1
K302586		1.80	0.18	0.27	5.34	315	240	1.28	0.18	11.55	0.15	53.9	8.5	35	11.50	34.3
K302587		2.10	0.08	2.64	8.48	578	300	2.09	0.36	0.73	0.09	80.8	11.7	78	34.5	56.8
K302588		3.62	<0.01	0.19	8.83	264	460	3.17	0.33	0.19	0.06	88.9	20.5	68	49.0	67.9
K302589		2.48	<0.01	0.18	8.19	405	370	3.82	0.36	0.20	0.06	90.6	20.6	66	44.4	89.2
K302590		3.82	0.04	0.08	8.95	391	380	2.03	0.34	0.09	0.02	101.5	3.7	70	41.7	16.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11175587

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302555		0.51	1.87	0.08	0.4	0.17	0.007	0.35	6.6	3.1	0.60	158	0.36	<0.01	1.3	2.9
K302556		1.47	5.83	0.09	1.1	0.49	0.024	1.16	17.4	9.2	0.91	173	1.49	<0.01	3.7	11.5
K302557		0.47	1.58	0.06	0.3	0.12	0.007	0.31	5.6	2.8	0.61	168	0.31	<0.01	1.1	2.2
K302558		0.82	3.04	0.09	0.6	0.23	0.014	0.63	10.5	5.3	0.51	105	0.64	<0.01	2.0	5.2
K302559		0.41	1.36	0.07	0.3	0.26	0.007	0.27	5.2	2.3	0.49	219	0.29	<0.01	1.3	1.7
K302560		0.48	0.21	0.08	<0.1	<0.01	<0.005	0.02	0.5	0.8	13.45	208	0.05	<0.01	0.3	1.1
K302561		1.34	4.65	0.08	1.0	1.89	0.018	0.96	13.0	3.2	0.80	378	0.60	<0.01	6.6	6.1
K302562		6.03	17.45	0.18	3.9	1.03	0.073	3.29	45.0	33.4	1.91	863	1.74	0.03	55.9	16.3
K302563		3.55	14.65	0.14	2.3	0.98	0.049	2.72	32.2	13.5	1.74	865	0.66	0.01	8.2	28.1
K302564		5.70	15.15	0.34	3.1	0.50	0.057	2.05	32.0	45.5	2.04	1060	1.56	0.30	42.0	19.0
K302565		1.71	5.99	0.18	1.2	0.06	0.014	1.01	14.1	5.2	0.96	568	0.70	<0.01	3.8	9.0
K302566		2.80	12.15	0.13	1.9	0.80	0.043	2.40	25.0	13.0	1.56	689	1.12	0.01	6.8	29.9
K302567		3.79	19.60	0.25	2.5	0.21	0.062	3.55	34.9	53.0	2.73	1060	0.22	0.01	9.9	43.1
K302568		2.13	8.22	0.13	1.6	4.41	0.022	0.97	26.0	32.6	2.61	282	19.85	0.01	7.3	54.2
K302569		4.52	18.45	0.22	2.8	0.69	0.064	3.00	29.6	77.7	1.45	425	0.25	0.02	10.1	35.6
K302570		4.83	16.30	0.19	2.8	0.10	0.058	2.71	31.1	153.5	2.09	457	0.24	0.05	10.3	33.6
K302571		4.52	16.20	0.20	2.7	0.13	0.062	2.52	30.8	121.5	2.35	680	0.24	0.04	10.1	31.1
K302572		0.50	0.26	0.11	<0.1	<0.01	<0.005	0.03	0.6	1.2	13.15	209	0.06	0.01	0.3	<0.2
K302573		4.69	16.90	0.16	2.9	0.12	0.066	2.61	31.2	114.5	2.41	689	0.35	0.04	11.1	32.7
K302574		5.11	15.30	0.18	2.4	0.74	0.059	2.20	27.2	101.5	1.47	395	0.23	0.03	9.3	31.1
K302575		3.95	19.60	0.17	2.4	0.68	0.069	2.60	29.4	148.5	0.77	156	0.23	0.03	8.8	32.4
K302576		4.53	18.20	0.09	2.8	0.75	0.068	2.62	30.4	166.0	1.13	270	0.24	0.03	8.8	32.4
K302577		4.67	16.35	0.09	3.0	0.33	0.065	2.74	30.4	163.0	1.91	503	0.33	0.04	9.4	30.6
K302578		4.04	19.60	0.11	3.6	0.42	0.078	2.98	36.1	124.0	2.55	773	0.34	0.04	11.6	32.7
K302579		4.12	19.05	0.12	3.4	0.39	0.082	2.95	35.5	116.0	2.50	763	0.32	0.04	11.6	33.4
K302580		8.01	23.2	0.11	3.3	0.04	0.121	1.42	24.1	76.2	3.51	1080	0.42	1.31	15.2	58.6
K302581		7.98	23.7	0.11	4.3	0.06	0.119	1.88	27.6	95.6	3.09	974	0.49	0.93	16.5	60.4
K302582		7.84	20.2	0.12	3.3	0.15	0.107	1.99	20.7	151.5	3.06	1140	0.47	0.71	13.5	54.4
K302583		7.68	23.6	0.12	3.6	0.54	0.133	3.18	25.0	206	1.09	1710	0.89	0.03	15.5	78.7
K302584		6.48	23.6	0.14	3.9	9.4	0.098	3.75	41.2	16.9	0.67	1440	11.65	0.04	10.9	70.9
K302585		6.82	22.1	0.14	5.0	9.08	0.063	1.45	76.8	19.8	0.14	41	6.90	0.41	10.4	16.2
K302586		2.38	13.15	0.10	2.4	1.97	0.038	2.48	30.0	13.0	0.76	731	0.62	0.04	6.8	13.6
K302587		3.90	24.6	0.11	4.0	1.29	0.076	3.91	43.2	51.4	0.73	299	1.27	0.11	13.2	21.2
K302588		4.89	24.8	0.11	3.9	0.15	0.090	3.93	49.2	77.0	0.59	424	0.78	0.06	12.3	40.3
K302589		4.85	24.1	0.14	3.9	0.10	0.114	3.59	47.5	99.6	0.49	466	0.42	0.05	12.4	43.4
K302590		2.01	27.6	0.21	3.7	0.43	0.092	4.17	51.5	23.5	0.49	39	0.41	0.06	14.9	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11175587

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302555		270	2.9	15.9	<0.002	0.50	0.17	1.9	2	0.3	1690	0.07	<0.05	1.3	0.042	0.28
K302556		150	7.6	52.7	0.005	1.60	0.31	4.6	2	0.8	1330	0.24	0.07	3.8	0.132	1.05
K302557		250	2.3	13.4	<0.002	0.43	0.12	1.7	2	0.2	1790	0.07	<0.05	1.1	0.036	0.35
K302558		240	4.3	28.2	0.002	0.86	0.22	3.1	2	0.4	1865	0.13	<0.05	2.1	0.068	1.15
K302559		120	2.0	11.4	<0.002	0.34	0.27	1.5	2	0.2	2070	0.07	<0.05	0.9	0.034	0.42
K302560		200	1.2	1.5	<0.002	0.01	0.05	0.2	2	<0.2	42.7	<0.05	<0.05	<0.2	<0.005	<0.02
K302561		350	5.2	36.1	<0.002	0.90	4.45	4.5	2	0.6	1235	0.37	<0.05	2.7	0.158	2.25
K302562		1840	4.1	105.5	<0.002	3.17	3.71	17.0	2	1.5	324	2.88	<0.05	6.8	0.980	2.57
K302563		310	19.6	102.0	<0.002	1.84	1.38	14.0	2	1.7	483	0.57	0.06	8.7	0.307	1.10
K302564		1600	5.4	74.9	0.002	2.31	0.47	16.3	3	1.4	729	2.36	<0.05	5.6	0.768	1.52
K302565		150	4.1	42.9	<0.002	0.81	0.30	5.9	3	0.7	731	0.26	<0.05	4.0	0.140	0.25
K302566		290	15.3	84.8	0.003	2.12	1.04	11.4	3	1.6	545	0.48	0.08	7.4	0.263	1.30
K302567		480	7.9	142.5	<0.002	0.71	0.37	19.2	2	2.2	205	0.73	<0.05	10.9	0.367	0.98
K302568		940	32.2	49.9	0.023	1.66	109.0	5.6	5	2.6	64.5	0.46	0.42	6.3	0.174	3.75
K302569		350	17.1	137.5	0.002	2.57	1.02	19.1	2	2.2	142.5	0.74	<0.05	9.9	0.441	2.38
K302570		560	14.7	133.5	<0.002	0.35	0.39	17.4	2	1.9	107.0	0.74	0.06	10.4	0.500	0.73
K302571		460	15.4	131.5	<0.002	0.47	0.43	16.3	2	2.0	117.0	0.72	0.05	10.3	0.448	0.73
K302572		190	1.3	1.9	<0.002	0.01	<0.05	0.3	1	<0.2	42.1	<0.05	<0.05	<0.2	<0.005	<0.02
K302573		650	13.3	126.5	<0.002	0.55	0.40	16.8	1	2.0	131.0	0.82	<0.05	10.9	0.470	0.67
K302574		370	15.2	102.0	<0.002	4.37	0.64	15.3	1	1.8	239	0.69	<0.05	10.0	0.410	2.08
K302575		230	16.3	123.0	0.003	3.36	0.42	20.7	1	2.1	146.0	0.64	<0.05	10.2	0.379	1.83
K302576		290	17.0	125.0	<0.002	4.03	0.58	20.0	1	1.9	161.5	0.65	<0.05	8.8	0.413	2.02
K302577		550	13.1	122.0	<0.002	2.62	0.46	16.7	1	2.0	266	0.70	0.06	9.1	0.489	1.15
K302578		810	11.3	142.0	<0.002	2.92	0.72	19.5	1	2.3	281	0.82	0.08	10.8	0.504	1.70
K302579		770	11.6	143.5	<0.002	3.06	0.66	19.1	1	2.2	278	0.80	<0.05	10.1	0.493	1.78
K302580		740	13.1	74.2	<0.002	0.21	0.43	31.6	3	2.3	86.9	1.00	0.36	5.6	0.808	0.72
K302581		790	13.3	114.0	<0.002	0.15	0.49	33.6	3	2.5	67.1	1.05	0.35	6.6	0.793	0.91
K302582		690	12.5	125.5	0.002	0.40	0.39	28.4	3	2.1	68.4	0.92	0.26	5.5	0.754	1.39
K302583		760	12.0	202	0.004	0.17	0.70	42.3	2	2.4	97.7	1.02	0.32	6.3	0.803	3.01
K302584		570	27.2	175.0	0.018	0.08	23.5	26.4	3	2.8	50.2	0.77	0.10	11.5	0.421	16.15
K302585		960	18.5	51.4	0.005	3.23	122.5	17.6	2	3.1	529	0.72	0.13	10.2	0.578	8.50
K302586		570	11.3	110.5	0.005	0.13	3.42	10.5	1	1.5	267	0.52	0.07	8.7	0.245	5.25
K302587		570	16.1	209	0.003	0.10	3.34	18.8	1	2.8	70.2	0.96	0.09	12.8	0.532	6.12
K302588		830	22.1	207	0.005	0.04	1.04	20.3	1	2.6	74.2	0.92	0.05	15.5	0.465	2.75
K302589		930	21.5	193.5	0.006	0.06	1.18	24.6	2	2.7	74.6	0.88	<0.05	15.7	0.436	2.79
K302590		390	22.0	215	0.002	0.07	2.20	20.2	2	3.4	92.5	1.11	0.07	15.9	0.479	4.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11175587

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302555		2.5	14	0.3	11.8	12	11.7
K302556		3.6	41	0.5	15.7	37	34.4
K302557		2.0	13	0.2	10.8	13	10.1
K302558		3.0	23	0.3	15.4	23	18.7
K302559		1.8	11	0.5	9.5	6	9.0
K302560		0.5	2	0.1	0.8	14	<0.5
K302561		2.0	40	4.5	13.1	28	38.4
K302562		1.7	202	23.3	29.0	86	159.5
K302563		2.5	85	1.3	20.4	62	76.8
K302564		1.5	156	1.3	23.7	76	123.5
K302565		2.0	34	0.7	13.2	22	45.0
K302566		2.3	68	2.6	16.7	61	65.0
K302567		1.6	84	2.2	20.5	61	81.8
K302568		7.9	233	27.8	18.0	218	59.3
K302569		1.9	132	1.7	18.5	61	91.2
K302570		1.9	129	1.2	21.0	60	95.1
K302571		2.0	116	1.2	20.6	56	94.1
K302572		0.6	<1	0.1	0.9	13	<0.5
K302573		2.2	118	1.2	22.5	59	103.5
K302574		1.9	112	2.0	17.2	54	86.3
K302575		1.8	134	2.2	16.8	47	85.2
K302576		1.7	135	2.4	17.0	55	84.6
K302577		1.9	133	2.4	17.3	67	106.0
K302578		2.2	131	3.3	22.0	62	102.5
K302579		2.2	130	3.0	20.9	73	101.5
K302580		1.5	257	1.2	26.8	115	117.5
K302581		1.8	257	1.9	28.4	113	124.0
K302582		1.5	231	1.0	25.6	110	106.5
K302583		1.7	254	2.5	26.1	134	97.4
K302584		3.7	245	10.1	23.9	143	124.0
K302585		7.9	178	26.8	14.9	47	166.5
K302586		2.2	57	5.3	13.6	51	68.9
K302587		2.3	138	19.2	17.4	68	114.5
K302588		3.3	107	2.9	20.1	122	115.5
K302589		2.9	100	2.9	22.0	98	114.5
K302590		3.0	101	20.2	16.4	25	133.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11175587

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

CERTIFICATE VA11189992

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 153

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189992

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K302009		10.32	0.01	0.06	3.41	182	180	1.09	0.10	20.9	0.17	38.0	6.6	38	10.65	22.0
K302010		10.68	<0.01	0.03	3.48	90	120	1.06	0.10	16.40	0.07	35.9	7.0	35	11.00	18.9
K302011		10.42	<0.01	0.02	3.01	67	100	0.97	0.09	21.8	0.08	33.7	6.2	31	7.60	14.5
K302012		9.56	<0.01	0.08	3.38	177	210	1.03	0.10	19.35	0.14	35.8	7.1	34	7.01	20.3
K302013		2.44	0.01	0.13	1.91	740	100	0.59	0.06	26.5	0.20	26.4	6.1	18	2.72	13.0
K302014		10.74	0.01	0.05	4.28	119	140	1.34	0.11	11.05	0.18	46.6	9.2	40	9.73	38.3
K302015		0.28	0.31	0.31	5.90	571	620	0.59	0.26	0.47	0.16	136.5	2.9	224	3.26	29.7
K302016		10.62	<0.01	0.15	5.85	59.7	580	1.69	0.15	6.43	0.16	67.7	13.0	46	12.80	118.5
K302017		6.54	0.01	0.02	7.12	77.5	970	1.93	0.26	5.79	0.61	77.9	11.0	54	20.3	58.3
K302018		10.22	<0.01	<0.01	8.49	54.2	1400	2.64	0.34	1.66	0.08	95.5	14.4	71	20.3	37.4
K302019		9.94	<0.01	<0.01	8.16	43.2	1020	2.30	0.34	0.55	<0.02	93.3	16.1	78	17.05	26.7
K302020		9.80	<0.01	0.12	7.30	15.8	4010	1.72	0.31	2.27	0.04	80.7	21.3	56	11.45	36.6
K302021		7.02	0.02	<0.01	0.10	<5	30	0.07	0.02	21.2	0.05	1.44	1.7	1	0.16	2.6
K302022		11.84	<0.01	<0.01	8.17	22.3	330	2.22	0.34	0.77	0.02	93.8	17.6	64	16.35	14.5
K302023		10.38	<0.01	0.02	8.53	26.3	330	2.36	0.36	0.39	<0.02	98.9	19.1	65	16.65	17.2
K302024		11.66	<0.01	0.01	8.40	7.6	280	2.53	0.35	0.43	<0.02	89.3	17.2	67	17.65	23.1
K302025		11.00	<0.01	<0.01	8.36	8.1	440	2.57	0.29	0.34	<0.02	73.8	17.8	67	16.70	29.8
K302026		10.72	<0.01	0.11	8.11	9.8	1050	2.03	0.30	1.42	<0.02	89.5	21.5	64	11.00	29.9
K302027		10.38	0.01	0.08	7.88	37.5	540	2.26	0.30	0.73	<0.02	81.3	19.5	67	9.34	44.5
K302028		10.96	<0.01	0.01	8.96	13.5	420	2.92	0.36	0.37	<0.02	97.5	19.6	74	15.15	28.2
K302029		12.18	0.06	0.41	2.06	568	120	0.69	0.06	13.25	0.05	28.3	4.2	19	6.68	19.7
K302030		9.78	0.06	0.36	3.48	963	170	1.14	0.09	12.70	0.04	42.0	6.2	33	12.80	31.8
K302031		9.56	0.07	0.40	2.83	938	120	1.03	0.07	13.20	0.07	33.6	4.9	24	11.00	17.4
K302032		5.38	0.08	1.71	2.83	1080	130	0.90	0.07	14.50	0.09	34.3	4.3	23	11.20	21.7
K302033		11.90	0.11	0.25	0.46	507	30	0.23	0.02	21.3	0.13	8.75	1.0	3	1.04	5.8
K302034		11.84	0.12	0.19	0.46	612	50	0.20	0.02	21.1	0.10	9.60	0.9	4	0.74	6.5
K302035		0.28	2.69	1.10	3.26	599	870	0.73	0.32	8.06	2.42	50.1	7.2	50	3.96	45.3
K302036		12.02	0.04	0.21	0.70	238	40	0.30	0.02	21.1	0.54	11.05	1.2	7	1.58	6.4
K302037		11.38	0.08	0.14	1.02	643	70	0.32	0.03	20.6	0.71	12.65	1.1	8	2.21	8.3
K302038		11.02	0.03	0.12	0.77	254	60	0.31	0.03	21.1	0.03	11.35	1.3	7	1.61	6.7
K302039		11.14	0.01	0.09	0.80	337	70	0.29	0.03	20.1	0.45	11.20	1.5	7	1.78	6.6
K302040		13.12	0.05	0.13	1.19	653	80	0.38	0.04	17.60	3.78	14.30	1.7	9	2.74	11.3
K302041		11.94	0.11	0.09	0.67	2840	130	0.21	0.02	17.50	0.10	11.90	1.1	5	0.83	4.4
K302042		7.12	<0.01	0.05	0.07	15	20	0.05	0.03	21.8	0.06	1.22	0.6	1	0.25	3.3
K302043		10.50	0.22	0.13	0.96	1760	80	0.25	0.02	15.40	0.06	17.25	1.5	8	1.69	9.1
K302044		9.54	0.04	0.35	2.37	836	130	0.74	0.06	16.15	0.33	30.0	3.5	19	7.27	16.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189992

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302009		1.39	9.88	0.11	1.6	0.05	0.025	1.12	20.4	38.6	2.28	741	0.48	0.29	5.9	11.9
K302010		1.34	10.05	0.11	1.5	0.04	0.024	1.21	19.5	34.9	2.65	775	0.38	0.15	5.9	12.3
K302011		1.30	8.29	0.11	1.3	0.03	0.023	0.95	17.9	30.3	2.30	1160	0.30	0.23	5.1	10.1
K302012		1.31	9.48	0.10	1.5	0.04	0.023	1.13	18.9	39.9	2.88	1540	0.35	0.07	5.6	11.0
K302013		0.89	5.03	0.09	0.8	0.06	0.015	0.53	13.7	29.0	1.32	1840	0.54	0.02	3.1	5.5
K302014		1.63	12.30	0.12	2.3	0.02	0.031	1.65	23.8	24.6	4.28	2920	0.29	0.16	7.2	16.6
K302015		6.43	21.5	0.22	4.2	9.53	0.045	1.27	66.5	15.6	0.12	41	6.14	0.35	9.7	14.9
K302016		2.56	17.00	0.14	2.5	0.01	0.044	2.27	35.7	40.1	3.77	2200	0.28	0.04	10.1	35.6
K302017		3.63	20.4	0.19	2.3	0.01	0.051	2.97	41.0	42.3	4.01	1720	0.11	0.04	11.1	35.4
K302018		4.84	25.7	0.22	3.5	0.03	0.068	3.68	48.8	52.1	1.72	597	0.20	0.05	13.0	33.0
K302019		4.38	25.7	0.23	3.5	0.06	0.073	3.56	47.6	114.5	1.27	242	0.18	0.05	13.1	33.0
K302020		4.02	22.0	0.22	3.1	0.06	0.062	2.95	41.1	166.0	2.00	744	1.63	0.04	10.8	37.5
K302021		0.43	0.38	0.11	<0.1	<0.01	<0.005	0.04	0.7	1.5	12.65	198	0.08	<0.01	0.3	<0.2
K302022		4.65	24.1	0.22	3.0	0.03	0.069	3.58	48.4	78.3	1.41	361	0.22	0.05	12.0	31.6
K302023		4.81	26.0	0.24	3.0	0.02	0.073	3.71	52.5	64.7	1.20	240	0.23	0.05	13.0	32.2
K302024		4.44	26.8	0.23	3.3	0.03	0.069	3.73	45.3	52.4	1.21	308	0.22	0.06	13.0	34.2
K302025		4.39	27.2	0.25	3.1	0.07	0.068	3.70	36.2	101.0	1.22	230	0.18	0.06	12.5	35.7
K302026		4.16	25.0	0.25	3.0	0.27	0.067	3.40	47.6	256	1.73	378	1.23	0.05	12.0	41.8
K302027		4.24	24.7	0.20	3.2	0.13	0.064	2.86	42.1	88.7	1.43	363	0.42	0.05	12.2	39.8
K302028		5.03	28.3	0.24	3.4	0.34	0.077	3.65	51.3	107.5	1.28	280	0.19	0.06	13.5	41.5
K302029		0.96	5.89	0.09	1.4	2.68	0.014	0.96	14.9	11.8	7.46	268	1.25	0.02	3.5	7.6
K302030		1.28	9.78	0.13	2.3	2.42	0.024	1.66	21.8	22.0	7.32	346	2.11	0.02	5.9	14.3
K302031		0.89	7.66	0.09	1.9	1.85	0.016	1.38	17.0	19.6	7.90	320	1.89	0.02	4.7	8.5
K302032		0.95	7.22	0.07	1.7	2.09	0.022	1.34	18.5	18.9	7.97	335	2.29	0.02	4.8	11.8
K302033		0.26	1.27	0.12	0.2	1.26	<0.005	0.21	5.0	3.2	11.30	1280	0.39	0.01	0.8	2.5
K302034		0.29	1.20	0.11	0.3	0.98	<0.005	0.20	5.5	3.0	11.25	2060	0.24	0.01	0.7	2.5
K302035		2.13	8.19	0.13	1.6	4.40	0.034	0.98	29.6	38.9	2.54	286	19.15	0.04	7.5	53.0
K302036		0.33	1.82	0.10	0.4	1.14	0.005	0.32	6.1	4.4	11.35	611	0.42	0.01	1.1	3.4
K302037		0.36	2.51	0.12	0.6	2.34	0.008	0.49	7.1	6.1	11.15	653	0.36	0.01	1.5	2.7
K302038		0.31	1.88	0.11	0.4	1.18	<0.005	0.36	6.5	4.6	11.30	367	0.36	0.01	1.2	3.8
K302039		0.34	2.01	0.07	0.5	1.30	0.008	0.37	6.4	5.1	12.00	324	0.43	0.01	1.3	3.7
K302040		0.56	3.45	0.09	1.0	6.00	0.013	0.56	7.7	6.8	10.35	378	0.58	0.01	1.9	4.2
K302041		0.65	1.54	0.09	0.9	3.43	0.009	0.29	6.3	4.2	9.67	579	0.39	0.01	1.1	2.6
K302042		0.48	0.20	0.13	<0.1	0.02	<0.005	0.03	0.6	1.1	13.45	232	0.16	<0.01	0.2	1.7
K302043		0.77	2.24	0.16	1.6	6.30	0.007	0.43	8.9	5.2	8.54	633	0.83	0.01	1.7	3.8
K302044		0.66	6.05	0.16	1.8	4.05	0.014	1.08	16.3	15.2	8.94	313	1.01	0.02	4.1	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189992

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302009		470	10.4	60.3	<0.002	0.12	0.49	5.9	3	1.2	535	0.42	<0.05	8.0	0.154	0.25
K302010		330	7.9	64.0	<0.002	0.07	0.33	5.4	3	1.2	430	0.41	<0.05	7.5	0.155	0.25
K302011		300	8.3	51.0	<0.002	0.07	0.23	5.0	4	1.0	562	0.36	<0.05	6.6	0.133	0.20
K302012		390	10.7	54.8	<0.002	0.09	0.29	5.4	3	1.1	476	0.39	<0.05	7.5	0.151	0.26
K302013		240	26.3	25.8	<0.002	0.11	0.37	3.3	3	0.6	777	0.22	<0.05	4.1	0.078	0.16
K302014		420	11.4	78.5	<0.002	0.04	0.25	6.8	3	1.4	234	0.52	<0.05	9.6	0.197	0.29
K302015		860	15.4	48.7	0.003	2.91	109.5	15.3	3	2.7	506	0.70	0.14	9.9	0.526	7.01
K302016		410	6.8	108.5	<0.002	0.04	0.28	9.5	2	1.7	157.0	0.71	<0.05	12.5	0.258	0.45
K302017		460	8.5	130.0	<0.002	0.03	0.47	11.9	2	1.9	163.0	0.80	<0.05	14.6	0.287	0.62
K302018		440	15.6	181.0	<0.002	0.04	0.64	17.4	2	2.6	159.5	0.90	0.06	15.9	0.420	0.75
K302019		450	13.4	174.0	<0.002	0.02	0.54	18.0	2	2.5	175.0	0.94	0.08	16.0	0.415	0.79
K302020		400	14.6	134.0	<0.002	0.11	0.36	15.0	2	2.2	371	0.78	0.19	13.7	0.359	0.56
K302021		230	1.1	1.7	<0.002	0.01	<0.05	0.3	2	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	<0.02
K302022		380	18.1	169.5	<0.002	0.01	0.62	16.1	2	2.5	170.5	0.85	0.06	15.3	0.404	0.76
K302023		390	18.9	183.0	<0.002	0.01	0.64	17.4	2	2.6	146.0	0.91	0.08	17.1	0.408	0.83
K302024		470	18.8	172.0	<0.002	<0.01	0.58	17.7	2	2.6	131.5	0.93	0.08	16.0	0.419	0.85
K302025		470	16.1	157.0	<0.002	0.01	0.55	17.8	2	2.6	144.0	0.88	0.09	14.2	0.407	0.79
K302026		460	21.6	146.0	<0.002	0.03	0.32	16.7	2	2.4	422	0.85	0.06	15.8	0.392	0.73
K302027		450	15.3	125.0	<0.002	0.91	0.52	17.6	2	2.3	416	0.86	0.06	15.0	0.413	0.95
K302028		520	15.7	178.0	<0.002	0.33	0.58	20.3	3	2.7	246	0.93	0.09	17.7	0.457	0.98
K302029		770	10.5	35.0	0.002	0.13	1.88	3.3	3	0.6	160.0	0.25	<0.05	5.2	0.095	1.88
K302030		1200	14.6	60.5	0.002	0.16	3.11	5.5	3	1.1	166.5	0.45	<0.05	8.6	0.162	3.34
K302031		710	11.0	52.0	0.002	0.25	2.05	4.4	4	0.8	128.5	0.33	<0.05	6.6	0.126	2.57
K302032		760	13.0	47.6	<0.002	0.22	2.39	4.3	2	0.9	135.0	0.36	<0.05	6.2	0.124	2.81
K302033		180	5.7	7.2	<0.002	0.11	1.26	0.8	<1	0.3	107.0	0.06	<0.05	1.0	0.019	1.06
K302034		130	4.2	7.0	0.002	0.06	1.56	1.1	<1	0.2	125.5	0.05	<0.05	0.9	0.020	1.23
K302035		900	39.9	50.3	0.022	1.52	106.5	5.1	4	2.7	73.2	0.46	0.21	6.6	0.174	3.96
K302036		150	6.0	10.8	0.002	0.11	1.46	1.1	<1	0.3	127.5	0.08	<0.05	1.3	0.029	1.03
K302037		150	5.1	15.7	<0.002	0.09	1.95	1.6	1	0.3	141.5	0.11	<0.05	1.9	0.042	1.56
K302038		140	6.4	11.4	<0.002	0.09	1.78	1.2	1	0.3	149.5	0.08	<0.05	1.5	0.032	1.08
K302039		160	6.9	11.9	<0.002	0.15	1.97	1.2	1	0.4	117.0	0.10	<0.05	1.7	0.035	1.10
K302040		280	6.9	18.0	0.002	0.43	1.77	1.7	1	0.5	107.0	0.14	<0.05	2.6	0.052	1.79
K302041		410	7.4	8.5	0.002	0.41	3.35	1.0	<1	0.3	149.5	0.09	<0.05	1.6	0.029	1.70
K302042		180	1.3	1.5	<0.002	0.01	0.09	0.2	<1	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.03
K302043		450	5.2	13.7	0.003	0.31	3.44	1.5	<1	0.4	130.5	0.13	<0.05	2.3	0.045	1.79
K302044		730	8.8	36.9	0.004	0.37	2.16	3.8	2	0.8	127.5	0.30	<0.05	5.3	0.106	2.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189992

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302009		10.6	48	0.6	11.5	50	57.8
K302010		8.5	45	0.6	10.3	46	57.5
K302011		10.4	42	0.5	10.0	49	47.3
K302012		8.7	43	0.6	10.5	56	55.6
K302013		12.5	26	0.8	8.2	48	28.8
K302014		5.7	57	0.8	14.5	66	81.7
K302015		6.8	159	21.3	14.2	39	170.0
K302016		5.4	52	1.0	16.9	85	87.9
K302017		2.2	54	1.2	17.3	82	83.3
K302018		2.4	103	1.7	24.0	95	123.0
K302019		2.5	97	2.8	22.6	96	120.5
K302020		2.6	83	2.1	19.9	135	103.0
K302021		0.6	3	0.1	0.9	12	0.6
K302022		2.1	84	1.9	20.2	92	105.0
K302023		2.2	91	1.6	21.0	92	107.5
K302024		3.2	107	1.7	21.1	89	113.0
K302025		2.9	97	2.1	18.5	95	109.0
K302026		2.8	92	2.8	19.7	122	105.5
K302027		3.0	98	1.6	19.3	105	113.5
K302028		3.2	100	1.6	23.2	96	119.0
K302029		7.1	45	1.5	9.7	18	50.1
K302030		9.1	57	2.7	15.4	14	81.4
K302031		8.9	46	2.8	11.4	18	70.3
K302032		8.8	47	6.7	11.0	25	69.5
K302033		7.4	11	0.7	3.0	46	9.3
K302034		5.9	10	0.7	3.2	35	8.9
K302035		8.5	232	28.0	19.9	221	68.2
K302036		8.3	15	0.8	3.4	217	12.6
K302037		8.3	15	1.0	4.0	228	18.8
K302038		8.2	14	0.8	3.8	15	18.0
K302039		9.5	17	1.0	3.7	201	19.7
K302040		8.0	22	1.0	4.9	2210	42.2
K302041		5.5	9	0.7	5.0	37	38.1
K302042		0.4	2	0.1	0.7	16	0.6
K302043		6.2	13	0.8	6.6	25	64.5
K302044		9.2	63	1.7	10.1	194	80.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189992

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

CERTIFICATE VA11173989

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 154

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173989

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301758		3.08	<0.01	0.09	6.17	27	230	1.61	0.23	17.80	0.57	68.4	9.4	35	27.3	22.9
K301759		1.92	0.41	0.21	0.16	1200	20	0.08	0.01	20.7	0.13	6.01	1.3	<1	0.21	9.1
K301760		4.68	0.85	0.23	0.23	1940	30	0.11	0.01	20.8	0.17	9.12	1.5	1	0.33	21.1
K301761		5.04	4.04	0.37	0.27	3140	20	0.18	0.01	19.55	0.43	7.32	1.4	<1	0.45	6.5
K301762		6.62	13.20	1.42	0.48	>10000	40	0.14	0.03	12.90	1.39	15.90	3.5	3	0.78	11.4
K301763		0.28	7.83	0.41	3.50	1050	160	0.79	0.54	12.00	3.99	46.7	6.1	90	7.76	33.6
K301764		4.78	1.72	0.31	0.23	3570	20	0.11	0.01	21.4	0.24	7.39	1.5	<1	0.22	4.0
K301765		6.22	0.55	0.13	0.23	1440	10	0.12	0.01	23.9	0.11	5.59	1.5	<1	0.25	6.8
K301766		1.92	14.40	1.13	0.46	>10000	40	0.13	0.02	8.63	1.25	12.50	3.9	3	0.81	12.6
K301767		3.84	5.54	0.88	0.27	5910	20	0.14	0.01	18.50	0.57	8.53	1.2	<1	0.41	5.2
K301768		4.34	0.51	0.13	0.19	1370	10	0.10	<0.01	21.4	0.09	4.55	1.1	<1	0.24	4.8
K301769		2.30	0.45	0.12	0.19	1530	10	0.09	0.01	21.8	0.06	4.69	1.1	<1	0.23	5.7
K301770		10.58	0.44	0.15	0.20	1540	10	0.12	0.01	21.0	0.11	5.68	1.1	<1	0.24	5.8
K301771		5.92	1.56	0.57	0.59	2230	40	0.17	0.03	20.1	0.18	10.35	1.3	5	1.00	9.9
K301772		9.54	2.74	0.21	4.25	3050	250	0.84	0.11	9.19	0.13	47.4	4.6	42	11.20	12.7
K301773		11.24	0.03	0.04	3.68	368	260	1.01	0.09	11.55	0.07	44.8	4.0	36	11.65	21.2
K301774		0.28	0.37	0.28	6.23	598	440	0.51	0.29	0.48	0.15	123.5	2.7	236	3.25	29.7
K301775		7.50	0.02	0.04	3.65	645	160	1.16	0.08	11.90	0.06	42.0	4.2	36	11.40	22.1
K301776		8.84	0.02	0.05	2.73	326	130	0.93	0.07	18.05	0.09	37.0	4.1	26	9.17	21.2
K301777		10.94	0.02	0.14	1.75	455	90	0.75	0.06	22.1	0.05	22.0	4.0	16	4.82	8.3
K301778		11.28	0.01	0.13	1.87	520	120	0.61	0.06	22.0	0.05	24.0	4.0	19	4.51	9.3
K301779		6.98	<0.01	0.02	0.06	<5	20	<0.05	0.04	21.3	0.05	1.09	0.8	<1	0.26	3.0
K301780		10.92	0.01	0.07	3.54	256	180	0.95	0.10	13.35	0.05	38.0	4.6	33	14.25	18.8
K301781		12.16	0.01	0.04	3.22	204	210	1.09	0.08	14.95	0.12	39.0	4.9	30	12.65	15.3
K301782		11.44	0.01	0.03	2.52	376	180	0.71	0.07	23.0	0.12	29.6	4.6	23	9.35	13.8
K301783		11.98	0.02	0.03	1.08	226	80	0.37	0.04	30.5	0.06	13.70	1.6	10	3.30	6.7
K301784		10.98	<0.01	0.03	2.24	353	140	0.69	0.06	27.4	0.07	23.9	3.9	21	7.62	16.8
K301785		11.56	0.01	0.03	1.25	353	560	0.44	0.05	29.7	0.09	15.35	2.2	13	4.33	5.9
K301786		6.98	<0.01	0.01	0.06	<5	20	0.05	0.03	20.2	0.05	0.98	0.6	<1	0.23	3.2
K301787		11.60	0.01	0.01	0.62	164	160	0.25	0.04	34.2	0.08	8.04	0.9	7	2.02	5.7
K301788		11.84	0.01	0.03	0.88	133	90	0.35	0.04	31.9	0.15	10.40	1.2	9	2.61	3.8
K301789		12.34	0.03	0.05	0.93	118	90	0.31	0.05	29.5	0.14	11.20	2.0	9	2.86	4.0
K301790		11.24	0.01	0.04	0.75	314	160	0.27	0.03	30.3	0.16	11.10	1.3	8	2.34	3.9
K301791		11.86	0.01	0.04	1.41	184	130	0.36	0.04	27.9	0.06	15.20	1.8	13	5.05	6.7
K301792		11.32	0.01	0.03	1.97	227	130	0.61	0.06	26.3	0.06	21.5	2.7	17	8.29	10.4
K301793		11.20	0.02	0.04	2.01	614	170	0.80	0.06	26.5	0.09	25.9	3.3	19	7.47	9.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173989

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301758		2.69	14.95	0.16	1.7	0.13	0.045	3.08	38.0	15.8	1.12	668	0.75	0.04	7.7	19.7
K301759		0.75	0.68	0.20	0.1	4.12	<0.005	0.07	3.8	3.0	12.25	882	0.73	0.02	0.4	1.2
K301760		0.89	0.84	0.18	0.2	3.3	0.006	0.09	5.0	4.2	12.15	861	0.87	0.02	0.5	1.5
K301761		0.74	0.99	0.14	0.3	8.0	0.007	0.11	3.9	8.5	10.10	1960	0.40	0.02	0.5	2.3
K301762		1.51	1.47	<0.05	0.3	28.5	0.038	0.18	8.4	19.5	7.35	2540	0.69	0.01	0.8	6.2
K301763		1.31	7.61	0.08	2.0	6.39	0.064	1.45	30.8	12.3	0.70	273	11.85	0.01	7.8	66.0
K301764		0.79	0.87	0.19	0.1	4.87	0.005	0.09	4.0	4.4	12.55	1570	0.31	0.02	0.5	1.6
K301765		0.72	0.97	0.35	0.1	1.8	<0.005	0.10	3.4	3.0	13.85	1120	0.37	0.03	0.5	1.2
K301766		1.40	1.34	0.05	0.3	21.7	0.113	0.17	6.8	28.5	4.78	1160	0.58	0.01	0.8	6.8
K301767		0.87	0.97	0.13	0.2	11.5	0.010	0.10	4.7	8.4	10.75	1460	0.36	0.02	0.6	1.0
K301768		0.71	0.81	0.28	0.1	2.10	<0.005	0.08	2.7	2.4	12.10	1540	0.27	0.02	0.4	0.6
K301769		0.73	0.84	0.28	0.1	2.02	<0.005	0.08	2.8	2.2	12.45	1420	0.33	0.02	0.4	0.7
K301770		0.80	0.84	0.31	0.1	2.3	<0.005	0.08	3.2	2.4	12.10	1050	0.37	0.02	0.5	0.8
K301771		1.11	1.39	0.10	0.4	4.75	0.014	0.27	5.7	3.5	11.40	2200	0.61	0.02	0.8	4.3
K301772		1.35	10.25	0.13	3.6	11.5	0.028	2.06	27.1	21.8	5.13	1570	0.47	0.02	6.4	11.8
K301773		1.43	8.88	0.15	2.9	1.01	0.034	1.81	24.8	21.2	5.39	382	0.40	0.03	5.7	10.5
K301774		6.53	17.80	0.20	4.2	9.5	0.047	1.31	66.6	17.2	0.13	38	5.89	0.37	8.5	15.8
K301775		1.59	8.15	0.14	2.6	1.17	0.028	1.82	23.2	18.3	5.82	362	0.42	0.03	5.3	11.5
K301776		1.08	6.45	0.15	2.0	1.27	0.023	1.36	21.0	13.6	3.87	383	0.37	0.02	4.2	10.3
K301777		1.09	4.13	0.12	1.2	0.64	0.015	0.87	13.5	8.6	4.39	347	1.18	0.02	2.5	8.3
K301778		1.32	4.12	0.12	1.1	0.31	0.014	0.93	13.8	8.1	5.36	292	1.11	0.02	2.5	9.2
K301779		0.47	0.19	0.14	<0.1	<0.01	<0.005	0.03	0.6	1.1	13.30	215	0.06	<0.01	0.1	1.8
K301780		1.44	7.88	0.13	2.7	0.09	0.025	1.90	21.6	17.3	5.82	249	0.91	0.03	5.0	12.3
K301781		1.05	7.32	0.14	3.1	0.15	0.020	1.75	22.2	16.9	3.81	215	0.32	0.03	4.8	10.6
K301782		0.63	5.67	0.13	2.0	0.36	0.016	1.35	17.5	12.1	1.86	192	0.19	0.02	3.7	8.2
K301783		0.34	2.37	0.12	0.8	0.41	0.011	0.59	8.8	5.2	0.96	153	0.15	0.01	1.5	3.5
K301784		0.58	5.03	0.13	1.1	0.19	0.016	1.17	13.4	10.8	1.30	175	0.16	0.03	3.1	8.7
K301785		0.56	2.70	0.12	0.8	0.20	0.010	0.64	9.4	6.1	1.34	184	0.18	0.01	1.7	5.0
K301786		0.45	0.17	0.13	<0.1	<0.01	<0.005	0.03	0.5	1.1	12.60	203	0.06	<0.01	0.1	1.5
K301787		0.23	1.42	0.13	0.3	0.13	0.008	0.32	6.0	2.5	0.50	125	0.12	0.01	0.9	2.1
K301788		0.48	1.95	0.12	0.6	0.28	0.008	0.48	6.6	4.0	1.53	208	0.46	0.01	1.2	3.3
K301789		0.45	2.23	0.13	0.7	0.82	0.008	0.52	6.9	4.5	1.58	203	0.50	0.01	1.3	4.4
K301790		0.56	1.76	0.10	0.4	0.16	0.007	0.41	6.8	3.7	1.77	152	0.29	0.01	1.0	3.4
K301791		0.62	2.98	0.12	0.8	0.17	0.010	0.78	9.0	6.6	2.30	215	0.42	0.02	1.8	4.6
K301792		0.71	4.40	0.13	1.2	0.21	0.013	1.11	12.2	9.6	2.17	278	0.33	0.02	2.6	7.4
K301793		0.69	4.41	0.12	1.1	0.65	0.017	1.12	14.0	8.4	1.34	386	0.16	0.02	2.8	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173989

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301758		530	46.1	132.0	<0.002	0.62	0.28	11.4	2	1.7	608	0.53	0.07	9.6	0.228	0.68
K301759		300	4.2	2.4	0.002	0.02	4.59	0.6	2	<0.2	71.2	<0.05	<0.05	0.3	0.006	3.07
K301760		370	4.8	3.5	0.003	0.04	6.45	0.5	2	<0.2	71.6	<0.05	<0.05	0.5	0.010	5.86
K301761		160	10.4	4.4	<0.002	0.03	11.50	1.0	2	0.2	77.6	<0.05	<0.05	0.6	0.011	11.10
K301762		440	18.2	7.6	<0.002	0.41	80.0	1.0	4	0.4	72.5	0.05	<0.05	1.0	0.020	61.1
K301763		4190	4.2	120.5	0.033	1.33	19.30	6.9	9	1.7	146.5	0.48	0.51	6.1	0.202	12.30
K301764		240	3.4	3.4	<0.002	0.04	17.90	1.2	2	<0.2	72.0	<0.05	<0.05	0.4	0.009	14.80
K301765		200	3.2	3.5	<0.002	0.05	4.27	0.7	2	<0.2	73.2	<0.05	<0.05	0.4	0.009	6.48
K301766		280	11.7	6.9	<0.002	4.89	221	0.9	5	0.4	43.2	0.05	0.07	0.9	0.019	20.6
K301767		210	6.5	4.2	<0.002	0.12	17.15	0.9	2	0.2	69.2	<0.05	<0.05	0.5	0.012	14.65
K301768		180	2.8	2.7	<0.002	0.04	4.85	0.6	2	<0.2	69.0	<0.05	<0.05	0.4	0.008	4.37
K301769		190	2.3	2.8	<0.002	0.04	5.16	0.6	2	<0.2	67.8	<0.05	<0.05	0.4	0.008	4.25
K301770		240	2.7	2.8	<0.002	0.03	4.61	0.6	2	<0.2	69.9	<0.05	<0.05	0.4	0.008	4.71
K301771		310	8.5	9.2	<0.002	0.21	8.65	1.4	2	0.2	88.0	0.06	<0.05	1.2	0.025	12.50
K301772		540	9.6	78.2	<0.002	0.19	28.5	6.9	2	1.3	126.5	0.49	<0.05	9.8	0.202	33.8
K301773		540	7.7	72.0	0.002	0.43	5.72	6.1	2	1.2	167.5	0.42	<0.05	8.3	0.173	3.42
K301774		920	16.6	50.5	0.003	3.01	107.0	14.9	2	2.7	496	0.69	0.11	9.2	0.544	7.87
K301775		580	6.7	66.3	<0.002	0.30	8.58	5.4	2	1.1	148.5	0.41	<0.05	7.6	0.172	3.75
K301776		500	6.3	53.3	<0.002	0.21	4.17	4.6	2	0.9	292	0.33	<0.05	6.4	0.127	2.01
K301777		260	6.4	32.2	0.003	0.25	2.63	2.8	2	0.6	342	0.20	<0.05	3.9	0.078	1.97
K301778		300	6.8	31.9	<0.002	0.22	2.45	2.8	1	0.6	395	0.20	<0.05	4.1	0.085	0.99
K301779		200	1.6	1.6	<0.002	0.01	0.10	0.2	1	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	0.03
K301780		420	7.9	69.2	<0.002	0.26	2.22	5.4	2	1.0	235	0.41	<0.05	7.9	0.165	0.69
K301781		490	7.9	69.3	<0.002	0.16	1.43	4.7	2	1.0	316	0.40	<0.05	8.0	0.151	0.83
K301782		410	5.4	51.2	<0.002	0.06	4.39	3.8	1	0.8	359	0.30	<0.05	5.7	0.119	1.37
K301783		150	4.3	21.3	<0.002	0.04	1.56	1.7	1	0.4	682	0.12	<0.05	2.4	0.049	1.11
K301784		310	4.8	46.8	<0.002	0.04	3.07	3.5	1	0.8	470	0.24	<0.05	4.3	0.100	1.04
K301785		360	3.8	23.5	<0.002	0.07	3.29	1.9	1	0.4	774	0.14	<0.05	2.7	0.055	1.29
K301786		180	1.4	1.8	<0.002	0.01	0.07	0.2	1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.02
K301787		120	3.3	12.1	<0.002	0.03	1.43	1.0	1	0.2	922	0.07	<0.05	1.3	0.027	0.53
K301788		150	4.4	17.1	<0.002	0.07	0.97	1.3	1	0.3	720	0.09	<0.05	1.8	0.039	0.76
K301789		140	4.9	19.6	<0.002	0.12	0.96	1.4	2	0.3	893	0.11	<0.05	2.1	0.041	1.74
K301790		120	3.8	15.1	<0.002	0.08	1.29	1.2	1	0.3	744	0.08	<0.05	1.5	0.032	0.44
K301791		190	4.8	27.3	<0.002	0.09	1.17	2.0	1	0.4	529	0.17	<0.05	2.7	0.061	0.43
K301792		290	6.5	41.6	<0.002	0.09	1.47	2.9	1	0.6	457	0.21	<0.05	4.2	0.085	0.84
K301793		330	5.9	44.8	<0.002	0.13	0.84	2.9	2	0.6	414	0.22	<0.05	4.3	0.087	1.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173989

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301758		3.7	61	1.1	22.5	47	62.9	
K301759		3.8	7	0.4	2.9	25	4.4	
K301760		4.5	9	0.4	3.5	30	6.8	
K301761		8.0	7	0.5	3.0	61	9.4	
K301762		12.3	11	1.0	4.3	225	8.9	2.73
K301763		7.5	384	33.1	29.0	279	72.0	
K301764		3.8	8	0.5	2.6	35	4.0	
K301765		4.4	7	0.3	2.5	11	4.3	
K301766		6.8	11	1.9	3.3	179	8.2	10.15
K301767		4.6	8	0.7	2.7	70	5.0	
K301768		4.1	7	0.4	2.4	16	3.6	
K301769		4.0	7	0.4	2.4	16	3.5	
K301770		4.5	7	0.4	2.5	22	3.6	
K301771		6.0	13	0.6	3.9	21	13.7	
K301772		5.9	64	2.8	12.7	17	111.0	
K301773		3.8	51	1.8	14.4	20	106.5	
K301774		7.0	161	21.2	13.3	42	154.0	
K301775		4.1	54	2.0	13.1	14	88.1	
K301776		7.0	46	1.2	11.2	31	65.5	
K301777		10.4	37	0.9	7.2	11	38.9	
K301778		9.4	37	0.6	7.3	16	40.9	
K301779		0.6	2	0.1	0.8	13	<0.5	
K301780		5.4	55	0.6	11.5	16	86.5	
K301781		6.1	43	0.7	12.7	34	103.5	
K301782		4.8	30	0.8	9.3	18	62.4	
K301783		9.2	16	0.3	4.6	8	26.7	
K301784		7.2	27	0.5	7.0	17	37.7	
K301785		8.3	19	0.4	5.5	11	24.0	
K301786		0.4	2	0.1	0.7	12	<0.5	
K301787		11.1	17	0.2	2.8	13	9.8	
K301788		12.6	20	0.3	3.7	38	20.1	
K301789		13.0	13	0.4	4.0	37	23.6	
K301790		11.2	13	0.2	3.6	83	15.4	
K301791		10.6	20	0.3	4.7	24	24.9	
K301792		9.7	26	0.5	6.6	19	35.0	
K301793		7.6	31	0.7	7.2	20	37.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173989

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

CERTIFICATE VA11173981

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 155

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173981

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300761		8.32	<0.01	0.02	8.04	9.9	250	2.11	0.33	5.83	0.09	87.2	19.9	68	39.9	62.6
K300762		8.42	<0.01	0.02	6.36	10.6	200	1.67	0.24	8.89	0.11	66.0	20.2	54	31.5	51.4
K300763		2.16	<0.01	0.10	6.31	13.3	500	1.13	0.17	4.10	0.27	40.9	32.6	71	20.7	139.5
K300764		3.70	<0.01	0.14	6.90	8.5	310	1.31	0.26	3.55	0.31	47.8	33.2	76	17.25	151.0
K300765		4.24	<0.01	0.10	7.01	8.5	140	1.31	0.25	3.57	0.31	52.7	29.0	75	14.60	137.0
K300766		5.10	<0.01	0.12	6.97	16.1	110	1.31	0.27	3.52	0.38	58.2	36.3	76	25.3	149.5
K300767		2.90	<0.01	0.08	7.21	23.7	120	1.57	0.30	2.73	0.28	58.5	32.1	78	25.9	154.5
K300768		5.32	<0.01	0.08	6.93	11.2	90	1.36	0.25	2.94	0.23	54.2	31.8	82	23.6	147.0
K300769		3.78	<0.01	0.08	5.15	10.8	120	0.87	0.22	4.04	0.99	50.7	18.5	56	16.65	74.2
K300770		6.22	<0.01	0.08	7.65	12.7	920	2.00	0.40	1.72	0.37	75.9	24.7	70	31.0	123.5
K300771		7.92	<0.01	0.10	7.56	23.3	920	1.94	0.43	2.41	0.50	93.7	24.7	69	31.1	108.0
K300772		5.72	<0.01	0.12	5.52	49.3	170	1.33	0.27	6.62	0.21	69.2	14.2	41	16.65	46.3
K300773		6.26	<0.01	0.07	6.88	35.9	120	1.33	0.25	3.28	0.38	68.0	31.6	77	26.3	147.0
K300774		6.02	<0.01	0.09	7.04	15.2	120	1.39	0.25	3.20	0.34	59.4	32.6	74	28.9	151.0
K300775		2.64	<0.01	0.09	7.02	12.6	130	1.48	0.27	3.40	0.38	60.1	33.1	74	29.4	150.5
K300776		10.22	<0.01	0.07	6.22	15.7	120	1.14	0.24	4.16	0.30	49.2	27.2	68	21.7	127.0
K300777		7.30	<0.01	0.07	6.48	62.7	120	1.45	0.26	4.04	0.31	62.5	29.9	73	22.9	141.0
K300778		8.28	<0.01	0.08	5.36	14.2	100	0.67	0.18	5.97	0.33	41.4	30.3	67	18.30	121.5
K300779		0.30	0.33	0.34	5.93	599	890	0.54	0.31	0.47	0.18	145.5	2.7	235	3.31	29.8
K300780		3.00	<0.01	0.09	5.32	17.9	100	0.73	0.20	5.56	0.29	41.7	26.8	77	17.15	127.5
K300781		10.88	<0.01	0.09	6.60	11.3	130	1.24	0.25	4.11	0.30	54.2	31.3	71	25.9	142.0
K300782		7.36	0.01	0.07	6.63	10.8	140	1.20	0.26	4.06	0.26	55.6	30.8	67	27.4	139.0
K300783		2.62	<0.01	0.12	7.23	42.3	160	1.58	0.29	3.65	0.29	59.6	36.8	75	42.5	155.0
K300784		7.00	<0.01	0.05	0.13	<5	20	0.06	0.04	21.3	0.06	1.39	0.9	2	0.60	3.0
K300785		4.62	<0.01	0.08	8.91	31.4	360	2.39	0.44	0.19	0.05	50.2	18.9	81	30.1	39.4
K300786		7.62	0.05	0.07	8.12	655	330	1.43	0.40	1.05	0.03	72.1	5.1	71	23.6	23.4
K300787		8.84	<0.01	0.08	8.73	115.0	410	1.75	0.41	0.04	<0.02	99.5	6.4	73	27.3	40.0
K300788		5.60	0.05	0.33	8.56	534	360	2.08	0.36	2.39	0.04	106.0	18.3	62	27.1	33.2
K300789		0.28	7.71	0.53	3.38	1020	160	0.68	0.74	11.60	4.09	49.2	5.4	94	7.29	34.5
K300790		7.82	0.03	0.12	7.64	270	310	2.22	0.39	2.25	0.02	72.7	21.8	64	26.3	34.6
K300791		6.84	0.07	0.16	7.26	373	280	1.79	0.34	4.94	0.06	77.8	12.7	58	23.6	32.5
K300792		4.54	0.22	0.09	7.83	501	260	2.03	0.36	5.51	0.07	103.0	15.6	54	30.2	37.7
K300793		6.92	<0.01	0.02	0.08	<5	20	0.05	0.05	21.1	0.05	1.35	0.6	1	0.71	2.0
K300794		7.30	0.13	0.06	5.15	541	210	1.10	0.22	9.75	0.16	58.1	13.3	41	16.30	47.3
K300795		8.22	0.62	0.30	5.98	2960	190	1.20	0.25	5.92	0.28	62.9	25.1	56	15.70	101.0
K300796		6.72	0.01	0.19	3.22	1920	120	0.80	0.14	10.10	1.19	40.0	6.7	31	8.81	18.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173981

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300761		3.52	20.8	0.13	2.6	0.15	0.073	3.81	45.7	20.2	2.52	841	0.61	0.04	10.2	43.5
K300762		3.50	16.15	0.11	2.2	0.09	0.059	3.07	33.8	16.3	3.98	1460	0.80	0.04	8.3	42.8
K300763		7.41	17.60	0.12	2.6	0.36	0.084	1.74	18.5	174.5	2.66	1130	0.58	0.36	9.4	54.6
K300764		8.26	19.20	0.16	3.2	0.2	0.101	1.67	22.2	108.5	2.89	1180	0.44	0.61	12.5	57.1
K300765		7.96	18.85	0.16	3.6	0.06	0.104	1.57	24.5	62.0	2.84	1260	0.38	0.84	13.9	50.1
K300766		7.95	20.8	0.14	4.0	0.04	0.111	1.72	23.5	162.0	2.79	1240	0.58	0.79	14.3	56.3
K300767		7.59	20.7	0.14	4.1	0.09	0.121	2.27	24.3	134.5	2.07	1000	0.65	0.60	15.4	51.2
K300768		8.82	20.4	0.14	3.9	0.04	0.107	1.46	22.0	86.7	2.87	1020	0.56	0.75	13.9	55.3
K300769		5.86	14.00	0.11	2.8	0.04	0.064	1.21	20.7	72.0	2.41	1250	1.00	0.69	9.3	30.6
K300770		6.50	23.2	0.17	4.1	0.05	0.129	2.51	30.3	86.0	1.71	408	0.64	0.82	22.0	43.4
K300771		6.00	24.1	0.20	5.0	0.08	0.126	2.55	46.2	116.0	1.80	727	3.46	0.70	22.8	41.1
K300772		4.36	15.35	0.14	2.8	0.37	0.067	2.22	28.6	59.5	3.49	1980	37.1	0.33	10.0	23.8
K300773		7.84	19.75	0.16	4.4	0.2	0.097	1.54	24.2	159.5	2.44	1080	0.72	0.77	14.0	52.1
K300774		7.53	20.9	0.15	4.0	0.09	0.111	1.72	26.6	130.0	2.54	1060	1.30	0.83	14.6	52.7
K300775		7.45	21.4	0.13	4.1	0.09	0.114	1.69	27.6	134.5	2.59	1070	0.55	0.85	15.0	53.2
K300776		7.15	17.20	0.12	3.7	0.05	0.090	1.27	20.1	102.0	2.93	1140	0.36	0.90	11.7	44.4
K300777		7.21	18.65	0.12	3.6	0.12	0.104	1.69	24.8	199.0	2.43	1270	0.47	0.31	12.9	44.5
K300778		7.05	15.25	0.12	2.8	0.05	0.072	0.70	17.1	143.0	3.24	1540	0.31	1.10	9.7	47.1
K300779		6.63	19.20	0.17	4.4	9.3	0.051	1.30	72.7	19.7	0.12	38	6.20	0.37	9.3	14.8
K300780		6.63	14.40	0.12	2.7	0.1	0.081	0.76	16.9	115.0	2.98	1430	0.37	1.10	9.8	44.5
K300781		7.44	19.40	0.16	3.6	0.05	0.090	1.52	22.6	94.0	3.22	1140	0.37	0.88	12.8	48.9
K300782		7.49	19.25	0.13	3.8	0.07	0.099	1.53	23.0	88.7	3.18	1180	0.36	0.85	12.8	48.2
K300783		8.17	22.3	0.13	4.1	0.15	0.116	2.01	24.7	187.0	2.45	1360	0.43	0.63	14.6	58.6
K300784		0.51	0.35	0.06	<0.1	<0.01	0.010	0.07	0.6	2.1	12.35	218	0.67	0.01	0.2	2.9
K300785		5.22	25.3	0.13	3.4	0.44	0.076	4.57	20.6	23.9	0.55	841	0.55	0.05	11.8	40.2
K300786		4.92	21.7	0.17	3.0	0.96	0.049	3.93	31.8	23.0	0.49	205	0.26	0.08	10.5	14.0
K300787		8.27	24.4	0.20	3.3	0.97	0.078	4.08	51.8	31.9	0.42	113	0.31	0.05	11.1	17.0
K300788		4.61	23.2	0.17	3.0	1.41	0.071	3.99	55.1	24.6	1.08	889	0.28	0.06	10.9	33.2
K300789		1.41	7.58	0.16	2.4	5.67	0.066	1.45	30.4	10.5	0.70	277	11.55	0.01	7.5	59.7
K300790		5.12	23.1	0.18	3.3	1.72	0.076	3.89	30.4	22.0	0.88	1060	0.34	0.05	11.9	37.8
K300791		4.22	20.1	0.14	3.1	2.29	0.063	3.59	38.2	17.0	1.00	869	0.52	0.05	10.8	27.5
K300792		4.15	21.3	0.22	3.1	2.63	0.064	3.73	53.4	15.8	1.68	965	1.04	0.04	10.8	31.4
K300793		0.47	0.22	0.06	<0.1	<0.01	0.008	0.04	0.6	1.4	12.25	209	0.05	0.01	0.2	1.4
K300794		4.02	12.90	0.14	2.4	4.10	0.049	2.40	25.9	13.2	2.30	1720	0.70	0.03	7.5	23.5
K300795		5.62	17.40	0.15	3.1	6.2	0.084	2.75	28.5	13.3	2.18	1720	1.72	0.02	11.7	43.5
K300796		3.24	8.45	0.11	1.6	6.3	0.029	1.52	19.7	16.6	4.87	721	0.86	0.02	4.6	17.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173981

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300761		400	15.3	166.0	0.002	1.00	0.62	17.5	1	2.4	228	0.83	0.07	15.1	0.349	1.09
K300762		460	12.8	131.5	0.002	0.51	0.40	14.6	1	2.0	231	0.66	0.05	11.2	0.302	0.89
K300763		740	10.0	96.5	0.002	0.06	0.29	25.9	2	1.7	77.3	0.69	0.12	5.9	0.634	0.96
K300764		710	11.5	87.4	<0.002	0.08	0.78	28.2	2	2.0	67.7	0.89	0.23	6.6	0.707	0.81
K300765		800	10.2	78.7	<0.002	0.08	0.34	28.3	2	2.0	60.8	1.01	0.26	7.6	0.694	0.69
K300766		690	15.5	112.0	0.002	0.15	0.36	29.6	3	2.2	68.4	0.98	0.34	7.2	0.708	0.89
K300767		680	12.1	145.0	<0.002	0.07	0.33	29.5	3	2.4	56.5	1.09	0.38	7.2	0.718	1.15
K300768		710	11.6	90.9	<0.002	0.12	0.33	28.9	2	2.1	70.9	0.99	0.38	6.5	0.742	0.70
K300769		510	11.2	69.7	0.005	0.20	0.37	16.6	2	1.8	81.6	0.71	0.20	6.2	0.479	0.56
K300770		830	16.8	116.5	0.004	0.13	0.42	22.5	1	3.0	80.6	1.55	0.49	8.5	0.666	1.22
K300771		700	14.0	159.0	0.003	0.22	0.54	23.9	3	3.4	100.5	1.54	0.49	12.5	0.615	1.39
K300772		460	18.1	125.0	0.011	0.40	1.36	13.2	1	2.2	85.7	0.75	0.13	9.4	0.357	2.97
K300773		670	11.3	103.5	<0.002	0.24	0.47	27.9	2	2.2	66.5	0.92	0.37	6.7	0.720	1.29
K300774		700	12.7	115.5	<0.002	0.15	0.45	29.7	2	2.3	70.5	1.03	0.39	7.2	0.706	1.09
K300775		700	11.7	120.0	0.003	0.14	0.37	29.5	2	2.3	74.3	1.00	0.29	6.9	0.695	1.05
K300776		600	10.9	84.2	<0.002	0.19	0.31	24.2	2	1.9	86.9	0.84	0.28	6.1	0.654	0.70
K300777		660	11.3	116.5	<0.002	0.23	0.41	27.0	2	2.2	93.8	0.93	0.29	6.9	0.675	1.34
K300778		460	9.7	49.7	0.002	0.23	0.27	22.9	2	1.6	128.5	0.68	0.22	4.5	0.716	0.51
K300779		880	17.5	47.9	0.002	2.90	111.0	15.0	1	2.8	472	0.75	0.11	10.0	0.520	8.53
K300780		470	9.2	53.6	0.002	0.20	0.45	23.4	3	1.6	111.0	0.63	0.22	4.5	0.790	0.50
K300781		650	11.7	104.5	0.002	0.19	0.41	27.8	2	2.0	86.5	0.92	0.34	6.3	0.695	0.92
K300782		650	11.4	101.5	<0.002	0.19	0.38	26.9	2	2.0	89.0	0.88	0.33	6.6	0.656	0.83
K300783		710	12.4	138.5	0.002	0.16	0.39	31.5	2	2.3	94.3	0.99	0.25	7.4	0.706	1.33
K300784		170	2.9	3.9	<0.002	0.01	0.07	0.4	<1	0.2	39.3	<0.05	<0.05	<0.2	0.007	0.02
K300785		540	32.3	178.5	0.003	0.08	1.11	16.5	2	2.9	64.6	0.99	<0.05	10.8	0.409	2.31
K300786		420	20.5	180.0	<0.002	1.15	1.70	12.4	1	2.4	66.4	0.85	0.05	12.5	0.389	5.86
K300787		700	18.8	196.0	<0.002	1.40	1.82	16.4	1	2.8	84.7	0.90	0.06	17.6	0.398	7.32
K300788		390	23.3	182.0	0.002	2.99	4.16	15.2	2	2.5	97.1	0.86	<0.05	16.8	0.365	5.40
K300789		4130	5.3	125.5	0.036	1.34	18.75	6.1	8	1.9	140.5	0.55	0.58	7.2	0.203	14.60
K300790		340	26.3	136.0	<0.002	4.36	2.05	14.8	1	2.7	96.6	0.91	0.05	11.8	0.412	4.78
K300791		560	17.1	139.5	<0.002	3.73	2.13	13.5	1	2.4	153.5	0.84	<0.05	12.9	0.367	7.21
K300792		580	16.4	190.0	0.003	3.50	4.26	15.1	1	2.6	141.0	0.88	0.06	15.9	0.346	9.39
K300793		170	1.6	2.7	<0.002	0.01	0.09	0.3	<1	0.2	41.0	<0.05	<0.05	<0.2	<0.005	0.03
K300794		460	15.2	114.5	0.002	2.89	3.36	12.6	1	1.6	197.5	0.60	0.11	7.9	0.318	10.45
K300795		530	22.1	130.5	0.002	4.61	24.8	21.9	1	2.1	136.0	0.80	0.23	7.5	0.513	16.65
K300796		460	27.8	69.1	<0.002	1.40	16.30	5.8	1	1.2	202	0.38	0.06	6.6	0.153	8.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173981

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300761		2.5	91	2.0	21.8	76	80.6
K300762		2.2	89	1.6	20.0	70	68.2
K300763		1.3	221	1.2	23.4	104	84.9
K300764		1.5	234	2.1	25.3	106	105.5
K300765		1.6	229	1.2	26.9	97	117.5
K300766		1.8	232	1.0	32.0	104	133.5
K300767		1.8	238	0.9	32.3	97	137.5
K300768		1.7	239	1.0	32.8	108	130.0
K300769		2.3	140	0.9	22.3	73	90.3
K300770		3.0	187	1.2	25.5	110	129.5
K300771		3.7	168	1.2	44.2	97	182.5
K300772		2.2	96	1.1	22.2	78	90.8
K300773		1.9	233	1.0	28.9	104	131.0
K300774		1.9	232	0.9	33.4	100	138.0
K300775		1.9	232	0.8	31.9	99	142.5
K300776		1.6	210	0.8	25.9	94	169.5
K300777		1.6	228	1.0	27.6	102	113.0
K300778		1.3	206	0.8	24.2	97	88.2
K300779		7.9	163	23.3	14.9	41	159.5
K300780		1.4	208	1.0	23.9	92	85.2
K300781		1.7	228	0.8	28.6	99	121.0
K300782		1.7	217	0.8	27.3	98	112.0
K300783		1.9	238	1.1	32.4	114	130.0
K300784		0.4	4	0.1	0.9	15	0.5
K300785		3.3	100	1.6	12.9	98	104.5
K300786		2.5	99	6.0	12.6	76	91.9
K300787		2.9	102	2.0	17.5	75	106.5
K300788		3.2	85	5.0	21.9	109	94.1
K300789		8.6	385	36.1	28.9	279	72.7
K300790		2.9	94	4.6	15.9	102	104.5
K300791		2.7	90	5.7	17.2	84	90.2
K300792		3.3	91	5.6	19.9	83	96.1
K300793		0.7	2	0.1	0.8	14	<0.5
K300794		2.3	87	3.8	19.3	70	77.0
K300795		2.4	162	15.7	25.5	77	114.5
K300796		7.5	43	6.3	12.2	496	47.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11173981

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

CERTIFICATE VA11177773

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B, Batch 156

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177773

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301794		5.58	0.02	0.11	5.30	892	430	1.49	0.15	10.80	0.05	55.6	8.1	47	21.7	28.3
K301795		5.34	0.01	0.10	3.73	1170	230	0.90	0.11	11.95	0.09	47.3	6.1	36	15.55	19.2
K301796		0.28	7.90	0.45	3.56	1000	160	0.81	0.67	11.60	3.83	41.8	4.8	93	6.86	30.3
K301797		11.72	0.02	0.06	3.61	700	210	1.03	0.09	18.65	0.03	41.2	6.0	32	16.65	16.1
K301798		10.92	0.01	0.10	3.71	103	290	0.99	0.10	18.55	0.06	39.1	5.3	31	18.50	18.0
K301799		5.84	0.01	0.13	0.83	115	60	0.26	0.04	32.9	0.14	10.95	1.6	10	2.74	5.9
K301800		5.78	0.14	0.17	1.38	5370	60	0.37	0.05	30.4	0.24	14.85	2.6	14	4.46	8.1
K301801		5.64	0.80	0.10	0.68	9810	30	0.21	0.04	32.2	0.19	10.15	1.3	6	1.42	4.6
K301802		12.26	0.19	0.11	0.84	887	60	0.20	0.04	32.4	0.16	12.80	1.5	9	2.22	5.0
K301803		0.28	2.66	1.00	3.13	598	850	0.72	0.34	7.93	2.12	47.0	6.0	52	3.72	40.9
K301804		11.10	0.03	0.10	1.10	140	60	0.37	0.04	30.9	0.07	13.80	1.9	11	4.12	5.8
K301805		10.90	0.01	0.13	2.65	184	100	0.69	0.07	26.2	0.04	29.0	4.1	22	12.15	10.8
K301806		11.56	0.01	0.08	4.61	550	120	0.95	0.10	20.7	0.11	41.8	6.8	36	22.3	17.4
K301807		11.18	0.01	0.06	2.41	175	100	0.53	0.08	25.4	0.04	29.8	5.4	22	8.06	16.2
K301808		11.12	<0.01	0.02	2.10	67	60	0.49	0.06	25.9	0.06	23.2	5.2	21	7.01	11.8
K301809		10.04	<0.01	0.01	1.00	88	40	0.19	0.04	31.4	0.05	16.15	3.5	9	3.41	6.4
K301810		9.16	<0.01	0.02	2.74	73	140	0.64	0.08	25.2	0.07	28.9	5.9	24	10.20	18.8
K301811		6.96	<0.01	<0.01	0.06	<5	10	<0.05	0.02	20.6	0.05	1.02	2.0	<1	0.34	1.9
K301812		11.76	<0.01	0.07	3.35	64	180	0.92	0.09	19.10	0.10	38.2	7.4	33	13.40	24.6
K301813		11.02	<0.01	0.06	1.65	29	70	0.46	0.05	29.7	0.14	20.1	4.5	18	5.84	13.4
K301814		5.24	0.01	0.06	1.76	33	80	0.50	0.05	28.2	0.15	21.3	4.7	19	6.38	13.7
K301815		11.36	0.01	0.04	1.23	48	60	0.33	0.04	31.1	0.11	17.55	3.6	13	4.65	8.1
K301816		12.14	<0.01	0.02	1.00	27	60	0.28	0.03	31.4	0.10	14.70	2.0	11	3.65	7.7
K301817		12.32	0.02	0.05	1.38	48	70	0.49	0.04	30.6	0.11	17.10	4.0	15	4.03	10.4
K301818		11.54	0.03	0.09	3.66	96	150	1.11	0.10	17.25	0.05	41.4	7.3	34	12.40	20.1
K301819		10.90	0.01	0.08	2.53	134	170	0.72	0.07	21.2	0.04	27.5	5.7	23	7.87	11.3
K301820		10.18	0.01	0.05	1.77	68	350	0.66	0.05	28.0	0.05	23.3	4.6	17	5.43	8.2
K301821		10.74	0.34	0.05	2.04	2140	220	0.83	0.06	27.1	0.05	23.0	4.8	19	5.14	10.3
K301822		6.74	1.38	0.08	3.33	1780	950	0.95	0.09	12.65	0.09	39.1	6.9	31	8.84	16.4
K301823		6.94	<0.01	<0.01	0.05	<5	40	<0.05	0.03	21.1	0.06	1.23	2.0	<1	0.16	1.8
K301824		11.64	0.65	0.13	4.57	826	170	1.50	0.11	15.95	0.13	47.9	9.7	45	13.40	28.2
K301825		11.30	0.01	0.05	1.62	42	160	0.64	0.04	29.0	0.13	20.9	4.3	16	4.09	9.1
K301826		10.38	<0.01	0.04	1.95	16	110	0.61	0.06	28.0	0.09	22.4	4.8	19	5.92	12.9
K301827		11.72	0.01	0.04	3.37	34	140	1.09	0.09	22.0	0.07	32.9	7.3	40	10.60	20.9
K301828		11.18	<0.01	0.02	2.55	32	120	0.88	0.07	24.2	0.06	26.5	5.6	22	7.44	15.0
K301829		11.96	0.02	0.03	1.27	72	380	0.46	0.04	32.1	0.14	13.10	3.7	12	2.57	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177773

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301794		1.82	12.00	0.18	3.1	1.66	0.037	2.88	30.4	24.4	2.78	628	1.10	0.04	7.1	24.6
K301795		1.49	8.02	0.15	2.8	1.17	0.025	1.78	26.2	19.8	3.86	396	0.33	0.03	5.2	15.1
K301796		1.34	6.50	0.16	2.0	5.99	0.060	1.45	30.3	9.4	0.71	275	9.87	0.01	6.4	58.0
K301797		1.43	7.97	0.14	1.7	0.64	0.023	1.83	22.8	21.7	2.06	502	0.62	0.03	4.4	15.7
K301798		1.53	7.85	0.13	1.7	0.32	0.026	1.94	25.8	22.5	2.50	473	0.86	0.03	4.1	15.4
K301799		0.39	1.90	0.12	0.3	0.54	0.006	0.42	7.5	4.4	0.65	345	0.32	0.01	1.1	4.5
K301800		0.61	3.17	0.13	0.4	2.94	0.014	0.67	9.3	7.3	0.92	1270	0.74	0.01	1.7	7.1
K301801		0.34	1.59	0.13	0.3	6.44	0.011	0.33	6.5	2.9	0.45	2710	0.28	0.01	0.8	3.0
K301802		0.41	1.91	0.12	0.3	3.45	0.010	0.42	8.1	3.7	0.60	963	0.33	0.01	1.1	3.8
K301803		2.03	7.19	0.14	1.8	4.89	0.034	0.97	29.7	38.4	2.46	272	17.00	0.03	6.0	49.7
K301804		0.48	2.48	0.12	0.3	0.34	0.009	0.56	8.5	6.2	0.75	294	0.38	0.01	1.3	4.8
K301805		0.92	5.58	0.14	0.7	0.40	0.021	1.35	16.2	17.4	1.16	238	0.69	0.01	2.8	10.7
K301806		1.47	9.91	0.15	1.3	1.7	0.027	2.25	23.9	31.3	1.61	274	0.98	0.02	4.8	19.1
K301807		1.05	6.09	<0.05	1.0	0.50	0.017	1.18	15.3	15.1	1.62	261	0.54	0.02	3.6	8.1
K301808		0.93	5.63	<0.05	0.9	0.38	0.016	1.10	12.6	13.1	2.26	179	0.32	0.02	3.3	8.4
K301809		0.58	2.73	<0.05	0.4	0.13	0.008	0.49	9.1	8.3	1.09	165	0.10	0.01	1.6	2.7
K301810		1.12	7.13	0.06	1.1	0.15	0.020	1.34	15.4	28.8	1.85	192	0.14	0.02	4.2	9.4
K301811		0.46	0.67	0.15	<0.1	<0.01	<0.005	0.03	0.5	1.2	12.85	212	0.07	0.01	0.3	0.9
K301812		1.38	9.17	0.08	1.6	0.12	0.024	1.78	19.3	35.1	2.58	175	0.50	0.03	5.3	12.2
K301813		0.73	4.51	<0.05	0.6	0.15	0.011	0.83	11.3	16.7	1.08	138	0.43	0.01	2.6	4.4
K301814		0.78	4.73	0.05	0.7	0.16	0.012	0.87	11.9	18.6	1.14	136	0.56	0.02	2.9	6.0
K301815		0.65	3.23	<0.05	0.5	0.21	0.007	0.58	9.9	12.2	0.80	163	0.35	0.01	2.0	2.9
K301816		0.47	2.42	0.05	0.4	0.14	0.008	0.49	9.1	6.5	0.63	139	0.32	0.01	1.9	6.4
K301817		0.62	3.62	<0.05	0.5	0.25	0.009	0.70	9.7	7.3	0.93	189	0.48	0.01	2.2	4.6
K301818		1.56	9.48	0.06	1.8	0.78	0.023	1.97	20.6	21.2	3.54	322	0.69	0.03	5.6	13.4
K301819		1.06	6.60	<0.05	1.3	0.69	0.018	1.31	14.1	14.4	3.19	286	0.72	0.02	3.9	8.7
K301820		0.80	4.59	<0.05	0.9	0.62	0.013	0.86	12.0	11.7	1.93	337	0.36	0.02	2.8	4.7
K301821		0.93	5.52	<0.05	0.9	2.52	0.015	0.95	12.6	10.8	1.91	1200	0.61	0.02	3.2	6.7
K301822		1.48	9.18	0.07	2.2	6.5	0.025	1.71	19.0	20.9	5.03	1460	0.75	0.03	5.5	11.7
K301823		0.48	0.64	0.11	<0.1	0.02	<0.005	0.02	0.6	1.1	13.15	221	0.11	0.01	0.3	0.4
K301824		1.86	12.75	0.09	1.9	4.64	0.032	2.24	24.4	30.6	2.80	1020	0.96	0.03	7.0	19.0
K301825		0.75	4.31	<0.05	0.6	0.34	0.012	0.80	11.5	9.2	1.17	274	0.57	0.01	2.7	4.9
K301826		0.84	5.13	<0.05	0.8	0.16	0.014	0.98	12.3	13.1	1.39	181	0.27	0.02	3.0	5.4
K301827		1.41	8.84	0.05	1.4	0.17	0.023	1.73	17.3	24.5	2.84	178	0.21	0.03	4.9	17.2
K301828		1.07	6.67	0.05	1.1	0.14	0.018	1.29	14.2	18.7	2.71	151	0.34	0.02	3.9	7.3
K301829		0.59	3.41	<0.05	0.5	0.44	0.008	0.63	7.6	8.4	1.50	146	0.49	0.01	2.1	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177773

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301794		780	13.1	115.0	<0.002	0.32	3.31	7.4	2	1.6	228	0.58	<0.05	11.3	0.236	3.90
K301795		720	8.6	72.9	0.002	0.16	6.54	5.3	2	1.1	307	0.45	<0.05	8.9	0.175	2.16
K301796		4260	4.9	110.5	0.036	1.35	16.70	5.7	7	1.5	139.0	0.48	0.53	6.7	0.213	13.55
K301797		500	6.6	77.8	0.002	0.39	4.71	5.2	2	1.0	457	0.35	<0.05	7.1	0.143	2.01
K301798		590	8.1	77.8	<0.002	0.47	0.77	5.1	2	0.9	498	0.34	<0.05	7.0	0.145	1.06
K301799		190	6.8	17.0	<0.002	0.18	0.85	1.3	1	0.3	1380	0.09	<0.05	1.7	0.036	1.47
K301800		260	9.7	29.0	0.002	0.54	6.14	2.2	1	0.4	1090	0.12	<0.05	2.5	0.053	10.15
K301801		140	6.5	14.0	<0.002	0.61	12.30	1.1	1	0.3	1170	0.07	<0.05	1.5	0.028	23.6
K301802		170	6.6	18.1	<0.002	0.25	3.56	1.4	1	0.3	1340	0.08	<0.05	1.7	0.034	11.70
K301803		880	37.4	52.0	0.024	1.50	105.0	4.8	4	2.3	69.5	0.39	0.26	6.4	0.169	4.00
K301804		200	6.4	22.7	<0.002	0.20	1.14	1.7	1	0.3	1550	0.10	<0.05	2.1	0.042	1.26
K301805		330	8.5	55.5	<0.002	0.42	1.16	3.8	1	0.7	1330	0.24	<0.05	4.6	0.093	1.15
K301806		510	12.8	94.3	<0.002	0.77	3.67	6.2	2	1.0	1110	0.40	<0.05	7.8	0.164	2.38
K301807		320	7.2	53.0	<0.002	0.40	2.12	4.2	3	0.8	1050	0.28	<0.05	4.4	0.103	1.04
K301808		250	4.6	50.4	<0.002	0.19	1.20	3.7	3	0.7	706	0.24	<0.05	3.7	0.090	0.50
K301809		120	3.0	24.2	<0.002	0.20	0.96	2.4	2	0.4	634	0.11	<0.05	1.7	0.041	0.35
K301810		370	5.2	64.3	<0.002	0.31	0.83	4.9	2	0.9	700	0.31	<0.05	4.8	0.114	0.59
K301811		170	1.1	1.8	<0.002	0.01	<0.05	0.4	2	<0.2	40.9	<0.05	<0.05	<0.2	<0.005	<0.02
K301812		580	8.9	88.6	0.002	0.28	0.41	5.8	2	1.1	872	0.42	<0.05	6.4	0.146	0.64
K301813		310	5.9	40.5	<0.002	0.23	0.37	3.0	2	0.5	976	0.19	<0.05	3.2	0.072	0.42
K301814		340	6.0	44.0	<0.002	0.25	0.39	3.2	2	0.6	940	0.21	<0.05	3.3	0.075	0.44
K301815		230	4.3	28.4	0.002	0.28	0.61	2.2	2	0.4	833	0.14	<0.05	2.2	0.051	0.44
K301816		210	4.9	30.7	<0.002	0.16	0.44	1.8	1	0.4	933	0.12	<0.05	2.3	0.043	0.33
K301817		270	4.9	31.4	0.002	0.21	0.43	2.5	3	0.4	880	0.17	<0.05	2.5	0.058	0.48
K301818		460	8.1	80.1	<0.002	0.46	0.96	5.9	2	1.2	683	0.44	<0.05	7.0	0.159	1.23
K301819		260	5.8	56.2	0.002	0.36	1.20	4.2	3	0.8	711	0.30	<0.05	4.6	0.109	0.96
K301820		270	4.7	39.1	<0.002	0.33	0.57	3.2	2	0.6	991	0.19	<0.05	3.3	0.077	1.13
K301821		250	5.8	41.3	<0.002	0.47	3.24	3.5	3	0.6	970	0.24	<0.05	3.7	0.086	7.04
K301822		410	7.8	75.3	<0.002	0.47	8.90	5.9	2	1.0	725	0.42	<0.05	6.7	0.146	21.0
K301823		170	1.1	1.2	<0.002	0.02	<0.05	0.4	2	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.03
K301824		520	9.5	89.4	0.002	0.84	4.42	7.8	2	1.4	965	0.55	<0.05	8.4	0.193	12.70
K301825		270	5.2	35.7	<0.002	0.25	0.24	2.9	3	0.5	1210	0.19	<0.05	3.0	0.068	0.54
K301826		370	5.2	50.0	<0.002	0.21	0.16	3.5	3	0.6	1050	0.22	<0.05	3.5	0.082	0.47
K301827		370	6.1	82.6	<0.002	0.22	0.25	5.7	2	1.0	928	0.37	<0.05	5.8	0.142	0.67
K301828		310	5.5	59.7	<0.002	0.22	0.17	4.4	3	0.8	1020	0.29	<0.05	4.3	0.106	0.45
K301829		170	5.4	27.5	<0.002	0.26	0.44	2.4	2	0.4	1380	0.15	<0.05	2.2	0.054	0.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177773

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301794		10.7	77	2.0	14.6	35	94.8
K301795		6.5	53	1.7	13.2	21	83.1
K301796		7.8	378	32.2	25.0	276	63.3
K301797		9.5	52	1.4	10.5	22	57.1
K301798		12.6	55	1.0	9.8	28	51.8
K301799		13.2	21	0.5	3.6	50	10.2
K301800		16.1	34	0.8	5.6	67	14.9
K301801		14.1	14	0.6	6.6	37	9.8
K301802		13.4	18	0.6	4.6	41	9.9
K301803		8.1	223	23.8	19.0	204	57.3
K301804		12.0	22	0.4	4.1	18	11.0
K301805		12.7	45	0.6	6.7	22	22.1
K301806		17.9	69	1.2	8.1	43	42.8
K301807		13.3	37	1.0	9.4	21	34.2
K301808		11.0	26	0.6	8.0	20	32.9
K301809		11.5	17	0.3	5.7	12	13.5
K301810		10.5	35	0.8	9.7	28	36.4
K301811		0.4	1	0.1	0.8	13	<0.5
K301812		14.4	47	0.7	12.6	46	54.4
K301813		15.4	31	0.4	6.4	36	20.6
K301814		14.9	31	0.4	6.9	39	24.0
K301815		13.6	23	0.3	5.9	29	17.1
K301816		14.2	21	0.3	5.5	24	14.9
K301817		14.5	25	0.3	5.5	31	18.3
K301818		11.0	57	1.2	11.3	41	56.2
K301819		9.4	38	1.0	8.4	25	46.2
K301820		12.8	28	0.9	7.8	22	31.3
K301821		13.0	32	1.3	6.9	26	31.2
K301822		5.7	49	1.7	12.7	40	78.0
K301823		0.7	2	0.1	0.8	17	<0.5
K301824		11.2	72	2.7	12.8	60	63.3
K301825		12.7	27	0.7	6.7	38	22.1
K301826		9.5	31	0.5	7.4	28	26.0
K301827		5.5	41	0.7	9.8	40	47.0
K301828		8.2	31	0.5	9.0	26	40.5
K301829		16.1	21	0.8	4.5	25	17.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177773

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

CERTIFICATE VA11203182

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 146

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11203182

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K301830		0.02
K301831		0.05
K301832		0.02
K301833		0.02
K301834		0.01
K301835		0.01
K301836		0.85
K301837		9.55
K301838		2.48
K301839		0.01
K301840		0.15
K301841		0.03
K301842		7.76
K301843		0.03
K301844		0.05
K301845		0.14
K301846		0.20
K301847		0.17
K301848		0.01
K301849		<0.01
K301850		0.23
K301851		<0.01
K301852		0.05
K301853		0.46
K301854		1.67
K301855		<0.01
K301856		0.25
K301857		0.14
K301858		1.07
K301859		16.05
K301860		5.29
K301861		1.31
K301862		6.07
K301863		3.02
K301864		0.44
K301865		1.78

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11179113

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 157

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179113

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301830		10.62	0.01	0.04	0.91	89	250	0.34	0.03	32.2	0.35	10.90	3.2	8	2.02	6.6
K301831		11.28	0.02	0.03	1.17	130	160	0.42	0.03	31.0	0.25	14.15	3.4	11	2.92	6.3
K301832		10.38	0.01	0.03	1.08	158	90	0.42	0.04	31.5	0.15	13.50	3.4	11	2.68	5.8
K301833		11.76	0.02	0.04	0.89	64	230	0.42	0.02	31.3	0.21	10.90	3.1	10	2.39	5.2
K301834		11.70	0.01	0.02	0.76	39	270	0.34	0.02	31.9	0.18	9.87	2.8	8	1.92	4.4
K301835		5.98	<0.01	0.03	0.73	38	560	0.28	0.02	31.6	0.13	11.40	2.8	8	1.46	10.7
K301836		6.18	0.82	0.08	2.03	465	50	0.67	0.04	27.7	0.21	21.4	4.9	18	4.90	8.7
K301837		4.62	9.67	1.12	1.76	>10000	130	0.43	0.05	15.55	1.81	39.2	3.8	19	3.27	11.1
K301838		5.94	2.29	0.22	1.89	3870	2880	0.54	0.04	26.7	0.44	23.7	4.8	16	5.42	8.8
K301839		6.98	<0.01	<0.01	0.06	17	20	0.05	0.03	21.1	0.06	1.10	2.0	<1	0.30	1.7
K301840		10.70	0.12	0.10	1.12	381	70	0.36	0.03	31.8	0.10	17.25	3.6	10	2.68	6.4
K301841		10.82	0.03	0.08	1.22	153	40	0.45	0.03	32.5	0.07	16.50	3.7	10	3.64	7.0
K301842		0.28	7.10	0.43	3.52	1010	160	0.79	0.65	12.05	3.99	42.5	6.5	92	7.10	32.6
K301843		11.32	0.02	0.33	1.17	112	40	0.42	0.03	30.6	0.14	15.30	2.4	11	3.46	6.6
K301844		5.84	0.05	0.09	0.68	92	170	0.29	0.02	32.6	0.18	10.80	1.6	7	1.50	4.1
K301845		2.80	0.13	0.09	0.76	80	210	0.31	0.02	32.5	0.19	11.20	1.8	8	1.64	4.4
K301846		7.20	0.21	0.19	0.74	104	70	0.29	0.02	32.2	0.29	11.90	1.9	8	1.58	5.4
K301847		8.04	0.17	0.10	3.05	264	270	1.02	0.07	20.7	0.13	34.9	5.4	25	10.30	14.6
K301848		7.58	0.01	0.07	3.95	120	230	1.31	0.10	11.10	0.06	47.4	6.4	35	13.40	16.7
K301849		7.68	0.01	0.05	3.12	86	150	1.08	0.07	23.0	0.02	36.7	5.6	24	11.95	11.5
K301850		7.32	0.24	0.05	3.12	314	140	0.93	0.08	16.20	0.11	38.5	5.7	28	8.30	15.5
K301851		7.60	<0.01	0.04	0.99	34	260	0.34	0.03	29.8	0.20	14.35	2.1	10	1.79	5.0
K301852		7.76	0.05	0.03	2.24	135	670	0.65	0.06	22.3	0.10	28.3	3.8	20	4.94	11.8
K301853		5.28	0.45	0.09	2.96	956	120	0.76	0.07	13.50	0.09	42.8	4.8	30	5.53	14.6
K301854		3.74	1.16	0.23	3.58	>10000	130	1.04	0.09	4.56	0.23	43.9	7.5	44	8.16	18.2
K301855		4.98	<0.01	0.01	0.16	60	30	0.06	0.02	22.2	0.07	1.70	1.1	<1	0.25	1.0
K301856		6.04	0.35	0.43	2.96	935	140	0.70	0.10	20.5	0.22	35.7	5.5	24	6.46	23.0
K301857		7.70	0.13	0.25	1.90	253	100	0.48	0.06	24.4	0.14	24.2	3.6	16	4.17	13.1
K301858		3.86	0.97	0.11	0.86	565	50	0.25	0.02	30.3	0.19	11.75	1.8	7	1.64	4.4
K301859		0.28	16.75	0.97	1.90	1130	190	0.43	0.61	13.35	0.71	31.6	3.8	33	2.29	60.4
K301860		2.42	5.44	0.54	1.73	>10000	100	0.44	0.04	9.99	0.39	24.7	2.6	18	4.01	11.9
K301861		4.04	1.29	0.22	0.71	>10000	50	0.23	0.02	17.95	0.06	11.05	1.6	7	1.38	5.5
K301862		3.90	6.00	0.69	1.61	>10000	100	0.43	0.05	18.35	0.20	18.70	3.8	15	2.83	11.6
K301863		4.86	3.18	0.45	0.76	>10000	40	0.29	0.03	21.7	0.07	9.54	2.0	6	1.40	5.1
K301864		5.54	0.45	0.14	0.58	1870	40	0.20	0.02	19.10	0.03	9.47	1.6	6	0.83	3.7
K301865		4.86	1.79	0.32	0.40	>10000	40	0.15	0.02	19.35	0.68	9.96	3.1	6	0.50	6.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179113

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301830		0.42	2.52	<0.05	0.4	0.57	0.007	0.43	6.4	5.5	0.80	148	0.43	0.02	1.5	2.0
K301831		0.48	3.13	<0.05	0.6	0.76	0.008	0.55	7.6	7.4	1.27	213	0.37	0.01	1.8	2.6
K301832		0.47	3.08	<0.05	0.5	0.60	0.007	0.51	7.6	6.6	1.08	214	0.42	0.01	1.9	2.1
K301833		0.39	2.48	<0.05	0.5	0.38	0.006	0.45	6.1	5.2	0.98	150	0.31	0.01	1.5	2.0
K301834		0.38	2.09	<0.05	0.4	0.21	0.005	0.39	5.4	4.1	1.11	144	0.32	0.01	1.3	1.0
K301835		0.51	2.00	<0.05	0.4	0.57	0.005	0.37	6.1	3.8	1.51	165	0.24	0.01	1.2	0.6
K301836		0.77	5.38	<0.05	1.1	5.51	0.014	0.99	11.1	11.2	1.77	1140	0.64	0.02	3.1	6.8
K301837		1.35	5.28	0.06	1.0	27.2	0.055	0.85	21.6	12.7	2.71	3230	1.14	0.01	2.6	6.2
K301838		0.77	5.66	<0.05	0.7	9.9	0.022	0.96	12.1	10.7	1.12	3030	0.71	0.02	2.6	5.6
K301839		0.47	0.73	0.12	<0.1	0.03	<0.005	0.04	0.5	1.3	13.15	222	<0.05	0.01	0.3	0.9
K301840		0.50	3.16	0.07	0.3	3.86	0.009	0.52	8.9	5.7	0.65	492	0.32	0.01	1.6	3.4
K301841		0.53	3.20	<0.05	0.4	0.81	0.007	0.58	8.6	6.4	0.78	337	0.59	0.01	1.6	4.3
K301842		1.34	8.03	0.11	2.1	5.58	0.062	1.44	26.8	10.8	0.70	273	10.65	0.01	7.5	59.2
K301843		0.53	3.23	0.06	0.4	0.59	0.010	0.59	8.2	7.0	0.74	206	0.56	0.01	1.9	3.6
K301844		0.33	1.85	0.05	0.3	0.57	0.005	0.33	6.0	3.6	0.59	210	0.38	0.01	1.3	1.6
K301845		0.35	2.15	0.06	0.4	0.8	0.006	0.38	6.3	4.2	0.62	210	0.43	0.01	1.6	1.8
K301846		0.38	2.14	0.07	0.3	0.89	0.006	0.37	6.8	3.8	0.68	213	0.78	0.01	1.5	2.3
K301847		1.23	8.27	0.10	1.6	1.67	0.019	1.56	16.5	22.0	2.22	424	0.77	0.02	4.7	12.4
K301848		1.62	11.00	0.12	2.8	0.81	0.028	2.13	21.6	26.8	5.43	347	0.77	0.03	6.8	15.1
K301849		1.36	8.29	0.10	1.0	0.38	0.019	1.62	17.9	20.4	1.68	234	0.51	0.02	4.2	12.7
K301850		1.25	8.69	0.11	2.1	1.73	0.023	1.58	17.9	18.2	3.18	344	0.49	0.02	5.5	12.3
K301851		0.50	2.69	0.07	0.7	0.25	0.007	0.51	7.2	4.4	2.01	155	0.56	0.01	1.8	2.6
K301852		0.97	6.36	0.09	1.7	0.8	0.017	1.11	14.1	10.7	2.64	349	0.34	0.02	4.0	7.6
K301853		1.35	8.06	0.11	2.6	4.7	0.022	1.53	20.2	12.7	3.80	1440	0.58	0.02	6.1	10.9
K301854		1.35	10.40	0.16	2.2	9.4	0.120	1.80	21.6	21.4	1.51	1560	1.05	0.01	7.0	19.0
K301855		0.47	0.48	0.15	<0.1	0.02	0.006	0.04	0.9	1.8	13.15	221	0.17	0.03	0.4	<0.2
K301856		1.10	8.38	0.10	2.0	6.0	0.029	1.49	17.5	15.5	1.67	2440	2.10	0.01	5.2	14.0
K301857		0.82	5.13	0.09	1.5	3.01	0.014	0.98	12.3	9.8	1.68	465	1.10	0.01	3.3	8.1
K301858		0.38	2.40	0.06	0.6	3.43	0.010	0.43	6.3	3.9	1.06	1170	0.39	0.01	1.6	1.9
K301859		3.38	4.22	0.12	0.8	6.66	0.059	0.37	16.9	42.1	0.67	433	12.40	0.01	3.6	20.5
K301860		0.68	5.27	0.08	1.5	15.9	0.054	0.82	12.0	12.2	2.91	2800	1.48	0.01	3.5	5.2
K301861		0.34	2.45	0.06	0.4	4.06	0.029	0.33	6.1	3.8	8.13	4050	0.41	0.01	1.4	2.4
K301862		0.90	4.93	0.08	1.0	14.0	0.021	0.76	10.0	7.8	6.77	4100	0.78	0.01	2.9	8.0
K301863		0.72	2.60	0.06	0.5	6.4	0.021	0.36	5.1	4.4	7.36	4600	0.61	0.01	1.4	3.5
K301864		0.69	1.72	0.05	0.4	2.38	0.005	0.26	4.9	2.8	10.35	1040	0.45	0.01	1.0	2.6
K301865		1.19	1.36	0.07	0.2	9.1	0.017	0.17	4.9	1.7	9.87	1640	0.34	0.01	0.7	6.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179113

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301830		140	5.1	18.7	<0.002	0.24	0.49	1.8	2	0.3	1440	0.10	<0.05	1.5	0.038	1.16
K301831		150	5.4	23.2	<0.002	0.22	1.09	2.1	3	0.4	1290	0.13	<0.05	2.0	0.048	2.67
K301832		260	4.4	22.2	<0.002	0.20	0.97	2.2	3	0.4	1520	0.12	<0.05	1.9	0.045	2.50
K301833		410	3.5	18.5	<0.002	0.13	0.49	1.7	2	0.3	1950	0.10	<0.05	1.6	0.038	1.17
K301834		300	3.3	16.5	<0.002	0.11	0.35	1.5	2	0.2	1550	0.08	<0.05	1.3	0.032	0.63
K301835		240	3.1	15.1	<0.002	0.11	0.23	1.5	2	0.2	1540	0.08	<0.05	1.3	0.030	0.50
K301836		400	6.1	42.9	<0.002	0.45	9.20	3.5	3	0.6	1430	0.23	<0.05	3.6	0.083	21.9
K301837		410	8.9	36.1	<0.002	2.12	126.0	2.9	3	0.7	724	0.20	0.12	3.4	0.072	101.0
K301838		280	6.5	43.4	<0.002	0.79	27.4	3.6	3	0.6	1070	0.19	<0.05	3.1	0.068	39.2
K301839		170	1.2	2.2	<0.002	0.01	0.11	0.5	2	<0.2	42.2	<0.05	<0.05	<0.2	<0.005	0.10
K301840		220	5.1	21.3	<0.002	0.25	4.66	2.2	3	0.4	1470	0.11	<0.05	1.8	0.041	14.45
K301841		210	6.0	23.6	<0.002	0.21	1.12	2.5	3	0.3	1450	0.12	<0.05	1.9	0.044	2.55
K301842		4230	4.3	104.5	0.035	1.35	18.65	6.8	9	1.7	141.5	0.54	0.53	5.8	0.211	12.65
K301843		210	7.0	23.5	<0.002	0.28	0.87	2.0	2	0.4	1655	0.13	<0.05	2.2	0.045	1.80
K301844		170	6.6	13.2	<0.002	0.17	0.77	1.2	2	0.2	1465	0.08	<0.05	1.4	0.028	1.20
K301845		160	8.1	15.3	<0.002	0.18	1.19	1.3	2	0.3	1440	0.10	<0.05	1.6	0.033	1.87
K301846		160	8.4	14.4	<0.002	0.22	0.60	1.4	2	0.3	1225	0.09	<0.05	1.4	0.030	1.11
K301847		460	8.2	60.2	<0.002	0.42	2.40	5.2	2	0.8	833	0.35	<0.05	5.9	0.119	5.46
K301848		580	9.3	83.0	<0.002	0.46	0.61	6.9	2	1.2	277	0.51	<0.05	8.7	0.176	1.52
K301849		370	5.4	63.1	<0.002	0.27	0.30	5.1	2	0.8	707	0.31	<0.05	5.4	0.111	0.88
K301850		460	7.8	62.3	<0.002	0.26	3.55	5.4	2	1.0	412	0.42	<0.05	7.0	0.141	6.21
K301851		150	5.5	18.1	<0.002	0.13	0.35	1.7	2	0.3	961	0.12	<0.05	2.1	0.042	0.47
K301852		340	6.9	40.8	<0.002	0.20	1.42	4.1	2	0.8	679	0.29	<0.05	5.1	0.101	2.38
K301853		590	6.7	55.7	<0.002	0.50	9.50	5.3	2	0.9	396	0.43	<0.05	7.1	0.142	16.55
K301854		660	9.3	70.9	0.003	>10.0	272	5.7	7	1.2	297	0.50	<0.05	8.3	0.174	36.5
K301855		230	2.0	2.5	<0.002	<0.01	0.21	0.3	1	<0.2	51.7	<0.05	<0.05	0.2	0.009	0.03
K301856		370	11.0	57.5	0.003	0.54	7.00	5.3	3	1.0	329	0.39	<0.05	6.5	0.129	14.45
K301857		270	8.0	34.7	0.002	0.30	2.41	3.2	2	0.6	532	0.24	<0.05	4.1	0.082	5.18
K301858		240	3.4	15.7	<0.002	0.23	7.09	1.6	2	0.3	984	0.10	<0.05	1.7	0.035	10.95
K301859		650	20.8	23.1	0.006	1.95	147.0	4.1	3	1.9	45.1	0.25	0.36	3.6	0.103	3.71
K301860		580	8.7	29.4	<0.002	5.00	153.0	3.5	3	0.7	140.0	0.25	<0.05	4.2	0.081	37.4
K301861		130	4.2	12.8	<0.002	3.02	93.1	2.0	2	0.2	86.0	0.09	<0.05	1.5	0.030	9.47
K301862		390	12.4	27.8	<0.002	2.03	57.3	2.9	2	0.6	121.5	0.21	<0.05	3.5	0.073	45.0
K301863		170	7.8	12.8	<0.002	1.44	38.7	1.8	2	0.3	112.5	0.10	<0.05	1.5	0.032	22.4
K301864		140	6.3	8.7	<0.002	0.37	5.80	1.2	2	0.2	122.5	0.07	<0.05	1.2	0.023	5.09
K301865		140	17.5	5.8	<0.002	1.64	29.5	1.2	2	0.3	115.0	<0.05	<0.05	0.7	0.015	15.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179113

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K301830		14.3	16	0.6	3.7	34	11.9	
K301831		14.8	17	0.8	4.7	34	19.4	
K301832		13.8	20	0.8	4.9	16	19.4	
K301833		7.2	16	0.4	4.3	10	16.5	
K301834		6.4	14	0.3	3.6	9	14.5	
K301835		6.2	12	0.4	3.8	10	14.0	
K301836		7.5	32	1.2	6.9	24	37.3	
K301837		10.3	30	2.2	6.9	150	31.2	2.61
K301838		9.1	31	1.6	6.5	48	22.7	
K301839		0.4	2	0.1	0.8	13	<0.5	
K301840		13.5	22	0.8	5.9	21	12.1	
K301841		12.5	24	0.7	5.1	19	13.9	
K301842		7.2	380	33.5	27.6	274	71.7	
K301843		16.3	27	0.7	4.6	26	17.6	
K301844		12.9	19	0.4	3.7	30	11.9	
K301845		14.1	20	0.5	3.8	32	14.2	
K301846		13.9	31	0.6	3.7	54	10.7	
K301847		12.1	51	1.6	10.1	43	61.6	
K301848		5.5	60	1.8	14.6	32	106.0	
K301849		10.6	45	0.9	9.4	31	40.1	
K301850		7.1	45	1.7	12.0	32	79.9	
K301851		11.3	18	0.6	4.9	34	28.1	
K301852		6.7	35	2.1	9.9	19	62.6	
K301853		6.5	50	2.4	13.7	22	97.3	
K301854		11.6	68	3.1	10.2	39	81.7	23.2
K301855		0.8	3	0.2	1.1	15	2.1	
K301856		10.2	52	2.9	13.6	44	79.9	
K301857		11.8	35	1.7	9.0	24	57.0	
K301858		11.6	20	0.9	6.0	11	23.3	
K301859		3.5	106	207	15.2	73	31.0	
K301860		15.4	34	2.1	9.6	36	53.4	10.15
K301861		11.6	17	0.9	7.3	9	14.3	6.06
K301862		16.9	28	2.2	11.0	39	37.1	2.17
K301863		14.7	16	1.4	6.1	5	17.3	2.01
K301864		12.2	13	0.8	3.3	4	12.7	
K301865		12.3	10	0.8	3.8	149	10.7	1.500

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179113

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

CERTIFICATE VA11179112

Project: Rackla Gold (Nadaleen)

P.O. No.: Area D Batch 158

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179112

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300325		2.14	<0.01	0.13	7.65	19.9	390	2.67	0.33	2.25	0.10	67.5	11.3	65	40.9	22.9
K300326		3.70	<0.01	0.09	0.81	10	120	0.24	0.05	16.60	0.35	14.40	1.9	10	2.22	5.5
K300327		4.66	<0.01	0.23	3.20	66	550	0.92	0.13	13.25	3.02	34.4	5.9	32	11.95	12.8
K300328		2.92	<0.01	0.04	0.60	40	70	0.23	0.02	18.85	<0.02	8.33	1.7	6	0.79	1.7
K300329		5.80	<0.01	0.03	0.23	57	30	0.12	0.02	19.70	<0.02	5.18	1.3	3	0.22	0.8
K300330		5.64	<0.01	0.05	0.29	396	70	0.18	0.04	19.50	0.05	6.09	1.6	3	0.24	1.4
K300331		5.60	<0.01	0.03	0.25	308	100	0.20	0.03	19.80	0.02	4.11	1.3	3	0.19	0.9
K300332		3.84	<0.01	0.06	0.48	1470	160	0.27	0.02	19.60	0.74	7.34	1.7	5	0.31	1.9
K300333		0.28	0.32	0.36	6.24	619	1550	0.70	0.24	0.46	0.21	150.5	3.1	246	3.72	29.8
K300334		4.94	<0.01	0.02	0.16	240	40	0.12	0.01	19.90	0.06	2.90	1.1	1	0.11	1.9
K300335		4.04	<0.01	0.03	0.11	142	20	0.12	0.01	20.4	0.06	2.19	1.6	1	0.08	1.8
K300336		3.86	<0.01	0.05	1.23	68	100	0.43	0.04	18.95	0.04	15.60	3.0	8	3.26	4.6
K300337		4.70	<0.01	0.01	0.15	109	30	0.13	<0.01	19.80	0.04	3.46	1.6	1	0.12	1.7
K300338		2.36	<0.01	0.01	0.14	91	20	0.13	<0.01	19.80	0.04	3.10	1.3	1	0.08	1.2
K300339		4.24	<0.01	0.01	0.20	148	30	0.12	0.01	20.1	0.04	3.27	1.5	2	0.17	1.7
K300340		4.98	<0.01	<0.01	0.07	<5	20	0.06	0.01	21.6	0.05	1.14	1.6	<1	0.55	2.3
K300341		5.36	<0.01	0.01	0.13	142	30	0.10	<0.01	20.3	0.02	2.96	1.4	1	0.10	1.8
K300342		5.10	<0.01	0.01	0.05	100	10	0.09	<0.01	19.30	<0.02	1.28	1.3	<1	<0.05	0.9
K300343		2.82	<0.01	<0.01	0.05	54	10	0.07	<0.01	19.20	<0.02	1.29	1.1	<1	<0.05	0.7
K300344		5.70	<0.01	0.03	0.03	232	10	0.10	<0.01	18.00	0.08	1.10	1.2	1	<0.05	1.0
K300345		5.36	<0.01	0.02	0.04	94	10	0.08	<0.01	19.05	0.04	1.20	1.1	1	<0.05	0.8
K300346		0.28	2.40	0.98	3.31	589	890	0.83	0.26	8.42	2.23	50.9	6.5	54	4.14	41.4
K300347		5.50	<0.01	0.01	0.07	108	10	0.09	<0.01	20.9	<0.02	1.73	1.1	1	<0.05	0.8
K300348		5.38	<0.01	0.01	0.08	267	10	0.09	<0.01	22.3	<0.02	1.49	1.2	1	<0.05	1.1
K300349		5.08	<0.01	0.08	0.18	1440	50	0.12	0.01	20.3	0.15	4.60	1.0	2	0.13	1.8
K300350		5.22	0.01	0.04	0.15	846	30	0.12	0.01	20.4	0.09	3.22	1.1	1	0.11	1.4
K300351		4.00	<0.01	0.16	0.22	1660	90	0.10	0.01	20.6	0.35	6.27	1.1	4	0.15	2.1
K300352		4.26	<0.01	0.04	0.16	1100	20	0.11	0.01	20.4	0.18	3.05	1.1	1	0.13	1.4
K300353		3.76	0.01	0.09	0.05	1830	20	0.09	<0.01	20.8	1.28	1.75	1.1	1	<0.05	0.9
K300354		2.22	<0.01	0.04	0.08	1260	30	0.06	<0.01	20.0	0.23	3.03	1.0	1	0.05	1.0
K300355		1.80	<0.01	0.09	0.05	3000	20	0.09	<0.01	20.3	0.67	1.45	1.0	<1	<0.05	0.9
K300356		1.32	<0.01	0.15	0.05	2120	20	0.05	<0.01	19.15	0.42	1.27	1.0	<1	<0.05	3.3
K300357		2.80	<0.01	0.17	0.07	4530	40	0.08	<0.01	19.70	0.55	3.48	0.8	1	<0.05	1.4
K300358		2.56	<0.01	0.04	0.04	1620	30	0.08	<0.01	20.0	0.32	1.31	0.9	<1	<0.05	1.3
K300359		5.14	<0.01	0.07	0.04	904	10	0.07	<0.01	19.60	0.04	1.02	0.9	1	<0.05	0.8
K300360		5.00	0.04	<0.01	0.06	14	20	0.05	0.01	20.8	0.05	1.03	1.2	<1	0.50	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179112

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300325		3.89	19.70	0.17	3.0	0.14	0.052	3.56	39.6	17.1	1.70	397	0.41	0.04	11.2	29.0
K300326		4.02	2.00	0.11	0.4	0.09	0.006	0.34	8.0	2.5	8.81	2840	0.16	0.01	1.3	4.4
K300327		3.58	8.72	0.15	1.5	0.65	0.027	1.33	18.6	8.9	6.89	1830	0.35	0.03	5.1	15.5
K300328		1.35	1.51	0.10	0.4	1.13	0.005	0.21	4.6	2.5	11.10	1240	0.13	0.02	1.1	2.3
K300329		1.03	0.68	0.10	0.2	1.05	<0.005	0.08	2.9	1.1	11.65	1250	0.15	0.01	0.5	1.1
K300330		1.17	0.84	0.10	0.3	2.59	<0.005	0.10	3.5	1.1	11.55	1330	0.20	0.01	0.7	1.8
K300331		0.94	0.68	0.12	0.2	1.43	<0.005	0.08	2.3	1.1	11.75	1040	0.11	0.01	0.5	1.4
K300332		1.05	1.23	0.11	0.3	6.89	0.006	0.15	4.3	1.7	11.50	1320	0.24	0.01	0.8	2.3
K300333		6.56	22.1	0.28	3.9	10.0	0.060	1.29	71.4	18.2	0.13	35	6.70	0.39	10.0	17.2
K300334		0.52	0.41	0.19	0.1	0.77	<0.005	0.06	1.5	0.7	11.90	836	0.39	0.01	0.4	<0.2
K300335		0.41	0.66	0.37	0.1	0.41	<0.005	0.04	1.2	1.2	12.30	696	0.22	0.01	0.4	1.0
K300336		1.79	3.42	0.15	0.7	1.32	0.008	0.51	8.7	7.3	10.90	1360	0.18	0.01	2.4	5.7
K300337		0.34	0.78	0.52	0.1	0.48	<0.005	0.06	1.7	1.2	11.90	669	0.27	0.01	0.4	1.1
K300338		0.31	0.90	0.61	0.1	0.46	<0.005	0.04	1.6	1.1	11.90	647	0.19	0.01	0.4	0.6
K300339		0.33	1.01	0.63	0.2	0.66	<0.005	0.07	1.7	1.1	12.10	637	0.26	0.01	0.5	0.7
K300340		0.48	0.79	0.65	<0.1	<0.01	<0.005	0.03	0.5	1.3	13.20	213	<0.05	0.01	0.4	1.2
K300341		0.42	0.88	0.59	0.1	0.67	<0.005	0.05	1.5	0.9	12.20	743	0.23	0.01	0.4	0.3
K300342		0.32	0.78	0.70	<0.1	0.26	<0.005	0.01	0.7	0.8	11.60	639	0.08	0.01	0.3	<0.2
K300343		0.21	0.80	0.76	<0.1	0.25	<0.005	0.01	0.7	0.6	11.65	446	0.07	0.01	0.3	0.3
K300344		0.33	0.74	0.66	<0.1	0.51	<0.005	<0.01	0.6	0.7	10.85	614	0.11	0.01	0.2	<0.2
K300345		0.32	0.69	0.63	<0.1	0.26	<0.005	<0.01	0.7	0.7	11.45	598	0.08	0.01	0.2	<0.2
K300346		2.23	7.74	0.20	2.0	4.34	0.028	1.05	31.1	45.9	2.66	287	20.1	0.03	7.6	51.8
K300347		0.26	0.59	0.55	<0.1	0.23	<0.005	0.02	0.9	0.8	12.60	570	0.09	0.01	0.3	<0.2
K300348		0.28	0.73	0.61	<0.1	0.41	<0.005	0.02	0.8	0.7	13.50	551	0.07	0.01	0.3	<0.2
K300349		1.18	0.47	0.15	0.1	4.81	0.008	0.06	2.6	0.8	12.25	922	0.25	0.01	0.5	<0.2
K300350		0.57	0.63	0.34	0.1	1.34	<0.005	0.05	1.8	0.8	12.30	864	0.16	0.01	0.5	1.0
K300351		0.76	0.76	0.31	0.3	4.99	0.005	0.08	3.5	0.8	12.35	949	0.23	0.01	0.7	<0.2
K300352		0.42	0.87	0.50	0.1	1.69	<0.005	0.06	1.7	0.8	12.25	894	0.06	0.01	0.5	<0.2
K300353		0.55	0.59	0.52	<0.1	10.9	<0.005	0.01	0.9	0.5	12.55	672	0.07	0.01	0.3	<0.2
K300354		0.74	0.57	0.42	0.1	3.45	<0.005	0.02	1.5	0.5	12.00	715	0.10	0.01	0.5	<0.2
K300355		0.76	0.52	0.40	<0.1	53.4	0.005	0.01	0.8	0.5	12.20	770	0.06	0.01	0.3	<0.2
K300356		0.60	0.52	0.44	<0.1	13.1	<0.005	0.01	0.6	0.5	11.50	676	0.07	0.01	0.3	<0.2
K300357		1.37	0.34	0.23	0.1	24.6	0.007	0.02	1.8	0.6	11.75	884	0.14	0.01	0.4	<0.2
K300358		0.77	0.42	0.36	<0.1	35.8	<0.005	0.01	0.7	0.5	12.05	807	0.11	0.01	0.3	<0.2
K300359		0.53	0.54	0.50	<0.1	10.15	<0.005	0.01	0.5	0.5	11.85	648	0.08	0.01	0.3	<0.2
K300360		0.48	0.42	0.32	<0.1	0.07	<0.005	0.03	0.5	0.9	12.70	205	0.06	<0.01	0.4	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179112

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300325		230	105.5	142.0	<0.002	3.37	0.38	12.5	2	2.6	85.4	0.93	<0.05	17.1	0.290	1.86
K300326		370	38.9	12.8	<0.002	1.31	0.10	2.1	2	0.3	129.0	0.09	<0.05	1.9	0.031	0.56
K300327		1020	95.8	50.6	<0.002	2.14	0.24	5.8	2	1.3	129.0	0.39	<0.05	7.4	0.128	2.62
K300328		500	15.7	7.3	<0.002	0.06	0.19	1.1	2	0.2	127.5	0.07	<0.05	1.4	0.025	0.75
K300329		640	9.9	2.8	<0.002	0.04	0.35	0.5	2	<0.2	96.7	<0.05	<0.05	0.5	0.009	0.34
K300330		450	13.6	3.5	<0.002	0.05	0.59	0.6	2	0.2	155.5	0.05	<0.05	0.9	0.015	0.91
K300331		410	8.4	2.6	<0.002	0.02	0.41	0.5	2	<0.2	175.0	<0.05	<0.05	0.6	0.010	1.50
K300332		580	21.6	4.8	<0.002	0.02	0.96	0.8	2	0.3	276	0.05	<0.05	1.0	0.017	3.06
K300333		910	15.8	49.7	0.003	3.19	126.0	16.6	3	3.2	533	0.74	0.16	9.5	0.556	7.61
K300334		220	6.9	1.5	<0.002	0.01	0.22	0.4	2	<0.2	133.5	<0.05	<0.05	0.4	0.007	0.54
K300335		200	5.1	1.2	<0.002	0.01	0.11	0.3	2	<0.2	121.0	<0.05	<0.05	0.2	<0.005	0.37
K300336		680	25.2	17.7	<0.002	0.18	0.36	2.1	3	0.4	158.0	0.15	<0.05	2.5	0.049	2.85
K300337		420	5.2	1.6	<0.002	0.01	0.23	0.4	2	<0.2	110.5	<0.05	<0.05	0.3	0.007	0.40
K300338		340	3.9	1.2	<0.002	0.01	0.21	0.3	2	<0.2	108.5	<0.05	<0.05	0.2	0.005	0.33
K300339		230	5.2	2.2	<0.002	0.01	0.26	0.4	2	<0.2	111.0	<0.05	<0.05	0.4	0.008	0.36
K300340		190	1.2	2.0	<0.002	<0.01	<0.05	0.3	2	<0.2	47.3	<0.05	<0.05	<0.2	<0.005	0.02
K300341		300	5.4	1.4	<0.002	0.01	0.14	0.3	2	<0.2	113.0	<0.05	<0.05	0.3	0.005	0.39
K300342		170	2.3	0.4	<0.002	0.01	0.06	0.2	2	<0.2	83.8	<0.05	<0.05	<0.2	<0.005	0.51
K300343		220	1.6	0.3	<0.002	0.01	0.06	0.2	2	<0.2	72.8	<0.05	<0.05	<0.2	<0.005	0.25
K300344		90	1.5	0.1	<0.002	0.03	0.11	0.1	2	<0.2	74.6	<0.05	<0.05	<0.2	<0.005	0.98
K300345		120	1.2	0.1	<0.002	0.03	0.07	0.2	2	<0.2	69.1	<0.05	<0.05	<0.2	<0.005	0.78
K300346		920	34.0	49.5	0.025	1.62	112.0	5.4	5	2.5	76.9	0.50	0.19	5.9	0.174	3.98
K300347		180	1.5	0.5	<0.002	0.02	0.21	0.3	2	<0.2	79.7	<0.05	<0.05	<0.2	<0.005	1.19
K300348		180	2.0	0.6	<0.002	0.02	0.13	0.2	2	<0.2	81.4	<0.05	<0.05	<0.2	<0.005	1.72
K300349		370	19.1	1.7	<0.002	0.07	0.42	0.5	2	<0.2	128.5	<0.05	<0.05	0.4	0.007	2.34
K300350		310	10.3	1.5	<0.002	0.06	0.44	0.4	2	<0.2	92.1	<0.05	<0.05	0.3	0.006	4.72
K300351		560	30.8	2.2	<0.002	0.04	0.54	0.5	2	<0.2	156.0	<0.05	<0.05	0.6	0.012	4.64
K300352		350	13.2	1.7	<0.002	0.02	0.31	0.4	2	<0.2	79.7	<0.05	<0.05	0.3	0.006	3.73
K300353		330	27.8	0.3	<0.002	0.03	0.53	0.2	2	<0.2	103.0	<0.05	<0.05	<0.2	<0.005	4.53
K300354		420	8.8	0.7	<0.002	0.08	0.25	0.3	2	<0.2	86.4	<0.05	<0.05	0.3	0.006	2.21
K300355		120	43.1	0.3	<0.002	0.04	0.52	0.2	2	<0.2	78.8	<0.05	<0.05	<0.2	<0.005	5.67
K300356		170	41.3	0.2	<0.002	0.06	1.39	0.2	2	<0.2	79.6	<0.05	<0.05	<0.2	<0.005	3.85
K300357		420	23.2	0.4	<0.002	0.11	1.98	0.3	2	<0.2	129.0	<0.05	<0.05	0.2	<0.005	7.41
K300358		120	7.2	0.2	<0.002	0.13	0.66	0.3	2	<0.2	95.0	<0.05	<0.05	<0.2	<0.005	2.48
K300359		140	4.7	0.2	<0.002	0.11	0.37	0.2	2	<0.2	75.0	<0.05	<0.05	<0.2	<0.005	2.06
K300360		170	1.3	2.1	<0.002	0.01	<0.05	0.3	2	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179112

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300325		2.7	69	1.4	15.9	103	98.4
K300326		1.6	9	0.2	7.0	177	14.9
K300327		3.9	28	0.9	13.1	987	55.5
K300328		1.6	5	0.5	3.9	6	16.2
K300329		1.5	3	0.4	3.0	5	6.2
K300330		1.7	3	0.9	3.0	18	10.0
K300331		1.5	2	0.4	2.4	13	7.4
K300332		2.5	4	0.9	3.8	138	12.4
K300333		7.2	168	23.9	14.4	43	165.0
K300334		1.1	2	0.3	2.1	38	5.1
K300335		1.1	1	0.2	1.9	25	3.3
K300336		1.7	11	0.8	5.8	33	27.9
K300337		1.2	2	0.3	2.3	14	5.6
K300338		1.0	2	0.2	2.0	12	3.6
K300339		1.2	2	0.6	2.0	21	7.4
K300340		0.7	3	0.1	0.9	12	<0.5
K300341		1.1	1	0.4	2.1	20	5.3
K300342		0.9	1	0.1	1.3	9	1.2
K300343		0.9	1	0.1	1.4	3	1.7
K300344		0.6	1	0.2	1.1	26	0.6
K300345		0.8	1	0.1	1.3	16	0.5
K300346		8.0	224	32.1	22.2	213	71.3
K300347		0.9	1	0.2	1.7	5	1.4
K300348		0.9	1	0.2	1.6	8	1.4
K300349		1.6	3	0.7	2.8	138	4.4
K300350		1.2	2	0.5	2.2	91	4.9
K300351		2.0	2	0.8	3.0	100	10.9
K300352		1.3	2	0.4	2.3	70	4.8
K300353		1.2	1	0.3	1.8	161	1.7
K300354		1.5	2	0.3	2.5	86	3.8
K300355		1.1	1	0.3	1.6	172	0.9
K300356		1.0	1	0.5	1.4	179	0.8
K300357		1.6	2	1.1	2.3	166	2.3
K300358		0.9	1	0.2	1.4	133	1.1
K300359		0.9	1	0.3	1.1	38	0.7
K300360		0.5	2	0.1	0.8	14	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179112

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

CERTIFICATE VA11177772

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B, Batch 159

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177772

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302591		6.48	<0.01	0.12	9.66	99.9	480	4.09	0.36	0.10	0.02	101.0	13.4	70	45.0	69.8
K302592		10.10	<0.01	0.12	8.82	94.2	360	2.21	0.32	0.11	0.02	97.7	16.6	66	35.7	36.3
K302593		8.92	<0.01	0.14	9.04	13.8	320	4.01	0.31	0.08	0.08	105.0	26.5	66	38.5	41.2
K302594		3.58	<0.01	0.11	8.38	22.4	300	2.73	0.31	0.60	0.04	96.7	22.9	66	34.8	34.9
K302595		9.78	<0.01	0.11	8.79	28.2	330	2.66	0.32	1.09	0.04	92.2	18.5	72	37.6	40.9
K302596		4.36	<0.01	0.08	4.27	77	180	1.32	0.15	16.20	0.22	46.4	15.1	30	13.10	27.5
K302597		0.30	7.71	0.45	3.40	905	150	0.82	0.56	11.40	3.81	42.8	5.5	89	6.52	35.3
K302598		4.96	<0.01	0.11	6.75	29.0	280	1.51	0.22	3.74	0.32	51.9	28.8	72	38.8	124.0
K302599		7.38	<0.01	0.12	6.49	32.3	190	1.21	0.20	3.87	0.29	46.7	30.5	65	32.4	132.5
K302600		3.60	<0.01	0.41	4.46	24.1	280	1.08	0.16	8.05	0.15	43.7	13.3	30	18.45	51.9
K302601		9.82	<0.01	0.12	6.59	16.1	200	1.52	0.20	3.57	0.26	45.9	31.7	61	33.0	150.0
K302602		5.06	0.01	0.11	6.41	28.5	160	1.35	0.19	4.05	0.28	46.4	30.7	60	35.9	137.5
K302603		2.62	<0.01	0.11	6.04	34.8	220	1.25	0.18	4.26	0.26	42.2	28.6	55	32.7	132.5
K302604		4.96	0.15	0.12	4.12	379	230	1.17	0.15	7.66	0.25	43.6	12.9	28	12.70	41.2
K302605		5.42	0.09	0.14	4.08	156.5	200	1.17	0.15	7.65	0.16	44.3	12.5	29	11.75	41.5
K302606		8.94	0.04	0.13	7.39	289	300	2.93	0.25	3.95	0.21	88.0	16.5	54	31.1	45.6
K302607		9.62	0.01	0.11	8.16	137.5	370	3.26	0.36	2.67	0.19	72.2	19.4	62	29.2	46.8
K302608		4.64	0.26	0.09	7.58	550	310	2.25	0.29	4.28	0.06	89.8	14.1	48	24.0	31.7
K302609		4.68	0.91	0.85	6.81	2590	420	1.62	0.24	4.76	0.13	78.5	14.8	52	15.40	42.9
K302610		6.96	<0.01	0.01	0.08	5	10	0.06	0.02	20.6	0.05	1.57	1.5	<1	0.43	2.9
K302611		7.90	0.08	0.18	6.16	439	260	1.38	0.27	3.33	0.13	63.9	21.6	71	18.90	69.0
K302612		7.84	<0.01	0.09	6.45	63.5	230	1.81	0.27	2.56	0.12	68.5	19.8	76	24.8	59.4
K302613		5.18	<0.01	0.27	5.11	23.0	260	1.31	0.20	4.15	0.12	54.5	13.9	67	18.20	53.2
K302614		0.30	16.35	0.86	1.82	1180	290	0.30	0.57	13.45	0.62	30.0	3.5	33	2.36	68.7
K302615		10.02	<0.01	0.02	6.20	53.6	320	1.50	0.27	2.32	0.16	67.2	21.3	66	23.8	59.0
K302616		10.34	<0.01	0.06	5.21	128.0	180	1.11	0.20	5.64	0.10	55.4	20.4	53	19.30	47.0
K302617		10.84	0.01	0.02	6.44	220	200	1.67	0.28	5.21	0.14	67.5	21.0	61	28.3	56.2
K302618		10.76	0.07	0.01	5.64	345	170	1.36	0.23	3.22	0.12	60.9	18.1	64	22.5	50.3
K302619		9.76	0.44	0.01	5.69	2760	230	1.16	0.25	1.71	0.21	59.8	17.6	68	17.00	53.1
K302620		6.98	<0.01	<0.01	0.08	13	20	0.05	0.02	20.6	0.06	1.30	1.5	1	0.31	2.6
K302621		5.72	0.12	0.03	6.62	456	240	1.58	0.29	1.82	0.20	73.2	18.9	74	28.5	56.8
K302622		11.24	0.85	0.07	5.80	2000	340	1.34	0.27	1.95	0.51	66.6	18.8	73	21.1	56.1
K302623		11.42	0.10	0.01	6.26	630	220	1.51	0.25	3.00	0.14	67.4	20.9	69	21.0	53.6
K302624		10.96	0.31	0.13	4.26	682	120	0.98	0.15	2.45	0.11	45.1	16.1	62	13.80	42.8
K302625		8.10	0.15	0.09	5.28	332	160	1.33	0.27	2.20	0.23	56.3	19.2	70	18.45	60.1
K302626		7.88	1.03	0.03	3.50	747	160	0.72	0.15	2.61	0.16	37.0	12.1	47	11.10	39.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177772

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302591		5.28	27.1	0.26	3.2	0.23	0.090	4.10	52.3	51.5	0.48	216	0.51	0.07	13.3	31.1
K302592		6.35	21.7	0.23	2.9	0.20	0.061	3.93	48.8	41.5	0.47	676	0.43	0.06	11.6	32.9
K302593		5.20	21.9	0.25	3.1	0.08	0.062	3.98	52.6	44.6	0.45	987	0.29	0.06	12.0	49.0
K302594		5.19	20.5	0.24	3.0	0.20	0.065	3.82	48.8	50.3	0.90	695	0.40	0.05	12.7	44.4
K302595		4.74	21.9	0.26	3.2	0.28	0.069	4.08	45.1	46.0	1.08	485	0.42	0.07	13.1	39.9
K302596		3.14	9.75	0.15	1.6	0.22	0.033	1.93	23.8	15.2	2.49	924	0.91	0.03	5.9	25.0
K302597		1.27	6.80	0.16	2.2	5.92	0.057	1.42	27.5	8.8	0.69	247	11.40	0.01	7.8	62.0
K302598		6.88	20.6	0.25	3.3	0.15	0.098	2.38	25.5	154.5	2.40	901	0.61	0.22	14.5	57.5
K302599		7.28	19.55	0.24	3.2	0.05	0.099	1.81	22.5	146.0	3.02	1080	0.29	0.45	14.0	54.3
K302600		3.90	12.65	0.15	2.2	0.06	0.059	1.85	21.1	74.8	3.57	699	0.72	0.07	8.3	23.0
K302601		6.94	20.1	0.23	3.4	0.08	0.103	2.21	22.7	127.0	2.95	780	0.36	0.25	13.6	56.0
K302602		6.76	19.85	0.23	3.3	0.28	0.099	2.09	22.1	169.0	3.07	864	0.70	0.36	14.1	54.4
K302603		6.40	18.20	0.21	2.9	0.27	0.090	1.96	19.9	156.0	3.02	895	0.62	0.34	12.3	48.2
K302604		3.31	10.25	0.15	2.2	1.17	0.048	1.91	20.1	21.8	3.56	1450	1.30	0.03	7.8	20.7
K302605		3.39	9.91	0.14	2.3	1.51	0.043	1.88	20.6	19.0	3.61	1420	3.04	0.03	7.7	21.3
K302606		3.99	19.20	0.23	3.1	1.75	0.063	3.41	43.3	15.9	2.15	831	2.84	0.04	11.8	37.9
K302607		4.72	24.2	0.24	2.5	1.30	0.078	3.67	36.2	20.1	1.41	669	3.66	0.05	11.6	42.6
K302608		3.40	18.40	0.22	2.5	2.41	0.050	3.51	45.4	11.7	2.18	1280	0.75	0.05	10.5	30.4
K302609		3.68	16.90	0.22	2.8	5.39	0.056	3.16	38.7	10.4	2.00	1220	1.58	0.03	9.8	34.4
K302610		0.48	0.44	0.13	<0.1	<0.01	0.005	0.04	0.8	0.8	12.60	218	0.10	<0.01	0.3	2.6
K302611		4.95	16.55	0.15	3.0	3.29	0.063	2.95	29.9	19.6	1.66	575	1.32	0.04	11.0	40.4
K302612		4.79	17.80	0.16	3.2	0.92	0.070	3.04	31.2	42.5	1.69	475	0.70	0.04	11.9	38.6
K302613		3.18	14.00	0.13	2.5	0.47	0.057	2.37	24.6	48.0	1.90	660	0.68	0.03	9.6	24.6
K302614		3.34	3.71	0.06	0.8	6.36	0.051	0.37	16.4	33.8	0.67	430	12.90	0.01	3.6	19.0
K302615		4.31	17.20	0.15	3.1	1.15	0.067	2.91	31.0	48.1	1.32	367	0.71	0.03	11.7	41.0
K302616		5.50	13.10	0.15	2.5	1.17	0.058	2.49	25.1	21.7	2.79	918	0.48	0.03	9.4	35.8
K302617		5.21	17.65	0.17	3.1	1.42	0.070	3.13	31.3	19.4	2.87	677	0.45	0.04	12.4	40.3
K302618		4.55	15.30	0.15	2.8	2.61	0.061	2.70	28.3	15.8	1.58	716	0.42	0.03	10.5	35.9
K302619		4.87	15.65	0.16	2.9	7.49	0.061	2.69	27.9	15.4	1.01	528	0.88	0.02	10.6	37.6
K302620		0.46	0.30	0.07	<0.1	0.01	0.005	0.03	0.6	1.0	12.60	206	0.09	0.01	0.3	<0.2
K302621		5.03	18.20	0.15	3.3	6.96	0.069	3.21	33.9	13.4	1.06	630	0.95	0.03	12.0	40.1
K302622		4.92	15.70	0.13	3.1	9.66	0.065	2.81	30.6	16.5	0.91	510	1.22	0.03	10.6	41.2
K302623		4.90	17.05	0.16	3.2	3.50	0.063	3.03	30.7	20.8	1.50	633	0.50	0.03	12.0	39.6
K302624		3.76	11.25	0.10	2.2	1.88	0.039	1.94	20.8	16.7	1.14	792	0.52	0.02	7.6	29.5
K302625		4.47	14.60	0.13	2.7	4.64	0.061	2.55	26.2	16.4	1.19	588	1.14	0.02	9.5	37.5
K302626		3.47	8.94	0.08	1.8	2.83	0.032	1.62	17.2	18.7	1.15	744	0.81	0.01	6.0	23.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177772

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302591		610	21.4	211	0.004	0.05	1.01	20.9	4	3.0	63.8	0.99	0.08	16.4	0.437	3.22
K302592		450	27.5	186.5	0.002	0.04	0.60	15.3	3	2.5	52.3	0.83	0.05	17.7	0.363	1.78
K302593		380	23.2	187.5	<0.002	0.09	0.38	16.4	3	2.5	48.9	0.87	0.05	19.1	0.366	1.40
K302594		310	24.5	182.5	<0.002	1.26	0.54	15.2	2	2.4	61.4	0.87	<0.05	18.7	0.407	1.65
K302595		440	21.0	178.0	<0.002	1.04	0.38	16.5	3	2.6	75.9	0.93	0.06	17.4	0.422	1.94
K302596		350	11.4	99.8	0.002	1.28	0.40	8.8	3	1.2	497	0.41	<0.05	8.2	0.187	1.59
K302597		3810	4.9	122.5	0.034	1.26	17.15	6.1	9	1.6	139.0	0.51	0.48	7.2	0.200	12.30
K302598		620	12.5	159.5	0.003	0.97	0.43	27.9	3	2.2	127.0	0.91	0.24	7.3	0.602	1.61
K302599		630	9.5	132.5	0.002	0.26	0.29	29.4	3	2.0	106.5	0.88	0.28	6.1	0.648	1.00
K302600		410	11.1	117.0	0.002	0.46	0.42	14.1	2	1.6	158.0	0.55	0.09	6.1	0.311	0.89
K302601		640	9.6	157.5	0.003	0.40	0.37	31.2	3	2.1	99.6	0.86	0.26	6.4	0.647	1.28
K302602		610	10.8	151.5	0.002	0.60	0.41	30.0	3	2.0	108.0	0.88	0.23	6.3	0.641	1.34
K302603		570	9.8	137.5	0.002	0.53	0.42	27.2	3	2.3	111.0	0.78	0.21	5.8	0.595	1.22
K302604		340	12.2	97.6	<0.002	1.63	1.44	10.2	3	1.7	148.5	0.51	0.05	6.7	0.276	2.50
K302605		340	18.3	99.7	<0.002	1.70	1.81	9.8	2	1.8	150.0	0.51	<0.05	7.0	0.276	2.91
K302606		610	18.4	167.0	0.008	3.44	1.71	15.3	3	2.7	171.5	0.87	0.05	17.4	0.341	4.61
K302607		1530	19.7	159.5	0.006	4.28	1.68	18.3	3	3.4	160.0	0.89	0.08	12.0	0.347	5.08
K302608		690	17.9	160.0	0.002	2.55	3.78	13.6	3	2.2	140.0	0.76	<0.05	15.9	0.310	6.21
K302609		580	25.4	135.0	0.004	2.84	14.20	14.5	3	2.6	175.0	0.73	0.06	14.1	0.343	10.80
K302610		180	2.0	2.8	<0.002	0.01	0.06	0.4	1	<0.2	47.2	<0.05	<0.05	0.2	<0.005	0.03
K302611		420	20.0	138.5	0.003	4.22	8.35	18.0	2	3.1	179.5	0.78	0.06	9.6	0.524	6.17
K302612		490	11.7	147.5	<0.002	2.36	1.69	20.5	2	2.1	157.5	0.86	0.06	10.2	0.553	3.29
K302613		530	8.6	114.5	<0.002	1.58	0.50	17.0	2	1.8	239	0.66	0.05	7.8	0.479	2.13
K302614		620	20.2	24.9	0.006	1.92	147.0	3.5	2	1.9	42.4	0.23	0.39	3.4	0.104	3.66
K302615		450	21.7	150.0	<0.002	3.79	0.72	18.7	2	2.3	170.5	0.82	0.06	9.9	0.527	3.89
K302616		390	22.5	127.0	<0.002	4.33	0.68	15.8	2	1.8	208	0.64	0.06	8.1	0.423	2.81
K302617		520	23.2	161.0	<0.002	4.53	1.12	18.1	2	2.4	147.0	0.86	0.08	10.5	0.513	4.33
K302618		450	13.4	142.0	<0.002	3.89	1.81	17.7	2	2.0	108.0	0.75	0.07	9.1	0.485	6.49
K302619		500	19.2	137.5	0.002	4.97	11.85	17.6	2	2.4	101.5	0.73	0.07	9.7	0.478	19.50
K302620		210	3.0	1.9	<0.002	<0.01	0.07	0.3	2	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	0.14
K302621		820	22.9	164.5	0.002	4.82	6.87	20.3	2	2.4	113.5	0.87	0.07	11.1	0.542	18.15
K302622		490	22.1	141.5	0.003	4.76	14.90	16.9	2	2.5	94.5	0.76	0.08	10.4	0.508	23.9
K302623		470	22.6	148.5	<0.002	4.15	6.99	18.8	2	2.2	170.0	0.84	0.06	10.0	0.544	8.08
K302624		290	12.0	101.5	<0.002	3.12	4.03	14.0	1	2.0	112.5	0.53	<0.05	7.0	0.437	5.03
K302625		380	25.7	135.5	0.003	4.09	3.12	17.2	2	2.7	115.5	0.69	0.08	9.2	0.500	10.95
K302626		280	13.3	87.0	<0.002	2.57	4.43	9.8	1	2.2	142.0	0.46	<0.05	6.3	0.315	8.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177772

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302591		3.8	101	2.4	21.4	88	107.5
K302592		3.9	83	1.5	24.0	120	103.0
K302593		4.7	80	1.6	25.0	139	105.0
K302594		4.0	87	1.7	23.5	125	109.0
K302595		3.4	97	1.6	20.9	86	111.5
K302596		2.5	51	1.4	19.2	69	58.4
K302597		9.3	357	32.4	30.3	251	79.0
K302598		1.9	193	1.1	26.1	107	122.5
K302599		1.7	208	0.9	26.1	96	118.5
K302600		1.7	88	2.7	22.1	58	78.6
K302601		1.7	211	0.8	26.8	94	125.0
K302602		1.7	200	0.9	26.2	91	120.0
K302603		1.5	190	0.8	24.9	85	108.5
K302604		1.9	68	2.3	20.9	95	80.7
K302605		2.0	65	2.4	20.9	58	82.7
K302606		5.5	136	2.7	27.0	86	111.0
K302607		4.5	152	4.3	25.0	89	89.4
K302608		3.5	72	7.8	21.4	81	89.7
K302609		3.8	110	14.7	20.1	69	96.4
K302610		0.8	2	0.1	1.0	14	0.5
K302611		2.3	147	12.0	19.3	82	115.0
K302612		2.4	153	6.8	22.5	92	121.0
K302613		1.7	128	3.7	19.7	81	99.7
K302614		3.1	105	210	14.8	72	30.3
K302615		2.2	144	2.9	20.8	96	120.5
K302616		1.7	120	3.8	20.9	77	94.3
K302617		2.2	134	6.5	23.3	91	123.0
K302618		1.9	133	7.1	20.3	92	107.0
K302619		2.1	133	10.3	20.4	98	110.5
K302620		0.9	2	0.1	0.9	15	0.6
K302621		2.5	156	8.7	24.8	99	126.5
K302622		2.4	151	15.4	20.0	195	112.5
K302623		2.1	149	8.8	22.2	83	121.0
K302624		1.4	124	5.6	14.5	64	85.4
K302625		2.0	155	6.9	16.7	101	107.5
K302626		1.3	86	6.2	12.7	71	68.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177772

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

CERTIFICATE VA11177771

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 160

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177771

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K300797		3.32	0.72	0.20	8.82	1630	300	2.38	0.33	2.02	0.24	99.0	18.1	73	32.1	41.2
K300798		11.84	<0.01	0.11	8.35	83.0	430	3.28	0.37	2.13	0.18	89.9	18.0	66	38.3	42.5
K300799		11.90	0.05	0.11	8.67	253	310	2.73	0.42	1.67	0.23	96.9	19.0	70	33.0	44.1
K300800		12.78	0.01	0.14	7.12	162.5	230	2.23	0.27	2.34	0.08	80.9	18.3	69	29.9	48.9
K300801		12.72	<0.01	0.16	4.94	75.2	190	1.38	0.19	2.89	0.12	51.8	17.0	64	22.2	48.6
K300802		7.02	<0.01	0.02	0.09	<5	10	0.05	0.06	20.2	0.05	1.51	0.9	<1	0.37	2.0
K300803		11.84	0.01	0.09	6.61	125.0	210	1.86	0.28	2.58	0.21	71.6	18.4	69	29.8	63.8
K300804		12.06	<0.01	0.12	6.18	122.0	330	1.54	0.25	2.35	0.15	65.5	18.2	65	23.2	55.0
K300805		0.30	0.34	0.31	5.98	563	790	0.50	0.27	0.43	0.15	135.0	2.6	219	3.19	30.3
K300806		11.98	<0.01	0.13	4.70	128.5	290	1.00	0.18	2.28	0.08	47.0	17.3	55	14.65	44.7
K300807		11.62	0.05	0.08	5.89	134.0	150	1.42	0.21	3.76	0.08	70.1	18.4	54	22.4	46.2
K300808		11.60	<0.01	0.05	6.03	36.3	280	1.41	0.24	2.43	0.10	62.2	18.6	64	21.4	49.7
K300809		12.24	<0.01	0.06	5.81	41.3	370	1.36	0.22	2.48	0.20	60.6	18.4	66	23.4	50.7
K300810		3.56	<0.01	0.06	6.13	30.2	230	1.27	0.23	2.05	0.27	62.3	17.3	72	29.6	52.0
K300811		7.02	<0.01	0.01	0.10	<5	20	0.06	0.03	20.7	0.05	1.63	0.6	<1	0.28	1.9
K300812		1.36	<0.01	0.24	6.59	26.5	450	0.92	0.07	5.87	0.15	106.0	25.5	24	48.7	25.8
K300813		6.74	<0.01	0.06	7.38	47.5	200	2.14	0.26	1.85	0.05	70.5	19.8	79	37.4	62.2
K300814		11.98	<0.01	0.09	6.13	171.5	170	1.54	0.20	2.59	0.07	59.1	16.7	68	22.9	53.8
K300815		11.94	<0.01	0.05	6.32	66.0	540	1.72	0.22	2.69	0.21	63.0	19.0	70	27.1	59.9
K300816		5.44	<0.01	0.05	6.75	68.2	490	1.85	0.23	3.01	0.17	64.9	20.2	76	27.7	62.2
K300817		12.16	<0.01	0.11	6.22	80.5	340	2.03	0.22	2.07	0.12	61.6	20.3	73	30.6	54.5
K300818		12.30	0.01	0.11	5.91	114.0	250	1.85	0.20	1.89	0.02	57.7	18.9	65	28.2	53.0
K300819		11.62	0.03	0.09	5.85	397	190	1.98	0.20	2.13	0.02	57.8	17.8	61	25.1	51.4
K300820		13.10	0.15	0.07	7.14	596	180	2.28	0.25	2.27	0.13	68.2	18.7	68	29.0	51.2
K300821		12.26	0.18	0.07	6.17	358	140	2.17	0.21	2.39	0.04	63.2	16.1	65	29.5	50.4
K300822		9.36	3.25	0.10	5.89	1735	130	1.79	0.20	0.87	0.06	57.3	18.3	70	29.4	51.9
K300823		11.94	3.68	0.15	6.22	4560	140	1.75	0.22	0.31	0.11	63.0	19.9	76	29.4	51.1
K300824		13.74	2.52	0.09	5.75	1640	140	1.67	0.21	1.08	0.05	58.6	19.2	66	28.0	50.3
K300825		0.30	1.62	1.07	3.22	607	860	0.84	0.30	8.01	2.16	45.6	6.6	51	3.91	43.5
K300826		3.70	1.59	0.07	6.59	2160	140	1.85	0.25	0.17	0.10	65.2	19.1	80	30.3	65.8
K300827		6.50	2.13	0.08	5.31	>10000	200	1.40	0.21	0.29	0.26	58.0	14.6	64	19.05	40.8
K300828		5.94	4.63	0.08	5.27	>10000	170	1.24	0.21	0.14	0.11	59.1	16.3	68	17.85	49.3
K300829		5.90	3.18	0.06	6.19	>10000	170	1.22	0.23	0.16	0.13	65.3	16.6	74	18.15	53.3
K300830		4.60	3.39	0.06	6.74	>10000	160	1.47	0.27	0.10	0.16	70.4	20.2	81	21.6	53.7
K300831		6.12	10.95	0.07	5.45	>10000	140	1.01	0.22	0.12	0.42	75.9	16.6	71	16.40	51.9
K300832		5.22	16.05	0.10	5.25	>10000	180	0.87	0.22	0.12	0.67	108.5	14.4	69	13.95	45.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177771

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300797		4.32	25.3	0.13	3.6	5.87	0.072	4.06	43.4	16.0	1.23	734	3.65	0.04	13.4	43.8
K300798		4.46	23.8	0.15	3.2	2.27	0.079	3.85	37.0	17.7	1.27	627	2.87	0.04	12.1	43.4
K300799		4.74	24.1	0.14	3.3	4.16	0.072	3.95	40.7	15.1	1.06	625	2.74	0.04	12.1	44.9
K300800		4.67	19.25	0.14	2.9	2.84	0.068	3.17	36.6	24.5	1.20	517	0.88	0.04	10.5	43.0
K300801		4.56	13.25	0.10	3.6	1.74	0.056	2.19	22.7	32.9	1.48	492	0.42	0.02	8.6	36.0
K300802		0.46	0.26	0.08	<0.1	0.01	<0.005	0.04	0.7	1.2	12.50	204	0.16	<0.01	0.2	2.3
K300803		5.04	17.60	0.14	3.5	1.87	0.076	2.89	30.4	31.5	1.48	713	0.63	0.03	11.6	41.1
K300804		4.71	15.80	0.11	3.3	1.58	0.067	2.73	26.4	34.4	1.34	546	0.67	0.03	10.1	38.0
K300805		6.37	19.05	0.15	4.2	9.43	0.048	1.24	60.0	17.4	0.12	35	6.22	0.35	9.4	16.2
K300806		4.49	11.95	0.11	2.2	0.35	0.050	1.93	20.5	79.7	1.41	488	0.39	0.02	7.6	35.1
K300807		5.16	15.25	0.15	2.7	0.23	0.058	2.49	29.7	77.9	2.26	675	0.62	0.02	15.2	30.0
K300808		5.20	15.45	0.13	2.9	0.07	0.061	2.55	26.7	102.5	2.01	711	0.75	0.03	11.2	36.3
K300809		4.65	14.60	0.11	2.8	0.06	0.059	2.48	26.8	80.8	1.96	610	0.86	0.03	9.9	35.9
K300810		4.95	15.30	0.09	2.9	0.08	0.061	2.61	27.0	94.8	1.94	536	0.92	0.03	11.9	33.5
K300811		0.44	0.28	0.06	<0.1	<0.01	<0.005	0.04	0.7	1.6	12.90	191	0.13	0.01	0.2	2.0
K300812		6.85	16.10	0.21	3.2	0.08	0.071	1.70	49.3	184.0	2.81	1500	1.50	0.98	44.1	17.5
K300813		4.72	21.2	0.19	3.4	0.06	0.077	3.38	33.3	74.9	1.98	480	0.31	0.04	12.9	35.9
K300814		4.12	16.85	0.15	2.9	0.11	0.061	2.81	27.8	60.2	1.82	514	0.42	0.03	10.5	33.1
K300815		4.80	17.50	0.17	3.1	0.15	0.064	2.82	29.5	75.2	1.69	566	0.53	0.03	11.1	34.7
K300816		4.38	18.65	0.16	3.1	0.15	0.064	3.03	30.7	76.7	1.80	598	0.57	0.03	11.7	36.1
K300817		4.60	17.45	0.16	2.9	0.1	0.065	2.81	28.3	57.4	1.89	564	0.46	0.03	10.8	35.9
K300818		4.68	16.70	0.16	2.8	0.43	0.062	2.65	27.3	41.5	1.50	511	0.30	0.03	9.9	34.1
K300819		4.75	16.20	0.16	2.8	0.70	0.060	2.66	27.0	31.2	1.30	565	0.32	0.02	9.9	32.1
K300820		5.19	19.60	0.17	3.2	0.85	0.072	3.30	32.7	24.2	1.43	668	0.46	0.03	12.2	36.0
K300821		4.86	17.10	0.16	2.9	1.82	0.060	2.84	29.9	21.8	1.34	652	0.26	0.02	10.7	31.2
K300822		4.87	16.70	0.16	2.8	10.55	0.057	2.70	27.2	16.4	0.68	343	0.27	0.02	9.9	33.0
K300823		5.00	18.30	0.16	2.8	14.4	0.060	2.85	29.7	18.1	0.42	83	0.30	0.02	10.3	37.1
K300824		4.72	16.60	0.16	2.8	17.4	0.054	2.64	27.8	16.5	0.63	317	0.34	0.02	9.5	33.0
K300825		2.10	7.91	0.12	1.5	4.4	0.026	1.00	27.5	46.3	2.52	268	18.45	0.03	7.1	49.1
K300826		5.10	19.15	0.17	3.1	22.3	0.062	3.00	30.8	18.5	0.38	27	0.35	0.02	11.8	38.3
K300827		3.77	15.55	0.16	2.4	10.3	0.053	2.14	27.3	30.4	0.34	55	0.58	0.02	8.5	26.0
K300828		5.03	15.20	0.15	2.4	13.7	0.059	2.28	27.0	21.8	0.29	25	0.22	0.02	8.7	31.2
K300829		5.52	16.90	0.21	3.1	14.0	0.047	2.78	31.5	19.3	0.34	24	0.28	<0.01	11.1	37.2
K300830		5.05	19.65	0.30	3.4	14.0	0.061	3.02	34.4	20.6	0.38	26	0.33	<0.01	11.5	38.6
K300831		5.63	15.90	0.47	3.0	25.1	0.061	2.49	34.8	17.9	0.33	31	0.33	<0.01	10.4	36.2
K300832		4.59	15.75	0.64	2.8	27.4	0.062	2.25	46.9	25.1	0.29	37	0.33	<0.01	9.3	30.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177771

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300797		560	22.7	167.0	0.016	3.94	18.50	16.9	2	3.3	123.0	0.94	0.07	18.8	0.368	17.10
K300798		950	19.8	169.0	0.007	4.28	1.60	16.2	2	3.4	144.5	0.88	0.06	16.3	0.355	8.32
K300799		920	20.4	190.0	0.008	4.58	5.82	17.3	2	3.4	127.5	0.93	0.06	17.7	0.368	10.50
K300800		490	19.6	166.0	0.003	4.38	1.03	17.3	1	2.2	106.5	0.69	0.07	12.9	0.445	7.02
K300801		370	16.2	123.5	0.002	4.11	0.48	16.0	2	1.7	167.5	0.53	<0.05	8.2	0.476	3.86
K300802		170	1.9	2.5	<0.002	0.01	0.11	0.3	1	0.2	39.9	<0.05	<0.05	<0.2	0.005	0.06
K300803		480	17.3	163.5	<0.002	4.82	0.81	19.8	1	2.2	117.5	0.78	0.09	11.9	0.538	4.92
K300804		530	20.3	144.5	0.003	4.33	0.67	17.5	1	1.9	238	0.70	<0.05	11.0	0.502	4.69
K300805		840	17.3	51.7	0.003	2.88	108.5	15.1	2	2.9	467	0.67	0.11	10.1	0.511	7.87
K300806		420	17.1	116.0	<0.002	3.02	0.57	13.8	1	1.6	257	0.50	<0.05	8.1	0.418	2.47
K300807		940	15.4	141.0	0.002	2.31	0.76	15.8	1	1.7	232	0.88	<0.05	9.6	0.564	1.48
K300808		590	17.6	146.0	<0.002	0.46	0.56	16.8	1	1.9	119.0	0.74	<0.05	9.9	0.520	0.86
K300809		510	17.2	149.5	<0.002	0.20	0.53	16.7	1	1.8	114.0	0.65	<0.05	9.6	0.494	0.81
K300810		610	16.4	154.5	<0.002	0.25	0.43	16.8	2	1.8	102.5	0.77	<0.05	9.8	0.567	0.88
K300811		260	1.6	2.4	<0.002	<0.01	0.27	0.3	1	0.2	45.6	<0.05	<0.05	0.2	0.006	0.03
K300812		3450	6.2	102.0	0.002	0.37	0.23	15.6	3	1.5	281	2.43	<0.05	7.0	1.170	0.84
K300813		530	10.4	185.0	<0.002	0.29	0.57	22.5	2	2.4	89.9	0.93	0.06	10.7	0.583	0.94
K300814		490	12.6	144.5	<0.002	1.51	0.85	18.5	2	1.9	171.5	0.76	0.05	8.7	0.508	1.32
K300815		580	12.1	148.5	<0.002	2.90	0.36	20.2	2	2.1	316	0.81	0.06	9.2	0.546	1.46
K300816		590	12.2	156.5	<0.002	2.59	0.40	21.5	2	2.2	320	0.83	0.07	10.0	0.580	1.40
K300817		460	16.8	156.0	<0.002	0.98	0.65	18.8	2	2.0	106.5	0.77	0.06	9.2	0.518	1.01
K300818		450	15.0	151.5	<0.002	2.80	0.77	17.9	2	1.9	231	0.73	0.05	9.0	0.487	2.08
K300819		460	13.7	153.0	<0.002	4.68	1.32	17.6	2	1.9	133.0	0.73	0.06	9.1	0.477	3.02
K300820		600	16.9	181.5	<0.002	5.06	1.73	20.0	2	2.4	105.5	0.87	0.07	10.9	0.512	3.59
K300821		500	11.7	159.5	<0.002	4.65	1.91	18.3	2	2.0	101.5	0.76	0.06	9.6	0.488	5.17
K300822		440	13.2	152.0	<0.002	5.04	9.71	16.3	3	2.0	46.9	0.71	0.06	9.1	0.493	28.4
K300823		440	19.9	159.5	<0.002	5.28	10.95	15.6	2	2.2	43.5	0.73	0.06	9.6	0.498	35.0
K300824		400	14.9	147.5	<0.002	4.91	6.41	15.8	2	1.9	51.1	0.69	0.05	9.2	0.460	28.8
K300825		880	33.1	52.0	0.021	1.59	109.0	5.5	5	2.5	72.1	0.44	0.23	5.9	0.172	3.74
K300826		510	15.6	170.0	<0.002	5.35	7.56	15.3	2	2.2	47.4	0.83	0.06	10.5	0.558	25.5
K300827		360	14.7	119.0	<0.002	4.65	29.7	11.3	2	1.8	60.0	0.65	0.06	8.8	0.373	26.0
K300828		440	13.6	128.5	<0.002	6.43	52.5	9.9	3	1.8	61.0	0.63	0.07	8.8	0.433	44.2
K300829		540	11.3	139.0	<0.002	6.02	28.2	9.0	2	2.0	65.2	0.77	0.08	10.0	0.533	47.0
K300830		340	17.1	157.5	<0.002	5.79	46.4	12.5	2	2.2	62.2	0.83	0.10	11.1	0.534	50.8
K300831		300	14.0	130.5	<0.002	7.90	129.5	9.6	3	1.9	79.2	0.71	0.13	9.7	0.475	82.8
K300832		410	14.8	112.5	<0.002	7.94	178.5	8.5	4	1.9	136.5	0.68	0.17	10.2	0.427	87.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177771

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300797		5.6	162	10.9	25.0	92	125.5	
K300798		4.4	149	2.6	27.0	101	108.5	
K300799		4.5	150	7.8	26.1	138	106.0	
K300800		2.7	128	2.8	20.4	86	104.0	
K300801		1.6	129	2.1	17.4	73	89.2	
K300802		0.4	3	0.1	1.0	13	0.7	
K300803		2.2	147	2.7	23.7	107	126.0	
K300804		2.2	139	2.7	21.7	93	107.0	
K300805		7.4	157	21.9	15.1	40	165.5	
K300806		1.4	114	3.6	15.8	69	82.1	
K300807		1.8	130	4.4	22.8	70	111.5	
K300808		1.9	134	1.3	22.5	78	113.0	
K300809		1.8	133	1.5	21.5	99	101.5	
K300810		1.9	146	1.1	21.5	139	107.0	
K300811		0.6	4	0.1	1.0	14	0.8	
K300812		1.5	183	1.1	28.1	99	130.0	
K300813		2.1	155	1.6	23.4	72	120.0	
K300814		1.8	137	4.5	19.3	62	100.5	
K300815		1.8	150	1.4	21.6	128	105.5	
K300816		2.0	157	1.4	22.3	114	112.5	
K300817		1.9	139	1.2	21.1	84	103.5	
K300818		1.8	133	1.4	19.5	56	98.0	
K300819		1.8	131	2.8	19.1	60	95.7	
K300820		2.1	136	4.0	22.8	108	114.5	
K300821		1.9	131	5.4	20.5	57	101.5	
K300822		1.8	134	13.3	18.8	62	96.9	
K300823		2.0	136	13.4	20.3	70	99.4	
K300824		1.8	127	12.4	19.5	65	97.1	
K300825		7.8	234	27.1	19.3	213	61.8	
K300826		2.1	147	14.9	22.7	79	109.0	
K300827		1.9	102	11.2	19.3	145	81.9	2.03
K300828		1.9	118	11.7	25.9	60	84.1	2.80
K300829		2.0	139	14.4	29.6	78	106.5	1.010
K300830		2.5	151	14.7	33.6	79	115.0	1.605
K300831		2.8	126	12.4	38.5	83	104.0	5.27
K300832		3.4	119	11.4	41.4	96	96.9	8.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11177771

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

CERTIFICATE VA11205961

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B, Batch 160

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11205961

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300797		0.87
K300798		0.01
K300799		0.05
K300800		0.01
K300801		<0.01
K300802		<0.01
K300803		<0.01
K300804		<0.01
K300805		0.31
K300806		<0.01
K300807		0.05
K300808		<0.01
K300809		<0.01
K300810		<0.01
K300811		<0.01
K300812		<0.01
K300813		<0.01
K300814		<0.01
K300815		<0.01
K300816		<0.01
K300817		0.01
K300818		<0.01
K300819		0.03
K300820		0.15
K300821		0.18
K300822		3.22
K300823		3.51
K300824		2.53
K300825		2.64
K300826		1.64
K300827		2.20
K300828		4.46
K300829		3.15
K300830		3.53
K300831		10.85
K300832		16.00

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

CERTIFICATE VA11177774

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B, Batch 161

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177774

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300833		6.20	26.6	0.12	3.54	>10000	150	0.64	0.18	0.63	0.95	84.4	9.9	50	9.10	35.5
K300834		4.84	18.75	0.09	3.63	>10000	180	0.53	0.18	8.22	0.70	49.5	10.5	39	9.03	39.5
K300835		5.68	15.65	0.10	5.18	>10000	190	0.88	0.27	1.04	0.75	70.4	16.8	60	15.35	62.2
K300836		4.20	14.50	0.09	4.45	>10000	380	0.90	0.20	3.13	0.58	62.9	15.4	49	12.45	50.2
K300837		3.88	11.85	0.09	3.64	>10000	260	0.74	0.16	3.31	0.54	47.0	10.9	37	8.14	35.0
K300838		5.14	15.45	0.10	6.12	>10000	210	1.26	0.27	3.49	0.68	75.2	21.2	63	16.20	64.6
K300839		6.96	0.01	<0.01	0.07	34	20	0.06	0.02	20.2	0.05	1.25	1.1	<1	0.17	1.0
K300840		5.22	16.45	0.12	5.19	>10000	180	1.04	0.22	7.95	0.61	68.4	17.0	51	15.65	52.5
K300841		4.66	2.37	0.01	0.51	602	140	0.20	0.02	32.0	0.10	10.55	1.9	4	1.13	4.5
K300842		5.14	4.79	0.08	3.92	1370	170	0.74	0.16	20.5	0.35	48.7	12.5	36	11.25	38.6
K300843		4.62	4.46	0.22	4.86	1180	220	1.02	0.21	15.55	0.39	57.2	16.5	52	15.75	51.7
K300844		2.72	1.30	0.04	1.65	650	160	0.40	0.07	28.6	0.13	27.6	5.8	16	5.14	17.5
K300845		6.78	0.71	0.02	0.74	209	130	0.28	0.03	31.4	0.05	16.10	2.6	6	1.99	6.8
K300846		0.30	2.65	1.12	3.18	591	840	0.76	0.26	7.80	1.99	45.0	6.3	49	3.75	42.1
K300847		7.12	0.06	0.03	1.35	143	180	0.37	0.06	30.4	0.09	22.1	4.4	12	3.85	12.4
K300848		7.44	0.16	0.02	1.05	175	120	0.40	0.05	32.1	0.24	16.90	3.5	9	3.07	10.7
K300849		7.38	0.05	0.04	1.22	249	100	0.43	0.06	30.5	0.13	16.40	3.8	11	3.35	12.0
K300850		7.74	0.01	0.01	0.44	1100	110	0.21	0.02	33.3	0.06	7.84	2.1	3	1.06	6.1
K300851		7.30	0.32	0.04	1.29	304	110	0.38	0.06	29.1	0.11	19.45	4.5	10	2.90	13.9
K300852		7.76	<0.01	0.02	1.53	52	170	0.49	0.07	30.9	0.15	25.6	5.5	12	4.68	16.0
K300853		7.72	<0.01	0.03	2.03	73	180	0.61	0.10	28.8	0.15	30.6	6.5	17	5.55	19.5
K300854		6.78	<0.01	0.02	1.74	147	170	0.59	0.08	29.6	0.17	26.9	5.7	16	5.05	16.6
K300855		6.32	0.29	0.20	0.83	3760	140	0.29	0.04	32.0	0.12	15.85	3.3	7	1.92	9.3
K300856		2.88	0.41	0.32	0.95	2680	140	0.26	0.05	32.5	0.12	17.65	3.7	8	2.06	11.2
K300857		5.40	10.15	6.01	2.01	>10000	140	0.42	0.11	12.20	0.71	38.5	7.1	21	4.30	22.2
K300858		2.28	0.04	0.20	0.83	450	170	0.25	0.04	33.7	0.12	17.85	3.4	6	2.03	12.5
K300859		7.70	<0.01	0.02	1.13	1320	150	0.31	0.05	33.4	0.12	20.6	4.0	9	2.51	12.5
K300860		0.30	0.34	0.32	6.02	575	2430	0.54	0.27	0.50	0.17	130.5	2.7	230	3.46	32.0
K300861		7.26	0.04	0.03	0.96	118	120	0.34	0.06	33.4	0.09	15.95	3.0	8	1.97	9.1
K300862		7.88	0.01	0.03	1.14	75	120	0.33	0.06	33.0	0.14	21.9	3.9	10	3.88	13.1
K300863		7.86	<0.01	0.02	1.32	37	1450	0.30	0.06	33.1	0.12	20.3	3.6	13	3.63	11.3
K300864		8.40	<0.01	0.03	1.78	41	160	0.50	0.07	28.6	0.13	24.4	6.0	16	5.53	18.0
K300865		4.98	<0.01	0.01	0.07	<5	20	0.06	0.03	21.5	0.05	1.46	1.7	2	0.19	2.3
K300866		8.10	<0.01	0.04	2.21	56	150	0.52	0.08	28.0	0.18	26.5	7.6	21	6.15	29.7
K300867		8.08	<0.01	0.02	1.06	29	240	0.25	0.04	33.4	0.10	15.80	3.2	11	3.00	9.6
K300868		8.32	<0.01	0.03	1.45	30	230	0.34	0.06	32.4	0.14	21.7	4.2	14	3.79	12.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177774

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300833		3.78	10.20	0.60	1.9	52.3	0.047	1.59	35.7	20.5	0.24	151	0.56	<0.01	5.7	20.7
K300834		3.03	10.05	0.25	1.7	39.3	0.032	1.58	23.7	23.1	0.27	1190	2.23	<0.01	5.1	22.4
K300835		3.99	15.10	0.30	2.8	39.9	0.040	2.27	35.8	30.1	0.37	253	3.83	<0.01	7.7	37.3
K300836		3.22	13.25	0.17	2.1	36.4	0.064	1.74	31.0	40.5	0.29	430	3.22	0.02	6.6	27.0
K300837		2.60	10.40	0.14	1.5	35.9	0.029	1.56	22.7	35.1	0.24	447	2.90	0.01	5.1	18.7
K300838		3.92	17.50	0.19	2.7	45.7	0.052	2.71	36.8	31.6	0.43	591	3.51	0.02	8.7	36.7
K300839		0.42	0.36	0.21	<0.1	0.3	<0.005	0.03	0.6	1.4	12.55	183	0.07	<0.01	0.3	<0.2
K300840		3.71	14.75	0.16	2.5	41.6	0.046	2.38	34.0	23.8	0.40	834	2.67	0.02	7.9	28.4
K300841		0.64	1.35	<0.05	0.1	6.3	0.006	0.22	5.1	2.7	0.24	851	0.30	0.02	0.8	<0.2
K300842		2.60	10.40	0.11	1.7	20.0	0.030	1.73	24.2	13.4	0.47	1340	1.63	0.02	5.9	17.9
K300843		3.12	13.05	0.13	2.1	16.0	0.035	2.16	28.8	21.9	0.63	826	3.64	0.06	6.9	24.7
K300844		1.48	4.33	0.07	0.7	7.24	0.017	0.73	13.4	6.4	0.43	1620	0.69	0.01	2.4	4.8
K300845		0.78	1.94	0.05	0.2	2.85	0.010	0.33	7.9	2.9	0.42	877	0.39	0.01	1.1	<0.2
K300846		2.03	7.73	0.10	1.6	4.61	0.026	0.99	26.5	42.5	2.48	261	18.25	0.03	6.8	48.2
K300847		1.11	3.41	0.06	0.5	2.32	0.015	0.62	10.5	4.4	0.78	657	0.76	0.01	2.0	2.0
K300848		0.89	2.71	0.08	0.5	2.03	0.012	0.49	8.8	4.0	0.47	690	0.70	<0.01	1.4	6.0
K300849		0.88	3.11	0.06	0.6	1.61	0.016	0.57	8.2	3.9	0.57	321	0.96	<0.01	1.5	6.6
K300850		0.53	1.10	<0.05	0.3	0.50	0.007	0.20	3.4	2.1	0.59	160	0.37	0.01	0.8	0.2
K300851		1.09	3.35	0.06	0.7	2.86	0.013	0.60	8.8	5.2	0.67	484	0.75	0.01	2.1	5.5
K300852		1.06	3.88	0.06	0.8	0.43	0.016	0.71	12.0	7.6	0.61	239	0.65	0.02	2.6	6.9
K300853		1.44	5.09	0.07	1.0	1.20	0.023	0.94	15.2	8.0	0.85	434	0.95	0.02	3.3	9.6
K300854		1.15	4.42	0.06	0.9	0.98	0.022	0.81	13.6	6.2	0.68	293	0.63	<0.01	2.3	10.0
K300855		0.67	2.16	0.05	0.4	2.23	0.014	0.38	7.1	3.6	0.44	326	0.41	0.01	1.4	2.9
K300856		0.77	2.43	0.05	0.5	2.54	0.011	0.43	7.9	3.8	0.47	359	0.47	0.01	1.5	4.5
K300857		1.44	5.78	0.16	1.0	9.30	0.136	0.90	19.0	11.7	0.21	421	1.07	0.01	3.1	12.7
K300858		0.59	2.04	0.05	0.4	1.87	0.008	0.38	8.0	3.4	0.39	182	0.52	0.01	1.4	3.5
K300859		0.78	2.85	0.05	0.6	1.71	0.014	0.52	9.7	4.5	0.46	279	0.51	0.01	1.9	5.3
K300860		6.63	18.55	0.15	4.2	9.72	0.051	1.30	60.2	23.4	0.12	38	5.89	0.38	9.9	15.8
K300861		0.72	2.39	0.07	0.5	1.70	0.019	0.45	7.5	3.2	0.48	432	0.45	<0.01	1.2	4.9
K300862		0.83	2.93	0.06	0.6	0.83	0.015	0.52	10.6	4.4	0.49	311	0.68	<0.01	2.0	5.8
K300863		0.97	3.03	<0.05	0.6	0.37	0.014	0.61	10.0	4.1	0.62	375	0.57	0.02	2.0	4.5
K300864		1.20	4.31	0.07	0.9	0.80	0.019	0.82	11.4	7.5	0.72	338	0.56	0.02	2.9	8.8
K300865		0.42	0.47	0.35	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.70	193	0.10	<0.01	0.4	3.1
K300866		1.41	5.40	0.07	1.1	1.30	0.022	1.01	11.9	7.9	0.68	379	0.56	0.02	3.7	13.2
K300867		0.91	2.44	<0.05	0.5	0.37	0.011	0.48	7.1	3.3	0.53	314	0.34	0.01	1.7	3.6
K300868		1.07	3.22	0.05	0.7	0.31	0.014	0.67	10.1	3.9	0.59	464	0.50	0.02	2.2	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177774

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300833		660	13.3	81.1	<0.002	6.74	225	4.9	3	1.4	116.5	0.43	0.17	7.0	0.252	165.0
K300834		2940	14.9	83.6	0.006	4.11	123.5	11.5	3	1.5	399	0.37	0.15	6.3	0.188	116.5
K300835		1020	20.1	126.0	0.012	5.03	137.0	4.9	3	2.0	157.5	0.58	0.21	9.3	0.292	114.0
K300836		810	13.4	105.0	0.010	5.67	171.5	5.8	5	1.7	249	0.49	0.18	6.8	0.252	101.5
K300837		910	12.0	95.3	0.008	3.24	111.5	6.1	4	1.4	221	0.37	0.12	5.5	0.189	101.0
K300838		510	17.6	145.0	0.013	5.15	145.0	10.6	4	2.0	163.0	0.68	0.22	9.7	0.354	134.0
K300839		240	1.1	1.6	<0.002	0.02	0.28	0.2	1	<0.2	43.3	<0.05	<0.05	<0.2	<0.005	0.20
K300840		340	15.4	128.5	0.009	4.77	119.5	11.7	3	1.7	310	0.57	0.19	8.1	0.316	115.0
K300841		320	1.7	12.5	<0.002	0.63	14.00	3.6	2	0.2	2410	0.05	<0.05	0.9	0.028	17.35
K300842		320	11.0	89.4	0.007	3.04	42.2	11.1	3	1.3	905	0.41	0.09	6.2	0.227	53.9
K300843		300	14.1	111.5	0.012	3.31	24.5	12.0	3	1.5	1145	0.50	0.12	7.8	0.288	38.3
K300844		220	5.2	37.3	0.004	1.60	10.95	8.2	3	0.5	1745	0.17	<0.05	2.7	0.093	17.05
K300845		190	2.4	17.8	0.002	0.65	3.67	4.6	2	0.2	2250	0.07	<0.05	1.3	0.038	6.36
K300846		880	33.6	51.0	0.024	1.56	105.5	5.2	4	2.4	71.7	0.45	0.20	6.1	0.168	3.80
K300847		240	4.1	32.8	0.003	0.93	1.60	4.4	3	0.4	1970	0.13	<0.05	2.3	0.069	5.95
K300848		390	4.0	21.3	0.004	0.67	2.10	3.2	1	0.4	2030	0.10	<0.05	1.7	0.055	5.42
K300849		320	4.3	23.3	0.004	0.77	2.45	2.8	1	0.4	1735	0.12	<0.05	1.8	0.063	5.38
K300850		810	2.2	9.2	<0.002	0.38	2.90	1.6	2	<0.2	2310	0.05	<0.05	0.8	0.023	2.08
K300851		400	7.0	27.7	0.003	0.91	5.42	4.2	3	0.4	1735	0.15	<0.05	2.3	0.066	6.32
K300852		470	5.7	34.9	0.003	0.87	0.47	4.3	3	0.4	2260	0.19	<0.05	2.8	0.084	2.64
K300853		250	6.9	43.5	0.004	1.15	1.88	6.4	3	0.6	2100	0.25	<0.05	3.6	0.108	3.96
K300854		330	5.4	34.9	0.003	0.98	0.92	4.9	1	0.6	2120	0.16	0.06	2.6	0.095	3.44
K300855		770	3.7	18.5	0.002	0.69	9.24	2.8	3	0.3	2000	0.10	<0.05	1.6	0.042	5.54
K300856		860	4.5	21.0	0.002	0.75	8.18	3.0	3	0.3	2030	0.11	<0.05	1.8	0.048	5.97
K300857		390	8.1	44.0	0.003	>10.0	437	3.3	10	0.7	962	0.21	0.29	3.6	0.109	25.9
K300858		90	3.7	19.3	0.002	0.52	2.70	2.7	3	0.2	2480	0.10	<0.05	1.7	0.044	4.18
K300859		160	4.4	25.1	0.002	0.71	3.64	3.5	3	0.3	2270	0.13	<0.05	2.1	0.059	3.57
K300860		910	18.4	48.6	0.003	3.08	112.5	15.1	3	2.8	515	0.83	0.12	10.3	0.533	7.99
K300861		490	3.5	18.1	0.004	0.57	1.34	2.6	1	0.4	2020	0.09	<0.05	1.5	0.050	2.70
K300862		300	4.8	24.3	0.003	0.66	0.47	3.1	2	0.4	2060	0.13	0.05	2.0	0.061	1.43
K300863		440	4.0	25.7	0.002	0.74	0.31	3.0	2	0.4	2170	0.13	<0.05	1.7	0.075	0.95
K300864		320	5.7	38.5	0.002	1.08	0.87	4.6	3	0.5	1820	0.21	<0.05	2.9	0.109	1.22
K300865		260	1.5	1.7	<0.002	<0.01	0.12	0.2	1	<0.2	50.8	<0.05	<0.05	<0.2	<0.005	0.02
K300866		340	8.4	48.3	0.002	1.38	1.08	5.4	3	0.6	1460	0.27	<0.05	3.3	0.146	1.31
K300867		540	2.9	23.7	<0.002	0.66	0.26	2.5	2	0.3	2130	0.11	<0.05	1.3	0.068	0.70
K300868		250	4.2	27.6	0.002	0.75	0.29	3.1	2	0.4	2170	0.15	<0.05	1.9	0.083	0.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177774

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300833		3.4	74	6.9	27.2	86	64.9	7.84
K300834		9.0	65	6.1	34.0	55	62.8	1.595
K300835		8.0	105	7.6	37.3	97	90.6	2.24
K300836		6.0	88	7.5	32.5	75	76.1	4.72
K300837		5.4	72	5.3	25.6	61	57.3	1.045
K300838		5.8	127	8.9	33.3	111	94.9	1.760
K300839		0.8	3	0.1	0.8	11	<0.5	
K300840		4.2	103	7.5	31.7	95	85.5	1.175
K300841		2.4	10	0.7	11.9	6	8.3	
K300842		3.2	67	6.4	25.0	44	63.9	
K300843		4.0	95	7.9	22.1	68	71.7	
K300844		2.6	32	2.4	21.7	18	25.9	
K300845		2.0	15	0.8	14.4	5	12.2	
K300846		8.1	228	27.0	18.8	206	61.1	
K300847		2.4	25	1.3	15.3	12	20.4	
K300848		2.2	20	1.1	13.9	22	19.0	
K300849		2.2	22	1.0	10.0	15	20.0	
K300850		2.0	10	0.3	7.8	5	11.6	
K300851		2.7	25	1.6	15.3	16	23.1	
K300852		2.7	27	0.6	16.4	23	26.8	
K300853		2.7	35	2.0	22.3	30	34.3	
K300854		2.6	30	1.0	19.2	28	27.4	
K300855		2.5	16	0.7	13.6	13	16.6	
K300856		2.7	18	0.8	15.5	15	19.3	
K300857		4.2	36	1.8	15.9	53	32.1	20.9
K300858		2.7	17	0.6	13.9	13	14.3	
K300859		2.4	21	0.8	16.8	16	19.5	
K300860		8.0	163	22.2	15.0	43	148.5	
K300861		1.9	17	1.1	13.7	14	16.7	
K300862		2.1	17	1.0	15.6	18	22.1	
K300863		1.8	23	0.8	15.5	15	22.0	
K300864		2.3	32	1.9	16.0	26	31.5	
K300865		0.4	1	0.1	1.0	13	<0.5	
K300866		2.8	39	2.9	16.6	39	36.4	
K300867		1.8	19	0.4	12.1	8	18.5	
K300868		2.0	25	0.4	15.3	18	22.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11177774

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

CERTIFICATE VA11179114

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 162

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302627		4.20	0.38	0.21	6.62	447	150	1.53	0.32	3.07	0.08	81.0	18.1	64	25.1	60.2
K302628		6.08	0.09	0.09	5.99	290	190	1.63	0.28	2.36	0.12	69.2	21.3	71	24.0	60.8
K302629		7.36	0.57	0.10	6.34	581	150	1.82	0.31	2.10	0.07	75.0	23.6	70	25.7	58.8
K302630		5.22	0.03	0.07	5.51	163.0	140	1.43	0.27	2.78	0.08	62.3	16.6	62	21.5	51.0
K302631		3.56	0.04	0.09	5.08	182.5	150	1.14	0.22	2.32	0.14	54.4	18.1	65	22.1	46.3
K302632		3.16	2.99	0.11	3.97	>10000	100	0.80	0.14	2.01	0.27	40.7	15.0	52	13.05	49.3
K302633		4.96	<0.01	0.01	0.07	45	10	0.06	0.02	22.2	0.05	1.34	1.4	2	0.28	2.2
K302634		4.48	0.14	0.06	5.24	203	170	1.34	0.16	2.73	0.11	55.7	20.7	62	23.1	49.2
K302635		4.96	0.22	0.07	5.15	174.5	140	1.24	0.15	2.28	0.04	53.6	19.7	62	20.6	48.0
K302636		7.20	0.03	0.08	6.14	230	170	1.60	0.18	2.69	0.09	62.1	21.8	70	27.0	56.7
K302637		7.48	<0.01	0.08	5.65	152.5	170	1.53	0.16	2.59	0.19	56.6	20.7	65	28.3	53.1
K302638		7.14	0.55	0.10	5.70	1100	140	1.51	0.17	1.67	0.09	57.9	22.0	68	28.9	56.4
K302639		7.26	0.52	0.07	4.24	810	120	1.01	0.14	0.95	0.10	43.2	16.6	48	17.70	56.4
K302640		6.18	0.88	0.08	5.63	1215	160	1.68	0.20	1.55	0.11	60.1	16.8	53	24.7	51.9
K302641		7.44	1.12	0.10	7.25	3350	310	1.86	0.27	2.22	0.29	78.0	22.5	70	29.7	68.0
K302642		6.94	0.55	0.09	5.74	5300	240	1.28	0.20	3.65	0.24	59.4	19.1	55	18.30	60.2
K302643		7.32	0.04	0.09	6.34	1040	220	1.59	0.22	3.69	0.39	67.8	21.8	58	23.1	58.8
K302644		3.74	0.03	0.14	6.18	1060	230	1.59	0.23	2.99	0.47	67.7	25.2	58	22.7	60.2
K302645		6.96	0.01	0.09	6.53	162.0	320	1.71	0.24	2.61	0.19	69.3	26.6	62	24.9	68.2
K302646		0.28	2.64	0.97	3.22	586	820	0.66	0.30	8.22	2.06	49.6	7.4	50	4.14	43.5
K302647		6.88	0.37	0.08	7.15	4890	400	1.65	0.25	2.64	0.11	78.1	20.0	65	18.60	55.9
K302648		7.54	0.33	0.10	6.25	7710	280	1.32	0.22	1.91	0.05	64.5	19.4	61	15.35	54.6
K302649		7.58	0.13	0.11	6.34	678	210	1.64	0.22	2.14	0.04	67.6	21.7	63	20.4	51.5
K302650		7.44	<0.01	0.17	6.94	453	210	1.95	0.26	2.52	0.10	74.6	25.3	63	25.8	60.2
K302651		7.12	0.14	0.06	7.16	1855	280	1.74	0.22	3.87	0.08	78.1	17.8	63	21.0	51.9
K302652		7.22	0.06	0.06	5.99	721	260	1.54	0.21	3.10	0.13	71.0	13.2	54	21.0	39.0
K302653		7.22	<0.01	0.06	6.79	145.5	250	1.82	0.26	2.45	0.20	82.6	15.8	63	27.3	41.0
K302654		7.20	<0.01	0.11	6.99	157.5	260	1.91	0.25	2.43	0.33	78.6	17.4	64	27.0	47.1
K302655		0.30	0.33	0.34	6.48	638	360	0.63	0.25	0.49	0.18	154.5	3.2	223	3.85	33.3
K302656		7.46	<0.01	0.16	6.78	172.5	350	1.69	0.25	2.85	0.12	71.4	24.5	63	22.9	55.1
K302657		7.46	<0.01	0.08	6.15	82.8	200	1.55	0.21	2.50	0.02	65.8	17.6	67	24.0	53.2
K302658		7.18	0.01	0.14	7.05	130.0	290	1.99	0.25	1.72	0.06	72.4	25.0	73	31.1	59.5
K302659		4.98	<0.01	<0.01	0.10	<5	20	0.08	0.01	21.4	0.04	1.65	1.6	1	0.27	1.5
K302660		7.84	0.01	0.11	8.17	113.0	250	3.14	0.25	1.32	0.08	68.8	30.4	102	43.2	69.6
K302661		7.62	<0.01	0.13	6.22	187.5	240	1.76	0.21	2.06	0.02	66.4	25.4	64	23.6	58.2
K302662		7.46	0.09	0.11	6.83	311	200	2.28	0.25	2.18	0.14	73.4	20.5	62	25.2	51.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179114

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302627		5.09	18.10	0.16	3.8	2.99	0.071	3.18	38.9	15.4	1.56	896	0.40	0.03	11.2	33.8
K302628		5.74	16.70	0.15	3.1	1.60	0.064	2.83	31.6	17.5	1.25	863	0.45	0.02	10.2	34.8
K302629		5.24	18.40	0.18	3.3	2.35	0.068	3.07	37.0	16.3	1.19	759	0.42	0.03	11.3	37.6
K302630		4.80	14.85	0.11	3.3	2.48	0.056	2.66	28.9	14.8	1.36	756	0.32	0.03	9.2	30.9
K302631		4.41	13.70	0.14	2.6	2.23	0.051	2.46	24.1	19.2	1.08	641	0.47	0.02	8.0	31.8
K302632		4.65	11.55	0.15	1.9	6.52	0.051	1.77	19.2	14.1	1.02	979	0.43	0.02	7.1	26.4
K302633		0.49	0.34	0.12	<0.1	0.01	0.005	0.03	0.6	1.1	12.90	216	0.14	0.01	0.2	3.6
K302634		4.54	15.50	0.13	2.5	1.95	0.047	2.46	26.0	14.2	1.39	818	0.52	0.02	9.5	34.4
K302635		4.24	15.10	0.12	2.4	1.50	0.045	2.44	25.6	13.1	1.19	667	0.43	0.02	8.9	32.8
K302636		5.01	17.40	0.15	2.7	1.18	0.055	2.94	28.9	18.3	1.47	618	0.49	0.03	10.9	39.7
K302637		5.04	16.00	0.13	2.5	0.97	0.052	2.66	26.1	33.5	1.36	578	0.54	0.02	9.9	36.3
K302638		5.13	16.60	0.15	2.7	4.72	0.048	2.64	27.6	17.3	0.92	481	0.54	0.02	10.2	39.9
K302639		3.94	11.90	0.11	2.1	4.18	0.037	1.95	20.3	16.0	0.52	298	0.49	0.02	7.0	28.7
K302640		4.28	16.75	0.15	2.4	4.37	0.055	2.62	28.5	17.0	0.97	354	0.70	0.02	9.2	29.7
K302641		5.62	21.8	0.21	3.2	4.88	0.071	3.23	36.6	21.5	1.37	687	0.93	0.03	13.1	38.9
K302642		5.59	17.10	0.17	2.5	6.5	0.063	2.54	27.8	15.3	1.96	1020	0.81	0.02	10.5	33.3
K302643		5.06	18.85	0.17	2.7	1.69	0.067	2.90	32.4	16.2	2.04	996	1.33	0.03	11.8	36.7
K302644		5.87	18.35	0.18	2.7	2.07	0.063	2.79	32.0	15.8	1.73	795	1.47	0.03	11.1	39.0
K302645		5.48	19.15	0.18	2.9	0.92	0.066	2.86	32.6	24.2	1.49	674	0.70	0.03	12.0	41.4
K302646		2.13	8.63	0.08	1.7	4.51	0.026	0.98	29.9	41.3	2.59	272	18.40	0.04	7.1	53.9
K302647		4.79	22.1	0.19	3.0	5.89	0.063	3.33	36.7	16.1	1.54	811	0.35	0.03	12.9	37.1
K302648		4.48	18.25	0.15	2.7	6.07	0.056	2.92	30.6	12.6	1.18	618	0.28	0.03	11.1	36.2
K302649		4.55	18.40	0.16	2.6	2.70	0.052	2.96	32.0	16.4	1.21	616	0.29	0.03	10.7	35.2
K302650		5.41	20.3	0.18	2.8	1.82	0.074	3.22	35.8	25.3	1.42	579	0.75	0.03	11.5	44.5
K302651		4.82	20.8	0.18	2.9	2.09	0.070	3.36	36.7	15.1	2.02	1010	0.55	0.03	12.4	31.3
K302652		4.07	16.50	0.16	2.7	0.79	0.061	2.81	33.8	37.5	1.67	769	0.80	0.03	10.9	25.8
K302653		4.30	19.85	0.20	3.1	0.40	0.065	3.21	39.0	48.0	1.66	611	1.68	0.04	13.1	29.2
K302654		4.50	19.60	0.18	3.0	0.55	0.067	3.31	38.0	42.1	1.53	590	1.62	0.03	12.3	32.1
K302655		7.10	23.0	0.25	4.0	9.1	0.047	1.40	71.4	21.0	0.13	39	6.79	0.40	11.0	17.2
K302656		5.53	19.85	0.19	2.7	1.42	0.068	3.14	34.1	39.8	1.60	623	2.32	0.03	11.2	45.2
K302657		5.06	17.50	0.16	2.8	0.18	0.061	2.82	30.9	54.5	2.12	591	0.28	0.03	11.1	32.8
K302658		5.31	20.4	0.19	2.9	0.90	0.072	3.22	34.5	43.6	1.60	481	1.22	0.03	10.9	40.5
K302659		0.44	0.42	0.12	<0.1	<0.01	<0.005	0.04	0.8	1.5	12.70	190	0.32	0.01	0.4	3.2
K302660		5.04	26.3	0.21	2.9	2.01	0.081	4.05	30.9	28.2	1.27	434	1.03	0.03	11.2	44.1
K302661		6.09	18.25	0.17	2.5	1.73	0.063	2.85	31.2	33.6	1.21	489	0.39	0.03	10.1	42.2
K302662		4.94	19.50	0.17	2.8	1.93	0.065	3.25	34.9	18.1	1.29	579	1.02	0.03	10.7	34.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179114

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302627		550	20.4	183.0	<0.002	4.52	4.69	19.8	1	2.5	172.5	0.88	0.09	12.1	0.511	9.52
K302628		460	21.4	166.5	<0.002	5.46	2.50	19.0	1	2.4	102.0	0.75	0.12	10.7	0.538	4.53
K302629		510	20.3	185.0	<0.002	4.97	3.44	20.4	1	2.5	114.5	0.84	0.06	11.5	0.537	9.11
K302630		450	16.8	153.0	<0.002	4.23	1.66	16.4	1	2.2	102.0	0.70	<0.05	10.1	0.469	7.71
K302631		410	18.4	140.0	<0.002	3.94	2.00	15.3	1	1.8	88.5	0.60	<0.05	8.9	0.476	6.79
K302632		280	14.5	95.9	<0.002	5.08	37.0	10.9	2	2.2	71.8	0.47	<0.05	6.4	0.386	21.3
K302633		170	1.2	1.7	<0.002	0.02	0.14	0.3	1	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	0.05
K302634		450	15.7	137.5	<0.002	4.14	2.69	16.6	2	1.8	98.9	0.65	<0.05	8.3	0.497	4.71
K302635		430	13.1	134.0	<0.002	3.89	2.97	15.5	2	2.0	84.7	0.60	<0.05	8.2	0.488	4.04
K302636		550	17.1	165.5	<0.002	4.74	1.75	18.7	2	2.0	99.4	0.72	0.06	9.2	0.555	3.55
K302637		510	16.6	153.0	<0.002	4.77	0.47	17.5	2	1.8	105.5	0.64	0.05	8.3	0.521	2.77
K302638		490	19.2	149.0	<0.002	5.05	3.72	17.1	2	2.0	112.0	0.67	0.06	8.8	0.533	12.80
K302639		420	13.6	100.0	<0.002	3.82	4.98	12.3	2	3.7	50.7	0.52	<0.05	7.0	0.391	9.84
K302640		460	14.3	134.5	<0.002	4.07	4.38	15.8	2	2.8	74.8	0.64	0.06	9.2	0.398	11.20
K302641		550	19.0	171.5	<0.002	5.54	15.35	21.3	3	3.7	137.5	0.89	0.09	11.6	0.546	16.30
K302642		480	20.2	133.5	<0.002	5.27	14.45	16.8	3	2.6	131.0	0.68	0.09	8.9	0.474	15.85
K302643		480	19.5	157.0	<0.002	4.65	3.00	19.7	2	2.6	123.0	0.78	0.06	10.0	0.514	4.78
K302644		540	23.7	149.0	<0.002	5.79	4.36	18.3	3	2.8	108.5	0.77	0.07	9.8	0.493	6.01
K302645		490	22.0	157.0	<0.002	5.14	1.48	19.7	3	2.9	149.0	0.81	0.07	10.2	0.520	3.76
K302646		890	37.2	51.3	0.024	1.56	110.0	5.5	5	2.5	73.5	0.46	0.19	6.5	0.172	4.19
K302647		550	15.6	161.5	<0.002	4.30	10.85	21.7	3	2.6	152.5	0.85	0.07	11.2	0.524	13.25
K302648		520	18.1	136.0	<0.002	3.98	7.54	16.9	3	2.4	82.7	0.76	0.06	9.8	0.523	14.45
K302649		470	18.4	142.0	<0.002	4.14	4.06	17.8	2	2.3	114.0	0.73	0.05	9.9	0.466	7.15
K302650		450	33.2	164.0	<0.002	5.01	1.44	20.1	3	2.4	109.0	0.79	0.07	11.1	0.484	5.57
K302651		500	18.6	156.5	<0.002	3.98	6.08	20.0	2	2.4	131.0	0.83	0.06	10.9	0.512	5.77
K302652		480	13.2	132.5	<0.002	2.17	2.84	15.4	3	2.1	120.5	0.76	0.05	10.2	0.411	2.07
K302653		560	17.3	164.0	<0.002	1.79	0.64	16.6	2	2.5	111.0	0.88	0.05	12.2	0.451	1.97
K302654		510	21.4	170.0	<0.002	2.83	0.97	18.1	2	2.5	103.5	0.83	0.06	11.4	0.458	2.28
K302655		930	17.6	50.9	0.003	3.20	119.5	16.7	3	3.1	528	0.79	0.14	9.8	0.568	8.47
K302656		520	37.9	160.0	0.002	4.69	1.40	18.6	3	2.4	223	0.75	0.06	10.5	0.460	5.67
K302657		540	11.1	143.0	<0.002	0.48	0.49	17.7	2	2.1	116.0	0.77	0.05	9.6	0.492	1.16
K302658		390	28.0	167.5	0.002	2.17	0.83	20.7	3	2.6	125.0	0.75	0.06	10.5	0.483	2.72
K302659		240	1.2	1.9	<0.002	0.01	0.10	0.3	1	<0.2	44.6	<0.05	<0.05	0.2	0.006	0.02
K302660		590	45.6	181.5	0.003	3.27	1.14	26.1	3	2.9	98.4	0.78	0.05	9.7	0.496	4.98
K302661		520	21.5	147.0	0.002	5.58	1.22	18.4	2	2.2	161.5	0.68	0.06	9.5	0.449	7.09
K302662		400	31.3	159.5	0.002	4.41	3.25	19.5	3	2.4	94.6	0.75	0.07	10.5	0.453	5.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179114

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302627		2.4	135	11.3	26.4	70	107.5	
K302628		2.1	150	8.5	22.0	91	105.5	
K302629		2.3	148	11.4	23.7	71	111.0	
K302630		2.0	129	8.7	20.3	67	95.2	
K302631		1.7	138	6.8	17.6	102	90.7	
K302632		1.2	104	13.4	14.4	111	76.6	2.12
K302633		0.6	1	0.1	1.0	13	0.7	
K302634		1.6	128	8.3	18.1	81	103.0	
K302635		1.6	130	8.2	17.4	54	94.9	
K302636		1.8	146	6.6	20.3	84	110.5	
K302637		1.7	139	1.2	19.6	136	105.0	
K302638		1.7	146	10.6	20.0	87	109.5	
K302639		1.4	108	7.3	14.9	69	79.4	
K302640		1.8	112	5.6	18.2	74	93.5	
K302641		2.4	144	13.2	24.8	124	127.0	
K302642		1.8	124	11.4	21.2	128	104.0	
K302643		2.1	133	8.2	22.6	212	115.0	
K302644		2.0	131	7.9	21.5	227	108.0	
K302645		2.1	135	4.7	22.7	115	115.5	
K302646		8.7	229	31.6	21.0	210	69.4	
K302647		2.4	138	14.3	25.1	82	123.0	
K302648		2.0	137	14.8	21.4	71	111.0	
K302649		2.0	125	10.0	19.9	67	105.5	
K302650		2.3	135	7.5	22.9	83	115.5	
K302651		2.2	136	14.2	23.1	65	117.0	
K302652		2.2	97	7.5	20.5	94	107.0	
K302653		2.6	108	3.3	23.5	124	122.5	
K302654		2.5	117	3.4	22.1	163	119.0	
K302655		7.7	174	24.4	15.5	46	178.0	
K302656		2.3	129	2.8	20.9	86	111.5	
K302657		1.9	127	1.9	22.1	63	107.5	
K302658		2.2	144	1.6	21.8	81	111.5	
K302659		0.5	2	0.1	1.0	13	0.8	
K302660		2.2	179	1.6	21.8	69	112.5	
K302661		2.0	129	2.8	20.9	52	103.0	
K302662		2.3	126	7.7	20.5	79	110.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11179114

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11181167

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181167

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301866		7.56	0.07	0.11	0.49	198	40	0.18	0.05	20.1	0.05	8.06	3.1	4	0.87	7.4
K301867		7.78	<0.01	0.12	0.45	50	40	0.18	0.04	20.3	0.04	7.18	1.6	4	1.03	5.8
K301868		8.68	<0.01	0.18	0.61	355	40	0.20	0.05	18.20	1.93	7.98	2.4	6	1.43	10.1
K301869		8.48	0.03	0.21	0.75	576	50	0.19	0.04	14.15	0.36	11.40	4.9	8	1.70	13.9
K301870		0.28	2.68	0.97	3.03	567	750	0.74	0.30	7.96	2.15	45.0	6.4	50	3.76	41.7
K301871		8.38	0.09	0.20	1.24	415	80	0.38	0.05	17.00	0.05	18.25	2.9	11	2.36	10.4
K301872		7.94	0.08	0.16	1.45	659	80	0.52	0.05	18.70	0.06	15.30	2.2	10	3.02	7.5
K301873		8.40	0.04	0.05	1.06	1020	60	0.44	0.05	19.05	0.03	14.45	1.2	6	2.07	4.3
K301874		8.20	<0.01	0.04	0.80	91	40	0.28	0.04	20.0	0.02	11.40	1.2	5	1.72	5.0
K301875		3.60	<0.01	0.04	0.80	81	40	0.41	0.04	20.1	0.02	11.75	1.2	4	1.75	4.7
K301876		8.32	<0.01	0.01	0.71	43	40	0.29	0.04	20.8	0.02	11.05	1.0	3	1.52	3.8
K301877		8.02	0.02	0.02	0.81	36	50	0.24	0.04	20.1	0.03	10.45	1.3	4	1.40	3.6
K301878		8.32	<0.01	0.02	0.40	23	30	0.20	0.03	19.65	0.02	6.30	1.1	3	0.49	3.5
K301879		7.78	0.03	0.37	1.14	248	100	0.31	0.05	19.70	0.13	15.40	3.0	8	2.37	8.8
K301880		8.02	0.23	0.27	8.82	4550	350	2.82	0.35	2.73	0.24	86.8	14.8	67	27.6	33.0
K301881		4.98	<0.01	0.05	0.11	46	20	0.08	0.03	22.3	0.06	1.37	0.9	1	0.59	5.6
K301882		7.98	<0.01	0.04	0.38	36	50	0.22	0.02	22.7	0.03	6.20	0.9	4	0.75	5.2
K301883		8.10	<0.01	0.10	3.18	49	200	0.84	0.11	21.5	0.09	30.8	4.1	20	11.60	21.0
K301884		7.70	<0.01	0.08	4.42	48	230	1.29	0.14	19.40	0.06	43.0	5.6	32	15.85	13.8
K301885		7.74	<0.01	0.04	3.51	26	170	1.00	0.11	22.9	0.11	33.2	5.9	24	12.35	11.3
K301886		7.74	<0.01	0.09	4.27	36	250	1.23	0.15	20.8	0.14	42.5	11.6	31	14.95	24.1
K301887		8.12	<0.01	0.07	3.89	20	240	1.14	0.13	20.1	0.07	37.4	6.4	25	14.50	13.0
K301888		0.28	0.34	0.32	6.46	622	440	0.66	0.27	0.50	0.25	138.5	3.0	228	3.44	29.2
K301889		7.98	<0.01	0.06	2.89	10	340	0.86	0.10	20.3	0.04	29.1	4.7	19	11.80	12.8
K301890		7.84	<0.01	0.08	3.34	15	240	0.88	0.11	20.2	0.04	35.0	5.9	22	13.50	10.7
K301891		7.78	<0.01	0.05	6.10	21	280	1.50	0.22	15.55	0.04	54.2	7.9	37	23.5	20.0
K301892		8.26	<0.01	0.03	9.64	43.5	370	2.87	0.38	2.05	0.04	75.9	11.2	74	45.8	42.1
K301893		7.84	<0.01	0.08	8.72	356	360	2.12	0.34	7.48	0.03	74.6	16.8	63	27.3	27.9
K301894		7.70	0.44	0.05	7.55	692	320	2.21	0.30	14.35	0.03	73.1	8.7	45	24.9	21.0
K301895		7.24	0.32	0.17	0.19	1120	20	0.09	0.02	21.9	0.09	5.75	0.7	3	0.23	3.2
K301896		3.88	3.58	0.40	0.45	4520	40	0.12	0.02	20.2	0.46	12.70	1.9	4	0.56	4.2
K301897		3.88	7.15	0.61	0.40	7890	30	0.15	0.02	17.80	0.68	9.94	1.8	4	0.61	5.8
K301898		4.94	3.90	0.40	0.34	7130	20	0.18	0.02	19.25	1.14	8.92	1.6	3	0.37	5.6
K301899		9.80	1.60	0.32	0.25	3360	20	0.11	0.02	20.5	0.28	6.08	1.0	3	0.22	6.0
K301900		3.84	4.83	0.79	0.30	7560	40	0.14	0.03	18.75	1.17	8.55	1.5	4	0.46	6.3
K301901		6.98	0.01	0.05	0.07	40	20	0.05	0.03	22.2	0.06	1.04	0.6	<1	0.45	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181167

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301866		1.62	1.33	<0.05	0.3	3.57	0.006	0.22	4.7	3.2	10.80	627	0.35	0.01	0.9	6.9
K301867		0.75	1.26	0.06	0.2	0.45	<0.005	0.21	4.5	3.2	11.00	320	0.42	0.01	0.9	1.9
K301868		4.59	1.92	<0.05	0.3	1.92	0.008	0.29	4.7	4.2	10.30	543	0.52	0.01	1.1	5.6
K301869		8.36	1.97	0.09	0.7	2.97	0.008	0.36	6.2	4.6	7.77	561	0.47	0.01	1.5	16.8
K301870		2.04	7.60	<0.05	1.7	5.14	0.028	0.93	27.7	44.3	2.47	259	17.25	0.04	6.8	50.7
K301871		1.38	3.18	<0.05	1.0	2.31	0.010	0.59	10.2	7.9	9.37	641	1.36	0.02	2.3	5.4
K301872		1.14	3.57	0.10	0.9	2.30	0.015	0.69	8.4	7.8	11.25	677	1.17	0.02	2.1	5.4
K301873		0.99	2.83	0.10	0.9	1.21	0.013	0.51	8.3	6.1	11.65	655	0.23	0.02	1.6	2.7
K301874		1.23	2.11	0.10	0.6	1.07	0.012	0.39	6.4	5.0	12.20	654	0.22	0.02	1.2	3.0
K301875		1.29	2.16	0.11	0.6	1.02	0.012	0.38	6.6	5.1	12.25	663	0.35	0.02	1.2	3.1
K301876		0.88	1.84	0.13	0.5	0.49	0.009	0.34	6.0	4.2	12.70	662	0.16	0.02	1.1	2.7
K301877		0.71	2.15	0.15	0.6	0.54	0.013	0.39	5.5	4.7	12.30	552	0.13	0.02	1.2	2.5
K301878		0.59	1.16	0.21	0.3	0.27	0.011	0.18	3.3	3.1	12.15	566	0.12	0.02	0.7	2.1
K301879		2.40	2.71	0.10	0.5	1.18	0.012	0.54	8.6	5.2	11.55	780	0.60	0.02	1.6	7.1
K301880		2.22	24.1	0.32	3.6	4.43	0.064	4.32	43.8	35.4	1.98	228	1.02	0.05	12.9	29.0
K301881		0.50	0.34	0.20	<0.1	0.05	0.007	0.05	0.7	1.6	14.20	221	0.19	0.01	0.2	1.9
K301882		1.06	0.94	0.15	0.2	1.72	0.006	0.17	3.1	2.9	12.75	544	0.13	0.02	0.5	1.8
K301883		1.41	7.93	0.16	1.4	0.85	0.031	1.54	16.4	11.8	5.50	377	0.45	0.03	4.3	8.4
K301884		1.50	11.00	0.22	2.0	0.28	0.037	2.17	20.9	17.3	3.24	280	0.58	0.03	6.0	12.6
K301885		1.78	8.39	0.20	1.5	0.16	0.028	1.69	17.0	12.8	4.69	364	0.37	0.03	4.7	11.7
K301886		1.75	10.95	0.22	1.9	0.20	0.033	2.15	21.8	13.6	3.14	301	0.75	0.03	5.9	19.4
K301887		1.80	9.39	0.21	1.6	0.09	0.030	1.90	19.4	11.3	4.25	354	0.62	0.03	5.3	13.8
K301888		6.99	21.5	0.17	4.2	9.6	0.047	1.36	65.2	19.8	0.14	38	6.82	0.39	9.9	15.9
K301889		2.04	7.03	0.15	1.3	0.07	0.026	1.42	15.1	9.3	5.54	448	0.37	0.03	3.9	10.0
K301890		1.77	8.05	0.20	1.5	0.05	0.027	1.65	17.3	9.9	3.82	430	0.68	0.03	4.4	10.8
K301891		2.62	14.90	0.18	2.4	0.05	0.051	3.03	31.1	16.0	2.57	483	0.36	0.04	7.6	16.8
K301892		4.21	27.5	0.22	3.8	0.09	0.082	4.97	41.2	27.8	1.37	611	0.19	0.06	13.7	30.4
K301893		3.57	22.3	0.18	2.9	0.48	0.059	4.40	39.7	18.4	1.76	522	0.37	0.05	10.8	31.6
K301894		2.28	18.30	0.19	2.3	1.68	0.054	3.63	41.1	18.7	1.16	452	0.17	0.04	8.6	18.4
K301895		0.82	0.50	0.15	0.2	1.4	<0.005	0.08	3.3	2.1	13.35	836	0.28	0.02	0.2	1.6
K301896		1.05	1.19	0.11	0.6	9.4	0.005	0.20	6.3	5.0	10.50	2930	0.26	0.02	0.7	4.0
K301897		1.25	1.13	0.13	0.3	14.5	0.006	0.16	5.3	10.6	8.64	2590	0.31	0.01	0.6	5.0
K301898		1.06	0.87	0.11	0.1	8.7	<0.005	0.12	4.7	5.9	11.65	2570	0.36	0.02	0.4	4.3
K301899		0.78	0.69	0.12	0.1	5.0	<0.005	0.10	3.4	2.8	12.45	1800	0.21	0.02	0.3	2.3
K301900		1.07	0.94	0.09	0.1	12.6	0.006	0.12	4.8	5.9	11.10	2340	0.26	0.02	0.5	2.3
K301901		0.49	0.26	0.18	<0.1	0.04	<0.005	0.04	0.5	1.6	14.15	227	0.05	0.01	0.2	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181167

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301866		100	17.1	7.9	<0.002	1.46	2.28	0.9	2	0.2	136.5	0.06	<0.05	1.1	0.021	6.12
K301867		160	12.6	7.7	<0.002	0.71	0.38	0.8	2	0.2	143.5	0.05	<0.05	1.0	0.019	0.95
K301868		120	41.9	10.3	0.002	5.47	0.95	1.0	2	0.3	102.5	0.07	<0.05	1.3	0.025	9.91
K301869		250	65.2	12.6	<0.002	>10.0	2.02	1.1	1	0.3	83.7	0.10	<0.05	1.9	0.034	24.6
K301870		830	35.4	48.2	0.022	1.48	101.0	5.2	4	2.5	68.9	0.44	0.18	6.8	0.162	4.02
K301871		480	13.9	20.2	0.002	0.97	2.32	2.1	3	0.5	113.5	0.16	<0.05	3.1	0.055	3.69
K301872		500	8.9	21.1	<0.002	0.54	1.66	2.2	1	0.5	105.0	0.17	<0.05	2.8	0.064	2.11
K301873		490	4.2	15.8	<0.002	0.56	1.13	1.7	1	0.4	102.0	0.13	<0.05	2.3	0.047	1.94
K301874		410	5.0	12.3	<0.002	0.83	0.92	1.3	<1	0.3	104.0	0.09	<0.05	1.7	0.036	2.49
K301875		430	5.1	12.3	<0.002	0.91	0.88	1.3	1	0.4	97.9	0.09	<0.05	1.7	0.036	2.54
K301876		380	4.1	10.4	<0.002	0.34	0.48	1.1	<1	0.3	91.1	0.09	<0.05	1.5	0.032	0.93
K301877		500	3.7	12.4	<0.002	0.27	0.71	1.3	<1	0.3	86.4	0.10	<0.05	1.6	0.037	0.69
K301878		390	3.1	6.1	<0.002	0.13	0.60	0.6	<1	0.2	76.8	0.05	<0.05	0.9	0.019	0.50
K301879		1340	11.6	18.5	<0.002	2.12	1.30	2.1	<1	0.4	100.5	0.12	0.07	2.0	0.050	2.12
K301880		720	23.1	167.5	<0.002	1.71	8.07	15.7	1	2.9	107.0	1.05	0.06	14.8	0.428	8.08
K301881		170	1.4	2.9	<0.002	0.02	0.11	0.3	<1	0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.05
K301882		730	1.3	5.4	<0.002	0.05	0.18	0.7	<1	0.2	139.0	<0.05	<0.05	0.7	0.017	0.73
K301883		620	8.0	56.8	<0.002	0.52	0.30	5.1	1	1.2	495	0.34	<0.05	5.2	0.136	0.86
K301884		670	8.6	83.7	<0.002	0.68	0.35	7.1	1	1.4	506	0.46	0.05	7.4	0.195	0.83
K301885		510	8.4	62.9	0.002	0.65	0.32	5.5	1	1.1	501	0.38	<0.05	5.7	0.149	0.58
K301886		630	16.5	84.5	0.006	0.83	0.56	7.1	1	1.4	589	0.46	0.05	7.1	0.188	1.07
K301887		600	8.8	79.4	<0.002	0.37	0.32	6.2	1	1.3	590	0.40	0.08	6.1	0.167	0.53
K301888		960	16.3	48.3	0.002	3.17	127.0	15.3	1	3.4	514	0.77	0.16	9.6	0.559	8.08
K301889		610	5.7	52.5	<0.002	0.13	0.45	4.7	1	0.9	470	0.32	0.06	4.8	0.123	0.44
K301890		650	6.2	62.3	<0.002	0.17	0.32	5.3	1	1.1	546	0.34	0.05	5.5	0.143	0.57
K301891		650	6.7	124.0	<0.002	0.17	0.32	9.7	1	1.9	402	0.61	0.11	9.7	0.265	0.80
K301892		720	7.8	186.5	<0.002	0.16	0.32	17.3	1	3.3	126.0	1.06	0.13	13.6	0.444	1.16
K301893		470	15.7	141.5	<0.002	1.35	1.49	12.9	1	2.6	212	0.88	0.13	12.7	0.361	2.58
K301894		620	8.6	150.0	<0.002	0.66	6.98	10.8	1	2.3	344	0.71	0.09	12.3	0.296	8.55
K301895		350	3.2	2.4	<0.002	0.05	3.81	0.4	1	<0.2	60.6	<0.05	<0.05	0.4	0.008	3.25
K301896		290	6.8	6.0	<0.002	0.03	25.8	1.5	1	0.2	94.6	0.06	0.05	1.2	0.022	30.9
K301897		290	8.8	5.5	<0.002	0.03	34.7	1.0	1	0.4	71.6	<0.05	0.06	0.8	0.017	44.5
K301898		290	5.3	4.0	0.002	0.03	23.6	1.0	1	0.5	66.0	<0.05	<0.05	0.6	0.012	27.9
K301899		320	3.3	3.2	<0.002	0.03	11.70	0.9	<1	0.4	68.0	<0.05	<0.05	0.5	0.010	12.70
K301900		350	7.8	4.2	<0.002	0.03	38.5	1.3	1	0.6	64.6	<0.05	0.08	0.6	0.013	46.4
K301901		190	1.3	2.3	<0.002	0.01	0.21	0.2	<1	0.2	42.8	<0.05	<0.05	<0.2	<0.005	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181167

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301866		13.7	10	0.9	3.3	10	12.7
K301867		16.5	14	0.6	2.7	11	7.0
K301868		15.4	12	0.9	3.0	883	10.6
K301869		8.7	11	1.0	4.4	114	24.2
K301870		8.9	218	28.4	19.4	202	61.6
K301871		13.6	27	1.6	6.8	9	35.0
K301872		9.8	27	1.4	6.5	17	31.9
K301873		6.1	13	0.8	7.0	10	30.2
K301874		8.3	14	0.7	5.6	6	19.9
K301875		8.3	14	0.8	5.9	6	20.8
K301876		7.1	15	0.7	4.8	5	15.6
K301877		5.9	12	0.7	4.6	4	18.2
K301878		3.5	8	0.4	3.3	3	10.0
K301879		3.8	16	1.2	8.6	30	15.9
K301880		5.1	121	8.1	23.6	76	124.0
K301881		1.1	3	0.1	0.9	17	0.7
K301882		2.4	6	0.2	3.6	6	7.2
K301883		7.8	43	0.9	10.7	45	45.6
K301884		7.6	61	1.0	14.0	32	66.1
K301885		7.0	48	0.7	11.1	49	50.0
K301886		42.7	61	1.0	13.1	129	63.4
K301887		8.0	54	0.8	12.1	60	55.7
K301888		7.5	174	24.1	15.7	45	167.0
K301889		6.4	43	0.6	10.1	24	42.7
K301890		10.8	46	0.7	11.3	15	50.7
K301891		6.1	81	1.1	18.0	26	85.4
K301892		3.1	141	1.9	24.4	50	125.0
K301893		4.0	101	3.2	20.5	42	96.3
K301894		3.0	80	4.9	18.3	53	76.9
K301895		4.2	9	0.3	2.8	22	4.8
K301896		8.1	11	0.8	4.7	90	19.1
K301897		9.9	10	0.9	5.2	128	12.2
K301898		5.6	10	0.8	3.1	153	4.5
K301899		4.1	10	0.5	2.4	27	3.9
K301900		8.4	11	1.4	3.1	89	4.6
K301901		0.9	3	0.1	0.8	15	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181167

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11173988

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B, Batch 146

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173988

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301686		11.64	0.01	0.03	1.78	98	110	0.62	0.04	28.0	0.10	26.2	3.6	156	6.55	9.7
K301687		5.98	0.01	0.12	4.59	298	230	1.56	0.09	11.35	0.05	55.9	7.4	45	18.90	22.4
K301688		11.22	<0.01	0.04	3.28	134	200	0.99	0.07	11.00	0.06	50.7	4.0	34	13.80	16.0
K301689		10.30	0.02	0.15	3.69	191.0	290	1.06	0.08	9.22	0.06	51.8	6.7	41	15.10	14.8
K301690		11.38	0.13	0.11	3.60	317	200	1.11	0.11	14.05	0.05	47.5	5.9	38	14.05	17.6
K301691		7.32	<0.01	0.01	0.07	<5	20	0.06	0.02	21.3	0.06	1.73	1.0	1	0.25	1.5
K301692		10.28	0.03	0.07	3.74	115	160	1.27	0.09	21.1	0.02	50.4	6.9	33	20.7	13.1
K301693		11.66	<0.01	0.07	4.54	73	230	1.54	0.11	15.95	0.03	57.1	8.3	40	28.6	19.4
K301694		11.82	<0.01	0.11	0.79	37	250	0.26	0.02	33.1	0.16	15.55	1.8	9	3.12	5.0
K301695		11.82	<0.01	0.10	1.13	34	90	0.38	0.03	32.2	0.14	18.45	2.3	11	4.55	6.2
K301696		0.28	0.30	0.31	6.20	596	1530	0.61	0.29	0.51	0.20	151.0	2.9	242	3.80	30.1
K301697		10.20	0.04	0.09	0.88	61	70	0.31	0.02	32.2	0.10	17.00	1.9	9	2.91	4.6
K301698		11.82	0.03	0.11	1.29	68	210	0.49	0.03	32.0	0.12	17.40	2.6	13	4.96	6.7
K301699		10.40	<0.01	0.19	2.03	88	200	0.66	0.05	27.3	0.16	28.6	3.5	20	7.03	10.9
K301700		6.46	0.01	0.08	4.42	180	160	1.46	0.11	15.70	0.03	54.9	8.6	40	18.70	20.4
K301701		11.18	<0.01	0.05	3.70	122	200	1.26	0.09	20.5	0.03	48.8	6.9	31	16.25	14.0
K301702		11.98	0.05	0.07	4.84	154	320	1.58	0.11	17.25	0.02	56.1	9.4	39	26.0	18.0
K301703		0.28	16.10	1.00	2.02	1110	350	0.36	0.60	15.65	0.70	37.1	3.9	38	2.61	60.4
K301704		11.92	0.03	0.09	3.27	143.0	190	0.86	0.08	9.49	0.05	45.7	4.9	34	12.30	11.7
K301705		6.12	0.04	0.06	3.52	100	160	0.89	0.09	11.15	0.08	53.2	5.3	37	13.35	18.6
K301706		5.78	0.72	0.20	3.61	559	120	0.98	0.09	15.65	0.08	51.2	7.6	39	13.05	18.3
K301707		8.14	0.12	0.03	0.89	137	90	0.28	0.03	31.0	0.10	14.05	1.9	10	3.24	5.3
K301708		7.94	0.53	0.06	1.31	312	100	0.36	0.03	29.8	0.15	20.1	2.5	14	4.06	5.7
K301709		6.96	<0.01	<0.01	0.07	5	20	<0.05	0.02	20.8	0.05	1.31	1.1	2	0.31	1.5
K301710		11.46	0.58	0.02	0.80	349	90	0.25	0.02	32.0	0.13	14.20	1.6	9	2.03	5.1
K301711		11.60	0.78	0.07	2.76	2430	210	0.72	0.07	19.55	0.11	38.5	4.8	29	7.08	14.8
K301712		6.06	0.87	0.04	3.17	588	260	0.73	0.07	15.00	0.11	48.9	4.1	33	8.14	16.2
K301713		5.74	1.67	0.07	3.84	3630	340	0.84	0.09	15.10	0.10	50.9	6.7	41	9.09	15.9
K301714		2.96	1.38	0.07	3.65	3420	320	0.79	0.08	14.15	0.10	49.5	6.0	39	8.90	14.8
K301715		8.20	0.55	0.10	4.13	403	230	0.99	0.10	13.35	0.11	53.5	6.4	42	11.85	26.9
K301716		7.96	0.28	0.02	0.44	203	40	0.18	0.01	35.0	0.13	9.86	1.1	6	1.11	3.3
K301717		7.00	0.22	0.05	0.97	178	70	0.33	0.04	33.1	0.08	13.35	2.0	11	2.81	7.4
K301718		12.12	0.03	0.04	1.07	122	70	0.35	0.03	31.3	0.18	16.55	2.1	12	3.59	7.6
K301719		5.96	<0.01	0.06	0.90	1160	70	0.27	0.02	31.4	0.20	13.55	2.1	11	2.18	4.6
K301720		11.48	<0.01	0.07	1.25	229	80	0.39	0.04	29.1	0.08	18.95	2.4	13	3.35	8.8
K301721		6.20	<0.01	0.08	0.38	28	60	0.19	0.02	34.3	0.09	7.55	1.3	4	1.12	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173988

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301686		0.70	4.48	<0.05	1.1	0.47	0.013	0.97	14.7	7.9	1.28	343	0.39	0.02	2.9	69.8
K301687		1.70	12.15	0.08	2.9	2.09	0.033	2.51	29.5	24.9	2.85	310	1.03	0.03	7.6	18.5
K301688		1.46	8.26	0.06	3.2	1.00	0.025	1.85	26.0	16.9	5.15	445	0.44	0.03	6.1	7.9
K301689		1.74	9.55	0.07	3.2	1.39	0.025	1.99	25.9	19.8	4.30	375	1.20	0.03	6.1	15.8
K301690		1.93	9.24	0.06	2.1	1.56	0.029	1.91	24.8	18.1	3.86	438	0.94	0.03	5.2	13.1
K301691		0.47	0.23	<0.05	<0.1	0.01	0.005	0.03	0.8	1.0	13.00	209	0.07	<0.01	0.2	<0.2
K301692		1.47	9.32	0.09	1.5	0.38	0.025	2.04	24.2	20.6	1.81	261	0.71	0.02	5.0	13.7
K301693		1.80	11.75	0.08	2.1	0.36	0.027	2.54	27.3	29.3	2.56	273	0.79	0.03	6.3	18.1
K301694		0.46	1.99	<0.05	0.4	0.15	0.007	0.42	8.4	3.4	0.71	185	0.65	0.01	1.3	0.5
K301695		0.53	2.75	<0.05	0.4	0.25	0.008	0.60	9.3	5.4	0.77	191	0.51	0.01	1.6	1.7
K301696		6.80	21.0	0.15	4.3	9.4	0.049	1.38	65.9	19.8	0.13	37	7.44	0.39	10.2	16.4
K301697		0.44	2.23	<0.05	0.3	0.59	0.006	0.46	8.6	3.6	0.71	305	0.34	0.01	1.3	0.7
K301698		0.53	3.26	0.05	0.5	0.57	0.008	0.68	9.4	6.3	0.75	241	0.62	0.01	1.9	2.5
K301699		0.90	4.99	0.06	1.0	0.67	0.015	1.03	14.4	9.7	1.39	329	1.00	0.01	3.0	5.7
K301700		1.86	11.25	0.07	2.2	0.84	0.027	2.30	25.6	23.8	2.74	558	1.02	0.02	6.3	18.3
K301701		1.54	9.12	0.06	1.4	0.81	0.025	1.94	23.6	18.3	1.93	388	0.56	0.02	4.9	13.9
K301702		1.83	12.35	0.07	1.6	1.00	0.028	2.52	27.8	27.4	1.91	609	0.68	0.02	6.2	19.4
K301703		3.70	3.97	0.07	0.9	6.1	0.056	0.42	19.5	42.8	0.73	469	13.65	0.01	3.5	19.5
K301704		1.47	8.33	0.07	3.0	2.01	0.021	1.47	20.8	21.0	4.55	539	1.11	0.02	5.1	10.5
K301705		1.51	9.02	0.06	3.1	1.16	0.026	1.51	25.0	21.6	5.30	522	0.67	0.03	6.5	11.0
K301706		1.53	9.33	0.08	2.4	3.25	0.028	1.71	24.2	20.6	2.60	404	0.50	0.02	6.1	14.8
K301707		0.44	2.31	<0.05	0.6	1.49	0.008	0.45	7.4	3.8	1.20	683	0.34	0.01	1.5	1.0
K301708		0.49	3.27	0.05	0.9	4.68	0.012	0.60	10.3	5.9	0.78	1160	0.13	0.01	2.2	2.4
K301709		0.46	0.23	<0.05	<0.1	0.02	<0.005	0.04	0.6	1.1	12.65	203	0.09	0.01	0.2	<0.2
K301710		0.38	2.14	<0.05	0.6	6.03	0.008	0.40	7.6	3.6	0.79	1280	0.15	0.01	1.3	0.4
K301711		1.12	7.32	0.06	2.1	10.2	0.020	1.38	18.6	13.1	3.89	1280	0.88	0.02	4.8	8.6
K301712		1.18	8.34	0.09	3.0	11.3	0.023	1.53	23.9	17.2	3.40	1740	0.68	0.02	6.5	8.4
K301713		1.68	10.10	0.09	2.9	12.2	0.029	1.85	24.4	18.3	3.04	1570	0.72	0.02	7.4	12.8
K301714		1.71	9.35	0.06	2.7	10.2	0.027	1.74	23.9	17.5	3.03	1440	0.70	0.02	6.9	11.8
K301715		1.45	10.70	0.08	3.4	10.7	0.030	1.99	27.8	23.9	2.83	932	1.01	0.02	7.7	12.4
K301716		0.31	1.20	0.05	0.3	2.93	<0.005	0.24	5.7	2.2	0.68	534	0.30	0.01	0.8	<0.2
K301717		0.42	2.63	0.06	0.4	3.25	0.009	0.51	7.6	4.4	0.71	365	0.82	0.01	1.6	1.3
K301718		0.44	2.82	0.05	0.7	4.1	0.007	0.56	8.9	6.4	1.08	247	0.26	0.01	1.8	1.9
K301719		0.44	2.38	<0.05	0.7	2.37	0.007	0.47	7.2	4.7	1.19	469	0.32	0.01	1.6	2.4
K301720		0.51	3.28	0.06	0.9	5.2	0.009	0.66	9.8	6.5	1.23	341	0.61	0.01	2.3	2.7
K301721		0.18	1.01	<0.05	0.2	0.40	<0.005	0.21	4.7	2.0	0.30	102	0.59	0.01	0.7	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173988

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301686		280	5.3	41.7	<0.002	0.18	0.63	2.9	2	0.6	401	0.23	<0.05	4.2	0.081	1.38
K301687		720	11.8	111.5	0.002	0.39	1.43	7.8	2	1.6	204	0.63	<0.05	10.8	0.214	5.33
K301688		510	7.9	80.1	<0.002	0.17	0.61	5.3	2	1.1	179.0	0.50	<0.05	9.3	0.171	3.37
K301689		690	10.3	84.9	0.002	0.58	0.99	6.0	3	1.4	173.5	0.51	<0.05	9.2	0.173	3.25
K301690		490	7.2	81.2	<0.002	0.44	1.47	5.5	2	1.0	294	0.42	<0.05	7.8	0.148	5.24
K301691		170	1.4	1.6	<0.002	<0.01	0.06	0.2	1	<0.2	52.2	<0.05	<0.05	<0.2	<0.005	0.03
K301692		410	6.2	93.2	<0.002	0.54	0.75	6.4	2	1.0	547	0.43	<0.05	7.6	0.140	1.37
K301693		620	7.9	115.0	0.002	0.73	1.45	7.9	2	1.3	378	0.53	<0.05	9.6	0.178	2.33
K301694		170	5.4	18.1	<0.002	0.21	0.33	1.5	2	0.3	891	0.10	<0.05	1.8	0.032	0.69
K301695		210	8.2	24.9	<0.002	0.25	0.57	2.1	2	0.3	1455	0.13	<0.05	2.3	0.042	0.73
K301696		960	17.8	56.9	0.003	3.21	121.0	17.6	2	3.1	537	0.84	0.12	10.6	0.556	8.55
K301697		170	5.4	19.2	<0.002	0.16	1.31	1.6	1	0.3	1560	0.10	<0.05	1.9	0.034	2.27
K301698		220	8.3	29.2	<0.002	0.25	1.11	2.3	2	0.4	1375	0.15	<0.05	2.7	0.049	2.78
K301699		370	7.0	42.9	0.002	0.39	1.13	3.5	2	0.6	647	0.25	<0.05	4.5	0.082	3.04
K301700		600	8.0	100.5	<0.002	0.65	0.86	7.7	2	1.2	466	0.52	<0.05	9.3	0.177	2.34
K301701		430	5.4	83.3	<0.002	0.40	0.73	6.4	1	1.0	530	0.41	<0.05	7.3	0.139	2.20
K301702		520	6.3	113.5	<0.002	0.58	1.13	8.4	1	1.2	424	0.51	<0.05	9.5	0.176	2.83
K301703		700	22.5	30.0	0.007	2.12	158.5	4.4	2	2.0	51.0	0.27	0.37	4.2	0.113	3.79
K301704		530	8.4	65.0	<0.002	0.31	1.80	5.5	2	1.0	249	0.44	<0.05	8.1	0.143	6.15
K301705		560	8.3	67.5	<0.002	0.23	1.47	6.3	2	1.3	213	0.55	<0.05	9.6	0.175	4.17
K301706		700	9.6	74.0	0.002	0.42	4.34	6.4	2	1.3	281	0.50	<0.05	8.8	0.168	5.44
K301707		150	3.5	19.0	<0.002	0.18	4.37	1.7	2	0.3	539	0.11	<0.05	2.1	0.039	5.43
K301708		270	3.5	27.0	<0.002	0.32	16.15	2.8	2	0.4	551	0.18	<0.05	3.2	0.058	16.95
K301709		180	1.4	2.2	<0.002	<0.01	0.12	0.3	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.07
K301710		150	3.1	17.3	<0.002	0.23	12.45	1.6	2	0.3	562	0.11	<0.05	2.0	0.036	20.6
K301711		410	6.5	61.9	<0.002	0.64	19.40	5.2	2	0.9	386	0.40	<0.05	7.1	0.133	25.0
K301712		550	6.4	69.5	<0.002	0.60	21.9	6.0	2	1.1	296	0.49	<0.05	8.5	0.163	28.8
K301713		680	7.2	78.1	0.002	0.98	23.3	7.2	2	1.4	429	0.57	<0.05	9.6	0.186	33.6
K301714		690	7.1	73.1	<0.002	1.04	20.4	6.9	2	1.4	413	0.52	<0.05	9.2	0.176	29.3
K301715		730	8.6	85.0	0.002	0.79	8.94	7.6	2	1.3	303	0.59	<0.05	10.8	0.203	16.75
K301716		210	2.5	9.4	<0.002	0.17	5.76	0.9	2	0.2	1195	0.06	<0.05	1.0	0.020	8.96
K301717		150	4.1	21.3	0.003	0.23	5.07	2.0	2	0.3	585	0.12	<0.05	2.2	0.042	8.13
K301718		230	4.0	23.9	<0.002	0.23	1.52	2.1	2	0.4	912	0.14	<0.05	2.5	0.047	3.29
K301719		250	3.7	18.4	<0.002	0.26	1.51	1.8	1	0.3	1020	0.11	<0.05	2.1	0.041	1.59
K301720		320	5.7	26.1	<0.002	0.29	0.78	2.5	2	0.4	611	0.16	<0.05	3.1	0.057	3.04
K301721		100	3.4	8.0	<0.002	0.14	0.16	0.9	2	0.2	948	0.05	<0.05	0.9	0.016	0.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173988

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301686		8.9	26	1.1	8.1	18	39.9
K301687		10.7	71	3.0	16.9	32	102.5
K301688		4.3	50	2.1	15.8	17	108.0
K301689		7.0	57	2.0	15.1	32	110.0
K301690		9.6	48	2.3	13.2	21	74.1
K301691		0.6	1	0.1	1.0	19	0.7
K301692		11.2	51	1.8	11.1	23	47.3
K301693		11.1	64	1.7	13.5	29	66.2
K301694		12.8	21	0.4	4.4	43	13.5
K301695		13.9	23	0.5	4.7	39	13.4
K301696		7.7	171	24.2	15.3	45	151.5
K301697		14.2	17	0.5	4.7	27	11.4
K301698		15.8	25	0.8	4.3	36	16.3
K301699		12.7	43	1.0	7.2	48	30.4
K301700		10.1	65	2.3	13.1	27	70.2
K301701		9.7	51	1.3	10.6	23	43.5
K301702		9.3	65	2.3	11.9	26	51.7
K301703		3.5	111	217	16.8	80	29.2
K301704		5.7	44	2.3	12.3	19	94.9
K301705		4.7	58	2.6	15.7	19	96.2
K301706		8.8	63	3.1	13.8	27	75.3
K301707		12.9	14	1.0	5.1	7	24.4
K301708		6.7	15	1.6	6.9	8	29.7
K301709		0.7	1	0.1	0.8	13	0.5
K301710		7.9	11	0.8	5.1	7	20.7
K301711		8.5	47	2.5	11.3	16	70.4
K301712		4.0	46	3.1	13.6	13	100.0
K301713		4.9	60	3.1	14.8	19	98.3
K301714		4.8	58	2.9	14.1	20	91.3
K301715		6.9	65	3.3	15.9	24	108.5
K301716		10.2	13	0.4	3.6	5	10.6
K301717		18.5	20	0.8	4.4	8	15.4
K301718		16.2	21	0.8	5.8	7	24.7
K301719		13.4	16	0.6	5.4	5	23.5
K301720		18.8	22	0.8	6.5	8	31.4
K301721		15.7	10	0.3	3.0	12	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11173988

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE VA11181166

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D- Batch 165

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181166

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300361		4.70	0.01	0.13	0.06	918	10	0.07	<0.01	19.85	0.18	1.06	0.8	1	0.05	1.2
K300362		4.88	0.01	0.11	0.06	1530	20	0.07	0.01	19.40	0.45	1.37	1.1	1	0.06	1.2
K300363		5.60	0.01	0.03	0.05	478	10	0.06	0.01	20.3	0.08	1.16	1.3	<1	<0.05	0.8
K300364		5.48	0.01	0.11	0.04	652	10	<0.05	0.01	20.1	0.08	1.16	1.2	1	<0.05	0.8
K300365		6.22	0.01	0.49	0.06	440	10	<0.05	0.01	20.7	0.09	1.47	1.3	1	<0.05	1.5
K300366		0.28	2.63	1.03	3.19	607	870	0.62	0.27	7.87	2.24	47.7	6.7	53	3.48	44.7
K300367		5.66	0.01	0.04	0.05	578	20	0.05	0.01	19.15	0.25	1.22	1.1	<1	<0.05	0.7
K300368		5.00	<0.01	0.01	0.05	<5	10	0.05	0.02	20.8	0.05	1.17	1.6	<1	0.11	1.9
K300369		5.92	0.01	0.07	0.30	1120	50	0.08	0.01	20.5	0.29	5.34	1.3	3	0.27	1.5
K300370		5.42	<0.01	0.02	0.06	520	10	0.05	<0.01	19.50	0.20	1.49	1.2	1	<0.05	0.7
K300371		5.12	<0.01	0.03	0.06	527	10	0.06	<0.01	18.90	0.14	1.35	1.2	1	<0.05	0.7
K300372		5.02	<0.01	0.05	0.07	528	10	0.06	0.01	20.8	0.14	1.32	0.3	2	0.05	1.0
K300373		5.46	<0.01	0.05	0.10	590	20	0.06	0.02	20.2	0.12	1.40	0.4	2	0.08	1.4
K300374		5.14	<0.01	0.04	0.05	462	10	0.09	0.01	18.85	0.36	1.25	0.4	1	<0.05	1.5
K300375		4.24	<0.01	0.04	0.13	492	20	0.11	<0.01	18.75	0.66	1.76	1.2	2	0.22	1.0
K300377		10.42	<0.01	0.02	0.07	307	20	0.09	<0.01	19.15	0.05	1.66	1.0	2	<0.05	0.9
K300378		5.28	<0.01	0.06	0.05	1930	10	0.07	<0.01	19.30	0.30	1.42	1.0	1	<0.05	0.8
K300379		5.44	<0.01	0.02	0.06	314	10	0.09	<0.01	19.15	0.18	1.21	0.9	1	<0.05	0.7
K300380		5.44	<0.01	0.07	0.17	665	30	0.12	<0.01	19.10	0.29	3.29	1.7	2	0.11	1.8
K300381		5.60	<0.01	0.02	0.03	184	10	0.05	<0.01	18.00	0.05	0.91	1.0	1	<0.05	0.7
K300382		5.70	<0.01	0.05	0.03	414	10	0.09	<0.01	17.40	0.54	0.92	0.9	2	<0.05	1.0
K300383		4.80	0.01	0.12	0.04	889	10	0.06	<0.01	19.50	1.41	0.96	1.2	1	<0.05	0.8
K300384		5.56	0.01	0.13	0.04	1640	20	0.05	<0.01	18.65	1.24	0.80	1.3	2	<0.05	1.0
K300385		0.28	8.09	0.49	3.29	1020	160	0.94	0.60	12.05	4.12	40.1	6.0	96	6.73	31.1
K300386		5.52	<0.01	0.03	0.05	437	30	0.10	<0.01	20.0	0.44	1.04	1.1	1	<0.05	0.8
K300387		2.44	<0.01	0.06	0.05	512	30	0.11	<0.01	19.75	0.90	1.18	1.1	2	<0.05	0.9
K300388		5.74	<0.01	0.02	0.06	587	30	0.13	<0.01	20.2	0.19	1.40	1.1	2	<0.05	0.9
K300389		5.42	<0.01	0.01	0.04	128	20	0.07	<0.01	19.70	0.04	1.01	1.0	2	<0.05	0.7
K300390		4.86	<0.01	0.04	0.07	158	20	0.09	<0.01	20.4	0.14	1.73	1.2	1	<0.05	0.9
K300391		4.94	<0.01	0.15	0.27	678	90	0.16	0.01	19.65	0.54	5.83	1.3	4	0.18	2.4
K300392		5.58	<0.01	0.06	0.15	2140	60	0.13	<0.01	19.75	0.08	3.22	1.1	2	0.08	1.2
K300393		7.00	<0.01	<0.01	0.07	14	20	0.09	0.03	21.1	0.05	0.92	1.6	2	0.33	1.6
K300394		5.34	<0.01	0.11	0.09	2740	20	0.18	<0.01	20.0	0.63	3.09	1.0	2	0.06	2.0
K300395		5.46	<0.01	0.03	0.05	1180	20	0.14	<0.01	19.55	0.02	1.77	1.0	2	<0.05	1.0
K300396		5.76	<0.01	0.05	0.24	508	20	0.16	0.01	19.85	0.03	3.28	1.2	3	0.14	1.8
K300397		5.52	0.01	0.08	0.22	1260	30	0.18	0.01	19.95	0.19	3.72	1.3	3	0.12	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181166

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300361		0.36	0.30	0.21	<0.1	2.68	<0.005	0.02	0.5	0.7	12.45	539	0.27	0.01	0.2	1.3
K300362		0.57	0.31	0.22	<0.1	41.0	0.005	0.02	0.7	0.7	12.20	492	0.29	0.01	0.2	0.3
K300363		0.21	0.35	0.44	<0.1	11.6	0.006	0.01	0.6	0.7	12.85	444	0.10	0.01	0.2	0.9
K300364		0.20	0.35	0.46	<0.1	2.57	0.005	0.01	0.6	0.6	12.65	412	0.25	0.01	0.3	1.1
K300365		0.17	0.38	0.49	<0.1	3.46	<0.005	0.01	0.8	0.5	13.10	391	1.01	0.01	0.3	1.2
K300366		2.02	7.20	0.05	1.4	5.07	0.029	1.00	29.1	32.7	2.56	277	16.30	0.03	5.9	57.6
K300367		0.21	0.34	0.39	<0.1	2.85	<0.005	0.01	0.6	0.6	12.05	474	0.12	0.01	0.2	0.9
K300368		0.40	0.38	0.42	<0.1	0.02	0.006	0.02	0.6	0.7	13.10	192	0.32	<0.01	0.4	2.3
K300369		0.60	0.78	0.21	0.2	2.63	0.006	0.11	2.9	0.7	12.70	711	0.31	0.01	0.7	1.8
K300370		0.31	0.38	0.43	<0.1	2.64	<0.005	0.02	0.8	0.4	12.20	580	0.11	0.01	0.3	1.6
K300371		0.35	0.40	0.45	<0.1	1.46	<0.005	0.01	0.8	0.4	11.75	668	0.13	0.01	0.3	2.0
K300372		0.29	0.14	0.05	<0.1	0.69	<0.005	0.02	0.7	0.9	12.35	658	0.19	<0.01	0.1	0.5
K300373		0.29	0.24	0.06	0.1	0.6	<0.005	0.04	0.8	0.9	12.20	660	0.29	<0.01	0.2	0.6
K300374		0.27	0.13	0.09	<0.1	0.81	<0.005	0.01	0.7	0.9	11.30	569	0.16	<0.01	0.1	0.5
K300375		0.33	0.59	0.36	0.1	1.09	<0.005	0.06	0.9	1.1	11.60	630	0.05	<0.01	0.3	<0.2
K300377		0.31	0.47	0.41	0.1	0.83	<0.005	0.02	0.8	0.8	11.80	559	0.09	<0.01	0.2	<0.2
K300378		0.63	0.30	0.26	<0.1	3.37	<0.005	0.01	0.8	0.7	11.85	877	<0.05	<0.01	0.2	<0.2
K300379		0.29	0.42	0.40	<0.1	1.12	<0.005	0.01	0.7	0.6	11.85	548	<0.05	<0.01	0.2	<0.2
K300380		0.56	0.59	0.25	0.1	3.44	<0.005	0.06	1.9	1.0	11.65	961	0.06	<0.01	0.4	<0.2
K300381		0.22	0.39	0.42	<0.1	0.82	<0.005	<0.01	0.5	0.6	11.05	483	<0.05	<0.01	0.2	<0.2
K300382		0.41	0.29	0.30	<0.1	2.02	<0.005	0.01	0.5	0.7	10.65	572	<0.05	<0.01	0.1	0.3
K300383		0.27	0.46	0.46	<0.1	2.32	<0.005	0.01	0.5	0.5	12.05	458	<0.05	<0.01	0.2	<0.2
K300384		0.21	0.54	0.53	<0.1	2.29	<0.005	0.01	0.5	0.6	11.50	493	<0.05	<0.01	0.2	<0.2
K300385		1.33	7.78	0.21	2.2	6.02	0.063	1.43	24.9	11.2	0.71	260	10.30	<0.01	7.2	61.9
K300386		0.28	0.40	0.42	0.1	0.91	<0.005	0.01	0.6	0.6	12.30	544	<0.05	<0.01	0.2	<0.2
K300387		0.35	0.50	0.44	0.1	2.09	<0.005	0.01	0.6	0.6	12.20	553	0.08	<0.01	0.3	<0.2
K300388		0.34	0.51	0.45	<0.1	1.4	<0.005	0.01	0.8	0.7	12.45	650	<0.05	<0.01	0.2	<0.2
K300389		0.25	0.50	0.48	<0.1	1.3	<0.005	0.01	0.5	0.5	12.15	525	<0.05	<0.01	0.2	<0.2
K300390		0.33	0.60	0.51	0.1	1.65	<0.005	0.02	0.9	0.6	12.55	578	0.11	<0.01	0.3	<0.2
K300391		1.09	0.85	0.18	0.2	5.5	<0.005	0.09	3.4	0.9	11.90	1070	0.33	<0.01	0.7	0.8
K300392		0.77	0.54	0.19	0.2	49.4	<0.005	0.05	1.7	0.8	12.05	1100	0.19	<0.01	0.4	<0.2
K300393		0.46	0.54	0.41	<0.1	0.20	<0.005	0.03	<0.5	1.1	13.10	206	<0.05	<0.01	0.4	1.3
K300394		1.11	0.32	0.11	0.1	3.79	<0.005	0.03	1.9	0.7	12.05	1500	0.17	<0.01	0.3	<0.2
K300395		0.54	0.31	0.23	<0.1	2.47	<0.005	0.01	1.1	0.7	11.90	972	0.08	<0.01	0.2	<0.2
K300396		0.58	0.75	0.22	0.2	2.33	<0.005	0.09	1.8	1.0	12.05	937	0.23	<0.01	0.5	0.3
K300397		0.75	0.68	0.21	0.2	5.25	<0.005	0.08	2.1	1.0	12.05	1000	0.44	<0.01	0.5	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181166

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300361		110	5.5	0.6	<0.002	0.02	0.66	0.1	1	<0.2	60.5	<0.05	<0.05	<0.2	<0.005	2.57
K300362		180	10.1	0.4	<0.002	0.02	0.84	0.2	1	<0.2	74.0	<0.05	<0.05	<0.2	<0.005	5.16
K300363		200	1.5	0.3	<0.002	0.01	0.30	0.2	1	<0.2	52.5	<0.05	<0.05	<0.2	<0.005	1.82
K300364		210	1.9	0.3	<0.002	0.01	0.23	0.2	1	<0.2	56.1	<0.05	<0.05	<0.2	<0.005	3.01
K300365		210	2.2	0.3	<0.002	0.01	0.13	0.2	1	<0.2	49.6	<0.05	<0.05	0.2	<0.005	2.02
K300366		890	37.2	41.7	0.023	1.48	108.5	5.4	4	2.3	61.6	0.43	0.18	7.0	0.165	3.60
K300367		150	4.0	0.3	<0.002	0.01	0.24	0.2	1	<0.2	59.8	<0.05	<0.05	<0.2	<0.005	2.38
K300368		210	1.3	0.7	<0.002	0.01	0.06	0.3	1	<0.2	37.1	<0.05	<0.05	<0.2	<0.005	0.02
K300369		480	11.1	2.8	<0.002	0.06	0.55	0.5	1	<0.2	93.7	<0.05	<0.05	0.9	0.013	4.19
K300370		160	4.1	0.4	<0.002	0.02	0.22	0.2	1	<0.2	70.6	<0.05	<0.05	<0.2	<0.005	1.97
K300371		120	4.4	0.4	<0.002	0.04	0.45	0.2	1	<0.2	78.5	<0.05	<0.05	<0.2	<0.005	2.60
K300372		140	7.4	0.5	<0.002	0.02	0.44	0.1	1	<0.2	83.5	<0.05	<0.05	<0.2	<0.005	2.57
K300373		130	5.2	1.0	<0.002	0.03	0.37	0.2	<1	<0.2	83.7	<0.05	<0.05	0.2	<0.005	1.51
K300374		210	4.5	0.4	<0.002	0.02	0.26	0.1	1	<0.2	79.0	<0.05	<0.05	<0.2	<0.005	1.87
K300375		170	7.1	2.2	<0.002	0.02	0.33	0.2	1	<0.2	87.3	<0.05	<0.05	0.2	0.005	2.47
K300377		210	6.1	0.7	<0.002	0.04	0.32	0.1	1	<0.2	85.8	<0.05	<0.05	0.2	<0.005	1.44
K300378		140	8.4	0.4	<0.002	0.16	0.73	0.1	1	<0.2	70.9	<0.05	<0.05	<0.2	<0.005	1.91
K300379		180	4.7	0.5	<0.002	0.02	0.38	0.1	1	<0.2	66.7	<0.05	<0.05	<0.2	<0.005	1.47
K300380		290	12.2	1.6	<0.002	0.05	0.84	0.3	1	0.2	96.2	<0.05	<0.05	0.4	0.007	2.62
K300381		270	1.6	0.1	<0.002	0.02	0.30	<0.1	1	<0.2	76.2	<0.05	<0.05	<0.2	<0.005	1.13
K300382		150	8.7	0.2	<0.002	0.08	0.64	0.1	2	<0.2	86.6	<0.05	<0.05	<0.2	<0.005	2.04
K300383		200	99.8	0.2	<0.002	0.04	1.10	0.1	1	<0.2	74.9	<0.05	<0.05	<0.2	<0.005	2.56
K300384		170	130.5	0.2	<0.002	0.09	4.68	0.1	2	<0.2	84.1	<0.05	<0.05	<0.2	<0.005	2.54
K300385		4160	4.8	102.5	0.036	1.36	17.55	6.1	8	1.6	145.5	0.51	0.55	6.1	0.209	13.00
K300386		200	23.3	0.3	<0.002	0.03	1.44	0.1	2	<0.2	114.5	<0.05	<0.05	<0.2	<0.005	1.31
K300387		200	39.6	0.4	<0.002	0.07	1.83	0.1	1	<0.2	114.0	<0.05	<0.05	0.2	<0.005	1.30
K300388		220	12.5	0.4	<0.002	0.07	1.50	0.1	1	<0.2	114.5	<0.05	<0.05	<0.2	<0.005	1.96
K300389		240	2.7	0.2	<0.002	0.02	0.34	0.1	1	<0.2	99.0	<0.05	<0.05	<0.2	<0.005	0.46
K300390		370	11.0	0.6	<0.002	0.05	0.43	0.1	1	<0.2	104.0	<0.05	<0.05	0.2	<0.005	0.60
K300391		380	36.7	3.0	<0.002	0.25	1.14	0.5	2	0.2	137.5	<0.05	<0.05	0.7	0.013	2.16
K300392		390	10.7	1.4	<0.002	0.37	1.28	0.3	2	<0.2	120.5	<0.05	<0.05	0.4	0.007	1.61
K300393		150	1.3	2.2	<0.002	0.01	<0.05	0.2	1	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.02
K300394		250	28.2	0.8	<0.002	0.61	2.75	0.2	1	<0.2	84.4	<0.05	<0.05	0.2	<0.005	5.11
K300395		200	4.0	0.5	<0.002	0.17	0.78	0.1	1	<0.2	105.0	<0.05	<0.05	<0.2	<0.005	2.51
K300396		330	8.9	2.9	<0.002	0.22	0.63	0.4	1	<0.2	88.1	<0.05	<0.05	0.5	0.010	2.49
K300397		480	24.0	2.4	<0.002	0.33	2.07	0.4	2	<0.2	104.0	<0.05	<0.05	0.5	0.010	3.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181166

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300361		1.1	1	0.3	1.2	68	1.1
K300362		1.1	1	0.4	1.3	105	0.9
K300363		1.0	2	0.1	1.2	31	0.9
K300364		1.1	1	0.3	1.2	34	0.9
K300365		1.2	1	0.2	1.1	20	1.5
K300366		8.0	233	25.4	16.7	214	56.4
K300367		1.0	1	0.3	1.2	25	1.1
K300368		0.7	2	0.1	0.7	13	<0.5
K300369		1.8	3	0.5	2.1	100	9.2
K300370		1.0	1	0.1	1.1	29	1.3
K300371		1.0	1	0.1	1.1	37	1.5
K300372		0.9	2	0.1	1.2	39	1.2
K300373		0.9	2	0.1	1.1	36	2.7
K300374		1.0	1	0.1	1.2	30	1.7
K300375		1.1	2	0.3	1.4	43	2.7
K300377		1.0	1	0.1	1.4	23	2.1
K300378		0.8	1	0.1	1.2	48	0.9
K300379		1.0	1	0.1	1.2	45	1.1
K300380		1.6	2	0.3	2.2	94	4.1
K300381		1.2	1	0.1	1.2	22	0.7
K300382		1.0	1	0.1	1.1	49	0.6
K300383		1.2	1	0.1	1.2	82	1.0
K300384		1.0	1	0.1	1.1	209	1.0
K300385		7.5	386	36.6	25.5	275	69.9
K300386		1.2	2	0.1	1.3	65	2.2
K300387		1.4	1	0.2	1.4	136	4.0
K300388		1.3	1	0.1	1.5	51	1.2
K300389		1.1	1	0.1	1.2	20	1.1
K300390		1.3	2	0.1	1.6	24	2.2
K300391		2.0	4	0.4	3.0	93	7.7
K300392		1.8	2	0.3	2.7	29	6.2
K300393		0.4	3	0.1	0.7	13	<0.5
K300394		2.1	2	0.3	2.7	121	1.8
K300395		1.5	1	0.1	1.6	10	1.2
K300396		1.8	3	0.3	2.4	6	7.9
K300397		2.0	3	0.4	2.8	50	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181166

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

CERTIFICATE VA11181168

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181168

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300869		7.88	<0.01	0.03	1.42	9	180	0.42	0.06	33.1	0.12	21.6	4.6	11	5.45	11.6
K300870		7.80	<0.01	0.02	1.49	15	180	0.39	0.07	33.0	0.12	25.9	5.6	12	7.68	14.2
K300871		7.66	<0.01	0.05	3.56	23	290	0.67	0.15	21.8	0.22	44.2	11.2	32	14.95	30.6
K300872		7.54	<0.01	0.05	2.65	13	250	0.55	0.11	25.6	0.17	34.1	8.6	22	11.45	23.3
K300873		5.02	<0.01	0.01	0.05	6	10	<0.05	0.02	21.5	0.04	1.11	1.1	<1	0.14	1.1
K300874		8.04	<0.01	0.06	3.18	16	240	0.60	0.12	23.3	0.18	36.2	9.4	33	12.10	26.2
K300875		8.36	<0.01	0.06	3.33	23	270	0.55	0.11	24.5	0.18	35.3	10.8	35	13.10	29.8
K300876		8.70	<0.01	0.03	2.40	13	300	0.50	0.09	28.8	0.16	30.4	7.6	25	10.60	20.9
K300877		8.04	<0.01	0.03	1.92	13	200	0.46	0.08	28.8	0.13	25.7	6.1	19	7.63	17.1
K300878		8.10	<0.01	0.04	2.63	22	210	0.42	0.08	27.2	0.12	24.8	7.4	28	11.50	20.8
K300879		7.58	<0.01	0.05	3.03	29	220	0.61	0.12	24.1	0.19	37.7	10.7	30	13.15	28.3
K300880		7.78	<0.01	0.07	4.25	51	280	0.74	0.17	19.80	0.31	47.9	12.0	39	14.70	34.5
K300881		0.30	0.32	0.37	6.10	619	1730	0.55	0.31	0.48	0.23	145.0	2.9	227	4.06	31.6
K300882		8.32	<0.01	0.03	1.56	23	180	0.36	0.06	31.9	0.15	25.6	4.9	15	5.13	17.3
K300883		8.52	<0.01	0.02	1.16	9	180	0.32	0.05	33.8	0.12	20.3	3.8	11	6.03	11.3
K300884		7.68	<0.01	0.04	1.89	25	180	0.49	0.08	33.6	0.14	28.2	5.8	18	8.03	17.3
K300885		7.16	<0.01	0.05	2.56	58	230	0.53	0.11	28.4	0.18	37.4	7.9	23	8.76	23.4
K300886		8.12	<0.01	0.04	1.88	35	220	0.40	0.08	32.0	0.18	30.1	5.7	17	6.89	17.3
K300887		7.88	0.01	0.03	1.49	36	200	0.36	0.06	31.6	0.13	24.0	4.6	15	5.10	13.0
K300888		8.46	<0.01	0.07	1.89	42	170	0.47	0.08	30.4	0.12	27.9	5.7	17	6.01	17.2
K300889		8.60	<0.01	0.04	1.75	36	160	0.37	0.08	32.5	0.11	26.9	5.5	16	6.47	16.6
K300890		7.98	<0.01	0.01	0.82	56	110	0.23	0.04	35.3	0.04	16.35	2.7	8	2.35	7.5
K300891		8.08	<0.01	0.03	1.46	41	120	0.45	0.07	30.5	0.04	23.4	5.1	13	5.75	12.9
K300892		7.90	<0.01	0.04	2.02	23	120	0.49	0.09	30.3	0.07	29.7	6.4	16	6.17	16.4
K300893		0.30	2.65	1.03	3.34	636	910	0.70	0.31	8.20	2.15	53.4	6.8	54	4.06	43.9
K300894		7.84	0.13	0.07	5.22	101	190	1.07	0.21	16.45	0.07	58.5	17.3	42	14.90	36.0
K300895		7.96	0.01	0.06	3.95	30	160	0.96	0.16	21.7	0.04	45.8	13.7	30	13.75	28.4
K300896		7.82	0.53	0.05	3.47	264	150	0.76	0.14	25.5	0.09	38.8	11.3	26	10.75	24.7
K300897		4.62	0.02	0.05	2.32	73	100	0.59	0.10	28.5	0.04	27.2	7.1	18	6.40	16.3
K300898		2.26	0.01	0.04	2.21	61	100	0.60	0.10	29.4	0.04	27.6	7.0	16	6.38	15.7
K300899		3.30	<0.01	0.07	6.26	266	280	1.51	0.25	10.65	0.15	70.8	18.1	43	22.2	45.6
K300900		7.80	0.01	0.12	6.41	321	190	1.32	0.23	3.76	0.02	64.6	19.3	64	20.7	55.1
K300901		7.84	1.40	0.11	6.42	1760	210	1.15	0.22	3.17	0.05	62.0	19.0	65	20.2	52.4
K300902		8.32	<0.01	0.10	6.70	65.1	230	1.14	0.22	3.42	0.02	64.4	19.2	68	17.65	54.2
K300903		5.24	<0.01	0.01	0.09	<5	20	0.08	0.02	20.9	0.05	1.63	1.4	1	0.37	2.1
K300904		7.96	<0.01	0.12	6.46	69.9	360	1.22	0.34	3.54	0.02	63.8	17.1	69	14.65	50.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181168

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300869		1.14	3.29	<0.05	0.6	0.11	0.013	0.62	10.6	4.8	0.63	453	0.49	0.01	2.2	5.4
K300870		1.21	3.65	<0.05	0.6	0.11	0.016	0.65	12.8	5.1	0.69	458	0.54	0.01	2.5	6.9
K300871		2.07	8.62	<0.05	1.5	0.28	0.035	1.51	20.1	11.7	1.11	511	0.96	0.02	5.6	17.2
K300872		2.10	6.51	<0.05	1.1	0.22	0.026	1.13	16.2	8.7	1.27	544	0.97	0.01	4.4	13.0
K300873		0.44	0.29	0.25	<0.1	<0.01	<0.005	0.02	0.5	0.8	13.50	199	0.13	<0.01	0.3	1.5
K300874		2.19	7.07	<0.05	1.2	0.31	0.029	1.37	16.5	8.5	1.46	488	1.04	0.01	4.6	14.8
K300875		2.25	7.19	<0.05	1.3	0.38	0.031	1.44	16.3	9.7	1.05	428	0.74	0.02	4.8	16.0
K300876		1.68	5.58	<0.05	1.0	0.24	0.023	1.02	13.8	7.6	0.76	375	0.52	0.01	3.7	11.0
K300877		1.41	4.69	<0.05	0.8	0.20	0.018	0.83	12.7	6.0	0.70	396	0.44	0.01	3.3	8.2
K300878		1.84	5.20	<0.05	0.9	0.51	0.021	1.08	11.7	6.4	0.96	438	0.56	0.02	3.3	11.0
K300879		1.97	7.51	<0.05	1.3	0.31	0.030	1.29	17.3	9.3	1.07	487	0.96	0.01	5.0	16.1
K300880		2.62	9.50	<0.05	1.7	0.71	0.038	1.84	21.5	10.7	1.27	373	1.24	0.02	6.3	19.5
K300881		6.56	20.4	0.22	4.1	8.8	0.049	1.28	63.6	15.9	0.12	25	6.34	0.36	10.9	15.1
K300882		1.04	3.96	0.09	0.7	0.22	0.015	0.68	10.9	6.3	0.55	228	0.54	0.02	2.4	6.3
K300883		0.83	2.97	0.10	0.6	0.13	0.013	0.50	8.3	5.7	0.57	279	0.41	0.02	1.9	4.2
K300884		1.20	4.82	0.11	0.9	0.29	0.019	0.83	12.4	7.9	0.72	576	0.73	0.02	2.9	7.2
K300885		1.57	6.40	0.12	1.2	0.34	0.026	1.10	17.5	9.9	0.91	302	1.26	0.02	3.7	11.8
K300886		1.13	4.70	0.10	0.9	0.33	0.020	0.82	13.7	6.7	0.74	166	1.03	0.02	2.8	7.6
K300887		1.01	3.75	0.09	0.7	0.32	0.016	0.66	11.2	4.7	0.61	350	0.70	0.01	2.3	5.9
K300888		1.20	4.83	0.11	0.9	0.47	0.022	0.82	13.0	5.8	0.75	321	0.79	0.02	2.8	7.9
K300889		1.02	4.54	0.10	0.9	0.41	0.020	0.78	12.1	6.2	0.56	166	1.11	0.02	2.7	7.6
K300890		0.55	2.14	0.09	0.4	1.21	0.009	0.35	7.3	2.9	0.47	140	0.39	0.01	1.3	2.3
K300891		0.94	3.93	0.08	0.7	1.15	0.017	0.65	11.7	6.5	0.88	288	0.88	0.01	2.3	6.2
K300892		1.29	5.19	0.10	0.8	0.57	0.021	0.90	15.5	4.2	0.97	357	1.08	0.02	2.7	8.0
K300893		2.18	7.75	0.14	1.8	4.25	0.030	1.01	28.9	37.8	2.58	285	19.35	0.03	6.8	52.9
K300894		3.09	13.00	0.15	2.5	1.81	0.051	2.41	28.1	9.1	1.25	720	0.74	0.03	7.8	23.4
K300895		2.44	10.05	0.16	1.7	0.84	0.044	1.76	22.3	6.9	1.13	721	0.41	0.02	5.6	18.1
K300896		2.28	8.49	0.13	1.4	1.89	0.036	1.55	19.1	6.0	1.19	755	0.95	0.02	4.6	14.8
K300897		1.49	5.50	0.10	0.9	1.17	0.023	0.97	13.7	5.1	0.95	578	0.74	0.02	3.1	9.2
K300898		1.46	5.44	0.12	0.9	1.11	0.024	0.95	14.1	4.4	0.93	572	0.55	0.02	3.0	8.6
K300899		4.19	16.25	0.18	2.0	0.47	0.055	2.45	33.3	21.9	4.43	1340	0.93	0.03	7.8	32.9
K300900		4.65	17.55	0.23	2.9	0.51	0.068	2.66	28.6	25.1	1.77	554	0.31	0.03	10.6	37.3
K300901		5.12	16.80	0.21	2.8	1.69	0.062	2.61	27.1	27.5	1.58	841	0.28	0.03	10.1	37.6
K300902		5.12	17.00	0.21	2.9	0.40	0.064	2.85	27.8	22.6	1.69	597	0.26	0.03	10.3	37.4
K300903		0.49	0.32	0.11	<0.1	<0.01	0.005	0.04	0.7	1.0	12.80	217	<0.05	<0.01	0.4	2.4
K300904		5.06	15.85	0.20	2.9	0.24	0.062	2.84	27.5	19.4	1.68	630	0.29	0.03	10.0	34.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181168

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300869		200	4.2	27.1	0.002	0.80	0.24	3.8	2	0.4	2220	0.14	<0.05	2.4	0.076	0.78
K300870		260	5.1	31.7	0.003	0.86	0.28	4.5	2	0.5	2160	0.16	0.05	2.8	0.081	0.58
K300871		260	10.3	73.2	0.004	1.89	0.46	8.8	2	1.0	1650	0.38	0.06	6.0	0.213	0.79
K300872		220	8.1	56.7	0.005	1.74	0.34	7.5	2	0.8	1630	0.29	0.05	4.6	0.153	0.52
K300873		200	1.1	1.0	<0.002	0.01	0.05	0.2	1	<0.2	41.1	<0.05	<0.05	<0.2	<0.005	<0.02
K300874		220	8.7	59.8	0.004	1.70	0.50	8.1	2	0.9	1390	0.31	0.06	4.8	0.188	0.51
K300875		310	8.0	62.0	0.003	2.06	0.48	8.0	2	0.8	1810	0.32	0.05	4.5	0.236	0.50
K300876		1000	6.3	47.3	0.003	1.37	0.24	6.4	2	0.6	2220	0.24	0.05	3.8	0.158	0.33
K300877		1150	5.6	39.2	0.002	1.15	0.22	5.1	2	0.6	1680	0.20	<0.05	3.3	0.122	0.58
K300878		210	5.5	41.3	0.002	1.52	0.21	5.6	2	0.6	1610	0.22	<0.05	3.2	0.179	0.76
K300879		230	8.7	65.7	0.004	1.71	0.31	8.8	2	0.9	1780	0.34	0.05	5.0	0.204	1.48
K300880		270	11.8	80.2	0.005	2.54	0.63	8.7	2	1.1	1320	0.43	0.06	6.7	0.251	2.52
K300881		890	18.8	47.5	0.003	3.13	117.5	16.2	2	3.0	507	0.81	0.15	10.7	0.553	9.09
K300882		410	6.0	35.7	0.003	0.89	0.25	4.3	2	0.5	2550	0.17	<0.05	2.8	0.086	0.93
K300883		1650	3.7	26.5	0.002	0.63	0.17	3.4	2	0.3	2320	0.13	<0.05	2.2	0.066	0.25
K300884		350	5.8	41.6	0.003	0.90	0.28	4.6	2	0.6	2090	0.20	<0.05	3.4	0.102	0.40
K300885		190	7.9	55.4	0.005	1.30	0.40	6.4	3	0.7	2070	0.28	0.06	4.7	0.135	0.40
K300886		200	6.1	41.1	0.005	0.98	0.49	4.7	3	0.5	2500	0.20	0.05	3.5	0.096	0.32
K300887		200	4.8	31.8	0.003	0.80	1.89	4.2	2	0.4	2470	0.15	<0.05	2.8	0.080	0.30
K300888		260	6.5	39.8	0.004	1.06	1.74	4.7	2	0.6	1985	0.21	<0.05	3.5	0.098	0.62
K300889		280	6.9	38.3	0.004	1.10	0.35	3.8	3	0.6	1825	0.19	0.05	3.3	0.090	1.72
K300890		280	3.5	18.4	0.002	0.52	0.93	2.4	2	0.3	2060	0.09	<0.05	1.6	0.039	2.69
K300891		180	5.8	33.3	0.003	0.92	0.32	3.7	2	0.5	1265	0.16	<0.05	2.9	0.074	4.86
K300892		170	6.5	43.3	0.005	0.94	0.21	5.0	2	0.6	1330	0.20	<0.05	3.8	0.092	4.88
K300893		930	39.7	52.9	0.024	1.59	105.0	5.1	5	2.5	75.6	0.49	0.19	7.5	0.174	4.21
K300894		270	15.5	115.0	0.002	2.60	2.07	12.4	2	1.6	409	0.60	0.08	9.5	0.301	6.52
K300895		260	12.0	87.5	<0.002	1.82	0.57	9.6	2	1.2	579	0.42	0.07	7.0	0.201	3.06
K300896		290	10.9	76.1	0.005	1.77	2.09	8.7	2	1.0	788	0.35	0.06	5.7	0.169	5.67
K300897		190	6.8	45.3	0.003	1.07	0.66	5.6	2	0.6	1005	0.22	0.05	3.8	0.113	2.48
K300898		210	6.5	45.0	0.003	1.05	0.54	5.6	2	0.6	1060	0.21	<0.05	3.8	0.107	2.35
K300899		420	8.6	124.0	<0.002	2.41	0.89	13.8	1	1.9	271	0.63	<0.05	11.4	0.264	2.27
K300900		490	16.0	142.0	<0.002	3.73	1.22	17.3	2	2.0	155.0	0.82	<0.05	11.3	0.501	3.14
K300901		530	16.9	138.0	<0.002	4.61	4.90	16.5	2	1.9	188.0	0.79	0.05	10.8	0.517	8.17
K300902		620	15.3	143.0	<0.002	4.49	0.46	17.2	2	1.9	180.0	0.84	0.05	11.1	0.550	3.30
K300903		170	1.3	2.3	<0.002	0.03	<0.05	0.5	1	<0.2	43.7	<0.05	<0.05	<0.2	<0.005	0.03
K300904		520	15.5	137.5	<0.002	4.00	0.64	16.4	2	1.8	175.0	0.80	<0.05	10.8	0.534	2.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181168

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300869		1.9	24	0.2	18.0	19	23.0
K300870		2.4	26	0.3	21.3	17	26.6
K300871		3.2	62	0.7	24.2	48	55.0
K300872		2.6	49	0.5	22.8	32	44.4
K300873		0.5	1	0.1	0.8	10	<0.5
K300874		2.6	60	0.9	18.8	42	44.3
K300875		2.5	66	1.0	19.5	46	46.6
K300876		2.8	48	0.4	20.8	33	40.4
K300877		2.2	36	0.4	18.1	26	36.2
K300878		1.7	52	0.5	15.0	35	33.3
K300879		2.6	57	0.6	21.6	44	48.3
K300880		3.4	72	1.9	20.8	60	60.9
K300881		8.2	170	22.6	15.2	39	163.5
K300882		3.3	24	1.0	20.5	23	26.1
K300883		3.1	18	0.3	14.5	18	24.0
K300884		2.6	30	0.8	18.6	24	31.3
K300885		3.1	41	1.1	19.4	36	38.7
K300886		3.4	30	0.8	19.4	30	28.8
K300887		2.5	24	1.3	17.6	23	24.0
K300888		2.7	29	1.6	15.9	25	29.9
K300889		3.7	25	0.4	15.4	16	28.5
K300890		2.8	12	0.6	13.7	6	12.5
K300891		2.9	21	0.5	13.3	20	25.2
K300892		3.1	28	0.4	14.1	39	28.5
K300893		9.9	241	28.0	20.4	227	60.7
K300894		2.7	79	3.2	18.4	66	80.8
K300895		2.2	55	1.2	17.8	45	56.6
K300896		2.3	50	1.8	15.5	52	47.5
K300897		1.8	33	1.2	13.2	33	32.4
K300898		2.0	34	1.0	13.8	32	30.2
K300899		1.9	67	3.1	20.6	64	66.8
K300900		2.3	137	3.2	20.7	70	96.9
K300901		2.1	141	5.1	19.7	78	92.0
K300902		2.1	148	1.7	20.1	77	93.6
K300903		0.9	3	0.1	0.9	15	0.8
K300904		2.1	146	2.1	19.3	70	92.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181168

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11181169

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181169

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300905		8.48	<0.01	0.08	6.57	75.7	210	1.72	0.21	2.68	0.03	68.3	21.3	71	29.3	54.7
K300906		8.18	<0.01	0.11	6.04	81.4	210	1.66	0.20	2.52	0.03	63.1	19.0	69	29.9	50.0
K300907		8.58	<0.01	0.14	5.96	63.4	210	1.65	0.20	3.01	0.06	64.7	16.6	61	24.5	45.6
K300908		8.40	<0.01	0.09	6.04	116.0	230	1.62	0.21	3.25	0.03	67.9	18.2	56	17.15	43.6
K300909		6.16	0.15	0.08	5.70	463	180	1.37	0.19	3.08	0.05	61.7	16.2	54	13.55	45.2
K300910		4.98	<0.01	0.01	0.16	<5	10	0.05	0.03	20.7	0.05	1.45	1.0	2	0.37	4.0
K300911		2.84	0.24	0.12	5.41	669	190	1.36	0.19	2.43	1.00	63.9	14.6	59	12.25	45.3
K300912		3.36	20.0	0.65	4.67	>10000	290	0.91	0.18	0.36	1.01	59.7	15.9	60	7.31	32.4
K300913		3.56	2.87	0.09	5.42	3910	230	1.30	0.20	2.47	0.08	62.2	16.2	212	11.30	40.7
K300914		7.94	0.01	0.07	6.76	255	380	1.81	0.25	1.76	0.04	75.2	18.9	67	17.40	51.0
K300915		7.52	<0.01	0.06	6.29	124.0	190	1.89	0.23	2.31	0.19	71.7	17.5	68	24.2	53.5
K300916		0.30	0.32	0.31	5.95	584	960	0.66	0.24	0.46	0.17	144.0	2.8	231	3.48	31.0
K300917		8.52	<0.01	0.06	5.64	67.1	260	1.56	0.20	1.82	0.02	62.7	15.5	68	31.9	50.7
K300918		8.14	0.01	0.10	5.63	416	230	1.47	0.23	2.04	0.02	62.9	20.3	68	24.7	52.5
K300919		8.24	<0.01	0.07	5.49	132.0	290	1.69	0.20	2.31	0.03	63.8	18.5	67	17.05	47.3
K300920		8.44	<0.01	0.08	5.64	65.7	200	1.66	0.20	1.89	0.02	64.8	17.2	66	28.4	51.3
K300921		8.14	<0.01	0.07	5.67	58.3	220	1.68	0.21	2.21	0.17	64.2	18.0	64	34.0	53.1
K300922		8.34	<0.01	0.08	6.21	79.1	220	1.70	0.23	2.18	0.02	68.6	17.7	68	37.4	55.4
K300923		3.60	<0.01	0.09	6.37	62.3	220	1.78	0.22	2.24	0.02	69.6	19.3	69	37.4	61.9
K300924		7.92	<0.01	0.10	6.21	90.2	230	1.77	0.22	2.72	0.22	68.5	19.0	70	35.5	54.7
K300925		7.94	0.05	0.11	6.18	409	270	1.70	0.22	2.98	0.21	71.3	20.1	71	20.8	56.8
K300926		6.84	0.22	0.09	4.73	1640	250	1.24	0.14	4.57	0.16	49.6	15.4	62	14.50	50.7
K300927		7.42	<0.01	0.15	6.05	461	210	1.75	0.20	2.46	0.17	63.6	29.7	79	18.30	63.4
K300928		7.58	0.05	0.07	5.60	1340	210	1.55	0.18	4.78	0.14	59.7	16.5	64	13.95	54.5
K300929		8.14	0.68	0.11	4.86	2950	330	1.23	0.17	2.53	0.14	50.4	17.7	62	11.35	48.2
K300930		7.32	0.39	0.06	2.43	1070	210	0.51	0.08	2.94	0.08	30.3	9.0	48	4.77	30.1
K300931		4.96	0.01	0.01	0.08	<5	20	0.06	0.01	21.3	0.05	1.64	1.0	2	0.23	1.7
K300932		7.84	0.01	0.05	3.96	214	230	0.94	0.11	4.39	0.12	44.4	12.2	65	11.35	41.5
K300933		7.62	<0.01	0.05	5.50	65.9	160	1.65	0.16	2.57	0.10	57.3	16.2	84	23.9	57.5
K300934		7.34	0.01	0.12	6.64	58.9	220	2.03	0.23	2.02	0.23	69.2	23.2	83	25.9	62.6
K300935		0.30	2.64	0.99	3.23	639	900	0.73	0.27	8.35	2.25	51.5	6.7	57	4.04	41.1
K300936		6.96	<0.01	0.07	4.83	83.3	230	1.22	0.15	3.10	0.11	49.2	16.6	67	15.90	48.6
K300937		7.76	0.01	0.05	2.73	96.4	190	0.66	0.08	1.93	0.17	35.3	9.8	50	7.71	27.9
K300938		7.76	<0.01	0.16	5.72	195.5	330	1.58	0.19	1.90	0.36	60.8	20.4	74	17.75	54.7
K300939		7.82	<0.01	0.09	4.08	97.1	300	0.95	0.12	3.14	0.24	47.8	14.0	59	11.80	38.7
K300940		8.82	<0.01	0.05	6.02	16.5	170	1.56	0.21	2.39	0.11	67.4	19.6	76	25.5	57.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181169

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300905		5.28	18.65	0.17	2.9	0.18	0.062	3.00	31.8	80.5	2.02	558	0.32	0.04	11.9	36.9
K300906		4.62	17.10	0.15	2.7	0.21	0.056	2.61	29.6	113.0	2.00	512	0.27	0.04	10.5	34.1
K300907		4.33	16.70	0.17	2.7	0.24	0.057	2.75	30.7	61.6	2.13	575	0.38	0.03	10.6	28.5
K300908		4.28	17.10	0.15	2.7	0.38	0.057	2.84	31.6	30.3	1.82	593	0.42	0.03	10.6	28.9
K300909		4.14	16.05	0.14	2.4	0.98	0.051	2.70	29.0	15.6	1.64	737	0.25	0.03	10.0	29.7
K300910		0.47	0.23	<0.05	<0.1	<0.01	0.005	0.04	0.7	1.1	12.70	205	0.24	0.01	0.2	0.4
K300911		3.98	15.70	0.10	2.8	2.59	0.064	2.62	33.2	12.7	1.29	635	1.95	0.02	9.0	32.5
K300912		3.98	14.35	0.12	2.3	36	0.067	2.20	29.9	11.6	0.40	180	0.71	0.02	8.1	30.3
K300913		5.35	15.45	0.12	2.7	3.29	0.053	2.62	32.2	11.3	1.34	607	1.48	0.03	9.5	104.5
K300914		4.59	20.3	0.14	3.3	0.69	0.072	3.24	38.5	22.6	1.16	426	0.27	0.03	12.1	38.0
K300915		4.88	18.55	0.14	3.1	0.27	0.072	2.99	36.7	61.2	2.17	565	0.34	0.03	11.1	35.1
K300916		6.58	20.5	0.17	4.2	9.5	0.047	1.32	69.1	19.8	0.12	36	6.71	0.38	10.2	17.5
K300917		4.88	16.05	0.13	3.0	0.12	0.062	2.38	32.4	107.0	1.91	486	0.30	0.16	9.8	34.5
K300918		4.97	16.15	0.15	3.0	0.24	0.059	2.48	32.5	80.5	1.92	483	0.30	0.09	9.9	36.6
K300919		4.86	14.55	0.13	2.9	0.12	0.064	2.58	31.9	67.8	2.04	624	0.30	0.03	9.8	38.8
K300920		4.51	16.50	0.12	3.0	0.11	0.059	2.56	33.5	108.5	1.89	492	0.27	0.05	10.1	35.2
K300921		4.70	16.65	0.15	3.0	0.19	0.064	2.61	33.4	114.0	1.97	570	0.93	0.06	10.3	35.6
K300922		4.88	17.60	0.15	3.2	0.17	0.070	2.96	35.4	98.8	2.13	470	0.33	0.04	11.0	36.4
K300923		5.10	18.65	0.16	3.2	0.17	0.070	3.03	35.7	102.5	2.20	486	0.34	0.04	11.5	38.9
K300924		4.98	17.30	0.17	3.1	0.83	0.066	2.95	34.9	90.2	2.08	557	1.09	0.04	10.5	36.7
K300925		5.41	18.00	0.17	3.2	2.16	0.069	2.94	36.0	33.7	1.71	534	1.12	0.03	10.6	41.8
K300926		4.53	13.15	0.13	2.4	0.86	0.049	2.13	24.1	60.3	2.37	833	0.43	0.02	7.9	31.1
K300927		5.00	18.40	0.15	3.1	1.08	0.070	2.81	32.8	47.4	1.46	421	0.53	0.03	10.7	52.5
K300928		4.89	15.85	0.16	2.8	1.30	0.064	2.65	30.5	23.6	2.29	792	0.54	0.03	9.7	32.8
K300929		4.73	13.80	0.13	2.5	3.73	0.057	2.23	26.5	17.2	1.28	559	0.55	0.02	8.0	37.3
K300930		2.99	6.83	0.08	1.4	1.05	0.025	1.05	14.8	19.4	1.23	642	0.39	0.01	4.1	18.4
K300931		0.44	0.26	<0.05	<0.1	<0.01	0.006	0.04	0.8	1.2	13.10	195	0.11	0.01	0.4	<0.2
K300932		4.44	10.75	0.10	2.2	0.32	0.046	1.68	21.5	58.9	1.88	770	0.40	0.02	6.7	29.2
K300933		4.87	15.50	0.13	3.0	0.22	0.060	2.22	29.4	116.0	1.98	519	0.54	0.03	9.5	35.1
K300934		5.14	19.85	0.15	3.3	0.85	0.081	3.01	35.1	86.3	1.93	366	0.62	0.03	11.3	44.5
K300935		2.18	8.09	0.09	1.8	4.77	0.030	1.06	33.4	41.4	2.67	278	18.80	0.03	7.0	53.8
K300936		4.39	13.95	0.10	2.5	0.56	0.053	1.86	25.4	117.0	1.81	577	0.46	0.02	8.0	33.0
K300937		3.10	7.54	0.08	1.6	0.20	0.031	1.09	17.3	105.0	1.06	362	0.43	0.01	4.6	19.4
K300938		4.79	17.00	0.14	2.9	0.64	0.073	2.22	31.0	158.0	1.49	432	0.82	0.02	9.6	39.8
K300939		4.10	11.30	0.15	2.3	0.14	0.041	1.69	23.4	108.0	1.76	822	0.76	0.02	7.1	24.3
K300940		5.28	17.50	0.15	3.2	0.06	0.069	2.63	34.4	180.5	2.25	709	0.37	0.03	11.0	39.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181169

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300905		480	14.8	154.0	<0.002	1.52	0.57	18.5	2	2.0	118.0	0.80	0.05	10.1	0.537	1.77
K300906		480	15.8	135.5	<0.002	0.44	0.48	17.2	2	1.9	116.5	0.74	0.05	9.5	0.489	1.14
K300907		450	13.0	137.0	<0.002	0.36	0.53	16.4	2	1.9	150.5	0.73	<0.05	9.4	0.443	1.01
K300908		710	15.2	133.5	<0.002	2.46	0.63	16.6	2	2.0	140.5	0.74	0.05	9.5	0.450	2.33
K300909		570	12.8	121.5	<0.002	3.52	2.92	15.5	2	1.9	107.0	0.68	<0.05	8.8	0.442	3.92
K300910		170	2.4	2.8	<0.002	0.02	0.06	0.3	1	0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.02
K300911		330	30.4	117.5	0.002	3.32	11.85	16.0	2	2.2	108.0	0.70	0.05	10.0	0.389	6.67
K300912		360	18.1	99.9	<0.002	5.28	258	7.3	2	2.3	105.5	0.61	0.19	8.7	0.368	153.0
K300913		470	19.9	115.0	<0.002	4.78	17.85	14.7	1	1.8	121.0	0.74	0.06	9.8	0.399	14.25
K300914		530	15.7	155.0	<0.002	4.19	2.14	20.1	1	2.3	176.5	0.91	0.06	12.0	0.497	4.73
K300915		560	18.6	148.0	<0.002	0.51	0.91	20.1	1	2.1	115.0	0.85	0.05	11.0	0.498	1.78
K300916		890	16.8	56.7	0.004	3.06	112.5	17.3	2	2.9	497	0.82	0.14	10.0	0.540	8.04
K300917		440	12.0	126.5	<0.002	0.22	0.55	18.5	1	1.9	130.5	0.74	<0.05	10.0	0.485	0.87
K300918		450	16.1	126.0	<0.002	1.24	1.51	18.2	1	1.9	127.5	0.76	0.05	9.9	0.488	1.87
K300919		430	16.0	133.0	<0.002	0.48	1.12	17.9	1	1.9	137.5	0.75	<0.05	10.1	0.466	1.16
K300920		590	12.9	133.0	<0.002	0.24	0.43	18.8	1	2.0	98.4	0.78	0.06	10.1	0.467	0.87
K300921		490	17.4	138.0	<0.002	0.44	0.49	19.0	1	2.1	128.0	0.78	0.05	10.3	0.466	0.94
K300922		520	16.0	155.0	<0.002	0.45	0.52	19.8	1	2.3	101.0	0.86	0.06	11.0	0.488	1.14
K300923		530	18.1	156.5	<0.002	0.57	0.45	20.6	1	2.8	105.5	0.86	0.06	11.3	0.501	1.23
K300924		670	20.3	142.5	<0.002	1.77	0.71	19.9	2	2.1	131.5	0.82	0.05	11.1	0.490	2.26
K300925		500	23.8	134.5	0.002	4.56	7.39	20.6	2	2.2	210	0.82	0.07	10.9	0.494	6.25
K300926		590	8.4	110.5	<0.002	2.61	3.34	17.6	2	1.8	229	0.58	0.05	7.2	0.440	3.44
K300927		510	22.7	127.0	<0.002	3.95	5.43	22.1	2	2.2	137.0	0.78	0.06	10.0	0.558	2.96
K300928		840	9.6	117.5	<0.002	3.74	6.20	20.7	1	1.7	210	0.72	<0.05	9.0	0.496	4.01
K300929		430	23.0	100.5	0.002	4.04	9.07	17.0	2	1.6	169.5	0.63	0.05	8.1	0.429	9.66
K300930		290	7.3	54.7	<0.002	1.82	3.66	9.2	1	1.8	152.0	0.30	<0.05	4.1	0.256	3.46
K300931		260	1.2	1.9	<0.002	0.01	0.05	0.3	1	<0.2	48.1	<0.05	<0.05	<0.2	<0.005	0.02
K300932		350	7.8	93.5	<0.002	2.78	0.64	13.7	1	1.9	170.5	0.51	<0.05	6.2	0.398	1.60
K300933		460	9.5	110.0	<0.002	0.86	0.45	19.9	1	2.0	104.0	0.71	0.05	8.6	0.540	1.01
K300934		550	27.8	144.0	<0.002	1.66	0.85	22.4	1	2.4	122.5	0.86	0.06	10.9	0.556	1.84
K300935		940	39.1	60.2	0.025	1.64	108.0	5.6	4	2.5	73.4	0.50	0.19	7.4	0.180	4.26
K300936		400	12.6	98.3	<0.002	1.62	0.63	15.8	1	1.9	152.5	0.62	<0.05	7.7	0.447	2.29
K300937		280	5.7	61.7	<0.002	0.99	0.44	9.1	2	1.3	116.0	0.35	<0.05	4.6	0.296	0.87
K300938		460	33.2	101.0	0.002	2.03	1.10	19.3	2	2.3	155.0	0.73	<0.05	9.5	0.495	2.06
K300939		400	12.4	94.4	<0.002	0.53	0.56	13.2	1	1.6	148.0	0.55	<0.05	6.8	0.401	0.81
K300940		540	16.0	143.5	<0.002	0.12	0.31	21.3	1	1.9	97.0	0.83	0.08	10.6	0.565	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181169

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300905		2.0	135	1.6	21.4	71	114.0	
K300906		1.9	126	1.2	20.6	67	106.5	
K300907		1.9	116	1.2	20.3	75	104.5	
K300908		2.0	118	1.5	21.5	63	102.5	
K300909		1.8	115	6.1	19.3	63	96.9	
K300910		0.5	1	0.1	0.9	17	0.5	
K300911		2.3	114	8.1	19.0	241	97.0	
K300912		2.2	100	11.1	19.1	125	81.9	5.18
K300913		2.1	105	8.5	20.8	57	94.3	
K300914		2.6	130	3.8	24.0	73	116.5	
K300915		2.3	130	1.8	24.6	89	111.0	
K300916		8.3	164	22.7	16.0	42	161.0	
K300917		2.1	129	1.3	22.1	65	103.0	
K300918		2.1	132	2.6	21.1	58	102.5	
K300919		2.1	125	2.3	20.9	60	103.0	
K300920		2.2	131	1.1	22.8	55	103.5	
K300921		2.2	122	1.1	22.3	126	104.0	
K300922		2.3	128	1.3	23.7	56	108.0	
K300923		2.4	132	1.3	24.0	58	113.0	
K300924		2.4	134	1.2	23.9	132	107.0	
K300925		2.4	141	5.7	22.1	120	109.5	
K300926		1.6	126	3.9	18.0	101	86.4	
K300927		2.1	164	5.7	21.1	138	109.5	
K300928		2.0	141	8.8	23.8	131	101.0	
K300929		1.8	125	6.2	17.0	80	87.7	
K300930		0.9	78	2.9	10.3	48	51.3	
K300931		0.6	1	0.1	1.0	15	0.7	
K300932		1.3	113	1.6	15.5	82	75.2	
K300933		1.9	155	1.4	20.1	90	103.5	
K300934		2.4	159	1.3	23.3	167	117.0	
K300935		9.9	237	28.0	22.5	222	68.6	
K300936		1.7	134	2.2	17.7	71	90.0	
K300937		1.1	87	1.3	10.7	83	55.9	
K300938		2.1	146	1.9	19.6	196	106.5	
K300939		1.5	108	1.2	16.8	184	81.2	
K300940		2.3	152	1.2	24.8	94	111.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181169

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

CERTIFICATE VA11180004

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180004

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301902		10.38	0.78	0.21	0.30	1970	20	0.11	0.02	21.0	0.21	6.12	1.4	3	0.29	4.8
K301903		10.00	0.88	0.27	0.30	2120	20	0.11	0.01	21.3	0.22	7.19	1.6	8	0.28	6.6
K301904		6.40	2.63	0.75	0.99	2690	50	0.24	0.03	18.65	0.38	16.80	2.6	10	1.53	8.2
K301905		5.82	5.90	0.89	2.84	5400	210	0.58	0.07	14.00	0.39	34.6	5.2	28	5.92	12.2
K301906		9.72	1.01	0.10	4.30	1360	210	1.22	0.09	11.70	0.09	43.2	5.8	37	13.70	18.9
K301907		10.72	0.01	0.03	2.78	250	170	0.85	0.06	20.6	0.11	31.6	4.3	24	9.91	10.8
K301908		9.44	0.03	0.02	1.22	378	70	0.41	0.03	31.5	0.06	16.00	2.0	10	3.44	7.9
K301909		0.28	0.32	0.30	6.52	644	920	0.59	0.31	0.48	0.18	141.5	2.8	238	3.57	31.1
K301910		10.94	0.01	0.02	1.61	660	210	0.51	0.04	30.9	0.09	17.55	2.7	15	4.58	11.9
K301911		8.36	<0.01	0.05	1.05	470	80	0.38	0.03	31.4	0.07	12.15	2.9	10	2.72	5.9
K301912		6.98	<0.01	0.02	0.08	7	20	0.06	0.02	21.3	0.06	1.31	1.4	2	0.30	2.4
K301913		11.60	<0.01	0.03	1.38	219	90	0.48	0.04	28.1	0.04	16.25	2.6	12	4.23	7.0
K301914		11.50	<0.01	0.02	1.55	169	90	0.47	0.04	29.3	0.10	19.55	2.0	14	5.64	11.2
K301915		10.62	<0.01	0.04	1.15	183	100	0.30	0.03	32.0	0.04	16.30	2.4	14	4.07	18.0
K301916		9.48	0.01	0.11	4.35	297	280	0.96	0.10	11.75	0.04	48.6	5.7	42	15.80	23.6
K301917		11.62	<0.01	0.05	2.84	228	210	0.56	0.07	11.00	0.02	37.1	3.4	28	10.45	14.0
K301918		10.36	0.01	0.12	3.47	536	260	0.70	0.08	9.94	<0.02	39.6	4.1	32	12.40	18.7
K301919		5.04	0.02	0.18	4.11	684	330	0.83	0.10	9.29	<0.02	43.0	5.1	43	15.50	16.6
K301920		11.66	0.01	0.04	2.83	324	230	0.63	0.07	12.05	<0.02	35.5	2.7	24	10.75	13.9
K301921		11.32	0.02	0.11	4.30	354	300	1.10	0.10	10.20	<0.02	44.5	7.2	36	21.2	17.5
K301922		11.30	<0.01	0.09	3.12	258	330	0.70	0.07	17.00	<0.02	34.8	5.8	26	15.45	16.1
K301923		9.76	0.01	0.09	3.25	931	720	1.25	0.09	23.5	<0.02	38.7	4.8	25	21.4	16.3
K301924		10.86	<0.01	0.09	4.32	362	270	1.47	0.10	19.85	<0.02	52.0	7.1	32	32.7	17.5
K301925		11.10	<0.01	0.06	3.79	467	220	0.76	0.08	21.0	<0.02	40.9	5.6	28	23.9	16.8
K301926		11.32	0.01	0.13	3.98	558	310	0.78	0.09	18.80	0.07	41.6	5.7	35	24.2	20.0
K301927		10.42	<0.01	0.11	0.60	110	240	0.17	0.02	37.1	0.17	11.25	1.2	10	2.05	4.0
K301928		11.04	<0.01	0.12	0.91	105	80	0.26	0.02	35.2	0.18	14.25	1.6	11	3.60	5.3
K301929		11.90	0.03	0.15	1.99	86	110	0.50	0.04	30.1	0.09	20.7	3.1	20	7.97	8.7
K301930		10.56	<0.01	0.13	3.48	341	380	0.73	0.06	24.8	<0.02	36.0	5.0	28	17.60	12.5
K301931		0.28	2.62	1.11	3.25	627	750	0.63	0.30	8.29	2.30	44.7	5.8	54	3.54	40.6
K301932		10.98	<0.01	0.05	0.71	372	170	0.21	0.02	31.7	0.66	15.00	1.5	8	2.95	4.1
K301933		5.14	<0.01	0.02	0.22	185	30	0.10	0.01	35.4	0.05	11.25	0.7	4	0.45	2.4
K301934		6.00	<0.01	0.17	4.41	2330	240	1.20	0.10	16.60	0.45	41.1	5.9	41	19.00	18.7
K301935		6.98	<0.01	0.02	0.07	<5	20	0.07	0.02	21.6	0.03	1.47	1.4	3	0.24	2.5
K301936		5.40	<0.01	0.04	0.70	736	40	0.25	0.02	35.3	0.15	16.80	1.4	10	2.55	4.6
K301937		10.16	<0.01	0.07	2.63	801	80	0.66	0.07	27.8	0.07	32.3	3.9	25	8.63	17.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180004

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301902		0.84	0.89	0.07	0.2	2.82	0.006	0.09	4.0	2.9	12.10	1420	0.42	0.02	0.5	2.0
K301903		1.09	0.83	<0.05	0.1	3.02	0.005	0.09	4.6	2.3	12.25	1410	0.25	0.02	0.5	2.7
K301904		1.30	2.48	<0.05	1.1	5.9	0.011	0.44	10.0	4.8	10.00	2610	0.66	0.02	1.6	6.3
K301905		1.42	6.98	0.05	2.1	13.7	0.018	1.29	21.4	12.2	7.65	3980	1.68	0.02	4.3	11.4
K301906		1.49	10.75	0.05	3.2	3.59	0.029	2.08	25.3	22.1	5.56	767	1.06	0.03	6.8	13.0
K301907		0.94	6.46	0.05	2.1	0.29	0.020	1.39	18.9	14.0	2.63	198	0.29	0.02	4.4	10.5
K301908		0.39	2.78	<0.05	0.8	0.39	0.009	0.61	10.3	5.0	1.14	191	0.15	0.01	2.0	4.5
K301909		6.74	20.1	0.20	4.4	8.9	0.051	1.36	77.8	17.9	0.12	34	6.55	0.37	9.4	17.4
K301910		0.54	3.71	<0.05	1.0	0.67	0.012	0.80	11.6	6.3	1.23	221	0.15	0.01	2.8	6.2
K301911		0.98	2.33	<0.05	0.7	0.15	0.007	0.52	8.0	4.2	2.16	251	0.51	0.01	1.8	7.0
K301912		0.48	0.29	0.09	<0.1	<0.01	0.006	0.03	0.7	1.1	13.00	216	0.09	0.01	0.3	2.6
K301913		0.56	3.13	0.05	0.9	0.16	0.010	0.69	10.3	5.8	2.22	171	0.49	0.01	2.2	5.1
K301914		0.52	3.53	0.06	0.9	0.15	0.010	0.81	12.8	6.1	1.65	194	0.23	0.01	2.5	4.0
K301915		0.73	2.69	<0.05	0.7	0.19	0.009	0.62	10.2	5.4	0.95	166	0.18	0.01	2.1	4.3
K301916		1.51	10.05	0.06	3.0	0.28	0.031	2.48	26.7	20.3	3.93	235	0.83	0.04	7.6	16.3
K301917		1.43	6.58	<0.05	3.0	0.12	0.020	1.72	20.0	13.7	5.67	307	0.37	0.04	5.5	8.8
K301918		1.48	8.10	<0.05	3.5	0.35	0.024	1.99	21.8	16.6	5.12	292	0.71	0.03	6.4	12.7
K301919		1.47	9.73	0.06	3.7	0.40	0.027	2.32	24.0	18.6	4.72	274	0.93	0.04	7.6	15.3
K301920		1.50	6.44	0.05	3.2	0.49	0.020	1.61	19.4	14.4	6.84	381	0.61	0.03	4.9	8.5
K301921		1.65	9.68	0.05	2.7	0.73	0.027	2.44	24.5	23.9	5.54	396	0.78	0.04	6.4	18.1
K301922		1.62	6.80	<0.05	1.9	0.42	0.021	1.80	19.2	16.0	3.20	323	0.53	0.03	4.8	15.7
K301923		1.41	6.95	0.07	1.3	0.29	0.024	1.76	22.3	21.0	1.72	274	0.46	0.03	4.3	12.7
K301924		1.71	9.23	0.09	1.5	0.26	0.028	2.39	29.3	30.4	1.77	219	0.49	0.03	5.5	19.8
K301925		1.64	8.06	0.05	1.6	0.21	0.026	2.11	23.0	21.9	2.15	296	0.35	0.03	5.1	14.9
K301926		1.62	8.67	0.05	2.0	0.28	0.027	2.27	23.5	23.9	2.71	330	0.83	0.03	5.9	16.5
K301927		0.36	1.36	0.06	0.3	0.11	0.005	0.33	7.7	3.0	0.69	191	0.38	0.01	1.2	2.0
K301928		0.55	2.00	0.07	0.4	0.15	0.008	0.50	9.2	5.2	0.89	175	0.38	0.01	1.6	2.6
K301929		0.72	4.29	0.06	0.7	0.35	0.014	1.07	12.6	11.9	1.01	219	0.55	0.01	2.9	7.3
K301930		1.26	7.04	<0.05	1.0	0.22	0.022	1.89	20.9	24.0	1.49	208	0.73	0.02	4.3	13.6
K301931		2.19	7.20	0.08	1.8	4.22	0.028	1.00	29.7	37.4	2.59	280	17.25	0.04	7.1	52.7
K301932		0.74	1.58	0.05	0.4	0.17	0.008	0.38	8.6	5.3	1.70	309	0.67	0.01	1.3	2.8
K301933		0.50	0.52	0.08	0.1	0.08	<0.005	0.11	6.4	1.6	1.35	229	0.18	0.01	0.7	0.4
K301934		1.68	10.20	0.09	2.6	0.84	0.034	2.40	23.3	40.2	3.68	218	1.22	0.04	6.8	16.0
K301935		0.44	0.37	0.47	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.85	198	0.36	<0.01	0.4	2.4
K301936		0.38	1.60	0.14	0.4	0.4	0.007	0.36	9.9	5.2	0.77	234	0.32	0.01	1.4	2.9
K301937		1.10	5.57	0.10	1.3	0.6	0.022	1.01	19.5	28.1	1.44	173	0.27	0.02	4.2	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180004

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301902		210	3.6	4.0	<0.002	0.03	7.52	1.0	2	0.3	77.0	<0.05	<0.05	0.5	0.013	5.62
K301903		210	5.0	3.7	<0.002	0.06	6.71	1.0	2	0.4	80.3	<0.05	<0.05	0.5	0.013	5.79
K301904		310	12.2	16.6	0.002	0.32	9.98	2.7	4	0.4	108.0	0.13	<0.05	2.3	0.046	16.35
K301905		410	11.3	45.0	0.002	0.41	59.7	5.2	3	1.2	171.0	0.37	<0.05	6.5	0.126	43.9
K301906		490	10.1	76.0	0.002	0.54	13.75	6.5	3	1.5	168.0	0.57	<0.05	9.8	0.197	16.60
K301907		420	6.6	50.0	<0.002	0.37	4.58	4.1	2	0.9	430	0.39	<0.05	6.4	0.125	1.36
K301908		170	3.9	24.3	<0.002	0.08	2.27	2.0	2	0.4	657	0.14	<0.05	2.6	0.052	1.18
K301909		930	18.2	49.2	0.003	3.15	119.0	15.3	2	3.1	534	0.83	0.13	10.6	0.567	8.92
K301910		320	4.8	31.8	<0.002	0.11	4.03	2.6	2	0.5	716	0.20	<0.05	3.7	0.070	1.44
K301911		140	4.9	19.9	<0.002	0.08	2.29	1.6	2	0.4	759	0.12	<0.05	2.3	0.045	0.80
K301912		190	1.5	2.1	<0.002	0.01	0.10	0.4	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.02
K301913		180	5.0	28.3	<0.002	0.07	1.51	2.1	2	0.5	535	0.16	<0.05	3.0	0.057	0.55
K301914		260	5.0	32.9	<0.002	0.08	1.33	2.4	2	0.5	502	0.19	<0.05	3.4	0.066	0.39
K301915		200	5.4	22.0	<0.002	0.48	1.54	1.7	1	0.4	585	0.15	<0.05	2.6	0.051	0.45
K301916		740	11.7	92.8	0.002	0.20	2.81	6.4	2	1.5	223	0.60	<0.05	10.3	0.201	1.25
K301917		460	8.6	62.1	<0.002	0.06	2.77	4.3	1	0.9	159.0	0.42	<0.05	8.0	0.147	0.59
K301918		600	8.7	74.3	<0.002	0.04	8.34	5.3	1	1.0	159.0	0.51	<0.05	9.2	0.169	1.52
K301919		720	9.6	87.0	0.002	0.05	11.00	5.9	1	1.4	168.5	0.60	<0.05	10.5	0.205	1.94
K301920		500	8.0	59.2	<0.002	0.06	5.42	4.2	1	0.8	181.0	0.39	<0.05	7.2	0.131	0.66
K301921		640	8.3	94.9	<0.002	0.18	2.44	6.3	2	1.2	197.0	0.53	<0.05	9.0	0.176	1.58
K301922		420	6.4	66.3	0.002	0.16	1.82	4.3	1	0.9	409	0.38	<0.05	6.4	0.126	0.72
K301923		370	5.6	62.6	<0.002	0.16	5.34	5.9	1	0.9	575	0.36	<0.05	6.2	0.121	1.41
K301924		470	8.1	87.1	<0.002	0.22	1.89	8.0	1	1.1	686	0.45	<0.05	7.9	0.156	0.95
K301925		470	6.3	84.0	<0.002	0.20	2.57	5.0	1	1.0	531	0.41	<0.05	6.9	0.142	0.91
K301926		600	7.5	88.8	0.002	0.27	2.41	5.3	1	1.1	447	0.47	<0.05	7.9	0.158	1.29
K301927		150	4.8	14.5	<0.002	0.08	0.59	1.0	1	0.2	1115	0.07	<0.05	1.2	0.025	0.25
K301928		180	7.8	22.4	<0.002	0.12	0.73	1.5	1	0.4	1440	0.11	<0.05	1.8	0.035	0.36
K301929		310	11.0	41.3	<0.002	0.15	0.51	3.1	1	0.6	1485	0.23	<0.05	3.8	0.075	0.95
K301930		390	10.6	72.9	<0.002	0.31	1.73	5.1	1	0.9	1320	0.36	<0.05	5.8	0.121	0.79
K301931		940	36.1	49.8	0.026	1.60	106.5	5.2	4	2.4	71.4	0.51	0.20	6.5	0.177	3.78
K301932		180	4.3	17.1	<0.002	0.29	1.47	1.4	1	0.3	762	0.09	<0.05	1.4	0.029	0.43
K301933		110	2.3	4.8	<0.002	0.14	0.50	0.6	1	<0.2	810	<0.05	<0.05	0.5	0.009	0.19
K301934		670	14.1	92.1	0.003	0.54	6.56	7.3	3	1.5	657	0.59	<0.05	9.4	0.197	1.44
K301935		230	1.2	1.8	<0.002	<0.01	0.06	0.4	<1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	<0.02
K301936		220	3.7	15.8	<0.002	0.10	1.74	2.0	1	0.3	1140	0.09	<0.05	1.7	0.029	0.40
K301937		320	6.0	45.9	<0.002	0.68	2.10	4.7	1	1.0	790	0.34	<0.05	5.3	0.111	1.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180004

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301902		5.4	9	0.6	2.9	38	5.1
K301903		5.5	9	0.6	3.0	39	4.5
K301904		8.1	20	1.1	6.3	62	37.6
K301905		13.3	57	3.7	9.2	59	67.0
K301906		7.4	65	2.1	15.7	25	112.0
K301907		6.1	37	1.0	11.8	19	73.9
K301908		9.4	17	0.4	6.1	9	29.1
K301909		8.1	171	23.8	15.8	46	164.0
K301910		10.5	23	0.6	7.3	15	35.6
K301911		12.9	17	0.4	4.9	12	29.1
K301912		0.5	2	0.1	1.0	15	0.5
K301913		11.7	21	0.4	5.9	8	30.7
K301914		8.2	22	0.5	7.2	35	33.1
K301915		8.4	23	0.3	6.4	15	24.9
K301916		8.5	66	0.7	16.9	32	108.5
K301917		3.8	40	0.6	13.7	15	114.0
K301918		5.2	60	0.7	14.8	22	127.0
K301919		5.7	74	0.9	15.3	21	132.0
K301920		4.8	41	0.7	12.9	14	116.0
K301921		6.3	63	1.4	14.1	26	94.9
K301922		8.9	42	0.9	10.5	30	64.0
K301923		9.3	48	0.7	8.4	24	42.6
K301924		9.6	57	0.7	10.3	26	49.3
K301925		7.9	54	0.6	10.7	26	53.0
K301926		9.2	64	0.7	11.6	39	68.4
K301927		10.5	22	0.2	3.7	57	10.4
K301928		11.8	23	0.2	4.2	61	13.5
K301929		16.4	40	0.4	5.3	42	22.3
K301930		11.4	58	0.5	8.2	28	30.9
K301931		8.6	236	24.0	19.7	222	63.0
K301932		6.3	15	0.2	4.6	38	14.2
K301933		5.2	5	0.1	3.1	4	5.6
K301934		9.0	72	1.2	11.3	78	81.6
K301935		0.8	3	0.1	0.8	15	<0.5
K301936		12.8	15	0.3	5.1	20	15.1
K301937		10.2	34	0.9	9.0	40	39.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180004

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

CERTIFICATE VA11181164

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181164

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302699		7.66	<0.01	0.17	6.38	99.2	270	1.70	0.23	2.03	0.10	66.1	18.3	82	30.3	58.2
K302700		7.50	<0.01	0.08	2.82	129.0	260	0.54	0.09	2.31	0.21	29.2	9.6	51	13.20	33.3
K302701		8.10	0.04	0.14	5.69	148.0	230	1.32	0.22	2.04	0.18	60.0	16.0	79	27.6	58.0
K302702		8.00	<0.01	0.16	6.63	108.5	400	1.69	0.27	2.29	<0.02	68.6	18.4	78	31.0	59.4
K302703		4.76	<0.01	0.02	0.26	<5	60	0.07	0.03	22.1	0.02	1.99	2.2	6	0.46	2.5
K302704		7.52	<0.01	0.15	6.86	114.5	200	1.80	0.27	2.32	<0.02	71.2	18.3	77	28.7	59.3
K302705		8.00	0.48	0.14	7.20	2570	330	1.78	0.30	2.76	0.02	73.8	18.6	68	19.50	63.3
K302706		8.08	0.41	0.14	7.15	2100	320	1.85	0.31	2.88	0.03	75.1	18.8	69	20.8	60.8
K302707		0.30	2.66	1.12	3.26	618	780	0.75	0.34	8.32	2.31	46.9	5.7	58	3.79	41.6
K302708		8.22	<0.01	0.15	7.29	88.4	260	2.10	0.31	2.08	0.02	79.6	18.7	77	30.0	61.4
K302709		7.38	<0.01	0.16	7.10	114.0	230	2.06	0.30	2.01	0.04	79.3	18.0	74	42.9	60.5
K302710		7.62	<0.01	0.14	6.98	117.0	230	2.07	0.29	1.97	0.05	75.5	17.1	73	42.3	58.0
K302711		7.78	<0.01	0.15	7.40	78.7	240	2.29	0.32	1.99	<0.02	78.9	19.0	76	41.5	62.9
K302712		7.80	<0.01	0.07	7.73	61.8	260	2.08	0.32	2.16	0.05	77.2	21.9	74	51.1	62.7
K302713		8.04	<0.01	0.07	7.63	87.2	270	2.19	0.31	2.02	0.05	74.5	21.2	73	37.5	62.8
K302714		7.62	<0.01	0.08	7.81	234	290	2.13	0.31	3.09	0.05	75.1	21.7	74	22.1	61.2
K302715		8.12	0.01	0.07	8.12	138.5	280	2.45	0.33	1.93	0.06	81.1	21.9	77	37.3	66.5
K302716		8.60	<0.01	0.08	6.84	96.6	230	1.87	0.27	2.04	0.05	65.9	21.3	74	34.4	59.9
K302717		4.94	0.01	<0.01	0.10	<5	20	0.09	0.02	21.7	0.05	1.20	1.2	<1	0.76	4.8
K302718		7.84	<0.01	0.10	7.17	98.5	230	2.01	0.27	1.87	0.06	69.2	21.8	74	32.5	59.9
K302719		7.70	<0.01	0.10	6.75	43.0	210	1.74	0.27	1.69	0.28	66.1	22.1	74	26.2	61.3
K302720		3.70	<0.01	0.09	6.90	44.3	220	1.75	0.26	1.73	0.20	69.2	22.7	75	27.6	62.1
K302721		6.92	<0.01	0.11	7.04	47.7	450	1.60	0.28	1.75	0.13	70.8	23.4	74	24.0	63.7
K302722		8.26	<0.01	0.14	7.61	34.6	300	2.06	0.33	1.70	0.05	83.6	26.1	76	32.1	65.4
K302723		7.46	<0.01	0.12	7.48	23.3	260	2.19	0.33	2.03	0.04	84.4	24.3	73	32.8	67.3
K302724		7.64	<0.01	0.11	6.95	28.5	240	1.92	0.28	2.10	0.04	73.5	21.8	71	29.7	66.1
K302725		0.28	0.33	0.38	6.31	646	720	0.69	0.32	0.48	0.21	158.5	3.3	236	4.33	34.8
K302726		7.98	<0.01	0.10	7.89	107.0	270	2.24	0.33	1.79	0.02	88.9	24.6	76	42.5	70.5
K302727		7.86	<0.01	0.10	7.34	50.0	260	2.24	0.33	1.74	0.03	86.4	24.8	74	47.8	66.6
K302728		8.16	<0.01	0.08	7.47	61.0	260	1.99	0.32	1.71	0.03	81.0	21.2	72	39.7	62.2
K302729		7.82	<0.01	0.09	7.81	52.7	280	2.24	0.33	1.68	0.04	83.9	23.1	75	38.2	65.4
K302730		7.34	<0.01	0.10	7.44	28.4	270	2.15	0.32	1.95	0.03	86.6	24.1	75	31.9	66.5
K302731		8.04	<0.01	0.11	7.63	51.3	280	2.16	0.32	1.66	0.04	81.9	25.0	75	37.6	66.3
K302732		8.04	<0.01	0.10	7.92	70.1	270	2.32	0.34	1.71	0.07	86.6	24.8	75	42.3	66.8
K302733		7.68	<0.01	0.10	6.65	63.3	220	1.79	0.28	2.36	0.12	75.4	23.9	78	32.9	65.2
K302734		8.18	<0.01	0.11	6.89	46.3	230	1.78	0.30	2.06	0.07	78.1	25.0	77	39.9	67.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181164

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302699		4.88	15.60	0.21	3.3	0.17	0.070	2.89	34.3	66.2	2.05	487	0.59	0.04	10.5	39.3
K302700		3.72	6.47	0.08	1.7	0.07	0.029	0.98	15.2	77.1	1.40	766	0.48	0.03	4.6	23.1
K302701		4.94	13.10	0.18	3.1	0.13	0.060	2.47	31.2	81.1	1.95	591	0.85	0.04	9.4	35.7
K302702		5.47	15.05	0.23	3.4	0.10	0.073	3.00	35.4	54.5	2.34	628	0.40	0.04	10.8	41.5
K302703		0.49	0.67	0.35	<0.1	<0.01	0.007	0.12	1.1	2.1	13.20	208	0.18	0.01	0.5	4.9
K302704		5.66	16.35	0.21	3.6	0.12	0.078	3.15	37.1	41.5	2.40	630	0.32	0.04	11.3	39.7
K302705		5.70	17.50	0.21	3.4	1.68	0.075	3.35	38.0	17.0	1.64	759	0.29	0.03	12.0	41.9
K302706		5.63	17.15	0.22	3.5	1.53	0.074	3.33	38.8	16.7	1.69	962	0.24	0.03	12.0	40.8
K302707		2.20	7.29	0.09	1.8	3.99	0.029	1.01	31.3	35.9	2.61	281	17.20	0.04	6.8	51.6
K302708		5.55	18.00	0.23	3.7	0.15	0.083	3.41	40.7	28.4	2.16	623	0.32	0.04	12.3	41.7
K302709		5.51	17.20	0.25	3.6	0.10	0.082	3.34	40.4	50.7	2.39	628	0.30	0.04	12.0	41.0
K302710		5.29	16.20	0.24	3.5	0.09	0.077	3.29	39.6	53.1	2.33	663	0.28	0.04	11.6	37.9
K302711		5.67	17.85	0.23	3.6	0.09	0.081	3.46	41.4	67.3	2.43	648	0.34	0.04	12.5	41.9
K302712		5.42	20.8	0.20	3.6	0.12	0.079	3.47	37.4	98.8	2.54	715	0.36	0.03	12.8	39.3
K302713		5.13	20.5	0.21	3.4	0.10	0.076	3.42	36.5	79.6	2.28	712	0.41	0.03	12.6	37.9
K302714		5.46	20.4	0.21	3.4	0.18	0.077	3.59	36.8	27.1	2.47	742	0.37	0.03	12.7	38.9
K302715		5.42	22.0	0.22	3.7	0.09	0.084	3.64	39.5	86.5	2.39	647	0.35	0.03	13.6	40.0
K302716		5.21	18.05	0.19	3.2	0.07	0.069	2.87	32.3	84.7	2.25	793	0.51	0.03	11.0	37.0
K302717		0.48	0.34	0.09	<0.1	<0.01	<0.005	0.05	0.6	1.7	13.50	213	0.12	<0.01	0.4	1.0
K302718		5.52	19.10	0.19	3.6	0.06	0.077	2.98	33.6	130.5	2.41	706	0.38	0.03	12.0	37.9
K302719		5.28	17.95	0.20	3.4	0.06	0.070	2.64	32.0	114.5	2.20	607	0.45	0.02	11.3	37.1
K302720		5.38	18.65	0.20	3.4	0.06	0.069	2.70	33.4	118.5	2.22	620	0.49	0.03	11.8	38.0
K302721		5.31	18.10	0.16	3.1	0.09	0.072	2.72	30.9	79.2	2.25	628	0.41	0.03	12.4	36.4
K302722		5.53	21.4	0.18	3.5	0.09	0.086	2.89	36.0	81.3	2.20	650	0.44	0.03	14.5	42.5
K302723		5.70	21.4	0.20	3.5	0.06	0.086	2.91	36.1	85.3	2.42	814	0.33	0.03	14.8	40.0
K302724		5.52	20.4	0.14	3.8	0.05	0.083	2.91	36.2	80.0	2.31	869	0.48	0.04	13.6	39.5
K302725		6.79	22.0	0.22	4.4	8.9	0.052	1.33	69.1	21.2	0.13	27	6.59	0.37	11.1	17.0
K302726		5.79	22.1	0.21	3.6	0.04	0.086	3.17	38.3	103.5	2.39	735	0.31	0.03	15.3	40.2
K302727		5.48	21.9	0.24	3.6	0.03	0.085	2.90	37.5	91.0	2.29	636	0.28	0.06	14.9	40.8
K302728		5.25	20.4	0.22	3.5	0.03	0.080	2.99	35.0	103.0	2.30	651	0.33	0.03	13.9	36.2
K302729		5.26	21.4	0.22	3.6	0.03	0.082	3.23	36.4	115.0	2.31	639	0.39	0.03	14.5	38.2
K302730		5.67	21.8	0.24	3.6	0.04	0.086	2.89	37.0	124.5	2.46	762	0.33	0.03	14.9	40.6
K302731		5.58	20.7	0.21	3.4	0.04	0.082	3.05	35.6	126.5	2.37	651	0.51	0.03	14.3	39.6
K302732		5.45	21.7	0.22	3.7	0.03	0.081	3.25	37.8	129.5	2.37	670	0.41	0.04	14.7	40.6
K302733		5.65	19.00	0.21	3.3	0.03	0.075	2.40	32.3	105.0	2.38	825	0.44	0.04	13.2	39.2
K302734		5.54	20.2	0.22	3.4	0.03	0.080	2.64	33.7	130.0	2.46	623	0.40	0.03	13.9	41.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181164

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302699		560	22.7	154.5	<0.002	0.34	0.92	19.6	1	2.6	113.5	0.88	0.05	10.0	0.552	1.25
K302700		240	13.4	50.4	<0.002	0.09	0.36	8.5	<1	2.0	86.4	0.37	<0.05	4.6	0.325	0.52
K302701		470	19.4	124.0	<0.002	0.19	0.74	17.6	1	3.0	92.5	0.78	0.05	9.6	0.536	1.05
K302702		540	18.4	148.0	<0.002	0.36	0.67	20.1	1	2.6	108.5	0.90	0.08	10.3	0.563	1.20
K302703		220	1.5	4.3	<0.002	0.01	<0.05	0.6	<1	<0.2	41.1	<0.05	<0.05	<0.2	0.010	0.02
K302704		580	18.0	153.5	<0.002	0.56	0.57	21.4	1	2.5	107.0	0.98	0.08	10.6	0.575	1.34
K302705		590	15.5	154.0	<0.002	5.31	11.15	21.3	1	2.7	150.0	1.00	0.09	10.9	0.598	7.86
K302706		620	16.4	156.5	<0.002	5.30	10.15	22.3	1	2.8	138.5	1.02	0.09	11.1	0.586	8.69
K302707		950	39.1	49.5	0.026	1.59	110.0	5.6	4	2.6	69.0	0.52	0.21	6.5	0.178	3.90
K302708		600	17.7	171.5	<0.002	1.45	0.72	22.7	1	2.6	119.5	1.04	0.08	11.2	0.576	1.85
K302709		600	19.6	171.0	<0.002	0.16	0.47	21.9	2	2.6	103.0	1.01	0.09	11.3	0.557	1.09
K302710		570	18.4	173.0	<0.002	0.15	0.45	21.3	2	2.4	78.4	1.00	0.07	11.2	0.535	1.04
K302711		610	20.5	183.0	<0.002	0.21	0.60	23.8	2	2.6	91.5	1.03	0.07	11.8	0.563	1.21
K302712		630	19.3	204	<0.002	0.27	0.53	21.3	2	2.5	102.0	0.93	0.07	13.4	0.574	1.27
K302713		600	19.8	187.5	<0.002	0.35	0.79	21.1	2	2.6	101.0	0.90	0.06	13.3	0.564	1.15
K302714		620	16.8	175.5	<0.002	0.69	3.92	20.6	2	2.5	166.0	0.91	0.07	12.8	0.568	1.31
K302715		610	19.1	200	<0.002	0.41	0.74	22.1	2	2.7	103.5	0.97	0.07	13.9	0.595	1.28
K302716		520	19.6	161.0	<0.002	0.35	0.64	19.1	2	2.6	96.1	0.81	0.05	11.4	0.543	0.99
K302717		190	1.2	4.7	<0.002	0.01	<0.05	0.3	2	0.2	42.9	<0.05	<0.05	<0.2	<0.005	0.02
K302718		520	17.6	176.0	<0.002	0.29	0.52	19.7	2	2.4	90.1	0.88	0.06	12.1	0.577	1.16
K302719		570	17.2	156.5	<0.002	0.17	0.46	19.6	2	2.3	91.3	0.84	0.06	11.5	0.577	0.99
K302720		590	16.0	163.0	<0.002	0.19	0.44	20.0	2	2.5	93.6	0.85	0.06	11.7	0.585	1.01
K302721		480	21.2	147.0	<0.002	0.34	0.63	20.6	2	2.4	115.5	0.92	0.07	11.1	0.583	2.48
K302722		530	23.4	172.5	<0.002	0.54	0.63	23.7	2	2.6	108.0	1.05	0.08	12.5	0.592	1.66
K302723		540	25.1	173.5	<0.002	0.27	0.47	23.8	2	2.7	109.0	1.06	0.07	12.5	0.583	1.20
K302724		540	22.1	167.0	<0.002	0.30	0.56	19.3	2	2.6	118.0	1.03	0.06	13.0	0.547	1.12
K302725		930	19.8	50.7	0.003	3.22	118.5	18.2	3	3.1	515	0.85	0.16	11.4	0.564	9.49
K302726		620	18.8	193.0	<0.002	0.26	0.74	24.9	2	2.7	103.5	1.11	0.07	12.7	0.602	1.27
K302727		660	19.3	184.0	<0.002	0.19	0.50	24.0	2	2.6	102.5	1.07	0.08	12.5	0.577	1.20
K302728		560	17.1	177.0	<0.002	0.17	0.41	22.6	2	2.5	95.8	1.04	0.07	12.0	0.578	1.21
K302729		580	18.5	192.5	<0.002	0.29	0.51	23.6	2	2.6	124.0	1.08	0.07	12.8	0.591	1.31
K302730		710	20.7	178.5	<0.002	0.23	0.45	24.1	2	2.6	118.5	1.09	0.08	12.2	0.582	1.30
K302731		570	22.8	182.5	<0.002	0.37	0.61	23.3	2	2.5	102.0	1.04	0.07	12.1	0.593	1.28
K302732		570	21.1	194.0	<0.002	0.32	0.62	24.1	2	2.6	99.6	1.11	0.07	12.7	0.594	1.30
K302733		590	18.0	151.5	<0.002	0.15	0.45	23.0	2	2.3	121.0	0.97	0.07	11.6	0.604	1.03
K302734		510	17.9	166.5	<0.002	0.13	0.49	23.9	2	2.4	162.0	1.02	0.07	11.6	0.599	1.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181164

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302699		2.0	149	1.5	19.3	97	105.0
K302700		0.9	92	0.9	10.2	93	51.2
K302701		1.8	145	1.3	17.1	101	94.2
K302702		2.2	149	1.5	19.9	66	104.0
K302703		0.7	6	0.1	1.0	15	0.7
K302704		2.3	153	1.8	21.8	70	110.5
K302705		2.3	159	8.8	21.4	67	110.5
K302706		2.4	154	8.4	21.6	77	110.5
K302707		8.6	232	24.5	18.5	223	59.7
K302708		2.4	151	2.2	22.8	84	116.0
K302709		2.4	146	1.3	22.6	88	111.5
K302710		2.4	138	1.3	21.4	89	107.5
K302711		2.4	146	1.3	23.1	90	115.0
K302712		2.6	149	1.6	25.9	86	130.0
K302713		2.6	149	2.3	25.2	78	126.5
K302714		2.4	149	9.9	24.8	66	125.0
K302715		2.7	156	2.2	26.4	87	136.0
K302716		2.2	146	1.6	22.3	71	116.5
K302717		0.6	2	0.1	0.9	11	0.5
K302718		2.3	152	1.5	23.8	84	126.0
K302719		2.3	156	1.9	23.1	131	120.0
K302720		2.4	158	1.8	23.7	105	121.5
K302721		2.1	153	2.0	22.5	97	107.0
K302722		2.6	156	1.7	27.6	93	122.0
K302723		2.6	152	1.5	28.0	77	121.0
K302724		2.6	139	1.6	28.3	80	129.5
K302725		8.4	175	24.4	16.3	41	169.5
K302726		2.6	158	1.6	28.6	80	126.5
K302727		2.6	150	1.5	29.3	76	123.0
K302728		2.5	150	1.5	26.6	69	117.5
K302729		2.6	152	1.5	27.8	75	124.0
K302730		2.6	151	1.6	29.9	80	124.5
K302731		2.4	154	1.5	26.6	84	119.0
K302732		2.6	156	1.5	28.1	81	124.5
K302733		2.3	166	1.4	26.2	89	113.0
K302734		2.4	162	1.4	26.0	79	119.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11181164

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

CERTIFICATE VA11180005

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180005

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300398		5.26	<0.01	0.14	0.22	519	40	0.12	0.03	19.05	0.75	4.91	1.0	<1	0.17	2.7
K300399		5.10	0.04	0.10	0.18	1800	30	0.11	0.04	19.40	1.47	3.59	1.0	<1	0.13	5.5
K300400		1.88	<0.01	0.08	0.26	1500	140	0.12	0.02	17.95	0.27	5.76	1.1	<1	0.28	18.3
K300401		0.28	0.33	0.29	6.13	598	790	0.48	0.24	0.47	0.16	138.5	2.6	232	3.40	36.3
K300402		3.12	<0.01	0.06	0.15	647	50	0.09	0.01	19.70	0.61	5.44	0.9	1	0.15	2.9
K300403		4.96	<0.01	0.01	0.06	9	20	0.07	0.04	21.1	0.07	1.62	1.0	<1	0.22	2.2
K300404		4.80	<0.01	0.06	0.21	143	50	0.11	0.01	19.20	0.07	6.86	1.1	2	0.11	2.8
K300405		4.86	<0.01	0.07	0.23	167	50	0.13	0.01	19.40	0.05	6.49	1.0	2	0.11	2.5
K300406		4.80	<0.01	0.21	0.14	191	40	0.11	0.01	19.95	2.16	4.98	0.8	<1	0.10	5.5
K300407		5.10	<0.01	0.16	0.23	267	150	0.10	0.02	20.1	2.77	10.05	1.1	2	0.12	3.3
K300408		2.74	<0.01	0.14	0.21	226	70	0.11	0.02	20.2	1.01	9.24	1.1	1	0.12	3.0
K300409		5.16	<0.01	0.05	0.21	97	70	0.14	0.01	20.9	0.06	8.18	1.0	1	0.12	3.6
K300410		5.40	<0.01	0.02	0.11	32	30	0.12	0.01	20.1	0.03	4.96	0.8	1	0.07	2.0
K300411		5.46	<0.01	0.04	0.14	51	30	0.13	0.01	20.2	0.02	6.05	0.9	1	0.12	2.1
K300412		5.46	<0.01	0.02	0.09	44	30	0.16	0.01	21.1	0.02	4.47	0.8	1	0.06	1.6
K300413		5.48	<0.01	0.06	0.13	284	40	0.11	0.01	21.1	0.04	5.46	0.9	1	0.09	2.5
K300414		5.58	<0.01	0.04	0.14	49	40	0.17	0.01	20.3	0.17	4.91	0.9	1	0.10	1.8
K300415		5.52	<0.01	0.02	0.12	35	30	0.10	0.01	21.5	<0.02	4.07	0.9	1	0.07	1.9
K300416		5.56	<0.01	0.02	0.12	26	30	0.12	0.01	21.2	<0.02	3.89	0.9	<1	0.08	1.4
K300417		5.20	<0.01	0.02	0.16	41	40	0.11	0.01	21.2	0.02	5.08	0.9	1	0.10	1.8
K300418		5.50	<0.01	0.03	0.22	23	60	0.14	0.02	20.6	0.02	8.21	1.1	1	0.15	2.2
K300419		5.34	<0.01	0.02	0.15	29	50	0.15	0.01	20.1	<0.02	6.29	0.9	<1	0.08	1.9
K300420		5.28	<0.01	0.07	0.19	68	60	0.12	0.01	19.30	4.90	10.30	1.0	1	0.11	2.7
K300421		5.34	<0.01	0.06	1.07	80	150	0.27	0.05	18.55	0.10	24.6	2.6	7	0.73	6.3
K300422		5.22	<0.01	0.04	1.31	30	140	0.26	0.07	19.00	0.02	28.9	3.2	7	1.00	6.5
K300423		2.72	0.01	0.09	0.93	98	180	0.22	0.04	17.20	0.02	19.90	2.5	5	0.59	4.5
K300424		4.58	0.01	0.08	0.33	112	190	0.13	0.01	17.05	0.87	7.13	1.1	3	0.17	2.2
K300425		5.62	0.01	0.05	0.04	94	20	0.15	<0.01	20.3	2.77	1.63	0.7	<1	<0.05	1.3
K300426		5.22	<0.01	0.01	0.08	37	20	0.19	<0.01	20.7	0.05	2.04	0.7	<1	<0.05	1.4
K300427		5.38	0.01	0.03	0.12	48	30	0.11	0.01	19.70	0.78	2.95	0.7	<1	0.05	1.3
K300428		0.28	2.50	1.02	3.08	516	870	0.69	0.31	8.07	2.23	49.9	6.6	49	3.97	40.4
K300429		4.46	0.05	0.08	0.18	112	90	0.17	0.01	19.60	6.07	6.03	0.9	1	0.07	1.9
K300430		5.38	0.07	0.09	0.33	174	180	0.22	0.02	19.70	0.09	9.52	1.3	2	0.14	4.5
K300431		5.32	0.01	0.11	0.26	176	90	0.21	0.01	19.55	0.09	8.49	1.5	2	0.11	7.2
K300432		2.18	<0.01	0.10	0.19	54	60	0.18	0.01	19.55	0.11	6.98	1.6	1	0.11	6.1
K300433		4.94	<0.01	0.01	0.05	<5	20	0.05	0.02	21.3	0.05	1.34	1.3	<1	0.17	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180005

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300398		0.85	0.59	0.07	0.1	72.2	<0.005	0.06	2.2	0.9	11.30	854	0.54	0.01	0.5	2.9
K300399		0.72	0.57	0.07	<0.1	20.6	0.007	0.04	1.6	0.9	11.35	1100	0.39	0.01	0.3	2.0
K300400		0.62	0.78	0.08	<0.1	9.4	0.005	0.04	3.0	1.4	10.55	1180	0.41	0.01	0.4	3.0
K300401		6.47	19.60	0.20	4.2	9.0	0.045	1.34	55.8	13.0	0.13	37	6.23	0.37	9.2	16.2
K300402		0.64	0.48	0.05	<0.1	3.93	0.005	0.04	3.5	0.9	12.15	1100	0.36	0.01	0.3	1.0
K300403		0.42	0.25	0.07	<0.1	0.11	<0.005	0.03	0.7	1.0	13.25	191	0.15	0.01	0.3	0.6
K300404		1.06	0.60	0.06	<0.1	2.66	<0.005	0.04	4.2	1.0	11.65	1380	0.54	0.01	0.5	1.7
K300405		1.05	0.62	0.05	<0.1	2.25	<0.005	0.05	3.8	1.2	11.75	1600	0.36	0.01	0.4	1.2
K300406		1.35	0.51	0.07	<0.1	4.82	0.008	0.04	3.1	0.8	12.10	1640	0.63	0.01	0.3	0.5
K300407		2.07	0.70	0.08	<0.1	5.10	0.006	0.06	6.6	1.0	12.05	1720	0.41	0.01	0.6	1.5
K300408		2.00	0.66	0.08	<0.1	2.99	0.005	0.06	6.0	1.0	12.10	1720	0.28	0.01	0.5	1.4
K300409		1.56	0.64	0.07	<0.1	0.97	<0.005	0.06	5.3	0.8	12.70	1840	0.24	0.01	0.5	1.7
K300410		0.88	0.44	0.05	<0.1	0.61	0.005	0.03	3.2	0.6	12.30	1440	0.09	0.01	0.3	1.2
K300411		1.11	0.52	0.07	<0.1	0.57	<0.005	0.05	3.9	0.8	12.35	1900	0.11	0.01	0.3	1.3
K300412		0.71	0.43	0.06	<0.1	0.28	0.006	0.03	3.0	0.6	13.05	1630	0.10	0.01	0.2	1.1
K300413		0.87	0.48	0.07	<0.1	0.68	<0.005	0.04	3.5	0.8	12.90	1300	0.14	0.01	0.3	0.8
K300414		0.67	0.49	0.07	<0.1	12.5	<0.005	0.05	3.1	0.7	12.45	1360	0.11	0.01	0.3	1.4
K300415		0.63	0.42	0.06	<0.1	0.50	<0.005	0.04	2.7	0.6	13.25	1330	0.17	0.01	0.2	0.7
K300416		0.44	0.45	0.07	<0.1	0.43	<0.005	0.04	2.5	0.7	13.05	1120	0.20	0.01	0.3	0.8
K300417		0.86	0.48	0.07	<0.1	0.55	<0.005	0.05	3.2	0.8	12.85	1240	0.11	0.01	0.3	0.8
K300418		1.29	0.68	0.06	<0.1	0.80	<0.005	0.08	5.5	0.8	12.45	1710	0.09	0.01	0.5	1.2
K300419		1.08	0.53	0.07	<0.1	0.77	<0.005	0.05	4.4	0.7	12.20	1760	0.09	0.01	0.3	1.0
K300420		3.04	0.85	0.09	<0.1	3.01	0.008	0.07	6.5	0.7	11.35	2480	0.16	0.01	0.4	1.2
K300421		1.66	2.09	0.09	0.4	3.15	0.008	0.40	16.0	2.0	11.15	1720	0.16	0.02	2.1	3.8
K300422		1.29	2.67	0.08	0.4	2.22	0.011	0.49	20.1	2.7	11.35	1360	0.11	0.02	2.3	3.5
K300423		0.99	2.09	0.07	0.3	4.08	0.006	0.32	12.2	2.4	10.35	1380	0.32	0.01	1.5	3.0
K300424		0.84	0.84	<0.05	0.1	10.1	0.008	0.09	4.0	1.3	10.30	1210	0.49	0.01	0.6	1.0
K300425		0.72	0.33	0.07	<0.1	7.45	0.005	0.01	0.9	0.7	12.45	1280	0.24	0.01	0.2	0.9
K300426		0.64	0.38	0.07	<0.1	0.89	<0.005	0.02	1.1	0.7	12.85	1230	0.35	0.01	0.2	0.8
K300427		0.89	0.47	0.07	<0.1	3.07	0.005	0.04	1.6	0.7	12.10	1200	0.49	0.01	0.3	1.2
K300428		2.07	7.33	0.14	1.4	4.86	0.029	0.95	31.4	34.9	2.54	270	18.30	0.03	7.0	48.9
K300429		1.29	0.86	0.07	<0.1	11.4	0.028	0.05	3.3	0.8	11.85	1620	0.89	0.01	0.4	1.9
K300430		2.55	0.88	0.09	0.1	13.9	0.005	0.09	5.4	1.2	11.95	1600	1.78	0.01	0.8	2.2
K300431		1.86	0.86	0.07	0.1	12.0	0.005	0.07	4.7	1.1	11.85	1740	2.59	0.01	0.6	1.9
K300432		1.32	0.60	0.08	<0.1	3.54	<0.005	0.06	3.9	0.9	12.00	1420	1.61	0.01	0.4	2.1
K300433		0.47	0.29	0.10	<0.1	0.02	0.006	0.02	0.6	0.9	13.35	216	<0.05	0.01	0.2	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180005

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300398		310	50.8	2.7	<0.002	0.09	5.83	0.5	3	0.2	103.0	<0.05	<0.05	0.6	0.009	2.52
K300399		270	27.6	1.5	<0.002	0.30	6.04	0.5	2	<0.2	89.6	<0.05	<0.05	0.3	0.005	6.80
K300400		440	27.3	1.5	<0.002	0.35	2.44	0.5	2	<0.2	144.5	<0.05	<0.05	0.5	0.008	16.45
K300401		890	17.4	52.7	0.003	3.02	111.0	15.6	2	2.7	503	0.76	0.13	8.7	0.534	7.56
K300402		340	22.0	1.4	<0.002	0.14	1.62	0.5	2	0.2	131.5	<0.05	<0.05	0.4	0.007	12.15
K300403		270	1.9	1.5	<0.002	0.01	0.06	0.3	2	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	0.05
K300404		500	15.3	1.5	<0.002	0.17	0.63	0.5	2	0.2	106.0	<0.05	<0.05	0.6	0.009	1.14
K300405		570	15.7	1.5	<0.002	0.15	0.53	0.6	2	<0.2	108.0	<0.05	<0.05	0.6	0.009	1.30
K300406		310	35.1	1.3	<0.002	0.25	1.93	0.4	2	<0.2	97.6	<0.05	<0.05	0.3	<0.005	0.74
K300407		400	46.6	2.1	<0.002	0.83	4.69	0.6	2	0.2	138.5	<0.05	<0.05	0.7	0.011	1.52
K300408		330	39.1	1.9	<0.002	0.74	4.16	0.6	2	0.2	114.5	<0.05	<0.05	0.6	0.010	1.52
K300409		390	14.8	1.9	<0.002	0.64	0.86	0.5	2	<0.2	112.5	<0.05	<0.05	0.6	0.009	1.34
K300410		280	8.8	1.2	<0.002	0.33	0.44	0.3	2	<0.2	81.3	<0.05	<0.05	0.3	<0.005	0.84
K300411		360	11.9	1.6	<0.002	0.55	0.75	0.4	2	<0.2	76.4	<0.05	<0.05	0.4	0.005	0.88
K300412		310	6.2	0.9	<0.002	0.15	0.46	0.3	2	<0.2	72.0	<0.05	<0.05	0.2	<0.005	0.49
K300413		380	21.8	1.3	<0.002	0.22	1.31	0.4	2	<0.2	90.3	<0.05	<0.05	0.3	0.005	4.66
K300414		290	9.6	1.7	<0.002	0.17	0.56	0.4	2	<0.2	108.0	<0.05	<0.05	0.3	0.005	0.82
K300415		330	7.5	1.3	<0.002	0.14	0.27	0.3	2	<0.2	94.4	<0.05	<0.05	0.3	<0.005	0.43
K300416		370	5.0	1.3	<0.002	0.08	0.37	0.3	2	<0.2	87.4	<0.05	<0.05	0.3	0.005	0.53
K300417		290	7.4	1.7	<0.002	0.18	0.45	0.4	2	<0.2	97.5	<0.05	<0.05	0.4	0.006	0.65
K300418		320	10.9	2.5	<0.002	0.56	0.39	0.5	2	<0.2	96.1	<0.05	<0.05	0.6	0.009	2.99
K300419		310	9.1	1.5	<0.002	0.48	0.55	0.4	2	<0.2	97.5	<0.05	<0.05	0.4	0.006	2.03
K300420		350	24.1	2.0	<0.002	2.19	1.63	0.5	2	0.2	113.0	<0.05	<0.05	0.5	0.007	2.32
K300421		540	32.8	11.2	<0.002	1.22	0.86	2.0	2	0.4	171.5	0.15	<0.05	2.8	0.048	11.95
K300422		540	14.0	13.8	<0.002	0.60	0.32	2.4	2	0.5	173.5	0.16	<0.05	3.2	0.050	5.64
K300423		570	16.9	10.3	<0.002	0.51	0.90	1.9	2	0.4	185.0	0.11	<0.05	2.1	0.038	2.60
K300424		330	13.2	2.9	<0.002	0.31	1.10	0.6	2	0.2	155.5	<0.05	<0.05	0.7	0.015	1.60
K300425		160	15.2	0.3	<0.002	0.23	1.23	0.2	2	<0.2	92.1	<0.05	<0.05	<0.2	<0.005	1.28
K300426		150	7.1	0.8	<0.002	0.12	0.50	0.2	2	<0.2	99.0	<0.05	<0.05	0.2	<0.005	0.66
K300427		180	8.6	1.2	<0.002	0.44	0.22	0.3	2	<0.2	98.9	<0.05	<0.05	0.2	<0.005	1.08
K300428		890	38.2	51.2	0.022	1.50	106.5	5.0	4	2.5	66.8	0.46	0.23	6.8	0.165	4.00
K300429		330	21.2	1.6	<0.002	0.62	1.30	0.4	2	0.2	137.0	<0.05	<0.05	0.4	0.008	3.65
K300430		430	53.5	3.0	<0.002	2.41	0.92	0.6	1	0.2	242	0.06	<0.05	1.0	0.020	23.2
K300431		420	44.6	2.6	0.002	1.64	0.86	0.6	2	0.2	154.5	<0.05	<0.05	0.7	0.014	21.1
K300432		350	43.8	1.9	<0.002	1.05	0.88	0.5	2	<0.2	108.5	<0.05	<0.05	0.5	0.010	4.13
K300433		190	1.4	1.1	<0.002	0.02	0.05	0.3	2	<0.2	47.0	<0.05	<0.05	<0.2	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180005

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300398		2.3	2	0.7	3.9	151	9.0
K300399		1.7	2	0.3	3.4	290	4.4
K300400		4.2	3	0.5	3.5	58	5.1
K300401		7.8	165	20.6	16.8	42	148.0
K300402		2.5	3	0.3	3.7	146	2.9
K300403		0.5	3	0.1	0.9	18	<0.5
K300404		2.4	3	0.4	4.2	21	4.7
K300405		2.3	4	0.3	3.9	19	4.3
K300406		1.8	3	0.2	3.1	442	2.1
K300407		2.6	3	0.4	4.1	447	4.7
K300408		2.3	3	0.4	4.0	161	4.1
K300409		2.5	3	0.2	4.3	21	3.5
K300410		2.0	2	0.1	3.1	8	2.3
K300411		1.8	2	0.1	3.8	9	2.7
K300412		2.2	2	0.1	2.7	10	1.8
K300413		2.3	3	0.2	3.5	13	2.4
K300414		2.1	2	0.2	2.9	40	2.5
K300415		1.7	2	0.1	2.7	4	2.0
K300416		1.6	2	0.1	2.5	5	2.8
K300417		1.7	2	0.1	2.8	7	2.6
K300418		2.1	3	0.2	3.4	9	3.3
K300419		1.9	2	0.1	3.0	5	2.4
K300420		2.1	3	0.2	4.5	872	3.0
K300421		3.7	11	0.8	6.8	37	17.0
K300422		3.4	10	0.7	7.5	7	18.1
K300423		2.0	8	1.2	6.1	10	15.8
K300424		1.2	3	0.6	2.9	223	7.1
K300425		0.8	1	0.1	1.6	435	1.0
K300426		0.8	2	0.1	1.7	17	1.5
K300427		0.8	2	0.2	1.8	187	1.9
K300428		8.1	224	26.3	19.6	212	56.7
K300429		1.3	2	0.4	2.9	1360	3.7
K300430		2.2	4	1.1	3.3	31	8.1
K300431		2.1	4	0.6	3.6	32	6.1
K300432		2.1	3	0.3	3.0	28	4.4
K300433		0.5	2	0.1	0.8	14	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11180005

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

CERTIFICATE VA11183556

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D- Batch 171

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183556

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K300434		3.48	<0.01	0.10	0.51	139	320	0.21	0.04	19.65	0.06	8.17	1.6	7	0.23	7.2
K300435		0.28	7.75	0.47	3.56	1020	170	0.79	0.58	12.30	4.09	40.8	5.0	95	6.91	30.3
K300436		3.28	<0.01	0.10	0.28	67	170	0.16	0.03	19.90	0.20	6.34	1.1	4	0.11	4.1
K300437		4.62	<0.01	0.12	0.74	178	610	0.23	0.04	19.10	0.03	8.95	2.0	8	0.32	22.7
K300438		4.22	<0.01	0.19	1.04	103	290	0.30	0.06	18.55	0.03	13.95	2.7	10	0.71	10.3
K300439		5.16	<0.01	0.09	0.84	51	80	0.19	0.05	19.90	0.08	10.70	1.8	8	0.52	4.5
K300440		2.16	<0.01	0.08	0.73	50	160	0.21	0.04	19.55	<0.02	8.73	1.5	7	0.39	3.5
K300441		1.74	<0.01	0.05	8.55	14.4	350	2.25	0.29	2.91	0.07	80.2	18.1	68	8.29	34.3
K300442		1.62	<0.01	0.29	8.75	31.0	570	2.84	0.36	1.47	0.15	95.9	21.1	81	10.85	49.1
K300443		5.58	<0.01	0.16	9.20	51.6	280	2.73	0.36	1.06	0.02	82.9	25.5	75	13.25	43.7
K300444		5.80	<0.01	0.08	9.02	18.0	250	2.27	0.34	1.09	0.02	89.1	20.2	71	12.20	40.0
K300445		4.66	<0.01	0.05	8.85	14.1	250	2.27	0.33	1.45	0.03	81.1	18.7	70	11.75	39.7
K300446		0.28	0.32	0.29	6.28	622	1720	0.52	0.28	0.46	0.19	133.0	2.8	242	3.30	28.4
K300447		5.68	<0.01	0.06	9.22	14.3	260	2.59	0.35	1.66	0.02	95.6	19.8	71	12.45	42.1
K300448		2.84	<0.01	0.03	8.91	13.8	360	2.44	0.31	2.41	0.04	92.0	18.4	66	11.35	37.6
K300449		6.02	<0.01	0.04	9.20	11.5	260	2.55	0.35	1.89	0.02	93.6	19.0	72	12.40	39.8
K300450		1.96	<0.01	0.04	9.28	11.6	250	2.63	0.34	1.87	0.02	93.4	20.5	70	12.35	43.8
K300451		5.42	<0.01	0.04	9.37	15.4	250	2.84	0.32	1.87	0.03	98.4	18.8	71	12.20	39.5
K300452		5.60	<0.01	0.05	9.23	21.0	240	2.42	0.36	1.71	0.03	92.8	19.7	70	12.30	39.6
K300453		6.86	<0.01	0.04	9.35	18.1	240	2.63	0.34	1.94	0.04	101.0	20.6	71	13.00	45.8
K300454		5.26	<0.01	0.05	8.84	18.9	230	2.60	0.35	1.90	0.03	88.2	19.5	68	11.50	39.5
K300455		5.78	<0.01	0.04	8.54	23.6	220	2.27	0.34	2.15	0.05	82.5	18.6	65	10.80	37.1
K300456		5.52	<0.01	0.05	8.69	20.6	220	2.39	0.32	2.49	0.04	92.6	17.5	65	11.35	33.1
K300457		5.54	<0.01	0.03	8.99	20.0	230	2.56	0.33	2.61	0.04	92.0	18.2	68	11.10	34.2
K300458		5.28	<0.01	0.04	8.77	17.3	220	2.34	0.31	2.50	0.05	88.8	17.0	65	10.25	35.2
K300459		4.94	<0.01	0.06	0.12	5	20	<0.05	0.13	21.2	0.19	1.42	0.8	2	0.27	3.0
K300460		5.40	<0.01	0.03	8.67	30.1	220	2.49	0.33	2.71	0.03	97.0	17.4	65	11.35	35.2
K300461		5.36	<0.01	0.04	8.61	39.3	220	2.30	0.35	3.04	0.05	95.6	18.9	66	11.70	41.8
K300462		5.56	<0.01	0.04	8.54	57.5	220	2.41	0.33	2.99	0.05	89.1	17.3	65	11.15	38.4
K300463		5.42	<0.01	0.03	8.57	106.0	230	2.27	0.34	3.03	0.04	81.9	16.5	63	10.35	38.1
K300464		3.36	<0.01	0.04	8.12	90.5	320	2.05	0.31	3.97	0.04	78.7	16.6	60	9.30	39.2
K300465		2.00	<0.01	0.03	8.32	150.5	210	2.20	0.31	3.67	0.03	83.6	17.4	62	9.98	32.9
K300466		4.94	<0.01	0.01	0.09	<5	20	0.06	0.04	20.8	0.05	1.21	0.9	1	0.33	2.2
K300467		5.18	<0.01	0.02	8.19	163.5	310	1.95	0.32	3.84	0.05	92.2	16.3	59	9.50	38.9
K300468		4.92	<0.01	0.16	8.07	831	200	1.67	0.34	3.30	0.04	87.9	16.0	60	9.14	41.8
K300469		4.36	<0.01	0.08	6.95	1290	270	1.14	0.27	9.51	0.08	84.4	10.9	44	7.51	33.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183556

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300434		1.54	1.08	0.13	0.3	9.9	0.007	0.11	4.9	1.8	11.95	1600	4.48	0.02	1.0	2.4
K300435		1.36	6.79	0.24	2.3	5.53	0.065	1.44	26.8	9.2	0.72	273	10.65	0.01	7.1	56.7
K300436		1.15	0.73	0.15	0.2	5.67	0.008	0.07	3.9	1.1	12.00	1580	1.82	0.01	0.5	1.7
K300437		1.57	1.49	0.13	0.5	11.8	0.010	0.17	5.3	2.2	11.50	1800	4.26	0.02	1.2	3.7
K300438		1.57	2.46	0.13	0.7	5.89	0.012	0.34	7.8	3.0	11.15	1500	6.44	0.01	1.8	5.9
K300439		1.32	1.93	0.16	0.7	2.50	0.010	0.28	5.9	2.7	11.90	1400	4.03	0.02	1.3	3.3
K300440		1.37	1.47	0.13	0.4	2.22	0.007	0.21	4.9	2.4	11.65	1440	2.88	0.01	1.2	2.9
K300441		4.49	23.4	0.22	3.4	0.04	0.083	3.11	41.9	63.9	1.36	817	0.36	0.17	12.9	36.7
K300442		4.51	25.2	0.22	3.8	0.04	0.093	3.11	53.0	73.0	1.24	1160	3.14	0.07	13.5	38.3
K300443		4.89	25.8	0.18	3.7	0.03	0.083	3.33	45.2	72.8	1.62	668	1.01	0.07	13.6	41.4
K300444		4.97	24.9	0.20	3.4	0.01	0.079	3.12	47.1	73.0	1.64	561	1.24	0.06	12.9	37.9
K300445		4.64	22.8	0.22	3.2	0.01	0.075	3.14	44.7	58.5	1.63	791	0.46	0.06	12.1	33.4
K300446		6.78	19.90	0.20	4.2	8.3	0.044	1.34	64.9	16.7	0.13	36	6.51	0.37	9.6	15.2
K300447		4.76	25.1	0.20	3.2	0.02	0.091	3.40	51.7	58.6	1.73	804	0.58	0.06	12.9	36.3
K300448		4.64	23.4	0.19	3.6	0.01	0.071	3.10	53.4	59.3	2.00	1060	0.83	0.06	12.2	33.0
K300449		4.67	25.0	0.21	3.4	0.01	0.075	3.31	50.4	61.3	1.84	865	0.39	0.06	13.3	35.8
K300450		4.69	25.9	0.24	3.1	0.02	0.079	3.23	51.2	63.8	1.83	827	0.31	0.06	13.4	37.9
K300451		4.57	24.4	0.21	3.3	0.01	0.075	3.24	52.9	56.4	1.81	798	0.43	0.07	12.8	34.0
K300452		4.66	24.5	0.22	3.4	0.01	0.078	3.29	52.9	57.1	1.78	740	0.89	0.06	12.9	35.9
K300453		4.80	26.5	0.24	3.3	0.01	0.071	3.27	54.2	64.3	1.89	792	0.35	0.07	13.7	37.7
K300454		4.60	24.2	0.23	3.3	0.02	0.070	3.04	45.6	63.9	1.89	794	0.29	0.06	12.6	36.1
K300455		4.69	22.1	0.24	3.2	0.02	0.068	2.93	44.8	62.4	2.11	906	0.55	0.06	12.2	35.0
K300456		4.54	23.0	0.25	3.2	0.01	0.076	3.01	53.5	54.4	2.24	984	0.41	0.06	12.5	33.5
K300457		4.67	23.2	0.24	3.2	0.01	0.073	3.09	50.1	48.9	2.34	1010	0.39	0.06	12.6	33.9
K300458		4.54	22.9	0.18	3.3	0.01	0.066	2.97	46.8	43.5	2.20	920	0.35	0.06	12.3	35.2
K300459		0.51	0.34	0.13	<0.1	<0.01	0.007	0.04	0.7	1.4	12.85	224	0.08	0.01	0.2	1.7
K300460		4.69	23.3	0.22	3.1	0.02	0.074	2.92	53.3	43.3	2.37	951	0.34	0.06	12.6	33.9
K300461		4.49	23.4	0.23	3.3	0.02	0.077	3.03	54.1	40.1	2.47	990	0.44	0.06	12.8	35.0
K300462		4.19	22.2	0.26	3.1	0.03	0.074	2.99	51.0	34.3	2.35	946	0.69	0.06	12.1	34.9
K300463		4.16	22.1	0.22	3.2	0.02	0.063	2.98	47.1	34.0	2.30	871	0.58	0.06	12.3	33.4
K300464		4.27	20.8	0.22	3.0	0.02	0.064	2.80	41.4	33.4	2.60	1040	0.25	0.06	11.5	32.2
K300465		3.97	22.2	0.24	3.1	0.02	0.072	2.84	45.8	33.4	2.48	815	0.51	0.06	12.2	32.1
K300466		0.48	0.27	0.20	<0.1	<0.01	0.006	0.03	0.6	1.1	12.70	214	0.05	0.01	0.2	1.5
K300467		4.15	21.5	0.21	3.2	0.02	0.063	2.66	50.6	31.4	2.58	906	0.64	0.05	11.7	31.5
K300468		4.06	21.4	0.23	2.8	0.03	0.065	2.67	50.7	28.6	2.30	704	0.69	0.05	11.3	32.6
K300469		1.86	17.95	0.23	2.6	0.05	0.051	2.14	47.5	25.4	2.26	743	0.67	0.04	9.2	25.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183556

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300434		560	26.0	3.4	0.002	1.13	0.95	1.0	1	0.3	253	0.07	<0.05	1.0	0.027	12.55
K300435		4310	4.6	114.5	0.035	1.41	17.25	6.0	7	1.6	141.5	0.48	0.51	6.0	0.211	13.75
K300436		540	26.0	2.1	<0.002	0.67	0.90	0.7	1	0.3	179.5	<0.05	<0.05	0.6	0.016	5.92
K300437		760	28.3	5.0	0.002	1.19	0.80	1.3	1	0.4	342	0.10	<0.05	1.4	0.041	14.20
K300438		770	42.1	11.3	0.002	1.33	0.37	1.7	1	0.6	261	0.15	<0.05	2.4	0.053	8.28
K300439		590	23.3	8.4	0.002	0.90	0.20	1.4	<1	0.3	164.0	0.10	<0.05	1.9	0.042	3.67
K300440		460	22.9	6.3	0.002	0.89	0.17	1.3	1	0.3	216	0.08	<0.05	1.5	0.037	2.81
K300441		1090	6.0	119.0	<0.002	0.02	0.35	15.9	1	2.8	227	0.92	0.08	14.0	0.424	0.96
K300442		940	28.1	161.5	0.002	0.09	0.79	18.1	2	3.1	1155	0.96	0.05	19.0	0.459	0.91
K300443		700	30.3	144.5	<0.002	0.26	1.02	17.5	1	3.1	189.5	1.00	0.08	17.8	0.463	0.82
K300444		760	22.1	138.0	<0.002	0.14	0.64	16.8	1	3.0	158.5	0.93	0.05	16.8	0.440	0.71
K300445		950	13.6	144.0	<0.002	0.13	0.49	16.2	1	2.8	172.5	0.93	0.06	16.4	0.437	0.72
K300446		930	16.2	50.9	0.002	3.19	121.5	15.1	2	2.8	515	0.73	0.09	10.0	0.563	8.49
K300447		970	22.5	153.5	<0.002	0.14	0.74	17.6	1	3.0	220	0.95	0.06	16.9	0.451	0.74
K300448		1170	32.4	153.5	<0.002	0.13	0.55	17.1	1	2.8	298	0.95	<0.05	18.6	0.419	0.70
K300449		740	16.2	152.0	<0.002	0.16	0.55	17.8	2	3.1	302	0.94	<0.05	17.9	0.449	0.69
K300450		720	15.7	148.5	<0.002	0.16	0.55	17.6	1	3.1	305	0.92	0.07	16.9	0.445	0.70
K300451		1050	22.8	156.0	<0.002	0.16	0.55	17.7	1	3.0	262	0.94	0.05	18.3	0.444	0.75
K300452		660	19.1	155.5	<0.002	0.17	0.60	17.2	1	2.9	221	0.93	0.06	19.2	0.436	0.76
K300453		730	22.7	159.0	<0.002	0.15	0.59	18.6	2	3.1	277	0.99	<0.05	19.1	0.444	0.75
K300454		740	16.8	129.0	<0.002	0.15	0.58	17.0	1	2.9	258	0.93	<0.05	16.1	0.440	0.72
K300455		880	19.0	131.5	<0.002	0.19	0.56	16.2	1	2.7	258	0.92	0.05	17.7	0.420	0.68
K300456		960	14.8	145.5	<0.002	0.10	0.49	16.6	2	2.8	359	0.91	<0.05	18.1	0.429	0.65
K300457		860	18.4	140.5	<0.002	0.14	0.45	16.5	1	2.8	363	0.91	0.06	17.5	0.436	0.69
K300458		810	13.5	130.0	<0.002	0.12	0.45	15.8	1	2.7	298	0.95	0.05	16.7	0.423	0.68
K300459		190	5.7	2.3	<0.002	0.01	0.07	0.3	<1	0.2	38.3	<0.05	<0.05	0.2	0.005	0.03
K300460		700	14.4	148.0	<0.002	0.19	0.48	16.6	2	2.8	282	0.90	0.06	18.3	0.424	0.70
K300461		690	22.2	152.5	0.002	0.17	0.53	16.9	1	2.8	257	0.94	0.06	19.4	0.428	0.67
K300462		640	28.4	141.5	<0.002	0.39	0.58	16.2	2	2.6	252	0.90	0.05	17.4	0.413	0.68
K300463		660	25.8	119.0	<0.002	0.33	0.59	15.8	1	2.8	262	0.91	0.05	15.9	0.415	0.73
K300464		540	13.7	106.0	<0.002	0.33	0.47	14.4	1	2.5	252	0.88	<0.05	14.3	0.406	0.81
K300465		830	21.0	120.0	<0.002	0.22	0.65	15.3	2	2.7	235	0.89	0.05	15.1	0.399	0.78
K300466		180	1.2	1.8	<0.002	0.01	0.08	0.3	<1	0.2	40.1	<0.05	<0.05	<0.2	<0.005	<0.02
K300467		480	25.1	133.5	<0.002	0.37	0.63	15.3	1	2.7	265	0.88	0.08	16.9	0.390	0.69
K300468		420	20.0	130.0	<0.002	0.56	0.79	14.8	1	2.6	245	0.83	0.05	17.1	0.388	1.23
K300469		710	14.0	106.0	<0.002	0.34	0.41	11.0	1	2.1	512	0.68	0.05	13.4	0.293	2.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183556

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300434		2.4	7	0.7	3.7	35	10.2
K300435		7.3	385	34.4	29.3	286	74.0
K300436		2.1	4	0.4	3.5	85	5.9
K300437		3.3	7	1.0	4.0	21	14.2
K300438		4.1	9	0.9	6.5	14	25.0
K300439		3.2	7	0.6	5.4	30	16.7
K300440		2.7	7	0.5	4.3	6	15.2
K300441		2.7	109	2.0	24.9	90	125.0
K300442		3.5	130	2.5	28.9	115	134.5
K300443		3.1	123	2.0	23.2	117	123.5
K300444		2.7	115	1.7	22.6	112	121.5
K300445		2.6	111	1.7	22.3	105	111.5
K300446		6.7	177	21.7	14.1	44	175.0
K300447		2.8	115	1.7	26.1	105	123.0
K300448		3.1	106	1.7	26.8	112	119.0
K300449		2.6	112	1.7	23.5	102	124.5
K300450		2.6	111	1.8	23.7	102	119.5
K300451		3.0	110	1.8	27.0	122	123.5
K300452		2.8	110	1.7	23.2	101	119.5
K300453		2.7	111	1.7	25.6	109	127.5
K300454		2.7	109	1.7	24.4	113	117.0
K300455		2.8	105	1.7	24.0	104	117.5
K300456		2.9	106	1.7	25.8	105	118.5
K300457		2.9	108	1.6	24.4	107	114.0
K300458		2.7	105	1.6	24.1	108	108.0
K300459		0.9	3	0.1	0.9	31	0.7
K300460		2.8	105	1.6	24.0	97	116.0
K300461		2.9	105	1.7	26.4	110	119.5
K300462		2.7	102	1.5	23.8	102	113.0
K300463		2.9	106	1.6	22.4	101	111.5
K300464		2.5	99	1.6	21.0	95	107.0
K300465		3.6	99	1.6	24.8	88	114.5
K300466		0.4	3	0.1	0.8	14	0.5
K300467		2.8	98	2.0	23.6	101	112.5
K300468		2.7	92	3.0	21.7	86	103.5
K300469		4.8	63	2.6	19.7	58	91.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183556

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

CERTIFICATE VA11183554

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 172

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183554

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302735		7.86	0.01	0.07	6.83	18.0	250	1.53	0.29	2.01	0.07	74.8	18.5	80	22.0	56.9
K302736		7.98	0.01	0.08	7.08	59.0	430	2.06	0.30	2.14	0.30	82.0	21.3	75	37.9	60.7
K302737		7.58	<0.01	0.06	6.74	29.6	330	1.99	0.28	1.87	0.05	77.3	19.7	76	29.5	59.9
K302738		7.40	<0.01	0.09	6.54	165.5	540	1.80	0.28	1.78	0.13	71.8	18.7	72	20.7	58.2
K302739		7.60	<0.01	0.05	3.43	112.5	140	0.76	0.14	2.83	0.10	41.2	11.8	61	10.00	33.2
K302740		7.98	<0.01	0.05	2.40	71.1	140	0.45	0.08	2.83	0.04	28.0	10.3	50	5.43	21.7
K302741		3.42	0.01	0.05	2.26	75.2	130	0.39	0.08	3.03	0.05	26.0	10.3	50	5.05	21.2
K302742		7.92	0.07	0.05	6.35	250	210	1.78	0.26	2.49	0.14	70.8	17.3	73	22.1	53.3
K302743		7.90	0.55	0.08	5.32	950	210	1.36	0.23	2.52	0.21	56.5	16.8	67	16.75	50.6
K302744		7.16	0.17	0.06	3.54	483	270	0.91	0.14	1.93	0.13	41.2	10.2	47	9.95	30.4
K302745		7.88	0.01	0.14	4.66	100.5	160	1.19	0.16	2.89	0.11	48.3	15.8	65	17.85	48.6
K302746		7.96	0.03	0.06	5.51	105.5	150	1.33	0.19	3.12	0.19	60.1	15.9	73	24.0	50.4
K302747		7.92	<0.01	0.07	5.95	41.6	230	1.75	0.22	2.83	0.15	63.3	17.4	73	27.8	54.8
K302748		7.58	0.03	0.07	4.99	313	210	1.15	0.20	3.39	0.15	51.5	14.9	65	15.45	50.1
K302749		0.28	0.33	0.31	6.10	607	790	0.56	0.28	0.47	0.17	147.0	2.6	238	2.99	30.1
K302750		7.72	0.03	0.03	1.92	175.5	100	0.29	0.07	3.45	0.07	20.7	6.1	47	3.31	17.7
K302751		7.88	0.34	0.06	4.77	400	230	1.11	0.18	2.67	0.09	46.9	13.9	65	19.65	45.4
K302752		3.92	0.01	0.05	4.54	82.0	210	1.39	0.17	3.85	0.09	46.8	13.5	60	23.0	39.5
K302753		4.70	0.01	0.14	5.65	189.5	210	1.90	0.28	4.69	0.36	65.4	12.0	66	30.7	43.1
K302754		3.06	<0.01	0.17	2.41	90	70	0.60	0.09	10.85	0.14	28.9	6.4	31	7.04	24.8
K302755		3.92	0.01	0.26	6.02	164.5	190	1.67	0.25	6.10	0.40	59.2	14.1	75	18.60	53.3
K302756		4.04	0.15	0.19	5.12	205	170	1.44	0.22	4.81	0.21	53.0	12.1	59	15.85	43.8
K302757		3.22	0.76	0.17	5.24	448	250	1.39	0.21	3.59	0.37	52.4	12.5	56	29.9	41.1
K302758		4.92	<0.01	0.01	0.08	<5	20	0.06	0.02	20.6	0.06	1.21	1.6	1	0.65	1.6
K302759		6.80	0.87	0.18	6.62	881	230	1.78	0.27	3.07	0.53	64.2	15.6	68	21.5	50.9
K302760		5.06	2.38	0.08	4.08	961	150	1.03	0.20	5.35	0.24	38.3	13.1	42	11.15	41.4
K302761		4.40	0.85	0.05	1.93	1010	100	0.50	0.09	11.50	0.54	18.40	7.1	22	5.69	19.5
K302762		7.30	0.08	0.07	6.59	184.0	230	2.05	0.30	3.39	0.09	59.9	18.3	63	23.0	56.8
K302763		6.92	0.02	0.07	6.56	110.5	230	1.82	0.32	5.00	0.08	57.9	20.7	61	28.7	69.8
K302764		0.30	2.65	1.04	3.10	565	660	0.65	0.27	8.01	2.09	44.2	7.0	51	4.09	42.5
K302765		9.08	<0.01	0.09	5.95	65.9	220	1.64	0.31	5.47	0.13	57.9	18.1	51	27.4	56.2
K302766		8.38	<0.01	0.04	5.91	74.2	220	1.70	0.33	5.76	0.07	55.7	17.4	50	25.1	58.9
K302767		4.96	<0.01	<0.01	0.09	<5	20	0.06	0.02	21.1	0.05	1.39	1.6	1	0.25	1.7
K302768		8.18	0.03	0.12	7.04	239	290	2.12	0.31	2.89	0.18	74.2	18.7	66	24.4	57.8
K302769		5.76	0.04	0.05	6.49	318	280	1.83	0.32	5.46	0.10	59.6	19.8	53	21.6	61.8
K302770		2.50	0.01	0.09	6.63	73.9	290	1.22	0.11	4.98	0.22	60.4	19.7	40	30.3	36.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183554

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302735		5.75	17.05	0.17	3.8	0.03	0.069	2.75	34.6	124.0	2.48	624	0.37	0.04	10.7	36.7
K302736		5.75	19.85	0.18	3.4	0.05	0.080	3.00	38.1	125.0	2.41	775	0.44	0.05	11.8	41.5
K302737		5.46	18.00	0.17	3.6	0.04	0.073	2.80	36.4	109.5	2.22	590	0.44	0.04	10.9	38.6
K302738		6.09	18.00	0.20	3.1	0.35	0.072	2.70	33.7	122.0	1.90	485	0.65	0.03	10.4	38.3
K302739		3.79	9.08	0.15	2.0	0.13	0.044	1.32	17.2	72.2	1.56	628	0.51	0.02	5.6	24.3
K302740		3.28	5.80	0.15	1.7	0.07	0.026	0.98	12.2	30.3	1.35	560	0.34	0.02	3.8	20.4
K302741		3.29	5.66	0.11	1.5	0.07	0.026	0.93	11.6	27.8	1.38	587	0.36	0.02	3.7	19.4
K302742		5.27	17.05	0.18	3.3	0.59	0.064	2.95	32.4	24.7	1.62	576	0.42	0.03	10.0	35.7
K302743		5.05	14.35	0.17	2.8	1.70	0.057	2.34	26.3	18.2	1.25	764	0.31	0.02	8.5	33.9
K302744		3.69	9.06	0.15	1.9	1.08	0.035	1.50	17.6	15.2	0.86	514	0.25	0.02	5.2	20.8
K302745		4.75	12.90	0.16	2.6	0.35	0.046	1.95	21.5	42.9	1.42	554	0.44	0.02	7.4	34.8
K302746		5.03	13.85	0.17	3.0	0.32	0.057	2.46	25.2	45.4	1.89	622	0.35	0.03	8.3	33.0
K302747		4.99	15.50	0.18	3.0	0.17	0.064	2.73	28.8	57.5	2.31	571	0.31	0.03	9.2	35.9
K302748		4.55	12.65	0.15	2.9	0.36	0.052	2.22	22.1	24.8	1.61	573	0.34	0.02	7.7	32.3
K302749		6.73	19.35	0.22	4.6	8.93	0.046	1.33	68.1	18.7	0.13	37	5.51	0.39	8.8	16.6
K302750		2.87	4.63	0.15	1.0	0.21	0.019	0.79	9.9	14.0	1.29	567	0.33	0.01	2.8	12.6
K302751		5.66	12.20	0.15	2.6	1.69	0.048	2.18	20.5	27.1	1.36	470	0.61	0.03	7.2	29.0
K302752		4.41	11.65	0.14	2.3	1.64	0.048	2.15	21.1	21.7	2.01	538	0.50	0.03	7.0	28.2
K302753		4.27	14.95	0.20	3.1	3.13	0.069	2.77	31.4	16.8	2.41	457	2.63	0.04	10.3	37.9
K302754		3.23	5.95	0.11	1.4	2.22	0.028	1.10	14.1	17.3	2.93	643	1.66	0.03	4.0	18.7
K302755		4.20	17.75	0.19	3.3	4.98	0.069	2.91	28.6	13.5	2.16	385	4.91	0.03	10.1	49.7
K302756		4.18	14.80	0.15	2.7	4.76	0.057	2.43	25.4	12.0	1.63	577	2.03	0.03	8.4	34.1
K302757		3.97	15.25	0.16	2.7	4.01	0.054	1.94	25.5	34.9	1.70	951	3.24	0.03	8.8	36.9
K302758		0.46	0.37	0.19	<0.1	0.01	<0.005	0.04	0.6	1.3	12.40	192	0.13	0.01	0.5	2.9
K302759		4.79	19.05	0.17	3.4	5.00	0.069	2.90	31.3	25.5	1.55	788	5.14	0.03	11.3	45.0
K302760		3.75	11.60	0.10	2.0	2.97	0.040	1.92	18.2	9.8	2.67	2350	1.28	0.02	6.8	27.3
K302761		2.91	5.55	0.05	1.0	2.27	0.026	0.94	9.6	8.3	5.69	2170	0.59	0.02	3.3	14.0
K302762		4.78	19.10	0.17	3.0	1.61	0.071	3.21	28.6	15.5	1.99	613	0.69	0.03	10.7	40.0
K302763		4.71	19.65	0.17	3.1	2.08	0.074	3.27	27.6	14.9	2.86	677	0.97	0.03	11.2	47.0
K302764		2.07	8.12	0.08	1.8	4.82	0.028	1.02	26.1	42.8	2.50	262	18.35	0.03	7.2	54.1
K302765		4.06	17.50	0.16	3.0	2.31	0.071	2.97	27.8	13.9	3.10	717	1.67	0.03	10.8	59.8
K302766		4.27	17.45	0.15	3.0	1.62	0.076	2.94	26.5	14.9	3.18	783	1.18	0.03	10.7	48.6
K302767		0.46	0.35	0.18	<0.1	<0.01	<0.005	0.04	0.7	1.4	12.70	197	0.08	0.01	0.5	3.2
K302768		5.05	20.8	0.18	3.5	3.75	0.088	3.43	34.9	23.1	1.72	484	1.42	0.04	13.2	47.7
K302769		5.17	19.15	0.14	3.0	1.22	0.076	3.17	28.4	14.2	3.11	828	1.23	0.03	11.5	53.0
K302770		4.77	16.45	0.18	3.1	1.35	0.066	2.68	29.4	136.0	2.15	697	2.60	0.05	32.3	27.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183554

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302735		580	17.3	170.5	0.003	0.19	0.49	17.7	1	2.2	210	0.78	0.07	9.8	0.572	1.07
K302736		590	23.4	190.0	<0.002	0.44	0.66	19.6	2	2.5	183.0	0.81	0.08	10.1	0.546	1.08
K302737		560	16.4	181.0	<0.002	0.38	0.52	18.7	1	2.4	146.0	0.78	0.07	9.8	0.547	1.08
K302738		660	18.1	159.5	<0.002	2.56	0.98	18.2	1	2.3	258	0.71	0.06	9.6	0.520	2.33
K302739		290	14.1	70.8	0.005	0.73	0.64	10.2	1	1.4	202	0.38	0.05	4.7	0.384	0.82
K302740		220	10.8	46.6	<0.002	1.04	0.44	6.3	1	0.9	152.5	0.27	<0.05	3.6	0.302	0.55
K302741		230	9.9	43.7	0.002	1.06	0.40	5.9	1	0.8	170.0	0.25	0.06	3.5	0.301	0.55
K302742		560	18.7	153.0	0.002	3.44	2.53	17.2	1	2.1	118.5	0.74	<0.05	9.7	0.534	2.69
K302743		420	19.0	123.5	0.002	4.44	9.28	15.2	1	2.0	121.5	0.53	<0.05	7.8	0.472	6.70
K302744		350	10.9	77.3	0.004	2.99	6.12	8.7	1	1.3	118.5	0.34	<0.05	5.7	0.328	5.32
K302745		320	11.8	111.5	0.002	3.01	0.75	14.9	1	1.6	118.0	0.48	0.05	6.4	0.459	1.72
K302746		430	15.9	132.0	<0.002	2.29	0.79	16.0	1	1.7	130.0	0.57	<0.05	7.5	0.511	1.50
K302747		480	15.7	146.0	0.003	0.54	0.53	17.6	2	1.9	124.5	0.65	0.07	8.1	0.506	0.99
K302748		380	14.3	110.5	0.002	3.01	1.11	14.0	1	1.7	148.5	0.55	0.07	7.0	0.452	1.59
K302749		920	17.9	50.8	0.006	3.00	116.0	14.6	1	3.0	505	0.66	0.15	9.2	0.532	8.06
K302750		180	4.6	34.5	0.002	0.96	0.95	5.6	1	0.7	138.0	0.19	<0.05	3.0	0.247	0.82
K302751		360	16.3	107.5	0.002	5.09	2.50	13.1	1	1.5	141.5	0.52	<0.05	6.6	0.439	4.52
K302752		400	12.8	112.0	<0.002	3.65	0.64	13.0	1	1.5	171.0	0.44	<0.05	6.5	0.415	3.38
K302753		540	17.2	139.0	0.011	3.63	0.76	14.9	2	2.0	156.5	0.59	0.08	8.7	0.410	9.45
K302754		600	8.3	41.3	0.006	2.20	0.52	7.8	2	0.9	250	0.29	<0.05	4.2	0.176	5.69
K302755		370	18.3	120.0	0.019	3.49	0.83	17.3	4	2.1	209	0.75	0.08	9.9	0.424	11.30
K302756		340	16.4	98.8	0.008	3.70	4.36	15.2	3	1.9	172.5	0.64	0.07	8.4	0.360	10.60
K302757		460	18.7	90.5	0.010	3.79	5.89	15.7	3	1.9	129.0	0.65	0.06	8.4	0.373	11.95
K302758		200	1.4	3.2	<0.002	0.01	0.05	0.3	1	<0.2	41.9	<0.05	<0.05	<0.2	<0.005	0.04
K302759		350	25.5	125.5	0.013	4.67	13.60	20.0	3	2.3	96.5	0.84	0.08	10.5	0.476	13.40
K302760		480	25.8	71.1	0.003	3.32	10.00	12.6	2	1.5	102.0	0.50	0.09	6.1	0.313	9.70
K302761		270	14.3	33.7	0.002	1.86	5.82	7.1	1	0.7	218	0.23	<0.05	2.8	0.138	7.07
K302762		430	24.8	131.0	0.002	4.52	2.30	19.7	2	2.4	128.0	0.79	0.12	9.3	0.463	3.48
K302763		530	21.7	133.0	0.002	4.27	0.86	20.6	2	2.2	144.5	0.81	0.13	9.0	0.493	4.57
K302764		880	37.4	46.7	0.024	1.53	106.5	5.6	4	2.6	69.8	0.47	0.20	6.2	0.169	4.35
K302765		490	23.6	120.0	0.008	3.76	0.71	17.4	3	2.1	125.5	0.79	0.13	9.2	0.426	7.58
K302766		490	22.2	119.5	0.003	3.71	0.58	17.3	2	2.1	133.5	0.78	0.14	8.8	0.437	4.90
K302767		320	1.4	1.9	<0.002	0.01	0.07	0.3	1	<0.2	43.9	<0.05	<0.05	<0.2	<0.005	0.02
K302768		630	26.1	150.0	0.005	4.84	2.06	21.4	3	2.6	120.5	0.97	0.10	11.2	0.512	11.45
K302769		440	22.1	129.5	0.003	4.86	2.76	19.9	2	2.3	168.0	0.83	0.12	9.2	0.459	3.67
K302770		1130	8.8	108.0	0.007	3.67	0.61	17.7	3	1.7	306	1.96	0.05	6.8	0.690	5.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183554

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302735		2.0	155	1.2	23.1	80	108.0
K302736		1.9	146	1.3	26.0	144	124.5
K302737		2.0	149	1.3	26.6	73	111.0
K302738		1.8	144	2.6	21.9	93	104.5
K302739		1.0	113	1.5	10.8	64	69.1
K302740		0.7	88	1.2	7.7	38	46.5
K302741		0.7	87	1.1	7.4	35	43.4
K302742		1.9	145	4.5	23.0	90	107.0
K302743		1.5	137	7.3	17.4	108	95.7
K302744		1.2	92	4.0	11.2	67	62.5
K302745		1.3	136	2.3	15.6	86	88.1
K302746		1.5	145	2.2	17.5	127	118.5
K302747		1.6	140	2.7	19.1	100	92.3
K302748		1.5	129	3.0	15.6	102	86.6
K302749		7.0	170	22.3	13.3	45	165.0
K302750		0.6	76	1.4	6.2	47	29.4
K302751		1.3	127	2.4	14.3	61	77.2
K302752		1.3	114	1.4	14.9	59	79.0
K302753		2.9	129	1.5	19.8	101	106.5
K302754		2.2	53	1.5	17.7	39	48.3
K302755		4.2	148	3.3	18.3	105	113.0
K302756		2.8	104	6.1	16.8	74	91.3
K302757		2.8	118	9.4	17.6	96	93.6
K302758		0.5	2	0.1	0.9	14	0.6
K302759		3.1	154	12.6	19.8	140	117.0
K302760		1.3	89	8.6	14.8	79	68.5
K302761		0.8	40	3.1	9.2	260	38.0
K302762		1.7	130	5.9	18.4	46	103.0
K302763		1.7	141	4.3	20.4	43	106.0
K302764		8.0	230	29.3	19.6	203	67.1
K302765		2.0	119	1.8	19.7	33	104.0
K302766		1.6	119	1.4	20.1	31	104.5
K302767		0.6	2	0.1	1.0	14	0.6
K302768		2.4	138	5.1	23.8	85	119.0
K302769		1.6	130	8.5	18.7	33	101.0
K302770		2.0	165	1.8	21.5	85	123.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183554

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

CERTIFICATE VA11183555

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 173

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183555

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301938		11.72	0.02	0.07	0.90	110	110	0.23	0.03	33.9	0.24	13.15	1.8	10	2.43	9.1
K301939		10.64	0.01	0.04	1.36	121	110	0.39	0.04	31.7	0.15	20.4	2.3	13	3.17	8.3
K301940		11.52	0.01	0.09	4.24	79	260	1.26	0.09	16.35	0.12	43.3	6.7	41	14.60	27.1
K301941		5.18	0.01	0.08	4.11	54	230	1.18	0.09	17.55	0.13	42.8	6.7	39	14.05	26.2
K301942		10.72	0.01	0.18	5.32	99.9	290	1.49	0.11	8.96	0.06	51.4	8.9	56	18.60	23.9
K301943		9.38	0.01	0.07	4.27	162	340	1.20	0.11	10.60	0.07	44.7	9.6	40	14.10	18.9
K301944		5.78	0.32	0.06	3.86	8370	130	0.86	0.09	10.40	0.06	40.7	6.5	37	9.80	15.0
K301945		6.98	<0.01	<0.01	0.07	13	20	0.07	0.02	22.0	0.05	1.37	1.5	<1	0.17	1.9
K301946		7.42	0.01	0.07	4.07	404	100	0.94	0.10	11.75	0.05	42.5	6.7	36	10.95	17.6
K301947		10.16	0.01	0.05	3.65	557	90	0.85	0.09	11.75	0.06	42.9	5.7	32	9.86	13.3
K301948		10.80	0.01	0.05	4.25	196	80	1.03	0.11	11.15	0.05	43.9	6.5	38	11.30	20.2
K301949		10.02	<0.01	0.02	2.05	157	110	0.46	0.05	26.9	0.04	26.3	3.2	20	5.66	13.6
K301950		11.04	<0.01	0.02	2.85	168	100	0.71	0.06	22.0	0.10	35.3	4.7	26	7.63	15.0
K301951		10.78	0.01	0.03	2.43	115	100	0.57	0.06	24.9	0.06	28.8	3.8	22	6.55	10.8
K301952		9.66	0.01	0.03	2.58	136	90	0.61	0.06	25.4	0.06	33.6	4.2	26	7.30	12.0
K301953		11.62	<0.01	0.03	1.88	115	60	0.45	0.05	27.5	0.05	25.1	3.2	19	5.08	8.9
K301954		4.30	<0.01	0.01	1.83	91	70	0.44	0.04	25.1	0.03	27.5	2.8	19	4.36	9.0
K301955		6.38	0.01	0.08	4.21	153	110	1.08	0.09	17.90	0.10	48.3	7.0	39	13.25	24.4
K301956		4.56	0.01	0.08	4.34	126	100	1.09	0.11	17.70	0.19	50.9	6.7	42	12.05	32.3
K301957		7.42	0.01	0.04	4.78	209	100	1.17	0.10	17.05	0.09	52.0	7.3	45	13.30	31.4
K301958		7.02	<0.01	0.02	1.64	148	90	0.38	0.04	31.2	0.06	21.7	2.6	17	4.04	9.0
K301959		3.00	0.01	0.04	3.14	652	70	0.54	0.08	23.6	0.16	39.7	5.4	31	6.78	25.6
K301960		6.98	0.04	0.01	0.08	<5	20	0.05	0.02	22.5	0.05	1.48	1.2	<1	0.23	2.3
K301961		3.80	<0.01	0.04	2.27	154	90	0.54	0.06	27.4	0.07	31.3	3.9	19	5.75	11.2
K301962		0.28	2.50	0.96	3.44	644	920	0.61	0.31	8.42	2.22	48.3	5.9	55	3.85	44.0
K301963		6.48	0.01	0.04	1.23	112	50	0.28	0.03	31.0	0.07	19.55	2.3	14	2.72	8.4
K301964		5.22	0.01	0.05	3.05	172	80	0.71	0.07	24.3	0.10	36.7	4.7	27	8.17	17.5
K301965		7.82	0.01	0.05	3.89	201	110	0.95	0.08	22.9	0.11	41.6	6.3	33	11.15	20.7
K301966		7.72	<0.01	0.01	1.13	81	90	0.23	0.03	30.2	0.11	15.20	1.8	9	1.97	4.1
K301967		7.48	0.02	0.01	0.84	187	3400	0.24	0.02	33.2	0.14	13.70	1.7	7	1.24	6.2
K301968		7.52	0.01	0.03	2.14	171	810	0.52	0.06	28.2	0.05	23.0	3.4	16	4.28	9.5
K301969		8.44	<0.01	0.02	1.54	48	520	0.44	0.04	30.3	0.07	20.9	2.5	12	3.10	5.8
K301970		8.14	0.02	0.03	1.53	49	520	0.51	0.04	29.6	0.09	21.4	2.8	13	3.37	6.3
K301971		8.00	<0.01	0.03	1.32	33	400	0.42	0.04	32.4	0.12	17.30	2.4	12	2.86	6.9
K301972		0.28	0.35	0.33	6.92	661	1580	0.65	0.30	0.51	0.15	141.0	2.9	239	3.62	34.2
K301973		8.02	<0.01	0.06	2.47	52	300	0.80	0.07	29.1	0.15	21.7	3.9	22	5.92	14.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183555

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301938		0.46	2.05	<0.05	0.4	0.25	0.007	0.39	7.7	12.1	0.92	156	0.63	0.01	1.5	<0.2
K301939		0.70	3.12	<0.05	0.6	0.22	0.011	0.54	11.1	16.9	1.09	147	0.53	0.01	2.4	1.4
K301940		1.71	9.88	<0.05	1.7	0.48	0.031	2.05	22.1	54.2	2.71	195	0.86	0.04	6.5	16.0
K301941		1.64	9.62	<0.05	1.7	0.42	0.030	1.98	21.9	50.7	2.60	192	0.77	0.03	6.4	15.4
K301942		2.05	12.55	0.08	2.7	0.67	0.037	2.66	25.8	65.2	4.43	222	1.52	0.04	8.2	21.7
K301943		1.88	10.10	<0.05	2.7	0.87	0.030	2.20	22.1	38.7	6.02	372	0.47	0.04	6.8	17.3
K301944		1.73	9.03	<0.05	2.6	6.9	0.034	1.85	20.0	25.4	5.93	985	0.88	0.03	6.2	14.1
K301945		0.42	0.37	0.25	<0.1	<0.1	<0.005	0.03	0.6	1.2	13.30	203	0.20	0.01	0.5	1.1
K301946		1.87	9.55	0.08	2.6	1.62	0.030	1.83	20.2	41.0	6.76	466	0.78	0.03	6.3	14.7
K301947		2.27	8.59	0.05	2.5	1.15	0.027	1.59	20.3	43.5	6.62	289	0.78	0.03	5.8	14.9
K301948		1.88	10.05	0.05	2.8	0.56	0.029	1.94	21.7	52.9	6.40	278	0.81	0.03	6.8	15.7
K301949		0.98	4.60	<0.05	1.2	0.49	0.014	0.87	13.2	32.8	2.22	286	0.40	0.02	3.1	5.2
K301950		1.26	6.33	<0.05	1.4	0.52	0.018	1.15	17.7	42.6	1.92	226	0.46	0.02	4.1	9.7
K301951		1.05	5.35	<0.05	1.3	0.37	0.018	1.06	15.0	42.4	2.31	207	0.55	0.02	3.8	6.6
K301952		1.11	5.76	<0.05	1.3	0.31	0.018	1.04	16.9	41.0	2.02	196	0.48	0.02	4.0	7.6
K301953		0.82	4.33	<0.05	0.9	0.18	0.014	0.75	13.2	30.5	1.33	215	0.57	0.01	3.1	5.1
K301954		0.73	4.09	<0.05	0.9	0.12	0.013	0.86	13.2	26.3	1.73	200	0.28	0.01	2.8	3.5
K301955		1.74	10.10	0.06	1.8	0.21	0.030	1.91	25.0	61.4	2.55	224	0.75	0.02	6.1	17.2
K301956		1.80	10.35	0.06	1.8	0.18	0.029	1.77	26.6	69.1	2.36	218	0.52	0.02	6.5	18.3
K301957		1.95	11.15	0.05	1.9	0.14	0.032	1.94	27.1	77.0	2.48	232	0.46	0.02	6.9	18.9
K301958		0.71	3.54	<0.05	0.7	0.07	0.011	0.65	11.7	34.2	1.13	252	0.37	0.01	2.6	3.8
K301959		1.40	7.44	0.11	1.2	0.20	0.023	1.11	20.0	51.9	1.42	448	0.88	0.02	4.6	12.5
K301960		0.44	0.38	0.16	<0.1	<0.01	<0.005	0.04	0.6	1.4	13.70	211	0.06	0.01	0.4	0.3
K301961		0.94	5.58	0.12	1.0	0.11	0.019	0.92	15.1	45.5	1.84	259	0.45	0.02	3.6	7.2
K301962		2.17	7.34	0.12	1.7	4.53	0.031	1.06	26.6	33.7	2.65	291	18.20	0.03	7.2	52.6
K301963		0.58	3.10	0.10	0.5	0.08	0.009	0.54	9.4	26.4	1.07	271	0.24	0.01	2.0	1.9
K301964		1.24	7.00	0.12	1.3	0.12	0.022	1.32	17.8	63.7	1.88	189	0.50	0.02	4.3	10.5
K301965		1.46	9.13	0.13	1.7	0.17	0.028	1.77	19.8	63.0	2.38	189	0.62	0.03	5.5	15.0
K301966		0.51	2.62	0.10	0.8	0.18	0.007	0.53	7.3	21.2	1.38	156	0.41	0.01	1.7	0.8
K301967		0.43	1.98	0.10	0.6	0.96	0.007	0.34	6.7	7.4	1.02	365	0.28	0.02	1.3	<0.2
K301968		0.88	4.88	0.11	1.5	0.51	0.015	1.00	10.7	26.6	1.96	213	0.38	0.03	3.2	6.4
K301969		0.70	3.43	0.10	1.0	0.31	0.008	0.72	9.7	20.7	1.62	163	0.30	0.02	2.2	3.3
K301970		0.80	3.50	0.11	0.9	0.31	0.010	0.71	9.9	20.1	1.66	158	0.40	0.02	2.3	4.7
K301971		0.59	3.13	0.10	0.6	0.21	0.011	0.64	8.6	10.9	1.29	148	0.45	0.01	2.0	2.8
K301972		7.07	20.3	0.29	4.6	9.1	0.058	1.47	62.1	18.4	0.13	41	6.59	0.42	10.7	18.2
K301973		0.99	5.86	0.11	1.0	0.20	0.016	1.18	11.2	18.5	2.14	140	0.62	0.02	3.5	8.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183555

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301938		210	5.8	17.4	<0.002	0.22	0.40	1.5	1	0.3	1260	0.11	<0.05	1.6	0.038	0.47
K301939		240	5.4	25.6	<0.002	0.22	0.41	2.2	1	0.5	1210	0.16	<0.05	2.5	0.057	0.32
K301940		590	9.9	90.3	0.002	0.84	0.58	6.5	1	1.5	798	0.50	<0.05	7.4	0.181	1.19
K301941		570	9.6	87.3	<0.002	0.81	0.53	6.4	1	1.5	819	0.49	<0.05	7.2	0.172	1.09
K301942		650	13.1	113.5	0.002	1.35	0.97	8.2	2	1.8	359	0.64	<0.05	10.2	0.239	2.25
K301943		380	9.9	96.0	<0.002	1.34	0.66	6.7	2	1.5	411	0.53	<0.05	8.6	0.192	2.51
K301944		430	9.3	78.4	0.002	1.68	3.96	5.9	2	1.3	679	0.48	<0.05	7.7	0.177	7.34
K301945		270	1.2	1.3	<0.002	0.01	0.20	0.3	1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	0.02
K301946		390	8.8	78.2	0.002	1.37	1.50	6.2	2	1.4	575	0.49	<0.05	8.0	0.181	2.57
K301947		360	9.0	68.7	0.002	1.80	2.95	5.5	2	1.3	407	0.45	<0.05	7.1	0.164	4.96
K301948		430	9.2	78.4	0.002	1.30	4.02	6.3	2	1.4	521	0.53	<0.05	8.0	0.200	3.76
K301949		260	5.6	36.3	0.002	0.39	1.96	5.3	2	0.6	926	0.23	<0.05	3.9	0.082	0.71
K301950		540	7.7	54.4	0.003	0.51	2.05	6.0	2	0.8	1150	0.31	<0.05	4.8	0.113	0.65
K301951		370	6.7	51.6	0.002	0.35	1.15	4.2	1	0.8	1230	0.29	<0.05	4.4	0.102	0.53
K301952		380	7.0	51.2	0.002	0.56	0.79	4.6	2	0.8	1360	0.30	<0.05	4.7	0.110	0.67
K301953		280	5.3	35.3	0.002	0.39	0.77	4.2	2	0.6	1220	0.23	<0.05	3.5	0.081	0.38
K301954		320	4.0	33.4	<0.002	0.23	0.79	3.5	1	0.6	1330	0.21	<0.05	3.4	0.075	0.34
K301955		720	9.3	88.5	0.002	0.63	1.45	7.4	2	1.2	1410	0.48	<0.05	6.9	0.168	0.92
K301956		870	9.6	88.0	0.003	0.71	1.48	7.7	2	1.4	1650	0.51	<0.05	7.2	0.175	0.85
K301957		930	9.1	94.6	0.002	0.72	0.57	8.2	1	1.4	1750	0.52	<0.05	8.0	0.191	0.86
K301958		270	4.6	28.0	0.002	0.18	0.49	4.8	1	0.5	1220	0.18	<0.05	3.4	0.065	0.39
K301959		650	10.1	53.6	<0.002	0.39	0.36	5.1	2	1.1	1470	0.36	<0.05	5.8	0.122	0.63
K301960		250	1.5	1.9	0.002	0.01	0.05	0.3	2	<0.2	48.1	<0.05	<0.05	<0.2	<0.005	<0.02
K301961		310	6.0	46.5	0.002	0.24	0.23	4.8	3	0.7	1190	0.26	<0.05	4.5	0.089	0.50
K301962		960	40.0	50.3	0.024	1.66	110.0	4.7	4	2.7	69.7	0.50	0.22	6.4	0.180	4.17
K301963		220	3.8	25.9	<0.002	0.10	0.29	4.9	3	0.4	1120	0.15	<0.05	3.0	0.050	0.33
K301964		550	8.3	60.6	0.002	0.26	0.68	4.9	3	0.9	1530	0.34	<0.05	5.6	0.117	0.56
K301965		590	8.9	80.0	0.002	0.39	0.43	5.6	3	1.1	1710	0.44	<0.05	7.0	0.150	0.65
K301966		150	5.1	23.4	0.002	0.12	0.30	1.6	3	0.3	1370	0.12	<0.05	2.2	0.045	0.37
K301967		120	4.2	15.0	0.003	0.22	0.62	1.4	3	0.3	1340	0.09	<0.05	1.7	0.032	2.64
K301968		250	6.9	43.8	0.002	0.29	0.42	3.0	3	0.6	1370	0.24	<0.05	4.0	0.083	1.43
K301969		190	5.9	32.6	0.003	0.28	0.20	2.3	3	0.4	1480	0.17	<0.05	2.9	0.058	0.63
K301970		210	5.7	31.5	0.002	0.35	0.25	2.3	3	0.5	1470	0.17	<0.05	2.9	0.059	0.82
K301971		160	6.2	28.2	0.004	0.23	0.21	2.1	3	0.4	1620	0.14	<0.05	2.4	0.050	0.50
K301972		1000	18.4	51.6	0.005	3.43	122.0	15.3	3	3.2	550	0.87	0.11	10.2	0.588	8.47
K301973		290	8.9	54.9	0.004	0.33	0.25	3.9	3	0.7	1650	0.26	<0.05	4.4	0.097	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183555

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301938		12.3	19	0.3	4.8	42	14.6
K301939		10.7	25	0.3	6.7	34	21.2
K301940		8.9	73	0.8	13.7	74	63.2
K301941		8.8	71	0.8	13.5	72	60.9
K301942		6.9	105	1.0	16.2	62	98.4
K301943		5.0	67	1.4	14.6	53	95.8
K301944		7.6	63	2.1	12.9	53	96.3
K301945		0.6	3	0.1	0.9	15	0.5
K301946		7.8	61	1.7	12.6	45	90.5
K301947		6.1	59	1.4	12.6	43	91.3
K301948		5.9	65	1.5	12.7	45	100.5
K301949		15.5	33	0.7	9.5	26	45.9
K301950		11.9	44	0.9	11.3	49	51.4
K301951		10.5	41	0.7	9.7	34	47.6
K301952		13.5	43	0.8	10.0	37	47.0
K301953		15.5	36	0.6	9.4	31	35.8
K301954		11.7	31	0.5	8.4	16	31.3
K301955		16.6	67	1.4	12.4	63	64.7
K301956		12.8	67	1.3	12.4	85	63.2
K301957		15.1	74	1.3	12.4	57	68.6
K301958		16.9	33	0.5	8.3	23	27.5
K301959		25.7	61	1.0	15.1	49	59.6
K301960		0.8	3	0.1	1.0	15	0.5
K301961		15.2	41	0.6	11.5	35	42.6
K301962		8.6	244	29.8	20.7	223	64.7
K301963		15.6	33	0.4	10.8	16	24.6
K301964		11.9	47	0.8	10.6	41	44.2
K301965		10.8	57	0.9	11.6	48	59.2
K301966		12.0	15	0.3	5.4	27	30.6
K301967		10.9	13	0.4	5.0	19	20.6
K301968		9.9	29	0.6	7.8	25	50.8
K301969		13.2	22	0.4	6.3	24	35.6
K301970		11.8	23	0.6	6.4	27	31.4
K301971		14.5	21	0.5	5.0	25	24.0
K301972		8.2	185	26.2	16.7	48	171.0
K301973		17.7	41	0.6	6.2	35	34.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183555

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

CERTIFICATE VA11183557

Project: Rackla Gold (Nadaleen Trend)

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183557

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303001		1.08	0.02	0.72	8.98	55.2	480	3.01	0.50	0.58	0.25	88.1	18.6	87	29.7	46.3
K303002		1.64	<0.01	0.35	9.55	267	820	3.66	0.40	0.52	0.35	93.2	20.2	92	36.3	47.2
K303003		1.16	<0.01	0.87	8.99	65.7	780	2.53	0.43	0.22	0.06	52.9	15.2	88	37.1	49.8
K303004		2.66	<0.01	3.68	8.70	67.8	610	3.19	0.39	0.34	0.17	66.0	17.9	87	33.0	57.2
K303005		0.70	<0.01	0.28	9.39	861	1040	3.61	0.36	0.37	0.22	90.6	19.8	93	37.8	47.1
K303006		5.92	<0.01	0.28	9.38	110.5	590	4.14	0.30	0.57	0.33	107.0	18.6	82	44.6	42.8
K303007		9.42	<0.01	0.34	7.40	97.7	370	2.94	0.28	4.33	0.18	79.7	17.8	51	29.7	48.2
K303008		4.96	0.01	0.01	0.09	<5	30	0.05	0.02	20.6	0.06	1.71	1.4	<1	0.25	1.8
K303009		5.02	<0.01	0.55	2.19	218	110	0.78	0.09	15.20	0.88	28.8	6.4	14	6.41	17.2
K303010		6.20	0.04	>100	0.76	276	150	0.34	0.04	14.25	0.25	10.80	5.5	26	2.16	1830
K303011		3.76	0.01	98.0	6.22	1125	310	1.29	0.26	4.69	0.32	67.3	10.6	64	22.5	622
K303012		5.32	<0.01	1.21	6.31	208	340	1.29	0.22	1.63	0.22	69.8	4.4	76	19.25	34.5
K303013		2.60	<0.01	1.57	3.94	102	290	1.67	0.12	10.35	1.17	41.3	13.2	38	14.10	37.9
K303014		0.28	0.34	0.31	6.44	592	1150	0.61	0.24	0.45	0.21	161.0	3.0	236	3.50	30.7
K303015		4.84	<0.01	10.20	5.60	30.3	340	0.91	0.17	5.83	0.22	55.5	8.1	59	21.0	43.5
K303016		7.84	<0.01	2.35	7.22	34.9	420	2.31	0.27	1.75	1.11	82.1	22.9	77	30.8	74.4
K303017		4.22	<0.01	2.30	6.91	25.7	360	1.58	0.25	3.25	0.37	74.1	17.2	76	28.8	62.7
K303018		4.78	0.01	20.1	3.69	43.5	260	0.70	0.12	2.11	0.10	39.9	11.1	50	12.20	79.2
K303019		8.04	<0.01	7.51	3.98	21.9	210	0.90	0.13	0.77	0.11	43.9	11.3	50	12.80	42.7
K303020		6.16	<0.01	1.95	3.85	25.1	200	0.89	0.12	2.00	0.14	46.9	13.7	52	14.55	35.6
K303021		6.72	<0.01	3.79	3.93	53.8	200	1.03	0.13	3.45	0.20	46.8	11.7	48	14.75	35.2
K303022		3.78	<0.01	2.78	3.75	46.1	200	1.02	0.13	2.81	0.24	45.0	11.1	46	14.20	33.8
K303023		11.42	<0.01	0.12	5.60	56.8	570	1.22	0.18	3.20	0.10	58.8	18.5	65	34.6	48.0
K303024		6.94	<0.01	1.88	6.10	77.3	300	2.02	0.25	1.69	0.20	65.3	22.1	77	29.3	66.7
K303025		8.42	<0.01	0.26	4.73	57.7	220	1.18	0.18	2.72	0.16	44.6	15.5	58	21.9	40.6
K303026		8.64	<0.01	0.17	5.91	77.6	260	1.51	0.23	3.18	0.40	58.3	15.8	67	26.9	51.5
K303027		4.92	<0.01	0.08	0.12	6	20	0.08	0.03	20.4	0.05	1.56	0.7	2	0.91	2.7
K303028		5.70	<0.01	1.76	3.85	293	160	0.82	0.12	2.20	0.12	31.1	10.9	52	12.45	30.5
K303029		0.28	2.34	1.03	3.16	588	860	0.65	0.32	8.03	2.15	42.3	6.3	53	3.79	40.3
K303030		5.18	<0.01	0.24	4.75	76.0	180	1.27	0.18	4.02	0.12	46.8	12.5	50	23.5	31.0
K303031		9.56	<0.01	76.0	6.62	234	280	1.84	0.26	3.39	0.21	63.6	21.2	70	26.5	115.5
K303032		4.70	<0.01	0.26	5.78	58.1	190	1.34	0.21	3.93	0.13	58.1	17.0	58	29.1	45.0
K303033		9.58	0.01	0.22	7.06	413	250	1.81	0.26	3.49	0.13	63.6	19.9	75	32.2	55.0
K303034		6.36	0.02	0.14	6.14	2620	320	1.54	0.23	2.68	0.12	59.1	17.8	72	28.4	50.5
K303035		5.22	0.02	0.11	6.45	1155	310	1.76	0.24	3.70	0.24	61.3	18.4	70	30.2	49.8
K303036		11.96	<0.01	0.15	6.35	47.6	370	1.64	0.25	2.69	0.13	62.7	20.9	81	32.6	60.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183557

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303001		4.75	27.1	0.32	3.0	0.77	0.086	3.79	35.0	71.9	0.60	287	3.24	0.08	13.7	40.9
K303002		4.86	29.3	0.35	3.2	1.60	0.086	4.10	38.1	86.5	0.63	526	5.90	0.05	14.3	37.4
K303003		5.52	26.7	0.29	3.2	1.92	0.089	3.95	21.0	110.0	0.58	184	8.83	0.05	14.7	32.6
K303004		4.94	26.7	0.30	3.1	1.45	0.090	3.85	26.0	99.7	0.58	328	4.32	0.05	13.6	37.0
K303005		5.15	27.4	0.34	3.3	3.19	0.085	4.14	36.5	56.6	0.63	353	6.24	0.06	14.0	45.7
K303006		4.43	29.9	0.36	3.5	0.76	0.084	4.16	42.2	53.5	0.73	447	5.49	0.05	14.5	44.2
K303007		3.56	21.5	0.30	2.6	0.43	0.067	3.31	33.1	27.3	2.56	1210	2.39	0.04	11.6	38.7
K303008		0.43	0.41	0.11	<0.1	<0.01	0.005	0.04	0.7	1.4	13.10	200	0.08	0.01	0.4	<0.2
K303009		1.60	5.83	0.11	0.9	0.61	0.020	0.90	12.8	4.6	9.08	1360	6.11	0.02	4.2	11.0
K303010		0.93	2.15	0.09	0.3	1.40	0.009	0.30	4.5	3.8	8.60	1680	8.22	0.02	0.2	205
K303011		3.29	17.40	0.19	2.7	6.53	0.075	2.60	28.6	17.5	3.00	804	7.36	0.03	9.3	146.5
K303012		2.51	18.00	0.18	3.1	4.31	0.046	2.75	28.7	19.5	0.83	110	1.88	0.03	10.6	9.9
K303013		3.70	9.54	0.14	1.8	1.88	0.039	1.63	16.8	11.5	5.41	1120	1.73	0.04	6.3	28.7
K303014		6.61	20.6	0.30	4.4	9.25	0.050	1.29	66.4	17.3	0.13	39	6.52	0.38	10.1	17.1
K303015		3.72	14.10	0.18	2.5	1.28	0.046	2.38	23.3	23.7	3.20	643	5.99	0.04	9.3	13.9
K303016		5.74	19.50	0.26	3.3	0.20	0.090	2.96	32.9	135.5	0.82	938	1.90	0.03	13.1	49.8
K303017		5.07	17.65	0.22	3.2	0.14	0.079	2.85	29.5	123.5	0.79	734	1.62	0.03	12.2	34.3
K303018		3.63	9.38	0.17	1.7	0.46	0.037	1.27	17.1	78.8	0.54	464	0.71	0.02	5.7	28.1
K303019		3.24	10.30	0.19	1.8	0.24	0.036	1.44	18.5	52.7	0.38	390	0.35	0.02	6.1	24.4
K303020		3.52	9.80	0.18	1.9	0.30	0.041	1.42	19.6	38.4	0.55	531	0.45	0.02	6.4	25.3
K303021		3.03	9.86	0.16	1.9	0.29	0.036	1.57	19.5	21.5	1.36	632	1.30	0.02	6.4	23.5
K303022		3.19	9.51	0.17	1.8	0.27	0.039	1.49	18.7	25.8	1.02	542	0.92	0.02	6.1	22.1
K303023		4.59	14.60	0.20	2.4	0.74	0.057	2.47	24.1	38.4	1.92	535	0.54	0.03	8.7	34.9
K303024		5.24	15.95	0.13	2.7	0.52	0.067	2.63	31.6	55.5	0.92	656	0.76	0.03	9.3	42.4
K303025		4.38	11.40	0.11	2.1	0.17	0.051	1.93	22.2	86.3	1.38	629	0.40	0.02	7.2	31.1
K303026		4.47	14.85	0.13	2.8	0.49	0.067	2.55	27.0	74.6	2.12	551	1.02	0.03	9.4	32.8
K303027		0.46	0.36	0.06	<0.1	<0.01	<0.005	0.06	0.7	1.8	12.75	194	0.07	0.01	0.3	2.1
K303028		3.91	8.11	0.09	1.8	1.01	0.035	1.65	16.8	23.0	0.99	444	0.35	0.02	4.9	22.4
K303029		2.09	7.04	0.11	1.7	4.86	0.023	0.99	26.7	34.0	2.52	270	15.95	0.03	6.2	50.7
K303030		4.46	11.30	0.10	2.3	2.20	0.042	2.20	23.5	8.7	1.88	428	0.62	0.03	7.1	25.4
K303031		4.04	16.25	0.13	3.3	2.30	0.073	2.96	31.1	24.3	1.93	448	1.39	0.03	10.4	54.1
K303032		5.17	14.25	0.11	2.6	2.47	0.063	2.64	28.7	13.0	1.92	431	0.91	0.03	8.7	34.5
K303033		5.20	17.45	0.14	3.5	3.58	0.072	3.19	30.3	18.2	1.83	410	0.59	0.03	10.4	39.8
K303034		4.95	16.05	0.13	3.3	4.51	0.068	2.82	31.8	16.5	1.47	435	0.69	0.03	9.6	36.0
K303035		4.98	17.00	0.12	3.2	3.34	0.077	2.96	31.2	19.0	1.97	640	0.57	0.03	10.2	37.0
K303036		5.06	16.55	0.13	3.0	0.80	0.077	2.62	31.0	50.9	2.00	468	0.63	0.03	9.8	41.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183557

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303001		3050	20.1	196.0	0.007	0.09	0.96	19.1	3	3.5	138.5	0.99	0.09	15.6	0.410	3.38
K303002		3010	18.7	165.5	0.013	0.05	1.24	20.8	4	4.0	181.5	1.05	0.09	16.5	0.404	4.20
K303003		2010	26.1	152.0	0.011	0.12	1.40	18.5	3	4.0	147.5	1.03	0.13	12.7	0.358	4.54
K303004		2470	17.5	146.0	0.009	0.08	1.12	19.1	3	3.9	162.0	0.94	0.11	13.6	0.371	3.74
K303005		2790	17.0	169.0	0.014	0.11	1.57	18.9	3	3.9	431	1.01	0.11	13.3	0.402	6.30
K303006		890	26.1	148.0	0.014	0.06	1.13	18.6	3	3.7	127.5	1.08	0.08	18.2	0.371	2.62
K303007		440	16.5	86.0	0.004	0.08	0.75	13.1	3	2.2	120.5	0.83	0.08	11.3	0.290	1.50
K303008		230	1.4	2.2	<0.002	0.01	<0.05	0.3	2	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.02
K303009		270	11.9	44.4	0.002	0.07	0.64	4.4	2	0.7	162.5	0.26	<0.05	4.4	0.095	0.93
K303010		170	9.6	16.3	0.009	0.07	1.30	1.9	3	0.5	128.0	<0.05	<0.05	1.4	0.037	1.49
K303011		520	64.6	127.0	0.053	0.33	3.54	20.4	4	2.0	161.5	0.65	0.10	10.6	0.393	18.40
K303012		320	58.1	141.0	0.009	1.08	1.28	20.5	4	3.6	132.0	0.75	0.07	10.1	0.493	5.71
K303013		390	29.9	79.1	0.002	2.44	0.46	10.5	2	1.2	234	0.41	0.06	5.6	0.268	2.88
K303014		910	16.8	52.2	0.003	3.03	112.5	16.6	3	2.8	504	0.73	0.19	10.2	0.525	7.58
K303015		420	42.9	113.0	0.003	0.26	0.50	13.1	2	2.0	198.0	0.61	0.06	7.6	0.440	1.59
K303016		560	18.4	150.5	0.007	0.07	0.52	22.9	3	2.4	106.0	0.87	0.11	11.7	0.549	1.24
K303017		580	14.7	139.5	0.002	0.08	0.43	19.7	3	2.2	111.5	0.81	0.09	10.4	0.546	0.99
K303018		230	20.8	71.7	0.003	0.05	0.41	9.4	2	2.8	75.0	0.38	0.05	5.8	0.338	1.08
K303019		260	11.4	83.3	<0.002	0.10	0.37	9.7	2	1.4	60.4	0.40	<0.05	6.2	0.326	0.82
K303020		280	12.6	81.7	<0.002	0.22	0.44	10.2	2	1.3	92.6	0.42	0.05	5.9	0.321	1.14
K303021		280	12.4	89.5	0.002	0.33	0.49	10.7	2	1.2	82.7	0.42	0.06	6.1	0.308	1.23
K303022		280	12.2	85.8	<0.002	0.32	0.45	10.6	3	1.2	73.1	0.42	0.05	6.0	0.304	1.18
K303023		440	13.7	130.5	<0.002	2.98	0.50	16.3	3	1.8	122.5	0.59	0.07	8.2	0.442	1.60
K303024		560	21.0	145.5	0.002	0.21	0.64	19.1	1	2.5	90.3	0.70	<0.05	10.4	0.467	1.88
K303025		550	13.3	104.0	0.002	0.60	0.45	14.2	1	1.4	122.0	0.52	<0.05	7.4	0.377	0.65
K303026		600	10.4	120.5	0.002	1.53	0.40	17.7	1	1.9	129.5	0.69	<0.05	9.5	0.456	1.64
K303027		210	1.4	4.0	<0.002	0.01	0.08	0.3	<1	0.2	42.4	<0.05	<0.05	0.2	0.006	0.05
K303028		250	11.1	68.0	<0.002	3.10	0.78	9.7	<1	1.1	82.9	0.41	<0.05	5.7	0.319	3.14
K303029		900	39.2	46.2	0.019	1.53	91.7	5.1	2	2.2	68.4	0.45	0.30	7.1	0.168	4.02
K303030		410	16.9	105.0	0.002	3.49	0.50	12.5	<1	1.5	118.5	0.53	<0.05	8.3	0.324	3.65
K303031		700	26.7	143.0	0.004	3.25	1.00	18.5	1	2.0	133.0	0.84	0.07	11.3	0.498	5.15
K303032		490	17.9	127.0	0.002	4.27	0.51	16.2	1	1.9	117.0	0.63	<0.05	9.3	0.402	5.64
K303033		510	19.9	143.5	0.002	4.44	1.61	20.2	1	2.1	144.5	0.82	<0.05	11.8	0.511	6.80
K303034		490	18.1	131.0	0.003	4.56	2.79	18.7	1	2.0	153.5	0.73	<0.05	10.6	0.475	7.43
K303035		530	16.5	138.0	0.002	4.38	2.29	20.1	1	1.9	225	0.75	0.07	11.2	0.491	5.87
K303036		520	25.6	131.0	0.003	2.66	0.63	19.7	1	2.1	181.5	0.71	0.07	10.3	0.495	2.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183557

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1
K303001		4.4	170	5.6	25.6	110	108.5	
K303002		4.8	193	4.1	36.9	157	115.0	
K303003		4.2	194	5.7	14.0	100	115.0	
K303004		4.5	184	17.4	23.6	112	112.5	
K303005		5.0	213	3.3	32.5	125	120.5	
K303006		4.6	180	3.0	25.5	117	120.0	
K303007		2.4	81	3.4	18.8	49	91.6	
K303008		0.4	2	5.0	0.9	14	0.7	
K303009		3.2	45	4.8	8.5	127	36.4	
K303010		9.0	72	860	4.1	29	13.6	1190
K303011		3.3	125	3500	16.7	113	99.1	
K303012		2.1	145	16.7	16.9	73	109.5	
K303013		1.3	75	11.3	17.2	154	68.5	
K303014		7.0	164	22.5	15.4	44	176.0	
K303015		1.4	119	17.5	16.1	114	95.3	
K303016		2.2	141	10.7	27.3	180	122.5	
K303017		1.9	142	5.0	23.5	140	118.5	
K303018		1.1	102	139.5	11.2	64	62.6	
K303019		1.2	93	31.9	12.2	65	66.7	
K303020		1.1	93	10.4	12.8	98	69.6	
K303021		2.2	92	21.0	13.8	73	70.5	
K303022		1.6	87	17.1	13.1	82	67.8	
K303023		1.5	133	1.2	17.3	69	84.9	
K303024		2.0	141	5.3	20.6	111	78.7	
K303025		1.3	107	1.0	15.6	114	69.6	
K303026		2.1	131	1.9	19.7	385	81.8	
K303027		2.3	3	0.1	0.9	14	0.8	
K303028		1.1	93	10.0	10.3	97	45.0	
K303029		8.5	233	23.9	18.6	212	51.6	
K303030		1.7	86	1.3	15.9	71	74.2	
K303031		2.7	144	188.0	23.8	127	100.0	
K303032		1.9	114	1.7	19.2	75	86.3	
K303033		2.3	150	4.3	21.6	85	100.5	
K303034		2.1	137	3.0	19.5	87	111.5	
K303035		2.1	145	3.9	21.9	185	99.1	
K303036		2.0	145	1.2	20.2	89	93.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183557

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

CERTIFICATE VA11183488

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 175

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 9- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183488

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300941		8.62	<0.01	<0.01	6.75	38.9	220	2.00	0.25	2.79	0.13	62.1	22.3	72	27.8	59.6
K300942		7.84	0.01	0.13	6.73	24.4	220	1.67	0.27	2.10	0.10	66.0	20.8	71	26.2	60.7
K300943		8.56	0.01	0.11	7.29	35.8	250	1.71	0.29	2.41	0.09	74.7	20.6	77	36.7	69.1
K300944		8.52	<0.01	0.08	7.47	32.9	240	1.73	0.29	2.52	0.08	75.4	20.1	76	37.6	67.7
K300945		8.44	<0.01	0.11	7.00	35.2	230	1.58	0.26	2.49	0.04	67.4	19.3	70	33.0	57.8
K300946		4.92	<0.01	0.01	0.11	<5	20	0.07	0.04	21.4	0.05	1.52	1.4	1	0.64	3.0
K300947		8.34	<0.01	0.08	6.78	46.4	240	1.68	0.29	1.96	0.06	60.3	20.9	79	42.5	66.7
K300948		8.20	<0.01	0.07	6.83	35.3	220	1.78	0.29	1.99	0.16	73.1	20.5	75	45.2	59.5
K300949		8.44	0.01	0.10	7.17	21.5	230	1.94	0.29	2.05	0.14	80.2	21.8	76	51.4	64.5
K300950		8.22	<0.01	0.07	7.61	14.9	260	2.03	0.34	1.92	0.09	69.4	21.1	76	55.9	67.4
K300951		8.12	<0.01	0.08	7.37	28.3	240	2.07	0.31	1.90	0.08	72.1	22.9	76	42.4	66.8
K300952		7.70	0.01	0.06	6.26	26.3	480	1.43	0.22	2.43	0.07	66.8	19.4	71	26.7	56.0
K300953		0.30	2.49	0.95	3.29	610	890	0.71	0.30	8.40	2.15	50.4	6.9	53	3.84	42.2
K300954		7.44	0.01	0.08	6.59	33.6	330	1.55	0.23	2.16	0.12	68.8	20.0	75	34.4	56.8
K300955		2.50	0.01	0.12	6.71	7.4	230	1.05	0.20	3.66	0.32	48.9	29.3	74	9.91	132.0
K300956		4.36	0.01	0.08	5.62	5.3	160	0.83	0.16	5.14	0.35	41.5	25.6	67	10.55	110.5
K300957		5.20	<0.01	0.12	6.73	11.4	110	1.14	0.21	3.39	0.30	50.9	30.9	70	17.75	130.5
K300958		3.08	<0.01	0.17	6.90	13.4	120	1.21	0.21	3.27	0.31	53.1	30.7	75	18.05	135.0
K300959		8.26	<0.01	0.09	7.07	18.0	120	1.40	0.22	3.01	0.29	57.0	29.9	71	31.3	143.0
K300960		6.58	<0.01	0.10	6.97	8.8	120	1.37	0.23	2.94	0.31	59.9	31.9	70	34.0	141.5
K300961		4.42	<0.01	0.10	6.99	16.3	220	1.23	0.22	3.53	0.37	54.6	25.7	74	30.5	131.0
K300962		4.08	0.01	0.10	7.07	23.6	150	1.51	0.23	3.11	0.33	54.8	32.3	72	24.3	150.0
K300963		4.36	0.04	0.09	5.56	175.5	590	1.18	0.21	8.35	0.09	55.6	12.2	47	16.35	44.1
K300964		8.00	0.32	0.11	6.38	1050	200	1.56	0.23	5.43	0.28	65.9	22.1	58	19.50	84.9
K300965		5.80	0.04	0.10	8.21	379	330	2.70	0.32	3.19	0.15	74.6	19.5	72	30.5	38.9
K300966		9.26	0.08	0.10	7.08	673	160	1.65	0.23	2.27	0.24	56.5	33.0	74	26.2	130.0
K300967		11.32	0.24	0.11	6.78	1110	170	1.40	0.22	4.02	0.29	52.8	34.0	68	23.7	133.0
K300968		0.30	0.33	0.33	6.27	604	750	0.59	0.26	0.47	0.19	148.5	3.1	224	3.62	31.5
K300969		4.10	1.49	1.66	5.85	1690	240	1.12	0.23	6.65	0.21	65.8	24.4	46	15.40	49.4
K300970		5.28	0.01	0.17	5.28	605	350	1.51	0.19	11.35	0.15	60.1	16.6	42	20.4	38.8
K300971		7.28	0.07	0.12	7.80	267	280	2.13	0.29	3.34	0.13	81.8	17.6	57	25.0	48.2
K300972		5.66	0.08	0.31	5.91	3260	220	1.34	0.21	7.77	0.18	61.6	21.2	49	13.95	78.5
K300973		7.02	<0.01	0.01	0.07	<5	20	0.05	0.02	21.6	0.05	1.40	1.4	<1	0.15	1.5
K300974		7.92	<0.01	0.12	5.35	1520	150	1.34	0.20	9.03	0.11	65.4	14.3	42	15.10	37.7
K300975		6.26	<0.01	0.07	7.87	211	250	2.60	0.29	3.52	0.03	81.1	16.5	59	31.3	36.2
K300976		7.48	<0.01	0.05	8.05	189.0	270	2.28	0.28	3.97	0.04	84.6	15.5	54	35.1	34.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183488

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300941		5.67	19.10	0.18	3.0	0.08	0.076	2.87	31.7	174.5	2.68	777	0.41	0.04	12.1	39.3
K300942		5.10	18.65	0.27	3.3	0.07	0.071	3.03	30.3	116.5	2.46	590	0.35	0.04	11.9	37.1
K300943		5.73	19.90	0.23	3.7	0.05	0.078	3.26	36.3	112.5	2.60	756	0.45	0.03	12.9	42.9
K300944		5.67	19.90	0.22	3.7	0.03	0.082	3.26	36.5	120.5	2.68	732	0.36	0.03	13.0	41.2
K300945		5.32	18.55	0.26	3.2	0.03	0.070	2.92	30.5	108.0	2.58	754	0.28	0.04	11.9	35.4
K300946		0.49	0.44	0.28	<0.1	<0.01	0.005	0.05	0.7	1.6	13.60	217	0.07	0.01	0.5	0.2
K300947		5.79	19.85	0.26	3.6	0.03	0.078	3.08	28.4	124.5	2.41	647	0.38	0.06	13.1	41.2
K300948		5.42	18.25	0.11	3.5	0.03	0.071	2.64	37.8	101.5	2.38	632	0.32	0.11	11.7	40.3
K300949		5.42	19.70	0.11	3.6	0.03	0.076	2.89	42.8	110.0	2.40	697	0.45	0.10	12.7	41.9
K300950		5.49	20.9	0.11	3.8	0.03	0.069	3.07	36.2	93.8	2.43	658	0.32	0.12	13.2	41.3
K300951		5.33	20.7	0.12	3.6	0.05	0.075	3.07	37.1	99.8	2.39	643	0.40	0.03	13.1	43.5
K300952		5.33	16.40	0.19	3.1	0.07	0.063	2.52	29.3	96.6	2.50	672	0.31	0.04	10.7	35.9
K300953		2.11	7.83	0.13	1.7	4.61	0.026	1.02	28.7	42.3	2.63	277	17.90	0.04	6.9	50.5
K300954		5.30	16.85	0.18	3.2	0.08	0.062	2.73	30.8	92.4	2.38	705	0.43	0.04	11.3	35.0
K300955		7.90	18.55	0.22	3.2	0.04	0.083	1.04	20.0	70.2	3.17	1180	0.49	1.08	13.1	51.7
K300956		7.08	15.15	0.19	2.6	0.03	0.071	0.74	16.7	61.1	3.00	1530	0.38	0.96	10.2	43.0
K300957		7.89	18.75	0.22	3.2	0.04	0.090	1.23	20.6	107.5	2.72	1140	0.46	0.93	13.3	49.9
K300958		8.08	19.15	0.23	3.2	0.04	0.089	1.25	21.7	105.0	2.66	1100	0.50	0.97	13.6	50.5
K300959		7.70	19.65	0.22	3.5	0.07	0.095	1.74	23.2	150.0	2.72	1030	0.43	0.54	14.8	51.0
K300960		7.19	19.30	0.22	3.7	0.07	0.094	1.83	25.1	146.5	2.72	958	0.46	0.61	15.4	50.0
K300961		7.13	18.60	0.22	3.5	0.06	0.084	2.12	22.7	174.5	2.30	1010	0.53	0.43	13.9	50.4
K300962		7.66	20.0	0.24	3.4	0.37	0.094	2.84	23.2	167.5	2.11	1140	0.58	0.04	14.7	54.5
K300963		4.91	13.75	0.17	2.3	0.87	0.046	2.51	25.4	28.7	3.87	2390	0.77	0.03	8.0	20.6
K300964		6.52	16.40	0.21	2.8	2.51	0.069	2.66	30.3	59.5	2.67	1360	1.21	0.03	10.2	39.7
K300965		4.23	25.0	0.21	3.3	3.19	0.069	4.28	30.5	16.8	0.73	755	2.55	0.04	13.0	40.2
K300966		7.64	20.4	0.25	2.7	2.81	0.093	3.09	24.3	34.0	1.07	1040	0.39	0.02	13.4	52.6
K300967		7.14	19.70	0.24	2.7	2.97	0.089	2.96	23.1	36.4	1.87	1720	0.36	0.02	12.6	54.6
K300968		6.74	20.5	0.26	4.2	9.5	0.046	1.34	66.4	19.6	0.13	39	6.63	0.38	10.2	16.2
K300969		5.18	14.80	0.20	2.2	4.22	0.046	2.62	31.7	13.1	3.14	3400	1.33	0.04	8.1	44.7
K300970		3.55	13.05	0.16	2.3	1.77	0.047	2.36	28.3	31.2	1.13	1140	0.70	0.03	8.4	26.6
K300971		4.69	21.0	0.23	2.9	2.05	0.064	3.63	38.3	49.4	1.26	809	0.88	0.04	11.5	36.2
K300972		4.78	15.95	0.21	3.0	2.83	0.072	2.69	27.5	12.8	2.65	1260	1.07	0.03	11.2	35.8
K300973		0.41	0.31	0.12	<0.1	0.01	<0.005	0.03	0.6	1.3	13.15	192	0.11	0.01	0.4	0.3
K300974		3.62	13.90	0.17	2.4	1.94	0.045	2.50	30.1	15.7	2.19	640	0.70	0.03	8.6	26.6
K300975		4.06	22.6	0.20	3.1	0.82	0.067	3.91	38.3	23.2	1.49	604	0.40	0.04	12.8	32.5
K300976		4.34	22.0	0.22	3.0	0.94	0.065	3.85	41.4	23.6	1.81	804	0.43	0.04	12.1	32.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183488

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300941		620	22.8	169.0	<0.002	0.19	0.58	20.3	2	2.5	115.0	0.84	0.07	11.0	0.553	1.07
K300942		530	17.8	173.0	<0.002	0.23	0.42	19.5	2	2.2	92.6	0.78	0.08	10.8	0.536	1.25
K300943		590	19.4	199.5	<0.002	0.16	0.52	19.4	2	2.4	121.5	0.95	0.09	11.6	0.587	1.19
K300944		600	18.7	196.5	<0.002	0.11	0.44	19.1	2	2.4	142.5	0.91	0.08	11.4	0.581	1.15
K300945		540	17.2	172.0	<0.002	0.14	0.50	19.3	2	2.1	146.0	0.80	0.06	10.5	0.531	1.18
K300946		210	1.4	3.3	<0.002	<0.01	<0.05	0.3	1	<0.2	50.8	<0.05	<0.05	<0.2	<0.005	0.03
K300947		560	19.3	141.0	<0.002	0.20	0.55	18.3	2	2.4	96.6	0.95	0.06	9.7	0.592	1.19
K300948		580	20.3	178.0	<0.002	0.17	0.54	19.5	2	2.4	97.0	0.81	0.05	11.9	0.557	1.10
K300949		580	22.1	200	<0.002	0.22	0.74	21.2	1	2.7	107.5	0.87	0.08	12.4	0.565	1.14
K300950		590	21.5	182.0	<0.002	0.24	0.62	20.8	1	2.7	102.0	0.99	0.06	12.0	0.586	1.12
K300951		570	18.1	196.0	<0.002	0.23	0.69	21.1	1	2.6	108.0	0.91	0.06	11.1	0.579	1.18
K300952		600	14.9	150.0	<0.002	0.16	0.42	17.9	2	1.9	142.0	0.78	0.05	9.9	0.541	1.06
K300953		940	37.0	51.2	0.024	1.61	103.0	5.1	5	2.4	71.0	0.44	0.18	7.0	0.178	4.08
K300954		570	17.0	161.5	<0.002	0.20	0.48	18.4	2	1.9	102.5	0.79	<0.05	10.4	0.573	1.02
K300955		710	8.6	57.5	<0.002	0.10	0.26	25.8	3	1.8	73.0	0.84	0.23	5.7	0.722	0.38
K300956		600	7.7	40.0	<0.002	0.15	0.19	22.3	3	1.4	111.5	0.65	0.18	4.8	0.680	0.33
K300957		740	9.6	73.4	0.002	0.12	0.23	25.6	3	1.8	71.6	0.84	0.24	6.0	0.705	0.57
K300958		750	9.8	75.0	0.002	0.11	0.30	25.9	3	1.9	69.6	0.88	0.26	6.3	0.734	0.63
K300959		760	9.8	111.5	0.003	0.24	0.30	25.6	3	1.9	72.4	0.97	0.30	6.4	0.691	0.98
K300960		720	10.6	123.5	0.003	0.22	0.33	25.9	4	2.0	68.3	0.98	0.28	6.7	0.708	1.11
K300961		640	8.6	148.5	0.003	0.17	0.32	24.7	3	1.9	61.2	0.94	0.21	6.9	0.710	1.47
K300962		710	10.0	198.5	0.003	0.40	0.33	27.5	4	2.0	63.0	0.94	0.26	6.6	0.699	2.45
K300963		490	12.8	116.5	0.003	0.29	1.08	12.4	2	1.5	163.5	0.54	0.09	7.8	0.345	2.87
K300964		590	15.7	123.5	0.004	2.47	3.81	18.6	3	2.2	113.5	0.72	0.12	9.4	0.426	6.24
K300965		950	20.6	141.0	0.011	0.70	2.01	14.8	4	3.2	123.5	1.01	0.05	13.9	0.384	9.09
K300966		620	11.3	155.5	0.002	7.11	3.88	25.4	3	2.1	80.0	0.89	0.25	6.3	0.665	11.55
K300967		600	12.9	141.0	0.003	6.49	6.00	25.5	3	1.9	96.9	0.83	0.25	5.8	0.662	10.15
K300968		930	16.7	50.4	0.003	3.13	115.5	15.8	3	2.9	510	0.73	0.13	9.9	0.558	7.87
K300969		470	24.3	114.5	0.002	4.40	11.40	13.6	3	1.6	133.5	0.59	0.07	10.2	0.279	15.00
K300970		430	14.3	105.0	0.002	1.81	1.47	11.1	2	1.7	341	0.58	0.07	8.7	0.302	4.93
K300971		470	14.9	129.5	0.004	2.87	3.39	15.7	3	2.4	97.9	0.82	0.08	12.5	0.420	6.79
K300972		530	18.3	111.5	0.003	2.22	17.25	17.3	3	1.9	197.5	0.73	0.14	8.1	0.436	5.51
K300973		200	1.2	1.3	<0.002	0.01	0.06	0.3	2	<0.2	42.3	<0.05	<0.05	<0.2	<0.005	0.02
K300974		480	19.9	107.0	0.002	1.99	9.23	10.7	3	1.8	294	0.61	0.07	9.5	0.320	4.52
K300975		950	15.0	122.5	<0.002	3.06	0.77	14.8	2	2.8	108.0	0.94	0.05	13.5	0.415	3.62
K300976		780	12.7	148.5	<0.002	3.23	1.36	14.5	2	2.5	112.5	0.89	0.06	14.2	0.395	4.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183488

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K300941		2.1	145	1.8	24.0	97	118.0
K300942		2.2	140	2.1	22.9	89	102.5
K300943		2.4	157	1.5	26.5	96	129.5
K300944		2.3	154	1.4	26.0	100	125.5
K300945		2.2	135	1.3	24.1	80	103.0
K300946		0.5	2	0.2	1.2	17	0.6
K300947		2.2	154	1.4	23.3	89	120.5
K300948		2.3	145	1.3	23.3	113	106.0
K300949		2.4	147	1.4	26.9	102	117.0
K300950		2.5	149	1.5	24.5	87	126.5
K300951		2.2	147	1.5	24.3	84	113.0
K300952		2.0	144	1.4	21.3	86	96.4
K300953		9.3	239	27.2	19.8	221	59.0
K300954		2.1	151	1.3	22.0	101	103.5
K300955		1.4	219	1.0	26.8	105	111.5
K300956		1.2	209	0.8	22.2	91	88.1
K300957		1.6	224	0.9	26.5	102	110.0
K300958		1.6	230	1.3	27.3	104	113.0
K300959		1.7	217	0.9	27.2	101	120.0
K300960		2.0	216	0.9	27.9	102	125.5
K300961		1.8	214	1.0	25.3	103	115.0
K300962		1.8	225	0.9	27.0	106	119.0
K300963		2.1	105	2.1	18.6	58	76.0
K300964		2.3	135	2.1	20.4	112	90.2
K300965		4.2	137	2.2	20.0	99	104.5
K300966		1.5	211	5.1	20.5	94	88.6
K300967		1.5	213	5.8	21.4	97	87.8
K300968		7.9	170	22.5	15.2	44	162.0
K300969		2.2	73	12.4	16.7	93	71.1
K300970		2.3	77	4.5	20.1	73	74.3
K300971		2.8	104	5.6	18.9	106	91.6
K300972		2.0	123	14.5	24.8	66	101.0
K300973		0.4	3	0.1	0.8	14	<0.5
K300974		2.6	80	8.1	18.3	80	78.0
K300975		3.3	102	4.2	21.1	87	102.0
K300976		3.1	95	2.5	20.9	85	98.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183488

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

CERTIFICATE VA11183558

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 176

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183558

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K301974		8.30	<0.01	0.06	1.47	36	230	0.52	0.05	29.3	0.41	17.80	3.1	16	4.15	7.8
K301975		7.56	<0.01	0.06	1.77	49	260	0.55	0.06	27.9	0.17	17.50	3.0	18	4.42	9.2
K301976		7.26	<0.01	0.03	1.62	59	50	0.51	0.06	30.4	0.08	23.1	2.7	18	4.17	14.0
K301977		0.28	0.36	0.29	6.36	627	540	0.64	0.26	0.48	0.19	131.5	2.9	242	3.64	30.8
K301978		7.92	<0.01	0.06	1.47	54	160	0.38	0.05	26.5	0.08	19.50	2.3	16	3.41	7.6
K301979		8.00	<0.01	0.06	2.31	51	150	0.66	0.06	21.1	0.05	27.6	3.4	20	6.34	12.1
K301980		3.76	0.01	0.05	2.73	62	200	0.75	0.08	22.7	0.06	31.0	4.4	25	7.71	14.7
K301981		7.78	<0.01	0.03	1.69	41	110	0.61	0.05	28.3	0.06	24.6	3.3	16	5.30	7.7
K301982		7.78	<0.01	0.02	1.04	30	90	0.43	0.04	32.3	0.05	16.30	2.1	10	3.25	5.3
K301983		7.74	<0.01	0.04	2.18	48	100	0.64	0.07	26.6	0.11	25.3	4.1	22	8.47	13.5
K301984		6.96	<0.01	0.07	3.40	52	220	1.06	0.10	18.50	0.07	39.7	5.3	34	12.00	22.1
K301985		7.86	<0.01	0.06	3.18	43	370	0.99	0.09	15.05	0.05	37.1	5.1	31	9.20	15.8
K301986		4.98	<0.01	0.03	0.08	<5	20	<0.05	0.03	20.4	0.06	1.34	0.8	2	0.31	4.4
K301987		7.62	0.01	0.10	4.43	142	180	1.30	0.11	10.80	0.06	50.6	7.7	41	15.05	26.4
K301988		7.92	0.01	0.07	2.00	48	120	0.71	0.06	26.3	0.07	25.0	3.0	21	5.68	12.9
K301989		8.34	0.01	0.04	2.49	35	100	0.78	0.07	23.7	0.06	26.6	4.1	23	6.93	18.9
K301990		7.98	0.01	0.05	1.70	58	180	0.63	0.05	27.2	0.08	22.0	2.9	16	4.70	10.6
K301991		7.80	0.01	0.05	0.75	40	550	0.36	0.03	32.0	0.19	11.55	1.4	8	1.92	5.2
K301992		7.70	<0.01	0.06	1.90	65	260	0.66	0.07	26.2	0.17	21.6	2.9	18	6.99	15.0
K301993		8.30	0.01	0.07	2.98	63	220	0.96	0.09	20.4	0.09	33.4	4.6	28	11.10	13.9
K301994		8.76	<0.01	0.07	1.31	29	100	0.51	0.04	28.2	0.20	15.75	2.1	14	5.00	6.3
K301995		8.44	<0.01	0.04	0.65	22	140	0.26	0.03	32.6	0.25	9.70	1.1	8	2.10	4.2
K301996		7.94	<0.01	0.05	0.69	22	270	0.26	0.03	32.0	0.27	9.76	1.2	8	2.20	4.1
K301997		6.94	<0.01	0.06	2.71	40	440	0.77	0.05	24.1	0.05	29.9	5.6	24	10.10	11.3
K301998		4.98	<0.01	<0.01	0.08	<5	10	0.07	0.01	20.5	0.06	1.21	1.6	1	0.20	2.1
K301999		7.56	<0.01	0.16	1.33	17	100	0.48	0.03	30.4	0.12	15.70	3.7	14	4.01	8.1
K302000		7.96	<0.01	0.15	0.83	<5	90	0.31	0.02	32.7	0.14	11.90	2.8	9	2.78	6.7
K304001		7.64	<0.01	0.10	2.15	28	190	0.69	0.06	25.3	0.09	24.9	5.1	21	11.05	11.5
K304002		7.80	<0.01	0.04	3.86	53	320	1.20	0.09	16.50	0.03	42.7	7.6	33	21.8	14.6
K304003		8.26	0.01	0.07	3.23	27	310	0.99	0.08	16.65	0.07	37.9	5.5	35	12.60	15.4
K304004		8.46	<0.01	0.03	1.10	<5	170	0.39	0.03	24.4	0.06	13.65	2.7	11	3.33	5.3
K304005		8.86	<0.01	0.03	2.40	28	1320	0.85	0.06	22.2	0.09	29.5	4.2	22	8.99	11.4
K304006		8.44	0.01	0.07	1.65	24	110	0.58	0.05	27.1	0.06	21.4	3.8	18	5.42	9.8
K304007		8.24	<0.01	0.04	0.38	16	50	0.24	0.01	33.6	0.05	6.11	2.2	5	0.80	4.0
K304008		4.98	0.01	0.05	0.95	48	70	0.43	0.03	29.6	0.05	11.65	2.7	10	2.40	7.8
K304009		0.28	2.52	1.09	3.40	622	640	0.85	0.30	8.46	2.46	49.3	7.3	58	3.86	41.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183558

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K301974		0.69	3.51	0.06	0.7	0.20	0.014	0.69	10.2	16.7	1.54	115	0.52	0.02	1.9	8.7
K301975		0.72	4.20	0.08	0.9	0.19	0.011	0.85	10.2	12.9	1.77	146	0.65	0.01	2.3	8.2
K301976		0.73	4.07	0.10	0.7	0.11	0.014	0.75	13.8	13.5	1.40	173	0.12	0.01	2.4	7.9
K301977		6.81	19.15	0.16	4.4	10.30	0.039	1.33	69.0	17.0	0.12	36	6.44	0.38	9.5	16.6
K301978		0.68	3.29	0.08	0.9	0.15	0.012	0.68	14.4	24.1	1.39	161	0.29	0.01	2.2	5.9
K301979		0.93	5.13	0.09	1.3	0.11	0.015	1.12	15.2	31.8	1.66	127	0.28	0.02	3.3	9.5
K301980		1.10	6.22	0.13	1.5	0.12	0.015	1.32	17.8	32.8	1.88	140	0.39	0.02	4.0	11.7
K301981		0.82	4.22	0.12	0.7	0.09	0.010	0.82	13.7	21.1	1.44	135	0.34	0.02	2.5	9.0
K301982		0.61	2.41	0.10	0.4	0.08	0.009	0.47	9.7	14.2	1.15	142	0.13	0.01	1.3	5.7
K301983		0.90	4.88	0.10	0.9	0.10	0.015	1.09	14.3	23.3	1.65	157	0.13	0.02	3.4	10.0
K301984		1.46	8.06	0.12	1.7	0.12	0.022	1.74	22.4	45.8	2.87	164	0.47	0.03	5.4	15.2
K301985		1.43	7.44	0.14	2.3	0.15	0.020	1.59	20.6	56.3	4.85	221	0.65	0.03	5.0	13.5
K301986		0.47	0.25	0.11	<0.1	<0.01	<0.005	0.04	0.6	1.4	12.80	204	0.08	0.01	0.2	2.3
K301987		1.92	10.95	0.17	2.7	0.26	0.035	2.23	26.4	79.3	5.32	247	0.75	0.04	6.9	19.5
K301988		0.92	4.64	0.12	0.9	0.13	0.015	1.03	14.3	17.9	1.54	146	0.48	0.02	3.0	8.8
K301989		1.10	5.67	0.11	1.1	0.07	0.017	1.33	15.6	17.3	2.31	160	0.16	0.02	3.4	10.8
K301990		0.74	4.34	0.12	1.0	0.13	0.014	0.95	12.4	11.2	1.95	156	0.42	0.02	2.7	7.9
K301991		0.42	1.68	0.14	0.4	0.11	0.005	0.41	6.9	4.7	1.40	137	0.46	0.01	1.0	3.3
K301992		0.71	4.44	0.15	1.0	0.16	0.014	1.10	12.5	12.0	1.54	152	0.33	0.02	2.8	7.7
K301993		1.16	6.76	0.16	1.8	0.10	0.018	1.79	19.1	18.6	2.34	196	0.78	0.03	4.2	11.9
K301994		0.54	3.05	0.13	0.8	0.06	0.010	0.80	9.0	7.7	1.42	147	0.36	0.01	1.9	4.9
K301995		0.35	1.52	0.11	0.4	0.04	0.007	0.38	5.8	3.7	0.98	132	0.36	0.01	0.9	2.7
K301996		0.41	1.61	0.10	0.5	0.05	<0.005	0.41	5.6	3.7	1.02	129	0.29	0.01	0.9	2.9
K301997		1.07	7.20	0.10	0.9	0.22	0.015	1.47	15.7	14.0	1.86	204	0.57	0.02	3.6	8.0
K301998		0.45	0.37	0.10	<0.1	<0.01	0.005	0.03	0.6	1.2	12.10	203	<0.05	0.01	0.3	<0.2
K301999		0.53	3.68	0.10	0.5	0.13	0.009	0.71	8.7	6.5	0.86	162	0.61	0.01	1.9	0.9
K302000		0.38	2.38	0.09	0.3	0.09	0.007	0.43	7.1	4.2	0.68	155	0.54	0.01	1.3	<0.2
K304001		0.85	5.92	0.11	1.1	0.09	0.012	1.20	13.5	12.7	1.36	187	0.51	0.02	3.1	5.7
K304002		1.54	10.15	0.14	1.7	0.10	0.023	2.10	22.2	25.6	2.86	232	0.54	0.02	5.0	12.6
K304003		1.27	8.63	0.12	2.4	0.20	0.022	1.77	19.3	17.1	3.66	230	0.57	0.03	5.7	9.0
K304004		0.47	3.11	0.09	0.8	0.07	0.006	0.61	7.5	5.6	1.82	124	0.36	0.01	1.9	1.0
K304005		0.91	6.71	0.11	1.6	0.06	0.014	1.31	15.6	13.2	2.74	170	0.28	0.02	4.0	4.4
K304006		0.65	4.71	0.10	1.2	0.09	0.012	0.90	11.8	8.7	2.25	146	0.74	0.01	2.9	2.8
K304007		0.20	1.19	0.10	0.3	0.19	<0.005	0.19	3.8	1.9	0.63	103	0.45	<0.01	0.7	<0.2
K304008		0.37	2.83	0.08	0.6	0.40	0.008	0.49	6.9	4.9	1.79	159	0.35	0.01	1.6	<0.2
K304009		2.17	8.93	0.15	1.8	4.53	0.029	1.04	29.8	37.6	2.65	289	18.75	0.03	7.2	51.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183558

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K301974		200	7.6	33.8	<0.002	0.24	0.21	2.3	1	0.4	1620	0.16	<0.05	3.1	0.057	0.37
K301975		210	8.3	39.3	<0.002	0.22	0.24	2.9	1	0.5	1495	0.19	<0.05	3.6	0.068	0.54
K301976		330	4.5	36.7	<0.002	0.13	0.19	2.8	<1	0.6	1335	0.19	<0.05	3.7	0.066	0.45
K301977		920	18.5	48.6	0.004	3.05	106.5	16.4	1	2.9	525	0.77	0.13	11.1	0.544	8.53
K301978		260	5.2	29.1	<0.002	0.17	0.26	2.3	<1	0.6	1220	0.17	<0.05	3.6	0.065	0.45
K301979		330	7.7	47.7	<0.002	0.24	0.24	3.5	1	0.7	1320	0.27	<0.05	5.3	0.098	0.45
K301980		370	8.9	59.9	<0.002	0.30	0.23	4.2	1	0.9	1455	0.33	<0.05	6.1	0.114	0.54
K301981		190	6.1	44.3	0.003	0.22	0.20	2.9	1	0.5	1410	0.18	<0.05	3.8	0.067	0.35
K301982		120	4.9	27.0	<0.002	0.16	0.13	1.6	<1	0.3	1260	0.10	<0.05	2.2	0.038	0.33
K301983		330	5.0	55.2	<0.002	0.20	0.19	3.5	<1	0.7	1255	0.25	<0.05	5.0	0.094	0.55
K301984		510	10.2	87.0	<0.002	0.23	0.28	5.4	1	1.1	1355	0.42	<0.05	8.1	0.150	0.71
K301985		360	9.1	67.4	<0.002	0.60	0.25	4.9	1	1.0	880	0.38	<0.05	7.6	0.139	0.82
K301986		190	1.4	2.1	<0.002	0.01	0.07	0.4	<1	<0.2	46.4	<0.05	<0.05	0.3	<0.005	0.03
K301987		480	10.7	100.5	0.002	0.77	0.47	7.2	2	1.4	858	0.54	<0.05	10.5	0.193	1.25
K301988		330	6.8	46.4	0.002	0.19	0.24	3.3	1	0.6	1075	0.23	<0.05	4.6	0.086	0.51
K301989		320	5.7	59.4	0.002	0.11	0.21	4.0	1	0.8	857	0.28	<0.05	5.3	0.105	0.42
K301990		190	7.0	41.1	<0.002	0.20	0.33	2.8	1	0.6	1305	0.20	<0.05	3.9	0.072	0.41
K301991		120	5.2	15.4	<0.002	0.15	0.23	1.2	1	0.3	1335	0.11	<0.05	1.6	0.031	0.35
K301992		240	5.8	41.9	<0.002	0.16	0.36	3.1	1	0.6	978	0.21	<0.05	4.1	0.079	0.51
K301993		430	7.0	63.9	0.002	0.18	0.25	4.6	1	0.9	704	0.33	<0.05	6.4	0.123	0.48
K301994		330	5.1	26.6	<0.002	0.11	0.16	2.0	<1	0.4	1280	0.14	<0.05	3.0	0.056	0.21
K301995		260	3.7	12.9	<0.002	0.12	0.15	1.0	<1	0.3	1300	0.07	<0.05	1.4	0.027	0.20
K301996		300	3.7	13.2	<0.002	0.19	0.13	1.0	<1	0.3	1260	0.07	<0.05	1.5	0.029	0.17
K301997		330	8.9	57.0	<0.002	0.35	0.20	4.1	3	0.6	921	0.25	<0.05	5.0	0.095	0.41
K301998		180	1.2	1.5	<0.002	0.01	<0.05	0.3	2	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	<0.02
K301999		220	6.9	25.6	<0.002	0.15	0.20	2.3	3	0.4	1230	0.12	<0.05	2.6	0.051	0.36
K302000		190	5.9	16.0	<0.002	0.14	0.17	1.5	3	0.3	1095	0.08	<0.05	1.7	0.033	0.28
K304001		310	5.2	45.7	<0.002	0.19	0.20	3.4	3	0.5	758	0.21	<0.05	4.2	0.084	0.54
K304002		430	5.4	81.9	<0.002	0.26	0.19	5.8	3	0.9	476	0.36	<0.05	7.5	0.141	0.71
K304003		460	7.1	66.9	<0.002	0.23	0.22	5.0	3	1.1	430	0.41	<0.05	7.8	0.152	0.53
K304004		200	4.0	22.1	<0.002	0.09	0.10	1.7	3	0.3	629	0.12	<0.05	2.3	0.050	0.15
K304005		330	4.9	50.2	<0.002	0.24	0.18	4.0	3	0.7	539	0.28	<0.05	5.7	0.107	0.34
K304006		300	5.8	33.8	0.002	0.28	0.29	2.8	4	0.5	788	0.20	<0.05	4.0	0.076	0.40
K304007		140	3.1	6.7	0.002	0.10	0.17	0.7	3	<0.2	1085	<0.05	<0.05	0.8	0.016	0.26
K304008		170	5.4	18.2	<0.002	0.16	0.27	1.7	3	0.3	589	0.10	<0.05	2.1	0.041	0.56
K304009		920	36.7	53.1	0.024	1.65	107.0	5.2	5	2.5	76.4	0.45	0.23	7.0	0.179	4.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183558

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K301974		21.8	24	0.3	5.0	38	21.0
K301975		16.1	30	0.4	5.1	28	27.8
K301976		10.8	25	0.4	7.7	20	21.5
K301977		7.6	171	21.1	14.9	44	154.0
K301978		11.1	22	0.4	6.7	20	26.9
K301979		11.8	28	0.5	8.0	37	39.2
K301980		12.8	34	0.5	8.9	39	44.2
K301981		13.8	24	0.3	7.0	41	25.4
K301982		14.3	19	0.2	5.1	23	14.1
K301983		8.9	30	0.4	7.6	25	29.3
K301984		11.0	46	0.6	11.7	53	52.9
K301985		7.3	46	0.6	11.0	47	66.2
K301986		0.6	3	0.1	0.9	14	0.5
K301987		6.9	75	1.0	14.2	56	86.5
K301988		13.1	36	0.4	7.7	33	28.5
K301989		5.6	33	0.4	8.5	31	34.4
K301990		15.0	22	0.4	6.4	31	33.4
K301991		15.3	13	0.2	3.6	31	11.7
K301992		12.4	33	0.4	6.4	28	31.0
K301993		9.0	48	0.5	9.7	19	54.5
K301994		6.7	23	0.2	5.6	15	26.8
K301995		8.0	13	0.1	3.5	19	13.5
K301996		7.2	12	0.1	3.4	25	13.9
K301997		10.4	42	0.4	7.7	23	33.3
K301998		0.6	3	0.1	0.9	12	<0.5
K301999		15.2	32	0.2	4.8	33	18.4
K302000		14.0	25	0.1	3.8	36	13.5
K304001		10.2	37	0.3	7.0	27	38.2
K304002		7.5	53	0.6	10.8	13	60.8
K304003		6.3	48	0.7	12.1	17	93.2
K304004		9.2	17	0.3	4.7	8	31.6
K304005		5.4	34	0.5	9.4	12	62.0
K304006		12.1	32	0.5	7.6	7	48.2
K304007		14.0	11	0.2	2.8	<2	10.4
K304008		13.2	24	0.6	4.5	6	22.8
K304009		8.6	239	27.7	20.5	224	67.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11183558

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11184723

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 177

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184723

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303037		10.50	<0.01	0.14	5.95	31.7	280	1.69	0.21	2.51	0.12	56.0	21.0	80	33.9	52.0
K303038		11.14	<0.01	0.10	6.29	41.0	340	2.12	0.25	2.13	0.13	63.4	20.1	78	32.9	55.0
K303039		11.16	<0.01	0.12	6.10	102.5	400	1.97	0.24	2.65	0.16	58.2	20.8	72	24.4	56.5
K303040		5.98	0.01	0.08	2.07	2000	130	0.46	0.07	2.57	0.05	23.1	8.8	48	5.89	21.5
K303041		5.40	0.28	0.11	2.84	>10000	530	0.63	0.10	0.21	0.41	29.7	13.8	54	6.97	33.4
K303042		11.34	0.18	0.10	4.29	5070	360	1.11	0.15	0.99	0.13	42.1	19.4	69	12.15	42.0
K303043		3.94	0.13	0.10	6.80	1810	490	1.85	0.26	1.05	0.20	70.3	22.1	90	21.2	60.9
K303044		1.80	0.56	0.10	2.30	>10000	250	0.52	0.10	0.09	0.13	23.9	8.7	50	5.61	35.7
K303045		0.30	2.55	1.52	3.20	605	880	0.84	0.25	8.15	2.33	50.6	7.9	51	4.20	47.1
K303046		11.14	0.28	0.11	5.73	5640	410	1.29	0.22	1.39	0.13	55.8	21.1	78	17.60	54.7
K303047		5.10	0.24	0.12	5.29	5500	390	1.07	0.20	1.35	0.17	48.2	18.6	71	15.65	49.0
K303048		2.24	<0.01	0.08	6.59	50.6	200	1.57	0.28	2.69	0.11	67.9	18.3	70	33.6	67.1
K303049		11.16	<0.01	0.08	5.50	111.5	170	1.62	0.23	2.80	0.31	58.7	20.7	64	22.6	56.8
K303050		11.12	<0.01	0.05	5.98	55.0	400	1.63	0.24	2.77	1.22	65.7	15.4	64	25.4	59.4
K303051		11.20	0.08	0.06	6.17	1015	280	1.58	0.27	2.87	0.05	65.4	17.4	61	22.6	55.9
K303052		7.02	0.01	<0.01	0.10	27	20	0.05	0.02	20.6	0.06	1.64	1.2	2	0.35	2.0
K303053		10.80	<0.01	0.08	7.74	105.5	350	2.25	0.36	1.59	0.02	84.1	22.3	70	34.5	69.2
K303054		11.16	<0.01	0.04	7.69	25.4	260	2.32	0.36	1.47	0.03	84.0	21.5	73	35.1	68.6
K303055		10.80	<0.01	0.04	7.54	21.7	220	2.42	0.35	1.53	0.03	82.0	20.7	73	34.9	72.9
K303056		11.98	<0.01	0.07	6.88	27.0	270	2.23	0.32	1.59	0.02	73.9	19.6	66	52.4	64.0
K303057		11.56	<0.01	0.07	5.59	51.8	360	1.43	0.24	2.58	0.02	58.8	15.7	57	27.4	54.5
K303058		11.74	<0.01	0.05	6.27	41.6	280	1.85	0.27	2.19	0.02	66.8	19.2	65	29.4	60.3
K303059		10.36	<0.01	0.07	5.99	203	390	1.32	0.26	3.78	0.03	64.3	19.4	59	20.9	61.1
K303060		11.26	<0.01	0.07	6.18	39.5	370	1.30	0.26	3.02	0.31	65.2	19.8	66	20.3	62.7
K303061		11.94	<0.01	0.05	6.06	33.6	350	1.54	0.24	2.65	0.22	64.3	17.7	67	24.8	60.8
K303062		0.30	0.33	0.34	6.14	612	560	0.60	0.28	0.47	0.17	146.0	2.9	225	3.68	33.9
K303063		11.44	<0.01	0.11	6.62	35.9	260	2.00	0.29	2.77	0.24	72.4	27.7	65	26.9	65.7
K303064		11.38	<0.01	0.06	6.76	28.2	260	1.94	0.30	2.83	0.03	72.7	18.3	65	36.2	62.0
K303065		12.00	<0.01	0.06	7.20	42.9	220	2.02	0.31	2.70	0.04	77.4	22.9	68	34.8	62.8
K303066		12.06	<0.01	0.05	7.07	39.6	210	2.03	0.31	2.74	0.02	76.4	20.0	68	35.3	64.8
K303067		11.46	<0.01	0.06	7.11	44.4	260	1.98	0.31	2.66	0.02	76.7	19.3	67	40.1	63.2
K303068		12.26	<0.01	0.04	7.14	20.9	290	2.03	0.32	2.84	<0.02	76.4	20.7	66	36.4	62.7
K303069		11.44	<0.01	0.06	7.17	16.0	340	1.96	0.31	2.77	0.03	77.5	21.4	67	33.8	61.6
K303070		12.06	<0.01	0.05	7.15	23.8	300	2.01	0.31	2.73	0.03	78.7	21.8	67	43.7	61.7
K303071		11.46	<0.01	0.08	7.23	23.4	220	2.03	0.31	2.53	0.24	76.8	23.0	73	37.3	67.6
K303072		7.00	<0.01	0.01	0.09	6	20	0.05	0.05	21.3	0.07	1.62	1.3	<1	0.32	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184723

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303037		4.82	17.30	0.20	3.0	0.80	0.063	2.68	25.8	73.5	1.92	461	0.43	0.01	9.2	39.5
K303038		5.06	18.45	0.20	3.3	0.66	0.067	2.83	29.3	132.5	1.95	470	0.40	0.02	10.5	36.6
K303039		5.01	18.10	0.20	3.1	1.01	0.066	2.72	27.0	113.0	1.69	569	0.42	0.02	10.3	37.8
K303040		3.13	5.91	0.12	1.3	2.66	0.024	0.94	10.7	26.9	1.15	664	0.24	<0.01	3.6	15.5
K303041		2.94	8.75	0.13	1.6	14.5	0.045	1.22	13.8	16.6	0.25	96	0.27	<0.01	4.9	26.5
K303042		4.12	12.80	0.16	2.2	4.99	0.041	1.94	19.4	14.4	0.67	421	0.31	<0.01	6.9	35.9
K303043		5.38	21.2	0.23	3.5	3.81	0.064	3.18	32.2	18.7	0.87	734	0.43	0.01	11.9	41.2
K303044		2.92	7.25	0.19	1.3	20.4	0.066	1.01	11.0	17.4	0.15	32	0.20	<0.01	4.1	17.9
K303045		2.08	8.71	0.15	1.7	4.80	0.032	0.99	31.0	53.8	2.57	271	19.55	0.03	7.0	53.6
K303046		5.66	17.20	0.20	2.9	7.10	0.062	2.71	25.2	16.9	0.91	345	0.34	0.01	9.5	39.3
K303047		5.72	15.30	0.20	2.5	6.68	0.059	2.39	22.3	16.4	0.85	371	0.29	<0.01	8.6	36.1
K303048		5.18	17.95	0.22	3.2	0.09	0.073	2.70	36.7	84.6	2.43	929	0.99	0.02	11.6	40.5
K303049		5.20	15.25	0.20	2.7	2.07	0.067	2.55	32.2	25.2	1.44	643	0.99	<0.01	9.7	38.9
K303050		4.69	16.50	0.18	2.8	0.79	0.073	2.63	35.9	33.6	1.44	579	2.05	0.01	10.8	35.9
K303051		4.95	17.35	0.18	3.0	1.19	0.064	2.82	36.2	18.5	1.50	675	0.45	0.01	11.3	35.8
K303052		0.44	0.52	<0.05	<0.1	0.01	<0.005	0.05	0.8	1.3	12.15	192	0.19	<0.01	0.5	2.5
K303053		6.32	21.2	0.19	3.6	0.66	0.089	3.47	45.2	33.7	1.22	427	0.39	0.01	14.3	43.3
K303054		5.63	21.3	0.22	3.6	0.23	0.084	3.48	41.1	65.3	1.98	501	0.41	0.02	14.2	42.2
K303055		5.50	21.3	0.21	3.6	0.20	0.082	3.38	44.6	89.8	2.02	510	0.35	0.02	13.9	42.4
K303056		5.76	18.95	0.17	3.3	0.30	0.077	2.93	40.4	97.6	1.68	477	0.36	0.01	12.6	40.4
K303057		5.30	15.40	0.15	2.6	0.51	0.059	2.23	32.4	59.0	1.40	599	0.38	0.01	10.0	33.4
K303058		4.91	17.50	0.17	3.0	0.32	0.070	2.51	36.4	89.5	1.69	546	0.31	0.01	11.2	38.2
K303059		5.34	16.30	0.16	2.9	0.42	0.068	2.29	35.0	78.9	1.99	791	0.45	0.01	11.0	39.2
K303060		4.72	16.75	0.16	3.1	0.37	0.068	2.23	35.7	71.1	1.63	671	0.89	0.01	11.3	40.3
K303061		5.43	16.70	0.14	3.0	0.25	0.067	2.15	35.2	80.3	1.92	665	0.92	0.01	10.9	37.8
K303062		6.81	20.0	0.17	4.2	9.0	0.051	1.35	67.7	16.5	0.13	39	6.64	0.37	10.4	17.6
K303063		5.78	18.20	0.16	3.1	0.27	0.075	2.77	39.1	108.0	2.08	691	1.20	0.01	11.6	48.0
K303064		5.16	18.10	0.18	3.2	0.15	0.073	2.80	39.4	86.1	2.52	806	0.29	0.01	12.1	37.7
K303065		5.40	19.80	0.19	3.3	0.10	0.070	2.93	42.6	102.5	2.58	813	0.24	0.02	12.8	41.2
K303066		5.19	19.65	0.19	3.4	0.06	0.076	2.86	42.0	96.8	2.55	807	0.26	0.02	12.6	39.9
K303067		5.22	19.50	0.20	3.2	0.07	0.078	2.91	41.6	90.8	2.55	798	0.25	0.02	12.8	38.9
K303068		5.31	19.45	0.22	3.2	0.11	0.077	2.90	41.8	82.9	2.62	878	0.26	0.02	12.7	39.2
K303069		5.34	19.65	0.21	3.2	0.11	0.078	2.87	42.0	74.2	2.59	883	0.31	0.02	12.8	40.4
K303070		5.34	19.80	0.19	3.3	0.10	0.079	2.88	42.9	84.7	2.56	783	0.26	0.02	12.7	39.9
K303071		5.24	20.2	0.18	3.3	0.10	0.078	3.02	42.0	90.8	2.45	771	0.65	0.02	12.7	43.7
K303072		0.50	0.51	<0.05	<0.1	<0.01	0.005	0.04	0.8	1.4	12.45	214	0.05	<0.01	0.4	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184723

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303037		470	17.9	123.5	0.002	2.05	0.53	17.6	2	1.8	172.5	0.69	0.05	8.6	0.518	2.43
K303038		540	18.7	133.0	<0.002	1.95	0.55	17.9	2	2.0	138.5	0.78	0.05	9.9	0.545	2.11
K303039		650	14.0	123.0	<0.002	3.69	0.53	17.7	2	2.1	267	0.75	0.05	9.6	0.542	3.37
K303040		210	6.1	44.1	<0.002	2.23	3.11	7.2	2	0.7	147.0	0.26	<0.05	3.2	0.265	5.73
K303041		430	14.2	51.8	<0.002	2.44	20.6	6.0	2	1.0	206	0.35	<0.05	4.4	0.309	16.95
K303042		440	15.2	85.9	<0.002	3.71	5.78	13.1	2	1.4	208	0.52	<0.05	6.2	0.409	12.05
K303043		840	9.4	147.5	<0.002	4.47	5.57	20.6	2	2.2	307	0.85	0.05	10.3	0.620	10.80
K303044		260	7.9	46.7	<0.002	2.79	42.9	4.3	2	1.1	145.5	0.29	<0.05	3.8	0.267	38.8
K303045		900	36.0	51.3	0.025	1.59	115.0	5.9	5	2.7	75.7	0.48	0.19	6.5	0.175	3.69
K303046		590	12.1	117.5	<0.002	5.52	6.49	14.1	2	1.8	271	0.73	0.05	8.5	0.531	20.9
K303047		540	10.6	107.5	<0.002	5.42	6.85	12.8	2	1.6	258	0.60	0.05	7.5	0.480	19.90
K303048		590	23.0	151.5	<0.002	0.36	0.46	20.1	3	2.0	105.0	0.90	0.10	11.3	0.556	1.07
K303049		480	34.2	115.5	0.003	4.66	0.68	17.8	2	1.9	125.5	0.74	0.08	9.4	0.478	4.61
K303050		840	16.8	124.5	0.002	4.16	0.43	19.0	2	1.9	264	0.82	0.09	10.2	0.518	4.37
K303051		510	16.2	133.0	<0.002	4.34	1.74	18.7	2	2.2	199.0	0.85	0.08	11.0	0.513	4.90
K303052		220	1.5	2.5	<0.002	0.02	0.07	0.3	1	<0.2	46.0	<0.05	<0.05	<0.2	0.005	0.04
K303053		650	22.5	178.5	0.002	6.32	0.72	23.4	2	2.6	199.5	1.13	0.11	13.8	0.587	3.95
K303054		640	21.4	189.5	0.002	1.48	0.59	23.2	2	2.6	117.5	1.11	0.10	13.9	0.587	1.63
K303055		600	20.4	191.0	0.002	1.37	0.53	22.9	2	2.6	92.6	1.08	0.07	13.6	0.582	1.64
K303056		570	20.2	172.0	<0.002	2.92	0.55	21.2	2	2.3	126.0	0.99	0.08	12.5	0.557	2.32
K303057		560	17.0	118.0	<0.002	5.04	0.59	17.2	2	1.8	302	0.78	0.07	9.3	0.468	2.86
K303058		490	16.9	141.0	0.002	2.62	0.59	19.8	2	2.0	158.0	0.84	0.08	11.1	0.532	2.20
K303059		640	18.6	117.0	0.002	4.77	1.36	20.0	2	1.9	544	0.83	0.09	10.4	0.514	2.98
K303060		500	24.3	114.0	0.002	4.24	0.64	20.1	2	1.9	321	0.88	0.10	10.5	0.557	2.37
K303061		560	21.5	113.0	<0.002	2.76	0.39	19.3	2	1.9	202	0.84	0.09	10.3	0.545	1.75
K303062		940	19.6	56.1	0.004	3.14	115.0	16.9	3	2.9	508	0.85	0.15	10.3	0.551	7.75
K303063		720	32.7	145.5	0.002	2.66	0.92	20.4	2	2.2	179.0	0.90	0.09	11.8	0.516	1.55
K303064		560	11.4	156.0	0.002	0.47	0.34	19.9	2	2.2	109.5	0.93	0.10	11.9	0.509	1.35
K303065		590	14.7	165.5	0.002	0.27	0.44	21.7	2	2.4	108.0	1.00	0.09	12.9	0.535	1.18
K303066		600	13.7	160.0	0.002	0.18	0.36	21.3	2	2.3	113.0	0.98	0.09	12.7	0.536	1.02
K303067		610	13.6	163.0	<0.002	0.23	0.36	20.5	3	2.3	121.5	0.97	0.10	12.6	0.527	1.09
K303068		590	16.1	158.5	0.003	0.43	0.39	20.9	2	2.2	146.0	0.97	0.10	12.8	0.523	1.28
K303069		610	15.0	159.0	0.002	0.41	0.44	20.8	2	2.3	137.5	0.99	0.09	12.7	0.529	1.24
K303070		630	13.9	159.5	0.002	0.39	0.44	20.9	2	2.3	132.5	0.99	0.09	13.0	0.531	1.17
K303071		590	32.0	170.0	0.002	0.65	0.67	22.4	2	2.3	108.0	0.98	0.09	12.9	0.563	1.17
K303072		170	1.5	2.0	0.002	0.01	<0.05	0.5	1	<0.2	47.8	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184723

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303037		1.8	152	1.2	18.5	78	94.4	
K303038		2.0	149	1.6	20.1	126	102.0	
K303039		1.9	147	1.6	19.9	155	99.0	
K303040		0.7	74	3.4	8.6	44	40.7	
K303041		0.9	90	7.9	9.6	114	51.6	1.455
K303042		1.2	122	7.2	14.0	77	68.4	
K303043		2.0	175	10.2	27.7	127	112.0	
K303044		0.8	76	4.6	8.7	52	41.6	3.78
K303045		8.2	237	29.8	21.8	209	64.3	
K303046		1.7	150	9.4	18.6	88	88.7	
K303047		1.5	135	8.6	17.3	101	79.6	
K303048		2.3	148	1.3	22.9	92	95.5	
K303049		2.0	134	2.4	21.1	127	91.7	
K303050		2.1	141	1.9	24.8	478	92.3	
K303051		2.2	137	6.6	22.7	61	95.8	
K303052		0.8	2	0.1	0.9	15	0.7	
K303053		2.8	155	2.9	29.7	88	110.5	
K303054		2.8	153	2.2	28.8	81	112.5	
K303055		2.7	153	1.9	28.2	77	111.5	
K303056		2.5	146	1.5	25.7	72	101.0	
K303057		1.9	128	2.5	20.7	54	91.4	
K303058		2.2	145	1.6	23.1	66	102.5	
K303059		2.2	140	4.2	23.4	58	97.3	
K303060		2.2	150	4.0	23.3	132	93.2	
K303061		2.1	149	1.4	22.8	101	96.1	
K303062		8.2	166	21.6	16.2	43	152.0	
K303063		2.4	138	1.6	26.6	129	105.0	
K303064		2.4	131	1.5	23.9	67	107.5	
K303065		2.6	138	1.5	26.6	70	102.5	
K303066		2.7	137	1.4	26.7	74	101.0	
K303067		2.6	135	1.3	26.4	73	101.5	
K303068		2.7	135	1.4	26.2	76	110.5	
K303069		2.6	137	1.4	26.2	77	101.0	
K303070		2.7	137	1.4	26.3	75	108.0	
K303071		2.6	149	1.3	26.5	129	114.0	
K303072		0.6	2	0.1	0.9	14	0.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184723

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

CERTIFICATE VA11184720

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 178

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184720

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302771		7.90	<0.01	0.11	7.24	21.8	300	1.91	0.30	1.70	0.22	75.5	18.6	74	37.7	54.5
K302772		7.92	<0.01	0.10	5.62	7.6	340	1.45	0.24	3.25	0.18	55.6	14.2	62	31.5	45.7
K302773		8.30	<0.01	0.10	6.80	15.7	310	1.72	0.30	1.52	0.16	69.1	17.2	73	35.6	56.0
K302774		8.22	<0.01	0.10	6.32	7.8	410	1.53	0.25	3.30	0.17	62.7	18.5	73	32.9	58.0
K302775		8.34	<0.01	0.10	6.39	28.6	370	1.66	0.28	1.94	0.19	63.1	17.4	74	31.9	56.6
K302776		4.98	<0.01	0.03	0.07	<5	20	0.06	0.03	20.9	0.06	1.19	0.7	1	0.26	1.9
K302777		7.72	0.05	0.16	5.95	174.0	290	1.90	0.30	2.28	0.25	58.0	14.3	70	23.4	48.9
K302778		2.86	0.39	0.18	6.75	367	240	1.95	0.35	1.81	0.45	67.8	16.1	81	21.9	56.1
K302779		1.38	0.54	0.10	1.85	230	340	0.40	0.13	1.49	0.27	22.7	7.1	29	4.37	18.9
K302780		5.70	0.14	0.08	6.10	93.6	220	1.82	0.35	5.91	0.36	55.6	18.9	60	23.5	67.5
K302781		2.90	0.17	0.07	5.91	94.1	220	1.94	0.35	5.93	0.20	55.2	18.8	57	23.7	66.7
K302782		4.28	0.08	0.09	3.76	69.8	140	1.14	0.21	4.19	0.16	43.5	7.5	37	15.75	21.1
K302783		7.30	0.01	0.07	6.67	44.7	250	2.10	0.39	3.75	0.08	69.9	13.7	61	28.6	39.0
K302784		9.30	0.03	0.05	6.47	47.1	230	1.99	0.35	3.79	0.05	60.6	18.6	63	32.8	61.7
K302785		7.96	0.06	0.14	5.56	76.4	580	1.71	0.31	7.57	0.50	59.4	14.6	43	22.8	55.6
K302786		5.26	<0.01	0.34	5.10	72.7	220	1.99	0.31	8.21	0.62	58.1	14.0	42	24.6	51.2
K302787		7.40	<0.01	0.09	0.47	16	50	0.44	0.03	18.15	0.08	8.67	2.0	4	1.07	5.1
K302788		6.12	0.02	0.10	0.62	26	900	0.46	0.03	17.75	0.17	10.40	2.7	6	2.32	5.9
K302789		7.58	<0.01	0.02	8.33	17.7	770	3.28	0.38	2.36	0.13	95.4	18.8	61	44.4	52.7
K302790		5.70	<0.01	0.17	8.13	9.3	510	4.37	0.32	0.61	1.13	92.8	19.4	71	51.8	51.5
K302791		7.90	<0.01	0.07	8.32	30.5	420	4.34	0.28	0.99	0.54	98.5	15.8	67	47.8	41.1
K302792		0.30	2.70	1.06	3.03	571	840	0.79	0.41	7.72	2.30	50.2	6.6	50	4.02	42.1
K302793		8.20	<0.01	0.08	8.23	16.7	860	3.70	0.24	2.36	0.02	101.5	16.8	57	42.8	37.0
K302794		7.84	<0.01	0.03	7.83	11.4	400	3.26	0.31	2.62	0.08	107.0	17.6	60	38.3	45.7
K302795		5.72	<0.01	0.03	2.43	6.6	180	0.71	0.13	4.72	0.03	29.3	7.8	37	11.15	28.2
K302796		0.30	0.34	0.32	6.08	607	1710	0.69	0.27	0.46	0.18	142.5	2.9	242	3.61	29.9
K302797		3.86	<0.01	0.06	7.11	50.1	240	1.96	0.34	3.37	0.06	75.8	18.3	71	32.8	70.9
K302798		4.78	0.04	0.14	5.67	125.0	330	1.74	0.27	3.31	0.33	65.3	13.9	65	18.65	51.1
K302799		3.88	0.03	0.22	5.85	141.5	220	1.91	0.29	3.23	0.36	68.3	14.1	69	19.90	55.8
K302800		7.58	<0.01	0.34	6.42	98.4	260	1.95	0.30	2.16	0.48	74.0	15.6	78	33.3	63.4
K302801		5.04	<0.01	<0.01	0.09	<5	20	0.05	0.02	18.70	0.05	1.76	1.3	1	0.25	1.6
K302802		6.22	<0.01	0.09	6.50	39.5	340	1.94	0.28	1.26	0.22	68.2	17.8	71	35.4	55.1
K302803		8.10	<0.01	0.08	7.16	8.4	400	2.36	0.31	1.19	0.19	79.1	18.8	73	35.9	59.5
K302804		8.48	<0.01	0.14	6.97	231	660	2.69	0.36	2.84	0.10	48.3	9.5	80	24.9	34.9
K302805		6.36	<0.01	0.15	8.21	463	500	2.90	0.36	0.85	0.16	60.0	11.3	81	25.5	37.2
K302806		8.12	<0.01	0.09	7.93	989	370	4.64	0.26	0.52	0.37	57.5	22.3	73	27.6	45.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184720

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302771		4.95	19.35	0.14	4.0	1.60	0.078	3.44	35.9	36.8	1.61	327	1.16	0.04	12.2	41.8
K302772		4.59	14.75	0.11	3.2	0.51	0.063	2.68	28.8	32.8	2.11	613	0.80	0.04	8.6	33.3
K302773		5.18	17.70	0.12	3.6	0.65	0.077	3.28	34.1	22.0	1.47	276	0.87	0.04	10.4	40.9
K302774		5.30	16.60	0.13	3.3	0.63	0.076	3.02	31.9	20.2	2.05	611	0.87	0.04	9.5	43.0
K302775		5.50	16.85	0.14	3.4	1.27	0.072	3.09	34.8	19.7	1.23	305	1.22	0.04	9.6	42.7
K302776		0.48	0.21	0.07	<0.1	<0.01	0.005	0.03	0.6	1.0	12.80	211	0.29	<0.01	0.2	1.9
K302777		4.78	15.30	0.12	3.3	5.27	0.069	2.62	27.4	18.2	1.29	336	1.87	0.03	8.4	38.1
K302778		5.15	18.20	0.13	3.9	6.31	0.068	2.85	37.6	22.0	1.11	429	3.68	0.03	10.0	47.0
K302779		2.60	4.73	0.08	1.1	3.04	0.025	0.71	11.4	12.6	0.65	571	0.97	0.01	2.7	12.6
K302780		4.64	15.60	0.15	3.1	1.67	0.077	2.90	26.2	11.7	2.98	715	0.95	0.04	8.5	40.4
K302781		4.49	15.75	0.13	3.1	1.65	0.075	2.82	27.9	11.5	3.03	692	0.88	0.04	8.7	41.6
K302782		2.98	9.41	0.09	2.0	1.55	0.042	1.74	21.9	11.6	2.01	510	0.42	0.02	5.8	16.2
K302783		4.25	17.50	0.14	3.5	1.04	0.073	3.17	34.9	14.2	2.16	608	0.54	0.04	9.8	32.9
K302784		4.79	17.70	0.14	3.3	1.75	0.088	3.15	32.2	14.7	2.16	707	0.66	0.04	9.7	41.6
K302785		3.80	14.90	0.13	2.8	1.98	0.061	2.65	28.4	11.5	4.19	763	2.04	0.03	8.6	60.2
K302786		3.41	14.75	0.13	2.7	2.23	0.069	2.32	28.0	10.2	4.94	667	3.81	0.02	8.8	70.1
K302787		1.40	1.40	<0.05	0.2	0.15	0.006	0.22	3.8	2.3	10.25	2250	6.99	<0.01	1.0	8.5
K302788		1.67	1.66	0.05	0.3	0.19	0.007	0.29	4.8	2.4	10.20	2220	7.95	0.01	1.4	8.1
K302789		4.37	24.6	0.15	2.8	0.10	0.070	3.43	45.3	18.4	1.76	1240	1.43	0.04	11.8	39.4
K302790		3.31	27.3	0.15	2.9	0.20	0.078	3.52	40.9	22.7	1.18	352	1.00	0.04	12.9	40.5
K302791		3.40	26.5	0.16	2.9	0.16	0.076	3.45	44.7	29.3	1.35	390	1.49	0.04	12.5	36.1
K302792		2.13	8.01	0.09	1.7	4.94	0.029	1.00	29.9	41.5	2.48	265	18.75	0.03	6.9	49.4
K302793		5.01	24.0	0.17	2.6	0.13	0.075	3.22	46.7	30.6	1.97	930	3.71	0.04	11.3	38.0
K302794		3.89	23.3	0.17	2.9	0.15	0.074	3.34	52.1	19.3	2.07	558	2.69	0.04	11.8	39.1
K302795		2.88	6.61	0.08	1.2	0.18	0.026	1.18	13.8	10.4	2.21	574	0.53	0.01	3.8	16.9
K302796		6.80	20.8	0.20	3.9	9.99	0.046	1.38	67.6	19.1	0.13	38	6.40	0.39	9.6	15.7
K302797		4.94	20.6	0.18	3.1	1.26	0.085	3.06	37.6	17.8	2.06	456	0.76	0.03	11.9	39.1
K302798		4.34	16.70	0.15	2.7	2.72	0.069	2.71	33.1	15.7	1.63	459	3.46	0.03	9.5	38.8
K302799		5.08	16.90	0.16	2.8	3.53	0.070	2.80	34.0	15.8	1.66	445	3.57	0.03	9.6	41.8
K302800		5.06	18.85	0.17	3.1	2.46	0.073	3.12	37.1	37.8	1.32	302	4.00	0.03	10.8	48.6
K302801		0.42	0.26	0.05	<0.1	0.01	<0.005	0.03	0.8	1.2	11.90	180	0.13	<0.01	0.3	1.6
K302802		4.76	19.20	0.14	3.1	1.10	0.078	2.47	33.2	61.3	1.31	242	1.25	0.04	10.7	39.3
K302803		5.19	21.4	0.16	3.5	0.85	0.086	2.69	38.0	32.7	1.46	253	1.41	0.04	12.5	41.6
K302804		4.04	24.5	0.13	2.8	2.16	0.076	2.81	21.3	58.6	0.74	245	4.39	0.04	11.2	16.6
K302805		4.46	26.3	0.15	2.8	3.89	0.076	3.67	27.0	18.6	0.79	406	3.44	0.04	12.3	18.6
K302806		4.43	25.6	0.15	2.8	2.30	0.083	3.03	22.7	16.1	0.71	722	3.75	0.03	12.2	46.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184720

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302771		670	22.6	159.5	0.003	2.62	0.64	20.2	1	2.5	108.5	0.88	0.06	10.9	0.526	4.65
K302772		560	17.8	122.0	0.003	1.43	0.55	15.8	2	2.0	152.5	0.70	<0.05	8.6	0.422	2.49
K302773		480	20.5	143.0	0.003	3.45	0.59	19.6	2	2.2	133.5	0.78	<0.05	10.7	0.514	3.86
K302774		490	21.2	130.5	<0.002	3.00	0.61	18.2	2	2.2	186.5	0.73	0.05	9.2	0.479	3.95
K302775		430	20.1	135.5	0.002	5.25	0.59	18.6	2	2.2	146.0	0.72	<0.05	9.4	0.505	9.29
K302776		170	1.2	1.5	<0.002	0.02	0.13	0.2	<1	0.2	47.6	<0.05	<0.05	<0.2	<0.005	0.07
K302777		330	20.1	113.0	0.007	4.54	2.32	16.7	2	1.9	119.5	0.69	0.05	9.7	0.438	14.45
K302778		290	23.3	126.0	0.011	5.18	6.87	18.6	2	2.5	97.4	0.80	0.05	11.0	0.489	15.65
K302779		330	24.5	30.0	0.003	2.53	3.87	5.3	1	0.7	49.6	0.22	0.05	3.3	0.137	8.87
K302780		490	25.3	109.0	0.002	4.11	1.37	18.2	1	2.0	140.5	0.66	0.11	8.0	0.457	3.96
K302781		460	26.3	117.0	<0.002	4.10	1.52	17.5	1	2.0	143.0	0.67	0.09	8.5	0.434	3.92
K302782		190	28.1	74.3	0.002	2.31	3.02	8.6	1	1.3	113.5	0.44	0.05	6.2	0.244	2.80
K302783		430	28.7	139.0	<0.002	3.84	1.00	16.5	1	2.4	129.0	0.77	0.08	11.1	0.396	2.45
K302784		470	21.1	139.5	<0.002	4.44	1.95	19.5	1	2.1	131.5	0.70	0.09	9.5	0.459	3.69
K302785		440	25.2	113.5	0.016	3.34	2.90	15.2	2	1.9	175.0	0.66	0.09	8.4	0.352	3.98
K302786		450	34.2	103.5	0.025	3.41	1.25	14.3	4	1.7	141.0	0.66	0.11	9.5	0.347	5.30
K302787		110	17.7	9.0	0.021	0.71	1.37	1.4	2	0.3	239	0.07	<0.05	1.0	0.027	0.70
K302788		120	24.9	11.4	0.028	1.03	2.23	1.5	2	0.3	237	0.09	<0.05	1.4	0.033	0.81
K302789		450	17.3	107.5	<0.002	3.59	0.74	16.3	1	2.7	153.0	0.93	<0.05	16.0	0.346	1.01
K302790		480	95.1	124.5	0.015	2.05	0.73	17.2	3	2.8	125.0	1.00	0.05	15.8	0.373	1.10
K302791		460	21.1	129.0	0.005	1.55	0.66	16.6	2	2.7	157.5	0.97	<0.05	16.7	0.357	1.10
K302792		860	39.5	52.0	0.023	1.53	108.5	5.6	4	2.5	71.5	0.46	0.24	7.2	0.169	4.09
K302793		400	19.0	111.5	0.005	2.45	0.95	15.3	2	2.6	164.5	0.87	<0.05	16.7	0.319	1.02
K302794		440	18.0	152.0	0.004	2.36	0.69	17.3	2	2.6	160.5	0.88	0.08	17.9	0.358	1.04
K302795		230	12.2	49.3	<0.002	1.81	0.26	7.1	2	0.8	146.5	0.27	0.05	4.1	0.210	0.50
K302796		910	17.5	49.6	0.003	3.14	119.0	16.4	2	2.9	507	0.73	0.14	10.7	0.555	7.95
K302797		570	24.8	142.0	<0.002	4.56	0.55	20.9	2	2.4	114.5	0.84	0.12	12.3	0.507	2.74
K302798		730	19.9	126.0	0.009	3.81	2.79	16.9	3	2.4	161.0	0.68	0.05	10.3	0.417	5.43
K302799		550	19.7	132.5	0.012	4.45	2.69	17.5	4	2.2	142.0	0.70	0.08	11.3	0.424	6.88
K302800		480	20.7	154.5	0.013	4.56	0.63	20.1	5	2.3	122.0	0.79	0.10	11.9	0.463	8.42
K302801		240	1.3	1.4	<0.002	0.03	<0.05	0.3	1	<0.2	48.5	<0.05	<0.05	0.2	0.005	0.02
K302802		420	20.6	132.5	0.003	3.25	0.52	20.0	2	2.1	110.0	0.79	0.06	11.3	0.510	4.85
K302803		460	23.1	147.5	0.003	3.43	0.56	22.5	2	2.5	122.5	0.90	0.08	13.1	0.534	3.54
K302804		1790	18.0	85.7	0.008	0.10	1.40	14.2	2	3.6	190.0	0.88	0.06	9.7	0.360	4.92
K302805		1440	23.9	131.0	0.009	0.13	1.82	15.6	2	3.8	134.0	0.97	0.05	12.6	0.393	6.60
K302806		720	25.9	94.8	0.015	0.11	2.03	16.2	2	3.0	104.5	0.96	<0.05	12.5	0.347	4.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184720

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302771		2.6	142	1.5	23.6	106	117.0
K302772		2.0	118	1.1	19.2	87	92.7
K302773		2.4	148	1.3	20.6	87	108.5
K302774		1.9	136	1.2	19.1	94	98.5
K302775		2.2	145	1.3	18.8	91	105.5
K302776		0.4	3	0.1	0.7	17	0.5
K302777		2.9	134	3.8	16.4	89	95.5
K302778		3.6	149	9.2	18.9	108	334
K302779		1.0	42	2.5	9.4	86	33.8
K302780		1.7	131	1.9	18.0	147	93.4
K302781		1.8	123	1.9	18.4	86	96.1
K302782		1.2	57	2.6	11.7	99	67.4
K302783		2.1	106	2.5	19.8	78	106.0
K302784		1.7	130	3.9	19.4	46	116.0
K302785		2.4	105	4.5	17.2	92	91.7
K302786		4.4	99	2.0	19.2	95	93.1
K302787		9.2	38	0.6	3.4	7	9.5
K302788		7.9	41	0.9	4.0	47	11.1
K302789		2.2	87	1.9	22.3	44	95.1
K302790		3.4	166	2.1	22.4	564	100.5
K302791		3.7	136	2.8	21.9	302	98.0
K302792		9.6	229	29.9	21.0	207	62.2
K302793		4.2	138	2.0	21.8	48	90.7
K302794		3.8	122	1.8	24.6	57	101.0
K302795		0.8	59	0.7	10.0	10	44.1
K302796		8.2	171	24.8	15.8	40	154.5
K302797		2.2	144	1.5	24.2	40	108.0
K302798		3.5	129	4.9	21.7	95	96.6
K302799		4.2	136	4.6	21.1	91	101.5
K302800		4.9	148	1.6	24.8	112	109.5
K302801		0.7	2	0.1	0.9	9	0.8
K302802		2.6	145	1.5	21.7	94	105.0
K302803		3.1	154	1.8	25.0	94	117.5
K302804		4.5	180	4.0	17.2	61	96.3
K302805		4.0	178	6.1	16.9	100	98.4
K302806		4.6	167	5.4	20.1	134	96.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11184720

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

CERTIFICATE VA11184722

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 179

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184722

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303073		2.12	0.04	0.08	6.72	122.0	420	1.80	0.24	2.30	0.11	70.3	15.2	73	35.0	53.2
K303074		3.54	0.01	0.07	8.22	73.9	400	2.56	0.34	1.21	0.12	87.1	25.6	78	43.8	55.9
K303075		6.72	<0.01	0.05	8.21	41.0	340	2.40	0.32	1.42	0.06	87.0	22.4	78	49.5	56.1
K303076		6.60	0.01	0.05	8.15	27.0	270	2.52	0.33	1.06	<0.02	85.7	22.2	78	43.9	52.3
K303077		10.54	0.01	0.08	7.18	25.2	230	2.02	0.27	1.54	0.06	75.9	21.3	74	39.6	50.5
K303078		6.90	<0.01	0.14	5.95	15.5	280	1.73	0.22	2.19	0.13	68.4	16.0	62	27.7	44.1
K303079		8.10	<0.01	0.10	6.14	18.8	300	1.62	0.22	2.11	0.02	64.1	17.1	67	30.5	48.1
K303080		6.76	0.01	0.17	5.65	15.7	200	1.53	0.20	2.17	0.15	59.1	16.7	62	30.6	46.7
K303081		7.80	0.01	0.10	6.90	10.2	240	2.10	0.26	1.45	0.03	71.5	18.4	76	42.5	50.2
K303082		7.62	0.01	0.13	5.92	27.8	360	1.68	0.22	3.00	0.05	61.1	15.1	64	28.2	42.2
K303083		3.38	0.01	0.15	5.70	24.5	260	1.72	0.22	2.75	0.05	60.8	17.4	61	27.7	43.7
K303084		8.36	0.01	0.10	5.94	64.4	240	1.81	0.21	2.51	0.06	63.0	16.9	59	26.9	48.1
K303085		6.88	0.05	0.16	5.79	210	210	1.76	0.22	2.82	0.10	64.9	14.0	55	19.40	43.0
K303086		7.24	0.05	0.10	5.41	203	180	1.73	0.19	2.84	0.12	63.1	16.0	51	21.6	34.3
K303087		4.52	0.02	0.04	3.41	136	150	1.20	0.10	23.2	0.02	37.1	11.8	32	15.05	24.4
K303088		3.22	0.02	0.05	6.55	271	180	1.75	0.28	11.40	0.03	74.9	19.0	47	33.3	42.3
K303089		0.26	7.65	0.49	3.61	939	160	0.77	0.68	12.60	4.63	46.9	6.1	95	7.68	33.3
K303090		7.28	0.03	0.03	2.95	245	260	0.73	0.11	25.7	0.14	34.7	9.2	25	11.40	19.1
K303091		7.18	0.99	0.03	1.95	8920	100	0.40	0.09	28.1	0.14	26.6	6.2	17	7.03	14.2
K303092		6.78	3.95	0.37	1.77	>10000	100	0.37	0.09	24.6	0.06	23.9	5.6	15	6.42	15.1
K303093		5.54	0.01	<0.01	0.08	164	20	<0.05	0.02	20.4	0.06	1.44	1.4	<1	0.53	0.7
K303094		5.90	12.55	0.29	4.85	>10000	180	0.80	0.26	12.10	0.28	57.0	16.0	48	18.95	43.6
K303095		7.28	8.40	0.20	4.39	3880	170	0.58	0.20	15.75	0.16	50.2	12.7	39	14.35	32.9
K303096		7.20	1.86	0.05	2.17	2240	140	0.31	0.11	27.2	0.14	30.2	6.3	19	9.01	18.0
K303097		7.12	0.01	0.01	0.74	61	120	0.18	0.04	35.0	0.09	13.45	2.6	6	2.69	7.0
K303098		7.28	0.01	0.01	0.70	43	140	0.21	0.03	35.4	0.07	12.90	2.3	5	2.64	6.2
K303099		6.62	<0.01	0.01	0.87	34	160	0.24	0.04	34.6	0.08	15.00	2.6	7	3.35	7.0
K303100		6.32	<0.01	0.02	0.63	38	110	0.17	0.03	35.4	0.09	11.75	2.0	5	1.92	5.3
K303101		6.00	<0.01	0.01	0.51	51	150	0.14	0.03	35.5	0.04	11.25	1.7	4	1.53	5.8
K303102		0.30	2.71	1.03	3.24	527	870	0.77	0.36	8.26	2.43	52.9	7.2	51	4.48	42.1
K303103		7.12	0.05	0.02	0.69	86	110	0.21	0.03	35.1	0.06	13.25	2.2	6	2.02	7.1
K303104		7.40	0.02	0.01	0.88	61	140	0.23	0.04	33.8	0.05	15.45	2.7	7	3.60	8.1
K303105		6.80	<0.01	0.02	0.96	68	200	0.24	0.05	33.0	0.13	16.80	2.8	9	3.56	8.8
K303106		6.90	0.01	0.01	0.77	48	160	0.20	0.04	33.8	0.04	15.15	2.4	5	2.73	7.8
K303107		5.00	<0.01	0.01	0.06	<5	20	0.06	0.02	21.5	0.06	1.44	1.7	<1	0.15	1.5
K303108		6.50	<0.01	<0.01	0.34	29	110	0.14	0.02	35.9	0.02	7.49	1.4	3	0.93	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184722

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303073		4.99	16.70	0.26	3.1	0.11	0.071	2.73	33.7	86.3	2.16	844	0.90	0.02	11.2	31.5
K303074		6.07	21.1	0.29	3.2	0.37	0.085	3.56	41.4	68.8	1.87	661	1.63	0.02	11.5	41.5
K303075		5.48	20.2	0.28	3.3	0.33	0.079	3.41	41.4	94.3	1.95	721	1.10	0.02	11.3	37.7
K303076		5.68	20.9	0.29	3.5	0.23	0.088	3.39	41.1	123.0	1.89	584	0.57	0.02	12.1	37.7
K303077		5.79	17.40	0.28	3.2	0.20	0.073	3.02	36.2	108.0	1.91	611	0.49	0.02	11.3	34.0
K303078		4.33	15.25	0.25	2.8	0.25	0.060	2.62	32.6	70.2	1.77	724	0.52	0.01	10.0	29.6
K303079		4.95	15.50	0.25	2.7	0.23	0.062	2.63	31.3	79.3	1.82	667	0.32	0.01	9.7	29.9
K303080		4.26	14.00	0.22	2.5	0.33	0.054	2.53	28.6	54.5	1.68	532	0.63	0.01	8.7	30.3
K303081		4.95	17.60	0.26	3.1	0.13	0.067	3.13	34.0	81.4	1.65	366	0.30	0.01	11.2	33.2
K303082		4.74	14.65	0.24	2.6	0.19	0.059	2.70	29.2	40.8	1.86	788	0.32	0.01	9.3	26.7
K303083		4.62	14.90	0.26	2.6	0.23	0.060	2.64	29.1	39.0	1.76	710	0.39	0.01	9.3	29.1
K303084		4.58	14.90	0.23	2.7	0.57	0.060	2.61	30.1	38.4	1.47	528	0.29	0.01	9.8	28.3
K303085		3.93	14.40	0.23	2.7	1.07	0.055	2.57	31.0	18.5	1.37	493	0.81	0.01	9.6	24.7
K303086		4.29	13.90	0.24	2.7	0.87	0.058	2.48	30.8	21.7	1.23	574	0.98	0.01	9.5	27.1
K303087		2.41	8.43	0.17	1.6	0.80	0.032	1.53	18.6	7.9	1.16	708	0.28	<0.01	4.9	13.8
K303088		4.14	17.10	0.21	2.9	2.33	0.069	3.03	38.4	16.4	2.02	907	0.69	0.03	9.9	35.9
K303089		1.35	7.68	0.16	2.4	5.89	0.070	1.49	30.5	10.4	0.74	272	12.15	0.01	8.7	67.7
K303090		2.03	7.45	0.12	1.4	3.43	0.031	1.35	18.1	6.1	0.95	595	0.49	0.02	4.7	14.4
K303091		1.22	5.01	0.11	1.2	11.3	0.027	0.91	14.6	4.8	0.57	421	0.99	0.01	3.6	10.3
K303092		1.14	4.52	0.18	1.0	32.3	0.058	0.80	13.5	4.4	0.29	419	0.74	0.01	3.0	9.7
K303093		0.47	0.35	0.37	<0.1	0.22	<0.005	0.02	0.7	1.8	12.10	199	0.13	<0.01	0.4	1.3
K303094		3.01	13.55	0.16	2.7	82.5	0.052	2.24	32.7	17.6	0.44	541	1.80	0.02	8.1	27.9
K303095		2.64	11.40	0.14	2.1	57.9	0.047	1.85	27.7	13.6	0.44	525	1.60	0.14	6.4	23.0
K303096		1.39	5.73	0.10	1.1	18.0	0.033	0.94	17.0	6.5	0.39	560	1.02	0.01	3.5	11.9
K303097		0.52	2.03	0.10	0.4	1.31	0.009	0.33	7.1	2.2	0.44	191	0.45	0.01	1.5	5.2
K303098		0.47	1.89	0.14	0.4	0.94	0.009	0.31	6.7	2.3	0.39	107	0.42	0.01	1.5	4.8
K303099		0.52	2.25	0.15	0.5	0.52	0.011	0.39	7.6	3.1	0.48	148	0.48	0.01	1.8	5.4
K303100		0.42	1.69	0.15	0.3	1.14	0.008	0.29	5.9	1.9	0.47	163	0.33	0.01	1.4	4.2
K303101		0.36	1.35	0.16	0.3	1.04	0.006	0.24	5.7	1.6	0.52	134	0.29	0.01	1.2	3.5
K303102		2.06	7.92	0.17	2.0	4.82	0.031	1.01	32.0	36.7	2.63	271	19.65	0.03	8.0	54.1
K303103		0.44	1.89	0.14	0.4	1.96	0.009	0.30	6.9	1.8	0.49	324	0.40	0.01	1.4	4.4
K303104		0.57	2.38	0.14	0.5	1.76	0.010	0.40	8.4	2.7	0.51	300	0.56	0.01	1.8	5.0
K303105		0.60	2.47	0.14	0.5	0.69	0.010	0.44	9.1	2.8	0.65	197	0.50	0.01	1.8	4.9
K303106		0.48	1.92	0.16	0.4	1.34	0.009	0.36	8.0	2.3	0.47	128	0.37	0.01	1.5	4.1
K303107		0.39	0.50	0.56	<0.1	0.01	<0.005	0.04	0.7	0.5	13.45	181	0.16	<0.01	0.5	3.7
K303108		0.30	1.07	0.24	0.2	0.47	0.005	0.18	3.8	1.2	0.77	217	0.24	0.01	1.0	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184722

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303073		600	12.2	158.0	<0.002	0.52	0.72	18.7	3	2.3	139.0	0.83	0.06	10.0	0.505	1.23
K303074		420	37.8	210	0.002	1.99	1.04	22.4	3	2.9	152.0	0.87	0.12	11.6	0.472	2.08
K303075		510	25.9	199.5	0.002	1.40	0.77	21.4	3	2.9	118.5	0.85	0.10	11.9	0.475	2.12
K303076		480	16.6	199.5	<0.002	1.22	0.75	21.9	3	3.0	118.0	0.91	0.10	12.1	0.494	1.53
K303077		470	18.5	173.0	<0.002	1.55	0.66	18.6	3	2.6	117.0	0.85	0.07	10.7	0.501	1.27
K303078		440	18.3	147.0	<0.002	1.29	0.49	15.7	3	2.3	171.5	0.75	0.06	9.6	0.417	1.44
K303079		460	16.2	148.0	<0.002	1.38	0.46	15.6	3	2.6	131.5	0.71	0.06	9.2	0.446	1.38
K303080		370	24.6	135.5	<0.002	1.32	0.73	14.8	3	2.4	108.0	0.67	0.05	8.6	0.388	1.51
K303081		440	14.9	173.0	<0.002	0.66	0.44	18.4	3	2.5	80.3	0.82	0.06	10.5	0.515	1.20
K303082		490	14.5	133.0	<0.002	1.03	0.44	15.3	3	2.2	129.0	0.69	0.05	8.7	0.422	1.16
K303083		470	16.1	133.5	<0.002	1.16	0.48	15.3	3	2.4	122.0	0.67	0.06	8.6	0.410	1.20
K303084		440	14.4	130.5	<0.002	3.02	0.56	15.3	3	2.6	110.0	0.72	0.06	9.0	0.438	2.61
K303085		480	21.2	122.0	<0.002	2.92	1.53	13.7	3	2.9	119.0	0.74	0.06	9.3	0.396	3.22
K303086		460	26.8	123.0	<0.002	3.39	1.18	13.1	3	2.2	86.2	0.74	0.05	9.1	0.369	2.07
K303087		400	6.0	70.2	<0.002	1.30	0.54	8.9	3	1.2	537	0.34	<0.05	4.2	0.194	1.53
K303088		360	9.6	155.0	0.002	3.30	0.90	15.4	2	2.4	283	0.70	0.06	11.0	0.324	5.32
K303089		4310	5.4	119.0	0.037	1.42	21.9	6.1	9	1.9	150.0	0.54	0.57	6.9	0.218	14.55
K303090		240	7.9	66.1	0.002	1.56	0.56	6.5	2	1.1	872	0.31	0.05	4.4	0.157	4.78
K303091		140	7.9	43.0	0.002	1.78	0.83	5.5	2	0.8	888	0.23	<0.05	3.4	0.115	14.30
K303092		270	6.9	42.5	0.002	7.05	5.20	7.0	2	0.8	898	0.19	0.05	3.1	0.093	32.3
K303093		180	1.2	1.7	<0.002	<0.01	0.05	0.3	1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	0.04
K303094		1000	20.8	119.5	0.005	4.21	3.10	9.7	2	2.6	446	0.54	0.09	8.6	0.270	75.4
K303095		590	13.2	93.9	0.005	3.23	1.78	7.9	2	1.6	614	0.42	0.07	6.7	0.229	64.5
K303096		420	9.0	46.3	0.003	1.83	2.18	6.8	2	0.9	1065	0.22	0.05	3.7	0.111	26.5
K303097		250	4.1	17.6	0.002	0.51	0.35	1.5	2	0.3	1625	0.08	<0.05	1.3	0.039	1.74
K303098		250	3.6	17.2	0.002	0.45	0.24	1.5	2	0.3	2010	0.07	<0.05	1.3	0.037	0.64
K303099		200	3.6	22.2	0.002	0.54	0.20	1.9	2	0.4	1995	0.10	<0.05	1.6	0.045	0.86
K303100		400	2.2	15.2	<0.002	0.45	0.18	1.4	2	0.3	1800	0.06	<0.05	1.1	0.032	1.03
K303101		360	2.1	12.3	<0.002	0.36	0.18	1.3	2	0.3	1910	0.06	<0.05	0.9	0.027	1.15
K303102		900	37.8	53.2	0.024	1.60	117.5	5.4	5	2.8	75.0	0.48	0.23	6.7	0.172	4.15
K303103		320	2.5	16.0	0.002	0.50	0.98	1.7	1	0.4	1630	0.07	<0.05	1.1	0.035	2.45
K303104		260	3.3	21.2	0.002	0.64	0.41	2.0	2	0.4	1610	0.09	<0.05	1.5	0.046	2.14
K303105		690	3.5	22.2	0.002	0.67	0.24	2.1	2	0.5	1600	0.10	<0.05	1.7	0.051	0.99
K303106		170	2.7	18.1	<0.002	0.53	0.23	1.7	2	0.3	1600	0.08	<0.05	1.3	0.040	0.48
K303107		230	1.1	1.9	<0.002	0.02	<0.05	<0.1	1	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.02
K303108		240	1.4	10.1	<0.002	0.25	0.13	0.9	1	0.2	1685	<0.05	<0.05	0.6	0.019	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184722

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303073		2.1	140	1.5	20.9	97	102.5	
K303074		2.5	152	1.7	21.7	108	108.0	
K303075		2.5	148	1.7	22.6	87	111.0	
K303076		2.4	148	1.6	23.6	76	118.5	
K303077		2.1	140	1.6	20.3	81	105.0	
K303078		2.1	114	1.9	18.2	91	94.6	
K303079		1.8	123	1.7	17.7	61	93.0	
K303080		1.9	113	1.9	16.0	87	85.5	
K303081		2.1	139	1.8	19.7	77	105.0	
K303082		1.8	115	1.9	18.6	69	87.6	
K303083		1.8	112	2.1	18.4	63	90.2	
K303084		1.9	118	2.2	17.5	70	92.3	
K303085		2.1	100	6.8	17.3	94	90.8	
K303086		2.0	95	4.9	18.0	116	88.9	
K303087		2.2	60	2.2	14.2	30	55.8	
K303088		2.6	87	8.1	23.8	57	99.6	
K303089		8.8	390	36.5	29.7	286	87.0	
K303090		2.2	49	3.8	16.0	37	50.7	
K303091		2.4	29	2.2	14.8	34	43.4	
K303092		3.1	27	3.1	14.3	20	34.8	11.30
K303093		0.5	1	0.1	0.9	16	1.2	
K303094		8.5	76	8.3	24.4	104	93.5	1.260
K303095		4.8	65	6.4	24.7	68	72.6	
K303096		3.2	34	3.4	21.6	32	40.4	
K303097		2.3	12	0.5	12.5	14	14.1	
K303098		2.3	12	0.3	11.5	8	13.2	
K303099		2.3	14	0.6	12.6	13	16.9	
K303100		2.1	11	0.6	11.7	14	12.1	
K303101		2.1	9	0.6	12.2	5	9.9	
K303102		9.3	228	29.1	21.6	207	71.7	
K303103		2.2	12	1.1	12.9	8	13.1	
K303104		2.4	14	0.9	12.9	8	16.1	
K303105		2.8	16	0.7	13.4	22	17.4	
K303106		2.3	12	0.4	13.4	10	13.2	
K303107		0.5	3	0.1	0.9	15	<0.5	
K303108		1.4	7	0.1	10.1	3	6.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184722

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE VA11184721

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B Batch 180

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184721

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304010		4.26	0.02	0.08	1.51	155	90	0.46	0.04	24.9	0.08	21.1	3.3	14	3.71	7.8
K304011		3.14	0.03	0.08	2.13	7850	160	0.40	0.06	25.8	0.10	23.5	3.8	18	3.41	7.5
K304012		3.20	0.05	0.05	0.48	7800	40	0.12	0.02	19.40	0.07	11.70	1.0	5	0.68	2.4
K304013		0.28	7.98	0.42	3.35	1010	150	0.77	0.58	11.00	4.34	49.6	5.6	94	7.02	33.6
K304014		6.00	0.05	0.10	0.59	2700	60	0.21	0.02	19.30	0.03	11.10	1.9	6	0.87	4.4
K304015		6.32	0.55	0.45	1.48	3600	120	0.45	0.05	17.65	0.05	22.1	3.2	16	2.97	10.6
K304016		2.20	1.40	0.29	0.91	5330	120	0.31	0.03	18.90	0.04	15.80	2.5	10	1.57	8.5
K304017		5.00	<0.01	<0.01	0.09	56	30	0.07	0.02	18.95	0.06	1.50	1.3	1	0.83	1.7
K304018		4.30	1.74	0.15	0.40	>10000	30	0.21	0.01	19.10	0.12	7.98	1.2	5	0.61	4.3
K304019		3.42	0.10	0.17	0.46	483	40	0.16	0.02	20.0	0.10	9.20	2.2	5	0.71	9.2
K304020		4.74	0.04	0.07	0.38	193	50	0.22	0.02	20.1	0.02	8.76	1.7	4	0.62	6.2
K304021		1.68	0.07	0.08	0.40	303	50	0.23	0.02	19.90	0.02	8.66	1.8	4	0.62	7.5
K304022		8.24	0.02	0.06	0.53	118	40	0.23	0.02	19.65	0.04	10.40	1.9	6	1.00	5.0
K304023		8.62	0.01	0.08	0.84	46	50	0.33	0.03	18.95	0.02	13.35	2.4	8	1.80	5.4
K304024		8.28	0.01	0.08	0.62	75	60	0.26	0.02	19.65	0.03	10.35	2.0	6	1.19	4.2
K304025		10.78	0.01	0.07	0.65	110	60	0.25	0.02	19.40	0.04	10.25	2.1	7	1.26	4.7
K304026		7.98	0.01	0.08	0.78	139	40	0.26	0.02	17.70	0.12	11.90	2.0	7	1.72	4.6
K304027		8.44	0.02	0.22	0.64	481	50	0.21	0.03	19.10	0.43	12.40	4.0	6	1.57	11.2
K304028		8.40	0.02	0.16	0.59	343	50	0.21	0.02	18.55	0.10	10.20	4.1	6	1.15	12.2
K304029		8.26	0.03	0.14	0.56	466	40	0.22	0.02	18.25	0.82	9.46	5.0	5	0.87	12.3
K304030		8.08	0.02	0.17	0.67	590	50	0.20	0.02	17.40	0.27	10.15	5.9	6	1.14	14.7
K304031		7.98	0.03	0.11	0.40	433	30	0.13	0.01	18.95	0.64	9.40	4.1	4	0.83	8.9
K304032		8.10	0.02	0.06	0.48	1310	40	0.17	0.02	20.6	0.20	9.37	1.7	6	0.87	3.9
K304033		8.32	0.01	0.08	0.47	86	40	0.17	0.02	21.1	0.14	7.65	1.8	5	0.79	4.2
K304034		0.28	0.34	0.31	6.28	623	3040	0.56	0.26	0.53	0.17	149.0	2.9	234	3.35	28.8
K304035		8.08	0.02	0.07	0.64	219	50	0.24	0.02	19.00	0.04	11.60	2.0	7	1.10	5.8
K304036		5.98	0.04	0.08	0.31	1560	30	0.17	0.01	20.8	0.13	9.50	1.6	4	0.43	9.6
K304037		5.00	<0.01	0.02	0.06	9	20	0.07	0.02	20.4	0.05	1.37	1.3	5	0.13	4.0
K304038		8.10	0.02	0.05	0.66	44	50	0.25	0.02	19.05	0.06	9.69	1.8	7	1.33	7.3
K304039		8.78	0.01	0.33	1.64	53	90	0.54	0.04	16.50	0.03	24.7	3.6	13	4.14	10.5
K304040		9.20	0.04	0.12	1.13	69	80	0.37	0.03	16.80	0.18	18.80	2.7	10	2.35	11.9
K304041		8.06	0.15	0.36	1.03	710	130	0.31	0.03	18.85	0.38	17.45	2.7	11	2.06	11.6
K304042		8.56	0.32	0.09	0.81	2490	100	0.23	0.03	17.40	0.14	14.95	1.8	7	1.37	7.0
K304043		5.08	<0.01	0.23	0.09	9	20	0.08	0.02	21.1	0.05	1.60	1.4	8	0.21	2.5
K304044		8.60	0.03	0.04	0.98	196	70	0.32	0.03	17.45	0.10	18.30	2.2	7	2.16	5.4
K304045		7.44	0.06	0.03	0.70	554	50	0.22	0.02	17.75	0.06	12.80	2.1	5	1.31	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184721

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304010		0.70	4.51	0.11	1.1	4.24	0.013	0.80	10.8	8.7	2.28	1200	0.23	0.01	2.9	3.4
K304011		0.65	5.64	0.13	1.5	5.19	0.023	0.91	12.0	10.1	2.22	1380	0.29	0.01	3.6	9.9
K304012		1.00	1.34	0.13	0.3	3.45	0.014	0.20	5.3	2.3	9.95	566	0.21	0.01	0.9	<0.2
K304013		1.35	8.18	0.17	2.2	5.70	0.067	1.47	29.8	9.6	0.69	257	11.30	0.01	8.5	63.2
K304014		0.55	1.75	0.15	0.5	1.92	0.008	0.27	6.1	3.0	9.96	517	1.18	0.01	1.3	<0.2
K304015		0.90	4.15	0.15	1.0	3.96	0.013	0.66	11.5	7.6	9.56	996	1.70	0.01	3.1	5.3
K304016		1.45	2.78	0.11	0.5	5.12	0.011	0.40	9.1	4.9	10.30	1540	0.60	0.01	1.8	1.8
K304017		0.47	0.50	0.28	<0.1	0.02	<0.005	0.04	0.7	1.5	11.90	205	0.05	0.01	0.5	<0.2
K304018		0.60	1.41	0.14	0.4	6.26	0.112	0.18	4.0	3.1	6.53	2430	0.34	0.01	0.9	<0.2
K304019		1.81	1.24	0.08	0.2	4.15	0.006	0.22	5.5	1.8	10.75	1060	0.64	0.01	0.9	7.8
K304020		1.38	1.14	0.09	0.2	3.02	<0.005	0.18	5.0	2.2	11.35	778	0.33	0.01	0.8	0.4
K304021		1.66	1.16	0.09	0.2	3.70	<0.005	0.18	5.0	2.3	11.25	784	0.36	0.01	0.8	1.9
K304022		0.78	1.60	0.14	0.3	1.50	0.006	0.25	5.5	3.4	11.30	544	0.36	0.01	1.1	<0.2
K304023		0.45	2.54	0.20	0.5	1.30	0.006	0.42	7.1	5.4	10.85	171	0.69	0.01	1.7	0.9
K304024		0.51	1.85	0.23	0.4	1.00	<0.005	0.30	5.6	4.0	11.70	202	0.52	0.01	1.3	<0.2
K304025		0.40	1.92	0.23	0.4	1.11	0.005	0.31	5.7	4.2	11.50	250	0.55	0.01	1.3	0.4
K304026		1.04	2.27	0.15	0.5	1.94	0.005	0.38	5.6	5.2	10.70	444	1.01	0.01	1.5	0.6
K304027		3.41	1.74	0.10	0.3	4.89	0.007	0.30	7.6	3.4	10.30	778	0.86	0.01	1.2	11.6
K304028		3.30	1.55	0.08	0.3	3.26	0.006	0.28	5.8	3.1	10.50	674	0.58	0.01	1.2	16.1
K304029		4.06	1.55	0.09	0.3	5.54	0.007	0.27	5.4	3.3	9.87	712	0.40	0.01	1.1	17.2
K304030		5.28	1.80	0.11	0.5	6.82	0.006	0.32	5.7	3.5	9.65	665	0.53	0.01	1.4	22.7
K304031		2.87	1.14	0.08	0.3	6.68	0.006	0.19	4.9	2.3	10.75	599	0.30	0.01	0.9	12.6
K304032		0.65	1.41	0.14	0.3	2.34	0.007	0.23	4.7	3.2	11.90	436	0.75	0.01	1.0	<0.2
K304033		0.45	1.40	0.23	0.2	1.01	0.005	0.21	4.1	2.9	12.30	349	0.37	0.02	1.0	<0.2
K304034		7.00	20.7	0.24	4.4	9.81	0.047	1.38	66.8	16.9	0.16	41	6.41	0.41	10.5	17.2
K304035		0.38	1.84	0.19	0.5	1.25	0.005	0.29	6.3	3.9	11.30	360	0.78	0.01	1.3	<0.2
K304036		0.43	1.09	0.29	0.1	7.37	0.008	0.14	5.4	2.1	11.85	493	0.51	0.01	0.6	<0.2
K304037		0.40	0.26	<0.05	<0.1	0.02	<0.005	0.02	0.7	1.2	12.00	181	0.14	0.01	0.4	2.5
K304038		0.40	2.04	0.27	0.4	2.49	0.006	0.31	5.6	4.1	11.15	351	0.37	0.01	1.3	<0.2
K304039		0.71	4.44	0.20	1.3	1.85	0.009	0.80	12.5	11.0	9.53	265	1.28	0.02	3.2	5.1
K304040		0.59	3.17	0.14	1.0	2.54	0.007	0.55	10.0	7.3	9.84	338	1.49	0.02	2.4	3.9
K304041		0.91	2.76	0.15	0.6	3.26	0.007	0.46	9.4	5.3	10.90	646	1.24	0.02	1.9	4.0
K304042		2.10	2.09	0.10	0.8	4.02	0.009	0.37	8.0	3.7	10.00	778	0.22	0.01	1.6	1.5
K304043		0.43	0.35	0.09	<0.1	0.02	<0.005	0.04	0.8	1.6	12.50	197	0.07	0.01	0.5	2.1
K304044		1.03	2.69	0.15	0.9	1.74	0.008	0.48	9.4	4.5	10.20	458	0.20	0.01	2.0	2.5
K304045		0.93	1.95	0.13	0.5	1.25	0.005	0.35	6.3	3.3	10.35	504	0.12	0.01	1.4	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184721

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304010		210	6.9	33.8	<0.002	0.50	3.01	2.9	2	0.5	325	0.19	<0.05	3.7	0.067	7.82
K304011		320	7.2	36.7	<0.002	0.77	9.38	3.4	3	0.6	361	0.24	<0.05	4.4	0.083	10.65
K304012		170	1.6	7.3	<0.002	0.42	5.55	0.9	2	0.2	97.8	0.06	<0.05	1.0	0.020	4.64
K304013		3980	4.5	128.5	0.036	1.31	17.90	6.4	10	1.7	146.0	0.54	0.51	6.9	0.207	13.50
K304014		270	5.3	10.2	<0.002	0.37	3.37	1.2	2	0.2	134.5	0.08	<0.05	1.5	0.027	3.36
K304015		550	10.0	25.1	0.003	0.60	5.91	2.5	3	0.4	188.0	0.20	<0.05	3.8	0.070	5.68
K304016		260	9.9	15.6	<0.002	0.92	9.51	1.6	2	0.3	190.0	0.11	<0.05	2.0	0.040	9.17
K304017		170	1.5	4.0	<0.002	0.02	0.10	0.3	1	<0.2	44.8	<0.05	<0.05	0.2	<0.005	0.06
K304018		180	7.4	7.6	<0.002	4.80	150.5	1.1	3	0.2	80.1	0.05	<0.05	1.0	0.017	10.35
K304019		170	20.1	7.4	<0.002	1.29	5.15	0.7	2	0.2	109.5	0.05	<0.05	1.0	0.019	8.16
K304020		150	12.5	6.4	<0.002	0.95	2.46	0.8	2	0.2	117.5	0.05	<0.05	0.8	0.017	5.35
K304021		150	14.8	6.5	<0.002	1.30	3.50	0.7	2	0.2	113.0	0.05	<0.05	0.9	0.018	6.40
K304022		130	6.0	9.0	<0.002	0.45	1.03	1.0	2	0.2	106.0	0.06	<0.05	1.2	0.022	1.90
K304023		190	7.4	15.4	<0.002	0.27	0.42	1.5	2	0.3	101.5	0.11	<0.05	2.1	0.038	0.94
K304024		160	9.7	10.3	<0.002	0.43	0.77	1.1	2	0.2	99.4	0.08	<0.05	1.5	0.028	1.10
K304025		220	6.9	10.9	<0.002	0.30	0.68	1.1	2	0.2	103.0	0.08	<0.05	1.5	0.028	0.95
K304026		380	8.2	13.1	0.002	0.78	0.81	1.3	2	0.3	105.5	0.10	<0.05	1.6	0.033	3.56
K304027		190	42.4	10.9	<0.002	3.37	2.08	1.1	2	0.3	121.0	0.07	<0.05	1.4	0.026	12.35
K304028		220	55.9	10.0	<0.002	3.44	2.17	1.0	1	0.2	106.0	0.07	<0.05	1.3	0.025	11.40
K304029		140	50.7	9.6	<0.002	4.43	2.68	0.9	2	0.3	108.5	0.07	<0.05	1.2	0.024	17.30
K304030		130	57.9	11.3	<0.002	6.09	2.27	1.1	2	0.3	109.0	0.08	<0.05	1.5	0.030	22.4
K304031		90	31.5	6.9	<0.002	3.10	1.50	0.8	1	0.2	104.0	0.05	<0.05	0.9	0.018	12.15
K304032		100	6.4	7.7	<0.002	0.55	1.59	0.9	2	0.2	105.0	0.06	<0.05	1.1	0.021	1.51
K304033		120	5.7	7.2	<0.002	0.22	0.68	0.8	2	0.2	89.4	0.06	<0.05	1.0	0.020	0.81
K304034		930	16.7	50.8	0.003	3.19	116.5	15.6	3	2.9	515	0.78	0.14	10.8	0.548	8.24
K304035		150	5.2	10.0	<0.002	0.27	1.10	1.2	2	0.2	105.5	0.08	<0.05	1.6	0.030	1.06
K304036		120	5.3	5.0	<0.002	0.30	2.57	0.7	2	<0.2	112.0	<0.05	<0.05	0.6	0.012	0.89
K304037		220	2.6	1.3	<0.002	0.01	<0.05	0.3	2	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	<0.02
K304038		320	4.7	11.0	0.002	0.27	0.68	1.2	2	0.2	113.0	0.08	<0.05	1.4	0.028	1.08
K304039		450	7.3	28.6	0.005	0.55	0.71	2.6	3	0.5	90.7	0.21	<0.05	4.0	0.075	1.38
K304040		300	7.9	19.7	0.002	0.43	1.04	2.0	2	0.4	104.0	0.16	<0.05	2.9	0.055	1.47
K304041		590	12.9	16.5	0.004	0.80	2.86	1.7	3	0.3	142.0	0.12	<0.05	2.5	0.043	3.76
K304042		660	22.3	13.0	<0.002	2.36	6.07	1.3	2	0.3	123.0	0.10	<0.05	2.1	0.036	7.17
K304043		230	1.4	1.8	<0.002	0.02	<0.05	0.3	2	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	0.02
K304044		480	11.5	17.0	<0.002	0.85	1.78	1.6	2	0.3	115.5	0.13	<0.05	2.5	0.046	3.05
K304045		520	6.6	12.4	<0.002	0.79	1.88	1.2	2	0.2	90.4	0.09	<0.05	1.7	0.033	2.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184721

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304010		6.6	24	1.2	9.9	11	42.2	
K304011		18.1	31	1.5	13.1	16	57.9	
K304012		7.0	13	0.4	4.2	23	10.0	
K304013		8.5	382	35.2	31.6	283	78.1	
K304014		10.4	18	0.7	5.0	3	16.3	
K304015		20.7	56	2.1	7.1	7	35.0	
K304016		13.0	21	1.5	4.7	7	16.9	
K304017		1.1	2	0.1	1.0	14	<0.5	
K304018		27.1	8	0.9	6.9	12	23.4	9.86
K304019		16.9	14	0.9	3.1	31	6.9	
K304020		13.5	7	0.7	3.2	3	7.0	
K304021		14.2	6	0.8	3.0	5	6.6	
K304022		11.3	8	0.6	3.6	11	10.8	
K304023		15.4	17	0.8	4.5	4	17.9	
K304024		14.3	13	0.8	3.7	5	14.1	
K304025		14.9	13	0.7	3.9	5	12.8	
K304026		11.9	21	0.9	4.3	33	17.0	
K304027		29.3	20	1.5	4.0	51	9.3	
K304028		25.3	12	1.3	3.7	28	9.3	
K304029		15.0	9	1.2	3.5	272	10.5	
K304030		16.1	13	1.7	3.7	93	14.9	
K304031		9.2	9	0.8	3.8	175	9.9	
K304032		11.5	11	0.7	3.5	77	11.1	
K304033		16.1	14	0.7	3.1	18	8.4	
K304034		8.4	168	23.6	15.7	44	167.0	
K304035		15.4	17	0.8	4.1	8	16.1	
K304036		17.1	8	0.5	3.7	10	4.6	
K304037		0.6	<1	0.2	0.9	14	0.5	
K304038		14.8	13	0.7	4.4	7	13.3	
K304039		14.1	57	1.4	8.8	5	45.9	
K304040		14.8	21	1.2	6.8	28	32.5	
K304041		19.0	42	1.4	6.7	39	20.5	
K304042		10.4	17	1.1	7.9	20	25.7	
K304043		0.5	1	3.7	1.0	14	0.5	
K304044		9.4	17	1.1	7.3	16	31.4	
K304045		8.1	11	0.7	5.5	13	19.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11184721

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE VA11190101

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 181

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190101

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300977		5.54	0.33	0.24	2.06	454	80	0.57	0.07	28.6	0.12	20.6	3.5	17	8.07	10.6
K300978		5.26	0.05	0.14	2.92	195	140	0.81	0.07	19.50	0.10	30.6	4.3	28	10.70	15.1
K300979		3.48	0.77	0.25	7.12	9670	160	1.76	0.25	4.45	0.18	55.8	11.6	60	27.3	35.5
K300980		1.34	0.12	0.13	8.83	503	220	2.37	0.35	2.09	0.09	76.7	15.5	67	36.1	45.3
K300981		7.58	0.30	0.15	8.73	1580	250	2.33	0.38	1.83	0.28	77.6	16.1	72	37.1	46.1
K300982		11.26	0.19	0.14	8.94	686	240	2.47	0.39	1.68	0.18	87.0	16.1	61	40.9	41.6
K300983		5.22	0.17	0.13	8.32	1180	240	2.34	0.35	1.78	0.11	83.4	15.1	64	38.5	40.8
K300984		11.50	<0.01	0.14	7.68	109.0	230	2.55	0.32	5.49	0.09	69.3	13.4	57	42.7	35.0
K300985		11.24	0.17	0.16	7.81	335	270	2.36	0.31	1.78	0.22	78.3	14.9	76	38.4	50.8
K300986		11.16	0.22	0.17	6.54	1565	200	1.71	0.34	3.79	0.16	57.8	15.3	62	28.2	60.8
K300987		9.78	0.53	0.14	7.38	2540	230	1.98	0.39	2.72	0.13	66.8	16.2	71	36.0	68.0
K300988		11.06	2.24	0.18	7.01	1180	140	1.52	0.25	2.43	0.19	69.7	18.0	65	31.1	55.7
K300989		7.04	<0.01	0.01	0.09	22	20	0.05	0.02	20.9	0.05	1.37	1.2	1	0.22	1.5
K300990		11.38	8.00	0.18	5.68	5570	130	1.27	0.23	0.69	0.22	54.0	19.6	66	20.4	60.7
K300991		8.18	0.81	0.05	6.63	921	150	1.43	0.22	2.63	0.10	67.6	20.8	59	24.7	53.2
K300992		8.70	0.09	0.01	0.67	116	100	0.27	0.02	34.9	0.09	8.66	1.7	7	1.91	7.2
K300993		0.28	2.70	1.08	3.18	532	850	0.76	0.37	8.16	2.07	41.4	6.7	52	3.65	45.4
K300994		5.52	0.94	0.07	1.60	>10000	80	0.29	0.07	28.3	0.35	21.3	4.8	15	4.82	14.6
K300995		2.48	0.99	0.10	0.58	452	90	0.22	0.03	33.3	0.07	10.30	1.9	6	1.92	5.7
K300996		5.68	5.71	0.51	1.71	>10000	90	0.31	0.08	19.05	0.57	37.3	4.2	17	4.98	17.2
K300997		7.38	3.48	0.34	1.20	>10000	90	0.26	0.06	23.9	0.33	19.65	3.2	13	3.73	12.2
K300998		3.34	1.55	0.15	0.43	>10000	30	0.14	0.02	26.4	0.12	6.33	1.4	4	1.11	4.8
K300999		7.32	1.54	0.16	0.65	>10000	70	0.22	0.03	31.3	0.11	12.20	2.1	7	1.95	6.5
K301000		2.84	0.68	0.04	0.33	>10000	30	0.10	0.02	30.4	0.09	4.20	1.7	3	0.83	3.9
K303501		7.04	<0.01	0.01	0.06	62	20	<0.05	0.02	20.4	0.06	1.26	0.9	1	0.15	1.5
K303502		6.12	1.82	0.16	0.79	>10000	50	0.17	0.03	28.8	0.21	13.45	3.0	8	2.17	7.5
K303503		7.34	1.78	0.08	0.84	>10000	40	0.16	0.03	27.3	0.18	8.74	3.1	8	2.33	7.9
K303504		3.56	0.63	0.05	0.68	2890	70	0.20	0.03	30.6	0.09	9.64	2.6	7	2.01	6.4
K303505		6.12	0.76	0.16	2.11	352	120	0.33	0.08	29.8	0.17	30.1	7.0	19	6.07	18.5
K303506		0.30	16.20	1.06	2.08	1300	320	0.35	0.53	14.70	0.71	30.5	4.1	37	2.45	64.2
K303507		6.10	0.37	0.05	0.67	440	90	0.17	0.03	33.5	0.09	10.35	2.5	7	1.86	6.3
K303508		6.48	2.14	0.26	1.16	349	130	0.24	0.05	26.9	0.74	19.45	4.0	12	3.02	11.6
K303509		4.82	10.35	1.33	4.22	6350	260	0.64	0.20	7.37	0.84	48.0	12.9	42	10.75	42.1
K303510		6.30	2.73	0.18	1.37	9180	180	0.22	0.05	27.0	0.22	21.0	4.4	14	3.36	12.6
K303511		3.92	10.45	0.13	4.65	>10000	170	0.69	0.20	11.30	0.71	52.9	14.2	48	12.90	44.3
K303512		3.48	0.35	0.01	0.75	252	90	0.20	0.03	34.6	0.10	11.70	2.9	8	2.26	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190101

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300977		1.02	4.62	<0.05	0.9	3.42	0.022	0.96	10.9	5.9	1.15	826	0.65	0.01	3.1	1.1
K300978		1.35	6.80	0.06	1.8	1.94	0.023	1.31	15.5	11.9	2.36	413	0.73	0.01	4.5	6.3
K300979		3.43	18.10	0.16	2.9	11.55	0.065	3.13	28.8	19.8	1.81	1280	1.53	0.03	10.0	27.9
K300980		4.92	21.8	0.23	2.9	4.29	0.080	3.95	37.8	15.7	1.21	1600	1.93	0.04	10.9	33.9
K300981		5.00	20.7	0.24	2.9	4.99	0.076	3.94	38.6	16.5	1.10	1100	2.60	0.04	10.9	37.2
K300982		4.50	20.4	0.27	3.0	2.83	0.073	3.95	44.5	17.0	0.97	715	1.29	0.06	11.2	35.8
K300983		4.32	19.10	0.25	2.7	2.47	0.070	3.68	42.7	16.8	0.97	784	1.08	0.05	10.3	33.5
K300984		3.70	18.65	0.22	2.7	2.15	0.068	3.71	33.6	16.2	1.51	665	1.09	0.05	10.3	29.0
K300985		4.94	18.15	0.23	3.5	3.91	0.078	3.55	38.3	18.5	1.11	484	1.86	0.03	11.7	37.0
K300986		4.59	14.90	0.20	3.1	4.68	0.072	3.04	28.5	14.6	2.15	770	1.33	0.02	10.3	49.8
K300987		5.11	17.45	0.21	3.3	4.87	0.083	3.44	33.2	15.3	1.68	729	1.47	0.02	11.4	39.1
K300988		5.61	16.20	0.22	3.2	5.93	0.068	3.09	33.3	15.7	1.23	777	0.79	0.02	17.3	32.9
K300989		0.42	0.31	0.12	<0.1	0.01	<0.005	0.04	0.7	1.3	12.30	196	0.22	<0.01	0.4	2.0
K300990		4.69	16.20	0.11	3.1	14.4	0.048	2.49	26.3	19.1	0.37	144	0.49	0.01	11.0	34.2
K300991		5.11	17.95	0.14	3.1	12.8	0.057	2.90	32.7	18.2	0.87	611	0.80	0.02	19.4	31.6
K300992		0.39	1.82	<0.05	0.3	1.24	0.006	0.29	4.3	1.9	0.72	308	0.33	0.01	1.3	2.6
K300993		2.09	8.00	0.07	1.7	4.84	0.026	0.97	25.2	40.1	2.52	275	18.30	0.02	7.7	51.0
K300994		0.95	4.45	0.05	0.7	5.73	0.019	0.72	11.2	6.3	0.29	959	1.28	0.01	2.6	6.8
K300995		0.43	1.37	0.09	0.3	2.88	0.006	0.25	5.5	4.8	0.22	505	0.36	0.01	1.0	<0.2
K300996		1.14	4.27	0.13	0.8	13.5	0.046	0.71	17.8	14.9	0.19	1560	0.84	<0.01	2.4	4.3
K300997		0.84	2.98	0.06	0.6	10.65	0.051	0.51	9.9	11.1	0.18	2620	0.51	<0.01	1.8	1.9
K300998		0.28	1.74	<0.05	0.2	2.90	0.060	0.18	3.0	8.8	0.12	10750	0.17	<0.01	0.8	<0.2
K300999		0.47	1.69	0.06	0.3	3.39	0.027	0.27	5.9	5.5	0.19	2670	0.25	<0.01	1.2	<0.2
K301000		0.22	1.74	0.06	0.2	1.76	0.064	0.14	2.3	2.5	0.13	11950	0.18	0.01	0.7	<0.2
K303501		0.41	0.19	<0.05	<0.1	0.01	<0.005	0.02	0.6	1.0	12.10	187	0.06	0.01	0.2	0.5
K303502		0.54	2.52	0.08	0.4	4.91	0.022	0.36	6.5	5.7	0.21	3450	0.46	0.01	1.3	<0.2
K303503		0.53	3.32	0.09	0.6	4.31	0.104	0.37	4.6	5.1	0.16	10700	0.37	0.01	1.5	5.0
K303504		0.44	2.32	0.09	0.4	3.21	0.017	0.30	5.0	2.8	0.19	4570	0.24	0.01	1.2	4.3
K303505		1.24	5.63	0.15	1.0	6.78	0.017	0.92	16.2	5.9	0.33	1130	1.15	0.05	3.1	12.3
K303506		3.48	4.25	0.16	0.9	6.05	0.061	0.41	17.9	36.5	0.71	460	13.35	0.01	3.6	23.6
K303507		0.46	1.86	0.10	0.3	2.48	0.008	0.29	5.5	2.1	0.27	1020	0.37	0.01	1.2	3.9
K303508		0.77	3.30	0.13	0.7	6.98	0.012	0.51	9.7	6.5	0.38	1510	0.66	0.01	2.0	6.7
K303509		2.77	11.90	0.21	2.2	26.6	0.033	1.83	26.2	18.7	0.32	1390	2.49	0.01	5.7	25.2
K303510		0.87	3.88	0.13	0.7	8.10	0.031	0.60	10.9	6.2	0.21	2070	0.72	0.01	2.0	7.9
K303511		2.68	13.30	0.21	2.4	26.6	0.057	2.03	29.1	15.7	0.36	1370	2.61	0.02	6.6	27.2
K303512		0.51	2.07	0.13	0.4	2.35	0.008	0.34	6.3	2.5	0.27	560	0.36	0.01	1.2	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190101

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300977		360	7.8	42.6	<0.002	0.56	9.02	3.8	2	0.8	706	0.25	<0.05	3.9	0.093	13.55
K300978		540	8.2	65.2	<0.002	0.50	2.25	4.8	2	1.0	760	0.39	<0.05	6.3	0.125	5.56
K300979		810	14.0	157.0	0.004	3.59	33.3	12.3	3	2.9	141.0	0.90	0.05	13.1	0.313	39.9
K300980		840	18.3	189.5	0.005	4.70	7.39	16.7	2	3.9	144.0	1.04	0.05	14.7	0.368	11.35
K300981		1260	18.4	189.0	0.007	5.01	11.50	16.8	3	3.9	137.0	1.03	0.07	14.0	0.370	12.65
K300982		1160	22.5	187.5	0.003	4.42	6.25	16.2	3	3.1	100.5	1.02	0.08	15.2	0.402	7.86
K300983		1070	27.6	175.0	0.003	4.22	6.58	15.4	2	2.9	95.8	0.93	0.08	14.2	0.364	7.26
K300984		530	19.8	132.5	0.004	3.08	1.11	13.0	2	2.8	189.0	0.93	0.06	11.7	0.340	7.50
K300985		520	22.3	175.5	0.008	4.75	5.86	17.8	3	2.9	98.9	1.01	0.06	13.8	0.472	13.05
K300986		500	22.5	139.5	0.006	4.46	7.43	17.0	2	2.3	144.0	0.89	0.12	10.3	0.471	10.85
K300987		530	21.3	162.5	0.003	5.06	12.00	19.9	2	2.6	109.0	0.96	0.12	11.6	0.500	11.35
K300988		1150	18.0	159.0	0.002	5.43	12.10	18.9	2	2.4	128.0	1.32	0.07	9.8	0.686	18.00
K300989		240	1.7	1.8	<0.002	0.02	0.18	0.3	1	<0.2	45.4	<0.05	<0.05	<0.2	0.005	0.04
K300990		490	14.8	133.0	<0.002	5.04	44.5	13.1	2	2.6	59.2	0.80	0.08	8.9	0.486	46.2
K300991		1090	15.2	147.5	<0.002	5.02	8.37	16.9	2	2.7	110.5	1.23	0.05	9.3	0.614	25.7
K300992		950	2.4	15.2	<0.002	0.36	1.63	1.5	1	0.4	1385	0.07	<0.05	1.1	0.031	2.69
K300993		900	38.4	47.2	0.024	1.55	107.0	4.8	4	2.6	74.0	0.48	0.21	5.8	0.168	3.77
K300994		160	5.6	31.9	0.003	1.71	39.8	5.1	2	0.6	768	0.16	0.06	2.4	0.080	11.20
K300995		100	2.2	11.6	0.002	0.46	8.24	4.7	2	0.2	1465	0.07	<0.05	0.9	0.030	6.31
K300996		330	6.7	35.3	0.004	3.75	128.5	8.7	3	0.8	654	0.20	0.09	3.1	0.082	31.3
K300997		420	4.7	23.9	0.003	3.73	164.0	9.3	3	0.6	833	0.14	0.09	2.1	0.060	21.6
K300998		160	1.6	9.2	<0.002	3.59	150.5	15.7	3	0.2	399	0.05	0.06	0.7	0.020	7.66
K300999		200	2.4	13.0	0.002	2.05	74.8	12.6	3	0.2	1230	0.07	0.05	1.1	0.031	9.26
K301000		70	1.4	6.9	<0.002	2.70	147.0	13.2	3	<0.2	473	<0.05	0.07	0.5	0.016	4.63
K303501		190	1.4	1.2	<0.002	0.01	0.19	0.2	1	<0.2	42.8	<0.05	<0.05	<0.2	<0.005	0.02
K303502		490	3.1	17.9	<0.002	1.35	61.9	13.8	4	0.2	884	0.08	0.05	1.2	0.040	13.05
K303503		240	2.5	18.4	0.002	3.10	122.0	14.9	4	0.3	584	0.10	0.06	1.3	0.044	10.30
K303504		510	2.1	14.8	0.002	0.62	9.75	9.2	3	0.2	1350	0.08	<0.05	1.1	0.035	7.39
K303505		220	7.4	44.0	0.004	1.48	9.50	7.1	4	0.6	1550	0.23	0.06	3.3	0.113	14.75
K303506		680	21.1	25.5	0.008	2.10	157.5	4.0	4	2.0	49.1	0.26	0.35	3.7	0.113	3.51
K303507		170	3.6	14.0	0.002	0.50	4.10	3.2	3	0.3	1540	0.08	<0.05	1.0	0.034	6.19
K303508		380	5.4	25.1	0.003	0.90	10.25	7.4	3	0.4	1210	0.13	0.06	2.0	0.062	15.25
K303509		970	15.8	90.3	0.010	3.56	68.6	9.1	4	1.4	432	0.46	0.14	7.2	0.224	77.4
K303510		370	4.8	29.7	0.003	1.49	33.0	10.9	4	0.4	1205	0.14	0.05	2.3	0.068	21.8
K303511		760	16.3	102.5	0.011	4.03	85.1	12.6	5	1.4	416	0.49	0.16	7.4	0.247	79.4
K303512		130	2.7	16.0	0.003	0.56	4.02	3.3	3	0.2	1590	0.08	<0.05	1.3	0.038	5.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190101

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300977		14.5	28	1.3	8.3	32	31.0	
K300978		9.3	47	1.4	12.2	41	59.1	
K300979		9.6	117	5.7	18.7	75	93.4	1.115
K300980		3.4	147	6.9	21.6	81	89.4	
K300981		4.2	161	8.2	24.3	118	87.5	
K300982		3.6	111	7.6	22.5	118	89.9	
K300983		3.4	100	7.3	21.2	97	82.5	
K300984		3.1	92	2.5	16.9	94	82.1	
K300985		3.2	159	4.7	22.2	99	106.5	
K300986		2.3	131	5.6	19.6	63	97.0	
K300987		2.4	141	8.2	21.2	46	100.0	
K300988		2.0	157	11.2	22.5	100	103.5	
K300989		0.8	3	0.1	0.9	14	0.6	
K300990		1.9	127	11.6	19.3	64	110.0	
K300991		1.9	138	14.9	23.3	76	119.5	
K300992		1.8	11	0.8	8.7	34	12.8	
K300993		8.2	224	28.2	19.4	212	68.5	
K300994		2.6	25	1.7	15.3	80	25.7	1.330
K300995		2.0	10	0.8	12.4	6	9.2	
K300996		3.5	27	2.2	26.6	52	23.3	5.14
K300997		2.9	19	1.6	21.2	35	17.2	5.47
K300998		1.3	7	1.2	24.4	8	6.9	5.57
K300999		1.8	10	0.7	14.1	9	9.6	2.87
K301000		0.9	6	1.5	19.8	6	5.5	4.75
K303501		0.7	1	0.1	0.8	14	<0.5	
K303502		2.3	14	1.0	15.5	15	13.3	1.610
K303503		2.1	13	1.9	26.8	16	20.3	4.60
K303504		2.1	11	1.3	19.7	12	13.7	
K303505		4.0	33	2.0	17.7	23	34.1	
K303506		3.4	112	227	16.6	80	34.1	
K303507		2.1	11	0.8	11.6	17	11.4	
K303508		3.1	19	1.3	15.6	94	26.4	
K303509		7.0	72	4.9	27.4	88	72.6	
K303510		3.2	21	1.5	19.3	20	24.4	
K303511		6.5	80	4.9	28.4	76	75.3	1.760
K303512		2.3	12	0.7	12.2	17	13.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190101

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

CERTIFICATE VA11190106

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 182

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190106

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302807		5.82	<0.01	0.07	7.26	443	270	3.35	0.30	3.39	0.36	92.1	18.3	56	24.5	49.2
K302808		4.96	0.01	0.31	3.13	887	110	0.97	0.22	9.59	0.87	36.5	13.8	27	9.31	36.1
K302809		8.90	<0.01	0.16	0.49	1700	30	0.43	0.05	16.45	0.23	8.48	2.6	6	1.19	5.8
K302810		9.30	0.01	0.25	1.79	268	80	0.73	0.12	15.95	1.32	16.75	5.4	13	3.59	17.4
K302811		1.94	0.01	0.30	7.01	6020	240	2.46	0.47	1.25	8.50	76.3	20.6	77	56.3	78.9
K302812		6.80	<0.01	0.01	0.07	<5	20	0.05	0.03	21.2	0.07	1.20	1.0	<1	0.20	1.7
K302813		4.46	<0.01	0.12	6.27	207	230	2.77	0.44	5.21	0.34	70.9	15.3	51	25.9	42.2
K302814		10.40	<0.01	0.07	3.74	274	180	1.32	0.19	10.35	1.20	38.7	13.0	37	13.10	30.9
K302815		9.62	<0.01	0.09	6.74	114.0	390	1.78	0.33	3.36	0.67	66.8	21.0	66	25.5	58.8
K302816		11.70	<0.01	0.09	6.95	37.1	370	1.97	0.37	2.73	0.55	65.5	20.6	66	28.8	58.5
K302817		11.16	<0.01	0.10	7.08	44.8	300	2.27	0.39	2.41	0.19	80.4	23.7	66	37.5	59.4
K302818		11.06	<0.01	0.07	6.64	61.7	260	1.90	0.31	2.53	0.18	69.6	19.3	73	31.8	51.7
K302819		11.32	<0.01	0.08	6.51	28.0	240	1.73	0.33	3.09	0.19	61.3	18.2	71	31.2	51.3
K302820		0.30	2.63	1.06	3.13	532	860	0.78	0.35	8.07	2.05	48.0	6.9	50	3.62	39.1
K302821		11.08	<0.01	0.06	5.83	28.4	230	1.64	0.28	3.07	0.18	53.7	18.2	68	27.4	49.9
K302822		10.88	<0.01	0.06	5.77	19.5	310	1.59	0.27	2.85	0.14	52.8	16.4	70	20.9	46.4
K302823		9.52	<0.01	0.07	4.12	45.6	450	1.16	0.19	5.03	0.32	47.4	11.9	47	12.75	31.3
K302824		10.52	<0.01	0.08	5.46	189.5	340	1.60	0.24	2.59	0.77	54.7	17.7	60	21.0	42.8
K302825		10.40	<0.01	0.09	6.76	61.0	320	2.07	0.35	2.05	0.37	68.0	19.7	68	31.1	48.3
K302826		4.66	<0.01	0.12	6.52	58.0	310	1.98	0.24	2.00	0.41	62.9	18.1	70	30.3	49.5
K302827		11.32	<0.01	0.15	5.32	76.9	340	1.57	0.18	3.34	0.22	53.7	15.9	60	21.5	42.4
K302828		11.14	<0.01	0.12	4.92	37.1	240	1.37	0.16	2.24	0.80	48.4	14.3	59	21.6	38.9
K302829		7.06	<0.01	0.02	0.08	<5	20	0.08	0.02	21.2	0.04	1.52	1.6	1	0.29	5.6
K302830		11.06	0.01	0.06	4.31	357	190	1.07	0.19	3.56	0.24	45.7	12.3	53	17.45	32.3
K302831		11.24	<0.01	0.12	6.50	258	240	2.51	0.33	4.12	1.12	67.6	15.8	65	32.5	40.2
K302832		11.74	0.07	0.09	5.29	276	220	1.80	0.26	6.87	0.40	56.8	12.6	51	22.5	32.7
K302833		11.68	0.01	0.07	5.16	130.5	190	1.77	0.25	5.10	0.12	53.7	13.5	48	20.1	31.5
K302834		11.60	0.01	0.09	6.49	140.0	210	2.37	0.32	3.24	0.11	69.3	18.6	66	29.1	48.5
K302835		12.46	0.04	0.07	6.18	439	220	1.87	0.29	3.54	0.14	65.3	19.2	67	28.0	51.6
K302836		11.02	0.04	0.07	5.72	578	220	1.59	0.26	3.81	0.12	55.5	18.2	61	24.8	47.0
K302837		10.34	<0.01	0.08	5.37	21.3	220	1.47	0.23	3.80	0.09	54.5	18.2	66	30.5	47.5
K302838		0.30	0.33	0.31	6.34	644	850	0.68	0.33	0.49	0.18	128.0	3.0	239	3.33	27.9
K302839		11.48	<0.01	0.08	5.70	21.2	300	1.50	0.24	3.69	0.09	59.0	19.4	70	31.4	47.0
K302840		11.78	<0.01	0.08	5.84	29.3	280	1.60	0.27	2.38	0.12	58.6	19.1	80	42.6	50.0
K302841		10.44	<0.01	0.08	5.92	24.4	260	1.51	0.28	2.06	0.11	60.3	17.9	71	39.3	46.9
K302842		11.64	<0.01	0.08	6.73	35.1	240	1.93	0.37	2.37	0.22	71.8	22.8	80	54.4	56.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190106

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302807		3.42	24.0	0.25	3.2	1.20	0.072	3.70	41.8	13.3	2.12	977	5.80	0.04	11.8	43.9
K302808		2.82	8.46	0.17	1.9	3.51	0.034	1.36	19.0	12.8	5.33	1300	7.93	0.02	5.2	73.1
K302809		1.30	1.32	0.11	0.2	1.04	0.008	0.22	4.5	2.2	9.60	2740	6.01	0.01	1.0	7.3
K302810		1.45	5.17	0.26	0.9	2.49	0.014	0.82	7.8	4.2	8.96	1020	20.2	0.02	2.7	17.7
K302811		3.94	19.65	0.28	3.5	15.5	0.077	3.09	37.0	23.9	1.08	414	7.04	0.03	10.9	63.6
K302812		0.49	0.22	0.25	<0.1	0.01	<0.005	0.03	0.5	1.1	12.70	208	0.20	0.01	0.2	1.8
K302813		3.47	16.65	0.28	3.1	2.76	0.063	2.99	31.7	16.8	3.05	650	1.51	0.04	9.6	34.6
K302814		3.47	9.77	0.18	1.8	1.54	0.036	1.73	16.3	10.9	5.65	668	1.93	0.04	5.8	24.9
K302815		5.51	18.10	0.23	3.2	1.02	0.073	3.16	29.8	27.7	2.05	433	0.71	0.04	11.4	38.9
K302816		5.90	18.90	0.19	3.3	0.51	0.073	3.31	31.7	23.5	1.82	386	0.72	0.04	11.4	36.7
K302817		5.39	21.5	0.25	3.4	0.28	0.082	3.36	36.7	33.9	1.95	387	0.66	0.04	13.3	44.8
K302818		4.72	18.20	0.20	3.4	0.15	0.057	3.12	29.8	40.7	2.03	443	0.76	0.04	10.9	33.3
K302819		4.94	16.75	0.20	3.2	0.19	0.060	3.01	29.5	44.0	2.24	539	0.35	0.04	10.6	32.7
K302820		2.08	7.84	0.19	1.7	4.70	0.014	1.00	27.4	38.0	2.52	263	18.45	0.04	6.4	48.8
K302821		4.78	15.80	0.19	3.2	0.19	0.055	2.63	26.1	69.8	2.05	549	0.34	0.03	9.4	32.4
K302822		4.62	14.75	0.19	3.0	0.23	0.051	2.58	23.2	78.1	1.95	495	0.35	0.03	9.0	30.2
K302823		4.47	10.50	0.19	1.9	0.82	0.039	1.78	20.1	36.1	2.12	733	0.77	0.02	6.3	21.5
K302824		3.58	14.60	0.20	2.7	1.03	0.050	2.46	25.0	37.2	1.36	376	0.47	0.03	8.6	31.8
K302825		4.80	18.70	0.23	3.4	1.79	0.070	3.15	83.7	42.8	1.64	353	0.89	0.04	11.1	35.6
K302826		4.82	17.90	0.15	3.2	1.70	0.073	3.14	31.6	41.5	1.56	345	0.89	0.04	10.3	36.6
K302827		4.04	14.25	0.14	2.7	1.14	0.053	2.53	27.1	28.0	1.60	529	0.73	0.02	8.1	30.2
K302828		3.92	12.75	0.09	2.5	0.95	0.049	2.30	23.1	19.7	1.15	319	0.47	0.02	7.2	28.1
K302829		0.44	0.36	<0.05	<0.1	<0.01	<0.005	0.04	0.7	1.3	13.25	191	0.08	<0.01	0.3	<0.2
K302830		3.49	10.35	0.17	2.1	1.82	0.037	1.90	19.1	21.9	1.57	525	0.44	0.02	6.5	20.0
K302831		4.67	18.20	0.19	3.4	4.80	0.064	3.16	32.4	12.5	2.26	436	1.46	0.04	10.1	33.9
K302832		3.87	13.90	0.22	2.6	4.61	0.059	2.49	25.9	10.5	3.40	891	1.06	0.03	7.9	26.4
K302833		4.12	13.35	0.19	2.5	3.06	0.044	2.35	25.6	10.2	2.54	683	0.69	0.03	7.7	23.6
K302834		4.77	18.15	0.18	3.1	4.08	0.061	3.11	30.6	13.4	1.74	385	0.75	0.04	10.0	35.3
K302835		5.38	17.85	0.17	3.0	3.91	0.067	2.88	29.3	16.8	1.85	858	0.63	0.03	10.3	36.8
K302836		5.85	15.60	0.20	2.8	2.53	0.050	2.60	24.2	18.5	1.86	628	0.64	0.03	8.8	32.8
K302837		4.81	15.15	0.18	2.9	0.73	0.053	2.47	26.4	24.1	2.03	547	0.58	0.03	9.0	32.3
K302838		7.00	20.5	0.21	4.2	10.60	0.038	1.38	55.7	16.7	0.14	39	6.75	0.40	9.1	15.3
K302839		4.26	15.50	0.16	2.9	0.39	0.053	2.61	26.6	27.0	2.13	592	0.53	0.03	9.1	33.9
K302840		4.66	16.60	0.20	3.0	0.70	0.061	2.93	27.5	29.8	1.86	405	0.62	0.04	9.5	36.2
K302841		4.59	16.30	0.19	2.8	0.61	0.051	2.75	28.3	44.9	1.79	437	0.64	0.03	9.2	34.2
K302842		5.09	19.05	0.19	3.3	0.19	0.077	3.02	32.9	130.0	2.29	549	0.53	0.05	11.2	38.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190106

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302807		450	19.2	107.5	0.019	0.27	1.37	14.0	1	2.8	131.5	0.93	<0.05	13.5	0.303	2.93
K302808		290	30.6	62.3	0.014	0.06	2.38	7.1	2	1.2	177.0	0.37	0.09	5.8	0.198	3.81
K302809		200	18.5	9.2	0.017	0.21	3.14	1.3	1	0.4	216	0.06	0.06	0.9	0.024	3.34
K302810		220	12.4	29.3	0.010	0.94	1.72	4.4	1	1.1	244	0.19	<0.05	2.4	0.105	1.75
K302811		350	220	135.5	0.026	4.28	14.15	17.3	3	5.4	96.1	0.80	0.11	11.4	0.457	17.75
K302812		170	1.3	1.1	<0.002	0.02	0.10	0.2	<1	0.4	47.3	<0.05	<0.05	<0.2	<0.005	0.03
K302813		530	56.2	130.0	0.010	3.24	0.62	14.7	2	3.3	143.0	0.70	0.11	10.4	0.354	5.90
K302814		380	44.1	70.2	0.023	2.86	0.57	10.1	1	1.5	274	0.39	0.05	5.5	0.271	3.05
K302815		500	52.8	134.5	0.007	5.19	0.58	19.3	2	2.5	194.0	0.85	0.06	9.9	0.536	3.59
K302816		510	53.0	142.0	0.004	4.99	0.61	18.4	1	2.4	157.0	0.85	0.09	10.6	0.548	2.05
K302817		560	34.9	162.5	0.003	2.98	0.75	21.4	1	2.8	127.5	0.88	0.08	10.7	0.552	1.13
K302818		530	17.2	138.0	0.002	1.17	0.49	18.1	1	2.2	118.5	0.84	<0.05	9.8	0.539	1.06
K302819		520	18.6	133.5	0.002	0.91	0.47	17.9	1	2.1	121.5	0.77	0.05	9.9	0.531	1.07
K302820		890	38.5	44.2	0.028	1.52	110.5	4.8	3	2.6	71.2	0.44	0.24	5.8	0.169	4.11
K302821		470	20.8	123.0	0.002	0.70	0.58	16.1	1	2.0	108.5	0.73	0.05	8.6	0.507	0.86
K302822		460	16.4	106.0	0.003	0.83	0.40	16.0	1	1.8	136.0	0.71	0.05	8.5	0.508	1.22
K302823		370	33.7	76.0	0.002	2.33	0.49	11.0	<1	1.5	241	0.48	<0.05	6.1	0.318	2.16
K302824		410	48.3	112.5	0.002	2.63	0.65	15.2	1	1.8	159.0	0.62	0.05	7.8	0.435	3.15
K302825		440	46.9	147.0	0.005	2.69	0.57	18.0	1	2.4	125.5	0.84	0.10	10.2	0.506	3.07
K302826		420	45.4	138.5	0.002	2.83	0.57	18.2	3	2.0	124.5	0.81	0.06	10.9	0.486	2.80
K302827		360	31.8	103.0	0.002	2.51	0.48	15.1	3	1.7	183.0	0.66	0.05	8.3	0.413	2.86
K302828		320	34.2	93.1	<0.002	3.05	0.43	13.7	2	1.4	115.5	0.59	<0.05	7.1	0.401	1.95
K302829		270	1.3	1.8	<0.002	0.01	0.06	0.3	2	<0.2	46.3	<0.05	<0.05	<0.2	<0.005	0.02
K302830		300	23.5	75.3	0.002	2.10	1.03	11.2	1	1.5	123.5	0.50	<0.05	6.3	0.341	2.68
K302831		610	62.4	141.0	0.009	4.12	1.52	17.6	1	2.5	135.5	0.78	0.07	10.0	0.449	8.67
K302832		480	20.9	108.0	0.005	3.15	2.20	13.5	1	1.8	152.0	0.62	<0.05	7.8	0.353	11.00
K302833		410	16.2	103.5	0.003	3.25	0.92	11.9	<1	1.8	117.0	0.56	<0.05	7.7	0.352	7.17
K302834		540	20.2	143.5	0.004	3.94	1.08	18.4	1	2.3	113.5	0.75	0.06	10.2	0.466	9.08
K302835		520	16.1	125.5	0.003	4.71	2.71	19.4	1	2.2	132.5	0.72	0.05	8.6	0.489	8.60
K302836		450	16.0	111.5	0.003	5.06	2.53	16.9	1	1.9	122.0	0.65	0.08	8.1	0.451	5.62
K302837		420	13.5	114.0	0.003	3.12	0.51	16.3	1	1.9	130.0	0.62	0.06	7.6	0.456	1.63
K302838		950	17.1	44.7	0.005	3.11	115.5	14.9	1	2.9	494	0.75	0.13	8.7	0.550	8.35
K302839		460	14.2	122.0	0.002	2.26	0.56	17.2	1	2.0	156.0	0.68	<0.05	8.0	0.481	1.69
K302840		460	17.9	140.5	0.003	2.54	0.56	17.1	1	2.1	114.0	0.75	<0.05	8.9	0.483	2.75
K302841		440	22.3	137.0	0.003	1.89	0.60	17.1	1	2.2	109.5	0.67	0.11	8.6	0.470	2.63
K302842		700	15.0	155.0	0.002	0.69	0.54	19.4	1	2.5	117.0	0.81	0.08	10.0	0.552	0.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190106

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302807		3.6	116	4.7	20.3	105	102.5
K302808		3.8	73	4.5	14.1	111	66.7
K302809		11.9	80	1.6	4.0	29	8.7
K302810		3.3	44	2.7	6.6	306	29.1
K302811		6.1	155	9.7	19.5	2490	127.0
K302812		0.6	2	0.1	0.7	20	<0.5
K302813		2.9	98	2.5	22.0	116	92.5
K302814		1.9	77	1.8	12.4	340	69.6
K302815		2.5	143	2.0	22.1	208	113.0
K302816		2.5	143	1.6	21.9	171	117.5
K302817		2.2	143	1.3	25.0	102	127.0
K302818		2.1	141	1.4	21.1	106	113.5
K302819		2.0	139	1.3	20.3	122	109.0
K302820		8.3	229	27.9	18.6	207	60.7
K302821		1.9	136	1.2	18.2	106	99.7
K302822		1.7	139	1.2	17.5	111	94.4
K302823		1.4	89	1.1	14.4	161	71.9
K302824		1.7	121	2.1	16.2	243	103.0
K302825		2.3	145	1.3	20.6	216	114.0
K302826		2.4	138	1.3	21.5	215	100.5
K302827		1.9	114	1.9	18.0	112	82.3
K302828		1.5	107	1.4	15.3	228	74.9
K302829		0.5	2	0.1	0.9	14	0.6
K302830		1.3	95	2.2	13.0	126	70.8
K302831		2.5	134	4.1	22.4	640	163.0
K302832		1.9	100	4.2	17.8	239	90.9
K302833		1.7	94	3.4	15.4	80	86.7
K302834		2.2	133	4.0	21.3	91	107.5
K302835		1.9	140	7.1	19.8	109	103.5
K302836		1.7	129	6.7	17.2	84	97.7
K302837		1.6	131	1.1	17.2	72	91.6
K302838		7.4	175	24.2	13.2	45	164.0
K302839		1.8	141	1.1	18.0	78	158.5
K302840		1.9	142	1.1	18.4	83	105.0
K302841		1.9	139	1.2	16.1	77	103.5
K302842		2.1	150	1.4	22.4	214	114.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190106

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

CERTIFICATE VA11189991

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D- Batch 183

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189991

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K300470		2.10	<0.01	0.04	1.83	4390	440	0.37	0.07	12.85	0.19	20.2	4.9	13	1.87	9.1
K300471		2.06	<0.01	0.02	1.33	6540	820	0.32	0.06	13.50	0.24	18.45	2.4	9	1.28	6.7
K300472		0.28	16.25	1.04	1.93	1260	290	0.31	0.57	14.60	0.71	32.3	3.7	34	2.52	63.9
K300473		2.12	<0.01	0.04	2.34	3010	680	0.42	0.09	12.70	0.31	31.2	4.0	20	1.57	11.5
K300474		3.42	0.01	0.04	2.93	>10000	500	0.49	0.09	11.20	0.74	34.6	5.3	26	2.16	16.4
K300475		4.96	<0.01	0.01	0.12	23	20	0.09	0.03	21.1	0.06	1.65	1.7	<1	0.32	2.7
K300476		3.62	0.01	0.19	3.05	4890	900	0.58	0.10	11.80	0.75	40.7	6.3	26	2.69	28.8
K300477		1.46	<0.01	0.12	4.28	2500	320	0.75	0.12	10.20	0.32	52.9	7.9	39	3.76	36.5
K300478		2.62	0.01	0.53	3.43	4920	700	0.66	0.12	10.05	0.97	38.9	6.4	35	3.44	30.3
K300479		3.04	0.01	0.14	1.95	483	440	0.47	0.05	20.4	0.16	28.8	3.1	20	1.84	8.7
K300480		1.76	0.01	0.25	3.41	1460	440	0.75	0.09	11.40	0.25	45.0	5.4	35	3.23	16.5
K300481		2.76	<0.01	0.15	1.81	1460	160	0.41	0.05	23.0	0.25	20.5	3.1	18	1.74	8.1
K300482		4.94	0.01	0.28	3.26	344	1090	0.76	0.09	10.50	0.24	38.8	5.1	33	2.67	15.1
K300483		2.18	<0.01	0.31	3.31	441	1050	0.72	0.09	10.70	0.24	39.4	5.1	34	2.64	13.9
K300484		4.54	<0.01	0.36	3.48	2610	420	0.69	0.09	9.96	0.60	56.8	5.3	36	4.34	15.1
K300485		3.30	<0.01	0.27	3.22	75.7	1540	0.55	0.07	8.29	0.42	36.1	3.8	34	2.09	12.5
K300486		3.88	<0.01	0.36	3.97	53.9	270	1.04	0.10	8.33	0.09	52.2	6.2	42	3.91	18.9
K300487		4.08	0.01	0.58	3.89	72.1	220	1.11	0.09	6.99	0.15	52.6	6.1	42	4.10	24.3
K300488		2.96	0.01	1.15	3.01	115.5	720	0.69	0.08	5.86	0.25	40.3	4.3	42	3.03	22.8
K300489		4.34	<0.01	0.22	2.02	49	320	0.53	0.05	10.85	2.60	32.3	2.9	23	2.61	7.7
K300490		5.66	<0.01	0.19	2.90	47	120	0.77	0.07	10.45	0.25	42.5	4.3	33	3.64	12.8
K300491		4.42	<0.01	0.33	3.28	113.0	130	0.85	0.08	8.42	0.20	63.4	4.8	35	3.70	19.2
K300492		2.38	<0.01	0.23	3.00	404	100	0.68	0.07	6.23	0.83	44.3	3.8	31	3.30	14.4
K300493		0.28	0.38	0.31	6.37	616	730	0.71	0.29	0.48	0.19	157.5	3.0	231	3.82	31.8
K300494		2.74	0.01	0.10	3.59	50	110	1.08	0.08	18.25	0.27	38.3	5.1	36	5.91	20.4
K300495		5.98	0.01	0.11	0.72	26	470	0.23	0.02	34.2	0.20	11.00	1.9	9	1.03	4.5
K300496		5.78	<0.01	0.04	1.50	17	110	0.39	0.03	29.7	0.20	18.40	2.2	15	1.56	7.8
K300497		5.00	<0.01	<0.01	0.08	11	20	0.08	0.02	21.8	0.07	1.43	1.5	1	0.21	1.5
K300498		5.68	0.01	0.12	1.86	28	210	0.50	0.04	26.4	0.26	20.8	2.7	18	2.37	9.8
K300499		5.76	0.01	0.16	1.29	38	270	0.37	0.03	24.9	0.32	20.1	2.1	14	1.81	8.3
K300500		6.08	<0.01	0.12	1.26	19	410	0.33	0.03	26.1	0.25	18.80	2.0	14	1.89	5.6
K304501		5.90	<0.01	0.16	1.32	31	270	0.38	0.03	30.6	0.17	16.65	2.8	14	2.42	7.6
K304502		5.66	<0.01	0.09	1.43	22	80	0.46	0.03	29.6	0.17	17.15	2.3	14	2.36	7.9
K304503		5.46	<0.01	80.6	1.33	21	140	0.32	0.03	22.7	0.19	18.15	1.7	14	1.43	108.5
K304504		2.92	<0.01	0.24	1.32	18	120	0.43	0.03	27.2	0.66	18.25	2.4	14	2.01	6.9
K304505		5.62	<0.01	0.17	1.71	24	70	0.52	0.03	28.3	0.21	18.15	2.6	17	3.03	8.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189991

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K300470		2.10	4.51	0.11	1.2	1.00	0.014	0.40	10.6	16.6	6.06	963	0.61	0.03	2.8	6.6
K300471		2.45	3.29	0.09	1.3	1.61	0.015	0.34	10.0	12.4	6.37	1100	1.89	0.03	2.1	4.0
K300472		3.52	3.89	0.06	0.8	5.77	0.057	0.39	17.3	32.0	0.71	453	12.35	0.01	3.8	19.6
K300473		1.57	5.74	0.06	1.6	1.35	0.019	0.66	17.1	11.3	6.33	896	0.84	0.03	4.0	6.3
K300474		2.08	7.77	0.10	2.1	9.50	0.033	0.85	20.3	14.4	5.56	611	0.63	0.02	4.9	9.2
K300475		0.47	0.61	0.23	<0.1	0.01	0.006	0.03	0.8	1.0	12.90	218	0.09	0.01	0.3	3.3
K300476		1.68	8.08	0.11	1.8	11.5	0.025	0.94	23.5	16.9	5.88	455	1.23	0.03	5.2	11.3
K300477		1.48	11.20	0.09	2.6	5.03	0.026	1.43	28.3	18.5	5.17	367	0.70	0.03	7.0	15.5
K300478		2.01	9.13	<0.05	2.7	9.92	0.031	1.06	22.0	24.4	4.90	313	3.26	0.03	5.9	18.2
K300479		0.86	4.78	<0.05	1.6	0.18	0.013	0.69	16.2	12.6	4.04	287	1.24	0.02	3.2	6.7
K300480		1.41	8.59	<0.05	2.9	0.50	0.025	1.18	24.6	20.7	5.52	268	1.89	0.03	5.8	13.5
K300481		0.79	4.47	<0.05	1.5	0.86	0.016	0.55	11.5	12.7	3.19	344	1.42	0.02	3.1	6.1
K300482		1.39	7.84	<0.05	2.8	0.28	0.025	1.09	21.1	25.0	5.48	320	2.38	0.04	5.4	13.7
K300483		1.42	8.00	<0.05	2.9	0.27	0.022	1.13	21.3	25.1	5.50	325	2.30	0.04	5.6	12.7
K300484		2.31	8.46	<0.05	3.4	0.45	0.030	1.20	28.2	24.0	5.10	332	2.54	0.03	6.0	13.8
K300485		1.27	6.10	<0.05	2.4	0.37	0.018	0.94	20.2	27.5	4.10	259	2.32	0.04	4.3	10.2
K300486		1.67	9.46	<0.05	3.3	0.27	0.028	1.47	26.3	38.2	4.18	301	2.05	0.03	6.8	16.2
K300487		1.65	9.27	<0.05	3.4	0.50	0.030	1.32	27.3	41.5	3.46	268	1.78	0.03	7.0	17.3
K300488		1.34	6.58	<0.05	3.3	0.60	0.020	1.03	20.4	29.7	2.81	204	2.10	0.02	5.4	13.4
K300489		0.92	4.98	<0.05	2.7	0.27	0.017	0.84	16.8	15.9	6.15	206	1.47	0.02	3.5	6.9
K300490		1.17	7.16	<0.05	3.1	0.29	0.020	1.24	22.2	20.9	6.02	253	1.77	0.02	4.9	11.0
K300491		1.36	7.77	<0.05	3.3	0.45	0.022	1.26	33.9	26.7	4.40	254	1.90	0.02	5.5	13.2
K300492		1.20	6.77	<0.05	3.5	0.45	0.021	0.90	24.1	32.2	2.65	178	2.31	0.02	4.8	11.0
K300493		6.92	20.2	0.19	4.6	9.60	0.050	1.35	75.1	20.1	0.13	36	6.62	0.39	10.5	18.3
K300494		1.30	8.89	<0.05	2.9	0.25	0.024	1.48	20.6	30.9	2.83	208	1.11	0.02	6.0	13.1
K300495		0.42	1.80	0.05	0.5	0.16	0.005	0.32	6.6	4.8	0.60	106	1.21	0.01	1.3	3.2
K300496		0.52	3.29	<0.05	1.1	0.06	0.009	0.68	10.0	7.7	1.27	90	0.50	0.01	2.3	4.8
K300497		0.42	0.52	0.38	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.90	190	0.09	0.01	0.5	2.6
K300498		0.68	4.20	0.08	1.4	0.12	0.014	0.83	11.2	12.4	1.62	108	0.99	0.02	2.9	6.2
K300499		0.52	2.97	<0.05	1.4	0.13	0.011	0.50	11.0	10.1	1.51	101	1.22	0.01	2.4	4.6
K300500		0.54	2.83	<0.05	1.6	0.09	0.008	0.53	10.0	8.5	1.62	109	0.60	0.02	2.4	4.2
K304501		0.48	3.08	<0.05	0.8	0.08	0.009	0.61	9.6	8.0	1.04	102	0.80	0.01	2.2	6.0
K304502		0.51	3.34	<0.05	0.9	0.05	0.009	0.64	9.8	11.9	1.31	89	0.65	0.01	2.4	5.9
K304503		0.56	2.78	<0.05	1.6	0.05	0.011	0.46	9.4	9.3	1.70	122	12.90	0.10	3.7	21.5
K304504		0.56	2.97	<0.05	1.1	0.10	0.009	0.58	9.9	12.2	1.53	105	0.99	0.01	2.3	5.7
K304505		0.59	3.56	<0.05	1.0	0.06	0.011	0.81	10.1	13.9	1.61	96	0.58	0.02	2.5	6.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189991

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K300470		800	8.7	16.2	<0.002	0.79	0.31	3.0	<1	0.7	327	0.20	<0.05	3.6	0.079	71.9
K300471		900	6.6	13.1	<0.002	1.23	0.37	2.3	1	0.6	459	0.15	<0.05	3.0	0.061	155.5
K300472		660	21.3	24.9	0.006	2.05	161.5	3.6	3	2.1	47.2	0.24	0.40	3.7	0.109	4.05
K300473		860	11.7	29.4	<0.002	0.37	0.23	3.8	2	0.8	596	0.27	<0.05	5.4	0.106	31.2
K300474		1100	12.7	37.9	<0.002	1.70	0.54	4.4	2	1.2	611	0.37	<0.05	6.6	0.133	201
K300475		180	1.7	2.3	<0.002	<0.01	0.05	0.4	1	<0.2	54.9	<0.05	<0.05	<0.2	<0.005	0.22
K300476		980	25.3	40.8	0.004	0.78	0.46	3.7	3	1.6	838	0.37	<0.05	7.0	0.139	103.5
K300477		980	11.3	62.8	0.002	0.46	0.38	5.6	2	2.2	552	0.51	<0.05	9.6	0.195	52.5
K300478		930	27.0	54.4	0.014	1.22	0.73	3.5	4	2.7	699	0.45	<0.05	8.3	0.159	102.5
K300479		420	9.1	33.0	0.002	0.26	0.20	3.2	2	0.7	690	0.24	<0.05	5.1	0.089	0.69
K300480		570	14.2	60.9	0.002	0.46	0.31	4.9	3	1.2	530	0.45	<0.05	9.1	0.160	1.90
K300481		330	10.2	29.0	<0.002	0.36	0.27	3.1	3	0.6	916	0.22	<0.05	4.8	0.080	3.78
K300482		570	14.0	55.7	<0.002	0.49	0.29	4.6	3	1.1	740	0.42	<0.05	8.6	0.155	0.70
K300483		560	12.4	55.7	0.002	0.49	0.30	4.6	3	1.1	740	0.42	<0.05	8.6	0.158	0.67
K300484		940	12.2	60.5	0.002	1.54	1.69	4.8	4	1.3	742	0.46	<0.05	9.1	0.168	12.75
K300485		870	12.1	41.7	0.003	0.48	0.26	2.9	3	0.9	598	0.35	<0.05	7.3	0.141	0.55
K300486		840	11.1	66.8	<0.002	0.52	0.32	5.7	4	1.4	470	0.54	<0.05	11.0	0.192	0.71
K300487		1260	11.5	60.6	<0.002	0.67	0.37	5.6	4	1.4	452	0.55	<0.05	11.2	0.190	0.83
K300488		1700	11.2	49.1	0.002	0.63	0.36	3.7	3	1.0	543	0.42	<0.05	8.9	0.152	0.81
K300489		760	8.7	41.9	<0.002	0.25	0.23	2.7	3	0.7	621	0.26	<0.05	5.6	0.092	0.36
K300490		680	10.3	56.0	<0.002	0.30	0.26	4.1	3	1.0	582	0.37	<0.05	7.8	0.133	0.47
K300491		930	11.6	61.9	0.002	0.56	0.30	4.1	3	1.2	819	0.42	<0.05	10.1	0.153	0.85
K300492		1010	14.0	47.5	0.002	0.65	0.39	3.1	3	1.1	378	0.39	<0.05	8.4	0.130	1.61
K300493		920	18.8	53.7	0.003	3.15	111.5	16.1	3	3.2	509	0.79	0.15	11.8	0.546	8.58
K300494		690	9.6	63.5	<0.002	0.60	0.26	5.5	3	1.2	490	0.46	<0.05	9.1	0.166	0.79
K300495		250	3.4	14.8	<0.002	0.25	0.12	1.1	2	0.3	1470	0.08	<0.05	1.6	0.031	0.21
K300496		300	4.4	29.7	<0.002	0.13	0.14	2.0	2	0.5	1290	0.16	<0.05	3.3	0.065	0.18
K300497		220	1.3	1.8	<0.002	<0.01	0.06	0.2	1	<0.2	50.5	<0.05	<0.05	<0.2	<0.005	0.03
K300498		420	5.7	37.2	<0.002	0.18	0.17	2.5	2	0.6	1230	0.21	<0.05	4.2	0.083	0.23
K300499		480	5.5	24.7	0.002	0.18	0.23	2.0	2	0.5	1090	0.17	<0.05	3.6	0.059	0.24
K300500		360	5.9	24.6	<0.002	0.15	0.20	1.8	2	0.5	1310	0.18	<0.05	3.5	0.064	0.18
K304501		310	4.9	29.5	<0.002	0.17	0.19	1.9	2	0.5	1740	0.15	<0.05	3.0	0.055	0.20
K304502		340	4.4	29.9	<0.002	0.09	0.14	2.0	2	0.5	1290	0.16	<0.05	3.2	0.061	0.16
K304503		290	4.4	19.6	0.003	0.06	0.14	1.7	2	0.5	827	0.24	<0.05	3.0	0.060	0.12
K304504		300	4.9	27.5	<0.002	0.15	0.14	1.9	2	0.4	1020	0.16	<0.05	3.0	0.058	0.15
K304505		350	4.7	35.0	<0.002	0.14	0.14	2.2	2	0.5	1210	0.18	<0.05	3.5	0.073	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189991

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K300470		12.4	34	1.1	8.8	32	44.3	
K300471		9.5	21	0.8	7.9	19	44.5	
K300472		3.4	111	222	16.5	73	34.2	
K300473		13.6	55	1.2	10.6	32	61.2	
K300474		14.9	49	1.6	11.4	47	74.2	1.555
K300475		0.8	3	0.1	1.1	15	<0.5	
K300476		29.4	66	1.8	8.7	56	66.6	
K300477		25.1	69	2.2	12.3	34	93.3	
K300478		38.8	68	2.3	10.0	93	88.9	
K300479		24.4	43	1.1	10.3	23	57.7	
K300480		29.2	67	2.1	12.4	43	102.0	
K300481		31.7	38	1.3	10.0	33	50.6	
K300482		24.1	64	1.8	11.2	47	97.3	
K300483		23.6	64	1.9	11.6	55	101.5	
K300484		22.7	59	2.7	14.5	36	117.0	
K300485		19.6	52	1.6	9.5	46	82.2	
K300486		13.7	66	1.6	15.4	41	115.0	
K300487		15.3	59	1.9	17.9	60	117.5	
K300488		15.4	56	2.5	13.8	48	115.0	
K300489		9.3	35	1.0	10.6	410	94.0	
K300490		13.9	50	1.2	12.3	44	107.0	
K300491		17.5	55	1.5	13.6	44	118.5	
K300492		19.9	47	1.1	13.7	73	117.5	
K300493		8.1	170	25.0	17.2	41	178.5	
K300494		19.8	61	1.3	14.4	38	101.0	
K300495		12.0	18	0.2	4.3	12	18.4	
K300496		10.8	24	0.3	6.6	23	41.1	
K300497		0.6	1	0.1	1.0	11	0.5	
K300498		11.5	30	0.3	8.1	25	51.7	
K300499		9.9	22	0.3	8.2	24	50.8	
K300500		8.6	18	0.3	7.5	27	58.0	
K304501		10.9	23	0.3	5.8	14	29.5	
K304502		9.2	22	0.3	6.2	11	32.6	
K304503		5.5	16	282	7.4	19	58.7	
K304504		9.0	21	0.9	6.6	47	40.0	
K304505		9.9	27	0.4	6.4	20	35.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189991

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE VA11209387

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D- Batch 183

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11209387

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K300470		0.01
K300471		<0.01
K300472		16.40
K300473		<0.01
K300474		<0.01
K300475		<0.01
K300476		0.01
K300477		0.01
K300478		0.01
K300479		<0.01
K300480		0.01
K300481		0.01
K300482		<0.01
K300483		<0.01
K300484		<0.01
K300485		<0.01
K300486		<0.01
K300487		0.01
K300488		0.01
K300489		<0.01
K300490		<0.01
K300491		<0.01
K300492		0.02
K300493		0.35
K300494		0.01
K300495		<0.01
K300496		<0.01
K300497		<0.01
K300498		0.01
K300499		0.01
K300500		<0.01
K304501		0.01
K304502		<0.01
K304503		<0.01
K304504		0.01
K304505		0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE VA11190105

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 184

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190105

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304046		8.20	0.17	0.04	0.55	5930	50	0.22	0.02	18.90	0.03	7.84	2.0	6	0.65	7.1
K304047		5.08	<0.01	0.01	0.08	13	20	0.07	0.02	20.9	0.06	1.35	1.2	1	0.17	1.9
K304048		8.58	0.03	0.05	0.52	334	50	0.24	0.03	19.20	0.06	10.20	2.3	5	0.78	8.8
K304049		7.64	0.03	0.02	0.28	243	50	0.09	0.01	20.2	0.62	8.43	1.9	3	0.59	5.8
K304050		5.02	0.07	0.11	7.97	353	510	2.66	0.34	2.62	0.21	81.0	9.8	60	28.0	17.5
K304051		3.30	0.04	0.08	8.85	489	530	2.56	0.40	0.74	0.36	89.2	10.1	74	25.8	21.2
K304052		4.46	0.11	0.09	5.77	210	430	1.68	0.21	9.66	0.59	64.3	8.8	38	17.20	17.2
K304053		3.48	0.45	0.11	5.94	667	340	1.31	0.22	7.14	0.25	60.1	9.3	43	11.75	19.5
K304054		0.28	2.69	1.01	3.12	593	860	0.76	0.32	7.97	2.34	45.2	6.9	53	4.13	40.2
K304055		3.30	0.45	0.14	8.24	3410	430	2.37	0.32	1.93	0.48	86.4	17.3	68	19.65	34.6
K304056		5.14	0.70	0.12	7.43	2470	360	2.28	0.30	3.97	0.19	80.9	25.4	57	21.6	29.4
K304057		8.04	0.08	0.14	8.19	1040	430	2.78	0.35	1.80	0.30	82.8	20.2	67	27.1	39.9
K304058		8.24	0.02	0.05	2.64	107	140	0.95	0.10	21.3	0.08	29.7	5.2	20	8.27	12.1
K304059		8.34	0.05	0.05	3.81	83	170	1.34	0.14	20.1	0.06	38.5	6.1	27	13.35	12.0
K304060		4.24	0.04	0.04	3.65	91	170	1.27	0.12	20.4	0.07	36.8	5.8	26	12.35	10.8
K304061		3.92	0.19	0.23	3.44	209	140	1.18	0.10	15.40	0.07	37.1	6.8	30	10.15	12.5
K304062		4.56	2.76	0.19	1.87	6550	110	0.51	0.06	12.40	0.09	27.3	4.3	21	4.04	7.2
K304063		2.46	7.80	0.16	1.39	4140	80	0.45	0.04	12.45	0.25	22.6	3.1	16	2.73	5.1
K304064		6.10	4.55	0.27	0.89	>10000	100	0.36	0.03	30.5	0.81	12.70	3.9	12	2.04	6.6
K304065		5.12	0.02	<0.01	0.06	41	10	0.06	0.02	19.95	0.06	1.33	1.4	1	0.16	1.4
K304066		8.52	0.28	0.08	2.73	138	130	1.11	0.09	24.4	0.09	29.3	6.7	21	9.03	10.9
K304067		8.20	1.83	0.06	5.43	3660	300	1.63	0.19	12.40	0.16	50.4	9.5	37	15.20	20.3
K304068		8.22	1.32	0.08	7.47	830	290	2.56	0.29	8.23	0.07	74.7	17.7	54	24.8	36.2
K304069		8.20	0.63	0.05	9.06	953	310	3.18	0.46	2.07	0.03	85.3	23.0	69	34.5	37.1
K304070		6.92	0.07	0.01	9.26	831	290	3.45	0.46	1.15	0.02	87.4	18.5	71	34.4	46.5
K304071		7.40	0.09	0.10	8.54	711	260	3.06	0.44	2.34	0.02	84.5	24.6	59	31.4	32.9
K304072		8.68	0.03	0.09	8.62	394	260	3.01	0.44	1.96	0.02	94.9	18.1	62	35.6	28.5
K304073		7.38	<0.01	0.01	9.01	326	320	3.57	0.41	0.77	0.02	98.8	17.8	71	36.3	48.4
K304074		8.14	<0.01	0.02	9.50	373	320	3.69	0.49	0.69	<0.02	92.9	15.2	74	40.5	24.2
K304075		7.82	<0.01	<0.01	9.40	198.0	340	3.43	0.44	0.84	<0.02	100.0	11.8	73	38.5	55.4
K304076		8.24	0.11	0.12	7.71	1110	280	2.36	0.32	7.65	0.05	83.6	21.9	51	28.3	23.3
K304077		8.20	0.02	0.10	7.74	682	520	2.70	0.39	4.08	0.02	62.7	27.2	63	27.3	23.6
K304078		0.28	0.35	0.32	6.22	615	1270	0.64	0.28	0.47	0.19	133.5	3.1	236	3.87	29.1
K304079		8.28	0.01	0.01	6.77	58	260	1.92	0.34	11.50	0.02	72.0	9.8	43	29.4	16.6
K304080		7.96	<0.01	0.01	7.18	57.1	320	2.46	0.37	4.68	0.02	60.2	11.0	65	32.6	16.6
K304081		8.20	<0.01	0.02	7.58	165.5	240	2.39	0.40	4.73	<0.02	63.6	16.5	59	31.9	26.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190105

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304046		0.68	1.52	<0.05	0.4	1.37	0.010	0.26	4.4	4.0	10.90	777	0.15	0.02	1.0	3.2
K304047		0.44	0.27	<0.05	<0.1	<0.01	<0.005	0.03	0.7	1.4	12.65	198	0.13	0.01	0.4	2.2
K304048		1.63	1.46	<0.05	0.3	1.60	0.005	0.24	5.4	3.2	11.25	569	0.30	0.01	1.2	3.8
K304049		1.64	0.96	<0.05	0.1	2.22	0.005	0.12	4.5	1.9	11.60	856	0.11	0.01	0.6	3.1
K304050		4.60	22.6	0.15	3.3	3.05	0.048	4.17	43.6	37.5	2.09	123	0.51	0.05	12.6	27.6
K304051		4.14	24.8	0.18	3.5	5.90	0.061	4.85	50.5	34.9	1.15	68	0.46	0.05	14.6	34.1
K304052		4.18	14.80	0.14	2.3	2.59	0.038	2.91	33.8	27.8	5.21	488	0.64	0.04	8.8	19.1
K304053		2.42	15.00	0.11	2.3	4.59	0.041	2.88	33.5	19.7	2.87	453	0.55	0.03	9.1	23.1
K304054		2.06	7.78	0.05	1.7	4.63	0.030	0.98	28.0	37.3	2.46	271	19.15	0.01	6.9	51.4
K304055		3.31	23.6	0.18	3.6	5.80	0.074	3.91	47.1	25.7	1.22	187	1.42	0.01	12.5	38.3
K304056		2.38	21.5	0.21	3.1	5.25	0.056	3.65	44.0	25.5	2.32	327	0.70	0.01	11.4	34.1
K304057		3.88	23.1	0.16	3.6	4.35	0.071	4.01	46.4	26.8	1.36	97	1.65	0.02	12.2	44.8
K304058		1.07	6.99	<0.05	1.2	0.56	0.025	1.31	15.9	9.1	3.87	402	0.42	<0.01	4.1	6.6
K304059		1.27	10.10	<0.05	1.8	0.57	0.035	1.87	21.6	13.5	2.43	275	0.41	<0.01	5.6	8.4
K304060		1.26	9.50	<0.05	1.7	0.55	0.035	1.79	20.4	12.7	2.46	275	0.45	<0.01	5.3	8.3
K304061		1.90	8.91	<0.05	2.2	1.60	0.027	1.64	20.4	12.7	4.20	389	0.90	<0.01	5.6	13.9
K304062		1.96	4.58	<0.05	2.2	3.10	0.028	0.89	13.9	7.1	5.99	799	1.00	<0.01	3.5	8.3
K304063		1.96	3.30	<0.05	1.8	8.58	0.017	0.67	11.6	5.9	5.84	1750	1.99	<0.01	2.5	5.8
K304064		1.18	2.35	<0.05	0.5	6.40	0.039	0.42	7.3	3.5	1.27	1580	1.34	<0.01	1.5	6.4
K304065		0.40	0.46	0.28	<0.1	0.02	<0.005	0.03	0.6	1.2	12.45	194	0.09	<0.01	0.3	1.5
K304066		1.24	7.27	<0.05	1.4	1.12	0.025	1.37	16.3	7.7	1.93	351	0.84	<0.01	4.2	10.1
K304067		2.49	14.25	<0.05	2.4	2.51	0.059	2.62	27.8	12.4	3.38	715	0.73	0.01	7.8	17.8
K304068		2.74	20.4	0.09	3.3	3.31	0.069	3.70	42.5	18.5	2.66	535	0.64	0.02	11.2	29.5
K304069		3.47	25.7	0.18	3.1	2.60	0.078	4.66	46.7	22.6	1.26	410	0.70	0.01	12.8	46.0
K304070		3.40	26.2	0.19	3.1	1.45	0.070	4.84	48.0	22.1	0.94	418	0.41	0.01	13.0	38.3
K304071		4.74	23.2	0.22	3.0	1.95	0.084	4.18	45.6	20.8	1.21	599	0.88	0.01	11.7	44.2
K304072		3.92	24.4	0.21	3.2	0.91	0.080	4.27	51.1	22.2	1.04	520	0.77	0.01	12.4	38.0
K304073		2.80	27.7	0.22	3.2	0.92	0.075	4.85	54.9	19.9	0.84	311	0.71	0.01	13.6	40.5
K304074		2.92	28.8	0.20	3.0	0.65	0.077	5.12	50.7	19.1	0.83	310	0.28	0.01	13.6	38.6
K304075		3.35	28.5	0.23	3.0	0.81	0.076	5.15	54.9	17.6	0.85	258	0.25	0.01	13.8	31.7
K304076		3.30	20.4	0.22	2.5	1.68	0.062	3.82	45.3	13.8	2.16	696	0.54	0.01	10.0	37.1
K304077		3.97	23.9	0.19	2.7	0.77	0.073	4.29	32.1	15.7	1.43	603	0.87	0.02	11.6	47.8
K304078		6.61	20.9	0.21	4.5	9.37	0.054	1.33	63.9	19.5	0.12	37	7.27	0.37	10.2	17.0
K304079		2.92	17.90	0.11	2.3	0.16	0.058	3.36	41.1	21.5	1.23	411	0.19	0.01	8.9	22.5
K304080		3.05	23.4	0.17	2.8	0.13	0.087	4.07	29.8	32.1	1.18	398	0.21	0.02	11.6	28.0
K304081		4.20	22.3	0.15	2.7	0.27	0.076	4.14	33.9	20.2	1.19	342	0.43	0.01	11.3	37.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190105

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304046		460	6.9	8.5	<0.002	0.87	8.63	1.0	2	0.2	82.6	0.06	<0.05	1.1	0.026	2.30
K304047		210	1.1	1.2	<0.002	0.01	0.12	0.3	1	<0.2	41.7	<0.05	<0.05	<0.2	<0.005	<0.02
K304048		1040	16.8	7.9	<0.002	1.74	2.92	1.1	2	0.2	90.1	0.06	<0.05	1.1	0.025	4.18
K304049		590	13.9	4.6	<0.002	1.23	2.30	0.8	1	0.2	78.0	<0.05	<0.05	0.6	0.013	3.13
K304050		540	22.3	149.5	<0.002	4.78	2.75	15.4	2	2.3	72.0	0.88	0.08	13.5	0.388	7.68
K304051		450	16.7	147.0	<0.002	4.28	2.74	15.4	2	2.7	65.5	1.04	0.08	16.3	0.451	11.45
K304052		2180	23.5	114.0	<0.002	4.28	2.42	10.1	2	1.5	101.5	0.58	<0.05	9.3	0.268	5.04
K304053		650	14.8	102.0	<0.002	2.33	4.29	10.5	1	1.6	101.5	0.61	0.05	9.8	0.278	8.22
K304054		880	36.4	47.6	0.025	1.52	103.0	5.6	5	2.4	72.3	0.46	0.20	6.6	0.170	4.12
K304055		600	36.5	148.5	0.003	3.42	9.52	17.2	3	2.3	73.0	0.98	0.08	15.4	0.411	8.92
K304056		1000	26.4	148.5	0.003	2.24	7.94	15.4	3	2.1	87.0	0.86	0.06	13.8	0.340	10.25
K304057		590	37.1	156.0	0.005	3.92	3.67	17.5	3	2.5	77.4	0.95	0.11	15.7	0.395	6.48
K304058		640	6.6	49.5	<0.002	0.49	0.50	5.8	3	0.9	355	0.30	<0.05	4.7	0.116	1.27
K304059		620	8.5	74.6	<0.002	0.56	0.60	8.0	3	1.2	562	0.42	<0.05	6.6	0.170	1.66
K304060		620	7.8	69.7	<0.002	0.58	0.53	7.7	2	1.1	602	0.40	<0.05	6.3	0.162	1.52
K304061		730	15.7	56.2	<0.002	0.71	2.59	6.5	3	1.1	386	0.42	<0.05	7.0	0.156	4.48
K304062		1020	15.5	29.3	<0.002	0.89	11.75	3.3	3	0.5	198.5	0.26	<0.05	4.9	0.089	9.45
K304063		770	13.0	21.9	<0.002	1.24	21.4	2.4	3	0.5	150.0	0.19	<0.05	3.6	0.063	34.8
K304064		570	12.6	15.2	0.003	1.44	24.6	1.9	4	0.4	876	0.10	<0.05	1.9	0.038	18.50
K304065		210	1.4	1.2	<0.002	0.01	0.13	0.3	2	<0.2	48.8	<0.05	<0.05	0.2	<0.005	0.07
K304066		460	8.5	51.6	0.002	0.35	1.52	5.9	3	0.9	1145	0.31	<0.05	4.9	0.119	4.20
K304067		560	9.4	105.0	<0.002	0.63	8.27	10.7	2	1.7	293	0.59	0.07	9.0	0.236	9.42
K304068		870	18.8	152.0	<0.002	0.82	5.12	14.3	3	2.4	224	0.86	0.07	13.5	0.330	12.35
K304069		420	21.5	170.0	<0.002	2.11	5.11	16.9	2	2.8	97.9	0.97	0.10	15.7	0.396	12.05
K304070		310	16.6	177.0	<0.002	2.31	1.79	17.4	2	3.1	85.0	1.01	0.11	16.6	0.400	4.64
K304071		820	22.5	156.0	0.002	3.65	3.37	17.1	3	2.5	102.5	0.93	0.11	14.8	0.362	8.20
K304072		470	19.5	162.0	<0.002	2.63	1.11	17.2	2	2.7	100.0	0.96	0.08	16.6	0.379	4.05
K304073		330	15.7	174.0	<0.002	1.78	1.33	16.8	2	2.9	94.0	1.08	0.09	17.0	0.402	2.80
K304074		290	20.6	167.5	0.002	1.91	0.99	17.3	3	3.1	90.7	1.05	0.10	17.2	0.394	3.20
K304075		400	11.7	152.0	<0.002	2.34	0.54	16.9	2	3.0	80.5	1.06	0.12	17.6	0.389	2.67
K304076		2250	27.8	139.0	0.002	1.34	4.21	13.5	3	2.1	184.5	0.78	0.07	13.5	0.298	7.84
K304077		320	22.8	111.5	<0.002	1.89	1.74	14.8	3	2.6	106.0	0.88	0.13	11.4	0.337	3.56
K304078		920	18.0	47.1	0.003	3.09	113.5	16.9	3	3.1	507	0.79	0.14	9.8	0.547	8.12
K304079		300	9.9	135.0	<0.002	0.83	0.38	11.9	2	2.0	380	0.69	0.08	11.6	0.268	1.52
K304080		340	8.8	98.6	<0.002	0.43	0.28	14.1	2	2.6	182.5	0.87	0.11	10.4	0.348	1.22
K304081		300	16.4	113.0	<0.002	2.97	0.55	14.5	2	2.3	169.0	0.88	0.11	11.3	0.341	2.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190105

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304046		5.3	8	0.5	4.2	3	14.8	
K304047		0.4	2	0.1	0.8	14	0.5	
K304048		5.1	8	0.7	6.0	16	13.3	
K304049		3.3	4	0.4	5.8	325	5.6	
K304050		3.6	102	8.3	19.0	106	125.0	
K304051		2.8	122	9.2	17.8	174	124.5	
K304052		4.7	76	5.7	28.0	265	91.8	
K304053		2.4	76	6.6	17.2	122	86.3	
K304054		8.9	227	27.3	19.2	207	63.9	
K304055		4.4	117	10.8	19.9	161	118.0	
K304056		3.9	107	8.6	22.1	44	107.5	
K304057		4.9	114	9.3	19.4	118	117.5	
K304058		5.4	37	1.6	10.9	20	44.9	
K304059		7.3	52	1.3	12.2	39	62.4	
K304060		7.2	50	1.2	12.0	37	59.9	
K304061		7.0	47	2.8	13.3	20	73.7	
K304062		5.1	26	1.8	10.3	14	74.8	
K304063		6.9	19	1.4	8.2	38	61.8	
K304064		16.5	25	1.5	7.0	323	18.6	0.986
K304065		0.5	3	0.1	0.8	13	0.5	
K304066		12.6	41	1.0	9.9	55	48.2	
K304067		6.4	73	4.0	16.3	81	81.1	
K304068		8.2	104	6.8	22.0	56	113.0	
K304069		2.9	112	7.7	19.7	36	104.5	
K304070		2.5	114	9.3	18.2	41	101.5	
K304071		3.4	100	6.0	24.7	44	98.1	
K304072		2.8	99	3.8	22.5	37	102.0	
K304073		2.9	108	6.7	19.7	37	105.0	
K304074		2.8	103	5.5	19.1	43	99.2	
K304075		2.6	108	3.2	19.3	38	97.4	
K304076		7.0	82	5.9	30.0	33	80.6	
K304077		2.2	103	6.4	17.9	35	89.7	
K304078		7.7	170	23.9	15.5	45	166.5	
K304079		2.5	69	1.9	20.9	41	75.5	
K304080		2.6	99	2.0	20.3	58	93.8	
K304081		2.3	104	3.6	18.6	55	84.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190105

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE VA11189993

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 185

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189993

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K303109		6.72	0.01	0.03	0.63	49	410	0.17	0.03	35.4	0.11	11.40	2.0	6	1.84	6.6
K303110		7.48	<0.01	0.02	0.39	41	90	0.14	0.02	37.0	<0.02	7.73	1.3	4	0.96	4.4
K303111		6.50	<0.01	0.02	0.41	33	100	0.14	0.02	38.2	0.02	8.05	1.5	4	1.06	4.8
K303112		7.04	<0.01	0.02	0.34	28	100	0.17	0.01	37.9	0.02	6.72	1.1	3	0.89	3.9
K303113		3.54	<0.01	0.01	0.28	29	100	0.09	0.02	37.0	<0.02	5.18	0.9	3	0.60	3.7
K303114		6.90	<0.01	0.01	0.36	25	160	0.16	0.01	36.0	0.05	6.42	1.1	4	0.82	3.9
K303115		6.84	<0.01	0.01	0.74	69	140	0.16	0.03	36.3	0.03	12.85	2.4	8	2.37	7.4
K303116		6.40	<0.01	0.01	0.67	59	120	0.21	0.03	36.1	0.04	11.90	2.1	6	1.84	6.5
K303117		6.88	<0.01	0.01	0.69	31	130	0.28	0.02	35.5	0.05	12.45	2.1	6	2.06	6.8
K303118		4.96	<0.01	0.02	0.21	<5	50	0.05	0.02	21.7	0.06	1.26	1.2	5	0.35	6.5
K303119		6.80	<0.01	0.02	1.07	39	170	0.30	0.04	36.9	0.12	17.05	3.3	10	3.48	11.9
K303120		8.04	<0.01	0.01	0.68	21	380	0.26	0.02	34.7	0.06	11.80	2.1	6	2.28	8.9
K303121		7.92	<0.01	0.08	1.36	37	180	0.40	0.06	33.1	0.08	20.8	3.8	12	4.40	13.6
K303122		0.28	7.69	0.42	3.54	1000	160	0.77	0.60	11.95	4.12	47.6	5.5	88	7.39	34.0
K303123		8.18	0.01	0.09	1.51	51	170	0.38	0.07	32.1	0.10	22.6	4.5	14	4.76	16.4
K303124		6.86	<0.01	0.04	0.58	32	160	0.26	0.03	35.1	0.05	10.55	1.8	6	1.21	6.8
K303125		7.80	0.01	0.03	0.70	32	140	0.32	0.03	37.0	0.08	11.50	2.1	6	1.39	7.8
K303126		7.58	<0.01	0.04	1.51	103	270	0.44	0.07	32.2	0.18	22.4	4.8	13	4.20	16.3
K303127		8.10	0.01	0.07	4.59	176	220	1.05	0.19	18.45	0.21	51.5	13.0	43	13.55	43.9
K303128		8.26	0.01	0.06	3.44	140	170	0.97	0.15	20.4	0.20	44.7	10.3	32	9.38	35.6
K303129		7.32	<0.01	0.05	3.70	81	200	1.08	0.16	20.9	0.23	44.4	10.6	34	12.15	35.9
K303130		6.12	0.02	0.04	0.62	50	180	0.22	0.03	35.1	0.05	10.90	2.0	5	2.25	8.0
K303131		7.10	<0.01	0.03	1.09	69	130	0.38	0.05	34.5	0.11	20.8	3.4	9	4.82	11.7
K303132		7.52	<0.01	<0.01	0.41	19	120	0.28	0.04	37.9	0.03	7.64	1.6	3	0.94	4.7
K303133		8.14	<0.01	0.01	0.71	44	80	0.25	0.04	36.3	0.09	12.00	2.5	6	1.84	7.2
K303134		8.30	<0.01	0.01	0.55	29	90	0.23	0.04	36.6	0.04	10.40	2.0	5	1.58	5.9
K303135		8.36	0.01	0.01	0.48	29	80	0.17	0.04	36.7	0.03	8.67	1.7	4	1.28	5.3
K303136		7.70	<0.01	0.04	0.46	29	70	0.18	0.03	37.3	0.22	9.76	1.7	4	1.19	4.9
K303137		8.02	0.07	0.01	0.78	71	120	0.14	0.04	35.4	0.05	13.10	2.6	6	1.86	7.9
K303138		5.00	<0.01	0.01	0.08	<5	20	0.06	0.03	21.6	0.05	1.27	0.8	1	0.33	8.1
K303139		8.12	0.01	0.02	1.68	104	120	0.31	0.09	31.5	0.15	23.5	5.3	15	4.66	15.4
K303140		8.48	<0.01	0.01	0.37	48	100	0.17	0.03	36.2	0.03	7.18	1.4	3	0.81	4.5
K303141		7.86	<0.01	0.03	0.60	379	90	0.17	0.03	30.5	0.16	8.74	2.1	5	1.20	8.9
K303142		0.28	0.33	0.24	6.59	603	310	0.64	0.29	0.54	0.18	136.0	2.7	229	3.31	29.8
K303143		7.82	0.01	0.02	1.34	109	120	0.27	0.07	33.3	0.15	16.15	4.0	12	3.35	12.6
K303144		8.24	0.01	0.01	0.51	25	120	0.24	0.03	35.4	0.03	8.58	1.8	4	1.59	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189993

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303109		0.48	1.50	0.10	0.3	0.94	0.009	0.27	5.7	2.8	0.77	168	0.31	0.01	0.8	3.2
K303110		0.31	0.97	0.13	0.2	0.66	0.005	0.16	3.6	1.7	0.55	146	0.19	0.01	0.5	2.2
K303111		0.35	1.06	0.16	0.2	0.44	<0.005	0.17	4.1	1.9	0.31	129	0.23	0.01	0.6	2.3
K303112		0.26	0.87	0.12	0.1	0.63	<0.005	0.14	3.2	1.5	0.32	134	0.15	0.01	0.5	1.6
K303113		0.22	0.68	0.13	0.1	0.46	<0.005	0.12	2.5	1.3	0.32	118	0.13	0.01	0.3	1.2
K303114		0.28	0.86	0.12	0.1	0.62	0.005	0.14	3.1	1.7	0.39	157	0.16	0.01	0.4	2.0
K303115		0.49	1.87	0.12	0.3	1.06	0.012	0.30	6.6	3.5	0.43	185	0.38	0.01	1.0	4.4
K303116		0.45	1.69	0.12	0.3	0.47	0.005	0.28	5.9	2.8	0.50	162	0.32	0.01	0.9	3.7
K303117		0.45	1.68	0.11	0.3	0.12	0.008	0.29	6.0	3.2	0.39	148	0.30	0.01	0.9	3.4
K303118		0.50	0.49	0.10	<0.1	<0.01	<0.005	0.10	0.6	1.9	13.30	221	0.05	0.01	0.2	2.6
K303119		0.67	2.61	0.14	0.4	0.34	0.010	0.46	8.6	4.2	0.40	160	0.49	0.01	1.4	5.7
K303120		0.52	1.68	0.12	0.3	0.11	0.005	0.27	5.6	3.2	0.55	298	0.40	0.01	0.9	3.8
K303121		0.87	3.45	0.10	0.6	0.86	0.018	0.59	10.5	5.3	0.63	167	0.69	0.01	1.8	6.9
K303122		1.36	7.37	0.16	2.1	5.75	0.063	1.43	30.4	10.2	0.70	276	10.95	0.01	7.8	60.2
K303123		0.93	3.84	0.12	0.6	1.35	0.012	0.65	11.5	6.5	0.97	343	0.91	0.02	2.0	8.0
K303124		0.43	1.42	0.11	0.2	0.52	0.005	0.23	4.8	2.3	0.65	306	0.25	0.01	0.7	2.8
K303125		0.50	1.69	0.13	0.3	0.63	0.007	0.28	5.4	2.4	0.61	333	0.31	0.01	0.8	3.5
K303126		0.94	3.77	0.12	0.7	0.88	0.012	0.64	11.1	4.9	0.67	313	1.03	0.01	2.0	8.3
K303127		3.03	10.65	0.12	1.9	3.90	0.045	1.94	27.5	12.2	1.74	626	1.92	0.03	6.0	24.1
K303128		2.82	8.26	0.13	1.4	3.02	0.040	1.45	24.3	10.1	2.62	983	1.56	0.03	4.5	18.4
K303129		2.53	9.01	0.10	1.5	1.60	0.033	1.59	24.4	11.3	2.18	850	1.73	0.03	4.9	19.2
K303130		0.53	1.57	0.10	0.3	0.19	0.006	0.24	5.1	2.6	0.39	349	0.22	0.01	0.9	3.1
K303131		0.74	2.86	0.10	0.5	0.55	0.014	0.46	10.7	5.2	0.43	111	0.55	0.01	1.6	5.4
K303132		0.29	1.07	0.12	0.1	0.43	0.005	0.16	3.6	1.8	0.29	156	0.18	<0.01	0.6	2.0
K303133		0.45	1.79	0.13	0.2	0.99	0.006	0.29	5.5	2.6	0.37	127	0.32	<0.01	0.9	3.4
K303134		0.42	1.50	0.12	0.1	0.91	0.005	0.23	5.1	2.1	0.48	101	0.27	<0.01	0.8	2.7
K303135		0.37	1.18	0.12	0.1	0.72	0.006	0.19	4.1	2.0	0.43	116	0.31	<0.01	0.6	2.4
K303136		0.36	1.25	0.13	0.1	0.79	0.007	0.19	4.5	1.8	0.80	138	0.20	<0.01	0.6	2.4
K303137		0.48	2.01	0.12	0.2	1.95	0.011	0.33	6.2	2.6	0.35	170	0.37	<0.01	1.0	3.9
K303138		0.48	0.29	0.21	<0.1	0.01	0.008	0.03	0.6	1.4	13.40	202	0.06	<0.01	0.3	1.7
K303139		0.93	4.19	0.16	0.6	3.78	0.018	0.73	11.7	5.5	0.52	145	0.85	<0.01	2.1	8.6
K303140		0.28	1.00	0.14	0.1	0.98	0.009	0.13	3.2	1.3	0.29	117	0.16	<0.01	0.5	2.0
K303141		0.58	1.42	0.07	0.3	2.28	0.008	0.25	4.6	3.1	0.48	133	0.31	0.01	0.9	<0.2
K303142		6.95	20.2	0.18	4.4	9.19	0.047	1.41	63.4	17.3	0.13	37	6.39	0.39	9.3	14.3
K303143		0.79	3.27	0.11	0.5	2.13	0.011	0.60	8.4	4.4	0.49	188	0.56	<0.01	1.7	6.6
K303144		0.42	1.32	0.11	0.1	0.39	0.009	0.22	4.1	1.8	0.37	276	0.27	<0.01	0.7	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189993

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303109		320	2.7	11.2	0.002	0.39	0.21	1.5	1	0.3	1530	0.07	<0.05	1.1	0.032	0.29
K303110		350	1.7	6.8	<0.002	0.26	0.15	1.0	<1	0.2	1495	<0.05	<0.05	0.7	0.020	0.20
K303111		180	2.1	7.2	<0.002	0.28	0.18	1.2	<1	0.2	1730	<0.05	<0.05	0.7	0.022	0.24
K303112		310	1.9	6.0	0.002	0.22	0.19	0.9	<1	0.2	1845	<0.05	<0.05	0.6	0.017	0.36
K303113		300	1.4	4.8	<0.002	0.17	0.15	0.8	<1	0.2	1730	<0.05	<0.05	0.5	0.014	0.25
K303114		490	1.6	6.0	<0.002	0.25	0.23	0.9	1	0.2	1795	<0.05	<0.05	0.6	0.018	0.47
K303115		300	2.9	13.2	<0.002	0.49	0.25	1.9	1	0.3	1790	0.07	<0.05	1.3	0.037	0.75
K303116		230	2.3	12.3	<0.002	0.43	0.16	1.7	1	0.3	1855	0.06	<0.05	1.1	0.033	0.35
K303117		160	3.2	13.2	0.003	0.39	0.22	1.8	<1	0.3	2290	0.07	<0.05	1.2	0.034	0.20
K303118		210	1.4	2.9	<0.002	0.01	0.06	0.4	<1	0.2	53.8	<0.05	<0.05	<0.2	0.010	0.02
K303119		290	4.6	20.1	0.004	0.65	0.35	2.5	1	0.4	2340	0.10	<0.05	1.7	0.055	0.39
K303120		780	3.1	13.0	0.002	0.43	0.20	1.8	1	0.5	2080	0.07	<0.05	1.2	0.034	0.21
K303121		330	4.7	26.6	0.003	0.84	0.31	3.3	1	0.6	2040	0.13	<0.05	2.2	0.069	0.75
K303122		4210	5.0	108.0	0.038	1.32	18.75	5.9	7	1.8	145.5	0.57	0.63	6.9	0.210	13.35
K303123		760	5.2	28.8	0.004	0.87	0.34	3.5	<1	0.7	1660	0.14	<0.05	2.5	0.074	0.86
K303124		970	2.4	11.1	<0.002	0.35	0.19	1.4	<1	0.3	1865	0.05	<0.05	1.0	0.028	0.42
K303125		250	2.9	12.6	0.003	0.42	0.24	1.6	1	0.3	1850	0.06	<0.05	1.2	0.033	0.51
K303126		460	4.9	29.3	0.004	0.89	0.52	3.7	1	0.7	1810	0.16	<0.05	2.5	0.075	0.86
K303127		340	14.3	85.5	0.007	2.60	1.23	10.3	1	1.7	1195	0.47	0.07	7.2	0.250	2.08
K303128		270	11.8	62.4	0.008	2.17	0.87	8.8	1	1.3	1010	0.35	0.07	5.6	0.173	1.55
K303129		260	11.5	69.0	0.005	1.84	0.55	8.3	1	1.4	1115	0.38	0.07	5.9	0.190	1.23
K303130		290	3.2	11.0	<0.002	0.42	0.23	1.8	<1	0.3	1795	0.06	<0.05	1.1	0.033	0.19
K303131		110	4.3	21.2	0.002	0.75	0.37	2.9	1	0.5	2090	0.12	0.05	1.9	0.054	0.50
K303132		330	2.0	6.5	<0.002	0.23	0.16	1.1	<1	0.2	1975	<0.05	<0.05	0.6	0.021	0.35
K303133		260	3.5	11.9	<0.002	0.40	0.26	1.5	2	0.5	1990	0.07	<0.05	1.1	0.036	1.01
K303134		130	2.5	10.1	<0.002	0.35	0.26	1.6	1	0.2	1870	0.06	<0.05	0.8	0.028	0.86
K303135		220	2.0	8.0	<0.002	0.31	0.23	1.2	1	0.3	1810	0.05	<0.05	0.7	0.024	0.66
K303136		400	2.3	7.5	<0.002	0.27	0.18	1.4	1	0.2	1780	<0.05	<0.05	0.7	0.024	0.48
K303137		200	3.1	14.0	<0.002	0.49	0.85	2.0	1	0.4	1910	0.07	<0.05	1.2	0.039	1.83
K303138		190	1.3	1.8	<0.002	0.01	0.05	0.2	<1	<0.2	49.3	<0.05	<0.05	<0.2	<0.005	0.02
K303139		160	5.0	29.1	0.002	1.03	1.06	3.7	1	0.7	1525	0.16	<0.05	2.3	0.085	3.18
K303140		390	2.0	5.7	<0.002	0.23	0.59	1.1	1	0.3	1840	<0.05	<0.05	0.6	0.019	0.61
K303141		260	7.3	10.5	<0.002	0.56	3.56	1.7	1	0.5	1730	0.06	<0.05	1.0	0.030	0.90
K303142		930	18.8	42.7	0.002	3.16	125.5	14.3	1	3.2	521	0.79	0.10	9.0	0.560	8.67
K303143		150	7.2	23.2	0.002	0.84	2.79	3.0	1	0.6	1615	0.13	<0.05	1.8	0.069	1.23
K303144		120	2.3	8.7	0.002	0.33	0.29	1.4	1	0.3	1690	0.05	<0.05	0.7	0.026	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189993

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303109		1.7	10	0.8	10.1	33	10.6
K303110		1.8	6	0.3	8.0	3	7.3
K303111		2.1	7	0.3	10.3	6	7.8
K303112		1.9	6	0.3	8.0	3	6.4
K303113		1.4	4	0.7	6.6	2	5.3
K303114		1.6	6	0.2	6.7	11	6.3
K303115		2.2	12	0.4	10.7	6	12.7
K303116		2.2	11	0.3	10.8	7	11.6
K303117		2.1	11	0.3	11.1	8	11.6
K303118		0.5	5	0.1	0.9	13	0.7
K303119		2.6	17	0.4	12.6	23	17.5
K303120		2.1	12	0.2	10.6	7	14.0
K303121		2.6	22	0.4	14.0	19	24.6
K303122		8.1	384	34.7	26.1	280	75.1
K303123		2.7	25	0.8	12.4	19	24.3
K303124		2.2	10	0.3	8.8	5	11.3
K303125		2.2	11	0.4	8.4	9	10.9
K303126		2.6	25	0.6	12.8	27	25.9
K303127		3.3	77	2.2	21.7	65	65.7
K303128		3.1	61	1.2	23.7	51	50.4
K303129		2.8	62	0.7	22.1	53	54.9
K303130		1.6	10	0.2	10.2	6	11.6
K303131		2.9	17	0.4	14.0	16	18.8
K303132		1.8	5	0.2	9.8	3	6.9
K303133		2.8	10	0.3	12.7	10	10.1
K303134		2.2	8	0.3	11.9	5	7.8
K303135		2.1	6	0.3	10.0	4	7.1
K303136		2.4	6	0.2	12.3	24	7.7
K303137		2.6	11	0.6	13.8	6	12.0
K303138		0.4	1	0.1	0.9	14	0.5
K303139		2.8	25	1.3	13.7	25	22.1
K303140		1.7	5	0.4	10.1	3	7.0
K303141		2.2	10	1.0	11.1	39	9.0
K303142		7.5	175	23.8	14.3	46	163.0
K303143		2.0	21	1.3	11.0	25	18.2
K303144		1.4	7	0.2	8.5	5	8.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189993

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

CERTIFICATE VA11189994

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 186

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189994

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303513		2.68	12.45	0.08	5.49	>10000	270	1.21	0.43	5.67	0.81	65.6	17.0	51	15.90	55.8
K303514		6.06	11.35	0.06	3.95	>10000	170	0.68	0.21	9.73	0.77	47.9	12.1	40	11.75	40.4
K303515		3.88	3.90	0.02	1.76	4200	120	0.26	0.08	27.9	0.23	22.9	5.1	17	4.66	15.5
K303516		6.02	8.80	0.14	2.80	>10000	130	0.41	0.15	8.40	0.88	49.9	8.3	31	7.04	28.7
K303517		5.76	8.40	0.18	2.28	>10000	140	0.38	0.11	12.70	1.10	57.0	7.4	21	6.13	25.8
K303518		5.10	20.7	0.31	5.13	>10000	230	1.03	0.21	8.05	0.91	67.7	19.5	54	17.35	61.1
K303519		6.98	0.02	<0.01	0.07	81	20	<0.05	0.03	20.2	0.05	1.14	0.6	1	0.17	1.4
K303520		6.18	13.05	0.13	4.41	7450	230	0.87	0.18	9.51	0.81	56.8	16.4	42	15.50	48.6
K303521		5.44	5.65	0.04	1.56	3080	100	0.40	0.06	26.7	0.32	21.2	6.5	15	5.08	18.2
K303522		4.42	7.98	0.07	4.00	>10000	180	0.78	0.14	18.40	0.54	45.7	14.5	43	11.60	44.2
K303523		6.62	5.64	0.04	2.51	4920	140	0.53	0.09	23.6	0.32	30.3	8.5	22	8.21	25.9
K303524		5.34	2.65	0.05	2.78	1050	150	0.72	0.12	23.6	0.31	37.2	8.8	22	12.50	26.4
K303525		6.02	2.91	0.05	3.52	800	170	0.98	0.16	21.5	0.36	48.8	10.8	28	15.25	34.1
K303526		6.08	3.74	0.03	1.53	2010	150	0.48	0.07	27.4	0.21	26.5	4.3	11	4.67	13.6
K303527		7.04	0.01	0.01	0.07	11	20	0.07	0.01	20.5	0.06	1.55	1.3	<1	0.20	1.8
K303528		11.00	0.48	0.06	3.75	1680	200	1.08	0.16	21.2	0.28	48.1	11.6	30	14.20	34.8
K303529		12.34	0.10	0.06	4.33	202	370	1.31	0.18	18.45	0.29	52.4	12.9	34	20.7	38.7
K303530		0.30	7.16	0.52	3.52	997	160	0.87	0.58	11.85	4.30	45.4	5.9	86	7.63	35.4
K303531		11.68	0.01	0.04	2.46	163	210	0.91	0.11	24.3	0.23	42.0	8.1	18	11.75	24.5
K303532		4.70	<0.01	0.03	1.66	155	220	0.61	0.07	28.6	0.18	31.4	5.2	12	6.89	15.9
K303533		5.68	0.02	0.06	4.31	217	180	1.28	0.19	17.55	0.32	57.0	13.0	35	15.60	39.6
K303534		9.96	0.04	0.06	2.94	195	220	0.87	0.13	24.7	0.21	37.5	9.0	23	9.00	26.1
K303535		11.40	<0.01	0.05	2.39	106	170	0.79	0.11	25.9	0.20	38.8	7.6	19	7.93	23.8
K303536		10.86	<0.01	0.05	3.25	55	180	1.02	0.14	21.7	0.28	42.5	9.9	26	12.95	30.7
K303537		6.70	<0.01	0.02	1.04	15	130	0.69	0.04	30.9	0.09	16.30	3.3	7	3.88	10.0
K303538		5.88	<0.01	0.02	1.14	26	110	0.70	0.05	29.9	0.07	18.25	3.8	8	4.32	11.6
K303539		2.30	<0.01	0.02	1.41	30	120	0.72	0.06	29.5	0.09	18.20	3.9	9	5.34	13.0
K303540		4.34	<0.01	0.05	2.65	61	160	0.77	0.11	24.3	0.19	38.0	8.0	21	8.72	25.7
K303541		4.68	<0.01	0.05	2.52	123	130	0.69	0.11	23.4	0.18	35.4	7.9	19	7.79	25.6
K303542		7.48	<0.01	0.04	3.46	135	360	0.97	0.13	20.7	0.21	40.0	10.8	29	13.15	31.7
K303543		0.30	2.37	0.95	3.01	571	810	0.81	0.38	7.56	2.10	45.1	6.1	45	3.70	39.5
K303544		6.86	0.01	0.07	4.02	135	230	1.16	0.16	17.55	0.27	48.5	13.0	33	15.15	39.4
K303545		7.66	0.01	0.05	2.74	145	150	0.76	0.12	24.4	0.23	35.0	8.7	22	8.37	26.7
K303546		4.70	<0.01	0.03	2.45	77	170	0.67	0.09	26.1	0.22	28.9	7.3	18	7.59	21.8
K303547		4.74	<0.01	0.01	0.84	52	130	0.35	0.04	31.8	0.09	15.65	2.9	5	2.08	8.3
K303548		6.00	<0.01	0.02	1.80	69	140	0.46	0.07	27.1	0.17	27.2	5.3	13	4.95	15.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189994

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303513		3.47	14.40	0.12	2.8	30.9	0.035	2.41	35.4	29.8	0.42	582	3.22	0.02	8.1	33.6
K303514		2.64	10.60	0.05	2.1	29.0	0.029	1.73	26.2	18.0	0.33	870	2.23	0.02	6.0	24.4
K303515		1.12	4.31	<0.05	0.8	11.3	0.011	0.79	12.5	5.8	0.27	734	0.90	0.01	2.5	9.1
K303516		1.95	7.65	0.05	1.4	27.5	0.041	1.19	25.2	18.6	0.22	995	1.75	0.01	4.0	17.1
K303517		1.59	7.04	0.17	1.1	28.6	0.057	0.94	27.7	18.3	0.19	4770	1.51	0.01	3.3	12.8
K303518		3.41	15.55	0.21	2.3	33.7	0.053	2.19	34.1	26.9	0.36	2050	1.50	0.02	7.9	32.9
K303519		0.40	0.22	0.14	<0.1	0.05	0.006	0.03	0.5	1.1	12.30	179	0.22	0.01	0.2	1.4
K303520		2.95	12.95	0.17	2.1	29.6	0.039	1.92	29.2	23.3	0.34	1620	1.55	0.02	7.0	28.3
K303521		1.36	4.64	0.09	0.7	13.2	0.022	0.69	11.0	7.9	0.26	2470	0.74	0.01	2.4	10.1
K303522		2.64	11.60	0.15	1.8	19.7	0.039	1.72	23.9	13.7	0.37	1240	1.42	0.02	5.9	24.1
K303523		1.67	7.24	0.12	1.1	14.0	0.027	1.04	16.9	11.8	0.27	2000	0.87	0.01	3.7	13.8
K303524		1.71	7.82	0.12	1.2	14.1	0.025	1.21	20.0	10.6	0.31	1400	1.42	0.02	4.2	14.6
K303525		2.09	10.05	0.14	1.5	12.2	0.029	1.54	26.7	13.8	0.43	1460	1.77	0.02	5.2	18.3
K303526		1.25	3.84	0.11	0.7	8.49	0.016	0.68	15.8	6.2	0.31	2080	0.77	0.01	2.5	7.3
K303527		0.42	0.31	0.15	<0.1	0.01	<0.005	0.03	0.8	1.2	12.75	199	0.16	<0.01	0.3	1.6
K303528		2.08	10.10	0.14	1.6	6.01	0.037	1.63	25.9	13.9	0.85	587	1.99	0.02	5.7	19.2
K303529		2.35	11.75	0.14	1.9	6.75	0.042	1.90	28.3	16.0	1.19	417	1.88	0.03	6.7	22.5
K303530		1.34	7.71	0.17	2.0	5.25	0.066	1.43	29.8	10.6	0.70	262	12.35	0.01	8.1	62.9
K303531		1.76	6.31	0.14	1.0	4.28	0.034	1.07	21.7	9.1	1.38	311	1.50	0.02	3.6	13.0
K303532		1.29	4.20	0.11	0.7	4.19	0.019	0.73	18.5	5.9	1.06	206	0.76	0.02	2.6	8.4
K303533		2.50	11.15	0.18	1.7	6.74	0.045	1.85	30.2	15.0	1.20	350	2.40	0.03	6.1	22.2
K303534		1.77	7.65	0.13	1.3	4.42	0.036	1.28	20.6	9.1	0.99	454	1.60	0.02	4.3	14.6
K303535		1.67	6.11	0.13	1.0	3.22	0.027	1.03	21.2	6.9	0.99	807	1.22	0.02	3.7	12.6
K303536		2.03	8.63	0.14	1.4	2.15	0.033	1.43	22.4	10.9	1.12	409	1.40	0.02	4.9	16.9
K303537		1.05	2.79	0.10	0.5	0.32	0.012	0.45	8.8	4.2	0.93	785	0.54	0.02	1.8	4.9
K303538		1.13	2.98	0.10	0.5	0.51	0.013	0.50	9.9	4.4	0.85	581	0.65	0.02	2.0	5.8
K303539		1.22	3.60	0.10	0.6	0.57	0.015	0.62	10.0	4.9	0.83	638	0.60	0.02	2.3	6.3
K303540		1.85	6.58	0.14	1.2	1.52	0.028	1.15	20.0	7.4	0.91	396	1.31	0.02	4.1	13.9
K303541		1.84	6.37	0.15	1.1	2.13	0.028	1.07	19.8	7.1	0.97	344	1.52	0.02	3.8	13.4
K303542		2.22	8.68	0.14	1.5	3.23	0.034	1.45	21.1	10.6	1.10	661	1.64	0.02	5.0	17.9
K303543		1.95	7.30	0.13	1.5	4.60	0.025	0.92	27.6	38.6	2.38	253	18.40	0.03	6.6	45.6
K303544		2.33	10.15	0.15	1.7	3.47	0.042	1.69	25.6	13.0	1.18	551	2.02	0.02	6.1	22.0
K303545		1.71	7.09	0.14	1.2	4.06	0.027	1.18	19.8	7.5	1.11	374	1.64	0.02	4.2	14.3
K303546		1.50	6.25	0.10	1.1	1.36	0.026	1.10	16.6	7.6	0.77	314	0.65	0.02	3.8	11.6
K303547		0.70	2.08	0.09	0.4	0.88	0.009	0.38	7.8	2.9	0.61	362	0.30	0.01	1.5	4.1
K303548		1.15	4.37	0.11	0.8	1.92	0.018	0.81	14.9	6.1	0.69	351	0.65	0.02	2.9	8.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189994

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303513		1480	21.4	131.0	0.010	4.71	85.4	7.0	4	2.1	271	0.64	0.19	10.9	0.301	94.2
K303514		1450	16.7	95.4	0.007	4.21	86.3	7.0	3	1.4	299	0.44	0.15	8.0	0.219	82.7
K303515		890	6.2	45.9	0.003	1.55	23.8	4.1	2	0.5	908	0.18	0.06	3.2	0.094	29.8
K303516		2080	11.4	65.0	0.005	4.81	129.5	5.8	5	1.0	248	0.29	0.16	5.9	0.147	76.1
K303517		1430	9.2	51.2	0.005	4.93	139.5	12.1	3	0.8	341	0.24	0.13	4.5	0.117	65.5
K303518		1000	15.3	120.0	0.004	5.12	110.5	11.0	3	1.7	259	0.58	0.17	8.2	0.369	88.5
K303519		210	1.5	1.4	<0.002	0.01	0.30	0.3	<1	<0.2	41.6	<0.05	<0.05	<0.2	<0.005	0.14
K303520		280	13.9	107.0	0.005	3.73	80.3	14.7	2	1.3	263	0.53	0.15	7.4	0.301	80.2
K303521		220	4.4	36.8	0.002	1.59	32.2	11.5	2	0.5	1205	0.16	0.07	2.4	0.103	36.6
K303522		300	11.0	92.0	0.005	3.61	61.1	13.6	2	1.4	865	0.42	0.12	6.3	0.263	55.1
K303523		450	7.8	55.2	0.003	2.16	38.5	10.1	2	0.8	980	0.27	0.09	4.1	0.145	39.0
K303524		190	8.5	65.2	0.005	1.99	25.7	10.5	2	0.8	1590	0.30	0.09	4.8	0.144	34.1
K303525		300	10.6	83.3	0.006	2.38	22.2	13.0	3	1.0	1600	0.38	0.09	6.2	0.181	28.5
K303526		280	5.5	35.7	0.003	1.33	20.9	8.2	2	0.4	2070	0.17	0.05	3.0	0.082	22.7
K303527		220	1.2	1.6	<0.002	0.01	0.15	0.3	2	<0.2	50.8	<0.05	<0.05	<0.2	<0.005	0.10
K303528		190	11.5	88.1	0.006	2.15	8.92	9.7	3	1.1	1775	0.41	0.08	6.5	0.194	13.25
K303529		220	12.9	100.5	0.005	2.33	1.21	11.5	3	1.3	1485	0.49	0.08	7.1	0.233	12.80
K303530		4160	5.1	121.0	0.036	1.37	17.85	6.9	9	1.6	151.0	0.56	0.51	6.6	0.206	13.00
K303531		190	7.7	55.7	0.005	1.42	0.55	11.1	3	0.7	1950	0.26	0.05	4.5	0.122	6.18
K303532		160	5.3	36.2	0.003	1.08	0.34	7.0	2	0.5	2600	0.18	0.05	3.2	0.086	4.51
K303533		250	13.0	93.8	0.008	2.38	1.50	11.3	3	1.3	1295	0.44	0.09	7.3	0.221	7.86
K303534		200	8.8	63.0	0.006	1.58	1.44	7.9	2	0.9	1780	0.32	0.06	5.1	0.149	5.99
K303535		230	7.7	51.0	0.005	1.41	0.36	8.3	3	0.7	2050	0.26	0.06	4.3	0.125	3.78
K303536		250	9.7	70.2	0.006	1.77	0.44	10.1	2	0.9	1710	0.35	0.07	5.7	0.168	3.21
K303537		290	3.1	24.4	0.002	0.54	0.17	3.3	2	0.3	1620	0.11	<0.05	1.8	0.054	0.74
K303538		190	3.7	26.6	0.003	0.59	0.19	3.6	2	0.3	1490	0.13	<0.05	2.1	0.058	0.51
K303539		220	3.9	32.0	0.002	0.70	0.19	3.8	2	0.4	1370	0.15	<0.05	2.3	0.073	0.57
K303540		230	8.5	53.1	0.005	1.74	0.42	7.6	3	0.7	1380	0.29	0.06	4.8	0.138	1.01
K303541		150	8.3	50.4	0.005	1.62	1.73	7.8	3	0.9	1320	0.28	0.06	4.7	0.127	0.96
K303542		280	9.8	67.2	0.006	1.85	1.20	10.0	2	1.0	1460	0.36	0.06	5.6	0.194	1.55
K303543		840	33.9	46.4	0.022	1.47	89.3	5.2	4	2.1	69.8	0.45	0.21	6.2	0.159	3.80
K303544		280	11.5	82.1	0.007	2.16	0.95	10.6	3	1.2	1280	0.43	0.06	6.5	0.222	2.65
K303545		240	10.5	54.7	0.006	1.58	1.47	7.4	3	0.8	1440	0.29	0.07	4.6	0.143	2.57
K303546		230	9.7	51.8	0.003	1.40	0.90	6.1	2	0.7	1710	0.26	0.05	4.1	0.139	1.32
K303547		860	4.0	18.9	0.002	0.52	0.37	2.7	2	0.3	2010	0.09	<0.05	1.6	0.045	0.69
K303548		480	6.2	37.6	0.003	1.04	0.69	4.7	2	0.5	1650	0.20	0.05	3.2	0.098	1.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189994

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303513		9.2	97	6.8	29.6	80	95.2	1.555
K303514		8.0	69	5.0	26.4	76	72.8	2.38
K303515		4.2	28	2.2	15.2	20	29.7	
K303516		7.5	50	3.5	35.7	75	52.0	5.72
K303517		5.3	42	3.0	33.5	97	37.0	6.88
K303518		4.9	111	8.6	32.7	111	75.9	2.64
K303519		1.1	3	0.1	0.8	12	<0.5	
K303520		3.2	91	7.0	24.3	95	67.6	
K303521		2.3	35	2.7	21.9	28	26.8	
K303522		3.8	81	6.4	23.9	67	57.8	1.060
K303523		3.0	44	3.3	21.2	33	38.7	
K303524		2.9	45	3.5	21.9	36	42.7	
K303525		3.8	60	4.5	27.7	50	49.8	
K303526		2.2	28	2.2	22.6	22	25.1	
K303527		0.5	3	0.1	1.0	15	<0.5	
K303528		3.3	62	4.6	22.6	51	54.1	
K303529		3.3	73	4.4	24.0	60	62.6	
K303530		7.9	376	36.8	27.7	278	68.6	
K303531		2.9	43	1.3	28.9	35	36.5	
K303532		3.0	29	0.7	22.3	23	27.0	
K303533		3.7	73	3.5	25.4	64	56.3	
K303534		3.0	49	2.4	21.7	43	42.2	
K303535		3.0	41	1.0	26.9	34	37.8	
K303536		3.4	55	0.8	25.5	51	46.0	
K303537		1.3	19	0.3	14.8	13	18.8	
K303538		1.3	20	0.3	16.0	12	20.0	
K303539		1.2	25	0.4	14.6	18	23.3	
K303540		3.2	44	0.8	23.6	40	41.9	
K303541		2.8	42	2.7	22.0	33	37.7	
K303542		2.6	61	2.2	22.0	53	48.7	
K303543		8.0	216	27.3	18.2	197	52.6	
K303544		3.2	73	1.0	21.9	55	57.5	
K303545		3.4	48	1.7	20.7	43	41.5	
K303546		2.7	41	1.0	18.5	42	38.1	
K303547		2.3	16	0.5	14.6	10	18.1	
K303548		2.8	31	1.3	19.8	24	28.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11189994

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

CERTIFICATE VA11187291

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 187

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187291

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303145		7.96	<0.01	0.05	0.54	30	130	0.20	0.06	34.2	0.05	10.45	2.0	5	1.38	7.8
K303146		8.16	<0.01	0.04	1.08	62	100	0.44	0.08	31.9	0.11	21.7	4.0	10	3.95	12.8
K303147		7.12	<0.01	0.03	1.11	143	120	0.35	0.08	31.3	0.10	19.70	3.5	10	2.86	11.3
K303148		2.80	<0.01	0.32	1.10	130	150	0.37	0.07	31.7	0.20	17.70	3.8	10	2.76	11.2
K303149		7.68	<0.01	0.17	0.96	59	90	0.28	0.07	31.8	0.08	15.40	3.4	9	2.86	15.9
K303150		7.98	<0.01	0.03	0.82	29	160	0.27	0.04	31.4	0.03	12.25	3.4	8	2.38	8.8
K303151		0.28	16.65	0.98	1.94	1040	270	0.39	0.53	13.60	0.66	32.0	4.1	37	2.18	62.2
K303152		7.78	0.28	0.21	2.36	2610	140	0.44	0.13	25.6	0.10	30.8	8.7	22	5.77	23.0
K303153		7.72	<0.01	0.09	2.23	114	200	0.70	0.12	28.1	0.11	30.1	7.9	22	6.35	22.3
K303154		8.06	<0.01	0.11	2.23	55	170	0.54	0.13	27.8	0.11	33.2	9.0	22	5.62	23.5
K303155		5.04	<0.01	0.02	0.06	<5	20	<0.05	0.04	20.4	0.05	1.24	0.7	<1	0.13	1.3
K303156		8.08	<0.01	0.07	2.91	87	150	0.67	0.16	24.0	0.26	39.4	10.2	27	7.39	27.7
K303157		7.30	0.02	0.10	3.00	241	160	0.76	0.14	24.2	0.17	35.8	11.2	31	8.65	30.9
K303158		7.74	0.11	0.08	2.81	3080	160	0.45	0.11	22.6	0.14	26.4	8.1	24	3.77	22.8
K303159		0.28	7.78	0.43	3.37	914	150	0.92	0.62	11.65	4.08	42.4	5.6	91	6.82	31.2
K303160		7.70	<0.01	0.10	2.58	200	180	0.52	0.12	26.6	0.18	35.9	9.3	25	7.39	25.0
K303161		7.50	0.29	0.06	1.07	538	130	0.24	0.07	31.8	0.12	17.75	3.9	10	3.03	10.7
K303162		7.60	<0.01	0.04	0.57	120	110	0.20	0.03	33.8	0.04	9.72	2.3	5	1.46	6.1
K303163		7.70	0.01	0.07	1.43	3570	110	0.34	0.09	30.6	0.10	24.0	5.5	14	4.74	15.6
K303164		5.02	<0.01	0.02	0.06	<5	10	0.06	0.04	20.5	0.05	1.13	0.6	<1	0.14	1.3
K303165		7.42	<0.01	0.02	0.68	165	80	0.20	0.05	33.5	0.04	11.50	2.6	7	1.55	7.2
K303166		8.14	0.02	0.03	0.71	152	90	0.17	0.05	33.0	0.06	11.60	2.9	7	1.44	7.7
K303167		8.16	0.03	0.03	0.98	413	110	0.30	0.06	32.1	0.13	17.30	4.0	10	2.22	10.6
K303168		7.46	0.03	0.02	0.36	1880	90	0.11	0.06	34.2	0.04	7.03	1.6	4	0.65	4.1
K303169		8.14	0.02	0.04	1.22	2090	120	0.31	0.06	31.4	0.10	17.85	4.3	12	2.77	12.3
K303170		8.10	0.01	0.03	0.59	128	110	0.21	0.03	34.4	0.06	10.40	2.4	5	1.27	6.4
K303171		7.78	0.01	0.02	0.36	64	110	0.19	0.02	35.2	0.05	6.95	1.5	4	0.65	4.2
K303172		7.54	0.04	0.03	0.63	163	100	0.16	0.04	34.0	0.09	12.20	2.7	7	1.29	7.7
K303173		7.84	0.02	0.04	0.68	262	90	0.23	0.04	33.6	0.09	11.25	2.9	7	1.21	8.5
K303174		8.04	0.01	0.03	0.70	187	120	0.20	0.05	33.6	0.11	12.00	2.7	7	1.07	8.4
K303175		8.02	0.05	0.03	0.51	152	100	0.15	0.04	33.7	0.08	8.48	1.9	5	0.92	5.3
K303176		6.48	0.05	0.04	0.69	638	90	0.12	0.06	34.0	0.09	13.35	2.9	7	1.96	9.2
K303177		6.68	0.01	0.03	0.57	737	90	0.17	0.04	33.4	0.15	11.65	2.6	6	1.24	7.8
K303178		6.68	<0.01	0.03	0.61	157	110	0.21	0.04	34.1	0.06	11.15	2.4	6	1.52	7.1
K303179		6.72	<0.01	0.12	2.18	428	110	0.38	0.11	26.0	0.22	32.0	8.1	21	6.05	22.8
K303180		7.06	<0.01	0.08	1.78	232	120	0.35	0.09	26.2	0.09	23.7	6.2	17	4.25	17.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187291

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303145		0.49	1.51	0.13	0.3	0.64	0.006	0.23	6.5	1.7	0.51	331	0.31	0.01	0.8	3.6
K303146		0.75	3.28	0.12	0.6	1.44	0.016	0.48	12.3	4.0	0.40	164	0.54	0.01	1.7	7.7
K303147		0.73	2.91	0.12	0.5	2.22	0.007	0.47	11.2	3.8	0.63	292	0.73	0.01	1.5	7.0
K303148		0.75	3.21	0.11	0.6	2.19	0.010	0.46	9.1	4.0	0.59	302	0.81	0.01	1.6	7.0
K303149		0.71	2.65	0.12	0.5	1.04	0.009	0.43	7.7	3.9	0.88	371	0.59	0.01	1.3	5.9
K303150		0.68	2.33	0.10	0.5	0.22	0.006	0.36	6.6	3.0	0.74	341	0.37	0.01	1.1	5.2
K303151		3.55	3.84	0.14	0.9	5.96	0.053	0.40	16.9	39.4	0.69	441	13.05	0.01	3.2	22.1
K303152		1.58	6.32	0.14	1.2	6.36	0.019	0.96	15.6	7.2	1.06	451	1.15	0.01	3.4	13.7
K303153		1.41	6.05	0.13	1.2	1.45	0.017	0.96	14.6	7.6	0.71	359	0.76	0.02	3.2	13.1
K303154		1.44	6.32	0.14	1.1	1.00	0.019	1.00	15.5	6.6	0.78	336	0.88	0.02	3.3	14.6
K303155		0.41	0.22	0.10	<0.1	<0.01	<0.005	0.02	0.6	1.1	12.15	184	0.11	<0.01	0.3	1.6
K303156		1.80	7.79	0.16	1.4	2.32	0.023	1.32	18.7	8.3	0.87	355	0.79	0.02	4.2	17.0
K303157		1.99	8.11	0.17	1.5	3.35	0.030	1.37	17.3	9.2	0.99	485	0.85	0.02	4.3	18.7
K303158		1.78	6.69	0.14	1.1	3.07	0.027	0.83	12.8	6.3	1.17	519	0.58	0.44	2.8	13.2
K303159		1.33	7.26	0.17	2.3	5.91	0.056	1.45	27.4	9.3	0.68	258	11.25	0.01	7.2	61.5
K303160		1.72	6.91	0.16	1.3	3.38	0.028	1.11	16.8	8.8	1.09	421	0.70	0.02	3.9	15.2
K303161		0.75	2.81	0.11	0.6	3.72	0.019	0.39	9.0	4.4	0.51	585	0.33	0.01	1.5	6.3
K303162		0.42	1.47	0.12	0.3	1.22	0.005	0.23	4.9	2.2	0.52	147	0.22	0.01	0.8	3.3
K303163		0.90	4.13	0.14	0.7	4.09	0.013	0.57	12.1	5.5	0.74	167	0.66	0.01	2.2	9.3
K303164		0.41	0.22	0.10	<0.1	0.02	<0.005	0.03	0.7	1.2	12.45	180	0.39	<0.01	0.3	1.5
K303165		0.51	1.84	0.12	0.4	2.07	0.006	0.29	5.7	2.4	0.63	153	0.32	0.01	0.9	4.2
K303166		0.48	1.98	0.10	0.4	2.89	0.005	0.28	5.9	2.4	0.54	222	0.34	0.01	0.9	4.6
K303167		0.65	2.85	0.11	0.5	3.77	0.008	0.39	8.6	3.6	0.59	262	0.53	0.01	1.3	6.2
K303168		0.30	0.99	0.13	0.2	1.84	<0.005	0.13	3.5	1.3	0.70	210	0.13	0.01	0.5	2.4
K303169		0.75	3.29	0.14	0.6	3.19	0.012	0.54	9.1	4.9	0.80	225	0.35	0.01	1.7	7.0
K303170		0.38	1.71	0.11	0.3	1.79	0.005	0.24	5.0	2.6	0.56	197	0.27	0.01	0.8	3.8
K303171		0.26	1.03	0.10	0.2	1.36	<0.005	0.15	3.3	1.3	0.40	118	0.19	0.01	0.5	2.3
K303172		0.44	1.84	0.12	0.3	3.20	0.008	0.25	5.8	2.2	0.39	295	0.37	0.01	0.9	4.0
K303173		0.49	1.79	0.11	0.4	3.75	0.007	0.20	5.5	2.8	0.43	194	0.28	0.01	0.9	4.3
K303174		0.47	1.84	0.10	0.4	3.49	0.006	0.17	5.8	2.9	0.39	304	0.33	0.01	1.0	4.3
K303175		0.35	1.34	0.12	0.3	2.80	0.005	0.16	4.0	1.8	0.33	359	0.18	0.01	0.7	3.0
K303176		0.51	1.94	0.14	0.4	4.01	0.006	0.23	6.4	2.9	0.43	575	0.36	0.01	1.1	5.0
K303177		0.43	1.53	0.12	0.3	4.11	0.007	0.15	5.3	2.0	0.44	297	0.28	0.01	0.9	4.1
K303178		0.43	1.77	0.12	0.3	2.75	<0.005	0.20	5.3	2.3	0.52	210	0.28	0.01	0.9	3.9
K303179		1.34	5.65	0.14	1.1	9.34	0.020	0.81	16.5	8.5	1.13	326	0.80	0.01	3.1	13.0
K303180		1.37	4.63	0.14	1.0	5.01	0.019	0.69	11.6	6.3	2.53	439	0.51	0.01	2.6	10.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187291

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303145		220	4.0	11.1	0.007	0.35	0.52	1.4	1	0.3	1625	0.06	<0.05	1.2	0.029	0.71
K303146		220	7.6	24.6	0.009	0.77	0.95	3.1	1	0.5	1625	0.12	<0.05	2.3	0.056	1.52
K303147		490	5.2	22.5	0.008	0.72	1.03	3.1	1	0.5	1675	0.11	<0.05	2.2	0.055	2.06
K303148		450	4.9	19.2	0.004	0.78	1.05	3.1	1	0.5	1605	0.12	<0.05	1.9	0.056	2.31
K303149		230	3.5	18.3	0.002	0.66	0.47	2.7	1	0.4	1460	0.10	<0.05	1.6	0.048	1.32
K303150		310	5.6	14.8	<0.002	0.60	0.34	2.3	1	0.4	1415	0.08	<0.05	1.3	0.042	0.58
K303151		630	20.6	22.1	0.006	1.99	159.0	3.6	2	2.1	43.6	0.24	0.38	3.4	0.107	3.42
K303152		650	11.3	39.3	0.004	1.69	9.61	5.3	2	0.9	1590	0.25	0.06	3.6	0.127	10.45
K303153		410	9.6	40.0	0.003	1.39	0.68	5.7	1	0.8	1515	0.24	0.06	3.4	0.127	4.05
K303154		660	8.5	42.3	0.003	1.35	0.63	5.8	2	1.4	1745	0.24	0.07	3.7	0.125	3.00
K303155		210	1.2	1.0	<0.002	0.01	0.10	0.3	<1	<0.2	48.1	<0.05	<0.05	<0.2	<0.005	0.04
K303156		260	8.9	58.8	0.006	1.62	0.66	6.9	2	1.0	1470	0.32	0.06	4.5	0.162	3.10
K303157		630	8.6	58.7	0.004	1.76	2.55	8.3	1	1.0	1595	0.31	0.06	4.2	0.198	2.98
K303158		890	6.8	31.6	0.002	1.13	7.91	6.9	1	0.7	1340	0.20	<0.05	2.9	0.150	3.92
K303159		3990	4.6	107.0	0.036	1.32	19.45	6.0	9	1.7	138.5	0.53	0.64	6.0	0.204	12.95
K303160		340	7.9	45.4	0.002	1.62	1.64	6.4	1	0.9	1405	0.27	0.06	3.9	0.153	5.00
K303161		570	4.4	17.1	0.003	0.80	4.08	2.9	1	0.5	1645	0.11	<0.05	1.7	0.059	6.95
K303162		290	2.7	9.6	<0.002	0.39	0.55	1.5	1	0.3	1605	0.06	<0.05	1.0	0.031	1.44
K303163		260	9.1	26.3	0.004	1.19	7.04	3.6	2	0.6	1480	0.15	<0.05	2.5	0.081	4.05
K303164		200	1.2	1.1	<0.002	<0.01	0.07	0.2	1	<0.2	45.4	<0.05	<0.05	<0.2	<0.005	0.06
K303165		330	3.6	11.7	0.002	0.48	1.14	2.0	2	0.3	1620	0.06	<0.05	1.1	0.035	2.52
K303166		340	4.0	12.4	<0.002	0.52	1.89	1.9	1	0.3	1435	0.07	<0.05	1.1	0.037	3.63
K303167		430	4.1	16.6	<0.002	0.70	2.60	2.7	1	0.4	1720	0.10	0.07	1.6	0.051	4.50
K303168		410	2.1	6.2	<0.002	0.40	3.69	1.0	1	0.2	1735	<0.05	<0.05	0.7	0.020	2.32
K303169		330	4.9	22.9	0.002	0.94	4.13	2.8	1	0.4	1605	0.13	<0.05	1.9	0.068	4.51
K303170		290	3.3	10.3	0.002	0.38	1.07	1.5	1	0.3	1605	0.06	<0.05	1.0	0.030	1.94
K303171		310	2.5	6.2	<0.002	0.25	0.88	0.9	1	0.2	1755	<0.05	<0.05	0.7	0.019	1.31
K303172		390	3.7	10.9	<0.002	0.48	2.21	1.5	1	0.3	1480	0.07	<0.05	1.2	0.035	3.53
K303173		440	3.7	9.2	0.002	0.56	2.48	1.7	<1	0.4	1465	0.07	<0.05	1.1	0.038	3.75
K303174		690	3.3	7.8	0.002	0.49	1.97	2.0	1	0.3	1580	0.07	<0.05	1.3	0.036	4.10
K303175		530	2.4	6.9	<0.002	0.37	1.74	1.3	1	0.2	1670	0.05	<0.05	0.8	0.027	3.19
K303176		550	4.3	10.1	<0.002	0.60	2.61	1.6	1	0.4	1535	0.09	0.05	1.3	0.041	3.74
K303177		880	3.8	6.9	0.002	0.52	3.19	1.7	2	0.3	1695	0.06	<0.05	1.2	0.034	4.00
K303178		720	5.7	9.1	0.002	0.44	1.62	1.8	1	0.3	1800	0.07	<0.05	1.2	0.034	2.23
K303179		530	8.3	35.2	0.005	1.35	3.76	5.2	1	0.9	1440	0.23	<0.05	3.6	0.122	7.15
K303180		680	14.7	29.2	0.002	1.16	1.97	4.1	2	0.8	1435	0.20	<0.05	2.8	0.103	2.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187291

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303145		2.2	9	0.3	9.2	8	9.6
K303146		3.2	18	0.7	15.3	16	18.9
K303147		3.0	19	1.2	13.6	16	19.4
K303148		2.4	18	1.3	13.2	27	19.6
K303149		2.1	17	0.5	11.4	12	16.0
K303150		1.6	13	0.3	9.8	5	14.3
K303151		2.9	111	229	14.4	74	28.6
K303152		2.7	38	2.4	15.0	21	40.6
K303153		2.7	38	1.2	16.6	19	40.1
K303154		3.5	39	1.1	16.8	15	38.8
K303155		0.5	3	0.1	0.9	14	0.5
K303156		2.9	49	1.2	20.3	43	45.9
K303157		2.3	57	2.8	18.3	38	50.6
K303158		2.1	48	1.7	16.0	27	34.4
K303159		7.0	383	36.3	25.0	269	75.8
K303160		2.6	46	2.0	19.9	32	42.9
K303161		2.0	18	1.0	15.3	13	19.1
K303162		1.6	10	0.5	8.7	3	9.5
K303163		3.0	23	1.6	15.4	11	25.3
K303164		0.5	2	0.1	0.8	14	0.5
K303165		1.5	13	0.6	9.8	5	11.8
K303166		1.8	12	0.7	9.6	6	12.7
K303167		2.2	16	0.9	12.2	13	16.4
K303168		1.3	6	0.5	6.2	3	7.3
K303169		2.4	19	1.0	11.3	11	19.3
K303170		1.6	10	0.5	8.0	6	9.7
K303171		1.5	6	0.4	6.7	6	6.4
K303172		2.1	11	0.7	8.9	10	10.7
K303173		1.8	11	0.9	8.8	9	12.3
K303174		2.0	12	1.1	10.3	10	12.0
K303175		1.6	9	0.7	7.9	8	8.7
K303176		2.2	12	0.8	9.6	9	13.0
K303177		2.1	11	0.7	12.0	10	10.9
K303178		2.1	11	0.6	10.8	5	10.4
K303179		2.8	36	2.1	17.7	31	36.1
K303180		2.2	30	1.3	17.0	12	32.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187291

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

CERTIFICATE VA11187293

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 188

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187293

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303549		7.16	0.01	0.03	1.57	74	160	0.43	0.07	28.8	0.14	27.4	5.5	16	4.16	18.9
K303550		7.02	<0.01	0.05	2.78	47	180	0.76	0.13	24.9	0.20	42.0	9.2	27	9.92	35.3
K303551		7.50	<0.01	0.04	3.29	58	250	0.84	0.16	22.1	0.20	55.5	11.4	35	14.05	49.9
K303552		7.40	<0.01	0.02	0.98	18	150	0.28	0.05	29.9	0.12	21.6	2.6	12	3.07	8.6
K303553		7.30	<0.01	0.03	1.52	97	140	0.38	0.07	28.4	0.17	29.1	4.0	17	4.85	14.0
K303554		5.08	<0.01	<0.01	0.12	<5	20	0.16	0.02	20.4	0.05	1.28	1.3	2	0.35	2.3
K303555		7.40	0.01	0.03	1.25	4040	100	0.31	0.05	23.6	0.09	19.05	4.5	13	3.70	13.0
K303556		6.54	0.01	0.04	1.38	>10000	90	0.28	0.06	29.1	0.16	22.3	4.4	14	4.75	13.4
K303557		4.22	0.14	0.01	0.37	>10000	60	0.13	0.02	31.0	0.06	7.75	1.4	4	0.85	5.0
K303558		1.80	0.14	0.01	0.47	>10000	60	0.11	0.02	31.9	0.13	8.66	1.7	6	1.03	5.8
K303559		3.62	1.60	0.04	1.73	>10000	80	0.28	0.08	5.19	0.20	20.2	5.9	21	4.34	20.4
K303560		2.94	1.27	0.02	0.65	>10000	80	0.13	0.03	27.0	0.10	11.30	2.3	8	1.45	7.4
K303561		3.88	9.76	0.05	1.14	3970	220	0.17	0.05	8.24	0.17	16.15	3.2	16	2.30	11.7
K303562		4.44	0.18	0.02	0.56	326	100	0.15	0.03	32.1	0.06	10.75	2.0	6	1.59	6.4
K303563		4.42	0.01	0.02	0.27	80	90	0.12	<0.01	37.5	0.06	6.87	1.1	4	0.54	9.8
K303564		7.10	0.01	0.02	0.52	144	80	0.18	<0.01	34.9	0.06	11.55	1.7	5	1.33	7.7
K303565		8.04	<0.01	0.04	1.59	95	130	0.44	0.05	31.0	0.12	27.3	4.8	16	4.50	17.6
K303566		0.28	7.63	0.47	3.48	963	160	0.61	0.62	12.25	4.03	51.6	4.8	98	6.91	33.0
K303567		7.70	0.01	0.04	1.55	59	140	0.35	0.04	30.4	0.12	21.9	4.9	16	4.27	25.5
K303568		7.56	0.02	0.02	1.15	39	130	0.31	0.02	32.1	0.09	19.45	3.6	12	3.63	12.6
K303569		7.88	<0.01	0.02	1.75	59	150	0.42	0.04	31.2	0.15	23.2	5.7	18	4.90	19.6
K303570		7.58	0.01	0.02	1.40	1010	140	0.36	0.03	31.7	0.12	20.9	4.1	15	3.95	14.6
K303571		7.28	0.02	0.03	2.04	4500	170	0.62	0.05	29.5	0.16	32.2	5.9	21	6.19	26.2
K303572		7.64	<0.01	0.04	2.52	60	230	0.67	0.09	28.0	0.19	36.0	6.7	24	7.58	23.1
K303573		7.64	<0.01	0.02	1.42	57	190	0.44	0.03	32.5	0.17	24.7	4.2	15	4.12	15.2
K303574		5.08	<0.01	0.01	0.12	9	30	0.10	<0.01	21.5	0.06	1.16	0.7	2	0.73	2.3
K303575		7.82	0.01	0.02	1.64	27	250	0.43	0.05	31.7	0.15	25.4	4.7	17	5.07	16.2
K303576		7.76	<0.01	0.02	1.35	22	170	0.39	0.03	32.2	0.11	20.0	4.1	14	4.29	13.8
K303577		8.06	0.02	0.02	1.54	31	180	0.40	0.02	31.3	0.12	23.3	4.8	16	4.78	16.5
K303578		7.64	<0.01	0.03	1.51	24	190	0.46	0.03	32.2	0.13	22.8	4.8	16	5.21	18.3
K303579		7.48	0.01	0.02	1.32	31	180	0.49	0.03	31.8	0.10	21.3	4.1	14	4.89	13.6
K303580		7.90	0.02	0.03	0.89	34	370	0.36	<0.01	34.0	0.11	15.65	2.7	9	3.10	13.7
K303581		7.42	0.01	0.02	0.78	22	140	0.32	<0.01	34.7	0.08	15.15	2.4	9	2.45	13.0
K303582		8.06	<0.01	0.02	1.60	44	280	0.43	0.05	32.5	0.18	27.8	4.4	16	4.51	19.7
K303583		0.28	2.55	0.92	3.12	573	800	0.67	0.26	8.13	2.09	51.1	5.9	53	3.50	40.8
K303584		7.28	<0.01	0.03	1.14	27	270	0.29	0.01	34.1	0.13	17.60	3.3	12	4.30	11.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187293

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303549		1.18	4.03	0.09	0.8	1.26	0.017	0.71	13.9	6.2	0.60	326	0.47	<0.01	2.9	4.5
K303550		1.67	7.20	0.11	1.4	0.45	0.027	1.28	22.3	12.1	0.87	328	1.01	<0.01	4.8	11.3
K303551		2.08	8.86	0.14	1.5	0.41	0.032	1.49	28.9	14.4	1.02	266	1.30	<0.01	5.5	16.8
K303552		0.78	2.03	0.10	0.5	0.17	0.011	0.43	10.4	3.4	0.67	188	0.42	0.02	1.5	4.8
K303553		0.97	3.29	0.12	0.8	2.60	0.016	0.68	14.0	5.5	0.89	275	0.46	0.02	2.3	7.0
K303554		0.45	0.44	0.32	<0.1	<0.01	<0.005	0.05	0.6	1.5	12.30	199	0.09	0.01	0.3	2.4
K303555		0.82	3.31	0.15	0.7	13.8	0.014	0.54	9.9	4.4	0.32	245	0.35	0.01	1.9	6.3
K303556		0.90	3.52	0.15	0.7	23.8	0.021	0.60	11.2	5.5	0.24	395	0.36	0.01	2.3	6.1
K303557		0.35	1.05	0.12	0.2	12.6	0.023	0.15	3.5	1.7	0.16	445	0.23	0.01	0.8	2.0
K303558		0.40	1.24	0.10	0.2	14.6	0.024	0.20	4.0	2.0	0.17	418	0.24	0.01	0.9	2.6
K303559		1.31	4.73	0.13	0.8	34.4	0.069	0.72	10.4	26.1	0.15	200	0.73	0.01	2.6	9.8
K303560		0.57	1.69	0.12	0.3	13.0	0.030	0.26	5.3	10.1	0.14	519	0.31	0.01	1.1	3.3
K303561		1.43	2.80	0.08	0.4	43.7	0.022	0.43	8.1	46.2	0.09	229	0.47	0.01	1.4	5.4
K303562		0.47	1.44	0.10	0.3	3.18	0.008	0.23	5.1	2.2	0.37	225	0.25	0.01	1.0	2.6
K303563		0.34	0.72	0.10	0.1	0.89	<0.005	0.12	2.8	1.2	0.44	172	0.21	0.01	0.3	4.4
K303564		0.58	1.36	0.10	0.2	2.13	<0.005	0.23	5.0	1.9	0.46	267	0.20	0.01	0.7	3.7
K303565		1.13	3.99	0.12	0.8	0.92	0.006	0.73	11.5	5.1	0.70	273	0.49	0.02	2.0	8.9
K303566		1.38	7.09	0.16	2.2	5.52	0.055	1.46	29.6	8.8	0.71	266	11.30	0.01	7.2	64.2
K303567		1.14	3.91	0.16	0.8	0.70	<0.005	0.70	10.1	4.6	0.60	290	0.59	0.02	2.1	8.6
K303568		0.96	2.98	0.14	0.6	0.32	<0.005	0.51	8.9	4.1	0.57	371	0.32	0.01	1.6	6.5
K303569		1.23	4.15	0.11	0.8	0.86	0.005	0.79	9.6	5.5	0.59	286	0.37	0.02	2.4	10.3
K303570		1.00	3.38	0.13	0.7	1.43	<0.005	0.63	8.8	4.5	0.50	337	0.48	0.01	1.9	7.2
K303571		1.49	5.27	0.14	1.0	1.52	0.009	0.93	14.3	6.6	0.91	589	1.14	0.02	2.9	10.8
K303572		1.59	5.84	0.12	1.1	0.90	0.010	1.14	16.0	7.8	0.87	385	1.01	0.02	3.1	12.2
K303573		1.01	3.48	0.12	0.7	0.29	<0.005	0.65	11.3	4.8	0.54	237	0.59	0.02	1.9	7.7
K303574		0.50	0.35	0.11	<0.1	<0.01	<0.005	0.07	0.5	1.9	13.15	225	<0.05	0.01	0.3	1.8
K303575		1.13	4.04	0.15	0.8	0.34	0.005	0.75	11.3	6.0	0.64	281	0.65	0.02	2.1	8.5
K303576		1.00	3.37	0.13	0.7	0.24	<0.005	0.61	8.9	5.2	0.53	341	0.33	0.02	1.8	7.3
K303577		1.10	4.06	0.10	0.8	0.27	<0.005	0.70	9.7	5.7	0.55	225	0.42	0.02	2.2	8.9
K303578		1.06	4.08	0.15	0.7	0.17	<0.005	0.68	9.6	5.5	0.54	300	0.43	0.02	2.0	8.8
K303579		0.97	3.36	0.13	0.6	0.59	<0.005	0.58	9.5	5.8	0.64	311	0.36	0.02	1.7	7.1
K303580		0.76	2.22	0.14	0.4	0.47	<0.005	0.39	7.4	4.0	0.50	250	0.48	0.01	1.2	5.4
K303581		0.78	1.94	0.16	0.4	0.21	<0.005	0.35	7.1	3.5	0.50	476	0.26	0.01	1.0	4.1
K303582		0.99	3.95	0.12	0.8	0.38	<0.005	0.73	11.8	6.3	0.58	147	0.68	0.02	2.0	8.5
K303583		2.11	7.52	0.16	1.8	4.58	0.014	1.00	28.0	38.5	2.56	268	18.80	0.03	6.3	50.6
K303584		0.99	2.71	0.13	0.6	0.23	<0.005	0.52	8.0	5.2	0.56	196	0.54	0.02	1.5	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187293

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303549		550	5.0	36.2	0.002	0.95	0.81	5.2	2	0.5	2050	0.18	<0.05	2.9	0.095	1.09
K303550		260	8.4	67.1	0.004	1.37	0.50	7.5	2	0.9	1705	0.30	0.05	4.9	0.157	1.42
K303551		280	11.0	80.6	0.005	1.83	0.70	9.4	2	1.0	1800	0.36	0.06	6.1	0.186	2.50
K303552		280	3.8	20.5	0.002	0.60	0.49	2.6	2	0.4	2360	0.10	0.05	1.7	0.050	1.18
K303553		620	5.9	33.1	0.002	0.90	0.47	3.7	2	0.5	1765	0.16	<0.05	2.7	0.084	5.22
K303554		150	1.1	3.2	<0.002	0.01	0.05	0.2	1	<0.2	43.5	<0.05	<0.05	0.2	<0.005	0.02
K303555		220	5.2	30.6	0.002	0.99	1.29	4.3	2	0.4	1085	0.14	<0.05	2.1	0.073	19.10
K303556		520	5.7	36.9	0.002	1.51	2.55	8.2	2	0.5	1040	0.15	<0.05	2.3	0.075	37.4
K303557		740	2.3	9.1	<0.002	1.80	2.01	6.6	2	0.2	1245	<0.05	<0.05	0.7	0.020	16.60
K303558		680	2.5	11.1	<0.002	2.22	2.07	6.5	2	0.3	1350	0.05	<0.05	0.9	0.025	17.65
K303559		630	8.0	36.3	0.002	>10.0	19.75	4.8	3	0.7	163.5	0.19	0.05	2.8	0.103	44.5
K303560		150	3.3	15.5	<0.002	1.31	1.98	13.8	2	0.3	1095	0.07	<0.05	1.1	0.035	26.2
K303561		390	6.6	23.4	0.002	1.67	10.40	2.8	2	0.7	408	0.10	<0.05	1.7	0.052	107.5
K303562		370	3.0	12.9	<0.002	0.41	0.61	2.3	2	0.2	1465	0.06	<0.05	0.9	0.030	6.90
K303563		240	5.6	5.3	<0.002	0.18	0.18	0.8	1	0.3	1735	<0.05	<0.05	0.5	0.014	2.22
K303564		300	4.5	10.1	<0.002	0.41	0.35	1.3	<1	0.3	1440	0.05	<0.05	0.9	0.029	5.88
K303565		850	9.4	30.7	<0.002	0.94	0.49	3.7	1	0.6	1735	0.15	<0.05	2.9	0.087	4.97
K303566		4160	5.3	114.0	0.029	1.35	17.90	5.5	7	1.8	150.0	0.50	0.50	6.6	0.209	13.30
K303567		350	8.3	30.2	<0.002	0.95	0.56	3.5	1	0.7	1745	0.15	<0.05	2.5	0.092	3.97
K303568		210	5.1	22.7	<0.002	0.71	0.39	3.1	2	0.6	1600	0.11	<0.05	2.0	0.067	2.88
K303569		450	5.5	33.5	<0.002	1.11	0.46	4.3	1	0.7	1860	0.17	<0.05	2.6	0.122	3.48
K303570		310	4.4	27.7	<0.002	0.87	1.81	3.4	1	0.6	1715	0.14	<0.05	2.4	0.081	2.55
K303571		260	6.8	42.8	<0.002	1.35	3.99	5.3	1	0.9	1705	0.21	<0.05	3.6	0.109	3.33
K303572		250	7.8	49.8	<0.002	1.32	0.31	5.5	2	0.9	1985	0.24	0.05	4.3	0.133	2.06
K303573		530	4.9	27.4	<0.002	0.82	0.25	3.6	1	0.7	2240	0.13	<0.05	2.6	0.075	1.01
K303574		170	1.4	3.9	<0.002	0.01	<0.05	0.2	<1	0.2	49.2	<0.05	<0.05	<0.2	<0.005	0.02
K303575		400	5.4	32.0	<0.002	0.91	0.22	4.0	1	0.7	2260	0.15	<0.05	2.8	0.091	0.94
K303576		400	4.3	26.6	<0.002	0.75	0.21	3.8	1	0.5	1860	0.12	<0.05	2.4	0.082	0.62
K303577		320	4.9	32.2	<0.002	0.93	0.25	4.3	1	0.6	2020	0.15	0.05	2.6	0.096	0.93
K303578		410	5.0	31.5	<0.002	0.86	0.27	4.4	1	0.9	2070	0.14	<0.05	2.5	0.092	1.05
K303579		390	4.1	25.9	<0.002	0.71	0.27	3.6	1	0.6	1940	0.12	<0.05	2.3	0.075	1.36
K303580		450	5.8	17.6	<0.002	0.54	0.22	2.4	1	0.8	2340	0.09	<0.05	1.7	0.048	0.82
K303581		1130	3.4	15.8	<0.002	0.40	0.15	2.6	<1	0.8	2300	0.07	<0.05	1.5	0.042	0.46
K303582		820	5.8	31.1	<0.002	0.86	0.39	3.9	1	1.2	2560	0.15	0.05	2.8	0.086	0.92
K303583		870	37.7	49.2	0.023	1.53	103.0	4.6	3	2.4	74.8	0.40	0.24	6.7	0.168	4.04
K303584		490	4.0	22.6	<0.002	0.82	0.47	2.9	1	0.5	2540	0.12	<0.05	1.9	0.065	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187293

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303549		2.3	27	1.2	18.8	25	29.6	
K303550		3.0	49	0.6	21.2	41	47.1	
K303551		3.9	60	0.6	28.6	46	54.9	
K303552		2.0	17	0.3	13.9	15	15.5	
K303553		2.8	25	1.1	16.7	22	24.2	
K303554		0.6	2	0.1	0.8	12	<0.5	
K303555		1.7	20	1.8	14.1	13	25.4	
K303556		2.8	21	2.2	20.0	18	27.6	1.205
K303557		1.9	6	0.6	11.7	4	8.3	3.20
K303558		1.9	8	0.7	11.3	10	9.7	3.82
K303559		3.7	31	2.5	13.7	21	30.2	21.4
K303560		2.7	12	1.0	17.7	8	11.5	1.755
K303561		3.8	19	1.4	25.9	15	16.3	
K303562		1.9	9	0.6	11.3	3	10.7	
K303563		1.4	5	0.2	6.6	3	4.8	
K303564		1.6	9	0.3	8.4	5	8.4	
K303565		3.6	26	0.6	17.2	15	23.4	
K303566		8.7	368	34.6	28.0	275	75.8	
K303567		2.6	26	0.7	13.3	14	22.0	
K303568		2.2	19	0.4	13.7	13	17.8	
K303569		2.8	30	1.2	15.4	27	26.6	
K303570		2.2	23	1.3	12.5	21	21.6	
K303571		2.8	34	1.2	17.7	29	31.1	
K303572		2.9	41	0.5	16.6	39	36.7	
K303573		3.0	23	0.3	15.0	22	21.1	
K303574		0.5	3	0.1	0.8	15	<0.5	
K303575		2.9	26	0.4	16.0	23	23.7	
K303576		2.3	24	0.3	13.0	19	21.4	
K303577		2.7	26	0.3	14.7	22	24.9	
K303578		2.8	25	0.3	14.5	23	24.2	
K303579		2.5	22	0.8	14.7	19	20.6	
K303580		2.3	16	0.3	11.1	14	15.2	
K303581		1.9	14	0.3	12.8	13	15.4	
K303582		3.6	26	0.6	18.9	23	23.9	
K303583		9.2	224	27.3	18.6	209	59.2	
K303584		2.5	19	0.7	12.5	18	17.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187293

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE VA11190152

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 189

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190152

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302843		11.86	<0.01	0.07	7.31	97.3	260	2.07	0.29	2.00	0.16	70.6	22.1	71	44.4	66.0
K302844		4.94	0.02	0.13	5.75	1700	300	1.62	0.21	2.03	0.12	59.3	17.4	65	25.1	49.0
K302845		12.66	<0.01	0.09	6.84	98.6	220	2.01	0.25	2.46	0.10	70.3	20.9	78	44.4	56.0
K302846		5.60	<0.01	0.09	5.17	368	150	1.27	0.15	3.14	0.09	47.4	22.5	65	24.3	44.1
K302847		4.90	0.01	0.21	3.44	>10000	390	0.52	0.12	0.09	0.11	30.6	15.8	60	7.11	45.6
K302848		5.32	0.01	0.07	3.82	4920	490	0.71	0.12	0.04	0.12	38.4	16.7	63	8.97	38.5
K302849		7.08	<0.01	0.01	0.10	10	20	0.08	0.02	20.2	0.06	1.39	1.7	1	0.42	2.9
K302850		6.12	0.04	0.10	6.09	2370	470	1.38	0.25	2.50	0.36	61.2	15.9	62	21.1	48.7
K302851		7.84	<0.01	0.07	7.67	67.9	290	2.16	0.30	1.26	0.35	75.4	21.4	77	42.3	58.8
K302852		7.70	<0.01	0.07	7.62	38.2	250	2.01	0.30	1.16	0.02	73.3	20.7	74	44.8	53.5
K302853		7.48	<0.01	0.07	6.32	19.8	220	1.56	0.22	2.88	0.06	58.9	20.0	74	23.6	51.0
K302854		3.66	<0.01	0.09	6.47	21.9	220	1.59	0.25	2.83	0.06	67.0	21.0	78	21.5	59.7
K302855		7.98	<0.01	0.10	6.21	57.5	450	1.32	0.25	3.00	0.08	62.4	23.4	69	17.70	54.8
K302856		7.56	<0.01	0.09	6.20	23.9	220	1.64	0.24	2.72	0.13	63.7	19.2	73	25.2	52.3
K302857		7.22	<0.01	0.09	6.50	15.4	250	1.57	0.25	2.60	0.11	65.9	18.9	74	27.0	53.8
K302858		7.24	<0.01	0.09	5.81	32.7	340	1.57	0.22	2.04	0.02	61.6	19.1	71	26.4	49.5
K302859		7.40	<0.01	0.08	7.04	47.3	240	1.93	0.32	1.10	0.02	78.3	19.8	77	32.4	51.4
K302860		7.72	0.03	0.09	6.55	242	290	1.83	0.26	2.01	0.04	72.9	20.8	68	26.2	51.0
K302861		0.28	2.59	0.99	3.13	586	860	0.66	0.30	8.04	2.27	47.5	6.6	52	3.81	40.9
K302862		7.90	<0.01	0.08	6.66	18.2	210	1.70	0.28	1.91	0.17	72.1	18.7	73	29.9	50.7
K302863		7.90	0.01	0.09	6.23	13.8	230	1.48	0.27	2.47	0.22	69.8	15.3	66	23.5	45.8
K302864		7.42	0.01	0.09	6.91	18.5	220	1.76	0.29	2.41	0.12	71.7	19.7	75	30.0	51.2
K302865		5.06	<0.01	<0.01	0.08	<5	30	0.06	0.02	20.7	0.06	1.69	1.5	2	0.28	2.0
K302866		7.62	<0.01	0.07	7.90	26.1	270	2.14	0.36	2.12	0.08	87.2	24.7	79	37.2	52.2
K302867		8.00	<0.01	0.09	5.53	43.0	270	1.28	0.22	2.61	0.04	58.9	18.5	58	21.2	44.1
K302868		8.10	<0.01	0.08	5.64	29.7	290	1.40	0.21	2.16	0.03	64.2	15.8	62	20.5	42.7
K302869		7.48	<0.01	0.07	5.60	47.4	340	1.55	0.22	2.35	0.05	60.8	16.0	59	22.1	44.1
K302870		7.74	<0.01	0.09	5.03	133.5	270	1.32	0.20	2.39	0.03	52.8	14.4	52	17.15	36.5
K302871		8.28	0.07	0.06	6.72	834	160	2.16	0.22	1.65	0.04	65.5	19.3	74	30.6	48.5
K302872		0.28	7.83	0.49	3.51	1020	160	0.76	0.64	12.35	4.30	45.6	5.6	95	7.40	33.0
K302873		5.00	<0.01	0.08	8.20	1310	230	2.38	0.30	4.19	0.02	85.1	22.4	78	34.5	61.3
K302874		3.40	0.17	0.05	4.95	4830	150	1.07	0.22	12.90	0.07	53.5	15.5	43	14.65	40.1
K302875		8.04	0.02	0.03	3.93	175	140	0.92	0.17	21.2	0.05	43.4	13.7	33	14.85	27.5
K302876		8.12	0.01	0.04	2.88	97	130	0.60	0.13	27.5	0.04	33.8	9.4	26	12.80	21.1
K302O77		7.94	0.02	0.02	1.62	80	110	0.40	0.07	30.9	0.03	22.5	5.1	15	7.27	12.4
K302878		7.64	0.69	0.01	1.18	>10000	110	0.28	0.05	33.4	0.04	16.65	3.8	13	4.75	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190152

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302843		5.45	20.6	0.24	3.6	2.42	0.082	3.22	33.9	133.0	1.94	418	0.76	0.04	13.0	44.1
K302844		4.86	16.20	0.25	2.7	3.50	0.068	2.55	28.9	43.6	1.35	393	0.79	0.03	9.4	34.8
K302845		5.08	19.15	0.25	3.3	0.21	0.080	3.08	34.2	92.8	2.36	581	0.54	0.04	11.7	37.1
K302846		5.25	13.70	0.22	2.5	1.22	0.057	2.18	22.4	57.3	1.54	748	0.38	0.02	8.0	37.9
K302847		5.18	9.52	0.21	1.7	36.1	0.106	1.43	15.0	13.5	0.20	34	0.30	0.01	5.3	23.1
K302848		3.58	11.15	0.19	1.9	5.80	0.048	1.61	19.6	15.4	0.20	44	0.55	0.02	6.4	28.9
K302849		0.47	0.36	0.07	<0.1	0.02	0.005	0.04	0.7	1.4	12.70	207	0.12	0.01	0.3	2.2
K302850		5.17	17.10	0.24	2.8	4.02	0.076	2.84	29.4	16.3	1.40	905	1.57	0.03	9.8	31.4
K302851		5.36	21.5	0.27	3.4	0.21	0.090	3.50	36.6	89.3	1.83	351	0.56	0.04	13.0	38.8
K302852		5.69	20.4	0.27	3.3	0.09	0.083	3.54	35.8	86.6	2.09	398	0.43	0.04	12.0	36.1
K302853		5.27	16.20	0.26	2.8	0.16	0.063	2.48	28.2	84.0	2.38	737	0.40	0.03	9.6	34.4
K302854		5.22	17.90	0.25	3.4	0.14	0.069	2.46	30.4	102.5	2.38	735	0.44	0.03	11.2	38.5
K302855		6.02	16.85	0.26	3.1	0.48	0.068	2.10	27.9	84.3	1.85	666	0.51	0.03	10.9	39.5
K302856		4.97	17.00	0.24	3.2	0.07	0.068	2.42	29.0	103.5	2.24	693	0.49	0.03	10.8	35.7
K302857		4.84	17.80	0.25	3.3	0.07	0.069	2.86	30.0	117.0	2.28	670	0.78	0.04	11.2	36.5
K302858		4.80	16.30	0.25	2.7	0.25	0.061	2.52	28.2	85.4	1.72	605	0.28	0.03	8.7	33.6
K302859		5.46	19.45	0.28	3.0	0.26	0.074	3.19	36.3	49.7	1.63	314	0.77	0.03	9.9	37.6
K302860		5.08	18.25	0.27	2.9	0.43	0.072	2.97	33.5	32.5	1.43	518	0.40	0.03	9.4	38.6
K302861		2.07	7.82	0.19	1.7	4.70	0.029	0.98	27.4	41.7	2.54	275	17.70	0.03	6.9	52.6
K302862		4.89	18.40	0.25	3.0	0.24	0.072	3.01	33.3	61.6	1.79	529	0.49	0.03	10.3	34.6
K302863		4.45	16.80	0.25	3.2	0.24	0.063	2.82	32.4	49.8	1.82	603	1.74	0.03	10.6	29.9
K302864		4.98	18.90	0.28	3.2	0.34	0.071	3.07	33.4	69.9	1.83	706	0.46	0.03	10.2	36.9
K302865		0.41	0.37	0.17	<0.1	<0.01	0.005	0.04	0.8	1.6	12.95	192	0.05	<0.01	0.5	2.2
K302866		5.23	22.1	0.26	3.5	0.43	0.088	3.59	41.2	53.1	1.77	738	0.64	0.03	10.8	39.4
K302867		4.51	14.95	0.24	2.8	0.98	0.061	2.27	26.8	91.0	1.70	563	0.43	0.03	9.2	33.2
K302868		4.17	15.10	0.23	2.9	0.66	0.060	2.42	29.1	80.6	1.60	409	0.35	0.03	9.2	30.3
K302869		4.40	15.50	0.21	2.8	1.01	0.058	2.40	27.8	71.4	1.58	438	0.31	0.03	9.5	30.1
K302870		4.04	13.25	0.20	2.6	0.95	0.054	2.13	24.3	49.8	1.34	434	0.31	0.03	8.4	27.2
K302871		4.95	18.85	0.25	2.9	4.47	0.068	2.95	30.6	32.5	1.00	689	0.22	0.03	9.1	31.7
K302872		1.36	7.70	0.20	2.3	5.98	0.070	1.45	27.8	10.9	0.72	277	11.05	0.01	7.9	64.6
K302873		5.01	22.9	0.25	3.2	2.51	0.083	3.80	40.8	30.5	1.86	700	0.56	0.03	11.7	38.2
K302874		3.51	13.05	0.19	2.3	4.94	0.057	2.21	25.9	11.3	2.34	1180	0.59	0.02	7.4	26.9
K302875		2.50	10.15	0.15	2.0	2.83	0.044	1.79	22.4	9.6	1.50	684	0.61	0.02	6.1	19.0
K302876		1.63	7.59	0.13	1.5	3.11	0.032	1.33	19.9	8.7	0.91	379	0.64	0.02	4.5	13.6
K302O77		1.08	4.31	0.11	0.8	2.84	0.020	0.74	12.0	6.1	0.71	383	0.53	0.01	2.7	7.4
K302878		0.86	3.23	0.10	0.6	4.39	0.023	0.51	9.1	4.3	0.46	450	0.56	0.01	2.1	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190152

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302843		630	20.4	150.5	0.002	2.51	0.73	23.8	3	2.4	97.5	0.87	0.07	10.5	0.544	4.72
K302844		460	28.0	116.5	0.002	3.79	6.60	15.9	3	2.0	168.5	0.72	0.06	9.7	0.491	7.66
K302845		560	14.8	159.0	<0.002	0.76	0.50	18.8	3	2.4	115.5	0.92	0.06	11.5	0.588	1.32
K302846		370	13.6	108.5	<0.002	4.64	1.55	15.5	2	1.6	116.5	0.63	<0.05	7.6	0.506	4.80
K302847		360	11.0	62.1	<0.002	5.13	49.6	5.2	3	2.3	149.0	0.43	<0.05	5.0	0.361	53.3
K302848		400	11.3	73.0	<0.002	3.41	12.80	6.6	3	1.6	176.0	0.48	<0.05	6.1	0.419	14.60
K302849		180	1.2	3.0	<0.002	0.02	0.11	0.4	3	<0.2	46.8	<0.05	<0.05	<0.2	0.005	0.05
K302850		480	33.7	129.0	0.002	4.71	6.47	15.5	3	2.4	223	0.83	0.07	10.3	0.486	8.32
K302851		650	22.4	186.0	<0.002	1.67	0.53	19.9	3	2.8	135.5	1.05	0.07	12.9	0.601	1.92
K302852		600	19.0	204	<0.002	0.65	0.62	19.1	3	2.6	78.6	0.98	0.05	12.8	0.564	1.20
K302853		500	14.8	127.0	<0.002	1.11	0.38	17.1	3	2.0	109.0	0.77	0.06	9.8	0.558	1.15
K302854		510	16.7	146.0	<0.002	1.03	0.36	20.2	2	2.2	116.0	0.82	0.08	10.5	0.546	1.14
K302855		640	19.5	123.5	<0.002	4.91	0.89	18.6	2	2.3	305	0.80	0.08	10.0	0.531	3.18
K302856		500	20.9	151.5	<0.002	0.42	0.59	18.4	2	2.0	102.5	0.80	0.08	10.2	0.522	0.94
K302857		550	19.9	167.5	<0.002	0.33	0.47	18.9	2	2.2	100.0	0.83	0.08	10.7	0.527	1.05
K302858		460	17.0	145.0	<0.002	0.92	0.67	17.7	2	2.3	105.0	0.67	0.07	9.5	0.393	1.09
K302859		370	19.6	181.5	<0.002	1.22	0.57	19.9	2	2.5	103.5	0.74	0.08	12.2	0.409	1.22
K302860		610	24.7	158.5	0.002	3.61	1.44	19.4	2	2.5	124.0	0.70	0.08	10.9	0.404	2.25
K302861		880	36.5	48.6	0.023	1.53	102.0	5.2	4	2.5	74.2	0.45	0.21	6.9	0.167	3.88
K302862		410	17.7	169.5	<0.002	0.94	0.57	18.5	2	2.3	104.0	0.77	0.07	11.5	0.428	1.23
K302863		480	18.7	155.5	<0.002	1.28	0.51	15.9	2	3.0	108.5	0.81	0.06	11.7	0.416	1.11
K302864		460	20.0	172.5	0.002	1.48	0.50	18.9	2	2.6	109.0	0.76	0.09	11.8	0.435	1.41
K302865		230	1.2	2.3	<0.002	<0.01	0.06	0.3	1	<0.2	51.4	<0.05	<0.05	<0.2	<0.005	<0.02
K302866		430	16.2	203	<0.002	1.70	0.56	21.4	2	3.0	113.5	0.82	0.12	14.1	0.418	1.71
K302867		420	18.8	124.5	<0.002	2.21	0.54	14.9	2	2.1	126.0	0.69	0.06	9.7	0.401	1.73
K302868		410	15.4	128.0	<0.002	1.66	0.50	15.4	2	2.0	119.5	0.70	0.05	10.7	0.412	1.35
K302869		440	14.0	125.0	<0.002	2.54	0.51	15.9	2	2.1	142.0	0.70	0.07	10.1	0.410	2.25
K302870		380	14.5	111.0	<0.002	3.13	0.59	13.5	2	1.7	102.5	0.64	0.05	8.9	0.380	2.74
K302871		260	13.6	153.5	0.002	4.55	3.64	20.6	2	2.2	87.3	0.69	0.06	10.8	0.408	7.79
K302872		4240	4.9	118.0	0.037	1.39	19.55	6.5	9	1.8	149.5	0.55	0.59	7.1	0.212	12.85
K302873		320	14.4	178.0	0.003	3.98	2.12	22.0	2	2.8	177.5	0.87	0.09	13.2	0.443	4.97
K302874		370	16.3	102.0	0.003	2.20	5.74	12.8	2	1.8	327	0.52	0.09	8.1	0.271	8.41
K302875		250	13.6	83.9	0.002	2.05	0.79	9.8	2	1.4	620	0.42	0.09	6.5	0.217	4.26
K302876		170	8.9	61.8	0.002	1.55	0.45	6.7	2	1.0	1140	0.31	0.07	4.7	0.153	5.14
K302O77		160	5.0	44.4	0.002	1.12	0.35	4.5	2	0.6	1340	0.18	<0.05	2.7	0.085	3.92
K302878		130	3.8	31.9	0.003	1.39	6.48	4.2	2	0.4	1135	0.12	<0.05	1.9	0.061	8.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190152

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302843		2.1	155	1.6	23.8	119	122.5	
K302844		2.0	136	9.4	18.9	75	91.3	
K302845		2.2	146	1.6	24.3	87	109.5	
K302846		1.5	138	2.7	17.5	76	79.1	
K302847		1.0	101	6.9	11.1	66	52.7	5.16
K302848		1.2	119	6.3	11.9	85	61.9	
K302849		0.8	2	0.2	0.9	12	<0.5	
K302850		2.1	127	10.0	20.6	151	86.7	
K302851		2.5	148	1.8	25.9	151	109.5	
K302852		2.5	141	1.7	25.3	75	109.0	
K302853		1.9	145	1.8	20.8	74	90.9	
K302854		2.1	147	1.8	23.7	68	117.0	
K302855		2.1	142	2.7	22.8	81	107.5	
K302856		2.1	139	1.3	22.6	89	112.5	
K302857		2.2	139	1.3	23.0	94	115.5	
K302858		1.9	116	1.2	21.3	45	93.7	
K302859		2.5	119	1.3	22.6	53	103.5	
K302860		2.3	123	4.1	22.4	57	101.5	
K302861		9.3	227	28.8	21.7	208	65.0	
K302862		2.3	119	1.3	22.1	133	105.5	
K302863		2.5	108	1.4	22.7	149	106.0	
K302864		2.4	126	1.3	22.0	89	106.5	
K302865		0.6	3	0.1	1.1	14	0.7	
K302866		2.8	129	1.5	24.0	89	119.5	
K302867		2.0	109	1.1	19.7	54	95.1	
K302868		2.1	112	1.2	19.6	52	99.1	
K302869		2.1	112	1.3	19.7	59	99.1	
K302870		1.8	101	1.9	17.7	52	88.8	
K302871		2.0	138	7.5	21.5	61	95.9	
K302872		8.7	385	37.5	29.9	284	83.1	
K302873		2.4	135	9.9	23.1	63	111.0	
K302874		2.4	76	10.6	21.5	51	80.7	
K302875		2.4	57	3.9	20.1	46	67.9	
K302876		2.9	41	0.7	18.0	28	53.6	
K302O77		2.0	23	0.9	14.1	13	31.3	
K302878		2.3	18	1.7	13.4	14	22.4	0.965

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190152

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE VA11190102

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 190

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190102

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303181		7.12	<0.01	0.10	4.03	439	160	0.70	0.18	20.4	0.12	53.3	12.6	42	11.45	40.1
K303182		6.60	0.01	0.07	1.91	307	120	0.33	0.10	25.8	0.10	28.6	6.1	19	4.94	20.4
K303183		6.30	<0.01	0.15	3.47	568	160	0.50	0.17	17.60	0.06	49.1	10.7	36	7.20	41.4
K303184		0.24	16.15	1.11	1.98	1020	480	0.36	0.59	14.90	0.68	33.7	3.8	34	2.57	66.4
K303185		4.58	0.01	2.37	2.12	397	150	0.29	0.10	19.90	0.05	31.2	6.7	22	3.63	26.5
K303186		6.18	0.03	0.07	2.12	561	130	0.34	0.09	21.1	0.06	31.9	6.6	20	4.49	23.2
K303187		5.10	0.01	<0.01	0.06	6	20	0.05	0.02	20.4	0.06	1.45	1.4	1	0.23	3.0
K303188		6.70	0.10	0.05	0.72	1520	70	0.17	0.03	28.1	0.04	12.40	2.5	9	1.20	9.5
K303189		6.92	0.03	0.04	0.80	649	80	0.22	0.04	29.9	0.02	12.35	3.0	7	2.14	10.3
K303190		3.32	0.04	0.04	0.86	751	80	0.21	0.04	30.0	0.02	12.20	3.2	8	2.54	11.1
K303191		7.50	0.03	0.04	0.41	1380	70	0.14	0.02	32.5	0.02	7.85	1.7	4	1.10	5.2
K303192		7.68	0.20	0.15	0.53	600	90	0.15	0.03	30.2	0.03	10.65	2.2	5	1.25	6.9
K303193		7.34	0.15	0.09	0.89	456	100	0.19	0.05	23.4	0.03	16.10	3.2	8	1.72	11.5
K303194		1.04	0.31	0.10	1.50	512	110	0.33	0.06	22.5	0.04	18.80	5.4	14	3.64	13.8
K303195		4.92	0.01	0.04	1.27	339	170	0.32	0.05	31.8	0.05	19.85	5.0	14	3.07	14.5
K303196		6.32	0.01	0.14	2.55	619	270	0.49	0.10	25.6	0.09	30.1	9.7	29	6.08	29.4
K303197		5.12	<0.01	0.01	0.19	<5	40	0.14	0.04	20.5	0.06	1.97	1.5	4	0.65	3.1
K303198		6.76	0.03	0.06	1.71	300	180	0.37	0.07	28.4	0.18	22.7	6.8	21	4.43	20.9
K303199		8.30	<0.01	0.06	2.16	168	240	0.51	0.09	26.0	0.18	27.0	7.7	23	6.15	23.1
K303200		8.14	0.02	0.06	2.47	194	180	0.46	0.11	26.0	0.19	28.8	8.9	24	5.85	25.8
K303201		8.84	0.95	0.43	3.76	2920	240	0.71	0.14	20.2	0.32	41.7	13.6	45	8.50	41.4
K303202		0.26	7.89	0.48	3.42	917	160	0.77	0.58	12.30	4.06	42.8	5.6	94	7.45	29.6
K303203		9.46	4.64	1.81	5.31	>10000	300	0.97	0.20	9.87	0.68	53.9	19.8	59	12.00	65.2
K303204		7.54	0.02	0.10	4.96	172	250	1.00	0.17	15.85	0.41	47.0	16.8	60	12.70	52.1
K303205		7.80	<0.01	0.09	4.07	29	220	0.86	0.14	18.45	0.28	38.4	14.1	42	10.35	40.9
K303206		7.88	<0.01	0.11	5.53	13	260	1.10	0.19	13.30	0.34	51.0	20.6	66	15.35	60.2
K303207		7.98	<0.01	0.12	4.65	113	230	0.92	0.17	16.25	0.40	45.3	17.0	57	13.45	51.0
K303208		7.82	<0.01	0.09	5.19	213	400	1.11	0.17	13.20	0.31	50.1	18.9	65	16.20	54.7
K303209		8.12	<0.01	0.11	4.66	33	260	1.16	0.18	15.70	0.35	48.7	17.1	56	17.20	48.5
K303210		7.84	<0.01	0.09	2.91	92	200	0.74	0.12	22.6	0.22	36.7	9.2	31	8.23	25.4
K303211		7.74	<0.01	0.17	4.03	77	250	1.01	0.19	19.75	0.44	53.1	12.3	40	14.10	44.1
K303212		7.28	<0.01	0.20	5.56	23	310	1.29	0.26	13.50	0.52	68.7	17.0	55	19.80	61.3
K303213		7.38	0.01	0.16	6.21	97.8	350	1.49	0.26	8.77	0.41	67.3	19.1	67	22.4	63.5
K303214		7.54	<0.01	0.19	4.25	244	490	0.91	0.14	17.70	0.38	42.5	13.6	47	11.75	40.7
K303215		7.26	<0.01	0.09	4.57	140	300	1.09	0.18	15.10	0.44	47.9	16.8	53	13.95	51.6
K303216		6.58	<0.01	0.11	4.23	42	270	1.16	0.17	17.95	0.38	43.9	14.7	43	13.90	47.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190102

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303181		2.32	10.25	0.14	2.0	8.30	0.039	1.72	29.1	12.4	1.26	407	0.90	0.03	6.3	19.6
K303182		1.35	4.97	0.11	0.9	7.66	0.020	0.83	16.4	5.4	2.36	436	0.68	0.02	3.0	7.7
K303183		2.42	8.53	0.15	1.8	12.3	0.031	1.26	27.9	10.1	4.09	571	0.99	0.02	5.5	16.5
K303184		3.59	3.91	0.13	0.8	5.23	0.061	0.40	21.3	38.6	0.72	455	13.30	0.02	3.7	18.6
K303185		1.86	4.89	0.11	1.0	9.46	0.019	0.69	17.7	6.5	5.86	761	0.89	0.02	3.5	9.2
K303186		1.77	5.04	0.11	0.9	10.4	0.017	0.70	18.1	7.8	5.95	792	0.57	0.02	3.4	8.3
K303187		0.47	0.31	0.10	<0.1	0.01	<0.005	0.03	0.8	1.0	12.80	209	0.07	<0.01	0.3	<0.2
K303188		1.12	1.59	0.08	0.2	9.00	0.011	0.15	6.2	3.4	4.71	1020	0.26	0.01	1.1	1.0
K303189		0.71	1.93	0.07	0.3	2.28	0.011	0.29	6.2	2.9	2.93	551	0.29	0.01	1.3	1.2
K303190		0.78	2.14	0.06	0.3	2.18	0.012	0.35	6.4	2.9	3.10	593	0.35	0.01	1.4	1.6
K303191		0.41	1.04	0.06	0.1	1.34	0.007	0.15	3.8	1.5	1.98	610	0.20	0.01	0.7	<0.2
K303192		0.91	1.37	0.07	0.2	4.08	0.009	0.20	5.0	1.7	3.09	1010	0.28	0.01	0.9	0.3
K303193		1.81	2.20	0.08	0.3	8.54	0.012	0.30	8.0	3.6	7.10	1660	0.52	0.01	1.4	3.0
K303194		1.88	3.95	0.09	0.6	8.63	0.017	0.58	8.9	5.5	5.78	1600	0.60	0.04	2.0	6.2
K303195		0.99	3.18	0.09	0.5	5.42	0.015	0.51	9.0	4.6	0.81	454	0.75	0.01	1.9	5.8
K303196		1.72	6.26	0.13	1.1	9.71	0.027	0.91	14.2	9.1	1.50	446	1.27	0.02	3.5	14.6
K303197		0.47	0.52	0.09	<0.1	0.02	0.005	0.09	0.9	1.9	12.75	214	0.13	0.01	0.3	1.4
K303198		1.32	4.33	0.10	0.7	4.26	0.021	0.73	10.4	4.4	1.11	398	0.86	0.01	2.4	9.9
K303199		1.61	5.31	0.11	0.9	3.03	0.025	0.94	12.9	5.2	0.96	547	1.18	0.02	3.1	12.2
K303200		1.75	5.84	0.12	1.0	1.29	0.028	1.06	14.3	4.9	1.16	701	1.26	0.02	3.4	12.8
K303201		2.88	9.18	0.16	1.5	4.66	0.041	1.59	20.5	7.5	1.19	935	1.38	0.02	4.9	22.8
K303202		1.34	7.14	0.17	1.9	5.68	0.063	1.45	27.9	8.6	0.71	269	11.65	0.01	7.1	58.2
K303203		4.24	13.45	0.19	2.3	8.72	0.072	2.11	25.4	13.5	1.03	726	2.67	0.04	6.9	36.9
K303204		3.55	12.15	0.15	2.0	1.02	0.055	2.03	23.6	11.4	1.04	658	2.15	0.04	6.4	28.6
K303205		2.98	10.00	0.13	1.6	0.20	0.042	1.71	19.6	9.4	1.27	720	0.97	0.03	5.2	23.5
K303206		4.02	14.15	0.19	2.2	0.30	0.057	2.31	24.5	15.9	1.52	778	1.65	0.04	7.2	35.0
K303207		3.45	11.15	0.16	1.9	0.81	0.050	1.81	22.7	29.3	0.99	631	2.87	0.03	6.0	30.9
K303208		4.18	12.85	0.19	2.1	0.81	0.059	1.96	24.4	54.9	1.15	851	1.64	0.04	7.0	32.8
K303209		3.60	11.40	0.17	2.0	0.64	0.053	1.77	24.4	39.6	1.25	728	2.00	0.04	6.4	29.5
K303210		2.28	7.14	0.13	1.3	0.53	0.031	1.17	18.0	14.1	1.35	611	1.58	0.03	4.1	15.8
K303211		2.85	9.77	0.16	1.8	0.58	0.045	1.59	24.7	17.0	1.43	479	3.51	0.04	5.5	24.3
K303212		3.75	13.55	0.21	2.4	0.41	0.061	2.15	32.2	27.2	1.59	567	4.66	0.05	7.4	33.6
K303213		4.21	16.10	0.21	2.7	0.60	0.067	2.52	32.9	46.8	1.45	554	3.73	0.05	8.5	36.7
K303214		3.20	10.10	0.15	1.8	1.36	0.047	1.59	21.5	34.9	0.96	545	2.07	0.03	5.5	25.1
K303215		3.32	11.70	0.14	2.3	1.08	0.047	1.80	22.9	46.9	1.02	452	1.94	0.04	7.2	28.3
K303216		3.03	10.65	0.13	2.0	0.88	0.041	1.66	21.2	41.9	1.04	429	2.14	0.04	6.6	23.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190102

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303181		370	26.4	72.4	0.004	2.31	3.84	9.8	3	1.4	1260	0.46	0.08	7.1	0.261	5.43
K303182		260	13.0	41.2	0.003	1.26	3.69	5.1	3	0.7	1345	0.22	<0.05	3.6	0.112	5.94
K303183		550	36.9	52.2	0.004	2.30	8.20	7.5	2	1.5	1030	0.42	0.07	6.5	0.221	9.27
K303184		650	22.4	27.5	0.007	2.04	152.0	3.8	3	2.0	47.3	0.25	0.40	4.1	0.111	3.65
K303185		830	23.4	32.7	0.002	1.43	6.52	5.7	3	0.6	1325	0.25	<0.05	3.9	0.131	7.32
K303186		730	23.4	33.8	0.002	1.37	8.38	5.0	2	0.8	1265	0.24	<0.05	3.9	0.128	10.05
K303187		150	1.2	1.7	<0.002	0.01	0.08	0.4	2	<0.2	44.1	<0.05	<0.05	<0.2	<0.005	0.04
K303188		430	10.0	7.5	<0.002	0.73	13.00	2.0	3	0.3	936	0.07	<0.05	1.3	0.038	12.60
K303189		340	11.3	14.5	<0.002	0.62	4.75	2.2	3	0.3	1070	0.08	<0.05	1.4	0.045	4.60
K303190		280	12.1	17.2	<0.002	0.65	5.22	2.2	2	0.4	953	0.09	<0.05	1.5	0.051	4.67
K303191		360	5.8	7.3	<0.002	0.43	8.41	1.2	3	0.2	1260	<0.05	<0.05	0.7	0.023	3.42
K303192		670	8.0	10.1	0.002	0.53	11.90	1.8	2	0.2	1295	0.05	<0.05	0.9	0.030	12.50
K303193		910	13.1	14.5	0.003	0.82	9.66	2.3	2	0.5	847	0.09	<0.05	1.6	0.048	11.60
K303194		720	17.8	28.7	0.003	1.02	10.80	4.1	3	0.6	756	0.15	<0.05	2.3	0.094	11.35
K303195		1020	12.3	25.1	0.004	0.94	4.24	3.6	3	0.5	1805	0.13	<0.05	2.1	0.086	4.18
K303196		1180	21.5	44.8	0.008	1.63	6.76	6.3	4	1.1	1835	0.27	0.05	3.8	0.177	6.84
K303197		180	1.6	5.1	<0.002	0.01	0.13	0.4	2	<0.2	46.1	<0.05	<0.05	<0.2	0.007	0.04
K303198		890	5.6	36.3	0.005	1.05	2.34	4.7	3	0.6	1415	0.18	<0.05	2.5	0.132	4.15
K303199		800	7.1	48.0	0.005	1.19	0.98	5.3	3	0.9	1260	0.23	0.06	3.4	0.136	3.34
K303200		790	7.8	54.2	0.005	1.30	1.00	5.7	3	0.9	1105	0.27	0.06	3.9	0.161	2.77
K303201		1340	11.3	69.0	0.007	2.41	17.80	10.1	4	1.4	1195	0.39	0.08	5.6	0.279	12.55
K303202		4150	5.0	105.0	0.038	1.35	19.10	5.8	9	1.8	144.5	0.54	0.55	6.8	0.211	11.80
K303203		1280	16.8	96.2	0.011	4.39	70.0	12.9	5	2.2	1005	0.57	0.19	7.6	0.400	26.2
K303204		1140	13.3	90.7	0.010	2.53	1.00	13.0	3	1.5	1185	0.51	0.05	7.0	0.363	3.63
K303205		1060	11.1	75.8	0.006	1.75	0.49	10.8	3	1.2	1345	0.42	0.05	5.6	0.295	0.92
K303206		830	14.7	106.0	0.008	2.27	0.61	14.8	3	1.7	978	0.56	0.06	7.6	0.413	1.16
K303207		1020	13.3	84.1	0.013	2.84	0.77	12.2	3	1.4	1195	0.47	0.06	6.5	0.338	1.50
K303208		820	13.7	97.3	0.007	3.51	0.95	14.2	3	1.6	1025	0.55	0.05	7.2	0.410	1.30
K303209		910	14.2	86.2	0.008	2.91	0.57	12.0	4	1.4	1280	0.51	0.08	7.2	0.359	0.87
K303210		870	9.4	56.8	0.006	1.57	0.45	7.2	3	0.9	1515	0.33	0.05	4.9	0.180	0.62
K303211		1600	13.8	78.2	0.014	2.19	0.80	10.1	4	1.4	1770	0.45	0.08	6.9	0.226	0.83
K303212		850	19.0	105.5	0.018	2.70	0.84	13.2	4	1.8	1225	0.61	0.09	9.2	0.314	0.88
K303213		720	19.7	127.5	0.016	3.50	1.45	15.8	4	2.1	763	0.70	0.07	9.9	0.389	1.40
K303214		1010	12.3	78.3	0.008	2.84	0.95	10.4	4	1.3	1435	0.44	0.05	6.1	0.299	1.18
K303215		1070	12.9	85.4	0.009	2.79	0.58	13.3	4	1.3	1360	0.50	0.05	6.2	0.317	1.34
K303216		1200	12.5	78.5	0.008	2.31	0.41	12.1	3	1.2	1805	0.46	0.05	5.7	0.276	1.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190102

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303181		3.7	74	2.7	24.8	24	67.2	
K303182		2.8	32	1.4	19.6	17	32.0	
K303183		4.1	58	4.0	19.9	7	59.5	
K303184		3.8	108	219	16.9	76	31.1	
K303185		3.2	37	15.6	16.9	7	37.1	
K303186		3.2	36	2.4	16.3	5	35.5	
K303187		0.5	2	0.1	0.8	12	<0.5	
K303188		2.1	12	1.1	10.2	2	11.2	
K303189		2.0	13	0.8	8.5	2	12.8	
K303190		2.0	14	0.7	8.5	2	14.0	
K303191		1.9	7	0.5	6.1	<2	6.9	
K303192		2.5	9	0.5	8.2	2	8.6	
K303193		2.9	15	1.0	10.5	4	15.5	
K303194		2.7	27	1.8	11.5	5	20.8	
K303195		2.8	26	1.7	13.9	7	20.1	
K303196		3.9	51	3.3	16.6	15	36.9	
K303197		0.5	3	0.2	1.0	13	<0.5	
K303198		2.7	40	1.4	15.0	25	26.2	
K303199		2.6	44	1.2	15.6	28	32.4	
K303200		2.7	49	2.0	16.1	36	35.6	
K303201		3.7	85	3.1	23.4	54	52.5	
K303202		8.1	380	37.7	26.9	277	65.1	
K303203		4.2	125	4.0	22.6	86	72.2	1.680
K303204		3.3	109	1.4	23.1	71	66.1	
K303205		2.5	86	0.9	21.2	61	55.2	
K303206		3.3	124	1.2	24.9	79	71.7	
K303207		3.2	107	1.2	21.5	67	62.8	
K303208		3.0	115	1.6	23.9	77	70.0	
K303209		3.2	100	1.2	22.2	72	64.6	
K303210		3.0	57	1.0	18.5	39	43.4	
K303211		4.8	81	1.1	26.5	55	58.3	
K303212		5.1	109	1.6	30.2	84	73.7	
K303213		4.2	130	1.8	26.6	86	84.6	
K303214		3.2	88	1.9	22.1	62	58.1	
K303215		3.2	96	1.3	23.1	73	75.8	
K303216		3.3	83	1.1	23.8	67	70.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190102

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

CERTIFICATE VA11187292

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 191

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187292

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304082		8.86	<0.01	0.06	6.19	111.5	210	2.10	0.38	8.27	0.03	60.0	13.5	52	33.9	28.1
K304083		8.18	<0.01	0.08	3.34	41	130	0.83	0.14	23.3	0.07	45.9	7.1	28	11.70	16.5
K304084		8.42	<0.01	0.06	5.06	75	160	1.28	0.22	13.00	0.04	73.1	8.5	40	18.00	17.9
K304085		8.26	0.03	0.36	3.59	35	130	0.83	0.18	20.9	0.06	48.4	6.0	28	11.55	15.5
K304086		0.28	0.34	0.38	5.87	572	840	0.56	0.27	0.45	0.16	127.5	2.6	231	3.01	27.4
K304087		8.24	<0.01	0.16	5.31	46	190	1.27	0.25	11.10	<0.02	74.7	8.9	40	16.75	20.4
K304088		8.10	<0.01	0.13	4.62	45	160	1.18	0.24	13.15	0.02	67.5	7.9	35	14.00	19.6
K304089		7.46	<0.01	0.11	5.86	35	190	1.33	0.33	10.95	<0.02	72.5	8.1	41	18.35	21.3
K304090		6.08	0.40	0.19	0.53	1300	50	0.10	0.05	18.15	0.11	10.80	1.1	6	0.95	4.4
K304091		6.50	6.41	0.68	0.56	7680	40	0.15	0.05	13.40	1.65	18.15	1.9	7	0.82	5.0
K304092		7.08	0.01	0.10	0.06	10	20	0.06	0.04	20.2	0.06	1.09	0.6	<1	0.18	2.1
K304093		10.82	0.40	0.10	0.19	1080	20	0.08	0.04	19.90	0.07	6.04	0.7	2	0.23	2.1
K304094		10.96	0.80	0.12	0.21	1440	20	0.15	0.03	20.0	0.11	6.23	0.8	2	0.27	3.1
K304095		10.66	0.77	0.14	0.17	1870	10	0.07	0.02	20.4	0.19	7.66	0.6	1	0.18	2.2
K304096		11.12	2.89	0.33	0.17	2810	20	0.11	0.03	19.95	0.83	6.57	0.8	2	0.18	3.2
K304097		5.88	4.25	0.46	1.12	2350	60	0.30	0.05	17.50	0.18	16.00	2.5	12	1.79	5.8
K304098		2.72	3.98	0.72	1.23	2360	70	0.35	0.06	17.10	0.16	17.75	2.6	12	1.96	9.9
K304099		10.42	4.58	0.89	3.84	4940	230	0.82	0.12	10.55	0.41	47.1	6.0	36	8.35	17.6
K304100		10.82	0.04	0.12	2.38	894	130	0.68	0.07	20.1	0.10	32.1	3.6	23	6.55	9.0
K304101		11.02	0.01	0.09	3.69	996	210	1.28	0.11	12.65	0.09	45.5	5.1	35	15.95	12.9
K304102		11.48	<0.01	0.06	1.10	552	70	0.45	0.04	30.0	0.08	15.40	2.2	11	3.11	5.6
K304103		11.00	0.01	0.05	1.24	441	80	0.48	0.07	29.4	0.05	17.35	2.0	11	4.75	7.9
K304104		10.50	0.01	0.04	0.88	771	90	0.37	0.05	30.5	0.09	13.75	2.0	9	3.56	7.0
K304105		11.72	0.01	0.06	0.81	303	60	0.47	0.05	30.6	0.07	11.80	1.5	8	2.38	4.8
K304106		11.14	0.01	0.05	1.22	303	70	0.50	0.07	28.0	0.04	16.15	2.3	12	3.00	7.4
K304107		12.10	0.01	0.04	1.58	285	110	0.64	0.07	27.5	0.06	20.1	2.7	14	4.66	6.4
K304108		10.84	<0.01	0.03	1.57	583	180	0.56	0.06	28.0	0.12	21.2	2.8	16	5.25	9.5
K304109		11.40	<0.01	0.04	1.92	410	180	0.57	0.07	25.4	0.08	24.3	3.5	19	7.81	10.5
K304110		12.38	0.01	0.09	4.12	528	270	1.18	0.14	11.60	0.08	54.1	7.1	42	18.75	19.7
K304111		0.28	2.69	1.19	3.10	513	820	0.87	0.38	7.87	2.29	52.5	7.2	52	4.00	46.2
K304112		11.40	0.01	0.20	3.75	189.0	250	1.23	0.14	9.41	0.05	54.7	6.1	35	18.50	24.4
K304113		11.86	0.01	0.06	2.65	370	150	0.83	0.10	11.35	0.05	37.7	3.2	28	8.85	12.3
K304114		11.66	0.21	0.17	2.67	1320	120	0.81	0.11	18.95	0.11	36.1	5.3	25	11.25	13.9
K304115		5.84	0.30	0.19	0.96	1930	40	0.21	0.05	30.6	0.11	15.25	2.0	10	2.52	6.3
K304116		7.10	<0.01	0.04	0.06	6	20	0.05	0.04	20.2	0.06	1.25	0.6	<1	0.17	1.9
K304117		4.12	0.65	0.15	2.86	3420	150	0.65	0.09	24.0	0.06	36.6	5.8	25	11.05	14.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187292

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304082		2.99	20.1	0.16	2.3	0.29	0.048	3.95	33.8	16.6	0.83	292	0.45	0.04	9.8	28.9
K304083		1.98	8.92	0.16	1.6	0.29	0.025	1.71	24.0	10.4	0.60	258	0.72	0.03	5.0	16.3
K304084		2.19	12.95	0.17	2.1	0.20	0.030	2.60	39.7	15.4	0.90	217	0.32	0.03	7.7	17.9
K304085		2.04	8.54	0.15	1.7	0.16	0.034	1.84	26.0	10.3	0.70	214	0.48	0.03	5.1	14.2
K304086		6.46	18.90	0.17	4.0	9.54	0.041	1.31	64.7	15.4	0.12	34	5.99	0.37	8.6	14.1
K304087		2.32	13.25	0.16	2.5	0.21	0.040	2.78	39.3	16.0	0.90	217	0.35	0.03	7.9	20.1
K304088		2.50	11.25	0.15	2.2	0.09	0.031	2.37	37.1	14.3	0.98	338	0.63	0.03	7.0	17.5
K304089		2.82	14.70	0.16	2.7	0.05	0.054	3.06	40.5	17.4	1.08	303	0.28	0.03	8.4	19.5
K304090		0.75	1.44	0.13	0.9	1.48	0.010	0.26	6.5	3.1	10.40	802	0.27	0.02	0.9	2.4
K304091		1.28	1.62	0.14	0.6	19.5	0.017	0.25	9.9	10.9	7.40	2480	0.36	0.02	0.8	5.0
K304092		0.45	0.17	0.13	<0.1	0.01	0.010	0.03	1.1	0.9	12.00	202	0.06	<0.01	0.2	1.5
K304093		0.79	0.49	0.15	0.1	1.59	<0.005	0.09	3.9	1.6	11.25	1500	0.20	0.01	0.3	1.6
K304094		0.73	0.69	0.17	0.2	1.93	0.005	0.09	4.1	2.1	11.50	1300	0.21	0.02	0.4	2.2
K304095		0.85	0.48	0.13	0.1	2.68	0.005	0.08	5.6	1.6	11.40	1680	0.16	0.02	0.3	1.6
K304096		0.90	0.51	0.13	0.1	8.16	<0.005	0.07	4.5	2.7	10.30	2770	0.41	0.01	0.2	2.1
K304097		0.92	2.82	0.16	1.5	10.25	0.009	0.57	9.0	5.0	8.54	2680	0.85	0.01	1.8	6.0
K304098		0.92	3.23	0.15	1.8	10.0	0.010	0.62	9.5	5.6	8.45	2630	1.15	0.02	2.1	7.2
K304099		1.43	10.70	0.18	3.5	13.6	0.020	1.94	25.8	16.5	5.11	2050	1.38	0.02	6.5	12.8
K304100		0.96	6.25	0.16	2.1	1.42	0.016	1.25	17.5	12.0	3.14	520	0.40	0.02	3.9	8.0
K304101		1.25	10.10	0.18	3.3	0.41	0.029	2.00	24.2	23.0	3.45	279	0.30	0.03	6.2	14.3
K304102		0.42	3.08	0.16	0.7	0.33	0.008	0.58	9.9	4.8	0.92	181	0.10	0.01	1.7	4.3
K304103		0.38	3.26	0.20	0.9	0.19	0.012	0.68	10.5	6.4	0.89	149	0.17	0.01	2.0	4.9
K304104		0.58	2.17	0.14	0.7	0.14	0.010	0.48	8.6	4.6	1.07	163	0.10	0.01	1.5	4.4
K304105		0.28	2.24	0.20	0.7	0.18	0.010	0.44	7.9	4.0	1.05	121	0.36	0.01	1.4	3.7
K304106		0.52	3.26	0.18	0.8	0.49	0.014	0.65	9.7	5.2	2.27	205	0.46	0.01	1.9	4.6
K304107		0.64	4.23	0.18	1.1	0.46	0.013	0.86	11.5	6.7	2.51	310	0.54	0.02	2.4	5.4
K304108		0.67	4.24	0.16	1.0	0.13	0.010	0.88	12.4	6.1	1.49	164	0.22	0.01	2.6	5.8
K304109		0.67	4.79	0.21	1.3	0.14	0.016	1.16	13.6	8.0	1.44	179	0.29	0.02	3.1	8.7
K304110		1.48	10.30	0.21	3.2	0.83	0.029	2.38	28.3	18.7	3.46	242	0.60	0.03	7.0	16.5
K304111		2.09	8.35	0.18	2.1	4.76	0.037	1.00	33.0	39.0	2.48	265	19.35	0.03	7.2	54.5
K304112		1.37	10.25	0.22	3.8	1.12	0.023	2.22	28.3	17.4	4.91	292	0.84	0.04	7.1	12.7
K304113		1.34	6.71	0.19	3.3	1.85	0.019	1.51	19.9	12.3	5.95	456	0.63	0.03	4.4	8.1
K304114		1.03	7.54	0.21	2.2	4.75	0.022	1.30	20.0	17.0	2.65	529	0.81	0.02	4.4	11.3
K304115		0.45	2.68	0.16	0.4	5.56	0.010	0.50	9.3	4.1	0.70	675	0.36	0.01	1.3	4.4
K304116		0.45	0.18	0.16	<0.1	0.01	0.007	0.03	1.3	1.0	12.20	202	0.15	<0.01	0.2	1.5
K304117		1.02	7.90	0.22	1.1	12.3	0.016	1.42	20.8	18.0	1.04	797	0.99	0.01	3.9	13.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187292

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304082		220	14.7	111.0	<0.002	1.74	0.50	10.6	1	2.1	243	0.77	0.12	10.1	0.285	2.22
K304083		430	24.3	69.8	0.002	1.34	0.40	5.6	1	1.1	814	0.39	<0.05	6.1	0.152	0.99
K304084		240	15.5	106.0	<0.002	0.93	0.37	7.7	1	1.5	428	0.60	0.09	9.5	0.267	1.11
K304085		680	18.2	75.2	0.004	1.20	0.36	5.5	<1	1.0	759	0.39	0.08	6.7	0.168	0.70
K304086		860	15.4	46.1	0.007	2.95	107.5	13.7	1	2.9	494	0.64	0.15	8.8	0.521	6.96
K304087		160	14.1	119.0	0.005	0.98	0.66	8.0	1	1.6	251	0.60	<0.05	10.7	0.270	0.99
K304088		390	14.3	102.0	0.007	0.81	0.46	7.0	1	1.4	367	0.53	0.09	9.2	0.245	0.69
K304089		480	9.6	131.5	0.008	0.35	0.44	8.9	1	1.8	302	0.64	0.07	11.5	0.280	0.77
K304090		350	5.3	8.7	0.005	0.04	6.15	1.0	2	0.4	72.6	0.08	<0.05	1.4	0.027	3.77
K304091		300	12.2	9.0	0.009	0.03	35.2	1.1	1	0.4	76.0	0.07	0.05	1.3	0.024	49.7
K304092		200	1.2	1.2	0.005	0.01	0.13	0.2	<1	<0.2	39.0	<0.05	<0.05	<0.2	<0.005	0.12
K304093		250	3.0	2.8	0.004	0.07	4.77	0.5	1	<0.2	69.4	<0.05	<0.05	0.3	0.008	4.17
K304094		200	2.9	3.6	0.007	0.03	4.96	0.5	<1	0.2	76.0	<0.05	0.07	0.5	0.009	8.13
K304095		180	2.2	2.3	0.006	0.04	7.82	0.4	<1	<0.2	62.7	<0.05	<0.05	0.3	0.008	5.83
K304096		300	4.1	2.3	0.006	0.09	10.75	0.4	1	0.2	65.6	<0.05	<0.05	0.3	0.007	9.35
K304097		440	7.6	17.8	0.007	0.24	13.35	2.1	3	0.4	114.5	0.15	0.05	2.7	0.055	18.55
K304098		470	9.9	20.5	0.006	0.21	12.20	2.3	2	0.5	116.0	0.16	0.06	3.2	0.062	18.75
K304099		460	12.6	71.9	0.009	0.58	42.8	6.3	4	1.5	142.5	0.46	0.08	9.1	0.177	58.2
K304100		410	5.9	44.5	0.007	0.34	7.47	3.7	4	0.8	454	0.32	<0.05	5.6	0.110	8.46
K304101		560	8.3	79.1	0.009	0.42	9.25	5.8	3	1.3	216	0.48	0.06	8.7	0.173	3.86
K304102		150	3.5	21.7	0.006	0.14	2.40	1.8	<1	0.5	530	0.12	0.05	2.2	0.048	1.06
K304103		150	4.4	25.4	0.010	0.09	1.75	2.1	1	0.5	653	0.16	<0.05	2.6	0.055	0.80
K304104		230	3.6	17.2	0.007	0.08	3.06	1.4	1	0.4	761	0.11	<0.05	2.1	0.040	1.52
K304105		130	4.7	16.0	0.006	0.04	1.82	1.4	1	0.5	780	0.10	<0.05	1.9	0.037	0.84
K304106		170	5.4	23.1	0.014	0.04	2.50	2.0	<1	0.6	550	0.14	0.06	2.6	0.053	1.24
K304107		190	6.1	30.6	0.004	0.06	2.66	2.5	2	0.6	532	0.17	<0.05	3.4	0.068	1.17
K304108		290	5.9	33.2	0.009	0.07	3.22	2.6	2	0.6	482	0.19	0.07	3.6	0.070	0.95
K304109		310	5.9	41.4	0.003	0.05	3.07	2.8	1	0.7	460	0.22	0.05	4.2	0.086	0.95
K304110		720	10.3	88.6	0.013	0.06	5.20	6.1	2	1.4	270	0.56	0.09	9.8	0.197	1.08
K304111		860	42.1	56.3	0.031	1.52	114.5	5.2	5	2.9	75.8	0.49	0.18	7.1	0.167	4.20
K304112		480	9.6	89.5	0.006	0.08	1.21	6.3	2	1.5	162.0	0.56	<0.05	10.2	0.185	1.36
K304113		460	7.8	55.4	0.009	0.09	1.39	4.2	2	0.9	226	0.32	0.05	6.6	0.122	3.51
K304114		410	10.4	57.1	0.006	0.39	5.81	4.3	3	1.0	600	0.32	<0.05	6.2	0.112	13.25
K304115		190	6.9	20.3	0.006	0.34	6.08	1.7	1	0.4	1435	0.12	<0.05	2.1	0.037	23.3
K304116		150	1.2	1.3	0.007	<0.01	0.14	0.2	<1	0.2	47.6	<0.05	<0.05	<0.2	<0.005	0.13
K304117		310	11.5	67.7	0.009	0.78	17.25	5.0	2	1.0	1355	0.28	<0.05	5.8	0.104	52.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187292

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304082		2.0	82	2.1	13.1	79	80.2
K304083		2.9	36	0.7	11.8	110	54.2
K304084		2.1	57	1.1	13.9	60	76.1
K304085		3.2	39	0.7	12.8	85	58.9
K304086		7.0	163	21.5	13.6	42	167.0
K304087		2.2	58	1.2	15.9	38	83.4
K304088		3.0	53	0.9	15.5	56	75.4
K304089		2.6	62	1.2	17.2	39	85.2
K304090		4.8	11	1.4	4.2	27	26.9
K304091		6.9	12	1.2	5.6	206	18.3
K304092		0.5	2	0.1	0.7	15	<0.5
K304093		4.2	7	0.4	2.7	11	4.0
K304094		5.7	7	0.8	2.7	17	5.1
K304095		5.4	7	0.3	2.5	35	3.2
K304096		5.8	10	0.4	2.8	104	6.1
K304097		8.0	22	1.3	6.1	31	48.3
K304098		9.1	23	1.3	6.6	14	55.0
K304099		10.2	65	3.8	11.8	51	117.0
K304100		6.9	38	1.7	10.0	17	71.0
K304101		5.5	51	1.6	15.1	17	113.0
K304102		6.0	16	0.6	5.0	8	27.0
K304103		10.4	19	0.5	5.5	8	30.9
K304104		9.7	16	0.4	4.7	8	23.3
K304105		13.7	16	0.4	4.3	9	25.9
K304106		11.2	20	0.5	5.4	9	30.3
K304107		10.7	24	0.9	6.5	16	37.3
K304108		8.4	23	0.4	7.0	27	35.3
K304109		8.8	35	0.5	7.6	21	43.4
K304110		7.0	66	1.2	15.6	31	104.0
K304111		9.6	231	30.9	21.4	204	68.4
K304112		4.0	53	1.5	15.8	14	129.5
K304113		4.6	39	1.3	12.3	14	106.5
K304114		12.4	46	1.9	10.0	28	77.2
K304115		14.8	22	0.8	6.7	31	13.1
K304116		0.6	2	0.1	0.8	17	<0.5
K304117		21.0	53	2.3	9.2	23	35.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11187292

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

CERTIFICATE VA11190103

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 192

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190103

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304506		5.66	<0.01	0.12	1.16	6	70	0.41	0.04	30.6	0.22	16.45	2.1	13	1.84	7.7
K304507		5.92	0.01	0.19	2.45	14	150	0.73	0.06	21.8	0.15	30.6	3.9	28	3.97	16.4
K304508		5.54	<0.01	0.14	0.72	<5	120	0.21	0.03	33.1	0.23	11.00	1.4	10	1.10	5.5
K304509		0.26	0.35	0.35	6.14	612	340	0.55	0.27	0.48	0.19	147.5	2.7	234	3.26	30.2
K304510		5.54	<0.01	0.18	0.44	13	40	0.18	0.03	35.6	0.11	5.77	1.1	8	0.48	3.6
K304511		5.64	<0.01	0.11	0.38	15	90	0.17	0.03	34.7	0.20	5.84	0.9	7	0.37	2.8
K304512		5.82	<0.01	0.15	1.89	12	90	0.54	0.06	24.0	0.22	19.30	2.8	20	2.34	8.3
K304513		5.06	<0.01	0.02	0.09	<5	20	0.09	0.10	20.9	0.06	1.10	0.8	2	0.33	1.6
K304514		5.70	<0.01	0.10	1.30	14	140	0.42	0.04	27.2	0.15	13.80	2.1	14	1.31	5.6
K304515		5.92	<0.01	0.06	1.17	12	90	0.38	0.04	30.9	0.13	10.70	1.9	11	1.41	6.1
K304516		5.46	<0.01	0.06	1.36	9	150	0.38	0.04	29.5	0.64	13.15	2.2	13	1.65	7.5
K304517		4.82	<0.01	0.22	1.06	14	550	0.33	0.04	31.0	0.11	12.75	2.0	13	1.26	7.0
K304518		5.48	<0.01	0.16	1.55	11	470	0.45	0.05	27.5	0.09	17.25	2.4	17	1.29	7.1
K304519		2.16	<0.01	0.14	1.44	11	620	0.39	0.05	29.3	0.09	16.55	2.3	16	1.21	6.7
K304520		5.34	<0.01	0.13	1.34	10	70	0.49	0.05	29.9	0.07	15.45	2.2	13	1.32	8.1
K304521		5.76	<0.01	0.06	1.32	16	160	0.47	0.05	29.2	0.07	13.95	2.1	13	1.51	7.1
K304522		5.26	<0.01	0.08	0.48	7	220	0.21	0.03	35.0	0.11	5.53	1.1	6	0.40	3.9
K304523		5.38	<0.01	0.06	0.57	16	210	0.26	0.03	35.8	0.11	7.51	1.1	7	0.36	3.2
K304524		5.92	<0.01	0.06	0.94	11	170	0.34	0.03	32.4	0.09	10.20	1.6	10	0.72	4.7
K304525		5.76	<0.01	0.11	2.29	26	200	0.71	0.06	24.9	0.07	25.5	3.5	24	2.36	13.2
K304526		5.60	<0.01	0.13	0.48	16	260	0.14	0.03	35.3	0.09	6.02	1.0	7	0.38	4.2
K304527		5.84	<0.01	0.46	0.43	16	160	0.11	0.03	34.9	0.08	5.53	1.0	6	0.32	3.9
K304528		5.12	<0.01	0.09	0.07	8	10	<0.05	0.03	21.0	0.06	1.00	0.8	1	0.14	1.8
K304529		5.90	<0.01	0.09	0.39	15	160	0.13	0.03	36.1	0.10	5.39	0.9	6	0.25	3.4
K304530		5.90	<0.01	0.06	0.43	17	290	0.14	0.02	35.8	0.15	5.93	1.0	6	0.27	3.6
K304531		2.92	<0.01	0.07	0.62	20	130	0.21	0.03	36.0	0.09	7.47	1.2	8	0.45	4.6
K304532		5.90	<0.01	0.10	0.84	17	190	0.24	0.03	33.8	0.11	9.31	1.4	10	0.59	4.3
K304533		2.70	<0.01	0.11	0.85	11	30	0.27	0.03	32.8	0.20	10.35	1.5	11	0.53	4.5
K304534		6.06	<0.01	0.11	2.30	13	390	0.62	0.06	24.6	0.11	24.3	3.4	21	2.14	9.6
K304535		5.78	0.01	0.12	3.55	6	150	0.87	0.08	15.50	0.08	36.5	5.8	32	3.17	15.3
K304536		2.94	<0.01	0.05	2.84	6	140	0.81	0.08	16.75	0.12	31.6	3.7	25	2.35	11.4
K304537		0.28	2.68	0.95	3.10	576	850	0.67	0.29	7.71	2.09	42.1	6.0	53	3.47	36.3
K304538		3.14	<0.01	0.09	2.93	7	160	0.74	0.07	19.55	0.07	31.1	3.9	25	2.92	10.8
K304539		5.70	<0.01	0.05	4.28	17	390	1.00	0.10	18.00	0.03	41.9	6.7	33	5.29	13.8
K304540		5.70	<0.01	0.07	2.59	12	620	0.70	0.06	21.6	0.09	28.3	3.7	21	2.26	10.4
K304541		5.72	<0.01	0.10	2.51	16	130	0.55	0.06	25.0	0.18	22.5	4.6	20	1.83	13.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190103

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304506		0.44	3.11	0.12	0.8	0.06	0.009	0.53	9.1	11.6	1.14	91	0.62	0.01	1.8	5.5
K304507		0.82	6.18	0.16	2.1	0.16	0.019	1.05	16.4	25.9	1.95	110	1.26	0.01	4.2	9.9
K304508		0.33	1.84	0.13	0.7	0.07	0.008	0.27	6.6	6.9	0.54	71	0.59	0.08	1.2	3.2
K304509		6.78	20.8	0.18	4.6	9.0	0.046	1.28	67.3	16.7	0.12	36	6.60	0.36	9.7	14.6
K304510		0.32	1.08	0.17	0.2	0.07	0.009	0.15	3.8	2.2	0.32	57	0.77	0.07	0.7	2.4
K304511		0.26	0.89	0.17	0.3	0.06	0.007	0.13	3.8	2.6	0.37	54	0.56	0.06	0.6	1.7
K304512		0.74	4.28	0.16	1.5	0.09	0.015	0.90	9.3	12.6	2.89	106	0.93	0.11	2.8	6.5
K304513		0.47	0.28	0.20	<0.1	<0.01	0.006	0.04	0.5	1.2	12.70	219	0.05	0.01	0.2	2.1
K304514		0.54	2.91	0.18	1.0	0.08	0.013	0.57	7.5	9.3	2.64	101	0.82	0.14	1.9	4.8
K304515		0.43	2.61	0.18	0.8	0.04	0.014	0.48	6.0	12.5	1.18	79	0.37	0.14	1.5	4.2
K304516		0.52	3.05	0.18	0.8	0.05	0.011	0.57	7.5	16.5	1.16	79	0.48	0.20	1.8	4.7
K304517		0.42	2.48	0.17	0.6	0.10	0.010	0.42	7.7	13.7	0.59	60	0.74	0.19	1.7	4.6
K304518		0.63	3.46	0.18	1.2	0.07	0.015	0.70	9.2	14.1	1.91	88	0.71	0.17	2.3	5.4
K304519		0.60	3.23	0.17	1.2	0.06	0.014	0.66	9.0	12.2	1.79	87	0.55	0.16	2.1	5.0
K304520		0.50	3.07	0.16	0.8	0.07	0.010	0.61	8.6	11.6	1.10	81	0.46	0.14	2.0	4.9
K304521		0.48	3.11	0.20	0.9	0.05	0.010	0.63	7.8	11.3	1.78	84	0.46	0.16	1.9	4.4
K304522		0.20	1.08	0.18	0.2	0.06	0.006	0.19	3.6	3.5	0.31	36	0.41	0.07	0.7	1.9
K304523		0.23	1.33	0.17	0.3	0.06	0.008	0.22	4.8	3.9	0.43	41	0.30	0.11	0.8	2.2
K304524		0.37	2.15	0.14	0.6	0.07	0.007	0.41	5.9	6.7	0.94	66	0.48	0.14	1.3	3.4
K304525		0.83	5.08	0.20	1.5	0.11	0.018	1.11	12.8	17.4	1.81	99	1.08	0.22	3.4	8.4
K304526		0.19	1.11	0.18	0.2	0.07	0.006	0.18	4.0	2.7	0.31	37	0.83	0.10	0.7	2.0
K304527		0.22	0.96	0.18	0.2	0.07	0.007	0.16	3.7	2.2	0.46	51	0.44	0.07	0.6	2.0
K304528		0.48	0.24	0.21	<0.1	<0.01	0.008	0.02	0.5	1.0	12.80	216	0.07	0.01	0.1	1.8
K304529		0.15	0.92	0.19	0.2	0.06	0.006	0.15	3.5	2.0	0.29	31	0.43	0.05	0.6	1.4
K304530		0.21	1.00	0.14	0.2	0.06	<0.005	0.17	3.9	2.5	0.41	45	0.42	0.06	0.6	1.7
K304531		0.26	1.40	0.15	0.3	0.07	0.005	0.26	4.8	3.7	0.38	43	0.46	0.08	0.9	2.3
K304532		0.35	1.85	0.15	0.5	0.07	0.009	0.39	5.5	6.2	0.90	59	0.51	0.09	1.2	2.8
K304533		0.36	2.03	0.15	0.6	0.07	0.011	0.37	5.9	6.5	1.11	77	0.39	0.14	1.3	3.0
K304534		0.95	5.07	0.16	1.4	0.05	0.015	1.05	11.7	31.1	2.51	166	0.71	0.26	3.3	8.1
K304535		1.73	8.18	0.16	2.2	0.05	0.027	1.50	19.6	54.9	5.38	232	1.01	0.28	5.1	14.0
K304536		1.18	6.40	0.19	2.2	0.02	0.018	1.31	16.2	37.8	4.14	262	0.35	0.28	4.3	9.5
K304537		1.97	6.94	0.19	1.6	4.29	0.027	0.97	28.0	35.5	2.43	260	17.30	0.03	6.2	45.5
K304538		1.07	6.32	0.19	1.9	0.03	0.020	1.38	14.9	34.3	2.93	226	0.35	0.24	3.9	9.6
K304539		1.76	9.29	0.22	1.7	0.06	0.025	1.93	21.9	53.8	2.22	192	0.49	0.22	4.9	16.3
K304540		1.01	5.61	0.21	1.6	0.03	0.016	1.12	13.3	28.5	1.93	202	0.25	0.28	3.4	8.8
K304541		1.12	5.32	0.21	1.1	0.04	0.018	0.87	11.7	23.8	1.72	229	0.50	0.38	3.0	10.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190103

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304506		320	4.4	22.8	0.002	0.10	0.17	1.8	1	0.5	1265	0.13	<0.05	2.6	0.050	0.12
K304507		650	7.5	45.2	0.003	0.22	0.29	3.6	1	0.9	871	0.30	<0.05	6.0	0.115	0.22
K304508		230	4.6	10.7	0.002	0.12	0.15	1.0	1	0.3	1510	0.09	<0.05	1.8	0.034	0.06
K304509		900	16.8	47.8	0.003	3.06	116.0	14.1	2	3.0	512	0.72	0.06	10.3	0.535	8.31
K304510		160	6.8	6.1	<0.002	0.28	0.22	0.7	1	0.2	2020	<0.05	<0.05	0.8	0.020	0.07
K304511		150	5.6	4.9	<0.002	0.18	0.14	0.6	1	0.2	1895	<0.05	<0.05	0.8	0.017	0.04
K304512		310	7.7	32.8	<0.002	0.24	0.21	2.8	1	0.8	1015	0.21	<0.05	3.9	0.086	0.18
K304513		190	1.2	2.3	<0.002	0.02	0.06	0.3	<1	<0.2	50.7	<0.05	<0.05	<0.2	<0.005	<0.02
K304514		210	5.7	20.5	<0.002	0.13	0.16	2.0	1	0.5	1090	0.13	<0.05	2.4	0.057	0.10
K304515		190	3.9	18.1	<0.002	0.09	0.13	1.8	1	0.5	738	0.10	<0.05	2.0	0.047	0.07
K304516		250	4.1	21.2	<0.002	0.12	0.13	2.1	1	0.4	1025	0.13	<0.05	2.4	0.056	0.11
K304517		290	5.9	16.9	0.002	0.19	0.14	1.8	1	0.4	1655	0.11	<0.05	2.0	0.047	0.09
K304518		280	6.3	25.3	0.002	0.17	0.16	2.4	1	0.5	1470	0.17	<0.05	3.1	0.069	0.12
K304519		260	5.9	23.4	<0.002	0.17	0.16	2.2	1	0.5	1530	0.16	<0.05	2.8	0.063	0.12
K304520		200	5.7	22.2	0.003	0.12	0.14	2.1	1	0.5	1150	0.14	<0.05	2.6	0.057	0.10
K304521		250	4.7	23.0	<0.002	0.13	0.12	2.1	1	0.4	1210	0.15	<0.05	2.5	0.058	0.10
K304522		120	5.4	7.2	<0.002	0.11	0.13	0.8	1	0.2	2090	0.05	<0.05	0.8	0.020	0.04
K304523		120	5.3	8.2	<0.002	0.12	0.12	0.9	1	0.2	2270	0.06	<0.05	1.0	0.023	0.05
K304524		150	5.9	14.8	<0.002	0.13	0.14	1.4	1	0.3	1825	0.10	<0.05	1.7	0.041	0.07
K304525		440	7.3	42.2	<0.002	0.26	0.19	3.5	2	0.8	1455	0.24	<0.05	4.4	0.102	0.21
K304526		160	5.2	6.6	<0.002	0.11	0.11	0.8	1	0.2	2670	0.05	<0.05	0.8	0.020	0.04
K304527		140	5.2	5.8	<0.002	0.13	0.14	0.7	1	0.2	2940	<0.05	<0.05	0.7	0.018	0.04
K304528		200	1.2	1.1	<0.002	0.01	0.05	0.3	1	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	<0.02
K304529		150	5.5	5.3	<0.002	0.10	0.15	0.7	1	0.2	3340	<0.05	<0.05	0.8	0.017	0.03
K304530		130	5.6	6.1	<0.002	0.11	0.12	0.7	1	0.2	2650	0.05	<0.05	0.8	0.018	0.04
K304531		170	5.5	9.0	<0.002	0.15	0.11	1.0	1	0.2	2340	0.06	<0.05	1.1	0.026	0.06
K304532		180	5.8	13.7	0.002	0.13	0.15	1.3	1	0.3	2390	0.08	<0.05	1.5	0.036	0.09
K304533		190	7.1	13.8	<0.002	0.12	0.15	1.4	1	0.3	2770	0.09	<0.05	1.7	0.038	0.09
K304534		390	6.4	40.5	<0.002	0.21	0.21	3.3	1	0.7	1115	0.23	<0.05	4.3	0.098	0.20
K304535		530	7.8	63.7	<0.002	0.17	0.25	5.3	2	1.1	488	0.35	<0.05	6.5	0.150	0.29
K304536		590	7.6	52.4	0.002	0.04	0.14	4.2	1	0.9	536	0.32	<0.05	5.7	0.125	0.21
K304537		860	34.7	47.6	0.020	1.54	105.5	4.7	3	2.3	67.6	0.40	0.20	5.6	0.164	4.08
K304538		410	6.4	54.4	0.002	0.05	0.32	4.2	1	0.8	733	0.28	<0.05	5.1	0.120	0.25
K304539		430	5.6	79.6	<0.002	0.20	0.25	6.0	1	1.1	748	0.36	<0.05	6.7	0.150	0.32
K304540		410	5.2	45.9	<0.002	0.07	0.18	3.8	1	0.8	926	0.24	<0.05	4.4	0.100	0.19
K304541		400	5.6	33.0	0.002	0.13	0.23	4.4	1	0.7	1240	0.21	<0.05	3.5	0.106	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190103

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304506		11.6	19	0.3	5.7	16	29.9
K304507		10.9	36	0.5	10.8	34	70.3
K304508		12.5	11	0.1	3.8	28	21.4
K304509		8.2	166	23.0	14.0	43	168.0
K304510		15.2	7	0.1	2.2	14	7.8
K304511		13.5	7	0.1	2.4	26	9.1
K304512		15.6	39	0.3	6.5	32	50.4
K304513		0.5	2	0.1	0.8	15	0.6
K304514		13.6	28	0.2	4.7	21	31.4
K304515		11.3	23	0.2	4.2	22	25.3
K304516		11.7	22	0.2	4.6	29	24.8
K304517		14.3	26	0.2	4.5	18	20.4
K304518		12.9	31	0.3	5.9	23	39.5
K304519		12.9	29	0.3	5.5	19	33.4
K304520		13.1	27	0.2	5.1	15	24.6
K304521		13.0	22	0.2	5.0	18	27.5
K304522		16.8	12	0.1	2.2	16	6.6
K304523		16.3	12	0.1	2.8	16	8.9
K304524		15.7	19	0.2	3.4	25	19.1
K304525		13.8	39	0.4	7.6	26	46.0
K304526		15.9	15	0.1	2.3	18	6.3
K304527		16.4	11	0.1	2.2	22	5.3
K304528		0.5	2	0.1	0.7	15	<0.5
K304529		16.7	9	0.1	2.1	15	6.1
K304530		16.2	10	0.1	2.4	16	5.9
K304531		16.5	15	0.1	2.8	15	8.5
K304532		15.6	18	0.1	3.3	18	14.8
K304533		15.5	17	0.2	3.6	22	19.6
K304534		9.7	35	0.4	7.2	31	42.4
K304535		6.4	54	0.6	10.7	43	67.9
K304536		7.9	41	0.5	9.8	36	65.8
K304537		7.5	221	25.3	17.1	205	54.8
K304538		8.7	44	0.5	8.3	32	60.5
K304539		7.1	53	0.5	9.3	38	45.1
K304540		6.0	37	0.4	7.9	29	48.8
K304541		7.5	41	0.3	7.1	29	32.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190103

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

CERTIFICATE VA11190100

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 193

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190100

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303585		7.56	<0.01	0.02	2.32	3890	200	0.54	0.11	27.3	0.20	31.9	7.7	23	8.32	32.1
K303586		7.62	<0.01	0.02	1.36	37	180	0.37	0.08	33.1	0.14	18.90	4.5	14	4.40	15.9
K303587		7.94	<0.01	0.03	2.87	37	990	0.88	0.15	25.5	0.24	39.7	8.6	25	13.90	32.2
K303588		7.56	<0.01	0.05	4.25	58	750	1.15	0.21	20.6	0.33	53.6	12.8	38	18.10	44.9
K303589		7.64	<0.01	0.03	2.37	38	540	0.67	0.13	27.5	0.23	33.8	8.0	22	11.25	26.8
K303590		4.00	<0.01	0.04	2.36	38	360	0.66	0.13	26.5	0.23	32.9	8.0	21	10.60	33.4
K303591		7.66	<0.01	0.03	1.87	37	170	0.62	0.12	29.9	0.24	25.1	6.8	18	8.53	24.1
K303592		7.90	<0.01	0.03	2.65	41	210	0.85	0.13	26.1	0.25	38.5	8.9	23	12.30	30.6
K303593		7.86	<0.01	0.07	5.87	77	310	1.67	0.29	12.35	0.39	74.8	18.7	54	25.4	63.9
K303594		9.06	<0.01	0.03	2.04	22	260	0.71	0.13	28.1	0.14	29.6	6.3	18	7.23	23.7
K303595		6.64	<0.01	0.04	3.08	52	260	0.86	0.19	24.1	0.26	44.1	9.8	28	9.06	34.9
K303596		7.82	<0.01	0.03	1.43	48	230	0.42	0.09	32.2	0.20	24.9	4.9	14	4.38	17.5
K303597		7.80	<0.01	0.05	2.52	46	260	0.71	0.13	27.3	0.23	34.6	8.5	23	9.43	30.0
K303598		5.10	<0.01	0.26	0.06	<5	20	0.07	0.04	20.6	0.05	1.19	0.6	<1	0.15	1.4
K303599		7.34	<0.01	0.08	1.20	19	270	0.39	0.08	33.0	0.14	18.50	4.0	12	4.32	16.4
K303600		8.02	<0.01	0.07	2.62	39	370	0.60	0.13	26.1	0.21	32.2	9.1	27	7.35	26.5
K303601		0.30	2.57	0.95	3.17	586	870	0.75	0.31	8.14	2.32	48.2	6.4	49	3.81	43.0
K303602		7.40	<0.01	0.11	2.51	15	240	0.56	0.11	26.8	0.19	29.8	9.0	30	11.90	26.0
K303603		6.74	<0.01	0.07	3.21	22	270	0.77	0.15	23.4	0.18	40.3	10.0	29	15.35	31.0
K303604		7.52	<0.01	0.07	4.76	70	320	1.20	0.22	15.30	0.30	57.8	16.2	46	17.00	47.0
K303605		7.82	<0.01	0.03	2.42	30	200	0.86	0.13	27.7	0.19	32.9	7.9	21	9.43	24.1
K303606		7.84	<0.01	0.03	1.38	12	200	0.40	0.09	33.1	0.14	23.9	4.3	12	5.46	13.6
K303607		0.28	7.99	0.38	3.44	976	150	0.87	0.63	11.90	4.41	45.4	5.4	86	7.30	34.0
K303608		6.90	<0.01	0.06	1.48	<5	160	0.46	0.07	31.5	0.15	18.90	5.2	14	8.39	15.5
K303609		7.64	<0.01	0.03	1.01	<5	150	0.33	0.06	32.6	0.09	17.15	3.5	10	4.74	10.2
K303610		7.50	<0.01	0.02	0.33	<5	100	0.18	0.04	36.1	0.05	5.69	1.3	3	0.85	3.6
K303611		7.50	<0.01	0.01	1.16	18	150	0.31	0.05	33.2	0.10	14.55	3.6	13	5.83	13.2
K303612		7.92	<0.01	0.03	2.67	56	350	0.59	0.12	26.1	0.18	29.2	7.6	24	9.82	26.5
K303613		7.48	<0.01	0.03	2.25	47	180	0.50	0.10	27.6	0.16	27.7	6.1	21	7.84	21.5
K303614		8.22	<0.01	0.05	3.64	48	260	0.84	0.16	21.9	0.27	36.5	10.4	35	17.20	36.4
K303615		7.96	<0.01	0.06	2.61	45	220	0.81	0.12	25.3	0.19	29.5	7.8	25	13.95	27.7
K303616		5.10	<0.01	<0.01	0.07	5	20	0.10	0.02	22.1	0.06	2.01	1.7	1	0.24	2.0
K303617		7.50	<0.01	0.04	1.33	52	170	0.42	0.07	31.8	0.11	20.8	3.9	13	5.31	14.4
K303618		7.46	<0.01	0.01	0.62	43	120	0.22	0.03	35.0	0.07	9.76	1.8	6	2.04	6.2
K303619		7.66	<0.01	0.01	0.51	29	120	0.24	0.02	35.4	0.03	8.79	1.5	5	1.31	5.1
K303620		7.08	<0.01	0.02	0.78	67	110	0.32	0.03	33.2	0.04	11.35	2.1	7	3.07	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190100

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303585		1.57	6.05	0.08	1.2	2.30	0.017	1.02	15.3	8.8	0.72	318	0.69	0.02	3.3	12.6
K303586		1.01	3.44	0.08	0.7	0.50	0.008	0.61	8.5	5.0	0.53	287	0.44	0.02	1.8	7.6
K303587		1.94	7.19	0.11	1.4	0.27	0.023	1.25	21.1	10.8	1.04	426	1.13	0.04	3.9	16.5
K303588		2.41	10.90	0.12	2.0	0.41	0.037	1.86	27.9	14.4	1.29	401	2.24	0.04	5.7	23.0
K303589		1.47	6.41	0.11	1.1	0.30	0.020	1.06	16.5	9.4	0.92	250	1.71	0.03	3.3	14.2
K303590		1.49	5.98	0.10	1.2	0.30	0.016	1.05	15.6	9.2	0.95	263	1.68	0.03	3.2	13.7
K303591		1.15	4.93	0.08	0.9	0.24	0.015	0.87	11.9	7.8	0.75	447	1.38	0.02	2.7	11.0
K303592		1.62	6.95	0.10	1.3	0.30	0.018	1.18	18.3	10.9	0.92	601	1.58	0.03	3.6	15.4
K303593		3.23	16.60	0.17	2.8	0.80	0.055	2.63	40.1	21.0	1.64	418	2.81	0.05	8.6	33.6
K303594		1.53	5.27	0.09	1.0	0.27	0.012	0.92	14.0	7.4	1.08	676	0.79	0.02	2.8	11.2
K303595		1.90	8.08	0.12	1.4	0.77	0.024	1.35	22.9	10.2	1.04	424	1.67	0.03	4.2	17.2
K303596		0.95	3.80	0.07	0.7	1.23	0.014	0.64	11.7	6.1	0.57	267	0.70	0.02	2.0	8.4
K303597		1.55	6.67	0.10	1.3	0.88	0.019	1.11	17.2	9.9	0.81	375	0.91	0.03	3.6	14.0
K303598		0.40	0.18	0.05	<0.1	<0.01	<0.005	0.02	0.6	1.2	12.65	185	0.17	0.01	0.2	1.4
K303599		0.87	3.04	0.08	0.6	0.20	0.012	0.53	8.3	5.3	0.55	289	0.43	0.02	1.7	6.5
K303600		1.78	6.56	0.10	1.2	0.47	0.022	1.16	15.4	8.6	0.93	398	0.81	0.03	3.4	15.7
K303601		2.11	7.68	0.10	1.8	4.50	0.024	1.00	28.8	36.7	2.54	276	18.50	0.04	6.7	50.4
K303602		1.87	6.30	0.08	1.3	0.37	0.022	1.11	14.1	9.8	1.17	471	0.90	0.03	3.2	16.4
K303603		2.05	8.32	0.09	1.5	0.42	0.027	1.43	20.6	12.0	1.09	472	0.89	0.03	4.4	17.6
K303604		3.02	12.15	0.13	2.2	0.88	0.042	2.09	27.5	15.3	1.34	420	1.50	0.04	6.3	27.9
K303605		1.71	6.34	0.11	1.2	0.39	0.020	1.07	15.9	10.1	0.70	398	0.84	0.02	3.5	13.4
K303606		1.01	3.48	0.09	0.7	0.15	0.011	0.60	10.6	6.2	0.55	301	0.44	0.02	1.8	7.5
K303607		1.33	7.53	0.12	2.2	5.95	0.052	1.44	29.1	9.4	0.70	265	11.45	0.01	7.3	61.4
K303608		1.11	3.85	0.08	0.7	0.12	0.010	0.65	9.3	7.2	0.52	335	0.39	0.03	2.1	8.4
K303609		0.83	2.48	0.09	0.5	0.08	0.007	0.45	8.1	4.7	0.64	348	0.25	0.02	1.2	5.8
K303610		0.50	0.90	0.07	0.2	0.02	<0.005	0.13	2.6	2.5	0.52	412	0.10	0.01	0.4	1.6
K303611		0.93	2.67	<0.05	0.6	0.09	0.012	0.50	6.9	7.9	0.76	356	0.28	0.02	1.9	<0.2
K303612		1.66	6.59	<0.05	1.2	0.63	0.026	1.15	14.9	14.9	0.90	441	1.04	0.02	3.9	6.7
K303613		1.50	5.16	<0.05	1.0	0.37	0.023	0.96	14.3	11.4	0.96	421	0.80	0.02	3.3	4.5
K303614		2.10	8.75	0.05	1.7	0.72	0.037	1.56	18.0	17.7	1.18	399	1.81	0.04	5.2	13.4
K303615		1.79	5.95	0.09	1.1	0.47	0.028	1.10	14.8	12.6	0.87	496	1.34	0.02	3.7	9.9
K303616		0.44	0.41	0.39	<0.1	<0.01	0.006	0.03	1.0	1.3	13.00	205	0.38	<0.01	0.4	0.8
K303617		0.86	2.88	0.12	0.6	0.28	0.014	0.59	10.4	5.9	0.80	365	0.81	0.01	2.0	2.9
K303618		0.46	1.46	0.05	0.3	0.13	0.008	0.26	4.5	3.6	0.74	306	0.30	0.01	1.2	<0.2
K303619		0.40	1.28	0.06	0.2	0.14	0.007	0.21	4.1	2.6	0.63	324	0.22	0.01	1.0	<0.2
K303620		0.65	1.91	<0.05	0.4	0.35	0.009	0.33	5.7	4.3	0.99	352	0.39	0.01	1.3	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190100

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303585		390	6.9	47.3	0.004	1.59	1.51	5.4	1	1.8	1775	0.25	<0.05	3.6	0.140	1.93
K303586		1350	3.9	27.0	0.002	0.78	0.22	3.8	1	0.7	2210	0.14	<0.05	2.1	0.083	0.52
K303587		260	8.6	61.2	0.007	1.59	0.59	7.4	1	1.4	2090	0.30	0.05	4.6	0.155	0.45
K303588		310	12.3	87.9	0.011	2.11	0.88	9.5	1	2.0	1540	0.43	<0.05	6.6	0.235	0.71
K303589		200	7.3	51.8	0.007	1.30	0.73	5.8	1	1.0	2000	0.24	<0.05	3.8	0.126	0.49
K303590		230	7.2	51.0	0.007	1.27	0.65	5.5	2	1.8	1930	0.24	0.06	3.6	0.127	0.45
K303591		940	6.2	39.8	0.006	0.98	0.48	3.9	1	1.0	1805	0.20	<0.05	3.2	0.104	0.33
K303592		290	7.8	56.0	0.007	1.26	0.49	7.4	2	1.3	1875	0.28	0.07	4.2	0.152	0.45
K303593		280	17.1	131.5	0.011	2.60	0.77	16.2	2	2.6	906	0.65	0.06	9.3	0.331	0.92
K303594		280	6.2	42.7	0.003	1.04	0.27	5.6	1	1.2	1785	0.22	<0.05	3.3	0.114	0.19
K303595		240	9.5	64.9	0.005	1.58	0.44	7.6	2	1.6	1835	0.32	0.06	5.1	0.166	0.36
K303596		1050	4.7	30.9	0.004	0.78	0.46	3.9	1	0.9	2400	0.15	<0.05	2.6	0.077	0.27
K303597		280	7.4	55.2	0.004	1.32	0.37	6.2	1	1.5	1800	0.28	0.05	4.2	0.148	0.26
K303598		220	1.2	1.1	<0.002	<0.01	0.07	0.2	<1	<0.2	43.9	<0.05	<0.05	<0.2	<0.005	<0.02
K303599		780	3.6	25.2	0.003	0.64	0.37	3.3	1	1.0	2230	0.13	<0.05	1.9	0.070	0.10
K303600		260	7.2	56.4	0.002	1.34	0.45	6.7	1	0.8	1855	0.26	<0.05	3.8	0.177	0.24
K303601		880	35.7	48.2	0.021	1.52	110.5	4.9	3	2.4	71.9	0.44	0.19	6.4	0.175	3.38
K303602		220	6.7	51.0	0.005	1.46	0.41	6.9	1	0.7	1895	0.24	<0.05	3.5	0.182	0.21
K303603		240	8.6	70.7	0.004	1.52	0.35	8.6	1	1.1	1695	0.32	0.06	4.9	0.198	0.23
K303604		290	13.3	102.0	0.005	2.64	0.49	11.8	2	1.6	1170	0.49	0.08	7.1	0.291	0.38
K303605		210	7.1	55.1	0.002	1.44	0.28	5.9	1	0.8	1955	0.26	0.05	4.0	0.142	0.18
K303606		350	4.0	28.6	<0.002	0.72	0.20	4.0	1	0.5	2440	0.14	<0.05	2.3	0.076	0.11
K303607		4100	4.5	106.5	0.044	1.32	18.15	6.0	9	1.8	142.5	0.51	0.55	6.5	0.211	10.85
K303608		610	4.2	30.3	0.002	0.92	0.20	3.9	1	0.5	1940	0.15	<0.05	2.2	0.100	0.14
K303609		1060	3.0	20.7	0.002	0.48	0.16	3.3	1	0.4	2010	0.10	<0.05	1.7	0.057	0.05
K303610		410	0.9	6.2	<0.002	0.15	0.08	1.3	1	0.2	1620	<0.05	<0.05	0.5	0.020	<0.02
K303611		960	3.7	25.3	<0.002	0.61	0.21	3.7	2	0.5	1985	0.13	<0.05	2.0	0.071	0.15
K303612		200	8.5	60.8	0.004	1.51	0.57	6.6	2	0.9	1840	0.31	<0.05	4.6	0.144	0.73
K303613		190	7.1	48.7	0.003	1.20	0.41	5.9	2	0.8	2030	0.25	<0.05	3.9	0.117	0.75
K303614		500	11.9	80.1	0.009	1.86	3.31	8.8	2	1.3	1690	0.42	0.06	5.9	0.199	1.74
K303615		410	8.0	53.3	0.005	1.63	0.43	7.2	2	1.0	1705	0.28	0.05	3.9	0.141	1.12
K303616		230	1.3	1.3	<0.002	0.01	0.09	0.5	1	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.02
K303617		910	4.4	26.0	0.003	0.79	0.61	3.6	2	0.5	1935	0.15	<0.05	2.2	0.067	0.60
K303618		960	2.5	12.9	<0.002	0.37	0.20	1.8	2	0.3	1710	0.07	<0.05	1.1	0.030	0.43
K303619		780	2.6	10.2	<0.002	0.32	0.24	1.5	2	0.2	1560	0.06	<0.05	0.9	0.024	0.45
K303620		380	4.1	16.5	<0.002	0.46	0.46	2.3	2	0.4	1510	0.09	<0.05	1.2	0.037	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190100

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303585		2.7	38	2.1	16.3	34	37.1
K303586		2.4	23	0.6	12.8	19	23.7
K303587		2.8	47	0.8	22.0	43	43.0
K303588		3.6	71	1.0	21.6	68	62.5
K303589		2.8	39	0.7	18.0	37	37.4
K303590		2.7	39	0.7	16.2	37	34.8
K303591		2.7	32	0.4	10.6	28	31.3
K303592		3.2	47	0.7	19.6	39	43.4
K303593		3.7	108	1.9	28.8	87	90.0
K303594		2.1	35	0.4	16.2	30	32.8
K303595		3.1	52	0.6	22.2	46	45.7
K303596		2.7	23	0.5	16.7	19	25.0
K303597		2.8	41	0.6	18.3	35	41.7
K303598		0.6	2	0.1	0.8	13	<0.5
K303599		2.2	20	0.3	12.5	18	20.2
K303600		2.3	50	0.6	17.3	39	41.0
K303601		8.4	232	26.8	18.8	208	59.6
K303602		2.5	57	0.5	16.9	34	36.0
K303603		2.3	56	0.6	19.1	45	48.7
K303604		3.4	82	0.9	24.8	71	67.2
K303605		2.3	39	0.5	15.6	36	39.5
K303606		2.3	22	0.3	16.2	19	21.6
K303607		7.7	383	34.6	25.7	271	72.8
K303608		2.0	26	0.4	11.7	21	24.1
K303609		2.5	18	0.2	14.8	13	19.6
K303610		1.2	6	0.1	6.0	5	7.2
K303611		3.0	21	0.2	17.3	15	23.8
K303612		3.0	44	0.8	20.1	38	39.9
K303613		2.7	36	0.6	20.7	30	33.9
K303614		3.8	63	2.1	24.3	50	54.5
K303615		2.6	46	0.6	16.6	39	38.3
K303616		0.6	3	0.2	0.9	15	0.5
K303617		2.7	23	0.5	12.5	17	21.1
K303618		2.3	11	0.2	10.9	6	12.2
K303619		2.0	9	0.2	9.3	3	10.0
K303620		1.9	13	0.3	11.0	6	13.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190100

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE VA11190151

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 194

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190151

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302045		10.02	0.04	0.20	1.00	572	80	0.43	0.04	17.55	0.12	17.95	2.5	12	3.00	9.8
K302046		10.32	0.04	0.34	1.25	760	100	0.43	0.03	18.95	0.70	16.70	3.1	9	3.21	12.2
K302047		0.28	0.35	0.41	6.37	630	640	0.59	0.27	0.51	0.21	136.0	3.1	226	3.75	36.2
K302048		10.28	0.12	0.11	0.81	541	70	0.33	0.02	20.9	0.10	13.20	1.7	6	1.68	5.6
K302049		12.12	0.08	0.02	0.46	928	70	0.17	0.01	20.4	0.04	10.85	1.1	3	0.58	3.1
K302050		11.86	0.14	0.04	0.83	716	70	0.33	0.02	20.1	0.10	14.30	2.1	5	1.47	3.5
K302051		9.56	0.38	0.44	1.08	858	80	0.36	0.03	16.80	0.20	16.95	2.8	8	1.87	6.6
K302052		8.28	0.49	0.17	0.80	440	60	0.32	0.03	17.50	0.20	12.75	2.0	4	1.32	4.1
K302053		7.08	<0.01	0.04	0.10	9	20	0.06	0.02	22.6	0.06	1.31	1.6	1	0.24	2.5
K302054		12.02	0.06	0.11	0.65	764	40	0.31	0.02	19.35	0.58	11.85	1.8	3	1.30	5.5
K302055		11.40	0.07	0.05	1.08	185	80	0.42	0.03	21.5	0.06	16.80	3.0	6	1.91	5.9
K302056		11.06	0.07	0.04	0.66	127	60	0.31	0.02	20.0	0.14	11.00	2.3	4	0.90	5.3
K302057		12.38	0.12	0.06	0.69	402	50	0.30	0.02	21.8	0.15	10.30	3.0	4	0.91	6.4
K302058		10.44	0.09	0.04	0.72	422	60	0.31	0.03	20.2	0.25	9.61	2.5	4	1.02	5.8
K302059		11.14	0.08	0.02	0.46	237	30	0.16	0.02	20.5	0.04	7.39	2.3	3	0.54	4.0
K302060		5.44	0.08	0.01	0.41	296	30	0.21	0.01	18.75	0.02	6.89	2.0	3	0.48	3.7
K302061		10.32	0.19	0.17	1.55	254	110	0.56	0.05	20.7	0.23	22.2	4.6	10	3.27	12.2
K302062		6.22	0.34	0.12	7.80	391	640	2.43	0.30	3.09	0.12	73.6	19.4	53	23.6	38.4
K302063		9.58	0.04	0.15	8.71	125.0	430	3.23	0.34	1.13	0.06	87.0	20.9	66	34.5	40.1
K302064		5.28	<0.01	0.09	8.27	78.2	340	3.01	0.31	1.84	0.20	75.4	19.3	64	33.3	39.0
K302065		12.22	<0.01	0.06	4.37	50	180	1.27	0.14	14.65	0.10	41.2	7.9	30	13.70	21.0
K302066		6.66	<0.01	0.07	2.68	33	110	0.88	0.06	20.0	0.02	26.5	4.8	26	7.98	12.0
K302067		13.10	<0.01	0.07	1.97	31	100	0.54	0.05	26.7	0.04	19.40	4.4	16	6.72	15.2
K302068		11.30	<0.01	0.05	3.81	23	440	0.91	0.12	18.80	0.08	34.4	6.1	25	12.05	15.2
K302069		0.28	7.91	0.46	3.77	1100	170	0.76	0.60	12.25	4.23	41.2	6.4	95	7.38	37.1
K302070		12.62	<0.01	0.06	3.91	22	160	0.90	0.12	21.6	0.07	34.2	7.3	24	13.30	15.0
K302071		13.00	<0.01	0.05	3.16	16	140	0.83	0.10	23.4	0.07	30.0	8.3	21	11.80	15.3
K302072		4.12	<0.01	0.06	4.08	28	160	1.09	0.13	19.05	0.08	36.0	7.4	31	17.00	23.5
K302073		7.54	0.04	0.09	2.09	324	140	0.65	0.06	21.0	0.08	22.1	4.7	13	4.92	9.3
K302074		11.84	0.34	0.05	1.69	587	90	0.61	0.04	24.6	0.11	19.45	4.3	13	3.56	18.0
K302075		10.36	0.77	0.10	1.08	1720	90	0.38	0.03	22.9	0.11	15.05	2.4	6	2.01	5.9
K302076		8.92	0.13	0.04	0.87	980	70	0.33	0.03	18.25	0.13	13.75	1.9	4	1.34	5.5
K302077		7.14	<0.01	0.01	0.10	<5	20	0.09	0.02	21.0	0.06	1.13	1.3	<1	0.36	2.3
K302078		12.10	0.03	0.09	1.21	407	70	0.56	0.03	18.45	0.21	16.90	2.7	8	3.01	8.7
K302079		12.04	<0.01	0.20	0.79	187	60	0.34	0.02	19.70	0.17	12.55	1.9	5	1.76	7.2
K302080		9.64	0.02	0.01	1.12	696	90	0.37	0.03	17.95	0.10	15.65	2.0	7	2.04	5.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190151

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302045		0.47	2.95	0.07	0.8	1.33	0.009	0.48	9.2	8.4	9.61	402	1.41	0.02	2.0	0.2
K302046		0.58	3.02	0.05	0.9	1.54	0.016	0.57	10.5	7.3	10.25	482	1.61	0.02	2.2	5.9
K302047		6.90	20.2	0.25	4.4	9.75	0.056	1.37	62.9	18.1	0.14	37	6.35	0.39	10.0	17.3
K302048		0.31	2.18	0.10	0.6	0.95	0.008	0.38	8.1	4.8	10.95	2230	0.11	0.01	1.4	2.6
K302049		0.24	1.35	0.08	0.4	0.60	0.005	0.22	6.3	3.6	11.10	1120	0.11	0.01	0.9	<0.2
K302050		0.57	2.36	0.11	0.6	0.99	0.006	0.40	8.4	6.0	10.65	883	0.77	0.01	1.6	2.4
K302051		1.17	3.02	0.09	1.1	2.86	0.010	0.49	9.3	8.5	8.72	1060	1.22	0.01	2.0	4.7
K302052		1.01	2.22	0.10	0.9	2.79	0.008	0.37	6.7	6.1	9.00	1760	0.47	0.01	1.5	2.5
K302053		0.53	0.44	0.13	<0.1	0.01	0.005	0.04	0.6	1.7	13.95	238	0.13	0.01	0.3	2.9
K302054		0.45	1.84	0.08	0.6	1.36	0.007	0.31	6.4	4.7	11.50	528	0.80	0.02	1.3	1.7
K302055		0.87	2.95	0.12	0.8	0.80	0.008	0.53	8.9	7.5	12.25	760	0.59	0.02	1.9	3.3
K302056		0.79	1.93	0.09	0.5	0.82	0.006	0.32	5.5	5.8	10.75	858	1.57	0.03	1.3	1.7
K302057		1.05	1.97	0.10	0.5	1.20	0.007	0.33	5.3	5.6	11.85	864	1.58	0.03	1.3	2.6
K302058		0.62	2.08	0.10	0.5	1.20	0.008	0.35	5.0	6.2	11.10	793	0.15	0.03	1.3	2.0
K302059		0.84	1.36	0.10	0.4	0.62	0.005	0.22	3.8	3.9	12.10	762	0.12	0.02	0.9	2.2
K302060		0.80	1.21	0.08	0.3	0.65	0.005	0.19	3.5	3.4	11.10	700	0.11	0.02	0.8	2.0
K302061		1.35	4.16	0.11	1.0	1.85	0.015	0.76	10.6	10.6	11.00	1240	0.56	0.03	2.6	6.6
K302062		3.24	21.0	0.18	3.2	5.6	0.064	3.79	39.6	37.7	1.95	224	1.17	0.05	11.6	33.9
K302063		3.02	24.8	0.21	3.6	1.75	0.079	4.39	46.2	40.0	1.17	81	1.32	0.05	13.5	43.1
K302064		2.75	23.1	0.19	3.4	1.26	0.071	4.24	40.1	34.9	1.41	112	1.16	0.05	13.0	42.1
K302065		1.73	11.40	0.12	1.8	0.55	0.037	2.12	22.6	14.9	3.95	351	0.46	0.04	6.7	16.2
K302066		1.54	6.72	0.11	1.4	0.16	0.017	1.31	14.1	12.8	4.10	366	0.95	0.02	3.8	10.5
K302067		1.21	5.05	0.10	0.9	0.07	0.015	0.98	10.6	9.2	3.34	309	0.78	0.02	3.0	7.9
K302068		1.45	9.43	0.10	1.7	0.07	0.029	1.83	18.7	12.4	4.06	246	0.54	0.03	5.8	12.6
K302069		1.45	7.90	0.16	2.1	6.2	0.070	1.56	27.0	10.5	0.77	279	11.50	0.01	8.3	67.8
K302070		1.69	9.53	0.11	1.6	0.07	0.032	1.90	19.2	11.9	4.33	282	0.53	0.04	5.7	14.7
K302071		2.27	7.98	0.13	1.3	0.07	0.025	1.55	16.0	10.0	3.06	362	0.38	0.03	4.8	15.8
K302072		1.51	9.95	0.12	1.7	0.06	0.036	2.00	19.7	13.2	3.58	310	0.50	0.03	5.9	14.3
K302073		1.57	5.14	0.09	1.0	0.61	0.019	0.99	11.3	7.1	6.15	531	0.31	0.03	3.2	8.7
K302074		0.91	4.19	0.08	1.0	1.83	0.016	0.80	10.4	5.7	3.52	625	0.19	0.02	2.8	6.2
K302075		0.69	2.83	0.09	0.8	3.34	0.012	0.50	8.2	4.5	6.31	977	0.15	0.01	1.9	3.7
K302076		0.51	2.30	0.11	0.8	1.63	0.009	0.40	7.4	4.6	10.40	450	0.16	0.01	1.6	3.2
K302077		0.49	0.44	0.14	<0.1	0.01	<0.005	0.03	0.5	1.3	13.10	211	0.06	0.01	0.5	1.8
K302078		0.60	3.11	0.12	0.9	0.81	0.011	0.58	9.5	7.9	9.72	244	0.33	0.01	2.1	4.9
K302079		0.56	2.00	0.12	0.6	1.12	0.009	0.36	6.9	3.9	10.05	328	0.70	0.01	1.4	3.1
K302080		0.59	2.81	0.10	1.0	1.53	0.008	0.52	8.4	6.2	9.59	327	0.14	0.01	2.0	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190151

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302045		440	8.0	18.3	0.004	0.25	0.94	2.1	4	0.3	113.5	0.10	<0.05	2.7	0.048	1.52
K302046		590	18.3	23.5	0.005	0.26	0.89	2.2	3	0.4	143.0	0.17	<0.05	3.2	0.056	1.59
K302047		920	21.7	47.4	0.004	3.17	114.0	16.2	3	3.1	510	0.82	0.14	10.4	0.567	8.39
K302048		670	5.0	16.4	0.002	0.07	0.73	1.9	2	0.3	130.5	0.11	<0.05	2.0	0.035	1.07
K302049		570	1.8	7.0	<0.002	0.08	0.87	1.2	2	<0.2	112.0	0.06	<0.05	1.1	0.020	0.57
K302050		470	3.1	13.3	<0.002	0.15	0.93	1.7	2	0.2	132.0	0.11	<0.05	2.0	0.038	1.62
K302051		480	6.5	16.0	<0.002	0.53	1.30	2.1	2	0.4	160.5	0.14	<0.05	2.7	0.050	4.69
K302052		510	5.1	12.3	<0.002	0.34	0.79	1.7	2	0.3	115.5	0.10	<0.05	2.0	0.038	3.77
K302053		180	1.5	1.9	<0.002	0.01	0.05	0.5	1	<0.2	44.6	<0.05	<0.05	<0.2	<0.005	0.03
K302054		610	4.2	10.4	<0.002	0.23	0.66	1.4	2	0.2	83.9	0.09	<0.05	1.7	0.031	0.86
K302055		430	5.1	17.8	<0.002	0.22	0.59	2.2	2	0.3	127.0	0.13	<0.05	2.5	0.049	1.17
K302056		420	3.8	10.9	<0.002	0.27	0.50	1.5	2	0.2	121.0	0.07	<0.05	1.5	0.030	0.94
K302057		520	5.6	11.1	<0.002	0.82	1.24	1.5	2	0.2	114.5	0.08	<0.05	1.6	0.032	2.15
K302058		530	3.6	11.7	<0.002	0.21	1.00	1.5	2	0.2	110.5	0.09	<0.05	1.6	0.033	1.74
K302059		470	1.9	7.1	<0.002	0.17	1.03	1.1	2	0.2	59.1	0.06	<0.05	1.0	0.022	1.46
K302060		460	1.9	6.3	<0.002	0.18	1.02	1.0	2	0.2	54.9	0.05	<0.05	1.0	0.019	1.40
K302061		1530	7.5	26.8	<0.002	0.78	2.54	4.1	2	0.8	151.0	0.17	<0.05	3.2	0.072	4.97
K302062		790	21.4	151.5	0.002	2.91	4.09	16.2	2	2.4	102.5	0.90	0.09	14.1	0.368	13.70
K302063		630	31.1	185.0	0.004	2.43	1.29	18.5	2	2.9	74.8	1.02	0.09	16.3	0.422	3.53
K302064		590	30.9	157.0	0.002	2.06	0.88	16.4	2	2.7	73.7	0.99	0.10	14.8	0.404	2.37
K302065		660	13.3	81.0	<0.002	0.71	0.31	8.6	2	1.3	358	0.47	<0.05	7.7	0.196	1.04
K302066		440	8.6	43.9	<0.002	0.39	0.25	4.8	2	0.7	504	0.28	<0.05	5.3	0.108	0.84
K302067		380	6.7	33.2	<0.002	0.25	0.23	3.6	2	0.6	809	0.21	<0.05	3.7	0.080	0.65
K302068		920	9.3	66.8	<0.002	0.53	0.27	7.3	2	1.1	473	0.43	<0.05	6.9	0.170	0.71
K302069		4490	5.1	114.0	0.038	1.51	18.80	7.2	8	1.7	153.5	0.56	0.50	7.0	0.225	14.30
K302070		600	11.8	68.9	<0.002	0.82	0.28	7.5	2	1.1	635	0.42	<0.05	6.8	0.172	0.65
K302071		1080	12.4	58.9	<0.002	0.75	0.26	6.2	2	0.9	470	0.33	<0.05	5.7	0.139	0.54
K302072		620	8.8	73.8	<0.002	0.29	0.27	7.7	2	1.1	589	0.43	<0.05	7.2	0.178	0.59
K302073		560	7.3	37.3	<0.002	0.14	1.22	4.2	2	0.6	312	0.22	<0.05	3.9	0.094	2.21
K302074		620	5.1	27.9	<0.002	0.14	1.64	3.1	2	0.5	633	0.20	<0.05	3.5	0.075	6.00
K302075		520	9.1	17.6	<0.002	0.13	1.94	2.0	2	0.4	322	0.13	<0.05	2.5	0.050	7.14
K302076		530	5.4	12.9	<0.002	0.09	1.01	1.6	2	0.3	104.0	0.12	<0.05	2.1	0.039	1.69
K302077		170	1.3	2.0	<0.002	0.01	<0.05	0.3	1	<0.2	41.7	0.05	<0.05	<0.2	<0.005	0.03
K302078		510	6.5	19.6	0.002	0.17	0.87	2.1	2	0.4	126.5	0.15	<0.05	2.8	0.053	1.69
K302079		590	7.1	11.5	0.003	0.08	0.51	1.5	2	0.3	142.5	0.10	<0.05	1.9	0.037	1.11
K302080		510	4.2	16.7	<0.002	0.07	0.76	1.9	2	0.4	126.0	0.14	<0.05	2.7	0.052	1.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190151

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302045		9.8	23	1.1	6.9	43	31.4
K302046		8.6	25	1.1	8.6	180	30.3
K302047		7.5	172	26.5	16.9	56	169.5
K302048		7.4	21	0.9	8.0	22	19.9
K302049		7.2	13	0.5	5.5	7	11.8
K302050		7.1	13	0.8	6.0	9	22.6
K302051		6.7	14	2.5	6.6	43	35.2
K302052		7.2	10	0.8	6.3	65	30.8
K302053		0.5	4	0.1	0.9	16	0.5
K302054		8.9	12	0.6	6.3	224	20.4
K302055		6.9	22	0.9	6.2	11	27.1
K302056		4.4	13	0.6	4.4	14	17.4
K302057		5.9	12	0.7	4.7	22	19.3
K302058		5.2	12	0.7	4.1	50	17.4
K302059		4.6	11	0.5	4.2	5	12.8
K302060		4.3	9	0.4	3.9	5	11.8
K302061		6.4	25	1.8	13.4	32	35.7
K302062		4.0	103	6.1	21.8	41	105.5
K302063		5.4	122	5.0	22.3	36	114.0
K302064		4.5	114	3.0	19.8	106	107.5
K302065		7.2	59	1.0	15.8	45	62.8
K302066		8.5	48	0.6	9.3	16	50.2
K302067		10.5	34	0.4	6.6	19	34.7
K302068		7.6	52	0.8	11.9	38	60.0
K302069		8.1	407	38.2	28.2	303	71.0
K302070		9.0	52	0.8	11.9	54	56.7
K302071		9.4	44	0.7	11.4	116	48.3
K302072		6.7	55	0.8	12.2	66	58.3
K302073		4.8	31	1.6	8.2	24	34.1
K302074		5.5	25	1.4	7.5	16	35.9
K302075		10.9	21	1.2	6.7	21	27.6
K302076		9.1	13	0.9	6.4	17	27.9
K302077		0.5	2	0.1	0.8	14	0.6
K302078		8.6	23	0.9	6.7	21	32.2
K302079		9.7	19	0.7	5.4	30	21.2
K302080		4.8	15	0.9	6.7	12	34.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190151

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE VA11194664

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 196

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194664

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302879		7.88	1.00	0.03	1.63	350	120	0.38	0.08	29.5	0.07	20.9	5.5	14	5.64	16.3
K302880		2.96	4.40	0.04	3.15	4170	130	0.60	0.15	24.3	0.07	34.6	11.7	26	11.95	25.0
K302881		5.44	12.30	0.06	5.30	>10000	160	0.94	0.25	12.50	0.09	59.7	20.4	42	18.70	42.5
K302882		3.94	20.7	0.08	5.58	>10000	170	0.97	0.27	7.30	0.16	64.3	23.0	53	19.00	57.0
K302883		4.58	2.09	0.02	1.63	2610	100	0.39	0.09	29.3	0.05	21.4	5.8	13	5.46	14.8
K302884		5.12	0.01	<0.01	0.07	20	20	<0.05	0.02	20.2	0.05	1.41	1.2	<1	0.20	1.1
K302885		8.04	0.02	0.06	2.41	148	230	0.57	0.11	24.4	0.07	31.1	9.1	21	8.74	19.3
K302886		7.60	0.05	0.03	1.83	172	120	0.43	0.08	27.8	0.03	22.5	6.2	15	6.95	14.1
K302887		3.60	2.23	0.01	1.08	8810	110	0.21	0.05	29.7	0.10	15.90	3.6	11	4.33	8.3
K302888		4.24	0.85	<0.01	1.03	175	130	0.23	0.05	32.3	0.03	12.90	3.7	10	2.73	8.3
K302889		7.94	<0.01	<0.01	1.98	58	180	0.39	0.09	30.3	0.02	22.1	6.5	19	6.89	15.0
K302890		7.30	0.01	<0.01	1.26	35	120	0.26	0.06	33.8	0.02	15.75	4.4	12	3.87	10.0
K302891		0.28	7.07	0.42	3.49	938	160	0.73	0.64	11.30	4.25	38.3	5.9	95	6.57	31.9
K302892		7.62	0.01	0.01	0.93	17	120	0.18	0.04	32.3	0.03	11.40	3.5	9	3.22	7.8
K302893		7.32	<0.01	0.01	1.28	8	140	0.29	0.06	31.8	0.04	18.10	4.5	12	4.89	10.3
K302894		7.48	<0.01	0.02	2.86	12	150	0.60	0.12	22.1	0.05	36.5	8.0	24	10.25	17.2
K302895		7.80	<0.01	0.02	2.01	14	170	0.43	0.09	28.0	0.05	27.2	6.4	18	8.01	13.7
K302896		7.98	<0.01	0.02	4.68	52.0	190	1.03	0.21	8.96	0.09	59.1	13.6	39	17.15	25.8
K302897		8.20	<0.01	0.04	2.46	73	140	0.44	0.10	26.1	0.05	32.6	6.9	22	7.09	22.9
K302898		7.92	<0.01	0.02	1.36	35	210	0.29	0.06	32.4	0.03	18.05	4.1	11	5.25	12.3
K302899		8.18	<0.01	0.01	1.05	8	150	0.22	0.05	34.4	0.02	14.75	3.3	9	4.52	9.3
K302900		3.50	<0.01	0.01	0.88	<5	140	0.21	0.04	34.1	<0.02	12.90	2.7	8	3.75	7.9
K302901		7.98	<0.01	0.01	0.63	5	100	0.15	0.03	33.8	0.02	9.43	1.9	6	2.25	5.1
K302902		8.04	<0.01	0.04	3.21	17	660	0.72	0.14	25.5	0.07	40.2	8.8	28	15.50	26.2
K302903		5.08	<0.01	<0.01	0.07	<5	20	<0.05	0.01	21.7	0.05	1.40	1.4	1	0.16	0.5
K302904		8.00	<0.01	0.01	0.94	<5	180	0.24	0.04	34.6	0.09	15.30	2.8	8	3.60	7.2
K302905		8.02	0.01	0.01	0.76	6	100	0.17	0.03	32.3	0.02	12.60	2.3	7	2.98	6.1
K302906		7.82	<0.01	0.02	1.21	19	440	0.26	0.05	33.1	0.04	18.25	3.3	11	4.86	9.0
K302907		7.34	<0.01	0.02	1.75	67	200	0.35	0.07	34.0	0.04	26.0	4.7	15	6.86	12.6
K302908		7.38	<0.01	0.01	0.58	9	160	0.17	0.03	36.0	0.03	9.65	1.9	5	1.82	4.6
K302909		0.28	0.32	0.34	6.24	598	1670	0.54	0.27	0.51	0.19	144.5	2.7	223	3.44	32.0
K302910		7.48	<0.01	0.02	1.09	38	240	0.20	0.05	32.9	0.11	16.90	3.1	10	3.01	9.0
K302911		7.44	<0.01	0.01	0.53	<5	150	0.16	0.02	34.0	0.03	9.93	1.7	5	1.90	4.3
K302912		7.28	<0.01	0.01	0.76	10	90	0.19	0.03	32.5	0.13	12.95	2.4	7	2.62	6.2
K302913		7.62	<0.01	0.01	0.90	<5	90	0.22	0.04	33.0	0.05	14.20	2.7	8	3.22	7.2
K302914		7.62	<0.01	0.05	1.00	39	110	0.23	0.06	30.9	0.08	15.30	3.0	7	2.71	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194664

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302879		1.06	4.31	<0.05	0.8	6.38	0.017	0.74	11.5	6.4	0.33	463	0.69	0.01	2.6	7.7
K302880		1.92	8.56	0.08	1.4	22.6	0.041	1.41	20.0	8.3	0.33	775	0.80	0.02	5.1	15.4
K302881		3.44	14.55	0.13	2.4	51.4	0.079	2.40	34.3	12.3	0.41	685	0.65	0.03	8.2	26.4
K302882		3.74	15.60	0.13	2.8	73.4	0.084	2.50	35.5	14.8	0.38	484	1.28	0.02	9.4	31.7
K302883		1.02	4.41	<0.05	0.7	12.9	0.022	0.72	12.6	4.8	0.58	309	1.05	0.01	2.6	8.1
K302884		0.41	0.30	<0.05	<0.1	0.05	<0.005	0.03	0.7	1.0	12.60	187	0.10	<0.01	0.4	2.3
K302885		1.77	5.98	0.06	1.3	3.41	0.024	1.10	16.2	8.8	0.86	391	1.16	0.02	4.2	12.5
K302886		1.14	4.56	<0.05	1.0	2.83	0.017	0.84	12.3	7.1	0.72	329	0.65	0.02	3.2	8.8
K302887		0.76	2.33	0.06	0.6	7.73	0.024	0.45	8.6	5.0	0.23	894	0.26	<0.01	1.6	5.4
K302888		0.74	2.79	0.06	0.5	4.03	0.011	0.47	7.3	4.5	0.41	474	0.29	0.01	1.6	3.5
K302889		1.16	4.90	0.08	0.9	1.54	0.018	0.88	11.9	8.7	0.76	181	0.57	0.01	2.8	8.1
K302890		0.92	3.15	0.06	0.6	1.53	0.012	0.56	8.5	5.3	0.71	267	0.82	0.01	1.8	4.6
K302891		1.34	7.50	0.13	2.1	5.95	0.059	1.42	24.8	10.3	0.69	263	11.00	<0.01	7.2	59.2
K302892		0.69	2.40	0.06	0.4	1.08	0.009	0.41	6.7	3.7	1.10	222	0.81	0.01	1.5	3.6
K302893		0.85	3.05	0.08	0.6	0.79	0.013	0.58	10.2	4.3	0.54	163	0.65	0.01	2.0	4.9
K302894		1.88	6.65	0.10	1.9	0.59	0.026	1.30	18.9	8.9	0.71	371	0.47	0.02	4.8	9.7
K302895		1.34	4.72	0.08	1.2	0.68	0.019	0.92	14.4	6.8	0.66	233	0.74	0.02	3.4	6.9
K302896		2.46	11.65	0.13	3.2	1.47	0.045	2.11	31.6	14.9	0.93	332	1.00	0.03	8.5	16.3
K302897		1.59	6.41	0.06	1.5	1.67	0.024	1.12	17.0	7.6	0.73	343	0.77	0.02	4.4	10.6
K302898		0.89	3.71	<0.05	0.6	1.07	0.012	0.62	9.4	5.5	0.69	219	0.49	0.02	2.3	4.3
K302899		0.77	2.77	<0.05	0.5	0.24	0.010	0.48	7.7	4.9	0.42	195	0.24	0.01	1.9	2.6
K302900		0.69	2.34	<0.05	0.4	0.20	0.009	0.40	7.0	4.2	0.39	197	0.23	0.01	1.6	1.7
K302901		0.39	1.68	0.07	0.3	0.10	0.006	0.27	4.8	2.6	0.36	140	0.31	0.01	1.2	0.5
K302902		1.91	8.54	0.09	1.5	0.45	0.031	1.47	22.4	13.2	1.11	408	1.72	0.02	4.9	14.3
K302903		0.43	0.44	0.41	<0.1	<0.01	<0.005	0.03	0.7	1.1	12.80	194	0.09	<0.01	0.5	1.2
K302904		0.58	2.58	0.11	0.5	0.16	0.009	0.42	7.8	4.4	0.43	155	0.42	0.01	1.7	2.3
K302905		0.47	2.11	0.09	0.4	0.28	0.008	0.34	6.6	3.9	0.40	145	0.44	0.01	1.4	1.6
K302906		0.76	3.22	0.07	0.6	0.79	0.012	0.55	9.5	5.4	0.43	137	0.63	0.01	2.0	3.2
K302907		0.99	4.42	0.09	0.8	0.34	0.018	0.78	14.1	7.3	0.50	134	0.91	0.02	2.7	5.8
K302908		0.42	1.63	0.10	0.3	0.21	0.006	0.25	5.0	2.7	0.56	175	0.41	0.01	1.2	0.3
K302909		6.74	21.2	0.19	4.2	10.0	0.049	1.34	70.5	18.2	0.12	35	6.33	0.38	10.1	17.0
K302910		0.68	2.89	0.06	0.5	0.40	0.010	0.49	8.4	4.1	0.54	109	0.91	0.02	1.9	3.2
K302911		0.35	1.47	0.11	0.3	0.14	0.005	0.23	5.1	2.5	0.34	107	0.41	0.01	1.1	0.4
K302912		0.52	2.16	0.11	0.4	0.28	0.009	0.34	6.7	3.0	0.87	192	0.49	0.01	1.4	1.8
K302913		0.57	2.45	0.10	0.4	0.15	0.010	0.42	7.2	3.5	0.57	168	0.64	0.01	1.6	2.4
K302914		0.74	2.75	0.08	0.4	0.24	0.010	0.47	8.1	3.1	0.88	230	8.16	0.03	1.6	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194664

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302879		140	7.0	35.4	<0.002	1.18	3.81	6.6	3	0.5	1400	0.16	<0.05	2.7	0.086	12.25
K302880		200	9.6	70.8	0.002	2.39	4.09	16.1	2	1.0	810	0.32	0.07	5.2	0.166	36.7
K302881		330	15.5	120.0	0.002	4.60	1.49	12.8	3	1.9	442	0.56	0.11	8.6	0.284	72.8
K302882		400	19.0	122.0	0.002	5.23	2.94	10.3	2	3.1	417	0.64	0.11	9.6	0.327	103.5
K302883		160	5.3	34.3	0.003	1.11	0.73	5.2	3	0.7	1335	0.15	<0.05	3.0	0.075	16.10
K302884		240	1.3	1.4	<0.002	0.01	0.06	0.3	2	<0.2	52.0	<0.05	<0.05	<0.2	<0.005	0.18
K302885		160	8.2	50.5	0.003	1.71	0.62	6.1	2	0.8	1185	0.28	0.05	4.2	0.144	5.05
K302886		150	6.3	38.9	<0.002	1.14	0.96	4.4	2	0.6	1335	0.20	<0.05	3.1	0.101	4.43
K302887		160	3.5	19.2	<0.002	1.40	23.6	6.2	2	0.4	1110	0.11	<0.05	1.4	0.058	14.70
K302888		140	3.3	22.5	<0.002	0.76	4.20	6.4	2	0.3	1755	0.10	<0.05	1.6	0.055	7.77
K302889		160	6.0	38.0	0.002	1.20	0.26	4.6	2	0.6	1930	0.20	<0.05	2.8	0.106	4.65
K302890		150	3.9	26.1	0.002	0.81	0.16	3.4	2	0.4	1580	0.12	<0.05	1.8	0.064	3.00
K302891		4310	4.6	107.5	0.035	1.39	16.35	6.2	10	1.5	152.5	0.51	0.43	6.1	0.208	11.95
K302892		130	3.0	18.8	<0.002	0.61	0.14	2.4	2	0.3	1280	0.09	<0.05	1.3	0.050	2.17
K302893		120	4.9	26.7	<0.002	0.78	0.20	3.1	2	0.4	1485	0.14	<0.05	2.0	0.071	1.76
K302894		150	10.9	55.2	<0.002	1.70	0.26	6.4	2	0.8	939	0.37	<0.05	4.8	0.186	1.10
K302895		130	7.9	40.4	<0.002	1.26	0.25	4.4	2	0.6	1215	0.24	<0.05	3.1	0.123	1.32
K302896		160	16.3	95.5	<0.002	2.17	0.49	9.9	2	1.4	379	0.67	<0.05	8.4	0.333	1.85
K302897		170	11.0	53.9	<0.002	1.55	0.36	5.9	<1	0.7	1160	0.31	0.05	4.4	0.150	0.90
K302898		170	4.9	29.2	<0.002	0.83	0.23	3.5	1	0.5	1460	0.14	<0.05	2.3	0.071	0.65
K302899		250	3.5	25.0	<0.002	0.82	0.19	2.7	1	0.4	1820	0.11	<0.05	1.7	0.055	0.26
K302900		230	3.1	21.0	<0.002	0.74	0.15	2.4	1	0.3	1820	0.09	<0.05	1.5	0.046	0.23
K302901		320	2.1	14.2	<0.002	0.40	0.16	1.6	1	0.2	1640	0.06	<0.05	1.0	0.031	0.15
K302902		270	9.3	70.2	0.005	1.83	0.37	7.5	1	1.0	1560	0.34	<0.05	5.3	0.167	0.73
K302903		250	1.2	1.4	<0.002	0.01	0.06	0.2	<1	<0.2	50.9	<0.05	<0.05	<0.2	<0.005	<0.02
K302904		380	3.4	22.1	0.002	0.61	0.20	2.4	1	0.3	2130	0.10	<0.05	1.7	0.048	0.23
K302905		310	2.6	18.1	<0.002	0.52	0.15	2.0	1	0.3	1535	0.08	<0.05	1.4	0.039	0.21
K302906		210	3.9	27.5	0.002	0.81	0.20	2.8	1	0.4	1980	0.13	<0.05	2.1	0.062	0.29
K302907		360	5.3	35.8	0.003	1.09	0.23	4.0	2	0.6	2050	0.18	<0.05	3.0	0.087	0.40
K302908		330	1.9	13.0	<0.002	0.41	0.13	1.6	1	0.2	1935	0.06	<0.05	1.0	0.030	0.14
K302909		920	16.2	50.0	0.003	3.14	120.5	17.1	2	2.9	538	0.75	0.12	10.6	0.556	7.98
K302910		450	3.7	24.3	0.003	0.77	0.47	2.7	1	0.4	1850	0.11	<0.05	1.9	0.056	0.33
K302911		200	1.9	12.0	<0.002	0.36	0.18	1.4	1	0.2	1690	0.05	<0.05	1.0	0.027	0.16
K302912		410	2.9	17.7	<0.002	0.50	0.22	1.9	1	0.3	1325	0.08	<0.05	1.3	0.040	0.26
K302913		250	3.2	21.2	<0.002	0.58	0.23	2.0	1	0.4	1515	0.09	<0.05	1.5	0.047	0.32
K302914		220	7.6	22.5	0.003	0.57	0.45	2.1	1	0.4	1585	0.10	<0.05	1.6	0.045	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194664

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K302879		2.7	28	2.1	14.5	28	29.9	
K302880		2.7	52	4.7	18.4	38	56.0	
K302881		3.6	86	7.9	21.3	70	89.0	1.475
K302882		4.6	95	9.2	16.1	88	102.0	2.40
K302883		2.2	26	1.8	13.0	27	28.0	
K302884		0.7	5	0.1	1.0	14	0.6	
K302885		2.5	41	2.0	14.9	28	50.8	
K302886		2.3	29	1.8	13.2	15	36.9	
K302887		2.0	17	1.7	9.4	13	16.4	
K302888		2.0	17	1.2	14.3	8	17.8	
K302889		2.1	28	0.9	12.7	20	30.3	
K302890		2.1	18	0.7	10.5	10	18.9	
K302891		8.2	382	34.6	26.7	282	74.6	
K302892		1.7	15	0.2	8.5	10	14.5	
K302893		2.3	19	0.3	10.7	21	21.1	
K302894		1.8	40	0.7	16.3	32	61.6	
K302895		2.2	28	0.8	11.6	25	37.8	
K302896		2.3	65	1.8	16.9	56	106.0	
K302897		2.0	34	2.4	17.8	27	52.0	
K302898		2.5	20	1.0	12.7	17	21.2	
K302899		2.0	15	0.4	10.6	9	17.0	
K302900		1.9	12	0.3	10.3	5	14.1	
K302901		2.0	10	0.1	7.5	4	10.0	
K302902		2.9	49	0.7	20.0	39	49.7	
K302903		0.6	3	4.4	1.0	13	0.5	
K302904		2.7	14	0.2	12.9	22	14.5	
K302905		2.5	12	0.2	10.9	4	11.2	
K302906		2.2	18	0.3	12.3	14	18.0	
K302907		3.1	25	0.4	14.9	14	24.6	
K302908		2.1	9	0.2	9.6	8	9.2	
K302909		8.1	167	22.8	15.6	41	162.0	
K302910		3.5	17	0.4	13.4	26	16.7	
K302911		2.2	9	0.1	9.7	6	8.1	
K302912		2.1	12	0.2	11.1	41	11.8	
K302913		2.2	14	0.2	10.9	6	14.1	
K302914		2.4	13	0.4	11.0	15	12.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194664

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- NOV- 2011
Account: RCM

CERTIFICATE VA11227646

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 196

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 3- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11227646

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K302879		1.08
K302880		4.49
K302881		12.55
K302882		16.10
K302883		2.26
K302884		0.02
K302885		0.02
K302886		0.06
K302887		2.33
K302888		1.04
K302889		0.01
K302890		0.01
K302891		7.92
K302892		0.01
K302893		0.01
K302894		<0.01
K302895		<0.01
K302896		<0.01
K302897		<0.01
K302898		<0.01
K302899		0.01
K302900		<0.01
K302901		0.01
K302902		<0.01
K302903		0.01
K302904		0.01
K302905		0.01
K302906		0.01
K302907		0.01
K302908		0.01
K302909		0.33
K302910		<0.01
K302911		0.01
K302912		<0.01
K302913		<0.01
K302914		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE VA11190107

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 196

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190107

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303621		6.64	<0.01	0.02	0.84	93	100	0.27	0.04	31.6	0.03	14.00	3.3	8	2.41	8.8
K303622		7.62	<0.01	0.01	0.50	61	130	0.19	0.02	35.1	0.03	8.95	2.2	9	1.55	5.4
K303623		5.10	<0.01	<0.01	0.09	9	20	0.10	0.02	20.4	0.05	1.16	1.9	3	0.28	3.3
K303624		7.62	<0.01	0.01	0.80	49	130	0.23	0.04	32.7	0.18	13.25	3.2	9	2.49	8.1
K303625		7.48	<0.01	0.01	1.14	25	110	0.40	0.05	30.4	0.03	16.45	4.2	10	4.66	10.2
K303626		6.94	<0.01	0.03	1.93	36	120	0.57	0.08	30.2	0.04	26.0	7.3	16	7.23	15.7
K303627		8.06	<0.01	0.04	3.23	129	120	0.95	0.13	23.6	0.11	38.5	10.7	25	13.90	23.2
K303628		7.52	0.01	0.06	5.25	1360	160	1.20	0.22	13.70	0.07	60.2	19.0	40	19.05	40.2
K303629		7.30	<0.01	0.03	3.79	204	120	0.74	0.14	22.5	0.07	38.7	12.3	29	11.20	27.1
K303630		3.32	<0.01	0.03	4.18	205	130	0.87	0.16	20.9	0.05	39.6	12.4	31	11.90	27.9
K303631		4.34	<0.01	0.06	6.14	2210	200	1.19	0.22	11.00	0.08	62.2	16.2	48	20.4	30.5
K303632		2.62	0.01	0.07	6.81	1980	180	1.27	0.24	10.65	0.09	66.5	18.0	50	21.3	36.3
K303633		6.40	0.24	0.16	5.45	9420	160	1.13	0.13	2.07	0.56	56.8	15.8	57	15.75	26.8
K303634		7.74	0.22	0.14	7.94	>10000	240	1.70	0.27	2.27	0.61	83.6	22.3	70	21.1	44.4
K303635		0.30	2.64	1.41	3.20	608	880	0.82	0.30	8.40	2.42	49.2	6.3	53	4.01	43.1
K303636		7.72	<0.01	0.08	6.10	2890	180	1.33	0.21	2.52	0.08	60.9	16.9	61	17.35	43.2
K303637		7.68	0.02	0.08	5.61	610	160	1.32	0.19	2.56	0.11	58.9	14.4	53	16.60	38.8
K303638		7.60	0.29	0.09	5.28	1645	170	1.15	0.18	2.00	0.13	53.4	13.7	52	13.45	37.6
K303639		3.00	<0.01	0.03	2.49	17	100	0.57	0.07	30.8	0.02	32.5	3.7	18	3.26	8.3
K303640		12.84	<0.01	0.03	2.58	15	250	0.53	0.07	29.8	0.03	29.5	3.7	19	4.01	8.5
K303641		6.86	<0.01	0.03	3.87	16	170	0.69	0.11	25.2	0.04	40.1	5.6	29	6.08	12.4
K303642		7.80	<0.01	0.03	2.48	16	140	0.54	0.07	28.1	0.02	27.6	4.0	18	3.98	8.7
K303643		7.08	<0.01	0.01	0.08	<5	20	0.05	0.02	21.2	0.05	1.32	1.2	2	0.29	1.8
K303644		7.28	<0.01	0.07	5.96	17	300	1.17	0.18	16.30	0.05	63.0	9.2	42	9.83	19.2
K303645		9.10	<0.01	0.04	6.03	16	340	1.17	0.18	15.90	0.05	65.5	9.7	44	11.40	20.1
K303646		10.54	0.01	0.03	5.11	12	200	1.01	0.16	17.05	0.03	54.5	8.2	34	9.93	16.7
K303647		10.18	<0.01	0.04	6.22	22	250	1.29	0.20	12.40	0.02	67.9	10.7	41	12.90	20.8
K303648		11.42	<0.01	0.04	5.15	23	210	0.97	0.16	16.50	0.03	55.9	9.2	35	9.44	18.1
K303649		10.26	0.01	0.03	4.55	18	160	0.94	0.14	19.15	0.02	50.9	8.0	30	8.54	16.4
K303650		11.48	0.01	0.05	6.49	18	290	1.26	0.21	12.75	0.03	73.6	12.1	47	13.70	25.7
K303651		7.60	<0.01	0.04	5.89	17	250	1.10	0.17	13.25	0.05	59.2	9.8	42	11.35	22.9
K303652		8.12	0.02	0.04	4.39	11	320	0.80	0.14	20.2	0.03	47.4	7.8	36	8.78	17.3
K303653		0.28	2.65	0.92	3.29	616	890	0.75	0.29	8.16	2.23	45.6	6.8	54	3.95	43.1
K303654		10.54	<0.01	0.04	4.11	16	190	0.80	0.12	19.70	0.04	43.0	7.3	31	9.28	15.0
K303655		15.00	<0.01	0.03	4.57	14	250	0.99	0.14	17.25	0.04	50.3	8.1	34	12.45	16.6
K303656		11.04	<0.01	0.04	4.51	20	190	1.01	0.13	18.15	0.08	46.3	8.0	35	12.50	16.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190107

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303621		0.76	2.22	<0.05	0.4	0.60	0.010	0.35	6.9	2.8	1.77	277	0.47	0.01	1.4	3.2
K303622		0.37	1.37	<0.05	0.2	0.19	0.005	0.20	4.3	1.9	0.42	162	1.06	0.01	1.1	1.5
K303623		0.48	0.45	0.17	<0.1	<0.01	<0.005	0.04	0.5	1.3	12.90	212	0.29	0.01	0.4	3.8
K303624		0.53	2.15	<0.05	0.4	0.13	0.007	0.34	6.5	2.9	0.57	119	0.73	0.01	1.6	4.3
K303625		0.77	3.05	<0.05	0.6	0.37	0.012	0.50	8.8	4.3	0.75	253	0.48	0.01	2.0	5.8
K303626		1.22	4.89	<0.05	1.0	1.31	0.018	0.86	14.3	5.4	0.94	417	0.84	0.02	3.2	10.0
K303627		2.05	8.06	0.06	1.4	2.46	0.035	1.47	19.1	6.8	1.32	733	0.71	0.02	4.7	15.8
K303628		3.83	13.65	0.13	2.2	2.51	0.054	2.22	30.1	13.2	2.24	1040	0.67	0.03	7.5	30.3
K303629		2.32	8.97	0.10	1.6	2.73	0.037	1.59	23.5	6.7	1.34	708	0.74	0.02	5.2	17.0
K303630		2.73	9.82	0.08	1.6	3.08	0.042	1.75	22.8	5.7	1.63	780	0.80	0.02	5.7	17.2
K303631		3.17	15.90	0.10	2.5	2.82	0.062	2.42	32.4	18.9	2.12	730	0.48	0.03	8.8	26.7
K303632		3.75	17.30	0.12	2.7	2.77	0.067	2.64	34.5	21.5	2.34	812	0.53	0.03	9.6	29.9
K303633		2.89	14.90	0.15	2.2	8.63	0.060	2.25	28.5	12.1	1.17	484	0.41	0.02	7.6	27.7
K303634		4.85	21.3	0.17	2.9	9.40	0.087	3.41	43.1	13.8	1.42	539	0.62	0.03	10.4	41.5
K303635		2.15	8.07	0.13	1.8	4.53	0.032	1.04	33.2	40.4	2.60	273	19.75	0.04	7.0	53.0
K303636		4.37	16.10	0.11	2.7	2.05	0.063	2.65	30.2	13.2	1.37	418	0.29	0.03	9.7	32.7
K303637		3.75	14.85	0.11	2.4	2.06	0.053	2.40	29.1	13.5	1.33	474	0.49	0.02	9.1	28.5
K303638		4.14	13.90	0.10	2.2	4.82	0.050	2.16	26.6	13.9	1.08	551	0.48	0.03	8.3	26.6
K303639		1.58	5.51	<0.05	0.7	0.07	0.017	0.70	18.1	24.1	0.37	384	0.31	0.26	3.2	7.3
K303640		1.35	5.69	<0.05	0.7	0.06	0.018	0.73	16.6	25.8	0.41	280	0.33	0.25	3.3	7.6
K303641		1.68	8.62	<0.05	1.1	0.08	0.026	1.09	22.7	42.4	0.50	318	0.45	0.25	4.6	11.3
K303642		1.33	5.53	<0.05	0.7	0.05	0.017	0.75	15.8	42.3	0.69	295	0.34	0.11	3.1	8.1
K303643		0.50	0.37	0.27	<0.1	<0.01	<0.005	0.03	0.6	1.1	13.25	217	<0.05	0.01	0.3	2.2
K303644		2.52	13.65	0.08	1.6	0.10	0.039	1.72	33.4	77.7	1.03	309	0.61	0.54	7.0	20.5
K303645		2.56	14.15	0.05	1.7	0.09	0.042	1.78	34.4	72.3	1.04	382	0.59	0.48	7.5	21.6
K303646		2.29	11.70	<0.05	1.4	0.05	0.033	1.43	28.9	73.0	1.60	466	0.38	0.40	6.1	17.3
K303647		2.77	14.85	0.07	1.9	0.05	0.047	1.79	35.2	85.3	1.44	498	0.31	0.43	8.0	22.1
K303648		2.35	12.00	0.05	1.5	0.04	0.037	1.48	29.0	70.7	1.31	507	0.38	0.39	6.4	18.1
K303649		2.22	10.40	<0.05	1.4	0.04	0.035	1.26	26.4	53.5	1.52	699	0.37	0.50	5.8	16.1
K303650		2.79	15.35	0.07	1.9	0.06	0.045	1.93	37.8	77.5	1.40	550	0.48	0.61	8.0	24.5
K303651		2.52	13.75	0.05	1.6	0.07	0.040	1.65	31.6	65.7	1.80	467	0.55	0.90	7.0	20.6
K303652		1.94	10.95	0.15	1.8	0.04	0.033	1.36	25.4	34.3	1.16	308	0.49	0.69	5.9	15.6
K303653		2.15	8.15	0.17	1.9	4.11	0.027	1.01	27.9	33.1	2.63	280	18.70	0.03	7.0	54.6
K303654		1.94	9.82	0.15	1.6	0.06	0.029	1.46	22.9	48.3	1.73	424	0.40	0.31	5.3	14.8
K303655		2.01	10.85	0.17	1.8	0.06	0.034	1.66	26.1	46.5	1.44	291	0.43	0.36	5.8	15.9
K303656		2.04	10.95	0.16	1.7	0.08	0.030	1.67	25.2	33.9	2.10	394	0.63	0.37	5.8	16.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190107

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303621		240	5.2	14.9	0.002	0.59	1.58	3.0	3	0.3	1395	0.08	<0.05	1.3	0.043	0.88
K303622		400	2.1	9.3	0.002	0.36	0.27	1.8	2	0.2	1855	0.05	<0.05	0.8	0.025	0.64
K303623		200	1.2	2.0	<0.002	0.02	0.09	0.4	1	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	0.02
K303624		490	3.0	15.4	0.002	0.56	0.33	2.4	3	0.3	1600	0.08	<0.05	1.3	0.043	1.91
K303625		140	3.7	22.9	0.002	0.75	0.26	3.6	3	0.5	1425	0.11	<0.05	1.7	0.061	2.40
K303626		160	6.0	37.2	0.002	1.21	1.17	5.8	3	0.7	1270	0.19	0.06	2.9	0.106	3.03
K303627		280	10.8	65.5	0.004	1.76	2.21	8.9	2	1.3	741	0.29	0.08	4.7	0.166	3.65
K303628		320	16.2	104.0	0.002	3.09	7.62	14.0	2	1.8	432	0.50	0.09	7.8	0.287	4.19
K303629		250	12.7	73.5	0.002	1.95	2.50	8.9	1	1.1	652	0.37	0.06	6.1	0.187	3.94
K303630		310	14.7	76.8	0.002	2.26	4.49	9.3	1	1.3	561	0.40	0.06	6.4	0.201	3.45
K303631		290	16.0	120.5	<0.002	2.12	7.37	15.0	1	1.8	322	0.64	0.09	10.0	0.326	4.19
K303632		320	17.8	129.0	<0.002	2.64	7.90	15.9	1	1.9	327	0.70	0.11	11.1	0.354	4.15
K303633		270	21.5	114.5	<0.002	1.92	21.3	16.0	1	1.8	104.0	0.54	<0.05	8.7	0.319	16.15
K303634		400	28.8	169.5	<0.002	3.90	45.1	20.0	2	2.2	120.0	0.80	0.07	13.8	0.391	21.8
K303635		890	37.8	51.7	0.020	1.56	117.0	5.0	4	2.6	72.8	0.43	0.22	6.6	0.178	4.07
K303636		400	17.1	129.5	<0.002	3.75	12.80	17.4	1	1.8	102.5	0.72	<0.05	10.6	0.424	5.26
K303637		570	22.8	122.0	<0.002	3.07	3.02	14.8	1	1.7	90.7	0.66	<0.05	10.4	0.355	6.44
K303638		390	15.4	115.5	<0.002	3.67	7.47	14.8	1	1.5	106.0	0.61	<0.05	9.8	0.335	11.15
K303639		550	6.3	37.6	<0.002	0.31	0.14	4.2	1	0.6	542	0.21	<0.05	4.2	0.090	0.29
K303640		610	6.0	37.9	<0.002	0.40	0.16	4.0	1	0.6	533	0.22	<0.05	4.1	0.091	0.28
K303641		1030	9.2	58.6	<0.002	0.63	0.22	5.6	2	0.9	535	0.32	<0.05	6.3	0.134	0.43
K303642		470	5.8	39.7	<0.002	0.89	0.17	3.8	1	0.6	575	0.20	<0.05	3.8	0.086	0.35
K303643		170	1.3	2.0	<0.002	0.01	<0.05	0.2	1	<0.2	41.2	<0.05	<0.05	<0.2	<0.005	<0.02
K303644		630	14.7	93.2	<0.002	2.01	0.32	9.7	2	1.3	516	0.52	<0.05	10.9	0.215	0.78
K303645		650	14.9	99.6	<0.002	1.94	0.34	10.0	2	1.4	503	0.54	<0.05	10.5	0.226	0.70
K303646		450	12.2	79.0	<0.002	1.44	0.26	8.2	1	1.2	457	0.45	<0.05	8.9	0.185	0.45
K303647		450	15.8	102.5	<0.002	1.69	0.36	10.6	1	1.5	385	0.57	<0.05	11.4	0.256	0.52
K303648		410	13.1	81.9	<0.002	1.56	0.35	8.7	1	1.2	413	0.46	<0.05	9.3	0.205	0.37
K303649		470	11.8	70.0	<0.002	1.51	0.35	7.7	1	1.2	413	0.41	<0.05	8.2	0.175	0.31
K303650		630	16.6	109.5	<0.002	2.00	0.41	11.2	2	1.7	425	0.60	<0.05	11.9	0.246	0.46
K303651		430	13.8	90.3	0.002	1.80	0.36	9.5	2	1.6	429	0.50	<0.05	9.9	0.214	0.44
K303652		660	10.0	71.3	0.002	1.55	0.35	7.3	3	1.3	552	0.44	<0.05	7.1	0.184	0.32
K303653		930	36.1	50.7	0.025	1.61	107.0	5.4	5	2.4	73.8	0.47	0.19	6.4	0.176	3.83
K303654		500	9.4	71.9	0.002	1.26	0.49	6.8	3	1.1	458	0.39	<0.05	6.7	0.165	0.35
K303655		610	10.6	83.9	0.002	1.31	0.32	7.5	3	1.4	549	0.45	<0.05	7.2	0.189	0.52
K303656		570	10.2	88.6	0.003	1.33	0.50	7.5	3	1.3	478	0.44	<0.05	7.2	0.185	1.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190107

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303621		2.1	14	0.6	15.0	4	13.4	
K303622		1.6	9	0.2	9.8	3	10.0	
K303623		0.5	3	0.1	0.9	14	<0.5	
K303624		1.9	13	0.2	12.1	46	14.7	
K303625		1.6	18	0.2	13.1	15	21.1	
K303626		1.9	30	1.1	15.8	25	36.4	
K303627		1.9	48	4.0	17.2	104	49.6	
K303628		2.1	77	9.0	22.9	56	79.9	
K303629		2.5	54	5.8	21.4	47	57.1	
K303630		2.2	60	6.0	19.6	54	60.0	
K303631		2.4	94	11.8	22.3	56	91.6	
K303632		2.7	100	13.2	22.3	66	101.5	
K303633		2.0	104	10.5	16.1	177	79.5	
K303634		2.9	116	13.1	24.2	210	101.5	1.445
K303635		8.7	232	27.2	22.5	212	69.5	
K303636		2.1	120	11.1	21.7	66	96.2	
K303637		2.1	96	7.8	21.9	70	89.4	
K303638		2.0	95	7.0	19.3	74	80.2	
K303639		1.6	20	0.4	11.6	20	31.9	
K303640		1.7	22	0.4	9.7	24	30.3	
K303641		2.2	32	0.6	12.8	33	44.0	
K303642		1.5	21	0.4	9.8	22	30.2	
K303643		0.5	3	0.1	0.9	12	<0.5	
K303644		3.2	48	0.9	16.8	63	59.3	
K303645		3.1	51	1.0	18.4	69	64.1	
K303646		2.3	41	0.8	14.9	52	52.7	
K303647		2.6	52	0.9	18.2	49	72.5	
K303648		2.5	43	0.8	14.1	61	56.3	
K303649		2.3	39	0.8	15.2	41	52.9	
K303650		3.0	54	1.0	20.5	65	70.3	
K303651		2.6	50	0.8	17.8	57	58.8	
K303652		2.3	39	0.8	12.7	35	58.1	
K303653		8.7	235	31.9	20.7	220	70.5	
K303654		2.1	36	0.8	11.5	50	54.3	
K303655		2.1	41	0.9	12.9	58	60.5	
K303656		2.2	43	0.9	12.7	61	59.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190107

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

CERTIFICATE VA11190153

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area D/B Batch 197

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190153

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304542		5.76	0.01	0.03	2.72	<5	160	0.76	0.06	19.30	0.08	29.8	4.6	22	2.17	12.8
K304543		6.08	<0.01	0.02	3.95	7	400	1.04	0.08	14.65	0.13	43.5	6.3	34	3.14	21.4
K304544		5.36	<0.01	0.03	1.57	<5	430	0.45	0.05	29.7	0.08	19.85	3.5	13	0.96	7.5
K304545		5.50	<0.01	0.04	2.54	6	410	0.76	0.05	23.8	0.08	30.7	4.6	20	1.74	12.1
K304546		5.48	0.01	0.11	3.32	<5	200	0.73	0.08	19.75	0.10	37.6	5.4	32	3.41	23.4
K304547		5.06	<0.01	0.01	0.09	<5	20	0.16	0.06	20.4	0.07	1.39	1.1	1	0.25	2.1
K304548		5.06	0.01	0.08	3.77	<5	200	0.87	0.10	16.35	0.11	50.5	6.1	38	4.38	20.6
K304549		5.08	0.01	0.04	1.71	5	150	0.42	0.05	23.5	0.09	24.6	2.5	17	1.30	8.6
K304550		5.42	<0.01	0.03	1.46	<5	370	0.41	0.04	27.0	0.20	21.7	2.5	14	1.43	8.1
K304551		0.88	0.01	0.14	0.89	119	110	0.37	0.03	19.10	0.22	13.15	2.0	12	1.89	6.5
K304552		2.00	0.01	0.10	0.80	122	110	0.35	0.03	19.15	0.44	11.85	2.1	9	2.00	6.9
K304553		0.28	0.34	0.34	6.52	638	1550	0.61	0.31	0.52	0.20	160.5	2.9	247	3.61	34.2
K304554		3.10	0.05	0.05	0.58	259	140	0.30	0.02	20.2	0.22	8.92	1.6	6	1.22	5.2
K304555		5.72	0.02	0.06	0.71	288	170	0.37	0.03	19.95	0.08	9.81	2.0	6	1.81	5.3
K304556		5.10	0.01	0.06	0.95	132	100	0.43	0.03	19.40	0.04	8.50	2.4	8	2.68	7.6
K304557		2.42	0.01	0.06	0.96	178	90	0.43	0.03	19.50	0.04	8.52	2.3	9	2.55	7.3
K304558		4.56	<0.01	0.14	0.84	97	100	0.45	0.04	19.35	0.13	9.30	2.4	10	2.89	9.3
K304559		4.44	<0.01	0.06	0.88	69	120	0.41	0.03	20.5	0.12	10.80	2.0	7	2.54	6.9
K304560		4.78	0.01	0.12	1.02	52	50	0.44	0.04	19.20	0.25	11.20	2.5	10	2.87	12.6
K304561		4.78	0.01	0.12	1.13	70	120	0.49	0.04	19.25	0.08	14.10	2.5	11	2.85	9.4
K304562		3.60	0.02	0.08	0.81	230	130	0.40	0.03	19.25	0.05	12.15	2.2	7	1.55	5.3
K304563		5.08	<0.01	0.03	0.18	<5	20	0.21	0.33	20.4	0.06	1.32	1.8	4	0.40	2.0
K304564		5.24	0.04	0.10	1.06	100	60	0.45	0.03	19.00	0.09	13.25	2.2	12	2.44	7.5
K304565		5.82	0.01	0.09	0.84	38	170	0.41	0.03	19.20	0.10	11.75	2.0	9	1.81	6.0
K304566		5.46	0.02	0.11	1.66	59	100	0.63	0.05	15.90	0.04	21.5	2.5	15	4.26	9.7
K304567		4.72	0.03	0.21	2.54	127	240	0.84	0.08	14.25	3.24	27.2	3.1	23	6.95	16.2
K304568		2.78	0.01	0.03	0.76	106	90	0.28	0.02	18.70	6.46	15.30	1.5	8	1.43	5.1
K304569		2.16	0.01	0.09	1.39	164	140	0.65	0.04	27.6	0.19	18.25	2.2	17	3.02	9.5
K304570		5.34	0.02	0.04	0.93	188	240	0.45	0.03	28.3	0.16	11.95	2.2	10	1.81	6.3
K304571		4.80	0.01	0.05	2.60	131	430	0.80	0.07	14.95	0.07	32.5	4.5	26	6.75	14.1
K304572		4.30	<0.01	1.20	3.23	50	130	0.98	0.08	19.30	0.14	36.3	6.0	29	11.15	17.2
K304573		5.54	0.01	0.05	2.90	105	190	0.87	0.07	22.2	0.02	33.9	4.5	24	9.63	12.5
K304574		5.20	0.01	0.05	4.74	194	240	1.17	0.11	16.75	0.03	47.4	8.6	38	14.45	20.0
K304575		0.28	2.64	1.00	3.14	585	850	0.73	0.31	8.10	2.10	45.6	6.5	54	3.46	42.4
K304576		4.10	0.01	0.09	2.02	391	400	0.58	0.05	22.7	0.03	22.1	4.0	18	4.62	8.4
K304577		2.66	0.01	0.08	3.19	736	290	0.62	0.06	18.40	0.06	29.7	5.0	26	7.83	14.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190153

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304542		1.06	6.32	0.10	1.9	0.04	0.019	1.25	15.7	35.3	2.56	199	0.28	0.41	4.3	9.7
K304543		1.77	9.73	0.11	2.2	0.03	0.028	1.81	22.6	56.5	4.08	212	0.29	0.35	6.8	15.2
K304544		0.72	3.86	0.09	0.8	0.03	0.013	0.60	11.1	20.6	1.49	153	0.42	0.28	2.7	6.1
K304545		1.14	5.97	0.11	1.4	0.06	0.018	1.03	15.6	36.4	2.46	158	0.46	0.37	4.2	9.8
K304546		1.33	8.38	0.09	2.1	0.05	0.022	1.63	21.3	28.5	2.29	185	0.47	0.31	5.1	14.5
K304547		0.47	0.34	0.07	<0.1	<0.01	0.005	0.04	0.7	0.7	12.35	204	0.08	0.01	0.4	3.0
K304548		1.39	9.85	0.09	2.5	0.04	0.026	1.91	27.2	32.8	2.58	204	0.36	0.35	6.0	15.3
K304549		0.62	3.96	0.06	1.9	0.02	0.012	0.82	15.3	12.4	1.22	178	0.37	0.34	2.9	6.0
K304550		0.68	3.56	0.06	1.2	0.03	0.009	0.72	13.0	13.4	1.53	187	0.37	0.18	2.4	6.4
K304551		0.41	2.33	0.06	0.7	0.72	0.007	0.44	8.2	3.1	11.55	185	0.76	0.02	1.5	5.6
K304552		0.34	2.11	0.06	0.6	0.91	0.005	0.39	7.8	2.8	11.50	217	0.59	0.02	1.4	5.6
K304553		7.17	21.8	0.22	4.7	9.3	0.050	1.42	86.9	13.3	0.14	39	7.16	0.42	10.4	16.6
K304554		0.30	1.50	0.05	0.4	0.77	0.005	0.25	6.0	2.1	11.70	253	0.21	0.02	1.0	3.1
K304555		0.43	1.88	0.06	0.5	0.52	0.012	0.34	6.2	3.1	11.75	268	0.30	0.02	1.2	4.4
K304556		0.39	2.49	0.05	0.6	0.44	0.007	0.47	5.4	4.5	11.30	227	0.46	0.02	1.7	5.1
K304557		0.36	2.41	0.06	0.6	0.46	0.006	0.47	5.4	4.6	11.10	214	0.45	0.02	1.7	4.6
K304558		0.39	2.15	<0.05	0.4	0.38	0.007	0.42	6.0	3.9	11.70	246	0.43	0.02	1.4	5.9
K304559		0.32	2.09	0.06	0.5	0.40	0.007	0.40	6.8	4.1	11.15	182	0.43	0.03	1.4	4.7
K304560		0.56	2.35	0.06	0.6	0.56	0.009	0.50	7.1	4.1	10.65	233	0.58	0.01	1.7	6.4
K304561		0.52	2.65	0.05	0.7	0.35	0.007	0.55	9.1	4.4	10.40	242	0.62	0.01	1.9	5.8
K304562		0.63	1.92	0.05	0.6	0.58	0.008	0.40	7.6	3.1	10.35	241	1.07	0.01	1.3	5.8
K304563		0.47	0.44	0.07	<0.1	<0.01	0.005	0.05	0.7	1.1	12.35	197	0.10	0.01	0.3	4.0
K304564		0.51	2.54	0.06	0.8	0.66	0.009	0.53	8.3	4.5	10.35	316	0.64	0.01	1.9	9.9
K304565		0.51	2.01	0.06	0.6	0.39	0.008	0.42	7.4	3.2	11.05	235	0.72	0.01	1.5	6.1
K304566		0.75	3.82	0.07	1.4	0.39	0.013	0.84	12.7	6.8	9.45	262	0.93	0.02	3.1	6.2
K304567		1.02	6.26	0.07	1.8	1.12	0.017	1.22	16.6	10.0	8.47	284	1.03	0.02	4.2	8.3
K304568		0.92	2.21	0.06	0.6	1.84	0.007	0.37	7.9	2.2	9.81	421	0.18	0.01	1.4	2.7
K304569		0.56	3.16	0.07	0.9	0.79	0.013	0.72	11.6	4.3	2.62	140	0.69	0.02	2.5	6.6
K304570		0.52	2.02	0.05	0.5	1.61	0.008	0.44	7.9	2.7	3.73	298	0.40	0.01	1.6	6.0
K304571		1.22	6.00	0.08	2.0	1.08	0.018	1.26	19.5	8.9	6.72	296	0.33	0.02	4.6	10.6
K304572		1.80	7.19	0.10	1.5	0.43	0.022	1.64	21.4	12.5	2.86	216	0.72	0.02	4.6	17.5
K304573		1.13	6.48	0.08	1.2	1.34	0.018	1.49	20.0	10.1	1.66	240	0.55	0.02	4.0	12.3
K304574		1.75	10.70	0.09	1.5	4.70	0.029	2.44	28.5	15.6	2.26	327	0.53	0.03	6.0	20.6
K304575		2.10	7.07	0.11	1.8	4.4	0.026	1.01	30.2	32.6	2.52	266	19.80	0.04	6.9	53.2
K304576		0.83	4.56	0.06	0.7	9.8	0.013	1.01	13.2	5.7	1.35	506	0.42	0.01	2.8	12.6
K304577		1.39	7.05	0.08	1.0	21.2	0.020	1.54	18.9	9.2	2.98	560	0.83	0.02	4.0	13.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190153

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304542		390	7.6	45.2	<0.002	0.05	0.19	4.1	2	0.9	614	0.32	<0.05	5.7	0.121	0.23
K304543		470	8.2	67.8	<0.002	0.05	0.19	6.4	2	1.3	1175	0.49	<0.05	8.9	0.182	0.33
K304544		180	4.9	23.4	<0.002	0.11	0.19	2.7	2	0.6	2860	0.19	<0.05	3.4	0.067	0.12
K304545		270	6.8	40.5	<0.002	0.24	0.23	4.2	2	0.8	3960	0.31	<0.05	5.8	0.112	0.21
K304546		550	8.0	65.1	<0.002	0.08	0.24	4.6	2	1.2	1240	0.39	<0.05	7.3	0.141	0.31
K304547		180	1.3	2.0	<0.002	0.01	0.05	0.3	1	0.2	45.2	<0.05	<0.05	<0.2	<0.005	0.02
K304548		680	8.2	81.9	<0.002	0.05	0.24	5.4	2	1.4	785	0.43	<0.05	8.6	0.163	0.33
K304549		290	5.5	30.8	<0.002	0.05	0.18	2.3	2	0.6	1155	0.24	<0.05	4.3	0.081	0.17
K304550		320	4.3	27.6	<0.002	0.08	0.17	2.1	2	0.5	1720	0.17	<0.05	3.3	0.062	0.13
K304551		210	6.2	13.2	<0.002	0.01	2.16	1.5	2	0.3	112.0	0.11	<0.05	2.0	0.039	4.55
K304552		180	7.6	11.6	<0.002	0.01	1.37	1.3	1	0.3	110.5	0.10	<0.05	1.9	0.036	3.02
K304553		970	17.1	49.1	0.003	3.24	125.0	15.1	2	3.4	555	0.79	0.18	11.1	0.579	8.55
K304554		120	4.6	7.7	<0.002	0.01	0.63	1.0	2	0.3	121.5	0.07	<0.05	1.2	0.024	1.79
K304555		120	6.3	10.3	<0.002	0.01	0.46	1.1	1	0.3	87.8	0.08	<0.05	1.6	0.031	1.66
K304556		170	6.4	14.8	<0.002	0.01	0.49	1.5	2	0.4	88.0	0.11	<0.05	2.0	0.042	1.84
K304557		160	5.9	14.6	<0.002	0.01	0.48	1.5	1	0.4	90.7	0.11	<0.05	2.0	0.043	1.71
K304558		220	8.1	13.3	<0.002	0.01	0.27	1.3	2	0.4	101.0	0.10	<0.05	1.8	0.036	2.15
K304559		150	7.3	12.3	<0.002	0.01	0.30	1.4	2	0.4	103.5	0.10	<0.05	1.9	0.037	1.58
K304560		320	8.8	15.2	<0.002	0.02	0.30	1.6	2	0.7	89.0	0.12	<0.05	2.3	0.045	1.56
K304561		240	6.0	17.0	<0.002	0.01	0.55	1.8	2	0.5	102.0	0.13	<0.05	2.6	0.051	1.87
K304562		170	7.1	11.6	<0.002	0.03	0.57	1.4	2	0.3	115.0	0.09	<0.05	1.9	0.036	2.00
K304563		200	2.2	2.9	<0.002	0.02	0.05	0.5	1	<0.2	41.0	<0.05	<0.05	0.2	0.006	0.03
K304564		220	7.5	16.4	<0.002	0.02	0.29	1.7	2	0.5	111.0	0.13	<0.05	2.6	0.049	1.62
K304565		170	6.4	12.7	<0.002	0.03	0.25	1.3	2	0.4	80.4	0.10	<0.05	2.0	0.038	1.09
K304566		400	6.8	26.8	<0.002	0.06	0.26	2.6	2	0.7	72.0	0.22	<0.05	4.0	0.077	1.36
K304567		370	8.1	39.1	<0.002	0.10	0.28	4.0	2	1.0	73.3	0.31	<0.05	5.9	0.114	2.58
K304568		230	2.6	11.3	<0.002	0.11	0.14	1.3	2	0.3	73.0	0.09	<0.05	1.7	0.034	0.99
K304569		390	5.6	22.2	0.002	0.08	0.18	2.3	2	0.5	641	0.16	<0.05	3.4	0.065	2.03
K304570		150	4.5	13.8	<0.002	0.04	0.25	1.9	2	0.4	646	0.10	<0.05	1.9	0.039	1.86
K304571		400	7.1	40.9	<0.002	0.23	0.26	4.2	2	1.0	140.5	0.34	<0.05	6.3	0.124	1.92
K304572		400	7.4	52.2	<0.002	0.79	0.24	5.0	2	1.0	395	0.32	<0.05	6.4	0.127	1.21
K304573		270	5.3	48.2	<0.002	0.10	0.24	4.4	2	0.8	650	0.28	<0.05	5.8	0.109	2.42
K304574		320	7.1	76.6	<0.002	0.21	0.42	7.3	2	1.1	592	0.43	<0.05	8.9	0.176	10.10
K304575		880	35.0	47.0	0.027	1.53	100.5	5.1	4	2.3	70.5	0.44	0.20	6.7	0.173	3.94
K304576		260	4.6	31.8	<0.002	0.14	0.68	4.0	2	0.6	557	0.19	<0.05	3.9	0.074	27.4
K304577		360	6.6	47.6	<0.002	0.16	2.09	5.4	2	0.9	461	0.29	<0.05	5.8	0.111	62.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190153

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304542		7.3	43	0.5	9.4	33	64.9
K304543		6.0	55	0.8	13.6	51	80.3
K304544		10.4	26	0.3	6.0	22	28.9
K304545		10.4	34	0.5	9.1	44	51.4
K304546		8.5	55	0.6	11.7	38	67.6
K304547		0.7	2	0.1	0.9	15	<0.5
K304548		8.2	66	0.6	14.2	51	79.3
K304549		11.4	27	0.4	7.8	20	56.4
K304550		8.2	21	0.3	7.0	20	37.9
K304551		8.6	18	2.2	4.7	110	23.0
K304552		8.8	16	1.1	4.0	114	17.4
K304553		9.1	179	25.1	15.5	47	177.5
K304554		7.5	10	0.8	3.4	37	11.5
K304555		8.3	13	0.9	3.5	14	15.6
K304556		8.9	14	0.8	3.3	13	18.2
K304557		9.2	14	0.8	3.4	11	19.8
K304558		7.7	20	0.6	3.6	22	12.0
K304559		10.9	15	0.6	3.7	18	14.2
K304560		9.3	19	0.7	4.5	33	18.2
K304561		11.1	30	0.8	5.3	36	25.2
K304562		7.8	15	0.8	4.4	9	19.0
K304563		0.6	3	0.1	0.8	14	<0.5
K304564		8.6	20	1.0	5.0	13	25.6
K304565		7.5	18	0.7	4.3	13	18.7
K304566		7.1	28	0.9	7.9	15	45.7
K304567		7.0	43	1.2	9.3	1430	56.6
K304568		4.5	15	0.5	6.1	2050	18.6
K304569		13.7	26	1.2	7.4	44	29.1
K304570		12.7	16	0.7	5.5	25	17.8
K304571		8.8	39	1.5	11.1	29	62.7
K304572		9.9	50	1.1	9.8	72	46.9
K304573		11.5	41	1.2	9.2	10	37.2
K304574		10.9	63	1.8	12.2	16	47.2
K304575		9.3	227	27.9	19.7	212	57.3
K304576		15.7	38	1.1	12.2	6	23.7
K304577		9.2	50	1.6	8.8	10	31.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190153

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE VA11194662

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- Batch 198

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11194662

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302915		7.46	0.01	0.13	0.75	22	90	0.25	0.04	34.0	0.07	12.70	2.4	8	2.29	11.8
K302916		7.38	<0.01	0.06	0.61	10	110	0.24	0.04	35.4	0.24	9.40	2.0	6	1.56	7.2
K302917		7.12	<0.01	0.05	0.35	4.0	30	0.13	0.02	8.46	0.10	10.50	0.7	5	0.51	3.2
K302918		7.20	<0.01	0.04	0.46	<5	100	0.16	0.02	35.4	0.05	8.75	1.4	5	1.20	5.0
K302919		7.58	0.01	0.03	1.33	8	140	0.37	0.07	33.1	0.11	19.90	4.0	13	5.03	13.8
K302920		5.16	<0.01	0.11	0.09	<5	20	0.06	0.02	21.8	0.05	1.37	0.5	1	0.20	1.8
K302921		7.46	<0.01	0.05	0.65	9	110	0.21	0.03	33.4	0.16	10.70	2.0	7	1.95	7.1
K302922		7.14	0.01	0.03	0.94	104	130	0.26	0.05	32.5	0.11	15.25	2.8	9	3.06	9.4
K302923		7.20	0.01	0.02	0.36	29	90	0.20	0.02	36.1	0.04	6.66	1.2	4	0.83	4.2
K302924		7.32	<0.01	0.02	0.41	25	100	0.15	0.02	36.0	0.02	6.80	1.3	7	0.90	4.5
K302925		4.00	0.02	0.03	3.31	89	140	0.85	0.15	22.8	0.06	32.8	10.3	29	9.69	26.7
K302926		0.28	0.34	0.32	6.11	602	4130	0.63	0.35	1.04	0.19	129.5	2.9	224	3.34	32.0
K302927		5.84	<0.01	0.04	5.18	192	330	1.40	0.22	11.80	0.10	47.6	13.6	45	15.25	39.3
K302928		5.62	0.30	0.04	6.47	639	210	1.80	0.22	8.10	0.10	66.3	21.9	60	16.10	52.3
K302929		7.56	0.05	0.09	7.22	492	210	1.91	0.28	2.29	0.23	75.5	25.7	74	20.1	55.0
K302930		7.76	0.01	0.04	4.52	552	150	1.27	0.14	17.70	0.02	38.5	11.8	49	10.95	33.3
K302931		7.30	0.08	0.04	6.65	547	200	1.94	0.28	9.62	0.07	63.3	18.9	58	19.85	53.2
K302932		7.74	<0.01	0.02	2.31	30	110	0.67	0.08	27.3	0.03	23.1	6.6	22	5.92	16.8
K302933		5.74	<0.01	0.02	5.72	88	180	1.71	0.19	12.45	0.02	51.6	14.9	54	17.60	43.3
K302934		4.10	0.01	0.04	5.30	940	160	1.36	0.24	12.95	0.04	51.8	15.8	44	12.60	37.5
K302935		5.60	<0.01	0.02	1.90	732	90	0.52	0.08	29.9	0.05	21.5	6.0	16	4.25	15.1
K302936		8.98	<0.01	0.03	3.62	35	170	0.98	0.15	23.4	0.06	38.4	11.9	28	10.90	27.8
K302937		3.02	<0.01	0.02	3.15	26	150	0.83	0.14	25.6	0.07	34.2	9.9	24	9.26	23.6
K302938		6.58	<0.01	0.03	4.67	56	210	1.08	0.18	19.00	0.07	47.6	15.2	36	16.10	32.4
K302939		7.26	0.02	0.02	1.23	25	120	0.36	0.05	32.3	0.04	15.90	3.5	11	3.18	10.0
K302940		7.98	<0.01	0.01	0.60	28	90	0.15	0.03	32.2	0.06	8.61	1.9	5	1.28	5.6
K302941		5.12	0.01	0.01	0.09	<5	20	0.06	0.04	21.0	0.05	1.27	0.6	1	0.26	1.7
K302942		7.80	<0.01	0.02	0.80	37	70	0.19	0.04	31.3	0.05	11.15	2.4	6	1.58	26.0
K302943		7.80	<0.01	0.01	0.50	20	90	0.14	0.03	34.3	0.11	8.43	1.4	5	1.21	4.4
K302944		7.74	<0.01	0.01	0.74	31	90	0.25	0.04	34.2	0.03	12.10	2.2	7	2.10	7.4
K302945		0.28	6.70	0.39	3.55	977	160	0.76	0.62	11.70	4.16	42.3	5.1	94	6.70	32.1
K302946		7.34	0.01	0.05	1.42	57	110	0.42	0.07	31.4	0.15	19.65	3.7	14	3.96	13.1
K302947		7.82	0.01	0.03	0.79	24	110	0.27	0.04	32.7	0.06	12.00	2.2	8	2.09	7.9
K302948		7.74	0.03	0.05	2.44	163	130	0.56	0.12	27.7	0.21	32.5	8.5	24	7.15	24.0
K302949		7.66	0.01	0.06	4.09	81	170	1.11	0.18	20.6	0.26	46.8	10.9	38	15.00	36.3
K302950		7.90	<0.01	0.06	2.65	50	190	0.64	0.12	26.1	0.22	34.7	7.5	25	8.59	24.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11194662

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302915		0.57	2.01	0.12	0.3	0.11	0.019	0.34	6.8	3.0	0.47	190	0.46	0.01	1.0	4.6
K302916		0.45	1.51	0.11	0.3	0.08	0.016	0.27	5.2	2.4	0.53	228	0.28	0.01	0.8	3.2
K302917		0.22	0.93	0.11	0.2	0.02	0.010	0.15	5.2	2.3	0.13	60	0.12	0.01	0.4	1.4
K302918		0.32	1.14	0.10	0.2	0.07	0.010	0.20	4.3	2.2	0.50	147	0.15	0.01	0.7	2.0
K302919		0.82	3.35	0.12	0.6	0.19	0.017	0.62	10.3	5.8	0.53	130	0.68	0.02	1.8	7.0
K302920		0.44	0.20	0.09	<0.1	<0.01	0.009	0.03	0.7	1.2	12.90	184	0.20	0.01	0.3	1.6
K302921		0.53	1.61	0.11	0.3	0.27	0.014	0.29	6.1	2.5	0.60	209	0.37	0.01	0.9	3.5
K302922		0.73	2.43	0.11	0.4	0.62	0.012	0.43	8.3	3.4	0.89	208	0.47	0.01	1.3	4.7
K302923		0.31	0.99	0.10	0.2	0.44	0.011	0.16	3.4	1.6	0.66	188	0.16	0.01	0.5	1.5
K302924		0.36	0.99	0.09	0.2	0.49	0.011	0.18	3.5	1.3	0.58	194	0.20	0.01	0.5	1.8
K302925		2.09	7.50	0.14	1.4	1.97	0.037	1.56	19.9	6.5	1.34	475	0.84	0.02	4.4	15.4
K302926		6.64	20.6	0.24	4.3	9.27	0.050	1.32	62.6	21.1	0.13	42	6.21	0.39	10.1	15.9
K302927		3.45	11.90	0.16	2.1	1.42	0.058	2.40	26.1	9.4	2.48	775	0.50	0.03	7.0	27.2
K302928		4.27	16.85	0.19	2.4	2.87	0.057	2.94	34.7	12.1	2.45	1700	1.84	0.03	9.2	56.6
K302929		4.77	18.30	0.21	3.2	2.99	0.060	3.29	38.4	12.1	1.16	395	0.96	0.03	10.7	35.6
K302930		2.56	10.75	0.15	1.7	1.34	0.042	2.02	20.1	6.4	1.09	575	0.26	0.02	5.2	20.2
K302931		3.71	17.00	0.21	2.6	2.78	0.063	3.07	34.6	13.8	1.45	628	0.61	0.03	9.1	50.6
K302932		1.52	5.36	0.14	1.0	0.38	0.022	1.04	12.3	4.2	0.83	402	0.37	0.01	3.0	11.8
K302933		3.48	14.10	0.17	2.1	0.56	0.059	2.57	28.1	17.0	1.43	666	0.35	0.03	7.3	36.3
K302934		3.62	13.15	0.20	2.3	1.57	0.057	2.44	28.1	8.6	2.59	1070	0.78	0.02	7.3	24.8
K302935		1.25	4.69	0.13	0.8	1.56	0.018	0.88	12.3	3.2	0.79	438	0.51	0.01	2.5	8.8
K302936		2.20	9.14	0.16	1.5	0.63	0.041	1.66	23.1	6.1	1.61	632	0.60	0.02	4.9	17.8
K302937		2.01	7.35	0.15	1.3	0.52	0.036	1.46	19.6	5.2	1.59	627	0.50	0.02	4.0	14.7
K302938		2.84	11.45	0.19	2.0	0.51	0.046	2.14	27.8	8.2	1.21	592	0.68	0.02	6.2	22.0
K302939		0.81	2.99	0.13	0.6	0.29	0.016	0.57	8.3	3.3	0.52	225	0.32	0.01	1.6	5.6
K302940		0.56	1.43	0.11	0.3	0.18	0.008	0.25	4.8	1.6	1.88	215	0.28	0.02	0.8	2.6
K302941		0.48	0.24	0.10	<0.1	0.01	0.008	0.04	0.6	1.0	12.30	205	0.09	<0.01	0.2	1.5
K302942		0.59	1.97	0.12	0.3	0.27	0.011	0.33	6.0	2.3	3.03	206	0.69	0.02	1.0	3.6
K302943		0.48	1.19	0.11	0.2	0.17	0.011	0.22	4.4	1.8	2.33	235	0.23	0.01	0.6	2.1
K302944		0.55	1.83	0.11	0.3	0.41	0.011	0.33	6.3	2.8	1.48	247	0.36	0.01	1.0	3.4
K302945		1.37	7.14	0.17	2.1	5.86	0.062	1.46	30.0	8.9	0.71	263	10.40	<0.01	7.4	58.7
K302946		0.88	3.35	0.14	0.6	0.44	0.014	0.64	10.1	5.0	0.76	156	0.68	0.01	1.9	6.9
K302947		0.55	1.93	0.11	0.3	0.16	0.009	0.35	6.2	2.8	0.81	326	0.48	0.01	1.1	3.9
K302948		1.50	6.53	0.06	1.1	3.00	0.027	1.12	17.1	6.1	1.00	505	1.56	0.02	3.8	24.2
K302949		2.39	9.66	0.17	1.9	1.54	0.041	1.81	26.4	10.1	1.40	582	1.35	0.03	5.5	20.8
K302950		1.60	6.83	0.15	1.3	0.55	0.036	1.18	19.0	6.6	0.98	343	1.11	0.02	3.7	14.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11194662

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302915		410	7.5	15.0	0.003	0.48	0.35	2.2	1	0.4	1440	0.07	0.05	1.3	0.039	0.23
K302916		380	7.7	10.8	0.002	0.40	0.34	1.6	1	0.4	1610	0.05	<0.05	1.0	0.031	0.19
K302917		90	4.3	5.5	<0.002	0.09	0.31	0.8	<1	0.2	349	<0.05	<0.05	1.5	0.020	0.05
K302918		510	2.8	8.5	<0.002	0.27	0.18	1.5	1	0.3	1660	0.05	<0.05	0.8	0.024	0.14
K302919		250	6.3	26.6	0.003	0.87	0.38	3.4	1	0.6	1745	0.13	<0.05	2.2	0.068	0.50
K302920		240	2.0	1.4	<0.002	0.01	0.10	0.4	<1	0.2	49.0	<0.05	<0.05	0.2	0.005	<0.02
K302921		220	4.5	11.9	<0.002	0.44	0.30	1.9	1	0.3	1540	0.06	<0.05	1.1	0.034	0.27
K302922		150	6.1	16.8	<0.002	0.61	0.37	2.5	1	0.4	1265	0.08	<0.05	1.6	0.048	1.33
K302923		410	2.5	6.6	<0.002	0.24	0.23	1.2	1	0.2	1400	<0.05	<0.05	0.6	0.019	0.60
K302924		510	6.0	7.3	0.002	0.26	0.44	1.2	1	0.3	1505	<0.05	<0.05	0.7	0.021	0.82
K302925		200	13.7	62.1	0.002	1.67	0.65	7.5	1	1.2	851	0.33	<0.05	5.1	0.183	2.63
K302926		850	18.6	48.6	0.004	3.05	121.5	15.7	2	2.9	523	0.81	0.21	9.1	0.547	7.85
K302927		310	18.8	99.9	0.002	2.18	1.05	12.6	2	2.1	351	0.51	0.09	7.6	0.289	2.57
K302928		480	9.6	135.5	0.003	2.89	3.54	17.0	1	2.7	204	0.63	0.06	9.4	0.351	8.87
K302929		440	38.9	151.5	<0.002	4.30	3.96	18.8	2	3.1	138.0	0.78	<0.05	12.2	0.438	8.45
K302930		360	8.3	82.9	0.003	1.54	1.23	12.4	1	1.6	508	0.37	<0.05	5.7	0.242	3.39
K302931		430	9.3	146.0	0.002	2.87	1.40	17.1	1	2.4	356	0.65	0.08	10.3	0.360	6.68
K302932		380	5.9	43.4	0.002	0.64	0.31	6.0	1	0.8	820	0.21	<0.05	3.0	0.119	0.73
K302933		410	8.9	117.5	0.003	2.40	0.42	15.1	1	1.9	528	0.49	<0.05	7.2	0.299	1.40
K302934		260	24.3	106.0	<0.002	2.22	1.16	13.0	2	1.8	408	0.53	0.10	8.2	0.294	3.11
K302935		190	6.0	36.8	0.003	0.91	1.01	4.9	1	0.6	1145	0.17	<0.05	2.8	0.095	2.83
K302936		350	10.9	72.0	0.002	1.57	0.66	9.2	2	1.3	729	0.33	0.10	5.6	0.182	2.54
K302937		310	9.2	60.3	0.002	1.34	0.47	7.6	1	1.1	774	0.28	0.08	4.5	0.157	2.36
K302938		260	13.6	87.5	0.004	2.36	1.39	11.2	1	1.5	639	0.45	0.08	6.8	0.247	3.27
K302939		160	5.4	22.6	<0.002	0.75	0.46	3.1	1	0.4	1700	0.12	0.05	1.8	0.063	0.40
K302940		300	3.4	9.5	0.003	0.40	0.56	1.6	1	0.3	1555	0.06	<0.05	1.0	0.029	0.17
K302941		190	1.3	1.9	<0.002	0.01	0.08	0.5	<1	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	<0.02
K302942		150	4.8	12.8	0.004	0.44	0.88	2.1	1	0.4	1210	0.06	<0.05	1.2	0.040	0.14
K302943		240	3.1	8.1	<0.002	0.34	0.73	1.4	1	0.2	1395	0.05	<0.05	0.8	0.025	0.19
K302944		310	4.3	12.8	0.002	0.48	1.02	2.1	1	0.3	1600	0.07	<0.05	1.3	0.038	0.89
K302945		4240	5.0	115.0	0.039	1.38	18.05	6.2	7	1.7	152.0	0.50	0.63	6.4	0.212	13.40
K302946		410	4.6	26.3	0.004	0.86	1.30	3.5	1	0.5	1895	0.13	<0.05	2.3	0.072	0.73
K302947		510	2.9	14.3	0.002	0.47	0.34	2.2	1	0.4	1595	0.07	<0.05	1.3	0.039	0.56
K302948		360	7.8	48.9	0.007	1.38	1.76	7.0	3	0.9	1600	0.28	0.06	4.4	0.131	4.80
K302949		320	11.6	79.6	0.007	2.02	0.62	10.0	2	1.3	1250	0.40	0.08	6.1	0.222	2.29
K302950		620	8.4	54.1	0.007	1.37	0.51	7.3	1	1.0	1665	0.26	0.05	4.3	0.142	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11194662

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302915		2.4	12	0.2	11.2	16	12.1
K302916		2.0	11	0.1	9.9	50	9.1
K302917		0.6	5	0.1	2.7	21	5.0
K302918		2.1	7	0.1	10.3	5	7.6
K302919		3.1	21	0.2	15.7	19	19.4
K302920		0.8	2	0.1	0.9	12	<0.5
K302921		2.2	10	0.2	11.0	19	9.8
K302922		2.9	15	0.4	14.1	19	13.2
K302923		1.7	6	0.2	8.6	4	6.5
K302924		2.0	6	0.2	7.7	<2	6.5
K302925		2.7	49	1.4	16.0	22	50.1
K302926		7.2	168	24.7	15.6	43	172.5
K302927		2.1	79	2.2	19.4	73	103.5
K302928		2.6	118	7.1	23.6	87	85.5
K302929		2.7	122	10.2	23.1	157	113.5
K302930		1.9	79	5.1	15.1	45	54.1
K302931		2.6	114	7.5	20.4	81	84.0
K302932		1.9	40	0.5	10.3	28	33.3
K302933		2.1	92	1.2	18.0	53	73.3
K302934		2.2	79	5.8	21.6	38	72.3
K302935		1.8	27	1.6	10.9	21	26.9
K302936		2.2	53	0.8	16.4	38	51.4
K302937		1.9	47	0.6	13.8	40	44.3
K302938		2.6	70	1.3	18.3	53	64.2
K302939		1.9	17	0.6	9.8	17	17.6
K302940		2.0	10	0.4	8.6	14	8.9
K302941		0.5	3	0.1	1.0	12	<0.5
K302942		2.2	13	0.6	11.0	7	10.4
K302943		1.9	8	0.4	9.7	42	7.2
K302944		2.3	12	0.7	11.0	2	11.2
K302945		8.4	383	34.8	28.3	280	71.7
K302946		2.8	23	1.0	14.1	26	19.2
K302947		2.2	14	0.2	9.5	5	12.2
K302948		3.1	43	3.0	18.7	33	37.7
K302949		3.1	67	1.4	23.4	56	57.9
K302950		2.9	44	0.5	18.8	38	43.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11194662

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

CERTIFICATE VA11227647

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- Batch 198

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 3- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS VA11227647

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K302915		<0.01
K302916		<0.01
K302917		<0.01
K302918		0.01
K302919		<0.01
K302920		<0.01
K302921		<0.01
K302922		<0.01
K302923		<0.01
K302924		<0.01
K302925		<0.01
K302926		0.34
K302927		<0.01
K302928		0.29
K302929		0.03
K302930		0.01
K302931		0.13
K302932		<0.01
K302933		<0.01
K302934		0.01
K302935		<0.01
K302936		<0.01
K302937		<0.01
K302938		<0.01
K302939		<0.01
K302940		<0.01
K302941		0.01
K302942		<0.01
K302943		<0.01
K302944		<0.01
K302945		7.83
K302946		<0.01
K302947		<0.01
K302948		0.03
K302949		<0.01
K302950		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

CERTIFICATE VA11190154

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 199

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190154

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303657		12.00	<0.01	0.06	5.53	33	450	1.19	0.19	10.85	0.07	67.9	8.9	46	17.10	21.1
K303658		11.64	0.01	0.06	5.64	19	410	1.34	0.18	10.65	0.06	67.4	8.3	47	18.15	18.2
K303659		10.46	0.01	0.07	5.38	14	260	1.24	0.18	13.00	0.05	66.0	8.1	40	17.95	16.8
K303660		9.66	0.02	0.04	2.51	9	110	0.53	0.09	26.7	0.03	33.1	4.0	20	7.64	8.8
K303661		5.66	<0.01	0.03	2.69	8	120	0.65	0.10	25.7	0.04	35.1	4.6	22	8.20	12.6
K303662		10.00	<0.01	0.05	5.41	13	210	1.22	0.19	13.10	0.04	62.5	9.6	38	17.55	20.5
K303663		10.38	<0.01	0.04	3.80	5	140	0.79	0.13	18.80	0.09	44.6	6.4	30	12.20	16.5
K303664		7.22	<0.01	0.05	4.58	19	160	1.01	0.17	16.85	0.07	53.4	8.1	34	15.60	18.2
K303665		8.68	<0.01	0.08	8.12	33.1	310	2.22	0.37	1.46	0.12	92.6	16.8	68	26.7	35.2
K303666		10.76	<0.01	0.03	2.42	18	120	0.70	0.09	22.9	0.05	25.6	5.6	21	10.05	10.9
K303667		9.82	<0.01	0.02	2.19	10	90	0.62	0.08	23.6	0.10	23.3	4.4	16	9.09	9.1
K303668		11.00	<0.01	0.03	3.03	40	130	1.02	0.10	24.1	0.10	29.7	5.8	25	9.70	13.6
K303669		4.08	0.03	0.09	8.51	145.0	350	2.58	0.39	4.43	0.20	95.4	18.5	62	22.9	39.7
K303670		10.66	0.01	0.07	9.05	51.0	370	3.18	0.37	2.56	0.22	100.5	17.7	67	27.0	38.1
K303671		0.28	2.67	0.96	3.15	604	850	0.78	0.30	8.04	2.14	43.7	6.6	51	3.80	40.7
K303672		10.78	<0.01	0.06	9.05	119.0	420	3.29	0.35	2.30	0.30	108.5	16.6	69	33.4	39.0
K303673		11.42	<0.01	0.07	8.67	17.8	400	3.07	0.30	1.75	0.21	95.5	15.4	69	31.7	36.9
K303674		9.02	0.01	0.09	8.70	22.2	450	2.94	0.29	1.88	0.25	110.0	13.8	60	30.8	34.9
K303675		7.12	<0.01	0.01	0.09	<5	20	0.06	0.02	20.6	0.06	1.21	0.6	1	0.35	1.9
K303676		11.08	0.03	0.07	8.32	278	800	2.57	0.34	2.47	0.22	91.7	14.7	63	27.3	38.6
K303677		9.38	0.03	0.11	7.01	148.0	560	2.28	0.35	5.35	0.32	65.4	13.7	58	17.40	39.2
K303678		10.72	<0.01	0.07	8.47	37.5	490	2.76	0.34	2.39	0.25	96.4	15.0	64	27.7	35.4
K303679		11.22	<0.01	0.06	8.92	27.1	460	2.93	0.31	1.57	0.11	97.5	15.1	67	33.2	35.1
K303680		10.26	<0.01	0.07	8.82	27.7	550	2.95	0.32	1.97	0.28	99.1	15.8	68	35.2	37.1
K303681		5.06	<0.01	0.10	8.13	37.5	1000	2.84	0.30	2.38	0.15	94.0	13.1	61	33.2	36.8
K303682		6.10	0.01	0.08	8.87	25.0	630	3.18	0.27	3.76	0.29	104.5	14.2	62	32.8	35.3
K303683		0.30	0.34	0.35	6.19	600	1380	0.64	0.28	0.48	0.17	136.0	2.6	228	3.32	29.0
K303684		7.70	<0.01	0.10	8.65	62.2	660	3.40	0.24	2.02	0.20	97.8	14.8	60	33.7	40.5
K303685		6.92	0.04	0.11	8.06	367	330	2.67	0.25	2.92	0.10	101.5	20.6	54	26.0	45.4
K303686		5.72	0.05	0.04	8.51	286	390	2.31	0.36	3.58	0.19	104.0	16.9	51	27.1	49.1
K303687		3.94	0.21	0.10	1.32	372	160	0.41	0.06	17.10	0.41	14.50	2.9	8	3.10	11.7
K303688		5.60	0.48	0.26	0.93	9560	140	0.43	0.07	16.70	0.47	12.05	2.8	9	2.30	16.2
K303689		6.14	0.16	0.12	2.35	289	140	0.61	0.11	14.90	2.25	27.1	4.8	15	5.27	18.8
K303690		5.12	<0.01	0.02	0.06	7	10	0.05	0.03	21.3	0.05	1.08	0.7	1	0.17	2.8
K303691		4.66	0.13	0.23	2.46	220	130	0.71	0.14	14.45	1.36	20.3	6.0	22	5.96	24.1
K303692		5.18	0.15	0.15	5.52	410	230	1.31	0.31	6.36	0.30	52.8	15.4	46	16.85	55.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190154

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303657		2.53	14.25	0.13	2.6	0.15	0.045	2.24	33.2	54.3	1.47	294	0.54	0.18	8.2	19.0
K303658		2.47	13.90	0.14	2.6	0.16	0.043	2.24	32.5	58.7	1.30	255	0.47	0.22	8.1	18.0
K303659		2.44	13.30	0.14	2.4	0.20	0.043	2.11	31.9	96.0	1.30	262	0.43	0.16	7.8	18.3
K303660		1.21	6.08	0.12	1.3	0.07	0.020	1.06	17.4	35.3	0.52	124	0.20	0.04	4.0	8.5
K303661		1.28	6.67	0.12	1.3	0.08	0.021	1.14	18.6	33.3	0.56	131	0.20	0.04	4.4	8.8
K303662		2.14	13.30	0.15	1.9	0.15	0.041	2.33	31.1	37.0	1.84	380	0.31	0.05	6.7	18.7
K303663		1.81	9.32	0.13	1.4	0.11	0.030	1.68	21.4	14.4	1.78	342	0.27	0.04	5.2	12.7
K303664		1.93	11.20	0.16	1.7	0.19	0.036	2.02	26.1	12.8	1.59	399	0.57	0.04	5.7	18.0
K303665		3.26	23.8	0.27	3.1	0.22	0.073	4.12	45.9	27.1	1.08	223	0.43	0.05	12.0	36.1
K303666		1.42	6.12	0.12	1.0	0.08	0.021	1.09	13.0	8.9	2.88	348	0.85	0.02	3.5	10.6
K303667		1.15	5.57	0.12	0.8	0.10	0.018	1.00	12.6	5.8	3.72	289	0.39	0.02	3.1	8.3
K303668		1.71	7.45	0.11	1.0	0.15	0.025	1.33	15.4	8.1	2.36	572	0.62	0.02	3.9	9.9
K303669		4.11	23.0	0.22	3.0	0.54	0.075	3.90	48.5	15.6	2.12	638	3.78	0.05	11.4	38.0
K303670		4.30	24.3	0.24	3.0	0.49	0.075	4.12	49.2	17.2	1.69	389	3.01	0.06	12.1	36.8
K303671		2.10	7.69	0.14	1.6	4.55	0.027	0.98	26.4	39.4	2.54	264	18.00	0.03	6.8	49.4
K303672		4.48	26.5	0.21	3.4	0.44	0.093	4.29	59.4	18.9	1.59	382	3.31	0.06	13.0	40.7
K303673		4.39	24.8	0.18	3.4	0.39	0.074	4.08	50.5	20.5	1.76	361	3.13	0.05	12.3	36.6
K303674		4.20	24.3	0.21	3.3	0.39	0.066	4.05	59.5	19.2	1.75	370	3.82	0.05	12.3	35.0
K303675		0.46	0.27	0.12	<0.1	<0.01	<0.005	0.04	0.6	1.0	12.40	203	0.06	<0.01	0.2	1.7
K303676		4.66	21.9	0.20	3.3	1.05	0.067	3.85	49.0	25.8	1.67	472	4.52	0.05	10.9	35.7
K303677		4.58	18.05	0.14	2.7	1.45	0.056	3.30	36.5	17.1	2.64	860	5.03	0.05	8.6	32.6
K303678		4.05	22.9	0.19	3.3	0.62	0.071	3.98	51.7	13.4	1.84	348	2.98	0.05	11.4	37.1
K303679		4.35	23.8	0.20	3.2	0.38	0.072	4.16	52.8	18.9	1.76	334	2.92	0.05	12.0	35.3
K303680		4.50	24.1	0.21	3.4	0.27	0.074	4.17	51.2	22.3	1.90	399	3.21	0.05	12.4	36.7
K303681		4.21	22.1	0.20	3.3	0.35	0.062	3.85	52.0	19.8	2.04	400	3.58	0.05	10.9	32.3
K303682		4.12	24.2	0.19	3.5	0.38	0.069	4.15	55.3	16.1	1.89	362	3.68	0.06	12.1	33.2
K303683		6.92	19.00	0.15	4.5	9.94	0.048	1.36	70.6	17.0	0.13	38	6.35	0.40	9.5	16.2
K303684		4.80	23.9	0.20	3.2	0.56	0.072	4.06	49.6	14.4	1.43	419	2.98	0.05	11.5	36.9
K303685		4.84	22.1	0.18	2.9	1.22	0.060	3.82	54.2	10.1	1.80	993	3.97	0.04	10.5	37.9
K303686		4.05	22.7	0.19	3.6	1.12	0.069	4.00	55.6	11.3	2.23	847	1.99	0.04	11.9	38.2
K303687		2.01	3.15	0.08	0.6	0.93	0.013	0.59	8.1	2.7	9.73	3280	4.55	0.01	2.1	9.5
K303688		4.34	2.45	0.07	0.5	2.95	0.018	0.43	6.1	2.3	9.41	5210	5.70	0.01	1.8	17.9
K303689		1.79	5.65	0.10	1.0	2.20	0.030	1.11	14.4	4.2	8.35	3490	13.15	0.02	3.5	19.3
K303690		0.47	0.17	0.12	<0.1	<0.01	0.005	0.02	0.6	0.8	12.85	209	0.46	<0.01	0.2	1.9
K303691		1.87	6.02	0.09	1.3	2.85	0.031	1.20	10.5	4.8	8.32	2260	8.78	0.02	3.6	29.7
K303692		4.08	15.20	0.15	3.1	5.58	0.057	2.66	35.5	9.8	3.60	1880	2.48	0.03	9.1	64.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190154

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303657		720	15.3	128.0	0.002	1.85	0.39	9.9	2	2.0	399	0.64	<0.05	10.7	0.261	1.43
K303658		810	15.2	122.5	0.002	1.84	0.35	9.6	2	1.9	346	0.62	<0.05	10.8	0.267	1.34
K303659		530	14.9	114.5	0.002	1.97	0.34	9.5	2	1.6	367	0.59	<0.05	10.7	0.251	1.33
K303660		480	7.3	50.9	<0.002	0.86	0.17	4.3	2	0.7	712	0.29	<0.05	5.1	0.116	0.63
K303661		460	7.4	56.3	<0.002	0.91	0.18	4.8	2	1.2	673	0.31	<0.05	5.5	0.125	0.70
K303662		450	13.2	112.5	<0.002	1.26	0.35	8.7	2	1.6	339	0.53	<0.05	9.8	0.210	1.18
K303663		390	9.7	79.9	0.002	1.02	0.24	6.3	1	1.3	452	0.37	<0.05	7.0	0.156	1.06
K303664		740	11.6	91.9	0.002	1.33	0.33	7.5	2	1.4	383	0.44	<0.05	8.1	0.171	2.16
K303665		490	21.4	168.5	0.002	2.53	0.45	14.9	2	2.6	164.0	0.95	0.07	16.6	0.380	2.09
K303666		1030	6.2	48.8	0.003	0.91	0.21	4.7	2	0.8	540	0.26	<0.05	4.0	0.111	0.65
K303667		610	4.9	43.9	<0.002	0.50	0.18	4.0	2	0.7	521	0.22	<0.05	3.8	0.092	0.59
K303668		730	5.5	53.5	0.002	0.66	0.33	6.0	2	1.0	596	0.31	<0.05	5.3	0.124	0.71
K303669		880	22.6	164.0	0.004	2.88	1.61	16.2	3	3.6	155.0	1.00	0.07	17.0	0.348	4.00
K303670		880	21.0	167.0	0.007	2.54	1.09	17.3	2	3.6	146.0	1.08	0.05	17.7	0.370	3.39
K303671		900	36.5	45.2	0.021	1.59	103.5	5.2	4	2.4	67.0	0.47	0.19	6.5	0.170	3.96
K303672		910	20.0	197.5	0.011	3.08	1.31	16.9	1	4.0	171.0	0.98	0.05	17.8	0.393	3.38
K303673		650	17.1	178.0	0.010	1.67	0.90	15.6	1	3.5	143.5	0.94	0.05	16.9	0.364	1.62
K303674		750	18.0	171.5	0.015	1.72	0.91	14.5	1	3.3	159.0	0.93	0.05	20.2	0.332	1.52
K303675		180	1.1	2.2	<0.002	0.01	0.05	0.2	<1	<0.2	40.6	<0.05	<0.05	<0.2	<0.005	<0.02
K303676		2140	16.7	169.5	0.011	2.98	2.17	14.1	2	3.1	196.5	0.89	0.05	16.1	0.359	3.83
K303677		1940	14.9	138.5	0.008	3.85	2.14	12.7	2	3.0	233	0.70	0.05	11.6	0.304	4.70
K303678		810	19.7	177.5	0.007	2.62	1.06	14.6	1	3.5	178.5	0.90	0.05	16.9	0.351	3.66
K303679		690	17.7	185.5	0.013	2.06	0.85	15.3	2	3.4	166.0	0.94	0.05	17.8	0.367	2.20
K303680		670	17.6	177.5	0.015	2.15	0.95	16.0	1	3.5	198.5	0.91	<0.05	17.5	0.371	2.23
K303681		600	18.0	167.0	0.015	2.14	0.90	14.0	1	3.2	189.0	0.87	0.07	16.9	0.336	2.48
K303682		770	23.2	152.5	0.012	2.44	0.80	14.0	1	3.1	219	0.97	<0.05	19.1	0.341	2.36
K303683		920	16.9	46.1	0.002	3.08	121.0	14.9	1	3.0	521	0.70	0.12	9.6	0.554	7.82
K303684		430	21.6	144.5	0.006	4.56	0.87	14.9	1	2.8	164.5	0.87	0.05	16.1	0.333	2.90
K303685		390	15.8	154.5	0.009	4.46	2.36	14.4	1	2.5	147.5	0.79	<0.05	17.1	0.316	3.82
K303686		410	17.6	143.5	0.002	3.65	2.56	15.5	1	2.9	153.0	0.93	0.06	18.1	0.346	3.94
K303687		210	10.9	20.8	0.004	1.60	2.16	3.1	1	0.5	291	0.15	<0.05	2.5	0.057	3.68
K303688		190	38.6	16.1	0.011	5.38	15.75	4.5	1	0.5	300	0.12	<0.05	1.7	0.059	14.20
K303689		240	14.1	39.0	0.039	1.31	2.20	5.6	1	0.9	248	0.24	<0.05	4.4	0.109	2.93
K303690		190	1.2	1.1	<0.002	0.01	0.06	0.2	<1	<0.2	42.3	<0.05	<0.05	<0.2	<0.005	0.02
K303691		280	23.1	43.5	0.023	1.72	3.34	6.2	1	1.0	197.5	0.26	0.07	3.7	0.168	3.98
K303692		460	33.6	111.5	0.012	3.85	6.68	16.3	2	2.0	132.5	0.65	0.10	8.7	0.405	8.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190154

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303657		2.8	54	1.2	19.3	64	87.9
K303658		2.7	55	1.2	19.3	57	86.7
K303659		2.6	50	1.2	17.8	59	84.7
K303660		2.1	22	0.6	9.6	30	43.9
K303661		2.1	23	0.6	10.1	35	47.5
K303662		2.4	46	1.0	14.3	52	62.8
K303663		1.8	34	0.7	11.8	79	51.7
K303664		2.3	42	0.9	14.0	52	57.4
K303665		3.3	82	2.2	16.5	137	98.6
K303666		1.8	38	0.7	10.4	26	34.5
K303667		1.5	26	0.5	7.6	23	30.8
K303668		1.8	42	1.3	9.1	35	37.7
K303669		4.9	135	4.7	25.7	93	97.0
K303670		4.2	152	2.6	25.1	121	98.6
K303671		8.2	227	28.4	19.3	211	60.9
K303672		4.1	160	3.1	28.8	135	117.5
K303673		4.2	170	1.9	25.0	99	111.0
K303674		4.6	169	1.7	27.9	81	105.5
K303675		0.6	2	0.1	0.8	13	0.5
K303676		4.7	172	3.7	33.9	83	107.0
K303677		4.4	151	4.2	27.7	104	84.8
K303678		4.1	142	2.1	25.7	109	106.5
K303679		3.7	150	1.9	25.5	61	108.5
K303680		4.0	165	2.0	25.1	114	111.5
K303681		4.1	167	1.8	25.6	65	105.0
K303682		4.2	167	1.6	25.4	118	106.0
K303683		7.7	168	21.7	14.8	45	169.5
K303684		3.6	152	1.6	23.2	95	101.5
K303685		4.8	127	5.3	21.7	74	108.0
K303686		3.2	103	6.4	23.5	63	108.0
K303687		4.2	31	1.3	5.6	68	17.7
K303688		11.4	44	1.5	5.4	136	17.7
K303689		9.1	77	8.0	8.5	566	34.6
K303690		0.4	1	0.1	0.9	14	<0.5
K303691		5.5	82	3.5	7.9	304	44.4
K303692		2.9	118	7.6	19.6	36	95.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190154

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

CERTIFICATE VA11190108

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 200

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190108

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304118		4.54	9.88	0.13	2.52	>10000	170	0.43	0.06	8.22	0.97	39.1	4.8	27	8.13	15.1
K304119		7.10	<0.01	0.02	0.10	17	30	0.06	0.04	20.6	0.06	1.25	1.2	1	0.21	3.1
K304120		3.30	2.11	0.07	1.85	>10000	40	0.30	0.04	25.4	0.67	13.40	3.1	20	3.68	9.1
K304121		0.28	16.10	1.69	1.96	1060	320	0.36	0.60	14.90	0.66	33.2	3.8	36	2.25	65.3
K304122		10.54	0.01	0.26	0.63	271	30	0.21	0.04	32.0	0.33	10.35	1.2	7	1.84	3.5
K304123		11.02	0.01	0.12	1.18	395	70	0.37	0.05	29.9	0.16	20.8	2.6	12	4.73	7.3
K304124		11.26	<0.01	0.14	3.61	874	150	0.96	0.11	16.80	0.02	50.1	5.8	35	16.05	22.9
K304125		11.50	<0.01	0.10	3.85	410	170	1.01	0.15	15.95	0.04	51.1	6.7	36	16.35	30.3
K304126		10.62	<0.01	0.05	1.64	87	80	0.58	0.10	28.5	0.04	23.5	3.1	16	6.28	11.5
K304127		5.18	<0.01	0.07	1.62	86	80	0.44	0.09	28.4	0.05	24.8	3.3	15	6.55	12.2
K304128		10.66	<0.01	0.04	1.41	52	60	0.33	0.06	29.5	0.07	21.9	2.6	14	4.95	9.4
K304129		10.20	<0.01	0.11	3.17	142	120	0.69	0.13	19.65	0.16	43.7	6.3	32	11.45	19.5
K304130		5.38	<0.01	0.08	3.52	98.8	150	0.66	0.13	7.96	0.06	49.5	6.3	32	9.14	15.2
K304131		7.12	<0.01	0.02	0.12	<5	20	0.07	0.05	20.6	0.05	1.50	0.9	1	0.37	2.9
K304132		10.94	0.01	0.08	2.71	360	210	0.60	0.11	9.44	0.04	42.8	4.7	30	7.33	11.7
K304133		10.92	0.01	0.07	2.19	219	120	0.63	0.10	24.1	0.05	30.8	4.2	22	5.87	12.0
K304134		11.20	<0.01	0.06	2.42	113	140	0.70	0.11	23.1	0.06	34.6	4.5	23	8.14	17.3
K304135		11.22	<0.01	0.04	0.63	95	70	0.26	0.04	32.5	0.06	13.30	1.2	6	1.59	3.8
K304136		11.38	<0.01	0.03	0.67	77	80	0.32	0.05	32.6	0.11	14.45	1.5	6	2.02	5.2
K304137		10.50	0.02	0.05	1.96	113	550	0.80	0.08	24.8	0.04	29.5	3.8	19	6.44	13.9
K304138		12.02	<0.01	0.05	1.38	58	250	0.57	0.06	29.2	0.06	21.7	2.6	13	4.82	7.7
K304139		0.28	0.33	0.27	6.06	598	1150	0.63	0.33	0.47	0.18	145.0	3.0	229	3.60	29.8
K304140		10.58	0.01	0.10	1.48	115	330	0.60	0.08	28.3	0.05	23.9	2.4	13	4.07	9.0
K304141		11.30	0.01	0.06	2.64	180	170	0.93	0.10	16.10	0.04	37.4	4.7	29	8.57	16.2
K304142		11.36	<0.01	0.09	3.24	57	200	0.92	0.13	11.20	0.05	45.4	5.8	31	11.80	13.9
K304143		11.56	0.01	0.14	4.63	46.6	260	1.48	0.14	9.61	0.05	56.2	8.4	48	19.90	33.1
K304144		10.30	0.01	0.18	4.43	54	270	1.47	0.10	16.05	0.13	47.9	8.3	44	17.25	32.9
K304145		12.02	0.01	0.12	2.59	53	150	0.86	0.06	25.3	0.09	30.9	5.0	25	8.65	15.1
K304146		12.60	0.01	0.10	2.16	55	110	0.78	0.05	25.8	0.11	28.5	4.8	21	6.83	13.5
K304147		10.88	0.01	0.04	2.03	61	110	0.66	0.05	26.4	0.05	23.8	3.8	19	5.95	14.1
K304148		11.14	0.07	0.08	1.27	85	100	0.54	0.07	26.1	0.05	20.0	2.6	12	4.33	9.8
K304149		11.12	0.05	0.08	1.59	106	70	0.76	0.07	27.3	0.16	20.5	2.9	15	5.96	9.8
K304150		10.76	0.01	0.08	1.13	81	300	0.54	0.05	29.1	0.12	16.50	2.0	12	4.06	6.0
K304151		11.08	0.02	0.15	1.07	596	170	0.47	0.05	30.5	0.13	16.25	2.1	10	4.09	5.9
K304152		7.12	<0.01	0.08	0.09	<5	20	0.06	0.06	20.1	0.06	1.06	0.7	2	0.43	2.1
K304153		10.66	0.13	0.09	1.02	87	60	0.45	0.06	31.3	0.19	14.85	2.1	10	3.32	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190108

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304118		1.61	7.15	0.10	1.2	44.8	0.036	1.14	20.4	18.5	2.70	1250	3.76	0.01	3.7	13.6
K304119		0.47	0.31	<0.05	<0.1	0.2	<0.005	0.03	0.6	1.3	12.45	207	0.14	0.01	0.5	3.2
K304120		0.70	5.13	<0.05	1.0	11.0	0.032	0.90	7.3	8.1	1.63	2480	0.79	0.01	3.2	8.8
K304121		3.61	3.95	0.11	0.9	6.0	0.057	0.40	20.7	36.2	0.70	445	11.30	0.02	3.3	22.7
K304122		0.29	1.55	0.11	0.4	0.4	0.008	0.34	7.0	2.8	0.71	204	0.38	0.01	1.0	2.9
K304123		0.57	3.29	0.13	0.7	0.2	0.012	0.63	13.0	7.4	0.81	127	0.42	0.01	2.1	6.9
K304124		1.49	9.30	0.17	2.4	0.2	0.028	1.98	28.7	24.1	1.95	179	0.86	0.03	6.1	16.7
K304125		1.68	10.60	0.15	2.1	0.1	0.029	2.10	29.3	26.9	2.43	187	0.66	0.03	6.3	18.8
K304126		0.77	4.56	0.14	0.8	<0.1	0.018	0.90	14.6	11.8	1.45	142	0.19	0.01	2.6	8.3
K304127		0.77	4.52	0.15	0.9	<0.1	0.018	0.88	15.5	12.6	1.46	142	0.17	0.01	2.7	8.6
K304128		0.73	3.75	0.17	0.6	0.1	0.011	0.74	14.3	9.3	1.18	153	0.13	0.01	2.2	7.1
K304129		1.53	8.04	0.14	1.8	0.6	0.034	1.61	25.3	23.5	2.40	187	0.85	0.02	5.1	16.2
K304130		1.57	9.32	0.13	3.6	0.8	0.018	1.64	26.8	31.4	4.28	203	0.90	0.03	6.3	15.5
K304131		0.48	0.33	0.15	<0.1	<0.1	<0.005	0.06	1.5	1.5	12.25	204	0.10	0.01	0.3	2.3
K304132		1.37	6.93	0.14	2.8	0.7	0.021	1.42	23.0	23.3	5.17	262	0.90	0.03	4.6	11.5
K304133		1.04	5.74	0.14	1.3	0.61	0.019	1.06	18.8	13.5	2.11	191	0.76	0.02	3.5	11.2
K304134		1.05	6.54	0.16	1.4	0.18	0.019	1.34	20.7	15.8	1.96	162	0.20	0.02	4.3	11.6
K304135		0.38	1.60	0.12	0.3	0.09	0.005	0.32	9.3	4.0	0.82	142	0.08	0.01	0.8	3.2
K304136		0.39	1.77	0.15	0.3	0.21	0.006	0.31	10.0	8.8	0.71	129	0.13	0.01	1.0	3.8
K304137		0.94	5.15	0.17	1.2	0.39	0.010	1.03	17.5	15.2	1.69	283	0.28	0.02	3.4	9.4
K304138		0.74	3.75	0.17	0.7	0.41	0.010	0.68	13.5	11.0	1.38	427	0.34	0.01	2.1	6.8
K304139		6.60	20.5	0.22	4.4	9.24	0.048	1.37	75.4	16.7	0.12	35	6.59	0.39	10.1	17.2
K304140		0.73	3.83	0.12	0.8	0.66	0.017	0.71	14.5	7.1	1.43	387	0.20	0.01	2.1	6.2
K304141		1.29	7.00	0.15	2.2	0.96	0.019	1.38	20.6	18.7	4.69	601	0.70	0.02	4.5	14.8
K304142		1.71	8.27	0.18	2.6	0.65	0.033	1.55	24.5	38.8	5.84	322	0.97	0.03	5.4	14.2
K304143		2.03	12.15	0.17	2.7	0.62	0.037	2.49	31.6	37.2	4.49	228	1.06	0.04	7.3	23.8
K304144		1.95	12.30	0.15	1.8	0.73	0.032	2.30	26.5	32.6	3.14	222	0.91	0.03	7.4	21.2
K304145		1.20	6.90	0.11	1.1	0.50	0.019	1.30	17.2	16.9	1.79	218	0.73	0.02	4.7	10.8
K304146		1.10	5.89	0.10	0.9	0.59	0.018	1.11	16.0	13.5	1.89	246	0.62	0.01	3.9	9.7
K304147		0.72	5.13	0.11	0.9	0.48	0.016	1.10	13.5	11.5	1.42	253	0.27	0.02	3.5	7.0
K304148		1.10	3.70	0.13	0.7	1.12	0.006	0.71	12.5	7.5	3.10	367	0.34	0.01	2.1	6.7
K304149		0.59	4.28	0.14	1.1	0.74	0.008	0.89	12.9	9.5	1.69	307	0.51	0.01	2.7	6.9
K304150		0.70	2.86	0.15	0.8	0.39	0.010	0.62	9.9	5.7	1.65	272	0.43	0.01	1.7	5.8
K304151		0.47	2.86	0.14	0.5	0.52	0.009	0.56	10.2	5.9	0.88	334	0.50	0.01	1.5	5.4
K304152		0.46	0.28	0.15	<0.1	<0.01	<0.005	0.05	1.3	1.4	12.20	198	0.19	0.01	0.2	1.8
K304153		0.40	2.53	0.13	0.5	1.11	0.009	0.56	10.0	4.9	0.68	300	0.61	0.01	1.4	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190108

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304118		770	12.8	45.6	0.005	2.44	58.4	3.1	12	1.1	1120	0.28	<0.05	5.0	0.097	150.5
K304119		160	1.2	1.9	<0.002	0.01	0.12	0.4	1	<0.2	40.4	<0.05	<0.05	<0.2	<0.005	0.21
K304120		360	6.1	43.7	0.002	1.43	23.8	3.0	2	0.6	640	0.24	<0.05	3.7	0.081	49.5
K304121		650	24.5	25.9	0.012	2.00	151.5	3.5	1	2.0	44.5	0.31	0.43	4.2	0.107	3.53
K304122		250	3.5	13.4	0.005	0.11	1.01	1.0	2	0.3	1380	0.07	<0.05	1.5	0.027	1.41
K304123		230	5.7	30.2	0.004	0.22	1.37	2.2	1	0.6	1320	0.16	<0.05	3.1	0.052	0.82
K304124		550	11.6	95.4	0.006	0.43	3.43	5.8	2	1.4	883	0.47	<0.05	9.8	0.166	2.02
K304125		520	10.8	105.5	0.004	0.50	2.62	6.3	2	1.4	645	0.49	<0.05	9.5	0.168	0.81
K304126		170	5.1	49.0	0.008	0.21	1.47	2.8	2	0.7	728	0.22	<0.05	4.0	0.071	0.38
K304127		180	5.5	49.8	0.007	0.20	1.54	2.8	3	0.7	730	0.23	<0.05	4.3	0.070	0.42
K304128		190	5.1	41.4	0.006	0.17	1.09	2.7	2	0.6	680	0.17	<0.05	3.6	0.059	0.30
K304129		490	11.1	89.6	0.006	0.65	3.90	5.9	2	1.2	860	0.39	<0.05	8.3	0.137	1.01
K304130		310	10.3	87.0	0.010	0.85	0.99	4.9	2	1.5	473	0.50	<0.05	9.9	0.163	1.81
K304131		160	1.4	3.1	0.004	0.02	0.17	0.3	1	0.2	43.7	<0.05	<0.05	0.2	0.006	0.03
K304132		370	10.6	65.7	0.010	0.46	1.03	4.4	2	1.0	522	0.37	<0.05	7.8	0.129	1.01
K304133		240	8.5	51.7	0.007	0.47	0.87	3.7	3	0.9	861	0.28	<0.05	5.6	0.093	0.93
K304134		350	6.8	70.6	0.008	0.19	0.35	4.1	3	1.0	928	0.31	<0.05	6.4	0.107	0.49
K304135		90	3.8	16.7	0.005	0.07	0.17	1.0	1	0.3	1315	0.07	<0.05	1.4	0.023	0.20
K304136		80	4.2	17.5	0.007	0.11	0.18	1.2	<1	0.3	1240	0.07	<0.05	1.6	0.025	0.26
K304137		290	6.4	58.9	0.003	0.31	0.38	3.2	<1	0.8	1190	0.25	<0.05	4.9	0.087	0.76
K304138		140	5.1	38.9	0.009	0.29	0.36	2.4	1	0.6	940	0.16	<0.05	3.3	0.055	0.84
K304139		880	17.5	52.6	0.009	3.04	117.5	15.8	1	3.1	504	0.74	0.13	10.7	0.540	7.62
K304140		140	5.7	37.0	0.006	0.39	0.44	2.3	2	0.7	943	0.19	<0.05	3.5	0.058	1.13
K304141		320	8.7	70.0	0.006	0.68	0.97	4.1	1	1.2	782	0.35	<0.05	7.3	0.116	2.58
K304142		320	9.4	82.0	0.007	1.12	0.47	5.0	2	1.2	501	0.42	0.06	8.4	0.142	1.82
K304143		580	12.1	127.5	0.007	0.76	0.40	7.3	1	1.7	638	0.63	0.05	11.6	0.201	1.43
K304144		590	10.2	109.5	0.002	0.63	0.39	7.9	3	1.7	967	0.49	<0.05	8.5	0.191	1.06
K304145		350	6.1	57.4	<0.002	0.41	0.29	4.6	2	0.9	1125	0.29	<0.05	4.9	0.112	0.71
K304146		290	5.4	48.3	0.002	0.41	0.36	4.0	3	0.8	1105	0.24	<0.05	4.1	0.092	0.85
K304147		300	5.1	43.6	<0.002	0.27	0.51	3.5	3	0.8	935	0.21	<0.05	3.7	0.085	0.64
K304148		150	4.8	30.7	0.007	0.18	1.07	2.3	1	0.7	775	0.15	<0.05	3.2	0.053	3.00
K304149		190	7.6	38.3	0.007	0.23	1.72	2.7	1	0.8	1060	0.22	<0.05	4.3	0.069	2.81
K304150		270	5.3	23.1	0.008	0.29	0.74	1.8	1	0.5	1040	0.14	<0.05	2.8	0.048	1.59
K304151		200	5.3	21.5	0.007	0.22	1.61	1.7	1	0.5	1145	0.12	<0.05	2.4	0.042	1.50
K304152		180	1.4	3.0	0.009	0.01	0.11	0.2	1	0.2	41.8	<0.05	<0.05	<0.2	0.005	0.03
K304153		180	7.2	21.0	0.006	0.16	1.78	1.7	1	0.4	1235	0.11	<0.05	2.3	0.040	3.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190108

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304118		19.4	45	2.4	7.1	111	39.5	3.00
K304119		0.5	3	0.1	0.9	13	<0.5	
K304120		12.2	35	1.6	16.9	61	37.0	1.895
K304121		3.7	111	218	15.6	78	29.1	
K304122		8.3	13	0.6	4.3	22	13.1	
K304123		13.1	19	0.4	6.7	17	24.4	
K304124		13.4	52	1.2	12.9	31	72.2	
K304125		13.2	52	1.0	14.1	34	69.5	
K304126		13.7	26	0.5	7.1	19	27.2	
K304127		15.0	26	0.5	7.3	21	27.6	
K304128		14.5	23	0.5	6.9	21	21.5	
K304129		22.7	50	1.3	11.1	59	57.2	
K304130		8.6	47	1.7	11.9	36	112.5	
K304131		0.7	4	0.1	0.9	14	0.7	
K304132		8.0	43	1.3	10.5	39	83.6	
K304133		19.5	34	1.4	7.9	39	37.2	
K304134		13.4	38	0.7	9.9	29	43.8	
K304135		12.7	14	0.2	4.1	12	9.6	
K304136		14.0	15	0.2	4.4	22	9.0	
K304137		11.5	31	0.6	8.4	32	36.0	
K304138		12.4	21	0.6	6.3	34	24.3	
K304139		8.0	168	22.9	15.1	43	179.5	
K304140		13.3	22	0.9	6.4	37	26.2	
K304141		10.2	40	1.6	10.6	41	69.5	
K304142		5.9	52	2.0	12.3	41	86.2	
K304143		8.2	80	1.6	14.4	56	85.4	
K304144		11.1	72	1.1	15.1	75	64.3	
K304145		14.7	41	0.9	11.6	42	42.1	
K304146		13.4	35	0.8	10.4	51	34.0	
K304147		9.9	31	0.8	8.4	20	34.0	
K304148		11.2	19	0.6	6.0	12	23.4	
K304149		19.0	25	1.1	6.4	26	36.2	
K304150		8.4	19	0.6	5.2	7	26.3	
K304151		12.0	21	0.6	4.5	17	17.7	
K304152		0.5	4	0.1	0.8	15	<0.5	
K304153		16.2	29	0.6	4.1	28	13.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190108

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

CERTIFICATE WH11194318

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 201 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194318

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303217		5.09	<0.01	0.14	5.09	129	380	1.34	0.21	13.70	0.34	56.4	14.7	55	12.75	54.8
K303218		7.50	<0.01	0.06	1.78	128	180	0.55	0.08	27.9	0.18	22.5	5.1	19	3.77	19.4
K303219		6.90	<0.01	0.08	1.49	303	250	0.39	0.07	28.3	0.13	21.3	4.3	15	2.82	16.8
K303220		6.90	<0.01	0.06	1.88	435	340	0.47	0.07	29.6	0.16	21.3	5.6	21	3.62	21.3
K303221		0.24	0.35	0.34	6.26	626	1750	0.66	0.27	0.47	0.20	134.0	3.1	239	3.63	33.8
K303222		5.02	<0.01	0.10	3.42	146	390	1.00	0.15	21.9	0.30	44.9	9.6	37	8.25	40.0
K303223		2.32	<0.01	0.15	4.39	154	430	1.20	0.19	16.60	0.35	48.7	12.7	46	11.55	50.0
K303224		5.38	<0.01	0.06	1.97	135	370	0.51	0.07	26.5	0.15	24.4	6.0	23	4.77	23.7
K303225		7.73	<0.01	0.09	3.26	30	440	0.89	0.13	22.2	0.25	37.8	9.3	34	9.76	34.1
K303226		7.17	<0.01	0.09	4.18	15	440	1.11	0.17	17.80	0.24	47.0	13.4	47	12.10	47.1
K303227		4.99	<0.01	0.01	0.08	<5	20	0.06	0.04	19.75	0.06	1.36	1.3	<1	0.17	1.6
K303228		7.54	<0.01	0.13	3.99	11	420	1.27	0.20	20.6	0.29	54.5	12.7	39	11.05	54.2
K303229		7.15	<0.01	0.11	4.37	10	430	1.30	0.21	15.40	0.33	55.5	13.6	43	12.15	53.1
K303230		8.13	<0.01	0.06	2.28	9	220	0.74	0.11	25.0	0.16	30.8	6.9	22	6.29	27.4
K303231		8.50	<0.01	0.11	3.95	8	340	0.88	0.19	22.3	0.19	45.4	9.9	36	12.95	44.2
K303232		8.19	<0.01	0.07	2.48	11	230	0.58	0.12	27.1	0.15	30.6	6.4	23	6.43	27.9
K303233		5.02	<0.01	0.01	0.07	<5	20	0.05	0.02	21.0	0.06	1.11	1.2	<1	0.24	3.4
K303234		7.46	<0.01	0.08	2.77	14	250	0.76	0.12	24.4	0.16	33.9	7.4	27	8.99	30.9
K303235		7.97	<0.01	0.12	4.83	60	400	1.16	0.23	18.70	0.27	58.7	13.6	47	16.05	59.8
K303236		7.83	<0.01	0.11	4.44	25	340	1.01	0.20	19.85	0.24	51.1	12.8	43	14.25	55.9
K303237		8.34	<0.01	0.08	3.24	8	280	0.75	0.14	23.4	0.17	37.6	9.3	32	9.06	38.9
K303238		8.42	<0.01	0.07	3.54	12	300	0.94	0.16	23.0	0.18	41.1	10.3	35	11.70	43.8
K303239		7.85	0.01	0.06	3.10	11	260	0.74	0.13	26.7	0.14	36.3	8.7	31	11.25	34.8
K303240		6.61	<0.01	0.08	4.15	35	290	1.08	0.18	19.55	0.21	47.8	11.5	41	14.20	45.9
K303241		6.20	<0.01	0.15	1.09	237	110	0.47	0.05	16.85	0.20	14.95	4.4	16	2.57	14.8
K303242		0.51	<0.01	1.32	6.26	1180	220	1.21	0.52	8.38	0.42	81.4	20.0	68	15.60	126.0
K303243		2.69	<0.01	0.25	0.94	238	50	0.39	0.04	16.40	1.40	11.35	4.4	10	2.23	9.0
K303244		5.14	<0.01	0.28	1.45	150	80	0.58	0.06	15.50	2.24	15.80	5.2	16	4.26	14.1
K303245		5.33	<0.01	0.24	1.35	153	90	0.67	0.06	15.45	3.31	15.75	4.5	15	4.63	12.1
K303246		0.23	2.47	1.03	3.23	614	870	0.81	0.32	8.18	2.14	46.9	6.3	55	4.09	42.7
K303247		4.51	<0.01	0.14	6.23	555	200	2.26	0.29	3.99	8.69	60.3	12.9	70	24.4	51.2
K303248		10.76	<0.01	0.11	1.63	140	70	0.60	0.08	17.70	0.42	22.1	5.6	11	4.74	15.4
K303249		11.55	<0.01	0.09	0.77	29	30	0.44	0.04	14.95	0.51	10.40	2.6	12	2.26	9.0
K303250		12.66	<0.01	0.15	2.41	94	320	1.05	0.10	14.70	0.61	35.2	12.0	20	8.46	23.4
K303251		11.22	<0.01	0.11	2.29	78	120	1.11	0.09	15.80	0.82	31.5	6.8	20	9.08	17.8
K303252		5.28	<0.01	0.28	1.37	98	50	0.52	0.06	14.00	2.80	14.55	5.0	20	5.64	13.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194318

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303217		3.28	14.05	0.17	2.2	1.36	0.057	1.99	26.7	39.2	1.04	392	2.98	0.04	7.6	29.3
K303218		1.43	4.79	0.08	0.9	1.04	0.020	0.72	10.9	8.1	0.71	356	1.24	0.02	2.8	9.6
K303219		1.27	3.97	0.07	0.7	1.60	0.025	0.56	9.6	4.3	0.64	496	0.98	0.01	2.4	7.1
K303220		1.40	4.94	0.07	0.9	3.11	0.025	0.72	10.5	5.6	0.70	420	0.92	0.02	2.9	9.5
K303221		6.74	22.1	0.27	4.2	9.5	0.051	1.37	64.6	20.1	0.12	32	7.10	0.38	10.4	17.0
K303222		2.35	9.20	0.10	1.6	2.26	0.038	1.35	21.3	12.9	1.25	327	1.68	0.03	5.2	18.4
K303223		2.55	12.30	0.11	2.0	2.91	0.050	1.74	23.8	17.1	1.20	313	1.94	0.04	6.6	24.8
K303224		1.71	5.00	0.07	1.0	1.87	0.023	0.73	11.8	14.2	0.80	484	1.02	0.02	3.1	10.7
K303225		2.22	8.87	0.10	1.6	0.66	0.034	1.28	18.0	19.1	0.92	366	1.54	0.03	5.1	17.4
K303226		2.69	11.70	0.13	1.9	0.15	0.044	1.61	22.5	26.3	1.06	289	1.76	0.06	6.3	25.3
K303227		0.40	0.38	0.18	<0.1	<0.01	<0.005	0.03	0.6	1.4	12.45	181	0.09	0.01	0.5	2.1
K303228		2.33	11.00	0.15	1.9	0.11	0.042	1.46	26.6	21.5	1.00	296	2.07	0.14	6.0	24.3
K303229		2.63	12.60	0.13	2.1	0.12	0.049	1.64	26.6	28.5	1.31	364	2.03	0.11	6.6	26.6
K303230		1.60	6.37	0.09	1.2	0.06	0.025	0.85	14.9	11.8	0.88	459	1.14	0.14	3.7	13.1
K303231		2.37	8.69	0.14	1.8	0.11	0.038	1.42	20.1	18.3	1.17	445	1.36	0.22	5.5	19.9
K303232		1.77	5.26	0.12	1.2	0.08	0.023	0.91	13.3	14.4	1.05	599	1.02	0.13	3.6	13.4
K303233		0.49	0.38	0.29	<0.1	<0.1	0.005	0.03	0.5	1.1	13.15	218	0.29	0.01	0.3	2.6
K303234		1.93	6.48	0.08	1.5	0.12	0.028	1.02	18.0	16.0	1.09	539	1.00	0.19	4.7	14.8
K303235		2.70	11.45	0.11	2.3	0.2	0.053	1.78	30.5	28.0	1.25	330	2.04	0.23	7.6	29.0
K303236		2.35	10.75	0.12	2.2	0.21	0.048	1.67	27.0	27.5	1.06	479	1.67	0.20	7.1	26.3
K303237		2.25	7.69	0.09	1.6	0.11	0.034	1.22	19.4	12.5	1.00	487	1.32	0.14	5.2	19.0
K303238		2.20	8.51	0.07	1.7	0.12	0.039	1.35	21.7	17.5	1.32	288	1.40	0.17	5.7	21.0
K303239		2.00	7.25	0.08	1.4	0.12	0.030	1.19	17.8	16.1	1.25	588	0.97	0.16	4.9	16.4
K303240		2.41	9.98	0.08	2.1	0.55	0.042	1.62	25.3	21.6	1.51	434	1.25	0.14	6.9	23.6
K303241		1.06	2.84	0.05	0.5	0.37	0.013	0.50	7.5	3.8	9.76	1890	2.27	0.01	2.5	10.6
K303242		3.57	15.70	0.13	4.8	7.31	0.046	2.97	38.1	12.0	5.16	1060	22.3	0.03	16.6	83.2
K303243		1.82	2.24	<0.05	0.6	1.26	0.012	0.44	5.4	6.2	9.06	795	1.59	0.01	1.7	12.9
K303244		2.03	3.62	0.06	0.9	2.25	0.016	0.65	7.9	7.1	8.42	951	2.19	0.01	2.5	16.0
K303245		1.85	3.56	<0.05	0.8	2.57	0.019	0.62	7.6	7.0	8.39	1020	2.48	0.01	2.5	15.9
K303246		2.17	7.57	0.08	1.9	4.3	0.030	1.02	30.6	39.7	2.58	277	19.00	0.03	7.8	53.8
K303247		3.90	16.80	0.14	3.5	17.8	0.075	2.90	28.8	17.8	2.39	622	6.34	0.03	11.5	43.5
K303248		1.45	4.16	0.05	0.8	0.5	0.016	0.75	11.2	3.5	10.00	1400	1.86	0.01	3.6	10.8
K303249		0.92	2.01	<0.05	0.4	0.43	0.009	0.36	4.8	4.3	8.73	1080	1.14	0.01	1.5	7.1
K303250		3.81	6.03	0.08	0.9	0.80	0.023	1.11	16.9	5.7	7.87	1520	5.62	0.02	3.9	22.0
K303251		1.85	5.92	0.05	1.0	0.4	0.019	1.05	15.9	6.5	8.71	1640	3.37	0.02	3.7	12.7
K303252		1.51	3.38	0.06	0.8	1.61	0.019	0.63	7.1	7.8	7.90	599	10.00	0.01	2.4	23.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194318

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303217		990	14.4	106.5	0.011	2.68	0.69	14.7	3	1.7	1440	0.53	0.07	7.8	0.295	1.70
K303218		1140	6.4	36.9	0.005	1.14	0.37	4.8	3	0.6	1460	0.19	<0.05	2.9	0.098	0.96
K303219		870	4.9	29.0	0.004	0.94	0.34	4.3	3	0.5	1550	0.16	<0.05	2.5	0.078	1.14
K303220		1050	5.7	38.0	0.003	1.19	0.44	5.3	3	0.6	1480	0.19	<0.05	2.9	0.111	1.48
K303221		920	17.1	48.8	0.003	3.19	121.0	16.3	3	3.2	522	0.76	0.15	10.1	0.554	7.87
K303222		1760	9.4	70.2	0.009	1.62	0.60	10.5	3	1.1	2250	0.37	0.05	5.6	0.186	0.88
K303223		1530	12.2	92.9	0.011	1.92	0.60	12.1	3	1.5	1700	0.46	0.07	7.1	0.245	1.07
K303224		1270	5.9	37.7	0.004	1.35	0.31	6.2	2	0.6	1920	0.21	<0.05	2.9	0.128	0.57
K303225		1360	9.7	66.4	0.006	1.70	0.42	9.1	3	1.0	1520	0.35	<0.05	5.0	0.194	0.55
K303226		1300	13.1	84.9	0.008	2.05	0.43	11.4	3	1.4	1440	0.43	0.05	6.6	0.256	0.46
K303227		230	1.2	1.5	<0.002	0.01	0.09	0.3	2	<0.2	50.5	<0.05	<0.05	<0.2	<0.005	<0.02
K303228		1730	12.1	80.1	0.012	1.60	0.49	11.1	3	1.4	2150	0.41	0.07	6.9	0.204	0.39
K303229		1390	14.4	89.3	0.010	1.83	0.47	12.3	3	1.5	1480	0.47	0.06	7.4	0.236	0.45
K303230		1900	7.5	45.7	0.007	1.03	0.28	6.4	3	0.8	1890	0.25	<0.05	3.9	0.121	0.24
K303231		1390	12.8	80.6	0.008	1.75	0.37	7.6	3	1.3	1790	0.39	0.06	6.2	0.210	0.41
K303232		1450	7.9	48.4	0.006	1.15	0.29	4.9	3	0.9	2170	0.24	<0.05	3.9	0.135	0.24
K303233		170	1.4	2.0	<0.002	0.01	0.05	0.3	1	<0.2	43.7	<0.05	<0.05	<0.2	<0.005	<0.02
K303234		1180	9.0	57.5	0.007	1.18	0.29	6.6	2	0.9	1815	0.32	<0.05	4.6	0.147	0.26
K303235		1440	15.2	84.3	0.010	2.09	0.55	12.5	3	1.7	1920	0.52	0.07	7.3	0.255	0.48
K303236		1030	13.9	77.9	0.010	1.75	0.44	10.9	3	1.5	1650	0.51	0.07	6.8	0.233	0.43
K303237		1270	10.5	68.3	0.008	1.68	0.33	8.5	2	1.1	1985	0.35	0.05	4.8	0.178	0.30
K303238		1650	11.4	60.3	0.007	1.46	0.38	9.8	3	1.2	1800	0.39	0.06	5.3	0.191	0.35
K303239		1330	9.2	66.9	0.005	1.42	0.30	7.8	2	1.0	1785	0.33	0.06	4.5	0.175	0.36
K303240		1370	13.1	74.8	0.007	1.71	0.43	10.5	3	1.5	1335	0.47	0.07	6.5	0.223	0.69
K303241		200	7.2	20.8	0.002	0.07	0.94	2.5	2	0.8	257	0.16	<0.05	2.2	0.055	0.66
K303242		220	60.7	100.5	0.014	2.68	8.86	14.6	5	2.5	138.5	1.15	0.26	13.6	0.497	5.84
K303243		230	23.3	19.8	0.005	1.13	2.27	2.5	2	0.4	203	0.12	<0.05	1.8	0.064	2.60
K303244		280	28.2	29.9	0.005	1.56	2.00	3.8	2	0.7	211	0.17	<0.05	2.5	0.090	2.96
K303245		240	41.6	30.2	0.008	1.52	1.67	4.6	2	0.6	181.5	0.17	<0.05	2.3	0.086	3.36
K303246		900	38.5	56.3	0.026	1.56	103.0	5.6	4	2.4	72.8	0.50	0.20	6.7	0.173	3.99
K303247		300	402	121.5	0.014	4.12	2.01	18.5	3	2.3	98.9	0.80	0.08	10.7	0.436	33.2
K303248		320	9.4	32.5	0.004	0.76	0.56	3.6	2	0.5	171.5	0.24	<0.05	3.4	0.078	0.88
K303249		280	8.6	15.9	0.002	0.67	0.37	2.1	2	0.4	102.0	0.09	<0.05	1.5	0.045	0.75
K303250		340	24.2	47.8	0.027	3.36	1.00	4.7	2	0.7	167.0	0.26	<0.05	5.1	0.098	1.18
K303251		350	14.8	46.3	0.010	1.25	0.54	4.7	2	0.7	160.5	0.26	<0.05	4.9	0.093	1.01
K303252		290	49.5	28.8	0.016	1.22	0.85	4.2	4	0.5	183.5	0.16	<0.05	2.4	0.089	6.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194318

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303217		3.8	104	1.3	29.3	72	80.1
K303218		2.7	34	0.8	16.3	29	32.9
K303219		2.2	28	0.9	19.9	21	26.4
K303220		2.5	39	0.8	18.9	28	32.9
K303221		7.8	176	23.9	15.2	46	170.0
K303222		4.9	69	1.1	32.9	52	59.1
K303223		4.6	85	1.4	29.5	65	71.5
K303224		2.4	42	0.7	19.9	28	36.7
K303225		3.4	60	0.9	25.2	51	56.6
K303226		4.0	84	1.0	25.6	63	69.2
K303227		0.6	2	0.1	1.0	13	0.5
K303228		5.0	73	1.1	33.0	59	68.1
K303229		4.5	78	1.2	32.0	66	71.8
K303230		3.1	42	0.6	23.9	34	45.9
K303231		3.8	65	0.9	23.3	54	63.1
K303232		3.0	44	0.6	17.3	38	44.4
K303233		0.5	2	0.1	0.8	15	<0.5
K303234		2.8	47	0.7	19.4	41	52.2
K303235		4.1	80	1.7	29.9	67	74.1
K303236		3.6	72	1.1	24.2	60	70.0
K303237		3.1	54	0.8	22.1	45	57.0
K303238		3.4	62	0.9	25.3	52	60.2
K303239		2.7	52	0.8	20.3	42	50.9
K303240		3.5	67	1.0	26.6	59	69.6
K303241		4.5	79	2.3	5.3	32	19.5
K303242		8.6	150	7.3	17.7	80	165.0
K303243		2.7	21	1.4	5.8	307	20.6
K303244		4.8	32	1.9	7.1	543	30.8
K303245		4.8	32	1.7	8.6	757	29.5
K303246		8.3	233	28.5	21.2	214	66.9
K303247		3.6	143	4.6	19.6	2280	113.0
K303248		2.0	29	1.3	7.7	30	28.3
K303249		5.8	40	0.6	4.9	108	15.5
K303250		3.0	60	2.0	9.7	62	32.9
K303251		3.5	56	2.0	9.5	111	33.4
K303252		5.0	122	0.8	7.0	525	27.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194318

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE VA11190155

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 202

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190155

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302951		7.90	<0.01	0.03	1.60	62	180	0.44	0.07	30.7	0.11	21.2	4.8	16	3.99	15.6
K302952		7.70	<0.01	0.20	0.99	46	110	0.32	0.05	31.3	0.37	13.70	4.0	10	2.49	26.9
K302953		8.60	<0.01	0.04	1.99	74	170	0.61	0.09	30.0	0.15	25.3	7.7	19	6.52	25.9
K302954		7.04	<0.01	0.08	4.77	99	210	1.26	0.20	16.05	0.27	50.0	16.2	43	16.35	47.8
K302955		8.10	<0.01	0.05	3.24	52	180	0.89	0.14	23.3	0.18	34.7	12.0	29	12.15	35.0
K302956		7.70	<0.01	0.03	1.21	49	130	0.40	0.06	32.0	0.06	19.05	4.9	12	3.11	17.0
K302957		5.14	<0.01	0.02	0.07	<5	20	0.07	0.02	20.4	0.06	1.41	1.3	<1	0.15	3.4
K302958		7.74	<0.01	0.03	1.57	71	560	0.47	0.08	29.5	0.13	23.1	6.0	14	3.98	19.7
K302959		8.02	<0.01	0.03	1.81	43	130	0.56	0.09	28.7	0.13	25.5	6.9	17	5.90	19.5
K302960		8.26	<0.01	0.05	3.11	96	160	0.87	0.14	22.5	0.18	34.5	12.0	30	9.35	32.0
K302961		7.90	<0.01	0.03	1.39	88	120	0.44	0.07	29.8	0.06	19.85	5.7	25	3.61	16.1
K302962		8.18	<0.01	0.03	1.95	86	120	0.60	0.09	27.7	0.12	29.0	7.2	18	5.46	20.3
K302963		8.06	<0.01	0.02	0.76	27	100	0.33	0.04	32.5	0.04	12.55	3.2	7	1.75	8.5
K302964		8.16	0.08	0.04	2.02	218	150	0.51	0.10	28.5	0.08	30.8	7.4	18	4.32	21.2
K302965		8.04	0.09	0.02	0.97	87	130	0.27	0.05	31.5	0.09	16.20	3.8	9	2.19	10.7
K302966		7.94	<0.01	0.02	1.11	101	110	0.34	0.05	31.0	0.11	17.50	4.1	10	2.61	11.2
K302967		0.28	7.80	0.43	3.42	945	150	0.83	0.65	11.15	4.32	42.8	5.6	90	7.46	36.4
K302968		7.90	0.01	0.03	0.97	70	110	0.32	0.05	30.2	0.06	17.30	4.0	10	2.69	10.7
K302969		7.70	0.01	0.02	0.74	157	70	0.23	0.04	28.1	0.02	13.35	2.9	6	1.68	8.6
K302970		5.08	<0.01	<0.01	0.10	<5	20	0.07	0.02	20.3	0.06	1.33	1.3	2	0.28	1.8
K302971		8.06	0.01	0.01	0.70	111	80	0.29	0.03	33.1	0.04	13.00	2.8	7	1.77	7.6
K302972		8.00	<0.01	0.02	0.84	167	110	0.30	0.04	28.8	0.03	15.75	3.7	8	2.10	11.0
K302973		7.42	0.03	0.01	0.39	305	70	0.18	0.02	29.2	0.02	8.50	1.8	4	0.69	4.8
K302974		3.46	0.03	0.01	0.38	270	60	0.21	0.02	29.0	0.02	8.62	1.8	4	0.66	4.8
K302975		4.58	0.06	0.04	1.32	303	120	0.34	0.07	28.0	0.04	21.6	5.2	12	3.88	15.8
K302976		5.44	0.17	0.02	0.59	605	40	0.18	0.03	21.9	0.05	10.70	2.6	5	1.22	8.1
K302977		4.04	0.09	0.03	0.62	2970	40	0.18	0.03	22.1	0.05	10.45	2.7	5	1.33	8.8
K302978		7.50	0.06	0.01	0.34	212	30	0.16	0.02	23.4	0.02	8.46	1.7	3	0.57	4.7
K302979		7.44	0.01	0.02	0.47	438	40	0.15	0.03	20.7	0.02	10.75	2.2	5	0.94	6.1
K302980		7.58	0.09	0.02	0.35	370	30	0.16	0.02	21.2	0.03	9.25	1.8	3	0.69	4.9
K302981		7.32	0.13	0.04	0.29	2680	30	0.11	0.01	23.3	0.03	7.64	1.9	3	0.50	4.5
K302982		7.64	0.12	0.05	0.41	1610	50	0.12	0.02	23.5	0.04	9.38	2.4	4	0.78	6.0
K302983		0.30	0.35	0.41	6.38	623	670	0.60	0.27	0.49	0.19	135.5	3.1	226	3.72	34.4
K302984		10.28	0.10	0.06	0.69	995	70	0.17	0.03	23.2	0.04	11.35	3.1	6	1.39	9.2
K302985		8.76	0.18	0.04	0.60	1880	60	0.16	0.02	23.2	0.04	11.85	2.9	5	1.20	7.7
K302986		7.60	0.22	0.08	0.75	3730	100	0.17	0.03	24.5	0.04	11.85	3.2	6	1.50	9.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190155

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302951		1.12	4.10	0.10	0.8	0.62	0.015	0.74	11.5	4.6	0.66	302	0.48	0.02	2.1	8.6
K302952		0.84	2.53	<0.05	0.5	0.33	0.015	0.45	6.8	2.7	0.53	420	0.77	0.01	1.7	3.3
K302953		1.33	5.21	<0.05	1.0	1.28	0.021	0.89	13.0	6.7	0.64	355	0.75	0.02	3.5	11.3
K302954		2.58	12.15	0.07	2.1	1.77	0.049	2.15	26.5	14.8	1.40	463	1.46	0.03	7.4	29.4
K302955		1.85	8.22	0.05	1.5	0.36	0.034	1.46	18.7	11.1	0.86	396	1.07	0.02	5.3	19.7
K302956		0.92	3.17	<0.05	0.6	0.63	0.015	0.54	9.7	3.6	0.78	346	0.45	0.01	2.1	5.6
K302957		0.41	0.24	0.08	<0.1	<0.01	<0.005	0.02	0.7	1.1	11.95	182	0.15	0.01	0.4	2.1
K302958		1.07	4.03	<0.05	0.7	1.16	0.018	0.68	11.9	5.0	0.56	271	0.58	0.01	2.7	8.2
K302959		1.25	4.65	<0.05	0.9	0.28	0.022	0.82	13.4	5.7	0.61	380	0.57	0.01	3.1	10.1
K302960		2.04	7.96	0.05	1.5	1.36	0.032	1.40	18.6	8.3	1.21	493	0.94	0.02	5.1	20.0
K302961		1.06	3.58	<0.05	0.7	0.96	0.016	0.61	10.2	4.1	1.00	360	0.48	0.01	2.4	7.5
K302962		1.30	4.99	<0.05	0.9	1.21	0.021	0.88	15.3	6.2	0.90	275	0.54	0.01	3.2	11.0
K302963		0.69	2.03	<0.05	0.4	0.35	0.009	0.34	6.5	2.6	0.84	562	0.21	0.01	1.5	2.5
K302964		1.23	5.21	<0.05	1.0	2.43	0.023	0.93	16.9	6.3	0.95	327	0.76	0.01	3.4	11.7
K302965		0.75	2.48	<0.05	0.5	1.69	0.010	0.42	8.7	3.2	0.82	405	0.28	0.01	1.8	3.8
K302966		0.78	2.94	<0.05	0.5	2.51	0.011	0.49	9.3	4.0	0.94	317	0.26	0.01	2.0	4.4
K302967		1.32	6.89	0.06	2.2	5.92	0.066	1.43	28.7	10.9	0.68	255	11.50	0.01	8.2	67.2
K302968		0.74	2.52	<0.05	0.5	1.18	0.012	0.41	8.9	3.7	0.94	235	0.28	0.01	1.8	4.1
K302969		0.96	1.92	<0.05	0.4	2.33	0.011	0.29	6.4	2.8	3.50	593	0.21	0.01	1.3	2.5
K302970		0.46	0.32	0.14	<0.1	0.01	<0.005	0.04	0.6	1.5	12.05	203	0.05	0.01	0.3	1.6
K302971		0.48	1.89	<0.05	0.4	2.19	0.009	0.31	6.5	2.7	0.71	221	0.23	0.01	1.4	2.0
K302972		0.95	2.27	<0.05	0.4	3.96	0.010	0.35	7.8	3.3	2.28	478	0.34	0.01	1.6	4.1
K302973		0.80	1.03	<0.05	0.2	2.21	0.006	0.15	4.1	1.5	4.66	641	0.18	0.01	0.8	0.6
K302974		0.80	0.98	<0.05	0.2	2.27	0.006	0.14	4.1	1.5	4.79	642	0.17	0.01	0.8	0.7
K302975		1.05	3.44	<0.05	0.6	7.73	0.014	0.54	11.0	6.3	2.47	422	0.71	0.01	2.3	7.5
K302976		1.48	1.56	<0.05	0.3	7.99	0.009	0.23	5.3	2.5	9.28	1120	0.28	0.01	1.0	2.9
K302977		1.60	1.62	<0.05	0.3	5.01	0.011	0.24	5.1	2.7	9.02	1220	0.26	0.01	1.0	3.0
K302978		1.59	0.87	<0.05	0.2	3.27	0.005	0.12	3.7	1.9	11.05	1360	0.16	0.01	0.6	1.1
K302979		1.34	1.28	<0.05	0.2	2.45	0.006	0.19	5.1	2.3	10.20	965	0.21	0.01	0.9	2.3
K302980		1.75	1.02	<0.05	0.2	5.25	0.006	0.14	4.2	2.0	10.15	1420	0.18	0.01	0.7	1.6
K302981		1.60	0.85	<0.05	0.1	6.06	0.010	0.10	3.5	1.4	10.60	1520	0.17	0.01	0.6	1.2
K302982		1.44	1.13	<0.05	0.2	8.53	0.011	0.16	4.4	1.6	9.87	1380	0.17	0.01	0.8	2.2
K302983		6.87	19.80	0.24	4.4	9.84	0.057	1.36	62.7	17.6	0.13	37	6.30	0.39	9.7	17.0
K302984		1.75	1.79	<0.05	0.4	5.35	0.013	0.28	5.4	2.5	10.95	1340	0.28	0.02	1.1	4.0
K302985		2.27	1.65	<0.05	0.3	6.79	0.014	0.25	5.4	2.1	9.40	1860	0.16	0.01	1.0	3.1
K302986		2.45	1.87	<0.05	0.4	8.90	0.014	0.30	5.6	2.4	7.96	1880	0.25	0.01	1.2	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190155

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302951		340	5.3	30.5	0.003	0.87	0.56	3.9	1	0.6	1940	0.16	<0.05	2.6	0.094	0.31
K302952		350	208	18.9	0.002	0.58	0.70	3.0	2	0.3	1855	0.10	<0.05	1.7	0.060	0.22
K302953		630	6.7	39.6	0.003	1.12	0.80	5.5	3	0.7	1995	0.23	<0.05	3.5	0.120	0.48
K302954		250	31.7	95.5	0.005	2.15	1.10	11.5	2	1.5	1155	0.53	0.07	7.6	0.282	1.00
K302955		360	9.6	64.4	0.004	1.63	0.60	8.4	2	1.0	1615	0.37	<0.05	5.1	0.205	0.79
K302956		310	11.5	23.3	0.002	0.79	0.48	4.1	2	0.4	1850	0.13	<0.05	2.3	0.069	0.61
K302957		280	2.0	1.2	<0.002	0.01	0.06	0.3	2	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.02
K302958		170	8.9	29.0	0.002	0.98	0.60	4.5	2	0.5	1825	0.17	<0.05	2.9	0.087	1.19
K302959		360	5.9	36.1	0.002	1.00	0.53	5.4	2	0.6	1915	0.21	<0.05	3.3	0.105	0.86
K302960		250	11.7	59.5	0.003	1.75	0.97	8.6	2	0.9	1470	0.34	0.05	5.1	0.205	1.49
K302961		580	10.9	25.6	0.002	0.90	0.84	4.5	2	0.5	1570	0.15	<0.05	2.5	0.086	1.03
K302962		660	10.9	37.0	0.003	1.20	1.31	5.5	3	0.6	1580	0.21	<0.05	3.4	0.111	2.87
K302963		270	5.0	14.8	<0.002	0.53	0.33	2.2	2	0.3	1840	0.09	<0.05	1.4	0.046	1.32
K302964		210	16.7	39.4	0.003	1.18	3.12	4.7	3	0.7	1885	0.23	<0.05	3.7	0.110	5.36
K302965		750	5.9	19.4	<0.002	0.67	1.60	2.8	2	0.3	1600	0.11	<0.05	1.8	0.056	3.48
K302966		520	5.6	22.5	<0.002	0.69	0.92	3.2	2	0.4	1600	0.12	<0.05	2.0	0.061	2.60
K302967		4090	5.1	111.5	0.036	1.35	18.95	5.4	9	1.7	145.5	0.56	0.51	6.7	0.208	13.90
K302968		390	5.9	18.6	<0.002	0.63	0.45	3.1	2	0.3	1660	0.12	<0.05	1.9	0.056	2.25
K302969		520	9.3	13.3	<0.002	0.50	1.99	2.1	2	0.2	925	0.08	<0.05	1.3	0.040	2.42
K302970		160	1.5	2.0	<0.002	0.01	0.05	0.3	1	<0.2	44.0	<0.05	<0.05	<0.2	<0.005	0.02
K302971		420	8.3	14.4	<0.002	0.45	1.88	2.1	2	0.2	1405	0.08	<0.05	1.3	0.038	2.59
K302972		410	12.0	15.8	0.002	0.62	3.43	2.4	2	0.3	1345	0.10	<0.05	1.7	0.049	3.92
K302973		230	5.8	6.7	<0.002	0.29	2.40	1.4	2	<0.2	1015	<0.05	<0.05	0.8	0.019	2.62
K302974		230	5.5	6.6	<0.002	0.28	2.43	1.4	2	<0.2	951	<0.05	<0.05	0.7	0.018	2.68
K302975		220	20.5	24.4	0.002	0.99	6.06	3.2	3	0.4	1245	0.15	<0.05	2.5	0.075	8.02
K302976		150	12.1	10.6	<0.002	0.57	9.36	1.6	2	0.2	378	0.06	<0.05	1.0	0.028	11.20
K302977		100	9.8	10.9	<0.002	0.65	9.20	1.9	2	0.2	367	0.06	<0.05	1.0	0.032	6.24
K302978		310	5.5	5.6	<0.002	0.28	3.61	1.1	2	<0.2	309	<0.05	<0.05	0.6	0.015	5.39
K302979		480	8.2	8.6	<0.002	0.35	3.25	1.3	2	0.2	354	0.05	<0.05	0.9	0.023	2.45
K302980		180	9.3	6.9	<0.002	0.33	6.80	1.0	2	<0.2	316	<0.05	<0.05	0.7	0.015	8.53
K302981		260	5.0	6.1	<0.002	0.44	9.02	1.1	2	<0.2	418	<0.05	<0.05	0.6	0.013	11.35
K302982		350	6.1	9.4	0.002	0.51	11.70	1.3	2	0.2	421	0.05	<0.05	0.8	0.021	16.80
K302983		930	18.7	46.1	0.004	3.18	113.0	15.7	2	3.1	515	0.83	0.14	10.3	0.566	8.62
K302984		500	12.8	15.7	<0.002	0.58	9.14	2.1	2	0.2	466	0.07	<0.05	1.3	0.034	9.81
K302985		420	8.2	13.9	<0.002	0.61	10.75	1.9	2	0.2	514	0.06	<0.05	1.1	0.029	12.80
K302986		490	11.2	16.2	0.002	0.83	14.70	2.3	2	0.3	812	0.08	<0.05	1.3	0.039	15.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190155

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302951		2.1	26	0.5	13.4	21	28.8
K302952		1.8	17	0.5	10.9	105	19.0
K302953		2.8	34	0.9	16.6	24	36.9
K302954		3.2	83	1.0	22.0	65	72.8
K302955		2.6	55	0.7	19.1	40	54.2
K302956		2.5	21	0.5	16.0	9	22.6
K302957		0.6	2	0.1	1.0	13	<0.5
K302958		2.5	27	0.9	16.2	20	26.7
K302959		2.3	32	0.4	18.4	23	33.4
K302960		2.7	58	0.8	19.9	40	53.0
K302961		2.4	24	0.7	16.8	7	26.4
K302962		2.8	34	1.2	18.9	15	35.6
K302963		1.7	13	0.3	10.6	2	15.0
K302964		3.2	34	1.6	19.4	7	35.7
K302965		2.2	16	0.9	13.4	10	20.3
K302966		2.0	19	0.7	14.4	13	22.3
K302967		8.4	372	37.1	28.7	271	78.1
K302968		2.3	17	0.6	15.4	6	19.5
K302969		1.9	13	0.7	12.2	<2	14.2
K302970		0.5	3	0.1	0.8	12	<0.5
K302971		2.2	12	0.7	12.0	3	13.7
K302972		2.8	14	1.2	13.2	<2	16.6
K302973		1.7	8	0.5	9.5	<2	8.3
K302974		1.7	7	0.5	9.7	<2	8.3
K302975		3.2	22	1.6	15.0	2	23.3
K302976		1.8	11	0.6	9.2	5	10.1
K302977		1.7	12	0.7	9.7	9	10.3
K302978		1.7	7	0.3	9.5	<2	5.7
K302979		2.0	8	0.5	9.0	2	8.4
K302980		1.2	6	0.4	9.3	<2	5.6
K302981		1.2	6	0.4	10.1	4	4.7
K302982		1.5	8	0.6	10.4	2	7.2
K302983		7.5	174	26.7	16.4	43	166.5
K302984		1.8	12	0.8	11.2	4	11.5
K302985		1.6	11	0.7	13.4	3	9.8
K302986		1.6	13	0.8	14.4	3	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190155

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE VA11193441

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 203

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193441

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K302987		9.62	0.07	0.04	0.38	1020	40	0.12	0.02	23.2	0.02	8.25	1.9	3	0.70	9.1
K302988		6.24	0.09	0.04	0.47	1970	60	0.10	0.02	21.8	0.02	10.40	2.2	4	0.89	7.0
K302989		4.76	0.06	0.04	1.23	2010	110	0.26	0.06	26.9	0.03	15.05	5.1	11	2.84	17.8
K302990		4.10	0.14	0.15	0.63	442	90	0.15	0.03	29.5	0.03	9.83	2.7	5	1.30	8.4
K302991		8.78	0.06	0.07	1.77	1520	150	0.41	0.07	26.2	0.09	19.00	6.0	19	6.54	20.4
K302992		5.06	<0.01	<0.01	0.08	<5	20	0.07	0.02	20.9	0.06	1.52	1.5	<1	0.21	2.3
K302993		7.56	0.01	0.04	1.22	220	120	0.36	0.05	28.4	0.08	20.3	4.1	13	4.47	15.4
K302994		8.22	<0.01	0.05	1.44	241	100	0.37	0.06	26.5	0.07	18.60	4.9	14	4.36	17.0
K302995		7.98	0.01	0.06	2.50	61	210	0.56	0.09	26.9	0.17	27.7	9.0	29	6.68	30.3
K302996		7.78	0.01	0.05	1.58	82	350	0.45	0.07	30.6	0.16	19.95	5.3	17	3.76	17.7
K302997		7.56	<0.01	0.06	1.99	75	140	0.53	0.08	29.3	0.18	25.4	6.7	22	5.50	23.5
K302998		8.68	<0.01	0.10	3.97	125	380	0.93	0.16	21.1	0.27	41.6	11.2	41	12.90	39.8
K302999		8.82	0.01	0.16	7.04	257	410	1.77	0.28	6.59	0.38	64.1	21.1	66	20.0	77.3
K303000		0.30	2.68	1.01	3.37	607	900	0.70	0.31	8.34	2.21	46.3	7.0	53	4.05	45.6
K305001		8.62	0.01	0.13	5.93	191	380	1.25	0.23	10.75	0.34	57.4	17.0	64	16.30	65.9
K305002		7.74	<0.01	0.10	5.23	107	360	1.19	0.20	15.70	0.29	53.2	15.0	58	16.70	53.8
K305003		5.10	<0.01	<0.01	0.14	<5	20	0.09	0.02	21.5	0.06	1.52	1.7	1	0.62	2.4
K305004		7.58	<0.01	0.11	4.67	44	330	1.16	0.19	16.35	0.26	52.3	13.8	49	15.90	50.0
K305005		7.38	0.02	0.09	4.63	16	330	1.05	0.18	16.95	0.24	47.0	14.4	47	18.00	47.4
K305006		7.86	<0.01	0.02	0.50	<5	160	0.24	0.03	33.7	0.08	8.32	1.8	5	1.09	6.6
K305007		7.50	<0.01	0.09	3.24	37	330	0.90	0.14	22.3	0.31	37.7	8.3	29	8.59	31.2
K305008		7.32	<0.01	0.12	4.23	167	330	1.03	0.20	19.75	0.38	47.2	11.5	40	10.60	47.3
K305009		8.24	<0.01	0.04	1.46	112	230	0.47	0.07	31.0	0.14	21.0	4.3	15	4.47	16.4
K305010		8.08	<0.01	0.06	1.92	22	240	0.50	0.08	30.2	0.15	23.5	5.3	19	6.85	21.2
K305011		0.30	0.34	0.34	6.45	619	2060	0.66	0.28	0.51	0.20	150.0	3.0	220	3.79	33.9
K305012		8.22	<0.01	0.08	3.07	12	340	0.66	0.13	25.2	0.22	35.2	8.8	31	10.30	34.4
K305013		9.00	<0.01	0.08	3.50	<5	320	0.90	0.14	23.7	0.23	37.6	9.7	33	11.55	36.9
K305014		7.88	<0.01	0.10	4.39	6	340	1.05	0.18	19.15	0.24	46.2	14.1	46	15.70	52.7
K305015		2.96	<0.01	0.09	4.20	7	300	1.04	0.17	19.30	0.21	44.9	13.4	44	15.30	52.3
K305016		8.16	<0.01	0.09	4.02	6	320	1.08	0.18	19.50	0.24	44.6	11.8	37	12.65	46.9
K305017		7.70	<0.01	0.07	3.92	10	400	1.06	0.17	21.3	0.18	46.8	11.4	36	11.90	44.8
K305018		7.84	<0.01	0.09	4.58	12	370	1.24	0.20	18.75	0.21	49.9	14.1	44	15.60	52.5
K305019		7.94	<0.01	0.07	2.36	<5	350	0.66	0.10	27.5	0.13	29.4	6.9	22	6.76	26.1
K305020		7.84	0.01	0.13	5.78	17	740	1.50	0.27	13.55	0.29	64.3	17.2	56	19.00	71.6
K305021		8.32	<0.01	0.06	3.13	8	260	0.87	0.14	24.3	0.14	36.9	9.3	30	10.75	35.0
K305022		7.90	<0.01	0.04	2.41	6	220	0.76	0.11	28.6	0.12	30.2	7.1	23	7.22	26.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193441

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302987		1.47	1.17	<0.05	0.2	3.91	0.007	0.16	3.8	1.7	8.44	1320	0.26	0.02	0.8	3.4
K302988		1.67	1.36	<0.05	0.2	3.38	0.007	0.18	4.9	1.9	10.00	1360	0.20	0.01	0.9	3.1
K302989		1.54	3.13	<0.05	0.6	4.40	0.014	0.53	7.6	5.2	4.11	1150	0.68	0.01	2.1	8.1
K302990		1.08	1.81	<0.05	0.3	5.07	0.008	0.29	4.7	2.5	3.98	1180	0.36	0.01	1.3	4.1
K302991		1.31	4.41	<0.05	0.8	3.22	0.018	0.69	9.7	7.8	3.13	498	0.92	0.02	2.9	10.8
K302992		0.44	0.38	0.13	<0.1	0.01	<0.005	0.09	0.7	1.4	12.90	201	0.39	0.01	0.6	2.9
K302993		1.35	3.07	<0.05	0.5	2.20	0.014	0.48	8.7	4.6	3.01	677	1.12	0.01	2.0	8.2
K302994		1.78	3.59	<0.05	0.7	2.02	0.015	0.55	8.3	6.4	4.03	869	0.90	0.02	2.4	9.2
K302995		1.70	6.12	<0.05	1.1	0.50	0.025	1.01	13.7	8.9	1.21	315	0.92	0.02	3.7	15.8
K302996		1.36	3.86	<0.05	0.7	0.34	0.017	0.69	10.6	5.6	0.92	380	0.75	0.02	2.5	9.8
K302997		1.44	4.74	<0.05	0.9	0.38	0.020	0.78	12.6	7.5	0.98	343	1.03	0.02	3.1	12.5
K302998		2.75	9.62	0.07	1.8	0.78	0.036	1.28	19.7	27.5	0.97	437	1.76	0.03	5.9	22.4
K302999		4.78	18.10	0.14	3.1	0.68	0.076	2.81	31.2	35.6	1.17	534	3.09	0.05	10.4	44.3
K303000		2.15	8.03	0.07	1.8	4.27	0.028	1.03	28.0	38.7	2.63	280	20.2	0.03	7.6	54.3
K305001		4.05	14.80	0.10	2.7	0.57	0.060	2.28	27.6	57.8	1.15	450	2.48	0.04	8.8	36.1
K305002		3.34	13.25	0.08	2.4	0.63	0.054	2.13	25.4	40.4	1.12	366	2.43	0.04	7.9	30.4
K305003		0.50	0.45	0.09	<0.1	<0.01	<0.005	0.07	0.8	2.1	13.25	223	0.12	0.01	0.5	3.9
K305004		3.08	11.90	0.10	2.2	0.55	0.049	1.79	24.6	39.8	1.02	312	2.29	0.04	7.2	28.3
K305005		3.01	11.80	0.08	2.2	0.15	0.047	1.77	22.4	38.7	1.05	388	1.74	0.05	7.1	27.6
K305006		0.99	1.29	<0.05	0.3	0.03	0.006	0.20	4.1	3.5	0.85	811	0.54	0.01	1.2	3.9
K305007		2.28	7.58	0.06	1.5	0.86	0.033	1.24	18.6	19.4	1.36	318	1.67	0.03	5.0	17.1
K305008		2.63	10.55	0.08	2.0	2.21	0.043	1.65	22.5	29.9	1.26	307	2.72	0.04	6.3	25.1
K305009		1.16	3.51	<0.05	0.7	1.42	0.016	0.58	10.3	11.3	0.80	273	0.92	0.02	2.5	9.1
K305010		1.31	4.58	<0.05	0.8	0.41	0.020	0.74	12.2	11.1	0.82	261	1.03	0.04	3.0	10.9
K305011		6.96	20.9	0.21	4.4	9.13	0.051	1.33	72.4	20.2	0.13	40	7.18	0.39	10.6	17.5
K305012		2.06	7.34	0.06	1.4	0.28	0.033	1.10	18.5	26.1	0.85	230	1.63	0.11	4.8	18.4
K305013		2.23	8.49	0.05	1.6	0.11	0.035	1.29	19.8	27.0	1.04	571	1.49	0.13	5.3	20.1
K305014		2.74	10.85	0.07	2.0	0.12	0.043	1.53	21.6	36.0	1.06	328	1.63	0.34	6.5	27.8
K305015		2.62	10.30	0.06	1.9	0.11	0.042	1.49	20.8	33.1	1.03	315	1.60	0.30	6.2	27.3
K305016		2.32	9.96	0.07	1.9	0.11	0.039	1.51	21.0	21.3	1.04	347	1.82	0.18	6.2	24.9
K305017		2.44	9.35	0.07	1.8	0.11	0.038	1.43	21.6	17.8	1.19	352	1.48	0.14	5.9	22.7
K305018		2.52	11.65	0.06	2.0	0.12	0.047	1.68	23.7	22.0	1.35	645	1.52	0.18	6.9	28.2
K305019		1.80	5.58	<0.05	1.1	0.07	0.023	0.87	15.4	8.9	1.41	546	0.94	0.11	3.7	14.4
K305020		3.29	14.70	0.11	2.6	0.17	0.060	2.10	30.5	28.6	1.42	364	2.33	0.32	8.6	35.9
K305021		1.98	7.53	0.05	1.4	0.09	0.031	1.17	19.0	12.3	1.32	471	1.08	0.24	4.6	18.4
K305022		1.71	5.86	<0.05	1.1	0.07	0.023	0.90	15.7	7.8	1.28	718	0.84	0.12	3.7	13.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193441

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302987		310	7.0	9.2	<0.002	0.32	6.24	1.4	2	<0.2	438	<0.05	<0.05	0.6	0.019	7.13
K302988		460	6.7	9.7	<0.002	0.45	6.67	1.5	2	0.2	488	0.05	<0.05	0.7	0.025	6.49
K302989		860	17.7	28.5	0.002	0.96	8.92	3.3	2	0.4	928	0.13	<0.05	1.9	0.062	9.71
K302990		340	8.2	17.0	<0.002	0.61	12.20	2.1	2	0.2	886	0.07	<0.05	1.0	0.032	14.40
K302991		1010	9.1	39.6	0.004	1.19	4.78	4.9	2	0.5	1365	0.19	<0.05	2.4	0.114	4.43
K302992		270	1.3	7.3	<0.002	0.01	0.20	0.3	1	<0.2	49.6	<0.05	<0.05	<0.2	0.005	0.03
K302993		1330	10.6	26.4	0.005	0.74	2.01	3.6	2	0.5	1210	0.12	<0.05	1.7	0.065	2.04
K302994		1040	12.2	28.5	0.005	0.90	2.18	4.2	2	0.4	1130	0.15	<0.05	1.9	0.087	2.08
K302995		1220	7.5	41.9	0.006	1.22	0.75	7.5	2	0.7	1830	0.25	<0.05	3.1	0.183	1.31
K302996		1030	5.2	39.8	0.004	0.83	0.51	5.5	2	0.5	1945	0.16	<0.05	2.1	0.088	0.95
K302997		1270	5.9	44.8	0.007	1.02	0.55	5.8	2	0.6	2120	0.20	<0.05	2.5	0.122	1.00
K302998		1100	11.5	66.4	0.007	2.25	0.55	11.2	2	1.1	1775	0.42	<0.05	5.5	0.244	1.85
K302999		720	20.3	152.5	0.009	4.37	1.08	20.2	3	2.1	746	0.76	0.06	10.2	0.457	2.46
K303000		940	37.5	50.2	0.026	1.63	106.5	5.7	4	2.5	74.5	0.48	0.18	6.9	0.174	4.45
K305001		740	17.1	118.5	0.008	3.55	0.83	17.2	3	1.8	1075	0.64	0.05	8.5	0.373	1.80
K305002		1210	14.4	112.5	0.007	2.75	0.58	15.3	3	1.6	1275	0.56	<0.05	7.3	0.327	1.34
K305003		220	1.2	5.3	<0.002	0.01	0.07	0.4	1	<0.2	43.7	<0.05	<0.05	<0.2	0.006	0.03
K305004		1020	13.6	97.4	0.008	2.37	0.50	14.2	3	1.5	1350	0.51	0.05	6.7	0.281	0.88
K305005		1000	13.2	91.9	0.006	2.22	0.44	13.2	2	1.4	1550	0.51	<0.05	6.7	0.304	0.70
K305006		1150	1.8	13.1	0.002	0.42	0.14	1.9	2	0.2	2370	0.05	<0.05	0.7	0.025	0.08
K305007		1500	10.0	63.0	0.007	1.69	0.38	8.1	2	1.0	2260	0.35	<0.05	4.8	0.170	0.47
K305008		1290	13.4	85.0	0.011	2.17	0.60	10.5	3	1.3	1680	0.45	0.05	6.2	0.219	0.73
K305009		1070	5.2	36.7	0.005	0.84	0.27	4.2	2	0.5	1615	0.16	<0.05	2.2	0.081	0.30
K305010		1230	6.1	45.5	0.005	0.99	0.25	4.9	2	0.6	1990	0.20	<0.05	2.6	0.099	0.24
K305011		940	17.8	46.5	0.003	3.18	116.5	17.2	2	3.1	560	0.80	0.14	10.5	0.548	8.77
K305012		1360	9.2	55.1	0.006	1.66	0.43	8.6	2	1.1	2010	0.32	<0.05	4.3	0.178	0.36
K305013		1150	10.5	65.5	0.008	1.69	0.36	9.0	3	1.1	1600	0.36	0.05	4.9	0.198	0.36
K305014		1300	12.9	77.2	0.010	2.06	0.41	11.3	2	1.3	1665	0.46	0.06	6.0	0.272	0.41
K305015		1410	12.3	75.9	0.009	1.99	0.40	10.8	3	1.4	1600	0.43	0.05	5.8	0.255	0.39
K305016		1250	13.3	77.8	0.009	1.83	0.42	9.7	3	1.2	1470	0.44	0.05	6.0	0.219	0.43
K305017		1510	12.2	71.7	0.008	1.89	0.41	10.2	2	1.2	1700	0.42	0.05	5.7	0.208	0.41
K305018		1290	13.9	87.8	0.007	1.88	0.45	12.2	3	1.4	1290	0.49	0.06	6.7	0.247	0.49
K305019		1620	8.2	41.2	0.005	1.12	0.27	6.5	2	0.7	1635	0.26	<0.05	3.3	0.123	0.22
K305020		1860	18.6	108.0	0.011	2.60	0.59	15.6	3	1.9	1460	0.62	0.07	8.5	0.298	0.60
K305021		1560	9.4	57.9	0.007	1.39	0.34	8.4	3	1.0	1985	0.32	<0.05	4.4	0.166	0.31
K305022		1230	7.7	55.0	0.004	1.05	0.29	6.7	2	0.8	1835	0.25	<0.05	3.5	0.121	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193441

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302987		1.4	8	0.4	9.0	4	7.4
K302988		1.5	9	0.5	8.7	3	8.4
K302989		2.2	21	1.0	11.9	6	22.3
K302990		1.8	11	0.6	9.2	3	11.5
K302991		2.7	36	1.4	16.0	17	30.6
K302992		0.8	3	0.1	1.0	15	0.7
K302993		3.3	28	1.1	19.4	11	22.1
K302994		2.9	30	1.2	16.7	15	25.0
K302995		3.0	57	0.6	20.8	30	40.5
K302996		2.2	35	0.5	16.0	23	27.3
K302997		3.0	42	0.7	19.7	30	33.8
K302998		3.1	75	1.4	22.3	54	65.3
K302999		3.7	145	2.6	22.0	102	106.5
K303000		9.2	233	31.8	20.9	219	68.6
K305001		3.6	118	2.0	24.0	88	91.9
K305002		3.5	103	1.5	24.7	72	84.7
K305003		0.4	4	0.1	1.0	15	0.8
K305004		3.6	91	1.2	24.3	64	77.8
K305005		3.1	89	1.2	23.9	67	76.4
K305006		1.5	14	0.1	7.9	8	15.5
K305007		3.4	55	1.0	22.0	50	55.1
K305008		4.1	74	1.6	23.4	61	72.0
K305009		2.5	27	0.6	15.0	22	29.0
K305010		2.8	32	0.5	16.2	28	32.9
K305011		7.9	169	25.3	16.5	45	179.0
K305012		3.1	55	0.8	23.0	43	53.2
K305013		3.2	60	0.9	22.1	50	56.3
K305014		3.6	80	1.1	23.8	66	69.4
K305015		3.5	78	1.0	25.4	60	67.7
K305016		3.5	67	1.1	24.9	56	65.9
K305017		3.4	64	1.0	25.8	53	62.6
K305018		3.6	76	1.2	25.2	64	71.1
K305019		2.8	41	0.6	22.1	34	44.9
K305020		4.5	98	1.5	31.2	80	90.0
K305021		3.2	54	0.8	23.8	42	54.0
K305022		2.8	42	0.6	21.2	31	44.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193441

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE VA11190104

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 204

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 19- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190104

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304154		9.44	0.05	0.12	2.65	133	160	0.74	0.07	24.4	0.12	30.5	5.0	23	9.92	13.2
K304155		11.18	0.01	0.08	3.72	83	220	1.09	0.09	20.5	0.04	36.0	7.4	32	16.70	16.1
K304156		11.36	0.04	0.09	4.27	186	210	1.21	0.11	10.80	0.08	45.2	6.7	44	13.90	16.0
K304157		11.22	0.14	0.04	2.92	294	130	0.72	0.07	17.75	0.11	37.3	6.0	28	8.64	17.7
K304158		5.16	0.08	0.05	2.81	244	140	0.67	0.07	18.45	0.12	35.9	5.4	27	8.04	13.8
K304159		9.88	0.07	0.02	1.20	122	70	0.38	0.04	30.3	0.08	15.00	2.3	12	3.83	5.9
K304160		11.18	0.04	0.02	1.00	74	190	0.28	0.03	32.6	0.14	14.75	1.8	10	3.25	5.5
K304161		0.28	2.75	1.04	3.16	576	860	0.69	0.33	8.13	2.33	44.5	6.9	52	3.86	41.7
K304162		11.56	0.17	0.09	2.93	112	180	0.77	0.07	17.70	0.09	34.0	5.4	25	8.06	15.0
K304163		11.04	0.37	0.08	1.98	180	130	0.50	0.05	21.0	0.09	27.4	4.1	15	5.57	13.0
K304164		10.48	0.76	0.06	0.76	510	50	0.21	0.03	33.1	0.17	11.80	1.8	4	1.94	5.7
K304165		8.62	0.23	0.07	0.99	247	50	0.29	0.03	33.4	0.12	12.85	2.2	8	2.73	6.7
K304166		5.00	0.82	0.07	0.50	1060	60	0.16	0.02	34.3	0.20	7.98	1.3	5	1.00	3.5
K304167		0.28	7.94	0.50	3.45	972	160	0.71	0.66	11.20	4.49	41.8	5.7	92	7.35	32.2
K304168		4.98	8.32	1.68	3.76	>10000	180	0.73	0.11	8.31	0.71	46.0	6.3	39	9.33	27.1
K304169		3.60	7.65	2.05	3.85	>10000	170	0.77	0.13	7.51	1.14	42.4	7.6	43	9.45	32.8
K304170		7.12	0.01	0.01	0.15	99	30	0.15	0.03	20.4	0.06	1.44	1.2	2	1.11	1.7
K304171		5.02	4.11	1.21	2.53	>10000	120	0.69	0.09	9.68	0.91	23.9	4.7	28	5.26	19.8
K304172		6.58	0.60	0.09	0.90	548	70	0.30	0.35	27.4	0.09	11.75	2.2	5	1.94	5.7
K304173		11.86	0.32	0.08	0.77	296	40	0.25	0.03	21.4	0.13	10.85	1.5	9	1.88	6.9
K304174		11.62	0.13	0.13	0.66	6470	40	0.26	<0.01	21.1	0.15	9.32	1.5	8	1.67	6.8
K304175		12.02	0.02	0.24	0.98	685	60	0.33	0.04	20.4	0.17	8.13	2.4	11	2.83	9.1
K304176		10.92	0.02	0.13	0.77	95	40	0.26	0.03	21.4	0.07	7.47	2.0	7	1.91	7.1
K304177		11.22	0.02	0.06	0.68	120	40	0.23	0.02	21.2	0.05	8.69	1.8	5	1.53	31.8
K304178		10.96	0.02	0.06	1.08	3440	60	0.32	0.03	19.40	0.03	13.45	2.2	9	2.50	7.0
K304179		7.16	<0.01	<0.01	0.12	9	20	0.06	0.02	21.3	0.07	1.55	1.4	3	0.49	2.0
K304180		11.78	0.04	0.09	0.80	300	50	0.29	0.03	19.75	0.04	10.85	2.0	7	1.96	5.3
K304181		11.22	0.01	0.11	0.49	59	40	0.19	0.02	20.3	0.06	8.58	1.7	5	1.10	9.8
K304182		6.18	0.02	0.09	0.69	948	60	0.29	0.03	20.6	0.09	7.08	2.0	7	1.66	5.9
K304183		7.76	0.01	0.17	1.14	88	60	0.35	0.04	18.15	0.06	11.65	2.6	9	2.73	6.4
K304184		7.52	0.10	0.29	1.45	2820	120	0.43	0.04	17.50	0.16	17.05	2.6	12	3.35	8.5
K304185		6.78	0.18	0.16	0.58	>10000	100	0.20	0.02	19.70	0.45	11.25	1.8	7	1.06	5.7
K304186		8.22	<0.01	0.02	1.28	77	70	0.48	0.04	17.95	0.06	19.40	2.2	9	3.99	5.6
K304187		7.66	0.13	0.18	2.25	293	120	0.74	0.08	14.30	0.09	29.5	5.5	20	5.64	11.7
K304188		8.00	<0.01	0.50	2.91	73	130	0.91	0.08	16.25	0.28	38.8	6.8	30	8.29	14.2
K304189		7.84	0.18	0.06	4.42	122	190	1.11	0.17	17.65	0.06	43.4	8.4	30	14.60	15.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190104

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304154		1.11	6.01	0.06	1.3	0.87	0.017	1.40	16.3	12.0	1.85	356	0.74	0.02	3.7	9.6
K304155		1.37	8.56	0.09	1.4	0.53	0.024	1.93	20.4	17.8	2.08	252	0.70	0.02	4.9	16.3
K304156		1.39	10.35	0.09	2.9	1.63	0.027	1.95	24.1	22.4	5.49	577	0.92	0.02	6.8	14.1
K304157		1.15	6.73	0.08	2.3	2.39	0.020	1.30	19.3	13.4	3.00	404	0.38	0.02	5.1	10.3
K304158		1.17	6.34	0.08	2.1	1.74	0.023	1.25	18.6	13.7	3.12	433	0.36	0.02	4.7	8.9
K304159		0.65	2.79	0.06	0.8	0.98	0.010	0.56	8.6	4.8	1.78	683	0.40	0.01	1.9	2.1
K304160		0.48	2.21	0.06	0.8	0.70	0.006	0.48	8.5	4.0	1.15	712	0.14	0.01	1.7	1.2
K304161		2.07	7.36	0.10	1.6	5.02	0.027	0.99	28.2	33.7	2.52	263	17.90	0.03	6.7	50.2
K304162		1.07	7.17	0.08	2.2	10.5	0.021	1.42	17.8	13.3	4.26	2940	0.67	0.02	4.9	9.3
K304163		1.14	4.79	0.06	1.6	3.01	0.015	0.94	14.3	8.9	3.58	6390	0.60	0.02	3.3	6.5
K304164		0.32	2.03	0.06	0.4	3.72	0.008	0.38	6.9	2.9	0.59	5200	0.51	0.01	1.3	1.0
K304165		0.32	2.25	0.05	0.5	4.23	0.008	0.50	7.8	3.8	0.76	1720	0.27	0.01	1.6	2.3
K304166		0.34	1.17	0.06	0.4	5.6	0.005	0.24	5.1	1.7	1.02	1290	0.36	0.01	0.8	1.3
K304167		1.33	6.90	0.12	2.1	6.31	0.061	1.42	28.6	8.2	0.69	259	10.95	<0.01	7.5	60.5
K304168		1.51	9.11	0.09	2.4	34.8	0.075	1.75	26.6	17.3	1.70	2000	2.08	0.01	6.5	15.1
K304169		1.60	9.86	0.11	2.2	26.4	0.135	1.88	25.7	17.6	1.67	1710	2.06	0.01	6.6	18.4
K304170		0.48	0.44	0.07	<0.1	0.07	<0.005	0.08	0.7	2.3	12.75	216	0.34	0.01	0.6	0.8
K304171		1.02	6.43	0.08	1.4	21.0	0.203	1.22	14.5	13.0	1.59	1920	1.55	0.01	4.2	11.0
K304172		0.43	2.79	0.05	0.6	7.0	0.010	0.45	6.8	5.5	2.83	3690	0.71	0.01	1.8	3.9
K304173		0.45	2.07	0.07	0.5	2.69	0.007	0.36	6.2	5.2	10.25	928	0.63	<0.01	1.3	4.2
K304174		0.48	1.77	0.11	0.4	2.31	0.010	0.30	5.2	5.0	12.00	764	0.85	0.01	1.1	4.7
K304175		0.53	2.19	0.07	0.5	2.24	0.008	0.46	4.7	5.9	11.55	311	1.01	0.02	1.6	3.8
K304176		0.38	1.86	0.11	0.4	3.65	0.006	0.37	4.4	4.7	11.30	574	0.63	0.01	1.2	2.9
K304177		0.43	1.58	0.08	0.4	20.7	0.007	0.30	4.9	3.7	11.85	1060	0.96	0.02	1.1	1.5
K304178		0.54	2.48	0.10	0.8	1.82	0.010	0.52	7.4	6.3	11.45	255	0.37	0.02	1.7	2.9
K304179		0.47	0.35	0.11	<0.1	0.01	<0.005	0.05	0.7	1.3	12.70	211	0.10	0.01	0.3	1.6
K304180		0.31	1.93	0.11	0.5	1.09	0.005	0.37	6.3	5.2	11.60	179	0.62	0.02	1.4	2.7
K304181		0.34	1.21	0.13	0.2	9.5	<0.005	0.22	5.0	3.0	11.70	289	0.40	0.01	0.8	1.9
K304182		0.46	1.64	0.11	0.3	1.12	0.007	0.33	4.2	3.8	10.65	382	0.58	0.01	1.1	3.0
K304183		0.43	2.72	0.10	0.7	0.90	0.008	0.56	6.7	6.1	9.89	342	0.83	0.01	1.8	4.3
K304184		0.50	3.43	0.10	1.2	2.37	0.013	0.72	9.4	7.5	9.50	415	1.17	0.01	2.4	4.5
K304185		0.34	1.40	0.11	0.3	3.17	0.024	0.25	6.6	3.0	11.15	471	0.75	0.01	0.9	2.5
K304186		0.59	3.20	0.11	0.9	0.38	0.009	0.63	11.5	7.6	10.65	305	0.21	0.01	2.1	2.5
K304187		1.79	5.31	0.09	1.6	2.18	0.017	1.07	15.6	8.6	7.79	460	0.54	0.02	3.4	10.5
K304188		1.63	6.60	0.11	2.2	0.85	0.021	1.43	20.1	9.6	5.39	383	2.36	0.02	4.8	13.6
K304189		1.67	9.77	0.09	1.9	0.43	0.033	2.19	23.5	10.2	3.52	343	0.44	0.03	5.9	14.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190104

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304154		410	6.0	48.9	<0.002	0.26	1.48	3.8	3	0.8	694	0.29	<0.05	5.1	0.103	2.58
K304155		430	5.6	65.9	<0.002	0.28	0.52	5.2	2	1.0	611	0.39	<0.05	6.7	0.136	1.55
K304156		620	8.8	69.3	<0.002	0.29	1.45	6.3	3	1.4	297	0.56	<0.05	9.3	0.193	4.28
K304157		530	6.4	48.9	<0.002	0.22	2.23	4.5	3	1.1	328	0.40	<0.05	6.7	0.137	6.28
K304158		490	6.3	44.5	<0.002	0.25	1.61	4.3	2	0.9	331	0.36	<0.05	6.3	0.130	4.84
K304159		180	3.9	19.7	<0.002	0.23	1.13	1.8	3	0.4	539	0.15	<0.05	2.5	0.053	2.36
K304160		220	2.7	16.5	<0.002	0.14	0.83	1.5	2	0.3	839	0.13	<0.05	2.2	0.045	1.70
K304161		890	33.1	45.6	0.024	1.55	106.5	5.0	4	2.5	69.6	0.46	0.19	6.3	0.170	3.63
K304162		390	5.1	50.2	<0.002	0.15	2.50	4.7	2	1.0	414	0.38	<0.05	6.6	0.133	7.91
K304163		360	4.1	32.7	<0.002	0.16	3.52	3.1	2	0.7	497	0.26	<0.05	4.5	0.090	6.52
K304164		160	3.0	13.3	0.002	0.19	8.97	1.3	2	0.3	672	0.09	<0.05	1.6	0.032	12.10
K304165		190	3.9	16.7	<0.002	0.16	3.95	1.6	2	0.3	587	0.12	<0.05	1.9	0.041	6.93
K304166		300	2.5	7.7	<0.002	0.25	6.33	0.9	2	0.2	1055	0.06	<0.05	1.0	0.021	13.30
K304167		4110	4.2	99.5	0.036	1.34	19.85	6.0	9	1.8	142.5	0.55	0.54	6.4	0.204	11.90
K304168		890	17.4	64.7	0.002	3.43	112.0	4.2	4	1.3	221	0.49	<0.05	9.1	0.168	90.5
K304169		730	20.2	71.7	0.002	5.49	210	4.2	5	1.7	142.0	0.52	0.09	8.6	0.177	79.7
K304170		180	1.5	6.3	<0.002	0.02	0.29	0.5	2	<0.2	43.3	0.05	<0.05	<0.2	0.006	0.18
K304171		480	15.0	46.4	0.002	7.19	301	2.7	5	1.1	102.5	0.33	0.10	5.6	0.112	63.4
K304172		150	8.6	16.7	<0.002	0.29	4.54	1.6	2	0.3	509	0.12	0.23	2.0	0.039	16.80
K304173		360	8.0	15.1	0.002	0.27	2.69	1.3	2	0.3	129.0	0.09	<0.05	1.6	0.033	4.52
K304174		530	8.2	12.3	<0.002	0.67	13.70	1.0	2	0.3	103.5	0.07	<0.05	1.2	0.027	1.88
K304175		240	10.1	14.5	0.002	0.52	2.43	1.3	2	0.4	89.4	0.12	<0.05	1.9	0.041	1.93
K304176		190	6.5	11.0	<0.002	0.30	0.91	1.3	2	0.3	97.4	0.09	<0.05	1.5	0.032	1.58
K304177		130	3.2	9.3	0.003	0.21	0.84	1.4	2	0.3	103.5	0.08	<0.05	1.3	0.029	3.57
K304178		230	4.6	15.0	<0.002	0.49	2.32	1.7	2	0.3	90.6	0.13	<0.05	2.3	0.048	1.14
K304179		190	1.1	2.7	<0.002	0.01	0.05	0.4	1	<0.2	42.2	<0.05	<0.05	<0.2	0.005	0.03
K304180		180	5.6	11.4	<0.002	0.29	1.04	1.4	2	0.3	80.4	0.10	<0.05	1.7	0.035	0.99
K304181		170	4.6	6.7	<0.002	0.20	0.57	0.9	2	0.2	89.5	0.06	<0.05	1.0	0.020	0.92
K304182		160	8.6	10.0	<0.002	0.41	1.52	1.1	2	0.3	128.0	0.08	<0.05	1.3	0.028	0.96
K304183		250	5.4	17.1	0.002	0.30	0.83	2.0	2	0.4	107.5	0.14	<0.05	2.3	0.048	0.98
K304184		520	6.0	21.6	0.004	0.47	4.49	2.5	3	0.5	126.5	0.19	<0.05	3.3	0.065	2.57
K304185		470	4.5	7.7	0.002	0.71	13.50	1.2	3	0.2	138.0	0.07	<0.05	1.3	0.023	3.75
K304186		630	3.7	19.8	<0.002	0.37	0.32	2.3	2	0.4	105.5	0.17	<0.05	3.0	0.056	0.57
K304187		740	13.6	35.2	<0.002	1.13	2.38	4.1	2	0.8	134.0	0.27	<0.05	4.8	0.100	4.77
K304188		1140	21.0	45.2	0.002	0.69	0.57	4.9	4	1.0	418	0.38	<0.05	6.8	0.133	2.67
K304189		570	8.4	76.8	<0.002	0.44	2.21	7.6	2	1.4	490	0.45	<0.05	7.3	0.187	3.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190104

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K304154		13.2	46	1.1	7.9	26	44.5	
K304155		11.1	51	1.0	9.2	22	50.2	
K304156		5.2	64	2.7	13.2	27	98.5	
K304157		6.0	41	1.7	11.6	28	84.5	
K304158		6.1	40	1.7	10.9	19	78.2	
K304159		15.3	20	1.2	5.0	9	32.2	
K304160		8.4	15	1.0	5.1	4	31.4	
K304161		8.5	225	28.4	18.8	204	62.0	
K304162		8.9	47	2.0	10.8	14	79.2	
K304163		8.9	35	1.7	9.2	10	60.4	
K304164		16.4	16	0.9	4.6	22	14.8	
K304165		19.2	23	0.8	4.8	8	22.0	
K304166		13.3	12	0.6	4.8	2	14.0	
K304167		8.0	370	36.1	26.0	271	73.7	
K304168		28.0	69	4.5	11.5	61	84.4	4.41
K304169		41.9	76	5.1	16.3	108	73.1	8.62
K304170		0.4	7	0.1	1.1	15	0.6	
K304171		35.8	54	3.7	24.5	93	48.3	14.40
K304172		18.7	19	1.3	5.0	19	21.6	
K304173		11.8	17	0.7	4.4	19	16.9	
K304174		16.5	15	0.7	3.7	12	11.1	
K304175		22.3	25	1.1	2.8	18	14.9	
K304176		17.1	19	0.8	2.8	8	12.1	
K304177		10.5	12	0.7	3.3	3	13.1	
K304178		12.1	20	0.9	4.0	<2	26.5	
K304179		0.8	3	0.1	0.8	13	<0.5	
K304180		15.3	16	0.9	3.2	3	16.5	
K304181		18.2	16	0.8	2.9	5	7.3	
K304182		17.1	15	0.9	2.7	11	11.0	
K304183		13.0	26	1.1	4.1	6	24.5	
K304184		11.0	39	1.5	6.3	10	40.0	
K304185		10.4	20	0.7	4.3	69	11.7	1.145
K304186		5.2	18	0.9	7.2	4	31.0	
K304187		5.9	29	2.2	10.1	15	56.2	
K304188		8.9	49	1.0	12.7	51	78.2	
K304189		10.9	58	1.4	12.3	27	67.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11190104

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE VA11193443

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B - Batch 205

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193443

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303693		7.28	0.67	0.12	6.08	>10000	350	1.58	0.30	1.88	0.35	54.8	18.2	68	17.75	60.8
K303694		6.16	0.02	0.05	4.44	212	170	1.22	0.16	2.97	0.25	41.6	14.6	63	13.45	50.1
K303695		8.24	<0.01	0.07	5.73	67.6	180	1.79	0.23	2.71	0.23	54.0	18.1	69	27.1	59.3
K303696		6.16	<0.01	0.06	6.59	37.7	200	2.05	0.29	2.37	0.16	61.5	21.0	74	30.2	57.3
K303697		7.72	<0.01	0.07	6.77	81.5	200	2.36	0.31	1.99	0.20	68.7	19.4	75	32.9	59.5
K303698		5.08	<0.01	0.01	0.09	<5	20	0.10	0.03	20.7	0.10	1.30	1.3	1	0.29	2.2
K303699		7.78	<0.01	0.08	5.39	66.5	190	1.58	0.20	3.22	0.10	52.3	18.3	71	25.4	50.0
K303700		8.20	<0.01	0.11	4.29	73.8	270	1.19	0.17	1.53	0.17	41.0	17.6	69	15.80	38.9
K303701		6.88	<0.01	0.09	4.60	64.9	370	1.45	0.20	2.57	0.07	45.2	14.8	61	19.00	36.3
K303702		7.24	<0.01	0.08	5.57	40.5	310	1.63	0.24	2.58	0.12	53.7	17.0	72	21.9	46.4
K303703		2.62	<0.01	0.09	5.86	48.8	360	1.66	0.25	2.41	0.18	58.3	20.6	74	23.3	49.2
K303704		7.74	<0.01	0.11	4.96	47.0	280	1.45	0.21	2.14	0.15	47.3	17.1	65	19.45	40.5
K303705		6.72	<0.01	0.15	5.40	262	280	1.60	0.24	2.43	0.05	50.4	16.9	70	21.5	45.9
K303706		6.88	0.01	0.07	6.47	23.4	200	1.98	0.26	2.60	0.08	60.9	18.9	77	31.4	54.3
K303707		6.36	<0.01	0.22	6.12	57.3	250	1.88	0.26	2.63	0.11	58.9	19.8	77	26.2	52.1
K303708		7.78	<0.01	0.09	4.93	47.6	150	1.33	0.16	2.43	0.08	43.7	18.8	76	27.6	46.7
K303709		6.38	0.07	0.09	6.22	259	230	1.92	0.25	2.09	0.14	58.1	19.8	78	30.5	51.7
K303710		9.88	0.40	0.16	6.39	2240	260	2.05	0.26	2.66	0.26	61.3	21.2	70	19.15	53.0
K303711		4.90	0.64	0.09	5.93	5720	220	2.01	0.26	2.78	0.11	58.8	19.1	62	21.9	50.9
K303712		3.20	0.81	0.05	8.33	658	370	2.77	0.39	1.40	0.14	73.0	21.8	76	25.0	52.5
K303713		7.94	0.11	0.17	6.01	488	200	1.99	0.23	4.29	0.02	56.8	17.7	62	23.4	47.4
K303714		0.30	2.66	1.01	3.13	609	870	0.80	0.33	8.09	2.18	42.2	6.9	55	3.57	40.2
K303715		8.34	0.02	0.06	7.54	371	340	2.53	0.34	2.04	0.26	69.7	15.7	70	29.5	48.2
K303716		7.94	1.32	0.05	6.30	970	160	1.89	0.24	2.86	0.06	57.3	19.5	69	20.0	51.1
K303717		7.62	<0.01	0.10	6.30	101.5	220	2.18	0.25	3.81	0.06	61.4	22.5	72	27.0	51.4
K303718		0.30	7.74	0.49	3.40	994	160	0.83	0.66	11.90	4.00	41.2	6.0	95	6.71	32.8
K303719		3.20	<0.01	<0.01	8.95	49.6	300	3.00	0.41	1.89	0.03	91.8	20.4	88	33.7	51.6
K303720		7.98	0.11	0.03	6.65	1050	200	1.63	0.28	11.65	0.06	66.3	18.6	54	16.60	44.1
K303721		5.08	0.01	0.03	3.51	172	130	0.86	0.16	21.7	0.04	34.2	11.5	28	7.29	23.7
K303722		7.64	<0.01	0.03	4.39	55	160	1.25	0.21	18.60	0.05	44.6	16.7	36	10.75	30.6
K303723		7.56	<0.01	0.02	1.40	17	130	0.42	0.07	31.3	0.04	18.00	5.0	12	3.58	11.1
K303724		7.74	<0.01	0.01	1.26	53	140	0.35	0.06	32.6	0.04	15.00	4.7	12	2.62	10.6
K303725		3.32	0.05	0.35	1.05	>10000	120	0.24	0.05	31.6	0.08	12.95	4.2	10	1.72	11.1
K303726		4.10	<0.01	0.05	0.59	189	100	0.18	0.03	34.7	0.02	8.40	2.3	5	1.19	5.5
K303727		5.06	<0.01	0.01	0.07	44	20	0.06	0.02	20.6	0.05	1.21	1.2	<1	0.17	2.0
K303728		7.60	0.04	0.38	1.63	293	130	0.42	0.08	29.2	0.07	20.1	5.1	14	3.86	12.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193443

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303693		4.76	16.10	0.24	3.1	7.11	0.063	2.57	26.2	24.2	1.24	769	1.41	0.03	10.4	40.8
K303694		3.82	11.10	0.19	2.3	1.56	0.043	2.01	19.9	36.4	1.44	591	0.53	0.03	7.3	26.6
K303695		4.69	15.00	0.22	2.9	0.63	0.057	2.62	25.8	91.5	1.87	540	0.47	0.04	9.8	33.9
K303696		5.13	17.10	0.24	3.2	0.21	0.075	3.10	29.4	109.5	2.26	536	0.45	0.04	11.5	37.5
K303697		4.91	18.70	0.24	3.5	0.19	0.077	3.25	32.9	109.0	2.16	447	0.47	0.04	12.8	36.1
K303698		0.48	0.38	0.21	<0.1	<0.01	0.005	0.04	0.6	1.7	12.95	217	0.08	<0.01	0.3	1.4
K303699		4.96	14.35	0.21	3.1	0.11	0.055	2.34	24.5	121.5	2.20	678	0.48	0.06	9.4	32.6
K303700		3.79	11.60	0.18	2.4	0.22	0.044	1.74	20.0	129.0	1.21	328	0.51	0.02	7.0	30.7
K303701		4.31	12.70	0.21	2.4	0.28	0.047	2.06	22.0	75.7	1.61	583	0.59	0.03	7.6	27.2
K303702		4.53	14.45	0.21	2.8	0.16	0.055	2.42	25.5	98.8	1.86	570	0.45	0.03	9.2	30.0
K303703		4.99	15.10	0.22	2.9	0.21	0.060	2.56	27.7	109.0	1.89	528	0.58	0.03	9.8	33.8
K303704		4.34	12.80	0.19	2.5	0.50	0.050	2.06	22.8	123.5	1.60	405	0.55	0.03	8.1	31.7
K303705		4.98	14.10	0.22	2.6	0.72	0.056	2.21	24.4	150.5	1.71	482	0.72	0.03	8.7	33.0
K303706		5.08	17.10	0.23	3.1	0.09	0.066	2.88	28.9	107.0	2.35	618	0.46	0.04	11.4	34.1
K303707		4.82	16.15	0.21	3.0	0.43	0.064	2.37	28.1	94.2	2.05	590	0.57	0.03	10.4	40.3
K303708		4.50	12.95	0.21	2.5	0.08	0.046	2.01	20.9	71.4	1.76	559	0.50	0.12	8.0	33.8
K303709		4.63	16.20	0.21	3.1	0.98	0.064	2.66	27.6	60.4	1.60	459	0.58	0.03	10.0	36.3
K303710		5.32	17.25	0.21	3.1	2.61	0.064	3.00	29.1	19.4	1.52	673	0.87	0.03	10.9	35.7
K303711		4.46	15.95	0.21	3.0	5.11	0.062	2.78	28.3	20.6	1.58	1160	0.41	0.03	10.4	33.1
K303712		5.53	22.7	0.24	3.7	2.93	0.070	4.02	33.8	16.1	1.13	451	0.34	0.03	13.2	39.7
K303713		4.79	16.00	0.22	3.1	0.69	0.056	2.92	27.4	19.3	2.21	982	0.34	0.03	10.9	33.8
K303714		2.08	7.70	0.16	1.8	4.44	0.028	1.03	25.7	41.6	2.57	276	18.95	0.03	7.0	49.9
K303715		4.96	19.50	0.23	3.5	0.42	0.077	3.63	33.3	20.3	1.38	529	2.25	0.03	11.2	31.9
K303716		5.14	16.65	0.22	3.2	3.57	0.061	2.89	27.4	38.6	1.50	604	0.26	0.03	11.0	35.8
K303717		4.75	17.30	0.17	3.1	0.33	0.059	2.94	30.2	65.9	2.24	722	0.32	0.03	10.3	37.4
K303718		1.31	7.45	0.17	2.3	5.61	0.062	1.44	26.9	10.6	0.69	265	11.70	0.01	7.8	61.4
K303719		3.75	26.1	0.26	3.3	0.15	0.082	4.55	44.5	27.9	1.54	380	0.76	0.04	12.8	46.2
K303720		3.74	17.50	0.21	2.7	1.55	0.055	3.08	34.7	14.7	2.32	1020	1.82	0.03	9.5	33.0
K303721		2.21	8.81	0.15	1.5	1.59	0.036	1.67	18.7	6.5	1.22	672	1.10	0.02	5.0	14.2
K303722		2.58	11.35	0.16	2.1	0.71	0.042	2.16	24.8	9.8	1.31	711	0.95	0.03	6.7	20.6
K303723		0.87	3.49	0.13	0.8	0.30	0.012	0.67	10.4	4.8	0.57	236	0.60	0.01	2.4	4.4
K303724		0.80	3.21	0.12	0.6	1.57	0.012	0.60	8.3	4.7	0.48	286	0.26	0.01	2.1	4.6
K303725		0.70	2.73	0.12	0.6	3.07	0.024	0.49	6.6	3.7	0.32	513	0.31	0.01	1.8	4.0
K303726		0.38	1.50	0.12	0.3	1.13	0.006	0.27	4.3	2.4	0.34	279	1.08	0.01	1.1	1.7
K303727		0.46	0.36	0.28	<0.1	0.01	<0.005	0.02	0.6	1.1	12.60	214	0.12	0.01	0.3	2.0
K303728		1.08	4.06	0.13	0.8	4.45	0.014	0.78	10.9	5.5	0.61	658	0.91	0.02	2.4	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193443

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303693		390	33.5	107.5	0.003	4.98	19.45	16.4	3	2.0	163.0	0.71	0.06	8.5	0.475	16.75
K303694		300	17.1	87.7	<0.002	2.94	1.55	13.9	2	1.3	128.0	0.51	<0.05	6.0	0.430	3.31
K303695		440	19.9	125.5	<0.002	1.98	0.43	17.5	2	1.6	124.5	0.66	0.05	7.8	0.492	1.87
K303696		530	17.6	149.0	<0.002	0.78	0.47	19.5	2	1.9	131.5	0.79	0.05	9.5	0.546	1.15
K303697		530	16.7	165.0	<0.002	0.57	0.42	21.0	2	2.1	116.5	0.86	0.07	10.2	0.559	1.19
K303698		180	1.3	2.0	<0.002	0.01	0.05	0.4	1	<0.2	43.8	<0.05	<0.05	<0.2	<0.005	0.02
K303699		550	11.3	123.5	<0.002	0.58	0.42	17.4	2	1.5	164.5	0.67	<0.05	7.6	0.509	1.04
K303700		330	21.4	81.5	<0.002	1.10	0.66	13.6	2	1.3	119.0	0.51	<0.05	6.1	0.430	0.92
K303701		330	23.0	99.9	<0.002	1.53	0.76	13.9	2	1.5	154.0	0.52	<0.05	6.6	0.394	1.41
K303702		600	16.7	120.0	<0.002	0.94	0.52	16.5	2	1.6	135.0	0.65	<0.05	8.0	0.464	1.09
K303703		650	19.6	125.5	<0.002	1.37	0.66	18.1	2	1.7	139.5	0.68	0.05	8.6	0.492	1.35
K303704		390	15.8	100.0	<0.002	1.63	0.54	15.2	2	1.5	167.5	0.55	<0.05	7.1	0.415	1.69
K303705		430	18.9	107.5	<0.002	2.68	0.76	16.3	2	1.7	160.5	0.60	0.05	7.6	0.445	2.61
K303706		720	11.8	158.5	<0.002	0.46	0.38	19.9	2	1.9	115.0	0.77	0.05	9.0	0.547	1.05
K303707		660	21.0	127.0	<0.002	1.15	0.57	18.4	2	1.8	145.5	0.71	0.05	8.7	0.519	2.22
K303708		440	9.3	107.0	<0.002	0.56	0.39	16.4	2	1.4	92.4	0.53	<0.05	6.2	0.469	0.91
K303709		530	18.8	136.0	<0.002	2.08	1.91	20.0	2	1.9	124.0	0.69	0.05	8.5	0.510	3.94
K303710		580	14.8	142.0	<0.002	5.03	6.57	19.2	2	2.0	131.5	0.72	<0.05	9.3	0.517	6.69
K303711		480	16.2	141.5	<0.002	4.23	14.80	19.9	2	2.0	106.5	0.70	0.05	9.0	0.465	8.41
K303712		780	19.8	198.5	<0.002	5.55	8.76	23.4	2	2.5	116.5	0.94	0.06	11.6	0.553	7.79
K303713		500	12.8	148.5	<0.002	3.91	2.34	17.6	2	1.7	154.5	0.71	0.05	9.0	0.503	3.06
K303714		880	35.6	48.3	0.023	1.53	101.0	5.3	4	2.3	70.4	0.44	0.18	5.9	0.179	4.01
K303715		610	26.6	192.5	<0.002	4.52	0.95	20.9	2	2.2	169.5	0.80	0.07	11.0	0.501	3.01
K303716		500	12.7	133.5	<0.002	4.76	6.78	18.2	2	2.1	122.5	0.74	0.05	9.0	0.546	11.30
K303717		450	18.8	143.0	<0.002	1.49	0.61	18.7	2	1.8	178.5	0.71	<0.05	9.2	0.475	2.66
K303718		4090	4.3	111.5	0.037	1.34	17.40	6.6	9	1.6	142.0	0.51	0.49	5.8	0.211	12.80
K303719		420	7.5	179.0	<0.002	0.64	0.32	23.6	2	2.7	110.0	0.93	<0.05	14.5	0.457	1.53
K303720		370	12.4	137.5	<0.002	2.55	3.10	17.0	2	2.2	273	0.67	0.06	9.9	0.337	4.44
K303721		210	8.4	69.5	0.002	1.77	1.59	8.8	1	1.0	621	0.34	0.05	5.0	0.176	2.66
K303722		310	12.3	93.0	0.003	1.89	0.38	11.6	2	1.3	527	0.45	0.07	6.4	0.249	3.35
K303723		150	4.7	28.0	<0.002	0.74	0.19	3.7	2	0.4	1350	0.14	<0.05	2.2	0.081	2.49
K303724		210	4.6	25.5	<0.002	0.83	0.79	3.5	2	0.4	1505	0.12	<0.05	1.9	0.068	2.94
K303725		1060	4.1	20.3	<0.002	1.63	39.1	2.5	3	0.5	1325	0.11	0.05	1.8	0.058	7.91
K303726		850	2.4	11.3	<0.002	0.42	1.77	1.8	2	0.2	1510	0.06	<0.05	0.9	0.032	2.42
K303727		200	1.3	1.3	<0.002	0.01	0.16	0.3	1	<0.2	49.2	<0.05	<0.05	<0.2	<0.005	0.04
K303728		250	4.9	31.8	0.002	1.20	11.00	4.3	2	0.5	1240	0.15	<0.05	2.5	0.086	14.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193443

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303693		1.9	129	13.3	18.6	115	91.3	0.970
K303694		1.3	120	4.1	14.4	120	67.7	
K303695		1.6	132	1.3	19.2	131	84.2	
K303696		2.0	138	2.0	22.4	112	98.3	
K303697		2.0	142	1.4	24.4	124	107.0	
K303698		0.4	3	0.1	0.9	18	0.5	
K303699		1.6	136	1.4	20.6	78	88.7	
K303700		1.3	124	1.3	13.1	92	66.9	
K303701		1.4	113	0.9	14.9	53	67.0	
K303702		1.6	124	1.2	19.3	122	80.9	
K303703		1.8	134	1.3	19.4	174	83.7	
K303704		1.5	120	1.0	15.8	96	71.8	
K303705		1.6	127	1.6	16.5	54	76.7	
K303706		1.9	141	1.4	22.7	99	95.4	
K303707		1.8	137	1.5	20.9	94	89.8	
K303708		1.3	139	0.9	16.5	73	74.7	
K303709		1.8	149	1.8	20.1	89	90.1	
K303710		1.8	140	6.5	21.5	127	94.6	
K303711		1.8	122	9.0	20.7	80	89.8	
K303712		2.3	149	12.0	26.7	76	108.0	
K303713		1.8	127	5.7	20.3	53	91.5	
K303714		8.0	238	27.9	20.4	217	56.4	
K303715		2.2	137	2.2	23.9	205	101.5	
K303716		1.8	140	5.8	20.6	77	93.5	
K303717		1.9	129	1.3	21.4	69	92.8	
K303718		7.3	384	34.5	28.0	276	69.5	
K303719		1.9	98	2.2	24.9	81	95.6	
K303720		2.0	80	3.2	21.7	76	79.0	
K303721		1.8	49	1.3	15.4	43	44.7	
K303722		2.2	68	0.8	18.5	56	63.6	
K303723		2.1	20	0.5	11.2	12	23.6	
K303724		2.2	18	0.6	11.3	20	20.8	
K303725		2.8	15	0.6	12.1	25	18.8	1.705
K303726		2.1	9	0.3	7.8	4	10.5	
K303727		0.5	3	0.1	1.0	13	0.5	
K303728		2.2	26	1.0	15.3	22	23.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193443

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

CERTIFICATE VA11193440

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 206

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193440

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K305023		7.48	<0.01	0.07	3.17	5	260	0.82	0.13	23.7	0.14	39.7	9.8	28	11.60	37.5
K305024		8.18	<0.01	0.06	2.28	<5	830	0.63	0.11	27.5	0.11	29.5	7.3	18	7.72	28.0
K305025		8.40	<0.01	0.03	1.67	<5	180	0.53	0.08	30.0	0.08	25.5	5.3	13	5.59	19.6
K305026		8.54	0.01	0.10	4.67	14	340	1.24	0.22	17.45	0.15	60.2	15.9	43	16.40	63.7
K305027		8.08	0.01	0.14	6.10	16	340	1.64	0.29	11.05	0.21	74.5	21.8	58	22.3	95.1
K305028		2.94	<0.01	0.14	6.13	17	340	1.57	0.30	11.65	0.21	74.5	21.9	58	21.7	95.8
K305029		4.38	0.01	0.08	4.46	11	280	1.18	0.21	18.65	0.14	54.6	15.9	39	17.55	57.3
K305030		6.56	<0.01	0.07	3.32	11	220	0.91	0.15	21.9	0.12	44.0	11.3	29	11.10	43.5
K305031		5.10	0.01	0.25	8.27	24.1	400	2.50	0.42	1.42	0.34	102.0	26.7	85	27.4	142.0
K305032		7.22	0.01	0.29	7.68	28.2	400	2.23	0.38	1.89	0.35	90.9	23.7	77	19.40	138.5
K305033		9.00	<0.01	0.07	3.69	9.8	190	0.95	0.16	9.85	0.19	42.7	12.7	31	12.65	44.3
K305034		8.72	<0.01	0.09	4.37	14.5	200	0.98	0.16	8.08	0.30	47.6	15.2	36	16.50	49.9
K305035		5.12	<0.01	0.01	0.07	<5	10	0.05	0.05	20.6	0.06	1.38	1.2	<1	0.25	1.4
K305036		9.04	<0.01	0.09	7.06	11.4	250	1.49	0.20	3.20	0.27	56.2	28.6	72	37.5	164.5
K305037		9.00	<0.01	0.09	5.91	9.0	300	1.26	0.19	4.80	0.27	51.5	24.2	56	24.3	118.5
K305038		8.64	<0.01	0.09	6.44	25.9	190	1.70	0.23	1.54	0.06	68.2	16.0	71	23.4	53.5
K305039		9.66	<0.01	0.09	6.44	25.8	200	1.68	0.23	1.66	0.04	66.9	16.3	71	22.8	55.6
K305040		10.38	<0.01	0.07	5.70	36.6	260	1.38	0.20	2.20	0.02	59.9	15.5	63	25.9	48.2
K305041		11.16	0.01	0.08	7.17	49.4	270	1.90	0.25	2.71	0.05	78.2	14.9	69	34.1	45.8
K305042		10.58	<0.01	0.05	7.58	30.6	250	2.06	0.41	2.56	0.25	67.9	18.0	78	37.0	56.5
K305043		0.28	0.34	0.33	6.44	619	490	0.68	0.29	0.49	0.20	141.0	2.9	233	3.45	38.8
K305044		11.00	<0.01	0.03	6.10	29.6	310	1.52	0.22	4.99	0.15	63.2	14.8	60	31.5	42.6
K305045		11.90	<0.01	0.04	6.40	30.3	190	1.63	0.24	5.43	0.09	65.2	16.0	60	29.9	45.3
K305046		11.70	0.01	0.03	6.57	45.9	210	1.66	0.27	4.03	0.10	69.9	16.1	64	30.7	50.2
K305047		10.56	<0.01	0.07	5.78	34.8	500	1.35	0.25	2.36	0.02	53.6	15.2	62	31.3	50.3
K305048		11.28	<0.01	0.02	7.66	57.2	230	2.03	0.35	1.21	0.02	73.0	21.3	79	43.0	64.1
K305049		5.12	<0.01	0.01	0.09	<5	20	0.05	0.02	21.8	0.06	1.39	1.1	1	0.27	1.4
K305050		10.46	<0.01	0.03	6.17	46.1	220	1.35	0.26	1.43	0.07	57.5	19.3	72	27.3	56.9
K305051		11.18	<0.01	0.05	5.04	74.0	250	1.02	0.18	2.12	0.03	47.1	16.7	58	18.70	47.1
K305052		6.90	<0.01	0.03	5.39	178.5	290	1.17	0.20	2.47	0.04	49.8	15.8	56	17.30	46.3
K305053		9.06	<0.01	0.04	6.47	288	210	1.37	0.25	3.76	0.14	61.3	19.4	64	19.15	59.6
K305054		0.28	2.34	1.07	3.35	628	910	0.70	0.34	8.55	2.29	47.1	7.0	53	3.95	51.0
K305055		8.98	0.01	0.04	7.59	329	230	1.79	0.32	2.71	0.11	75.0	20.1	72	22.2	74.0
K305056		7.38	0.05	0.14	3.32	1300	140	0.64	0.12	3.70	0.09	32.0	11.5	46	8.42	32.5
K305057		8.98	0.19	0.33	6.28	1345	220	1.43	0.23	4.56	0.13	60.2	19.3	63	20.8	56.5
K305058		11.56	0.08	0.07	6.86	423	230	1.68	0.26	3.13	0.13	63.3	21.8	69	24.2	64.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193440

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305023		1.96	7.65	0.09	1.4	0.10	0.031	1.23	19.1	10.6	1.32	609	1.04	0.18	4.7	19.2
K305024		1.54	5.76	0.09	1.0	0.08	0.024	0.92	15.3	7.5	1.06	648	0.79	0.14	3.6	15.5
K305025		1.31	3.91	0.07	0.8	0.06	0.017	0.68	13.3	5.9	1.05	626	0.62	0.08	2.7	11.3
K305026		2.86	12.35	0.12	2.0	0.19	0.049	1.94	29.7	18.8	1.54	676	1.62	0.14	7.2	32.4
K305027		3.63	16.30	0.15	2.7	0.28	0.069	2.52	36.8	23.6	1.67	680	2.15	0.31	9.2	44.9
K305028		3.64	16.50	0.15	2.8	0.29	0.069	2.53	36.8	24.0	1.55	633	2.25	0.31	9.2	45.6
K305029		2.34	11.40	0.12	2.0	0.16	0.048	1.89	27.2	14.2	1.64	579	1.44	0.17	6.7	30.4
K305030		2.20	8.47	0.11	1.4	0.18	0.033	1.37	21.4	12.0	1.38	581	1.36	0.06	5.1	24.3
K305031		4.65	23.1	0.19	3.7	0.46	0.096	3.42	49.5	52.7	1.18	350	3.68	0.21	12.4	64.7
K305032		4.79	22.2	0.20	3.3	0.46	0.092	2.97	43.5	47.7	1.37	374	4.02	0.05	11.7	62.0
K305033		4.87	9.65	0.14	1.7	0.64	0.045	1.52	20.4	18.0	5.70	865	2.07	0.06	6.4	27.5
K305034		5.31	11.80	0.15	2.0	0.58	0.059	1.71	22.5	34.3	4.59	773	1.62	0.20	7.6	32.5
K305035		0.47	0.22	0.06	<0.1	<0.01	<0.005	0.03	0.7	1.1	12.70	215	0.06	<0.01	0.3	3.0
K305036		6.36	20.8	0.17	2.7	0.08	0.106	2.50	25.6	88.9	2.39	654	0.50	0.29	13.7	48.3
K305037		6.51	16.45	0.17	2.4	0.21	0.085	2.03	24.0	82.8	3.34	901	1.00	0.28	11.3	42.5
K305038		4.95	18.15	0.16	3.1	0.11	0.070	2.70	32.5	86.1	0.66	586	0.33	<0.01	10.3	32.8
K305039		5.02	17.55	0.16	2.9	0.13	0.074	2.66	31.3	76.9	0.94	560	0.26	<0.01	10.7	33.4
K305040		4.84	15.05	0.14	2.7	0.09	0.063	2.37	28.8	86.2	1.25	640	0.41	<0.01	9.2	30.8
K305041		4.72	18.60	0.16	3.3	0.17	0.075	3.27	37.6	115.0	1.80	624	0.26	0.01	13.3	30.4
K305042		5.05	20.6	0.19	3.4	0.21	0.073	3.21	33.8	96.4	1.64	542	0.92	0.21	11.8	35.3
K305043		6.89	22.0	0.25	4.6	8.68	0.048	1.42	70.1	18.9	0.13	39	6.54	0.40	10.3	16.4
K305044		4.59	15.45	0.16	3.2	0.10	0.057	2.63	30.5	76.7	2.34	855	0.88	0.04	10.5	26.5
K305045		4.50	16.25	0.18	3.2	0.09	0.062	2.85	32.1	65.3	2.46	886	0.73	0.04	11.2	27.7
K305046		4.53	18.10	0.18	3.4	0.07	0.066	2.93	33.9	72.2	2.05	759	0.68	0.04	11.8	29.9
K305047		4.57	15.15	0.16	2.8	0.05	0.056	2.46	26.8	101.0	1.63	606	0.53	0.03	9.3	28.7
K305048		5.36	21.4	0.21	3.5	0.11	0.077	3.36	36.0	120.5	1.52	357	0.45	0.04	12.8	38.5
K305049		0.47	0.17	<0.05	<0.1	<0.01	<0.005	0.03	0.7	1.0	12.95	210	0.28	0.01	0.4	1.9
K305050		4.97	16.75	0.16	3.1	0.08	0.058	2.60	27.9	122.0	1.51	424	0.60	0.03	10.7	35.2
K305051		4.27	13.05	0.15	2.5	0.17	0.046	2.10	22.9	91.8	1.54	491	0.50	0.02	8.3	28.4
K305052		4.20	14.55	0.17	2.7	0.35	0.051	2.36	24.5	42.7	1.16	469	0.47	0.02	9.0	28.4
K305053		5.84	17.75	0.19	3.3	1.25	0.064	2.94	29.6	32.9	1.82	746	0.73	0.03	11.5	37.3
K305054		2.20	8.29	0.12	1.9	4.57	0.026	1.06	29.2	35.0	2.65	284	18.15	0.03	7.5	52.5
K305055		5.11	21.2	0.22	3.8	3.19	0.075	3.52	36.0	17.0	1.57	588	0.50	0.03	13.5	36.8
K305056		3.97	8.53	0.13	1.7	2.59	0.030	1.48	15.4	12.0	1.54	774	0.51	0.02	5.5	21.1
K305057		5.30	17.60	0.19	3.1	3.74	0.056	2.88	28.8	12.9	2.21	1410	0.65	0.03	10.6	34.4
K305058		4.69	18.65	0.18	3.2	4.55	0.060	3.23	30.9	16.3	1.75	1170	0.58	0.03	11.0	39.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193440

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305023		1220	9.8	60.0	0.006	1.48	0.37	8.4	2	1.1	1825	0.35	0.06	5.1	0.176	0.32
K305024		1270	7.5	43.9	0.004	1.09	0.28	6.1	3	0.8	1590	0.25	0.06	3.9	0.120	0.24
K305025		1350	5.7	37.9	0.004	0.85	0.23	5.2	2	0.6	1800	0.18	<0.05	2.9	0.084	0.17
K305026		980	16.0	95.5	0.009	2.44	0.61	12.5	3	1.7	1395	0.54	0.09	8.1	0.240	0.49
K305027		840	20.5	126.0	0.015	3.04	0.73	16.4	3	2.2	898	0.70	0.11	10.6	0.325	0.66
K305028		840	21.0	126.5	0.016	3.13	0.75	16.5	4	2.2	949	0.72	0.12	10.6	0.322	0.67
K305029		1130	15.0	91.8	0.006	1.80	0.56	11.4	2	1.5	1505	0.51	0.09	7.8	0.235	0.48
K305030		1540	11.3	65.4	0.008	1.70	0.44	9.3	3	1.1	1735	0.37	0.07	5.5	0.170	0.40
K305031		480	28.3	176.5	0.033	3.85	1.00	23.3	5	3.1	189.0	0.99	0.12	14.3	0.438	1.04
K305032		540	27.0	151.5	0.037	4.19	1.03	21.1	5	2.9	229	0.93	0.11	13.5	0.400	1.04
K305033		350	11.6	66.5	0.007	4.17	0.61	9.9	2	1.3	232	0.47	0.06	5.8	0.241	0.99
K305034		370	15.5	75.4	0.004	3.26	0.81	11.9	2	1.6	230	0.56	0.08	6.1	0.317	0.96
K305035		190	1.1	1.6	<0.002	0.01	0.05	0.3	2	<0.2	41.9	<0.05	<0.05	<0.2	<0.005	<0.02
K305036		680	9.9	121.5	0.002	0.39	0.41	27.5	2	2.3	133.0	1.00	0.23	6.2	0.732	0.62
K305037		540	13.9	100.5	0.002	1.63	0.66	21.9	2	2.0	183.5	0.83	0.16	6.2	0.581	0.69
K305038		490	14.7	156.0	0.002	0.07	0.46	18.2	2	2.2	53.8	0.86	0.05	10.9	0.509	0.90
K305039		510	15.3	140.5	<0.002	0.12	0.43	18.7	2	2.2	67.6	0.86	0.06	10.4	0.547	0.95
K305040		450	14.2	130.5	<0.002	0.33	0.46	15.8	2	1.9	79.8	0.74	0.05	9.5	0.476	0.75
K305041		760	14.7	170.5	<0.002	0.19	0.46	17.5	2	2.4	93.1	1.05	0.05	12.6	0.503	0.94
K305042		580	24.5	173.5	<0.002	0.29	0.55	22.0	2	2.3	112.0	0.78	0.11	11.1	0.537	1.01
K305043		940	16.1	50.5	0.003	3.14	119.0	17.9	3	3.0	542	0.71	0.15	9.8	0.563	7.44
K305044		660	15.0	139.0	<0.002	0.16	0.37	15.9	2	1.8	118.0	0.69	<0.05	10.0	0.428	0.72
K305045		670	17.4	147.0	<0.002	0.21	0.35	16.4	4	1.9	118.0	0.72	0.05	10.4	0.438	0.78
K305046		630	16.1	155.0	<0.002	0.11	0.32	18.2	2	2.1	142.0	0.78	0.05	10.9	0.478	0.83
K305047		430	12.4	128.0	<0.002	0.17	0.24	15.4	2	1.8	116.5	0.63	0.06	9.0	0.438	0.68
K305048		600	15.1	181.5	<0.002	0.34	0.31	22.4	2	2.4	108.0	0.86	0.07	12.1	0.567	1.01
K305049		350	1.4	1.9	<0.002	0.02	<0.05	0.4	1	<0.2	46.1	<0.05	<0.05	<0.2	0.005	<0.02
K305050		470	12.8	136.0	<0.002	0.27	0.22	18.5	2	1.9	123.5	0.68	0.05	10.0	0.532	1.10
K305051		440	14.2	101.5	<0.002	0.61	0.26	13.7	2	1.5	143.0	0.55	0.05	7.5	0.421	1.15
K305052		410	11.4	113.5	<0.002	3.16	0.43	15.3	2	1.6	169.5	0.59	0.05	8.4	0.433	2.34
K305053		510	14.0	138.0	<0.002	4.54	0.89	19.8	2	2.0	175.5	0.74	0.05	9.6	0.536	2.75
K305054		940	37.6	52.3	0.024	1.63	110.5	5.7	5	2.5	77.6	0.45	0.23	6.4	0.182	3.87
K305055		610	15.7	166.0	<0.002	4.47	1.98	23.1	2	2.4	132.5	0.90	0.07	11.9	0.607	5.53
K305056		310	9.2	66.3	<0.002	2.90	4.83	10.2	2	0.9	138.5	0.36	<0.05	4.7	0.327	4.65
K305057		520	15.9	133.0	<0.002	4.45	6.27	21.5	2	1.8	172.0	0.69	0.06	9.2	0.502	6.31
K305058		530	18.6	151.5	<0.002	4.33	3.12	21.4	2	2.0	130.0	0.74	0.05	9.9	0.538	7.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193440

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305023		3.5	52	1.0	23.5	38	52.2
K305024		2.6	37	0.6	18.0	27	42.0
K305025		2.5	28	0.4	17.9	21	33.0
K305026		4.2	77	1.1	27.2	60	74.6
K305027		4.9	108	1.6	28.4	86	97.3
K305028		4.8	107	1.6	27.5	84	97.4
K305029		3.7	73	1.0	23.0	62	72.1
K305030		3.4	55	0.8	24.0	42	57.0
K305031		6.5	170	2.3	28.6	114	132.0
K305032		5.6	164	2.1	25.4	111	121.5
K305033		1.7	73	0.7	16.4	46	61.7
K305034		1.7	90	0.8	18.9	71	71.2
K305035		0.4	1	0.1	0.9	10	<0.5
K305036		1.3	227	0.8	24.3	87	116.0
K305037		1.6	176	0.8	22.2	84	95.3
K305038		2.2	140	1.3	22.1	68	106.5
K305039		2.1	145	1.7	21.3	68	105.0
K305040		1.9	126	1.2	20.0	59	94.8
K305041		2.5	120	1.4	25.3	73	117.0
K305042		2.2	143	1.3	22.5	111	115.0
K305043		7.3	173	23.9	14.9	45	177.0
K305044		2.1	99	1.3	22.5	94	105.5
K305045		2.2	102	1.3	22.9	81	111.5
K305046		2.2	114	1.5	23.7	79	117.5
K305047		1.7	111	1.1	18.7	57	92.1
K305048		2.2	149	1.5	25.5	85	124.5
K305049		0.7	2	0.1	0.9	18	0.6
K305050		1.9	137	1.2	19.7	77	106.0
K305051		1.5	110	0.9	16.1	55	84.2
K305052		1.6	114	2.0	16.6	66	92.1
K305053		1.8	142	4.5	21.8	90	112.0
K305054		8.5	244	30.4	20.5	224	68.7
K305055		2.2	157	7.9	25.5	92	128.0
K305056		1.0	82	4.6	11.5	70	55.2
K305057		1.9	139	8.9	20.5	86	104.0
K305058		1.9	153	7.1	20.7	94	107.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193440

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE WH11197272

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 207 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197272

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302081		11.18	0.13	0.12	1.97	228	130	0.70	0.12	16.70	0.12	22.2	2.9	14	4.40	12.0
K302082		10.91	0.08	0.28	1.13	256	100	0.48	0.08	17.90	0.17	15.00	2.0	10	2.21	9.4
K302083		11.35	0.02	0.24	1.85	288	130	0.51	0.08	14.15	0.66	23.2	2.9	16	4.29	13.7
K302084		11.02	0.02	0.09	0.97	298	70	0.37	0.07	19.70	0.26	13.10	0.8	8	1.85	4.4
K302085		11.55	0.07	0.15	0.69	2500	60	0.25	0.05	19.65	1.49	9.61	1.4	5	0.77	6.2
K302086		5.47	0.09	0.14	0.68	2560	160	0.26	0.05	20.7	0.97	9.83	1.4	5	0.80	6.5
K302087		12.00	0.08	0.17	0.67	1480	60	0.26	0.04	21.0	0.54	7.62	1.3	5	0.69	5.8
K302088		11.98	0.04	0.21	0.88	856	60	0.34	0.06	20.7	0.09	7.53	1.7	6	1.65	10.3
K302089		11.87	0.02	0.11	0.58	862	50	0.31	0.04	20.6	0.50	8.32	1.2	4	1.02	8.4
K302090		0.17	2.68	1.07	3.25	595	900	0.96	0.40	8.41	2.34	51.5	6.4	52	3.78	42.6
K302091		11.23	0.02	0.15	0.64	1020	100	0.27	0.04	20.4	0.63	9.01	1.4	6	1.36	10.6
K302092		8.06	0.01	0.14	0.73	901	70	0.41	0.04	19.90	0.33	8.20	1.5	6	1.75	7.9
K302093		8.87	0.06	0.12	0.79	2060	130	0.35	0.04	20.9	0.41	11.20	1.4	6	1.56	6.8
K302094		6.98	<0.01	0.02	0.07	8	20	0.06	0.04	21.0	0.07	1.06	0.6	<1	0.29	1.6
K303095		10.77	0.02	0.07	0.53	2620	50	0.25	0.04	21.4	0.05	8.96	1.1	7	0.69	5.6
K302096		10.48	0.03	0.15	0.93	980	100	0.30	0.05	20.5	0.52	9.08	1.5	8	1.61	7.1
K302097		10.48	0.03	0.14	0.62	2140	60	0.22	0.04	20.3	0.13	7.00	1.2	5	0.96	7.5
K302098		10.31	0.02	0.11	0.59	987	60	0.27	0.04	18.10	0.13	7.31	1.0	4	0.91	4.6
K302099		9.84	0.01	0.09	0.56	555	40	0.25	0.04	20.8	0.15	6.01	1.0	4	0.90	4.5
K302100		11.76	<0.01	0.06	0.84	181	50	0.39	0.04	20.0	0.04	9.97	1.3	6	1.92	5.8
K302101		11.04	<0.01	0.16	0.79	160	50	0.37	0.03	19.85	0.04	9.66	1.5	5	1.98	5.7
K302102		13.18	0.05	0.19	0.74	480	60	0.28	0.03	19.65	0.05	9.12	1.2	5	1.53	5.0
K302103		8.36	0.04	0.36	1.00	527	80	0.34	0.03	15.35	0.08	14.20	1.2	6	1.94	5.4
K302104		0.17	0.34	0.31	6.30	592	510	0.66	0.31	0.51	0.20	139.5	2.9	220	3.33	30.9
K302105		12.13	0.01	0.18	2.07	235	170	0.72	0.06	13.05	0.07	25.8	3.0	15	6.11	8.7
K302106		11.19	<0.01	0.38	2.18	150	130	1.00	0.08	23.0	0.20	27.2	2.9	18	7.23	13.0
K302107		11.18	0.09	0.25	1.23	1200	100	0.55	0.06	27.4	0.30	17.65	2.6	10	2.99	10.2
K302108		12.14	0.24	0.30	1.93	1420	130	0.77	0.07	18.20	0.47	25.2	3.4	15	3.99	15.2
K302109		11.66	0.23	0.26	1.80	1080	140	0.73	0.06	19.05	0.29	24.4	3.0	13	4.17	11.3
K302110		6.95	<0.01	0.02	0.07	9	40	0.10	0.03	21.0	0.06	1.09	0.8	<1	0.29	1.8
K302111		11.79	0.06	0.02	0.48	60	60	0.42	0.03	32.8	0.41	8.20	0.6	4	1.09	2.1
K302112		11.81	<0.01	0.01	0.40	20	90	0.34	0.03	32.9	0.41	7.56	0.5	4	0.92	2.7
K302113		9.52	0.03	0.07	1.31	170	110	0.47	0.04	18.80	0.12	18.80	1.3	10	2.66	7.3
K302114		11.65	0.01	0.08	0.94	79	90	0.36	0.04	17.45	0.08	14.05	1.2	6	1.82	3.3
K302115		13.26	0.10	0.03	1.04	413	80	0.47	0.04	19.00	0.11	17.15	1.2	5	2.12	6.0
K302116		10.35	0.02	0.02	1.27	41	80	0.47	0.07	18.05	0.10	21.1	1.6	7	2.25	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197272

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302081		0.84	5.20	0.09	1.3	1.72	0.017	0.92	12.4	10.4	8.87	509	0.46	0.02	2.8	7.4
K302082		0.73	2.74	0.08	0.9	1.37	0.011	0.52	8.1	6.0	9.27	446	1.34	0.01	1.6	5.3
K302083		0.78	4.81	0.13	1.5	2.34	0.019	0.86	12.4	9.8	8.12	281	1.36	0.01	2.9	7.7
K302084		0.46	2.35	0.13	1.0	1.07	0.009	0.43	7.3	4.7	10.45	289	0.31	0.01	1.4	2.1
K302085		0.42	1.92	0.14	0.4	4.77	0.014	0.28	5.4	3.8	10.50	576	0.63	0.01	0.9	3.2
K302086		0.38	1.89	0.12	0.4	3.81	0.007	0.28	5.7	3.8	11.05	592	0.62	0.01	0.9	3.3
K302087		0.31	1.61	0.17	0.4	4.31	<0.005	0.26	4.5	3.8	11.10	813	0.45	0.01	0.9	2.8
K302088		0.34	2.12	0.17	0.5	2.36	0.006	0.38	4.4	4.8	10.60	553	0.46	0.01	1.3	4.3
K302089		0.35	1.53	0.17	0.3	9.6	0.007	0.25	4.9	3.7	11.75	460	0.28	0.01	0.8	2.2
K302090		2.15	7.80	0.18	1.7	4.56	0.034	0.97	29.4	38.8	2.69	275	17.85	0.03	6.3	54.2
K302091		0.40	1.61	0.16	0.3	3.93	0.009	0.25	5.1	4.0	11.70	275	0.33	0.01	0.9	2.0
K302092		0.38	1.86	0.18	0.3	4.42	0.007	0.32	4.9	4.6	11.75	227	0.41	0.01	1.0	3.0
K302093		0.35	1.97	0.19	0.4	7.7	0.009	0.33	6.4	4.8	10.80	383	0.33	0.01	1.1	3.0
K302094		0.46	0.18	0.24	<0.1	0.05	<0.005	0.03	0.5	1.1	12.70	210	0.05	0.01	0.1	1.2
K303095		0.35	1.35	0.20	0.3	2.9	<0.005	0.23	5.2	2.4	11.20	389	0.31	0.01	0.8	2.4
K302096		0.36	2.51	0.21	0.6	3.48	0.008	0.41	5.3	5.4	11.10	547	0.43	0.01	1.4	3.0
K302097		0.36	1.62	0.23	0.3	2.52	0.006	0.27	4.2	3.7	11.60	512	0.32	0.01	0.8	2.5
K302098		0.30	1.52	0.23	0.3	3.83	0.007	0.26	4.2	3.4	10.60	347	0.31	0.01	0.9	2.2
K302099		0.29	1.38	0.22	0.3	1.12	<0.005	0.25	3.5	3.7	12.40	276	0.34	0.01	0.7	2.1
K302100		0.33	2.08	0.23	0.6	0.79	<0.005	0.39	5.8	5.5	11.95	211	0.39	0.02	1.2	3.5
K302101		0.39	1.90	0.18	0.5	1.32	0.007	0.35	5.4	5.3	11.90	168	0.46	0.02	1.1	3.8
K302102		0.34	1.75	0.22	0.5	1.53	0.005	0.34	5.1	4.9	11.65	457	0.33	0.01	1.0	2.7
K302103		0.59	2.22	0.23	1.6	1.56	0.005	0.45	7.3	5.3	8.95	364	0.59	0.01	1.5	2.7
K302104		6.93	20.3	0.25	4.4	9.28	0.054	1.32	63.9	19.3	0.14	36	6.00	0.38	9.3	16.2
K302105		0.87	5.08	0.13	2.4	0.50	0.017	0.96	13.3	12.6	6.83	218	1.12	0.02	3.3	7.3
K302106		0.63	5.37	0.19	1.8	0.31	0.014	1.03	14.3	15.5	3.09	174	0.82	0.02	3.3	6.6
K302107		0.52	2.97	0.20	0.9	0.78	0.011	0.58	10.1	7.9	2.48	373	1.72	0.01	1.8	6.8
K302108		0.87	4.79	0.18	1.3	1.89	0.014	0.89	14.2	12.4	6.02	1080	2.49	0.02	2.8	9.9
K302109		0.87	4.63	0.18	1.2	1.50	0.016	0.85	13.4	10.5	7.27	1220	2.20	0.02	2.7	7.9
K302110		0.46	0.24	0.19	<0.1	0.01	0.005	0.03	0.5	1.2	12.65	203	0.10	0.01	0.2	1.3
K302111		0.16	1.29	0.25	0.4	0.33	0.008	0.22	5.5	3.1	1.13	576	0.09	0.01	0.7	0.2
K302112		0.18	0.97	0.18	0.3	0.18	0.006	0.19	5.1	2.5	1.84	134	0.09	0.01	0.6	0.3
K302113		0.53	3.37	0.18	0.9	2.96	0.013	0.60	11.1	7.4	9.81	389	0.23	0.01	1.8	2.3
K302114		0.77	2.24	0.23	1.0	0.51	0.008	0.44	7.7	5.0	9.11	326	0.45	0.01	1.4	1.9
K302115		0.51	2.75	0.19	0.8	1.58	0.011	0.49	9.1	5.4	9.75	786	0.23	0.02	1.5	2.2
K302116		0.77	3.16	0.25	1.0	0.37	0.014	0.61	10.9	7.0	9.52	418	0.27	0.02	1.9	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197272

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302081		540	10.4	32.2	0.002	0.09	0.91	3.0	1	0.8	157.5	0.23	<0.05	4.5	0.084	2.40
K302082		710	19.8	16.5	0.005	0.23	1.28	1.8	1	0.5	150.5	0.14	<0.05	2.8	0.053	2.31
K302083		840	20.9	29.0	0.004	0.20	1.44	3.1	2	0.7	147.0	0.22	<0.05	4.5	0.086	1.76
K302084		350	4.6	14.1	0.004	0.05	0.98	1.5	1	0.5	153.5	0.11	<0.05	2.3	0.043	1.20
K302085		140	8.2	8.9	0.003	0.41	2.60	1.1	1	0.4	164.0	0.08	<0.05	1.4	0.028	2.55
K302086		130	9.6	9.4	0.003	0.36	2.36	1.1	1	0.5	176.0	0.07	<0.05	1.4	0.026	2.23
K302087		130	6.3	8.7	<0.002	0.27	2.03	1.1	1	0.4	175.0	0.07	<0.05	1.4	0.027	2.40
K302088		180	8.5	12.5	0.004	0.22	1.91	1.3	1	0.8	156.0	0.11	<0.05	2.0	0.040	1.40
K302089		150	7.4	8.5	0.003	0.13	1.10	1.0	1	0.7	138.5	0.06	0.06	1.2	0.024	1.11
K302090		910	39.9	51.3	0.019	1.58	105.0	5.1	4	2.5	76.5	0.43	0.19	7.0	0.174	4.08
K302091		170	8.1	8.6	0.003	0.15	0.98	1.1	2	0.8	143.0	0.08	<0.05	1.4	0.028	1.52
K302092		210	9.8	10.7	0.003	0.09	1.33	1.1	1	0.5	122.0	0.09	<0.05	1.6	0.032	2.67
K302093		180	8.4	11.1	<0.002	0.18	2.25	1.4	2	0.4	160.5	0.09	0.05	1.7	0.034	1.79
K302094		170	1.5	1.7	<0.002	0.01	<0.05	0.3	<1	0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.04
K303095		130	6.3	7.5	0.004	0.26	4.53	0.9	1	0.5	175.5	0.07	0.05	1.1	0.023	1.41
K302096		230	9.0	14.2	0.002	0.17	1.73	1.4	1	0.5	143.5	0.12	<0.05	2.0	0.042	1.83
K302097		120	6.7	9.0	<0.002	0.27	2.04	1.0	1	0.6	134.5	0.07	0.05	1.3	0.026	1.29
K302098		110	6.1	8.5	0.003	0.06	1.44	0.9	1	0.4	107.0	0.07	<0.05	1.3	0.026	1.18
K302099		120	5.7	7.9	0.004	0.12	0.95	0.9	1	0.4	91.0	0.07	<0.05	1.2	0.024	0.80
K302100		150	5.8	11.8	<0.002	0.23	0.97	1.3	<1	0.4	93.6	0.11	0.06	1.7	0.038	0.79
K302101		130	8.7	11.5	<0.002	0.32	1.37	1.2	1	0.4	84.7	0.09	<0.05	1.7	0.034	0.92
K302102		130	6.5	11.0	<0.002	0.25	2.24	1.2	<1	0.3	100.5	0.08	<0.05	1.6	0.032	1.40
K302103		470	6.6	14.5	0.003	0.26	1.59	1.4	<1	0.5	109.5	0.12	<0.05	2.4	0.045	1.76
K302104		920	17.8	48.7	0.004	3.06	112.5	16.6	2	3.0	479	0.77	0.14	9.7	0.549	8.70
K302105		530	9.7	33.8	0.002	0.25	1.67	3.1	1	0.8	162.5	0.24	<0.05	4.9	0.093	1.48
K302106		730	8.8	37.1	<0.002	0.25	0.84	3.3	2	0.9	501	0.29	<0.05	5.0	0.098	0.92
K302107		640	8.2	19.8	0.002	0.30	1.43	2.0	2	0.6	647	0.14	<0.05	3.0	0.056	1.47
K302108		1030	9.9	31.4	0.003	0.45	3.15	3.0	3	0.7	336	0.25	<0.05	4.7	0.086	3.29
K302109		710	8.9	30.8	0.009	0.35	1.76	3.0	2	0.7	244	0.21	0.08	4.2	0.080	2.66
K302110		190	1.8	2.0	<0.002	0.02	0.05	0.2	1	0.3	43.7	<0.05	0.05	<0.2	<0.005	0.04
K302111		440	2.7	8.6	<0.002	0.06	0.29	0.8	<1	0.3	860	0.06	<0.05	1.2	0.022	0.81
K302112		580	2.5	6.5	<0.002	0.04	<0.05	0.7	1	0.3	951	0.05	<0.05	1.0	0.018	0.11
K302113		480	2.8	20.5	0.002	0.11	1.37	2.3	1	0.5	100.5	0.16	<0.05	3.0	0.055	1.54
K302114		550	3.2	14.1	0.002	0.20	0.45	1.5	<1	0.4	131.0	0.11	<0.05	2.4	0.042	0.95
K302115		640	4.6	17.2	0.002	0.24	1.04	1.8	<1	0.5	136.0	0.13	<0.05	2.5	0.047	1.38
K302116		270	5.5	22.2	<0.002	0.30	0.35	2.2	<1	0.6	131.0	0.16	<0.05	3.0	0.062	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197272

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302081		7.5	33	2.0	7.9	10	42.2
K302082		13.2	33	1.3	5.9	37	26.1
K302083		8.1	37	1.7	8.6	144	47.0
K302084		6.4	18	0.9	4.9	93	29.2
K302085		11.6	15	0.8	3.2	682	11.3
K302086		11.0	14	0.8	3.4	509	11.8
K302087		12.0	12	0.8	2.7	303	11.3
K302088		13.9	16	1.1	2.7	29	14.9
K302089		8.5	11	0.6	3.1	178	10.2
K302090		8.8	231	28.5	19.5	210	61.2
K302091		10.8	14	0.9	3.3	327	10.3
K302092		10.0	18	0.9	3.1	99	10.1
K302093		11.1	14	1.1	3.7	92	14.0
K302094		0.8	2	0.1	0.7	11	<0.5
K303095		10.0	12	0.8	3.2	16	8.5
K302096		11.1	19	1.1	3.2	103	16.2
K302097		9.3	12	0.8	2.6	57	9.8
K302098		6.2	12	0.7	2.4	69	9.4
K302099		7.4	13	0.7	2.1	51	8.7
K302100		10.4	14	0.9	3.2	13	16.3
K302101		11.6	15	0.8	3.2	9	16.1
K302102		10.0	16	0.8	2.9	12	13.6
K302103		6.8	11	1.2	5.5	26	50.5
K302104		8.1	165	23.8	14.9	39	171.0
K302105		8.0	28	0.9	8.8	24	86.6
K302106		10.6	57	0.8	9.3	20	56.6
K302107		13.5	25	1.1	7.2	42	29.6
K302108		15.4	33	2.1	10.3	62	44.4
K302109		14.2	32	1.8	8.9	23	41.6
K302110		0.5	2	0.1	0.7	9	<0.5
K302111		8.3	13	0.4	6.3	<2	14.7
K302112		8.5	11	0.3	5.1	19	10.9
K302113		6.2	18	1.0	8.4	8	31.4
K302114		6.6	11	0.8	6.5	4	30.0
K302115		9.2	19	0.9	7.4	7	25.7
K302116		6.5	31	1.1	6.9	9	34.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197272

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE VA11194663

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B- Batch 208

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194663

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K304190		8.84	<0.01	0.05	2.81	61	170	0.61	0.10	20.6	0.08	31.5	6.2	18	9.33	10.2
K304191		0.28	0.32	0.33	6.18	603	570	0.71	0.28	0.45	0.16	129.0	3.4	218	3.31	37.7
K304192		8.66	<0.01	0.09	4.21	51	180	1.12	0.15	16.30	0.02	42.3	9.6	27	15.10	17.2
K304193		7.30	<0.01	0.09	6.96	60.4	400	2.18	0.34	6.26	<0.02	51.2	10.6	58	30.2	17.2
K304194		7.98	<0.01	0.08	6.85	41.1	320	2.15	0.28	8.27	0.02	64.0	10.8	48	29.1	23.5
K304195		8.14	<0.01	0.11	7.42	82.3	250	2.33	0.33	6.53	0.02	81.5	17.0	53	34.0	23.8
K304196		7.42	0.64	0.13	7.85	2330	240	2.40	0.40	4.41	0.02	74.8	19.3	57	31.1	30.1
K304197		5.82	0.96	0.07	8.39	2450	260	3.08	0.41	2.97	0.02	69.6	18.8	64	30.9	40.5
K304198		5.12	<0.01	0.01	0.11	7	20	0.07	0.05	21.6	0.06	1.58	1.3	1	0.86	4.8
K304199		6.86	0.45	0.19	0.58	1560	50	0.19	0.02	17.70	0.12	10.75	1.2	5	0.93	4.6
K304200		4.28	3.73	0.69	0.55	4840	40	0.20	0.02	16.80	0.39	9.86	1.7	5	0.89	4.3
K304201		7.78	0.68	0.23	0.23	1000	10	0.10	0.01	20.9	0.11	5.05	0.7	2	0.26	2.6
K304202		10.14	0.93	0.17	0.22	1460	20	0.06	0.01	20.6	0.20	5.32	0.8	2	0.25	2.8
K304203		5.96	1.11	0.13	0.28	1730	10	0.07	0.01	19.70	0.11	4.62	1.5	3	0.19	5.8
K304204		5.14	7.08	0.76	0.28	6390	40	0.20	0.02	18.75	0.71	10.80	1.7	4	0.55	7.6
K304205		6.34	2.21	0.42	0.14	2020	10	<0.05	0.01	20.9	0.70	6.10	0.9	2	0.16	3.3
K304206		10.58	2.65	0.58	0.68	2160	40	0.26	0.02	18.65	0.29	12.75	1.7	7	1.28	4.5
K304207		0.28	2.53	1.09	3.18	563	850	0.83	0.30	8.01	2.27	48.5	7.0	51	3.73	40.8
K304208		4.18	3.79	0.68	4.13	3640	220	0.72	0.10	10.50	0.15	46.8	4.4	42	8.95	12.6
K304209		6.62	1.23	0.14	2.23	1140	140	0.49	0.06	22.5	0.40	23.5	3.3	21	4.79	7.6
K304210		2.70	1.68	0.18	2.60	1390	160	0.61	0.06	21.6	0.50	26.3	3.0	25	5.53	8.3
K304211		11.38	0.01	0.05	1.10	390	70	0.31	0.03	30.6	0.05	13.60	2.1	10	2.58	5.9
K304212		9.82	0.02	0.05	1.97	829	110	0.82	0.05	27.8	0.07	20.6	3.0	19	5.92	11.2
K304213		9.68	0.01	0.02	0.50	241	1050	0.25	0.02	34.8	0.08	9.00	1.3	6	1.45	3.5
K304214		10.22	<0.01	0.04	0.80	325	70	0.31	0.03	31.1	0.05	10.85	1.5	9	2.22	3.6
K304215		9.22	<0.01	0.07	1.30	305	80	0.47	0.04	28.5	0.04	15.60	2.7	13	4.40	6.6
K304216		10.94	0.01	0.05	1.80	235	120	0.69	0.05	26.7	0.08	20.2	2.9	17	7.05	9.0
K304217		10.74	0.06	0.05	1.80	768	130	0.55	0.05	26.6	0.07	22.1	3.8	17	5.76	9.0
K304218		4.56	0.04	0.11	3.91	827	210	1.30	0.09	12.40	0.08	43.1	6.6	36	14.40	19.4
K304219		5.36	0.01	0.10	3.67	522	240	1.24	0.08	10.55	0.09	50.6	4.8	36	16.50	18.6
K304220		7.00	<0.01	<0.01	0.13	<5	30	0.05	0.02	20.7	0.07	1.30	1.7	2	0.39	2.8
K304221		11.82	0.01	0.05	3.29	273	270	0.89	0.08	9.98	0.07	41.5	3.5	33	14.20	16.2
K304222		11.28	0.01	0.15	3.55	385	270	1.10	0.10	9.01	0.05	44.5	4.6	42	17.10	11.4
K304223		5.28	0.04	0.05	2.51	617	190	0.75	0.07	11.60	0.05	33.1	2.7	23	10.85	11.9
K304224		11.92	<0.01	0.08	3.42	220	580	0.88	0.09	10.85	0.02	38.0	4.9	33	20.1	12.4
K304225		9.80	0.01	0.15	5.42	287	290	1.49	0.13	8.99	0.03	55.7	10.6	50	41.7	24.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194663

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304190		1.52	6.18	<0.05	1.2	0.11	0.024	1.37	16.0	6.8	4.28	361	0.54	0.03	4.0	0.4
K304191		6.63	20.4	0.32	4.0	9.0	0.049	1.32	59.0	20.9	0.12	34	6.06	0.40	9.6	20.4
K304192		1.80	9.88	0.06	1.7	0.11	0.038	2.14	21.6	11.4	2.79	353	0.34	0.03	5.8	20.6
K304193		3.25	20.3	0.15	2.9	0.10	0.063	3.92	26.4	21.8	1.71	425	0.39	0.05	10.6	27.8
K304194		3.74	17.85	0.17	2.6	0.09	0.056	3.43	35.0	19.2	2.24	518	0.29	0.05	9.3	23.9
K304195		4.18	20.3	0.17	2.6	0.33	0.063	3.76	42.9	20.6	2.61	584	0.39	0.05	10.5	30.7
K304196		4.28	20.8	0.20	2.2	4.67	0.065	3.96	39.9	19.0	1.79	864	0.56	0.04	9.9	33.4
K304197		3.27	26.7	0.20	2.7	4.49	0.059	4.48	35.0	23.9	1.24	539	0.41	0.04	12.4	40.2
K304198		0.52	0.33	0.09	<0.1	<0.01	<0.005	0.05	0.8	1.2	13.15	225	0.05	0.01	0.4	<0.2
K304199		0.80	1.37	0.06	0.6	1.73	0.005	0.27	5.5	3.4	10.20	824	0.29	0.02	0.9	3.0
K304200		1.20	1.47	0.07	0.4	9.5	0.005	0.25	5.1	6.9	9.00	2080	0.33	0.02	0.8	5.1
K304201		0.72	0.66	0.07	<0.1	2.01	<0.005	0.10	2.9	2.0	11.50	1780	0.23	0.02	0.3	1.7
K304202		0.77	0.66	0.05	<0.1	2.68	0.005	0.09	3.0	2.0	11.60	1160	0.21	0.02	0.3	1.8
K304203		0.92	0.75	0.05	<0.1	2.32	0.006	0.07	2.7	2.0	11.20	993	0.15	0.05	0.3	2.4
K304204		1.20	0.92	<0.05	<0.1	15.9	0.009	0.12	6.1	4.5	10.50	1840	0.45	0.02	0.4	3.3
K304205		0.86	0.42	<0.05	<0.1	5.56	<0.005	0.05	3.5	2.8	11.05	2000	0.36	0.01	0.2	2.0
K304206		0.95	1.74	0.05	0.5	4.91	0.008	0.31	6.6	4.5	9.92	1780	0.48	0.02	1.1	4.7
K304207		2.07	7.89	0.07	1.4	4.35	0.030	0.97	27.4	36.2	2.54	267	18.95	0.04	6.6	49.5
K304208		1.21	11.25	0.08	3.0	10.6	0.024	2.04	23.6	17.0	5.12	2410	0.74	0.02	6.6	8.3
K304209		0.83	5.47	0.13	1.5	6.2	0.015	1.08	12.3	8.6	2.33	972	0.23	0.01	3.3	6.3
K304210		0.89	6.46	0.07	1.6	7.7	0.017	1.27	13.7	10.2	2.46	1020	0.27	0.02	3.9	6.8
K304211		0.34	2.78	0.06	0.5	0.38	0.010	0.55	7.9	4.7	0.91	367	0.15	0.01	1.7	3.8
K304212		0.60	4.81	0.07	0.9	0.51	0.010	0.98	11.2	9.0	1.26	229	0.18	0.01	2.9	7.1
K304213		0.44	1.27	0.06	0.3	0.19	0.005	0.26	6.2	2.0	0.82	183	0.10	0.01	1.0	2.5
K304214		0.42	2.03	0.09	0.6	0.10	0.007	0.42	6.8	3.0	1.35	130	0.36	0.01	1.5	3.9
K304215		0.63	3.37	0.10	0.6	0.08	0.011	0.68	8.6	6.2	2.25	154	0.42	0.02	1.9	5.7
K304216		0.55	4.37	0.11	0.8	0.05	0.012	0.96	11.0	8.5	1.81	132	0.34	0.02	2.7	5.8
K304217		0.53	4.15	0.06	0.8	0.65	0.008	0.94	12.2	7.4	1.31	344	0.48	0.02	2.7	6.0
K304218		1.03	9.46	0.16	2.2	1.34	0.023	2.18	21.7	18.0	2.99	315	0.95	0.03	5.9	13.2
K304219		1.37	9.84	0.19	2.6	0.69	0.028	2.08	24.2	18.8	5.28	341	0.57	0.04	6.4	10.6
K304220		0.46	0.38	0.11	<0.1	<0.01	<0.005	0.06	0.7	1.2	12.60	205	0.05	0.01	0.2	1.9
K304221		1.28	8.02	0.09	3.2	0.68	0.025	1.94	20.2	14.5	5.14	357	0.52	0.04	5.5	8.5
K304222		1.30	8.68	0.16	3.0	0.54	0.027	2.11	20.7	15.9	4.74	282	0.96	0.04	5.7	11.5
K304223		1.33	6.09	0.18	2.3	0.92	0.012	1.41	15.9	11.9	6.20	399	0.53	0.03	3.8	6.7
K304224		1.41	8.14	0.12	2.2	0.35	0.020	2.01	18.6	16.8	5.76	322	0.68	0.04	4.6	10.8
K304225		1.94	13.65	0.11	2.3	0.49	0.032	3.14	28.4	30.4	4.84	296	0.86	0.05	7.1	22.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194663

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304190		660	7.0	53.0	0.003	0.14	0.27	4.3	2	0.9	486	0.25	<0.05	5.0	0.122	0.73
K304191		890	17.2	48.2	0.003	3.15	106.5	17.9	3	2.7	480	0.71	0.16	9.0	0.538	7.71
K304192		480	6.9	83.7	<0.002	0.16	0.32	7.8	3	1.3	476	0.39	<0.05	6.5	0.180	0.62
K304193		590	8.1	116.0	0.002	0.21	0.36	11.6	1	2.6	197.5	0.82	0.10	8.2	0.348	0.91
K304194		630	8.5	150.5	<0.002	0.25	0.37	12.2	1	2.4	228	0.67	0.05	10.3	0.300	0.80
K304195		580	11.8	166.5	<0.002	1.27	0.53	13.8	1	2.6	168.5	0.77	0.06	11.8	0.315	1.57
K304196		780	17.3	137.5	<0.002	2.41	6.58	13.1	1	2.7	147.5	0.75	0.06	11.5	0.323	16.00
K304197		400	18.4	126.5	0.002	1.81	8.17	14.3	1	3.4	155.0	0.93	0.12	11.4	0.375	15.65
K304198		180	1.4	3.9	<0.002	0.01	0.06	0.4	<1	<0.2	46.4	<0.05	<0.05	0.2	<0.005	0.03
K304199		350	5.5	8.2	<0.002	0.05	7.25	1.1	1	0.3	78.1	0.07	<0.05	1.2	0.027	4.56
K304200		310	9.5	7.6	<0.002	0.04	30.0	1.3	1	0.3	84.7	0.07	<0.05	1.2	0.025	19.40
K304201		200	2.8	3.2	<0.002	0.05	3.87	0.7	1	0.2	77.6	<0.05	<0.05	0.4	0.009	4.58
K304202		240	2.7	2.8	<0.002	0.04	5.61	0.6	1	0.2	73.5	<0.05	<0.05	0.4	0.010	6.78
K304203		170	2.5	2.3	<0.002	0.02	4.89	0.9	1	0.2	67.0	<0.05	<0.05	0.3	0.016	8.52
K304204		390	7.8	4.1	0.002	0.02	33.8	0.8	2	0.4	78.2	<0.05	0.05	0.5	0.012	33.8
K304205		240	3.1	1.7	<0.002	0.08	6.49	0.6	2	0.3	74.6	<0.05	<0.05	0.3	0.005	7.19
K304206		280	5.0	9.5	<0.002	0.20	13.55	1.3	2	0.3	97.0	0.09	<0.05	1.5	0.032	13.80
K304207		880	36.3	47.0	0.029	1.54	115.0	4.9	3	2.6	76.6	0.42	0.23	5.8	0.168	3.80
K304208		520	8.9	68.0	0.003	0.67	50.7	6.5	2	1.5	124.0	0.50	<0.05	8.8	0.194	39.4
K304209		330	6.2	33.5	<0.002	0.34	11.05	3.5	2	0.7	298	0.25	<0.05	4.3	0.100	22.3
K304210		370	6.6	40.3	0.002	0.35	13.20	3.9	4	0.9	280	0.30	<0.05	4.9	0.117	24.2
K304211		140	3.7	18.0	<0.002	0.10	3.06	1.7	1	0.4	557	0.13	<0.05	2.1	0.049	2.83
K304212		290	5.9	32.5	<0.002	0.18	5.21	2.9	1	0.7	489	0.21	<0.05	3.7	0.086	2.22
K304213		150	3.0	11.4	<0.002	0.09	1.32	0.9	2	0.2	874	0.06	<0.05	1.2	0.022	0.70
K304214		120	3.9	17.1	<0.002	0.05	1.29	1.4	2	0.3	793	0.10	<0.05	2.0	0.035	0.46
K304215		170	4.7	21.9	0.003	0.10	1.27	2.0	1	0.5	564	0.13	<0.05	2.5	0.055	0.44
K304216		290	6.2	31.8	0.003	0.09	1.77	2.7	2	0.6	463	0.20	<0.05	3.5	0.079	0.86
K304217		280	6.0	32.0	0.002	0.05	4.21	2.7	1	0.7	484	0.20	<0.05	3.4	0.078	1.46
K304218		580	12.1	73.2	0.002	0.07	10.35	5.8	1	1.3	231	0.48	<0.05	7.7	0.176	2.84
K304219		640	9.4	74.0	0.002	0.04	4.53	6.0	2	1.4	176.5	0.45	<0.05	8.5	0.178	1.38
K304220		160	1.3	2.7	<0.002	0.01	0.06	0.3	<1	<0.2	45.2	<0.05	<0.05	<0.2	0.005	0.02
K304221		470	9.0	64.2	<0.002	0.04	3.26	4.8	2	1.2	148.0	0.43	<0.05	7.8	0.166	1.03
K304222		760	9.5	66.9	0.004	0.12	4.21	5.1	2	1.2	143.0	0.46	<0.05	7.9	0.175	0.85
K304223		420	7.3	47.2	<0.002	0.06	3.08	3.5	2	0.8	193.0	0.28	<0.05	5.3	0.110	1.46
K304224		510	8.2	64.5	0.002	0.13	1.89	4.6	1	1.0	186.0	0.38	<0.05	6.6	0.141	0.94
K304225		700	8.8	114.5	0.003	0.28	3.88	7.7	2	1.6	224	0.58	<0.05	9.7	0.215	1.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194663

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304190		11.8	35	0.7	9.8	16	45.0
K304191		6.9	166	23.9	15.0	42	156.5
K304192		6.8	51	0.9	12.5	19	62.6
K304193		4.6	108	1.6	16.5	32	92.2
K304194		4.8	92	1.4	19.5	32	86.7
K304195		4.1	93	2.3	22.8	33	91.4
K304196		3.4	89	3.7	21.5	40	76.6
K304197		2.3	98	8.7	17.5	31	93.7
K304198		1.0	4	0.1	1.0	14	0.7
K304199		4.2	10	0.8	4.4	24	25.4
K304200		5.1	11	1.2	4.0	56	18.2
K304201		5.5	7	0.3	2.4	13	3.9
K304202		4.5	7	0.4	2.2	26	3.5
K304203		4.1	9	0.3	2.2	28	3.7
K304204		6.3	12	1.9	2.9	95	4.6
K304205		5.3	7	0.4	2.6	89	2.8
K304206		4.9	13	1.0	4.6	37	25.7
K304207		8.0	224	26.8	19.4	203	54.3
K304208		8.7	66	3.6	11.5	21	99.4
K304209		4.6	29	1.5	7.9	59	46.7
K304210		5.0	35	1.7	8.4	79	54.5
K304211		8.7	16	0.7	5.0	11	24.0
K304212		8.9	25	0.8	6.8	11	33.4
K304213		8.9	13	0.5	3.6	8	12.1
K304214		11.2	15	0.4	4.2	5	23.5
K304215		10.3	18	0.4	5.4	8	24.7
K304216		8.2	23	0.4	6.7	15	32.2
K304217		8.0	28	0.8	7.4	23	32.6
K304218		8.7	58	1.6	12.8	48	75.8
K304219		4.8	55	1.3	15.7	16	95.8
K304220		0.7	3	0.1	0.9	13	0.6
K304221		3.4	44	1.1	13.3	20	99.5
K304222		4.7	61	0.8	12.8	14	98.5
K304223		4.2	34	0.8	10.6	11	85.0
K304224		4.8	46	0.6	11.0	14	72.1
K304225		6.8	74	0.9	14.1	22	79.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11194663

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE WH11193087

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 209 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193087

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303729		7.92	<0.01	0.02	0.66	45	130	0.18	0.03	34.1	0.04	12.00	2.3	6	1.98	6.1
K303730		7.94	0.03	0.08	0.53	61	110	0.16	0.02	33.6	0.04	10.15	2.0	5	1.11	5.2
K303731		8.03	0.02	0.03	0.77	63	110	0.20	0.04	33.1	0.06	14.85	2.7	7	2.24	7.0
K303732		8.30	0.03	0.02	0.78	26	110	0.23	0.04	34.1	0.05	14.25	2.9	12	2.45	9.1
K303733		3.27	0.03	0.02	0.82	26	110	0.23	0.04	34.1	0.07	14.70	2.9	8	2.40	8.3
K303734		8.02	0.06	0.01	0.59	28	100	0.19	0.03	33.9	0.06	11.10	2.1	5	1.58	6.2
K303735		7.91	0.02	<0.01	0.86	30	110	0.27	0.05	32.9	0.05	15.05	3.0	7	2.57	8.1
K303736		7.75	0.01	0.02	0.74	46	100	0.21	0.04	34.5	0.04	12.85	2.8	6	1.87	7.8
K303737		7.54	0.07	<0.01	1.49	77	310	0.41	0.08	31.3	0.05	22.0	4.9	12	4.17	13.2
K303738		0.22	0.33	0.27	6.20	605	1120	0.63	0.32	0.49	0.17	140.5	3.0	227	3.67	34.4
K303739		8.07	0.08	0.04	4.36	5010	160	1.05	0.22	18.65	0.07	48.4	15.2	32	10.70	31.9
K303740		8.17	0.04	0.02	5.82	4040	190	1.40	0.29	13.40	0.08	55.5	20.2	45	16.40	40.0
K303741		8.58	0.04	0.03	2.93	69	130	0.82	0.15	26.8	0.04	33.3	11.1	21	6.66	22.1
K303742		2.94	0.59	0.52	0.99	6830	80	0.30	0.06	33.5	0.06	13.35	3.0	8	2.66	10.1
K303743		4.76	19.85	13.55	3.83	>10000	160	0.69	0.28	9.84	0.87	44.0	13.3	37	7.09	44.2
K303744		7.68	2.17	1.27	2.44	659	130	0.55	0.13	28.3	0.11	33.4	9.2	19	5.83	21.2
K303745		4.54	3.83	3.15	2.80	966	120	0.47	0.13	22.0	0.12	40.1	7.8	22	5.59	17.8
K303746		0.23	15.15	1.06	2.07	1310	350	0.40	0.68	15.30	0.64	34.8	3.9	35	2.42	67.3
K303747		5.07	2.74	1.51	1.31	1200	100	0.32	0.07	29.3	0.13	20.1	4.5	10	2.37	11.4
K303748		5.00	12.75	7.08	2.97	>10000	240	0.39	0.16	11.60	0.54	34.0	9.4	30	4.96	27.8
K303749		2.55	8.78	6.58	4.44	5510	340	0.55	0.24	12.00	0.90	53.3	12.7	41	7.63	38.0
K303750		5.01	0.01	0.05	0.08	17	20	0.05	0.02	22.1	0.05	1.35	1.3	1	0.39	2.0
K303751		2.64	6.32	3.79	2.02	>10000	290	0.31	0.11	2.45	1.24	19.75	5.9	24	3.39	19.5
K303752		4.96	1.57	1.80	1.30	1850	150	0.21	0.07	30.8	0.26	19.45	4.1	12	2.35	10.7
K303753		5.87	4.82	3.42	1.63	1420	150	0.26	0.09	19.40	1.77	25.1	5.2	16	2.74	14.6
K303754		7.94	4.99	2.62	3.63	781	210	0.61	0.18	20.1	0.37	44.7	14.9	31	7.31	31.9
K303755		6.59	8.78	3.86	2.01	955	150	0.28	0.10	19.75	1.26	27.8	6.1	17	3.94	17.8
K303756		7.59	0.48	0.48	0.72	102	110	0.14	0.04	35.3	0.12	12.15	2.5	6	1.37	6.7
K303757		7.58	0.23	0.31	1.05	59	120	0.29	0.06	35.1	0.07	17.55	3.5	9	3.33	9.0
K303758		5.03	0.01	0.03	0.09	<5	20	0.06	0.02	22.3	0.06	1.48	1.5	<1	0.38	1.9
K303759		6.99	0.11	0.23	0.75	44	100	0.17	0.04	33.5	0.06	12.75	2.6	7	1.51	13.3
K303760		8.23	0.01	0.02	0.94	32	120	0.25	0.05	35.2	0.07	15.15	3.3	8	2.65	8.9
K303761		8.06	0.01	0.02	1.17	28	110	0.33	0.05	34.7	0.11	18.65	4.1	12	5.13	11.4
K303762		7.64	<0.01	0.02	0.97	29	120	0.25	0.05	34.7	0.06	14.60	3.2	9	2.43	8.9
K303763		7.85	0.02	0.02	1.29	53	120	0.40	0.07	32.1	0.10	20.3	4.2	11	4.40	12.5
K303764		7.10	0.04	0.02	1.74	51	220	0.48	0.09	29.8	0.13	25.5	5.7	16	5.53	16.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193087

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303729		0.47	1.74	0.10	0.3	0.93	0.008	0.29	6.1	2.4	0.34	266	0.30	0.01	1.1	3.5
K303730		0.44	1.46	0.10	0.3	1.03	0.009	0.23	4.9	1.6	0.62	402	0.23	0.01	0.9	3.3
K303731		0.53	2.15	0.10	0.4	1.07	0.009	0.35	7.4	2.6	0.42	238	0.36	0.01	1.3	4.3
K303732		0.53	2.07	0.08	0.4	0.62	0.010	0.35	7.1	2.8	0.51	211	0.47	0.01	1.4	5.4
K303733		0.55	2.13	0.09	0.4	0.66	0.012	0.36	7.4	2.8	0.52	253	0.41	0.01	1.5	3.5
K303734		0.39	1.56	0.11	0.3	0.66	0.007	0.25	5.1	2.3	0.48	255	0.24	0.01	1.2	2.5
K303735		0.54	2.27	0.11	0.4	0.45	0.011	0.37	7.0	3.5	0.45	207	0.41	0.01	1.6	3.6
K303736		0.51	1.92	0.12	0.3	0.53	0.008	0.32	6.3	2.9	0.56	155	0.52	0.01	1.4	3.1
K303737		0.96	4.02	0.11	0.7	0.67	0.017	0.69	10.9	3.8	0.74	583	0.55	0.01	2.5	7.0
K303738		6.89	20.4	0.23	4.3	9.51	0.053	1.31	68.1	18.8	0.12	39	6.87	0.38	10.5	17.6
K303739		2.64	10.95	0.14	1.9	2.46	0.050	2.03	25.8	9.3	1.50	1020	0.57	0.03	6.2	22.0
K303740		3.23	14.60	0.17	2.7	2.61	0.066	2.70	32.8	12.5	1.26	742	0.71	0.03	8.8	30.1
K303741		1.72	7.19	0.08	1.3	0.40	0.033	1.33	17.9	6.3	0.86	663	0.72	0.02	4.2	14.3
K303742		0.62	3.20	0.09	0.4	0.94	0.022	0.45	7.2	3.5	0.45	7150	0.54	0.01	1.6	4.9
K303743		2.75	10.40	0.15	1.7	11.3	0.038	1.67	25.0	20.0	0.30	2560	2.08	0.02	5.5	23.9
K303744		1.69	6.11	0.10	1.3	2.00	0.022	1.11	17.8	7.1	0.58	1260	0.41	0.02	3.7	11.9
K303745		1.62	6.98	0.10	1.8	5.42	0.023	1.27	21.0	7.7	0.35	5040	1.05	0.02	5.2	10.4
K303746		3.69	3.93	0.12	0.8	5.67	0.061	0.40	19.4	41.3	0.73	475	12.45	0.01	3.8	22.3
K303747		0.88	3.68	0.08	0.6	3.34	0.012	0.59	11.6	7.0	0.35	4370	0.76	0.01	2.1	5.1
K303748		2.43	7.89	0.12	1.4	16.7	0.024	1.28	18.3	18.1	0.27	2210	1.63	0.01	4.3	16.6
K303749		3.01	11.70	0.12	2.0	10.0	0.030	1.91	30.5	19.3	0.37	2290	2.39	0.02	6.5	24.3
K303750		0.51	0.32	0.11	<0.1	0.01	0.005	0.04	0.6	1.2	13.65	228	0.10	0.01	0.4	2.1
K303751		1.82	5.44	0.12	0.8	6.35	0.025	0.82	10.4	40.5	0.16	445	0.67	0.01	2.7	11.1
K303752		0.96	3.87	0.08	0.6	3.33	0.017	0.56	10.0	6.9	0.24	6930	0.66	0.01	2.0	6.1
K303753		1.36	4.68	0.09	0.7	8.35	0.015	0.69	13.2	20.3	0.21	2990	1.01	0.01	2.5	9.1
K303754		2.46	9.55	0.11	1.8	5.58	0.026	1.65	23.5	11.2	0.51	1910	0.90	0.02	5.7	21.2
K303755		1.53	6.00	0.09	0.9	8.58	0.017	0.88	15.4	15.6	0.30	5210	0.93	0.01	2.9	10.2
K303756		0.52	1.96	0.09	0.3	1.54	0.007	0.32	6.2	2.7	0.36	1170	0.40	0.01	1.3	3.3
K303757		0.68	2.81	0.10	0.5	1.32	0.011	0.48	8.8	3.6	0.44	594	0.45	0.01	1.7	4.5
K303758		0.52	0.40	0.16	<0.1	0.01	<0.005	0.04	0.7	1.2	13.75	242	0.07	0.01	0.4	2.9
K303759		0.57	2.04	<0.05	0.3	0.76	0.007	0.33	6.6	2.5	0.65	345	0.47	0.01	1.2	3.3
K303760		0.62	2.44	0.10	0.4	0.41	0.009	0.42	7.5	3.6	0.42	168	0.42	0.01	1.6	4.7
K303761		0.73	2.79	<0.05	0.6	0.36	0.017	0.53	10.0	5.3	0.48	141	0.72	0.02	1.9	4.6
K303762		0.71	2.43	0.10	0.4	0.53	0.011	0.43	7.1	3.3	0.88	281	0.50	0.02	1.6	4.7
K303763		0.83	3.28	0.10	0.6	1.03	0.012	0.57	9.6	4.8	0.78	294	0.79	0.02	2.0	7.2
K303764		1.16	4.29	0.10	0.8	0.82	0.018	0.77	12.3	6.1	0.89	313	1.15	0.02	2.7	9.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193087

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303729		340	2.4	13.6	<0.002	0.43	1.18	1.7	1	0.3	1660	0.07	<0.05	1.3	0.035	2.97
K303730		460	2.5	10.6	<0.002	0.36	1.46	1.6	1	0.2	1235	0.05	<0.05	1.0	0.029	2.07
K303731		240	3.1	16.5	<0.002	0.53	0.91	2.3	1	0.3	1550	0.08	<0.05	1.5	0.042	2.45
K303732		320	3.5	18.5	0.002	0.54	0.53	2.4	1	0.3	1755	0.09	<0.05	1.4	0.040	2.19
K303733		410	3.5	18.4	0.002	0.57	0.58	2.5	1	0.3	1780	0.09	<0.05	1.4	0.043	2.26
K303734		480	2.5	13.2	<0.002	0.40	1.23	1.8	1	0.2	1685	0.06	<0.05	1.0	0.031	1.65
K303735		390	3.6	19.5	<0.002	0.54	0.49	2.5	1	0.3	1785	0.10	<0.05	1.5	0.046	1.73
K303736		300	3.3	16.7	0.002	0.52	0.29	2.2	1	0.2	1745	0.08	<0.05	1.3	0.039	1.63
K303737		390	5.4	36.2	0.003	0.90	0.81	4.5	1	0.4	1440	0.17	<0.05	2.5	0.077	3.78
K303738		940	18.3	52.0	0.003	3.12	117.5	16.9	2	2.9	523	0.83	0.14	10.7	0.552	8.13
K303739		320	13.7	91.3	0.003	2.22	14.60	11.8	2	1.2	529	0.49	0.09	6.9	0.237	10.90
K303740		270	16.9	125.0	0.003	2.91	10.45	15.2	2	1.7	392	0.70	0.09	9.6	0.340	10.80
K303741		230	8.8	61.8	0.005	1.40	0.72	7.6	1	0.8	895	0.33	0.06	4.5	0.154	4.71
K303742		150	4.0	22.8	0.005	0.82	19.00	6.9	2	0.3	1200	0.11	<0.05	1.8	0.048	4.68
K303743		440	25.0	89.1	0.009	3.88	99.4	5.5	3	1.3	316	0.43	0.23	6.7	0.209	65.1
K303744		180	8.7	56.7	<0.002	1.58	10.50	6.9	1	0.7	1220	0.28	0.05	4.2	0.138	11.05
K303745		130	10.9	64.1	0.002	1.81	21.7	7.7	1	0.7	787	0.39	0.06	5.2	0.189	23.5
K303746		680	22.6	27.5	0.006	2.16	154.0	4.3	2	1.9	50.8	0.27	0.44	3.9	0.114	3.66
K303747		160	6.4	29.4	0.002	0.96	13.00	4.8	1	0.4	1260	0.14	0.05	2.1	0.069	11.40
K303748		460	12.2	64.8	0.004	3.26	113.5	6.4	2	0.9	577	0.32	0.19	5.0	0.164	81.0
K303749		500	16.2	91.0	0.007	3.76	39.3	10.2	2	1.1	852	0.50	0.16	7.4	0.239	31.0
K303750		210	2.0	2.7	<0.002	0.01	0.19	0.4	1	<0.2	49.2	<0.05	<0.05	<0.2	<0.005	0.12
K303751		980	8.7	45.2	0.002	2.87	103.0	1.8	3	0.5	527	0.21	0.11	3.4	0.099	17.90
K303752		510	4.9	27.6	0.003	1.22	12.15	9.4	2	0.3	1020	0.14	0.06	2.3	0.067	9.37
K303753		410	6.9	36.3	0.003	1.55	22.0	6.8	2	0.5	703	0.18	0.11	3.0	0.084	18.75
K303754		210	13.3	79.7	0.002	2.79	17.65	12.5	1	0.9	860	0.44	0.09	6.2	0.214	17.80
K303755		190	7.9	43.2	0.003	1.82	24.2	9.2	1	0.5	619	0.22	0.09	3.3	0.105	21.9
K303756		330	3.1	15.2	0.002	0.56	3.69	3.5	1	0.2	1640	0.08	<0.05	1.2	0.037	4.44
K303757		290	3.9	24.0	0.003	0.74	2.44	3.4	1	0.3	1560	0.12	<0.05	1.8	0.054	5.26
K303758		180	1.6	2.7	<0.002	0.02	0.15	0.5	1	<0.2	50.2	<0.05	<0.05	<0.2	<0.005	0.07
K303759		180	6.0	15.6	0.002	0.50	1.56	2.4	3	0.2	1860	0.07	<0.05	1.4	0.038	3.19
K303760		280	3.5	19.9	0.002	0.61	0.26	2.6	1	0.3	2040	0.10	<0.05	1.5	0.051	1.73
K303761		390	4.4	30.0	0.003	0.73	0.25	3.2	3	0.4	2110	0.14	0.06	2.2	0.062	1.97
K303762		610	3.4	20.3	0.002	0.61	0.18	2.8	1	0.3	1975	0.10	<0.05	1.5	0.050	1.40
K303763		710	4.6	28.7	0.004	0.83	0.46	3.7	1	0.3	1645	0.14	<0.05	2.1	0.065	2.56
K303764		240	6.0	38.5	0.004	1.10	0.38	5.1	2	0.5	1860	0.19	<0.05	2.7	0.091	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193087

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303729		2.1	9	0.5	11.1	6	11.1	
K303730		2.1	8	0.6	13.2	6	9.9	
K303731		2.3	11	0.7	13.3	10	13.7	
K303732		2.1	13	0.9	13.5	7	13.6	
K303733		2.1	13	0.9	13.6	11	14.4	
K303734		1.9	11	0.7	11.2	6	11.2	
K303735		2.3	14	0.8	13.5	6	15.3	
K303736		2.0	14	0.7	11.8	6	12.7	
K303737		2.2	23	0.7	14.8	18	23.9	
K303738		7.6	169	25.2	16.8	43	152.0	
K303739		1.9	66	2.0	18.8	50	63.3	
K303740		2.2	90	1.8	20.7	68	86.2	
K303741		2.1	43	1.0	15.1	31	42.4	
K303742		1.7	15	1.0	18.2	15	14.9	
K303743		5.9	68	4.0	11.6	101	57.2	1.555
K303744		2.3	38	2.1	17.4	35	43.2	
K303745		2.3	40	3.0	18.7	33	61.5	
K303746		3.3	115	219	17.1	80	30.2	
K303747		2.2	20	1.6	14.3	28	22.2	
K303748		4.2	50	2.9	17.8	63	47.9	1.110
K303749		4.6	76	4.1	21.1	108	68.2	
K303750		0.4	3	0.1	1.0	16	0.7	
K303751		4.3	34	2.3	12.3	99	29.6	2.29
K303752		3.3	21	1.4	23.5	36	20.5	
K303753		4.5	28	2.0	18.0	156	24.5	
K303754		3.2	60	4.0	18.7	64	62.4	
K303755		2.7	34	2.2	16.7	113	31.9	
K303756		1.9	12	0.7	12.6	14	11.1	
K303757		2.4	17	1.0	14.7	12	16.1	
K303758		0.5	4	0.1	0.9	15	<0.5	
K303759		2.5	16	0.8	13.6	10	11.9	
K303760		2.1	15	0.6	12.4	9	14.1	
K303761		2.8	19	0.5	17.7	13	20.9	
K303762		2.0	17	0.6	11.8	12	15.8	
K303763		2.5	21	1.0	14.0	16	20.8	
K303764		2.4	29	0.7	16.0	25	26.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11193087

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

CERTIFICATE WH11194256

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 210 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194256

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304578		1.94	0.03	0.12	2.43	3720	790	0.44	0.06	9.11	0.15	27.3	3.8	25	4.18	18.7
K304579		2.55	0.01	0.09	1.84	1200	430	0.33	0.04	16.95	0.11	21.4	3.3	18	3.14	11.7
K304580		4.97	0.02	0.08	2.58	395	200	0.61	0.06	20.3	0.10	28.1	5.6	26	5.27	13.9
K304581		2.43	0.01	0.06	1.95	164	250	0.58	0.05	26.0	0.05	21.6	3.8	17	4.89	14.6
K304582		4.41	0.03	0.03	0.56	162	140	0.20	0.02	33.6	0.15	10.25	2.0	6	1.13	4.6
K304583		4.72	0.01	0.05	0.69	253	60	0.23	0.02	32.4	0.28	9.90	2.4	7	1.47	5.5
K304584		0.24	0.33	0.35	6.07	591	1210	0.62	0.27	0.46	0.18	138.0	3.4	226	3.82	30.2
K304585		4.69	0.01	0.09	0.45	282	830	0.21	0.02	33.9	0.12	7.96	1.9	5	0.81	3.9
K304586		5.02	0.02	0.04	0.74	342	280	0.31	0.02	34.1	0.25	11.30	2.6	12	1.35	5.7
K304587		2.16	0.02	0.04	0.67	213	170	0.29	0.02	33.7	0.19	10.25	2.3	7	1.26	5.0
K304588		4.79	0.02	0.06	2.57	438	240	0.68	0.06	23.5	0.05	29.3	5.7	22	6.07	14.9
K304589		4.70	0.02	0.04	2.59	162	1140	0.76	0.06	25.5	0.06	28.6	5.8	23	7.12	16.5
K304590		5.00	0.01	0.01	0.08	<5	20	0.06	0.03	20.6	0.06	1.33	1.7	1	0.30	5.7
K304591		5.03	0.01	0.05	2.53	51	240	0.82	0.06	24.4	0.05	29.2	6.1	22	8.63	14.7
K304592		5.36	0.01	0.08	2.39	48	520	0.79	0.07	24.2	0.09	26.3	4.2	23	6.46	13.3
K304593		5.30	0.01	0.11	3.57	73	520	1.07	0.09	19.15	0.08	37.3	6.6	33	9.95	18.0
K304594		5.24	<0.01	0.05	2.68	99	210	0.77	0.07	17.45	0.06	34.2	5.2	24	6.65	16.8
K304595		5.23	0.01	0.08	2.83	56	190	0.75	0.10	20.4	0.10	33.5	5.1	28	6.90	20.9
K304596		5.24	0.01	0.06	2.10	10	230	0.75	0.08	24.7	0.14	27.4	4.0	21	5.62	16.8
K304597		4.00	0.01	0.06	3.42	15	180	1.02	0.09	17.40	0.09	39.3	6.2	33	8.77	20.2
K304598		4.71	<0.01	0.06	2.00	28	330	0.68	0.08	24.3	0.06	23.7	3.7	19	4.86	13.3
K304599		4.98	<0.01	0.05	3.27	27	300	1.04	0.12	15.20	0.12	34.8	6.0	34	7.85	22.5
K304600		5.14	<0.01	0.06	1.37	44	860	0.48	0.06	27.9	0.25	16.10	3.1	14	2.38	8.8
K304601		4.57	<0.01	0.05	3.16	39	220	1.05	0.10	19.70	0.12	33.3	5.9	30	6.83	25.8
K304602		5.06	<0.01	0.04	0.09	<5	30	0.07	0.07	21.0	0.08	1.58	0.8	2	0.42	5.1
K304603		4.81	0.01	0.05	3.51	29	160	1.10	0.12	19.35	0.15	37.5	6.5	35	9.45	78.1
K304604		4.98	<0.01	0.02	3.92	11	240	1.11	0.13	14.90	0.17	45.1	6.8	38	10.80	18.9
K304605		4.22	<0.01	0.04	3.77	11	330	1.24	0.12	16.35	0.18	43.6	6.5	39	10.40	23.2
K304606		5.25	<0.01	0.03	3.45	70	1020	1.00	0.12	16.70	0.15	37.2	6.2	34	10.40	29.4
K304607		0.23	2.51	1.25	3.26	599	890	0.68	0.40	8.44	2.51	48.2	7.7	53	3.98	44.4
K304608		5.12	<0.01	0.06	3.96	15	160	1.36	0.12	16.20	0.13	46.8	7.7	40	12.70	23.3
K304609		4.46	<0.01	0.07	3.92	19	410	1.15	0.12	10.30	0.10	51.9	7.1	40	13.10	26.2
K304610		5.50	<0.01	0.07	3.74	9	190	1.08	0.11	11.90	0.10	43.6	6.5	38	12.35	23.6
K304611		5.15	<0.01	0.05	4.10	46	260	1.14	0.13	12.25	0.08	47.4	7.6	42	16.90	28.0
K304612		4.76	0.01	0.05	3.51	16	260	1.00	0.12	19.25	0.09	39.2	6.7	35	10.10	24.6
K304613		5.50	<0.01	0.04	1.78	7	1630	0.50	0.06	26.4	0.39	20.5	3.8	18	4.12	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194256

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304578		1.38	6.14	0.12	1.8	49.5	0.030	1.08	15.2	15.1	3.89	319	1.30	0.01	3.8	7.5
K304579		1.16	5.12	0.12	1.0	29.8	0.020	0.84	12.9	8.8	2.86	532	0.88	0.01	3.2	5.2
K304580		1.12	7.14	0.15	1.7	3.74	0.018	1.33	15.8	9.6	3.53	264	0.99	0.01	5.1	8.1
K304581		0.70	5.40	0.16	1.0	0.70	0.014	1.00	12.9	8.7	1.59	227	0.47	0.01	3.5	4.3
K304582		0.29	1.57	0.18	0.3	0.70	0.006	0.27	6.1	1.9	0.42	248	0.25	<0.01	1.3	0.2
K304583		0.29	2.01	0.18	0.6	3.33	0.007	0.34	6.2	2.5	0.36	254	0.36	0.01	1.8	1.9
K304584		6.60	22.3	0.35	4.6	9.37	0.049	1.32	68.4	21.6	0.12	40	7.31	0.36	11.0	17.6
K304585		0.20	1.29	0.18	0.2	0.51	0.005	0.22	5.2	1.4	0.28	146	0.31	<0.01	1.2	<0.2
K304586		0.32	2.09	0.17	0.4	1.20	0.008	0.36	7.0	2.5	0.46	395	0.34	<0.01	1.7	1.4
K304587		0.28	1.85	0.19	0.4	1.03	0.006	0.33	6.4	2.2	0.43	417	0.32	<0.01	1.6	<0.2
K304588		1.09	6.78	0.16	1.4	1.49	0.023	1.34	16.6	13.8	2.56	428	0.51	0.01	4.8	9.3
K304589		1.09	7.32	0.19	1.2	0.65	0.019	1.27	17.0	15.4	1.36	345	0.29	0.01	4.8	11.1
K304590		0.46	0.52	0.38	<0.1	<0.01	<0.005	0.03	0.7	1.3	12.85	217	0.13	<0.01	0.4	<0.2
K304591		1.10	6.99	0.15	1.2	0.27	0.017	1.28	17.1	24.1	1.71	202	0.54	0.02	4.7	10.9
K304592		1.01	6.05	0.05	1.2	0.19	0.019	1.17	15.8	30.1	1.85	175	0.54	0.02	4.1	8.8
K304593		1.61	9.34	0.07	1.6	0.29	0.027	1.75	19.6	58.3	2.48	175	0.78	0.03	6.1	15.8
K304594		1.31	6.39	0.16	2.3	0.40	0.024	1.24	18.3	57.1	3.39	179	0.44	0.03	5.1	11.7
K304595		1.33	6.66	0.16	2.3	0.20	0.029	1.25	19.0	49.5	3.15	174	0.73	0.03	4.9	12.6
K304596		0.94	5.11	0.14	1.1	0.11	0.023	0.93	16.5	36.7	2.16	154	0.69	0.02	4.1	9.5
K304597		1.42	8.14	0.08	1.9	0.10	0.024	1.60	21.1	52.0	3.62	180	0.42	0.03	6.0	14.2
K304598		0.92	4.86	0.09	1.2	0.14	0.013	0.93	13.8	45.6	2.65	147	0.53	0.02	3.6	8.3
K304599		1.45	7.84	0.14	1.8	0.35	0.027	1.53	19.7	60.1	4.89	185	0.60	0.03	5.8	14.3
K304600		0.70	3.26	0.10	0.7	0.26	0.015	0.57	9.4	30.3	2.01	139	0.77	0.01	2.4	5.4
K304601		1.33	7.82	0.13	1.4	0.16	0.023	1.43	18.9	46.0	2.81	185	0.39	0.03	5.4	13.7
K304602		0.47	0.26	0.07	<0.1	<0.01	0.009	0.05	0.9	1.8	12.60	212	0.21	0.01	0.2	1.4
K304603		1.55	8.41	0.12	1.7	0.09	0.032	1.72	21.5	57.8	2.78	196	0.32	0.03	6.2	15.5
K304604		1.77	9.38	0.12	2.1	0.20	0.036	1.99	23.4	60.0	3.65	218	0.25	0.04	6.6	17.4
K304605		1.72	9.50	0.13	1.9	0.20	0.033	1.85	23.5	64.5	3.52	234	0.33	0.03	6.8	16.1
K304606		1.50	8.13	0.12	1.9	0.27	0.034	1.75	20.8	61.3	4.04	259	0.44	0.03	6.1	15.0
K304607		2.16	7.81	0.14	1.9	4.72	0.034	1.02	31.2	40.7	2.62	274	18.45	0.03	8.0	56.2
K304608		1.82	10.05	0.13	1.9	0.09	0.032	2.02	25.2	68.7	3.40	231	0.32	0.04	7.4	18.5
K304609		1.60	9.90	0.18	2.7	0.12	0.033	1.96	25.2	82.3	3.63	246	0.38	0.04	7.4	17.5
K304610		1.72	8.59	0.13	2.0	0.08	0.034	1.83	22.5	70.9	5.71	243	0.50	0.06	6.7	19.3
K304611		1.95	9.84	0.13	2.3	0.13	0.027	1.99	25.1	79.9	4.88	255	0.56	0.17	7.4	21.2
K304612		1.49	8.70	0.12	1.7	0.06	0.028	1.62	22.1	57.8	3.13	240	0.33	0.26	6.4	16.7
K304613		0.83	4.41	0.08	0.9	0.07	0.012	0.72	11.5	36.0	2.05	200	0.61	0.21	3.3	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194256

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304578		780	10.2	34.0	<0.002	0.08	4.87	3.2	3	1.3	841	0.29	<0.05	5.9	0.098	105.0
K304579		560	9.1	33.8	0.002	0.15	3.71	4.0	3	0.9	671	0.21	<0.05	4.0	0.074	47.5
K304580		410	6.5	43.6	<0.002	0.16	1.66	5.0	3	0.9	618	0.35	<0.05	6.1	0.113	6.85
K304581		250	5.4	41.5	<0.002	0.08	0.84	3.8	3	0.7	735	0.23	<0.05	4.3	0.078	3.95
K304582		120	5.6	11.2	<0.002	0.04	1.03	1.3	3	0.2	1110	0.07	<0.05	1.3	0.023	2.05
K304583		130	6.5	14.4	<0.002	0.11	0.66	1.6	3	0.3	1380	0.10	<0.05	1.5	0.037	4.46
K304584		890	17.8	48.4	0.003	2.96	113.5	19.4	3	3.1	520	0.81	0.14	10.5	0.530	8.46
K304585		100	7.1	9.6	<0.002	0.09	0.94	1.1	3	0.2	1765	0.06	0.09	1.1	0.018	1.59
K304586		170	7.2	16.1	<0.002	0.14	0.64	1.6	3	0.3	1445	0.10	<0.05	1.7	0.032	2.87
K304587		140	6.0	14.9	<0.002	0.13	0.43	1.5	3	0.3	1335	0.08	0.06	1.6	0.028	2.17
K304588		280	5.9	51.8	<0.002	0.13	0.36	4.8	3	0.9	885	0.34	<0.05	6.1	0.108	3.08
K304589		300	5.0	55.1	<0.002	0.25	0.25	5.0	3	0.9	849	0.31	<0.05	5.5	0.101	1.61
K304590		170	1.5	2.4	<0.002	0.02	0.09	0.5	3	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.03
K304591		370	5.6	56.9	0.002	0.28	0.25	4.9	3	0.8	925	0.31	0.05	5.6	0.100	0.96
K304592		340	6.7	47.8	<0.002	0.14	0.24	4.1	2	0.8	1095	0.28	<0.05	5.2	0.099	0.84
K304593		410	8.9	79.5	<0.002	0.26	0.34	6.2	2	1.2	1135	0.44	<0.05	7.7	0.152	1.17
K304594		350	7.9	62.8	0.003	0.25	0.30	4.5	2	1.5	760	0.37	<0.05	7.0	0.127	1.40
K304595		400	10.7	61.9	0.003	0.16	0.35	4.7	1	1.5	879	0.35	<0.05	7.3	0.129	0.74
K304596		330	7.8	47.4	0.004	0.15	0.26	3.8	2	1.3	852	0.28	0.05	5.5	0.098	0.49
K304597		370	8.0	80.0	0.003	0.07	0.26	5.4	2	1.6	544	0.47	<0.05	8.2	0.156	0.69
K304598		240	6.7	46.7	0.006	0.11	0.21	3.5	1	1.1	1075	0.26	<0.05	4.8	0.092	0.54
K304599		380	9.7	79.0	0.002	0.33	0.31	5.3	2	1.6	954	0.46	<0.05	8.1	0.153	1.12
K304600		160	7.0	30.7	0.004	0.11	0.29	2.6	1	1.0	1460	0.18	<0.05	3.3	0.060	0.43
K304601		330	8.3	72.8	0.003	0.17	0.32	5.1	2	1.5	781	0.39	<0.05	7.4	0.140	0.77
K304602		170	1.4	3.3	0.005	0.01	1.04	0.7	<1	0.5	52.3	<0.05	<0.05	<0.2	<0.005	0.02
K304603		380	9.5	87.1	0.004	0.05	0.24	5.8	2	1.6	485	0.46	<0.05	8.0	0.160	0.64
K304604		410	7.6	96.7	0.005	0.05	0.20	6.2	2	1.6	396	0.49	<0.05	9.4	0.179	0.66
K304605		460	9.5	98.9	0.003	0.10	0.26	6.4	2	1.8	501	0.47	<0.05	9.1	0.172	0.79
K304606		390	8.3	89.6	0.004	0.27	0.25	5.6	2	1.7	526	0.46	<0.05	8.1	0.158	0.98
K304607		890	39.4	58.2	0.021	1.57	106.5	5.4	3	2.9	81.4	0.50	0.25	7.5	0.177	4.45
K304608		400	7.4	116.0	<0.002	0.05	0.93	6.6	1	1.9	437	0.55	<0.05	9.1	0.180	0.96
K304609		570	10.9	96.2	0.002	0.20	0.46	6.6	2	1.9	331	0.55	<0.05	9.7	0.184	1.14
K304610		380	12.9	94.7	<0.002	0.08	0.33	5.9	2	1.7	341	0.50	<0.05	9.1	0.171	0.87
K304611		480	11.5	112.0	0.003	0.31	0.36	6.5	1	2.0	327	0.56	<0.05	9.7	0.189	1.18
K304612		380	8.5	90.0	0.005	0.07	0.24	5.9	1	1.6	459	0.48	<0.05	8.4	0.159	0.60
K304613		210	8.0	39.5	0.004	0.16	0.20	3.2	1	1.1	888	0.21	<0.05	4.3	0.080	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194256

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304578		13.9	41	1.7	6.6	11	61.9
K304579		18.4	35	1.6	11.3	9	40.2
K304580		7.8	44	1.7	11.0	11	64.9
K304581		10.8	31	1.4	8.4	12	39.7
K304582		11.1	10	0.5	4.5	28	10.2
K304583		15.3	13	0.8	5.6	52	26.5
K304584		8.2	168	22.9	16.6	43	179.5
K304585		13.0	8	0.7	3.4	22	8.7
K304586		15.8	13	0.8	4.4	43	15.3
K304587		15.5	11	0.7	4.4	37	16.6
K304588		10.8	39	1.6	10.6	21	53.9
K304589		10.4	38	1.5	10.3	24	50.9
K304590		0.6	2	0.1	0.9	14	0.8
K304591		10.7	38	0.9	10.2	26	48.9
K304592		11.3	37	1.0	9.1	33	44.5
K304593		10.1	55	0.9	11.4	52	57.0
K304594		7.5	39	0.6	12.2	33	75.9
K304595		9.8	42	0.7	10.9	47	47.9
K304596		12.2	37	0.5	8.9	37	34.8
K304597		8.8	51	0.8	12.1	48	70.6
K304598		12.6	34	0.5	7.8	29	32.2
K304599		7.5	51	0.9	11.3	55	54.7
K304600		14.4	21	0.3	5.4	33	19.8
K304601		7.6	43	0.7	10.7	46	44.4
K304602		0.7	4	0.1	1.0	13	0.6
K304603		6.3	53	0.7	12.3	52	50.5
K304604		4.2	48	0.7	14.0	57	66.7
K304605		4.7	52	0.8	14.0	53	66.7
K304606		6.3	47	1.0	12.3	54	62.3
K304607		10.2	234	28.6	22.2	215	69.0
K304608		4.9	51	1.0	14.6	58	62.5
K304609		5.2	57	0.9	16.7	57	82.2
K304610		6.4	56	0.8	12.8	61	59.0
K304611		5.7	58	1.2	14.7	64	68.7
K304612		9.3	47	0.6	12.7	54	54.3
K304613		13.1	26	0.3	6.8	34	28.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194256

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

CERTIFICATE VA11193442

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B Batch 211

This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193442

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304226		6.26	<0.01	0.05	1.87	210	320	0.38	0.05	18.15	0.04	29.2	3.8	15	8.13	6.7
K304227		8.00	<0.01	0.05	1.85	262	360	0.48	0.05	26.9	0.03	27.1	3.1	14	10.20	7.7
K304228		7.62	<0.01	0.06	4.34	2320	300	1.13	0.11	19.55	0.04	49.7	7.4	33	29.9	18.5
K304229		10.52	<0.01	0.03	0.92	530	60	0.21	0.03	32.9	0.36	13.85	2.2	9	2.86	5.8
K304230		9.46	<0.01	0.05	2.74	1100	120	0.60	0.08	24.5	0.07	33.3	5.1	24	10.60	17.5
K304231		9.04	<0.01	<0.01	0.81	663	40	0.25	0.03	34.0	0.09	15.35	1.9	8	2.55	9.4
K304232		5.06	<0.01	0.01	0.79	740	40	0.21	0.03	32.6	0.06	14.55	1.9	7	2.43	8.7
K304233		7.40	0.16	0.02	2.49	710	130	0.86	0.06	24.8	0.05	26.0	6.4	22	8.14	19.2
K304234		6.04	<0.01	0.03	2.98	1400	160	0.97	0.08	23.4	0.09	29.3	6.1	28	13.80	20.8
K304235		6.98	<0.01	0.03	0.96	93	90	0.36	0.03	31.6	0.18	15.50	2.8	10	3.31	7.7
K304236		7.14	<0.01	0.02	0.07	<5	20	0.05	0.02	21.4	0.06	1.23	1.9	1	0.56	2.0
K304237		5.66	<0.01	0.17	5.14	175	330	1.61	0.11	11.40	0.11	54.8	10.1	53	25.7	36.3
K304238		8.76	<0.01	0.05	3.10	149.0	270	0.74	0.07	9.34	0.10	39.9	5.9	29	10.70	12.8
K304239		9.92	<0.01	0.06	4.55	119.0	220	0.95	0.10	9.58	0.04	45.9	8.9	42	14.05	22.2
K304240		9.00	<0.01	0.06	4.03	77.5	180	0.82	0.09	9.79	0.06	44.7	6.5	36	11.75	26.4
K304241		9.44	<0.01	0.05	3.28	99.6	170	0.64	0.08	9.86	0.05	46.2	6.9	33	8.91	17.7
K304242		0.30	2.68	1.49	3.14	583	870	0.81	0.34	8.29	2.29	46.4	7.5	52	4.12	41.2
K304243		7.56	<0.01	0.06	3.31	615	130	0.67	0.08	18.40	0.08	42.4	6.2	33	9.43	22.6
K304244		6.36	<0.01	0.04	2.60	349	110	0.55	0.06	22.7	0.06	30.3	5.4	24	6.80	17.1
K304245		9.68	<0.01	0.04	1.24	253	50	0.29	0.03	31.0	0.21	14.65	3.3	14	4.01	7.6
K304246		0.30	0.32	0.35	6.32	618	1560	0.64	0.25	0.54	0.18	133.0	3.0	239	3.73	29.8
K304247		7.02	<0.01	0.02	0.89	382	60	0.20	0.02	31.9	0.09	14.95	2.5	10	2.84	6.6
K304248		9.72	<0.01	0.02	1.07	112	50	0.25	0.03	32.8	0.17	12.90	2.7	10	3.14	6.2
K304249		8.14	<0.01	<0.01	0.54	167	60	0.20	0.02	35.3	0.14	10.30	2.0	5	1.30	3.7
K304250		9.64	<0.01	0.04	1.05	118	160	0.32	0.03	31.3	0.14	13.20	3.1	10	2.54	5.2
K304251		11.36	0.01	0.02	1.04	120	150	0.34	0.03	31.3	0.08	13.90	2.8	10	3.02	6.6
K304252		8.28	0.01	0.02	2.49	86	160	0.81	0.06	26.4	0.09	29.8	5.4	23	8.59	19.0
K304253		9.74	<0.01	0.02	1.73	83	260	0.60	0.04	26.6	0.04	23.6	4.0	15	5.93	11.8
K304254		5.12	<0.01	<0.01	0.08	<5	20	0.09	0.02	21.7	0.07	1.39	1.8	1	0.19	1.9
K304255		10.70	0.02	0.02	2.00	151	370	0.74	0.05	27.6	0.04	24.4	4.5	17	6.98	12.3
K304256		10.32	<0.01	0.12	2.66	102	260	0.91	0.06	24.7	0.07	26.5	5.7	24	9.85	15.1
K304257		12.16	<0.01	0.01	0.92	29	120	0.47	0.03	33.4	0.08	12.80	2.5	10	3.20	8.9
K304258		11.06	<0.01	0.05	2.24	26	160	0.79	0.05	26.1	0.05	27.7	4.7	19	8.27	12.2
K304259		11.24	<0.01	0.05	1.71	38	150	0.61	0.04	28.4	0.05	18.55	4.1	15	5.36	10.2
K304260		11.18	<0.01	0.05	1.63	31	120	0.61	0.04	28.0	0.06	21.4	3.5	16	5.26	10.5
K304261		10.28	0.01	0.07	3.03	148	180	1.04	0.07	18.75	0.06	36.8	6.3	28	9.75	17.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193442

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304226		1.23	4.11	0.11	1.8	0.13	0.013	1.11	14.9	7.2	2.28	303	0.37	0.02	3.0	6.6
K304227		0.83	4.33	0.11	1.2	0.22	0.011	1.02	14.6	7.8	1.32	237	0.40	0.02	2.8	4.3
K304228		1.79	10.60	0.13	1.8	0.78	0.030	2.26	26.7	25.0	1.72	239	0.74	0.03	5.8	15.8
K304229		0.45	2.24	0.10	0.5	0.50	0.008	0.45	7.8	3.8	0.74	188	0.54	0.01	1.7	0.8
K304230		1.20	6.78	0.12	1.5	0.40	0.021	1.38	18.3	16.4	2.03	198	0.60	0.02	4.5	8.6
K304231		0.44	1.99	0.10	0.4	0.12	0.009	0.40	9.5	4.6	0.91	163	0.07	0.01	1.4	<0.2
K304232		0.43	1.89	0.11	0.3	0.12	0.008	0.39	9.1	4.4	0.86	159	0.07	0.01	1.4	<0.2
K304233		1.09	6.89	0.05	1.1	1.50	0.019	1.36	14.6	18.2	2.17	685	0.30	0.01	4.1	12.7
K304234		1.23	8.11	0.06	1.3	0.45	0.026	1.59	16.7	31.2	1.94	217	0.49	0.01	4.8	14.6
K304235		0.50	2.75	<0.05	0.4	0.18	0.008	0.43	9.4	19.6	0.75	138	0.67	<0.01	2.0	5.7
K304236		0.47	0.51	0.11	<0.1	<0.01	<0.005	0.04	0.6	1.2	12.80	208	0.09	<0.01	0.4	3.3
K304237		2.10	13.85	0.10	2.1	0.76	0.038	2.57	29.9	70.0	3.20	196	1.29	0.03	7.8	25.2
K304238		1.50	8.09	0.05	2.6	0.69	0.022	1.70	20.5	35.1	4.98	248	0.68	0.03	5.0	12.0
K304239		1.75	12.45	0.07	3.2	0.83	0.030	2.12	24.5	45.1	5.29	217	1.02	0.03	7.4	18.0
K304240		1.70	11.05	0.08	3.1	0.39	0.025	1.98	23.2	42.4	5.29	215	0.79	0.03	7.0	15.3
K304241		1.56	8.72	0.06	3.0	0.71	0.026	1.58	24.0	39.2	5.38	229	0.88	0.02	5.6	13.6
K304242		2.07	8.28	0.09	1.6	4.47	0.028	1.03	29.8	40.1	2.56	265	18.45	0.02	6.7	53.9
K304243		1.24	9.14	<0.05	1.8	0.34	0.023	1.61	23.7	28.6	2.35	147	0.63	0.01	5.6	15.4
K304244		1.11	6.74	0.05	1.2	0.13	0.019	1.31	16.8	32.9	1.88	143	0.39	0.01	4.0	14.2
K304245		0.52	3.38	<0.05	0.6	0.09	0.009	0.60	9.1	17.6	0.87	125	0.58	<0.01	2.2	7.8
K304246		6.70	21.5	0.27	4.1	8.55	0.050	1.41	66.1	18.7	0.13	36	7.03	0.40	9.4	16.0
K304247		0.43	2.48	<0.05	0.4	0.08	0.009	0.44	9.0	19.2	0.65	136	0.31	<0.01	1.8	5.6
K304248		0.43	3.01	<0.05	0.6	0.17	0.007	0.51	7.8	16.9	0.96	132	0.41	<0.01	1.8	6.1
K304249		0.28	1.61	<0.05	0.3	0.12	<0.005	0.26	6.6	4.4	0.63	127	0.24	<0.01	1.2	4.7
K304250		0.46	2.76	0.06	0.6	0.28	0.008	0.52	7.7	9.1	1.08	142	0.47	<0.01	1.8	6.9
K304251		0.47	2.96	<0.05	0.5	0.91	0.006	0.50	8.3	7.9	0.93	310	0.31	<0.01	1.9	6.3
K304252		0.98	6.58	<0.05	1.1	0.63	0.019	1.26	16.9	17.0	1.51	296	0.56	0.01	4.0	12.6
K304253		0.83	4.61	<0.05	0.9	0.54	0.014	0.87	13.0	12.9	1.51	266	0.55	0.01	3.0	9.6
K304254		0.47	0.50	0.10	<0.1	<0.01	<0.005	0.04	0.7	1.2	12.95	212	0.08	<0.01	0.4	3.4
K304255		0.84	5.33	<0.05	1.0	0.76	0.017	1.03	13.9	14.3	1.67	427	0.35	0.01	3.2	10.0
K304256		0.99	7.09	<0.05	1.2	0.54	0.020	1.39	15.5	21.9	1.90	225	0.39	0.01	4.2	12.7
K304257		0.40	2.56	<0.05	0.4	0.18	0.009	0.46	8.2	6.9	0.68	124	0.27	<0.01	1.8	6.5
K304258		0.99	6.02	0.05	0.9	0.19	0.016	1.17	15.8	17.6	1.83	143	0.43	0.01	3.6	10.9
K304259		0.74	4.65	0.05	0.8	0.24	0.013	0.87	11.2	12.4	1.57	167	0.25	<0.01	2.8	8.8
K304260		0.73	4.37	<0.05	0.9	0.25	0.015	0.85	12.2	12.0	1.50	159	0.25	<0.01	3.0	8.2
K304261		1.32	8.17	0.09	1.8	0.92	0.021	1.67	20.0	19.9	3.85	285	0.70	0.01	5.2	13.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193442

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304226		250	5.0	45.6	<0.002	0.08	1.80	2.7	3	0.5	417	0.23	<0.05	4.6	0.081	0.43
K304227		230	4.4	44.9	<0.002	0.11	1.74	2.9	3	0.5	719	0.19	<0.05	4.0	0.072	0.83
K304228		470	6.4	91.4	<0.002	0.23	9.91	6.4	3	1.0	578	0.41	<0.05	8.2	0.159	3.09
K304229		280	5.0	20.1	<0.002	0.10	3.28	1.7	3	0.3	1315	0.11	<0.05	2.2	0.040	1.05
K304230		370	7.9	70.2	<0.002	0.15	9.69	4.5	3	1.0	792	0.32	<0.05	6.2	0.120	2.10
K304231		130	3.3	19.8	<0.002	0.07	2.31	1.5	3	0.3	787	0.09	<0.05	1.8	0.034	0.79
K304232		130	3.1	19.3	<0.002	0.07	2.22	1.5	3	0.3	759	0.09	<0.05	1.8	0.032	0.78
K304233		260	6.6	66.9	<0.002	0.39	3.32	4.5	2	0.9	533	0.29	<0.05	5.1	0.109	5.13
K304234		360	7.8	77.2	0.002	0.49	3.51	5.2	2	1.1	560	0.35	<0.05	6.1	0.130	2.09
K304235		160	4.9	22.4	<0.002	0.23	0.91	2.0	1	0.4	966	0.12	<0.05	2.2	0.042	0.35
K304236		160	1.5	2.8	<0.002	0.01	0.09	0.5	1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	0.02
K304237		740	12.3	124.5	0.002	1.50	3.68	8.4	4	1.8	556	0.58	<0.05	10.4	0.225	2.06
K304238		320	9.3	75.8	<0.002	0.68	1.03	4.7	2	1.1	363	0.39	<0.05	7.3	0.145	1.22
K304239		440	10.7	98.4	0.002	0.86	0.85	7.1	2	2.2	577	0.57	<0.05	10.3	0.213	1.49
K304240		400	10.5	94.1	<0.002	0.90	0.67	6.3	2	1.5	405	0.52	<0.05	9.3	0.196	1.41
K304241		440	11.0	73.0	0.002	0.71	1.28	4.7	2	1.8	660	0.43	<0.05	8.1	0.162	1.37
K304242		880	38.0	48.3	0.026	1.56	109.5	5.0	4	2.7	69.8	0.44	0.24	6.3	0.174	3.62
K304243		480	9.1	76.0	0.002	0.45	1.27	4.8	2	1.2	1140	0.40	<0.05	7.0	0.150	0.93
K304244		370	7.4	57.9	<0.002	0.22	0.26	4.2	2	1.0	1220	0.29	<0.05	5.3	0.111	0.45
K304245		170	6.4	27.6	<0.002	0.20	0.34	2.5	2	0.4	1230	0.14	<0.05	2.4	0.053	0.24
K304246		940	17.8	47.0	0.004	3.19	121.5	15.0	2	3.1	520	0.75	0.13	9.4	0.556	7.39
K304247		170	4.3	20.1	<0.002	0.11	0.69	2.1	2	0.3	1310	0.10	<0.05	2.0	0.039	0.21
K304248		140	5.5	22.4	<0.002	0.17	0.34	1.8	2	0.4	1420	0.12	<0.05	2.2	0.044	0.30
K304249		90	3.9	11.6	<0.002	0.10	0.26	1.2	2	0.2	1635	0.06	<0.05	1.1	0.022	0.17
K304250		120	5.0	22.8	<0.002	0.19	0.37	1.8	1	0.4	1615	0.11	<0.05	2.1	0.042	0.42
K304251		140	4.8	24.1	<0.002	0.22	0.42	1.9	2	0.4	1220	0.11	<0.05	2.0	0.042	1.69
K304252		360	7.7	55.0	<0.002	0.43	0.43	3.9	2	0.9	1285	0.29	<0.05	5.2	0.108	0.82
K304253		210	6.2	41.1	<0.002	0.42	0.31	2.9	2	0.6	1110	0.19	<0.05	3.8	0.075	0.77
K304254		220	1.2	1.7	<0.002	0.02	0.07	0.5	1	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	<0.02
K304255		210	6.0	44.9	<0.002	0.36	0.43	3.2	2	0.7	1130	0.23	<0.05	4.1	0.084	1.38
K304256		380	8.4	61.1	<0.002	0.40	0.36	4.1	2	0.9	1290	0.31	<0.05	5.2	0.110	0.78
K304257		150	4.1	20.8	<0.002	0.18	0.17	1.7	1	0.3	1185	0.10	<0.05	1.9	0.038	0.26
K304258		250	5.7	57.3	<0.002	0.26	0.22	3.7	2	0.8	1040	0.25	<0.05	4.4	0.092	0.42
K304259		180	5.7	42.0	<0.002	0.23	0.25	2.8	2	0.6	982	0.19	<0.05	3.5	0.071	0.47
K304260		240	5.5	40.7	<0.002	0.19	0.26	2.7	2	0.7	1110	0.20	<0.05	3.6	0.074	0.41
K304261		300	7.8	73.6	<0.002	0.43	0.69	4.8	2	1.3	809	0.37	<0.05	6.5	0.136	2.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193442

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304226		10.0	21	0.5	8.3	20	56.7
K304227		11.7	26	0.5	7.1	11	38.3
K304228		11.6	59	1.2	10.5	28	60.5
K304229		13.8	15	0.5	4.8	32	18.0
K304230		15.1	37	1.1	9.7	29	47.7
K304231		11.6	14	0.3	4.6	10	12.3
K304232		11.5	14	0.3	4.5	10	11.7
K304233		11.4	36	1.8	8.3	27	38.7
K304234		11.7	39	1.0	9.3	35	46.5
K304235		15.0	16	0.4	5.8	32	15.2
K304236		0.4	2	0.1	0.8	15	<0.5
K304237		15.0	86	1.5	15.1	74	72.5
K304238		5.1	45	1.0	11.6	41	87.9
K304239		7.8	62	1.9	12.6	48	110.5
K304240		9.0	51	1.3	12.9	47	107.5
K304241		8.1	46	1.4	11.4	44	99.0
K304242		8.3	233	29.3	19.4	209	62.3
K304243		14.3	48	1.6	8.5	57	62.2
K304244		12.5	36	0.8	8.5	31	40.8
K304245		18.9	22	0.4	4.6	32	22.4
K304246		7.5	174	24.9	14.2	46	160.0
K304247		15.6	15	0.4	5.5	16	16.8
K304248		12.5	20	0.3	4.4	24	20.6
K304249		13.1	11	0.2	3.5	16	10.0
K304250		12.5	17	0.4	4.3	22	21.8
K304251		12.0	19	0.5	4.5	18	16.8
K304252		14.1	37	1.4	8.3	29	39.6
K304253		13.0	24	0.9	7.1	27	34.5
K304254		0.8	2	0.1	0.9	16	<0.5
K304255		12.9	28	1.1	7.0	25	34.1
K304256		14.0	37	1.2	7.8	31	42.7
K304257		12.9	18	0.4	4.4	16	13.9
K304258		11.7	31	0.6	7.9	31	34.3
K304259		14.0	28	0.6	5.9	25	28.9
K304260		12.2	27	0.8	6.6	21	31.8
K304261		10.1	45	1.5	10.0	40	62.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS VA11193442

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

CERTIFICATE WH11194257

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 212 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194257

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305059		11.40	0.03	0.10	5.79	303	190	1.51	0.21	2.87	0.14	56.2	18.3	68	25.5	53.6
K305060		10.98	0.03	0.09	6.30	162.5	210	1.76	0.25	2.67	0.11	61.6	18.4	71	29.2	51.8
K305061		11.70	<0.01	0.09	6.25	96.9	280	1.70	0.24	2.92	0.11	57.3	18.6	66	33.5	54.1
K305062		11.31	0.03	0.11	6.97	312	220	2.11	0.28	2.43	0.15	69.3	18.5	74	40.1	55.6
K305063		10.36	<0.01	0.07	4.38	149.0	170	1.22	0.18	9.41	0.12	45.0	10.5	48	23.2	31.7
K305064		11.81	<0.01	0.09	6.24	183.5	200	1.84	0.24	3.52	0.14	63.2	15.8	65	31.3	43.6
K305065		5.06	0.01	0.09	5.41	155.0	180	1.50	0.21	5.27	0.15	54.6	13.1	53	28.1	36.7
K305066		0.20	7.76	0.53	3.42	883	160	0.68	0.65	11.90	4.19	41.0	5.5	93	7.37	33.7
K305067		5.13	0.29	0.09	1.36	4200	50	0.38	0.06	8.70	0.11	16.60	4.9	16	5.86	15.4
K305068		4.99	<0.01	0.01	0.07	8	40	0.06	0.02	20.7	0.06	1.15	1.5	1	0.30	1.4
K305069		7.69	0.18	0.14	6.59	602	220	1.96	0.26	2.85	0.27	65.7	16.2	66	27.5	47.0
K305070		4.00	1.47	0.12	0.90	902	30	0.24	0.05	6.88	0.90	11.65	5.2	14	2.82	13.0
K305071		5.13	0.37	0.07	1.09	160	40	0.31	0.05	10.15	0.24	13.60	5.6	13	3.41	9.8
K305072		2.75	0.29	0.05	0.97	149	40	0.28	0.04	11.10	0.16	12.85	5.3	14	3.06	9.0
K305073		8.23	<0.01	0.06	1.00	15	120	0.23	0.04	12.05	0.20	13.20	4.9	14	4.66	8.2
K305074		7.23	<0.01	0.04	1.97	23	260	0.54	0.09	16.65	0.21	21.4	7.3	19	9.66	13.0
K305075		11.17	<0.01	0.03	3.03	23	110	0.82	0.13	14.90	0.27	32.1	9.7	28	17.35	18.5
K305076		4.88	<0.01	0.04	2.98	39	120	0.83	0.14	16.25	0.25	30.9	9.4	28	16.45	17.7
K305077		7.04	<0.01	0.04	2.70	66	100	0.80	0.11	16.00	0.26	29.5	9.0	25	13.05	16.4
K305078		0.19	15.75	0.89	1.89	1160	370	0.39	0.55	14.25	0.71	30.6	4.3	35	2.54	59.2
K305079		7.49	0.02	0.13	4.96	188.5	170	1.64	0.22	6.34	0.21	51.9	15.5	40	18.45	35.4
K305080		4.84	<0.01	0.26	3.75	199.5	190	1.05	0.16	7.22	0.24	39.6	14.2	32	13.55	29.0
K305081		4.96	0.08	0.29	2.41	1960	100	0.63	0.10	8.00	0.45	27.2	11.0	21	7.89	26.6
K305082		5.02	0.26	0.06	1.00	1030	50	0.25	0.05	6.94	0.28	13.60	6.0	17	2.61	13.7
K305083		5.78	0.16	0.09	0.97	1570	60	0.27	0.06	8.04	0.33	14.55	6.9	16	2.57	13.0
K305084		10.84	0.01	0.13	6.74	407	220	2.27	0.28	3.72	0.39	69.0	18.7	71	28.8	47.9
K305085		11.19	<0.01	0.08	6.12	227	220	1.83	0.26	2.70	0.20	63.3	16.3	60	22.2	36.6
K305086		10.69	0.28	0.11	6.34	780	190	2.24	0.26	4.42	0.18	66.3	18.1	66	29.1	49.5
K305087		10.98	0.01	0.08	5.79	106.5	210	1.73	0.22	3.12	0.13	57.1	19.1	64	34.8	47.8
K305088		11.35	0.01	0.11	6.71	45.3	250	2.17	0.27	1.51	0.23	68.7	21.6	74	42.5	60.9
K305089		11.74	0.01	0.11	7.20	119.5	250	2.37	0.30	1.69	0.22	72.5	21.8	71	48.6	61.9
K305090		10.92	0.02	0.09	5.51	195.5	240	1.66	0.22	3.79	0.11	54.8	19.6	58	26.1	52.2
K305091		6.68	0.05	0.07	3.46	842	80	0.83	0.12	3.49	0.10	33.5	14.1	48	14.15	48.5
K305092		5.85	1.26	0.12	4.18	1995	120	1.07	0.13	2.69	0.17	39.2	18.5	61	16.15	71.5
K305093		6.51	1.95	0.11	3.42	5840	150	0.70	0.10	1.86	0.26	31.3	16.2	59	8.75	62.2
K305094		5.00	0.01	0.01	0.12	13	20	0.09	0.11	20.5	0.07	1.30	1.5	3	0.55	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194257

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305059		4.18	15.80	0.12	2.7	4.03	0.067	2.63	27.1	21.4	1.52	619	0.46	0.03	9.8	34.7
K305060		4.75	16.85	0.14	3.1	3.99	0.068	2.93	29.8	17.3	1.52	458	0.54	0.03	10.3	36.3
K305061		5.23	15.95	0.13	2.8	3.30	0.068	2.84	27.6	19.9	1.70	490	0.46	0.03	10.1	35.3
K305062		5.01	19.10	0.17	3.3	5.25	0.077	3.28	33.1	19.8	1.62	352	1.11	0.04	11.6	39.6
K305063		3.70	10.85	0.07	2.2	3.22	0.049	2.06	21.6	9.4	3.97	429	0.70	0.04	7.0	22.6
K305064		4.35	16.95	0.16	3.0	4.18	0.073	3.02	31.0	11.6	1.58	348	0.91	0.04	10.6	33.1
K305065		4.68	14.00	0.13	2.5	2.12	0.059	2.50	27.0	10.0	1.54	368	1.36	0.03	9.0	28.5
K305066		1.34	7.45	0.08	2.1	5.95	0.065	1.44	27.0	8.2	0.69	259	11.95	0.01	7.8	60.7
K305067		7.23	3.57	0.08	0.8	3.74	0.019	0.63	8.6	7.5	1.39	832	4.50	0.01	2.5	9.5
K305068		0.46	0.31	0.22	<0.1	0.01	0.007	0.03	0.6	1.1	12.40	196	0.07	<0.01	0.4	4.0
K305069		4.42	17.40	0.15	3.1	6.20	0.070	3.08	32.0	12.8	1.69	996	1.18	0.03	10.9	35.1
K305070		3.26	2.58	<0.05	0.5	8.4	0.022	0.41	5.9	3.4	3.16	5420	1.80	0.01	1.5	8.6
K305071		2.26	2.77	0.08	0.5	1.99	0.014	0.48	6.6	3.9	2.89	1540	0.39	0.01	1.8	5.8
K305072		2.05	2.59	0.05	0.4	1.83	0.013	0.42	6.1	3.9	2.97	1440	0.36	0.01	1.7	5.2
K305073		1.88	2.41	0.05	0.4	0.36	0.014	0.49	6.4	4.5	2.62	451	0.40	0.01	1.6	4.7
K305074		2.03	4.75	0.06	0.9	0.30	0.020	0.92	10.7	6.8	2.52	438	0.35	0.02	3.5	8.2
K305075		2.32	7.52	0.07	1.3	0.22	0.036	1.41	15.9	8.5	2.15	406	0.37	0.02	5.3	12.8
K305076		2.44	7.16	0.07	1.3	0.20	0.030	1.40	16.1	8.2	2.12	377	0.42	0.02	5.1	11.6
K305077		2.24	6.67	0.07	1.2	0.80	0.029	1.24	15.4	8.7	2.21	400	0.34	0.02	4.7	11.1
K305078		3.35	3.74	0.09	0.7	6.35	0.060	0.38	18.5	39.8	0.68	420	13.45	0.01	3.8	18.8
K305079		3.79	13.35	0.15	2.3	2.13	0.043	2.22	24.3	12.5	3.31	720	0.51	0.03	8.4	23.1
K305080		3.16	9.83	0.12	1.7	2.3	0.036	1.63	18.1	10.5	3.72	901	0.48	0.02	6.5	20.3
K305081		3.44	6.34	0.07	1.1	4.03	0.031	1.09	14.0	6.0	4.21	2420	0.49	0.02	4.0	14.4
K305082		2.13	3.00	<0.05	0.5	6.0	0.016	0.44	6.7	3.8	3.57	3840	0.30	0.01	1.8	7.2
K305083		2.79	2.82	<0.05	0.4	5.5	0.023	0.43	7.0	4.2	4.12	3110	0.33	0.01	1.7	8.2
K305084		5.13	19.10	0.28	3.1	6.5	0.070	3.18	32.5	13.9	2.07	576	1.80	0.03	12.0	37.6
K305085		4.25	16.65	0.29	2.7	4.59	0.067	2.78	30.3	13.4	1.49	439	0.92	0.03	10.4	29.8
K305086		4.69	17.10	0.29	2.9	6.31	0.071	2.95	29.9	17.5	2.43	633	1.11	0.03	10.9	34.8
K305087		4.58	15.95	0.28	2.6	2.05	0.067	2.62	26.5	59.2	1.74	447	0.61	0.03	10.1	33.6
K305088		5.04	19.35	0.35	3.0	0.83	0.080	3.11	31.4	39.2	1.67	276	0.88	0.03	11.5	41.6
K305089		5.50	20.2	0.35	3.1	0.95	0.084	3.32	33.5	36.5	1.82	323	1.53	0.04	12.3	40.3
K305090		4.72	14.90	0.27	2.5	1.19	0.063	2.40	25.3	35.6	1.87	850	0.57	0.03	10.1	31.3
K305091		4.04	9.31	0.17	1.7	2.16	0.040	1.42	16.9	26.0	1.47	921	0.41	0.01	6.1	22.5
K305092		4.08	11.75	0.20	2.1	4.72	0.045	1.77	18.8	18.1	1.28	974	0.56	0.02	7.5	29.4
K305093		3.92	9.56	0.18	1.8	11.4	0.041	1.50	16.0	14.9	0.89	821	0.46	0.01	6.1	24.1
K305094		0.50	0.43	0.11	<0.1	0.02	0.005	0.07	0.7	1.6	12.70	228	0.14	0.01	0.3	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194257

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305059		450	18.1	126.0	<0.002	3.62	1.77	17.5	2	2.2	123.5	0.75	0.05	8.3	0.507	6.25
K305060		480	21.2	139.0	<0.002	4.34	1.31	18.2	2	2.2	145.5	0.84	0.05	9.6	0.512	8.31
K305061		490	20.1	134.0	<0.002	4.94	0.76	17.7	2	2.1	171.5	0.78	0.05	9.2	0.494	6.37
K305062		520	21.3	160.0	0.004	4.88	2.02	18.7	3	2.4	117.5	0.91	0.07	10.2	0.521	14.65
K305063		540	14.3	96.2	0.004	2.97	0.46	11.9	2	1.4	198.5	0.56	<0.05	6.8	0.312	10.65
K305064		370	20.3	144.0	0.003	3.83	0.81	16.3	3	2.1	100.0	0.83	0.05	9.7	0.457	11.15
K305065		310	30.2	117.0	0.004	4.47	0.55	14.1	3	1.9	145.0	0.69	0.05	8.3	0.383	13.70
K305066		4210	5.3	111.0	0.037	1.33	19.10	6.2	9	1.7	146.0	0.55	0.48	6.4	0.208	13.80
K305067		140	30.3	28.4	0.003	8.33	7.35	4.1	2	0.7	105.5	0.18	<0.05	2.5	0.107	22.9
K305068		170	1.6	2.1	<0.002	0.02	0.07	0.3	2	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	0.04
K305069		370	64.6	142.0	0.004	4.07	4.89	17.4	3	2.3	77.8	0.83	0.06	10.1	0.470	14.20
K305070		150	36.3	17.3	<0.002	2.98	8.12	5.8	1	0.6	62.5	0.12	<0.05	1.9	0.070	29.4
K305071		140	25.4	25.2	<0.002	1.87	1.37	2.9	2	0.6	173.0	0.13	<0.05	2.4	0.083	4.87
K305072		130	22.6	22.9	<0.002	1.61	1.22	2.9	2	0.6	197.5	0.12	<0.05	2.1	0.073	4.53
K305073		130	26.8	27.1	<0.002	1.51	0.27	2.4	2	0.5	297	0.11	<0.05	2.1	0.073	2.91
K305074		220	30.0	40.3	<0.002	1.96	0.29	5.2	2	0.8	507	0.25	<0.05	3.4	0.135	2.28
K305075		280	33.9	64.6	<0.002	2.35	0.34	8.1	2	1.1	440	0.37	<0.05	4.9	0.205	2.23
K305076		290	35.6	61.8	<0.002	2.51	0.34	7.5	2	1.1	451	0.36	0.05	4.9	0.204	2.16
K305077		260	31.6	54.4	<0.002	2.21	0.32	6.9	2	1.0	458	0.34	0.05	4.7	0.184	2.33
K305078		620	21.1	29.7	0.007	1.92	152.5	3.8	4	2.2	46.9	0.25	0.43	3.6	0.104	3.40
K305079		380	42.6	106.0	<0.002	3.51	2.56	13.0	2	2.8	135.5	0.63	0.05	8.3	0.320	6.22
K305080		450	39.9	74.5	<0.002	2.75	4.59	10.6	2	2.1	214	0.47	0.05	6.5	0.263	7.16
K305081		350	33.9	49.2	<0.002	3.29	7.08	7.2	2	2.0	135.0	0.30	<0.05	4.5	0.166	14.40
K305082		190	14.5	24.1	<0.002	1.86	5.79	4.0	2	0.6	74.4	0.13	<0.05	2.2	0.080	19.05
K305083		210	15.5	24.0	<0.002	2.34	4.88	4.6	2	0.6	123.0	0.12	<0.05	2.0	0.075	16.65
K305084		410	36.6	154.5	0.007	4.93	2.06	20.1	4	2.5	110.0	0.88	0.08	11.3	0.478	13.05
K305085		310	19.1	134.0	0.003	3.77	1.83	16.7	3	2.3	106.0	0.74	0.07	10.8	0.406	9.84
K305086		550	17.5	148.5	0.004	4.47	5.47	18.7	4	2.6	110.0	0.83	0.07	10.2	0.460	19.10
K305087		450	15.1	131.0	0.002	3.73	0.65	19.6	3	2.0	137.0	0.73	0.06	9.1	0.465	8.08
K305088		500	18.0	161.0	0.004	2.69	0.75	22.1	4	3.0	115.0	0.82	0.09	10.9	0.504	4.94
K305089		580	25.8	171.5	0.004	3.01	0.88	22.4	4	3.5	92.5	0.91	0.09	11.8	0.512	5.92
K305090		500	14.2	121.5	<0.002	3.41	1.35	17.4	3	2.7	134.5	0.73	0.06	9.0	0.460	4.95
K305091		310	8.3	71.3	<0.002	3.01	3.27	11.9	2	3.5	87.6	0.45	<0.05	5.3	0.357	7.36
K305092		320	9.1	91.8	<0.002	3.54	16.50	14.6	3	5.4	73.0	0.54	0.05	6.2	0.448	20.8
K305093		260	8.8	69.8	<0.002	3.41	28.9	11.4	3	5.0	108.0	0.43	0.05	5.1	0.387	33.3
K305094		170	1.4	4.0	<0.002	0.02	0.16	0.8	<1	<0.2	41.6	<0.05	<0.05	<0.2	0.006	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194257

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305059		1.8	141	5.6	20.0	88	106.5
K305060		2.0	148	4.4	20.0	76	108.0
K305061		1.9	133	2.4	20.2	80	106.0
K305062		2.6	149	3.9	21.5	85	122.5
K305063		1.9	88	1.1	18.1	67	81.1
K305064		2.3	122	3.8	19.9	78	113.0
K305065		2.4	106	1.5	18.4	62	95.5
K305066		8.0	376	36.0	28.2	270	82.4
K305067		1.1	28	1.7	7.8	48	29.0
K305068		0.6	1	0.1	0.9	12	<0.5
K305069		2.7	130	7.5	20.8	112	117.0
K305070		0.8	19	1.6	4.6	326	19.5
K305071		0.7	21	1.0	5.9	96	20.6
K305072		0.6	19	0.9	5.9	65	19.8
K305073		0.6	19	0.4	5.6	77	19.6
K305074		1.0	35	0.6	9.4	76	35.0
K305075		1.3	52	0.7	12.8	77	52.3
K305076		1.3	54	0.7	12.5	77	50.9
K305077		1.2	48	0.8	12.2	86	46.8
K305078		3.0	103	212	16.2	73	31.5
K305079		2.0	89	3.6	17.1	88	84.9
K305080		1.8	69	4.0	14.9	91	67.5
K305081		1.3	46	4.1	10.0	200	44.9
K305082		0.6	24	1.8	6.0	124	21.1
K305083		0.6	24	1.9	6.1	153	19.8
K305084		2.6	139	5.7	21.1	204	113.0
K305085		2.2	106	5.7	19.4	101	100.0
K305086		2.4	132	6.1	20.6	97	106.0
K305087		1.8	132	1.8	19.4	88	98.5
K305088		2.2	153	1.3	21.2	131	112.0
K305089		2.5	147	1.5	22.5	112	117.0
K305090		1.7	124	2.6	19.9	80	94.4
K305091		1.0	100	2.5	13.1	60	63.6
K305092		1.2	130	4.1	14.0	71	79.0
K305093		1.0	113	4.3	11.2	77	67.0
K305094		0.5	4	0.1	1.0	14	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194257

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

CERTIFICATE WH11194317

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 213 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194317

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303765		6.85	0.03	0.07	1.86	51	160	0.58	0.10	27.8	0.24	30.1	6.6	18	7.90	25.9
K303766		8.36	0.13	0.10	2.17	125	190	0.56	0.09	28.7	0.17	30.6	7.2	21	6.95	20.8
K303767		7.47	0.01	0.03	1.73	43	140	0.45	0.07	30.7	0.15	24.4	6.0	17	5.46	16.9
K303768		7.04	0.09	0.03	3.26	267	190	0.69	0.14	23.2	0.23	40.4	11.6	34	8.71	33.1
K303769		7.62	0.06	0.04	3.03	133	190	0.67	0.13	25.0	0.23	46.2	10.0	29	8.74	28.1
K303770		0.22	2.71	0.98	3.17	519	800	0.76	0.27	8.31	2.31	47.6	6.7	51	3.63	42.5
K303771		7.81	0.01	<0.01	0.48	51	100	0.23	0.02	34.9	0.06	9.97	2.2	5	1.18	5.1
K303772		7.32	<0.01	0.02	1.49	1860	110	0.35	0.06	31.2	0.12	26.4	5.4	15	5.05	15.8
K303773		7.70	<0.01	0.02	1.09	1700	120	0.31	0.05	32.7	0.12	18.60	3.9	10	4.43	12.4
K303774		7.32	<0.01	0.01	0.50	28	80	0.14	0.02	34.8	0.04	8.00	2.5	5	1.20	5.3
K303775		7.48	<0.01	0.01	1.12	23	120	0.26	0.05	31.6	0.11	14.55	4.7	11	4.89	10.8
K303776		5.06	<0.01	<0.01	0.18	<5	40	0.12	0.03	20.4	0.06	1.41	3.4	5	0.47	3.3
K303777		7.56	<0.01	<0.01	0.48	13	100	0.21	0.02	33.8	0.06	9.60	2.7	5	2.20	5.8
K303778		7.84	<0.01	0.02	1.14	26	120	0.32	0.04	30.1	0.12	13.75	5.5	12	5.53	13.7
K303779		7.32	<0.01	0.01	0.50	11	100	0.22	0.02	33.7	0.09	8.83	3.1	6	2.42	6.7
K303780		3.39	0.01	<0.01	0.45	8	100	0.21	0.02	33.9	0.07	8.62	2.7	6	2.17	5.7
K303781		7.38	<0.01	0.01	0.66	13	110	0.28	0.03	33.0	0.08	11.15	3.5	6	2.46	8.1
K303782		7.63	<0.01	<0.01	0.32	8	210	0.14	0.02	34.1	0.05	7.39	2.4	4	0.93	5.1
K303783		7.68	<0.01	0.01	0.49	13	350	0.19	0.03	33.7	0.08	9.37	3.1	7	1.64	7.0
K303784		7.04	<0.01	0.04	0.57	14	110	0.23	0.02	33.5	0.07	10.05	3.5	7	2.04	8.1
K303785		7.63	<0.01	0.02	1.01	21	210	0.33	0.04	30.6	0.12	12.40	4.0	10	2.30	9.1
K303786		7.71	<0.01	0.02	0.79	22	150	0.25	0.04	32.4	0.08	12.10	3.9	8	2.98	11.3
K303787		7.76	<0.01	0.01	0.43	20	100	0.17	0.02	34.1	0.04	7.83	2.8	5	1.08	6.4
K303788		0.19	0.34	0.36	5.93	558	310	0.61	0.24	0.48	0.18	124.0	2.9	223	3.47	28.2
K303789		7.76	0.01	0.02	0.41	33	100	0.18	0.02	34.7	0.07	6.93	2.7	5	1.05	5.9
K303790		7.69	0.01	0.01	0.57	20	140	0.23	0.03	34.3	0.05	9.25	3.3	6	3.47	9.0
K303791		7.69	0.01	<0.01	0.26	12	100	0.15	0.01	36.0	0.02	4.84	2.1	3	0.51	4.4
K303792		7.57	<0.01	0.01	0.63	18	110	0.22	0.03	33.1	0.05	9.50	3.6	6	2.06	9.7
K303793		7.39	<0.01	0.03	0.88	29	120	0.28	0.07	33.8	0.17	11.70	4.5	9	2.95	15.0
K303794		7.52	0.01	0.01	0.57	12	150	0.19	0.03	34.3	0.04	9.32	3.3	6	1.93	8.4
K303795		7.58	<0.01	0.01	0.48	11	170	0.22	0.02	34.6	0.04	8.24	3.1	5	1.47	7.4
K303796		7.64	<0.01	0.01	1.20	23	150	0.38	0.05	31.7	0.04	11.95	5.6	13	3.52	14.0
K303797		5.01	<0.01	<0.01	0.11	<5	20	0.06	0.02	20.5	0.07	1.33	2.1	2	0.56	2.7
K303798		7.55	<0.01	0.01	0.62	18	130	0.24	0.03	33.6	0.04	10.80	3.6	8	1.86	9.9
K303799		7.20	<0.01	<0.01	0.25	13	100	0.15	0.01	36.4	0.02	4.78	2.1	4	0.53	4.7
K303800		7.44	<0.01	<0.01	0.23	10	120	0.10	0.01	36.6	0.03	4.05	2.1	3	0.46	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194317

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303765		1.31	4.73	0.05	0.9	1.12	0.020	0.87	13.6	5.9	0.92	356	1.29	0.02	2.7	5.5
K303766		1.42	5.46	0.05	1.1	1.42	0.021	1.02	14.2	6.4	0.78	527	0.78	0.02	3.2	6.5
K303767		1.22	4.29	0.05	0.8	0.61	0.016	0.79	11.6	5.6	0.61	291	0.56	0.02	2.6	4.2
K303768		2.21	8.12	0.08	1.5	4.46	0.031	1.48	18.6	9.6	1.11	519	1.05	0.02	4.7	14.6
K303769		1.88	7.67	0.10	1.5	4.01	0.027	1.42	24.0	9.6	0.82	286	0.74	0.02	4.4	11.7
K303770		2.14	7.93	0.08	1.7	5.12	0.025	1.02	28.8	38.3	2.60	267	18.70	0.03	6.6	46.2
K303771		0.46	1.23	<0.05	0.2	0.89	0.006	0.21	5.1	1.9	0.65	181	0.20	0.01	1.0	<0.2
K303772		1.02	3.81	0.05	0.8	16.2	0.023	0.70	13.1	6.8	0.40	425	0.42	0.01	2.4	4.0
K303773		0.72	2.83	<0.05	0.5	6.40	0.015	0.52	8.9	5.3	0.53	203	0.28	0.01	1.9	1.2
K303774		0.37	1.36	0.07	0.3	1.22	0.006	0.23	3.9	1.6	0.65	167	0.32	0.01	1.1	<0.2
K303775		0.71	2.92	0.09	0.6	0.24	0.012	0.54	7.5	4.1	0.64	139	0.35	0.01	1.9	2.3
K303776		0.48	0.57	0.13	<0.1	0.03	<0.005	0.08	0.7	2.4	12.30	205	0.13	0.01	0.4	3.5
K303777		0.38	1.51	0.14	0.2	0.09	0.006	0.22	4.5	2.4	0.88	174	0.23	0.01	1.1	<0.2
K303778		0.78	3.12	0.12	0.5	0.33	0.010	0.55	6.9	4.7	0.74	132	0.83	0.01	2.0	4.0
K303779		0.35	1.55	0.09	0.2	0.06	0.006	0.23	4.4	3.2	0.51	149	0.33	0.01	1.2	<0.2
K303780		0.30	1.41	0.12	0.2	0.05	0.005	0.20	4.1	2.9	0.47	142	0.27	0.01	1.1	<0.2
K303781		0.41	2.04	0.12	0.3	0.21	0.007	0.31	5.4	3.2	0.48	77	0.25	0.01	1.4	0.9
K303782		0.26	1.11	0.13	0.2	0.09	<0.005	0.14	3.4	1.6	0.76	100	0.19	0.01	0.9	<0.2
K303783		0.35	1.61	0.12	0.2	0.10	0.006	0.22	4.4	2.5	0.69	80	0.24	0.01	1.1	3.8
K303784		0.40	1.80	0.11	0.3	0.07	0.007	0.26	4.7	3.3	0.79	87	0.25	0.01	1.4	1.3
K303785		0.55	2.72	0.11	0.4	0.10	0.009	0.38	6.1	4.2	0.51	93	0.37	0.17	1.7	2.7
K303786		0.53	2.41	0.13	0.4	0.11	0.007	0.37	6.0	4.0	1.33	127	0.44	0.01	1.6	3.1
K303787		0.33	1.37	0.12	0.2	0.25	0.005	0.19	3.7	1.9	1.02	137	0.19	0.01	1.1	1.3
K303788		6.62	19.75	0.33	4.1	9.3	0.045	1.31	59.9	18.2	0.12	33	6.41	0.37	9.6	14.4
K303789		0.28	1.28	0.09	0.2	0.34	0.006	0.18	3.3	2.0	0.48	173	0.19	0.01	1.1	0.2
K303790		0.39	1.77	0.12	0.3	0.19	0.007	0.26	4.3	3.3	0.64	66	0.33	0.01	1.3	2.1
K303791		0.20	0.92	0.13	0.1	0.08	<0.005	0.11	2.1	1.1	0.39	43	0.19	0.01	0.8	0.3
K303792		0.41	2.00	0.13	0.3	0.13	0.009	0.29	4.3	3.3	0.45	62	0.52	0.01	1.3	3.0
K303793		0.54	2.75	0.12	0.4	0.24	0.012	0.42	5.5	4.7	0.67	116	0.68	0.01	1.7	5.1
K303794		0.36	1.76	0.13	0.3	0.05	0.006	0.26	4.1	3.5	0.45	64	0.47	0.02	1.2	2.8
K303795		0.32	1.54	0.13	0.2	0.04	0.005	0.22	3.6	3.0	0.45	93	0.42	0.02	1.2	2.6
K303796		0.76	3.61	0.14	0.5	0.10	0.014	0.57	5.8	6.7	0.58	142	0.27	0.02	2.3	6.5
K303797		0.47	0.63	0.20	<0.1	<0.01	<0.005	0.06	0.6	1.7	12.45	204	0.09	0.01	0.5	2.3
K303798		0.43	2.09	0.18	0.3	0.08	0.006	0.29	4.8	3.7	0.61	89	0.45	0.02	1.4	3.6
K303799		0.19	0.94	0.15	0.1	0.04	<0.005	0.11	2.1	1.5	0.48	68	0.23	0.02	0.9	1.7
K303800		0.18	0.89	0.14	0.1	0.05	<0.005	0.10	1.8	1.4	0.45	82	0.21	0.02	0.8	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194317

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303765		310	7.2	41.3	0.004	1.10	0.76	5.2	2	0.7	1835	0.20	0.05	3.0	0.100	3.65
K303766		360	6.3	47.4	0.003	1.23	2.40	5.8	2	0.7	1850	0.23	0.05	3.4	0.126	4.65
K303767		220	5.1	37.3	0.003	1.04	0.34	4.7	2	0.6	1870	0.19	<0.05	2.7	0.098	2.38
K303768		220	8.5	67.5	0.004	2.10	1.88	9.2	2	1.0	1240	0.35	0.06	4.6	0.220	7.00
K303769		230	8.7	63.7	0.003	1.92	0.57	8.7	2	1.0	1700	0.33	0.06	4.7	0.182	5.95
K303770		870	34.4	50.8	0.024	1.54	110.0	5.4	4	2.4	75.5	0.46	0.20	5.9	0.172	3.66
K303771		290	1.6	9.6	<0.002	0.32	0.31	1.8	1	0.2	2140	0.05	<0.05	0.8	0.024	1.42
K303772		350	4.7	33.8	0.002	1.23	0.85	7.1	2	0.5	1460	0.17	<0.05	2.5	0.088	17.55
K303773		300	3.7	24.7	<0.002	0.82	0.53	3.3	2	0.4	1715	0.12	0.05	1.8	0.062	6.65
K303774		390	1.7	9.9	<0.002	0.30	0.17	1.5	2	0.2	2020	0.05	<0.05	0.8	0.026	0.98
K303775		250	3.3	23.3	<0.002	0.74	0.27	3.0	2	0.4	2150	0.11	<0.05	1.6	0.072	0.62
K303776		160	1.3	3.6	<0.002	0.02	0.06	0.5	1	<0.2	46.6	<0.05	<0.05	<0.2	0.006	0.06
K303777		150	1.6	10.4	<0.002	0.31	0.18	1.9	2	0.2	2240	<0.05	<0.05	0.7	0.025	0.15
K303778		170	3.3	24.2	0.002	0.81	0.44	3.2	2	0.4	1975	0.11	0.05	1.6	0.066	0.63
K303779		100	1.8	11.1	<0.002	0.35	0.23	1.8	2	0.2	1870	0.05	<0.05	0.8	0.027	0.19
K303780		110	1.5	9.6	<0.002	0.29	0.19	1.8	2	0.2	1890	<0.05	<0.05	0.7	0.022	0.14
K303781		120	2.3	14.7	<0.002	0.44	0.29	2.2	2	0.3	2040	0.06	<0.05	1.0	0.034	0.34
K303782		330	1.6	6.7	<0.002	0.24	0.19	1.4	2	0.2	1765	<0.05	<0.05	0.6	0.017	0.13
K303783		270	1.9	10.5	<0.002	0.36	0.21	1.9	2	0.2	1830	0.05	<0.05	0.9	0.027	0.19
K303784		330	2.1	12.3	<0.002	0.40	0.22	2.2	2	0.2	1785	0.06	<0.05	0.9	0.035	0.17
K303785		600	3.0	16.1	<0.002	0.47	0.32	2.8	2	0.3	2160	0.08	<0.05	1.2	0.047	0.28
K303786		400	3.1	16.8	0.002	0.51	0.29	2.5	2	0.3	2140	0.08	<0.05	1.2	0.044	0.31
K303787		250	1.8	9.1	<0.002	0.31	0.24	1.7	2	0.2	1845	<0.05	<0.05	0.7	0.022	0.41
K303788		860	15.2	44.4	0.003	2.90	115.5	15.2	2	2.8	468	0.68	0.14	8.1	0.534	7.26
K303789		290	1.6	8.3	<0.002	0.28	0.47	1.6	2	0.2	2190	<0.05	<0.05	0.6	0.021	0.62
K303790		460	2.2	12.2	<0.002	0.41	0.33	2.1	2	0.2	2470	0.05	<0.05	0.9	0.030	0.43
K303791		540	1.1	4.8	<0.002	0.18	0.18	1.1	2	<0.2	2620	<0.05	<0.05	0.4	0.012	0.13
K303792		640	2.3	13.3	0.002	0.42	0.26	2.2	2	0.2	2740	0.06	<0.05	0.9	0.032	0.25
K303793		390	4.1	19.6	0.003	0.56	0.50	2.6	2	0.4	2170	0.08	<0.05	1.3	0.046	0.62
K303794		380	1.8	11.8	0.002	0.35	0.23	1.9	2	0.2	2820	0.05	<0.05	0.8	0.028	0.19
K303795		820	1.7	10.0	<0.002	0.33	0.20	1.8	2	0.2	2700	<0.05	<0.05	0.7	0.025	0.12
K303796		570	3.4	25.9	0.002	0.85	0.29	3.5	2	0.4	1835	0.11	<0.05	1.6	0.078	0.35
K303797		170	1.2	3.5	<0.002	0.02	0.09	0.7	1	<0.2	43.4	<0.05	<0.05	<0.2	<0.005	0.02
K303798		1100	2.5	13.3	0.003	0.44	0.23	2.1	2	0.2	1945	0.07	<0.05	1.0	0.034	0.25
K303799		750	1.1	5.0	<0.002	0.17	0.14	1.0	2	<0.2	1780	<0.05	<0.05	0.4	0.013	0.11
K303800		610	1.0	4.8	<0.002	0.16	0.16	1.0	2	<0.2	1885	<0.05	<0.05	0.4	0.012	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194317

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303765		3.0	32	1.1	16.5	31	27.0
K303766		2.4	37	1.7	16.0	32	31.5
K303767		2.4	28	1.2	17.3	22	25.0
K303768		2.5	60	4.5	21.5	45	50.1
K303769		2.9	55	3.4	22.8	38	41.1
K303770		8.1	228	28.5	21.2	205	60.4
K303771		1.5	8	0.5	10.4	6	7.8
K303772		2.6	26	2.3	22.1	15	22.6
K303773		1.9	18	1.5	13.6	17	15.8
K303774		1.5	9	0.4	7.5	2	8.3
K303775		1.9	19	0.5	10.5	13	17.9
K303776		0.5	4	0.1	0.8	12	<0.5
K303777		1.4	8	0.2	9.7	5	8.4
K303778		1.6	22	0.6	9.7	15	16.8
K303779		1.3	9	0.1	6.8	6	8.1
K303780		1.3	7	0.1	7.0	5	6.9
K303781		1.8	11	0.4	8.7	6	11.0
K303782		1.4	6	0.2	6.7	2	6.2
K303783		1.7	8	0.3	7.8	4	8.4
K303784		1.5	10	0.3	8.1	6	10.7
K303785		1.8	14	0.4	8.6	12	12.9
K303786		1.7	13	0.6	8.0	5	13.0
K303787		1.4	8	0.4	6.6	2	8.6
K303788		6.5	161	21.5	12.4	41	164.5
K303789		1.3	7	0.4	5.7	4	7.2
K303790		1.9	9	0.3	6.9	8	9.7
K303791		1.6	4	0.2	4.6	3	5.1
K303792		2.1	10	0.2	7.5	7	10.2
K303793		2.0	13	0.7	6.5	18	13.2
K303794		2.0	9	0.2	7.3	7	8.8
K303795		2.0	8	0.3	7.1	6	8.7
K303796		1.8	18	1.3	6.1	9	19.0
K303797		0.5	4	0.1	0.8	12	<0.5
K303798		2.8	10	0.5	8.9	6	10.8
K303799		1.8	4	0.2	4.6	2	4.8
K303800		1.5	4	0.2	3.9	2	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194317

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

CERTIFICATE WH11194258

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 214 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194258

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305095		7.65	2.59	0.14	7.01	6150	240	2.30	0.30	2.22	0.94	68.5	27.9	70	27.4	82.3
K305096		7.30	0.03	0.08	6.52	185.0	210	2.21	0.29	2.09	0.05	64.4	19.3	70	39.9	67.4
K305097		7.55	0.02	0.13	5.69	79.6	160	1.62	0.23	2.07	0.02	54.2	19.2	67	41.8	69.5
K305098		7.40	0.01	0.09	5.66	123.0	180	1.81	0.23	2.18	0.03	58.9	18.4	67	24.7	74.2
K305099		7.50	0.28	0.10	5.20	5580	150	1.46	0.22	2.75	0.04	51.7	20.1	58	16.15	71.5
K305100		4.99	<0.01	0.01	0.07	5	20	0.07	0.02	20.3	0.06	1.08	1.2	1	0.25	2.8
K305101		7.52	0.03	0.08	5.63	389	140	1.54	0.24	1.76	0.05	53.7	17.4	61	18.05	65.0
K305102		7.63	0.04	0.07	5.47	540	160	1.40	0.21	2.25	0.06	52.8	20.3	59	14.90	51.6
K305103		7.50	0.04	0.11	5.24	214	200	1.27	0.22	1.92	0.06	50.7	19.6	59	12.85	51.9
K305104		7.36	0.53	0.10	4.84	3520	200	1.21	0.20	2.24	0.28	44.6	15.8	50	13.15	50.5
K305105		7.19	0.19	0.08	7.36	366	200	2.18	0.32	1.46	0.20	73.1	25.3	69	23.6	62.1
K305106		3.83	0.18	0.09	7.30	429	200	2.08	0.32	1.47	0.22	72.2	25.3	70	22.4	75.4
K305107		6.26	1.73	0.08	3.80	2770	150	0.89	0.15	2.03	0.14	37.8	14.3	50	11.00	42.6
K305108		0.19	2.60	0.95	3.11	590	850	0.61	0.30	7.64	2.05	40.1	6.3	51	3.53	38.6
K305109		7.91	3.23	0.09	3.19	6000	140	0.46	0.11	2.04	0.18	30.8	13.4	48	7.52	52.3
K305110		7.04	0.22	0.06	3.30	883	140	0.70	0.12	2.21	0.09	31.0	11.4	48	9.84	35.1
K305111		6.62	0.02	0.11	5.72	238	180	1.44	0.22	1.41	0.03	55.4	19.7	66	23.1	54.6
K305112		7.45	0.02	0.08	5.02	302	160	1.34	0.18	2.96	0.02	48.0	16.9	56	20.7	54.6
K305113		7.25	0.01	0.11	5.03	255	130	1.30	0.19	2.11	0.02	46.4	16.9	60	20.6	48.2
K305114		7.11	0.04	0.10	5.80	314	160	1.74	0.22	1.91	0.12	54.1	18.9	62	32.6	51.5
K305115		7.42	0.22	0.10	6.66	878	180	1.99	0.26	1.90	0.13	63.2	19.5	73	44.2	60.8
K305116		6.73	0.01	0.08	7.60	471	270	1.89	0.22	2.88	0.05	62.1	21.9	86	62.5	56.1
K305117		7.28	0.01	0.08	6.79	172.5	300	1.85	0.20	4.58	0.06	61.2	18.6	72	49.3	50.7
K305118		8.14	0.02	0.09	7.98	636	210	2.40	0.21	1.85	0.03	55.0	24.8	88	56.7	54.1
K305119		8.06	<0.01	0.06	7.68	75.2	220	2.27	0.23	1.80	0.02	66.2	19.6	92	67.6	52.1
K305120		6.93	<0.01	0.07	7.75	407	240	2.20	0.20	2.39	<0.02	60.5	18.2	83	40.6	50.4
K305121		7.92	0.01	0.10	6.84	464	230	1.81	0.17	6.07	<0.02	61.0	17.6	71	31.7	42.3
K305122		8.14	0.29	0.12	6.60	994	260	1.37	0.25	3.21	0.12	65.3	20.9	65	19.40	60.5
K305123		7.57	0.33	0.11	5.77	369	210	1.56	0.23	2.63	0.14	59.2	17.7	57	29.8	46.1
K305124		7.86	8.90	0.11	5.30	3910	210	1.25	0.20	2.49	0.18	55.0	16.2	57	22.2	45.2
K305125		5.00	0.01	0.01	0.09	<5	20	0.09	0.02	20.1	0.05	1.07	1.7	1	0.25	1.3
K305126		7.62	0.01	0.09	4.96	184.5	340	1.25	0.19	3.27	0.03	51.2	15.5	56	27.0	47.6
K305127		7.87	<0.01	0.08	5.40	111.5	180	1.30	0.18	4.18	0.03	49.0	15.1	61	22.6	55.3
K305128		0.19	0.34	0.37	5.98	600	2260	0.64	0.25	0.43	0.18	123.5	2.9	236	3.39	30.3
K305129		7.76	0.18	0.11	5.19	1935	220	1.16	0.20	2.92	0.03	50.9	16.3	53	16.05	46.3
K305130		7.75	0.04	0.14	6.07	1150	240	1.64	0.26	3.11	0.15	65.9	16.1	59	25.1	43.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194258

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305095		4.94	20.3	0.33	3.2	11.7	0.089	3.21	31.8	18.4	1.32	730	4.13	0.03	12.3	41.0
K305096		4.56	18.55	0.36	3.0	0.50	0.072	2.92	30.0	44.3	1.84	405	0.30	0.03	11.9	35.7
K305097		4.61	15.10	0.33	2.5	0.21	0.059	2.34	25.0	72.6	1.98	495	0.28	0.05	9.7	32.3
K305098		4.45	15.65	0.34	2.6	0.19	0.062	2.43	26.9	51.1	1.81	467	0.28	0.03	10.2	30.9
K305099		4.53	14.85	0.30	2.4	2.85	0.069	2.36	24.0	20.8	1.47	746	0.32	0.02	9.6	33.0
K305100		0.45	0.34	0.19	<0.1	0.01	<0.005	0.03	0.5	1.1	12.55	203	0.12	0.01	0.3	2.9
K305101		4.47	15.75	0.32	2.5	1.07	0.056	2.48	24.5	17.3	1.05	467	0.34	0.02	9.7	30.5
K305102		4.46	15.45	0.31	2.5	1.75	0.054	2.44	24.5	12.2	1.29	586	0.27	0.02	9.6	32.2
K305103		4.15	15.00	0.32	2.4	2.16	0.056	2.40	23.8	10.4	1.13	471	0.32	0.02	9.3	31.5
K305104		4.64	13.45	0.28	2.2	5.60	0.055	2.10	20.6	18.3	1.21	1040	0.38	0.02	8.4	25.9
K305105		5.74	21.5	0.41	3.3	2.96	0.070	3.38	34.1	16.0	1.00	525	0.59	0.03	13.9	40.9
K305106		5.52	20.8	0.41	3.3	2.75	0.068	3.37	33.7	15.1	1.01	536	0.49	0.03	13.5	39.5
K305107		3.61	10.30	0.08	2.0	6.64	0.043	1.66	19.2	20.5	0.96	1080	0.38	0.02	7.0	24.9
K305108		1.98	6.94	<0.05	1.6	5.05	0.029	0.94	26.0	35.4	2.47	262	15.85	0.03	6.6	46.6
K305109		3.70	8.50	0.05	1.8	7.6	0.036	1.32	15.8	24.7	0.91	1280	0.37	0.01	5.6	23.8
K305110		3.15	8.72	0.05	1.7	1.69	0.036	1.39	15.7	17.5	0.97	688	0.31	0.01	5.7	20.4
K305111		4.52	15.40	0.14	2.7	0.87	0.061	2.50	28.2	31.3	0.89	387	0.30	0.02	9.9	33.3
K305112		4.70	13.25	0.12	2.4	0.60	0.056	2.15	24.7	37.4	1.41	984	0.43	0.02	8.6	29.2
K305113		4.26	13.40	0.12	2.4	0.74	0.054	2.10	23.5	42.3	1.10	589	0.32	0.02	8.5	30.9
K305114		4.60	15.60	0.14	2.5	1.00	0.063	2.57	27.5	22.5	1.10	652	0.44	0.02	9.4	33.0
K305115		5.31	18.10	0.15	3.0	1.47	0.073	2.97	32.1	24.0	1.18	663	0.64	0.02	10.9	34.9
K305116		4.91	20.5	0.17	2.5	1.26	0.077	3.35	31.9	52.3	1.38	484	0.35	0.03	9.7	33.3
K305117		4.60	18.10	0.15	2.4	1.11	0.070	3.00	31.7	35.5	1.31	617	0.33	0.02	8.8	28.0
K305118		5.28	20.6	0.17	2.4	1.47	0.085	3.43	27.0	88.3	1.12	356	0.30	0.03	9.0	39.2
K305119		5.25	21.2	0.19	2.6	0.50	0.080	3.41	33.4	103.0	1.23	416	0.23	0.03	9.9	27.6
K305120		5.41	20.9	0.19	2.4	1.17	0.080	3.25	30.0	60.4	1.16	424	0.20	0.03	9.6	30.3
K305121		5.02	17.95	0.15	2.3	1.04	0.070	2.91	31.5	30.6	1.82	1110	0.18	0.03	8.2	28.1
K305122		4.89	17.40	0.16	2.8	2.04	0.067	2.50	32.6	27.7	1.37	780	0.64	0.02	10.4	37.5
K305123		4.12	15.50	0.16	2.7	2.02	0.060	2.60	30.2	24.8	1.33	575	0.73	0.03	10.0	31.1
K305124		4.18	14.50	0.15	2.6	1.2	0.055	2.37	27.8	17.7	1.11	784	0.35	0.02	10.0	28.4
K305125		0.46	0.38	0.31	<0.1	0.01	<0.005	0.03	0.5	1.7	12.60	208	0.06	<0.01	0.4	1.9
K305126		3.68	13.20	0.12	2.4	0.43	0.057	2.17	26.1	60.8	1.57	546	0.38	0.03	8.8	26.8
K305127		4.18	13.90	0.12	2.5	0.43	0.054	2.38	24.7	57.1	2.19	708	0.32	0.03	9.4	27.8
K305128		6.32	19.85	0.22	3.9	9.3	0.048	1.27	61.8	20.6	0.12	34	6.05	0.36	10.0	15.9
K305129		4.02	14.15	0.13	2.4	1.69	0.056	2.24	25.7	20.2	1.36	551	0.29	0.02	8.9	27.2
K305130		4.43	16.30	0.17	3.0	1.37	0.066	2.72	33.2	24.6	1.42	733	0.35	0.03	11.3	28.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194258

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305095		700	28.2	160.0	<0.002	4.54	31.0	22.8	3	5.3	126.5	0.93	0.08	11.7	0.546	38.1
K305096		510	13.3	155.0	<0.002	1.92	0.88	20.3	3	3.8	82.9	0.89	0.06	11.0	0.533	3.26
K305097		480	13.9	127.5	<0.002	0.31	0.59	17.1	3	4.7	73.6	0.72	0.05	9.3	0.468	1.08
K305098		540	10.8	125.5	<0.002	1.12	0.49	18.0	3	5.4	83.7	0.74	0.06	9.3	0.476	1.52
K305099		430	12.2	117.5	<0.002	4.22	16.80	17.1	3	4.8	112.0	0.70	0.07	8.8	0.446	7.14
K305100		180	1.4	1.6	<0.002	0.01	0.13	0.3	1	0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.02
K305101		580	14.4	120.0	<0.002	4.33	2.74	17.2	3	4.2	84.8	0.73	0.05	9.5	0.465	2.98
K305102		450	15.3	118.0	<0.002	4.26	3.32	17.1	3	2.5	105.5	0.70	0.06	8.8	0.451	3.33
K305103		470	14.3	111.0	<0.002	3.87	2.14	16.8	3	2.6	138.0	0.68	0.06	9.0	0.449	5.46
K305104		360	13.9	97.2	<0.002	4.28	9.71	17.1	3	2.5	114.5	0.62	0.06	7.8	0.394	17.80
K305105		590	19.9	174.0	<0.002	5.85	7.21	23.7	4	2.6	74.1	1.02	0.08	12.6	0.575	11.10
K305106		580	19.0	168.0	<0.002	5.59	5.90	22.9	4	4.5	71.4	1.02	0.08	12.4	0.575	9.71
K305107		330	9.4	90.9	<0.002	3.07	22.5	12.3	2	2.2	104.5	0.49	0.05	6.8	0.370	25.6
K305108		870	36.1	49.2	0.021	1.53	105.5	4.7	4	2.4	69.1	0.40	0.21	6.3	0.165	3.61
K305109		240	9.2	64.0	<0.002	3.09	31.1	10.4	2	3.5	104.0	0.38	0.05	5.7	0.352	32.4
K305110		260	11.6	77.8	<0.002	2.48	3.39	9.5	2	1.6	91.7	0.39	<0.05	5.8	0.340	5.28
K305111		440	15.9	153.0	<0.002	4.35	1.39	15.8	2	2.6	94.9	0.67	0.06	9.7	0.487	6.52
K305112		420	12.8	132.0	<0.002	4.01	1.61	14.0	2	3.3	116.0	0.59	0.05	8.2	0.432	5.50
K305113		380	13.3	131.5	<0.002	3.93	1.31	14.3	2	2.2	104.5	0.60	0.06	8.4	0.436	5.68
K305114		460	17.7	162.0	<0.002	4.42	2.72	16.3	2	2.4	92.0	0.63	0.05	9.5	0.447	6.66
K305115		440	16.7	186.0	<0.002	5.14	3.48	18.8	2	3.0	92.3	0.77	0.07	11.2	0.488	7.16
K305116		220	13.4	184.5	0.002	2.55	0.45	24.0	2	3.0	160.5	0.68	<0.05	10.2	0.416	3.51
K305117		290	10.9	169.0	0.003	3.82	0.46	19.6	2	2.7	155.0	0.62	<0.05	9.8	0.381	4.20
K305118		310	18.2	176.5	0.003	4.02	0.83	23.7	2	3.0	111.0	0.63	<0.05	9.5	0.392	4.43
K305119		230	10.0	186.5	<0.002	1.40	0.29	25.1	2	2.7	115.5	0.68	<0.05	10.7	0.436	2.58
K305120		300	10.5	161.0	0.002	4.72	2.04	22.9	2	2.5	138.0	0.66	<0.05	9.6	0.410	6.88
K305121		250	10.8	152.5	0.002	3.63	3.56	22.1	2	2.5	211	0.57	<0.05	9.1	0.344	6.57
K305122		600	22.7	136.0	<0.002	4.57	4.73	18.5	2	3.5	239	0.72	0.07	10.6	0.452	7.94
K305123		460	13.9	145.0	<0.002	3.47	3.32	15.5	2	2.6	85.6	0.69	0.06	10.3	0.419	5.79
K305124		460	7.8	131.0	<0.002	3.74	39.4	14.0	2	2.5	83.9	0.65	0.09	9.2	0.419	47.7
K305125		160	1.4	1.7	<0.002	0.01	0.15	0.4	1	<0.2	41.6	<0.05	<0.05	<0.2	<0.005	0.11
K305126		440	11.1	97.5	<0.002	1.57	1.12	13.7	2	2.8	115.5	0.60	0.05	8.9	0.396	1.92
K305127		520	8.8	114.5	<0.002	1.46	1.04	14.7	2	2.7	120.0	0.62	0.06	9.1	0.437	1.50
K305128		870	16.6	50.7	0.002	2.99	122.5	15.5	3	3.1	504	0.70	0.15	9.6	0.529	7.45
K305129		440	12.0	95.9	<0.002	3.14	6.36	14.6	2	2.5	117.5	0.62	0.06	9.3	0.384	5.06
K305130		520	16.1	146.0	<0.002	3.52	3.72	15.3	2	2.7	107.0	0.79	0.07	11.8	0.425	4.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194258

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305095		2.2	152	6.3	23.2	388	118.5
K305096		2.0	138	1.3	20.9	62	110.5
K305097		1.7	126	1.2	18.9	52	93.0
K305098		1.8	128	1.2	20.4	53	96.1
K305099		1.6	119	4.1	18.2	57	90.3
K305100		0.5	2	0.1	0.9	14	<0.5
K305101		1.8	123	4.4	19.0	71	92.9
K305102		1.6	121	6.1	18.5	63	93.5
K305103		1.7	120	7.7	17.4	63	90.7
K305104		1.5	106	7.7	15.8	92	80.5
K305105		2.3	149	9.9	25.5	94	123.5
K305106		2.3	149	9.9	23.8	97	119.5
K305107		1.3	102	5.0	15.6	56	64.2
K305108		7.9	228	24.3	20.8	207	54.0
K305109		1.1	106	6.4	12.7	54	58.4
K305110		1.1	96	3.6	13.5	54	58.0
K305111		1.8	133	3.7	21.4	67	89.7
K305112		1.6	118	3.7	20.0	60	76.4
K305113		1.6	117	3.4	19.0	59	77.0
K305114		1.8	125	3.8	20.9	84	81.8
K305115		2.1	142	5.4	23.9	93	95.8
K305116		1.8	151	1.5	21.0	100	81.0
K305117		1.8	132	3.2	23.6	89	77.9
K305118		2.0	156	6.5	20.0	92	75.1
K305119		1.8	149	1.1	23.4	84	83.3
K305120		1.9	149	4.3	21.8	61	77.3
K305121		1.8	136	5.8	23.6	45	72.0
K305122		2.0	130	7.3	24.1	84	90.9
K305123		2.0	112	2.4	21.6	94	89.3
K305124		1.8	109	5.5	21.9	54	88.5
K305125		0.5	3	0.1	0.8	14	<0.5
K305126		1.8	105	2.9	20.5	55	81.7
K305127		1.7	113	4.4	21.0	54	81.0
K305128		7.3	162	20.8	15.8	42	148.5
K305129		1.8	104	8.9	19.3	45	78.5
K305130		2.4	103	6.8	24.0	99	97.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194258

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE WH11194259

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 215 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194259

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303801		7.28	<0.01	0.01	0.66	28	150	0.21	0.02	34.0	0.03	10.70	2.4	7	2.26	7.1
K303802		7.53	<0.01	0.01	0.49	16	120	0.19	0.02	34.1	0.03	8.22	1.8	5	1.89	5.6
K303803		7.62	<0.01	0.01	0.67	23	120	0.32	0.02	32.1	0.03	10.15	2.5	7	2.99	7.2
K303804		7.69	0.01	0.04	1.72	85	160	0.46	0.06	28.2	0.08	23.5	6.1	19	5.31	17.4
K303805		0.26	0.34	0.37	6.14	609	2320	0.69	0.27	0.44	0.18	132.0	3.0	242	3.59	31.2
K303806		7.50	0.01	0.07	2.31	80	170	0.67	0.09	26.2	0.15	32.7	7.8	27	10.90	25.4
K303807		7.31	<0.01	0.06	1.97	34	150	0.64	0.08	27.1	0.17	28.8	6.8	21	9.48	22.4
K303808		9.15	<0.01	0.06	1.84	27	140	0.58	0.07	28.1	0.17	29.0	6.7	21	9.33	22.3
K303809		7.87	<0.01	0.12	3.70	66	1110	0.94	0.15	21.3	0.27	47.0	11.7	40	14.05	39.9
K303810		3.73	0.01	0.11	3.35	60	1160	0.84	0.14	20.8	0.26	41.0	10.8	37	11.50	36.0
K303811		7.58	0.01	0.07	1.74	49	280	0.54	0.07	28.7	0.18	26.7	5.8	19	5.54	21.0
K303812		7.34	<0.01	0.10	4.12	83	330	1.05	0.15	16.40	0.21	45.6	15.8	55	13.45	44.3
K303813		7.83	<0.01	0.11	3.59	26	270	0.90	0.13	19.45	0.20	36.0	15.1	53	12.15	47.3
K303814		8.26	<0.01	0.13	4.35	32	280	1.18	0.21	15.70	0.32	51.4	16.6	50	15.20	55.5
K303815		7.61	<0.01	0.11	5.79	57	400	1.60	0.23	10.00	0.33	53.0	24.1	70	27.1	70.6
K303816		7.87	<0.01	0.17	5.26	123	310	1.39	0.24	10.60	0.56	52.3	20.3	66	22.1	67.2
K303817		8.00	<0.01	0.17	5.32	195	440	1.44	0.25	12.30	0.49	56.5	20.5	67	20.8	68.2
K303818		7.30	0.05	0.14	5.28	386	330	1.38	0.22	12.40	0.53	49.2	18.9	68	19.55	61.4
K303819		7.57	<0.01	0.09	4.06	40	280	1.00	0.17	20.7	0.34	41.7	14.4	54	13.05	42.9
K303820		5.03	0.01	0.03	0.07	<5	20	0.06	0.03	19.70	0.06	1.07	0.9	<1	0.29	1.9
K303821		7.04	<0.01	0.13	5.76	18	350	1.65	0.27	10.70	0.52	61.4	19.5	67	26.3	64.3
K303822		7.65	0.01	0.12	4.64	5	310	1.20	0.21	15.75	0.41	51.1	15.9	56	22.6	52.3
K303823		7.89	<0.01	0.12	3.98	16	290	1.16	0.18	19.65	0.35	40.9	12.6	43	16.15	44.4
K303824		5.05	<0.01	0.02	0.10	<5	1170	0.07	0.03	20.8	0.06	1.22	0.7	1	0.45	1.8
K303825		8.01	<0.01	0.14	5.22	25	340	1.46	0.25	13.45	0.36	62.4	16.6	59	17.75	65.2
K303826		8.21	<0.01	0.14	5.79	24	360	1.59	0.28	10.95	0.35	59.9	18.1	65	22.2	66.6
K303827		7.83	<0.01	0.11	4.02	19	300	1.13	0.19	19.75	0.30	46.9	12.4	41	15.20	45.1
K303828		7.21	<0.01	0.12	4.27	22	340	1.31	0.22	17.00	0.44	50.5	12.3	43	15.95	46.4
K303829		8.22	<0.01	0.09	3.36	18	240	1.10	0.17	23.7	0.26	38.6	10.4	32	12.75	39.4
K303830		7.82	<0.01	0.05	1.31	9	160	0.55	0.07	30.4	0.10	17.65	4.1	13	4.68	16.3
K303831		0.26	2.64	1.06	3.10	570	820	0.75	0.31	7.74	2.20	44.9	6.6	51	3.77	40.1
K303832		7.68	<0.01	0.15	4.14	19	310	1.19	0.21	18.40	0.24	49.8	13.7	44	15.35	49.1
K303833		8.54	<0.01	0.14	4.67	24	350	1.27	0.25	17.00	0.31	55.4	14.6	46	16.65	54.7
K303834		7.76	<0.01	0.09	3.78	11	250	1.25	0.18	21.2	0.21	44.7	10.9	36	16.60	39.7
K303835		7.97	0.01	0.14	5.25	26	320	1.63	0.26	13.00	0.28	60.4	16.3	53	17.30	60.3
K303836		6.99	<0.01	0.12	5.58	92	340	1.61	0.30	13.10	0.30	65.2	19.1	56	19.05	71.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194259

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303801		0.43	1.48	<0.05	0.3	0.09	0.008	0.29	5.0	4.0	0.51	76	0.37	0.02	1.2	2.5
K303802		0.36	1.12	0.05	0.2	0.05	0.006	0.22	3.9	3.3	0.53	196	0.32	0.02	1.1	1.9
K303803		0.55	1.48	<0.05	0.3	0.10	0.007	0.30	4.9	4.5	0.63	171	0.38	0.01	1.4	2.6
K303804		1.08	3.85	<0.05	0.9	0.17	0.018	0.77	11.1	9.1	0.77	162	0.72	0.02	2.9	8.8
K303805		6.51	20.5	0.24	3.9	10.0	0.049	1.31	66.1	20.6	0.12	35	6.37	0.37	10.1	16.2
K303806		1.51	5.08	<0.05	1.1	0.12	0.024	0.98	15.9	13.2	1.26	344	1.13	0.07	3.5	13.2
K303807		1.33	4.54	<0.05	0.9	0.09	0.021	0.83	13.4	12.2	0.92	416	1.05	0.07	3.2	11.1
K303808		1.25	4.18	<0.05	0.9	0.08	0.019	0.75	13.2	10.2	0.83	344	0.94	0.09	3.0	10.9
K303809		2.24	8.47	<0.05	1.6	0.19	0.035	1.52	22.0	14.9	1.35	510	2.18	0.06	5.5	21.2
K303810		1.97	7.79	<0.05	1.5	0.19	0.033	1.35	19.5	12.7	1.03	439	2.08	0.05	5.3	19.2
K303811		1.27	3.85	<0.05	0.8	0.10	0.020	0.72	12.4	8.8	0.87	202	1.34	0.02	2.8	10.5
K303812		3.09	10.05	<0.05	1.8	0.17	0.046	1.65	22.9	43.4	1.36	358	1.11	0.09	5.9	27.2
K303813		2.63	8.66	0.11	1.8	0.12	0.042	1.28	17.1	33.8	0.95	336	1.26	0.39	4.4	24.3
K303814		3.54	11.55	0.14	2.3	0.21	0.046	1.82	24.1	44.6	1.48	495	2.60	0.06	5.8	32.8
K303815		3.80	15.50	0.13	2.6	0.29	0.065	2.36	25.8	101.0	1.27	421	1.97	0.06	7.5	41.9
K303816		4.00	14.25	0.13	2.6	0.93	0.055	2.12	26.6	100.5	1.05	418	4.41	0.05	7.3	40.1
K303817		3.80	14.25	0.14	2.7	1.27	0.058	2.14	27.3	67.4	1.01	447	4.90	0.05	7.3	41.9
K303818		3.67	13.95	0.13	2.5	2.21	0.055	2.08	23.6	63.3	0.91	550	3.45	0.05	7.1	38.4
K303819		3.03	10.20	0.11	1.9	1.00	0.036	1.60	19.7	38.1	1.07	449	2.01	0.05	5.2	25.5
K303820		0.44	0.23	0.05	<0.1	<0.01	<0.005	0.03	0.5	1.2	12.10	198	0.08	0.01	0.1	1.7
K303821		3.93	15.20	0.14	3.2	0.38	0.089	2.30	30.4	60.1	1.01	337	3.52	0.09	8.0	39.6
K303822		3.49	11.60	0.15	2.4	0.18	0.065	1.82	24.7	65.1	0.92	307	2.93	0.12	6.2	33.3
K303823		2.83	10.10	0.09	1.8	0.14	0.044	1.53	19.9	64.5	1.03	327	2.45	0.07	5.2	26.8
K303824		0.47	0.30	<0.05	<0.1	<0.01	<0.005	0.05	0.6	1.5	12.60	206	0.16	0.01	0.2	1.9
K303825		3.51	14.30	0.14	2.5	0.15	0.055	2.06	29.3	103.0	1.26	378	3.48	0.11	6.9	35.1
K303826		3.86	14.65	0.11	2.9	0.17	0.057	2.28	30.9	91.0	1.05	350	3.65	0.08	7.6	39.6
K303827		2.71	10.25	0.10	2.0	0.14	0.037	1.63	21.7	39.7	1.15	358	2.17	0.04	5.2	25.0
K303828		2.80	10.95	0.12	2.1	0.57	0.047	1.75	24.6	35.9	1.08	295	2.95	0.04	5.8	28.1
K303829		1.76	8.63	0.10	1.6	0.24	0.037	1.38	18.5	27.0	0.78	189	1.94	0.04	4.4	21.5
K303830		0.98	3.34	0.06	0.6	0.04	0.014	0.54	7.5	7.7	0.69	180	0.90	0.02	1.7	8.5
K303831		2.00	7.42	0.11	1.8	4.20	0.023	0.98	26.1	36.9	2.43	258	18.25	0.03	6.4	49.8
K303832		2.71	10.95	0.10	2.3	0.12	0.042	1.73	22.7	22.5	1.08	364	1.64	0.04	5.7	27.9
K303833		2.95	12.05	0.12	2.3	0.13	0.046	1.96	26.7	20.3	1.04	307	2.39	0.05	6.0	30.7
K303834		2.35	9.40	0.11	1.8	0.10	0.035	1.57	21.8	15.1	0.96	473	1.56	0.08	5.1	22.9
K303835		2.81	13.75	0.12	2.4	0.29	0.052	2.28	28.7	18.7	1.10	368	2.29	0.05	7.1	33.0
K303836		3.09	15.35	0.15	2.7	0.39	0.055	2.40	31.6	17.6	1.37	518	2.53	0.05	7.5	37.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194259

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303801		950	2.3	12.4	0.002	0.45	0.23	2.0	2	0.3	2150	0.06	<0.05	1.0	0.037	0.24
K303802		790	1.9	8.8	0.002	0.33	0.18	1.4	2	0.2	1945	0.05	<0.05	0.8	0.026	0.14
K303803		730	2.5	12.6	0.002	0.43	0.25	2.0	2	0.2	2250	0.07	<0.05	1.1	0.038	0.24
K303804		1130	5.5	35.0	0.004	1.10	0.46	4.9	2	0.6	1895	0.18	<0.05	2.8	0.115	0.48
K303805		910	17.3	51.6	0.003	3.08	125.0	16.0	3	3.1	520	0.70	0.16	10.2	0.541	7.66
K303806		1320	7.1	45.9	0.007	1.33	0.69	6.3	2	0.7	1585	0.23	0.05	3.6	0.145	0.42
K303807		1040	6.1	41.1	0.005	1.08	0.53	5.8	2	0.6	1590	0.20	<0.05	3.1	0.119	0.27
K303808		1190	6.2	36.7	0.005	1.04	0.48	5.7	2	0.6	1655	0.18	0.05	2.9	0.114	0.25
K303809		1460	12.8	73.3	0.010	1.99	0.73	10.0	2	1.2	1440	0.37	0.06	5.4	0.229	0.50
K303810		1460	11.7	67.9	0.009	1.82	0.68	8.8	2	1.1	1610	0.35	0.06	5.1	0.215	0.48
K303811		1640	6.1	34.2	0.006	1.01	0.41	5.6	2	0.7	2610	0.17	0.05	2.9	0.103	0.25
K303812		1230	11.2	81.8	0.007	2.80	0.56	13.2	2	1.3	1380	0.39	0.06	6.0	0.294	0.59
K303813		740	9.1	59.0	0.004	1.98	0.43	11.9	2	1.0	1385	0.35	0.05	4.0	0.327	0.51
K303814		940	13.5	87.0	0.011	2.66	0.60	13.6	3	1.4	1200	0.47	0.07	5.9	0.277	0.89
K303815		680	15.8	116.5	0.007	3.22	0.60	17.6	2	1.8	695	0.58	0.05	7.1	0.446	0.97
K303816		1050	17.1	95.5	0.017	3.66	0.68	16.3	3	1.7	843	0.56	0.08	7.0	0.375	1.08
K303817		1260	16.7	106.0	0.012	3.44	0.92	16.8	3	1.7	1085	0.57	0.07	7.3	0.356	1.04
K303818		930	14.8	104.5	0.012	3.49	1.60	15.2	3	1.6	689	0.56	0.06	6.4	0.358	1.49
K303819		1290	10.7	73.4	0.009	2.34	0.37	11.6	2	1.2	1700	0.40	<0.05	5.0	0.281	0.77
K303820		180	1.6	1.6	<0.002	0.01	<0.05	0.3	<1	0.2	43.5	<0.05	<0.05	<0.2	<0.005	0.02
K303821		1010	17.7	113.5	0.012	3.19	0.64	15.6	4	1.9	1040	0.59	0.05	7.7	0.380	0.77
K303822		910	14.4	85.7	0.012	2.69	0.52	12.9	2	1.5	1385	0.50	<0.05	6.3	0.326	0.54
K303823		1040	11.7	73.8	0.012	1.94	0.36	11.0	2	1.2	1725	0.41	0.06	5.3	0.247	0.46
K303824		370	1.6	2.5	<0.002	0.04	<0.05	0.4	<1	0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.03
K303825		1680	14.6	99.0	0.016	2.44	0.46	16.8	4	1.7	1390	0.53	0.08	7.4	0.304	0.62
K303826		1340	18.0	107.5	0.015	3.01	0.50	16.9	3	1.8	1055	0.65	0.05	8.3	0.360	0.75
K303827		1300	12.6	78.0	0.011	2.06	0.36	11.0	3	1.3	1600	0.45	0.05	5.6	0.233	0.44
K303828		1100	13.5	92.9	0.014	2.38	0.45	11.6	3	1.4	1490	0.46	0.07	6.4	0.235	0.53
K303829		1000	10.0	70.5	0.014	1.58	0.35	8.0	2	1.1	1580	0.34	<0.05	4.7	0.173	0.42
K303830		1000	4.8	27.9	0.003	0.73	0.11	3.7	1	0.5	1610	0.13	<0.05	1.9	0.071	0.18
K303831		850	37.7	45.6	0.027	1.50	101.0	5.2	5	2.3	70.6	0.44	0.14	6.3	0.165	3.88
K303832		1080	12.8	88.4	0.008	2.22	0.41	12.0	2	1.4	1455	0.45	0.05	6.1	0.256	1.02
K303833		1330	15.7	92.1	0.014	2.54	0.49	11.8	3	1.4	1275	0.51	0.07	6.6	0.249	1.66
K303834		1030	12.4	80.8	0.006	2.00	0.34	9.3	1	1.3	1370	0.41	0.06	5.6	0.212	1.14
K303835		990	16.6	119.5	0.012	2.45	0.48	12.3	3	1.8	1005	0.52	0.05	7.6	0.290	1.45
K303836		1640	17.9	122.0	0.017	2.49	0.63	14.7	4	2.0	851	0.61	0.07	8.1	0.300	1.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194259

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303801		2.4	12	0.5	9.2	8	8.6
K303802		2.1	10	0.3	6.6	7	7.0
K303803		2.0	13	0.5	7.9	11	9.6
K303804		2.9	32	1.7	13.9	24	25.1
K303805		7.6	169	21.6	16.2	44	153.0
K303806		3.6	48	0.7	22.1	32	32.9
K303807		3.0	41	0.4	19.5	31	28.1
K303808		3.2	40	0.4	19.6	28	26.7
K303809		4.5	79	1.5	25.8	45	49.4
K303810		4.1	71	1.5	24.0	43	47.0
K303811		3.6	39	1.3	17.5	25	24.9
K303812		3.0	100	3.1	25.6	60	56.4
K303813		2.5	92	0.8	21.7	58	53.9
K303814		4.2	96	0.8	26.7	66	66.7
K303815		2.7	134	1.2	23.5	87	81.8
K303816		4.4	126	1.6	23.8	90	78.2
K303817		4.5	124	1.4	26.9	82	84.8
K303818		3.5	122	1.8	24.4	80	77.5
K303819		3.5	88	1.0	24.9	54	61.2
K303820		0.5	1	0.1	0.8	12	<0.5
K303821		3.6	120	1.4	23.1	87	87.2
K303822		3.2	98	1.1	21.9	76	70.8
K303823		3.1	78	1.1	22.1	58	57.5
K303824		0.4	2	0.1	0.9	13	<0.5
K303825		4.5	109	2.1	32.2	75	78.5
K303826		4.3	121	1.9	31.8	85	83.1
K303827		3.6	74	0.9	22.6	56	59.2
K303828		4.4	80	1.0	26.8	63	64.7
K303829		3.7	59	0.8	17.5	47	48.1
K303830		2.6	23	0.4	11.7	18	21.1
K303831		8.2	223	27.5	20.8	200	58.4
K303832		3.5	76	1.1	23.5	56	63.2
K303833		4.1	82	1.1	26.6	67	65.5
K303834		3.5	61	1.0	22.4	49	58.9
K303835		4.3	93	1.3	25.4	72	76.6
K303836		4.6	100	1.4	32.2	82	81.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194259

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE WH11194255

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 216 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194255

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304262		10.16	0.24	0.06	2.24	9280	110	0.72	0.06	25.5	0.08	25.0	3.8	21	6.27	19.7
K304263		5.17	0.01	0.03	2.06	42	110	0.66	0.06	26.5	0.07	21.0	3.5	17	5.96	14.6
K304264		5.78	0.10	0.06	3.67	159	130	1.12	0.09	20.6	0.03	37.0	6.6	27	13.40	16.8
K304265		5.84	0.05	0.09	3.53	213	190	1.06	0.08	11.15	0.04	47.3	5.6	29	13.25	13.5
K304266		6.86	0.62	0.05	2.29	781	170	0.60	0.06	19.90	0.16	32.7	3.2	18	5.98	15.1
K304267		0.26	2.69	0.99	3.30	616	880	0.69	0.30	8.29	2.32	51.4	7.6	50	4.29	46.8
K304268		7.62	0.20	0.04	1.13	255	70	0.31	0.03	30.5	0.17	17.00	2.2	10	2.60	6.8
K304269		6.19	0.94	0.08	2.24	509	140	0.53	0.05	22.6	0.11	30.1	4.8	18	5.43	11.9
K304270		8.01	2.10	0.13	3.13	888	290	0.70	0.07	18.60	0.15	41.8	6.2	24	9.85	16.8
K304271		6.83	4.63	0.64	4.02	1900	380	0.83	0.09	11.45	0.46	52.4	7.8	38	11.45	26.4
K304272		6.51	0.96	0.10	1.06	441	80	0.26	0.03	30.4	0.31	17.25	2.4	10	2.26	7.5
K304273		6.09	0.70	0.10	0.44	803	70	0.20	0.02	35.2	0.13	6.00	1.3	3	0.97	4.2
K304274		5.04	5.87	0.83	1.83	>10000	100	0.34	0.06	19.85	0.64	19.50	3.8	15	3.57	15.3
K304275		2.54	5.28	0.73	1.79	>10000	100	0.34	0.05	20.1	0.64	19.60	3.3	16	3.59	13.0
K304276		3.07	8.08	0.75	2.76	>10000	150	0.54	0.07	11.55	0.71	48.9	4.7	28	5.95	22.2
K304277		3.11	0.14	0.08	0.62	493	50	0.20	0.02	35.6	0.14	10.25	1.8	5	1.67	5.2
K304278		5.90	0.34	0.22	1.10	903	90	0.30	0.04	27.9	8.65	13.30	2.5	11	4.16	11.0
K304279		5.79	0.47	0.11	0.98	710	50	0.34	0.03	19.00	0.04	15.25	2.2	6	2.17	6.0
K304280		6.59	0.21	0.08	0.62	1460	40	0.21	0.02	20.3	0.08	10.05	1.7	6	1.24	4.2
K304281		5.02	<0.01	0.01	0.09	19	20	0.06	0.03	21.9	0.06	1.37	1.4	1	0.34	1.5
K304282		7.39	0.07	0.07	0.60	244	50	0.19	0.02	20.3	0.21	8.32	1.6	7	1.10	4.4
K304283		0.26	7.78	0.47	3.64	1070	170	0.86	0.64	12.80	4.30	48.4	6.2	89	7.86	35.8
K304284		6.91	0.02	0.05	0.72	113	50	0.27	0.02	21.5	0.09	7.87	1.4	7	1.72	14.4
K304285		7.16	<0.01	0.02	0.67	24	30	0.26	0.02	21.6	0.02	8.11	1.3	4	1.58	3.3
K304286		7.58	0.01	0.03	0.78	67	50	0.33	0.02	21.2	0.03	10.85	1.6	5	2.17	4.8
K304287		7.75	0.02	0.08	0.78	224	40	0.26	0.03	20.0	0.04	12.25	2.6	7	2.24	8.2
K304288		7.88	0.01	0.09	0.65	197	50	0.23	0.02	19.75	0.09	13.15	2.9	5	1.48	7.9
K304289		5.00	<0.01	0.01	0.08	<5	20	0.07	0.01	21.6	0.06	1.60	1.4	1	0.33	1.8
K304290		7.61	0.02	0.02	0.73	110	70	0.29	0.02	18.95	0.04	12.30	1.8	4	1.65	5.0
K304291		4.80	0.05	0.02	0.47	1990	30	0.23	0.02	19.45	0.02	8.28	1.6	4	0.73	4.0
K304292		3.57	0.08	0.02	1.08	813	120	0.33	0.03	18.25	0.13	15.85	2.4	7	2.50	8.1
K304293		5.56	0.03	0.14	8.74	398	420	3.06	0.35	1.77	0.11	92.9	18.5	64	30.6	38.6
K304294		7.90	<0.01	0.09	4.71	89	190	1.37	0.16	16.60	0.09	49.5	6.4	31	18.45	16.6
K304295		8.08	<0.01	0.14	2.06	25	100	0.57	0.06	18.80	0.06	27.8	4.0	16	6.76	10.1
K304296		7.90	<0.01	0.56	3.12	31	160	0.91	0.07	12.40	0.39	43.3	6.1	31	10.20	15.3
K304297		7.97	<0.01	0.32	3.28	27	360	0.97	0.09	15.75	0.24	40.4	7.5	26	13.50	23.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194255

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304262		0.92	5.74	0.06	1.1	3.62	0.023	1.16	15.7	12.7	1.83	429	0.63	0.02	3.6	11.1
K304263		0.73	5.14	0.05	0.9	0.16	0.015	1.15	13.6	11.0	1.45	152	0.22	0.02	3.3	9.6
K304264		1.45	9.07	0.08	1.4	0.64	0.021	1.99	21.5	20.1	1.92	323	0.54	0.02	4.8	16.5
K304265		1.57	9.45	0.09	3.1	1.11	0.026	1.93	24.1	18.4	5.43	480	0.80	0.03	5.9	13.8
K304266		1.02	5.65	0.08	2.1	3.87	0.017	1.10	17.1	10.3	3.29	1020	0.38	0.01	4.1	7.7
K304267		2.14	8.49	0.09	1.9	4.76	0.029	1.04	32.1	38.9	2.65	282	20.1	0.03	7.4	56.4
K304268		0.55	2.81	0.06	0.8	2.02	0.009	0.59	10.0	3.9	1.58	782	0.39	0.01	2.0	4.4
K304269		0.95	5.61	0.08	1.7	6.00	0.018	1.15	16.2	9.2	2.64	1920	0.45	0.01	3.8	8.9
K304270		1.14	8.33	0.08	2.9	19.2	0.024	1.61	21.9	15.3	2.72	4280	0.59	0.02	6.0	11.7
K304271		1.45	10.85	0.09	3.0	25.5	0.025	1.95	28.3	22.1	1.90	3210	1.47	0.02	8.1	19.2
K304272		0.39	2.81	0.06	0.7	6.14	0.013	0.56	9.8	4.0	0.66	1700	0.83	0.01	2.0	4.8
K304273		0.13	2.24	0.05	0.3	3.40	0.016	0.21	3.5	1.8	0.24	17100	0.28	<0.01	0.9	2.0
K304274		0.74	5.41	0.07	1.1	22.2	0.035	0.91	11.3	10.2	0.70	5830	0.96	0.01	3.0	8.2
K304275		0.68	5.24	0.06	1.0	20.7	0.037	0.89	11.1	9.2	0.60	5670	1.06	0.01	2.9	7.3
K304276		1.24	7.95	0.08	2.0	22.7	0.054	1.32	26.4	13.1	2.21	2740	1.55	0.01	5.1	11.0
K304277		0.28	1.52	0.05	0.4	1.63	0.006	0.29	6.6	2.7	0.55	587	0.38	0.01	1.1	3.0
K304278		0.64	3.06	0.05	0.8	10.40	0.009	0.52	8.1	5.1	5.20	818	0.65	0.01	2.0	5.2
K304279		0.58	2.54	0.06	0.6	1.97	0.006	0.48	8.7	6.2	10.95	819	0.63	0.01	1.6	4.2
K304280		0.31	1.60	0.07	0.4	1.51	0.007	0.29	5.9	4.0	11.95	456	0.46	0.01	1.0	2.8
K304281		0.51	0.32	0.09	<0.1	0.01	<0.005	0.03	0.6	1.2	13.65	232	0.06	0.01	0.3	2.3
K304282		0.33	1.58	0.06	0.3	1.26	<0.005	0.28	5.0	3.6	11.85	543	0.63	0.01	1.0	2.6
K304283		1.40	7.76	0.11	2.4	5.70	0.063	1.54	32.0	10.4	0.76	285	12.10	0.01	8.1	66.4
K304284		0.36	1.83	0.06	0.4	13.2	<0.005	0.35	4.6	5.0	12.10	400	0.40	0.01	1.3	2.3
K304285		0.27	1.71	0.07	0.5	0.71	<0.005	0.34	4.8	5.1	12.05	355	0.33	0.01	1.2	1.8
K304286		0.39	1.93	0.07	0.7	0.54	0.005	0.38	6.1	5.6	11.70	368	0.37	0.01	1.3	2.6
K304287		1.75	1.92	0.06	0.6	1.68	0.008	0.38	6.9	4.9	11.45	546	0.41	0.01	1.4	5.0
K304288		1.97	1.63	0.06	0.5	3.84	0.008	0.31	7.1	3.4	11.45	592	0.37	0.01	1.1	5.8
K304289		0.51	0.28	0.06	<0.1	0.01	<0.005	0.03	0.8	1.2	13.45	229	2.15	0.01	0.3	2.1
K304290		0.96	1.91	0.06	0.6	8.82	0.008	0.36	6.7	4.2	11.25	660	0.14	0.01	1.3	2.5
K304291		0.76	1.27	0.07	0.4	1.48	0.006	0.23	4.4	3.0	11.55	718	0.15	0.02	0.9	2.0
K304292		1.02	2.72	0.06	0.6	1.40	0.010	0.52	8.7	5.6	10.70	796	0.29	0.02	1.8	4.0
K304293		3.44	24.2	0.17	3.9	7.08	0.070	4.50	49.1	39.1	1.52	133	1.89	0.05	13.4	39.5
K304294		1.43	11.20	0.09	2.2	0.54	0.036	2.37	27.1	18.7	3.47	389	0.50	0.04	6.9	11.8
K304295		1.46	4.77	0.07	1.5	0.17	0.015	1.03	15.3	9.1	5.92	389	0.51	0.02	3.3	7.7
K304296		1.93	7.38	0.10	3.1	0.20	0.021	1.56	22.7	12.9	6.02	395	2.43	0.03	5.6	14.9
K304297		1.90	7.55	0.06	2.4	0.11	0.024	1.66	21.3	11.5	4.95	393	2.14	0.03	5.3	13.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194255

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304262		330	9.2	43.6	<0.002	0.74	8.32	3.5	2	0.7	806	0.28	<0.05	4.8	0.096	9.29
K304263		300	5.2	41.7	<0.002	0.10	0.27	3.3	2	0.7	914	0.26	<0.05	4.1	0.088	0.32
K304264		410	6.1	70.1	<0.002	0.39	1.09	5.5	2	0.9	623	0.39	<0.05	6.4	0.136	1.55
K304265		510	8.7	76.8	<0.002	0.26	1.53	5.9	2	1.1	257	0.45	<0.05	8.0	0.157	3.15
K304266		330	6.9	42.8	<0.002	0.26	7.44	3.8	2	0.8	523	0.30	<0.05	5.5	0.109	13.85
K304267		920	37.5	53.9	0.025	1.61	119.5	5.6	4	2.8	79.8	0.47	0.24	6.7	0.178	4.19
K304268		220	4.6	21.5	<0.002	0.20	3.57	1.8	2	0.5	797	0.13	<0.05	2.4	0.049	6.82
K304269		330	5.0	44.2	<0.002	0.38	11.00	3.7	2	0.8	495	0.27	<0.05	5.0	0.102	18.70
K304270		480	5.8	64.5	<0.002	0.49	34.8	5.2	2	1.1	350	0.43	<0.05	7.6	0.152	66.4
K304271		730	9.9	80.7	0.004	0.88	57.2	5.7	3	1.4	360	0.55	<0.05	9.2	0.193	92.2
K304272		310	5.3	21.4	0.005	0.26	13.25	2.0	2	0.4	793	0.13	<0.05	2.4	0.048	16.35
K304273		140	2.0	8.1	<0.002	0.11	8.10	0.8	1	0.2	252	0.05	<0.05	0.9	0.018	7.96
K304274		450	10.9	37.1	0.003	2.41	139.0	2.2	3	0.7	196.0	0.21	0.11	3.6	0.076	54.9
K304275		430	10.1	36.4	0.004	2.60	151.0	2.0	3	0.7	198.0	0.21	0.12	3.5	0.077	54.4
K304276		620	12.8	53.6	<0.002	5.31	169.0	4.3	4	0.9	165.0	0.37	0.09	6.0	0.127	54.9
K304277		120	5.3	10.7	<0.002	0.28	2.67	1.1	2	0.2	884	0.07	<0.05	1.3	0.026	3.35
K304278		280	9.1	18.4	0.002	0.41	4.11	1.8	2	0.4	413	0.14	<0.05	2.4	0.049	4.07
K304279		160	6.0	16.1	<0.002	0.30	2.45	1.8	2	0.3	98.9	0.11	<0.05	2.0	0.042	2.92
K304280		150	5.0	9.5	<0.002	0.24	2.64	1.2	2	0.2	105.0	0.07	<0.05	1.2	0.026	1.91
K304281		190	1.2	2.0	<0.002	0.02	0.10	0.4	1	<0.2	45.5	<0.05	<0.05	<0.2	0.006	0.04
K304282		290	5.8	9.4	<0.002	0.18	1.56	1.0	2	0.2	122.0	0.07	<0.05	1.2	0.026	1.30
K304283		4330	5.0	120.0	0.040	1.42	20.2	7.2	9	1.9	153.5	0.56	0.62	6.7	0.222	13.60
K304284		180	4.8	11.7	<0.002	0.12	1.15	1.3	2	0.3	133.0	0.09	<0.05	1.3	0.035	3.23
K304285		110	2.8	11.3	<0.002	0.09	0.40	1.2	2	0.3	129.5	0.09	<0.05	1.3	0.033	0.56
K304286		150	3.6	12.4	<0.002	0.18	0.49	1.4	2	0.3	146.5	0.09	<0.05	1.6	0.036	0.77
K304287		170	11.3	12.4	<0.002	1.89	1.26	1.4	2	0.3	121.0	0.10	<0.05	1.7	0.037	3.07
K304288		360	13.5	9.8	<0.002	2.01	1.24	1.2	2	0.3	141.0	0.07	<0.05	1.4	0.029	6.22
K304289		180	1.6	2.0	<0.002	0.02	0.40	0.5	2	<0.2	45.4	<0.05	<0.05	<0.2	0.005	0.55
K304290		460	5.1	12.3	<0.002	0.58	1.21	1.4	1	0.3	134.5	0.09	<0.05	1.6	0.035	2.01
K304291		470	3.2	7.7	<0.002	0.29	1.89	0.9	2	0.3	102.5	0.06	<0.05	1.0	0.023	1.65
K304292		850	5.7	18.5	<0.002	0.60	1.43	2.3	2	0.4	123.0	0.12	<0.05	2.1	0.049	2.29
K304293		710	29.4	180.0	0.003	2.98	2.72	18.8	2	2.9	78.7	0.98	0.09	15.4	0.434	8.08
K304294		640	11.4	93.5	<0.002	0.56	0.29	8.8	2	1.5	359	0.50	0.05	8.0	0.212	1.29
K304295		730	11.8	35.1	<0.002	0.40	0.25	3.8	2	0.7	542	0.26	<0.05	4.4	0.095	0.95
K304296		1220	27.1	52.4	0.002	0.58	0.65	5.5	4	1.1	203	0.41	<0.05	7.6	0.154	2.25
K304297		800	16.0	59.6	0.002	0.53	0.62	6.0	3	1.0	436	0.41	<0.05	6.8	0.151	1.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194255

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304262		12.8	37	1.2	8.5	36	37.5	
K304263		13.4	28	0.6	7.4	22	29.6	
K304264		10.7	52	1.4	9.7	28	49.9	
K304265		7.1	51	2.1	14.1	23	110.0	
K304266		8.9	33	1.8	10.9	25	77.7	
K304267		9.2	237	28.5	22.4	213	74.1	
K304268		12.1	20	1.2	5.9	18	28.8	
K304269		10.3	35	1.8	10.5	14	64.5	
K304270		8.4	49	3.1	14.1	17	114.5	
K304271		11.2	72	4.7	13.2	59	109.5	
K304272		13.9	23	1.4	7.5	32	25.5	
K304273		7.5	8	1.5	3.4	12	12.9	
K304274		25.2	51	3.5	9.7	56	40.0	4.00
K304275		24.0	50	3.5	9.3	58	38.0	4.66
K304276		23.1	48	3.5	9.5	99	75.3	8.54
K304277		22.3	15	0.8	4.6	26	19.6	
K304278		34.1	31	1.3	6.9	1280	44.8	
K304279		12.1	20	1.2	4.5	6	19.8	
K304280		10.3	15	0.8	3.6	11	13.1	
K304281		0.5	3	0.1	0.9	14	<0.5	
K304282		10.7	15	0.8	3.2	25	11.6	
K304283		8.5	405	37.3	30.0	293	87.0	
K304284		10.6	16	0.9	3.1	9	13.6	
K304285		8.2	12	0.6	2.9	5	15.9	
K304286		11.1	15	0.9	3.8	7	23.2	
K304287		12.4	16	1.1	4.1	10	21.1	
K304288		7.9	13	0.7	5.1	23	19.4	
K304289		0.8	3	0.1	0.9	14	1.0	
K304290		5.8	13	0.7	4.8	6	21.2	
K304291		3.8	9	0.5	3.8	4	14.4	
K304292		4.0	15	1.1	7.5	12	23.7	
K304293		4.5	122	8.8	24.4	49	139.0	
K304294		6.5	64	1.6	15.7	49	81.4	
K304295		7.9	29	0.5	10.4	26	56.3	
K304296		6.1	56	0.7	15.2	82	108.5	
K304297		8.5	52	0.7	13.2	57	86.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11194255

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

CERTIFICATE WH11199504

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 217 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199504

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305131		8.40	<0.01	0.05	6.55	134.0	270	1.79	0.27	2.77	0.10	77.9	14.7	65	36.6	38.9
K305132		7.46	<0.01	0.07	6.73	91.5	320	1.83	0.26	2.76	0.12	78.3	15.5	65	39.5	38.8
K305133		7.52	<0.01	0.07	6.88	108.5	310	2.14	0.28	2.60	0.13	82.1	15.5	67	34.8	38.7
K305134		7.98	<0.01	0.04	6.83	70.1	290	2.06	0.27	2.56	0.13	80.1	14.5	66	32.5	39.0
K305135		7.34	<0.01	0.05	5.60	75.9	250	1.59	0.22	2.64	0.42	66.3	12.8	57	26.4	29.5
K305136		7.02	<0.01	0.14	5.09	192.5	230	1.17	0.18	2.92	0.09	55.6	13.3	55	18.80	37.6
K305137		7.50	7.78	0.09	6.73	>10000	410	1.59	0.25	2.00	0.47	78.7	14.6	61	20.7	35.3
K305138		4.96	0.01	0.01	0.12	15	20	0.07	0.04	20.0	0.07	1.48	1.3	2	0.52	3.1
K305139		8.27	1.64	0.07	4.99	2820	250	1.15	0.17	1.93	0.11	53.3	11.6	44	15.00	33.7
K305140		7.27	7.88	0.15	5.39	>10000	280	1.09	0.21	0.40	0.46	58.8	15.0	61	13.25	42.0
K305141		0.19	7.83	0.45	3.36	903	160	0.60	0.56	11.55	4.34	43.2	5.3	92	7.34	31.4
K305142		7.41	17.65	0.43	5.73	>10000	350	1.00	0.21	1.33	0.77	59.4	18.2	63	13.55	42.5
K305143		8.15	2.62	0.10	5.74	2870	320	1.20	0.20	3.04	0.24	62.3	18.3	58	14.90	41.2
K305144		8.02	0.05	0.17	5.98	836	260	1.37	0.21	2.81	0.17	62.9	22.1	57	19.40	53.8
K305145		8.10	0.01	0.06	5.55	243	260	1.18	0.19	3.00	0.11	55.8	16.5	57	15.55	42.2
K305146		7.72	0.42	0.04	5.73	468	300	1.27	0.19	3.09	0.10	57.5	16.3	57	16.80	40.8
K305147		6.91	1.32	0.02	6.27	1885	370	1.31	0.20	3.18	0.18	63.9	17.4	65	18.30	45.8
K305148		7.14	0.01	0.03	2.92	2080	160	0.56	0.12	11.40	0.43	27.5	8.4	30	7.58	20.5
K305149		0.19	2.62	1.06	3.14	582	840	0.67	0.30	8.00	2.33	46.1	6.4	51	4.08	44.2
K305150		7.12	0.01	<0.01	2.62	104	160	0.72	0.08	26.8	0.03	23.7	7.7	23	9.82	21.6
K305151		6.51	<0.01	0.01	7.90	68.5	340	2.76	0.30	2.46	0.02	74.8	22.9	88	59.5	63.4
K305152		7.43	<0.01	0.01	3.61	110	190	0.99	0.16	20.1	0.05	37.6	12.9	30	15.75	29.6
K305153		3.49	<0.01	0.01	3.85	108	200	1.02	0.17	19.60	0.07	39.0	12.6	30	16.15	29.7
K305154		6.98	<0.01	0.03	3.26	127	150	0.72	0.14	21.3	0.06	33.3	9.0	25	13.90	21.4
K305155		7.74	<0.01	0.03	4.64	55	190	0.96	0.20	17.75	0.08	49.1	14.2	35	23.2	33.1
K305156		7.74	<0.01	0.03	3.77	52	150	0.82	0.16	21.3	0.06	39.1	12.8	28	17.05	28.0
K305157		7.36	<0.01	0.03	2.47	40	170	0.56	0.11	25.7	0.05	28.7	7.3	20	10.55	17.8
K305158		7.63	<0.01	0.03	3.02	38	230	0.63	0.13	22.8	0.09	35.1	9.4	23	13.40	22.2
K305159		7.17	<0.01	0.01	1.31	49	210	0.29	0.06	30.8	0.04	17.35	3.8	10	4.08	10.1
K305160		7.66	<0.01	0.01	1.23	39	130	0.31	0.05	31.4	0.02	14.90	3.5	9	4.02	9.4
K305161		7.44	<0.01	0.02	1.01	29	130	0.26	0.05	33.4	0.02	13.05	3.0	8	3.56	8.0
K305162		7.54	0.02	0.01	1.29	27	200	0.33	0.07	32.8	0.02	16.85	3.8	10	5.27	10.0
K305163		4.90	<0.01	<0.01	0.10	<5	20	0.11	0.02	17.95	0.05	0.92	1.3	1	0.33	1.2
K305164		7.41	<0.01	<0.01	0.67	12	130	0.20	0.03	30.8	<0.02	9.14	2.2	6	2.82	5.5
K305165		7.54	<0.01	0.02	1.21	47	140	0.33	0.05	31.4	0.05	15.65	3.2	9	4.93	9.0
K305166		7.72	0.08	0.04	3.15	110	280	0.76	0.14	23.9	0.08	36.0	8.2	24	12.70	27.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199504

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305131		4.33	17.85	0.21	3.6	0.33	0.069	3.00	36.7	55.9	1.58	535	0.32	0.04	12.3	29.1
K305132		4.50	18.45	0.21	3.7	0.30	0.075	3.10	37.3	70.4	1.71	551	0.28	0.04	12.9	30.6
K305133		4.48	19.05	0.22	3.8	0.34	0.074	3.17	38.7	53.7	1.63	551	0.31	0.04	13.1	31.5
K305134		4.43	18.30	0.22	3.7	0.37	0.072	3.14	38.6	47.0	1.60	544	0.29	0.04	12.7	30.1
K305135		3.92	15.30	0.20	3.1	0.61	0.061	2.53	31.7	43.9	1.43	540	0.78	0.03	10.3	24.0
K305136		4.11	13.60	0.18	2.6	0.61	0.056	2.16	27.5	48.2	1.60	596	0.49	0.03	8.8	25.5
K305137		3.95	18.45	0.22	3.7	11.4	0.081	3.13	37.5	12.5	1.13	478	0.30	0.03	12.6	29.8
K305138		0.46	0.38	0.05	<0.1	0.01	0.005	0.05	0.7	1.4	12.55	205	0.13	0.01	0.3	2.5
K305139		3.51	14.05	0.16	2.7	3.6	0.057	2.27	26.8	8.5	1.03	484	0.26	0.02	9.0	23.6
K305140		3.49	15.85	0.17	2.8	14.2	0.062	2.41	27.9	9.8	0.44	126	0.39	0.02	9.2	28.4
K305141		1.31	7.79	0.14	2.3	5.36	0.072	1.41	27.9	8.2	0.67	254	11.95	0.01	7.9	61.8
K305142		3.65	16.80	0.18	3.0	18.6	0.067	2.52	28.2	10.2	0.77	312	0.42	0.02	9.7	33.4
K305143		4.03	16.85	0.19	3.1	5.0	0.065	2.57	29.8	10.3	1.49	570	0.59	0.03	10.1	34.6
K305144		4.40	16.75	0.19	3.0	2.49	0.070	2.65	30.5	12.5	1.44	465	0.58	0.03	10.0	43.0
K305145		4.04	15.35	0.17	2.9	0.78	0.057	2.40	27.8	15.2	1.49	513	0.75	0.03	9.6	30.8
K305146		4.35	15.65	0.19	3.0	1.61	0.056	2.53	28.6	11.2	1.55	694	0.45	0.03	9.9	31.8
K305147		4.10	17.95	0.19	3.1	3.11	0.065	2.81	30.7	12.7	1.52	669	0.64	0.03	10.2	33.0
K305148		3.80	8.10	<0.05	1.4	1.52	0.033	1.31	14.1	6.3	1.62	536	0.28	0.02	4.3	15.0
K305149		2.06	8.02	<0.05	1.9	4.25	0.029	0.98	28.1	33.7	2.51	261	18.50	0.03	7.2	47.9
K305150		1.66	7.29	<0.05	1.1	0.49	0.027	1.19	12.3	4.9	0.89	571	0.25	0.02	3.6	11.2
K305151		4.81	24.3	0.12	3.2	0.35	0.086	3.84	39.3	26.9	1.74	569	0.32	0.04	11.2	49.7
K305152		2.41	10.45	<0.05	1.6	0.57	0.039	1.71	19.6	8.1	1.42	1100	0.83	0.02	5.6	25.2
K305153		2.62	11.00	<0.05	1.7	0.54	0.042	1.78	20.5	8.4	1.55	1240	0.75	0.03	5.9	26.4
K305154		2.18	8.08	<0.05	1.6	1.28	0.035	1.57	19.0	4.9	1.56	598	0.70	0.02	4.2	12.2
K305155		2.84	12.55	<0.05	2.4	0.72	0.050	2.27	27.5	8.8	1.44	576	0.68	0.03	6.7	18.3
K305156		2.30	10.30	<0.05	1.9	0.61	0.042	1.81	23.2	7.2	1.15	806	0.83	0.03	5.6	15.6
K305157		1.48	6.52	<0.05	1.3	0.37	0.024	1.16	16.0	4.8	0.97	383	0.66	0.02	3.7	8.8
K305158		1.92	7.75	<0.05	1.8	0.58	0.031	1.40	18.9	6.7	0.91	513	0.92	0.03	4.7	11.7
K305159		0.91	3.43	<0.05	0.7	1.03	0.015	0.62	10.3	3.2	0.81	264	0.90	0.02	2.0	4.4
K305160		0.82	3.32	<0.05	0.6	1.02	0.014	0.58	8.2	3.1	0.77	247	0.27	0.02	1.9	4.1
K305161		0.64	2.82	<0.05	0.6	0.70	0.011	0.49	7.1	2.9	0.46	211	0.19	0.01	1.7	3.4
K305162		0.80	3.56	<0.05	0.7	1.00	0.014	0.62	9.3	4.2	0.49	277	0.20	0.02	2.1	4.8
K305163		0.41	0.45	0.13	<0.1	<0.01	<0.005	0.04	0.5	1.9	11.25	185	0.09	<0.01	0.3	2.5
K305164		0.45	1.87	<0.05	0.4	0.36	0.007	0.31	4.9	2.5	0.43	185	0.12	0.01	1.2	2.3
K305165		0.80	3.18	<0.05	0.6	0.73	0.013	0.57	8.3	3.6	0.53	205	0.79	0.02	1.9	4.4
K305166		2.00	8.53	<0.05	1.6	1.56	0.033	1.47	20.8	9.1	1.30	581	1.16	0.03	4.3	12.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199504

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305131		600	17.9	157.0	<0.002	0.47	0.57	15.1	3	2.6	102.5	0.96	0.07	12.5	0.448	1.33
K305132		600	19.2	164.5	<0.002	0.21	0.46	15.4	2	2.7	106.0	0.98	0.06	12.4	0.457	1.08
K305133		590	21.2	168.5	<0.002	0.33	0.48	16.1	2	2.5	112.5	1.03	0.06	13.3	0.464	1.17
K305134		580	20.1	163.5	<0.002	0.52	0.51	15.5	2	2.5	101.5	1.00	0.07	13.2	0.460	1.41
K305135		530	19.5	128.5	<0.002	0.90	0.73	13.0	3	2.1	98.5	0.81	0.06	10.4	0.376	1.17
K305136		400	16.8	105.5	<0.002	1.04	1.78	12.6	2	2.2	94.9	0.66	0.06	8.8	0.369	2.32
K305137		620	15.4	157.0	<0.002	3.37	69.7	13.7	3	2.5	109.0	0.95	0.12	12.4	0.458	61.1
K305138		190	1.9	3.1	<0.002	0.01	0.18	0.4	2	<0.2	47.4	<0.05	<0.05	<0.2	0.005	0.11
K305139		420	14.5	112.5	<0.002	2.92	20.3	12.1	2	1.8	83.0	0.68	0.05	8.9	0.353	13.35
K305140		520	47.0	124.0	<0.002	3.47	65.6	10.7	2	2.1	112.5	0.73	0.09	9.2	0.400	48.6
K305141		4130	4.9	119.5	0.036	1.32	18.60	6.0	9	1.8	148.0	0.55	0.52	6.3	0.201	13.55
K305142		400	20.4	129.0	<0.002	3.59	109.5	11.3	3	2.1	110.0	0.76	0.13	9.7	0.435	110.0
K305143		440	21.5	129.5	<0.002	2.98	25.6	14.4	2	2.1	132.5	0.78	0.07	9.5	0.417	23.9
K305144		430	61.3	137.0	0.002	3.64	9.90	15.8	3	2.2	110.0	0.77	0.07	10.0	0.409	7.29
K305145		420	13.7	119.5	<0.002	3.29	2.16	14.4	2	2.1	118.5	0.75	0.06	8.9	0.422	4.11
K305146		460	15.0	124.0	<0.002	3.60	5.48	15.1	2	2.0	115.5	0.75	<0.05	9.2	0.438	6.42
K305147		380	15.1	142.0	<0.002	2.96	19.00	16.9	3	2.1	126.5	0.79	0.06	9.8	0.447	9.25
K305148		320	13.5	56.9	<0.002	2.70	8.34	7.3	3	1.5	408	0.30	<0.05	4.0	0.173	1.91
K305149		880	40.5	49.6	0.024	1.56	113.5	4.8	4	2.7	70.5	0.48	0.20	5.9	0.169	3.82
K305150		370	5.3	49.2	<0.002	0.34	4.30	6.8	1	0.9	1160	0.24	<0.05	3.0	0.133	0.43
K305151		410	8.1	176.0	0.002	0.34	1.45	22.4	2	3.0	117.5	0.87	0.06	10.8	0.447	1.16
K305152		260	10.1	75.8	<0.002	1.10	3.12	8.6	1	1.4	871	0.40	0.06	5.0	0.192	1.35
K305153		260	10.6	79.3	<0.002	1.06	2.96	8.9	1	1.5	819	0.41	0.05	5.2	0.199	0.89
K305154		280	13.1	67.0	0.002	1.61	6.23	6.9	1	1.1	754	0.36	0.05	4.3	0.173	1.17
K305155		270	13.7	103.5	0.002	2.18	0.79	10.5	1	1.7	604	0.55	0.09	6.7	0.263	1.51
K305156		260	14.4	81.4	0.003	1.70	0.54	8.4	1	2.2	677	0.43	0.09	5.1	0.206	1.35
K305157		170	10.0	49.2	0.003	1.14	0.48	5.3	1	0.9	1390	0.29	<0.05	3.6	0.138	0.49
K305158		170	10.0	60.9	0.003	1.50	0.55	6.5	1	1.0	1100	0.39	0.06	4.4	0.179	0.68
K305159		130	4.4	25.4	0.003	0.77	0.48	3.1	2	0.5	1705	0.15	<0.05	1.8	0.067	0.93
K305160		140	5.0	24.0	<0.002	0.73	0.49	2.9	2	0.5	1775	0.14	<0.05	1.6	0.063	0.85
K305161		310	3.7	20.5	<0.002	0.64	0.33	2.4	2	0.4	1845	0.12	<0.05	1.4	0.053	0.89
K305162		180	4.4	26.2	<0.002	0.84	0.63	3.0	2	0.5	2000	0.15	<0.05	1.8	0.069	1.31
K305163		150	1.2	2.3	<0.002	<0.01	0.05	0.2	1	<0.2	38.3	<0.05	<0.05	<0.2	<0.005	0.02
K305164		370	2.4	14.6	<0.002	0.46	0.21	1.5	2	0.3	1620	0.08	<0.05	0.9	0.035	0.66
K305165		380	3.9	24.3	0.003	0.80	0.42	2.8	2	0.5	1755	0.14	<0.05	1.6	0.062	1.27
K305166		200	9.3	62.3	0.004	1.89	1.20	6.9	2	1.7	1445	0.35	0.05	4.1	0.161	3.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199504

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305131		2.8	103	2.6	23.8	91	122.5	
K305132		2.8	105	1.6	24.8	92	128.0	
K305133		3.0	107	1.8	25.0	96	130.0	
K305134		2.9	105	2.3	24.3	97	127.0	
K305135		2.3	91	2.0	20.6	141	105.5	
K305136		1.8	97	4.3	17.4	65	91.9	
K305137		2.7	109	10.1	23.5	91	125.0	1.370
K305138		0.5	2	0.1	1.0	13	1.3	
K305139		1.9	88	10.4	17.3	61	93.3	
K305140		2.0	108	13.5	17.6	55	91.8	1.280
K305141		8.1	367	31.9	27.5	264	82.3	
K305142		2.0	116	15.0	17.3	53	99.8	1.625
K305143		2.0	110	11.5	19.2	66	106.0	
K305144		2.3	115	8.5	19.4	82	106.0	
K305145		1.9	110	4.7	18.3	86	99.4	
K305146		1.9	115	5.0	18.8	65	105.0	
K305147		2.0	124	12.2	19.8	81	109.0	
K305148		1.3	54	6.8	12.2	132	48.6	
K305149		7.2	229	26.4	20.1	212	67.6	
K305150		1.5	45	3.9	11.3	30	38.9	
K305151		1.8	146	6.9	22.1	84	106.5	
K305152		1.5	59	5.4	15.6	43	53.7	
K305153		1.6	61	5.7	16.3	50	56.1	
K305154		1.3	52	5.3	14.0	48	50.7	
K305155		1.8	76	1.6	18.8	57	76.8	
K305156		1.8	61	1.3	17.8	61	62.0	
K305157		1.6	38	2.4	12.7	31	43.3	
K305158		1.8	48	1.6	16.1	40	57.2	
K305159		1.4	21	1.4	12.7	18	20.7	
K305160		1.2	18	1.2	10.7	15	19.4	
K305161		1.4	16	0.9	9.3	8	16.9	
K305162		1.5	20	1.5	12.1	15	21.0	
K305163		0.3	3	0.1	0.7	13	<0.5	
K305164		1.2	11	0.6	6.8	4	11.0	
K305165		1.7	20	1.0	9.4	15	18.9	
K305166		1.7	49	1.9	19.9	41	46.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199504

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11199524

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 218

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199524

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302117		12.01	0.03	0.02	0.89	75	60	0.26	0.04	19.25	0.08	15.90	2.1	5	1.38	6.5
K302118		12.17	0.08	0.02	0.74	82	40	0.23	0.03	18.55	0.05	11.85	1.9	4	0.98	5.0
K302119		11.92	0.04	<0.01	0.64	37	40	0.25	0.03	18.95	0.04	10.90	1.7	4	0.84	4.4
K302120		12.40	0.14	0.14	0.81	1060	50	0.26	0.03	18.55	0.18	9.97	2.1	5	1.14	5.3
K302121		3.39	0.26	>100	0.49	2360	30	0.14	0.03	18.55	0.18	7.91	2.4	4	0.54	1360
K302122		5.01	<0.01	0.17	0.08	14	20	0.05	0.05	21.3	0.06	1.23	0.7	1	0.27	2.5
K302123		8.33	0.13	1.04	0.43	2640	40	0.21	0.03	19.65	0.05	7.14	1.2	5	0.44	6.0
K302124		7.40	0.22	0.12	5.53	346	420	1.43	0.21	9.56	0.26	61.1	9.0	38	16.60	27.4
K302125		5.47	0.01	0.19	8.54	217	360	3.20	0.39	1.12	0.13	85.8	16.4	69	33.1	38.5
K302126		0.19	0.32	0.34	6.27	623	260	0.58	0.28	0.49	0.18	144.0	2.9	235	3.60	32.1
K302127		7.57	<0.01	0.20	5.78	38.2	220	1.65	0.22	8.64	0.07	62.0	12.0	41	21.5	24.8
K302128		8.05	0.01	0.07	3.40	27	130	0.86	0.12	16.95	0.07	34.6	7.2	24	11.95	19.6
K302129		7.36	<0.01	0.06	6.40	39.6	320	1.44	0.25	9.47	0.02	58.8	9.1	43	22.7	31.9
K302130		6.46	<0.01	0.09	9.72	112.0	360	2.35	0.45	1.50	<0.02	99.6	16.4	69	30.7	40.0
K302131		6.15	<0.01	0.07	7.57	199.5	330	2.00	0.37	6.41	<0.02	82.4	13.7	61	28.2	29.0
K302132		1.22	0.01	0.04	6.73	18	260	1.44	0.26	14.00	<0.02	66.4	10.5	41	26.2	22.6
K302133		2.58	0.01	0.15	0.22	417	20	0.09	0.01	20.6	0.05	4.85	1.2	2	0.39	2.1
K302134		4.29	0.06	0.03	0.09	1080	30	0.05	<0.01	20.5	0.30	2.94	1.1	1	0.11	1.2
K302135		6.04	0.03	0.02	0.06	491	60	<0.05	<0.01	20.7	0.07	1.72	0.9	<1	0.05	1.1
K302136		8.70	0.04	0.03	0.07	483	40	0.06	<0.01	20.6	0.23	2.88	1.0	1	0.07	1.6
K302137		10.00	0.01	0.01	0.04	280	10	<0.05	<0.01	21.2	0.04	1.26	0.9	<1	<0.05	1.0
K302138		10.79	0.09	0.02	0.10	485	20	0.06	0.01	20.4	0.23	3.90	1.1	1	0.11	1.4
K302139		11.13	0.06	0.01	0.11	849	20	0.07	0.01	20.5	0.06	3.64	1.1	1	0.16	1.7
K302140		9.95	0.17	0.02	0.10	2610	20	0.07	0.01	19.75	0.21	3.71	1.3	1	0.16	1.7
K302141		11.43	0.05	0.03	0.09	417	20	0.07	<0.01	20.1	0.16	2.89	0.9	1	0.11	1.3
K302142		11.47	0.18	0.02	0.07	4420	10	0.06	<0.01	20.0	0.27	2.57	1.1	1	0.10	1.3
K302143		7.00	<0.01	0.01	0.08	30	20	0.05	0.02	21.2	0.06	1.30	1.3	1	0.35	1.7
K302144		10.95	0.02	0.01	0.08	489	30	0.06	<0.01	19.70	0.02	2.20	1.7	1	0.10	3.1
K302145		12.70	0.10	0.02	0.07	627	10	<0.05	<0.01	20.7	0.47	2.08	1.5	<1	0.08	2.6
K302146		11.33	0.01	0.01	0.08	736	10	0.07	<0.01	21.9	0.03	2.04	2.4	1	0.11	2.6
K303147		5.75	<0.01	<0.01	0.08	414	10	0.11	<0.01	20.1	0.02	1.98	2.2	1	0.11	2.4
K303148		12.24	0.04	<0.01	0.09	521	10	0.06	<0.01	20.3	0.13	2.60	2.2	1	0.13	2.3
K303149		11.50	0.06	0.01	0.10	1280	20	0.10	<0.01	19.50	0.94	3.27	2.3	1	0.17	2.6
K302150		0.21	2.48	1.03	3.20	577	870	0.85	0.26	7.76	2.35	47.8	7.1	53	4.14	43.3
K302151		11.68	0.18	0.05	0.05	1340	70	0.14	<0.01	19.85	0.92	2.80	3.0	1	0.12	3.5
K302152		10.50	0.17	0.03	0.06	2080	20	0.10	<0.01	20.1	0.16	3.91	2.8	1	0.15	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199524

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302117		0.77	2.28	<0.05	0.7	0.78	0.007	0.40	8.3	4.2	9.71	493	0.23	0.03	1.4	3.5
K302118		0.65	2.01	<0.05	0.6	0.77	0.007	0.34	6.5	3.7	10.30	540	0.18	0.02	1.3	3.0
K302119		0.59	1.72	<0.05	0.5	0.35	0.007	0.29	5.9	3.3	10.65	524	0.12	0.01	1.1	2.8
K302120		0.71	2.11	<0.05	0.7	0.81	0.007	0.37	5.7	3.8	10.50	593	0.23	0.01	1.3	3.6
K302121		0.79	1.31	<0.05	0.5	1.04	0.008	0.22	4.4	2.6	10.60	693	322	0.01	1.0	62.2
K302122		0.50	0.23	0.08	<0.1	<0.01	0.005	0.04	0.6	1.3	13.15	221	0.25	0.01	0.2	1.6
K302123		0.88	1.06	0.12	0.3	0.74	0.006	0.20	3.8	2.8	11.70	788	0.30	0.01	0.7	1.9
K302124		2.36	14.05	0.13	2.6	3.98	0.042	2.59	30.8	20.2	5.34	651	0.73	0.04	8.3	19.1
K302125		3.01	24.2	0.21	3.5	1.48	0.075	4.25	43.7	30.5	1.15	117	1.13	0.05	13.1	34.2
K302126		6.83	20.0	0.27	4.4	9.63	0.048	1.34	72.1	17.5	0.13	39	6.09	0.38	10.0	16.2
K302127		2.97	14.70	0.15	2.8	0.65	0.049	2.79	31.6	19.5	4.10	516	0.95	0.03	8.7	22.8
K302128		3.14	8.17	0.06	1.6	0.27	0.024	1.65	19.3	10.7	4.94	632	0.49	0.03	4.6	16.1
K302129		3.04	15.60	0.09	2.7	0.10	0.048	3.12	36.1	13.5	2.63	497	0.33	0.04	8.2	21.1
K302130		3.64	25.5	0.22	3.0	0.25	0.065	4.91	54.7	19.3	0.99	334	0.42	0.04	11.8	38.5
K302131		3.95	22.2	0.24	2.9	0.23	0.056	4.10	41.7	21.4	0.98	555	0.38	0.04	10.9	33.6
K302132		2.86	16.65	0.11	2.1	0.05	0.044	3.22	36.0	19.2	1.23	645	0.33	0.03	7.8	24.9
K302133		0.32	0.64	<0.05	0.1	0.15	<0.005	0.09	2.6	1.7	11.85	509	0.09	0.01	0.5	2.2
K302134		0.60	0.38	<0.05	0.1	0.27	<0.005	0.03	1.6	0.7	12.10	620	0.14	0.01	0.2	1.9
K302135		0.37	0.34	<0.05	<0.1	0.17	<0.005	0.02	0.9	0.6	12.30	543	0.07	0.01	0.2	1.8
K302136		0.78	0.41	<0.05	<0.1	0.39	<0.005	0.02	1.6	0.7	12.10	872	0.23	0.01	0.2	2.3
K302137		0.32	0.27	<0.05	<0.1	0.08	<0.005	0.01	0.7	0.5	12.55	543	0.07	0.01	0.2	1.6
K302138		0.67	0.47	<0.05	0.1	0.81	<0.005	0.03	2.2	1.1	11.95	824	0.14	0.01	0.3	2.0
K302139		0.53	0.46	<0.05	0.1	0.48	<0.005	0.04	2.2	1.0	12.05	616	0.12	0.01	0.3	1.9
K302140		1.84	0.44	<0.05	0.1	1.84	0.006	0.03	2.1	0.9	11.55	829	0.26	0.01	0.3	2.6
K302141		0.74	0.41	<0.05	0.1	0.67	<0.005	0.03	1.7	1.0	11.75	757	0.15	0.01	0.3	1.5
K302142		1.43	0.36	<0.05	0.1	1.95	0.005	0.02	1.4	1.0	11.70	664	0.17	0.01	0.2	2.0
K302143		0.46	0.35	<0.05	<0.1	0.01	<0.005	0.03	0.6	1.2	12.50	202	0.24	0.01	0.3	3.0
K302144		0.37	0.38	<0.05	0.1	0.25	<0.005	0.03	1.2	0.9	11.65	516	0.19	0.01	0.2	1.9
K302145		1.08	0.36	<0.05	0.1	1.87	0.005	0.02	1.2	0.7	12.20	661	0.13	0.01	0.2	2.0
K302146		0.28	0.52	0.26	<0.1	0.12	<0.005	0.03	1.2	1.1	13.00	461	0.15	0.01	0.3	<0.2
K303147		0.23	0.68	0.48	0.1	0.10	<0.005	0.03	1.1	1.0	11.85	397	0.14	0.01	0.3	<0.2
K303148		0.30	0.78	0.46	0.1	0.50	<0.005	0.03	1.4	1.2	12.00	515	0.11	0.01	0.4	<0.2
K303149		0.46	0.85	0.34	0.1	1.14	<0.005	0.04	2.1	1.3	11.50	745	0.15	0.01	0.4	1.1
K302150		2.09	8.02	0.12	1.8	4.29	0.030	1.00	29.4	44.7	2.54	275	19.00	0.03	7.1	53.1
K302151		0.95	0.43	0.05	<0.1	2.45	0.006	0.02	1.8	1.3	11.65	885	0.20	0.01	0.3	1.0
K302152		0.68	0.51	0.15	<0.1	0.88	0.005	0.02	1.9	1.0	11.65	591	0.41	0.01	0.3	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199524

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302117		430	4.8	14.9	<0.002	0.25	0.50	1.5	2	0.4	125.5	0.12	<0.05	2.0	0.041	1.35
K302118		400	3.1	13.1	<0.002	0.24	0.66	1.3	2	0.3	75.5	0.10	<0.05	1.7	0.035	1.53
K302119		430	2.9	11.5	<0.002	0.18	0.45	1.1	2	0.2	73.6	0.09	<0.05	1.5	0.030	0.77
K302120		450	4.2	14.4	<0.002	0.36	2.40	1.3	2	0.3	72.4	0.11	<0.05	1.8	0.037	1.93
K302121		610	2.8	8.5	0.014	0.39	4.96	0.9	2	0.2	55.7	0.06	0.06	1.1	0.024	1.69
K302122		160	1.7	2.1	0.002	0.01	0.08	0.3	<1	0.2	41.6	<0.05	<0.05	<0.2	<0.005	0.02
K302123		430	3.4	6.7	0.003	0.44	3.86	0.8	<1	0.3	74.2	0.05	<0.05	1.0	0.019	1.62
K302124		1460	14.1	112.0	<0.002	2.22	3.98	10.6	2	1.7	129.5	0.59	0.09	10.7	0.254	9.15
K302125		660	24.6	181.0	<0.002	2.30	1.30	17.7	2	2.9	81.0	0.95	0.14	16.7	0.402	3.34
K302126		930	16.7	47.5	0.003	3.05	112.5	15.9	3	3.0	537	0.75	0.20	11.6	0.553	8.34
K302127		560	18.8	118.0	0.002	1.70	0.58	10.7	2	1.8	170.5	0.64	0.08	12.3	0.264	1.62
K302128		530	9.4	56.0	<0.002	0.43	0.39	5.5	2	1.0	309	0.39	<0.05	5.8	0.151	0.93
K302129		510	9.2	112.5	<0.002	0.54	0.41	10.3	2	2.0	183.0	0.73	0.05	11.0	0.277	1.25
K302130		350	18.2	169.0	0.002	2.21	0.68	14.7	2	2.9	113.5	1.03	0.09	17.5	0.388	2.61
K302131		810	16.4	110.5	0.002	2.33	0.69	14.0	2	2.5	250	0.96	0.08	14.7	0.345	2.44
K302132		310	12.7	112.0	<0.002	0.23	0.29	10.0	2	1.8	453	0.68	0.06	11.4	0.247	0.69
K302133		590	2.2	4.2	<0.002	0.02	0.10	0.6	1	<0.2	66.7	<0.05	<0.05	0.5	0.012	1.53
K302134		230	8.2	1.0	<0.002	0.01	0.16	0.4	2	<0.2	51.4	<0.05	<0.05	0.2	<0.005	2.55
K302135		240	2.1	0.5	<0.002	0.03	0.08	0.3	2	<0.2	56.2	<0.05	<0.05	<0.2	<0.005	1.08
K302136		280	4.0	0.8	<0.002	0.06	0.16	0.3	2	<0.2	54.8	<0.05	<0.05	<0.2	<0.005	1.59
K302137		190	1.2	0.3	<0.002	0.01	0.09	0.3	2	<0.2	53.9	<0.05	<0.05	<0.2	<0.005	0.84
K302138		360	7.0	1.2	<0.002	0.09	0.17	0.3	2	<0.2	65.6	<0.05	<0.05	0.2	0.005	1.36
K302139		240	4.6	1.5	<0.002	0.04	0.17	0.4	2	<0.2	58.8	<0.05	<0.05	0.2	0.005	1.40
K302140		470	33.5	1.3	<0.002	0.12	0.41	0.4	2	<0.2	62.7	<0.05	<0.05	0.2	<0.005	3.14
K302141		500	35.4	1.0	<0.002	0.29	0.27	0.3	2	<0.2	61.6	<0.05	<0.05	0.2	<0.005	0.99
K302142		500	21.5	0.9	<0.002	1.54	0.32	0.3	2	<0.2	65.9	<0.05	<0.05	<0.2	<0.005	3.29
K302143		200	1.4	2.2	<0.002	0.02	0.06	0.3	2	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	0.04
K302144		540	4.5	1.0	<0.002	0.29	0.18	0.2	2	0.3	63.3	<0.05	<0.05	0.2	<0.005	0.85
K302145		390	16.9	0.8	<0.002	0.96	0.16	0.2	2	0.2	67.7	<0.05	<0.05	<0.2	<0.005	1.69
K302146		290	4.7	1.0	<0.002	0.16	0.13	0.5	2	0.2	65.2	<0.05	<0.05	<0.2	<0.005	0.48
K303147		260	2.6	1.0	<0.002	0.12	0.09	0.4	2	0.2	61.8	<0.05	<0.05	<0.2	<0.005	0.38
K303148		540	4.2	1.1	<0.002	0.18	0.12	0.5	2	0.2	71.9	<0.05	<0.05	0.2	<0.005	0.76
K303149		320	4.8	1.3	<0.002	0.30	1.64	0.5	2	0.2	60.9	<0.05	<0.05	0.2	0.005	1.89
K302150		890	38.0	50.8	0.023	1.55	105.0	5.9	5	2.5	75.2	0.47	0.20	6.4	0.170	4.13
K302151		210	78.6	0.5	<0.002	0.56	2.12	0.5	2	0.3	66.6	<0.05	<0.05	<0.2	<0.005	5.17
K302152		1140	12.8	0.6	<0.002	0.43	0.49	0.6	2	0.3	82.1	<0.05	<0.05	<0.2	<0.005	2.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199524

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Ag- OG62 Ag ppm 1
K302117		5.8	17	0.7	6.2	9	23.6	
K302118		7.0	13	0.6	5.4	5	20.0	
K302119		5.0	10	0.5	4.9	3	17.9	
K302120		5.8	13	0.8	4.7	15	21.6	
K302121		5.5	10	1000	4.5	2	14.3	1390
K302122		0.5	1	0.3	0.8	15	<0.5	
K302123		5.0	7	1.2	4.3	4	11.3	
K302124		6.4	73	4.5	22.3	94	90.3	
K302125		3.3	118	4.3	22.9	62	122.0	
K302126		7.6	173	24.6	14.9	45	173.0	
K302127		7.7	79	1.4	20.7	41	95.2	
K302128		6.1	46	1.1	13.6	46	53.0	
K302129		4.2	78	2.5	19.3	26	78.6	
K302130		3.0	107	5.2	21.3	41	93.2	
K302131		4.0	94	4.2	27.2	47	84.9	
K302132		3.4	65	1.2	20.8	43	64.0	
K302133		0.7	3	0.5	2.0	60	4.2	
K302134		0.6	1	0.3	1.9	205	2.1	
K302135		0.4	1	0.3	1.4	121	1.2	
K302136		0.5	2	0.2	2.0	218	1.7	
K302137		0.4	1	0.1	1.1	132	0.6	
K302138		0.5	2	0.2	2.5	191	2.3	
K302139		0.5	2	0.2	2.0	180	2.7	
K302140		0.7	3	0.2	2.5	478	2.2	
K302141		0.6	2	0.4	2.1	167	3.2	
K302142		0.6	2	0.1	2.0	199	2.3	
K302143		0.6	2	0.1	1.0	13	<0.5	
K302144		0.5	2	0.1	1.7	49	2.0	
K302145		0.6	1	0.1	1.7	230	1.9	
K302146		0.5	2	0.2	1.3	10	1.9	
K303147		0.4	1	0.1	1.2	7	2.1	
K303148		0.6	1	0.2	1.7	65	2.4	
K303149		0.6	2	0.2	1.6	785	2.4	
K302150		9.0	232	28.3	19.7	211	63.4	
K302151		0.7	1	0.2	1.5	475	1.2	
K302152		1.0	2	0.3	2.5	141	1.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199524

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE WH11197271

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 219 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197271

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304614		5.27	<0.01	0.04	2.78	9	570	1.05	0.09	23.0	0.21	32.0	5.4	29	7.80	18.5
K304615		2.19	<0.01	0.05	2.73	10	600	0.94	0.08	23.4	0.23	31.6	5.1	29	7.69	17.8
K304616		5.34	<0.01	0.07	3.57	10	310	1.29	0.10	17.80	0.14	38.2	6.3	38	10.80	21.7
K304617		4.33	0.01	0.07	4.17	8	480	1.23	0.12	15.40	0.10	46.0	8.2	40	11.50	27.3
K304618		4.97	0.01	0.04	3.54	7	740	1.11	0.12	19.30	0.14	37.0	6.1	34	9.42	19.4
K304619		4.59	<0.01	0.24	4.02	11	190	1.27	0.12	13.20	0.09	49.9	7.2	41	11.10	23.0
K304620		5.01	<0.01	0.13	0.10	<5	20	0.06	0.04	20.8	0.06	1.07	0.7	3	0.46	1.6
K304621		4.59	<0.01	0.06	3.24	10	180	1.01	0.09	20.8	0.10	35.7	5.7	33	8.11	21.9
K304622		5.09	<0.01	0.06	2.54	6	150	0.86	0.09	22.5	0.23	28.2	4.6	26	6.71	17.9
K304623		4.64	0.01	0.06	3.95	<5	180	1.32	0.13	13.00	0.08	45.3	7.0	38	10.15	24.6
K304624		5.22	<0.01	0.06	3.01	6	120	1.06	0.11	21.1	0.10	34.0	5.4	29	6.18	19.8
K304625		5.29	<0.01	0.07	2.99	6	130	1.03	0.10	20.9	0.09	35.2	5.3	30	6.14	19.2
K304626		4.99	<0.01	0.10	1.73	17	60	0.51	0.07	27.7	0.51	21.5	3.2	18	2.10	14.3
K304627		4.88	0.01	0.08	3.94	26	190	1.18	0.12	16.05	0.20	48.9	7.3	43	4.62	31.7
K304628		3.78	0.01	0.12	5.02	16	190	1.37	0.21	10.85	0.17	59.5	10.2	48	6.05	41.2
K304629		0.21	0.33	0.30	6.08	603	1750	0.54	0.29	0.47	0.16	135.0	2.6	240	3.31	30.7
K304630		6.04	<0.01	0.18	6.94	17.5	540	1.69	0.23	4.58	0.32	70.2	15.8	55	9.57	193.0
K304631		1.13	6.32	0.10	2.53	2730	290	0.73	0.13	14.40	0.28	43.9	6.8	20	8.35	39.9
K304632		0.22	2.57	1.12	3.11	580	870	0.63	0.29	8.02	2.17	49.5	6.1	54	3.92	43.8
K304633		3.28	0.77	0.10	1.91	519	1720	0.71	0.07	16.20	0.25	23.0	4.0	14	6.25	11.8
K304634		4.71	0.09	0.04	3.50	524	160	1.28	0.09	10.70	0.14	42.9	4.2	38	12.00	8.9
K304635		4.07	0.12	0.09	1.98	816	100	0.76	0.06	20.8	0.11	27.1	3.4	19	5.83	16.3
K304636		3.88	0.24	0.15	2.02	1260	90	0.73	0.06	17.75	0.07	24.0	3.7	17	5.57	10.2
K304637		2.93	0.45	0.08	1.63	823	150	0.56	0.06	16.85	0.06	23.2	2.0	14	4.91	17.0
K304638		5.03	0.25	0.11	1.71	447	380	0.53	0.06	16.00	0.14	22.1	2.1	17	4.61	10.8
K304639		3.52	0.34	0.21	0.95	541	90	0.37	0.04	20.5	0.13	12.30	2.0	8	1.87	8.5
K304640		4.30	1.71	0.09	0.75	720	1130	0.30	0.04	19.45	0.04	9.94	1.4	7	1.39	6.5
K304641		4.78	1.34	0.10	0.47	529	70	0.19	0.03	19.75	0.03	8.52	1.1	6	0.74	5.3
K304642		4.87	0.63	0.09	0.62	335	40	0.24	0.04	19.75	0.03	6.53	1.3	8	1.19	5.5
K304643		4.20	1.27	0.20	1.73	560	90	0.53	0.07	16.00	0.04	20.8	3.0	15	3.83	14.9
K304644		3.88	1.17	0.56	2.69	849	150	0.84	0.09	12.10	0.11	34.9	3.9	28	6.75	18.7
K304345		5.08	0.57	0.30	0.97	831	50	0.35	0.05	18.35	0.05	14.85	2.2	12	2.18	9.5
K304346		5.21	0.23	0.17	0.62	9210	240	0.23	0.04	19.55	0.03	10.80	1.4	9	1.08	7.6
K304647		4.95	0.01	0.03	0.14	23	40	0.08	0.04	21.3	0.05	1.16	0.8	3	0.47	2.3
K304648		3.35	0.42	0.21	2.68	1160	130	0.83	0.11	13.90	0.03	28.1	3.2	27	6.74	13.1
K304649		4.22	0.26	0.16	3.34	970	290	0.99	0.09	13.00	0.04	35.6	4.4	33	8.30	11.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197271

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304614		1.21	7.44	0.09	1.2	0.05	0.019	1.19	17.5	63.0	2.50	238	0.46	0.24	4.3	13.3
K304615		1.21	7.17	0.08	1.2	0.06	0.023	1.17	16.5	62.3	2.47	239	0.46	0.23	4.2	13.7
K304616		1.65	8.99	0.09	1.6	0.06	0.028	1.50	21.2	80.1	3.16	266	0.63	0.30	5.5	17.0
K304617		1.88	10.65	0.11	1.9	0.07	0.030	1.75	24.2	76.9	2.72	313	0.34	0.34	6.4	20.8
K304618		1.64	8.89	0.09	1.5	0.03	0.028	1.56	19.9	54.1	2.57	353	0.24	0.23	5.2	16.0
K304619		1.83	11.05	0.10	2.2	0.04	0.030	1.79	24.9	69.8	3.80	346	0.51	0.30	6.8	18.8
K304620		0.47	0.28	0.05	<0.1	<0.01	<0.005	0.05	0.5	1.6	12.75	219	0.30	0.01	0.1	2.2
K304621		1.35	8.22	0.10	1.5	0.03	0.023	1.34	19.0	53.9	2.53	445	0.30	0.30	5.1	14.7
K304622		1.15	6.33	0.09	1.4	0.04	0.020	1.02	14.5	45.1	2.90	459	0.45	0.22	4.0	11.2
K304623		1.77	10.25	0.09	2.0	0.05	0.025	1.60	24.0	69.4	4.37	550	0.44	0.30	6.1	18.1
K304624		1.36	7.57	0.08	1.4	0.03	0.025	1.08	17.1	50.9	2.49	821	0.30	0.30	4.7	14.2
K304625		1.30	7.79	0.10	1.5	0.04	0.038	1.10	18.1	45.2	2.73	1100	0.38	0.30	4.8	13.5
K304626		0.78	4.36	0.13	0.8	0.04	0.016	0.58	10.9	32.5	1.40	1720	0.43	0.23	2.9	9.6
K304627		1.66	9.79	0.18	1.9	0.05	0.032	1.37	25.9	52.2	2.57	2090	0.48	0.36	6.6	20.3
K304628		2.37	12.40	0.17	2.1	0.03	0.040	1.83	31.2	74.4	2.92	2270	0.61	0.28	8.1	28.9
K304629		6.73	18.50	0.21	4.3	9.3	0.049	1.33	62.3	17.5	0.13	38	6.14	0.39	9.4	16.3
K304630		2.78	17.25	0.18	2.7	0.03	0.056	2.91	37.3	101.0	3.47	1820	0.70	0.12	10.9	39.7
K304631		1.90	6.39	0.17	1.3	66.8	0.039	1.23	20.0	11.4	4.22	1580	0.23	0.02	3.5	17.7
K304632		2.08	7.52	0.16	1.9	4.43	0.028	1.01	30.1	36.9	2.51	269	16.85	0.04	6.6	52.5
K304633		1.22	4.73	0.12	1.1	7.0	0.016	0.98	11.0	9.9	7.81	694	0.20	0.04	2.7	9.2
K304634		1.56	8.30	0.15	2.7	0.83	0.025	1.85	22.5	18.2	5.39	370	0.28	0.03	5.8	11.9
K304635		1.01	4.62	0.16	1.4	1.14	0.015	1.07	13.4	9.8	4.27	280	0.45	0.02	3.0	8.1
K304636		1.08	4.66	0.15	1.4	1.36	0.014	1.04	12.0	9.4	6.83	273	0.64	0.02	2.8	9.9
K304637		0.79	4.00	0.14	1.1	0.89	0.013	0.82	11.3	8.2	9.80	264	0.24	0.02	2.5	4.8
K304638		0.71	4.00	0.13	1.1	1.04	0.010	0.84	10.9	8.1	9.19	281	0.44	0.02	2.5	5.8
K304639		0.58	2.36	0.12	0.8	2.43	0.007	0.43	6.9	4.5	9.75	583	0.44	0.01	1.4	5.7
K304640		0.75	1.64	0.12	0.6	4.94	0.005	0.36	5.4	3.9	11.40	648	0.29	0.02	1.2	4.2
K304641		0.50	1.13	0.10	0.3	4.41	<0.005	0.21	4.9	2.7	11.70	594	0.35	0.01	0.7	3.7
K304642		0.53	1.46	0.12	0.4	2.11	0.005	0.30	3.4	4.1	11.70	484	0.36	0.01	1.0	4.1
K304643		0.95	4.19	0.12	1.2	5.03	0.015	0.86	10.0	8.9	9.43	557	1.18	0.01	2.8	9.3
K304644		1.28	6.83	0.14	2.5	5.32	0.019	1.40	18.5	13.3	6.94	549	1.75	0.02	4.6	13.2
K304345		0.93	2.42	0.12	0.7	3.80	0.006	0.44	7.9	5.6	10.85	443	0.56	0.01	1.6	6.4
K304346		0.56	1.55	0.11	0.4	4.51	0.006	0.29	6.1	3.4	11.40	429	1.35	0.01	1.0	4.2
K304647		0.48	0.35	0.10	<0.1	0.02	<0.005	0.05	0.6	2.6	12.90	217	0.09	0.01	0.2	2.3
K304648		2.08	6.29	0.14	1.7	3.36	0.021	1.32	14.0	11.4	7.46	798	1.24	0.02	4.2	9.7
K304649		1.31	8.53	0.15	2.5	1.59	0.019	1.60	20.3	15.8	6.87	326	0.94	0.02	5.5	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197271

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304614		360	8.8	58.7	<0.002	0.09	0.22	4.9	1	1.1	624	0.34	<0.05	5.5	0.123	0.51
K304615		350	9.1	57.1	<0.002	0.11	0.21	4.7	1	1.1	624	0.33	<0.05	5.3	0.121	0.49
K304616		470	11.2	66.9	<0.002	0.17	0.28	5.9	3	1.3	502	0.45	<0.05	6.6	0.162	0.52
K304617		530	8.9	79.9	<0.002	0.07	0.26	7.0	2	1.6	431	0.51	<0.05	7.8	0.186	0.55
K304618		380	6.2	67.4	<0.002	0.05	0.17	5.8	1	1.3	574	0.43	<0.05	6.3	0.156	0.51
K304619		470	9.7	79.0	<0.002	0.07	0.23	6.8	2	1.6	329	0.52	<0.05	8.6	0.192	0.52
K304620		160	1.6	3.1	<0.002	0.01	<0.05	0.4	<1	0.2	45.6	<0.05	<0.05	0.2	0.005	0.02
K304621		440	9.1	54.5	<0.002	0.06	0.20	5.1	1	1.2	557	0.38	<0.05	5.9	0.147	0.39
K304622		390	7.7	44.3	<0.002	0.08	0.19	4.2	1	1.0	645	0.33	<0.05	5.1	0.116	0.34
K304623		390	8.9	69.1	<0.002	0.05	0.25	6.5	2	1.4	301	0.51	<0.05	8.0	0.180	0.49
K304624		310	7.4	50.3	<0.002	0.05	0.17	5.1	1	1.1	476	0.37	<0.05	5.8	0.131	0.38
K304625		340	10.0	49.1	<0.002	0.07	0.22	5.1	1	1.3	471	0.36	<0.05	6.0	0.135	0.37
K304626		210	13.3	27.9	<0.002	0.10	0.18	3.0	2	0.8	778	0.22	0.05	3.9	0.080	0.28
K304627		450	19.6	67.7	<0.002	0.10	0.25	7.0	3	1.5	337	0.48	<0.05	9.6	0.186	0.44
K304628		540	24.8	80.1	<0.002	0.09	0.26	8.6	3	1.8	340	0.63	<0.05	11.1	0.229	0.52
K304629		910	17.5	49.4	<0.002	3.13	112.5	15.4	2	3.0	498	0.67	0.14	10.2	0.546	8.08
K304630		420	8.4	110.0	<0.002	0.04	0.40	12.2	1	2.1	201	0.82	0.05	13.4	0.327	0.76
K304631		3090	7.7	54.6	<0.002	0.11	2.64	6.2	2	1.4	338	0.26	<0.05	5.4	0.113	101.0
K304632		880	39.8	49.9	0.022	1.55	109.5	5.3	7	2.4	71.4	0.42	0.18	6.9	0.173	4.37
K304633		830	4.9	39.0	<0.002	0.12	0.47	3.9	<1	0.9	163.0	0.21	<0.05	3.7	0.091	15.45
K304634		670	8.2	66.0	<0.002	0.14	0.46	5.8	2	1.4	128.5	0.45	<0.05	8.6	0.170	5.88
K304635		490	9.3	35.8	<0.002	0.09	0.78	3.2	2	0.8	519	0.25	<0.05	4.5	0.093	7.05
K304636		570	7.7	35.1	<0.002	0.05	1.48	3.3	<1	0.8	244	0.22	<0.05	4.5	0.087	11.75
K304637		380	6.0	27.6	<0.002	0.01	0.95	2.8	<1	1.5	92.7	0.18	<0.05	3.6	0.073	6.49
K304638		510	8.4	26.4	<0.002	0.02	0.66	2.6	<1	0.8	93.8	0.18	<0.05	3.6	0.076	4.27
K304639		330	7.3	13.8	<0.002	0.01	1.02	1.6	<1	0.7	109.5	0.11	<0.05	2.1	0.043	5.48
K304640		290	9.4	11.8	<0.002	0.03	1.15	1.3	<1	0.5	92.3	0.10	<0.05	1.7	0.034	7.38
K304641		190	10.1	7.3	<0.002	0.01	1.43	0.9	<1	0.4	109.0	0.05	<0.05	1.0	0.021	6.75
K304642		130	9.7	10.0	<0.002	0.04	0.94	1.1	1	0.4	88.1	0.07	<0.05	1.4	0.030	5.09
K304643		410	15.1	33.1	<0.002	0.26	0.97	3.0	2	0.8	98.7	0.21	<0.05	4.0	0.080	11.10
K304644		680	16.5	55.0	<0.002	0.34	1.25	4.6	4	1.1	128.0	0.34	<0.05	7.0	0.132	12.20
K304345		270	12.4	15.4	<0.002	0.54	1.77	1.6	1	0.5	119.0	0.11	<0.05	2.3	0.044	6.83
K304346		240	14.6	9.6	<0.002	1.09	4.76	1.1	1	0.4	120.5	0.07	<0.05	1.4	0.028	6.39
K304647		200	1.4	2.8	<0.002	0.01	0.07	0.3	<1	0.2	42.7	<0.05	<0.05	<0.2	0.005	0.08
K304648		510	14.3	44.7	<0.002	0.17	0.98	4.5	2	1.3	97.3	0.33	<0.05	6.2	0.124	6.99
K304649		410	15.7	55.0	<0.002	0.23	0.60	5.4	3	1.4	145.0	0.41	<0.05	7.5	0.158	6.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197271

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304614		9.7	40	0.5	9.9	47	40.2
K304615		9.5	38	0.5	9.7	46	40.7
K304616		7.5	51	0.6	11.6	62	48.7
K304617		6.3	56	0.8	14.9	64	56.5
K304618		4.5	44	0.7	11.7	49	46.8
K304619		6.2	55	0.8	14.6	63	72.6
K304620		0.4	2	0.1	0.8	14	<0.5
K304621		8.5	43	0.6	10.6	53	47.8
K304622		5.4	35	0.5	9.5	47	44.9
K304623		5.6	53	0.8	13.3	63	61.4
K304624		8.6	38	0.6	10.3	51	42.8
K304625		8.8	39	0.5	10.6	49	49.4
K304626		14.5	25	0.4	6.3	72	26.8
K304627		7.2	58	0.8	13.9	75	60.1
K304628		5.6	60	1.0	17.8	91	68.1
K304629		8.3	168	23.0	15.4	44	165.0
K304630		2.6	74	1.3	18.2	105	100.5
K304631		5.1	36	3.3	25.4	49	41.8
K304632		9.6	231	28.3	20.4	207	59.5
K304633		2.5	27	1.9	8.3	23	36.5
K304634		3.6	45	2.1	13.0	21	90.2
K304635		12.6	31	1.4	8.8	34	47.5
K304636		11.1	31	1.4	7.8	47	44.5
K304637		5.8	25	0.8	6.9	36	35.8
K304638		7.2	30	0.8	6.9	71	36.6
K304639		8.5	19	0.9	5.5	34	31.2
K304640		8.3	13	1.0	3.8	23	17.1
K304641		8.0	11	0.9	3.2	5	9.7
K304642		9.4	11	1.0	2.7	4	13.7
K304643		10.5	34	1.8	7.0	12	37.4
K304644		8.0	65	2.4	11.7	21	80.5
K304345		15.0	31	1.3	4.9	9	23.5
K304346		18.4	17	0.9	3.5	5	11.7
K304647		0.6	1	0.1	0.9	14	<0.5
K304648		12.6	58	2.0	10.2	11	57.5
K304649		10.6	63	2.3	11.1	19	77.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197271

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

CERTIFICATE WH11199418

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 220 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199418

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305167		7.60	0.01	0.02	0.82	37	220	0.26	0.04	34.5	0.03	14.05	2.9	8	3.07	8.6
K305168		7.98	0.01	0.01	0.69	41	210	0.20	0.04	35.3	0.05	12.10	2.6	7	2.34	8.3
K305169		7.30	0.02	0.01	0.58	34	120	0.21	0.03	36.3	0.04	11.00	2.3	6	1.69	7.4
K305170		8.41	0.01	0.01	0.61	42	110	0.21	0.03	35.3	0.05	11.90	2.4	6	1.66	8.6
K305171		7.78	0.01	0.02	1.07	46	180	0.31	0.06	34.0	0.09	18.25	3.8	10	3.07	14.1
K305172		7.86	0.01	0.01	0.74	22	110	0.26	0.04	34.7	0.05	13.50	2.8	8	1.99	11.0
K305173		7.83	<0.01	0.02	0.66	22	100	0.18	0.03	34.8	0.05	12.45	2.5	7	2.08	8.3
K305174		0.26	7.90	0.49	3.51	981	160	0.81	0.66	11.80	4.08	46.5	5.4	96	7.34	35.8
K305175		7.48	0.01	0.02	0.96	169	120	0.25	0.05	33.0	0.08	14.45	3.2	10	3.15	10.5
K305176		7.98	<0.01	0.02	0.70	44	120	0.25	0.04	35.1	0.05	13.10	2.6	7	2.01	9.4
K305177		7.74	0.01	0.01	0.82	1140	130	0.21	0.04	35.4	0.08	14.30	3.0	8	2.20	10.1
K305178		4.04	0.01	0.02	0.86	821	120	0.26	0.04	33.7	0.06	14.45	3.2	9	2.24	12.6
K305179		8.20	0.01	0.02	1.11	97	120	0.34	0.06	31.9	0.10	19.10	3.8	11	4.39	13.9
K305180		7.97	0.01	0.03	1.52	2370	200	0.46	0.08	31.5	0.15	24.1	4.9	15	8.39	18.6
K305181		8.11	0.61	0.18	0.93	>10000	120	0.27	0.05	31.4	0.11	14.30	3.1	9	2.47	13.2
K305182		8.01	0.01	0.04	1.41	226	170	0.45	0.07	32.6	0.16	22.1	4.7	14	4.67	18.6
K305183		5.04	<0.01	0.01	0.11	48	20	0.09	0.03	21.5	0.06	2.32	1.4	1	0.61	3.5
K305184		8.01	0.01	0.10	2.62	170	230	0.58	0.11	25.5	0.25	35.0	8.6	25	7.86	31.7
K305185		7.73	<0.01	0.05	0.62	66	120	0.21	0.03	33.0	0.20	10.35	2.6	6	1.89	8.8
K305186		7.45	0.01	0.05	3.13	153	230	0.78	0.14	23.4	0.21	41.6	10.8	29	10.20	36.6
K305187		7.58	0.13	0.08	4.56	315	240	1.19	0.20	15.70	0.27	59.5	16.4	42	15.50	53.5
K305188		8.06	0.03	0.08	3.04	132	180	0.99	0.13	22.6	0.21	43.8	10.0	28	9.82	32.8
K305189		0.26	2.67	1.07	3.21	606	870	0.62	0.33	7.88	2.30	50.9	7.1	53	3.93	42.5
K305190		7.19	0.05	0.47	2.65	139	200	0.69	0.11	24.7	0.18	38.2	8.4	25	7.41	24.5
K305191		7.17	0.02	0.15	1.42	67	180	0.40	0.06	30.5	0.15	24.1	5.2	14	3.58	15.1
K305192		8.37	0.01	0.05	1.16	56	170	0.36	0.05	30.9	0.16	18.85	4.1	11	3.47	13.0
K305193		6.98	<0.01	0.09	2.63	56	190	0.71	0.11	25.2	0.19	37.9	8.8	24	11.80	24.6
K305194		8.16	0.05	0.03	1.43	76	150	0.48	0.06	30.3	0.12	20.8	5.0	14	4.39	14.5
K305195		7.23	<0.01	0.02	1.61	47	170	0.44	0.06	29.1	0.13	22.4	5.5	16	5.09	16.4
K305196		7.46	0.01	0.04	1.23	18	210	0.35	0.06	30.4	0.14	19.15	4.8	12	5.58	14.8
K305197		7.30	0.03	0.06	3.50	57	200	0.90	0.14	22.0	0.16	42.0	11.4	32	18.60	31.4
K305198		7.97	<0.01	0.06	3.03	72	230	0.54	0.12	23.3	0.18	38.5	10.7	32	16.05	31.4
K305199		7.17	<0.01	0.03	2.12	39	180	0.43	0.09	27.3	0.15	29.3	7.2	21	12.45	21.4
K305200		5.02	0.01	0.05	0.07	<5	10	<0.05	0.02	19.80	0.05	1.22	1.0	1	0.18	5.1
K305201		7.64	<0.01	0.03	1.74	37	240	0.46	0.07	29.0	0.15	27.2	6.1	17	11.00	18.2
K305202		6.80	0.04	0.03	2.03	1400	170	0.55	0.10	30.8	0.18	28.4	6.0	17	8.63	21.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199418

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305167		0.53	2.16	0.08	0.4	0.37	0.007	0.38	8.1	3.3	0.40	195	0.40	0.02	1.4	3.4
K305168		0.46	1.85	0.09	0.3	0.50	0.007	0.32	6.9	2.8	0.48	153	0.43	0.02	1.2	2.6
K305169		0.41	1.58	0.08	0.3	0.61	0.009	0.26	6.1	2.3	0.59	195	0.29	0.01	1.1	1.8
K305170		0.43	1.68	0.08	0.3	0.51	0.008	0.28	6.7	2.4	0.60	197	0.28	0.01	1.2	2.3
K305171		0.67	2.80	0.08	0.6	0.82	0.016	0.50	10.5	4.1	0.51	165	0.58	0.02	1.8	5.0
K305172		0.48	1.99	0.06	0.4	0.33	0.010	0.33	7.5	3.1	0.64	172	0.32	0.02	1.4	2.9
K305173		0.45	1.66	0.06	0.3	0.34	0.007	0.29	6.7	2.8	0.51	140	0.27	0.02	1.2	2.7
K305174		1.35	7.52	0.13	2.3	5.94	0.064	1.45	33.4	9.0	0.70	264	11.75	0.01	7.9	63.2
K305175		0.59	2.47	0.07	0.5	0.67	0.010	0.43	8.2	3.9	0.47	126	0.39	0.01	1.6	3.8
K305176		0.45	1.81	0.08	0.4	0.73	0.008	0.31	7.2	3.0	0.36	128	0.32	0.01	1.2	2.6
K305177		0.54	2.11	0.09	0.4	1.07	0.009	0.36	7.9	3.1	0.37	199	0.42	0.01	1.4	3.7
K305178		0.58	2.25	0.08	0.5	1.20	0.010	0.38	8.1	3.2	0.37	199	0.44	0.01	1.5	3.5
K305179		0.70	2.98	0.08	0.6	1.26	0.014	0.49	10.7	4.4	0.45	216	0.71	0.01	1.9	5.4
K305180		0.98	3.97	0.07	0.7	1.83	0.015	0.68	13.3	6.1	0.77	305	0.87	0.02	2.5	7.5
K305181		0.62	2.81	0.08	0.5	1.99	0.038	0.41	7.9	3.4	0.57	2580	0.65	0.01	1.5	4.3
K305182		0.98	3.67	0.08	0.7	2.67	0.015	0.63	12.1	4.7	0.81	378	1.04	0.02	2.2	7.1
K305183		0.48	0.55	0.19	<0.1	0.01	0.006	0.05	1.3	1.4	13.15	213	0.10	0.01	0.5	1.7
K305184		1.59	6.35	0.05	1.2	5.85	0.027	1.14	17.6	8.9	0.94	273	1.53	0.02	3.5	15.1
K305185		0.50	1.60	0.06	0.3	0.96	0.011	0.27	4.9	2.8	0.57	318	0.48	0.01	0.9	3.4
K305186		1.95	7.59	0.08	1.4	2.3	0.036	1.37	19.9	11.4	1.03	501	1.79	0.02	4.2	17.7
K305187		2.87	11.95	0.10	2.3	3.22	0.043	2.04	29.8	16.5	1.23	958	1.85	0.03	6.8	27.1
K305188		1.93	7.81	0.09	1.4	1.74	0.036	1.35	22.6	11.0	1.05	726	1.41	0.02	4.4	16.8
K305189		2.09	7.65	0.08	1.8	4.82	0.031	1.00	30.8	40.8	2.50	275	18.85	0.02	7.0	52.4
K305190		1.67	6.44	0.06	1.3	1.80	0.022	1.17	18.7	8.8	0.98	506	1.02	0.02	3.7	14.2
K305191		0.91	3.54	0.08	0.7	1.09	0.017	0.63	11.8	5.0	0.52	322	0.70	0.01	2.0	7.9
K305192		0.85	2.96	0.07	0.6	0.92	0.010	0.52	9.8	4.7	0.57	407	0.48	0.02	1.6	6.7
K305193		1.66	6.47	0.08	1.2	1.01	0.025	1.17	19.3	11.3	0.88	341	0.82	0.02	3.7	14.3
K305194		0.98	3.62	0.07	0.7	1.19	0.023	0.63	9.9	5.8	0.57	603	0.38	0.02	1.9	8.1
K305195		1.09	3.93	0.10	0.8	0.88	0.019	0.72	10.4	6.2	0.64	380	0.38	0.02	2.2	8.4
K305196		0.96	3.05	0.05	0.6	0.2	0.013	0.55	9.3	5.0	0.52	256	0.51	0.01	1.7	8.7
K305197		2.10	8.33	0.09	1.6	0.51	0.039	1.58	21.2	14.4	0.93	467	0.87	0.03	4.9	18.3
K305198		2.12	7.27	0.07	1.4	1.01	0.026	1.35	19.1	11.3	1.05	473	0.86	0.03	4.2	18.2
K305199		1.45	5.10	0.06	1.1	0.49	0.019	0.94	15.1	9.3	0.67	373	0.58	0.02	3.0	11.5
K305200		0.46	0.25	0.10	<0.1	<0.01	0.014	0.02	0.7	1.0	12.40	214	0.05	0.01	0.2	1.8
K305201		1.11	4.16	0.06	0.8	0.61	0.018	0.78	13.4	8.9	0.74	328	0.49	0.02	2.3	10.1
K305202		1.35	4.93	0.08	1.1	1.30	0.023	0.92	15.1	9.0	0.66	498	0.45	0.02	2.9	10.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199418

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305167		410	3.0	19.6	0.002	0.50	0.31	2.2	2	0.4	2030	0.09	<0.05	1.5	0.043	0.91
K305168		250	2.8	16.5	0.003	0.46	0.63	1.8	2	0.4	1970	0.08	<0.05	1.3	0.036	0.98
K305169		410	2.6	13.4	<0.002	0.39	0.64	1.7	2	0.4	1655	0.07	<0.05	1.1	0.031	1.16
K305170		380	2.3	14.7	<0.002	0.41	0.63	1.7	2	0.5	1620	0.07	<0.05	1.2	0.032	0.99
K305171		150	3.9	25.3	0.002	0.71	0.88	2.7	2	0.7	1975	0.12	<0.05	2.0	0.058	1.20
K305172		370	3.1	17.5	0.002	0.49	0.71	2.0	2	0.7	1495	0.08	<0.05	1.4	0.040	0.69
K305173		350	3.0	15.8	<0.002	0.43	0.42	1.8	2	0.4	1610	0.08	<0.05	1.2	0.036	0.72
K305174		4140	4.6	105.5	0.036	1.35	19.15	6.2	8	1.7	143.5	0.56	0.55	6.7	0.210	13.45
K305175		120	3.2	23.7	0.002	0.58	0.87	2.4	2	0.5	1970	0.11	<0.05	1.7	0.051	1.41
K305176		300	2.5	16.9	<0.002	0.43	0.47	1.9	2	0.5	2070	0.08	<0.05	1.3	0.036	1.30
K305177		200	2.8	20.0	0.002	0.58	1.95	2.3	2	0.5	2100	0.09	<0.05	1.5	0.045	1.81
K305178		200	2.9	20.9	0.002	0.60	1.92	2.4	2	0.7	1985	0.10	<0.05	1.6	0.049	1.91
K305179		380	3.7	28.3	0.003	0.72	1.07	3.0	2	0.7	1920	0.13	0.05	2.0	0.058	2.44
K305180		450	5.0	39.2	0.003	1.04	3.98	3.8	3	0.9	1815	0.17	0.05	2.7	0.079	3.47
K305181		640	3.1	23.4	0.003	2.36	94.5	2.4	4	0.7	1390	0.11	0.07	1.7	0.047	4.29
K305182		360	4.6	34.7	0.004	0.89	2.57	3.7	3	1.0	1885	0.15	0.05	2.5	0.073	4.04
K305183		170	1.3	3.6	<0.002	0.01	0.15	0.3	1	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	0.03
K305184		240	7.5	50.8	0.004	1.56	4.58	6.9	2	1.6	1790	0.25	0.05	4.4	0.136	5.58
K305185		540	2.1	12.6	<0.002	0.38	0.88	1.8	1	0.5	1940	0.07	<0.05	1.1	0.032	1.25
K305186		270	9.4	62.3	0.007	1.72	0.99	7.9	2	1.6	1890	0.31	0.07	5.3	0.167	3.94
K305187		280	13.2	105.0	0.006	2.59	2.26	13.0	2	2.6	1245	0.46	0.08	7.8	0.263	6.64
K305188		390	8.8	66.1	0.005	1.64	0.88	8.4	1	1.4	1625	0.29	<0.05	5.3	0.157	4.47
K305189		890	35.4	50.3	0.020	1.56	108.5	5.5	4	2.5	74.6	0.41	0.20	6.7	0.168	3.95
K305190		200	8.0	55.3	0.005	1.43	1.39	7.0	2	0.9	1920	0.25	0.07	4.7	0.139	3.89
K305191		470	4.6	29.9	0.004	0.82	0.86	4.1	2	0.5	2420	0.13	<0.05	2.7	0.074	1.86
K305192		750	3.6	25.0	0.003	0.70	0.44	3.5	1	0.4	2280	0.11	0.06	2.1	0.062	1.57
K305193		220	7.5	57.1	0.003	1.42	0.60	7.1	2	0.9	1965	0.25	0.06	4.5	0.140	3.79
K305194		550	4.0	29.1	<0.002	0.81	1.08	4.3	1	0.5	1995	0.14	0.09	2.4	0.082	1.79
K305195		730	4.5	32.5	<0.002	0.87	0.34	4.3	2	0.5	1905	0.16	0.06	2.7	0.092	1.66
K305196		590	3.9	25.8	0.002	0.72	0.26	3.7	2	0.4	2350	0.11	<0.05	2.2	0.071	1.59
K305197		230	9.2	76.2	0.002	1.81	0.42	8.8	1	1.0	1600	0.34	0.06	5.6	0.205	2.51
K305198		480	8.2	63.9	0.004	1.91	0.52	8.4	2	0.9	1850	0.28	<0.05	4.9	0.193	1.74
K305199		510	5.9	45.0	0.002	1.24	0.33	5.7	2	0.7	1980	0.20	0.07	3.6	0.126	1.52
K305200		180	1.2	1.3	<0.002	0.01	0.12	0.3	1	<0.2	47.6	<0.05	<0.05	<0.2	<0.005	0.02
K305201		560	5.1	36.9	0.002	0.96	0.38	4.6	2	0.6	2170	0.15	<0.05	3.1	0.095	1.44
K305202		580	5.9	45.2	0.002	1.21	1.51	5.4	1	0.8	2030	0.22	<0.05	3.1	0.119	1.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199418

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K305167		2.5	10	0.7	11.4	8	16.4	
K305168		2.6	9	0.8	9.8	13	12.5	
K305169		2.5	7	0.7	10.1	7	10.8	
K305170		2.3	7	0.6	11.1	7	11.4	
K305171		2.8	15	1.1	12.8	18	19.5	
K305172		2.7	10	0.8	11.6	7	14.4	
K305173		2.4	8	0.5	10.6	6	12.1	
K305174		8.8	374	36.0	27.3	278	80.8	
K305175		2.3	13	0.6	9.9	11	16.6	
K305176		2.4	9	0.5	11.2	7	12.8	
K305177		2.8	11	0.7	12.3	12	14.2	
K305178		2.8	12	0.8	12.0	7	15.9	
K305179		3.0	16	0.8	13.7	15	20.2	
K305180		3.2	23	0.7	14.6	27	26.6	
K305181		2.4	14	0.9	10.7	12	17.5	3.44
K305182		3.1	22	1.7	13.7	22	24.9	
K305183		0.5	1	0.1	0.9	14	<0.5	
K305184		3.3	44	3.6	17.9	42	40.6	
K305185		2.0	11	0.5	7.9	12	11.8	
K305186		3.4	55	1.3	19.3	45	47.7	
K305187		3.2	80	2.1	24.4	70	74.6	
K305188		2.7	50	1.1	23.5	46	50.7	
K305189		8.6	229	26.4	20.5	210	67.5	
K305190		2.7	43	1.1	18.6	38	44.5	
K305191		2.8	22	0.6	16.4	20	26.1	
K305192		2.2	20	0.4	14.7	19	21.8	
K305193		2.9	42	0.7	20.7	39	41.8	
K305194		2.3	24	0.9	15.2	20	25.9	
K305195		2.4	26	0.6	14.1	23	27.7	
K305196		2.4	20	0.4	14.4	17	22.3	
K305197		2.5	59	0.6	19.9	51	53.8	
K305198		2.8	55	0.6	21.9	43	51.4	
K305199		2.5	35	0.4	17.9	30	36.3	
K305200		0.6	2	0.1	0.8	14	<0.5	
K305201		2.7	28	0.4	17.3	26	29.6	
K305202		2.3	35	0.8	21.4	29	35.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199418

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

CERTIFICATE WH11197147

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 221 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197147

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303837		6.89	0.01	0.14	4.79	139	400	0.99	0.23	15.50	0.30	57.1	15.4	50	15.75	56.3
K303838		8.09	0.01	0.19	6.82	134.5	410	1.49	0.29	7.24	0.61	66.9	24.4	79	24.0	78.4
K303839		7.73	0.07	0.18	5.76	207	300	1.01	0.24	12.05	0.52	68.1	19.2	66	16.10	62.2
K303840		2.42	0.01	0.15	4.84	146	250	0.94	0.20	13.40	0.43	59.5	17.1	57	16.90	54.3
K303841		7.47	0.03	0.14	6.28	170	290	1.32	0.31	11.35	0.26	68.7	22.4	67	21.4	89.6
K303842		7.36	0.14	0.16	6.42	264	340	1.43	0.31	10.05	0.31	68.3	21.3	65	22.3	88.3
K303843		7.54	0.32	0.12	3.97	307	230	0.88	0.19	18.65	0.23	45.2	12.8	38	14.20	49.8
K303844		7.21	0.58	0.18	4.10	291	980	0.84	0.20	17.70	0.26	44.0	12.9	41	10.50	48.1
K303845		7.32	0.24	0.15	5.51	317	330	1.13	0.26	12.05	0.29	64.3	18.1	56	15.90	70.0
K303846		0.23	0.33	0.35	6.00	585	1830	0.44	0.27	0.46	0.20	129.5	3.0	227	3.53	31.5
K303847		8.13	0.18	0.11	4.49	215	250	1.03	0.21	17.60	0.23	51.0	14.6	45	12.80	55.4
K303848		7.72	0.18	0.12	4.71	204	290	0.96	0.21	16.40	0.28	52.0	15.2	46	13.90	58.6
K303849		4.96	<0.01	<0.01	0.11	<5	20	<0.05	0.02	19.35	0.06	1.25	1.7	1	0.42	1.6
K303850		8.06	0.01	0.15	5.40	88	370	1.13	0.24	13.40	0.24	55.9	16.9	52	16.05	63.3
K303851		6.41	0.01	0.08	3.20	13	260	0.85	0.15	22.1	0.17	45.0	10.0	32	8.82	42.1
K303852		7.29	0.01	0.07	2.56	12	210	0.64	0.12	25.7	0.17	37.1	7.8	25	6.99	35.6
K303853		7.78	0.01	0.10	5.43	12	310	1.24	0.29	14.90	0.26	65.2	16.0	54	17.05	68.4
K303854		8.06	0.01	0.05	3.45	27	200	0.76	0.17	21.1	0.17	44.6	10.5	35	10.85	40.6
K303855		8.02	0.01	0.07	3.15	68	190	0.77	0.16	22.0	0.17	44.4	9.8	31	8.11	41.0
K303856		8.54	0.03	0.08	3.66	144	220	0.92	0.19	19.20	0.20	51.7	11.0	36	10.90	46.7
K303857		7.36	0.01	0.09	3.62	135	250	0.83	0.18	20.4	0.21	50.3	11.5	38	8.30	49.0
K303858		7.68	<0.01	0.05	2.82	43	180	0.72	0.14	23.3	0.13	41.4	8.9	35	9.17	36.3
K303859		0.23	2.50	0.98	3.12	597	860	0.64	0.32	7.78	2.21	52.0	6.3	54	3.79	43.0
K303860		7.57	<0.01	0.05	2.73	17	320	0.65	0.13	23.7	0.13	36.5	8.4	26	8.47	34.3
K303861		8.14	<0.01	0.08	4.11	19	260	0.88	0.20	19.50	0.21	54.4	12.2	39	14.15	52.3
K303862		7.72	0.01	0.05	2.69	23	190	0.67	0.13	23.6	0.12	41.1	8.2	26	9.85	33.2
K303863		7.69	0.01	0.07	3.55	20	230	0.86	0.17	19.80	0.15	52.3	11.2	34	10.25	47.0
K303864		7.57	0.01	0.06	3.48	19	170	0.96	0.17	16.55	0.15	44.8	13.3	33	11.70	48.7
K303865		7.87	<0.01	0.08	4.03	13	230	0.99	0.19	20.5	0.17	53.7	11.7	39	14.40	47.8
K303866		7.77	0.01	0.06	2.98	13	200	0.75	0.15	22.6	0.14	42.9	9.0	28	9.69	34.9
K303867		7.65	0.01	0.10	5.83	52	290	1.32	0.31	12.70	0.23	72.5	17.7	57	17.85	76.6
K303868		4.92	<0.01	0.02	0.07	<5	80	0.06	0.03	19.60	0.07	1.45	1.3	<1	0.25	2.5
K303869		7.62	<0.01	0.04	2.31	45	110	0.70	0.12	17.90	0.10	34.8	7.7	22	6.09	30.9
K303870		8.06	<0.01	0.05	3.83	59	160	0.85	0.20	10.15	0.28	50.4	12.4	42	10.80	42.6
K303871		1.23	<0.01	0.01	0.80	9	90	0.34	0.02	27.6	<0.02	17.10	1.7	6	1.35	2.9
K303872		6.00	<0.01	0.01	1.07	8	80	0.38	0.04	28.9	<0.02	21.6	2.4	8	2.52	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197147

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303837		2.78	13.70	0.15	2.4	1.01	0.049	2.00	27.5	13.9	1.20	373	2.82	0.04	6.8	27.4
K303838		4.40	20.6	0.20	3.3	1.75	0.075	2.95	32.2	21.3	1.01	322	4.68	0.05	10.1	45.5
K303839		3.97	15.90	0.17	2.8	0.86	0.060	2.32	32.6	17.1	1.19	511	4.19	0.05	8.4	35.3
K303840		3.61	13.35	0.15	2.5	0.78	0.052	2.00	28.3	16.9	1.17	414	3.64	0.04	6.9	30.6
K303841		3.54	18.45	0.18	3.1	1.39	0.068	2.80	33.7	16.0	0.90	318	2.84	0.04	9.1	41.7
K303842		3.65	18.95	0.17	3.2	2.18	0.065	2.84	33.4	16.7	1.22	641	3.07	0.04	9.3	40.8
K303843		2.65	11.35	0.14	2.0	1.89	0.042	1.68	21.3	11.6	1.30	975	2.34	0.03	5.8	23.6
K303844		2.51	11.55	0.11	2.0	2.01	0.039	1.76	21.0	11.3	1.15	1780	2.01	0.04	5.9	22.6
K303845		3.57	15.85	0.17	2.7	2.03	0.057	2.34	30.3	15.0	1.77	1140	2.84	0.04	7.8	34.4
K303846		6.20	22.2	0.27	4.3	9.55	0.051	1.28	63.1	13.7	0.12	39	6.67	0.36	9.6	15.9
K303847		2.74	12.50	0.13	2.1	1.14	0.043	1.91	24.3	11.3	1.36	572	2.16	0.03	6.3	25.1
K303848		2.82	12.65	0.13	2.2	0.81	0.048	1.96	24.8	13.3	1.47	577	2.31	0.04	6.4	27.3
K303849		0.44	0.48	0.18	<0.1	<0.01	<0.005	0.05	0.6	1.1	12.50	210	0.07	<0.01	0.4	1.7
K303850		2.89	14.85	0.16	2.6	0.50	0.051	2.21	26.7	16.3	1.17	358	2.39	0.07	7.4	30.7
K303851		2.14	8.51	0.12	1.6	0.13	0.033	1.33	21.4	9.0	1.07	495	1.50	0.11	5.0	20.8
K303852		1.80	6.78	0.10	1.2	0.08	0.026	1.04	17.1	6.4	1.11	377	1.47	0.13	3.9	15.1
K303853		2.90	14.25	0.13	2.6	0.15	0.057	2.21	32.7	13.2	1.31	365	2.60	0.26	8.0	34.9
K303854		2.07	9.10	0.09	1.7	0.13	0.035	1.41	21.1	7.8	1.02	438	1.38	0.18	5.3	20.3
K303855		1.94	8.37	0.11	1.6	0.61	0.030	1.36	20.9	7.3	1.18	408	1.51	0.04	4.9	19.6
K303856		2.29	9.71	0.11	1.9	1.34	0.037	1.57	24.5	8.9	1.15	422	1.73	0.03	5.7	23.7
K303857		2.39	9.84	0.12	1.8	1.30	0.036	1.53	23.8	9.7	1.32	449	1.86	0.03	5.6	26.1
K303858		1.79	7.73	0.10	1.4	0.37	0.031	1.24	19.6	7.2	1.31	385	1.44	0.05	4.5	21.2
K303859		2.00	7.87	0.09	1.8	4.53	0.027	0.98	30.8	35.4	2.54	273	19.15	0.03	7.2	51.5
K303860		1.63	7.36	0.09	1.4	0.11	0.027	1.14	17.3	5.6	1.06	445	1.12	0.11	4.4	17.3
K303861		2.42	10.80	0.11	2.0	0.15	0.046	1.58	25.9	9.9	1.26	448	1.85	0.34	6.3	26.8
K303862		1.80	7.13	0.10	1.4	0.13	0.026	1.09	19.3	7.1	1.23	507	1.19	0.17	4.2	16.0
K303863		2.41	9.36	0.12	1.8	0.12	0.038	1.40	24.9	8.7	2.18	622	1.70	0.25	5.4	22.5
K303864		2.39	9.09	0.10	1.7	0.14	0.038	1.39	21.7	9.3	5.18	1200	2.30	0.23	5.1	22.6
K303865		2.33	10.25	0.11	2.0	0.16	0.036	1.59	25.8	9.5	1.27	527	1.59	0.29	5.9	23.3
K303866		2.16	7.66	0.10	1.5	0.09	0.032	1.19	20.6	7.6	1.67	663	1.34	0.17	4.6	18.5
K303867		2.98	14.85	0.13	2.9	0.27	0.064	2.31	37.2	19.7	1.57	429	2.49	0.16	8.7	36.2
K303868		0.46	0.31	0.09	<0.1	<0.01	<0.005	0.03	0.7	1.1	12.65	221	0.15	0.01	0.3	1.4
K303869		1.83	5.93	0.09	1.1	0.31	0.028	0.94	16.3	18.8	4.36	646	1.27	0.04	3.6	14.1
K303870		4.90	10.55	0.14	2.3	0.49	0.056	1.67	23.8	14.5	5.23	932	3.69	0.04	7.5	28.4
K303871		0.87	1.95	0.07	0.4	0.02	0.005	0.26	8.3	6.5	1.81	202	0.15	0.14	1.4	1.4
K303872		0.82	2.58	0.07	0.5	0.03	0.007	0.40	10.4	11.9	0.65	190	0.13	0.09	1.7	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197147

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303837		1650	14.0	91.2	0.013	2.47	0.71	15.3	3	1.6	1045	0.54	0.07	6.9	0.265	2.18
K303838		800	19.9	136.0	0.015	4.39	0.78	21.9	4	2.2	605	0.78	0.08	9.1	0.447	3.40
K303839		1380	16.0	108.0	0.017	3.67	1.06	19.7	4	1.8	924	0.63	0.08	7.9	0.356	3.04
K303840		1370	13.6	89.8	0.015	3.28	0.81	17.6	4	1.5	1015	0.54	0.06	6.6	0.324	2.69
K303841		850	19.4	133.5	0.016	3.59	0.95	20.1	4	2.2	687	0.72	0.12	9.3	0.341	4.27
K303842		1070	19.5	136.0	0.017	3.46	1.44	19.5	4	2.2	610	0.75	0.10	9.6	0.350	4.41
K303843		1390	12.1	80.9	0.010	2.22	1.26	12.8	3	1.3	1020	0.44	0.07	5.6	0.207	3.11
K303844		1290	11.7	81.5	0.012	2.25	1.71	13.1	3	1.3	987	0.45	0.05	5.5	0.217	3.51
K303845		1440	16.6	112.0	0.014	2.85	1.41	18.6	4	1.8	647	0.62	0.08	7.9	0.301	3.68
K303846		890	15.5	40.0	0.003	2.91	111.5	18.3	3	3.0	508	0.77	0.13	9.0	0.525	7.73
K303847		960	12.0	90.4	0.013	2.24	0.91	13.8	3	1.4	961	0.49	0.07	6.3	0.242	2.85
K303848		1820	13.3	91.6	0.013	2.33	0.68	15.3	3	1.5	951	0.51	0.08	6.2	0.254	2.51
K303849		190	1.1	3.2	<0.002	0.01	0.06	0.4	1	<0.2	41.4	<0.05	<0.05	<0.2	0.005	0.03
K303850		1010	15.5	99.4	0.012	2.54	0.57	15.2	3	1.7	862	0.59	0.07	7.4	0.292	2.18
K303851		1680	12.0	77.3	0.006	1.69	0.31	8.7	3	1.0	1285	0.37	0.05	5.5	0.180	0.81
K303852		2970	8.8	59.0	0.007	1.33	0.27	7.5	3	0.7	1590	0.30	<0.05	4.5	0.132	0.47
K303853		1610	18.3	124.5	0.013	2.33	0.54	12.5	4	1.7	1005	0.64	0.08	9.5	0.290	0.79
K303854		1150	11.3	79.5	0.007	1.66	0.31	8.1	3	1.1	1215	0.41	0.05	5.9	0.196	0.70
K303855		1480	10.6	77.6	0.008	1.51	0.37	7.6	3	1.0	1575	0.37	0.05	5.6	0.164	1.11
K303856		1480	12.8	90.6	0.008	1.94	0.55	8.9	3	1.2	1090	0.44	0.05	6.5	0.195	1.69
K303857		1270	13.5	86.0	0.009	2.03	0.53	9.4	3	1.1	1265	0.42	0.06	6.5	0.195	1.62
K303858		1260	9.6	71.9	0.008	1.37	0.33	7.0	3	1.0	1445	0.33	0.05	5.1	0.146	0.85
K303859		880	39.5	56.6	0.023	1.47	103.5	4.6	5	2.5	72.6	0.49	0.18	7.2	0.170	4.08
K303860		1480	9.0	64.3	0.006	1.26	0.40	6.7	3	0.9	1585	0.33	0.05	4.9	0.145	0.45
K303861		1100	12.9	91.5	0.012	1.99	0.44	9.2	3	1.3	1245	0.48	0.06	7.2	0.211	0.45
K303862		1690	9.4	63.1	0.005	1.37	0.32	6.8	3	0.9	1495	0.32	0.05	4.9	0.138	0.33
K303863		1510	12.5	80.8	0.007	1.89	0.46	8.8	3	1.3	1245	0.41	0.07	6.3	0.178	0.40
K303864		580	11.3	78.0	0.009	1.76	0.66	7.6	3	1.2	734	0.39	0.05	5.8	0.172	0.44
K303865		1480	13.1	90.7	0.008	1.82	0.40	9.0	3	1.3	1380	0.47	0.06	6.9	0.213	0.41
K303866		2350	10.5	68.5	0.006	1.54	0.31	7.4	3	1.0	1695	0.34	0.05	5.4	0.155	0.31
K303867		1320	19.0	130.0	0.012	2.40	0.62	12.6	3	1.9	881	0.69	0.09	10.5	0.301	0.75
K303868		170	2.1	2.0	<0.002	0.02	<0.05	0.4	2	<0.2	48.5	<0.05	<0.05	<0.2	<0.005	0.02
K303869		880	7.5	52.9	0.006	1.19	0.31	5.7	2	0.9	872	0.28	<0.05	4.1	0.116	0.34
K303870		320	10.9	83.1	0.005	3.74	0.48	10.2	2	1.4	231	0.56	0.12	6.6	0.291	1.38
K303871		350	2.3	15.3	<0.002	0.15	0.09	1.6	2	0.2	639	0.10	<0.05	1.7	0.038	0.08
K303872		280	3.1	23.2	<0.002	0.17	0.09	2.2	2	0.3	732	0.12	<0.05	2.4	0.047	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197147

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303837		3.8	91	1.4	27.1	66	74.9
K303838		4.0	145	1.9	25.2	109	104.0
K303839		4.5	122	1.7	31.9	83	92.6
K303840		4.1	105	1.4	30.7	77	76.3
K303841		4.1	121	2.1	24.0	89	98.8
K303842		4.4	120	3.0	27.3	99	99.0
K303843		3.4	71	2.8	24.4	57	62.2
K303844		3.2	71	2.9	23.5	59	60.4
K303845		4.7	103	3.5	33.4	79	81.3
K303846		6.6	164	24.7	15.2	45	158.0
K303847		3.6	81	2.2	24.5	63	63.3
K303848		4.0	85	1.8	29.8	73	67.8
K303849		0.4	4	0.1	0.9	14	0.5
K303850		3.6	96	1.6	23.3	73	75.7
K303851		3.4	58	0.9	24.9	51	51.1
K303852		3.8	48	0.7	26.4	39	43.4
K303853		5.1	98	1.5	29.0	77	74.8
K303854		3.3	60	1.0	23.0	51	50.8
K303855		4.1	55	1.5	24.8	47	48.7
K303856		4.1	63	2.3	26.5	55	54.9
K303857		4.3	64	2.7	27.0	55	53.4
K303858		3.7	50	0.9	22.5	43	43.4
K303859		9.3	232	28.2	21.3	219	58.0
K303860		3.4	45	0.8	20.2	40	41.6
K303861		4.1	69	1.1	25.3	59	57.6
K303862		3.6	45	0.7	24.9	40	42.5
K303863		4.0	61	1.0	30.0	50	54.8
K303864		3.7	63	1.0	17.8	49	49.2
K303865		4.1	68	1.0	26.2	58	59.1
K303866		3.2	50	0.8	24.6	45	47.5
K303867		5.1	100	1.6	30.2	80	83.6
K303868		0.6	2	0.1	0.9	16	0.5
K303869		3.4	41	0.8	18.0	34	37.1
K303870		1.6	87	0.9	17.4	64	66.7
K303871		0.8	9	0.3	5.2	9	14.6
K303872		1.0	9	0.3	6.2	12	16.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197147

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE WH11197149

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 222 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197149

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K305203		7.54	<0.01	0.05	2.27	65	200	0.84	0.08	27.4	0.13	32.9	8.3	22	12.25	21.6
K305204		7.68	0.01	0.04	1.48	33	190	0.61	0.06	31.1	0.15	24.7	5.0	13	5.76	13.7
K305205		7.52	<0.01	0.04	1.52	20	190	0.56	0.06	30.3	0.17	25.5	5.3	14	5.80	14.7
K305206		7.75	<0.01	0.03	1.37	16	190	0.57	0.05	29.6	0.14	22.3	4.6	13	5.72	11.9
K305207		7.56	<0.01	0.02	0.98	17	150	0.42	0.04	32.2	0.09	16.15	3.4	8	3.76	8.7
K305208		7.58	<0.01	0.01	0.55	22	100	0.25	0.03	34.9	0.10	11.65	2.6	5	1.54	6.8
K305209		0.23	7.82	0.46	3.54	972	160	0.94	0.53	11.65	3.83	44.6	5.5	93	7.08	31.0
K305210		7.31	0.01	0.02	0.72	32	130	0.37	0.03	34.1	0.13	14.50	3.0	6	2.09	8.0
K305211		7.72	<0.01	0.03	1.49	36	260	0.46	0.05	31.6	0.14	23.1	5.0	13	5.18	13.7
K305212		7.57	<0.01	0.02	0.94	49	160	0.41	0.04	34.0	0.13	16.05	3.7	8	3.03	9.9
K305213		6.84	<0.01	0.01	0.60	44	140	0.26	0.03	34.3	0.11	11.10	2.7	5	1.82	7.4
K305214		7.60	<0.01	0.01	0.63	49	120	0.28	0.03	33.7	0.10	11.65	2.5	5	1.71	6.6
K305215		7.33	0.01	<0.01	0.36	197	110	0.19	0.02	35.1	0.07	7.32	1.8	3	0.68	4.5
K305216		3.45	0.01	<0.01	0.36	205	130	0.19	0.02	35.0	0.09	7.41	1.8	3	0.68	4.7
K305217		6.79	0.01	0.01	0.45	581	150	0.10	0.03	34.7	0.13	11.65	1.7	4	0.92	5.2
K305218		4.98	<0.01	0.01	0.06	<5	20	<0.05	0.02	20.6	0.07	1.29	1.1	1	0.36	1.6
K305219		7.47	0.01	0.02	0.49	677	120	0.12	0.03	33.2	0.11	11.75	2.0	5	0.89	5.9
K305220		5.25	0.01	0.02	0.46	58	100	0.13	0.02	34.4	0.09	10.40	1.7	5	1.26	4.4
K305221		6.82	0.02	0.01	0.48	87	130	0.12	0.02	37.2	0.10	9.18	1.8	6	1.18	5.0
K305222		4.01	0.01	0.03	0.87	44	200	0.22	0.04	36.2	0.18	15.85	2.9	8	2.75	8.9
K305223		7.76	0.01	0.02	0.62	22	160	0.17	0.03	37.4	0.13	11.90	2.3	7	1.82	6.6
K305224		7.57	<0.01	0.01	0.51	34	160	0.16	0.02	36.6	0.09	10.05	2.0	6	1.43	5.6
K305225		5.41	0.08	1.65	1.03	290	210	0.27	0.20	33.5	0.10	21.4	2.9	11	2.03	21.2
K305226		1.71	0.16	0.03	0.08	>10000	20	<0.05	<0.01	34.6	0.04	2.12	0.6	2	0.45	1.5
K305227		4.97	0.01	<0.01	0.08	67	20	0.07	0.02	21.6	0.06	1.34	1.6	2	0.27	1.4
K305228		5.89	1.15	0.27	0.51	>10000	90	0.08	0.02	32.1	0.60	10.35	1.8	7	0.87	6.2
K305229		7.57	0.05	0.04	0.69	163	110	0.16	0.03	36.9	0.07	10.45	2.2	8	1.76	6.6
K305230		3.77	0.02	0.01	0.48	135	100	0.10	0.02	37.3	0.03	8.05	1.8	7	0.89	5.2
K305231		6.60	0.30	0.02	0.50	149	40	0.12	0.03	23.1	0.03	7.98	2.5	6	0.90	7.1
K305232		7.35	0.08	0.01	0.26	108	20	0.06	0.01	23.4	0.02	4.89	1.6	4	0.48	3.2
K305233		7.03	0.01	0.01	0.46	25	130	0.12	0.02	37.5	0.04	8.57	1.7	5	1.54	4.8
K305234		7.35	0.01	<0.01	0.30	31	90	0.11	0.01	36.3	0.02	5.74	1.3	5	0.80	3.5
K305235		0.24	2.63	1.04	3.33	624	910	0.82	0.32	8.48	2.41	52.4	7.2	54	4.05	44.0
K305236		7.73	0.01	0.01	0.55	23	110	0.16	0.02	36.6	0.04	9.11	1.9	5	1.99	5.8
K305237		7.89	<0.01	0.01	0.63	21	110	0.18	0.03	37.0	0.04	11.00	2.3	7	2.31	7.0
K305238		7.74	<0.01	<0.01	0.27	7	90	0.10	0.01	38.8	0.02	5.63	1.2	4	0.78	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197149

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305203		1.59	5.15	0.07	1.0	0.64	0.021	0.97	17.4	13.4	0.75	307	0.56	0.02	3.4	13.1
K305204		1.01	3.38	0.06	0.7	0.4	0.014	0.64	12.2	8.1	0.87	278	0.47	0.02	2.5	8.1
K305205		1.01	3.57	0.07	0.7	0.41	0.016	0.66	13.0	9.1	1.07	237	0.44	0.02	2.7	8.6
K305206		0.87	3.16	0.06	0.7	0.10	0.013	0.60	11.1	8.4	0.85	258	0.33	0.02	2.3	7.5
K305207		0.63	2.41	0.05	0.5	0.22	0.010	0.43	7.9	6.3	0.66	225	0.27	0.02	2.0	6.1
K305208		0.40	1.48	0.05	0.3	0.36	0.006	0.23	5.8	3.5	0.58	135	0.19	0.02	1.4	4.9
K305209		1.33	6.98	0.12	2.1	5.29	0.058	1.41	29.5	9.2	0.69	262	11.30	0.01	7.4	59.3
K305210		0.47	1.93	0.05	0.3	0.49	0.006	0.31	7.0	4.5	0.54	140	0.27	0.02	1.7	5.7
K305211		0.86	3.39	0.07	0.7	0.58	0.013	0.65	11.0	7.9	0.68	108	0.34	0.02	2.5	8.7
K305212		0.61	2.31	0.06	0.4	0.54	0.009	0.40	8.1	5.7	0.75	156	0.39	0.02	1.9	6.5
K305213		0.42	1.67	0.07	0.3	0.74	0.007	0.25	5.6	3.7	0.55	80	0.31	0.01	1.6	5.8
K305214		0.40	1.60	0.07	0.3	0.87	0.007	0.25	5.8	3.3	0.55	124	0.22	0.01	1.5	5.2
K305215		0.25	1.07	0.05	0.2	1.23	0.005	0.13	3.4	1.5	0.48	206	0.18	0.01	1.2	4.5
K305216		0.25	1.07	<0.05	0.2	1.26	0.005	0.13	3.5	1.5	0.46	217	0.18	0.01	1.3	5.2
K305217		0.30	1.05	<0.05	0.2	2.08	0.006	0.17	5.2	1.5	0.30	142	0.27	0.01	0.8	1.4
K305218		0.44	0.21	<0.05	<0.1	0.01	<0.005	0.03	0.6	1.0	12.05	193	0.10	<0.01	0.3	1.0
K305219		0.37	1.10	<0.05	0.3	2.59	0.007	0.18	5.5	1.7	0.40	194	0.23	0.01	0.9	1.1
K305220		0.31	1.07	<0.05	0.3	1.08	0.006	0.20	4.6	2.0	0.46	87	0.18	0.01	0.8	1.3
K305221		0.32	1.33	0.15	0.2	0.89	0.005	0.19	4.6	1.9	0.46	103	0.22	0.01	1.1	1.0
K305222		0.51	2.32	0.13	0.4	1.10	0.010	0.36	8.3	3.8	0.50	99	0.43	0.02	1.7	3.1
K305223		0.41	1.68	0.12	0.3	0.41	0.007	0.24	6.0	2.7	0.62	136	0.24	0.02	1.3	1.9
K305224		0.34	1.38	0.13	0.3	0.55	0.006	0.20	5.0	2.4	0.45	89	0.22	0.01	1.1	1.4
K305225		0.59	2.82	0.13	0.5	1.64	0.011	0.43	11.1	3.1	0.48	386	2.06	0.10	2.0	14.0
K305226		0.08	0.89	0.05	0.1	0.42	0.038	0.02	0.9	0.4	0.12	9050	0.26	<0.01	0.5	<0.2
K305227		0.48	0.50	0.45	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.65	230	0.32	0.01	0.6	2.4
K305228		0.38	2.26	0.07	0.3	3.76	0.047	0.19	5.0	4.9	0.20	10400	0.30	<0.01	1.1	1.6
K305229		0.44	1.82	0.11	0.3	1.83	0.007	0.28	5.3	2.5	0.45	350	0.21	0.01	1.4	2.2
K305230		0.38	1.21	0.13	0.2	1.34	0.006	0.15	4.0	1.8	0.51	236	0.25	0.01	1.1	1.2
K305231		1.18	1.51	0.09	0.2	2.03	0.005	0.20	3.6	2.1	10.75	1480	0.32	0.02	1.0	3.5
K305232		1.01	0.84	0.12	0.1	0.97	<0.005	0.09	2.3	1.3	11.80	1380	0.14	0.01	0.6	1.4
K305233		0.31	1.25	0.14	0.2	0.36	0.005	0.18	4.2	2.0	0.71	104	0.21	0.01	1.0	1.3
K305234		0.25	0.88	0.17	0.2	0.15	<0.005	0.10	2.7	1.4	1.78	98	0.17	0.01	0.8	0.7
K305235		2.18	8.40	0.15	2.0	4.33	0.028	1.02	33.9	39.4	2.62	283	19.70	0.03	7.4	54.9
K305236		0.34	1.44	0.11	0.3	0.07	0.006	0.22	4.5	3.0	0.48	59	0.31	0.02	1.2	1.9
K305237		0.42	1.71	0.14	0.3	0.08	0.006	0.26	5.3	3.3	0.57	110	0.40	0.01	1.3	2.5
K305238		0.22	0.80	0.17	0.1	0.09	<0.005	0.10	2.5	1.3	0.58	133	0.24	0.01	0.8	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197149

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305203		220	5.8	45.0	0.003	1.47	0.37	7.2	3	0.7	2040	0.22	0.05	3.3	0.147	1.23
K305204		580	4.2	27.0	0.002	0.91	0.26	4.4	3	0.4	2330	0.14	<0.05	2.5	0.081	0.67
K305205		620	4.4	28.9	0.002	0.91	0.27	4.6	3	0.5	2260	0.16	0.05	2.6	0.088	0.65
K305206		370	3.9	25.5	0.002	0.80	0.22	3.9	2	0.4	2180	0.13	<0.05	2.3	0.076	0.32
K305207		460	3.0	18.5	<0.002	0.60	0.23	3.1	2	0.3	1940	0.09	<0.05	1.8	0.053	0.18
K305208		190	1.9	10.3	<0.002	0.39	0.20	2.1	2	0.2	1850	0.05	<0.05	1.1	0.028	0.18
K305209		4180	4.0	105.0	0.035	1.38	17.80	6.5	9	1.6	138.5	0.50	0.55	5.9	0.211	12.00
K305210		470	2.3	13.8	0.002	0.47	0.23	2.7	2	0.2	1990	0.07	<0.05	1.4	0.038	0.29
K305211		350	4.1	25.9	0.002	0.92	0.22	4.4	2	0.4	2560	0.14	<0.05	2.5	0.085	0.60
K305212		290	2.9	16.6	0.002	0.65	0.28	3.0	2	0.3	2080	0.09	<0.05	1.7	0.051	0.65
K305213		230	2.1	11.2	<0.002	0.45	0.37	2.3	2	0.2	2270	0.06	<0.05	1.2	0.032	0.87
K305214		310	2.0	10.5	<0.002	0.43	0.33	2.3	2	0.2	1970	0.06	<0.05	1.2	0.033	1.13
K305215		580	1.4	5.9	<0.002	0.28	0.93	1.5	2	<0.2	1540	<0.05	0.06	0.7	0.018	1.74
K305216		530	1.4	6.0	<0.002	0.28	0.99	1.5	2	<0.2	1500	<0.05	<0.05	0.7	0.017	1.79
K305217		460	2.2	9.5	<0.002	0.37	1.57	1.2	2	0.2	1960	0.05	0.05	1.0	0.025	2.89
K305218		170	1.4	2.4	<0.002	0.01	0.06	0.3	2	<0.2	51.8	<0.05	<0.05	<0.2	<0.005	0.03
K305219		550	4.1	9.8	<0.002	0.46	3.78	1.2	2	0.2	1680	0.06	<0.05	1.2	0.029	2.77
K305220		260	1.9	10.3	<0.002	0.32	0.71	1.2	2	0.2	1875	0.05	0.05	0.9	0.025	1.01
K305221		360	1.8	11.7	<0.002	0.34	0.66	1.5	1	0.2	2220	0.05	<0.05	0.8	0.027	0.72
K305222		610	2.9	22.8	<0.002	0.59	0.52	2.4	1	0.3	2870	0.09	<0.05	1.5	0.047	1.26
K305223		660	2.4	15.3	<0.002	0.43	0.23	1.8	1	0.2	2390	0.06	<0.05	1.1	0.033	0.52
K305224		570	1.9	12.7	<0.002	0.37	0.24	1.7	1	0.2	2190	0.05	<0.05	0.9	0.030	1.09
K305225		350	14.4	25.4	<0.002	0.58	3.92	2.6	1	0.4	1810	0.11	<0.05	2.8	0.053	3.77
K305226		240	0.5	1.4	<0.002	2.56	134.5	2.9	5	<0.2	313	<0.05	<0.05	0.2	<0.005	1.12
K305227		190	1.3	2.4	<0.002	0.02	0.22	0.4	<1	<0.2	51.9	<0.05	<0.05	<0.2	0.005	0.03
K305228		500	2.2	13.5	<0.002	1.31	53.5	4.8	4	0.3	705	0.06	<0.05	0.9	0.026	9.55
K305229		410	2.4	17.9	<0.002	0.50	2.47	2.2	1	0.2	1760	0.07	<0.05	1.1	0.039	2.99
K305230		290	6.6	9.8	<0.002	0.36	1.93	1.6	1	0.2	1415	<0.05	<0.05	0.8	0.025	1.83
K305231		360	8.5	12.0	<0.002	0.45	3.28	1.5	1	0.3	349	0.05	<0.05	0.9	0.025	3.94
K305232		260	3.1	5.5	<0.002	0.19	1.48	0.8	<1	<0.2	303	<0.05	<0.05	0.4	0.012	1.84
K305233		360	2.1	11.3	<0.002	0.31	0.32	1.4	1	0.2	2090	<0.05	<0.05	0.7	0.023	0.71
K305234		520	1.5	6.4	<0.002	0.22	0.20	0.9	1	<0.2	1590	<0.05	<0.05	0.5	0.015	0.21
K305235		930	39.9	61.5	0.027	1.63	113.5	5.8	7	2.6	79.8	0.48	0.21	7.6	0.179	4.39
K305236		490	2.0	13.9	<0.002	0.37	0.34	1.5	1	0.2	2170	0.06	<0.05	0.9	0.029	0.20
K305237		700	2.3	16.3	0.002	0.45	0.30	1.9	1	0.2	1855	0.06	<0.05	1.0	0.035	0.23
K305238		860	1.3	6.1	<0.002	0.19	0.21	0.9	1	<0.2	1645	<0.05	<0.05	0.5	0.014	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197149

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305203		2.2	42	0.8	17.9	34	34.5	
K305204		2.6	23	0.4	16.8	21	24.4	
K305205		2.6	24	0.4	16.2	25	25.5	
K305206		2.3	21	0.3	14.3	20	21.5	
K305207		2.2	16	0.2	12.1	14	16.1	
K305208		2.0	10	0.3	9.7	9	9.0	
K305209		7.3	371	32.1	26.1	277	73.8	
K305210		2.6	13	0.4	12.9	11	12.0	
K305211		2.9	23	0.4	15.2	21	22.7	
K305212		2.5	16	0.4	11.6	14	15.0	
K305213		2.1	11	0.3	8.6	10	10.8	
K305214		2.3	11	0.4	9.4	10	9.8	
K305215		2.0	8	0.5	7.6	6	6.4	
K305216		2.0	8	0.5	7.4	7	6.2	
K305217		2.5	7	0.8	9.7	8	8.4	
K305218		0.6	1	0.1	0.9	14	<0.5	
K305219		2.5	8	1.2	9.4	9	9.6	
K305220		2.0	7	0.5	8.9	7	9.1	
K305221		1.8	9	0.5	8.0	6	7.3	
K305222		2.5	14	0.6	11.1	13	12.5	
K305223		2.4	11	0.3	9.7	9	9.5	
K305224		2.0	9	0.4	8.1	7	8.2	
K305225		2.2	15	0.9	11.2	17	16.9	
K305226		0.9	4	0.2	17.0	2	1.9	4.07
K305227		0.7	3	0.1	0.9	13	<0.5	
K305228		2.8	9	1.0	28.5	72	7.7	1.530
K305229		1.9	11	1.2	8.5	9	10.3	
K305230		1.8	8	0.7	7.0	2	7.1	
K305231		2.0	9	0.5	6.3	4	7.6	
K305232		1.5	5	0.3	4.4	2	3.9	
K305233		1.9	8	0.3	6.9	6	6.7	
K305234		1.7	6	0.1	5.2	2	4.6	
K305235		10.5	240	28.7	21.9	219	62.9	
K305236		2.0	9	0.2	7.0	6	7.8	
K305237		2.6	10	0.2	8.3	7	9.2	
K305238		2.0	6	0.1	5.3	2	4.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197149

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

CERTIFICATE WH11199417

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 223 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199417

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303253		8.78	<0.01	0.09	5.19	99.4	180	1.79	0.21	8.29	4.53	53.1	10.6	53	23.3	34.5
K303254		5.44	<0.01	0.10	5.31	329	240	1.86	0.27	9.86	0.78	67.5	16.3	33	21.2	34.2
K303255		11.82	0.01	0.13	0.91	749	60	0.46	0.05	17.95	0.61	12.55	3.9	7	2.20	10.6
K303256		5.01	<0.01	<0.01	0.07	5	20	0.06	0.03	20.6	0.06	1.36	1.6	1	0.34	2.5
K303257		12.15	<0.01	0.12	0.91	58	40	0.47	0.04	14.75	0.28	10.70	3.0	11	3.06	7.7
K303258		6.55	<0.01	0.16	0.79	33	30	0.43	0.04	16.30	0.57	10.35	2.1	10	2.71	7.8
K303259		11.25	<0.01	0.13	8.00	62.8	330	2.94	0.25	3.94	2.02	87.7	14.9	63	37.6	38.7
K303260		0.20	0.37	0.25	5.92	570	990	0.61	0.28	0.45	0.16	131.0	2.9	220	3.31	28.5
K303261		10.90	<0.01	0.05	8.33	25.3	340	3.21	0.25	2.88	0.39	96.4	15.2	61	45.1	38.1
K303262		6.26	<0.01	0.05	7.41	268	330	3.01	0.22	4.30	0.07	83.3	15.7	51	40.4	36.2
K303263		10.91	<0.01	0.19	0.82	373	60	0.46	0.05	18.55	1.13	11.50	3.7	8	2.13	12.3
K303264		11.30	0.01	0.23	1.01	577	40	0.57	0.04	17.50	2.17	12.85	5.2	9	2.95	10.4
K303265		4.58	<0.01	0.24	1.03	409	40	0.53	0.05	16.65	1.56	12.80	4.7	9	3.11	10.7
K303266		11.54	<0.01	0.18	1.17	65	50	0.63	0.05	16.35	0.62	13.45	4.2	10	3.75	9.9
K303267		11.00	<0.01	0.12	1.27	69	60	0.60	0.06	16.15	0.65	15.55	4.2	10	4.81	10.5
K303268		11.35	0.01	0.20	0.73	99	40	0.50	0.03	18.10	2.27	9.33	3.5	6	1.92	7.0
K303269		11.55	<0.01	0.25	1.16	93	50	0.62	0.05	15.65	0.57	13.35	4.3	10	3.42	10.1
K303270		5.84	<0.01	0.08	2.91	58	110	0.82	1.05	11.60	1.73	28.6	8.8	26	10.05	24.9
K303271		9.70	0.01	0.04	2.25	41	80	0.58	0.09	12.65	0.77	23.5	6.1	19	9.86	15.8
K303272		7.99	<0.01	0.03	3.50	40	150	0.94	0.12	10.40	0.36	34.7	9.5	33	21.0	24.1
K303273		11.51	<0.01	0.08	4.72	30.5	300	1.26	0.18	7.50	1.28	48.6	12.5	43	34.1	36.5
K303274		11.27	<0.01	0.08	5.67	95.4	290	1.20	0.22	6.00	0.95	60.0	14.9	51	34.3	42.4
K303275		11.58	<0.01	0.08	6.10	117.0	250	1.49	0.22	3.50	0.21	64.0	14.9	60	29.7	39.3
K303276		12.46	<0.01	0.07	6.04	51.9	320	1.37	0.21	3.77	0.13	61.2	16.3	59	37.9	43.3
K303277		8.61	<0.01	0.07	6.34	189.5	160	1.58	0.22	2.61	<0.02	64.7	19.4	63	24.3	53.5
K303278		6.35	0.03	0.05	5.22	509	170	1.24	0.19	2.54	0.03	53.5	15.0	55	17.40	45.3
K303279		5.00	<0.01	<0.01	0.15	<5	20	0.05	0.06	19.95	0.06	1.47	1.3	1	0.36	1.8
K303280		6.63	0.03	0.07	4.31	704	280	0.94	0.15	3.34	0.02	45.7	12.9	50	12.45	32.9
K303281		7.54	0.02	0.05	5.31	669	150	1.28	0.18	2.72	0.02	51.7	14.7	55	18.15	45.0
K303282		8.27	<0.01	0.04	5.21	174.0	130	1.33	0.17	2.40	0.02	49.9	15.6	58	21.8	43.5
K303283		0.20	2.64	1.03	3.05	510	830	0.65	0.25	7.77	2.27	44.6	6.4	52	3.90	39.9
K303284		8.70	<0.01	0.04	5.29	68.0	150	1.26	0.18	2.54	0.02	52.6	15.4	60	30.3	42.9
K303285		8.39	<0.01	0.08	5.65	77.2	160	1.43	0.19	1.80	0.06	55.3	20.1	63	32.5	47.6
K303286		7.26	0.05	0.04	6.84	312	240	2.01	0.27	2.61	0.39	80.4	13.9	61	33.1	38.2
K303287		7.81	0.12	0.06	4.74	350	170	1.34	0.17	10.60	0.06	49.2	14.4	39	19.80	23.8
K303288		8.10	<0.01	0.04	7.31	280	220	2.03	0.27	3.03	0.23	74.6	17.0	65	29.4	42.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199417

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303253		2.65	15.15	0.15	2.2	4.01	0.050	2.39	25.7	14.4	4.50	380	6.67	0.03	7.4	29.3
K303254		3.48	15.75	0.16	1.8	1.31	0.037	2.43	32.8	9.1	5.35	1600	8.39	0.03	7.1	26.4
K303255		0.84	2.80	0.11	0.4	0.60	0.008	0.42	6.7	2.7	10.30	1180	11.60	0.01	1.9	5.6
K303256		0.46	0.49	0.24	<0.1	0.01	<0.005	0.04	0.7	1.2	12.50	222	0.12	<0.01	0.3	0.6
K303257		0.87	3.00	0.12	0.5	0.32	0.011	0.42	5.2	5.4	8.51	604	7.12	0.01	1.6	6.5
K303258		0.98	2.58	0.11	0.4	0.30	0.009	0.38	5.0	4.5	9.32	366	2.85	0.01	1.4	4.4
K303259		3.56	24.5	0.20	3.0	1.36	0.062	3.69	40.9	36.5	2.53	381	4.63	0.04	12.1	36.8
K303260		6.38	21.1	0.26	3.8	9.4	0.042	1.29	62.4	19.9	0.12	36	6.29	0.37	9.3	16.2
K303261		3.81	26.1	0.22	3.1	0.56	0.066	3.29	45.2	40.0	2.04	369	4.71	0.04	12.1	36.0
K303262		3.81	22.4	0.21	2.7	1.28	0.058	3.28	39.5	27.6	2.44	671	10.40	0.04	10.5	33.6
K303263		1.00	2.46	0.09	0.4	0.84	0.009	0.38	6.3	2.9	10.65	861	25.1	0.01	1.9	7.4
K303264		1.23	3.28	0.11	0.5	1.24	0.014	0.48	6.3	4.7	10.05	1720	29.2	0.01	1.8	18.1
K303265		1.22	3.41	0.10	0.5	1.04	0.011	0.49	6.4	4.3	9.53	1600	29.7	0.01	2.0	15.4
K303266		1.18	3.53	0.09	0.6	0.79	0.013	0.57	6.6	4.7	9.23	682	7.32	0.01	2.0	8.8
K303267		1.27	3.74	0.10	0.6	1.00	0.012	0.61	7.9	4.9	8.97	1040	4.03	0.01	2.2	6.5
K303268		2.23	2.21	0.09	0.4	1.50	0.009	0.34	4.6	3.3	10.10	1500	48.7	0.01	1.4	9.2
K303269		1.34	3.53	0.10	0.6	1.07	0.010	0.55	6.6	5.6	8.67	632	16.85	0.01	1.9	8.9
K303270		2.35	7.84	0.11	1.6	1.61	0.032	1.36	14.1	6.5	6.24	612	2.86	0.02	4.8	15.5
K303271		2.11	5.90	0.10	1.3	0.96	0.026	1.07	11.5	6.0	6.76	539	0.68	0.02	3.6	11.5
K303272		2.61	9.28	0.12	1.9	0.52	0.038	1.63	16.6	9.1	5.36	542	0.67	0.03	5.7	17.0
K303273		3.63	12.90	0.14	2.7	1.27	0.057	2.21	23.8	14.0	3.88	565	1.20	0.03	8.3	28.7
K303274		4.61	15.55	0.18	3.1	2.35	0.071	2.63	28.4	17.6	3.08	426	1.45	0.04	10.1	32.8
K303275		4.18	17.40	0.20	3.1	2.59	0.073	2.89	30.6	15.4	2.02	364	1.16	0.04	10.3	32.9
K303276		4.27	17.15	0.18	3.2	1.42	0.066	2.86	29.5	16.1	2.31	428	0.70	0.04	10.8	33.0
K303277		4.89	18.15	0.22	3.4	0.98	0.065	2.89	30.7	17.9	1.54	527	0.32	0.03	11.3	37.3
K303278		4.21	14.80	0.19	2.9	1.96	0.055	2.31	26.3	13.4	1.34	624	0.38	0.02	9.4	32.3
K303279		0.49	0.59	0.06	<0.1	0.01	<0.005	0.05	0.7	1.2	12.55	212	0.14	0.01	0.8	1.7
K303280		3.65	11.90	0.15	2.3	1.48	0.042	1.89	22.4	14.6	1.53	788	0.31	0.02	7.4	24.9
K303281		4.65	14.85	0.16	2.7	1.19	0.063	2.36	25.5	14.1	1.40	629	0.35	0.02	8.9	29.4
K303282		4.71	14.30	0.17	2.7	0.4	0.052	2.29	24.7	23.1	1.33	555	0.31	0.02	8.7	32.5
K303283		2.02	8.00	0.13	1.8	4.15	0.028	0.97	27.3	34.2	2.45	259	19.65	0.03	7.1	52.5
K303284		4.17	14.70	0.17	2.6	0.12	0.053	2.38	26.1	31.1	1.87	567	0.27	0.03	8.8	29.8
K303285		4.97	15.75	0.18	3.1	0.30	0.063	2.45	27.7	37.7	1.66	428	0.50	0.03	9.5	35.0
K303286		3.62	19.55	0.20	3.7	0.67	0.077	3.17	38.6	20.5	1.40	526	1.21	0.04	12.5	29.0
K303287		4.84	12.65	0.18	2.3	0.7	0.053	2.20	24.1	8.1	4.72	1980	0.59	0.04	7.9	25.6
K303288		4.53	20.7	0.20	3.6	1.21	0.084	3.44	36.2	15.8	1.60	585	1.14	0.03	12.3	35.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199417

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303253		270	157.0	93.6	0.015	2.63	1.32	13.6	3	1.7	149.0	0.59	<0.05	9.5	0.283	10.35
K303254		820	24.4	86.7	0.010	3.07	3.39	10.5	3	1.5	202	0.59	<0.05	11.3	0.203	2.55
K303255		350	9.5	18.3	0.020	0.58	1.99	2.2	3	0.5	201	0.13	<0.05	1.9	0.045	0.99
K303256		190	1.3	2.4	<0.002	0.01	0.07	0.5	1	<0.2	43.0	<0.05	<0.05	<0.2	<0.005	0.03
K303257		340	8.1	20.4	0.008	0.66	0.59	2.7	2	0.6	112.5	0.11	<0.05	1.7	0.059	0.76
K303258		1310	9.3	18.1	0.005	0.76	0.43	2.6	2	0.5	133.0	0.10	<0.05	1.4	0.055	0.81
K303259		750	51.5	98.7	0.011	2.80	0.87	15.7	3	2.9	149.0	1.03	<0.05	15.8	0.349	3.45
K303260		860	15.8	51.1	0.003	2.90	107.0	17.1	2	2.7	484	0.76	0.10	9.4	0.521	7.63
K303261		680	26.0	112.0	0.008	2.80	0.76	16.6	2	2.8	152.0	1.05	<0.05	17.6	0.343	1.28
K303262		530	22.8	92.9	0.007	3.44	1.25	14.1	2	2.2	129.5	0.89	<0.05	13.9	0.296	1.83
K303263		350	10.2	16.6	0.073	0.77	1.15	1.9	3	0.5	190.5	0.14	<0.05	2.0	0.046	1.13
K303264		290	14.9	22.0	0.035	1.14	1.39	2.9	3	0.7	145.0	0.13	<0.05	1.9	0.065	1.55
K303265		340	14.0	22.9	0.033	1.14	1.17	2.9	3	0.8	139.0	0.14	<0.05	1.9	0.072	1.66
K303266		420	15.3	26.8	0.004	0.95	0.67	3.5	2	0.6	141.5	0.15	<0.05	2.0	0.082	1.52
K303267		260	12.5	27.9	0.007	0.98	0.40	3.5	2	0.6	214	0.16	<0.05	2.2	0.083	1.15
K303268		230	13.3	15.1	0.064	2.26	0.90	1.9	2	0.7	189.5	0.09	<0.05	1.3	0.041	1.32
K303269		360	15.3	26.4	0.017	1.14	1.07	3.4	2	0.7	128.5	0.14	<0.05	2.0	0.080	1.22
K303270		290	31.9	59.2	0.004	1.99	2.43	7.8	2	1.3	132.0	0.35	<0.05	4.4	0.197	1.82
K303271		280	28.7	46.3	0.002	1.85	0.31	5.9	2	1.0	145.0	0.29	<0.05	3.6	0.149	1.63
K303272		330	36.1	74.1	0.002	2.42	0.32	9.0	2	1.4	134.5	0.43	<0.05	5.5	0.238	1.18
K303273		390	79.9	110.0	0.004	3.44	0.46	13.3	3	1.9	141.5	0.64	0.05	7.5	0.331	3.10
K303274		500	80.9	131.0	0.005	4.43	1.84	16.6	3	1.9	184.5	0.80	0.06	9.3	0.399	3.13
K303275		380	21.4	147.0	0.004	3.66	2.15	16.6	2	2.1	168.0	0.78	0.06	10.0	0.422	3.92
K303276		430	18.5	149.0	0.002	3.49	0.49	16.8	2	2.1	156.0	0.83	0.05	9.7	0.444	1.83
K303277		500	16.6	159.0	<0.002	4.75	1.35	18.0	2	2.2	110.0	0.87	0.05	10.1	0.507	3.63
K303278		400	13.4	125.5	<0.002	3.76	4.64	15.3	2	1.9	136.0	0.73	0.05	8.7	0.446	5.92
K303279		190	1.6	2.7	<0.002	0.01	0.09	0.5	2	<0.2	47.4	0.10	<0.05	<0.2	0.005	0.06
K303280		490	11.4	96.5	<0.002	2.73	3.45	12.6	2	1.5	185.0	0.60	<0.05	7.1	0.384	5.13
K303281		400	12.7	125.5	<0.002	4.23	2.72	14.9	2	1.7	98.1	0.68	0.05	8.6	0.435	5.70
K303282		400	13.7	127.5	<0.002	3.91	0.48	14.5	2	1.7	92.5	0.67	<0.05	8.1	0.432	3.33
K303283		850	38.9	50.3	0.023	1.50	102.0	5.1	5	2.5	75.6	0.48	0.20	6.3	0.164	4.21
K303284		570	11.8	132.0	<0.002	0.49	0.47	14.7	2	1.7	95.9	0.65	0.05	8.2	0.424	1.01
K303285		420	21.4	143.0	<0.002	1.48	0.71	15.6	2	1.9	80.2	0.73	<0.05	8.9	0.439	1.60
K303286		740	23.2	180.5	<0.002	2.52	1.02	16.8	2	2.5	117.0	1.00	0.06	13.1	0.451	3.53
K303287		520	25.1	116.5	<0.002	2.04	1.68	10.7	2	1.6	188.0	0.60	<0.05	7.9	0.283	3.04
K303288		570	26.2	179.0	<0.002	3.66	1.25	17.8	2	2.6	116.0	1.01	0.06	12.0	0.468	4.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199417

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	1	0.1	0.1	2	0.5
K303253		3.2	108	1.7	16.7	1240	76.1
K303254		4.4	81	2.8	18.9	114	65.9
K303255		4.8	51	1.1	5.1	45	14.9
K303256		0.5	2	0.2	0.9	14	<0.5
K303257		4.7	51	1.0	5.2	77	18.5
K303258		9.5	69	1.1	6.5	142	16.5
K303259		4.3	139	1.7	23.5	396	104.5
K303260		6.7	160	22.5	14.9	42	156.0
K303261		3.4	154	1.6	25.3	142	103.5
K303262		3.4	109	2.2	22.0	43	89.3
K303263		4.8	65	1.2	4.3	189	14.2
K303264		7.6	50	1.9	5.9	624	18.3
K303265		8.3	50	2.0	5.8	459	18.5
K303266		7.2	29	1.4	6.3	165	20.7
K303267		3.1	39	0.9	6.2	156	22.4
K303268		7.1	61	1.5	4.3	631	12.7
K303269		7.3	44	2.6	5.9	176	22.2
K303270		2.0	54	3.2	11.9	98	58.6
K303271		1.6	40	0.8	10.1	254	44.4
K303272		1.6	61	0.9	14.2	79	67.1
K303273		2.2	96	1.2	18.0	456	91.0
K303274		2.7	115	3.4	21.8	494	103.5
K303275		2.3	116	4.7	19.6	100	107.5
K303276		2.1	117	1.3	19.1	88	109.5
K303277		2.1	134	4.2	22.6	70	115.5
K303278		1.9	118	5.7	18.6	54	98.5
K303279		0.5	2	0.1	1.0	14	1.1
K303280		1.5	104	4.7	16.0	41	77.3
K303281		1.7	117	5.2	18.1	55	94.8
K303282		1.7	115	1.5	18.1	56	93.4
K303283		8.7	217	26.2	20.1	203	67.9
K303284		1.7	115	0.9	19.2	49	92.0
K303285		1.9	118	1.2	18.7	60	101.0
K303286		2.9	112	3.1	24.7	170	123.0
K303287		1.9	71	2.9	19.1	53	82.5
K303288		2.6	125	3.7	23.1	120	120.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199417

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11200480

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 224 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200480

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304298		7.32	<0.01	0.07	6.15	43	230	1.88	0.25	11.70	0.04	67.3	11.2	40	40.4	26.0
K304299		9.94	<0.01	0.04	1.30	27	70	0.54	0.05	30.7	0.18	16.10	2.4	12	3.61	7.8
K304300		4.02	0.01	0.04	0.77	49	60	0.36	0.04	32.8	0.18	12.15	1.4	7	1.97	4.3
K304301		7.27	<0.01	0.04	7.65	21.9	560	2.27	0.37	8.37	0.03	81.9	8.6	49	45.4	23.5
K304302		7.22	<0.01	0.06	4.22	43	240	1.06	0.17	17.00	0.04	40.1	6.1	30	19.85	18.4
K304303		6.79	<0.01	0.08	4.10	20	450	0.93	0.15	19.85	0.03	45.1	6.6	29	11.10	12.2
K304304		5.92	<0.01	0.04	2.98	19	190	0.71	0.11	25.4	0.07	34.4	4.2	25	9.15	10.3
K304305		2.34	<0.01	0.04	8.42	14.1	400	2.67	0.42	2.66	0.04	56.1	18.1	82	25.5	38.5
K304306		7.92	<0.01	0.08	5.58	21	290	1.44	0.21	14.30	0.05	68.9	10.0	45	16.90	18.2
K304307		0.21	2.67	0.95	3.07	581	850	0.66	0.31	8.06	2.15	44.9	6.4	53	3.66	39.4
K304308		5.93	0.01	0.08	8.37	187.5	390	2.11	0.36	2.78	<0.02	77.5	10.4	75	27.3	24.1
K304309		7.45	0.01	0.15	2.49	48	130	0.93	0.08	24.6	0.04	28.2	4.7	23	7.11	11.8
K304310		10.21	0.02	0.08	1.62	48	130	0.56	0.06	20.3	0.07	20.4	2.9	15	3.38	8.7
K304311		10.21	<0.01	0.07	1.32	27	70	0.48	0.06	22.3	0.28	19.50	1.7	11	3.26	5.9
K304312		5.03	<0.01	0.09	1.21	32	70	0.47	0.04	23.6	0.64	17.85	1.6	10	2.92	5.5
K304313		6.68	<0.01	0.08	1.28	60	60	0.44	0.05	16.95	0.92	17.35	1.8	11	3.23	5.6
K304314		7.52	0.01	0.12	1.82	93	80	0.70	0.06	15.50	0.08	24.7	2.7	16	4.95	8.2
K304315		10.78	<0.01	0.04	0.34	24	50	0.19	0.01	33.9	0.18	7.08	1.2	4	0.84	4.3
K304316		8.37	0.02	0.19	2.05	137	110	0.58	0.05	12.85	0.12	29.1	3.1	20	5.36	8.6
K304317		10.84	<0.01	0.07	0.40	35	40	0.21	0.01	32.9	0.09	7.68	1.2	4	0.81	2.7
K304318		10.11	<0.01	0.04	0.31	47	50	0.16	0.01	33.7	0.16	5.81	1.0	4	0.77	2.4
K304319		0.21	0.34	0.35	5.96	578	890	0.59	0.27	0.49	0.19	141.0	2.7	234	3.71	34.1
K304320		4.52	<0.01	0.05	0.52	69	80	0.21	0.02	34.4	0.09	7.73	1.2	6	1.32	3.0
K304321		7.05	<0.01	0.04	0.43	115	100	0.16	0.01	32.5	0.12	8.47	1.4	4	1.04	3.3
K304322		5.63	0.02	0.32	2.23	229	110	0.66	0.06	16.70	0.20	32.5	3.6	19	7.65	17.4
K304323		10.16	0.01	0.40	2.13	78	120	0.63	0.06	17.20	0.13	32.1	3.3	18	8.00	15.2
K304324		5.28	0.02	0.30	1.55	729	170	0.51	0.04	17.95	0.14	28.7	2.4	14	5.01	16.1
K304325		6.99	0.01	0.26	1.68	235	160	0.47	0.05	20.5	0.19	28.0	3.0	14	5.71	13.2
K304326		9.33	0.05	0.75	3.02	307	130	0.84	0.08	13.10	0.19	40.0	4.9	26	10.05	22.1
K304327		8.73	0.25	0.29	2.74	1440	160	0.65	0.07	11.20	0.07	36.4	3.5	26	8.01	11.7
K304328		7.00	<0.01	<0.01	0.07	<5	20	0.05	0.02	21.1	0.05	1.39	1.3	1	0.17	1.5
K304329		5.68	0.61	0.09	0.50	884	30	0.19	0.02	19.30	0.17	11.70	1.4	7	1.33	3.9
K304330		2.94	0.04	0.15	4.09	923	260	1.10	0.11	9.84	0.10	47.8	4.8	38	14.55	26.7
K304331		7.00	0.01	<0.01	0.07	<5	20	0.08	0.02	20.7	0.05	1.48	1.2	1	0.23	1.3
K304332		3.84	0.15	0.08	0.54	746	40	0.26	0.01	20.2	0.20	14.05	1.7	6	1.41	24.9
K304333		3.78	<0.01	0.02	1.33	182	70	0.52	0.04	18.15	0.03	19.25	2.0	11	6.81	8.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200480

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304298		2.41	17.10	0.13	3.1	0.06	0.057	3.26	31.6	23.5	2.58	367	0.60	0.04	9.6	23.5
K304299		0.59	3.40	0.11	0.6	0.15	<0.005	0.75	8.2	7.6	1.50	120	0.38	0.01	1.9	5.3
K304300		0.40	2.06	0.13	0.4	0.15	<0.005	0.44	6.3	4.9	1.38	134	0.36	0.01	1.1	2.7
K304301		2.68	21.5	0.24	3.4	<0.1	0.064	4.02	39.7	25.4	2.27	372	0.23	0.06	11.5	26.4
K304302		2.13	10.25	0.11	2.4	0.05	0.036	2.18	22.7	11.7	3.85	433	0.33	0.04	5.8	15.2
K304303		1.95	9.76	0.13	1.5	0.23	0.028	1.73	23.7	29.3	0.34	283	0.34	0.05	5.2	13.7
K304304		1.52	6.84	0.12	1.2	0.15	0.021	1.26	17.6	18.5	0.34	315	0.51	0.04	3.8	8.8
K304305		3.80	23.9	0.14	3.8	0.05	0.078	4.06	22.9	93.1	0.56	546	0.42	0.10	12.7	34.8
K304306		2.76	14.30	0.19	2.3	0.64	0.046	2.47	36.1	21.8	0.44	497	0.55	0.06	7.6	20.6
K304307		2.08	7.48	0.14	1.7	4.86	0.029	1.00	28.3	35.0	2.48	260	18.15	0.04	6.4	49.0
K304308		3.27	23.2	0.18	3.5	0.12	0.065	3.77	38.9	54.9	1.27	455	0.34	0.07	12.5	18.9
K304309		1.10	6.21	0.17	1.2	0.22	0.020	1.21	15.2	8.6	2.19	253	0.67	0.02	3.5	10.6
K304310		0.83	4.11	0.12	1.3	0.37	0.013	0.72	10.8	6.3	5.52	247	0.43	0.02	2.5	6.0
K304311		0.57	3.27	0.17	1.3	0.23	0.011	0.63	9.9	5.5	2.77	154	0.74	0.01	2.2	4.1
K304312		0.53	3.02	0.13	1.2	0.43	0.011	0.57	9.1	5.5	2.57	155	0.65	0.01	1.9	3.8
K304313		1.01	3.36	0.19	1.1	0.32	0.018	0.61	8.6	6.3	9.26	375	0.58	0.01	2.0	3.8
K304314		1.10	4.82	0.18	1.9	0.34	0.014	0.90	12.2	9.1	8.37	341	1.19	0.02	3.1	7.3
K304315		0.22	0.88	0.05	0.3	0.10	<0.005	0.16	4.4	1.5	1.09	81	0.75	0.01	0.8	<0.2
K304316		0.82	5.39	0.07	2.9	0.50	0.016	1.00	15.6	9.2	7.02	238	1.70	0.02	3.9	5.9
K304317		0.20	1.05	0.06	0.4	0.18	<0.005	0.19	4.7	2.0	1.23	78	0.41	0.01	0.9	<0.2
K304318		0.14	0.87	0.07	0.3	0.08	<0.005	0.15	3.6	1.6	1.04	62	0.28	0.01	0.8	<0.2
K304319		6.40	21.4	0.23	4.5	9.81	0.048	1.30	68.0	17.8	0.12	35	6.54	0.37	10.6	16.6
K304320		0.17	1.33	<0.05	0.4	0.17	<0.005	0.26	4.6	2.7	0.98	72	0.30	0.01	1.1	<0.2
K304321		0.45	1.14	0.06	0.3	0.19	0.005	0.21	5.1	2.1	1.82	185	0.43	0.01	0.9	0.7
K304322		0.89	5.83	0.07	1.6	0.52	0.017	1.11	18.0	12.3	4.82	184	1.55	0.02	4.2	8.7
K304323		0.87	5.47	0.06	1.5	0.42	0.014	1.07	17.6	11.0	4.66	183	1.74	0.02	4.0	7.6
K304324		0.77	3.89	0.06	1.4	0.5	0.012	0.76	16.6	8.0	4.03	186	0.61	0.01	3.2	4.9
K304325		0.70	4.31	0.06	1.2	0.51	0.014	0.84	15.5	7.8	3.97	177	1.01	0.01	3.3	6.0
K304326		1.01	7.92	0.06	2.0	0.94	0.023	1.48	21.5	14.0	6.36	259	2.73	0.02	5.5	12.2
K304327		0.93	7.09	0.06	3.4	1.34	0.019	1.36	19.5	12.5	6.24	327	1.25	0.02	5.5	7.0
K304328		0.40	0.33	0.12	<0.1	0.01	0.005	0.03	0.7	1.1	12.95	181	0.91	0.01	0.4	1.4
K304329		0.36	1.47	0.19	0.3	0.94	0.007	0.22	7.0	3.9	11.15	391	0.23	0.02	1.0	1.6
K304330		1.00	10.45	0.11	3.3	0.68	0.030	1.83	28.1	23.6	5.21	194	0.51	0.02	7.6	9.5
K304331		0.40	0.38	0.15	<0.1	0.01	<0.005	0.03	0.7	1.1	12.60	185	0.06	<0.01	0.4	1.5
K304332		0.76	1.53	0.10	0.4	2.66	0.007	0.26	8.2	3.2	9.72	289	0.18	0.01	1.0	3.8
K304333		0.53	3.56	0.09	0.6	0.78	0.009	0.67	11.9	9.2	9.15	174	0.14	0.02	2.3	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200480

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304298		700	10.6	145.0	0.002	0.32	0.58	13.9	2	2.3	390	0.71	0.05	11.7	0.310	0.98
K304299		160	5.5	28.8	0.002	0.16	0.29	2.3	1	0.7	983	0.15	<0.05	2.8	0.056	0.26
K304300		130	4.6	16.4	<0.002	0.12	0.46	1.4	1	0.6	1230	0.08	<0.05	1.6	0.032	0.38
K304301		940	8.0	190.5	<0.002	0.11	0.39	15.6	1	2.8	204	0.80	0.08	14.2	0.349	0.85
K304302		570	6.9	84.9	<0.002	0.11	0.31	7.5	1	1.5	469	0.43	<0.05	7.4	0.191	0.50
K304303		570	9.8	70.6	0.003	0.12	0.27	6.7	1	1.4	709	0.39	<0.05	7.1	0.180	0.91
K304304		890	8.3	55.0	0.003	0.11	0.46	4.9	1	0.9	922	0.28	<0.05	5.4	0.126	0.51
K304305		680	16.8	132.0	0.003	0.14	0.53	14.3	1	2.8	140.5	1.01	0.05	11.9	0.419	0.95
K304306		720	18.3	107.5	0.002	0.15	0.98	10.1	1	1.8	458	0.56	<0.05	10.0	0.248	1.42
K304307		870	38.3	47.8	0.024	1.51	100.5	5.0	3	2.5	67.6	0.42	0.21	6.3	0.168	3.73
K304308		550	12.8	149.5	<0.002	0.23	0.45	13.8	<1	2.7	165.5	0.89	0.09	14.6	0.421	1.43
K304309		340	7.0	43.6	0.003	0.09	0.40	4.0	1	1.1	469	0.26	<0.05	5.0	0.102	0.39
K304310		430	8.6	24.4	<0.002	0.05	0.54	2.8	1	0.8	287	0.17	<0.05	3.4	0.072	0.35
K304311		470	8.3	20.0	<0.002	0.05	0.37	2.2	1	0.7	474	0.15	<0.05	3.2	0.059	0.32
K304312		480	6.7	17.8	<0.002	0.06	0.37	2.0	1	0.7	485	0.14	<0.05	2.7	0.053	0.32
K304313		360	4.5	19.9	<0.002	0.04	0.48	2.1	1	0.7	100.0	0.15	<0.05	2.8	0.058	0.37
K304314		420	8.1	29.5	<0.002	0.06	0.52	3.1	1	0.9	127.0	0.22	<0.05	4.6	0.088	0.62
K304315		240	4.2	6.5	0.002	0.07	0.16	0.7	2	<0.2	1225	<0.05	<0.05	0.8	0.015	0.24
K304316		450	9.1	39.6	<0.002	0.03	0.86	3.3	2	0.6	261	0.29	<0.05	5.2	0.100	1.03
K304317		160	3.9	7.3	<0.002	0.06	0.25	0.8	2	0.2	1240	0.05	<0.05	0.9	0.018	0.37
K304318		190	3.2	5.9	<0.002	0.02	0.23	0.6	2	<0.2	1335	<0.05	<0.05	0.7	0.014	0.23
K304319		870	17.0	54.9	0.003	2.92	111.0	16.2	2	2.8	486	0.77	0.14	9.8	0.534	8.03
K304320		140	4.6	9.9	<0.002	0.03	0.32	0.9	2	0.2	1245	0.06	<0.05	1.2	0.023	0.34
K304321		200	4.0	7.9	<0.002	0.07	0.30	0.8	2	0.2	1010	0.05	<0.05	1.0	0.019	0.39
K304322		800	9.7	44.2	0.002	0.05	0.75	3.6	2	0.7	406	0.29	<0.05	5.8	0.104	1.17
K304323		930	9.5	42.6	0.002	0.08	0.41	3.3	3	0.7	471	0.28	<0.05	5.5	0.098	1.11
K304324		1030	8.9	29.9	0.002	0.03	0.78	2.6	2	0.5	420	0.22	<0.05	4.2	0.077	1.14
K304325		730	8.6	32.8	0.002	0.06	0.59	2.7	3	0.6	603	0.22	<0.05	4.5	0.079	0.91
K304326		1100	12.8	60.2	0.003	0.06	1.44	4.8	2	1.0	281	0.39	<0.05	7.6	0.137	1.80
K304327		670	11.2	53.2	0.002	0.04	3.97	4.2	2	0.9	261	0.39	<0.05	7.2	0.136	2.85
K304328		220	1.3	1.4	<0.002	<0.01	0.05	0.3	2	<0.2	44.5	<0.05	<0.05	<0.2	<0.005	0.02
K304329		200	3.3	8.7	<0.002	0.02	1.52	1.2	2	0.2	108.5	0.06	<0.05	1.1	0.021	0.92
K304330		860	13.6	77.0	0.002	0.08	2.97	6.3	2	1.3	348	0.55	<0.05	9.9	0.192	2.09
K304331		230	1.2	1.6	<0.002	<0.01	0.05	0.3	2	<0.2	42.9	<0.05	<0.05	<0.2	<0.005	<0.02
K304332		190	4.1	10.2	<0.002	0.01	4.83	1.1	2	0.2	129.5	0.06	<0.05	1.2	0.023	1.33
K304333		190	3.3	28.0	<0.002	0.14	0.59	2.1	3	0.4	142.0	0.15	<0.05	2.6	0.056	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200480

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304298		9.9	87	1.3	24.5	23	106.5
K304299		14.8	20	0.3	5.7	27	20.7
K304300		14.1	11	0.3	4.4	29	14.4
K304301		5.9	106	1.4	27.7	28	120.0
K304302		6.5	57	0.8	12.8	20	65.3
K304303		2.0	36	0.9	10.6	45	45.4
K304304		2.3	25	0.6	9.3	46	36.5
K304305		3.0	94	1.6	14.2	98	106.5
K304306		2.8	51	1.1	16.1	55	79.2
K304307		8.5	226	27.4	18.7	208	65.3
K304308		3.0	100	3.7	17.0	68	112.5
K304309		8.2	37	0.8	7.6	12	41.3
K304310		6.9	23	0.8	7.5	15	44.5
K304311		8.7	18	0.5	7.1	40	46.1
K304312		8.2	16	0.4	6.7	215	39.8
K304313		5.8	25	0.7	5.8	261	33.9
K304314		6.9	28	1.1	8.1	23	63.8
K304315		9.3	6	0.2	2.6	19	11.3
K304316		7.3	31	1.4	9.1	29	98.0
K304317		11.4	6	0.3	2.7	16	15.3
K304318		10.5	5	0.1	2.2	30	11.1
K304319		8.4	163	23.2	15.1	42	168.5
K304320		16.1	7	0.3	2.8	27	14.8
K304321		10.6	6	0.3	2.9	24	11.6
K304322		9.9	37	1.2	9.7	57	56.9
K304323		9.2	46	0.8	9.1	31	55.2
K304324		13.5	24	0.6	10.6	30	52.3
K304325		9.5	29	0.7	8.4	32	44.7
K304326		8.8	72	1.6	10.8	48	69.9
K304327		7.5	48	2.0	11.1	17	112.5
K304328		0.8	1	0.1	0.8	14	0.5
K304329		5.2	9	0.4	3.6	22	11.3
K304330		9.9	77	3.2	13.7	44	104.0
K304331		0.7	<1	0.1	0.8	13	<0.5
K304332		5.6	14	0.7	4.8	44	15.4
K304333		5.4	22	0.5	5.1	10	21.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200480

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11199501

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 225 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199501

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305239		8.11	<0.01	0.01	0.63	33	110	0.15	0.03	32.5	0.03	9.65	2.7	6	2.75	7.4
K305240		7.84	<0.01	0.04	0.55	24	120	0.20	0.03	34.1	0.05	9.11	2.4	6	1.79	7.1
K305241		7.72	<0.01	0.05	2.22	58	240	0.46	0.11	26.6	0.19	27.5	8.1	27	7.43	24.5
K305242		7.96	<0.01	0.03	1.09	20	150	0.36	0.06	30.9	0.15	18.25	4.2	12	3.53	13.6
K305243		7.38	<0.01	0.04	1.79	19	210	0.46	0.09	27.6	0.17	27.7	7.6	26	5.64	21.6
K305244		7.87	<0.01	0.04	2.38	25	220	0.48	0.10	26.2	0.21	26.4	8.4	29	7.88	26.3
K305245		3.31	<0.01	0.05	2.37	26	220	0.61	0.10	25.8	0.19	27.4	9.0	29	9.13	27.6
K305246		7.87	<0.01	0.04	1.98	18	170	0.47	0.11	26.5	0.19	25.9	7.0	22	6.83	22.2
K305247		7.75	<0.01	0.08	4.58	10	260	0.95	1.60	15.40	1.72	44.8	18.7	57	15.90	52.0
K305248		7.73	<0.01	0.08	4.08	11	230	0.89	0.18	18.15	0.27	44.0	14.0	46	15.05	45.1
K305249		7.60	<0.01	0.08	3.57	12	250	0.73	0.16	20.0	0.39	38.1	12.5	41	13.95	41.1
K305250		7.40	<0.01	0.05	4.40	9	250	0.78	0.17	13.85	0.30	42.8	17.1	62	17.00	50.8
K305251		0.22	7.74	0.42	3.37	905	160	0.73	0.68	11.65	4.18	43.7	5.5	90	7.41	31.2
K305252		7.78	<0.01	0.08	4.70	12	290	1.00	0.19	13.90	0.31	50.4	16.8	56	17.15	50.2
K305253		7.55	<0.01	0.06	3.51	12	250	0.88	0.16	18.95	0.29	39.5	11.0	36	12.25	32.5
K305254		7.66	<0.01	0.07	2.87	13	210	0.76	0.14	23.4	0.37	35.7	8.5	31	11.10	31.0
K305255		7.76	<0.01	0.10	5.85	15	350	1.35	0.26	12.25	0.45	58.9	17.2	61	21.8	58.6
K305256		7.47	<0.01	0.10	5.07	8	300	1.28	0.18	13.15	0.41	53.0	15.0	56	15.95	50.5
K305257		7.65	0.01	0.08	4.38	14	280	1.06	0.18	18.60	0.39	52.4	13.6	48	14.95	47.1
K305258		0.22	0.34	0.29	6.09	603	1150	0.64	0.28	0.48	0.20	142.5	2.9	226	3.53	30.0
K305259		7.43	<0.01	0.12	4.28	17	290	1.14	0.21	18.30	0.30	50.6	12.5	43	13.55	44.8
K305260		7.71	<0.01	0.06	1.94	11	900	0.59	0.11	28.1	0.19	29.2	5.5	20	5.71	20.2
K305261		4.88	<0.01	0.05	1.31	16	190	0.54	0.08	31.4	0.14	21.2	4.3	14	4.48	15.7
K305262		3.83	<0.01	0.11	6.31	27.6	320	1.47	0.29	7.72	0.22	91.2	20.9	46	23.7	61.5
K305263		4.97	<0.01	0.01	0.08	<5	10	0.05	0.03	19.60	0.06	1.22	2.0	1	0.34	4.6
K305264		6.40	<0.01	0.02	6.97	23.0	280	1.06	0.06	5.81	0.16	139.5	25.6	10	14.35	13.8
K305265		8.70	<0.01	0.05	7.25	29.0	190	1.05	0.06	5.26	0.19	135.5	25.3	10	21.3	16.1
K305266		4.88	<0.01	0.02	6.69	31.7	320	1.09	0.09	7.26	0.90	126.0	26.3	16	18.00	23.8
K305267		2.98	<0.01	0.04	2.77	38.0	400	0.72	0.12	8.18	0.12	34.3	6.2	25	6.38	20.8
K305268		7.86	<0.01	0.06	5.59	98.0	310	1.83	0.28	6.40	0.20	63.1	17.7	48	14.95	59.5
K305269		8.27	<0.01	0.08	4.17	363	210	1.31	0.20	8.55	0.17	51.3	11.0	36	10.20	32.0
K305270		4.95	<0.01	<0.01	0.08	<5	20	<0.05	0.03	18.80	0.06	1.32	1.7	<1	0.20	2.9
K305271		8.76	<0.01	0.08	3.67	202	180	1.13	0.19	8.80	0.23	46.4	9.8	35	8.72	30.8
K305272		8.27	<0.01	0.09	5.28	65.1	210	1.59	0.22	6.65	0.24	56.4	15.1	43	15.20	56.1
K305273		9.07	<0.01	0.08	3.84	198.0	240	1.09	0.18	9.31	0.17	44.0	10.0	30	9.74	29.8
K305274		7.71	<0.01	0.09	4.21	32.8	190	1.14	0.20	8.25	0.16	48.1	10.4	34	11.75	29.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199501

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305239		0.45	1.52	0.06	0.3	0.07	0.008	0.26	4.3	3.7	0.41	109	0.37	0.01	1.1	2.4
K305240		0.43	1.39	0.06	0.3	0.10	0.006	0.23	4.1	3.0	0.57	139	0.40	0.01	1.0	2.0
K305241		1.45	5.36	0.11	1.1	0.35	0.023	0.91	13.2	16.0	0.99	274	1.06	0.02	3.3	13.3
K305242		0.96	2.59	0.08	0.6	0.11	0.012	0.45	8.6	8.2	0.85	325	0.79	0.01	1.8	6.5
K305243		1.53	4.40	0.12	0.9	0.11	0.022	0.68	12.9	20.5	0.96	303	0.84	0.02	2.6	13.2
K305244		1.61	5.59	0.12	1.2	0.11	0.025	0.91	12.8	17.9	0.85	436	0.97	0.02	3.5	13.9
K305245		1.68	5.79	0.11	1.2	0.12	0.023	0.92	13.0	17.3	0.88	438	0.93	0.02	3.5	15.3
K305246		1.53	4.81	0.12	1.0	0.08	0.022	0.78	12.6	16.6	0.99	481	1.36	0.02	3.1	13.2
K305247		3.29	10.85	0.15	2.2	0.17	0.048	1.58	22.1	52.2	1.21	490	3.34	0.04	6.2	34.5
K305248		3.00	9.72	0.15	2.0	0.13	0.043	1.44	21.4	48.1	1.35	696	1.66	0.04	5.5	27.3
K305249		2.76	8.24	0.13	1.6	0.14	0.036	1.26	18.3	47.6	1.04	547	2.26	0.08	4.9	24.8
K305250		3.51	10.50	0.17	2.1	0.13	0.051	1.36	21.6	69.9	1.03	714	1.57	0.08	6.2	31.0
K305251		1.32	6.92	0.17	2.3	6.71	0.065	1.41	29.9	9.9	0.67	256	11.65	0.01	7.5	61.8
K305252		3.64	11.35	0.16	2.3	0.16	0.047	1.55	25.0	45.3	1.37	781	1.96	0.21	6.6	32.5
K305253		2.66	8.13	0.15	1.7	0.12	0.037	1.23	19.4	21.7	1.32	640	1.80	0.15	5.1	20.9
K305254		2.26	6.68	0.12	1.5	0.10	0.031	1.03	17.2	15.6	1.12	407	2.41	0.16	4.3	17.8
K305255		3.44	13.75	0.17	2.9	0.21	0.062	2.13	30.6	32.1	1.08	416	3.26	0.14	8.2	35.2
K305256		3.41	12.75	0.12	2.7	0.1	0.050	1.78	25.7	30.6	0.93	483	1.88	0.13	6.8	31.4
K305257		3.20	11.30	0.10	2.1	0.11	0.041	1.52	22.3	31.7	1.09	482	1.92	0.08	6.1	27.4
K305258		6.62	21.0	0.18	4.3	10.1	0.048	1.35	59.2	18.0	0.13	36	6.74	0.39	10.3	16.2
K305259		2.83	11.40	0.09	2.0	0.13	0.043	1.54	21.8	28.2	1.11	423	1.94	0.04	6.1	25.6
K305260		1.44	4.79	0.10	1.0	0.07	0.014	0.73	11.4	14.4	0.97	279	1.16	0.03	2.7	11.1
K305261		1.05	3.60	0.10	0.7	0.05	0.011	0.46	8.4	8.9	0.81	224	0.89	0.02	1.9	8.5
K305262		5.29	16.75	0.14	2.8	0.15	0.063	1.36	40.2	75.3	1.56	804	2.19	0.59	24.4	32.3
K305263		0.47	0.43	0.16	<0.1	<0.01	0.009	0.04	0.6	1.3	12.60	212	0.17	0.01	0.4	2.5
K305264		7.60	18.15	0.15	2.9	0.01	0.079	0.29	62.0	70.3	2.11	1280	2.18	2.94	62.4	9.1
K305265		8.06	17.45	0.23	2.7	<0.1	0.069	0.50	69.6	123.5	2.13	1430	2.06	2.78	59.0	9.1
K305266		7.48	17.50	0.15	3.2	0.03	0.063	0.64	55.5	56.0	3.06	1320	2.49	0.76	51.0	13.5
K305267		2.64	6.82	0.11	1.6	0.11	0.027	1.02	14.7	37.5	4.17	569	1.60	0.03	5.3	8.3
K305268		5.05	15.90	0.15	3.1	0.19	0.074	2.18	28.0	83.4	3.97	539	0.89	0.04	11.7	28.5
K305269		3.63	11.30	0.12	2.6	0.29	0.040	1.80	21.5	38.4	4.50	712	4.72	0.03	7.8	16.8
K305270		0.44	0.69	0.23	<0.1	<0.01	0.005	0.03	0.6	1.2	11.95	194	0.06	0.01	0.4	1.6
K305271		3.75	10.00	0.12	2.1	0.39	0.043	1.57	19.9	47.2	4.72	706	8.74	0.03	7.0	14.7
K305272		5.06	13.90	0.13	2.6	0.25	0.061	2.11	23.7	82.2	4.17	580	0.88	0.04	9.7	28.4
K305273		4.27	9.95	0.11	2.2	0.70	0.033	1.61	19.0	78.9	4.84	709	10.00	0.03	7.0	16.1
K305274		4.54	10.80	0.11	2.6	0.33	0.036	1.70	19.4	52.7	4.59	718	0.77	0.03	7.4	16.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199501

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305239		760	2.3	12.3	0.002	0.48	0.25	2.0	3	0.2	2020	0.07	<0.05	0.9	0.037	0.16
K305240		750	4.0	10.9	0.004	0.32	0.23	1.6	3	0.2	2050	0.06	0.05	0.9	0.029	0.12
K305241		1020	8.3	44.4	0.005	1.08	0.72	6.7	3	0.7	2160	0.26	0.06	3.3	0.145	0.52
K305242		1160	4.1	22.7	0.005	0.55	0.26	3.5	3	0.3	2070	0.13	0.06	1.7	0.063	0.16
K305243		1310	5.6	33.9	0.006	0.89	0.30	6.9	4	0.5	2240	0.19	0.06	2.7	0.121	0.22
K305244		930	6.9	46.0	0.006	1.03	0.39	6.8	3	0.7	1680	0.26	<0.05	3.2	0.169	0.27
K305245		900	7.1	48.8	0.006	1.11	0.40	6.7	3	0.8	1565	0.26	0.07	3.3	0.168	0.30
K305246		3250	6.8	41.6	0.006	0.80	0.36	5.8	3	0.6	1845	0.23	0.06	3.1	0.117	0.24
K305247		800	14.8	81.3	0.010	2.00	2.06	13.1	4	1.3	1325	0.50	0.06	6.2	0.326	0.43
K305248		1280	11.4	74.2	0.010	1.50	0.52	12.0	3	1.1	1820	0.44	0.07	5.6	0.270	0.38
K305249		1150	10.4	66.2	0.013	1.56	0.51	10.4	4	1.0	1765	0.39	0.05	5.1	0.240	0.41
K305250		820	11.6	75.0	0.008	1.73	0.46	13.3	3	1.2	1115	0.50	0.07	5.8	0.359	0.36
K305251		4180	4.8	117.5	0.039	1.32	19.25	6.3	10	1.5	146.5	0.58	0.52	6.4	0.202	13.40
K305252		980	13.3	82.4	0.009	2.00	0.55	13.8	3	1.3	1270	0.53	0.07	6.6	0.338	0.42
K305253		910	10.9	64.7	0.008	1.49	0.45	9.1	3	1.0	1520	0.38	0.05	5.4	0.216	0.39
K305254		1490	9.5	55.7	0.012	1.45	0.45	7.4	4	0.9	2190	0.34	0.06	4.6	0.165	0.34
K305255		970	17.1	120.5	0.014	2.46	0.70	14.6	4	1.7	1235	0.67	0.07	8.5	0.342	0.65
K305256		740	14.2	85.0	0.011	2.30	0.64	12.4	2	1.7	1295	0.53	<0.05	7.0	0.348	0.46
K305257		1130	12.6	79.4	0.009	1.98	0.47	13.2	2	1.5	2020	0.44	<0.05	6.7	0.285	0.37
K305258		910	17.5	48.9	0.003	3.04	117.0	17.3	2	3.1	500	0.73	0.12	10.2	0.540	7.72
K305259		1220	12.7	86.5	0.010	1.88	0.60	12.2	2	1.6	1745	0.42	<0.05	6.9	0.248	0.49
K305260		1240	6.5	37.9	0.007	0.94	0.29	5.7	1	0.9	2000	0.20	<0.05	3.4	0.107	0.29
K305261		1120	4.5	24.9	0.005	0.63	0.21	4.4	1	0.7	1600	0.12	<0.05	2.2	0.074	0.27
K305262		1930	17.2	75.8	0.013	1.91	0.96	16.1	2	2.1	701	1.41	0.07	9.4	0.687	0.80
K305263		160	2.4	2.3	<0.002	0.01	0.07	0.8	<1	<0.2	44.9	<0.05	<0.05	<0.2	<0.005	0.02
K305264		4480	5.3	16.1	0.003	0.42	0.33	15.4	2	1.6	476	3.31	<0.05	6.7	1.430	0.06
K305265		4670	6.5	33.5	0.004	0.45	0.26	13.3	1	1.4	408	3.15	<0.05	6.6	1.420	0.16
K305266		4260	7.2	34.5	0.006	0.41	0.51	15.1	2	1.5	302	2.81	<0.05	6.8	1.305	0.16
K305267		410	7.3	44.6	0.002	0.41	1.43	6.0	1	1.4	231	0.38	<0.05	4.6	0.195	0.43
K305268		500	17.3	104.0	0.003	0.80	1.91	15.7	1	2.5	155.5	0.77	0.17	8.9	0.437	0.74
K305269		440	12.3	77.4	0.002	0.89	1.99	10.2	1	1.9	197.5	0.55	0.06	7.0	0.278	0.94
K305270		440	1.5	1.6	<0.002	0.01	0.06	0.5	<1	<0.2	41.3	<0.05	<0.05	<0.2	<0.005	<0.02
K305271		410	19.9	72.9	0.002	1.33	2.73	9.0	1	1.7	223	0.48	0.05	6.4	0.251	0.86
K305272		480	20.1	93.7	0.003	1.04	2.54	14.0	2	2.1	177.0	0.68	0.09	8.0	0.387	0.79
K305273		450	20.5	66.2	<0.002	2.10	2.67	9.1	1	1.8	239	0.51	0.07	6.7	0.264	1.38
K305274		480	22.1	74.7	0.002	1.26	2.05	9.8	1	1.7	159.5	0.55	0.07	7.2	0.286	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199501

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305239		2.5	10	0.2	8.6	8	10.6
K305240		2.3	8	0.2	8.0	9	10.0
K305241		3.3	45	1.4	19.3	30	37.5
K305242		2.7	21	0.4	15.5	19	21.1
K305243		3.4	43	0.7	22.3	24	32.5
K305244		2.7	50	1.0	18.0	33	39.9
K305245		2.9	51	0.9	18.6	34	40.5
K305246		2.7	41	0.5	17.5	29	37.5
K305247		3.3	104	0.9	24.0	71	72.1
K305248		3.6	87	0.8	27.5	57	66.1
K305249		3.5	80	0.7	22.6	52	58.1
K305250		2.7	107	0.8	23.2	62	70.7
K305251		7.8	373	34.5	28.4	268	75.9
K305252		3.5	101	1.0	27.2	73	77.6
K305253		3.0	65	0.8	21.8	50	60.5
K305254		3.4	59	0.7	21.8	41	54.3
K305255		3.9	114	1.2	26.4	82	93.3
K305256		2.9	103	1.2	22.6	71	78.5
K305257		3.6	90	0.9	28.4	62	74.2
K305258		7.7	168	21.9	16.6	44	174.5
K305259		3.8	83	0.9	26.3	59	72.9
K305260		3.2	36	0.5	19.4	29	35.9
K305261		2.9	25	0.3	16.0	20	24.3
K305262		3.6	146	1.3	30.8	93	105.5
K305263		0.8	3	0.1	0.8	15	<0.5
K305264		1.4	188	1.0	35.4	99	137.0
K305265		1.4	189	1.1	31.0	110	107.0
K305266		1.9	194	0.9	36.1	111	133.0
K305267		1.2	44	0.7	13.9	49	55.1
K305268		2.1	115	1.4	25.0	84	108.5
K305269		1.7	70	1.1	22.8	64	82.0
K305270		0.5	3	0.1	0.9	14	0.5
K305271		1.7	63	1.2	19.4	61	74.6
K305272		2.0	102	1.1	21.5	82	95.8
K305273		1.6	66	1.3	19.8	58	75.9
K305274		1.7	73	0.9	20.0	68	76.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199501

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE WH11199503

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 226 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199503

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305275		8.40	<0.01	0.05	5.02	157.5	190	1.35	0.23	7.66	0.22	52.7	14.6	36	14.75	42.7
K305276		8.40	<0.01	0.08	6.81	17.7	200	1.51	0.26	3.87	0.19	53.6	28.3	70	30.7	132.5
K305277		8.22	<0.01	0.08	5.77	14.0	210	1.44	0.23	4.46	0.17	58.9	21.2	53	22.7	84.8
K305278		4.76	<0.01	0.06	5.74	15.1	250	1.62	0.24	2.34	0.04	72.7	13.7	46	6.36	28.7
K305279		4.54	<0.01	0.03	8.00	16.5	310	2.39	0.36	1.01	0.05	85.0	12.6	61	8.76	35.1
K305280		1.60	<0.01	0.04	4.69	17.7	180	1.18	0.20	0.73	0.03	62.1	11.2	38	4.25	24.0
K305281		8.24	0.01	0.04	7.95	13.1	300	2.38	0.34	0.56	0.05	93.5	14.5	63	9.45	35.7
K305282		0.22	7.47	0.41	3.62	971	160	0.86	0.65	11.60	3.99	43.8	5.4	95	6.79	31.9
K305283		6.33	<0.01	0.07	8.82	23.6	310	2.37	0.38	0.32	0.03	75.6	17.0	72	10.30	39.3
K305284		4.28	<0.01	0.04	4.52	8.5	170	1.01	0.18	1.64	0.04	54.9	9.6	40	3.92	19.6
K305285		9.06	0.01	0.05	4.49	16.4	160	1.00	0.22	1.39	0.03	56.3	12.8	41	4.27	22.4
K305286		9.89	<0.01	0.05	5.78	10.7	210	1.39	0.27	1.23	0.04	67.4	11.9	48	5.81	28.6
K305287		10.02	<0.01	0.04	6.38	10.2	230	1.79	0.29	1.54	0.03	70.9	12.3	52	6.94	29.0
K305288		9.68	<0.01	0.04	6.74	13.0	260	1.74	0.29	0.91	0.04	75.0	13.9	55	6.44	29.8
K305289		4.42	<0.01	0.05	7.07	13.4	260	2.14	0.31	0.85	0.05	82.6	15.3	58	7.17	31.7
K305290		10.30	<0.01	0.04	7.99	13.6	320	2.50	0.37	0.78	0.04	89.6	15.8	66	8.66	35.7
K305291		10.99	<0.01	0.04	7.83	7.7	280	1.84	0.29	0.77	0.03	69.9	10.8	63	7.02	28.9
K305292		10.31	<0.01	0.09	5.27	7.2	230	1.52	0.20	3.08	0.05	61.7	9.8	44	7.43	28.1
K305293		10.22	<0.01	0.06	8.17	9.4	320	2.26	0.31	1.81	0.03	65.1	15.8	66	11.10	36.7
K305294		11.04	<0.01	0.07	8.55	16.3	330	2.39	0.32	2.05	0.03	64.5	16.6	68	12.95	35.6
K305295		10.15	<0.01	0.05	6.86	8.3	250	1.79	0.22	8.59	0.02	71.6	12.6	48	10.45	26.4
K305296		9.93	<0.01	0.04	6.41	15	240	1.63	0.22	10.05	0.04	66.0	13.1	48	9.16	26.8
K305297		10.86	<0.01	0.06	7.28	12.3	270	1.86	0.24	4.06	0.03	71.9	15.8	55	10.65	31.5
K305298		0.23	0.35	0.24	6.20	605	1130	0.55	0.26	0.44	0.19	123.0	2.7	233	3.36	29.0
K305299		10.50	<0.01	0.04	7.21	11.2	270	1.84	0.25	2.95	0.02	68.8	16.4	57	10.15	34.0
K305300		10.15	<0.01	0.03	8.43	11.3	310	2.36	0.30	3.30	0.03	75.8	16.6	65	11.20	42.4
K305301		10.90	<0.01	0.04	9.07	2.9	390	2.55	0.39	0.72	0.03	47.7	14.3	78	14.45	44.8
K305302		11.37	<0.01	0.06	8.90	11.9	320	2.13	0.31	2.00	<0.02	83.0	21.4	66	13.55	34.9
K305303		11.53	<0.01	0.03	8.91	5.0	350	2.63	0.33	1.84	0.02	67.8	13.5	71	13.45	39.1
K305304		11.96	<0.01	0.63	9.43	4.3	360	2.62	0.35	0.61	<0.02	70.9	14.8	76	14.70	45.5
K305305		7.05	0.01	0.10	0.12	<5	20	0.08	0.05	20.2	0.07	1.38	0.8	2	0.43	2.4
K305306		10.27	<0.01	0.06	8.96	10.6	340	2.60	0.36	0.69	<0.02	64.4	17.5	74	14.25	47.5
K305307		10.11	<0.01	0.08	8.42	10.2	290	2.07	0.31	1.55	<0.02	88.3	18.2	65	11.95	33.5
K305308		12.03	<0.01	0.03	9.46	11.1	410	2.70	0.36	0.57	<0.02	65.0	16.2	79	15.15	46.6
K305309		7.02	0.01	0.02	0.08	6	10	0.05	0.03	20.4	0.05	1.17	0.6	2	0.30	1.3
K305310		11.25	<0.01	0.05	9.21	10.8	350	2.40	0.32	2.42	0.06	71.7	18.1	68	12.50	35.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199503

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305275		4.68	12.45	0.19	2.6	0.64	0.063	1.76	26.9	38.5	4.17	796	0.62	0.25	10.9	22.5
K305276		6.40	18.00	0.18	3.2	0.11	0.085	2.00	25.0	54.7	2.89	668	0.34	0.53	10.3	48.2
K305277		5.01	14.85	0.18	2.9	0.12	0.072	2.04	26.5	42.7	2.86	698	0.38	0.21	9.2	36.8
K305278		3.73	14.80	0.20	2.5	0.02	0.056	1.78	36.8	87.7	0.85	983	0.25	0.13	7.3	27.7
K305279		3.42	20.2	0.21	2.9	0.04	0.066	2.55	47.5	151.0	0.79	410	0.37	0.16	9.9	28.8
K305280		3.11	11.45	0.22	1.9	0.03	0.053	1.29	31.7	99.4	0.58	398	0.24	0.10	5.6	23.2
K305281		3.88	20.2	0.23	3.0	0.02	0.075	2.47	49.1	104.5	0.97	493	0.18	0.17	10.3	33.2
K305282		1.41	7.22	0.21	2.6	5.68	0.064	1.43	28.2	10.4	0.71	275	10.40	0.01	7.2	62.0
K305283		3.99	23.3	0.19	3.2	0.03	0.080	2.82	38.3	127.5	1.06	301	0.30	0.18	11.4	37.0
K305284		3.65	11.75	0.17	1.8	0.02	0.038	1.19	27.5	89.9	0.74	1440	0.23	0.10	5.7	20.4
K305285		3.39	11.15	0.18	1.9	0.05	0.044	1.21	29.4	144.0	0.77	808	0.46	0.09	5.4	22.6
K305286		3.72	14.10	0.20	3.1	0.03	0.053	1.65	35.7	151.5	0.97	565	0.50	0.13	7.2	24.0
K305287		3.09	15.65	0.19	2.5	0.03	0.056	1.94	40.0	181.5	1.05	606	0.39	0.14	7.9	24.8
K305288		3.43	16.50	0.22	2.8	0.04	0.055	2.12	41.7	142.0	0.89	371	0.58	0.15	8.1	28.0
K305289		3.49	18.40	0.25	2.8	0.04	0.063	2.29	42.4	138.5	0.91	364	0.64	0.15	8.9	30.0
K305290		3.54	21.1	0.21	2.9	0.05	0.070	2.82	48.4	109.0	1.00	331	0.70	0.16	10.1	32.8
K305291		3.60	16.45	0.16	2.4	0.03	0.055	2.57	37.4	89.9	1.01	339	0.32	0.18	8.1	24.8
K305292		3.08	13.30	0.16	1.9	0.02	0.041	1.73	32.7	103.5	1.44	1040	0.36	0.14	6.5	20.9
K305293		3.89	20.9	0.16	2.6	0.03	0.060	2.69	34.6	92.7	1.45	397	0.26	0.24	9.5	33.5
K305294		4.08	21.5	0.18	2.8	0.04	0.068	2.94	31.4	94.3	1.32	607	0.28	0.26	10.0	34.4
K305295		3.29	16.00	0.18	2.3	0.04	0.051	2.32	37.9	65.1	1.28	975	0.24	0.22	7.7	24.9
K305296		3.37	15.05	0.18	2.1	0.06	0.044	2.22	35.7	52.4	1.27	966	0.36	0.21	7.4	25.4
K305297		3.41	17.95	0.16	2.4	0.06	0.058	2.50	37.4	64.5	1.23	604	0.32	0.22	8.6	30.4
K305298		6.56	19.45	0.23	4.1	9.9	0.048	1.29	58.7	18.1	0.12	35	6.07	0.37	9.0	15.5
K305299		3.31	17.25	0.16	2.4	0.04	0.047	2.41	35.9	79.9	1.20	536	0.22	0.22	8.3	28.9
K305300		3.60	22.0	0.16	2.5	0.04	0.061	2.94	37.2	227	1.53	655	0.32	0.22	10.1	31.9
K305301		3.99	24.2	0.17	2.7	0.01	0.068	3.44	21.2	138.0	1.23	302	0.16	0.29	10.8	35.2
K305302		4.25	22.0	0.18	2.7	0.04	0.063	3.00	40.6	86.8	1.45	673	0.22	0.26	10.3	37.2
K305303		4.52	24.2	0.18	2.6	0.01	0.073	3.04	33.9	114.5	1.38	434	0.16	0.27	11.2	35.6
K305304		4.28	24.6	0.20	2.8	0.01	0.076	3.32	36.9	109.0	1.38	333	0.19	0.28	11.2	35.6
K305305		0.49	0.28	0.11	<0.1	<0.01	0.006	0.05	0.7	1.7	12.60	210	0.12	0.01	0.2	2.4
K305306		4.15	24.7	0.18	2.7	0.02	0.069	3.18	33.6	107.5	1.31	307	0.22	0.28	11.5	35.6
K305307		4.15	20.1	0.21	2.8	0.03	0.061	2.75	46.6	86.5	1.51	520	0.19	0.23	9.2	34.3
K305308		4.14	26.5	0.21	2.8	0.01	0.068	3.40	33.0	104.5	1.36	290	0.21	0.31	11.7	39.3
K305309		0.47	0.20	0.12	<0.1	<0.01	0.006	0.03	0.5	1.4	12.65	212	0.05	<0.01	0.1	1.8
K305310		3.60	22.4	0.19	2.7	0.03	0.067	3.06	34.2	79.9	1.93	431	0.22	0.29	10.3	33.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199503

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305275		810	20.3	85.2	0.004	2.27	2.28	12.3	1	1.9	181.0	0.72	0.07	7.4	0.418	1.97
K305276		590	12.2	99.5	0.006	0.30	1.41	23.5	2	2.1	95.2	0.71	0.12	7.3	0.641	0.55
K305277		490	14.0	106.0	0.006	0.36	1.27	17.4	2	2.0	109.0	0.64	0.08	7.6	0.461	0.60
K305278		1150	17.1	90.5	0.006	0.05	0.76	11.5	1	1.9	120.5	0.55	<0.05	11.1	0.278	0.34
K305279		990	14.0	123.0	0.005	0.04	0.61	15.0	1	2.4	104.5	0.76	0.05	14.8	0.370	0.55
K305280		1110	15.9	66.3	0.006	0.04	0.59	9.9	1	1.5	69.9	0.42	<0.05	8.9	0.212	0.21
K305281		1110	17.1	120.5	0.005	0.04	0.64	15.5	2	2.4	103.5	0.74	0.05	15.1	0.369	0.47
K305282		4360	4.9	114.0	0.041	1.44	17.55	6.1	8	1.8	146.5	0.51	0.51	6.8	0.213	11.75
K305283		870	25.0	105.0	0.010	0.03	0.73	16.0	2	2.7	109.5	0.85	0.08	13.3	0.419	0.53
K305284		900	14.6	56.3	0.006	0.04	0.41	8.5	1	1.4	75.1	0.42	<0.05	8.7	0.214	0.21
K305285		1000	17.2	60.0	0.009	0.21	0.74	9.2	1	1.6	77.1	0.41	0.06	8.7	0.217	0.25
K305286		950	15.1	78.8	0.008	0.78	0.55	10.9	1	2.3	90.4	0.56	0.06	11.6	0.278	0.33
K305287		1010	15.9	98.6	0.006	0.80	0.55	11.8	1	2.4	92.9	0.61	<0.05	12.5	0.299	0.39
K305288		960	20.5	105.0	0.007	1.05	0.66	12.2	1	2.2	81.9	0.64	<0.05	12.6	0.319	0.38
K305289		900	19.3	114.5	0.006	1.00	0.63	13.3	1	2.5	89.5	0.68	0.08	13.7	0.343	0.44
K305290		840	22.6	132.5	0.008	1.00	0.69	14.5	2	2.7	93.0	0.74	0.07	14.8	0.365	0.61
K305291		740	14.3	96.9	0.002	0.85	0.59	11.5	1	2.1	89.0	0.63	<0.05	12.1	0.365	0.39
K305292		850	12.7	88.9	0.004	0.77	0.66	9.7	<1	2.4	106.0	0.48	<0.05	9.4	0.246	0.34
K305293		740	15.5	85.8	0.004	0.92	0.48	13.0	1	2.6	113.0	0.76	<0.05	11.0	0.360	0.60
K305294		600	17.1	89.9	0.005	0.69	0.51	13.7	1	2.7	118.5	0.82	<0.05	11.7	0.379	0.65
K305295		560	17.2	107.5	0.003	0.76	0.42	11.2	1	2.2	246	0.60	<0.05	11.6	0.293	0.46
K305296		1030	31.5	107.0	0.004	1.27	0.65	10.8	1	2.2	258	0.56	<0.05	10.9	0.269	0.43
K305297		740	28.9	106.0	0.003	1.23	0.63	12.2	1	2.4	140.0	0.66	<0.05	12.0	0.322	0.57
K305298		930	17.5	46.3	0.005	3.16	116.0	15.0	2	2.8	496	0.70	0.09	9.4	0.547	7.85
K305299		640	18.7	104.5	0.002	0.78	0.48	11.9	1	2.5	123.0	0.64	<0.05	11.7	0.318	0.46
K305300		540	18.7	94.7	<0.002	0.66	0.46	13.4	1	3.2	171.0	0.72	<0.05	11.6	0.352	0.63
K305301		370	9.1	90.5	<0.002	0.15	0.28	13.8	1	2.8	108.5	0.84	0.06	9.0	0.405	0.77
K305302		550	22.2	122.0	0.003	0.81	0.58	14.8	1	2.7	124.5	0.75	0.06	13.3	0.371	0.63
K305303		400	11.1	89.9	0.002	0.11	0.25	14.3	1	2.8	134.0	0.82	0.05	11.1	0.387	0.61
K305304		500	11.3	127.0	0.003	0.17	0.30	15.3	1	2.9	113.0	0.86	0.06	13.3	0.411	0.70
K305305		180	1.5	2.7	0.003	0.01	0.11	0.3	<1	0.2	44.5	<0.05	<0.05	0.2	<0.005	<0.02
K305306		560	16.6	115.0	0.004	0.25	0.35	14.9	1	3.2	108.0	0.82	0.07	11.7	0.391	0.65
K305307		1030	20.0	137.0	0.004	0.43	0.46	14.9	1	2.5	103.0	0.72	0.07	14.1	0.352	0.60
K305308		720	12.9	121.5	0.005	0.17	0.35	15.5	1	3.0	104.0	0.91	0.11	11.1	0.412	0.74
K305309		170	1.2	1.8	0.003	0.01	0.08	0.3	<1	0.2	44.9	<0.05	<0.05	<0.2	<0.005	<0.02
K305310		750	20.2	95.3	0.005	0.68	0.58	14.1	1	2.6	124.0	0.77	<0.05	12.2	0.378	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199503

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305275		1.9	102	1.5	21.3	77	96.7
K305276		1.9	200	1.0	24.6	92	117.0
K305277		1.9	139	1.0	21.7	74	109.0
K305278		2.5	63	4.7	19.7	82	84.7
K305279		3.0	90	2.3	18.7	88	99.3
K305280		2.0	52	1.8	16.6	83	68.4
K305281		3.1	88	1.6	21.1	92	105.0
K305282		8.9	383	34.4	26.3	284	95.7
K305283		3.0	101	2.0	16.9	86	112.5
K305284		1.7	47	1.0	13.6	66	62.3
K305285		1.9	55	1.1	14.6	62	67.9
K305286		2.4	65	1.1	16.1	70	83.9
K305287		2.5	70	1.2	16.7	57	94.5
K305288		2.6	73	1.4	17.7	86	94.5
K305289		2.8	80	1.4	19.1	91	99.0
K305290		2.9	91	1.5	17.7	71	103.0
K305291		2.4	86	1.1	14.1	76	85.2
K305292		1.6	56	1.0	14.6	74	75.2
K305293		2.5	87	1.3	15.5	85	88.1
K305294		2.6	89	1.5	15.3	77	93.7
K305295		2.5	63	1.1	15.9	69	76.9
K305296		2.7	59	1.0	15.4	71	76.1
K305297		2.7	72	1.2	16.2	82	87.5
K305298		7.1	167	22.1	12.9	44	164.5
K305299		2.4	70	1.1	14.6	63	81.1
K305300		2.6	81	1.4	15.6	87	93.3
K305301		2.2	100	1.6	11.3	79	92.1
K305302		2.8	86	1.4	16.8	60	96.3
K305303		1.9	90	1.5	14.3	71	92.5
K305304		2.4	95	1.6	15.9	77	96.3
K305305		0.7	3	0.1	0.8	16	0.7
K305306		2.9	91	1.6	15.2	72	100.5
K305307		3.0	84	1.4	20.0	62	96.9
K305308		2.6	99	1.6	15.6	73	102.5
K305309		0.3	3	0.1	0.7	15	<0.5
K305310		2.6	92	1.5	16.1	131	90.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199503

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE WH11199500

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 227 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199500

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303873		4.86	<0.01	0.02	1.53	10	120	0.56	0.06	24.9	<0.02	18.85	2.4	11	3.51	5.0
K303874		5.29	<0.01	0.03	4.37	19	270	1.03	0.14	15.15	0.06	54.7	6.8	31	11.60	13.8
K303875		7.06	<0.01	0.02	1.26	11	120	0.38	0.05	28.0	0.02	21.2	2.1	10	3.50	5.3
K303876		7.55	<0.01	0.02	2.97	20	170	0.80	0.11	24.0	0.06	30.0	5.1	22	10.45	11.9
K303877		5.53	<0.01	0.04	1.77	12	110	0.50	0.07	25.5	0.06	18.35	3.3	14	6.27	8.0
K303878		5.50	<0.01	0.02	1.86	15	160	0.56	0.07	26.9	0.09	21.5	3.5	15	6.14	8.2
K303879		2.80	<0.01	0.01	0.77	11	130	0.27	0.04	17.70	0.08	8.11	1.8	8	2.00	5.0
K303880		6.99	<0.01	0.01	0.07	9	20	0.07	0.04	20.4	0.06	1.05	0.6	1	0.22	1.6
K303881		3.93	<0.01	0.07	8.47	28.0	400	3.00	0.31	1.28	0.15	78.8	13.4	74	38.1	40.0
K303882		7.85	<0.01	0.06	8.74	18.5	370	3.26	0.31	1.76	0.04	71.6	16.3	78	41.8	43.6
K303883		0.22	0.33	0.27	6.13	584	1050	0.52	0.24	0.44	0.17	123.5	2.6	226	3.51	29.8
K303884		7.19	<0.01	0.10	8.92	24.2	400	3.31	0.31	2.18	0.05	75.3	19.9	77	38.1	45.6
K303885		8.44	<0.01	0.11	7.93	19.6	320	2.73	0.30	3.63	0.13	73.8	15.1	66	29.2	41.6
K303886		8.55	<0.01	0.10	8.50	22.0	370	2.98	0.29	1.93	0.06	76.3	17.2	71	34.3	44.8
K303887		6.71	<0.01	0.09	9.16	30.1	340	3.17	0.33	2.31	0.22	82.9	16.2	71	34.2	37.2
K303888		9.59	<0.01	0.07	9.07	33.1	360	3.07	0.32	1.88	0.21	90.9	16.4	73	37.0	34.7
K303889		7.85	<0.01	0.08	8.53	39.0	370	3.51	0.34	2.45	0.19	79.7	16.7	71	32.5	37.0
K303890		4.56	<0.01	0.04	7.13	169.5	330	2.38	0.31	7.01	0.36	81.0	14.1	55	21.9	34.4
K303891		6.28	<0.01	0.01	1.95	81	80	0.63	0.07	23.9	0.10	19.90	4.8	18	6.52	9.9
K303892		2.21	<0.01	0.01	1.82	63	80	0.66	0.06	23.8	0.10	19.25	4.4	17	6.00	9.2
K303893		11.00	<0.01	0.01	1.30	27	70	0.50	0.06	27.0	0.07	13.60	3.1	10	4.73	5.9
K303894		8.03	<0.01	0.01	0.77	25	50	0.38	0.03	22.1	0.02	8.57	2.0	6	2.25	3.4
K303895		5.45	<0.01	0.03	3.93	105	150	1.12	0.14	15.30	0.18	38.3	8.3	35	17.20	17.3
K303896		10.12	<0.01	0.05	8.41	82.1	360	2.87	0.42	1.82	0.30	85.5	18.0	72	33.6	42.1
K303897		11.43	0.01	0.06	7.85	356	560	2.67	0.33	2.44	0.16	77.0	16.5	65	27.0	37.9
K303898		12.12	<0.01	0.04	8.07	117.0	350	2.89	0.33	3.08	0.17	67.9	14.8	65	28.6	42.7
K303899		12.12	0.02	0.05	8.59	229	420	2.84	0.35	2.57	0.17	80.9	17.9	72	26.0	43.1
K303900		0.22	2.67	0.92	3.23	537	880	0.65	0.34	8.23	2.29	44.0	6.7	56	3.98	41.1
K303901		12.52	<0.01	0.05	8.66	173.5	480	2.77	0.36	2.25	0.20	94.9	16.6	69	26.9	36.8
K303902		10.54	<0.01	0.07	8.85	131.5	510	3.18	0.39	2.40	0.24	91.5	18.4	78	29.3	43.5
K303903		11.47	<0.01	0.10	7.88	125.5	380	2.57	0.51	2.08	0.35	78.6	18.4	76	25.3	55.6
K303904		10.95	0.01	0.09	8.12	262	470	2.61	0.45	2.42	0.40	81.6	18.5	74	26.0	53.1
K303905		10.81	0.01	0.04	8.20	212	560	2.45	0.36	2.07	0.61	82.9	16.2	72	25.8	42.4
K303906		6.99	<0.01	0.01	0.15	<5	30	0.13	0.02	19.95	0.06	1.49	1.6	2	0.54	2.2
K303907		6.02	<0.01	0.06	8.05	135.0	2190	2.49	0.28	2.99	0.17	86.9	13.7	55	32.1	33.3
K303908		7.78	0.01	0.02	8.33	122.5	380	2.68	0.35	4.17	0.19	80.9	17.0	50	29.4	43.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199500

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303873		1.40	3.20	0.14	0.6	0.05	0.013	0.59	9.4	12.6	2.62	424	0.14	0.04	1.7	5.3
K303874		2.02	10.30	0.16	1.8	0.15	0.034	1.76	25.4	46.3	0.98	389	0.35	0.07	5.6	15.2
K303875		0.94	2.75	0.14	0.6	0.10	0.007	0.49	9.1	18.6	0.92	252	0.14	0.04	1.5	4.8
K303876		1.44	6.60	0.14	0.9	0.08	0.024	1.24	14.9	18.7	1.86	366	0.64	0.06	3.2	9.9
K303877		1.01	4.33	0.15	0.6	0.05	0.018	0.77	9.2	10.9	3.82	287	0.42	0.02	2.1	7.0
K303878		1.20	4.36	0.13	0.6	0.04	0.020	0.79	9.8	10.9	2.90	414	0.47	0.03	2.2	7.4
K303879		1.32	1.82	0.11	0.3	0.02	0.007	0.33	3.9	6.6	8.27	596	0.52	0.02	1.0	4.0
K303880		0.48	0.18	0.14	<0.1	<0.01	<0.005	0.03	0.5	1.2	12.65	219	<0.05	<0.01	0.2	1.8
K303881		4.25	23.4	0.20	2.8	0.34	0.073	3.38	39.0	87.3	0.74	463	3.72	0.15	10.5	33.6
K303882		4.18	23.3	0.23	3.1	0.20	0.084	3.63	36.2	83.2	0.88	809	2.25	0.17	10.6	35.5
K303883		6.50	19.15	0.21	4.1	10.5	0.047	1.27	58.9	18.7	0.12	34	5.96	0.36	9.1	15.0
K303884		4.38	24.7	0.19	2.9	0.37	0.083	3.73	35.9	90.2	1.55	691	2.33	0.06	11.5	44.4
K303885		4.47	20.5	0.21	2.5	0.30	0.063	3.39	36.0	77.4	2.20	818	2.43	0.06	9.6	36.3
K303886		4.27	23.1	0.19	2.8	0.19	0.075	3.63	38.0	74.4	1.71	622	2.18	0.06	10.9	39.6
K303887		4.27	23.6	0.21	2.9	0.33	0.080	3.84	41.6	52.8	1.89	424	2.97	0.06	11.3	38.4
K303888		4.14	24.8	0.21	2.9	0.42	0.066	3.91	40.7	62.3	1.64	368	2.62	0.06	11.6	37.4
K303889		4.14	24.3	0.20	3.0	0.91	0.072	3.83	34.7	65.3	1.70	408	3.05	0.05	11.6	40.5
K303890		3.81	19.20	0.25	2.8	0.80	0.068	3.20	40.3	58.3	2.23	661	2.91	0.05	9.9	33.7
K303891		1.48	5.09	0.09	0.8	0.30	0.020	0.87	10.1	16.5	3.11	610	0.80	0.02	2.9	7.2
K303892		1.40	4.63	0.09	0.7	0.29	0.020	0.81	9.5	17.0	3.40	592	0.69	0.02	2.6	6.2
K303893		0.87	3.19	0.07	0.5	0.21	0.012	0.58	6.9	14.0	2.93	297	0.59	0.02	1.9	3.4
K303894		0.81	1.82	0.07	0.3	0.13	0.007	0.34	4.6	7.6	8.05	580	0.96	0.02	1.2	1.4
K303895		2.71	9.54	0.13	1.4	0.7	0.036	1.70	20.2	53.6	4.35	421	1.50	0.04	5.3	17.8
K303896		4.25	22.5	0.26	3.3	1.96	0.082	3.67	43.2	47.6	1.02	230	4.24	0.05	11.5	43.5
K303897		4.20	21.5	0.24	3.0	2.24	0.071	3.51	38.5	29.7	1.36	358	4.50	0.04	10.7	40.0
K303898		4.27	21.9	0.22	2.9	1.47	0.080	3.49	34.3	43.5	1.61	659	2.15	0.04	10.8	34.6
K303899		3.99	24.2	0.23	3.3	1.9	0.083	3.92	39.7	22.4	1.43	771	2.38	0.05	11.9	38.7
K303900		2.13	7.83	0.17	1.8	4.8	0.033	1.03	28.7	42.2	2.59	274	19.65	0.03	6.9	52.6
K303901		4.31	23.8	0.26	3.2	3.07	0.077	3.91	48.7	25.3	1.45	426	3.17	0.04	12.0	40.8
K303902		4.72	24.6	0.28	3.3	3.47	0.076	3.98	44.5	31.1	1.35	375	3.59	0.05	12.5	42.5
K303903		4.86	22.3	0.27	3.2	4.98	0.081	3.63	41.0	21.7	1.07	321	8.30	0.05	10.9	49.5
K303904		4.77	22.8	0.26	3.3	4.76	0.082	3.63	41.9	23.6	1.28	497	6.84	0.05	11.1	45.4
K303905		5.07	22.9	0.28	3.3	3.46	0.079	3.71	41.8	27.0	1.29	348	3.92	0.05	11.2	38.2
K303906		0.47	0.44	0.07	<0.1	0.02	0.005	0.06	0.7	1.9	12.50	200	0.19	0.01	0.4	2.1
K303907		4.33	22.1	0.26	3.1	1.76	0.071	3.65	40.1	26.3	1.74	457	3.53	0.04	11.0	31.5
K303908		3.52	22.1	0.21	3.1	0.75	0.074	3.56	39.6	20.0	2.49	905	2.61	0.05	11.5	35.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199500

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303873		350	3.6	24.9	<0.002	0.16	0.19	2.5	<1	0.5	561	0.12	<0.05	2.6	0.063	0.13
K303874		690	10.8	83.1	0.002	0.13	0.27	7.3	1	1.3	467	0.40	<0.05	7.8	0.199	0.59
K303875		530	4.2	21.0	0.002	0.15	0.15	2.3	1	0.5	989	0.12	<0.05	2.6	0.057	0.31
K303876		790	6.0	53.0	0.003	0.12	0.24	5.0	<1	1.0	621	0.23	<0.05	4.7	0.119	0.39
K303877		800	3.8	32.6	0.004	0.08	0.18	3.3	1	0.8	744	0.15	<0.05	2.9	0.076	0.33
K303878		790	4.0	33.0	0.002	0.07	0.19	3.6	1	0.8	747	0.16	<0.05	3.0	0.081	0.36
K303879		370	1.8	13.9	<0.002	0.04	0.13	1.5	<1	0.5	254	0.07	<0.05	1.3	0.037	0.18
K303880		190	1.3	1.3	0.003	0.01	0.08	0.3	<1	0.2	42.8	<0.05	<0.05	<0.2	0.007	<0.02
K303881		700	18.3	167.0	0.011	0.07	1.18	16.2	1	3.6	108.0	0.81	0.05	14.6	0.357	1.60
K303882		1100	16.2	154.5	0.007	0.32	1.02	15.7	1	3.5	100.0	0.88	<0.05	13.4	0.381	1.37
K303883		930	17.3	45.3	0.004	3.12	114.0	15.3	2	2.9	491	0.70	0.12	9.2	0.540	7.43
K303884		970	18.1	162.5	0.009	1.28	1.22	16.9	2	3.9	127.0	0.87	<0.05	13.1	0.381	1.47
K303885		1050	17.3	147.0	0.011	1.19	1.15	14.6	3	3.3	147.0	0.75	<0.05	12.8	0.343	1.23
K303886		1090	15.5	165.5	0.008	1.14	1.00	16.0	2	3.5	115.5	0.86	<0.05	13.2	0.361	1.33
K303887		800	21.1	162.0	0.009	1.63	1.10	15.3	2	3.5	137.0	0.92	<0.05	14.7	0.368	2.58
K303888		910	19.6	151.5	0.006	1.68	0.95	15.3	1	3.5	141.5	0.93	<0.05	15.0	0.370	2.14
K303889		960	21.3	135.5	0.013	2.20	1.09	15.1	2	3.8	169.0	0.92	<0.05	13.2	0.368	2.62
K303890		1270	18.8	155.0	0.006	2.63	0.98	15.0	3	2.5	314	0.85	0.06	13.2	0.302	4.89
K303891		880	4.8	40.9	0.003	0.79	0.31	4.4	3	0.7	637	0.23	0.05	3.1	0.092	1.09
K303892		870	4.1	37.8	0.002	0.66	0.32	4.2	3	0.6	557	0.20	<0.05	2.9	0.086	1.02
K303893		500	3.2	26.9	0.002	0.30	0.15	2.9	3	0.4	707	0.13	<0.05	2.3	0.057	0.82
K303894		710	1.9	16.4	0.003	0.20	0.15	1.6	2	0.3	375	0.09	<0.05	1.4	0.033	0.43
K303895		1340	8.6	79.7	0.005	2.33	0.44	8.1	2	1.2	326	0.43	<0.05	6.1	0.183	2.85
K303896		2650	20.9	185.5	0.010	4.04	1.32	17.8	4	3.1	138.5	1.02	0.07	15.1	0.387	7.13
K303897		2490	19.3	173.5	0.010	3.93	1.84	16.3	3	2.9	328	0.94	0.05	13.8	0.361	5.54
K303898		1870	12.1	156.5	0.007	3.65	1.01	16.1	3	3.0	171.5	0.95	0.06	12.2	0.359	6.57
K303899		1920	15.6	183.0	0.008	3.44	2.26	18.0	3	3.3	213	1.07	0.07	14.4	0.389	6.50
K303900		930	39.8	50.4	0.026	1.58	107.0	5.6	5	2.2	75.9	0.51	0.21	6.5	0.174	4.40
K303901		940	21.4	186.5	0.011	4.00	1.38	16.8	3	3.1	234	1.04	0.05	16.5	0.357	6.84
K303902		2800	19.9	191.0	0.009	4.48	1.11	18.5	3	3.2	247	1.08	0.07	15.4	0.403	9.10
K303903		3290	22.2	188.5	0.012	4.85	1.72	18.4	4	3.3	156.5	0.99	0.08	14.4	0.361	11.05
K303904		2950	20.1	187.5	0.014	4.61	3.65	19.0	4	3.2	215	0.99	0.07	13.8	0.363	9.76
K303905		1200	18.5	178.5	0.012	5.19	2.14	18.0	3	3.1	207	1.00	0.07	14.5	0.358	6.60
K303906		210	1.5	3.2	<0.002	0.02	0.06	0.4	2	<0.2	46.5	<0.05	<0.05	<0.2	0.006	0.04
K303907		720	20.6	155.0	0.013	4.18	1.04	14.2	3	2.7	269	0.95	0.05	15.2	0.305	4.31
K303908		470	18.5	98.2	0.007	3.25	1.23	14.4	2	2.3	197.5	1.02	<0.05	13.3	0.325	2.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199500

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303873		0.9	15	0.3	5.9	13	20.8
K303874		1.9	41	0.9	13.7	60	64.9
K303875		1.1	12	0.3	6.3	21	20.2
K303876		1.7	34	0.6	8.2	26	32.5
K303877		1.2	22	0.4	5.9	19	22.5
K303878		1.1	23	0.3	7.7	31	23.4
K303879		0.8	11	0.2	3.1	25	11.9
K303880		0.4	3	0.1	0.7	14	<0.5
K303881		3.7	158	1.7	20.7	72	99.9
K303882		3.3	150	2.1	25.1	57	104.0
K303883		7.0	164	21.9	13.1	42	161.5
K303884		2.9	155	2.0	23.8	62	114.5
K303885		3.5	138	1.8	23.0	82	96.6
K303886		3.1	150	2.0	23.3	66	103.0
K303887		3.5	149	2.0	23.3	108	104.5
K303888		3.6	153	2.1	23.4	111	100.5
K303889		3.4	156	2.2	21.5	97	106.5
K303890		3.9	122	2.4	27.7	194	92.4
K303891		1.6	29	1.0	9.3	28	26.6
K303892		1.4	26	0.9	8.3	27	24.7
K303893		1.3	15	0.4	5.0	33	19.4
K303894		3.7	11	0.3	3.2	8	11.7
K303895		2.3	58	1.2	14.6	52	50.0
K303896		4.9	163	2.9	29.7	131	107.5
K303897		4.6	152	4.7	27.5	82	97.8
K303898		3.2	136	3.2	26.1	99	97.6
K303899		3.9	154	5.9	28.6	79	107.0
K303900		8.9	234	28.1	21.0	212	64.7
K303901		3.6	149	3.4	26.1	97	106.0
K303902		4.6	169	2.6	32.3	106	107.0
K303903		6.6	190	3.4	39.1	113	105.5
K303904		5.9	186	6.6	40.1	116	104.5
K303905		4.4	157	5.6	27.3	213	105.0
K303906		0.5	2	0.1	1.0	13	0.7
K303907		3.8	147	2.6	25.0	70	96.1
K303908		2.8	99	3.9	20.6	58	98.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199500

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11203010

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 228 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203010

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302153		13.14	0.33	0.29	0.11	3390	30	0.06	0.09	18.90	5.47	2.95	2.5	3	0.23	6.0
K302154		12.27	0.09	0.04	0.07	915	20	0.05	0.06	20.9	0.15	2.00	1.5	2	0.13	2.4
K302155		11.31	0.02	0.03	0.09	859	20	0.05	0.06	21.0	0.07	1.92	0.4	2	0.09	0.8
K302156		11.50	0.01	0.03	0.07	671	10	<0.05	0.06	20.8	0.06	1.70	0.5	2	0.08	0.8
K302157		0.22	0.34	0.39	6.26	600	300	0.60	0.33	0.50	0.18	156.5	3.1	242	3.83	33.9
K302158		11.59	0.10	0.10	0.13	572	20	0.06	0.07	20.5	0.33	2.90	1.0	2	0.18	1.8
K302159		11.10	0.04	0.04	0.09	1790	10	<0.05	0.05	20.5	0.07	2.71	0.6	1	0.14	3.0
K302160		10.84	0.01	0.13	0.06	1590	10	0.06	0.05	20.5	0.23	1.54	0.5	1	0.09	1.1
K302161		10.87	0.01	0.06	0.09	758	10	0.06	0.05	21.3	<0.02	2.48	0.6	2	0.10	1.0
K302162		10.55	0.04	0.05	0.11	1520	40	0.06	0.05	20.5	<0.02	3.07	1.4	1	0.17	1.2
K302163		5.55	0.02	0.05	0.10	510	20	0.07	0.06	20.5	<0.02	2.95	0.8	1	0.15	1.1
K302164		11.09	0.02	0.03	0.07	777	10	0.05	0.01	19.15	0.22	2.45	0.4	1	0.09	0.5
K302165		10.61	0.01	0.03	0.08	731	10	0.06	0.06	21.1	<0.02	2.70	0.4	1	0.10	1.4
K302166		11.24	0.03	0.03	0.08	231	20	0.06	0.05	20.4	0.40	2.70	0.5	2	0.09	0.6
K302167		11.13	0.04	0.06	0.09	401	60	0.05	0.05	20.3	0.39	2.96	0.7	2	0.07	1.4
K302168		10.84	<0.01	0.02	0.40	202	110	0.15	0.07	20.2	0.17	8.04	1.6	3	0.52	6.5
K302169		9.22	<0.01	0.02	0.47	73	140	0.21	0.02	20.0	0.59	9.19	1.8	3	0.62	4.8
K302170		10.13	<0.01	0.04	0.25	1090	60	0.15	0.01	20.5	0.45	6.20	1.2	2	0.45	3.1
K302171		4.32	<0.01	0.04	0.60	376	110	0.28	0.03	19.70	2.59	11.20	2.0	4	0.92	5.1
K302172		10.17	<0.01	0.11	0.25	448	100	0.11	0.01	20.7	1.48	7.54	1.9	2	0.49	2.3
K302173		7.02	<0.01	<0.01	0.05	11	20	0.05	0.02	21.6	0.08	1.23	1.9	1	0.18	1.4
K302174		11.41	<0.01	0.03	0.25	704	40	0.11	0.01	20.7	0.28	6.42	1.9	2	0.48	1.6
K302175		10.75	<0.01	0.08	0.15	526	20	0.08	0.01	20.0	0.58	5.39	1.8	2	0.28	1.2
K302176		9.70	<0.01	0.23	0.43	1200	50	0.20	0.02	18.35	1.63	9.48	2.2	4	0.82	2.7
K302177		9.83	0.15	0.11	0.47	3100	50	0.19	0.02	15.80	1.59	11.40	1.9	4	0.99	2.8
K302178		0.23	7.68	0.52	3.50	1020	170	0.96	0.67	11.80	4.44	49.3	6.9	93	8.96	38.6
K302179		9.96	0.05	0.12	0.33	3820	40	0.10	0.01	14.70	0.27	6.83	1.3	4	0.57	1.6
K302180		9.95	0.09	0.10	0.38	3950	40	0.16	0.01	12.10	0.09	7.69	1.1	4	0.56	1.4
K302181		9.97	0.35	0.20	0.57	>10000	40	0.14	0.02	14.75	0.10	11.35	1.6	6	0.89	2.8
K302182		4.83	0.04	0.07	0.15	8890	10	0.07	0.01	16.80	0.06	4.66	1.4	4	0.30	1.1
K302183		7.01	<0.01	<0.01	0.06	45	10	0.07	0.02	21.8	0.07	1.31	2.4	<1	0.36	1.6
K302184		5.50	0.08	0.10	0.50	5200	30	0.17	0.02	16.05	0.16	12.95	2.0	4	0.82	2.3
K302185		2.57	0.22	0.14	7.15	1220	530	1.29	0.30	1.34	0.11	89.3	11.5	60	9.64	27.1
K302186		5.09	<0.01	0.17	7.35	883	220	1.34	0.31	2.21	0.07	97.9	13.0	59	10.40	28.5
K302187		5.66	<0.01	2.75	7.81	242	270	1.49	0.35	0.95	0.10	97.7	13.3	75	12.90	33.3
K302188		5.02	<0.01	0.22	7.59	381	280	1.59	0.34	0.72	0.13	91.0	12.4	84	12.10	32.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203010

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302153		3.95	0.50	0.06	0.1	11.8	0.009	0.03	1.5	1.2	11.05	645	0.85	0.02	0.1	2.9
K302154		0.38	0.17	0.08	<0.1	0.68	<0.005	0.02	1.2	0.8	12.40	618	0.26	0.01	0.1	1.2
K302155		0.24	0.20	0.06	0.1	0.18	<0.005	0.03	1.1	0.8	12.45	588	0.20	0.01	0.1	0.5
K302156		0.22	0.17	0.08	<0.1	0.14	<0.005	0.02	0.9	1.1	12.40	534	0.12	0.01	0.1	0.6
K302157		6.87	20.8	0.24	4.9	9.3	0.046	1.33	72.6	18.8	0.14	37	6.59	0.38	9.9	17.7
K302158		0.83	0.33	0.07	0.1	1.32	<0.005	0.04	1.7	1.2	12.10	578	0.61	0.01	0.2	1.2
K302159		0.34	0.22	0.07	0.1	0.41	<0.005	0.03	1.5	1.1	12.15	690	0.11	0.01	0.1	0.7
K302160		0.31	0.14	0.06	<0.1	0.49	<0.005	0.01	0.9	0.9	12.25	586	0.11	0.01	0.1	1.2
K302161		0.27	0.22	0.07	0.1	0.10	<0.005	0.03	1.4	1.0	12.70	476	0.14	0.01	0.1	0.8
K302162		0.41	0.29	0.07	0.1	0.43	<0.005	0.04	1.7	1.1	12.20	550	0.13	0.01	0.2	1.0
K302163		0.39	0.27	0.08	0.1	0.31	<0.005	0.03	1.7	1.0	12.20	534	0.15	0.01	0.2	0.7
K302164		0.36	0.19	<0.05	<0.1	0.33	<0.005	0.02	1.3	0.9	11.35	563	0.15	0.01	0.1	0.4
K302165		0.33	0.21	0.08	<0.1	0.16	<0.005	0.03	1.5	1.1	12.60	565	0.19	0.01	0.1	0.5
K302166		0.50	0.23	0.09	0.1	0.76	<0.005	0.03	1.5	1.0	12.10	504	0.13	0.01	0.1	0.6
K302167		1.18	0.20	0.07	<0.1	1.89	<0.005	0.02	1.5	0.8	12.00	624	0.24	0.01	0.1	0.6
K302168		1.07	0.98	0.09	0.3	1.40	<0.005	0.13	4.4	2.3	11.90	642	0.52	0.01	0.7	1.6
K302169		1.64	1.29	0.13	0.3	1.27	<0.005	0.17	5.1	3.1	11.75	729	0.46	0.01	0.9	2.0
K302170		1.14	0.76	0.10	0.2	2.92	<0.005	0.10	3.5	2.4	12.05	705	0.50	0.01	0.5	1.5
K302171		1.28	1.80	0.10	0.4	1.87	0.007	0.22	6.4	5.0	11.45	991	1.27	0.01	1.1	2.8
K302172		1.18	1.00	0.05	0.2	1.95	0.005	0.09	4.4	2.4	12.15	744	0.49	0.01	0.9	<0.2
K302173		0.48	0.49	0.37	<0.1	0.02	<0.005	0.02	0.6	1.4	12.70	212	0.16	<0.01	0.5	<0.2
K302174		0.53	1.10	0.30	0.2	1.05	<0.005	0.10	3.8	2.6	12.20	474	0.24	0.01	0.9	<0.2
K302175		0.48	0.85	0.36	0.1	1.12	<0.005	0.06	3.2	2.1	11.75	552	0.22	0.01	0.7	<0.2
K302176		0.75	1.67	0.14	0.3	2.07	0.008	0.18	5.6	4.5	10.75	582	0.51	0.01	1.2	<0.2
K302177		1.07	1.70	0.08	0.3	6.43	0.010	0.18	6.5	4.0	9.37	515	0.45	0.01	1.4	1.2
K302178		1.35	8.67	0.23	2.2	5.71	0.068	1.49	30.5	11.1	0.74	271	13.95	0.01	10.0	69.4
K302179		0.50	1.16	0.14	0.2	2.01	0.007	0.13	4.1	3.2	8.73	445	0.31	0.01	1.0	<0.2
K302180		0.63	1.34	0.09	0.2	1.68	0.007	0.15	4.2	4.8	7.74	579	0.30	0.01	1.0	<0.2
K302181		0.71	1.77	0.11	0.4	4.65	0.021	0.22	6.5	5.1	8.76	645	0.57	0.01	1.5	<0.2
K302182		0.49	0.74	0.29	0.1	4.81	0.010	0.05	2.7	2.1	9.80	745	0.16	0.01	0.7	<0.2
K302183		0.45	0.71	0.59	<0.1	0.01	0.008	0.03	0.6	1.3	12.90	208	0.05	<0.01	0.7	<0.2
K302184		0.62	1.66	0.20	0.3	>100	0.011	0.20	7.1	3.0	9.35	550	0.42	0.01	1.4	<0.2
K302185		3.73	19.60	0.32	3.6	24.2	0.054	2.72	41.0	22.5	0.91	241	0.81	0.03	12.9	35.5
K302186		3.39	19.45	0.33	3.4	8.07	0.059	3.27	46.8	16.4	1.14	250	0.71	0.04	13.2	36.7
K302187		3.78	20.4	0.34	3.8	3.47	0.065	3.63	46.6	18.4	0.81	127	0.74	0.05	13.6	36.4
K302188		5.80	19.85	0.33	3.5	7.30	0.067	3.61	43.4	18.6	0.80	178	1.02	0.05	12.1	36.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203010

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302153		340	324	1.3	<0.002	5.24	8.85	0.4	<1	0.6	87.5	<0.05	<0.05	0.2	<0.005	7.87
K302154		360	29.8	0.8	<0.002	0.24	0.51	0.2	<1	0.3	76.2	<0.05	<0.05	<0.2	<0.005	2.36
K302155		440	9.9	0.9	<0.002	0.14	0.32	0.2	1	0.2	67.4	<0.05	<0.05	0.2	<0.005	0.33
K302156		360	5.7	0.7	<0.002	0.12	0.32	0.2	1	0.2	65.3	<0.05	<0.05	0.2	<0.005	0.29
K302157		910	18.0	52.7	0.003	3.08	118.0	18.3	2	3.0	516	0.76	0.12	11.6	0.552	8.06
K302158		560	131.0	1.5	<0.002	0.64	2.07	0.3	<1	0.2	67.2	<0.05	<0.05	0.3	0.006	2.53
K302159		400	6.7	1.0	<0.002	0.32	0.42	0.2	<1	0.2	60.7	<0.05	<0.05	0.2	0.005	0.67
K302160		370	3.9	0.6	<0.002	0.34	0.30	0.2	1	0.2	64.6	<0.05	<0.05	<0.2	<0.005	0.31
K302161		560	11.5	1.0	<0.002	0.16	0.26	0.2	<1	0.2	73.5	<0.05	<0.05	0.2	<0.005	0.25
K302162		390	6.6	1.3	<0.002	0.33	0.37	0.2	1	0.2	83.2	<0.05	<0.05	0.3	0.005	1.22
K302163		340	5.1	1.3	<0.002	0.18	0.28	0.3	1	0.2	75.3	<0.05	<0.05	0.3	0.005	0.69
K302164		370	2.1	0.7	0.002	0.18	0.18	0.2	<1	<0.2	74.4	<0.05	<0.05	<0.2	<0.005	0.37
K302165		570	2.4	0.9	<0.002	0.19	0.16	0.2	<1	0.2	88.0	<0.05	<0.05	0.2	<0.005	0.28
K302166		460	6.9	0.9	<0.002	0.33	0.20	0.2	<1	0.2	78.7	<0.05	<0.05	0.2	<0.005	1.20
K302167		510	9.7	0.7	<0.002	0.99	0.21	0.3	<1	0.2	102.0	<0.05	<0.05	0.2	<0.005	1.81
K302168		250	42.3	4.8	<0.002	0.79	0.31	0.8	1	0.3	153.5	0.05	<0.05	1.0	0.019	1.53
K302169		260	15.6	6.0	<0.002	1.79	0.18	0.9	1	0.2	152.5	0.07	<0.05	1.1	0.025	2.10
K302170		320	31.9	3.5	<0.002	1.25	0.23	0.7	2	<0.2	101.5	<0.05	<0.05	0.6	0.013	4.06
K302171		300	60.9	8.4	<0.002	1.16	0.15	1.4	2	0.3	145.0	0.08	<0.05	1.4	0.031	2.36
K302172		400	45.7	4.4	<0.002	1.12	0.18	1.0	2	0.2	128.5	<0.05	<0.05	0.6	0.013	2.75
K302173		180	1.7	1.6	<0.002	0.02	0.07	0.3	2	<0.2	54.4	<0.05	<0.05	<0.2	<0.005	0.03
K302174		650	14.1	4.8	<0.002	0.41	0.18	1.1	2	<0.2	86.9	<0.05	<0.05	0.6	0.013	1.65
K302175		650	29.5	2.6	<0.002	0.35	0.17	0.9	2	<0.2	72.9	<0.05	<0.05	0.3	0.007	1.13
K302176		520	39.7	8.5	<0.002	0.70	0.29	1.5	2	0.2	98.1	0.06	<0.05	0.9	0.021	2.21
K302177		320	37.8	9.1	<0.002	1.29	0.31	1.2	2	0.3	102.5	0.07	<0.05	1.1	0.023	4.75
K302178		4280	5.2	126.5	0.040	1.42	22.5	7.4	11	2.1	155.0	0.59	0.54	7.2	0.219	15.15
K302179		230	6.2	6.5	<0.002	0.60	0.18	1.1	2	0.2	79.4	0.05	<0.05	0.6	0.016	1.53
K302180		230	5.8	7.5	<0.002	0.69	0.17	1.0	2	0.2	71.0	0.06	<0.05	0.7	0.017	2.25
K302181		350	8.3	10.9	<0.002	1.36	0.43	1.6	2	0.3	113.5	0.08	<0.05	1.2	0.028	5.68
K302182		210	3.0	2.4	<0.002	0.71	0.40	0.9	2	<0.2	59.2	<0.05	<0.05	0.5	0.009	2.21
K302183		170	1.6	2.3	<0.002	0.01	0.08	0.4	2	<0.2	46.6	<0.05	<0.05	<0.2	<0.005	0.03
K302184		470	7.5	9.4	<0.002	0.70	0.31	1.9	2	0.3	114.5	0.08	<0.05	1.1	0.024	7.00
K302185		480	30.5	126.0	0.002	3.62	0.84	10.7	3	2.4	395	0.91	0.07	13.8	0.361	37.4
K302186		600	26.7	137.5	0.002	2.52	0.85	11.5	3	2.5	273	0.89	0.07	14.0	0.387	20.3
K302187		500	27.1	161.5	<0.002	3.40	0.81	10.5	4	2.7	323	0.93	0.08	15.3	0.404	10.35
K302188		380	27.3	160.0	0.002	5.96	0.88	10.6	4	2.6	272	0.83	0.08	15.0	0.360	22.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203010

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
K302153		0.7	2	0.6	1.8	1160	2.3		
K302154		0.6	1	0.1	1.5	87	1.6		
K302155		0.7	1	0.1	1.5	32	2.2		
K302156		0.5	1	0.1	1.4	29	1.6		
K302157		9.0	167	23.8	15.9	43	175.0		
K302158		0.7	2	0.2	1.8	99	3.0		
K302159		0.6	2	0.2	1.8	23	2.1		
K302160		0.5	1	0.1	1.5	53	1.6		
K302161		0.6	2	0.1	2.0	10	2.2		
K302162		0.6	2	0.2	1.8	25	2.4		
K302163		0.6	2	0.2	1.7	13	2.5		
K302164		0.5	2	0.1	1.7	67	1.5		
K302165		0.7	1	0.1	1.9	5	1.8		
K302166		0.6	2	0.2	1.9	135	1.9		
K302167		0.7	2	0.1	2.1	153	1.3		
K302168		1.5	5	0.5	2.9	50	8.9		
K302169		1.8	5	0.8	3.3	188	12.4		
K302170		1.6	3	0.4	2.6	148	6.0		
K302171		3.2	5	1.0	4.1	658	14.0		
K302172		1.2	2	0.7	3.8	399	6.9		
K302173		0.6	2	0.1	1.0	17	<0.5		
K302174		1.2	3	0.4	4.0	52	7.0		
K302175		0.8	2	0.4	3.3	152	4.1		
K302176		1.5	5	1.3	4.3	429	11.6		
K302177		1.5	4	1.2	3.8	368	13.3		
K302178		8.2	395	40.1	30.9	281	92.5		
K302179		0.9	4	0.9	2.9	60	8.9		
K302180		0.9	4	0.9	2.9	24	9.1		
K302181		1.6	5	1.7	4.5	28	14.9	1.455	
K302182		0.6	2	0.7	2.3	17	4.8		
K302183		0.8	2	0.1	0.9	11	0.5		
K302184		1.5	5	1.6	5.0	42	12.4		116.0
K302185		7.5	87	12.9	19.4	78	142.5		
K302186		7.2	93	7.0	20.3	97	139.5		
K302187		8.5	99	6.7	19.4	98	146.0		
K302188		6.2	101	4.1	18.2	94	133.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203010

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE WH11197148

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 229 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197148

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K304650		3.17	0.18	0.04	1.32	1270	70	0.46	0.04	17.30	0.02	21.3	2.4	14	3.65	6.3
K304651		4.67	8.42	0.03	1.46	3970	60	0.42	0.04	16.75	0.05	23.2	1.8	14	3.51	4.6
K304652		3.19	8.59	0.09	3.64	4620	100	1.07	0.10	12.25	0.08	45.7	4.9	29	13.55	12.3
K304653		4.97	0.04	<0.01	0.08	42	20	0.11	0.02	19.75	0.05	1.48	1.2	<1	0.37	1.5
K304654		1.29	10.80	0.11	2.89	2030	70	0.77	0.08	13.40	0.08	46.9	4.1	25	8.63	9.8
K304655		4.48	23.4	0.08	5.01	>10000	110	1.24	0.13	5.78	0.17	78.3	8.1	43	18.15	21.7
K304656		1.35	2.66	0.18	1.01	417	120	0.32	0.03	30.7	0.14	12.65	2.5	11	2.81	7.4
K304657		0.22	5.35	0.41	3.39	1000	160	0.61	0.65	11.50	4.02	50.2	5.2	95	7.31	31.9
K304658		0.86	11.45	0.22	3.72	>10000	70	0.76	0.09	9.82	0.32	50.2	6.6	36	14.15	20.7
K304659		2.67	0.63	0.11	1.35	618	2520	0.50	0.06	26.5	0.14	15.05	2.8	13	4.72	10.4
K304660		1.08	0.44	0.03	1.06	584	250	0.38	0.03	27.2	0.16	18.65	2.3	11	3.58	6.4
K304661		5.13	0.20	0.03	1.69	714	100	0.58	0.05	26.3	0.07	24.2	3.2	16	5.63	12.8
K304662		4.10	0.13	0.05	0.57	800	380	0.23	0.02	32.9	0.09	11.25	1.6	6	1.73	4.4
K304663		4.44	0.17	0.04	1.27	966	400	0.50	0.04	29.2	0.06	20.3	2.6	13	3.74	8.4
K304664		4.83	0.18	0.09	2.12	1860	330	0.79	0.04	27.7	0.07	26.1	3.4	19	6.31	10.6
K304665		4.89	0.13	0.05	1.33	736	230	0.59	0.03	31.0	0.07	17.65	2.6	12	4.19	7.9
K304666		4.83	0.09	0.08	1.41	512	340	0.64	0.03	31.1	0.09	20.3	2.9	15	4.07	7.0
K304667		4.94	0.02	0.10	3.14	159	230	1.13	0.06	20.7	0.07	37.8	5.4	30	14.40	14.4
K304668		4.89	0.01	0.18	2.23	176	620	0.78	0.05	26.3	0.07	26.6	4.2	19	7.33	12.7
K304669		5.19	0.02	0.14	2.82	295	230	1.10	0.06	21.2	0.14	38.5	5.2	29	9.59	17.2
K304670		5.02	0.02	0.06	1.51	464	1510	0.62	0.03	25.5	0.12	19.50	3.0	14	4.18	7.8
K304671		4.58	0.01	0.07	2.37	212	130	0.94	0.05	23.9	0.09	30.8	4.6	21	8.02	13.7
K304672		5.30	0.01	0.09	3.01	191	370	1.25	0.06	21.0	0.10	36.1	5.6	28	10.40	16.4
K304673		5.14	0.02	0.09	3.16	222	350	1.09	0.07	21.0	0.14	37.3	6.4	30	10.05	20.2
K304674		5.06	0.01	0.08	3.50	327	460	1.18	0.08	17.05	0.20	39.2	8.2	30	12.50	21.1
K304675		4.91	0.01	0.04	3.83	217	640	1.32	0.08	11.80	0.14	43.4	6.1	32	13.80	12.6
K304676		4.91	<0.01	0.01	0.10	<5	20	0.12	0.02	21.3	0.06	1.56	2.4	1	0.43	2.0
K304677		5.14	0.01	0.08	4.14	342	440	1.63	0.09	12.75	0.10	50.6	7.5	38	16.20	23.8
K304678		5.66	0.01	0.09	4.19	30	370	1.59	0.09	10.65	0.07	48.6	7.3	40	15.35	22.2
K304679		0.22	2.61	1.12	3.48	635	940	0.91	0.28	8.62	2.24	49.9	7.2	54	3.91	41.8
K304680		4.89	0.01	0.10	2.86	62	150	1.11	0.05	18.15	0.16	39.7	5.3	26	8.57	14.1
K304681		4.92	0.01	0.13	4.50	35	170	1.71	0.08	10.40	0.09	52.0	8.7	45	16.45	24.6
K304682		4.82	0.01	0.07	3.79	64	140	1.49	0.07	17.00	0.09	43.2	6.9	35	16.60	23.7
K304683		5.24	0.01	0.09	3.90	14	350	1.43	0.10	16.00	0.09	46.9	7.6	35	16.75	19.4
K304684		5.22	0.01	0.07	2.98	8	110	1.20	0.07	21.1	0.07	37.0	5.5	25	9.49	15.2
K304685		5.61	0.01	0.07	3.92	<5	130	1.52	0.09	17.25	0.08	47.7	6.6	35	12.00	22.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197148

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304650		1.43	3.50	0.07	0.9	1.21	0.015	0.63	10.5	6.0	9.36	605	0.20	0.01	2.3	4.5
K304651		2.17	3.86	0.10	0.9	34.3	0.019	0.69	11.2	5.4	8.65	2390	0.44	0.01	2.3	3.1
K304652		1.97	9.12	0.08	1.7	29.2	0.029	1.82	24.0	13.4	6.36	2550	0.69	0.02	5.3	10.0
K304653		0.45	0.40	0.10	<0.1	0.12	0.005	0.04	0.7	1.3	12.75	218	0.06	0.01	0.3	1.0
K304654		1.08	7.26	0.08	1.1	38.5	0.024	1.39	24.3	10.9	2.16	1200	0.89	0.01	3.9	8.4
K304655		2.05	12.70	0.12	2.5	82.9	0.044	2.53	41.6	19.3	2.82	1080	0.94	0.02	7.1	19.0
K304656		0.45	2.69	<0.05	0.4	12.1	0.014	0.49	7.3	3.1	0.63	542	0.84	0.01	1.8	4.7
K304657		1.26	7.12	0.12	2.3	5.7	0.066	1.41	32.6	8.1	0.69	265	11.20	0.01	7.8	61.6
K304658		1.50	9.55	0.08	1.2	22.1	0.070	1.77	28.6	15.8	1.90	673	1.76	0.02	5.2	15.6
K304659		0.60	3.42	<0.05	0.8	2.1	0.012	0.73	8.7	5.8	1.47	234	0.42	0.04	2.5	4.3
K304660		0.50	2.81	0.06	0.9	1.80	0.008	0.58	9.9	3.8	1.21	247	0.40	0.01	2.0	3.7
K304661		0.66	4.26	0.07	0.9	1.10	0.013	0.93	13.2	6.2	1.55	172	0.26	0.01	3.0	6.6
K304662		0.27	1.50	0.06	0.2	0.51	0.006	0.30	6.8	2.3	0.32	105	0.21	0.01	1.0	1.7
K304663		0.52	3.35	0.07	0.7	0.75	0.010	0.68	11.1	6.9	0.92	141	0.30	0.01	2.4	5.2
K304664		0.90	4.61	0.07	1.0	0.66	0.016	1.12	14.4	13.0	1.15	200	0.32	0.02	3.2	7.1
K304665		0.53	2.92	0.05	0.5	0.63	0.010	0.69	10.0	8.8	0.73	164	0.19	0.01	2.2	5.4
K304666		0.60	3.20	0.06	0.7	0.58	0.011	0.72	11.0	8.7	0.81	148	0.42	0.01	2.4	5.6
K304667		1.33	7.10	0.08	1.6	0.21	0.021	1.68	20.2	23.4	2.19	170	0.65	0.02	4.8	12.0
K304668		0.95	4.77	0.07	1.0	0.11	0.016	1.15	14.5	15.2	2.01	154	0.54	0.02	3.5	9.6
K304669		1.25	6.39	0.07	1.6	0.17	0.021	1.52	21.0	24.5	2.85	172	0.80	0.03	4.9	11.7
K304670		0.78	3.49	0.06	0.8	0.15	0.011	0.82	10.2	10.8	2.67	144	0.49	0.02	2.6	5.7
K304671		0.99	5.60	0.06	1.2	0.09	0.016	1.28	16.5	18.0	2.85	163	0.48	0.02	4.0	9.7
K304672		1.21	6.96	0.07	1.3	0.10	0.019	1.64	19.3	22.6	3.09	186	0.73	0.03	4.9	12.6
K304673		1.23	7.21	0.07	1.4	0.13	0.023	1.72	20.3	16.8	2.94	207	0.38	0.03	5.1	14.2
K304674		1.75	8.07	0.08	1.4	0.13	0.025	1.84	21.1	25.2	2.94	223	0.30	0.03	5.5	15.4
K304675		1.73	9.09	0.09	1.8	0.04	0.026	2.03	23.3	41.7	3.72	243	0.29	0.03	5.9	15.4
K304676		0.50	0.60	<0.05	<0.1	<0.01	<0.005	0.05	0.8	1.5	12.95	219	0.07	0.01	0.5	4.5
K304677		1.90	9.92	0.09	2.1	0.04	0.030	2.08	26.9	58.3	3.61	266	0.34	0.04	6.6	17.6
K304678		1.73	10.20	0.09	2.2	0.04	0.028	2.11	25.6	59.5	5.25	271	0.50	0.06	6.6	16.4
K304679		2.22	8.22	0.12	1.8	4.15	0.027	1.05	30.9	39.3	2.71	289	19.45	0.03	7.1	53.8
K304680		1.27	6.65	0.08	1.5	0.10	0.019	1.33	21.5	53.9	4.00	254	0.76	0.03	5.0	11.6
K304681		2.06	11.10	0.09	2.2	0.18	0.030	2.14	27.1	67.5	5.19	298	0.98	0.04	7.1	20.3
K304682		1.71	8.79	0.07	1.5	0.12	0.026	1.73	22.8	50.2	2.68	321	0.32	0.07	5.9	16.5
K304683		1.73	9.42	0.08	1.8	0.08	0.026	1.81	24.9	60.2	3.46	368	0.36	0.06	6.4	17.2
K304684		1.30	7.01	0.07	1.4	<0.1	0.020	1.38	20.0	31.8	2.64	414	0.39	0.05	5.1	13.4
K304685		1.51	9.07	0.08	1.9	0.04	0.027	1.87	25.0	33.0	3.16	584	0.29	0.04	6.4	16.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197148

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304650		180	5.2	24.9	<0.002	0.25	0.35	2.1	2	0.5	131.0	0.18	<0.05	3.0	0.057	6.03
K304651		220	6.1	28.2	<0.002	0.88	1.77	2.3	3	0.7	105.5	0.18	<0.05	3.5	0.061	57.2
K304652		430	8.3	74.7	<0.002	1.13	2.14	5.3	2	1.2	101.5	0.44	<0.05	8.0	0.142	70.3
K304653		170	1.2	2.5	<0.002	0.01	0.06	0.3	2	<0.2	45.4	<0.05	<0.05	0.5	<0.005	0.38
K304654		390	7.5	66.3	0.002	0.88	1.71	4.1	2	1.1	240	0.32	<0.05	6.2	0.105	72.7
K304655		680	11.3	107.0	<0.002	2.13	3.04	6.5	2	2.0	129.5	0.59	<0.05	11.7	0.195	151.0
K304656		210	5.8	18.5	0.002	0.37	1.08	1.9	3	0.6	670	0.11	<0.05	1.9	0.043	19.25
K304657		4080	4.9	125.0	0.037	1.29	18.55	5.2	8	1.7	142.0	0.59	0.50	7.4	0.206	13.25
K304658		520	14.2	83.1	<0.002	3.29	5.74	4.4	3	1.4	262	0.41	<0.05	8.0	0.135	51.2
K304659		330	4.2	29.9	<0.002	0.32	0.27	2.5	2	0.4	862	0.16	<0.05	3.0	0.059	4.61
K304660		310	4.1	27.5	<0.002	0.20	0.23	1.8	3	0.4	799	0.16	<0.05	2.7	0.048	4.11
K304661		250	5.0	41.0	<0.002	0.18	0.18	2.5	3	0.6	584	0.22	<0.05	4.0	0.073	2.55
K304662		100	5.2	13.5	<0.002	0.09	0.16	1.1	2	0.2	1450	0.07	<0.05	1.4	0.024	1.82
K304663		190	6.8	31.6	<0.002	0.10	0.28	2.1	3	0.5	1260	0.17	<0.05	3.3	0.057	2.05
K304664		270	5.1	40.6	<0.002	0.10	0.44	3.3	2	0.7	725	0.23	<0.05	3.7	0.090	3.00
K304665		220	3.9	26.2	<0.002	0.11	0.22	2.3	2	0.4	970	0.13	<0.05	2.3	0.052	1.98
K304666		220	6.0	28.3	<0.002	0.22	0.25	2.5	2	0.5	1560	0.15	<0.05	2.7	0.061	2.15
K304667		410	6.4	70.9	<0.002	0.34	0.28	5.0	2	1.0	715	0.35	<0.05	5.8	0.137	1.02
K304668		300	5.5	48.3	<0.002	0.18	0.20	3.7	2	0.7	860	0.24	<0.05	4.2	0.094	1.03
K304669		470	7.9	68.6	<0.002	0.25	0.32	4.8	3	1.0	703	0.34	<0.05	5.7	0.130	1.26
K304670		190	6.1	31.4	<0.002	0.13	0.27	2.7	2	0.5	1250	0.17	<0.05	3.1	0.067	1.25
K304671		320	6.9	52.7	<0.002	0.14	0.28	4.2	3	0.8	737	0.28	<0.05	4.7	0.106	1.05
K304672		360	8.0	64.9	<0.002	0.20	0.33	5.1	3	1.0	542	0.35	<0.05	5.8	0.131	1.08
K304673		420	7.4	66.3	<0.002	0.27	0.38	5.3	2	1.1	438	0.36	<0.05	5.8	0.138	1.11
K304674		350	8.8	78.0	<0.002	0.64	0.52	5.7	3	1.2	413	0.40	<0.05	6.1	0.152	1.22
K304675		390	5.0	92.8	<0.002	0.06	0.26	6.1	2	1.3	254	0.44	<0.05	6.9	0.173	1.44
K304676		190	1.2	2.6	<0.002	0.01	0.06	0.5	2	<0.2	42.1	<0.05	<0.05	<0.2	<0.005	0.03
K304677		510	7.7	100.5	<0.002	0.04	0.38	7.0	3	1.5	275	0.50	<0.05	8.1	0.189	1.87
K304678		500	8.2	101.5	<0.002	0.06	0.34	7.0	3	1.5	256	0.52	<0.05	8.4	0.195	0.94
K304679		980	35.1	50.5	0.025	1.71	117.0	5.6	5	2.5	73.4	0.46	0.22	6.1	0.188	3.88
K304680		360	8.3	67.0	<0.002	0.18	0.42	4.8	3	1.1	449	0.33	<0.05	5.6	0.130	0.71
K304681		550	12.1	102.0	0.002	0.65	0.52	7.7	5	1.6	233	0.54	<0.05	8.7	0.209	1.07
K304682		450	6.6	80.7	<0.002	0.32	0.24	6.4	3	1.2	324	0.44	<0.05	6.6	0.163	0.72
K304683		470	6.5	88.0	<0.002	0.07	0.31	7.0	2	1.4	380	0.45	<0.05	7.4	0.172	0.53
K304684		330	6.6	69.2	<0.002	0.08	0.25	5.3	3	1.0	486	0.35	<0.05	5.8	0.131	0.45
K304685		510	7.4	81.1	<0.002	0.06	0.25	6.7	3	1.3	354	0.47	<0.05	7.6	0.176	0.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197148

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304650		8.7	22	1.2	7.1	6	28.6	
K304651		13.1	26	1.5	7.5	6	28.5	
K304652		14.4	57	3.5	10.9	11	48.7	
K304653		0.5	3	0.1	0.9	15	0.5	
K304654		23.2	48	3.3	11.1	16	32.7	
K304655		16.8	76	5.2	13.1	33	71.6	1.200
K304656		15.3	29	1.3	7.9	24	15.3	
K304657		8.7	377	36.6	28.4	285	68.3	
K304658		25.9	73	4.2	9.3	67	37.8	4.87
K304659		7.8	21	1.5	6.3	6	33.1	
K304660		8.3	20	1.4	6.7	6	28.8	
K304661		11.4	24	1.7	7.2	19	28.3	
K304662		15.6	9	0.7	3.7	20	7.6	
K304663		17.2	20	1.3	6.2	22	24.6	
K304664		10.4	33	1.2	6.8	22	34.3	
K304665		9.8	23	1.0	4.7	19	18.7	
K304666		11.0	25	1.2	5.4	31	22.7	
K304667		8.3	49	0.9	9.7	34	56.2	
K304668		10.6	33	0.4	7.1	34	31.9	
K304669		9.0	44	0.7	10.3	49	55.3	
K304670		9.9	24	0.4	5.4	37	27.4	
K304671		9.6	35	0.5	8.1	43	42.8	
K304672		9.1	44	0.6	9.3	49	45.7	
K304673		7.2	47	0.6	10.3	84	48.4	
K304674		4.9	44	0.8	10.3	75	51.1	
K304675		3.0	39	0.8	11.9	43	62.4	
K304676		0.5	3	0.1	0.9	15	<0.5	
K304677		4.5	56	1.0	13.5	57	73.7	
K304678		4.3	60	0.8	13.8	63	77.6	
K304679		8.3	247	26.9	21.2	227	68.2	
K304680		7.9	42	0.7	9.7	62	54.6	
K304681		4.8	66	1.3	14.2	81	77.7	
K304682		5.5	49	1.5	11.4	57	53.3	
K304683		5.5	52	0.8	12.8	53	64.4	
K304684		8.1	39	0.6	9.9	42	51.5	
K304685		5.7	51	0.7	12.6	41	67.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11197148

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

CERTIFICATE WH11227274

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 229 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11227274

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K304650		0.18
K304651		8.15
K304652		8.78
K304653		0.05
K304654		11.05
K304655		22.9
K304656		2.78
K304657		8.44
K304658		11.50
K304659		0.50
K304660		0.45
K304661		0.21
K304662		0.12
K304663		0.16
K304664		0.18
K304665		0.13
K304666		0.09
K304667		0.02
K304668		0.01
K304669		0.02
K304670		0.02
K304671		0.01
K304672		0.01
K304673		0.02
K304674		0.02
K304675		0.01
K304676		<0.01
K304677		0.01
K304678		0.01
K304679		2.70
K304680		0.01
K304681		0.01
K304682		0.01
K304683		0.01
K304684		<0.01
K304685		0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

CERTIFICATE WH11240723

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 229 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11240723

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K304650		0.20
K304651		8.35
K304652		8.44
K304653		0.07
K304654		11.25
K304655		23.5
K304656		2.77
K304657		7.84
K304658		10.75
K304659		0.50
K304660		0.43
K304661		0.21
K304662		0.12
K304663		0.18
K304664		0.20
K304665		0.13
K304666		0.09
K304667		0.02
K304668		<0.01
K304669		0.01
K304670		0.01
K304671		0.01
K304672		<0.01
K304673		0.01
K304674		0.01
K304675		0.01
K304676		<0.01
K304677		0.01
K304678		<0.01
K304679		2.35
K304680		<0.01
K304681		<0.01
K304682		<0.01
K304683		<0.01
K304684		<0.01
K304685		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

CERTIFICATE WH11200489

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 230 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200489

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304686		5.47	<0.01	0.04	2.20	11	450	0.94	0.06	25.0	0.15	25.7	4.2	22	4.61	11.2
K304687		5.04	<0.01	0.04	2.90	16	160	1.29	0.08	20.4	0.08	34.3	5.3	29	6.16	22.3
K304688		5.32	<0.01	0.04	1.39	16	820	0.63	0.04	31.2	0.20	18.85	3.7	16	2.33	8.1
K304689		0.25	0.36	0.30	6.35	615	300	0.76	0.26	0.52	0.19	144.0	3.2	237	3.49	31.4
K304690		5.21	<0.01	0.07	1.19	19	570	0.49	0.03	29.2	0.25	16.80	3.8	14	1.78	8.6
K304691		1.96	<0.01	0.06	0.46	10	610	0.24	0.01	33.6	0.05	12.15	2.9	4	0.43	5.0
K304692		3.30	0.01	0.23	5.62	44	170	2.12	0.15	10.05	0.06	64.2	18.6	60	9.02	52.7
K304693		5.47	0.01	0.32	7.03	40.3	330	2.71	0.30	4.46	0.02	85.0	21.0	62	16.05	115.0
K304694		4.58	<0.01	0.04	8.07	16.5	330	3.08	0.21	1.21	<0.02	80.0	13.2	57	19.95	164.0
K304695		5.00	<0.01	<0.01	0.08	<5	20	0.06	0.03	21.0	0.06	1.33	1.5	1	0.17	2.2
K304696		1.53	<0.01	0.15	1.01	18	460	0.31	0.03	28.4	0.06	17.90	11.8	11	1.08	17.8
K304697		3.74	<0.01	0.32	6.94	50.5	410	2.51	0.26	3.99	0.02	75.0	32.2	68	13.20	83.8
K304698		4.68	<0.01	0.03	7.88	10.0	430	2.71	0.35	0.49	<0.02	73.3	13.0	65	16.10	23.7
K304699		3.65	<0.01	0.03	8.46	22.5	800	2.69	0.39	0.85	0.02	82.3	16.7	68	16.95	30.9
K304700		1.60	0.01	0.01	7.90	21.7	690	2.69	0.30	0.76	0.02	63.1	15.3	70	15.75	23.4
K304701		1.91	<0.01	0.05	8.29	12.4	500	2.29	0.29	0.83	0.02	93.5	21.2	67	13.45	42.6
K304702		5.88	<0.01	0.06	8.43	6.6	320	2.50	0.33	0.57	0.02	86.9	18.9	69	15.90	50.0
K304703		1.99	<0.01	0.05	8.30	9.6	330	2.58	0.33	0.81	0.02	82.3	19.2	68	14.05	37.2
K304704		2.95	<0.01	0.05	7.80	8.6	310	2.74	0.29	1.01	0.03	76.8	19.0	61	12.45	33.7
K304705		4.68	<0.01	0.03	7.56	6.8	310	2.61	0.30	1.05	0.03	74.8	18.8	61	11.25	40.4
K304706		1.37	0.01	0.16	5.43	231	240	1.93	0.24	11.15	0.06	57.4	13.7	35	22.0	16.5
K304707		4.02	<0.01	0.07	5.96	282	290	1.99	0.26	10.50	0.03	55.1	10.7	38	23.9	21.1
K304708		3.09	<0.01	0.19	4.50	105	240	1.55	0.17	14.65	0.05	42.7	11.4	30	18.00	33.1
K304709		4.82	<0.01	0.10	3.96	246	270	1.48	0.15	17.00	0.06	37.9	9.3	27	13.80	26.1
K304710		4.61	0.01	0.06	3.09	54	170	1.11	0.10	19.30	0.03	31.3	7.3	26	11.70	16.7
K304711		0.25	2.70	1.00	3.12	504	860	0.89	0.29	8.00	2.21	43.9	8.1	50	3.55	44.7
K304712		3.52	0.01	0.05	4.63	158	200	1.68	0.15	16.05	0.06	43.5	9.0	34	18.40	14.8
K304713		3.78	<0.01	0.06	6.84	279	280	2.40	0.26	9.09	0.04	64.7	15.5	44	31.2	31.7
K304714		6.04	0.08	0.26	3.97	370	180	1.37	0.14	15.65	0.06	38.4	13.4	30	10.75	18.9
K304715		3.57	0.01	0.07	3.86	121	210	1.46	0.15	17.50	0.07	37.0	9.3	26	12.50	19.4
K304716		1.23	<0.01	0.09	2.99	162	180	1.28	0.11	15.45	0.08	29.9	10.5	22	10.30	16.9
K304717		4.80	0.02	0.07	3.99	229	180	1.59	0.15	12.35	0.34	37.0	7.8	27	12.70	15.4
K304718		3.49	0.03	0.08	0.86	692	60	0.41	0.04	19.30	0.08	14.85	3.2	6	2.09	6.9
K304719		5.04	<0.01	<0.01	0.09	<5	20	0.08	0.02	20.6	0.05	1.21	1.5	<1	0.29	1.7
K304720		5.28	0.04	0.02	0.51	388	40	0.29	0.02	18.95	0.05	8.16	1.9	3	0.84	4.1
K304721		5.77	0.02	0.04	0.62	530	50	0.36	0.03	20.1	0.07	11.20	2.0	4	1.34	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200489

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304686		0.96	5.94	0.12	1.3	0.04	0.017	1.13	13.0	12.1	2.73	928	0.48	0.02	4.0	3.9
K304687		1.18	7.94	0.14	1.4	0.05	0.024	1.45	17.1	22.3	3.05	1220	0.38	0.02	5.3	8.9
K304688		0.59	3.98	0.12	0.6	0.05	0.010	0.66	9.7	25.3	1.15	1620	0.37	0.01	2.7	2.9
K304689		6.81	22.3	0.28	4.3	9.5	0.049	1.38	66.4	21.1	0.12	37	6.63	0.39	10.4	18.6
K304690		0.72	3.37	0.10	0.6	0.07	0.010	0.55	8.5	25.2	1.75	2700	0.55	0.01	2.3	2.8
K304691		0.35	1.40	0.09	0.2	0.03	<0.005	0.17	5.9	17.2	0.59	3400	0.45	0.01	1.0	<0.2
K304692		2.23	15.55	0.17	2.7	0.09	0.044	2.36	32.4	80.6	3.31	2310	1.10	0.21	10.4	27.1
K304693		2.85	21.2	0.22	3.6	0.08	0.064	3.34	43.1	67.6	2.01	1120	1.17	0.18	12.7	35.3
K304694		2.90	24.8	0.22	3.5	0.02	0.070	3.87	38.6	79.2	1.54	314	0.39	0.17	14.1	39.1
K304695		0.46	0.33	0.18	<0.1	<0.01	0.005	0.03	0.6	1.3	12.45	202	0.05	<0.01	0.3	0.2
K304696		0.61	2.88	0.11	0.4	0.07	0.009	0.35	8.1	14.2	0.75	3990	2.23	0.06	2.0	4.7
K304697		3.74	20.3	0.22	3.3	0.10	0.061	3.17	37.1	87.0	2.36	1310	3.21	0.13	12.3	38.9
K304698		5.48	24.2	0.25	3.3	0.05	0.072	3.94	35.4	112.5	1.18	284	0.26	0.06	13.5	40.0
K304699		5.04	24.6	0.25	3.0	0.12	0.072	4.13	39.2	127.5	1.29	373	0.60	0.06	13.0	42.4
K304700		4.69	24.6	0.23	3.1	0.10	0.066	4.09	30.1	125.5	1.16	363	0.62	0.07	13.3	39.5
K304701		4.81	22.9	0.26	3.6	<0.01	0.068	3.03	47.5	116.5	1.61	714	0.31	0.12	12.8	39.3
K304702		4.26	23.4	0.25	3.7	<0.01	0.071	3.34	42.5	79.8	1.59	529	0.42	0.19	13.5	38.5
K304703		4.14	24.6	0.24	3.5	<0.01	0.067	3.14	41.4	85.9	1.71	688	0.53	0.23	13.2	38.2
K304704		4.02	24.6	0.25	3.7	<0.01	0.065	2.95	37.6	82.6	1.73	1100	0.33	0.30	13.3	38.9
K304705		3.96	23.5	0.24	3.4	<0.01	0.065	2.85	36.0	85.2	1.72	928	0.26	0.23	12.7	38.1
K304706		3.00	15.70	0.19	2.2	0.29	0.050	2.73	28.3	18.1	2.86	663	0.34	0.04	8.4	22.3
K304707		2.76	18.05	0.18	2.5	0.28	0.054	3.11	28.6	18.7	1.97	492	0.36	0.04	9.4	23.6
K304708		2.37	12.75	0.16	2.0	0.40	0.031	2.28	22.3	14.6	3.43	477	0.99	0.03	7.0	19.1
K304709		2.23	11.55	0.17	1.8	0.19	0.032	1.99	19.6	13.6	3.77	500	0.49	0.03	6.4	16.4
K304710		1.84	8.83	0.14	1.5	0.28	0.025	1.56	16.0	12.6	3.36	491	0.72	0.02	5.1	14.6
K304711		2.06	8.90	0.17	1.7	4.61	0.027	0.98	25.2	48.1	2.46	264	18.75	0.03	7.3	60.0
K304712		1.79	13.00	0.15	2.2	0.34	0.038	2.36	22.3	18.0	2.55	341	0.47	0.03	7.5	15.8
K304713		2.47	20.9	0.19	3.1	0.49	0.055	3.54	33.8	26.2	2.22	331	0.64	0.03	11.5	39.6
K304714		2.12	11.35	0.15	2.1	1.33	0.031	1.99	19.8	14.2	3.98	448	1.47	0.03	6.6	24.5
K304715		1.47	10.95	0.15	1.7	1.07	0.030	1.94	19.1	15.6	4.28	322	0.46	0.03	6.2	15.4
K304716		1.63	8.82	0.15	1.5	0.49	0.024	1.51	15.0	15.2	6.34	426	0.52	0.02	5.0	14.0
K304717		1.71	11.85	0.17	1.7	0.97	0.028	2.03	19.5	20.9	6.70	335	0.45	0.03	6.3	14.3
K304718		0.95	2.81	0.12	0.5	0.88	0.009	0.42	6.9	7.6	10.55	526	0.15	0.02	1.7	4.2
K304719		0.46	0.48	0.24	<0.1	<0.01	<0.005	0.04	0.6	1.6	12.20	197	0.08	<0.01	0.3	1.3
K304720		0.58	1.74	0.19	0.4	0.71	0.005	0.25	4.2	4.9	10.95	491	0.10	0.02	1.0	1.8
K304721		0.65	1.85	0.17	0.4	0.60	0.005	0.29	5.7	5.0	11.00	545	0.09	0.02	1.2	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200489

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304686		360	8.1	45.3	<0.002	0.14	0.23	4.6	3	0.7	616	0.27	<0.05	4.9	0.099	0.31
K304687		360	8.4	60.1	<0.002	0.12	0.24	6.1	3	1.0	424	0.36	<0.05	6.2	0.129	0.38
K304688		200	8.0	26.2	<0.002	0.12	0.18	3.1	3	0.5	940	0.17	<0.05	3.1	0.063	0.23
K304689		910	17.7	49.4	0.003	3.10	112.5	19.6	3	2.9	522	0.73	0.13	10.2	0.547	8.34
K304690		170	12.1	20.7	<0.002	0.20	0.26	2.6	3	0.4	1000	0.14	<0.05	2.7	0.054	0.20
K304691		130	9.4	6.7	<0.002	0.11	0.15	1.0	2	0.2	1280	0.05	<0.05	1.0	0.019	0.09
K304692		660	31.5	97.5	<0.002	0.30	0.36	11.4	3	2.0	317	0.76	<0.05	12.2	0.262	0.67
K304693		600	20.5	139.0	<0.002	0.28	0.47	17.4	3	2.3	204	0.93	0.05	14.5	0.385	0.95
K304694		460	11.1	141.0	<0.002	0.07	0.37	18.8	2	2.7	117.0	1.03	0.07	13.5	0.418	0.94
K304695		170	1.3	1.3	<0.002	0.01	0.05	0.5	2	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	<0.02
K304696		210	17.8	14.1	<0.002	0.12	0.16	2.1	2	0.4	1325	0.12	<0.05	2.2	0.046	0.16
K304697		570	19.0	116.5	<0.002	0.28	0.52	15.6	3	2.4	219	0.89	0.05	13.6	0.362	0.95
K304698		450	17.1	147.5	<0.002	0.01	0.79	18.2	2	2.6	217	0.98	0.06	12.8	0.417	0.96
K304699		380	19.3	154.5	<0.002	0.10	0.66	18.4	2	2.7	231	0.92	0.06	14.5	0.409	1.15
K304700		380	16.8	128.5	<0.002	0.08	0.63	17.9	2	2.6	215	0.95	0.07	11.8	0.412	1.08
K304701		620	10.2	138.5	<0.002	0.02	0.46	18.7	2	2.4	135.5	0.90	0.06	16.2	0.420	0.68
K304702		560	13.4	148.0	<0.002	0.01	0.35	18.6	2	2.5	110.0	0.95	0.06	15.2	0.443	0.78
K304703		440	10.7	142.0	<0.002	0.01	0.37	17.8	2	2.6	114.5	0.94	0.06	14.4	0.430	0.67
K304704		540	8.8	146.0	<0.002	0.01	0.31	18.3	2	2.5	102.5	0.94	<0.05	13.8	0.429	0.68
K304705		650	12.2	138.0	<0.002	0.01	0.31	17.6	2	2.4	103.5	0.88	<0.05	12.8	0.419	0.67
K304706		790	9.2	118.5	<0.002	0.32	0.54	13.4	2	1.6	263	0.55	0.05	8.7	0.243	1.34
K304707		580	7.7	133.0	<0.002	0.25	0.50	13.8	2	1.8	255	0.64	0.06	9.6	0.272	1.06
K304708		900	9.7	95.1	0.002	0.13	0.42	9.7	2	1.3	381	0.48	<0.05	7.3	0.195	0.93
K304709		610	7.9	84.1	<0.002	0.10	0.41	8.7	2	1.2	405	0.43	<0.05	6.4	0.174	0.88
K304710		540	7.5	62.3	<0.002	0.13	0.27	6.5	2	1.0	536	0.34	<0.05	5.3	0.138	0.69
K304711		860	34.6	50.0	0.023	1.54	93.9	6.2	5	2.4	72.6	0.45	0.18	5.8	0.168	3.85
K304712		850	7.0	96.8	<0.002	0.20	0.37	10.3	2	1.4	328	0.52	<0.05	7.5	0.218	0.98
K304713		710	10.8	156.0	<0.002	0.77	0.56	16.9	2	2.2	276	0.77	<0.05	11.0	0.344	1.67
K304714		770	17.6	78.6	0.002	0.75	1.14	8.2	3	1.2	364	0.45	<0.05	6.8	0.177	4.26
K304715		660	14.1	80.8	<0.002	0.69	0.36	8.8	2	1.1	417	0.40	<0.05	6.2	0.171	1.64
K304716		500	21.3	58.9	<0.002	0.94	0.42	6.7	2	1.0	256	0.34	<0.05	5.3	0.134	1.08
K304717		660	9.9	81.9	<0.002	1.09	0.66	8.8	2	1.1	120.5	0.42	<0.05	6.3	0.180	2.06
K304718		1540	5.6	15.6	<0.002	0.29	1.51	2.4	2	0.3	108.5	0.09	<0.05	1.6	0.038	1.53
K304719		190	1.2	1.8	<0.002	<0.01	<0.05	0.4	2	<0.2	41.6	<0.05	<0.05	0.2	<0.005	0.02
K304720		460	2.6	8.9	<0.002	0.06	1.29	1.2	2	0.2	67.3	0.07	<0.05	1.1	0.024	1.24
K304721		430	23.7	10.0	<0.002	0.10	1.34	1.4	2	0.2	105.0	0.08	<0.05	1.3	0.028	1.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200489

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304686		8.0	30	0.6	8.9	17	42.5
K304687		9.1	39	0.6	11.0	26	49.6
K304688		13.3	21	0.3	6.2	46	22.7
K304689		7.8	170	23.8	15.6	42	172.5
K304690		12.7	19	0.3	6.0	51	20.5
K304691		11.4	6	0.1	4.9	8	7.8
K304692		8.1	94	1.1	18.4	54	90.3
K304693		5.8	107	1.8	22.8	70	118.0
K304694		3.0	109	1.6	18.9	73	112.5
K304695		0.6	3	0.1	0.8	13	0.5
K304696		13.9	16	0.2	7.8	15	15.9
K304697		7.7	125	1.6	21.1	69	109.0
K304698		2.3	77	1.6	18.5	67	107.5
K304699		2.5	81	1.7	18.6	68	100.5
K304700		2.2	82	1.7	15.9	63	101.5
K304701		3.0	94	1.7	22.6	121	121.5
K304702		3.3	97	1.7	22.1	106	122.5
K304703		2.5	89	1.6	20.0	104	122.0
K304704		2.6	90	1.7	21.7	95	130.5
K304705		2.5	86	1.6	20.8	93	122.0
K304706		4.5	72	2.5	21.6	33	83.2
K304707		5.0	82	1.8	18.9	31	92.2
K304708		10.4	66	1.1	14.7	24	74.3
K304709		6.6	56	1.5	13.4	23	66.1
K304710		7.8	45	0.9	11.2	16	53.5
K304711		7.5	223	28.8	20.6	206	63.5
K304712		6.5	63	1.4	15.3	17	79.7
K304713		5.3	88	3.2	20.5	23	112.0
K304714		11.8	58	2.7	13.4	51	77.5
K304715		7.3	53	2.1	13.4	31	64.1
K304716		5.0	39	1.2	11.1	21	55.1
K304717		3.4	51	3.0	13.0	125	65.2
K304718		2.5	12	1.1	9.0	15	18.0
K304719		0.8	2	0.1	0.9	13	0.5
K304720		3.2	8	0.5	3.9	7	13.6
K304721		4.7	11	0.7	4.7	14	15.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200489

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11204329

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 231 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204329

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302189		1.99	<0.01	0.16	6.06	260	200	0.92	0.29	2.05	0.10	93.0	9.9	58	9.37	23.1
K302190		3.63	<0.01	0.07	7.39	94.9	210	1.34	0.33	0.66	<0.02	81.2	10.0	68	14.35	30.5
K302191		7.89	<0.01	0.06	7.24	48.5	220	1.37	0.31	0.40	0.02	72.5	10.5	66	15.70	41.8
K302192		7.39	<0.01	0.03	6.44	90.1	460	1.37	0.28	1.24	<0.02	67.7	7.6	51	15.90	32.0
K302193		2.96	<0.01	0.09	8.20	540	590	1.62	0.32	4.64	0.21	90.4	11.6	64	12.65	34.4
K302194		5.59	0.25	0.05	0.86	6450	130	0.19	0.02	16.80	0.09	10.85	2.3	7	0.65	28.7
K302195		5.04	<0.01	0.03	0.11	15	20	0.06	0.02	20.8	0.07	1.07	0.7	3	0.47	1.8
K302196		8.00	0.01	0.09	0.07	2920	20	0.06	<0.01	20.2	<0.02	1.55	1.3	1	0.09	22.6
K302197		8.12	0.06	0.03	0.12	497	40	0.15	<0.01	19.55	0.08	2.42	1.0	1	0.08	31.1
K302198		7.94	0.12	0.08	0.23	1120	40	0.08	<0.01	15.00	1.99	5.48	2.8	4	0.20	25.5
K302199		8.21	0.05	0.02	0.65	2100	90	0.19	0.02	15.15	0.10	11.25	2.0	6	0.85	16.8
K302200		7.76	0.03	0.02	0.30	2010	50	0.13	0.01	17.45	0.04	7.81	1.7	3	0.41	14.7
K302201		7.29	0.06	0.02	0.18	7770	40	0.10	<0.01	15.45	0.03	6.38	0.8	4	0.26	12.4
K302202		6.28	0.07	0.02	0.20	2940	40	0.08	<0.01	14.70	0.11	4.64	0.3	3	0.23	1.2
K302203		9.88	0.05	0.01	0.20	>10000	40	0.10	<0.01	15.90	<0.02	4.60	1.0	3	0.26	12.3
K302204		7.42	0.30	0.04	0.43	>10000	170	0.13	<0.01	12.50	0.59	7.29	2.1	5	0.62	19.9
K302205		0.26	0.34	0.26	6.06	619	1220	0.64	0.26	0.48	0.17	134.5	2.6	226	3.26	29.6
K302206		7.21	0.45	0.06	1.04	7670	430	0.22	0.03	14.15	2.15	16.75	2.1	7	0.66	11.8
K302207		4.04	0.06	0.02	0.55	368	190	0.15	<0.01	15.30	0.30	9.01	2.4	4	0.37	11.3
K302208		6.40	1.18	0.07	2.55	4090	320	0.57	0.10	11.70	2.39	42.9	5.8	19	3.04	33.2
K302209		4.82	0.94	0.04	1.99	437	220	0.55	0.07	15.95	0.37	34.7	5.7	15	2.49	18.4
K302210		5.02	0.01	0.01	0.06	9	20	<0.05	0.06	20.6	0.06	1.06	1.3	1	0.31	2.1
K302211		6.02	0.89	0.05	1.36	4590	320	0.28	0.05	16.80	0.33	23.2	3.2	10	1.21	14.0
K302212		3.75	0.31	0.04	0.83	3160	100	0.26	0.01	12.80	0.07	12.65	2.3	6	1.05	13.5
K302213		4.82	0.14	0.03	0.61	1860	60	0.22	0.01	14.95	<0.02	9.68	2.2	4	0.71	11.7
K302214		7.94	0.41	0.04	0.63	1680	100	0.18	0.01	14.90	0.17	10.25	1.2	5	0.63	8.4
K302215		4.54	0.35	0.03	0.60	2460	90	0.19	<0.01	15.10	0.09	8.90	5.2	5	0.55	42.1
K302216		7.56	0.04	0.01	0.55	480	70	0.18	0.01	18.30	<0.02	10.40	1.8	5	0.63	15.3
K302217		7.87	0.04	0.01	0.39	185	50	0.12	0.01	18.10	0.06	8.26	1.5	4	0.42	12.8
K302218		8.42	0.07	0.03	0.39	170	70	0.21	0.03	18.60	0.51	10.35	2.8	4	0.64	21.4
K302219		6.62	0.06	0.02	0.32	191	60	0.14	0.02	18.60	0.07	7.53	2.1	4	0.34	6.6
K302220		7.20	0.10	0.04	0.39	2290	70	0.14	0.01	14.70	3.36	8.22	3.2	3	0.49	17.6
K302221		7.45	0.25	0.03	0.69	2750	140	0.16	0.02	13.50	0.40	13.25	4.4	5	0.76	21.4
K302222		0.26	2.50	1.06	3.12	597	860	0.80	0.30	8.02	2.29	49.1	7.2	49	4.10	44.4
K302223		8.22	0.04	0.07	0.24	2270	30	0.08	<0.01	15.90	0.14	5.02	2.2	2	0.24	13.9
K302224		7.52	0.04	0.03	0.17	2970	20	0.08	<0.01	16.75	0.08	3.90	1.9	3	0.18	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204329

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302189		5.18	14.70	0.21	3.5	3.92	0.052	2.73	45.3	13.9	1.03	321	0.52	0.02	9.6	28.0
K302190		3.63	19.10	0.17	3.2	1.32	0.060	3.20	42.8	24.4	0.60	94	0.36	0.02	11.5	25.9
K302191		3.07	18.95	0.20	3.0	0.18	0.056	3.26	40.7	27.7	0.59	60	0.30	0.02	10.8	23.4
K302192		2.86	16.00	0.19	2.6	0.24	0.053	2.88	35.6	22.1	0.76	121	0.14	0.02	9.7	16.9
K302193		3.90	20.2	0.23	2.6	3.74	0.056	3.54	46.2	14.5	2.45	517	0.34	0.03	12.4	27.5
K302194		0.78	1.74	0.09	0.4	2.91	0.008	0.25	6.5	4.0	9.96	643	0.36	<0.01	1.1	2.6
K302195		0.47	0.29	0.10	<0.1	0.01	0.006	0.06	0.5	1.6	12.85	211	0.05	<0.01	0.2	2.4
K302196		0.26	0.23	0.11	0.1	0.21	<0.005	0.02	0.8	1.3	12.25	540	0.24	0.01	0.1	2.1
K302197		0.33	0.29	0.19	0.1	0.61	<0.005	0.04	1.4	1.2	11.80	533	0.11	0.01	0.1	0.4
K302198		0.52	0.55	0.16	0.2	2.83	<0.005	0.09	3.4	1.2	8.99	429	0.15	0.01	0.4	0.5
K302199		0.77	1.61	0.12	0.4	2.16	0.005	0.25	7.2	2.5	9.03	471	0.22	0.01	1.1	1.5
K302200		0.46	0.86	0.21	0.2	0.93	<0.005	0.12	5.1	1.8	10.50	408	0.15	0.01	0.5	0.8
K302201		0.39	0.44	0.17	0.1	2.81	<0.005	0.07	3.8	1.5	9.35	499	0.11	0.01	0.3	0.3
K302202		0.35	0.44	0.18	0.2	4.38	<0.005	0.07	2.8	1.8	8.97	569	0.16	0.01	0.3	<0.2
K302203		0.29	0.46	0.18	0.1	1.49	<0.005	0.07	2.9	1.6	9.62	486	0.09	0.01	0.3	0.2
K302204		0.56	1.01	0.14	0.3	10.5	0.011	0.14	4.5	2.9	8.25	569	0.33	0.01	0.7	1.0
K302205		6.63	19.35	0.19	4.7	9.6	0.051	1.26	70.5	17.9	0.14	35	6.05	0.36	8.7	15.6
K302206		0.98	2.30	0.11	0.7	14.9	0.015	0.19	10.6	7.7	8.66	627	0.29	0.01	1.7	2.5
K302207		0.57	1.20	0.11	0.3	2.50	<0.005	0.14	5.8	4.0	9.22	527	0.22	0.01	0.7	0.8
K302208		4.22	6.39	0.11	1.7	24.1	0.022	0.76	26.8	13.2	7.63	586	1.00	0.01	4.3	8.0
K302209		1.50	5.11	0.13	1.3	10.4	0.011	0.70	20.4	9.1	9.56	596	0.58	0.02	3.3	6.3
K302210		0.47	0.30	0.14	<0.1	0.02	<0.005	0.03	0.5	0.9	12.85	213	0.09	<0.01	0.3	1.8
K302211		1.47	3.37	0.13	1.0	6.9	0.011	0.46	14.7	6.0	10.05	746	0.34	0.01	2.2	4.3
K302212		0.68	2.44	0.12	0.5	2.54	0.010	0.33	7.9	6.4	8.41	771	0.17	0.01	1.2	1.5
K302213		0.66	1.88	0.12	0.4	1.29	0.008	0.24	5.8	4.7	9.04	629	0.15	0.01	0.9	1.0
K302214		0.95	1.58	0.14	0.4	5.54	0.006	0.20	6.4	3.7	9.06	653	0.20	0.01	0.9	1.4
K302215		0.69	1.54	0.15	0.4	4.11	<0.005	0.19	5.6	3.9	9.17	679	0.17	0.01	0.8	1.1
K302216		0.42	1.42	0.16	0.4	0.68	<0.005	0.21	7.1	2.6	11.05	444	0.23	0.01	0.9	1.4
K302217		0.40	0.98	0.20	0.3	1.24	0.006	0.14	5.5	2.1	10.95	482	0.18	0.01	0.6	0.8
K302218		0.73	1.22	<0.05	0.3	1.67	0.007	0.16	6.5	2.1	11.20	473	0.21	0.01	1.0	<0.2
K302219		0.34	1.02	0.07	0.2	0.91	<0.005	0.11	4.8	1.8	11.25	441	0.12	0.01	0.8	<0.2
K302220		0.62	1.36	0.05	0.3	8.5	0.010	0.14	4.9	2.5	8.88	478	0.20	0.01	0.8	<0.2
K302221		0.81	1.77	<0.05	0.4	4.51	0.012	0.23	7.7	3.6	8.92	507	0.31	0.01	1.4	<0.2
K302222		2.06	8.29	0.10	1.8	4.75	0.031	0.96	28.5	41.4	2.56	264	19.50	0.03	7.6	51.0
K302223		0.65	0.54	0.14	0.2	0.94	0.007	0.09	3.3	1.4	9.78	391	0.19	0.01	0.4	0.2
K302224		0.44	0.39	0.15	0.1	0.89	<0.005	0.06	2.6	1.2	10.10	489	0.13	0.01	0.2	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204329

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302189		420	38.3	108.5	0.004	4.34	0.61	10.3	2	2.0	235	0.77	<0.05	12.8	0.339	12.25
K302190		790	18.5	131.5	0.003	2.99	0.37	11.6	1	2.4	189.5	0.83	0.06	13.7	0.355	7.90
K302191		260	11.7	142.5	<0.002	2.42	0.29	12.8	1	3.5	126.0	0.84	<0.05	13.8	0.333	5.01
K302192		210	8.4	118.0	<0.002	1.87	0.20	11.6	1	3.5	83.9	0.71	<0.05	11.8	0.292	3.47
K302193		580	41.9	121.5	0.002	3.19	0.26	13.3	1	4.1	172.5	0.93	<0.05	15.5	0.319	10.65
K302194		390	23.9	7.2	0.002	1.05	0.36	1.5	1	3.3	180.0	0.08	<0.05	1.3	0.031	5.19
K302195		170	2.9	2.8	<0.002	0.01	0.05	0.3	<1	0.3	43.4	<0.05	<0.05	<0.2	0.006	0.04
K302196		220	4.2	1.0	<0.002	0.27	0.10	0.4	<1	2.4	76.1	<0.05	<0.05	0.2	<0.005	0.37
K302197		350	3.8	1.4	<0.002	0.15	0.10	0.3	<1	3.5	92.2	<0.05	<0.05	0.2	0.005	0.63
K302198		350	232	2.7	<0.002	0.42	1.75	0.4	<1	2.9	71.0	<0.05	<0.05	0.5	0.014	2.95
K302199		530	9.7	7.8	<0.002	0.66	0.16	0.9	<1	1.9	111.0	0.10	<0.05	1.7	0.035	2.38
K302200		450	3.8	4.0	<0.002	0.33	0.15	0.6	1	1.7	80.4	<0.05	<0.05	1.0	0.016	1.16
K302201		230	3.2	2.0	<0.002	0.63	0.31	0.3	1	1.5	59.8	<0.05	<0.05	0.6	0.011	1.35
K302202		220	50.0	2.1	<0.002	0.31	0.55	0.3	<1	0.2	51.6	<0.05	<0.05	0.4	0.012	2.04
K302203		240	2.4	2.2	<0.002	0.77	0.25	0.3	<1	1.7	65.2	<0.05	<0.05	0.4	0.009	1.09
K302204		340	9.2	5.2	<0.002	2.10	0.80	0.6	<1	2.5	132.0	0.05	<0.05	0.9	0.021	5.27
K302205		890	16.7	44.0	0.004	2.98	110.5	15.4	1	2.9	494	0.73	0.14	10.1	0.528	7.66
K302206		460	17.3	6.9	<0.002	1.49	0.84	1.3	<1	1.4	293	0.13	<0.05	2.3	0.051	12.95
K302207		250	6.6	5.0	<0.002	0.40	0.16	0.9	<1	1.5	143.5	0.06	<0.05	0.9	0.023	2.62
K302208		890	41.3	29.2	<0.002	5.31	1.06	2.9	<1	3.7	479	0.36	0.06	5.9	0.133	53.0
K302209		900	27.3	26.6	<0.002	1.62	0.57	3.0	1	1.8	371	0.27	<0.05	4.6	0.101	18.00
K302210		180	1.6	1.7	<0.002	0.01	0.07	0.3	1	<0.2	46.8	<0.05	<0.05	<0.2	<0.005	0.04
K302211		620	23.8	16.3	<0.002	1.74	0.71	2.2	2	1.5	300	0.18	<0.05	3.1	0.070	12.75
K302212		270	6.6	13.1	<0.002	0.63	0.28	1.7	<1	1.6	109.5	0.11	<0.05	1.4	0.034	3.68
K302213		210	4.0	9.5	<0.002	0.52	0.21	1.0	1	1.4	77.2	0.08	<0.05	0.9	0.022	2.06
K302214		260	9.7	7.5	<0.002	0.90	0.41	0.9	<1	1.1	128.5	0.07	0.06	1.2	0.027	12.05
K302215		250	7.7	7.2	<0.002	0.62	0.32	0.9	<1	4.6	125.5	0.07	<0.05	1.0	0.024	6.94
K302216		500	6.4	7.1	<0.002	0.31	0.14	1.0	1	1.8	112.0	0.07	<0.05	1.3	0.027	1.14
K302217		350	4.9	4.6	<0.002	0.24	0.07	0.7	1	1.4	91.7	0.05	<0.05	0.9	0.019	1.01
K302218		470	37.9	6.3	<0.002	0.68	0.68	1.1	2	2.2	91.5	0.06	<0.05	1.0	0.020	3.80
K302219		500	4.9	4.5	<0.002	0.17	0.44	0.8	2	0.6	98.5	0.05	<0.05	0.7	0.015	1.71
K302220		180	7.9	5.9	<0.002	0.69	0.52	0.8	2	1.9	105.0	0.05	<0.05	0.7	0.017	3.07
K302221		300	15.5	9.7	<0.002	0.83	0.57	1.1	2	2.3	162.0	0.09	<0.05	1.5	0.031	4.43
K302222		870	39.6	54.2	0.023	1.52	105.0	5.9	5	2.6	73.4	0.48	0.18	7.0	0.170	4.10
K302223		260	7.1	2.7	0.002	0.68	0.35	0.3	<1	1.6	72.4	<0.05	<0.05	0.5	0.013	1.16
K302224		190	2.9	1.9	<0.002	0.38	0.13	0.2	<1	2.4	62.7	<0.05	<0.05	0.3	0.008	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204329

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302189		4.0	76	3.4	18.1	273	119.0	
K302190		3.0	101	3.3	18.7	71	129.5	
K302191		2.4	103	2.2	15.2	29	110.5	
K302192		1.8	79	1.9	15.3	36	101.5	
K302193		2.8	77	4.4	17.6	148	108.0	
K302194		1.5	7	1.4	3.9	23	13.9	
K302195		0.4	4	0.1	0.7	15	<0.5	
K302196		0.9	2	0.3	1.6	<2	1.7	
K302197		1.5	2	0.2	2.0	30	2.7	
K302198		1.1	2	0.7	2.5	249	6.1	
K302199		2.8	6	1.1	4.1	25	13.2	
K302200		1.9	3	0.7	3.0	9	7.3	
K302201		1.7	2	0.6	2.1	6	5.2	
K302202		1.2	2	0.7	1.9	23	4.8	
K302203		1.3	2	0.4	2.0	<2	4.1	0.996
K302204		1.7	3	1.4	2.7	241	10.2	3.14
K302205		7.1	163	23.4	14.6	38	157.5	
K302206		3.8	8	3.6	4.2	596	20.0	
K302207		1.8	4	1.2	2.8	79	9.9	
K302208		7.7	21	6.7	10.3	730	51.3	
K302209		6.7	17	4.6	9.9	102	41.3	
K302210		0.6	3	0.1	0.8	14	<0.5	
K302211		4.5	12	3.0	6.8	106	28.7	
K302212		2.2	8	1.3	4.5	11	14.3	
K302213		1.5	5	0.9	3.2	<2	10.1	
K302214		2.2	5	1.5	3.2	38	11.7	
K302215		2.1	5	1.4	3.2	22	10.9	
K302216		2.9	5	0.9	4.2	<2	14.5	
K302217		1.8	3	0.7	3.3	24	8.9	
K302218		2.8	5	0.7	4.1	152	11.6	
K302219		2.7	4	0.8	3.3	11	8.7	
K302220		2.1	3	1.0	2.7	598	10.5	
K302221		2.7	5	1.6	3.8	104	17.5	
K302222		9.3	231	29.6	21.2	207	71.5	
K302223		1.2	2	0.7	2.0	41	5.4	
K302224		1.2	2	0.6	1.8	26	3.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204329

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

CERTIFICATE WH11199419

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 232 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199419

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303289		8.82	0.03	0.08	6.05	1060	170	1.64	0.25	2.45	0.05	67.0	17.3	60	28.9	47.2
K303290		8.38	0.09	0.10	8.57	963	230	3.26	0.30	1.24	0.27	83.8	25.6	91	68.5	65.9
K303291		8.48	0.12	0.06	7.44	1925	190	2.48	0.26	3.05	0.06	70.4	21.6	79	47.7	55.5
K303292		7.54	<0.01	0.07	5.37	7320	150	1.45	0.17	3.95	0.08	55.0	14.6	59	27.1	44.0
K303293		7.68	<0.01	0.05	5.44	280	140	1.21	0.22	2.81	0.08	62.3	14.1	55	21.0	44.3
K303294		8.05	<0.01	0.06	6.23	216	160	1.68	0.24	3.04	0.07	64.3	15.7	63	26.9	44.2
K303295		7.22	<0.01	0.06	8.26	295	220	3.03	0.26	2.58	<0.02	74.2	22.2	85	45.5	58.8
K303296		4.96	<0.01	0.01	0.09	<5	20	0.05	0.03	21.0	0.07	1.42	0.7	2	0.40	2.6
K303297		8.48	0.01	0.07	5.92	104.5	160	1.82	0.24	2.16	0.03	70.9	19.3	56	33.2	47.0
K303298		3.50	<0.01	0.06	5.87	91.9	160	1.79	0.25	2.13	0.02	68.2	15.9	58	30.0	43.5
K303299		7.70	<0.01	0.06	5.92	83.5	170	1.79	0.24	2.45	0.02	70.1	15.8	66	30.7	47.0
K303300		8.84	0.01	0.14	6.12	127.5	190	1.72	0.24	2.36	0.02	67.5	15.3	66	36.4	47.4
K303301		0.20	0.34	0.33	6.00	590	810	0.64	0.28	0.46	0.19	146.5	2.7	225	3.58	31.3
K303302		8.18	0.06	0.09	5.61	500	160	1.70	0.22	2.60	0.12	66.2	15.0	57	28.2	48.4
K303303		8.64	<0.01	0.09	6.29	216	210	1.85	0.28	2.20	0.21	72.7	13.9	61	35.9	41.9
K303304		8.29	<0.01	0.08	6.04	157.5	200	1.77	0.26	2.26	0.18	78.0	13.4	66	36.5	42.9
K303305		8.03	<0.01	0.08	5.21	76.1	200	1.47	0.22	2.06	0.30	63.8	11.3	56	28.3	34.8
K303306		8.33	<0.01	0.05	6.25	64.5	1670	1.68	0.25	2.02	0.04	61.0	17.7	71	44.0	49.2
K303307		8.57	<0.01	0.04	6.45	92.4	190	1.84	0.23	4.07	0.11	58.8	16.7	71	38.7	51.7
K303308		8.61	<0.01	0.10	6.01	81.6	250	1.81	0.25	2.30	0.08	63.9	17.8	64	30.3	46.0
K303309		7.98	<0.01	0.09	7.21	381	250	2.22	0.31	2.36	0.15	73.8	16.1	67	26.4	46.4
K303310		8.22	0.17	0.15	7.10	1910	230	1.98	0.29	2.17	0.24	75.4	17.2	65	21.1	43.1
K303311		7.66	0.11	0.16	6.94	3020	270	1.88	0.29	2.19	0.14	70.8	15.5	64	20.8	44.5
K303312		8.55	<0.01	0.09	6.16	135.5	200	1.95	0.25	2.40	0.14	71.1	15.3	60	25.4	37.3
K303313		7.88	<0.01	0.09	5.89	58.8	210	1.84	0.25	2.92	0.29	64.8	11.8	61	26.1	32.8
K303314		8.41	<0.01	0.10	6.13	74.6	210	2.02	0.28	2.51	0.14	69.8	15.8	62	26.9	36.8
K303315		16.57	<0.01	0.13	6.25	56.4	230	1.98	0.29	2.26	0.17	70.1	19.4	64	21.8	40.2
K303316		7.99	<0.01	0.23	7.75	120.0	250	2.39	0.33	1.61	0.37	75.4	18.0	74	24.4	54.7
K303317		8.48	<0.01	0.08	7.50	87.8	240	2.20	0.31	1.66	0.13	75.5	16.2	79	26.4	54.5
K303318		8.71	<0.01	0.12	8.50	84.8	240	2.85	0.34	1.09	0.14	75.2	21.3	84	40.2	57.3
K303319		8.27	<0.01	0.04	6.63	39.7	240	2.08	0.28	1.96	0.30	72.8	9.0	68	34.4	42.6
K303320		4.97	<0.01	0.03	0.09	<5	20	0.06	0.03	19.95	0.05	1.15	0.7	2	0.34	2.6
K303321		8.61	<0.01	0.04	6.34	28.6	230	1.82	0.26	2.24	0.14	69.9	11.3	67	33.7	39.9
K303322		8.34	<0.01	0.06	6.38	95.4	220	1.75	0.26	1.94	0.13	66.6	15.5	68	33.8	41.7
K303323		0.20	2.60	1.10	3.43	630	910	0.75	0.43	8.40	2.16	47.9	6.5	52	3.79	41.6
K303324		8.34	<0.01	0.08	5.51	67.4	210	1.48	0.23	1.94	0.08	54.6	17.4	59	25.8	35.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199419

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303289		4.62	15.90	0.17	3.2	2.13	0.062	2.73	32.1	13.7	1.33	679	0.34	0.02	10.0	33.8
K303290		5.92	23.4	0.21	3.1	2.83	0.091	3.93	42.1	20.9	0.96	540	0.47	0.03	11.4	44.3
K303291		5.67	20.3	0.19	2.8	4.69	0.069	3.44	32.1	14.9	0.79	824	0.29	0.02	9.5	35.3
K303292		4.12	14.65	0.17	2.1	8.10	0.059	2.46	26.1	13.6	0.75	448	0.37	0.02	6.9	26.1
K303293		5.23	13.65	0.16	2.5	1.98	0.054	2.50	31.3	10.9	1.29	555	0.33	0.02	8.6	28.6
K303294		4.81	15.60	0.16	2.9	1.86	0.060	2.86	31.8	11.3	1.26	495	0.28	0.03	8.5	32.2
K303295		5.35	22.5	0.21	2.8	1.81	0.088	3.85	35.1	17.6	1.18	482	0.29	0.03	10.2	39.7
K303296		0.49	0.23	0.09	<0.1	0.01	<0.005	0.04	0.7	1.0	12.80	216	0.08	<0.01	0.2	1.8
K303297		4.68	16.45	0.20	2.8	0.67	0.067	2.67	32.7	29.6	1.43	464	0.29	0.03	10.1	36.7
K303298		4.44	15.20	0.17	3.0	0.58	0.060	2.66	31.9	26.7	1.43	444	0.23	0.03	9.6	31.2
K303299		4.51	15.80	0.18	2.8	0.23	0.063	2.69	33.6	26.0	1.85	512	0.26	0.03	10.1	31.5
K303300		4.71	15.25	0.18	2.9	0.20	0.058	2.79	32.4	31.0	1.97	535	0.35	0.03	10.0	32.2
K303301		6.45	19.35	0.23	4.1	9.4	0.049	1.32	69.2	16.9	0.12	36	6.40	0.37	10.1	16.5
K303302		4.32	14.25	0.17	2.8	1.05	0.050	2.55	29.7	26.9	1.41	574	0.57	0.02	9.1	29.8
K303303		4.44	15.55	0.19	3.1	1.04	0.061	2.92	34.5	37.3	1.40	405	0.87	0.03	10.6	29.6
K303304		4.02	15.65	0.18	3.0	0.25	0.064	2.73	43.0	64.4	1.61	438	0.54	0.03	10.8	28.7
K303305		3.52	12.75	0.18	2.7	0.15	0.047	2.36	31.7	49.7	1.34	399	0.69	0.03	8.9	23.3
K303306		4.77	15.55	0.17	3.0	0.28	0.065	2.63	29.0	83.9	1.74	396	0.48	0.04	9.0	35.4
K303307		4.67	16.25	0.20	3.1	0.14	0.070	2.65	29.8	97.2	2.25	807	0.51	0.04	10.3	33.2
K303308		4.50	16.00	0.22	3.0	0.73	0.066	2.60	31.8	80.1	1.59	450	0.47	0.03	9.7	34.7
K303309		4.48	19.00	0.21	3.3	1.17	0.073	3.10	37.7	35.1	1.41	546	1.30	0.03	11.4	32.7
K303310		4.09	18.50	0.22	3.2	2.94	0.072	3.17	37.3	13.6	1.24	521	0.79	0.03	11.0	35.0
K303311		4.26	18.00	0.21	3.7	2.57	0.070	3.08	34.7	13.5	1.17	589	0.94	0.03	10.7	32.3
K303312		4.01	15.80	0.23	3.1	1.04	0.069	2.77	33.9	19.9	1.27	537	0.72	0.03	10.5	31.4
K303313		3.45	14.40	0.20	3.0	0.67	0.058	2.67	30.4	18.7	1.51	470	0.89	0.03	9.8	24.8
K303314		4.39	16.05	0.21	3.1	0.51	0.066	2.79	35.5	16.5	1.51	395	0.73	0.03	10.2	31.4
K303315		3.78	15.80	0.22	3.0	0.63	0.066	2.80	34.5	18.9	1.50	411	0.53	0.03	9.9	36.8
K303316		5.19	21.0	0.22	3.5	1.07	0.088	3.42	38.4	25.3	1.04	344	0.42	0.04	12.0	38.0
K303317		4.72	19.60	0.22	3.7	0.53	0.080	3.24	38.7	55.8	1.44	358	0.45	0.03	11.7	34.6
K303318		5.64	22.3	0.20	3.8	0.52	0.093	3.72	38.2	35.4	1.48	250	0.42	0.04	12.2	44.3
K303319		4.30	17.10	0.23	3.5	0.13	0.079	2.94	36.5	61.3	1.56	361	0.62	0.04	11.1	23.5
K303320		0.45	0.24	0.13	<0.1	<0.01	0.008	0.04	0.6	1.3	12.30	210	0.08	<0.01	0.1	2.2
K303321		3.94	15.95	0.21	3.2	0.16	0.069	2.79	36.1	78.4	1.59	386	0.60	0.03	10.8	27.7
K303322		4.43	16.25	0.21	3.5	0.26	0.067	2.84	33.4	67.2	1.51	326	0.55	0.03	10.6	31.1
K303323		2.16	7.59	0.20	1.9	4.53	0.024	1.02	29.9	39.7	2.66	284	17.30	0.03	6.5	51.9
K303324		4.05	13.10	0.17	2.7	0.29	0.052	2.43	28.9	58.0	1.40	363	0.44	0.03	8.3	30.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199419

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303289		410	14.2	146.0	0.004	4.18	3.02	17.7	1	1.9	91.9	0.73	<0.05	9.5	0.456	5.69
K303290		260	21.6	219	0.006	5.63	6.29	27.3	1	2.5	82.7	0.80	<0.05	12.9	0.488	11.10
K303291		220	14.4	181.0	0.004	5.50	8.35	22.6	1	2.1	87.4	0.79	<0.05	10.1	0.430	12.00
K303292		270	11.7	124.5	0.005	3.57	2.37	17.5	1	1.7	89.7	0.51	<0.05	7.4	0.299	18.35
K303293		400	12.6	128.0	0.004	4.64	0.61	14.7	1	1.7	81.1	0.67	<0.05	9.2	0.395	6.12
K303294		380	15.0	148.0	0.004	4.10	0.71	17.1	<1	1.8	85.5	0.66	<0.05	10.0	0.398	6.03
K303295		270	17.1	188.0	0.005	4.69	1.08	27.2	1	2.4	98.5	0.77	<0.05	10.3	0.454	6.70
K303296		190	1.4	2.5	0.003	0.02	<0.05	0.4	<1	0.2	41.8	<0.05	<0.05	<0.2	<0.005	0.06
K303297		480	15.4	159.5	0.002	2.78	0.50	16.6	1	1.9	84.8	0.77	0.06	9.4	0.431	4.13
K303298		490	14.7	143.0	0.003	2.52	0.40	15.8	<1	2.0	77.8	0.72	<0.05	10.3	0.431	4.23
K303299		520	10.7	148.5	0.003	0.91	0.41	16.4	<1	2.0	104.5	0.73	<0.05	9.5	0.452	1.77
K303300		480	13.3	154.0	0.003	0.87	0.57	15.7	1	2.0	99.4	0.73	<0.05	10.6	0.446	1.68
K303301		900	16.3	51.5	0.005	2.94	115.5	16.2	1	3.0	485	0.70	0.11	9.4	0.538	7.34
K303302		600	13.8	138.5	0.003	3.56	1.66	15.4	1	2.2	105.5	0.69	<0.05	9.2	0.421	4.49
K303303		480	25.3	160.0	0.004	2.83	0.72	15.2	1	2.1	74.3	0.83	<0.05	11.9	0.420	3.98
K303304		530	15.5	157.5	0.003	0.63	0.48	15.3	1	2.4	82.7	0.80	<0.05	11.4	0.438	1.57
K303305		490	14.7	131.0	0.003	0.49	0.36	11.8	1	2.0	70.3	0.68	0.06	10.0	0.368	1.00
K303306		900	19.4	148.0	0.002	0.86	0.47	16.1	1	2.0	110.5	0.66	<0.05	10.3	0.471	0.98
K303307		820	9.1	145.5	0.003	0.71	0.43	17.3	1	2.1	115.5	0.72	0.06	10.2	0.518	1.26
K303308		530	21.1	138.5	0.004	2.03	0.56	16.2	1	2.4	111.5	0.65	<0.05	9.9	0.444	3.20
K303309		500	28.6	161.5	0.007	4.21	2.20	18.3	2	2.8	126.5	0.79	0.07	12.3	0.452	5.80
K303310		500	26.5	158.5	0.005	3.62	12.35	16.9	2	2.6	125.5	0.75	0.08	12.2	0.452	5.36
K303311		570	23.0	140.5	0.006	3.76	19.25	15.4	1	2.6	117.0	0.75	0.05	12.4	0.452	5.89
K303312		510	23.4	140.0	0.005	3.50	1.60	14.7	1	2.3	86.4	0.72	<0.05	10.9	0.420	3.35
K303313		470	18.2	126.5	0.007	0.88	0.78	12.7	1	2.1	98.1	0.70	0.05	11.1	0.404	1.59
K303314		480	24.6	141.5	0.004	1.55	1.37	14.3	1	2.2	94.5	0.72	<0.05	11.5	0.414	1.25
K303315		480	32.4	136.5	0.008	0.94	2.12	14.6	1	2.3	97.6	0.71	<0.05	11.4	0.422	1.38
K303316		530	18.7	166.0	0.007	4.87	3.14	21.4	1	2.6	130.5	0.82	<0.05	13.1	0.544	4.53
K303317		620	17.6	167.5	0.007	1.99	0.89	19.2	2	2.5	154.0	0.88	0.05	13.0	0.562	2.34
K303318		520	28.1	187.0	0.009	1.98	0.65	22.3	1	2.9	88.7	0.90	0.06	12.8	0.544	1.42
K303319		500	13.7	157.0	0.007	0.59	0.40	16.4	1	2.3	91.1	0.78	0.05	12.2	0.468	0.86
K303320		180	1.2	2.1	0.006	0.01	0.10	0.3	<1	0.2	43.2	<0.05	<0.05	<0.2	0.005	<0.02
K303321		510	16.3	155.5	0.006	0.68	0.51	15.3	1	2.3	102.5	0.78	0.06	11.8	0.457	1.07
K303322		490	18.6	165.0	0.008	1.28	0.53	15.5	2	2.2	86.1	0.77	0.05	11.3	0.465	1.52
K303323		980	39.6	49.5	0.032	1.72	108.5	4.9	3	2.6	75.2	0.45	0.17	6.9	0.182	3.74
K303324		450	21.7	132.5	0.005	1.22	0.61	12.9	1	1.8	72.7	0.61	<0.05	9.9	0.393	1.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199419

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303289		2.0	129	5.1	22.0	66	91.7
K303290		2.7	181	8.3	26.1	168	98.5
K303291		2.0	152	11.5	22.5	73	84.8
K303292		1.8	107	7.9	16.9	78	69.5
K303293		1.9	108	6.4	20.2	71	81.5
K303294		2.2	123	6.0	20.5	69	89.6
K303295		2.1	169	6.1	22.8	64	87.5
K303296		0.9	1	0.1	0.9	13	0.5
K303297		2.0	118	1.4	21.1	52	90.3
K303298		2.2	119	1.3	21.0	52	89.7
K303299		2.1	121	1.5	24.0	59	95.6
K303300		2.1	118	1.4	23.3	61	94.7
K303301		7.5	166	23.4	16.9	42	157.0
K303302		2.0	115	3.0	22.1	86	86.3
K303303		2.5	110	1.9	22.8	94	95.7
K303304		2.4	110	2.2	24.2	97	103.5
K303305		2.2	91	2.1	20.3	139	83.6
K303306		2.2	128	1.1	21.1	61	100.0
K303307		2.1	135	1.4	22.5	84	106.5
K303308		2.1	119	1.5	18.3	70	103.0
K303309		2.7	125	4.8	20.9	93	122.5
K303310		2.7	123	10.0	22.1	121	120.5
K303311		2.7	119	11.2	22.5	82	121.0
K303312		2.5	106	2.9	19.1	85	109.5
K303313		2.5	97	1.2	19.6	157	99.4
K303314		2.5	105	4.1	19.1	86	105.0
K303315		2.5	107	2.3	19.4	99	105.5
K303316		2.7	150	11.6	23.3	174	132.5
K303317		2.8	147	4.0	22.2	104	124.0
K303318		2.7	163	1.5	22.7	106	125.0
K303319		2.5	119	1.3	20.8	173	108.5
K303320		1.2	3	0.1	0.8	14	0.5
K303321		2.5	110	1.3	20.9	101	112.0
K303322		2.4	117	1.3	21.8	94	112.0
K303323		10.0	246	28.1	20.1	225	65.7
K303324		2.2	101	1.1	15.7	70	98.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199419

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

CERTIFICATE WH11203012

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 233 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203012

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305311		11.00	<0.01	0.05	8.48	16.4	340	1.95	0.34	1.48	0.06	96.4	20.1	65	13.20	33.5
K305312		11.16	0.01	0.05	8.10	17.1	330	1.99	0.31	1.77	<0.02	91.6	18.6	61	12.80	32.8
K305313		11.74	<0.01	0.06	8.61	29.2	450	2.23	0.32	1.45	0.02	92.9	17.8	67	14.00	36.9
K305314		11.78	<0.01	0.09	7.13	16.6	290	1.71	0.29	1.30	0.05	88.5	18.8	58	12.25	35.0
K305315		10.32	<0.01	0.06	5.14	16.6	180	1.20	0.22	2.43	0.03	68.0	13.5	43	8.47	22.6
K305316		6.99	<0.01	<0.01	0.12	<5	20	0.05	0.02	20.4	0.06	1.57	1.1	2	0.44	1.8
K305317		11.42	<0.01	0.07	8.21	24.6	320	2.00	0.35	0.71	0.04	95.5	19.9	69	14.75	35.3
K305318		11.14	<0.01	0.06	8.45	22.5	330	2.29	0.33	0.59	0.07	95.9	21.8	69	14.45	36.4
K305319		9.72	<0.01	0.07	6.06	24.3	210	1.75	0.24	2.08	0.04	77.5	18.1	52	9.86	27.9
K305320		10.95	<0.01	0.06	8.27	9.5	300	2.24	0.33	1.29	0.02	89.3	15.8	68	11.90	36.0
K305321		11.21	<0.01	0.08	7.72	14.0	300	2.04	0.28	2.47	0.04	77.5	19.6	59	11.35	30.5
K305322		10.20	<0.01	0.04	7.63	7.6	260	2.20	0.30	1.28	0.04	92.6	13.3	62	10.00	38.1
K305323		4.76	<0.01	0.05	8.38	6.5	300	2.67	0.31	0.88	0.03	90.8	13.6	70	11.00	38.3
K305324		10.42	<0.01	0.07	8.14	13.9	300	2.29	0.34	1.25	0.03	99.9	18.0	65	9.47	38.3
K305325		10.31	<0.01	0.05	8.12	5.7	310	2.25	0.30	1.83	<0.02	85.1	19.5	62	11.55	38.1
K305326		10.67	<0.01	0.08	9.20	12.2	380	2.88	0.37	0.42	<0.02	81.9	22.4	75	14.40	39.4
K305327		10.49	<0.01	0.07	6.98	12.9	260	1.85	0.25	3.41	0.02	78.0	16.5	53	10.10	31.9
K305328		11.23	<0.01	0.08	7.35	13.7	320	2.12	0.28	2.47	<0.02	77.9	19.1	56	11.35	31.7
K305329		10.05	<0.01	0.06	4.63	10.7	170	1.14	0.18	1.66	0.02	55.5	12.3	42	5.84	24.0
K305330		11.16	<0.01	0.06	7.02	11.2	270	1.90	0.29	1.88	<0.02	74.9	14.6	53	11.60	32.1
K305331		11.51	<0.01	0.06	6.22	9.2	250	1.74	0.23	4.09	0.03	70.1	13.2	48	9.88	25.4
K305332		0.27	2.58	1.02	3.11	578	830	0.66	0.26	7.82	2.16	49.0	6.8	52	3.69	41.5
K305333		10.83	<0.01	0.05	6.32	10.3	230	1.65	0.24	5.04	0.04	74.4	12.0	48	9.79	27.3
K305334		10.52	<0.01	0.08	6.24	72.4	240	1.59	0.22	8.27	0.04	73.2	12.4	48	8.99	25.1
K305335		12.33	<0.01	0.07	6.51	15.5	240	1.66	0.24	5.52	0.06	77.5	13.1	48	10.35	26.0
K305336		10.12	<0.01	0.08	5.47	15	200	1.23	0.17	13.00	0.09	69.2	9.6	45	8.74	20.2
K305337		9.65	<0.01	0.06	4.88	7	190	1.06	0.15	15.45	0.06	64.1	8.5	40	9.79	17.5
K305338		7.00	<0.01	<0.01	0.09	<5	10	0.06	0.02	20.7	0.06	1.27	1.1	1	0.34	1.6
K305339		11.37	<0.01	0.06	5.45	9	240	1.07	0.18	15.80	0.03	61.7	10.3	42	9.23	19.1
K305340		11.50	<0.01	0.16	4.31	16	170	1.16	0.14	20.9	0.05	49.2	7.9	35	7.82	15.9
K305341		11.64	<0.01	0.04	3.50	8	160	0.90	0.11	21.1	0.04	38.0	6.3	29	6.08	12.0
K305342		12.45	<0.01	0.03	2.59	9	120	0.74	0.08	26.7	0.05	29.3	4.4	21	4.59	8.8
K305343		11.40	<0.01	0.07	4.40	16	470	1.14	0.16	20.5	0.04	50.7	8.1	34	8.85	16.0
K305344		11.97	0.01	0.05	4.71	10	180	1.19	0.17	19.25	0.02	51.8	8.1	35	9.39	15.7
K305345		0.26	15.40	1.09	1.90	1220	310	0.41	0.53	14.90	0.68	31.5	3.8	36	2.26	60.1
K305346		11.46	<0.01	0.11	5.53	14	230	1.48	0.18	13.20	0.02	63.6	10.1	44	10.85	18.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203012

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305311		3.82	21.1	0.13	2.9	0.05	0.059	3.01	47.6	67.0	1.42	373	0.36	0.28	10.4	34.4
K305312		3.73	20.6	0.14	2.7	0.03	0.058	2.87	46.5	70.1	1.54	439	0.32	0.28	9.9	34.6
K305313		4.07	22.5	0.15	2.8	0.06	0.058	3.01	46.0	92.6	1.30	426	0.42	0.33	10.8	36.0
K305314		4.62	18.75	0.14	2.9	0.05	0.053	2.12	45.3	92.0	1.16	421	0.81	0.21	9.1	38.8
K305315		3.85	12.35	0.13	2.1	0.02	0.034	1.55	32.6	77.8	1.27	1090	0.42	0.18	6.3	25.0
K305316		0.48	0.38	<0.05	<0.1	<0.01	<0.005	0.05	0.8	1.5	12.80	210	0.24	0.01	0.3	2.5
K305317		3.89	20.9	0.13	3.1	0.03	0.060	2.82	48.0	89.3	1.12	328	0.52	0.29	10.3	36.9
K305318		4.27	22.5	0.16	3.2	0.04	0.058	2.88	48.6	104.5	1.15	307	0.49	0.32	10.7	40.7
K305319		3.91	15.20	0.14	2.4	0.03	0.043	1.97	39.9	116.0	1.25	860	0.58	0.22	7.9	30.8
K305320		3.83	21.2	0.15	2.9	0.02	0.056	2.87	46.2	96.8	1.32	512	0.37	0.29	10.7	36.0
K305321		3.96	19.55	0.14	2.5	0.09	0.051	2.68	40.5	90.1	1.66	690	0.36	0.27	9.3	35.4
K305322		3.59	20.4	0.16	3.0	0.04	0.056	2.51	46.4	162.5	1.14	482	0.29	0.27	10.2	33.0
K305323		3.55	23.3	0.16	3.2	0.03	0.060	2.95	45.6	160.0	1.11	341	0.32	0.29	11.4	35.6
K305324		4.18	22.3	0.18	3.1	0.03	0.057	2.73	51.6	140.0	1.28	437	0.38	0.24	10.9	37.2
K305325		4.24	21.2	0.17	2.4	0.03	0.051	2.81	42.9	104.5	1.55	604	0.23	0.27	9.8	36.5
K305326		4.23	26.1	0.19	3.0	0.03	0.066	3.49	39.4	110.5	1.17	211	0.30	0.35	12.1	43.4
K305327		4.05	18.20	0.16	2.3	0.03	0.051	2.34	41.4	94.5	1.55	779	0.30	0.27	8.6	31.3
K305328		3.51	19.30	0.16	2.5	0.04	0.048	2.65	39.2	105.0	1.18	499	0.25	0.30	9.1	35.8
K305329		2.99	12.45	0.13	1.9	0.03	0.034	1.50	28.0	137.5	0.94	433	0.39	0.13	5.7	24.2
K305330		3.16	18.15	0.15	2.4	0.03	0.043	2.56	38.8	135.0	0.99	443	0.32	0.24	8.7	29.3
K305331		3.22	15.80	0.14	2.2	0.03	0.040	2.25	36.3	96.7	1.04	514	0.25	0.24	7.6	26.8
K305332		2.03	7.40	0.10	1.7	3.84	0.025	0.96	28.6	36.9	2.50	263	18.10	0.03	6.5	51.8
K305333		2.99	15.40	0.13	2.4	0.10	0.040	2.35	38.0	80.1	1.14	538	0.43	0.21	8.2	24.4
K305334		3.06	15.40	0.12	2.2	0.10	0.041	2.28	38.5	120.0	1.13	416	0.66	0.16	7.8	26.8
K305335		3.15	16.05	0.13	2.3	0.06	0.042	2.44	39.8	147.5	1.12	563	0.45	0.15	8.1	25.9
K305336		2.58	13.45	0.11	2.0	0.11	0.036	2.11	33.5	68.9	0.99	388	0.77	0.19	7.3	20.1
K305337		2.48	11.55	0.11	1.9	0.10	0.035	1.88	30.8	45.4	1.02	421	0.83	0.27	6.5	19.2
K305338		0.47	0.29	<0.05	<0.1	<0.01	<0.005	0.04	0.6	1.2	12.90	216	0.07	0.01	0.3	2.8
K305339		2.52	12.25	0.09	1.7	0.08	0.034	2.01	30.7	73.8	1.02	325	0.48	0.19	6.5	20.9
K305340		2.02	10.85	0.13	1.5	0.11	0.032	1.66	25.3	47.7	0.80	297	0.60	0.21	5.6	17.0
K305341		1.76	8.59	0.12	1.3	0.07	0.026	1.33	21.2	39.1	0.84	253	0.38	0.23	4.5	13.5
K305342		1.31	6.43	0.12	0.9	0.03	0.019	1.00	15.3	32.5	0.63	220	0.30	0.17	3.3	9.6
K305343		2.08	11.05	0.14	1.4	0.05	0.029	1.57	27.0	69.0	0.77	243	0.58	0.35	5.2	17.2
K305344		2.14	11.60	0.13	1.4	0.05	0.029	1.69	28.5	67.3	0.82	289	0.45	0.35	5.4	17.9
K305345		3.49	4.04	0.12	0.9	5.46	0.056	0.39	19.2	41.0	0.69	434	12.20	0.01	3.4	21.7
K305346		2.53	14.05	0.14	2.0	0.05	0.038	2.03	35.4	127.5	1.15	358	0.54	0.16	7.1	21.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203012

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305311		580	23.7	138.0	<0.002	0.72	0.65	14.1	1	2.5	121.0	0.76	0.07	15.0	0.349	0.68
K305312		670	17.8	129.5	<0.002	0.58	0.48	14.4	1	2.3	116.5	0.73	0.06	14.1	0.339	0.64
K305313		600	15.8	138.0	<0.002	0.72	0.44	15.7	1	2.5	145.5	0.78	0.06	14.1	0.359	0.74
K305314		740	27.2	109.0	<0.002	1.20	0.93	14.0	1	2.3	179.5	0.67	0.05	14.2	0.326	0.54
K305315		820	17.8	75.5	<0.002	0.83	0.94	9.4	1	1.5	125.5	0.47	0.05	9.9	0.234	0.35
K305316		190	1.4	3.1	<0.002	0.01	0.05	0.4	1	<0.2	43.0	<0.05	<0.05	<0.2	0.006	0.02
K305317		960	22.3	127.0	<0.002	0.69	1.12	15.1	1	2.4	106.0	0.77	0.06	15.1	0.375	0.66
K305318		700	24.1	136.5	<0.002	1.06	1.09	15.9	1	2.5	110.5	0.79	0.06	15.3	0.385	0.77
K305319		810	24.3	99.4	<0.002	1.03	1.25	11.9	1	1.8	117.0	0.56	0.05	11.3	0.274	0.46
K305320		780	22.0	128.0	<0.002	0.72	0.84	15.1	1	2.3	111.0	0.77	0.07	14.9	0.383	0.68
K305321		560	20.0	109.5	<0.002	0.91	0.62	13.1	1	2.1	126.0	0.68	<0.05	12.4	0.317	0.55
K305322		780	12.1	119.5	<0.002	0.37	0.51	15.4	1	2.4	118.0	0.72	0.05	14.2	0.373	0.52
K305323		770	11.5	135.0	<0.002	0.38	0.50	16.9	1	2.5	117.5	0.82	0.05	14.8	0.414	0.61
K305324		950	22.0	131.0	<0.002	0.89	1.00	16.9	1	2.4	115.0	0.79	0.05	15.3	0.374	0.58
K305325		720	16.7	125.0	<0.002	0.31	0.47	15.4	1	2.2	114.5	0.72	0.05	12.7	0.331	0.59
K305326		530	17.9	150.0	<0.002	0.62	0.40	18.2	1	2.7	106.0	0.89	0.07	14.4	0.396	0.78
K305327		640	15.1	117.0	<0.002	0.58	0.40	13.4	1	1.8	152.0	0.62	<0.05	11.8	0.293	0.49
K305328		670	22.2	115.5	<0.002	0.69	0.51	14.5	1	2.1	128.0	0.67	0.05	12.1	0.307	0.58
K305329		410	14.3	76.3	<0.002	0.73	0.41	8.8	1	1.5	83.8	0.43	<0.05	8.6	0.198	0.40
K305330		430	15.1	120.0	<0.002	0.90	0.39	12.9	1	2.0	106.0	0.64	0.05	12.5	0.290	0.61
K305331		510	13.6	107.5	<0.002	0.86	0.35	11.5	1	1.7	156.5	0.56	<0.05	10.8	0.268	0.52
K305332		860	33.9	48.0	0.023	1.51	104.5	5.0	4	2.4	72.9	0.41	0.18	6.4	0.165	3.88
K305333		570	15.1	117.5	<0.002	1.05	0.57	10.8	1	2.0	169.5	0.60	<0.05	12.1	0.269	0.60
K305334		790	14.4	112.0	<0.002	1.72	0.48	10.8	2	1.8	293	0.54	<0.05	11.3	0.272	0.75
K305335		590	18.2	118.5	<0.002	1.00	0.44	11.3	2	1.9	194.5	0.59	<0.05	12.1	0.275	0.64
K305336		760	13.7	102.5	<0.002	1.74	0.32	9.0	2	1.7	408	0.53	<0.05	9.9	0.243	0.72
K305337		850	13.1	92.1	<0.002	1.70	0.31	7.7	2	1.4	442	0.45	<0.05	9.0	0.211	0.63
K305338		230	1.3	2.2	<0.002	0.01	<0.05	0.3	1	<0.2	42.9	<0.05	<0.05	<0.2	<0.005	<0.02
K305339		580	13.2	94.7	<0.002	1.83	0.28	8.1	2	1.5	422	0.47	<0.05	9.6	0.221	0.61
K305340		720	10.7	82.1	0.003	1.64	0.35	7.1	2	1.6	398	0.42	<0.05	7.2	0.180	0.56
K305341		660	8.8	63.0	0.003	1.36	0.27	5.8	1	1.2	401	0.34	<0.05	6.2	0.154	0.40
K305342		480	6.2	46.6	0.002	1.00	0.22	4.3	<1	1.0	540	0.23	<0.05	4.4	0.109	0.29
K305343		600	11.3	74.3	0.002	1.64	0.43	6.9	1	1.5	530	0.39	<0.05	7.6	0.164	0.51
K305344		550	11.8	80.8	0.002	1.57	0.35	7.6	1	1.5	491	0.41	<0.05	8.1	0.181	0.49
K305345		640	21.0	23.7	0.007	1.94	154.5	3.6	2	2.2	44.5	0.30	0.42	3.6	0.107	3.48
K305346		740	13.8	100.5	0.003	1.78	0.57	9.2	1	1.8	396	0.55	<0.05	10.0	0.230	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203012

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305311		2.9	85	1.5	19.9	135	89.7
K305312		2.8	81	1.5	20.7	58	85.8
K305313		2.7	87	1.5	20.5	75	89.5
K305314		2.5	79	1.4	20.4	103	93.1
K305315		1.9	54	1.0	17.1	59	65.8
K305316		0.6	4	0.1	1.0	13	0.7
K305317		3.0	94	1.5	22.5	89	100.0
K305318		3.0	93	1.6	22.0	140	100.5
K305319		2.2	64	1.2	20.1	72	81.8
K305320		2.5	92	1.6	20.3	93	96.7
K305321		2.4	77	1.4	17.7	101	81.0
K305322		2.4	85	1.5	21.1	95	99.3
K305323		2.5	97	1.7	21.3	104	105.5
K305324		2.7	88	1.6	23.0	86	103.0
K305325		2.0	80	1.4	20.0	67	77.1
K305326		2.8	95	1.7	19.6	69	99.0
K305327		2.4	69	1.2	19.4	66	76.4
K305328		2.5	73	1.3	18.5	61	77.3
K305329		1.5	46	1.0	12.3	64	57.6
K305330		2.2	66	1.4	16.5	62	74.7
K305331		2.1	60	1.2	16.0	72	67.7
K305332		8.1	222	26.2	20.4	200	61.3
K305333		2.5	61	1.3	17.2	49	74.9
K305334		2.7	61	1.2	17.7	51	73.4
K305335		2.4	61	1.2	17.2	70	73.0
K305336		2.5	51	1.1	16.6	77	67.0
K305337		2.5	45	0.9	15.3	51	60.0
K305338		0.5	3	0.1	0.8	13	<0.5
K305339		2.4	46	1.0	13.8	45	53.5
K305340		2.7	39	0.8	11.1	48	48.9
K305341		2.2	31	0.6	9.8	39	44.7
K305342		1.8	22	0.5	7.4	43	30.3
K305343		2.4	36	0.7	10.5	41	46.6
K305344		2.4	38	0.8	10.7	42	46.8
K305345		3.2	109	216	15.3	78	29.0
K305346		2.5	49	1.2	14.3	55	63.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203012

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

CERTIFICATE WH11204186

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 234 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204186

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302225		6.89	0.05	0.10	1.01	364	170	0.27	0.06	18.80	0.05	19.35	3.4	6	1.42	16.2
K302226		7.28	0.02	0.05	0.92	212	80	0.28	0.04	18.50	0.23	16.65	2.3	6	1.45	9.2
K302227		7.61	0.02	0.04	0.63	1380	110	0.21	0.03	18.45	1.36	12.65	1.7	4	0.91	3.6
K302228		7.90	<0.01	0.08	0.49	660	70	0.16	0.02	16.50	1.80	9.66	2.3	3	0.52	13.8
K302229		8.60	0.01	0.03	0.65	453	50	0.20	0.03	15.60	<0.02	11.95	2.7	5	0.91	20.3
K302230		6.88	0.14	0.04	0.45	3690	90	0.16	0.02	17.75	0.26	7.72	1.3	4	0.43	2.6
K302231		6.56	0.06	0.02	0.18	>10000	50	0.12	0.01	14.80	0.11	4.06	0.7	3	0.39	1.4
K302232		3.17	1.60	0.26	0.32	>10000	230	0.18	0.02	10.05	5.22	6.66	1.0	4	1.85	8.3
K302233		4.75	1.41	0.29	0.75	>10000	270	0.18	0.03	9.20	5.19	10.65	1.7	6	1.89	6.2
K302234		5.00	0.01	0.01	0.07	47	20	0.07	0.02	21.6	0.06	1.17	1.9	<1	0.35	1.3
K302235		7.71	0.12	0.01	0.19	>10000	30	0.13	0.01	19.50	0.06	4.43	0.8	2	0.27	1.5
K302236		8.34	0.05	0.01	0.24	2060	30	0.13	0.01	20.0	0.16	5.15	1.0	2	0.26	1.5
K302237		8.14	0.14	0.02	0.29	4580	30	0.16	0.01	20.5	0.31	6.55	1.3	3	0.46	1.8
K302238		7.60	0.17	0.03	0.33	384	40	0.17	0.01	20.6	0.60	7.13	1.4	3	0.46	2.8
K302239		7.70	0.20	0.14	0.18	7200	80	0.09	0.01	19.55	18.45	3.94	0.8	2	0.29	4.0
K302240		7.42	0.15	0.05	0.14	6910	30	0.13	<0.01	20.1	7.39	3.46	0.9	2	0.18	2.6
K302241		3.58	0.17	0.07	0.25	7580	60	0.15	0.01	19.85	9.83	5.46	1.3	3	0.30	3.7
K302242		7.69	0.19	0.03	0.30	99	30	0.18	0.01	20.0	0.31	6.19	1.4	3	0.39	3.9
K302243		7.64	0.13	0.02	0.19	1460	30	0.16	0.01	20.7	0.09	4.41	1.3	2	0.22	2.7
K302244		6.41	0.04	0.01	0.21	2760	20	0.09	0.01	20.5	0.02	4.89	1.0	2	0.24	1.7
K302245		0.26	7.95	0.48	3.58	1040	160	0.79	0.61	11.60	4.17	45.5	5.7	89	7.56	34.6
K302246		7.38	0.10	0.01	0.24	1410	20	0.10	0.01	20.7	0.02	5.61	1.3	2	0.31	2.1
K302247		9.07	0.01	0.01	0.12	30	10	0.07	<0.01	20.6	<0.02	3.61	1.1	1	0.13	1.8
K302248		7.64	0.05	0.07	0.42	399	30	0.14	0.01	16.85	16.05	8.42	1.3	3	0.42	3.7
K302249		7.68	0.15	0.06	0.76	2840	80	0.16	0.03	15.65	9.84	14.35	1.6	6	1.05	4.6
K302250		8.29	<0.01	0.01	0.19	76	10	0.08	<0.01	16.45	0.07	5.19	0.7	3	0.20	1.5
K302251		4.99	<0.01	<0.01	0.06	12	10	0.05	0.02	20.6	0.06	1.07	1.1	1	0.22	1.8
K302252		7.25	0.06	0.02	0.28	1740	20	0.09	0.01	16.65	0.64	6.76	0.8	3	0.32	2.2
K302253		7.65	0.11	0.02	0.23	933	20	0.11	0.01	17.15	4.03	8.06	0.9	3	0.26	2.6
K302254		8.32	0.03	0.05	0.10	104	10	0.07	<0.01	16.55	8.34	3.10	0.7	1	0.11	3.8
K302255		7.32	0.32	0.08	0.65	>10000	60	0.22	0.01	17.55	5.49	16.40	3.8	7	0.93	6.6
K302256		7.18	0.03	0.02	0.28	6010	30	0.17	0.01	19.90	0.03	5.87	1.1	3	0.39	4.2
K302257		0.27	0.34	0.33	6.40	649	1980	0.68	0.27	0.52	0.17	135.5	3.0	231	3.50	32.5
K302258		6.51	0.12	0.04	0.20	1780	30	0.17	0.01	20.8	0.83	4.84	1.0	2	0.20	3.6
K302259		9.04	0.03	0.06	0.34	>10000	30	0.19	0.02	20.5	0.87	6.12	1.4	3	0.51	4.1
K302260		7.90	0.06	0.04	0.25	2650	30	0.10	0.01	19.70	2.28	5.00	1.0	2	0.39	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204186

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302225		0.95	2.65	0.06	0.6	1.40	0.007	0.39	11.7	5.2	11.00	651	0.46	0.02	2.3	<0.2
K302226		0.89	2.46	0.07	0.5	1.62	0.008	0.39	11.3	3.8	11.45	613	0.63	<0.01	1.9	2.7
K302227		0.91	1.63	0.06	0.4	1.81	0.007	0.25	8.3	2.7	11.40	694	0.39	<0.01	1.3	2.1
K302228		0.93	1.26	0.06	0.3	1.21	0.007	0.17	6.4	2.2	10.15	547	0.22	<0.01	1.0	1.5
K302229		0.56	1.54	0.06	0.4	0.51	<0.005	0.26	8.0	3.0	9.58	432	0.34	<0.01	1.3	1.9
K302230		0.52	0.97	0.06	0.3	1.92	0.007	0.14	5.0	2.1	11.05	656	0.38	<0.01	0.9	1.9
K302231		0.35	0.46	0.06	0.1	3.75	0.017	0.06	2.7	2.2	9.17	533	0.24	<0.01	0.4	0.9
K302232		1.48	1.76	0.06	0.2	92.0	0.096	0.08	4.0	5.2	6.19	817	0.73	<0.01	0.5	2.0
K302233		1.36	2.45	0.06	0.4	69.2	0.106	0.17	6.0	5.6	5.65	815	1.02	<0.01	1.4	3.1
K302234		0.46	0.54	0.32	<0.1	0.11	<0.005	0.03	0.6	1.4	12.80	217	0.08	0.01	0.5	<0.2
K302235		0.32	0.54	0.07	0.1	1.31	0.006	0.06	2.2	1.7	11.70	558	0.13	<0.01	0.4	<0.2
K302236		0.34	0.66	0.07	0.2	1.08	<0.005	0.08	2.7	1.9	12.05	567	0.15	<0.01	0.5	0.5
K302237		0.48	0.83	0.06	0.2	1.88	0.006	0.11	3.7	2.2	12.10	611	0.74	<0.01	0.5	1.3
K302238		0.69	0.95	0.06	0.2	3.42	0.006	0.12	4.4	2.2	12.10	1000	0.43	<0.01	0.7	1.3
K302239		1.36	1.63	0.05	0.1	50.7	0.061	0.06	2.3	1.3	11.65	899	0.35	<0.01	0.4	0.9
K302240		0.67	0.94	0.06	0.1	18.4	0.029	0.04	2.1	1.1	12.00	881	0.38	<0.01	0.3	0.9
K302241		0.82	1.33	0.06	0.2	21.4	0.039	0.08	3.5	1.2	11.85	860	0.79	<0.01	0.6	2.0
K302242		0.67	0.83	0.05	0.2	2.67	<0.005	0.12	3.9	1.8	11.85	967	0.69	<0.01	0.6	1.4
K302243		0.41	0.63	0.07	0.1	1.88	<0.005	0.07	2.8	1.4	12.20	827	0.62	<0.01	0.4	1.4
K302244		0.25	0.59	0.09	0.1	0.72	<0.005	0.08	2.8	1.6	12.10	566	0.31	<0.01	0.4	0.9
K302245		1.37	7.66	0.13	2.2	5.96	0.070	1.49	30.8	10.4	0.72	272	11.20	<0.01	7.9	68.4
K302246		0.49	0.63	0.05	0.1	1.11	<0.005	0.10	3.6	1.5	12.20	476	0.36	<0.01	0.5	1.1
K302247		0.21	0.38	0.09	0.1	0.10	<0.005	0.05	2.5	1.0	12.20	389	0.11	<0.01	0.3	0.5
K302248		1.96	2.03	0.06	0.2	6.05	0.022	0.16	5.6	2.6	9.97	587	0.38	<0.01	0.7	1.7
K302249		2.32	2.45	0.07	0.5	11.0	0.021	0.32	9.9	3.1	9.27	668	0.34	<0.01	1.5	2.1
K302250		0.30	0.50	0.06	0.1	0.16	<0.005	0.08	3.3	1.2	9.87	458	0.17	<0.01	0.5	0.6
K302251		0.46	0.23	0.07	<0.1	0.01	<0.005	0.03	0.5	0.9	12.20	206	0.06	<0.01	0.2	1.8
K302252		1.51	0.76	0.05	0.2	2.59	0.005	0.12	4.5	1.9	9.90	680	0.29	<0.01	0.5	0.4
K302253		1.65	0.87	0.06	0.1	4.39	0.008	0.09	5.0	1.4	10.10	852	0.22	<0.01	0.5	0.6
K302254		9.54	0.75	0.17	0.1	6.61	0.009	0.04	1.8	0.6	9.81	560	0.30	<0.01	0.3	0.2
K302255		5.26	1.56	0.10	0.4	20.1	0.016	0.27	9.8	2.4	10.25	854	0.55	<0.01	3.5	8.2
K302256		0.68	0.74	0.05	0.2	4.21	<0.005	0.12	3.5	1.8	11.80	952	0.50	<0.01	0.5	0.8
K302257		6.78	21.5	0.17	4.3	9.2	0.048	1.39	66.5	19.9	0.15	39	6.45	0.39	10.2	18.4
K302258		0.79	0.62	0.05	0.1	4.13	<0.005	0.07	3.1	1.1	12.40	1050	0.39	<0.01	0.4	0.5
K302259		0.94	1.13	0.06	0.2	7.86	0.010	0.14	3.9	1.8	12.15	1120	0.51	<0.01	0.6	1.3
K302260		1.96	0.83	0.06	0.1	6.31	<0.005	0.10	3.1	1.5	11.85	457	0.22	<0.01	0.5	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204186

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302225		700	149.5	16.3	<0.002	0.93	0.71	2.1	2	2.1	212	0.14	<0.05	2.2	0.052	3.04
K302226		620	15.6	12.1	<0.002	0.67	0.25	1.9	2	0.8	134.0	0.12	<0.05	2.1	0.045	1.59
K302227		480	15.1	7.8	<0.002	0.84	0.29	1.3	2	0.2	155.5	0.08	<0.05	1.3	0.030	1.77
K302228		700	58.7	5.4	<0.002	0.94	0.64	0.9	2	1.5	121.0	0.07	<0.05	1.0	0.022	1.42
K302229		660	8.2	8.0	<0.002	0.45	0.21	1.2	2	2.3	99.1	0.09	<0.05	1.3	0.030	1.00
K302230		430	14.7	4.4	<0.002	0.55	0.39	0.9	1	0.2	144.5	0.05	<0.05	0.9	0.018	2.10
K302231		90	3.3	1.8	<0.002	1.21	0.84	0.3	1	<0.2	84.2	<0.05	<0.05	0.3	0.008	1.55
K302232		320	39.3	4.4	<0.002	5.76	2.86	0.7	1	0.6	197.0	<0.05	<0.05	0.6	0.013	24.5
K302233		500	77.7	8.3	<0.002	7.83	5.09	1.1	1	0.7	335	0.10	<0.05	1.4	0.038	32.9
K302234		180	1.4	2.5	<0.002	0.01	0.05	0.4	2	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.03
K302235		240	3.9	2.3	<0.002	0.84	0.38	0.5	2	<0.2	91.0	<0.05	<0.05	0.4	0.008	2.57
K302236		280	4.1	3.1	<0.002	0.34	0.18	0.5	1	<0.2	91.8	<0.05	<0.05	0.6	0.011	2.05
K302237		230	133.5	4.0	<0.002	0.65	0.52	0.7	2	0.2	114.0	<0.05	<0.05	0.7	0.014	4.96
K302238		270	16.9	4.5	<0.002	0.58	0.24	0.8	2	0.2	125.5	0.05	<0.05	0.8	0.017	4.96
K302239		180	96.7	2.2	<0.002	2.23	2.25	0.5	1	0.5	116.5	<0.05	<0.05	0.4	0.008	12.25
K302240		170	22.6	1.6	<0.002	1.21	0.62	0.4	1	0.2	91.8	<0.05	<0.05	0.3	0.006	4.97
K302241		220	55.6	3.1	<0.002	1.49	1.39	0.5	2	0.3	118.5	<0.05	<0.05	0.7	0.015	8.66
K302242		240	15.2	4.2	<0.002	0.46	0.15	0.7	1	<0.2	100.0	<0.05	<0.05	0.7	0.016	4.08
K302243		170	8.3	2.5	<0.002	0.33	0.17	0.5	2	<0.2	114.5	<0.05	<0.05	0.5	0.010	3.43
K302244		330	3.9	2.5	<0.002	0.29	0.14	0.4	1	<0.2	100.5	<0.05	<0.05	0.5	0.009	1.41
K302245		4300	4.9	119.5	0.035	1.43	18.25	6.8	8	1.8	150.0	0.55	0.61	6.8	0.218	13.50
K302246		340	8.1	3.2	<0.002	0.54	0.20	0.5	2	<0.2	77.9	<0.05	<0.05	0.6	0.013	2.23
K302247		300	1.8	1.6	<0.002	0.11	0.07	0.3	1	<0.2	61.8	<0.05	<0.05	0.3	0.006	0.28
K302248		320	42.1	5.1	<0.002	2.63	0.28	0.7	1	0.3	84.0	<0.05	<0.05	0.7	0.017	6.54
K302249		450	54.5	10.9	<0.002	3.08	0.35	1.4	1	0.4	120.0	0.11	<0.05	1.8	0.039	7.51
K302250		300	2.2	2.4	<0.002	0.10	0.05	0.3	1	<0.2	56.5	<0.05	<0.05	0.5	0.012	0.31
K302251		180	1.4	1.4	<0.002	0.01	0.05	0.3	1	<0.2	40.7	<0.05	<0.05	<0.2	<0.005	0.02
K302252		230	30.7	3.8	<0.002	1.84	0.18	0.5	1	0.2	74.8	<0.05	<0.05	0.6	0.014	3.59
K302253		340	28.3	3.0	<0.002	1.64	0.17	0.5	1	0.2	70.1	<0.05	<0.05	0.5	0.013	4.03
K302254		140	186.0	1.4	<0.002	>10.0	0.46	0.3	1	0.2	67.9	<0.05	<0.05	0.2	<0.005	13.90
K302255		420	107.0	9.2	<0.002	7.56	0.71	1.9	1	0.3	129.0	0.22	<0.05	0.9	0.104	18.60
K302256		250	10.3	3.9	<0.002	0.77	0.23	0.6	1	0.2	103.0	<0.05	<0.05	0.7	0.012	2.91
K302257		940	17.3	51.1	0.003	3.27	114.0	17.4	2	3.0	527	0.76	0.15	10.3	0.570	8.19
K302258		210	13.3	2.3	<0.002	0.62	0.34	0.4	2	<0.2	94.0	<0.05	<0.05	0.5	0.010	4.51
K302259		180	18.0	4.8	<0.002	1.22	0.35	0.7	2	0.2	97.0	<0.05	<0.05	0.7	0.015	5.11
K302260		240	49.4	3.6	<0.002	2.75	0.22	0.6	1	0.2	83.5	<0.05	<0.05	0.6	0.013	4.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204186

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302225		4.9	10	1.5	7.4	11	24.8	
K302226		4.5	10	1.0	6.5	81	21.5	
K302227		3.6	7	0.8	4.8	511	15.3	
K302228		2.3	5	0.6	4.2	655	11.1	
K302229		2.7	6	0.8	4.6	4	14.4	
K302230		2.2	4	0.6	3.5	72	10.1	
K302231		1.2	3	0.3	1.7	29	4.7	1.655
K302232		2.6	3	2.1	3.6	1760	7.6	5.89
K302233		4.3	6	3.7	4.4	1490	15.9	8.90
K302234		0.5	2	0.1	0.9	11	<0.5	
K302235		1.5	3	0.4	2.2	11	4.5	0.933
K302236		1.7	3	0.5	2.5	29	5.6	
K302237		1.8	4	0.6	2.7	65	6.9	
K302238		1.9	4	0.6	3.0	133	8.2	
K302239		1.9	3	0.7	2.0	4030	3.7	
K302240		1.6	3	0.4	1.9	1600	2.9	
K302241		2.3	4	0.9	2.3	2090	6.8	
K302242		2.1	4	0.6	2.7	135	7.6	
K302243		1.8	4	0.5	2.2	43	5.0	
K302244		1.9	3	0.4	2.3	9	4.8	
K302245		8.0	390	36.6	30.9	289	77.4	
K302246		2.1	4	0.4	2.6	11	5.0	
K302247		1.1	3	0.1	2.0	2	2.7	
K302248		1.5	3	0.6	3.3	4020	8.4	
K302249		2.4	7	1.4	4.9	2250	17.3	
K302250		1.0	2	0.4	2.1	34	4.8	
K302251		0.5	3	0.1	0.8	18	<0.5	
K302252		1.1	3	0.6	2.5	161	5.4	
K302253		1.1	3	0.4	3.2	1120	4.8	
K302254		0.8	3	0.3	1.6	2100	2.2	
K302255		2.0	15	2.5	4.1	2130	15.4	1.305
K302256		1.8	4	0.4	2.5	13	5.9	
K302257		7.5	173	23.3	16.5	47	168.5	
K302258		1.6	3	0.5	2.1	462	5.2	
K302259		1.8	4	0.7	2.7	601	7.0	0.918
K302260		1.7	4	0.5	2.2	1120	5.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204186

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

CERTIFICATE WH11199502

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 235 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199502

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303909		6.90	0.04	0.07	1.34	1350	200	0.59	0.05	17.20	0.63	17.25	3.9	9	4.16	12.4
K303910		4.79	0.04	0.20	0.82	>10000	70	0.48	0.04	17.85	0.50	12.40	3.3	9	1.73	8.5
K303911		5.15	0.05	0.20	0.52	>10000	50	0.41	0.02	18.05	0.08	8.46	3.0	10	1.22	6.5
K303912		5.43	0.05	0.18	0.68	3720	70	0.49	0.03	17.30	0.35	11.30	3.3	11	1.74	8.7
K303913		12.01	<0.01	0.24	1.15	715	60	0.59	0.05	16.35	0.52	10.95	4.4	13	3.72	13.7
K303914		2.94	<0.01	0.24	2.32	143	80	0.96	0.13	15.60	1.13	26.3	5.8	18	8.35	19.0
K303915		7.03	<0.01	0.01	0.09	15	20	0.08	0.02	20.4	0.07	1.25	1.9	1	0.37	2.8
K303916		8.35	<0.01	0.23	5.35	159.0	180	1.81	0.26	6.54	0.57	52.7	16.6	46	17.95	50.3
K303917		12.06	0.10	0.11	5.39	489	190	1.43	0.25	6.55	0.15	50.4	16.2	50	16.05	49.7
K303918		5.07	0.29	0.09	5.77	1400	250	1.38	0.29	6.56	0.07	56.7	15.2	51	14.00	50.9
K303919		5.96	0.14	0.05	2.29	>10000	120	0.60	0.10	6.78	0.31	23.6	8.3	29	5.40	24.1
K303920		11.83	0.38	0.11	4.50	1630	250	1.04	0.19	5.36	0.97	44.6	13.2	47	9.55	37.8
K303921		9.72	0.32	0.08	2.86	2960	170	0.61	0.11	6.42	0.40	28.0	9.4	37	6.57	28.2
K303922		7.34	0.06	0.20	7.90	563	300	2.14	0.37	3.20	0.64	74.2	20.4	78	25.5	62.2
K303923		10.81	0.11	0.08	5.64	495	200	1.57	0.19	2.69	0.87	56.1	17.0	66	18.85	46.5
K303924		0.23	2.63	1.00	3.13	579	840	0.76	0.28	7.87	2.09	45.3	6.5	53	3.65	39.8
K303925		9.41	<0.01	0.09	7.34	33.8	250	2.25	0.28	2.33	0.23	77.2	19.9	75	28.7	61.4
K303926		10.17	<0.01	0.11	6.76	163.5	220	2.08	0.25	2.43	0.16	70.6	19.4	68	24.5	59.9
K303927		11.07	<0.01	0.10	6.24	68.9	190	2.14	0.23	2.58	0.17	67.9	19.6	66	23.4	57.6
K303928		11.62	0.17	0.11	6.52	1410	250	1.79	0.23	2.79	0.10	67.9	21.8	69	19.50	67.5
K303929		10.12	<0.01	0.09	7.25	182.5	210	2.47	0.27	2.71	0.14	84.3	21.4	75	32.9	64.0
K303930		5.93	<0.01	0.09	6.90	163.5	210	2.33	0.27	2.67	0.15	76.3	20.9	72	29.5	69.9
K303931		11.20	0.04	0.10	6.74	469	180	2.00	0.24	3.08	0.09	68.5	21.1	74	26.8	62.3
K303932		11.25	0.06	0.09	6.28	556	170	1.72	0.20	3.32	0.08	65.3	20.3	68	23.6	57.1
K303933		11.29	0.11	0.10	6.90	709	190	2.04	0.24	3.16	0.14	75.6	21.4	70	23.6	66.0
K303934		0.22	0.34	0.37	6.25	596	720	0.71	0.25	0.47	0.19	141.0	3.0	233	3.63	30.0
K303935		10.99	0.01	0.09	5.22	160.5	160	1.33	0.14	3.28	0.10	49.8	19.7	64	18.10	52.4
K303936		9.17	<0.01	0.07	3.08	70.4	120	0.70	0.11	2.25	0.10	33.8	13.6	51	9.73	46.3
K303937		7.52	<0.01	0.05	2.03	77.0	90	0.44	0.07	3.14	0.05	24.9	9.1	43	6.17	30.2
K303938		2.60	<0.01	0.05	1.81	163.0	110	0.32	0.06	2.20	0.04	23.0	8.5	45	4.86	36.0
K303939		4.79	0.07	0.11	5.37	>10000	330	1.16	0.23	0.20	0.21	57.5	19.6	75	14.60	73.1
K303940		2.92	0.24	0.09	5.72	9540	500	1.12	0.23	0.27	0.43	59.6	24.1	83	15.50	106.0
K303941		5.00	0.13	0.03	5.61	1450	450	1.06	0.20	1.90	0.17	56.6	17.7	71	16.50	55.9
K303942		7.71	0.52	0.07	3.86	>10000	340	0.83	0.15	0.75	0.15	39.0	13.2	59	11.90	49.8
K303943		4.44	0.05	0.09	5.59	2290	450	1.32	0.23	2.34	0.16	57.3	17.0	66	19.60	61.6
K303944		5.00	<0.01	0.01	0.14	26	20	0.09	0.02	20.5	0.06	1.51	1.4	3	0.82	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199502

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303909		1.67	3.87	<0.05	0.5	0.74	0.016	0.59	9.0	3.9	9.57	1520	2.85	0.01	2.6	7.2
K303910		0.84	2.41	0.05	0.4	0.92	0.045	0.36	6.4	2.5	10.25	1740	8.28	0.02	2.0	7.1
K303911		1.25	1.72	<0.05	0.2	1.05	0.019	0.22	3.9	2.6	10.25	2450	61.9	0.01	1.5	7.8
K303912		1.52	2.35	<0.05	0.3	1.72	0.014	0.29	4.8	3.5	9.86	3520	13.85	0.01	1.9	13.6
K303913		1.38	3.41	<0.05	0.5	1.15	0.016	0.55	5.2	3.8	9.21	1320	26.1	0.01	2.1	17.3
K303914		1.72	6.40	0.05	1.0	1.40	0.026	1.12	12.9	5.0	8.23	595	3.17	0.02	4.2	41.0
K303915		0.47	0.50	0.16	<0.1	0.01	<0.005	0.04	0.6	1.3	12.10	216	0.41	0.01	0.5	3.0
K303916		3.60	14.70	0.13	2.4	4.26	0.062	2.50	26.1	12.6	3.67	685	3.87	0.03	9.5	85.0
K303917		3.74	14.95	0.11	2.3	4.6	0.054	2.53	24.8	11.7	3.63	1640	2.03	0.02	9.0	46.1
K303918		3.82	16.40	0.14	2.4	4.03	0.053	2.79	27.9	11.2	3.72	1790	0.78	0.02	9.5	30.1
K303919		2.48	6.17	<0.05	1.1	2.58	0.036	1.05	10.9	9.1	3.50	1410	0.87	0.01	3.5	15.5
K303920		3.82	12.35	0.07	2.0	5.25	0.049	2.05	21.0	11.5	2.87	1520	1.83	0.02	7.6	31.5
K303921		3.12	7.83	0.05	1.4	3.46	0.032	1.26	13.0	10.6	3.35	1930	0.91	0.01	4.6	19.8
K303922		4.85	22.8	0.22	3.1	4.07	0.081	3.83	36.3	15.5	2.04	618	4.47	0.03	13.5	52.2
K303923		5.40	15.70	0.19	2.5	2.31	0.059	2.57	26.9	22.9	1.46	665	1.01	0.02	10.0	33.6
K303924		2.04	8.04	0.05	1.5	4.70	0.026	0.98	27.9	40.5	2.43	261	18.60	0.03	7.0	50.1
K303925		5.35	20.6	0.22	3.3	0.64	0.077	3.43	37.3	62.6	2.04	530	0.52	0.03	13.7	35.9
K303926		5.25	19.50	0.22	3.0	0.90	0.073	3.11	34.1	37.3	1.67	532	0.52	0.03	12.6	36.7
K303927		4.81	18.95	0.22	2.9	0.96	0.072	3.05	32.4	39.4	1.43	600	0.40	0.02	12.2	35.2
K303928		5.48	18.30	0.20	2.8	2.85	0.065	3.04	32.4	24.7	1.49	716	0.47	0.02	11.9	36.7
K303929		5.33	21.8	0.24	3.3	0.87	0.086	3.49	40.3	32.1	1.57	630	0.55	0.03	14.7	39.6
K303930		5.28	21.9	0.24	3.1	0.74	0.082	3.30	36.3	30.6	1.53	614	0.47	0.03	13.8	39.3
K303931		4.97	19.10	0.19	3.0	1.20	0.068	3.11	32.7	31.8	1.57	776	0.35	0.02	12.0	36.4
K303932		5.13	18.65	0.20	2.7	1.70	0.062	2.88	31.5	29.7	1.71	1000	0.41	0.02	12.1	37.6
K303933		5.23	20.6	0.23	3.0	2.17	0.072	3.25	36.1	19.0	1.66	1240	0.51	0.02	13.5	38.4
K303934		6.78	22.1	0.28	3.7	9.5	0.048	1.36	67.6	22.4	0.12	36	6.98	0.37	10.7	16.4
K303935		4.92	14.35	0.15	2.4	0.65	0.053	2.07	23.9	67.9	1.48	831	0.50	0.02	9.2	34.6
K303936		3.77	7.82	0.15	1.9	0.36	0.034	1.10	15.9	74.0	0.93	629	0.49	0.01	5.5	26.0
K303937		2.57	5.23	0.12	1.4	0.27	0.022	0.64	12.0	58.4	0.82	430	0.32	0.02	3.8	15.5
K303938		2.73	4.62	0.11	1.3	0.52	0.021	0.66	10.8	34.9	0.84	523	0.34	0.01	3.6	15.5
K303939		4.78	14.35	0.21	2.7	9.04	0.069	2.40	26.4	24.9	0.35	71	0.50	0.02	8.9	36.1
K303940		4.72	15.10	0.22	3.0	6.40	0.070	2.38	27.2	26.9	0.40	122	0.57	0.01	9.6	43.2
K303941		4.35	13.65	0.19	2.8	3.68	0.052	2.60	26.2	13.0	1.15	769	0.43	0.02	9.1	31.7
K303942		4.36	9.98	0.17	2.0	6.05	0.056	1.69	18.1	14.6	0.53	446	0.38	0.01	6.4	26.4
K303943		4.72	14.20	0.20	2.7	3.36	0.061	2.33	26.0	23.7	1.33	643	0.76	0.02	8.9	31.2
K303944		0.50	0.59	0.28	<0.1	0.04	<0.005	0.07	0.7	2.4	12.85	214	0.08	0.01	0.4	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199502

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303909		210	6.2	22.7	0.007	0.89	1.29	3.2	2	0.4	207	0.16	<0.05	2.3	0.054	1.88
K303910		310	7.0	13.4	0.013	2.56	42.0	2.4	3	0.5	203	0.11	<0.05	1.6	0.040	1.91
K303911		160	26.1	8.9	0.131	1.66	12.15	1.7	3	0.6	237	0.07	<0.05	0.9	0.029	3.31
K303912		210	27.9	11.7	0.025	1.32	6.67	2.2	3	0.4	262	0.09	<0.05	1.1	0.042	4.15
K303913		280	18.5	21.1	0.056	1.11	2.06	3.5	3	0.5	196.5	0.12	<0.05	1.4	0.071	2.15
K303914		210	18.2	46.0	0.016	1.34	0.73	5.6	3	0.9	181.5	0.27	0.06	3.9	0.123	2.07
K303915		170	1.4	2.1	<0.002	0.01	0.12	0.4	1	<0.2	45.1	<0.05	<0.05	<0.2	<0.005	0.05
K303916		430	34.8	99.7	0.023	3.53	1.22	13.4	4	1.8	122.5	0.64	0.11	7.7	0.373	7.19
K303917		440	26.7	100.5	0.006	3.62	5.09	14.0	3	1.7	132.5	0.60	0.09	7.1	0.399	8.93
K303918		490	25.5	109.5	0.002	3.72	4.11	13.8	2	1.7	142.5	0.66	0.10	8.5	0.394	6.80
K303919		260	24.4	40.5	<0.002	2.26	23.3	7.4	2	0.9	160.0	0.25	<0.05	3.5	0.166	4.21
K303920		370	49.8	83.2	0.007	3.31	8.67	12.0	3	1.5	224	0.51	0.07	6.3	0.324	9.97
K303921		220	33.4	49.8	0.002	2.47	7.16	7.4	2	1.1	167.5	0.31	<0.05	4.1	0.210	7.76
K303922		490	55.9	149.5	0.018	4.93	5.48	19.8	4	2.6	140.0	0.87	0.12	10.6	0.526	5.92
K303923		370	33.4	115.5	0.004	5.02	3.20	16.4	3	1.8	135.0	0.67	0.06	7.8	0.487	4.97
K303924		870	35.1	46.8	0.023	1.52	103.0	5.0	4	2.4	70.6	0.42	0.20	5.8	0.170	3.76
K303925		590	16.8	164.5	<0.002	1.95	0.64	20.3	3	2.7	143.0	0.95	0.07	10.9	0.582	2.60
K303926		510	23.0	148.5	<0.002	3.27	0.93	18.4	3	2.7	152.5	0.84	0.07	9.8	0.543	2.82
K303927		500	15.5	143.0	<0.002	4.40	0.62	18.3	3	2.5	122.5	0.81	0.07	9.4	0.541	3.06
K303928		600	15.7	138.0	<0.002	5.00	4.67	18.5	3	3.8	159.5	0.80	0.06	9.3	0.551	8.01
K303929		590	11.3	178.5	<0.002	5.06	0.77	21.5	3	2.8	139.0	0.95	0.09	10.9	0.598	4.56
K303930		560	11.0	166.0	<0.002	4.99	0.66	20.7	3	3.4	139.0	0.90	0.07	10.6	0.576	4.28
K303931		560	14.9	151.5	<0.002	4.38	1.80	19.9	3	2.8	128.0	0.83	0.07	9.9	0.572	4.20
K303932		510	14.9	150.5	<0.002	4.67	2.74	19.1	3	2.5	131.0	0.75	0.06	8.7	0.541	5.60
K303933		560	19.5	167.0	<0.002	4.87	4.55	20.6	3	3.5	161.0	0.82	0.07	9.9	0.572	6.30
K303934		920	16.9	47.1	0.004	3.09	126.0	15.4	3	3.2	513	0.75	0.14	8.9	0.555	7.75
K303935		430	11.3	101.5	<0.002	4.22	0.99	15.8	2	2.5	130.0	0.59	0.05	6.6	0.509	2.80
K303936		260	10.8	60.9	<0.002	2.58	0.55	9.5	2	2.4	103.5	0.38	<0.05	5.1	0.374	1.99
K303937		200	6.3	36.1	<0.002	1.05	0.42	6.7	2	1.7	84.0	0.26	<0.05	3.7	0.282	1.31
K303938		200	7.2	36.1	<0.002	1.49	0.49	7.8	2	2.4	88.3	0.23	<0.05	3.5	0.277	1.80
K303939		560	24.9	124.0	<0.002	4.31	19.60	13.9	3	3.8	180.5	0.64	0.05	8.9	0.450	15.50
K303940		490	19.6	122.0	0.002	4.28	16.20	14.0	3	7.6	200	0.70	0.06	9.1	0.510	13.00
K303941		510	7.3	130.0	<0.002	3.96	4.57	17.3	2	2.1	217	0.64	0.06	8.5	0.490	9.25
K303942		420	7.6	93.2	<0.002	4.23	17.70	10.8	2	1.9	202	0.45	<0.05	6.0	0.367	17.70
K303943		570	13.8	128.5	0.002	4.46	7.60	17.6	3	3.3	328	0.63	0.06	8.8	0.437	9.51
K303944		190	2.3	5.0	<0.002	0.03	0.13	0.5	2	0.2	48.5	<0.05	<0.05	0.2	0.007	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199502

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303909		1.6	24	1.1	6.5	122	19.6	
K303910		6.6	49	1.1	4.5	68	14.0	4.29
K303911		16.2	108	1.2	3.7	5	9.8	1.080
K303912		21.6	84	1.8	7.2	69	15.5	
K303913		11.4	83	1.4	5.0	105	20.2	
K303914		2.5	42	1.3	8.5	212	41.4	
K303915		0.6	4	0.1	0.8	14	0.5	
K303916		3.0	110	2.4	17.3	50	95.7	
K303917		2.0	113	6.6	16.3	28	92.0	
K303918		1.8	108	7.4	16.1	32	95.6	
K303919		1.3	47	3.6	7.9	110	39.8	1.300
K303920		1.9	88	7.8	14.2	261	78.1	
K303921		1.2	54	5.2	9.3	132	51.3	
K303922		3.3	151	9.9	20.6	125	129.0	
K303923		1.8	130	6.2	16.7	269	97.0	
K303924		7.6	227	27.8	18.1	205	64.3	
K303925		2.2	148	2.3	23.1	128	125.0	
K303926		2.0	139	3.2	20.1	93	117.0	
K303927		1.9	141	1.9	20.2	100	114.5	
K303928		1.9	146	7.8	19.7	84	111.0	
K303929		2.2	157	3.1	25.3	110	134.0	
K303930		2.1	148	2.9	22.5	107	125.0	
K303931		2.0	155	4.0	20.7	80	116.5	
K303932		1.8	143	6.5	21.2	70	115.0	
K303933		2.0	148	9.3	23.2	107	125.0	
K303934		7.0	168	23.9	13.2	41	168.0	
K303935		1.4	142	2.5	16.0	79	95.2	
K303936		1.0	105	1.5	11.0	66	64.0	
K303937		0.8	81	1.0	7.7	42	48.1	
K303938		0.7	77	1.6	7.2	33	43.5	
K303939		1.8	126	13.6	17.7	87	92.7	1.570
K303940		1.9	144	14.6	18.6	172	102.5	
K303941		1.8	142	13.8	17.6	83	98.3	
K303942		1.2	105	9.6	12.9	66	67.3	1.575
K303943		1.8	130	7.2	16.3	82	90.0	
K303944		0.6	4	0.2	1.0	16	0.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11199502

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

CERTIFICATE WH11204327

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 236- Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204327

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304334		11.11	0.12	0.04	3.45	472	190	1.10	0.07	11.80	0.07	37.5	3.6	30	12.10	7.4
K303435		8.08	<0.01	0.07	3.32	<5	350	0.83	0.12	22.7	0.20	39.0	11.5	40	9.90	37.3
K304336		5.87	<0.01	0.03	2.10	303	120	0.62	0.04	12.05	0.09	29.6	3.4	16	6.13	5.6
K304337		9.43	<0.01	0.06	3.23	460	250	1.17	0.07	21.4	0.03	35.9	5.3	24	15.60	13.6
K304338		10.83	0.51	0.11	3.03	1040	170	0.97	0.06	22.1	0.07	35.0	4.8	24	11.15	13.5
K304339		4.85	0.28	0.07	3.08	1030	170	0.93	0.06	21.8	0.06	35.4	4.9	25	11.60	13.9
K304340		5.44	<0.01	0.08	2.97	162	170	0.82	0.05	25.6	0.03	31.5	5.3	22	12.05	10.8
K304341		5.21	<0.01	0.03	0.76	78	60	0.37	0.02	33.8	0.11	11.60	2.2	8	2.47	4.3
K304342		6.58	0.01	0.02	0.88	235	100	0.39	0.02	32.7	0.18	12.95	2.2	9	3.44	5.0
K304343		9.08	0.01	0.07	3.77	596	270	1.28	0.08	18.50	0.07	40.6	6.1	33	14.60	18.6
K304344		10.46	0.01	0.04	0.75	127	60	0.32	0.03	34.0	0.04	11.80	2.0	8	2.72	5.3
K304345		7.07	<0.01	0.01	0.08	8	30	0.08	0.18	21.4	0.07	1.30	2.4	1	0.30	1.9
K304346		10.22	0.01	0.07	1.48	392	150	0.60	0.04	27.2	0.02	17.90	2.7	16	4.76	9.5
K304347		10.42	0.01	0.14	3.66	118	210	1.23	0.10	11.65	0.07	43.0	5.8	39	12.90	18.7
K304348		0.24	0.33	0.33	5.99	594	2220	0.70	0.28	0.49	0.17	132.5	2.9	234	3.28	30.0
K304349		10.35	0.01	0.04	1.51	404	170	0.57	0.06	26.5	0.05	18.40	2.7	15	4.27	8.8
K304350		9.73	0.01	0.05	2.00	85	140	0.73	0.06	25.0	0.03	21.3	3.5	19	5.69	11.8
K304351		9.72	0.01	0.07	1.68	411	130	0.60	0.06	25.5	0.02	17.85	3.4	18	5.88	9.9
K304352		10.15	0.02	0.15	3.48	354	190	1.18	0.09	17.00	0.05	40.9	5.2	40	14.60	20.7
K304353		9.90	0.03	0.05	1.81	823	110	0.84	0.06	27.0	0.06	22.7	2.6	19	6.78	12.1
K304354		10.22	0.02	0.07	2.80	625	130	1.05	0.09	14.05	0.04	31.2	4.0	32	9.04	16.9
K304355		11.06	0.01	0.04	2.66	420	160	0.99	0.08	21.5	0.07	29.7	5.2	29	8.71	15.9
K304356		7.05	<0.01	<0.01	0.06	6	20	0.06	0.04	20.4	0.07	1.05	0.6	1	0.23	2.2
K304357		11.68	0.01	0.03	2.85	133	180	0.97	0.08	18.45	0.06	31.9	4.8	31	8.47	20.5
K304358		10.10	0.01	0.06	3.91	534	200	1.32	0.11	12.10	0.07	45.7	6.7	41	9.54	23.4
K304359		10.33	0.01	0.04	2.54	107	110	1.08	0.09	21.0	0.10	27.2	4.7	26	5.52	15.8
K304360		9.66	0.01	0.36	2.83	390	130	0.93	0.09	21.4	0.09	30.4	4.6	28	6.55	18.5
K304361		11.35	0.01	0.08	3.30	353	190	1.09	0.10	16.00	0.07	33.5	5.1	32	7.85	12.6
K304362		10.82	0.01	0.04	3.71	198	200	1.25	0.12	13.40	0.10	42.2	6.7	39	8.41	18.7
K304363		10.47	0.01	0.04	4.56	154	170	1.71	0.13	11.70	0.10	48.9	8.1	50	10.25	25.1
K304364		10.44	0.01	0.05	5.17	59.8	170	1.79	0.16	9.91	0.10	57.8	10.3	53	12.10	49.7
K304365		0.25	2.73	1.01	3.06	587	840	0.84	0.31	7.58	2.07	44.6	6.4	52	3.55	39.1
K304366		10.64	0.01	0.05	3.88	95	140	1.36	0.11	12.40	0.08	43.8	7.0	40	7.99	21.1
K304367		11.03	0.01	0.05	3.92	264	170	1.34	0.11	11.70	0.07	46.6	6.9	41	7.48	22.2
K304368		10.08	0.01	0.06	4.42	156.5	170	1.57	0.12	9.91	0.07	50.8	7.2	46	8.25	28.9
K304369		10.87	0.01	0.03	4.18	23	250	1.24	0.14	12.15	0.09	42.8	7.0	42	7.47	25.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204327

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304334		1.10	8.48	0.07	2.7	0.80	0.022	1.78	19.8	22.2	6.55	302	0.37	<0.01	5.9	8.4
K303435		2.23	7.71	0.08	1.6	0.07	0.030	1.15	18.8	21.5	0.82	432	1.08	0.23	4.7	22.8
K304336		0.98	4.75	0.06	1.7	0.17	0.013	1.20	15.2	13.4	5.65	279	0.37	<0.01	3.1	6.8
K304337		1.28	7.45	0.07	1.1	0.29	0.022	1.71	19.5	21.1	1.83	212	0.56	<0.01	4.0	12.5
K304338		1.18	7.05	0.07	1.2	1.34	0.019	1.61	18.8	17.2	1.75	245	0.55	<0.01	4.1	12.7
K304339		1.15	7.17	0.07	1.2	0.96	0.019	1.62	19.1	17.7	1.77	242	0.49	<0.01	4.2	12.5
K304340		0.93	6.58	0.07	0.9	0.34	0.019	1.59	17.6	14.1	1.07	199	0.55	<0.01	3.6	12.9
K304341		0.40	2.11	0.12	0.4	0.11	0.006	0.40	6.4	4.8	1.21	198	0.37	0.01	1.9	<0.2
K304342		0.39	2.42	0.12	0.5	0.10	0.006	0.50	7.2	6.2	1.15	168	0.21	0.01	2.1	<0.2
K304343		1.37	9.59	0.14	2.0	0.19	0.026	2.18	20.2	29.0	2.45	233	0.63	0.03	6.5	11.3
K304344		0.28	2.10	0.13	0.3	0.08	0.007	0.41	7.3	4.5	0.43	101	0.33	0.01	2.0	<0.2
K304345		0.46	0.74	0.49	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.60	214	0.16	0.01	0.6	2.0
K304346		0.64	3.60	0.14	0.8	0.13	0.016	0.85	9.9	11.3	0.88	145	0.42	<0.01	2.5	7.0
K304347		1.47	9.46	0.16	2.3	0.20	0.029	2.06	21.2	27.8	4.28	228	1.13	0.01	6.8	16.8
K304348		6.51	19.55	0.23	3.9	9.4	0.049	1.32	65.3	19.2	0.13	36	6.36	0.38	10.3	16.5
K304349		0.64	3.79	0.15	0.8	0.09	0.014	0.86	10.2	10.0	1.13	136	0.24	<0.01	2.4	7.0
K304350		0.80	4.73	0.14	1.0	0.09	0.023	1.15	11.9	13.6	1.25	129	0.32	<0.01	3.1	8.8
K304351		0.78	4.23	0.17	0.7	0.11	0.013	0.94	9.6	13.4	1.72	206	0.53	<0.01	2.7	7.4
K304352		1.17	8.88	0.19	2.0	0.19	0.031	1.98	20.8	27.4	1.97	216	1.02	0.01	6.2	12.7
K304353		0.68	4.68	0.13	1.0	0.20	0.016	1.02	12.5	13.9	1.37	236	0.22	<0.01	3.0	6.4
K304354		1.23	6.96	0.19	1.4	0.27	0.022	1.62	16.2	21.1	5.34	322	0.70	<0.01	4.7	9.7
K304355		1.07	6.81	0.16	1.9	0.15	0.024	1.53	15.2	23.6	2.67	209	0.42	<0.01	4.6	12.3
K304356		0.46	0.18	0.13	<0.1	<0.01	0.007	0.03	0.5	1.2	12.55	206	0.13	<0.01	0.1	1.8
K304357		1.28	7.16	0.17	1.2	0.10	0.029	1.62	16.4	24.2	3.17	220	0.61	<0.01	4.7	13.1
K304358		1.84	9.42	0.17	1.9	0.18	0.026	2.16	20.9	24.6	3.58	290	0.42	0.01	6.5	17.1
K304359		1.00	6.18	0.19	1.1	0.09	0.020	1.43	14.9	14.7	2.92	222	0.47	<0.01	4.2	12.8
K304360		1.06	6.84	0.16	1.3	0.07	0.025	1.53	16.2	17.2	1.96	205	0.49	<0.01	4.8	14.5
K304361		1.47	7.78	0.18	1.5	0.05	0.023	1.72	18.0	44.6	4.09	245	0.36	0.01	5.4	14.9
K304362		1.73	9.38	0.20	1.6	0.06	0.024	1.77	20.8	75.2	4.05	273	0.27	0.01	6.4	17.3
K304363		2.03	11.30	0.19	2.0	0.38	0.038	2.02	25.6	92.6	3.89	266	0.43	0.02	7.6	21.4
K304364		2.20	13.25	0.19	1.9	0.25	0.039	2.11	28.9	188.5	3.79	272	0.26	0.02	8.9	26.5
K304365		2.04	7.02	0.17	1.5	4.85	0.026	0.97	26.2	41.2	2.46	263	17.05	0.02	7.3	51.5
K304366		1.81	9.37	0.18	1.6	0.09	0.024	1.66	20.8	97.4	4.80	288	0.49	0.02	6.3	18.2
K304367		1.92	9.74	0.15	1.6	0.07	0.029	1.61	22.9	70.5	4.91	295	0.58	0.02	7.0	19.3
K304368		1.95	11.25	0.20	2.0	0.10	0.032	1.72	24.4	57.7	4.56	294	0.65	0.02	7.5	21.3
K304369		1.86	10.20	0.18	1.7	0.14	0.032	1.57	21.5	58.0	3.82	286	0.36	0.02	6.6	19.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204327

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304334		480	7.1	63.9	<0.002	0.17	1.79	5.8	2	1.0	195.5	0.45	<0.05	7.9	0.164	2.50
K303435		1350	9.1	56.7	0.006	1.48	0.29	10.0	2	1.0	1800	0.35	0.05	4.8	0.242	0.27
K304336		260	5.5	41.2	<0.002	0.12	0.80	3.3	2	0.6	212	0.24	<0.05	4.4	0.085	0.46
K304337		330	5.5	61.7	<0.002	0.26	1.44	5.2	2	0.8	585	0.31	<0.05	5.7	0.115	0.68
K304338		410	5.7	57.2	<0.002	0.28	3.71	4.8	2	0.8	532	0.30	<0.05	5.7	0.115	3.33
K304339		400	5.2	59.3	<0.002	0.24	2.41	5.1	2	0.9	505	0.31	<0.05	5.8	0.117	3.08
K304340		330	9.7	55.1	<0.002	0.19	0.62	4.7	2	0.8	1080	0.28	<0.05	5.3	0.104	0.78
K304341		210	3.2	16.8	<0.002	0.07	0.48	1.8	3	0.3	820	0.09	<0.05	1.5	0.033	0.33
K304342		290	3.7	21.3	<0.002	0.08	0.98	1.9	2	0.3	1020	0.10	<0.05	1.7	0.038	0.29
K304343		530	8.4	80.5	<0.002	0.40	2.21	6.7	3	1.3	564	0.43	<0.05	7.3	0.162	0.72
K304344		170	5.8	17.8	<0.002	0.08	0.71	1.8	2	0.3	1420	0.09	<0.05	1.6	0.033	0.31
K304345		180	1.5	2.3	<0.002	0.01	0.06	0.5	2	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	<0.02
K304346		240	6.4	27.3	<0.002	0.14	1.04	2.6	1	0.6	987	0.15	<0.05	2.9	0.067	0.49
K304347		430	9.4	74.8	<0.002	0.32	0.75	6.4	2	1.4	385	0.44	<0.05	7.2	0.171	0.60
K304348		900	16.8	42.9	0.003	3.08	114.0	16.5	2	3.0	510	0.71	0.14	8.5	0.539	7.84
K304349		180	4.1	26.6	0.003	0.18	1.20	2.7	1	0.7	749	0.17	<0.05	2.8	0.065	0.40
K304350		280	5.7	35.9	<0.002	0.31	0.42	3.4	1	0.7	724	0.19	<0.05	3.7	0.085	0.35
K304351		230	5.1	29.9	0.002	0.12	0.81	3.1	1	0.7	894	0.17	<0.05	3.1	0.072	0.63
K304352		560	8.0	70.0	0.003	0.27	1.46	6.3	2	1.4	411	0.40	<0.05	6.7	0.160	0.81
K304353		240	4.5	33.9	0.003	0.03	2.55	3.4	1	0.8	699	0.21	<0.05	3.6	0.081	1.07
K304354		360	7.2	58.3	<0.002	0.16	1.21	4.8	2	1.1	327	0.33	<0.05	5.5	0.130	1.08
K304355		350	6.0	57.9	<0.002	0.19	1.00	4.7	2	1.1	558	0.31	<0.05	4.9	0.120	0.54
K304356		190	1.3	1.2	0.004	0.01	0.05	0.2	<1	0.2	42.3	<0.05	<0.05	<0.2	<0.005	<0.02
K304357		390	6.9	61.3	<0.002	0.17	0.43	5.1	2	1.2	473	0.31	<0.05	5.1	0.128	0.40
K304358		490	7.7	78.3	0.002	0.14	0.92	6.4	2	1.4	329	0.41	<0.05	7.6	0.183	0.71
K304359		320	6.4	48.4	0.002	0.11	0.33	4.3	2	1.1	499	0.30	<0.05	5.0	0.116	0.35
K304360		330	7.7	57.5	0.002	0.08	0.69	5.0	2	1.1	598	0.33	<0.05	5.3	0.129	0.31
K304361		350	6.7	69.6	0.002	0.07	0.80	5.7	2	1.3	339	0.37	<0.05	6.5	0.151	0.39
K304362		400	6.7	72.7	0.002	0.09	0.52	6.6	2	1.4	322	0.43	<0.05	7.2	0.171	0.42
K304363		510	8.8	90.6	<0.002	0.29	0.51	8.1	2	1.6	336	0.52	<0.05	8.8	0.211	0.93
K304364		610	8.6	91.6	<0.002	0.33	0.43	9.4	3	1.9	462	0.58	<0.05	9.3	0.232	0.64
K304365		870	36.7	42.3	0.022	1.52	97.7	5.2	3	2.5	66.0	0.38	0.19	5.5	0.166	3.76
K304366		410	7.4	73.0	0.003	0.08	0.87	6.5	2	1.4	410	0.44	<0.05	7.1	0.178	0.43
K304367		420	9.0	72.1	<0.002	0.10	0.76	6.9	2	1.5	373	0.42	<0.05	7.6	0.180	0.36
K304368		530	12.2	75.6	0.005	0.30	0.66	7.6	4	1.7	280	0.50	<0.05	9.0	0.207	0.45
K304369		450	9.3	63.4	<0.002	0.40	0.29	7.0	3	1.6	332	0.50	<0.05	7.8	0.190	0.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204327

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304334		5.1	55	1.5	12.9	20	92.9
K303435		3.0	72	0.8	22.1	46	54.5
K304336		6.9	26	0.6	9.8	40	57.5
K304337		8.1	48	0.5	9.3	18	35.1
K304338		9.0	49	1.3	9.9	15	44.2
K304339		8.7	49	1.3	9.9	14	44.7
K304340		10.1	47	0.4	7.7	15	30.1
K304341		5.0	14	0.2	4.3	5	21.0
K304342		6.1	16	0.3	4.8	9	25.2
K304343		8.8	60	0.8	13.2	19	80.2
K304344		12.1	16	0.3	4.2	5	14.2
K304345		0.6	3	0.1	0.9	13	0.5
K304346		11.3	26	0.4	5.8	13	29.3
K304347		5.9	67	0.8	12.0	20	84.5
K304348		6.9	164	22.4	13.5	43	164.0
K304349		11.1	25	0.4	5.6	14	28.5
K304350		11.7	30	0.4	6.5	11	31.1
K304351		12.2	29	0.4	5.4	10	28.1
K304352		8.2	66	1.1	11.9	14	78.1
K304353		10.8	30	0.5	7.3	18	33.8
K304354		5.0	45	0.6	9.3	9	51.2
K304355		7.8	41	0.5	8.8	20	42.6
K304356		0.6	3	0.1	0.7	13	<0.5
K304357		7.1	43	0.5	9.1	26	44.2
K304358		5.0	59	1.3	11.9	33	84.7
K304359		8.9	39	0.5	8.6	34	41.1
K304360		7.2	40	0.5	9.0	34	46.7
K304361		5.8	50	0.6	10.2	36	59.6
K304362		4.0	50	0.7	11.9	49	61.9
K304363		4.7	66	0.9	14.5	65	77.2
K304364		4.1	71	0.9	15.5	80	76.5
K304365		7.6	224	25.4	17.4	204	60.6
K304366		5.0	60	0.8	11.9	67	62.5
K304367		5.1	58	0.7	12.6	58	66.4
K304368		4.8	65	0.8	14.1	70	76.8
K304369		4.9	56	0.8	12.6	70	63.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204327

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

CERTIFICATE WH11200487

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 237 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200487

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303325		8.20	<0.01	0.05	6.33	50.1	230	1.61	0.22	3.56	0.02	66.0	17.0	69	34.9	54.3
K303326		7.80	<0.01	0.06	6.14	220	210	1.55	0.22	3.56	<0.02	69.5	17.1	60	27.7	49.3
K303327		4.62	<0.01	0.05	5.22	3.6	230	1.07	0.21	2.67	<0.02	56.7	13.8	59	39.2	45.1
K303328		5.01	<0.01	0.02	0.14	<5	20	0.08	0.02	20.0	0.04	1.46	1.2	2	0.59	4.0
K303329		4.54	<0.01	0.06	5.14	4.8	190	1.14	0.17	2.14	<0.02	53.4	15.5	61	34.4	44.2
K303330		8.89	<0.01	0.07	5.74	25.2	330	1.16	0.19	3.37	0.06	60.5	16.7	65	43.0	48.2
K303331		8.57	0.02	0.05	6.99	223	220	2.07	0.23	2.36	0.15	69.6	19.8	75	40.8	47.2
K303332		0.26	0.33	0.29	5.98	598	1950	0.60	0.26	0.44	0.18	135.0	2.8	223	3.54	29.7
K303333		8.53	0.01	0.10	6.50	139.0	230	2.08	0.20	2.73	0.07	68.8	19.9	69	42.1	44.0
K303334		6.39	<0.01	0.09	7.18	88.5	230	2.05	0.22	1.79	0.09	71.3	23.3	79	54.5	51.5
K303335		5.35	<0.01	0.08	6.99	36.6	260	1.77	0.23	4.01	0.05	73.4	25.0	75	70.9	49.3
K303336		1.97	<0.01	0.02	3.60	49	140	1.06	0.16	20.8	0.06	38.6	11.9	29	28.5	26.0
K303337		9.11	<0.01	0.03	3.21	21	380	0.76	0.13	21.9	0.04	35.5	12.0	25	15.05	25.0
K303338		6.72	0.01	0.03	4.95	45	150	1.19	0.20	16.05	0.06	57.0	17.5	37	19.90	33.8
K303339		9.41	<0.01	0.04	3.70	45	120	0.86	0.15	20.4	0.04	43.6	14.7	29	12.90	27.5
K303340		7.97	<0.01	0.05	2.24	44	130	0.54	0.10	26.5	0.06	29.5	8.4	18	8.24	19.7
K303341		3.25	<0.01	0.06	1.86	35	110	0.34	0.07	27.2	0.03	25.2	7.0	15	6.24	15.9
K303342		8.02	2.53	0.41	3.10	253	190	0.67	0.14	21.3	0.25	38.8	10.4	26	10.05	24.6
K303343		2.17	2.21	0.55	2.39	351	140	0.58	0.11	25.8	0.12	29.7	8.7	21	6.62	20.9
K303344		0.26	7.74	0.43	3.49	1020	160	0.95	0.61	11.35	4.20	45.6	6.2	92	7.17	34.2
K303345		4.81	1.07	0.44	1.11	337	110	0.38	0.05	32.5	0.08	14.40	4.2	10	3.05	9.6
K303346		5.04	0.02	0.01	0.16	8	30	0.07	0.02	20.8	0.07	1.47	1.6	3	0.57	3.4
K303347		1.72	7.18	2.77	1.59	>10000	170	0.31	0.07	16.65	2.84	26.2	5.0	17	3.35	15.8
K303348		7.91	0.69	0.22	1.01	908	150	0.29	0.04	30.3	0.21	14.05	3.5	10	3.09	11.3
K303349		8.94	0.04	0.05	1.39	231	150	0.37	0.06	30.5	0.12	20.6	4.8	13	5.16	15.6
K303350		7.41	0.13	0.01	0.78	101	200	0.41	0.04	33.8	0.08	12.60	3.0	8	2.23	8.4
K303351		8.40	0.21	0.02	0.85	977	140	0.43	0.04	34.0	0.11	13.75	3.3	9	3.20	9.1
K303352		8.42	<0.01	0.02	1.25	46	270	0.45	0.05	33.4	0.15	18.70	4.9	12	5.28	13.4
K303353		7.28	0.01	0.03	1.49	60	150	0.62	0.07	30.4	0.16	22.1	5.6	15	5.69	17.3
K303354		8.25	<0.01	0.02	1.43	47	250	0.64	0.06	32.4	0.16	19.55	5.4	15	4.38	15.2
K303355		7.98	<0.01	0.06	3.31	64	170	1.16	0.15	23.8	0.25	40.8	12.6	33	12.60	36.2
K303356		8.01	0.14	0.04	4.34	120	440	1.41	0.18	18.85	0.23	52.1	14.9	40	17.00	42.7
K303357		8.26	0.02	0.03	1.88	68	190	0.70	0.09	30.8	0.18	27.3	6.7	18	5.68	18.7
K303358		8.29	<0.01	0.05	2.47	25	200	0.62	0.11	29.3	0.19	34.1	8.1	24	11.05	23.5
K303359		8.82	<0.01	0.02	1.89	26	270	0.66	0.08	30.3	0.14	24.7	7.1	19	7.90	18.7
K303360		8.54	<0.01	0.02	1.43	43	710	0.43	0.06	31.9	0.13	18.00	5.5	15	4.37	15.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200487

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303325		5.02	16.30	0.11	3.0	0.12	0.062	2.74	31.0	90.6	2.15	681	0.21	0.04	10.5	34.4
K303326		4.68	16.40	0.13	2.9	0.50	0.063	2.71	31.5	63.0	1.80	620	0.27	0.04	10.4	32.7
K303327		4.04	13.60	0.09	2.6	0.06	0.055	2.20	26.5	69.6	1.52	453	0.22	0.03	8.4	27.9
K303328		0.48	0.38	0.10	<0.1	<0.01	<0.005	0.06	0.7	1.7	12.50	215	0.07	0.01	0.2	3.0
K303329		4.04	13.35	0.09	2.6	0.08	0.055	2.20	24.8	65.8	1.52	399	0.23	0.03	8.4	28.6
K303330		4.73	15.40	0.10	2.7	0.21	0.065	2.49	29.7	70.4	1.96	554	0.37	0.06	9.7	31.9
K303331		4.39	18.45	0.10	3.0	0.47	0.071	3.22	34.3	29.4	1.05	548	0.24	0.02	9.7	31.0
K303332		6.40	20.2	0.13	4.2	9.3	0.053	1.28	63.3	17.5	0.12	35	6.52	0.34	9.6	16.2
K303333		4.44	17.80	0.13	2.8	0.46	0.072	3.04	33.3	26.6	1.08	474	0.35	0.02	9.4	30.5
K303334		4.77	21.1	0.12	2.9	0.45	0.087	3.33	32.5	41.0	1.17	466	0.29	0.03	11.0	35.2
K303335		4.77	19.25	0.12	3.0	2.5	0.081	3.12	34.8	61.1	1.66	869	0.59	0.03	9.9	38.1
K303336		2.36	9.09	0.06	1.6	0.56	0.044	1.65	20.7	8.8	1.32	592	0.63	0.02	5.3	17.6
K303337		2.01	8.13	0.06	1.4	0.22	0.037	1.47	20.9	8.7	1.50	585	0.50	0.02	4.5	16.3
K303338		2.82	12.65	0.06	2.1	0.30	0.052	2.25	30.3	11.7	1.42	651	0.50	0.03	7.0	23.2
K303339		2.32	9.72	0.05	1.7	0.29	0.043	1.69	25.7	8.1	1.20	694	0.69	0.02	5.4	18.0
K303340		1.42	5.85	0.05	1.1	0.8	0.025	1.03	16.5	5.9	0.88	459	0.79	0.02	3.2	11.3
K303341		1.22	4.48	0.06	0.9	0.63	0.022	0.85	14.0	4.8	0.74	494	0.56	0.02	2.6	9.3
K303342		1.98	7.49	0.13	1.8	2.90	0.029	1.40	20.0	10.6	0.77	1000	0.87	0.02	5.1	12.7
K303343		1.47	6.77	0.12	1.2	5.14	0.022	1.08	16.0	11.0	0.63	1540	1.16	0.01	3.7	7.6
K303344		1.35	7.86	0.16	2.3	5.35	0.065	1.46	27.8	13.2	0.69	264	12.00	0.01	8.2	67.0
K303345		0.73	3.21	0.09	0.6	2.25	0.013	0.43	7.5	6.5	0.40	1880	0.26	0.01	1.9	<0.2
K303346		0.49	0.55	0.19	<0.1	0.02	0.005	0.07	0.7	1.6	12.90	229	0.08	0.01	0.3	3.4
K303347		1.22	4.98	0.11	0.8	13.8	0.044	0.54	12.4	28.5	0.15	2180	0.68	0.01	2.2	5.1
K303348		0.65	2.76	0.11	0.4	2.52	0.011	0.44	7.5	5.7	0.63	974	0.52	0.01	1.5	5.5
K303349		0.85	3.68	0.12	0.6	1.75	0.016	0.63	11.0	5.3	0.63	199	0.58	0.01	2.2	7.8
K303350		0.56	2.24	0.10	0.4	1.25	0.008	0.34	5.9	4.0	0.67	296	0.35	0.01	1.4	<0.2
K303351		0.56	2.38	0.10	0.4	1.08	0.009	0.38	6.5	4.8	0.55	401	0.59	0.01	1.5	<0.2
K303352		0.86	3.41	0.12	0.6	0.44	0.011	0.56	9.1	6.9	0.90	371	0.81	0.01	2.1	0.9
K303353		1.01	4.01	0.12	0.7	0.92	0.015	0.67	10.4	7.7	0.78	272	0.96	0.01	2.5	3.3
K303354		1.01	3.92	0.11	0.7	0.83	0.013	0.64	9.3	7.2	0.85	513	1.15	0.01	2.4	3.6
K303355		2.06	8.99	0.14	1.6	0.95	0.033	1.47	19.8	17.2	1.24	455	1.85	0.02	5.1	17.4
K303356		2.69	11.65	0.18	2.1	1.18	0.040	1.93	25.8	21.2	1.42	666	1.72	0.03	6.6	23.8
K303357		1.22	5.00	0.12	0.9	0.97	0.017	0.84	13.0	8.7	0.74	399	0.75	0.02	3.0	5.3
K303358		1.51	6.16	0.12	1.1	0.19	0.024	1.10	17.1	11.4	0.77	279	0.85	0.03	3.8	12.2
K303359		1.28	5.06	0.13	0.9	0.21	0.016	0.85	11.8	10.4	0.71	410	0.53	0.02	3.1	6.5
K303360		1.00	3.92	0.10	0.7	0.35	0.013	0.64	8.1	6.2	0.58	303	0.42	0.02	2.5	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200487

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303325		740	12.8	160.5	<0.002	0.59	0.43	17.8	1	2.0	98.9	0.70	<0.05	10.4	0.500	1.20
K303326		590	15.5	154.5	<0.002	2.32	0.94	16.9	1	2.0	108.0	0.71	0.06	11.1	0.463	3.61
K303327		390	10.3	131.0	<0.002	0.27	0.37	14.0	1	1.7	84.3	0.59	0.05	8.9	0.419	0.85
K303328		190	1.2	3.4	<0.002	0.02	0.09	0.4	1	0.2	41.9	<0.05	<0.05	<0.2	0.006	0.04
K303329		370	11.0	129.5	<0.002	0.32	0.38	13.6	2	1.8	70.3	0.57	<0.05	8.5	0.421	0.83
K303330		500	17.1	143.0	<0.002	0.62	0.55	15.9	1	1.9	112.0	0.65	0.05	9.8	0.435	1.13
K303331		270	15.5	174.0	<0.002	2.80	1.13	19.7	1	2.5	101.0	0.68	0.05	11.0	0.425	3.69
K303332		880	17.0	46.3	0.003	2.99	114.0	15.4	1	2.9	496	0.69	0.15	10.3	0.526	8.04
K303333		270	21.2	164.0	0.003	1.81	1.05	17.4	1	2.4	117.0	0.66	<0.05	10.8	0.396	2.71
K303334		260	22.0	182.0	<0.002	1.98	0.90	19.8	1	2.5	93.9	0.75	<0.05	10.8	0.437	3.18
K303335		270	16.3	175.0	0.002	0.75	0.67	18.9	1	2.3	178.0	0.68	<0.05	11.5	0.420	1.41
K303336		250	10.6	76.7	0.002	1.62	0.64	9.0	2	1.2	823	0.35	0.09	5.9	0.189	1.99
K303337		310	8.8	67.7	0.002	1.33	0.68	8.2	1	1.1	616	0.29	0.06	5.1	0.161	2.03
K303338		290	13.1	102.0	<0.002	2.16	0.75	12.0	1	1.5	454	0.47	0.09	8.2	0.262	2.45
K303339		250	10.3	78.1	<0.002	1.60	0.70	9.7	2	1.2	592	0.37	<0.05	6.2	0.199	3.34
K303340		170	6.5	46.4	0.005	1.10	0.46	5.9	2	0.7	1335	0.21	0.08	4.0	0.117	4.23
K303341		150	5.0	37.4	<0.002	0.93	0.38	5.1	1	0.7	1380	0.18	0.06	3.1	0.099	3.15
K303342		180	12.3	63.7	0.002	1.79	5.26	7.6	2	1.0	875	0.35	0.06	5.8	0.189	7.81
K303343		130	8.1	52.9	0.003	1.58	7.58	8.3	3	0.7	964	0.24	<0.05	3.9	0.125	12.60
K303344		4160	4.7	116.5	0.037	1.36	18.75	8.0	10	1.7	148.5	0.55	0.51	6.1	0.212	13.10
K303345		200	3.9	21.2	<0.002	0.79	4.42	4.7	2	0.3	1165	0.11	<0.05	1.8	0.058	6.86
K303346		190	1.4	4.5	<0.002	0.01	0.17	0.6	1	0.2	51.7	<0.05	<0.05	<0.2	0.007	0.06
K303347		740	9.7	30.3	0.002	2.36	70.9	7.0	4	0.6	1135	0.15	0.07	2.4	0.072	26.8
K303348		500	3.4	22.3	<0.002	0.69	3.78	3.3	1	0.5	1760	0.09	0.05	1.6	0.050	5.58
K303349		200	4.3	31.4	0.003	0.86	1.83	4.1	2	0.6	2240	0.14	0.06	2.2	0.070	5.03
K303350		620	2.8	16.0	0.002	0.50	0.82	3.0	2	0.3	2080	0.08	<0.05	1.4	0.040	2.80
K303351		580	3.1	18.5	0.002	0.58	2.21	3.1	3	0.3	1905	0.09	<0.05	1.5	0.044	2.47
K303352		430	4.2	27.3	0.003	0.79	0.32	4.5	3	0.4	1795	0.12	<0.05	2.2	0.064	1.47
K303353		470	5.0	32.0	0.003	0.92	0.45	5.1	3	0.6	1955	0.15	<0.05	2.6	0.079	1.23
K303354		330	5.0	30.4	0.004	0.83	0.65	4.7	3	0.6	1985	0.15	<0.05	2.5	0.078	0.72
K303355		360	10.5	72.0	0.007	1.82	0.56	10.4	3	1.0	1665	0.34	0.05	5.2	0.179	1.28
K303356		260	12.7	93.5	0.007	2.24	1.49	13.7	3	1.4	1350	0.45	0.06	6.7	0.243	1.90
K303357		750	6.1	39.3	0.004	1.02	1.11	5.9	3	0.6	2190	0.19	<0.05	3.3	0.098	1.20
K303358		230	8.4	51.4	0.004	1.36	0.34	6.6	3	0.8	2030	0.24	<0.05	4.5	0.136	1.75
K303359		440	5.7	40.8	0.002	1.09	0.24	6.5	3	0.6	1770	0.19	<0.05	2.9	0.113	0.98
K303360		630	4.3	29.6	0.002	0.80	0.30	4.8	3	0.5	2060	0.14	<0.05	2.3	0.084	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200487

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K303325		1.8	129	1.3	21.5	59	105.5	
K303326		2.1	119	2.2	20.5	58	100.0	
K303327		1.7	107	0.9	15.7	47	86.3	
K303328		0.5	3	0.1	0.9	14	0.9	
K303329		1.6	109	0.8	15.2	49	84.0	
K303330		1.9	117	1.0	19.0	63	94.8	
K303331		2.1	136	2.7	19.6	110	101.0	
K303332		7.8	163	22.3	13.5	43	165.0	
K303333		2.2	122	1.8	18.7	95	92.2	
K303334		2.0	135	1.8	18.9	111	101.5	
K303335		2.0	125	1.3	20.7	87	105.5	
K303336		2.1	54	0.7	15.6	51	56.3	
K303337		1.9	47	0.5	14.0	41	49.8	
K303338		2.3	73	0.7	18.2	62	73.7	
K303339		2.2	57	0.6	17.4	44	60.8	
K303340		2.4	33	0.5	13.8	29	39.2	
K303341		2.0	27	0.4	12.6	24	32.8	
K303342		2.9	47	1.7	17.5	50	61.5	
K303343		3.3	38	1.9	16.1	29	39.3	
K303344		7.7	392	36.2	29.2	285	78.1	
K303345		2.1	17	1.1	13.7	19	19.0	
K303346		0.6	4	0.1	1.1	14	0.7	
K303347		5.2	30	2.1	25.5	189	26.8	2.07
K303348		2.3	16	1.0	13.4	22	17.0	
K303349		2.8	21	0.9	17.3	20	22.4	
K303350		2.5	14	0.6	13.0	10	14.1	
K303351		2.7	15	0.4	12.1	11	14.9	
K303352		2.7	21	0.4	14.3	20	21.2	
K303353		2.9	26	0.7	15.2	20	25.0	
K303354		2.8	26	1.2	13.7	19	24.8	
K303355		3.6	59	0.9	22.9	47	53.5	
K303356		2.9	75	1.1	24.8	63	69.1	
K303357		2.9	30	0.8	18.6	26	31.4	
K303358		3.2	40	0.5	19.6	35	37.3	
K303359		2.4	31	0.4	17.7	25	31.4	
K303360		2.3	24	0.5	13.5	19	24.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200487

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

CERTIFICATE WH11200488

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 238 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200488

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303945		3.07	0.02	0.08	6.70	414	390	1.74	0.27	2.39	0.18	73.6	21.5	69	25.3	64.3
K303946		7.88	0.01	0.06	6.15	278	330	1.51	0.26	2.49	0.07	66.4	15.8	63	22.9	59.4
K303947		7.47	<0.01	0.07	6.79	51.1	420	2.00	0.28	2.86	0.30	74.0	18.3	69	29.8	60.6
K303948		7.01	<0.01	0.07	7.45	44.1	210	2.20	0.31	1.83	0.12	79.8	21.9	76	38.2	64.5
K303949		2.84	<0.01	0.08	7.61	42.7	210	2.21	0.32	1.81	0.10	82.6	25.0	76	39.4	69.1
K303950		7.93	<0.01	0.09	5.96	44.4	160	1.57	0.23	2.43	0.07	63.8	20.6	76	35.1	60.1
K303951		7.69	<0.01	0.08	6.32	80.3	330	1.90	0.27	3.53	0.06	67.0	15.9	62	31.1	49.0
K303952		7.39	0.21	0.04	6.91	367	340	2.49	0.22	1.90	0.09	69.0	19.8	76	31.5	60.6
K303953		7.96	0.01	0.08	5.46	94.2	180	1.60	0.22	2.30	0.02	63.1	16.0	65	24.4	47.6
K303954		0.23	0.33	0.35	6.04	590	1310	0.61	0.27	0.46	0.19	139.5	2.8	231	3.74	32.8
K303955		7.43	<0.01	0.05	4.69	15.4	160	1.23	0.19	2.16	0.03	53.9	13.7	62	24.1	41.9
K303956		7.97	<0.01	0.05	5.46	23.8	180	1.42	0.21	2.65	0.03	60.3	14.6	71	28.7	52.5
K303957		8.54	<0.01	0.09	5.13	46.7	160	1.33	0.21	2.19	0.04	58.7	18.7	69	25.0	47.1
K303958		7.56	<0.01	0.07	5.79	122.0	280	2.31	0.21	2.30	0.10	63.1	18.2	72	28.6	46.6
K303959		8.06	0.06	0.05	6.30	618	190	2.04	0.22	1.72	0.03	67.7	19.1	74	25.5	51.2
K303960		4.25	0.01	0.08	7.53	370	330	2.56	0.27	1.83	0.06	82.9	27.8	85	28.8	49.7
K303961		3.09	<0.01	0.02	3.84	357	400	1.01	0.12	16.25	0.03	40.2	10.3	44	17.65	26.3
K303962		9.86	<0.01	0.04	6.33	92.8	190	2.11	0.27	7.18	0.07	62.3	25.2	56	25.8	52.5
K303963		0.23	15.90	0.85	1.89	1040	250	0.38	0.56	14.60	0.59	28.7	3.9	34	2.26	60.4
K303964		7.56	0.01	0.02	3.84	37	550	1.07	0.18	17.00	0.06	39.8	15.8	33	18.85	29.2
K303965		7.77	0.66	0.02	4.61	333	140	0.98	0.22	15.80	0.13	48.1	17.4	40	22.3	36.3
K303966		5.40	3.55	<0.01	3.27	2100	140	0.53	0.16	13.05	0.14	41.2	11.2	31	9.31	25.2
K303967		2.40	4.30	0.01	4.43	>10000	180	0.72	0.24	4.01	0.21	55.5	15.6	47	14.80	43.4
K303968		2.69	1.51	0.02	2.00	>10000	120	0.38	0.12	1.58	0.14	36.1	7.7	22	6.11	22.7
K303969		3.25	0.02	<0.01	0.98	213	150	0.32	0.05	31.5	0.05	15.75	3.5	9	4.03	8.1
K303970		6.81	0.01	<0.01	0.78	107	90	0.21	0.04	31.8	0.03	11.60	2.9	7	2.87	6.8
K303971		5.01	0.01	0.01	0.08	7	20	0.07	0.08	20.9	0.05	1.16	1.7	1	0.26	1.3
K303972		4.02	0.61	0.06	2.52	>10000	90	0.45	0.14	11.65	0.12	28.2	8.7	27	7.55	22.6
K303973		4.68	0.09	0.01	1.04	6400	100	0.27	0.05	31.5	0.04	13.55	3.6	10	3.81	9.6
K303974		5.94	1.32	0.04	5.20	5720	160	1.02	0.30	4.78	0.14	66.8	17.4	52	19.90	47.2
K303975		7.48	2.03	0.01	4.56	>10000	150	0.91	0.23	0.51	0.23	64.8	22.9	63	13.75	39.3
K303976		7.80	4.51	0.05	4.47	>10000	120	0.91	0.25	0.64	0.27	67.7	17.2	55	15.65	40.8
K303977		4.18	4.69	0.02	4.20	>10000	140	0.81	0.24	2.89	0.25	55.1	15.5	48	15.65	41.1
K303978		3.19	5.99	0.03	2.02	>10000	90	0.31	0.13	2.35	0.22	48.8	7.1	28	5.03	23.7
K303979		5.00	<0.01	<0.01	0.11	16	20	0.07	0.03	20.6	0.06	1.18	1.6	1	0.75	1.1
K303980		2.31	3.18	0.01	1.05	8960	70	0.19	0.06	21.4	0.10	25.3	3.8	14	2.63	10.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200488

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303945		5.05	19.35	0.21	3.3	2.02	0.075	2.94	39.6	21.5	1.38	546	1.01	0.03	12.4	39.6
K303946		4.88	17.50	0.17	3.1	1.61	0.069	2.59	35.8	21.6	1.42	567	0.69	0.03	11.3	33.5
K303947		5.52	19.50	0.22	3.3	0.71	0.079	3.03	40.3	30.0	1.71	750	0.86	0.03	12.2	38.4
K303948		5.32	21.7	0.27	3.7	0.16	0.077	3.42	39.1	28.6	2.07	472	0.56	0.04	13.4	41.6
K303949		5.54	22.1	0.26	3.7	0.18	0.085	3.52	40.4	29.3	2.07	464	0.62	0.04	13.8	43.9
K303950		4.86	17.05	0.21	3.1	0.16	0.071	2.62	34.3	66.6	2.15	546	0.65	0.03	11.2	39.2
K303951		4.99	18.10	0.20	3.0	0.82	0.071	2.90	36.7	23.7	2.24	598	1.22	0.03	10.1	32.5
K303952		4.06	20.7	0.24	3.1	1.71	0.064	3.19	37.6	18.5	1.27	594	0.46	0.02	10.1	34.2
K303953		4.43	15.60	0.20	2.9	0.73	0.060	2.46	34.1	34.8	1.30	489	1.02	0.03	10.1	30.6
K303954		6.53	21.3	0.27	4.4	9.4	0.049	1.32	67.0	19.4	0.12	36	6.56	0.37	10.8	17.5
K303955		3.89	13.40	0.18	2.5	0.27	0.053	2.08	29.2	59.9	1.61	467	0.79	0.03	8.4	26.9
K303956		4.31	15.55	0.19	2.8	0.36	0.064	2.46	32.4	46.5	1.93	534	0.88	0.03	10.1	32.0
K303957		3.95	14.95	0.20	2.8	0.54	0.053	2.34	32.0	36.5	1.57	407	1.02	0.02	9.5	33.2
K303958		4.21	17.55	0.21	2.8	1.00	0.056	2.73	34.2	20.5	1.21	403	0.98	0.02	9.3	32.5
K303959		4.92	18.90	0.21	3.0	4.80	0.064	2.90	36.9	18.2	1.00	495	0.60	0.02	10.0	34.4
K303960		5.02	23.3	0.26	3.5	4.44	0.083	3.54	40.5	18.4	0.92	406	0.56	0.03	12.0	42.2
K303961		3.75	9.92	0.09	1.7	2.79	0.041	1.72	20.9	8.4	1.19	1050	0.44	0.03	5.8	16.4
K303962		4.09	18.45	0.24	2.5	2.40	0.064	2.99	30.2	13.5	2.52	1710	0.81	0.04	8.9	59.2
K303963		3.42	4.26	0.14	0.8	6.51	0.053	0.39	18.2	37.9	0.68	438	13.00	0.01	3.5	19.3
K303964		3.12	11.00	0.15	1.7	0.78	0.041	1.82	21.9	7.5	2.42	1060	0.76	0.03	5.9	21.5
K303965		3.02	13.15	0.16	2.1	6.24	0.053	2.10	26.8	11.7	1.11	699	0.83	0.03	6.7	22.3
K303966		2.09	9.86	0.13	2.0	21.1	0.023	1.47	24.5	13.7	0.28	821	1.22	0.02	5.5	13.7
K303967		3.98	14.05	0.19	2.1	>100	0.066	1.95	29.8	21.8	0.38	430	1.57	0.02	6.6	24.9
K303968		2.92	7.12	0.16	0.9	>100	0.069	0.90	20.4	30.6	0.17	203	0.58	0.01	3.0	12.5
K303969		0.67	2.89	0.10	0.5	5.91	0.011	0.46	8.8	3.4	0.23	196	0.18	0.02	1.7	1.0
K303970		0.51	2.24	0.11	0.3	3.70	0.009	0.37	6.4	2.5	0.35	200	0.15	0.01	1.4	<0.2
K303971		0.47	0.52	0.28	<0.1	0.04	<0.005	0.03	0.6	1.3	12.60	205	0.06	0.01	0.3	0.6
K303972		2.05	7.62	0.12	1.2	53.2	0.029	1.17	16.0	21.0	0.23	355	0.81	0.01	3.7	12.5
K303973		0.68	3.08	0.10	0.5	11.0	0.016	0.48	7.3	4.1	0.28	283	0.65	0.01	1.7	1.7
K303974		3.52	16.50	0.21	2.4	93.4	0.049	2.41	35.2	25.9	0.42	321	3.04	0.02	7.8	30.5
K303975		3.60	15.00	0.22	2.1	81.8	0.057	2.08	31.1	30.8	0.31	132	1.84	0.02	6.7	45.3
K303976		6.37	14.20	0.24	2.2	>100	0.074	2.01	31.9	32.3	0.29	143	1.78	0.01	6.7	26.5
K303977		3.52	13.35	0.17	2.0	69.5	0.054	1.88	29.2	30.9	0.32	296	2.19	0.02	6.1	24.5
K303978		2.61	6.87	0.15	1.0	79.2	0.049	0.91	25.7	41.3	0.16	246	1.40	0.01	3.0	12.8
K303979		0.48	0.49	0.20	<0.1	0.20	0.006	0.06	0.6	1.7	12.45	213	0.11	0.01	0.5	4.0
K303980		1.04	3.44	0.09	0.5	36.1	0.024	0.48	12.8	15.5	0.20	733	0.80	0.01	1.7	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200488

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303945		740	12.3	141.5	<0.002	4.65	2.47	19.3	2	2.5	241	0.82	0.05	11.4	0.518	7.56
K303946		610	13.2	128.0	<0.002	4.49	1.63	17.7	2	2.4	200	0.77	0.06	10.6	0.477	6.14
K303947		730	28.9	150.5	<0.002	3.96	0.63	19.1	2	2.5	218	0.85	<0.05	11.5	0.501	4.56
K303948		560	24.8	177.5	<0.002	1.03	0.53	21.2	3	2.7	97.2	0.93	0.05	12.7	0.529	1.35
K303949		570	28.5	181.0	<0.002	1.32	0.49	21.6	3	3.0	97.2	0.94	0.07	13.2	0.540	1.69
K303950		480	18.3	139.0	<0.002	0.44	0.50	18.0	2	2.1	91.4	0.74	<0.05	10.0	0.523	1.07
K303951		550	15.7	154.5	0.002	2.58	0.47	17.7	2	2.4	121.0	0.71	<0.05	10.7	0.399	3.94
K303952		320	18.1	161.0	0.003	3.46	3.40	21.6	2	2.5	139.0	0.71	<0.05	10.8	0.420	5.01
K303953		670	12.1	126.5	<0.002	3.45	0.84	15.3	2	1.8	95.1	0.69	0.05	9.9	0.420	3.44
K303954		880	18.1	55.4	0.003	2.97	113.5	16.5	3	2.8	489	0.77	0.15	10.0	0.550	8.08
K303955		350	12.2	107.5	<0.002	0.43	0.45	13.1	2	1.7	78.9	0.59	<0.05	8.3	0.368	0.94
K303956		520	10.8	125.5	<0.002	0.71	0.37	15.6	2	1.9	99.9	0.68	0.05	9.5	0.437	1.40
K303957		380	15.5	116.0	<0.002	0.87	0.50	14.6	2	1.7	108.0	0.65	0.06	9.4	0.408	1.54
K303958		330	18.0	131.0	<0.002	3.33	0.56	17.8	2	2.0	115.5	0.64	0.05	9.7	0.382	2.84
K303959		280	14.9	141.5	0.002	4.37	0.88	19.6	2	2.0	98.5	0.69	<0.05	10.4	0.425	10.15
K303960		270	22.2	172.5	0.002	4.42	0.70	21.6	2	2.7	96.8	0.83	<0.05	13.0	0.463	8.96
K303961		120	7.8	96.8	<0.002	2.57	0.40	9.5	2	1.2	575	0.39	<0.05	5.7	0.235	5.70
K303962		570	12.4	133.5	0.002	2.55	0.68	17.7	2	2.1	174.0	0.70	0.06	9.9	0.342	3.88
K303963		640	20.0	26.6	0.007	1.91	142.5	4.2	3	1.8	43.5	0.25	0.32	3.6	0.108	3.47
K303964		270	13.7	78.6	<0.002	1.69	0.55	10.8	2	1.3	464	0.44	0.06	6.3	0.221	1.29
K303965		270	15.0	93.4	0.003	2.52	2.97	11.8	2	1.4	444	0.52	0.09	7.6	0.260	13.30
K303966		150	11.7	64.9	0.002	2.37	11.05	8.4	2	1.2	367	0.44	<0.05	6.3	0.217	39.6
K303967		370	15.9	91.0	0.004	6.51	17.00	7.9	3	2.3	305	0.54	0.08	8.0	0.258	185.0
K303968		420	8.0	55.7	0.002	5.33	9.07	3.0	3	1.5	171.5	0.22	<0.05	3.6	0.110	194.0
K303969		170	3.3	23.6	<0.002	0.67	0.29	3.7	2	0.4	1775	0.11	<0.05	1.7	0.053	5.97
K303970		200	2.7	18.7	<0.002	0.52	0.25	2.4	2	0.3	1245	0.09	<0.05	1.3	0.042	4.55
K303971		180	1.3	1.9	<0.002	0.01	0.05	0.4	1	<0.2	47.4	<0.05	<0.05	<0.2	<0.005	0.04
K303972		1890	8.6	51.7	0.003	3.21	1.89	5.5	2	1.0	327	0.28	<0.05	4.2	0.138	62.0
K303973		320	3.8	25.9	0.002	1.16	0.52	4.5	2	0.4	1045	0.12	<0.05	1.8	0.056	15.75
K303974		1020	17.4	119.0	0.009	4.12	3.34	8.4	3	1.9	206	0.62	0.07	9.6	0.289	140.0
K303975		600	16.4	100.0	0.003	4.17	14.40	6.9	2	2.0	138.0	0.55	0.07	8.4	0.264	201
K303976		360	18.8	94.9	0.002	5.97	45.5	6.7	2	2.1	112.5	0.54	0.09	8.4	0.267	381
K303977		1010	16.6	92.3	0.006	4.48	19.90	7.6	3	1.9	125.5	0.49	0.08	7.8	0.235	154.0
K303978		900	11.2	57.9	0.004	4.28	37.1	2.6	3	1.2	122.0	0.23	0.05	4.5	0.110	161.0
K303979		180	1.4	4.4	<0.002	0.01	0.10	0.4	2	<0.2	41.5	<0.05	<0.05	<0.2	<0.005	0.15
K303980		520	4.9	28.7	0.002	1.62	20.5	5.0	2	0.6	568	0.12	<0.05	2.1	0.058	59.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200488

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.1
K303945		2.5	139	8.1	24.1	140	112.0		
K303946		2.3	127	7.8	20.6	76	103.5		
K303947		2.5	135	3.3	24.4	279	107.5		
K303948		2.7	139	1.5	25.7	92	121.0		
K303949		2.8	141	1.5	26.0	88	122.5		
K303950		2.2	139	1.5	21.7	69	106.5		
K303951		2.3	118	2.3	21.6	65	103.0		
K303952		2.3	143	9.8	19.1	60	98.2		
K303953		2.2	111	2.7	21.5	57	100.5		
K303954		8.6	166	23.2	15.3	44	171.5		
K303955		1.8	97	1.2	16.2	48	86.5		
K303956		2.0	113	1.3	19.3	53	99.1		
K303957		2.0	109	1.1	17.5	52	95.7		
K303958		2.0	114	3.0	18.4	71	96.1		
K303959		2.1	132	12.0	20.2	75	100.0		
K303960		2.9	146	13.0	23.0	95	115.0		
K303961		1.0	65	5.6	15.7	44	57.0		
K303962		2.2	109	9.4	22.9	65	85.2		
K303963		3.1	107	215	16.4	75	31.6		
K303964		1.7	59	1.6	17.0	47	61.5		
K303965		2.1	73	1.8	18.5	136	71.1		
K303966		2.9	50	5.4	17.3	36	68.9		
K303967		5.5	74	7.2	22.2	66	72.2	5.31	117.0
K303968		3.2	32	3.1	19.9	45	36.3	5.97	123.5
K303969		1.8	13	1.3	12.5	43	17.2		
K303970		1.7	11	1.0	9.0	14	13.6		
K303971		0.5	2	0.1	0.9	14	<0.5		
K303972		5.3	37	4.2	19.7	49	46.0	2.23	
K303973		2.5	16	1.7	9.9	12	18.8		
K303974		6.3	93	8.8	37.9	61	84.8		
K303975		4.6	82	8.8	34.6	128	73.1	3.04	
K303976		3.8	79	8.7	31.9	105	73.2	4.47	162.0
K303977		6.0	72	7.2	29.7	106	71.6	2.43	
K303978		5.2	36	3.7	26.1	33	36.6	4.45	
K303979		0.7	2	0.1	0.9	12	<0.5		
K303980		3.4	17	2.1	16.7	16	20.2		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200488

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11205360

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 239 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305347		12.12	<0.01	0.07	5.15	9	180	1.29	0.18	19.20	0.03	56.3	8.5	35	10.50	19.6
K305348		12.09	<0.01	0.06	4.02	13	160	0.95	0.13	22.3	<0.02	46.2	6.0	26	8.22	14.1
K305349		11.16	<0.01	0.05	4.79	9	200	1.15	0.15	21.1	0.02	56.3	8.4	30	8.34	18.7
K305350		11.35	<0.01	0.03	4.35	6	190	1.23	0.16	17.90	0.03	50.2	7.6	28	8.42	16.1
K305351		11.04	<0.01	0.04	6.38	13	210	1.84	0.23	12.50	0.02	74.6	10.6	41	13.35	23.3
K305352		6.98	<0.01	0.01	0.08	<5	20	0.05	0.02	20.6	0.05	1.22	0.6	1	0.39	1.6
K305353		12.49	<0.01	0.05	6.70	14	220	1.59	0.27	11.00	0.03	74.6	11.2	49	15.55	24.4
K305354		12.04	<0.01	0.06	7.00	14.3	250	1.70	0.29	8.97	0.03	84.0	13.4	53	19.65	28.1
K305355		12.63	<0.01	0.22	7.76	23.7	280	1.79	0.34	7.75	0.02	92.3	14.8	61	19.05	31.3
K305356		11.43	<0.01	0.05	7.05	24	250	1.79	0.29	10.60	0.03	77.9	12.2	51	16.90	28.5
K305357		5.15	<0.01	0.04	6.47	20	240	1.66	0.24	12.60	0.05	72.4	10.9	44	15.20	25.4
K305358		12.49	<0.01	0.07	7.94	16.1	290	2.09	0.32	4.65	0.04	73.2	16.0	65	19.90	36.4
K305359		6.45	<0.01	0.06	8.19	23.4	280	1.99	0.31	6.31	0.04	86.1	14.5	63	19.80	32.1
K305360		7.25	<0.01	0.08	7.81	18.1	280	1.76	0.31	6.18	0.04	77.2	13.3	62	16.80	31.1
K305361		8.11	<0.01	0.05	5.88	9	200	1.25	0.21	15.45	0.06	62.5	9.1	38	12.35	22.0
K305362		7.51	<0.01	0.05	4.44	6	200	1.24	0.15	19.05	0.03	53.2	6.9	31	10.60	16.6
K305363		7.64	<0.01	0.03	3.13	<5	140	0.92	0.10	23.3	0.03	39.3	4.8	22	6.89	11.2
K305364		7.51	<0.01	0.04	4.11	15	240	0.88	0.16	21.3	0.04	46.4	6.3	28	7.58	14.6
K305365		9.03	<0.01	0.03	3.29	8	170	0.76	0.11	23.7	0.02	36.4	4.9	23	7.00	11.3
K305366		7.59	0.01	0.04	5.33	10	250	1.22	0.19	17.50	0.03	59.1	8.7	36	14.55	19.8
K305367		7.01	0.01	0.06	4.18	10	180	1.32	0.16	18.25	0.04	41.2	6.4	27	11.65	15.0
K305368		0.24	0.34	0.31	6.25	594	920	0.59	0.29	0.48	0.17	132.5	2.7	224	3.42	32.1
K305369		7.14	<0.01	0.08	5.74	15	380	1.43	0.23	10.00	0.05	63.4	11.8	45	18.55	23.0
K305370		7.75	<0.01	0.04	5.15	9	190	1.07	0.18	12.50	0.03	56.1	7.4	35	12.65	18.1
K305371		7.42	<0.01	0.04	4.97	10	280	1.15	0.18	11.90	0.05	58.0	7.0	35	15.80	15.7
K305372		0.24	2.70	1.12	3.28	591	890	0.74	0.34	8.14	2.27	51.0	6.5	52	3.96	44.1
K305373		7.98	<0.01	0.07	5.95	17	240	1.39	0.24	11.65	0.07	71.4	9.3	44	15.55	21.0
K305374		7.71	<0.01	0.04	4.21	13	170	0.99	0.14	18.35	0.04	43.8	6.1	29	10.25	14.3
K305375		7.51	<0.01	0.03	2.10	6	100	0.57	0.08	25.7	0.05	23.3	3.2	15	5.11	7.7
K305376		7.82	<0.01	0.05	3.50	8	130	0.92	0.13	21.4	0.02	42.8	5.3	24	8.47	11.9
K305377		7.75	<0.01	0.03	2.79	<5	110	0.83	0.11	24.8	0.02	35.1	4.1	18	7.05	9.0
K305378		8.12	<0.01	0.03	6.51	13	380	1.50	0.28	11.30	0.02	74.9	9.9	41	18.70	23.7
K305379		7.82	<0.01	0.06	5.98	10.9	210	1.41	0.24	9.70	0.02	70.2	9.4	39	15.60	21.4
K305380		7.78	<0.01	0.05	5.83	13	350	1.54	0.23	10.80	0.04	67.8	10.1	36	16.50	24.0
K305381		7.75	<0.01	0.04	6.92	8	230	1.54	0.29	11.70	0.04	75.0	11.6	47	20.9	26.2
K305382		5.03	<0.01	0.01	0.09	<5	20	0.08	0.02	20.6	0.06	1.08	0.6	1	0.28	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305347		2.42	12.85	0.15	1.7	0.04	0.030	1.81	29.6	60.6	1.16	437	0.58	0.37	5.9	20.7
K305348		1.89	9.61	0.13	1.3	0.03	0.026	1.35	23.0	45.0	0.79	417	0.37	0.41	4.3	15.6
K305349		1.94	11.70	0.16	1.3	0.03	0.028	1.53	27.1	72.7	0.99	429	0.45	0.44	4.7	18.1
K305350		2.24	10.50	0.15	1.3	0.03	0.025	1.54	25.2	80.5	1.93	625	0.34	0.19	4.5	17.2
K305351		2.82	15.85	0.17	2.0	0.04	0.040	2.26	38.8	110.5	1.94	571	0.43	0.38	6.6	23.1
K305352		0.47	0.25	0.10	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.25	213	0.10	0.01	0.1	1.4
K305353		2.94	16.50	0.16	2.0	0.05	0.034	2.35	38.2	100.5	1.54	588	0.42	0.47	7.2	26.4
K305354		3.16	17.95	0.16	2.2	0.06	0.039	2.56	43.6	101.0	1.15	540	0.46	0.43	7.9	30.4
K305355		3.51	19.20	0.18	2.5	0.08	0.054	2.99	47.8	115.0	1.39	708	0.56	0.35	8.2	32.1
K305356		2.83	17.95	0.17	1.9	0.05	0.040	2.53	42.8	126.0	2.17	724	0.47	0.38	7.4	28.1
K305357		2.84	15.50	0.15	1.9	0.05	0.036	2.27	39.2	96.7	2.43	819	0.46	0.35	6.4	26.4
K305358		3.11	21.6	0.17	2.3	0.06	0.050	3.02	38.2	133.0	1.36	453	0.37	0.69	9.0	33.5
K305359		3.29	21.4	0.18	2.5	0.07	0.052	2.87	46.4	115.0	1.45	523	0.59	0.75	8.7	32.0
K305360		3.37	19.40	0.16	2.4	0.06	0.053	2.73	43.3	82.7	1.42	493	0.72	0.80	8.3	31.9
K305361		2.51	13.80	0.11	1.7	0.04	0.034	1.93	33.3	60.8	1.79	485	0.68	0.67	5.7	21.6
K305362		2.07	11.00	0.12	1.4	0.04	0.024	1.57	26.3	41.5	1.77	349	0.49	0.43	4.9	16.3
K305363		1.57	7.72	0.13	1.3	0.03	0.018	1.14	19.0	25.7	1.67	361	0.33	0.29	3.6	11.0
K305364		1.90	9.80	0.13	1.4	0.05	0.023	1.51	23.4	45.6	1.19	377	0.31	0.34	4.6	14.4
K305365		1.63	7.52	0.11	1.1	0.04	0.014	1.21	17.4	34.1	1.14	270	0.24	0.28	3.4	11.1
K305366		2.26	13.00	0.16	1.7	0.04	0.034	1.75	30.1	50.8	0.96	279	0.42	0.78	5.9	19.3
K305367		2.25	9.44	0.11	1.3	0.03	0.017	1.45	21.1	35.9	3.26	556	0.37	0.47	4.0	14.1
K305368		6.53	19.95	0.19	4.3	9.37	0.035	1.35	63.6	15.9	0.12	36	6.54	0.38	8.7	16.1
K305369		2.54	16.90	0.16	2.2	0.05	0.047	1.95	33.8	51.4	1.87	444	0.87	1.07	8.1	22.5
K305370		2.41	12.20	0.15	2.0	0.05	0.034	1.53	28.0	32.4	1.86	356	0.47	1.16	5.9	17.5
K305371		2.38	12.20	0.11	2.0	0.05	0.033	1.71	28.5	43.4	1.89	301	0.43	0.74	5.9	16.3
K305372		2.12	8.13	0.15	1.7	4.64	0.022	1.01	29.6	35.8	2.56	274	19.60	0.03	6.2	54.7
K305373		2.60	14.50	0.14	2.1	0.08	0.038	2.18	35.4	60.2	1.49	349	0.53	0.76	6.5	21.6
K305374		1.85	9.69	0.08	1.5	0.06	0.023	1.68	21.7	16.8	2.25	340	0.41	0.34	4.2	12.9
K305375		1.18	4.84	0.08	0.9	0.05	0.011	0.87	12.0	7.2	2.18	243	0.26	0.15	2.3	6.5
K305376		1.61	8.20	0.11	1.4	0.08	0.018	1.48	20.1	9.7	1.37	259	0.27	0.22	4.0	11.4
K305377		1.35	6.65	0.13	1.1	0.04	0.014	1.10	17.9	29.6	0.72	193	0.16	0.21	3.4	8.1
K305378		2.15	15.95	0.18	2.3	0.07	0.044	2.77	39.8	54.0	0.90	275	0.28	0.38	6.8	21.1
K305379		2.51	14.10	0.16	2.0	0.09	0.029	2.43	36.6	41.1	1.39	516	0.33	0.41	6.2	22.4
K305380		3.07	14.10	0.17	1.9	0.09	0.032	2.51	36.1	40.7	2.74	726	0.43	0.22	6.7	21.0
K305381		3.08	16.00	0.13	1.9	0.10	0.043	2.85	39.1	64.2	1.70	577	0.53	0.44	6.8	27.2
K305382		0.47	0.21	0.06	<0.1	<0.01	<0.005	0.04	0.5	1.1	12.30	203	0.07	0.01	0.1	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305347		530	15.5	88.7	<0.002	1.68	0.30	8.5	1	1.4	390	0.46	<0.05	8.9	0.213	0.52
K305348		380	9.4	67.9	<0.002	1.18	0.23	6.3	1	1.3	424	0.36	<0.05	6.7	0.151	0.38
K305349		800	10.4	75.9	<0.002	1.13	0.33	7.7	1	1.3	696	0.37	<0.05	7.4	0.171	0.39
K305350		720	10.6	75.1	<0.002	1.30	0.27	7.0	1	1.4	520	0.36	<0.05	7.2	0.174	0.37
K305351		600	15.2	113.5	0.004	1.70	0.33	10.3	1	1.8	390	0.55	0.06	11.0	0.242	0.61
K305352		190	1.3	1.9	<0.002	0.01	0.05	0.2	<1	0.2	43.8	<0.05	<0.05	<0.2	<0.005	<0.02
K305353		410	16.4	117.5	0.003	1.91	0.36	11.0	2	1.8	332	0.57	0.06	11.5	0.261	0.68
K305354		390	19.7	133.0	<0.002	2.20	0.49	12.2	1	2.0	336	0.59	0.05	13.0	0.283	0.67
K305355		560	21.0	151.5	0.003	2.47	0.65	12.9	1	2.2	285	0.68	0.06	13.6	0.318	0.96
K305356		950	16.2	133.5	0.002	1.81	0.50	11.3	1	1.9	337	0.58	<0.05	11.3	0.259	0.94
K305357		1190	15.6	109.0	<0.002	1.86	0.47	10.1	1	1.7	381	0.49	0.06	10.6	0.235	0.80
K305358		380	19.2	104.5	<0.002	1.85	0.50	12.4	1	2.3	222	0.75	0.10	10.5	0.333	0.86
K305359		400	19.1	133.5	<0.002	2.13	0.60	13.2	1	2.3	249	0.75	<0.05	12.8	0.317	0.92
K305360		380	19.3	116.5	0.003	2.31	0.56	11.9	1	2.2	235	0.68	0.10	12.3	0.311	0.85
K305361		470	12.9	93.8	0.003	1.78	0.38	9.0	1	1.6	451	0.45	0.06	9.0	0.216	0.63
K305362		720	10.7	82.1	0.003	1.59	0.28	7.6	2	1.3	537	0.38	0.05	7.6	0.178	0.55
K305363		660	7.9	56.5	0.002	1.20	0.31	5.3	1	1.0	543	0.28	<0.05	5.3	0.133	0.35
K305364		410	10.4	78.0	<0.002	1.54	1.12	6.6	1	1.3	448	0.36	<0.05	7.4	0.167	0.68
K305365		440	8.2	56.4	0.003	1.24	0.21	5.1	1	1.0	616	0.29	0.06	5.6	0.133	0.46
K305366		460	12.3	92.7	0.003	1.67	0.33	8.8	1	1.5	500	0.47	<0.05	8.9	0.209	0.49
K305367		500	10.3	68.1	0.003	1.06	0.29	6.1	1	1.1	435	0.36	<0.05	6.4	0.155	0.37
K305368		910	16.6	43.7	0.004	3.06	118.5	15.4	1	3.1	504	0.69	0.14	9.3	0.552	8.26
K305369		450	14.4	113.0	0.002	1.47	0.46	10.3	3	1.7	287	0.59	0.05	9.9	0.232	0.51
K305370		760	13.3	74.0	<0.002	1.59	0.44	8.2	2	1.5	402	0.47	<0.05	8.7	0.219	0.49
K305371		710	12.9	85.1	<0.002	1.51	0.39	8.4	2	1.5	346	0.47	<0.05	9.0	0.227	0.48
K305372		910	37.3	47.6	0.029	1.59	113.0	5.3	4	2.6	77.5	0.41	0.24	6.7	0.174	4.12
K305373		520	16.6	101.0	0.002	1.82	0.63	9.6	2	1.7	379	0.54	<0.05	11.2	0.254	0.81
K305374		480	9.6	76.8	0.003	1.11	0.33	6.2	1	1.1	468	0.35	<0.05	6.9	0.170	0.63
K305375		400	5.6	37.8	<0.002	0.67	0.25	3.3	1	0.7	599	0.19	0.06	3.7	0.087	0.49
K305376		440	9.3	65.4	0.003	1.14	0.19	5.6	1	1.0	340	0.35	<0.05	6.7	0.153	0.81
K305377		360	6.2	53.2	<0.002	0.71	0.13	4.8	1	0.9	541	0.28	<0.05	5.4	0.122	0.39
K305378		340	14.2	121.0	0.003	1.05	0.31	10.3	1	1.8	329	0.56	<0.05	11.8	0.264	0.90
K305379		570	15.4	105.0	<0.002	1.26	0.34	8.9	1	1.6	274	0.52	<0.05	10.6	0.239	0.97
K305380		370	13.5	116.5	<0.002	1.18	0.29	9.6	<1	1.8	284	0.49	<0.05	9.8	0.237	0.80
K305381		430	16.1	126.5	<0.002	1.45	0.37	10.1	1	1.8	315	0.56	0.09	11.2	0.257	0.92
K305382		170	1.4	1.6	<0.002	0.01	<0.05	0.2	1	0.2	42.3	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305347		2.6	46	0.9	12.1	56	58.3
K305348		1.9	34	0.7	10.3	44	41.0
K305349		2.8	39	0.7	12.7	48	39.4
K305350		2.1	38	0.7	12.4	54	42.1
K305351		2.7	54	1.0	14.6	65	69.1
K305352		0.5	2	0.1	0.8	14	<0.5
K305353		2.9	56	1.1	14.8	75	69.6
K305354		3.0	61	1.1	15.8	65	74.6
K305355		3.3	71	1.5	17.2	93	79.6
K305356		2.7	58	1.1	16.7	83	63.7
K305357		2.5	54	1.1	15.9	67	59.9
K305358		2.8	72	1.3	15.1	93	79.4
K305359		3.2	72	1.3	18.3	85	81.0
K305360		3.2	71	1.3	17.2	74	74.4
K305361		2.6	52	0.9	14.1	77	55.7
K305362		2.3	41	0.7	12.1	41	49.9
K305363		1.8	29	0.6	9.2	33	39.0
K305364		2.3	34	0.8	10.3	52	45.8
K305365		2.2	29	0.7	8.5	32	34.4
K305366		2.6	45	1.0	13.4	45	57.9
K305367		1.9	37	0.8	9.9	46	37.0
K305368		7.8	168	22.3	13.9	43	165.0
K305369		2.6	53	1.1	16.6	62	74.6
K305370		2.6	47	0.9	14.1	61	65.0
K305371		2.3	47	1.0	15.0	63	65.5
K305372		9.2	232	27.3	19.5	209	66.1
K305373		2.9	55	1.2	15.1	63	70.4
K305374		2.0	39	0.7	10.0	49	44.0
K305375		1.6	20	0.4	6.1	27	25.2
K305376		2.1	31	0.6	9.7	38	42.4
K305377		1.8	24	0.5	8.3	27	38.2
K305378		2.7	54	1.0	16.1	62	69.4
K305379		2.8	48	1.0	15.2	61	63.5
K305380		2.4	50	0.9	13.0	72	66.1
K305381		2.9	59	1.0	14.0	75	64.2
K305382		0.7	2	0.1	0.7	19	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11205360

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 239 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305347		12.12	<0.01	0.07	5.15	9	180	1.29	0.18	19.20	0.03	56.3	8.5	35	10.50	19.6
K305348		12.09	<0.01	0.06	4.02	13	160	0.95	0.13	22.3	<0.02	46.2	6.0	26	8.22	14.1
K305349		11.16	<0.01	0.05	4.79	9	200	1.15	0.15	21.1	0.02	56.3	8.4	30	8.34	18.7
K305350		11.35	<0.01	0.03	4.35	6	190	1.23	0.16	17.90	0.03	50.2	7.6	28	8.42	16.1
K305351		11.04	<0.01	0.04	6.38	13	210	1.84	0.23	12.50	0.02	74.6	10.6	41	13.35	23.3
K305352		6.98	<0.01	0.01	0.08	<5	20	0.05	0.02	20.6	0.05	1.22	0.6	1	0.39	1.6
K305353		12.49	<0.01	0.05	6.70	14	220	1.59	0.27	11.00	0.03	74.6	11.2	49	15.55	24.4
K305354		12.04	<0.01	0.06	7.00	14.3	250	1.70	0.29	8.97	0.03	84.0	13.4	53	19.65	28.1
K305355		12.63	<0.01	0.22	7.76	23.7	280	1.79	0.34	7.75	0.02	92.3	14.8	61	19.05	31.3
K305356		11.43	<0.01	0.05	7.05	24	250	1.79	0.29	10.60	0.03	77.9	12.2	51	16.90	28.5
K305357		5.15	<0.01	0.04	6.47	20	240	1.66	0.24	12.60	0.05	72.4	10.9	44	15.20	25.4
K305358		12.49	<0.01	0.07	7.94	16.1	290	2.09	0.32	4.65	0.04	73.2	16.0	65	19.90	36.4
K305359		6.45	<0.01	0.06	8.19	23.4	280	1.99	0.31	6.31	0.04	86.1	14.5	63	19.80	32.1
K305360		7.25	<0.01	0.08	7.81	18.1	280	1.76	0.31	6.18	0.04	77.2	13.3	62	16.80	31.1
K305361		8.11	<0.01	0.05	5.88	9	200	1.25	0.21	15.45	0.06	62.5	9.1	38	12.35	22.0
K305362		7.51	<0.01	0.05	4.44	6	200	1.24	0.15	19.05	0.03	53.2	6.9	31	10.60	16.6
K305363		7.64	<0.01	0.03	3.13	<5	140	0.92	0.10	23.3	0.03	39.3	4.8	22	6.89	11.2
K305364		7.51	<0.01	0.04	4.11	15	240	0.88	0.16	21.3	0.04	46.4	6.3	28	7.58	14.6
K305365		9.03	<0.01	0.03	3.29	8	170	0.76	0.11	23.7	0.02	36.4	4.9	23	7.00	11.3
K305366		7.59	0.01	0.04	5.33	10	250	1.22	0.19	17.50	0.03	59.1	8.7	36	14.55	19.8
K305367		7.01	0.01	0.06	4.18	10	180	1.32	0.16	18.25	0.04	41.2	6.4	27	11.65	15.0
K305368		0.24	0.34	0.31	6.25	594	920	0.59	0.29	0.48	0.17	132.5	2.7	224	3.42	32.1
K305369		7.14	<0.01	0.08	5.74	15	380	1.43	0.23	10.00	0.05	63.4	11.8	45	18.55	23.0
K305370		7.75	<0.01	0.04	5.15	9	190	1.07	0.18	12.50	0.03	56.1	7.4	35	12.65	18.1
K305371		7.42	<0.01	0.04	4.97	10	280	1.15	0.18	11.90	0.05	58.0	7.0	35	15.80	15.7
K305372		0.24	2.70	1.12	3.28	591	890	0.74	0.34	8.14	2.27	51.0	6.5	52	3.96	44.1
K305373		7.98	<0.01	0.07	5.95	17	240	1.39	0.24	11.65	0.07	71.4	9.3	44	15.55	21.0
K305374		7.71	<0.01	0.04	4.21	13	170	0.99	0.14	18.35	0.04	43.8	6.1	29	10.25	14.3
K305375		7.51	<0.01	0.03	2.10	6	100	0.57	0.08	25.7	0.05	23.3	3.2	15	5.11	7.7
K305376		7.82	<0.01	0.05	3.50	8	130	0.92	0.13	21.4	0.02	42.8	5.3	24	8.47	11.9
K305377		7.75	<0.01	0.03	2.79	<5	110	0.83	0.11	24.8	0.02	35.1	4.1	18	7.05	9.0
K305378		8.12	<0.01	0.03	6.51	13	380	1.50	0.28	11.30	0.02	74.9	9.9	41	18.70	23.7
K305379		7.82	<0.01	0.06	5.98	10.9	210	1.41	0.24	9.70	0.02	70.2	9.4	39	15.60	21.4
K305380		7.78	<0.01	0.05	5.83	13	350	1.54	0.23	10.80	0.04	67.8	10.1	36	16.50	24.0
K305381		7.75	<0.01	0.04	6.92	8	230	1.54	0.29	11.70	0.04	75.0	11.6	47	20.9	26.2
K305382		5.03	<0.01	0.01	0.09	<5	20	0.08	0.02	20.6	0.06	1.08	0.6	1	0.28	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305347		2.42	12.85	0.15	1.7	0.04	0.030	1.81	29.6	60.6	1.16	437	0.58	0.37	5.9	20.7
K305348		1.89	9.61	0.13	1.3	0.03	0.026	1.35	23.0	45.0	0.79	417	0.37	0.41	4.3	15.6
K305349		1.94	11.70	0.16	1.3	0.03	0.028	1.53	27.1	72.7	0.99	429	0.45	0.44	4.7	18.1
K305350		2.24	10.50	0.15	1.3	0.03	0.025	1.54	25.2	80.5	1.93	625	0.34	0.19	4.5	17.2
K305351		2.82	15.85	0.17	2.0	0.04	0.040	2.26	38.8	110.5	1.94	571	0.43	0.38	6.6	23.1
K305352		0.47	0.25	0.10	<0.1	<0.01	<0.005	0.03	0.6	1.2	12.25	213	0.10	0.01	0.1	1.4
K305353		2.94	16.50	0.16	2.0	0.05	0.034	2.35	38.2	100.5	1.54	588	0.42	0.47	7.2	26.4
K305354		3.16	17.95	0.16	2.2	0.06	0.039	2.56	43.6	101.0	1.15	540	0.46	0.43	7.9	30.4
K305355		3.51	19.20	0.18	2.5	0.08	0.054	2.99	47.8	115.0	1.39	708	0.56	0.35	8.2	32.1
K305356		2.83	17.95	0.17	1.9	0.05	0.040	2.53	42.8	126.0	2.17	724	0.47	0.38	7.4	28.1
K305357		2.84	15.50	0.15	1.9	0.05	0.036	2.27	39.2	96.7	2.43	819	0.46	0.35	6.4	26.4
K305358		3.11	21.6	0.17	2.3	0.06	0.050	3.02	38.2	133.0	1.36	453	0.37	0.69	9.0	33.5
K305359		3.29	21.4	0.18	2.5	0.07	0.052	2.87	46.4	115.0	1.45	523	0.59	0.75	8.7	32.0
K305360		3.37	19.40	0.16	2.4	0.06	0.053	2.73	43.3	82.7	1.42	493	0.72	0.80	8.3	31.9
K305361		2.51	13.80	0.11	1.7	0.04	0.034	1.93	33.3	60.8	1.79	485	0.68	0.67	5.7	21.6
K305362		2.07	11.00	0.12	1.4	0.04	0.024	1.57	26.3	41.5	1.77	349	0.49	0.43	4.9	16.3
K305363		1.57	7.72	0.13	1.3	0.03	0.018	1.14	19.0	25.7	1.67	361	0.33	0.29	3.6	11.0
K305364		1.90	9.80	0.13	1.4	0.05	0.023	1.51	23.4	45.6	1.19	377	0.31	0.34	4.6	14.4
K305365		1.63	7.52	0.11	1.1	0.04	0.014	1.21	17.4	34.1	1.14	270	0.24	0.28	3.4	11.1
K305366		2.26	13.00	0.16	1.7	0.04	0.034	1.75	30.1	50.8	0.96	279	0.42	0.78	5.9	19.3
K305367		2.25	9.44	0.11	1.3	0.03	0.017	1.45	21.1	35.9	3.26	556	0.37	0.47	4.0	14.1
K305368		6.53	19.95	0.19	4.3	9.37	0.035	1.35	63.6	15.9	0.12	36	6.54	0.38	8.7	16.1
K305369		2.54	16.90	0.16	2.2	0.05	0.047	1.95	33.8	51.4	1.87	444	0.87	1.07	8.1	22.5
K305370		2.41	12.20	0.15	2.0	0.05	0.034	1.53	28.0	32.4	1.86	356	0.47	1.16	5.9	17.5
K305371		2.38	12.20	0.11	2.0	0.05	0.033	1.71	28.5	43.4	1.89	301	0.43	0.74	5.9	16.3
K305372		2.12	8.13	0.15	1.7	4.64	0.022	1.01	29.6	35.8	2.56	274	19.60	0.03	6.2	54.7
K305373		2.60	14.50	0.14	2.1	0.08	0.038	2.18	35.4	60.2	1.49	349	0.53	0.76	6.5	21.6
K305374		1.85	9.69	0.08	1.5	0.06	0.023	1.68	21.7	16.8	2.25	340	0.41	0.34	4.2	12.9
K305375		1.18	4.84	0.08	0.9	0.05	0.011	0.87	12.0	7.2	2.18	243	0.26	0.15	2.3	6.5
K305376		1.61	8.20	0.11	1.4	0.08	0.018	1.48	20.1	9.7	1.37	259	0.27	0.22	4.0	11.4
K305377		1.35	6.65	0.13	1.1	0.04	0.014	1.10	17.9	29.6	0.72	193	0.16	0.21	3.4	8.1
K305378		2.15	15.95	0.18	2.3	0.07	0.044	2.77	39.8	54.0	0.90	275	0.28	0.38	6.8	21.1
K305379		2.51	14.10	0.16	2.0	0.09	0.029	2.43	36.6	41.1	1.39	516	0.33	0.41	6.2	22.4
K305380		3.07	14.10	0.17	1.9	0.09	0.032	2.51	36.1	40.7	2.74	726	0.43	0.22	6.7	21.0
K305381		3.08	16.00	0.13	1.9	0.10	0.043	2.85	39.1	64.2	1.70	577	0.53	0.44	6.8	27.2
K305382		0.47	0.21	0.06	<0.1	<0.01	<0.005	0.04	0.5	1.1	12.30	203	0.07	0.01	0.1	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305347		530	15.5	88.7	<0.002	1.68	0.30	8.5	1	1.4	390	0.46	<0.05	8.9	0.213	0.52
K305348		380	9.4	67.9	<0.002	1.18	0.23	6.3	1	1.3	424	0.36	<0.05	6.7	0.151	0.38
K305349		800	10.4	75.9	<0.002	1.13	0.33	7.7	1	1.3	696	0.37	<0.05	7.4	0.171	0.39
K305350		720	10.6	75.1	<0.002	1.30	0.27	7.0	1	1.4	520	0.36	<0.05	7.2	0.174	0.37
K305351		600	15.2	113.5	0.004	1.70	0.33	10.3	1	1.8	390	0.55	0.06	11.0	0.242	0.61
K305352		190	1.3	1.9	<0.002	0.01	0.05	0.2	<1	0.2	43.8	<0.05	<0.05	<0.2	<0.005	<0.02
K305353		410	16.4	117.5	0.003	1.91	0.36	11.0	2	1.8	332	0.57	0.06	11.5	0.261	0.68
K305354		390	19.7	133.0	<0.002	2.20	0.49	12.2	1	2.0	336	0.59	0.05	13.0	0.283	0.67
K305355		560	21.0	151.5	0.003	2.47	0.65	12.9	1	2.2	285	0.68	0.06	13.6	0.318	0.96
K305356		950	16.2	133.5	0.002	1.81	0.50	11.3	1	1.9	337	0.58	<0.05	11.3	0.259	0.94
K305357		1190	15.6	109.0	<0.002	1.86	0.47	10.1	1	1.7	381	0.49	0.06	10.6	0.235	0.80
K305358		380	19.2	104.5	<0.002	1.85	0.50	12.4	1	2.3	222	0.75	0.10	10.5	0.333	0.86
K305359		400	19.1	133.5	<0.002	2.13	0.60	13.2	1	2.3	249	0.75	<0.05	12.8	0.317	0.92
K305360		380	19.3	116.5	0.003	2.31	0.56	11.9	1	2.2	235	0.68	0.10	12.3	0.311	0.85
K305361		470	12.9	93.8	0.003	1.78	0.38	9.0	1	1.6	451	0.45	0.06	9.0	0.216	0.63
K305362		720	10.7	82.1	0.003	1.59	0.28	7.6	2	1.3	537	0.38	0.05	7.6	0.178	0.55
K305363		660	7.9	56.5	0.002	1.20	0.31	5.3	1	1.0	543	0.28	<0.05	5.3	0.133	0.35
K305364		410	10.4	78.0	<0.002	1.54	1.12	6.6	1	1.3	448	0.36	<0.05	7.4	0.167	0.68
K305365		440	8.2	56.4	0.003	1.24	0.21	5.1	1	1.0	616	0.29	0.06	5.6	0.133	0.46
K305366		460	12.3	92.7	0.003	1.67	0.33	8.8	1	1.5	500	0.47	<0.05	8.9	0.209	0.49
K305367		500	10.3	68.1	0.003	1.06	0.29	6.1	1	1.1	435	0.36	<0.05	6.4	0.155	0.37
K305368		910	16.6	43.7	0.004	3.06	118.5	15.4	1	3.1	504	0.69	0.14	9.3	0.552	8.26
K305369		450	14.4	113.0	0.002	1.47	0.46	10.3	3	1.7	287	0.59	0.05	9.9	0.232	0.51
K305370		760	13.3	74.0	<0.002	1.59	0.44	8.2	2	1.5	402	0.47	<0.05	8.7	0.219	0.49
K305371		710	12.9	85.1	<0.002	1.51	0.39	8.4	2	1.5	346	0.47	<0.05	9.0	0.227	0.48
K305372		910	37.3	47.6	0.029	1.59	113.0	5.3	4	2.6	77.5	0.41	0.24	6.7	0.174	4.12
K305373		520	16.6	101.0	0.002	1.82	0.63	9.6	2	1.7	379	0.54	<0.05	11.2	0.254	0.81
K305374		480	9.6	76.8	0.003	1.11	0.33	6.2	1	1.1	468	0.35	<0.05	6.9	0.170	0.63
K305375		400	5.6	37.8	<0.002	0.67	0.25	3.3	1	0.7	599	0.19	0.06	3.7	0.087	0.49
K305376		440	9.3	65.4	0.003	1.14	0.19	5.6	1	1.0	340	0.35	<0.05	6.7	0.153	0.81
K305377		360	6.2	53.2	<0.002	0.71	0.13	4.8	1	0.9	541	0.28	<0.05	5.4	0.122	0.39
K305378		340	14.2	121.0	0.003	1.05	0.31	10.3	1	1.8	329	0.56	<0.05	11.8	0.264	0.90
K305379		570	15.4	105.0	<0.002	1.26	0.34	8.9	1	1.6	274	0.52	<0.05	10.6	0.239	0.97
K305380		370	13.5	116.5	<0.002	1.18	0.29	9.6	<1	1.8	284	0.49	<0.05	9.8	0.237	0.80
K305381		430	16.1	126.5	<0.002	1.45	0.37	10.1	1	1.8	315	0.56	0.09	11.2	0.257	0.92
K305382		170	1.4	1.6	<0.002	0.01	<0.05	0.2	1	0.2	42.3	<0.05	<0.05	<0.2	<0.005	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305347		2.6	46	0.9	12.1	56	58.3
K305348		1.9	34	0.7	10.3	44	41.0
K305349		2.8	39	0.7	12.7	48	39.4
K305350		2.1	38	0.7	12.4	54	42.1
K305351		2.7	54	1.0	14.6	65	69.1
K305352		0.5	2	0.1	0.8	14	<0.5
K305353		2.9	56	1.1	14.8	75	69.6
K305354		3.0	61	1.1	15.8	65	74.6
K305355		3.3	71	1.5	17.2	93	79.6
K305356		2.7	58	1.1	16.7	83	63.7
K305357		2.5	54	1.1	15.9	67	59.9
K305358		2.8	72	1.3	15.1	93	79.4
K305359		3.2	72	1.3	18.3	85	81.0
K305360		3.2	71	1.3	17.2	74	74.4
K305361		2.6	52	0.9	14.1	77	55.7
K305362		2.3	41	0.7	12.1	41	49.9
K305363		1.8	29	0.6	9.2	33	39.0
K305364		2.3	34	0.8	10.3	52	45.8
K305365		2.2	29	0.7	8.5	32	34.4
K305366		2.6	45	1.0	13.4	45	57.9
K305367		1.9	37	0.8	9.9	46	37.0
K305368		7.8	168	22.3	13.9	43	165.0
K305369		2.6	53	1.1	16.6	62	74.6
K305370		2.6	47	0.9	14.1	61	65.0
K305371		2.3	47	1.0	15.0	63	65.5
K305372		9.2	232	27.3	19.5	209	66.1
K305373		2.9	55	1.2	15.1	63	70.4
K305374		2.0	39	0.7	10.0	49	44.0
K305375		1.6	20	0.4	6.1	27	25.2
K305376		2.1	31	0.6	9.7	38	42.4
K305377		1.8	24	0.5	8.3	27	38.2
K305378		2.7	54	1.0	16.1	62	69.4
K305379		2.8	48	1.0	15.2	61	63.5
K305380		2.4	50	0.9	13.0	72	66.1
K305381		2.9	59	1.0	14.0	75	64.2
K305382		0.7	2	0.1	0.7	19	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11205360

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE WH11206154

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 240 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206154

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304370		11.27	<0.01	0.03	3.07	81	130	0.85	0.09	19.20	0.07	34.4	5.5	27	5.86	19.5
K304371		9.85	<0.01	0.05	2.59	342	120	0.72	0.07	23.6	0.08	29.8	5.3	25	3.74	17.3
K304372		10.25	<0.01	0.06	1.69	1560	90	0.45	0.05	26.8	0.08	21.3	3.4	17	2.44	9.9
K304373		11.75	<0.01	0.07	3.89	921	140	1.16	0.10	15.40	0.06	42.9	6.7	37	6.76	23.3
K304374		11.85	0.01	0.04	4.00	136	160	1.10	0.10	15.25	0.08	42.1	7.0	40	6.77	27.9
K304375		5.16	0.01	0.05	4.10	92	140	1.10	0.11	14.80	0.07	45.1	7.9	40	7.26	27.3
K304376		8.76	0.01	0.06	4.00	277	230	1.00	0.11	16.55	0.07	39.9	7.1	37	6.53	23.8
K304377		10.95	<0.01	0.04	2.79	42	150	0.73	0.09	20.5	0.08	29.1	4.9	26	4.14	16.2
K304378		10.62	<0.01	0.05	3.11	35	140	0.85	0.09	18.10	0.13	38.4	5.9	32	4.52	22.6
K304379		10.89	<0.01	0.06	2.85	86	120	0.92	0.08	20.6	0.14	36.1	5.2	29	4.36	18.5
K304380		10.36	<0.01	0.04	2.85	82	130	0.86	0.09	20.0	0.10	33.4	5.2	26	3.98	17.3
K304381		0.26	2.68	0.93	3.14	585	820	0.77	0.31	7.77	2.32	46.3	6.5	49	3.99	41.5
K304382		10.47	0.01	0.05	3.40	146	100	0.88	0.11	19.75	0.08	37.8	6.3	30	4.12	24.4
K304383		10.64	<0.01	0.06	2.84	139	140	0.79	0.09	21.3	0.30	33.0	5.3	25	2.83	20.4
K304384		5.99	<0.01	0.11	2.57	163	160	0.76	0.08	21.3	0.46	30.9	7.3	24	1.98	19.8
K304385		7.02	<0.01	<0.01	0.06	5	20	0.07	0.02	19.55	0.06	1.34	1.3	<1	0.20	2.0
K304386		4.99	0.01	0.08	4.31	166.5	550	1.31	0.13	8.85	0.14	51.3	17.4	45	4.70	43.0
K304387		10.78	<0.01	0.19	7.75	40.4	400	2.29	0.35	3.55	0.12	85.3	12.4	60	11.55	272
K304388		11.80	<0.01	0.05	7.68	46.2	270	2.20	0.28	3.18	0.16	84.7	12.1	65	14.15	26.4
K304389		9.73	<0.01	0.04	7.53	15.6	250	2.14	0.30	2.76	0.15	83.7	12.1	64	13.90	8.6
K304390		10.20	<0.01	0.04	7.85	29.0	330	2.14	0.28	2.60	0.16	93.4	14.4	110	13.95	15.5
K304391		10.95	0.02	0.04	8.06	14.0	410	2.51	0.32	1.31	0.06	87.0	16.7	66	11.35	60.9
K304392		10.95	<0.01	0.12	4.24	55	280	1.28	0.16	13.00	0.04	45.6	6.5	30	17.60	19.4
K304393		0.23	0.34	0.32	6.16	581	1110	0.62	0.29	0.45	0.19	141.5	2.8	237	3.70	31.5
K304394		10.12	<0.01	0.08	4.64	239	700	1.41	0.17	14.20	0.07	49.0	6.9	32	22.8	13.9
K304395		10.70	<0.01	0.09	3.91	350	190	1.21	0.16	15.10	0.11	41.2	9.2	25	15.75	15.8
K304396		10.42	0.05	0.11	6.64	418	280	1.94	0.25	9.17	0.06	68.3	7.9	46	26.9	18.3
K304397		7.01	<0.01	<0.01	0.09	<5	20	0.08	0.02	19.35	0.05	1.32	1.3	<1	0.64	1.7
K304398		12.26	0.07	0.09	4.46	2630	370	1.40	0.17	11.30	0.15	48.2	7.1	32	16.80	19.1
K304399		10.74	0.07	0.04	1.07	2910	70	0.39	0.04	16.85	0.02	16.85	2.7	6	3.55	6.2
K304400		10.55	0.01	0.05	0.73	240	150	0.31	0.03	18.05	0.05	14.35	2.9	4	2.04	7.6
K304401		11.12	0.14	0.04	0.75	1680	110	0.29	0.03	17.10	0.03	15.05	2.7	4	2.16	6.8
K304402		10.55	0.03	0.10	0.75	437	50	0.29	0.03	17.55	0.03	13.60	2.0	7	2.33	5.4
K304403		10.28	0.05	0.35	1.33	600	70	0.58	0.04	16.35	0.06	18.85	3.1	12	5.38	10.5
K304404		11.53	0.02	0.11	1.27	4110	70	0.44	0.04	16.70	0.03	18.55	2.6	11	3.96	9.3
K304405		4.93	0.80	0.06	0.75	7950	40	0.34	0.02	17.90	0.03	11.95	1.6	5	2.17	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206154

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304370		1.48	7.40	0.08	1.2	0.12	0.024	1.03	18.9	52.6	2.57	283	0.27	0.03	5.3	13.0
K304371		1.16	6.18	0.08	1.1	0.07	0.023	0.74	16.3	21.0	2.11	324	0.50	0.03	4.5	11.8
K304372		0.79	3.90	0.07	0.6	0.04	0.015	0.43	11.9	15.7	1.15	314	0.40	0.02	2.9	7.2
K304373		1.60	9.63	0.12	1.7	0.06	0.033	1.24	22.9	30.9	3.05	382	0.81	0.04	6.7	17.2
K304374		1.69	9.59	0.10	1.6	0.05	0.029	1.18	22.8	26.0	2.34	381	0.28	0.04	6.7	18.4
K304375		1.72	10.40	0.12	1.7	0.06	0.034	1.25	24.2	27.8	2.35	382	0.29	0.04	7.3	19.8
K304376		1.62	9.78	0.11	1.6	0.09	0.032	1.01	22.1	27.0	2.73	439	0.37	0.04	6.8	17.6
K304377		1.18	6.54	0.08	1.1	0.05	0.024	0.79	16.3	30.8	2.09	534	0.27	0.03	5.0	12.4
K304378		1.42	7.65	0.10	1.4	0.05	0.025	0.97	21.0	45.6	3.01	655	0.40	0.03	5.7	14.1
K304379		1.24	7.03	0.10	1.3	0.04	0.021	0.86	19.6	34.1	2.32	686	0.58	0.02	5.2	12.6
K304380		1.22	6.86	0.09	1.3	0.04	0.024	0.80	18.3	33.5	2.33	730	0.38	0.02	5.3	12.2
K304381		2.00	7.64	0.12	1.7	4.68	0.029	0.96	28.7	38.3	2.49	258	18.80	0.03	7.1	49.8
K304382		1.45	8.07	0.10	1.4	0.03	0.029	0.99	20.9	26.8	2.56	1150	0.37	0.03	6.0	14.8
K304383		1.15	6.77	0.09	1.2	0.05	0.024	0.79	17.9	24.9	2.18	1640	0.45	0.03	5.1	12.4
K304384		1.18	6.24	0.09	1.1	0.07	0.020	0.75	16.9	28.5	2.82	2580	1.03	0.03	4.6	12.7
K304385		0.45	0.30	0.12	<0.1	<0.01	<0.005	0.02	0.7	1.0	12.35	203	0.05	<0.01	0.4	1.7
K304386		2.44	11.45	0.13	2.0	0.03	0.037	1.55	26.4	39.0	4.48	2330	1.14	0.04	7.8	25.3
K304387		2.80	20.8	0.20	2.8	0.01	0.061	2.85	48.6	66.9	2.90	1020	0.61	0.05	13.2	47.8
K304388		3.94	20.3	0.20	2.8	0.01	0.063	3.02	46.9	57.8	2.64	839	0.15	0.05	13.5	51.4
K304389		3.81	19.80	0.19	2.7	0.01	0.056	3.03	44.8	73.3	2.47	809	0.14	0.05	12.9	45.1
K304390		3.98	21.2	0.20	2.8	0.09	0.057	3.16	50.5	118.5	2.43	973	0.14	0.05	13.9	44.8
K304391		3.89	21.4	0.20	3.2	0.10	0.075	3.26	45.5	89.0	1.88	630	0.20	0.06	12.7	41.1
K304392		2.40	9.93	0.13	2.0	0.21	0.038	2.06	25.2	9.9	4.70	453	0.55	0.03	6.4	13.8
K304393		6.36	19.90	0.25	4.1	9.2	0.053	1.32	69.3	19.7	0.12	33	6.76	0.38	10.4	16.1
K304394		1.76	11.55	0.11	2.1	0.34	0.044	2.33	27.4	13.2	3.51	326	0.44	0.04	7.4	13.9
K304395		1.96	9.13	0.10	1.9	1.70	0.038	1.90	22.2	11.5	3.69	404	0.45	0.03	6.0	14.4
K304396		1.75	16.95	0.14	3.0	4.59	0.052	3.30	38.0	19.4	3.29	324	0.59	0.04	10.4	16.7
K304397		0.45	0.33	0.09	<0.1	0.01	<0.005	0.04	0.6	1.5	12.25	205	0.07	<0.01	0.5	2.1
K304398		1.76	10.75	0.11	2.0	5.04	0.040	2.20	26.3	15.2	5.63	381	0.51	0.03	6.7	14.8
K304399		1.01	2.73	0.09	0.6	1.28	0.014	0.52	9.7	5.9	10.30	577	0.17	0.02	1.7	4.7
K304400		1.54	1.90	0.08	0.5	2.23	0.008	0.34	7.7	4.3	10.75	575	0.22	0.02	1.3	6.4
K304401		1.26	1.87	0.08	0.7	3.37	0.009	0.35	8.7	4.7	10.45	627	0.30	0.02	1.4	5.4
K304402		0.67	1.81	0.09	0.6	1.43	0.007	0.36	7.9	4.5	10.75	506	0.39	0.01	1.4	3.8
K304403		0.72	3.16	0.09	0.9	1.53	0.010	0.65	10.8	8.8	10.15	312	2.03	0.01	2.4	7.5
K304404		0.62	2.97	0.09	0.9	1.10	0.015	0.62	10.6	7.1	10.30	288	1.03	0.01	2.3	5.6
K304405		0.41	1.89	0.09	0.5	1.55	0.018	0.36	6.8	4.9	11.05	441	0.53	0.01	1.3	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206154

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304370		330	6.6	48.7	<0.002	0.30	0.30	5.2	3	1.0	453	0.36	<0.05	6.4	0.137	0.35
K304371		340	8.9	34.0	<0.002	0.37	0.85	4.4	4	0.9	551	0.30	<0.05	5.7	0.115	0.30
K304372		230	7.6	20.0	<0.002	0.13	0.96	3.0	4	0.6	683	0.18	<0.05	3.6	0.072	0.22
K304373		480	12.4	57.5	0.002	0.33	0.83	6.7	5	1.3	460	0.47	<0.05	8.3	0.174	0.33
K304374		490	7.1	55.0	<0.002	0.16	0.54	6.6	3	1.3	420	0.46	<0.05	8.1	0.177	0.28
K304375		500	7.7	59.8	<0.002	0.19	0.46	7.3	2	1.4	434	0.49	<0.05	8.6	0.186	0.30
K304376		560	10.8	47.5	0.002	0.26	0.64	6.4	3	1.4	698	0.47	<0.05	8.5	0.177	0.38
K304377		340	7.9	36.3	<0.002	0.12	0.22	4.6	2	1.0	523	0.33	<0.05	5.8	0.124	0.20
K304378		490	11.8	45.9	<0.002	0.13	0.26	5.5	3	1.1	547	0.39	<0.05	6.9	0.143	0.24
K304379		450	10.7	39.8	<0.002	0.14	0.24	5.0	3	1.0	550	0.36	<0.05	6.6	0.133	0.23
K304380		320	8.2	37.5	<0.002	0.07	0.21	5.0	3	1.0	526	0.35	<0.05	6.3	0.129	0.19
K304381		850	37.6	48.3	0.022	1.53	106.5	5.2	4	2.4	74.5	0.43	0.19	6.5	0.170	4.10
K304382		310	7.7	45.0	<0.002	0.05	0.31	5.8	3	1.2	489	0.41	<0.05	7.1	0.149	0.23
K304383		310	12.3	35.0	<0.002	0.07	0.25	4.9	3	1.0	526	0.34	<0.05	6.2	0.125	0.18
K304384		270	70.6	31.4	<0.002	0.17	0.36	4.3	3	0.9	567	0.31	<0.05	5.8	0.114	0.20
K304385		180	1.3	1.3	<0.002	0.01	0.05	0.3	2	<0.2	48.9	<0.05	<0.05	<0.2	<0.005	<0.02
K304386		450	24.1	65.8	<0.002	0.11	0.43	7.6	3	1.6	277	0.55	<0.05	9.6	0.202	0.34
K304387		460	11.9	122.0	<0.002	0.05	0.28	13.6	2	2.5	160.5	0.96	<0.05	16.2	0.322	0.60
K304388		480	13.3	130.0	<0.002	0.01	0.56	13.0	2	2.5	198.0	0.96	<0.05	15.8	0.327	0.72
K304389		460	13.5	133.5	<0.002	<0.01	0.55	13.0	2	2.4	203	0.96	<0.05	15.8	0.324	0.69
K304390		470	13.2	150.5	<0.002	0.10	0.47	14.3	2	2.4	295	0.97	<0.05	17.1	0.332	0.81
K304391		430	15.1	146.5	<0.002	0.09	0.46	15.9	2	2.6	373	0.92	<0.05	15.3	0.400	0.98
K304392		590	8.8	72.7	0.002	0.14	0.43	7.2	2	1.3	240	0.47	<0.05	8.0	0.197	1.22
K304393		890	16.6	47.3	0.003	3.02	121.5	16.5	3	3.0	525	0.73	0.14	9.9	0.557	8.13
K304394		640	10.9	95.3	<0.002	0.73	0.61	8.5	2	1.5	351	0.49	<0.05	8.5	0.217	1.50
K304395		590	14.6	76.7	<0.002	0.81	0.77	7.2	2	1.2	484	0.41	<0.05	7.0	0.176	3.61
K304396		810	9.9	133.5	<0.002	0.73	1.74	12.2	2	2.0	183.0	0.71	0.05	12.0	0.302	10.65
K304397		180	1.2	3.3	<0.002	0.02	0.05	0.4	2	<0.2	43.2	0.06	<0.05	<0.2	<0.005	0.04
K304398		620	13.2	84.8	<0.002	1.12	2.92	8.0	2	1.3	136.0	0.47	<0.05	8.0	0.202	5.65
K304399		410	7.0	18.3	<0.002	0.68	3.53	2.0	2	0.3	78.4	0.12	<0.05	2.1	0.047	2.45
K304400		350	11.2	11.7	<0.002	1.47	1.63	1.3	2	0.3	98.9	0.09	<0.05	1.7	0.034	4.88
K304401		460	8.9	12.1	<0.002	1.15	3.10	1.4	2	0.3	101.0	0.10	<0.05	1.9	0.036	6.67
K304402		420	5.4	11.8	<0.002	0.31	1.92	1.4	3	0.3	91.4	0.15	<0.05	1.8	0.033	2.11
K304403		530	11.7	22.5	0.004	0.61	1.74	2.4	3	0.4	105.0	0.17	<0.05	3.1	0.060	2.91
K304404		440	7.9	20.9	0.002	0.70	4.76	2.1	3	0.4	98.5	0.16	<0.05	2.9	0.059	2.51
K304405		280	3.6	12.6	<0.002	0.64	8.07	2.0	2	0.3	94.7	0.09	<0.05	1.7	0.033	4.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206154

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304370		7.3	41	0.6	10.1	51	42.8
K304371		11.6	37	0.5	9.4	43	41.4
K304372		19.0	27	0.3	6.8	30	26.8
K304373		9.6	57	0.7	12.3	54	56.6
K304374		6.9	56	0.7	12.6	61	55.0
K304375		7.0	58	0.8	13.8	62	60.8
K304376		10.9	54	0.7	11.7	56	55.8
K304377		10.2	39	0.5	8.8	44	40.7
K304378		10.4	46	0.6	11.8	57	51.0
K304379		11.3	42	0.6	11.2	48	45.9
K304380		10.8	39	0.6	10.1	47	45.2
K304381		8.7	225	27.3	19.6	202	60.3
K304382		9.4	44	0.7	10.7	58	47.1
K304383		10.0	38	0.5	10.0	57	42.9
K304384		12.1	36	0.5	10.2	68	42.3
K304385		0.4	3	0.1	0.8	16	<0.5
K304386		5.6	66	1.0	16.0	72	66.7
K304387		4.2	69	1.2	19.1	105	92.4
K304388		2.3	50	1.3	19.3	105	91.2
K304389		1.9	47	1.3	17.7	96	89.0
K304390		2.2	53	1.6	19.6	100	96.3
K304391		4.9	93	1.7	20.7	109	105.0
K304392		7.4	69	1.3	12.7	23	64.9
K304393		7.6	167	22.9	14.6	43	159.5
K304394		8.1	65	1.1	13.8	46	74.9
K304395		7.8	52	1.7	13.2	52	63.7
K304396		8.0	89	4.0	18.4	26	103.0
K304397		0.7	3	0.4	0.8	14	<0.5
K304398		5.2	57	2.7	13.7	53	66.1
K304399		5.0	15	0.9	5.1	8	18.9
K304400		5.8	14	0.7	4.8	14	17.8
K304401		6.7	12	1.0	6.0	6	22.5
K304402		6.6	15	2.1	5.6	4	21.6
K304403		12.9	29	1.3	6.6	6	30.2
K304404		12.8	22	1.4	6.3	3	30.4
K304405		10.8	15	0.9	4.5	2	15.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206154

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

CERTIFICATE WH11200860

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 241 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200860

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303361		8.16	<0.01	0.04	2.84	47	260	0.57	0.11	23.7	0.22	32.6	8.1	27	11.80	24.8
K303362		8.29	<0.01	0.05	3.43	65	380	0.71	0.13	22.6	0.21	37.3	10.0	31	13.25	31.4
K303363		8.13	<0.01	0.03	2.42	48	580	0.53	0.09	27.6	0.18	29.7	7.1	22	10.05	21.4
K303364		8.05	<0.01	0.03	2.08	20	250	0.51	0.08	27.4	0.17	25.9	5.8	18	8.73	17.3
K303365		3.36	<0.01	0.06	1.78	16	240	0.44	0.07	28.5	0.16	25.2	5.2	15	7.31	15.6
K303366		8.40	<0.01	0.03	1.57	23	160	0.39	0.07	29.2	0.17	23.4	4.7	15	5.07	13.4
K303367		8.22	0.01	0.04	3.02	86	190	0.68	0.11	22.5	0.18	35.5	9.3	31	10.30	26.4
K303368		5.00	<0.01	<0.01	0.16	<5	20	0.10	0.03	21.2	0.06	1.16	1.4	1	0.78	1.7
K303369		8.63	0.03	0.02	1.14	112	150	0.30	0.05	29.4	0.14	16.85	3.5	11	3.92	10.3
K303370		8.05	0.01	0.03	1.57	122	140	0.38	0.06	27.0	0.19	23.3	4.9	15	4.49	14.6
K303371		8.10	0.16	0.03	1.12	119	120	0.30	0.05	29.9	0.16	17.35	3.7	10	3.31	10.6
K303372		8.37	0.26	0.03	0.87	1320	150	0.22	0.04	30.4	0.14	13.30	2.8	8	2.23	8.1
K303373		0.20	0.33	0.37	5.79	592	460	0.65	0.24	0.46	0.19	127.0	2.7	211	3.55	30.8
K303374		8.51	<0.01	0.02	0.93	63	430	0.26	0.04	32.0	0.14	15.70	3.1	8	2.71	8.7
K303375		7.96	<0.01	0.02	1.09	66	130	0.26	0.05	31.3	0.15	16.15	3.6	10	3.67	10.5
K303376		8.15	<0.01	0.01	0.59	57	120	0.17	0.03	34.5	0.10	10.80	2.1	5	1.79	5.8
K303377		8.34	0.01	0.01	0.47	49	110	0.16	0.02	33.3	0.10	8.34	1.7	4	1.40	4.8
K303378		8.62	<0.01	0.02	0.51	52	120	0.15	0.03	35.5	0.10	9.63	2.1	5	1.30	10.6
K303379		7.49	<0.01	0.02	0.53	45	120	0.12	0.03	34.0	0.09	10.05	2.1	5	1.64	6.9
K303380		8.33	<0.01	0.01	0.49	45	120	0.14	0.02	33.3	0.07	8.76	1.9	5	1.39	6.0
K303381		8.11	0.01	0.02	0.58	60	130	0.18	0.03	34.8	0.09	11.35	2.3	6	1.61	7.7
K303382		8.49	<0.01	0.01	0.60	30	160	0.19	0.03	33.9	0.09	11.10	2.4	6	1.85	7.7
K303383		8.00	<0.01	0.01	0.40	27	90	0.15	0.02	33.8	0.04	7.47	1.9	4	1.05	5.0
K303384		8.71	<0.01	0.02	0.94	55	170	0.23	0.04	33.0	0.10	15.70	3.5	10	3.40	11.4
K303385		8.61	<0.01	0.01	0.33	56	120	0.12	0.02	36.3	0.03	6.64	1.6	4	0.80	4.4
K303386		7.90	<0.01	0.01	0.66	69	120	0.17	0.03	34.4	0.05	10.20	2.5	7	1.93	8.2
K303387		8.46	0.01	0.01	0.68	60	110	0.19	0.04	32.8	0.03	12.15	2.7	8	1.83	9.3
K303388		8.90	0.01	<0.01	0.35	44	60	0.14	0.02	26.2	0.04	6.11	1.7	4	1.04	4.7
K303389		8.13	0.01	0.01	0.28	62	110	0.11	0.02	36.0	0.04	5.52	1.6	4	0.75	4.6
K303390		8.52	0.01	0.01	0.60	100	110	0.21	0.03	34.6	0.04	10.20	2.4	6	1.73	8.0
K303391		7.06	<0.01	0.02	0.74	127	110	0.18	0.04	35.7	0.04	12.90	2.9	8	2.40	10.0
K303392		4.99	<0.01	0.01	0.09	<5	20	0.05	0.05	21.7	0.05	1.32	1.5	1	0.47	2.1
K303393		9.36	0.01	0.01	0.43	290	90	0.15	0.02	35.7	0.02	7.64	2.0	5	1.08	6.2
K303394		8.22	0.11	0.02	0.51	177	90	0.17	0.02	35.1	0.04	8.21	2.2	6	1.13	6.8
K303395		5.89	0.75	0.02	0.34	174	70	0.08	0.02	36.0	0.05	4.92	1.6	4	0.71	5.4
K303396		0.20	7.38	0.50	3.54	1000	160	0.83	0.67	11.95	4.10	46.1	5.5	98	7.45	35.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200860

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303361		1.72	7.58	<0.05	1.5	0.31	0.028	1.26	16.5	8.7	0.78	331	0.74	0.03	4.2	12.7
K303362		2.17	9.19	<0.05	1.7	0.43	0.037	1.51	19.3	9.6	1.27	493	1.00	0.03	4.9	16.0
K303363		1.67	6.49	<0.05	1.3	0.41	0.025	1.06	15.1	8.0	0.76	395	0.58	0.03	3.6	11.1
K303364		1.30	5.56	<0.05	1.1	0.17	0.021	0.90	13.1	7.9	0.75	308	0.61	0.02	3.1	9.1
K303365		1.20	4.76	<0.05	0.9	0.15	0.022	0.78	12.7	6.7	0.73	287	0.62	0.02	2.6	8.1
K303366		1.09	4.33	<0.05	0.9	0.24	0.019	0.73	11.5	5.4	0.72	313	0.47	0.02	2.5	7.1
K303367		1.92	8.36	<0.05	1.6	0.94	0.033	1.36	18.6	9.6	0.85	316	0.65	0.02	4.5	14.6
K303368		0.50	0.53	0.13	<0.1	<0.01	<0.005	0.06	0.6	2.3	13.20	213	0.06	0.01	0.4	2.5
K303369		0.87	3.23	<0.05	0.6	0.80	0.013	0.52	8.7	4.3	0.80	337	0.36	0.02	1.9	5.1
K303370		1.04	4.47	<0.05	0.9	1.26	0.019	0.73	12.3	5.3	1.07	276	0.40	0.02	2.6	7.7
K303371		0.73	3.29	<0.05	0.6	1.62	0.013	0.52	8.8	4.1	0.66	289	0.33	0.02	1.9	5.5
K303372		0.55	2.56	<0.05	0.5	1.71	0.012	0.39	6.6	3.0	0.49	262	0.26	0.01	1.5	3.8
K303373		6.49	20.2	0.19	4.6	9.5	0.049	1.26	62.8	17.3	0.12	35	6.39	0.36	9.8	14.8
K303374		0.65	2.57	<0.05	0.6	1.70	0.011	0.41	8.0	3.3	0.76	166	0.31	0.02	1.6	4.3
K303375		0.67	3.01	<0.05	0.6	1.89	0.013	0.49	8.4	4.4	0.61	104	0.40	0.02	1.7	5.3
K303376		0.42	1.68	<0.05	0.3	1.09	0.007	0.26	5.4	2.5	0.61	118	0.26	0.01	1.2	3.0
K303377		0.32	1.34	<0.05	0.3	0.95	0.006	0.21	4.0	1.9	0.57	137	0.19	0.01	1.0	2.5
K303378		0.34	1.30	<0.05	0.2	1.06	0.005	0.21	5.0	1.9	0.55	99	0.33	0.01	1.0	2.4
K303379		0.34	1.38	0.06	0.3	0.79	0.006	0.22	5.1	2.5	0.44	70	0.24	0.01	1.0	2.0
K303380		0.32	1.27	0.06	0.3	0.89	0.005	0.20	4.4	2.2	0.43	66	0.17	0.01	1.0	1.8
K303381		0.39	1.50	0.06	0.3	1.07	0.007	0.25	5.9	2.6	0.61	113	0.29	0.02	1.1	2.2
K303382		0.41	1.62	0.06	0.3	0.54	0.008	0.26	5.9	2.8	0.60	124	0.25	0.02	1.1	2.7
K303383		0.29	1.03	0.05	0.2	0.70	0.005	0.16	3.9	1.9	2.22	111	0.12	0.01	0.7	1.1
K303384		0.59	2.43	0.05	0.5	1.34	0.009	0.42	8.2	4.7	0.53	106	0.34	0.02	1.6	4.7
K303385		0.25	0.84	<0.05	0.2	0.90	<0.005	0.13	3.3	1.6	0.64	117	0.14	0.02	0.7	0.9
K303386		0.42	1.74	0.06	0.3	1.76	0.007	0.28	5.3	3.2	0.43	94	0.17	0.02	1.2	2.8
K303387		0.55	1.71	<0.05	0.3	1.42	0.007	0.29	6.3	3.0	2.09	280	0.26	0.02	1.2	2.7
K303388		0.55	0.95	0.05	0.2	0.83	0.005	0.15	3.1	2.0	7.10	456	0.16	0.02	0.7	1.3
K303389		0.22	0.80	0.07	0.1	0.57	0.006	0.11	2.7	1.5	1.40	133	0.15	0.02	0.6	0.7
K303390		0.40	1.64	0.10	0.3	1.37	0.007	0.25	5.0	3.0	1.10	308	0.33	0.02	1.1	2.7
K303391		0.49	1.93	0.07	0.4	1.50	0.010	0.30	6.2	3.7	0.50	243	0.40	0.01	1.4	3.4
K303392		0.47	0.45	0.20	<0.1	0.01	0.005	0.04	0.7	1.3	13.30	211	0.07	0.01	0.4	1.6
K303393		0.31	1.23	0.11	0.2	0.98	0.008	0.17	3.7	1.7	0.41	353	0.30	0.01	0.8	1.4
K303394		0.37	1.47	0.09	0.3	1.13	0.006	0.21	3.9	2.3	0.38	585	0.28	0.01	1.0	2.4
K303395		0.26	1.34	0.07	0.2	1.77	0.019	0.14	2.4	1.5	0.16	2030	0.29	<0.01	0.7	1.3
K303396		1.37	7.67	0.13	2.4	5.86	0.066	1.47	34.0	9.3	0.71	269	11.90	0.01	8.2	64.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200860

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303361		570	8.0	57.2	0.004	1.49	0.44	6.3	2	1.0	1675	0.33	<0.05	3.6	0.170	1.30
K303362		250	9.1	67.8	0.004	1.81	0.52	8.4	2	1.3	1670	0.39	0.05	4.1	0.212	1.13
K303363		680	6.6	47.3	0.003	1.46	0.44	5.8	2	0.8	1955	0.28	0.05	2.9	0.152	0.44
K303364		240	5.9	41.3	0.003	1.13	0.36	4.7	2	0.7	2010	0.24	<0.05	2.7	0.116	0.50
K303365		200	5.5	36.1	0.003	1.00	0.33	4.4	2	0.7	2050	0.20	<0.05	2.3	0.097	0.44
K303366		770	4.9	32.7	0.003	0.89	0.30	3.9	2	0.6	2310	0.19	<0.05	2.2	0.090	0.41
K303367		270	8.2	61.2	0.003	1.73	0.74	7.3	2	1.1	1695	0.36	0.05	3.7	0.198	1.02
K303368		210	1.3	4.0	<0.002	0.01	0.06	0.3	1	<0.2	44.2	<0.05	<0.05	0.2	<0.005	0.03
K303369		450	3.5	23.2	0.002	0.74	0.66	3.1	2	0.4	1930	0.13	<0.05	1.5	0.065	1.24
K303370		400	5.0	31.1	0.002	1.00	0.86	3.9	2	0.6	1680	0.19	<0.05	2.2	0.095	2.32
K303371		440	3.9	23.3	0.002	0.74	2.10	2.9	2	0.5	1710	0.13	<0.05	1.6	0.063	2.78
K303372		370	3.1	19.8	0.002	0.63	3.85	2.2	2	0.4	1905	0.10	<0.05	1.2	0.047	2.77
K303373		860	15.9	44.6	0.003	2.86	112.0	14.7	2	3.1	499	0.80	0.13	7.6	0.528	7.01
K303374		300	3.3	19.2	0.002	0.65	1.15	2.4	2	0.4	2190	0.11	<0.05	1.3	0.053	2.05
K303375		190	3.7	22.2	0.002	0.74	0.90	2.6	2	0.5	1785	0.12	<0.05	1.5	0.061	1.94
K303376		350	2.1	13.3	<0.002	0.44	0.62	1.7	2	0.3	2140	0.07	<0.05	0.8	0.031	1.22
K303377		350	1.7	10.6	<0.002	0.33	0.65	1.3	2	0.3	1870	0.05	<0.05	0.7	0.025	0.98
K303378		260	3.6	11.1	0.002	0.35	0.50	1.3	2	0.2	1940	0.06	<0.05	0.9	0.028	0.86
K303379		300	2.2	11.8	<0.002	0.37	0.41	1.4	2	0.2	1810	0.06	<0.05	1.0	0.028	0.78
K303380		310	1.9	11.0	<0.002	0.34	0.43	1.3	2	0.2	1905	0.06	<0.05	0.9	0.027	0.76
K303381		530	2.4	13.1	<0.002	0.40	0.90	1.7	2	0.2	2100	0.07	<0.05	1.1	0.032	1.19
K303382		440	2.3	13.8	<0.002	0.42	0.45	1.7	2	0.2	2190	0.07	<0.05	1.1	0.033	0.43
K303383		260	1.4	8.4	<0.002	0.25	0.35	1.3	2	0.2	1670	<0.05	<0.05	0.7	0.021	0.56
K303384		350	3.3	22.1	0.002	0.66	0.54	2.6	2	0.3	2090	0.10	<0.05	1.6	0.055	1.34
K303385		400	2.9	6.7	<0.002	0.23	0.66	1.0	2	0.2	1880	<0.05	<0.05	0.6	0.017	0.82
K303386		330	2.2	14.7	<0.002	0.44	0.81	1.9	2	0.2	1785	0.07	<0.05	1.1	0.041	1.47
K303387		1080	6.1	14.9	<0.002	0.44	1.09	2.0	2	0.3	1485	0.07	<0.05	1.1	0.036	1.45
K303388		360	2.6	7.8	<0.002	0.24	0.68	1.1	2	0.2	855	<0.05	<0.05	0.6	0.018	1.11
K303389		400	1.3	5.9	<0.002	0.20	0.55	1.0	2	0.2	1770	<0.05	<0.05	0.5	0.014	0.94
K303390		530	2.2	13.6	0.002	0.44	1.23	1.8	2	0.3	1770	0.07	0.05	1.0	0.033	2.27
K303391		870	2.7	16.6	0.003	0.53	1.01	2.2	2	0.3	1890	0.08	<0.05	1.3	0.044	2.11
K303392		170	1.3	3.1	<0.002	<0.01	0.06	0.3	1	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	0.04
K303393		710	1.6	9.3	0.002	0.31	1.56	1.5	2	0.2	1595	<0.05	<0.05	0.7	0.023	1.56
K303394		680	2.0	11.4	0.002	0.37	1.97	1.6	2	0.2	1500	0.05	<0.05	0.8	0.028	2.60
K303395		460	1.4	7.9	0.002	0.28	2.94	2.5	2	0.2	519	<0.05	<0.05	0.5	0.017	4.28
K303396		4180	4.9	108.5	0.039	1.37	19.00	6.3	9	1.7	145.5	0.59	0.54	6.9	0.214	13.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200860

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303361		2.0	51	1.1	18.6	42	45.2
K303362		1.8	64	3.3	20.8	50	52.3
K303363		1.7	46	2.1	18.5	36	40.3
K303364		1.7	36	0.5	16.2	31	31.6
K303365		1.7	31	0.4	16.9	25	26.9
K303366		1.8	28	0.4	17.2	23	27.6
K303367		1.6	59	0.9	19.5	42	47.3
K303368		0.4	3	0.1	0.9	15	<0.5
K303369		1.3	21	0.7	12.4	18	19.2
K303370		1.6	28	1.0	17.3	26	26.9
K303371		1.5	20	1.2	13.0	17	18.5
K303372		1.4	15	1.5	11.2	12	13.8
K303373		4.9	164	23.2	14.0	42	165.5
K303374		1.4	18	1.3	12.3	14	17.0
K303375		1.5	19	1.1	10.9	15	16.1
K303376		1.2	11	0.6	9.0	8	10.2
K303377		1.1	9	0.5	7.2	8	7.7
K303378		2.0	6	0.4	7.8	7	8.2
K303379		2.0	6	0.3	7.8	7	9.4
K303380		1.8	6	0.3	6.9	6	9.1
K303381		2.2	8	0.7	8.9	7	10.9
K303382		2.0	8	0.6	8.0	7	11.0
K303383		1.6	4	0.3	5.8	3	6.9
K303384		2.3	13	0.6	10.3	13	16.5
K303385		1.9	3	0.4	5.9	4	6.0
K303386		2.0	8	0.9	7.8	8	11.5
K303387		2.3	10	0.7	8.9	5	12.5
K303388		1.7	4	0.3	5.6	8	6.2
K303389		1.7	3	0.3	5.1	5	5.4
K303390		2.4	7	0.7	7.6	6	11.0
K303391		2.9	10	0.6	9.2	8	13.3
K303392		0.6	1	0.1	0.9	14	0.6
K303393		2.1	6	0.4	6.9	4	8.5
K303394		2.2	7	0.7	6.6	8	9.5
K303395		1.5	5	0.6	8.3	5	6.1
K303396		9.1	389	37.0	27.8	284	85.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200860

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11204187

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 242 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204187

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304722		4.55	0.05	0.17	0.73	829	60	0.34	0.02	18.85	0.21	12.60	1.6	6	2.15	5.8
K304723		4.35	0.03	0.50	1.01	663	70	0.49	0.02	19.50	0.38	14.35	1.9	14	3.01	9.5
K304724		4.74	0.06	0.29	1.14	504	80	0.43	0.03	17.55	0.25	18.05	2.0	10	2.72	8.7
K304725		5.31	0.03	0.16	1.44	419	80	0.52	0.04	17.25	0.09	16.25	2.3	12	3.93	13.0
K304726		5.06	0.02	0.09	0.65	1580	30	0.29	0.01	19.65	0.02	8.04	1.2	6	1.65	4.7
K304727		5.00	0.01	0.01	0.24	8	40	0.15	0.26	21.1	0.07	1.24	1.7	7	0.82	2.9
K304728		5.01	0.05	0.10	0.64	864	40	0.32	0.02	19.75	0.03	7.61	1.2	5	1.57	5.0
K304729		5.41	0.08	0.09	0.60	1460	30	0.22	0.03	19.85	0.18	9.04	2.1	5	1.64	5.4
K304730		5.22	0.01	0.08	1.43	107	70	0.44	0.04	17.70	0.03	18.70	2.5	10	4.99	8.8
K304731		3.15	0.01	0.08	0.90	75	40	0.40	0.03	18.80	0.02	12.50	2.1	7	3.16	5.0
K304732		2.65	0.06	0.07	0.85	608	70	0.31	0.03	18.60	0.03	10.90	2.1	8	2.02	4.6
K304733		0.24	7.80	0.41	3.50	1010	160	0.68	0.58	12.20	3.97	46.5	5.9	89	7.78	31.2
K304734		1.98	1.72	0.45	3.25	>10000	200	0.61	0.09	11.95	0.44	37.5	6.0	31	5.84	28.6
K304735		3.11	0.41	0.17	1.26	>10000	110	0.33	0.04	17.95	0.11	16.40	3.2	14	2.08	12.1
K304736		1.09	0.43	0.17	1.01	>10000	90	0.29	0.04	17.85	0.08	14.55	3.0	10	1.71	10.6
K304737		5.55	0.06	2.40	0.51	2690	40	0.20	0.02	20.1	0.07	7.50	1.4	6	1.11	6.7
K304738		4.70	0.11	0.10	0.48	>10000	30	0.20	0.02	19.55	0.05	8.46	1.6	6	1.17	5.7
K304739		3.09	0.06	0.11	2.61	353	140	0.73	0.06	15.80	0.08	28.7	4.6	21	7.33	11.2
K304740		1.93	0.09	0.07	1.06	3420	70	0.33	0.03	18.65	0.04	15.50	2.2	9	2.36	6.6
K304741		5.47	0.13	0.02	0.72	>10000	50	0.25	0.02	19.90	0.06	11.65	1.9	9	1.48	4.8
K304742		5.68	0.01	0.08	0.56	2560	50	0.25	0.02	20.0	0.08	9.32	1.5	8	1.35	4.4
K304743		5.25	0.02	0.21	1.47	688	70	0.44	0.04	17.25	0.04	15.80	2.1	14	4.42	6.0
K304744		5.17	0.01	0.08	1.69	166	120	0.52	0.05	16.20	0.08	21.5	2.8	16	5.48	8.9
K304745		4.48	0.01	0.08	2.55	111	190	0.86	0.05	14.35	0.05	34.5	4.2	24	8.45	11.4
K304746		1.27	0.01	0.04	2.82	82	180	0.83	0.06	19.00	0.09	34.0	4.0	24	10.00	14.5
K304747		5.10	0.01	0.05	1.74	89	100	0.55	0.04	26.0	0.12	23.5	3.4	15	6.60	7.8
K304748		4.91	0.01	0.05	3.53	145	280	1.00	0.08	13.70	0.06	44.1	5.4	32	13.80	17.4
K304749		5.02	<0.01	0.01	0.08	<5	40	0.05	0.02	20.8	0.07	1.27	1.2	1	0.39	1.3
K304750		5.75	0.02	0.08	2.76	390	290	0.70	0.06	12.95	0.05	39.4	6.6	25	9.64	23.9
K304751		5.39	0.01	0.06	3.06	96	170	0.89	0.06	23.7	0.03	38.0	4.7	24	14.70	9.6
K304752		5.16	0.01	0.05	3.43	60	220	0.89	0.07	21.2	0.03	41.3	5.8	25	18.10	11.1
K304753		5.65	0.01	0.08	2.55	57	170	0.76	0.06	23.8	0.04	32.3	5.3	21	14.00	13.6
K304754		4.97	0.01	0.12	1.44	42	170	0.45	0.04	30.5	0.04	18.25	2.9	14	5.34	7.1
K304755		0.26	0.35	0.33	6.50	627	980	0.68	0.26	0.51	0.19	147.5	3.4	229	3.75	30.4
K304756		5.42	0.01	0.11	3.54	163	280	1.01	0.07	18.15	0.04	43.5	6.2	32	17.70	19.1
K304757		5.53	0.01	0.07	3.63	50	320	0.99	0.08	14.40	0.05	44.6	5.8	32	15.35	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204187

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304722		0.96	1.90	0.19	0.6	0.9	0.012	0.34	7.2	4.5	11.10	449	0.15	0.01	1.1	3.6
K304723		0.61	2.61	0.18	0.6	1.92	0.009	0.48	8.6	6.3	11.55	226	1.20	0.02	1.5	4.9
K304724		0.65	3.04	0.21	0.9	1.23	0.014	0.55	9.8	6.4	10.25	268	1.33	0.02	1.8	5.6
K304725		0.56	3.65	0.20	0.9	1.22	0.011	0.71	9.5	7.6	10.40	207	1.35	0.02	2.0	5.9
K304726		0.34	1.59	0.21	0.4	0.64	0.005	0.30	4.9	4.3	11.85	202	0.55	0.02	0.9	2.9
K304727		0.50	0.60	0.14	<0.1	0.01	0.005	0.09	0.6	2.2	13.20	224	0.13	0.01	0.3	3.6
K304728		0.42	1.62	0.24	0.4	0.76	<0.005	0.29	4.6	4.5	11.75	287	0.57	0.02	0.9	3.3
K304729		1.34	1.40	0.05	0.3	1.46	0.009	0.28	5.4	3.5	12.00	514	0.62	0.02	1.0	4.4
K304730		0.59	3.33	0.05	1.1	1.04	0.012	0.72	10.2	7.3	10.95	232	0.55	0.01	2.5	4.2
K304731		0.73	2.06	0.06	0.9	1.20	0.006	0.44	7.0	4.9	11.50	413	0.84	0.02	1.6	3.3
K304732		0.47	2.04	0.06	0.7	2.10	0.006	0.39	5.9	4.0	10.85	430	0.88	0.02	1.4	3.7
K304733		1.34	6.87	0.10	2.2	5.78	0.063	1.48	30.6	9.0	0.72	271	11.70	0.01	7.8	61.6
K304734		1.70	7.76	0.10	1.7	8.3	0.053	1.52	18.7	9.4	6.95	1220	1.65	0.01	5.1	14.9
K304735		1.69	2.87	0.05	0.8	5.52	0.016	0.61	8.9	3.8	9.89	891	1.07	0.01	1.9	6.6
K304736		1.79	2.24	0.06	0.7	5.82	0.014	0.47	7.9	3.5	9.98	934	1.22	0.01	1.6	5.7
K304737		0.29	1.23	0.05	0.3	1.11	<0.005	0.24	4.4	2.5	11.05	491	0.51	0.01	0.8	2.3
K304738		0.36	1.18	0.07	0.2	1.19	0.013	0.22	5.3	2.8	11.80	292	0.40	0.01	0.8	2.6
K304739		0.80	6.20	0.06	1.6	1.88	0.018	1.30	15.0	12.7	9.53	236	0.66	0.02	4.1	8.7
K304740		0.44	2.47	0.06	0.6	0.92	0.012	0.53	8.8	4.9	11.15	280	0.53	0.01	1.6	3.3
K304741		0.37	1.76	0.08	0.6	1.19	0.013	0.35	6.9	3.4	12.15	366	0.13	0.01	1.2	2.3
K304742		0.29	1.32	0.08	0.3	0.70	0.007	0.26	5.8	2.9	12.30	264	0.20	0.01	0.9	1.7
K304743		0.66	3.58	0.05	0.9	1.32	0.010	0.73	8.8	7.3	10.65	417	1.06	0.01	2.4	3.9
K304744		0.79	4.00	0.06	1.3	2.94	0.015	0.84	11.3	7.9	9.63	386	0.64	0.01	2.8	5.5
K304745		1.01	6.09	0.07	2.0	0.84	0.018	1.33	18.2	11.6	7.79	255	1.02	0.02	4.3	7.6
K304746		0.82	6.34	0.08	2.1	0.93	0.021	1.48	17.8	11.5	3.55	187	0.34	0.02	4.7	6.7
K304747		0.78	3.92	0.06	1.1	0.36	0.015	0.92	12.9	7.3	2.46	247	0.26	0.01	2.8	4.9
K304748		1.18	8.03	0.07	2.9	1.09	0.027	1.96	22.1	15.8	3.79	269	0.56	0.03	6.2	8.6
K304749		0.47	0.27	0.06	<0.1	<0.01	<0.005	0.04	0.6	1.0	12.95	217	0.05	0.01	0.2	1.4
K304750		1.65	6.25	0.08	2.5	1.64	0.018	1.57	19.9	11.6	5.53	430	0.61	0.02	4.7	10.0
K304751		0.88	6.84	0.07	1.2	0.28	0.021	1.68	20.1	14.5	1.57	180	0.62	0.02	4.1	9.8
K304752		1.11	7.45	0.07	1.3	0.24	0.021	1.89	21.8	17.4	1.83	212	0.48	0.02	4.6	11.6
K304753		0.77	5.69	0.07	1.2	0.19	0.015	1.43	17.6	12.0	1.91	240	0.67	0.02	3.8	8.6
K304754		0.49	3.23	0.05	0.7	0.12	0.011	0.79	10.6	5.8	1.11	164	0.53	0.01	2.3	4.9
K304755		7.03	20.8	0.16	4.4	9.4	0.045	1.43	71.2	18.7	0.13	37	7.13	0.40	10.4	17.2
K304756		1.23	7.98	0.06	2.2	0.29	0.025	2.07	22.5	18.8	1.75	211	1.14	0.03	5.6	12.7
K304757		1.14	8.25	0.07	2.5	0.12	0.025	2.14	23.3	17.5	2.75	205	0.77	0.03	5.8	10.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204187

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304722		420	8.5	11.6	0.003	0.52	3.47	1.3	1	0.4	101.0	0.08	<0.05	1.6	0.031	1.83
K304723		500	12.8	15.6	<0.002	0.33	2.54	1.7	2	0.5	115.0	0.12	<0.05	2.2	0.044	1.97
K304724		710	16.3	18.0	<0.002	0.32	2.91	2.1	2	0.6	121.5	0.13	<0.05	2.5	0.050	1.83
K304725		330	8.9	21.8	0.004	0.42	1.55	2.2	1	0.6	83.1	0.16	<0.05	3.1	0.062	1.40
K304726		120	6.5	9.6	<0.002	0.36	2.66	1.1	1	0.4	80.9	0.08	<0.05	1.3	0.027	1.04
K304727		230	1.5	5.3	<0.002	0.01	0.07	0.5	1	<0.2	47.5	<0.05	<0.05	<0.2	0.009	0.03
K304728		120	8.4	9.8	<0.002	0.31	2.48	1.0	1	0.4	70.5	0.07	<0.05	1.3	0.028	1.37
K304729		150	12.9	8.9	<0.002	1.32	4.63	1.1	2	0.3	66.8	0.07	<0.05	1.1	0.026	3.70
K304730		320	6.7	22.9	<0.002	0.43	0.73	2.5	2	0.5	88.1	0.18	<0.05	3.1	0.065	1.47
K304731		170	7.1	13.6	0.002	0.58	0.77	1.5	2	0.4	101.5	0.11	<0.05	1.9	0.042	1.43
K304732		260	8.5	13.5	<0.002	0.37	2.41	1.5	2	0.3	112.0	0.10	<0.05	1.8	0.037	2.34
K304733		4160	4.5	109.0	0.039	1.37	18.80	6.7	9	1.7	145.5	0.55	0.58	6.2	0.213	13.05
K304734		780	27.7	48.7	<0.002	5.23	88.1	5.6	4	1.5	170.0	0.39	0.05	6.7	0.140	15.95
K304735		420	33.2	18.4	<0.002	2.50	22.5	2.2	2	0.6	172.5	0.15	<0.05	2.5	0.054	11.75
K304736		320	23.2	14.8	<0.002	2.33	18.45	1.8	2	2.5	173.5	0.12	<0.05	2.0	0.044	12.75
K304737		140	7.3	7.8	<0.002	0.33	4.65	0.9	2	0.4	116.0	0.06	<0.05	1.0	0.021	1.97
K304738		180	5.5	7.4	<0.002	1.19	45.3	0.9	2	0.2	97.4	0.06	<0.05	1.0	0.021	1.84
K304739		390	11.0	42.3	<0.002	0.69	2.67	4.4	2	0.8	115.5	0.30	<0.05	4.9	0.116	3.59
K304740		210	10.1	16.0	<0.002	0.50	5.80	2.0	2	0.5	108.5	0.11	<0.05	2.0	0.045	1.48
K304741		240	4.9	11.3	<0.002	1.16	31.3	1.3	2	0.5	97.4	0.09	<0.05	1.5	0.032	2.13
K304742		160	4.5	7.8	<0.002	0.35	4.47	1.0	2	0.3	105.5	0.06	<0.05	1.0	0.023	0.79
K304743		260	6.0	22.8	0.002	0.35	2.76	2.5	2	0.6	88.6	0.18	<0.05	2.9	0.065	2.52
K304744		350	5.2	26.5	<0.002	0.36	1.17	3.0	2	1.0	91.7	0.20	<0.05	3.7	0.078	1.68
K304745		360	5.7	42.6	<0.002	0.36	0.73	4.5	2	1.1	133.5	0.33	<0.05	5.6	0.119	0.81
K304746		380	6.1	47.6	<0.002	0.41	0.60	4.7	2	1.4	315	0.34	<0.05	5.9	0.130	0.80
K304747		300	5.7	29.5	<0.002	0.52	0.39	2.9	2	0.6	371	0.20	<0.05	3.7	0.078	0.94
K304748		590	6.7	63.9	<0.002	0.40	0.63	6.1	2	1.3	189.0	0.46	<0.05	8.0	0.173	0.93
K304749		200	1.5	1.9	<0.002	0.01	0.06	0.3	1	<0.2	43.2	<0.05	<0.05	<0.2	<0.005	0.02
K304750		460	8.3	49.5	<0.002	0.57	1.13	4.7	2	1.0	180.0	0.36	<0.05	6.1	0.133	1.08
K304751		350	5.8	54.7	<0.002	0.29	0.29	5.1	1	0.8	696	0.31	<0.05	5.4	0.113	0.82
K304752		400	6.4	61.5	<0.002	0.33	0.20	5.7	2	1.0	582	0.35	<0.05	6.0	0.126	0.66
K304753		450	6.5	44.8	<0.002	0.29	0.25	4.2	2	0.8	632	0.28	<0.05	4.9	0.102	0.54
K304754		210	6.3	25.2	<0.002	0.32	0.21	2.5	2	0.8	904	0.17	<0.05	2.8	0.062	0.50
K304755		940	18.5	49.6	0.002	3.21	119.5	18.8	2	3.2	541	0.79	0.19	9.6	0.565	8.34
K304756		520	8.2	66.8	<0.002	0.72	0.55	5.9	2	1.4	359	0.42	<0.05	7.0	0.158	0.90
K304757		460	7.1	68.3	<0.002	0.27	0.36	6.0	2	1.2	264	0.45	<0.05	7.5	0.170	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204187

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304722		4.9	12	0.9	5.9	41	20.2	
K304723		8.7	41	1.3	5.4	49	17.5	
K304724		7.6	20	1.6	7.2	26	25.4	
K304725		9.2	22	1.7	6.0	15	27.9	
K304726		12.5	12	0.9	3.1	6	12.9	
K304727		0.7	5	0.2	1.0	16	<0.5	
K304728		12.9	13	1.0	2.8	4	11.9	
K304729		11.8	14	1.0	2.9	27	10.0	
K304730		12.2	29	1.8	6.2	13	38.8	
K304731		13.2	23	1.3	4.2	11	32.4	
K304732		14.1	19	1.4	4.2	11	23.7	
K304733		7.8	389	36.3	28.1	278	74.1	
K304734		12.9	50	5.2	10.3	67	61.2	8.03
K304735		17.1	23	2.4	6.9	16	29.5	1.625
K304736		14.7	19	2.4	5.9	17	25.3	1.165
K304737		13.2	12	10.3	2.8	17	8.6	
K304738		12.4	9	0.8	3.5	9	7.6	1.980
K304739		17.1	43	2.5	9.0	17	54.4	
K304740		10.6	20	1.1	5.2	8	19.9	
K304741		8.7	15	0.9	4.7	7	18.4	1.680
K304742		7.9	18	0.6	3.5	13	11.1	
K304743		14.0	30	1.4	5.2	21	28.9	
K304744		9.4	34	1.3	7.9	20	45.8	
K304745		8.6	44	1.5	10.7	21	69.2	
K304746		7.9	39	1.4	10.7	20	77.3	
K304747		6.8	26	0.8	7.3	15	40.1	
K304748		6.9	53	1.4	13.9	20	104.0	
K304749		0.5	3	0.1	0.9	16	0.5	
K304750		5.0	43	1.2	12.7	14	88.3	
K304751		12.2	44	0.5	8.8	13	43.6	
K304752		10.6	45	0.5	9.6	16	47.2	
K304753		11.3	37	0.5	8.6	12	41.2	
K304754		15.3	29	0.3	5.2	13	24.8	
K304755		7.6	176	24.4	15.9	45	169.0	
K304756		7.2	54	0.8	12.7	19	76.5	
K304757		5.8	53	0.7	13.0	18	89.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204187

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

CERTIFICATE WH11200518

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 243 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
As- CON01	As Concentrate	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200518

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303981		6.94	5.33	0.04	2.46	>10000	90	0.45	0.14	13.30	0.38	39.7	9.7	26	6.89	27.1
K303982		1.94	1.45	0.01	0.95	>10000	100	0.24	0.05	29.0	0.11	17.60	4.3	10	2.28	10.5
K303983		4.40	2.67	0.02	1.38	>10000	70	0.31	0.09	1.81	0.45	19.35	5.8	15	4.60	16.7
K303984		3.04	1.03	<0.01	0.43	>10000	60	0.17	0.03	30.1	0.06	6.77	2.1	4	1.13	4.4
K303985		3.82	6.06	0.07	1.85	>10000	70	0.39	0.10	13.90	0.84	27.1	6.6	18	7.19	18.1
K303986		3.88	0.60	0.01	0.62	>10000	80	0.22	0.03	32.6	0.07	10.10	2.8	6	1.54	5.7
K303987		5.02	0.01	<0.01	0.09	155	20	0.09	0.02	20.8	0.06	1.33	1.4	<1	0.47	1.4
K303988		4.94	0.86	0.01	0.69	9100	100	0.22	0.03	33.0	0.06	11.35	2.9	6	1.68	6.7
K303989		7.78	0.68	0.01	0.63	346	110	0.22	0.03	34.3	0.08	10.65	2.8	5	1.44	6.1
K303990		7.94	0.02	0.03	1.48	116	180	0.44	0.07	31.4	0.08	19.70	5.7	14	6.12	13.3
K303991		0.26	16.05	0.97	2.03	1040	190	0.48	0.57	15.15	0.63	31.3	4.6	36	2.29	63.3
K303992		7.54	0.64	0.01	0.78	9740	90	0.25	0.04	33.4	0.08	12.40	3.4	7	1.69	7.6
K303993		7.46	0.20	0.01	0.70	107	90	0.27	0.03	34.0	0.05	9.62	3.4	6	1.69	7.2
K303994		7.68	0.01	0.01	0.75	82	110	0.24	0.03	32.8	0.05	10.25	3.2	7	2.22	7.3
K303995		7.79	0.05	0.02	1.30	56	250	0.33	0.05	32.3	0.07	18.05	5.2	12	3.65	12.1
K303996		7.73	0.07	0.02	1.15	75	220	0.38	0.05	32.2	0.10	17.70	4.4	10	3.63	10.6
K303997		8.12	0.01	0.02	0.90	77	140	0.26	0.05	31.7	0.07	13.25	4.0	8	2.48	8.9
K303998		7.76	<0.01	0.01	0.85	58	230	0.25	0.04	35.5	0.06	14.60	3.1	8	3.17	11.7
K303999		3.43	<0.01	<0.01	0.69	53	150	0.21	0.03	34.7	0.09	12.05	2.4	6	2.31	6.8
K304000		7.85	0.02	<0.01	0.85	34	210	0.30	0.04	33.8	0.09	15.15	3.1	8	4.90	8.4
K305501		7.23	0.07	<0.01	0.79	78	190	0.25	0.03	35.1	0.08	15.20	2.9	8	2.76	8.0
K305502		0.27	2.68	0.99	3.22	582	860	0.72	0.26	8.09	2.24	48.9	6.4	52	3.92	41.7
K305503		8.04	0.20	<0.01	0.93	3670	140	0.34	0.04	34.3	0.08	16.05	3.2	9	4.38	9.2
K305504		6.45	0.02	<0.01	1.00	65	160	0.34	0.04	32.7	0.13	16.70	3.5	10	3.79	10.3
K305505		5.93	0.18	0.01	1.17	3530	160	0.34	0.05	32.4	0.10	18.55	4.0	11	3.96	11.9
K305506		7.09	0.53	<0.01	1.01	3950	140	0.32	0.05	32.5	0.09	15.90	3.6	11	4.24	9.8
K305507		5.26	<0.01	0.02	1.91	73	170	0.51	0.08	30.0	0.16	31.2	6.1	18	8.60	18.4
K305508		5.22	<0.01	0.03	2.46	230	280	0.66	0.10	26.6	0.21	31.6	8.3	24	8.55	24.7
K305509		6.26	<0.01	0.02	1.71	152	180	0.52	0.07	30.4	0.14	28.3	5.9	17	5.50	18.4
K305510		8.09	<0.01	0.02	2.00	94	150	0.60	0.08	29.8	0.16	32.2	6.5	20	6.63	19.7
K305511		6.52	<0.01	0.01	1.19	75	140	0.38	0.05	31.6	0.12	21.9	4.2	12	3.83	12.6
K305512		4.99	<0.01	<0.01	0.11	<5	20	0.07	0.02	20.7	0.05	1.24	2.0	2	0.36	2.1
K305513		7.88	<0.01	<0.01	0.85	29	120	0.29	0.03	33.1	0.11	15.65	3.3	9	2.95	10.0
K305514		8.17	<0.01	<0.01	0.79	31	120	0.25	0.03	33.6	0.12	14.40	3.1	8	2.81	9.4
K305515		7.57	<0.01	<0.01	0.73	27	170	0.21	0.03	33.5	0.13	13.60	2.8	6	3.19	8.4
K305516		7.44	<0.01	<0.01	0.30	7	120	0.11	0.01	36.4	0.05	5.86	1.5	3	0.90	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200518

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303981		1.99	7.90	0.17	1.2	35.1	0.054	1.11	19.1	29.1	0.24	560	1.43	0.01	3.8	14.9
K303982		0.69	3.06	0.12	0.5	8.8	0.105	0.42	8.4	3.9	0.21	988	0.48	0.01	1.7	2.8
K303983		1.06	4.85	0.14	0.8	8.1	0.347	0.63	10.0	16.8	0.12	191	0.90	0.01	2.3	10.3
K303984		0.36	1.47	0.10	0.2	2.10	0.090	0.19	3.5	3.5	0.21	1300	0.28	0.01	0.8	<0.2
K303985		1.31	5.91	0.14	0.9	18.1	0.203	0.83	13.8	17.8	0.20	1080	1.15	0.01	2.9	10.2
K303986		0.42	1.93	0.11	0.3	2.39	0.058	0.27	5.0	3.3	0.22	624	0.24	0.01	1.1	<0.2
K303987		0.46	0.43	0.22	<0.1	0.02	<0.005	0.05	0.6	1.8	12.30	202	0.06	<0.01	0.3	0.7
K303988		0.48	2.16	0.13	0.3	2.85	0.020	0.30	5.6	3.9	0.25	1360	0.37	0.01	1.2	1.7
K303989		0.43	1.99	0.13	0.3	2.42	0.008	0.27	5.0	3.2	0.31	1250	0.25	0.01	1.1	2.4
K303990		0.90	4.19	0.13	0.7	2.48	0.014	0.69	9.8	6.4	0.61	189	0.62	0.01	2.4	7.5
K303991		3.55	4.39	0.15	0.8	5.9	0.055	0.40	17.1	50.4	0.70	446	13.20	0.01	3.8	23.5
K303992		0.54	2.29	0.11	0.3	2.47	0.024	0.34	5.9	3.0	0.25	609	0.35	0.01	1.4	2.8
K303993		0.53	1.93	0.11	0.3	1.25	0.006	0.30	4.5	2.8	0.27	357	0.34	0.01	1.3	3.1
K303994		0.60	2.05	0.12	0.3	0.24	0.007	0.33	4.8	3.2	0.44	196	0.31	0.01	1.3	3.8
K303995		0.81	3.69	0.14	0.6	1.19	0.012	0.59	8.7	5.1	0.46	206	0.55	0.01	2.1	5.9
K303996		0.72	3.31	0.13	0.5	1.27	0.013	0.52	9.0	5.4	0.43	174	0.56	0.01	1.9	5.2
K303997		0.57	2.66	0.13	0.4	1.57	0.010	0.41	6.6	4.0	0.35	137	0.45	0.01	1.5	4.1
K303998		0.55	2.22	<0.05	0.4	0.70	0.010	0.37	7.4	3.7	0.35	207	0.53	0.01	1.7	<0.2
K303999		0.46	1.72	<0.05	0.3	0.57	0.008	0.29	5.9	3.0	0.31	199	0.33	0.01	1.4	<0.2
K304000		0.56	2.26	0.05	0.4	0.99	0.009	0.38	7.9	4.7	0.41	219	0.42	0.01	1.7	<0.2
K305501		0.53	2.03	0.06	0.4	1.50	0.010	0.34	7.9	3.6	0.34	168	0.37	0.01	1.7	<0.2
K305502		2.07	7.83	0.09	1.7	4.72	0.027	1.00	30.1	39.4	2.52	266	18.70	0.03	7.5	49.7
K305503		0.61	2.42	<0.05	0.4	1.38	0.015	0.42	8.3	4.4	0.42	323	0.52	0.01	1.9	<0.2
K305504		0.70	2.60	0.05	0.5	0.41	0.012	0.44	8.6	4.4	0.81	429	0.81	0.01	2.0	1.3
K305505		0.74	3.06	0.05	0.6	0.79	0.027	0.53	9.6	5.1	0.52	1270	0.84	0.01	2.3	2.5
K305506		0.65	2.85	<0.05	0.5	2.49	0.028	0.44	8.3	6.2	0.31	2460	0.52	0.01	2.1	2.4
K305507		1.21	4.85	0.06	0.9	1.09	0.023	0.86	15.2	8.1	0.84	202	1.18	0.02	3.4	7.3
K305508		1.68	6.04	0.05	1.2	1.81	0.027	1.06	15.7	7.9	1.25	505	1.71	0.02	4.0	11.5
K305509		1.26	4.29	0.06	0.8	1.96	0.020	0.74	14.1	5.9	0.82	476	0.95	0.01	3.1	6.9
K305510		1.36	5.14	0.05	1.0	1.86	0.021	0.91	15.9	6.6	0.98	352	0.78	0.02	3.5	8.4
K305511		0.84	3.08	0.05	0.6	1.52	0.015	0.54	11.3	4.9	0.68	223	0.36	0.01	2.5	4.1
K305512		0.46	0.46	0.19	<0.1	<0.01	<0.005	0.07	0.6	1.4	12.20	199	0.08	0.01	0.5	3.0
K305513		0.56	2.20	0.07	0.5	0.77	0.012	0.38	7.8	4.1	0.58	145	0.30	0.01	1.9	3.3
K305514		0.53	2.01	0.05	0.4	1.16	0.010	0.36	7.3	4.0	0.58	138	0.32	0.01	1.8	2.8
K305515		0.45	1.82	<0.05	0.3	0.16	0.008	0.33	6.8	4.0	0.52	93	0.39	0.01	1.6	1.9
K305516		0.24	0.76	0.05	0.2	0.09	<0.005	0.13	2.8	1.6	0.60	124	0.14	0.01	1.0	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200518

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303981		1610	9.8	62.0	0.004	3.36	64.2	7.0	3	0.9	485	0.27	0.08	4.4	0.131	94.0
K303982		1020	3.7	22.3	<0.002	5.05	186.0	8.4	3	0.3	1190	0.10	0.06	1.9	0.051	22.8
K303983		1600	5.1	34.8	0.002	>10.0	842	2.6	7	0.5	134.0	0.16	0.31	2.7	0.081	19.65
K303984		370	1.5	9.6	<0.002	3.97	126.0	6.8	2	0.2	1010	<0.05	0.05	0.8	0.022	5.44
K303985		450	7.0	44.2	0.003	9.81	298	6.4	3	0.6	375	0.19	0.13	3.5	0.095	37.2
K303986		220	2.1	13.3	<0.002	2.41	72.5	2.9	2	0.2	1370	0.06	<0.05	1.1	0.033	5.36
K303987		180	1.2	2.9	<0.002	0.02	0.40	0.4	2	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.05
K303988		310	2.3	14.6	<0.002	1.12	22.5	6.7	3	0.2	1445	0.07	<0.05	1.2	0.037	6.29
K303989		460	2.2	13.4	<0.002	0.47	8.09	4.6	3	0.3	1525	0.06	<0.05	1.1	0.033	4.71
K303990		230	5.5	32.7	0.002	0.96	0.97	4.0	3	0.5	1735	0.16	<0.05	2.5	0.078	6.27
K303991		670	21.4	25.3	0.007	2.06	147.5	4.6	4	1.9	48.2	0.24	0.35	3.6	0.111	3.55
K303992		400	2.6	16.5	<0.002	1.16	22.8	3.7	3	0.3	1555	0.07	<0.05	1.3	0.040	5.02
K303993		160	2.2	14.4	<0.002	0.52	1.23	2.6	2	0.2	1800	0.07	<0.05	1.1	0.043	3.19
K303994		130	2.3	15.2	<0.002	0.53	0.36	2.4	2	0.3	1830	0.07	<0.05	1.1	0.044	2.57
K303995		390	4.0	27.5	0.002	0.85	0.75	3.9	3	0.5	1915	0.13	<0.05	2.0	0.071	4.45
K303996		130	3.6	24.5	0.002	0.77	0.79	3.8	3	0.4	2050	0.11	<0.05	1.9	0.057	3.09
K303997		190	3.2	19.7	<0.002	0.57	0.70	2.6	3	0.3	1855	0.09	<0.05	1.5	0.048	2.62
K303998		240	3.8	18.7	0.003	0.51	0.30	2.4	2	0.4	2160	0.09	<0.05	1.2	0.045	1.14
K303999		300	2.1	14.3	0.002	0.42	0.25	2.1	2	0.3	2150	0.06	<0.05	1.0	0.036	0.91
K304000		210	2.6	19.5	0.002	0.53	0.48	2.6	2	0.4	1925	0.09	<0.05	1.3	0.045	1.63
K305501		360	2.6	16.9	0.002	0.50	1.37	2.5	2	0.3	2160	0.08	<0.05	1.2	0.041	2.40
K305502		890	33.7	50.7	0.023	1.57	114.0	5.1	4	2.7	77.0	0.44	0.19	5.9	0.171	3.73
K305503		320	2.9	20.8	0.003	0.75	6.20	2.6	2	0.4	1890	0.09	<0.05	1.4	0.048	2.89
K305504		620	2.9	21.7	0.003	0.59	0.40	2.8	2	0.4	1770	0.10	<0.05	1.5	0.050	1.53
K305505		320	3.5	25.5	0.003	0.85	5.77	4.2	3	0.5	1635	0.11	<0.05	1.7	0.061	1.78
K305506		470	3.2	22.6	0.002	0.85	11.75	3.3	2	0.5	1595	0.10	<0.05	1.5	0.053	4.62
K305507		340	5.4	43.9	0.004	1.14	0.53	5.4	3	0.7	1955	0.20	<0.05	2.8	0.099	2.76
K305508		340	6.9	50.9	0.008	1.40	0.78	6.7	3	0.9	1430	0.24	0.06	3.5	0.133	2.60
K305509		300	4.8	36.1	0.003	1.02	0.96	5.8	3	0.6	1950	0.17	<0.05	2.5	0.093	2.27
K305510		240	6.1	43.1	0.004	1.14	0.84	6.1	3	0.7	1700	0.20	0.05	3.0	0.111	1.92
K305511		420	4.5	25.7	0.002	0.77	0.75	3.7	2	0.5	1745	0.12	<0.05	1.9	0.069	1.20
K305512		170	1.1	3.6	<0.002	<0.01	0.07	0.4	2	<0.2	47.8	<0.05	<0.05	<0.2	0.006	0.02
K305513		360	2.9	18.4	0.002	0.53	0.33	2.7	2	0.4	1840	0.09	<0.05	1.3	0.050	1.26
K305514		300	2.6	16.6	0.002	0.53	0.35	2.4	2	0.4	1805	0.08	<0.05	1.2	0.046	2.46
K305515		130	2.5	15.0	0.002	0.45	0.34	2.2	2	0.3	1980	0.07	<0.05	1.1	0.038	1.12
K305516		400	1.6	5.5	<0.002	0.18	0.18	1.0	2	<0.2	1570	<0.05	<0.05	0.5	0.015	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200518

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	As- CON01
	Analyte	U	V	W	Y	Zn	Zr	As	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.01
K303981		6.4	40	4.3	27.7	30	45.7	2.38	
K303982		4.1	16	1.5	19.4	6	20.3	7.44	
K303983		4.7	25	1.9	16.9	39	28.5	>30.0	42.6
K303984		1.9	7	0.6	11.5	3	8.3	7.58	
K303985		5.0	30	2.8	40.2	86	31.9	18.15	
K303986		1.9	9	0.7	11.7	5	11.4	4.25	
K303987		0.5	3	0.1	0.8	12	<0.5		
K303988		2.2	12	0.9	13.0	5	12.2		
K303989		2.2	10	0.8	12.3	7	11.9		
K303990		2.9	22	0.8	12.7	13	24.6		
K303991		3.3	111	224	16.6	74	31.9		
K303992		2.1	12	0.9	11.5	8	13.9		
K303993		1.9	11	0.8	9.8	4	12.2		
K303994		1.8	13	0.4	10.0	5	12.4		
K303995		2.8	20	1.0	13.4	9	21.5		
K303996		2.6	17	0.7	13.3	15	17.5		
K303997		2.2	14	0.7	11.1	7	15.3		
K303998		1.9	14	0.4	11.8	6	15.0		
K303999		1.8	12	0.3	11.3	9	12.3		
K304000		1.8	13	0.5	11.4	13	15.1		
K305501		2.1	13	0.6	14.7	10	14.5		
K305502		7.8	225	27.4	21.3	208	68.4		
K305503		2.0	15	0.7	11.9	11	17.0		
K305504		1.9	17	0.4	10.2	14	19.6		
K305505		1.9	19	0.5	14.7	14	20.7		
K305506		1.9	16	1.2	14.9	13	18.8		
K305507		2.6	32	1.0	18.5	28	34.1		
K305508		2.6	45	2.2	18.9	36	42.9		
K305509		2.1	30	2.1	18.3	25	30.3		
K305510		2.2	35	2.1	18.4	29	34.5		
K305511		1.9	20	1.4	16.2	14	23.2		
K305512		0.4	3	0.1	0.9	12	0.5		
K305513		1.9	15	0.7	13.3	10	16.6		
K305514		1.7	13	0.6	10.7	11	15.0		
K305515		1.8	12	0.2	10.8	9	12.0		
K305516		1.3	6	0.1	6.1	<2	5.9		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200518

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11204188

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 244 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204188

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305383		7.93	<0.01	0.04	5.53	28	200	1.35	0.20	15.40	0.09	67.0	11.2	35	18.00	21.3
K305384		7.72	<0.01	0.04	7.98	21.8	330	2.54	0.29	5.62	0.12	95.1	15.5	62	28.3	31.0
K305385		7.78	<0.01	0.06	8.73	18.0	340	2.77	0.32	2.54	0.19	96.5	17.8	63	27.3	33.8
K305386		7.79	<0.01	0.13	8.93	16.2	370	2.89	0.33	2.14	0.17	101.0	19.0	68	23.7	36.8
K305387		0.24	0.33	0.30	6.01	602	430	0.57	0.25	0.45	0.17	125.0	3.0	223	3.34	29.2
K305388		8.12	0.01	0.07	8.88	21.1	400	2.80	0.34	2.18	0.18	96.3	18.5	67	22.6	37.7
K305389		7.62	<0.01	0.07	8.57	17.4	410	3.08	0.32	2.13	0.16	95.6	17.9	66	26.4	35.5
K305390		7.60	<0.01	0.11	8.89	16.2	310	3.10	0.37	2.11	0.26	93.8	16.1	71	21.7	40.7
K305391		5.03	0.01	0.02	0.09	<5	20	0.08	0.03	21.0	0.05	1.21	0.7	1	0.31	3.6
K305392		7.52	0.01	0.07	8.62	17.5	330	3.79	0.34	1.87	0.23	92.9	16.8	71	23.5	39.0
K305393		7.56	<0.01	0.06	8.74	20.4	450	3.55	0.34	1.65	0.17	101.0	16.0	70	20.1	38.2
K305394		6.98	<0.01	0.06	8.54	18.7	350	3.37	0.31	1.59	0.10	93.1	14.9	68	25.1	34.9
K305395		6.19	<0.01	0.06	8.92	20.3	350	3.29	0.31	1.38	0.11	93.7	15.2	72	25.1	34.5
K305396		5.69	0.01	0.06	8.77	27.9	360	3.55	0.31	1.99	0.10	93.1	16.5	69	23.1	34.7
K305397		2.92	<0.01	0.07	8.54	24.0	350	3.15	0.33	2.28	0.14	93.0	14.3	67	20.7	31.9
K305398		7.45	<0.01	0.05	8.43	14.1	470	3.19	0.33	2.53	0.23	90.4	14.2	66	22.0	34.2
K305399		7.64	<0.01	0.05	8.27	17.5	300	3.03	0.29	1.82	0.12	83.1	14.3	67	24.2	34.6
K305400		7.76	<0.01	0.07	8.81	41.2	350	3.25	0.32	1.90	0.11	88.6	16.6	66	19.40	34.9
K305401		0.24	2.56	1.02	3.32	603	890	0.74	0.30	8.39	2.36	45.5	6.6	54	3.80	42.7
K305402		8.28	<0.01	0.10	8.83	32.6	350	3.46	0.37	2.29	0.19	91.7	16.3	68	19.45	37.3
K305403		8.06	<0.01	0.07	8.80	29.2	310	3.34	0.37	2.44	0.23	100.5	16.3	69	18.75	36.3
K305404		8.82	<0.01	0.08	8.74	78.1	330	3.13	0.36	1.91	0.18	85.2	15.2	66	17.55	34.5
K305405		7.09	<0.01	0.08	8.87	18.4	400	3.41	0.30	1.72	0.23	94.6	15.6	69	22.5	36.4
K305406		7.67	<0.01	0.07	8.79	17.9	450	3.27	0.36	2.03	0.14	93.4	15.9	69	26.7	38.1
K305407		7.17	0.01	0.06	8.67	16.0	350	3.48	0.36	1.90	0.12	95.9	16.7	70	23.8	37.7
K305408		7.14	<0.01	0.07	8.49	14.6	350	3.05	0.30	2.21	0.14	90.8	14.9	66	19.80	33.9
K305409		8.66	0.01	0.07	7.99	14.8	290	2.97	0.30	1.67	0.16	89.2	14.2	65	22.7	34.0
K305410		10.35	<0.01	0.07	8.62	25.7	590	3.01	0.30	2.27	0.14	92.1	14.6	66	21.7	33.5
K305411		5.02	0.01	0.01	0.17	<5	30	0.06	0.03	20.1	0.05	1.24	0.8	1	1.64	1.6
K305412		6.49	<0.01	0.07	8.96	20.2	450	3.10	0.30	1.84	0.11	95.1	14.6	69	24.7	33.5
K305413		6.76	0.01	0.09	8.70	15.8	380	3.77	0.35	1.36	0.24	88.4	16.3	70	27.4	44.0
K305414		8.38	<0.01	0.10	8.46	12.8	360	4.03	0.34	1.15	0.28	90.0	14.7	70	30.5	40.9
K305415		6.98	<0.01	0.11	8.63	12.8	370	3.78	0.34	1.36	0.28	94.6	15.0	70	32.8	39.5
K305416		5.57	<0.01	0.11	8.74	16.3	300	3.42	0.32	1.18	0.32	94.1	15.5	64	29.9	38.6
K305417		7.29	0.01	0.09	8.79	16.9	330	3.60	0.32	1.17	0.29	104.5	15.9	65	31.8	39.6
K305418		8.44	<0.01	0.09	8.94	11.4	540	3.81	0.29	1.55	0.44	109.5	15.4	69	36.5	39.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204188

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305383		3.31	12.75	0.10	1.6	0.09	0.043	2.35	34.2	50.8	2.30	786	2.51	0.35	6.8	22.6
K305384		4.17	20.6	0.13	2.8	0.13	0.068	3.62	47.7	48.5	2.80	801	4.90	0.29	10.7	33.6
K305385		4.16	24.0	0.14	2.9	0.18	0.073	4.01	45.8	60.7	1.93	437	3.07	0.31	12.4	37.2
K305386		4.12	25.0	0.15	3.1	0.16	0.077	4.20	47.7	42.6	1.78	376	2.99	0.18	13.0	40.1
K305387		6.74	19.25	0.15	4.0	9.1	0.044	1.36	59.8	17.0	0.12	37	6.39	0.38	9.4	16.0
K305388		4.53	24.1	0.17	2.9	0.20	0.077	4.17	46.1	29.0	1.88	383	3.70	0.10	12.4	39.8
K305389		4.37	23.0	0.17	3.0	0.14	0.078	4.02	45.5	31.8	1.78	380	3.32	0.14	12.1	39.4
K305390		4.28	24.4	0.24	3.2	0.15	0.070	3.96	44.0	24.5	1.85	388	3.12	0.10	11.7	39.9
K305391		0.48	0.24	0.12	<0.1	<0.01	<0.005	0.04	0.6	1.2	12.70	215	0.10	0.01	0.1	2.0
K305392		4.18	25.9	0.27	3.2	0.14	0.077	3.96	43.7	27.0	1.76	374	2.79	0.09	12.4	40.5
K305393		4.32	24.8	0.22	3.2	0.14	0.072	4.00	44.5	24.4	1.73	373	2.96	0.08	12.4	39.5
K305394		4.34	24.2	0.22	3.0	0.16	0.065	3.86	41.7	31.7	1.72	396	2.81	0.08	11.5	36.0
K305395		4.24	24.2	0.23	3.3	0.13	0.077	4.03	42.9	30.6	1.64	359	2.72	0.08	12.0	33.8
K305396		4.22	24.8	0.23	3.2	0.15	0.078	3.89	44.7	27.8	1.79	449	3.08	0.07	12.1	35.2
K305397		4.22	22.5	0.22	3.2	0.14	0.061	3.82	44.9	25.9	1.86	495	2.73	0.07	10.7	32.8
K305398		4.35	22.8	0.21	3.3	0.14	0.069	3.75	43.7	28.6	1.92	554	2.78	0.07	10.9	33.7
K305399		4.24	22.8	0.21	3.0	0.21	0.052	3.71	42.7	48.2	1.72	424	2.60	0.07	10.6	35.3
K305400		4.30	23.5	0.19	3.1	0.28	0.065	3.95	43.0	39.7	1.62	436	2.58	0.08	11.3	36.4
K305401		2.14	7.52	0.13	1.8	4.69	0.026	1.02	28.8	32.2	2.66	277	18.00	0.04	6.7	53.3
K305402		4.29	24.1	0.21	3.0	0.27	0.070	3.92	44.6	35.3	1.83	445	3.01	0.07	11.6	40.9
K305403		4.14	24.5	0.20	3.2	0.26	0.066	3.85	47.5	28.5	1.94	455	3.06	0.07	11.7	38.7
K305404		4.47	23.4	0.18	3.0	0.29	0.065	3.90	39.4	40.8	1.47	448	2.99	0.06	11.2	37.4
K305405		4.42	24.4	0.21	3.0	0.19	0.076	3.84	44.3	56.0	1.71	464	2.78	0.07	11.7	35.8
K305406		4.76	24.5	0.20	3.1	0.17	0.085	3.87	43.5	30.4	1.82	407	2.86	0.07	11.6	39.1
K305407		4.37	25.2	0.23	3.1	0.15	0.072	3.94	43.7	25.7	1.80	428	2.76	0.08	12.2	40.4
K305408		4.36	22.6	0.19	2.9	0.15	0.072	3.77	42.9	36.7	1.88	544	2.72	0.07	11.1	36.9
K305409		4.24	22.2	0.19	3.2	0.14	0.060	3.49	42.9	59.6	1.67	484	2.59	0.06	10.4	32.1
K305410		4.56	22.7	0.19	3.3	0.13	0.070	3.76	46.2	46.1	1.76	549	2.75	0.06	11.5	35.2
K305411		0.47	0.50	0.13	<0.1	<0.01	0.009	0.10	0.6	2.1	12.30	197	0.10	0.01	0.3	2.2
K305412		4.26	23.8	0.23	3.3	0.12	0.064	3.90	44.2	67.2	1.78	478	2.64	0.07	11.1	34.1
K305413		4.65	25.6	0.21	3.7	0.11	0.097	3.93	42.3	101.0	1.70	407	3.29	0.08	12.7	38.5
K305414		4.41	24.6	0.22	3.6	0.11	0.074	3.77	41.6	95.4	1.58	353	2.73	0.08	12.0	35.6
K305415		4.31	24.5	0.21	3.7	0.10	0.068	3.82	45.3	109.0	1.65	442	2.82	0.15	12.0	34.4
K305416		4.82	24.1	0.21	3.4	0.11	0.069	3.73	46.3	115.5	1.63	406	3.41	0.25	11.7	38.3
K305417		4.64	24.7	0.19	3.4	0.11	0.072	3.86	46.8	115.5	1.61	402	3.47	0.20	11.9	38.6
K305418		4.29	26.0	0.24	3.3	0.08	0.081	3.79	51.9	106.0	1.71	467	2.83	0.14	12.6	37.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204188

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305383		630	14.4	102.5	0.002	1.46	0.47	10.0	2	1.8	380	0.50	<0.05	9.0	0.206	0.98
K305384		840	18.8	161.0	0.004	1.84	0.88	15.9	2	3.1	162.5	0.86	0.06	14.4	0.316	1.44
K305385		920	19.0	149.0	0.007	1.85	0.95	17.6	2	3.5	135.5	0.98	0.08	14.4	0.359	1.55
K305386		960	19.7	162.5	0.007	1.76	1.02	18.7	2	3.7	155.5	1.05	0.07	14.9	0.372	1.69
K305387		900	16.8	43.3	0.002	3.07	111.5	16.7	2	2.8	499	0.73	0.15	8.4	0.540	7.85
K305388		760	21.9	172.5	0.009	2.06	1.23	18.0	2	3.6	145.0	0.98	0.07	15.2	0.367	1.97
K305389		1150	19.2	172.5	0.007	1.96	1.05	17.8	2	3.5	144.5	0.97	0.06	14.3	0.369	1.65
K305390		1190	22.8	188.0	0.004	1.70	0.92	15.1	2	3.3	142.5	0.98	<0.05	17.4	0.369	1.74
K305391		170	2.0	2.1	<0.002	0.02	<0.05	0.4	<1	0.2	37.8	<0.05	<0.05	<0.2	<0.005	0.02
K305392		1040	20.6	176.5	0.007	1.62	0.93	15.2	3	3.8	130.5	0.97	0.06	16.5	0.364	1.70
K305393		850	19.7	180.0	0.012	1.75	0.88	15.4	3	3.5	149.0	0.96	0.09	17.8	0.360	1.77
K305394		580	18.3	168.0	0.019	1.70	0.75	14.4	3	3.4	126.0	0.96	<0.05	16.8	0.356	1.71
K305395		840	17.8	178.5	0.014	1.52	0.79	15.0	1	3.3	116.5	0.99	<0.05	17.6	0.368	1.66
K305396		880	18.5	190.0	0.013	1.61	0.97	15.2	2	3.5	167.5	0.94	<0.05	17.8	0.355	1.83
K305397		970	18.3	174.5	0.017	1.60	0.89	14.1	3	3.2	177.5	0.91	<0.05	18.2	0.357	1.85
K305398		1090	17.0	173.5	0.011	1.46	0.76	14.3	1	3.1	188.0	0.92	<0.05	17.7	0.347	1.48
K305399		770	18.1	153.5	0.013	1.58	0.78	14.1	1	3.1	126.5	0.91	<0.05	16.2	0.347	1.54
K305400		580	21.1	158.5	0.008	2.42	0.87	14.1	2	3.2	142.5	0.93	<0.05	16.9	0.362	2.07
K305401		930	39.1	46.9	0.024	1.60	109.5	4.8	4	2.6	73.6	0.44	0.20	6.6	0.173	3.61
K305402		750	21.8	170.0	0.006	2.15	1.12	15.1	3	3.5	190.5	0.91	<0.05	16.8	0.360	1.79
K305403		680	20.9	180.5	0.007	1.98	0.97	15.9	3	3.5	150.0	0.91	0.05	17.8	0.355	1.78
K305404		600	20.7	153.5	0.015	3.10	1.17	14.6	1	3.3	206	0.94	0.09	17.0	0.359	2.44
K305405		870	18.3	167.5	0.015	1.66	0.83	15.2	2	3.2	147.0	0.91	<0.05	17.2	0.364	1.37
K305406		1210	20.2	173.5	0.008	2.33	0.86	15.1	2	3.5	158.5	0.96	0.06	17.0	0.361	1.56
K305407		1090	21.0	177.5	0.010	1.71	0.88	15.7	3	3.6	114.0	0.95	0.09	17.2	0.362	1.72
K305408		990	17.4	157.5	0.010	1.50	0.82	14.6	3	3.3	155.0	0.88	<0.05	16.3	0.352	1.41
K305409		710	17.1	167.0	0.017	1.40	0.69	14.0	2	3.0	108.0	0.86	0.05	16.6	0.331	1.27
K305410		760	18.1	177.5	0.018	2.56	1.05	14.7	2	3.1	244	0.92	<0.05	17.8	0.358	2.20
K305411		180	1.5	7.0	<0.002	0.02	<0.05	0.5	1	0.3	35.3	<0.05	<0.05	<0.2	0.006	0.07
K305412		640	18.9	185.0	0.016	1.65	0.86	14.8	2	3.3	173.0	1.00	<0.05	17.7	0.368	1.76
K305413		590	18.4	181.0	0.019	1.78	0.88	16.2	2	3.4	127.0	0.98	<0.05	17.7	0.374	1.50
K305414		540	17.6	173.5	0.015	1.80	0.74	15.6	2	3.3	126.0	1.01	0.05	16.7	0.372	1.33
K305415		660	17.2	182.5	0.018	1.55	0.78	15.3	3	3.4	145.0	0.97	0.06	18.7	0.376	1.40
K305416		760	21.7	169.0	0.012	2.08	0.89	14.1	2	3.1	135.5	0.95	<0.05	19.0	0.347	1.45
K305417		750	22.4	171.5	0.016	1.98	0.89	14.7	2	3.1	128.5	1.02	0.06	19.8	0.358	1.37
K305418		880	18.9	184.5	0.012	1.40	0.76	15.6	3	3.2	143.5	1.00	<0.05	19.8	0.358	1.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204188

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305383		2.9	62	1.0	16.4	77	56.3
K305384		3.7	125	1.8	24.6	79	94.4
K305385		3.8	148	2.1	25.7	111	97.1
K305386		3.8	152	2.2	26.4	97	100.5
K305387		7.0	168	22.7	13.5	44	153.0
K305388		3.7	152	2.1	23.1	99	99.6
K305389		4.0	152	2.1	27.1	90	102.5
K305390		4.1	148	2.1	24.9	137	104.5
K305391		0.5	3	0.1	0.7	10	<0.5
K305392		3.8	149	2.2	24.1	113	105.5
K305393		3.8	150	2.1	22.4	103	104.5
K305394		3.1	142	2.1	20.0	83	97.8
K305395		4.2	153	2.1	22.7	71	101.0
K305396		3.8	152	2.2	24.3	65	109.5
K305397		4.5	152	2.2	24.2	72	99.9
K305398		4.9	151	1.9	26.1	107	102.5
K305399		3.4	138	2.0	20.8	79	95.6
K305400		3.3	132	2.4	18.2	114	98.7
K305401		8.5	229	27.9	20.2	211	69.3
K305402		3.8	146	2.4	22.0	99	101.0
K305403		3.8	148	2.4	22.3	101	105.5
K305404		3.3	154	2.5	18.0	107	92.7
K305405		3.8	156	2.1	23.0	124	100.0
K305406		3.8	149	2.2	26.1	94	112.0
K305407		3.9	151	2.6	24.7	79	100.5
K305408		3.5	147	2.0	26.0	95	99.0
K305409		3.4	141	1.9	21.4	83	101.0
K305410		3.6	149	2.5	21.4	82	105.0
K305411		0.4	4	0.1	0.8	10	0.5
K305412		3.4	150	2.3	22.0	72	100.0
K305413		4.0	181	2.0	24.8	98	129.5
K305414		3.6	182	2.0	21.9	100	114.5
K305415		4.1	199	1.9	24.0	86	121.5
K305416		4.1	169	2.1	22.2	103	102.0
K305417		4.0	173	1.8	22.3	101	106.5
K305418		4.0	173	1.7	26.0	140	108.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204188

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

CERTIFICATE WH11200519

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 245 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200519

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303397		2.36	3.89	0.09	0.83	532	110	0.22	0.04	30.1	0.20	14.20	3.7	10	1.94	13.9
K303398		6.73	19.45	0.23	4.77	1900	380	0.90	0.23	3.63	0.74	59.1	18.5	56	10.05	69.0
K303399		0.21	15.05	0.91	2.00	1110	290	0.47	0.50	14.05	0.70	33.9	4.3	35	2.59	65.3
K303400		3.38	7.64	0.05	2.28	820	270	0.43	0.08	25.8	0.33	33.6	8.6	29	4.08	27.4
K303401		5.88	0.39	0.04	1.77	265	130	0.56	0.07	29.3	0.15	24.9	6.5	19	3.95	20.9
K303402		8.14	0.02	0.09	2.00	264	130	0.61	0.09	28.6	0.19	32.2	8.2	24	5.76	28.8
K303403		8.57	0.01	0.06	1.81	175	130	0.62	0.07	28.7	0.14	25.5	7.3	21	5.22	22.4
K303404		8.51	0.01	0.04	1.17	155	460	0.53	0.06	32.1	0.18	23.2	5.0	13	3.42	16.5
K303405		8.70	0.01	0.15	2.61	60	170	0.69	0.07	25.1	0.24	26.8	11.1	32	7.65	41.1
K303406		4.98	<0.01	0.01	0.08	<5	20	0.11	0.02	21.2	0.07	1.29	2.0	1	0.67	2.5
K303407		8.36	<0.01	0.07	1.78	36	190	0.70	0.07	29.4	0.17	26.7	7.5	23	5.89	23.0
K303408		8.89	<0.01	0.08	2.18	39	150	0.84	0.10	27.4	0.21	31.4	8.6	24	6.96	27.6
K303409		3.10	<0.01	0.07	2.32	46	150	0.90	0.09	27.2	0.23	32.6	9.0	24	7.74	27.6
K303410		8.80	<0.01	0.07	3.17	52	180	0.91	0.14	24.4	0.24	39.8	12.3	30	7.78	39.0
K303411		8.41	<0.01	0.07	2.92	37	260	0.86	0.10	24.2	0.23	36.2	11.3	34	9.78	35.9
K303412		8.64	<0.01	0.09	3.97	20	530	1.15	0.14	20.1	0.29	44.6	16.2	44	14.90	46.7
K303413		7.91	<0.01	0.08	3.08	13	240	0.89	0.10	21.2	0.28	35.5	12.4	36	16.25	39.3
K303414		8.66	<0.01	0.09	3.83	7	400	1.00	0.12	20.6	0.26	39.2	15.3	46	18.05	47.0
K303415		8.98	<0.01	0.12	4.66	8	290	1.30	0.17	13.10	0.40	52.7	18.0	56	23.9	56.6
K303416		8.59	<0.01	0.12	3.70	8	350	1.19	0.15	19.30	0.37	48.2	12.4	39	15.10	40.9
K303417		8.41	0.01	0.17	6.08	12.3	360	1.74	0.23	9.13	0.54	67.1	20.0	67	25.1	67.2
K303418		8.80	<0.01	0.10	4.27	8	250	1.14	0.14	16.85	0.33	47.2	15.4	46	15.60	45.7
K303419		7.77	<0.01	0.14	5.26	11	360	1.44	0.18	11.60	0.48	60.4	17.6	61	18.95	54.3
K303420		8.24	<0.01	0.11	5.16	7	450	1.37	0.18	12.75	0.45	52.6	17.5	60	18.30	56.8
K303421		8.79	<0.01	0.11	3.72	8	310	1.12	0.13	20.5	0.38	46.2	12.1	40	12.35	42.4
K303422		8.41	<0.01	0.14	4.16	13	370	1.16	0.17	19.25	0.41	57.6	13.3	43	12.25	48.0
K303423		7.92	<0.01	0.11	5.40	9	330	1.48	0.18	12.60	0.43	50.8	18.9	58	17.30	59.9
K303424		7.95	<0.01	0.11	5.54	12	450	1.56	0.19	12.05	0.32	59.6	18.7	61	16.75	60.2
K303425		7.30	<0.01	0.11	4.99	8	480	1.48	0.18	14.10	0.31	59.8	15.4	53	14.75	50.1
K303426		0.23	0.33	0.22	6.05	594	490	0.58	0.28	0.46	0.19	132.0	2.7	229	3.13	25.4
K303427		7.33	<0.01	0.11	3.94	<5	380	0.85	0.16	19.90	0.29	45.2	11.8	40	10.80	41.9
K303428		9.94	<0.01	0.05	1.88	6	220	0.46	0.08	27.3	0.20	24.5	5.4	18	4.21	19.4
K303429		8.17	<0.01	0.09	2.69	11	230	0.60	0.12	25.7	0.27	33.5	7.4	26	8.48	29.2
K303430		8.58	0.01	0.07	2.80	<5	260	0.53	0.09	23.2	0.19	30.8	7.4	26	6.11	24.4
K303431		4.99	<0.01	<0.01	0.07	<5	20	0.05	0.02	19.80	0.06	1.23	1.0	1	0.26	2.0
K303432		7.72	<0.01	0.06	1.80	7	200	0.36	0.08	27.2	0.17	23.4	5.4	17	4.32	18.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200519

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303397		0.65	2.61	0.05	0.5	7.41	0.016	0.36	6.5	6.8	0.19	1230	0.61	0.01	1.5	1.2
K303398		3.23	14.15	0.13	2.4	29.8	0.025	2.07	27.2	25.8	0.36	394	2.78	0.02	7.2	36.6
K303399		3.55	4.35	0.06	0.9	6.01	0.056	0.39	19.6	48.7	0.70	456	13.10	0.01	3.8	20.5
K303400		1.48	6.18	<0.05	1.1	10.7	0.019	0.96	15.1	9.7	0.38	1020	0.89	0.01	3.4	9.9
K303401		1.13	4.87	0.07	0.9	4.24	0.016	0.79	11.5	8.4	0.84	502	0.81	0.02	2.8	5.5
K303402		1.44	5.34	0.06	1.0	3.75	0.023	0.84	14.8	8.9	1.11	451	1.17	0.02	3.0	10.6
K303403		1.33	4.94	0.07	0.9	2.14	0.018	0.79	11.8	7.9	0.87	402	0.82	0.02	2.9	7.8
K303404		0.98	3.24	<0.05	0.6	0.90	0.013	0.49	10.1	6.4	0.78	286	0.82	0.01	2.0	2.3
K303405		1.73	6.72	0.06	1.2	0.62	0.027	1.11	12.0	11.9	0.95	323	0.72	0.03	3.7	13.2
K303406		0.47	0.56	0.27	<0.1	<0.01	<0.005	0.04	0.6	1.4	12.40	207	0.08	0.01	0.4	1.3
K303407		1.47	4.82	0.08	0.9	0.35	0.017	0.77	11.7	9.3	0.96	519	0.70	0.02	2.8	8.8
K303408		1.61	5.94	0.10	1.1	0.49	0.023	0.93	14.9	9.6	0.92	547	1.32	0.02	3.5	12.3
K303409		1.68	6.12	0.07	1.1	0.5	0.025	0.99	15.3	10.7	0.86	555	1.22	0.02	3.6	12.7
K303410		1.85	8.35	0.08	1.6	0.40	0.036	1.36	19.3	11.6	1.32	463	1.85	0.03	4.8	17.1
K303411		2.25	7.35	0.08	1.4	0.2	0.029	1.14	16.7	19.2	1.10	520	1.01	0.03	4.3	16.5
K303412		3.05	10.50	0.12	1.9	0.15	0.041	1.55	21.1	37.3	1.27	778	1.40	0.04	5.6	25.6
K303413		2.57	7.91	0.09	1.5	0.12	0.032	0.99	16.2	52.0	0.85	646	1.19	0.04	4.4	17.9
K303414		3.00	9.71	0.07	1.8	0.09	0.034	1.25	18.5	36.7	0.93	642	1.19	0.33	5.5	24.4
K303415		3.65	12.00	0.12	2.3	0.12	0.049	1.58	25.0	42.5	1.21	703	2.13	0.33	7.0	33.4
K303416		2.72	9.32	0.09	1.8	0.10	0.036	1.29	22.1	26.2	1.28	450	2.61	0.24	5.5	21.3
K303417		3.87	15.50	0.14	2.8	0.17	0.063	2.14	32.6	40.6	1.26	465	3.70	0.32	8.6	39.2
K303418		2.96	10.85	0.10	2.0	0.11	0.044	1.41	22.1	30.5	0.82	452	1.98	0.40	6.1	26.3
K303419		3.52	13.65	0.10	2.6	0.12	0.054	1.82	28.2	39.9	0.95	480	2.21	0.31	7.6	32.5
K303420		3.26	12.95	0.11	2.4	0.12	0.048	1.78	24.6	37.5	0.92	402	1.89	0.31	7.4	32.1
K303421		2.64	9.75	0.08	1.8	0.08	0.036	1.29	21.6	31.1	0.94	391	2.19	0.27	5.5	21.7
K303422		3.05	10.40	0.13	1.9	0.10	0.042	1.32	25.6	35.0	1.16	494	2.39	0.42	6.0	25.7
K303423		3.62	13.30	0.10	2.5	0.11	0.053	1.76	24.0	38.2	1.02	437	1.91	0.58	7.8	35.1
K303424		3.75	14.40	0.14	2.6	0.12	0.055	1.97	27.7	47.0	1.07	373	2.60	0.17	8.2	35.6
K303425		3.20	12.95	0.11	2.3	0.14	0.053	1.81	27.2	35.5	1.02	326	2.12	0.07	7.2	28.4
K303426		6.43	20.8	0.23	4.1	8.67	0.046	1.30	61.3	25.6	0.12	35	6.48	0.38	9.1	15.2
K303427		2.56	9.36	0.12	1.9	0.11	0.035	1.44	20.5	22.0	1.29	480	1.72	0.05	5.5	23.0
K303428		1.66	4.47	0.09	1.0	0.05	0.016	0.72	11.8	7.1	1.11	332	1.13	0.03	2.7	11.5
K303429		1.69	6.28	0.07	1.3	0.07	0.027	0.98	15.5	9.0	0.96	294	1.67	0.17	3.7	16.7
K303430		1.81	6.17	0.08	1.3	0.06	0.022	0.89	14.1	7.9	0.85	240	1.15	0.36	3.6	15.5
K303431		0.45	0.26	<0.05	<0.1	<0.01	<0.005	0.03	0.6	0.9	12.50	203	0.05	0.01	0.3	2.2
K303432		1.38	4.15	0.06	0.9	0.05	0.016	0.67	10.8	5.7	0.76	301	0.93	0.11	2.7	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200519

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303397		970	5.2	18.7	0.003	0.75	15.95	5.5	3	0.5	779	0.09	0.05	1.3	0.045	20.9
K303398		3550	19.3	110.0	0.015	3.56	70.3	4.8	4	2.1	784	0.54	0.13	7.6	0.301	88.7
K303399		670	21.4	26.9	0.006	2.00	151.0	5.0	4	2.1	51.0	0.26	0.36	3.6	0.109	3.79
K303400		1260	7.9	48.0	0.005	1.67	23.7	5.6	3	0.9	1245	0.24	0.06	3.1	0.152	32.4
K303401		1020	6.3	38.1	0.005	1.05	3.55	6.1	3	0.6	1885	0.19	<0.05	2.6	0.105	9.22
K303402		1220	7.0	41.8	0.008	1.15	1.17	7.7	4	0.7	1585	0.21	0.05	2.9	0.124	6.31
K303403		890	5.8	38.3	0.005	1.00	0.94	6.9	3	0.6	1600	0.20	<0.05	2.7	0.126	3.83
K303404		1350	4.4	24.7	0.006	0.62	0.66	5.0	3	0.4	2230	0.14	<0.05	1.8	0.064	1.71
K303405		840	7.2	53.4	0.003	1.26	1.13	8.9	3	0.9	1575	0.27	<0.05	3.1	0.218	1.76
K303406		170	1.3	2.5	<0.002	0.01	0.06	0.6	2	<0.2	46.6	<0.05	<0.05	<0.2	<0.005	0.02
K303407		960	5.6	38.4	0.005	0.81	0.50	7.1	3	0.7	1470	0.19	0.05	2.6	0.114	1.38
K303408		930	7.5	47.7	0.006	0.95	0.69	8.0	3	0.7	1405	0.25	0.06	3.3	0.130	1.33
K303409		950	8.0	50.3	0.005	1.10	0.66	8.4	3	0.8	1355	0.25	0.06	3.4	0.144	1.41
K303410		950	9.5	65.6	0.004	1.10	1.23	9.7	3	1.1	1385	0.36	0.07	4.8	0.181	1.01
K303411		1170	8.0	57.9	0.006	1.35	0.71	10.7	4	0.9	1610	0.31	0.05	3.9	0.214	0.94
K303412		1100	11.5	79.0	0.007	1.54	0.60	14.9	3	1.2	1590	0.42	0.07	5.5	0.266	0.94
K303413		990	7.5	55.5	0.006	1.25	0.36	12.2	3	0.9	1665	0.31	0.05	3.9	0.231	0.61
K303414		1020	9.6	69.4	0.005	1.62	0.41	14.1	3	1.1	1610	0.40	0.06	4.8	0.291	0.31
K303415		940	13.6	87.8	0.007	2.21	0.55	16.0	4	1.5	1210	0.51	0.07	6.7	0.346	0.43
K303416		1110	11.5	70.4	0.010	1.71	0.52	11.7	4	1.2	1735	0.41	0.06	5.6	0.216	0.36
K303417		800	18.5	117.5	0.012	2.67	0.75	18.5	5	2.0	888	0.66	0.06	8.7	0.371	0.64
K303418		1000	11.7	76.6	0.008	1.94	0.47	14.3	4	1.3	1380	0.45	0.05	5.7	0.284	0.42
K303419		960	15.1	98.3	0.008	2.33	0.61	16.7	4	1.8	1220	0.57	0.05	7.5	0.346	0.51
K303420		910	14.3	96.0	0.009	2.20	0.54	15.6	4	1.6	1425	0.55	0.05	6.9	0.350	0.46
K303421		1530	10.8	69.6	0.008	1.61	0.44	12.7	4	1.2	2270	0.41	0.05	5.2	0.228	0.35
K303422		1720	11.8	71.0	0.009	1.74	0.47	14.9	4	1.2	1945	0.44	0.06	6.0	0.230	0.37
K303423		850	14.3	95.0	0.007	2.40	0.51	16.1	4	1.6	1225	0.58	0.06	7.0	0.373	0.45
K303424		910	15.9	108.5	0.008	2.69	0.56	18.0	4	1.7	1290	0.60	0.06	7.8	0.351	0.55
K303425		1130	13.9	97.5	0.008	2.12	0.50	17.7	4	1.6	1530	0.54	0.05	7.2	0.300	0.51
K303426		910	17.7	50.1	0.003	3.06	114.0	16.4	2	3.0	491	0.75	0.14	9.3	0.527	7.19
K303427		1110	11.2	74.0	0.007	1.74	0.58	9.5	2	1.2	1535	0.39	0.05	6.2	0.227	0.41
K303428		1290	6.2	35.9	0.003	1.07	0.27	4.6	2	0.6	2030	0.19	<0.05	3.1	0.102	0.20
K303429		1220	7.9	49.9	0.007	1.27	0.33	6.2	2	0.9	1800	0.25	<0.05	4.3	0.140	0.28
K303430		1140	7.8	42.8	0.004	1.38	0.32	6.5	2	0.8	1520	0.24	<0.05	3.8	0.165	0.24
K303431		200	1.2	1.6	<0.002	0.01	0.06	0.3	1	<0.2	45.2	<0.05	<0.05	<0.2	<0.005	<0.02
K303432		1010	6.4	32.8	0.003	1.25	0.21	4.1	2	0.6	1320	0.17	<0.05	3.0	0.105	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200519

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303397		3.0	17	1.8	14.6	38	15.6
K303398		10.4	94	8.7	28.8	96	77.7
K303399		3.4	110	221	16.4	74	32.1
K303400		3.6	48	4.8	17.6	47	38.8
K303401		3.1	34	3.0	15.0	25	29.5
K303402		3.6	45	3.4	22.6	30	33.4
K303403		2.8	39	2.3	15.3	23	31.3
K303404		3.2	25	0.9	17.5	18	21.0
K303405		2.3	59	2.0	15.5	44	38.8
K303406		0.3	3	2.1	0.8	12	<0.5
K303407		2.8	41	0.6	15.0	23	30.5
K303408		3.0	45	0.9	17.1	52	37.3
K303409		3.1	47	0.9	18.1	37	38.8
K303410		3.1	60	1.8	17.9	40	52.4
K303411		2.9	65	1.3	19.7	44	47.4
K303412		3.2	88	1.2	23.8	63	61.1
K303413		2.4	73	0.7	18.4	46	49.4
K303414		2.6	88	0.8	19.1	51	61.8
K303415		3.2	102	1.1	23.5	80	73.3
K303416		3.7	75	0.9	22.1	50	61.0
K303417		4.1	123	1.4	25.8	92	90.6
K303418		3.1	85	0.9	20.1	62	66.9
K303419		3.5	106	1.2	25.6	73	81.2
K303420		3.3	103	1.2	21.8	73	77.3
K303421		3.5	74	0.9	23.2	53	63.6
K303422		4.6	81	0.9	29.7	60	66.5
K303423		3.1	105	1.3	21.8	81	81.8
K303424		3.5	108	1.3	24.2	76	86.4
K303425		3.7	97	1.1	25.3	70	75.5
K303426		7.0	164	22.5	15.5	42	168.0
K303427		3.5	72	0.9	21.5	53	63.7
K303428		2.6	34	0.5	15.1	26	33.7
K303429		3.4	48	0.7	17.9	37	41.0
K303430		2.8	46	0.7	17.9	37	42.2
K303431		0.6	2	0.1	0.9	13	0.8
K303432		2.5	30	0.6	13.8	26	29.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11200519

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11204328

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 246 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204328

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305517		7.43	<0.01	0.02	0.28	26	110	0.11	0.03	33.6	0.05	6.31	1.1	3	0.76	3.3
K305518		7.75	0.01	0.01	0.24	13	110	0.10	0.03	33.7	0.07	4.98	0.8	3	0.53	2.6
K305519		7.82	<0.01	0.01	0.49	15	100	0.18	0.04	32.8	0.07	7.54	1.8	5	1.45	5.2
K305520		0.26	0.33	0.33	5.91	587	700	0.68	0.32	0.48	0.17	127.0	2.8	213	3.25	29.2
K305521		7.79	0.01	0.02	1.21	36	140	0.36	0.08	31.5	0.16	17.60	4.5	13	5.24	13.5
K305522		6.64	<0.01	0.02	0.65	25	140	0.27	0.03	33.6	0.13	12.05	2.4	7	1.96	7.5
K305523		7.17	<0.01	0.01	0.50	17	120	0.24	0.03	33.7	0.10	9.46	1.8	5	1.67	5.9
K305524		7.66	<0.01	0.03	1.00	30	210	0.25	0.05	32.4	0.20	18.75	4.2	10	3.99	15.6
K305525		8.07	<0.01	0.03	1.37	102	200	0.27	0.06	32.4	0.17	23.4	5.3	13	3.94	15.1
K305526		7.78	0.01	0.02	0.76	63	150	0.23	0.04	33.0	0.13	12.30	3.3	7	2.11	8.6
K305527		7.75	<0.01	0.01	0.38	55	110	0.13	0.02	34.4	0.11	7.08	2.2	5	0.86	5.2
K305528		3.61	0.01	<0.01	0.26	34	100	0.08	0.01	35.7	0.08	5.62	1.7	3	0.47	4.2
K305529		7.99	0.01	0.02	0.99	72	130	0.29	0.04	32.3	0.15	15.40	3.7	9	3.06	9.9
K305530		7.82	<0.01	0.01	1.15	39	200	0.32	0.05	29.8	0.13	21.6	4.7	11	3.96	13.8
K305531		5.18	0.03	<0.01	0.18	100	70	0.12	0.01	35.5	0.04	3.44	1.4	2	0.31	2.7
K305532		0.22	16.15	1.04	1.96	1230	150	0.42	0.58	15.00	0.68	31.0	3.9	36	2.26	62.9
K305533		8.10	0.65	0.02	1.21	8590	160	0.25	0.05	29.1	0.14	17.45	4.1	12	2.72	11.9
K305534		5.59	0.06	<0.01	0.51	735	120	0.20	0.02	34.3	0.07	8.94	2.5	6	0.90	6.0
K305535		4.67	3.88	0.07	2.81	>10000	220	0.41	0.12	6.63	0.46	38.7	9.1	31	5.12	29.6
K305536		4.19	7.74	0.05	2.54	>10000	250	0.39	0.12	4.99	0.54	40.7	8.9	32	4.48	28.0
K305537		3.47	5.35	0.02	1.13	>10000	110	0.13	0.05	4.75	0.24	19.35	3.6	19	2.24	12.0
K305538		6.73	5.72	0.05	1.39	>10000	100	0.23	0.07	13.85	0.26	29.2	5.0	25	3.29	17.1
K305539		4.91	0.01	0.02	1.00	185	170	0.30	0.05	33.2	0.15	18.35	4.2	10	2.70	10.8
K305540		3.76	0.01	0.04	1.31	140	190	0.32	0.07	33.2	0.21	14.20	3.9	12	4.07	11.2
K305541		7.89	0.01	0.01	0.60	3010	150	0.21	0.03	33.6	0.10	11.15	2.6	7	1.51	6.4
K305542		7.97	<0.01	0.05	0.42	43	140	0.15	0.04	35.2	0.09	7.61	1.7	6	1.12	4.4
K305543		7.87	<0.01	0.03	0.56	61	150	0.16	0.04	34.8	0.12	9.31	2.0	5	1.36	5.7
K305544		4.99	<0.01	0.02	0.09	10	20	0.08	0.06	20.9	0.06	1.08	1.2	1	0.24	1.3
K305545		7.72	0.01	0.01	0.46	118	110	0.15	0.02	34.0	0.09	8.30	2.2	5	1.05	5.1
K305546		1.61	0.01	0.02	0.36	404	110	0.15	0.02	34.9	0.11	7.87	1.9	5	0.78	4.4
K305547		1.91	0.06	0.23	1.04	>10000	80	0.22	0.05	22.1	0.15	13.15	4.8	12	2.53	13.3
K305548		4.07	0.01	0.01	0.81	130	130	0.28	0.04	34.7	0.14	13.45	3.4	8	2.31	8.6
K305549		8.02	<0.01	<0.01	0.54	120	240	0.21	0.03	35.0	0.12	11.15	2.7	5	1.59	7.1
K305550		5.00	<0.01	0.01	0.12	10	90	0.06	0.03	20.6	0.07	1.04	1.5	2	0.28	1.9
K305551		7.92	0.01	0.02	0.39	56	90	0.16	0.03	35.5	0.13	7.60	1.7	4	0.89	4.6
K305552		7.89	0.01	0.01	0.40	43	80	0.13	0.02	34.7	0.08	7.55	1.7	4	0.99	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204328

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305517		0.24	0.77	0.16	0.1	0.25	0.006	0.12	2.8	1.8	0.43	168	0.14	<0.01	0.4	1.7
K305518		0.22	0.57	0.13	0.1	0.09	0.007	0.11	2.2	1.5	0.58	153	0.15	<0.01	0.3	1.5
K305519		0.35	1.18	0.15	0.2	0.12	<0.005	0.23	3.6	3.0	0.49	216	0.16	<0.01	0.7	2.7
K305520		6.36	18.85	0.24	3.7	9.5	0.045	1.31	65.5	19.6	0.12	34	6.12	0.35	9.9	16.3
K305521		0.76	3.17	0.16	0.6	0.39	0.011	0.57	8.7	6.9	0.66	120	0.40	<0.01	1.8	7.9
K305522		0.47	1.69	0.14	0.3	0.19	0.010	0.30	5.8	4.0	0.70	204	0.26	<0.01	1.0	4.1
K305523		0.40	1.26	0.12	0.2	0.14	0.007	0.23	4.7	3.3	0.70	250	0.22	<0.01	0.7	2.8
K305524		0.65	2.60	<0.05	0.5	0.79	0.012	0.46	9.2	5.1	0.65	92	0.46	0.02	1.7	5.2
K305525		0.82	3.59	<0.05	0.7	1.79	0.016	0.64	11.8	5.8	0.70	105	0.49	0.02	2.2	5.9
K305526		0.53	2.06	<0.05	0.4	0.78	0.009	0.35	6.0	3.2	0.53	103	0.29	0.01	1.4	2.0
K305527		0.34	1.03	<0.05	0.3	0.11	0.006	0.16	3.3	2.2	0.67	170	0.21	0.01	0.9	0.9
K305528		0.28	0.76	<0.05	0.2	0.04	<0.005	0.11	2.6	1.8	0.62	179	0.15	0.01	0.7	0.9
K305529		0.65	2.58	<0.05	0.5	0.18	0.011	0.46	7.6	4.4	0.62	218	0.32	0.01	1.7	3.4
K305530		0.86	2.98	<0.05	0.5	0.35	0.014	0.53	10.4	5.0	1.13	337	0.29	0.02	1.9	6.1
K305531		0.22	0.57	<0.05	0.1	0.76	0.018	0.07	1.5	1.0	0.37	631	0.11	0.01	0.6	<0.2
K305532		3.54	3.97	0.06	0.9	6.64	0.059	0.39	18.2	42.6	0.71	453	11.80	0.01	3.4	20.9
K305533		0.81	3.14	<0.05	0.6	7.69	0.024	0.54	8.6	6.7	0.45	381	0.26	0.01	1.9	4.0
K305534		0.46	1.39	<0.05	0.3	2.34	0.009	0.23	4.4	1.7	0.43	364	0.15	0.01	1.0	0.6
K305535		1.95	7.52	0.06	1.4	25.2	0.057	1.19	21.5	27.3	0.21	406	0.91	0.01	3.7	16.6
K305536		1.89	7.04	<0.05	1.4	29.2	0.051	1.07	21.7	38.9	0.19	316	0.90	0.01	3.7	15.9
K305537		1.08	2.81	<0.05	0.5	20.1	0.029	0.44	9.2	57.2	0.08	225	0.44	0.01	1.4	6.3
K305538		1.58	3.75	0.05	0.7	29.1	0.053	0.58	14.7	37.0	0.22	402	0.52	0.01	2.0	7.2
K305539		0.63	2.79	0.18	0.5	2.26	0.011	0.43	8.9	3.9	0.58	112	0.37	0.01	2.3	1.7
K305540		0.79	3.35	0.06	0.7	1.83	0.012	0.54	7.1	4.3	0.44	100	0.39	0.02	2.0	4.0
K305541		0.43	1.62	<0.05	0.3	1.00	0.013	0.27	5.6	2.5	0.48	105	0.23	0.01	1.1	1.7
K305542		0.31	1.08	0.05	0.2	0.23	0.005	0.17	3.7	1.7	0.51	99	0.32	0.01	0.7	1.0
K305543		0.35	1.47	0.06	0.3	0.77	0.007	0.23	4.5	1.9	0.47	105	0.26	0.01	0.9	0.9
K305544		0.45	0.30	0.12	<0.1	<0.01	<0.005	0.04	0.5	1.2	13.10	208	0.10	0.01	0.4	1.2
K305545		0.31	1.24	0.07	0.2	0.92	0.005	0.19	4.0	1.8	0.40	99	0.18	0.01	0.9	1.5
K305546		0.27	1.07	<0.05	0.2	0.80	0.005	0.16	3.7	1.8	0.41	128	0.14	0.01	0.8	1.2
K305547		0.75	2.78	0.07	0.6	2.91	0.213	0.47	6.7	4.3	0.27	317	0.21	0.01	2.0	6.1
K305548		0.50	2.25	0.17	0.4	0.91	0.009	0.37	6.4	3.6	0.48	91	0.26	0.01	2.2	<0.2
K305549		0.35	1.63	0.16	0.3	0.19	0.007	0.24	5.2	2.7	0.44	61	0.30	0.01	1.7	0.5
K305550		0.48	0.39	0.12	<0.1	<0.01	0.005	0.05	0.5	1.4	12.85	214	0.11	0.01	0.2	2.1
K305551		0.28	1.14	0.08	0.2	0.59	0.005	0.17	3.6	1.4	0.51	140	0.19	0.01	0.7	0.7
K305552		0.26	1.10	0.07	0.2	0.77	<0.005	0.17	3.6	1.2	0.39	133	0.21	0.01	0.7	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204328

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305517		390	2.3	4.9	<0.002	0.20	0.13	0.9	<1	0.3	1675	<0.05	<0.05	0.5	0.015	0.19
K305518		600	1.3	3.8	<0.002	0.18	0.17	0.8	1	0.3	1800	<0.05	<0.05	0.4	0.012	0.05
K305519		130	1.8	8.6	0.004	0.33	0.15	1.4	1	0.3	1680	0.05	<0.05	0.8	0.028	0.12
K305520		880	17.8	41.9	0.003	3.00	109.0	16.3	2	2.9	491	0.64	0.14	8.8	0.526	8.00
K305521		500	4.1	24.0	0.002	0.80	0.56	3.5	2	0.5	1470	0.12	0.06	1.9	0.072	0.40
K305522		190	2.4	11.8	<0.002	0.43	0.77	2.0	1	0.4	1960	0.06	<0.05	1.0	0.034	0.16
K305523		190	1.8	9.0	<0.002	0.31	0.14	1.7	1	0.3	1850	<0.05	<0.05	0.8	0.025	0.13
K305524		380	5.1	22.6	0.003	0.67	0.33	3.1	2	0.4	2790	0.10	<0.05	1.9	0.053	0.51
K305525		160	5.0	29.9	0.003	0.87	1.68	3.9	2	0.5	2650	0.14	<0.05	2.4	0.078	0.91
K305526		450	2.6	16.5	0.002	0.50	0.68	2.3	1	0.3	2290	0.08	<0.05	1.3	0.042	0.34
K305527		1360	2.2	7.7	0.002	0.26	0.26	1.2	1	0.2	2010	<0.05	<0.05	0.7	0.022	0.18
K305528		1190	1.7	5.1	0.002	0.18	0.16	1.0	1	0.2	2020	<0.05	<0.05	0.5	0.013	0.11
K305529		960	3.2	22.1	0.002	0.62	0.29	2.6	1	0.4	1715	0.10	<0.05	1.7	0.055	1.15
K305530		250	4.7	26.0	0.002	0.77	0.33	3.5	2	0.5	1315	0.12	<0.05	2.1	0.062	2.26
K305531		640	1.1	3.6	0.002	0.18	0.35	3.1	1	0.3	1060	<0.05	<0.05	0.3	0.010	1.51
K305532		650	20.8	25.3	0.007	2.01	152.0	3.7	2	2.0	48.1	0.24	0.41	3.8	0.108	3.56
K305533		840	3.9	27.1	0.002	1.26	5.68	3.5	2	0.5	1500	0.11	<0.05	1.9	0.064	13.00
K305534		830	1.9	11.0	<0.002	0.45	2.73	2.0	2	0.2	1560	0.05	<0.05	0.9	0.027	5.18
K305535		580	9.4	60.2	0.004	3.72	58.9	2.4	2	1.2	773	0.29	0.12	4.8	0.157	58.1
K305536		1380	9.9	53.9	0.004	3.20	42.6	2.4	2	1.0	1115	0.28	0.11	4.6	0.157	68.9
K305537		720	4.0	22.0	0.002	1.82	27.6	0.8	2	0.7	484	0.10	0.06	1.8	0.056	44.5
K305538		330	6.0	30.8	0.002	3.00	30.7	3.4	2	0.8	862	0.15	0.07	2.5	0.079	71.3
K305539		720	3.7	23.7	0.003	0.67	1.00	3.7	3	0.4	2470	0.11	<0.05	1.9	0.062	3.52
K305540		720	5.7	24.5	<0.002	0.79	0.76	3.1	2	0.5	2670	0.14	0.05	2.0	0.079	2.07
K305541		350	2.2	12.6	<0.002	0.55	3.70	2.2	1	0.3	2290	0.07	<0.05	1.1	0.034	1.55
K305542		340	5.7	7.6	<0.002	0.27	0.33	1.3	2	0.2	2010	<0.05	0.05	0.7	0.021	0.37
K305543		330	3.1	10.7	<0.002	0.37	0.53	1.5	2	0.2	2070	0.06	<0.05	1.0	0.028	0.66
K305544		190	2.2	1.6	<0.002	0.01	0.09	0.3	1	<0.2	49.6	<0.05	<0.05	<0.2	<0.005	0.02
K305545		370	1.6	9.1	<0.002	0.33	0.58	1.4	2	0.2	2070	<0.05	<0.05	0.8	0.025	1.36
K305546		530	1.4	7.9	0.002	0.33	2.39	1.6	2	0.2	2120	<0.05	<0.05	0.7	0.019	1.90
K305547		330	3.3	24.6	0.002	9.47	433	2.2	19	0.4	923	0.12	0.55	1.8	0.083	8.12
K305548		320	3.2	21.4	0.002	0.57	0.97	2.5	3	0.4	2110	0.10	0.05	1.6	0.048	2.63
K305549		550	2.6	13.6	0.002	0.38	0.46	2.1	3	0.3	2460	0.06	0.05	1.2	0.030	1.27
K305550		170	1.8	2.2	<0.002	0.01	0.08	0.4	1	<0.2	49.3	<0.05	<0.05	<0.2	<0.005	0.02
K305551		200	3.7	7.8	<0.002	0.27	0.67	1.1	2	0.2	1965	<0.05	<0.05	0.7	0.020	1.08
K305552		140	2.1	7.9	<0.002	0.28	0.71	1.1	2	0.2	1670	<0.05	<0.05	0.7	0.021	1.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204328

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305517		1.5	6	0.1	6.4	18	5.5	
K305518		1.6	6	0.1	5.5	10	4.7	
K305519		1.2	9	0.2	5.5	12	7.8	
K305520		7.1	161	22.1	13.5	43	163.0	
K305521		2.2	22	0.3	11.3	21	22.5	
K305522		1.8	13	0.4	10.2	18	10.7	
K305523		1.4	11	0.1	8.2	9	8.3	
K305524		3.0	17	0.3	17.4	29	17.8	
K305525		3.1	24	1.5	17.6	26	22.3	
K305526		2.2	13	0.7	12.0	25	14.1	
K305527		2.2	8	0.2	8.5	22	11.0	
K305528		1.8	6	0.1	7.4	31	8.0	
K305529		2.2	17	0.3	13.6	24	18.2	
K305530		2.5	21	0.3	18.7	22	18.3	
K305531		1.1	5	0.3	19.2	13	5.6	
K305532		3.4	111	212	16.4	78	31.6	
K305533		2.2	20	1.5	15.3	21	21.3	
K305534		1.6	10	0.6	10.2	23	11.6	
K305535		5.0	52	3.8	12.0	66	43.9	3.65
K305536		5.0	49	3.5	11.6	79	46.4	2.76
K305537		2.5	20	1.4	6.8	36	18.0	1.765
K305538		3.2	27	2.3	14.8	35	24.7	2.93
K305539		2.9	19	1.5	17.4	19	20.7	
K305540		2.1	21	1.2	12.1	29	25.3	
K305541		2.0	12	0.4	11.7	10	11.2	
K305542		1.5	8	0.2	8.7	13	8.0	
K305543		1.8	10	0.4	9.5	14	10.1	
K305544		0.7	3	0.2	0.8	18	<0.5	
K305545		1.6	9	0.5	7.9	15	8.6	
K305546		1.8	8	0.3	8.1	22	7.1	
K305547		1.8	18	1.7	9.8	23	22.1	17.35
K305548		2.1	14	0.6	10.2	28	16.3	
K305549		2.3	10	0.2	10.7	20	11.0	
K305550		0.4	4	0.1	0.9	16	<0.5	
K305551		1.5	8	0.3	7.4	19	7.5	
K305552		1.6	8	0.4	8.4	17	7.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204328

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11206151

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 247 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206151

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K302261		8.39	0.08	0.04	0.82	1260	40	0.28	0.04	19.20	0.08	12.65	2.6	5	1.77	7.0
K302262		7.96	0.06	0.04	0.40	3800	30	0.12	0.02	18.40	0.02	8.18	1.4	2	0.69	3.6
K302263		8.08	<0.01	0.01	0.14	138	10	0.08	0.01	19.10	4.51	4.39	1.0	<1	0.16	2.8
K302264		8.54	<0.01	<0.01	0.11	488	10	0.05	0.01	18.95	0.08	3.62	0.9	<1	0.12	1.7
K302265		7.67	<0.01	0.01	0.13	1160	10	0.11	0.01	19.90	0.18	4.52	1.0	2	0.15	1.4
K302266		7.50	<0.01	<0.01	0.13	3520	10	0.08	0.01	19.45	0.44	3.74	1.0	2	0.17	1.5
K302267		7.87	0.01	0.01	0.24	4570	20	0.09	0.01	15.65	0.03	6.01	0.9	2	0.30	1.6
K302268		0.25	2.38	0.89	3.12	580	850	0.75	0.34	7.91	2.20	44.1	6.1	52	3.78	41.7
K302269		7.67	0.01	0.01	0.73	48	30	0.19	0.03	12.85	<0.02	10.40	1.0	5	1.00	3.3
K302270		4.24	<0.01	0.01	0.18	69	10	0.10	0.01	16.60	0.02	3.66	0.7	1	0.21	1.2
K302271		5.75	<0.01	0.07	5.55	75	270	1.57	0.25	13.35	0.06	57.6	8.6	38	26.0	14.0
K302272		7.99	1.08	0.07	5.61	892	600	1.48	0.26	11.60	0.05	55.1	8.3	39	20.6	19.6
K302273		9.55	2.52	0.10	5.28	2860	380	1.42	0.20	12.60	0.07	52.0	10.3	37	16.05	20.6
K302274		11.26	0.66	0.06	3.94	4000	210	1.14	0.14	16.35	0.05	37.4	6.5	29	13.05	18.7
K302275		10.86	2.60	0.07	3.34	>10000	130	0.97	0.12	17.20	0.14	32.9	6.2	23	11.25	14.5
K302276		11.77	1.09	0.08	2.91	>10000	120	0.73	0.11	17.20	0.09	28.8	5.3	23	8.55	14.4
K302277		7.03	<0.01	0.01	0.12	57	40	0.10	0.03	20.7	0.06	1.21	1.2	3	0.57	1.7
K302278		11.02	0.18	0.02	1.03	4070	70	0.37	0.04	28.2	0.06	13.10	2.4	7	4.04	5.7
K302279		12.17	0.07	0.05	1.76	1450	70	0.62	0.07	20.2	0.13	21.7	4.0	11	5.74	10.1
K302280		5.02	0.05	0.05	1.50	803	70	0.57	0.06	21.0	0.09	19.25	3.3	9	4.99	8.9
K302281		6.41	0.01	0.06	4.50	195	170	1.30	0.16	16.75	0.15	44.1	6.6	30	17.00	22.5
K302282		7.26	0.20	0.08	4.94	2930	210	1.34	0.20	12.35	0.24	50.9	9.0	35	20.5	25.9
K302283		11.59	0.12	0.10	8.11	3130	330	2.88	0.36	0.85	0.83	86.0	15.9	70	41.1	41.5
K302284		6.92	0.12	0.24	8.85	940	540	3.36	0.37	0.93	0.16	90.2	26.9	79	54.2	46.2
K302285		12.48	0.06	0.04	0.66	727	180	0.27	0.02	18.35	0.05	12.70	3.0	4	2.09	9.7
K302286		10.96	0.19	0.01	0.45	9480	50	0.16	0.02	18.65	0.03	9.39	1.7	3	0.65	5.5
K302287		11.50	0.36	0.02	0.69	6800	50	0.22	0.03	18.25	0.06	13.40	1.6	6	1.13	5.0
K302288		10.73	0.08	0.02	1.14	403	60	0.34	0.05	17.40	0.06	17.75	1.9	6	2.89	5.0
K302289		0.22	7.24	0.44	3.43	960	160	0.70	0.67	11.65	4.18	43.1	5.2	91	7.31	35.0
K302290		9.96	0.44	0.02	1.58	759	80	0.53	0.06	16.90	0.07	22.4	2.1	10	4.28	6.3
K302291		10.21	0.14	0.02	0.87	861	60	0.32	0.03	16.45	0.06	14.65	1.7	4	2.12	4.7
K302292		10.18	0.58	0.07	1.40	984	90	0.39	0.05	16.60	0.65	17.40	2.0	11	4.05	7.6
K302293		9.15	0.26	0.09	0.67	1760	50	0.27	0.02	18.50	0.07	8.92	2.5	5	2.33	8.3
K302294		7.02	<0.01	0.01	0.12	15	20	0.07	0.34	19.75	0.06	1.64	1.4	<1	0.39	3.2
K302295		9.92	0.01	0.05	0.63	88	90	0.24	0.02	19.05	0.03	7.09	1.5	4	1.77	4.8
K302296		10.75	<0.01	0.04	0.91	88	320	0.32	0.04	17.40	0.04	13.85	1.9	5	2.64	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206151

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302261		0.95	2.41	0.08	0.5	2.00	0.008	0.36	7.7	5.9	11.90	631	0.62	0.02	1.5	0.6
K302262		0.78	1.15	0.09	0.2	1.66	0.007	0.15	5.3	2.9	11.35	684	0.38	0.01	0.8	<0.2
K302263		0.34	0.81	0.14	0.1	2.83	0.008	0.06	2.8	1.2	11.85	441	0.16	0.01	0.4	<0.2
K302264		0.23	0.49	0.17	0.1	0.24	<0.005	0.04	2.3	1.1	11.80	395	0.09	0.01	0.3	<0.2
K302265		0.27	0.56	0.17	0.1	0.78	<0.005	0.05	2.6	1.0	12.40	513	0.13	0.01	0.4	<0.2
K302266		0.29	0.59	0.18	0.1	1.07	0.006	0.04	2.3	1.1	12.15	473	0.14	0.01	0.4	<0.2
K302267		0.40	0.72	0.15	0.2	0.54	0.007	0.09	3.7	1.5	9.68	431	0.23	0.01	0.6	<0.2
K302268		2.04	7.35	0.13	1.8	4.69	0.027	0.95	27.5	42.1	2.51	262	18.35	0.03	6.7	51.0
K302269		0.36	1.82	0.08	0.4	0.42	0.006	0.27	6.4	4.1	7.73	356	0.36	0.01	1.1	<0.2
K302270		0.26	0.49	0.12	0.1	0.31	<0.005	0.07	2.2	1.1	10.35	561	0.15	0.01	0.3	<0.2
K302271		3.27	13.75	0.16	2.4	0.30	0.056	2.79	30.6	16.4	3.04	676	0.42	0.04	8.1	20.5
K302272		2.81	14.10	0.15	2.5	4.70	0.050	2.83	29.5	15.1	3.23	882	0.39	0.04	8.2	17.8
K302273		2.23	13.35	0.14	2.4	9.7	0.044	2.64	28.9	13.4	3.06	863	0.88	0.04	7.9	21.7
K302274		1.87	9.53	0.13	1.9	4.66	0.037	1.91	20.9	10.1	3.43	593	0.53	0.03	5.7	12.3
K302275		1.58	8.20	0.12	1.7	6.43	0.050	1.63	18.6	10.4	5.19	689	0.51	0.03	5.1	12.2
K302276		1.82	7.40	0.12	1.5	14.8	0.074	1.39	15.7	8.7	3.93	954	0.53	0.02	4.5	11.3
K302277		0.46	0.46	0.12	<0.1	0.09	0.005	0.05	0.6	1.6	12.50	208	0.31	0.01	0.3	1.1
K302278		0.93	2.61	0.06	0.6	3.65	0.016	0.50	7.0	4.0	1.86	484	0.18	0.01	1.7	2.1
K302279		1.56	4.27	0.08	0.9	3.42	0.017	0.84	11.6	7.4	6.29	513	1.01	0.02	2.9	7.6
K302280		1.42	3.66	0.10	0.8	2.79	0.013	0.73	10.0	6.6	6.33	508	0.86	0.02	2.5	6.5
K302281		1.41	11.25	0.12	2.1	3.12	0.032	2.11	24.5	16.6	3.86	399	1.33	0.03	6.6	13.1
K302282		2.27	12.75	0.13	2.3	3.51	0.044	2.40	27.7	17.0	4.33	551	0.70	0.04	7.6	19.0
K302283		3.17	22.1	0.22	3.8	6.64	0.072	4.15	46.4	34.4	1.01	81	1.11	0.05	13.4	41.7
K302284		4.57	25.5	0.25	4.2	10.5	0.062	4.58	54.3	56.4	1.25	69	2.00	0.06	13.9	76.4
K302285		0.98	1.69	0.08	0.4	9.2	0.007	0.30	6.1	4.0	11.20	712	0.34	0.02	1.2	3.7
K302286		0.68	1.21	0.09	0.4	3.64	0.017	0.18	4.9	2.6	11.40	661	0.21	0.01	0.9	1.1
K302287		0.55	1.79	0.10	0.5	2.55	0.018	0.27	7.2	4.0	11.10	548	0.20	0.01	1.3	1.5
K302288		0.61	2.88	0.10	0.9	1.24	0.009	0.52	9.7	6.5	10.65	415	0.15	0.02	2.1	2.2
K302289		1.29	7.21	0.16	2.3	5.98	0.062	1.40	28.6	9.8	0.70	255	11.65	0.01	7.7	63.5
K302290		0.75	3.95	0.09	1.2	1.73	0.011	0.74	13.0	8.9	9.56	647	0.22	0.02	2.8	2.8
K302291		0.68	2.22	0.08	0.9	1.07	0.008	0.43	8.5	5.4	10.00	498	0.19	0.01	1.6	1.7
K302292		1.23	3.53	0.09	1.0	3.70	0.015	0.65	10.4	7.5	9.66	687	0.39	0.01	2.4	3.5
K302293		2.29	1.65	0.09	0.5	3.30	0.010	0.30	5.3	3.4	10.95	671	1.00	0.01	1.2	7.0
K302294		0.46	0.37	0.10	<0.1	0.02	<0.005	0.05	0.8	1.6	12.40	200	0.11	0.01	0.4	1.8
K302295		0.39	1.61	0.13	0.3	1.06	0.005	0.30	4.1	4.1	11.35	363	0.41	0.01	1.1	1.6
K302296		0.83	2.17	0.11	0.6	1.88	0.008	0.42	7.7	4.3	10.40	422	0.34	0.01	1.5	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206151

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302261		490	12.5	14.1	<0.002	0.78	0.19	1.9	2	0.3	97.5	0.11	<0.05	1.8	0.041	3.39
K302262		640	7.8	6.1	<0.002	0.68	0.22	1.0	2	0.2	76.0	0.06	<0.05	0.9	0.019	3.46
K302263		990	5.0	2.0	<0.002	0.26	0.06	0.5	2	0.2	65.2	<0.05	<0.05	0.4	0.007	0.61
K302264		840	3.6	1.5	<0.002	0.11	0.06	0.4	2	<0.2	52.6	<0.05	<0.05	0.3	0.006	0.44
K302265		570	4.6	1.6	<0.002	0.28	0.08	0.4	2	<0.2	72.3	<0.05	<0.05	0.3	0.009	0.61
K302266		450	4.5	1.6	<0.002	0.44	0.11	0.4	2	<0.2	69.2	<0.05	<0.05	0.3	0.007	0.55
K302267		370	8.4	3.0	<0.002	0.59	0.20	0.4	2	<0.2	61.0	<0.05	<0.05	0.6	0.016	1.55
K302268		870	35.8	48.1	0.024	1.52	105.5	4.9	5	2.4	76.0	0.48	0.21	6.2	0.171	3.98
K302269		290	7.5	9.3	<0.002	0.20	0.14	0.9	2	0.3	66.8	0.09	<0.05	1.3	0.029	0.86
K302270		60	2.9	2.3	<0.002	0.18	0.07	0.3	2	<0.2	67.7	<0.05	<0.05	0.2	0.007	0.45
K302271		620	8.6	122.5	<0.002	0.55	0.40	11.1	2	1.6	302	0.61	0.06	9.5	0.252	2.06
K302272		710	9.1	124.5	<0.002	0.21	2.73	9.7	2	1.7	260	0.62	0.05	9.1	0.258	7.83
K302273		670	9.6	112.5	<0.002	0.22	9.07	9.3	2	1.6	334	0.59	0.06	9.1	0.239	27.4
K302274		590	9.1	81.6	<0.002	0.50	6.51	6.4	2	1.2	451	0.45	<0.05	6.9	0.177	18.80
K302275		520	8.5	73.9	<0.002	1.43	13.45	5.8	2	1.0	339	0.37	<0.05	6.0	0.149	19.55
K302276		600	12.6	62.5	<0.002	2.85	29.4	5.1	4	1.0	253	0.34	<0.05	5.4	0.129	48.7
K302277		190	1.3	3.8	<0.002	0.01	0.10	0.4	2	<0.2	43.5	<0.05	<0.05	<0.2	0.005	0.05
K302278		1790	3.8	22.1	<0.002	0.43	3.54	1.9	3	0.4	481	0.12	<0.05	2.0	0.048	9.75
K302279		480	7.9	32.8	0.005	0.63	1.78	2.9	3	0.6	255	0.21	<0.05	3.6	0.078	8.14
K302280		470	5.8	28.0	0.004	0.42	1.25	2.5	3	0.6	279	0.17	<0.05	3.1	0.066	6.21
K302281		980	13.0	89.1	0.005	0.85	0.67	7.4	2	1.5	309	0.50	<0.05	7.7	0.203	4.39
K302282		760	21.4	108.0	<0.002	1.94	3.11	9.3	2	1.6	246	0.56	0.05	8.9	0.231	7.94
K302283		700	34.2	186.5	0.002	2.97	4.18	16.1	3	2.6	71.0	1.00	0.08	15.2	0.439	8.67
K302284		480	66.8	219	0.007	4.43	4.76	15.8	3	2.8	89.0	1.05	0.07	18.5	0.446	19.20
K302285		530	6.1	11.9	<0.002	0.55	4.11	1.7	2	0.2	125.0	0.09	<0.05	1.3	0.030	11.45
K302286		490	3.4	6.8	<0.002	0.66	6.64	0.9	2	0.2	94.6	0.06	<0.05	1.1	0.023	6.17
K302287		380	4.7	10.0	<0.002	0.61	5.53	1.3	3	0.2	107.0	0.09	<0.05	1.6	0.032	4.77
K302288		440	4.8	18.3	<0.002	0.43	1.49	1.8	2	0.4	84.2	0.16	<0.05	2.8	0.057	2.14
K302289		4070	4.8	112.5	0.039	1.35	18.35	5.9	9	1.7	151.0	0.55	0.48	6.5	0.207	13.55
K302290		770	6.3	26.6	<0.002	0.45	2.90	2.5	2	0.5	130.0	0.21	<0.05	3.8	0.074	3.68
K302291		390	5.1	14.8	<0.002	0.35	2.63	1.4	2	0.3	98.0	0.12	<0.05	2.1	0.040	1.69
K302292		380	9.2	22.8	<0.002	1.19	5.88	2.0	2	0.5	138.5	0.18	<0.05	3.1	0.063	5.94
K302293		190	18.0	10.2	0.002	2.66	8.03	1.1	2	0.3	137.0	0.08	<0.05	1.4	0.029	9.03
K302294		170	1.4	2.8	<0.002	0.02	0.10	0.4	2	<0.2	47.1	<0.05	<0.05	<0.2	0.005	0.06
K302295		180	6.1	10.0	<0.002	0.18	1.09	0.9	2	0.2	144.5	0.08	<0.05	1.3	0.027	0.89
K302296		350	5.9	14.3	<0.002	0.47	0.84	1.4	3	0.3	134.5	0.11	<0.05	1.9	0.042	1.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206151

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302261		2.6	9	1.1	5.3	23	17.3	
K302262		1.9	4	0.7	4.2	4	8.5	
K302263		1.9	3	0.2	3.4	918	3.5	
K302264		1.6	3	0.2	3.1	22	3.0	
K302265		1.5	3	0.2	3.1	78	4.6	
K302266		1.4	3	0.2	2.7	194	3.9	
K302267		1.1	3	0.5	2.5	9	7.0	
K302268		8.7	227	28.4	20.4	205	62.2	
K302269		1.7	5	0.6	3.3	2	13.2	
K302270		0.5	2	0.2	1.7	11	4.4	
K302271		4.7	73	1.4	21.4	30	78.8	
K302272		6.5	78	4.2	18.6	25	83.6	
K302273		7.6	73	4.8	16.8	26	83.1	
K302274		8.5	55	3.2	13.1	30	62.1	
K302275		8.7	49	3.3	11.2	35	56.8	1.625
K302276		8.1	40	3.4	10.8	33	51.2	3.72
K302277		0.8	3	0.1	0.9	12	0.5	
K302278		4.5	14	0.7	6.0	10	21.2	
K302279		6.0	33	1.5	7.8	36	33.5	
K302280		5.6	29	1.3	7.1	23	29.0	
K302281		10.5	65	3.9	15.4	61	69.9	
K302282		8.5	70	4.4	19.3	126	78.4	
K302283		4.3	122	7.2	25.5	474	126.5	
K302284		13.2	135	7.8	21.8	63	141.5	
K302285		5.5	13	1.0	8.0	7	15.3	
K302286		5.5	8	0.6	4.8	4	13.1	
K302287		6.6	14	0.9	5.3	8	17.4	
K302288		7.9	25	1.2	7.0	7	31.6	
K302289		8.4	373	38.5	28.9	269	77.6	
K302290		10.6	27	1.7	9.8	9	41.8	
K302291		5.9	11	0.9	6.4	6	29.3	
K302292		9.0	28	1.9	6.2	224	30.3	
K302293		8.2	13	1.3	3.5	12	15.3	
K302294		0.5	4	0.1	0.9	14	0.7	
K302295		6.5	12	0.9	2.9	3	11.1	
K302296		7.2	15	1.1	5.3	6	19.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206151

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

CERTIFICATE WH11203011

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 248 Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203011

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305553		8.29	0.01	0.01	0.52	26	90	0.21	0.03	36.0	0.13	8.67	1.7	5	1.32	5.9
K305554		7.65	<0.01	0.02	0.49	22	110	0.19	0.03	34.4	0.10	7.82	1.8	5	1.02	6.1
K305555		7.88	<0.01	0.01	0.57	49	100	0.15	0.03	35.1	0.09	8.11	1.9	5	1.13	6.5
K305556		7.93	<0.01	0.05	1.60	59	130	0.29	0.07	30.3	0.14	18.50	5.5	14	3.64	18.8
K305557		8.00	0.01	0.03	1.02	69	140	0.20	0.05	33.2	0.19	15.30	3.3	9	2.51	10.7
K305558		8.14	<0.01	0.01	0.23	16	120	0.11	0.02	36.6	0.09	4.44	0.8	3	0.41	2.8
K305559		7.66	<0.01	0.17	0.22	8	100	0.12	0.02	36.4	0.05	4.67	0.8	2	0.39	3.6
K305560		0.22	2.65	1.01	3.21	622	880	0.74	0.29	8.36	2.33	43.4	6.5	52	3.67	42.5
K305561		7.68	<0.01	0.02	0.21	10	90	0.12	0.02	37.9	0.04	3.70	0.7	2	0.39	2.6
K305562		7.73	<0.01	0.03	1.31	26	190	0.33	0.07	32.0	0.07	18.55	4.1	12	3.16	12.7
K305563		8.13	<0.01	0.03	2.03	45	190	0.52	0.08	27.7	0.21	28.5	6.2	17	5.98	19.1
K305564		4.98	<0.01	0.01	0.06	<5	20	0.05	0.02	21.1	0.07	0.97	0.6	<1	0.16	1.8
K305565		7.99	<0.01	0.01	0.62	11	100	0.28	0.03	34.2	0.09	9.91	2.1	5	1.54	6.8
K305566		7.78	<0.01	0.02	1.07	27	190	0.40	0.04	34.2	0.19	19.30	3.5	11	3.54	12.2
K305567		7.85	<0.01	0.02	0.77	33	310	0.30	0.04	33.7	0.13	12.65	2.5	7	2.23	8.3
K305568		7.57	<0.01	0.03	0.61	39	100	0.25	0.03	34.7	0.07	9.27	1.9	6	1.99	6.6
K305569		7.93	0.17	0.05	2.19	151	230	0.62	0.08	28.3	0.17	25.9	7.8	23	7.20	21.6
K305570		8.41	1.25	0.08	3.91	552	220	1.03	0.15	21.9	0.34	45.7	11.6	33	11.10	35.1
K305571		7.45	0.81	0.03	1.10	397	110	0.40	0.04	30.7	0.11	16.20	3.8	10	2.82	11.0
K305572		3.52	0.65	0.05	2.14	344	160	0.59	0.09	28.2	0.20	28.4	6.5	20	6.06	19.5
K305573		8.19	0.41	0.09	1.48	1950	130	0.43	0.07	31.3	0.12	23.2	4.9	14	3.89	15.2
K305574		7.83	2.04	0.51	1.47	4940	140	0.30	0.06	29.9	0.29	22.0	5.0	16	3.08	15.5
K305575		8.12	0.01	0.02	0.75	39	110	0.23	0.03	33.5	0.09	13.15	2.9	8	2.68	12.3
K305576		8.28	0.01	0.02	0.75	42	160	0.24	0.03	32.1	0.12	13.75	2.8	8	2.46	9.2
K305577		0.23	0.36	0.31	6.00	580	540	0.63	0.23	0.47	0.19	136.5	2.8	228	3.51	31.4
K305578		7.98	0.03	0.02	0.87	54	130	0.23	0.05	34.0	0.14	13.05	2.8	9	2.48	8.9
K305579		8.28	0.04	0.02	0.89	61	100	0.23	0.05	34.0	0.14	13.70	2.7	8	1.90	8.7
K305580		8.36	0.03	0.01	0.60	47	90	0.17	0.04	34.5	0.11	9.86	1.9	6	1.21	6.1
K305581		8.15	0.01	0.01	0.27	38	70	0.13	0.02	36.0	0.08	5.79	0.9	3	0.36	3.1
K305582		8.61	0.02	0.01	0.44	44	80	0.15	0.02	34.7	0.07	7.40	1.3	4	0.78	4.6
K305583		8.35	0.01	0.01	0.35	51	80	0.14	0.02	34.4	0.05	6.94	1.1	3	0.66	4.0
K305584		4.98	<0.01	0.01	0.09	<5	20	0.10	0.03	20.9	0.07	1.04	0.7	2	0.53	2.0
K305585		8.01	<0.01	0.01	0.41	78	80	0.12	0.03	34.3	0.07	7.84	1.3	4	0.84	4.9
K305586		7.58	0.02	0.02	0.61	72	120	0.19	0.04	33.4	0.07	9.27	1.8	5	1.02	6.3
K305587		7.62	<0.01	0.01	0.37	35	60	0.13	0.03	30.5	0.04	8.63	1.1	4	0.65	4.1
K305588		7.05	0.01	0.01	0.37	36	50	0.16	0.02	29.3	0.04	6.77	1.2	3	0.70	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203011

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305553		0.33	1.38	0.08	0.2	0.40	0.006	0.23	4.5	1.7	0.45	125	0.29	0.01	0.7	2.6
K305554		0.36	1.29	0.08	0.2	0.20	0.008	0.22	4.0	2.0	0.73	160	0.21	0.01	0.6	2.7
K305555		0.41	1.43	0.07	0.3	0.28	0.006	0.26	4.4	1.9	0.72	164	0.26	0.01	0.7	3.0
K305556		0.98	4.29	0.07	0.8	0.70	0.016	0.75	10.7	4.6	0.75	169	0.75	0.01	2.1	9.4
K305557		0.67	2.71	0.09	0.5	0.91	0.012	0.45	7.9	2.9	0.75	227	0.39	0.01	1.3	5.3
K305558		0.21	0.61	0.05	0.1	0.10	<0.005	0.09	2.2	0.9	0.62	104	0.10	0.01	0.3	1.2
K305559		0.19	0.60	0.05	0.1	0.03	0.006	0.08	2.4	1.0	0.53	220	0.26	0.01	0.3	1.7
K305560		2.14	7.82	0.10	1.8	4.30	0.026	1.00	28.1	36.3	2.58	275	17.85	0.04	6.4	48.7
K305561		0.21	0.54	0.08	0.1	0.03	0.012	0.08	1.8	0.9	0.77	180	0.14	0.01	0.3	0.9
K305562		0.91	3.23	0.09	0.6	0.09	0.019	0.58	10.2	3.6	0.67	309	0.40	0.02	1.6	6.6
K305563		1.22	5.21	0.14	0.9	0.16	0.023	0.94	15.1	6.6	0.87	171	0.73	0.02	2.6	10.7
K305564		0.45	0.18	<0.05	<0.1	<0.01	0.005	0.02	0.5	0.9	12.30	204	0.07	<0.01	0.1	1.4
K305565		0.58	1.65	0.05	0.3	0.05	0.006	0.27	5.4	2.1	0.72	371	0.20	0.01	0.8	3.3
K305566		0.91	2.92	0.09	0.5	0.12	0.014	0.45	10.0	3.6	0.94	258	0.36	0.01	1.5	6.0
K305567		0.68	1.97	0.07	0.4	0.54	0.009	0.33	6.8	2.7	0.77	353	0.23	0.01	0.9	4.0
K305568		0.55	1.64	0.08	0.3	0.59	0.008	0.26	5.1	2.3	0.66	588	0.17	0.01	0.8	3.0
K305569		1.59	5.52	0.09	1.1	1.40	0.016	0.98	14.3	6.4	0.68	539	0.49	0.02	2.8	12.3
K305570		2.11	10.50	0.16	1.8	3.91	0.037	1.79	24.7	12.1	0.71	1960	0.61	0.02	5.7	19.3
K305571		1.01	2.99	0.08	0.6	1.36	0.016	0.50	9.2	3.5	0.54	1310	0.23	0.01	1.5	5.8
K305572		1.41	5.80	0.10	1.5	1.89	0.018	0.98	15.8	7.0	0.68	1050	0.43	0.02	3.1	11.2
K305573		1.22	3.97	0.09	0.7	1.63	0.020	0.64	12.4	5.3	0.78	684	0.43	0.01	2.1	8.0
K305574		1.14	3.90	0.08	0.7	2.62	0.011	0.64	12.0	6.7	0.72	474	0.40	0.01	1.8	8.3
K305575		0.56	2.05	<0.05	0.3	0.45	0.010	0.34	6.5	2.7	0.60	155	0.40	0.01	1.2	4.8
K305576		0.54	2.03	0.05	0.3	0.47	0.008	0.33	6.9	2.9	0.59	186	0.35	0.01	1.3	4.1
K305577		6.65	20.7	0.18	4.1	9.23	0.050	1.31	65.9	17.2	0.12	35	6.51	0.37	9.8	17.5
K305578		0.63	2.22	0.07	0.4	0.70	0.008	0.40	6.3	3.1	0.60	285	0.32	<0.01	1.0	4.9
K305579		0.68	2.20	0.10	0.4	0.68	0.010	0.41	7.2	3.4	0.54	393	0.36	<0.01	1.1	4.4
K305580		0.41	1.47	0.10	0.3	0.51	<0.005	0.27	4.8	1.9	0.53	317	0.22	<0.01	0.7	2.9
K305581		0.29	0.68	0.08	0.1	0.33	<0.005	0.11	2.6	0.9	0.69	319	0.14	<0.01	0.3	1.3
K305582		0.37	1.06	0.09	0.2	0.42	<0.005	0.19	3.6	1.5	0.52	255	0.16	<0.01	0.5	2.2
K305583		0.33	0.90	0.08	0.2	0.30	0.006	0.15	3.2	1.1	0.45	205	0.17	<0.01	0.4	2.0
K305584		0.48	0.28	0.07	<0.1	<0.01	0.005	0.05	0.5	1.3	13.00	211	0.10	<0.01	0.2	2.1
K305585		0.38	1.07	0.11	0.2	0.29	0.006	0.18	3.6	1.4	0.49	192	0.20	<0.01	0.5	2.2
K305586		0.45	1.48	0.10	0.3	0.57	0.006	0.26	4.3	2.0	0.47	198	0.17	<0.01	0.7	3.2
K305587		0.48	0.98	0.08	0.2	0.28	0.008	0.15	4.1	1.5	3.54	325	0.13	<0.01	0.4	1.9
K305588		0.67	1.02	0.09	0.2	0.32	<0.005	0.16	3.1	1.6	5.19	484	0.15	<0.01	0.4	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203011

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305553		130	2.5	9.4	0.005	0.33	0.43	1.2	1	0.3	1720	0.05	<0.05	0.8	0.027	0.97
K305554		340	2.3	8.7	0.003	0.36	0.29	1.2	<1	0.4	1780	0.05	<0.05	0.9	0.027	0.46
K305555		270	2.8	10.2	0.002	0.39	0.38	1.5	1	0.4	1930	0.06	<0.05	0.9	0.032	0.41
K305556		170	14.5	30.7	0.007	1.04	0.70	3.4	2	0.7	1835	0.15	<0.05	2.4	0.087	0.72
K305557		280	7.2	18.4	0.003	0.65	0.93	2.6	1	0.6	1870	0.09	<0.05	1.7	0.055	1.78
K305558		610	1.7	3.6	0.003	0.17	0.17	0.7	1	0.3	2010	<0.05	<0.05	0.4	0.013	0.25
K305559		550	3.1	3.3	0.003	0.14	0.13	0.6	<1	0.3	1830	<0.05	<0.05	0.5	0.012	0.06
K305560		900	38.0	45.7	0.033	1.57	102.5	5.1	4	2.5	74.3	0.43	0.18	6.2	0.177	4.21
K305561		880	2.6	3.2	0.002	0.14	0.19	0.6	1	0.3	1740	<0.05	<0.05	0.3	0.011	0.05
K305562		320	8.5	22.6	0.005	0.77	0.44	3.7	1	0.6	1800	0.13	<0.05	2.1	0.071	0.21
K305563		580	7.1	37.5	0.003	1.09	0.63	5.1	2	0.8	1910	0.21	<0.05	3.1	0.117	0.73
K305564		160	1.6	1.1	<0.002	0.01	0.09	0.2	<1	0.3	46.7	<0.05	<0.05	<0.2	<0.005	<0.02
K305565		640	3.0	11.0	0.003	0.35	0.22	1.8	1	0.4	1780	0.06	<0.05	1.0	0.034	0.26
K305566		1700	4.1	18.3	0.004	0.68	0.31	3.4	1	0.5	2690	0.11	<0.05	1.9	0.060	1.05
K305567		870	3.3	13.5	0.003	0.47	0.60	2.1	1	0.5	2010	0.07	<0.05	1.3	0.042	1.45
K305568		450	2.3	11.3	<0.002	0.35	0.74	1.8	1	0.4	1680	0.06	<0.05	0.9	0.036	1.18
K305569		530	7.2	39.7	0.002	1.45	1.88	5.9	2	0.9	1680	0.23	<0.05	3.2	0.151	4.91
K305570		330	14.0	80.4	0.006	2.20	5.78	9.1	1	1.4	1345	0.41	<0.05	5.9	0.240	13.80
K305571		210	4.2	20.3	0.005	0.75	3.60	3.7	1	0.5	1770	0.13	<0.05	1.7	0.071	6.49
K305572		270	7.6	40.8	0.005	1.24	3.67	5.5	1	0.8	1675	0.24	0.06	3.3	0.131	7.19
K305573		470	6.3	27.8	0.003	1.09	9.58	4.7	2	0.7	1555	0.15	0.07	2.4	0.087	6.28
K305574		450	7.1	27.7	0.003	1.25	16.30	3.8	1	0.7	1680	0.14	0.05	2.2	0.089	6.99
K305575		290	5.6	16.7	<0.002	0.48	0.40	2.4	2	0.3	1805	0.07	<0.05	1.3	0.041	1.54
K305576		370	3.6	16.2	0.002	0.52	0.50	2.5	2	0.3	2170	0.07	<0.05	1.3	0.041	1.36
K305577		870	17.5	47.6	0.003	2.97	113.0	16.0	2	2.9	493	0.72	0.13	9.0	0.535	7.79
K305578		510	4.0	15.6	0.004	0.58	0.80	2.2	1	0.4	1820	0.07	<0.05	1.4	0.050	2.16
K305579		160	3.8	16.3	0.005	0.72	0.85	2.2	1	0.4	1660	0.08	0.05	1.6	0.049	2.18
K305580		290	3.0	10.5	0.005	0.38	0.72	1.4	1	0.4	1630	0.05	0.06	1.1	0.031	1.39
K305581		470	1.6	4.6	0.004	0.19	0.47	0.7	1	0.3	1800	<0.05	<0.05	0.5	0.013	0.89
K305582		330	2.6	7.2	<0.002	0.32	0.54	1.1	1	0.3	1720	<0.05	<0.05	0.8	0.023	1.27
K305583		260	2.8	5.9	0.003	0.27	0.42	0.9	1	0.3	1650	<0.05	<0.05	0.7	0.018	1.12
K305584		180	1.3	2.7	<0.002	0.01	0.09	0.3	<1	0.2	54.2	<0.05	<0.05	<0.2	<0.005	0.02
K305585		240	3.0	6.8	0.005	0.30	0.28	1.0	1	0.3	1730	<0.05	<0.05	0.7	0.021	1.13
K305586		300	4.3	10.5	0.003	0.44	0.48	1.4	1	0.3	1790	0.05	0.05	1.1	0.032	1.57
K305587		390	3.2	5.7	0.002	0.25	0.33	1.1	1	0.3	1330	<0.05	0.07	0.6	0.020	0.79
K305588		410	4.5	6.5	<0.002	0.26	0.44	1.1	1	0.3	872	<0.05	<0.05	0.6	0.019	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203011

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305553		1.6	8	0.3	7.5	6	7.6
K305554		1.6	9	0.2	7.1	4	8.2
K305555		1.7	10	0.3	7.2	5	9.3
K305556		2.1	27	0.5	10.6	16	24.1
K305557		2.5	17	0.6	12.0	19	15.5
K305558		1.6	5	0.1	5.8	3	5.2
K305559		1.2	3	0.1	5.1	<2	5.9
K305560		8.1	239	27.4	17.9	215	67.4
K305561		1.5	4	0.3	4.9	<2	4.8
K305562		1.9	22	0.3	13.8	10	21.3
K305563		2.7	36	0.4	17.8	28	31.5
K305564		0.4	2	0.1	0.7	12	<0.5
K305565		1.6	11	0.1	9.5	6	12.6
K305566		3.0	20	0.3	19.1	16	22.2
K305567		1.7	14	0.3	11.1	10	14.1
K305568		1.2	12	0.4	8.3	8	11.5
K305569		2.0	42	1.1	17.0	33	35.1
K305570		2.9	68	3.5	23.0	58	67.0
K305571		1.3	20	1.0	14.2	17	20.6
K305572		2.0	38	1.8	17.4	32	35.7
K305573		2.0	26	1.6	17.0	18	25.9
K305574		2.2	27	1.6	14.2	26	23.8
K305575		2.1	14	0.5	12.7	8	13.1
K305576		2.1	14	0.5	13.7	11	13.9
K305577		7.2	162	22.6	15.2	44	168.0
K305578		2.1	16	0.6	9.9	12	12.4
K305579		2.3	17	0.6	10.8	13	11.1
K305580		1.9	12	0.4	8.6	7	8.3
K305581		1.4	6	0.2	6.2	3	5.1
K305582		1.7	9	0.3	7.2	4	6.5
K305583		1.7	7	0.3	6.4	3	6.4
K305584		0.4	4	0.1	0.9	14	<0.5
K305585		1.7	8	0.3	7.8	5	6.5
K305586		1.9	11	0.5	8.2	6	8.6
K305587		1.4	8	0.3	7.6	2	5.8
K305588		1.6	8	0.3	6.9	2	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11203011

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

CERTIFICATE WH11206153

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 249 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206153

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304758		5.50	<0.01	0.08	3.14	87	220	0.92	0.07	17.70	0.05	40.1	5.6	32	13.05	13.9
K304759		5.66	0.01	0.08	3.07	58	340	0.95	0.06	18.40	0.05	37.9	6.1	33	9.83	12.4
K304760		5.76	<0.01	0.05	2.97	52	230	0.94	0.07	21.0	0.05	35.4	5.1	28	11.50	16.8
K304761		6.71	<0.01	0.05	2.67	40	190	0.97	0.06	21.6	0.03	33.0	4.5	26	11.05	15.1
K304762		5.44	<0.01	0.04	2.70	45	160	1.02	0.07	19.80	0.04	31.9	4.5	23	9.30	12.2
K304763		3.20	0.01	0.13	1.69	196	120	0.56	0.04	26.9	0.02	22.8	3.4	16	4.65	7.5
K304764		3.05	4.82	56.8	5.86	2780	310	1.64	0.25	8.34	0.03	66.1	16.6	48	30.5	95.9
K304765		0.22	0.32	0.32	6.18	594	1410	0.73	0.30	0.46	0.19	164.0	2.9	235	3.36	31.2
K304766		3.99	0.03	0.55	7.63	265	340	2.58	0.36	5.55	0.04	85.6	12.6	60	36.2	27.6
K304767		1.31	<0.01	0.17	7.10	48.4	300	1.93	0.32	8.32	0.03	74.3	9.0	48	32.8	37.7
K304768		4.98	<0.01	0.01	0.10	<5	20	<0.05	0.03	20.3	0.05	1.30	0.6	2	0.38	1.5
K304769		5.18	<0.01	0.11	4.56	87	210	1.20	0.20	15.95	0.03	48.8	7.0	32	16.75	14.7
K304770		2.75	<0.01	0.07	3.27	23	160	1.01	0.13	18.85	0.07	35.1	5.7	25	12.45	8.1
K304771		4.98	<0.01	0.08	3.65	60	210	1.04	0.12	18.95	0.04	38.3	5.5	28	12.90	15.0
K304772		2.33	<0.01	0.06	3.86	76	200	1.21	0.12	17.75	0.03	42.4	6.0	29	14.00	16.2
K304773		5.27	<0.01	0.04	3.96	345	300	1.09	0.15	16.10	0.06	44.8	5.3	29	13.85	13.7
K304774		5.13	<0.01	0.05	3.02	80	170	0.98	0.10	16.85	0.07	33.3	5.0	24	10.05	8.2
K304775		5.09	<0.01	0.08	4.06	106	190	1.16	0.16	18.40	0.07	42.5	6.4	30	13.65	15.0
K304776		5.29	<0.01	0.43	4.01	164	190	1.15	0.17	17.45	0.08	47.6	6.5	29	14.00	15.0
K304777		3.33	<0.01	0.11	4.27	198	200	1.19	0.15	16.40	0.09	46.0	6.6	32	14.40	14.0
K304778		2.48	<0.01	0.15	1.33	160	140	0.64	0.04	18.80	0.09	16.10	2.8	10	4.44	5.5
K304779		4.81	<0.01	0.08	4.62	293	210	1.54	0.16	10.20	0.05	51.4	6.3	35	17.95	17.5
K304780		5.66	0.01	0.06	3.66	573	170	1.24	0.15	11.10	0.84	42.8	8.0	26	13.65	16.7
K304781		5.84	<0.01	0.08	6.83	52.8	290	1.79	0.27	9.09	0.03	74.4	9.2	43	31.5	22.6
K304782		6.31	0.03	0.11	0.37	781	40	0.21	0.02	19.40	0.05	8.16	0.9	4	0.69	4.4
K304783		2.57	0.03	0.07	0.42	1720	30	0.22	0.03	18.35	0.13	9.26	1.2	3	0.94	6.4
K304784		5.27	0.05	3.84	0.90	4340	60	0.37	0.06	17.90	0.03	12.85	1.7	6	2.70	8.9
K304785		3.17	0.07	0.06	0.76	1080	90	0.37	0.02	18.95	0.28	13.30	1.1	5	1.95	3.7
K304786		0.23	2.69	1.07	3.27	614	870	0.81	0.35	8.06	2.36	55.0	6.6	55	3.70	44.0
K304787		5.88	0.05	0.07	0.81	1230	50	0.40	0.04	18.95	0.07	15.35	0.9	6	2.00	4.7
K304788		3.03	0.03	0.03	0.61	3750	30	0.33	0.03	18.95	0.09	11.85	0.8	4	1.45	6.2
K304789		4.98	<0.01	0.02	0.07	9	20	0.06	0.03	19.95	0.05	1.18	0.6	1	0.21	4.0
K304790		6.34	0.02	0.04	0.82	824	40	0.35	0.06	17.30	0.05	14.95	1.1	5	2.14	3.9
K304791		5.64	0.04	0.04	0.95	1130	50	0.35	0.06	17.30	0.06	17.70	1.2	6	2.51	4.3
K304792		5.57	0.03	0.02	0.57	1820	30	0.34	0.03	18.55	0.06	11.35	0.7	5	1.33	3.2
K304793		5.48	0.01	0.04	1.08	374	60	0.52	0.04	17.45	0.13	17.60	1.5	7	3.12	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206153

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304758		1.09	7.99	0.15	1.7	0.18	0.020	1.79	20.2	15.9	2.40	191	0.73	<0.01	5.3	11.0
K304759		1.33	8.04	0.15	1.8	0.30	0.022	1.73	19.2	13.3	2.72	203	0.84	<0.01	5.3	12.2
K304760		1.01	7.72	0.14	1.7	0.18	0.020	1.69	18.2	16.4	2.52	193	0.80	<0.01	5.1	9.4
K304761		0.90	6.99	0.14	1.3	0.15	0.021	1.50	16.7	15.2	2.20	208	0.60	<0.01	4.5	7.4
K304762		0.83	6.98	0.12	1.5	0.19	0.020	1.52	16.5	14.3	3.39	200	0.81	<0.01	4.4	5.6
K304763		0.62	4.49	0.13	0.9	0.35	0.014	0.91	12.2	7.4	1.41	211	0.45	<0.01	2.9	4.2
K304764		5.02	15.55	0.24	1.9	4.63	0.050	2.99	33.9	14.2	3.17	1980	39.0	0.01	24.6	32.4
K304765		6.51	19.90	0.24	4.4	9.0	0.061	1.35	74.2	16.6	0.12	36	6.24	0.37	9.3	16.4
K304766		3.83	19.95	0.27	3.1	0.61	0.080	3.90	42.5	17.0	1.84	527	0.53	0.02	10.0	27.8
K304767		2.98	16.65	0.19	3.0	0.22	0.070	3.64	36.9	16.9	2.49	479	0.41	0.02	9.3	23.1
K304768		0.46	0.26	0.09	<0.1	<0.01	0.010	0.05	0.6	1.2	11.95	211	0.07	<0.01	0.2	1.7
K304769		2.28	10.60	0.18	1.9	0.16	0.040	2.30	22.7	9.7	3.25	473	0.35	0.01	5.6	15.4
K304770		1.99	7.47	0.17	1.5	0.15	0.031	1.67	17.2	8.1	4.05	473	0.40	<0.01	4.2	12.2
K304771		1.93	8.45	0.19	1.7	0.21	0.034	1.84	18.1	8.8	3.05	444	0.44	<0.01	4.7	12.3
K304772		1.98	8.50	0.20	1.9	0.22	0.031	1.96	19.0	9.5	3.25	445	0.42	<0.01	5.0	13.3
K304773		2.16	9.01	0.16	1.8	0.57	0.036	2.00	20.1	10.3	4.24	470	0.27	<0.01	5.2	12.3
K304774		2.36	6.85	0.14	1.7	0.21	0.024	1.53	16.0	9.4	5.37	528	0.38	<0.01	4.1	11.3
K304775		1.57	9.04	0.18	1.7	0.20	0.034	2.06	20.2	10.4	3.04	338	0.47	<0.01	5.0	14.8
K304776		1.89	9.08	0.20	1.8	0.19	0.034	2.03	21.4	12.1	4.11	390	0.40	<0.01	5.4	15.6
K304777		2.04	9.91	0.19	2.0	0.29	0.037	2.17	21.9	12.8	3.77	321	0.38	<0.01	5.7	15.3
K304778		1.25	3.12	0.14	0.7	0.20	0.011	0.69	7.4	8.0	8.94	442	0.21	<0.01	1.8	5.3
K304779		2.10	10.15	0.17	1.9	1.06	0.038	2.32	23.4	19.1	6.39	343	0.28	<0.01	5.8	14.9
K304780		2.93	8.72	0.13	1.6	1.34	0.038	1.83	20.0	15.6	7.01	318	0.82	<0.01	4.6	17.5
K304781		2.70	16.15	0.20	2.9	0.13	0.053	3.53	36.7	15.4	1.98	463	0.27	0.02	8.6	22.7
K304782		0.80	0.88	0.15	0.2	0.42	0.008	0.18	3.6	2.3	11.40	598	0.11	<0.01	0.5	2.3
K304783		0.73	1.08	0.13	0.4	1.16	<0.005	0.21	4.2	3.0	10.90	506	0.13	<0.01	0.7	2.7
K304784		0.86	2.26	0.15	0.6	0.75	0.010	0.46	6.3	4.7	10.45	517	4.40	<0.01	3.3	4.0
K304785		0.63	1.94	0.14	0.5	0.74	0.010	0.38	6.5	4.8	11.25	510	0.13	<0.01	1.1	2.4
K304786		2.12	7.76	0.16	1.8	4.54	0.023	1.04	28.3	38.3	2.56	277	18.25	0.01	6.6	51.6
K304787		0.48	2.07	0.14	0.5	0.53	0.007	0.41	7.3	4.5	11.40	426	0.20	<0.01	1.2	1.8
K304788		0.64	1.43	0.15	0.4	0.63	<0.005	0.29	5.6	3.4	11.35	430	0.16	<0.01	0.9	1.9
K304789		0.44	0.17	0.12	<0.1	<0.01	<0.005	0.03	0.5	1.0	11.85	194	0.05	<0.01	0.2	1.5
K304790		0.47	1.97	0.17	0.7	0.39	0.007	0.42	7.3	5.2	10.35	321	0.17	<0.01	1.4	2.6
K304791		0.49	2.31	0.17	1.0	0.49	0.007	0.48	8.8	5.7	10.30	364	0.16	<0.01	1.5	2.8
K304792		0.35	1.28	0.15	0.5	0.38	0.006	0.28	5.7	3.3	11.15	269	0.13	<0.01	0.9	1.7
K304793		0.61	2.75	0.20	0.9	0.32	0.010	0.55	9.0	7.5	9.81	340	0.22	<0.01	1.7	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206153

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304758		450	6.7	60.6	0.002	0.30	0.25	5.0	2	1.0	373	0.39	<0.05	6.5	0.147	0.42
K304759		410	8.2	57.9	<0.002	0.55	0.38	5.0	2	1.1	408	0.40	<0.05	6.6	0.146	0.60
K304760		390	6.7	59.6	<0.002	0.41	0.26	4.9	2	1.0	408	0.37	<0.05	6.4	0.135	0.49
K304761		380	5.1	52.2	0.002	0.33	0.20	4.3	2	0.9	459	0.32	<0.05	5.5	0.116	0.46
K304762		290	6.1	51.0	<0.002	0.31	0.21	4.3	2	0.9	416	0.33	<0.05	5.6	0.119	0.52
K304763		220	6.3	30.6	<0.002	0.46	0.80	2.9	2	0.6	537	0.20	<0.05	3.5	0.074	1.21
K304764		1260	11.4	124.5	0.002	0.67	6.86	10.2	1	1.8	137.0	0.56	0.12	9.7	0.239	15.20
K304765		910	19.7	48.6	0.004	3.14	120.5	15.6	1	3.0	517	0.72	0.09	11.0	0.549	8.42
K304766		740	10.9	159.5	0.006	1.20	1.33	14.0	1	2.4	167.0	0.74	0.08	13.8	0.333	3.04
K304767		710	8.2	156.5	0.004	0.82	0.43	11.9	1	2.2	212	0.71	<0.05	13.3	0.314	1.37
K304768		180	1.3	2.6	0.003	0.01	0.12	0.3	<1	0.2	42.3	<0.05	<0.05	<0.2	0.005	<0.02
K304769		600	8.9	91.3	0.006	0.16	0.39	7.5	<1	1.5	455	0.43	<0.05	8.4	0.200	0.74
K304770		830	6.9	67.4	0.002	0.15	0.31	5.4	1	1.1	560	0.29	<0.05	6.0	0.144	0.53
K304771		580	7.2	74.1	0.003	0.16	0.32	5.9	<1	1.2	644	0.37	<0.05	6.9	0.161	0.81
K304772		720	6.9	77.8	0.003	0.16	0.32	6.0	<1	1.2	589	0.36	<0.05	7.0	0.172	0.77
K304773		630	6.2	77.6	0.005	0.11	0.47	6.8	<1	1.3	374	0.40	<0.05	7.6	0.185	1.35
K304774		640	6.7	57.6	0.004	0.14	0.29	4.9	<1	1.1	424	0.31	<0.05	6.2	0.137	0.65
K304775		580	12.3	81.1	0.002	0.28	0.38	6.6	<1	1.3	570	0.41	<0.05	7.7	0.180	0.78
K304776		620	14.4	85.1	0.003	0.66	0.42	6.7	1	1.4	456	0.38	<0.05	7.5	0.179	0.75
K304777		670	26.7	83.5	0.005	1.25	0.46	6.7	<1	1.4	427	0.44	0.06	8.0	0.191	0.94
K304778		390	5.5	24.6	0.004	0.30	0.27	2.2	1	0.5	195.0	0.13	<0.05	2.7	0.059	0.43
K304779		500	12.3	91.5	0.007	1.13	0.72	7.7	1	1.5	89.9	0.43	<0.05	8.5	0.211	1.39
K304780		1120	17.0	75.0	0.003	2.23	1.73	6.0	<1	1.2	85.0	0.35	<0.05	6.7	0.167	2.47
K304781		620	7.8	150.0	0.003	0.56	0.33	12.0	1	2.0	282	0.66	<0.05	11.8	0.306	1.02
K304782		540	4.6	5.5	0.004	0.11	2.66	0.7	1	0.3	83.6	<0.05	<0.05	0.9	0.018	1.23
K304783		520	4.8	7.1	0.004	0.18	3.11	0.8	<1	0.3	70.9	0.05	<0.05	1.2	0.022	1.65
K304784		380	5.2	15.7	0.006	0.50	4.87	1.6	<1	0.5	79.9	0.10	<0.05	2.1	0.043	1.93
K304785		490	3.3	11.9	0.002	0.17	2.76	1.2	1	0.4	78.5	0.09	<0.05	1.7	0.035	1.23
K304786		910	42.2	49.2	0.032	1.62	109.0	5.1	4	2.4	78.3	0.44	0.17	7.4	0.177	4.13
K304787		310	4.5	12.8	0.005	0.21	3.13	1.3	<1	0.4	96.6	0.08	<0.05	1.9	0.038	1.43
K304788		450	4.2	9.4	0.002	0.57	3.86	1.0	1	0.6	81.1	0.07	<0.05	1.5	0.029	0.72
K304789		180	1.3	1.2	0.006	0.01	0.13	0.2	<1	0.2	46.3	<0.05	<0.05	<0.2	<0.005	<0.02
K304790		440	4.5	13.1	0.002	0.34	1.50	1.4	<1	0.5	83.6	0.10	<0.05	2.2	0.041	0.72
K304791		510	4.4	15.8	0.005	0.28	2.26	1.5	1	0.5	85.7	0.12	<0.05	2.6	0.047	0.83
K304792		580	3.5	8.6	0.004	0.33	1.72	0.9	<1	0.4	73.0	0.07	<0.05	1.5	0.027	0.42
K304793		500	3.9	18.1	0.002	0.26	0.79	1.8	1	0.5	118.5	0.12	<0.05	2.7	0.049	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206153

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K304758		7.9	50	0.6	12.0	11	64.9
K304759		8.2	51	0.7	11.3	12	62.2
K304760		7.9	44	0.6	10.9	17	59.4
K304761		8.8	43	0.5	9.7	10	47.8
K304762		9.6	40	0.6	9.3	9	55.8
K304763		11.7	26	1.4	7.0	7	31.9
K304764		3.1	67	148.5	25.0	42	65.2
K304765		8.6	169	21.7	15.8	45	157.0
K304766		4.6	101	6.2	21.0	41	100.0
K304767		5.5	94	2.1	21.1	35	97.2
K304768		0.5	3	0.1	0.9	13	<0.5
K304769		7.8	61	0.9	14.1	24	63.3
K304770		8.1	44	0.7	12.0	19	46.6
K304771		9.5	49	0.7	12.1	19	54.4
K304772		8.2	53	0.7	13.1	20	58.3
K304773		6.5	55	1.3	13.8	21	60.9
K304774		6.5	45	0.7	11.4	45	54.5
K304775		8.9	56	0.9	13.0	41	60.4
K304776		7.5	54	2.1	13.7	53	59.5
K304777		9.6	58	0.8	13.0	44	66.5
K304778		4.8	18	1.1	6.3	14	22.6
K304779		4.3	61	2.0	14.5	31	66.5
K304780		3.3	48	2.3	12.5	269	53.0
K304781		5.4	93	1.3	20.1	31	83.9
K304782		2.6	6	0.6	5.0	20	8.1
K304783		5.1	8	0.5	4.5	25	11.2
K304784		6.3	14	2.7	5.1	13	18.6
K304785		6.9	12	0.9	5.3	26	16.4
K304786		10.2	241	26.4	21.6	218	64.6
K304787		6.0	17	0.8	5.1	19	16.5
K304788		6.5	12	0.7	4.9	21	13.5
K304789		0.5	3	0.1	0.9	12	<0.5
K304790		7.4	17	0.8	6.4	9	21.7
K304791		7.8	20	0.9	7.6	20	27.3
K304792		9.1	11	0.5	5.7	9	15.1
K304793		6.7	15	0.8	7.7	20	30.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206153

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

CERTIFICATE WH11206152

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 250 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206152

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303433		8.34	0.01	0.06	1.68	<5	180	0.47	0.10	30.1	0.15	24.0	6.5	17	4.94	21.0
K303434		8.58	0.01	0.07	3.31	<5	330	0.84	0.16	23.2	0.21	40.8	11.4	34	9.90	40.8
K304335		11.78	0.01	0.04	3.11	712	160	0.93	0.09	12.35	0.04	37.5	4.6	28	11.65	9.1
K303436		7.83	0.01	0.07	2.93	10	430	0.79	0.14	24.4	0.26	42.2	11.5	29	8.81	38.7
K303437		8.36	0.01	0.08	3.48	7	340	0.96	0.15	20.7	0.23	45.6	13.8	34	11.60	41.8
K303438		6.90	0.01	0.07	2.96	<5	250	0.79	0.14	24.8	0.15	39.7	10.7	29	10.15	37.2
K303439		8.02	<0.01	0.06	2.90	5	260	0.87	0.14	26.0	0.16	37.6	10.8	28	9.91	36.3
K303440		2.36	0.10	0.33	2.54	569	160	0.81	0.09	18.45	0.10	32.2	4.9	19	7.26	11.3
K303441		7.06	0.02	0.01	0.13	<5	30	0.06	0.07	20.3	0.08	1.36	1.7	6	0.35	3.3
K303442		2.20	0.12	0.15	2.51	549	160	0.77	0.08	19.00	0.13	30.7	5.1	19	6.17	12.6
K303443		3.65	0.02	0.27	5.23	484	280	1.19	0.15	12.75	0.17	51.0	16.8	46	8.63	55.0
K303444		0.26	0.34	0.34	6.08	603	1070	0.63	0.24	0.47	0.15	136.5	2.9	227	3.28	30.5
K303445		4.98	<0.01	0.12	6.51	566	410	1.48	0.22	7.81	0.15	59.6	18.8	56	11.70	64.9
K303446		7.56	0.03	0.13	8.11	1170	410	2.26	0.34	0.69	0.02	75.2	15.9	62	19.75	23.6
K303447		11.14	0.22	0.06	8.83	1440	330	2.52	0.34	1.04	0.02	85.0	15.4	65	21.2	16.6
K303448		3.83	0.22	0.07	8.43	1670	310	2.38	0.33	1.24	<0.02	81.3	14.9	61	20.7	16.3
K303449		11.79	0.54	0.11	8.17	695	320	2.46	0.30	0.58	0.03	87.2	12.9	67	20.6	23.9
K303450		11.97	0.79	0.20	7.07	820	220	1.63	0.21	5.78	0.57	76.2	11.6	53	15.75	62.4
K303451		7.75	0.58	0.10	7.48	985	200	1.70	0.23	4.63	0.17	81.4	10.7	59	15.95	104.0
K303452		8.53	0.12	0.20	2.30	235	100	0.72	0.07	23.3	0.09	27.4	11.6	20	3.61	42.5
K303453		10.86	0.27	0.14	2.67	205	90	0.82	0.07	22.2	0.07	31.8	5.4	26	4.93	16.7
K303454		5.14	13.15	4.24	4.98	>10000	170	1.05	0.12	3.79	0.32	56.1	10.6	60	7.75	29.3
K303455		0.26	6.50	0.47	3.43	988	160	0.79	0.61	11.45	4.03	44.4	5.9	86	7.96	33.2
K303456		3.92	10.85	3.66	4.37	>10000	190	0.88	0.11	4.68	0.48	56.3	6.9	50	6.03	23.8
K303457		4.88	15.75	2.86	4.62	>10000	160	0.84	0.11	6.97	0.30	59.8	7.3	46	6.86	33.8
K303458		2.95	18.20	2.89	3.66	>10000	120	0.71	0.10	6.56	0.51	52.8	5.2	40	4.93	29.1
K303459		8.80	2.23	0.41	2.19	1510	190	0.56	0.05	23.2	0.10	25.7	4.2	21	3.50	9.8
K303460		11.82	2.38	0.75	2.75	1950	100	0.83	0.06	18.25	0.10	31.2	5.2	28	4.81	14.5
K303461		7.07	<0.01	<0.01	0.08	12	20	0.07	0.06	20.4	0.06	1.30	1.6	1	0.30	2.3
K303462		5.94	0.92	0.37	1.99	1290	70	0.81	0.05	23.5	0.09	23.8	3.8	19	3.98	10.6
K303463		11.55	0.27	0.16	3.69	319	140	1.10	0.08	17.80	0.08	42.2	6.4	36	9.02	22.0
K303464		10.85	0.01	0.10	3.23	104	130	1.00	0.07	18.35	0.06	35.7	6.2	34	7.38	15.8
K303465		10.54	<0.01	0.05	2.17	69	80	0.75	0.05	24.6	0.06	26.2	4.3	21	4.51	12.4
K303466		11.48	0.14	0.05	1.86	189	70	0.70	0.05	25.9	0.04	22.4	3.5	17	4.99	11.9
K303467		11.21	0.16	0.05	2.42	127	110	0.84	0.06	23.4	0.09	28.2	4.2	22	6.82	14.5
K303468		12.31	<0.01	0.05	3.29	42	150	1.13	0.08	18.25	0.05	36.6	7.1	32	11.25	23.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206152

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303433		1.31	5.12	0.06	0.9	0.04	0.024	0.59	10.4	8.6	0.79	243	0.92	0.10	2.8	6.5
K303434		2.21	9.57	0.10	1.6	0.08	0.037	1.16	18.6	17.9	1.06	340	1.43	0.14	5.3	18.1
K304335		1.20	9.00	0.09	2.5	0.23	0.027	1.62	18.2	19.3	5.97	339	0.42	0.02	5.6	6.2
K303436		2.07	8.49	0.10	1.5	0.08	0.033	0.96	19.0	21.8	0.88	331	1.47	0.20	4.6	17.3
K303437		2.36	9.98	0.12	1.8	0.08	0.039	1.16	20.8	22.2	1.09	388	1.43	0.21	5.7	20.6
K303438		2.01	8.44	0.10	1.5	0.08	0.031	1.05	18.0	19.1	1.18	497	1.31	0.04	4.8	16.5
K303439		1.92	8.61	0.09	1.5	0.07	0.030	1.00	17.0	20.3	1.06	551	1.25	0.03	4.9	14.7
K303440		1.49	6.21	0.11	1.2	1.12	0.025	1.29	16.3	8.4	4.83	420	0.59	<0.01	3.6	8.7
K303441		0.46	0.48	0.14	<0.1	<0.01	0.005	0.06	0.6	1.3	12.15	213	0.12	<0.01	0.3	1.9
K303442		1.25	6.27	0.13	1.2	0.88	0.022	1.17	15.9	15.3	4.51	496	0.50	<0.01	3.8	8.7
K303443		4.09	13.80	0.17	2.2	0.14	0.055	1.42	24.5	52.4	1.52	773	0.73	0.49	10.0	32.6
K303444		6.40	20.2	0.31	3.8	9.2	0.044	1.32	63.1	16.7	0.12	36	6.65	0.36	9.5	16.1
K303445		4.72	16.85	0.21	2.7	0.14	0.066	1.87	28.9	62.1	1.63	676	0.75	0.59	10.7	36.7
K303446		5.04	24.1	0.29	3.0	1.09	0.081	3.95	35.9	23.0	0.72	225	0.47	0.05	12.8	34.1
K303447		5.04	24.7	0.29	3.2	1.58	0.074	4.27	41.5	14.7	1.02	342	0.27	0.02	13.6	39.0
K303448		5.00	22.8	0.30	3.1	1.63	0.080	4.05	39.8	14.0	1.10	360	0.26	0.02	12.5	36.7
K303449		4.93	23.0	0.29	3.1	1.40	0.064	3.92	43.7	13.6	0.75	284	0.24	0.02	12.7	35.9
K303450		3.60	18.85	0.24	2.3	2.86	0.049	3.32	39.6	11.7	3.40	2020	0.21	0.01	10.8	36.9
K303451		3.26	19.85	0.26	2.6	3.35	0.052	3.51	43.3	13.2	2.74	1380	0.28	0.01	12.4	44.1
K303452		0.87	5.99	0.11	1.0	1.34	0.019	1.11	13.9	5.1	2.13	2750	0.76	<0.01	4.0	10.8
K303453		0.86	6.87	0.13	1.2	1.31	0.019	1.30	16.3	7.7	2.04	1940	0.54	<0.01	4.6	10.5
K303454		2.42	13.75	0.18	2.6	6.06	0.047	2.43	29.1	17.8	1.81	1420	0.84	<0.01	8.9	25.2
K303455		1.31	7.51	0.22	2.0	6.31	0.059	1.46	27.5	9.1	0.71	265	12.35	0.01	8.8	65.6
K303456		1.75	11.80	0.15	2.6	6.05	0.032	2.12	27.1	16.2	2.32	1890	0.91	<0.01	7.7	16.6
K303457		2.09	12.30	0.19	2.3	5.69	0.052	2.26	30.0	16.1	2.87	1980	0.78	<0.01	7.5	15.3
K303458		1.79	9.99	0.15	1.7	6.23	0.069	1.79	28.1	15.4	2.40	1720	0.58	<0.01	5.8	12.7
K303459		0.88	5.54	0.10	1.0	2.10	0.019	1.12	13.4	7.2	2.26	821	0.61	<0.01	3.7	8.1
K303460		1.14	7.10	0.12	1.5	3.85	0.020	1.44	15.8	9.1	4.65	1400	1.07	<0.01	4.6	12.1
K303461		0.46	0.45	0.15	<0.1	0.01	<0.005	0.04	0.6	1.2	12.00	208	0.08	<0.01	0.4	1.6
K303462		0.77	5.07	0.14	1.0	2.71	0.017	1.04	12.5	7.0	2.24	527	0.63	<0.01	3.4	7.1
K303463		1.33	9.44	0.12	1.7	1.42	0.027	1.85	21.1	15.0	2.41	316	0.56	<0.01	6.2	14.4
K303464		1.35	8.25	0.14	1.4	0.37	0.024	1.64	18.2	14.2	2.55	212	0.77	<0.01	5.3	13.8
K303465		0.90	5.43	0.11	0.9	0.30	0.018	1.13	14.0	9.4	1.81	178	0.44	<0.01	3.8	8.4
K303466		0.68	4.52	0.11	0.8	0.71	0.014	0.98	11.9	9.2	1.59	180	0.37	<0.01	3.2	6.7
K303467		0.83	6.28	0.11	1.0	0.92	0.019	1.31	14.8	12.8	2.16	178	0.30	<0.01	4.2	8.4
K303468		1.11	8.54	0.14	1.4	0.33	0.023	1.78	18.6	18.8	3.48	186	0.56	<0.01	5.6	16.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206152

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303433		1050	5.5	34.1	0.004	0.90	0.50	5.6	3	0.6	1510	0.19	<0.05	2.6	0.098	0.17
K303434		1250	10.2	65.3	0.009	1.44	0.51	11.1	3	1.1	1670	0.38	0.06	5.0	0.185	0.30
K304335		480	7.6	62.0	<0.002	0.09	2.53	5.9	2	0.9	257	0.42	<0.05	7.5	0.138	1.07
K303436		1370	10.7	54.8	0.009	1.44	0.45	10.6	3	1.0	2110	0.34	0.06	4.7	0.162	0.25
K303437		1520	11.3	68.2	0.007	1.64	0.49	11.1	3	1.1	1700	0.43	0.06	5.7	0.209	0.30
K303438		1240	9.7	59.8	0.008	1.30	0.41	9.8	3	0.9	1620	0.35	0.05	4.7	0.154	0.28
K303439		1260	9.5	59.7	0.007	1.28	0.42	9.2	3	1.0	1960	0.34	0.07	4.6	0.154	0.28
K303440		550	16.8	44.5	<0.002	0.18	1.60	4.2	1	0.8	287	0.27	<0.05	4.5	0.109	2.28
K303441		190	1.4	2.6	<0.002	0.02	0.09	0.5	1	<0.2	42.1	<0.05	<0.05	<0.2	0.005	0.03
K303442		450	7.9	46.6	<0.002	0.04	1.52	4.5	1	0.8	391	0.28	<0.05	4.6	0.112	1.81
K303443		960	10.7	70.4	<0.002	0.06	0.97	14.0	2	1.5	526	0.70	0.08	6.8	0.415	0.85
K303444		900	17.1	44.1	0.003	3.06	114.0	15.1	2	2.8	510	0.72	0.14	8.9	0.544	6.98
K303445		950	12.3	89.2	<0.002	0.08	1.07	16.0	2	1.8	307	0.79	0.09	8.5	0.470	0.91
K303446		480	15.1	167.5	<0.002	2.65	2.01	16.8	1	2.7	146.0	0.98	0.08	12.8	0.434	4.68
K303447		540	23.1	188.5	<0.002	4.38	2.66	16.9	2	2.9	390	1.02	0.09	14.5	0.462	4.83
K303448		510	22.7	177.5	<0.002	4.38	2.61	16.2	1	2.7	396	0.93	0.09	13.4	0.435	4.78
K303449		460	18.8	190.0	<0.002	4.42	3.56	16.4	1	2.7	183.0	0.98	0.08	14.5	0.428	4.78
K303450		440	7.9	146.0	<0.002	3.13	5.54	13.0	1	2.0	111.5	0.82	<0.05	12.6	0.312	4.44
K303451		460	6.2	148.5	<0.002	2.81	5.14	12.6	1	2.2	142.0	0.99	<0.05	15.0	0.319	4.57
K303452		270	28.4	43.1	<0.002	0.40	3.53	3.6	2	0.8	568	0.28	<0.05	4.9	0.106	2.27
K303453		320	12.4	52.7	<0.002	0.37	2.35	4.4	2	0.9	597	0.33	<0.05	5.6	0.124	3.16
K303454		630	22.9	99.5	<0.002	3.69	56.3	7.1	3	1.6	68.8	0.69	<0.05	11.3	0.258	22.1
K303455		4170	4.8	113.0	0.036	1.39	20.3	6.5	10	1.9	149.0	0.53	0.49	6.5	0.213	13.55
K303456		530	18.9	87.3	<0.002	2.45	40.3	6.5	3	1.6	76.2	0.61	<0.05	10.0	0.225	20.0
K303457		560	18.5	90.8	<0.002	3.22	64.4	7.4	3	1.4	95.3	0.59	0.05	9.9	0.219	20.2
K303458		400	11.5	75.0	<0.002	3.76	80.3	5.9	3	1.3	97.2	0.47	0.06	7.7	0.170	20.9
K303459		250	6.9	43.9	<0.002	0.60	6.86	3.7	2	0.7	563	0.27	<0.05	4.4	0.099	6.41
K303460		350	7.2	56.5	<0.002	0.68	11.05	4.5	2	0.9	292	0.35	<0.05	5.8	0.128	14.90
K303461		190	1.3	2.2	<0.002	0.02	0.11	0.3	1	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	0.04
K303462		240	5.4	42.2	<0.002	0.39	8.53	3.4	2	0.7	502	0.26	<0.05	4.2	0.093	11.50
K303463		490	8.7	79.3	<0.002	0.53	3.85	5.9	3	1.2	341	0.47	<0.05	7.5	0.170	4.76
K303464		450	7.4	69.7	0.002	0.45	0.63	5.0	3	1.1	407	0.41	<0.05	6.7	0.147	0.79
K303465		310	5.4	45.4	0.002	0.25	0.35	3.4	2	0.7	568	0.27	<0.05	4.1	0.099	0.54
K303466		240	5.6	37.6	<0.002	0.20	1.60	2.9	2	0.6	566	0.24	<0.05	3.8	0.085	2.09
K303467		280	5.1	52.2	<0.002	0.22	2.20	3.9	2	0.8	584	0.30	<0.05	4.8	0.109	2.85
K303468		380	7.5	71.4	<0.002	0.36	0.43	5.4	2	1.1	443	0.40	<0.05	6.9	0.147	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206152

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K303433		2.8	31	0.5	14.8	21	33.5	
K303434		3.7	61	0.8	23.4	40	59.9	
K304335		6.5	46	1.2	12.3	8	90.6	
K303436		3.9	52	0.8	25.8	43	54.2	
K303437		3.6	59	1.0	26.5	49	67.1	
K303438		3.2	50	0.8	22.3	40	55.5	
K303439		3.4	49	0.8	21.1	37	56.0	
K303440		5.7	38	2.1	10.8	36	41.8	
K303441		0.6	4	0.1	0.8	13	0.8	
K303442		6.1	34	1.4	9.8	32	41.8	
K303443		2.1	110	2.4	19.2	70	78.1	
K303444		6.8	166	22.7	14.4	43	151.5	
K303445		2.4	127	1.5	21.1	83	92.8	
K303446		2.9	104	4.7	18.6	71	98.3	
K303447		3.1	120	5.4	22.0	84	113.5	
K303448		2.7	111	5.2	20.7	79	105.0	
K303449		2.7	99	6.4	21.7	70	105.0	
K303450		2.4	66	5.3	18.7	71	81.1	
K303451		2.8	56	5.5	18.5	79	88.4	
K303452		13.0	33	1.7	9.3	28	36.4	
K303453		10.2	38	1.9	9.7	39	44.5	
K303454		6.4	74	5.1	12.3	49	94.5	3.05
K303455		7.4	382	36.4	27.4	272	80.3	
K303456		6.8	63	4.6	12.4	65	92.4	1.665
K303457		11.0	66	4.7	12.7	33	77.1	2.99
K303458		11.2	54	4.0	9.3	64	56.9	4.77
K303459		12.8	32	1.9	9.0	18	38.3	
K303460		8.0	44	2.7	10.9	25	52.1	
K303461		0.5	3	0.1	0.8	15	<0.5	
K303462		10.3	34	1.7	7.9	20	35.5	
K303463		5.8	54	2.2	12.9	37	60.8	
K303464		9.2	50	1.2	11.0	38	51.1	
K303465		10.0	34	0.9	8.0	39	31.5	
K303466		11.8	31	0.8	6.6	17	27.6	
K303467		10.8	36	1.0	8.6	20	38.0	
K303468		7.4	47	0.7	11.1	26	50.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206152

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

CERTIFICATE WH11227648

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 250 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11227648

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K303433		<0.01
K303434		<0.01
K304335		0.01
K303436		<0.01
K303437		<0.01
K303438		0.01
K303439		<0.01
K303440		0.12
K303441		<0.01
K303442		0.11
K303443		0.01
K303444		0.34
K303445		0.02
K303446		0.03
K303447		0.22
K303448		0.22
K303449		0.57
K303450		0.81
K303451		0.63
K303452		0.12
K303453		0.26
K303454		13.80
K303455		8.04
K303456		11.25
K303457		16.55
K303458		18.55
K303459		2.22
K303460		2.57
K303461		0.01
K303462		1.01
K303463		0.32
K303464		0.02
K303465		0.01
K303466		0.15
K303467		0.17
K303468		0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

CERTIFICATE WH11204189

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 251 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204189

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K305589		7.42	0.02	<0.01	0.38	29	80	0.16	0.02	29.7	0.02	7.05	1.9	4	0.67	4.7
K305590		8.68	0.02	0.01	0.38	29	80	0.16	0.02	33.2	0.03	6.98	1.8	4	0.75	4.6
K305591		8.17	<0.01	<0.01	0.28	38	70	0.13	0.01	33.4	<0.02	5.48	1.6	4	0.51	3.5
K305592		8.11	0.01	0.01	0.62	74	110	0.19	0.03	34.5	0.05	9.42	2.6	6	1.33	6.8
K305593		7.76	<0.01	0.01	0.36	55	70	0.16	0.02	33.5	0.02	6.50	1.7	3	0.65	3.9
K305594		3.43	<0.01	0.01	0.42	68	90	0.15	0.02	35.1	0.03	7.66	2.0	4	0.79	5.1
K305595		8.12	<0.01	0.01	0.59	51	100	0.16	0.03	34.1	0.05	10.35	2.6	6	1.33	6.9
K305596		7.62	<0.01	0.02	0.96	56	110	0.24	0.05	30.8	0.03	12.45	3.2	10	2.42	11.3
K305597		8.11	<0.01	0.02	1.00	36	100	0.35	0.05	32.0	0.04	14.00	3.9	10	2.92	12.8
K305598		7.88	<0.01	0.02	0.75	34	100	0.25	0.04	31.4	0.04	12.00	2.8	7	2.37	9.9
K305599		7.88	<0.01	0.01	0.28	37	60	0.14	0.03	34.4	<0.02	4.92	0.9	3	0.54	3.3
K305600		7.82	0.01	<0.01	0.13	42	20	0.05	0.01	31.3	<0.02	2.43	0.5	2	0.17	2.1
K305601		7.82	<0.01	0.01	0.21	37	50	0.07	0.02	34.8	<0.02	3.94	0.8	3	0.41	2.8
K305602		7.92	<0.01	<0.01	0.30	16	60	0.08	0.02	34.5	0.05	4.76	1.1	3	0.92	4.0
K305603		7.88	<0.01	0.02	0.70	42	80	0.25	0.03	32.7	0.03	10.50	2.2	7	2.08	8.3
K305604		0.26	2.75	1.02	3.08	571	840	0.60	0.26	8.10	2.03	47.1	6.1	54	3.42	38.4
K305605		7.82	<0.01	0.02	0.77	90	90	0.21	0.04	32.9	0.02	12.25	2.7	8	1.94	9.5
K305606		7.81	0.88	0.02	0.41	210	60	0.15	0.03	29.6	0.02	6.26	1.5	5	0.63	6.4
K305607		7.76	0.12	0.02	0.63	166	70	0.18	0.03	24.2	0.02	11.90	2.0	7	1.11	8.2
K305608		5.08	<0.01	0.01	0.21	5	50	0.09	0.03	21.1	0.06	2.38	1.6	6	0.44	2.4
K305609		7.46	<0.01	0.11	1.98	68	120	0.56	0.08	28.2	0.10	27.2	7.2	24	5.07	24.8
K305610		7.63	<0.01	0.07	1.67	35	100	0.49	0.08	29.2	0.14	24.9	5.9	19	5.52	21.5
K305611		8.27	<0.01	0.07	2.44	50	130	0.59	0.10	25.3	0.18	28.9	8.5	31	6.76	27.5
K305612		7.73	<0.01	0.08	2.85	38	170	0.72	0.11	24.5	0.23	32.2	10.2	31	7.43	33.7
K305613		0.26	0.32	0.29	6.03	595	920	0.54	0.25	0.51	0.18	133.5	2.7	231	3.14	29.4
K305614		8.01	<0.01	0.09	3.78	14	180	0.83	0.14	19.15	0.22	44.1	14.9	47	12.20	43.9
K305615		7.73	<0.01	0.10	3.96	11	300	0.90	0.13	18.30	0.25	40.9	13.0	47	12.00	43.7
K305616		8.12	<0.01	0.11	4.23	161	240	0.82	0.16	18.00	0.37	41.6	14.7	50	14.05	48.1
K305617		7.82	<0.01	0.12	4.50	111	240	1.05	0.16	15.95	0.29	49.1	16.4	57	18.05	52.5
K305618		8.12	<0.01	0.13	4.74	12	280	1.11	0.21	16.75	0.41	57.1	14.2	50	20.4	49.3
K305619		7.55	<0.01	0.13	5.51	138	400	1.29	0.22	12.15	0.50	61.2	16.6	61	20.2	60.1
K305620		5.04	<0.01	0.01	0.08	6	20	<0.05	0.02	21.0	0.04	1.25	0.6	1	0.26	1.9
K305621		8.24	<0.01	0.11	4.30	330	420	1.08	0.17	17.10	0.43	53.9	14.1	47	11.25	47.8
K305622		7.70	<0.01	0.08	2.78	40	410	0.71	0.13	23.9	0.33	35.6	8.7	32	5.45	30.6
K305623		7.70	<0.01	0.08	3.48	11	410	0.86	0.13	19.40	0.27	41.3	11.0	38	10.40	34.7
K305624		6.89	<0.01	0.09	1.96	12	220	0.55	0.09	29.6	0.14	21.5	5.5	20	4.89	21.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204189

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305589		0.47	1.04	<0.05	0.2	0.36	0.005	0.17	3.2	1.6	3.62	356	0.13	0.01	0.7	0.6
K305590		0.31	1.05	<0.05	0.2	0.36	0.005	0.17	3.2	1.6	0.99	195	0.16	0.01	0.8	1.0
K305591		0.31	0.80	<0.05	0.1	0.26	0.005	0.12	2.6	1.2	1.35	186	0.10	0.01	0.6	0.4
K305592		0.41	1.69	<0.05	0.3	0.61	0.008	0.28	4.7	2.4	0.45	209	0.11	0.01	1.1	2.0
K305593		0.29	0.99	<0.05	0.2	0.27	0.005	0.16	3.1	1.3	0.58	172	0.08	0.01	0.7	0.2
K305594		0.34	1.16	<0.05	0.2	0.33	0.006	0.19	3.7	1.5	0.62	178	0.10	0.01	0.8	0.5
K305595		0.43	1.55	<0.05	0.3	0.47	0.008	0.26	5.1	2.3	0.52	130	0.18	0.01	1.1	2.2
K305596		0.66	2.29	0.12	0.4	0.36	0.011	0.45	6.1	4.3	0.66	291	0.26	<0.01	1.3	5.6
K305597		0.68	2.57	0.13	0.5	0.10	0.013	0.48	6.8	5.4	0.68	465	0.37	<0.01	1.4	6.5
K305598		0.48	1.80	0.13	0.3	0.12	0.010	0.36	5.6	4.1	0.58	158	0.25	<0.01	1.1	4.7
K305599		0.24	0.68	0.17	0.1	0.29	0.006	0.12	2.2	1.2	0.56	155	0.13	<0.01	0.4	1.6
K305600		0.33	0.34	0.11	0.1	0.33	0.005	0.05	1.1	0.6	2.91	400	0.06	<0.01	0.2	0.8
K305601		0.20	0.59	0.14	0.1	0.21	0.006	0.10	1.7	1.0	0.60	134	0.11	<0.01	0.3	1.2
K305602		0.24	0.74	0.11	0.1	0.07	0.005	0.14	2.2	1.7	0.56	129	0.14	<0.01	0.4	1.9
K305603		0.46	1.58	0.14	0.3	0.28	0.006	0.33	4.6	3.9	0.61	142	0.28	<0.01	0.9	4.1
K305604		2.09	7.19	0.18	1.4	4.65	0.027	0.99	27.5	42.3	2.50	269	16.75	0.02	6.5	49.3
K305605		0.52	1.86	0.13	0.3	0.48	0.007	0.34	5.5	3.8	0.83	182	0.53	<0.01	1.1	5.2
K305606		0.80	1.04	0.13	0.2	1.85	0.008	0.18	2.8	1.6	3.76	809	0.18	<0.01	0.5	2.8
K305607		1.89	1.56	0.12	0.3	1.01	0.011	0.24	5.0	3.0	7.47	1580	0.38	<0.01	0.8	3.9
K305608		0.48	0.50	0.11	<0.1	<0.01	0.009	0.10	1.2	2.4	13.05	217	0.15	<0.01	0.2	3.8
K305609		1.40	4.80	0.18	0.8	0.57	0.019	0.89	11.9	9.3	1.17	267	1.06	0.01	2.8	13.4
K305610		1.20	4.10	0.15	0.7	0.26	0.015	0.75	11.1	8.1	1.16	292	1.01	<0.01	2.4	11.4
K305611		1.76	5.66	0.16	1.2	0.18	0.024	1.08	13.3	10.5	1.08	421	1.04	<0.01	3.2	16.3
K305612		2.07	6.85	0.18	1.2	0.18	0.025	1.24	15.5	12.8	1.04	513	1.81	<0.01	3.8	19.6
K305613		6.65	18.35	0.26	3.9	9.6	0.046	1.32	64.2	19.1	0.13	38	5.83	0.36	9.6	14.9
K305614		2.67	9.42	0.13	1.8	0.12	0.035	1.51	19.9	28.8	1.10	423	1.16	0.02	5.3	27.3
K305615		2.95	9.02	0.13	1.5	0.11	0.037	1.57	18.2	25.4	1.28	671	1.07	0.08	5.0	26.2
K305616		3.19	9.88	0.15	1.8	0.31	0.042	1.66	18.8	41.6	0.99	538	2.22	0.06	5.5	28.0
K305617		3.37	10.95	0.19	1.9	0.29	0.046	1.75	22.4	49.3	1.14	726	1.84	0.10	6.3	30.5
K305618		3.07	11.55	0.20	1.9	0.19	0.052	1.78	25.9	34.5	1.13	483	2.88	0.27	6.8	29.5
K305619		3.71	13.45	0.17	2.3	0.52	0.062	2.12	27.4	72.0	1.17	452	2.96	0.07	7.6	34.2
K305620		0.49	0.20	0.13	<0.1	<0.01	<0.005	0.04	0.6	1.2	12.95	215	0.11	<0.01	0.1	1.8
K305621		3.18	11.10	0.20	1.8	0.84	0.045	1.67	24.6	64.5	1.04	452	2.43	0.02	6.5	29.0
K305622		2.28	7.06	0.15	1.2	0.15	0.031	1.05	16.7	31.6	0.78	448	1.50	0.02	4.0	17.6
K305623		2.76	8.22	0.16	1.5	0.11	0.026	1.26	18.3	51.3	0.85	397	1.33	0.19	4.8	21.9
K305624		1.51	4.42	0.12	0.8	0.08	0.025	0.73	10.0	21.6	0.77	463	0.94	0.10	2.6	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204189

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305589		270	4.3	7.8	0.002	0.27	0.74	1.1	1	0.2	1350	<0.05	<0.05	0.7	0.019	0.78
K305590		300	4.6	7.5	<0.002	0.28	0.58	1.2	1	0.2	1560	<0.05	<0.05	0.7	0.020	0.76
K305591		220	2.4	5.4	0.002	0.22	0.43	0.9	1	<0.2	1485	<0.05	<0.05	0.5	0.016	0.49
K305592		140	3.6	13.6	<0.002	0.40	0.94	1.8	1	0.2	1725	0.06	<0.05	1.0	0.032	1.12
K305593		140	2.2	7.5	<0.002	0.22	0.78	1.1	1	0.2	1555	<0.05	<0.05	0.6	0.017	0.51
K305594		180	2.6	8.6	<0.002	0.27	0.96	1.4	1	0.2	1695	<0.05	<0.05	0.7	0.019	0.61
K305595		290	3.2	12.3	<0.002	0.42	1.08	1.8	1	0.2	1770	0.06	<0.05	1.0	0.032	0.74
K305596		380	3.8	16.7	<0.002	0.62	2.11	2.8	1	0.4	1640	0.09	<0.05	1.4	0.054	0.73
K305597		530	4.4	18.4	0.007	0.57	0.83	2.8	1	0.5	1600	0.10	<0.05	1.5	0.052	0.31
K305598		440	3.7	13.2	<0.002	0.46	0.45	2.3	1	0.5	1780	0.07	<0.05	1.2	0.042	0.54
K305599		310	2.6	4.3	0.002	0.21	0.45	0.9	<1	0.3	1475	<0.05	<0.05	0.5	0.015	0.62
K305600		240	1.7	1.9	0.002	0.10	0.49	0.4	<1	0.2	704	<0.05	<0.05	0.2	0.006	0.79
K305601		310	2.5	3.6	0.003	0.17	0.22	0.7	<1	0.2	1400	<0.05	<0.05	0.3	0.011	0.55
K305602		280	3.3	5.1	<0.002	0.23	0.19	0.9	1	0.3	1595	<0.05	<0.05	0.4	0.016	0.31
K305603		700	6.9	11.5	0.002	0.50	0.32	1.9	1	0.4	1640	0.07	<0.05	0.9	0.039	0.80
K305604		880	37.6	42.2	0.026	1.55	83.2	5.1	3	2.4	72.9	0.40	0.10	5.6	0.169	3.98
K305605		1140	10.1	12.2	<0.002	0.55	0.45	2.2	1	0.4	1935	0.07	<0.05	1.2	0.043	1.62
K305606		590	8.8	6.5	<0.002	0.51	3.74	1.2	1	0.3	1050	<0.05	<0.05	0.5	0.021	6.12
K305607		1410	9.3	8.5	0.002	0.52	1.83	1.8	1	0.4	714	0.06	<0.05	0.9	0.032	2.65
K305608		200	1.5	2.9	0.002	0.01	0.11	0.5	<1	0.3	45.3	<0.05	<0.05	0.2	0.009	0.03
K305609		1190	11.0	34.1	0.012	1.11	0.40	6.1	1	0.8	1535	0.20	<0.05	2.5	0.129	1.26
K305610		1410	7.0	28.9	0.006	0.85	0.31	4.9	1	0.7	1585	0.17	<0.05	2.4	0.099	0.42
K305611		1100	8.2	41.3	0.006	1.31	0.34	7.2	2	0.9	1475	0.23	<0.05	3.1	0.169	0.44
K305612		1070	9.4	50.5	0.008	1.47	0.36	8.1	3	1.0	1555	0.28	<0.05	3.6	0.200	0.53
K305613		900	17.5	39.7	0.003	3.06	97.3	15.6	1	2.7	505	0.72	0.05	8.8	0.539	8.20
K305614		1060	11.4	63.7	0.009	1.76	0.48	12.2	2	1.3	1295	0.37	<0.05	4.7	0.294	0.45
K305615		1130	10.9	62.2	0.009	1.55	0.35	11.5	2	1.2	1500	0.37	<0.05	4.6	0.279	0.46
K305616		1040	12.0	73.8	0.011	2.43	0.49	11.7	2	1.3	1340	0.41	<0.05	5.1	0.304	0.86
K305617		940	12.8	83.8	0.007	2.55	0.46	13.4	1	1.5	1295	0.43	0.05	5.4	0.329	1.13
K305618		1020	15.4	82.2	0.010	2.06	0.44	12.1	2	1.7	1580	0.47	<0.05	6.7	0.288	0.80
K305619		880	17.4	102.0	0.017	2.92	0.65	14.4	3	1.7	1140	0.56	<0.05	7.4	0.336	0.93
K305620		190	1.4	1.5	<0.002	0.02	0.06	0.4	<1	0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.02
K305621		1360	12.6	79.7	0.011	2.56	0.52	14.2	2	1.5	1585	0.42	<0.05	5.2	0.276	0.69
K305622		1640	9.0	47.0	0.008	1.45	0.27	9.4	2	1.0	1805	0.28	<0.05	3.8	0.173	0.38
K305623		1270	10.8	55.0	0.007	1.84	0.29	10.4	2	1.2	1705	0.34	<0.05	4.5	0.233	0.36
K305624		1130	6.5	29.9	0.005	1.01	0.48	4.6	1	0.7	1875	0.19	<0.05	2.7	0.113	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204189

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305589		1.6	7	0.3	6.4	2	6.8
K305590		1.5	7	0.3	6.7	<2	6.7
K305591		1.1	6	0.3	5.2	<2	5.3
K305592		1.4	11	0.7	7.5	6	10.0
K305593		1.2	6	0.4	6.4	3	6.1
K305594		1.5	7	0.4	7.3	3	7.4
K305595		1.9	10	0.6	8.9	6	9.9
K305596		1.5	17	0.4	7.6	10	15.4
K305597		1.3	17	0.2	7.7	10	16.8
K305598		1.7	14	0.2	8.5	9	13.2
K305599		1.4	6	0.3	4.8	2	5.1
K305600		1.0	4	0.1	3.1	<2	2.4
K305601		1.2	5	0.2	3.9	2	3.9
K305602		1.3	6	0.1	4.1	22	5.2
K305603		2.0	12	0.3	7.4	7	10.2
K305604		7.4	227	27.4	16.7	209	58.5
K305605		3.1	13	0.5	9.4	5	12.3
K305606		1.5	8	0.5	5.2	2	6.9
K305607		2.5	13	0.6	10.8	4	10.3
K305608		0.5	6	0.1	0.8	15	<0.5
K305609		2.9	43	0.7	17.0	22	31.6
K305610		3.1	35	0.4	16.8	23	27.4
K305611		2.8	55	0.5	17.6	31	35.8
K305612		2.9	64	0.6	16.7	39	43.5
K305613		6.9	165	23.6	12.8	43	164.0
K305614		2.8	90	0.8	20.4	53	62.0
K305615		2.7	89	0.7	20.0	55	58.5
K305616		2.9	98	0.8	16.6	64	63.6
K305617		2.9	101	0.9	21.0	67	71.9
K305618		3.9	93	1.1	22.7	71	76.4
K305619		3.7	114	1.4	22.5	82	90.4
K305620		0.4	4	0.1	0.8	14	<0.5
K305621		3.1	90	1.3	24.4	77	77.9
K305622		2.9	62	0.6	20.8	40	55.4
K305623		2.5	70	0.8	18.5	53	60.0
K305624		2.6	38	0.6	11.2	28	30.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11204189

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

CERTIFICATE WH11240721

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 252 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11240721

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K305419		0.02
K305420		0.01
K305421		<0.01
K305422		0.35
K305423		<0.01
K305424		<0.01
K305425		<0.01
K305426		<0.01
K305427		<0.01
K305428		<0.01
K305429		<0.01
K305430		<0.01
K305431		<0.01
K305432		<0.01
K305433		<0.01
K305434		<0.01
K305435		0.01
K305436		<0.01
K305437		<0.01
K305438		<0.01
K305439		<0.01
K305440		<0.01
K305441		<0.01
K305442		<0.01
K305443		<0.01
K305444		<0.01
K305445		0.01
K305446		0.01
K305447		2.69
K305448		0.01
K305449		0.01
K305450		<0.01
K305451		<0.01
K305452		<0.01
K305453		<0.01
K305454		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

CERTIFICATE WH11240721

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 252 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11240721

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K305419		0.02
K305420		0.01
K305421		<0.01
K305422		0.35
K305423		<0.01
K305424		<0.01
K305425		<0.01
K305426		<0.01
K305427		<0.01
K305428		<0.01
K305429		<0.01
K305430		<0.01
K305431		<0.01
K305432		<0.01
K305433		<0.01
K305434		<0.01
K305435		0.01
K305436		<0.01
K305437		<0.01
K305438		<0.01
K305439		<0.01
K305440		<0.01
K305441		<0.01
K305442		<0.01
K305443		<0.01
K305444		<0.01
K305445		0.01
K305446		0.01
K305447		2.69
K305448		0.01
K305449		0.01
K305450		<0.01
K305451		<0.01
K305452		<0.01
K305453		<0.01
K305454		<0.01

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

CERTIFICATE WH11206158

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 253 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206158

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305625		7.58	<0.01	0.08	2.20	224	240	0.63	0.10	29.9	0.18	29.8	6.4	21	7.84	24.2
K305626		7.43	<0.01	0.04	0.91	76	160	0.36	0.04	32.8	0.09	13.85	3.1	9	2.82	10.1
K305627		7.79	<0.01	0.05	1.45	35	220	0.42	0.06	30.7	0.17	20.2	4.3	14	4.11	14.5
K305628		7.57	<0.01	0.06	1.78	29	190	0.51	0.08	29.8	0.22	23.4	5.3	17	5.74	18.4
K305629		8.34	<0.01	0.07	2.26	22	220	0.61	0.10	29.9	0.20	32.1	6.5	21	7.02	20.9
K305630		8.13	<0.01	0.09	3.31	18	320	0.86	0.15	23.8	0.27	38.1	8.6	29	10.60	27.4
K305631		4.17	0.02	0.26	1.24	151	1030	0.38	0.04	26.4	0.07	24.5	2.7	10	3.91	6.0
K305632		5.93	0.06	0.27	1.15	125	140	0.40	0.07	26.4	0.09	24.7	2.5	11	2.87	6.1
K305633		3.39	0.07	0.14	2.00	324	220	0.68	0.10	24.2	0.09	29.9	3.4	20	7.14	9.5
K305634		1.55	0.24	0.14	1.93	519	410	0.78	0.10	24.4	0.09	28.8	3.4	19	6.44	8.7
K305635		11.96	0.07	0.12	2.10	215	150	0.72	0.09	24.0	0.08	29.6	3.9	20	6.92	8.7
K305636		11.86	0.01	0.10	4.75	161	300	1.47	0.14	12.25	0.06	59.4	6.9	46	21.2	18.4
K305637		11.17	0.01	0.14	4.55	304	410	1.41	0.13	12.90	0.09	53.5	6.7	45	20.2	24.7
K305638		0.24	0.36	0.31	6.43	608	700	0.61	0.31	0.49	0.19	152.5	2.9	237	3.38	31.3
K305639		12.28	<0.01	0.12	3.05	166	260	0.82	0.11	18.45	0.05	40.4	5.7	31	13.85	12.5
K305640		11.24	<0.01	0.11	3.96	83	220	1.06	0.12	16.30	0.04	50.3	5.9	37	21.2	20.0
K305641		11.42	<0.01	0.08	0.84	31	130	0.32	0.09	31.6	0.05	13.60	1.7	8	3.38	3.5
K305642		9.89	<0.01	0.10	2.73	485	4860	0.82	0.10	17.10	0.04	32.7	4.3	25	11.20	16.9
K305643		11.43	0.04	0.08	3.72	1020	210	1.23	0.13	11.20	0.08	52.3	4.0	36	15.10	14.9
K305644		12.24	5.73	0.41	2.84	>10000	140	0.84	0.12	18.60	0.17	36.4	4.9	28	10.65	16.7
K305645		12.87	1.56	0.24	3.36	5440	150	1.01	0.12	13.50	0.08	42.0	5.6	34	13.90	12.6
K305646		7.00	<0.01	0.01	0.11	35	30	0.09	0.06	21.1	0.06	1.48	0.8	2	0.61	3.0
K305647		7.83	1.10	0.22	2.06	4770	460	0.62	0.09	19.00	0.05	28.0	3.2	20	7.39	10.2
K305648		5.38	7.57	0.89	1.33	>10000	100	0.30	0.09	8.29	0.60	19.10	2.1	17	2.77	12.7
K305649		0.24	2.73	0.95	3.22	588	830	0.67	0.33	8.00	2.15	46.2	6.2	49	3.83	41.4
K305650		6.40	0.13	0.21	1.87	2090	130	0.62	0.10	27.8	0.06	21.7	2.7	18	5.62	13.8
K305651		11.43	0.11	0.12	1.22	3060	650	0.48	0.09	17.60	0.06	18.50	1.9	11	4.34	7.6
K305652		12.32	0.14	0.08	0.56	>10000	30	0.18	0.07	18.00	0.03	12.15	1.0	9	1.14	4.3
K305653		12.02	0.31	0.10	0.54	>10000	30	0.19	0.06	18.70	0.04	11.60	0.9	8	1.26	4.6
K305654		7.03	<0.01	0.04	0.07	85	20	0.07	0.05	21.4	0.06	1.25	0.6	1	0.28	3.3
K305655		12.98	0.29	0.16	0.82	8490	50	0.32	0.07	19.30	0.10	12.75	1.9	9	2.00	8.1
K305656		12.42	0.12	0.18	0.66	435	50	0.28	0.08	21.2	0.14	9.55	1.3	7	1.30	6.2
K305657		11.95	1.28	0.18	0.48	5570	40	0.18	0.06	20.4	0.04	7.80	0.8	5	0.84	4.1
K305658		12.05	0.02	0.09	0.75	346	80	0.31	0.06	20.6	0.11	10.95	1.3	7	1.98	6.5
K305659		12.28	0.01	0.11	0.92	92	60	0.49	0.07	20.2	0.06	11.75	1.5	7	2.69	7.3
K305660		11.62	0.07	0.12	1.00	2360	90	0.42	0.07	18.35	0.04	13.00	1.7	10	3.73	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206158

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305625		1.52	5.56	0.07	1.0	0.08	0.022	0.85	13.9	12.1	0.91	285	1.36	0.11	3.4	11.3
K305626		1.04	2.40	<0.05	0.5	0.03	0.009	0.34	6.5	3.6	0.66	372	0.72	0.07	1.7	4.7
K305627		1.29	3.64	<0.05	0.7	0.04	0.014	0.54	9.6	6.0	0.69	383	0.97	0.09	2.4	7.5
K305628		1.35	4.57	0.05	0.9	0.05	0.017	0.68	11.4	6.5	0.91	316	1.28	0.10	2.8	9.7
K305629		1.51	5.66	0.05	1.0	0.05	0.021	0.86	14.9	8.4	0.93	260	1.24	0.14	3.4	11.6
K305630		1.99	8.66	0.08	1.4	0.08	0.032	1.28	17.8	15.3	0.97	271	1.29	0.10	4.9	17.0
K305631		0.76	3.21	0.07	0.7	0.29	0.010	0.69	12.3	6.3	3.96	245	0.38	0.02	2.3	5.0
K305632		0.90	2.78	0.09	1.0	0.29	0.022	0.63	13.1	5.5	2.05	261	0.33	0.01	1.8	5.5
K305633		0.92	4.94	0.15	1.4	0.43	0.024	1.12	16.5	11.4	1.99	228	0.35	0.02	3.1	7.9
K305634		0.92	4.52	0.11	1.4	1.09	0.022	1.08	15.6	11.6	1.98	273	0.31	0.02	2.9	7.1
K305635		0.89	5.27	0.15	1.5	0.52	0.024	1.16	15.9	12.7	2.21	224	0.49	0.02	3.3	9.2
K305636		1.47	11.15	0.13	3.2	0.31	0.036	2.75	30.3	30.3	3.44	233	0.82	0.03	7.3	15.2
K305637		1.47	10.45	0.14	2.9	0.44	0.031	2.57	27.9	27.7	2.47	267	0.94	0.03	6.7	14.9
K305638		6.88	19.20	0.21	4.8	9.25	0.057	1.38	74.4	17.6	0.13	37	5.96	0.39	9.5	15.3
K305639		1.20	7.42	0.15	2.3	0.21	0.031	1.74	21.9	17.1	2.66	246	0.65	0.02	4.8	10.4
K305640		1.24	9.53	0.14	2.4	0.21	0.024	2.22	26.3	22.9	2.76	228	0.83	0.03	5.8	13.0
K305641		0.31	2.14	0.15	0.6	0.10	0.014	0.47	8.0	4.7	0.84	113	0.30	0.01	1.3	3.6
K305642		1.35	6.04	0.13	1.9	0.56	0.021	1.50	17.1	11.9	3.62	262	0.35	0.03	3.6	10.2
K305643		1.41	9.00	0.14	3.9	1.81	0.024	2.04	26.8	16.9	5.42	292	0.43	0.03	6.4	9.2
K305644		1.41	6.81	0.13	2.1	5.01	0.023	1.50	19.6	14.1	3.59	943	0.52	0.02	4.2	10.1
K305645		1.43	8.26	0.18	3.2	1.94	0.020	1.75	22.9	17.8	5.30	578	0.58	0.02	5.4	13.5
K305646		0.48	0.32	0.11	<0.1	0.02	0.005	0.05	0.9	1.4	12.75	206	0.13	0.01	0.3	2.1
K305647		0.96	4.92	0.15	1.8	1.85	0.012	1.05	15.1	9.7	5.39	437	0.92	0.01	3.3	7.8
K305648		0.78	3.28	0.17	1.0	5.39	0.021	0.65	10.6	9.9	1.08	354	0.63	0.01	1.9	5.4
K305649		2.06	7.09	0.09	1.8	4.51	0.027	0.93	28.8	32.8	2.57	261	18.00	0.04	6.9	49.3
K305650		0.54	4.59	0.15	1.2	0.91	0.016	0.93	12.4	7.7	1.45	124	0.81	0.01	2.8	6.9
K305651		0.86	3.05	0.17	1.2	0.67	0.012	0.61	10.3	6.3	9.00	273	0.98	0.02	1.9	4.8
K305652		0.60	1.31	0.16	0.5	0.72	0.007	0.26	6.5	3.0	10.45	474	0.11	0.01	0.9	2.7
K305653		0.44	1.36	0.19	0.4	0.58	<0.005	0.25	6.7	3.5	11.05	476	0.14	0.01	0.9	2.3
K305654		0.45	0.23	0.17	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.65	197	0.08	0.01	0.2	1.7
K305655		0.74	2.12	0.18	0.5	2.22	0.008	0.38	7.7	5.0	11.05	528	0.48	0.01	1.2	4.6
K305656		0.50	1.53	0.18	0.4	1.51	0.008	0.30	5.7	3.3	10.95	517	0.54	0.01	0.9	3.3
K305657		0.38	1.11	0.20	0.3	1.07	<0.005	0.21	4.5	2.8	11.00	1380	0.35	0.01	0.7	1.9
K305658		0.50	1.74	0.22	0.8	0.99	0.010	0.35	6.3	4.1	11.30	377	0.37	0.01	1.1	3.1
K305659		0.37	2.24	0.22	0.6	1.42	0.015	0.45	7.0	5.8	11.00	194	0.54	0.01	1.3	3.8
K305660		0.45	2.35	0.21	0.9	2.01	0.008	0.47	7.5	5.5	10.65	344	0.65	0.01	1.5	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206158

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305625		1260	7.6	43.7	0.007	1.06	0.62	5.4	3	0.8	1830	0.22	0.05	3.5	0.114	0.23
K305626		990	3.9	17.7	0.003	0.61	0.29	2.4	2	0.4	1630	0.09	<0.05	1.5	0.050	0.10
K305627		1100	5.0	27.2	0.005	0.81	0.28	3.8	2	0.6	1620	0.15	<0.05	2.3	0.080	0.14
K305628		1170	6.5	34.3	0.006	0.93	0.32	4.4	2	0.7	1520	0.18	<0.05	2.8	0.095	0.17
K305629		1310	7.1	43.0	0.006	1.16	0.35	6.1	3	1.4	1680	0.23	<0.05	3.5	0.124	0.21
K305630		1600	10.5	67.4	0.005	1.76	0.39	7.6	3	1.3	1460	0.34	0.06	4.8	0.174	0.31
K305631		250	5.8	24.1	<0.002	0.15	0.68	2.2	2	0.5	630	0.15	<0.05	2.8	0.061	0.65
K305632		220	5.7	24.6	<0.002	0.15	0.39	2.0	1	0.9	551	0.13	<0.05	3.0	0.055	0.56
K305633		280	5.7	43.5	<0.002	0.07	0.67	3.4	<1	1.2	525	0.21	<0.05	4.8	0.088	0.82
K305634		360	5.9	41.4	0.002	0.10	1.70	3.2	<1	1.2	586	0.22	<0.05	4.5	0.083	1.12
K305635		260	5.7	45.6	<0.002	0.15	0.65	3.5	1	1.3	530	0.24	<0.05	5.1	0.093	1.14
K305636		510	9.0	104.0	<0.002	0.20	0.47	7.3	1	2.1	235	0.54	<0.05	10.9	0.214	0.82
K305637		640	8.4	98.1	0.002	0.26	0.97	6.8	1	2.1	311	0.49	<0.05	10.4	0.197	0.99
K305638		900	17.7	50.9	0.002	3.03	112.5	15.5	1	3.3	498	0.73	0.12	10.8	0.540	8.00
K305639		420	7.5	65.4	0.003	0.29	0.59	4.6	1	1.6	358	0.35	<0.05	7.3	0.139	0.54
K305640		540	7.7	84.4	0.003	0.37	0.28	6.1	1	1.7	309	0.41	<0.05	9.0	0.163	0.70
K305641		100	5.4	17.1	<0.002	0.14	0.09	1.4	<1	0.9	1180	0.10	<0.05	1.9	0.036	0.32
K305642		390	5.6	52.6	<0.002	0.25	1.04	3.9	<1	1.4	439	0.26	<0.05	5.9	0.110	0.72
K305643		520	7.3	82.5	0.002	0.12	1.64	5.7	2	1.8	169.0	0.49	<0.05	10.1	0.181	0.82
K305644		430	11.7	59.7	<0.002	1.00	25.0	4.4	1	1.7	249	0.33	<0.05	6.5	0.125	16.95
K305645		430	7.8	71.3	<0.002	0.77	11.05	5.2	1	1.7	159.0	0.41	<0.05	8.6	0.155	5.82
K305646		180	1.6	3.6	<0.002	0.02	<0.05	0.4	<1	0.6	46.7	<0.05	<0.05	<0.2	0.005	<0.02
K305647		310	5.7	40.3	0.005	0.58	7.76	3.5	1	1.3	210	0.24	<0.05	5.2	0.091	3.54
K305648		330	6.7	27.1	0.002	>10.0	270	1.9	7	1.1	163.5	0.15	0.12	3.1	0.057	11.60
K305649		870	34.9	46.9	0.022	1.52	105.0	4.7	4	2.4	67.1	0.45	0.21	6.0	0.165	3.82
K305650		310	5.6	37.1	<0.002	0.44	3.44	3.0	1	1.1	546	0.19	<0.05	4.3	0.080	1.79
K305651		240	4.8	22.4	<0.002	0.40	2.82	2.0	1	1.1	142.0	0.14	<0.05	3.0	0.054	1.32
K305652		200	3.3	9.2	<0.002	1.06	12.35	1.0	<1	0.7	80.3	0.07	<0.05	1.4	0.025	1.26
K305653		260	3.3	9.5	<0.002	0.83	15.60	1.0	1	0.8	74.8	0.06	<0.05	1.3	0.023	1.32
K305654		160	1.5	1.9	<0.002	0.01	0.08	0.3	<1	0.6	48.2	<0.05	<0.05	<0.2	<0.005	<0.02
K305655		210	8.6	14.0	<0.002	1.16	11.40	1.4	<1	0.9	103.0	0.09	<0.05	1.8	0.033	5.32
K305656		180	18.6	10.7	<0.002	0.45	4.12	1.1	<1	0.9	144.5	0.07	<0.05	1.5	0.028	2.76
K305657		140	6.5	7.8	<0.002	0.46	8.62	1.0	<1	0.8	136.0	0.05	<0.05	1.1	0.019	2.94
K305658		130	5.6	12.5	<0.002	0.33	0.96	1.2	<1	0.9	140.0	0.09	<0.05	1.6	0.032	1.43
K305659		210	7.8	15.6	<0.002	0.29	0.51	1.5	1	0.8	121.0	0.11	<0.05	2.0	0.040	1.07
K305660		260	7.8	16.2	<0.002	0.47	2.85	1.6	<1	0.9	144.0	0.12	<0.05	2.4	0.045	2.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206158

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305625		4.0	38	0.5	17.7	32	37.9	
K305626		2.1	17	0.3	9.5	13	19.9	
K305627		2.6	26	0.4	13.7	21	28.7	
K305628		3.0	32	0.5	14.8	29	32.4	
K305629		3.5	40	0.6	19.0	34	39.5	
K305630		3.4	53	0.8	20.3	45	52.6	
K305631		8.1	19	0.6	7.4	15	27.7	
K305632		8.3	17	0.5	7.1	13	28.5	
K305633		8.6	30	0.7	8.4	12	43.4	
K305634		8.7	28	0.6	8.1	15	40.9	
K305635		10.0	33	1.2	8.3	18	49.8	
K305636		6.6	71	0.9	14.8	14	93.7	
K305637		8.5	70	1.1	13.5	27	85.9	
K305638		8.9	169	22.5	14.4	45	162.5	
K305639		7.5	47	0.7	11.0	13	70.9	
K305640		9.8	62	0.8	12.6	18	70.3	
K305641		14.3	14	0.2	4.0	12	17.4	
K305642		6.1	38	0.7	9.1	9	59.0	
K305643		4.6	53	2.0	15.1	14	115.0	
K305644		8.2	43	2.4	10.4	22	60.0	1.020
K305645		6.5	50	3.1	12.8	16	98.7	
K305646		0.8	3	0.1	0.9	13	<0.5	
K305647		14.4	41	1.7	9.3	11	56.1	
K305648		11.4	24	1.2	5.8	50	31.0	24.3
K305649		8.4	222	26.0	18.7	199	63.2	
K305650		14.9	29	1.4	6.7	13	33.2	
K305651		10.0	26	1.0	6.0	19	37.4	
K305652		8.9	14	0.6	4.3	4	13.3	1.800
K305653		8.1	13	0.6	4.7	6	13.3	1.345
K305654		0.8	2	0.1	0.8	14	<0.5	
K305655		14.5	13	1.1	4.4	16	16.1	
K305656		22.8	14	1.3	2.9	24	10.7	
K305657		12.1	11	0.6	2.9	7	9.0	
K305658		12.7	11	0.9	3.7	35	17.0	
K305659		16.3	16	0.8	3.7	7	17.6	
K305660		19.4	19	1.2	4.4	5	25.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206158

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

CERTIFICATE WH11206157

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 254 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206157

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304406		5.43	20.9	0.55	5.92	>10000	330	1.37	0.30	1.65	0.51	96.0	11.6	50	13.80	34.4
K304407		10.99	1.53	0.08	7.35	4630	380	2.07	0.32	9.39	0.08	84.5	8.9	47	26.4	23.7
K304408		10.84	7.06	0.12	6.30	>10000	220	1.79	0.24	11.60	0.17	71.1	10.3	41	23.7	24.0
K304409		11.98	0.12	0.04	5.22	164	170	1.51	0.17	18.65	0.02	55.0	8.4	29	21.1	18.8
K304410		11.02	1.54	0.10	7.44	5070	230	2.09	0.26	10.85	0.07	74.3	10.7	42	30.5	29.9
K304411		12.49	0.02	0.09	7.23	307	370	2.10	0.29	8.41	0.03	66.1	15.3	50	34.6	24.8
K304412		10.84	<0.01	0.04	8.50	74.8	300	2.64	0.34	4.66	0.02	73.0	15.1	61	42.5	43.5
K304413		11.90	<0.01	0.18	7.33	223	250	2.17	0.25	10.35	0.02	83.9	25.0	46	36.9	30.6
K304414		10.50	<0.01	0.04	4.83	45	160	1.40	0.19	21.3	0.02	58.3	8.1	27	24.2	17.7
K304415		6.35	<0.01	0.03	5.08	53	190	1.30	0.19	19.75	0.02	57.4	9.0	28	24.5	20.3
K304416		11.57	<0.01	0.04	7.74	104	270	2.01	0.28	11.10	0.02	81.6	11.6	41	36.8	35.2
K304417		11.74	<0.01	0.10	7.88	80.8	290	2.37	0.32	6.24	<0.02	73.9	15.1	71	45.8	32.4
K304418		11.74	<0.01	0.06	8.23	269	280	3.12	0.33	4.11	0.03	77.6	15.1	59	48.0	33.3
K304419		0.23	0.32	0.38	6.28	601	310	0.60	0.23	0.48	0.21	149.0	3.0	231	3.76	32.8
K304420		11.35	0.09	0.07	3.75	1700	160	0.87	0.14	17.95	0.06	35.8	8.5	28	14.40	19.9
K304421		7.48	0.49	0.06	3.22	>10000	150	0.64	0.12	19.05	0.06	30.6	5.2	26	10.50	9.6
K304422		9.27	0.53	0.10	0.58	1080	60	0.21	0.03	20.9	0.05	8.86	3.2	5	1.75	5.5
K304423		11.37	0.04	0.02	0.77	105	70	0.25	0.04	18.25	0.29	11.00	2.0	5	2.01	4.7
K304424		11.53	0.03	0.02	0.86	209	110	0.20	0.05	18.05	0.04	14.05	1.6	6	2.31	4.6
K304425		10.78	0.18	0.03	0.80	402	110	0.24	0.03	18.25	0.05	13.80	1.7	6	1.87	4.7
K304426		5.88	0.14	0.03	0.49	5700	100	0.17	0.02	18.80	0.06	8.46	1.2	6	0.94	5.4
K304427		6.92	0.06	0.21	0.75	7880	90	0.27	0.03	19.50	1.73	10.30	2.3	10	1.91	9.2
K304428		12.42	0.02	0.07	0.59	153	50	0.28	0.02	19.80	0.03	8.17	1.9	6	1.75	5.2
K304429		7.19	<0.01	<0.01	0.07	12	10	0.06	0.02	20.4	0.06	1.10	1.2	1	0.57	1.6
K304430		9.07	<0.01	0.08	0.32	223	30	0.17	0.02	20.7	0.25	6.53	1.6	5	0.94	6.6
K304431		9.41	0.03	0.11	0.49	103	50	0.22	0.02	20.4	0.14	7.60	1.8	5	1.50	4.5
K304432		0.23	2.75	0.96	3.07	578	840	0.70	0.33	7.96	2.19	43.9	6.5	53	3.75	41.2
K304433		13.89	0.03	0.09	0.48	73	50	0.21	0.02	20.9	0.11	7.27	1.7	6	1.31	6.1
K304434		11.47	0.03	0.09	0.37	188	40	0.18	0.02	20.7	0.06	6.96	1.5	5	1.14	4.6
K304435		11.49	0.01	0.07	0.53	217	40	0.23	0.02	19.00	0.02	7.84	1.7	5	1.86	5.0
K304436		11.05	0.03	0.22	2.85	99	160	0.85	0.07	13.05	0.04	32.1	4.6	24	10.75	22.2
K304437		10.87	0.05	0.23	0.88	4680	70	0.23	0.04	17.85	0.13	12.65	2.2	10	2.23	10.3
K304438		7.04	<0.01	0.01	0.07	21	10	<0.05	0.02	20.4	0.06	1.15	1.2	1	0.29	1.6
K304439		11.45	0.03	0.15	0.64	1010	50	0.26	0.03	20.1	0.08	7.23	1.8	8	2.20	7.0
K304440		10.90	0.01	0.15	0.84	91	50	0.32	0.02	18.15	0.04	13.05	2.0	9	3.84	8.7
K304441		11.60	0.01	0.09	0.49	349	30	0.18	0.02	20.2	0.06	7.57	1.6	6	1.58	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206157

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304406		2.89	15.95	0.25	3.3	41.8	0.052	2.92	46.2	15.6	0.75	331	0.42	0.03	10.2	26.8
K304407		2.88	18.45	0.25	2.9	16.8	0.057	3.69	45.3	16.4	1.12	625	0.26	0.04	10.6	23.0
K304408		2.92	16.05	0.16	2.5	35.0	0.062	3.17	37.5	15.6	1.08	691	0.32	0.03	9.0	22.1
K304409		2.08	13.40	0.16	1.6	0.72	0.045	2.49	30.2	14.4	0.92	461	0.29	0.01	6.4	15.7
K304410		3.21	20.0	0.19	2.1	11.1	0.055	3.59	42.0	19.7	1.20	613	0.35	0.01	9.2	26.7
K304411		3.89	20.2	0.24	2.5	0.98	0.064	3.86	36.9	19.0	1.19	627	0.61	0.02	10.6	32.7
K304412		2.94	25.2	0.29	2.7	0.28	0.072	4.67	38.5	21.1	1.33	520	0.83	0.02	12.3	34.5
K304413		3.66	19.10	0.25	2.4	0.89	0.062	3.60	45.4	17.5	1.37	872	0.84	0.02	9.5	39.1
K304414		2.44	11.85	0.16	1.5	0.19	0.040	2.29	31.3	13.5	0.88	550	0.31	0.01	6.0	16.8
K304415		2.48	12.15	0.16	1.5	0.20	0.041	2.40	31.4	13.5	0.88	519	0.29	0.01	6.1	19.1
K304416		3.57	20.0	0.23	2.3	0.27	0.064	3.85	45.4	17.2	1.27	636	0.30	0.02	10.0	29.1
K304417		4.01	21.8	0.26	2.6	0.62	0.072	4.27	39.5	18.4	1.28	680	0.38	0.02	11.0	34.2
K304418		3.45	23.9	0.29	2.9	1.11	0.074	4.44	41.1	20.2	1.85	400	0.50	0.02	12.4	35.1
K304419		6.64	21.1	0.34	4.3	8.68	0.054	1.34	74.5	17.5	0.13	38	7.70	0.37	10.2	17.3
K304420		1.65	9.07	<0.05	1.7	1.38	0.035	1.91	19.6	7.1	3.17	597	0.59	0.03	5.7	14.7
K304421		1.45	7.81	<0.05	1.5	2.39	0.051	1.61	16.8	5.8	2.79	867	0.53	0.02	4.9	10.1
K304422		2.72	1.43	<0.05	0.3	2.55	0.011	0.28	4.5	2.3	8.08	966	0.29	0.01	1.0	6.3
K304423		0.83	2.01	<0.05	0.6	0.78	0.008	0.39	5.9	3.2	10.45	570	1.20	0.01	1.5	3.0
K304424		0.78	2.23	0.07	0.6	0.74	0.008	0.43	7.4	3.4	10.50	484	0.42	0.01	1.7	2.4
K304425		0.71	2.13	0.09	0.7	1.08	0.008	0.40	7.3	3.3	10.55	668	0.19	0.01	1.6	2.6
K304426		0.34	1.43	0.23	0.5	0.89	0.009	0.24	5.3	2.3	11.30	453	0.21	0.01	1.0	1.9
K304427		0.38	2.12	0.23	0.5	2.83	0.018	0.37	6.2	3.4	11.55	404	1.29	0.01	1.4	5.1
K304428		0.35	1.73	0.32	0.4	0.70	0.005	0.29	4.9	3.3	11.75	195	0.45	0.01	1.1	4.2
K304429		0.47	0.42	0.36	<0.1	0.01	0.006	0.04	0.5	1.0	12.25	198	0.24	0.01	0.3	2.4
K304430		0.38	1.02	0.37	0.2	1.44	0.005	0.15	4.0	1.9	12.35	247	0.52	0.01	0.7	3.0
K304431		0.32	1.46	0.36	0.3	0.65	<0.005	0.24	4.6	2.7	11.75	432	0.49	0.01	1.0	4.1
K304432		2.05	7.57	0.08	1.7	4.15	0.026	0.99	27.2	38.7	2.50	263	18.30	0.04	7.0	51.4
K304433		0.30	1.30	0.26	0.3	0.59	<0.005	0.22	4.5	2.6	12.30	356	0.95	0.02	1.0	5.7
K304434		0.28	1.10	0.34	0.2	0.71	<0.005	0.17	4.2	2.0	11.85	421	0.41	0.01	0.7	2.6
K304435		0.34	1.48	0.28	0.3	0.44	0.005	0.26	4.6	3.1	10.90	190	0.60	0.01	1.0	3.5
K304436		0.90	7.13	0.13	1.8	1.64	0.020	1.43	17.0	16.8	7.68	187	2.34	0.02	4.8	11.1
K304437		0.63	2.17	0.15	0.6	1.29	0.010	0.43	6.8	3.8	10.55	390	1.14	0.01	1.7	5.2
K304438		0.46	0.39	0.35	<0.1	<0.01	<0.005	0.03	0.6	0.9	12.45	201	0.13	0.01	0.3	2.3
K304439		0.37	1.75	0.29	0.3	1.73	0.006	0.31	4.4	3.4	11.80	429	1.47	0.01	1.2	3.8
K304440		0.62	2.02	0.16	0.6	1.63	0.007	0.42	7.3	4.5	10.80	262	1.02	0.01	1.6	4.5
K304441		0.31	1.33	0.34	0.3	3.44	<0.005	0.24	4.5	2.8	12.00	247	0.63	0.01	0.9	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206157

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304406		410	27.3	121.0	<0.002	3.23	66.9	6.6	2	2.4	168.5	0.82	0.12	13.9	0.322	157.5
K304407		420	15.3	146.0	<0.002	1.69	26.2	11.4	2	2.5	196.5	0.83	0.10	14.5	0.328	74.6
K304408		770	13.1	126.5	<0.002	2.95	99.5	10.0	2	2.2	267	0.69	0.15	12.2	0.267	174.5
K304409		410	11.5	100.0	<0.002	0.74	0.85	8.6	<1	1.8	442	0.47	0.07	8.3	0.196	2.21
K304410		540	16.1	141.5	<0.002	2.16	24.2	11.1	1	2.6	239	0.68	0.09	12.2	0.282	45.8
K304411		360	21.2	105.0	<0.002	2.15	1.59	11.7	1	2.8	244	0.78	0.09	11.0	0.318	4.72
K304412		320	20.2	124.5	<0.002	0.89	0.53	14.5	1	3.1	134.5	0.91	0.11	11.9	0.356	1.62
K304413		370	35.0	148.0	0.002	1.83	1.42	12.5	1	2.6	254	0.71	0.09	12.4	0.291	4.66
K304414		590	11.2	90.0	<0.002	1.08	0.28	8.1	<1	1.5	584	0.44	0.07	7.9	0.175	1.02
K304415		550	11.9	91.4	<0.002	1.16	0.30	8.0	<1	1.9	544	0.46	0.06	8.2	0.186	1.10
K304416		410	14.6	149.0	<0.002	1.59	0.40	12.9	1	2.4	322	0.74	0.08	13.0	0.294	1.74
K304417		360	17.2	123.0	<0.002	1.94	0.46	13.3	1	2.8	198.0	0.84	0.11	11.8	0.340	2.41
K304418		620	14.1	123.5	<0.002	1.97	0.94	14.7	1	2.9	134.0	0.91	0.11	12.4	0.369	3.32
K304419		910	16.9	48.8	0.004	3.05	115.0	17.0	2	3.1	508	0.76	0.17	10.1	0.541	8.10
K304420		580	9.5	74.0	<0.002	0.54	1.94	6.1	2	1.3	584	0.37	0.05	6.4	0.169	3.42
K304421		650	9.1	62.3	<0.002	1.48	13.40	5.3	2	1.0	371	0.32	<0.05	5.6	0.143	8.29
K304422		340	4.4	10.0	<0.002	0.35	1.69	1.1	2	0.2	146.0	0.06	<0.05	1.0	0.025	8.07
K304423		470	4.0	12.8	<0.002	0.24	0.66	1.3	2	0.3	101.0	0.09	<0.05	1.7	0.036	1.19
K304424		440	3.5	14.9	<0.002	0.23	0.65	1.4	2	0.3	80.1	0.10	<0.05	2.0	0.039	0.95
K304425		430	4.3	13.4	<0.002	0.31	1.53	1.4	2	0.3	117.0	0.10	<0.05	1.9	0.039	2.38
K304426		480	4.7	7.7	<0.002	0.42	5.13	0.9	2	0.2	138.5	0.06	<0.05	1.2	0.022	1.66
K304427		620	7.9	12.1	0.003	0.65	7.11	1.3	3	0.4	156.0	0.09	<0.05	1.7	0.033	1.76
K304428		150	7.6	9.4	<0.002	0.31	0.70	1.0	2	0.2	109.5	0.07	<0.05	1.3	0.025	1.18
K304429		180	1.5	2.3	<0.002	0.02	0.06	0.2	2	<0.2	40.3	<0.05	<0.05	<0.2	<0.005	0.02
K304430		140	6.5	4.9	<0.002	0.29	0.54	0.6	2	0.2	108.5	<0.05	<0.05	0.6	0.013	0.81
K304431		190	8.5	7.8	<0.002	0.31	1.11	0.9	2	0.2	111.0	0.06	<0.05	1.0	0.021	1.14
K304432		870	37.4	45.3	0.022	1.50	93.4	5.0	4	2.4	69.6	0.42	0.19	6.4	0.167	3.95
K304433		140	11.3	7.5	<0.002	0.23	0.93	0.8	2	0.2	111.0	0.06	<0.05	1.0	0.021	1.02
K304434		150	6.2	5.6	<0.002	0.17	0.93	0.6	2	0.2	105.5	<0.05	<0.05	0.7	0.016	0.99
K304435		170	7.7	8.2	<0.002	0.23	0.81	0.9	2	0.2	104.5	0.06	<0.05	1.1	0.024	0.90
K304436		820	13.9	47.6	0.002	0.78	0.82	4.4	3	0.9	81.5	0.33	<0.05	6.3	0.128	1.85
K304437		590	10.2	13.5	0.002	0.80	6.60	1.4	2	0.4	89.6	0.11	<0.05	2.1	0.041	1.83
K304438		180	1.4	1.6	<0.002	0.01	0.07	0.3	1	<0.2	41.2	<0.05	<0.05	<0.2	<0.005	0.02
K304439		220	7.7	10.2	0.002	0.33	2.37	0.9	2	0.3	124.5	0.07	<0.05	1.1	0.027	1.50
K304440		470	7.6	13.4	<0.002	0.53	0.72	1.3	2	0.3	96.6	0.11	<0.05	1.8	0.039	0.92
K304441		120	6.2	7.3	<0.002	0.23	1.09	0.8	2	0.2	95.4	0.06	<0.05	0.9	0.021	0.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206157

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304406		5.7	70	10.3	14.4	115	114.5	1.790
K304407		3.4	82	5.7	21.4	42	100.5	
K304408		4.6	71	4.2	18.7	58	84.6	2.64
K304409		2.9	54	1.4	16.4	39	57.7	
K304410		3.3	73	4.8	17.5	42	75.4	
K304411		2.5	80	2.8	20.1	51	85.3	
K304412		2.1	98	1.7	17.7	37	95.9	
K304413		3.8	81	3.5	22.4	53	81.4	
K304414		3.3	47	0.8	17.9	45	51.4	
K304415		3.2	50	0.9	16.7	42	51.9	
K304416		2.9	77	2.0	20.6	47	79.7	
K304417		2.8	95	1.8	19.0	44	88.4	
K304418		3.2	107	5.5	19.9	37	100.5	
K304419		7.1	169	23.4	15.6	44	170.5	
K304420		8.7	52	1.7	13.1	30	62.9	
K304421		7.6	43	2.8	11.0	42	53.0	1.970
K304422		3.6	8	0.7	6.1	17	11.1	
K304423		6.8	13	0.8	5.3	30	22.0	
K304424		7.7	15	0.8	5.9	5	22.9	
K304425		8.2	13	0.7	6.2	8	24.4	
K304426		7.6	12	0.6	6.1	4	16.4	
K304427		14.0	25	0.9	6.3	213	17.9	
K304428		13.3	11	0.7	3.2	3	13.0	
K304429		0.5	1	0.1	0.8	13	<0.5	
K304430		12.4	9	0.5	2.6	55	5.9	
K304431		15.2	14	0.7	3.0	16	9.5	
K304432		8.7	225	26.3	19.7	205	63.0	
K304433		16.0	9	0.7	2.8	16	9.3	
K304434		13.8	12	0.7	2.6	8	6.1	
K304435		12.4	11	0.7	2.8	3	10.3	
K304436		13.3	45	3.0	11.6	11	63.5	
K304437		12.8	26	1.1	5.1	36	20.6	
K304438		0.8	1	0.1	0.8	13	<0.5	
K304439		14.1	26	1.0	3.0	8	9.7	
K304440		9.7	21	0.9	4.9	6	19.1	
K304441		12.2	13	0.7	2.7	5	7.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206157

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

CERTIFICATE WH11206156

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 255 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206156

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304794		2.71	0.01	0.05	0.23	671	20	0.17	<0.01	21.0	0.21	7.20	1.3	3	0.49	6.7
K304795		5.52	<0.01	0.20	0.93	82	50	0.39	0.02	18.80	0.21	16.30	2.9	9	4.26	7.6
K304796		5.98	0.01	0.30	1.34	79	100	0.49	0.03	18.00	0.14	21.5	3.4	13	5.83	10.5
K304797		5.00	0.01	0.31	1.03	54	50	0.43	0.02	17.90	0.15	16.95	3.1	10	4.74	9.7
K304798		2.38	0.01	0.32	1.09	64	80	0.48	0.03	17.55	0.10	18.30	3.2	11	5.32	10.5
K304799		3.07	<0.01	0.09	0.76	266	40	0.36	0.01	19.65	0.15	14.20	2.5	7	3.31	5.6
K304800		5.72	0.01	0.09	0.61	858	40	0.28	0.01	20.2	0.02	10.20	2.2	5	2.15	7.0
K304801		5.60	0.02	0.07	0.74	141	30	0.32	0.02	19.95	0.04	8.80	2.4	9	2.39	7.4
K304802		6.04	0.01	0.08	0.82	120	40	0.34	0.02	19.40	0.05	13.20	2.5	8	3.55	6.5
K304803		2.61	0.01	0.13	0.89	136	50	0.32	0.02	18.20	0.05	13.90	2.3	8	2.69	5.7
K304804		0.22	2.51	0.96	3.11	550	830	0.61	0.35	8.05	2.34	54.1	7.1	53	4.04	43.7
K304805		2.61	1.23	0.67	0.83	>10000	300	0.27	0.02	19.40	0.39	9.39	2.7	12	1.74	13.8
K304806		4.97	<0.01	0.02	0.08	11	20	0.06	0.15	21.1	0.07	1.14	1.8	1	0.30	2.0
K304807		4.21	0.02	0.11	0.74	229	90	0.26	0.02	19.80	0.03	10.75	2.3	7	2.04	4.2
K304808		3.00	<0.01	0.21	0.54	52	30	0.22	<0.01	18.85	0.03	8.22	1.9	5	1.49	3.8
K304809		3.95	0.43	0.20	0.56	>10000	40	0.21	0.01	18.70	0.12	6.78	2.0	6	1.13	6.5
K304810		6.49	0.24	0.13	0.63	>10000	50	0.25	0.01	20.2	0.15	8.10	2.2	6	1.59	4.9
K304811		5.87	0.08	0.20	0.93	4150	60	0.38	0.02	21.1	0.15	10.25	2.9	10	2.83	9.0
K304812		5.48	0.03	0.09	0.68	1190	50	0.29	0.01	20.6	0.09	10.25	2.4	7	2.27	6.4
K304813		5.86	0.01	0.12	0.77	222	40	0.32	0.02	20.4	0.07	10.25	2.8	8	2.75	6.4
K304814		5.80	0.01	0.06	0.69	161	30	0.29	0.01	21.3	0.04	11.20	1.8	7	1.98	4.0
K304815		5.60	0.01	2.39	0.67	183	80	0.30	0.01	20.9	0.19	10.85	2.2	8	1.65	7.0
K304816		5.79	<0.01	0.05	0.63	107	30	0.24	0.01	21.6	0.03	8.07	1.9	6	1.48	3.6
K304817		5.83	0.01	0.11	0.64	418	40	0.23	0.01	20.9	0.06	9.59	2.1	7	1.55	5.7
K304818		4.88	0.04	0.10	0.58	591	40	0.23	0.01	20.8	0.08	8.11	2.2	6	1.39	5.4
K304819		5.91	0.34	0.15	1.31	271	70	0.42	0.02	18.50	0.06	17.25	3.1	12	3.12	6.9
K304820		5.54	0.11	0.09	0.45	493	40	0.16	<0.01	19.05	0.12	9.12	1.7	6	0.90	2.9
K304821		0.22	0.33	0.28	6.10	631	1790	0.62	0.29	0.49	0.21	142.0	2.9	245	3.53	31.6
K304822		6.10	2.53	0.24	0.43	1850	40	0.15	<0.01	19.60	0.10	9.97	1.8	6	0.59	4.8
K304823		4.98	<0.01	0.01	0.23	<5	50	0.09	0.23	21.5	0.06	1.85	2.1	6	0.66	2.0
K304824		4.88	3.43	0.26	1.56	3920	80	0.40	0.03	17.30	0.22	21.9	3.2	15	2.84	7.4
K304825		2.38	2.66	0.35	1.39	3910	80	0.37	0.03	18.40	0.20	20.6	2.6	14	2.18	7.1
K304826		5.23	0.43	0.11	1.06	1120	70	0.40	0.02	28.1	0.12	15.95	2.1	10	2.44	5.2
K304827		5.84	5.86	0.78	2.33	>10000	110	0.53	0.05	13.10	0.19	28.2	4.9	25	5.15	14.8
K304828		4.77	0.20	0.17	2.45	2960	100	0.69	0.04	23.4	0.05	28.1	4.9	24	6.86	14.2
K304829		6.76	3.15	1.30	2.33	>10000	170	0.52	0.05	8.48	0.32	29.1	4.5	30	5.16	18.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206156

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304794		0.28	0.72	<0.05	0.1	0.58	0.011	0.10	4.6	1.6	12.80	274	0.15	0.02	0.4	<0.2
K304795		0.58	2.68	<0.05	0.7	0.69	0.009	0.49	9.3	7.5	10.65	204	1.72	0.02	1.8	0.7
K304796		0.63	3.79	<0.05	0.9	0.65	0.013	0.72	11.7	9.2	10.70	168	2.56	0.02	2.5	2.5
K304797		0.48	2.96	<0.05	0.7	0.80	0.013	0.54	9.5	8.5	11.15	139	1.61	0.01	1.9	1.8
K304798		0.50	3.15	<0.05	0.7	0.69	0.011	0.57	9.9	9.2	10.90	141	1.65	0.01	2.1	1.4
K304799		0.35	2.22	<0.05	0.5	0.43	0.007	0.39	8.0	6.1	12.15	153	0.75	0.01	1.4	1.0
K304800		0.33	1.77	0.05	0.3	0.62	0.009	0.31	6.1	4.8	12.00	248	0.77	0.01	1.1	1.0
K304801		0.41	2.22	<0.05	0.4	1.71	0.007	0.38	5.0	5.4	11.10	416	0.65	0.01	1.3	<0.2
K304802		0.46	2.41	<0.05	0.6	1.04	0.008	0.43	7.5	7.1	11.15	309	0.54	0.01	1.6	<0.2
K304803		0.87	2.24	<0.05	0.6	1.31	0.009	0.47	7.6	4.8	10.75	617	0.41	0.02	1.6	2.4
K304804		2.13	8.22	0.12	1.8	4.24	0.031	1.03	33.1	40.9	2.55	264	18.65	0.02	7.1	52.9
K304805		0.64	2.36	<0.05	0.5	4.78	0.048	0.40	5.2	4.9	11.15	1780	1.20	0.02	1.4	1.3
K304806		0.46	0.62	0.19	<0.1	0.01	0.006	0.04	0.6	1.4	12.75	218	0.09	<0.01	0.4	0.5
K304807		0.86	1.94	<0.05	0.5	0.57	0.006	0.38	5.8	4.5	11.90	580	0.66	0.02	1.2	<0.2
K304808		0.80	1.49	<0.05	0.4	0.59	<0.005	0.27	4.7	3.8	11.40	576	0.58	0.02	1.0	<0.2
K304809		0.38	1.67	<0.05	0.3	1.76	0.025	0.27	3.8	3.7	10.80	859	0.48	0.01	1.0	<0.2
K304810		0.37	1.89	<0.05	0.4	1.30	0.032	0.33	4.6	4.0	11.70	1010	0.56	0.01	1.2	<0.2
K304811		0.61	2.55	<0.05	0.6	1.71	0.018	0.50	5.8	6.0	12.05	505	0.99	0.01	1.7	2.0
K304812		0.52	1.83	<0.05	0.4	1.1	0.008	0.35	5.8	4.4	11.65	314	0.72	0.01	1.3	<0.2
K304813		0.49	2.05	<0.05	0.5	1.05	0.007	0.40	5.7	5.1	11.70	304	0.85	0.01	1.4	1.9
K304814		0.48	1.81	<0.05	0.5	0.72	0.011	0.36	6.2	4.0	12.00	472	0.46	0.01	1.2	<0.2
K304815		0.53	1.70	<0.05	0.5	1.19	0.009	0.35	6.1	3.4	11.95	414	2.73	0.01	1.2	0.4
K304816		0.31	1.71	<0.05	0.4	1.0	0.009	0.34	4.7	3.9	12.25	340	0.35	0.01	1.1	<0.2
K304817		0.35	1.65	<0.05	0.3	2.44	0.006	0.32	5.8	4.0	11.90	349	0.60	0.01	1.1	0.8
K304818		0.49	1.46	<0.05	0.3	1.22	0.008	0.28	4.9	3.4	11.60	388	0.64	0.01	1.0	1.0
K304819		0.56	3.34	<0.05	0.9	1.50	0.009	0.67	9.2	7.2	10.50	914	0.73	0.01	2.2	3.7
K304820		0.31	1.26	<0.05	0.3	0.51	0.007	0.22	5.5	2.5	11.80	323	0.31	0.01	0.8	<0.2
K304821		6.77	20.2	0.29	4.7	9.2	0.050	1.44	68.2	19.7	0.13	36	6.65	0.35	10.2	17.0
K304822		2.68	1.22	<0.05	0.3	4.05	0.010	0.21	5.8	2.2	11.30	1440	0.15	0.01	0.8	0.8
K304823		0.50	0.65	<0.05	<0.1	0.01	0.006	0.12	0.9	2.2	13.45	225	0.12	0.01	0.3	0.4
K304824		0.92	3.92	<0.05	1.2	2.43	0.021	0.77	11.6	7.1	9.65	2140	0.65	0.01	2.4	3.5
K304825		0.73	3.48	<0.05	1.1	2.08	0.018	0.69	11.2	5.1	9.26	2090	0.61	0.01	2.2	2.5
K304826		0.44	2.58	<0.05	0.9	0.97	0.012	0.57	9.1	5.2	3.46	652	0.64	0.01	1.8	<0.2
K304827		1.06	6.03	<0.05	1.8	3.90	0.123	1.22	14.9	12.0	7.03	2520	2.69	0.02	3.7	9.5
K304828		0.86	5.83	<0.05	1.6	0.74	0.023	1.30	14.7	13.6	5.12	448	2.03	0.02	3.9	7.7
K304829		0.85	5.78	0.05	1.7	2.73	0.357	1.18	15.2	13.7	1.53	906	1.20	0.01	3.9	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206156

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304794		260	10.6	3.5	<0.002	0.12	1.37	0.6	1	<0.2	74.9	<0.05	<0.05	0.6	0.009	0.43
K304795		450	12.5	19.5	0.003	0.36	0.62	1.7	3	0.4	150.5	0.14	<0.05	2.3	0.045	1.00
K304796		560	13.8	28.2	0.005	0.53	0.75	2.4	3	0.6	138.0	0.19	<0.05	3.4	0.064	1.44
K304797		330	12.9	21.7	0.004	0.44	0.69	1.9	2	0.4	76.9	0.14	<0.05	2.5	0.048	1.32
K304798		370	12.1	23.3	0.003	0.46	0.76	2.0	3	0.5	78.3	0.15	<0.05	2.7	0.051	1.49
K304799		140	7.7	15.6	0.002	0.34	0.73	1.4	2	0.4	90.4	0.10	<0.05	1.7	0.034	0.76
K304800		130	7.8	12.5	<0.002	0.29	2.03	1.1	2	0.6	108.0	0.08	<0.05	1.4	0.027	0.93
K304801		150	8.2	15.4	<0.002	0.24	1.23	1.2	2	0.4	127.5	0.10	<0.05	1.6	0.033	1.43
K304802		190	8.0	17.7	0.002	0.27	0.88	1.5	2	0.4	97.9	0.12	<0.05	2.0	0.038	1.27
K304803		310	5.9	16.3	<0.002	0.20	0.86	1.5	2	0.3	83.8	0.13	<0.05	2.2	0.043	1.27
K304804		860	38.4	59.1	0.024	1.57	110.5	5.1	4	2.6	74.0	0.49	0.21	7.0	0.173	4.13
K304805		250	14.2	16.7	<0.002	1.72	34.4	1.4	2	1.2	158.5	0.10	0.05	1.8	0.036	9.24
K304806		190	1.9	2.5	<0.002	0.01	0.08	0.5	<1	<0.2	41.2	<0.05	<0.05	<0.2	<0.005	0.02
K304807		130	8.7	13.8	<0.002	0.31	1.47	1.4	2	0.3	94.4	0.10	<0.05	1.6	0.032	1.08
K304808		110	9.0	9.6	<0.002	0.26	1.34	1.0	2	0.2	81.2	0.07	<0.05	1.3	0.024	1.08
K304809		120	11.7	11.3	<0.002	0.94	16.70	1.0	2	0.6	137.0	0.07	<0.05	1.3	0.024	3.28
K304810		150	11.2	13.2	<0.002	1.20	31.2	1.2	2	0.3	138.5	0.09	<0.05	1.5	0.029	2.46
K304811		260	16.4	19.7	0.002	0.94	7.53	1.6	2	0.4	152.0	0.13	<0.05	2.3	0.043	3.53
K304812		180	11.8	13.9	0.002	0.61	2.50	1.3	2	0.3	136.0	0.09	<0.05	1.6	0.030	2.36
K304813		180	10.7	16.1	0.002	0.43	1.29	1.3	2	0.3	148.0	0.10	<0.05	1.8	0.034	1.90
K304814		130	4.8	12.9	<0.002	0.19	0.84	1.3	2	0.3	157.5	0.09	<0.05	1.6	0.031	1.10
K304815		120	6.3	12.4	<0.002	0.34	1.23	1.3	2	0.4	162.0	0.09	<0.05	1.6	0.031	1.91
K304816		110	4.0	12.0	<0.002	0.14	0.81	1.1	2	0.3	158.5	0.08	<0.05	1.3	0.027	0.90
K304817		190	6.1	12.1	0.002	0.23	1.42	1.1	2	0.4	143.5	0.08	<0.05	1.3	0.027	2.00
K304818		130	9.0	10.5	<0.002	0.50	2.01	1.0	2	0.3	136.5	0.08	<0.05	1.3	0.026	2.02
K304819		270	7.6	25.1	<0.002	0.38	1.99	2.2	3	0.4	126.0	0.16	<0.05	2.9	0.060	3.38
K304820		240	7.7	8.2	<0.002	0.23	1.71	0.9	2	0.2	95.7	0.06	<0.05	1.1	0.020	0.94
K304821		890	17.4	55.5	0.004	3.15	123.5	16.0	2	3.1	517	0.83	0.15	10.5	0.584	8.09
K304822		240	15.1	8.0	<0.002	3.03	10.55	0.9	<1	0.2	105.5	0.05	<0.05	1.0	0.018	14.85
K304823		220	1.7	5.5	<0.002	0.01	0.12	0.7	1	<0.2	46.1	<0.05	<0.05	<0.2	0.009	0.05
K304824		240	11.6	30.7	0.003	0.99	10.85	3.0	2	0.4	102.0	0.19	<0.05	3.8	0.068	8.23
K304825		250	9.5	28.1	0.002	0.69	9.31	2.7	2	0.5	133.0	0.17	<0.05	3.4	0.061	6.79
K304826		160	5.3	20.4	0.002	0.29	3.18	1.8	2	0.4	433	0.12	<0.05	2.6	0.048	3.98
K304827		430	12.9	49.8	0.004	3.64	60.3	4.2	3	0.8	144.0	0.30	<0.05	5.5	0.105	15.20
K304828		420	10.9	50.2	0.003	0.74	4.91	4.1	3	0.8	355	0.32	<0.05	5.6	0.110	3.41
K304829		430	7.8	53.0	0.002	>10.0	286	3.3	8	1.1	104.0	0.31	0.09	5.7	0.110	11.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206156

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304794		9.7	6	0.4	3.3	15	3.3	
K304795		15.9	20	0.8	5.7	21	23.6	
K304796		15.9	26	0.8	7.1	20	30.0	
K304797		14.1	26	0.8	5.3	16	21.4	
K304798		14.2	28	1.0	5.7	14	22.6	
K304799		13.1	12	0.7	4.3	30	15.5	
K304800		15.0	15	0.8	3.3	3	10.3	
K304801		10.4	13	0.9	3.3	10	11.4	
K304802		12.7	18	1.0	4.1	10	17.0	
K304803		14.2	21	1.3	4.3	11	19.2	
K304804		9.5	227	30.3	21.4	213	64.7	
K304805		18.0	16	2.3	4.0	59	18.1	2.43
K304806		0.8	3	0.1	0.8	14	<0.5	
K304807		12.7	16	1.0	3.5	9	17.1	
K304808		13.6	18	1.6	2.8	3	12.1	
K304809		11.5	10	1.0	2.7	10	9.6	1.440
K304810		14.6	12	1.0	3.0	28	11.6	1.845
K304811		27.5	22	1.8	3.6	37	16.5	
K304812		19.6	13	1.3	3.4	14	11.8	
K304813		17.3	15	1.2	3.6	16	14.1	
K304814		14.7	14	0.9	4.0	6	14.9	
K304815		14.3	13	2.8	3.9	33	15.8	
K304816		13.2	10	0.8	3.0	3	13.0	
K304817		18.7	19	0.9	3.3	8	9.2	
K304818		20.6	13	1.2	2.7	8	9.1	
K304819		17.1	27	1.6	5.5	8	29.3	
K304820		8.1	12	0.6	4.3	10	10.1	
K304821		8.3	173	24.5	15.6	46	165.0	
K304822		8.9	12	0.9	4.1	15	9.3	
K304823		0.7	5	0.1	1.3	17	<0.5	
K304824		15.5	31	2.2	7.0	25	37.6	
K304825		15.3	32	3.2	6.0	27	34.5	
K304826		16.5	22	1.1	5.4	49	32.5	
K304827		14.7	50	2.8	8.2	22	58.2	5.56
K304828		17.2	47	2.3	10.3	11	55.1	
K304829		15.3	39	3.5	10.5	27	55.7	21.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206156

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

CERTIFICATE WH11215823

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 256 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215823

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302297		10.65	0.04	0.01	0.64	5960	90	0.30	0.03	17.20	0.05	11.10	2.1	3	1.82	6.0
K302298		10.80	0.12	0.02	0.84	7430	50	0.28	0.03	19.65	0.04	14.50	1.9	5	2.15	4.5
K302299		10.07	0.10	0.02	0.81	3250	70	0.33	0.03	19.25	0.04	14.70	2.3	6	2.29	4.8
K302300		11.23	0.01	0.03	0.76	265	80	0.30	0.03	18.20	0.03	14.50	2.8	6	2.75	5.4
K302301		9.18	0.08	0.01	0.73	>10000	130	0.25	0.02	17.80	0.03	13.20	1.7	6	2.00	3.7
K302302		10.05	0.19	0.09	1.64	240	90	0.57	0.05	16.45	0.08	22.0	2.5	13	4.78	5.5
K302303		9.18	0.06	0.02	0.85	286	50	0.33	0.02	18.80	0.04	14.35	2.0	6	2.50	4.0
K302304		0.22	2.57	0.97	3.28	643	890	0.76	0.27	8.25	2.26	44.2	7.1	53	3.83	41.8
K302305		11.84	0.07	0.02	0.86	237	60	0.35	0.02	18.20	0.05	14.00	2.0	6	2.45	4.5
K302306		3.73	<0.01	0.01	0.79	67	50	0.30	0.03	19.20	0.02	15.85	2.1	6	2.90	4.0
K302307		6.32	0.14	0.08	8.41	611	560	2.72	0.29	7.22	0.06	76.4	16.0	53	34.9	29.5
K302308		3.42	0.08	0.07	9.15	575	490	3.02	0.32	5.70	0.07	89.0	18.4	63	38.1	33.9
K302309		5.28	0.08	0.04	0.87	245	1140	0.32	0.03	18.70	0.02	14.40	2.7	9	2.61	5.0
K302310		6.54	0.01	0.05	2.86	284	1040	0.89	0.11	17.55	0.05	35.5	5.8	19	10.90	7.9
K302311		10.73	<0.01	0.02	6.16	502	1200	1.83	0.23	13.15	0.02	59.4	8.5	39	25.9	19.5
K302312		11.60	<0.01	0.04	6.32	515	1830	1.92	0.20	15.35	0.02	67.5	11.8	41	28.9	17.6
K302313		6.54	<0.01	0.05	8.04	437	1270	2.74	0.28	6.77	0.04	78.7	16.8	59	36.0	17.8
K302314		11.12	0.43	0.05	6.42	652	1430	2.16	0.24	10.60	0.03	65.0	13.1	42	28.6	23.1
K302315		0.22	0.35	0.34	6.24	643	1190	0.70	0.24	0.47	0.18	138.0	3.2	225	3.66	31.6
K302316		11.90	0.03	0.09	7.46	198.5	550	2.51	0.27	7.08	0.02	77.0	17.3	53	30.6	30.8
K302317		11.53	0.01	0.09	6.97	309	610	2.47	0.24	7.21	0.25	69.0	15.3	50	27.6	32.6
K302318		9.06	0.01	0.07	5.39	224	310	1.98	0.20	13.70	0.04	52.6	17.0	36	21.3	30.3
K302319		7.88	<0.01	0.06	4.33	170	290	1.47	0.13	13.90	0.09	42.9	11.3	30	15.30	21.0
K302320		12.29	<0.01	0.05	5.13	122	300	1.92	0.15	12.15	0.06	49.2	9.7	35	22.8	19.4
K302321		11.53	0.05	0.04	1.32	781	100	0.59	0.03	17.40	0.14	19.50	3.3	10	4.72	10.6
K302322		6.96	<0.01	0.09	0.09	<5	20	0.08	0.02	20.6	0.05	1.55	1.8	1	0.26	1.6
K302323		11.10	0.02	0.26	0.99	461	60	0.51	0.03	18.70	0.14	14.30	3.2	9	3.28	8.7
K302324		13.20	0.03	0.12	1.58	1060	90	0.69	0.04	16.40	0.09	19.50	3.5	12	5.17	15.6
K302325		11.76	0.01	0.22	1.47	152	80	0.66	0.04	17.70	0.11	19.70	3.7	11	5.57	11.7
K302326		11.23	0.36	0.11	0.47	8160	40	0.21	0.02	19.20	0.13	9.17	2.2	5	1.18	4.8
K302327		6.94	<0.01	<0.01	0.08	24	20	0.10	0.01	20.7	0.05	1.24	1.8	1	0.21	1.2
K302328		12.33	0.66	0.26	0.49	7180	30	0.24	0.02	16.80	0.41	9.13	4.6	5	1.23	11.1
K302329		11.64	0.06	0.17	0.40	1080	30	0.20	0.02	18.15	0.78	8.90	3.2	5	0.92	10.1
K302330		11.73	0.22	0.14	0.77	2550	50	0.35	0.03	19.55	0.08	10.75	3.5	6	2.04	8.6
K302331		11.14	0.10	0.13	0.88	2520	50	0.39	0.03	19.25	0.07	9.61	3.2	7	2.99	7.3
K302332		12.10	0.04	0.20	0.56	524	50	0.26	0.02	17.65	0.10	10.20	6.3	6	1.63	13.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215823

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302297		1.10	1.71	0.06	0.5	1.29	0.015	0.31	6.2	3.9	10.55	551	0.42	0.01	1.2	2.8
K302298		0.54	2.23	0.06	0.3	0.70	0.013	0.38	8.0	4.6	11.90	599	0.20	0.05	1.4	1.6
K302299		0.90	2.25	0.06	0.4	1.0	0.010	0.39	8.1	4.8	11.70	514	0.27	0.01	1.5	2.7
K302300		1.14	2.17	0.05	0.3	0.96	0.007	0.39	8.1	4.4	11.20	499	0.25	0.01	1.5	4.3
K302301		0.56	1.98	0.07	0.4	0.76	0.020	0.35	7.4	4.1	10.95	431	0.23	0.01	1.4	1.8
K302302		0.99	4.20	0.06	1.4	1.42	0.012	0.78	12.4	8.8	9.65	514	0.40	0.01	3.0	3.4
K302303		0.60	2.22	0.07	0.6	0.9	0.007	0.41	8.5	4.7	11.55	405	0.25	0.01	1.7	2.3
K302304		2.12	8.08	0.10	1.5	4.92	0.030	1.05	27.2	44.1	2.60	282	18.85	0.02	7.1	53.6
K302305		0.70	2.27	0.05	0.5	1.2	0.007	0.42	8.0	5.0	11.10	490	0.23	0.01	1.7	2.4
K302306		0.90	2.02	0.06	0.4	0.51	0.007	0.37	8.9	4.4	11.70	464	0.24	0.01	1.7	2.6
K302307		2.90	22.4	0.17	2.5	5.99	0.066	4.22	42.4	22.3	3.13	555	0.58	0.03	11.6	33.9
K302308		3.08	24.2	0.21	2.7	5.09	0.070	4.53	49.6	22.0	2.70	491	0.67	0.04	12.6	38.9
K302309		1.32	2.33	0.05	0.2	1.8	0.010	0.43	8.1	3.8	10.30	678	0.29	<0.01	1.5	4.6
K302310		3.59	7.14	0.11	0.8	1.9	0.026	1.43	18.6	7.3	6.68	863	0.35	0.01	3.9	11.3
K302311		2.84	15.60	0.13	1.8	1.68	0.048	3.20	33.4	20.8	3.17	531	0.26	0.02	8.1	15.9
K302312		2.47	16.35	0.12	1.7	1.90	0.051	3.33	36.8	14.9	1.82	528	0.43	0.01	8.4	22.1
K302313		2.92	22.0	0.20	2.5	1.0	0.067	4.36	42.4	20.1	1.86	438	0.68	0.03	11.5	31.0
K302314		4.41	17.10	0.19	2.0	1.7	0.056	3.34	35.2	17.3	3.02	927	0.36	0.02	9.1	23.0
K302315		6.56	21.3	0.31	3.7	9.2	0.051	1.39	68.6	19.5	0.12	37	6.91	0.36	10.3	17.9
K302316		3.59	19.85	0.24	2.5	1.13	0.068	3.96	41.6	17.1	2.37	744	0.44	0.04	10.8	29.9
K302317		3.18	18.60	0.20	2.6	1.29	0.063	3.67	37.2	20.2	3.20	470	1.17	0.03	10.5	29.6
K302318		2.51	14.35	0.13	2.0	0.52	0.048	2.79	28.2	15.9	3.67	592	1.05	0.03	8.2	28.7
K302319		2.13	11.15	0.10	1.6	0.61	0.037	2.21	22.6	14.8	4.74	768	0.62	0.03	6.5	19.4
K302320		1.80	13.25	0.09	2.1	0.76	0.042	2.74	27.3	18.7	5.54	406	0.59	0.03	7.8	17.0
K302321		0.82	3.36	0.06	0.7	4.67	0.011	0.67	11.1	7.4	10.35	417	0.34	0.01	2.3	4.8
K302322		0.41	0.34	0.10	<0.1	0.01	<0.005	0.04	0.8	1.5	12.95	193	0.12	0.01	0.5	2.9
K302323		0.48	2.52	0.11	0.4	0.94	0.008	0.50	8.5	6.9	11.55	223	1.56	0.01	1.9	6.9
K302324		0.67	3.87	0.09	0.9	6.3	0.011	0.80	10.6	10.1	10.00	298	1.29	0.02	2.9	7.8
K302325		0.53	3.71	0.10	0.6	0.93	0.010	0.75	11.3	10.7	10.80	267	1.41	0.02	2.6	7.9
K302326		0.49	1.37	0.11	0.1	1.57	0.010	0.22	5.5	3.1	11.70	1360	0.60	0.01	1.0	4.3
K302327		0.42	0.44	0.22	<0.1	0.01	<0.005	0.03	0.6	1.3	13.05	194	0.15	0.01	0.5	3.4
K302328		6.06	1.43	0.14	0.1	5.7	0.012	0.24	5.5	3.2	10.15	1040	0.40	0.01	1.1	12.6
K302329		4.13	1.20	0.08	<0.1	3.81	0.013	0.19	5.0	2.4	10.95	483	0.58	0.01	0.9	12.7
K302330		0.81	1.94	0.05	0.1	1.6	0.008	0.38	6.2	4.5	11.85	1360	0.77	0.01	1.3	7.8
K302331		0.65	2.13	0.09	0.3	1.17	0.007	0.45	5.6	5.5	11.40	585	0.80	0.01	1.6	6.5
K302332		5.30	1.31	0.12	0.1	3.22	0.006	0.27	6.5	3.4	10.40	644	0.67	0.01	1.2	17.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215823

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302297		360	5.7	10.9	<0.002	1.10	6.40	1.2	2	0.2	79.3	0.09	<0.05	1.6	0.029	2.15
K302298		420	2.8	13.3	<0.002	0.56	8.49	1.8	2	0.3	95.5	0.09	<0.05	1.6	0.035	1.12
K302299		440	4.2	14.0	<0.002	0.86	3.98	1.5	2	0.3	112.5	0.10	<0.05	1.7	0.033	2.26
K302300		380	6.1	13.4	<0.002	0.97	1.06	1.5	2	0.3	91.6	0.09	<0.05	1.6	0.031	2.39
K302301		450	2.7	12.2	<0.002	1.04	22.8	1.4	2	0.3	90.1	0.08	<0.05	1.5	0.027	1.58
K302302		840	4.5	27.0	<0.002	0.48	1.60	3.0	2	0.6	108.5	0.20	<0.05	3.9	0.071	4.90
K302303		550	2.9	14.2	<0.002	0.30	1.06	1.7	2	0.3	99.6	0.11	<0.05	1.8	0.035	1.87
K302304		920	35.3	51.7	0.023	1.60	112.5	5.6	4	2.6	74.9	0.45	0.18	6.4	0.173	4.03
K302305		380	3.2	14.5	<0.002	0.32	1.11	1.8	2	0.3	104.5	0.11	<0.05	1.8	0.035	2.54
K302306		360	3.5	12.7	<0.002	0.44	0.38	1.7	2	0.3	92.3	0.11	<0.05	1.8	0.037	0.83
K302307		510	18.6	137.0	<0.002	1.97	2.83	14.9	2	2.7	121.5	0.80	0.07	12.3	0.350	12.80
K302308		500	20.7	156.0	<0.002	2.13	2.23	17.0	2	2.9	115.0	0.88	0.08	14.5	0.385	9.41
K302309		300	4.4	14.7	<0.002	0.68	1.38	1.9	2	0.4	189.0	0.09	<0.05	1.6	0.032	5.36
K302310		740	8.3	49.8	<0.002	1.44	1.26	5.8	2	0.8	211	0.26	<0.05	4.5	0.107	5.78
K302311		550	6.1	117.0	<0.002	0.81	0.37	10.9	1	1.8	329	0.56	0.06	9.5	0.241	2.10
K302312		550	10.0	121.0	<0.002	0.81	0.64	11.6	2	1.8	387	0.58	0.05	9.5	0.247	2.84
K302313		680	14.4	139.0	<0.002	1.12	0.53	15.3	2	2.5	169.0	0.81	0.06	12.0	0.355	1.90
K302314		560	9.4	128.0	<0.002	1.06	2.39	13.1	2	1.9	144.0	0.61	0.06	10.2	0.265	5.47
K302315		940	15.9	49.1	0.003	3.13	119.0	17.8	3	3.1	507	0.71	0.14	9.3	0.547	8.04
K302316		900	12.6	152.5	<0.002	0.93	0.84	15.9	2	2.4	136.5	0.74	0.07	12.0	0.329	1.95
K302317		700	17.8	141.0	<0.002	1.64	1.32	14.5	2	2.3	122.0	0.73	0.07	11.6	0.323	2.04
K302318		650	8.7	110.0	<0.002	0.81	0.88	11.8	2	1.8	324	0.55	<0.05	8.3	0.242	2.22
K302319		550	11.6	83.1	<0.002	0.77	0.69	8.2	2	1.5	236	0.44	<0.05	6.8	0.188	2.11
K302320		650	9.4	105.0	<0.002	0.54	0.44	10.1	2	1.7	185.0	0.54	<0.05	8.5	0.231	1.05
K302321		620	5.7	24.4	<0.002	0.50	1.93	2.6	2	0.5	105.5	0.15	<0.05	2.8	0.056	1.47
K302322		220	1.3	1.7	<0.002	0.01	0.05	0.3	1	<0.2	42.9	<0.05	<0.05	<0.2	<0.005	<0.02
K302323		450	9.5	16.7	0.002	0.49	1.69	1.8	2	0.4	89.7	0.12	<0.05	2.1	0.040	1.84
K302324		460	9.6	26.8	<0.002	0.66	2.66	2.8	2	0.6	93.4	0.19	<0.05	3.5	0.068	1.88
K302325		480	7.6	25.6	0.005	0.47	1.15	2.7	3	0.5	85.3	0.17	<0.05	3.0	0.060	1.43
K302326		280	5.4	7.6	0.003	0.79	10.40	1.1	2	0.2	87.4	0.05	<0.05	1.0	0.015	3.39
K302327		230	1.2	1.5	<0.002	0.01	0.08	0.3	2	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	0.03
K302328		190	44.8	8.3	<0.002	8.23	20.4	1.2	2	0.3	73.4	0.06	<0.05	1.0	0.016	28.3
K302329		110	40.5	6.2	<0.002	5.50	4.62	1.0	1	0.3	85.7	<0.05	<0.05	0.8	0.012	15.00
K302330		200	15.3	12.7	0.002	0.89	6.86	1.3	2	0.4	90.3	0.08	<0.05	1.4	0.026	3.58
K302331		250	11.9	14.8	0.002	0.75	5.25	1.4	2	0.3	91.2	0.09	<0.05	1.7	0.033	2.73
K302332		150	59.4	8.7	0.002	6.80	2.69	1.2	2	0.3	81.6	0.06	<0.05	1.1	0.020	17.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215823

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302297		7.7	10	0.6	4.8	4	17.1	
K302298		6.4	19	0.9	5.7	<2	16.9	
K302299		7.7	15	1.1	5.9	2	20.1	
K302300		6.6	16	0.7	5.4	<2	17.8	
K302301		6.6	11	0.6	5.9	<2	20.5	1.630
K302302		9.1	23	2.1	10.6	2	55.9	
K302303		7.5	14	0.8	7.3	<2	27.2	
K302304		8.1	246	27.8	19.7	219	63.9	
K302305		7.4	14	1.1	6.2	<2	23.8	
K302306		7.6	16	0.8	5.5	<2	19.5	
K302307		4.9	100	5.8	19.8	40	100.5	
K302308		4.9	109	6.5	19.9	47	108.0	
K302309		4.1	15	0.9	6.5	<2	15.3	
K302310		5.7	33	1.7	15.6	29	39.1	
K302311		3.9	68	3.1	17.3	41	70.4	
K302312		6.1	68	2.7	19.1	37	70.0	
K302313		5.2	96	2.4	21.5	69	95.2	
K302314		4.6	79	3.1	21.9	28	80.3	
K302315		6.6	174	21.8	14.6	40	161.0	
K302316		4.6	100	2.1	24.7	30	99.6	
K302317		5.4	98	3.2	21.0	133	101.0	
K302318		7.1	76	2.5	18.0	20	80.9	
K302319		8.4	63	2.5	13.9	32	67.6	
K302320		8.4	74	1.3	14.8	38	81.4	
K302321		6.8	19	1.3	8.3	7	33.7	
K302322		0.7	2	0.1	0.8	10	0.5	
K302323		12.9	25	1.4	5.1	10	22.3	
K302324		10.7	28	2.0	7.0	4	38.9	
K302325		12.7	46	1.9	6.9	6	29.9	
K302326		9.6	18	0.8	3.8	17	10.9	
K302327		0.9	3	0.1	0.8	10	<0.5	
K302328		8.6	12	1.1	3.4	299	11.4	
K302329		13.1	11	1.1	3.3	727	7.2	
K302330		17.0	17	1.2	3.6	8	11.4	
K302331		15.2	20	1.2	3.7	11	17.1	
K302332		22.6	14	1.3	3.1	19	9.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215823

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

CERTIFICATE WH11215824

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 257 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215824

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K303469		11.62	<0.01	0.08	3.18	48	140	0.96	0.08	15.45	0.06	35.2	5.5	34	9.93	18.6
K303470		11.15	<0.01	0.04	1.50	31	150	0.51	0.05	26.3	0.14	16.65	2.8	16	4.61	10.3
K303471		11.96	<0.01	0.04	1.58	35	110	0.46	0.05	25.9	0.13	17.20	2.9	17	5.62	10.5
K303472		11.33	0.28	0.08	3.18	519	220	0.99	0.08	17.70	0.09	33.9	5.5	34	15.40	18.7
K303473		0.23	0.35	0.29	5.97	590	1160	0.58	0.24	0.48	0.17	128.0	2.9	224	3.26	32.8
K303474		11.13	<0.01	0.05	2.70	33	430	0.78	0.07	18.65	0.08	34.3	4.7	28	13.65	14.8
K303475		12.11	<0.01	0.07	1.61	28	100	0.54	0.04	22.4	0.13	21.0	2.6	16	5.62	9.0
K303476		11.66	<0.01	0.14	1.79	32	160	0.61	0.05	21.2	0.11	23.0	2.8	16	5.52	10.2
K303477		7.04	<0.01	0.02	0.09	<5	20	0.08	0.03	20.2	0.05	1.21	0.7	1	0.66	2.7
K303478		12.25	<0.01	0.07	1.37	23	190	0.43	0.05	27.5	0.12	17.50	2.6	15	4.37	9.8
K303479		9.75	<0.01	0.07	1.79	32	1270	0.56	0.05	24.0	0.14	24.3	3.3	18	6.12	12.6
K303480		12.48	<0.01	0.04	1.18	64	350	0.45	0.04	29.1	0.12	14.25	2.3	13	3.53	9.7
K303481		12.02	<0.01	0.08	3.42	45	210	1.15	0.08	14.10	0.09	39.1	5.8	37	24.5	20.6
K303482		5.16	<0.01	0.07	3.44	35	210	1.13	0.08	12.40	0.06	39.4	6.0	38	26.4	20.4
K303483		12.38	<0.01	0.04	1.53	22	450	0.49	0.05	26.7	0.26	17.90	2.8	15	6.82	10.6
K303484		11.00	<0.01	0.06	2.44	42	1340	0.90	0.07	21.4	0.11	31.3	4.5	22	8.78	14.5
K303485		11.32	<0.01	0.07	3.24	78	970	0.95	0.08	16.75	0.18	39.7	5.4	30	12.30	18.7
K303486		0.23	2.68	0.91	3.12	595	810	0.93	0.26	7.92	2.27	43.3	6.3	50	3.57	42.0
K303487		11.75	0.02	0.09	3.65	2680	340	1.13	0.09	12.00	0.07	39.5	6.3	36	13.35	19.2
K303488		5.37	0.43	0.19	2.77	453	160	0.99	0.07	20.3	0.12	33.1	4.8	25	8.69	17.6
K303489		6.90	0.03	0.01	0.09	12	20	0.06	0.08	19.65	0.05	1.26	0.6	1	0.23	1.6
K303490		17.23	0.54	0.37	4.16	7600	280	1.45	0.11	10.60	0.06	45.0	7.5	42	16.75	25.5
K303491		11.23	<0.01	0.11	4.01	88	230	1.33	0.09	12.75	0.09	41.8	6.5	40	19.85	19.4
K303492		10.74	<0.01	0.07	2.02	51	140	0.71	0.06	23.5	0.25	25.6	3.3	20	7.54	10.3
K303493		6.36	<0.01	0.07	1.30	54	150	0.43	0.04	28.1	0.19	17.05	2.4	13	3.77	7.6
K303494		10.29	<0.01	0.06	3.48	46	300	0.95	0.09	17.50	0.07	37.9	5.9	33	18.70	17.1
K303495		11.86	<0.01	0.12	2.63	20	250	0.90	0.07	21.9	0.09	30.0	5.1	25	15.70	13.8
K303496		12.54	<0.01	0.07	2.05	18	170	0.61	0.06	23.4	0.14	22.6	3.7	20	10.05	11.5
K303497		12.68	<0.01	0.04	2.04	66	260	0.67	0.05	23.5	0.11	24.4	3.5	20	5.80	10.4
K303498		11.19	<0.01	0.04	1.97	16	210	0.69	0.05	22.4	0.07	23.9	3.6	17	8.47	9.7
K303499		10.89	<0.01	0.06	2.81	17	670	0.87	0.07	15.20	0.07	32.3	3.7	27	12.35	11.6
K303500		11.40	0.01	0.04	1.45	66	220	0.53	0.04	25.5	0.11	17.95	2.2	13	4.43	7.1
K306001		5.55	0.04	0.07	2.55	66	170	0.82	0.05	23.7	0.05	27.3	4.7	21	10.85	11.4
K306002		5.51	<0.01	0.03	3.25	35	200	0.86	0.08	21.2	0.05	37.5	4.8	27	12.80	13.7
K306003		5.91	<0.01	0.04	3.76	84	250	1.16	0.08	15.40	0.02	40.3	6.2	29	16.55	21.7
K306004		11.82	0.03	0.09	1.14	2980	280	0.48	0.04	22.5	0.03	14.85	2.5	10	2.89	9.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215824

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K303469		1.28	8.34	0.08	1.6	0.21	0.026	1.75	19.0	19.0	4.46	192	1.00	<0.01	5.3	15.5
K303470		0.67	3.97	0.06	0.7	0.08	0.016	0.82	9.5	9.7	2.19	130	0.62	<0.01	2.4	8.8
K303471		0.69	4.12	0.06	0.8	0.07	0.011	0.89	9.6	11.4	2.15	124	0.66	<0.01	2.7	8.3
K303472		1.26	8.16	0.10	1.6	0.12	0.023	1.78	17.9	28.1	3.09	187	0.74	0.03	5.9	14.0
K303473		6.39	20.6	0.16	3.9	9.1	0.043	1.32	64.9	17.9	0.12	36	6.28	0.35	10.0	15.3
K303474		1.24	7.43	0.08	1.4	0.10	0.021	1.60	18.3	24.3	3.40	180	0.74	0.01	5.0	12.8
K303475		0.70	4.25	0.06	0.9	0.09	0.013	0.94	10.7	15.0	2.38	134	1.13	<0.01	2.8	7.9
K303476		0.65	4.57	0.07	1.4	0.09	0.018	1.07	11.3	15.1	2.72	142	0.96	<0.01	3.3	7.9
K303477		0.47	0.30	0.05	<0.1	<0.01	0.005	0.05	0.6	1.5	12.50	211	0.10	<0.01	0.2	3.1
K303478		0.62	3.69	0.06	0.6	0.09	0.016	0.80	10.2	13.0	1.65	124	0.97	<0.01	2.5	8.1
K303479		0.77	4.58	0.08	0.9	0.13	0.016	1.07	12.5	15.7	2.38	133	0.67	0.01	3.3	9.5
K303480		0.54	3.23	0.09	0.5	0.14	0.009	0.67	8.6	10.3	1.43	113	0.59	<0.01	2.1	7.8
K303481		1.53	8.80	0.09	1.9	0.18	0.026	2.02	21.7	33.9	4.33	192	0.91	0.05	5.5	16.2
K303482		1.55	8.95	0.10	1.8	0.18	0.027	2.03	21.6	34.5	4.33	187	0.87	0.05	5.4	16.3
K303483		0.69	4.03	0.09	0.7	0.08	0.017	0.88	10.0	12.4	1.71	137	0.55	<0.01	2.5	8.8
K303484		1.11	6.42	0.09	1.3	0.21	0.021	1.43	16.0	19.5	2.41	173	0.70	0.02	4.3	12.1
K303485		1.37	8.66	0.11	1.8	0.62	0.026	1.89	21.0	24.4	3.41	206	0.63	0.02	5.5	14.4
K303486		2.06	7.63	0.10	1.4	4.46	0.025	1.00	27.7	37.5	2.47	267	17.80	0.01	6.7	49.7
K303487		1.63	9.33	0.11	2.1	1.64	0.027	1.98	21.9	25.5	4.31	251	0.85	0.01	5.7	16.2
K303488		1.20	7.39	0.08	1.1	3.12	0.021	1.45	17.0	18.7	2.76	453	0.40	<0.01	4.5	13.4
K303489		0.40	0.27	0.05	<0.1	0.01	0.006	0.05	0.6	1.7	11.95	181	0.07	<0.01	0.3	2.7
K303490		2.04	10.85	0.11	1.9	2.43	0.027	2.20	24.8	35.3	5.36	520	1.44	0.01	6.7	19.5
K303491		1.68	10.15	0.08	2.1	0.43	0.032	2.36	22.9	48.6	3.46	208	1.26	0.01	6.2	17.1
K303492		0.97	5.32	0.08	0.9	0.16	0.017	1.18	13.7	23.7	1.91	143	0.98	<0.01	3.5	9.9
K303493		0.60	3.37	0.07	0.6	0.14	0.011	0.72	10.1	10.1	1.00	125	0.73	<0.01	2.3	7.6
K303494		1.54	8.48	0.08	1.6	0.12	0.027	2.05	20.2	40.2	2.40	185	0.66	0.01	5.2	15.5
K303495		1.19	6.98	0.09	1.3	0.10	0.020	1.62	15.6	22.5	2.59	174	0.87	<0.01	4.3	14.2
K303496		0.86	5.32	0.08	1.0	0.07	0.016	1.30	12.3	16.7	1.89	143	0.50	<0.01	3.3	10.6
K303497		0.82	5.43	0.10	1.1	0.19	0.014	1.30	12.8	12.6	1.89	144	0.57	<0.01	3.4	10.0
K303498		0.74	5.21	0.10	1.4	0.10	0.012	1.31	12.8	12.6	2.07	136	0.40	<0.01	3.3	9.3
K303499		0.98	7.24	0.11	2.1	0.16	0.017	1.81	16.1	17.2	4.33	189	0.43	0.02	4.7	9.7
K303500		0.63	3.78	0.09	1.1	0.27	0.016	0.90	10.2	7.3	1.79	186	0.48	<0.01	2.4	6.2
K306001		0.95	6.56	0.09	0.6	0.35	0.018	1.43	14.9	13.2	1.64	235	0.88	<0.01	3.3	12.1
K306002		1.24	8.21	0.11	1.2	0.18	0.021	1.85	20.5	19.8	1.93	246	0.45	<0.01	4.4	14.0
K306003		1.53	9.98	0.11	1.1	0.33	0.027	2.09	22.2	22.3	5.65	263	0.49	<0.01	5.2	15.2
K306004		0.65	3.03	0.07	0.5	0.48	0.012	0.62	8.8	5.5	7.02	346	0.77	<0.01	1.8	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215824

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K303469		390	8.4	69.6	0.002	0.42	0.49	4.8	3	1.2	470	0.40	<0.05	6.8	0.151	0.60
K303470		200	6.9	29.2	<0.002	0.20	0.29	2.3	1	0.6	1120	0.18	<0.05	3.2	0.070	0.34
K303471		200	8.9	32.9	<0.002	0.20	0.30	2.5	1	0.6	1095	0.19	<0.05	3.3	0.073	0.28
K303472		400	7.3	70.6	<0.002	0.26	1.14	4.9	2	1.2	522	0.43	<0.05	6.6	0.162	0.72
K303473		880	16.7	47.3	0.002	2.95	121.0	14.9	2	3.1	487	0.70	0.13	8.9	0.524	8.00
K303474		370	7.1	64.4	0.002	0.28	0.33	4.2	2	1.1	608	0.34	<0.05	5.9	0.129	0.32
K303475		250	7.6	34.8	<0.002	0.20	0.28	2.5	2	0.7	1180	0.21	<0.05	3.5	0.074	0.40
K303476		300	9.1	39.4	<0.002	0.22	0.30	2.7	3	0.7	1245	0.21	<0.05	4.1	0.085	0.54
K303477		180	1.3	3.3	<0.002	0.01	0.08	0.3	<1	0.2	50.4	<0.05	<0.05	<0.2	<0.005	0.02
K303478		240	8.0	32.0	<0.002	0.26	0.25	2.1	1	0.6	1255	0.17	<0.05	3.1	0.065	0.33
K303479		320	7.1	42.3	0.002	0.34	0.25	2.9	2	0.7	1045	0.23	<0.05	4.1	0.084	0.41
K303480		190	6.4	26.4	<0.002	0.26	0.32	1.9	1	0.6	1385	0.14	<0.05	2.5	0.054	0.43
K303481		540	11.2	87.5	<0.002	0.34	0.38	5.1	3	1.3	483	0.42	<0.05	7.4	0.155	0.67
K303482		510	11.0	92.2	<0.002	0.35	0.39	5.1	2	1.3	443	0.39	<0.05	7.0	0.155	0.63
K303483		230	5.5	35.9	<0.002	0.18	0.21	2.5	1	0.6	953	0.17	<0.05	3.0	0.068	0.29
K303484		330	7.5	67.3	<0.002	0.32	0.28	3.9	1	1.0	692	0.30	<0.05	5.6	0.114	0.55
K303485		460	8.8	79.5	0.002	0.47	0.34	4.9	2	1.3	598	0.39	<0.05	7.3	0.152	1.08
K303486		870	38.9	47.5	0.023	1.55	111.5	4.7	4	2.5	71.9	0.42	0.16	6.0	0.169	4.18
K303487		470	9.5	85.3	0.002	0.83	3.70	5.3	2	1.3	323	0.41	<0.05	7.7	0.165	3.67
K303488		310	5.8	65.5	0.002	0.69	5.19	4.6	2	1.1	389	0.32	<0.05	5.5	0.119	8.86
K303489		200	1.1	1.9	<0.002	0.01	0.11	0.2	<1	0.2	46.5	<0.05	<0.05	<0.2	<0.005	0.02
K303490		540	9.0	99.0	0.002	1.84	15.05	6.3	2	1.5	284	0.50	<0.05	8.6	0.186	7.03
K303491		460	11.6	100.0	<0.002	0.54	0.55	5.9	2	1.4	665	0.47	<0.05	7.9	0.177	1.32
K303492		310	9.6	50.6	<0.002	0.29	0.35	3.1	1	0.8	1690	0.24	<0.05	4.4	0.091	0.54
K303493		240	7.6	27.3	<0.002	0.29	0.34	2.1	1	0.6	1365	0.15	<0.05	2.8	0.061	0.33
K303494		430	7.9	83.8	<0.002	0.22	0.29	5.0	2	1.1	495	0.40	<0.05	6.9	0.151	0.54
K303495		380	8.0	64.3	<0.002	0.22	0.30	4.2	2	1.0	865	0.32	<0.05	5.3	0.116	0.38
K303496		350	5.7	50.0	<0.002	0.16	0.20	3.2	1	0.8	760	0.24	<0.05	4.1	0.090	0.29
K303497		310	5.7	46.4	<0.002	0.20	0.33	3.1	1	0.9	577	0.23	<0.05	4.3	0.093	0.43
K303498		250	5.5	46.8	<0.002	0.11	0.21	3.1	1	0.8	604	0.24	<0.05	4.1	0.089	0.26
K303499		380	7.1	63.1	0.002	0.13	0.27	4.2	1	1.0	345	0.33	<0.05	5.9	0.130	0.34
K303500		320	4.6	27.5	0.002	0.16	0.44	2.1	1	0.6	810	0.17	<0.05	3.0	0.066	0.50
K306001		350	5.3	48.2	<0.002	0.22	0.63	3.9	1	0.8	544	0.23	<0.05	4.1	0.090	0.77
K306002		430	5.9	63.5	<0.002	0.37	0.17	4.8	1	1.0	418	0.31	<0.05	5.8	0.125	0.41
K306003		440	7.4	72.3	<0.002	0.58	0.49	5.8	1	1.2	284	0.35	<0.05	6.4	0.140	0.66
K306004		280	5.2	18.6	<0.002	0.46	4.24	1.8	1	0.5	315	0.13	<0.05	2.4	0.050	0.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215824

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K303469		6.9	49	0.7	10.8	40	68.6
K303470		12.0	24	0.3	5.8	35	26.9
K303471		13.3	26	0.4	5.8	34	28.8
K303472		8.2	49	0.7	10.7	43	66.6
K303473		6.9	158	21.9	14.3	42	167.5
K303474		7.1	41	0.5	10.0	23	55.7
K303475		9.4	26	0.4	6.7	22	38.5
K303476		9.8	26	0.4	7.5	19	54.9
K303477		0.4	3	0.1	0.8	13	0.5
K303478		13.2	28	0.3	5.7	21	26.4
K303479		10.1	27	0.4	7.5	28	38.3
K303480		15.0	20	0.4	5.1	22	23.5
K303481		6.6	50	0.6	12.1	48	74.8
K303482		6.0	49	0.6	12.2	41	76.8
K303483		9.8	25	0.3	5.9	49	28.7
K303484		10.2	37	0.5	9.5	40	54.7
K303485		7.8	45	0.6	12.0	58	73.3
K303486		8.0	226	27.4	18.8	210	62.1
K303487		6.7	59	1.1	12.0	42	86.5
K303488		5.3	40	2.1	9.8	36	50.1
K303489		0.5	3	0.1	0.9	13	0.6
K303490		5.4	71	2.2	12.5	49	74.0
K303491		6.4	66	0.7	12.2	65	77.7
K303492		11.6	34	0.4	7.6	74	40.4
K303493		13.0	24	0.3	5.4	56	25.1
K303494		7.4	56	0.6	10.8	41	59.1
K303495		11.0	45	0.5	9.0	30	51.2
K303496		7.6	35	0.4	7.2	25	37.2
K303497		7.9	31	0.4	7.7	26	44.8
K303498		8.6	28	0.3	8.0	16	59.5
K303499		5.8	40	0.5	10.2	18	86.3
K303500		9.3	23	0.5	6.3	11	48.6
K306001		7.7	41	0.4	6.6	7	27.8
K306002		8.0	55	0.4	10.2	12	50.1
K306003		6.4	50	0.9	10.1	10	47.4
K306004		10.3	24	0.6	5.6	6	25.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215824

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

CERTIFICATE WH11215805

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 258 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215805

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304442		10.86	<0.01	0.06	2.95	54	450	0.84	0.10	15.20	0.05	30.5	5.2	20	11.15	18.3
K304443		11.28	0.04	0.07	0.57	1120	40	0.22	0.02	18.90	0.06	8.65	2.1	5	1.71	6.8
K304444		11.70	0.01	0.13	1.04	58	50	0.39	0.03	17.90	0.05	14.05	2.4	10	4.30	7.3
K304445		11.32	0.01	0.09	1.12	112	60	0.38	0.04	17.25	0.16	14.45	2.4	9	4.95	7.2
K304446		4.48	0.01	0.06	0.44	316	20	0.14	0.01	18.40	0.19	12.35	1.7	4	1.05	2.8
K304447		0.23	2.87	1.61	3.21	587	840	0.68	0.30	7.85	2.26	48.8	6.6	47	3.58	43.2
K304448		9.15	0.01	0.06	1.28	142	70	0.44	0.03	15.75	0.03	18.75	2.5	9	3.58	6.6
K304449		9.30	<0.01	0.04	1.07	42	100	0.38	0.02	30.7	0.07	14.55	2.0	8	3.08	5.6
K304450		10.87	0.57	0.03	3.51	1320	240	1.05	0.07	12.75	0.07	44.5	5.6	29	10.45	19.4
K304451		10.60	0.01	0.01	2.29	53	430	0.75	0.05	20.7	0.10	29.9	3.7	17	6.53	11.3
K304452		3.80	0.01	0.01	2.09	39	420	0.67	0.05	21.6	0.11	28.1	3.4	16	6.10	10.6
K304453		11.49	0.02	0.05	2.66	48	200	0.79	0.06	20.5	0.10	35.3	4.9	21	7.90	12.0
K304454		12.53	0.64	0.09	3.53	212	250	0.91	0.09	13.10	0.07	46.8	5.0	31	10.15	18.6
K304455		11.46	0.01	0.07	3.93	268	190	1.17	0.08	17.70	0.03	47.2	6.9	27	15.20	14.0
K304456		6.89	<0.01	<0.01	0.06	<5	20	0.05	0.30	20.3	0.07	1.29	1.9	<1	0.15	4.2
K304457		11.02	<0.01	0.04	3.90	150	350	1.07	0.08	20.2	0.03	47.0	6.3	26	14.05	10.4
K304458		5.59	<0.01	0.02	3.80	79	210	1.08	0.08	19.80	0.03	44.6	5.6	26	12.90	13.1
K304459		5.72	0.52	0.09	3.66	>10000	210	0.95	0.08	13.55	0.07	45.9	5.8	29	11.15	13.6
K304460		11.13	<0.01	0.07	3.15	59	230	0.95	0.07	21.6	0.04	35.7	5.2	26	10.10	18.7
K304461		10.67	<0.01	0.17	1.25	47	140	0.35	0.03	31.0	0.16	16.45	2.5	12	3.43	8.4
K304462		11.04	0.01	0.11	2.83	68	220	0.71	0.05	22.5	0.03	33.8	5.0	20	7.82	11.4
K304463		11.28	<0.01	0.05	2.73	38	190	0.83	0.06	16.45	0.08	36.9	4.6	23	7.87	11.2
K304464		10.88	<0.01	0.05	4.00	35	240	1.15	0.10	14.10	0.07	47.3	6.3	34	12.35	17.1
K304465		10.79	<0.01	0.02	1.98	47	160	0.66	0.04	23.9	0.22	25.2	3.0	17	6.12	8.0
K304466		11.57	0.01	0.04	1.83	105	120	0.65	0.05	25.1	0.08	24.6	2.7	15	4.62	12.0
K304467		0.23	0.32	0.32	6.35	630	400	0.54	0.28	0.50	0.19	147.5	2.9	231	3.44	33.4
K304468		8.24	1.50	0.11	1.90	595	100	0.53	0.06	24.3	0.16	26.5	3.3	16	4.73	14.6
K304469		7.45	0.01	0.08	3.40	91	200	1.03	0.08	19.05	0.06	40.6	5.6	30	6.96	18.5
K304470		6.67	0.10	0.02	2.84	102	900	0.79	0.07	15.40	0.06	35.0	3.7	24	5.25	11.5
K304471		7.61	<0.01	0.02	2.17	24	130	0.78	0.05	24.3	0.07	26.9	3.0	17	5.68	11.6
K304472		7.42	<0.01	0.02	1.95	18	550	0.66	0.05	24.5	0.11	24.0	2.8	15	4.66	9.8
K304473		7.03	<0.01	0.03	1.38	19	680	0.52	0.04	26.8	0.07	19.85	2.0	11	3.84	3.5
K304474		6.94	0.01	<0.01	0.11	<5	20	0.11	0.02	20.3	0.05	1.46	1.9	<1	0.25	1.3
K304475		7.30	<0.01	0.02	2.72	37	170	0.87	0.06	22.6	0.04	31.7	4.1	24	7.10	12.4
K304476		7.34	0.01	0.04	2.25	27	70	0.80	0.06	24.9	0.07	28.9	3.5	19	5.19	12.1
K304477		7.66	<0.01	0.02	1.00	17	60	0.43	0.03	28.4	0.17	15.75	2.2	9	2.51	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215805

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304442		2.41	6.80	0.05	1.4	0.21	0.022	1.41	16.5	8.7	7.14	558	1.26	0.03	4.4	9.0
K304443		0.31	1.47	0.18	0.3	0.77	<0.005	0.26	5.4	3.8	11.45	309	0.40	0.01	1.1	1.2
K304444		0.72	2.40	0.11	0.6	0.45	0.009	0.49	8.0	6.8	11.00	245	0.63	0.01	1.7	2.9
K304445		0.58	2.75	0.13	0.5	0.60	0.009	0.52	8.0	7.4	10.50	339	0.93	0.01	2.0	3.2
K304446		0.44	1.21	0.19	0.2	0.51	0.005	0.20	6.3	2.7	11.40	368	0.39	0.01	0.9	0.9
K304447		2.01	7.69	0.10	1.7	4.02	0.028	0.98	30.6	39.1	2.52	259	19.10	0.03	7.1	51.8
K304448		0.80	3.05	0.08	1.0	0.83	0.010	0.61	10.1	7.0	9.52	285	0.93	0.01	2.2	3.0
K304449		0.41	2.54	0.10	0.5	0.21	0.008	0.53	8.8	5.1	0.98	113	0.36	0.01	1.8	0.3
K304450		1.14	8.65	0.11	2.5	1.63	0.025	1.71	23.3	20.1	3.69	300	0.55	0.02	6.2	9.4
K304451		0.78	5.38	0.08	1.7	0.37	0.016	1.18	16.7	9.7	3.14	164	0.39	0.02	4.0	2.5
K304452		0.75	4.98	0.09	1.6	0.37	0.015	1.07	15.8	8.6	2.65	157	0.31	0.02	3.7	1.9
K304453		0.71	6.73	0.12	1.7	0.39	0.020	1.39	19.2	11.4	1.87	153	0.52	0.02	4.8	5.0
K304454		1.37	8.34	0.10	2.6	1.85	0.025	1.79	24.3	14.5	5.22	590	0.64	0.02	6.0	8.3
K304455		1.29	9.26	0.10	1.5	0.27	0.026	2.02	25.5	20.0	2.78	198	0.72	0.02	5.3	12.5
K304456		0.47	0.35	0.32	<0.1	<0.01	<0.005	0.02	0.6	0.9	12.60	205	0.07	<0.01	0.4	0.3
K304457		1.19	9.24	0.10	1.3	0.21	0.026	1.97	24.8	18.2	1.58	161	0.49	0.02	5.3	11.3
K304458		1.06	8.98	0.11	1.3	0.37	0.023	1.96	24.0	18.2	1.61	166	0.49	0.02	5.1	9.4
K304459		1.26	8.73	0.10	2.6	1.29	0.050	1.81	24.7	17.3	2.43	341	0.74	0.02	5.5	11.0
K304460		0.98	8.22	0.08	1.7	0.21	0.022	1.66	18.9	14.3	2.35	220	0.67	0.02	4.9	11.5
K304461		0.47	3.00	0.09	0.5	0.15	0.009	0.64	9.9	5.2	0.94	158	0.76	0.01	2.1	1.4
K304462		1.49	6.50	0.08	0.9	0.20	0.018	1.47	18.2	11.4	2.66	238	0.57	0.01	3.8	8.6
K304463		1.03	6.66	0.10	2.1	0.11	0.019	1.50	19.1	13.3	3.68	195	0.79	0.02	4.8	8.0
K304464		1.09	9.60	0.12	2.7	0.11	0.027	2.18	25.5	19.6	3.13	165	0.92	0.04	6.9	12.3
K304465		0.58	4.68	0.10	1.3	0.11	0.014	1.12	14.1	10.8	1.75	131	0.59	0.02	3.5	2.8
K304466		0.65	4.48	0.12	1.1	0.54	0.014	0.98	13.9	9.4	2.20	152	0.65	0.01	3.3	1.9
K304467		6.56	20.9	0.26	4.3	9.0	0.053	1.32	74.1	18.1	0.13	34	7.10	0.38	10.5	17.2
K304468		0.72	4.56	0.08	0.9	4.58	0.018	0.99	14.8	8.7	1.92	894	0.73	0.01	3.2	2.7
K304469		0.80	8.26	0.11	1.6	0.99	0.025	1.70	22.5	15.3	1.80	175	1.05	0.02	5.7	12.4
K304470		0.86	6.54	0.11	1.8	2.81	0.018	1.42	19.1	13.4	3.69	216	0.70	0.02	4.7	5.5
K304471		0.51	5.31	0.12	1.1	0.17	0.017	1.16	15.5	12.7	1.58	112	0.46	0.01	3.8	2.2
K304472		0.68	4.43	0.11	0.9	0.24	0.014	0.99	14.1	10.9	1.71	117	0.39	0.02	3.2	2.0
K304473		0.56	3.30	0.12	0.7	0.15	0.010	0.72	11.1	8.5	1.88	124	0.39	0.01	2.3	<0.2
K304474		0.42	0.50	0.36	<0.1	<0.01	<0.005	0.04	0.7	2.0	12.70	188	0.12	0.01	0.5	1.7
K304475		0.74	6.40	0.15	1.2	0.28	0.018	1.41	18.0	17.6	1.91	133	0.61	0.02	4.3	5.5
K304476		0.65	5.46	0.14	1.0	0.36	0.017	1.16	16.5	12.1	1.31	114	0.61	0.01	3.8	3.6
K304477		0.46	2.41	0.12	0.6	0.12	0.008	0.52	9.1	6.7	1.61	92	0.45	0.01	2.0	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215805

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304442		450	8.2	56.9	<0.002	0.22	0.41	5.6	2	0.9	144.0	0.31	<0.05	5.3	0.125	1.17
K304443		250	7.0	11.1	<0.002	0.21	2.16	1.1	2	0.2	90.6	0.07	<0.05	1.2	0.023	0.94
K304444		260	8.5	20.3	<0.002	0.50	0.65	1.7	2	0.4	92.0	0.11	<0.05	2.3	0.044	0.87
K304445		250	7.5	21.9	0.002	0.31	0.37	1.8	2	0.4	87.5	0.13	<0.05	2.5	0.048	0.78
K304446		160	3.4	7.9	0.002	0.18	0.62	0.8	2	0.2	88.8	0.05	<0.05	0.9	0.018	0.35
K304447		870	36.4	52.3	0.022	1.48	105.5	5.5	4	2.4	73.2	0.45	0.18	7.1	0.166	4.02
K304448		270	6.6	25.1	0.002	0.43	0.63	2.2	3	0.4	112.5	0.15	<0.05	3.1	0.055	0.87
K304449		210	4.2	21.4	<0.002	0.17	0.19	1.8	2	0.3	684	0.11	<0.05	2.0	0.043	0.36
K304450		540	6.5	65.4	<0.002	0.31	4.93	5.9	2	1.1	231	0.44	<0.05	8.2	0.158	4.69
K304451		320	5.0	42.8	<0.002	0.07	0.32	3.9	3	0.8	435	0.28	<0.05	5.3	0.102	0.63
K304452		300	5.3	38.4	<0.002	0.10	0.22	3.5	3	0.7	465	0.25	<0.05	4.8	0.093	0.39
K304453		460	6.6	51.9	<0.002	0.13	0.55	4.7	3	0.9	391	0.34	<0.05	6.1	0.117	0.64
K304454		550	7.5	66.0	<0.002	0.32	4.25	6.0	2	1.1	234	0.45	<0.05	8.5	0.163	5.89
K304455		430	6.2	74.4	<0.002	0.41	0.47	6.4	2	1.0	524	0.39	<0.05	7.6	0.142	0.64
K304456		180	1.1	1.3	<0.002	<0.01	0.05	0.3	1	<0.2	48.4	<0.05	<0.05	<0.2	<0.005	<0.02
K304457		400	6.7	72.9	<0.002	0.38	0.45	6.3	2	1.0	766	0.38	<0.05	7.2	0.139	0.64
K304458		380	5.1	72.8	<0.002	0.20	0.61	6.3	2	1.0	631	0.37	<0.05	7.1	0.136	1.15
K304459		540	6.7	67.3	<0.002	2.16	75.5	5.6	3	1.0	321	0.40	<0.05	8.1	0.150	6.67
K304460		520	7.5	53.0	<0.002	0.27	0.46	4.7	2	1.0	640	0.39	<0.05	6.2	0.126	0.76
K304461		240	6.0	25.2	<0.002	0.03	0.34	2.2	2	0.4	1165	0.13	<0.05	2.4	0.050	0.52
K304462		330	7.6	51.1	<0.002	0.19	0.40	4.6	2	0.8	1020	0.27	<0.05	5.3	0.099	0.86
K304463		320	7.1	55.5	<0.002	0.22	0.33	4.5	2	1.0	459	0.34	<0.05	6.3	0.120	0.64
K304464		500	8.2	84.4	<0.002	0.25	0.34	6.8	3	1.4	345	0.51	<0.05	9.3	0.181	0.74
K304465		360	4.6	40.9	<0.002	0.07	0.23	3.3	3	0.7	645	0.24	<0.05	4.6	0.089	0.39
K304466		220	5.3	41.7	<0.002	0.07	0.58	3.2	3	0.7	740	0.22	<0.05	4.1	0.079	1.27
K304467		910	17.6	50.9	0.003	2.99	119.0	17.3	3	3.2	504	0.76	0.15	10.5	0.550	8.40
K304468		300	4.8	42.1	<0.002	0.32	10.95	3.7	3	0.7	466	0.23	<0.05	4.2	0.080	20.9
K304469		460	7.2	65.9	<0.002	0.26	0.77	5.6	2	1.2	486	0.40	<0.05	7.3	0.143	1.94
K304470		390	6.2	52.2	<0.002	0.15	1.24	4.6	2	1.0	370	0.34	<0.05	6.5	0.124	3.93
K304471		250	6.6	43.4	<0.002	0.09	0.20	3.7	2	0.7	673	0.26	<0.05	4.6	0.091	0.75
K304472		270	5.5	39.4	<0.002	0.21	0.18	3.2	2	0.7	517	0.22	<0.05	4.1	0.080	0.92
K304473		160	4.0	30.5	<0.002	0.07	0.14	2.4	2	0.4	647	0.15	<0.05	2.8	0.054	1.01
K304474		220	1.4	2.2	<0.002	<0.01	0.06	0.4	1	<0.2	47.2	<0.05	<0.05	<0.2	<0.005	<0.02
K304475		390	5.5	53.5	<0.002	0.14	0.20	4.5	2	0.8	574	0.30	<0.05	5.8	0.110	1.54
K304476		280	6.2	44.5	<0.002	0.26	0.21	3.9	2	0.8	770	0.27	<0.05	4.9	0.094	1.04
K304477		150	8.3	22.2	<0.002	0.22	0.21	1.8	2	0.4	1540	0.12	<0.05	2.4	0.044	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215805

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304442		8.1	45	0.7	11.2	26	49.7	
K304443		17.1	10	0.7	3.8	10	8.7	
K304444		20.8	20	0.8	5.2	6	20.5	
K304445		20.0	25	0.8	5.4	35	19.1	
K304446		8.2	14	0.4	4.8	59	8.2	
K304447		10.5	230	27.5	22.0	205	63.2	
K304448		10.7	28	1.1	7.1	5	35.4	
K304449		13.5	20	0.6	5.5	7	16.7	
K304450		7.9	51	2.1	14.5	13	91.9	
K304451		9.1	33	0.9	10.3	11	61.5	
K304452		8.3	30	0.8	9.8	9	57.8	
K304453		10.0	42	1.4	11.8	11	60.1	
K304454		7.2	56	2.4	16.1	12	90.4	
K304455		12.2	54	1.5	12.2	13	53.3	
K304456		0.6	2	0.1	0.9	17	<0.5	
K304457		11.8	50	1.2	12.1	13	46.4	
K304458		10.7	51	1.6	11.1	13	43.4	
K304459		10.4	53	2.6	13.0	16	91.4	3.59
K304460		11.5	43	1.4	10.3	12	62.8	
K304461		17.4	35	0.5	4.7	30	16.3	
K304462		14.3	47	0.8	8.5	9	29.4	
K304463		8.1	43	0.9	12.0	10	74.0	
K304464		8.1	61	0.8	15.7	18	96.0	
K304465		6.3	30	0.7	8.5	9	44.7	
K304466		16.0	29	1.0	8.0	16	38.6	
K304467		9.2	175	23.2	16.8	44	171.5	
K304468		10.6	27	1.3	11.9	17	31.3	
K304469		13.8	59	1.7	12.3	17	56.4	
K304470		10.2	44	1.2	11.0	22	64.1	
K304471		15.4	32	0.4	8.1	21	39.3	
K304472		14.3	28	0.5	7.2	33	31.3	
K304473		17.5	23	0.4	5.9	16	24.3	
K304474		0.6	3	0.1	0.9	14	<0.5	
K304475		14.2	42	0.6	9.2	8	41.3	
K304476		15.2	35	0.5	8.6	28	35.1	
K304477		18.4	16	0.3	4.6	39	19.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215805

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

CERTIFICATE WH11240722

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 258 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18- NOV- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11240722

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
K304442		<0.01
K304443		0.04
K304444		0.01
K304445		0.01
K304446		0.01
K304447		2.67
K304448		0.01
K304449		<0.01
K304450		0.55
K304451		0.02
K304452		0.01
K304453		0.02
K304454		0.61
K304455		0.01
K304456		<0.01
K304457		<0.01
K304458		0.01
K304459		0.58
K304460		0.01
K304461		0.01
K304462		<0.01
K304463		0.01
K304464		0.01
K304465		<0.01
K304466		0.01
K304467		0.33
K304468		1.51
K304469		0.02
K304470		0.13
K304471		0.01
K304472		<0.01
K304473		<0.01
K304474		<0.01
K304475		<0.01
K304476		<0.01
K304477		<0.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

CERTIFICATE WH11206159

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 259 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206159

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304830		0.24	16.20	0.93	2.00	1200	180	0.34	0.61	14.35	0.63	32.1	3.9	34	2.26	63.1
K304831		5.50	4.05	1.72	3.22	>10000	220	0.65	0.08	6.59	0.19	40.5	5.8	33	6.68	22.5
K304832		5.74	5.94	1.01	3.65	>10000	140	0.65	0.09	9.61	0.17	43.2	6.4	35	7.98	20.1
K304833		5.02	<0.01	0.01	0.08	66	20	0.05	0.03	20.8	0.07	1.17	1.4	1	0.28	2.0
K304834		2.87	6.43	1.00	1.12	>10000	50	0.21	0.04	7.03	1.06	9.97	2.4	13	2.35	10.3
K304835		3.20	9.26	24.4	2.35	>10000	120	0.42	0.08	7.77	0.40	17.25	5.6	26	4.27	44.8
K304836		1.88	16.30	3.42	3.30	>10000	140	0.62	0.09	4.20	0.36	26.8	5.2	34	5.55	15.3
K304837		0.24	7.86	0.51	3.41	969	160	0.89	0.67	12.25	4.30	43.3	5.7	93	7.44	36.2
K304838		4.87	1.19	0.45	3.17	448	100	0.74	0.08	19.10	0.06	35.2	5.3	27	5.82	13.2
K304839		0.99	0.30	0.10	4.53	1250	200	1.12	0.11	12.30	0.10	46.2	7.8	41	11.80	20.2
K304840		5.00	<0.01	0.02	0.08	38	20	0.06	0.02	19.50	0.05	1.30	1.4	<1	0.43	1.3
K304841		4.51	5.00	1.39	4.21	>10000	320	1.09	0.12	5.34	0.40	63.1	8.0	49	10.70	29.4
K304842		5.29	5.77	0.75	3.35	>10000	140	0.77	0.08	10.30	0.24	52.2	5.7	37	7.65	17.1
K304843		5.56	11.05	0.95	4.40	>10000	160	1.37	0.12	7.94	0.20	59.4	7.6	45	13.00	19.4
K304844		2.71	9.79	0.86	4.16	>10000	160	1.24	0.10	7.93	0.19	55.6	6.8	43	12.30	18.8
K304845		5.52	1.06	0.16	3.85	1060	210	1.29	0.09	26.0	0.11	48.1	6.4	40	15.90	20.2
K304846		5.30	0.14	0.10	3.13	225	170	0.97	0.07	18.30	0.06	35.3	5.5	29	9.60	11.5
K304847		5.93	0.08	0.05	2.47	188	130	0.79	0.07	22.1	0.07	30.0	4.2	19	7.36	15.1
K304848		5.46	0.11	0.06	1.51	254	120	0.51	0.04	27.1	0.05	21.4	3.2	14	5.23	8.8
K304849		2.99	0.44	0.14	5.14	993	180	1.93	0.12	9.68	0.05	57.0	8.9	52	24.7	35.9
K304850		7.35	0.32	0.09	3.77	3140	200	1.38	0.09	11.30	0.05	44.0	6.4	34	15.10	14.8
K304851		3.42	0.08	0.07	2.41	220	240	0.80	0.06	19.70	0.03	29.5	3.7	20	7.82	10.2
K304852		5.19	0.02	0.06	2.02	105	140	0.65	0.05	25.7	0.04	24.8	3.7	16	6.67	9.2
K304853		5.33	0.01	0.04	1.61	54	190	0.46	0.04	28.1	0.04	20.0	3.1	12	5.55	8.1
K304854		2.32	0.01	0.01	0.81	117	70	0.26	0.02	30.3	0.05	11.80	1.8	6	2.47	5.1
K304855		4.54	0.01	0.04	1.21	47	80	0.35	0.03	29.2	0.05	14.75	2.5	9	3.21	8.5
K304856		4.63	0.01	0.05	1.79	46	180	0.56	0.05	26.4	0.03	22.7	3.3	15	6.87	8.6
K304857		2.41	<0.01	0.08	3.94	86	190	1.22	0.09	14.20	0.05	50.3	7.1	38	18.85	17.6
K304858		5.46	<0.01	0.04	1.36	67	140	0.48	0.04	28.4	0.03	19.60	2.9	12	4.18	7.8
K304859		5.14	<0.01	0.05	1.30	45	90	0.41	0.04	28.2	0.03	16.85	2.6	11	3.47	6.4
K304860		5.39	0.01	0.03	1.72	60	200	0.48	0.05	26.7	0.03	22.2	3.4	14	3.50	6.9
K304861		5.20	<0.01	0.03	1.03	53	100	0.37	0.03	30.0	0.03	16.50	2.1	12	2.73	5.8
K304862		5.73	<0.01	0.04	1.38	56	90	0.46	0.04	28.2	0.04	18.15	2.9	13	5.06	7.1
K304863		6.01	<0.01	0.05	1.34	35	120	0.41	0.04	24.1	0.06	19.55	2.5	11	4.24	7.2
K304864		5.52	<0.01	0.11	2.65	64	290	0.80	0.06	16.80	0.04	33.8	4.9	25	11.20	14.2
K304865		5.20	0.11	0.09	1.46	124	130	0.38	0.04	15.05	0.02	21.4	2.7	12	3.83	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206159

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304830		3.46	3.63	0.11	0.9	6.54	0.052	0.39	18.7	41.4	0.70	435	12.50	0.01	3.8	21.8
K304831		1.60	7.56	0.10	2.6	6.71	0.068	1.57	21.5	22.1	2.58	1380	1.05	0.01	5.4	15.6
K304832		1.16	8.70	0.09	1.7	3.67	0.051	1.80	24.2	16.6	2.11	1040	1.03	0.02	5.8	16.6
K304833		0.49	0.37	0.19	<0.1	0.01	0.005	0.03	0.6	1.5	12.35	217	0.24	0.01	0.3	0.9
K304834		0.47	2.94	0.12	0.4	4.26	0.343	0.54	6.6	10.2	0.25	252	1.03	0.01	2.0	6.5
K304835		1.92	6.01	0.10	1.2	6.3	0.170	1.11	10.6	16.6	1.26	711	8.19	0.02	4.0	15.4
K304836		1.66	8.48	0.09	2.0	6.39	0.062	1.62	16.2	22.8	1.52	725	1.28	0.01	5.7	14.9
K304837		1.36	8.10	0.17	2.3	5.31	0.067	1.44	28.7	11.3	0.72	260	11.65	0.01	8.0	61.4
K304838		1.06	7.23	0.08	2.1	2.40	0.018	1.61	18.9	12.3	2.75	577	0.78	0.02	5.6	11.9
K304839		1.61	10.80	0.11	2.5	2.61	0.031	2.39	25.1	22.3	2.91	419	0.69	0.02	7.9	19.1
K304840		0.45	0.30	0.09	<0.1	0.01	<0.005	0.04	0.7	1.3	12.40	201	<0.05	0.01	0.3	1.9
K304841		2.11	11.35	0.15	2.6	14.8	0.075	2.16	32.5	27.6	2.28	725	1.15	0.02	7.6	20.6
K304842		1.33	8.16	0.10	2.5	4.50	0.035	1.66	27.0	21.8	1.81	1540	1.33	0.01	6.3	14.7
K304843		2.05	11.35	0.12	3.0	7.0	0.045	2.31	30.4	28.8	3.72	2140	1.10	0.02	8.2	19.1
K304844		1.85	10.70	0.11	2.9	6.3	0.042	2.19	28.4	28.9	3.51	2070	0.85	0.02	7.4	16.5
K304845		1.60	11.05	0.16	2.4	1.41	0.032	2.10	25.5	20.5	2.59	739	0.99	0.03	7.2	13.3
K304846		1.41	7.22	0.08	1.9	0.49	0.022	1.68	18.9	17.6	3.49	257	0.77	0.02	5.5	11.9
K304847		0.99	5.57	0.08	1.2	0.43	0.019	1.30	16.6	12.3	2.09	190	0.50	0.02	4.5	9.9
K304848		0.69	3.43	0.07	0.7	0.32	0.011	0.77	12.4	7.5	1.17	177	0.41	0.01	2.8	6.9
K304849		2.14	12.85	0.12	2.5	1.20	0.037	2.80	30.4	36.2	3.31	445	1.24	0.03	8.9	25.2
K304850		1.67	8.63	0.10	2.5	1.20	0.031	2.07	22.7	23.8	5.78	545	0.92	0.03	6.4	14.5
K304851		1.08	5.36	0.08	1.5	0.53	0.018	1.29	15.5	13.0	3.57	263	0.56	0.02	4.2	8.6
K304852		0.88	4.46	0.07	1.0	0.26	0.013	1.05	14.1	10.9	1.88	157	0.56	0.02	3.5	8.6
K304853		0.67	3.50	0.07	0.7	0.14	0.010	0.86	11.5	8.4	1.41	129	0.34	0.02	2.6	7.0
K304854		0.36	1.78	0.05	0.4	0.11	0.006	0.43	7.2	3.8	1.16	127	0.20	0.01	1.5	3.2
K304855		0.55	2.63	0.07	0.6	0.26	0.008	0.66	8.7	6.0	1.39	127	0.51	0.01	2.0	5.6
K304856		0.71	4.00	0.08	0.8	0.13	0.012	0.98	12.9	11.8	1.51	132	0.46	0.02	3.0	7.5
K304857		1.59	8.88	0.11	2.1	0.30	0.030	2.23	26.1	33.3	3.68	196	0.99	0.03	6.8	17.4
K304858		0.69	3.07	0.08	0.6	0.25	0.011	0.72	11.3	8.5	1.35	123	0.60	0.01	2.5	6.2
K304859		0.43	2.80	0.07	0.7	0.23	0.009	0.70	9.8	7.8	1.22	98	0.68	0.01	2.5	5.5
K304860		0.57	3.74	0.06	1.0	0.30	0.011	0.94	11.9	9.9	1.35	121	0.41	0.01	3.1	7.2
K304861		0.57	2.25	0.07	0.6	0.20	0.006	0.57	9.0	6.4	1.77	125	0.42	0.01	2.0	4.8
K304862		0.50	3.13	0.07	0.8	0.16	0.010	0.76	10.2	9.5	1.80	149	0.42	0.02	2.6	6.3
K304863		0.54	2.93	0.09	0.9	0.11	0.008	0.80	10.7	8.4	2.51	166	0.64	0.02	2.5	5.4
K304864		0.92	5.71	0.09	1.7	0.25	0.017	1.59	18.2	17.3	3.69	203	1.14	0.03	5.2	10.7
K304865		1.00	3.15	0.08	1.1	0.29	0.013	0.82	10.5	9.5	6.86	536	0.79	0.02	2.5	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206159

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304830		650	22.4	24.3	0.008	2.01	149.5	3.6	3	1.9	46.9	0.24	0.37	3.9	0.109	3.54
K304831		510	13.1	64.9	0.003	3.22	69.6	5.3	4	1.2	118.0	0.39	<0.05	7.3	0.141	23.1
K304832		670	8.5	74.8	<0.002	2.18	52.3	5.5	3	0.9	232	0.41	<0.05	7.5	0.150	12.00
K304833		160	1.2	1.7	<0.002	0.02	0.17	0.5	2	<0.2	45.9	<0.05	<0.05	<0.2	<0.005	0.03
K304834		200	5.2	24.4	<0.002	>10.0	494	1.5	14	0.4	147.0	0.13	0.18	2.2	0.049	7.50
K304835		300	15.2	53.2	0.002	7.46	220	3.4	7	0.7	149.0	0.28	0.10	4.4	0.099	27.1
K304836		360	12.0	68.9	<0.002	3.34	65.3	3.8	3	1.0	106.5	0.41	<0.05	6.3	0.149	22.9
K304837		4080	9.1	117.0	0.037	1.33	19.50	6.3	9	1.7	150.0	0.54	0.59	6.5	0.206	13.00
K304838		320	9.0	64.3	<0.002	0.61	5.03	5.2	2	0.9	356	0.38	<0.05	7.1	0.142	8.23
K304839		450	10.5	94.6	<0.002	1.07	7.97	7.1	3	1.3	211	0.55	<0.05	10.0	0.206	9.42
K304840		180	1.6	2.4	<0.002	0.02	0.14	0.4	2	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	0.04
K304841		710	12.0	93.8	<0.002	3.28	140.0	6.1	4	1.5	252	0.58	0.06	10.3	0.201	61.4
K304842		590	8.3	71.1	0.002	1.41	39.2	5.0	3	1.1	189.5	0.46	<0.05	8.3	0.159	19.25
K304843		500	10.4	102.5	<0.002	1.81	63.8	7.1	3	1.6	170.5	0.60	<0.05	10.5	0.211	36.5
K304844		480	9.4	94.4	<0.002	1.44	51.3	6.3	3	1.7	166.5	0.55	<0.05	9.6	0.199	32.1
K304845		550	11.5	92.8	<0.002	0.75	8.96	6.2	3	1.4	571	0.52	<0.05	8.2	0.179	8.10
K304846		380	8.3	69.3	<0.002	0.38	1.44	4.7	2	0.9	462	0.40	<0.05	7.1	0.141	1.73
K304847		340	7.2	57.1	<0.002	0.34	0.83	4.0	3	0.8	472	0.31	<0.05	5.7	0.107	1.13
K304848		240	4.8	34.6	<0.002	0.26	0.79	2.5	2	0.5	723	0.18	<0.05	3.3	0.065	1.05
K304849		740	10.5	128.5	0.002	1.07	3.30	8.3	3	1.6	170.5	0.65	<0.05	11.7	0.226	3.64
K304850		390	8.6	93.0	<0.002	1.03	7.34	5.6	3	1.2	163.0	0.48	<0.05	8.6	0.171	3.71
K304851		270	6.9	55.7	<0.002	0.32	1.20	3.5	2	0.7	433	0.29	<0.05	5.4	0.105	1.90
K304852		230	6.0	50.1	<0.002	0.26	0.39	3.2	3	0.6	668	0.24	<0.05	4.4	0.086	0.59
K304853		180	5.4	38.2	<0.002	0.17	0.18	2.5	2	0.5	731	0.17	<0.05	3.4	0.065	0.28
K304854		150	3.2	16.9	<0.002	0.12	0.24	1.4	2	0.2	982	0.09	<0.05	1.8	0.035	0.27
K304855		150	4.8	26.6	<0.002	0.24	0.22	2.0	2	0.4	811	0.13	<0.05	2.4	0.049	0.31
K304856		240	5.0	40.0	<0.002	0.21	0.17	2.8	2	0.5	734	0.20	<0.05	3.7	0.073	0.32
K304857		490	8.6	94.3	<0.002	0.43	0.30	6.1	3	1.2	356	0.49	<0.05	9.0	0.175	0.58
K304858		200	5.4	28.7	<0.002	0.23	0.41	2.2	2	0.4	939	0.16	<0.05	3.2	0.058	0.55
K304859		180	6.7	27.2	<0.002	0.21	0.54	2.2	3	0.4	1195	0.16	<0.05	3.2	0.059	0.55
K304860		210	8.5	34.7	<0.002	0.35	1.00	2.7	2	0.5	1775	0.20	<0.05	4.2	0.076	0.77
K304861		150	7.4	20.2	<0.002	0.37	0.38	1.7	2	0.3	1355	0.12	<0.05	2.6	0.046	0.46
K304862		190	7.8	28.3	<0.002	0.31	0.32	2.3	2	0.4	1390	0.16	<0.05	3.3	0.061	0.50
K304863		210	7.0	29.1	<0.002	0.26	0.20	2.1	3	0.4	899	0.16	<0.05	3.2	0.059	0.45
K304864		410	12.0	60.2	<0.002	0.58	0.43	4.2	3	1.0	482	0.35	<0.05	6.3	0.122	0.91
K304865		360	6.3	30.1	<0.002	0.25	0.90	2.3	3	0.5	187.5	0.18	<0.05	3.4	0.062	1.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206159

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K304830		3.5	108	218	16.4	76	33.2	
K304831		11.1	51	4.5	11.1	23	94.8	3.77
K304832		12.9	57	3.8	12.0	23	63.9	2.78
K304833		0.3	3	0.1	0.9	11	<0.5	
K304834		17.2	28	1.5	5.3	89	15.7	27.2
K304835		23.7	43	30.6	9.0	41	40.8	11.70
K304836		18.0	52	4.3	6.3	35	68.5	4.02
K304837		8.0	380	35.7	29.1	276	82.1	
K304838		13.3	43	3.6	12.4	20	81.0	
K304839		7.0	62	4.4	14.6	58	99.2	
K304840		0.6	3	0.2	0.9	13	0.6	
K304841		10.8	74	5.2	13.2	70	96.6	4.14
K304842		10.8	60	4.1	13.3	43	90.7	1.320
K304843		5.6	70	5.4	15.0	41	111.0	1.450
K304844		5.3	66	5.0	14.3	39	103.0	1.095
K304845		11.9	66	3.9	16.5	40	86.6	
K304846		9.2	48	1.8	10.8	38	69.1	
K304847		12.9	36	1.5	9.7	40	47.7	
K304848		14.9	26	1.1	6.5	37	26.1	
K304849		7.5	82	4.2	16.5	62	90.3	
K304850		5.4	58	3.4	13.2	37	90.7	
K304851		10.1	36	1.7	8.9	26	54.9	
K304852		15.6	30	0.8	7.5	36	39.4	
K304853		16.2	24	0.5	5.9	33	29.2	
K304854		11.9	14	0.3	3.6	13	14.0	
K304855		16.9	22	0.4	4.5	26	22.2	
K304856		14.6	29	0.4	6.4	17	31.9	
K304857		8.6	60	0.7	14.0	28	81.2	
K304858		15.7	24	0.5	5.5	11	24.0	
K304859		17.2	22	0.6	5.1	10	28.0	
K304860		17.0	23	0.7	6.1	9	38.4	
K304861		17.0	15	0.4	4.8	10	26.9	
K304862		17.6	21	0.7	5.4	12	30.3	
K304863		11.7	19	0.4	6.1	23	33.3	
K304864		9.4	40	0.9	9.9	12	65.1	
K304865		7.1	19	1.0	7.9	5	39.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11206159

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

CERTIFICATE WH11216574

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 260 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216574

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K305661		12.72	0.02	0.10	0.49	268	20	0.25	0.02	18.85	0.02	8.32	1.8	5	1.46	4.2
K305662		12.65	0.02	0.13	1.80	232	90	0.68	0.05	15.75	0.02	23.4	3.3	15	6.54	12.1
K305663		12.13	0.01	0.10	0.55	207	30	0.26	0.02	19.30	0.04	8.23	1.8	6	1.95	4.8
K305664		11.91	0.01	0.07	0.56	233	30	0.32	0.02	19.10	<0.02	7.60	1.7	6	1.69	5.4
K305665		6.85	<0.01	0.01	0.08	7	20	0.07	0.01	20.4	0.06	1.32	1.3	1	0.26	1.5
K305666		12.02	0.01	0.08	0.63	182	40	0.33	0.02	19.20	<0.02	8.96	2.2	6	1.84	4.5
K305667		13.36	0.06	0.15	1.19	507	70	0.43	0.04	17.50	0.04	17.25	2.7	12	3.00	7.5
K305668		0.18	0.35	0.36	6.08	576	1480	0.61	0.28	0.47	0.18	144.5	2.7	239	3.50	29.5
K305669		11.74	0.02	0.36	1.10	105	80	0.40	0.04	18.15	0.17	17.55	3.1	15	3.22	10.9
K305670		11.72	0.41	0.11	0.88	6870	70	0.32	0.03	17.90	0.07	15.20	1.8	7	1.67	5.0
K305671		12.69	1.85	0.23	0.85	>10000	60	0.34	0.06	17.00	0.06	13.75	1.5	8	1.54	6.0
K305672		11.84	0.73	0.09	0.78	>10000	60	0.30	0.06	18.65	0.04	13.10	1.2	6	1.64	5.5
K305673		12.39	0.04	0.05	0.67	717	40	0.25	0.04	19.50	<0.02	9.86	1.2	5	1.30	5.1
K305674		11.41	0.02	0.05	1.19	508	70	0.41	0.06	19.40	0.03	15.35	2.6	9	3.10	11.4
K305675		6.17	0.04	0.09	5.89	571	340	1.88	0.25	9.37	0.12	64.3	8.8	42	15.75	23.7
K305676		12.07	0.02	0.04	3.86	372	190	1.18	0.17	13.90	0.07	38.9	8.1	28	9.42	30.4
K305677		5.41	0.02	0.04	3.12	276	170	0.96	0.14	15.20	0.10	33.1	6.0	23	7.51	29.3
K305678		12.02	0.01	0.02	2.51	115	110	0.79	0.09	19.80	0.12	23.0	2.8	17	7.50	6.8
K305679		11.84	0.02	0.04	2.24	40	110	0.84	0.19	18.25	0.07	22.1	3.6	17	5.73	9.0
K305680		12.16	<0.01	0.07	4.67	101	260	1.42	0.20	16.35	0.11	45.6	6.2	35	13.20	10.1
K305681		11.75	<0.01	0.08	3.96	84	290	1.16	0.15	17.35	0.08	39.8	4.5	29	11.00	11.8
K305682		0.18	2.68	0.92	3.12	583	840	0.71	0.31	8.02	2.02	43.0	6.1	52	3.36	37.7
K305683		12.20	0.04	0.09	3.42	63	210	1.09	0.14	19.55	0.09	34.0	5.4	26	10.35	12.2
K305684		11.50	0.01	0.09	3.05	102	220	0.91	0.12	22.2	0.05	31.4	5.1	23	9.78	16.0
K305685		11.96	0.01	0.06	2.86	52	160	0.92	0.11	21.1	0.07	29.7	5.5	22	8.87	11.4
K305686		11.43	<0.01	0.08	3.79	40	190	1.09	0.15	18.30	0.07	41.3	6.9	27	12.30	18.8
K305687		12.22	0.01	0.05	3.73	18	190	1.07	0.15	19.30	0.07	37.1	6.8	27	12.00	19.1
K305688		11.84	<0.01	0.09	6.45	37	320	1.79	0.27	11.85	0.03	68.2	12.1	47	25.8	21.6
K305689		5.70	<0.01	0.03	6.13	24	320	1.52	0.23	10.25	0.04	62.2	6.3	43	22.3	15.7
K305690		6.86	<0.01	0.02	0.07	<5	10	0.05	0.03	20.7	0.05	1.05	0.7	1	0.18	2.9
K305691		5.89	<0.01	0.07	6.96	24.1	320	1.93	0.29	8.35	0.03	70.7	10.0	50	28.9	24.7
K305692		9.14	<0.01	0.06	7.52	28.0	450	2.09	0.32	5.96	0.02	69.6	11.9	56	30.7	28.5
K305693		7.86	<0.01	0.05	7.48	9.9	420	2.02	0.43	4.22	0.02	65.8	12.5	61	32.5	19.6
K305694		10.81	<0.01	0.06	8.98	13.6	350	2.69	0.47	0.91	<0.02	85.5	16.5	70	48.9	39.3
K305695		10.51	<0.01	0.09	9.53	37.6	440	2.73	0.47	1.02	<0.02	95.3	20.7	73	46.9	50.7
K305696		5.21	<0.01	0.17	9.21	85.4	810	2.52	0.47	1.35	<0.02	92.5	28.7	72	39.6	41.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216574

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305661		0.79	1.18	0.06	0.4	0.76	<0.005	0.22	4.7	3.6	11.25	378	0.48	0.01	0.9	4.5
K305662		0.64	4.39	0.08	1.3	1.71	0.011	0.90	11.9	12.9	9.40	168	0.97	0.02	3.3	8.1
K305663		0.29	1.41	0.09	0.3	0.96	<0.005	0.26	4.9	4.4	11.70	136	0.44	0.01	1.1	3.9
K305664		0.31	1.41	0.12	0.3	0.8	<0.005	0.27	4.4	3.8	11.45	156	0.35	0.01	1.1	3.7
K305665		0.41	0.33	0.15	<0.1	<0.01	<0.005	0.04	0.6	1.6	12.35	185	0.12	0.01	0.4	2.7
K305666		0.35	1.62	0.13	0.4	0.8	<0.005	0.31	4.9	4.5	11.60	195	0.51	0.01	1.2	4.9
K305667		0.58	2.83	0.09	0.9	1.10	0.008	0.60	9.2	6.6	10.25	297	1.03	0.01	2.3	5.9
K305668		6.70	19.15	0.20	4.3	9.6	0.048	1.33	66.7	18.5	0.13	35	6.06	0.39	10.3	15.7
K305669		0.57	2.60	0.06	0.7	1.34	0.008	0.53	10.1	6.8	10.75	259	1.47	0.01	2.2	7.3
K305670		0.59	2.16	0.08	0.7	2.23	0.010	0.43	8.7	4.2	10.65	897	0.22	0.01	1.8	3.4
K305671		0.84	2.28	0.07	0.6	3.04	0.013	0.42	8.0	4.5	9.88	2610	0.32	0.01	1.4	5.8
K305672		0.78	2.07	<0.05	0.5	1.60	0.011	0.38	7.8	4.7	10.95	913	0.21	0.02	1.3	5.6
K305673		0.70	1.78	0.06	0.5	0.50	0.006	0.33	5.8	4.3	11.50	534	0.21	0.02	1.1	5.5
K305674		1.13	3.23	0.08	0.5	1.69	0.011	0.60	8.9	5.8	11.45	611	0.30	0.02	1.8	9.4
K305675		2.22	15.35	0.09	2.1	2.00	0.041	3.04	35.7	25.8	5.63	297	0.44	0.04	8.1	28.0
K305676		1.75	9.45	0.07	1.6	1.46	0.025	1.97	22.1	13.5	7.02	400	0.53	0.03	5.3	18.2
K305677		1.67	7.75	0.08	1.6	1.94	0.021	1.60	18.0	11.7	7.60	407	0.33	0.03	4.3	14.3
K305678		1.26	5.90	0.08	1.0	0.61	0.021	1.28	13.6	10.2	6.80	379	0.18	0.02	3.2	8.7
K305679		0.99	5.55	0.08	1.0	0.15	0.017	1.14	12.5	10.5	7.87	890	0.19	0.03	3.1	8.4
K305680		1.35	11.50	0.09	1.9	0.29	0.039	2.38	26.1	16.3	3.58	323	0.55	0.03	6.6	14.6
K305681		1.25	9.78	0.10	1.6	0.21	0.033	2.03	22.1	13.4	3.66	291	0.37	0.03	5.3	11.9
K305682		2.06	7.24	0.09	2.3	4.70	0.028	1.00	29.5	36.0	2.55	264	17.05	0.03	6.4	47.0
K305683		1.35	8.36	0.09	1.4	0.13	0.036	1.77	19.3	11.4	3.82	309	0.48	0.03	4.8	14.1
K305684		1.50	7.65	0.07	1.2	0.13	0.025	1.57	17.7	10.0	3.06	342	0.39	0.02	4.3	13.9
K305685		1.84	6.94	0.08	1.2	0.07	0.027	1.48	16.6	10.3	4.41	397	0.54	0.03	4.0	14.3
K305686		2.00	9.62	0.07	1.5	0.05	0.029	1.96	22.4	11.3	4.29	422	0.50	0.03	5.4	16.2
K305687		1.96	9.17	0.07	1.5	0.05	0.029	1.93	21.4	9.9	3.97	430	0.52	0.03	5.2	16.9
K305688		2.99	16.40	0.14	2.6	0.05	0.057	3.39	39.0	18.6	2.64	450	0.59	0.04	9.0	26.8
K305689		3.13	14.20	0.11	2.4	0.02	0.053	3.22	34.2	16.1	3.17	622	0.30	0.05	8.1	17.1
K305690		0.48	0.21	0.06	<0.1	<0.01	0.005	0.03	0.5	1.0	12.65	212	0.10	<0.01	0.2	4.6
K305691		3.30	18.70	0.17	2.6	0.03	0.048	3.71	41.4	19.4	2.39	563	0.36	0.05	9.7	23.7
K305692		3.51	19.15	0.12	2.7	0.03	0.064	3.97	42.5	20.2	2.05	596	0.48	0.05	10.0	24.4
K305693		3.05	21.9	0.15	2.6	0.02	0.062	4.49	35.6	20.3	1.54	391	0.24	0.05	11.4	29.5
K305694		3.99	26.6	0.17	2.6	0.03	0.068	4.96	50.4	22.3	1.12	535	0.51	0.04	12.7	39.1
K305695		4.56	26.9	0.16	2.7	0.06	0.068	5.07	58.7	21.5	1.14	513	0.66	0.04	12.8	44.5
K305696		4.68	27.1	0.13	2.5	0.15	0.067	4.83	51.8	23.1	1.15	509	0.97	0.04	12.4	51.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216574

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305661		110	10.2	7.7	0.004	0.63	1.33	0.9	2	0.2	87.9	0.06	<0.05	1.1	0.021	1.33
K305662		460	9.3	32.8	0.004	0.43	1.75	3.0	3	0.6	98.0	0.23	<0.05	4.1	0.080	1.75
K305663		140	7.4	9.5	0.003	0.17	1.27	1.0	2	0.2	87.0	0.07	<0.05	1.2	0.024	0.96
K305664		170	6.8	9.7	0.004	0.12	1.58	1.0	2	0.2	105.0	0.07	<0.05	1.2	0.024	1.02
K305665		220	1.1	2.0	0.003	0.01	0.08	0.3	1	<0.2	43.2	<0.05	<0.05	<0.2	<0.005	<0.02
K305666		110	6.4	11.2	0.004	0.21	1.47	1.2	2	0.3	95.3	0.08	<0.05	1.4	0.028	1.10
K305667		380	6.5	21.6	0.004	0.37	1.55	2.1	2	0.4	134.5	0.15	<0.05	2.8	0.054	1.79
K305668		890	16.5	49.2	0.005	2.98	116.0	15.2	2	2.9	501	0.76	0.14	9.3	0.532	7.81
K305669		500	8.2	19.1	0.007	0.34	1.24	2.1	3	0.5	156.0	0.15	<0.05	2.7	0.052	1.62
K305670		580	7.7	15.5	0.003	0.66	9.26	1.6	2	0.4	111.5	0.12	<0.05	2.3	0.041	4.04
K305671		400	6.5	14.6	<0.002	1.06	17.75	1.7	1	0.5	91.7	0.10	<0.05	2.1	0.041	5.89
K305672		440	5.3	12.6	<0.002	0.87	15.50	1.4	1	0.5	92.5	0.09	<0.05	1.8	0.038	3.27
K305673		490	4.7	11.0	<0.002	0.27	1.56	1.1	1	0.4	81.8	0.08	<0.05	1.5	0.033	0.92
K305674		760	6.6	22.3	<0.002	0.53	1.85	2.2	1	0.5	79.1	0.12	<0.05	2.0	0.052	1.95
K305675		610	15.0	121.5	<0.002	1.73	1.72	10.8	1	1.9	68.2	0.59	<0.05	10.3	0.267	3.33
K305676		620	10.4	74.5	<0.002	0.96	1.07	6.7	1	1.3	129.5	0.39	<0.05	6.7	0.173	1.44
K305677		830	9.7	61.3	<0.002	0.94	1.21	5.5	1	1.2	124.0	0.30	<0.05	5.3	0.139	1.49
K305678		460	4.4	45.0	<0.002	0.36	0.34	4.1	1	0.8	266	0.24	<0.05	4.1	0.110	0.91
K305679		880	5.3	41.6	<0.002	0.14	0.18	3.9	1	0.9	183.0	0.23	<0.05	4.1	0.099	0.50
K305680		630	9.2	89.4	<0.002	0.39	0.31	7.8	1	1.6	420	0.46	<0.05	8.0	0.207	1.02
K305681		660	8.5	78.0	<0.002	0.42	0.32	6.9	1	1.3	448	0.37	<0.05	6.6	0.174	0.61
K305682		870	37.8	45.7	0.020	1.51	102.0	4.7	4	2.3	68.5	0.42	0.14	6.1	0.166	3.54
K305683		560	9.8	65.3	<0.002	0.47	0.47	6.2	1	1.1	491	0.35	<0.05	5.9	0.152	0.57
K305684		480	7.7	60.0	<0.002	0.47	0.54	5.5	1	1.1	332	0.28	<0.05	5.1	0.134	0.73
K305685		620	8.7	53.8	<0.002	0.54	0.34	5.1	1	1.0	366	0.28	<0.05	4.7	0.125	0.62
K305686		580	7.8	78.9	0.002	0.33	0.36	6.8	2	1.3	464	0.36	<0.05	6.4	0.165	0.56
K305687		630	7.2	75.9	<0.002	0.21	0.31	6.6	1	1.2	591	0.34	<0.05	6.5	0.162	0.55
K305688		910	10.0	140.0	<0.002	0.33	0.41	12.0	1	2.1	390	0.63	<0.05	10.8	0.299	0.78
K305689		700	7.6	127.5	0.002	0.09	0.34	10.6	1	1.9	267	0.56	0.05	10.0	0.280	0.67
K305690		170	1.3	1.3	<0.002	0.01	0.08	0.3	<1	0.2	42.1	<0.05	<0.05	<0.2	<0.005	<0.02
K305691		570	11.2	157.0	<0.002	0.17	0.41	13.2	1	2.5	313	0.69	0.07	11.8	0.312	0.80
K305692		560	9.7	161.5	0.003	0.25	0.40	13.4	1	2.3	205	0.74	0.06	12.6	0.338	0.82
K305693		540	11.1	115.0	<0.002	0.17	0.29	12.8	1	2.6	165.0	0.83	0.05	11.2	0.364	0.92
K305694		340	17.9	181.0	<0.002	0.22	0.49	16.8	1	3.0	94.4	0.88	0.10	14.4	0.375	0.98
K305695		460	24.4	194.0	0.002	0.97	0.61	16.6	2	2.9	115.0	0.89	0.09	16.7	0.386	1.14
K305696		660	41.1	168.0	0.002	1.58	0.93	16.4	1	3.0	419	0.85	0.09	16.1	0.358	1.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216574

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305661		10.2	16	0.6	3.0	<2	13.4	
K305662		13.5	33	1.4	7.6	2	43.4	
K305663		9.3	15	0.7	2.8	4	10.0	
K305664		9.2	13	0.7	2.9	<2	9.6	
K305665		0.5	3	0.1	0.8	11	0.6	
K305666		10.6	13	0.7	2.9	<2	12.9	
K305667		14.3	25	1.0	6.3	4	32.0	
K305668		7.9	164	22.3	14.5	41	165.0	
K305669		17.5	45	1.7	5.8	22	22.3	
K305670		9.7	17	0.9	6.8	7	24.7	
K305671		8.2	16	1.0	5.0	7	22.2	1.245
K305672		9.1	12	0.9	4.7	9	18.0	1.215
K305673		6.8	9	0.7	4.0	4	17.1	
K305674		4.9	13	1.0	6.5	8	19.3	
K305675		3.7	69	5.2	16.1	38	82.5	
K305676		5.1	49	2.6	12.3	18	56.3	
K305677		4.5	39	2.2	12.3	20	45.8	
K305678		4.0	31	1.3	7.1	72	33.4	
K305679		5.5	31	0.7	7.2	13	34.4	
K305680		7.2	61	1.4	12.2	53	74.2	
K305681		9.5	50	1.1	11.4	47	59.4	
K305682		8.7	226	27.3	17.2	205	57.9	
K305683		7.4	46	0.7	10.4	50	50.0	
K305684		8.7	39	1.0	10.2	36	47.9	
K305685		6.8	37	0.7	10.1	53	42.9	
K305686		6.9	49	0.8	12.1	47	59.2	
K305687		7.4	50	0.7	11.5	29	54.2	
K305688		7.0	87	1.3	19.1	25	89.5	
K305689		4.9	83	1.2	17.7	29	84.4	
K305690		0.6	<1	0.1	0.7	14	0.7	
K305691		4.4	92	1.4	19.8	28	95.7	
K305692		3.9	100	1.5	18.8	30	99.0	
K305693		3.0	99	1.7	17.3	42	96.4	
K305694		2.4	103	1.8	19.9	51	98.3	
K305695		2.9	104	1.8	21.9	56	94.5	
K305696		4.4	101	1.8	19.9	56	91.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216574

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11215803

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 261 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215803

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K306005		10.19	<0.01	0.06	1.12	45	100	0.51	0.03	30.3	0.05	17.15	2.3	11	3.18	9.8
K306006		11.21	<0.01	0.07	1.34	74	120	0.44	0.04	23.7	0.03	16.05	2.8	11	3.78	13.7
K306007		11.93	<0.01	0.10	3.18	12	170	0.97	0.08	17.65	0.10	31.6	4.5	28	11.85	17.9
K306008		12.07	<0.01	0.15	2.96	208	190	0.80	0.07	15.80	0.08	28.7	6.3	27	10.75	16.1
K306009		3.39	<0.01	0.07	1.80	200	180	0.59	0.04	23.4	0.05	19.05	4.3	15	4.52	11.3
K306010		1.58	<0.01	0.07	2.10	182	160	0.68	0.05	24.1	0.06	21.1	4.7	15	5.54	12.9
K306011		6.15	<0.01	0.10	4.18	61	240	1.15	0.13	13.60	0.06	44.1	7.1	36	19.85	30.5
K306012		7.33	<0.01	0.07	1.14	128	80	0.38	0.04	19.40	0.06	15.20	2.7	7	3.75	8.5
K306013		10.01	<0.01	0.06	0.58	579	30	0.19	0.02	19.95	0.02	7.63	2.0	4	1.13	5.6
K306014		6.91	<0.01	<0.01	0.09	<5	20	0.05	0.02	20.8	0.06	1.10	1.7	1	0.31	2.8
K306015		10.71	<0.01	0.07	0.73	106	40	0.35	0.03	19.60	0.02	8.77	2.4	5	1.63	5.9
K306016		6.81	<0.01	0.05	0.34	47	20	0.19	0.02	20.7	<0.02	5.41	1.8	2	0.57	3.8
K306017		3.75	0.07	0.42	0.90	>10000	50	0.29	0.05	15.60	0.08	7.89	6.0	9	1.83	21.9
K306018		0.22	2.59	1.02	3.21	617	880	0.78	0.35	8.11	2.19	50.5	6.8	49	4.15	47.9
K306019		11.75	0.02	0.21	1.07	497	50	0.36	0.03	16.90	0.74	10.80	5.7	10	2.19	16.4
K306020		11.75	0.01	0.24	1.67	680	80	0.49	0.05	14.65	0.06	15.65	4.9	14	4.01	19.3
K306021		11.14	0.13	0.13	1.40	761	110	0.45	0.05	19.20	0.35	14.15	2.7	11	2.99	10.9
K306022		6.36	0.08	0.20	1.19	4140	80	0.41	0.05	18.00	0.58	14.10	3.1	9	3.40	12.7
K306023		0.22	7.81	0.44	3.52	1030	160	0.66	0.68	12.10	4.16	40.7	5.7	83	6.82	34.6
K306024		11.51	0.01	0.16	0.52	174	40	0.18	0.02	19.10	2.37	9.86	2.3	5	0.94	9.1
K306025		10.96	0.02	0.17	0.43	2600	30	0.19	0.02	20.7	0.91	9.15	1.8	4	0.80	6.1
K306026		6.72	0.01	0.08	0.30	346	30	0.16	0.01	20.6	1.35	7.74	1.8	2	0.37	6.1
K306027		11.17	0.01	0.07	0.64	398	40	0.31	0.02	20.3	0.10	9.73	2.3	4	1.12	6.9
K306028		12.33	0.01	0.09	0.76	270	40	0.29	0.03	19.75	0.38	8.72	2.7	6	1.38	8.1
K306029		10.59	0.01	0.09	0.57	1240	40	0.24	0.03	19.15	0.05	8.06	2.7	4	1.21	6.8
K306030		10.11	0.03	0.10	0.79	2550	40	0.34	0.03	18.45	0.12	9.59	2.3	5	1.65	5.7
K306031		9.70	0.01	0.04	0.69	6420	40	0.27	0.03	18.70	0.02	9.64	2.0	5	1.17	6.3
K306032		6.92	<0.01	<0.01	0.08	33	20	0.05	0.02	20.8	0.05	1.11	1.5	1	0.42	1.5
K306033		11.42	0.02	0.16	0.81	5490	40	0.30	0.03	17.85	1.13	12.80	2.4	7	1.69	13.2
K306034		11.30	0.01	0.02	0.83	1740	40	0.28	0.03	18.50	0.02	12.10	1.5	4	1.91	4.7
K306035		10.71	0.03	0.02	1.04	2030	50	0.36	0.04	18.25	0.03	16.00	1.8	5	2.05	6.8
K306036		10.95	0.02	0.03	0.93	1320	50	0.40	0.04	18.40	0.06	14.00	1.9	4	1.78	4.8
K306037		11.48	0.03	0.03	0.60	331	40	0.26	0.02	19.90	0.03	12.85	1.9	3	0.99	4.7
K306038		4.20	0.13	0.05	0.81	916	110	0.39	0.04	19.45	0.38	14.40	2.2	4	1.17	5.3
K306039		6.96	<0.01	0.07	8.30	440	420	3.17	0.42	2.86	0.04	76.3	13.3	65	29.1	37.1
K306040		10.98	0.37	0.05	8.15	1105	390	2.93	0.38	2.84	0.03	69.6	16.8	64	27.0	40.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215803

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K306005		0.35	2.85	0.06	0.8	0.23	0.011	0.61	9.8	5.6	0.99	107	0.62	0.01	2.0	2.6
K306006		0.72	3.33	0.05	1.0	0.19	0.010	0.71	9.3	5.9	5.93	203	0.98	0.01	2.2	2.4
K306007		1.17	7.93	0.08	2.0	0.10	0.026	1.79	17.9	16.0	3.91	194	0.80	0.02	5.1	7.8
K306008		1.82	7.40	0.08	2.1	0.4	0.022	1.56	15.6	10.5	5.37	238	1.42	0.02	4.5	15.5
K306009		0.80	4.59	0.05	1.1	0.35	0.016	0.91	10.6	7.3	3.41	170	0.61	0.01	3.0	6.1
K306010		0.83	5.36	0.05	1.3	0.34	0.016	1.05	11.8	8.9	3.98	188	0.60	0.02	3.4	6.3
K306011		1.81	10.50	0.10	2.3	0.18	0.034	2.40	25.9	32.3	2.99	195	0.66	0.04	7.0	17.3
K306012		0.52	2.94	0.05	0.9	0.3	0.008	0.57	8.9	5.9	10.20	212	0.27	0.02	2.0	2.5
K306013		0.47	1.65	0.07	0.3	0.53	0.005	0.25	4.6	3.5	11.75	209	0.42	0.02	1.0	1.6
K306014		0.49	0.68	0.10	<0.1	<0.01	0.005	0.04	0.6	1.1	12.60	213	0.11	0.01	0.4	1.2
K306015		0.49	2.10	0.10	0.5	0.71	0.006	0.33	5.1	4.8	11.70	224	0.66	0.01	1.4	3.7
K306016		0.25	1.30	0.10	0.2	0.47	<0.005	0.15	3.4	1.8	12.10	218	0.34	0.01	0.7	1.6
K306017		10.60	2.39	0.16	0.4	4.28	0.036	0.42	4.5	4.2	7.96	778	1.17	0.01	1.6	13.9
K306018		2.08	8.13	0.18	1.7	4.76	0.027	1.01	31.5	45.7	2.57	279	20.6	0.02	7.3	54.0
K306019		5.89	2.75	0.08	0.7	2.78	0.012	0.52	6.0	6.1	8.80	729	1.18	0.01	1.9	13.3
K306020		5.62	4.18	0.08	1.2	3.59	0.014	0.74	8.4	8.9	8.02	592	1.32	0.02	3.0	11.5
K306021		1.64	3.50	0.05	1.0	4.0	0.013	0.57	7.9	7.2	9.89	807	1.01	0.02	2.4	3.3
K306022		2.72	3.20	0.05	0.8	2.95	0.016	0.52	8.5	7.4	10.05	803	0.68	0.02	2.1	5.6
K306023		1.38	7.57	0.10	2.3	5.77	0.064	1.48	28.8	9.1	0.71	273	11.60	0.01	7.6	64.8
K306024		2.93	1.56	0.05	0.3	1.63	0.006	0.25	6.6	2.8	10.55	744	0.58	0.01	1.0	4.0
K306025		1.49	1.25	<0.05	0.2	1.25	0.008	0.20	6.2	2.5	11.75	748	0.57	0.02	0.8	1.0
K306026		1.45	1.01	0.05	0.1	0.88	0.008	0.14	5.6	1.4	11.85	835	0.35	0.01	0.7	1.5
K306027		1.47	1.74	0.05	0.3	0.8	<0.005	0.30	6.3	3.9	11.50	813	0.49	0.02	1.1	2.5
K306028		1.88	2.07	0.05	0.4	1.05	0.010	0.37	5.3	4.6	11.20	820	0.80	0.01	1.3	3.7
K306029		1.70	1.59	0.06	0.3	0.99	0.009	0.27	5.1	3.1	10.75	800	0.67	0.02	1.1	3.7
K306030		0.90	2.10	0.05	0.5	1.02	0.010	0.37	5.9	4.4	10.60	626	0.47	0.02	1.3	3.0
K306031		0.74	1.89	0.06	0.5	0.6	0.012	0.33	5.7	3.3	10.90	520	0.29	0.02	1.2	1.7
K306032		0.47	0.58	0.09	<0.1	<0.01	<0.005	0.04	0.6	1.1	12.65	219	0.10	<0.01	0.4	1.0
K306033		1.01	2.19	<0.05	0.5	1.33	0.012	0.39	7.9	4.6	10.40	461	0.55	0.02	1.5	3.0
K306034		0.79	2.25	0.05	0.8	0.49	0.008	0.41	7.1	5.1	10.80	621	0.20	0.02	1.6	0.6
K306035		0.67	2.80	0.07	0.8	1.06	0.011	0.50	9.5	5.1	10.05	615	0.19	0.02	2.0	1.3
K306036		0.48	2.66	0.08	0.8	0.84	0.009	0.46	8.2	5.5	9.51	524	0.15	0.01	1.7	1.4
K306037		0.71	1.77	0.08	0.5	1.13	0.009	0.27	7.3	3.2	10.25	654	0.17	0.01	1.2	1.1
K306038		0.93	2.22	0.07	0.6	2.72	0.012	0.37	8.4	3.4	9.81	675	0.17	0.01	1.5	1.7
K306039		3.07	23.8	0.19	3.9	1.53	0.091	4.35	38.8	28.9	1.72	325	0.53	0.04	14.0	40.1
K306040		2.89	23.3	0.17	3.5	2.81	0.077	4.32	34.9	23.3	1.35	410	0.48	0.04	12.9	41.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215803

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306005		230	5.3	21.5	0.002	0.20	0.16	2.0	2	0.4	566	0.13	<0.05	2.3	0.049	0.31
K306006		280	5.2	22.3	0.002	0.29	0.19	2.5	2	0.4	480	0.15	<0.05	2.6	0.057	0.49
K306007		410	6.3	60.8	0.002	0.43	0.24	5.4	1	1.0	553	0.38	<0.05	5.9	0.138	0.50
K306008		520	12.1	49.5	0.002	1.43	0.46	5.0	1	0.9	369	0.34	<0.05	5.4	0.126	1.93
K306009		310	6.5	28.5	0.002	0.63	0.35	3.2	1	0.6	572	0.20	<0.05	3.3	0.077	0.98
K306010		340	7.6	33.6	0.003	0.60	0.37	3.7	1	0.7	594	0.24	<0.05	3.8	0.088	1.00
K306011		520	8.3	95.0	<0.002	0.39	0.32	7.4	2	1.4	380	0.53	<0.05	8.7	0.189	0.81
K306012		280	5.1	18.5	<0.002	0.34	0.35	2.2	1	0.4	117.0	0.14	<0.05	2.4	0.050	0.72
K306013		190	6.0	8.0	0.002	0.46	0.99	1.1	1	0.2	88.8	0.07	<0.05	1.1	0.024	1.06
K306014		170	1.3	2.2	<0.002	0.01	0.05	0.5	<1	<0.2	41.1	<0.05	<0.05	<0.2	<0.005	0.02
K306015		160	9.7	11.0	0.002	0.48	0.98	1.4	1	0.3	95.0	0.09	<0.05	1.4	0.032	1.65
K306016		100	6.6	4.8	0.002	0.19	0.62	0.8	1	<0.2	74.6	<0.05	<0.05	0.6	0.014	0.73
K306017		290	56.7	14.6	0.002	>10.0	26.7	1.5	2	0.5	78.9	0.10	<0.05	1.4	0.037	20.1
K306018		900	37.2	55.5	0.024	1.53	103.5	5.6	4	2.5	73.3	0.47	0.24	7.9	0.163	4.07
K306019		340	31.5	17.0	0.003	6.71	3.04	1.9	1	0.4	104.5	0.13	<0.05	2.0	0.046	13.45
K306020		450	28.6	25.0	0.002	6.59	2.29	2.9	1	0.7	96.9	0.21	<0.05	3.2	0.075	13.75
K306021		320	9.1	20.6	0.002	1.20	2.69	2.5	1	0.4	184.5	0.17	<0.05	2.7	0.061	8.49
K306022		280	14.1	18.9	<0.002	2.64	4.53	2.2	1	0.5	127.0	0.14	<0.05	2.3	0.050	8.50
K306023		4230	4.7	95.2	0.037	1.35	18.30	6.9	8	1.7	144.0	0.52	0.53	6.3	0.209	13.35
K306024		160	17.7	8.1	<0.002	2.75	0.62	1.0	<1	0.2	95.9	0.06	<0.05	1.0	0.022	4.62
K306025		200	8.7	6.5	0.002	1.08	1.85	0.9	1	0.2	87.4	0.05	<0.05	0.8	0.018	2.08
K306026		140	8.0	4.7	<0.002	0.90	1.08	0.7	1	0.2	111.0	<0.05	<0.05	0.5	0.012	2.01
K306027		230	8.6	9.7	<0.002	0.76	0.90	1.2	1	0.2	108.0	0.07	<0.05	1.1	0.026	2.04
K306028		140	10.0	11.7	0.002	1.31	1.10	1.4	1	0.3	102.0	0.08	<0.05	1.4	0.032	2.55
K306029		110	10.7	9.0	0.005	1.08	1.50	1.1	1	0.3	87.9	0.07	<0.05	1.1	0.024	2.51
K306030		170	6.3	12.1	0.004	0.48	2.35	1.4	1	0.3	91.1	0.08	<0.05	1.4	0.032	2.17
K306031		340	6.0	10.5	<0.002	0.56	4.74	1.2	1	0.3	80.6	0.08	<0.05	1.3	0.029	1.15
K306032		180	1.1	2.6	<0.002	0.01	0.07	0.4	<1	<0.2	41.8	<0.05	<0.05	<0.2	<0.005	0.03
K306033		450	10.8	13.1	<0.002	1.02	4.62	1.5	2	0.3	82.6	0.10	<0.05	1.7	0.036	2.12
K306034		470	3.5	13.7	<0.002	0.31	1.55	1.5	1	0.3	75.4	0.11	<0.05	1.8	0.039	1.20
K306035		660	4.2	17.6	<0.002	0.36	2.10	2.0	1	0.7	104.5	0.13	<0.05	2.4	0.048	2.38
K306036		400	4.2	15.5	<0.002	0.23	1.55	1.8	1	0.3	128.0	0.12	<0.05	2.1	0.044	1.49
K306037		380	4.7	9.4	<0.002	0.35	1.31	1.3	1	0.2	127.0	0.08	<0.05	1.4	0.028	2.19
K306038		430	5.4	12.8	<0.002	0.39	2.58	1.7	1	0.3	234	0.10	<0.05	1.7	0.037	5.18
K306039		930	13.1	145.5	<0.002	1.51	0.98	19.1	1	2.9	83.4	1.03	0.08	13.4	0.454	2.71
K306040		900	10.1	133.0	<0.002	1.27	3.49	17.9	1	2.8	84.6	0.97	0.08	12.6	0.412	7.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215803

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K306005		11.8	20	0.4	6.5	15	29.1	
K306006		11.1	26	0.5	6.3	5	32.3	
K306007		6.0	52	0.6	11.3	17	64.2	
K306008		8.6	51	1.1	10.8	13	66.7	
K306009		9.2	29	1.7	7.6	11	38.5	
K306010		8.3	33	1.9	8.4	9	43.8	
K306011		6.8	59	0.7	15.6	48	71.5	
K306012		7.4	20	1.2	6.3	8	27.4	
K306013		13.2	9	0.8	3.1	2	8.7	
K306014		0.4	3	0.1	0.9	13	<0.5	
K306015		16.6	14	1.0	3.1	2	13.4	
K306016		14.0	11	0.5	2.5	<2	6.5	
K306017		25.1	35	2.1	3.4	8	12.2	1.900
K306018		9.5	234	27.5	21.7	212	57.9	
K306019		14.0	20	1.6	4.4	65	20.0	
K306020		11.1	27	2.9	6.2	12	38.1	
K306021		19.8	29	2.6	6.3	53	34.6	
K306022		14.4	20	1.8	5.3	108	23.3	
K306023		7.8	394	33.9	29.3	279	71.1	
K306024		17.9	13	0.9	3.2	621	7.8	
K306025		13.2	15	0.6	3.2	324	6.9	
K306026		14.3	6	0.5	2.9	214	4.2	
K306027		14.3	10	0.8	3.7	32	8.8	
K306028		12.6	13	0.9	3.4	139	11.8	
K306029		14.0	14	0.8	2.9	7	9.2	
K306030		12.6	16	0.9	3.6	31	14.3	
K306031		7.9	16	0.6	4.1	5	14.7	
K306032		0.6	3	0.1	0.8	13	<0.5	
K306033		11.8	29	1.0	5.0	292	16.6	
K306034		6.2	14	0.7	6.1	5	25.5	
K306035		7.3	14	1.2	7.8	5	26.5	
K306036		7.7	16	1.0	6.2	7	24.5	
K306037		6.8	10	0.7	5.8	4	17.6	
K306038		5.2	12	1.0	6.2	47	18.8	
K306039		3.3	125	4.5	27.8	28	120.5	
K306040		3.1	119	6.3	24.9	23	106.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215803

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

CERTIFICATE WH11209410

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 262 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11209410

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K302333		12.12	0.71	0.16	0.44	461	30	0.18	0.02	18.70	0.17	10.75	4.2	5	0.94	10.3
K302334		11.61	1.16	0.36	0.89	2060	60	0.29	0.03	17.45	1.60	14.50	4.9	9	1.96	13.9
K302335		6.88	<0.01	0.01	0.07	<5	10	0.11	0.03	21.0	0.06	1.11	1.0	<1	0.24	2.2
K302336		12.23	0.52	0.89	1.15	940	70	0.42	0.04	18.15	0.88	16.70	3.7	13	3.38	13.6
K302337		11.77	0.17	0.78	0.81	520	50	0.29	0.03	18.35	3.00	15.30	3.2	10	2.19	12.3
K302338		12.29	0.12	0.19	1.10	638	60	0.47	0.03	12.40	1.88	17.00	2.7	9	2.99	10.9
K302339		12.88	0.04	0.30	1.66	382	70	0.58	0.05	15.75	0.07	18.40	4.6	15	4.41	15.6
K302340		12.19	<0.01	0.17	0.48	239	30	0.20	0.02	18.60	0.07	9.65	3.1	4	1.32	10.4
K302341		0.23	7.73	0.43	3.39	967	160	0.88	0.58	11.40	3.98	40.0	5.4	93	6.47	33.0
K302342		12.39	0.31	0.20	0.42	911	30	0.22	0.02	18.95	1.02	9.29	2.3	4	1.01	9.1
K302343		11.92	0.02	0.82	0.73	987	50	0.34	0.02	16.55	0.08	12.15	7.1	8	2.00	27.6
K302344		10.71	0.01	0.11	1.41	166	70	0.45	0.04	17.00	0.04	16.45	3.1	11	3.33	10.5
K302345		11.48	0.13	0.07	0.66	501	30	0.28	0.02	18.55	0.03	11.00	2.7	5	1.24	6.9
K302346		12.90	0.02	0.03	1.33	111	70	0.54	0.04	17.35	0.03	19.40	2.8	9	4.23	6.6
K302347		5.59	0.01	0.04	1.07	115	50	0.39	0.03	16.90	0.03	16.00	2.7	8	3.34	6.6
K302348		11.46	0.03	0.10	2.35	180	130	0.90	0.07	15.45	0.05	27.0	4.2	18	6.51	13.4
K302349		12.07	0.41	0.41	2.35	2030	140	0.76	0.06	15.25	0.05	26.8	4.5	22	6.11	17.3
K302350		12.29	3.24	0.26	1.50	4610	90	0.63	0.04	16.95	0.41	20.3	3.4	12	3.10	13.5
K302351		12.70	0.58	0.34	2.21	2640	100	0.78	0.06	15.90	0.06	26.3	4.2	20	5.80	17.1
K302352		6.91	<0.01	<0.01	0.08	10	20	0.05	0.03	20.7	0.05	1.19	1.1	1	0.24	1.9
K302353		12.23	0.27	0.47	0.90	455	70	0.38	0.03	19.25	0.09	10.85	3.1	10	2.26	9.8
K302354		7.08	0.44	0.39	0.56	311	30	0.29	0.02	19.75	0.13	8.27	3.5	5	1.51	7.5
K302355		9.47	0.04	0.15	0.68	277	50	0.29	0.02	19.45	0.05	10.30	4.4	6	2.24	10.3
K302356		8.11	0.03	0.14	0.69	206	40	0.29	0.03	18.55	0.24	9.94	4.2	6	2.14	11.4
K302357		9.04	0.13	0.19	0.62	257	40	0.24	0.02	19.15	0.08	8.26	2.7	5	1.47	7.5
K302358		7.91	0.27	0.21	0.71	747	40	0.25	0.02	19.20	0.07	9.11	2.6	6	1.57	7.5
K302359		8.39	0.59	0.21	0.67	4480	40	0.22	0.02	18.40	0.21	10.35	5.9	7	1.16	12.7
K302360		8.45	0.55	0.12	0.59	2170	30	0.22	0.02	18.90	0.06	10.00	2.5	7	1.20	6.8
K302361		8.52	0.19	0.07	0.61	2410	30	0.17	0.02	19.10	0.03	9.71	1.9	7	1.46	5.0
K302362		0.23	0.34	0.32	6.27	591	900	0.58	0.26	0.49	0.18	130.0	2.7	241	3.45	32.0
K302363		2.96	1.06	0.13	1.25	5230	90	0.26	0.04	16.30	0.06	16.35	2.5	11	2.16	6.8
K302364		5.13	0.65	0.13	2.68	2490	140	0.67	0.06	14.20	0.20	27.1	4.1	27	6.98	17.4
K302365		8.42	0.05	0.09	3.60	1760	170	1.09	0.08	12.15	0.12	40.9	4.4	36	16.20	21.2
K302366		8.51	0.01	0.10	5.51	116.5	200	1.77	0.11	8.91	0.14	59.4	6.9	58	28.3	29.0
K302367		7.83	0.01	0.07	3.44	53	140	0.94	0.08	12.10	0.11	37.5	4.5	32	13.15	16.3
K302368		8.62	<0.01	0.06	2.41	28	110	0.71	0.05	16.40	0.04	28.7	4.7	22	12.85	14.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11209410

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302333		4.08	1.07	<0.05	0.2	3.27	0.006	0.19	6.8	2.6	10.40	1120	0.47	0.01	0.7	12.5
K302334		4.94	2.22	<0.05	0.6	7.99	0.012	0.39	8.6	4.3	9.15	1160	1.20	0.01	1.5	16.6
K302335		0.46	0.29	0.08	<0.1	0.01	0.005	0.02	0.5	1.3	12.40	203	0.06	0.01	0.2	1.6
K302336		3.50	2.96	<0.05	0.6	4.39	0.009	0.52	9.9	7.7	9.75	1020	3.26	0.02	1.9	12.0
K302337		4.68	2.13	<0.05	0.5	3.91	0.008	0.36	9.2	5.5	9.88	684	2.28	0.01	1.5	14.2
K302338		11.65	2.56	0.08	0.9	5.70	0.009	0.52	9.5	7.2	7.24	469	1.29	0.01	2.0	16.7
K302339		2.44	4.36	<0.05	1.2	1.23	0.011	0.78	9.8	10.7	8.83	676	1.61	0.02	2.8	13.1
K302340		3.87	1.22	<0.05	0.3	1.28	0.006	0.22	5.3	3.7	10.70	703	0.60	0.01	0.8	8.3
K302341		1.33	7.44	0.07	2.2	5.73	0.060	1.39	26.2	11.8	0.70	260	10.35	0.01	7.2	64.0
K302342		4.12	1.08	<0.05	0.2	2.63	0.006	0.18	6.0	3.2	10.45	955	0.39	0.01	0.7	11.5
K302343		9.83	1.83	<0.05	0.4	6.28	0.009	0.31	6.8	4.4	8.63	713	1.51	0.01	1.2	21.6
K302344		1.61	3.65	<0.05	1.0	1.30	0.010	0.65	8.7	8.5	8.87	493	1.46	0.01	2.3	7.8
K302345		1.83	1.74	<0.05	0.7	2.46	0.007	0.30	5.9	5.2	10.20	783	0.29	0.02	1.2	8.8
K302346		1.50	3.68	<0.05	1.0	0.92	0.011	0.65	11.3	9.5	10.05	538	0.36	0.02	2.3	6.4
K302347		1.71	2.88	<0.05	0.9	1.08	0.008	0.52	9.1	7.7	9.78	518	0.27	0.02	1.8	6.4
K302348		1.62	6.25	<0.05	1.7	1.07	0.017	1.14	15.3	14.1	8.52	444	1.53	0.02	3.9	10.5
K302349		2.14	6.00	<0.05	1.7	2.08	0.016	1.12	14.6	15.3	8.48	805	1.88	0.02	3.9	12.2
K302350		1.08	4.01	<0.05	1.2	3.98	0.012	0.70	11.2	10.6	9.29	1660	1.74	0.02	2.7	8.3
K302351		0.91	5.98	0.06	1.6	2.10	0.015	1.03	14.4	16.2	8.98	689	2.13	0.02	3.9	11.4
K302352		0.47	0.39	0.22	<0.1	<0.01	0.005	0.03	0.6	1.5	12.20	209	0.10	<0.01	0.2	2.0
K302353		1.25	2.52	0.06	0.5	1.46	0.007	0.40	6.3	6.0	10.85	812	1.40	0.02	1.5	8.4
K302354		2.45	1.35	<0.05	0.3	2.22	0.005	0.25	5.0	4.3	11.00	950	0.58	0.02	1.0	10.0
K302355		3.31	1.62	<0.05	0.4	1.33	0.006	0.31	6.3	4.6	10.80	738	0.66	0.01	1.1	14.8
K302356		3.07	1.69	<0.05	0.3	1.38	0.006	0.32	5.9	4.8	10.50	681	0.46	0.01	1.1	14.3
K302357		2.73	1.42	<0.05	0.4	1.71	0.005	0.28	4.9	4.0	10.80	747	0.42	0.02	1.0	10.6
K302358		3.20	1.68	<0.05	0.4	2.03	0.006	0.32	5.2	4.9	10.85	825	0.38	0.02	1.1	11.5
K302359		3.04	1.58	<0.05	0.4	5.30	0.010	0.30	6.1	3.8	10.40	1040	0.39	0.01	1.1	18.6
K302360		1.66	1.39	<0.05	0.4	4.02	0.008	0.26	5.7	3.8	11.05	813	0.37	0.01	1.0	6.8
K302361		0.43	1.50	0.08	0.4	0.95	0.007	0.26	5.7	3.4	12.05	424	0.42	0.03	1.1	1.7
K302362		6.78	20.2	0.21	3.9	8.6	0.047	1.35	61.2	19.1	0.14	37	6.33	0.38	10.1	15.3
K302363		0.98	2.87	<0.05	1.2	2.64	0.013	0.54	8.8	5.5	10.15	1100	0.97	0.01	2.2	3.4
K302364		1.11	6.45	0.06	1.7	2.43	0.021	1.27	14.0	11.5	7.98	555	1.86	0.02	4.4	9.4
K302365		0.95	8.66	0.07	2.1	4.36	0.025	1.75	21.8	18.3	6.86	248	0.92	0.02	6.1	8.0
K302366		1.17	13.90	0.11	3.1	1.01	0.041	2.71	32.0	31.6	5.24	186	0.95	0.03	9.4	12.3
K302367		1.19	8.24	0.07	2.3	0.61	0.023	1.71	19.8	15.0	7.04	226	0.73	0.02	6.0	9.0
K302368		0.99	5.73	0.08	1.2	0.25	0.015	1.19	15.6	11.3	8.78	203	0.61	0.02	3.9	9.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11209410

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302333		110	42.8	8.9	<0.002	4.67	5.19	0.8	1	0.2	83.5	0.05	<0.05	0.9	0.018	15.95
K302334		330	50.3	19.2	0.003	5.96	15.10	1.6	2	0.4	105.5	0.11	<0.05	2.0	0.039	25.9
K302335		170	1.6	2.1	<0.002	0.01	0.17	0.2	2	<0.2	42.3	<0.05	<0.05	<0.2	<0.005	<0.02
K302336		670	44.6	26.2	0.008	3.69	10.30	2.1	3	0.4	120.0	0.14	<0.05	2.7	0.050	15.20
K302337		400	59.2	17.2	0.006	5.31	7.30	1.4	3	0.4	118.5	0.11	<0.05	1.9	0.037	19.55
K302338		450	141.5	23.4	<0.002	>10.0	9.40	2.0	2	0.5	93.7	0.15	<0.05	2.7	0.052	42.1
K302339		560	33.5	37.4	0.003	2.26	1.97	2.8	3	0.6	92.5	0.22	<0.05	4.1	0.074	7.32
K302340		190	23.5	10.1	0.003	4.13	1.06	0.8	2	0.2	86.0	0.05	<0.05	1.1	0.020	9.16
K302341		4110	4.8	129.0	0.032	1.32	17.25	6.4	9	1.6	144.5	0.51	0.53	7.1	0.205	12.95
K302342		110	39.9	8.3	<0.002	4.47	3.59	0.7	1	0.2	91.9	0.05	<0.05	0.9	0.018	13.60
K302343		540	82.0	14.0	0.004	>10.0	3.30	1.4	3	0.4	134.0	0.09	<0.05	1.6	0.031	26.6
K302344		550	16.3	30.2	<0.002	1.33	0.91	2.4	3	0.5	175.0	0.17	<0.05	3.3	0.060	3.69
K302345		420	14.1	14.3	<0.002	1.60	3.90	1.2	2	0.3	91.3	0.09	<0.05	1.7	0.030	7.39
K302346		480	10.7	32.0	<0.002	1.20	0.91	2.3	2	0.6	84.5	0.17	<0.05	3.4	0.060	3.42
K302347		460	11.1	24.9	<0.002	1.49	0.90	1.8	2	0.5	77.6	0.13	<0.05	2.7	0.049	3.92
K302348		710	21.0	47.9	<0.002	1.33	1.43	4.2	3	0.7	138.0	0.30	<0.05	5.8	0.106	3.73
K302349		690	27.1	48.7	0.005	2.08	5.42	4.1	3	0.8	115.0	0.31	<0.05	5.7	0.106	7.01
K302350		600	13.7	36.3	0.003	0.91	12.65	2.8	4	0.5	118.5	0.20	<0.05	3.9	0.067	10.95
K302351		650	13.3	46.8	0.005	0.78	7.05	3.8	3	0.7	115.5	0.29	<0.05	5.4	0.101	5.77
K302352		170	1.4	2.4	<0.002	0.01	0.10	0.3	2	<0.2	43.5	<0.05	<0.05	<0.2	<0.005	<0.02
K302353		330	13.0	20.3	0.008	0.80	3.49	1.5	3	0.3	91.9	0.11	<0.05	2.0	0.039	4.98
K302354		110	23.8	12.3	<0.002	2.15	7.93	1.1	2	0.2	80.8	0.07	<0.05	1.2	0.024	10.35
K302355		140	35.9	14.0	<0.002	3.27	1.41	1.1	2	0.3	107.5	0.08	<0.05	1.4	0.030	9.54
K302356		210	29.3	14.2	<0.002	3.06	1.26	1.2	2	0.3	87.6	0.08	<0.05	1.4	0.029	8.33
K302357		130	25.6	12.2	<0.002	2.70	3.90	1.0	2	0.3	89.2	0.07	<0.05	1.2	0.026	9.38
K302358		140	25.9	15.2	<0.002	3.35	7.77	1.2	2	0.4	85.6	0.08	<0.05	1.3	0.029	12.35
K302359		140	36.1	13.8	<0.002	3.41	17.00	1.2	2	0.4	94.0	0.08	<0.05	1.4	0.029	21.1
K302360		180	20.7	12.9	<0.002	1.78	9.80	1.1	2	0.3	83.5	0.07	<0.05	1.2	0.025	10.45
K302361		190	5.1	9.0	<0.002	0.40	4.17	0.9	1	0.3	93.3	0.08	<0.05	1.1	0.026	1.76
K302362		890	16.4	50.1	0.003	2.95	115.5	16.0	2	2.9	490	0.74	0.14	9.4	0.532	7.55
K302363		170	8.8	19.0	0.002	1.11	9.83	1.9	2	0.5	118.5	0.15	<0.05	2.6	0.055	6.10
K302364		490	11.4	50.0	0.002	0.84	6.17	4.4	3	1.2	125.0	0.32	<0.05	5.4	0.114	5.86
K302365		460	7.5	70.4	<0.002	0.39	2.45	5.7	2	1.8	91.3	0.45	<0.05	7.4	0.160	2.31
K302366		560	10.8	110.5	<0.002	0.35	0.58	8.8	3	2.3	99.9	0.69	<0.05	11.0	0.243	1.37
K302367		370	9.0	66.0	<0.002	0.55	0.32	5.3	3	1.1	105.0	0.43	<0.05	7.3	0.152	0.95
K302368		250	7.2	45.6	<0.002	0.41	0.24	3.7	3	1.0	103.5	0.28	<0.05	4.7	0.100	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11209410

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K302333		20.0	11	1.0	3.4	42	7.4
K302334		19.4	21	1.6	5.2	283	18.4
K302335		0.5	2	0.1	0.9	14	<0.5
K302336		24.3	52	1.8	6.3	129	20.9
K302337		14.6	36	1.3	5.4	500	17.4
K302338		10.2	16	1.5	6.5	763	30.0
K302339		14.7	35	1.4	8.5	24	40.9
K302340		9.4	16	0.5	4.1	9	9.5
K302341		8.3	382	31.6	29.8	271	76.2
K302342		14.7	10	0.7	3.1	107	6.8
K302343		17.4	33	1.4	5.0	9	12.5
K302344		11.1	20	1.0	8.2	9	37.3
K302345		10.1	8	0.9	6.5	3	25.0
K302346		6.3	15	1.0	8.6	9	36.9
K302347		5.5	12	0.8	7.7	4	30.9
K302348		12.8	33	2.0	11.3	10	58.2
K302349		14.7	53	2.6	11.5	13	57.3
K302350		14.8	34	2.4	9.2	49	39.8
K302351		16.7	53	3.0	11.6	8	57.1
K302352		0.4	2	0.1	0.9	16	<0.5
K302353		17.8	45	1.4	5.0	8	16.9
K302354		15.4	13	0.8	3.3	14	10.9
K302355		16.5	15	1.2	3.4	10	12.8
K302356		19.5	16	1.2	3.6	53	11.7
K302357		14.6	12	0.9	3.1	18	12.9
K302358		15.4	11	1.1	3.3	12	13.5
K302359		15.2	12	1.2	3.9	46	12.7
K302360		9.8	13	0.8	3.9	9	12.0
K302361		9.6	20	0.8	4.2	6	14.7
K302362		7.5	167	22.8	15.4	43	159.0
K302363		10.2	26	1.8	7.0	19	41.6
K302364		16.2	49	2.5	10.9	58	59.8
K302365		9.9	57	2.2	12.4	44	75.0
K302366		6.3	79	1.5	18.2	76	111.0
K302367		7.4	48	0.8	12.1	54	81.3
K302368		16.3	35	0.5	8.4	24	44.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11209410

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11215802

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 266 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302369		8.65	0.01	0.05	2.31	168	110	0.79	0.07	16.70	0.08	24.8	3.7	22	10.25	10.6
K302370		8.61	0.04	0.06	2.09	79	80	0.78	0.07	16.50	0.02	25.0	3.5	21	9.28	11.0
K302371		8.65	0.11	0.09	2.63	2840	80	0.69	0.09	12.60	0.12	25.1	3.7	28	8.26	12.1
K302372		3.43	0.26	0.10	2.78	532	310	0.82	0.09	13.20	0.04	30.6	4.0	30	8.50	15.4
K302373		4.98	<0.01	0.03	0.10	<5	20	0.22	0.04	21.3	0.06	1.28	0.7	1	0.25	5.0
K302374		5.18	0.16	0.09	7.97	401	300	2.85	0.35	2.56	0.06	83.6	14.4	67	36.5	37.4
K302375		7.78	0.02	0.07	8.62	285	340	3.62	0.39	1.60	0.15	87.7	18.5	66	41.1	24.9
K302376		3.36	0.08	2.60	2.35	465	140	0.79	0.09	19.75	0.11	32.3	4.6	27	6.33	21.5
K302377		1.94	0.09	1.53	2.57	703	670	0.82	0.09	22.8	0.07	30.3	4.0	28	5.29	17.3
K302378		2.54	0.09	0.49	6.20	969	270	1.67	0.21	10.70	0.10	68.1	10.9	49	12.95	36.0
K302379		0.23	0.33	0.41	6.26	587	460	0.66	0.29	0.47	0.19	137.5	2.7	237	3.55	30.5
K302380		3.91	0.01	0.40	6.89	173.0	360	1.84	0.16	9.59	0.07	77.9	17.3	48	12.05	29.6
K302381		9.96	<0.01	0.37	7.73	93.9	550	2.33	0.32	2.34	0.03	71.9	15.3	68	21.6	31.1
K302382		12.24	<0.01	0.08	8.48	30.8	1100	2.67	0.34	0.47	<0.02	87.2	17.3	67	30.3	12.9
K302383		11.68	0.17	0.07	8.73	634	380	2.60	0.40	0.68	0.03	93.6	16.1	65	23.5	37.1
K302384		5.46	17.20	1.79	7.19	5720	550	1.70	0.24	6.63	0.23	77.2	16.2	53	13.55	77.1
K302385		4.88	<0.01	0.01	0.08	9	20	0.07	0.02	21.5	0.06	1.51	1.3	<1	0.31	2.2
K302386		7.47	0.07	0.14	2.94	145	110	0.98	0.08	21.7	0.27	34.6	6.4	28	5.71	23.0
K302387		5.86	0.26	0.22	2.69	1240	90	0.76	0.06	20.5	0.14	32.0	4.9	26	4.50	15.0
K302388		6.50	5.31	1.28	2.69	>10000	140	0.61	0.07	15.40	0.68	33.0	5.0	30	5.12	19.4
K302389		12.37	2.28	0.54	1.96	3290	80	0.63	0.05	25.7	0.30	22.3	3.2	20	3.65	10.6
K302390		12.35	0.02	0.04	1.72	139	130	0.63	0.04	29.0	0.11	19.15	2.8	15	3.19	8.6
K302391		5.59	<0.01	0.01	2.23	91	190	0.74	0.06	27.8	0.06	24.8	3.6	19	5.14	13.7
K302392		5.96	<0.01	0.04	3.84	63	180	1.28	0.09	16.75	0.07	43.3	6.4	34	11.90	21.0
K302393		12.80	<0.01	0.03	4.43	41	150	1.31	0.09	13.80	0.06	46.7	6.8	43	12.80	25.5
K302394		13.11	<0.01	0.03	3.32	38	150	1.09	0.07	20.3	0.05	37.7	5.2	31	8.71	16.2
K302395		5.55	0.01	0.03	3.28	36	140	1.04	0.07	20.1	0.06	36.4	5.0	32	8.37	16.6
K302396		12.17	0.17	0.06	4.07	214	190	1.23	0.09	13.95	0.08	44.4	6.8	41	7.97	20.0
K302397		12.92	0.98	0.25	3.69	833	130	1.08	0.08	12.10	0.19	42.6	6.0	41	7.30	22.7
K302398		6.46	0.11	0.11	3.98	137	130	1.22	0.09	12.10	0.12	45.9	6.8	43	8.56	21.3
K302399		0.23	2.59	0.98	3.23	596	880	0.74	0.29	8.07	2.29	46.3	6.8	49	3.87	44.4
K302400		11.69	0.55	0.19	1.69	3540	70	0.58	0.04	27.0	0.13	21.6	3.1	18	3.31	9.2
K302401		11.37	0.02	0.06	1.71	61	70	0.64	0.04	28.0	0.10	20.2	2.9	16	4.64	8.4
K304866		5.72	0.01	0.03	3.42	113	160	1.01	0.09	18.15	0.05	34.0	5.5	30	13.45	17.9
K304867		6.20	0.01	0.01	3.47	31	200	1.08	0.08	20.1	0.06	38.8	4.7	32	22.5	20.5
K304868		5.47	<0.01	0.03	4.65	58	260	1.40	0.10	13.25	0.06	50.2	7.0	45	26.9	22.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302369		0.90	5.92	0.14	1.1	0.45	0.019	1.10	14.9	9.5	8.77	231	0.51	0.02	3.2	9.1
K302370		1.05	5.35	0.14	1.0	0.71	0.017	1.01	14.5	9.7	9.47	480	0.65	0.02	3.0	9.1
K302371		0.86	6.41	0.15	1.7	1.12	0.017	1.21	14.4	9.0	7.64	438	1.12	0.02	4.1	10.0
K302372		1.29	6.92	0.14	1.5	1.33	0.020	1.25	17.7	9.4	7.69	534	0.84	0.02	4.6	9.5
K302373		0.48	0.30	0.15	<0.1	<0.01	<0.005	0.03	0.6	1.4	12.70	212	0.67	0.01	0.2	1.7
K302374		4.56	21.8	0.18	3.1	1.97	0.062	3.89	47.8	20.1	1.78	297	0.41	0.04	11.3	30.6
K302375		3.72	24.5	0.20	3.5	1.14	0.076	4.25	45.0	22.5	1.32	263	0.61	0.05	12.8	37.6
K302376		1.32	6.08	0.15	1.3	0.69	0.021	1.17	17.8	13.3	4.26	399	2.93	0.04	3.5	10.6
K302377		1.25	6.25	0.14	1.3	0.71	0.021	1.20	17.3	14.5	1.98	405	2.25	0.03	3.5	10.9
K302378		3.09	15.85	0.20	2.5	0.40	0.039	2.61	38.1	43.1	1.75	641	0.75	0.05	8.7	26.4
K302379		6.67	20.8	0.20	4.4	9.5	0.037	1.31	70.5	16.9	0.13	38	6.71	0.37	9.4	16.1
K302380		4.38	18.75	0.17	3.2	0.09	0.059	2.13	43.1	59.9	1.67	755	1.08	0.56	19.3	35.9
K302381		4.58	22.3	0.16	3.0	0.03	0.065	3.45	35.7	44.7	1.04	463	1.66	0.08	11.8	35.2
K302382		4.86	24.8	0.21	3.3	0.20	0.068	4.21	48.5	13.7	1.08	237	0.26	0.05	11.9	39.4
K302383		5.00	25.3	0.19	3.3	0.77	0.063	4.18	52.0	14.3	0.75	278	0.25	0.05	12.9	43.7
K302384		3.15	18.65	0.13	2.5	5.6	0.054	3.39	41.0	13.4	3.53	3500	1.68	0.04	10.3	29.9
K302385		0.50	0.34	<0.05	<0.1	0.01	0.005	0.03	0.7	1.2	13.30	230	0.08	0.01	0.3	1.4
K302386		1.18	7.59	<0.05	1.5	0.60	0.024	1.42	18.2	6.7	2.54	2440	0.80	0.02	5.3	11.5
K302387		1.34	6.44	<0.05	1.7	0.47	0.021	1.32	16.4	5.9	3.23	1700	0.55	0.02	4.7	9.5
K302388		1.27	6.87	<0.05	1.3	2.92	0.096	1.29	17.4	8.6	4.19	2700	0.55	0.02	4.5	11.9
K302389		0.77	4.87	<0.05	1.0	1.32	0.017	0.97	12.0	7.7	2.26	780	0.57	0.02	3.3	5.7
K302390		0.77	4.01	<0.05	0.8	0.18	0.012	0.86	10.6	6.8	2.16	375	0.59	0.02	2.8	3.8
K302391		0.87	5.24	<0.05	0.8	0.15	0.016	1.10	13.7	8.6	1.35	330	0.31	0.02	3.6	6.3
K302392		1.58	9.62	<0.05	1.8	0.14	0.028	1.94	22.6	20.4	3.80	299	0.51	0.03	6.3	14.6
K302393		2.00	11.10	<0.05	2.0	0.12	0.032	2.25	24.5	22.0	4.70	307	0.63	0.03	7.2	17.7
K302394		1.46	8.12	<0.05	1.5	0.11	0.025	1.70	20.0	13.2	3.27	265	0.43	0.03	5.5	11.8
K302395		1.43	8.00	<0.05	1.5	0.11	0.023	1.67	19.2	12.9	3.12	261	0.46	0.03	5.3	11.3
K302396		1.79	10.25	<0.05	2.1	0.75	0.031	2.14	23.2	13.7	4.94	325	0.68	0.03	6.7	15.9
K302397		1.77	9.57	<0.05	1.9	1.43	0.030	1.97	21.7	18.2	5.41	705	1.11	0.02	6.2	15.6
K302398		1.79	10.40	<0.05	2.2	0.70	0.030	2.15	24.0	20.6	5.34	391	1.16	0.03	6.9	16.9
K302399		2.13	8.04	<0.05	1.7	4.18	0.029	1.03	28.4	36.5	2.62	281	19.10	0.02	7.2	52.6
K302400		0.77	4.11	<0.05	0.8	1.22	0.017	0.89	11.8	7.5	2.65	313	0.58	0.01	2.8	5.3
K302401		0.66	4.18	<0.05	0.9	0.66	0.013	0.91	11.1	9.4	2.04	151	0.84	0.01	3.0	4.8
K304866		1.28	8.59	<0.05	1.5	0.25	0.025	1.96	18.9	19.2	4.68	312	0.39	0.02	5.7	11.0
K304867		1.19	8.62	<0.05	1.5	0.05	0.023	2.04	20.5	28.2	2.66	215	0.48	0.04	5.7	10.0
K304868		1.85	11.85	<0.05	2.2	0.05	0.034	2.69	26.2	37.2	3.05	252	0.53	0.04	7.9	18.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302369		330	6.0	40.0	<0.002	0.27	0.56	3.3	1	0.9	109.0	0.30	<0.05	4.6	0.092	0.95
K302370		310	6.9	37.5	0.002	0.52	0.81	3.2	1	0.9	106.5	0.27	<0.05	4.5	0.087	1.73
K302371		400	10.5	44.5	<0.002	0.53	5.12	3.9	2	1.1	99.5	0.37	<0.05	6.2	0.118	3.37
K302372		390	9.5	46.7	<0.002	0.66	2.37	4.4	1	1.2	125.0	0.37	<0.05	6.1	0.124	3.62
K302373		170	1.4	1.8	<0.002	0.01	0.07	0.3	1	0.3	45.8	0.06	<0.05	<0.2	0.005	0.03
K302374		430	33.1	139.5	<0.002	4.21	3.01	14.3	1	2.8	108.5	0.87	0.06	14.2	0.379	5.01
K302375		500	54.8	163.5	<0.002	3.10	1.43	16.2	1	2.9	111.5	0.99	0.07	14.8	0.437	2.82
K302376		380	7.9	47.1	<0.002	0.08	2.08	4.1	1	1.0	481	0.30	<0.05	4.8	0.101	1.25
K302377		280	7.5	48.0	<0.002	0.03	2.36	3.9	1	1.0	549	0.33	<0.05	5.1	0.111	1.05
K302378		530	13.1	120.0	<0.002	0.02	2.93	10.2	1	2.4	302	0.70	<0.05	11.4	0.284	1.32
K302379		900	17.5	49.0	0.002	2.99	114.0	15.2	1	3.3	490	0.75	0.11	9.7	0.531	7.66
K302380		1010	14.1	106.0	<0.002	0.02	0.84	13.0	2	2.4	371	1.28	<0.05	10.6	0.504	0.61
K302381		920	17.0	146.5	<0.002	0.01	0.82	14.5	1	2.9	143.0	0.91	<0.05	12.1	0.395	0.97
K302382		530	19.4	206	<0.002	0.87	0.68	16.4	1	2.9	170.0	0.95	<0.05	15.2	0.402	1.35
K302383		430	22.2	202	<0.002	4.29	5.30	16.6	2	3.2	154.5	0.99	0.06	15.8	0.428	3.48
K302384		320	30.2	145.0	<0.002	2.35	54.1	13.4	2	2.3	151.5	0.72	0.09	12.7	0.341	30.2
K302385		160	1.3	2.1	<0.002	0.01	0.13	0.3	1	<0.2	44.3	<0.05	<0.05	0.2	<0.005	0.06
K302386		330	23.9	56.5	<0.002	0.78	1.61	4.9	3	1.1	533	0.37	<0.05	6.6	0.135	1.44
K302387		320	12.9	49.3	<0.002	1.00	7.93	4.3	2	0.9	481	0.33	<0.05	6.2	0.129	1.90
K302388		390	14.2	55.9	<0.002	4.78	315	4.9	6	1.0	220	0.33	0.10	6.0	0.121	8.38
K302389		260	9.3	40.1	<0.002	0.53	16.10	3.1	3	0.7	789	0.23	<0.05	4.1	0.088	3.55
K302390		210	6.5	33.6	<0.002	0.21	0.74	2.7	2	0.6	819	0.19	<0.05	3.5	0.075	0.46
K302391		250	5.1	46.5	<0.002	0.28	0.41	3.5	2	0.8	626	0.24	<0.05	4.2	0.096	0.49
K302392		440	7.6	85.9	<0.002	0.27	0.32	6.2	3	1.3	372	0.45	<0.05	8.1	0.173	0.59
K302393		470	8.0	97.7	<0.002	0.32	0.27	6.9	3	1.5	298	0.51	<0.05	9.3	0.200	0.61
K302394		340	6.3	70.1	<0.002	0.16	0.23	5.2	2	1.1	495	0.39	<0.05	6.9	0.149	0.40
K302395		340	6.1	67.7	<0.002	0.17	0.21	5.2	2	1.2	483	0.38	<0.05	6.8	0.147	0.39
K302396		440	7.7	86.6	<0.002	0.37	1.49	6.5	3	1.4	293	0.49	<0.05	8.9	0.186	1.82
K302397		480	8.6	80.2	<0.002	0.62	7.22	6.1	4	1.2	227	0.43	<0.05	8.6	0.169	4.90
K302398		490	8.3	87.4	<0.002	0.49	2.55	6.6	3	1.3	309	0.49	<0.05	9.3	0.186	1.69
K302399		910	38.9	52.9	0.022	1.58	107.5	5.2	4	2.5	71.1	0.44	0.19	6.7	0.174	4.05
K302400		240	6.7	33.8	<0.002	0.46	10.50	2.8	3	0.5	1110	0.19	<0.05	3.6	0.077	3.70
K302401		230	5.8	36.0	<0.002	0.29	1.10	2.9	3	0.6	784	0.20	<0.05	3.6	0.080	1.80
K304866		380	7.3	73.8	<0.002	0.63	0.45	5.5	2	1.2	282	0.40	<0.05	7.0	0.154	0.90
K304867		460	7.1	84.8	<0.002	0.16	0.22	5.7	3	1.2	489	0.41	<0.05	7.3	0.155	0.41
K304868		560	9.5	118.0	<0.002	0.12	0.33	7.6	4	1.6	287	0.56	<0.05	9.8	0.213	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302369		16.5	34	0.8	7.4	24	40.3	
K302370		12.6	33	1.2	7.2	7	34.6	
K302371		21.2	39	2.0	8.7	24	59.4	
K302372		12.0	42	1.8	9.9	17	54.2	
K302373		0.6	2	0.1	0.9	14	0.6	
K302374		5.2	89	4.8	17.1	78	108.5	
K302375		2.9	95	3.3	20.0	219	124.0	
K302376		6.3	31	6.4	10.5	35	48.3	
K302377		8.0	32	3.8	8.9	32	41.2	
K302378		5.4	69	1.8	17.0	72	87.8	
K302379		7.6	169	23.3	15.0	43	177.0	
K302380		4.3	90	1.9	19.5	85	122.5	
K302381		2.8	85	11.7	17.1	91	102.0	
K302382		3.2	104	1.5	19.7	76	109.0	
K302383		2.7	98	7.1	21.4	73	114.0	
K302384		6.3	67	6.6	16.9	68	89.7	
K302385		0.7	2	0.1	1.0	18	0.7	
K302386		12.1	41	1.4	11.5	113	52.4	
K302387		8.6	34	1.7	10.6	53	59.9	
K302388		12.5	39	2.9	9.8	235	44.5	7.88
K302389		13.7	27	1.7	7.6	68	37.2	
K302390		14.9	25	0.6	6.2	41	26.4	
K302391		11.4	28	0.6	8.0	31	30.6	
K302392		8.4	52	0.8	14.3	42	64.9	
K302393		6.2	66	0.8	15.8	55	69.3	
K302394		9.7	44	0.7	12.4	40	54.8	
K302395		9.2	42	0.6	12.0	40	52.4	
K302396		6.2	54	1.9	15.7	48	75.2	
K302397		4.1	57	3.0	15.5	85	68.7	
K302398		5.5	62	3.1	15.8	60	76.6	
K302399		9.0	231	26.3	22.6	214	66.3	
K302400		12.7	27	1.2	7.4	35	29.4	
K302401		13.4	28	1.0	7.0	25	31.6	
K304866		6.9	44	1.1	11.2	11	50.7	
K304867		9.5	53	0.6	12.8	17	53.0	
K304868		6.1	70	0.8	17.2	31	78.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

CERTIFICATE WH11215807

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 264 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215807

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305697		2.79	0.01	0.05	1.44	57	240	0.47	0.03	22.9	0.06	26.5	2.4	13	4.94	10.2
K305698		3.57	0.04	0.11	2.16	138	190	0.75	0.04	24.2	0.05	28.3	3.5	20	7.25	10.9
K305699		9.80	0.02	0.07	1.41	69	140	0.45	0.03	29.0	0.03	19.00	2.6	13	5.06	7.3
K305700		0.24	2.60	0.92	3.05	548	840	0.73	0.31	7.90	2.25	43.9	6.2	48	3.76	42.6
K305701		11.83	<0.01	0.03	1.19	34	210	0.41	0.03	31.2	0.02	12.50	2.5	11	5.40	6.0
K305702		10.84	<0.01	0.03	1.05	23	120	0.33	0.03	29.9	0.04	12.25	2.0	10	5.31	4.7
K305703		10.45	<0.01	0.02	1.59	22	150	0.51	0.04	28.3	0.06	20.9	2.6	14	7.80	10.9
K305704		10.97	<0.01	0.04	2.24	41	140	0.76	0.05	28.8	0.04	24.4	4.0	19	9.06	12.8
K305705		9.46	<0.01	0.03	1.42	56	100	0.61	0.04	29.5	0.03	16.80	2.6	12	3.94	7.2
K305706		11.01	<0.01	0.05	2.16	169	220	0.77	0.05	21.7	0.04	25.2	3.2	21	5.88	11.0
K305707		12.12	0.13	0.13	5.27	463	320	1.73	0.10	9.34	0.03	56.1	7.6	53	19.75	25.4
K305708		5.00	<0.01	<0.01	0.09	6	20	0.06	0.02	20.9	0.05	1.28	1.0	2	0.38	1.6
K305709		11.40	0.33	0.08	3.41	167	240	1.08	0.07	16.50	0.06	39.3	4.9	33	12.15	15.5
K305710		9.97	0.64	0.16	4.99	412	290	1.62	0.10	10.15	0.05	53.5	7.3	50	18.70	22.1
K305711		11.70	0.33	0.12	4.07	549	250	1.37	0.09	13.45	0.06	49.3	6.6	40	15.80	19.3
K305712		11.81	0.17	0.17	3.25	340	250	1.00	0.07	17.35	0.07	43.5	5.1	35	18.75	21.3
K305713		12.08	0.04	0.07	4.47	95	310	1.41	0.09	11.90	0.03	50.0	6.6	43	27.4	22.3
K305714		12.47	0.02	0.08	3.67	53	230	1.21	0.08	17.50	0.07	41.1	5.6	38	23.1	24.7
K305715		12.14	<0.01	0.03	3.12	135	150	0.94	0.06	18.45	0.04	34.4	4.9	29	10.65	11.9
K305716		12.19	<0.01	0.03	1.99	33	180	0.54	0.04	24.8	0.03	20.5	3.3	18	4.92	7.2
K305717		4.97	0.01	0.03	2.46	43	360	0.79	0.05	24.0	0.04	26.1	4.2	22	7.15	10.7
K305718		11.76	<0.01	0.07	1.81	60	100	0.72	0.04	27.4	0.04	19.45	3.2	18	4.86	8.9
K305719		11.67	<0.01	0.05	2.80	83	160	0.86	0.05	20.5	<0.02	28.8	3.9	25	8.79	11.5
K305720		0.24	0.33	0.28	5.93	594	310	0.62	0.24	0.48	0.17	122.5	2.5	223	3.34	30.0
K305721		10.75	0.04	0.05	2.90	217	240	0.86	0.06	13.00	0.03	34.8	3.1	30	9.61	10.1
K305722		9.92	<0.01	0.05	3.54	71	170	1.05	0.08	10.20	0.04	40.9	3.7	35	12.60	10.7
K305723		10.02	<0.01	0.05	3.33	102	160	0.90	0.10	13.20	0.08	43.6	5.0	30	11.75	15.6
K305724		11.75	<0.01	0.02	2.21	47	140	0.73	0.05	23.9	0.14	26.9	2.8	19	7.80	8.2
K305725		11.18	<0.01	0.01	1.50	52	60	0.58	0.04	27.6	0.08	21.0	3.6	13	4.56	7.1
K305726		12.30	0.12	0.10	2.54	96	130	0.75	0.06	10.50	0.04	34.5	3.4	29	8.65	15.5
K305727		11.81	0.02	0.05	2.83	225	160	0.87	0.07	11.70	0.10	36.5	3.6	28	10.80	12.7
K305728		5.76	0.62	1.27	5.59	1435	270	1.50	0.17	8.16	0.08	67.1	11.4	50	20.7	63.2
K305729		4.94	<0.01	0.01	0.08	<5	50	0.06	0.02	20.7	0.05	1.59	1.5	<1	0.34	3.5
K305730		5.55	1.14	2.12	5.17	5550	250	1.39	0.18	10.25	0.11	60.3	11.2	51	17.70	56.9
K305731		7.02	0.17	0.29	2.65	402	120	0.75	0.08	17.85	0.05	31.9	5.5	24	8.17	19.3
K305732		10.70	0.01	0.05	0.87	61	80	0.30	0.02	32.2	0.02	13.95	2.1	8	2.39	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215807

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305697		0.75	3.74	0.06	1.4	0.20	0.013	0.88	13.6	8.8	2.72	180	0.51	0.02	2.7	5.0
K305698		0.93	5.58	0.07	1.4	0.25	0.018	1.27	14.7	12.8	2.17	218	0.48	0.02	3.6	8.0
K305699		0.55	3.44	0.05	0.7	0.17	0.012	0.80	10.4	8.8	1.19	141	0.34	0.01	2.2	5.1
K305700		2.03	8.07	0.09	1.7	4.53	0.027	0.97	27.2	35.6	2.47	262	17.80	0.03	7.0	49.7
K305701		0.48	2.99	0.05	0.6	0.10	0.007	0.70	7.2	8.3	1.15	105	0.42	0.02	1.9	5.2
K305702		0.55	2.59	0.06	0.5	0.06	0.006	0.61	7.0	7.3	1.62	110	0.60	0.01	1.6	3.9
K305703		0.52	4.00	0.06	0.8	0.07	0.012	0.92	11.9	9.2	0.97	113	0.24	0.01	2.7	6.4
K305704		0.95	5.59	0.06	1.1	0.17	0.015	1.27	13.5	13.2	1.79	137	0.59	0.02	3.5	9.2
K305705		0.63	3.35	0.05	0.7	0.24	0.011	0.77	9.5	6.8	1.32	120	0.34	0.01	2.1	4.7
K305706		1.09	5.41	0.06	1.3	0.55	0.013	1.22	13.3	9.2	3.03	208	0.60	0.01	3.6	7.5
K305707		1.74	14.00	0.10	3.4	1.15	0.038	3.07	28.8	28.8	3.19	242	1.02	0.03	8.9	20.1
K305708		0.47	0.30	0.07	<0.1	<0.01	<0.005	0.05	0.6	1.3	12.70	212	0.16	<0.01	0.3	1.5
K305709		1.14	8.62	0.09	2.3	1.21	0.021	1.97	20.8	18.0	1.90	306	0.69	0.02	5.6	11.2
K305710		1.69	13.70	0.10	3.2	1.75	0.035	2.85	27.8	25.4	3.24	426	1.07	0.03	8.5	17.3
K305711		1.39	11.10	0.09	3.1	0.97	0.029	2.38	26.1	21.6	3.10	317	1.05	0.03	7.6	14.9
K305712		1.24	8.43	0.08	2.5	1.12	0.024	1.88	22.8	18.3	1.87	229	1.25	0.03	6.1	13.3
K305713		1.65	11.55	0.10	2.8	0.32	0.035	2.67	26.3	27.2	2.67	211	0.94	0.03	7.4	16.9
K305714		1.34	9.57	0.08	1.8	0.33	0.026	2.09	22.5	22.4	2.66	209	0.73	0.02	5.9	15.7
K305715		1.35	7.80	0.07	2.0	0.27	0.021	1.71	18.4	15.4	3.16	201	0.75	0.02	5.2	11.4
K305716		0.81	4.27	0.06	1.2	0.21	0.012	1.07	10.6	7.2	1.97	154	0.40	0.01	2.9	5.7
K305717		0.83	6.02	0.06	1.6	0.30	0.015	1.32	13.9	10.5	2.26	162	0.48	0.02	4.1	7.3
K305718		0.64	4.55	0.07	1.0	0.33	0.012	0.96	10.9	7.9	2.13	169	0.66	0.01	3.1	6.6
K305719		1.18	5.97	0.05	1.1	0.49	0.017	1.51	15.3	10.5	4.24	328	0.62	0.02	3.8	8.4
K305720		6.47	19.95	0.18	4.0	9.3	0.045	1.31	59.6	16.4	0.12	36	5.94	0.36	9.5	14.6
K305721		1.34	7.23	0.06	2.3	0.55	0.020	1.54	17.9	12.7	5.63	400	0.52	0.02	4.8	7.3
K305722		1.23	8.62	0.07	3.9	0.35	0.026	1.94	20.9	15.1	5.27	314	0.65	0.03	6.6	9.1
K305723		1.25	8.83	0.11	2.8	0.44	0.024	1.71	21.8	19.1	5.29	327	0.76	0.02	6.0	10.4
K305724		0.71	6.12	0.09	1.3	0.29	0.018	1.16	14.0	12.4	2.81	169	0.29	0.02	4.0	6.5
K305725		0.56	4.26	0.09	0.8	0.33	0.012	0.79	11.0	8.0	2.44	208	0.29	0.01	2.7	6.6
K305726		1.15	6.26	0.17	2.8	0.92	0.019	1.40	18.4	13.5	3.80	401	0.58	0.02	5.2	8.3
K305727		1.21	7.00	0.16	2.9	2.58	0.021	1.63	19.6	14.9	5.73	421	0.78	0.03	5.6	7.5
K305728		1.72	15.75	0.17	3.0	27.5	0.042	2.92	34.4	29.1	3.37	556	5.40	0.03	9.6	29.6
K305729		0.45	0.34	0.11	<0.1	0.04	0.005	0.04	0.7	1.2	12.45	214	0.09	<0.01	0.4	3.3
K305730		1.60	14.25	0.16	2.6	10.0	0.040	2.66	32.2	25.5	2.70	941	7.56	0.03	8.4	31.7
K305731		1.43	7.37	0.11	1.9	1.44	0.020	1.40	17.3	12.3	5.11	447	1.54	0.02	4.6	13.1
K305732		0.59	2.50	0.09	0.4	0.17	0.008	0.47	7.6	3.8	1.82	188	0.42	0.01	1.7	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215807

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305697		310	5.3	29.8	<0.002	0.11	0.36	2.3	2	0.5	514	0.20	<0.05	3.5	0.066	0.42
K305698		290	5.4	41.4	<0.002	0.10	0.58	3.3	2	0.7	483	0.28	<0.05	4.5	0.094	0.59
K305699		200	4.4	26.1	<0.002	0.08	0.36	2.1	2	0.5	696	0.16	<0.05	2.7	0.057	0.31
K305700		850	38.2	46.4	0.022	1.48	109.5	4.7	4	2.5	77.9	0.48	0.22	5.9	0.164	3.92
K305701		160	5.3	22.2	<0.002	0.09	0.37	1.8	2	0.4	1175	0.13	<0.05	2.2	0.049	0.26
K305702		160	3.9	19.3	<0.002	0.10	0.18	1.6	2	0.3	771	0.11	<0.05	1.9	0.042	0.20
K305703		270	4.0	30.8	<0.002	0.12	0.15	2.5	2	0.5	578	0.20	<0.05	3.2	0.067	0.17
K305704		240	5.9	41.3	<0.002	0.32	0.24	3.3	2	0.7	579	0.27	<0.05	4.3	0.091	0.42
K305705		150	4.1	24.3	<0.002	0.21	0.44	2.2	2	0.4	606	0.16	<0.05	2.6	0.056	0.41
K305706		270	5.8	37.6	<0.002	0.39	0.62	3.2	2	0.8	416	0.29	<0.05	4.5	0.097	0.88
K305707		720	12.5	101.0	<0.002	0.79	1.52	8.0	3	1.8	183.0	0.73	<0.05	11.2	0.245	2.82
K305708		190	1.2	2.1	<0.002	0.01	0.05	0.3	2	<0.2	47.7	<0.05	<0.05	<0.2	<0.005	0.02
K305709		530	6.5	66.0	<0.002	0.33	1.56	5.0	2	1.1	248	0.46	<0.05	7.1	0.152	3.55
K305710		670	9.5	95.8	<0.002	0.70	3.46	7.6	3	1.7	178.0	0.69	<0.05	10.4	0.226	5.79
K305711		500	9.4	82.5	<0.002	0.45	2.15	6.3	2	1.5	250	0.62	<0.05	9.4	0.193	3.59
K305712		590	7.4	68.3	<0.002	0.36	0.84	5.1	2	1.2	290	0.48	<0.05	7.4	0.150	1.35
K305713		580	7.7	90.4	<0.002	0.35	0.39	6.7	2	1.5	235	0.59	<0.05	9.3	0.201	0.74
K305714		750	7.8	71.2	0.002	0.46	0.28	5.6	2	1.2	293	0.46	<0.05	7.1	0.155	0.55
K305715		320	6.8	56.6	<0.002	0.52	0.36	4.5	2	1.0	336	0.40	<0.05	6.2	0.140	0.53
K305716		210	5.9	27.8	<0.002	0.49	0.18	2.5	2	0.6	635	0.22	<0.05	3.6	0.089	0.36
K305717		240	6.3	40.8	<0.002	0.40	0.22	3.7	2	0.8	582	0.33	<0.05	4.9	0.110	0.47
K305718		200	7.7	29.8	<0.002	0.34	0.38	2.9	2	0.7	665	0.24	<0.05	3.8	0.080	0.93
K305719		500	6.9	40.4	<0.002	0.55	0.51	3.7	2	0.7	365	0.29	<0.05	4.6	0.111	0.96
K305720		880	16.4	41.8	0.003	2.90	113.0	13.8	2	2.9	481	0.74	0.14	8.5	0.521	7.41
K305721		590	6.0	47.3	<0.002	0.32	1.09	4.1	2	0.9	159.0	0.38	<0.05	5.9	0.131	1.13
K305722		560	8.9	61.7	<0.002	0.32	0.50	5.1	3	1.1	119.0	0.54	<0.05	8.5	0.182	0.82
K305723		510	9.0	63.6	<0.002	0.48	0.67	5.6	3	1.1	174.0	0.51	<0.05	8.4	0.157	1.14
K305724		310	5.0	43.1	<0.002	0.25	0.16	3.8	3	0.7	293	0.29	<0.05	5.0	0.097	0.56
K305725		190	4.5	31.6	<0.002	0.22	0.43	2.7	2	0.5	356	0.19	<0.05	3.4	0.064	0.93
K305726		500	6.0	57.1	<0.002	0.46	1.11	4.2	2	0.9	133.0	0.34	<0.05	6.3	0.138	1.24
K305727		390	7.3	62.3	<0.002	0.28	0.80	4.4	2	0.9	138.5	0.39	<0.05	7.0	0.151	2.07
K305728		660	19.5	113.5	0.005	1.18	10.00	9.9	5	1.8	184.5	0.79	<0.05	13.0	0.257	21.8
K305729		170	1.3	2.4	<0.002	<0.01	0.07	0.4	2	<0.2	40.2	<0.05	<0.05	<0.2	<0.005	0.05
K305730		630	22.4	102.5	0.007	1.45	21.8	8.9	6	1.8	190.5	0.72	<0.05	11.8	0.232	15.25
K305731		320	11.0	50.4	0.002	0.83	1.88	4.6	2	0.8	249	0.36	<0.05	6.3	0.117	3.20
K305732		120	6.9	17.2	<0.002	0.34	0.26	1.6	2	0.3	1160	0.11	<0.05	2.0	0.037	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215807

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K305697		7.2	20	0.5	8.9	15	54.7
K305698		8.3	31	0.8	8.7	18	53.2
K305699		12.0	19	0.5	5.6	9	29.4
K305700		8.0	218	28.3	19.5	203	69.5
K305701		16.7	16	0.3	3.9	10	23.8
K305702		14.1	17	0.2	3.8	18	21.3
K305703		9.0	21	0.3	6.3	17	30.6
K305704		12.5	28	0.5	7.2	20	43.1
K305705		12.5	18	0.5	5.2	11	31.5
K305706		8.4	32	0.8	8.0	12	51.1
K305707		5.0	80	3.6	17.6	22	124.5
K305708		0.5	1	0.1	0.8	13	0.5
K305709		5.3	54	2.5	12.2	11	87.5
K305710		4.5	76	4.0	16.6	15	116.0
K305711		6.3	63	3.1	14.6	15	111.5
K305712		7.6	52	0.9	13.9	25	93.2
K305713		4.8	69	1.1	14.9	26	104.5
K305714		7.7	68	0.6	13.0	20	69.5
K305715		8.4	41	0.9	10.5	15	76.7
K305716		9.6	25	0.4	6.1	10	46.0
K305717		10.7	31	0.5	7.8	11	58.8
K305718		15.7	26	0.9	6.0	14	39.8
K305719		9.3	41	0.9	8.2	9	43.4
K305720		6.8	163	22.6	13.4	42	171.0
K305721		7.4	45	1.9	11.0	10	87.2
K305722		5.4	51	1.8	14.1	10	143.0
K305723		8.6	48	1.9	15.1	12	98.4
K305724		5.8	31	0.8	9.1	33	47.8
K305725		4.8	20	0.8	6.9	9	35.1
K305726		4.1	40	1.4	12.6	7	109.5
K305727		3.4	41	1.3	13.8	10	108.5
K305728		8.0	109	4.2	21.9	17	105.0
K305729		0.4	3	0.1	1.1	13	0.6
K305730		14.1	139	4.2	20.2	18	88.2
K305731		9.9	46	1.8	11.5	11	67.0
K305732		17.2	15	0.4	4.5	8	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215807

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11216576

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 265 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216576

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K306041		10.94	0.65	0.03	7.19	734	300	1.87	0.29	7.67	0.04	70.2	12.2	49	24.3	19.3
K306042		11.02	0.03	0.06	7.70	550	350	2.10	0.25	6.41	0.04	72.3	8.7	54	25.5	67.8
K306043		11.68	<0.01	0.05	6.88	311	590	1.99	0.27	7.93	0.03	68.3	12.2	46	25.0	12.6
K306044		11.50	<0.01	0.05	8.01	108.0	330	2.48	0.29	5.28	0.03	73.8	10.8	56	36.1	22.2
K306045		11.63	<0.01	<0.01	8.20	14.8	580	2.19	0.28	2.84	0.12	86.4	11.8	71	19.65	53.5
K306046		5.53	<0.01	0.02	7.62	29.5	240	1.94	0.26	4.04	0.14	78.8	12.3	52	19.20	132.5
K306047		6.04	<0.01	0.08	2.54	34	90	0.56	0.08	24.1	0.11	29.5	8.2	21	6.03	24.5
K306048		0.18	7.29	0.44	3.59	994	160	0.68	0.67	12.00	4.17	42.6	4.8	89	7.45	27.9
K306049		9.65	<0.01	0.09	3.20	25	110	0.77	0.07	19.25	0.15	35.9	5.1	32	7.50	14.5
K306050		10.91	<0.01	0.08	3.51	27	110	0.93	0.08	17.35	0.12	44.0	5.5	36	11.10	11.6
K306051		11.30	<0.01	0.03	1.86	32	60	0.59	0.05	24.7	0.19	23.4	3.4	17	4.41	6.8
K306052		10.39	<0.01	0.04	2.95	57	290	0.81	0.07	10.70	0.08	35.7	4.6	27	8.39	11.6
K306053		6.73	0.18	0.08	3.85	>10000	210	1.11	0.09	7.78	0.07	40.9	5.4	40	11.05	15.0
K306054		3.33	0.12	0.09	3.59	>10000	200	1.04	0.08	7.88	0.06	39.7	5.1	37	10.25	15.5
K306055		9.46	<0.01	0.09	4.41	109	250	1.42	0.09	13.40	0.06	48.8	6.0	44	13.35	19.5
K306056		12.66	<0.01	0.05	3.28	84	240	0.98	0.07	19.30	0.07	35.1	5.5	29	12.40	11.1
K306057		11.74	<0.01	0.05	3.15	45	220	0.89	0.07	20.4	0.08	33.2	5.5	29	12.70	13.8
K306058		11.23	<0.01	0.05	3.43	21	230	0.99	0.08	15.50	0.09	36.4	5.4	33	15.45	17.7
K306059		0.18	0.33	0.32	6.10	582	460	0.54	0.27	0.44	0.17	134.0	2.7	212	3.32	24.6
K306060		11.91	<0.01	0.06	3.53	12	250	0.91	0.07	16.65	0.08	35.1	5.2	33	17.25	18.4
K306061		6.87	<0.01	0.01	0.12	8	20	0.37	0.03	20.5	0.06	1.25	2.0	1	0.40	1.6
K306062		11.26	<0.01	0.02	2.56	23	220	0.77	0.06	19.05	0.07	30.2	3.4	22	8.20	6.6
K306063		11.82	0.01	0.19	2.89	9	220	0.80	0.06	23.4	0.19	31.2	5.1	23	14.35	12.1
K306064		11.54	<0.01	0.09	1.99	20	390	0.50	0.04	28.2	0.04	24.7	3.1	16	9.22	8.7
K306065		11.28	<0.01	0.08	4.58	16	210	1.20	0.10	17.85	0.03	54.7	7.2	33	27.0	20.1
K306066		12.51	0.01	0.10	1.51	43	200	0.40	0.05	30.3	0.07	21.6	1.9	15	3.95	8.2
K306067		6.90	<0.01	0.02	0.07	<5	20	<0.05	0.06	21.4	0.06	1.25	0.6	<1	0.16	3.0
K306068		10.76	<0.01	0.06	1.46	31	140	0.44	0.05	29.6	0.08	20.8	2.1	13	3.63	9.3
K306069		10.87	<0.01	0.20	2.18	29	230	0.61	0.05	21.3	0.09	29.9	4.4	20	6.55	12.7
K306070		12.13	<0.01	0.07	2.37	10	270	0.64	0.06	21.8	0.10	32.0	2.6	19	6.16	16.5
K306071		11.79	<0.01	0.07	3.63	7	260	1.07	0.09	16.70	0.10	42.8	4.6	31	11.20	15.5
K306072		12.05	<0.01	0.09	2.77	5	160	0.71	0.07	20.9	0.10	33.5	3.6	23	8.70	18.5
K306073		10.93	0.01	0.07	3.44	32	250	0.91	0.08	19.15	0.09	33.8	4.0	26	11.80	23.0
K306074		11.30	<0.01	0.08	1.76	37	150	0.62	0.05	26.1	0.16	20.5	1.9	16	4.73	10.3
K306075		11.17	<0.01	0.10	0.65	20	60	0.21	0.03	33.8	0.12	7.65	1.2	6	1.56	5.9
K306076		10.95	<0.01	0.07	1.02	47	90	0.40	0.04	32.8	0.03	11.50	1.6	8	2.63	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216576

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K306041		3.89	14.05	0.14	3.0	4.45	0.058	3.78	38.7	16.2	3.27	697	0.48	0.03	10.5	27.2
K306042		3.37	15.25	0.18	3.3	2.85	0.065	4.05	39.2	16.8	2.90	545	0.36	0.05	11.1	23.5
K306043		4.10	13.25	0.13	2.9	1.37	0.057	3.61	37.0	14.7	3.40	785	0.40	0.04	9.8	23.6
K306044		3.60	16.10	0.20	3.2	0.65	0.064	4.25	41.1	18.8	2.53	460	0.43	0.05	11.5	24.9
K306045		3.93	16.15	0.25	3.0	0.04	0.057	3.58	46.5	53.6	2.35	873	0.19	0.04	13.3	44.8
K306046		3.15	14.60	0.24	2.8	0.03	0.054	3.21	43.9	61.0	2.95	1460	0.40	0.07	12.9	43.8
K306047		1.12	4.28	<0.05	1.2	0.04	0.018	1.06	15.6	17.5	2.02	2950	1.35	0.18	4.3	9.4
K306048		1.37	5.72	0.09	2.3	5.36	0.062	1.53	28.1	8.0	0.73	277	11.65	<0.01	7.9	56.9
K306049		1.22	5.51	0.05	1.6	0.07	0.023	1.39	18.7	21.9	3.27	2010	0.67	0.19	5.3	9.9
K306050		1.28	6.64	0.05	2.1	0.07	0.027	1.52	23.0	30.3	3.71	1520	0.79	0.27	6.5	12.3
K306051		0.82	3.67	0.05	1.2	0.05	0.013	0.74	12.2	31.5	2.52	1320	0.44	0.20	3.3	<0.2
K306052		1.31	5.87	0.07	3.2	0.51	0.021	1.89	17.6	15.6	4.88	269	0.96	0.03	5.1	6.2
K306053		1.38	8.03	0.08	3.9	2.51	0.035	2.16	19.9	20.8	4.13	320	1.20	0.03	6.5	8.8
K306054		1.28	7.48	0.08	3.8	2.29	0.038	2.00	19.4	20.0	4.11	301	1.13	0.03	6.3	8.1
K306055		1.42	11.10	0.05	2.5	0.72	0.028	2.45	27.9	31.2	3.16	228	1.18	0.03	6.8	14.9
K306056		1.42	6.27	0.07	1.7	0.11	0.024	1.99	18.3	30.3	2.63	193	0.88	0.03	5.4	8.1
K306057		1.32	5.93	0.06	1.6	0.09	0.020	1.92	17.5	26.8	2.59	195	0.81	0.03	5.0	8.5
K306058		1.48	6.62	0.05	2.1	0.06	0.023	2.18	19.4	26.9	3.90	220	0.79	0.06	5.7	10.8
K306059		6.43	15.75	0.24	4.3	8.6	0.045	1.33	67.1	17.0	0.12	35	6.66	0.37	9.6	16.2
K306060		1.42	6.70	<0.05	2.0	0.06	0.023	2.23	18.1	25.8	3.46	212	0.74	0.06	5.5	10.8
K306061		0.46	0.42	0.29	<0.1	<0.01	<0.005	0.05	0.6	1.5	12.75	206	0.06	0.01	0.4	<0.2
K306062		0.89	4.74	0.08	2.3	0.04	0.016	1.72	16.0	17.1	3.27	190	0.54	0.05	4.6	2.7
K306063		0.84	5.35	0.07	1.7	0.11	0.018	1.85	16.6	18.9	1.80	197	1.59	0.06	4.4	8.2
K306064		0.89	3.39	0.06	0.7	0.05	0.012	1.21	13.9	13.6	1.27	224	0.53	0.02	2.9	3.2
K306065		1.75	10.10	0.15	1.4	0.09	0.027	2.75	27.2	41.4	1.89	203	0.56	0.07	5.1	18.7
K306066		0.58	3.05	0.14	0.9	0.06	0.013	0.95	10.9	7.0	1.37	177	0.90	0.02	2.1	4.2
K306067		0.43	0.19	0.18	<0.1	<0.01	0.008	0.03	0.6	0.9	13.35	202	0.19	<0.01	0.2	1.5
K306068		0.58	3.31	0.16	1.1	0.04	0.018	0.90	10.5	7.9	1.58	148	0.49	0.01	2.2	5.1
K306069		1.28	4.76	0.16	1.2	0.09	0.020	1.34	14.9	13.0	4.28	204	0.86	0.02	3.0	10.3
K306070		0.96	5.00	0.16	1.3	0.07	0.023	1.43	15.2	13.4	2.94	183	0.59	0.02	3.2	7.4
K306071		1.23	7.96	0.19	2.1	0.09	0.027	2.23	21.5	21.9	3.50	204	0.73	0.03	5.1	11.9
K306072		1.18	6.06	0.17	1.6	0.06	0.022	1.66	17.1	14.2	2.93	173	0.90	0.02	3.7	9.7
K306073		1.07	7.08	0.17	1.9	0.12	0.023	1.96	17.4	16.2	2.94	186	0.96	0.02	4.6	9.7
K306074		0.65	3.83	0.19	1.2	0.20	0.017	0.94	9.5	8.0	2.40	121	0.84	0.01	2.5	5.6
K306075		0.27	1.36	0.13	0.3	0.14	0.008	0.34	4.6	3.7	0.92	65	0.52	0.01	0.9	3.1
K306076		0.35	2.27	0.13	0.5	0.23	0.010	0.54	5.9	7.3	0.82	53	0.55	0.01	1.5	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216576

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306041		800	8.5	137.0	<0.002	0.90	5.36	10.9	2	2.2	137.5	0.77	0.07	11.4	0.333	12.25
K306042		630	6.2	149.5	<0.002	0.70	1.95	11.0	2	2.3	134.5	0.79	0.06	11.8	0.350	4.64
K306043		840	7.7	134.0	<0.002	1.16	1.17	9.7	2	2.1	133.0	0.71	0.07	10.9	0.307	4.42
K306044		480	7.7	165.0	<0.002	1.30	0.47	12.3	2	2.4	113.5	0.83	0.06	13.0	0.360	2.24
K306045		450	5.2	138.5	<0.002	0.05	0.36	12.3	2	2.4	111.0	1.00	<0.05	15.5	0.365	0.89
K306046		480	5.0	118.5	<0.002	0.02	0.27	10.7	2	2.3	117.5	0.95	<0.05	14.6	0.326	0.65
K306047		300	33.7	37.4	<0.002	0.11	0.31	3.1	2	0.9	818	0.31	<0.05	5.2	0.114	0.30
K306048		4290	4.7	105.5	0.036	1.40	18.80	5.0	8	1.7	149.0	0.54	0.52	6.2	0.214	13.55
K306049		390	13.7	48.8	<0.002	0.25	0.31	3.9	3	1.0	618	0.36	<0.05	6.1	0.150	0.34
K306050		390	14.3	57.6	<0.002	0.32	0.36	4.7	3	1.2	749	0.46	<0.05	7.6	0.168	0.43
K306051		240	8.5	31.9	<0.002	0.18	0.29	3.3	3	0.6	1255	0.26	<0.05	3.8	0.085	0.25
K306052		470	8.0	61.5	<0.002	0.33	0.42	5.0	2	1.0	234	0.41	<0.05	6.4	0.138	0.74
K306053		640	10.4	74.5	<0.002	1.03	11.20	6.7	4	1.3	169.5	0.52	<0.05	8.2	0.184	6.04
K306054		640	9.6	69.7	<0.002	1.12	11.35	6.3	4	1.4	165.0	0.50	<0.05	7.8	0.170	5.04
K306055		510	9.7	91.9	0.002	0.60	0.44	6.5	2	1.3	392	0.49	<0.05	9.1	0.196	1.04
K306056		380	7.6	70.4	<0.002	0.26	0.33	5.3	2	1.0	670	0.41	<0.05	6.3	0.145	0.44
K306057		430	6.9	67.2	<0.002	0.19	0.27	5.0	3	0.9	693	0.37	<0.05	6.0	0.133	0.37
K306058		440	6.6	76.7	<0.002	0.14	0.26	5.5	3	1.1	485	0.43	<0.05	6.6	0.152	0.37
K306059		880	15.9	42.2	0.003	3.00	112.0	15.2	3	2.9	522	0.74	0.13	9.2	0.528	7.51
K306060		450	6.2	78.5	<0.002	0.15	0.35	5.3	3	1.1	443	0.42	<0.05	6.6	0.149	0.38
K306061		200	1.3	2.6	<0.002	0.01	0.11	0.5	1	<0.2	40.9	<0.05	<0.05	<0.2	<0.005	0.02
K306062		300	6.0	52.1	<0.002	0.12	0.22	3.9	3	0.8	403	0.33	<0.05	5.3	0.118	0.26
K306063		440	8.1	58.5	<0.002	0.23	0.34	4.4	2	0.8	678	0.32	<0.05	5.4	0.111	0.35
K306064		250	4.4	36.3	<0.002	0.10	0.17	3.0	2	0.5	771	0.19	<0.05	3.2	0.072	0.19
K306065		450	6.6	112.5	0.004	0.20	0.26	7.2	1	1.3	686	0.47	<0.05	6.9	0.159	0.39
K306066		340	4.6	28.3	0.004	0.15	0.19	2.2	1	0.8	674	0.22	<0.05	2.8	0.067	0.19
K306067		260	1.5	1.2	0.003	0.02	0.09	0.2	<1	0.3	45.6	0.07	<0.05	<0.2	<0.005	0.02
K306068		300	4.3	30.5	0.002	0.10	0.20	2.3	1	0.8	620	0.22	<0.05	3.0	0.065	0.16
K306069		390	6.5	45.2	0.006	0.22	0.30	3.2	3	1.0	655	0.28	<0.05	3.7	0.093	0.25
K306070		350	4.0	50.1	0.004	0.13	0.20	3.5	1	0.9	880	0.31	<0.05	4.1	0.100	0.21
K306071		440	5.7	75.7	0.003	0.33	0.27	5.3	1	1.3	557	0.47	<0.05	6.4	0.160	0.30
K306072		430	5.7	55.1	0.004	0.62	0.29	3.9	1	1.0	828	0.36	<0.05	4.8	0.117	0.26
K306073		570	7.8	64.3	0.002	0.60	0.37	4.9	1	1.3	782	0.41	<0.05	6.1	0.144	0.41
K306074		380	6.5	28.1	0.005	0.44	0.23	2.6	1	0.8	1025	0.26	<0.05	3.2	0.079	0.41
K306075		290	5.3	10.1	0.003	0.19	0.17	1.0	1	0.4	1705	0.12	<0.05	1.2	0.027	0.26
K306076		170	7.1	16.2	<0.002	0.30	0.18	1.6	1	0.5	1515	0.17	<0.05	1.9	0.045	0.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216576

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K306041		6.6	91	4.6	21.8	28	113.5	
K306042		5.3	102	4.2	21.1	35	123.0	
K306043		5.0	91	3.1	21.4	38	105.0	
K306044		3.7	106	2.2	20.8	34	115.5	
K306045		2.7	62	1.5	20.1	80	108.0	
K306046		2.7	63	1.2	19.2	90	102.0	
K306047		11.7	33	0.5	9.1	42	44.5	
K306048		7.8	388	37.4	27.4	279	82.0	
K306049		7.6	42	0.6	10.7	64	62.0	
K306050		7.8	45	0.7	12.8	44	81.4	
K306051		9.7	24	0.4	7.4	51	42.9	
K306052		3.8	39	0.9	12.7	22	119.0	
K306053		3.5	49	2.4	14.8	13	141.5	1.140
K306054		3.2	45	2.2	14.7	11	137.5	2.16
K306055		7.5	65	1.3	14.4	33	85.3	
K306056		7.7	52	0.6	10.7	47	64.4	
K306057		8.6	47	0.6	10.2	31	60.6	
K306058		4.8	51	0.7	11.7	29	75.4	
K306059		6.7	161	22.8	14.1	41	173.0	
K306060		4.5	55	0.7	11.5	25	74.6	
K306061		0.5	3	0.1	0.9	14	<0.5	
K306062		7.6	35	0.5	9.6	25	86.1	
K306063		9.6	46	0.4	9.1	37	62.8	
K306064		11.2	38	0.3	6.4	16	24.3	
K306065		7.3	58	0.6	11.0	23	44.2	
K306066		11.1	33	0.3	6.3	17	29.2	
K306067		0.7	2	0.2	0.8	15	<0.5	
K306068		11.4	26	0.3	6.1	10	35.9	
K306069		8.2	47	0.4	7.6	11	39.6	
K306070		6.9	41	0.4	7.8	17	41.1	
K306071		5.0	52	0.7	10.8	24	65.1	
K306072		8.5	44	0.5	8.7	25	56.3	
K306073		6.2	49	0.7	9.7	30	64.9	
K306074		9.0	28	0.7	6.3	20	38.7	
K306075		15.6	9	0.3	3.1	18	9.4	
K306076		21.6	14	0.4	3.5	9	17.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216576

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

CERTIFICATE WH11215802

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 266 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302369		8.65	0.01	0.05	2.31	168	110	0.79	0.07	16.70	0.08	24.8	3.7	22	10.25	10.6
K302370		8.61	0.04	0.06	2.09	79	80	0.78	0.07	16.50	0.02	25.0	3.5	21	9.28	11.0
K302371		8.65	0.11	0.09	2.63	2840	80	0.69	0.09	12.60	0.12	25.1	3.7	28	8.26	12.1
K302372		3.43	0.26	0.10	2.78	532	310	0.82	0.09	13.20	0.04	30.6	4.0	30	8.50	15.4
K302373		4.98	<0.01	0.03	0.10	<5	20	0.22	0.04	21.3	0.06	1.28	0.7	1	0.25	5.0
K302374		5.18	0.16	0.09	7.97	401	300	2.85	0.35	2.56	0.06	83.6	14.4	67	36.5	37.4
K302375		7.78	0.02	0.07	8.62	285	340	3.62	0.39	1.60	0.15	87.7	18.5	66	41.1	24.9
K302376		3.36	0.08	2.60	2.35	465	140	0.79	0.09	19.75	0.11	32.3	4.6	27	6.33	21.5
K302377		1.94	0.09	1.53	2.57	703	670	0.82	0.09	22.8	0.07	30.3	4.0	28	5.29	17.3
K302378		2.54	0.09	0.49	6.20	969	270	1.67	0.21	10.70	0.10	68.1	10.9	49	12.95	36.0
K302379		0.23	0.33	0.41	6.26	587	460	0.66	0.29	0.47	0.19	137.5	2.7	237	3.55	30.5
K302380		3.91	0.01	0.40	6.89	173.0	360	1.84	0.16	9.59	0.07	77.9	17.3	48	12.05	29.6
K302381		9.96	<0.01	0.37	7.73	93.9	550	2.33	0.32	2.34	0.03	71.9	15.3	68	21.6	31.1
K302382		12.24	<0.01	0.08	8.48	30.8	1100	2.67	0.34	0.47	<0.02	87.2	17.3	67	30.3	12.9
K302383		11.68	0.17	0.07	8.73	634	380	2.60	0.40	0.68	0.03	93.6	16.1	65	23.5	37.1
K302384		5.46	17.20	1.79	7.19	5720	550	1.70	0.24	6.63	0.23	77.2	16.2	53	13.55	77.1
K302385		4.88	<0.01	0.01	0.08	9	20	0.07	0.02	21.5	0.06	1.51	1.3	<1	0.31	2.2
K302386		7.47	0.07	0.14	2.94	145	110	0.98	0.08	21.7	0.27	34.6	6.4	28	5.71	23.0
K302387		5.86	0.26	0.22	2.69	1240	90	0.76	0.06	20.5	0.14	32.0	4.9	26	4.50	15.0
K302388		6.50	5.31	1.28	2.69	>10000	140	0.61	0.07	15.40	0.68	33.0	5.0	30	5.12	19.4
K302389		12.37	2.28	0.54	1.96	3290	80	0.63	0.05	25.7	0.30	22.3	3.2	20	3.65	10.6
K302390		12.35	0.02	0.04	1.72	139	130	0.63	0.04	29.0	0.11	19.15	2.8	15	3.19	8.6
K302391		5.59	<0.01	0.01	2.23	91	190	0.74	0.06	27.8	0.06	24.8	3.6	19	5.14	13.7
K302392		5.96	<0.01	0.04	3.84	63	180	1.28	0.09	16.75	0.07	43.3	6.4	34	11.90	21.0
K302393		12.80	<0.01	0.03	4.43	41	150	1.31	0.09	13.80	0.06	46.7	6.8	43	12.80	25.5
K302394		13.11	<0.01	0.03	3.32	38	150	1.09	0.07	20.3	0.05	37.7	5.2	31	8.71	16.2
K302395		5.55	0.01	0.03	3.28	36	140	1.04	0.07	20.1	0.06	36.4	5.0	32	8.37	16.6
K302396		12.17	0.17	0.06	4.07	214	190	1.23	0.09	13.95	0.08	44.4	6.8	41	7.97	20.0
K302397		12.92	0.98	0.25	3.69	833	130	1.08	0.08	12.10	0.19	42.6	6.0	41	7.30	22.7
K302398		6.46	0.11	0.11	3.98	137	130	1.22	0.09	12.10	0.12	45.9	6.8	43	8.56	21.3
K302399		0.23	2.59	0.98	3.23	596	880	0.74	0.29	8.07	2.29	46.3	6.8	49	3.87	44.4
K302400		11.69	0.55	0.19	1.69	3540	70	0.58	0.04	27.0	0.13	21.6	3.1	18	3.31	9.2
K302401		11.37	0.02	0.06	1.71	61	70	0.64	0.04	28.0	0.10	20.2	2.9	16	4.64	8.4
K304866		5.72	0.01	0.03	3.42	113	160	1.01	0.09	18.15	0.05	34.0	5.5	30	13.45	17.9
K304867		6.20	0.01	0.01	3.47	31	200	1.08	0.08	20.1	0.06	38.8	4.7	32	22.5	20.5
K304868		5.47	<0.01	0.03	4.65	58	260	1.40	0.10	13.25	0.06	50.2	7.0	45	26.9	22.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302369		0.90	5.92	0.14	1.1	0.45	0.019	1.10	14.9	9.5	8.77	231	0.51	0.02	3.2	9.1
K302370		1.05	5.35	0.14	1.0	0.71	0.017	1.01	14.5	9.7	9.47	480	0.65	0.02	3.0	9.1
K302371		0.86	6.41	0.15	1.7	1.12	0.017	1.21	14.4	9.0	7.64	438	1.12	0.02	4.1	10.0
K302372		1.29	6.92	0.14	1.5	1.33	0.020	1.25	17.7	9.4	7.69	534	0.84	0.02	4.6	9.5
K302373		0.48	0.30	0.15	<0.1	<0.01	<0.005	0.03	0.6	1.4	12.70	212	0.67	0.01	0.2	1.7
K302374		4.56	21.8	0.18	3.1	1.97	0.062	3.89	47.8	20.1	1.78	297	0.41	0.04	11.3	30.6
K302375		3.72	24.5	0.20	3.5	1.14	0.076	4.25	45.0	22.5	1.32	263	0.61	0.05	12.8	37.6
K302376		1.32	6.08	0.15	1.3	0.69	0.021	1.17	17.8	13.3	4.26	399	2.93	0.04	3.5	10.6
K302377		1.25	6.25	0.14	1.3	0.71	0.021	1.20	17.3	14.5	1.98	405	2.25	0.03	3.5	10.9
K302378		3.09	15.85	0.20	2.5	0.40	0.039	2.61	38.1	43.1	1.75	641	0.75	0.05	8.7	26.4
K302379		6.67	20.8	0.20	4.4	9.5	0.037	1.31	70.5	16.9	0.13	38	6.71	0.37	9.4	16.1
K302380		4.38	18.75	0.17	3.2	0.09	0.059	2.13	43.1	59.9	1.67	755	1.08	0.56	19.3	35.9
K302381		4.58	22.3	0.16	3.0	0.03	0.065	3.45	35.7	44.7	1.04	463	1.66	0.08	11.8	35.2
K302382		4.86	24.8	0.21	3.3	0.20	0.068	4.21	48.5	13.7	1.08	237	0.26	0.05	11.9	39.4
K302383		5.00	25.3	0.19	3.3	0.77	0.063	4.18	52.0	14.3	0.75	278	0.25	0.05	12.9	43.7
K302384		3.15	18.65	0.13	2.5	5.6	0.054	3.39	41.0	13.4	3.53	3500	1.68	0.04	10.3	29.9
K302385		0.50	0.34	<0.05	<0.1	0.01	0.005	0.03	0.7	1.2	13.30	230	0.08	0.01	0.3	1.4
K302386		1.18	7.59	<0.05	1.5	0.60	0.024	1.42	18.2	6.7	2.54	2440	0.80	0.02	5.3	11.5
K302387		1.34	6.44	<0.05	1.7	0.47	0.021	1.32	16.4	5.9	3.23	1700	0.55	0.02	4.7	9.5
K302388		1.27	6.87	<0.05	1.3	2.92	0.096	1.29	17.4	8.6	4.19	2700	0.55	0.02	4.5	11.9
K302389		0.77	4.87	<0.05	1.0	1.32	0.017	0.97	12.0	7.7	2.26	780	0.57	0.02	3.3	5.7
K302390		0.77	4.01	<0.05	0.8	0.18	0.012	0.86	10.6	6.8	2.16	375	0.59	0.02	2.8	3.8
K302391		0.87	5.24	<0.05	0.8	0.15	0.016	1.10	13.7	8.6	1.35	330	0.31	0.02	3.6	6.3
K302392		1.58	9.62	<0.05	1.8	0.14	0.028	1.94	22.6	20.4	3.80	299	0.51	0.03	6.3	14.6
K302393		2.00	11.10	<0.05	2.0	0.12	0.032	2.25	24.5	22.0	4.70	307	0.63	0.03	7.2	17.7
K302394		1.46	8.12	<0.05	1.5	0.11	0.025	1.70	20.0	13.2	3.27	265	0.43	0.03	5.5	11.8
K302395		1.43	8.00	<0.05	1.5	0.11	0.023	1.67	19.2	12.9	3.12	261	0.46	0.03	5.3	11.3
K302396		1.79	10.25	<0.05	2.1	0.75	0.031	2.14	23.2	13.7	4.94	325	0.68	0.03	6.7	15.9
K302397		1.77	9.57	<0.05	1.9	1.43	0.030	1.97	21.7	18.2	5.41	705	1.11	0.02	6.2	15.6
K302398		1.79	10.40	<0.05	2.2	0.70	0.030	2.15	24.0	20.6	5.34	391	1.16	0.03	6.9	16.9
K302399		2.13	8.04	<0.05	1.7	4.18	0.029	1.03	28.4	36.5	2.62	281	19.10	0.02	7.2	52.6
K302400		0.77	4.11	<0.05	0.8	1.22	0.017	0.89	11.8	7.5	2.65	313	0.58	0.01	2.8	5.3
K302401		0.66	4.18	<0.05	0.9	0.66	0.013	0.91	11.1	9.4	2.04	151	0.84	0.01	3.0	4.8
K304866		1.28	8.59	<0.05	1.5	0.25	0.025	1.96	18.9	19.2	4.68	312	0.39	0.02	5.7	11.0
K304867		1.19	8.62	<0.05	1.5	0.05	0.023	2.04	20.5	28.2	2.66	215	0.48	0.04	5.7	10.0
K304868		1.85	11.85	<0.05	2.2	0.05	0.034	2.69	26.2	37.2	3.05	252	0.53	0.04	7.9	18.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302369		330	6.0	40.0	<0.002	0.27	0.56	3.3	1	0.9	109.0	0.30	<0.05	4.6	0.092	0.95
K302370		310	6.9	37.5	0.002	0.52	0.81	3.2	1	0.9	106.5	0.27	<0.05	4.5	0.087	1.73
K302371		400	10.5	44.5	<0.002	0.53	5.12	3.9	2	1.1	99.5	0.37	<0.05	6.2	0.118	3.37
K302372		390	9.5	46.7	<0.002	0.66	2.37	4.4	1	1.2	125.0	0.37	<0.05	6.1	0.124	3.62
K302373		170	1.4	1.8	<0.002	0.01	0.07	0.3	1	0.3	45.8	0.06	<0.05	<0.2	0.005	0.03
K302374		430	33.1	139.5	<0.002	4.21	3.01	14.3	1	2.8	108.5	0.87	0.06	14.2	0.379	5.01
K302375		500	54.8	163.5	<0.002	3.10	1.43	16.2	1	2.9	111.5	0.99	0.07	14.8	0.437	2.82
K302376		380	7.9	47.1	<0.002	0.08	2.08	4.1	1	1.0	481	0.30	<0.05	4.8	0.101	1.25
K302377		280	7.5	48.0	<0.002	0.03	2.36	3.9	1	1.0	549	0.33	<0.05	5.1	0.111	1.05
K302378		530	13.1	120.0	<0.002	0.02	2.93	10.2	1	2.4	302	0.70	<0.05	11.4	0.284	1.32
K302379		900	17.5	49.0	0.002	2.99	114.0	15.2	1	3.3	490	0.75	0.11	9.7	0.531	7.66
K302380		1010	14.1	106.0	<0.002	0.02	0.84	13.0	2	2.4	371	1.28	<0.05	10.6	0.504	0.61
K302381		920	17.0	146.5	<0.002	0.01	0.82	14.5	1	2.9	143.0	0.91	<0.05	12.1	0.395	0.97
K302382		530	19.4	206	<0.002	0.87	0.68	16.4	1	2.9	170.0	0.95	<0.05	15.2	0.402	1.35
K302383		430	22.2	202	<0.002	4.29	5.30	16.6	2	3.2	154.5	0.99	0.06	15.8	0.428	3.48
K302384		320	30.2	145.0	<0.002	2.35	54.1	13.4	2	2.3	151.5	0.72	0.09	12.7	0.341	30.2
K302385		160	1.3	2.1	<0.002	0.01	0.13	0.3	1	<0.2	44.3	<0.05	<0.05	0.2	<0.005	0.06
K302386		330	23.9	56.5	<0.002	0.78	1.61	4.9	3	1.1	533	0.37	<0.05	6.6	0.135	1.44
K302387		320	12.9	49.3	<0.002	1.00	7.93	4.3	2	0.9	481	0.33	<0.05	6.2	0.129	1.90
K302388		390	14.2	55.9	<0.002	4.78	315	4.9	6	1.0	220	0.33	0.10	6.0	0.121	8.38
K302389		260	9.3	40.1	<0.002	0.53	16.10	3.1	3	0.7	789	0.23	<0.05	4.1	0.088	3.55
K302390		210	6.5	33.6	<0.002	0.21	0.74	2.7	2	0.6	819	0.19	<0.05	3.5	0.075	0.46
K302391		250	5.1	46.5	<0.002	0.28	0.41	3.5	2	0.8	626	0.24	<0.05	4.2	0.096	0.49
K302392		440	7.6	85.9	<0.002	0.27	0.32	6.2	3	1.3	372	0.45	<0.05	8.1	0.173	0.59
K302393		470	8.0	97.7	<0.002	0.32	0.27	6.9	3	1.5	298	0.51	<0.05	9.3	0.200	0.61
K302394		340	6.3	70.1	<0.002	0.16	0.23	5.2	2	1.1	495	0.39	<0.05	6.9	0.149	0.40
K302395		340	6.1	67.7	<0.002	0.17	0.21	5.2	2	1.2	483	0.38	<0.05	6.8	0.147	0.39
K302396		440	7.7	86.6	<0.002	0.37	1.49	6.5	3	1.4	293	0.49	<0.05	8.9	0.186	1.82
K302397		480	8.6	80.2	<0.002	0.62	7.22	6.1	4	1.2	227	0.43	<0.05	8.6	0.169	4.90
K302398		490	8.3	87.4	<0.002	0.49	2.55	6.6	3	1.3	309	0.49	<0.05	9.3	0.186	1.69
K302399		910	38.9	52.9	0.022	1.58	107.5	5.2	4	2.5	71.1	0.44	0.19	6.7	0.174	4.05
K302400		240	6.7	33.8	<0.002	0.46	10.50	2.8	3	0.5	1110	0.19	<0.05	3.6	0.077	3.70
K302401		230	5.8	36.0	<0.002	0.29	1.10	2.9	3	0.6	784	0.20	<0.05	3.6	0.080	1.80
K304866		380	7.3	73.8	<0.002	0.63	0.45	5.5	2	1.2	282	0.40	<0.05	7.0	0.154	0.90
K304867		460	7.1	84.8	<0.002	0.16	0.22	5.7	3	1.2	489	0.41	<0.05	7.3	0.155	0.41
K304868		560	9.5	118.0	<0.002	0.12	0.33	7.6	4	1.6	287	0.56	<0.05	9.8	0.213	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302369		16.5	34	0.8	7.4	24	40.3	
K302370		12.6	33	1.2	7.2	7	34.6	
K302371		21.2	39	2.0	8.7	24	59.4	
K302372		12.0	42	1.8	9.9	17	54.2	
K302373		0.6	2	0.1	0.9	14	0.6	
K302374		5.2	89	4.8	17.1	78	108.5	
K302375		2.9	95	3.3	20.0	219	124.0	
K302376		6.3	31	6.4	10.5	35	48.3	
K302377		8.0	32	3.8	8.9	32	41.2	
K302378		5.4	69	1.8	17.0	72	87.8	
K302379		7.6	169	23.3	15.0	43	177.0	
K302380		4.3	90	1.9	19.5	85	122.5	
K302381		2.8	85	11.7	17.1	91	102.0	
K302382		3.2	104	1.5	19.7	76	109.0	
K302383		2.7	98	7.1	21.4	73	114.0	
K302384		6.3	67	6.6	16.9	68	89.7	
K302385		0.7	2	0.1	1.0	18	0.7	
K302386		12.1	41	1.4	11.5	113	52.4	
K302387		8.6	34	1.7	10.6	53	59.9	
K302388		12.5	39	2.9	9.8	235	44.5	7.88
K302389		13.7	27	1.7	7.6	68	37.2	
K302390		14.9	25	0.6	6.2	41	26.4	
K302391		11.4	28	0.6	8.0	31	30.6	
K302392		8.4	52	0.8	14.3	42	64.9	
K302393		6.2	66	0.8	15.8	55	69.3	
K302394		9.7	44	0.7	12.4	40	54.8	
K302395		9.2	42	0.6	12.0	40	52.4	
K302396		6.2	54	1.9	15.7	48	75.2	
K302397		4.1	57	3.0	15.5	85	68.7	
K302398		5.5	62	3.1	15.8	60	76.6	
K302399		9.0	231	26.3	22.6	214	66.3	
K302400		12.7	27	1.2	7.4	35	29.4	
K302401		13.4	28	1.0	7.0	25	31.6	
K304866		6.9	44	1.1	11.2	11	50.7	
K304867		9.5	53	0.6	12.8	17	53.0	
K304868		6.1	70	0.8	17.2	31	78.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215802

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

CERTIFICATE WH11215822

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 267 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215822

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305733		11.28	0.01	0.08	1.01	42	140	0.37	0.03	30.5	0.08	13.55	2.0	10	2.60	5.8
K305734		5.93	0.06	0.12	2.51	211	230	0.69	0.08	22.7	0.15	25.6	3.9	25	5.02	17.9
K305735		5.90	0.29	0.22	2.38	9490	190	0.78	0.05	15.45	0.05	27.6	5.7	24	5.21	17.2
K305736		11.71	<0.01	0.10	3.27	264	210	1.08	0.08	17.45	0.04	38.4	5.3	25	11.85	15.1
K305737		6.94	<0.01	0.01	0.10	31	20	0.09	0.03	19.95	0.05	1.18	0.8	2	0.31	4.0
K305738		11.88	<0.01	0.05	4.80	98	960	1.70	0.11	15.25	0.04	56.7	7.0	36	29.3	17.8
K305739		11.50	0.01	0.06	2.67	39	410	0.82	0.06	22.2	0.10	30.2	3.9	23	17.10	12.0
K305740		11.73	<0.01	0.05	2.48	56	620	0.66	0.07	19.75	0.08	28.4	3.7	23	11.90	11.3
K305741		12.10	0.03	0.28	4.82	91	520	1.44	0.17	14.30	0.05	56.4	8.6	42	32.2	49.0
K305742		11.52	0.01	0.22	3.46	48	260	1.09	0.12	20.0	0.05	41.6	6.7	33	20.8	27.7
K305743		10.01	<0.01	0.16	1.51	35	240	0.55	0.06	27.7	0.03	21.2	3.1	14	6.24	10.0
K305744		5.01	<0.01	0.13	1.81	42	240	0.61	0.06	27.0	0.04	22.8	3.4	17	7.62	12.0
K305745		13.77	0.01	0.11	1.44	67	320	0.49	0.05	28.3	0.06	17.60	3.0	13	4.69	10.7
K305746		10.46	0.01	0.17	2.39	59	180	0.73	0.07	18.85	0.08	28.4	4.1	21	6.66	10.3
K305747		10.92	<0.01	0.06	1.59	55	140	0.44	0.05	18.90	0.05	21.2	2.1	14	4.64	7.0
K305748		13.35	<0.01	0.05	1.55	61	1120	0.61	0.05	24.3	0.07	18.10	2.4	14	4.89	9.5
K305749		11.74	<0.01	0.10	1.74	90	160	0.73	0.06	19.95	0.05	23.0	2.8	17	4.15	9.5
K305750		10.91	0.03	0.06	1.06	1770	60	0.56	0.04	28.2	0.06	14.25	1.8	10	2.32	5.8
K305751		9.61	0.09	0.11	0.55	6280	20	0.18	0.02	18.45	0.03	8.18	0.9	6	1.05	4.3
K305752		10.47	0.02	0.02	0.72	1720	30	0.25	0.02	17.90	<0.02	11.65	0.9	7	1.31	2.7
K305753		0.22	0.32	0.32	6.00	590	1030	0.64	0.29	0.45	0.19	143.5	2.8	216	3.61	31.3
K305754		12.21	0.04	0.05	0.76	2890	40	0.20	0.02	14.90	0.02	10.85	0.9	16	1.41	3.9
K305755		11.06	0.03	0.26	0.99	833	60	0.25	0.03	17.95	0.03	13.65	1.8	8	2.64	6.5
K305756		10.44	0.02	0.18	0.36	1270	20	0.13	0.01	20.5	0.04	5.82	1.6	4	0.73	4.9
K305758		11.89	0.10	0.15	0.56	4830	30	0.22	0.02	20.3	0.16	8.54	2.4	5	1.00	9.2
K305759		10.44	0.01	0.08	0.66	255	40	0.24	0.03	20.4	0.07	8.21	1.7	5	1.59	10.1
K305760		11.63	0.10	0.09	0.68	2650	40	0.17	0.02	19.90	0.03	7.98	1.6	5	1.23	6.8
K305761		5.23	0.23	0.07	0.45	>10000	20	0.18	0.01	19.10	0.02	7.01	1.2	3	0.72	4.0
K305762		0.22	2.55	1.09	3.64	596	880	0.76	0.32	9.00	2.65	49.4	7.2	57	4.57	43.7
K305763		6.07	0.18	0.08	0.61	4310	40	0.20	0.02	21.0	0.03	7.40	1.7	4	1.12	4.8
K305764		12.78	0.17	0.07	0.51	6660	30	0.14	0.02	20.7	0.03	6.77	1.4	3	0.77	3.9
K305765		11.32	0.13	0.08	0.57	3460	30	0.21	0.02	20.5	0.13	7.93	1.7	3	1.20	5.1
K305766		10.00	0.07	0.05	0.36	1720	20	0.14	0.01	20.5	0.14	5.61	1.4	2	0.77	3.2
K305767		6.93	<0.01	0.01	0.07	34	20	0.05	0.02	21.4	0.05	1.16	1.2	<1	0.17	1.9
K305768		11.27	0.02	0.07	0.52	704	30	0.15	0.02	21.1	0.65	8.44	1.8	4	1.08	5.2
K305769		9.84	0.20	0.13	0.42	1130	20	0.14	0.03	21.3	0.24	6.23	2.0	2	0.70	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215822

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305733		0.46	2.56	0.08	0.6	0.20	<0.005	0.52	7.7	3.8	1.02	135	0.40	0.01	1.5	4.7
K305734		0.80	6.41	0.15	1.3	0.71	0.011	1.34	12.7	6.9	2.65	248	1.09	0.01	4.0	10.2
K305735		1.41	6.43	0.14	1.5	1.10	0.017	1.26	13.2	10.1	6.20	1040	2.38	0.02	3.7	15.2
K305736		1.36	8.23	0.17	1.7	0.38	0.015	1.70	19.0	16.6	4.17	235	1.19	0.02	4.3	11.9
K305737		0.46	0.29	0.25	<0.1	<0.01	<0.005	0.04	0.6	1.3	12.75	215	0.13	<0.01	0.2	2.0
K305738		1.49	12.45	0.24	1.7	0.27	0.022	2.63	29.5	30.7	2.09	190	0.74	0.01	6.1	17.2
K305739		0.99	6.58	0.22	1.4	0.17	0.014	1.52	15.0	15.1	2.28	198	0.54	0.02	3.4	7.9
K305740		1.36	6.33	0.19	1.5	0.11	0.013	1.41	14.0	12.8	3.62	246	0.90	0.01	3.6	8.9
K305741		1.70	12.05	0.26	2.2	0.39	0.028	2.80	30.6	24.7	2.37	201	1.31	0.03	7.4	22.5
K305742		1.28	8.84	0.25	1.6	0.13	0.023	2.00	20.8	17.8	2.17	176	0.92	0.02	5.3	17.0
K305743		0.71	3.86	0.19	0.7	0.13	0.010	0.84	11.0	7.7	1.52	140	0.55	0.01	2.3	7.6
K305744		0.79	4.76	0.21	1.0	0.14	0.012	1.02	12.1	9.4	1.73	147	0.54	0.01	2.7	8.4
K305745		0.57	3.73	0.19	0.8	0.2	0.009	0.79	9.9	6.8	1.11	120	0.59	0.01	2.2	7.3
K305746		1.05	5.68	0.24	2.5	0.28	0.013	1.35	13.9	9.6	4.64	176	1.21	0.02	3.7	9.3
K305747		0.64	3.85	0.23	2.5	0.30	0.009	0.87	10.6	6.6	2.53	146	0.48	0.01	2.6	4.4
K305748		0.73	3.85	0.21	1.2	0.30	0.007	0.84	9.5	7.1	3.44	166	0.95	<0.01	2.3	5.3
K305749		0.78	4.33	0.22	1.4	0.53	0.009	0.92	11.2	8.3	5.53	182	1.56	0.01	2.6	6.6
K305750		0.39	2.75	0.21	0.8	0.93	0.005	0.56	8.0	5.3	1.96	158	0.50	0.01	1.6	3.8
K305751		0.55	1.56	0.24	0.4	1.23	0.005	0.27	4.6	3.8	10.25	319	0.17	0.01	0.8	2.0
K305752		0.49	1.90	0.23	0.6	0.59	<0.005	0.36	6.4	3.5	11.25	282	0.13	0.01	1.1	1.9
K305753		6.46	20.8	0.27	4.5	8.9	0.039	1.34	68.7	18.3	0.12	37	7.25	0.34	9.8	15.4
K305754		0.68	1.94	0.17	0.8	0.83	0.009	0.38	5.4	4.1	9.14	325	0.17	0.01	1.2	2.1
K305755		0.77	2.38	0.07	0.7	5.75	0.012	0.43	6.7	4.2	10.50	375	0.69	0.01	1.7	1.1
K305756		0.82	0.94	0.07	0.2	1.45	0.005	0.16	3.7	1.6	11.85	457	0.49	0.01	0.7	0.6
K305758		1.96	1.37	0.05	0.3	2.57	0.010	0.24	5.6	2.1	11.20	800	0.40	0.02	1.0	3.2
K305759		0.94	1.62	0.06	0.3	0.97	0.005	0.29	5.0	3.5	11.40	652	0.28	0.02	1.1	0.7
K305760		0.79	1.67	0.08	0.3	1.76	0.007	0.29	4.7	2.9	11.25	670	0.40	0.02	1.1	0.4
K305761		0.72	1.24	0.09	0.2	1.51	0.030	0.18	4.0	2.4	10.80	657	0.24	0.02	0.8	<0.2
K305762		2.27	8.62	0.10	2.0	4.15	0.030	1.05	30.7	38.7	2.71	293	21.7	0.04	8.2	52.4
K305763		0.91	1.54	0.06	0.3	1.69	0.010	0.26	4.2	3.2	11.85	718	0.77	0.02	1.1	0.5
K305764		0.90	1.29	0.08	0.2	1.42	0.016	0.21	4.0	2.4	11.65	760	0.35	0.02	0.9	<0.2
K305765		1.01	1.57	0.07	0.3	1.23	0.009	0.24	4.8	3.1	11.50	809	0.59	0.02	1.1	<0.2
K305766		0.72	1.00	0.10	0.2	0.54	0.006	0.15	3.4	2.0	11.75	631	0.20	0.02	0.7	<0.2
K305767		0.42	0.42	0.32	<0.1	0.01	<0.005	0.03	0.6	1.1	12.70	193	0.09	0.01	0.4	<0.2
K305768		1.14	1.50	0.08	0.2	1.20	0.005	0.22	5.3	2.6	11.80	785	0.37	0.02	1.0	0.9
K305769		1.74	1.14	0.05	0.2	2.35	0.006	0.18	3.7	2.2	11.90	858	0.28	0.02	0.8	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215822

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305733		140	5.5	16.4	<0.002	0.29	0.31	1.6	1	0.5	1115	0.11	<0.05	1.9	0.045	0.65
K305734		470	8.0	43.6	<0.002	0.51	1.75	3.9	1	1.0	657	0.30	<0.05	5.1	0.116	1.64
K305735		450	13.1	40.7	0.002	1.52	17.55	4.0	2	1.0	206	0.28	<0.05	4.8	0.110	3.69
K305736		400	7.8	59.8	<0.002	0.85	0.65	4.9	1	1.1	438	0.35	<0.05	6.1	0.131	1.06
K305737		180	1.2	1.9	<0.002	0.01	0.11	0.2	1	0.2	44.2	<0.05	<0.05	<0.2	<0.005	<0.02
K305738		490	7.5	101.0	<0.002	0.77	0.29	7.6	1	1.3	486	0.48	<0.05	8.4	0.183	0.68
K305739		350	5.3	50.9	<0.002	0.42	0.23	3.8	1	0.8	748	0.28	<0.05	4.9	0.113	0.47
K305740		330	5.1	49.3	<0.002	0.46	0.31	3.7	1	0.9	691	0.30	<0.05	4.8	0.111	0.48
K305741		520	10.5	101.0	0.003	1.01	0.56	7.3	3	1.8	333	0.58	<0.05	9.5	0.220	0.84
K305742		350	8.8	74.0	0.003	0.69	0.39	5.5	2	1.4	374	0.41	<0.05	6.7	0.159	0.46
K305743		160	5.4	28.1	0.002	0.38	0.24	2.4	1	0.6	826	0.17	<0.05	2.9	0.069	0.29
K305744		190	5.6	33.3	<0.002	0.40	0.23	2.8	1	0.8	759	0.20	<0.05	3.4	0.084	0.33
K305745		160	4.7	25.2	0.002	0.34	0.38	2.2	1	0.6	770	0.18	<0.05	2.7	0.066	0.36
K305746		350	7.2	39.4	0.002	0.43	0.49	3.4	1	0.8	311	0.30	<0.05	5.3	0.118	0.47
K305747		350	4.3	26.7	<0.002	0.15	0.34	2.2	1	0.6	316	0.21	<0.05	3.8	0.078	0.42
K305748		280	4.9	25.7	0.002	0.34	0.30	2.2	1	0.6	484	0.19	<0.05	3.3	0.072	0.51
K305749		300	6.4	27.7	0.002	0.32	0.72	2.7	2	0.7	301	0.22	<0.05	3.7	0.083	0.83
K305750		200	5.1	17.3	0.003	0.30	2.82	1.7	1	0.5	813	0.12	<0.05	2.2	0.050	1.30
K305751		200	2.8	8.8	<0.002	0.42	8.62	0.9	1	0.4	105.0	0.06	<0.05	1.1	0.025	1.60
K305752		230	2.2	10.6	<0.002	0.22	2.74	1.1	1	0.4	80.6	0.08	<0.05	1.4	0.033	1.34
K305753		880	16.3	48.3	0.004	3.06	124.0	14.9	2	3.2	495	0.76	0.17	9.0	0.559	7.42
K305754		400	2.9	11.6	0.002	0.38	4.70	1.2	1	0.4	87.0	0.09	<0.05	1.5	0.036	1.02
K305755		280	6.2	15.4	<0.002	0.57	2.96	1.5	2	0.3	88.0	0.12	<0.05	2.1	0.041	2.10
K305756		150	9.1	5.4	<0.002	0.72	4.26	0.6	2	0.2	80.0	<0.05	<0.05	0.7	0.015	1.84
K305758		260	14.6	8.4	<0.002	1.96	12.05	0.9	2	0.2	94.4	0.06	<0.05	1.1	0.023	5.07
K305759		280	8.4	9.8	<0.002	0.36	1.37	1.1	2	0.2	86.8	0.07	<0.05	1.2	0.026	1.02
K305760		240	6.4	10.3	<0.002	0.50	7.28	1.0	2	0.2	93.2	0.07	<0.05	1.3	0.025	1.88
K305761		100	4.6	7.2	<0.002	2.25	44.5	0.9	3	0.2	73.8	0.05	<0.05	0.8	0.017	2.02
K305762		950	40.5	55.7	0.025	1.68	119.5	5.5	4	2.8	80.5	0.51	0.22	6.7	0.183	4.33
K305763		130	7.2	9.4	<0.002	0.70	9.12	1.0	2	0.2	77.3	0.07	<0.05	1.2	0.025	2.59
K305764		150	6.1	7.5	<0.002	0.81	15.90	0.8	2	0.2	89.1	0.05	<0.05	0.9	0.019	2.13
K305765		120	7.3	9.3	<0.002	0.59	8.78	1.0	2	0.3	92.6	0.07	<0.05	1.1	0.022	2.32
K305766		80	5.3	5.5	<0.002	0.39	4.76	0.6	2	0.2	69.5	<0.05	<0.05	0.6	0.014	0.90
K305767		250	1.4	1.2	<0.002	0.01	0.18	0.3	2	<0.2	47.8	<0.05	<0.05	<0.2	<0.005	0.03
K305768		110	9.9	8.0	<0.002	0.48	2.43	0.9	2	0.2	93.4	0.06	<0.05	1.0	0.021	2.26
K305769		90	9.7	6.2	<0.002	1.26	4.84	0.7	2	0.2	83.4	0.05	<0.05	0.8	0.017	6.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215822

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305733		18.2	18	0.3	4.4	21	18.3	
K305734		18.2	41	1.6	8.5	30	49.1	
K305735		13.1	47	1.7	9.3	8	50.5	
K305736		9.7	47	1.7	9.2	16	51.2	
K305737		0.6	2	0.1	0.8	14	0.6	
K305738		9.1	60	0.7	11.9	23	57.4	
K305739		10.4	39	0.5	8.2	17	47.0	
K305740		7.5	39	0.6	8.2	19	48.2	
K305741		8.1	76	1.0	15.1	35	75.0	
K305742		11.5	63	0.6	11.3	21	54.0	
K305743		14.6	26	0.4	6.1	18	24.5	
K305744		13.6	32	0.5	6.7	23	30.1	
K305745		12.9	25	0.4	5.4	19	24.0	
K305746		11.6	41	0.8	8.9	16	76.8	
K305747		8.4	24	0.6	7.6	7	75.7	
K305748		10.6	27	0.7	6.2	14	37.6	
K305749		11.7	35	1.2	7.0	10	46.4	
K305750		17.0	19	1.0	5.7	12	27.8	
K305751		9.1	16	0.7	3.4	6	12.9	
K305752		8.2	15	0.7	4.1	2	19.3	
K305753		7.8	163	23.2	14.5	42	157.5	
K305754		8.2	16	0.8	4.2	5	21.2	
K305755		10.5	20	1.2	5.1	3	21.7	
K305756		11.1	12	0.6	2.7	6	6.4	
K305758		13.7	9	0.9	3.7	25	8.7	
K305759		13.9	10	0.9	3.9	25	10.0	
K305760		16.1	10	1.0	3.6	5	9.9	
K305761		11.9	8	0.7	2.7	4	6.5	4.35
K305762		9.5	242	30.3	22.6	233	67.5	
K305763		16.1	11	1.1	2.9	5	10.5	
K305764		13.6	9	0.8	2.7	5	8.0	
K305765		15.3	10	0.9	3.1	16	9.4	
K305766		11.5	7	0.5	2.3	19	5.6	
K305767		0.8	4	0.3	0.9	15	<0.5	
K305768		16.4	12	0.9	3.1	69	8.2	
K305769		14.5	10	0.8	2.6	55	6.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215822

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

CERTIFICATE WH11215804

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 268 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215804

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K304478		7.35	<0.01	0.03	1.14	18	110	0.43	0.04	28.4	0.15	12.45	2.1	12	2.65	5.6
K304479		7.58	<0.01	0.10	3.22	42	130	1.08	0.08	17.65	0.10	38.7	5.4	34	10.50	21.0
K304480		7.47	<0.01	0.07	3.00	30	150	0.88	0.06	12.30	0.05	34.6	4.1	31	9.07	15.7
K304481		7.89	<0.01	0.09	1.81	27	180	0.63	0.05	24.6	0.11	24.0	3.4	20	5.13	15.8
K304482		7.81	<0.01	0.05	1.24	22	70	0.42	0.03	26.8	0.12	17.80	2.4	12	2.94	7.2
K304483		7.59	<0.01	0.04	2.29	38	90	0.80	0.05	18.65	0.06	25.3	2.9	21	7.38	10.9
K304484		3.92	<0.01	0.03	2.40	35	80	0.81	0.06	19.30	0.08	27.4	3.0	22	7.92	10.6
K304485		7.42	0.86	0.06	1.81	844	70	0.53	0.05	20.1	0.08	20.8	2.6	16	4.47	10.0
K304486		7.60	0.08	0.08	2.17	2110	190	0.38	0.06	14.15	0.03	24.7	4.4	25	2.98	14.2
K304487		7.15	0.01	0.09	3.58	206	330	0.73	0.09	10.25	0.03	35.3	4.8	37	6.00	16.5
K304488		0.22	0.32	0.33	5.59	575	1290	0.61	0.26	0.43	0.19	131.5	2.9	216	3.41	32.0
K304489		7.57	<0.01	0.06	4.46	5610	460	1.16	0.09	7.76	0.11	54.1	6.3	49	8.92	27.0
K304490		6.82	<0.01	0.08	2.76	1410	330	0.66	0.08	16.55	0.07	35.7	5.0	30	5.19	17.6
K304491		7.22	<0.01	0.09	3.35	119	330	0.86	0.09	12.05	0.14	41.6	5.6	37	6.31	18.0
K304492		7.65	<0.01	0.08	4.71	1400	450	1.12	0.12	6.63	0.14	59.3	9.0	47	10.45	32.9
K304493		7.20	<0.01	0.06	5.00	5550	460	0.98	0.13	4.76	0.14	59.3	8.2	51	10.25	26.6
K304494		7.63	0.01	0.05	5.03	2870	480	0.98	0.13	4.80	0.10	57.4	8.4	52	11.00	26.3
K304495		7.39	0.02	0.04	5.50	5390	630	1.20	0.14	2.46	0.14	69.0	8.3	64	13.10	24.1
K304496		5.00	<0.01	0.01	0.15	16	30	0.06	0.03	19.55	0.05	1.14	0.7	3	0.88	1.6
K304497		7.69	0.01	0.05	4.77	4350	470	1.01	0.13	4.52	0.14	59.7	8.1	52	10.75	29.3
K304498		7.65	0.03	0.08	4.09	4960	390	0.83	0.11	6.84	0.15	54.3	7.7	42	8.15	25.3
K304499		8.14	0.01	0.04	4.78	2870	500	1.13	0.12	8.25	0.12	58.9	8.2	47	11.00	28.5
K304500		7.77	<0.01	0.04	3.89	72	210	1.12	0.09	15.20	0.07	46.1	6.1	39	11.20	19.6
K307001		7.93	<0.01	0.05	3.79	421	230	1.07	0.09	13.40	0.09	47.6	7.4	37	9.96	26.6
K307002		7.63	<0.01	0.03	4.42	572	280	1.26	0.11	10.60	0.06	56.6	6.8	46	14.90	42.3
K307003		8.66	<0.01	0.05	4.21	102	220	1.13	0.10	12.25	0.05	48.4	7.6	41	11.05	26.5
K307004		0.22	2.33	1.18	2.95	580	830	0.86	0.26	7.66	2.28	49.4	6.2	49	3.70	41.2
K307005		8.43	<0.01	0.06	3.25	49	140	1.12	0.10	17.95	0.07	37.4	6.1	29	8.79	21.7
K307006		7.94	<0.01	0.02	1.47	23	230	0.66	0.05	25.7	0.11	19.45	2.7	14	2.96	6.9
K307007		7.74	<0.01	0.05	2.60	30	150	0.72	0.07	20.6	0.08	31.2	4.2	27	5.10	13.5
K307008		8.30	<0.01	0.04	3.81	26	170	1.33	0.10	16.15	0.06	41.8	6.5	38	7.99	25.3
K307009		7.60	<0.01	0.04	3.13	26	200	1.03	0.08	19.50	0.08	37.5	4.6	32	6.37	20.9
K307010		4.99	<0.01	0.02	0.10	<5	20	0.07	0.04	20.8	0.07	1.16	0.8	2	0.30	2.0
K307011		7.77	<0.01	0.06	2.18	23	130	0.78	0.06	24.4	0.20	29.0	3.8	21	4.23	12.1
K307012		7.95	<0.01	0.08	2.00	50	100	0.72	0.06	23.3	0.39	26.3	3.6	19	2.45	12.0
K307013		7.86	0.05	0.05	7.48	236	800	2.24	0.29	3.15	0.06	85.1	13.1	61	14.75	28.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215804

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K304478		0.50	2.74	0.09	0.6	0.12	<0.005	0.60	7.0	6.7	2.37	121	0.35	0.01	1.6	4.5
K304479		1.16	8.28	0.09	2.0	0.23	0.026	1.67	20.1	25.4	3.71	172	1.29	0.03	6.0	13.1
K304480		1.20	7.58	0.09	2.2	0.27	0.022	1.47	18.0	21.4	4.35	186	0.78	0.02	5.3	9.3
K304481		0.65	4.73	0.07	1.1	0.35	0.016	0.96	13.1	10.8	1.79	128	0.75	0.01	3.3	8.0
K304482		0.54	3.05	0.06	0.9	0.21	0.009	0.65	9.8	6.5	2.09	133	0.59	0.01	2.3	4.9
K304483		0.66	6.14	0.06	1.3	0.26	0.018	1.22	13.9	14.5	3.35	170	0.52	0.01	4.1	5.9
K304484		0.70	6.29	0.06	1.4	0.24	0.017	1.29	15.1	15.2	3.54	179	0.55	0.02	4.3	5.8
K304485		1.10	4.20	<0.05	1.0	4.64	0.017	0.88	11.8	7.4	7.13	1280	0.60	<0.01	3.0	5.2
K304486		1.30	5.42	0.09	1.6	4.34	0.022	1.01	12.8	8.6	7.67	540	0.84	0.01	3.7	12.2
K304487		1.20	9.31	0.12	2.3	23.0	0.023	1.69	18.3	16.1	5.83	334	0.83	0.02	5.6	12.0
K304488		6.29	18.60	0.18	4.4	9.6	0.049	1.24	68.7	17.3	0.11	36	6.00	0.33	9.5	15.5
K304489		1.36	11.65	0.18	2.9	92.9	0.037	2.17	29.3	29.1	4.47	334	1.08	0.02	7.7	15.4
K304490		1.08	7.12	0.15	1.5	45.6	0.023	1.38	21.0	16.9	2.89	696	1.19	0.01	4.5	11.7
K304491		1.39	8.31	0.15	2.1	60.6	0.022	1.71	22.4	22.5	4.48	541	1.13	0.02	5.5	13.7
K304492		1.41	12.65	0.17	2.6	>100	0.033	2.29	35.1	34.8	3.79	458	0.66	0.02	8.1	22.0
K304493		1.52	13.00	0.17	2.7	>100	0.034	2.43	33.9	30.2	2.71	352	0.86	0.02	8.3	19.9
K304494		1.79	13.90	0.16	2.7	>100	0.043	2.41	32.9	32.4	2.79	397	0.55	0.02	8.8	23.0
K304495		2.23	15.20	0.19	2.9	>100	0.058	2.56	37.1	37.4	1.59	221	0.40	0.02	9.8	23.8
K304496		0.46	0.42	0.14	<0.1	0.27	0.008	0.09	0.6	1.9	12.15	210	0.08	0.01	0.3	2.3
K304497		2.23	12.75	0.17	2.8	>100	0.057	2.03	33.0	32.3	2.54	362	0.73	0.02	8.3	22.7
K304498		2.31	10.40	0.15	2.5	>100	0.063	1.68	29.1	25.3	3.82	479	0.75	0.02	7.1	18.1
K304499		2.04	11.95	0.16	2.6	>100	0.059	2.21	32.1	27.7	3.78	525	0.43	0.02	8.0	18.6
K304500		1.81	9.28	0.15	1.9	2.37	0.031	1.88	25.5	32.1	3.13	331	0.29	0.03	6.1	15.1
K307001		1.96	9.67	0.16	2.0	6.26	0.032	1.75	26.7	39.9	3.26	440	0.41	0.02	6.7	17.9
K307002		1.93	11.75	0.18	2.3	16.3	0.035	1.97	31.2	55.0	5.08	394	0.56	0.03	7.9	19.7
K307003		1.95	9.77	0.17	1.9	1.2	0.031	1.93	27.3	55.7	3.32	386	0.50	0.03	6.5	19.1
K307004		2.02	7.13	0.16	1.8	4.59	0.029	0.95	30.5	41.0	2.42	263	18.15	0.02	6.6	47.9
K307005		1.46	7.87	0.17	1.5	0.41	0.029	1.48	19.9	45.6	2.46	266	0.22	0.02	5.2	14.7
K307006		0.87	3.72	0.16	0.8	0.18	0.012	0.73	10.3	12.8	2.11	224	0.39	0.01	2.3	6.6
K307007		1.31	6.26	0.16	1.2	0.14	0.022	1.21	15.7	26.7	2.48	255	0.49	0.02	4.2	10.7
K307008		1.70	9.34	0.16	1.7	0.09	0.027	1.78	22.8	68.4	2.66	293	0.25	0.03	5.9	15.4
K307009		1.16	7.41	0.15	1.4	0.40	0.023	1.51	20.1	32.7	2.13	427	0.30	0.02	4.9	10.8
K307010		0.49	0.28	0.15	<0.1	0.01	0.005	0.05	0.6	1.7	13.00	225	0.10	0.01	0.2	2.2
K307011		0.85	5.51	0.19	1.1	0.16	0.023	1.08	15.0	9.3	1.95	679	0.51	0.02	3.8	9.0
K307012		0.94	4.79	0.18	1.0	0.21	0.016	0.95	13.1	6.6	2.44	1220	0.82	0.02	3.3	8.1
K307013		3.82	18.70	0.19	2.9	0.84	0.060	3.37	46.8	125.0	1.62	540	0.32	0.05	10.6	31.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215804

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K304478		190	7.3	18.9	<0.002	0.35	0.18	1.8	1	0.5	1010	0.12	<0.05	2.4	0.051	0.56
K304479		510	11.7	57.0	<0.002	0.65	0.34	4.8	3	1.1	482	0.44	<0.05	7.0	0.153	1.12
K304480		540	9.0	51.2	<0.002	0.42	0.29	4.3	3	1.0	278	0.41	<0.05	6.5	0.136	1.32
K304481		420	9.1	33.2	<0.002	0.36	0.26	2.8	3	0.6	712	0.26	<0.05	4.1	0.084	1.22
K304482		220	8.8	21.8	<0.002	0.25	0.26	1.9	3	0.4	1100	0.17	<0.05	2.7	0.056	1.04
K304483		280	5.7	42.4	<0.002	0.22	0.22	3.4	2	0.8	425	0.31	<0.05	4.7	0.105	0.87
K304484		290	6.2	44.2	<0.002	0.26	0.20	3.6	2	0.9	441	0.33	<0.05	5.0	0.110	0.94
K304485		220	5.7	33.0	<0.002	0.52	7.74	2.8	3	0.6	346	0.22	<0.05	4.1	0.079	20.0
K304486		330	11.6	31.7	<0.002	0.82	2.10	3.2	2	1.1	278	0.28	<0.05	5.1	0.106	8.01
K304487		430	9.4	58.6	<0.002	0.58	0.86	5.6	2	1.3	438	0.44	<0.05	8.3	0.170	16.25
K304488		870	17.4	43.5	0.005	2.84	115.0	14.3	1	3.1	469	0.72	0.10	9.7	0.504	8.03
K304489		540	9.3	78.1	0.002	0.81	3.17	6.4	2	1.7	523	0.57	<0.05	11.0	0.212	57.7
K304490		460	9.8	50.8	0.003	0.67	1.49	4.9	3	1.2	589	0.34	<0.05	6.9	0.123	28.9
K304491		440	10.1	62.6	0.002	0.42	1.19	5.1	2	1.4	493	0.44	<0.05	8.3	0.157	34.6
K304492		580	12.3	88.5	0.003	0.44	6.59	6.3	2	2.0	546	0.61	<0.05	10.6	0.217	134.5
K304493		560	11.3	91.3	0.002	0.71	9.65	5.9	2	2.1	493	0.63	<0.05	11.6	0.241	177.0
K304494		550	8.0	93.9	0.003	0.84	20.7	6.4	1	2.5	469	0.64	<0.05	12.2	0.241	305
K304495		710	9.7	108.5	0.003	1.53	48.8	5.6	3	3.4	578	0.75	<0.05	12.7	0.266	680
K304496		170	1.2	4.6	0.002	0.01	0.17	0.3	<1	0.2	40.3	<0.05	<0.05	<0.2	0.007	1.18
K304497		570	10.3	86.4	0.003	1.50	42.5	6.3	2	2.9	503	0.63	<0.05	11.8	0.230	610
K304498		500	8.9	67.5	<0.002	1.71	43.8	5.7	2	2.9	465	0.53	<0.05	10.0	0.193	730
K304499		510	8.2	92.1	0.002	1.00	23.1	7.0	3	2.5	485	0.62	<0.05	11.2	0.220	355
K304500		420	7.2	76.5	0.003	0.59	0.33	5.7	1	1.4	359	0.49	<0.05	9.3	0.177	3.83
K307001		440	7.4	76.5	0.004	0.77	0.55	6.0	2	1.6	390	0.49	<0.05	8.7	0.171	8.05
K307002		510	8.6	88.4	0.002	0.39	0.92	7.6	3	1.8	384	0.54	<0.05	10.5	0.201	12.80
K307003		480	8.1	79.0	0.003	0.67	0.37	6.3	2	1.7	317	0.51	<0.05	9.6	0.188	3.31
K307004		850	37.1	45.6	0.023	1.46	105.5	4.7	3	2.6	68.1	0.44	0.19	6.6	0.160	3.99
K307005		350	6.2	60.7	0.002	0.39	0.36	5.1	2	1.3	349	0.37	<0.05	6.8	0.144	1.18
K307006		170	6.5	27.3	0.002	0.13	0.18	2.3	1	0.7	550	0.17	<0.05	3.2	0.066	0.45
K307007		340	8.5	47.0	0.003	0.22	0.24	4.1	2	1.1	454	0.30	<0.05	5.6	0.115	0.86
K307008		490	7.4	75.5	0.002	0.19	0.20	5.9	2	1.4	325	0.47	<0.05	7.7	0.168	0.78
K307009		380	7.1	55.3	0.003	0.24	0.19	4.7	1	1.2	360	0.37	<0.05	6.5	0.139	0.80
K307010		210	1.3	2.1	0.002	0.01	0.07	0.5	1	0.2	42.1	<0.05	<0.05	<0.2	0.005	<0.02
K307011		280	7.9	40.0	0.003	0.30	0.27	3.6	1	1.0	585	0.27	<0.05	4.8	0.099	0.67
K307012		240	15.7	31.7	0.002	0.15	0.47	3.2	1	0.9	597	0.24	<0.05	4.6	0.092	0.72
K307013		440	17.2	150.0	0.002	2.71	0.97	13.5	1	2.5	274	0.84	<0.05	14.9	0.364	2.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215804

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Hg- CV42 Hg ppm 0.1
K304478		13.1	17	0.3	4.5	26	22.6	
K304479		7.9	50	0.7	11.8	35	76.7	
K304480		5.0	39	0.7	11.8	23	84.3	
K304481		11.5	28	0.5	8.3	26	41.4	
K304482		12.9	17	0.4	5.7	31	33.1	
K304483		9.9	33	0.5	8.1	31	50.6	
K304484		10.9	34	0.6	8.6	28	53.8	
K304485		11.0	29	1.1	7.6	22	33.0	
K304486		9.0	33	1.9	8.2	9	53.6	
K304487		8.8	55	2.4	11.2	8	80.4	
K304488		7.5	158	23.8	13.1	40	162.0	
K304489		17.4	71	4.0	10.0	38	87.5	
K304490		28.6	45	2.9	12.2	31	49.1	
K304491		19.7	53	3.5	10.8	41	68.5	
K304492		17.8	75	5.0	10.3	60	86.3	147.5
K304493		20.6	77	5.3	10.4	48	83.6	149.0
K304494		13.0	72	5.6	11.0	30	86.9	150.5
K304495		17.4	93	7.7	12.5	30	90.9	287
K304496		0.5	3	0.1	0.7	17	0.5	
K304497		10.3	77	6.8	11.9	38	87.9	271
K304498		10.2	60	6.5	11.2	40	85.4	373
K304499		5.6	66	5.1	11.7	40	82.8	188.0
K304500		7.6	54	2.1	11.2	39	58.6	
K307001		5.7	55	4.4	13.4	52	69.2	
K307002		4.3	68	4.1	14.6	54	80.0	
K307003		5.6	58	2.6	11.8	47	61.2	
K307004		8.1	217	30.1	19.2	198	62.8	
K307005		6.7	44	1.0	10.0	39	49.5	
K307006		11.3	22	0.3	5.7	68	22.7	
K307007		9.9	38	0.5	8.3	73	40.7	
K307008		7.6	55	0.7	11.2	49	53.3	
K307009		6.8	45	0.6	10.0	41	48.4	
K307010		0.5	3	0.1	0.8	18	<0.5	
K307011		12.2	31	0.5	7.8	56	35.1	
K307012		11.2	28	0.7	6.9	108	32.3	
K307013		3.5	75	2.8	16.9	89	86.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215804

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

CERTIFICATE WH11215808

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 270 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215808

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K307014		8.07	0.01	0.01	8.46	192.0	1570	2.36	0.35	1.07	<0.02	91.5	14.9	68	18.85	35.8
K307015		7.80	<0.01	<0.01	8.08	72.5	1560	2.56	0.35	0.64	<0.02	82.4	17.4	63	19.75	18.9
K307016		5.60	0.05	0.10	1.87	568	230	0.57	0.06	15.95	0.65	22.0	4.2	18	5.85	10.4
K307017		11.11	<0.01	0.06	3.41	158	180	1.07	0.08	12.00	0.08	37.7	6.3	27	13.05	13.7
K307018		10.59	<0.01	0.05	2.75	128	780	0.79	0.06	13.45	0.09	30.9	5.1	28	10.35	11.9
K307019		12.00	0.03	0.07	1.16	273	880	0.37	0.03	18.10	0.47	16.30	3.3	10	4.48	18.4
K307020		0.23	2.61	1.02	3.12	599	830	0.77	0.31	7.94	2.22	43.5	6.8	50	3.70	42.8
K307021		12.62	0.05	0.03	0.75	142	2560	0.31	0.02	18.05	0.20	13.15	1.7	4	2.10	4.0
K307022		12.18	0.38	0.02	0.94	760	100	0.41	0.03	17.55	0.12	14.60	1.7	4	2.94	4.3
K307023		7.09	<0.01	<0.01	0.08	<5	30	0.07	0.02	20.6	0.06	1.37	1.2	<1	0.25	1.7
K307024		12.47	0.23	0.04	2.75	375	680	0.92	0.11	14.25	0.09	31.2	5.6	19	9.75	13.2
K307025		12.35	0.31	0.22	3.27	1320	190	1.01	0.08	12.40	0.10	38.3	5.8	30	10.60	15.2
K307026		5.76	1.06	0.12	3.12	>10000	240	0.89	0.09	8.81	0.13	34.6	5.1	34	8.67	16.3
K307027		6.98	0.27	0.07	3.47	5430	170	1.08	0.07	13.60	0.04	36.7	5.1	26	10.90	10.7
K307028		13.71	0.04	0.07	1.23	284	240	0.50	0.04	17.10	0.25	14.75	2.5	10	3.78	8.3
K307029		11.88	0.01	0.07	0.61	202	40	0.25	0.02	19.80	0.09	9.14	2.2	4	1.82	6.9
K307030		13.05	0.02	0.06	0.49	368	50	0.19	0.02	19.40	0.04	8.17	2.1	4	1.19	5.9
K307031		11.83	0.01	0.13	0.71	94	150	0.28	0.02	18.15	0.04	12.60	2.0	6	1.98	5.6
K307032		5.11	0.01	0.18	0.93	97	280	0.34	0.03	17.15	0.04	13.25	2.4	9	2.73	8.8
K307033		12.09	0.14	0.82	3.36	459	180	0.96	0.10	13.15	0.13	32.7	5.7	30	11.55	17.7
K307034		13.64	0.37	0.10	1.04	362	90	0.37	0.03	17.20	0.11	14.60	2.1	9	3.24	7.5
K307035		13.10	0.09	0.07	0.44	515	40	0.20	0.02	19.70	0.11	7.27	1.7	4	1.01	6.0
K307036		11.70	<0.01	0.05	0.47	50	90	0.23	0.02	19.50	0.05	7.43	1.9	3	1.61	4.4
K307037		12.29	<0.01	0.07	0.37	135	30	0.15	0.02	20.2	0.14	7.11	1.7	2	1.08	5.6
K307038		12.71	0.04	0.18	0.58	289	50	0.29	0.03	17.60	0.08	8.32	3.6	5	1.91	12.2
K307039		12.26	0.17	0.09	0.44	1500	190	0.23	0.02	18.95	0.06	8.10	1.9	3	1.08	7.2
K307040		10.65	0.29	0.15	0.84	>10000	80	0.32	0.03	18.35	0.07	12.90	2.3	7	2.34	11.9
K307041		12.88	0.40	0.19	1.19	2010	80	0.37	0.05	18.10	0.36	14.40	3.2	9	3.38	12.1
K307042		0.23	0.33	0.30	6.16	620	1570	0.64	0.28	0.47	0.19	143.5	2.8	226	3.64	31.6
K307043		13.14	0.43	0.10	0.59	>10000	50	0.23	0.02	19.50	0.05	9.18	1.8	5	1.43	7.2
K307044		10.50	0.03	0.05	0.45	4930	40	0.24	0.02	18.85	0.03	6.52	1.6	2	1.10	4.3
K307045		7.18	<0.01	<0.01	0.07	34	20	0.06	0.02	20.4	0.06	1.39	1.3	<1	0.19	1.5
K307046		11.10	0.03	0.12	0.54	1200	120	0.26	0.02	20.0	0.07	7.95	1.9	5	1.43	6.8
K307047		10.04	0.01	0.03	0.53	512	100	0.23	0.02	19.65	0.03	8.15	1.8	4	1.44	5.2
K307048		13.12	0.36	0.16	0.86	5260	70	0.29	0.03	17.95	0.08	11.15	3.8	7	1.68	10.6
K307049		11.20	0.37	0.08	0.62	4850	40	0.24	0.02	18.55	0.04	8.83	1.7	4	1.25	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215808

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K307014		4.70	24.2	0.24	3.3	0.45	0.076	4.03	49.6	101.5	1.23	300	0.19	0.06	13.4	37.0
K307015		5.13	22.0	0.24	3.1	0.61	0.077	3.70	43.0	113.5	1.09	219	0.29	0.05	12.8	39.8
K307016		1.10	4.79	0.05	0.9	2.41	0.018	0.89	11.4	10.9	9.67	573	0.66	0.01	2.8	5.9
K307017		1.56	8.72	0.08	1.8	1.51	0.022	1.74	19.6	16.3	7.23	289	0.60	0.02	5.2	12.0
K307018		1.51	6.96	0.07	2.1	1.17	0.023	1.38	16.4	12.7	7.95	311	0.74	0.01	5.0	7.1
K307019		1.14	2.95	<0.05	0.8	3.1	0.015	0.59	8.3	6.0	10.85	384	0.56	0.01	2.0	2.1
K307020		2.10	7.61	0.10	1.7	4.88	0.029	0.99	26.7	38.2	2.51	265	19.50	0.02	7.2	52.3
K307021		0.64	1.88	<0.05	0.6	0.79	0.007	0.36	7.2	4.1	10.85	411	0.31	<0.01	1.3	<0.2
K307022		0.65	2.63	<0.05	0.7	0.94	0.009	0.48	8.2	5.7	10.70	663	0.24	0.01	1.7	<0.2
K307023		0.43	0.39	0.07	<0.1	0.1	0.005	0.04	0.7	1.4	12.90	197	0.31	0.01	0.4	<0.2
K307024		1.53	7.09	0.07	1.3	2.26	0.022	1.40	16.9	14.2	8.67	573	0.41	0.02	4.3	6.9
K307025		1.33	8.13	0.07	2.2	5.36	0.026	1.58	20.0	14.3	7.15	425	0.70	0.02	5.7	8.4
K307026		1.26	7.85	0.09	2.4	6.97	0.179	1.52	17.9	12.7	4.43	541	0.88	0.01	5.3	10.2
K307027		1.13	8.53	0.05	1.4	1.89	0.027	1.69	19.8	14.8	8.24	362	0.57	0.01	4.7	7.9
K307028		0.72	3.10	0.06	0.8	0.80	0.012	0.61	8.3	6.2	10.30	254	0.88	0.01	2.1	2.4
K307029		0.46	1.60	0.07	0.3	0.59	0.005	0.30	5.6	3.2	12.25	180	0.87	0.01	1.1	1.4
K307030		0.51	1.30	0.08	0.2	0.5	0.006	0.23	4.7	2.7	11.85	275	0.45	0.01	0.9	1.2
K307031		0.61	1.82	0.09	0.4	0.48	0.008	0.35	6.0	3.8	11.00	302	0.49	0.01	1.3	1.9
K307032		0.62	2.28	0.05	0.5	0.59	0.009	0.47	6.7	4.7	10.45	284	0.54	0.01	1.7	3.0
K307033		1.16	8.01	0.08	1.8	1.63	0.021	1.62	17.0	16.4	8.04	323	0.61	0.02	5.5	12.9
K307034		0.56	2.68	0.06	0.6	0.93	0.009	0.53	8.0	6.0	10.35	603	0.77	0.01	1.9	2.4
K307035		0.43	1.23	0.08	0.2	0.72	<0.005	0.21	4.5	2.5	11.85	389	0.42	0.01	0.8	1.4
K307036		0.30	1.31	0.11	0.2	0.32	<0.005	0.23	4.1	3.7	12.15	178	0.45	0.01	0.9	1.0
K307037		0.48	1.09	0.11	0.2	0.48	0.005	0.18	4.3	2.3	12.45	275	0.36	0.01	0.7	1.4
K307038		3.12	1.38	0.07	0.3	1.5	0.006	0.29	4.7	3.4	10.70	455	0.79	0.01	1.1	8.1
K307039		0.59	1.16	<0.05	0.2	1.28	0.008	0.20	4.7	2.7	11.45	599	0.38	0.01	0.8	2.8
K307040		0.51	2.17	0.08	0.4	1.45	0.032	0.41	7.4	4.5	10.95	666	0.67	0.01	1.6	4.2
K307041		0.88	2.85	0.06	0.8	3.05	0.020	0.55	8.1	6.6	10.30	645	1.28	0.01	2.2	6.4
K307042		6.75	19.35	0.26	4.3	10.0	0.051	1.35	70.5	19.3	0.13	36	7.00	0.35	10.5	16.9
K307043		0.53	1.51	<0.05	0.3	1.20	0.026	0.25	5.3	4.0	11.55	956	0.57	0.01	1.1	1.9
K307044		0.25	1.16	0.09	0.3	0.7	0.010	0.19	3.7	3.5	11.40	317	0.46	0.01	0.8	1.9
K307045		0.43	0.40	0.10	<0.1	0.01	0.005	0.03	0.7	1.3	12.80	193	0.21	<0.01	0.3	0.8
K307046		0.42	1.52	0.11	0.3	1.77	0.007	0.20	4.8	3.8	11.35	456	0.53	0.01	0.9	2.8
K307047		0.30	1.37	0.12	0.3	0.84	<0.005	0.21	4.8	4.1	11.80	363	0.42	0.01	0.9	2.3
K307048		2.23	1.93	0.05	0.7	7.6	0.012	0.31	6.3	6.5	10.80	713	1.07	0.01	1.5	10.1
K307049		0.53	1.50	<0.05	0.5	1.30	0.012	0.25	5.0	4.4	11.35	555	0.67	0.02	1.1	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215808

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K307014		440	12.3	178.5	<0.002	1.87	0.57	17.2	1	2.4	384	0.96	0.10	16.0	0.400	1.65
K307015		460	18.8	172.0	<0.002	1.99	0.76	17.9	1	2.7	389	1.01	0.08	16.0	0.411	1.66
K307016		260	40.7	34.5	<0.002	0.64	7.31	3.6	2	0.6	119.0	0.21	<0.05	3.7	0.069	3.01
K307017		420	8.8	64.1	<0.002	0.96	0.50	6.5	2	0.9	110.0	0.41	<0.05	7.4	0.133	2.20
K307018		460	7.4	49.9	<0.002	1.00	0.60	5.2	2	1.0	118.0	0.40	<0.05	6.8	0.128	1.32
K307019		220	5.9	20.8	0.002	0.76	0.61	2.5	2	0.4	126.5	0.15	<0.05	2.5	0.049	1.21
K307020		860	37.1	52.9	0.026	1.52	107.5	5.9	4	2.5	74.1	0.49	0.19	6.8	0.168	4.01
K307021		450	3.6	12.9	<0.002	0.42	1.12	1.6	1	0.3	143.0	0.10	<0.05	1.9	0.033	1.37
K307022		450	3.5	18.3	<0.002	0.37	2.24	1.9	1	0.4	99.9	0.13	<0.05	2.2	0.043	1.43
K307023		220	1.2	1.9	<0.002	0.01	0.09	0.3	1	<0.2	46.7	<0.05	<0.05	<0.2	<0.005	0.03
K307024		470	7.9	58.6	<0.002	1.35	2.38	6.1	1	0.9	105.0	0.32	<0.05	5.4	0.129	2.65
K307025		890	8.6	60.6	<0.002	0.90	3.68	6.0	2	1.1	119.0	0.45	<0.05	7.7	0.151	4.01
K307026		580	12.7	57.0	<0.002	5.03	179.5	5.7	5	1.1	101.5	0.41	0.05	7.5	0.136	7.03
K307027		400	5.8	61.9	<0.002	0.75	7.14	5.9	1	0.9	122.5	0.39	<0.05	6.7	0.127	2.52
K307028		230	8.0	21.2	<0.002	0.51	1.69	2.3	2	0.5	118.0	0.17	<0.05	2.8	0.054	1.15
K307029		240	8.9	9.9	<0.002	0.41	1.44	1.2	2	0.3	103.5	0.08	<0.05	1.4	0.027	1.01
K307030		170	12.5	7.6	<0.002	0.45	1.97	1.1	2	2.3	130.0	0.06	<0.05	1.1	0.021	1.07
K307031		200	7.4	11.6	<0.002	0.41	1.00	1.5	2	0.3	122.5	0.10	<0.05	1.6	0.031	0.90
K307032		240	8.3	15.4	0.002	0.45	1.27	1.8	2	0.7	118.0	0.13	<0.05	2.1	0.042	1.15
K307033		500	11.8	56.2	0.002	0.91	2.67	6.3	3	1.2	103.0	0.44	<0.05	7.2	0.141	2.36
K307034		230	6.0	17.9	<0.002	0.44	3.46	2.0	2	0.4	108.0	0.14	<0.05	2.5	0.047	1.75
K307035		280	8.2	6.8	<0.002	0.32	2.86	0.9	2	0.2	127.0	0.06	<0.05	1.0	0.018	1.03
K307036		130	5.3	7.6	<0.002	0.16	0.60	1.0	2	0.2	83.7	0.06	<0.05	1.1	0.021	0.51
K307037		100	12.9	5.7	<0.002	0.24	1.10	0.8	2	0.2	100.5	0.05	<0.05	0.8	0.016	0.64
K307038		180	33.5	9.7	0.002	3.64	1.69	1.1	1	0.4	108.0	0.08	<0.05	1.2	0.025	6.88
K307039		190	10.0	7.2	<0.002	0.48	4.04	0.9	2	0.2	102.5	0.06	<0.05	1.1	0.020	2.26
K307040		330	12.4	14.6	<0.002	1.18	25.1	1.6	2	0.6	115.0	0.12	<0.05	2.1	0.039	2.83
K307041		310	19.5	19.7	<0.002	0.96	6.87	2.0	2	0.5	153.5	0.17	<0.05	2.8	0.054	5.33
K307042		900	17.9	49.4	0.003	3.05	120.5	16.4	2	3.1	517	0.84	0.14	10.7	0.544	8.34
K307043		230	8.8	9.5	<0.002	0.91	25.3	1.1	2	0.3	90.6	0.08	<0.05	1.4	0.025	3.02
K307044		110	5.6	6.6	<0.002	0.45	6.72	0.9	2	0.2	93.6	0.06	<0.05	1.0	0.019	0.87
K307045		240	1.4	1.4	<0.002	0.02	0.15	0.3	1	<0.2	44.6	<0.05	<0.05	<0.2	<0.005	0.04
K307046		180	8.6	7.3	<0.002	0.42	5.95	1.0	2	0.2	163.5	0.07	<0.05	1.1	0.021	2.57
K307047		160	4.8	7.3	<0.002	0.19	1.14	1.0	2	0.2	135.0	0.07	<0.05	1.1	0.022	0.89
K307048		160	23.3	10.7	<0.002	2.58	11.35	1.4	1	0.4	113.0	0.11	<0.05	1.9	0.038	15.60
K307049		130	6.9	8.6	<0.002	0.57	6.71	1.1	2	0.2	84.4	0.08	<0.05	1.5	0.028	2.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215808

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K307014		3.2	106	4.0	18.7	77	110.0	
K307015		2.6	92	3.6	19.6	85	108.5	
K307016		8.1	27	1.2	7.0	85	32.1	
K307017		9.7	46	1.6	11.9	18	70.0	
K307018		9.4	43	1.3	12.0	18	79.6	
K307019		9.8	23	0.9	6.8	87	29.0	
K307020		9.2	230	27.9	22.4	206	70.1	
K307021		8.4	14	0.8	7.1	35	23.4	
K307022		9.3	14	0.8	7.0	24	26.1	
K307023		0.9	2	0.1	1.0	14	0.6	
K307024		8.9	38	2.4	11.5	17	52.6	
K307025		8.8	50	4.0	15.8	18	83.3	
K307026		11.6	46	3.5	13.7	13	93.9	9.19
K307027		13.6	47	2.6	10.5	16	53.3	
K307028		13.5	22	1.1	6.2	82	29.3	
K307029		12.4	12	0.7	4.5	11	11.8	
K307030		11.4	9	0.6	3.7	8	7.6	
K307031		15.2	22	0.9	5.0	4	14.1	
K307032		15.7	29	1.1	5.2	4	18.7	
K307033		22.4	103	2.7	10.6	25	64.9	
K307034		11.3	22	1.1	5.5	16	21.9	
K307035		8.4	8	0.8	4.0	16	7.4	
K307036		7.4	9	0.5	3.0	7	8.7	
K307037		7.9	11	0.6	2.8	17	6.0	
K307038		16.3	18	1.0	3.4	10	8.9	
K307039		12.4	8	0.7	3.5	5	7.7	
K307040		18.1	16	1.2	5.1	9	15.9	1.550
K307041		19.2	23	1.9	5.7	76	28.2	
K307042		8.2	169	23.6	16.0	43	174.0	
K307043		15.5	9	0.9	4.1	5	11.0	1.110
K307044		14.4	10	0.6	2.6	3	9.2	
K307045		0.6	1	0.1	0.9	13	0.5	
K307046		23.8	17	1.0	3.8	7	12.6	
K307047		14.1	8	0.8	3.3	4	9.6	
K307048		16.1	14	2.0	4.3	10	24.7	
K307049		15.0	14	1.0	3.5	5	18.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215808

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

CERTIFICATE WH11215801

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 271 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215801

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305770		9.83	0.17	0.13	0.32	>10000	20	0.12	0.01	20.4	0.56	9.75	1.8	3	0.53	3.6
K305771		11.96	0.16	0.21	0.56	5090	40	0.24	0.02	20.9	5.64	13.00	2.7	7	0.73	7.7
K305772		12.37	0.32	0.27	0.64	>10000	40	0.22	0.03	19.65	6.34	15.95	2.9	7	1.40	11.3
K305773		12.17	0.65	0.28	0.56	>10000	50	0.21	0.03	20.2	10.25	20.7	3.1	7	1.04	12.3
K305774		10.33	0.18	0.06	0.19	>10000	10	0.10	0.01	20.4	6.38	8.48	1.7	3	0.27	5.1
K305775		11.98	0.06	0.05	0.64	5310	30	0.25	0.02	20.1	0.04	8.75	2.2	5	1.63	5.7
K305776		12.57	0.19	0.12	0.97	>10000	50	0.29	0.02	19.25	0.07	11.45	2.8	8	2.25	10.4
K305777		5.71	0.19	0.13	0.93	>10000	50	0.30	0.03	18.80	0.02	11.10	3.0	8	2.17	20.3
K305778		12.12	0.15	0.14	1.15	3270	70	0.38	0.03	19.20	0.04	11.50	3.0	9	2.56	10.6
K305779		13.03	0.07	0.22	1.02	3780	60	0.36	0.03	19.60	0.03	10.80	2.7	8	2.17	6.3
K305780		11.09	0.12	0.49	0.92	7960	40	0.35	0.03	19.20	0.06	10.75	3.6	8	1.96	10.7
K305781		11.81	0.10	0.18	0.68	817	30	0.26	0.02	20.0	0.04	10.25	3.8	6	1.53	9.6
K305782		12.88	0.16	0.15	0.54	5310	20	0.22	0.02	18.85	0.07	9.76	4.5	6	1.04	13.7
K305783		0.23	2.59	1.03	3.33	571	870	0.75	0.29	8.59	2.41	49.4	7.9	54	4.33	43.7
K305784		12.03	0.12	0.18	0.53	5190	30	0.22	0.02	20.2	0.09	10.35	3.8	5	0.98	12.2
K305785		13.10	0.16	0.16	0.45	8490	20	0.17	0.02	19.75	0.10	10.45	4.2	4	0.83	12.4
K305786		6.91	<0.01	<0.01	0.09	45	20	0.08	0.01	21.6	0.07	1.83	1.8	<1	0.20	1.6
K305787		13.19	0.08	0.10	0.46	6980	20	0.21	0.01	20.2	0.17	11.75	3.9	4	0.93	10.9
K305788		12.39	0.06	0.12	0.44	6700	30	0.18	0.01	20.1	1.69	10.50	3.2	4	0.83	12.4
K305789		11.73	0.03	0.10	0.41	2700	40	0.21	0.02	22.1	0.15	7.55	2.1	4	0.88	7.7
K305790		12.87	0.02	0.12	0.42	6270	50	0.23	0.02	22.5	0.04	6.59	2.2	4	0.76	11.1
K305791		11.01	0.13	0.18	0.78	6470	60	0.28	0.03	19.00	0.06	8.95	4.1	8	1.72	11.8
K305792		10.20	0.08	0.12	0.58	4850	40	0.20	0.02	19.90	0.15	8.52	3.1	6	1.13	8.5
K305793		10.84	0.11	0.09	0.96	5170	80	0.40	0.03	19.20	0.09	14.10	3.0	8	2.05	7.9
K305794		10.44	0.04	0.05	0.85	8000	60	0.30	0.03	18.80	0.06	14.70	2.0	7	1.95	4.4
K305795		0.23	0.34	0.34	6.15	620	920	0.62	0.25	0.49	0.19	136.5	3.2	230	3.81	31.4
K305796		12.66	0.02	0.03	0.75	2090	70	0.28	0.02	19.55	0.04	14.20	2.1	5	1.90	4.8
K305797		11.45	0.02	0.04	0.73	2080	40	0.28	0.03	19.25	0.03	14.50	2.3	5	1.61	5.1
K305798		10.99	0.02	0.02	0.79	3100	70	0.30	0.03	19.00	0.08	14.00	2.3	6	1.65	4.0
K305799		11.49	0.02	0.03	1.10	960	60	0.38	0.04	18.20	0.06	13.85	2.7	7	2.65	5.6
K305800		11.98	0.07	0.02	0.52	5250	30	0.20	0.02	19.80	0.03	11.20	2.1	4	1.04	4.4
K305801		11.23	0.10	0.01	0.47	8940	40	0.21	0.04	20.2	0.02	11.65	1.9	4	0.95	5.6
K305802		13.28	0.16	0.09	1.80	>10000	90	0.50	0.08	17.90	0.04	26.2	4.1	12	4.66	9.4
K305803		6.88	<0.01	<0.01	0.09	77	20	0.06	0.02	21.1	0.05	1.30	1.7	1	0.31	3.3
K305804		11.02	0.20	0.10	0.42	>10000	50	0.15	0.02	19.45	0.02	8.04	2.4	4	0.59	6.3
K305805		10.99	0.05	0.04	0.15	5240	40	0.13	0.01	20.7	0.33	7.30	1.6	2	0.16	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215801

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305770		1.31	0.85	<0.05	0.1	1.68	0.030	0.13	5.8	2.1	12.30	853	0.26	0.02	0.5	2.7
K305771		1.48	1.69	<0.05	0.2	4.03	0.022	0.25	8.0	2.3	12.15	941	0.73	0.02	0.8	5.8
K305772		1.61	2.49	<0.05	0.3	4.65	0.043	0.31	10.1	3.5	11.30	959	0.76	0.02	1.1	4.3
K305773		1.80	2.23	<0.05	0.2	7.8	0.039	0.27	13.5	2.8	11.60	1070	0.56	0.02	1.0	4.4
K305774		0.93	1.06	<0.05	0.1	2.56	0.029	0.08	6.2	1.4	12.40	834	0.66	0.02	0.4	<0.2
K305775		0.88	1.92	<0.05	0.3	0.8	0.017	0.32	5.1	4.5	12.10	699	0.29	0.02	1.1	<0.2
K305776		0.99	2.68	<0.05	0.6	1.95	0.056	0.46	6.2	6.1	11.55	753	0.50	0.02	1.7	0.6
K305777		0.95	2.65	<0.05	0.6	1.75	0.053	0.45	6.0	6.1	11.25	723	0.50	0.03	1.7	0.5
K305778		1.01	3.17	<0.05	0.8	1.83	0.014	0.57	6.2	6.2	11.35	787	0.57	0.02	1.9	1.0
K305779		0.98	2.78	<0.05	0.7	1.34	0.017	0.51	5.8	5.8	11.65	745	0.60	0.02	1.8	0.8
K305780		1.49	2.54	<0.05	0.7	1.96	0.022	0.46	6.0	5.2	11.50	725	0.72	0.02	1.7	3.9
K305781		2.15	1.84	<0.05	0.4	2.55	0.008	0.33	6.1	3.8	11.60	781	0.61	0.02	1.3	7.2
K305782		4.22	1.51	<0.05	0.4	4.25	0.016	0.27	6.1	3.6	10.80	746	0.52	0.01	1.1	20.1
K305783		2.28	8.87	0.05	1.8	4.35	0.033	1.08	32.1	40.3	2.72	282	19.95	0.03	7.7	55.6
K305784		2.93	1.51	<0.05	0.3	3.4	0.018	0.26	6.6	3.3	11.70	833	0.56	0.01	1.0	11.3
K305785		3.27	1.34	<0.05	0.3	4.28	0.024	0.22	6.4	3.0	11.45	822	0.38	0.01	0.9	15.2
K305786		0.48	0.45	<0.05	<0.1	0.03	0.005	0.03	0.9	1.3	13.50	211	0.20	0.01	0.4	<0.2
K305787		2.74	1.31	<0.05	0.3	3.32	0.017	0.22	7.4	3.2	11.50	836	0.34	0.02	0.9	8.7
K305788		2.00	1.30	<0.05	0.3	2.40	0.020	0.20	7.1	3.0	11.70	839	0.41	0.02	0.9	3.1
K305789		0.62	1.21	<0.05	0.2	1.22	0.013	0.18	4.3	2.6	11.90	568	0.46	0.01	0.8	1.0
K305790		0.42	1.28	<0.05	0.2	0.92	0.015	0.17	4.0	2.4	12.25	500	0.43	0.01	0.9	<0.2
K305791		4.43	2.22	0.05	0.4	4.8	0.021	0.34	5.4	4.0	10.35	914	0.76	0.01	1.4	6.0
K305792		3.56	1.68	<0.05	0.3	3.26	0.014	0.25	5.2	3.1	11.15	896	0.62	0.01	1.1	2.2
K305793		1.95	2.73	<0.05	0.8	3.98	0.019	0.41	7.8	5.8	10.75	680	0.42	0.02	1.8	1.4
K305794		0.91	2.53	<0.05	0.7	0.88	0.026	0.43	7.8	5.8	11.25	607	0.22	0.02	1.6	<0.2
K305795		6.95	22.4	0.26	4.2	9.2	0.057	1.38	65.1	19.2	0.14	38	6.82	0.37	10.6	17.3
K305796		0.77	2.20	<0.05	0.6	0.57	0.013	0.39	7.6	4.9	11.80	517	0.12	0.02	1.5	<0.2
K305797		0.84	2.14	<0.05	0.5	0.55	0.014	0.37	7.4	4.4	11.55	502	0.18	0.02	1.4	2.0
K305798		0.69	2.36	<0.05	0.6	0.38	0.011	0.41	7.3	4.9	11.20	498	0.16	0.02	1.6	<0.2
K305799		0.86	3.17	<0.05	0.8	0.5	0.010	0.58	7.8	6.6	10.95	538	0.17	0.02	2.1	2.0
K305800		0.78	1.59	<0.05	0.4	0.5	0.017	0.26	5.6	3.4	12.05	593	0.15	0.02	1.1	<0.2
K305801		0.65	1.59	<0.05	0.4	0.43	0.026	0.23	5.7	4.9	12.20	582	0.10	0.02	1.0	2.0
K305802		1.19	5.06	<0.05	0.8	1.78	0.045	0.90	12.1	6.6	10.80	668	0.16	0.02	3.2	5.3
K305803		0.48	0.50	0.08	<0.1	0.01	<0.005	0.04	0.6	1.7	12.75	211	0.10	0.01	0.4	1.9
K305804		1.11	1.32	<0.05	0.2	1.9	0.055	0.20	4.1	1.5	11.70	897	0.13	0.01	0.7	1.1
K305805		0.80	0.71	<0.05	0.1	1.07	0.015	0.06	3.4	1.1	12.50	832	0.09	0.01	0.4	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215801

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305770		80	10.2	5.3	<0.002	1.19	18.75	0.8	3	0.2	89.5	<0.05	<0.05	0.7	0.013	3.58
K305771		190	49.9	8.1	<0.002	1.12	15.60	1.1	2	0.3	111.0	0.06	<0.05	1.1	0.022	6.68
K305772		220	37.8	11.9	<0.002	2.06	35.2	1.3	2	0.3	105.5	0.08	<0.05	1.4	0.026	7.94
K305773		180	51.0	10.2	<0.002	1.96	36.8	1.1	3	0.3	108.5	0.07	0.05	1.2	0.023	11.00
K305774		150	7.6	3.2	<0.002	1.30	34.6	0.5	3	<0.2	74.2	<0.05	<0.05	0.4	0.008	2.20
K305775		180	6.3	11.4	<0.002	0.62	14.10	1.2	2	0.2	75.9	0.08	<0.05	1.3	0.027	1.72
K305776		140	7.0	17.2	<0.002	1.95	48.8	1.7	3	0.9	76.4	0.12	<0.05	2.1	0.042	4.24
K305777		130	6.5	16.5	<0.002	1.87	48.6	1.6	3	2.2	74.6	0.12	<0.05	2.0	0.042	3.76
K305778		150	9.3	20.1	<0.002	0.60	7.38	1.9	2	0.8	91.1	0.15	<0.05	2.5	0.051	4.30
K305779		150	9.3	17.9	<0.002	0.71	10.35	1.8	2	0.3	91.7	0.13	<0.05	2.3	0.045	2.91
K305780		130	18.7	16.3	<0.002	1.73	31.9	1.6	3	0.7	92.3	0.12	<0.05	2.0	0.042	5.56
K305781		120	20.9	11.7	<0.002	1.82	5.08	1.2	2	0.5	104.5	0.09	<0.05	1.5	0.031	8.47
K305782		100	46.6	9.5	<0.002	4.90	19.80	1.0	1	0.6	94.5	0.07	<0.05	1.3	0.026	20.2
K305783		920	39.0	56.0	0.026	1.68	120.0	5.5	4	2.6	78.4	0.52	0.20	7.2	0.181	4.19
K305784		120	33.4	9.2	<0.002	3.15	19.50	1.0	1	0.7	102.5	0.07	<0.05	1.2	0.024	12.05
K305785		80	39.2	7.7	<0.002	3.89	32.2	0.9	1	0.6	91.5	0.06	<0.05	1.0	0.020	15.85
K305786		230	1.5	1.5	<0.002	0.04	0.31	0.4	1	<0.2	49.6	<0.05	<0.05	<0.2	<0.005	0.10
K305787		80	26.7	7.6	<0.002	3.03	18.30	0.9	1	0.7	93.8	0.06	0.06	1.0	0.020	11.75
K305788		90	17.3	7.0	<0.002	2.11	15.75	0.9	2	1.1	95.2	0.06	0.05	1.0	0.020	6.34
K305789		100	8.0	6.3	<0.002	0.55	7.03	0.8	2	0.6	129.0	0.05	<0.05	0.9	0.018	2.29
K305790		140	6.0	5.9	<0.002	0.75	14.95	0.9	2	1.2	120.5	0.05	<0.05	0.9	0.020	1.60
K305791		150	44.6	12.8	<0.002	5.56	21.3	1.5	1	0.4	123.0	0.10	<0.05	1.7	0.035	15.55
K305792		110	24.7	9.1	<0.002	3.94	14.45	1.1	1	0.3	108.5	0.07	0.05	1.2	0.024	9.81
K305793		380	16.0	15.2	<0.002	2.22	14.65	1.8	2	0.4	157.0	0.13	<0.05	2.4	0.046	8.98
K305794		410	4.5	15.3	<0.002	1.00	16.90	1.6	2	0.3	94.3	0.12	<0.05	2.2	0.042	1.90
K305795		900	17.4	52.0	0.003	3.18	125.5	16.9	2	3.2	511	0.83	0.16	10.6	0.554	8.24
K305796		460	4.7	13.4	<0.002	0.59	5.53	1.5	1	0.3	86.7	0.11	<0.05	2.0	0.037	1.41
K305797		500	4.3	12.8	<0.002	0.59	5.22	1.4	2	0.3	80.8	0.10	<0.05	1.8	0.035	1.68
K305798		410	2.9	14.7	<0.002	0.43	7.64	1.6	2	0.3	98.2	0.12	<0.05	2.1	0.041	0.81
K305799		290	3.7	20.7	<0.002	0.43	3.45	2.0	1	0.4	81.4	0.16	<0.05	2.8	0.056	1.08
K305800		760	3.4	9.4	<0.002	0.64	13.20	1.1	2	0.2	79.5	0.08	<0.05	1.4	0.026	1.37
K305801		1640	3.7	8.2	<0.002	0.73	22.0	1.0	2	0.2	83.7	0.06	<0.05	1.2	0.023	0.90
K305802		920	8.3	35.4	<0.002	1.68	47.9	3.0	3	0.5	85.2	0.20	0.27	3.6	0.081	3.68
K305803		190	1.3	2.5	<0.002	0.02	0.19	0.4	1	<0.2	44.7	<0.05	<0.05	<0.2	<0.005	0.02
K305804		420	8.4	7.4	<0.002	2.18	68.7	0.8	3	0.2	128.5	<0.05	0.07	0.8	0.016	4.25
K305805		450	5.8	2.3	<0.002	0.60	17.70	0.6	2	<0.2	106.5	<0.05	<0.05	0.4	0.006	1.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215801

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305770		14.4	7	0.5	2.7	82	4.7	1.305
K305771		25.7	18	1.0	3.8	949	7.1	
K305772		28.4	24	1.3	4.3	829	8.8	2.31
K305773		30.5	22	1.4	5.0	1600	7.9	1.815
K305774		12.6	5	0.4	3.0	1020	2.7	1.920
K305775		15.9	9	1.0	3.2	8	10.6	
K305776		17.7	14	1.5	3.9	11	20.3	3.16
K305777		17.0	13	1.4	3.8	5	19.8	3.18
K305778		19.3	17	1.9	4.4	5	27.7	
K305779		18.9	16	1.8	4.1	5	25.4	
K305780		17.4	14	2.2	4.0	7	23.4	
K305781		16.5	15	1.2	3.6	5	15.1	
K305782		14.0	11	0.9	3.2	11	12.1	
K305783		8.8	236	30.6	22.6	218	66.8	
K305784		17.4	14	1.0	3.5	12	14.1	
K305785		14.7	9	1.0	3.4	11	13.2	
K305786		0.8	2	0.1	0.9	14	<0.5	
K305787		14.2	8	0.8	3.7	16	13.2	
K305788		14.4	9	0.8	3.2	212	11.2	
K305789		17.1	14	0.8	3.1	28	12.7	
K305790		22.3	16	0.8	3.1	8	14.9	
K305791		27.3	17	2.1	3.2	5	13.4	
K305792		20.8	11	1.4	2.8	19	10.1	
K305793		16.4	16	2.2	5.8	13	28.9	
K305794		9.7	16	1.1	6.1	10	23.2	
K305795		7.7	169	24.8	16.2	44	165.5	
K305796		11.3	16	0.9	6.2	6	22.0	
K305797		8.2	14	0.9	5.9	4	19.5	
K305798		6.3	14	0.9	5.5	19	23.1	
K305799		7.7	18	1.2	5.2	9	28.8	
K305800		6.0	8	0.6	4.9	5	14.1	
K305801		6.2	8	0.5	6.7	2	12.6	
K305802		4.9	20	2.1	7.5	6	28.7	2.03
K305803		0.6	3	0.1	0.9	14	<0.5	
K305804		3.6	5	0.6	4.3	3	6.2	3.21
K305805		3.2	3	0.3	4.7	60	2.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215801

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

CERTIFICATE WH11218096

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 272 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218096

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305806		6.08	0.01	0.05	0.27	2550	40	0.16	0.01	20.2	0.33	10.50	1.3	2	0.53	3.9
K305807		5.74	0.01	0.06	0.50	264	70	0.17	0.01	19.85	0.06	10.05	2.1	3	0.64	8.6
K305808		10.79	0.01	0.38	0.56	2080	170	0.24	0.02	19.70	0.08	10.70	2.9	2	1.46	20.2
K305809		10.84	0.02	0.51	0.64	868	970	0.30	0.03	19.00	0.60	11.45	3.2	4	1.74	26.3
K305810		5.71	0.18	0.12	0.75	>10000	360	0.26	0.03	18.55	0.26	12.30	3.2	5	1.75	10.5
K305811		11.10	0.30	0.24	1.05	>10000	390	0.32	0.05	17.35	0.37	16.60	5.4	8	2.18	22.5
K305812		6.89	<0.01	<0.01	0.06	34	20	0.07	0.02	20.4	0.05	1.38	1.2	1	0.22	1.9
K305813		11.46	<0.01	0.02	4.20	173	230	1.30	0.15	13.15	0.04	41.4	5.9	27	17.70	9.1
K305814		5.58	0.01	0.06	2.90	548	490	0.89	0.10	14.75	0.05	29.6	6.0	19	13.55	9.4
K305815		7.24	<0.01	0.01	0.64	39	310	0.29	0.02	20.2	0.03	10.80	1.9	4	2.37	7.9
K305816		10.45	<0.01	0.03	3.13	97	150	0.91	0.12	21.8	0.13	33.8	7.7	20	12.50	26.1
K305817		10.31	<0.01	0.01	1.49	81	220	0.70	0.05	20.0	0.08	18.45	4.0	10	4.74	10.7
K305818		0.22	0.33	0.29	6.13	621	1620	0.67	0.28	0.47	0.17	145.0	2.9	233	3.77	31.9
K305819		10.87	<0.01	0.08	4.26	134	310	1.11	0.15	16.70	0.10	45.3	11.4	28	13.70	22.0
K305820		3.08	<0.01	0.20	8.33	2960	700	2.50	0.36	0.60	0.03	61.0	20.1	74	30.6	32.8
K305821		4.30	<0.01	0.13	8.43	1560	1640	2.15	0.34	0.50	<0.02	78.7	14.4	71	24.4	28.4
K305822		9.59	<0.01	0.01	8.44	1130	400	2.67	0.35	0.48	0.02	67.6	15.9	74	30.2	16.2
K305823		10.65	<0.01	0.03	8.27	543	400	2.56	0.36	0.97	0.02	82.8	15.3	79	32.1	38.9
K305824		0.21	2.73	1.21	3.09	594	830	0.64	0.29	7.78	2.13	45.3	6.4	50	3.89	42.2
K305825		11.03	<0.01	0.08	7.93	323	390	2.32	0.30	0.28	<0.02	68.8	13.9	63	31.0	127.0
K305826		10.75	<0.01	0.09	8.29	80.0	430	2.54	0.33	0.23	<0.02	65.3	14.0	62	33.8	131.0
K305827		11.88	<0.01	<0.01	8.38	38.2	320	2.51	0.22	0.59	<0.02	83.7	10.4	61	31.4	57.3
K305828		5.66	<0.01	0.03	8.04	78.0	430	2.24	0.31	1.50	<0.02	84.8	9.5	59	27.6	282
K305829		10.25	<0.01	0.10	2.37	94	110	0.54	0.07	23.9	0.07	29.9	6.8	20	3.31	26.1
K305830		11.06	<0.01	0.05	1.83	162	90	0.54	0.05	27.0	0.10	22.9	4.3	15	2.58	12.1
K305831		6.91	<0.01	0.01	0.08	<5	20	0.08	0.02	21.0	0.06	1.37	1.4	<1	0.27	2.8
K305470		8.45	<0.01	0.04	6.94	8.7	130	1.24	0.21	5.76	0.45	60.8	30.4	62	7.43	184.5
K305471		7.65	<0.01	0.02	8.04	3.3	240	2.14	0.30	1.49	0.12	71.5	28.7	69	11.50	204
K305472		7.49	<0.01	0.06	7.21	6.8	90	1.53	0.29	2.38	0.31	58.7	38.7	66	9.25	175.0
K305473		7.30	<0.01	0.06	6.96	3.7	340	0.93	0.16	5.13	0.31	43.6	35.4	76	5.92	166.0
K305474		7.81	0.01	0.07	7.42	4.5	210	1.39	0.21	3.40	0.22	52.7	35.3	72	7.40	178.5
K305475		7.06	<0.01	0.06	7.11	3.8	180	1.30	0.20	3.83	0.32	53.6	31.0	73	5.80	149.5
K305476		3.95	<0.01	0.06	7.07	3.6	150	1.38	0.20	3.41	0.30	53.6	31.0	80	5.67	157.0
K305477		8.01	<0.01	0.06	7.28	2.8	110	1.40	0.22	3.13	0.23	55.4	33.3	78	6.35	155.5
K305478		6.98	<0.01	0.06	6.50	2.3	240	1.18	0.15	5.25	0.22	46.4	31.0	66	5.39	149.0
K305479		8.21	<0.01	0.07	6.36	28.8	170	0.97	0.17	4.97	0.25	41.9	31.6	67	6.09	155.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218096

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305806		0.97	0.85	0.12	0.1	0.95	0.007	0.12	6.0	1.3	12.25	839	0.06	0.01	0.4	5.1
K305807		0.96	1.25	<0.05	0.2	0.89	0.007	0.18	5.6	2.4	11.85	761	0.11	0.06	0.7	5.2
K305808		1.19	1.44	<0.05	0.3	4.0	0.009	0.27	5.5	3.4	11.65	641	0.15	0.02	1.0	20.9
K305809		1.22	1.68	<0.05	0.3	8.3	0.011	0.30	5.8	3.8	10.75	570	0.21	0.01	1.1	21.4
K305810		1.25	1.91	<0.05	0.4	2.13	0.025	0.37	6.4	3.8	10.75	690	0.15	0.01	1.4	7.8
K305811		2.71	2.49	0.06	0.5	4.40	0.049	0.51	8.3	3.9	9.60	873	0.77	0.01	1.7	15.8
K305812		0.38	0.35	0.15	<0.1	0.1	<0.005	0.03	0.6	1.2	12.25	187	0.46	<0.01	0.3	1.4
K305813		2.15	9.51	0.07	1.9	0.40	0.036	2.09	22.7	15.1	7.48	459	0.52	0.03	6.4	14.1
K305814		1.85	6.40	0.07	1.3	0.51	0.026	1.45	16.2	11.7	7.97	518	0.41	0.02	4.5	14.8
K305815		1.02	1.52	<0.05	0.3	0.19	0.007	0.32	5.5	3.6	11.00	439	0.17	0.01	1.2	2.7
K305816		1.30	6.85	0.05	1.4	0.41	0.028	1.59	18.1	11.7	3.58	366	0.44	0.02	4.8	14.6
K305817		1.24	3.36	0.05	0.8	0.1	0.016	0.76	9.9	8.0	7.72	432	0.46	0.02	2.5	4.8
K305818		6.72	19.00	0.28	4.2	8.5	0.051	1.34	71.5	19.8	0.13	36	6.98	0.35	10.4	16.6
K305819		1.48	9.66	0.07	2.0	0.21	0.038	2.17	24.2	13.3	3.94	320	0.70	0.03	6.6	16.8
K305820		5.05	21.8	0.19	3.3	0.26	0.088	4.16	29.2	92.0	0.72	310	0.59	0.06	13.4	43.7
K305821		4.11	22.2	0.21	3.3	0.39	0.086	4.20	39.3	62.8	0.72	197	0.54	0.04	13.6	29.0
K305822		5.09	22.2	0.22	3.1	0.15	0.080	4.30	33.5	41.0	0.73	402	0.30	0.05	13.3	37.8
K305823		5.55	21.3	0.24	3.0	0.08	0.078	4.28	43.5	43.8	1.03	446	0.27	0.05	13.1	36.3
K305824		2.07	6.79	0.10	1.6	4.16	0.029	0.98	28.6	36.1	2.46	261	18.35	0.02	6.8	50.3
K305825		4.10	20.6	0.20	3.2	0.08	0.078	3.95	34.0	79.7	1.09	168	0.28	0.04	12.6	40.2
K305826		3.79	21.7	0.20	3.1	0.03	0.077	4.17	32.9	95.2	1.42	134	0.36	0.05	13.5	38.6
K305827		3.68	20.6	0.23	3.4	0.04	0.082	3.98	44.1	101.5	1.57	237	0.25	0.05	13.2	36.0
K305828		3.33	19.30	0.18	3.5	0.14	0.076	3.86	45.0	77.3	1.52	474	0.65	0.04	12.9	32.3
K305829		0.97	5.46	0.05	1.2	0.4	0.019	1.11	15.8	4.5	2.43	2980	0.65	0.02	4.3	10.6
K305830		0.76	4.21	0.05	0.9	0.4	0.015	0.87	12.4	3.3	2.08	2010	0.41	0.02	3.3	8.0
K305831		0.49	0.35	0.07	<0.1	<0.01	<0.005	0.03	0.7	1.1	13.20	215	0.07	0.01	0.3	2.3
K305470		7.67	17.55	0.19	3.9	0.05	0.113	1.57	26.9	51.9	2.61	1420	0.44	0.49	14.2	54.0
K305471		7.82	21.2	0.26	4.4	0.02	0.125	2.89	34.7	30.5	2.36	391	0.18	0.30	16.8	55.5
K305472		7.16	18.50	0.21	4.1	0.11	0.121	2.04	28.2	44.0	2.80	652	0.65	0.49	15.9	58.3
K305473		7.85	17.35	0.17	3.2	0.06	0.097	0.99	20.1	57.7	3.48	1120	0.27	1.15	11.1	58.2
K305474		7.76	19.15	0.19	3.3	0.04	0.111	1.55	24.4	49.1	3.49	772	0.32	0.88	13.6	59.7
K305475		7.52	18.40	0.20	3.6	<0.1	0.102	1.34	25.5	42.6	3.20	879	0.40	1.13	13.3	56.1
K305476		7.66	18.20	0.21	3.5	0.04	0.101	1.32	25.6	42.9	3.27	803	0.41	1.05	13.3	56.5
K305477		7.63	18.85	0.21	3.1	0.04	0.102	1.40	26.5	44.5	3.39	752	0.41	1.11	14.1	57.9
K305478		7.04	17.15	0.18	3.1	0.02	0.092	0.97	21.6	50.3	3.28	1020	0.24	1.15	10.6	52.6
K305479		7.18	16.20	0.17	3.0	0.07	0.092	0.92	19.3	102.0	3.60	987	0.27	0.99	9.7	54.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218096

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305806		480	5.6	4.1	<0.002	0.28	6.12	0.7	2	<0.2	70.1	<0.05	<0.05	0.4	0.010	0.96
K305807		780	7.9	7.0	<0.002	0.26	1.64	1.2	2	0.2	101.5	0.05	<0.05	0.8	0.023	1.55
K305808		1010	24.3	10.4	<0.002	0.91	7.63	1.2	2	0.2	89.4	0.06	<0.05	1.1	0.024	5.40
K305809		1200	36.3	12.0	<0.002	0.93	4.44	1.5	2	0.3	161.0	0.08	<0.05	1.3	0.028	7.18
K305810		860	19.9	14.1	<0.002	1.34	19.90	1.7	2	0.3	120.0	0.09	<0.05	1.6	0.034	4.07
K305811		1060	49.7	19.2	<0.002	3.40	52.1	2.4	3	0.4	151.0	0.11	0.09	2.0	0.045	9.53
K305812		200	1.3	1.6	<0.002	<0.01	0.12	0.3	1	<0.2	43.6	<0.05	<0.05	<0.2	<0.005	0.02
K305813		560	8.5	86.9	<0.002	1.52	0.78	7.3	1	1.3	94.1	0.49	0.05	7.7	0.188	1.57
K305814		420	11.3	60.5	<0.002	1.08	0.78	5.0	1	1.0	109.5	0.35	<0.05	5.4	0.128	1.83
K305815		520	2.5	12.7	<0.002	0.19	0.31	1.3	2	0.3	121.5	0.08	<0.05	1.3	0.030	0.26
K305816		640	9.8	66.2	<0.002	0.82	0.47	5.5	1	1.1	308	0.36	<0.05	5.6	0.139	0.69
K305817		460	4.1	28.7	<0.002	0.28	0.19	2.6	2	0.5	253	0.19	<0.05	3.1	0.068	0.37
K305818		910	17.0	52.1	0.003	3.03	119.0	16.1	3	3.2	523	0.84	0.17	10.8	0.547	8.27
K305819		790	10.7	89.7	0.002	0.72	0.64	7.4	2	1.4	492	0.51	<0.05	7.9	0.185	1.08
K305820		540	19.1	172.5	<0.002	0.03	3.59	17.3	2	4.0	192.5	1.07	0.09	12.7	0.448	2.19
K305821		510	26.5	186.0	<0.002	0.13	3.34	16.7	2	3.2	489	1.06	0.09	14.9	0.448	2.04
K305822		560	14.7	189.5	<0.002	0.02	2.11	17.0	2	2.9	135.0	1.05	0.08	13.7	0.430	1.52
K305823		500	14.1	201	<0.002	0.01	1.36	17.2	2	2.9	126.5	1.01	0.08	15.1	0.425	1.30
K305824		870	35.1	51.2	0.025	1.49	99.7	4.8	4	2.4	69.1	0.46	0.19	6.6	0.167	3.95
K305825		450	11.5	170.5	<0.002	0.04	1.18	16.4	1	2.7	119.0	1.03	0.08	13.1	0.421	1.27
K305826		410	7.6	170.5	<0.002	0.06	0.44	16.4	1	2.9	114.0	1.07	0.07	13.0	0.437	1.22
K305827		450	6.1	190.5	<0.002	0.14	0.32	16.8	2	2.7	101.5	1.06	0.06	15.4	0.425	1.08
K305828		440	6.6	183.5	<0.002	1.16	0.35	16.0	2	2.6	105.5	1.01	0.06	15.6	0.413	1.42
K305829		300	22.0	47.8	<0.002	0.22	0.78	3.8	3	0.9	665	0.31	<0.05	5.5	0.109	0.68
K305830		210	10.1	37.7	<0.002	0.22	1.00	2.9	2	0.7	776	0.25	<0.05	4.1	0.083	1.05
K305831		180	2.6	2.0	<0.002	0.01	0.06	0.4	1	<0.2	45.8	<0.05	<0.05	<0.2	<0.005	0.02
K305470		590	9.5	71.5	0.003	0.35	0.48	26.9	3	2.1	103.5	0.99	0.30	5.8	0.684	0.35
K305471		740	14.4	132.5	<0.002	0.15	0.46	27.5	4	2.8	70.2	1.18	0.30	8.8	0.701	0.69
K305472		630	18.4	98.5	0.009	0.27	0.42	26.5	4	2.4	57.3	1.12	0.29	7.5	0.712	0.57
K305473		580	8.7	48.7	0.002	0.21	0.30	29.7	3	1.8	156.5	0.78	0.13	4.8	0.842	0.28
K305474		660	10.1	68.3	0.002	0.20	0.34	28.7	3	2.1	98.1	0.96	0.18	5.9	0.775	0.40
K305475		590	9.5	68.0	0.002	0.19	0.32	29.0	3	2.1	106.0	0.95	0.15	6.8	0.757	0.36
K305476		610	9.2	66.1	0.002	0.19	0.32	28.8	3	2.2	94.3	0.91	0.17	6.8	0.750	0.36
K305477		610	12.7	62.4	0.004	0.18	0.32	28.6	3	2.2	82.9	0.99	0.17	6.5	0.779	0.37
K305478		550	7.5	50.2	0.002	0.11	0.24	28.8	3	1.8	154.0	0.76	0.13	5.7	0.732	0.27
K305479		550	8.1	49.5	0.002	0.23	0.34	28.3	3	1.7	129.0	0.70	0.11	5.1	0.736	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218096

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305806		2.6	5	0.2	4.7	100	3.7	
K305807		3.2	8	0.4	5.8	13	7.3	
K305808		3.9	8	0.6	6.2	23	10.1	
K305809		3.4	9	0.8	6.5	172	12.3	
K305810		5.1	11	1.0	6.8	81	15.1	0.971
K305811		4.8	16	1.2	7.9	82	17.8	1.955
K305812		0.8	2	0.1	0.8	14	<0.5	
K305813		6.2	57	2.7	12.1	11	65.4	
K305814		7.1	45	1.0	9.7	11	46.9	
K305815		4.0	10	0.3	5.2	5	12.2	
K305816		6.1	42	0.9	10.9	40	49.6	
K305817		9.8	20	0.6	6.8	15	26.8	
K305818		8.0	167	24.0	15.0	43	165.0	
K305819		8.7	59	1.6	14.6	32	67.8	
K305820		3.7	103	2.3	16.0	100	108.5	
K305821		3.2	103	3.2	18.1	87	110.0	
K305822		3.0	98	1.9	17.4	79	105.5	
K305823		2.2	78	1.8	20.2	78	102.0	
K305824		8.5	225	26.3	19.4	207	60.5	
K305825		2.9	99	1.8	17.6	89	104.0	
K305826		2.7	99	1.7	16.3	91	103.5	
K305827		3.2	105	1.7	20.5	84	111.5	
K305828		3.7	111	1.7	20.5	75	115.0	
K305829		11.1	33	0.8	9.3	31	42.1	
K305830		12.7	25	1.0	6.8	46	30.0	
K305831		0.5	2	0.1	0.9	15	0.7	
K305470		1.6	219	0.7	28.0	102	141.0	
K305471		2.0	219	1.1	29.3	106	160.0	
K305472		1.8	217	0.8	25.3	102	149.5	
K305473		1.2	277	0.7	24.8	106	111.5	
K305474		1.4	256	0.8	25.4	107	119.0	
K305475		1.6	247	0.8	27.0	107	125.5	
K305476		1.6	251	0.8	26.8	110	128.0	
K305477		1.5	248	0.8	24.4	107	112.5	
K305478		1.2	263	0.7	25.9	96	109.0	
K305479		1.1	247	1.1	24.1	96	104.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218096

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

CERTIFICATE WH11215800

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 273 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215800

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
K306077		7.44	<0.01	0.06	0.70	57	50	0.30	0.02	24.9	0.03	11.20	1.7	6	1.82	4.5
K306078		8.94	<0.01	0.05	0.51	36	30	0.32	0.02	21.4	0.03	8.03	1.6	4	1.13	3.5
K306079		9.88	<0.01	0.08	0.40	4200	30	0.22	0.02	21.0	<0.02	6.74	1.5	4	0.59	3.1
K306080		10.06	<0.01	0.08	0.42	1780	20	0.24	0.02	21.3	<0.02	7.12	1.8	7	1.00	4.7
K306081		0.23	2.66	0.97	3.26	635	840	0.76	0.30	8.40	2.34	51.8	6.9	55	3.93	44.4
K306082		7.78	<0.01	0.09	0.78	2030	50	0.36	0.03	21.1	0.03	9.69	2.1	8	1.80	7.0
K306083		11.51	0.06	0.08	0.90	>10000	60	0.55	0.03	19.40	0.04	10.55	2.2	8	1.56	7.9
K306084		6.89	<0.01	0.02	0.09	20	20	0.07	0.02	20.8	0.06	1.13	1.2	2	0.16	1.6
K306085		10.31	0.05	0.08	0.68	5200	40	0.31	0.02	19.80	0.04	11.45	2.6	6	1.22	7.4
K306086		5.24	0.04	0.10	0.72	4960	30	0.27	0.03	19.60	0.04	12.00	2.7	7	1.31	8.1
K306087		11.08	0.10	0.06	1.01	2830	60	0.31	0.03	18.55	0.06	17.60	2.1	9	2.44	5.6
K306088		12.22	0.02	0.10	1.02	1910	60	0.31	0.03	19.55	0.11	19.25	2.1	9	3.01	5.4
K306089		11.41	<0.01	0.01	0.92	3880	50	0.35	0.03	18.35	0.03	18.20	1.7	7	3.11	3.7
K306090		10.86	0.05	0.02	0.75	9990	50	0.28	0.03	19.25	0.04	15.30	1.6	5	1.62	4.2
K306091		11.31	0.08	0.01	0.58	6960	50	0.24	0.02	19.80	0.03	13.20	1.7	5	1.03	3.4
K306092		11.51	0.04	0.04	0.66	6310	30	0.27	0.02	18.90	0.02	10.75	1.8	4	1.32	4.7
K306093		10.92	0.01	0.01	0.05	1360	10	0.08	<0.01	21.5	0.02	3.64	1.2	1	0.05	2.4
K306094		5.11	0.13	0.19	0.25	9020	30	0.09	0.03	20.2	0.04	10.55	3.1	3	0.29	10.9
K306095		6.90	<0.01	0.01	0.09	21	20	0.06	0.02	21.0	0.06	1.30	1.4	1	0.52	1.5
K306096		6.92	0.29	0.19	2.02	7390	160	0.48	0.08	16.40	0.08	23.9	9.3	17	3.79	21.8
K306097		10.21	<0.01	0.03	4.79	313	230	1.36	0.16	15.95	0.30	50.4	6.7	32	14.90	14.5
K306098		11.51	1.03	0.09	4.67	682	220	1.28	0.16	13.55	0.16	53.0	9.8	33	12.90	30.2
K306099		5.90	8.08	0.29	5.14	3060	260	1.24	0.17	11.85	0.25	57.6	8.8	34	9.08	13.6
K306100		5.82	16.40	0.57	2.00	>10000	210	0.63	0.10	17.10	0.32	24.1	4.6	12	3.97	10.5
K306101		0.23	16.20	1.02	2.14	1420	310	0.42	0.58	14.70	0.68	37.9	4.0	36	2.47	61.7
K306102		5.57	15.30	0.40	3.10	>10000	360	0.82	0.12	14.90	0.28	35.8	6.1	22	6.62	19.8
K306103		11.68	0.01	<0.01	9.94	180.0	450	2.90	0.36	1.39	0.02	95.4	8.9	73	37.8	66.2
K306104		11.56	0.04	0.02	5.02	226	240	1.29	0.19	12.10	0.03	57.0	10.4	35	17.50	6.4
K306105		10.70	<0.01	0.05	6.92	127.5	370	1.77	0.26	9.53	0.03	74.9	10.9	48	21.6	12.4
K306106		11.31	0.01	0.02	7.94	304	390	2.27	0.33	6.11	0.03	84.8	11.9	55	21.2	37.7
K306107		11.21	0.02	<0.01	8.57	285	380	2.78	0.35	2.84	0.02	78.5	12.4	66	26.8	44.3
K306108		10.36	<0.01	<0.01	9.78	81.3	380	2.97	0.45	1.18	0.02	96.6	14.4	72	44.3	29.2
K306109		10.37	<0.01	<0.01	9.83	24.7	390	2.81	0.45	0.67	<0.02	85.5	15.3	72	47.5	34.6
K306110		11.46	<0.01	0.09	8.50	74.0	390	2.59	0.38	2.56	<0.02	73.9	17.2	71	31.4	28.3
K306111		10.91	<0.01	0.05	8.45	44.9	370	2.43	0.36	3.39	0.02	85.9	10.3	64	26.5	35.5
K306112		12.00	<0.01	0.02	8.11	17.2	360	2.39	0.38	4.85	<0.02	79.2	13.5	64	30.4	30.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215800

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
K306077		0.41	1.78	0.11	0.4	0.25	0.007	0.34	5.9	4.7	7.09	134	0.54	<0.01	1.2	<0.2
K306078		0.24	1.48	0.34	0.3	0.24	0.005	0.23	4.7	3.8	11.35	97	0.47	<0.01	0.9	0.2
K306079		0.21	1.25	0.44	0.2	0.34	0.007	0.17	4.0	2.4	12.20	148	0.38	<0.01	0.7	0.4
K306080		0.32	1.35	0.40	0.2	0.42	0.006	0.18	4.5	2.8	12.45	184	0.54	<0.01	0.8	1.2
K306081		2.16	7.93	0.17	1.8	4.97	0.032	1.02	32.0	40.8	2.63	276	18.90	0.02	6.8	57.2
K306082		0.30	2.00	0.27	0.4	0.70	0.006	0.33	5.9	4.5	12.80	154	0.45	<0.01	1.3	2.3
K306083		0.90	2.28	0.14	0.7	3.14	0.018	0.39	6.0	4.1	10.80	699	0.59	<0.01	1.4	2.9
K306084		0.41	0.35	<0.05	<0.1	<0.01	<0.005	0.03	0.5	1.2	12.75	193	0.08	<0.01	0.3	1.2
K306085		2.23	1.66	0.06	0.4	10.5	0.010	0.30	6.8	3.6	10.80	1020	0.46	<0.01	1.1	4.4
K306086		2.50	1.77	0.05	0.4	10.9	0.011	0.31	7.0	3.7	10.60	1040	0.46	<0.01	1.2	5.0
K306087		1.00	2.46	0.09	0.8	5.26	0.010	0.48	9.8	5.1	10.65	789	0.69	<0.01	1.7	3.3
K306088		0.96	2.61	0.15	0.8	6.44	0.012	0.49	11.8	5.6	11.40	740	0.59	<0.01	1.8	2.9
K306089		0.63	2.50	0.17	0.8	22.4	0.012	0.45	9.9	5.5	10.85	570	0.18	<0.01	1.6	1.8
K306090		0.66	1.87	0.16	0.6	3.14	0.014	0.35	8.3	4.1	11.20	638	0.17	<0.01	1.3	1.5
K306091		0.60	1.55	0.18	0.4	1.43	0.012	0.28	7.0	3.2	11.65	618	0.11	<0.01	1.0	1.8
K306092		0.67	1.76	0.18	0.5	1.30	0.009	0.32	5.9	3.7	11.40	587	0.19	<0.01	1.2	1.9
K306093		0.71	0.43	0.28	<0.1	0.56	<0.005	0.02	1.9	0.8	13.00	786	0.05	<0.01	0.2	1.4
K306094		1.74	0.73	0.08	0.1	3.72	0.012	0.11	5.5	1.4	11.85	1130	0.22	<0.01	0.5	12.8
K306095		0.45	0.49	0.32	<0.1	<0.01	0.006	0.05	0.6	1.2	13.10	202	0.11	<0.01	0.3	2.2
K306096		2.75	4.63	0.10	0.9	11.2	0.020	0.98	13.0	5.2	8.89	1550	0.61	<0.01	2.8	24.3
K306097		1.74	9.96	0.16	2.2	3.54	0.040	2.35	29.4	11.3	4.33	821	0.70	0.01	6.5	16.1
K306098		1.85	10.40	0.07	2.0	10.1	0.035	2.23	26.9	12.8	4.65	719	0.69	0.03	6.5	16.0
K306099		2.12	11.65	0.09	2.3	11.5	0.030	2.50	29.5	12.1	4.81	1390	0.57	0.03	7.3	13.2
K306100		2.61	4.79	0.07	1.0	22.4	0.063	0.98	11.7	8.0	8.80	4500	0.27	0.02	3.0	7.7
K306101		3.83	3.88	0.07	0.9	5.84	0.054	0.41	20.4	42.5	0.80	498	11.55	0.01	3.6	19.3
K306102		2.68	7.10	0.09	1.4	21.9	0.052	1.46	17.8	10.0	7.37	3580	1.02	0.03	4.4	10.5
K306103		3.87	25.0	0.19	3.8	1.46	0.078	4.98	47.7	26.1	1.09	344	0.18	0.06	13.8	27.8
K306104		4.37	11.10	0.12	2.0	0.29	0.047	2.49	27.9	12.4	3.53	922	0.31	0.03	6.8	18.5
K306105		3.83	15.75	0.15	2.7	0.22	0.058	3.49	38.4	15.2	2.95	806	0.36	0.04	9.3	21.3
K306106		4.09	18.80	0.16	3.0	0.63	0.065	3.98	44.8	18.1	2.50	734	0.31	0.05	10.8	24.8
K306107		3.27	22.8	0.19	3.1	0.57	0.066	4.72	39.7	21.4	1.52	481	0.41	0.04	12.5	33.1
K306108		3.67	24.4	0.25	3.0	0.13	0.070	5.10	48.9	25.0	1.19	373	0.34	0.04	12.8	36.7
K306109		4.16	25.5	0.23	3.1	0.05	0.064	5.21	42.2	25.4	1.11	483	0.34	0.05	13.1	36.8
K306110		4.27	23.1	0.22	2.8	0.15	0.069	4.78	34.6	24.3	1.11	556	0.48	0.04	12.3	36.3
K306111		3.04	21.4	0.23	2.5	0.08	0.055	4.53	44.2	21.2	1.21	615	0.37	0.04	11.1	22.8
K306112		4.05	21.9	0.21	2.6	0.08	0.061	4.55	39.9	26.6	1.22	646	0.39	0.05	11.3	28.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215800

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306077		170	6.2	13.3	<0.002	0.22	0.21	1.2	2	0.3	547	0.09	<0.05	1.5	0.030	0.39
K306078		130	5.9	9.0	<0.002	0.18	0.30	1.0	2	0.2	159.5	0.06	<0.05	1.1	0.023	0.36
K306079		130	6.0	6.7	<0.002	0.35	2.65	0.8	2	0.2	130.5	<0.05	<0.05	0.8	0.016	0.45
K306080		170	5.9	7.6	<0.002	0.25	1.58	0.8	2	0.2	97.3	0.06	<0.05	0.9	0.020	0.58
K306081		940	38.4	52.8	0.023	1.61	108.5	5.6	4	2.5	76.0	0.50	0.20	7.0	0.174	4.02
K306082		220	6.9	13.9	<0.002	0.33	1.83	1.4	2	0.3	122.0	0.09	<0.05	1.5	0.033	0.69
K306083		220	11.9	18.2	<0.002	1.49	9.84	1.6	2	0.3	138.0	0.11	<0.05	1.8	0.036	6.53
K306084		210	1.2	1.2	<0.002	0.01	0.10	0.3	2	<0.2	44.2	<0.05	<0.05	<0.2	<0.005	<0.02
K306085		150	17.0	12.6	0.002	2.38	3.51	1.3	2	0.3	102.0	0.09	<0.05	1.4	0.030	19.90
K306086		160	18.2	13.4	0.002	2.72	3.52	1.3	2	0.3	103.5	0.09	<0.05	1.4	0.031	19.80
K306087		480	8.7	20.9	0.002	0.62	5.67	1.9	2	0.4	95.7	0.13	<0.05	2.4	0.045	10.55
K306088		560	6.7	20.8	<0.002	0.48	1.29	1.9	3	0.4	121.0	0.14	<0.05	2.6	0.049	7.13
K306089		480	3.5	20.2	<0.002	0.37	0.84	1.8	2	0.3	86.9	0.13	<0.05	2.3	0.044	2.20
K306090		420	3.8	14.6	<0.002	0.71	9.56	1.4	2	0.3	81.9	0.10	<0.05	1.8	0.036	3.94
K306091		390	3.5	11.8	<0.002	0.55	7.56	1.2	2	0.2	77.2	0.07	<0.05	1.4	0.026	2.90
K306092		400	3.3	13.7	<0.002	0.53	4.88	1.2	2	0.2	78.9	0.09	<0.05	1.5	0.032	2.77
K306093		480	3.8	0.7	<0.002	0.13	1.51	0.3	2	<0.2	64.2	<0.05	<0.05	<0.2	<0.005	0.81
K306094		560	40.5	4.4	<0.002	1.56	12.80	0.6	2	0.2	104.5	<0.05	<0.05	0.5	0.010	7.92
K306095		210	1.4	3.2	<0.002	0.01	0.10	0.3	2	<0.2	43.6	<0.05	<0.05	<0.2	<0.005	0.02
K306096		730	58.8	42.7	<0.002	2.90	19.15	3.4	2	0.6	137.5	0.22	<0.05	3.5	0.086	20.7
K306097		770	14.2	91.5	<0.002	1.33	0.69	8.2	2	1.7	326	0.54	0.06	8.3	0.215	4.33
K306098		680	14.2	107.5	0.003	0.98	7.44	8.7	2	1.4	258	0.49	<0.05	8.9	0.203	13.70
K306099		730	13.7	105.0	0.002	1.51	28.4	9.8	2	1.5	268	0.55	0.10	9.8	0.225	46.7
K306100		520	15.3	43.0	<0.002	2.96	68.2	6.0	3	0.9	131.0	0.22	0.08	4.0	0.088	87.9
K306101		680	21.2	28.9	0.008	2.10	163.0	4.5	3	2.1	49.1	0.26	0.41	4.2	0.115	4.06
K306102		530	13.2	65.7	0.002	2.69	61.2	6.4	2	1.1	173.5	0.33	0.10	6.0	0.131	89.9
K306103		780	6.0	218	<0.002	2.44	0.66	21.2	2	3.2	76.1	1.07	0.10	17.2	0.447	3.71
K306104		600	7.9	112.0	<0.002	0.49	0.61	9.5	2	1.5	333	0.52	0.05	9.4	0.219	1.19
K306105		600	8.7	154.0	<0.002	0.59	0.45	13.6	2	2.1	307	0.71	0.08	12.6	0.297	1.11
K306106		710	10.8	176.5	<0.002	1.28	0.93	15.9	2	2.6	174.0	0.81	0.08	14.7	0.338	1.64
K306107		380	11.9	145.0	<0.002	1.19	1.32	15.8	2	2.9	109.5	0.96	0.08	14.0	0.391	2.57
K306108		300	14.8	203	<0.002	0.86	0.54	18.3	2	2.9	89.8	1.03	0.09	16.7	0.393	1.41
K306109		420	15.4	194.0	<0.002	0.20	0.39	18.7	2	3.0	84.7	1.03	0.11	15.7	0.417	1.02
K306110		760	19.4	122.5	<0.002	1.44	0.54	16.2	2	2.9	154.0	0.93	0.11	13.1	0.379	1.59
K306111		390	16.7	134.5	<0.002	0.40	0.35	14.9	2	2.6	195.0	0.84	0.09	14.1	0.339	1.03
K306112		460	18.0	131.5	<0.002	0.43	0.38	14.7	2	2.6	180.5	0.88	0.10	13.2	0.344	0.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215800

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K306077		18.0	13	0.4	3.7	6	15.0	
K306078		18.4	12	0.5	2.9	4	10.7	
K306079		19.5	12	0.6	2.8	2	7.3	
K306080		23.9	16	0.6	3.1	2	8.7	
K306081		9.4	233	32.8	23.5	217	64.7	
K306082		19.9	14	0.8	3.6	4	14.6	
K306083		22.5	19	1.5	4.6	7	24.4	1.270
K306084		0.7	2	0.1	0.8	13	0.6	
K306085		17.7	14	1.6	3.4	6	12.0	
K306086		17.6	16	1.7	3.5	6	12.6	
K306087		11.7	20	1.6	6.5	11	28.7	
K306088		12.1	27	1.5	7.3	18	26.9	
K306089		6.3	15	1.0	7.4	6	28.5	
K306090		7.5	15	1.0	6.0	6	22.2	
K306091		5.8	12	0.7	5.3	3	15.2	
K306092		5.1	12	0.8	4.4	3	18.0	
K306093		2.8	3	0.1	3.2	4	1.4	
K306094		3.6	5	1.4	5.0	5	3.9	
K306095		0.4	3	0.1	0.9	14	<0.5	
K306096		7.4	28	2.6	8.4	11	30.2	
K306097		7.2	64	3.6	15.5	187	68.8	
K306098		17.9	63	4.0	15.8	62	71.9	
K306099		9.4	70	4.1	14.9	50	79.6	
K306100		5.4	35	1.6	8.7	27	36.0	2.20
K306101		4.1	113	214	17.4	82	32.4	
K306102		7.7	43	2.7	11.0	66	49.4	1.620
K306103		4.0	142	2.3	26.3	35	131.5	
K306104		7.6	68	1.2	20.2	26	70.4	
K306105		6.9	90	1.4	21.9	30	94.4	
K306106		6.0	102	3.6	24.0	33	106.0	
K306107		3.2	106	3.8	18.9	42	110.5	
K306108		2.8	107	2.2	20.7	46	101.5	
K306109		3.2	111	1.9	20.9	53	105.5	
K306110		3.8	105	1.9	22.3	51	98.1	
K306111		3.1	94	1.4	17.8	56	89.0	
K306112		3.0	94	1.5	19.9	57	88.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11215800

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

CERTIFICATE WH11218097

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 274 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218097

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K306113		11.35	<0.01	0.15	7.51	121.0	570	2.08	0.41	7.35	<0.02	61.1	20.6	61	20.5	44.4
K306114		11.73	<0.01	0.04	7.41	30.8	290	2.00	0.36	8.04	<0.02	71.3	9.4	55	21.2	31.8
K306115		11.24	<0.01	0.03	7.14	17	320	1.63	0.29	12.90	<0.02	69.7	11.0	45	15.85	21.3
K306116		11.44	<0.01	0.04	7.07	8.1	280	1.81	0.39	8.30	0.02	61.7	11.0	53	19.40	37.4
K306117		11.59	<0.01	0.02	5.00	5	180	1.25	0.21	18.80	<0.02	51.7	7.4	32	12.00	33.4
K306118		10.56	<0.01	0.03	6.92	16	370	1.61	0.22	10.60	<0.02	69.2	7.6	45	14.60	22.6
K306119		5.58	<0.01	0.09	6.36	21.9	350	1.59	0.32	5.37	<0.02	89.4	8.5	52	10.35	30.0
K306120		0.66	<0.01	1.60	6.46	40.6	310	1.55	0.25	2.78	0.28	65.8	20.8	62	6.54	84.8
K306121		4.86	<0.01	0.05	0.07	<5	20	0.06	0.03	20.4	0.06	1.23	0.6	1	0.16	1.9
K306122		1.05	<0.01	0.33	7.50	20.7	440	2.11	0.29	5.34	0.13	69.4	16.2	65	7.13	47.2
K306123		1.40	<0.01	0.37	4.07	25	380	0.84	0.12	20.1	0.07	49.1	10.9	31	3.74	22.6
K306124		1.28	<0.01	0.32	4.09	33	240	0.94	0.14	16.45	0.09	45.3	9.9	32	3.87	23.7
K306125		0.20	0.35	0.36	6.07	590	280	0.56	0.28	0.48	0.17	137.5	2.9	231	3.51	31.4
K306126		1.19	<0.01	1.10	4.92	150	270	0.95	0.16	14.55	0.16	53.1	13.5	40	6.06	45.0
K306127		1.67	0.02	0.81	3.89	111	190	0.79	0.12	19.05	0.14	39.1	11.7	32	4.30	41.6
K306128		6.76	<0.01	0.06	9.60	36.5	370	2.32	0.35	0.77	0.02	96.2	20.0	77	9.38	39.8
K306129		7.55	<0.01	0.06	9.17	11.8	370	2.69	0.36	0.32	<0.02	85.9	19.2	76	14.95	49.3
K306130		7.19	<0.01	0.04	8.83	15.2	440	2.35	0.32	0.38	0.02	84.7	20.3	75	12.75	35.3
K306131		7.03	<0.01	0.05	8.87	10.5	340	2.31	0.32	0.27	<0.02	107.0	17.3	77	15.20	42.6
K306132		3.16	<0.01	0.06	8.67	10.2	610	2.28	0.32	0.27	<0.02	77.3	17.2	74	13.95	46.0
K306133		7.16	<0.01	0.07	9.04	14.0	330	2.73	0.35	0.29	0.02	128.5	20.7	79	19.80	40.9
K306134		7.67	<0.01	0.09	8.87	77.5	310	2.25	0.34	0.23	<0.02	83.3	23.3	71	15.70	39.3
K306135		6.53	0.02	0.11	6.78	1170	350	1.62	0.27	5.61	0.11	76.5	16.3	56	11.80	112.5
K306136		4.22	<0.01	0.09	2.30	55	160	0.68	0.07	22.9	0.20	29.3	6.3	19	2.91	20.1
K306137		5.16	<0.01	0.07	1.52	38	60	0.49	0.05	29.7	0.29	19.85	3.8	14	2.22	7.9
K306138		7.72	<0.01	0.05	3.68	34	140	1.12	0.09	18.30	0.10	44.3	7.1	36	8.30	22.6
K306139		8.27	<0.01	0.04	3.07	33	100	0.95	0.07	18.10	0.11	39.9	5.7	32	6.36	14.5
K306140		8.54	<0.01	0.03	2.17	20	80	0.65	0.06	23.4	0.19	26.7	3.9	23	4.86	9.6
K306141		0.21	7.92	0.43	3.44	926	160	0.68	0.64	12.15	3.82	44.6	5.8	94	7.07	34.9
K306142		7.65	<0.01	0.03	2.70	630	240	0.70	0.07	23.5	0.07	29.8	5.0	27	6.95	15.9
K306143		8.56	<0.01	0.05	2.77	65	110	0.73	0.07	22.1	0.05	31.6	5.4	30	5.54	16.4
K306144		8.05	0.01	0.04	3.09	119	110	0.94	0.08	19.65	0.06	35.8	6.0	32	7.09	21.2
K306145		7.82	0.30	0.23	2.27	371	80	0.76	0.06	24.7	0.07	25.4	4.2	22	5.14	13.7
K306146		4.88	<0.01	<0.01	0.06	<5	20	0.06	0.02	21.3	0.06	1.31	1.7	1	0.14	1.5
K306147		8.34	<0.01	0.04	3.63	119	200	1.12	0.11	16.75	0.07	43.1	7.0	33	10.15	25.3
K306148		8.00	<0.01	0.03	3.27	57	140	0.98	0.09	19.50	0.06	39.1	6.3	33	10.30	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218097

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K306113		3.76	21.3	0.14	2.6	0.18	0.054	4.28	34.3	17.8	1.24	622	0.49	0.04	11.2	41.2
K306114		3.63	20.9	0.14	2.5	0.05	0.055	4.16	39.7	19.1	1.18	621	0.25	0.04	10.3	23.0
K306115		2.93	16.85	0.12	2.3	0.04	0.045	3.62	41.2	14.0	1.29	490	0.29	0.04	8.4	24.9
K306116		2.91	19.75	0.14	2.5	0.05	0.052	4.12	35.1	22.1	1.10	492	0.28	0.04	10.4	28.5
K306117		2.31	12.50	0.11	1.7	0.04	0.029	2.51	28.1	21.5	0.88	490	0.31	0.04	6.6	21.1
K306118		3.34	16.45	0.14	2.3	0.06	0.047	3.46	39.5	31.1	1.42	612	0.33	0.04	8.6	21.0
K306119		2.63	16.85	0.18	3.0	0.07	0.049	3.23	47.9	24.6	1.09	353	0.17	0.04	10.8	20.8
K306120		5.66	17.10	0.14	3.2	0.13	0.070	1.66	29.4	66.2	1.65	896	0.84	0.57	12.4	37.7
K306121		0.44	0.23	0.08	<0.1	<0.01	<0.005	0.03	0.6	1.1	12.50	199	0.14	<0.01	0.2	4.9
K306122		4.00	20.4	0.16	2.8	0.06	0.060	2.51	36.0	76.0	0.84	553	0.91	0.57	11.9	33.9
K306123		2.56	9.37	0.05	1.7	0.12	0.035	1.14	24.4	55.1	1.87	517	0.61	0.46	12.4	12.2
K306124		2.47	9.53	<0.05	1.5	0.05	0.035	1.28	22.8	38.5	3.76	413	0.71	0.33	7.0	13.4
K306125		6.55	19.40	0.22	4.0	9.6	0.049	1.34	64.1	17.9	0.13	35	6.34	0.38	9.8	16.9
K306126		3.53	11.80	0.06	2.0	0.08	0.045	1.37	26.0	52.6	2.76	650	0.70	0.50	9.9	21.1
K306127		3.06	9.04	<0.05	1.5	0.15	0.039	1.03	19.0	44.4	1.53	669	0.69	0.43	7.0	15.1
K306128		5.06	26.0	0.25	2.5	0.05	0.071	3.78	46.8	176.5	0.81	884	0.36	0.12	13.4	45.4
K306129		4.80	26.3	0.26	2.8	0.03	0.075	3.88	40.4	107.5	1.24	839	0.26	0.17	13.1	44.2
K306130		4.92	24.1	0.25	2.6	0.02	0.069	3.64	41.1	90.4	1.39	988	0.30	0.17	12.4	42.7
K306131		4.63	24.8	0.25	2.8	0.02	0.072	3.77	56.0	61.2	1.33	433	0.31	0.20	12.6	42.2
K306132		4.52	23.9	0.25	2.6	0.02	0.071	3.63	37.1	58.1	1.30	408	0.33	0.19	12.5	41.0
K306133		4.55	26.1	0.30	3.2	0.01	0.080	3.81	69.4	62.9	1.39	761	0.25	0.20	13.6	42.2
K306134		4.20	23.9	0.24	2.5	0.02	0.068	3.64	40.8	51.1	1.28	628	0.54	0.21	12.1	44.3
K306135		3.11	17.30	0.20	2.5	1.63	0.049	3.09	40.2	71.5	3.33	1660	0.51	0.06	11.6	42.1
K306136		0.96	5.73	<0.05	1.3	0.30	0.017	1.05	14.7	10.8	2.73	2990	0.85	0.03	4.5	2.5
K306137		0.59	3.79	<0.05	0.7	0.19	0.011	0.68	11.4	11.7	1.72	2530	0.41	0.02	3.1	<0.2
K306138		1.54	9.05	<0.05	1.8	0.29	0.028	1.67	22.4	32.9	3.16	1380	0.49	0.04	6.9	9.8
K306139		1.38	7.58	<0.05	1.8	0.21	0.022	1.41	19.9	27.0	3.50	1120	0.59	0.04	5.9	6.7
K306140		0.93	5.16	<0.05	1.4	0.19	0.016	1.02	13.3	11.8	2.78	954	0.41	0.03	4.3	<0.2
K306141		1.35	7.07	0.06	2.0	5.80	0.064	1.46	28.7	10.4	0.71	260	11.20	0.01	8.0	60.2
K306142		1.11	6.42	<0.05	1.2	0.38	0.021	1.27	15.4	17.1	2.07	688	0.37	0.03	5.0	3.1
K306143		1.29	6.68	<0.05	1.2	0.51	0.022	1.32	15.8	17.9	1.99	471	0.42	0.02	5.0	4.5
K306144		1.40	7.69	<0.05	1.3	0.71	0.025	1.48	18.2	24.5	2.69	406	0.38	0.02	5.5	7.5
K306145		1.04	5.44	<0.05	1.0	1.55	0.019	1.09	13.1	15.3	2.22	391	0.42	0.02	4.1	0.7
K306146		0.46	0.35	0.26	<0.1	0.01	<0.005	0.02	0.6	0.9	12.90	203	<0.05	<0.01	0.5	<0.2
K306147		1.62	9.18	<0.05	1.5	0.63	0.028	1.76	22.1	30.2	3.46	313	0.45	0.03	6.5	11.6
K306148		1.41	8.00	<0.05	1.5	0.30	0.024	1.59	20.0	34.2	2.93	279	0.32	0.03	5.9	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218097

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306113		400	37.7	111.0	<0.002	1.43	0.76	11.8	1	2.4	237	0.76	0.11	10.7	0.337	1.91
K306114		630	12.8	107.5	<0.002	0.27	0.29	12.4	<1	2.9	245	0.74	0.10	10.5	0.321	0.88
K306115		450	14.2	130.0	<0.002	0.28	0.29	11.5	<1	1.9	353	0.61	0.09	11.6	0.275	0.71
K306116		320	17.9	116.0	<0.002	0.22	0.30	11.2	<1	2.3	225	0.72	0.10	10.1	0.327	0.85
K306117		630	11.7	100.5	0.002	0.23	0.26	8.3	1	1.6	533	0.45	0.10	8.5	0.206	0.51
K306118		290	13.1	130.5	<0.002	0.44	0.31	11.2	<1	1.9	330	0.60	0.06	11.2	0.288	0.74
K306119		760	12.9	132.5	<0.002	0.44	0.41	11.8	<1	2.1	176.0	0.77	<0.05	12.5	0.338	0.76
K306120		1050	17.0	81.1	<0.002	0.10	0.69	18.8	1	3.3	103.5	0.78	0.05	8.9	0.495	0.63
K306121		180	1.4	1.4	<0.002	<0.01	0.06	0.2	<1	<0.2	46.0	<0.05	<0.05	<0.2	<0.005	<0.02
K306122		900	16.5	89.5	0.002	0.03	0.69	14.2	1	3.3	210	0.82	0.07	11.2	0.388	0.63
K306123		840	7.9	55.0	<0.002	0.04	0.30	7.7	1	1.6	640	0.78	<0.05	6.4	0.329	0.50
K306124		670	10.7	64.7	<0.002	0.05	0.51	7.6	1	1.5	399	0.48	<0.05	7.0	0.212	0.34
K306125		880	17.9	49.3	0.003	2.96	108.5	16.4	2	2.9	479	0.75	0.14	9.7	0.524	8.36
K306126		800	10.1	70.7	<0.002	0.06	0.64	11.5	1	1.8	337	0.66	0.06	7.4	0.337	0.45
K306127		620	7.9	52.8	<0.002	0.07	0.50	9.9	1	1.2	659	0.46	0.05	5.5	0.274	0.50
K306128		640	10.1	158.0	<0.002	0.18	0.56	19.1	2	2.8	455	1.01	0.08	15.9	0.411	0.93
K306129		960	14.8	98.4	<0.002	0.11	0.53	19.0	2	2.9	127.0	1.03	0.07	14.1	0.408	0.95
K306130		830	42.5	145.5	<0.002	0.05	0.50	17.6	2	2.6	123.0	0.94	0.06	13.4	0.400	0.88
K306131		740	30.4	116.5	<0.002	0.08	0.48	19.6	2	2.7	107.0	0.99	0.05	18.0	0.413	0.95
K306132		740	18.8	140.5	<0.002	0.08	0.49	17.8	2	2.9	106.5	0.96	0.06	13.2	0.403	0.90
K306133		760	11.1	141.0	<0.002	0.06	0.64	22.0	2	2.9	108.5	1.03	0.06	20.3	0.441	0.97
K306134		590	21.1	148.0	0.002	0.13	0.82	17.2	1	2.6	92.7	0.94	0.05	13.2	0.389	0.94
K306135		450	18.4	134.0	<0.002	1.63	3.09	12.1	1	2.1	264	0.87	<0.05	13.9	0.300	2.43
K306136		270	30.7	49.1	<0.002	0.17	0.55	3.9	2	0.8	620	0.30	<0.05	5.6	0.107	1.05
K306137		190	13.9	33.2	<0.002	0.17	0.19	2.6	2	0.6	868	0.20	<0.05	3.7	0.069	0.48
K306138		420	12.5	88.8	<0.002	0.38	0.27	6.2	3	1.3	548	0.48	<0.05	8.9	0.171	0.78
K306139		380	11.1	75.5	<0.002	0.31	0.27	5.3	2	1.1	798	0.41	<0.05	7.9	0.148	0.77
K306140		290	10.5	53.2	<0.002	0.23	0.25	3.6	2	0.7	1380	0.28	<0.05	5.7	0.105	0.62
K306141		4070	4.7	120.0	0.034	1.32	17.75	6.4	9	1.6	147.0	0.52	0.48	7.0	0.205	13.50
K306142		320	8.1	67.7	<0.002	0.39	1.35	4.5	2	0.9	864	0.34	<0.05	6.2	0.122	0.86
K306143		330	7.5	75.2	<0.002	0.36	0.43	4.8	2	1.0	488	0.34	<0.05	6.5	0.125	0.97
K306144		420	9.6	83.8	<0.002	0.38	0.98	5.4	2	1.1	436	0.38	<0.05	7.3	0.138	1.70
K306145		230	7.0	60.7	<0.002	0.32	5.39	3.8	2	0.8	540	0.28	<0.05	5.0	0.100	6.12
K306146		170	1.2	1.4	<0.002	0.01	0.05	0.3	1	<0.2	45.6	<0.05	<0.05	<0.2	<0.005	0.02
K306147		350	7.1	97.2	<0.002	0.38	0.62	6.3	2	1.3	340	0.46	<0.05	8.4	0.162	1.45
K306148		350	7.6	89.1	<0.002	0.29	0.35	5.7	2	1.1	470	0.42	<0.05	7.8	0.149	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218097

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K306113		2.9	87	2.2	16.2	56	86.4
K306114		3.0	80	1.4	20.8	52	85.0
K306115		3.0	71	1.2	19.0	50	73.0
K306116		2.3	85	1.4	16.9	64	87.4
K306117		3.1	51	0.9	13.0	49	57.4
K306118		2.7	74	1.2	19.2	45	75.9
K306119		2.5	75	1.6	22.2	41	101.0
K306120		2.3	136	8.4	24.6	104	101.0
K306121		0.7	<1	0.1	0.8	19	<0.5
K306122		2.5	94	3.1	18.6	87	98.3
K306123		1.7	57	2.4	13.7	55	64.6
K306124		1.8	54	2.0	13.1	51	53.5
K306125		8.0	165	24.1	14.2	42	157.0
K306126		2.1	87	7.5	17.1	67	71.3
K306127		1.7	73	6.1	14.9	57	54.7
K306128		3.9	95	1.8	18.4	104	82.8
K306129		3.6	95	1.8	20.0	90	90.7
K306130		3.5	94	1.7	19.3	113	87.2
K306131		3.8	97	1.7	20.6	143	89.7
K306132		3.5	94	1.6	17.1	121	86.7
K306133		3.6	103	1.8	25.5	113	103.5
K306134		3.6	90	1.5	17.1	100	81.3
K306135		4.4	59	1.5	16.9	101	86.3
K306136		12.1	30	0.7	10.3	71	44.2
K306137		13.8	21	0.4	6.7	77	26.8
K306138		8.5	49	0.7	13.8	67	64.2
K306139		8.5	39	0.6	12.6	58	64.7
K306140		12.1	26	0.5	9.2	55	48.8
K306141		8.7	387	36.0	28.4	273	71.9
K306142		12.0	38	0.8	10.1	42	42.2
K306143		12.4	41	0.7	10.1	49	41.0
K306144		9.7	46	1.0	11.7	52	45.9
K306145		11.5	31	1.0	8.7	36	33.5
K306146		0.5	1	0.2	0.8	29	<0.5
K306147		7.1	51	0.9	13.7	56	54.3
K306148		10.6	45	0.7	12.1	53	52.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218097

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

CERTIFICATE WH11218094

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 275 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218094

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K307050		12.25	0.09	0.08	0.79	3400	50	0.30	0.03	19.55	0.06	10.75	2.4	6	2.18	6.9
K307051		12.78	0.03	0.21	1.09	6440	60	0.43	0.03	18.20	0.09	12.40	2.7	10	3.92	9.2
K307052		12.85	0.04	0.24	1.38	2220	100	0.49	0.04	17.25	0.17	16.75	3.2	12	5.17	10.5
K307053		12.62	0.09	0.25	1.01	6510	80	0.42	0.03	18.45	0.29	15.15	2.6	8	3.39	9.6
K307054		12.94	0.12	0.05	1.03	7430	70	0.39	0.03	17.75	0.09	15.30	2.1	6	2.69	6.7
K307055		5.12	0.09	0.03	0.91	5720	60	0.29	0.03	17.95	0.07	14.35	2.2	6	2.44	7.1
K307056		12.09	0.21	0.05	0.88	4050	60	0.30	0.03	18.95	0.06	15.65	2.0	6	2.03	5.2
K307057		12.57	0.01	0.03	0.73	131	60	0.30	0.03	19.25	0.03	10.90	2.1	4	1.56	4.7
K307058		11.81	0.06	0.04	0.58	8850	50	0.23	0.02	18.50	0.22	8.76	1.9	5	1.15	6.1
K307059		12.55	0.03	0.03	0.65	1950	50	0.23	0.03	19.50	0.09	10.10	2.2	5	1.19	6.6
K307060		0.19	8.01	0.47	3.49	975	160	0.80	0.58	11.80	4.10	43.6	5.9	93	7.11	32.3
K307061		5.77	2.32	0.10	3.88	7330	210	1.04	0.14	13.25	0.06	36.2	6.0	25	9.43	16.6
K307062		7.18	0.81	0.08	2.93	>10000	500	0.78	0.09	16.30	0.25	28.2	5.4	20	6.48	13.6
K307063		11.09	0.15	0.04	4.36	245	240	1.21	0.14	16.15	0.59	43.3	8.5	31	11.20	17.1
K307064		6.89	<0.01	0.02	0.08	9	20	0.08	0.02	21.0	0.06	1.36	1.5	<1	0.21	3.0
K307065		12.03	<0.01	0.07	2.77	79	130	1.11	0.09	19.35	0.22	28.8	5.5	18	9.86	13.6
K307066		11.50	<0.01	0.06	2.77	48	180	1.06	0.09	20.7	0.11	29.9	5.4	19	9.12	13.3
K307067		4.12	0.04	0.60	3.70	483	220	1.18	0.07	15.60	0.10	41.4	9.7	32	10.60	18.7
K307068		7.46	<0.01	0.17	2.91	344	140	0.97	0.06	20.8	0.04	28.6	5.1	26	8.57	13.3
K307069		4.87	<0.01	0.02	0.07	<5	20	0.05	0.01	21.2	0.06	1.40	1.5	1	0.20	1.8
K307070		8.06	<0.01	0.13	3.95	302	220	1.48	0.09	15.80	0.06	44.9	8.5	36	15.70	19.3
K307071		7.90	0.04	0.09	2.20	232	720	0.81	0.05	19.25	0.05	24.7	4.9	21	7.03	8.2
K305469		8.06	<0.01	0.17	7.68	12.3	140	1.72	0.23	0.97	0.39	54.5	37.7	79	9.28	203
K302423		11.33	1.01	0.24	4.70	1645	130	1.46	0.10	9.67	0.09	50.8	7.6	48	17.75	28.0
K302424		11.72	0.51	0.36	4.47	1520	210	1.56	0.09	11.35	0.05	50.0	8.4	45	16.00	21.1
K302425		5.87	0.03	0.13	4.40	184	210	1.34	0.09	16.30	0.09	47.9	8.1	42	19.85	22.5
K302426		10.73	<0.01	0.06	2.21	24	170	0.69	0.05	25.5	0.06	23.9	4.6	19	11.40	10.4
K302427		11.55	<0.01	0.08	1.72	23	340	0.59	0.04	28.6	0.05	19.20	4.1	16	8.33	10.9
K302428		0.17	2.65	1.00	3.19	574	810	0.75	0.29	7.92	2.19	45.7	7.1	52	3.74	40.3
K302429		10.63	<0.01	0.07	1.82	48	260	0.53	0.05	26.6	0.06	19.85	3.6	17	6.94	9.3
K302430		11.98	0.01	0.10	4.49	48	310	1.31	0.09	10.25	0.03	51.1	8.5	42	20.3	21.3
K302431		10.83	0.10	0.06	2.38	69	240	0.84	0.05	18.40	0.06	30.0	4.2	21	8.29	9.9
K302432		6.36	0.52	0.13	3.89	8470	100	1.35	0.09	11.25	0.08	45.8	6.5	38	11.75	15.8
K302433		6.62	0.09	0.11	3.35	1740	100	1.24	0.07	11.40	0.08	39.5	5.3	32	11.50	13.2
K302434		12.14	0.01	0.06	2.10	72	90	0.81	0.05	17.90	0.06	26.9	4.0	18	6.59	7.8
K302435		5.47	<0.01	0.07	1.68	41	140	0.56	0.04	24.6	1.22	20.2	3.6	15	5.50	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K307050		0.39	2.43	<0.05	0.5	0.91	0.011	0.37	6.1	6.1	11.70	264	1.03	0.01	1.4	1.6
K307051		0.46	3.06	0.12	0.6	0.76	0.012	0.51	7.1	7.2	11.25	223	1.18	0.02	1.8	5.0
K307052		0.73	3.68	0.13	0.9	1.27	0.012	0.65	9.2	9.1	10.55	266	1.81	0.02	2.3	6.8
K307053		0.42	3.06	0.16	0.6	1.44	0.015	0.44	9.1	7.0	11.10	349	0.69	0.02	1.9	4.6
K307054		0.47	2.71	0.16	0.9	3.11	0.014	0.46	8.8	6.6	10.80	422	0.18	0.01	1.8	3.1
K307055		0.47	2.40	0.17	0.8	1.79	0.014	0.41	8.1	6.0	10.90	412	0.15	0.01	1.5	3.3
K307056		0.60	2.60	0.17	0.6	1.79	0.010	0.39	8.9	5.6	11.50	594	0.17	0.02	1.7	3.2
K307057		0.66	2.38	0.17	0.5	0.74	0.006	0.34	5.9	4.6	11.60	589	0.12	0.02	1.4	3.7
K307058		0.62	1.82	0.16	0.4	1.21	0.013	0.26	4.8	3.5	11.20	542	0.11	0.02	1.1	3.2
K307059		0.66	2.00	0.18	0.3	0.82	0.008	0.28	5.2	3.3	11.60	582	0.10	0.04	1.2	4.3
K307060		1.33	7.42	0.18	2.0	5.18	0.059	1.42	28.7	9.9	0.70	260	10.95	0.01	7.4	57.0
K307061		2.13	10.10	0.14	1.7	2.96	0.030	1.88	19.1	16.7	7.02	1260	0.19	0.03	5.4	17.6
K307062		1.80	7.97	0.12	1.2	3.86	0.033	1.40	15.5	11.8	6.63	2210	0.43	0.03	4.0	10.4
K307063		1.49	11.35	0.06	2.1	2.92	0.037	2.15	24.5	16.2	3.42	411	0.67	0.03	6.7	13.8
K307064		0.43	0.49	0.17	<0.1	<0.01	0.008	0.04	0.7	1.4	13.20	200	0.08	0.01	0.4	2.7
K307065		1.20	7.42	0.15	1.1	0.35	0.024	1.35	15.7	11.0	6.02	301	0.48	0.03	4.2	9.4
K307066		1.34	7.40	0.14	1.2	0.42	0.028	1.36	16.1	10.1	4.96	338	0.37	0.03	4.2	9.7
K307067		2.08	9.24	0.14	2.1	0.32	0.027	1.60	20.6	32.6	2.89	462	0.91	0.22	12.3	17.1
K307068		0.93	7.24	0.10	1.5	0.24	0.018	1.58	16.5	17.8	2.07	262	0.59	0.02	4.8	9.3
K307069		0.41	0.46	0.15	<0.1	<0.01	0.006	0.03	0.7	1.3	13.25	185	0.11	<0.01	0.4	2.9
K307070		1.51	10.90	0.15	2.0	0.39	0.028	2.22	23.1	29.4	3.31	262	0.93	0.03	6.6	17.1
K307071		1.50	5.86	0.12	1.6	0.22	0.016	1.25	12.5	13.4	4.04	461	0.47	0.02	3.8	9.9
K305469		8.42	22.7	0.27	4.4	0.05	0.119	1.78	24.3	59.5	2.86	403	0.42	0.53	15.3	55.9
K302423		1.98	12.10	0.14	2.1	2.67	0.031	2.48	24.8	33.0	4.10	607	1.24	0.02	7.1	18.5
K302424		1.93	11.50	0.15	2.3	1.85	0.030	2.42	24.1	31.8	3.52	611	1.22	0.02	6.6	18.8
K302425		1.68	10.95	0.14	1.8	0.75	0.027	2.43	24.0	26.7	2.34	263	0.89	0.03	6.3	18.3
K302426		0.90	5.79	0.12	1.0	0.09	0.016	1.29	13.1	13.3	1.31	159	0.57	0.02	3.4	10.5
K302427		0.65	4.50	0.11	0.6	0.09	0.012	0.98	11.0	8.8	0.97	139	0.51	0.01	2.5	9.4
K302428		2.03	7.75	0.14	1.6	4.15	0.025	0.97	28.3	35.9	2.51	264	17.50	0.03	6.6	48.0
K302429		0.73	4.67	0.09	0.8	0.12	0.012	1.03	11.4	8.0	1.51	156	0.43	0.02	2.9	8.3
K302430		1.95	11.15	0.16	2.3	0.40	0.032	2.72	24.6	23.5	3.69	232	0.71	0.04	6.9	18.8
K302431		0.91	5.88	0.11	1.8	0.53	0.020	1.34	15.7	10.9	2.34	208	0.48	0.02	3.9	9.0
K302432		1.50	10.20	0.14	2.7	3.27	0.031	1.94	23.0	18.9	5.17	321	0.85	0.02	6.5	13.8
K302433		1.21	8.34	0.13	2.4	1.71	0.026	1.73	19.1	16.3	6.11	241	1.10	0.03	5.3	10.8
K302434		1.04	5.32	0.11	1.8	0.44	0.015	1.11	14.9	9.2	5.06	207	0.75	0.02	3.5	8.0
K302435		0.55	4.24	0.10	1.3	0.76	0.011	0.90	11.0	6.9	2.27	167	0.48	0.02	2.9	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218094

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K307050		150	9.1	13.5	<0.002	0.53	5.53	1.6	3	0.3	69.9	0.10	<0.05	1.7	0.035	1.56
K307051		270	6.9	19.3	0.004	0.77	8.67	2.1	3	0.4	71.8	0.12	<0.05	2.2	0.048	1.43
K307052		530	10.5	24.1	0.003	0.69	3.01	2.4	4	0.5	86.3	0.16	<0.05	2.9	0.061	2.37
K307053		450	7.1	18.8	0.002	0.67	6.50	2.0	3	0.4	85.9	0.13	<0.05	2.4	0.046	2.31
K307054		540	4.4	17.2	<0.002	0.64	5.39	1.8	3	0.4	90.8	0.12	<0.05	2.4	0.049	3.51
K307055		490	4.2	15.4	<0.002	0.55	4.02	1.7	3	0.6	88.3	0.11	<0.05	2.1	0.042	2.66
K307056		450	4.9	15.4	<0.002	0.49	5.08	1.7	3	0.4	105.0	0.11	<0.05	2.1	0.042	3.77
K307057		430	3.8	13.8	<0.002	0.19	0.88	1.5	3	0.3	101.0	0.09	<0.05	1.7	0.035	1.50
K307058		500	3.6	10.6	<0.002	0.64	6.90	1.1	3	0.3	88.9	0.06	0.05	1.2	0.027	2.57
K307059		610	5.8	11.2	<0.002	0.25	2.49	1.4	3	0.3	84.1	0.06	0.05	1.2	0.029	2.29
K307060		4150	4.4	111.5	0.037	1.37	19.15	6.3	9	1.7	140.5	0.50	0.59	6.3	0.208	13.10
K307061		410	18.2	76.0	<0.002	2.04	8.59	6.7	2	1.2	123.5	0.38	0.07	6.4	0.171	8.60
K307062		1140	16.0	59.7	<0.002	2.34	15.55	6.0	2	1.0	384	0.27	0.06	4.7	0.123	7.82
K307063		590	26.2	85.5	<0.002	1.03	1.82	8.0	1	1.2	432	0.47	<0.05	7.6	0.187	4.86
K307064		280	1.3	1.7	<0.002	0.02	0.10	0.3	2	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	0.02
K307065		530	11.2	61.3	<0.002	0.35	0.36	5.5	2	1.0	430	0.28	0.05	4.7	0.121	0.83
K307066		670	8.9	60.4	<0.002	0.27	0.32	5.5	2	1.0	520	0.28	<0.05	4.8	0.120	0.79
K307067		680	8.7	62.3	<0.002	0.13	1.51	6.7	2	1.1	577	0.79	<0.05	6.1	0.303	1.01
K307068		390	7.6	60.2	0.002	0.22	0.80	4.9	2	1.0	953	0.33	<0.05	6.0	0.131	0.80
K307069		260	1.2	1.7	<0.002	0.01	0.07	0.3	2	<0.2	51.8	<0.05	<0.05	<0.2	<0.005	0.02
K307070		510	10.5	90.0	<0.002	0.83	0.88	7.0	4	1.5	397	0.46	<0.05	8.4	0.171	1.26
K307071		310	6.5	51.2	<0.002	0.79	0.67	3.8	3	0.8	352	0.26	<0.05	4.8	0.099	0.90
K305469		670	9.4	81.2	0.003	0.36	0.52	32.5	4	2.4	26.7	1.00	0.39	6.3	0.789	0.44
K302423		650	8.9	105.5	<0.002	0.94	9.41	7.6	3	1.5	150.0	0.52	<0.05	9.6	0.207	8.63
K302424		520	9.4	99.2	<0.002	0.79	5.51	7.2	3	1.4	318	0.50	<0.05	9.3	0.200	5.85
K302425		680	7.3	94.5	0.002	0.49	1.08	7.0	3	1.3	367	0.46	<0.05	8.5	0.182	1.64
K302426		280	4.6	54.3	<0.002	0.19	0.18	3.8	3	0.7	576	0.23	<0.05	4.2	0.087	0.31
K302427		340	5.0	39.0	0.002	0.16	0.18	3.0	3	0.5	945	0.17	0.05	3.1	0.063	0.29
K302428		890	36.1	51.7	0.024	1.56	107.5	5.2	5	2.4	69.0	0.43	0.23	6.4	0.168	4.12
K302429		290	4.6	41.0	<0.002	0.17	0.34	3.1	3	0.6	722	0.19	0.05	3.5	0.074	0.34
K302430		530	8.1	101.5	<0.002	0.46	0.49	7.2	4	1.5	228	0.51	<0.05	9.2	0.204	0.97
K302431		320	6.0	54.0	<0.002	0.31	0.89	3.9	3	0.8	406	0.28	<0.05	5.2	0.106	1.11
K302432		490	8.7	78.5	<0.002	0.93	12.20	6.3	4	1.4	174.5	0.44	<0.05	8.5	0.177	9.32
K302433		430	7.7	65.6	<0.002	0.48	3.57	5.3	3	1.1	166.0	0.39	<0.05	7.3	0.152	2.72
K302434		290	6.3	43.5	<0.002	0.34	0.53	3.4	4	0.8	330	0.25	<0.05	4.7	0.095	0.84
K302435		290	6.1	33.4	<0.002	0.20	0.50	2.7	3	0.6	583	0.19	<0.05	3.7	0.075	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218094

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K307050		17.6	14	1.2	3.3	10	15.4	
K307051		13.5	32	1.4	4.4	8	20.1	
K307052		15.0	28	1.7	6.3	20	29.6	
K307053		12.7	26	1.6	5.8	35	23.2	
K307054		7.9	17	1.2	6.8	10	30.3	
K307055		6.8	15	1.0	6.5	7	26.5	
K307056		8.7	18	1.3	6.0	10	23.1	
K307057		6.8	13	0.9	4.8	3	20.0	
K307058		3.7	9	0.7	4.1	27	13.9	
K307059		3.4	10	0.7	5.1	30	13.2	
K307060		7.6	378	35.1	26.4	277	74.1	
K307061		2.7	46	3.6	9.7	12	56.2	
K307062		7.3	40	2.7	10.6	98	44.8	1.440
K307063		9.0	60	4.2	12.8	412	75.0	
K307064		0.6	4	0.1	0.9	14	<0.5	
K307065		5.1	39	0.7	9.3	67	41.6	
K307066		6.5	40	0.8	10.6	27	43.1	
K307067		5.8	69	2.9	11.5	29	80.7	
K307068		8.5	46	1.0	8.9	10	50.0	
K307069		0.6	4	0.1	0.9	14	<0.5	
K307070		7.6	60	0.9	12.5	13	75.9	
K307071		6.3	31	0.7	8.7	7	58.5	
K305469		1.7	252	0.7	26.9	109	164.0	
K302423		5.3	80	4.5	13.7	64	77.6	
K302424		4.9	75	2.6	13.0	40	82.4	
K302425		9.0	79	1.3	13.2	35	65.3	
K302426		11.0	39	0.4	7.1	24	37.7	
K302427		14.3	31	0.3	5.7	28	20.7	
K302428		8.3	228	27.5	18.3	210	57.4	
K302429		10.8	31	0.5	6.5	14	27.9	
K302430		5.1	60	0.9	13.6	25	85.0	
K302431		6.6	32	1.2	9.2	19	66.3	
K302432		5.5	53	3.7	13.3	16	106.0	
K302433		4.0	48	3.1	11.5	16	90.0	
K302434		8.8	34	1.3	8.4	11	60.7	
K302435		8.5	28	0.4	6.9	437	47.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218094

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

CERTIFICATE WH11216572

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 276 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216572

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K302402		11.66	0.09	0.09	1.94	127	90	0.74	0.04	23.5	0.13	23.7	3.8	19	5.28	10.0
K302403		10.90	0.72	0.22	0.95	>10000	60	0.37	0.03	26.8	0.12	18.95	2.1	10	1.98	7.2
K302404		10.92	0.96	0.54	0.75	3800	40	0.38	0.02	31.8	0.10	14.80	2.2	7	1.62	6.0
K302405		10.55	0.45	0.30	0.58	162	40	0.32	0.02	33.0	0.07	10.85	1.9	6	1.30	4.8
K302406		10.67	0.78	0.35	1.05	2250	50	0.40	0.03	31.4	0.06	17.05	2.8	10	2.37	7.3
K302407		2.17	9.38	1.18	2.37	>10000	210	0.65	0.07	15.10	0.19	29.9	5.6	27	5.09	24.9
K302408		4.90	<0.01	0.02	0.10	11	20	0.25	0.01	20.4	0.05	1.02	0.6	2	0.55	1.8
K302409		9.92	0.80	0.25	0.73	310	50	0.33	0.03	29.6	0.05	14.55	2.5	9	1.79	7.6
K302410		5.88	17.85	2.43	0.94	2470	70	0.30	0.04	21.4	0.53	21.6	2.8	10	1.71	12.0
K302411		6.03	0.56	0.19	0.53	640	60	0.25	0.02	28.4	0.02	12.20	2.5	6	1.16	6.8
K302412		3.59	2.66	0.26	0.45	404	30	0.20	0.03	23.5	0.05	13.05	2.3	5	1.06	5.3
K302413		7.32	0.46	0.21	0.80	962	50	0.31	0.03	25.6	0.03	15.05	3.1	8	1.91	7.6
K302414		3.65	5.41	0.66	2.49	>10000	210	0.68	0.08	15.00	0.13	32.5	5.9	27	5.33	19.9
K302415		6.99	<0.01	0.01	0.06	15	20	0.06	0.01	19.90	0.06	1.31	0.6	<1	0.19	1.8
K302416		6.70	0.88	0.13	0.92	473	50	0.45	0.03	31.9	0.05	15.35	2.4	10	2.09	6.1
K302417		11.61	0.29	0.08	0.91	173	60	0.43	0.03	33.2	0.08	14.75	2.5	10	2.83	6.0
K302418		11.11	<0.01	0.08	0.97	84	60	0.43	0.03	32.9	0.06	17.00	2.9	11	2.96	7.7
K302419		0.26	7.86	0.44	3.39	967	160	0.86	0.59	11.70	4.17	49.4	6.2	93	7.06	33.9
K302420		6.49	0.18	0.15	1.44	133	130	0.73	0.04	31.3	0.14	18.20	3.6	14	5.35	9.7
K302421		3.12	0.19	0.12	1.39	79	80	0.63	0.04	30.6	0.14	17.80	3.7	14	4.98	9.1
K302422		4.23	12.70	1.61	3.80	>10000	130	0.85	0.13	11.20	0.37	60.5	8.7	39	10.15	29.9
K304869		5.34	0.01	0.04	2.30	44	230	0.84	0.06	22.2	0.10	31.1	4.6	22	9.50	14.4
K304870		3.08	0.01	0.06	2.42	59	170	0.90	0.06	22.4	0.05	29.9	5.1	23	9.16	13.2
K304871		3.88	<0.01	0.05	3.29	47	230	1.04	0.07	15.60	0.07	36.1	6.8	32	9.57	16.1
K305455		8.29	<0.01	0.09	4.30	27.4	110	1.31	0.19	6.75	0.14	55.9	10.4	30	6.67	27.4
K305456		8.38	<0.01	0.09	6.61	44.4	140	1.71	0.25	3.87	0.21	73.1	22.1	56	10.30	82.5
K305457		7.98	<0.01	0.09	5.13	57.4	110	1.44	0.26	6.23	0.33	63.1	16.0	41	7.97	43.1
K305458		8.60	<0.01	0.11	4.62	70.8	90	1.31	0.21	7.56	0.28	59.0	17.3	43	6.19	59.4
K305459		8.17	<0.01	0.07	3.84	34.5	80	1.13	0.19	6.05	0.20	46.5	11.8	33	5.57	36.6
K305460		0.24	0.33	0.34	6.02	604	180	0.60	0.26	0.47	0.20	154.0	3.2	234	3.43	32.5
K305461		8.20	<0.01	0.07	3.75	22.1	90	1.17	0.17	7.09	0.11	48.5	9.8	28	4.43	26.8
K305462		8.57	<0.01	0.07	3.60	19.8	90	1.18	0.17	6.90	0.12	45.3	9.2	26	4.24	25.0
K305463		8.07	<0.01	0.07	3.68	16.5	90	1.15	0.18	6.92	0.26	46.8	10.1	31	4.94	29.4
K305464		8.19	<0.01	0.05	3.52	16.2	90	1.15	0.17	7.73	0.17	45.9	9.4	24	5.24	25.4
K305465		7.52	<0.01	0.09	5.85	27.2	150	1.85	0.24	6.21	0.13	69.9	14.3	39	8.19	34.0
K305466		8.43	<0.01	0.08	7.35	23.0	190	2.10	0.26	4.20	0.12	89.4	16.6	51	10.15	40.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216572

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K302402		0.76	4.65	0.06	1.1	0.65	0.015	1.04	12.7	11.5	2.32	260	1.20	0.01	3.6	8.5
K302403		0.54	2.94	<0.05	0.8	1.22	0.028	0.50	10.1	7.7	1.18	1060	0.46	0.01	2.0	<0.2
K302404		0.35	2.71	<0.05	0.5	1.08	0.015	0.39	7.8	6.8	1.32	3000	0.41	0.01	1.5	<0.2
K302405		0.46	2.12	<0.05	0.4	0.72	0.010	0.30	6.3	5.0	0.59	2090	0.29	0.01	1.2	<0.2
K302406		0.36	3.67	<0.05	0.6	1.80	0.014	0.56	9.5	8.7	1.06	1810	0.42	0.01	1.9	<0.2
K302407		1.25	7.56	<0.05	1.3	11.5	0.057	1.20	16.9	20.6	3.98	1760	1.10	0.02	4.1	8.2
K302408		0.47	0.26	0.09	<0.1	0.01	0.007	0.04	0.5	1.6	12.75	206	0.05	0.01	0.2	2.0
K302409		0.68	2.46	<0.05	0.4	3.11	0.008	0.38	8.1	6.6	3.19	622	0.32	0.01	1.3	<0.2
K302410		1.48	3.42	<0.05	0.5	7.7	0.013	0.47	11.7	13.9	5.49	4190	0.45	0.01	1.5	<0.2
K302411		1.14	1.82	<0.05	0.3	2.45	0.011	0.26	6.3	3.6	4.70	893	0.30	0.01	1.0	<0.2
K302412		1.39	1.38	<0.05	0.2	6.18	0.012	0.20	7.2	2.5	8.91	1350	0.26	0.01	0.8	2.8
K302413		1.08	2.78	<0.05	0.5	5.84	0.012	0.39	8.2	5.9	5.64	808	0.37	0.01	1.6	<0.2
K302414		1.29	7.88	<0.05	1.5	9.6	0.059	1.25	17.5	19.1	4.18	1170	1.16	0.01	4.5	8.7
K302415		0.41	0.21	0.11	<0.1	0.02	0.008	0.03	0.6	1.2	12.40	188	0.07	<0.01	0.2	1.6
K302416		0.31	3.15	<0.05	0.6	1.88	0.012	0.49	8.5	7.8	1.06	920	0.39	0.01	1.8	<0.2
K302417		0.37	3.03	<0.05	0.5	1.75	0.009	0.48	8.8	7.8	0.90	318	0.42	0.01	1.7	<0.2
K302418		0.45	3.21	<0.05	0.5	0.50	0.010	0.52	9.9	6.1	1.02	163	0.59	0.01	1.8	<0.2
K302419		1.31	8.30	0.09	2.3	5.59	0.069	1.44	32.1	11.9	0.69	256	11.30	0.01	7.6	60.6
K302420		0.55	4.48	<0.05	0.7	0.89	0.013	0.78	10.6	9.4	1.04	206	0.59	0.01	2.3	<0.2
K302421		0.55	4.42	<0.05	0.7	0.91	0.011	0.76	10.3	8.0	0.98	195	0.49	0.01	2.2	<0.2
K302422		2.10	11.30	0.07	1.9	11.5	0.039	1.87	34.8	19.3	3.57	1480	1.69	0.02	5.9	18.5
K304869		1.03	5.92	0.13	1.1	0.04	0.022	1.33	16.1	21.6	2.13	205	0.20	0.02	4.0	11.9
K304870		1.08	7.09	<0.05	1.4	0.04	0.017	1.27	16.0	37.4	3.57	216	0.94	0.02	4.0	6.2
K304871		1.57	9.13	<0.05	1.7	0.03	0.025	1.47	18.3	56.8	5.25	300	0.79	0.23	4.8	11.8
K305455		2.80	12.25	0.08	2.3	0.04	0.051	1.88	25.6	15.0	2.91	527	0.58	0.09	7.3	13.2
K305456		5.14	19.45	0.16	3.2	0.08	0.087	2.39	33.1	47.7	2.66	473	0.86	0.26	12.4	34.9
K305457		5.24	15.95	0.13	2.8	0.39	0.076	2.00	30.3	35.2	3.08	1060	10.50	0.25	11.4	29.5
K305458		5.71	14.75	0.12	2.4	0.32	0.069	1.65	28.2	42.2	3.39	1300	9.38	0.29	8.6	46.2
K305459		3.50	11.70	0.06	2.1	0.15	0.057	1.46	20.7	33.6	2.59	675	1.28	0.22	7.3	18.8
K305460		6.56	22.1	0.24	4.7	8.5	0.050	1.35	74.2	18.5	0.13	37	6.76	0.37	10.1	17.7
K305461		2.65	10.75	0.07	2.0	0.06	0.044	1.57	20.9	34.3	3.31	551	0.66	0.04	6.4	12.4
K305462		2.63	10.45	0.05	1.9	0.06	0.041	1.59	19.3	34.4	3.05	530	0.58	0.03	6.1	11.4
K305463		2.91	10.70	0.06	2.1	0.06	0.045	1.63	19.6	16.5	2.78	544	0.70	0.07	6.6	13.1
K305464		2.74	10.30	0.06	1.9	0.05	0.044	1.59	19.0	17.7	2.99	604	0.72	0.07	6.1	11.2
K305465		3.57	17.40	0.13	2.8	0.11	0.061	2.66	31.6	22.9	3.18	549	1.57	0.12	10.0	20.8
K305466		3.87	22.2	0.19	3.6	0.08	0.068	3.29	38.7	26.6	2.57	509	1.00	0.14	12.6	25.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216572

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K302402		290	7.9	39.3	<0.002	0.50	1.58	3.4	3	0.7	589	0.24	<0.05	4.2	0.083	1.69
K302403		260	6.2	22.5	<0.002	1.21	41.3	2.1	4	0.4	528	0.13	<0.05	2.4	0.044	4.58
K302404		130	4.9	18.2	<0.002	0.43	17.70	2.2	3	0.3	756	0.11	<0.05	1.9	0.034	4.04
K302405		110	5.3	14.3	<0.002	0.53	3.88	1.5	3	0.3	818	0.08	<0.05	1.5	0.025	2.79
K302406		160	6.8	25.1	<0.002	0.40	12.50	3.0	3	0.5	877	0.13	<0.05	2.7	0.046	5.76
K302407		430	20.3	52.5	<0.002	2.70	112.0	3.7	4	1.5	348	0.30	0.06	5.6	0.104	46.3
K302408		170	1.3	2.4	<0.002	0.01	<0.05	0.2	1	0.2	44.3	<0.05	<0.05	<0.2	<0.005	0.04
K302409		140	7.9	16.4	<0.002	0.35	7.23	1.9	3	0.3	1070	0.09	<0.05	1.7	0.031	6.76
K302410		200	12.9	21.6	<0.002	1.51	30.6	6.2	3	0.5	207	0.11	0.05	2.4	0.038	25.9
K302411		110	7.8	11.6	0.002	0.62	8.29	1.5	3	0.3	348	0.07	<0.05	1.2	0.022	7.45
K302412		90	6.0	9.1	<0.002	0.51	11.15	1.2	3	0.3	173.0	0.06	<0.05	1.0	0.020	17.25
K302413		130	8.3	17.7	<0.002	0.69	14.60	2.4	3	0.4	285	0.11	<0.05	2.0	0.036	17.25
K302414		410	17.1	56.7	<0.002	2.71	107.5	4.2	4	1.1	388	0.33	<0.05	5.7	0.113	33.7
K302415		190	1.4	1.2	<0.002	0.01	<0.05	0.2	1	<0.2	42.5	<0.05	<0.05	<0.2	<0.005	0.05
K302416		150	5.2	20.7	<0.002	0.23	5.34	2.8	3	0.4	894	0.12	<0.05	2.2	0.041	5.24
K302417		150	6.3	21.1	<0.002	0.24	3.35	2.4	3	0.3	1440	0.12	<0.05	2.2	0.041	5.24
K302418		180	6.7	21.2	0.002	0.32	0.48	2.4	3	0.4	883	0.13	<0.05	2.3	0.043	1.16
K302419		4030	4.6	118.0	0.034	1.29	18.00	7.4	9	1.6	145.0	0.54	0.51	6.8	0.203	12.85
K302420		210	5.7	32.0	0.002	0.35	1.20	3.2	4	0.4	950	0.17	<0.05	3.0	0.059	1.69
K302421		200	5.7	31.2	0.003	0.36	1.08	3.1	3	0.5	915	0.16	<0.05	2.8	0.057	1.66
K302422		590	19.6	87.1	0.002	2.47	63.6	6.0	4	1.1	181.5	0.47	0.07	8.3	0.162	42.8
K304869		250	4.3	55.5	0.002	0.06	0.14	3.9	1	0.8	439	0.30	<0.05	4.9	0.109	0.41
K304870		270	6.1	60.3	0.002	0.10	0.27	4.8	4	0.8	459	0.31	<0.05	5.3	0.109	0.34
K304871		370	6.9	70.3	0.002	0.08	0.32	6.4	3	0.9	307	0.37	<0.05	6.3	0.150	0.44
K305455		320	18.5	77.8	<0.002	0.77	0.77	9.9	2	1.6	68.9	0.56	<0.05	7.6	0.264	0.42
K305456		470	17.2	101.5	0.004	0.91	0.77	19.5	3	2.3	54.7	0.93	0.19	8.7	0.503	0.50
K305457		410	14.3	90.2	0.004	3.06	1.72	15.1	3	2.1	71.8	0.85	0.15	8.1	0.351	0.72
K305458		330	12.0	73.7	0.006	2.92	1.66	14.5	3	1.7	76.7	0.65	0.13	7.2	0.323	0.49
K305459		280	14.1	64.4	0.002	1.39	0.93	11.3	2	1.6	67.3	0.55	0.09	6.2	0.249	0.40
K305460		890	16.2	49.5	0.004	2.91	108.0	17.9	3	2.8	489	0.78	0.14	10.1	0.537	7.59
K305461		290	16.2	66.6	0.002	0.70	0.68	9.2	2	1.5	65.4	0.48	<0.05	6.5	0.226	0.37
K305462		270	16.3	65.7	<0.002	0.78	0.68	8.6	2	1.5	61.9	0.46	<0.05	6.3	0.213	0.35
K305463		270	17.3	67.2	0.002	1.05	0.73	8.9	2	1.6	80.6	0.50	<0.05	6.7	0.229	0.36
K305464		260	15.1	67.0	<0.002	1.15	0.65	8.7	2	1.5	84.2	0.48	<0.05	6.4	0.210	0.34
K305465		410	19.4	111.0	0.002	1.26	1.08	13.6	3	2.4	61.0	0.77	0.06	9.7	0.357	0.60
K305466		470	19.0	139.0	0.002	1.05	0.99	16.7	3	3.0	48.8	0.97	0.07	11.6	0.433	0.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216572

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K302402		9.3	30	1.1	7.3	21	46.8	
K302403		10.9	12	0.9	6.5	12	31.3	1.775
K302404		12.9	12	1.0	6.0	12	20.4	
K302405		15.6	8	0.8	4.8	11	14.3	
K302406		19.4	16	1.2	6.5	12	22.9	
K302407		28.8	43	3.1	7.3	27	43.3	3.59
K302408		0.4	2	0.1	0.7	14	<0.5	
K302409		19.1	12	0.8	5.0	5	13.8	
K302410		17.6	19	1.6	14.7	37	14.8	
K302411		14.0	10	0.7	4.8	2	9.8	
K302412		10.7	8	0.7	4.1	4	7.9	
K302413		18.0	13	1.1	6.1	4	17.3	
K302414		27.5	39	3.0	6.6	26	49.9	3.76
K302415		0.5	2	0.1	0.8	13	0.6	
K302416		19.0	14	0.9	7.5	15	20.6	
K302417		22.4	14	0.8	5.1	13	18.3	
K302418		21.0	20	0.7	5.3	30	18.0	
K302419		8.7	372	34.4	28.3	271	78.4	
K302420		15.1	23	1.2	5.9	103	22.9	
K302421		14.2	22	1.0	5.8	111	21.9	
K302422		35.4	64	4.9	7.6	122	59.5	1.425
K304869		5.8	35	0.5	9.4	22	45.1	
K304870		12.5	40	0.5	9.1	24	44.3	
K304871		7.4	49	0.6	11.6	41	58.0	
K305455		2.2	59	1.0	16.9	71	72.8	
K305456		2.4	140	1.1	20.3	85	103.5	
K305457		1.9	99	1.0	20.0	77	91.3	
K305458		1.7	99	0.9	19.1	72	77.4	
K305459		1.6	69	0.7	15.8	63	66.4	
K305460		8.1	169	23.4	15.6	44	170.0	
K305461		1.8	53	0.9	15.6	59	63.8	
K305462		1.7	48	0.8	15.0	63	60.1	
K305463		1.9	50	0.9	15.6	94	66.2	
K305464		1.8	47	0.8	16.2	61	61.4	
K305465		2.6	85	1.3	19.8	66	91.7	
K305466		3.2	108	1.5	24.5	67	113.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11216572

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

CERTIFICATE WH11219070

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 277 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305832		11.18	0.07	0.08	2.96	1520	210	0.78	0.08	18.10	0.08	33.9	5.8	29	5.45	26.9
K305833		11.46	0.11	0.09	2.73	424	110	0.79	0.07	17.05	0.12	35.8	4.7	29	5.59	17.4
K305834		9.04	1.55	0.46	3.91	4300	120	0.86	0.10	12.40	0.11	44.3	5.5	42	8.19	19.0
K305835		5.89	4.45	0.74	3.25	>10000	350	0.57	0.10	15.50	0.25	34.3	4.7	35	6.53	17.5
K305836		5.87	11.00	2.98	3.06	>10000	200	0.52	0.09	7.02	0.62	38.8	6.4	38	5.46	21.8
K305837		5.54	5.27	1.62	2.40	>10000	80	0.33	0.07	10.05	0.45	27.9	3.9	30	4.46	14.3
K305838		5.90	24.7	6.27	3.06	>10000	110	0.47	0.10	2.52	0.71	41.7	5.8	42	4.92	25.6
K305839		9.86	1.34	0.50	3.79	2830	140	0.81	0.09	13.90	0.13	39.3	5.7	39	7.29	18.3
K305840		6.92	0.01	0.01	0.09	71	20	0.06	0.03	19.60	0.06	1.21	1.7	3	0.37	1.9
K305841		11.85	0.43	0.10	1.91	3270	100	0.53	0.05	21.4	0.06	21.6	2.9	20	3.91	7.7
K305842		10.84	0.42	0.11	2.36	2410	90	0.74	0.05	16.75	0.07	28.8	3.6	26	6.20	11.7
K305843		11.39	0.01	0.05	1.71	143	80	0.57	0.03	20.9	0.04	22.5	3.1	19	5.06	8.4
K305844		11.45	0.03	0.05	1.29	81	70	0.56	0.02	28.1	0.05	18.95	2.4	14	4.07	8.6
K305845		0.22	7.82	0.44	3.31	952	160	0.74	0.52	11.85	4.15	42.3	5.5	88	6.86	32.8
K305846		11.40	0.01	0.15	1.06	42	50	0.49	0.02	28.1	0.04	15.05	2.2	13	3.67	7.4
K305847		10.47	<0.01	0.04	1.09	38	50	0.42	0.02	28.6	0.02	16.30	2.2	13	3.49	5.8
K305848		5.11	<0.01	0.03	1.10	35	40	0.49	0.02	28.2	0.03	16.30	2.2	12	3.50	5.4
K305849		6.19	0.03	0.03	1.23	124	70	0.55	0.02	28.1	0.03	18.95	2.6	13	4.66	6.4
K305850		6.35	0.01	0.03	0.73	48	50	0.30	0.01	31.0	0.05	11.90	1.8	9	2.17	4.6
K305851		7.51	<0.01	0.06	2.52	42	160	0.89	0.04	21.5	0.05	33.5	4.2	26	16.25	11.6
K305852		6.05	<0.01	0.03	1.38	26	170	0.62	0.03	29.3	0.05	20.1	2.8	14	13.00	7.4
K305853		6.82	<0.01	0.04	1.43	29	160	0.61	0.03	29.9	0.05	21.0	2.7	15	8.87	9.7
K305854		7.17	<0.01	0.13	4.00	117	190	1.48	0.07	13.85	0.04	45.4	6.8	41	25.0	21.6
K305855		7.56	0.05	0.08	2.22	2130	100	0.94	0.04	23.4	0.05	30.1	4.1	23	8.01	10.7
K305856		0.23	16.95	0.84	1.93	1210	430	0.40	0.47	15.10	0.61	33.1	3.8	35	2.35	61.8
K305857		7.02	0.42	0.17	1.92	4480	140	0.86	0.03	27.4	0.06	24.9	3.8	20	7.05	11.0
K305858		7.24	0.94	0.21	3.49	6840	160	1.03	0.06	15.25	0.07	42.3	5.5	37	9.98	16.0
K305859		7.36	0.62	0.14	3.47	1540	130	0.90	0.06	11.50	0.08	40.0	5.7	35	8.67	16.1
K305860		7.55	0.60	0.31	3.08	1260	130	0.98	0.05	16.00	0.09	36.8	6.0	31	11.20	15.0
K305861		7.50	0.09	1.23	3.36	253	710	1.21	0.09	19.25	0.34	41.7	6.2	36	21.3	37.7
K305862		7.31	0.03	0.19	2.12	118	250	0.88	0.05	26.3	0.03	27.2	3.8	22	12.25	16.6
K305863		5.89	0.37	0.38	1.79	>10000	80	0.56	0.03	20.0	0.05	24.9	3.0	22	4.69	10.1
K305864		6.74	9.83	2.56	1.68	>10000	50	0.42	0.04	7.65	0.74	35.1	3.9	23	3.30	22.8
K305865		5.26	2.47	1.21	1.05	>10000	40	0.39	0.02	18.70	0.06	15.05	3.2	11	2.76	13.6
K305866		6.95	<0.01	0.01	0.13	104	70	0.11	<0.01	20.7	0.07	1.28	1.9	5	1.08	1.7
K305867		2.32	0.97	0.20	0.48	>10000	30	0.31	0.01	19.65	0.03	13.05	2.0	7	1.10	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219070

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305832		1.16	7.72	0.13	1.4	1.09	0.025	1.39	18.2	7.0	2.81	1710	0.54	0.02	5.8	10.8
K305833		1.15	7.42	0.14	1.5	0.76	0.025	1.32	19.1	7.2	3.44	1420	0.65	0.02	5.7	8.1
K305834		1.43	9.92	0.14	2.0	4.60	0.033	1.89	23.6	11.0	4.05	2050	0.87	0.02	7.4	11.6
K305835		0.94	8.28	0.14	1.4	4.28	0.049	1.56	18.5	8.1	1.63	1880	0.53	0.01	6.1	9.1
K305836		1.75	8.16	0.13	1.4	9.1	0.134	1.45	20.5	12.5	1.16	1840	0.78	0.01	5.7	13.3
K305837		0.89	6.36	0.12	1.1	3.13	0.096	1.14	16.1	9.2	0.71	1120	0.89	0.01	4.6	7.3
K305838		2.14	8.50	0.18	1.6	8.4	0.109	1.49	20.7	14.5	1.08	668	0.73	0.01	5.7	15.0
K305839		1.54	9.68	0.14	1.8	1.68	0.030	1.92	21.1	11.3	3.95	669	0.72	0.02	6.8	12.2
K305840		0.47	0.39	0.32	<0.1	0.01	<0.005	0.05	0.6	1.4	12.55	212	0.19	<0.01	0.4	1.2
K305841		0.75	4.70	0.14	0.9	1.06	0.019	0.97	11.5	6.1	3.40	477	0.49	0.01	3.5	3.4
K305842		1.00	6.70	<0.05	1.5	1.30	0.025	1.25	14.4	14.1	6.36	493	0.79	0.02	4.3	0.6
K305843		0.65	4.54	<0.05	1.3	0.52	0.013	0.88	11.9	9.6	4.24	209	1.48	0.01	3.3	<0.2
K305844		0.35	3.30	<0.05	1.0	0.30	0.011	0.68	10.5	7.7	1.39	133	0.84	0.01	2.7	<0.2
K305845		1.32	7.79	0.06	2.2	5.75	0.066	1.42	27.8	9.9	0.69	252	11.40	0.01	7.7	54.6
K305846		0.37	2.73	<0.05	0.7	0.22	0.009	0.58	8.5	7.9	1.89	118	0.59	0.01	2.0	<0.2
K305847		0.43	2.82	<0.05	0.6	0.21	0.010	0.58	9.0	7.7	2.23	162	0.39	0.01	2.0	<0.2
K305848		0.41	2.84	<0.05	0.6	0.20	0.010	0.57	9.0	7.9	2.06	149	0.37	0.01	2.0	<0.2
K305849		0.47	3.25	<0.05	0.8	0.26	0.011	0.67	10.3	10.0	1.61	155	0.48	0.01	2.3	<0.2
K305850		0.39	1.85	<0.05	0.4	0.13	0.007	0.38	7.0	5.5	1.78	160	0.32	0.01	1.4	<0.2
K305851		0.97	6.50	<0.05	1.6	0.11	0.020	1.45	17.7	23.8	2.31	152	0.80	0.02	4.4	1.3
K305852		0.51	3.41	<0.05	0.7	0.04	0.011	0.78	11.4	13.2	1.14	111	0.46	0.01	2.5	<0.2
K305853		0.45	3.50	<0.05	0.8	0.08	0.011	0.78	12.2	10.9	0.89	114	0.41	0.01	2.6	<0.2
K305854		1.87	10.45	0.07	2.4	0.59	0.029	2.25	23.2	28.0	4.16	304	1.17	0.02	6.5	10.7
K305855		1.08	5.74	<0.05	1.4	2.65	0.020	1.17	15.9	12.8	2.13	346	0.62	0.01	3.6	<0.2
K305856		3.52	4.12	<0.05	0.9	6.08	0.055	0.39	19.2	45.1	0.70	441	12.95	0.01	3.6	15.2
K305857		0.72	4.86	<0.05	1.0	0.81	0.021	1.03	13.7	11.4	1.33	203	0.55	0.01	3.0	<0.2
K305858		1.27	9.07	<0.05	2.3	8.85	0.035	1.81	22.4	16.7	2.74	394	0.66	0.02	5.8	7.9
K305859		1.34	9.31	<0.05	2.9	5.65	0.025	1.80	21.2	15.7	4.89	495	0.96	0.02	6.1	8.9
K305860		1.64	7.95	<0.05	2.0	10.2	0.021	1.64	19.2	14.9	4.23	606	0.84	0.02	4.9	8.4
K305861		1.40	8.70	<0.05	1.7	2.00	0.026	1.81	22.6	17.2	2.66	246	4.74	0.02	5.5	12.0
K305862		0.78	5.41	<0.05	1.2	0.52	0.017	1.15	15.2	12.5	1.55	132	1.05	0.02	3.8	<0.2
K305863		0.67	4.64	<0.05	2.0	3.87	0.081	0.92	13.1	8.9	2.45	458	1.07	0.01	3.5	<0.2
K305864		1.10	4.86	0.05	1.8	12.4	0.199	0.83	20.5	13.5	4.27	1700	1.17	0.01	3.0	5.7
K305865		0.71	3.01	0.09	0.8	7.16	0.026	0.54	8.8	6.3	10.30	1740	0.54	0.02	1.9	1.0
K305866		0.46	0.78	0.36	<0.1	0.01	<0.005	0.08	0.6	2.1	12.50	201	0.20	0.01	0.5	<0.2
K305867		0.60	1.59	0.21	0.3	1.70	0.043	0.24	7.6	3.4	9.95	957	0.17	0.01	1.0	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219070

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305832		390	15.4	58.2	<0.002	0.34	4.11	5.7	3	1.1	439	0.41	<0.05	7.5	0.131	2.16
K305833		350	13.0	55.7	<0.002	0.31	1.88	5.4	3	1.0	509	0.41	<0.05	7.6	0.127	1.95
K305834		540	18.9	79.0	<0.002	0.82	18.95	7.5	3	1.3	210	0.58	<0.05	10.2	0.183	21.7
K305835		550	11.3	64.3	<0.002	1.74	38.3	5.7	3	1.1	231	0.46	<0.05	7.8	0.146	18.45
K305836		410	19.1	63.6	<0.002	6.94	137.0	4.2	4	1.4	103.5	0.44	0.07	7.8	0.141	24.2
K305837		410	12.1	48.0	<0.002	4.37	121.5	4.0	4	1.0	191.5	0.34	0.07	5.8	0.109	11.90
K305838		470	17.1	66.3	<0.002	6.25	142.0	4.4	5	1.2	64.7	0.47	0.16	8.0	0.145	38.4
K305839		420	8.8	76.0	<0.002	0.91	7.83	7.1	3	1.5	284	0.52	<0.05	9.2	0.168	7.36
K305840		170	1.6	2.9	<0.002	0.02	0.27	0.4	2	<0.2	36.7	<0.05	<0.05	<0.2	<0.005	0.04
K305841		240	6.3	35.0	<0.002	0.49	8.39	3.5	3	0.7	482	0.25	<0.05	4.6	0.083	4.32
K305842		310	7.2	46.9	<0.002	0.59	7.90	4.9	3	1.0	183.0	0.30	<0.05	5.2	0.110	4.09
K305843		270	9.3	31.1	<0.002	0.37	0.68	3.4	4	0.7	398	0.23	<0.05	3.7	0.081	1.39
K305844		220	6.5	24.8	<0.002	0.20	0.57	2.7	3	0.6	909	0.17	<0.05	2.7	0.061	0.75
K305845		3960	4.5	113.5	0.034	1.28	18.50	7.2	9	1.6	147.0	0.49	0.48	6.1	0.202	12.35
K305846		160	6.8	19.5	<0.002	0.18	0.57	2.3	3	0.4	1445	0.13	<0.05	2.3	0.050	0.56
K305847		160	6.7	19.8	<0.002	0.25	0.44	2.4	3	0.4	1450	0.13	<0.05	2.2	0.050	0.53
K305848		150	6.9	20.0	<0.002	0.24	0.39	2.4	3	0.4	1455	0.13	<0.05	2.3	0.048	0.56
K305849		160	8.2	24.6	<0.002	0.32	0.86	2.7	3	0.4	1230	0.15	<0.05	2.7	0.057	0.77
K305850		120	5.5	12.7	<0.002	0.20	0.24	1.7	3	0.3	1440	0.09	<0.05	1.5	0.033	0.52
K305851		320	6.1	54.7	<0.002	0.27	0.25	5.2	3	0.8	814	0.31	<0.05	5.1	0.115	0.51
K305852		190	4.3	29.2	<0.002	0.13	0.16	3.1	3	0.5	811	0.16	<0.05	2.7	0.058	0.29
K305853		240	4.8	27.6	<0.002	0.26	0.15	3.2	3	0.5	768	0.17	<0.05	2.9	0.062	0.34
K305854		490	9.4	80.6	<0.002	0.80	0.38	7.9	3	1.3	243	0.47	<0.05	8.1	0.175	1.14
K305855		310	6.3	43.8	<0.002	0.60	6.20	4.7	3	0.8	364	0.25	<0.05	4.3	0.094	6.85
K305856		640	19.9	24.3	0.007	1.93	150.0	4.7	4	1.9	46.9	0.24	0.34	3.4	0.107	3.37
K305857		340	5.6	37.3	<0.002	0.49	14.75	4.0	3	0.6	697	0.20	<0.05	3.5	0.076	2.00
K305858		420	6.9	68.0	<0.002	0.76	16.20	6.8	3	1.1	210	0.43	<0.05	7.3	0.161	12.30
K305859		430	7.6	71.1	<0.002	0.52	8.40	6.5	3	1.3	157.0	0.43	<0.05	7.8	0.164	11.90
K305860		370	6.1	61.7	<0.002	0.76	10.80	5.9	3	1.0	339	0.35	<0.05	6.4	0.134	27.4
K305861		460	12.6	66.4	0.003	0.68	1.09	6.7	4	1.2	451	0.40	<0.05	6.6	0.146	2.84
K305862		260	7.4	43.1	<0.002	0.45	0.45	4.6	3	0.8	577	0.25	<0.05	4.2	0.095	1.00
K305863		350	5.9	35.5	<0.002	2.27	56.7	3.4	5	0.7	242	0.23	<0.05	4.2	0.086	8.87
K305864		360	8.3	32.7	<0.002	5.94	196.5	2.8	7	2.0	57.9	0.21	0.12	4.2	0.078	26.7
K305865		160	7.7	19.2	0.002	1.05	24.9	2.3	3	1.0	89.0	0.12	<0.05	2.3	0.048	16.25
K305866		180	1.4	5.6	<0.002	0.01	0.24	0.5	2	0.2	45.4	<0.05	<0.05	<0.2	0.005	0.07
K305867		90	3.9	8.4	<0.002	1.32	40.4	1.1	4	0.6	105.5	0.06	<0.05	1.1	0.021	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219070

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305832		10.8	42	1.6	12.5	36	54.7	
K305833		9.0	38	1.5	13.7	53	58.2	
K305834		7.2	56	3.1	16.8	29	78.6	
K305835		12.3	49	3.1	13.9	46	53.9	2.57
K305836		11.8	46	3.6	9.5	84	53.0	12.60
K305837		12.4	36	2.2	9.6	66	42.5	8.71
K305838		13.1	49	3.0	12.2	67	58.2	10.95
K305839		8.8	53	2.6	13.6	34	72.1	
K305840		0.7	2	0.1	0.8	15	<0.5	
K305841		10.0	31	1.3	8.9	12	38.5	
K305842		7.3	38	1.9	10.2	8	50.3	
K305843		10.8	27	1.4	7.4	3	43.8	
K305844		11.2	21	1.0	5.7	2	31.7	
K305845		7.5	371	34.2	28.3	255	73.0	
K305846		12.9	19	0.8	4.6	2	22.4	
K305847		13.4	18	0.8	4.7	<2	19.5	
K305848		13.8	18	0.8	4.7	<2	20.0	
K305849		13.8	20	0.7	5.3	<2	26.9	
K305850		12.7	12	0.3	3.5	2	12.8	
K305851		9.7	40	0.6	9.5	9	48.7	
K305852		12.4	24	0.3	5.2	3	22.3	
K305853		12.9	24	0.3	5.9	5	23.1	
K305854		6.6	62	1.4	13.0	8	76.2	
K305855		9.4	37	2.0	8.1	3	42.9	
K305856		3.1	110	216	16.2	65	29.7	
K305857		12.4	31	1.6	7.1	5	30.1	
K305858		9.6	49	3.5	12.3	13	73.0	
K305859		7.4	51	3.8	13.4	10	99.8	
K305860		6.1	45	2.5	11.0	8	66.5	
K305861		10.0	73	1.2	13.4	40	54.2	
K305862		11.3	38	0.6	8.2	<2	38.2	
K305863		12.2	33	1.6	9.9	3	68.0	4.30
K305864		13.3	32	2.6	5.7	59	60.1	11.90
K305865		12.7	26	1.4	5.1	<2	26.0	1.130
K305866		0.7	3	0.1	0.9	6	0.5	
K305867		6.8	13	0.6	4.3	<2	11.6	2.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219070

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

CERTIFICATE WH11219074

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 278 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K307072		7.04	0.01	0.07	2.34	60	150	0.66	0.05	24.7	0.28	26.5	3.3	22	7.12	12.0
K307073		8.80	<0.01	0.10	2.92	43	150	0.88	0.06	23.2	0.06	32.1	4.8	25	13.50	13.2
K307074		7.79	<0.01	0.03	4.24	28	220	1.32	0.09	16.80	0.04	48.0	7.3	34	31.6	16.9
K307075		7.20	<0.01	0.06	4.11	23	230	1.26	0.09	18.20	0.03	47.1	7.7	37	29.1	15.2
K307076		7.14	<0.01	0.07	1.99	9	120	0.63	0.05	24.4	0.03	23.5	3.9	20	10.35	8.4
K307077		3.65	<0.01	0.06	2.22	17	130	0.65	0.05	26.0	0.03	25.9	4.2	20	11.65	9.2
K307078		8.24	<0.01	0.12	3.26	36	270	0.99	0.07	14.60	0.08	40.0	5.3	33	11.75	15.2
K307079		8.32	0.01	0.08	1.51	22	210	0.51	0.04	26.8	0.18	19.90	2.6	17	4.67	8.7
K307080		8.30	<0.01	0.08	0.84	25	220	0.38	0.03	28.2	0.17	11.40	1.7	10	2.81	4.2
K307081		7.67	<0.01	0.09	2.97	18	240	1.01	0.07	17.05	0.07	30.7	4.7	26	13.40	14.3
K307082		0.20	2.48	1.04	3.16	561	840	0.89	0.28	7.82	2.20	45.8	6.7	54	3.77	41.2
K307083		8.56	0.01	0.15	2.45	15	160	0.78	0.07	22.5	0.12	26.2	3.5	22	8.50	13.3
K307084		7.87	0.01	0.12	2.52	5	190	0.81	0.08	23.1	0.10	26.2	3.8	22	9.92	15.3
K307085		7.97	<0.01	0.09	2.03	<5	190	0.81	0.06	24.3	0.10	22.7	4.2	19	7.86	12.4
K307086		7.64	<0.01	0.07	0.63	12	130	0.19	0.03	32.1	0.40	7.66	1.1	7	1.57	3.5
K307087		8.38	<0.01	0.06	0.29	9	430	0.13	0.02	35.0	0.36	4.35	0.7	4	0.54	2.3
K307088		7.95	<0.01	0.06	0.51	13	40	0.23	0.03	34.2	0.05	6.41	0.9	5	0.94	3.3
K307089		7.38	<0.01	0.15	0.51	19	60	0.27	0.03	35.0	0.04	6.81	1.0	5	1.01	3.8
K307090		6.98	<0.01	0.10	0.44	30	40	0.20	0.06	36.2	0.04	5.23	0.8	5	0.69	4.0
K307091		2.04	0.01	0.07	0.91	158	140	0.23	0.03	33.8	0.07	12.55	2.7	4	2.16	5.3
K307092		4.91	<0.01	0.04	0.07	<5	20	0.05	0.05	21.0	0.05	1.26	0.7	1	0.16	2.0
K307093		5.63	<0.01	0.05	7.81	419	210	1.28	0.04	7.92	0.14	101.0	48.5	57	17.00	40.2
K307094		7.70	<0.01	0.06	6.76	133.0	150	1.06	0.03	7.98	0.07	87.3	47.2	71	5.38	42.5
K307095		3.33	<0.01	0.06	3.80	474	110	0.61	0.03	20.8	0.02	46.7	22.9	38	1.72	21.5
K307096		0.20	0.34	0.33	6.62	605	1220	0.56	0.31	1.33	0.20	134.5	3.0	242	3.49	32.3
K307097		4.60	<0.01	0.03	0.38	12	30	0.14	0.03	35.1	<0.02	5.19	0.9	4	0.56	4.6
K307098		6.80	<0.01	0.08	0.78	18	50	0.28	0.04	33.0	0.02	9.26	1.5	7	1.37	5.0
K307099		8.37	<0.01	0.06	1.41	38	70	0.60	0.03	26.2	0.02	18.15	3.6	10	3.45	7.8
K307100		8.60	0.01	0.04	5.10	3970	140	0.98	0.03	11.80	0.05	60.2	37.5	50	10.75	33.9
K307101		9.99	0.01	0.09	6.56	374	170	1.24	0.02	6.87	0.08	73.7	45.7	67	15.30	45.1
K307102		7.95	0.55	0.21	7.29	4850	300	1.38	0.03	7.49	0.07	82.4	52.9	71	15.40	47.9
K307103		8.22	0.09	<0.01	6.86	388	360	1.93	0.02	6.57	0.11	82.3	48.9	74	41.3	41.4
K307104		7.86	<0.01	0.02	6.89	24.1	1190	1.44	0.02	6.32	0.10	79.3	51.3	75	65.5	44.8
K307105		8.16	<0.01	0.04	6.45	197.0	150	1.37	0.03	7.95	0.04	75.6	44.0	66	27.8	38.9
K305467		4.95	<0.01	0.03	0.13	<5	20	0.07	0.03	20.7	0.06	1.18	0.7	1	0.73	1.4
K305468		8.01	<0.01	0.07	7.57	12.5	210	1.76	0.25	2.90	0.36	64.8	26.9	66	9.30	129.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219074

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K307072		0.82	5.25	0.06	1.3	0.30	0.014	1.36	13.2	11.6	2.05	209	0.41	0.03	3.6	5.5
K307073		1.01	6.72	<0.05	1.0	0.20	0.019	1.68	15.9	18.6	1.93	272	0.68	0.02	4.0	10.3
K307074		1.52	10.25	0.05	1.4	0.08	0.029	2.45	24.2	39.7	2.01	230	0.39	0.03	5.7	18.7
K307075		1.49	9.54	0.05	1.3	0.10	0.029	2.53	23.9	35.3	1.77	205	0.51	0.03	5.4	18.4
K307076		0.70	4.41	<0.05	0.7	0.07	0.012	1.16	12.3	14.5	1.13	148	0.48	0.02	2.7	9.1
K307077		0.76	4.95	<0.05	0.8	0.08	0.014	1.29	13.6	16.4	1.23	159	0.54	0.02	3.1	9.6
K307078		1.27	7.35	<0.05	2.3	0.13	0.028	2.06	19.8	21.2	4.73	266	0.88	0.04	5.3	12.3
K307079		0.55	3.23	<0.05	1.2	0.08	0.011	0.93	10.5	10.1	1.46	135	0.59	0.02	2.6	5.2
K307080		0.60	1.89	<0.05	0.5	0.06	0.007	0.51	6.5	6.5	2.93	138	0.73	0.01	1.4	3.1
K307081		1.17	6.75	<0.05	1.7	0.05	0.023	1.90	15.5	30.2	3.80	209	0.46	0.03	4.7	10.7
K307082		2.10	7.57	0.13	1.5	4.88	0.031	0.95	28.9	37.3	2.52	257	17.55	0.03	6.6	51.0
K307083		1.04	5.94	0.12	1.3	0.08	0.024	1.41	14.9	18.4	2.45	173	0.59	0.02	3.5	9.7
K307084		1.05	6.24	0.12	1.3	0.04	0.020	1.45	14.9	20.2	2.43	186	0.60	0.02	3.6	10.3
K307085		0.90	5.03	0.13	1.1	0.04	0.017	1.18	12.6	16.2	1.95	165	0.62	0.02	3.0	8.9
K307086		0.36	1.60	0.13	0.3	0.05	0.013	0.33	4.5	4.0	1.15	110	0.58	0.01	0.9	2.9
K307087		0.21	0.72	0.10	0.1	0.09	0.006	0.14	2.7	1.9	0.50	72	3.53	<0.01	0.5	1.7
K307088		0.24	1.23	0.12	0.2	0.15	0.012	0.24	3.8	4.4	0.51	44	0.37	0.01	0.8	2.2
K307089		0.23	1.35	0.11	0.2	0.08	0.005	0.24	4.1	2.8	0.51	55	0.46	0.01	0.8	2.4
K307090		0.14	1.04	0.10	0.1	0.10	0.006	0.20	3.4	1.6	0.19	134	0.44	<0.01	0.6	1.8
K307091		0.66	2.31	0.11	0.6	0.57	0.013	0.30	7.6	6.4	0.36	312	0.82	0.01	5.9	3.1
K307092		0.42	0.19	0.11	<0.1	<0.01	0.007	0.03	0.6	1.1	12.75	180	0.14	0.01	0.3	1.6
K307093		6.81	21.9	0.17	5.9	3.25	0.091	1.69	51.5	38.1	2.63	721	2.64	0.03	64.3	93.3
K307094		7.66	18.05	0.15	4.9	2.83	0.083	0.68	43.3	31.6	2.16	813	2.02	0.02	60.7	115.0
K307095		4.26	8.93	0.13	2.6	1.55	0.053	0.22	23.2	30.7	2.54	670	1.24	0.02	29.3	56.0
K307096		7.03	20.8	0.21	4.2	9.2	0.057	1.38	75.4	18.2	0.14	33	6.28	0.39	10.1	16.8
K307097		0.19	0.91	0.08	0.1	0.07	0.007	0.16	3.5	2.5	0.41	189	0.31	<0.01	0.6	1.5
K307098		0.31	1.95	0.10	0.4	0.07	0.008	0.38	5.6	2.6	0.77	168	0.60	0.01	1.2	3.3
K307099		1.11	3.72	0.14	1.0	0.27	0.017	0.57	10.2	6.5	4.02	333	0.65	0.01	6.3	6.5
K307100		5.43	13.60	0.16	3.1	4.9	0.064	1.96	30.3	31.1	3.45	978	1.47	0.02	41.1	91.7
K307101		11.80	17.80	0.19	5.0	2.08	0.087	3.19	35.9	10.0	3.11	548	2.16	0.02	53.9	121.0
K307102		7.56	19.60	0.20	5.3	6.3	0.083	3.32	43.7	15.8	2.75	1020	2.14	0.02	62.0	120.5
K307103		7.95	18.60	0.15	3.8	2.26	0.084	2.94	42.7	28.8	3.16	1100	2.01	0.03	57.0	122.0
K307104		8.11	18.55	0.14	4.1	0.44	0.075	2.41	38.5	84.0	4.41	911	1.94	0.39	55.6	128.5
K307105		6.96	16.90	0.15	4.8	1.03	0.074	2.83	39.1	30.5	3.59	758	1.88	0.03	53.0	105.5
K305467		0.50	0.33	0.08	<0.1	<0.01	0.010	0.05	0.6	1.3	12.85	204	0.05	0.01	0.4	1.9
K305468		6.59	20.6	0.16	3.4	0.08	0.103	2.26	28.2	55.3	2.71	659	0.79	0.18	13.0	44.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219074

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K307072		410	7.9	46.7	<0.002	0.53	0.32	3.3	3	0.6	745	0.26	<0.05	5.1	0.098	0.54
K307073		400	6.0	69.0	<0.002	0.46	0.27	4.7	3	0.8	674	0.33	<0.05	5.8	0.107	0.49
K307074		460	5.7	102.5	<0.002	0.35	0.27	7.0	2	1.2	552	0.46	<0.05	8.5	0.150	0.46
K307075		440	7.2	97.3	<0.002	0.39	0.29	6.7	2	1.1	892	0.45	<0.05	8.3	0.154	0.45
K307076		260	4.9	48.7	<0.002	0.14	0.21	3.2	3	0.6	876	0.22	<0.05	4.1	0.076	0.28
K307077		280	5.2	54.2	<0.002	0.16	0.23	3.6	3	0.6	929	0.25	<0.05	4.5	0.084	0.31
K307078		500	8.6	83.6	0.002	0.19	0.35	5.2	3	1.1	419	0.45	<0.05	8.0	0.152	0.54
K307079		310	5.4	37.4	<0.002	0.13	0.37	2.4	3	0.5	685	0.25	<0.05	3.9	0.071	0.33
K307080		210	4.1	19.8	0.002	0.10	0.24	1.4	3	0.3	823	0.11	<0.05	2.0	0.036	0.20
K307081		350	5.6	78.6	<0.002	0.11	0.26	4.8	2	1.1	537	0.39	<0.05	6.7	0.133	0.34
K307082		850	38.0	48.4	0.025	1.49	108.5	5.4	3	2.3	69.4	0.43	0.18	6.4	0.166	4.00
K307083		370	6.2	52.2	0.003	0.12	0.52	3.9	1	0.8	890	0.27	<0.05	4.9	0.101	0.33
K307084		380	5.9	54.8	<0.002	0.10	0.33	4.1	1	0.8	956	0.26	<0.05	4.8	0.104	0.29
K307085		340	6.0	43.9	<0.002	0.26	0.32	3.4	1	0.7	891	0.22	<0.05	4.0	0.084	0.24
K307086		290	3.4	11.6	<0.002	0.17	0.29	1.0	1	0.3	790	0.07	<0.05	1.2	0.027	0.15
K307087		180	3.8	5.2	0.004	0.14	0.31	0.5	1	0.2	803	<0.05	<0.05	0.5	0.012	0.19
K307088		130	4.7	9.0	<0.002	0.15	0.24	0.9	<1	0.3	1760	0.06	<0.05	1.1	0.023	0.22
K307089		130	3.9	8.6	<0.002	0.13	0.19	0.9	<1	0.3	1920	0.06	<0.05	1.0	0.021	0.15
K307090		130	3.9	6.1	0.002	0.11	0.26	0.7	<1	0.2	969	<0.05	<0.05	0.8	0.018	0.17
K307091		280	2.4	13.3	0.002	0.60	0.38	1.1	1	0.4	1095	0.37	<0.05	1.2	0.082	0.69
K307092		280	1.4	1.1	0.002	0.01	0.12	0.2	<1	0.2	51.2	<0.05	<0.05	<0.2	<0.005	<0.02
K307093		2560	6.6	71.4	0.004	7.10	0.65	21.7	1	2.2	370	3.88	<0.05	6.4	1.605	9.34
K307094		2110	3.6	28.7	<0.002	8.42	0.43	23.3	1	1.9	298	3.52	<0.05	5.1	1.575	11.70
K307095		1110	2.7	8.0	0.002	4.29	0.62	12.6	<1	1.0	708	1.80	<0.05	2.9	0.796	5.54
K307096		910	18.8	49.1	0.004	3.13	115.0	17.4	2	3.0	522	0.77	0.11	10.1	0.560	8.49
K307097		160	3.2	5.5	0.002	0.10	0.31	0.6	<1	0.3	2270	0.05	<0.05	0.7	0.018	0.15
K307098		200	3.3	12.9	<0.002	0.11	0.21	1.4	<1	0.4	1055	0.09	<0.05	1.5	0.035	0.12
K307099		340	3.8	19.7	0.002	0.47	0.34	2.4	<1	0.6	533	0.41	<0.05	2.3	0.132	0.59
K307100		1400	5.0	87.2	0.003	5.15	0.80	17.9	1	1.4	398	2.31	<0.05	3.8	1.090	16.65
K307101		2030	14.5	100.5	0.003	>10.0	1.75	22.7	1	1.7	296	3.46	<0.05	5.0	1.505	7.00
K307102		2220	6.2	130.5	0.002	7.55	3.41	24.7	2	1.9	310	3.73	<0.05	5.5	1.695	23.5
K307103		2090	3.3	172.0	0.002	8.47	0.89	23.4	1	1.7	156.5	3.35	<0.05	4.9	1.575	8.18
K307104		2000	3.1	126.5	0.002	2.66	0.16	25.3	1	1.8	426	3.36	<0.05	4.3	1.625	4.60
K307105		1940	4.7	117.0	0.003	6.40	0.34	22.2	1	1.6	222	3.11	<0.05	4.7	1.465	3.72
K305467		190	1.3	3.6	<0.002	0.03	0.10	0.3	<1	0.2	42.3	<0.05	<0.05	<0.2	0.007	0.04
K305468		560	15.8	96.0	0.003	0.67	0.70	25.2	1	2.6	49.4	0.90	0.22	8.0	0.616	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219074

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K307072		8.4	40	0.8	8.4	48	50.7
K307073		12.0	47	0.5	9.3	17	35.8
K307074		7.6	54	0.6	13.2	25	48.1
K307075		10.3	56	0.6	12.3	27	44.9
K307076		13.9	32	0.3	6.8	18	25.4
K307077		14.6	34	0.3	7.5	19	28.1
K307078		8.4	53	0.7	14.1	29	78.9
K307079		12.8	28	0.3	7.8	25	43.9
K307080		14.5	22	0.2	4.4	17	19.2
K307081		7.8	49	0.6	11.2	21	59.8
K307082		8.2	218	27.8	19.4	202	55.4
K307083		8.8	40	0.5	8.5	35	43.7
K307084		7.7	40	0.4	8.6	28	43.4
K307085		7.2	34	0.4	7.7	19	37.8
K307086		7.5	14	0.2	3.0	18	10.3
K307087		10.7	7	0.1	1.8	17	4.8
K307088		17.8	10	0.2	2.3	5	6.7
K307089		18.4	11	0.1	2.4	3	7.4
K307090		16.5	16	0.2	2.0	5	3.8
K307091		13.0	14	0.5	3.4	12	24.0
K307092		0.8	2	0.1	0.8	11	<0.5
K307093		4.0	200	4.8	24.8	82	265
K307094		1.3	207	5.1	24.4	98	206
K307095		7.8	110	4.3	13.4	39	110.5
K307096		8.1	168	24.5	15.1	41	157.5
K307097		16.1	16	0.2	2.2	<2	3.2
K307098		17.9	13	0.2	3.3	<2	11.3
K307099		14.8	24	0.6	5.7	5	38.5
K307100		3.2	149	17.0	18.0	58	153.0
K307101		1.8	204	25.6	18.9	8	179.0
K307102		1.7	226	35.4	22.4	50	208
K307103		1.3	210	12.9	20.1	96	184.0
K307104		1.2	217	0.7	20.7	94	172.5
K307105		2.1	199	3.6	20.4	50	188.0
K305467		0.6	3	0.1	0.8	13	<0.5
K305468		2.1	178	1.0	24.8	82	126.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219074

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

CERTIFICATE WH11218099

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 279 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218099

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K307106		5.58	0.01	0.18	2.25	68	170	0.46	0.06	18.05	0.05	32.3	17.8	25	7.84	16.4
K307107		3.13	<0.01	0.19	6.63	141.0	120	1.12	0.03	6.28	0.08	77.6	56.6	74	40.9	58.5
K307108		7.78	0.09	0.09	4.45	688	100	0.84	0.02	11.30	0.11	53.8	39.4	40	17.30	35.0
K307109		4.26	0.05	0.08	2.09	>10000	100	0.52	0.02	17.00	0.08	34.0	16.6	25	7.41	16.0
K307110		6.01	0.13	0.02	6.75	6110	160	1.44	0.03	10.60	0.05	85.1	46.4	77	22.2	43.6
K307111		6.11	0.09	<0.01	7.09	1115	230	1.46	0.05	9.25	0.05	94.2	48.9	87	18.85	48.1
K307112		5.02	0.01	0.01	0.09	26	30	0.10	0.03	21.2	0.08	1.40	1.1	1	0.21	1.4
K307113		2.37	0.07	<0.01	8.71	3000	390	1.96	0.03	4.43	0.34	84.1	77.3	146	20.2	75.6
K307114		5.56	0.03	0.07	2.96	7670	160	0.74	0.05	15.65	0.10	42.7	16.5	30	6.67	16.8
K307115		3.07	0.09	0.11	2.32	2010	250	0.66	0.08	15.30	0.03	31.0	12.0	21	4.01	13.9
K307116		0.21	7.90	0.45	3.44	1010	160	0.82	0.66	11.60	4.35	43.0	5.6	92	7.53	34.4
K307117		4.95	0.35	0.16	2.72	1440	270	0.75	0.08	16.00	0.04	36.7	20.6	29	6.39	24.0
K307118		4.06	0.54	0.13	3.43	1750	230	0.83	0.06	13.90	0.02	37.9	24.1	38	11.50	22.4
K307119		4.93	0.22	0.04	3.90	647	180	1.03	0.03	14.30	0.04	48.0	18.3	36	12.70	15.2
K307120		5.76	0.09	0.10	6.51	727	300	1.55	0.03	11.15	0.06	82.7	39.2	72	20.8	37.0
K307121		6.10	<0.01	0.03	2.96	47	120	0.70	0.09	18.95	0.03	31.3	5.1	23	6.61	10.2
K307122		7.35	<0.01	0.02	2.99	32	130	0.88	0.11	17.25	0.03	29.2	5.5	23	7.80	13.2
K307123		7.83	<0.01	0.03	3.58	50	830	0.68	0.12	16.65	0.04	36.4	8.3	25	9.78	16.8
K307124		8.52	<0.01	0.02	4.54	96	1270	0.77	0.11	15.45	0.04	45.7	7.0	33	13.15	12.6
K307125		7.46	0.01	0.04	5.17	20	160	0.95	0.20	13.75	0.05	45.3	9.7	34	15.15	16.7
K307126		3.96	<0.01	<0.01	5.77	20	180	1.11	0.22	12.95	0.08	54.8	10.8	39	17.85	18.0
K307127		7.88	<0.01	0.03	7.57	53.3	300	2.53	0.35	5.68	0.07	70.7	13.2	55	29.7	29.4
K307128		7.93	<0.01	0.06	6.21	54.4	220	1.81	0.27	8.63	0.07	63.6	10.0	40	23.7	22.8
K307129		7.89	<0.01	0.02	8.67	59.1	300	2.81	0.49	1.46	0.10	80.2	19.5	65	41.9	32.8
K307130		7.88	<0.01	0.02	8.58	15.5	280	2.59	0.45	1.11	0.03	76.1	17.1	65	39.8	33.1
K307131		8.57	<0.01	0.13	7.94	52.7	260	2.29	0.45	2.59	0.03	66.7	16.2	65	29.2	31.8
K307132		7.74	<0.01	0.08	8.70	22.1	280	2.46	0.44	1.72	0.02	75.0	19.4	69	32.1	35.1
K307133		8.44	<0.01	0.09	7.89	29.9	460	2.42	0.39	3.90	0.09	73.4	15.6	62	26.4	30.5
K307134		0.21	0.35	0.30	5.78	567	1210	0.58	0.28	0.42	0.18	127.0	2.8	215	3.50	26.1
K307135		8.08	<0.01	0.07	7.61	22.1	310	2.27	0.40	7.14	0.13	75.5	13.3	57	26.7	28.6
K307136		9.22	<0.01	0.05	5.73	28	830	1.19	0.25	16.15	1.15	58.7	9.6	35	16.55	18.2
K307137		5.02	0.01	<0.01	0.07	<5	20	0.05	0.02	19.30	0.06	1.51	1.4	1	0.20	1.3
K307138		8.82	<0.01	0.05	6.08	38	340	1.20	0.19	15.90	4.06	66.1	9.5	39	12.55	18.9
K307139		9.15	<0.01	0.03	4.90	27	230	1.10	0.23	19.70	0.42	52.4	8.3	30	10.20	16.0
K307140		2.93	<0.01	0.01	5.99	14	200	1.42	0.33	13.35	0.05	61.3	7.0	38	13.50	18.0
K307141		4.90	<0.01	0.09	7.40	35.9	230	2.19	0.25	5.73	0.62	77.6	24.3	61	16.60	27.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218099

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K307106		4.63	5.61	0.14	1.6	0.81	0.031	1.13	16.3	3.8	7.42	990	0.85	0.01	17.6	44.0
K307107		8.92	17.75	0.25	4.3	3.59	0.065	3.29	37.9	10.9	3.21	458	2.20	0.02	56.7	188.0
K307108		7.28	10.95	0.17	3.1	4.66	0.050	2.08	26.0	6.9	5.06	797	1.44	0.02	35.2	106.0
K307109		3.38	5.97	0.14	1.5	3.02	0.059	0.97	17.1	5.3	6.78	1080	0.68	0.01	17.0	39.3
K307110		3.43	18.35	0.20	4.8	5.5	0.088	3.33	41.6	12.9	3.20	810	2.12	0.02	56.1	93.5
K307111		6.10	19.50	0.24	5.4	3.66	0.084	3.37	46.6	13.6	2.10	589	2.30	0.02	62.9	157.5
K307112		0.44	0.36	0.19	<0.1	0.01	<0.005	0.04	0.7	1.2	12.80	197	0.16	0.01	0.4	1.7
K307113		2.01	27.9	0.25	6.9	3.03	0.124	5.09	36.8	10.0	1.63	339	3.35	0.02	94.8	172.0
K307114		2.85	8.02	0.13	2.0	2.46	0.044	1.43	20.7	6.1	7.01	828	0.81	0.02	19.8	31.5
K307115		3.11	6.01	0.11	1.3	1.45	0.027	1.14	16.9	5.9	7.20	869	0.55	0.02	7.0	24.6
K307116		1.33	7.37	0.20	2.0	5.81	0.069	1.43	28.2	9.9	0.71	267	12.75	0.01	8.5	65.6
K307117		4.90	7.42	0.18	1.7	2.42	0.044	1.32	18.2	4.8	6.50	1260	1.09	0.01	19.3	57.3
K307118		4.55	8.88	0.17	2.3	1.77	0.041	1.65	18.3	6.2	6.53	978	1.25	0.01	23.1	74.9
K307119		3.57	10.25	0.17	2.4	0.90	0.041	1.85	23.9	7.3	5.94	940	1.12	0.02	22.5	47.8
K307120		3.71	17.90	0.22	4.3	1.47	0.078	3.12	40.9	9.8	2.76	618	2.45	0.02	54.6	115.0
K307121		2.01	6.45	0.13	1.3	0.17	0.024	1.52	17.1	4.3	4.01	490	0.70	0.01	5.1	9.4
K307122		1.87	7.70	0.13	1.4	0.08	0.026	1.54	16.0	6.7	4.99	484	0.54	0.02	5.3	8.0
K307123		2.39	8.78	0.12	1.6	0.05	0.034	1.94	20.2	5.8	4.23	531	0.62	0.01	6.2	12.5
K307124		1.73	11.70	0.13	1.8	0.07	0.035	2.46	25.0	7.0	2.11	477	0.45	0.01	7.4	12.3
K307125		2.02	12.85	0.21	2.0	0.05	0.045	2.68	24.3	8.8	2.38	516	0.42	0.02	7.8	17.5
K307126		1.92	14.60	0.15	2.2	0.05	0.052	2.97	30.1	11.0	2.39	495	0.46	0.03	9.2	19.3
K307127		1.99	20.8	0.29	3.2	0.17	0.081	4.19	37.8	25.2	1.85	386	0.48	0.05	13.4	25.9
K307128		2.54	16.15	0.20	2.5	0.21	0.063	3.30	32.5	17.3	2.92	635	0.51	0.04	9.7	21.4
K307129		2.75	24.3	0.27	2.9	0.12	0.079	4.77	42.5	28.5	1.17	339	1.10	0.04	13.7	41.0
K307130		3.21	24.6	0.28	2.8	0.06	0.077	4.69	40.2	37.8	1.09	385	0.29	0.04	13.1	41.3
K307131		3.64	23.2	0.27	2.4	0.08	0.071	4.42	34.4	56.2	1.36	564	0.67	0.04	12.1	37.3
K307132		4.01	24.4	0.30	2.6	0.11	0.079	4.65	38.6	68.9	1.42	454	0.56	0.04	12.8	38.1
K307133		3.59	22.0	0.30	2.5	0.18	0.070	4.39	38.5	45.4	1.63	605	0.59	0.04	11.8	36.9
K307134		6.14	19.05	0.30	4.1	9.2	0.050	1.24	62.3	19.0	0.12	34	7.08	0.33	10.9	17.2
K307135		3.07	21.0	0.26	2.3	0.11	0.069	4.30	40.9	42.5	1.22	535	0.44	0.05	11.6	31.1
K307136		1.71	14.15	0.17	1.5	0.10	0.045	2.87	33.0	14.6	0.98	701	0.29	0.02	8.1	23.3
K307137		0.40	0.39	0.40	<0.1	<0.01	<0.005	0.03	0.7	1.2	12.35	191	0.07	<0.01	0.5	0.3
K307138		1.09	15.10	0.19	1.8	0.19	0.047	3.15	36.2	10.6	0.84	554	0.36	0.02	8.6	26.6
K307139		1.10	12.05	0.17	1.5	0.06	0.042	2.41	29.3	26.4	0.74	567	0.29	0.03	7.2	17.9
K307140		1.94	14.80	0.16	1.9	0.01	0.048	2.87	34.7	86.5	1.30	510	0.15	0.04	8.8	19.8
K307141		3.17	19.95	0.30	3.2	0.06	0.068	3.67	41.9	132.5	1.50	547	1.26	0.05	27.2	46.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218099

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K307106		740	16.4	31.4	<0.002	3.44	0.64	7.1	1	0.7	441	1.07	<0.05	1.6	0.494	1.96
K307107		2100	54.6	92.1	<0.002	>10.0	0.66	19.7	3	2.1	197.0	3.48	<0.05	4.2	1.630	3.08
K307108		1370	28.8	61.2	<0.002	8.00	1.43	12.3	2	1.4	190.5	2.17	<0.05	2.9	1.025	4.80
K307109		630	7.1	30.8	<0.002	3.72	23.0	7.4	3	0.7	199.5	1.04	<0.05	1.4	0.486	2.80
K307110		2060	3.8	101.0	<0.002	1.31	3.50	23.0	3	1.9	203	3.37	<0.05	4.3	1.660	5.19
K307111		2180	4.2	123.5	<0.002	5.01	1.59	25.3	3	2.1	345	3.61	<0.05	4.8	1.735	8.84
K307112		200	1.1	1.4	<0.002	0.01	0.06	0.5	2	<0.2	41.3	<0.05	<0.05	<0.2	0.007	0.03
K307113		3390	5.5	68.8	<0.002	0.87	2.92	31.0	3	3.1	286	5.80	<0.05	4.4	2.81	3.21
K307114		1090	5.0	39.9	<0.002	1.53	4.67	9.3	2	0.9	277	1.19	<0.05	2.5	0.562	1.92
K307115		550	11.9	34.8	<0.002	1.97	2.48	5.1	2	1.0	289	0.45	<0.05	3.4	0.214	3.38
K307116		4150	5.7	116.5	0.035	1.35	18.55	7.2	8	1.8	146.0	0.58	0.54	7.0	0.204	14.05
K307117		790	18.9	42.7	<0.002	4.80	3.19	9.7	2	0.9	319	1.24	<0.05	3.0	0.498	7.96
K307118		880	13.2	52.4	<0.002	4.06	2.76	12.0	3	0.9	291	1.54	<0.05	3.7	0.629	7.06
K307119		1030	6.4	61.3	<0.002	1.86	0.89	11.7	2	1.1	271	1.49	<0.05	5.1	0.607	3.27
K307120		1970	9.9	115.0	<0.002	3.13	0.62	24.1	3	1.9	341	3.67	<0.05	5.7	1.455	4.02
K307121		840	4.3	45.2	<0.002	0.72	0.23	5.9	2	0.9	441	0.36	<0.05	5.9	0.130	0.98
K307122		500	4.1	53.4	<0.002	0.38	0.17	6.1	1	1.0	376	0.38	<0.05	6.4	0.130	0.45
K307123		530	4.6	59.7	<0.002	0.68	0.30	7.4	2	1.0	352	0.43	<0.05	7.3	0.155	0.44
K307124		750	4.8	77.6	<0.002	0.31	0.20	9.3	2	1.1	365	0.53	<0.05	9.1	0.202	0.40
K307125		610	5.4	90.5	<0.002	0.27	0.17	9.5	2	1.6	359	0.60	0.05	10.0	0.225	0.43
K307126		630	5.4	110.0	<0.002	0.19	0.20	11.3	2	1.8	303	0.66	0.06	10.8	0.250	0.48
K307127		650	8.6	167.5	<0.002	0.46	0.39	17.1	2	2.6	171.0	0.97	0.07	13.9	0.358	0.97
K307128		1320	11.2	140.0	<0.002	0.32	0.39	12.8	2	2.0	236	0.72	0.06	12.3	0.267	0.80
K307129		260	16.2	148.5	<0.002	0.53	0.50	18.2	2	2.8	65.5	1.08	0.09	15.2	0.370	1.12
K307130		460	11.5	156.5	<0.002	0.37	0.33	17.9	2	2.8	63.5	1.04	0.09	14.4	0.379	0.98
K307131		690	21.4	115.5	<0.002	0.42	0.46	15.6	2	2.6	91.5	0.96	0.09	13.6	0.353	1.09
K307132		460	21.0	147.0	<0.002	0.45	0.45	17.4	2	2.7	75.7	1.03	0.11	14.7	0.360	1.13
K307133		460	29.2	124.0	<0.002	1.01	0.50	15.5	2	2.5	172.5	0.94	0.09	13.8	0.334	1.26
K307134		850	19.0	46.9	0.002	2.86	102.5	17.4	2	2.9	488	0.83	0.14	10.3	0.511	8.45
K307135		760	27.6	133.0	<0.002	0.51	0.49	14.6	2	2.5	285	0.90	0.08	13.8	0.326	1.12
K307136		420	28.5	103.5	<0.002	0.38	0.27	9.9	2	1.6	704	0.59	0.06	11.2	0.213	0.53
K307137		180	1.4	1.5	<0.002	0.01	0.05	0.3	2	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	<0.02
K307138		370	31.8	106.0	<0.002	0.27	0.21	11.3	2	1.6	545	0.64	0.05	11.6	0.239	0.51
K307139		890	35.4	88.6	<0.002	0.09	0.14	9.0	2	1.4	694	0.51	0.06	9.3	0.193	0.41
K307140		380	13.5	112.0	<0.002	0.09	0.13	10.9	1	1.7	455	0.66	0.09	11.6	0.247	0.51
K307141		920	7.5	116.5	<0.002	0.19	0.15	17.6	2	2.1	290	1.99	0.06	11.4	0.722	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218099

Sample Description	Method / Analyte / Units / LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K307106		2.6	71	1.0	9.1	8	69.5	
K307107		1.1	229	1.5	17.0	14	199.0	
K307108		1.2	143	10.2	13.6	50	137.5	
K307109		0.6	70	9.9	11.3	38	66.3	3.67
K307110		1.1	238	34.6	21.6	18	212	
K307111		2.3	247	30.7	23.9	46	236	
K307112		0.8	2	0.2	0.8	16	1.1	
K307113		1.8	376	30.3	17.6	120	294	
K307114		3.8	85	9.4	10.7	18	89.0	
K307115		6.3	43	3.5	8.6	8	50.3	
K307116		8.0	376	34.8	29.3	279	81.2	
K307117		9.3	77	9.1	13.5	7	80.8	
K307118		7.5	95	9.8	14.4	6	107.5	
K307119		3.7	99	9.8	18.1	21	112.0	
K307120		2.7	208	13.8	22.0	32	210	
K307121		10.6	44	0.6	12.7	19	50.3	
K307122		8.9	50	0.7	12.1	8	55.8	
K307123		9.5	51	0.8	14.0	12	62.4	
K307124		9.2	61	1.1	16.5	24	74.5	
K307125		7.8	71	1.1	16.9	26	78.0	
K307126		7.4	76	1.2	18.1	43	91.1	
K307127		4.7	108	1.8	22.0	55	120.0	
K307128		6.7	81	1.3	29.0	54	96.8	
K307129		2.6	100	1.8	19.0	92	104.5	
K307130		3.2	102	1.9	20.2	48	102.0	
K307131		3.3	95	2.1	18.6	62	89.9	
K307132		3.2	102	1.9	19.3	60	95.2	
K307133		3.8	94	1.6	20.7	106	91.0	
K307134		7.9	160	23.4	16.2	40	167.0	
K307135		3.5	85	1.6	22.9	147	87.2	
K307136		3.2	56	1.0	18.4	531	62.3	
K307137		0.8	2	0.1	1.0	15	0.6	
K307138		3.1	65	1.1	21.4	1230	72.1	
K307139		4.1	53	0.9	17.7	292	62.7	
K307140		3.3	67	1.1	18.7	58	72.4	
K307141		2.0	129	1.5	21.2	219	130.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218099

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

CERTIFICATE WH11219072

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 280 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219072

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K306149		8.38	<0.01	0.05	3.47	110	170	1.11	0.11	18.75	0.05	39.5	6.2	34	10.75	21.3
K306150		7.28	<0.01	0.17	2.99	39	170	0.98	0.09	16.50	0.05	35.6	5.3	31	9.97	14.9
K306151		8.59	<0.01	0.09	2.54	21	130	0.92	0.08	17.65	0.07	28.1	4.2	27	7.38	14.6
K306152		8.23	<0.01	0.08	2.83	17	130	0.92	0.08	20.8	0.06	34.0	5.1	30	10.45	16.7
K306153		0.22	16.50	1.12	1.96	1230	240	0.38	0.53	15.15	0.68	33.0	3.7	36	2.20	60.8
K306154		8.18	0.01	0.07	3.96	22	220	1.06	0.11	15.50	0.03	44.7	6.6	41	16.20	24.2
K306155		8.33	<0.01	0.05	2.30	13	100	0.64	0.07	24.3	0.03	23.9	3.5	23	7.64	12.0
K306156		8.43	0.01	0.07	2.45	20	120	0.79	0.08	25.4	0.05	27.5	4.5	25	9.58	16.5
K306157		7.64	0.01	0.04	2.52	18	210	0.85	0.09	24.4	0.05	27.8	4.4	25	9.03	16.1
K306158		7.73	<0.01	0.04	1.51	17	310	0.52	0.06	28.5	0.03	18.90	2.3	16	3.75	8.7
K306159		8.18	<0.01	0.07	3.23	43	230	0.96	0.08	16.50	0.05	37.2	6.0	38	13.90	28.6
K306160		3.83	0.01	0.04	3.11	42	210	0.94	0.07	16.55	0.06	36.0	5.6	32	13.20	22.5
K306161		7.70	0.01	0.07	3.45	42	210	1.04	0.07	16.75	0.04	39.3	6.2	37	14.95	20.3
K306162		7.95	<0.01	0.04	2.34	21	220	0.81	0.06	23.2	0.05	27.5	4.2	26	11.30	15.2
K306163		8.35	<0.01	0.09	3.45	31	190	1.20	0.08	14.60	0.06	42.2	6.4	39	18.35	18.7
K306164		6.94	<0.01	<0.01	0.10	<5	20	0.09	0.04	20.6	0.06	1.21	1.6	2	0.63	1.7
K306165		8.00	0.01	0.08	2.16	28	150	0.78	0.06	24.1	0.07	29.0	4.2	23	9.51	11.2
K306166		7.44	<0.01	0.04	1.31	26	120	0.38	0.05	21.6	0.10	18.40	1.9	13	4.07	5.1
K306167		8.14	<0.01	0.07	1.62	41	90	0.53	0.05	23.2	0.09	21.8	2.9	18	5.71	8.5
K306168		8.83	0.04	0.09	2.30	115	120	0.76	0.05	15.90	0.03	29.3	3.6	25	5.73	10.8
K306169		0.21	0.37	0.31	5.78	559	620	0.57	0.22	0.46	0.18	125.0	2.7	226	3.45	30.5
K306170		7.30	0.04	0.06	1.73	265	120	0.47	0.04	20.2	0.05	23.7	2.8	20	4.79	9.7
K306171		8.22	0.02	0.04	0.79	42	80	0.38	0.03	31.6	0.04	11.50	1.9	9	2.02	5.2
K306172		8.39	0.01	0.04	1.00	52	80	0.39	0.03	29.3	0.03	13.65	2.3	12	2.53	6.4
K306173		8.16	<0.01	0.03	0.84	45	100	0.35	0.03	32.5	0.04	12.45	2.1	10	1.93	5.2
K306174		8.23	<0.01	0.06	1.78	96	120	0.65	0.05	26.9	0.06	22.9	3.1	21	4.60	10.1
K306175		8.06	0.49	0.37	4.28	1040	160	1.21	0.09	11.70	0.07	44.9	6.8	45	8.63	24.9
K306176		6.92	<0.01	0.01	0.19	7	50	0.11	0.04	20.3	0.07	1.37	1.5	6	0.84	2.4
K306177		8.45	0.38	0.19	2.01	8500	130	0.62	0.06	21.2	0.09	22.7	3.2	23	4.90	14.1
K306178		8.79	0.01	0.06	2.64	63	140	0.86	0.06	21.2	0.09	30.8	4.0	27	10.65	13.1
K306179		8.60	0.01	0.07	3.26	33	150	1.05	0.07	18.70	0.10	36.6	5.3	32	16.75	17.4
K306180		8.41	0.01	0.08	2.07	39	180	0.71	0.05	22.3	0.13	27.1	3.7	23	7.71	12.5
K306181		7.99	0.01	0.06	2.67	47	230	0.92	0.07	17.05	0.06	32.3	4.4	25	10.70	10.4
K306182		8.03	0.01	0.08	3.18	46	170	1.14	0.07	11.00	0.05	36.2	5.1	33	15.65	13.8
K306183		8.98	0.77	0.20	2.11	>10000	80	0.79	0.06	14.55	0.06	25.5	4.0	21	6.57	9.0
K306184		2.54	0.04	0.06	1.97	405	80	0.61	0.05	19.55	0.07	27.0	3.4	18	6.16	8.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219072

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K306149		1.51	9.24	0.08	1.5	0.32	0.022	1.69	22.1	35.5	3.46	279	0.38	0.04	5.7	18.0
K306150		1.46	7.40	0.10	1.6	0.30	0.018	1.52	19.8	31.0	4.13	276	0.79	0.04	4.8	14.7
K306151		1.25	6.55	0.09	1.4	0.17	0.020	1.24	16.0	28.3	4.76	247	0.97	0.03	4.1	13.2
K306152		1.30	7.56	0.10	1.3	0.07	0.020	1.40	18.1	38.0	2.97	206	0.61	0.03	4.6	15.6
K306153		3.54	3.91	0.08	0.8	6.01	0.050	0.40	18.9	41.4	0.71	449	12.05	0.01	3.4	22.3
K306154		1.72	9.99	0.09	1.7	0.08	0.028	1.99	24.6	55.7	3.28	210	0.54	0.04	6.4	18.7
K306155		1.09	5.33	0.08	0.9	0.05	0.017	1.17	14.0	20.2	2.20	178	0.42	0.03	3.4	12.0
K306156		1.12	6.22	0.10	1.0	0.06	0.017	1.27	15.7	21.1	2.26	176	0.41	0.03	3.9	14.4
K306157		1.16	6.29	0.08	1.0	0.05	0.021	1.34	16.1	17.6	2.38	181	0.32	0.02	4.2	14.4
K306158		0.79	3.85	0.09	0.6	0.04	0.015	0.79	10.9	8.8	2.19	161	0.51	0.02	2.3	10.3
K306159		1.62	8.19	0.06	1.4	0.08	0.027	1.82	19.7	24.5	4.81	304	0.35	0.03	5.5	15.0
K306160		1.47	7.65	0.05	1.4	0.07	0.025	1.73	19.1	23.4	4.32	271	0.29	0.03	5.1	12.0
K306161		1.31	8.57	0.06	1.5	0.06	0.029	1.95	20.4	26.1	3.42	191	0.57	0.03	5.6	14.6
K306162		0.94	5.78	0.05	1.0	0.03	0.020	1.33	14.7	17.7	2.41	151	0.36	0.02	3.9	11.1
K306163		1.43	8.79	0.05	1.7	0.09	0.028	2.05	22.0	27.1	3.83	179	0.75	0.03	6.1	15.6
K306164		0.47	0.33	<0.05	<0.1	<0.01	0.006	0.05	0.6	1.6	12.80	219	0.11	0.01	0.3	2.4
K306165		1.11	5.27	<0.05	1.1	0.10	0.019	1.25	15.0	17.6	3.08	168	0.63	0.02	3.9	9.0
K306166		0.50	2.93	<0.05	1.2	0.13	0.010	0.80	9.2	7.8	2.90	146	1.01	0.02	2.2	3.8
K306167		0.57	3.72	<0.05	1.2	0.46	0.013	0.94	11.1	9.1	2.41	137	0.71	0.02	2.9	6.0
K306168		1.00	4.96	<0.05	1.9	0.67	0.018	1.28	14.6	12.6	4.19	299	0.71	0.02	4.1	6.7
K306169		6.41	18.35	0.17	3.8	9.5	0.048	1.29	58.5	18.6	0.12	35	5.37	0.36	9.0	15.3
K306170		1.03	3.99	<0.05	1.3	0.85	0.013	0.98	12.0	8.6	3.98	256	0.63	0.02	3.3	6.2
K306171		0.25	1.90	<0.05	0.4	0.35	0.007	0.42	6.6	4.6	1.31	112	0.46	0.01	1.4	3.7
K306172		0.40	2.34	<0.05	0.5	0.42	0.007	0.54	7.4	4.5	2.05	167	0.39	0.01	1.7	3.9
K306173		0.33	1.99	<0.05	0.4	0.16	0.008	0.46	7.3	3.4	0.81	96	0.50	0.01	1.5	3.4
K306174		0.62	4.21	<0.05	1.0	0.48	0.016	0.96	12.2	7.9	1.53	156	0.62	0.01	3.1	5.9
K306175		1.99	10.25	<0.05	2.4	1.52	0.031	2.27	22.2	21.0	5.48	393	0.97	0.02	6.2	16.4
K306176		0.47	0.47	<0.05	<0.1	<0.01	<0.005	0.10	0.6	2.3	12.60	215	0.11	0.01	0.3	2.7
K306177		0.79	4.85	<0.05	0.9	1.00	0.025	1.07	11.7	8.6	1.41	203	0.50	0.01	3.2	7.0
K306178		1.12	6.11	<0.05	1.4	0.16	0.021	1.45	15.6	13.9	2.83	180	0.61	0.02	4.2	8.2
K306179		1.27	7.71	<0.05	1.5	0.13	0.024	1.85	19.1	21.6	2.80	171	0.64	0.02	5.0	11.6
K306180		1.10	4.81	<0.05	1.3	0.40	0.017	1.16	13.7	11.4	2.73	184	0.58	0.02	3.4	9.6
K306181		1.11	6.24	<0.05	2.2	0.39	0.021	1.53	16.5	14.7	3.29	188	0.55	0.02	4.5	8.8
K306182		1.28	7.43	<0.05	2.5	0.50	0.025	1.90	18.2	20.3	5.93	221	0.85	0.03	5.1	9.8
K306183		1.19	4.88	<0.05	1.8	2.20	0.031	1.10	13.1	11.8	6.94	483	0.91	0.02	3.5	7.4
K306184		1.56	4.75	<0.05	1.9	0.49	0.012	0.99	14.1	9.3	4.50	334	0.39	0.02	3.3	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219072

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306149		350	7.7	88.5	<0.002	0.38	0.62	5.8	2	1.4	416	0.39	<0.05	7.3	0.156	0.94
K306150		330	8.0	73.4	<0.002	0.50	0.40	4.8	2	1.1	419	0.34	<0.05	6.8	0.141	0.77
K306151		310	7.9	61.7	0.003	0.31	0.33	4.1	1	1.0	430	0.30	<0.05	5.5	0.118	0.58
K306152		350	8.3	82.5	<0.002	0.17	0.26	4.9	2	1.1	480	0.34	<0.05	6.0	0.130	0.53
K306153		660	21.0	23.8	0.006	1.98	158.0	3.9	2	2.0	47.4	0.23	0.40	3.5	0.108	3.13
K306154		490	9.5	108.5	<0.002	0.14	0.39	6.4	3	1.4	330	0.46	<0.05	8.2	0.180	0.63
K306155		270	5.9	60.3	<0.002	0.11	0.19	3.5	2	0.8	593	0.24	<0.05	4.4	0.102	0.37
K306156		320	6.1	64.3	<0.002	0.15	0.27	4.1	2	0.9	667	0.29	<0.05	5.2	0.110	0.41
K306157		290	6.0	61.2	<0.002	0.09	0.28	4.2	1	1.0	547	0.27	<0.05	5.3	0.115	0.34
K306158		190	4.7	30.5	<0.002	0.15	0.22	2.3	1	0.6	775	0.16	<0.05	3.1	0.066	0.17
K306159		430	7.7	78.7	<0.002	0.17	0.34	5.7	3	1.2	332	0.44	<0.05	7.2	0.150	0.44
K306160		410	6.3	74.3	<0.002	0.17	0.27	5.5	3	1.3	335	0.43	<0.05	7.1	0.141	0.44
K306161		420	7.7	82.1	<0.002	0.20	0.28	5.9	4	1.2	425	0.46	<0.05	7.8	0.154	0.37
K306162		300	5.4	62.3	<0.002	0.10	0.18	4.2	4	0.9	556	0.31	<0.05	5.3	0.103	0.26
K306163		390	7.1	84.4	<0.002	0.36	0.32	6.0	3	1.3	376	0.48	<0.05	8.2	0.162	0.48
K306164		170	1.3	4.3	<0.002	0.01	0.12	0.5	3	<0.2	44.4	<0.05	<0.05	<0.2	<0.005	0.02
K306165		280	7.1	56.8	<0.002	0.38	0.31	3.8	4	0.8	883	0.30	<0.05	5.1	0.099	0.40
K306166		210	6.8	33.6	<0.002	0.17	0.33	2.0	5	0.5	1130	0.17	<0.05	3.1	0.057	0.39
K306167		280	13.0	39.6	<0.002	0.34	0.50	2.7	5	0.6	1375	0.23	<0.05	4.0	0.074	1.03
K306168		430	9.7	50.4	<0.002	0.57	1.56	3.8	4	0.8	356	0.33	<0.05	5.8	0.109	1.41
K306169		840	15.1	53.1	0.003	2.82	112.0	15.4	3	2.9	485	0.77	0.15	9.8	0.513	7.50
K306170		360	7.2	40.9	<0.002	0.28	1.54	2.8	4	0.7	403	0.25	<0.05	4.3	0.080	1.45
K306171		130	5.4	16.9	<0.002	0.14	0.58	1.5	3	0.3	1185	0.10	<0.05	1.9	0.036	0.66
K306172		140	5.9	21.5	<0.002	0.20	0.47	1.8	3	0.4	1075	0.12	<0.05	2.4	0.043	0.80
K306173		140	5.1	17.8	<0.002	0.15	0.16	1.6	3	0.3	1580	0.11	<0.05	2.0	0.037	0.46
K306174		260	5.5	37.7	<0.002	0.22	0.33	3.1	4	0.7	1100	0.24	<0.05	4.5	0.082	0.71
K306175		490	10.8	90.8	<0.002	1.48	6.85	6.9	3	1.7	203	0.52	<0.05	9.5	0.180	4.05
K306176		200	1.3	6.7	<0.002	0.01	0.08	0.5	2	<0.2	43.4	<0.05	<0.05	<0.2	0.008	0.04
K306177		320	4.7	42.1	<0.002	0.66	25.6	3.3	4	0.8	505	0.26	<0.05	4.5	0.088	2.18
K306178		350	5.3	58.5	<0.002	0.31	0.29	4.4	3	0.9	629	0.34	<0.05	6.0	0.116	0.45
K306179		540	6.1	77.5	<0.002	0.37	0.28	5.4	3	1.1	734	0.41	<0.05	7.0	0.136	0.49
K306180		400	6.3	47.8	<0.002	0.48	0.51	3.5	3	0.8	582	0.28	<0.05	4.9	0.091	0.51
K306181		340	6.8	62.8	<0.002	0.36	0.53	4.2	3	1.0	360	0.39	<0.05	6.8	0.124	0.70
K306182		420	7.7	77.3	<0.002	0.27	0.34	5.1	3	1.2	181.0	0.44	<0.05	8.1	0.148	0.68
K306183		260	6.2	44.4	<0.002	0.81	18.40	3.4	3	0.9	166.0	0.29	<0.05	5.3	0.097	5.40
K306184		430	5.6	33.5	<0.002	0.18	0.80	3.3	2	0.7	483	0.24	<0.05	4.8	0.087	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219072

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K306149		8.7	44	0.8	11.2	51	55.4	
K306150		8.3	40	0.6	9.9	50	58.4	
K306151		8.5	39	0.6	8.8	55	47.1	
K306152		9.8	44	0.5	9.4	49	45.8	
K306153		3.3	105	217	14.8	77	27.7	
K306154		6.9	58	0.7	12.3	47	60.6	
K306155		11.7	32	0.4	7.1	33	30.2	
K306156		12.5	32	0.5	8.2	37	33.6	
K306157		10.7	33	0.5	8.1	26	36.2	
K306158		13.7	20	0.3	5.6	13	21.7	
K306159		8.9	50	0.6	12.7	24	49.1	
K306160		8.8	45	0.6	12.2	26	48.5	
K306161		9.9	50	0.6	12.9	26	53.7	
K306162		11.4	36	0.4	9.4	31	35.0	
K306163		7.3	53	0.6	13.5	34	60.1	
K306164		0.4	5	0.1	0.9	13	<0.5	
K306165		12.5	35	0.4	9.5	30	39.4	
K306166		9.7	18	0.3	6.9	20	40.9	
K306167		13.7	25	0.5	7.8	25	42.7	
K306168		7.7	33	1.4	10.6	10	66.4	
K306169		7.8	158	21.0	15.6	41	147.5	
K306170		7.7	25	0.9	8.4	5	47.7	
K306171		17.6	15	0.6	4.2	10	16.7	
K306172		17.0	17	0.7	4.6	7	18.7	
K306173		17.6	15	0.5	4.3	10	15.1	
K306174		14.7	28	1.7	8.1	16	35.9	
K306175		6.6	68	3.4	14.0	30	85.3	
K306176		0.6	5	0.1	1.0	14	0.5	
K306177		11.1	32	1.4	8.6	40	34.1	
K306178		8.5	42	0.6	10.6	36	49.3	
K306179		8.4	50	0.6	11.7	38	55.2	
K306180		7.6	35	1.1	9.8	30	44.8	
K306181		8.3	36	1.0	11.6	15	77.7	
K306182		5.4	47	0.7	13.1	12	90.4	
K306183		10.4	34	1.2	9.3	20	63.7	1.155
K306184		7.5	30	1.0	8.8	8	63.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219072

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

CERTIFICATE WH11218095

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 281 - Area B

This report is for 27 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218095

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K307142		5.25	<0.01	0.10	8.08	234	280	2.24	0.29	4.46	1.43	94.5	13.4	55	12.50	33.9
K307143		5.39	<0.01	0.04	4.31	26.1	310	0.79	0.06	9.47	0.02	84.3	11.5	35	7.18	20.5
K307144		8.10	0.01	0.06	6.84	5.7	320	1.44	0.03	7.29	0.02	95.0	44.1	73	19.70	49.2
K307145		8.31	<0.01	0.06	6.82	5.5	1380	1.24	0.02	6.82	0.03	92.1	44.8	76	10.90	45.8
K307146		7.94	<0.01	0.04	6.28	9.3	580	1.23	0.02	7.45	0.03	95.5	37.9	62	7.87	41.4
K307147		0.22	2.60	1.10	3.14	592	840	0.67	0.30	7.74	2.30	55.1	5.3	49	3.57	42.0
K307148		8.47	<0.01	0.05	6.66	11.6	670	1.39	0.02	8.08	0.02	95.6	45.1	72	9.85	48.5
K307149		8.21	<0.01	0.05	6.44	4.3	580	1.33	0.02	9.74	0.02	91.6	42.2	72	12.85	44.7
K307150		3.57	<0.01	0.04	6.28	3.8	590	1.26	0.02	9.37	0.02	87.1	41.4	76	12.60	47.7
K307151		7.77	<0.01	0.04	6.42	11	530	1.42	0.02	11.05	<0.02	94.4	40.0	70	16.45	39.2
K307152		7.92	<0.01	0.05	6.50	<5	1360	1.31	0.02	11.10	<0.02	85.5	41.6	71	18.95	42.9
K307153		7.76	<0.01	0.05	6.98	9	680	1.49	0.02	13.50	0.03	104.5	40.7	64	23.2	49.6
K307154		8.30	<0.01	0.07	6.67	14.2	540	1.41	0.02	8.31	0.02	90.9	41.5	82	8.08	51.2
K307155		7.67	<0.01	0.06	7.25	2.3	420	1.40	0.02	9.16	0.02	109.0	47.4	83	14.10	51.8
K307156		7.90	<0.01	0.07	6.92	1.7	520	1.54	0.02	8.47	<0.02	106.0	34.8	66	9.84	37.2
K307157		8.10	<0.01	0.04	7.24	1.8	430	1.69	0.02	6.23	<0.02	102.5	38.9	70	13.20	40.9
K307158		7.85	<0.01	0.04	6.54	1.9	280	1.42	0.02	6.88	0.03	87.9	41.5	72	10.45	40.7
K307159		7.82	<0.01	0.05	7.39	7.0	550	1.55	0.02	5.67	0.04	102.0	40.7	69	15.55	50.4
K307160		7.79	0.01	0.07	6.26	269	320	1.44	0.01	7.11	<0.02	85.6	35.1	61	19.60	39.5
K307161		7.82	<0.01	0.07	6.79	21.3	320	1.56	0.02	6.44	<0.02	102.0	35.2	60	16.90	42.3
K307162		4.89	<0.01	<0.01	0.07	7	10	0.05	0.01	20.5	0.05	1.26	0.6	1	0.24	1.5
K307163		6.25	0.01	0.06	6.81	52.1	230	1.30	0.03	7.12	0.09	100.0	37.2	67	11.20	44.1
K307164		3.47	<0.01	0.12	5.60	69.9	490	1.23	0.14	4.95	0.30	73.8	7.7	45	6.67	13.3
K307165		8.01	<0.01	0.18	5.87	26.9	240	1.38	0.24	9.75	0.06	88.9	8.6	51	8.33	23.5
K307166		5.03	<0.01	0.02	0.07	<5	20	0.05	0.02	21.0	0.07	1.17	1.1	1	0.25	2.1
K307167		11.19	0.01	0.17	6.11	26.8	230	1.79	0.30	8.68	0.02	88.5	11.2	53	10.10	25.2
K307168		0.22	8.00	0.49	3.46	972	160	0.91	0.66	12.10	4.59	45.4	5.7	93	7.44	32.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K307142		2.47	20.8	0.22	2.8	0.17	0.068	4.11	51.9	107.5	2.13	434	0.46	0.06	12.6	28.3
K307143		2.60	10.20	0.16	2.6	0.03	0.044	1.75	40.3	81.1	1.34	513	0.79	0.61	13.8	28.8
K307144		7.74	16.80	0.17	5.6	0.05	0.079	1.39	44.5	139.5	4.65	713	1.87	1.18	55.8	118.5
K307145		7.91	16.10	0.17	5.2	0.02	0.072	1.21	43.2	149.5	5.18	837	1.91	1.12	54.5	123.5
K307146		7.23	15.20	0.19	5.3	0.01	0.061	1.35	45.2	164.5	5.30	827	1.71	0.78	50.1	109.0
K307147		2.05	6.83	0.15	2.0	4.28	0.027	1.01	32.1	36.3	2.53	270	17.80	0.02	6.3	44.0
K307148		6.86	16.30	0.17	5.4	0.02	0.077	1.52	45.2	163.0	5.07	769	1.88	0.81	54.2	130.0
K307149		5.59	15.70	0.18	5.2	0.02	0.075	2.42	41.4	114.5	3.96	662	1.60	0.54	51.5	120.5
K307150		5.84	14.90	0.19	4.9	0.02	0.073	2.23	39.2	114.0	4.10	649	1.40	0.54	48.3	121.5
K307151		5.73	16.20	0.18	4.8	0.05	0.069	1.91	44.6	114.0	3.69	708	2.10	0.71	49.3	116.5
K307152		4.65	14.25	0.17	5.0	0.14	0.064	2.46	39.9	55.8	2.86	641	1.59	0.84	47.7	125.5
K307153		3.24	17.45	0.16	5.8	0.10	0.074	2.86	48.8	37.0	1.56	590	2.04	1.27	58.5	88.4
K307154		7.11	15.35	0.16	4.8	0.24	0.071	1.77	41.6	63.7	3.10	714	1.86	0.28	51.2	106.0
K307155		6.83	17.75	0.19	6.4	0.02	0.081	2.79	49.3	128.0	3.57	719	1.74	0.78	59.4	106.0
K307156		6.68	16.05	0.18	5.9	0.02	0.076	3.10	48.6	152.0	4.35	789	1.67	0.40	60.3	90.1
K307157		6.73	17.80	0.19	6.3	0.02	0.069	2.96	47.5	172.0	4.54	528	1.80	0.40	63.3	96.7
K307158		7.15	15.25	0.18	5.8	0.02	0.067	2.04	41.3	144.5	4.70	624	1.51	0.50	49.6	89.2
K307159		7.53	17.25	0.19	5.9	0.03	0.063	2.99	48.4	171.0	5.25	546	2.10	0.38	60.6	88.5
K307160		6.47	14.80	0.16	5.0	0.34	0.062	2.43	39.7	92.8	4.15	575	1.81	0.26	51.2	90.8
K307161		6.74	16.20	0.16	5.5	0.03	0.063	2.00	45.6	131.5	4.30	633	2.31	0.76	48.4	84.3
K307162		0.47	0.22	0.14	<0.1	<0.01	<0.005	0.03	0.6	1.3	12.80	208	0.05	0.01	0.3	1.5
K307163		7.25	16.05	0.18	4.9	0.03	0.069	1.61	47.2	129.5	3.75	847	1.70	0.51	52.4	90.9
K307164		2.65	11.60	0.15	2.6	0.05	0.035	2.47	36.2	78.7	2.39	435	0.24	0.03	7.9	16.8
K307165		2.69	12.55	0.17	2.6	0.07	0.040	2.88	43.6	42.8	1.21	438	0.31	0.03	8.4	22.2
K307166		0.48	0.34	0.21	<0.1	<0.01	0.005	0.03	0.6	1.4	12.65	207	<0.05	<0.01	0.2	1.7
K307167		3.16	15.00	0.19	2.9	0.05	0.057	2.90	45.1	65.6	1.25	342	0.29	0.04	10.2	26.2
K307168		1.37	7.28	0.17	2.1	5.6	0.067	1.43	29.3	10.1	0.70	265	11.70	0.01	7.7	60.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K307142		370	4.6	116.5	0.003	0.81	0.32	12.7	1	2.4	285	0.98	0.08	11.7	0.389	0.98
K307143		460	6.9	56.5	0.003	0.58	0.26	8.8	1	1.4	314	1.01	<0.05	7.5	0.466	0.39
K307144		2060	3.9	55.3	0.004	0.53	0.16	22.9	1	1.9	440	3.45	<0.05	4.7	1.605	0.24
K307145		2060	3.3	38.7	0.003	0.22	0.12	22.1	1	1.9	541	3.46	<0.05	4.2	1.655	0.23
K307146		1990	3.0	38.1	0.003	0.17	0.12	19.3	1	1.8	429	3.23	<0.05	4.0	1.485	0.28
K307147		880	39.1	52.6	0.026	1.53	109.5	4.7	2	2.6	74.2	0.49	0.21	6.1	0.168	3.62
K307148		2080	3.5	52.3	0.002	0.14	0.22	22.5	1	1.9	462	3.51	<0.05	4.3	1.645	0.24
K307149		2040	3.0	74.8	0.004	0.16	0.15	22.1	1	1.9	404	3.00	<0.05	3.8	1.575	0.31
K307150		1980	2.7	69.8	0.005	0.14	0.13	22.5	1	1.8	390	3.06	<0.05	3.8	1.590	0.29
K307151		1960	2.7	78.5	0.003	0.21	0.14	21.4	1	1.9	495	3.13	<0.05	4.1	1.540	0.27
K307152		2020	4.6	91.8	0.002	0.32	0.17	19.3	1	1.6	464	3.07	<0.05	4.0	1.555	0.50
K307153		2150	3.1	110.5	0.002	0.30	0.15	19.8	1	2.1	509	3.67	<0.05	4.9	1.555	0.43
K307154		1920	2.5	58.1	0.002	0.94	0.11	22.1	1	1.8	386	3.01	<0.05	4.0	1.610	1.00
K307155		2170	2.7	75.5	0.002	0.18	0.12	24.7	1	1.9	466	3.66	<0.05	4.7	1.740	0.33
K307156		2060	2.8	85.6	0.003	0.18	0.14	20.0	1	1.8	415	3.69	<0.05	4.9	1.505	0.35
K307157		2160	3.0	86.7	0.004	0.21	0.13	20.9	1	1.9	351	3.80	<0.05	4.9	1.645	0.28
K307158		1840	2.8	63.6	0.002	0.17	0.11	21.1	1	1.8	374	3.31	<0.05	4.5	1.550	0.28
K307159		2290	2.8	85.9	0.004	0.17	0.11	20.2	1	1.9	328	3.77	<0.05	5.1	1.645	0.31
K307160		1890	2.8	100.5	0.002	2.29	0.36	18.7	<1	1.7	273	3.14	<0.05	4.2	1.415	2.06
K307161		1850	6.3	62.7	0.002	0.35	0.21	18.8	1	1.8	305	3.20	<0.05	5.6	1.420	0.32
K307162		190	1.3	1.5	0.003	0.01	0.07	0.2	<1	0.3	43.8	0.08	<0.05	<0.2	0.005	<0.02
K307163		1990	5.1	58.9	0.003	0.31	0.21	20.0	1	1.9	389	3.22	<0.05	5.0	1.525	0.34
K307164		170	20.8	92.6	0.002	0.37	0.27	8.1	1	1.4	153.0	0.69	<0.05	10.0	0.292	0.43
K307165		560	31.0	112.5	0.003	1.39	0.65	8.9	1	1.8	288	0.68	<0.05	10.7	0.311	0.56
K307166		170	1.2	1.4	<0.002	<0.01	0.09	0.5	2	<0.2	43.8	<0.05	<0.05	<0.2	<0.005	<0.02
K307167		210	21.8	123.0	<0.002	1.19	0.76	9.9	2	2.0	247	0.75	<0.05	12.4	0.336	0.68
K307168		4200	4.7	109.5	0.037	1.32	20.6	6.3	9	1.9	144.5	0.52	0.56	6.5	0.207	13.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218095

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K307142		2.3	88	1.6	17.4	487	91.0
K307143		1.9	75	1.0	14.4	18	90.1
K307144		1.2	219	0.8	24.7	127	219
K307145		1.1	229	0.7	22.6	101	194.5
K307146		1.1	200	0.6	23.0	98	196.5
K307147		8.4	225	24.7	19.7	201	58.2
K307148		1.1	228	0.8	23.4	109	197.0
K307149		1.0	213	0.7	22.9	80	200
K307150		1.0	218	0.7	22.6	85	192.5
K307151		1.0	207	0.7	23.3	56	197.5
K307152		1.0	206	0.7	21.8	57	192.5
K307153		1.2	198	0.8	25.7	35	225
K307154		1.0	225	0.9	22.3	91	190.5
K307155		1.2	230	0.9	23.4	82	236
K307156		1.3	193	0.8	23.5	39	224
K307157		1.3	214	0.9	26.9	35	243
K307158		1.1	208	0.8	22.5	120	202
K307159		1.3	208	0.8	24.7	106	243
K307160		1.1	186	1.5	21.4	55	193.5
K307161		1.4	189	0.9	23.4	53	197.5
K307162		0.5	2	0.2	0.8	13	<0.5
K307163		1.3	201	0.9	23.1	104	202
K307164		2.5	62	1.5	14.6	204	80.8
K307165		3.0	65	1.3	20.4	78	90.9
K307166		0.4	2	0.1	0.8	14	<0.5
K307167		2.9	70	1.5	20.0	45	101.5
K307168		7.9	391	36.7	27.5	278	77.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11218095

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

CERTIFICATE WH11219073

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 282 - Area B

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219073

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K306185		7.98	<0.01	0.04	1.48	309	90	0.51	0.04	30.6	0.07	14.65	2.5	14	5.60	6.3
K306186		3.01	<0.01	0.06	3.95	33	200	1.16	0.09	16.95	0.04	40.3	5.5	33	16.80	15.5
K306187		4.91	0.01	0.07	3.95	60	170	1.49	0.10	12.60	0.04	38.1	5.5	33	21.0	16.4
K306188		8.47	0.01	0.08	1.32	2330	50	0.51	0.05	17.35	0.02	15.25	2.1	12	4.28	9.1
K306189		0.22	2.53	1.04	3.32	579	860	0.73	0.32	8.13	2.21	44.8	6.7	55	3.74	41.3
K306190		8.49	0.02	0.19	1.10	4010	80	0.48	0.04	18.55	0.03	16.00	2.2	11	2.75	9.4
K306191		8.47	<0.01	0.11	1.34	361	60	0.59	0.06	17.65	<0.02	16.75	2.3	12	5.13	8.8
K306192		6.90	<0.01	0.04	0.09	<5	20	0.05	0.03	20.7	0.06	1.63	0.7	1	0.28	1.4
K306193		7.91	0.01	0.09	1.69	49	120	0.50	0.05	17.20	0.04	18.60	2.4	16	6.61	10.2
K306194		1.63	<0.01	0.08	4.36	53	130	1.46	0.13	10.55	0.07	37.0	5.5	40	21.8	20.4
K306195		5.97	0.01	0.12	3.58	26	130	1.31	0.11	16.30	0.26	39.7	4.5	34	16.80	25.6
K306196		2.80	0.01	0.14	3.63	20	130	1.40	0.11	15.95	0.13	36.4	4.4	35	16.50	24.2
K306197		7.80	<0.01	0.09	2.32	8	110	0.93	0.07	19.35	0.12	26.9	3.6	23	9.73	14.0
K306198		6.40	0.02	0.14	3.06	53	140	1.07	0.09	18.30	0.12	32.5	5.3	28	10.55	18.2
K306199		0.22	0.35	0.38	6.08	612	160	0.50	0.30	0.47	0.17	130.5	2.9	221	3.55	31.2
K306200		1.47	0.04	0.06	1.45	4820	160	0.46	0.06	17.25	0.06	20.7	1.8	15	2.79	10.6
K306201		8.33	0.01	0.08	0.59	5750	40	0.23	0.03	20.3	0.05	8.13	1.5	7	1.15	7.3
K306202		8.39	0.01	0.09	0.75	6690	40	0.35	0.05	19.40	0.03	9.03	1.5	7	1.92	6.5
K306203		7.78	0.01	0.08	0.68	6850	30	0.32	0.04	19.45	0.02	8.62	1.4	6	1.77	5.8
K306204		10.41	0.01	0.09	0.51	>10000	40	0.39	0.03	20.0	0.03	6.66	1.1	7	0.81	4.7
K306205		8.33	<0.01	0.07	1.24	151	80	0.46	0.05	19.95	0.05	16.35	3.0	8	2.64	9.3
K306206		8.76	<0.01	0.03	0.63	77	70	0.32	0.04	20.4	0.03	10.05	0.7	6	1.20	4.1
K306207		8.19	0.01	0.02	0.82	818	70	0.40	0.05	20.5	0.07	13.50	1.3	6	1.43	4.7
K306208		6.41	0.01	0.04	1.00	333	90	0.42	0.06	20.5	0.05	16.95	1.2	7	1.64	5.2
K306209		3.83	<0.01	0.02	0.08	<5	20	0.06	0.04	20.9	0.06	0.94	0.7	1	0.33	2.0
K306210		1.85	0.01	0.09	3.34	600	270	0.96	0.12	15.35	0.17	33.1	7.5	25	7.36	20.0
K306211		8.77	<0.01	0.08	3.81	181	210	1.14	0.15	13.60	0.07	37.5	9.7	29	10.20	17.6
K306212		7.98	0.06	0.49	3.65	2160	300	0.99	0.16	13.95	0.05	34.3	15.1	25	8.77	46.6
K306213		1.13	<0.01	0.05	2.96	222	950	0.90	0.15	9.55	0.07	29.5	12.3	27	8.58	71.4
K306214		6.59	0.01	0.06	8.57	422	440	3.05	0.32	1.99	0.04	80.4	11.0	68	35.9	21.1
K306215		7.48	<0.01	0.05	8.57	183.0	420	3.38	0.37	1.09	<0.02	80.0	9.4	69	40.5	16.8
K306216		7.58	<0.01	0.05	7.34	620	450	2.45	0.33	5.90	0.13	72.8	10.7	52	26.7	28.0
K306217		7.35	<0.01	0.11	6.92	131.0	430	1.87	0.27	7.97	0.04	69.3	13.9	45	22.7	38.6
K306218		7.68	<0.01	0.09	7.62	329	490	2.15	0.32	6.35	0.02	74.9	9.7	56	29.0	30.1
K306219		7.17	<0.01	0.06	6.24	161	300	1.82	0.23	11.75	0.06	56.9	8.3	44	22.1	26.6
K306220		6.45	<0.01	0.09	4.05	172	220	1.17	0.17	17.00	0.07	44.9	7.9	29	12.30	18.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219073

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K306185		0.47	3.31	0.08	0.5	0.17	0.009	0.73	8.8	6.5	1.18	157	0.51	0.01	1.8	5.3
K306186		1.24	9.12	0.13	1.4	0.34	0.027	1.98	21.8	20.5	3.44	204	0.62	0.02	4.6	13.7
K306187		1.25	9.37	0.15	1.3	0.42	0.028	2.01	21.3	24.5	7.96	187	0.53	0.02	5.0	13.7
K306188		0.48	3.13	0.13	0.7	0.77	0.011	0.62	9.4	7.0	10.60	218	0.72	0.01	1.9	5.1
K306189		2.17	7.76	0.17	1.6	4.26	0.028	0.99	29.3	38.3	2.62	264	17.80	0.03	6.7	52.1
K306190		0.69	2.75	0.15	0.7	1.84	0.013	0.52	9.4	5.4	11.05	284	1.22	0.01	1.8	5.8
K306191		0.50	3.33	0.15	0.8	0.64	0.009	0.66	10.5	8.1	10.70	170	0.62	0.02	2.0	5.6
K306192		0.44	0.24	0.12	<0.1	0.01	0.005	0.04	0.9	1.2	12.75	191	0.06	0.01	0.3	1.6
K306193		0.66	4.14	0.21	0.9	0.28	0.015	0.84	11.1	8.9	10.05	196	0.60	0.01	2.5	5.5
K306194		1.38	10.60	0.19	2.7	1.54	0.035	2.23	21.5	27.1	5.93	221	0.56	0.03	6.4	12.4
K306195		1.15	9.62	0.10	2.2	0.22	0.024	1.92	20.4	23.3	4.39	171	0.88	0.02	5.9	15.3
K306196		1.17	9.09	0.11	2.1	0.23	0.024	1.98	19.7	23.2	4.06	168	0.74	0.02	5.7	14.2
K306197		1.11	5.82	0.14	1.5	0.12	0.016	1.28	14.9	13.6	4.69	184	0.77	0.02	3.6	12.3
K306198		1.18	7.76	0.12	2.0	0.43	0.021	1.63	18.4	16.8	4.22	191	1.05	0.02	4.8	16.7
K306199		6.71	19.20	0.26	4.4	9.4	0.046	1.33	65.2	14.8	0.12	35	6.07	0.38	10.0	16.4
K306200		0.72	3.45	0.11	1.1	0.45	0.008	0.73	11.2	6.3	8.24	272	0.38	0.01	2.2	7.3
K306201		0.53	1.46	0.11	0.3	0.82	<0.005	0.28	5.1	3.4	11.00	301	0.33	0.01	0.9	7.5
K306202		0.41	1.89	0.10	0.4	0.53	0.006	0.35	5.4	5.2	11.50	236	0.46	0.01	1.2	6.8
K306203		0.29	1.80	0.13	0.4	0.50	0.006	0.34	5.0	4.7	11.75	153	0.56	0.01	1.1	6.6
K306204		0.45	1.24	0.11	0.3	0.97	<0.005	0.23	4.1	2.8	11.70	329	0.50	0.01	0.8	5.5
K306205		0.68	3.15	0.06	0.9	1.26	0.008	0.63	9.3	4.4	10.30	405	0.24	0.01	2.2	6.3
K306206		0.46	1.58	0.11	0.5	1.31	0.005	0.30	6.0	3.5	10.65	396	0.16	0.01	1.0	4.7
K306207		0.74	2.11	0.11	0.8	0.64	0.007	0.40	8.3	4.3	10.10	595	0.19	0.01	1.4	5.7
K306208		0.92	2.40	0.12	0.8	0.75	0.015	0.44	9.7	5.0	9.69	720	0.12	0.02	1.9	6.0
K306209		0.47	0.23	0.09	<0.1	<0.01	<0.005	0.03	0.5	1.2	12.80	196	0.16	0.01	0.2	4.7
K306210		1.64	7.78	0.12	1.9	4.07	0.020	1.61	18.9	8.9	7.31	530	0.53	0.02	5.0	13.7
K306211		2.06	9.22	0.13	2.0	1.94	0.032	1.91	20.7	9.7	6.23	470	0.53	0.02	5.4	16.1
K306212		3.90	9.12	0.11	1.8	10.3	0.023	1.78	19.9	9.3	7.03	637	0.56	0.02	5.0	39.4
K306213		2.04	7.45	0.09	1.3	4.15	0.035	1.48	15.0	7.9	4.32	536	0.48	0.02	4.1	19.4
K306214		4.82	23.0	0.14	3.4	1.16	0.071	4.37	43.8	28.3	1.49	175	0.51	0.04	13.1	25.9
K306215		3.86	23.2	0.19	3.6	0.60	0.069	4.51	46.5	27.1	1.14	106	0.33	0.04	12.6	26.5
K306216		2.79	19.45	0.17	3.4	0.88	0.057	3.80	42.6	19.7	3.42	325	0.58	0.04	11.0	20.7
K306217		3.86	16.85	0.15	3.4	0.76	0.052	3.55	40.6	14.0	3.18	537	0.67	0.04	9.1	27.7
K306218		2.96	19.70	0.14	3.1	0.38	0.060	3.90	43.2	18.1	2.61	389	0.31	0.04	10.9	24.3
K306219		2.08	16.00	0.14	2.8	0.33	0.040	3.25	32.8	15.4	2.85	363	0.32	0.04	8.9	21.0
K306220		2.33	10.15	0.13	1.8	0.18	0.033	2.03	23.2	10.7	4.21	509	0.72	0.03	6.0	19.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219073

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K306185		280	4.4	23.2	0.003	0.20	0.47	2.2	<1	0.4	713	0.13	<0.05	2.5	0.054	0.37
K306186		490	8.8	65.7	0.002	0.55	0.24	5.9	1	1.0	259	0.35	<0.05	7.1	0.143	0.64
K306187		440	9.0	68.5	<0.002	0.68	0.31	6.3	1	1.1	106.0	0.37	<0.05	6.9	0.149	0.90
K306188		230	6.4	21.0	<0.002	0.46	3.91	2.2	<1	0.5	91.8	0.14	<0.05	2.5	0.056	0.97
K306189		880	39.3	48.7	0.028	1.54	103.5	5.4	3	2.4	73.8	0.43	0.23	6.7	0.173	4.11
K306190		250	8.7	17.3	0.002	0.79	5.09	1.8	1	0.5	120.0	0.11	<0.05	2.3	0.049	1.69
K306191		260	6.5	21.8	0.002	0.41	0.59	2.3	1	0.6	84.4	0.15	<0.05	2.9	0.059	0.85
K306192		190	1.4	1.7	<0.002	0.01	0.13	0.3	<1	0.2	41.5	<0.05	<0.05	<0.2	<0.005	0.03
K306193		340	5.4	26.9	0.002	0.34	0.35	2.7	1	0.6	82.7	0.19	<0.05	3.4	0.072	0.74
K306194		520	8.0	75.4	0.004	0.44	0.36	7.3	1	1.4	112.0	0.48	<0.05	8.8	0.183	0.88
K306195		540	9.5	69.4	<0.002	0.52	0.32	6.2	1	1.3	376	0.42	<0.05	7.5	0.154	0.76
K306196		490	7.8	70.1	<0.002	0.57	0.30	6.0	1	1.3	373	0.39	<0.05	7.0	0.158	0.70
K306197		380	7.0	43.1	0.002	0.41	0.23	3.9	1	0.8	541	0.26	<0.05	4.7	0.101	0.46
K306198		540	11.6	56.5	<0.002	0.56	0.61	5.0	1	1.0	614	0.33	<0.05	6.1	0.130	1.14
K306199		930	18.1	45.0	0.002	3.01	103.5	15.4	2	2.7	501	0.73	0.12	10.0	0.536	8.41
K306200		370	7.2	22.4	<0.002	0.56	6.22	2.5	1	0.6	133.5	0.16	<0.05	3.1	0.063	1.04
K306201		270	8.7	8.8	<0.002	0.64	6.11	1.0	<1	0.3	104.0	0.06	<0.05	1.2	0.024	1.26
K306202		160	8.1	11.7	<0.002	0.64	7.28	1.3	<1	0.3	77.1	0.09	<0.05	1.5	0.033	1.24
K306203		140	8.4	12.3	<0.002	0.57	7.90	1.2	1	0.3	84.1	0.08	<0.05	1.4	0.029	1.38
K306204		150	7.4	7.3	<0.002	0.84	11.05	0.9	1	0.2	118.5	0.06	<0.05	1.0	0.022	1.38
K306205		560	6.1	19.3	<0.002	0.38	0.85	2.3	1	0.4	148.5	0.15	<0.05	2.9	0.054	1.53
K306206		380	3.0	9.1	<0.002	0.15	0.42	1.1	<1	0.3	120.0	0.07	<0.05	1.3	0.028	0.49
K306207		550	4.2	12.5	<0.002	0.27	1.09	1.5	<1	0.3	164.0	0.09	<0.05	1.9	0.039	1.10
K306208		700	4.8	14.3	<0.002	0.32	0.90	1.9	<1	0.4	195.5	0.14	0.05	2.5	0.048	1.28
K306209		180	1.7	1.9	<0.002	0.01	0.08	0.3	<1	0.2	40.5	<0.05	<0.05	<0.2	<0.005	0.03
K306210		490	12.7	51.7	<0.002	1.15	2.23	5.8	1	1.2	192.5	0.33	0.05	5.7	0.154	3.79
K306211		510	13.3	66.4	<0.002	1.31	1.14	6.9	1	1.2	187.5	0.38	0.06	6.0	0.173	3.45
K306212		510	56.5	63.3	<0.002	3.63	11.65	6.8	1	1.5	133.0	0.35	0.06	6.0	0.162	14.65
K306213		440	8.6	52.0	<0.002	1.26	1.09	5.9	1	1.0	113.0	0.28	0.07	4.9	0.130	2.17
K306214		920	15.7	174.5	0.003	4.34	1.12	18.8	1	4.1	74.6	0.89	0.10	14.1	0.441	2.32
K306215		1080	14.9	183.0	<0.002	3.22	0.79	18.7	1	3.3	67.1	0.93	0.14	14.5	0.427	1.73
K306216		790	11.5	155.5	0.002	1.92	1.18	14.8	1	2.7	111.5	0.74	0.08	12.3	0.333	2.07
K306217		630	19.0	131.5	<0.002	2.26	0.82	12.6	1	2.3	174.5	0.62	0.14	12.1	0.288	1.95
K306218		750	8.3	156.5	<0.002	0.60	0.44	14.9	1	2.6	116.0	0.74	0.07	12.4	0.357	1.45
K306219		670	12.9	129.5	<0.002	0.51	0.52	11.9	1	2.1	276	0.62	0.11	10.5	0.290	0.92
K306220		610	18.9	79.0	0.004	0.49	0.47	7.5	1	1.5	388	0.40	0.06	7.1	0.176	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219073

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62
	Analyte	U	V	W	Y	Zn	Zr	As
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001
K306185		7.8	26	0.3	4.3	6	15.0	
K306186		7.9	58	0.6	10.5	10	41.3	
K306187		9.4	57	1.3	10.3	16	43.3	
K306188		13.9	23	1.1	5.3	<2	21.5	
K306189		8.7	230	27.2	19.4	208	53.3	
K306190		11.8	22	1.2	5.9	4	24.3	
K306191		13.1	24	0.9	6.2	<2	25.9	
K306192		0.5	3	0.1	0.8	11	<0.5	
K306193		12.6	32	1.0	6.2	4	28.8	
K306194		8.3	61	1.2	11.9	10	76.2	
K306195		10.7	57	0.8	12.2	62	76.3	
K306196		10.1	56	0.7	11.6	26	73.8	
K306197		7.8	37	0.5	9.6	18	50.0	
K306198		14.0	49	1.2	11.5	25	71.6	
K306199		7.7	167	22.7	14.1	41	157.0	
K306200		8.6	21	1.1	7.5	8	38.7	
K306201		14.6	6	0.8	3.7	6	11.1	
K306202		16.5	9	1.1	3.0	4	13.4	
K306203		16.5	10	1.0	3.0	2	12.9	
K306204		14.2	12	0.9	2.7	5	9.3	1.040
K306205		12.9	42	1.2	6.8	7	30.3	
K306206		8.6	14	0.7	4.5	4	15.9	
K306207		10.5	9	0.9	6.7	7	27.1	
K306208		11.3	13	1.2	8.2	7	36.2	
K306209		0.8	1	0.1	0.8	13	<0.5	
K306210		12.1	43	3.5	11.4	35	71.2	
K306211		6.7	50	2.6	11.5	18	69.0	
K306212		5.4	46	3.1	11.5	11	63.1	
K306213		4.2	37	1.3	11.1	30	44.3	
K306214		2.6	121	2.5	23.4	21	126.5	
K306215		2.8	122	2.3	24.1	22	115.0	
K306216		5.4	100	2.3	22.1	111	112.5	
K306217		7.1	81	1.5	20.3	35	85.6	
K306218		7.0	100	2.1	20.5	22	115.5	
K306219		5.9	83	1.6	16.0	58	92.2	
K306220		9.3	58	1.1	14.3	69	66.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219073

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

CERTIFICATE WH11219071

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 283 - Area B

This report is for 33 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21- OCT- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K305868		7.43	0.07	0.07	0.76	3270	40	0.25	0.02	19.80	0.16	14.10	2.0	8	2.08	3.8
K305869		7.17	0.07	0.14	2.82	795	90	1.04	0.07	14.50	0.14	33.9	4.9	27	12.05	16.7
K305870		7.44	0.10	0.06	3.23	493	90	1.13	0.08	14.20	0.03	33.6	5.7	24	11.35	19.3
K305871		7.22	0.14	0.11	0.73	2080	40	0.28	0.02	19.40	0.24	14.95	2.5	8	1.70	7.7
K305872		7.12	0.06	0.08	0.63	1840	30	0.30	0.03	19.30	0.05	12.40	2.3	6	1.54	7.6
K305873		0.22	2.69	1.04	3.15	538	850	0.68	0.35	8.13	2.01	44.1	6.8	51	4.19	44.4
K305874		7.87	0.18	0.08	0.78	9750	30	0.31	0.03	19.05	0.02	10.40	2.3	9	2.09	6.7
K305875		7.05	0.10	0.13	0.62	>10000	40	0.26	0.02	19.25	0.05	10.30	2.0	6	1.47	6.2
K305876		6.97	0.09	0.06	0.67	>10000	50	0.32	0.02	19.35	0.03	9.00	2.5	6	1.72	12.2
K305877		7.12	<0.01	0.08	0.66	443	40	0.31	0.02	20.6	<0.02	8.70	2.3	9	2.11	8.1
K305878		7.53	<0.01	0.06	1.40	559	60	0.61	0.04	18.95	0.02	16.50	2.7	11	7.57	9.9
K305879		7.47	<0.01	0.08	0.49	172	30	0.25	0.02	19.70	0.02	7.58	1.8	8	2.26	4.5
K305880		7.61	<0.01	0.11	0.60	89	30	0.29	0.02	19.75	0.02	7.46	2.0	10	2.90	5.4
K305881		4.98	<0.01	0.01	0.11	11	40	0.06	0.09	20.9	0.06	1.47	2.4	3	0.38	2.2
K305882		8.03	<0.01	0.29	1.04	58	50	0.39	0.04	19.80	0.04	7.40	3.1	16	7.66	10.3
K305883		7.17	0.01	0.14	0.57	3560	40	0.29	0.02	20.1	0.02	7.33	2.0	15	2.26	6.2
K305884		3.80	0.01	0.15	0.61	3670	40	0.32	0.02	19.45	0.04	7.38	2.6	14	2.53	16.4
K305885		7.52	0.02	0.12	0.42	>10000	30	0.18	0.02	19.55	0.02	7.58	1.8	12	0.91	7.3
K305886		7.46	0.03	0.08	0.63	8370	40	0.29	0.02	20.5	0.02	8.76	2.7	8	1.54	9.6
K305887		8.44	0.04	0.18	0.89	2670	30	0.35	0.03	15.10	0.12	9.86	5.1	11	2.92	17.4
K305888		8.37	0.01	0.28	0.95	1790	40	0.44	0.03	14.60	0.17	11.10	7.9	9	3.44	22.4
K305889		6.56	0.13	0.04	0.63	6850	40	0.30	0.02	19.35	0.05	11.70	2.2	10	1.60	6.3
K305890		8.53	0.02	0.02	0.99	2960	40	0.56	0.04	19.30	0.05	16.10	2.4	10	3.14	6.1
K305891		0.22	0.34	0.55	6.21	636	110	0.55	0.30	0.48	0.18	143.5	3.1	231	3.78	33.3
K305892		7.21	0.02	0.02	1.14	5210	50	0.60	0.04	18.55	0.05	18.65	2.4	7	3.49	6.2
K305893		7.59	0.03	0.03	0.89	4560	40	0.44	0.03	19.30	0.02	15.05	2.4	6	2.37	6.4
K305894		7.86	0.03	0.02	0.74	7650	40	0.33	0.03	18.95	0.03	11.10	2.2	6	1.74	6.4
K305895		7.81	0.01	0.02	0.97	4480	50	0.47	0.03	19.10	0.18	15.20	2.1	10	3.54	8.4
K305896		3.75	<0.01	0.01	0.05	1330	10	0.08	<0.01	21.1	0.04	2.65	1.4	5	0.06	4.8
K305897		3.97	0.02	0.04	0.69	6260	50	0.31	0.03	20.2	0.40	12.85	5.7	13	1.92	12.6
K305898		4.88	<0.01	0.01	0.07	27	20	0.05	0.02	20.8	0.06	1.20	1.3	2	0.48	1.5
K305899		3.01	0.01	0.03	8.57	737	390	3.79	0.37	1.15	0.04	72.1	13.6	68	41.0	30.7
K305900		3.80	0.01	0.01	8.36	355	350	3.52	0.38	3.66	0.04	80.4	15.1	67	40.7	56.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219071

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K305868		0.71	1.85	0.08	0.5	0.80	0.014	0.38	7.4	4.5	11.30	498	0.18	0.01	1.4	<0.2
K305869		1.01	6.79	<0.05	1.8	1.22	0.020	1.45	17.3	17.9	7.84	291	0.77	0.02	4.7	5.4
K305870		1.25	7.91	<0.05	1.4	0.92	0.023	1.63	17.4	22.8	7.72	496	0.39	0.02	5.5	7.1
K305871		1.89	1.78	<0.05	0.5	1.42	0.010	0.36	10.1	4.2	10.85	750	0.82	0.01	1.5	<0.2
K305872		1.68	1.71	<0.05	0.3	0.97	0.008	0.31	8.0	4.9	10.75	736	0.37	0.01	1.4	<0.2
K305873		2.08	7.90	<0.05	1.7	4.46	0.029	1.01	26.1	42.0	2.57	264	17.40	0.03	7.7	52.6
K305874		1.36	2.02	<0.05	0.4	1.12	0.020	0.37	6.3	6.4	10.60	742	0.48	0.02	1.8	<0.2
K305875		1.84	1.52	<0.05	0.4	1.43	0.024	0.28	6.3	4.1	10.80	752	0.54	0.01	1.4	<0.2
K305876		0.73	1.70	0.06	0.6	2.17	0.020	0.28	4.8	4.7	10.80	599	0.50	0.02	1.5	<0.2
K305877		0.37	1.73	0.15	0.5	0.84	<0.005	0.31	4.9	4.4	10.85	217	0.65	0.01	1.4	<0.2
K305878		0.40	3.57	0.10	0.9	0.56	0.010	0.69	8.7	12.2	10.50	159	0.56	0.01	2.3	5.5
K305879		0.43	1.29	0.10	0.3	0.38	0.005	0.23	4.5	4.2	11.75	224	0.56	0.01	0.9	3.9
K305880		0.36	1.57	0.11	0.3	0.26	0.006	0.29	4.4	5.4	12.00	184	0.63	0.02	1.1	4.4
K305881		0.49	0.43	0.11	<0.1	<0.01	0.006	0.05	0.7	2.0	12.90	206	0.16	0.01	0.5	5.2
K305882		0.49	2.88	0.13	0.4	0.34	0.006	0.52	4.3	8.9	12.15	170	1.13	0.02	1.8	7.8
K305883		0.59	1.55	0.10	0.2	0.60	0.006	0.27	4.5	4.4	12.10	268	0.58	0.01	1.0	4.7
K305884		0.47	1.66	0.10	0.3	0.59	0.006	0.29	4.4	4.7	11.75	258	0.60	0.01	1.1	4.8
K305885		0.39	1.18	0.11	0.2	0.67	0.009	0.19	4.4	2.7	11.65	295	0.49	0.01	0.8	4.2
K305886		2.15	1.73	0.08	0.3	1.10	0.008	0.31	5.3	4.1	11.25	581	0.65	0.01	1.2	6.5
K305887		8.96	2.48	0.17	0.5	2.29	0.008	0.44	5.7	6.4	9.02	655	0.65	0.01	1.7	15.1
K305888		11.45	2.51	0.21	0.7	2.33	0.010	0.46	6.2	7.7	7.94	538	1.07	0.01	1.9	26.9
K305889		1.96	1.70	0.07	0.5	1.08	0.007	0.30	6.6	5.1	10.65	729	0.16	0.01	1.2	4.3
K305890		1.03	2.70	0.07	0.8	0.57	0.008	0.50	8.8	7.7	10.80	519	0.32	0.02	1.9	4.8
K305891		6.95	19.55	0.30	4.7	8.7	0.047	1.36	71.0	16.5	0.13	42	6.49	0.39	10.6	17.4
K305892		0.96	3.17	0.08	1.0	0.45	0.011	0.56	10.1	9.3	11.05	485	0.19	0.02	2.1	4.9
K305893		0.90	2.43	0.08	0.7	0.32	0.010	0.43	8.1	6.1	11.55	468	0.15	0.02	1.7	5.1
K305894		0.69	2.08	0.07	0.6	0.39	0.010	0.37	5.9	5.3	11.50	484	0.12	0.02	1.5	4.4
K305895		0.92	2.68	0.08	0.6	0.53	0.009	0.47	7.7	6.8	11.40	570	0.08	0.02	1.7	4.8
K305896		0.76	0.27	0.07	<0.1	0.14	<0.005	0.01	1.3	0.9	12.75	701	0.06	0.01	0.2	2.4
K305897		1.86	1.94	0.08	0.3	0.91	0.009	0.34	6.3	4.0	12.05	718	0.29	0.02	1.3	9.2
K305898		0.47	0.33	0.08	<0.1	<0.01	<0.005	0.04	0.6	1.4	12.95	212	0.07	<0.01	0.4	2.6
K305899		4.27	25.6	0.18	3.7	1.24	0.075	4.51	36.6	53.5	1.36	53	0.82	0.05	14.1	35.5
K305900		2.67	23.0	0.16	3.6	3.55	0.076	4.26	43.7	46.8	2.39	135	0.60	0.06	13.1	35.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219071

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K305868		260	4.1	16.1	<0.002	0.46	4.87	1.4	2	0.2	74.5	0.08	<0.05	1.7	0.031	1.70
K305869		550	9.0	52.7	0.002	0.62	2.20	4.7	2	1.0	101.5	0.34	<0.05	6.5	0.120	3.14
K305870		440	9.9	62.3	<0.002	0.60	1.36	5.4	1	1.0	96.6	0.37	<0.05	7.0	0.136	2.99
K305871		270	12.5	14.9	<0.002	1.50	4.28	1.4	1	0.3	98.9	0.09	<0.05	1.8	0.032	5.16
K305872		200	12.7	13.0	<0.002	1.28	3.86	1.2	1	0.4	99.9	0.08	<0.05	1.4	0.027	3.59
K305873		870	38.1	49.8	0.022	1.51	100.5	5.4	4	2.3	72.5	0.46	0.19	6.5	0.169	4.19
K305874		140	8.5	16.1	<0.002	1.29	13.85	1.4	2	0.4	86.6	0.10	<0.05	1.7	0.035	3.46
K305875		140	10.9	11.9	0.002	2.22	21.1	1.1	2	0.3	95.7	0.08	<0.05	1.2	0.027	4.37
K305876		150	7.3	12.1	<0.002	0.93	15.45	1.2	2	1.0	132.5	0.09	<0.05	1.5	0.030	3.25
K305877		130	7.1	12.2	<0.002	0.25	1.06	1.2	2	0.6	142.5	0.08	<0.05	1.6	0.028	1.11
K305878		290	7.0	27.7	<0.002	0.30	0.93	2.3	2	0.6	122.0	0.18	<0.05	3.2	0.060	0.95
K305879		160	7.2	9.0	<0.002	0.22	0.60	0.9	1	0.3	88.8	0.06	<0.05	1.1	0.021	0.75
K305880		200	8.7	11.2	<0.002	0.24	0.23	1.0	1	0.4	75.3	0.07	<0.05	1.4	0.026	0.78
K305881		250	1.4	3.0	<0.002	0.02	0.07	0.4	1	<0.2	45.3	<0.05	<0.05	<0.2	0.008	0.02
K305882		420	14.5	21.3	0.002	0.43	0.40	1.5	2	0.5	88.6	0.12	<0.05	2.3	0.044	1.14
K305883		210	9.7	10.3	<0.002	0.62	2.88	1.0	2	0.2	133.0	0.07	<0.05	1.2	0.024	1.41
K305884		220	9.4	11.3	<0.002	0.48	2.69	1.0	1	1.6	132.5	0.07	<0.05	1.3	0.026	1.05
K305885		200	7.0	7.8	<0.002	1.08	14.25	0.8	2	0.5	92.9	0.05	<0.05	0.9	0.017	1.02
K305886		230	16.6	11.8	0.002	2.70	8.82	1.1	2	0.5	121.5	0.07	<0.05	1.3	0.026	3.53
K305887		260	39.2	17.5	0.002	>10.0	5.74	1.4	1	0.5	74.1	0.11	<0.05	2.0	0.040	24.5
K305888		280	62.7	18.7	0.003	>10.0	2.84	1.5	2	0.5	99.2	0.12	<0.05	2.4	0.043	36.5
K305889		570	9.2	12.2	<0.002	1.94	6.19	1.1	1	0.7	108.0	0.08	<0.05	1.7	0.028	4.11
K305890		540	9.0	20.2	<0.002	0.98	2.93	1.7	1	0.5	117.5	0.13	<0.05	2.6	0.045	2.08
K305891		940	19.8	47.0	0.004	3.07	108.0	16.4	2	2.8	515	0.79	0.12	10.6	0.551	8.79
K305892		470	6.6	23.6	<0.002	0.84	4.48	2.1	1	0.6	85.2	0.15	<0.05	3.0	0.053	1.61
K305893		500	5.0	17.4	<0.002	0.76	4.08	1.6	1	0.4	81.8	0.11	<0.05	2.3	0.042	1.11
K305894		380	4.2	14.7	<0.002	0.67	5.77	1.3	1	0.5	77.1	0.10	<0.05	1.9	0.036	1.13
K305895		800	5.9	20.2	<0.002	0.58	3.66	1.9	1	0.6	88.8	0.12	<0.05	2.3	0.046	0.99
K305896		350	2.1	0.5	<0.002	0.16	1.29	0.1	1	0.5	61.0	<0.05	<0.05	<0.2	<0.005	0.28
K305897		730	14.1	14.5	<0.002	1.84	5.79	1.6	1	0.8	85.5	0.08	<0.05	1.4	0.031	1.62
K305898		190	1.2	3.8	<0.002	0.01	0.06	0.2	1	<0.2	46.0	<0.05	<0.05	<0.2	<0.005	0.02
K305899		440	23.2	169.0	<0.002	3.87	2.01	18.3	1	3.0	67.1	1.04	0.08	15.2	0.446	3.81
K305900		660	15.7	189.0	<0.002	1.77	1.15	17.1	1	2.8	85.0	0.93	0.08	17.0	0.394	2.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219071

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	As- OG62 As % 0.001
K305868		7.6	15	0.9	5.2	9	17.8	
K305869		11.1	47	2.9	11.3	45	61.0	
K305870		8.4	46	3.3	10.4	7	49.0	
K305871		14.1	13	1.2	5.3	29	17.6	
K305872		14.2	8	1.2	4.3	5	11.2	
K305873		8.5	230	28.6	20.2	206	58.7	
K305874		14.0	11	1.3	3.7	3	15.6	1.315
K305875		15.5	16	1.1	3.6	8	12.7	1.825
K305876		15.2	12	1.4	3.9	5	21.8	1.405
K305877		12.8	15	0.8	3.5	2	17.0	
K305878		15.1	25	1.2	5.6	4	33.6	
K305879		16.1	11	0.7	3.1	3	9.4	
K305880		20.2	13	0.5	3.0	3	10.9	
K305881		0.7	3	0.1	1.1	14	0.5	
K305882		26.1	30	0.4	3.5	3	17.0	
K305883		18.6	16	0.7	3.0	3	9.0	
K305884		19.0	16	0.7	3.1	3	10.5	
K305885		19.2	15	0.7	3.1	2	6.0	1.620
K305886		16.6	10	0.8	3.7	3	10.4	
K305887		12.2	30	1.0	4.0	21	20.0	
K305888		12.7	27	0.8	4.5	35	25.9	
K305889		8.1	17	0.7	5.6	5	17.3	
K305890		10.5	19	0.9	7.1	7	28.8	
K305891		8.1	173	24.0	14.9	43	164.5	
K305892		8.7	27	1.1	7.7	8	35.1	
K305893		7.2	15	0.9	6.4	5	25.6	
K305894		6.1	11	0.7	4.6	4	22.4	
K305895		3.3	15	0.9	6.9	40	22.4	
K305896		2.0	<1	0.1	2.4	13	1.1	
K305897		2.9	9	0.8	7.5	94	11.8	
K305898		0.5	1	0.1	0.9	16	1.1	
K305899		2.5	121	5.5	22.0	35	129.5	
K305900		3.8	114	4.1	25.0	32	123.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- NOV- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11219071

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM

CERTIFICATE WH11101754

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11101754

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
K296501		2.30	0.01	0.15	7.20	5.6	120	1.56	0.23	3.57	0.37	65.3	28.2	79	13.70	162.0
K296502		3.33	0.01	0.21	7.92	36.4	130	1.90	0.33	2.13	0.25	74.9	26.9	80	11.20	161.0
K296503		1.88	0.01	0.19	7.72	41.1	170	1.91	0.33	3.17	0.34	73.8	29.2	73	11.10	153.0
K296504		1.89	<0.01	0.09	4.41	48.1	120	0.98	0.18	8.53	0.35	51.0	10.2	30	5.44	31.5
K296505		2.14	<0.01	0.29	5.27	69.2	110	1.19	0.22	7.28	0.58	60.8	13.7	38	6.68	50.6
K296506		3.98	0.01	0.13	7.25	51.3	470	2.06	0.36	2.81	0.42	77.9	23.7	63	13.20	89.6
K296507		6.51	<0.01	0.20	7.34	18.1	1230	1.44	0.21	3.34	0.63	56.3	33.3	73	11.75	344
K296508		0.28	15.45	1.09	1.96	1240	210	0.33	0.49	14.85	0.67	31.7	3.5	36	2.17	63.8
K296509		6.19	0.01	0.15	7.12	19.2	210	1.14	0.19	4.72	0.24	50.9	29.9	66	8.15	162.0
K296510		10.01	0.01	0.09	6.80	38.3	530	1.15	0.16	5.79	0.27	48.0	28.4	66	9.20	155.5
K296511		7.18	<0.01	0.02	0.10	<5	20	0.07	0.02	21.6	0.06	1.44	1.3	2	0.27	1.8
K296512		4.92	0.01	0.10	6.67	31.5	450	1.03	0.15	4.79	0.25	46.3	27.1	67	11.65	160.5
K296513		2.51	0.01	0.10	6.51	134.0	330	1.20	0.16	5.25	0.28	47.9	25.9	70	9.33	127.0
K296514		4.82	0.01	0.09	6.92	42.4	370	1.28	0.16	4.44	0.23	51.4	32.3	71	10.55	167.5
K296515		3.14	0.01	0.10	6.82	14.2	290	1.30	0.18	3.50	0.25	51.7	34.3	70	13.00	179.0
K296516		7.05	0.01	0.09	7.32	3.7	140	1.21	0.19	4.55	0.27	51.5	33.3	75	10.50	175.0
K296517		3.10	0.01	0.09	7.05	8.1	130	1.34	0.21	3.22	0.23	54.4	29.8	78	12.80	143.0
K296518		5.48	0.01	0.08	7.20	5.2	450	1.13	0.18	4.11	0.32	48.4	33.5	72	13.05	173.0
K296519		0.28	1.54	0.98	3.25	593	730	0.73	0.29	8.11	2.00	46.1	5.8	55	3.87	43.2
K296520		1.89	0.01	0.98	7.82	30.3	330	1.55	0.25	2.24	0.31	49.7	30.5	82	15.10	172.0
K296521		3.53	0.01	0.45	7.17	52.8	120	1.54	0.26	2.13	0.27	48.9	27.4	71	11.95	120.5
K296522		4.09	0.01	0.76	4.94	180.0	130	1.26	0.18	6.70	0.16	47.3	11.4	36	8.28	41.4
K296523		5.28	<0.01	0.05	4.30	54.4	100	1.14	0.16	6.96	0.11	44.5	9.2	28	7.30	26.8
K296524		2.66	0.01	1.29	6.54	255	510	1.33	0.21	4.51	0.15	49.5	21.2	63	11.35	79.0
K296525		1.69	0.01	0.11	8.40	112.5	400	1.45	0.27	0.10	0.13	67.0	17.8	91	17.75	161.0
K296526		2.50	<0.01	0.07	6.59	56.2	420	1.81	0.23	3.76	0.59	60.7	27.5	58	13.15	137.0
K296527		2.10	<0.01	0.24	6.44	147.5	410	1.63	0.27	3.09	0.26	56.1	18.6	64	11.70	77.4
K296528		7.17	<0.01	0.01	0.07	<5	20	0.05	0.02	20.8	0.05	1.38	1.2	2	0.17	2.3
K296529		2.26	<0.01	0.09	3.30	67	130	1.14	0.12	11.65	0.20	34.3	8.3	24	6.43	18.6
K296530		2.53	<0.01	0.04	2.51	89	130	0.75	0.11	24.1	0.15	26.8	9.2	22	5.09	32.8
K296531		4.01	0.01	0.05	1.48	79	50	0.61	0.06	20.5	0.14	17.95	4.7	12	3.10	18.7
K296532		2.72	0.01	0.19	8.53	1910	530	1.99	0.34	2.05	0.38	75.1	26.3	82	18.50	110.0
K296533		4.66	0.02	0.31	6.91	3160	500	1.39	0.33	1.49	0.38	58.7	24.5	78	12.05	77.3
K296534		3.46	<0.01	0.10	5.02	1310	170	1.23	0.18	18.85	0.07	57.3	8.3	35	10.90	24.1
K296535		4.25	<0.01	0.07	8.41	111.5	390	2.79	0.31	0.90	0.02	92.6	15.5	66	24.3	32.4
K296536		2.58	<0.01	0.14	6.54	183.0	260	1.71	0.26	5.32	0.05	70.6	12.8	47	15.45	31.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11101754

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
K296501		7.15	20.1	0.22	3.7	0.18	0.118	2.18	30.5	54.5	2.19	782	0.70	0.30	14.3	51.5
K296502		7.58	22.2	0.12	3.6	0.47	0.111	2.70	33.7	97.0	1.36	618	1.01	0.02	16.2	61.8
K296503		7.64	21.5	0.16	3.3	0.54	0.106	2.60	32.9	104.5	1.95	788	0.67	0.03	15.0	64.2
K296504		3.78	11.15	<0.05	2.2	0.59	0.045	1.67	22.9	26.0	3.40	1140	1.75	0.03	7.4	17.0
K296505		4.30	14.15	0.06	2.6	0.31	0.066	1.84	27.9	39.3	2.74	824	3.85	0.03	10.6	24.8
K296506		5.86	20.9	0.15	3.0	0.23	0.100	3.03	33.1	58.9	1.56	523	0.84	0.02	16.9	42.8
K296507		7.88	20.2	0.15	2.8	0.23	0.096	1.99	24.7	91.8	3.34	819	0.41	0.30	12.6	60.3
K296508		3.56	3.85	<0.05	0.8	5.56	0.050	0.40	18.3	35.3	0.69	450	11.65	0.01	3.2	20.5
K296509		7.75	19.85	0.12	3.0	0.07	0.090	1.56	23.9	57.3	3.98	985	0.45	0.59	11.0	56.1
K296510		6.96	17.85	0.11	2.6	0.05	0.075	1.47	22.1	63.0	3.86	1060	0.37	0.79	9.8	55.4
K296511		0.51	0.35	0.06	<0.1	<0.01	<0.005	0.04	0.7	1.5	12.85	217	0.07	0.01	0.3	2.4
K296512		6.79	18.15	0.09	2.6	0.18	0.080	1.57	21.2	77.6	3.28	910	0.43	0.74	9.0	51.4
K296513		6.83	17.25	0.08	2.5	0.70	0.079	1.82	22.0	141.5	2.64	1240	0.41	0.06	9.7	49.5
K296514		7.78	20.1	0.12	2.5	0.14	0.091	1.60	23.2	95.8	2.56	989	0.34	0.12	10.1	57.7
K296515		7.87	19.60	0.13	2.5	0.18	0.094	1.51	23.6	102.5	3.08	838	0.39	0.48	10.2	61.0
K296516		8.11	19.75	0.12	2.4	0.07	0.094	1.32	23.4	60.3	3.47	1020	0.36	1.01	10.7	61.8
K296517		6.76	18.50	0.11	2.1	0.13	0.083	1.71	23.8	80.9	2.62	862	0.41	1.02	12.5	56.0
K296518		7.83	19.65	0.11	2.5	0.16	0.094	1.42	21.3	80.0	3.09	1000	0.36	0.88	10.6	59.7
K296519		2.10	7.58	0.12	1.7	4.40	0.024	1.03	26.8	41.0	2.53	267	16.60	0.03	6.5	50.6
K296520		7.26	22.6	0.18	3.9	0.68	0.105	2.23	20.7	111.0	1.99	696	1.43	0.29	13.4	52.3
K296521		6.36	20.4	0.17	2.4	1.27	0.091	2.42	19.4	136.5	1.01	646	0.87	0.02	14.1	46.3
K296522		4.59	13.05	0.14	2.2	0.98	0.052	2.13	20.6	38.9	2.83	1400	2.32	0.03	8.3	19.3
K296523		4.40	10.50	0.13	2.0	0.92	0.043	1.64	18.6	68.0	2.41	1060	0.90	0.02	6.7	15.1
K296524		5.83	17.90	0.14	2.8	1.72	0.070	2.22	20.9	185.0	2.00	1120	12.55	0.03	12.0	34.5
K296525		7.54	25.1	0.19	3.7	1.85	0.113	2.93	28.5	318	0.40	449	0.64	0.02	18.6	37.7
K296526		6.10	18.90	0.16	2.8	1.14	0.090	2.42	27.3	159.0	1.10	1190	1.55	0.02	13.4	56.3
K296527		9.37	17.90	0.22	2.8	9.1	0.079	2.87	26.1	73.1	1.43	1180	2.85	0.03	11.6	45.3
K296528		0.48	0.26	<0.05	<0.1	0.02	<0.005	0.03	0.6	1.2	12.65	204	0.08	<0.01	0.3	3.0
K296529		3.68	8.54	0.11	1.3	0.72	0.034	1.49	15.6	16.4	4.85	1470	1.15	0.03	4.4	31.4
K296530		1.94	5.56	0.06	1.2	1.74	0.025	1.11	12.5	12.3	1.86	971	1.86	0.02	4.2	17.8
K296531		1.25	3.49	0.06	0.7	1.21	0.014	0.67	8.1	12.3	5.56	550	1.12	0.02	2.1	10.7
K296532		5.42	22.4	0.16	3.7	7.61	0.086	3.90	34.7	21.1	1.39	860	6.62	0.04	12.5	47.6
K296533		11.00	18.80	0.21	2.7	16.0	0.092	3.08	26.9	25.0	0.98	730	3.26	0.03	11.0	63.4
K296534		2.78	11.40	0.08	1.7	1.81	0.037	2.09	28.4	21.0	0.64	920	1.23	0.03	6.0	22.0
K296535		4.05	24.1	0.15	3.6	0.74	0.066	3.84	44.4	73.6	0.72	504	0.39	0.05	12.2	36.5
K296536		4.84	16.70	0.13	2.7	1.29	0.056	2.90	34.8	37.4	2.05	1260	0.50	0.04	9.2	29.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11101754

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
K296501		590	11.5	108.0	<0.002	0.05	0.65	27.4	3	2.3	58.7	1.09	0.25	6.9	0.726	0.69
K296502		660	13.6	151.0	<0.002	0.12	0.54	26.1	2	2.5	74.9	1.18	0.31	9.5	0.737	1.48
K296503		650	16.7	147.5	<0.002	0.21	0.68	24.8	3	2.4	80.9	1.03	0.28	9.1	0.680	1.47
K296504		430	24.9	82.8	<0.002	0.31	1.07	9.3	1	1.5	63.0	0.58	0.05	7.6	0.280	1.08
K296505		450	25.0	92.6	<0.002	0.07	0.67	12.1	2	1.8	63.9	0.76	0.12	8.1	0.362	0.78
K296506		550	15.9	129.5	<0.002	0.07	0.49	18.2	3	2.7	83.9	1.20	0.28	9.8	0.582	1.06
K296507		670	48.7	112.0	0.002	0.19	0.74	26.9	3	1.9	133.5	0.88	0.19	6.3	0.739	0.79
K296508		650	23.0	29.7	0.007	2.00	147.0	3.4	3	1.8	43.2	0.23	0.34	3.9	0.107	3.37
K296509		690	9.4	79.6	<0.002	0.03	0.44	26.1	2	1.9	69.5	0.78	0.14	6.4	0.713	0.54
K296510		620	10.0	79.5	0.002	0.05	0.35	25.1	2	1.6	81.4	0.69	0.13	5.6	0.680	0.54
K296511		190	1.7	2.2	<0.002	0.01	0.05	0.4	1	<0.2	45.8	<0.05	<0.05	<0.2	0.006	<0.02
K296512		630	8.5	83.3	<0.002	0.22	0.35	24.7	2	1.7	107.5	0.66	0.12	5.1	0.662	0.87
K296513		550	9.7	117.0	<0.002	0.63	0.46	23.5	2	1.7	189.5	0.70	0.12	5.8	0.677	2.19
K296514		650	9.3	109.5	<0.002	0.10	0.36	29.1	2	1.8	108.5	0.71	0.15	5.3	0.734	1.07
K296515		640	9.4	93.8	0.002	0.14	0.33	30.0	3	1.8	117.5	0.72	0.16	5.5	0.716	0.82
K296516		670	9.9	71.3	<0.002	0.10	0.30	29.2	2	1.8	85.3	0.75	0.14	5.5	0.780	0.46
K296517		550	8.7	89.1	<0.002	0.06	0.29	24.9	2	1.8	73.2	0.88	0.19	5.8	0.783	0.69
K296518		650	9.2	86.8	0.002	0.20	0.29	28.4	3	1.8	121.0	0.75	0.18	4.9	0.777	0.62
K296519		890	38.3	47.1	0.020	1.56	95.2	4.9	3	2.4	62.5	0.44	0.18	6.7	0.170	3.90
K296520		730	11.6	121.5	0.003	0.49	0.52	30.0	2	2.4	177.5	0.92	0.21	6.5	0.813	2.12
K296521		630	11.0	142.5	0.005	1.66	0.80	23.5	2	2.3	103.5	0.98	0.25	5.4	0.718	3.76
K296522		450	16.5	99.9	0.003	0.40	1.42	11.1	1	1.8	102.0	0.58	0.06	7.3	0.307	2.92
K296523		430	18.2	76.8	0.002	0.38	0.88	8.7	1	1.4	58.3	0.48	<0.05	6.6	0.243	1.84
K296524		630	14.5	107.5	0.002	0.10	1.59	20.4	1	2.0	359	0.80	0.14	6.9	0.596	2.64
K296525		830	13.4	162.0	0.004	0.03	0.88	27.2	2	2.6	633	1.20	0.30	7.5	0.848	5.09
K296526		670	16.5	128.5	0.004	3.60	0.59	26.3	2	2.2	249	0.90	0.19	7.2	0.569	2.52
K296527		470	20.5	123.0	0.010	0.15	2.11	17.7	2	2.3	87.1	0.78	0.12	8.5	0.464	21.0
K296528		160	1.5	1.4	<0.002	0.01	<0.05	0.3	1	<0.2	40.8	<0.05	<0.05	<0.2	<0.005	0.04
K296529		290	10.9	62.1	0.004	0.33	0.98	7.5	1	1.1	109.0	0.29	<0.05	4.5	0.157	3.58
K296530		1540	9.1	49.2	0.004	0.20	0.98	6.0	1	0.7	840	0.27	0.05	3.8	0.138	2.30
K296531		570	4.7	29.0	0.003	0.17	0.48	3.6	2	0.4	414	0.13	<0.05	2.3	0.066	0.99
K296532		620	23.7	167.0	0.016	0.53	5.32	21.1	5	2.7	89.6	0.90	0.12	12.8	0.514	8.97
K296533		480	27.8	122.0	0.010	2.65	16.95	20.5	3	2.3	103.5	0.76	0.16	8.7	0.500	15.00
K296534		610	15.8	85.4	0.002	0.32	6.28	8.8	1	1.2	419	0.43	<0.05	9.5	0.203	2.59
K296535		800	21.0	182.5	<0.002	3.00	0.52	16.0	2	2.7	110.0	0.92	0.05	16.5	0.414	2.85
K296536		520	22.4	125.0	<0.002	3.35	3.41	12.8	1	1.9	152.0	0.69	0.06	12.3	0.333	2.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11101754

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
K296501		1.8	231	0.9	29.0	112	139.5
K296502		2.4	228	1.8	28.2	135	140.5
K296503		2.3	213	1.4	27.9	147	129.0
K296504		2.0	69	1.2	20.2	85	75.1
K296505		2.2	95	2.3	22.5	113	94.6
K296506		2.5	161	1.5	22.8	117	110.0
K296507		1.5	237	0.9	25.2	258	112.5
K296508		3.6	108	210	17.0	98	30.0
K296509		1.5	237	1.1	28.9	113	115.0
K296510		1.3	222	0.8	26.4	105	100.5
K296511		0.6	3	0.1	1.0	28	0.8
K296512		1.2	221	0.9	25.0	109	97.0
K296513		1.3	206	1.7	24.1	103	92.9
K296514		1.2	253	1.2	26.1	108	97.7
K296515		1.2	257	0.7	26.3	122	97.9
K296516		1.3	257	0.8	26.2	119	90.2
K296517		1.3	235	0.8	21.6	100	76.0
K296518		1.2	261	0.7	26.2	111	97.7
K296519		8.2	229	25.2	19.0	214	60.4
K296520		1.5	267	2.7	26.9	106	125.5
K296521		1.1	224	2.8	20.1	97	114.5
K296522		1.6	83	5.2	18.3	67	73.2
K296523		1.5	61	1.3	18.3	67	64.9
K296524		1.6	180	9.7	23.3	72	96.5
K296525		1.9	264	3.1	25.3	88	131.0
K296526		1.8	171	1.1	24.6	110	95.1
K296527		2.1	151	2.1	20.9	80	96.6
K296528		0.4	2	0.1	0.8	18	0.5
K296529		1.3	45	1.3	16.9	68	45.7
K296530		1.7	48	1.0	10.3	39	47.7
K296531		1.1	29	0.5	7.1	31	23.9
K296532		3.0	192	3.5	23.7	130	117.5
K296533		2.2	174	5.1	21.2	98	93.1
K296534		2.4	48	1.6	16.1	74	58.1
K296535		3.0	92	2.2	20.6	90	111.5
K296536		2.5	79	4.0	18.3	68	84.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- JUN- 2011
Account: RCM


Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11101754

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

APPENDIX VII

GEOPHYSICAL REPORT BY PRECISION GEOSURVEYS INC.



Pyramid Property

Prepared for:
ATAC Resources Ltd.

October 2011
Shawn Walker, M.Sc., GIT

www.precisiongeosurveys.com • 520–355 Burrard Street • Vancouver, B.C. • Canada V6C 2G8 • T: 604.484.9402

Table of Contents

1.0 Introduction 1
1.1 Survey Specifications 3

2.0 Geophysical Data 4
2.1 Magnetic Data 4
2.2 Radiometric Data 4

3.0 Survey Operations 4

4.0 Equipment 5
4.1 AGIS 6
4.2 Spectrometer 6
4.3 Magnetometer 7
4.4 Base Station 8
4.5 Laser Altimeter 9

5.0 Data Processing 9
5.1 Magnetic Processing 9
5.2 Radiometric Processing 10
5.3 Final Data Format 12

Appendix A: Equipment Specifications 14

Appendix B: Maps 20

1.0 Introduction:

This report outlines the survey operations and data processing actions taken during the airborne geophysical survey flown at the Pyramid Property. The airborne geophysical survey was flown by Precision GeoSurveys Inc. for ATAC Resources Ltd. The geophysical survey, carried out on July 28, 2011, saw the acquisition of high resolution magnetic and radiometric data.




Figure 1: Pyramid Property (outlined in red) with respect to the town of Mayo, YT.

The Pyramid Property lies approximately 165 km northeast of Mayo, YT (Figure 1). The survey area itself is approximately 2.5 km by 4.5 km (Figure 2 and 3). A total of 124.5 line kilometers of radiometric and magnetic data were flown for this survey, this total includes tie lines and survey lines. The survey lines were flown at 100 meter spacing's at a heading of 011°/191°; the tie lines were flown at 1 km spacing's at a heading of 101°/281° (Figure 4).



Figure 2: Pyramid Property (outlined in red).



Figure 3: Pyramid Property (outlined in red) with plotted survey and tie lines in yellow.




Figure 4: Proposed survey basemap of Pyramid grid showing survey (blue) and tie lines (red) and the boundary (dark red).

1.1 Survey Specifications:

The geodetic system used for this survey is WGS 84 and the area is contained in zone 8N. The survey data acquisition specifications and coordinates for the Pyramid survey are specified as follows (Table 1 and Table 2).

Survey Block Name	Line Spacing m	Survey Line km	Tie Line km	Total Line km	Survey Line Orientation	Nominal Survey Height m
Pyramid Grid	100	111.0	13.5	124.5	011 º /191º	35

Table 1: Pyramid survey acquisition specifications.

Longitude	Latitude	Easting	Northing
132.8275000	64.16861111	605610	7117620
132.7375000	64.15944444	610010	7116730
132.7494444	64.13777778	609520	7114310
132.8394444	64.14722222	605110	7115210

Table 2: Pyramid survey polygon coordinates using WGS 84 in zone 8N.

2.0 Geophysical Data:

Geophysical data are collected in a variety of ways and are used to aid in the exploration and determination of geology, mineral deposits, oil and gas deposits, contaminated land sites and UXO detection.

For the purposes of this survey, airborne gamma ray spectrometer and magnetic data were collected to serve in the exploration of the Pyramid property which contains rocks that are prospective for gold mineralization.

2.1 Magnetic Data:

Magnetic surveying is probably the most common airborne survey type to be conducted for both mineral and hydrocarbon exploration. The type of survey specifications, instrumentation, and interpretation procedures, depend on the objectives of the survey. Typically magnetic surveys are performed for:

1. Geological Mapping to aid in mapping lithology, structure and alteration in both hard rock environments and for mapping basement lithology, structure and alteration in sedimentary basins or for regional tectonic studies.
2. Depth to Basement mapping for exploration in sedimentary basins or mineralization associated with the basement surface.

2.2 Radiometric Data:

Radiometric surveys detect and map natural radioactive emanations, called gamma rays, from rocks and soils. All detectable gamma radiation from earth materials come from the natural decay products of three primary elements; uranium, thorium, and potassium. The purpose of radiometric surveys is to determine either the absolute or relative amounts of U, Th, and K in surface rocks and soils.

3.0 Survey Operations:

Precision GeoSurveys flew the Pyramid property using a Bell 206 BIII Jet Ranger (Figure 5). The survey lines were flown at a nominal line spacing of one hundred (100) meters and the tie lines were flown at 1 km spacing for both the spectrometer and magnetometer

as they were acquired simultaneously. The average survey elevation was 40.7 meters vertically above ground. The experience of the pilot helped to ensure that the data quality objectives were met and that the safety of the flight crew was never compromised given the potential risks involved in airborne surveying.



Figure 5: Bell 206 Jet Ranger equipped with mag stinger for magnetic data acquisition.

The base of operations for this survey was the Rackla airstrip, located approximately 160 km north-east of Mayo, YT. The Precision crew consisted of a total of three members:

John Witham – Pilot
Chris McKnight – Operator
Shawn Walker – On-site Geophysicist

The survey was surveyed and completed on July 28, 2011.

4.0 Equipment:

For this survey, a magnetometer, spectrometer, base station, laser altimeter, and a data acquisition system were required to carry out the survey and collect quality, high resolution data. The survey magnetometer is carried in an approved "stinger" configuration to enhance flight safety and improve data quality in mountainous terrain.

4.1 AGIS:

The Airborne Geophysical Information System, AGIS, (Figure 6), is the main computer used in data recording, data synchronizing, displaying real-time QC data for the geophysical operator, and generation of navigation information for the pilot display system.



Figure 6: AGIS installed in the Bell 206.

The AGIS was manufactured by Pico Envirotec; therefore the system uses standardized Pico software and external sensors are connected to the system via RS-232 serial communication cables. The AGIS data format is easily converted into Geosoft or ASCII file formats by a supplied conversion program called PEIView. Additional Pico software allows for post real time magnetic compensation and survey quality control procedures.

4.2 Spectrometer:

The IRIS, or Integrated Radiometric Information System is a fully integrated, gamma radiation detection system containing two downward facing NaI detecting crystals for a total volume of 8.4 litres (Figure 7). The IRIS is equipped with upward-shielding high density RayShield® gamma-attenuating material to minimize cosmic and solar gamma noise. Real time data acquisition, navigation and communication tasks are integrated into a single unit that is installed in the rear of the aircraft as indicated below. Information such as total count, counts of various radioelements (K, U, Th, etc.), temperature, barometric pressure, atmospheric humidity and survey altitude can all be monitored on the AGIS screen for immediate QC. All the radiometric data are recorded at 1 Hz.




Figure 7: IRIS strapped into the cargo box of the helicopter.

4.3 Magnetometer:

The magnetometer used by Precision GeoSurveys is a Scintrex cesium vapor CS-3 magnetometer. The system was housed in a front mounted "stinger" (Figure 8). The CS-3 is a high sensitivity/low noise magnetometer with automatic hemisphere switching and a wide voltage range, the static noise rating for the unit is +/- 0.01 nT. On the AGIS screen the operator can view the raw magnetic response, the magnetic fourth difference, aircraft position, and the survey altitude for immediate QC of the magnetic data. The magnetic data are recorded at 10 Hz. A magnetic compensator is also used to remove noise created by the movement of the helicopter as it pitches, rolls and yaws within the Earth's geomagnetic field.



Figure 8: View of the mag stinger.

4.4 Base Station:

For monitoring and recording of the Earth's diurnal magnetic field variation, Precision GeoSurveys uses two base stations: Scintrex proton precession Envi Pro magnetometer and GEM GSM-19T magnetometer. Both base stations are mounted as close to the survey blocks as possible to give accurate magnetic field data. The Envi Pro base station (Figure 9) uses the well proven precession technology to sample at a rate of 0.5 Hz. A GPS is integrated with the system to record real GPS time that is used to correlate with the GPS time collected by the airborne CS-3 magnetometer.



Figure 9: Scintrex Envi Pro proton precession magnetometer.

The GEM GSM-19T magnetometer (Figure 10) also uses the proton precession technology sampling at a rate of 0.5 Hz. The GSM-19T has an accuracy of +/- 0.2 nT at 1 Hz.



Figure 10: GEM GSM-19T proton precession magnetometer.

4.5 Laser Altimeter:

The pilot is provided with terrain guidance and clearance with an Acuity AccuRange AR3000 laser altimeter (Figure 11). This is attached at the aft end of the magnetometer boom. The AR3000 sensor is a time-of-flight sensor that measures distance by a rapidly-modulated and collimated laser beam that creates a dot on the target surface. The maximum range of the laser altimeter is 300 m off of natural surfaces with 90% reflectance and 3 km off special reflectors. Within the sensor unit, reflected signal light is collected by the lens and focused onto a photodiode. Through serial communications and analog outputs, the distance data are transmitted and collected by the AGIS at 10 Hz.



Figure 11: Acuity AccuRange AR3000 laser altimeter.

5.0 Data Processing:

After all the data are collected after a survey flight several procedures are undertaken to ensure that the data meet a high standard of quality. All data were processed using Pico Envirotec software and Geosoft Oasis Montaj geophysical processing software.

5.1 Magnetic Processing:

During aeromagnetic surveying noise is introduced to the magnetic data by the aircraft itself. Movement in the aircraft (roll, pitch and yaw) and the permanent magnetization of the aircraft parts (engine and other ferric objects) are large contributing factors to this noise. To remove this noise a process called magnetic compensation is implemented. The magnetic compensation process starts with a test flight at the beginning of the survey where the aircraft flies in the four orthogonal headings required for the survey ($000^o/180^o$ and $090^o/270^o$ in the case of this survey) at an altitude where there is no ground effect in the magnetic data. In each heading, specified 3 roll, 3 pitch, and 3 yaw maneuvers are performed by the pilot; these maneuvers provide the data that are required to calculate the

necessary parameters for compensating the magnetic data. A computer program called PEIComp is used to create a model for each survey to remove the noise induced by aircraft movement; this model is applied to each survey flight so the data can be further processed.

Followed by the compensation flight, a lag test is conducted. A lag correction of 1.0 seconds was applied to the total magnetic field data to compensate for the lag in the recording system as the magnetometer sensor flies 5.70 m ahead of the GPS antenna.

A magnetic base station is set up before every flight to ensure that diurnal activity is recorded during the survey flights. In this case, the base station was located in the bushes close to the Rackla airstrip. Base station readings were reviewed at regular intervals to ensure that no data were collected during periods with high diurnal activity (greater than 5 nT per minute). The base station was installed within the survey blocks at a magnetically noise-free area, away from metallic items such as steel objects, vehicles, or power lines. The magnetic variations recorded from the stationary base station are removed from the magnetic data recorded in flight to ensure that the anomalies seen are real and not due to solar activity.

Filtering is applied to the laser altimeter data as to remove vegetation clutter and to show the actual ground clearance. To remove vegetation clutter a Rolling Statistic filter was applied to the laser altimeter data and a low pass filter was used to smooth out the laser altimeter profile to remove isolated noise. As a result, filtering the data will yield a more uniform surface in close conformance with the actual terrain.

Some filtering of the magnetic data is also required. A Non Linear filter was used for spike removal. The 1D Non-Linear Filter is ideal for removing very short wavelength, but high amplitude features from data. It is often thought of as a noise spike-rejection filter, but it can also be effective for removing short wavelength geological features, such as signals from surficial features. The 1D Non-Linear Filter is used to locate and remove data that are recognized as noise. The algorithm is 'non- linear' because it looks at each data point and decides if that datum is noise or a valid signal. If the point is noise, it is simply removed and replaced by an estimate based on surrounding data points. Parts of the data that are not considered noise are not modified. The combination of a Non-Linear filter for noise removal and a low pass trend enhancement filter resulted in level data as indicated in the results section of this report. The low pass filters simply smoothes out the magnetic profile to remove isolated noise.

5.2 Radiometric Processing:

Calibrating the spectrometer system in the helicopter is the first and vital step before the airborne radiometric data can be processed. Once calibration of the system has been complete, the radiometric data are processed by windowing the full spectrum to create channels for U, K, Th and total count. A 5-point Hanning filter was applied to the Cosmic window before going any further with processing the radiometric data.

Aircraft background and cosmic stripping corrections were applied to all three elements, upward uranium channels, and total count using the following formula:

$$C_{ac} = C_{lt} - (a_c + b_c * \mathrm{Cos}_f)$$

where: C_{ac} is the background and cosmic corrected channel
C_{lt} is the live time corrected channel
a_c is the aircraft background for this channel
b_c is the cosmic stripping coefficient for this channel
Cos_f is the filtered cosmic channel

The radon backgrounds are first removed followed by compton stripping. Spectral overlap corrections are applied on to potassium, uranium, and thorium as part of the compton stripping process. This is done by using the striping ratios that have been calculated for the spectrometer by prior calibration, this breaks the corrected elemental values down into the apparent radioelement concentrations. Lastly, attenuation corrections are applied to the data which involves nominal survey altitude corrections, in this case 34 metres is applied to total count, potassium, uranium, and thorium data.

With all corrections applied to the radiometric data, the final step is to convert the corrected potassium, uranium, and thorium to apparent radioelement concentrations using the following formula:

$$eE = C_{cor} / s$$

where: eE is the element concentration K(%) and equivalent element concentration of U(ppm) & Th(ppm)
s is the experimentally determined sensitivity
Ccor is the fully corrected channel

Finally, the natural air absorption dose rate is determined using the following formula:

$$E = 13.08 * K + 5.43 * eU + 2.69 * eTh$$

where: E is the absorption dose rate in nG/h
K is the concentration of potassium (%)
eU is the equivalent concentration of uranium (ppm)
eTh is the equivalent concentration of thorium (ppm)

To calculate for radiometric ratios it follows the guidelines in the IAEA report. Due to statistical uncertainties in the individual radioelement measurements, some care was taken in the calculation of the ratio in order to obtain statistically significant values. Following IAEA guidelines, the method of determining ratios of the eU/eTh, eU/K and eTh/K was as follows:

1. Any data points where the potassium concentration was less than 0.25 were neglected.
2. The element with the lowest corrected count rate was determined.
3. The element concentrations of adjacent points on either side of each data point were summed until they exceeded a certain threshold value. This threshold was set to be equivalent to 100 counts of the element with the lowest count rate. Additional minimum thresholds of 1.6% for Potassium, 20 ppm for thorium, and 30 ppm for uranium were set up to insure meaningful ratios.
4. The ratios were calculated using the accumulated sums.

With this method, the errors associated with the calculated ratios will be similar for all data points.

5.3 Final Data Format

Abbreviations used in the GDB files are listed in the following table:

Channel	Units	Description
X	m	UTM Easting - WGS84 Zone 8 North
Y	m	UTM Northing - WGS84 Zone 8 North
Galt_m	m	GPS height - WGS84 Zone 8 North
Lalt	m	Laser Altimeter readings
DTM	m	Digital Terrain Model
GPStime	Hours:min:secs	GPStime
basemag	nT	Base station diurnal data
mag	nT	Total Magnetic Intensity
BaltLC	m	Barometric Altitude
Baro_mb	millibar	Atmospheric Pressure
BAROmg_kP	KiloPascal	Atmospheric Pressure
BstpLC	m	Barometric Altitude (Pres and Temp Corrected)
RaltLC	m	Laser altimeter - Aircraft/sensor height
TempLC	Degrees C	Air Temperature
COSFILT	counts/sec	Spectrometer - Filtered Cosmic
TCcor	µR	Dose Rate Equivalent
Kcor	%	Equivalent Concentration - Potassium
Ucor	ppm	Equivalent Concentration - Uranium
THcor	ppm	Equivalent Concentration - Thorium
THKratio		Spectrometer - eTh/%K ratio
UKratio		Spectrometer - eU/%K ratio
UTHratio		Spectrometer - eU/eTh ratio
Date	yyyy/mm/dd	Local Flight Date

Table 3: Pyramid property survey channel abbreviations.

The file format will be provided in two (2) formats, the first will be a .GDB file for use in Geosoft Oasis Montaj, the second format will be a .XYZ file, this is text file. A complete file provided in each format will contain both magnetic and radiometric data.

Appendix A

Equipment Specifications

Scintrex Envi Pro Proton Magnetometer with Integrated GPS (Base Station)

Total Field Operating Range	23,000 to 100,000 nT (gamma)
Total Field Absolute Accuracy	±1 nT (gamma)
Sensitivity	0.1 nT (gamma) at 2 second sampling rate
Tuning/ Sampling	Fully solid state. Manual or automatic, keyboard selectable Cycling (Reading) Rates 0.5, 1, 2, or 3 seconds
Gradiometer Option	Includes a second sensor, 0.5m (20 inch) staff extender and processor module
Gradient Tolerance	> 7000 nT (gamma)/m
'Walking' Mode	Continuous reading, cycling as fast as 0.5 seconds
Supplied GPS Accuracy	+/- 1m (Autonomous), < 1m WAAS Connects to most external GPS receivers with NMEA & PPS output
Standard Memory	Total Field Measurements: 84,000 readings Gradiometer Measurements: 67,000 readings Base Station Measurements: 500,000 readings
Real-Time Clock	1 second resolution, ± 1 second stability over 24 hours or GPS time
Digital Data Output	RS-232C, USB Adapter
Power Supply	Rechargeable, 2.9 Ah, lead-acid dry cell battery 12 Volts External 12 Volt input for base station operations
Operating Temperature	40°C to +60°C (-40°F to +140°F)
Dimensions and Weight	Console: 250mm x 152mm x 55mm (10" x 6" x 2.25") 2.45 kg (5.4 lbs) with rechargeable battery Magnetic 70mm d x 175mm (2.75"d x 7") Sensor: 1 kg (2.2 lbs) Gradiometer 70mm d x 675mm (2.75"d x 26.5") Sensor: (with staff extender) 1.15 kg (2.5 lbs) Sensor Staff: 25mm d x 2m (1"d x 76") 0.8 kg (1.75 lbs)

GEM GSM-19T Proton Precession Magnetometer (Base Station)

Configuration Options	15
Cycle Time	999 to 0.5 sec
Environmental	-40 to +60 ° Celsius
Gradient Tolerance	7,000 nT/m
Magnetic Readings	299,593
Operating Range	10, 000 to 120,000 nT
Power	12 V @ 0.62 A
Sensitivity	0.1 nT @ 1 sec
Weight (Console/ Sensor)	3.2 Kg
Integrated GPS	Yes

Scintrex CS-3 Survey Magnetometer

Operating Principal	Self-oscillation split-beam Cesium Vapor (non-radioactive Cs-133)
Operating Rage	15,000 to 105,000 nT
Gradient Tolerance	40,000 nT/metre
Operating Zones	10° to 85° and 95° to 170°
Hemisphere Switching	a) Automatic b) Electronic control actuated by the control voltage levels (TTL/CMOS) c) Manual
Sensitivity	0.0006 nT √Hz rms.
Noise Envelope	Typically 0.002 nT P-P, 0.1 to 1 Hz bandwidth
Heading Error	+/- 0.25 nT (inside the optical axis to the field direction angle range 15° to 75° and 105° to 165°)
Absolute Accuracy	<2.5 nT throughout range
Output	a) continuous signal at the Larmor frequency which is proportional to the magnetic field (proportionality constant 3.49857 Hz/nT) sine wave signal amplitude modulated on the power supply voltage b) square wave signal at the I/O connector, TTL/CMOS compatible
Information Bandwidth	Only limited by the magnetometer processor used
Sensor Head	Diameter: 63 mm (2.5”) Length: 160 mm (6.3”) Weight: 1.15 kg (2.6 lb)
Sensor Electronics	Diameter: 63 mm (2.5”) Length: 350 mm (13.8”) Weight: 1.5 kg (3.3 lb)
Cable, Sensor to Sensor Electronics	3m (9’ 8”), lengths up to 5m (16’ 4”) available
Operating Temperature	-40°C to +50°C
Humidity	Up to 100%, splash proof
Supply Power	24 to 35 Volts DC
Supply Current	Approx. 1.5A at start up, decreasing to 0.5A at 20°C
Power Up Time	Less than 15 minutes at -30°C

Pico Envirotec GRS-10 Gamma Spectrometer


Crystal volume	16.8 liters downward plus 4.2 liters upward
Resolution	256/512 channels
Tuning	Automatic using peak determination algorithm
Detector	Digital Peak
Calibration	Fully automated detector
Real Time	Linearization and gain stabilization
Communication	RS232
Detectors	Expandable to 10 detectors and digital peak
Count Rate	Up to 60,000 cps per detector
Count Capacity per channel	65545
Energy detection range:	36 KeV to 3 MeV
Cosmic channel	Above 3 MeV
Upward Shielding	RayShield® non-radioactive shielding
Spectra	Collected spectra of 256/512 channels, internal spectrum resolution 1024
Software	**Calibration:**High voltage adjustment, linearity correction coefficients calculation, and communication test support **Real Time Data Collection:** Automatic Gain real time control on natural isotopes, and PC based test and calibration software suite
Sensor	Each box containing two (2) gamma detection NaI(Tl) crystals – each 4.2 liters. (256 cu in.) (approx. 100 x 100 x 650 mm) Total volume of approx 8.4 litres or 512 cu in with detector electronics
Spectra Stabilization	Real time automatic corrections on radio nuclei: Th, U, K. No implanted sources.

Pico Envirotec AGIS data recorder system
(for Navigation, Gamma spectrometer, VLF-EM and Magnetometer Data Acquisition)


Functions	Airborne Geophysical Information System (AGIS) with integrated Global Positioning System Receiver (GPS) and all necessary navigation guidance software. Inputs for geophysical sensors - portable gamma ray spectrometer GRS-10, MMS4 Magnetometer, Totem 2A EM, A/D converter, temperature probe, humidity probe, barometric pressure probe, and laser altimeter. Output for the 2 line Pilot Indicator
Display	Touch screen with display of 800 x 600 pixels; customized keypad and operator keyboard. Multi-screen options for real-time viewing of all data inputs, fiducial points, flight line tracking, and GPS channels by operator.
GPS Navigation	Garmin 12-channel, WAAS-enabled
Data Sampling	Sensor dependent
Data Synchronization	Synchronized to GPS position
Data File	PEI Binary data format
Storage	80 GB
Supplied Software	**PEIView:** Allows fast data Quality Control (QC) **Data Format:** Geosoft GBN and ASCII output **PEIConv**: For survey preparation and survey plot after data acquisition
Software	**Calibration:** High voltage adjustment, linearity correction coefficients calculation, and communication test support **Real Time Data Collection:** Automatic Gain real time control on natural isotopes and PC based test and calibration software suite
Power Requirements	24 to 32 VDC
Temperature	Operating:-10 to +55 deg C; storage:-20 to +70 deg C

Appendix B


Maps




Map 1: Pyramid Grid – Total Magnetic Field.




Map 2: Pyramid Grid – Total Magnetic Field with plotted flight lines.




Map 3: Pyramid Grid – Calculated Vertical Gradient.




Map 4: Pyramid Grid – Corrected Total Radiometric Count.




Map 5: Pyramid Grid – Corrected Potassium.




Map 6: Pyramid Grid – Corrected Thorium.




Map 7: Pyramid Grid – Corrected Uranium.



Map 8: Pyramid Grid – Thorium/Potassium Ratio.



Map 9: Pyramid Grid – Uranium/Potassium Ratio.



Map 10: Pyramid Grid – Uranium/Thorium Ratio.