

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

**PROSPECTING, GEOCHEMICAL SAMPLING
AND AN AIRBORNE GEOPHYSICAL SURVEY**

at the

SCEPTRE PROPERTY

Sceptre 1-20 YD109297-YD109316

NTS 106D/01 and 106C/04
Latitude 64°06'N; Longitude 134°02'W

in

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Eaton, GIT, B.Sc. Geology

March 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
GEOLOGY	2
MINERALIZATION	3
SOIL AND STREAM SEDIMENT GEOCHEMISTRY	4
AIRBORNE GEOPHYSICAL SURVEY	5
DISCUSSION AND CONCLUSIONS	5
REFERENCES	7

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	ROCK SAMPLE DESCRIPTIONS
III	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Geology	2
5	Sample Locations	3
6	Gold Soil Geochemistry	3
7	Zinc Soil Geochemistry	3
8	Fraser Filtered High Moment X-Coil Gate 18	5
9	Residual Magnetic Field	5

INTRODUCTION

The Sceptre property covers a prominent gossanous kill zone located in central Yukon within a district of significant volcanogenic massive sulphide and precious metal enriched vein and replacement style mineralization, which include the Marg deposit of Redtail Metals Corp., the Tiger and Osiris deposits of ATAC Resources Ltd. and the Craig deposit of Xstrata. The Sceptre property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes prospecting and geochemical sampling conducted on June 4 and July 20, 2011 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author participated in and supervised this project and her Statement of Qualifications is in Appendix I.

This report also describes an airborne SkyTEM electromagnetic and magnetic survey that was conducted by Aurora Geosciences on behalf of Expedition Mining Ltd., which owns claims surrounding the Sceptre property. The survey covered the Sceptre property and Expedition Mining offered this data to Strategic Metals at no cost.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Sceptre property lies about 105 km northeast of the community of Mayo and is centred at latitude 64°06' north and longitude 134°12' west on NTS map sheets 106D/01 and 106C/04 (Figure 1). The property comprises 20 mineral claims that cover an area of approximately 400 ha (4 sq. km.). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, while their locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Sceptre 1-20	YD109297-YD109316	March 15, 2016

* Expiry dates include 2011 work that has been filed for assessment credit but not yet accepted.

Daily access to and from the property was provided by a Hughes 500D helicopter operated by Fireweed Helicopters from a temporary base at the Rackla airstrip, which is located approximately 40 km northeast of the property. All personnel stayed in a tent camp at the airstrip.

HISTORY AND PREVIOUS WORK

Although evidence of previous exploration (including flagging tape and old fuel drums) is present on the gossanous kill zone, there is no public record of historical work in the area.

In September 2010, Strategic Metals staked the Sceptre claims to cover the gossanous kill zone, which it had observed earlier that summer while flying to a nearby property.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION


SCEPTRE PROPERTY


0 250 km
UTM ZONE 8, NAD 83, 106D/01

FILE: ...2011/MIDAS TOUCH/FIGURES/

DATE: MARCH 2012

⌵ Deposit/occurrence mentioned in text





GEOMORPHOLOGY

The Sceptre property is situated in the Nadaleen Range of the Selwyn Mountains. Creeks draining the property flow into the Rackla and Beaver rivers. Both of these rivers are tributaries of the Stewart River, which is part of the Yukon River watershed.

Topographic relief is moderate to steep, with peaks on the north and south sides of the property separated by a linear, northwest-southeast trending valley. Soil development is generally poor at higher elevations. Outcrop and talus are restricted to steeper slopes. The gossanous kill zone is located on the valley floor at the centre of the property.

Elevations on the property range from 1065 m above sea level (asl) within the valley to 1585 m asl on the northern peak. Treeline is at approximately 1400 m asl, and about one fifth of the property lies above that elevation. The lower slopes are thickly treed with spruce, fir and shrub willow, while upper slopes are characterized by grass, moss, lichen and a mix of dwarf alder and willow brush.

The climate in the Sceptre property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.


GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Sceptre property at 1:250,000 scale in the early 1970s (Blusson, 1974). The Yukon Geological Survey conducted 1:50,000 scale mapping in the area in the 1990s (Abbott, 1990). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology, which updated the lithological unit names in the Sceptre property area.

The property lies at the northern edge of Selwyn Basin, a predominantly off-shelf meta-sedimentary and meta-volcanic sequence that formed on the western margin of the North American craton during Paleozoic times. The property is situated near the boundary between deep water units of Selwyn Basin and continental shelf strata of MacKenzie Platform (Figure 3).

Geology in the immediate vicinity of Sceptre property includes two sedimentary units classified by Gordey and Makepeace (2003) as Earn Group and Jones Lake Formation (Figure 4).

Earn Group (DME1) mainly consists of thin bedded, laminated slate with thin to thickly interbedded, fine to medium grained chert-quartz arenite and wacke. Thick members of chert pebble conglomerate are interbedded within the finer grained siliciclastic subunits. Limestone and black siliceous siltstone horizons and nodular and bedded barite are minor but locally abundant subunits of the Earn Group. Most of the property is underlain by this unit. In 2011, it was found on both sides of the valley. Cleavage orientations dominantly to strike east and dip moderately (about forty degrees) to the south.



STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING

SCEPTRE PROPERTY

0 300 km

FILE: ...2011/SCEPTRE/Tectonic.wor

DATE: MARCH 2012



Jones Lake Formation comprises brown to buff weathering, calcareous, fine grained sandstone, argillite and shale and massive, light grey weathering, fine crystalline, dark grey limestone. The fine grained clastic units exhibit extensive ripple cross-lamination and bioturbation. Minor orange weathering platy limestone is also present within this unit. Jones Lake Formation has been mapped in the northern part of the property, but was not observed in 2011.

The nearest intrusive body is a small, mid-Cretaceous Selwyn Suite plug composed of biotite quartz monzonite, granodiorite and/or quartz diorite. This plug is situated nine kilometres west of the property.

The major structural feature in the area is the Dawson Thrust Fault, which is a north directed structure that lies six kilometres north of the property. The linear valley that trends northwest to southeast across the property likely represents the surface trace of an unmapped fault.


MINERALIZATION


The prominent gossanous kill zone is approximately 150 m long by 50 m wide and occurs along the floor of the linear valley that bisects the property (see photo). The gossan is characterized by blocks and fragments of yellow to blood red to dark brown ferricrete, which is actively forming around a natural spring at the centre of the gossan. The ferricrete often contains clasts of Earn Group shale and rare quartz vein. The gossan could not be traced in any direction due to dense vegetative ground cover.




In 2011, nine rock samples were taken from the gossan. Sample locations are plotted on Figure 5, while results for gold and zinc are plotted on Figures 6 and 7, respectively. Rock Sample Descriptions are provided in Appendix II and Certificates of Analysis are given in Appendix III.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Multi-element analyses for rock samples were carried out at ALS Chemex in Whitehorse, Yukon and/or North Vancouver, B.C. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL44). Reanalysis for gold by fire assay with atomic absorption spectroscopy (Au-AA26) was completed on all rock samples, using a 50 g charge from pulverized material. Reanalysis was spurred by the discovery of possible interference of gold recovery by the presence of sulfide and/or carbon for Au-TL44







analytical methods. This interference affected other properties comprising Strategic Metals' Midas Touch Project.

All samples collected from the Sceptre property are ferricrete, except one which comprises pervasively rusty, highly fractured quartz vein. The rocks yielded subdued values for all base and precious metals and their indicators, with the exception of zinc which returned weakly (1800 ppm) and moderately (2610 ppm) anomalous values from two samples. The gold reanalyses by fire assay returned similar values to those obtained by the Au-TL44 method, all of which were 0.010 g/t or less.

SOIL AND STREAM SEDIMENT GEOCHEMISTRY

In June 2011, two stream sediment and 38 contour samples were collected from the property. The contour samples were collected at 100 m spacings on two lines, which were located on either side of the valley. In July, an additional 184 grid soil samples were collected at 100 by 50 m spacings on the southwest side of the valley to follow up weakly to moderately anomalous gold-in-soil values obtained from the first phase of sampling.

Sample locations are plotted on Figure 5, while results for gold and zinc are plotted on Figures 6 and 7. Certificates of Analysis are given in Appendix III. Stream sediment samples were collected from creeks by hand, while soil samples were collected from 20 to 50 cm deep holes using hand-held augers. All samples were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All sample locations were recorded using hand-held GPS units. All samples were sent to ALS Chemex in Whitehorse, Yukon and/or Vancouver, B.C., where they were dried, screened to -180 microns, and then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43). Reanalysis for gold by fire assay with inductively coupled plasma-mass spectroscopy finish (Au-ICP21) was completed on six soil samples from the first phase of sampling, using a 30 g charge from pulverized material.

Stream sediment samples were collected from a creek draining the northeast corner of the property and from a creek within the gossan. Both samples yielded subdued values for all base and precious metals, except zinc. The sample taken within the gossan returned 3050 ppm zinc and 162 ppm arsenic, while the other sample yielded 2480 ppm zinc.

Soil samples taken along the northern contour line also returned background values for most elements of interest. Three samples at the northwest end of the line yielded weakly to moderately elevated zinc values (200 to 906 ppm). Another sample within this area returned 24.6 ppm antimony, which has been used as a gold pathfinder element at some deposits within the region.

Soil samples collected from the southern contour line and grid outlined a southeast-trending,

800 by 300 m area of weakly to moderately anomalous gold values. Values within this area range from 10 to 40 ppb gold (by Au-TL43). Samples taken from the valley floor within and down-valley from the gossan returned weakly to strongly elevated zinc values (200 to 1490 ppm).

The six soil samples that were reanalyzed by fire assay yielded gold values that averaged 2.8 times higher than the original values. The best result (61 ppb, increased from 23 ppb) was obtained from a sample collected within the anomalous gold trend.

AIRBORNE GEOPHYSICAL SURVEY

Expedition Mining contracted Aurora Geosciences to complete an airborne SkyTEM electromagnetic and magnetic survey over its claims adjacent to the Sceptre property. This survey was also flown over the Sceptre property and the data was provided to Strategic Metals.




The Fraser Filtered High Moment X-coil Gate 18 electromagnetic data is plotted on Figure 8, while residual magnetic field is shown on Figure 9. Aurora Geosciences completed a preliminary interpretation of the data and the following summary is based on its description.

Although the magnetic response is weak over the property (-114 to -94 nT), an approximately 1000 m wide band of relatively high magnetism trends east-northeasterly across the property. The northern margin of this magnetic high approximately coincides with a conductivity boundary. Conductive areas are located within the southeast corner and west-central part of the property and are disrupted by a 1000 m wide, northeast-trending zone of resistivity. A conductive trend that coincides with the linear valley joins the two conductive areas and cuts the resistive zone. The gossanous kill zone lies along this conductor.

DISCUSSION AND CONCLUSIONS

Strategic Metals' work program was designed to test the economic potential of the prominent gossanous kill zone on the Sceptre property. It successfully identified encouraging gold-in-soil values on the hillside to the south of the gossan and elevated zinc values from stream sediment and soil samples collected within the gossan and on the slope to the north.

Because the region is known for its abundance and diversity of mineral occurrences (including volcanogenic massive sulphide, Mississippi Valley-Type, sulphide-rich vein and Carlin-type deposits), a variety of deposit models should be considered for the design and implementation of future exploration programs on the property. The work should focus on finding the source of the elevated metals in soil and to expand the soil sample coverage. This work should include: 1) systematic detailed prospecting within the anomalous gold area; 2) grid sampling in the northwest corner of the property to better constrain the zinc- and antimony-in-soil anomaly; and 3) hand pitting or trenching to follow up anomalous soil sample sites and/or to better expose near surface mineralization, if it is discovered.



-  Conductive area
-  Gossan
-  Magnetic boundary
-  Mid-time X-coil trend

STRATEGIC METALS LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RESIDUAL MAGNETIC FIELD

SCEPTRE PROPERTY

0 500 1000 m

UTM ZONE 8, NAD 83, 106D/01

FILE: ...2011/MIDAS_TOUCH/FIGURES/

DATE: MAR 2012

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A handwritten signature in blue ink, consisting of a stylized 'S' followed by a large, sweeping loop that extends upwards and to the right.

S. Eaton, GIT, B.Sc. Geology

REFERENCES

- Abbott, J.G.,
1990. Geological map of Mt. Westman map area (106D/1); Exploration and Geological Services Division, Yukon, Indian and Northern Affairs, Canada, Open File 1990-1.
- Blusson, S.,
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Gordey, S.P. and Makepeace, A.J.,
2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Nelson, J.L. and Colpron, M.
2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordillera_n_metallogeny.pdf

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.



S. Eaton, GIT, B.Sc. Geology

95904

Q/M 01296

Statement of Expenditures
Sceptre 1-20 Mineral Claims
October 6, 2011

Labour

S. Eaton (geologist) June 2011 – 1 day @ \$680/day	\$ 761.60
A. Mitchell (field assistant) June 2011 – 1 day @ \$496/day	555.52
S. Dosch (field assistant) July 2011 – 1 day @ \$344/day	385.28
K. Didlick (field assistant) July 2011 – 1 day @ \$344/day	385.28
C. Small (field assistant) July 2011 – 1 day @ \$344/day	385.28
	<u>2,472.96</u>

Expenses (including management fee)

Field room and board – 5 mandays @ \$150/manday	840.00
Fireweed Helicopters	5,460.00
ALS Chemex	5,965.88
	<u>12,265.88</u>

Total	<u>\$14,738.84</u>
-------	--------------------



APPENDIX II
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Sceptre</u>	NAD83 Zone 8 4/6/11	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078601	UTM:	547317 E	UTM:	7108580 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 5 fragments of dark brown ferricrete with rare shale fragments collected from 1.5 by 1.5 m pod at S edge of gossan. Ferricrete is soft, actively forming.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078602	UTM:	547256 E	UTM:	7108590 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Rusty grey weathering, highly fractured, pervasively rusty quartz. Elongated vugs with fine quartz crystals and purple-brown iron stain. 1 block taken from exposed pocket in swampy moss off S edge of gossan.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078603	UTM:	547259 E	UTM:	7108597 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 5 fragments of relatively dense ferricrete taken at S edge of gossan from a 50 x 50 cm area.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078604	UTM:	547214 E	UTM:	7108610 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 10 piece composite sample of ferricrete taken within 5 x 2 m area at south edge of gossan						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078605	UTM:	547275 E	UTM:	7108624 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 5 piece composite ferricrete sample taken from edge of natural spring. The spring is surrounded by hard packed yellow to deep blood red ferricrete.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078606	UTM:	547287 E	UTM:	7108605 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 5 fragments of ferricrete taken within of a prominent "circular" ferricrete zone (old spring?).						

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Sceptre</u>	NAD83 Zone 8 4/6/11	
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078607	UTM:	547365 E	UTM:	7108577 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 10 fragments of ferricrete taken from a 10 x 10 m area. Ferricrete has shale fragments. Collected from eastern extent of gossan (40 x 15 m secondary gossan at east end of main gossan)						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078608	UTM:	547308 E	UTM:	7108604 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: 4 pieces of dark purple-brown ferricrete collected within 50 x 50 cm						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I078609	UTM:	547322 E	UTM:	7108610 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Rusty brown weathering, brecciated shale with orange-red and light grey cement (clast supported). Collected within gossan. Does not look like realgar.						

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17- JUN- 2011
Account: MTT

CERTIFICATE WH11100826

Project: Midas Touch- Sceptre

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7- JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL44	Trace Level Au - 50 g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- JUN- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100826

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL44 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
I078601		0.45	0.009	0.07	0.29	4.9	<0.2	<10	120	0.06	0.03	0.03	0.02	5.03	1.2	3
I078602		0.70	<0.001	0.03	0.09	6.2	<0.2	<10	210	0.16	0.01	0.01	0.14	0.85	1.2	8
I078603		0.49	0.002	0.12	0.19	2.3	<0.2	<10	70	1.08	0.01	0.02	0.37	15.80	37.0	<1
I078604		0.67	0.004	0.15	0.48	17.4	<0.2	<10	450	0.65	0.04	0.02	0.59	15.00	333	1
I078605		0.29	<0.001	0.05	0.40	23.4	<0.2	<10	10	0.51	0.01	0.02	0.03	15.05	1.4	<1
I078606		0.56	0.002	0.07	0.20	2.0	<0.2	<10	90	0.12	0.01	<0.01	0.05	1.81	5.4	<1
I078607		0.99	0.003	0.11	0.41	2.5	<0.2	<10	340	0.12	0.04	0.01	0.26	6.14	69.3	4
I078608		0.45	0.003	0.07	0.32	1.0	<0.2	<10	160	0.24	0.02	<0.01	0.84	9.36	105.0	<1
I078609		0.37	0.001	0.05	0.41	7.4	<0.2	<10	510	0.12	0.10	0.01	0.12	4.71	15.8	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100826

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I078601		0.49	8.0	36.4	0.63	0.36	0.09	0.04	<0.005	0.05	1.6	1.4	0.04	<5	0.42
I078602		<0.05	61.5	3.86	0.14	0.10	<0.02	0.04	0.018	0.01	0.4	0.2	<0.01	52	0.51
I078603		0.15	6.9	>50	0.25	0.58	0.16	0.04	<0.005	0.01	6.7	0.3	0.01	839	0.40
I078604		0.65	16.9	44.7	0.98	0.51	0.21	0.08	0.006	0.07	4.5	1.1	0.03	8520	0.65
I078605		<0.05	0.6	42.0	0.17	0.53	0.25	0.02	<0.005	<0.01	2.5	0.1	0.01	<5	2.06
I078606		0.11	2.0	>50	0.21	0.51	0.03	0.02	<0.005	0.02	0.4	0.2	0.01	122	0.25
I078607		0.67	9.0	40.9	1.35	0.45	0.11	0.05	0.008	0.11	2.6	0.7	0.02	2920	0.51
I078608		0.35	9.8	49.2	0.60	0.58	0.12	0.03	<0.005	0.04	2.0	0.2	0.01	3460	0.36
I078609		0.44	36.6	3.24	1.47	0.15	0.06	0.12	0.014	0.05	2.3	2.2	0.02	249	0.53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- JUN- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100826

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
I078601		0.31	9.2	160	3.5	3.0	<0.001	2.23	0.26	0.6	0.8	<0.2	9.0	0.01	0.07	0.4
I078602		0.13	3.8	1050	20.3	0.2	<0.001	0.07	0.71	1.2	0.4	<0.2	20.0	<0.01	<0.01	0.5
I078603		0.55	76.6	50	0.9	0.9	0.001	0.29	0.08	0.5	1.3	<0.2	6.3	0.04	0.11	<0.2
I078604		0.54	168.5	130	2.9	3.7	0.001	0.23	0.24	1.0	2.5	<0.2	12.5	0.04	0.15	0.6
I078605		0.47	3.5	200	6.8	0.1	0.002	3.39	0.59	0.3	1.6	<0.2	5.3	0.06	0.18	<0.2
I078606		0.54	6.8	50	1.1	0.8	<0.001	1.33	0.21	0.3	0.5	<0.2	2.6	<0.01	0.28	<0.2
I078607		0.56	21.8	190	2.9	6.1	0.001	0.92	0.35	0.7	0.6	<0.2	6.9	<0.01	0.32	0.8
I078608		0.56	30.4	100	1.3	2.3	0.001	0.93	0.14	0.4	1.2	<0.2	2.5	0.02	0.44	0.3
I078609		0.09	52.0	100	13.5	3.4	<0.001	0.06	0.38	1.7	1.0	<0.2	18.0	<0.01	0.07	0.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17- JUN- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100826

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I078601		<0.005	0.04	0.13	9	0.06	11.95	126	2.3
I078602		<0.005	<0.02	1.07	39	<0.05	0.59	67	0.8
I078603		<0.005	0.04	0.35	6	0.16	82.4	1800	0.6
I078604		<0.005	0.11	1.26	12	0.17	50.5	2610	2.6
I078605		<0.005	<0.02	<0.05	32	0.25	62.6	161	<0.5
I078606		<0.005	<0.02	<0.05	5	<0.05	4.55	962	<0.5
I078607		0.007	0.19	0.16	20	0.05	9.23	471	3.4
I078608		<0.005	0.33	0.32	7	0.10	25.7	997	1.4
I078609		<0.005	0.03	0.29	25	<0.05	4.29	178	2.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Sceptre

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17- JUN- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11100826

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26- AUG- 2011
Account: MTT

CERTIFICATE WH11146238

Project: Midas Touch- Sceptre

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 26- AUG- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11146238

Sample Description	Method Analyte Units LOR	Au- AA26 Au ppm 0.01
I078601		0.01
I078602		<0.01
I078603		0.01
I078604		0.01
I078605		<0.01
I078606		<0.01
I078607		<0.01
I078608		<0.01
I078609		0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16- JUN- 2011
Account: MTT

CERTIFICATE WH11100828

Project: Midas Touch- Sceptre

P.O. No.:

This report is for 2 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 7- JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100828

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128051		0.10	0.002	0.08	0.11	162.0	<0.2	<10	130	0.19	0.03	0.48	0.35	3.57	19.0	<1
CC128012		0.42	0.001	0.11	0.20	12.1	<0.2	<10	440	0.22	0.02	0.35	3.49	6.47	467	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100828

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC128051		0.31	7.2	40.8	0.45	0.56	0.08	0.03	<0.005	0.01	1.8	1.3	0.07	350	2.34
CC128012		1.03	21.6	35.8	0.81	0.50	0.12	0.03	0.006	0.01	3.7	1.5	0.05	12900	15.70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100828

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
CC128051		0.50	243	1120	1.8	1.2	0.002	0.20	0.90	1.2	1.1	0.4	104.5	0.01	0.40	0.4
CC128012		0.45	518	2760	2.1	1.2	0.001	0.04	2.64	2.2	0.8	0.2	35.3	0.01	0.29	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- JUN- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100828

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128051		<0.005	0.05	1.66	6	0.17	36.0	3050	2.1
CC128012		0.005	0.24	1.08	8	0.49	6.30	2480	4.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Sceptre

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- JUN- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11100828

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 16- JUN- 2011
Account: MTT

CERTIFICATE WH11100827

Project: Midas Touch- Sceptre

P.O. No.:

This report is for 38 Soil samples submitted to our lab in Whitehorse, YT, Canada on 7- JUN- 2011.

The following have access to data associated with this certificate:

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100827

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128052		0.15	0.002	0.15	0.55	8.0	<0.2	<10	70	0.06	0.26	0.02	0.05	32.0	1.4	11
CC128053		0.22	0.010	0.24	0.97	13.0	<0.2	<10	120	0.10	0.38	0.02	0.08	33.5	3.7	19
CC128054		0.15	0.006	0.43	1.08	15.8	<0.2	<10	110	0.12	0.31	0.03	0.09	25.1	3.8	20
CC128055		0.15	0.001	0.14	0.55	3.9	<0.2	<10	200	0.13	0.21	0.02	0.17	31.4	0.6	11
CC128056		0.21	0.013	0.62	1.25	16.5	<0.2	<10	110	0.18	0.34	0.02	0.10	29.5	2.8	19
CC128057		0.21	0.009	0.49	0.86	26.3	<0.2	<10	170	0.11	0.41	0.01	0.07	63.5	1.5	20
CC128058		0.19	0.006	0.42	0.64	12.3	<0.2	<10	160	0.11	0.39	0.01	0.12	28.3	1.7	12
CC128059		0.21	0.023	0.24	0.84	18.4	<0.2	<10	100	0.11	0.41	0.01	0.09	31.7	3.0	15
CC128060		0.20	0.020	0.19	1.08	15.7	<0.2	<10	110	0.15	0.41	0.02	0.11	31.2	4.9	20
CC128061		0.23	0.005	0.36	0.82	12.7	<0.2	<10	130	0.19	0.20	0.05	0.72	23.2	7.4	18
CC128062		0.25	0.003	0.16	0.84	9.9	<0.2	<10	70	0.11	0.21	0.02	0.17	26.8	2.3	15
CC128063		0.17	0.002	0.61	0.64	14.2	<0.2	<10	60	0.06	0.29	0.02	0.06	32.8	0.9	12
CC128064		0.17	0.006	0.58	1.20	19.4	<0.2	<10	130	0.18	0.32	0.02	0.10	21.3	3.5	24
CC128065		0.19	0.003	0.54	0.89	19.8	<0.2	<10	80	0.12	0.39	0.01	0.05	28.1	1.6	19
CC128066		0.27	0.002	0.56	0.77	13.5	<0.2	<10	90	0.09	0.31	0.02	0.08	24.8	1.8	14
CC128067		0.23	0.006	0.45	0.77	18.6	<0.2	<10	80	0.11	0.31	0.02	0.04	25.9	1.8	20
CC128068		0.19	0.004	0.46	0.76	21.9	<0.2	<10	110	0.12	0.40	0.01	0.05	22.4	0.9	17
CC128069		0.14	0.003	0.67	0.80	13.2	<0.2	<10	110	0.12	0.22	0.04	0.21	15.15	2.1	17
CC128070		0.22	0.005	0.28	0.94	16.8	<0.2	<10	90	0.15	0.33	0.03	0.07	23.2	2.8	22
CC128003		0.35	0.004	0.67	0.96	10.9	<0.2	<10	100	0.11	0.34	0.03	0.11	30.1	3.0	15
CC128004		0.26	0.003	0.87	0.99	21.8	<0.2	<10	140	0.18	0.39	0.03	0.11	34.5	5.4	21
CC128005		0.25	0.004	0.98	1.23	27.0	<0.2	<10	130	0.21	0.38	0.02	0.07	45.8	2.3	28
CC128006		0.19	0.001	0.39	0.76	6.8	<0.2	<10	110	0.10	0.33	0.02	0.11	42.5	1.4	13
CC128007		0.34	0.003	0.91	1.16	25.4	<0.2	<10	140	0.20	0.44	0.02	0.13	28.2	1.8	28
CC128008		0.23	0.002	0.89	1.72	22.6	<0.2	<10	120	0.27	0.37	0.04	0.16	32.6	3.9	34
CC128009		0.19	0.002	0.53	0.82	11.1	<0.2	<10	90	0.10	0.27	0.03	0.12	28.2	2.2	16
CC128010		0.21	0.003	0.45	1.09	16.8	<0.2	<10	100	0.19	0.27	0.04	0.17	27.0	4.0	25
CC128011		0.20	0.001	0.80	1.29	15.5	<0.2	<10	140	0.31	0.30	0.03	0.48	18.45	3.0	22
CC128013		0.35	0.002	0.48	1.17	11.8	<0.2	<10	110	0.24	0.26	0.03	0.33	25.1	4.1	18
CC128014		0.24	0.001	0.69	1.19	12.2	<0.2	<10	110	0.21	0.28	0.05	0.43	27.2	5.2	20
CC128015		0.37	0.003	0.64	1.22	15.0	<0.2	<10	130	0.21	0.26	0.04	0.57	31.0	6.5	24
CC128016		0.29	0.001	1.33	0.88	12.5	<0.2	<10	130	0.15	0.27	0.02	0.23	32.8	2.5	14
CC128017		0.25	0.002	0.52	0.73	9.8	<0.2	<10	130	0.14	0.24	0.04	0.22	28.3	2.5	12
CC128018		0.39	0.004	0.19	1.06	16.9	<0.2	<10	230	0.23	0.19	0.13	1.45	26.7	114.0	18
CC128019		0.34	0.002	1.02	1.49	13.1	<0.2	<10	100	0.30	0.27	0.05	0.72	25.0	7.5	25
CC128020		0.38	0.005	0.28	1.41	12.6	<0.2	<10	90	0.34	0.18	0.04	0.71	27.3	6.5	25
CC128021		0.41	0.003	0.27	0.73	18.1	<0.2	<10	150	0.17	0.12	0.06	2.30	14.45	3.8	12
CC128022		0.55	0.003	0.19	0.96	12.9	<0.2	<10	110	0.27	0.17	0.15	1.54	30.0	9.9	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100827

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
CC128052		0.76	16.4	1.30	5.80	0.15	<0.02	0.02	0.010	0.03	16.0	1.5	0.04	60	1.91
CC128053		1.81	74.9	3.44	5.19	0.19	<0.02	0.06	0.029	0.04	16.0	11.4	0.22	105	2.17
CC128054		1.55	34.1	3.35	5.71	0.19	<0.02	0.06	0.027	0.04	12.1	13.1	0.19	194	2.53
CC128055		0.71	23.6	0.64	3.67	0.16	<0.02	0.03	0.014	0.04	16.2	0.7	0.02	18	1.01
CC128056		1.01	140.5	3.42	4.18	0.21	0.02	0.10	0.037	0.02	14.2	19.0	0.20	102	1.83
CC128057		2.08	85.9	3.25	3.39	0.22	0.03	0.31	0.040	0.05	34.3	15.0	0.23	73	5.11
CC128058		1.22	62.6	2.61	4.69	0.20	<0.02	0.08	0.023	0.04	12.7	3.6	0.07	47	1.79
CC128059		0.91	85.7	3.45	3.81	0.20	<0.02	0.08	0.029	0.03	14.0	8.8	0.13	158	1.53
CC128060		0.94	86.1	4.12	4.30	0.21	<0.02	0.05	0.038	0.03	14.5	13.3	0.21	206	2.06
CC128061		0.77	61.8	2.71	2.99	0.21	0.03	0.09	0.022	0.03	11.3	16.8	0.32	228	1.96
CC128062		0.97	19.9	2.68	4.30	0.20	<0.02	0.03	0.017	0.03	13.2	8.9	0.15	78	1.60
CC128063		1.14	17.9	2.15	5.17	0.18	<0.02	0.04	0.013	0.03	16.9	5.6	0.10	28	1.94
CC128064		1.43	54.4	4.52	5.00	0.24	0.02	0.06	0.036	0.05	10.5	17.8	0.30	112	2.67
CC128065		1.53	41.0	3.11	7.85	0.21	0.02	0.07	0.027	0.03	12.9	8.2	0.12	73	2.19
CC128066		1.53	23.4	2.18	6.38	0.20	<0.02	0.05	0.016	0.04	12.1	2.7	0.07	62	2.81
CC128067		1.42	31.9	3.66	6.24	0.21	0.02	0.05	0.024	0.03	12.7	5.9	0.11	93	3.72
CC128068		1.55	38.9	4.24	5.64	0.12	0.02	0.06	0.025	0.04	10.8	5.3	0.08	29	2.51
CC128069		1.16	28.3	2.21	3.80	0.16	<0.02	0.10	0.023	0.04	7.6	7.0	0.14	70	3.31
CC128070		1.65	36.2	3.34	5.19	0.20	<0.02	0.06	0.031	0.04	11.5	10.4	0.19	133	3.05
CC128003		1.40	20.7	2.31	6.85	0.18	<0.02	0.03	0.015	0.04	14.2	5.2	0.12	163	1.81
CC128004		1.42	33.3	3.60	6.81	0.21	<0.02	0.06	0.028	0.05	17.6	6.2	0.15	157	2.35
CC128005		1.83	46.8	4.67	5.38	0.22	0.02	0.07	0.039	0.04	24.5	13.2	0.21	93	5.30
CC128006		1.40	13.1	1.18	6.12	0.17	<0.02	0.02	0.014	0.04	22.3	1.4	0.04	42	1.50
CC128007		2.51	40.4	3.24	5.01	0.21	<0.02	0.14	0.047	0.05	13.4	18.2	0.23	112	2.58
CC128008		2.91	24.0	4.37	7.19	0.20	0.04	0.09	0.035	0.06	16.5	17.1	0.22	217	2.75
CC128009		1.38	19.8	1.84	5.17	0.19	<0.02	0.06	0.018	0.04	13.8	5.6	0.11	100	2.35
CC128010		1.86	38.8	3.12	4.56	0.20	<0.02	0.12	0.030	0.04	13.5	15.7	0.25	135	3.35
CC128011		3.52	76.6	2.99	4.73	0.16	<0.02	0.14	0.042	0.05	9.3	10.3	0.15	102	2.89
CC128013		1.16	28.0	3.36	5.90	0.16	0.02	0.03	0.027	0.03	13.3	11.9	0.17	144	2.34
CC128014		1.24	27.5	3.29	6.88	0.16	<0.02	0.03	0.026	0.04	14.3	12.1	0.23	172	3.03
CC128015		1.37	30.3	4.13	5.17	0.19	<0.02	0.04	0.029	0.04	16.5	17.3	0.33	198	3.38
CC128016		1.38	25.9	2.20	4.87	0.18	<0.02	0.05	0.024	0.04	17.7	5.5	0.09	92	3.36
CC128017		1.24	31.6	1.86	4.41	0.16	<0.02	0.06	0.021	0.04	14.7	2.9	0.07	75	2.72
CC128018		1.82	62.4	12.60	3.76	0.28	0.04	0.07	0.030	0.04	13.5	13.0	0.26	3560	3.58
CC128019		1.32	20.0	3.34	6.36	0.18	0.02	0.05	0.026	0.04	12.8	19.0	0.25	422	2.47
CC128020		0.98	40.3	3.17	3.55	0.17	0.05	0.25	0.034	0.03	13.9	28.6	0.36	172	2.61
CC128021		1.52	20.1	19.20	2.20	0.27	0.04	0.07	0.017	0.05	7.6	9.6	0.23	62	5.88
CC128022		0.74	43.9	2.90	3.09	0.18	0.02	0.05	0.025	0.03	14.4	24.5	0.37	302	2.57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 16- JUN- 2011
Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100827

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC128052		0.39	6.9	320	8.5	3.9	<0.001	0.02	0.48	0.9	0.4	0.6	8.0	<0.01	0.07	0.3
CC128053		0.41	21.2	650	22.5	7.2	<0.001	0.05	0.81	0.9	1.0	0.3	24.7	<0.01	0.27	0.3
CC128054		0.92	16.9	590	19.8	11.2	<0.001	0.04	1.03	1.7	1.2	0.4	19.5	<0.01	0.13	1.9
CC128055		0.14	4.3	510	11.9	3.4	<0.001	0.02	0.26	0.5	0.6	0.6	12.5	<0.01	0.03	<0.2
CC128056		0.44	26.1	670	19.6	5.3	<0.001	0.05	0.92	1.6	1.2	0.2	48.1	<0.01	0.19	2.7
CC128057		0.11	16.9	620	34.1	5.1	0.002	0.10	2.00	1.3	3.9	0.2	60.2	<0.01	0.21	5.1
CC128058		0.28	9.5	600	19.6	4.7	<0.001	0.05	0.89	1.1	1.1	0.3	20.5	<0.01	0.25	2.1
CC128059		0.25	17.1	630	24.2	5.0	<0.001	0.05	0.95	1.4	0.9	0.2	21.5	<0.01	0.34	3.0
CC128060		0.51	24.6	640	24.0	4.6	<0.001	0.04	0.92	1.8	0.9	0.3	20.4	<0.01	0.28	3.2
CC128061		0.33	33.3	490	13.2	4.0	<0.001	0.02	1.54	2.2	1.0	0.2	15.8	<0.01	0.11	3.4
CC128062		0.67	12.2	280	11.8	9.0	<0.001	0.02	0.86	1.4	0.8	0.3	8.2	<0.01	0.09	3.3
CC128063		0.49	8.9	440	16.7	6.9	<0.001	0.03	0.89	0.9	1.3	0.3	14.4	<0.01	0.10	2.0
CC128064		0.71	24.7	740	23.2	7.2	<0.001	0.06	1.59	1.7	2.8	0.3	22.8	<0.01	0.16	2.8
CC128065		1.10	12.5	500	18.4	6.8	<0.001	0.03	1.45	1.3	2.8	0.6	34.7	<0.01	0.14	2.9
CC128066		0.69	7.6	410	15.6	9.7	<0.001	0.03	0.84	1.0	1.2	0.6	15.2	<0.01	0.11	0.4
CC128067		0.94	11.0	550	17.2	6.8	<0.001	0.03	1.45	1.4	2.0	0.3	17.3	<0.01	0.15	3.3
CC128068		0.44	8.0	710	23.3	10.5	<0.001	0.03	1.77	1.2	2.8	0.3	17.5	<0.01	0.13	4.1
CC128069		0.41	13.5	710	14.5	5.3	<0.001	0.06	1.26	0.7	1.9	0.4	17.5	<0.01	0.09	<0.2
CC128070		0.54	16.3	650	20.9	7.8	<0.001	0.04	1.20	1.1	2.0	0.4	19.7	<0.01	0.14	0.7
CC128003		1.15	11.7	570	14.6	9.6	<0.001	0.02	0.59	1.5	0.6	0.7	9.8	<0.01	0.08	1.3
CC128004		1.39	19.4	740	23.2	9.6	<0.001	0.05	1.03	1.8	1.0	0.6	18.6	<0.01	0.13	2.3
CC128005		0.79	16.6	680	24.8	12.0	<0.001	0.04	3.21	1.6	2.7	0.4	21.1	<0.01	0.19	5.6
CC128006		0.53	6.5	490	18.2	9.3	<0.001	0.02	0.55	0.9	0.8	0.8	12.0	<0.01	0.07	0.6
CC128007		0.43	24.0	800	28.3	10.4	<0.001	0.06	1.97	1.0	3.4	0.4	18.5	<0.01	0.17	1.1
CC128008		1.56	16.3	760	21.4	14.1	<0.001	0.03	1.17	2.2	2.3	0.6	20.3	<0.01	0.14	5.2
CC128009		0.51	10.1	460	13.6	8.2	<0.001	0.03	0.83	0.9	1.2	0.5	15.7	<0.01	0.08	0.2
CC128010		0.64	21.6	630	17.5	7.6	<0.001	0.05	1.39	1.3	2.3	0.3	16.5	<0.01	0.12	0.9
CC128011		0.65	18.2	740	24.5	9.1	<0.001	0.05	1.34	0.9	3.6	0.5	12.2	<0.01	0.08	0.2
CC128013		1.26	15.5	600	13.9	7.5	<0.001	0.02	0.97	2.0	1.1	0.5	11.7	<0.01	0.07	2.6
CC128014		1.34	19.9	670	15.2	8.7	<0.001	0.02	0.96	2.2	1.1	0.6	14.7	<0.01	0.06	1.7
CC128015		0.83	27.0	750	18.8	10.8	<0.001	0.04	1.59	1.8	2.0	0.4	26.1	<0.01	0.09	1.2
CC128016		0.64	12.2	590	17.8	10.1	<0.001	0.03	1.23	1.3	1.7	0.5	18.4	<0.01	0.06	0.7
CC128017		0.23	10.7	620	15.2	8.0	<0.001	0.02	0.98	0.6	1.4	0.4	17.1	<0.01	0.05	<0.2
CC128018		0.64	82.9	850	15.8	8.3	0.001	0.04	1.74	2.8	4.1	0.2	25.2	0.01	0.16	2.5
CC128019		1.51	15.4	680	14.7	14.6	<0.001	0.01	0.88	2.3	1.7	0.5	11.1	<0.01	0.06	3.3
CC128020		0.75	35.1	430	13.1	6.8	<0.001	0.02	1.76	2.1	2.9	0.2	15.3	<0.01	0.07	4.1
CC128021		0.50	27.3	1420	8.3	4.4	0.001	0.75	24.6	1.8	3.4	<0.2	18.0	<0.01	0.04	2.7
CC128022		0.40	41.8	660	13.6	3.7	0.001	0.02	2.36	2.1	2.1	0.2	21.9	<0.01	0.06	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 16- JUN- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11100827

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128052		0.016	0.09	0.32	43	0.17	1.49	21	<0.5
CC128053		0.011	0.11	0.47	41	0.13	2.17	56	<0.5
CC128054		0.013	0.16	0.43	49	0.16	1.60	47	<0.5
CC128055		0.005	0.07	0.59	23	0.06	1.85	11	<0.5
CC128056		0.009	0.07	0.71	38	0.08	2.13	59	0.8
CC128057		<0.005	0.22	0.92	31	<0.05	3.85	41	1.4
CC128058		0.006	0.09	0.40	39	0.06	1.43	36	<0.5
CC128059		0.006	0.06	0.32	28	0.05	1.67	54	<0.5
CC128060		0.012	0.07	0.44	36	0.10	2.30	75	0.5
CC128061		0.012	0.10	0.80	31	0.05	5.03	115	1.4
CC128062		0.013	0.10	0.34	37	0.09	1.63	44	0.6
CC128063		0.010	0.11	0.40	49	0.09	1.38	26	<0.5
CC128064		0.014	0.17	0.67	46	0.12	2.26	61	0.9
CC128065		0.028	0.14	0.56	71	0.17	2.15	31	0.7
CC128066		0.018	0.14	0.46	61	0.19	1.49	29	<0.5
CC128067		0.023	0.13	0.53	53	0.12	1.90	35	1.0
CC128068		0.007	0.14	0.50	52	0.07	1.49	30	1.1
CC128069		0.010	0.11	0.76	38	0.13	1.70	36	<0.5
CC128070		0.016	0.13	0.64	46	0.14	2.01	44	<0.5
CC128003		0.036	0.12	0.40	62	0.22	1.84	46	<0.5
CC128004		0.031	0.15	0.56	62	0.21	2.64	88	0.5
CC128005		0.011	0.19	0.57	56	0.12	2.36	50	1.0
CC128006		0.013	0.15	0.46	45	0.15	1.68	25	<0.5
CC128007		0.009	0.14	0.98	46	0.09	1.77	51	<0.5
CC128008		0.022	0.20	0.82	70	0.24	2.46	56	2.2
CC128009		0.016	0.12	0.65	44	0.21	2.12	29	<0.5
CC128010		0.016	0.19	0.90	42	0.17	2.82	56	<0.5
CC128011		0.013	0.16	1.97	45	0.17	3.44	46	<0.5
CC128013		0.026	0.12	0.59	65	0.15	2.63	75	0.5
CC128014		0.036	0.12	0.54	69	0.26	2.98	95	<0.5
CC128015		0.025	0.10	0.55	51	0.16	2.86	97	<0.5
CC128016		0.019	0.15	0.73	46	0.10	3.96	41	<0.5
CC128017		0.013	0.10	0.69	47	0.08	3.67	42	<0.5
CC128018		0.021	0.11	1.02	43	0.11	9.61	906	0.9
CC128019		0.028	0.14	0.65	59	0.27	2.62	84	0.7
CC128020		0.021	0.10	0.79	36	0.11	4.00	108	1.6
CC128021		0.017	0.11	0.66	27	0.08	3.96	361	2.6
CC128022		0.021	0.08	1.42	35	0.08	7.61	235	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Sceptre

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- JUN- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11100827

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 3- SEP- 2011
Account: MTT

CERTIFICATE WH11142323

Project: Midas Touch - Sceptre

P.O. No.:

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16119		0.30	0.009	0.22	1.83	13.9	<0.2	<10	170	0.53	0.24	0.11	0.15	27.3	9.0	30
ZZ16120		0.30	0.005	0.30	1.23	16.2	<0.2	<10	200	0.32	0.28	0.06	0.12	23.6	3.3	24
ZZ16121		0.46	0.004	0.21	1.84	14.7	<0.2	<10	130	0.43	0.24	0.09	0.19	26.8	7.7	32
ZZ16122		0.28	0.005	0.24	1.46	12.8	<0.2	<10	160	0.36	0.25	0.06	0.13	25.2	4.0	25
ZZ16123		0.34	0.003	0.66	1.30	19.2	<0.2	<10	90	0.20	0.35	0.03	0.17	15.85	3.4	27
ZZ16124		0.24	0.004	0.22	1.66	15.3	<0.2	<10	100	0.27	0.34	0.06	0.20	20.9	7.3	33
ZZ16125		0.24	0.002	0.36	1.64	14.7	<0.2	<10	90	0.33	0.35	0.05	0.19	21.1	6.3	30
ZZ16126		0.36	0.002	0.61	1.73	14.1	<0.2	<10	150	0.29	0.31	0.04	0.15	26.0	5.0	29
ZZ16127		0.20	0.002	1.70	1.09	14.5	<0.2	<10	80	0.18	0.37	0.04	0.18	23.2	3.2	20
ZZ16128		0.22	0.004	0.85	1.46	13.4	<0.2	<10	170	0.17	0.39	0.03	0.13	38.4	2.5	29
ZZ16129		0.28	0.002	0.81	1.36	19.4	<0.2	<10	100	0.25	0.38	0.05	0.19	27.1	4.6	28
ZZ16130		0.24	0.002	0.81	1.56	21.9	<0.2	<10	130	0.27	0.37	0.04	0.22	24.4	4.0	29
ZZ16131		0.26	0.001	2.43	1.45	17.3	<0.2	<10	110	0.30	0.39	0.04	0.29	24.0	5.2	27
ZZ16132		0.20	0.001	0.71	0.92	17.2	<0.2	<10	100	0.15	0.40	0.04	0.18	24.4	3.2	19
ZZ16133		0.24	0.006	0.39	1.48	17.9	<0.2	<10	140	0.19	0.33	0.02	0.10	30.0	3.1	29
ZZ16134		0.24	0.026	0.44	1.40	19.0	<0.2	<10	190	0.23	0.46	0.04	0.24	31.4	4.3	25
ZZ16135		0.24	0.003	0.32	0.99	15.8	<0.2	<10	130	0.17	0.39	0.03	0.15	35.4	2.5	21
ZZ16136		0.30	0.003	0.40	0.63	19.8	<0.2	<10	190	0.11	0.36	0.03	0.12	37.7	1.7	12
ZZ16137		0.48	0.010	0.34	0.98	13.1	<0.2	<10	170	0.16	0.26	0.02	0.13	23.8	3.7	20
ZZ16138		0.46	0.006	0.25	1.20	10.7	<0.2	<10	110	0.25	0.22	0.03	0.19	32.3	5.3	23
ZZ16139		0.34	0.006	0.30	1.13	9.8	<0.2	<10	100	0.27	0.20	0.02	0.16	33.3	6.2	23
ZZ16140		0.40	0.006	0.15	1.21	11.0	<0.2	<10	140	0.22	0.23	0.06	0.14	24.1	5.3	23
ZZ16141		0.28	0.003	0.14	0.91	12.0	<0.2	<10	110	0.11	0.37	0.03	0.09	33.1	2.8	16
ZZ16142		0.28	0.002	0.91	1.40	6.0	<0.2	<10	670	0.40	0.31	0.06	1.85	24.1	3.3	18
ZZ16143		0.26	0.008	0.46	1.04	11.0	<0.2	<10	170	0.21	0.23	0.05	0.34	20.3	9.1	21
ZZ16144		0.20	0.003	0.08	0.81	15.9	<0.2	<10	80	0.14	0.28	0.04	0.61	18.65	5.6	18
ZZ16145		0.24	0.003	0.20	0.94	10.0	<0.2	<10	190	0.15	0.24	0.13	0.52	19.05	7.2	21
ZZ16146		0.42	0.003	0.21	0.97	10.8	<0.2	<10	220	0.19	0.20	0.21	0.54	22.0	9.1	23
ZZ16147		0.34	0.004	0.22	1.31	9.7	<0.2	<10	400	0.34	0.23	0.23	0.60	21.1	7.6	24
ZZ16148		0.28	0.006	1.01	0.96	8.1	<0.2	<10	530	0.24	0.24	0.27	1.43	18.45	8.6	20
ZZ16149		0.36	0.006	0.36	1.31	9.7	<0.2	<10	310	0.30	0.25	0.19	0.36	27.8	12.1	25
ZZ16150		0.38	0.007	0.51	1.07	18.9	<0.2	<10	370	0.28	0.25	0.39	2.06	20.3	16.0	23
ZZ16801		0.42	0.005	0.48	1.19	15.1	<0.2	<10	240	0.29	0.28	0.09	0.55	25.7	16.9	26
ZZ16802		0.40	0.005	0.32	0.94	12.9	<0.2	<10	250	0.23	0.23	0.36	0.49	20.5	8.6	22
ZZ16803		0.32	0.006	0.59	1.04	15.5	<0.2	<10	280	0.34	0.26	0.36	0.94	20.9	11.0	22
ZZ16804		0.40	0.004	0.26	1.00	11.9	<0.2	<10	220	0.33	0.20	0.16	0.62	27.5	9.4	24
ZZ16805		0.24	0.004	0.47	0.96	10.5	<0.2	<10	110	0.13	0.22	0.06	0.27	19.95	3.9	21
ZZ16806		0.26	0.004	0.38	1.08	10.7	<0.2	<10	130	0.21	0.21	0.07	0.39	25.0	5.2	24
ZZ16807		0.28	0.003	0.30	0.90	11.7	<0.2	<10	80	0.13	0.24	0.02	0.13	22.0	3.2	18
ZZ16808		0.28	0.002	0.34	1.37	10.3	<0.2	<10	100	0.23	0.26	0.08	0.12	22.9	3.5	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16119		2.60	56.1	3.37	5.23	0.06	0.02	0.14	0.032	0.06	14.1	25.8	0.48	343	1.88
ZZ16120		2.45	33.1	2.93	4.87	0.06	<0.02	0.29	0.031	0.06	13.0	14.6	0.24	163	3.69
ZZ16121		2.13	24.5	3.56	5.76	0.06	0.02	0.10	0.034	0.06	14.3	26.1	0.44	398	2.65
ZZ16122		2.55	34.1	2.81	5.25	0.06	<0.02	0.12	0.029	0.05	13.4	15.2	0.28	172	2.55
ZZ16123		3.05	27.0	3.72	5.21	0.10	<0.02	0.13	0.039	0.04	8.5	14.7	0.25	164	2.14
ZZ16124		2.26	21.0	3.96	6.81	0.11	<0.02	0.07	0.038	0.07	10.6	17.2	0.39	410	2.23
ZZ16125		1.86	21.2	3.55	6.87	0.11	<0.02	0.06	0.032	0.04	10.8	16.1	0.33	372	2.18
ZZ16126		2.19	24.5	3.54	6.53	0.12	0.04	0.07	0.034	0.04	13.6	19.7	0.25	251	2.11
ZZ16127		1.62	19.2	3.02	6.48	0.11	<0.02	0.11	0.023	0.04	12.4	13.1	0.14	151	2.23
ZZ16128		2.68	38.0	3.20	4.72	0.13	0.03	0.20	0.035	0.04	20.4	23.2	0.36	109	1.40
ZZ16129		1.98	26.6	3.86	7.51	0.12	<0.02	0.07	0.034	0.05	14.3	15.7	0.22	238	2.12
ZZ16130		2.99	36.3	3.83	6.40	0.11	<0.02	0.11	0.041	0.05	12.9	20.1	0.30	189	1.97
ZZ16131		2.32	21.1	3.58	7.30	0.12	0.02	0.08	0.034	0.06	12.6	14.6	0.17	329	2.46
ZZ16132		1.80	16.0	3.24	7.05	0.12	<0.02	0.03	0.020	0.05	13.2	4.1	0.10	220	2.40
ZZ16133		1.74	47.9	4.23	5.88	0.13	0.02	0.04	0.031	0.04	15.8	22.9	0.34	154	2.31
ZZ16134		1.49	51.7	4.43	6.63	0.13	<0.02	0.05	0.031	0.05	16.2	18.8	0.22	307	4.10
ZZ16135		1.43	36.1	3.95	7.35	0.12	<0.02	0.05	0.024	0.04	20.1	6.8	0.14	144	2.17
ZZ16136		1.44	14.1	2.13	5.49	0.12	<0.02	0.07	0.021	0.06	21.1	3.0	0.07	82	3.60
ZZ16137		1.16	41.1	2.84	3.31	0.13	0.02	0.19	0.028	0.04	12.5	18.1	0.30	190	2.36
ZZ16138		0.86	47.2	2.93	3.81	0.12	0.02	0.10	0.028	0.03	16.3	21.9	0.35	243	1.54
ZZ16139		0.63	54.8	2.90	2.99	0.13	0.02	0.10	0.022	0.03	17.0	21.3	0.36	222	1.32
ZZ16140		0.98	52.1	2.82	3.85	0.12	0.02	0.08	0.025	0.03	12.2	20.0	0.39	180	1.38
ZZ16141		0.88	36.0	2.65	6.00	0.13	<0.02	0.02	0.028	0.02	16.9	9.6	0.18	94	2.11
ZZ16142		1.03	101.5	1.89	5.27	0.10	<0.02	0.08	0.026	0.04	13.4	7.1	0.11	139	1.40
ZZ16143		0.71	48.3	3.00	3.20	0.12	0.03	0.10	0.024	0.02	10.7	21.4	0.36	492	1.62
ZZ16144		0.79	30.8	3.29	3.93	0.11	<0.02	0.02	0.022	0.03	9.3	12.3	0.23	386	2.08
ZZ16145		0.94	42.6	2.63	3.51	0.11	0.02	0.04	0.019	0.03	10.1	24.0	0.36	599	1.67
ZZ16146		0.55	44.8	3.07	2.97	0.13	0.03	0.08	0.023	0.03	11.5	23.6	0.46	347	1.41
ZZ16147		0.86	49.4	2.75	3.97	0.12	0.04	0.14	0.024	0.03	10.5	33.0	0.43	299	1.34
ZZ16148		0.87	48.0	2.45	3.24	0.11	<0.02	0.18	0.024	0.03	10.2	18.2	0.30	368	1.47
ZZ16149		0.92	58.1	2.82	4.12	0.12	0.03	0.12	0.031	0.03	14.0	28.1	0.47	285	1.60
ZZ16150		0.70	46.4	4.53	3.16	0.13	0.05	0.15	0.025	0.04	10.8	30.2	0.44	3290	2.78
ZZ16801		1.11	67.1	3.53	3.64	0.13	0.03	0.18	0.034	0.04	13.2	23.6	0.44	1040	2.11
ZZ16802		0.61	49.4	3.05	2.64	0.11	0.05	0.23	0.023	0.02	11.4	20.1	0.45	309	1.93
ZZ16803		0.89	73.5	3.47	2.88	0.13	0.02	0.15	0.032	0.03	11.3	23.8	0.44	423	2.05
ZZ16804		0.52	52.8	3.11	2.99	0.11	0.02	0.11	0.024	0.03	13.8	20.3	0.45	369	1.74
ZZ16805		0.88	31.7	2.60	3.53	0.11	<0.02	0.14	0.025	0.03	10.8	17.7	0.34	114	1.75
ZZ16806		0.72	44.2	3.06	3.30	0.13	0.02	0.13	0.024	0.03	12.4	20.2	0.41	146	1.60
ZZ16807		0.81	33.8	3.05	3.85	0.11	<0.02	0.07	0.022	0.03	11.7	13.2	0.25	164	1.75
ZZ16808		1.39	15.1	2.53	5.35	0.10	<0.02	0.07	0.022	0.04	12.2	12.7	0.30	119	1.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16119		0.80	24.4	810	20.2	11.5	<0.001	0.04	1.04	2.4	1.2	0.5	16.9	<0.01	0.13
ZZ16120		0.48	11.9	680	22.2	11.4	<0.001	0.13	1.12	1.2	1.8	0.5	25.2	<0.01	0.12
ZZ16121		0.79	18.6	730	17.6	11.9	<0.001	0.04	1.09	1.9	1.6	0.6	14.9	<0.01	0.09
ZZ16122		0.33	14.9	880	17.9	10.6	<0.001	0.06	0.83	0.8	1.3	0.5	20.0	<0.01	0.11
ZZ16123		0.33	17.0	710	18.4	9.1	<0.001	0.03	1.45	0.5	2.5	0.5	17.5	<0.01	0.09
ZZ16124		0.81	19.8	580	16.8	13.6	0.001	0.03	1.06	1.2	1.1	0.7	11.0	<0.01	0.06
ZZ16125		0.66	16.8	570	18.0	10.6	<0.001	0.03	0.92	0.9	1.4	0.7	8.5	<0.01	0.06
ZZ16126		1.11	18.3	480	15.2	9.9	<0.001	0.01	1.08	2.3	1.3	0.6	10.8	<0.01	0.06
ZZ16127		1.17	12.2	410	15.1	11.6	<0.001	0.02	1.13	1.3	1.4	0.7	7.1	<0.01	0.05
ZZ16128		0.43	20.2	430	24.3	9.3	<0.001	0.04	1.20	1.5	2.9	0.3	17.5	<0.01	0.12
ZZ16129		1.10	15.9	660	16.5	12.2	<0.001	0.03	1.29	1.6	1.9	0.7	11.5	<0.01	0.10
ZZ16130		0.88	20.1	570	19.0	11.3	<0.001	0.03	1.63	1.8	3.0	0.5	14.6	<0.01	0.11
ZZ16131		1.34	13.4	550	16.9	17.3	<0.001	0.02	1.12	2.0	1.1	0.8	9.0	<0.01	0.08
ZZ16132		1.46	10.3	690	16.1	14.3	<0.001	0.01	1.06	1.4	1.0	0.8	8.7	<0.01	0.07
ZZ16133		0.74	25.3	570	16.2	10.5	<0.001	0.03	0.91	1.7	1.0	0.4	17.5	<0.01	0.12
ZZ16134		0.88	19.2	610	19.3	10.2	<0.001	0.03	0.99	1.8	0.4	0.6	26.0	<0.01	0.17
ZZ16135		0.96	10.7	590	20.6	6.8	0.001	0.03	0.84	1.4	0.8	0.6	32.5	<0.01	0.13
ZZ16136		0.42	6.4	1030	24.7	10.4	<0.001	0.11	0.85	0.7	0.9	0.5	44.5	<0.01	0.09
ZZ16137		0.19	22.6	690	15.9	6.6	0.001	0.03	0.78	1.4	1.2	0.2	17.3	<0.01	0.08
ZZ16138		0.40	26.1	350	11.5	7.6	<0.001	0.01	0.89	1.9	1.1	0.3	13.0	<0.01	0.07
ZZ16139		0.28	28.4	320	11.6	4.8	<0.001	0.01	0.90	1.7	0.8	0.2	13.7	<0.01	0.07
ZZ16140		0.43	28.0	510	11.6	6.0	<0.001	0.01	0.79	1.8	0.5	0.3	12.6	<0.01	0.08
ZZ16141		0.62	13.5	360	10.9	7.3	<0.001	0.01	0.87	1.3	0.6	0.4	5.1	<0.01	0.14
ZZ16142		0.48	21.0	480	15.2	8.8	0.001	0.01	0.50	1.4	0.7	0.6	12.2	<0.01	0.04
ZZ16143		0.24	33.3	470	12.4	4.2	0.001	0.01	0.91	1.7	1.2	0.2	10.9	<0.01	0.09
ZZ16144		0.56	21.5	510	13.9	7.1	<0.001	0.01	1.23	1.3	0.7	0.3	7.1	<0.01	0.10
ZZ16145		0.26	34.8	460	12.6	8.3	<0.001	0.01	0.81	1.6	0.8	0.3	13.8	<0.01	0.06
ZZ16146		0.26	48.9	640	11.5	4.6	0.001	0.01	1.12	2.2	0.8	0.2	20.5	<0.01	0.06
ZZ16147		0.29	39.0	690	11.6	6.4	0.001	0.02	0.73	2.6	2.4	0.3	22.7	<0.01	0.06
ZZ16148		0.23	36.6	940	14.8	6.7	<0.001	0.05	0.79	2.3	1.5	0.2	24.7	<0.01	0.06
ZZ16149		0.30	40.4	490	13.9	7.8	<0.001	0.01	1.04	2.8	1.1	0.3	17.1	<0.01	0.09
ZZ16150		0.19	101.0	720	14.2	5.6	0.004	0.10	1.15	2.8	3.1	0.2	64.1	<0.01	0.08
ZZ16801		0.22	37.5	710	16.3	6.1	0.001	0.02	1.64	2.5	1.6	0.2	19.6	<0.01	0.09
ZZ16802		0.18	37.8	740	13.8	3.1	0.001	0.02	1.44	2.4	1.1	0.2	27.3	<0.01	0.06
ZZ16803		0.13	50.3	740	16.5	4.4	0.001	0.02	1.86	2.3	1.4	0.2	26.4	<0.01	0.09
ZZ16804		0.21	39.0	710	11.8	3.1	<0.001	0.01	1.47	2.5	1.1	0.2	20.2	<0.01	0.05
ZZ16805		0.23	25.9	620	11.8	6.5	<0.001	0.02	1.06	1.2	1.2	0.2	11.9	<0.01	0.05
ZZ16806		0.22	31.8	670	12.6	5.3	<0.001	0.01	1.23	2.1	0.8	0.2	12.1	<0.01	0.07
ZZ16807		0.27	22.0	500	12.6	7.3	<0.001	0.02	1.11	1.2	1.0	0.3	11.0	<0.01	0.05
ZZ16808		0.27	13.5	920	12.5	9.5	<0.001	0.01	0.57	0.6	1.5	0.5	8.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16119		0.030	0.16	1.23	50	0.27	4.82	81	<0.5
ZZ16120		0.022	0.22	1.28	47	0.19	2.98	48	<0.5
ZZ16121		0.028	0.18	0.97	56	0.29	3.37	73	<0.5
ZZ16122		0.017	0.16	0.95	48	0.20	4.47	54	<0.5
ZZ16123		0.016	0.18	0.90	50	0.12	2.17	60	<0.5
ZZ16124		0.035	0.16	0.86	59	0.24	2.63	92	<0.5
ZZ16125		0.027	0.15	0.82	61	0.24	2.49	65	<0.5
ZZ16126		0.022	0.18	0.79	62	0.22	2.37	60	1.6
ZZ16127		0.033	0.16	0.56	65	0.26	1.68	52	<0.5
ZZ16128		0.012	0.17	0.81	43	0.09	2.10	48	1.4
ZZ16129		0.040	0.16	0.85	69	0.24	2.27	64	0.5
ZZ16130		0.022	0.18	1.06	57	0.16	2.82	60	0.6
ZZ16131		0.032	0.18	0.70	71	0.27	2.00	68	0.7
ZZ16132		0.048	0.18	0.51	79	0.29	1.76	52	<0.5
ZZ16133		0.013	0.12	0.38	56	0.11	1.58	66	0.7
ZZ16134		0.022	0.11	0.54	61	0.17	1.89	79	<0.5
ZZ16135		0.024	0.11	0.36	60	0.17	1.64	44	<0.5
ZZ16136		0.011	0.21	0.41	48	0.14	2.03	32	<0.5
ZZ16137		0.007	0.09	0.62	32	0.05	2.77	66	0.5
ZZ16138		0.012	0.10	0.69	34	0.08	3.35	83	0.7
ZZ16139		0.011	0.07	0.61	28	0.06	3.69	80	0.9
ZZ16140		0.014	0.10	0.76	34	0.11	3.44	77	<0.5
ZZ16141		0.015	0.11	0.33	58	0.13	1.61	43	<0.5
ZZ16142		0.009	0.12	1.21	49	0.13	7.63	70	<0.5
ZZ16143		0.008	0.07	0.56	32	0.06	3.66	112	0.8
ZZ16144		0.020	0.09	0.33	55	0.10	2.03	126	<0.5
ZZ16145		0.011	0.09	0.46	38	0.06	2.86	149	<0.5
ZZ16146		0.013	0.07	0.57	32	0.05	5.18	190	1.1
ZZ16147		0.008	0.11	0.77	39	0.10	5.63	169	1.0
ZZ16148		0.007	0.11	0.86	28	0.05	6.23	94	<0.5
ZZ16149		0.009	0.11	0.82	36	0.06	5.88	136	0.9
ZZ16150		0.007	0.13	1.50	34	0.06	7.14	352	1.2
ZZ16801		0.010	0.12	0.96	35	0.05	5.92	135	0.8
ZZ16802		0.009	0.08	0.76	29	<0.05	6.34	154	1.4
ZZ16803		0.007	0.13	1.05	32	<0.05	7.70	212	0.6
ZZ16804		0.013	0.07	0.76	32	0.05	5.97	148	0.7
ZZ16805		0.009	0.11	0.62	32	0.06	3.04	83	<0.5
ZZ16806		0.011	0.09	0.74	33	0.07	4.80	104	0.5
ZZ16807		0.011	0.10	0.48	38	0.07	2.14	79	<0.5
ZZ16808		0.015	0.15	0.72	45	0.18	2.76	50	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16809		0.38	0.003	0.47	0.96	10.5	<0.2	<10	90	0.14	0.18	0.02	0.08	24.6	3.4	20
ZZ16868		0.46	0.004	0.50	1.09	20.6	<0.2	<10	160	0.16	0.34	0.02	0.11	20.1	2.6	25
ZZ16869		0.38	0.009	0.70	1.18	26.8	<0.2	<10	270	0.22	0.34	0.01	0.11	21.4	3.6	27
ZZ16870		0.30	0.004	0.14	0.88	12.2	<0.2	<10	80	0.12	0.33	0.02	0.09	29.8	3.3	18
ZZ16871		0.40	0.004	1.85	1.50	15.5	<0.2	<10	100	0.16	0.35	0.03	0.12	24.9	4.1	29
ZZ16872		0.36	0.004	1.79	1.81	16.9	<0.2	<10	140	0.31	0.29	0.05	0.19	31.6	6.1	30
ZZ16873		0.26	0.006	0.24	1.85	10.8	<0.2	<10	140	0.25	0.37	0.06	0.15	27.6	5.1	26
ZZ16874		0.32	0.001	0.08	1.25	10.6	<0.2	<10	70	0.13	0.30	0.04	0.09	24.5	4.4	22
ZZ16875		0.36	0.004	0.08	1.33	7.3	<0.2	<10	80	0.11	0.28	0.02	0.06	29.1	1.9	20
ZZ16876		0.52	0.004	0.07	0.77	10.6	<0.2	<10	90	0.12	0.35	0.02	0.09	27.8	2.4	16
ZZ16877		0.46	0.005	0.23	0.58	6.8	<0.2	<10	80	0.07	0.30	0.02	0.08	30.6	2.0	13
ZZ16878		0.38	0.009	1.06	1.84	17.3	<0.2	<10	150	0.25	0.37	0.04	0.17	30.3	5.3	28
ZZ16879		0.24	0.007	0.60	0.94	16.5	<0.2	<10	130	0.10	0.38	0.07	0.21	28.4	3.6	22
ZZ16880		0.36	0.004	0.93	1.28	13.9	<0.2	<10	220	0.18	0.34	0.03	0.28	27.8	4.0	19
ZZ16881		0.42	0.009	1.12	1.57	18.3	<0.2	<10	210	0.25	0.41	0.06	0.22	29.5	7.2	27
ZZ16882		0.32	0.004	0.19	1.51	11.8	<0.2	<10	90	0.17	0.39	0.06	0.15	26.9	4.2	23
ZZ16883		0.46	0.008	0.79	1.79	10.3	<0.2	<10	220	0.35	0.26	0.07	0.24	33.9	8.4	29
ZZ16884		0.34	<0.001	0.25	0.50	11.6	<0.2	<10	100	0.05	0.27	0.01	0.07	51.6	1.3	11
ZZ16885		0.46	0.014	0.17	0.81	12.7	<0.2	<10	430	0.13	0.28	0.03	0.07	36.3	2.4	15
ZZ16886		0.38	0.002	0.31	0.90	11.7	<0.2	<10	70	0.11	0.33	0.02	0.08	27.4	3.3	18
ZZ16887		0.32	0.004	0.36	1.11	10.6	<0.2	<10	400	0.26	0.24	0.23	1.03	33.1	11.8	27
ZZ16888		0.34	0.005	0.49	1.18	14.0	<0.2	<10	350	0.35	0.22	0.34	1.56	23.7	26.2	24
ZZ16889		0.42	0.004	0.57	1.41	18.3	<0.2	<10	380	0.69	0.23	0.37	1.78	25.1	74.7	24
ZZ16890		0.34	0.004	0.40	1.05	11.2	<0.2	<10	480	0.26	0.22	0.44	0.70	18.90	9.7	22
ZZ16891		0.68	0.005	0.49	1.22	14.3	<0.2	<10	530	0.32	0.26	0.41	0.74	24.6	11.9	26
ZZ16892		0.30	0.002	0.54	1.31	14.0	<0.2	<10	90	0.19	0.28	0.04	0.34	24.5	6.2	26
ZZ16893		0.32	0.004	0.32	1.09	10.0	<0.2	<10	220	0.19	0.24	0.10	0.38	24.4	13.8	22
ZZ16894		0.34	0.006	0.45	1.51	18.7	<0.2	<10	190	0.24	0.32	0.03	0.26	29.0	7.3	29
ZZ16895		0.30	0.004	0.34	1.36	14.9	<0.2	<10	110	0.20	0.28	0.04	0.15	29.4	5.0	26
ZZ16896		0.32	0.004	0.64	1.91	26.7	<0.2	<10	120	0.23	0.39	0.04	0.15	31.5	3.9	36
ZZ16897		0.30	0.002	0.35	0.66	18.6	<0.2	<10	120	0.08	0.32	0.02	0.08	39.9	1.5	15
ZZ16898		0.36	0.005	0.22	1.19	13.6	<0.2	<10	120	0.17	0.32	0.04	0.13	26.0	4.6	22
ZZ16899		0.28	0.004	0.09	0.60	9.4	<0.2	<10	70	0.08	0.37	0.02	0.06	34.7	3.3	12
ZZ16900		0.48	0.006	0.36	0.76	21.4	<0.2	<10	180	0.10	0.38	0.02	0.11	68.4	2.9	23
ZZ16901		0.44	0.011	0.27	0.90	14.4	<0.2	<10	110	0.11	0.41	0.02	0.10	35.7	2.9	19
ZZ16902		0.34	0.009	0.32	0.53	8.9	<0.2	<10	150	0.07	0.38	0.02	0.18	26.2	8.1	13
ZZ16903		0.40	0.017	0.25	1.21	18.5	<0.2	<10	120	0.26	0.46	0.03	0.13	29.2	5.6	23
ZZ16904		0.36	0.017	0.28	1.23	19.0	<0.2	<10	110	0.21	0.35	0.02	0.12	34.0	3.7	21
ZZ16905		0.28	0.004	0.72	0.99	10.8	<0.2	<10	290	0.26	0.29	0.03	0.25	18.75	2.5	17
ZZ16906		0.22	0.015	0.51	1.50	16.0	<0.2	<10	610	0.29	0.45	0.16	0.60	20.1	4.0	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16809		0.80	28.2	2.79	2.92	0.08	<0.02	0.09	0.022	0.03	12.9	18.7	0.35	130	1.47
ZZ16868		2.10	49.7	3.95	3.68	0.11	0.02	0.21	0.044	0.05	10.6	13.5	0.26	93	5.70
ZZ16869		1.98	52.6	4.71	3.79	0.11	0.03	0.28	0.038	0.05	10.8	18.6	0.25	122	8.86
ZZ16870		1.32	37.2	3.22	5.09	0.09	<0.02	0.02	0.024	0.03	15.1	6.8	0.15	156	2.01
ZZ16871		1.91	28.1	4.48	5.62	0.10	<0.02	0.15	0.032	0.05	13.2	11.5	0.20	223	2.49
ZZ16872		1.67	29.3	3.24	4.40	0.09	0.03	0.34	0.041	0.06	16.5	19.6	0.33	278	2.87
ZZ16873		2.31	27.4	3.17	6.02	0.08	<0.02	0.07	0.029	0.05	14.2	12.4	0.25	197	2.08
ZZ16874		2.00	15.6	2.57	6.59	0.07	<0.02	0.04	0.021	0.04	12.6	5.9	0.17	423	2.01
ZZ16875		1.06	32.1	2.74	3.26	0.09	0.02	0.03	0.025	0.02	14.8	20.3	0.29	102	1.03
ZZ16876		0.88	48.2	3.19	5.29	0.09	<0.02	0.03	0.027	0.03	14.3	4.1	0.08	155	1.80
ZZ16877		0.99	53.8	2.82	3.60	0.08	<0.02	0.04	0.021	0.03	15.0	4.0	0.07	88	1.23
ZZ16878		1.52	49.9	4.23	6.27	0.11	0.02	0.12	0.032	0.04	16.1	24.4	0.26	333	2.11
ZZ16879		1.50	52.9	3.00	4.33	0.08	<0.02	0.08	0.026	0.05	15.2	8.5	0.20	431	1.66
ZZ16880		1.52	60.3	2.91	4.92	0.08	<0.02	0.11	0.028	0.04	15.3	8.2	0.17	189	2.46
ZZ16881		2.09	118.5	3.64	4.98	0.10	0.02	0.21	0.042	0.05	15.1	13.9	0.31	597	3.04
ZZ16882		1.39	32.4	3.29	5.45	0.09	<0.02	0.07	0.028	0.05	13.9	15.4	0.24	260	1.99
ZZ16883		1.50	55.2	2.90	4.02	0.09	0.06	0.21	0.032	0.05	17.6	20.2	0.46	305	1.34
ZZ16884		0.95	15.0	1.34	5.16	0.08	<0.02	0.03	0.011	0.03	29.1	1.4	0.03	43	2.01
ZZ16885		1.41	43.4	3.29	2.62	0.10	<0.02	0.07	0.020	0.03	17.7	13.4	0.24	71	1.19
ZZ16886		1.17	27.8	3.36	6.16	0.09	<0.02	0.03	0.021	0.03	14.4	5.5	0.14	182	1.99
ZZ16887		0.65	62.1	3.46	3.02	0.11	0.05	0.21	0.030	0.04	16.9	23.8	0.49	338	1.99
ZZ16888		0.87	61.5	4.30	2.88	0.11	0.05	0.21	0.030	0.04	12.4	25.1	0.46	1210	2.19
ZZ16889		1.43	64.9	6.70	3.27	0.17	0.06	0.24	0.031	0.04	13.7	24.5	0.39	2290	2.87
ZZ16890		0.61	53.7	3.00	2.72	0.08	0.06	0.18	0.027	0.03	10.0	18.5	0.42	380	1.56
ZZ16891		0.88	73.5	3.70	3.18	0.10	0.05	0.26	0.035	0.05	13.0	19.9	0.47	420	1.93
ZZ16892		1.26	23.6	4.12	4.97	0.10	0.03	0.05	0.029	0.03	12.4	15.3	0.35	251	1.91
ZZ16893		1.05	27.8	2.95	3.49	0.08	0.02	0.15	0.025	0.03	12.7	16.4	0.35	622	1.82
ZZ16894		1.76	65.9	3.90	3.97	0.11	0.06	0.26	0.047	0.06	15.4	21.6	0.44	294	2.76
ZZ16895		1.32	32.9	3.58	4.22	0.10	0.03	0.06	0.033	0.04	15.8	20.1	0.36	202	1.90
ZZ16896		2.80	35.9	5.09	5.69	0.13	0.04	0.18	0.056	0.05	17.1	24.3	0.35	191	2.96
ZZ16897		1.58	24.4	2.50	4.59	0.09	<0.02	0.08	0.023	0.04	22.1	2.6	0.07	50	4.20
ZZ16898		1.48	41.7	3.17	4.39	0.09	<0.02	0.11	0.031	0.04	13.6	10.3	0.26	200	2.12
ZZ16899		0.91	57.8	2.81	4.60	0.09	<0.02	0.03	0.025	0.03	17.6	3.7	0.08	144	1.74
ZZ16900		0.65	69.6	3.84	3.36	0.15	0.02	0.10	0.039	0.04	38.1	10.9	0.21	184	2.52
ZZ16901		0.94	71.8	3.42	4.63	0.10	<0.02	0.05	0.032	0.04	18.6	8.1	0.15	112	2.18
ZZ16902		0.60	87.5	2.87	3.92	0.08	<0.02	0.05	0.026	0.02	13.3	1.2	0.03	960	1.29
ZZ16903		1.22	111.0	4.39	4.82	0.11	0.03	0.07	0.044	0.04	14.1	14.3	0.22	456	1.97
ZZ16904		1.05	106.0	3.91	3.81	0.10	0.04	0.13	0.041	0.03	16.4	15.1	0.22	205	2.51
ZZ16905		1.44	91.3	2.30	3.74	0.07	0.02	0.14	0.031	0.04	9.5	8.4	0.17	65	1.74
ZZ16906		2.09	178.0	3.40	4.79	0.09	0.04	0.29	0.041	0.07	10.2	12.3	0.23	149	2.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ16809		0.36	23.3	390	11.1	5.0	<0.001	0.02	1.42	1.5	1.2	0.2	11.9	<0.01	0.06	2.4
ZZ16868		0.30	17.5	850	21.2	7.9	0.001	0.06	2.83	1.5	4.5	0.3	25.1	<0.01	0.13	1.6
ZZ16869		0.26	15.8	930	23.3	11.2	<0.001	0.12	2.52	1.6	4.4	0.3	57.3	<0.01	0.15	2.4
ZZ16870		0.93	12.9	470	14.5	8.7	<0.001	0.02	1.11	1.6	1.0	0.5	10.9	<0.01	0.13	2.4
ZZ16871		1.37	14.1	630	15.7	12.1	<0.001	0.03	1.35	1.7	1.6	0.6	12.9	<0.01	0.13	1.4
ZZ16872		0.86	19.0	740	16.8	11.0	0.001	0.03	1.56	2.2	2.0	0.4	15.9	<0.01	0.10	2.4
ZZ16873		1.07	14.1	530	21.0	12.1	<0.001	0.01	1.01	2.1	1.2	0.7	11.3	<0.01	0.17	1.0
ZZ16874		0.97	9.9	390	8.7	10.4	<0.001	0.01	0.93	1.4	0.8	0.9	6.9	<0.01	0.07	0.5
ZZ16875		0.36	17.0	300	13.0	6.1	<0.001	<0.01	0.77	1.3	0.8	0.2	17.5	<0.01	0.14	3.6
ZZ16876		0.76	9.2	520	11.5	7.3	<0.001	0.01	0.95	1.2	0.8	0.5	16.9	<0.01	0.12	1.6
ZZ16877		0.41	7.7	440	11.9	6.1	<0.001	0.02	0.75	1.1	0.5	0.3	7.2	<0.01	0.27	2.4
ZZ16878		1.37	20.3	610	17.0	10.6	<0.001	0.02	1.10	2.2	1.2	0.6	15.6	0.01	0.15	3.4
ZZ16879		0.36	18.9	1190	20.5	10.8	<0.001	0.05	1.12	0.6	1.3	0.4	20.9	<0.01	0.16	0.2
ZZ16880		0.50	18.5	780	14.7	8.7	<0.001	0.03	1.20	0.7	1.6	0.6	14.0	<0.01	0.13	0.2
ZZ16881		0.58	20.7	1060	19.6	10.0	0.001	0.04	1.68	1.6	2.1	0.5	22.0	<0.01	0.14	0.7
ZZ16882		1.25	12.6	590	15.8	9.4	<0.001	0.02	1.02	1.8	1.0	0.5	13.8	0.01	0.13	1.8
ZZ16883		0.85	28.0	500	14.3	9.2	<0.001	0.01	1.18	3.3	1.1	0.4	14.7	0.01	0.09	4.7
ZZ16884		0.32	4.5	440	13.8	5.1	<0.001	0.01	0.85	0.6	0.8	0.7	14.9	<0.01	0.09	0.9
ZZ16885		0.29	14.0	320	15.8	4.9	<0.001	0.01	0.93	1.2	0.9	0.2	11.5	<0.01	0.22	4.0
ZZ16886		1.11	11.8	480	13.1	6.2	<0.001	0.01	1.04	1.4	0.7	0.6	8.3	<0.01	0.10	2.1
ZZ16887		0.35	52.9	740	12.2	3.8	0.001	0.01	1.91	3.8	1.7	0.2	22.0	<0.01	0.07	4.5
ZZ16888		0.29	76.7	800	12.3	5.3	0.002	0.04	1.53	3.4	2.7	0.2	39.2	<0.01	0.07	2.6
ZZ16889		0.39	147.5	1000	14.6	7.9	0.001	0.05	1.62	3.2	5.2	0.2	41.1	0.01	0.08	2.1
ZZ16890		0.27	38.6	710	12.2	3.9	0.001	0.03	1.51	2.6	1.6	0.2	24.6	<0.01	0.08	2.0
ZZ16891		0.32	43.6	720	15.5	5.1	<0.001	0.02	1.90	3.4	1.3	0.2	23.9	<0.01	0.09	2.7
ZZ16892		1.45	22.2	390	16.4	7.4	<0.001	0.01	1.42	2.3	1.1	0.5	7.5	0.01	0.07	3.6
ZZ16893		0.39	22.0	700	12.6	7.6	<0.001	0.01	1.16	2.0	0.9	0.3	12.8	<0.01	0.07	1.5
ZZ16894		0.61	27.3	740	19.2	9.3	<0.001	0.07	2.02	2.4	2.8	0.3	24.0	<0.01	0.12	3.2
ZZ16895		0.82	20.6	480	15.5	7.4	<0.001	0.03	1.41	2.0	1.7	0.4	13.9	<0.01	0.09	4.4
ZZ16896		1.24	20.6	930	20.1	11.3	<0.001	0.06	2.19	2.5	4.4	0.4	21.0	<0.01	0.16	4.9
ZZ16897		0.27	6.4	760	16.0	7.8	<0.001	0.03	1.48	0.6	1.6	0.5	12.3	<0.01	0.13	0.5
ZZ16898		0.44	15.9	810	16.0	9.4	<0.001	0.04	1.07	1.0	1.6	0.4	13.7	<0.01	0.15	0.3
ZZ16899		0.49	11.0	670	14.8	4.7	<0.001	0.02	1.05	1.1	0.6	0.5	13.1	<0.01	0.19	1.3
ZZ16900		0.16	14.9	810	22.2	4.1	<0.001	0.12	1.55	1.3	1.8	0.2	31.5	<0.01	0.19	5.1
ZZ16901		0.37	13.3	760	18.1	5.3	<0.001	0.03	1.16	1.0	1.1	0.4	20.7	<0.01	0.20	0.8
ZZ16902		0.22	18.0	720	15.9	3.4	<0.001	0.02	0.75	0.7	0.7	0.3	19.6	<0.01	0.25	0.3
ZZ16903		0.52	23.7	800	26.2	5.8	<0.001	0.04	1.18	1.9	1.3	0.3	25.2	<0.01	0.21	3.5
ZZ16904		0.28	19.8	800	20.9	4.7	<0.001	0.05	1.29	1.8	1.9	0.2	25.3	<0.01	0.29	3.2
ZZ16905		0.28	16.5	930	18.0	7.3	<0.001	0.05	0.79	0.9	1.4	0.3	26.5	<0.01	0.15	0.3
ZZ16906		0.35	31.1	1590	25.6	14.2	<0.001	0.08	1.19	2.8	1.7	0.4	57.1	<0.01	0.21	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16809		0.013	0.08	0.63	31	0.07	2.65	64	<0.5
ZZ16868		0.008	0.22	1.22	40	0.06	3.47	60	0.6
ZZ16869		<0.005	0.35	0.90	40	0.05	3.35	61	1.0
ZZ16870		0.027	0.12	0.48	48	0.16	1.94	57	<0.5
ZZ16871		0.030	0.14	0.63	57	0.22	1.99	62	<0.5
ZZ16872		0.022	0.18	0.99	45	0.18	3.03	72	0.7
ZZ16873		0.029	0.20	0.72	59	0.24	2.52	57	<0.5
ZZ16874		0.036	0.16	0.59	63	0.26	1.95	46	<0.5
ZZ16875		0.008	0.08	0.25	34	0.05	1.25	43	1.1
ZZ16876		0.019	0.09	0.40	54	0.14	1.39	38	<0.5
ZZ16877		0.014	0.05	0.32	36	0.08	1.16	32	<0.5
ZZ16878		0.027	0.14	0.68	66	0.22	2.09	62	0.6
ZZ16879		0.015	0.07	0.57	48	0.12	1.71	64	<0.5
ZZ16880		0.014	0.12	0.87	53	0.15	3.00	70	<0.5
ZZ16881		0.020	0.17	1.52	53	0.18	3.65	71	<0.5
ZZ16882		0.029	0.10	0.49	51	0.28	2.05	66	<0.5
ZZ16883		0.023	0.13	1.30	44	0.17	4.51	90	2.2
ZZ16884		0.009	0.11	0.29	51	0.15	1.42	23	<0.5
ZZ16885		0.008	0.06	0.30	26	0.06	1.67	55	0.5
ZZ16886		0.034	0.10	0.39	60	0.21	1.70	49	<0.5
ZZ16887		0.014	0.08	1.01	36	0.07	7.65	224	2.0
ZZ16888		0.009	0.11	1.19	34	0.06	11.45	391	1.1
ZZ16889		0.012	0.15	1.77	38	0.11	23.8	753	1.0
ZZ16890		0.008	0.08	0.81	30	0.06	5.86	158	1.7
ZZ16891		0.010	0.12	0.99	36	0.07	6.94	190	1.4
ZZ16892		0.033	0.12	0.52	55	0.22	2.38	103	1.3
ZZ16893		0.012	0.11	0.64	36	0.10	3.60	87	<0.5
ZZ16894		0.014	0.18	1.13	43	0.14	2.94	94	2.1
ZZ16895		0.017	0.12	0.64	47	0.14	2.39	73	1.5
ZZ16896		0.026	0.21	1.24	62	0.20	3.08	69	2.1
ZZ16897		0.009	0.13	0.50	55	0.10	1.98	31	<0.5
ZZ16898		0.017	0.12	0.91	45	0.16	2.97	62	<0.5
ZZ16899		0.020	0.06	0.35	48	0.13	1.82	53	<0.5
ZZ16900		0.006	0.11	0.73	34	<0.05	2.84	57	<0.5
ZZ16901		0.011	0.08	0.40	53	0.10	1.71	55	<0.5
ZZ16902		0.008	0.04	0.34	42	0.08	2.02	81	<0.5
ZZ16903		0.015	0.10	0.63	41	0.09	2.55	89	0.9
ZZ16904		0.007	0.10	0.77	33	0.06	2.44	62	1.4
ZZ16905		0.007	0.12	1.42	30	0.08	4.46	45	<0.5
ZZ16906		0.005	0.18	1.72	42	0.08	8.28	86	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16907		0.38	0.007	0.51	1.20	12.6	<0.2	<10	390	0.23	0.30	0.07	0.29	20.3	8.0	22
ZZ16020		0.24	0.008	0.48	0.83	15.6	<0.2	<10	110	0.14	0.31	0.02	0.07	29.3	2.1	15
ZZ16021		0.28	0.002	0.25	0.83	12.4	<0.2	<10	110	0.16	0.32	0.02	0.11	22.9	2.6	13
ZZ16022		0.18	0.006	0.31	1.07	14.0	<0.2	<10	130	0.25	0.33	0.03	0.13	27.4	4.2	19
ZZ16023		0.16	0.005	0.22	1.35	14.4	<0.2	<10	100	0.24	0.35	0.03	0.13	25.5	4.7	24
ZZ16024		0.28	0.005	0.25	1.71	15.7	<0.2	<10	90	0.28	0.29	0.04	0.17	25.8	4.3	26
ZZ16025		0.22	0.001	0.21	1.25	13.1	<0.2	<10	80	0.18	0.33	0.04	0.11	24.5	3.9	22
ZZ16026		0.26	0.006	0.39	1.44	14.6	<0.2	<10	100	0.31	0.23	0.03	0.14	27.8	4.9	24
ZZ16027		0.32	0.005	0.89	0.86	19.6	<0.2	<10	100	0.13	0.32	0.04	0.16	25.6	3.6	21
ZZ16028		0.22	0.007	0.35	1.65	17.9	<0.2	<10	110	0.25	0.34	0.04	0.13	25.5	5.1	27
ZZ16029		0.34	0.012	0.65	1.61	20.3	<0.2	<10	140	0.39	0.36	0.06	0.17	27.0	8.5	26
ZZ16030		0.24	0.014	0.25	1.41	18.5	<0.2	<10	120	0.24	0.42	0.04	0.11	30.6	4.3	22
ZZ16031		0.22	0.010	0.62	1.24	19.0	<0.2	<10	170	0.30	0.39	0.05	0.27	25.9	5.6	23
ZZ16032		0.22	0.005	0.53	0.89	18.6	<0.2	<10	130	0.18	0.37	0.03	0.07	46.9	2.1	19
ZZ16033		0.22	0.007	0.30	0.78	13.2	<0.2	<10	110	0.14	0.35	0.02	0.09	36.5	1.7	16
ZZ16034		0.22	0.016	0.34	1.06	17.1	<0.2	<10	110	0.19	0.33	0.04	0.07	28.6	3.0	19
ZZ16035		0.20	0.004	0.24	0.73	8.5	<0.2	<10	100	0.12	0.25	0.02	0.09	33.8	1.2	10
ZZ16036		0.30	0.007	0.23	0.97	12.1	<0.2	<10	130	0.28	0.19	0.04	0.35	34.7	13.6	22
ZZ16037		0.28	0.001	0.19	0.90	17.2	<0.2	<10	70	0.15	0.35	0.03	0.18	23.6	3.7	16
ZZ16038		0.32	0.007	0.44	1.14	18.1	<0.2	<10	150	0.44	0.26	0.08	1.04	29.1	18.8	25
ZZ16039		0.20	0.006	0.51	0.93	13.9	<0.2	<10	250	0.17	0.27	0.06	0.24	19.85	5.5	18
ZZ16040		0.24	0.003	0.26	0.99	15.7	<0.2	<10	80	0.15	0.27	0.04	0.24	24.1	4.9	21
ZZ16041		0.30	0.007	0.45	1.18	12.3	<0.2	<10	310	0.35	0.24	0.35	0.56	25.5	10.6	24
ZZ16042		0.28	0.005	0.44	1.08	14.9	<0.2	<10	380	0.36	0.24	0.34	0.74	26.1	15.5	25
ZZ16043		0.28	0.007	1.02	1.16	16.1	<0.2	<10	1650	0.51	0.30	0.28	3.24	20.8	16.9	21
ZZ16044		0.16	0.013	1.59	1.42	12.0	<0.2	<10	450	0.41	0.35	0.22	0.60	17.40	5.6	22
ZZ16045		0.24	0.003	0.29	0.76	17.2	<0.2	<10	70	0.17	0.29	0.04	0.54	20.1	5.4	18
ZZ16046		0.34	0.003	0.29	0.77	14.4	<0.2	<10	210	0.23	0.23	0.39	0.51	19.80	8.4	18
ZZ16047		0.22	0.004	0.20	0.52	8.3	<0.2	<10	120	0.08	0.22	0.01	0.10	33.5	1.3	10
ZZ16048		0.16	0.005	0.22	0.52	15.9	<0.2	<10	70	0.09	0.31	0.02	0.05	31.1	2.0	11
ZZ16049		0.38	0.019	0.42	1.44	20.9	<0.2	<10	780	0.27	0.41	0.04	0.18	38.3	6.4	24
ZZ16050		0.30	0.004	0.30	0.93	17.0	<0.2	<10	110	0.15	0.48	0.02	0.08	33.5	2.4	20
ZZ16501		0.20	0.010	0.69	1.19	22.2	<0.2	<10	180	0.19	0.39	0.03	0.11	35.5	2.4	28
ZZ16502		0.24	0.006	0.63	1.11	26.2	<0.2	<10	190	0.19	0.39	0.03	0.14	39.2	2.7	27
ZZ16503		0.24	0.016	0.22	1.12	11.7	<0.2	<10	130	0.18	0.35	0.04	0.14	26.1	4.6	17
ZZ16504		0.14	0.005	0.22	0.66	7.4	<0.2	<10	100	0.09	0.26	0.03	0.12	18.15	1.8	15
ZZ16505		0.22	0.003	0.31	1.08	15.9	<0.2	<10	100	0.17	0.30	0.04	0.07	33.9	2.9	22
ZZ16506		0.24	0.002	0.35	0.63	14.1	<0.2	<10	80	0.08	0.30	0.02	0.05	25.1	2.0	13
ZZ16507		0.20	0.004	0.23	0.77	14.1	<0.2	<10	80	0.08	0.25	0.02	0.07	24.8	2.5	17
ZZ16508		0.30	0.003	0.45	1.28	17.7	<0.2	<10	80	0.13	0.34	0.04	0.08	23.6	3.7	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16907		1.37	56.9	2.94	4.32	0.07	0.02	0.22	0.031	0.04	10.0	15.7	0.30	371	1.84
ZZ16020		1.44	63.1	2.49	4.83	0.07	<0.02	0.08	0.023	0.03	14.7	6.8	0.12	87	2.71
ZZ16021		1.25	41.1	2.52	5.22	0.07	<0.02	0.04	0.022	0.04	11.5	5.0	0.11	166	1.87
ZZ16022		1.44	37.0	2.66	5.56	0.08	<0.02	0.06	0.026	0.04	13.4	10.3	0.19	220	2.13
ZZ16023		1.39	38.7	3.62	5.50	0.09	0.03	0.06	0.032	0.04	12.4	18.8	0.23	266	2.04
ZZ16024		1.34	36.8	3.10	5.72	0.09	0.02	0.09	0.029	0.03	12.8	17.1	0.25	193	1.98
ZZ16025		1.61	14.4	3.25	8.24	0.08	<0.02	0.04	0.022	0.04	12.0	7.5	0.20	201	1.91
ZZ16026		0.86	36.7	3.53	4.60	0.09	0.03	0.10	0.026	0.03	13.6	16.8	0.27	171	1.62
ZZ16027		1.05	60.6	2.87	4.76	0.09	<0.02	0.10	0.026	0.03	13.6	5.1	0.12	176	2.67
ZZ16028		1.30	49.3	3.74	5.78	0.09	0.02	0.08	0.029	0.04	12.7	19.9	0.28	297	2.16
ZZ16029		2.04	66.9	3.60	5.02	0.09	0.02	0.13	0.041	0.04	13.4	21.5	0.32	627	2.22
ZZ16030		1.63	87.3	4.20	5.26	0.10	0.02	0.07	0.039	0.03	15.3	14.9	0.21	251	2.14
ZZ16031		1.41	74.7	3.37	4.57	0.08	0.02	0.16	0.039	0.05	12.7	11.9	0.22	663	2.02
ZZ16032		1.51	34.0	3.38	5.96	0.11	<0.02	0.06	0.028	0.04	24.1	10.2	0.13	161	2.54
ZZ16033		0.99	46.8	2.64	5.43	0.08	<0.02	0.04	0.022	0.03	18.8	7.2	0.13	124	1.41
ZZ16034		1.21	47.0	3.61	5.89	0.09	<0.02	0.07	0.031	0.03	13.9	10.3	0.13	142	1.95
ZZ16035		1.19	41.6	1.27	4.96	0.06	<0.02	0.04	0.014	0.02	16.9	1.5	0.04	43	1.50
ZZ16036		0.68	97.8	3.11	3.22	0.11	0.03	0.12	0.023	0.03	17.0	22.9	0.39	694	1.56
ZZ16037		0.76	16.1	2.91	7.58	0.08	<0.02	0.03	0.020	0.03	11.6	5.5	0.12	196	2.03
ZZ16038		0.77	99.6	3.80	3.35	0.11	0.04	0.21	0.031	0.03	13.8	22.3	0.48	615	2.15
ZZ16039		1.05	43.7	2.87	4.59	0.07	<0.02	0.07	0.022	0.03	10.1	9.4	0.21	240	1.89
ZZ16040		0.98	50.2	3.59	5.10	0.09	0.02	0.07	0.025	0.03	11.8	11.8	0.26	197	2.03
ZZ16041		0.79	54.7	3.05	3.52	0.08	0.05	0.22	0.030	0.03	12.5	26.5	0.49	398	1.92
ZZ16042		0.70	51.8	3.39	3.35	0.10	0.06	0.20	0.031	0.03	12.4	21.4	0.48	839	1.94
ZZ16043		1.26	111.5	3.18	3.59	0.09	0.04	0.32	0.040	0.05	10.6	15.2	0.30	1340	2.13
ZZ16044		2.00	107.0	2.56	4.25	0.08	0.04	0.38	0.028	0.06	9.4	37.0	0.33	327	1.79
ZZ16045		1.01	52.6	3.06	4.21	0.08	<0.02	0.05	0.029	0.03	10.2	11.3	0.23	176	2.52
ZZ16046		0.64	43.3	2.93	3.33	0.08	0.02	0.08	0.025	0.02	9.8	14.4	0.32	298	1.87
ZZ16047		0.78	28.8	1.46	4.27	0.06	<0.02	0.03	0.015	0.02	16.5	2.0	0.05	45	1.22
ZZ16048		0.73	86.9	2.90	5.19	0.08	<0.02	0.03	0.021	0.02	15.3	1.4	0.04	48	1.66
ZZ16049		1.67	158.5	4.19	5.09	0.12	0.03	0.12	0.046	0.04	19.0	20.2	0.31	497	2.30
ZZ16050		1.54	47.3	3.60	6.06	0.09	<0.02	0.07	0.030	0.04	16.7	5.3	0.11	141	1.95
ZZ16501		1.38	77.8	3.83	4.00	0.07	0.02	0.12	0.041	0.05	19.2	15.8	0.24	203	2.56
ZZ16502		1.45	57.6	4.11	4.70	0.08	0.03	0.22	0.046	0.06	21.3	15.5	0.18	230	5.05
ZZ16503		1.11	91.0	3.62	3.63	0.06	<0.02	0.10	0.036	0.04	13.2	15.3	0.18	339	1.72
ZZ16504		0.55	52.9	2.28	3.31	<0.05	<0.02	0.07	0.018	0.03	9.5	2.8	0.06	83	1.26
ZZ16505		1.28	31.7	2.69	4.46	0.07	<0.02	0.14	0.024	0.04	19.0	8.7	0.19	119	1.99
ZZ16506		1.12	19.6	2.32	5.19	0.05	<0.02	0.06	0.018	0.03	13.2	1.9	0.04	84	2.05
ZZ16507		0.96	29.0	2.99	4.18	0.05	<0.02	0.03	0.018	0.03	13.2	8.2	0.15	154	1.91
ZZ16508		1.76	20.2	4.13	6.88	0.07	<0.02	0.06	0.027	0.05	12.3	12.9	0.23	229	2.59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16907		0.32	25.3	800	19.3	8.4	<0.001	0.02	0.98	2.2	1.1	0.3	21.4	<0.01	0.11
ZZ16020		0.44	10.9	460	20.4	8.0	<0.001	0.03	1.08	1.1	1.3	0.5	23.2	<0.01	0.14
ZZ16021		0.20	12.4	740	14.7	9.1	<0.001	0.03	0.85	0.5	0.7	0.5	14.4	<0.01	0.12
ZZ16022		0.37	15.3	680	16.3	10.0	<0.001	0.02	0.92	0.8	0.9	0.5	12.9	<0.01	0.13
ZZ16023		1.06	17.8	470	17.7	10.4	<0.001	0.02	1.11	1.9	1.0	0.5	12.6	<0.01	0.13
ZZ16024		1.05	18.5	570	15.6	8.2	<0.001	0.02	0.95	2.0	1.1	0.5	11.8	0.01	0.11
ZZ16025		1.82	10.6	410	14.6	9.6	<0.001	0.01	0.77	1.9	0.6	0.9	7.1	<0.01	0.07
ZZ16026		0.84	23.9	420	14.9	6.6	<0.001	0.02	1.05	2.0	1.0	0.3	13.1	0.01	0.10
ZZ16027		0.31	20.5	790	16.2	5.8	<0.001	0.05	1.34	0.5	1.6	0.4	11.9	<0.01	0.16
ZZ16028		0.95	21.7	650	18.1	8.7	<0.001	0.02	0.99	1.8	1.3	0.4	11.7	0.01	0.15
ZZ16029		0.71	27.7	900	21.2	7.5	<0.001	0.05	1.14	1.9	1.3	0.4	25.4	<0.01	0.17
ZZ16030		0.66	22.3	790	23.2	7.2	<0.001	0.04	1.05	1.8	1.1	0.4	24.4	<0.01	0.25
ZZ16031		0.33	18.6	1050	20.3	8.3	<0.001	0.07	1.14	0.8	1.7	0.4	27.2	<0.01	0.17
ZZ16032		0.51	9.2	680	23.6	9.9	<0.001	0.04	1.03	1.1	1.1	0.4	24.2	<0.01	0.22
ZZ16033		0.33	11.4	690	18.7	7.1	<0.001	0.02	0.93	0.9	1.1	0.5	26.2	<0.01	0.12
ZZ16034		0.58	11.2	630	15.8	7.1	<0.001	0.02	0.82	1.2	1.0	0.5	25.9	<0.01	0.14
ZZ16035		0.26	5.0	490	11.6	5.7	<0.001	0.02	0.63	0.5	0.7	0.7	12.8	<0.01	0.11
ZZ16036		0.22	39.4	550	13.4	3.1	<0.001	0.03	1.12	2.2	0.8	<0.2	20.8	<0.01	0.08
ZZ16037		1.05	12.5	590	11.5	4.4	<0.001	0.01	1.21	1.5	0.6	0.7	6.0	<0.01	0.07
ZZ16038		0.26	56.2	680	19.8	3.8	<0.001	0.01	2.27	3.6	1.2	0.2	14.9	<0.01	0.11
ZZ16039		0.25	22.0	670	13.1	5.7	<0.001	0.01	1.21	1.0	0.7	0.3	12.3	<0.01	0.10
ZZ16040		0.77	24.5	550	14.2	6.0	<0.001	0.02	1.38	1.9	1.0	0.4	9.6	<0.01	0.11
ZZ16041		0.24	39.8	670	15.5	4.4	0.001	0.02	1.44	3.0	1.2	0.2	31.4	<0.01	0.09
ZZ16042		0.29	45.3	830	16.7	4.0	<0.001	0.02	1.72	3.3	1.2	0.2	31.1	<0.01	0.09
ZZ16043		0.19	85.2	970	23.2	7.4	<0.001	0.03	1.79	2.4	1.7	0.3	30.2	<0.01	0.14
ZZ16044		0.29	64.1	1110	15.6	11.0	<0.001	0.07	0.68	1.8	2.1	0.3	52.1	<0.01	0.13
ZZ16045		0.34	29.1	570	13.4	6.6	<0.001	0.02	2.10	1.6	1.2	0.3	7.9	<0.01	0.11
ZZ16046		0.27	31.9	700	14.3	3.6	<0.001	0.02	1.75	1.8	1.0	0.2	25.6	<0.01	0.09
ZZ16047		0.24	6.2	470	10.9	5.1	<0.001	0.01	0.59	0.8	0.5	0.4	11.9	<0.01	0.10
ZZ16048		0.31	11.0	650	14.2	4.2	<0.001	0.02	1.00	0.9	0.8	0.4	21.5	<0.01	0.15
ZZ16049		0.34	31.7	930	27.2	7.5	<0.001	0.08	1.25	2.2	1.6	0.3	57.4	<0.01	0.26
ZZ16050		0.64	10.7	810	23.3	10.1	<0.001	0.04	1.25	1.1	1.4	0.5	28.6	<0.01	0.17
ZZ16501		0.27	16.9	990	25.0	8.9	<0.001	0.09	1.73	1.2	2.9	0.2	54.6	<0.01	0.17
ZZ16502		0.42	11.5	990	26.0	8.8	<0.001	0.18	1.85	1.5	3.2	0.3	68.4	<0.01	0.16
ZZ16503		0.42	19.6	700	19.6	5.6	<0.001	0.05	0.98	1.7	0.8	0.2	22.1	<0.01	0.23
ZZ16504		0.34	8.5	760	15.0	3.8	<0.001	0.05	0.54	0.6	0.7	0.2	11.5	<0.01	0.13
ZZ16505		0.44	10.3	520	17.7	7.9	<0.001	0.03	1.14	0.8	2.0	0.3	11.3	<0.01	0.10
ZZ16506		0.59	7.2	440	13.3	7.2	<0.001	0.02	0.92	0.8	0.8	0.5	15.2	<0.01	0.08
ZZ16507		0.41	12.7	630	13.5	7.1	<0.001	0.02	1.04	1.0	0.9	0.3	12.7	<0.01	0.09
ZZ16508		1.41	12.9	610	14.7	12.3	<0.001	0.02	1.09	1.7	1.4	0.6	11.2	<0.01	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16907		0.006	0.14	0.94	37	0.08	4.26	82	0.5
ZZ16020		0.012	0.16	0.55	48	0.11	2.31	41	<0.5
ZZ16021		0.011	0.11	0.38	48	0.12	1.66	49	<0.5
ZZ16022		0.016	0.12	0.59	45	0.16	2.47	57	<0.5
ZZ16023		0.024	0.12	0.53	47	0.18	2.08	68	1.2
ZZ16024		0.025	0.13	0.68	52	0.20	2.53	63	0.6
ZZ16025		0.044	0.17	0.53	67	0.31	1.97	45	<0.5
ZZ16026		0.022	0.09	0.53	44	0.12	2.56	69	1.7
ZZ16027		0.017	0.08	0.73	49	0.13	2.10	60	<0.5
ZZ16028		0.022	0.12	0.64	50	0.19	2.29	70	0.5
ZZ16029		0.019	0.12	0.79	47	0.15	2.91	88	0.6
ZZ16030		0.013	0.10	0.63	49	0.12	2.30	68	0.8
ZZ16031		0.011	0.15	1.11	43	0.14	4.70	73	<0.5
ZZ16032		0.010	0.14	0.44	49	0.11	1.84	37	<0.5
ZZ16033		0.010	0.10	0.48	47	0.10	1.70	39	<0.5
ZZ16034		0.012	0.10	0.49	53	0.14	1.86	45	<0.5
ZZ16035		0.012	0.11	0.58	40	0.15	3.01	20	<0.5
ZZ16036		0.012	0.09	0.82	27	<0.05	6.49	127	1.3
ZZ16037		0.028	0.15	0.34	81	0.22	1.64	71	<0.5
ZZ16038		0.012	0.15	0.93	34	0.05	9.62	260	1.7
ZZ16039		0.011	0.11	0.47	43	0.10	2.86	93	<0.5
ZZ16040		0.019	0.11	0.53	46	0.14	3.10	107	0.6
ZZ16041		0.007	0.11	0.88	33	0.05	7.57	164	1.5
ZZ16042		0.010	0.10	0.82	33	0.07	8.21	181	1.8
ZZ16043		0.006	0.18	1.43	35	0.06	15.25	216	0.5
ZZ16044		<0.005	0.15	1.06	35	0.07	9.51	164	0.8
ZZ16045		0.010	0.14	0.51	48	0.06	3.30	170	<0.5
ZZ16046		0.011	0.09	0.76	33	0.05	4.54	145	0.6
ZZ16047		0.008	0.07	0.34	33	0.07	1.78	29	<0.5
ZZ16048		0.015	0.06	0.29	54	0.08	1.53	45	<0.5
ZZ16049		0.009	0.12	0.91	45	0.08	4.82	82	0.8
ZZ16050		0.016	0.13	0.56	54	0.15	1.93	40	<0.5
ZZ16501		0.007	0.16	1.29	43	0.06	2.51	54	0.7
ZZ16502		0.009	0.24	1.03	41	0.09	3.42	55	0.9
ZZ16503		0.011	0.08	0.60	34	0.09	2.71	74	<0.5
ZZ16504		0.010	0.06	0.56	33	0.06	1.36	34	<0.5
ZZ16505		0.015	0.13	0.81	40	0.12	2.42	39	<0.5
ZZ16506		0.020	0.11	0.40	54	0.13	1.62	36	<0.5
ZZ16507		0.014	0.09	0.40	44	0.08	1.69	49	<0.5
ZZ16508		0.033	0.14	0.58	62	0.20	2.07	56	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16509		0.22	0.004	0.29	1.61	18.0	<0.2	<10	100	0.21	0.36	0.03	0.10	21.9	3.4	30
ZZ16511		0.30	0.004	0.36	1.10	13.6	<0.2	<10	70	0.11	0.28	0.02	0.05	25.9	3.3	23
ZZ16512		0.18	0.015	0.32	1.04	9.8	<0.2	<10	160	0.18	0.54	0.05	0.22	29.2	7.6	19
ZZ16513		0.26	0.015	0.47	0.93	14.7	<0.2	<10	190	0.14	0.38	0.01	0.14	19.30	3.7	18
ZZ16514		0.22	0.007	0.69	1.09	25.9	<0.2	<10	180	0.12	0.41	0.02	0.07	40.5	2.0	25
ZZ16515		0.16	0.004	0.37	0.45	11.2	<0.2	<10	150	0.07	0.33	0.04	0.15	29.4	1.4	14
ZZ16516		0.18	0.004	0.35	1.02	12.6	<0.2	<10	120	0.19	0.22	0.10	0.46	23.2	7.5	22
ZZ16517		0.30	0.005	0.26	0.94	14.1	<0.2	<10	350	0.24	0.23	0.24	0.98	27.4	14.1	23
ZZ16518		0.38	0.005	0.53	1.07	13.2	<0.2	<10	210	0.23	0.24	0.16	0.67	25.4	9.9	25
ZZ16062		0.26	0.004	0.72	1.05	19.6	<0.2	<10	170	0.15	0.33	0.03	0.16	20.5	2.4	22
ZZ16063		0.30	0.003	0.28	0.93	15.4	<0.2	<10	100	0.12	0.33	0.03	0.11	18.95	2.8	18
ZZ16064		0.26	0.002	0.37	0.78	21.3	<0.2	<10	130	0.15	0.43	0.02	0.08	15.50	1.8	17
ZZ16065		0.40	0.003	0.46	1.64	16.5	<0.2	<10	130	0.29	0.31	0.06	0.25	18.55	5.6	28
ZZ16066		0.30	0.002	0.18	1.63	15.3	<0.2	<10	100	0.23	0.27	0.07	0.18	23.3	7.8	30
ZZ16067		0.24	0.002	0.56	1.49	14.1	<0.2	<10	80	0.19	0.32	0.05	0.10	21.9	4.2	26
ZZ16068		0.34	0.004	0.28	1.57	18.1	<0.2	<10	110	0.29	0.29	0.10	0.17	24.0	6.5	30
ZZ16069		0.32	0.005	0.45	2.15	19.1	<0.2	<10	210	0.46	0.34	0.08	0.21	26.6	10.6	34
ZZ16070		0.32	0.002	0.26	1.43	15.8	<0.2	<10	130	0.29	0.35	0.07	0.14	20.1	3.7	27
ZZ16071		0.30	0.004	1.40	1.22	19.0	<0.2	<10	140	0.19	0.39	0.04	0.14	17.50	3.6	25
ZZ16072		0.32	0.001	0.99	0.94	16.7	<0.2	<10	120	0.19	0.31	0.04	0.15	14.90	3.1	22
ZZ16073		0.40	0.005	0.37	1.53	17.4	<0.2	<10	160	0.33	0.27	0.08	0.21	24.2	7.3	29
ZZ16074		0.24	0.011	0.25	0.84	9.2	<0.2	<10	90	0.11	0.42	0.04	0.07	19.65	2.1	17
ZZ16075		0.34	0.008	0.77	2.01	34.5	<0.2	<10	160	0.24	0.36	0.04	0.15	28.1	5.0	43
ZZ16076		0.30	0.013	1.31	2.12	14.9	<0.2	<10	320	0.54	0.25	0.25	1.40	29.5	17.4	30
ZZ16077		0.30	0.004	0.16	1.31	15.7	<0.2	<10	120	0.15	0.32	0.04	0.14	32.1	3.3	23
ZZ16078		0.26	0.002	0.14	0.54	6.0	<0.2	<10	130	0.06	0.41	0.02	0.14	25.2	2.6	13
ZZ16079		0.34	0.004	0.51	1.00	17.6	<0.2	<10	150	0.15	0.33	0.06	0.14	31.8	3.7	25
ZZ16080		0.32	0.002	0.55	0.84	14.7	<0.2	<10	90	0.11	0.28	0.06	0.15	24.4	3.5	18
ZZ16081		0.40	0.002	0.35	1.10	13.3	<0.2	<10	80	0.14	0.23	0.02	0.09	25.6	3.9	25
ZZ16082		0.32	0.007	0.19	1.19	10.5	<0.2	<10	100	0.23	0.18	0.02	0.14	34.6	7.7	26
ZZ16083		0.30	0.006	0.08	1.31	10.4	<0.2	<10	90	0.22	0.23	0.02	0.15	28.1	5.8	28
ZZ16084		0.34	0.004	0.23	0.43	2.7	<0.2	<10	80	0.07	0.05	0.02	0.34	4.25	12.2	4
ZZ16085		0.32	0.006	0.50	1.32	7.0	<0.2	<10	430	0.31	0.23	0.25	0.57	29.6	9.7	27
ZZ16086		0.32	0.004	0.35	1.26	8.4	<0.2	<10	300	0.35	0.20	0.20	0.66	29.3	8.9	27
ZZ16087		0.28	0.004	0.08	1.93	16.1	<0.2	<10	120	0.43	0.26	0.13	0.45	28.1	10.6	35
ZZ16088		0.26	0.003	0.61	1.31	11.8	<0.2	<10	450	0.40	0.26	0.29	1.17	31.2	13.3	28
ZZ16089		0.28	0.005	0.53	1.32	15.6	<0.2	<10	310	0.58	0.21	0.32	2.20	22.8	118.5	23
ZZ16090		0.32	0.004	0.52	1.34	16.9	<0.2	<10	310	0.60	0.20	0.23	1.01	28.4	33.8	23
ZZ16091		0.36	0.006	0.18	0.30	1.9	<0.2	<10	470	0.11	0.03	0.02	0.46	11.70	586	2
ZZ16092		0.54	0.008	0.20	0.72	4.2	<0.2	<10	500	0.35	0.10	0.05	3.28	11.25	242	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ16509		1.72	26.6	4.05	5.95	0.06	0.04	0.20	0.035	0.04	11.1	25.1	0.26	158	2.30
ZZ16511		1.14	32.8	3.58	5.34	0.06	<0.02	0.04	0.021	0.03	13.8	14.2	0.22	124	1.93
ZZ16512		0.92	135.0	5.14	3.73	0.08	<0.02	0.08	0.049	0.03	15.4	9.7	0.14	805	1.72
ZZ16513		1.20	93.0	3.59	3.65	0.06	0.02	0.10	0.036	0.04	9.4	10.3	0.15	504	2.38
ZZ16514		1.25	56.1	4.70	5.53	0.09	0.02	0.09	0.038	0.05	21.9	9.9	0.17	187	3.32
ZZ16515		0.76	56.1	1.69	4.53	0.05	<0.02	0.04	0.017	0.02	15.8	1.0	0.02	54	1.70
ZZ16516		0.62	50.7	3.13	3.52	0.06	0.02	0.08	0.023	0.03	11.7	18.1	0.37	254	1.85
ZZ16517		0.59	63.2	3.41	2.99	0.09	0.03	0.19	0.025	0.04	13.9	22.1	0.47	490	1.72
ZZ16518		0.72	61.6	3.38	3.35	0.08	0.02	0.16	0.025	0.03	13.0	20.6	0.43	397	1.94
ZZ16062		2.22	50.0	3.16	4.72	0.07	<0.02	0.17	0.027	0.04	10.7	9.2	0.16	152	3.25
ZZ16063		1.66	39.7	2.68	5.27	0.05	<0.02	0.08	0.023	0.04	9.7	7.7	0.15	140	2.42
ZZ16064		2.13	36.0	3.47	5.58	0.06	<0.02	0.08	0.030	0.04	7.7	3.5	0.06	75	4.33
ZZ16065		3.02	54.9	3.46	5.40	0.06	<0.02	0.12	0.034	0.05	9.5	22.7	0.32	241	2.34
ZZ16066		2.33	22.5	3.67	6.00	0.06	<0.02	0.07	0.033	0.05	11.7	20.5	0.41	406	2.03
ZZ16067		1.94	15.3	3.46	7.14	0.06	<0.02	0.11	0.024	0.05	11.0	12.6	0.20	251	2.19
ZZ16068		2.24	34.5	3.82	5.19	0.07	<0.02	0.06	0.032	0.05	12.1	19.3	0.41	318	2.23
ZZ16069		3.84	51.2	3.65	5.75	0.07	0.06	0.27	0.040	0.08	13.5	25.9	0.54	451	2.18
ZZ16070		2.33	38.2	2.88	6.11	0.05	<0.02	0.13	0.030	0.04	10.2	12.2	0.24	122	2.08
ZZ16071		2.64	40.1	3.66	5.34	0.07	<0.02	0.16	0.038	0.05	9.0	12.9	0.23	182	3.07
ZZ16072		2.04	37.8	2.65	4.19	0.05	<0.02	0.08	0.029	0.04	7.7	8.4	0.12	163	2.21
ZZ16073		1.80	39.4	3.25	4.86	0.07	0.02	0.14	0.034	0.05	12.0	18.1	0.38	302	3.15
ZZ16074		0.64	77.6	2.96	3.34	0.06	<0.02	0.05	0.032	0.02	10.3	10.0	0.18	764	1.78
ZZ16075		1.63	60.5	5.59	5.79	0.10	<0.02	0.17	0.044	0.05	15.2	27.7	0.28	335	3.43
ZZ16076		1.23	49.5	4.08	4.56	0.09	0.05	0.23	0.036	0.04	15.2	22.1	0.19	2580	3.55
ZZ16077		1.32	30.6	4.04	6.22	0.08	0.02	0.03	0.027	0.04	16.8	17.8	0.17	233	2.09
ZZ16078		0.75	57.7	3.20	5.03	0.06	<0.02	0.03	0.024	0.03	13.5	3.7	0.05	337	1.07
ZZ16079		1.41	26.3	3.27	5.60	0.07	<0.02	0.08	0.027	0.06	16.7	10.1	0.21	193	2.15
ZZ16080		1.56	19.3	3.02	5.47	0.06	<0.02	0.05	0.018	0.04	13.0	7.6	0.16	167	2.39
ZZ16081		1.08	26.7	3.68	5.25	<0.05	<0.02	0.02	0.018	0.03	13.6	14.3	0.27	193	2.07
ZZ16082		0.64	59.4	3.11	3.50	<0.05	0.02	0.08	0.020	0.02	17.7	26.8	0.42	276	1.51
ZZ16083		0.84	42.7	3.71	4.14	<0.05	0.06	0.03	0.021	0.03	14.7	27.3	0.39	220	1.45
ZZ16084		0.58	29.4	46.3	1.15	0.38	0.06	0.04	0.006	0.04	2.4	0.4	0.03	697	0.61
ZZ16085		0.97	85.9	2.84	3.92	<0.05	0.05	0.23	0.026	0.04	15.8	37.8	0.47	351	1.14
ZZ16086		0.67	56.7	2.99	3.70	<0.05	0.05	0.12	0.025	0.04	16.4	27.5	0.44	626	1.37
ZZ16087		1.27	29.0	3.96	5.72	<0.05	0.06	0.04	0.036	0.05	13.1	27.4	0.51	388	2.13
ZZ16088		0.93	117.5	3.49	4.00	0.05	0.05	0.21	0.032	0.05	16.5	32.8	0.49	493	1.80
ZZ16089		1.27	65.0	7.43	3.40	0.09	0.05	0.17	0.026	0.04	12.2	27.9	0.38	3540	2.91
ZZ16090		1.50	64.8	9.02	3.38	0.11	0.05	0.17	0.026	0.03	15.0	27.9	0.37	585	3.03
ZZ16091		0.40	16.8	46.2	0.96	0.40	0.11	0.07	<0.005	0.03	3.1	0.6	0.02	18450	0.36
ZZ16092		0.89	35.0	35.1	1.88	0.29	0.07	0.10	0.013	0.06	4.7	3.5	0.08	8420	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ16509		1.20	16.3	510	17.3	13.2	<0.001	0.02	1.37	1.9	2.0	0.5	14.1	<0.01	0.10
ZZ16511		0.85	14.2	440	13.8	9.1	<0.001	0.01	1.05	1.4	1.0	0.4	9.1	<0.01	0.09
ZZ16512		0.24	26.5	1190	25.8	5.5	<0.001	0.07	1.24	1.6	0.9	0.2	24.1	<0.01	0.21
ZZ16513		0.11	18.1	840	21.5	6.0	<0.001	0.07	1.48	1.1	2.2	0.2	34.1	<0.01	0.20
ZZ16514		0.42	13.2	980	25.7	8.0	<0.001	0.08	1.69	1.4	2.8	0.3	68.4	<0.01	0.17
ZZ16515		0.16	6.8	640	14.3	4.4	<0.001	0.02	0.80	0.3	0.8	0.4	23.1	<0.01	0.12
ZZ16516		0.27	33.2	680	12.8	4.3	<0.001	0.02	1.68	2.0	0.7	0.2	13.2	<0.01	0.07
ZZ16517		0.33	55.6	810	15.3	3.3	<0.001	0.01	1.75	3.2	1.0	0.2	27.2	<0.01	0.07
ZZ16518		0.29	37.1	750	13.0	4.6	<0.001	0.01	1.56	2.7	1.1	0.2	17.6	<0.01	0.07
ZZ16062		0.29	11.4	960	19.7	8.8	<0.001	0.05	1.41	0.6	2.7	0.4	20.4	<0.01	0.10
ZZ16063		0.34	11.9	670	14.4	7.5	<0.001	0.05	1.12	0.6	1.7	0.4	16.0	<0.01	0.10
ZZ16064		0.44	7.6	880	23.5	9.8	<0.001	0.05	2.19	0.6	2.2	0.5	18.5	<0.01	0.10
ZZ16065		0.75	19.9	670	14.7	10.4	<0.001	0.04	1.27	1.3	2.6	0.5	16.3	<0.01	0.08
ZZ16066		0.83	19.3	550	13.9	10.5	<0.001	0.03	1.11	1.5	1.4	0.5	11.8	<0.01	0.06
ZZ16067		1.46	11.1	440	13.3	12.3	<0.001	0.02	0.98	1.9	1.1	0.7	8.4	<0.01	0.07
ZZ16068		0.54	20.0	940	15.7	9.3	<0.001	0.03	1.39	1.5	2.2	0.4	15.4	<0.01	0.08
ZZ16069		1.07	30.3	650	19.0	12.9	<0.001	0.03	1.50	3.5	2.1	0.5	17.4	0.01	0.08
ZZ16070		0.68	14.1	680	17.3	9.9	<0.001	0.03	1.13	0.8	2.1	0.6	16.9	<0.01	0.08
ZZ16071		0.79	13.9	590	24.5	10.7	<0.001	0.03	2.28	1.7	2.7	0.4	15.6	<0.01	0.11
ZZ16072		0.26	10.4	770	16.2	8.3	<0.001	0.03	1.45	0.5	2.2	0.5	14.0	<0.01	0.08
ZZ16073		0.87	20.6	620	13.7	9.6	<0.001	0.03	1.65	2.3	2.0	0.5	16.3	<0.01	0.07
ZZ16074		0.19	12.9	990	14.8	4.2	<0.001	0.05	0.73	0.9	1.0	0.2	22.7	<0.01	0.16
ZZ16075		1.03	21.9	980	21.4	11.7	<0.001	0.05	2.18	2.0	3.7	0.4	25.9	<0.01	0.24
ZZ16076		0.68	64.8	1300	13.9	9.8	<0.001	0.04	1.09	4.0	2.1	0.4	21.4	0.01	0.10
ZZ16077		0.79	14.6	530	15.6	11.6	<0.001	0.02	1.06	1.6	0.8	0.5	13.7	<0.01	0.13
ZZ16078		0.31	9.6	610	15.6	4.9	<0.001	0.06	0.73	0.6	0.4	0.3	29.6	<0.01	0.19
ZZ16079		0.42	11.9	920	19.1	9.1	<0.001	0.06	0.98	0.6	1.4	0.4	37.2	<0.01	0.14
ZZ16080		0.50	13.0	1220	15.8	10.8	<0.001	0.03	0.93	0.9	0.9	0.5	23.6	<0.01	0.07
ZZ16081		0.74	18.3	770	13.6	8.7	<0.001	0.01	1.04	1.6	0.6	0.4	11.6	<0.01	0.08
ZZ16082		0.35	32.6	340	10.9	5.5	<0.001	0.01	1.08	2.3	0.8	0.2	11.2	<0.01	0.07
ZZ16083		0.49	27.8	330	13.6	7.5	<0.001	0.01	1.05	1.8	0.6	0.2	10.0	<0.01	0.09
ZZ16084		0.65	5.1	1430	3.1	3.6	<0.001	0.30	0.42	0.6	1.4	0.2	2.4	<0.01	0.07
ZZ16085		0.42	78.7	700	11.4	7.8	<0.001	0.02	0.88	3.9	1.6	0.3	35.5	<0.01	0.05
ZZ16086		0.44	43.8	780	8.9	5.9	<0.001	0.01	1.09	3.2	1.0	0.3	23.2	<0.01	0.05
ZZ16087		1.53	31.8	710	16.1	10.2	<0.001	0.02	1.27	3.3	1.5	0.5	11.2	0.01	0.06
ZZ16088		0.41	68.7	750	15.2	6.3	0.001	0.02	1.54	4.3	2.2	0.2	34.6	<0.01	0.08
ZZ16089		0.38	142.0	940	13.6	7.2	0.002	0.07	1.53	2.8	7.3	0.2	41.4	0.01	0.07
ZZ16090		0.46	77.8	890	13.3	7.0	0.002	0.07	1.45	2.7	6.0	0.2	44.4	0.01	0.06
ZZ16091		0.42	68.9	220	1.6	2.3	<0.001	0.62	0.27	0.8	1.8	<0.2	15.3	0.01	0.09
ZZ16092		0.44	158.0	430	5.7	6.8	<0.001	0.36	0.50	1.3	1.9	0.2	21.2	0.01	0.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16509		0.022	0.16	0.80	57	0.19	2.52	61	2.0
ZZ16511		0.020	0.10	0.43	50	0.12	1.83	51	0.5
ZZ16512		0.007	0.08	0.70	39	0.05	3.48	120	<0.5
ZZ16513		<0.005	0.14	0.68	35	<0.05	2.35	80	0.6
ZZ16514		0.007	0.16	0.70	54	0.06	2.60	48	1.0
ZZ16515		0.006	0.05	0.37	47	0.08	1.42	27	<0.5
ZZ16516		0.008	0.09	0.57	35	0.05	4.46	154	0.6
ZZ16517		0.015	0.09	0.70	31	0.06	8.25	220	1.7
ZZ16518		0.011	0.10	0.79	34	0.06	6.08	164	0.6
ZZ16062		0.008	0.19	1.41	46	0.11	5.10	49	<0.5
ZZ16063		0.015	0.11	0.81	53	0.13	3.33	45	<0.5
ZZ16064		0.011	0.26	0.81	58	0.10	1.96	43	<0.5
ZZ16065		0.021	0.18	1.47	52	0.17	3.68	73	<0.5
ZZ16066		0.034	0.13	0.87	54	0.21	3.40	81	<0.5
ZZ16067		0.034	0.18	0.68	66	0.25	2.25	53	<0.5
ZZ16068		0.026	0.16	1.12	53	0.16	4.08	86	<0.5
ZZ16069		0.029	0.30	1.64	55	0.25	4.84	98	2.1
ZZ16070		0.017	0.16	1.29	54	0.17	2.87	50	<0.5
ZZ16071		0.019	0.21	0.83	52	0.13	2.11	52	0.5
ZZ16072		0.010	0.10	0.73	46	0.11	1.96	43	<0.5
ZZ16073		0.029	0.18	1.45	48	0.20	4.81	70	<0.5
ZZ16074		0.009	0.06	0.58	27	0.05	1.51	41	<0.5
ZZ16075		0.024	0.12	0.75	64	0.17	2.52	80	0.6
ZZ16076		0.016	0.12	1.52	53	0.15	19.30	240	1.3
ZZ16077		0.012	0.11	0.38	61	0.11	1.92	78	0.7
ZZ16078		0.009	0.05	0.16	44	0.06	1.28	59	<0.5
ZZ16079		0.015	0.09	0.53	46	0.12	2.31	59	<0.5
ZZ16080		0.018	0.12	0.48	52	0.14	2.22	57	<0.5
ZZ16081		0.022	0.10	0.33	51	0.14	1.74	70	0.5
ZZ16082		0.013	0.07	0.73	31	0.05	5.52	98	0.9
ZZ16083		0.014	0.08	0.37	36	0.08	2.24	99	2.9
ZZ16084		0.016	0.05	0.38	18	0.05	3.18	340	2.6
ZZ16085		0.019	0.10	1.15	35	0.12	9.64	310	1.4
ZZ16086		0.022	0.08	0.96	36	0.09	8.29	203	1.5
ZZ16087		0.040	0.14	0.92	54	0.34	4.90	128	1.9
ZZ16088		0.018	0.10	1.13	39	0.09	11.65	234	2.1
ZZ16089		0.013	0.14	1.42	37	0.10	23.0	561	1.3
ZZ16090		0.015	0.17	1.41	38	0.10	35.5	420	0.9
ZZ16091		<0.005	0.35	0.40	9	0.06	33.4	1490	2.4
ZZ16092		0.012	0.25	0.64	20	0.08	20.5	1320	3.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ16093		0.44	0.007	0.44	1.01	6.9	<0.2	<10	570	0.30	0.21	0.11	0.94	17.50	76.7	17
ZZ16094		0.38	0.009	0.27	1.08	16.2	<0.2	<10	250	0.20	0.36	0.07	0.22	25.7	3.9	19
ZZ16095		0.22	0.005	0.40	0.59	7.9	<0.2	<10	230	0.16	0.20	0.04	0.21	14.90	1.8	12
ZZ16096		0.34	0.008	0.39	1.18	19.6	<0.2	<10	110	0.29	0.28	0.04	0.69	21.2	17.3	24
ZZ16097		0.38	0.009	0.17	1.01	12.5	<0.2	<10	200	0.25	0.21	0.06	0.38	28.7	9.3	23
ZZ16098		0.36	0.007	0.38	1.08	18.9	<0.2	<10	90	0.28	0.26	0.05	0.65	21.1	15.6	25
ZZ16099		0.38	0.006	0.46	0.99	13.2	<0.2	<10	290	0.34	0.22	0.36	0.96	22.2	10.5	23
ZZ16100		0.34	0.004	0.28	0.98	12.8	<0.2	<10	330	0.30	0.19	0.21	0.73	26.3	9.1	25
ZZ16771		0.40	0.004	0.13	1.08	11.2	<0.2	<10	230	0.34	0.18	0.12	0.41	29.9	8.9	25
ZZ16772		0.42	0.005	0.11	1.37	12.8	<0.2	<10	150	0.38	0.21	0.03	0.36	30.8	10.2	28
ZZ16773		0.34	0.005	0.17	1.19	13.2	<0.2	<10	180	0.33	0.21	0.08	0.58	28.1	11.6	26
ZZ16774		0.34	0.003	0.18	1.45	13.2	<0.2	<10	100	0.28	0.23	0.03	0.11	27.1	3.0	24
ZZ16775		0.34	0.004	0.87	1.56	16.0	<0.2	<10	120	0.27	0.25	0.06	0.11	20.9	5.1	29
ZZ16776		0.34	0.004	0.69	1.27	25.1	<0.2	<10	130	0.20	0.41	0.02	0.09	19.05	2.4	28
ZZ16777		0.36	0.005	0.49	0.95	11.4	<0.2	<10	90	0.20	0.21	0.04	0.15	22.2	4.0	18
ZZ16778		0.32	0.006	0.07	0.77	13.6	<0.2	<10	90	0.14	0.31	0.01	0.11	29.9	3.5	16
ZZ16779		0.28	0.040	0.36	1.41	23.9	<0.2	<10	150	0.23	0.53	0.03	0.09	39.8	3.9	25
ZZ16780		0.34	0.020	0.12	1.01	12.8	<0.2	<10	330	0.20	0.41	0.13	0.30	21.0	9.4	18
ZZ16781		0.32	0.004	0.94	1.34	25.3	<0.2	<10	250	0.23	0.44	0.02	0.13	30.8	2.1	31
ZZ16782		0.34	0.014	0.25	0.91	26.7	<0.2	<10	140	0.14	0.50	0.01	0.04	45.2	1.6	24
ZZ16783		0.40	0.008	0.42	1.19	12.3	<0.2	<10	320	0.33	0.27	0.14	0.47	23.7	8.6	23
ZZ16784		0.40	0.003	0.25	1.09	14.2	<0.2	<10	120	0.24	0.24	0.02	0.36	23.2	6.3	21
ZZ16785		0.34	0.009	0.77	1.24	13.5	<0.2	<10	390	0.50	0.26	0.39	0.76	18.55	9.8	22
ZZ16786		0.42	0.004	0.49	1.17	10.6	<0.2	<10	200	0.29	0.24	0.11	0.41	26.9	8.3	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ16093		0.72	55.6	6.45	2.62	0.09	0.03	0.22	0.021	0.03	9.0	26.7	0.28	894	1.55	<0.01
ZZ16094		1.35	73.2	3.56	5.00	0.06	<0.02	0.07	0.031	0.04	13.2	16.2	0.21	265	2.45	0.01
ZZ16095		1.11	59.0	1.76	2.71	<0.05	<0.02	0.11	0.020	0.03	7.8	2.5	0.05	67	2.34	0.01
ZZ16096		1.02	69.9	4.34	4.13	0.06	0.03	0.08	0.034	0.03	10.9	24.3	0.32	901	2.86	<0.01
ZZ16097		0.64	77.7	3.41	3.16	0.07	0.02	0.12	0.027	0.03	15.0	25.1	0.38	516	2.01	<0.01
ZZ16098		0.75	75.6	4.23	3.34	0.06	0.05	0.33	0.030	0.03	11.0	23.0	0.34	1140	2.74	<0.01
ZZ16099		0.61	58.9	3.16	2.87	0.05	0.04	0.11	0.025	0.03	11.4	26.1	0.45	409	2.16	<0.01
ZZ16100		0.62	61.3	3.23	3.04	0.06	0.02	0.15	0.023	0.04	13.7	25.3	0.46	349	1.84	<0.01
ZZ16771		0.57	51.7	3.08	3.30	0.06	0.02	0.09	0.021	0.03	15.5	27.6	0.45	337	1.70	<0.01
ZZ16772		0.81	69.1	3.66	3.75	0.05	0.03	0.12	0.025	0.03	16.1	31.1	0.46	325	2.03	<0.01
ZZ16773		0.77	62.6	3.56	3.57	0.06	0.02	0.11	0.024	0.04	14.7	28.4	0.46	426	1.91	<0.01
ZZ16774		1.04	22.9	3.19	5.63	0.05	0.03	0.05	0.026	0.03	14.4	22.9	0.26	106	2.17	<0.01
ZZ16775		1.51	70.7	3.75	4.99	0.06	0.03	0.14	0.039	0.05	11.0	32.3	0.38	184	2.37	0.01
ZZ16776		2.02	46.9	4.41	5.83	0.07	<0.02	0.10	0.041	0.05	9.6	21.8	0.30	158	2.97	0.01
ZZ16777		0.97	43.1	2.53	3.51	0.05	<0.02	0.08	0.022	0.03	11.5	17.1	0.23	158	1.75	<0.01
ZZ16778		0.93	42.7	3.40	5.04	0.06	<0.02	0.03	0.021	0.03	15.7	7.1	0.10	508	1.82	<0.01
ZZ16779		1.53	170.5	4.68	4.32	0.09	0.04	0.07	0.053	0.04	20.4	25.7	0.32	201	2.53	<0.01
ZZ16780		0.68	83.5	3.94	3.56	0.06	0.03	0.11	0.034	0.04	10.4	15.5	0.24	1800	1.84	<0.01
ZZ16781		2.54	87.5	4.01	4.22	0.09	0.04	0.37	0.053	0.07	16.0	36.0	0.39	148	3.55	0.01
ZZ16782		1.57	98.2	5.79	6.19	0.10	0.02	0.11	0.037	0.05	25.0	10.7	0.14	70	4.07	<0.01
ZZ16783		0.98	54.0	2.89	4.18	0.06	0.02	0.16	0.027	0.04	12.3	24.6	0.34	494	1.70	<0.01
ZZ16784		0.83	34.4	3.62	4.64	0.05	0.02	0.03	0.025	0.03	12.1	21.5	0.25	279	2.03	<0.01
ZZ16785		1.13	89.9	3.00	3.48	0.06	0.05	0.25	0.033	0.04	10.2	37.4	0.39	390	1.90	0.01
ZZ16786		0.91	28.7	2.81	4.17	0.06	0.02	0.11	0.022	0.03	14.0	26.0	0.38	244	2.01	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ16093		0.20	111.0	610	10.6	5.8	0.001	0.05	0.66	2.3	6.2	0.2	36.8	<0.01	0.09	2.1
ZZ16094		0.33	28.2	840	20.2	9.9	<0.001	0.05	1.24	1.3	1.4	0.3	32.3	<0.01	0.16	1.3
ZZ16095		0.17	9.4	1160	12.8	6.1	<0.001	0.07	0.66	0.6	1.1	0.3	18.5	<0.01	0.10	0.2
ZZ16096		0.31	41.8	970	20.0	6.8	<0.001	0.04	2.13	1.8	1.8	0.3	13.0	<0.01	0.13	1.8
ZZ16097		0.26	34.5	650	14.4	3.9	<0.001	0.03	1.49	2.5	1.0	0.2	17.3	<0.01	0.14	3.3
ZZ16098		0.29	45.8	780	20.7	6.2	<0.001	0.02	2.56	2.3	1.4	0.2	10.4	<0.01	0.11	2.7
ZZ16099		0.22	41.7	750	14.7	4.0	0.001	0.02	1.83	2.7	0.9	0.2	25.1	<0.01	0.07	2.9
ZZ16100		0.26	42.2	790	12.8	3.5	0.001	0.02	1.82	3.0	1.0	0.2	23.3	<0.01	0.06	3.6
ZZ16771		0.31	37.4	660	11.4	4.1	<0.001	0.01	1.51	2.8	0.8	0.2	17.0	<0.01	0.06	3.6
ZZ16772		0.34	45.2	460	13.0	6.1	<0.001	0.02	1.51	2.8	1.1	0.2	12.2	<0.01	0.07	3.8
ZZ16773		0.27	42.6	680	14.2	5.6	<0.001	0.02	1.73	2.7	1.0	0.2	16.1	<0.01	0.07	3.1
ZZ16774		0.87	16.9	370	14.1	9.0	<0.001	0.02	1.17	2.0	1.6	0.5	13.4	<0.01	0.07	4.3
ZZ16775		0.91	21.6	650	14.8	9.1	<0.001	0.05	1.46	2.3	2.5	0.4	15.5	<0.01	0.09	2.6
ZZ16776		0.60	18.4	730	25.5	10.1	<0.001	0.06	2.06	1.4	3.7	0.4	19.7	<0.01	0.14	2.3
ZZ16777		0.18	18.6	910	12.6	6.4	<0.001	0.03	1.04	0.7	1.4	0.3	14.6	<0.01	0.11	0.4
ZZ16778		0.41	13.4	670	17.5	8.9	<0.001	0.02	0.92	1.1	0.8	0.3	11.6	<0.01	0.16	1.3
ZZ16779		0.16	26.3	1010	28.4	6.2	<0.001	0.05	1.34	1.9	1.3	0.2	38.8	<0.01	0.30	4.0
ZZ16780		0.15	28.0	1060	26.4	6.5	<0.001	0.08	0.84	1.7	0.8	0.2	28.5	<0.01	0.26	1.4
ZZ16781		0.10	28.3	920	33.9	8.9	0.001	0.20	2.43	2.1	5.7	0.2	75.3	<0.01	0.16	5.0
ZZ16782		0.21	11.2	1030	40.6	8.3	<0.001	0.07	2.00	1.4	2.8	0.3	53.3	<0.01	0.33	5.8
ZZ16783		0.26	28.9	810	15.9	7.6	<0.001	0.02	1.12	1.9	1.0	0.3	21.7	<0.01	0.10	1.1
ZZ16784		0.53	23.5	570	14.7	8.7	<0.001	0.01	1.66	1.8	0.9	0.3	8.3	<0.01	0.09	3.0
ZZ16785		0.31	72.3	920	15.8	8.3	0.002	0.05	1.41	3.2	2.8	0.2	47.7	<0.01	0.09	1.9
ZZ16786		0.42	25.1	700	13.5	7.1	<0.001	0.01	1.14	2.1	1.1	0.3	13.0	<0.01	0.07	2.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- SEP- 2011
Account: MTT

Project: Midas Touch - Sceptre

CERTIFICATE OF ANALYSIS WH11142323

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ16093		0.006	0.10	0.86	24	0.05	11.90	566	0.8
ZZ16094		0.010	0.13	0.65	41	0.08	3.05	79	<0.5
ZZ16095		0.006	0.08	1.13	25	0.05	2.49	36	<0.5
ZZ16096		0.009	0.13	0.72	43	0.06	3.80	172	0.9
ZZ16097		0.012	0.08	0.86	32	0.06	4.89	123	0.7
ZZ16098		0.010	0.13	0.77	37	0.06	4.51	188	1.4
ZZ16099		0.009	0.10	0.84	32	0.07	6.62	191	1.3
ZZ16100		0.017	0.08	0.85	33	0.06	6.85	161	0.9
ZZ16771		0.018	0.07	0.81	33	0.08	6.34	132	0.5
ZZ16772		0.011	0.10	1.00	37	0.08	7.24	167	1.0
ZZ16773		0.013	0.10	0.85	36	0.06	5.61	156	0.5
ZZ16774		0.024	0.14	0.56	45	0.15	2.13	53	1.7
ZZ16775		0.024	0.15	1.12	46	0.19	3.07	67	0.8
ZZ16776		0.015	0.18	0.79	54	0.12	2.07	55	0.6
ZZ16777		0.010	0.09	0.70	32	0.09	2.45	62	<0.5
ZZ16778		0.017	0.07	0.44	49	0.11	2.05	58	<0.5
ZZ16779		0.005	0.09	0.71	38	<0.05	2.66	73	1.3
ZZ16780		0.008	0.06	0.52	31	<0.05	4.48	134	0.8
ZZ16781		<0.005	0.28	1.99	39	<0.05	5.12	64	1.9
ZZ16782		<0.005	0.15	0.46	45	<0.05	1.94	42	0.7
ZZ16783		0.009	0.11	0.86	36	0.08	4.88	98	<0.5
ZZ16784		0.011	0.11	0.45	45	0.08	2.32	108	0.8
ZZ16785		0.007	0.16	1.39	33	0.08	10.70	221	1.5
ZZ16786		0.014	0.12	0.66	38	0.13	4.31	103	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - Sceptre

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11142323

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1

Finalized Date: 2- AUG- 2011

This copy reported on

4- AUG- 2011

Account: MTT

CERTIFICATE WH11143236

Project: Midas Touch- Sceptre

P.O. No.:

This report is for 9 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27- JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES

To: **STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 2- AUG- 2011
 Account: MTT

Project: Midas Touch- Sceptre

CERTIFICATE OF ANALYSIS WH11143236

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001
CC128052		0.004
CC128053		0.020
CC128054		NSS
CC128055		0.006
CC128056		NSS
CC128057		NSS
CC128058		0.017
CC128059		0.061
CC128060		0.027

Comments: **RE- ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH11100827**

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Sceptre

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11143236

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.