

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

Describing

GEOCHEMICAL SAMPLING, PROSPECTING AND GEOLOGICAL MAPPING

at the

STAFF PROPERTY

Staff 1-326 YD111681-YD112006
Staff 327-342 YE13253-YE13268
Staff 343-346 YE55201-YE55204

NTS 106D/02, 03, 06, and 07
Latitude 64°16'N; Longitude 134°54'W

in

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

A. Mitchell, B.Sc. Geology

March 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	3
MINERALIZATION	4
SOIL AND STREAM SEDIMENT GEOCHEMISTRY	5
DISCUSSION AND CONCLUSIONS	6
REFERENCES	7

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	ROCK SAMPLE DESCRIPTIONS
III	CERTIFICATES OF ANALYSIS

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Lithological Units	2

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	2
5	Property Geology	3
6	Sample Locations	In pocket
7	Gold Geochemistry	4
8	Arsenic Geochemistry	4
9	Silver Geochemistry	4
10	Copper Geochemistry	4
11	Zinc Geochemistry	4

INTRODUCTION

The Staff property is located in central Yukon within a district of significant precious metal replacement style and vein enriched occurrences such as ATAC Resources Ltd.'s Tiger and Osiris deposits and Xstrata's Craig deposit. The property covers an anomalous arsenic value reported from historical stream sediment sampling and is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes an exploration program that was conducted by Archer, Cathro & Associates (1981) Limited in summer 2011 on behalf of Strategic Metals. The first phase of work was performed between July 5 and 12 and comprised geochemical sampling, while the second phase involved geochemical sampling, prospecting and geological mapping between July 25 and August 1. The author interpreted all data from this project and his Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Staff property lies about 85 km northeast of the community of Mayo and is centred at latitude 64°16' north and longitude 134°54' west on NTS map sheets 106D/02, 03, 06 and 07 (Figure 1). The property comprises 346 mineral claims that cover an area of approximately 7000 ha (70 sq. km.). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, while their locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Staff 1-326	YD111681-YD112006	March 15, 2013
Staff 327-342	YE13253-YE13268	March 15, 2013
Staff 343-346	YE55201-YE55204	March 15, 2013

* Expiry dates include 2011 work that has been filed for assessment credit but not yet accepted.

Access to and from the property in 2011 was provided by a Bell 206B helicopter owned and operated by Fireweed Helicopters from ATAC Resources' Rau camp, which is located approximately 17 km east of the Staff property. Crews were positioned to the Rau camp either by fixed wing aircraft to the Rau airstrip or by helicopter from the Rackla airstrip, located about 60 km northwest of the camp.

HISTORY AND PREVIOUS WORK

In 1977, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 106D (Friske et al., 1990). Eleven samples were taken from creeks draining the property. The best sample was collected from the southern part of the property and yielded 6 ppb gold, 148 ppm arsenic, 66 ppm copper and 98 ppm zinc.

In October 2010, Strategic Metals staked the Staff 1-326 claims. An additional 20 claims were staked in 2011.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
STAFF PROPERTY


0 250 km


UTM ZONE 8, NAD 83, 106D/02. 03, 06, 07

FILE: ...2011/Staff/Figures/F_1_Property_Location.wor

DATE: MAR 2012

✕ DEPOSIT MENTIONED IN TEXT





STRATEGIC METALS LTD.

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
STAFF PROPERTY

02.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2011/Staff/Figures/F_2_Claim_Location.WOR

DATE: MARCH 2012

GEOMORPHOLOGY

The Staff property is situated on the southwestern flank of the Selwyn Mountains. Creeks draining the property flow northeasterly and southwesterly into the Beaver River, which connects to the Pacific Ocean via the Stewart and Yukon rivers.

The northern part of the property covers a series of isolated peaks, while central and southern parts are underlain by ridges. Northeast-southwest trending valleys separate the ridges.

Elevations on the property range from about 915 m above sea level (asl) on the valley floors to 1800 m asl on the highest ridge. Treeline is at approximately 1400 m asl, about 25% of the property lies above that elevation. Vegetation in low lying areas is characterized by dense spruce, fir and willow with an understory of grasses and moss, while higher elevations feature grasses and moss. Outcrop on the property is locally abundant at high elevations and in deep creek cuts.

The climate in the vicinity of the Staff property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.


REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Staff property at 1:250,000 scale in the early 1990s (Wheeler and Mcfeely, 1991). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology, which updated the lithological unit names in the Staff property area.

The property lies within the northern part of Selwyn Basin, a predominantly off-shelf meta-sedimentary and meta-volcanic sequence that formed on the western margin of the North American craton during Paleozoic times. The boundary between deep water units of Selwyn Basin and continental shelf strata of MacKenzie Platform lies about 10 km to the north (Figure 3). Figure 4 illustrates geology as compiled by Gordey and Makepeace (2003). The main lithological units are described in Table I.

Table I– Lithological Units (*after Gordey and Makepeace, 2003*)

Map Suite	Age	Map Unit	Description
Keno Hill Quartzite	Mississippian	MK	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey-and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black



STRATEGIC METALS LTD.


FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

STAFF PROPERTY

UTM ZONE 8, NAD 83, 105N/06 & 07



			argillaceous limestone, limestone conglomerate, and black shale; and massive bluish-grey weathering dolostone.
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).
Quartet Group	Lower Proterozoic	IPQ	Black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone with minor interbeds of orange weathering dolostone in upper part.


Generalized property geology is shown on Figure 4. The southwestern part of the property is underlain by Hyland Group, which is juxtaposed against Keno Hill Quartzite along the Dawson Thrust Fault to the northeast.

PROPERTY GEOLOGY

Geological mapping in 2011 was conducted by Strategic Metals over the entire property, as shown on Figure 5. The property is bisected by the Dawson Thrust Fault, which separates Proterozoic to Cambrian Hyland Group stratigraphy in the southwest from younger rocks to the northeast. Hyland Group carbonate (PCHc) rocks lie within the bounds of grits and shales that are interpreted to belong to Hyland Group Yusezyu Formation (PCHy). Hyland Group carbonate is a grey, thinly bedded limestone to silty limestone unit, while Yusezyu Formation comprises tan to light grey, medium-grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple siltstone and shale. The southwestern corner of the claim block hosts a package of volcanics and re-cemented volcanoclastic rocks that are assigned to Hyland Group (PCHv). This unit consists of green, fine to medium grained volcanoclastic sandstone and laminated siltstone interlayered with lesser, fine to medium grained basalt. This package of rocks is bounded to the north by a steeply dipping fault that strikes west-northwest. This fault separates volcanoclastic rocks from Hyland Group carbonate and Yusezyu Formation.

Northeast of the Dawson Thrust Fault lies a quartz-rich package of sedimentary rocks, which have been mapped regionally as Mississippian Keno Hill Quartzite (MK). Within in the map area, Keno Hill Quartzite comprises: white weathered, fine to medium-grained arenite; thin bedded, light to dark grey and grey-brown, fine-grained very siliceous sandstone to siltstone; and grey-green to dark grey shale.

Further northeast, deformed volcanic breccia (ICGb) is inter-bedded with dark grey siltstone and shale (ICGs). This sequence is interpreted to lay structurally below the Keno Hill Quartzite and has been assigned to Gull Lake Formation based on lithological similarities to rocks mapped elsewhere in Selwyn Basin. Gull Lake Formation stratigraphy consists of shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal



limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist with interbedded dark green massive to fragmental mafic meta-volcanic and volcanoclastic rocks; siltstone and argillite (Gordey and Makepeace, 2003).

Bedding on the property generally strikes northwest-southeast and dips moderately to the southwest. Stratigraphy has been deformed by tight to isoclinal folds that trend northwest-southeast and feature shallow hinges. These folds are best displayed in the Hyland Group carbonates where fold hinges are commonly observed in ridge-top outcrops. Within the Keno Hill Quartzite folding is generally inferred from periodic changes in the dip of bedding and repetition of units across strike. Rare tight folds are preserved in a few outcrops within the Keno Hill Quartzite.

The main structural feature on the property is the Dawson Thrust Fault, which crosses the property in a northwest-southeast direction. Other faults in the area are steeply dipping and trend northwest-southeast. A late, low-movement fault, which strikes southwest (movement unknown) has been identified in the northern part of the mapped area.

MINERALIZATION


In 2011, 28 rock samples were collected from the Staff property. Sample locations are plotted on Figure 6, while results for gold, arsenic, silver, copper and zinc are plotted on Figures 7 to 11, respectively. Rock Sample Descriptions are provided in Appendix II and Certificates of Analysis are given in Appendix III.


Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Multi-element analyses for rock samples were carried out at ALS Chemex in Whitehorse, Yukon and/or North Vancouver, B.C. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 50 g charge was further analysed for gold by atomic absorption spectroscopy (Au-AA26).


Samples collected from the property comprise: carbonaceous siltstone or shale $\pm$ quartz and/or calcite veining; dolomitized limestone with disseminated sulphides; dark grey silicified siltstone that host disseminated pyrrhotite and/or pyrite; grey-brown quartz-mica sandstone with quartz and/or calcite veining; rusty orange/brown limonite; brecciated rocks with manganese staining; and quartz veins hosting jarosite and purplish stained vugs.


Rock samples collected from the property returned a moderately anomalous arsenic value (368 ppm) with weakly anomalous values for copper (up to 338 ppm) and silver (up to 1.52 g/t) and background values for gold and zinc.


The highest arsenic value was collected from the Hyland Group unit in the southern part of the property. This sample was a rusty yellow-beige rock with disseminated pyrite. Samples with











elevated silver values were dominantly taken from the Keno Hill Quartzite and typically comprised rusty siltstone/shale hosting quartz veins. Sample I078417 was collected from a kill zone near the centre of the property and returned 1.43 g/t silver.

SOIL AND STREAM SEDIMENT GEOCHEMISTRY

In 2011, 104 stream sediment and 484 contour samples were collected from the property. Sample locations are plotted on Figure 6, while results for gold, arsenic, silver, copper and zinc are plotted on Figures 7 to 11, respectively. Certificates of Analysis are given in Appendix III.

Stream sediment samples were collected from creeks by hand, while soil samples were collected from 20 to 50 cm deep holes using hand-held augers. All samples were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All sample locations were recorded using hand-held GPS units. All samples were sent to ALS Chemex in Whitehorse, Yukon and/or Vancouver, B.C., where they were dried, screened to -180 microns, and then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43).

Stream sediment samples taken from the property yielded some: moderately to very strongly anomalous values for gold (up to 164 ppm); strongly anomalous values for copper (up to 278 ppm) and zinc (up to 1670 ppm); weakly to moderately anomalous values for silver (up to 1.44 ppm); and weakly anomalous values for arsenic (up to 59 ppm).

Two samples collected from a drainage in the north-central part of the property returned the highest values for gold (164 and 134 ppb) and also yielded moderately anomalous zinc results. The largest and strongest zinc anomaly is located within a drainage in the western part of the property and coincides with the highest copper and silver results. Numerous weak gold anomalies are also present within this drainage. Moderate gold $\pm$ zinc $\pm$ silver values were obtained from samples collected from drainages in the southeastern part of the property.

Soil samples were taken from three drainages within the east-central, south-central and southern parts of the property. The best samples returned: strongly to very strongly anomalous values for gold (up to 101 ppb); moderately to strongly anomalous values for copper (up to 258 ppm); and weakly to moderately anomalous values for arsenic (up to 127 ppm), silver (up to 2.39 ppm) and zinc (up to 438 ppm).

The highest gold-in-soil value on the property lies next to another elevated gold result, both of which are situated near a ridge top in the southeastern part of the property, immediately south of the trace of the Dawson Thrust Fault. Scattered moderate to high gold and copper values occur in a number of areas on the northeast side of the Dawson Thrust Fault. Most of these anomalous values are underlain by Keno Hill Quartzite. Zinc, arsenic and silver results are relatively subdued.

DISCUSSION AND CONCLUSIONS

Strategic Metals' work program was primarily designed to explore favourable stratigraphy adjacent to a deep-seated feeder structure (Dawson Thrust Fault) for gold-rich vein and Carlin-type deposits.

Exploration identified three areas of primary interest within the southern, east-central and northwestern parts of the property. Two gold-in-soil anomalies are situated in the southern part of the property alongside the Dawson Thrust Fault, which may have facilitated auriferous fluid transport. Elevated gold-in-silt anomalies in the east-central part of the property may be sourcing from the Gull Lake Formation, but glacial till covers the drainage and the source may be difficult to identify. In the northwest, zinc-, copper- and silver-in-silt anomalies occurs near a northeast trending fault that is truncated to the southwest by the Dawson Thrust Fault. These anomalies could be due to hydromorphic dispersion of metals leaching from buried volcanogenic sulphide mineralization similar to the Marg Deposit of Redtail Metals Corp, which is located 30 km to the southeast.

Future work is definitely warranted on the property, and should include: 1) hand pitting or trenching to follow up anomalous gold-in soil samples near the Dawson Thrust Fault within the southern part of the property; 2) systematic detailed prospecting and closely spaced soil sampling within the gold rich drainage in the east-central part of the property; 3) grid soil sampling in the northwest part of the property to better constrain the zinc-, copper- and silver-in-silt anomaly; and 4) contour soil sampling on other parts of the property where geochemical data is sparse or non-existent.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A. Mitchell, B.Sc. Geology

REFERENCES

- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.
 1990 National Geochemical Reconnaissance stream sediment and water geochemical data, east central Yukon (NTS 106D; parts of 106C, 106E and 106F). Geological Survey of Canada, Open File 2175
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Nelson, J.L. and Colpron, M.
 2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordilleran_metallogeny.pdf
- Wheeler, J.O. and McFeely, P.
 1991 Bedrock geology (including structure) and mineral occurrences are briefly described and taken largely from the referenced, most recent 1:250,000 geological map with additional contributions from Wheeler and McFeely (1991), and Yukon MINFILE (1993)

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Andrew Mitchell, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2010 with a B.Sc. in Earth and Environmental Sciences.
2. From 2010 to present, I have been actively engaged in mineral exploration in Yukon Territory.
3. I have interpreted all data resulting from this work.

A. Mitchell, B.Sc. Geology

95905

QMO 6293

Statement of Expenditures
Staff 1-346 Mineral Claims
October 14, 2011

Labour

R. Cobbett (geologist) July 2011 – 13 days @ \$680/day	\$ 9,900.80
October 2011 – 17 hrs @ \$85/hour	1,618.40
G. Titley (field assistant) July 2011 – 1 day @ \$408/day	456.96
S. Kammerer (field assistant) July 2011 – 4 days @ \$392/day	1,756.16
K. Aschenbrenner (field assistant) July 2011 – 1 day @ \$376/day	421.12
J. Put (field assistant) July 2011 – 7 days @ \$376/day	2,947.84
A. Dodds (field assistant) July 2011 – 7 days @ \$344/day	2,696.96
S. Dueck (field assistant) July 2011 – 8 days @ \$344/day	3,082.24
A. Palin (field assistant) July 2011 – 1 day @ \$344/day	<u>385.28</u>
	23,265.76

Expenses (including management fee)

Field room and board – 42 days @ \$190/day	9,652.61
Fireweed Helicopter	15,467.76
ALS Chemex	<u>17,697.60</u>
	42,817.97

Total	<u>\$66,083.73</u>
-------	--------------------



APPENDIX II

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: <u>Midas Touch</u>		Property: <u>Staff</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078392	UTM:	507642 E	UTM:	7119808 N	Sample Width:	Abundance:
	Elevation:	1390 m				
Comments: Volcaniclastic rock with rusty pyrite crystals.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078393	UTM:	507670 E	UTM:	7119879 N	Sample Width:	Abundance:
	Elevation:	1379 m				
Comments: Subcrop of green, fine-medium-grained volcaniclastic rock cut by calcite-quartz-sulphide veins.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078394	UTM:	507673 E	UTM:	7119978 N	Sample Width:	Abundance:
	Elevation:	1365 m				
Comments: Quartz and sulphide vein cutting fine-grained volcaniclastic rock.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078395	UTM:	507960 E	UTM:	7120151 N	Sample Width:	Abundance:
	Elevation:	1290 m				
Comments: Float of quartz vein cutting volcaniclastic rock, trace pyrite and some hard, silvery mineral.						
Sample Number:	Grid East:	E	Grid North:	N	Type: float	Dimension:
I078396	UTM:	508193 E	UTM:	7120377 N	Sample Width:	Abundance:
	Elevation:	1228 m				
Comments: Quartz vein cutting very carbonaceous siltstone/shale.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078397	UTM:	508193 E	UTM:	7120377 N	Sample Width:	Abundance:
	Elevation:	1228 m				
Comments: Very carbonaceous siltstone that weathers rusty.						

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Staff</u>		
Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
I078398	UTM:	509833 E	UTM:	7122850 N	Sample Width: 8 m	Abundance:
	Elevation:	1379 m				
Comments: Dark grey to black, carbonaceous, variably siliceous siltstone to shale.						
Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
I078399	UTM:	509619 E	UTM:	7122698 N	Sample Width: 2 m	Abundance:
	Elevation:	1449 m				
Comments: Black, variably carbonaceous and siliceous siltstone to shale cut by occasional quartz vein and may have trace fine-grained sulphide.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078400	UTM:	509607 E	UTM:	7122677 N	Sample Width:	Abundance:
	Elevation:	1460 m				
Comments: Very siliceous, fine-grained grey rock with quartz veining and associated rusty material.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078401	UTM:	509383 E	UTM:	7122603 N	Sample Width:	Abundance:
	Elevation:	1454 m				
Comments: Siltstone with small vuggy quartz veins and associated limonite. Rusty and yellowish staining on fractures.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078402	UTM:	507910 E	UTM:	7121379 N	Sample Width:	Abundance:
	Elevation:	1547 m				
Comments: Dark grey limestone that is altered by abundant quartz and calcite veins. Bitumen and limonite throughout sample.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078403	UTM:	507904 E	UTM:	7121354 N	Sample Width:	Abundance: plentiful
	Elevation:	1549 m				
Comments: Dolomitized limestone (?) with small sulphide veins and disseminated sulphides.						

Rock Sample Descriptions			Project: <u>Midas Touch</u>	Property: <u>Staff</u>		
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078404	UTM:	507882 E	UTM:	7121325 N	Sample Width:	Abundance:
	Elevation:	1565 m				
Comments: Rusty weathered, yellow-biege fresh, altered rock with trace pyrite.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078405	UTM:	508530 E	UTM:	7122418 N	Sample Width:	Abundance:
	Elevation:	1325 m				
Comments: Black, carbonaceous siltstone to shale.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078406	UTM:	508602 E	UTM:	7122259 N	Sample Width:	Abundance:
	Elevation:	1409 m				
Comments: Dark grey, carbonaceous siltstone with vuggy, limonite coated sections.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078407	UTM:	508312 E	UTM:	7122179 N	Sample Width:	Abundance:
	Elevation:	1407 m				
Comments: Vuggy quartz vein with limonite filled cavities.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078408	UTM:	507415 E	UTM:	7121702 N	Sample Width:	Abundance:
	Elevation:	1243 m				
Comments: Dark grey shale with abundant quartz veins and limonite on fractures. Rare pyrite.						
Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078409	UTM:	507479 E	UTM:	7122673 N	Sample Width:	Abundance:
	Elevation:	1133 m				
Comments: Grey-brown quartz-mica sandstone with rusty blobs that contain sulphides. Minor pyrrhotite crystals.						
Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
I078415	UTM:	505818 E	UTM:	7125353 N	Sample Width: 5 m	Abundance:
	Elevation:	1653 m				
Comments: Dark grey, carbonaceous siltstone to shale that weathers rusty.						

Rock Sample DescriptionsProject: Midas TouchProperty: Staff

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078416	UTM:	505818 E	UTM:	7125353 N	Sample Width: 30 cm	Abundance:
	Elevation:	1653 m				

Comments: Quartz and limonite veinlets that weather metallic blue.

Sample Number:	Grid East:	E	Grid North:	N	Type: chip	Dimension:
I078417	UTM:	506552 E	UTM:	7126224 N	Sample Width: 12 m	Abundance:
	Elevation:	1699 m				

Comments: Brown to light grey weathered, grey shale/siltstone cut by quartz veins that created a rusty kill zone.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078418	UTM:	505540 E	UTM:	7126038 N	Sample Width:	Abundance:
	Elevation:	1239 m				

Comments: Rusty weathered, dark grey silicified siltstone with minor pyrrhotite.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078419	UTM:	504891 E	UTM:	7125355 N	Sample Width:	Abundance:
	Elevation:	1333 m				

Comments: White-grey quartzite with rusty veinlets.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078420	UTM:	501633 E	UTM:	7128915 N	Sample Width:	Abundance:
	Elevation:	1509 m				

Comments: Quartz veins with rusty coated vugs cutting quartz-rich layers.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
I078421	UTM:	503975 E	UTM:	7126635 N	Sample Width:	Abundance:
	Elevation:	1744 m				

Comments: Dark grey shale with very fine-grained with minor disseminated sulphides.

Sample Number:	Grid East:	E	Grid North:	N	Type: grab	Dimension:
----------------	------------	---	-------------	---	------------	------------

Rock Sample DescriptionsProject: Midas TouchProperty: Staff

I078422 UTM: 504172 E UTM: 7126559 N Sample Width: Abundance:

Elevation: 1744 m

Comments: Light grey, fine-grained quartzite cut by quartz and calcite (?) with very fine-grained sulphides in a 2cm wide selvage.

Sample Number: Grid East: E Grid North: N Type: **grab** Dimension:

I078423 UTM: 504330 E UTM: 7126584 N Sample Width: Abundance:

Elevation: 1698 m

Comments: Brecciated rock with purple staining and a silvery sulphide (?).

Sample Number: Grid East: E Grid North: N Type: **grab** Dimension:

I078424 UTM: 503790 E UTM: 7128571 N Sample Width: Abundance:

Elevation: 1429 m

Comments: Quartz veins with jarosite and purplish stained vugs.

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 7- AUG- 2011
Account: MTT

CERTIFICATE WH11134181

Project: Midas Touch- Staff

P.O. No.:

This report is for 23 Rock samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS
Au- AA26	Ore Grade Au 50g FA AA finish AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134181

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm	ME- MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
I078392		0.76	0.31	4.31	1.4	<0.2	<10	<10	<0.05	0.78	7.72	0.11	34.5	63.4	670	0.08
I078393		1.11	0.02	4.05	1.1	<0.2	<10	30	0.39	0.09	4.59	0.11	33.6	56.9	105	0.46
I078394		0.47	0.01	1.04	2.5	<0.2	<10	80	0.20	0.43	0.55	0.10	11.85	13.6	21	0.30
I078395		0.83	0.01	1.21	0.8	<0.2	<10	20	0.09	0.14	0.03	0.02	7.58	16.5	21	0.23
I078396		0.44	0.24	0.43	21.0	<0.2	<10	20	0.19	0.23	0.04	0.03	20.9	3.1	12	0.44
I078397		0.51	0.54	0.74	31.2	<0.2	<10	40	0.32	0.78	0.06	0.03	59.2	4.5	10	0.77
I078398		1.31	1.52	0.45	3.5	<0.2	<10	700	0.34	0.25	0.01	0.09	34.3	0.3	14	0.46
I078399		1.49	0.08	0.19	2.1	<0.2	<10	170	0.11	0.07	0.03	0.02	7.67	0.6	9	0.09
I078400		0.65	0.04	0.13	13.8	<0.2	<10	80	<0.05	0.05	0.01	0.03	6.20	4.9	5	0.06
I078401		0.69	0.22	0.32	3.0	<0.2	<10	120	0.21	0.12	0.15	0.25	5.30	1.7	11	0.59
I078402		0.58	0.03	0.08	11	<0.2	<10	20	0.12	0.01	23.6	0.22	7.99	16.9	1	0.14
I078403		0.69	0.03	0.08	6.6	<0.2	<10	10	0.19	0.14	9.41	0.13	10.30	7.4	2	0.06
I078404		0.63	0.01	0.47	368	<0.2	<10	40	0.31	0.10	9.13	0.12	45.5	30.2	43	0.20
I078405		0.58	0.09	0.67	4.8	<0.2	<10	190	0.33	0.17	0.06	0.06	48.9	7.4	7	0.39
I078406		0.51	0.37	0.74	9.1	<0.2	<10	270	0.45	0.70	1.90	0.03	77.3	0.6	8	0.60
I078407		0.35	0.03	0.21	2.1	<0.2	<10	70	0.15	0.03	0.04	0.03	11.50	9.3	10	0.34
I078408		0.47	0.11	1.68	4.3	<0.2	<10	70	0.33	0.32	0.02	<0.01	34.1	4.0	20	0.44
I078409		0.51	0.01	0.89	1.2	<0.2	<10	30	0.17	0.06	0.07	0.02	34.4	5.7	13	0.23
I078415		1.05	0.64	1.15	2.0	<0.2	<10	720	0.33	0.13	0.02	0.29	47.4	3.4	21	2.31
I078416		0.79	1.10	0.73	2.4	<0.2	<10	380	0.27	0.49	0.11	0.82	25.1	9.8	11	0.44
I078417		0.92	1.43	0.39	59.9	<0.2	<10	270	0.33	0.17	0.01	0.27	31.1	2.8	10	0.38
I078418		2.35	0.48	0.48	10.8	<0.2	<10	400	0.23	0.12	0.01	0.51	21.7	10.9	10	0.34
I078419		1.03	0.03	0.07	0.5	<0.2	<10	110	0.05	0.03	0.06	0.02	6.02	1.4	3	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134181

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
I078392		338	8.21	13.75	0.23	0.02	0.04	0.048	0.01	16.7	122.5	5.08	5800	0.61	0.04	<0.05
I078393		13.8	9.15	17.85	0.14	0.02	0.01	0.071	0.08	17.0	110.5	2.52	6910	0.11	0.12	<0.05
I078394		13.2	2.28	3.43	0.10	0.03	0.01	0.012	0.05	5.3	26.7	0.54	1680	0.19	0.02	<0.05
I078395		4.6	3.15	3.86	0.10	0.02	0.01	0.005	0.04	2.8	32.2	0.74	981	0.16	0.02	<0.05
I078396		41.1	2.58	1.40	0.09	0.08	0.02	0.019	0.10	10.6	7.9	0.12	219	1.74	0.02	0.05
I078397		33.0	2.99	2.75	0.14	0.18	0.07	0.026	0.22	28.7	13.9	0.22	233	4.87	0.03	<0.05
I078398		8.2	1.15	2.00	0.05	0.54	0.03	0.018	0.27	18.6	3.4	0.07	56	15.05	0.02	0.09
I078399		10.8	0.72	0.76	<0.05	0.10	<0.01	0.007	0.09	3.9	1.6	0.04	62	2.82	<0.01	<0.05
I078400		16.8	1.72	0.41	<0.05	<0.02	0.01	0.005	0.03	2.3	0.7	0.01	666	0.26	<0.01	0.12
I078401		198.5	1.94	0.99	<0.05	0.13	0.01	0.009	0.14	4.6	2.0	0.05	101	3.47	<0.01	0.05
I078402		6.7	2.27	0.18	<0.05	0.09	0.01	0.011	0.03	3.2	1.0	0.26	1140	0.43	0.02	<0.05
I078403		2.3	3.12	0.26	<0.05	0.17	0.01	0.029	0.02	4.8	1.0	0.61	5120	1.68	0.03	<0.05
I078404		21.2	4.87	1.66	0.06	0.04	0.01	0.046	0.04	21.6	7.4	2.95	1120	0.44	0.12	0.06
I078405		44.4	2.75	2.11	0.05	0.05	0.01	0.013	0.23	25.2	7.8	0.17	756	0.25	0.02	<0.05
I078406		12.6	0.54	2.79	0.13	0.03	0.01	0.019	0.31	61.5	11.7	0.09	32	0.33	0.03	<0.05
I078407		10.3	2.04	0.72	<0.05	0.07	0.01	0.014	0.08	4.8	1.6	0.02	1430	0.71	0.01	0.10
I078408		26.0	3.90	4.93	0.05	0.06	<0.01	0.011	0.19	16.6	46.6	0.83	177	0.44	0.03	<0.05
I078409		9.8	2.47	3.08	<0.05	0.11	<0.01	0.008	0.12	15.6	24.0	0.26	517	0.27	0.03	<0.05
I078415		106.5	3.09	4.41	0.06	0.70	0.31	0.021	0.43	23.9	8.3	0.36	303	4.97	0.01	<0.05
I078416		110.0	4.68	1.87	0.06	0.27	0.42	0.020	0.19	13.7	5.1	0.20	4640	6.15	0.01	<0.05
I078417		115.0	4.00	1.27	0.05	0.34	0.05	0.031	0.16	17.5	3.5	0.02	88	12.40	0.01	<0.05
I078418		61.8	2.21	1.73	<0.05	0.06	0.04	0.009	0.20	9.1	4.1	0.15	480	0.64	<0.01	<0.05
I078419		6.7	0.55	0.37	<0.05	<0.02	0.01	<0.005	0.04	2.4	0.8	0.01	2000	0.10	<0.01	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134181

Sample Description	Method Analyte Units LOR	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005
I078392		268	2100	5.0	0.6	0.001	<0.01	0.05	19.1	0.8	<0.2	63.3	<0.01	0.03	1.2	0.009
I078393		83.5	2330	3.2	4.0	0.001	<0.01	0.08	14.4	0.6	0.3	59.9	0.01	0.02	1.4	0.042
I078394		28.6	160	1.8	2.5	0.001	<0.01	0.32	2.0	0.3	<0.2	9.6	<0.01	0.23	1.9	<0.005
I078395		21.5	130	1.9	2.5	0.001	0.02	0.36	1.6	<0.2	0.3	3.8	<0.01	0.04	2.2	0.013
I078396		6.2	260	28.9	4.4	0.001	0.02	1.28	0.8	2.1	<0.2	8.7	<0.01	0.13	4.1	<0.005
I078397		7.9	350	79.1	9.5	0.003	0.03	2.68	1.5	4.1	0.3	16.6	<0.01	0.45	8.9	<0.005
I078398		1.9	100	14.0	12.6	0.006	0.13	1.78	1.3	3.4	0.3	17.4	<0.01	0.13	4.8	0.010
I078399		3.1	290	6.8	3.5	0.003	0.02	0.97	0.5	0.7	0.3	24.0	<0.01	0.07	0.8	<0.005
I078400		22.5	70	1.8	1.3	<0.001	0.01	0.15	0.8	<0.2	<0.2	2.4	<0.01	0.02	0.8	<0.005
I078401		11.8	1360	9.6	7.9	0.003	0.11	1.38	0.7	2.5	<0.2	86.4	<0.01	0.18	0.9	<0.005
I078402		34.8	340	4.7	1.3	<0.001	0.02	0.60	3.1	0.3	<0.2	1460	<0.01	0.01	0.8	<0.005
I078403		9.7	1070	28.0	0.8	<0.001	0.01	0.09	2.6	0.4	<0.2	285	<0.01	<0.01	1.4	<0.005
I078404		162.0	2750	6.7	1.6	<0.001	0.03	0.40	8.9	0.5	<0.2	383	<0.01	0.01	1.8	0.010
I078405		22.6	220	11.2	9.2	0.001	0.02	0.44	1.3	0.9	0.2	14.2	<0.01	0.03	6.7	<0.005
I078406		1.0	9370	41.3	12.8	<0.001	0.01	0.41	2.0	2.4	0.4	265	<0.01	0.15	8.5	<0.005
I078407		10.3	130	5.3	4.2	<0.001	<0.01	0.15	2.5	<0.2	0.2	7.4	<0.01	<0.01	1.8	<0.005
I078408		5.2	210	22.0	7.2	<0.001	0.23	0.21	1.5	1.0	0.2	7.4	<0.01	0.06	7.2	0.008
I078409		12.1	130	6.4	5.5	<0.001	0.04	0.10	1.0	<0.2	<0.2	9.0	<0.01	<0.01	7.2	<0.005
I078415		29.6	180	13.7	27.6	0.009	0.12	1.76	2.4	3.6	0.3	16.2	<0.01	0.07	7.5	0.034
I078416		85.6	160	34.4	11.1	0.003	0.05	1.50	2.1	3.7	0.2	67.5	<0.01	0.30	3.6	<0.005
I078417		27.9	340	16.0	7.3	0.002	0.04	1.42	1.4	7.6	0.2	11.5	<0.01	0.14	4.5	<0.005
I078418		45.7	120	4.0	9.3	0.001	0.10	1.08	1.2	1.4	<0.2	4.0	<0.01	0.03	2.6	0.005
I078419		5.0	180	2.3	1.5	<0.001	<0.01	0.05	0.3	<0.2	<0.2	25.7	<0.01	0.02	0.5	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134181

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Au- AA26 Au ppm 0.01
I078392		<0.02	0.09	126	0.11	7.46	264	0.9	0.01
I078393		0.02	0.12	88	0.05	4.12	308	0.7	0.01
I078394		0.02	0.55	9	0.09	1.11	47	1.4	<0.01
I078395		<0.02	0.16	21	0.07	0.71	43	0.9	0.01
I078396		0.03	1.51	5	0.06	1.10	33	3.7	0.04
I078397		0.05	1.89	8	0.09	2.00	41	8.6	0.06
I078398		0.16	1.87	62	0.19	2.01	22	24.5	0.01
I078399		0.02	0.54	8	0.07	1.08	12	4.5	0.01
I078400		<0.02	0.62	2	0.10	0.52	41	0.6	<0.01
I078401		0.06	1.88	32	0.06	4.15	53	6.6	0.01
I078402		<0.02	0.85	2	0.05	15.00	137	4.8	<0.01
I078403		<0.02	0.83	3	0.20	13.75	21	8.9	<0.01
I078404		<0.02	0.30	19	0.10	10.10	51	1.6	<0.01
I078405		0.05	0.84	6	0.07	1.73	53	2.0	<0.01
I078406		0.09	3.70	25	0.09	40.2	5	3.5	0.02
I078407		0.03	0.49	3	0.08	2.31	30	4.2	<0.01
I078408		0.04	0.80	15	0.06	1.40	71	2.4	<0.01
I078409		0.02	0.43	6	<0.05	1.50	47	3.5	<0.01
I078415		0.20	4.02	49	0.11	2.77	157	31.8	0.02
I078416		0.04	6.19	20	0.08	3.31	275	11.8	0.02
I078417		0.06	1.76	32	0.08	2.70	268	16.7	0.01
I078418		0.08	0.29	14	0.09	1.41	101	2.9	0.01
I078419		<0.02	<0.05	2	<0.05	1.09	8	<0.5	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134181

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8- SEP- 2011
Account: MTT

CERTIFICATE WH11152103

Project: Midas Touch- Staff

P.O. No.:

This report is for 5 Rock samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- SEP- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11152103

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
I078420		0.93	<0.01	0.19	0.56	78.9	<0.2	<10	330	0.28	0.59	<0.01	0.65	27.3	45.3	3
I078421		0.49	<0.01	0.23	0.40	0.8	<0.2	<10	200	0.17	0.13	0.03	0.25	7.36	0.6	17
I078422		0.69	<0.01	0.02	0.11	1.1	<0.2	<10	130	<0.05	0.13	2.16	0.02	7.48	7.8	4
I078423		0.50	<0.01	0.12	0.85	0.9	<0.2	<10	240	0.15	0.16	0.02	1.78	30.4	59.0	4
I078424		0.94	<0.01	0.09	0.07	0.9	<0.2	<10	30	<0.05	0.19	0.01	0.15	3.25	1.9	14



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Midas Touch- Staff

Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS	WH11152103
--------------------------------	-------------------

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- SEP- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11152103

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
I078420		0.23	75.8	1910	13.9	7.7	0.001	0.01	3.12	2.7	1.5	<0.2	42.9	0.01	0.18	4.1
I078421		0.21	2.9	750	9.2	15.4	0.011	0.15	0.45	1.4	3.2	<0.2	52.3	<0.01	0.16	1.4
I078422		0.07	16.0	110	4.4	3.3	<0.001	<0.01	0.18	1.6	0.2	<0.2	327	<0.01	0.06	0.8
I078423		<0.05	115.0	310	3.6	9.7	<0.001	0.01	10.90	2.9	0.7	<0.2	42.5	0.01	0.10	3.6
I078424		<0.05	8.5	130	9.6	1.0	<0.001	0.02	0.28	0.4	0.4	<0.2	15.5	<0.01	0.04	0.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8- SEP- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11152103

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I078420		<0.005	0.11	3.19	5	0.07	8.12	262	2.7
I078421		0.028	0.08	2.23	47	0.06	4.12	27	11.3
I078422		<0.005	<0.02	0.10	4	<0.05	2.15	22	1.2
I078423		<0.005	0.07	1.13	5	0.05	8.44	167	6.4
I078424		<0.005	<0.02	0.16	2	<0.05	1.24	20	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152103

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22- AUG- 2011
Account: MTT

CERTIFICATE WH11134180

Project: Midas Touch- Staff

P.O. No.:

This report is for 149 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00434		0.40	0.007	0.11	1.69	18.8	<0.2	<10	90	0.98	0.35	0.12	0.19	57.7	13.6	32
ZZ00435		0.28	0.001	0.07	2.17	6.8	<0.2	<10	90	0.83	0.74	0.16	0.11	53.9	20.1	50
ZZ00436		0.36	0.001	0.09	1.67	2.4	<0.2	<10	50	0.28	0.43	0.10	0.06	40.1	16.8	39
ZZ00437		0.34	0.003	0.05	1.89	80.6	<0.2	<10	140	0.72	0.43	0.31	0.11	45.2	14.1	39
ZZ00438		0.38	0.001	0.05	1.50	16.0	<0.2	<10	90	0.33	0.36	0.15	0.10	31.1	14.2	42
ZZ00439		0.54	0.002	0.12	1.74	5.9	<0.2	<10	80	0.53	0.32	0.18	0.10	40.2	25.4	54
ZZ00440		0.36	0.001	0.08	1.72	39.9	<0.2	<10	110	0.54	0.51	0.32	0.14	25.1	18.4	63
ZZ00441		0.38	0.002	0.06	1.58	10.3	<0.2	<10	80	0.48	0.40	0.15	0.18	33.8	12.5	34
ZZ00442		0.44	0.002	0.06	1.41	9.8	<0.2	<10	80	0.65	0.67	0.15	0.13	37.1	15.7	27
ZZ00443		0.34	0.001	0.16	1.23	20.2	<0.2	<10	140	0.56	0.73	0.19	0.26	98.6	33.8	23
ZZ00444		0.32	0.002	0.18	1.61	14.6	<0.2	<10	120	0.71	0.34	0.98	0.33	56.7	11.8	24
ZZ00445		0.28	0.001	0.13	1.62	8.2	<0.2	<10	160	0.60	0.26	0.84	0.21	30.9	10.8	24
ZZ00446		0.42	0.002	0.08	1.53	7.9	<0.2	<10	140	0.39	0.28	0.34	0.12	24.9	9.9	27
ZZ00447		0.36	0.003	0.07	1.53	7.6	<0.2	<10	120	0.33	0.26	0.16	0.10	19.30	7.8	27
ZZ00448		0.40	0.003	0.05	1.57	12.2	<0.2	<10	110	0.38	0.26	0.21	0.18	23.9	8.8	27
ZZ00449		0.46	0.003	0.03	1.51	14.0	<0.2	<10	130	0.38	0.31	0.17	0.10	29.0	11.8	23
ZZ00450		0.30	0.002	0.06	1.13	7.8	<0.2	<10	110	0.24	0.33	0.53	0.10	13.00	6.7	19
ZZ00451		0.40	0.001	0.12	1.02	15.5	<0.2	<10	110	0.45	0.28	0.58	0.20	28.0	10.5	18
ZZ00452		0.28	0.002	0.11	1.25	10.9	<0.2	<10	120	0.45	0.29	0.86	0.18	19.10	7.9	21
ZZ00453		0.28	0.002	0.16	1.21	11.2	<0.2	<10	140	0.40	0.29	1.10	0.17	19.05	9.2	20
ZZ00454		0.32	0.001	0.19	1.08	20.3	<0.2	<10	100	0.41	0.24	0.99	0.14	20.9	11.2	17
ZZ00455		0.34	0.001	0.20	1.60	14.0	<0.2	<10	140	0.50	0.34	1.01	0.19	21.9	12.1	24
ZZ00001		0.34	0.001	0.05	1.56	13.2	<0.2	<10	100	0.45	0.50	0.26	0.10	21.2	15.1	25
ZZ00002		0.42	0.001	0.05	1.53	16.5	<0.2	<10	110	0.36	0.48	0.22	0.07	20.4	12.8	21
ZZ00003		0.44	0.001	0.04	1.55	22.8	<0.2	<10	90	0.36	0.40	0.28	0.08	29.6	13.6	24
ZZ00004		0.36	0.004	0.07	1.33	16.1	<0.2	<10	70	0.37	0.26	0.13	0.31	28.7	12.2	22
ZZ00005		0.30	0.002	0.07	1.60	15.0	<0.2	<10	100	0.32	0.37	0.06	0.22	18.60	7.9	26
ZZ00006		0.42	0.006	0.06	1.51	12.3	<0.2	<10	120	0.34	0.29	0.12	0.17	25.6	11.3	23
ZZ00007		0.32	0.002	0.03	1.49	11.2	<0.2	<10	110	0.48	0.28	0.15	0.25	37.2	11.6	25
ZZ00008		0.30	0.001	0.04	1.34	12.3	<0.2	<10	90	0.33	0.27	0.07	0.19	30.0	8.9	25
ZZ00009		0.30	0.003	0.11	0.87	26.3	<0.2	<10	70	0.35	0.47	0.25	0.10	25.4	12.2	11
ZZ00010		0.36	0.002	0.06	1.48	23.7	<0.2	<10	90	0.38	0.33	0.08	0.15	25.4	10.3	28
ZZ00462		0.34	0.001	0.08	1.21	8.5	<0.2	<10	80	0.19	0.38	0.07	0.13	15.05	9.6	21
ZZ00463		0.32	0.001	0.06	1.61	18.2	<0.2	<10	50	0.30	0.52	0.06	0.18	29.8	15.2	29
ZZ00464		0.28	0.001	0.15	1.06	11.8	<0.2	<10	80	0.25	0.60	0.08	0.11	19.20	11.1	22
ZZ00465		0.38	0.001	0.06	1.46	16.7	<0.2	<10	120	0.46	0.37	0.07	0.10	21.0	10.5	25
ZZ00466		0.34	0.002	0.06	0.77	22.5	<0.2	<10	60	0.41	0.34	1.33	0.14	39.3	14.9	12
ZZ00467		0.36	0.101	0.09	1.35	17.2	<0.2	<10	50	0.37	0.50	0.06	0.10	17.30	20.5	22
ZZ00468		0.42	0.057	0.03	0.79	21.6	<0.2	<10	40	0.14	0.41	0.01	0.04	18.15	16.1	10
ZZ00469		0.40	0.008	0.12	0.95	24.4	<0.2	<10	70	0.20	0.31	0.09	0.25	23.6	16.1	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00434		11.35	54.4	3.52	5.19	0.09	0.03	0.03	0.031	0.05	33.3	28.5	0.59	632	2.05
ZZ00435		4.98	124.0	4.56	7.69	0.12	0.02	0.03	0.029	0.04	49.8	43.2	0.98	1210	1.05
ZZ00436		2.24	30.3	4.05	6.18	0.06	<0.02	0.03	0.020	0.02	20.5	42.1	0.81	513	0.55
ZZ00437		3.40	44.5	3.47	5.76	0.06	0.03	0.02	0.029	0.04	23.4	30.3	0.64	550	1.49
ZZ00438		1.31	28.7	3.46	6.05	0.05	<0.02	0.01	0.023	0.03	15.8	29.1	0.65	608	1.05
ZZ00439		1.35	95.4	5.35	5.89	0.10	0.05	0.02	0.034	0.02	28.1	39.6	0.83	1220	1.36
ZZ00440		2.30	49.4	3.39	6.81	0.06	<0.02	0.03	0.028	0.04	14.0	33.8	0.87	515	1.14
ZZ00441		2.46	29.0	3.52	5.20	<0.05	<0.02	0.02	0.028	0.04	15.8	27.9	0.61	586	1.23
ZZ00442		3.77	60.8	3.45	5.48	0.07	<0.02	0.03	0.022	0.03	23.3	29.7	0.55	865	1.50
ZZ00443		1.59	132.5	4.92	3.91	0.15	0.04	0.05	0.033	0.03	67.7	27.0	0.45	2210	2.31
ZZ00444		1.09	40.3	2.86	3.80	0.10	0.04	0.07	0.027	0.03	46.4	22.8	0.42	656	0.81
ZZ00445		1.37	24.8	2.70	4.78	0.05	0.05	0.05	0.025	0.03	17.0	20.2	0.43	522	0.80
ZZ00446		1.19	21.3	2.88	4.64	0.05	<0.02	0.03	0.020	0.03	13.5	22.2	0.50	430	0.84
ZZ00447		1.06	19.2	2.74	5.34	<0.05	<0.02	0.02	0.016	0.03	10.4	20.8	0.46	311	0.87
ZZ00448		0.88	26.7	3.03	4.81	<0.05	<0.02	0.03	0.029	0.03	14.6	21.0	0.49	358	0.97
ZZ00449		1.00	25.3	3.24	4.34	<0.05	0.03	0.03	0.022	0.03	14.5	22.0	0.46	588	0.80
ZZ00450		1.12	15.2	2.37	4.63	<0.05	0.04	0.02	0.019	0.03	7.5	17.9	0.33	276	1.06
ZZ00451		0.66	19.5	2.90	3.19	0.05	0.04	0.05	0.027	0.03	15.5	12.0	0.30	485	0.76
ZZ00452		0.81	19.5	2.61	3.75	<0.05	0.04	0.05	0.026	0.04	11.5	13.9	0.33	403	0.77
ZZ00453		0.83	21.2	2.63	3.44	<0.05	0.06	0.05	0.028	0.03	13.7	13.2	0.34	451	0.73
ZZ00454		0.62	25.6	2.68	3.64	0.05	0.05	0.05	0.021	0.03	11.9	14.6	0.33	322	0.66
ZZ00455		0.82	35.7	3.17	4.57	0.06	0.06	0.07	0.021	0.04	12.7	19.6	0.47	418	0.67
ZZ00001		1.29	34.8	3.94	4.86	0.05	<0.02	0.02	0.024	0.04	11.1	26.7	0.45	911	1.44
ZZ00002		0.85	23.2	3.58	4.86	<0.05	0.06	0.02	0.019	0.04	12.2	27.1	0.55	617	0.69
ZZ00003		1.13	27.1	3.29	4.18	<0.05	0.02	0.02	0.028	0.04	13.2	25.6	0.52	384	1.02
ZZ00004		0.79	20.2	2.92	3.76	0.05	<0.02	0.03	0.025	0.04	14.1	18.3	0.35	527	1.14
ZZ00005		1.16	21.3	3.38	5.03	0.05	<0.02	0.04	0.031	0.05	9.6	22.1	0.41	435	1.20
ZZ00006		0.72	22.4	3.26	4.11	<0.05	<0.02	0.03	0.021	0.04	12.1	21.0	0.47	593	0.93
ZZ00007		0.86	22.7	2.96	4.26	<0.05	<0.02	0.03	0.032	0.04	16.1	15.4	0.44	547	0.97
ZZ00008		1.25	19.3	2.93	5.78	<0.05	<0.02	0.03	0.026	0.04	13.0	15.4	0.29	583	1.23
ZZ00009		0.59	47.3	3.39	2.13	0.05	0.09	0.03	0.036	0.03	14.2	11.7	0.25	634	1.31
ZZ00010		1.72	28.9	3.49	5.87	0.05	<0.02	0.04	0.038	0.04	11.9	13.2	0.31	643	2.15
ZZ00462		0.98	18.3	3.60	5.59	<0.05	<0.02	0.05	0.020	0.03	8.2	21.5	0.30	966	1.05
ZZ00463		1.34	27.1	4.74	6.01	0.05	<0.02	0.04	0.033	0.03	14.7	48.2	0.57	449	1.17
ZZ00464		2.54	33.3	3.72	4.79	<0.05	<0.02	0.03	0.020	0.04	10.6	19.4	0.33	965	1.72
ZZ00465		1.82	34.9	3.46	4.60	<0.05	<0.02	0.03	0.025	0.04	10.6	26.5	0.41	1020	1.24
ZZ00466		0.60	31.4	3.26	2.34	0.11	0.07	0.03	0.024	0.02	25.6	13.9	0.27	680	0.61
ZZ00467		3.25	15.1	4.09	4.19	0.08	0.02	0.04	0.021	0.03	8.7	28.3	0.35	1610	0.77
ZZ00468		0.76	48.7	2.42	2.34	0.06	0.03	0.02	0.012	0.02	9.2	18.8	0.34	801	3.43
ZZ00469		0.58	58.1	3.23	2.78	0.08	0.02	0.03	0.017	0.04	11.8	12.2	0.31	1090	1.72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00434		0.79	28.5	780	14.2	8.4	<0.001	<0.01	0.56	3.3	0.5	0.4	11.5	<0.01	0.06
ZZ00435		0.26	40.5	690	25.4	6.1	<0.001	0.01	0.33	2.3	0.6	0.4	9.5	<0.01	0.04
ZZ00436		0.24	35.6	640	6.6	3.6	<0.001	<0.01	0.27	1.7	0.6	0.5	5.2	<0.01	0.04
ZZ00437		0.54	32.3	930	18.6	6.1	<0.001	0.01	0.46	3.1	<0.2	0.4	18.0	<0.01	0.04
ZZ00438		0.45	29.1	610	12.2	5.9	<0.001	<0.01	0.52	1.6	<0.2	0.4	11.1	<0.01	0.07
ZZ00439		0.37	53.2	660	11.5	3.3	<0.001	<0.01	0.31	9.8	0.9	0.2	10.8	<0.01	0.04
ZZ00440		0.52	43.7	910	12.7	8.4	<0.001	0.03	0.32	2.5	<0.2	0.4	22.6	<0.01	0.05
ZZ00441		0.55	28.6	750	15.9	6.6	<0.001	<0.01	0.54	1.9	0.5	0.4	11.0	<0.01	0.07
ZZ00442		0.40	29.6	780	17.7	6.1	<0.001	<0.01	0.43	1.6	1.4	0.4	10.5	<0.01	0.05
ZZ00443		0.36	59.6	1080	46.2	2.8	<0.001	<0.01	0.75	4.5	1.2	0.2	15.0	<0.01	0.25
ZZ00444		0.55	32.6	1280	16.8	5.9	<0.001	0.03	0.57	2.7	0.5	0.3	75.3	<0.01	0.09
ZZ00445		0.59	24.2	1320	13.4	8.4	<0.001	0.04	0.46	2.0	0.5	0.4	64.9	<0.01	0.04
ZZ00446		0.45	24.2	930	10.3	6.3	<0.001	0.01	0.39	1.8	0.6	0.3	24.9	<0.01	0.04
ZZ00447		0.43	20.8	710	11.4	7.1	<0.001	0.01	0.33	1.3	0.8	0.4	13.3	<0.01	0.04
ZZ00448		0.66	27.5	810	12.8	6.7	0.001	<0.01	0.61	2.0	0.7	0.4	15.8	<0.01	0.06
ZZ00449		0.63	25.6	640	15.1	5.6	<0.001	<0.01	0.57	2.6	1.3	0.3	12.3	<0.01	0.04
ZZ00450		0.60	17.3	1070	13.4	6.4	<0.001	0.04	0.39	1.7	0.5	0.4	32.0	<0.01	0.02
ZZ00451		0.50	26.0	830	16.9	5.2	<0.001	0.01	0.61	3.1	0.9	0.3	38.4	<0.01	0.04
ZZ00452		0.67	23.2	1060	16.3	6.1	<0.001	0.04	0.58	2.0	0.6	0.3	47.1	0.01	0.02
ZZ00453		0.70	22.2	1000	15.5	5.5	<0.001	0.05	0.75	2.4	0.8	0.3	52.9	<0.01	0.02
ZZ00454		0.62	27.3	870	16.6	5.3	<0.001	0.04	0.68	2.6	1.2	0.3	71.7	<0.01	0.03
ZZ00455		0.60	29.1	1100	24.5	5.8	<0.001	0.03	0.60	2.4	1.3	0.3	55.4	<0.01	0.04
ZZ00001		0.64	35.8	690	18.5	8.3	<0.001	<0.01	0.60	2.3	0.4	0.3	20.3	<0.01	0.12
ZZ00002		0.42	26.8	550	21.4	7.5	<0.001	<0.01	0.28	2.2	0.4	0.3	13.7	<0.01	0.07
ZZ00003		0.58	34.8	500	21.3	8.0	<0.001	<0.01	0.39	2.0	0.8	0.3	24.6	<0.01	0.05
ZZ00004		0.63	24.3	710	26.8	5.4	0.001	<0.01	0.74	1.4	0.7	0.3	10.7	0.01	0.03
ZZ00005		0.56	21.8	1090	26.4	8.3	<0.001	0.03	0.64	0.9	0.8	0.4	8.0	<0.01	0.02
ZZ00006		0.54	26.0	680	21.8	6.0	0.001	<0.01	0.53	1.7	0.8	0.3	10.2	<0.01	0.04
ZZ00007		0.57	28.3	610	18.1	6.9	<0.001	<0.01	0.64	2.0	0.2	0.5	12.6	<0.01	0.06
ZZ00008		0.56	19.4	480	13.0	8.6	<0.001	<0.01	0.67	1.0	0.5	0.5	8.2	<0.01	0.06
ZZ00009		0.23	30.7	750	22.1	4.7	<0.001	0.01	0.63	2.4	0.8	0.2	18.6	<0.01	0.10
ZZ00010		0.60	20.7	710	15.6	8.8	<0.001	0.02	0.83	0.9	1.5	0.7	8.2	<0.01	0.03
ZZ00462		0.27	15.4	930	20.3	6.2	<0.001	0.04	0.45	0.4	0.6	0.3	6.0	<0.01	0.06
ZZ00463		0.66	33.2	570	21.1	5.7	0.001	<0.01	0.71	1.9	0.4	0.3	6.7	0.01	0.11
ZZ00464		0.63	21.2	560	24.6	8.1	<0.001	<0.01	0.59	1.2	0.3	0.3	7.3	<0.01	0.06
ZZ00465		0.57	19.3	560	17.4	6.7	<0.001	<0.01	0.63	1.3	<0.2	0.4	8.2	<0.01	0.03
ZZ00466		0.22	34.7	930	14.3	3.0	<0.001	0.04	0.80	3.1	0.6	0.2	39.0	0.01	0.08
ZZ00467		0.44	34.1	580	10.9	4.0	<0.001	0.03	1.38	2.0	0.4	0.2	5.3	0.01	0.09
ZZ00468		0.10	28.3	190	17.6	3.0	<0.001	0.01	0.38	1.4	<0.2	<0.2	2.4	<0.01	0.07
ZZ00469		0.20	32.7	790	18.1	4.3	<0.001	0.01	0.78	1.6	0.4	<0.2	19.2	<0.01	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00434		0.045	0.07	3.99	47	0.21	8.71	112	0.6
ZZ00435		0.031	0.05	1.56	42	0.14	13.60	109	<0.5
ZZ00436		0.043	0.05	0.77	43	0.11	3.35	77	<0.5
ZZ00437		0.025	0.06	1.55	45	0.20	8.01	87	1.1
ZZ00438		0.032	0.05	0.61	46	0.15	3.33	74	<0.5
ZZ00439		0.036	0.02	0.78	50	0.11	8.48	97	1.6
ZZ00440		0.028	0.07	0.57	53	0.15	3.73	75	<0.5
ZZ00441		0.042	0.08	0.76	47	0.23	3.71	86	<0.5
ZZ00442		0.034	0.06	1.53	39	0.18	4.40	77	<0.5
ZZ00443		0.030	0.03	2.73	28	0.14	15.60	141	1.1
ZZ00444		0.025	0.07	1.75	31	0.19	15.00	105	1.3
ZZ00445		0.023	0.09	1.09	40	0.19	8.89	73	1.1
ZZ00446		0.028	0.08	0.83	41	0.16	4.95	71	0.5
ZZ00447		0.030	0.08	0.79	42	0.19	3.36	69	<0.5
ZZ00448		0.034	0.07	0.71	42	0.27	5.33	75	<0.5
ZZ00449		0.027	0.06	0.96	36	0.23	5.58	76	0.8
ZZ00450		0.018	0.07	0.71	32	0.25	2.98	52	1.1
ZZ00451		0.020	0.05	0.92	27	0.22	12.40	77	1.3
ZZ00452		0.021	0.05	1.05	32	0.16	7.50	70	1.4
ZZ00453		0.020	0.07	1.00	30	0.17	10.10	67	2.1
ZZ00454		0.017	0.04	1.39	25	0.13	9.32	69	2.3
ZZ00455		0.019	0.07	1.16	34	0.25	8.43	93	1.8
ZZ00001		0.025	0.04	1.07	37	0.16	5.46	93	0.5
ZZ00002		0.011	0.05	0.89	20	0.09	4.95	76	1.5
ZZ00003		0.021	0.06	1.43	33	0.16	5.03	73	0.5
ZZ00004		0.035	0.06	0.81	37	0.30	4.29	84	0.5
ZZ00005		0.019	0.09	0.84	40	0.20	3.40	77	<0.5
ZZ00006		0.024	0.06	0.84	33	0.24	4.26	87	0.6
ZZ00007		0.029	0.08	0.72	42	0.24	6.35	85	<0.5
ZZ00008		0.026	0.12	0.57	48	0.16	3.31	66	<0.5
ZZ00009		0.007	0.04	1.76	14	0.07	9.06	85	2.7
ZZ00010		0.029	0.15	0.81	57	0.25	3.21	78	<0.5
ZZ00462		0.013	0.07	0.66	31	0.12	1.49	66	<0.5
ZZ00463		0.029	0.05	0.65	31	0.16	2.06	90	<0.5
ZZ00464		0.038	0.04	0.95	38	0.26	2.38	71	<0.5
ZZ00465		0.036	0.07	0.87	42	0.20	3.41	72	<0.5
ZZ00466		0.018	0.03	1.16	17	0.10	11.20	80	1.4
ZZ00467		0.022	0.04	0.78	25	0.16	2.02	77	<0.5
ZZ00468		0.009	<0.02	1.06	10	<0.05	1.51	53	0.8
ZZ00469		0.013	0.04	1.50	16	0.09	4.83	80	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00470		0.30	0.002	0.10	1.19	12.5	<0.2	<10	70	0.20	0.31	0.06	0.21	22.6	4.9	18
ZZ00471		0.36	0.003	0.52	1.09	11.4	<0.2	<10	120	0.26	0.28	0.18	1.09	18.10	9.8	21
ZZ00472		0.36	0.001	0.03	0.77	7.6	<0.2	<10	80	0.15	0.19	0.03	0.19	13.65	7.5	15
ZZ00473		0.38	0.001	0.17	1.07	16.7	<0.2	<10	110	0.24	0.29	0.05	0.37	17.20	7.7	21
ZZ00474		0.38	0.002	0.39	1.40	54.4	<0.2	<10	110	0.39	0.27	0.07	0.69	20.7	7.4	21
ZZ00475		0.36	0.004	0.36	1.59	38.4	<0.2	<10	110	0.41	0.38	0.54	0.25	24.8	7.0	27
ZZ00476		0.40	0.003	0.27	2.24	35.2	<0.2	<10	180	0.30	0.37	0.61	0.10	24.5	25.2	22
ZZ00477		0.34	0.003	0.07	0.81	10.7	<0.2	<10	60	0.23	0.16	0.09	0.17	14.50	8.2	14
ZZ00478		0.36	0.003	0.13	1.67	16.2	<0.2	<10	110	0.46	0.25	0.06	0.21	20.5	8.7	25
ZZ00479		0.36	0.004	0.63	1.64	29.0	<0.2	<10	160	0.42	0.41	0.73	0.68	26.0	8.2	23
ZZ00480		0.32	0.005	0.37	1.14	15.2	<0.2	<10	170	0.27	0.25	0.19	0.22	18.20	7.7	21
ZZ00481		0.42	0.003	0.24	0.99	17.0	<0.2	<10	130	0.28	0.25	0.33	0.35	23.7	11.7	17
ZZ00482		0.40	0.004	0.28	1.16	13.7	<0.2	<10	120	0.33	0.28	0.12	0.33	22.0	6.6	22
ZZ00483		0.46	0.008	0.24	1.21	9.4	<0.2	<10	90	0.31	0.17	0.17	0.23	19.30	7.4	23
ZZ00484		0.32	0.002	0.19	0.72	9.4	<0.2	<10	80	0.18	0.19	0.03	0.17	13.75	4.3	16
ZZ00485		0.50	0.005	0.06	1.81	16.0	<0.2	<10	150	0.55	0.26	0.16	0.31	27.6	14.2	26
ZZ00486		0.32	0.007	0.45	1.05	14.3	<0.2	<10	70	0.17	0.33	0.10	0.75	14.80	7.0	20
ZZ00487		0.44	0.004	0.24	2.08	18.3	<0.2	<10	170	0.56	0.42	0.22	0.35	26.1	17.2	28
ZZ00488		0.42	0.004	0.06	1.26	13.9	<0.2	<10	80	0.29	0.26	0.10	0.28	21.5	7.6	21
ZZ00489		0.44	0.006	0.40	0.78	109.0	<0.2	<10	80	0.30	0.51	0.16	0.22	25.3	21.8	11
ZZ00490		0.40	0.002	0.09	1.26	34.8	<0.2	<10	60	0.33	0.46	0.04	0.21	25.1	14.0	19
ZZ00491		0.34	0.001	0.10	1.15	17.1	<0.2	<10	80	0.20	0.48	0.04	0.06	24.4	13.9	21
ZZ00492		0.38	0.002	0.07	1.53	10.7	<0.2	<10	90	0.46	0.45	0.08	0.09	21.8	10.8	25
ZZ00493		0.36	0.002	0.07	1.40	15.3	<0.2	<10	50	0.32	0.50	0.04	0.15	21.1	14.1	21
ZZ00494		0.36	0.002	0.03	1.39	12.5	<0.2	<10	100	0.37	0.36	0.06	0.17	25.1	9.8	24
ZZ00495		0.44	0.002	0.07	1.13	13.7	<0.2	<10	110	0.31	0.45	0.06	0.11	22.3	11.2	18
ZZ00496		0.34	0.001	0.10	1.49	17.2	<0.2	<10	100	0.64	0.30	0.36	0.13	30.7	9.4	21
ZZ00497		0.32	0.001	0.14	1.02	22.7	<0.2	<10	70	0.61	0.24	5.50	0.32	19.25	8.4	13
ZZ00498		0.32	0.001	0.16	1.05	17.2	<0.2	<10	130	0.48	0.29	1.46	0.18	23.9	9.6	16
ZZ00499		0.36	0.001	0.16	1.19	15.7	<0.2	<10	130	0.46	0.35	0.71	0.25	26.3	10.3	18
ZZ00500		0.34	0.001	0.08	1.35	9.9	<0.2	<10	100	0.68	0.59	0.15	0.24	45.0	37.3	17
ZZ01183		0.32	0.002	0.14	1.07	16.7	<0.2	<10	70	0.46	0.36	0.61	0.15	19.15	13.2	16
ZZ01184		0.46	0.002	0.09	1.82	14.3	<0.2	<10	170	0.64	0.28	0.13	0.22	38.9	16.7	31
ZZ01185		0.38	0.001	0.09	1.07	8.2	<0.2	<10	90	0.25	0.31	0.17	0.06	28.2	7.6	16
ZZ01186		0.28	0.001	0.10	1.29	8.0	<0.2	<10	80	0.30	0.35	0.59	0.05	17.00	10.6	22
ZZ01187		0.42	0.008	0.10	1.21	6.3	<0.2	<10	110	0.30	0.29	0.24	0.10	27.1	9.8	19
ZZ01188		0.24	0.002	0.24	1.31	10.5	<0.2	<10	130	0.42	0.34	1.42	0.25	13.55	12.5	21
ZZ01189		0.22	0.001	0.20	1.35	11.3	<0.2	<10	170	0.43	0.39	1.08	0.15	15.25	12.5	20
ZZ01190		0.26	0.001	0.19	1.25	12.0	<0.2	<10	110	0.39	0.31	1.26	0.17	14.75	11.8	18
ZZ01191		0.28	0.002	0.28	1.38	12.9	<0.2	<10	140	0.44	0.36	0.86	0.14	15.75	12.1	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00470		1.82	16.3	2.55	6.24	0.07	<0.02	0.04	0.016	0.04	11.9	6.6	0.16	349	2.65
ZZ00471		3.21	90.8	2.67	4.45	0.09	0.02	0.05	0.019	0.09	10.5	8.9	0.41	967	3.71
ZZ00472		0.74	22.8	2.02	3.70	0.05	<0.02	0.04	0.017	0.03	6.3	6.7	0.17	1080	1.03
ZZ00473		1.13	23.1	2.80	5.70	0.07	<0.02	0.05	0.021	0.04	8.7	5.7	0.14	885	2.24
ZZ00474		0.89	41.7	2.76	4.81	0.07	<0.02	0.06	0.022	0.04	10.4	10.6	0.23	493	3.20
ZZ00475		2.70	205	3.35	5.16	0.14	0.06	0.07	0.037	0.08	14.8	13.2	0.39	271	8.21
ZZ00476		13.00	129.5	3.94	6.50	0.24	0.05	0.02	0.027	0.64	14.0	43.3	1.99	2060	1.13
ZZ00477		0.51	39.6	1.99	2.59	0.06	<0.02	0.04	0.014	0.04	7.4	8.4	0.21	682	1.24
ZZ00478		1.25	26.5	3.33	5.19	0.08	<0.02	0.31	0.026	0.04	10.0	19.5	0.36	428	5.11
ZZ00479		4.87	258	3.44	4.13	0.16	0.06	0.03	0.032	0.22	15.8	20.8	0.78	598	7.11
ZZ00480		1.91	62.9	2.58	4.28	0.08	<0.02	0.03	0.017	0.07	10.0	12.1	0.48	650	2.97
ZZ00481		1.66	66.2	2.98	3.60	0.09	0.03	0.03	0.020	0.07	12.8	10.6	0.36	1290	3.76
ZZ00482		0.78	31.3	3.20	4.29	0.08	0.03	0.06	0.025	0.05	11.7	11.9	0.28	404	8.25
ZZ00483		1.74	88.3	2.61	3.80	0.08	0.02	0.04	0.016	0.06	10.3	13.9	0.43	529	1.93
ZZ00484		1.03	26.6	1.95	3.72	0.06	<0.02	0.04	0.012	0.03	7.1	4.9	0.13	669	1.84
ZZ00485		1.53	55.0	3.00	5.00	0.09	0.05	0.05	0.023	0.05	13.4	18.3	0.50	806	2.85
ZZ00486		1.98	96.6	2.63	5.76	0.07	<0.02	0.05	0.016	0.10	8.0	7.9	0.33	812	2.78
ZZ00487		3.56	124.0	4.00	5.94	0.12	0.06	0.12	0.029	0.12	13.4	28.0	0.99	883	4.43
ZZ00488		0.90	29.7	2.94	5.03	0.08	<0.02	0.05	0.021	0.04	10.8	13.2	0.30	437	2.21
ZZ00489		0.95	70.0	3.53	3.17	0.09	0.02	0.04	0.024	0.05	13.5	5.9	0.13	1120	5.79
ZZ00490		1.33	36.7	3.83	4.49	0.09	<0.02	0.04	0.022	0.03	12.7	19.6	0.31	645	1.91
ZZ00491		2.50	16.2	2.87	6.75	0.07	<0.02	0.04	0.018	0.03	12.3	9.3	0.15	1200	2.03
ZZ00492		1.95	28.6	3.28	5.59	0.09	<0.02	0.04	0.022	0.04	10.8	26.8	0.40	552	1.63
ZZ00493		1.14	35.1	3.63	4.32	0.09	0.03	0.05	0.024	0.03	10.3	28.1	0.36	663	1.51
ZZ00494		1.14	26.7	3.14	4.77	0.08	0.02	0.04	0.021	0.03	12.5	24.1	0.37	472	1.33
ZZ00495		1.18	22.2	3.42	4.68	0.08	<0.02	0.02	0.021	0.03	10.9	19.0	0.23	747	1.27
ZZ00496		0.87	23.8	2.68	3.72	0.09	0.05	0.04	0.023	0.03	14.8	14.6	0.35	397	0.97
ZZ00497		0.60	22.9	2.15	2.45	0.06	0.06	0.05	0.025	0.03	12.3	8.6	0.24	407	0.58
ZZ00498		0.79	33.3	2.90	3.19	0.08	0.07	0.06	0.025	0.04	13.8	11.5	0.27	416	0.81
ZZ00499		0.84	25.1	3.30	3.38	0.09	0.10	0.04	0.029	0.04	15.5	13.7	0.27	529	0.82
ZZ00500		1.44	80.4	4.71	3.27	0.13	0.07	0.04	0.030	0.03	18.9	19.2	0.21	2000	1.74
ZZ01183		0.74	29.0	3.15	3.02	0.07	0.10	0.06	0.022	0.03	10.2	24.4	0.35	414	0.62
ZZ01184		1.05	41.5	3.41	5.48	0.12	0.04	0.06	0.030	0.06	17.9	24.2	0.57	675	1.20
ZZ01185		0.88	20.2	2.36	4.11	0.11	<0.02	0.04	0.017	0.03	14.1	21.9	0.32	246	0.70
ZZ01186		0.68	24.0	2.91	4.04	0.10	0.08	0.06	0.019	0.04	9.1	30.7	0.43	279	0.63
ZZ01187		0.61	24.1	2.76	3.96	0.10	0.07	0.04	0.019	0.04	13.7	31.7	0.40	342	0.54
ZZ01188		0.80	42.6	2.94	3.70	0.10	0.10	0.07	0.023	0.06	7.6	26.9	0.35	578	1.06
ZZ01189		0.74	39.8	3.24	3.90	0.09	0.09	0.06	0.025	0.05	8.5	25.8	0.34	476	0.90
ZZ01190		0.67	34.7	2.97	3.70	0.10	0.07	0.08	0.022	0.05	8.3	22.6	0.34	519	0.81
ZZ01191		0.88	36.8	3.39	4.09	0.10	0.10	0.07	0.028	0.05	9.0	23.5	0.36	486	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00470		0.51	11.0	980	12.4	10.9	<0.001	0.02	0.88	1.0	0.5	0.6	10.7	<0.01	0.07
ZZ00471		0.10	23.4	2160	16.2	19.6	<0.001	0.07	0.99	0.5	1.8	0.3	69.2	<0.01	0.17
ZZ00472		0.50	16.1	460	6.6	8.0	<0.001	0.02	0.58	1.0	0.2	0.3	4.9	<0.01	0.06
ZZ00473		0.35	16.4	1140	12.8	11.0	<0.001	0.04	0.86	0.7	0.6	0.6	9.5	<0.01	0.07
ZZ00474		0.33	17.6	1040	12.5	9.3	<0.001	0.04	0.86	0.7	0.9	0.5	12.3	<0.01	0.12
ZZ00475		0.11	27.4	4790	21.0	12.4	0.001	0.10	1.91	0.6	6.2	0.4	98.8	0.01	0.24
ZZ00476		0.38	43.4	2720	21.9	73.4	<0.001	0.02	0.79	3.3	1.1	0.2	127.5	0.01	0.24
ZZ00477		0.25	19.9	700	7.5	4.7	<0.001	0.02	0.71	0.9	0.6	0.2	16.5	<0.01	0.06
ZZ00478		0.72	19.1	620	13.2	9.2	<0.001	0.03	1.01	1.5	1.4	0.4	9.1	<0.01	0.08
ZZ00479		0.33	33.7	4590	23.5	25.8	<0.001	0.19	1.41	2.5	3.6	0.2	183.0	0.01	0.29
ZZ00480		0.23	22.2	1390	11.7	17.5	<0.001	0.05	0.72	0.9	1.4	0.3	34.2	<0.01	0.11
ZZ00481		0.32	27.1	2530	15.0	12.4	<0.001	0.04	0.92	1.4	1.2	0.2	55.8	<0.01	0.11
ZZ00482		0.24	18.6	1550	15.0	9.3	<0.001	0.06	1.12	0.8	1.4	0.4	35.6	<0.01	0.12
ZZ00483		0.40	26.0	1130	7.6	10.4	<0.001	0.03	0.78	1.5	1.1	0.2	27.2	<0.01	0.09
ZZ00484		0.17	12.5	820	6.7	10.1	<0.001	0.04	0.62	0.5	0.5	0.3	10.2	<0.01	0.07
ZZ00485		0.66	31.0	1150	13.5	11.0	<0.001	0.02	0.79	2.7	0.8	0.4	22.0	<0.01	0.09
ZZ00486		0.40	25.5	920	16.9	16.0	<0.001	0.04	0.93	1.1	1.2	0.5	32.4	<0.01	0.11
ZZ00487		0.52	39.3	1890	27.3	19.8	<0.001	0.06	1.32	3.5	1.6	0.3	58.7	<0.01	0.21
ZZ00488		0.53	18.4	980	13.1	8.1	<0.001	0.02	0.75	1.4	0.8	0.4	13.5	<0.01	0.07
ZZ00489		0.38	34.3	2080	20.6	10.1	<0.001	0.01	1.83	1.5	1.4	0.3	23.0	<0.01	0.21
ZZ00490		0.35	25.7	560	21.5	5.2	<0.001	0.02	1.00	1.3	0.5	0.3	6.9	<0.01	0.08
ZZ00491		1.22	12.3	400	16.6	9.2	<0.001	0.01	0.77	2.2	0.5	0.7	6.4	<0.01	0.07
ZZ00492		0.60	22.0	520	20.8	8.7	<0.001	0.02	0.67	1.9	0.4	0.5	9.2	<0.01	0.07
ZZ00493		0.61	25.8	500	29.3	4.6	<0.001	0.02	0.78	2.0	0.5	0.3	6.6	<0.01	0.07
ZZ00494		0.62	23.3	490	16.4	7.1	<0.001	0.01	0.67	2.1	0.4	0.4	7.7	<0.01	0.05
ZZ00495		0.32	21.3	520	17.3	8.7	<0.001	0.02	0.66	1.1	0.2	0.4	8.4	<0.01	0.06
ZZ00496		0.48	30.5	710	27.1	5.6	<0.001	0.03	0.87	3.3	0.6	0.3	25.0	<0.01	0.05
ZZ00497		0.27	23.4	1430	13.9	5.4	<0.001	0.09	1.06	1.9	1.0	0.2	253	0.01	0.06
ZZ00498		0.40	28.2	1220	17.1	7.2	<0.001	0.07	0.63	2.5	0.9	0.3	72.5	0.01	0.07
ZZ00499		0.44	28.1	1170	18.1	7.4	<0.001	0.04	0.62	3.7	0.7	0.3	45.1	0.01	0.08
ZZ00500		0.45	71.9	990	43.8	5.9	<0.001	0.04	0.60	3.1	1.1	0.2	20.3	0.01	0.11
ZZ01183		0.31	27.7	780	19.8	6.2	<0.001	0.06	0.53	2.9	0.8	0.2	43.8	<0.01	0.06
ZZ01184		1.18	38.2	640	23.2	9.3	0.001	0.01	0.94	4.2	0.7	0.4	13.7	<0.01	0.05
ZZ01185		0.41	20.8	540	14.5	6.3	<0.001	0.02	0.36	1.4	0.2	0.3	17.0	<0.01	0.04
ZZ01186		0.33	26.7	610	18.0	5.9	0.002	0.06	0.28	2.2	0.9	0.2	36.7	<0.01	0.05
ZZ01187		0.39	25.6	600	13.2	5.7	0.001	0.01	0.32	2.4	0.3	0.2	21.4	<0.01	0.03
ZZ01188		0.41	30.9	1070	19.3	7.0	0.002	0.13	0.60	1.8	2.4	0.2	90.8	<0.01	0.04
ZZ01189		0.36	29.8	1010	19.4	6.8	0.001	0.08	0.50	2.0	0.8	0.2	67.9	<0.01	0.05
ZZ01190		0.30	25.6	1130	18.0	6.5	<0.001	0.09	0.55	1.4	1.1	0.2	67.8	<0.01	0.04
ZZ01191		0.34	27.9	1110	19.9	8.0	<0.001	0.07	0.48	2.0	1.0	0.2	54.8	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00470		0.030	0.17	0.88	53	0.22	2.26	42	<0.5
ZZ00471		0.008	0.23	3.17	53	0.10	6.62	96	<0.5
ZZ00472		0.033	0.05	0.36	31	0.18	1.29	46	<0.5
ZZ00473		0.019	0.11	0.89	52	0.19	2.17	60	<0.5
ZZ00474		0.017	0.10	1.64	45	0.26	3.53	75	<0.5
ZZ00475		0.007	0.27	12.20	82	0.18	23.8	105	<0.5
ZZ00476		0.115	0.52	2.67	77	0.06	13.60	112	1.4
ZZ00477		0.021	0.05	0.71	26	0.18	2.68	52	<0.5
ZZ00478		0.029	0.12	1.32	44	0.22	2.66	62	<0.5
ZZ00479		0.042	0.49	11.15	73	0.11	18.80	138	1.1
ZZ00480		0.023	0.13	1.49	43	0.15	4.18	71	<0.5
ZZ00481		0.029	0.13	1.97	37	0.12	7.36	92	0.5
ZZ00482		0.014	0.10	2.26	43	0.23	3.60	73	<0.5
ZZ00483		0.036	0.11	1.53	41	0.31	5.09	71	<0.5
ZZ00484		0.012	0.08	0.85	32	0.12	1.79	46	<0.5
ZZ00485		0.033	0.12	2.55	46	0.22	6.75	87	1.0
ZZ00486		0.032	0.19	1.88	58	0.14	2.68	86	<0.5
ZZ00487		0.045	0.21	4.86	62	0.17	9.66	130	1.2
ZZ00488		0.027	0.09	0.98	45	0.26	3.40	68	<0.5
ZZ00489		0.021	0.07	1.83	27	0.16	4.68	95	<0.5
ZZ00490		0.023	0.05	1.00	30	0.17	2.94	74	<0.5
ZZ00491		0.039	0.15	0.68	54	0.22	2.06	46	<0.5
ZZ00492		0.031	0.09	0.82	40	0.21	2.88	64	<0.5
ZZ00493		0.025	0.06	0.82	28	0.14	2.21	71	0.9
ZZ00494		0.030	0.08	0.76	37	0.24	2.97	66	<0.5
ZZ00495		0.018	0.07	0.64	33	0.15	2.43	63	<0.5
ZZ00496		0.021	0.09	1.08	35	0.18	11.10	65	0.9
ZZ00497		0.011	0.05	0.93	20	0.09	11.95	137	1.3
ZZ00498		0.016	0.06	1.54	26	0.29	12.75	71	1.4
ZZ00499		0.018	0.06	1.02	26	0.17	14.30	88	1.8
ZZ00500		0.018	0.05	1.80	21	0.11	10.60	139	1.3
ZZ01183		0.012	0.04	1.12	17	0.08	6.87	103	2.5
ZZ01184		0.044	0.11	1.09	47	0.37	6.75	104	1.5
ZZ01185		0.019	0.06	0.74	24	0.13	2.92	56	<0.5
ZZ01186		0.013	0.04	1.61	19	0.07	4.59	71	2.1
ZZ01187		0.015	0.04	0.73	19	0.08	4.23	84	1.9
ZZ01188		0.013	0.05	4.57	19	0.08	6.32	114	3.0
ZZ01189		0.012	0.05	2.42	20	0.10	6.11	94	2.8
ZZ01190		0.011	0.05	3.51	20	0.08	5.68	96	2.1
ZZ01191		0.013	0.05	2.02	23	0.09	5.91	96	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01192		0.34	0.002	0.09	1.18	8.3	<0.2	<10	70	0.35	0.28	0.23	0.06	25.0	10.9	16
ZZ01193		0.26	0.001	0.29	1.28	13.9	<0.2	<10	130	0.51	0.39	1.17	0.17	22.1	15.2	19
ZZ01194		0.26	0.002	0.22	1.31	13.8	<0.2	<10	100	0.33	0.35	0.76	0.09	16.90	10.7	19
ZZ01195		0.40	0.002	0.10	1.07	14.1	<0.2	<10	100	0.36	0.33	0.37	0.11	28.5	13.0	17
ZZ01196		0.36	0.002	0.19	1.47	21.2	<0.2	<10	120	0.39	0.57	0.25	0.07	21.7	17.3	22
ZZ01197		0.32	0.004	0.12	1.85	15.6	<0.2	<10	120	0.53	0.36	0.13	0.27	32.2	16.6	30
ZZ01198		0.28	0.001	0.05	0.95	10.6	<0.2	<10	50	0.13	0.35	0.07	0.07	22.3	4.4	20
ZZ01199		0.38	0.002	0.09	1.96	17.1	<0.2	<10	190	0.78	0.38	0.19	0.33	42.5	20.5	32
ZZ01200		0.44	0.001	0.03	1.38	12.7	<0.2	<10	80	0.34	0.31	0.07	0.13	30.5	7.8	24
ZZ01201		0.30	0.001	0.03	1.69	16.2	<0.2	<10	80	0.39	0.34	0.07	0.13	26.5	14.3	26
ZZ01202		0.34	0.002	0.03	1.34	8.7	<0.2	<10	100	0.25	0.37	0.04	0.07	27.7	5.3	20
ZZ01203		0.30	0.001	0.12	1.06	14.4	<0.2	<10	90	0.25	0.37	0.05	0.12	26.6	8.7	19
ZZ01204		0.28	0.001	0.08	1.32	12.3	<0.2	<10	70	0.28	0.36	0.06	0.11	20.4	9.3	21
ZZ01205		0.26	0.001	0.05	1.46	12.6	<0.2	<10	90	0.31	0.29	0.10	0.20	26.3	10.1	23
ZZ01206		0.28	0.001	0.06	1.62	13.1	<0.2	<10	90	0.42	0.38	0.07	0.17	24.6	13.8	25
ZZ01207		0.30	0.002	0.07	1.38	9.8	<0.2	<10	130	0.38	0.37	0.39	0.16	20.3	9.8	21
ZZ01208		0.34	0.005	0.54	1.01	21.9	<0.2	<10	180	0.32	0.43	0.42	0.58	31.8	12.9	22
ZZ01209		0.36	0.004	1.15	1.03	27.7	<0.2	<10	210	0.24	0.35	0.17	0.98	30.1	14.4	20
ZZ01210		0.38	0.006	0.43	1.16	15.3	<0.2	<10	130	0.26	0.26	0.12	0.63	31.5	10.4	22
ZZ01211		0.24	0.002	0.30	1.18	14.9	<0.2	<10	130	0.31	0.35	0.70	0.18	19.15	9.8	20
ZZ01212		0.30	0.001	0.14	1.36	13.6	<0.2	<10	100	0.47	0.46	0.44	0.10	22.1	16.8	21
ZZ01213		0.34	0.006	0.05	0.96	11.7	<0.2	<10	50	0.17	0.34	0.06	0.09	23.6	10.1	18
ZZ01214		0.22	0.002	0.23	1.55	17.9	<0.2	<10	190	0.39	0.39	0.60	0.20	22.0	11.9	24
ZZ01215		0.26	0.002	0.06	1.41	8.7	<0.2	<10	90	0.29	0.29	0.06	0.07	20.7	5.9	21
ZZ01216		0.20	0.001	0.22	1.17	8.3	<0.2	<10	90	0.20	0.26	0.07	0.15	17.95	3.8	19
ZZ01217		0.40	0.002	0.11	1.86	14.2	<0.2	<10	120	0.46	0.29	0.09	0.23	24.8	9.6	28
ZZ01218		0.34	0.005	0.05	1.37	9.4	<0.2	<10	90	0.29	0.32	0.12	0.15	26.5	10.1	25
ZZ01219		0.34	0.001	0.05	1.91	12.6	<0.2	<10	120	0.47	0.43	0.10	0.09	18.10	16.7	32
ZZ01220		0.34	0.004	0.50	1.19	20.7	<0.2	<10	280	0.36	0.33	0.42	0.49	24.3	11.2	23
ZZ01221		0.24	0.008	1.17	1.10	20.0	<0.2	<10	240	0.26	0.35	0.27	0.60	23.8	10.0	24
ZZ01222		0.24	0.005	0.45	1.39	15.3	<0.2	<10	90	0.11	0.39	0.03	0.14	19.60	5.1	24
ZZ01223		0.28	0.004	0.36	1.50	15.9	<0.2	<10	170	0.33	0.31	0.14	0.30	25.6	14.2	29
ZZ01224		0.30	0.008	0.66	1.29	15.9	<0.2	<10	270	0.28	0.31	0.13	0.29	25.6	11.4	27
ZZ01225		0.32	0.002	0.15	1.21	18.8	<0.2	<10	80	0.17	0.34	0.15	0.12	26.8	6.0	29
ZZ01226		0.40	0.005	0.26	1.58	14.7	<0.2	<10	210	0.45	0.29	0.28	0.20	36.3	10.5	35
ZZ01227		0.24	0.003	1.06	1.30	26.1	<0.2	<10	160	0.26	0.32	0.09	0.19	25.1	7.1	26
ZZ01228		0.26	0.009	0.89	1.18	19.6	<0.2	<10	80	0.20	0.42	0.05	0.16	27.3	6.3	25
ZZ01229		0.34	0.002	0.35	1.35	18.2	<0.2	<10	80	0.21	0.33	0.07	0.14	23.7	7.0	21
ZZ01230		0.36	0.005	0.56	1.45	30.0	<0.2	<10	190	0.34	0.36	0.18	0.59	33.2	12.0	27
ZZ01231		0.28	0.005	0.29	1.58	27.0	<0.2	<10	210	0.40	0.37	0.15	0.37	29.2	10.0	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01192		0.65	27.9	2.77	3.82	0.10	0.08	0.03	0.020	0.03	13.3	30.1	0.36	262	0.51
ZZ01193		0.91	35.5	3.81	3.57	0.10	0.11	0.08	0.029	0.05	11.2	16.4	0.35	1100	1.04
ZZ01194		0.95	33.0	3.11	3.68	0.11	0.09	0.05	0.026	0.04	10.1	25.7	0.36	366	0.75
ZZ01195		0.78	35.3	2.92	3.38	0.10	0.06	0.05	0.023	0.04	14.0	20.9	0.35	609	0.80
ZZ01196		2.33	46.9	3.87	4.54	0.10	0.03	0.06	0.029	0.04	12.0	36.1	0.49	736	1.01
ZZ01197		1.12	42.9	3.62	4.96	0.10	0.04	0.05	0.029	0.05	14.9	28.0	0.51	668	1.52
ZZ01198		1.13	15.2	2.05	5.96	0.09	<0.02	0.04	0.018	0.04	11.2	9.1	0.22	178	1.27
ZZ01199		1.34	57.4	3.85	5.43	0.12	0.07	0.05	0.033	0.06	21.4	30.3	0.64	1000	1.13
ZZ01200		1.44	18.0	3.26	6.25	0.11	<0.02	0.02	0.027	0.04	14.7	21.3	0.31	344	1.21
ZZ01201		1.71	25.2	3.95	7.27	0.11	<0.02	0.04	0.030	0.04	13.6	21.9	0.38	600	1.49
ZZ01202		1.60	23.2	3.12	7.10	0.11	0.08	0.03	0.019	0.03	14.1	21.1	0.23	201	1.09
ZZ01203		1.90	27.6	2.97	5.60	0.10	<0.02	0.04	0.017	0.05	13.6	16.2	0.25	316	1.11
ZZ01204		2.02	20.7	3.11	5.50	0.10	<0.02	0.05	0.022	0.04	10.5	18.0	0.27	538	1.29
ZZ01205		1.41	13.6	3.03	6.63	0.11	<0.02	0.04	0.027	0.04	12.4	23.5	0.34	489	1.48
ZZ01206		2.11	38.2	3.70	5.33	0.10	0.03	0.04	0.025	0.04	12.4	39.4	0.46	481	1.10
ZZ01207		1.11	23.7	3.04	4.21	0.11	0.06	0.05	0.027	0.04	11.6	22.0	0.38	371	0.65
ZZ01208		1.04	90.2	3.48	3.50	0.13	0.02	0.06	0.024	0.06	16.2	11.8	0.44	762	3.91
ZZ01209		2.03	110.0	3.83	3.06	0.13	0.04	0.08	0.024	0.09	16.6	17.1	0.45	834	5.56
ZZ01210		1.25	64.7	3.02	4.00	0.11	0.02	0.05	0.021	0.05	16.2	16.7	0.41	459	3.05
ZZ01211		1.51	37.2	2.78	4.08	0.10	0.02	0.06	0.025	0.04	10.5	22.7	0.38	399	1.40
ZZ01212		2.39	43.0	2.93	4.65	0.11	<0.02	0.07	0.022	0.03	12.6	30.9	0.39	615	0.89
ZZ01213		1.47	15.3	2.86	5.14	0.11	<0.02	0.05	0.022	0.03	11.1	17.4	0.24	790	1.14
ZZ01214		2.11	66.5	2.72	4.86	0.11	<0.02	0.06	0.022	0.04	13.0	22.3	0.39	795	1.74
ZZ01215		1.61	20.3	2.55	5.11	0.10	<0.02	0.03	0.022	0.03	10.5	18.2	0.31	217	1.12
ZZ01216		1.17	40.0	2.27	4.73	0.10	<0.02	0.06	0.022	0.04	9.5	10.6	0.24	111	3.03
ZZ01217		1.50	36.7	3.41	5.83	0.10	<0.02	0.05	0.030	0.05	12.0	20.8	0.44	508	1.79
ZZ01218		1.50	35.6	2.95	4.80	0.10	<0.02	0.04	0.020	0.04	13.4	20.9	0.45	440	1.32
ZZ01219		4.41	39.1	4.09	6.59	0.10	<0.02	0.03	0.026	0.04	9.5	44.5	0.60	1000	1.35
ZZ01220		0.89	72.5	3.05	3.45	0.06	0.06	0.06	0.032	0.06	11.0	15.6	0.49	492	2.80
ZZ01221		1.27	66.2	2.97	3.73	0.06	0.02	0.10	0.032	0.07	11.4	12.9	0.43	572	3.81
ZZ01222		1.44	31.6	2.86	6.78	0.05	<0.02	0.11	0.023	0.05	9.8	9.4	0.22	329	5.40
ZZ01223		1.51	65.9	3.07	4.76	0.06	<0.02	0.06	0.028	0.07	11.8	16.0	0.58	859	2.41
ZZ01224		1.36	63.0	2.82	4.47	0.05	<0.02	0.06	0.026	0.06	11.6	14.1	0.44	702	3.38
ZZ01225		1.08	29.6	3.52	6.30	0.06	0.02	0.02	0.028	0.05	12.6	7.7	0.38	269	2.66
ZZ01226		1.03	48.1	3.08	5.15	0.07	0.02	0.05	0.033	0.05	17.7	16.3	0.63	400	1.75
ZZ01227		1.08	29.3	2.67	5.03	0.05	<0.02	0.04	0.028	0.05	11.9	15.1	0.37	211	1.80
ZZ01228		1.02	35.8	4.03	5.45	0.07	0.02	0.04	0.031	0.05	13.1	11.1	0.25	266	3.57
ZZ01229		1.32	24.2	2.74	5.63	<0.05	<0.02	0.04	0.022	0.04	11.2	12.4	0.25	356	1.97
ZZ01230		1.06	69.3	3.58	4.68	0.06	0.02	0.05	0.031	0.06	15.7	14.1	0.46	426	2.75
ZZ01231		1.21	40.8	3.31	5.26	0.05	0.02	0.06	0.031	0.05	13.4	15.8	0.45	500	2.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01192		0.39	25.8	350	16.3	4.8	<0.001	0.02	0.33	2.3	0.2	0.2	18.5	<0.01	0.03
ZZ01193		0.35	24.6	1110	75.5	6.8	<0.001	0.08	0.69	2.4	1.1	0.2	70.2	<0.01	0.07
ZZ01194		0.38	27.3	730	21.5	6.9	<0.001	0.05	0.52	2.5	0.6	0.2	44.9	<0.01	0.07
ZZ01195		0.59	28.2	500	21.4	4.9	<0.001	0.02	0.59	2.9	0.6	0.2	24.3	<0.01	0.05
ZZ01196		0.49	34.8	630	30.3	6.8	<0.001	0.03	0.64	2.9	0.6	0.3	22.2	<0.01	0.06
ZZ01197		1.38	33.5	730	27.5	8.0	<0.001	0.02	0.90	3.2	1.1	0.3	14.7	0.01	0.06
ZZ01198		0.85	13.3	430	18.1	6.5	<0.001	0.03	0.54	1.0	0.3	0.5	8.4	<0.01	0.04
ZZ01199		1.41	45.9	690	34.8	9.0	<0.001	0.01	0.90	4.8	0.9	0.4	16.4	<0.01	0.07
ZZ01200		1.80	17.5	390	21.0	7.1	<0.001	0.01	0.57	2.2	0.6	0.5	6.9	<0.01	0.05
ZZ01201		1.68	18.8	410	27.6	9.4	<0.001	0.01	0.80	2.7	0.6	0.6	8.4	<0.01	0.05
ZZ01202		1.93	12.3	240	13.1	7.1	<0.001	0.01	0.48	2.2	0.4	0.6	5.9	<0.01	0.06
ZZ01203		0.54	19.8	480	22.4	9.3	<0.001	0.02	0.68	0.7	0.2	0.4	7.8	<0.01	0.06
ZZ01204		0.99	18.5	580	33.2	8.8	<0.001	0.03	0.69	1.3	0.4	0.5	7.5	<0.01	0.07
ZZ01205		1.20	16.6	540	22.7	10.7	<0.001	0.02	0.69	1.7	0.6	0.6	15.8	<0.01	0.05
ZZ01206		0.84	28.7	570	23.4	6.7	<0.001	0.02	0.64	2.0	0.4	0.3	8.5	<0.01	0.05
ZZ01207		0.55	26.7	770	16.8	6.9	<0.001	0.03	0.52	3.2	0.6	0.3	26.0	<0.01	0.07
ZZ01208		0.76	41.6	1080	20.4	7.2	<0.001	0.03	1.75	3.0	1.5	0.3	48.0	<0.01	0.12
ZZ01209		0.49	49.8	800	21.1	11.3	<0.001	0.07	2.17	2.0	1.6	0.2	34.9	<0.01	0.15
ZZ01210		0.79	38.3	650	14.5	9.6	<0.001	0.02	1.18	2.0	0.8	0.3	15.7	<0.01	0.08
ZZ01211		0.67	25.4	800	21.1	7.5	<0.001	0.05	0.66	1.9	0.4	0.3	41.6	<0.01	0.06
ZZ01212		0.53	29.5	770	33.2	6.6	<0.001	0.05	0.51	1.9	0.5	0.3	32.2	<0.01	0.06
ZZ01213		0.70	15.7	520	24.8	6.6	<0.001	0.04	0.48	1.2	0.2	0.4	6.4	0.01	0.05
ZZ01214		0.78	40.8	840	43.8	7.3	<0.001	0.05	0.57	1.9	0.8	0.4	38.6	<0.01	0.05
ZZ01215		0.76	15.1	380	14.4	6.5	<0.001	0.02	0.45	1.0	0.5	0.4	7.2	<0.01	0.05
ZZ01216		0.52	12.3	850	17.3	5.9	<0.001	0.06	0.44	0.4	0.9	0.5	14.5	<0.01	0.06
ZZ01217		1.01	23.2	770	19.7	9.5	<0.001	0.03	0.68	1.9	0.7	0.5	11.4	<0.01	0.08
ZZ01218		0.71	23.9	670	16.0	6.6	<0.001	0.01	0.55	1.9	0.4	0.4	11.7	<0.01	0.05
ZZ01219		0.41	32.0	600	19.7	8.4	<0.001	0.03	0.51	1.8	0.4	0.4	10.1	<0.01	0.04
ZZ01220		1.31	40.6	730	17.7	8.6	<0.001	0.03	1.09	3.0	0.9	0.3	27.1	<0.01	0.09
ZZ01221		0.71	35.7	1300	17.5	12.5	<0.001	0.06	1.15	2.0	1.2	0.3	30.6	<0.01	0.09
ZZ01222		1.41	14.4	730	22.4	9.4	<0.001	0.04	0.69	1.3	1.8	0.6	17.9	<0.01	0.13
ZZ01223		1.00	30.2	970	16.4	14.0	<0.001	0.04	0.83	1.8	0.8	0.4	17.5	<0.01	0.08
ZZ01224		0.85	29.9	840	16.0	16.0	<0.001	0.04	0.83	1.5	1.0	0.4	17.2	<0.01	0.06
ZZ01225		4.85	20.4	450	16.4	10.2	<0.001	0.02	0.86	2.2	0.8	0.6	20.3	0.01	0.06
ZZ01226		2.04	33.4	940	17.8	8.6	<0.001	0.01	0.80	3.4	0.6	0.4	21.2	<0.01	0.04
ZZ01227		1.47	23.9	710	15.5	10.5	<0.001	0.03	0.53	2.0	0.7	0.4	14.8	<0.01	0.06
ZZ01228		3.36	21.9	510	21.7	11.4	<0.001	0.03	1.12	1.9	1.3	0.5	10.1	0.01	0.09
ZZ01229		1.00	16.1	620	14.2	10.8	<0.001	0.02	0.66	1.4	0.7	0.6	9.6	<0.01	0.06
ZZ01230		1.35	42.5	910	17.6	10.4	<0.001	0.03	1.17	2.9	0.9	0.4	23.1	<0.01	0.08
ZZ01231		1.23	31.8	740	21.4	11.4	<0.001	0.02	0.75	2.5	0.6	0.5	17.0	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01192		0.012	0.04	0.72	16	0.07	3.76	72	2.3
ZZ01193		0.010	0.07	3.99	22	0.10	11.15	86	2.7
ZZ01194		0.013	0.05	2.28	21	0.09	6.63	77	2.4
ZZ01195		0.020	0.04	0.84	22	0.11	5.25	81	2.2
ZZ01196		0.016	0.06	1.17	24	0.12	6.38	91	0.9
ZZ01197		0.040	0.10	0.86	40	0.21	4.58	98	1.2
ZZ01198		0.028	0.08	0.46	42	0.21	1.62	43	<0.5
ZZ01199		0.044	0.08	0.94	42	0.21	8.78	106	2.2
ZZ01200		0.041	0.09	0.48	45	0.23	2.68	56	<0.5
ZZ01201		0.045	0.11	0.67	57	0.27	3.93	67	<0.5
ZZ01202		0.039	0.12	0.48	47	0.20	3.61	39	2.0
ZZ01203		0.018	0.06	0.55	35	0.14	1.73	59	<0.5
ZZ01204		0.031	0.10	0.61	39	0.19	2.87	59	<0.5
ZZ01205		0.032	0.11	0.98	49	0.25	2.76	66	<0.5
ZZ01206		0.027	0.06	0.85	34	0.16	3.44	81	0.8
ZZ01207		0.018	0.07	0.67	29	0.15	7.04	75	1.6
ZZ01208		0.053	0.12	2.11	43	0.20	7.04	147	0.9
ZZ01209		0.034	0.16	2.55	33	0.10	5.02	179	2.9
ZZ01210		0.037	0.13	1.67	36	0.18	4.25	142	0.6
ZZ01211		0.022	0.06	1.19	29	0.16	5.31	80	0.7
ZZ01212		0.020	0.07	1.00	31	0.21	7.22	62	<0.5
ZZ01213		0.029	0.08	0.50	36	0.22	2.20	49	<0.5
ZZ01214		0.025	0.08	1.26	34	0.23	8.99	66	0.6
ZZ01215		0.026	0.07	0.59	37	0.20	2.00	46	<0.5
ZZ01216		0.013	0.12	1.58	31	0.15	3.33	46	<0.5
ZZ01217		0.029	0.11	0.89	49	0.22	4.10	77	<0.5
ZZ01218		0.041	0.08	0.85	39	0.20	3.79	76	<0.5
ZZ01219		0.019	0.08	0.90	37	0.16	3.81	84	<0.5
ZZ01220		0.032	0.11	1.73	38	0.25	6.69	141	2.5
ZZ01221		0.025	0.16	2.00	41	0.29	5.45	155	0.5
ZZ01222		0.023	0.18	1.10	69	0.23	1.78	50	<0.5
ZZ01223		0.044	0.14	1.39	51	0.24	5.68	101	<0.5
ZZ01224		0.035	0.14	1.64	47	0.22	6.23	91	<0.5
ZZ01225		0.081	0.13	0.67	61	0.31	2.59	65	0.9
ZZ01226		0.063	0.12	0.98	52	0.23	7.66	105	<0.5
ZZ01227		0.031	0.11	1.38	48	0.20	4.30	72	<0.5
ZZ01228		0.058	0.11	0.72	53	0.22	2.27	86	0.8
ZZ01229		0.031	0.13	0.73	51	0.28	2.75	56	<0.5
ZZ01230		0.043	0.12	1.74	46	0.24	7.34	133	0.6
ZZ01231		0.035	0.13	1.20	52	0.26	6.07	113	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01232		0.32	0.006	0.77	1.13	42.3	<0.2	<10	180	0.27	0.44	0.18	0.27	30.1	16.8	14
ZZ01233		0.36	0.004	0.75	1.38	35.2	<0.2	<10	290	0.26	0.44	0.37	0.98	22.0	12.2	20
ZZ01234		0.34	0.011	0.42	0.99	16.0	<0.2	<10	280	0.19	0.54	0.06	0.84	35.0	3.4	19
ZZ01235		0.28	0.008	0.81	1.24	24.4	<0.2	<10	220	0.32	0.39	0.27	1.54	30.5	13.3	26
ZZ01236		0.32	0.015	1.51	0.94	28.8	<0.2	<10	250	0.27	0.44	0.19	1.72	31.2	10.2	22
ZZ01237		0.26	0.010	1.37	0.86	28.3	<0.2	<10	170	0.18	0.50	0.04	0.98	41.0	6.0	28
ZZ01238		0.26	0.012	1.98	0.90	7.6	<0.2	<10	190	0.15	0.32	0.38	0.45	25.2	7.3	22
ZZ01239		0.30	0.004	0.40	0.93	12.5	<0.2	<10	130	0.19	0.31	0.10	0.50	37.9	12.7	25
ZZ01240		0.30	0.003	0.37	1.31	17.4	<0.2	<10	150	0.34	0.45	0.53	0.45	30.8	19.0	32
ZZ01247		0.38	0.004	0.04	1.07	21.4	<0.2	<10	90	0.32	0.48	0.11	0.10	33.4	14.1	17
ZZ01248		0.26	0.001	0.11	0.94	6.2	<0.2	<10	60	0.31	0.59	0.59	0.17	15.25	16.5	13
ZZ01249		0.26	0.003	0.16	1.76	24.6	<0.2	<10	160	0.47	0.56	0.67	0.21	21.8	19.8	23
ZZ01250		0.36	0.002	0.08	2.70	2.6	<0.2	<10	40	0.55	0.90	0.22	0.05	94.2	25.6	49
ZZ01485		0.30	0.004	0.08	2.65	6.0	<0.2	<10	40	0.55	0.76	0.32	0.13	75.9	27.0	59
ZZ01486		0.32	0.002	0.05	1.68	24.8	<0.2	<10	60	0.51	0.56	0.09	0.08	49.5	18.1	32
ZZ01487		0.34	0.001	0.05	2.23	8.6	<0.2	<10	60	0.79	0.52	0.23	0.21	56.0	24.7	89
ZZ01488		0.34	0.001	0.03	2.24	8.4	<0.2	<10	70	0.94	0.47	0.22	0.23	56.3	24.0	91
ZZ01489		0.40	0.003	0.09	1.97	13.1	<0.2	<10	70	0.57	1.87	0.16	0.15	44.5	21.1	46
ZZ01490		0.44	0.002	0.04	1.64	3.4	<0.2	<10	30	0.31	0.36	0.12	0.07	60.6	19.2	48
ZZ01491		0.34	0.007	0.03	1.88	4.9	<0.2	<10	60	0.43	0.41	0.20	0.13	51.8	18.1	37
ZZ01492		0.32	0.002	0.03	2.24	7.6	<0.2	<10	80	0.62	0.72	0.21	0.16	74.3	27.3	108
ZZ01493		0.40	0.002	0.06	2.71	13.5	<0.2	<10	60	0.61	0.50	0.28	0.06	75.0	25.5	111
ZZ01494		0.20	0.002	0.05	1.75	13.1	<0.2	<10	100	0.64	0.38	0.15	0.09	41.0	15.5	43
ZZ01495		0.40	0.002	0.04	1.50	8.1	<0.2	<10	90	0.58	0.29	0.17	0.14	36.8	13.9	36
ZZ01496		0.22	0.002	0.08	1.65	8.3	<0.2	<10	100	0.66	0.50	0.09	0.11	27.2	14.5	37
ZZ01497		0.40	0.002	0.06	1.41	8.8	<0.2	<10	70	0.44	0.33	0.14	0.16	33.5	11.5	31
ZZ01498		0.42	0.002	0.08	1.56	8.5	<0.2	<10	90	0.46	0.36	0.09	0.12	27.8	11.4	32
ZZ01499		0.40	0.004	0.09	1.56	13.3	<0.2	<10	60	0.42	0.35	0.10	0.17	26.1	14.9	34
ZZ01500		0.36	0.001	0.07	2.07	45.3	<0.2	<10	90	0.38	0.36	0.16	0.14	30.1	20.6	55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01232		1.18	103.5	3.27	2.92	0.06	0.02	0.04	0.026	0.06	14.8	13.8	0.33	947	6.16
ZZ01233		2.98	115.5	3.33	3.66	0.06	0.02	0.04	0.025	0.09	11.6	19.5	0.63	890	3.53
ZZ01234		2.42	75.1	2.98	6.16	0.06	<0.02	0.03	0.025	0.08	17.5	5.3	0.18	123	8.63
ZZ01235		2.01	128.5	4.18	3.71	0.08	0.05	0.11	0.036	0.10	14.6	14.5	0.60	493	4.85
ZZ01236		0.88	134.0	4.40	2.80	0.09	0.04	0.07	0.039	0.07	15.1	11.6	0.33	484	7.95
ZZ01237		0.75	96.1	4.09	3.82	0.08	0.02	0.03	0.033	0.06	20.5	7.9	0.20	173	10.40
ZZ01238		0.70	62.7	2.10	3.16	0.06	0.06	0.06	0.020	0.05	12.0	11.5	0.41	142	2.24
ZZ01239		0.57	68.2	4.14	3.23	0.07	0.03	0.01	0.025	0.08	20.2	10.2	0.38	751	3.77
ZZ01240		0.87	67.5	3.69	4.45	0.07	0.04	0.04	0.026	0.05	14.8	25.4	0.70	1600	4.09
ZZ01247		1.64	36.8	3.16	3.19	0.07	0.02	0.03	0.022	0.03	15.8	21.0	0.33	580	1.02
ZZ01248		0.44	63.2	4.07	2.43	0.06	0.08	0.01	0.021	0.02	7.9	22.7	0.54	1290	2.90
ZZ01249		2.51	51.4	4.44	5.14	0.08	0.09	0.04	0.031	0.04	14.9	31.5	0.53	1570	1.14
ZZ01250		2.26	174.5	5.67	8.19	0.15	0.06	0.02	0.029	0.03	45.7	77.9	1.31	1660	1.29
ZZ01485		1.95	109.5	5.86	8.23	0.15	0.04	0.02	0.035	0.02	28.7	74.9	1.44	1600	1.27
ZZ01486		3.18	64.1	3.93	5.28	0.09	0.03	0.02	0.023	0.03	22.1	46.7	0.69	908	1.22
ZZ01487		3.19	47.0	5.14	7.19	0.12	0.03	0.02	0.040	0.03	22.6	65.7	1.19	1800	1.52
ZZ01488		3.29	43.8	5.00	7.26	0.10	0.02	0.11	0.041	0.03	23.1	60.8	1.21	1750	1.28
ZZ01489		3.22	92.0	4.38	6.20	0.10	0.03	0.02	0.025	0.03	21.3	53.8	0.95	934	1.00
ZZ01490		3.24	14.2	4.54	5.40	0.10	<0.02	0.02	0.017	0.03	22.4	48.4	0.87	898	0.94
ZZ01491		3.32	19.0	4.22	6.44	0.08	<0.02	0.03	0.024	0.03	17.4	50.9	0.79	1140	1.38
ZZ01492		1.64	82.5	4.41	6.63	0.10	0.04	0.02	0.031	0.03	26.4	62.9	1.18	1620	1.15
ZZ01493		1.31	74.7	5.07	8.78	0.14	0.07	0.02	0.031	0.02	42.7	72.4	1.65	1230	1.32
ZZ01494		2.25	51.3	3.58	5.49	0.07	<0.02	0.02	0.026	0.03	22.5	41.4	0.71	690	1.23
ZZ01495		2.72	26.4	3.51	5.15	0.06	<0.02	0.01	0.021	0.04	16.3	32.5	0.58	654	1.11
ZZ01496		5.64	43.2	3.62	6.49	0.08	<0.02	0.04	0.023	0.04	13.4	34.6	0.59	767	1.68
ZZ01497		1.29	42.4	3.26	5.11	0.09	0.02	0.02	0.019	0.03	16.6	25.1	0.53	412	1.22
ZZ01498		1.92	38.4	3.31	5.63	0.09	<0.02	0.02	0.020	0.04	14.2	26.7	0.55	423	1.22
ZZ01499		2.05	45.9	3.55	5.61	0.09	<0.02	0.02	0.020	0.03	13.2	34.3	0.58	590	1.45
ZZ01500		0.74	39.8	4.30	6.78	0.12	0.04	0.02	0.022	0.03	15.0	52.9	0.90	1040	1.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01232		0.41	39.6	1360	23.8	9.4	<0.001	0.04	1.20	1.5	1.6	0.2	43.7	<0.01	0.17
ZZ01233		0.24	43.2	1990	19.8	21.3	0.001	0.06	1.01	1.0	1.5	0.2	80.8	<0.01	0.16
ZZ01234		0.58	16.8	540	18.3	16.4	<0.001	0.09	1.74	1.4	1.7	0.5	32.5	<0.01	0.14
ZZ01235		0.99	54.1	900	23.0	12.9	0.001	0.08	2.00	3.0	2.2	0.2	59.4	<0.01	0.15
ZZ01236		0.59	53.8	900	22.7	8.4	0.001	0.08	2.09	2.1	3.2	0.2	62.1	<0.01	0.18
ZZ01237		0.60	41.7	870	25.3	8.0	<0.001	0.08	2.03	1.3	3.0	0.3	46.5	<0.01	0.19
ZZ01238		0.72	29.7	810	16.3	6.5	0.003	0.07	0.73	1.8	1.9	0.2	60.9	<0.01	0.14
ZZ01239		0.56	41.3	1000	21.7	4.6	<0.001	0.04	1.37	1.5	1.3	0.2	31.3	<0.01	0.11
ZZ01240		3.71	42.2	1360	26.1	7.8	<0.001	0.05	1.16	3.0	1.2	0.3	77.9	0.01	0.12
ZZ01247		0.54	35.1	670	19.6	5.6	<0.001	0.01	0.56	2.1	0.4	0.2	11.9	<0.01	0.05
ZZ01248		0.21	33.5	660	26.4	2.8	<0.001	0.06	0.41	3.0	0.7	<0.2	37.3	0.01	0.10
ZZ01249		0.47	37.3	830	31.1	6.6	<0.001	0.04	0.57	4.0	0.7	0.2	42.5	<0.01	0.07
ZZ01250		0.19	50.2	770	21.9	2.5	<0.001	0.01	0.19	6.9	0.4	0.2	10.8	0.01	0.05
ZZ01485		0.27	53.5	1470	24.0	2.3	<0.001	0.01	0.25	7.0	0.5	0.3	16.0	0.01	0.05
ZZ01486		0.34	37.2	600	10.7	4.2	<0.001	0.01	0.30	3.1	0.4	0.3	6.3	<0.01	0.04
ZZ01487		0.39	63.2	1200	39.6	4.3	<0.001	0.02	0.34	5.4	0.5	0.3	14.3	0.01	0.06
ZZ01488		0.22	61.1	1170	42.4	4.1	<0.001	0.03	0.35	5.0	0.6	0.3	13.5	<0.01	0.06
ZZ01489		0.51	44.5	680	41.8	4.7	<0.001	0.01	0.42	4.6	0.4	0.3	11.4	0.01	0.06
ZZ01490		0.28	46.6	870	5.8	3.9	<0.001	0.02	0.33	3.1	0.3	0.4	6.3	<0.01	0.04
ZZ01491		0.41	33.3	1130	7.0	4.8	<0.001	0.04	0.35	2.3	0.4	0.3	13.4	0.01	0.05
ZZ01492		0.50	59.3	1030	8.1	4.1	<0.001	0.03	0.35	6.7	0.4	0.2	15.0	<0.01	0.05
ZZ01493		0.44	76.3	930	14.8	3.6	<0.001	0.02	0.18	7.9	0.4	0.2	19.8	0.01	0.04
ZZ01494		0.47	36.6	800	13.6	5.6	<0.001	0.04	0.37	2.6	0.4	0.3	12.1	<0.01	0.04
ZZ01495		0.54	32.2	710	8.4	6.8	<0.001	0.02	0.51	2.1	0.3	0.4	12.5	<0.01	0.04
ZZ01496		0.45	31.9	840	10.5	8.2	<0.001	0.06	0.47	1.9	0.5	0.5	8.6	<0.01	0.05
ZZ01497		0.70	26.7	730	10.5	6.1	<0.001	0.02	0.59	2.5	0.5	0.4	9.5	<0.01	0.03
ZZ01498		0.44	26.1	750	8.8	7.3	<0.001	0.03	0.51	1.9	0.5	0.4	8.2	<0.01	0.04
ZZ01499		0.49	31.0	750	13.1	6.2	<0.001	0.02	0.53	2.2	0.6	0.4	8.3	<0.01	0.04
ZZ01500		0.53	62.0	860	21.3	5.6	<0.001	0.02	0.38	3.3	0.5	0.3	14.2	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11134180

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01232		0.015	0.10	4.17	28	0.13	8.99	112	0.5
ZZ01233		0.016	0.16	3.37	40	0.10	12.75	173	<0.5
ZZ01234		0.031	0.30	2.33	65	0.17	3.78	87	<0.5
ZZ01235		0.047	0.17	2.95	39	0.15	6.91	195	2.4
ZZ01236		0.019	0.10	3.05	33	0.12	5.22	235	2.4
ZZ01237		0.011	0.09	2.17	44	0.14	4.10	185	0.5
ZZ01238		0.015	0.07	1.84	23	0.10	4.52	79	2.9
ZZ01239		0.022	0.06	1.37	30	0.07	3.57	174	1.8
ZZ01240		0.081	0.06	2.03	45	0.20	6.77	124	1.5
ZZ01247		0.024	0.05	1.14	26	0.19	6.17	78	<0.5
ZZ01248		0.005	0.02	1.34	14	0.07	8.93	90	2.7
ZZ01249		0.016	0.06	1.57	27	0.15	11.85	100	2.6
ZZ01250		0.030	0.02	1.02	44	0.06	12.55	117	1.3
ZZ01485		0.031	0.02	0.96	48	0.09	12.50	143	0.7
ZZ01486		0.033	0.03	1.03	36	0.12	6.89	87	<0.5
ZZ01487		0.041	0.04	1.01	45	0.11	10.40	143	<0.5
ZZ01488		0.042	0.04	0.97	47	0.10	9.40	141	<0.5
ZZ01489		0.047	0.04	0.94	46	0.17	8.88	115	<0.5
ZZ01490		0.067	0.03	0.81	44	0.11	3.71	88	<0.5
ZZ01491		0.028	0.05	0.64	43	0.17	4.43	75	<0.5
ZZ01492		0.022	0.05	0.88	55	0.14	6.99	102	0.7
ZZ01493		0.016	0.03	0.73	56	0.18	10.20	104	1.7
ZZ01494		0.032	0.07	0.86	47	0.19	6.23	71	<0.5
ZZ01495		0.049	0.07	0.84	50	0.22	4.73	74	<0.5
ZZ01496		0.043	0.09	1.03	50	0.23	2.39	73	<0.5
ZZ01497		0.054	0.07	0.84	48	0.23	4.04	73	<0.5
ZZ01498		0.042	0.08	0.95	48	0.21	3.65	74	<0.5
ZZ01499		0.047	0.06	1.04	45	0.17	3.73	77	<0.5
ZZ01500		0.023	0.05	0.92	35	0.13	5.69	96	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11134180

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21- AUG- 2011
Account: MTT

CERTIFICATE WH11135385

Project: Midas Touch- Staff

P.O. No.:

This report is for 196 Soil samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00011		0.26	<0.001	0.03	1.35	17.6	<0.2	<10	140	0.73	0.26	0.10	0.31	22.4	11.5	25
ZZ00012		0.32	0.001	0.02	1.32	14.2	<0.2	<10	70	0.27	0.31	0.06	0.15	26.8	8.7	23
ZZ00013		0.46	0.001	0.14	1.17	15.5	<0.2	<10	130	0.41	0.34	1.99	0.34	29.2	14.9	24
ZZ00014		0.38	0.002	0.15	1.25	12.9	<0.2	<10	110	0.45	0.26	0.47	0.18	26.6	10.1	23
ZZ00015		0.34	0.001	0.19	1.30	17.1	<0.2	<10	160	0.52	0.29	0.99	0.26	30.2	14.1	23
ZZ00016		0.26	<0.001	0.09	1.03	15.3	<0.2	<10	50	0.40	0.35	0.55	0.11	20.3	14.3	14
ZZ00017		0.20	<0.001	0.13	1.19	11.6	<0.2	<10	100	0.39	0.25	1.10	0.17	16.40	9.7	19
ZZ00018		0.34	<0.001	0.06	1.31	9.2	<0.2	<10	110	0.28	0.30	0.35	0.08	22.0	11.2	19
ZZ00019		0.30	0.001	0.10	1.20	13.1	<0.2	<10	80	0.37	0.30	1.33	0.13	20.1	12.0	17
ZZ00020		0.28	<0.001	0.03	1.04	9.6	<0.2	<10	50	0.15	0.32	0.04	0.06	26.4	4.5	17
ZZ00021		0.38	0.001	0.06	1.30	7.9	<0.2	<10	90	0.27	0.35	0.12	0.04	19.70	11.0	19
ZZ00022		0.32	<0.001	0.04	1.56	13.3	<0.2	<10	80	0.30	0.37	0.03	0.05	27.8	14.6	21
ZZ00023		0.36	0.002	0.05	1.54	24.8	<0.2	<10	70	0.36	0.51	0.18	0.08	21.3	22.7	23
ZZ00024		0.22	<0.001	0.17	1.34	20.1	<0.2	<10	100	0.37	0.66	0.31	0.03	10.85	11.1	19
ZZ00025		0.30	<0.001	0.15	1.19	18.5	<0.2	<10	60	0.18	0.32	0.03	0.06	20.5	7.2	20
ZZ00026		0.26	<0.001	0.06	1.03	12.8	<0.2	<10	40	0.30	0.48	0.03	0.07	27.1	13.0	17
ZZ00027		0.36	0.002	0.10	0.73	7.2	<0.2	<10	100	0.19	0.17	0.09	0.03	13.40	4.3	13
ZZ00028		0.26	0.001	0.22	1.00	8.5	<0.2	<10	130	0.34	0.29	0.23	0.08	11.25	7.6	18
ZZ00029		0.36	0.003	0.15	0.61	8.1	<0.2	<10	110	0.16	0.16	0.04	0.16	11.20	10.3	10
ZZ00030		0.24	0.001	0.30	0.76	5.2	<0.2	<10	100	0.13	0.16	0.03	0.08	7.99	2.6	15
ZZ00031		0.30	0.003	0.08	0.82	10.1	<0.2	<10	100	0.21	0.24	0.09	0.14	16.75	13.1	17
ZZ00032		0.22	0.001	0.05	1.44	11.6	<0.2	<10	120	0.31	0.25	0.07	0.15	18.65	8.3	26
ZZ00033		0.34	<0.001	0.03	1.28	10.7	<0.2	<10	130	0.30	0.22	0.06	0.10	17.35	5.5	21
ZZ00034		0.32	0.001	0.11	1.46	12.0	<0.2	<10	150	0.35	0.27	0.13	0.24	20.6	10.4	26
ZZ00035		0.32	0.003	0.55	2.07	12.8	<0.2	<10	150	0.33	0.25	0.12	0.32	28.8	10.1	33
ZZ00036		0.22	0.006	0.18	1.61	11.4	<0.2	<10	230	0.22	0.35	0.06	0.26	28.8	8.2	26
ZZ00037		0.32	0.005	0.16	1.45	11.0	<0.2	<10	180	0.22	0.32	0.06	0.21	32.2	9.1	23
ZZ00038		0.30	0.005	0.11	1.71	13.7	<0.2	<10	160	0.29	0.34	0.09	0.29	33.8	13.6	26
ZZ00039		0.32	0.003	0.22	1.34	24.3	<0.2	<10	120	0.18	0.36	0.06	0.14	33.0	9.1	18
ZZ00040		0.30	0.009	0.12	1.66	21.7	<0.2	<10	200	0.26	0.37	0.07	0.26	36.9	8.7	25
ZZ00041		0.34	0.012	0.21	1.06	20.4	<0.2	<10	110	0.20	0.50	0.06	0.27	42.6	11.3	19
ZZ00042		0.32	0.005	0.09	1.30	15.2	<0.2	<10	130	0.21	0.31	0.06	0.17	32.2	7.6	24
ZZ00043		0.24	0.005	0.17	1.23	9.4	<0.2	<10	140	0.19	0.23	0.10	0.16	24.8	6.2	25
ZZ00044		0.38	0.004	0.11	1.89	10.4	<0.2	<10	170	0.63	0.22	0.13	0.32	30.9	11.1	28
ZZ00045		0.26	0.003	0.14	1.24	11.2	<0.2	<10	110	0.31	0.26	0.09	0.24	26.3	10.9	21
ZZ00046		0.34	0.003	0.18	1.90	4.7	<0.2	<10	250	0.31	0.16	0.31	0.13	18.15	10.4	40
ZZ00047		0.32	0.017	0.42	2.34	7.0	<0.2	<10	340	0.52	0.17	0.68	0.82	30.1	15.0	45
ZZ00048		0.32	0.002	0.65	1.97	11.9	<0.2	<10	230	0.35	0.18	0.63	0.57	22.5	13.7	34
ZZ00049		0.34	0.001	0.23	3.16	30.5	<0.2	<10	250	0.38	0.13	0.88	0.21	52.6	24.6	101
ZZ00050		0.40	0.001	0.21	4.48	42.4	<0.2	<10	280	0.79	0.05	1.16	0.32	72.3	44.5	95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00011		11.35	18.6	3.14	5.00	0.13	<0.02	0.02	0.025	0.05	10.6	21.1	0.41	735	1.18
ZZ00012		1.47	25.9	3.05	5.85	0.12	<0.02	0.02	0.027	0.04	14.4	15.9	0.31	425	1.31
ZZ00013		0.69	47.1	3.32	3.84	0.13	0.08	0.03	0.028	0.08	17.0	19.5	0.64	936	1.12
ZZ00014		0.65	25.6	2.78	4.01	0.13	0.05	0.03	0.027	0.04	15.8	20.2	0.46	422	0.73
ZZ00015		0.47	46.9	3.18	3.86	0.14	0.06	0.08	0.031	0.06	18.1	16.6	0.51	789	0.99
ZZ00016		0.49	26.5	3.31	2.82	0.13	0.09	0.03	0.023	0.03	11.4	23.8	0.33	680	0.66
ZZ00017		0.56	26.6	2.63	3.29	0.12	0.05	0.04	0.021	0.04	9.0	18.3	0.37	473	0.60
ZZ00018		0.59	30.2	2.86	3.82	0.14	0.06	0.03	0.020	0.04	12.6	28.5	0.43	517	0.48
ZZ00019		0.46	31.1	2.97	3.44	0.12	0.06	0.04	0.024	0.04	10.9	25.5	0.43	489	0.47
ZZ00020		1.20	10.4	2.13	7.32	0.14	<0.02	0.01	0.014	0.03	15.1	10.1	0.17	250	<0.01
ZZ00021		0.90	34.4	2.82	3.98	0.12	0.07	0.01	0.018	0.03	11.5	36.8	0.49	526	0.61
ZZ00022		1.48	32.7	3.52	4.66	0.14	0.06	<0.01	0.017	0.03	15.4	46.6	0.50	610	0.53
ZZ00023		2.04	47.1	4.02	4.83	0.14	0.06	0.01	0.022	0.03	11.2	53.5	0.60	1090	0.86
ZZ00024		4.45	38.4	3.07	3.95	0.12	0.07	0.03	0.024	0.04	7.3	40.8	0.49	462	0.69
ZZ00025		1.85	19.6	3.15	5.23	0.12	<0.02	0.02	0.024	0.04	10.1	18.6	0.29	329	1.28
ZZ00026		2.23	17.8	3.85	4.78	0.13	<0.02	0.01	0.020	0.03	14.6	14.5	0.22	456	1.08
ZZ00027		0.90	31.0	1.71	3.20	0.12	<0.02	<0.01	0.012	0.03	7.4	7.6	0.22	346	1.11
ZZ00028		1.45	48.5	2.08	3.40	0.12	<0.02	0.06	0.015	0.05	6.7	13.6	0.33	833	2.04
ZZ00029		0.54	83.4	1.85	2.19	0.12	0.02	0.08	0.013	0.04	6.6	6.0	0.15	2280	1.73
ZZ00030		0.86	56.5	1.35	3.15	0.10	0.02	0.06	0.011	0.04	5.6	6.6	0.16	152	1.57
ZZ00031		0.77	59.8	2.48	3.72	0.14	<0.02	0.04	0.018	0.06	9.7	8.3	0.23	2030	1.53
ZZ00032		1.03	22.5	2.72	5.69	0.13	<0.02	0.01	0.023	0.05	9.8	15.1	0.41	661	1.29
ZZ00033		1.06	25.2	2.35	5.28	0.11	<0.02	0.02	0.020	0.04	9.8	10.9	0.27	557	1.45
ZZ00034		1.15	48.5	3.00	5.15	0.12	<0.02	0.05	0.022	0.08	10.6	13.7	0.46	1490	2.30
ZZ00035		1.38	28.3	4.38	5.17	0.08	0.03	0.10	0.087	0.06	12.3	18.2	0.47	750	1.76
ZZ00036		1.86	60.2	3.33	6.24	0.07	<0.02	0.08	0.024	0.08	13.4	11.8	0.50	408	2.82
ZZ00037		2.52	47.2	3.27	5.56	0.09	<0.02	0.07	0.021	0.09	14.9	9.2	0.39	358	2.79
ZZ00038		1.19	65.1	3.96	4.68	0.09	0.03	0.05	0.031	0.06	14.7	12.9	0.47	778	3.70
ZZ00039		1.25	31.9	2.84	5.76	0.08	0.02	0.05	0.026	0.05	15.4	6.9	0.22	847	3.61
ZZ00040		1.24	52.6	3.22	5.41	0.10	0.02	0.09	0.030	0.06	18.7	11.2	0.42	653	2.77
ZZ00041		0.93	52.8	3.71	3.84	0.11	0.02	0.05	0.039	0.06	19.6	7.4	0.30	695	8.22
ZZ00042		1.38	37.4	3.01	5.14	0.09	<0.02	0.04	0.026	0.06	14.9	9.2	0.35	400	2.33
ZZ00043		1.15	29.0	2.38	4.54	0.07	<0.02	0.06	0.022	0.06	11.7	9.9	0.42	243	1.20
ZZ00044		1.52	48.7	2.98	5.33	0.16	0.04	0.06	0.025	0.06	15.2	19.3	0.55	944	1.45
ZZ00045		1.20	51.5	2.77	4.48	0.15	<0.02	0.04	0.019	0.05	12.3	20.3	0.43	1020	1.86
ZZ00046		2.54	72.0	3.14	6.73	0.23	<0.02	0.03	0.023	0.24	9.4	22.0	1.65	925	1.54
ZZ00047		3.46	135.0	3.72	8.00	0.30	0.03	0.10	0.030	0.48	18.1	32.6	2.32	1040	3.13
ZZ00048		3.31	146.0	2.98	6.30	0.24	0.03	0.10	0.024	0.32	14.1	29.2	2.07	1220	3.49
ZZ00049		4.06	89.8	5.83	11.20	0.37	0.02	0.04	0.036	0.37	30.8	41.2	2.90	1700	1.06
ZZ00050		4.94	101.0	8.55	16.60	0.42	0.05	0.02	0.061	0.42	39.0	54.7	3.81	1240	1.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00011		0.34	23.9	720	15.3	7.9	<0.001	0.04	0.65	1.0	0.3	0.5	10.8	<0.01	0.07
ZZ00012		0.48	20.1	530	16.9	7.0	<0.001	0.02	0.64	1.0	0.5	0.5	7.4	<0.01	0.05
ZZ00013		0.75	35.8	770	21.7	6.0	<0.001	0.01	0.84	3.5	0.8	0.3	73.3	<0.01	0.07
ZZ00014		0.65	28.7	590	15.6	6.5	0.001	0.01	0.67	3.2	0.5	0.3	33.5	<0.01	0.05
ZZ00015		0.71	34.5	880	22.4	5.3	0.001	0.01	1.08	4.1	0.7	0.3	59.2	<0.01	0.04
ZZ00016		0.16	27.4	530	20.2	3.9	<0.001	0.03	0.51	1.7	0.6	0.2	37.0	<0.01	0.07
ZZ00017		0.37	22.8	860	14.3	6.0	<0.001	0.06	0.62	1.7	0.9	0.3	71.9	<0.01	0.04
ZZ00018		0.42	27.3	470	14.1	5.4	<0.001	0.01	0.43	2.5	<0.2	0.2	26.6	<0.01	0.04
ZZ00019		0.35	28.0	710	16.6	4.1	<0.001	0.02	0.59	2.2	<0.2	0.2	71.7	<0.01	0.02
ZZ00020		0.38	9.2	290	14.3	6.8	<0.001	0.01	0.44	0.5	0.6	0.7	6.8	<0.01	0.03
ZZ00021		0.27	27.0	320	15.8	5.2	<0.001	0.01	0.31	2.2	<0.2	0.2	18.1	<0.01	0.01
ZZ00022		0.26	29.2	270	22.0	5.3	<0.001	0.01	0.35	2.0	0.3	0.2	9.4	<0.01	0.03
ZZ00023		0.30	35.4	490	31.1	5.0	<0.001	0.02	0.56	2.3	0.3	0.2	25.2	<0.01	0.04
ZZ00024		0.34	27.7	610	31.9	6.7	<0.001	0.03	0.49	2.0	<0.2	0.3	37.1	<0.01	0.06
ZZ00025		1.14	16.8	320	14.8	9.2	<0.001	0.02	0.63	1.6	0.3	0.5	5.9	<0.01	0.08
ZZ00026		0.77	20.9	380	11.3	5.2	<0.001	0.01	1.06	1.6	<0.2	0.5	4.4	<0.01	0.09
ZZ00027		0.40	14.6	340	7.5	4.5	<0.001	0.01	0.52	1.0	<0.2	0.3	12.3	<0.01	0.04
ZZ00028		0.25	18.6	810	7.8	6.8	0.007	0.03	0.45	0.9	2.3	0.3	27.5	<0.01	0.05
ZZ00029		0.30	30.1	570	7.2	5.1	<0.001	0.01	0.75	1.2	0.8	0.2	17.0	<0.01	0.08
ZZ00030		0.37	13.7	740	5.4	6.8	0.001	0.03	0.39	1.4	0.9	0.3	12.3	<0.01	0.04
ZZ00031		0.45	32.2	690	12.3	11.7	<0.001	0.02	0.77	1.6	1.0	0.3	29.4	<0.01	0.13
ZZ00032		0.64	19.7	550	12.6	9.3	<0.001	0.02	0.66	1.5	0.6	0.6	11.8	<0.01	0.07
ZZ00033		0.64	15.6	430	9.6	9.9	<0.001	0.01	0.58	1.3	0.4	0.6	11.1	<0.01	0.05
ZZ00034		0.40	23.9	830	13.1	13.8	<0.001	0.03	0.84	1.2	1.1	0.4	22.3	<0.01	0.11
ZZ00035		1.88	25.0	640	56.2	12.9	<0.001	<0.01	3.27	2.9	1.0	0.6	15.5	0.01	0.06
ZZ00036		0.69	27.2	520	14.1	19.6	<0.001	0.01	1.06	1.7	0.9	0.6	17.9	<0.01	0.09
ZZ00037		1.01	22.8	510	14.6	20.6	<0.001	0.01	1.27	1.8	1.0	0.5	20.5	<0.01	0.09
ZZ00038		1.01	38.9	760	19.8	12.1	<0.001	<0.01	1.43	2.3	1.1	0.4	19.1	<0.01	0.10
ZZ00039		0.41	15.9	1060	17.8	13.8	<0.001	<0.01	0.81	0.9	0.8	0.6	18.9	<0.01	0.13
ZZ00040		0.46	29.0	820	17.3	13.1	<0.001	<0.01	1.00	1.9	1.0	0.6	19.1	<0.01	0.11
ZZ00041		0.64	27.3	720	24.9	10.1	<0.001	<0.01	2.25	1.5	2.2	0.4	15.3	<0.01	0.18
ZZ00042		0.60	22.5	590	13.5	14.2	<0.001	<0.01	0.97	1.2	0.8	0.5	13.9	<0.01	0.08
ZZ00043		0.49	21.0	540	11.2	11.1	<0.001	<0.01	0.68	1.3	0.6	0.5	12.4	<0.01	0.05
ZZ00044		0.89	31.5	780	12.4	13.1	<0.001	0.01	0.95	3.2	1.1	0.4	15.0	0.01	0.05
ZZ00045		0.30	25.4	800	13.6	11.2	<0.001	0.03	0.79	1.0	0.7	0.3	15.2	<0.01	0.09
ZZ00046		0.74	21.5	1380	10.7	36.5	<0.001	0.05	0.47	3.1	1.3	0.3	43.9	<0.01	0.07
ZZ00047		0.87	45.1	2420	13.0	47.7	0.001	0.07	0.92	6.0	1.7	0.3	98.5	<0.01	0.10
ZZ00048		0.77	46.0	1800	20.8	40.8	<0.001	0.05	0.97	3.7	2.2	0.3	78.7	<0.01	0.09
ZZ00049		0.57	69.1	2950	12.1	45.8	<0.001	0.02	0.67	8.9	0.9	0.3	102.0	<0.01	0.07
ZZ00050		1.53	66.2	3640	7.4	51.5	<0.001	0.01	0.63	15.2	1.3	0.4	131.5	<0.01	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00011		0.025	0.08	0.81	42	0.30	3.58	78	<0.5
ZZ00012		0.024	0.11	0.71	42	0.19	3.68	57	<0.5
ZZ00013		0.044	0.05	0.64	33	0.16	7.35	101	2.9
ZZ00014		0.029	0.06	0.90	32	0.13	7.75	81	1.4
ZZ00015		0.038	0.07	0.75	37	0.19	10.80	92	1.7
ZZ00016		0.009	0.04	1.72	14	0.06	6.74	77	2.0
ZZ00017		0.017	0.05	3.80	24	0.11	5.65	101	1.3
ZZ00018		0.017	0.04	0.58	21	0.08	4.79	72	1.8
ZZ00019		0.017	0.03	0.58	19	0.08	5.17	77	1.7
ZZ00020		0.027	0.12	0.39	44	0.19	1.73	33	<0.5
ZZ00021		0.012	0.04	1.05	18	0.10	3.82	67	2.2
ZZ00022		0.009	0.04	1.13	18	0.05	3.22	74	1.8
ZZ00023		0.013	0.04	1.25	21	0.07	4.06	86	1.8
ZZ00024		0.011	0.06	1.69	20	0.07	5.59	62	1.9
ZZ00025		0.028	0.08	0.44	38	0.18	1.49	52	0.5
ZZ00026		0.027	0.07	0.67	37	0.17	1.60	58	<0.5
ZZ00027		0.020	0.06	0.43	27	0.13	1.86	37	<0.5
ZZ00028		0.018	0.07	1.06	29	0.14	3.16	58	<0.5
ZZ00029		0.015	0.05	1.44	18	0.08	3.11	51	<0.5
ZZ00030		0.013	0.07	0.92	24	0.11	3.44	30	<0.5
ZZ00031		0.026	0.07	0.96	31	0.11	5.18	61	<0.5
ZZ00032		0.031	0.09	0.57	48	0.20	2.84	71	<0.5
ZZ00033		0.029	0.11	0.67	46	0.19	2.40	49	<0.5
ZZ00034		0.032	0.11	1.02	45	0.18	3.06	83	<0.5
ZZ00035		0.050	0.13	0.81	52	0.23	3.96	157	0.9
ZZ00036		0.041	0.16	1.19	56	0.23	4.75	91	<0.5
ZZ00037		0.056	0.20	1.00	53	0.20	2.95	80	<0.5
ZZ00038		0.037	0.11	1.55	43	0.22	5.10	110	0.8
ZZ00039		0.020	0.12	1.14	46	0.22	4.45	54	<0.5
ZZ00040		0.025	0.12	1.62	46	0.23	10.25	80	<0.5
ZZ00041		0.026	0.11	1.35	37	0.19	4.81	127	0.7
ZZ00042		0.030	0.14	0.91	46	0.24	3.14	77	<0.5
ZZ00043		0.036	0.12	0.78	45	0.31	3.17	67	<0.5
ZZ00044		0.047	0.13	1.11	45	0.25	5.16	97	1.6
ZZ00045		0.026	0.09	1.17	33	0.15	3.28	77	<0.5
ZZ00046		0.082	0.24	1.14	74	<0.05	4.58	76	<0.5
ZZ00047		0.118	0.38	3.66	105	<0.05	13.05	154	2.1
ZZ00048		0.078	0.36	3.31	85	0.07	12.95	137	1.7
ZZ00049		0.106	0.32	1.22	102	<0.05	16.95	109	1.3
ZZ00050		0.201	0.25	0.53	178	0.05	16.20	149	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00051		0.24	0.002	0.05	3.53	3.7	<0.2	<10	920	1.89	0.04	1.91	0.11	46.0	30.7	18
ZZ00052		0.30	0.002	0.11	4.23	11.7	<0.2	<10	290	1.16	0.05	1.31	0.20	59.7	34.8	87
ZZ00053		0.26	0.014	0.20	3.73	16.7	<0.2	<10	450	1.79	0.12	1.11	0.28	80.1	31.7	167
ZZ00054		0.40	0.007	0.21	2.71	55.5	<0.2	<10	370	1.28	0.23	0.93	0.33	58.8	34.4	167
ZZ00055		0.32	0.012	0.49	0.93	39.0	<0.2	<10	120	0.36	0.35	0.21	0.75	45.1	19.3	23
ZZ00056		0.32	0.002	0.06	0.83	50.0	<0.2	<10	40	0.24	0.37	0.04	0.05	26.4	12.6	12
ZZ00057		0.28	0.002	0.08	0.65	33.4	<0.2	<10	60	0.19	0.46	0.07	0.11	34.5	10.2	13
ZZ00058		0.32	0.005	0.28	1.32	5.4	<0.2	<10	120	0.26	0.20	1.77	0.16	38.1	10.2	30
ZZ00059		0.36	0.015	0.50	1.40	57.2	<0.2	<10	140	0.29	0.57	0.16	0.51	46.0	43.0	20
ZZ00060		0.28	0.013	0.69	1.27	8.9	<0.2	<10	150	0.24	0.45	0.07	0.40	31.3	10.4	24
ZZ00061		0.32	0.003	0.19	1.33	15.4	<0.2	<10	170	0.29	0.46	0.06	0.26	34.9	9.4	20
ZZ00062		0.26	0.068	0.24	0.74	43.4	<0.2	<10	110	0.12	0.36	0.02	0.08	57.7	7.4	10
ZZ00063		0.36	0.010	0.39	0.85	92.7	<0.2	<10	170	0.34	0.64	0.12	0.43	37.8	20.4	14
ZZ00064		0.36	0.015	1.90	0.47	90.4	<0.2	<10	140	0.23	0.50	0.04	0.58	48.6	12.6	8
ZZ00065		0.32	0.005	0.37	0.69	36.9	<0.2	<10	80	0.18	0.38	0.06	0.38	35.2	8.5	11
ZZ00066		0.32	0.001	0.16	0.59	15.7	<0.2	<10	50	0.10	0.22	0.02	0.06	16.25	5.0	11
ZZ00067		0.36	0.006	0.21	1.18	15.2	<0.2	<10	140	0.21	0.23	0.44	0.25	24.2	11.5	24
ZZ00068		0.26	0.002	0.08	1.37	16.8	<0.2	<10	140	0.13	0.17	0.03	0.07	24.2	10.9	20
ZZ00069		0.32	0.006	0.18	1.79	26.5	<0.2	<10	200	0.26	0.33	0.08	0.29	36.9	27.2	27
ZZ00070		0.24	0.007	0.32	1.25	19.1	<0.2	<10	180	0.21	0.31	0.06	0.20	32.2	15.4	22
ZZ00071		0.30	0.011	0.57	1.40	23.4	<0.2	<10	170	0.26	0.46	0.04	0.58	34.3	26.8	23
ZZ00072		0.32	0.010	0.19	0.86	29.6	<0.2	<10	160	0.22	0.30	0.06	0.20	29.9	15.3	16
ZZ00073		0.26	0.011	0.60	1.18	17.1	<0.2	<10	160	0.31	0.35	0.02	0.62	26.3	11.0	21
ZZ00074		0.28	0.009	0.69	1.68	15.5	<0.2	<10	290	0.29	0.51	0.07	0.24	33.5	19.6	33
ZZ00075		0.34	0.022	0.90	1.84	10.0	<0.2	<10	350	0.22	0.64	0.03	0.37	35.1	21.3	41
ZZ00076		0.32	0.007	0.48	1.68	30.9	<0.2	<10	220	0.25	0.57	0.05	0.72	40.5	40.6	25
ZZ00077		0.30	0.013	0.21	1.63	27.6	<0.2	<10	150	0.23	0.47	0.07	0.15	33.7	42.4	20
ZZ00078		0.28	0.008	0.37	1.57	17.0	<0.2	<10	140	0.32	0.45	0.41	0.15	31.6	22.5	20
ZZ00079		0.34	0.006	0.22	0.68	20.3	<0.2	<10	100	0.13	0.40	0.09	0.37	24.9	39.1	12
ZZ00080		0.28	0.004	0.11	0.58	12.2	<0.2	<10	80	0.14	0.34	0.02	0.07	12.35	15.5	10
ZZ00081		0.34	0.005	0.13	1.24	9.5	<0.2	<10	130	0.21	0.38	0.13	0.09	23.1	21.3	19
ZZ00082		0.26	0.012	0.21	1.41	48.6	<0.2	<10	190	0.53	0.55	0.09	0.15	18.55	29.6	24
ZZ00083		0.28	0.005	0.13	1.36	32.1	<0.2	<10	70	0.29	0.54	0.11	0.15	25.8	28.2	21
ZZ00084		0.30	0.004	0.08	1.80	34.1	<0.2	<10	130	0.47	0.54	0.09	0.11	26.1	17.7	32
ZZ00085		0.30	0.006	0.11	1.18	11.5	<0.2	<10	160	0.29	0.36	0.10	0.08	23.6	11.8	21
ZZ00086		0.26	0.002	0.10	0.57	26.5	<0.2	<10	40	0.16	0.42	0.04	0.03	19.15	9.0	9
ZZ00087		0.34	0.003	0.04	1.54	14.5	<0.2	<10	90	0.28	0.38	0.04	0.13	24.3	7.9	29
ZZ00088		0.20	0.004	0.09	1.69	23.7	<0.2	<10	120	0.43	0.38	0.24	0.14	20.5	8.4	30
ZZ00089		0.16	0.003	0.12	1.88	17.2	<0.2	<10	150	0.52	0.37	0.11	0.10	22.9	10.0	28
ZZ00090		0.38	0.003	0.06	1.24	22.2	<0.2	<10	80	0.32	0.41	0.08	0.16	27.3	16.1	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00051		5.72	47.4	6.92	14.80	0.28	0.06	0.02	0.043	0.71	23.1	46.2	2.88	1080	0.31
ZZ00052		4.11	67.0	7.66	16.75	0.33	0.05	0.02	0.058	0.48	30.2	42.3	3.46	995	0.79
ZZ00053		3.38	62.6	6.63	15.60	0.24	0.02	0.03	0.063	0.16	45.9	43.4	3.12	871	1.14
ZZ00054		3.65	86.3	6.03	10.90	0.21	0.03	0.04	0.042	0.24	29.8	35.9	2.29	1320	2.09
ZZ00055		1.12	89.3	4.39	2.77	0.17	0.02	0.08	0.030	0.06	24.2	15.0	0.31	1260	5.71
ZZ00056		1.35	31.1	3.38	2.87	0.15	0.05	0.02	0.023	0.04	12.0	26.7	0.25	936	0.78
ZZ00057		1.45	30.2	2.90	4.63	0.13	<0.02	0.02	0.024	0.04	17.5	4.7	0.12	1080	1.81
ZZ00058		1.00	108.5	4.20	3.87	0.25	0.10	0.03	0.021	0.06	28.8	21.4	0.47	1480	1.22
ZZ00059		1.35	130.5	4.26	5.09	0.17	<0.02	0.07	0.030	0.07	19.9	14.6	0.31	8010	3.21
ZZ00060		1.14	92.6	3.47	4.16	0.15	0.02	0.08	0.030	0.08	16.3	10.8	0.29	754	6.64
ZZ00061		1.56	44.1	3.45	6.43	0.15	<0.02	0.04	0.018	0.07	18.4	7.6	0.18	1120	2.90
ZZ00062		1.25	42.9	2.93	4.67	0.15	<0.02	0.02	0.012	0.07	26.3	3.4	0.06	1170	4.48
ZZ00063		0.78	134.0	5.28	2.36	0.17	0.02	0.03	0.034	0.04	19.0	8.3	0.22	1270	4.51
ZZ00064		0.89	97.8	4.20	1.51	0.16	<0.02	0.07	0.034	0.06	25.7	3.0	0.04	1200	6.75
ZZ00065		1.01	50.9	3.02	3.55	0.15	<0.02	0.02	0.022	0.06	17.9	3.9	0.09	1320	3.37
ZZ00066		0.81	15.6	1.73	3.48	0.12	<0.02	0.04	0.016	0.03	7.0	4.2	0.07	1080	1.09
ZZ00067		3.05	118.5	2.96	4.13	0.20	<0.02	0.03	0.016	0.15	14.4	16.2	0.63	1820	2.21
ZZ00068		3.71	61.8	2.85	4.72	0.15	<0.02	0.02	0.015	0.19	9.7	15.4	0.84	2310	1.26
ZZ00069		3.27	139.5	4.76	5.53	0.18	<0.02	0.07	0.033	0.17	15.5	21.0	0.74	4010	6.49
ZZ00070		2.94	118.0	3.66	4.33	0.17	<0.02	0.06	0.023	0.16	14.6	13.1	0.61	1620	6.35
ZZ00071		3.72	156.5	4.15	4.27	0.12	0.02	0.14	0.026	0.20	16.5	15.3	0.57	2550	7.17
ZZ00072		1.23	82.6	3.18	3.02	0.11	<0.02	0.06	0.019	0.07	13.7	8.6	0.28	2560	2.84
ZZ00073		2.11	93.9	3.53	3.95	0.10	<0.02	0.14	0.026	0.08	13.2	10.0	0.31	1220	5.25
ZZ00074		5.64	140.5	4.35	5.74	0.15	<0.02	0.19	0.024	0.20	16.5	15.9	0.75	1200	4.68
ZZ00075		6.24	209	5.56	5.62	0.16	0.05	0.24	0.023	0.26	17.2	18.2	0.87	694	4.92
ZZ00076		8.01	185.0	5.20	4.88	0.19	0.03	0.45	0.023	0.34	18.2	15.5	0.86	3750	8.06
ZZ00077		7.62	161.5	4.60	4.91	0.16	0.02	0.21	0.021	0.29	15.7	18.2	0.98	3000	5.49
ZZ00078		6.31	147.5	4.10	4.86	0.15	<0.02	0.23	0.027	0.25	15.2	17.7	1.14	3110	4.08
ZZ00079		0.95	152.0	3.37	2.41	0.12	0.03	0.18	0.024	0.07	9.5	7.7	0.31	10150	5.12
ZZ00080		1.34	58.3	1.99	2.16	0.10	<0.02	0.05	0.017	0.05	5.3	6.6	0.22	2280	1.47
ZZ00081		3.28	153.5	3.69	3.74	0.13	<0.02	0.09	0.025	0.17	12.2	11.8	0.74	2550	2.06
ZZ00082		2.44	172.5	4.74	4.29	0.11	0.05	0.19	0.026	0.07	9.8	18.2	0.36	3250	6.38
ZZ00083		2.65	102.5	3.90	4.03	0.13	<0.02	0.07	0.023	0.07	12.9	31.1	0.65	2340	2.47
ZZ00084		3.05	58.0	3.76	5.67	0.12	<0.02	0.04	0.034	0.06	14.2	31.5	0.57	1000	1.88
ZZ00085		2.73	78.7	2.95	4.19	0.12	<0.02	0.06	0.021	0.09	12.5	20.9	0.57	1320	2.45
ZZ00086		1.51	23.3	2.78	2.82	0.11	0.02	0.02	0.018	0.04	9.2	10.9	0.15	232	0.68
ZZ00087		1.78	27.7	2.88	5.90	0.12	<0.02	0.03	0.026	0.05	11.6	16.5	0.39	361	1.54
ZZ00088		2.24	30.4	3.18	5.99	0.11	<0.02	0.06	0.028	0.06	10.3	28.3	0.54	426	1.46
ZZ00089		1.77	33.2	3.41	5.38	0.11	<0.02	0.03	0.024	0.05	10.6	28.0	0.54	421	1.20
ZZ00090		1.34	28.8	3.54	3.76	0.12	0.03	0.02	0.020	0.04	12.6	37.0	0.43	873	0.87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00051		10.50	22.5	3860	3.1	58.6	<0.001	0.04	0.59	9.2	0.6	0.5	197.0	0.02	0.01
ZZ00052		4.35	46.7	3580	4.7	47.4	<0.001	0.01	0.75	13.0	0.8	0.6	97.9	0.01	<0.01
ZZ00053		3.70	95.2	3170	10.0	21.2	<0.001	0.02	0.58	13.6	1.4	0.6	125.5	<0.01	0.01
ZZ00054		2.34	95.1	2930	18.3	15.7	<0.001	0.02	1.37	8.9	0.9	0.4	90.7	<0.01	0.06
ZZ00055		0.39	67.4	1370	25.9	5.3	<0.001	0.04	2.04	2.2	1.7	0.2	41.5	<0.01	0.11
ZZ00056		0.12	28.8	530	20.2	4.2	<0.001	0.02	0.93	1.4	0.4	0.2	6.2	<0.01	0.04
ZZ00057		1.00	16.5	1000	26.2	6.5	<0.001	0.02	0.89	1.0	0.3	0.5	12.2	<0.01	0.05
ZZ00058		0.14	29.3	9640	10.0	6.9	<0.001	0.03	1.39	1.8	3.0	0.2	155.5	<0.01	0.15
ZZ00059		0.34	85.2	1730	32.8	11.1	<0.001	0.04	1.90	1.9	1.5	0.4	65.8	<0.01	0.22
ZZ00060		0.28	32.9	1170	24.3	10.7	<0.001	0.13	3.44	0.8	2.9	0.3	83.8	<0.01	0.16
ZZ00061		0.77	19.5	1180	19.6	15.7	<0.001	0.03	1.10	1.4	0.6	0.7	25.9	<0.01	0.09
ZZ00062		0.57	18.3	620	13.8	14.6	<0.001	0.02	1.01	0.9	0.5	0.5	18.8	<0.01	0.14
ZZ00063		0.47	61.8	1020	28.4	5.0	<0.001	0.07	2.95	2.8	1.8	0.2	52.7	<0.01	0.25
ZZ00064		0.06	41.8	1480	34.8	6.1	<0.001	0.15	3.78	0.7	3.5	0.2	89.1	<0.01	0.25
ZZ00065		0.11	24.7	1340	19.5	9.1	<0.001	0.05	1.32	0.3	1.1	0.4	25.8	<0.01	0.12
ZZ00066		0.85	7.1	440	6.8	5.8	<0.001	0.01	0.55	0.8	0.2	0.4	4.5	<0.01	0.04
ZZ00067		0.17	26.0	2600	11.6	20.0	<0.001	0.06	0.99	1.0	1.4	0.2	88.1	<0.01	0.14
ZZ00068		0.45	31.3	440	8.4	28.6	<0.001	0.04	0.88	1.3	0.7	0.2	20.2	<0.01	0.11
ZZ00069		0.56	61.8	780	24.1	27.5	<0.001	0.06	1.88	2.3	1.6	0.4	32.2	<0.01	0.21
ZZ00070		0.44	48.2	710	16.0	25.0	0.001	0.10	2.16	1.7	2.6	0.2	55.9	<0.01	0.19
ZZ00071		0.35	61.0	1160	17.3	32.2	<0.001	0.12	2.60	1.8	2.2	0.3	66.0	<0.01	0.28
ZZ00072		0.19	32.9	1010	13.6	10.7	<0.001	0.07	1.46	0.8	0.9	0.2	40.4	<0.01	0.16
ZZ00073		0.33	33.3	840	14.5	15.2	<0.001	0.10	2.53	1.0	1.9	0.3	29.4	<0.01	0.14
ZZ00074		0.74	40.7	840	21.5	41.9	<0.001	0.15	1.98	2.1	2.7	0.3	53.7	<0.01	0.23
ZZ00075		0.81	73.8	610	29.5	44.0	<0.001	0.19	3.34	2.7	4.0	0.2	57.4	<0.01	0.25
ZZ00076		0.74	76.0	910	29.3	58.2	<0.001	0.24	2.52	2.6	2.6	0.2	66.8	<0.01	0.36
ZZ00077		1.01	64.9	620	25.3	56.8	<0.001	0.13	1.75	2.3	1.3	0.2	72.0	<0.01	0.25
ZZ00078		0.39	39.7	2000	21.2	37.0	<0.001	0.08	1.35	2.4	1.5	0.2	108.0	<0.01	0.32
ZZ00079		0.13	79.6	770	19.4	8.7	<0.001	0.05	1.36	1.3	1.4	<0.2	43.5	<0.01	0.29
ZZ00080		0.14	27.0	580	9.0	8.1	<0.001	0.05	0.64	0.6	0.5	0.2	11.1	<0.01	0.13
ZZ00081		0.29	45.2	1010	17.1	24.5	<0.001	0.07	1.24	1.5	1.3	<0.2	53.8	<0.01	0.18
ZZ00082		0.23	52.5	1890	23.2	14.5	<0.001	0.10	2.73	1.8	2.9	0.3	37.2	<0.01	0.28
ZZ00083		0.32	37.2	1060	37.0	10.4	<0.001	0.03	0.93	2.1	1.1	0.2	28.3	<0.01	0.18
ZZ00084		0.49	32.7	870	23.8	11.1	<0.001	0.05	0.98	2.0	0.8	0.4	16.7	<0.01	0.06
ZZ00085		0.17	28.7	920	14.3	13.6	<0.001	0.06	0.87	0.6	1.0	0.2	36.8	<0.01	0.16
ZZ00086		0.09	17.4	1000	10.3	6.1	<0.001	0.05	0.64	0.8	0.4	0.2	8.0	<0.01	0.02
ZZ00087		0.44	19.4	710	14.5	12.9	<0.001	0.04	0.81	1.0	0.9	0.5	10.1	<0.01	0.03
ZZ00088		0.62	22.3	620	14.8	12.3	<0.001	0.05	0.73	1.3	0.8	0.5	34.7	<0.01	0.05
ZZ00089		0.56	25.4	720	18.8	9.8	<0.001	0.04	0.68	1.4	0.8	0.4	15.2	<0.01	0.02
ZZ00090		0.26	27.3	680	24.1	6.3	<0.001	0.03	0.84	1.5	0.5	0.2	12.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00051		0.443	0.12	0.30	181	0.20	6.87	91	1.8
ZZ00052		0.411	0.20	0.37	207	0.18	9.88	112	1.8
ZZ00053		0.197	0.11	0.80	172	0.10	16.20	147	1.1
ZZ00054		0.219	0.09	1.15	116	0.19	10.40	128	1.9
ZZ00055		0.018	0.05	1.73	23	0.10	7.86	207	0.9
ZZ00056		0.005	0.02	0.54	10	0.06	1.77	67	1.3
ZZ00057		0.035	0.08	0.53	36	0.17	1.94	50	<0.5
ZZ00058		0.009	0.04	6.88	26	0.08	48.4	87	2.3
ZZ00059		0.026	0.11	1.65	36	0.20	9.30	124	<0.5
ZZ00060		0.020	0.13	2.07	40	0.15	3.32	112	0.5
ZZ00061		0.030	0.13	1.19	53	0.24	4.99	60	<0.5
ZZ00062		0.018	0.08	0.65	31	0.16	1.77	53	<0.5
ZZ00063		0.023	0.05	2.24	23	0.14	8.27	142	0.6
ZZ00064		0.006	0.09	2.37	13	0.08	4.42	171	0.6
ZZ00065		0.011	0.08	1.18	29	0.15	2.53	100	<0.5
ZZ00066		0.030	0.06	0.34	31	0.18	1.04	27	<0.5
ZZ00067		0.037	0.19	3.00	48	0.06	8.74	101	<0.5
ZZ00068		0.060	0.20	0.38	29	0.05	1.07	66	<0.5
ZZ00069		0.063	0.21	1.88	45	0.19	4.73	112	<0.5
ZZ00070		0.056	0.21	1.72	40	0.09	3.06	121	0.8
ZZ00071		0.054	0.29	2.89	43	0.13	5.01	169	0.7
ZZ00072		0.022	0.10	1.62	28	0.13	3.80	77	<0.5
ZZ00073		0.029	0.17	2.33	39	0.16	3.27	118	<0.5
ZZ00074		0.071	0.27	2.16	52	0.10	4.45	125	0.6
ZZ00075		0.097	0.36	2.61	56	0.06	4.42	225	2.6
ZZ00076		0.085	0.34	2.97	39	0.07	8.23	165	1.7
ZZ00077		0.097	0.35	2.30	28	0.07	3.94	116	1.2
ZZ00078		0.058	0.23	3.07	49	0.06	8.21	105	<0.5
ZZ00079		0.012	0.07	1.29	17	0.07	4.04	97	0.6
ZZ00080		0.015	0.05	0.47	16	0.05	1.28	51	<0.5
ZZ00081		0.045	0.17	1.36	34	<0.05	4.55	102	<0.5
ZZ00082		0.011	0.13	4.48	37	0.13	10.20	112	1.0
ZZ00083		0.026	0.06	2.96	29	0.08	6.26	99	<0.5
ZZ00084		0.029	0.09	2.04	44	0.19	7.35	90	<0.5
ZZ00085		0.022	0.09	1.54	39	0.12	3.65	76	<0.5
ZZ00086		0.005	0.04	0.89	12	<0.05	1.53	56	0.6
ZZ00087		0.028	0.13	0.91	48	0.20	2.71	68	<0.5
ZZ00088		0.031	0.10	1.39	47	0.21	3.77	81	<0.5
ZZ00089		0.023	0.12	1.44	41	0.18	4.13	87	<0.5
ZZ00090		0.014	0.05	0.97	21	0.10	2.86	89	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00091		0.24	0.002	0.07	1.25	11.8	<0.2	<10	120	0.35	0.35	0.12	0.05	21.8	9.8	19
ZZ00092		0.36	0.002	0.04	0.88	41.0	<0.2	<10	80	0.30	0.47	0.11	0.10	23.2	11.7	14
ZZ00093		0.36	0.002	0.04	1.18	14.1	<0.2	<10	50	0.32	0.42	0.04	0.04	27.1	18.2	23
ZZ00094		0.30	0.004	0.08	1.61	16.1	<0.2	<10	110	0.34	0.43	0.02	0.10	24.6	9.8	27
ZZ00095		0.38	0.009	0.12	1.29	17.4	<0.2	<10	110	0.25	0.42	0.04	0.23	33.9	13.8	22
ZZ00096		0.28	0.003	0.08	1.11	10.7	<0.2	<10	80	0.25	0.30	0.02	0.08	20.0	7.2	24
ZZ00097		0.28	0.004	0.07	1.43	11.3	<0.2	<10	130	0.28	0.29	0.02	0.16	22.9	7.1	25
ZZ00098		0.30	0.004	0.13	1.34	10.6	<0.2	<10	120	0.24	0.35	0.02	0.12	26.2	7.4	24
ZZ00099		0.30	0.005	0.31	1.16	20.3	<0.2	<10	130	0.21	0.42	<0.01	0.16	34.6	10.9	25
ZZ00100		0.34	0.005	0.39	1.47	13.6	<0.2	<10	160	0.36	0.33	0.03	0.21	29.4	11.0	26
ZZ00101		0.36	0.018	0.51	0.97	11.4	<0.2	<10	150	0.19	0.34	<0.01	0.12	36.6	5.0	21
ZZ00102		0.14	0.005	0.31	1.89	33.8	<0.2	<10	380	0.71	0.19	1.92	0.37	26.1	26.0	117
ZZ00103		0.12	0.005	0.23	1.73	25.2	<0.2	<10	290	0.58	0.15	1.99	0.49	21.9	19.7	86
ZZ00104		0.24	0.004	0.21	2.97	45.0	<0.2	<10	320	1.36	0.10	1.96	0.30	29.2	30.9	84
ZZ00105		0.14	0.007	0.59	1.90	71.8	<0.2	<10	260	0.65	0.15	1.91	0.48	31.7	28.5	76
ZZ00106		0.18	0.005	0.35	1.44	45.4	<0.2	<10	200	0.43	0.13	1.68	0.28	30.0	26.2	49
ZZ00751		0.24	0.002	0.22	1.34	11.2	<0.2	<10	150	0.40	0.23	0.68	0.23	28.6	14.4	33
ZZ00752		0.36	0.005	0.49	1.13	23.5	<0.2	<10	230	0.26	0.25	0.76	0.71	24.1	13.1	25
ZZ00753		0.42	0.004	0.80	1.90	25.9	<0.2	<10	240	0.50	0.39	0.27	0.35	25.7	17.9	44
ZZ00754		0.20	0.003	0.34	1.64	21.7	<0.2	<10	280	0.57	0.28	0.84	0.32	29.6	19.4	45
ZZ00755		0.22	0.003	0.42	1.82	11.8	<0.2	<10	230	0.49	0.29	0.47	0.28	23.7	16.6	45
ZZ00756		0.20	0.003	0.21	1.57	10.0	<0.2	<10	210	0.54	0.26	1.01	0.43	22.0	18.2	37
ZZ00757		0.32	0.003	0.26	1.43	21.2	<0.2	<10	170	0.46	0.33	0.65	0.13	30.4	19.8	36
ZZ00758		0.20	0.002	0.32	1.27	17.9	<0.2	<10	250	0.38	0.32	0.34	0.57	24.6	21.3	29
ZZ00759		0.58	0.002	0.26	1.48	13.8	<0.2	<10	190	0.55	0.32	0.54	0.42	33.6	16.1	37
ZZ00760		0.38	0.003	0.25	1.42	13.9	<0.2	<10	240	0.62	0.28	0.76	0.38	30.0	15.4	36
ZZ00761		0.24	0.003	0.43	1.51	8.9	<0.2	<10	310	0.63	0.28	0.82	0.63	28.7	11.8	42
ZZ00762		0.20	0.004	0.34	1.29	10.2	<0.2	<10	280	0.47	0.22	1.13	0.43	23.8	11.4	40
ZZ00763		0.18	0.004	0.60	1.39	11.7	<0.2	<10	470	0.55	0.24	1.16	2.31	25.1	12.5	36
ZZ00764		0.28	0.006	2.13	1.88	20.6	<0.2	<10	570	0.52	0.41	0.29	1.23	30.8	18.3	48
ZZ00765		0.36	0.014	2.39	1.36	12.8	<0.2	<10	330	0.32	0.37	0.26	1.06	26.6	9.6	33
ZZ00766		0.20	0.009	2.07	1.52	12.8	<0.2	<10	470	0.56	0.29	0.80	1.10	23.3	10.6	37
ZZ00767		0.26	0.005	1.60	1.56	15.0	<0.2	<10	340	0.44	0.30	0.47	0.39	23.4	11.8	43
ZZ00768		0.22	0.004	0.46	1.20	17.7	<0.2	<10	300	0.38	0.25	0.95	0.48	20.1	9.9	31
ZZ00769		0.32	0.004	0.59	1.34	12.1	<0.2	<10	510	0.51	0.28	1.06	1.13	25.9	13.5	38
ZZ00770		0.30	0.010	0.25	1.02	12.6	<0.2	<10	240	0.30	0.27	0.33	0.21	24.3	10.6	23
ZZ00771		0.38	0.005	0.32	1.16	14.7	<0.2	<10	170	0.32	0.28	0.24	0.27	23.0	11.7	24
ZZ00772		0.40	0.003	0.22	1.10	16.1	<0.2	<10	90	0.34	0.36	0.41	0.22	24.2	11.3	19
ZZ00773		0.34	0.003	0.12	1.35	11.8	<0.2	<10	140	0.35	0.24	0.21	0.15	23.0	9.6	27
ZZ00774		0.34	0.003	0.15	1.34	9.3	<0.2	<10	120	0.34	0.23	0.21	0.33	28.7	16.5	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00091		1.58	19.4	2.71	3.94	0.11	0.02	0.03	0.013	0.03	10.2	33.9	0.46	462	0.69
ZZ00092		1.85	24.3	3.04	2.91	0.11	0.03	0.03	0.019	0.03	10.7	25.6	0.32	574	0.85
ZZ00093		1.36	34.1	3.93	3.64	0.12	0.05	0.02	0.014	0.02	13.6	39.9	0.54	751	0.83
ZZ00094		2.19	42.1	3.04	5.51	0.10	<0.02	0.06	0.024	0.05	11.8	20.1	0.38	413	2.29
ZZ00095		2.06	37.6	3.45	6.86	0.13	<0.02	0.06	0.023	0.07	17.1	12.0	0.23	1700	3.75
ZZ00096		1.49	30.5	2.75	5.54	0.11	<0.02	0.04	0.019	0.05	10.1	10.0	0.26	754	1.84
ZZ00097		1.69	26.0	3.16	6.11	0.11	<0.02	0.05	0.021	0.06	10.6	10.9	0.31	584	1.89
ZZ00098		2.12	31.7	2.73	5.51	0.11	<0.02	0.05	0.018	0.06	12.3	11.0	0.30	414	3.27
ZZ00099		2.30	39.6	3.61	5.69	0.13	<0.02	0.09	0.024	0.08	15.7	6.4	0.20	1930	4.88
ZZ00100		1.81	45.7	3.31	5.80	0.11	<0.02	0.05	0.020	0.08	14.9	11.4	0.34	970	2.64
ZZ00101		2.78	40.7	2.77	6.11	0.11	<0.02	0.05	0.017	0.07	19.1	4.1	0.12	345	4.43
ZZ00102		3.79	37.1	3.80	6.18	0.14	0.03	0.06	0.043	0.07	13.4	26.9	1.50	782	0.73
ZZ00103		3.02	31.8	3.46	6.16	0.13	0.04	0.06	0.037	0.07	10.7	28.9	1.39	600	0.67
ZZ00104		6.57	34.9	6.33	12.30	0.24	0.03	0.04	0.058	0.21	14.8	71.3	3.06	1160	1.55
ZZ00105		1.73	47.2	5.11	6.60	0.16	0.04	0.07	0.039	0.10	17.1	31.0	1.52	949	1.23
ZZ00106		1.40	33.0	4.89	4.58	0.13	0.03	0.06	0.036	0.06	14.9	20.4	0.91	1280	1.34
ZZ00751		2.94	47.8	3.34	4.45	0.05	0.03	0.04	0.019	0.09	16.3	17.3	0.89	1520	2.04
ZZ00752		1.79	61.5	3.21	3.74	0.13	0.05	0.07	0.023	0.06	12.1	14.3	0.61	701	5.00
ZZ00753		1.43	65.0	4.23	6.74	0.13	<0.02	0.10	0.036	0.07	13.0	21.7	0.85	1010	2.48
ZZ00754		0.94	45.2	3.65	5.72	0.13	0.03	0.08	0.031	0.06	15.0	16.5	0.95	1240	1.03
ZZ00755		1.20	35.4	3.55	6.73	0.13	0.02	0.08	0.031	0.06	12.2	20.7	0.85	860	1.06
ZZ00756		0.74	38.3	3.12	5.48	0.12	0.04	0.06	0.024	0.05	11.0	22.3	0.78	1500	0.98
ZZ00757		0.78	45.4	3.97	5.11	0.14	0.07	0.06	0.031	0.05	15.9	18.9	0.77	1050	2.07
ZZ00758		0.65	44.2	3.56	4.56	0.14	0.04	0.04	0.024	0.04	11.6	19.3	0.56	3470	2.13
ZZ00759		0.75	55.5	3.51	5.31	0.13	0.07	0.05	0.031	0.06	17.8	19.2	0.81	720	1.56
ZZ00760		0.60	48.0	3.36	4.94	0.12	0.06	0.06	0.032	0.05	15.4	17.8	0.79	1660	1.65
ZZ00761		0.89	39.0	2.78	5.29	0.14	0.06	0.07	0.039	0.07	14.4	14.6	0.80	522	0.90
ZZ00762		0.66	31.8	2.97	4.55	0.13	0.05	0.10	0.031	0.06	11.4	11.5	0.81	707	1.54
ZZ00763		0.65	66.6	2.95	4.11	0.13	0.04	0.08	0.032	0.06	12.4	13.1	0.71	1620	1.48
ZZ00764		1.63	97.1	4.64	6.28	0.14	0.02	0.10	0.044	0.11	15.1	15.8	0.83	1150	4.36
ZZ00765		1.63	76.7	3.43	5.03	0.13	0.02	0.09	0.033	0.09	13.0	12.0	0.62	367	4.88
ZZ00766		1.18	92.2	3.31	4.74	0.13	0.04	0.09	0.033	0.08	13.5	11.7	0.71	553	2.07
ZZ00767		1.09	48.6	3.26	5.69	0.12	0.03	0.07	0.036	0.08	12.7	13.1	0.76	740	1.86
ZZ00768		0.79	45.3	2.97	3.89	0.12	0.07	0.06	0.026	0.07	9.8	10.8	0.66	602	1.69
ZZ00769		0.90	53.0	3.17	4.43	0.13	0.06	0.07	0.031	0.09	13.5	12.3	0.84	2170	1.79
ZZ00770		0.79	36.9	2.70	3.38	0.12	0.02	0.04	0.022	0.04	12.1	13.8	0.42	754	1.88
ZZ00771		0.80	45.8	3.26	3.78	0.12	0.02	0.04	0.021	0.04	12.0	18.8	0.46	819	2.14
ZZ00772		0.70	39.9	2.89	3.32	0.12	0.07	0.03	0.021	0.03	12.6	18.5	0.39	448	1.18
ZZ00773		1.26	45.4	2.76	4.61	0.12	<0.02	0.05	0.024	0.07	11.8	13.1	0.59	873	1.48
ZZ00774		1.50	59.2	3.11	4.06	0.14	0.04	0.03	0.022	0.08	14.0	15.1	0.65	655	1.18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00091		0.27	21.3	830	14.1	4.7	<0.001	0.06	0.47	0.9	<0.2	0.2	14.5	<0.01	0.02
ZZ00092		0.24	25.4	570	17.1	4.8	<0.001	0.04	0.80	1.4	0.3	0.2	14.8	<0.01	0.03
ZZ00093		0.10	34.8	540	15.4	3.2	<0.001	0.02	0.38	1.5	0.4	0.2	7.1	<0.01	0.06
ZZ00094		0.27	22.0	770	13.7	12.5	<0.001	0.03	0.73	0.8	1.1	0.5	9.5	<0.01	0.06
ZZ00095		1.22	22.5	880	17.2	15.2	<0.001	0.04	1.15	1.8	1.2	0.7	19.4	<0.01	0.12
ZZ00096		0.43	15.9	710	8.4	14.1	<0.001	0.04	0.85	0.8	0.6	0.5	9.1	<0.01	0.08
ZZ00097		0.56	14.8	620	9.7	13.7	<0.001	0.05	0.72	0.9	0.4	0.5	9.9	<0.01	0.07
ZZ00098		0.41	18.3	720	12.5	17.0	<0.001	0.05	1.03	0.9	0.8	0.5	25.9	<0.01	0.09
ZZ00099		1.21	19.4	560	15.1	20.9	<0.001	0.06	1.35	1.5	1.5	0.5	16.8	<0.01	0.17
ZZ00100		0.88	22.7	570	11.5	16.9	<0.001	0.04	1.03	2.0	1.1	0.5	13.9	<0.01	0.10
ZZ00101		0.72	17.0	450	9.8	18.8	<0.001	0.04	1.82	1.2	1.5	0.7	9.7	<0.01	0.11
ZZ00102		1.42	77.2	1270	27.2	8.7	<0.001	0.07	1.76	6.7	1.0	0.3	58.8	<0.01	0.02
ZZ00103		1.38	55.7	1210	19.9	10.3	<0.001	0.08	1.53	6.0	0.7	0.4	61.4	<0.01	0.01
ZZ00104		0.68	45.0	2200	13.9	18.8	<0.001	0.05	1.27	16.4	0.6	0.4	105.0	<0.01	<0.01
ZZ00105		0.83	54.4	1620	43.4	10.7	<0.001	0.08	2.36	8.9	1.0	0.3	94.8	<0.01	0.01
ZZ00106		0.73	41.1	1460	28.2	6.5	<0.001	0.10	1.56	6.2	0.8	0.2	99.3	<0.01	0.01
ZZ00751		2.74	27.4	1810	18.9	14.6	<0.001	0.05	0.57	2.6	0.9	0.2	69.7	<0.01	0.08
ZZ00752		0.80	45.4	1120	13.3	11.5	0.003	0.08	1.18	2.2	1.5	0.2	62.6	<0.01	0.08
ZZ00753		1.30	45.0	1340	20.9	13.4	<0.001	0.05	0.79	3.6	1.0	0.5	34.1	<0.01	0.11
ZZ00754		2.45	33.4	1340	25.4	10.0	0.001	0.05	0.64	3.9	1.4	0.3	49.1	0.01	0.05
ZZ00755		1.42	30.2	1150	21.3	10.0	<0.001	0.06	0.48	3.2	0.9	0.3	28.5	<0.01	0.05
ZZ00756		1.51	30.3	1050	19.8	7.5	<0.001	0.06	0.51	2.9	1.0	0.3	44.8	<0.01	0.05
ZZ00757		2.30	30.2	1470	25.8	7.0	0.001	0.03	0.83	3.6	1.1	0.3	52.8	<0.01	0.09
ZZ00758		0.88	36.8	1210	21.5	6.6	<0.001	0.04	0.71	2.5	1.2	0.2	35.6	<0.01	0.07
ZZ00759		2.55	38.3	1340	23.1	7.3	0.001	0.01	0.94	4.3	1.0	0.3	37.7	<0.01	0.06
ZZ00760		2.16	36.2	1320	22.8	6.3	0.001	0.03	0.85	3.8	0.8	0.3	42.9	<0.01	0.08
ZZ00761		1.29	30.1	1140	28.3	9.0	0.004	0.06	1.07	4.0	2.8	0.4	32.2	<0.01	0.06
ZZ00762		1.74	30.8	1200	21.1	7.6	0.004	0.06	0.83	3.4	1.7	0.3	47.4	<0.01	0.03
ZZ00763		1.10	66.8	1120	20.7	8.9	0.003	0.06	0.92	3.1	2.2	0.3	41.6	<0.01	0.05
ZZ00764		1.12	53.8	1080	29.3	17.0	<0.001	0.07	1.34	4.7	1.4	0.4	40.7	<0.01	0.10
ZZ00765		0.99	37.3	910	18.5	15.6	0.001	0.07	1.51	3.0	1.9	0.3	40.0	<0.01	0.10
ZZ00766		1.12	51.2	1030	20.1	14.5	0.003	0.08	1.11	3.1	2.1	0.3	57.8	<0.01	0.06
ZZ00767		1.24	31.7	840	20.1	11.9	0.002	0.04	0.72	3.8	1.8	0.4	38.7	<0.01	0.08
ZZ00768		1.12	31.0	900	17.0	9.3	0.001	0.06	1.01	2.9	0.8	0.3	38.1	<0.01	0.09
ZZ00769		1.26	43.1	1180	22.8	9.7	0.002	0.03	1.03	3.7	2.2	0.3	37.2	<0.01	0.05
ZZ00770		0.69	23.8	1030	15.3	5.4	<0.001	0.03	0.74	1.9	0.8	0.2	23.3	<0.01	0.08
ZZ00771		0.57	28.4	1030	16.0	5.7	<0.001	0.02	0.71	2.1	0.9	0.2	21.1	<0.01	0.08
ZZ00772		0.33	27.1	820	19.4	4.6	0.001	0.03	0.61	2.3	0.9	0.2	28.5	<0.01	0.10
ZZ00773		0.72	25.0	560	15.3	10.4	<0.001	0.02	0.78	2.4	0.7	0.3	19.9	<0.01	0.06
ZZ00774		1.39	37.8	820	20.1	13.2	<0.001	0.02	1.04	2.8	0.4	0.3	21.7	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00091		0.014	0.05	0.93	24	0.12	3.11	62	0.5
ZZ00092		0.010	0.04	0.81	16	0.08	2.51	70	0.7
ZZ00093		0.014	0.02	0.99	20	0.08	2.89	87	1.1
ZZ00094		0.017	0.14	1.71	41	0.16	2.23	72	<0.5
ZZ00095		0.041	0.14	1.18	52	0.24	2.79	62	<0.5
ZZ00096		0.028	0.10	0.74	46	0.19	1.91	57	<0.5
ZZ00097		0.032	0.13	0.79	50	0.19	2.83	57	<0.5
ZZ00098		0.026	0.16	0.94	47	0.17	2.02	61	<0.5
ZZ00099		0.047	0.16	1.03	51	0.20	2.06	79	<0.5
ZZ00100		0.042	0.14	1.32	50	0.22	4.16	78	<0.5
ZZ00101		0.033	0.21	0.88	63	0.18	1.94	78	<0.5
ZZ00102		0.069	0.13	0.75	84	0.15	8.61	115	0.9
ZZ00103		0.069	0.13	0.80	77	0.18	7.22	128	0.9
ZZ00104		0.120	0.19	0.49	167	0.07	9.92	112	0.7
ZZ00105		0.070	0.13	0.67	82	0.11	10.35	141	1.2
ZZ00106		0.049	0.08	0.71	54	0.08	10.70	111	0.8
ZZ00751		0.111	0.15	1.46	51	0.12	7.55	89	1.4
ZZ00752		0.041	0.15	1.59	33	0.12	6.06	169	1.7
ZZ00753		0.044	0.12	1.66	61	0.20	6.32	150	0.5
ZZ00754		0.071	0.09	1.46	58	0.17	8.03	141	1.3
ZZ00755		0.045	0.11	1.25	58	0.17	6.23	129	0.7
ZZ00756		0.044	0.08	1.82	45	0.13	6.56	118	1.3
ZZ00757		0.067	0.07	1.77	45	0.15	7.92	123	2.4
ZZ00758		0.029	0.07	1.13	33	0.13	5.10	110	1.3
ZZ00759		0.085	0.08	1.01	48	0.25	9.12	130	2.7
ZZ00760		0.064	0.07	0.98	46	0.20	8.19	120	2.2
ZZ00761		0.046	0.11	1.67	54	0.18	8.40	145	2.0
ZZ00762		0.059	0.08	0.81	51	0.20	5.77	119	1.6
ZZ00763		0.040	0.09	2.56	46	0.31	8.86	181	1.4
ZZ00764		0.048	0.20	2.26	67	0.28	8.29	205	0.6
ZZ00765		0.049	0.20	1.49	49	0.18	4.40	157	0.8
ZZ00766		0.041	0.16	1.31	50	0.18	11.40	155	1.5
ZZ00767		0.047	0.14	0.93	56	0.17	5.50	132	1.0
ZZ00768		0.044	0.10	0.68	43	0.18	5.16	137	2.4
ZZ00769		0.052	0.14	1.54	49	0.23	7.61	145	2.0
ZZ00770		0.033	0.07	1.09	34	0.19	5.66	83	0.5
ZZ00771		0.029	0.08	1.26	34	0.16	4.97	102	0.5
ZZ00772		0.017	0.04	2.17	22	0.08	6.49	97	1.9
ZZ00773		0.048	0.12	0.67	41	0.19	3.75	84	<0.5
ZZ00774		0.083	0.15	0.73	43	0.23	5.02	106	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00775		0.62	0.002	0.31	1.37	11.2	<0.2	<10	240	0.43	0.28	0.52	0.43	28.6	13.3	32
ZZ00776		0.50	0.002	0.25	1.41	9.4	<0.2	<10	240	0.41	0.27	0.45	0.31	27.8	10.8	32
ZZ00777		0.40	0.002	0.26	1.32	9.5	<0.2	<10	230	0.41	0.24	0.55	0.16	21.7	8.5	28
ZZ00778		0.38	0.003	0.22	1.18	8.7	<0.2	<10	220	0.36	0.22	0.53	0.25	24.6	9.6	26
ZZ00779		0.44	0.003	0.21	1.62	10.8	<0.2	<10	250	0.43	0.29	0.27	0.16	23.3	8.6	33
ZZ00780		0.44	0.002	0.23	1.29	12.1	<0.2	<10	270	0.42	0.28	0.55	0.39	24.9	11.7	28
ZZ00781		0.38	0.003	0.25	1.21	8.9	<0.2	<10	300	0.35	0.23	0.35	0.43	23.5	12.1	28
ZZ00782		0.32	0.004	0.60	1.38	6.6	<0.2	<10	290	0.34	0.26	0.30	0.16	20.5	9.7	30
ZZ00783		0.24	0.003	0.24	1.42	10.7	<0.2	<10	250	0.28	0.26	0.30	0.23	25.6	13.6	38
ZZ00784		0.36	0.009	0.50	1.38	8.5	<0.2	<10	370	0.33	0.29	0.45	0.46	25.9	14.0	34
ZZ00785		0.36	0.011	0.83	1.45	8.3	<0.2	<10	380	0.31	0.31	0.18	0.40	24.0	14.1	35
ZZ00786		0.26	0.004	1.39	1.24	8.7	<0.2	<10	520	0.19	0.32	0.31	0.48	20.4	6.1	31
ZZ00787		0.22	0.004	0.20	1.22	14.3	<0.2	<10	270	0.45	0.27	1.11	0.88	29.7	12.0	31
ZZ00788		0.38	0.004	0.40	1.45	14.2	<0.2	<10	320	0.46	0.26	1.10	0.54	35.9	13.1	37
ZZ00789		0.32	0.005	0.45	1.41	11.6	<0.2	<10	310	0.49	0.30	0.79	0.28	29.5	9.6	31
ZZ00790		0.22	0.005	0.48	1.46	13.0	<0.2	<10	290	0.46	0.30	0.85	0.36	31.5	11.0	33
ZZ00791		0.20	0.007	0.72	1.26	18.1	<0.2	<10	280	0.37	0.31	0.50	0.41	34.9	11.7	27
ZZ00792		0.16	0.003	0.37	1.27	15.2	<0.2	<10	350	0.49	0.24	0.94	0.81	27.0	12.3	29
ZZ00793		0.36	0.009	0.43	1.51	17.6	<0.2	<10	230	0.36	0.27	0.46	0.15	25.8	10.0	31
ZZ00794		0.22	0.004	0.64	1.64	12.9	<0.2	<10	250	0.56	0.28	0.27	2.22	19.40	9.0	28
ZZ00795		0.36	0.007	0.93	1.71	65.6	<0.2	<10	260	0.48	0.42	0.12	0.40	37.0	14.5	36
ZZ00796		0.22	0.003	0.30	1.37	12.2	<0.2	<10	280	0.55	0.25	1.34	0.52	33.2	13.9	38
ZZ00797		0.28	0.004	0.57	1.70	18.3	<0.2	<10	270	0.58	0.29	1.08	0.47	34.5	17.3	45
ZZ00798		0.24	0.008	0.35	1.59	10.2	<0.2	<10	230	0.52	0.30	1.13	0.55	26.2	13.3	41
ZZ00799		0.54	0.005	0.37	1.75	14.0	<0.2	<10	210	0.58	0.34	0.82	0.46	39.1	17.7	43
ZZ00800		0.38	0.005	0.44	1.71	15.0	<0.2	<10	230	0.35	0.44	0.43	0.49	26.3	12.3	35
ZZ00801		0.30	0.004	0.45	1.78	18.3	<0.2	<10	220	0.47	0.42	0.42	0.33	24.3	17.5	33
ZZ00802		0.30	0.005	0.50	1.51	4.8	<0.2	<10	420	0.46	0.30	0.69	0.47	24.7	9.7	31
ZZ00803		0.24	0.010	1.16	1.65	8.5	<0.2	<10	370	0.39	0.25	0.44	1.16	36.0	10.2	35
ZZ00804		0.26	0.008	0.68	1.57	18.2	<0.2	<10	390	0.56	0.29	0.67	0.59	39.3	11.2	40
ZZ00805		0.26	0.011	0.56	1.60	9.7	<0.2	<10	310	0.45	0.33	0.23	1.16	51.5	13.7	37
ZZ00806		0.28	0.002	0.38	1.43	11.7	<0.2	<10	290	0.35	0.34	0.27	1.30	39.2	13.8	38
ZZ00807		0.14	0.003	0.26	2.68	10.0	<0.2	<10	560	0.82	0.16	1.84	0.40	45.9	22.3	80
ZZ00808		0.30	0.004	0.40	1.61	6.9	<0.2	<10	290	0.48	0.30	0.76	0.38	33.5	13.7	41
ZZ00809		0.26	0.004	0.99	1.47	7.5	<0.2	<10	360	0.42	0.30	0.87	0.47	43.9	8.5	38
ZZ00810		0.12	0.002	0.09	3.23	5.0	<0.2	<10	890	1.44	0.08	2.22	0.17	47.8	31.6	218
ZZ00811		0.42	0.002	0.06	4.21	3.3	<0.2	<10	1070	1.54	0.05	1.57	0.15	32.6	41.5	169
ZZ00812		0.28	0.004	0.49	2.71	15.7	<0.2	<10	350	0.88	0.14	1.39	0.42	58.8	25.6	113
ZZ00813		0.38	0.002	0.25	1.15	12.1	<0.2	<10	130	0.42	0.21	3.55	0.62	32.4	9.7	34
ZZ00814		0.40	0.001	0.24	1.04	10.3	<0.2	<10	140	0.39	0.19	4.67	0.56	32.3	9.0	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00775		1.57	60.3	3.32	4.52	0.15	0.09	0.07	0.029	0.11	15.0	14.0	0.79	752	1.67
ZZ00776		1.09	41.9	2.91	4.60	0.14	0.04	0.05	0.029	0.08	15.1	14.5	0.67	549	1.11
ZZ00777		1.00	36.7	2.67	4.30	0.13	0.02	0.04	0.023	0.07	11.3	13.5	0.60	488	1.06
ZZ00778		0.87	37.4	2.55	3.75	0.15	0.02	0.05	0.021	0.06	12.6	11.9	0.56	807	0.95
ZZ00779		1.19	51.5	3.04	4.89	0.12	<0.02	0.07	0.027	0.08	13.0	15.2	0.64	557	1.26
ZZ00780		0.88	46.0	3.07	4.10	0.13	0.06	0.04	0.025	0.07	13.2	13.2	0.62	1400	1.46
ZZ00781		0.87	42.2	2.79	3.93	0.13	0.03	0.07	0.022	0.06	12.1	11.4	0.57	2170	1.64
ZZ00782		1.03	41.9	2.42	4.49	0.12	0.02	0.12	0.027	0.06	9.6	10.6	0.55	689	1.26
ZZ00783		1.15	35.8	3.24	4.89	0.13	0.03	0.07	0.022	0.07	13.1	12.8	0.73	1400	1.43
ZZ00784		1.30	56.1	3.29	4.69	0.13	0.03	0.08	0.024	0.09	13.0	13.3	0.69	929	1.64
ZZ00785		1.72	44.0	3.55	5.30	0.12	<0.02	0.10	0.023	0.09	11.8	14.3	0.60	1200	1.83
ZZ00786		2.01	40.0	2.83	5.64	0.12	<0.02	0.07	0.017	0.12	10.3	14.1	0.55	289	1.91
ZZ00787		0.89	56.1	3.05	3.88	0.12	0.05	0.06	0.026	0.10	14.4	13.4	0.86	977	2.32
ZZ00788		0.95	63.4	3.32	4.38	0.12	0.04	0.06	0.027	0.10	16.9	15.5	0.99	1060	2.13
ZZ00789		0.80	49.1	2.90	4.00	0.12	0.06	0.08	0.025	0.07	15.3	15.7	0.67	671	1.85
ZZ00790		0.96	53.3	3.19	4.30	0.11	0.07	0.07	0.025	0.08	14.9	16.6	0.78	982	1.95
ZZ00791		1.98	50.8	3.43	4.17	0.10	0.02	0.07	0.021	0.09	16.5	14.4	0.63	1160	3.55
ZZ00792		0.93	61.6	2.74	4.22	0.05	0.02	0.07	0.027	0.06	14.0	14.6	0.60	1540	1.81
ZZ00793		1.56	77.1	3.11	4.63	0.11	0.02	0.06	0.037	0.10	13.5	16.7	0.80	955	1.90
ZZ00794		1.52	159.5	2.96	4.24	0.11	0.02	0.07	0.022	0.08	11.9	15.6	0.61	1820	1.67
ZZ00795		0.86	74.3	4.27	5.25	0.11	0.02	0.06	0.033	0.10	17.6	18.6	0.56	1460	3.69
ZZ00796		0.68	47.6	3.43	4.30	0.12	0.05	0.06	0.026	0.06	15.6	13.8	0.92	1320	1.54
ZZ00797		0.91	54.1	3.46	5.22	0.10	0.05	0.07	0.031	0.06	17.9	19.1	1.02	1040	1.39
ZZ00798		1.00	51.3	3.20	4.58	0.10	0.03	0.08	0.028	0.07	13.5	20.7	0.97	887	1.18
ZZ00799		1.28	66.2	3.83	5.35	0.12	0.04	0.07	0.030	0.07	18.8	26.0	1.06	874	1.50
ZZ00800		2.09	47.6	2.74	5.84	0.09	0.02	0.07	0.023	0.07	13.1	30.2	0.63	715	1.86
ZZ00801		3.79	58.1	3.30	5.50	0.10	0.03	0.08	0.022	0.06	12.3	34.6	0.63	900	3.16
ZZ00802		1.01	65.5	2.64	4.61	0.09	0.03	0.12	0.023	0.07	12.4	17.9	0.60	491	1.99
ZZ00803		2.30	81.8	2.81	5.12	0.12	0.02	0.42	0.031	0.07	17.4	24.2	0.63	482	3.62
ZZ00804		0.82	60.2	3.52	5.00	0.13	0.03	0.32	0.034	0.06	19.3	17.0	0.70	630	3.78
ZZ00805		1.06	57.7	3.26	5.66	0.13	<0.02	0.23	0.033	0.07	25.1	16.2	0.59	914	4.09
ZZ00806		2.21	87.2	2.89	6.24	0.12	<0.02	0.06	0.024	0.09	19.0	13.0	0.62	1160	2.34
ZZ00807		2.49	64.1	4.46	9.17	0.18	0.04	0.06	0.034	0.23	25.1	24.2	2.06	1140	2.03
ZZ00808		1.86	90.2	3.57	5.14	0.12	0.03	0.11	0.026	0.12	17.1	17.0	1.00	769	3.70
ZZ00809		1.14	138.5	2.83	5.25	0.12	<0.02	0.18	0.022	0.15	21.7	15.2	0.70	438	2.49
ZZ00810		0.82	32.9	5.85	12.30	0.17	0.06	0.03	0.042	0.11	24.0	31.5	2.99	1260	0.82
ZZ00811		1.58	44.4	7.72	16.50	0.18	0.07	0.02	0.040	0.47	15.9	36.0	4.23	1270	0.37
ZZ00812		1.97	42.7	5.33	9.58	0.17	0.04	0.04	0.042	0.12	29.1	26.4	2.20	861	1.20
ZZ00813		0.63	28.3	2.71	3.50	0.12	0.05	0.06	0.029	0.06	15.1	11.3	2.44	516	0.98
ZZ00814		0.61	27.2	2.49	2.93	0.11	0.09	0.05	0.029	0.07	16.4	10.2	2.46	591	1.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ00775		0.98	38.7	880	21.3	13.7	<0.001	0.02	1.18	3.9	0.6	0.3	27.2	<0.01	0.06	4.2
ZZ00776		1.07	31.2	860	16.8	10.4	0.001	0.01	0.90	4.1	0.7	0.4	23.4	<0.01	0.05	3.5
ZZ00777		0.73	24.7	880	13.1	10.3	0.001	0.03	0.77	3.1	0.3	0.3	26.9	<0.01	0.06	1.3
ZZ00778		0.90	26.8	890	13.3	8.0	<0.001	0.02	0.78	3.0	0.6	0.3	26.2	<0.01	0.05	2.0
ZZ00779		0.55	29.1	830	12.4	11.0	<0.001	0.01	0.90	2.8	0.6	0.4	20.2	<0.01	0.07	0.8
ZZ00780		0.80	29.8	1040	15.8	8.7	<0.001	0.02	0.95	3.5	0.7	0.3	28.3	<0.01	0.06	2.8
ZZ00781		0.88	34.0	870	15.1	9.5	0.003	0.03	0.79	2.9	1.7	0.3	34.6	<0.01	0.07	2.0
ZZ00782		0.53	21.4	1170	15.5	8.8	0.003	0.05	0.65	2.7	1.3	0.3	34.2	<0.01	0.05	0.8
ZZ00783		1.75	29.2	870	18.7	11.1	0.001	0.02	0.82	3.3	0.9	0.3	27.5	<0.01	0.07	3.0
ZZ00784		1.42	37.3	770	18.8	13.5	0.003	0.03	1.00	3.5	1.3	0.4	40.1	<0.01	0.09	2.7
ZZ00785		1.38	40.5	710	18.1	17.3	<0.001	0.02	0.75	3.3	1.8	0.4	25.0	<0.01	0.08	1.9
ZZ00786		1.11	38.0	370	13.4	21.4	0.002	0.03	0.67	2.2	1.1	0.4	61.3	<0.01	0.12	1.1
ZZ00787		1.91	38.8	1200	16.5	10.0	<0.001	0.06	1.19	2.9	0.7	0.3	39.1	<0.01	0.06	2.1
ZZ00788		2.11	40.8	1290	16.5	8.9	<0.001	0.04	1.15	3.3	1.0	0.3	43.0	<0.01	0.08	2.5
ZZ00789		1.16	30.9	930	16.7	8.3	0.001	0.04	0.95	3.0	1.7	0.3	32.0	<0.01	0.08	1.9
ZZ00790		1.63	31.6	1060	17.1	8.8	0.002	0.05	1.10	3.0	1.7	0.3	35.8	<0.01	0.06	2.4
ZZ00791		1.40	27.5	830	16.3	12.3	0.001	0.04	1.52	2.3	1.8	0.3	40.2	<0.01	0.13	2.5
ZZ00792		1.08	34.2	1090	16.5	11.9	0.002	0.07	0.89	2.4	2.0	0.3	55.3	0.01	0.04	1.0
ZZ00793		1.44	36.2	1170	12.7	11.0	0.001	0.04	0.83	2.8	1.3	0.3	54.2	<0.01	0.09	1.6
ZZ00794		0.52	119.0	1630	12.3	11.4	0.002	0.08	0.55	1.3	3.8	0.3	55.3	<0.01	0.06	0.3
ZZ00795		1.00	38.4	890	20.8	9.6	<0.001	0.04	1.18	2.3	1.7	0.4	30.4	<0.01	0.14	1.3
ZZ00796		3.58	39.7	1370	25.3	5.6	0.002	0.06	1.09	2.7	1.7	0.3	76.0	0.01	0.04	2.0
ZZ00797		3.50	41.5	1340	20.8	7.4	0.002	0.05	1.05	3.9	1.3	0.3	45.7	<0.01	0.05	2.5
ZZ00798		1.95	40.8	1170	18.6	6.9	0.003	0.09	0.85	3.0	2.1	0.3	73.4	<0.01	0.04	1.4
ZZ00799		2.50	43.6	1380	27.6	7.4	0.001	0.03	1.09	3.9	0.6	0.3	43.1	<0.01	0.06	3.3
ZZ00800		0.95	32.1	1050	17.5	9.1	0.001	0.05	0.58	2.5	0.8	0.4	34.1	<0.01	0.06	1.0
ZZ00801		0.77	32.8	1100	19.7	9.9	<0.001	0.06	0.68	2.5	1.2	0.3	37.9	<0.01	0.06	0.9
ZZ00802		1.12	28.3	1010	14.3	8.6	0.001	0.07	0.68	2.5	1.3	0.3	88.4	<0.01	0.06	1.2
ZZ00803		0.92	39.7	1370	12.6	12.5	0.002	0.09	0.93	2.2	3.3	0.4	87.9	<0.01	0.07	0.6
ZZ00804		1.43	28.7	1410	19.3	8.1	0.003	0.07	1.53	3.0	3.4	0.4	89.4	<0.01	0.04	1.3
ZZ00805		1.10	31.6	1210	17.8	10.2	0.001	0.04	0.88	2.1	1.3	0.4	45.1	<0.01	0.13	0.8
ZZ00806		1.10	32.3	1710	13.9	16.2	<0.001	0.05	0.39	1.3	0.9	0.4	41.9	<0.01	0.13	0.2
ZZ00807		6.01	47.3	1420	10.9	24.6	0.001	0.08	0.60	7.5	1.8	0.4	140.5	0.01	0.06	2.1
ZZ00808		2.66	37.9	1170	25.9	16.1	0.003	0.07	0.96	4.0	1.6	0.3	62.1	<0.01	0.12	2.2
ZZ00809		1.26	31.0	1710	15.4	16.3	0.003	0.12	0.76	1.9	1.4	0.3	106.5	<0.01	0.09	0.4
ZZ00810		13.55	73.5	2220	7.6	11.4	0.001	0.07	0.32	8.5	0.9	0.5	119.0	0.01	0.02	3.0
ZZ00811		8.88	73.1	3120	6.4	26.3	<0.001	0.03	0.33	7.3	0.3	0.5	77.3	0.01	0.02	1.9
ZZ00812		6.80	55.9	2730	39.3	13.2	<0.001	0.06	1.39	7.9	1.1	0.5	85.9	0.01	0.04	2.7
ZZ00813		1.70	31.3	1270	26.6	5.1	<0.001	0.02	1.33	3.8	0.5	0.4	37.7	<0.01	0.04	2.9
ZZ00814		0.88	28.2	1220	30.2	4.5	<0.001	0.01	1.35	3.4	0.6	0.3	57.2	<0.01	0.01	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00775		0.078	0.15	0.72	48	0.24	7.23	123	2.6
ZZ00776		0.058	0.13	0.75	45	0.33	7.37	112	1.9
ZZ00777		0.041	0.09	0.77	41	0.20	6.25	96	0.7
ZZ00778		0.047	0.09	0.75	38	0.23	7.15	92	0.7
ZZ00779		0.039	0.12	0.74	45	0.19	5.74	107	<0.5
ZZ00780		0.041	0.11	0.91	41	0.22	7.84	108	1.7
ZZ00781		0.045	0.11	0.85	39	0.19	5.84	102	0.8
ZZ00782		0.029	0.17	1.20	40	0.19	4.99	74	0.6
ZZ00783		0.074	0.13	0.67	51	0.22	5.11	109	1.2
ZZ00784		0.065	0.17	1.11	47	0.21	6.04	120	1.1
ZZ00785		0.067	0.17	0.83	49	0.21	4.13	121	0.5
ZZ00786		0.076	0.18	0.60	54	0.17	2.07	117	<0.5
ZZ00787		0.064	0.10	1.67	44	0.27	6.93	123	1.7
ZZ00788		0.078	0.10	1.31	49	0.23	7.22	128	1.3
ZZ00789		0.041	0.09	2.21	41	0.19	7.50	125	1.6
ZZ00790		0.053	0.10	1.74	44	0.21	6.24	123	2.1
ZZ00791		0.061	0.17	1.70	41	0.16	3.66	111	0.9
ZZ00792		0.038	0.10	1.30	39	0.14	7.28	103	0.7
ZZ00793		0.063	0.11	1.43	46	0.18	6.31	104	0.6
ZZ00794		0.023	0.07	3.53	42	0.13	17.05	259	<0.5
ZZ00795		0.027	0.10	1.14	53	0.25	3.83	139	<0.5
ZZ00796		0.092	0.08	1.24	50	0.27	7.27	114	1.6
ZZ00797		0.100	0.09	1.54	56	0.32	10.25	135	1.6
ZZ00798		0.065	0.08	1.35	51	0.27	7.53	133	1.0
ZZ00799		0.092	0.09	1.21	53	0.30	9.16	143	1.2
ZZ00800		0.026	0.11	1.98	46	0.19	5.02	111	0.5
ZZ00801		0.021	0.11	3.11	40	0.16	6.60	112	0.7
ZZ00802		0.029	0.14	2.06	43	0.16	5.71	88	0.9
ZZ00803		0.038	0.32	3.59	47	0.12	9.17	143	0.5
ZZ00804		0.040	0.12	2.89	55	0.16	7.49	126	1.2
ZZ00805		0.036	0.15	1.68	51	0.18	5.24	132	<0.5
ZZ00806		0.049	0.12	1.74	60	0.12	6.41	104	<0.5
ZZ00807		0.190	0.17	1.88	111	0.11	14.25	104	1.4
ZZ00808		0.114	0.19	2.90	59	0.17	8.09	93	1.1
ZZ00809		0.048	0.28	3.84	61	0.15	12.10	84	<0.5
ZZ00810		0.344	0.09	0.83	166	0.27	7.89	102	1.8
ZZ00811		0.510	0.06	0.33	196	0.29	6.52	104	2.1
ZZ00812		0.281	0.12	1.20	129	0.29	11.90	144	1.4
ZZ00813		0.079	0.09	0.68	47	0.76	8.69	128	1.7
ZZ00814		0.085	0.08	0.70	43	0.33	8.58	111	3.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ00815		0.30	0.008	0.16	3.09	14.8	<0.2	<10	470	0.99	0.13	1.15	0.26	60.1	31.0	89
ZZ00816		0.20	0.003	0.35	2.57	14.1	<0.2	<10	320	0.62	0.17	1.34	0.60	50.3	22.3	78
ZZ00817		0.20	0.007	0.38	1.92	21.0	<0.2	<10	550	0.66	0.19	1.35	0.72	42.8	21.4	62
ZZ00818		0.16	0.004	0.46	1.88	12.5	<0.2	<10	500	0.69	0.19	1.50	0.62	45.5	21.2	67
ZZ00819		0.42	0.004	0.33	1.78	15.9	<0.2	<10	260	0.70	0.24	1.88	0.67	46.1	17.9	63
ZZ00820		0.32	0.003	0.27	1.77	14.2	<0.2	<10	300	0.67	0.21	1.96	0.63	43.2	15.3	59
ZZ00821		0.40	0.003	0.26	1.43	10.3	<0.2	<10	270	0.54	0.20	3.18	0.71	33.8	13.2	47
ZZ00822		0.38	0.003	0.30	1.79	9.7	<0.2	<10	340	0.65	0.23	2.60	0.49	32.7	15.5	58
ZZ00823		0.26	0.002	0.30	1.41	12.8	<0.2	<10	310	0.56	0.22	3.06	0.60	29.0	13.1	43
ZZ00824		0.38	0.003	0.34	1.73	12.8	<0.2	<10	320	0.60	0.32	3.97	0.62	36.4	15.0	56
ZZ00825		0.18	0.002	0.17	3.58	12.0	<0.2	<10	570	1.52	0.12	2.09	0.31	51.3	32.8	120
ZZ00826		0.36	0.002	0.26	1.16	10.4	<0.2	<10	190	0.44	0.22	4.12	0.54	29.0	10.5	37
ZZ00827		0.28	0.002	0.21	2.45	8.3	<0.2	<10	420	1.16	0.19	2.35	0.45	32.0	23.3	64
ZZ00828		0.22	0.002	0.14	3.11	10.1	<0.2	<10	330	1.10	0.11	3.01	0.28	38.5	32.2	175
ZZ00829		0.24	0.003	0.21	3.23	24.0	<0.2	<10	380	1.24	0.14	2.27	0.31	42.3	37.5	298
ZZ00830		0.42	0.002	0.12	4.46	21.7	<0.2	<10	600	2.41	0.06	1.72	0.15	72.3	35.1	259
ZZ00831		0.32	0.002	0.21	3.49	26.5	<0.2	<10	490	1.85	0.12	1.65	0.37	63.5	39.2	287
ZZ00832		0.18	0.002	0.18	2.95	36.6	<0.2	<10	540	1.61	0.12	2.02	0.34	53.7	32.1	208
ZZ00833		0.22	0.004	0.43	2.76	43.7	<0.2	<10	370	1.32	0.15	1.65	0.95	46.9	32.7	189
ZZ00834		0.18	0.004	0.46	1.72	31.8	<0.2	<10	360	0.66	0.20	2.34	1.33	25.2	32.5	88
ZZ00835		0.28	0.002	0.24	2.34	19.6	<0.2	<10	310	1.10	0.19	3.02	0.51	39.5	26.8	152
ZZ00836		0.20	0.002	0.21	2.84	24.7	<0.2	<10	370	1.41	0.14	1.91	0.42	51.5	33.1	187
ZZ00837		0.30	0.004	0.33	1.79	20.0	<0.2	<10	220	0.68	0.24	1.99	0.44	31.8	18.9	66
ZZ00838		0.24	0.003	0.24	2.95	23.2	<0.2	<10	340	1.31	0.17	1.87	0.27	35.4	37.7	210
ZZ00839		0.18	0.003	0.13	3.13	13.1	<0.2	<10	520	1.49	0.11	1.64	0.40	44.0	35.2	183
ZZ00840		0.22	0.003	0.14	3.15	12.3	<0.2	<10	470	1.31	0.12	2.54	0.31	46.4	30.1	176
ZZ00841		0.36	0.002	0.21	2.17	18.6	<0.2	<10	280	0.85	0.19	3.33	0.50	42.5	23.8	87
ZZ00842		0.40	0.004	0.26	2.49	38.5	<0.2	<10	240	0.94	0.22	1.31	0.45	43.3	35.9	176
ZZ00843		0.34	0.003	0.19	2.97	16.2	<0.2	<10	300	1.18	0.16	2.47	0.46	36.0	37.6	249
ZZ00844		0.18	0.002	0.22	2.12	12.5	<0.2	<10	400	0.73	0.23	2.00	0.78	26.2	25.8	120
ZZ00845		0.36	0.003	0.26	2.19	20.1	<0.2	<10	260	1.03	0.23	1.03	0.38	45.9	21.1	120
ZZ00846		0.28	0.001	0.25	1.46	18.2	<0.2	<10	310	0.61	0.27	3.43	0.61	31.0	12.2	67
ZZ00847		0.32	0.004	0.21	1.56	14.6	<0.2	<10	200	0.72	0.21	3.45	0.83	40.3	14.3	76
ZZ00848		0.28	0.003	0.22	1.49	13.5	<0.2	<10	220	0.53	0.22	2.63	0.63	30.2	14.1	64
ZZ00849		0.42	0.002	0.19	1.93	18.1	<0.2	<10	140	0.62	0.26	2.85	0.95	37.3	13.3	68
ZZ00850		0.32	0.002	0.23	1.37	13.4	<0.2	<10	210	0.58	0.22	3.47	0.71	31.1	14.3	60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00815		3.20	43.7	6.07	12.05	0.26	0.04	0.02	0.045	0.32	30.9	26.2	2.76	1140	1.21
ZZ00816		2.02	66.8	4.76	8.48	0.17	0.05	0.08	0.030	0.12	26.3	21.9	1.90	1440	2.27
ZZ00817		0.92	41.2	4.50	6.08	0.10	0.04	0.07	0.033	0.07	20.0	16.7	1.17	1840	3.29
ZZ00818		0.91	46.7	3.88	6.22	0.13	0.06	0.05	0.033	0.07	21.4	16.9	1.30	1060	2.05
ZZ00819		1.20	40.4	3.91	5.71	0.14	0.07	0.05	0.038	0.12	21.9	17.0	1.80	952	1.19
ZZ00820		0.91	39.6	3.82	5.64	0.14	0.06	0.04	0.033	0.10	21.0	16.3	1.82	934	2.00
ZZ00821		0.88	32.4	3.17	4.55	0.14	0.07	0.03	0.040	0.10	15.6	13.6	2.11	759	1.06
ZZ00822		0.97	41.6	3.59	6.11	0.13	0.05	0.04	0.037	0.09	16.3	17.2	2.07	736	0.81
ZZ00823		1.03	24.3	3.25	4.64	0.05	0.04	0.07	0.037	0.06	15.5	15.2	1.92	782	1.23
ZZ00824		1.29	35.0	3.58	6.19	0.17	0.05	0.04	0.057	0.22	18.8	16.8	3.11	727	1.23
ZZ00825		3.34	50.3	6.84	17.30	0.26	0.07	0.01	0.060	0.57	28.3	33.2	3.68	1100	0.71
ZZ00826		0.72	28.5	2.78	3.99	0.16	0.06	0.03	0.036	0.09	14.9	11.0	2.74	539	0.98
ZZ00827		1.27	51.2	4.93	9.40	0.18	0.04	0.05	0.047	0.22	16.8	21.2	2.37	786	0.77
ZZ00828		1.53	62.4	6.04	11.95	0.22	0.07	0.02	0.037	0.34	19.9	25.0	2.85	914	0.65
ZZ00829		6.89	68.1	6.40	11.90	0.24	0.05	0.03	0.058	0.33	20.9	36.5	3.01	863	0.62
ZZ00830		4.82	54.1	7.95	19.05	0.32	0.04	<0.01	0.072	0.76	40.5	54.2	4.18	888	0.78
ZZ00831		5.70	59.5	6.67	14.75	0.27	0.04	0.02	0.065	0.27	32.6	41.6	3.41	1120	0.76
ZZ00832		4.84	44.1	5.72	12.20	0.22	0.03	0.02	0.055	0.24	28.2	35.0	2.78	1080	0.88
ZZ00833		4.14	57.9	6.02	10.80	0.17	0.04	0.13	0.057	0.08	25.6	35.1	2.37	1080	3.84
ZZ00834		1.45	90.9	5.28	5.90	0.16	0.04	0.16	0.046	0.08	13.5	19.0	1.10	895	2.72
ZZ00835		2.61	44.1	4.96	8.90	0.17	0.03	0.04	0.053	0.12	20.6	26.1	2.88	975	0.96
ZZ00836		3.07	46.7	5.69	11.10	0.20	0.03	0.04	0.058	0.20	26.5	34.3	2.67	943	0.86
ZZ00837		1.15	36.3	3.84	6.37	0.16	0.05	0.04	0.045	0.11	17.0	20.2	1.82	627	0.95
ZZ00838		3.13	60.9	5.79	11.95	0.17	0.05	0.05	0.058	0.12	18.6	28.3	2.38	1060	0.60
ZZ00839		2.80	47.9	6.04	13.20	0.18	0.05	0.03	0.051	0.27	22.8	31.0	2.36	1350	0.56
ZZ00840		2.61	57.7	6.02	12.00	0.11	0.07	0.04	0.058	0.25	25.0	32.9	2.38	1300	0.69
ZZ00841		1.57	39.0	4.60	8.51	0.17	0.05	0.05	0.047	0.13	22.1	20.3	2.83	1060	1.25
ZZ00842		1.21	63.0	5.33	8.62	0.17	0.04	0.05	0.060	0.08	20.4	25.5	1.92	1040	1.22
ZZ00843		1.90	65.6	5.66	10.80	0.16	0.04	0.04	0.058	0.09	18.6	25.7	3.18	783	0.69
ZZ00844		1.09	51.9	4.13	6.68	0.14	0.04	0.07	0.038	0.09	12.9	17.9	1.65	906	0.92
ZZ00845		1.64	40.0	4.62	7.15	0.15	0.03	0.06	0.051	0.07	25.1	20.6	1.72	920	1.66
ZZ00846		0.95	34.1	3.70	4.70	0.15	0.04	0.05	0.039	0.05	15.5	14.9	1.74	1220	1.02
ZZ00847		0.97	22.6	3.72	5.13	0.14	0.02	0.03	0.041	0.05	20.7	15.0	2.45	1180	1.44
ZZ00848		0.83	32.7	3.33	4.79	0.14	0.04	0.04	0.035	0.07	15.7	13.7	1.88	1140	1.17
ZZ00849		0.99	21.9	4.79	6.65	0.15	0.04	0.03	0.047	0.06	19.1	14.6	2.22	1220	1.97
ZZ00850		0.89	27.9	3.23	4.61	0.14	0.03	0.06	0.034	0.06	15.2	12.9	2.32	967	1.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00815		5.82	47.9	2690	16.2	31.9	<0.001	0.04	0.74	10.3	1.1	0.4	93.3	0.01	0.03
ZZ00816		4.47	51.5	2400	16.0	16.6	0.002	0.06	0.93	6.4	2.3	0.4	85.9	0.01	0.06
ZZ00817		2.62	46.6	1990	30.1	10.0	0.001	0.07	1.30	4.5	1.1	0.3	67.3	<0.01	0.05
ZZ00818		4.49	47.9	2130	29.0	8.3	<0.001	0.07	1.18	4.9	0.9	0.4	80.3	0.01	0.04
ZZ00819		3.33	47.2	1830	39.8	9.7	0.001	0.02	1.40	5.6	0.5	0.5	56.7	<0.01	0.02
ZZ00820		3.49	42.6	1880	29.0	8.7	0.001	0.03	1.16	5.5	0.9	0.4	57.7	<0.01	0.04
ZZ00821		3.80	34.9	1500	33.5	7.4	0.001	0.04	1.21	4.1	0.6	0.4	63.1	<0.01	0.04
ZZ00822		4.21	37.3	1520	34.2	11.0	<0.001	0.05	1.19	4.5	0.6	0.4	67.9	0.01	0.03
ZZ00823		2.97	31.3	1550	35.5	8.8	0.001	0.06	1.58	3.7	1.1	0.3	66.4	0.01	0.02
ZZ00824		3.18	39.6	1490	47.3	17.5	<0.001	0.02	1.37	5.1	0.6	0.5	72.6	<0.01	0.04
ZZ00825		7.56	52.9	2750	14.9	40.0	<0.001	0.07	0.74	9.1	0.7	0.5	140.5	0.01	0.02
ZZ00826		1.95	29.8	1160	32.6	7.0	<0.001	0.01	1.27	4.0	0.7	0.4	50.4	<0.01	0.03
ZZ00827		5.48	39.5	1600	25.7	17.7	<0.001	0.05	0.90	8.7	0.8	0.5	63.1	0.01	0.03
ZZ00828		7.62	65.3	2680	17.0	23.5	<0.001	0.03	1.01	8.3	0.5	0.6	126.0	0.01	0.04
ZZ00829		6.82	143.0	2070	24.9	30.6	<0.001	0.05	1.15	14.5	0.7	0.6	90.9	0.01	0.02
ZZ00830		4.84	95.5	4160	9.2	42.4	<0.001	0.03	0.85	14.4	0.8	0.5	176.0	<0.01	0.02
ZZ00831		5.39	118.5	2520	25.4	24.4	<0.001	0.03	1.03	15.4	0.8	0.6	89.2	0.01	0.02
ZZ00832		4.31	88.2	2100	21.4	21.6	<0.001	0.06	1.85	12.7	0.7	0.5	120.0	<0.01	0.02
ZZ00833		2.81	95.4	1960	28.3	10.9	<0.001	0.06	4.76	11.5	1.3	0.4	94.1	<0.01	0.03
ZZ00834		1.35	99.5	1390	30.3	10.5	<0.001	0.10	1.84	7.0	1.3	0.3	104.5	0.01	0.04
ZZ00835		3.78	73.5	1720	31.6	13.3	<0.001	0.04	1.07	9.7	0.9	0.4	72.4	0.01	0.02
ZZ00836		2.47	90.8	2300	25.7	18.9	<0.001	0.05	0.91	12.5	0.9	0.5	87.8	<0.01	0.02
ZZ00837		1.03	50.1	1350	44.0	11.1	<0.001	0.03	1.25	6.8	0.6	0.4	51.0	<0.01	0.04
ZZ00838		4.95	113.5	1860	23.0	13.1	<0.001	0.06	0.88	13.3	1.1	0.5	71.7	0.01	0.03
ZZ00839		8.45	87.6	2070	14.5	25.2	<0.001	0.05	0.94	11.6	0.6	0.5	102.0	0.01	0.03
ZZ00840		7.76	78.9	2640	16.2	19.2	<0.001	0.05	1.15	10.6	0.6	0.4	131.5	0.02	0.02
ZZ00841		4.51	62.5	1700	22.2	11.3	<0.001	0.03	1.20	8.3	0.6	0.5	71.5	0.01	0.03
ZZ00842		1.72	140.5	2330	24.9	9.2	<0.001	0.02	1.34	12.0	1.1	0.4	44.2	<0.01	0.05
ZZ00843		3.75	160.0	2540	20.5	9.2	<0.001	0.04	1.23	13.1	0.6	0.4	50.8	<0.01	0.05
ZZ00844		1.49	108.0	1540	24.3	7.9	<0.001	0.07	1.07	5.6	1.1	0.3	47.2	<0.01	0.03
ZZ00845		2.27	74.1	1670	30.1	7.5	<0.001	0.02	1.32	8.9	1.2	0.4	40.9	<0.01	0.03
ZZ00846		1.22	38.3	1320	25.2	6.3	<0.001	0.08	0.86	4.5	0.6	0.3	53.2	<0.01	0.02
ZZ00847		1.42	44.8	1290	29.0	6.9	<0.001	0.03	1.04	5.4	0.5	0.4	43.4	<0.01	0.03
ZZ00848		1.45	45.0	1280	24.3	6.4	<0.001	0.04	1.17	4.4	0.8	0.3	44.9	<0.01	0.04
ZZ00849		3.04	41.6	1660	32.7	6.3	<0.001	0.02	1.33	6.5	0.7	0.5	27.4	0.03	0.03
ZZ00850		1.07	43.5	1350	26.2	6.3	<0.001	0.05	1.18	4.4	1.1	0.3	42.1	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135385

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ00815		0.326	0.18	1.15	147	0.20	9.70	116
ZZ00816		0.179	0.19	5.43	102	0.21	13.95	166
ZZ00817		0.076	0.11	1.65	74	0.21	9.10	152
ZZ00818		0.134	0.10	2.50	77	0.25	9.71	151
ZZ00819		0.139	0.12	0.74	75	0.40	10.95	146
ZZ00820		0.144	0.12	1.05	75	0.34	11.45	136
ZZ00821		0.141	0.11	0.69	62	0.33	8.36	128
ZZ00822		0.143	0.10	0.72	72	0.26	8.38	133
ZZ00823		0.095	0.12	1.25	63	0.37	9.14	149
ZZ00824		0.136	0.17	0.53	72	0.32	9.33	176
ZZ00825		0.301	0.17	0.52	186	0.21	9.41	132
ZZ00826		0.098	0.10	0.53	52	0.25	9.05	119
ZZ00827		0.235	0.11	0.61	121	0.19	10.05	129
ZZ00828		0.324	0.12	0.44	161	0.28	8.72	116
ZZ00829		0.308	0.15	0.54	177	0.20	10.10	118
ZZ00830		0.336	0.17	0.30	242	0.06	11.00	133
ZZ00831		0.291	0.13	0.53	188	0.17	12.35	129
ZZ00832		0.208	0.13	0.84	169	0.12	9.99	129
ZZ00833		0.163	0.13	1.05	143	0.13	12.90	187
ZZ00834		0.062	0.11	1.27	70	0.12	12.65	182
ZZ00835		0.160	0.10	0.64	113	0.18	11.75	137
ZZ00836		0.167	0.15	0.71	146	0.10	11.65	131
ZZ00837		0.073	0.13	0.54	77	0.19	10.15	129
ZZ00838		0.197	0.14	0.86	163	0.14	13.60	118
ZZ00839		0.323	0.11	0.54	166	0.21	8.89	122
ZZ00840		0.261	0.11	0.71	163	0.20	11.15	118
ZZ00841		0.190	0.11	0.80	110	0.21	12.45	124
ZZ00842		0.110	0.11	0.68	118	0.17	16.35	139
ZZ00843		0.191	0.11	0.50	155	0.18	11.75	138
ZZ00844		0.074	0.13	1.11	85	0.15	9.38	144
ZZ00845		0.131	0.17	0.78	91	0.26	15.05	139
ZZ00846		0.051	0.10	1.04	62	0.15	11.45	99
ZZ00847		0.068	0.10	0.80	68	0.24	12.65	153
ZZ00848		0.068	0.11	0.93	60	0.22	10.65	121
ZZ00849		0.132	0.12	1.09	85	0.29	14.40	115
ZZ00850		0.057	0.10	0.97	58	0.21	11.40	121
								0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11135385

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22- AUG- 2011
Account: MTT

CERTIFICATE WH11135386

Project: Midas Touch- Staff

P.O. No.:

This report is for 151 Soil samples submitted to our lab in Whitehorse, YT, Canada on 17-JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00851		0.36	0.003	0.19	1.50	9.2	<0.2	<10	230	0.41	0.17	1.32	0.47	32.3	13.7	50
ZZ00852		0.56	0.004	0.24	1.16	11.0	<0.2	<10	180	0.30	0.20	5.43	0.66	27.9	13.2	37
ZZ00853		0.34	0.004	0.25	1.76	16.1	<0.2	<10	160	0.56	0.23	3.68	0.96	37.9	17.7	58
ZZ00854		0.32	0.003	0.26	1.68	22.0	<0.2	<10	240	0.56	0.20	2.74	0.66	32.0	18.7	60
ZZ00855		0.48	0.003	0.24	2.90	44.1	<0.2	<10	360	0.90	0.13	2.75	0.39	39.6	32.1	215
ZZ00856		0.28	0.004	0.24	1.27	22.8	<0.2	<10	190	0.20	0.25	0.08	0.25	30.5	13.3	26
ZZ00857		0.32	0.006	0.18	1.29	13.6	<0.2	<10	80	0.20	0.26	0.06	0.23	23.5	6.5	24
ZZ00858		0.24	0.004	0.54	0.89	20.3	<0.2	<10	140	0.20	0.25	0.11	0.26	21.6	10.0	16
ZZ00859		0.24	0.002	0.19	0.82	85.0	<0.2	<10	150	0.19	0.25	0.07	0.37	19.00	7.5	15
ZZ00860		0.30	0.008	0.35	1.38	44.3	<0.2	<10	180	0.25	0.27	0.18	0.14	30.9	9.8	22
ZZ00861		0.40	0.007	0.25	1.18	19.7	<0.2	<10	150	0.27	0.19	0.18	0.38	33.2	12.5	18
ZZ00862		0.30	0.009	0.88	2.13	22.0	<0.2	<10	200	0.36	0.37	1.38	0.88	39.8	13.9	29
ZZ00863		0.24	0.006	0.43	1.64	17.6	<0.2	<10	180	0.31	0.31	0.65	0.43	36.3	12.6	23
ZZ00864		0.28	0.005	0.20	1.15	27.8	<0.2	<10	90	0.30	0.31	0.14	0.32	27.2	13.1	19
ZZ00865		0.30	0.007	0.52	0.95	28.3	<0.2	<10	130	0.19	0.30	0.08	0.20	32.3	7.3	14
ZZ00866		0.28	0.003	0.22	0.86	30.6	<0.2	<10	80	0.16	0.34	0.08	0.15	59.3	23.2	11
ZZ00867		0.28	0.005	0.27	1.64	34.4	<0.2	<10	120	0.36	0.42	0.03	0.28	40.1	19.2	28
ZZ00868		0.24	0.011	0.47	0.87	57.3	<0.2	<10	170	0.26	0.39	0.02	0.36	46.6	16.0	11
ZZ00869		0.26	0.005	0.18	1.71	14.4	<0.2	<10	100	0.31	0.29	0.07	0.24	26.4	10.7	30
ZZ00870		0.32	0.002	0.15	1.89	16.7	<0.2	<10	140	0.35	0.30	0.07	0.37	30.1	12.4	38
ZZ00871		0.34	0.006	0.54	1.82	34.5	<0.2	<10	130	0.40	0.42	0.05	0.25	36.5	16.2	48
ZZ00872		0.26	0.002	0.19	1.12	13.4	<0.2	<10	50	0.13	0.27	0.03	0.05	28.2	7.2	15
ZZ00873		0.30	0.004	0.17	2.04	13.3	<0.2	<10	220	0.71	0.22	0.27	0.15	50.3	16.7	65
ZZ00874		0.26	0.003	0.07	2.31	11.5	<0.2	<10	100	0.52	0.23	0.32	0.10	42.2	19.2	76
ZZ00875		0.26	0.003	0.11	2.20	29.0	<0.2	<10	130	0.57	0.27	0.47	0.25	65.5	27.2	59
ZZ00876		0.36	0.004	0.26	1.57	17.5	<0.2	<10	250	0.49	0.24	2.97	0.95	26.8	14.8	48
ZZ00877		0.50	0.003	0.19	1.23	11.9	<0.2	<10	180	0.33	0.19	8.36	0.93	24.1	13.5	38
ZZ00878		0.40	0.004	0.13	1.13	10.3	<0.2	<10	130	0.34	0.19	5.39	0.56	25.7	12.1	39
ZZ00879		0.34	0.003	0.24	2.25	24.1	<0.2	<10	290	0.93	0.30	3.33	1.39	60.6	18.4	78
ZZ00880		0.48	0.004	0.20	1.54	13.2	<0.2	<10	210	0.43	0.22	3.57	0.72	30.5	16.1	48
ZZ00881		0.32	0.005	0.18	1.13	13.1	<0.2	<10	120	0.39	0.20	3.59	0.47	27.4	11.1	31
ZZ01026		0.32	0.003	0.21	1.26	13.1	<0.2	<10	160	0.40	0.22	0.76	0.61	30.1	12.0	37
ZZ01027		0.24	0.004	0.19	1.50	10.6	<0.2	<10	220	0.48	0.19	0.62	0.34	33.1	12.3	39
ZZ01028		0.28	0.003	0.28	1.74	16.1	<0.2	<10	220	0.58	0.24	1.03	0.68	30.9	14.3	48
ZZ01029		0.16	0.003	0.20	1.53	10.8	<0.2	<10	230	0.42	0.22	1.05	0.59	23.2	13.3	36
ZZ01030		0.14	0.003	0.16	1.54	10.0	<0.2	<10	220	0.44	0.20	0.91	0.45	26.2	13.8	40
ZZ01031		0.32	0.003	0.26	1.69	13.4	<0.2	<10	250	0.52	0.24	1.47	0.67	34.6	15.0	49
ZZ01032		0.28	0.003	0.14	1.46	10.4	<0.2	<10	170	0.43	0.18	0.66	0.27	28.1	11.7	39
ZZ01033		0.20	0.003	0.08	2.27	14.2	<0.2	<10	120	0.65	0.20	0.52	0.45	38.2	16.6	82
ZZ01034		0.32	0.003	0.18	1.76	10.7	<0.2	<10	390	0.54	0.25	0.44	0.24	34.6	14.5	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00851		0.64	31.7	3.12	4.76	0.09	0.06	0.05	0.031	0.07	16.8	14.2	1.28	264	1.28
ZZ00852		0.85	34.8	2.71	3.55	0.10	0.11	0.09	0.033	0.10	14.2	10.7	2.53	493	1.41
ZZ00853		1.07	35.8	3.71	4.80	0.11	0.05	0.06	0.050	0.07	19.3	15.5	2.46	1240	1.58
ZZ00854		1.05	39.9	3.65	5.31	0.10	0.05	0.06	0.041	0.06	16.5	18.2	1.95	538	1.06
ZZ00855		6.74	62.0	5.32	9.62	0.16	0.06	0.05	0.059	0.14	19.8	36.3	3.31	809	0.89
ZZ00856		1.85	61.8	4.14	5.25	0.08	<0.02	0.07	0.021	0.11	13.3	7.0	0.30	4010	5.11
ZZ00857		1.38	29.1	2.86	5.12	0.07	<0.02	0.06	0.022	0.05	11.7	11.5	0.31	408	2.70
ZZ00858		1.61	43.8	2.53	4.01	0.07	<0.02	0.08	0.021	0.07	12.3	5.3	0.18	1320	4.55
ZZ00859		1.19	29.2	2.40	4.41	0.05	<0.02	0.08	0.016	0.05	9.4	3.3	0.11	1680	1.88
ZZ00860		2.57	98.3	3.08	4.37	0.09	0.02	0.05	0.023	0.09	16.6	12.8	0.58	1420	3.22
ZZ00861		0.96	78.7	2.65	3.20	0.09	0.06	0.06	0.021	0.05	16.5	11.3	0.39	1470	2.52
ZZ00862		11.10	194.5	3.91	5.93	0.15	0.08	0.14	0.027	0.40	25.0	26.9	1.11	553	4.37
ZZ00863		9.36	103.0	3.45	4.72	0.12	0.03	0.07	0.020	0.36	20.6	21.8	0.88	521	3.64
ZZ00864		0.95	48.1	3.54	3.66	0.08	0.02	0.05	0.022	0.06	13.9	11.4	0.30	948	3.42
ZZ00865		0.96	47.8	2.55	2.94	0.07	0.02	0.06	0.017	0.05	17.1	10.1	0.28	390	3.26
ZZ00866		0.44	58.1	3.17	2.71	0.13	0.02	0.02	0.011	0.06	28.0	10.8	0.37	1720	2.38
ZZ00867		1.53	66.0	4.23	5.52	0.10	0.03	0.06	0.026	0.06	18.5	18.1	0.38	1660	3.66
ZZ00868		0.81	93.9	4.06	2.40	0.10	0.03	0.06	0.029	0.06	22.1	8.7	0.13	2210	5.93
ZZ00869		1.53	36.8	3.26	5.60	0.08	<0.02	0.04	0.025	0.05	13.1	15.1	0.36	553	2.57
ZZ00870		1.27	21.9	3.52	6.21	0.07	0.02	0.05	0.026	0.06	15.0	19.8	0.48	935	2.36
ZZ00871		1.12	42.8	4.49	6.35	0.09	0.04	0.08	0.027	0.04	17.9	25.5	0.52	753	3.43
ZZ00872		1.00	44.2	2.54	4.76	0.07	0.02	0.04	0.013	0.04	15.1	15.4	0.29	510	2.88
ZZ00873		1.22	45.0	3.68	6.64	0.09	0.04	0.05	0.034	0.05	21.8	20.5	0.98	720	1.21
ZZ00874		1.50	28.1	4.51	9.17	0.11	0.05	0.02	0.033	0.05	18.0	24.2	1.33	794	1.25
ZZ00875		1.25	43.6	4.01	7.33	0.11	0.03	0.05	0.032	0.05	28.4	22.7	1.13	1200	1.58
ZZ00876		0.71	35.4	3.42	4.90	0.09	0.06	0.09	0.034	0.07	15.6	12.1	1.97	1060	1.50
ZZ00877		0.81	34.8	2.69	3.60	0.08	0.13	0.05	0.023	0.10	12.9	11.8	2.96	583	1.60
ZZ00878		0.72	25.6	2.55	3.68	0.08	0.12	0.04	0.022	0.08	13.2	11.8	2.63	562	0.97
ZZ00879		2.05	30.4	5.34	7.31	0.12	0.05	0.07	0.070	0.10	32.5	26.0	2.61	1960	1.73
ZZ00880		0.75	42.7	3.17	4.66	0.07	0.10	0.07	0.030	0.08	15.9	15.1	2.39	640	1.37
ZZ00881		0.84	29.3	2.84	3.41	0.07	0.07	0.06	0.029	0.06	14.3	11.9	2.19	572	1.10
ZZ01026		0.67	24.3	2.93	4.07	0.07	0.07	0.11	0.026	0.05	14.7	13.6	0.65	627	1.47
ZZ01027		0.74	21.1	2.97	4.86	0.06	0.04	0.04	0.026	0.04	17.5	15.6	0.73	562	1.00
ZZ01028		0.80	27.8	3.64	5.22	0.08	0.06	0.05	0.037	0.07	17.1	17.1	1.06	573	1.27
ZZ01029		0.94	18.6	2.86	5.14	0.06	0.05	0.07	0.031	0.05	11.4	15.1	0.66	923	1.13
ZZ01030		0.77	22.3	2.83	5.03	0.06	0.05	0.06	0.028	0.05	13.2	15.1	0.74	641	1.15
ZZ01031		0.82	37.2	3.37	5.36	0.09	0.06	0.07	0.045	0.07	18.5	17.5	1.43	565	1.26
ZZ01032		0.79	27.0	2.94	4.68	0.07	0.06	0.05	0.031	0.05	14.8	14.8	0.81	373	1.00
ZZ01033		1.26	32.3	4.31	7.11	0.08	0.04	0.02	0.045	0.05	18.1	23.7	1.08	416	1.25
ZZ01034		1.16	24.3	3.01	5.86	0.08	0.06	0.05	0.041	0.06	17.4	16.5	0.71	648	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ00851		2.67	38.6	1490	22.8	9.8	0.001	0.04	1.14	4.4	1.0	0.3	39.8	0.01	0.03
ZZ00852		0.84	39.2	1110	29.0	8.6	<0.001	0.02	1.66	4.0	0.7	0.3	72.5	<0.01	0.02
ZZ00853		1.62	49.7	1420	56.9	10.3	<0.001	0.05	1.67	5.5	0.9	0.6	45.9	0.01	0.04
ZZ00854		1.62	50.5	1270	28.7	9.0	<0.001	0.05	1.62	5.3	0.8	0.3	47.3	0.01	0.03
ZZ00855		3.69	118.0	2150	24.0	14.1	<0.001	0.04	2.00	12.1	0.8	0.4	57.8	0.01	0.02
ZZ00856		0.54	23.2	1290	13.5	20.9	<0.001	0.07	1.62	1.3	1.2	0.4	20.6	<0.01	0.19
ZZ00857		0.54	17.1	630	12.8	14.1	<0.001	0.05	1.17	1.1	1.0	0.5	12.9	<0.01	0.07
ZZ00858		0.13	17.1	2310	14.3	15.5	<0.001	0.07	1.19	0.5	1.3	0.4	36.1	<0.01	0.11
ZZ00859		0.20	14.3	960	12.0	12.1	<0.001	0.08	0.95	0.5	0.7	0.5	14.5	<0.01	0.10
ZZ00860		0.13	29.1	1570	16.5	15.0	<0.001	0.07	1.87	0.7	1.5	0.3	51.1	<0.01	0.19
ZZ00861		0.61	45.1	1140	11.7	8.2	<0.001	0.04	1.43	3.2	1.0	0.2	29.4	<0.01	0.08
ZZ00862		0.89	42.9	7410	24.4	55.0	0.001	0.10	2.43	2.9	2.7	0.3	226	0.01	0.21
ZZ00863		0.59	28.7	3700	18.7	49.0	<0.001	0.13	1.95	1.1	1.7	0.3	102.5	<0.01	0.15
ZZ00864		0.26	25.3	1630	20.1	9.9	<0.001	0.07	1.75	0.7	1.3	0.3	34.9	<0.01	0.10
ZZ00865		0.30	24.7	800	18.2	9.8	<0.001	0.05	2.06	1.1	1.0	0.2	33.2	<0.01	0.10
ZZ00866		0.13	31.9	630	26.2	4.7	<0.001	0.05	1.29	1.2	0.9	<0.2	33.1	<0.01	0.09
ZZ00867		1.63	33.4	670	27.4	13.8	<0.001	0.04	1.62	2.5	1.0	0.4	19.0	0.01	0.14
ZZ00868		0.31	44.2	710	27.8	8.1	<0.001	0.09	2.69	1.7	2.2	0.2	35.7	<0.01	0.24
ZZ00869		0.89	23.0	710	14.5	14.3	<0.001	0.04	1.10	1.3	1.0	0.5	13.7	0.01	0.08
ZZ00870		1.96	24.6	790	16.6	12.4	<0.001	<0.01	0.93	2.6	0.8	0.5	14.0	0.01	0.08
ZZ00871		5.13	34.9	810	22.1	10.9	<0.001	0.01	1.48	2.5	1.0	0.5	24.0	0.01	0.14
ZZ00872		0.25	21.3	910	21.1	6.3	<0.001	<0.01	0.43	1.1	0.7	0.2	21.0	<0.01	0.10
ZZ00873		5.74	44.1	810	21.0	8.7	<0.001	<0.01	0.81	4.7	0.7	0.5	21.2	0.01	0.06
ZZ00874		10.40	38.7	1090	25.7	10.0	<0.001	<0.01	0.72	3.7	0.7	0.7	21.5	0.01	0.06
ZZ00875		5.30	40.2	1890	25.9	8.8	<0.001	0.01	0.83	3.6	0.7	0.5	34.2	0.01	0.06
ZZ00876		1.65	48.8	1610	32.3	7.6	<0.001	0.02	3.00	3.7	0.9	0.3	31.4	0.01	0.05
ZZ00877		0.84	44.8	1140	22.5	7.3	<0.001	<0.01	1.88	4.0	0.5	0.3	80.3	<0.01	0.04
ZZ00878		2.53	32.2	1400	19.0	6.7	<0.001	<0.01	1.29	3.9	0.5	0.3	93.0	<0.01	0.02
ZZ00879		3.69	46.3	2370	66.8	11.6	0.001	0.02	1.91	9.1	0.8	0.4	57.3	0.02	0.05
ZZ00880		2.15	51.8	1310	23.6	7.9	<0.001	<0.01	2.18	4.8	0.5	0.4	48.9	<0.01	0.04
ZZ00881		1.42	34.5	1660	28.8	7.0	<0.001	<0.01	2.13	4.1	0.6	0.3	40.5	<0.01	0.03
ZZ01026		2.67	36.9	1500	22.7	7.5	<0.001	<0.01	3.67	3.7	0.5	0.3	28.7	0.01	0.04
ZZ01027		2.74	31.7	1350	17.8	9.0	<0.001	<0.01	1.21	3.4	0.5	0.3	28.9	0.01	0.03
ZZ01028		3.05	43.0	1600	40.3	8.4	<0.001	0.01	2.07	4.7	0.6	0.4	31.2	0.01	0.04
ZZ01029		1.15	26.3	1500	21.8	11.2	<0.001	0.05	0.87	2.9	0.7	0.4	25.4	0.01	0.05
ZZ01030		1.65	32.3	1520	17.0	9.2	<0.001	0.03	0.87	3.4	0.7	0.3	32.3	0.01	0.04
ZZ01031		3.47	42.1	1510	36.6	9.0	<0.001	<0.01	1.89	5.1	0.6	0.4	38.1	0.01	0.04
ZZ01032		2.22	31.4	1260	18.5	8.0	<0.001	<0.01	1.11	4.2	0.4	0.4	29.4	<0.01	0.04
ZZ01033		5.96	48.6	1500	28.2	8.2	<0.001	<0.01	1.72	5.5	0.6	0.6	27.0	0.01	0.05
ZZ01034		1.64	33.4	1320	25.5	11.7	<0.001	0.01	0.98	4.6	0.5	0.5	22.7	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ00851		0.103	0.10	1.04	57	0.21	11.10	124
ZZ00852		0.083	0.16	0.71	45	0.65	9.91	116
ZZ00853		0.067	0.15	1.26	61	0.27	17.60	151
ZZ00854		0.060	0.13	0.74	62	0.24	12.35	120
ZZ00855		0.185	0.19	0.53	137	0.19	13.15	117
ZZ00856		0.040	0.13	0.98	49	0.18	3.18	71
ZZ00857		0.032	0.15	0.86	43	0.23	2.36	61
ZZ00858		0.012	0.16	2.16	44	0.14	3.52	73
ZZ00859		0.015	0.11	0.82	41	0.15	2.12	67
ZZ00860		0.020	0.15	1.78	48	0.12	6.81	88
ZZ00861		0.038	0.08	2.18	32	0.21	9.68	111
ZZ00862		0.093	0.57	6.72	79	0.24	29.6	176
ZZ00863		0.052	0.45	3.93	49	0.09	14.15	116
ZZ00864		0.021	0.08	1.68	32	0.20	4.81	85
ZZ00865		0.018	0.07	1.41	25	0.17	4.14	75
ZZ00866		0.010	0.04	1.67	11	0.05	3.88	77
ZZ00867		0.038	0.11	1.21	41	0.20	3.56	89
ZZ00868		0.009	0.06	1.50	19	0.11	4.23	117
ZZ00869		0.039	0.12	1.06	48	0.23	3.11	75
ZZ00870		0.053	0.11	0.83	56	0.25	4.11	79
ZZ00871		0.092	0.10	1.23	56	0.23	2.96	83
ZZ00872		0.009	0.07	0.66	21	<0.05	1.93	63
ZZ00873		0.162	0.10	0.97	74	0.22	7.96	73
ZZ00874		0.363	0.09	0.71	106	0.26	5.45	76
ZZ00875		0.169	0.08	1.04	75	0.29	9.35	90
ZZ00876		0.056	0.33	1.30	57	0.78	14.75	159
ZZ00877		0.073	0.35	0.96	46	0.42	10.40	134
ZZ00878		0.138	0.14	0.73	50	0.32	9.14	96
ZZ00879		0.156	0.24	1.53	106	0.36	21.7	159
ZZ00880		0.103	0.23	0.79	55	0.41	11.70	132
ZZ00881		0.056	0.12	1.01	44	0.31	11.55	106
ZZ01026		0.088	0.13	0.98	51	0.59	8.92	114
ZZ01027		0.085	0.13	1.04	54	0.28	10.65	107
ZZ01028		0.095	0.21	1.15	65	0.52	12.20	157
ZZ01029		0.037	0.14	1.18	51	0.24	8.13	112
ZZ01030		0.049	0.11	0.95	51	0.17	8.21	101
ZZ01031		0.117	0.14	0.73	64	0.39	12.25	147
ZZ01032		0.082	0.11	0.58	53	0.40	9.07	94
ZZ01033		0.193	0.15	0.60	92	0.35	7.56	102
ZZ01034		0.056	0.16	0.91	62	0.28	10.15	109



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01035		0.28	0.003	0.20	1.97	11.7	<0.2	<10	500	0.62	0.21	0.53	0.21	33.1	14.3	56
ZZ01036		0.30	0.004	0.19	2.53	11.2	<0.2	<10	260	0.81	0.13	1.70	0.49	42.0	23.4	87
ZZ01037		0.20	0.003	0.17	1.91	10.2	<0.2	<10	240	0.54	0.19	0.75	0.23	28.4	13.6	60
ZZ01038		0.34	0.002	0.25	2.09	16.0	<0.2	<10	220	0.78	0.23	1.34	0.53	39.4	20.6	89
ZZ01039		0.26	0.004	0.21	2.73	9.6	<0.2	<10	190	0.91	0.17	1.70	0.52	32.9	24.8	68
ZZ01040		0.28	0.005	0.09	3.61	1.5	<0.2	<10	750	1.50	0.03	1.46	0.29	27.8	40.9	169
ZZ01041		0.28	0.003	0.07	4.08	2.5	<0.2	<10	290	1.01	0.07	1.41	0.07	25.5	34.4	216
ZZ01042		0.22	0.004	0.03	3.39	4.7	<0.2	<10	230	1.00	0.12	0.89	0.10	30.4	32.0	108
ZZ01043		0.26	0.003	0.09	3.29	7.5	<0.2	<10	340	1.23	0.09	1.67	0.20	50.3	25.6	59
ZZ01044		0.24	0.003	0.25	1.66	12.3	<0.2	<10	170	0.58	0.26	1.96	0.54	31.1	14.0	43
ZZ01045		0.18	0.002	0.13	2.97	10.6	<0.2	<10	410	0.93	0.11	1.70	0.21	37.0	25.5	89
ZZ01046		0.26	0.006	0.41	2.07	13.2	<0.2	<10	250	0.49	0.23	1.56	0.62	56.5	19.0	59
ZZ01047		0.18	0.003	0.20	1.88	12.3	<0.2	<10	370	0.63	0.12	2.15	0.67	27.3	18.9	84
ZZ01048		0.20	0.003	0.11	3.34	2.5	<0.2	<10	520	1.09	0.06	2.32	0.27	23.2	31.8	207
ZZ01049		0.26	0.003	0.27	2.13	19.2	<0.2	<10	320	0.62	0.17	1.71	0.68	42.7	19.7	70
ZZ01050		0.20	0.003	0.15	2.99	4.0	<0.2	<10	230	0.71	0.08	1.96	0.25	22.8	26.6	56
ZZ01051		0.22	0.004	0.09	3.15	3.2	<0.2	<10	350	1.19	0.06	2.08	0.11	52.2	25.2	51
ZZ01052		0.20	0.003	0.31	2.15	11.4	<0.2	<10	230	0.63	0.14	2.36	0.43	39.8	20.7	108
ZZ01053		0.24	0.003	0.22	2.60	7.3	<0.2	<10	210	0.64	0.12	1.56	0.35	27.8	26.5	102
ZZ01054		0.18	0.002	0.18	1.12	9.0	<0.2	<10	60	0.20	0.31	0.10	0.10	24.2	6.5	38
ZZ01055		0.22	0.001	0.15	0.99	24.7	<0.2	<10	40	0.14	0.36	0.04	0.07	27.3	5.7	20
ZZ01056		0.24	0.007	0.25	0.66	5.3	<0.2	<10	150	0.11	0.41	0.02	0.05	50.8	1.3	9
ZZ01057		0.24	0.002	0.27	1.38	15.9	<0.2	<10	150	0.39	0.34	0.06	0.40	32.0	14.3	25
ZZ01058		0.24	0.002	0.08	1.30	13.6	<0.2	<10	80	0.31	0.34	0.03	0.10	47.0	10.0	18
ZZ01059		0.22	0.009	0.47	0.89	12.9	<0.2	<10	90	0.16	0.32	0.02	0.07	42.1	4.4	13
ZZ01060		0.26	0.001	0.44	0.67	15.1	<0.2	<10	100	0.14	0.33	0.03	0.15	37.7	4.8	11
ZZ01061		0.22	0.002	0.05	0.82	16.2	<0.2	<10	80	0.13	0.26	0.04	0.10	28.3	3.0	14
ZZ01062		0.30	0.004	0.09	1.29	20.4	<0.2	<10	90	0.33	0.25	0.10	0.30	29.4	8.5	23
ZZ01063		0.28	0.003	0.60	1.08	15.7	<0.2	<10	120	0.24	0.28	0.08	0.16	29.2	5.6	18
ZZ01064		0.28	0.003	0.07	1.61	13.6	<0.2	<10	120	0.38	0.29	0.16	0.22	34.1	10.0	27
ZZ01065		0.26	0.006	0.19	1.27	19.3	<0.2	<10	160	0.30	0.25	0.33	0.47	29.7	12.0	21
ZZ01066		0.22	0.020	0.25	1.20	33.1	<0.2	<10	180	0.27	0.28	0.19	0.36	33.0	8.8	20
ZZ01067		0.26	0.003	0.23	1.64	12.9	<0.2	<10	240	0.34	0.37	0.18	0.94	19.15	10.2	22
ZZ01068		0.26	0.002	0.19	1.52	22.5	<0.2	<10	160	0.40	0.36	0.17	0.23	27.6	15.2	23
ZZ01069		0.28	0.004	0.30	1.52	18.3	<0.2	<10	500	0.43	0.30	0.30	0.11	25.5	7.2	27
ZZ01070		0.26	0.009	0.42	1.26	20.7	<0.2	<10	190	0.22	0.31	0.10	0.33	37.6	9.5	20
ZZ01071		0.30	0.003	0.12	1.21	14.6	<0.2	<10	160	0.17	0.24	0.09	0.19	25.4	10.6	24
ZZ01072		0.20	0.011	0.64	1.61	26.5	<0.2	<10	200	0.31	0.31	0.93	0.54	33.4	9.9	26
ZZ01073		0.32	0.006	0.41	0.94	33.2	<0.2	<10	170	0.16	0.34	0.12	0.32	35.6	18.4	16
ZZ01074		0.20	0.005	0.51	0.63	31.0	<0.2	<10	210	0.23	0.36	0.07	0.17	28.4	5.4	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01035		1.28	26.4	3.48	6.60	0.08	0.02	0.05	0.046	0.05	17.1	18.9	0.94	636	1.24
ZZ01036		1.51	43.0	4.98	9.43	0.15	0.10	0.04	0.043	0.26	21.6	23.9	2.19	998	0.99
ZZ01037		1.21	21.2	3.44	7.02	0.06	0.04	0.04	0.038	0.05	14.6	19.5	1.08	485	1.36
ZZ01038		1.07	43.1	4.40	7.18	0.11	0.07	0.07	0.044	0.07	20.4	22.3	1.77	900	1.10
ZZ01039		1.22	31.5	5.49	10.00	0.13	0.08	0.04	0.038	0.08	16.8	27.2	2.33	988	0.78
ZZ01040		2.79	53.3	6.94	16.00	0.20	0.10	0.01	0.026	0.76	14.3	39.6	3.56	1780	0.37
ZZ01041		1.25	32.2	6.77	16.00	0.14	0.07	0.02	0.054	0.15	11.1	36.4	3.73	920	0.71
ZZ01042		1.26	20.4	6.49	14.55	0.13	0.15	0.01	0.040	0.15	13.2	37.0	2.61	839	1.56
ZZ01043		2.61	26.0	6.30	14.55	0.17	0.09	0.03	0.058	0.45	24.8	29.1	2.52	1100	0.77
ZZ01044		0.85	30.3	3.54	5.91	0.10	0.07	0.05	0.046	0.09	15.4	16.3	1.82	492	1.23
ZZ01045		2.80	34.1	5.70	13.15	0.15	0.08	0.03	0.048	0.32	18.4	28.0	2.51	923	0.56
ZZ01046		1.97	77.6	4.53	7.60	0.16	0.09	0.08	0.036	0.18	30.6	19.7	1.80	756	3.05
ZZ01047		1.30	38.4	3.41	6.68	0.10	0.04	0.06	0.038	0.07	14.3	19.8	1.46	840	0.85
ZZ01048		3.48	114.0	5.70	12.55	0.18	0.09	0.05	0.049	0.31	12.0	40.8	3.26	1010	0.47
ZZ01049		1.46	38.4	4.16	7.98	0.13	0.07	0.07	0.044	0.12	21.4	24.0	1.72	722	1.27
ZZ01050		1.50	53.0	5.22	10.35	0.14	0.09	0.05	0.035	0.21	11.4	26.8	2.79	772	0.23
ZZ01051		2.81	39.0	5.44	11.85	0.18	0.09	0.02	0.017	0.37	25.7	36.1	3.26	1100	0.31
ZZ01052		1.15	47.4	4.13	8.30	0.15	0.08	0.05	0.043	0.12	20.1	20.2	2.03	483	0.75
ZZ01053		1.29	70.4	5.28	11.20	0.14	0.05	0.05	0.061	0.06	14.9	20.7	1.84	982	1.58
ZZ01054		1.27	15.7	2.26	6.29	0.06	<0.02	0.04	0.018	0.04	12.5	11.5	0.48	243	1.21
ZZ01055		1.34	15.2	3.26	6.70	0.07	<0.02	0.03	0.016	0.04	13.6	10.2	0.22	355	1.43
ZZ01056		1.23	12.9	0.94	5.53	0.08	<0.02	0.02	0.009	0.04	26.1	3.4	0.05	60	2.59
ZZ01057		1.16	27.5	3.36	5.16	0.07	0.04	0.03	0.025	0.06	15.3	23.0	0.38	1000	1.88
ZZ01058		1.10	31.9	2.95	4.12	0.09	0.03	0.02	0.014	0.06	22.1	17.4	0.40	709	2.00
ZZ01059		1.68	26.0	2.36	5.73	0.07	<0.02	0.02	0.014	0.05	19.9	3.2	0.08	394	2.45
ZZ01060		1.36	19.6	2.06	5.21	0.07	<0.02	0.02	0.012	0.06	18.6	3.6	0.08	429	2.24
ZZ01061		1.50	14.1	1.54	5.07	0.06	<0.02	0.02	0.013	0.05	14.2	5.2	0.14	177	1.61
ZZ01062		1.28	35.8	2.63	4.41	0.07	<0.02	0.04	0.022	0.06	14.3	14.7	0.37	470	1.68
ZZ01063		2.68	43.8	2.41	4.30	0.07	<0.02	0.06	0.019	0.09	15.9	10.9	0.36	275	3.26
ZZ01064		1.58	60.6	2.89	5.16	0.08	0.02	0.04	0.024	0.07	16.7	20.1	0.54	602	2.44
ZZ01065		2.06	69.2	2.95	4.18	0.09	0.02	0.05	0.023	0.11	15.2	16.7	0.51	1280	3.15
ZZ01066		1.98	78.2	2.68	4.29	0.09	<0.02	0.06	0.021	0.09	17.1	14.1	0.49	853	3.19
ZZ01067		5.50	63.2	3.07	4.19	0.08	0.05	0.05	0.028	0.08	10.1	29.9	0.51	335	2.74
ZZ01068		1.19	43.2	3.11	4.62	0.08	<0.02	0.05	0.026	0.07	13.4	29.1	0.50	1020	1.69
ZZ01069		2.18	40.3	2.67	5.47	0.07	0.03	0.05	0.024	0.08	12.5	16.6	0.50	472	2.26
ZZ01070		3.86	108.5	3.65	4.12	0.11	<0.02	0.08	0.021	0.19	17.5	14.3	0.61	1280	5.79
ZZ01071		3.07	58.3	3.07	4.77	0.08	<0.02	0.04	0.017	0.13	11.5	14.9	0.56	1380	2.98
ZZ01072		9.62	181.0	3.15	5.30	0.14	0.04	0.06	0.024	0.35	21.0	34.5	1.20	576	3.47
ZZ01073		2.91	125.0	3.72	3.19	0.11	<0.02	0.03	0.021	0.14	16.6	12.1	0.45	2740	5.10
ZZ01074		1.01	30.1	1.98	1.98	0.07	0.02	0.03	0.016	0.06	14.4	6.9	0.10	432	2.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01035		2.26	36.6	1370	23.1	12.9	<0.001	<0.01	0.98	3.9	0.6	0.5	26.1	<0.01	0.04
ZZ01036		7.30	47.3	2660	18.5	20.4	<0.001	<0.01	1.09	7.5	0.6	0.5	72.8	0.01	0.04
ZZ01037		2.74	32.8	1620	20.5	10.7	<0.001	0.03	0.94	4.4	0.5	0.4	33.5	0.01	0.04
ZZ01038		3.68	55.9	1750	29.3	9.7	<0.001	<0.01	1.42	7.3	0.6	0.5	38.1	0.01	0.05
ZZ01039		8.79	44.0	2080	21.6	8.3	<0.001	<0.01	0.94	6.3	0.5	0.5	46.1	0.02	0.04
ZZ01040		4.27	85.5	2470	7.5	44.8	<0.001	0.02	0.77	7.1	0.5	0.5	89.4	0.01	0.01
ZZ01041		7.35	71.0	1370	8.8	11.9	<0.001	0.02	0.79	8.7	0.6	1.0	46.3	0.01	0.01
ZZ01042		6.04	45.0	2130	8.4	15.6	<0.001	0.01	0.85	6.6	0.6	0.8	40.5	0.03	0.02
ZZ01043		9.74	27.6	2700	10.4	33.4	<0.001	0.03	0.55	8.5	0.7	0.6	131.0	0.01	0.02
ZZ01044		4.21	36.1	1040	47.4	12.5	<0.001	0.03	1.48	4.9	0.8	0.4	34.4	0.01	0.03
ZZ01045		7.20	39.9	2000	16.3	27.9	<0.001	0.05	0.71	5.5	0.6	0.5	106.5	0.01	0.02
ZZ01046		5.52	52.1	1710	25.4	17.9	0.001	0.05	1.09	5.6	1.3	0.4	79.2	0.01	0.07
ZZ01047		3.56	44.2	1320	18.5	11.8	0.001	0.10	0.72	4.8	1.0	0.3	87.9	0.01	0.03
ZZ01048		10.70	89.2	1620	7.9	33.1	<0.001	0.06	0.54	8.7	0.8	0.4	124.5	0.02	0.02
ZZ01049		6.02	39.9	1960	28.6	14.7	0.001	0.08	0.99	5.5	1.5	0.4	99.8	0.01	0.03
ZZ01050		9.33	38.9	1750	14.7	23.7	<0.001	0.05	0.41	5.9	0.7	0.5	56.2	0.02	0.01
ZZ01051		13.80	28.5	4360	9.6	29.5	<0.001	0.04	0.45	2.5	0.6	0.4	111.5	0.03	0.01
ZZ01052		6.69	55.8	1980	23.4	15.0	<0.001	0.05	0.85	6.2	0.7	0.4	79.3	0.01	0.02
ZZ01053		1.81	76.6	1100	14.8	9.7	<0.001	0.07	0.60	11.2	1.0	0.3	86.7	0.01	0.03
ZZ01054		1.79	19.1	460	19.3	8.1	<0.001	0.03	0.42	1.1	0.4	0.5	7.4	<0.01	0.03
ZZ01055		0.74	12.9	680	16.8	9.8	<0.001	0.02	0.67	1.1	0.5	0.5	6.9	<0.01	0.06
ZZ01056		0.29	4.9	590	26.6	10.6	<0.001	0.02	0.65	0.6	0.4	0.4	59.9	<0.01	0.06
ZZ01057		1.28	21.5	460	20.9	15.6	<0.001	0.02	0.92	2.2	0.5	0.4	12.0	<0.01	0.07
ZZ01058		0.83	23.2	380	18.8	11.7	<0.001	0.02	0.80	1.4	0.5	0.2	12.6	<0.01	0.06
ZZ01059		0.54	12.4	550	15.6	15.9	<0.001	0.03	0.82	1.0	0.6	0.5	12.4	<0.01	0.08
ZZ01060		0.80	10.2	770	12.7	17.3	<0.001	0.03	0.94	1.1	0.5	0.6	11.5	<0.01	0.07
ZZ01061		0.22	10.2	440	10.9	10.8	<0.001	0.03	0.58	0.4	0.5	0.5	9.0	<0.01	0.05
ZZ01062		0.36	23.9	880	13.5	11.8	<0.001	0.03	0.84	1.1	0.7	0.4	14.5	<0.01	0.06
ZZ01063		0.18	17.2	1260	16.8	17.4	<0.001	0.06	1.62	0.4	1.3	0.3	37.3	<0.01	0.09
ZZ01064		0.41	28.0	1270	17.2	12.9	<0.001	0.03	0.86	1.5	0.8	0.4	25.2	<0.01	0.07
ZZ01065		0.34	30.4	1830	13.6	15.0	0.001	0.06	1.29	1.2	1.3	0.3	53.7	<0.01	0.10
ZZ01066		0.18	26.9	1460	15.4	14.9	<0.001	0.05	1.40	0.8	1.2	0.3	45.1	<0.01	0.12
ZZ01067		0.40	52.0	900	14.5	14.4	0.004	0.05	1.13	2.3	1.8	0.3	34.1	<0.01	0.05
ZZ01068		0.30	33.3	620	17.7	11.3	0.004	0.03	0.83	1.8	1.0	0.3	26.8	<0.01	0.05
ZZ01069		0.39	23.0	1170	11.9	17.9	0.001	0.07	0.92	1.7	1.1	0.4	45.4	<0.01	0.08
ZZ01070		0.39	31.9	1090	18.6	28.3	<0.001	0.11	1.95	1.4	1.7	0.2	57.3	<0.01	0.18
ZZ01071		0.41	23.4	1130	12.2	32.3	<0.001	0.09	0.99	0.9	0.9	0.2	31.5	<0.01	0.13
ZZ01072		0.39	34.6	4750	19.5	54.6	0.001	0.10	1.46	1.6	2.1	0.2	149.0	<0.01	0.20
ZZ01073		0.23	43.5	1170	19.1	20.3	<0.001	0.10	1.67	1.3	1.9	0.2	47.4	<0.01	0.19
ZZ01074		0.16	14.4	900	13.2	10.5	<0.001	0.04	0.59	0.6	0.9	0.2	19.5	<0.01	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01035		0.098	0.14	0.82	74	0.27	9.73	124	<0.5
ZZ01036		0.302	0.11	0.52	122	0.26	11.75	130	3.3
ZZ01037		0.098	0.12	0.65	79	0.21	6.97	106	0.8
ZZ01038		0.170	0.11	0.58	92	0.26	14.15	139	1.8
ZZ01039		0.364	0.09	0.78	126	0.25	11.60	132	2.2
ZZ01040		0.454	0.10	0.24	187	0.18	7.48	144	3.1
ZZ01041		0.619	0.06	0.37	175	0.24	7.30	94	1.9
ZZ01042		0.661	0.05	0.44	178	0.37	6.69	99	4.7
ZZ01043		0.443	0.10	0.42	187	0.21	9.12	104	2.6
ZZ01044		0.156	0.11	0.67	70	0.21	9.45	137	1.8
ZZ01045		0.314	0.15	0.48	148	0.21	7.84	106	2.4
ZZ01046		0.201	0.20	1.70	85	0.31	13.85	141	3.4
ZZ01047		0.121	0.11	1.13	76	0.11	8.25	109	1.2
ZZ01048		0.348	0.08	0.54	141	0.22	7.64	96	2.5
ZZ01049		0.215	0.10	1.33	94	0.19	9.91	139	1.8
ZZ01050		0.344	0.07	0.44	107	0.23	7.86	114	2.6
ZZ01051		0.391	0.08	0.40	118	0.29	10.05	109	3.3
ZZ01052		0.218	0.10	0.54	100	0.23	8.48	115	2.7
ZZ01053		0.086	0.09	1.00	132	0.24	13.50	103	1.2
ZZ01054		0.072	0.08	0.52	51	0.14	2.21	45	<0.5
ZZ01055		0.037	0.10	0.40	46	0.16	1.59	44	<0.5
ZZ01056		0.013	0.13	0.71	24	0.05	1.80	23	<0.5
ZZ01057		0.033	0.09	0.66	40	0.16	2.43	67	1.7
ZZ01058		0.018	0.07	0.75	22	0.08	1.96	69	1.1
ZZ01059		0.023	0.11	0.54	36	0.14	1.70	45	<0.5
ZZ01060		0.031	0.12	0.50	39	0.17	1.70	50	<0.5
ZZ01061		0.016	0.13	0.46	36	0.14	1.51	43	<0.5
ZZ01062		0.028	0.11	1.04	38	0.16	4.05	81	<0.5
ZZ01063		0.015	0.18	1.77	37	0.11	3.39	59	<0.5
ZZ01064		0.031	0.11	1.44	43	0.14	5.17	96	0.5
ZZ01065		0.034	0.13	1.75	40	0.12	6.35	103	<0.5
ZZ01066		0.027	0.14	1.47	43	0.11	5.33	84	<0.5
ZZ01067		0.024	0.15	3.41	28	0.11	3.92	221	1.3
ZZ01068		0.023	0.09	1.05	30	0.11	4.63	96	<0.5
ZZ01069		0.025	0.18	1.34	46	0.12	3.48	80	0.8
ZZ01070		0.050	0.21	2.07	38	0.09	5.38	109	<0.5
ZZ01071		0.042	0.16	0.96	39	0.05	2.06	81	<0.5
ZZ01072		0.063	0.43	5.18	64	<0.05	18.10	152	1.1
ZZ01073		0.035	0.19	1.96	27	0.05	4.92	119	<0.5
ZZ01074		0.008	0.07	1.20	14	0.06	3.11	46	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01075		0.24	0.002	0.12	0.87	80.4	<0.2	<10	80	0.26	0.41	0.03	0.34	35.0	12.3	12
ZZ01076		0.26	0.011	1.69	0.48	100.5	<0.2	<10	150	0.24	0.48	0.07	0.65	42.5	12.8	6
ZZ01077		0.26	0.025	0.17	1.07	63.2	<0.2	<10	130	0.43	0.49	0.04	0.50	42.5	25.1	12
ZZ01078		0.20	0.003	0.22	1.02	16.0	<0.2	<10	100	0.18	0.29	0.19	0.10	22.6	6.8	18
ZZ01079		0.26	0.005	0.18	1.44	17.7	<0.2	<10	110	0.38	0.30	0.08	0.81	30.0	15.4	24
ZZ01080		0.18	0.007	0.25	1.59	16.7	<0.2	<10	160	0.29	0.50	0.04	0.18	25.2	17.1	22
ZZ01081		0.26	0.004	0.07	1.97	16.4	<0.2	<10	110	0.43	0.36	0.09	0.22	33.2	14.3	30
ZZ01123		0.26	0.003	0.06	1.61	20.0	<0.2	<10	90	0.42	0.46	0.16	0.20	30.1	17.5	27
ZZ01124		0.22	0.004	0.06	1.27	33.3	<0.2	<10	80	0.34	0.44	0.10	0.22	36.6	17.7	29
ZZ01125		0.28	0.008	0.06	1.17	30.6	<0.2	<10	90	0.41	0.40	0.16	0.26	37.8	18.0	24
ZZ01126		0.32	0.006	0.11	3.16	13.6	<0.2	<10	480	1.40	0.11	1.09	0.12	54.6	30.8	134
ZZ01127		0.26	0.004	0.09	2.92	8.6	<0.2	<10	470	0.87	0.10	1.13	0.08	36.8	31.2	206
ZZ01128		0.24	0.003	0.32	3.32	17.7	<0.2	<10	290	1.15	0.15	0.91	0.23	55.1	32.4	135
ZZ01129		0.24	0.004	0.21	2.98	17.6	<0.2	<10	440	1.00	0.12	1.14	0.54	53.7	25.5	67
ZZ01130		0.14	0.003	0.12	3.34	42.9	<0.2	<10	730	1.56	0.07	1.74	0.15	40.9	46.1	89
ZZ01131		0.26	0.003	1.28	1.83	126.5	<0.2	<10	260	0.37	0.13	1.36	1.09	96.5	49.6	28
ZZ01132		0.20	0.003	0.43	4.51	13.2	<0.2	<10	400	1.04	0.13	1.39	0.53	56.7	34.3	94
ZZ01133		0.24	0.003	0.13	3.83	18.9	<0.2	<10	840	1.71	0.09	1.25	0.10	61.2	33.2	95
ZZ01134		0.32	0.004	0.34	3.06	13.9	<0.2	<10	380	0.96	0.14	0.79	0.35	56.0	31.0	114
ZZ01135		0.22	0.003	0.33	2.11	10.2	<0.2	<10	510	0.56	0.19	0.92	0.75	35.3	16.1	59
ZZ01136		0.16	0.003	1.28	3.38	17.7	<0.2	<10	700	2.02	0.10	1.87	0.61	65.5	40.4	175
ZZ01137		0.18	0.003	0.24	2.75	11.1	<0.2	<10	440	1.31	0.12	1.50	0.25	43.2	30.1	150
ZZ01138		0.26	0.003	0.11	3.45	7.8	<0.2	<10	500	1.94	0.07	1.75	0.31	44.5	36.4	104
ZZ01139		0.12	0.004	0.21	2.94	9.0	<0.2	<10	390	1.00	0.12	1.93	0.51	44.4	32.2	125
ZZ01140		0.26	0.002	0.07	3.17	5.9	<0.2	<10	560	0.60	0.14	0.77	0.12	49.3	29.1	99
ZZ01141		0.20	0.002	0.22	2.46	8.2	<0.2	<10	310	0.55	0.19	1.61	0.29	44.7	24.9	63
ZZ01142		0.22	0.002	0.14	1.69	11.3	<0.2	<10	250	0.62	0.21	0.50	0.26	31.7	12.6	46
ZZ01143		0.24	0.004	0.38	2.83	7.7	<0.2	<10	440	1.00	0.15	1.65	0.45	59.2	30.1	166
ZZ01144		0.22	0.009	0.59	1.48	17.2	<0.2	<10	200	0.30	0.26	0.09	0.98	52.6	12.1	58
ZZ01145		0.22	0.007	0.37	1.50	18.4	<0.2	<10	520	0.29	0.19	0.24	2.94	52.2	17.6	55
ZZ01146		0.24	0.005	0.39	1.54	10.7	<0.2	<10	160	0.28	0.31	0.08	0.34	29.0	7.9	29
ZZ01147		0.24	0.012	0.70	1.13	27.7	<0.2	<10	220	0.36	0.27	0.09	0.89	58.6	9.3	28
ZZ01148		0.16	0.005	0.31	1.00	12.7	<0.2	<10	240	0.39	0.23	0.22	0.37	28.6	4.7	17
ZZ01149		0.20	0.002	0.11	1.12	10.9	<0.2	<10	110	0.17	0.31	0.03	0.24	35.7	6.0	19
ZZ01150		0.28	0.005	0.33	1.68	17.6	<0.2	<10	120	0.30	0.52	0.44	0.28	30.2	15.8	27
ZZ01151		0.22	0.008	0.45	1.21	13.4	<0.2	<10	160	0.25	0.33	0.13	0.26	36.2	9.1	21
ZZ01152		0.26	0.006	0.91	1.87	18.5	<0.2	<10	160	0.53	0.37	0.08	0.50	35.5	16.8	31
ZZ01153		0.22	0.002	0.25	1.16	20.6	<0.2	<10	140	0.13	0.34	0.08	0.10	27.1	3.7	16
ZZ01154		0.28	0.005	0.47	2.77	29.7	<0.2	<10	320	0.74	0.38	0.10	0.67	42.2	16.3	44
ZZ01155		0.26	0.004	0.36	1.66	28.8	<0.2	<10	150	0.33	0.29	0.07	0.25	30.9	11.1	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01075		0.90	82.9	3.58	3.18	0.08	<0.02	0.03	0.027	0.04	16.6	7.3	0.13	1000	3.12
ZZ01076		0.69	108.0	4.37	1.37	0.07	0.02	0.09	0.033	0.06	23.1	4.3	0.07	863	6.88
ZZ01077		1.35	102.5	4.79	3.10	0.07	0.04	0.04	0.035	0.04	19.4	13.8	0.20	2210	5.26
ZZ01078		2.04	37.1	2.46	3.78	<0.05	<0.02	0.04	0.016	0.06	10.5	12.6	0.33	715	3.27
ZZ01079		1.29	49.8	3.32	4.84	0.05	0.02	0.06	0.033	0.06	15.3	16.8	0.41	1350	2.63
ZZ01080		3.57	120.0	3.33	5.28	0.05	<0.02	0.13	0.020	0.09	12.0	12.8	0.35	1080	6.64
ZZ01081		1.51	41.1	3.54	5.97	0.05	0.03	0.04	0.034	0.06	16.0	20.2	0.54	785	2.45
ZZ01123		1.65	41.5	3.25	5.27	0.06	0.02	0.04	0.026	0.05	14.4	21.4	0.48	995	2.35
ZZ01124		1.34	44.7	3.93	4.47	0.07	<0.02	0.04	0.028	0.04	17.9	27.0	0.54	997	2.17
ZZ01125		1.40	46.0	3.60	4.38	0.06	<0.02	0.04	0.023	0.04	18.5	20.1	0.42	1300	2.32
ZZ01126		3.18	42.6	6.18	14.20	0.12	0.02	0.04	0.051	0.07	28.3	34.0	2.87	1180	1.01
ZZ01127		3.24	40.8	5.30	11.70	0.08	0.04	0.03	0.027	0.05	19.1	39.6	2.72	996	0.85
ZZ01128		2.60	48.9	6.10	13.45	0.09	0.03	0.03	0.050	0.08	28.1	34.5	2.39	1060	1.81
ZZ01129		2.77	57.6	5.53	12.05	0.11	0.04	0.05	0.051	0.16	28.3	36.1	2.30	830	1.43
ZZ01130		3.71	61.7	6.75	14.80	0.20	0.04	0.19	0.081	0.36	20.4	41.3	2.75	842	1.00
ZZ01131		2.15	123.0	7.43	6.65	0.17	0.04	0.12	0.038	0.16	53.9	23.3	1.20	1400	5.12
ZZ01132		6.67	67.0	7.32	18.05	0.33	0.04	0.06	0.073	0.68	48.1	48.2	4.17	1500	1.43
ZZ01133		4.96	53.7	7.30	17.80	0.23	0.05	0.03	0.073	0.51	32.0	36.9	3.61	1190	0.83
ZZ01134		2.50	68.0	5.93	11.75	0.14	0.03	0.05	0.054	0.25	29.8	30.9	2.45	1070	1.94
ZZ01135		1.65	50.2	3.64	8.43	0.07	<0.02	0.08	0.033	0.09	18.5	20.8	1.36	1050	2.15
ZZ01136		7.39	45.8	7.05	13.85	0.18	0.06	0.09	0.070	0.27	35.2	32.5	2.84	1350	0.63
ZZ01137		2.45	36.7	5.29	10.85	0.11	0.04	0.05	0.043	0.08	21.9	31.2	2.38	1030	0.55
ZZ01138		5.65	49.6	6.13	13.95	0.13	0.04	0.03	0.026	0.69	24.2	44.5	2.89	1580	0.51
ZZ01139		3.12	53.5	5.08	10.95	0.10	0.06	0.07	0.044	0.07	22.4	35.3	2.39	1230	1.70
ZZ01140		4.25	77.4	5.93	11.95	0.21	0.05	0.02	0.037	0.47	23.7	32.4	2.44	1320	0.74
ZZ01141		3.36	79.8	4.49	8.79	0.12	0.03	0.07	0.034	0.23	26.8	24.9	1.61	1350	1.63
ZZ01142		1.08	46.6	3.26	6.66	0.06	<0.02	0.06	0.031	0.08	18.2	14.5	0.87	366	1.42
ZZ01143		3.03	50.0	5.14	11.10	0.10	0.05	0.13	0.052	0.06	30.7	30.0	2.23	1100	2.42
ZZ01144		1.00	51.5	3.98	6.40	0.08	<0.02	0.08	0.036	0.07	29.1	13.9	0.74	388	7.07
ZZ01145		1.27	63.5	4.16	5.67	0.07	<0.02	0.12	0.025	0.07	28.5	16.0	0.79	614	7.85
ZZ01146		1.30	38.6	3.46	5.91	0.06	<0.02	0.05	0.019	0.06	15.4	18.8	0.44	270	3.52
ZZ01147		0.91	48.8	3.49	4.93	0.09	<0.02	0.18	0.034	0.07	32.9	11.8	0.36	314	11.25
ZZ01148		0.95	123.5	1.56	3.41	0.07	0.02	0.22	0.026	0.04	15.9	12.9	0.15	130	1.14
ZZ01149		0.73	25.9	3.42	5.80	0.05	<0.02	0.02	0.018	0.05	19.7	9.9	0.28	337	4.03
ZZ01150		2.06	98.7	3.17	5.14	0.06	0.04	0.11	0.023	0.05	18.3	36.6	0.48	897	1.34
ZZ01151		0.95	49.5	3.20	4.92	0.06	<0.02	0.04	0.016	0.05	18.4	20.4	0.38	446	2.45
ZZ01152		1.03	78.7	4.54	5.02	0.06	0.03	0.09	0.035	0.06	17.0	28.3	0.50	707	8.34
ZZ01153		0.99	13.7	1.96	5.68	0.05	<0.02	0.02	0.013	0.06	14.0	11.8	0.19	312	1.03
ZZ01154		1.57	76.9	4.54	7.33	0.09	0.06	0.07	0.043	0.07	19.2	31.6	0.74	567	2.46
ZZ01155		0.99	49.3	3.38	5.58	0.08	<0.02	0.06	0.029	0.06	15.7	20.2	0.44	1260	2.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01075		0.30	39.8	870	16.7	8.0	<0.001	0.04	1.04	1.0	1.2	0.3	15.3	<0.01	0.16
ZZ01076		0.12	38.8	1250	43.8	5.2	0.001	0.14	3.52	1.1	4.9	0.2	61.8	<0.01	0.26
ZZ01077		0.65	44.3	930	22.5	8.0	<0.001	0.04	1.46	1.8	1.5	0.3	18.0	<0.01	0.26
ZZ01078		0.35	26.1	800	12.5	15.9	<0.001	0.05	0.84	0.8	0.8	0.3	33.9	<0.01	0.11
ZZ01079		1.08	28.4	720	15.0	11.4	0.001	0.03	1.29	1.9	1.2	0.4	16.8	<0.01	0.13
ZZ01080		0.72	27.7	1160	28.5	16.0	<0.001	0.10	1.67	1.3	1.4	0.4	49.6	<0.01	0.27
ZZ01081		1.18	28.3	810	20.3	11.4	<0.001	0.03	1.18	2.6	0.9	0.5	21.3	<0.01	0.12
ZZ01123		1.23	28.1	900	29.1	8.1	<0.001	0.04	1.09	2.1	0.8	0.4	17.4	<0.01	0.10
ZZ01124		1.89	35.0	810	24.9	4.8	<0.001	0.03	1.01	1.6	1.0	0.3	12.8	0.01	0.10
ZZ01125		1.08	33.1	1130	22.6	7.0	<0.001	0.03	0.85	1.6	0.7	0.3	22.8	<0.01	0.09
ZZ01126		5.40	61.1	3110	9.4	7.5	<0.001	0.04	0.47	8.7	0.9	0.4	97.7	0.01	0.01
ZZ01127		6.83	82.7	2340	7.1	8.0	<0.001	0.04	0.51	4.0	0.6	0.4	86.4	0.01	0.03
ZZ01128		5.60	62.9	2100	13.7	11.5	0.001	0.02	0.78	8.7	1.0	0.7	67.3	0.01	0.06
ZZ01129		6.39	41.7	2380	10.4	25.1	<0.001	0.05	0.83	9.8	0.8	0.6	86.8	0.01	0.04
ZZ01130		8.20	47.0	2480	15.2	50.9	<0.001	0.06	0.49	18.5	0.4	0.7	160.0	0.01	0.02
ZZ01131		2.03	64.2	3660	18.8	24.1	<0.001	0.08	1.32	6.4	3.0	0.2	106.5	0.01	0.08
ZZ01132		4.57	58.6	2830	26.2	86.1	0.001	0.05	0.72	15.0	1.1	0.5	154.0	<0.01	0.04
ZZ01133		4.67	51.1	2840	7.6	46.9	<0.001	0.04	0.63	19.1	0.8	0.6	117.5	0.01	0.04
ZZ01134		4.84	56.2	2290	45.5	23.8	<0.001	0.05	1.56	10.5	1.0	0.7	61.6	0.01	0.05
ZZ01135		2.97	33.8	1360	15.5	15.6	0.001	0.08	0.88	3.6	1.5	0.5	71.9	<0.01	0.08
ZZ01136		8.50	74.7	2550	74.7	19.2	<0.001	0.06	3.96	16.3	1.0	0.7	107.0	0.01	0.02
ZZ01137		6.16	65.4	1660	33.2	9.2	<0.001	0.07	1.14	9.5	1.0	0.5	103.5	0.01	0.02
ZZ01138		9.19	54.4	2650	12.4	49.5	0.001	0.05	1.02	7.8	0.6	0.5	151.0	0.01	0.01
ZZ01139		7.45	54.9	1860	10.1	11.7	0.001	0.08	0.55	10.1	1.8	0.4	123.0	0.01	0.03
ZZ01140		6.06	59.7	1220	13.0	59.2	<0.001	0.04	0.40	11.7	0.8	0.5	59.8	0.01	0.06
ZZ01141		5.02	46.5	1210	15.0	44.7	0.002	0.08	0.49	7.0	2.3	0.4	94.0	0.01	0.05
ZZ01142		3.14	25.7	860	16.5	13.6	<0.001	0.05	0.50	3.6	0.9	0.4	35.4	<0.01	0.04
ZZ01143		7.24	70.5	2100	11.6	9.5	0.002	0.08	0.57	9.2	2.2	0.4	125.5	0.01	0.04
ZZ01144		1.30	38.6	1150	15.9	9.6	<0.001	0.09	1.34	1.4	2.6	0.4	32.4	<0.01	0.12
ZZ01145		1.47	66.0	1160	12.4	11.2	<0.001	0.05	1.89	2.5	1.9	0.3	49.6	<0.01	0.07
ZZ01146		1.22	25.3	720	15.3	11.9	<0.001	0.05	1.04	1.7	0.6	0.5	33.3	<0.01	0.07
ZZ01147		1.43	37.0	900	16.6	10.9	0.001	0.07	2.79	1.9	2.0	0.4	50.8	<0.01	0.10
ZZ01148		0.64	21.0	1070	14.6	5.5	0.002	0.07	0.30	1.6	2.5	0.3	73.2	<0.01	0.07
ZZ01149		1.80	19.3	690	15.9	6.6	<0.001	0.03	1.01	1.3	0.7	0.5	32.7	<0.01	0.08
ZZ01150		0.57	28.3	2820	39.8	9.1	0.001	0.03	0.51	1.9	1.5	0.3	55.4	<0.01	0.14
ZZ01151		1.13	26.5	1030	16.9	8.6	<0.001	0.04	1.00	1.2	0.9	0.4	24.8	<0.01	0.08
ZZ01152		2.20	50.0	630	23.6	10.0	<0.001	0.04	1.57	2.8	2.2	0.4	20.6	0.01	0.12
ZZ01153		0.24	9.8	1070	14.9	10.8	<0.001	<0.01	0.20	0.5	0.4	0.5	12.5	<0.01	0.04
ZZ01154		1.39	49.9	590	25.5	14.7	<0.001	<0.01	0.87	4.6	1.0	0.7	16.7	0.01	0.07
ZZ01155		0.97	31.0	720	13.6	11.4	<0.001	<0.01	0.62	2.4	0.7	0.5	12.5	<0.01	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ01075		0.019	0.08	1.59	26	0.12	3.30	122
ZZ01076		0.007	0.11	2.13	15	0.17	5.26	166
ZZ01077		0.016	0.06	1.97	22	0.16	3.66	119
ZZ01078		0.017	0.09	0.99	28	0.14	2.91	67
ZZ01079		0.033	0.11	0.92	41	0.26	3.38	87
ZZ01080		0.022	0.22	2.42	38	0.18	9.35	61
ZZ01081		0.032	0.15	0.85	47	0.23	3.56	86
ZZ01123		0.048	0.12	1.12	46	0.24	4.21	76
ZZ01124		0.061	0.05	1.27	35	0.12	3.67	90
ZZ01125		0.035	0.05	1.35	34	0.14	5.04	90
ZZ01126		0.257	0.07	0.64	149	0.25	8.39	91
ZZ01127		0.304	0.06	0.70	119	0.23	6.37	81
ZZ01128		0.368	0.09	1.34	159	0.27	9.86	116
ZZ01129		0.304	0.10	1.18	148	0.19	11.40	122
ZZ01130		0.292	0.12	0.42	220	0.10	9.41	96
ZZ01131		0.075	0.36	2.81	67	0.09	32.6	180
ZZ01132		0.292	0.44	1.69	210	0.07	15.90	155
ZZ01133		0.401	0.21	0.59	211	0.22	9.78	104
ZZ01134		0.311	0.19	1.15	149	0.22	11.30	129
ZZ01135		0.129	0.15	1.51	88	0.19	8.41	94
ZZ01136		0.341	0.10	0.51	192	0.10	13.30	145
ZZ01137		0.213	0.09	0.67	138	0.17	10.05	112
ZZ01138		0.331	0.11	0.51	155	0.24	8.53	113
ZZ01139		0.211	0.15	1.37	135	0.18	10.90	100
ZZ01140		0.282	0.26	0.39	120	0.15	8.50	93
ZZ01141		0.149	0.31	1.23	86	0.26	11.25	88
ZZ01142		0.089	0.09	0.99	71	0.37	8.26	69
ZZ01143		0.196	0.14	0.83	141	0.14	10.00	107
ZZ01144		0.040	0.14	0.90	60	0.10	4.13	156
ZZ01145		0.046	0.18	1.19	59	0.12	6.97	234
ZZ01146		0.040	0.16	0.74	58	0.17	2.60	89
ZZ01147		0.040	0.18	1.98	52	0.16	5.27	167
ZZ01148		0.013	0.08	3.44	27	0.10	17.05	34
ZZ01149		0.045	0.09	0.54	53	0.16	2.05	72
ZZ01150		0.015	0.08	8.36	42	0.09	16.40	102
ZZ01151		0.034	0.06	0.78	39	0.14	3.07	80
ZZ01152		0.040	0.11	1.68	50	0.19	3.92	153
ZZ01153		0.014	0.13	0.46	39	0.11	1.71	42
ZZ01154		0.047	0.18	1.52	67	0.25	5.80	135
ZZ01155		0.033	0.10	0.90	46	0.17	4.65	94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01156		0.18	0.004	0.43	1.72	24.4	<0.2	<10	290	0.41	0.34	0.33	0.41	30.0	17.0	32
ZZ01157		0.18	0.005	0.15	2.08	23.6	<0.2	<10	660	0.69	0.31	0.59	0.47	37.5	16.1	37
ZZ01158		0.28	0.004	0.14	1.47	16.6	<0.2	<10	310	0.44	0.24	0.40	0.34	34.4	9.9	31
ZZ01159		0.24	0.010	0.37	1.53	18.3	<0.2	<10	200	0.29	0.34	0.06	0.26	29.5	7.6	30
ZZ01160		0.28	0.006	0.49	1.88	21.6	<0.2	<10	210	0.47	0.29	0.09	0.49	34.5	12.4	33
ZZ01161		0.16	0.004	0.21	1.37	19.1	<0.2	<10	180	0.31	0.29	0.04	0.23	33.6	7.4	26
ZZ01162		0.30	0.004	0.12	1.41	19.3	<0.2	<10	220	0.29	0.26	0.10	0.20	33.6	9.3	26
ZZ01163		0.20	0.012	0.30	1.27	22.2	<0.2	<10	300	0.30	0.27	0.12	0.41	32.1	11.1	23
ZZ01164		0.26	0.006	0.15	1.47	28.1	<0.2	<10	190	0.33	0.28	0.08	0.23	29.9	11.7	24
ZZ01165		0.24	0.003	0.20	1.27	21.0	<0.2	<10	140	0.21	0.26	0.10	0.27	25.7	10.5	22
ZZ01166		0.28	0.002	0.07	1.10	25.8	<0.2	<10	150	0.19	0.24	0.07	0.25	22.8	10.2	21
ZZ01167		0.26	0.014	0.46	1.52	55.3	<0.2	<10	260	0.28	0.40	0.07	0.53	31.2	17.5	23
ZZ01168		0.24	0.004	0.23	1.05	30.1	<0.2	<10	240	0.24	0.24	0.10	0.69	24.2	12.1	18
ZZ01169		0.26	0.003	0.11	0.79	24.9	<0.2	<10	180	0.18	0.20	0.22	0.31	19.05	18.5	14
ZZ01170		0.28	0.003	0.14	1.06	22.2	<0.2	<10	140	0.24	0.29	0.10	0.40	27.5	10.2	21
ZZ01171		0.34	0.004	1.00	0.89	66.9	<0.2	<10	1200	0.58	0.24	0.79	6.21	27.1	12.2	29
ZZ01172		0.34	0.003	1.89	0.92	72.5	<0.2	<10	1220	0.65	0.26	1.13	13.35	25.8	13.7	53
ZZ01173		0.38	0.001	1.59	0.82	66.9	<0.2	<10	1150	0.59	0.23	1.74	8.35	22.9	11.4	55
ZZ01174		0.34	0.002	0.52	0.88	30.6	<0.2	<10	1010	0.46	0.19	1.16	2.53	28.0	12.7	29
ZZ01175		0.40	0.005	0.61	0.92	26.1	<0.2	<10	840	0.57	0.25	0.86	4.50	26.0	16.8	25
ZZ01176		0.30	0.005	0.65	0.88	26.5	<0.2	<10	730	0.50	0.31	0.85	3.75	25.2	16.5	24
ZZ01177		0.30	0.003	0.55	0.85	24.2	<0.2	<10	730	0.51	0.25	1.09	3.59	21.2	16.9	24
ZZ01178		0.32	0.003	0.56	0.89	28.0	<0.2	<10	750	0.52	0.27	1.17	3.82	22.5	18.5	26
ZZ01179		0.28	0.003	0.54	0.84	19.4	<0.2	<10	480	0.56	0.34	0.63	4.80	21.2	20.7	19
ZZ01180		0.32	0.003	0.49	0.78	26.2	<0.2	<10	580	0.53	0.28	0.71	6.15	20.2	21.6	19
ZZ01181		0.40	0.003	0.79	1.11	23.9	<0.2	<10	280	0.60	0.34	0.45	1.69	19.65	15.4	25
ZZ01182		0.30	0.001	0.12	1.21	7.9	<0.2	<10	160	0.68	0.43	0.64	0.29	17.55	18.0	22
ZZ01241		0.38	0.001	0.10	1.04	14.3	<0.2	<10	60	0.15	0.22	0.68	0.17	26.5	12.0	18
ZZ01242		0.28	0.036	0.22	1.14	22.3	<0.2	<10	130	0.33	0.49	0.30	0.75	38.8	18.1	18
ZZ01243		0.30	0.003	0.16	1.38	14.1	<0.2	<10	60	0.20	0.28	0.23	0.09	20.7	16.3	18
ZZ01244		0.32	0.013	0.80	2.04	37.2	<0.2	<10	280	0.19	0.58	0.12	1.64	33.7	28.4	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01156		2.06	85.4	3.80	6.03	0.09	<0.02	0.06	0.029	0.10	16.2	23.0	0.65	1090	3.29
ZZ01157		1.49	76.1	3.91	6.21	0.10	0.04	0.09	0.036	0.10	21.1	22.4	0.76	1420	2.50
ZZ01158		0.92	47.2	3.33	4.56	0.09	0.04	0.05	0.027	0.06	18.6	18.2	0.61	501	2.11
ZZ01159		1.51	49.5	3.33	5.85	0.08	<0.02	0.04	0.028	0.07	15.0	15.6	0.48	466	3.81
ZZ01160		1.35	60.4	3.90	5.37	0.09	0.05	0.06	0.030	0.07	17.5	24.8	0.50	842	4.23
ZZ01161		1.35	45.6	3.09	5.01	0.08	<0.02	0.04	0.023	0.06	17.3	13.8	0.36	504	4.01
ZZ01162		1.09	56.2	3.39	4.46	0.09	<0.02	0.03	0.027	0.06	15.7	13.7	0.46	709	2.68
ZZ01163		1.36	75.5	3.50	4.24	0.09	<0.02	0.08	0.028	0.07	15.4	12.8	0.42	908	4.36
ZZ01164		1.22	62.5	3.24	4.68	0.08	0.02	0.04	0.025	0.06	15.3	16.5	0.41	1120	3.22
ZZ01165		1.25	40.9	2.98	5.02	0.07	<0.02	0.03	0.022	0.05	13.6	13.9	0.37	998	2.70
ZZ01166		1.09	45.6	3.63	4.52	0.07	<0.02	0.02	0.021	0.06	11.6	11.2	0.37	1440	2.60
ZZ01167		1.31	146.0	4.41	4.15	0.10	0.04	0.06	0.033	0.07	16.9	16.7	0.46	853	6.30
ZZ01168		0.80	59.1	2.80	3.72	0.07	0.02	0.05	0.021	0.05	12.9	9.5	0.25	1940	2.97
ZZ01169		0.80	61.3	2.66	2.65	0.07	0.03	0.02	0.016	0.05	9.5	10.2	0.31	2770	2.92
ZZ01170		0.89	39.1	3.03	5.01	0.07	<0.02	0.03	0.022	0.05	14.0	9.7	0.28	1120	2.31
ZZ01171		0.72	66.0	3.33	2.93	0.09	0.03	0.24	0.076	0.07	15.4	13.2	0.47	906	7.79
ZZ01172		0.91	92.3	3.30	3.35	0.11	0.03	0.50	0.077	0.10	15.8	11.0	0.57	1660	16.90
ZZ01173		0.95	90.5	2.99	3.25	0.11	0.04	0.27	0.084	0.10	14.2	9.9	0.91	821	19.70
ZZ01174		0.68	54.6	3.23	3.04	0.08	0.06	0.15	0.034	0.08	15.2	11.4	0.65	615	5.50
ZZ01175		0.85	69.3	4.19	2.94	0.09	0.04	0.17	0.031	0.07	13.7	16.3	0.57	1470	4.84
ZZ01176		0.73	70.6	4.25	2.82	0.08	0.03	0.19	0.030	0.06	13.4	15.5	0.55	1140	5.15
ZZ01177		0.87	66.4	4.37	2.79	0.09	0.05	0.16	0.027	0.05	11.3	15.8	0.68	1120	4.38
ZZ01178		1.02	73.9	5.02	2.92	0.10	0.06	0.16	0.031	0.05	11.9	18.3	0.77	1240	4.64
ZZ01179		1.25	71.3	5.58	2.56	0.10	0.07	0.20	0.028	0.05	10.5	17.6	0.39	1380	2.21
ZZ01180		1.16	71.6	7.54	2.46	0.12	0.08	0.17	0.026	0.05	10.2	14.8	0.38	2180	4.42
ZZ01181		2.22	102.0	6.41	3.61	0.12	0.09	0.16	0.035	0.04	10.0	24.0	0.48	866	3.10
ZZ01182		2.97	50.8	3.95	3.88	0.08	0.08	0.07	0.021	0.04	8.1	33.1	0.58	854	0.95
ZZ01241		0.53	25.5	2.70	3.22	0.08	0.04	0.02	0.011	0.04	14.3	24.0	0.57	789	0.74
ZZ01242		2.14	89.4	5.16	3.73	0.11	0.03	0.03	0.027	0.06	20.2	18.3	0.34	1720	6.37
ZZ01243		0.77	36.1	3.61	3.90	0.08	0.04	0.02	0.016	0.04	10.5	35.9	0.61	700	1.25
ZZ01244		7.07	258	6.95	5.36	0.15	0.14	0.05	0.032	0.32	17.3	26.4	0.99	406	8.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 22- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01156		0.37	36.7	1830	22.4	16.9	<0.001	0.02	0.83	1.1	1.1	0.4	51.5	<0.01	0.10
ZZ01157		0.84	38.9	1240	18.4	13.8	<0.001	0.01	0.91	3.1	1.3	0.4	38.4	0.01	0.10
ZZ01158		1.05	33.7	1060	14.4	10.8	<0.001	<0.01	0.91	3.2	0.9	0.3	30.2	<0.01	0.06
ZZ01159		0.70	27.4	710	16.5	13.3	<0.001	<0.01	1.20	2.0	1.2	0.5	18.3	<0.01	0.09
ZZ01160		1.32	35.1	780	15.7	13.7	<0.001	<0.01	1.03	3.0	1.3	0.4	23.3	<0.01	0.10
ZZ01161		0.71	23.7	720	16.3	13.0	<0.001	<0.01	0.88	1.6	1.0	0.4	18.3	<0.01	0.10
ZZ01162		0.81	29.2	770	14.5	8.9	<0.001	0.01	1.13	1.9	0.9	0.4	21.5	<0.01	0.09
ZZ01163		0.41	36.1	1100	16.2	10.3	<0.001	0.03	1.74	1.1	1.5	0.3	28.1	<0.01	0.12
ZZ01164		0.39	29.4	980	14.1	11.5	<0.001	<0.01	0.87	1.6	0.9	0.4	24.9	<0.01	0.10
ZZ01165		0.30	23.8	1150	13.1	10.2	<0.001	<0.01	0.66	0.9	0.7	0.4	23.3	<0.01	0.07
ZZ01166		0.59	28.3	890	12.4	10.0	<0.001	<0.01	0.71	1.5	0.6	0.3	18.9	<0.01	0.08
ZZ01167		0.72	54.5	950	24.2	12.4	<0.001	0.03	1.50	3.2	2.1	0.3	32.1	<0.01	0.17
ZZ01168		0.23	32.5	1160	12.6	10.1	<0.001	0.01	0.68	0.8	1.0	0.3	22.3	<0.01	0.09
ZZ01169		0.46	39.5	940	11.8	8.1	<0.001	<0.01	0.66	1.8	1.0	0.2	48.0	<0.01	0.09
ZZ01170		0.24	22.3	970	13.8	10.7	<0.001	<0.01	0.72	0.7	0.8	0.4	18.2	<0.01	0.07
ZZ01171		0.40	127.0	1920	101.0	8.1	0.003	0.01	8.43	3.4	3.6	0.5	105.0	<0.01	0.08
ZZ01172		0.34	234	3490	103.0	10.2	0.004	0.03	12.65	4.3	7.0	1.9	153.5	<0.01	0.10
ZZ01173		0.41	150.0	3280	86.4	10.1	0.017	0.04	11.55	4.6	8.0	2.2	170.0	0.01	0.09
ZZ01174		0.68	56.0	1820	44.1	7.1	0.003	<0.01	3.39	4.0	2.6	0.3	98.1	<0.01	0.06
ZZ01175		0.40	105.0	1300	39.9	6.8	0.002	<0.01	2.93	3.9	2.2	0.3	77.6	<0.01	0.07
ZZ01176		0.34	89.7	1320	39.5	6.1	0.001	<0.01	3.12	3.7	2.2	0.2	77.6	<0.01	0.06
ZZ01177		0.36	92.6	1340	40.0	5.7	0.001	<0.01	2.65	3.7	2.0	0.2	73.6	<0.01	0.06
ZZ01178		0.37	101.5	1350	36.5	5.5	0.001	<0.01	2.88	4.0	2.1	0.2	72.8	<0.01	0.06
ZZ01179		0.24	125.5	880	28.6	6.1	0.001	<0.01	1.52	3.9	1.6	0.2	52.2	<0.01	0.05
ZZ01180		0.29	162.5	900	27.7	5.6	0.001	0.02	2.14	3.7	1.8	0.2	62.3	0.01	0.06
ZZ01181		0.24	51.9	1030	30.3	4.7	0.001	0.05	2.96	4.2	2.7	0.2	34.2	<0.01	0.06
ZZ01182		0.20	37.4	660	34.4	5.4	<0.001	<0.01	0.47	3.5	0.5	0.2	35.0	<0.01	0.04
ZZ01241		0.45	32.4	1220	14.5	4.8	<0.001	0.01	0.37	1.7	0.7	<0.2	43.2	<0.01	0.12
ZZ01242		0.36	50.6	2390	30.3	8.8	<0.001	<0.01	1.05	1.7	1.4	0.2	44.7	<0.01	0.12
ZZ01243		0.18	37.2	750	15.9	5.6	<0.001	<0.01	0.30	1.8	0.5	<0.2	26.6	<0.01	0.07
ZZ01244		0.43	120.5	1380	33.3	45.8	<0.001	0.16	1.81	2.5	2.7	0.2	160.5	<0.01	0.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 22- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135386

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01156		0.025	0.16	2.84	55	0.13	6.88	110	<0.5
ZZ01157		0.027	0.13	1.93	52	0.15	14.40	117	0.7
ZZ01158		0.036	0.10	1.14	42	0.14	7.62	107	0.9
ZZ01159		0.036	0.16	1.26	56	0.16	3.73	89	<0.5
ZZ01160		0.038	0.14	1.44	48	0.16	4.84	106	1.4
ZZ01161		0.031	0.14	1.43	44	0.14	4.22	76	<0.5
ZZ01162		0.038	0.10	1.37	46	0.25	5.01	91	<0.5
ZZ01163		0.025	0.13	1.98	43	0.18	6.11	113	<0.5
ZZ01164		0.026	0.11	2.20	41	0.16	5.68	93	<0.5
ZZ01165		0.026	0.11	1.47	45	0.13	4.05	83	<0.5
ZZ01166		0.037	0.08	0.93	41	0.12	2.33	104	<0.5
ZZ01167		0.035	0.12	3.22	36	0.12	9.31	157	1.0
ZZ01168		0.020	0.09	1.90	34	0.13	6.92	98	<0.5
ZZ01169		0.029	0.07	1.14	24	0.07	4.65	104	0.9
ZZ01170		0.020	0.10	0.90	46	0.17	3.73	84	<0.5
ZZ01171		0.011	0.22	3.28	134	0.23	12.50	1030	0.7
ZZ01172		0.013	0.48	4.56	292	0.20	20.2	1360	0.6
ZZ01173		0.015	0.48	4.74	363	0.22	20.2	1060	1.6
ZZ01174		0.021	0.19	1.61	105	0.10	12.35	270	2.2
ZZ01175		0.013	0.17	1.60	67	0.07	11.85	405	1.0
ZZ01176		0.011	0.16	1.81	66	0.13	11.65	380	0.7
ZZ01177		0.011	0.16	1.56	67	0.06	11.15	363	1.5
ZZ01178		0.011	0.19	1.92	70	0.07	12.05	381	2.0
ZZ01179		0.006	0.13	1.40	36	0.08	11.50	456	2.1
ZZ01180		0.008	0.15	1.98	38	<0.05	11.10	610	2.4
ZZ01181		0.007	0.13	2.20	38	0.06	11.10	258	2.6
ZZ01182		0.006	0.04	0.81	25	<0.05	7.86	103	2.6
ZZ01241		0.016	0.03	0.76	15	<0.05	5.19	82	1.3
ZZ01242		0.017	0.06	3.66	24	0.06	10.15	154	0.6
ZZ01243		0.008	0.03	0.89	13	<0.05	3.85	93	1.1
ZZ01244		0.095	0.48	4.46	49	<0.05	7.14	438	8.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11135386

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23- AUG- 2011
Account: MTT

CERTIFICATE WH11135387

Project: Midas Touch- Staff

P.O. No.:

This report is for 18 Silt samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135387

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00107		0.26	0.004	0.31	1.31	13.0	<0.2	<10	280	0.34	0.20	3.09	0.88	34.1	15.0	48
ZZ00108		0.28	0.003	0.25	1.27	13.2	<0.2	<10	250	0.35	0.20	3.40	0.92	32.0	15.4	49
ZZ00109		0.22	0.005	0.43	1.31	19.0	<0.2	<10	280	0.35	0.28	1.56	1.91	30.3	15.5	32
ZZ00110		0.30	0.003	0.29	1.37	16.5	<0.2	<10	340	0.42	0.23	2.09	1.10	30.5	15.6	51
ZZ00111		0.40	0.002	0.22	1.29	13.0	<0.2	<10	240	0.41	0.19	4.79	0.80	28.4	12.4	40
ZZ00112		0.30	0.004	0.29	1.52	14.4	<0.2	<10	280	0.44	0.20	2.89	1.08	34.3	16.6	58
ZZ00113		0.26	0.005	0.25	1.55	15.7	<0.2	<10	330	0.45	0.18	1.74	0.97	31.9	17.2	52
ZZ00114		0.22	0.004	0.27	2.14	20.8	<0.2	<10	500	0.68	0.14	1.63	1.21	41.6	26.0	94
ZZ00115		0.30	0.004	0.13	2.52	14.3	<0.2	<10	390	0.56	0.08	1.79	0.63	53.6	24.3	111
ZZ00116		0.28	0.003	0.16	1.82	13.0	<0.2	<10	250	0.49	0.12	2.31	0.45	47.2	19.1	73
ZZ00456		0.16	0.003	0.16	1.14	14.3	<0.2	<10	90	0.49	0.28	1.13	0.35	24.7	12.5	24
ZZ00457		0.28	0.009	0.16	1.11	14.3	<0.2	<10	90	0.43	0.28	1.06	0.30	25.1	14.3	21
ZZ00458		0.30	0.002	0.29	1.26	22.9	<0.2	<10	90	0.59	0.31	1.07	0.35	35.5	15.9	26
ZZ00459		0.28	0.010	0.21	1.37	28.4	<0.2	<10	80	0.73	0.36	0.74	0.39	40.1	17.2	29
ZZ00460		0.24	0.003	0.19	1.48	27.3	<0.2	<10	80	0.75	0.38	0.79	0.34	41.6	18.2	30
ZZ00461		0.38	0.002	0.17	1.40	29.0	<0.2	<10	70	0.72	0.38	0.65	0.28	41.5	18.5	33
ZZ01245		0.24	0.003	0.20	1.40	14.8	<0.2	<10	130	0.62	0.33	0.72	0.33	29.0	13.8	29
ZZ01246		0.26	0.002	0.17	1.08	22.0	<0.2	<10	110	0.53	0.30	1.59	0.48	29.1	15.4	27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135387

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00107		0.87	41.8	3.11	4.55	0.09	0.05	0.07	0.037	0.08	17.6	14.4	2.22	697	1.63
ZZ00108		0.90	45.5	3.13	4.50	0.08	0.05	0.06	0.029	0.09	16.6	14.1	2.49	682	1.61
ZZ00109		1.59	70.2	2.99	4.19	0.08	0.04	0.11	0.035	0.10	15.0	14.4	1.31	888	2.06
ZZ00110		1.20	52.8	3.10	4.40	0.08	0.05	0.08	0.028	0.10	15.1	14.8	1.70	1190	1.89
ZZ00111		0.80	30.2	2.75	4.13	0.06	0.06	0.04	0.035	0.07	14.0	15.0	3.13	566	1.38
ZZ00112		1.38	52.4	3.26	5.17	0.08	0.05	0.07	0.030	0.10	17.1	16.9	2.37	758	1.48
ZZ00113		1.13	46.9	3.63	5.40	0.09	0.07	0.07	0.031	0.10	15.6	17.1	1.40	952	1.57
ZZ00114		2.04	61.0	4.33	8.42	0.13	0.06	0.07	0.040	0.13	20.7	23.8	1.99	1660	1.70
ZZ00115		1.69	32.8	5.10	10.20	0.18	0.08	0.04	0.032	0.14	26.3	27.8	2.50	1340	1.48
ZZ00116		1.19	32.9	3.65	7.26	0.14	0.07	0.04	0.034	0.09	23.0	21.4	2.20	642	0.92
ZZ00456		2.43	45.3	2.59	3.38	0.08	0.05	0.06	0.025	0.04	15.1	22.3	0.46	579	1.04
ZZ00457		1.23	40.5	2.74	3.32	0.06	0.05	0.05	0.025	0.04	12.6	18.4	0.42	391	0.96
ZZ00458		3.55	53.3	3.00	3.92	0.09	0.06	0.04	0.024	0.04	22.1	26.9	0.61	892	1.27
ZZ00459		6.01	69.1	3.13	4.38	0.11	0.07	0.05	0.027	0.05	28.6	31.9	0.53	909	1.56
ZZ00460		5.65	67.0	3.22	4.68	0.11	0.06	0.05	0.027	0.04	27.7	35.2	0.54	902	1.45
ZZ00461		5.02	75.4	3.38	4.71	0.11	0.06	0.04	0.027	0.03	26.9	36.4	0.58	823	1.94
ZZ01245		3.19	54.7	2.91	4.48	0.08	0.07	0.06	0.032	0.05	15.3	26.8	0.57	1180	1.40
ZZ01246		2.53	56.0	2.97	3.41	0.09	0.06	0.06	0.025	0.04	17.6	22.9	0.69	1000	1.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23- AUG- 2011
Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135387

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ00107		2.52	48.6	1590	30.1	10.5	0.001	0.03	1.30	3.8	1.6	0.5	61.0	0.01	0.04	2.3
ZZ00108		2.43	52.6	1590	21.5	11.4	<0.001	<0.01	1.32	3.7	1.4	0.3	66.6	<0.01	0.04	2.6
ZZ00109		1.02	86.5	1380	21.4	16.0	0.001	0.09	1.84	3.1	1.8	0.3	73.1	0.01	0.07	1.7
ZZ00110		1.78	67.7	1580	19.9	11.7	0.001	0.07	1.64	3.7	1.3	0.3	66.6	0.01	0.05	2.1
ZZ00111		1.74	36.4	1380	27.0	9.0	<0.001	0.03	1.69	4.0	0.6	0.4	41.2	0.01	0.03	2.5
ZZ00112		3.05	62.2	1780	18.9	11.3	0.001	0.07	1.65	4.3	1.5	0.4	70.2	0.01	0.05	2.4
ZZ00113		3.36	48.3	1910	18.7	12.1	0.002	0.09	1.41	4.0	1.9	0.4	62.0	0.01	0.04	2.4
ZZ00114		4.31	72.0	2670	14.9	16.6	0.002	0.11	1.23	6.7	1.8	0.4	90.9	0.01	0.04	2.6
ZZ00115		5.97	60.7	3920	9.9	14.8	0.002	0.05	0.95	5.5	1.1	0.5	112.5	0.01	0.03	3.4
ZZ00116		4.95	46.7	2760	14.6	11.2	0.001	0.06	1.05	4.9	1.1	0.4	85.5	0.01	0.02	3.3
ZZ00456		0.49	30.1	970	16.3	8.2	<0.001	0.08	0.74	2.6	1.4	0.3	79.3	<0.01	0.05	1.6
ZZ00457		0.50	32.1	930	16.9	6.7	<0.001	0.07	0.95	2.6	0.8	0.3	62.7	<0.01	0.05	1.6
ZZ00458		0.43	35.7	980	18.4	7.0	0.001	0.06	0.77	3.2	1.4	0.3	66.2	0.01	0.06	2.8
ZZ00459		0.40	37.8	1000	19.4	8.0	0.001	0.07	0.61	3.5	1.6	0.4	59.3	0.01	0.06	3.4
ZZ00460		0.43	39.2	1010	20.1	8.0	0.001	0.07	0.62	3.7	1.4	0.3	78.5	0.01	0.07	3.4
ZZ00461		0.38	41.3	900	19.7	6.6	0.004	0.07	0.58	3.3	1.4	0.4	50.1	0.01	0.07	3.1
ZZ01245		0.58	33.0	1120	18.6	10.2	0.001	0.06	0.78	3.4	0.9	0.4	61.3	0.01	0.06	1.8
ZZ01246		0.47	35.5	990	19.6	7.0	0.002	0.07	0.90	2.9	1.8	0.8	82.2	<0.01	0.06	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- AUG- 2011
 Account: MTT

Project: Midas Touch- Staff

CERTIFICATE OF ANALYSIS WH11135387

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
ZZ00107		0.091	0.14	1.24	51	0.21	10.80	137
ZZ00108		0.093	0.14	1.23	52	0.27	10.45	146
ZZ00109		0.049	0.19	2.09	39	0.26	10.45	262
ZZ00110		0.074	0.19	1.66	51	0.27	9.99	173
ZZ00111		0.074	0.16	0.87	48	0.33	10.50	147
ZZ00112		0.115	0.16	1.38	59	0.24	10.25	168
ZZ00113		0.110	0.14	1.45	63	0.28	9.33	140
ZZ00114		0.162	0.22	2.25	94	0.15	11.10	172
ZZ00115		0.221	0.14	1.11	105	0.18	10.40	151
ZZ00116		0.163	0.12	1.11	76	0.41	10.30	111
ZZ00456		0.021	0.06	2.05	26	0.23	8.69	122
ZZ00457		0.021	0.06	2.42	27	0.25	8.32	105
ZZ00458		0.022	0.07	2.53	29	0.23	10.50	129
ZZ00459		0.022	0.05	3.50	28	0.14	11.50	113
ZZ00460		0.023	0.06	3.40	30	0.13	12.10	115
ZZ00461		0.024	0.05	5.42	31	0.15	10.30	92
ZZ01245		0.025	0.09	2.70	38	0.16	11.15	110
ZZ01246		0.020	0.06	2.46	26	0.15	9.31	127



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch- Staff

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23- AUG- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11135387

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9- SEP- 2011
Account: MTT

CERTIFICATE WH11152104

Project: Midas Touch - STAFF

P.O. No.:

This report is for 86 Silt samples submitted to our lab in Whitehorse, YT, Canada on 6- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ00711		0.46	0.007	0.48	1.25	12.4	<0.2	<10	200	0.23	0.32	0.31	0.69	32.1	16.7	20
ZZ00712		0.46	0.005	0.14	1.32	14.5	<0.2	<10	130	0.34	0.36	0.19	0.20	23.9	13.6	22
ZZ00713		0.54	0.005	0.21	1.17	13.8	<0.2	<10	100	0.24	0.37	0.13	0.32	34.5	21.3	20
ZZ00714		0.42	0.005	0.32	1.42	13.2	<0.2	<10	360	0.47	0.31	0.29	7.61	27.6	24.8	19
ZZ00715		0.38	0.010	1.21	1.44	10.6	<0.2	<10	380	0.35	0.30	0.11	1.48	41.8	25.1	26
ZZ00716		0.44	0.017	1.00	1.46	11.5	<0.2	<10	340	0.35	0.32	0.10	1.04	39.1	23.3	28
ZZ00717		0.48	0.005	0.31	1.38	12.3	<0.2	<10	290	0.35	0.30	0.29	4.88	30.8	19.3	23
ZZ00718		0.56	0.008	0.51	0.93	14.2	<0.2	<10	270	0.17	0.21	0.79	0.79	23.2	12.5	35
ZZ00719		0.42	0.005	0.16	1.09	9.9	<0.2	<10	170	0.25	0.20	0.42	0.74	29.8	12.8	24
ZZ00720		0.36	0.012	0.16	1.02	8.2	<0.2	<10	150	0.26	0.19	0.46	0.80	28.8	12.2	23
ZZ00721		0.36	0.006	0.52	1.44	8.7	<0.2	<10	150	0.30	0.22	0.99	1.07	18.75	13.6	26
ZZ00722		0.50	0.014	1.21	1.77	8.9	<0.2	<10	390	0.37	0.26	0.86	9.55	20.6	103.0	24
ZZ00723		0.58	0.007	0.35	1.14	8.4	<0.2	<10	290	0.25	0.20	0.96	1.06	29.7	12.9	24
ZZ00724		0.36	0.005	0.18	1.02	9.4	<0.2	<10	170	0.27	0.21	0.53	0.79	28.9	14.1	24
ZZ00725		0.48	0.010	0.08	0.72	5.5	<0.2	<10	170	0.15	0.10	1.69	0.26	29.6	8.0	19
ZZ00726		0.32	0.005	0.12	0.86	9.8	<0.2	<10	150	0.27	0.30	2.06	0.43	32.4	12.0	23
ZZ00727		0.50	0.003	0.14	0.95	10.4	<0.2	<10	180	0.30	0.19	1.92	0.53	26.3	12.0	23
ZZ00728		0.52	0.002	0.17	1.14	12.6	<0.2	<10	220	0.40	0.28	5.17	0.66	32.7	16.6	25
ZZ00729		0.52	0.001	0.14	1.04	11.2	<0.2	<10	210	0.34	0.24	4.35	0.59	29.3	14.9	25
ZZ00882		0.36	0.003	0.12	1.18	16.6	<0.2	<10	80	0.28	0.44	0.41	0.47	27.7	21.7	18
ZZ00883		0.40	0.002	0.12	0.96	10.9	<0.2	<10	70	0.27	0.29	0.55	0.28	24.3	13.2	16
ZZ00884		0.38	0.001	0.06	0.97	12.6	<0.2	<10	50	0.23	0.34	0.39	0.11	33.3	17.3	15
ZZ00885		0.38	0.004	0.09	0.94	12.2	<0.2	<10	60	0.26	0.32	0.47	0.18	26.0	14.1	15
ZZ00886		0.38	0.001	0.10	0.93	9.8	<0.2	<10	70	0.23	0.28	0.44	0.22	26.4	12.1	16
ZZ00887		0.44	0.002	0.10	0.96	11.0	<0.2	<10	110	0.29	0.26	0.41	0.34	28.9	12.9	18
ZZ00888		0.48	0.001	0.17	1.07	15.4	<0.2	<10	240	0.35	0.27	0.46	0.51	30.2	15.9	21
ZZ00889		0.34	0.004	0.24	1.17	12.9	<0.2	<10	190	0.24	0.25	0.32	0.39	31.8	12.1	24
ZZ00890		0.40	0.012	0.32	1.22	17.5	<0.2	<10	200	0.30	0.28	0.28	0.46	35.5	15.6	25
ZZ00895		0.32	0.002	0.29	1.22	14.0	<0.2	<10	180	0.31	0.30	0.40	1.06	26.6	15.0	22
ZZ00896		0.38	0.002	0.17	1.26	14.0	<0.2	<10	150	0.32	0.33	0.27	0.27	26.8	15.7	21
ZZ00897		0.38	0.001	0.12	1.17	10.5	<0.2	<10	100	0.26	0.35	0.28	0.34	27.3	14.8	19
ZZ00898		0.44	0.004	0.22	1.23	9.8	<0.2	<10	160	0.21	0.25	0.13	0.55	22.7	8.5	21
ZZ00899		0.36	0.004	0.31	1.39	10.9	<0.2	<10	100	0.35	0.38	0.27	0.36	27.3	16.4	22
ZZ00900		0.34	0.002	0.12	1.34	12.9	<0.2	<10	90	0.33	0.38	0.27	0.47	24.4	19.9	21
ZZ01092		0.22	0.001	0.13	1.93	7.5	<0.2	<10	260	0.66	0.14	1.76	0.41	40.9	17.0	94
ZZ01093		0.16	0.001	0.14	2.16	14.4	<0.2	<10	210	0.82	0.14	1.97	0.40	50.0	20.6	111
ZZ01094		0.16	0.002	0.26	1.38	12.8	<0.2	<10	140	0.42	0.23	1.01	0.29	24.1	10.4	31
ZZ01095		0.24	0.001	0.08	2.71	5.8	<0.2	<10	530	0.87	0.08	1.81	0.31	52.6	27.4	133
ZZ01096		0.24	0.001	0.06	4.05	4.3	<0.2	<10	370	1.23	0.04	1.62	0.15	71.3	38.4	245
ZZ01097		0.26	0.001	0.06	4.07	10.8	<0.2	<10	220	1.56	0.07	2.74	0.25	66.4	43.9	333



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ00711		3.27	139.5	3.80	4.24	0.15	0.04	0.21	0.026	0.19	17.5	11.7	0.63	2640	4.22
ZZ00712		1.80	53.9	3.43	4.36	0.11	0.02	0.06	0.023	0.05	13.2	29.0	0.53	976	1.44
ZZ00713		1.70	74.7	3.79	4.07	0.14	0.02	0.09	0.023	0.07	18.0	25.9	0.54	1920	2.75
ZZ00714		2.22	102.5	3.28	6.45	0.18	0.04	0.12	0.022	0.11	17.0	27.3	0.61	29700	3.51
ZZ00715		2.82	90.9	3.43	5.15	0.15	0.03	0.15	0.025	0.13	20.9	9.6	0.45	2020	3.97
ZZ00716		3.01	92.8	3.79	5.16	0.14	0.03	0.14	0.026	0.13	20.1	10.4	0.47	1400	4.39
ZZ00717		1.99	80.4	3.58	5.13	0.16	0.03	0.12	0.024	0.09	16.6	24.3	0.64	10350	2.85
ZZ00718		1.87	100.0	2.84	3.35	0.12	0.05	0.09	0.019	0.14	12.9	8.9	0.58	2490	2.79
ZZ00719		1.17	52.2	2.84	3.64	0.12	0.03	0.06	0.021	0.08	15.7	13.0	0.53	1400	1.75
ZZ00720		1.00	43.2	2.58	3.60	0.12	0.03	0.07	0.020	0.06	15.3	12.9	0.52	904	1.41
ZZ00721		1.59	116.5	2.96	4.41	0.12	0.07	0.18	0.026	0.10	11.6	17.4	0.86	1190	1.37
ZZ00722		2.37	278	2.82	4.46	0.18	0.10	0.43	0.023	0.14	12.4	17.9	0.63	6060	3.10
ZZ00723		1.40	77.5	2.63	3.98	0.13	0.07	0.16	0.023	0.09	17.2	12.4	0.70	1430	2.32
ZZ00724		1.03	48.9	2.70	3.65	0.11	0.04	0.08	0.021	0.06	15.3	14.1	0.54	1310	1.57
ZZ00725		0.47	18.1	1.84	2.67	0.09	0.07	0.03	0.016	0.04	15.8	7.0	0.92	797	0.74
ZZ00726		0.68	31.6	2.43	3.21	0.10	0.06	0.05	0.022	0.05	17.0	10.2	1.28	969	1.09
ZZ00727		0.74	33.6	2.65	3.11	0.09	0.05	0.05	0.023	0.06	13.8	10.2	1.12	1260	1.07
ZZ00728		0.97	39.4	3.01	3.96	0.11	0.08	0.05	0.030	0.10	16.9	14.5	2.51	1340	1.53
ZZ00729		0.81	34.9	2.80	3.49	0.10	0.08	0.04	0.026	0.09	15.1	12.8	2.20	1320	1.37
ZZ00882		0.78	44.9	3.74	3.85	0.11	0.07	0.03	0.019	0.03	14.3	26.5	0.50	1900	1.16
ZZ00883		0.64	25.8	2.73	3.08	0.09	0.07	0.03	0.019	0.03	13.0	20.8	0.39	750	0.57
ZZ00884		0.47	34.9	3.52	3.27	0.13	0.06	0.02	0.020	0.03	17.3	27.5	0.41	681	0.55
ZZ00885		0.62	28.0	2.99	3.10	0.10	0.07	0.03	0.018	0.03	13.7	22.6	0.39	773	0.58
ZZ00886		0.65	28.2	2.70	3.15	0.10	0.06	0.03	0.019	0.03	14.0	19.8	0.38	724	0.58
ZZ00887		0.80	35.4	2.73	3.34	0.11	0.05	0.04	0.021	0.04	15.2	18.4	0.40	1040	0.90
ZZ00888		0.95	44.6	3.46	3.92	0.12	0.04	0.05	0.022	0.05	15.7	19.0	0.46	2700	1.62
ZZ00889		1.28	51.2	3.13	4.00	0.12	0.02	0.05	0.022	0.08	16.8	19.4	0.50	777	1.78
ZZ00890		1.57	65.2	3.63	4.49	0.13	0.02	0.06	0.025	0.09	18.2	21.6	0.50	852	2.41
ZZ00895		1.07	53.0	3.22	3.90	0.12	0.03	0.06	0.023	0.07	14.0	23.5	0.52	1490	1.62
ZZ00896		1.09	51.8	3.34	3.99	0.12	0.03	0.05	0.022	0.05	14.0	27.5	0.51	1410	1.81
ZZ00897		1.07	48.6	3.10	4.04	0.12	0.03	0.09	0.021	0.05	14.1	29.6	0.52	681	1.39
ZZ00898		1.54	55.4	2.40	4.40	0.09	<0.02	0.05	0.020	0.07	11.7	12.3	0.37	660	2.45
ZZ00899		1.24	53.3	3.46	3.76	0.17	<0.02	0.08	0.022	0.05	12.0	34.1	0.59	762	1.53
ZZ00900		1.22	58.3	3.73	3.74	0.17	0.03	0.06	0.026	0.07	10.7	33.6	0.59	1540	1.90
ZZ01092		1.29	36.5	3.73	6.41	0.18	0.07	0.07	0.031	0.10	20.5	19.2	1.51	910	0.59
ZZ01093		1.73	41.7	4.42	7.40	0.21	0.08	0.07	0.038	0.10	24.6	21.9	1.84	817	0.78
ZZ01094		1.12	45.4	2.61	3.58	0.16	0.04	0.07	0.022	0.07	12.6	19.4	0.63	706	0.98
ZZ01095		1.58	45.4	5.12	9.04	0.24	0.09	0.06	0.046	0.11	24.8	24.9	2.31	967	0.70
ZZ01096		2.40	38.3	7.44	15.45	0.32	0.10	0.02	0.060	0.31	35.4	37.5	4.13	859	0.60
ZZ01097		4.07	52.2	7.55	15.45	0.40	0.07	0.02	0.069	0.17	32.0	35.6	4.02	1130	0.60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ00711		0.33	49.8	1370	30.5	24.0	<0.001	0.09	1.62	1.9	2.1	0.2	76.0	0.01	0.22	0.8
ZZ00712		0.30	33.5	800	23.9	11.7	<0.001	0.04	0.70	1.7	1.0	0.3	30.3	<0.01	0.08	0.8
ZZ00713		0.26	41.8	900	30.2	11.4	<0.001	0.04	1.00	1.7	1.1	0.2	29.1	<0.01	0.13	1.4
ZZ00714		0.28	624	1150	35.2	13.8	0.001	0.06	1.15	1.9	1.8	0.4	67.6	0.01	0.13	0.8
ZZ00715		0.61	48.2	760	54.8	20.8	<0.001	0.07	1.62	2.2	2.3	0.4	25.6	0.01	0.13	1.4
ZZ00716		0.57	44.2	730	52.5	21.3	<0.001	0.08	1.76	2.4	2.4	0.4	26.2	<0.01	0.14	1.6
ZZ00717		0.28	373	1130	33.4	14.0	0.001	0.07	1.06	1.7	1.8	0.3	52.7	<0.01	0.12	0.8
ZZ00718		0.72	58.6	1180	16.2	18.4	0.001	0.10	1.63	1.9	2.8	0.3	68.0	0.01	0.17	1.2
ZZ00719		0.68	44.2	1200	19.9	10.3	0.001	0.04	0.96	2.4	1.1	0.3	40.5	<0.01	0.07	2.0
ZZ00720		0.74	51.7	1180	16.9	9.7	0.001	0.03	0.82	2.5	1.3	0.3	42.8	<0.01	0.06	2.2
ZZ00721		0.78	57.4	1330	58.9	16.4	0.002	0.11	1.01	2.3	2.6	0.4	72.4	0.01	0.10	0.6
ZZ00722		0.47	703	1410	27.3	21.2	0.002	0.14	1.42	2.3	3.8	0.3	93.0	0.01	0.12	0.7
ZZ00723		0.93	58.9	2320	18.0	12.3	0.002	0.05	1.23	2.3	2.1	0.3	95.5	0.01	0.09	2.0
ZZ00724		0.81	52.2	1210	18.4	10.1	0.002	0.04	0.94	2.6	1.5	0.4	45.9	<0.01	0.08	2.2
ZZ00725		1.72	18.6	1260	9.9	6.2	<0.001	0.01	0.57	2.0	0.6	0.2	42.5	0.01	0.03	4.2
ZZ00726		1.63	31.5	1270	16.0	7.4	<0.001	0.02	0.99	2.9	0.9	0.3	51.4	0.01	0.05	4.0
ZZ00727		1.09	32.3	1160	17.2	8.3	0.001	0.04	0.94	2.8	1.2	0.3	58.2	0.01	0.05	2.9
ZZ00728		1.35	38.3	1010	30.5	10.2	0.001	0.02	1.42	3.9	0.9	0.3	71.1	0.01	0.04	4.5
ZZ00729		1.35	34.4	1060	25.6	9.0	0.001	0.02	1.21	3.3	0.9	0.3	61.1	<0.01	0.04	4.1
ZZ00882		0.25	39.9	750	18.5	5.4	0.001	0.03	0.45	2.5	0.8	0.2	34.5	<0.01	0.07	4.8
ZZ00883		0.36	26.2	730	15.1	6.4	0.001	0.05	0.40	2.3	1.0	0.2	40.9	<0.01	0.04	3.4
ZZ00884		0.20	31.4	560	20.5	3.6	<0.001	0.02	0.55	2.2	0.5	<0.2	26.8	<0.01	0.05	5.6
ZZ00885		0.32	27.7	700	16.8	5.6	<0.001	0.03	0.41	2.3	0.7	0.2	34.2	<0.01	0.05	4.2
ZZ00886		0.42	25.6	760	14.7	5.5	<0.001	0.02	0.42	2.2	0.7	0.2	33.9	<0.01	0.04	3.9
ZZ00887		0.60	27.7	900	17.3	7.1	0.001	0.02	0.53	2.5	0.8	0.2	34.6	<0.01	0.05	3.7
ZZ00888		0.92	37.4	1090	17.9	9.9	0.002	0.04	0.68	2.6	1.2	0.2	43.9	<0.01	0.07	3.6
ZZ00889		0.72	38.6	930	15.6	10.8	0.003	0.04	0.83	2.0	1.7	0.3	43.9	<0.01	0.08	2.0
ZZ00890		0.68	47.6	940	18.2	13.2	0.004	0.04	1.14	2.4	2.3	0.3	45.3	<0.01	0.09	2.2
ZZ00895		0.42	53.5	1210	16.9	12.4	0.007	0.05	0.74	1.7	2.8	0.2	60.3	<0.01	0.09	0.9
ZZ00896		0.33	44.0	1040	18.4	8.9	0.004	0.05	0.70	1.8	2.0	0.2	45.1	<0.01	0.09	1.3
ZZ00897		0.27	36.5	920	19.1	10.2	0.003	0.04	0.51	1.5	1.5	0.2	44.7	<0.01	0.07	1.3
ZZ00898		0.23	24.8	770	12.2	14.0	<0.001	0.03	0.87	0.7	0.9	0.3	29.7	<0.01	0.07	0.2
ZZ00899		0.20	35.8	1010	22.9	7.3	0.003	0.07	0.59	1.2	0.9	0.2	37.9	<0.01	0.05	0.7
ZZ00900		0.26	41.0	1100	24.4	7.9	0.008	0.08	0.64	1.3	1.1	0.2	38.2	<0.01	0.06	0.9
ZZ01092		6.49	45.9	2150	13.2	10.3	0.003	0.12	1.07	5.5	1.8	0.4	95.6	0.01	0.02	2.1
ZZ01093		8.03	51.3	2390	13.7	10.8	0.003	0.10	1.29	7.1	1.9	0.5	115.0	0.01	0.01	2.6
ZZ01094		0.84	26.9	1640	17.1	8.9	0.007	0.11	1.18	2.6	2.7	0.4	65.1	<0.01	0.03	1.1
ZZ01095		9.93	58.4	2390	8.6	12.7	<0.001	0.09	0.72	8.5	1.0	0.6	113.5	0.02	0.01	2.0
ZZ01096		7.33	84.8	4330	6.8	20.8	<0.001	0.04	0.60	12.7	0.3	0.7	149.0	0.01	0.01	3.6
ZZ01097		7.23	125.0	4310	11.9	11.7	<0.001	0.05	0.86	13.6	0.3	0.5	175.0	0.01	<0.01	2.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00711		0.042	0.19	2.11	37	0.10	10.80	150	<0.5
ZZ00712		0.024	0.07	1.24	28	0.14	6.29	102	<0.5
ZZ00713		0.025	0.10	1.51	27	0.11	5.73	123	<0.5
ZZ00714		0.028	0.13	1.83	30	0.12	16.15	841	0.6
ZZ00715		0.045	0.26	2.05	41	0.16	8.60	155	0.5
ZZ00716		0.046	0.25	2.02	44	0.18	7.16	154	0.6
ZZ00717		0.030	0.13	1.69	33	0.12	9.83	655	<0.5
ZZ00718		0.037	0.13	4.25	25	0.13	9.10	133	1.3
ZZ00719		0.048	0.11	1.32	38	0.24	7.71	152	0.5
ZZ00720		0.041	0.10	1.51	34	0.15	7.68	162	0.6
ZZ00721		0.035	0.14	2.54	35	0.10	15.40	224	1.2
ZZ00722		0.034	0.17	3.26	35	0.11	26.7	1670	1.5
ZZ00723		0.043	0.14	2.63	41	0.13	13.50	205	1.4
ZZ00724		0.042	0.10	1.73	35	0.31	8.35	155	0.8
ZZ00725		0.063	0.07	0.79	30	0.84	6.96	68	2.0
ZZ00726		0.059	0.08	1.04	36	0.20	8.71	91	1.9
ZZ00727		0.043	0.09	1.01	33	0.17	7.97	114	1.6
ZZ00728		0.059	0.13	0.83	42	0.20	9.17	125	3.3
ZZ00729		0.056	0.11	0.82	39	0.18	8.49	117	2.4
ZZ00882		0.017	0.03	1.65	19	0.07	6.69	109	2.0
ZZ00883		0.016	0.03	1.15	17	0.09	5.75	88	1.8
ZZ00884		0.010	0.02	0.90	12	0.05	5.04	88	2.1
ZZ00885		0.015	0.03	1.13	16	0.07	5.86	87	2.0
ZZ00886		0.019	0.04	1.01	18	0.08	5.88	84	1.6
ZZ00887		0.026	0.05	1.19	25	0.13	6.86	79	1.1
ZZ00888		0.036	0.08	1.22	29	0.21	6.85	105	1.0
ZZ00889		0.045	0.10	1.29	34	0.14	6.05	123	<0.5
ZZ00890		0.044	0.13	1.54	36	0.15	6.69	129	<0.5
ZZ00895		0.026	0.08	1.61	26	0.13	7.05	176	<0.5
ZZ00896		0.022	0.07	2.16	23	0.11	6.89	125	0.5
ZZ00897		0.017	0.06	1.58	19	0.12	5.40	102	0.6
ZZ00898		0.024	0.12	1.33	32	0.15	3.43	95	<0.5
ZZ00899		0.016	0.08	1.96	22	0.06	4.93	119	<0.5
ZZ00900		0.017	0.08	1.98	21	0.07	5.12	123	0.9
ZZ01092		0.148	0.10	1.08	79	0.19	9.23	114	2.2
ZZ01093		0.182	0.09	1.27	96	0.29	11.05	110	2.7
ZZ01094		0.024	0.08	2.47	33	0.10	9.99	92	1.3
ZZ01095		0.264	0.07	0.96	123	0.18	10.20	98	2.5
ZZ01096		0.344	0.09	0.54	200	0.20	11.90	131	3.4
ZZ01097		0.257	0.14	0.55	234	0.14	11.00	154	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ01098		0.30	0.002	0.22	1.16	15.4	<0.2	<10	250	0.44	0.23	1.23	1.25	32.5	15.9	27
ZZ01099		0.18	0.002	0.19	1.11	12.4	<0.2	<10	190	0.37	0.21	0.73	0.64	29.2	11.6	25
ZZ01100		0.18	0.002	0.16	1.13	12.2	<0.2	<10	160	0.36	0.22	0.71	0.53	33.1	12.4	27
ZZ01101		0.22	0.003	0.17	0.97	52.1	<0.2	<10	530	0.36	0.22	0.77	1.29	24.7	14.1	20
ZZ01102		0.20	0.003	0.25	1.11	13.0	<0.2	<10	200	0.42	0.21	0.85	0.97	30.8	13.1	25
ZZ01103		0.26	0.002	0.15	1.09	11.7	<0.2	<10	130	0.35	0.24	0.55	0.37	28.8	12.8	22
ZZ01104		0.24	0.002	0.21	1.18	13.7	<0.2	<10	150	0.37	0.26	0.62	0.48	28.1	13.7	24
ZZ01105		0.24	0.005	0.21	1.25	12.8	<0.2	<10	150	0.43	0.27	0.69	0.69	30.8	13.4	26
ZZ01106		0.16	0.002	0.20	1.21	12.7	<0.2	<10	150	0.43	0.26	0.67	0.66	31.8	12.5	25
ZZ01107		0.40	0.029	0.16	1.21	16.5	<0.2	<10	120	0.33	0.31	0.46	0.34	28.0	12.5	22
ZZ01108		0.32	0.004	0.20	1.05	15.1	<0.2	<10	90	0.32	0.24	1.20	0.35	27.9	13.1	20
ZZ01109		0.44	0.007	0.18	1.05	14.2	<0.2	<10	100	0.36	0.25	1.43	0.35	29.4	11.7	21
ZZ01110		0.36	0.002	0.17	1.19	32.7	<0.2	<10	60	0.38	0.48	0.90	0.25	28.5	20.8	18
ZZ01111		0.24	0.002	0.13	1.01	32.6	<0.2	<10	50	0.31	0.40	1.16	0.24	29.8	18.5	15
ZZ01112		0.22	0.002	0.11	1.18	18.9	<0.2	<10	50	0.38	0.37	1.06	0.22	28.0	12.7	17
ZZ01501		0.16	0.002	0.18	1.25	10.1	<0.2	<10	280	0.52	0.23	2.95	0.64	31.3	12.5	32
ZZ01502		0.24	0.003	0.17	1.05	14.4	<0.2	<10	230	0.36	0.19	3.83	0.65	29.3	12.2	34
ZZ01507		0.22	0.006	0.31	1.35	14.1	<0.2	<10	330	0.44	0.20	1.40	0.79	30.3	14.1	42
ZZ01508		0.12	0.005	0.28	1.26	13.8	<0.2	<10	340	0.45	0.18	1.59	0.83	32.8	14.5	42
ZZ01509		0.26	0.002	0.15	1.49	12.6	<0.2	<10	240	0.45	0.15	1.00	0.65	43.1	18.0	56
ZZ01985		0.22	0.001	0.13	0.79	25.5	<0.2	<10	60	0.38	0.39	0.44	0.09	28.2	19.8	12
ZZ01986		0.24	0.002	0.10	0.86	21.5	<0.2	<10	50	0.38	0.35	0.34	0.12	28.3	15.9	13
ZZ01987		0.18	0.003	0.11	0.93	22.0	<0.2	<10	70	0.31	0.38	0.40	0.22	23.6	18.8	14
ZZ01988		0.10	0.002	0.17	0.99	17.7	<0.2	<10	120	0.37	0.35	0.39	0.29	20.3	16.7	16
ZZ01989		0.16	0.002	0.15	1.00	16.3	<0.2	<10	130	0.33	0.31	0.47	0.94	20.9	16.9	19
ZZ01990		0.38	0.001	0.12	0.97	19.4	<0.2	<10	190	0.29	0.22	0.16	0.94	35.1	18.1	20
ZZ01991		0.22	0.003	0.25	0.98	18.9	<0.2	<10	170	0.31	0.26	0.38	2.60	24.6	17.9	18
ZZ01992		0.30	0.004	0.25	0.89	22.3	<0.2	<10	190	0.30	0.27	0.30	5.20	31.1	17.4	16
ZZ01993		0.34	0.004	0.26	0.99	24.3	<0.2	<10	220	0.27	0.30	0.24	4.01	28.8	17.0	17
ZZ01994		0.40	0.004	0.22	1.47	17.4	<0.2	<10	210	0.49	0.22	0.90	1.85	31.6	19.4	73
ZZ01995		0.38	0.134	0.26	1.31	15.1	<0.2	<10	230	0.48	0.22	1.85	1.22	32.6	16.4	43
ZZ01996		0.24	0.164	0.25	2.12	14.4	<0.2	<10	330	0.85	0.17	1.88	1.05	45.5	20.9	76
ZZ01997		0.20	0.005	0.22	1.47	13.6	<0.2	<10	190	0.55	0.19	0.85	0.68	38.0	16.5	49
ZZ01998		0.14	0.003	0.20	1.02	9.6	<0.2	<10	260	0.35	0.17	0.76	0.58	26.2	10.2	29
ZZ01999		0.08	0.003	0.24	1.00	16.0	<0.2	<10	270	0.41	0.19	3.62	0.84	25.9	13.3	32
ZZ02000		0.10	0.006	0.32	1.05	17.9	<0.2	<10	330	0.38	0.26	1.73	0.96	28.4	15.1	27
ZZ02321		0.40	0.022	1.44	0.55	59.0	<0.2	<10	180	0.22	0.40	0.12	0.71	36.5	12.4	9
ZZ02322		0.32	0.017	1.07	0.80	30.2	<0.2	<10	190	0.27	0.32	0.43	1.51	23.1	14.0	15
ZZ02323		0.20	0.011	0.66	1.34	22.3	<0.2	<10	200	0.57	0.27	0.74	1.23	33.0	17.4	44
ZZ02324		0.22	0.008	0.58	1.60	16.0	<0.2	<10	260	0.65	0.25	0.94	1.44	35.2	18.7	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page:3 - B
Total # Pages:4 (A - D)
Plus Appendix Pages
Finalized Date:9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ01098		0.85	50.9	3.25	3.61	0.18	0.04	0.06	0.026	0.06	15.7	18.1	0.81	3400	1.47
ZZ01099		0.71	42.4	2.87	3.08	0.15	0.04	0.04	0.024	0.05	14.9	16.1	0.57	878	1.05
ZZ01100		0.72	40.8	3.02	3.25	0.18	0.03	0.05	0.021	0.07	15.7	16.8	0.58	1090	1.13
ZZ01101		0.69	44.4	5.08	3.01	0.16	0.04	0.05	0.021	0.05	12.5	17.6	0.50	12900	2.73
ZZ01102		0.82	49.6	2.91	3.55	0.19	0.04	0.07	0.025	0.06	14.4	15.9	0.58	1810	1.35
ZZ01103		0.76	40.1	2.87	3.12	0.15	0.03	0.06	0.022	0.05	13.8	19.8	0.49	826	1.05
ZZ01104		0.93	40.3	3.08	3.60	0.17	0.04	0.08	0.022	0.05	13.0	21.6	0.52	1070	1.37
ZZ01105		0.93	42.6	3.10	3.60	0.18	0.03	0.06	0.024	0.06	14.9	19.3	0.56	845	1.42
ZZ01106		0.94	40.9	3.02	3.55	0.15	0.03	0.05	0.024	0.06	14.3	18.8	0.53	825	1.44
ZZ01107		1.04	44.5	3.17	3.57	0.17	0.02	0.04	0.023	0.04	14.5	21.0	0.47	1030	1.89
ZZ01108		1.10	45.2	2.87	2.99	0.18	0.04	0.05	0.020	0.05	12.8	17.6	0.51	632	1.24
ZZ01109		1.29	42.5	2.81	3.08	0.17	0.03	0.05	0.020	0.06	14.3	14.7	0.54	725	1.23
ZZ01110		2.10	62.5	4.11	3.16	0.10	0.06	0.04	0.021	0.03	14.9	23.9	0.50	1120	1.17
ZZ01111		1.43	49.6	3.53	2.73	0.18	0.09	0.04	0.025	0.04	15.4	19.9	0.42	1080	1.22
ZZ01112		0.51	34.6	3.16	3.00	0.15	0.08	0.04	0.023	0.04	14.7	17.3	0.45	582	0.65
ZZ01501		0.71	37.9	2.77	3.85	0.17	0.07	0.08	0.027	0.09	15.4	13.4	1.90	814	0.82
ZZ01502		0.58	35.3	2.71	3.39	0.16	0.05	0.06	0.027	0.06	14.4	10.6	2.41	863	1.42
ZZ01507		0.88	38.4	3.03	3.91	0.16	0.06	0.10	0.027	0.07	14.5	14.8	1.00	1650	0.89
ZZ01508		0.92	37.0	2.92	4.07	0.17	0.05	0.09	0.028	0.06	14.9	14.7	1.08	1900	0.90
ZZ01509		0.82	30.4	3.53	5.16	0.21	0.07	0.05	0.029	0.05	20.5	16.2	1.09	1420	1.22
ZZ01985		1.48	33.6	3.61	2.15	0.17	0.08	0.07	0.022	0.04	13.5	21.3	0.29	991	0.57
ZZ01986		1.26	30.4	3.39	2.27	0.16	0.07	0.04	0.023	0.03	13.8	23.3	0.32	634	0.61
ZZ01987		1.55	36.9	3.50	2.41	0.15	0.08	0.04	0.022	0.05	10.7	24.3	0.37	1160	0.75
ZZ01988		1.35	47.9	3.40	2.66	0.17	0.08	0.06	0.023	0.06	10.2	24.8	0.41	1210	1.18
ZZ01989		1.43	48.4	3.35	2.53	0.14	0.05	0.07	0.018	0.08	9.3	23.2	0.45	2310	1.67
ZZ01990		1.33	54.9	3.92	2.88	0.16	0.05	0.06	0.016	0.10	16.0	21.6	0.52	3830	2.55
ZZ01991		1.74	72.9	3.56	2.72	0.17	0.03	0.08	0.019	0.11	10.8	18.5	0.51	2320	2.58
ZZ01992		1.71	69.1	3.52	2.61	0.16	0.02	0.06	0.017	0.11	13.9	16.2	0.48	2820	3.19
ZZ01993		1.74	73.7	3.54	3.38	0.14	0.05	0.05	0.021	0.11	14.2	16.2	0.55	3770	3.16
ZZ01994		1.23	49.3	3.56	5.32	0.16	0.06	0.04	0.033	0.06	16.2	15.7	1.24	1630	2.04
ZZ01995		1.05	48.7	3.20	4.59	0.14	0.06	0.05	0.035	0.07	16.8	14.0	1.43	1240	1.77
ZZ01996		1.81	50.7	4.18	8.47	0.20	0.07	0.04	0.047	0.24	24.6	21.1	2.14	1200	1.42
ZZ01997		1.26	40.2	3.42	5.60	0.16	0.06	0.04	0.041	0.11	19.6	16.1	1.13	1090	1.23
ZZ01998		0.47	25.9	2.34	3.59	0.11	0.05	0.05	0.026	0.04	13.4	8.8	0.58	791	0.93
ZZ01999		0.69	38.4	2.47	3.48	0.10	0.06	0.06	0.028	0.05	13.7	10.4	2.26	1580	1.34
ZZ02000		0.77	54.9	2.74	3.41	0.11	0.07	0.07	0.029	0.06	14.6	11.1	1.09	2210	1.58
ZZ02321		0.53	90.2	3.90	1.91	0.15	0.02	0.06	0.032	0.06	19.6	3.8	0.13	1060	5.18
ZZ02322		0.98	69.6	3.16	2.53	0.13	0.04	0.06	0.029	0.06	13.3	9.1	0.32	1540	2.83
ZZ02323		2.47	62.1	3.54	4.85	0.15	0.04	0.06	0.037	0.09	18.3	16.0	0.88	1230	2.10
ZZ02324		1.56	59.9	3.75	6.00	0.17	0.05	0.11	0.046	0.07	18.8	17.1	1.11	929	1.71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
ZZ01098		1.71	47.9	1210	21.8	7.4	0.006	0.08	1.04	3.0	2.1	0.3	71.5	<0.01	0.07
ZZ01099		1.74	30.1	1120	19.2	5.6	0.004	0.06	0.79	2.7	1.1	0.3	35.4	<0.01	0.06
ZZ01100		1.70	30.8	1220	18.8	7.5	0.003	0.05	0.78	2.6	1.2	0.3	42.3	<0.01	0.05
ZZ01101		0.83	38.9	2000	17.6	5.7	0.003	0.11	1.28	2.3	2.5	0.2	81.2	<0.01	0.06
ZZ01102		1.88	42.2	1350	18.5	7.2	0.010	0.09	0.84	2.8	2.8	0.3	60.4	<0.01	0.06
ZZ01103		0.85	29.6	1000	17.6	5.4	0.002	0.04	0.70	2.5	0.7	0.3	39.4	<0.01	0.05
ZZ01104		0.85	30.0	1020	18.3	6.5	0.002	0.05	0.86	2.7	0.7	0.4	38.4	<0.01	0.07
ZZ01105		0.96	30.5	1130	19.2	7.2	0.002	0.04	1.06	2.9	1.0	0.5	44.2	<0.01	0.06
ZZ01106		0.88	29.7	1110	17.6	7.0	0.002	0.03	0.86	2.9	1.0	0.4	43.4	<0.01	0.06
ZZ01107		0.63	27.4	900	20.1	6.1	0.001	0.02	0.72	2.4	0.5	0.3	33.0	<0.01	0.05
ZZ01108		0.64	29.1	970	17.1	5.2	<0.001	0.05	0.83	2.9	1.3	0.3	66.4	<0.01	0.05
ZZ01109		0.80	28.0	990	15.4	5.4	0.001	0.02	0.85	3.1	1.0	0.3	68.9	<0.01	0.06
ZZ01110		0.17	44.8	920	32.1	3.5	<0.001	0.04	0.82	2.5	1.0	0.2	60.5	<0.01	0.10
ZZ01111		0.19	37.3	860	28.5	3.4	<0.001	0.05	0.92	2.4	1.3	0.2	65.7	<0.01	0.10
ZZ01112		0.30	25.5	1050	22.0	4.4	<0.001	0.07	0.66	2.4	0.8	0.2	72.5	<0.01	0.04
ZZ01501		2.35	32.3	1180	23.7	7.1	0.001	0.05	1.21	4.4	0.8	0.4	40.0	<0.01	0.03
ZZ01502		2.70	33.8	1400	29.2	5.7	<0.001	0.03	1.79	3.3	0.8	0.4	41.2	<0.01	0.04
ZZ01507		2.01	38.5	1450	28.9	8.3	0.001	0.07	0.97	3.6	1.7	0.4	46.6	<0.01	0.04
ZZ01508		2.78	38.8	1520	27.5	7.6	0.002	0.06	1.07	3.6	1.3	0.4	51.1	<0.01	0.03
ZZ01509		5.31	40.9	2100	17.3	6.0	0.001	0.03	1.09	4.3	0.5	0.4	56.7	<0.01	0.02
ZZ01985		0.12	30.7	770	29.6	4.1	<0.001	0.04	0.90	2.6	0.7	0.2	30.6	<0.01	0.06
ZZ01986		0.17	27.9	670	25.7	4.4	<0.001	0.03	0.75	2.4	0.6	0.2	24.9	<0.01	0.06
ZZ01987		0.18	31.5	760	24.3	5.0	0.001	0.05	0.83	2.2	0.8	0.3	28.3	<0.01	0.09
ZZ01988		0.23	31.3	950	24.7	6.2	0.002	0.08	0.91	1.9	2.3	0.2	38.2	<0.01	0.05
ZZ01989		0.21	73.7	980	21.0	8.8	0.001	0.08	0.82	1.8	1.3	0.2	46.2	<0.01	0.07
ZZ01990		0.19	84.3	660	17.6	10.9	0.001	0.02	1.03	1.7	0.7	0.2	31.8	<0.01	0.07
ZZ01991		0.27	99.6	1100	19.6	12.6	0.001	0.08	1.35	1.7	2.2	0.3	51.9	<0.01	0.10
ZZ01992		0.31	155.5	1040	17.9	13.9	0.002	0.05	1.48	1.5	1.5	0.2	47.9	<0.01	0.12
ZZ01993		0.35	174.0	860	18.7	12.0	0.001	0.03	1.21	1.9	1.0	0.3	47.3	<0.01	0.11
ZZ01994		2.71	99.4	1420	22.6	10.7	0.001	0.03	0.92	3.9	0.8	0.3	65.2	0.01	0.06
ZZ01995		3.13	83.8	1530	29.3	11.1	0.001	0.03	1.17	3.8	1.0	0.4	78.0	0.01	0.06
ZZ01996		5.54	69.5	2150	24.8	18.2	0.001	0.05	0.93	5.9	0.9	0.4	119.0	0.01	0.04
ZZ01997		3.56	59.6	1830	23.3	14.3	0.001	0.03	0.83	4.3	0.9	0.4	73.8	0.01	0.05
ZZ01998		1.36	29.6	1090	15.7	7.5	0.001	0.03	0.82	2.6	0.7	0.3	37.6	0.01	0.03
ZZ01999		1.47	40.9	1400	26.6	8.4	0.001	0.04	1.17	3.0	1.0	0.3	52.7	0.01	0.04
ZZ02000		0.92	42.1	1280	27.9	9.1	0.002	0.04	1.35	2.9	1.1	0.3	48.8	0.01	0.08
ZZ02321		0.27	44.4	950	23.0	6.3	0.001	0.13	3.16	1.3	3.3	0.2	75.3	0.01	0.20
ZZ02322		0.52	58.3	1220	20.2	10.7	0.018	0.10	1.70	1.5	3.8	0.2	92.5	<0.01	0.12
ZZ02323		2.12	58.1	1800	23.0	11.9	0.005	0.07	1.34	3.3	2.3	0.3	83.2	0.01	0.09
ZZ02324		2.87	58.7	1770	26.1	10.1	0.010	0.06	1.18	4.5	1.9	0.4	86.9	0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
ZZ01098		0.049	0.09	1.32	36	0.17	8.40	162
ZZ01099		0.055	0.07	1.23	37	0.21	7.12	119
ZZ01100		0.059	0.08	1.30	37	0.19	7.11	119
ZZ01101		0.033	0.08	1.05	27	0.15	6.18	156
ZZ01102		0.056	0.09	1.43	35	0.40	7.87	150
ZZ01103		0.033	0.07	1.51	28	0.12	6.52	102
ZZ01104		0.034	0.08	1.69	30	0.13	6.18	115
ZZ01105		0.036	0.08	1.14	33	0.18	7.47	125
ZZ01106		0.036	0.07	1.07	33	0.16	7.45	125
ZZ01107		0.027	0.07	1.96	31	0.17	6.66	106
ZZ01108		0.032	0.05	1.28	26	0.13	7.11	102
ZZ01109		0.046	0.07	1.15	33	0.16	7.34	98
ZZ01110		0.011	0.04	1.39	17	0.07	7.73	131
ZZ01111		0.010	0.05	1.94	14	0.07	6.89	111
ZZ01112		0.013	0.03	1.57	17	0.09	9.01	101
ZZ01501		0.069	0.13	0.85	46	0.18	9.68	117
ZZ01502		0.077	0.11	1.31	41	0.30	9.39	116
ZZ01507		0.060	0.12	0.99	46	0.21	9.88	140
ZZ01508		0.076	0.11	1.12	46	0.22	9.88	128
ZZ01509		0.139	0.10	1.13	65	0.26	9.40	111
ZZ01985		0.005	0.03	1.65	10	0.05	6.61	100
ZZ01986		0.007	0.04	1.85	12	0.06	5.80	91
ZZ01987		0.009	0.04	1.72	14	0.07	5.38	109
ZZ01988		0.012	0.05	2.67	15	0.07	6.76	103
ZZ01989		0.013	0.06	2.70	15	0.08	5.76	165
ZZ01990		0.022	0.12	1.79	18	0.07	3.68	158
ZZ01991		0.022	0.13	3.59	19	0.07	5.42	220
ZZ01992		0.023	0.12	2.73	18	0.06	5.52	360
ZZ01993		0.024	0.14	2.07	20	0.08	5.20	338
ZZ01994		0.093	0.09	1.30	50	0.22	7.62	236
ZZ01995		0.093	0.10	1.97	49	0.58	8.49	216
ZZ01996		0.169	0.13	1.19	94	0.27	9.25	170
ZZ01997		0.121	0.10	1.59	61	0.20	7.98	140
ZZ01998		0.046	0.10	1.04	38	0.20	7.51	109
ZZ01999		0.047	0.11	1.14	37	0.30	8.59	131
ZZ02000		0.028	0.11	1.20	33	0.18	9.40	132
ZZ02321		0.013	0.09	1.83	18	0.11	5.03	171
ZZ02322		0.019	0.08	2.09	21	0.14	7.68	193
ZZ02323		0.078	0.08	3.62	48	0.35	9.23	198
ZZ02324		0.096	0.10	2.16	59	0.37	9.64	215



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ02325		0.28	0.008	0.47	1.49	16.0	<0.2	<10	280	0.65	0.23	1.12	1.14	39.9	17.5	53
ZZ02326		0.22	0.003	0.26	2.40	8.3	<0.2	<10	420	0.96	0.14	1.38	1.00	49.5	23.4	98
ZZ02327		0.28	0.003	0.26	2.44	8.2	<0.2	<10	410	0.78	0.16	1.11	1.79	47.9	23.5	73
ZZ02328		0.30	0.005	0.47	2.36	29.9	<0.2	<10	270	0.71	0.26	0.90	2.23	46.1	22.0	57
ZZ02329		0.26	0.009	0.39	1.81	15.1	<0.2	<10	270	0.54	0.21	0.97	1.27	39.3	17.3	45
ZZ02330		0.28	0.013	0.24	2.47	9.4	<0.2	<10	380	1.03	0.11	1.56	0.71	45.8	25.1	95



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 9- SEP- 2011
Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
ZZ02325		1.00	56.6	3.64	5.50	0.16	0.05	0.17	0.043	0.07	21.0	15.8	1.09	922	1.99
ZZ02326		1.40	54.7	4.64	9.29	0.20	0.06	0.06	0.045	0.11	26.6	24.1	1.78	876	1.15
ZZ02327		2.01	57.0	4.52	9.11	0.21	0.06	0.07	0.047	0.15	26.0	25.9	1.76	1020	1.39
ZZ02328		2.54	68.1	4.41	8.37	0.20	0.04	0.07	0.046	0.14	25.1	35.1	1.44	807	2.33
ZZ02329		1.88	74.0	3.37	6.29	0.17	0.04	0.07	0.035	0.11	21.9	25.3	1.28	695	2.20
ZZ02330		1.37	48.4	4.88	9.99	0.23	0.06	0.04	0.039	0.18	23.9	26.5	2.14	775	1.07



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ02325		3.01	54.8	1910	24.0	9.9	0.006	0.05	1.26	4.0	1.6	0.3	83.6	0.01	0.06	2.7
ZZ02326		7.04	56.5	2560	16.9	14.1	0.001	0.04	0.72	7.0	0.9	0.5	87.2	0.01	0.03	3.7
ZZ02327		5.42	51.9	2150	14.6	21.2	0.001	0.04	0.66	7.6	1.0	0.5	75.6	0.01	0.05	3.6
ZZ02328		2.77	63.8	2320	32.3	18.4	0.005	0.06	1.10	5.5	1.3	0.5	106.0	0.01	0.07	1.5
ZZ02329		2.15	47.4	2200	22.7	17.0	0.003	0.08	0.92	3.8	1.5	0.4	104.0	0.01	0.07	1.8
ZZ02330		6.71	50.7	3130	14.8	15.2	0.002	0.04	0.68	6.2	0.9	0.5	108.5	0.01	0.03	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 9- SEP- 2011
 Account: MTT

Project: Midas Touch - STAFF

CERTIFICATE OF ANALYSIS WH11152104

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ02325		0.095	0.09	1.83	58	0.42	9.16	188	1.3
ZZ02326		0.217	0.11	1.03	104	0.24	10.30	171	1.8
ZZ02327		0.196	0.12	1.14	99	0.21	10.90	179	1.6
ZZ02328		0.112	0.11	5.90	82	0.17	11.40	294	0.7
ZZ02329		0.090	0.17	3.44	71	0.21	11.35	207	0.8
ZZ02330		0.258	0.10	1.77	111	0.26	10.00	145	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Midas Touch - STAFF

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11152104

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

